

Appendix E

Health Risk Assessment

Via Oro

Construction & Operational Health Risk Assessment

Date: 6/14/2023

	3rd	0-2	2-16	>16	Units
DBR	361	1090	631	261	L/kg
A	1				no units
EF	0.95890411				years
Constant 1	0.000001				no units
CPF	1.1				mg/kg-day-1
ASF	10	10	3	1	no units
Site Prep	0.06	0.00	0.00	0.00	years
Grading	0.12	0.02	0.00	0.00	years
Building Construction	0.00	1.27	0.00	0.00	years
Paving	0.00	0.10	0.00	0.00	years
Architectural Coating	0.00	0.10	0.00	0.00	years
Operational 30 year	0.25	2.00	14.00	14.00	years
Worker				25.00	years
AT	70				years
FAH	1	1	1	0.73	day
Constant 2	1,000,000				no units
Dose Constant	3.46E-04	1.05E-03	6.05E-04	2.50E-04	
Risk Constant	1.57E-01	1.57E-01	4.71E-02	1.15E-02	

= DBR * A * EF * Constant1

= CPF * ASF * (1/AT) * FHA

Source: OEHHA 2015

FAH	If school is within the 1 per million cancer bracket:	If school is not within the 1 per million cancer bracket:
	3rd to 2 years	3rd to 2 years
	2 to 16	2 to 16
	16-30	16-30
	1	0.85
	1	0.72
	0.73	0.73

Source: OEHHA 2015

Dose = (Cair X DBR X A X EF X Constant 1)

Cair = concentration in air ($\mu\text{g}/\text{m}^3$)

DBR = daily breathing rate normalized to body weight (l/kg bod weight -day)

A = Inhalation adsorption factor (unitless)

EF = Exposure frequency (unitless), days/365 days

Constant 1 = micrograms to milligrams conversion, liters to cubic meters conversion

Cancer Risk = Dose X CPF x ASF x (ED/AT) X FAH

Dose = Daily inhalation dose (mg/kg-day)

CPF = Inhalation cancer potency factor ($\text{mg}/\text{kg}\cdot\text{day}^{-1}$)

ASF = Age sensitivity factor for a specified age group (unitless)

ED = Exposure duration (in years) for a specified age group

AT = Averaging time for lifetime cancer risk (years)

FAH = Fraction of time spent at home (unitless)

Risk per Million = Cancer Risk X Constant 2

Onsite Concentrations

	Source ID	PM10 (lbs/day)	PM10 (gr/day)	PM10 (gr/sec)
Construction				
Site Preparation	Con1	1.37	621.42	1.73E-02
Grading	Con1	1.23	557.92	1.55E-02
Building Construction	Con2	0.43	195.04	5.42E-03
Paving	Con3	0.30	136.08	3.78E-03
Architeturat Coating	Con2	0.02	9.07	2.52E-04
Operational				
Idle Truck Parking	Idle1	3.40E-03	1.54	4.28E-05
Idling In Bays	Idle2	1.70E-03	0.77	2.14E-05

Offsite Concentrations

	Source ID	PM10 (gr/mile)	Miles	PM10 (grs/day)	PM10 (gr/sec)	MPH
Carson Street (Via Oro to Site)	TKA	0.00788825	0.16	0.1859132	3.2277E-06	35
Carson (Via Oro - Santa Fe)	TKB	0.00788825	0.25	0.2891748	5.0204E-06	35
Via Oro (Carson to hughes)	TKC	0.00788825	0.22	0.2463315	4.2766E-06	35
Hughes (Via Oro to 405/Warnock)	TKD	0.00788825	0.20	0.2312269	4.0144E-06	35
Warnock Way (Hughes to Santa Fe)	TKE	0.00788825	0.09	0.1069319	1.8565E-06	35
Santa Fe (Warnock to Wardlow)	TKF	0.00788825	0.12	0.1348118	2.3405E-06	35
Wardlow (Santa Fe to 405 east to 405 (Hughes to 47)	TKG	0.00788825	0.14	0.1607860	2.7914E-06	35
405/47 off/on ramp	TKH	0.02147127	0.63	1.9519341	3.3888E-05	55
405 East from Wardlow to 710 N	TKI	0.00788825	0.12	0.1327649	2.3049E-06	35
405 East from Wardlow to 710 S	TKJ	0.02147127	0.71	2.2059160	3.8297E-05	55
405 East from Wardlow to 710 S	TKK	0.02147127	1.18	3.6464280	6.3306E-05	55
Santa Fe (Carson to Warnock)	TKL	0.00788825	0.39	0.4476316	7.7714E-06	35
Santa Fe (Carson to E. DelAmo)	TKM	0.00788825	1.09	1.2343395	2.143E-05	35
Wardlow from Santa Fe to 405 E to 405 from 710 to Hughes	TKN	0.00788825	0.57	0.6441321	1.1183E-05	35
405 from 710 to Hughes	TKO	0.00788825	0.41	0.4670416	8.1084E-06	55
Onsite	Idle1	0.01283411	0.63	2.3376080	4.0583E-05	5

Via Oro

Construction & Operational Health Risk Assessment

Sources	Description	#VS	Meters	Miles	MPH
<u>Construction</u>					
Con1	Site Prep and Grading	187			
Con2	Building Construction and Architectural Coating	144			
Con3	Paving	138			
<u>Operational</u>					
TKA	Carson Street (Via Oro to Site)	8	263.4	0.16	35
TKB	Carson (Via Oro - Santa Fe)	10	409.7	0.25	35
TKC	Via Oro (Carson to Hughes)	9	349	0.22	35
TKD	Hughes (Via Oro to 405/Warnock way)	10	327.6	0.20	35
TKE	Warnock Way (Hughes to Santa Fe)	4	151.5	0.09	35
TKF	Santa Fe (Warnock to Wardlow)	4	191	0.12	35
TKG	Wardlow (Santa Fe to 405 east to 710 N)	5	227.8	0.14	35
TKH	405 (Hughes to 47)	15	1016	0.63	55
TKI	405/47 off/on ramp	12	188.1	0.12	35
TKJ	405 East from Wardlow to 710 N	48	1148.2	0.71	55
TKK	405 East from Wardlow to 710 S	17	1898	1.18	55
TKL	Santa Fe (Carson to Warnock)	13	634.2	0.39	35
TKM	Santa Fe (Carson to E. DelAmo)	35	1748.8	1.09	35
TKN	Wardlow from Santa Fe to 405 E to 710 S	19	912.6	0.57	35
TKO	405 from 710 to Hughes	28	661.7	0.41	55
Idle1	Idling in Truck Parking	29	290.8	0.18	5
Idle2	Idling in Bays	32	320.3	0.20	5

Truck Routes

To Site (A)	To Site (B)
A	B
O	A
D	B
C	M
A	

to 710 N (A)	to 710 N (B)	to 710 N (C)	to 710 S (A)	to 710 S (B)	To 47 (A)	to 47 (B)
1	2	3	4	5	6	7
A	A	A	A	A	A	A
B	B	C	B	C	C	B
L	M	D	L	D	D	L
F		E	F	E	I	F
G		F	N	F	H	I
J		G	K	N		H
		J		K		

Assumptions and Constants:

365 days per year

453.59237 conversion from lbs to grams

10 hours per day construction

16 hours per day operation

60 minutes per hour

60 seconds per minute

0.000621371 conversion of meters to miles.

288 # Truck Trips

144 # Trucks

10 minutes per day (parking)

5 minutes per day (bays)

Age Bins

				3rd	0-2	2-16	17-30
		Start		1/1/2025	4/1/2025	1/1/2028	1/1/2043
		End		3/31/2025	12/31/2027	12/31/2042	12/31/2056
		Days		64	727		
	Start	End	Days				
Site Preparation	1/1/2025	1/30/25	22	22			
Grading	1/31/2025	4/8/25	48	42	6		
Building Construction	4/9/2025	1/18/27	464		464		
Paving	3/11/2027	5/3/27	37		37		
Architeturual Coating	1/18/2027	3/10/27	38		38		
Operational					212		

Via Oro
Unmitigated - - Emissions

Construction

		PM10	
		Unmitigated lbs/day	Days
	Site Prep	1.37	22
	Grading	1.23	48
	Building Construction	0.43	464
	Paving	0.3	37
	Architectural Coating	0.02	38

Offsite Emissions

	gr/mile		Total grs/day		gr/mile
	HHD	MHD	HHD	MHD	weighted
5 mph	0.014864956	0.005581072	3.3446151	0.3516076	0.0128341
35 MPH	0.009053877	0.003725313	2.0371223	0.2346947	0.0078883
55 MPH	0.024733574	0.009820206	5.5650541	0.618673	0.0214713
# Truck Trips	225	63			
Idling	lb/min		lbs/day		Weighted lb/min
	2.73097E-06	1.02535E-06	0.0006145	6.46E-05	2.358E-06
	225	63			

Via Oro
Unmitigated Cancer Risk Summary

		<i>Combined Construction + Operational Cancer Risk</i>					
Receptor #	Total Per/Million	Construction	Operation			Receptor	
	1.24	1.03	0.73			519	Residential
	1.87	1.6	0.5			420	School
	0.24	0.1	0.2			423	Worker
1	0.313546	0.0419951	0.271551				
2	0.328908	0.0433003	0.285607				
3	0.335901	0.0446472	0.291253				
4	0.341745	0.0460499	0.295695				
5	0.34738	0.0475109	0.299869				
6	0.323352	0.049067	0.274285				
7	0.331281	0.0506907	0.28059				
8	0.33877	0.0523722	0.286398				
9	0.346523	0.0541367	0.292386				
10	0.354188	0.0559722	0.298216				
11	0.361433	0.057888	0.303545				
12	0.367969	0.0598742	0.308095				
13	0.374973	0.0619321	0.313041				
14	0.380683	0.0640602	0.316623				
15	0.336644	0.0662461	0.270398				
16	0.338378	0.0684624	0.269915				
17	0.333383	0.0707332	0.262649				
18	0.341069	0.0730199	0.268049				
19	0.339538	0.0752972	0.264241				
20	0.313064	0.0775611	0.235503				
21	0.299371	0.0797719	0.219599				
22	0.290871	0.0819023	0.208969				
23	0.283669	0.0839111	0.199757				
24	0.276131	0.0857691	0.190361				
25	0.271815	0.0874346	0.18438				

Via Oro
Unmitigated Cancer Risk Summary

Total		Combined Construction + Operational Cancer Risk		Receptor
Receptor #	Per/Million	Construction	Operation	
26	0.271487	0.088855	0.182632	
27	0.273505	0.0900265	0.183479	
28	0.278705	0.0909078	0.187797	
29	0.289347	0.0914983	0.197849	
30	0.310309	0.0918107	0.218499	
31	0.356069	0.091867	0.264202	
32	0.493089	0.0916724	0.401417	
55	0.378389	0.0888612	0.289528	
56	0.364758	0.0912084	0.27355	
57	0.349355	0.0934017	0.255953	
58	0.331342	0.0953398	0.236003	
59	0.317182	0.0969991	0.220182	
60	0.319769	0.0983316	0.221437	
61	0.328637	0.0993316	0.229306	
62	0.347615	0.0999703	0.247645	
63	0.388006	0.1002873	0.287719	
64	0.483778	0.1002816	0.383496	
65	0.6918	0.099994	0.591806	
66	0.802604	0.0995034	0.7031	
67	0.767958	0.0454642	0.722493	
68	0.77628	0.0470342	0.729246	
69	0.717824	0.0486738	0.66915	
70	0.625496	0.0503946	0.575101	
71	0.612035	0.0521717	0.559864	
72	0.620141	0.0540736	0.566067	
73	0.620639	0.0560478	0.564592	
74	0.624403	0.058129	0.566274	
75	0.629573	0.0602983	0.569274	

Via Oro
Unmitigated Cancer Risk Summary

Total		Combined Construction + Operational Cancer Risk		Receptor
Receptor #	Per/Million	Construction	Operation	
76	0.637696	0.0625886	0.575107	
77	0.648127	0.0649924	0.583135	
78	0.662085	0.0675222	0.594563	
79	0.687921	0.0816439	0.606277	
80	0.728653	0.0846973	0.643956	
81	0.697946	0.0877956	0.61015	
82	0.637659	0.0908826	0.546777	
83	0.62262	0.093933	0.528687	
84	0.591903	0.0968744	0.495028	
85	0.54449	0.0996696	0.444821	
86	0.49355	0.1022469	0.391303	
87	0.439635	0.1045367	0.335098	
88	0.392696	0.1064826	0.286213	
89	0.387894	0.108032	0.279862	
90	0.403359	0.1091518	0.294207	
91	0.445242	0.1098674	0.335375	
92	0.548163	0.1101522	0.438011	
93	0.61235	0.1100707	0.502279	
96	0.649515	0.1108248	0.53869	
97	0.733323	0.1126716	0.620651	
98	0.533646	0.1176248	0.416022	
99	0.50562	0.1194487	0.386172	
100	0.541744	0.1207461	0.420998	
101	0.661831	0.1215019	0.540329	
102	0.696024	0.1217273	0.574296	
106	0.285725	0.0472632	0.238461	
107	0.344937	0.0491904	0.295747	
108	0.373576	0.0510917	0.322484	

Via Oro
Unmitigated Cancer Risk Summary

Total		Combined Construction + Operational Cancer Risk		Receptor
Receptor #	Per/Million	Construction	Operation	
109	0.407017	0.0530892	0.353928	
110	0.443704	0.0551996	0.388505	
111	0.44911	0.0573949	0.391716	
112	0.44914	0.0597542	0.389386	
113	0.443132	0.0622257	0.380906	
114	0.442004	0.064834	0.37717	
115	0.440229	0.0675729	0.372656	
116	0.438849	0.0704486	0.368401	
117	0.444467	0.0735309	0.370936	
118	0.454175	0.0767696	0.377405	
124	0.231736	0.0491123	0.182624	
125	0.320623	0.0510947	0.269528	
126	0.307534	0.0531891	0.254345	
127	0.303723	0.0554065	0.248316	
128	0.306873	0.057738	0.249135	
129	0.308396	0.0602069	0.248189	
130	0.312673	0.0628444	0.249829	
131	0.316773	0.0656206	0.251152	
132	0.321653	0.0685634	0.25309	
133	0.32557	0.0716735	0.253897	
134	0.332586	0.0749794	0.257607	
135	0.339559	0.0784798	0.26108	
136	0.349403	0.0821766	0.267227	
137	0.362214	0.0860799	0.276134	
138	0.383389	0.0902507	0.293138	
141	0.219552	0.0508746	0.168677	
142	0.222533	0.0530388	0.169495	
143	0.223452	0.0553392	0.168113	

Via Oro
Unmitigated Cancer Risk Summary

Total		Combined Construction + Operational Cancer Risk		Receptor
Receptor #	Per/Million	Construction	Operation	
144	0.225789	0.0577909	0.167998	
145	0.23674	0.0603846	0.176355	
146	0.245365	0.0631297	0.182236	
147	0.253102	0.0660833	0.187019	
148	0.259572	0.0692073	0.190365	
149	0.266334	0.0725379	0.193796	
150	0.273323	0.0760756	0.197248	
151	0.281519	0.0798528	0.201666	
152	0.291164	0.083867	0.207297	
153	0.303141	0.0881441	0.214997	
154	0.31789	0.0926727	0.225217	
155	0.340112	0.0974967	0.242615	
164	0.296346	0.099992	0.196354	
165	0.321664	0.105637	0.216027	
166	0.369168	0.1117122	0.257456	
178	0.286701	0.1080923	0.178608	
179	0.316314	0.1147876	0.201526	
180	0.375749	0.1220165	0.253732	
192	0.2846	0.1170469	0.167553	
193	0.319408	0.1250441	0.194364	
194	0.360794	0.1337028	0.227091	
207	0.287559	0.1268273	0.160732	
208	0.329192	0.1363885	0.192804	
209	0.378903	0.1469002	0.232003	
223	0.294306	0.1373896	0.156917	
224	0.345045	0.1488532	0.196192	
225	0.405101	0.1616055	0.243496	
239	0.30606	0.1486332	0.157427	

Via Oro
Unmitigated Cancer Risk Summary

Total		Combined Construction + Operational Cancer Risk		Receptor
Receptor #	Per/Million	Construction	Operation	
240	0.368092	0.1623664	0.205726	
241	0.387794	0.177904	0.20989	
255	0.320973	0.1603351	0.160638	
256	0.400039	0.1766886	0.223351	
272	0.337252	0.1721872	0.165064	
273	0.393283	0.1914947	0.201788	
289	0.353767	0.1838032	0.169964	
290	0.420534	0.2062312	0.214303	
306	0.368975	0.1946359	0.174339	
307	0.450392	0.220236	0.230156	
323	0.379583	0.2041146	0.175468	
324	0.482833	0.2326788	0.250155	
342	0.380635	0.2116897	0.168945	
343	0.504981	0.2427316	0.262249	
344	0.558302	0.2816631	0.276639	
356	0.374367	0.2168898	0.157477	
357	0.483595	0.2497327	0.233862	
358	0.539062	0.2912559	0.247806	
370	0.365438	0.2194944	0.145943	
371	0.461226	0.2533177	0.207908	
372	0.519747	0.2962542	0.223492	
383	0.355128	0.2194332	0.135695	
384	0.440605	0.2534302	0.187175	
385	0.613485	0.2966033	0.316882	
396	0.344359	0.2169232	0.127436	
397	0.421135	0.2503195	0.170816	
398	0.554902	0.2926303	0.262272	
399	0.598485	0.3473496	0.251135	

Via Oro
Unmitigated Cancer Risk Summary

Total		Combined Construction + Operational Cancer Risk		Receptor
Receptor #	Per/Million	Construction	Operation	
411	0.333557	0.2122641	0.121293	
412	0.401891	0.2443982	0.157493	
413	0.511476	0.2849413	0.226534	
414	0.65654	0.3370526	0.319487	
426	0.321351	0.2058668	0.115484	
427	0.38256	0.2362169	0.146343	
428	0.474834	0.2742473	0.200586	
429	0.655459	0.3227592	0.3327	
439	0.308127	0.1981523	0.109975	
440	0.363024	0.2263696	0.136655	
441	0.442274	0.2614092	0.180864	
442	0.581042	0.3056438	0.275398	
443	0.721673	0.3625748	0.359098	
454	0.294328	0.1895492	0.104779	
455	0.343529	0.2154266	0.128103	
456	0.412139	0.2472272	0.164912	
457	0.522819	0.2869008	0.235918	
458	0.656355	0.3372854	0.319069	
469	0.280288	0.1804412	0.099847	
470	0.324263	0.2038857	0.120377	
471	0.383955	0.2324174	0.151537	
472	0.474517	0.2675635	0.206953	
473	0.587935	0.3115724	0.276363	
489	0.266341	0.171143	0.095198	
490	0.30565	0.1922298	0.11342	
491	0.357707	0.2175858	0.140121	
492	0.433191	0.2484632	0.184727	
493	0.569486	0.2865813	0.282905	

Via Oro
Unmitigated Cancer Risk Summary

Total		Combined Construction + Operational Cancer Risk		Receptor
Receptor #	Per/Million	Construction	Operation	
494	0.618593	0.3344745	0.284119	
509	0.252634	0.161879	0.090755	
510	0.287727	0.1807258	0.107001	
511	0.333258	0.2031548	0.130103	
512	0.396914	0.230137	0.166777	
513	0.501853	0.262984	0.238869	
514	0.618276	0.303654	0.314622	
515	0.778402	0.4210347	0.357367	
516	0.765707	0.5079039	0.257803	
517	0.85038	0.6262496	0.22413	
518	1.005436	0.7914521	0.213984	
519	1.243709	1.0268437	0.216866	
528	0.239349	0.1528244	0.086525	
529	0.270672	0.1696086	0.101064	
530	0.310607	0.1893651	0.121242	
531	0.364785	0.2128529	0.151932	
532	0.448424	0.2411341	0.20729	
533	0.548123	0.2756373	0.272486	
534	0.691381	0.3725536	0.318827	
535	0.715571	0.4422072	0.273364	
536	0.760575	0.535757	0.224818	
537	0.866258	0.6597595	0.206499	
538	1.030209	0.8276588	0.20255	
547	0.226587	0.1440915	0.082495	
548	0.254529	0.1589764	0.095553	
549	0.289618	0.1763435	0.113275	
550	0.33615	0.1967744	0.139376	
551	0.404486	0.2211018	0.183384	

Via Oro
Unmitigated Cancer Risk Summary

Total		Combined Construction + Operational Cancer Risk		Receptor
Receptor #	Per/Million	Construction	Operation	
552	0.532865	0.2504228	0.282442	
553	0.548434	0.2863718	0.262062	
554	0.571486	0.330981	0.240505	
555	0.687048	0.388019	0.299029	
556	0.692405	0.4627413	0.229664	
557	0.761067	0.5585751	0.202492	
558	0.87719	0.6847037	0.192486	
559	1.029209	0.8374866	0.191722	
567	0.214364	0.1357271	0.078637	
568	0.239302	0.1489103	0.090392	
569	0.270226	0.1641558	0.10607	
570	0.310412	0.1819458	0.128466	
571	0.367268	0.2029077	0.164361	
572	0.464073	0.2279556	0.236118	
573	0.50368	0.2583261	0.245354	
574	0.682892	0.3426034	0.340288	
575	0.642482	0.4028632	0.239619	
576	0.681526	0.4795882	0.201938	
577	0.761326	0.5755396	0.185786	
578	0.868567	0.6885211	0.180046	
586	0.202747	0.127782	0.074965	
587	0.225033	0.1394495	0.085583	
588	0.252357	0.1528413	0.099515	
589	0.287298	0.1683473	0.118951	
590	0.335299	0.1864762	0.148823	
591	0.411581	0.2079373	0.203643	
592	0.50021	0.2337432	0.266467	
593	0.597948	0.3042408	0.293707	

Via Oro
Unmitigated Cancer Risk Summary

Total		Combined Construction + Operational Cancer Risk		Receptor
Receptor #	Per/Million	Construction	Operation	
594	0.610167	0.3536711	0.256496	
595	0.619845	0.4147386	0.205106	
596	0.671126	0.4889726	0.182153	
597	0.746114	0.5744745	0.17164	
345	0.820957	0.3315178	0.489439	
346	0.916235	0.3969685	0.519267	
347	0.980601	0.4857231	0.494878	
348	1.10103	0.6113667	0.489663	
359	0.745023	0.3448789	0.400144	
360	0.817065	0.415913	0.401152	
361	0.857238	0.5135763	0.343662	
362	0.978898	0.6522559	0.326642	
363	1.199601	0.8670252	0.332576	
373	0.843525	0.426103	0.417422	
374	0.841969	0.5278382	0.31413	
375	0.958041	0.6725609	0.28548	
376	1.176006	0.8947363	0.28127	
386	0.769959	0.4271351	0.342824	
387	0.848484	0.5292794	0.319204	
388	0.947463	0.6735358	0.273927	
389	1.15632	0.8922221	0.264098	
390	1.52393	1.2513875	0.272543	
400	0.791343	0.4198855	0.371457	
401	0.861708	0.5181108	0.343597	
402	0.933292	0.6579637	0.275328	
403	1.120605	0.8632365	0.257368	
404	1.452364	1.1904083	0.261956	
415	0.715062	0.405632	0.30943	

Via Oro
Unmitigated Cancer Risk Summary

Total		Combined Construction + Operational Cancer Risk		Receptor
Receptor #	Per/Million	Construction	Operation	
416	0.889592	0.4983386	0.391254	
417	0.911558	0.6268877	0.28467	
418	1.073828	0.8175822	0.256246	
419	1.36817	1.1127789	0.255391	
420	1.869509	1.5967505	0.272758	
430	0.809682	0.4702285	0.339453	
431	0.889305	0.5868453	0.302459	
432	1.012596	0.7543332	0.258263	
433	1.259301	1.0091914	0.25011	
434	1.690281	1.4279398	0.262342	
444	0.707347	0.4375867	0.26976	
445	0.869227	0.5393446	0.329882	
446	0.946609	0.6829257	0.263683	
447	1.141951	0.895771	0.24618	
448	1.484512	1.2331413	0.251371	
459	0.863177	0.4897077	0.37347	
460	0.88325	0.609747	0.273503	
461	1.026718	0.7825207	0.244197	
462	1.286406	1.0450682	0.241338	
463	1.724528	1.4691124	0.255416	
474	0.781421	0.4410859	0.340335	
475	0.829414	0.5397703	0.289644	
476	0.922671	0.6778874	0.244784	
477	1.110943	0.8779887	0.232955	
478	1.420823	1.1822177	0.238605	
495	0.64958	0.3958899	0.25369	
496	0.792176	0.476531	0.315645	
497	0.835058	0.5861336	0.248924	

Via Oro
Unmitigated Cancer Risk Summary

Total		Combined Construction + Operational Cancer Risk		Receptor
Receptor #	Per/Million	Construction	Operation	
498	0.966604	0.7395065	0.227097	
499	1.185507	0.9608145	0.224692	
500	1.526392	1.2913493	0.235043	
139	0.032072	0.0020151	0.030057	
140	0.036971	0.0021136	0.034857	
156	0.027632	0.0021855	0.025446	
157	0.032027	0.0023009	0.029726	
158	0.035864	0.0024232	0.03344	
159	0.040341	0.0025513	0.03779	
160	0.04551	0.0026835	0.042827	
161	0.057373	0.0029583	0.054414	
162	0.051611	0.0030951	0.048516	
163	0.052778	0.0032264	0.049552	
167	0.026919	0.0025141	0.024405	
168	0.029814	0.0026622	0.027151	
169	0.035066	0.0028166	0.032249	
170	0.037317	0.0029782	0.034338	
171	0.042558	0.0031459	0.039412	
172	0.045856	0.0033177	0.042538	
173	0.040062	0.003487	0.036575	
174	0.039245	0.0036533	0.035592	
175	0.039827	0.0038091	0.036018	
176	0.040819	0.0039481	0.036871	
177	0.045996	0.0040621	0.041934	
181	0.028055	0.0029393	0.025116	
182	0.032241	0.0031267	0.029115	
183	0.034	0.0033276	0.030672	
184	0.03932	0.0035365	0.035784	

Via Oro
Unmitigated Cancer Risk Summary

Total		Combined Construction + Operational Cancer Risk		Receptor
Receptor #	Per/Million	Construction	Operation	
185	0.041951	0.0037529	0.038198	
186	0.037111	0.003971	0.03314	
187	0.03571	0.0041805	0.03153	
188	0.035173	0.0043832	0.03079	
189	0.035354	0.0045635	0.03079	
190	0.038596	0.0047097	0.033886	
191	0.046989	0.0048162	0.042173	
195	0.033082	0.0032618	0.02982	
196	0.029902	0.0034945	0.026407	
197	0.038784	0.0037436	0.03504	
198	0.039371	0.0040099	0.035361	
199	0.045732	0.0042874	0.041445	
200	0.041858	0.0045708	0.037287	
201	0.040159	0.0048516	0.035308	
202	0.037409	0.005117	0.032292	
203	0.035525	0.0053527	0.030172	
204	0.036097	0.005544	0.030553	
205	0.040306	0.0056806	0.034625	
206	0.054588	0.0057567	0.048831	
210	0.025143	0.0033644	0.021778	
211	0.030008	0.003637	0.026371	
212	0.027699	0.0039283	0.023771	
213	0.038208	0.0042472	0.03396	
214	0.037777	0.0049529	0.032824	
215	0.039965	0.0053297	0.034635	
216	0.040884	0.0057077	0.035176	
217	0.047013	0.0060687	0.040944	
218	0.037443	0.0063899	0.031053	

Via Oro
Unmitigated Cancer Risk Summary

Total		Combined Construction + Operational Cancer Risk		Receptor
Receptor #	Per/Million	Construction	Operation	
219	0.035543	0.0066482	0.028894	
220	0.037284	0.0068268	0.030457	
221	0.043666	0.0069175	0.036748	
222	0.065546	0.0069185	0.058627	
226	0.024816	0.0037361	0.02108	
227	0.028263	0.0040747	0.024188	
228	0.026236	0.0044464	0.02179	
229	0.029733	0.0048585	0.024875	
230	0.039562	0.0053087	0.034253	
231	0.048114	0.0057838	0.04233	
232	0.046556	0.0063017	0.040254	
233	0.053448	0.0073445	0.046103	
234	0.039113	0.007798	0.031315	
235	0.03618	0.0081593	0.028021	
236	0.036623	0.0083993	0.028224	
237	0.039876	0.0085057	0.03137	
238	0.048781	0.0084846	0.040297	
242	0.028677	0.0041526	0.024524	
243	0.027074	0.0045788	0.022495	
244	0.02531	0.0050395	0.02027	
245	0.026286	0.0055901	0.020696	
246	0.031227	0.0062027	0.025024	
247	0.036739	0.0068775	0.029862	
248	0.045822	0.0076092	0.038213	
249	0.056916	0.009109	0.047807	
250	0.041734	0.0097701	0.031964	
251	0.038316	0.010304	0.028012	
252	0.038057	0.0106483	0.027409	

Via Oro
Unmitigated Cancer Risk Summary

Total		Combined Construction + Operational Cancer Risk		Receptor
Receptor #	Per/Million	Construction	Operation	
253	0.039665	0.0107661	0.028899	
254	0.043749	0.0106815	0.033067	
257	0.028131	0.0046139	0.023517	
258	0.026552	0.0051528	0.0214	
259	0.025408	0.0057755	0.019633	
260	0.026225	0.0064664	0.019758	
261	0.029057	0.0073421	0.021715	
262	0.034385	0.0083016	0.026083	
263	0.044592	0.009377	0.035215	
264	0.061243	0.0117035	0.049539	
265	0.046014	0.0127494	0.033265	
266	0.042572	0.0135685	0.029003	
267	0.042059	0.0140507	0.028009	
268	0.042682	0.0141507	0.028531	
269	0.044097	0.0139127	0.030184	
270	0.039403	0.0118858	0.027518	
271	0.033849	0.0110276	0.022822	
274	0.032827	0.0051116	0.027716	
275	0.027987	0.0057906	0.022196	
276	0.027431	0.0066069	0.020824	
277	0.028139	0.007556	0.020583	
278	0.02995	0.0087591	0.021191	
279	0.034731	0.010173	0.024558	
280	0.045728	0.0117681	0.033959	
281	0.0669	0.0156485	0.051252	
282	0.052751	0.0174211	0.03533	
283	0.050134	0.0187769	0.031357	
284	0.050052	0.0195469	0.030505	

Via Oro
Unmitigated Cancer Risk Summary

Total		Combined Construction + Operational Cancer Risk		Receptor
Receptor #	Per/Million	Construction	Operation	
285	0.050292	0.0195942	0.030698	
286	0.050118	0.0189286	0.031189	
287	0.043424	0.0148858	0.028538	
288	0.039062	0.0134447	0.025618	
291	0.034843	0.0056298	0.029213	
292	0.031602	0.0064757	0.025126	
293	0.032162	0.0075279	0.024634	
294	0.033785	0.0088314	0.024954	
295	0.036043	0.0104802	0.025563	
296	0.038998	0.0126282	0.026369	
297	0.049243	0.0154042	0.033839	
298	0.07647	0.022454	0.054016	
299	0.065295	0.0259727	0.039323	
300	0.064952	0.0284492	0.036503	
301	0.066217	0.0297169	0.0365	
302	0.06605	0.0292352	0.036815	
303	0.063856	0.0272628	0.036593	
304	0.051525	0.0187723	0.032752	
305	0.046534	0.0163017	0.030232	
308	0.042923	0.0061422	0.036781	
309	0.042074	0.0071735	0.034901	
310	0.04382	0.0085003	0.03532	
311	0.046452	0.0102305	0.036221	
312	0.049842	0.0126235	0.037219	
313	0.054306	0.0159502	0.038356	
314	0.060454	0.020837	0.039618	
315	0.096863	0.0367358	0.060127	
316	0.09499	0.04532	0.04967	

Via Oro
Unmitigated Cancer Risk Summary

Total		Combined Construction + Operational Cancer Risk		Receptor
Receptor #	Per/Million	Construction	Operation	
317	0.100119	0.0503717	0.049747	
318	0.104097	0.052437	0.05166	
319	0.101168	0.0492406	0.051927	
320	0.092042	0.0425256	0.049516	
321	0.064297	0.0233846	0.040912	
322	0.0564	0.019413	0.036987	
325	0.035593	0.0066126	0.02898	
326	0.040089	0.0078291	0.03226	
327	0.041686	0.0094431	0.032243	
328	0.049275	0.0116653	0.03761	
329	0.049882	0.0148374	0.035045	
330	0.054392	0.0199023	0.03449	
331	0.064685	0.0288229	0.035862	
332	0.096859	0.0485958	0.048263	
333	0.123771	0.0796729	0.044098	
334	0.155993	0.1041202	0.051873	
335	0.176796	0.1190174	0.057779	
336	0.187894	0.1240388	0.063855	
337	0.171119	0.1036964	0.067493	
338	0.154607	0.0767009	0.077906	
339	0.098797	0.036817	0.06198	
340	0.08196	0.0282505	0.053709	
341	0.06793	0.0224476	0.045483	
349	0.062137	0.0168815	0.045255	
350	0.069771	0.0235724	0.046199	
351	0.084645	0.0370731	0.047571	
352	0.13438	0.0850549	0.049325	
353	0.137229	0.0451127	0.092116	

Via Oro
Unmitigated Cancer Risk Summary

Total		Combined Construction + Operational Cancer Risk		Receptor
Receptor #	Per/Million	Construction	Operation	
354	0.101968	0.0327292	0.069239	
355	0.079064	0.0251076	0.053956	
364	0.057711	0.025865	0.031846	
365	0.075328	0.0413583	0.03397	
366	0.127318	0.0899668	0.037351	
367	0.173825	0.0525764	0.121248	
368	0.11847	0.0364988	0.081972	
369	0.087411	0.0272339	0.060177	
377	0.05371	0.0265761	0.027134	
378	0.071094	0.0414685	0.029625	
379	0.113046	0.0793759	0.03367	
380	0.199836	0.0591621	0.140674	
381	0.129439	0.0393462	0.090093	
382	0.092254	0.0286836	0.06357	
391	0.067127	0.039682	0.027445	
392	0.100892	0.0691664	0.031726	
393	0.22095	0.0650275	0.155922	
394	0.136716	0.0416938	0.095023	
395	0.09363	0.029541	0.064089	
405	0.063042	0.0369434	0.026099	
406	0.091513	0.0613523	0.030161	
407	0.164793	0.1274649	0.037328	
408	0.237721	0.0702104	0.16751	
409	0.137821	0.042964	0.094857	
410	0.090316	0.0295927	0.060723	
421	0.081905	0.053305	0.0286	
422	0.135019	0.1001165	0.034903	
423	0.239571	0.0735405	0.166031	

Via Oro
Unmitigated Cancer Risk Summary

Total		Combined Construction + Operational Cancer Risk		Receptor
Receptor #	Per/Million	Construction	Operation	
424	0.128136	0.042714	0.085422	
425	0.08133	0.0285061	0.052824	
435	0.072101	0.0451817	0.026919	
436	0.111651	0.0794976	0.032153	
437	0.107581	0.0403661	0.067215	
438	0.069258	0.0261731	0.043085	
449	0.062598	0.0374602	0.025138	
450	0.090948	0.0617512	0.029197	
451	0.161392	0.1253071	0.036085	
452	0.087726	0.0355073	0.052219	
453	0.0588	0.0231824	0.035618	
464	0.072898	0.0465945	0.026304	
465	0.111585	0.08043	0.031155	
466	0.186604	0.0955607	0.091044	
467	0.0729	0.0303973	0.042503	
468	0.0509	0.0204901	0.03041	
479	0.058219	0.0345862	0.023633	
480	0.079926	0.0529854	0.02694	
481	0.114602	0.0826041	0.031997	
482	0.146067	0.1063652	0.039702	
483	0.152294	0.1024043	0.04989	
484	0.143576	0.085196	0.05838	
485	0.119324	0.0618684	0.057455	
486	0.087629	0.0407523	0.046877	
487	0.0616	0.0266043	0.034996	
488	0.044723	0.0184179	0.026305	
501	0.060673	0.0371667	0.023506	
502	0.078666	0.051843	0.026823	

Via Oro
Unmitigated Cancer Risk Summary

Total		Combined Construction + Operational Cancer Risk		Receptor
Receptor #	Per/Million	Construction	Operation	
503	0.094634	0.0632861	0.031348	
504	0.101384	0.0647037	0.03668	
505	0.098175	0.0574207	0.040755	
506	0.086068	0.0454853	0.040582	
507	0.068902	0.0331791	0.035723	
508	0.039675	0.0167842	0.022891	
520	0.049029	0.0280393	0.02099	
521	0.05876	0.0359009	0.022859	
522	0.068783	0.0430795	0.025704	
523	0.073778	0.0450975	0.02868	
524	0.072754	0.0419057	0.030848	
525	0.066073	0.0352301	0.030843	
526	0.055732	0.0274891	0.028243	
527	0.035316	0.015331	0.019985	
539	0.04104	0.0219676	0.019073	
540	0.047253	0.0270876	0.020165	
541	0.053042	0.0313528	0.021689	
542	0.056581	0.0332007	0.02338	
543	0.056633	0.0319819	0.024651	
544	0.052732	0.0280983	0.024634	
545	0.046031	0.0229559	0.023075	
546	0.031504	0.0139787	0.017526	
560	0.039263	0.0211626	0.0181	
561	0.043135	0.0241833	0.018952	
562	0.045526	0.0256655	0.01986	
563	0.0454	0.0249965	0.020404	
564	0.043219	0.0228216	0.020397	
565	0.039021	0.0195754	0.019445	

Via Oro
Unmitigated Cancer Risk Summary

		<i>Combined Construction + Operational Cancer Risk</i>		
Receptor #	Total Per/Million	Construction	Operation	Receptor
566	0.028335	0.0127813	0.015554	
579	0.033565	0.0170166	0.016549	
580	0.036096	0.0192006	0.016895	
581	0.037793	0.020453	0.01734	
582	0.037967	0.0203588	0.017608	
583	0.03642	0.0189676	0.017452	
584	0.033398	0.0166796	0.016719	
585	0.028192	0.0133048	0.014887	
598	0.029415	0.0140128	0.015402	
599	0.03099	0.0156267	0.015363	
600	0.032108	0.0166458	0.015462	
601	0.032263	0.0167677	0.015496	
602	0.03123	0.0159507	0.01528	
603	0.029129	0.0144251	0.014703	
604	0.026245	0.012496	0.013749	

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>						
Receptor #	Max Chronic	Receptor	Construction	Operation	Receptor	
	0.0023		0.00	0.00	519	Residential
	0.0034		0.00	0.00	420	School
	0.0168		0.02	0.00	466	Worker
1	1.03E-04		1.03E-04	6.95E-05		
2	1.06E-04		1.06E-04	7.31E-05		
3	1.09E-04		1.09E-04	7.45E-05		
4	1.12E-04		1.12E-04	7.57E-05		
5	1.16E-04		1.16E-04	7.67E-05		
6	1.20E-04		1.20E-04	7.02E-05		
7	1.24E-04		1.24E-04	7.18E-05		
8	1.28E-04		1.28E-04	7.33E-05		
9	1.32E-04		1.32E-04	7.48E-05		
10	1.37E-04		1.37E-04	7.63E-05		
11	1.41E-04		1.41E-04	7.77E-05		
12	1.46E-04		1.46E-04	7.88E-05		
13	1.51E-04		1.51E-04	8.01E-05		
14	1.56E-04		1.56E-04	8.10E-05		
15	1.62E-04		1.62E-04	6.92E-05		
16	1.67E-04		1.67E-04	6.91E-05		
17	1.73E-04		1.73E-04	6.72E-05		
18	1.79E-04		1.79E-04	6.86E-05		
19	1.84E-04		1.84E-04	6.76E-05		
20	1.90E-04		1.90E-04	6.03E-05		
21	1.95E-04		1.95E-04	5.62E-05		
22	2.01E-04		2.01E-04	5.35E-05		
23	2.06E-04		2.06E-04	5.11E-05		
24	2.11E-04		2.11E-04	4.87E-05		
25	2.15E-04		2.15E-04	4.72E-05		

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>				
Receptor #	Max Chronic	Receptor	Construction	Operation
26	2.19E-04		2.19E-04	4.67E-05
27	2.22E-04		2.22E-04	4.69E-05
28	2.25E-04		2.25E-04	4.81E-05
29	2.26E-04		2.26E-04	5.06E-05
30	2.28E-04		2.28E-04	5.59E-05
31	2.28E-04		2.28E-04	6.76E-05
32	2.28E-04		2.28E-04	1.03E-04
55	2.18E-04		2.18E-04	7.41E-05
56	2.24E-04		2.24E-04	7.00E-05
57	2.29E-04		2.29E-04	6.55E-05
58	2.35E-04		2.35E-04	6.04E-05
59	2.39E-04		2.39E-04	5.63E-05
60	2.43E-04		2.43E-04	5.67E-05
61	2.46E-04		2.46E-04	5.87E-05
62	2.48E-04		2.48E-04	6.34E-05
63	2.49E-04		2.49E-04	7.36E-05
64	2.49E-04		2.49E-04	9.81E-05
65	2.49E-04		2.49E-04	1.51E-04
66	2.48E-04		2.48E-04	1.80E-04
67	1.85E-04		1.11E-04	1.85E-04
68	1.87E-04		1.15E-04	1.87E-04
69	1.71E-04		1.19E-04	1.71E-04
70	1.47E-04		1.23E-04	1.47E-04
71	1.43E-04		1.27E-04	1.43E-04
72	1.45E-04		1.32E-04	1.45E-04
73	1.44E-04		1.37E-04	1.44E-04
74	1.45E-04		1.42E-04	1.45E-04
75	1.47E-04		1.47E-04	1.46E-04

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>				
Receptor #	Max Chronic	Receptor	Construction	Operation
76	1.53E-04		1.53E-04	1.47E-04
77	1.58E-04		1.58E-04	1.49E-04
78	1.65E-04		1.65E-04	1.52E-04
79	1.99E-04		1.99E-04	1.55E-04
80	2.07E-04		2.07E-04	1.65E-04
81	2.14E-04		2.14E-04	1.56E-04
82	2.22E-04		2.22E-04	1.40E-04
83	2.30E-04		2.30E-04	1.35E-04
84	2.37E-04		2.37E-04	1.27E-04
85	2.44E-04		2.44E-04	1.14E-04
86	2.51E-04		2.51E-04	1.00E-04
87	2.57E-04		2.57E-04	8.57E-05
88	2.62E-04		2.62E-04	7.32E-05
89	2.67E-04		2.67E-04	7.16E-05
90	2.70E-04		2.70E-04	7.53E-05
91	2.72E-04		2.72E-04	8.58E-05
92	2.73E-04		2.73E-04	1.12E-04
93	2.74E-04		2.74E-04	1.29E-04
96	2.71E-04		2.71E-04	1.38E-04
97	2.76E-04		2.76E-04	1.59E-04
98	2.90E-04		2.90E-04	1.06E-04
99	2.95E-04		2.95E-04	9.88E-05
100	2.99E-04		2.99E-04	1.08E-04
101	3.01E-04		3.01E-04	1.38E-04
102	3.02E-04		3.02E-04	1.47E-04
106	1.15E-04		1.15E-04	6.10E-05
107	1.20E-04		1.20E-04	7.57E-05
108	1.24E-04		1.24E-04	8.25E-05

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>				
Receptor #	Max Chronic	Receptor	Construction	Operation
109	1.29E-04		1.29E-04	9.06E-05
110	1.34E-04		1.34E-04	9.94E-05
111	1.40E-04		1.40E-04	1.00E-04
112	1.45E-04		1.45E-04	9.96E-05
113	1.51E-04		1.51E-04	9.75E-05
114	1.58E-04		1.58E-04	9.65E-05
115	1.64E-04		1.64E-04	9.54E-05
116	1.71E-04		1.71E-04	9.43E-05
117	1.79E-04		1.79E-04	9.49E-05
118	1.87E-04		1.87E-04	9.66E-05
124	1.19E-04		1.19E-04	4.67E-05
125	1.24E-04		1.24E-04	6.90E-05
126	1.29E-04		1.29E-04	6.51E-05
127	1.35E-04		1.35E-04	6.35E-05
128	1.40E-04		1.40E-04	6.37E-05
129	1.46E-04		1.46E-04	6.35E-05
130	1.53E-04		1.53E-04	6.39E-05
131	1.59E-04		1.59E-04	6.43E-05
132	1.67E-04		1.67E-04	6.48E-05
133	1.74E-04		1.74E-04	6.50E-05
134	1.82E-04		1.82E-04	6.59E-05
135	1.91E-04		1.91E-04	6.68E-05
136	2.00E-04		2.00E-04	6.84E-05
137	2.09E-04		2.09E-04	7.07E-05
138	2.19E-04		2.19E-04	7.50E-05
141	1.24E-04		1.24E-04	4.32E-05
142	1.29E-04		1.29E-04	4.34E-05
143	1.34E-04		1.34E-04	4.30E-05

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>				
Receptor #	Max Chronic	Receptor	Construction	Operation
144	1.40E-04		1.40E-04	4.30E-05
145	1.47E-04		1.47E-04	4.51E-05
146	1.53E-04		1.53E-04	4.66E-05
147	1.60E-04		1.60E-04	4.79E-05
148	1.68E-04		1.68E-04	4.87E-05
149	1.76E-04		1.76E-04	4.96E-05
150	1.85E-04		1.85E-04	5.05E-05
151	1.94E-04		1.94E-04	5.16E-05
152	2.03E-04		2.03E-04	5.30E-05
153	2.14E-04		2.14E-04	5.50E-05
154	2.25E-04		2.25E-04	5.76E-05
155	2.37E-04		2.37E-04	6.21E-05
164	2.42E-04		2.42E-04	5.02E-05
165	2.56E-04		2.56E-04	5.53E-05
166	2.71E-04		2.71E-04	6.59E-05
178	2.61E-04		2.61E-04	4.57E-05
179	2.78E-04		2.78E-04	5.16E-05
180	2.95E-04		2.95E-04	6.49E-05
192	2.82E-04		2.82E-04	4.29E-05
193	3.02E-04		3.02E-04	4.97E-05
194	3.23E-04		3.23E-04	5.81E-05
207	3.05E-04		3.05E-04	4.11E-05
208	3.28E-04		3.28E-04	4.93E-05
209	3.54E-04		3.54E-04	5.94E-05
223	3.30E-04		3.30E-04	4.02E-05
224	3.57E-04		3.57E-04	5.02E-05
225	3.88E-04		3.88E-04	6.23E-05
239	3.56E-04		3.56E-04	4.03E-05

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>				
Receptor #	Max Chronic	Receptor	Construction	Operation
240	3.88E-04		3.88E-04	5.26E-05
241	4.26E-04		4.26E-04	5.37E-05
255	3.82E-04		3.82E-04	4.11E-05
256	4.21E-04		4.21E-04	5.71E-05
272	4.09E-04		4.09E-04	4.22E-05
273	4.55E-04		4.55E-04	5.16E-05
289	4.35E-04		4.35E-04	4.35E-05
290	4.88E-04		4.88E-04	5.48E-05
306	4.59E-04		4.59E-04	4.46E-05
307	5.18E-04		5.18E-04	5.89E-05
323	4.80E-04		4.80E-04	4.49E-05
324	5.45E-04		5.45E-04	6.40E-05
342	4.96E-04		4.96E-04	4.32E-05
343	5.67E-04		5.67E-04	6.71E-05
344	6.55E-04		6.55E-04	7.08E-05
356	5.06E-04		5.06E-04	4.03E-05
357	5.81E-04		5.81E-04	5.98E-05
358	6.75E-04		6.75E-04	6.34E-05
370	5.11E-04		5.11E-04	3.73E-05
371	5.88E-04		5.88E-04	5.32E-05
372	6.84E-04		6.84E-04	5.72E-05
383	5.11E-04		5.11E-04	3.47E-05
384	5.87E-04		5.87E-04	4.79E-05
385	6.83E-04		6.83E-04	8.11E-05
396	5.05E-04		5.05E-04	3.26E-05
397	5.79E-04		5.79E-04	4.37E-05
398	6.74E-04		6.74E-04	6.71E-05
399	7.95E-04		7.95E-04	6.43E-05

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>				
Receptor #	Max Chronic	Receptor	Construction	Operation
411	4.94E-04		4.94E-04	3.10E-05
412	5.66E-04		5.66E-04	4.03E-05
413	6.56E-04		6.56E-04	5.80E-05
414	7.72E-04		7.72E-04	8.17E-05
426	4.80E-04		4.80E-04	2.95E-05
427	5.48E-04		5.48E-04	3.74E-05
428	6.33E-04		6.33E-04	5.13E-05
429	7.40E-04		7.40E-04	8.51E-05
439	4.63E-04		4.63E-04	2.81E-05
440	5.26E-04		5.26E-04	3.50E-05
441	6.05E-04		6.05E-04	4.63E-05
442	7.03E-04		7.03E-04	7.05E-05
443	8.29E-04		8.29E-04	9.19E-05
454	4.43E-04		4.43E-04	2.68E-05
455	5.02E-04		5.02E-04	3.28E-05
456	5.74E-04		5.74E-04	4.22E-05
457	6.62E-04		6.62E-04	6.04E-05
458	7.74E-04		7.74E-04	8.16E-05
469	4.23E-04		4.23E-04	2.55E-05
470	4.76E-04		4.76E-04	3.08E-05
471	5.41E-04		5.41E-04	3.88E-05
472	6.20E-04		6.20E-04	5.30E-05
473	7.19E-04		7.19E-04	7.07E-05
489	4.02E-04		4.02E-04	2.44E-05
490	4.50E-04		4.50E-04	2.90E-05
491	5.08E-04		5.08E-04	3.59E-05
492	5.78E-04		5.78E-04	4.73E-05
493	6.64E-04		6.64E-04	7.24E-05

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>				
Receptor #	Max Chronic	Receptor	Construction	Operation
494	7.72E-04		7.72E-04	7.27E-05
509	3.81E-04		3.81E-04	2.32E-05
510	4.25E-04		4.25E-04	2.74E-05
511	4.76E-04		4.76E-04	3.33E-05
512	5.37E-04		5.37E-04	4.27E-05
513	6.12E-04		6.12E-04	6.11E-05
514	7.04E-04		7.04E-04	8.05E-05
515	9.69E-04		9.69E-04	9.14E-05
516	1.16E-03		1.16E-03	6.60E-05
517	1.43E-03		1.43E-03	5.73E-05
518	1.79E-03		1.79E-03	5.48E-05
519	2.30E-03		2.30E-03	5.55E-05
528	3.61E-04		3.61E-04	2.21E-05
529	4.00E-04		4.00E-04	2.59E-05
530	4.45E-04		4.45E-04	3.10E-05
531	4.99E-04		4.99E-04	3.89E-05
532	5.64E-04		5.64E-04	5.30E-05
533	6.43E-04		6.43E-04	6.97E-05
534	8.63E-04		8.63E-04	8.16E-05
535	1.02E-03		1.02E-03	6.99E-05
536	1.23E-03		1.23E-03	5.75E-05
537	1.50E-03		1.50E-03	5.28E-05
538	1.87E-03		1.87E-03	5.18E-05
547	3.41E-04		3.41E-04	2.11E-05
548	3.76E-04		3.76E-04	2.44E-05
549	4.16E-04		4.16E-04	2.90E-05
550	4.63E-04		4.63E-04	3.57E-05
551	5.19E-04		5.19E-04	4.69E-05

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>				
Receptor #	Max Chronic	Receptor	Construction	Operation
552	5.87E-04		5.87E-04	7.23E-05
553	6.69E-04		6.69E-04	6.71E-05
554	7.71E-04		7.71E-04	6.15E-05
555	9.00E-04		9.00E-04	7.65E-05
556	1.07E-03		1.07E-03	5.88E-05
557	1.28E-03		1.28E-03	5.18E-05
558	1.56E-03		1.56E-03	4.93E-05
559	1.91E-03		1.91E-03	4.91E-05
567	3.22E-04		3.22E-04	2.01E-05
568	3.53E-04		3.53E-04	2.31E-05
569	3.88E-04		3.88E-04	2.71E-05
570	4.30E-04		4.30E-04	3.29E-05
571	4.78E-04		4.78E-04	4.21E-05
572	5.36E-04		5.36E-04	6.04E-05
573	6.06E-04		6.06E-04	6.28E-05
574	7.98E-04		7.98E-04	8.71E-05
575	9.33E-04		9.33E-04	6.13E-05
576	1.11E-03		1.11E-03	5.17E-05
577	1.32E-03		1.32E-03	4.75E-05
578	1.58E-03		1.58E-03	4.61E-05
586	3.04E-04		3.04E-04	1.92E-05
587	3.31E-04		3.31E-04	2.19E-05
588	3.63E-04		3.63E-04	2.55E-05
589	3.99E-04		3.99E-04	3.04E-05
590	4.41E-04		4.41E-04	3.81E-05
591	4.91E-04		4.91E-04	5.21E-05
592	5.50E-04		5.50E-04	6.82E-05
593	7.11E-04		7.11E-04	7.52E-05

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>				
Receptor #	Max Chronic	Receptor	Construction	Operation
594	8.23E-04		8.23E-04	6.56E-05
595	9.60E-04		9.60E-04	5.25E-05
596	1.13E-03		1.13E-03	4.66E-05
597	1.33E-03		1.33E-03	4.39E-05
345	7.69E-04		7.69E-04	1.25E-04
346	9.18E-04		9.18E-04	1.33E-04
347	1.12E-03		1.12E-03	1.27E-04
348	1.41E-03		1.41E-03	1.25E-04
359	7.96E-04		7.96E-04	1.02E-04
360	9.55E-04		9.55E-04	1.03E-04
361	1.17E-03		1.17E-03	8.79E-05
362	1.48E-03		1.48E-03	8.36E-05
363	1.96E-03		1.96E-03	8.51E-05
373	9.73E-04		9.73E-04	1.07E-04
374	1.20E-03		1.20E-03	8.04E-05
375	1.52E-03		1.52E-03	7.30E-05
376	2.00E-03		2.00E-03	7.20E-05
386	9.72E-04		9.72E-04	8.77E-05
387	1.20E-03		1.20E-03	8.17E-05
388	1.51E-03		1.51E-03	7.01E-05
389	1.98E-03		1.98E-03	6.76E-05
390	2.74E-03		2.74E-03	6.97E-05
400	9.54E-04		9.54E-04	9.50E-05
401	1.17E-03		1.17E-03	8.79E-05
402	1.47E-03		1.47E-03	7.04E-05
403	1.90E-03		1.90E-03	6.59E-05
404	2.59E-03		2.59E-03	6.70E-05
415	9.22E-04		9.22E-04	7.92E-05

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>				
Receptor #	Max Chronic	Receptor	Construction	Operation
416	1.12E-03		1.12E-03	1.00E-04
417	1.40E-03		1.40E-03	7.28E-05
418	1.80E-03		1.80E-03	6.56E-05
419	2.42E-03		2.42E-03	6.53E-05
420	3.40E-03		3.40E-03	6.98E-05
430	1.06E-03		1.06E-03	8.69E-05
431	1.31E-03		1.31E-03	7.74E-05
432	1.67E-03		1.67E-03	6.61E-05
433	2.20E-03		2.20E-03	6.40E-05
434	3.06E-03		3.06E-03	6.71E-05
444	9.93E-04		9.93E-04	6.90E-05
445	1.21E-03		1.21E-03	8.44E-05
446	1.52E-03		1.52E-03	6.75E-05
447	1.97E-03		1.97E-03	6.30E-05
448	2.67E-03		2.67E-03	6.43E-05
459	1.11E-03		1.11E-03	9.56E-05
460	1.37E-03		1.37E-03	7.00E-05
461	1.74E-03		1.74E-03	6.25E-05
462	2.30E-03		2.30E-03	6.18E-05
463	3.18E-03		3.18E-03	6.54E-05
474	1.01E-03		1.01E-03	8.71E-05
475	1.22E-03		1.22E-03	7.41E-05
476	1.53E-03		1.53E-03	6.26E-05
477	1.96E-03		1.96E-03	5.96E-05
478	2.61E-03		2.61E-03	6.11E-05
495	9.09E-04		9.09E-04	6.49E-05
496	1.09E-03		1.09E-03	8.08E-05
497	1.33E-03		1.33E-03	6.37E-05

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>				
Receptor #	Max Chronic	Receptor	Construction	Operation
498	1.67E-03		1.67E-03	5.81E-05
499	2.15E-03		2.15E-03	5.75E-05
500	2.86E-03		2.86E-03	6.01E-05
139	2.30E-04		2.30E-04	8.38E-05
140	2.41E-04		2.41E-04	9.71E-05
156	2.49E-04		2.49E-04	7.09E-05
157	2.62E-04		2.62E-04	8.28E-05
158	2.76E-04		2.76E-04	9.32E-05
159	2.91E-04		2.91E-04	1.05E-04
160	3.07E-04		3.07E-04	1.19E-04
161	3.38E-04		3.38E-04	1.52E-04
162	3.55E-04		3.55E-04	1.35E-04
163	3.70E-04		3.70E-04	1.38E-04
167	2.86E-04		2.86E-04	6.80E-05
168	3.03E-04		3.03E-04	7.57E-05
169	3.21E-04		3.21E-04	8.99E-05
170	3.40E-04		3.40E-04	9.57E-05
171	3.59E-04		3.59E-04	1.10E-04
172	3.79E-04		3.79E-04	1.19E-04
173	3.99E-04		3.99E-04	1.02E-04
174	4.19E-04		4.19E-04	9.92E-05
175	4.37E-04		4.37E-04	1.00E-04
176	4.54E-04		4.54E-04	1.03E-04
177	4.69E-04		4.69E-04	1.17E-04
181	3.35E-04		3.35E-04	7.00E-05
182	3.56E-04		3.56E-04	8.11E-05
183	3.79E-04		3.79E-04	8.55E-05
184	4.03E-04		4.03E-04	9.97E-05

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>				
Receptor #	Max Chronic	Receptor	Construction	Operation
185	4.29E-04		4.29E-04	1.06E-04
186	4.54E-04		4.54E-04	9.23E-05
187	4.79E-04		4.79E-04	8.79E-05
188	5.03E-04		5.03E-04	8.58E-05
189	5.25E-04		5.25E-04	8.58E-05
190	5.43E-04		5.43E-04	9.44E-05
191	5.57E-04		5.57E-04	1.18E-04
195	3.71E-04		3.71E-04	8.31E-05
196	3.97E-04		3.97E-04	7.36E-05
197	4.26E-04		4.26E-04	9.76E-05
198	4.57E-04		4.57E-04	9.85E-05
199	4.89E-04		4.89E-04	1.15E-04
200	5.22E-04		5.22E-04	1.04E-04
201	5.55E-04		5.55E-04	9.84E-05
202	5.87E-04		5.87E-04	9.00E-05
203	6.16E-04		6.16E-04	8.41E-05
204	6.40E-04		6.40E-04	8.51E-05
205	6.58E-04		6.58E-04	9.65E-05
206	6.70E-04		6.70E-04	1.36E-04
210	3.81E-04		3.81E-04	6.07E-05
211	4.12E-04		4.12E-04	7.35E-05
212	4.46E-04		4.46E-04	6.62E-05
213	4.83E-04		4.83E-04	9.46E-05
214	5.64E-04		5.64E-04	9.15E-05
215	6.08E-04		6.08E-04	9.65E-05
216	6.53E-04		6.53E-04	9.80E-05
217	6.96E-04		6.96E-04	1.14E-04
218	7.35E-04		7.35E-04	8.65E-05

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>				
Receptor #	Max Chronic	Receptor	Construction	Operation
219	7.67E-04		7.67E-04	8.05E-05
220	7.92E-04		7.92E-04	8.49E-05
221	8.06E-04		8.06E-04	1.02E-04
222	8.10E-04		8.10E-04	1.63E-04
226	4.22E-04		4.22E-04	5.87E-05
227	4.61E-04		4.61E-04	6.74E-05
228	5.03E-04		5.03E-04	6.07E-05
229	5.51E-04		5.51E-04	6.93E-05
230	6.03E-04		6.03E-04	9.54E-05
231	6.58E-04		6.58E-04	1.18E-04
232	7.18E-04		7.18E-04	1.12E-04
233	8.42E-04		8.42E-04	1.28E-04
234	8.97E-04		8.97E-04	8.73E-05
235	9.42E-04		9.42E-04	7.81E-05
236	9.75E-04		9.75E-04	7.86E-05
237	9.94E-04		9.94E-04	8.74E-05
238	9.97E-04		9.97E-04	1.12E-04
242	4.68E-04		4.68E-04	6.83E-05
243	5.16E-04		5.16E-04	6.27E-05
244	5.69E-04		5.69E-04	5.65E-05
245	6.32E-04		6.32E-04	5.77E-05
246	7.03E-04		7.03E-04	6.97E-05
247	7.81E-04		7.81E-04	8.32E-05
248	8.67E-04		8.67E-04	1.06E-04
249	1.04E-03		1.04E-03	1.33E-04
250	1.12E-03		1.12E-03	8.91E-05
251	1.19E-03		1.19E-03	7.81E-05
252	1.24E-03		1.24E-03	7.64E-05

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>				
Receptor #	Max Chronic	Receptor	Construction	Operation
253	1.26E-03		1.26E-03	8.05E-05
254	1.26E-03		1.26E-03	9.21E-05
257	5.18E-04		5.18E-04	6.55E-05
258	5.79E-04		5.79E-04	5.96E-05
259	6.50E-04		6.50E-04	5.47E-05
260	7.29E-04		7.29E-04	5.51E-05
261	8.30E-04		8.30E-04	6.05E-05
262	9.41E-04		9.41E-04	7.27E-05
263	1.07E-03		1.07E-03	9.81E-05
264	1.34E-03		1.34E-03	1.38E-04
265	1.47E-03		1.47E-03	9.27E-05
266	1.57E-03		1.57E-03	8.08E-05
267	1.64E-03		1.64E-03	7.80E-05
268	1.67E-03		1.67E-03	7.95E-05
269	1.66E-03		1.66E-03	8.41E-05
270	1.43E-03		1.43E-03	7.67E-05
271	1.33E-03		1.33E-03	6.36E-05
274	5.72E-04		5.72E-04	7.72E-05
275	6.48E-04		6.48E-04	6.18E-05
276	7.40E-04		7.40E-04	5.80E-05
277	8.49E-04		8.49E-04	5.74E-05
278	9.87E-04		9.87E-04	5.90E-05
279	1.15E-03		1.15E-03	6.84E-05
280	1.34E-03		1.34E-03	9.46E-05
281	1.80E-03		1.80E-03	1.43E-04
282	2.01E-03		2.01E-03	9.84E-05
283	2.18E-03		2.18E-03	8.74E-05
284	2.29E-03		2.29E-03	8.50E-05

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>				
Receptor #	Max Chronic	Receptor	Construction	Operation
285	2.33E-03		2.33E-03	8.55E-05
286	2.28E-03		2.28E-03	8.69E-05
287	1.82E-03		1.82E-03	7.95E-05
288	1.64E-03		1.64E-03	7.14E-05
291	6.27E-04		6.27E-04	8.14E-05
292	7.22E-04		7.22E-04	7.00E-05
293	8.40E-04		8.40E-04	6.86E-05
294	9.87E-04		9.87E-04	6.95E-05
295	1.18E-03		1.18E-03	7.12E-05
296	1.43E-03		1.43E-03	7.35E-05
297	1.75E-03		1.75E-03	9.43E-05
298	2.60E-03		2.60E-03	1.51E-04
299	3.02E-03		3.02E-03	1.10E-04
300	3.32E-03		3.32E-03	1.02E-04
301	3.51E-03		3.51E-03	1.02E-04
302	3.52E-03		3.52E-03	1.03E-04
303	3.36E-03		3.36E-03	1.02E-04
304	2.34E-03		2.34E-03	9.13E-05
305	2.03E-03		2.03E-03	8.42E-05
308	6.81E-04		6.81E-04	1.02E-04
309	7.95E-04		7.95E-04	9.73E-05
310	9.42E-04		9.42E-04	9.84E-05
311	1.14E-03		1.14E-03	1.01E-04
312	1.41E-03		1.41E-03	1.04E-04
313	1.79E-03		1.79E-03	1.07E-04
314	2.38E-03		2.38E-03	1.10E-04
315	4.41E-03		4.41E-03	1.68E-04
316	5.41E-03		5.41E-03	1.38E-04

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>				
Receptor #	Max Chronic	Receptor	Construction	Operation
317	5.94E-03		5.94E-03	1.39E-04
318	6.24E-03		6.24E-03	1.44E-04
319	6.13E-03		6.13E-03	1.45E-04
320	5.54E-03		5.54E-03	1.38E-04
321	3.01E-03		3.01E-03	1.14E-04
322	2.46E-03		2.46E-03	1.03E-04
325	7.30E-04		7.30E-04	8.08E-05
326	8.63E-04		8.63E-04	8.99E-05
327	1.04E-03		1.04E-03	8.98E-05
328	1.28E-03		1.28E-03	1.05E-04
329	1.64E-03		1.64E-03	9.77E-05
330	2.22E-03		2.22E-03	9.61E-05
331	3.31E-03		3.31E-03	9.99E-05
332	6.19E-03		6.19E-03	1.34E-04
333	1.01E-02		1.01E-02	1.23E-04
334	1.23E-02		1.23E-02	1.45E-04
335	1.33E-02		1.33E-02	1.61E-04
336	1.37E-02		1.37E-02	1.78E-04
337	1.33E-02		1.33E-02	1.88E-04
338	1.24E-02		1.24E-02	2.17E-04
339	5.08E-03		5.08E-03	1.73E-04
340	3.74E-03		3.74E-03	1.50E-04
341	2.90E-03		2.90E-03	1.27E-04
349	1.84E-03		1.84E-03	1.26E-04
350	2.58E-03		2.58E-03	1.29E-04
351	4.12E-03		4.12E-03	1.33E-04
352	9.98E-03		9.98E-03	1.37E-04
353	6.51E-03		6.51E-03	2.57E-04

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>				
Receptor #	Max Chronic	Receptor	Construction	Operation
354	4.43E-03		4.43E-03	1.93E-04
355	3.29E-03		3.29E-03	1.50E-04
364	2.78E-03		2.78E-03	8.87E-05
365	4.45E-03		4.45E-03	9.47E-05
366	9.78E-03		9.78E-03	1.04E-04
367	7.80E-03		7.80E-03	3.38E-04
368	5.02E-03		5.02E-03	2.28E-04
369	3.61E-03		3.61E-03	1.68E-04
377	2.81E-03		2.81E-03	7.56E-05
378	4.36E-03		4.36E-03	8.26E-05
379	8.31E-03		8.31E-03	9.38E-05
380	9.00E-03		9.00E-03	3.92E-04
381	5.50E-03		5.50E-03	2.51E-04
382	3.86E-03		3.86E-03	1.77E-04
391	4.10E-03		4.10E-03	7.65E-05
392	7.05E-03		7.05E-03	8.84E-05
393	1.02E-02		1.02E-02	4.34E-04
394	5.98E-03		5.98E-03	2.65E-04
395	4.06E-03		4.06E-03	1.79E-04
405	3.79E-03		3.79E-03	7.27E-05
406	6.15E-03		6.15E-03	8.40E-05
407	1.23E-02		1.23E-02	1.04E-04
408	1.13E-02		1.13E-02	4.67E-04
409	6.34E-03		6.34E-03	2.64E-04
410	4.16E-03		4.16E-03	1.69E-04
421	5.32E-03		5.32E-03	7.97E-05
422	9.61E-03		9.61E-03	9.73E-05
423	1.23E-02		1.23E-02	4.63E-04

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>				
Receptor #	Max Chronic	Receptor	Construction	Operation
424	6.51E-03		6.51E-03	2.38E-04
425	4.11E-03		4.11E-03	1.47E-04
435	4.53E-03		4.53E-03	7.50E-05
436	7.66E-03		7.66E-03	8.96E-05
437	6.32E-03		6.32E-03	1.87E-04
438	3.83E-03		3.83E-03	1.20E-04
449	3.81E-03		3.81E-03	7.00E-05
450	6.08E-03		6.08E-03	8.14E-05
451	1.15E-02		1.15E-02	1.01E-04
452	5.55E-03		5.55E-03	1.46E-04
453	3.38E-03		3.38E-03	9.92E-05
464	4.73E-03		4.73E-03	7.33E-05
465	7.95E-03		7.95E-03	8.68E-05
466	1.68E-02		1.68E-02	2.54E-04
467	4.62E-03		4.62E-03	1.18E-04
468	2.94E-03		2.94E-03	8.47E-05
479	3.60E-03		3.60E-03	6.59E-05
480	5.47E-03		5.47E-03	7.51E-05
481	8.96E-03		8.96E-03	8.92E-05
482	1.30E-02		1.30E-02	1.11E-04
483	1.30E-02		1.30E-02	1.39E-04
484	1.15E-02		1.15E-02	1.63E-04
485	9.16E-03		9.16E-03	1.60E-04
486	6.20E-03		6.20E-03	1.31E-04
487	3.91E-03		3.91E-03	9.75E-05
488	2.60E-03		2.60E-03	7.33E-05
501	3.91E-03		3.91E-03	6.55E-05
502	5.62E-03		5.62E-03	7.47E-05

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>				
Receptor #	Max Chronic	Receptor	Construction	Operation
503	7.28E-03		7.28E-03	8.73E-05
504	7.80E-03		7.80E-03	1.02E-04
505	7.32E-03		7.32E-03	1.14E-04
506	6.20E-03		6.20E-03	1.13E-04
507	4.71E-03		4.71E-03	9.95E-05
508	2.33E-03		2.33E-03	6.38E-05
520	2.99E-03		2.99E-03	5.85E-05
521	3.89E-03		3.89E-03	6.37E-05
522	4.86E-03		4.86E-03	7.16E-05
523	5.30E-03		5.30E-03	7.99E-05
524	5.17E-03		5.17E-03	8.60E-05
525	4.58E-03		4.58E-03	8.59E-05
526	3.72E-03		3.72E-03	7.87E-05
527	2.09E-03		2.09E-03	5.57E-05
539	2.36E-03		2.36E-03	5.31E-05
540	2.95E-03		2.95E-03	5.62E-05
541	3.51E-03		3.51E-03	6.04E-05
542	3.85E-03		3.85E-03	6.51E-05
543	3.86E-03		3.86E-03	6.87E-05
544	3.54E-03		3.54E-03	6.86E-05
545	3.00E-03		3.00E-03	6.43E-05
546	1.87E-03		1.87E-03	4.88E-05
560	2.32E-03		2.32E-03	5.04E-05
561	2.70E-03		2.70E-03	5.28E-05
562	2.95E-03		2.95E-03	5.53E-05
563	2.97E-03		2.97E-03	5.69E-05
564	2.81E-03		2.81E-03	5.68E-05
565	2.49E-03		2.49E-03	5.42E-05

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>				
Receptor #	Max Chronic	Receptor	Construction	Operation
566	1.68E-03		1.68E-03	4.33E-05
579	1.87E-03		1.87E-03	4.61E-05
580	2.15E-03		2.15E-03	4.71E-05
581	2.34E-03		2.34E-03	4.83E-05
582	2.40E-03		2.40E-03	4.91E-05
583	2.30E-03		2.30E-03	4.86E-05
584	2.08E-03		2.08E-03	4.66E-05
585	1.71E-03		1.71E-03	4.15E-05
598	1.55E-03		1.55E-03	4.29E-05
599	1.75E-03		1.75E-03	4.28E-05
600	1.90E-03		1.90E-03	4.31E-05
601	1.96E-03		1.96E-03	4.32E-05
602	1.91E-03		1.91E-03	4.26E-05
603	1.77E-03		1.77E-03	4.10E-05
604	1.57E-03		1.57E-03	3.83E-05

Via Oro
Unmitigated Cancer Risk Summary

Receptor #	Total Per/Million	Construction Cancer Risk					Receptor	
		Site Prep	Grading	Building Construction	Paving	Architectural Coating		
	1.03	0.04	0.09	0.85	0.04	0.003	519	Residential
	1.60	0.1	0.1	1.3	0.1	0.005	420	School
	0.13	0.0	0.0	0.1	0.0	0.000	407	Worker
1	0.041995	0.001681	0.004124	0.03419726	0.001863	0.0001303		
2	0.0433	0.001733	0.004252	0.03526062	0.001921	0.0001343		
3	0.044647	0.001787	0.004383	0.03635792	0.001981	0.0001385		
4	0.04605	0.001843	0.004521	0.03750047	0.002043	0.0001428		
5	0.047511	0.001902	0.004665	0.03868826	0.002108	0.0001474		
6	0.049067	0.001964	0.004818	0.03995525	0.002178	0.0001522		
7	0.050691	0.002028	0.004976	0.04127879	0.00225	0.0001572		
8	0.052372	0.002096	0.005142	0.04264759	0.002325	0.0001625		
9	0.054137	0.002167	0.005315	0.04408426	0.002403	0.0001679		
10	0.055972	0.00224	0.005496	0.04557749	0.002485	0.0001736		
11	0.057888	0.002317	0.005683	0.0471386	0.00257	0.0001796		
12	0.059874	0.002396	0.005878	0.04875626	0.002659	0.0001857		
13	0.061932	0.002478	0.00608	0.05043049	0.002751	0.0001921		
14	0.06406	0.002564	0.00629	0.05216128	0.002847	0.0001987		
15	0.066246	0.002652	0.006506	0.05393732	0.002945	0.0002055		
16	0.068462	0.002742	0.006727	0.05573599	0.003045	0.0002123		
17	0.070733	0.002834	0.006952	0.0575799	0.003148	0.0002193		
18	0.07302	0.002927	0.00718	0.05943513	0.003252	0.0002264		
19	0.075297	0.00302	0.007409	0.06127904	0.003356	0.0002334		
20	0.077561	0.003113	0.007637	0.06311164	0.00346	0.0002404		
21	0.079772	0.003204	0.00786	0.064899	0.003561	0.0002472		
22	0.081902	0.003292	0.008077	0.06661848	0.003661	0.0002538		
23	0.083911	0.003377	0.008284	0.06823614	0.003755	0.0002599		
24	0.085769	0.003455	0.008477	0.06972937	0.003842	0.0002656		
25	0.087435	0.003527	0.008652	0.07106423	0.003921	0.0002707		

Via Oro
Unmitigated Cancer Risk Summary

Receptor #	Total Per/Million	Construction Cancer Risk					Receptor
		Site Prep	Grading	Building Construction	Paving	Architectural Coating	
26	0.088855	0.003589	0.008804	0.07219547	0.003991	0.000275	
27	0.090026	0.003641	0.008934	0.07312308	0.00405	0.0002785	
28	0.090908	0.003683	0.009035	0.07381313	0.004096	0.0002812	
29	0.091498	0.003713	0.009109	0.07426563	0.004129	0.0002829	
30	0.091811	0.003731	0.009154	0.07449188	0.004149	0.0002838	
31	0.091867	0.003739	0.009172	0.0745145	0.004157	0.0002838	
32	0.091672	0.003736	0.009165	0.0743335	0.004154	0.0002831	
55	0.088861	0.00357	0.008759	0.07228597	0.003971	0.0002753	
56	0.091208	0.003669	0.009	0.07417513	0.004082	0.0002825	
57	0.093402	0.003761	0.009227	0.07593986	0.004185	0.0002893	
58	0.09534	0.003845	0.009432	0.07748965	0.004278	0.0002952	
59	0.096999	0.003917	0.00961	0.0788132	0.004359	0.0003002	
60	0.098332	0.003978	0.009758	0.07986525	0.004426	0.0003042	
61	0.099332	0.004025	0.009875	0.0806458	0.004478	0.0003072	
62	0.09997	0.004058	0.009956	0.08113223	0.004516	0.000309	
63	0.100287	0.004078	0.010004	0.08135848	0.004537	0.0003099	
64	0.100282	0.004084	0.010019	0.08132454	0.004544	0.0003098	
65	0.099994	0.004078	0.010006	0.08106436	0.004537	0.0003088	
66	0.099503	0.004063	0.009968	0.0806458	0.004519	0.0003072	
67	0.045464	0.001817	0.004457	0.03703666	0.002013	0.0001411	
68	0.047034	0.00188	0.004611	0.03831496	0.002083	0.0001459	
69	0.048674	0.001945	0.004772	0.03964981	0.002156	0.000151	
70	0.050395	0.002014	0.00494	0.04105255	0.002232	0.0001564	
71	0.052172	0.002084	0.005114	0.04250053	0.002311	0.0001619	
72	0.054074	0.00216	0.0053	0.04405032	0.002395	0.0001678	
73	0.056048	0.00224	0.005494	0.04565668	0.002483	0.0001739	
74	0.058129	0.002322	0.005697	0.04735353	0.002576	0.0001804	
75	0.060298	0.002409	0.005911	0.04911826	0.002673	0.0001871	

Via Oro
Unmitigated Cancer Risk Summary

Receptor #	Total Per/Million	Construction Cancer Risk					Receptor
		Site Prep	Grading	Building Construction	Paving	Architectural Coating	
76	0.062589	0.0025	0.006134	0.0509848	0.002775	0.0001942	
77	0.064992	0.002597	0.00637	0.05294183	0.002882	0.0002017	
78	0.067522	0.002698	0.006619	0.05500068	0.002995	0.0002095	
79	0.081644	0.003266	0.008012	0.06648273	0.003631	0.0002532	
80	0.084697	0.00339	0.008316	0.06896013	0.003769	0.0002627	
81	0.087796	0.003516	0.008625	0.07147148	0.003911	0.0002722	
82	0.090883	0.003642	0.008935	0.07397151	0.004052	0.0002818	
83	0.093933	0.003768	0.009243	0.0764376	0.004193	0.0002912	
84	0.096874	0.003889	0.009542	0.0788132	0.00433	0.0003002	
85	0.09967	0.004006	0.009829	0.08106436	0.004461	0.0003088	
86	0.102247	0.004116	0.010097	0.08313452	0.004583	0.0003167	
87	0.104537	0.004214	0.010339	0.08496712	0.004693	0.0003237	
88	0.106483	0.0043	0.010548	0.08651691	0.004788	0.0003296	
89	0.108032	0.00437	0.010722	0.08773865	0.004867	0.0003342	
90	0.109152	0.004424	0.010854	0.0886097	0.004927	0.0003375	
91	0.109867	0.004462	0.010946	0.08915269	0.004968	0.0003396	
92	0.110152	0.004482	0.010996	0.089345	0.004989	0.0003403	
93	0.110071	0.004486	0.011007	0.08924319	0.004994	0.0003399	
96	0.110825	0.004447	0.010911	0.0901708	0.004952	0.0003435	
97	0.112672	0.004533	0.01112	0.0916301	0.005039	0.000349	
98	0.117625	0.004749	0.011651	0.0955668	0.005294	0.000364	
99	0.119449	0.004833	0.011856	0.09700347	0.005387	0.0003695	
100	0.120746	0.004896	0.012011	0.09801027	0.005456	0.0003733	
101	0.121502	0.004937	0.012112	0.09857589	0.005502	0.0003755	
102	0.121727	0.004957	0.01216	0.09871163	0.005523	0.000376	
106	0.047263	0.001885	0.004625	0.03851858	0.002088	0.0001467	
107	0.04919	0.001962	0.004813	0.040091	0.002173	0.0001527	
108	0.051092	0.002037	0.004999	0.04164079	0.002256	0.0001586	

Via Oro
Unmitigated Cancer Risk Summary

Receptor #	Total Per/Million	Construction Cancer Risk					Receptor
		Site Prep	Grading	Building Construction	Paving	Architectural Coating	
109	0.053089	0.002117	0.005193	0.04326977	0.002345	0.0001648	
110	0.0552	0.002201	0.0054	0.04498925	0.002438	0.0001714	
111	0.057395	0.002289	0.005615	0.0467766	0.002536	0.0001782	
112	0.059754	0.002383	0.005846	0.0486997	0.002641	0.0001855	
113	0.062226	0.002481	0.006087	0.0507133	0.002751	0.0001932	
114	0.064834	0.002585	0.006341	0.05284002	0.002867	0.0002013	
115	0.067573	0.002695	0.006611	0.05506856	0.002989	0.0002098	
116	0.070449	0.002809	0.006893	0.05741022	0.003118	0.0002187	
117	0.073531	0.002932	0.007194	0.05992156	0.003255	0.0002282	
118	0.07677	0.003062	0.007512	0.06255734	0.0034	0.0002383	
124	0.049112	0.001957	0.004801	0.04003443	0.002167	0.0001525	
125	0.051095	0.002036	0.004994	0.0416521	0.002254	0.0001587	
126	0.053189	0.002119	0.005199	0.04336027	0.002346	0.0001652	
127	0.055407	0.002207	0.005414	0.04517024	0.002444	0.0001721	
128	0.057738	0.0023	0.005641	0.04707072	0.002547	0.0001793	
129	0.060207	0.002397	0.005882	0.04908432	0.002656	0.000187	
130	0.062844	0.002503	0.00614	0.05123367	0.002773	0.0001952	
131	0.065621	0.002613	0.006411	0.05349614	0.002897	0.0002038	
132	0.068563	0.00273	0.006698	0.05589436	0.003028	0.0002129	
133	0.071673	0.002854	0.007002	0.05842833	0.003166	0.0002226	
134	0.074979	0.002986	0.007326	0.06112067	0.003314	0.0002328	
135	0.07848	0.003126	0.007669	0.06397138	0.00347	0.0002437	
136	0.082177	0.003274	0.008031	0.06698047	0.003636	0.0002551	
137	0.08608	0.003429	0.008413	0.07015924	0.003811	0.0002672	
138	0.090251	0.003596	0.008823	0.07355295	0.003999	0.0002802	
141	0.050875	0.002025	0.004968	0.04148242	0.002241	0.000158	
142	0.053039	0.002111	0.005179	0.04324714	0.002337	0.0001647	
143	0.055339	0.002202	0.005403	0.045125	0.002437	0.0001719	

Via Oro
Unmitigated Cancer Risk Summary

Receptor #	Total Per/Million	Construction Cancer Risk					Receptor
		Site Prep	Grading	Building Construction	Paving	Architectural Coating	
144	0.057791	0.002299	0.00564	0.04712728	0.002545	0.0001795	
145	0.060385	0.002402	0.005893	0.04924269	0.00266	0.0001876	
146	0.06313	0.002511	0.006159	0.05148254	0.002781	0.0001961	
147	0.066083	0.002628	0.006447	0.05389207	0.002911	0.0002053	
148	0.069207	0.002752	0.006752	0.05643735	0.00305	0.000215	
149	0.072538	0.002885	0.007077	0.05915232	0.003198	0.0002253	
150	0.076076	0.003025	0.007422	0.06203697	0.003356	0.0002363	
151	0.079853	0.003176	0.007791	0.06511393	0.003524	0.000248	
152	0.083867	0.003336	0.008184	0.0683832	0.003704	0.0002605	
153	0.088144	0.003506	0.008602	0.07186741	0.003895	0.0002738	
154	0.092673	0.003687	0.009045	0.07555524	0.004098	0.0002878	
155	0.097497	0.00388	0.009518	0.07948063	0.004315	0.0003028	
164	0.099992	0.003971	0.009743	0.08155079	0.004416	0.0003106	
165	0.105637	0.004197	0.010297	0.0861436	0.004671	0.0003281	
166	0.111712	0.00444	0.010893	0.09108711	0.004945	0.000347	
178	0.108092	0.004285	0.010514	0.08819114	0.004766	0.0003359	
179	0.114788	0.004552	0.011168	0.0936437	0.005067	0.0003567	
180	0.122017	0.004841	0.011876	0.09952612	0.005395	0.0003791	
192	0.117047	0.00463	0.011359	0.09554417	0.005149	0.0003639	
193	0.125044	0.004948	0.012138	0.10206009	0.005509	0.0003888	
194	0.133703	0.005293	0.012985	0.10910769	0.005901	0.0004156	
207	0.126827	0.005004	0.012277	0.10358726	0.005564	0.0003946	
208	0.136389	0.005383	0.013206	0.11138148	0.005994	0.0004243	
209	0.1469	0.0058	0.014229	0.11994493	0.006469	0.0004569	
223	0.13739	0.005406	0.013262	0.11228646	0.006008	0.0004277	
224	0.148853	0.005857	0.01437	0.12164178	0.006521	0.0004634	
225	0.161605	0.006361	0.015607	0.13203784	0.007097	0.000503	
239	0.148633	0.005829	0.014302	0.1215626	0.006477	0.000463	

Via Oro
Unmitigated Cancer Risk Summary

Receptor #	Total Per/Million	Construction Cancer Risk					Receptor
		Site Prep	Grading	Building Construction	Paving	Architectural Coating	
240	0.162366	0.006368	0.015622	0.13278446	0.007086	0.0005058	
241	0.177904	0.006979	0.017122	0.14546561	0.007784	0.0005541	
255	0.160335	0.006268	0.015376	0.13123466	0.006957	0.0004999	
256	0.176689	0.006904	0.016938	0.14461718	0.007678	0.0005509	
272	0.172187	0.006707	0.016454	0.14105379	0.007436	0.0005373	
273	0.191495	0.007453	0.018285	0.15687978	0.008279	0.0005976	
289	0.183803	0.007132	0.017498	0.15070323	0.007896	0.000574	
290	0.206231	0.007993	0.01961	0.16911975	0.008864	0.0006442	
306	0.194636	0.007524	0.018459	0.15973049	0.008314	0.0006084	
307	0.220236	0.008499	0.02085	0.1807941	0.009405	0.0006887	
323	0.204115	0.007861	0.019286	0.16766046	0.008668	0.0006386	
324	0.232679	0.008939	0.021931	0.19121278	0.009867	0.0007284	
342	0.21169	0.008125	0.019933	0.17402931	0.008939	0.0006629	
343	0.242732	0.009288	0.022787	0.19967443	0.010222	0.0007606	
344	0.281663	0.010743	0.026356	0.23184677	0.011834	0.0008831	
356	0.21689	0.008301	0.020365	0.17842982	0.009114	0.0006797	
357	0.249733	0.009522	0.023361	0.20561342	0.010452	0.0007832	
358	0.291256	0.011061	0.027137	0.24000298	0.012141	0.0009142	
370	0.219494	0.008382	0.020564	0.18066967	0.009191	0.0006882	
371	0.253318	0.009633	0.023634	0.20870169	0.010554	0.000795	
372	0.296254	0.011213	0.02751	0.2443243	0.012275	0.0009307	
383	0.219433	0.00837	0.020533	0.18066967	0.009173	0.0006882	
384	0.25343	0.009623	0.023607	0.20887138	0.010533	0.0007956	
385	0.296603	0.011204	0.027487	0.24473155	0.012249	0.0009322	
396	0.216923	0.008271	0.020292	0.17861082	0.00907	0.0006804	
397	0.250319	0.009499	0.023305	0.20632609	0.010404	0.0007859	
398	0.29263	0.011046	0.027099	0.2414849	0.01208	0.0009199	
399	0.34735	0.013031	0.031969	0.28702846	0.014228	0.0010933	

Via Oro
Unmitigated Cancer Risk Summary

Receptor #	Total Per/Million	Construction Cancer Risk					Receptor
		Site Prep	Grading	Building Construction	Paving	Architectural Coating	
411	0.212264	0.008098	0.019867	0.17474199	0.008892	0.0006656	
412	0.244398	0.00928	0.022767	0.20140522	0.010178	0.0007672	
413	0.284941	0.010762	0.026402	0.23509342	0.011788	0.0008955	
414	0.337053	0.012652	0.031038	0.278465	0.013837	0.0010607	
426	0.205867	0.007864	0.019293	0.16941387	0.00865	0.0006453	
427	0.236217	0.008982	0.022037	0.19458387	0.009873	0.0007412	
428	0.274247	0.010375	0.025453	0.22616797	0.011391	0.0008615	
429	0.322759	0.012138	0.029778	0.26651915	0.013309	0.0010152	
439	0.198152	0.007583	0.018603	0.16298845	0.008357	0.0006208	
440	0.22637	0.008626	0.021162	0.1863711	0.009501	0.0007099	
441	0.261409	0.009913	0.024321	0.21544386	0.01091	0.0008207	
442	0.305644	0.011528	0.028281	0.25219771	0.012677	0.0009607	
443	0.362575	0.013589	0.033338	0.29957386	0.014933	0.0011411	
454	0.189549	0.007269	0.017834	0.15582773	0.008025	0.0005936	
455	0.215427	0.008229	0.020189	0.17725333	0.00908	0.0006752	
456	0.247227	0.009402	0.023067	0.20361113	0.010371	0.0007756	
457	0.286901	0.010858	0.026638	0.23653009	0.011973	0.000901	
458	0.337285	0.012695	0.031145	0.27838581	0.013999	0.0010604	
469	0.180441	0.006935	0.017015	0.14825976	0.007667	0.0005647	
470	0.203886	0.007809	0.019158	0.16764914	0.00863	0.0006386	
471	0.232417	0.008867	0.021754	0.19126935	0.009799	0.0007286	
472	0.267563	0.010165	0.024937	0.22038736	0.011234	0.0008395	
473	0.311572	0.011781	0.028903	0.25688102	0.013029	0.0009785	
489	0.171143	0.006593	0.016175	0.14054473	0.007295	0.0005354	
490	0.19223	0.007382	0.018112	0.15796576	0.008168	0.0006017	
491	0.217586	0.008328	0.020432	0.17892756	0.009217	0.0006816	
492	0.248463	0.009475	0.023246	0.20447087	0.010492	0.0007789	
493	0.286581	0.010886	0.026708	0.23602103	0.012067	0.000899	

Via Oro
Unmitigated Cancer Risk Summary

Receptor #	Total Per/Million	Construction Cancer Risk					Receptor
		Site Prep	Grading	Building Construction	Paving	Architectural Coating	
494	0.334474	0.012652	0.03104	0.27568216	0.01405	0.0010501	
509	0.161879	0.006251	0.015336	0.13286364	0.006922	0.0005061	
510	0.180726	0.00696	0.017074	0.14841813	0.007708	0.0005653	
511	0.203155	0.007801	0.019138	0.16693646	0.008644	0.0006359	
512	0.230137	0.00881	0.021613	0.18922181	0.009771	0.0007208	
513	0.262984	0.010035	0.024619	0.21636016	0.011145	0.0008241	
514	0.303654	0.011548	0.028331	0.24996917	0.012854	0.0009522	
515	0.421035	0.015887	0.038975	0.34704051	0.017811	0.0013219	
516	0.507904	0.019071	0.046788	0.41896448	0.021484	0.0015959	
517	0.62625	0.023374	0.057344	0.51708788	0.026475	0.0019697	
518	0.791452	0.029315	0.071919	0.6543294	0.033397	0.0024924	
519	1.026844	0.037724	0.09255	0.85006713	0.043264	0.003238	
528	0.152824	0.005915	0.014513	0.12536355	0.006555	0.0004775	
529	0.169609	0.00655	0.016069	0.13919856	0.007261	0.0005302	
530	0.189365	0.007295	0.017896	0.15548836	0.008093	0.0005923	
531	0.212853	0.008179	0.020067	0.17485512	0.009086	0.000666	
532	0.241134	0.009242	0.022673	0.1981812	0.010284	0.0007549	
533	0.275637	0.010535	0.025845	0.22664309	0.011751	0.0008633	
534	0.372554	0.014145	0.034703	0.3066554	0.015882	0.0011681	
535	0.442207	0.016719	0.041018	0.3642353	0.018848	0.0013874	
536	0.535757	0.020139	0.049407	0.44173626	0.022792	0.0016826	
537	0.65976	0.024635	0.060439	0.54462216	0.027989	0.0020745	
538	0.827659	0.03071	0.075343	0.68395647	0.035044	0.0026053	
547	0.144091	0.005591	0.013716	0.11813495	0.0062	0.00045	
548	0.158976	0.006157	0.015104	0.13038624	0.006833	0.0004967	
549	0.176344	0.006815	0.01672	0.14468506	0.007572	0.0005511	
550	0.196774	0.00759	0.01862	0.16150653	0.008443	0.0006152	
551	0.221102	0.008509	0.020876	0.18154072	0.009484	0.0006915	

Via Oro
Unmitigated Cancer Risk Summary

Receptor #	Total Per/Million	Construction Cancer Risk					Receptor
		Site Prep	Grading	Building Construction	Paving	Architectural Coating	
552	0.250423	0.009615	0.023589	0.2056926	0.010742	0.0007835	
553	0.286372	0.010966	0.026904	0.23531967	0.012286	0.0008964	
554	0.330981	0.012634	0.030995	0.27211877	0.014196	0.0010365	
555	0.388019	0.014749	0.036184	0.31924605	0.016624	0.0012161	
556	0.462741	0.017492	0.042914	0.38111334	0.01977	0.0014517	
557	0.558575	0.020991	0.051498	0.46054871	0.023783	0.0017543	
558	0.684704	0.025607	0.062821	0.56501834	0.029105	0.0021522	
559	0.837487	0.03136	0.076935	0.69070994	0.035851	0.002631	
567	0.135727	0.005279	0.012952	0.11121179	0.00586	0.0004236	
568	0.14891	0.005783	0.014188	0.12204903	0.006426	0.0004649	
569	0.164156	0.006365	0.015615	0.13458312	0.00708	0.0005126	
570	0.181946	0.007043	0.017278	0.14921	0.007846	0.0005684	
571	0.202908	0.00784	0.019233	0.16645003	0.00875	0.000634	
572	0.227956	0.008789	0.021562	0.18706115	0.009831	0.0007125	
573	0.258326	0.009934	0.024372	0.21207277	0.011139	0.0008078	
574	0.342603	0.013079	0.032088	0.28163246	0.01473	0.0010728	
575	0.402863	0.015301	0.037538	0.33149733	0.017264	0.0012627	
576	0.479588	0.018118	0.044449	0.39503885	0.020478	0.0015048	
577	0.57554	0.021666	0.053154	0.4743611	0.024551	0.0018069	
578	0.688521	0.025963	0.063696	0.56714506	0.029557	0.0021603	
586	0.127782	0.004983	0.012224	0.10463931	0.005537	0.0003986	
587	0.13945	0.00543	0.013323	0.11422088	0.00604	0.0004351	
588	0.152841	0.005944	0.014583	0.12521649	0.00662	0.000477	
589	0.168347	0.006537	0.016039	0.1379542	0.007292	0.0005255	
590	0.186476	0.007229	0.017735	0.15285258	0.008077	0.0005822	
591	0.207937	0.008045	0.019737	0.17049986	0.009005	0.0006495	
592	0.233743	0.009021	0.022131	0.19174447	0.010116	0.0007304	
593	0.304241	0.011658	0.028602	0.24991261	0.013116	0.000952	

Via Oro
Unmitigated Cancer Risk Summary

Receptor #	Total Per/Million	Construction Cancer Risk					Receptor
		Site Prep	Grading	Building Construction	Paving	Architectural Coating	
594	0.353671	0.013487	0.033088	0.29079547	0.015193	0.0011077	
595	0.414739	0.015745	0.038628	0.34130515	0.01776	0.0013001	
596	0.488973	0.018517	0.045429	0.40256157	0.020931	0.0015334	
597	0.574474	0.021795	0.053471	0.47267556	0.024732	0.0018005	
345	0.331518	0.012604	0.030922	0.27304638	0.013905	0.0010401	
346	0.396968	0.015045	0.03691	0.32711945	0.016647	0.001246	
347	0.485723	0.018357	0.045036	0.40038959	0.020415	0.0015251	
348	0.611367	0.023063	0.05658	0.5039316	0.025873	0.0019195	
359	0.344879	0.013042	0.031995	0.28443793	0.014321	0.0010835	
360	0.415913	0.015656	0.038409	0.34333006	0.017211	0.0013078	
361	0.513576	0.019241	0.047205	0.42430392	0.02121	0.0016162	
362	0.652256	0.024322	0.059669	0.53927141	0.026939	0.0020542	
363	0.867025	0.032194	0.078982	0.71710168	0.036016	0.0027315	
373	0.426103	0.015953	0.039139	0.35222157	0.017447	0.0013417	
374	0.527838	0.019635	0.04817	0.43689457	0.021475	0.0016642	
375	0.672561	0.024844	0.060949	0.55743906	0.027205	0.0021234	
376	0.894736	0.032794	0.080455	0.74261104	0.036047	0.0028287	
386	0.427135	0.015935	0.039093	0.35338675	0.017374	0.0013461	
387	0.529279	0.019594	0.04807	0.43861405	0.021331	0.0016707	
388	0.673536	0.024717	0.060638	0.55918116	0.026869	0.00213	
389	0.892222	0.032405	0.0795	0.74228298	0.035207	0.0028275	
390	1.251388	0.044903	0.110161	1.0434632	0.048886	0.0039747	
400	0.419885	0.01564	0.038371	0.34750432	0.017046	0.0013237	
401	0.518111	0.019139	0.046953	0.42957548	0.020807	0.0016363	
402	0.657964	0.024065	0.059039	0.546681	0.026096	0.0020824	
403	0.863237	0.031206	0.076559	0.71897953	0.033753	0.0027387	
404	1.190408	0.042426	0.104085	0.99427707	0.045833	0.0037873	
415	0.405632	0.015116	0.037085	0.33564897	0.016503	0.0012785	

Via Oro
Unmitigated Cancer Risk Summary

Receptor #	Total Per/Million	Construction Cancer Risk					Receptor
		Site Prep	Grading	Building Construction	Paving	Architectural Coating	
416	0.498339	0.018414	0.045176	0.413116	0.020059	0.0015736	
417	0.626888	0.022932	0.056261	0.52079833	0.024913	0.0019838	
418	0.817582	0.029544	0.072481	0.68093607	0.032027	0.0025938	
419	1.112779	0.039612	0.097181	0.92953644	0.042909	0.0035407	
420	1.596751	0.055765	0.136809	1.33855737	0.060521	0.0050988	
430	0.470229	0.01742	0.042738	0.38954104	0.019045	0.0014838	
431	0.586845	0.021534	0.052831	0.48711013	0.023514	0.0018555	
432	0.754333	0.027363	0.067131	0.62758699	0.029861	0.0023906	
433	1.009191	0.036085	0.088529	0.84194486	0.039425	0.0032071	
434	1.42794	0.050092	0.122892	1.19545604	0.054946	0.0045537	
444	0.437587	0.016282	0.039944	0.36209726	0.017884	0.0013793	
445	0.539345	0.019899	0.048818	0.44706438	0.02186	0.0017029	
446	0.682926	0.024944	0.061197	0.567179	0.027445	0.0021605	
447	0.895771	0.032314	0.079278	0.74565407	0.035685	0.0028403	
448	1.233141	0.043762	0.107363	1.02944719	0.048648	0.0039213	
459	0.489708	0.018189	0.044624	0.40525391	0.020098	0.0015437	
460	0.609747	0.022462	0.055107	0.50535696	0.024896	0.001925	
461	0.782521	0.028544	0.070027	0.64966871	0.031806	0.0024747	
462	1.045068	0.037648	0.092361	0.86945651	0.042291	0.0033119	
463	1.469112	0.052063	0.127728	1.22546772	0.059186	0.004668	
474	0.441086	0.016497	0.040473	0.3644163	0.018311	0.0013881	
475	0.53977	0.020058	0.049208	0.44645351	0.02235	0.0017006	
476	0.677887	0.025002	0.061337	0.56138707	0.028024	0.0021384	
477	0.877989	0.032088	0.078722	0.72815385	0.036251	0.0027736	
478	1.182218	0.042732	0.104834	0.98211628	0.048794	0.003741	
495	0.39589	0.014907	0.036572	0.32656515	0.016602	0.0012439	
496	0.476531	0.017852	0.043796	0.39342118	0.019963	0.0014986	
497	0.586134	0.021828	0.053552	0.48436123	0.024548	0.001845	

Via Oro
Unmitigated Cancer Risk Summary

Receptor #	Total Per/Million	Construction Cancer Risk					Receptor
		Site Prep	Grading	Building Construction	Paving	Architectural Coating	
498	0.739506	0.027345	0.067085	0.61178362	0.030963	0.0023304	
499	0.960814	0.035225	0.086417	0.79592619	0.040215	0.0030318	
500	1.291349	0.046874	0.114998	1.07132554	0.05407	0.0040808	
139	0.002015	0.000199	0.00039	0.00134778	7.33E-05	5.134E-06	
140	0.002114	0.000209	0.000409	0.00141343	7.7E-05	5.384E-06	
156	0.002185	0.000216	0.000422	0.00146247	7.95E-05	5.571E-06	
157	0.002301	0.000227	0.000445	0.00153939	8.38E-05	5.864E-06	
158	0.002423	0.000239	0.000469	0.00162086	8.83E-05	6.174E-06	
159	0.002551	0.000252	0.000494	0.00170608	9.31E-05	6.499E-06	
160	0.002684	0.000265	0.00052	0.00179388	9.81E-05	6.833E-06	
161	0.002958	0.000293	0.000574	0.0019758	0.000108	7.526E-06	
162	0.003095	0.000307	0.000601	0.00206597	0.000114	7.87E-06	
163	0.003226	0.00032	0.000627	0.00215218	0.000119	8.198E-06	
167	0.002514	0.000248	0.000485	0.00168295	9.15E-05	6.411E-06	
168	0.002662	0.000263	0.000514	0.00178162	9.7E-05	6.786E-06	
169	0.002817	0.000278	0.000544	0.00188444	0.000103	7.178E-06	
170	0.002978	0.000294	0.000576	0.00199181	0.000109	7.587E-06	
171	0.003146	0.000311	0.000609	0.00210294	0.000115	8.01E-06	
172	0.003318	0.000328	0.000643	0.00221664	0.000122	8.444E-06	
173	0.003487	0.000345	0.000676	0.00232836	0.000128	8.869E-06	
174	0.003653	0.000362	0.00071	0.00243752	0.000135	9.285E-06	
175	0.003809	0.000378	0.000741	0.00253915	0.000141	9.672E-06	
176	0.003948	0.000393	0.00077	0.00262893	0.000146	1.001E-05	
177	0.004062	0.000405	0.000794	0.0027015	0.000151	1.029E-05	
181	0.002939	0.000289	0.000567	0.00196828	0.000107	7.497E-06	
182	0.003127	0.000308	0.000603	0.00209306	0.000114	7.973E-06	
183	0.003328	0.000328	0.000643	0.00222653	0.000122	8.481E-06	
184	0.003537	0.000349	0.000684	0.00236514	0.00013	9.009E-06	

Via Oro
Unmitigated Cancer Risk Summary

Receptor #	Total Per/Million	Construction Cancer Risk					Receptor
		Site Prep	Grading	Building Construction	Paving	Architectural Coating	
185	0.003753	0.000371	0.000726	0.00250831	0.000138	9.554E-06	
186	0.003971	0.000393	0.00077	0.00265226	0.000146	1.01E-05	
187	0.004181	0.000414	0.000811	0.00278988	0.000154	1.063E-05	
188	0.004383	0.000435	0.000852	0.00292217	0.000162	1.113E-05	
189	0.004564	0.000454	0.00089	0.00303864	0.000169	1.157E-05	
190	0.00471	0.00047	0.000921	0.00313158	0.000175	1.193E-05	
191	0.004816	0.000482	0.000945	0.00319722	0.00018	1.218E-05	
195	0.003262	0.000321	0.000628	0.0021858	0.000119	8.326E-06	
196	0.003494	0.000344	0.000673	0.00234082	0.000128	8.917E-06	
197	0.003744	0.000369	0.000722	0.00250633	0.000137	9.547E-06	
198	0.00401	0.000395	0.000774	0.00268291	0.000147	1.022E-05	
199	0.004287	0.000423	0.000829	0.00286661	0.000158	1.092E-05	
200	0.004571	0.000452	0.000885	0.00305367	0.000169	1.163E-05	
201	0.004852	0.00048	0.000941	0.00323816	0.00018	1.233E-05	
202	0.005117	0.000508	0.000995	0.00341137	0.00019	1.299E-05	
203	0.005353	0.000533	0.001043	0.00356363	0.000199	1.357E-05	
204	0.005544	0.000554	0.001084	0.00368504	0.000207	1.404E-05	
205	0.005681	0.000569	0.001115	0.00376889	0.000213	1.436E-05	
206	0.005757	0.000579	0.001135	0.0038116	0.000217	1.452E-05	
210	0.003364	0.00033	0.000646	0.00225757	0.000122	8.599E-06	
211	0.003637	0.000357	0.000699	0.00243949	0.000132	9.292E-06	
212	0.003928	0.000386	0.000756	0.00263347	0.000143	1.003E-05	
213	0.004247	0.000418	0.000818	0.00284545	0.000156	1.084E-05	
214	0.004953	0.000488	0.000956	0.0033129	0.000183	1.262E-05	
215	0.00533	0.000526	0.001031	0.00356146	0.000197	1.357E-05	
216	0.005708	0.000565	0.001106	0.00380982	0.000212	1.451E-05	
217	0.006069	0.000602	0.001179	0.00404552	0.000226	1.541E-05	
218	0.00639	0.000636	0.001245	0.00425315	0.000239	1.62E-05	

Via Oro
Unmitigated Cancer Risk Summary

Receptor #	Total Per/Million	Construction Cancer Risk					Receptor
		Site Prep	Grading	Building Construction	Paving	Architectural Coating	
219	0.006648	0.000664	0.001301	0.00441687	0.00025	1.682E-05	
220	0.006827	0.000685	0.001342	0.00452563	0.000257	1.724E-05	
221	0.006917	0.000697	0.001366	0.00457467	0.000262	1.743E-05	
222	0.006918	0.000701	0.001373	0.00456458	0.000263	1.739E-05	
226	0.003736	0.000365	0.000716	0.00250989	0.000135	9.561E-06	
227	0.004075	0.000399	0.000781	0.0027361	0.000148	1.042E-05	
228	0.004446	0.000436	0.000853	0.00298387	0.000162	1.137E-05	
229	0.004859	0.000477	0.000934	0.00325773	0.000178	1.241E-05	
230	0.005309	0.000522	0.001022	0.00355632	0.000196	1.355E-05	
231	0.005784	0.000569	0.001115	0.00387052	0.000214	1.474E-05	
232	0.006302	0.000622	0.001218	0.00421202	0.000234	1.604E-05	
233	0.007344	0.000728	0.001427	0.0048948	0.000276	1.865E-05	
234	0.007798	0.000776	0.00152	0.00518805	0.000294	1.976E-05	
235	0.008159	0.000815	0.001597	0.00541683	0.000309	2.063E-05	
236	0.008399	0.000844	0.001653	0.00556158	0.000319	2.118E-05	
237	0.008506	0.00086	0.001684	0.00561536	0.000325	2.139E-05	
238	0.008485	0.000863	0.00169	0.00558511	0.000325	2.127E-05	
242	0.004153	0.000405	0.000793	0.00279364	0.00015	1.064E-05	
243	0.004579	0.000447	0.000875	0.00307878	0.000166	1.173E-05	
244	0.00504	0.000492	0.000965	0.00338587	0.000184	1.29E-05	
245	0.00559	0.000547	0.001071	0.00375247	0.000205	1.429E-05	
246	0.006203	0.000608	0.001191	0.00415882	0.000229	1.584E-05	
247	0.006878	0.000676	0.001324	0.00460472	0.000256	1.754E-05	
248	0.007609	0.00075	0.001469	0.00508622	0.000285	1.937E-05	
249	0.009109	0.000903	0.001769	0.00606779	0.000346	2.311E-05	
250	0.00977	0.000973	0.001905	0.0064953	0.000372	2.474E-05	
251	0.010304	0.001031	0.002019	0.00683343	0.000395	2.603E-05	
252	0.010648	0.001072	0.002101	0.00703868	0.00041	2.681E-05	

Via Oro
Unmitigated Cancer Risk Summary

Receptor #	Total Per/Million	Construction Cancer Risk					Receptor
		Site Prep	Grading	Building Construction	Paving	Architectural Coating	
253	0.010766	0.001092	0.00214	0.00709049	0.000416	2.701E-05	
254	0.010681	0.001092	0.002139	0.00700941	0.000415	2.67E-05	
257	0.004614	0.000448	0.000878	0.00310903	0.000166	1.184E-05	
258	0.005153	0.000501	0.000982	0.0034703	0.000186	1.322E-05	
259	0.005776	0.000562	0.001102	0.00388674	0.00021	1.481E-05	
260	0.006466	0.000631	0.001236	0.00434628	0.000237	1.656E-05	
261	0.007342	0.000718	0.001406	0.00492763	0.000272	1.877E-05	
262	0.008302	0.000814	0.001595	0.00556098	0.00031	2.118E-05	
263	0.009377	0.000923	0.001808	0.0062675	0.000355	2.387E-05	
264	0.011703	0.001161	0.002275	0.00778593	0.000451	2.966E-05	
265	0.012749	0.001271	0.002489	0.00846318	0.000494	3.224E-05	
266	0.013569	0.00136	0.002664	0.00898126	0.000529	3.421E-05	
267	0.014051	0.00142	0.002781	0.00926422	0.00055	3.529E-05	
268	0.014151	0.001444	0.002828	0.00928696	0.000557	3.538E-05	
269	0.013913	0.001433	0.002807	0.00908902	0.000549	3.462E-05	
270	0.011886	0.001241	0.00243	0.00772246	0.000463	2.942E-05	
271	0.011028	0.001152	0.002257	0.00716464	0.000427	2.729E-05	
274	0.005112	0.000495	0.000969	0.00345092	0.000183	1.315E-05	
275	0.005791	0.000561	0.001099	0.0039075	0.000209	1.488E-05	
276	0.006607	0.000641	0.001255	0.00445464	0.00024	1.697E-05	
277	0.007556	0.000734	0.001438	0.0050876	0.000277	1.938E-05	
278	0.008759	0.000854	0.001672	0.00588666	0.000324	2.242E-05	
279	0.010173	0.000995	0.00195	0.00681899	0.000383	2.597E-05	
280	0.011768	0.001158	0.002268	0.00786226	0.00045	2.995E-05	
281	0.015648	0.001557	0.003049	0.0103846	0.000618	3.956E-05	
282	0.017421	0.001741	0.003411	0.01153148	0.000693	4.393E-05	
283	0.018777	0.001888	0.003699	0.01239243	0.000751	4.72E-05	
284	0.019547	0.001984	0.003887	0.0128409	0.000786	4.891E-05	

Via Oro
Unmitigated Cancer Risk Summary

Receptor #	Total Per/Million	Construction Cancer Risk					Receptor
		Site Prep	Grading	Building Construction	Paving	Architectural Coating	
285	0.019594	0.002016	0.003948	0.01279028	0.000791	4.872E-05	
286	0.018929	0.001973	0.003864	0.01228071	0.000764	4.678E-05	
287	0.014886	0.001575	0.003085	0.00960453	0.000584	3.659E-05	
288	0.013445	0.001422	0.002786	0.0086801	0.000523	3.306E-05	
291	0.00563	0.000543	0.001063	0.00380883	0.000201	1.451E-05	
292	0.006476	0.000624	0.001223	0.0043799	0.000232	1.668E-05	
293	0.007528	0.000726	0.001423	0.0050876	0.000272	1.938E-05	
294	0.008831	0.000854	0.001673	0.00596002	0.000322	2.27E-05	
295	0.01048	0.001017	0.001993	0.00705529	0.000388	2.687E-05	
296	0.012628	0.001233	0.002415	0.00846912	0.000478	3.226E-05	
297	0.015404	0.001517	0.002972	0.01027506	0.0006	3.914E-05	
298	0.022454	0.002253	0.004414	0.01480345	0.000927	5.639E-05	
299	0.025973	0.002615	0.005123	0.01708495	0.001084	6.508E-05	
300	0.028449	0.002877	0.005635	0.01867833	0.001188	7.115E-05	
301	0.029717	0.003037	0.00595	0.01941075	0.001245	7.394E-05	
302	0.029235	0.00305	0.005974	0.01891225	0.001227	7.204E-05	
303	0.027263	0.002905	0.00569	0.01746698	0.001135	6.653E-05	
304	0.018772	0.002029	0.003974	0.01198015	0.000744	4.563E-05	
305	0.016302	0.001754	0.003437	0.01043364	0.000637	3.974E-05	
308	0.006142	0.000589	0.001154	0.00416535	0.000217	1.587E-05	
309	0.007173	0.000688	0.001348	0.00486475	0.000255	1.853E-05	
310	0.0085	0.000815	0.001597	0.00576169	0.000304	2.195E-05	
311	0.010231	0.000983	0.001925	0.00692538	0.00037	2.638E-05	
312	0.012624	0.001218	0.002386	0.00852152	0.000466	3.246E-05	
313	0.01595	0.001552	0.003041	0.01070909	0.000608	4.079E-05	
314	0.020837	0.002063	0.004042	0.01384581	0.000834	5.274E-05	
315	0.036736	0.003813	0.00747	0.02368564	0.001677	9.022E-05	
316	0.04532	0.004677	0.009162	0.02927787	0.002092	0.0001115	

Via Oro
Unmitigated Cancer Risk Summary

Receptor #	Total Per/Million	Construction Cancer Risk					Receptor
		Site Prep	Grading	Building Construction	Paving	Architectural Coating	
317	0.050372	0.00514	0.010068	0.03276439	0.002275	0.0001248	
318	0.052437	0.005401	0.010581	0.03396465	0.002361	0.0001294	
319	0.049241	0.0053	0.010383	0.03122163	0.002217	0.0001189	
320	0.042526	0.004797	0.009397	0.02636934	0.001861	0.0001004	
321	0.023385	0.002602	0.005097	0.0146941	0.000935	5.597E-05	
322	0.019413	0.002131	0.004175	0.01229732	0.000763	4.684E-05	
325	0.006613	0.000631	0.001237	0.00449577	0.000232	1.713E-05	
326	0.007829	0.000746	0.001462	0.00532528	0.000275	2.028E-05	
327	0.009443	0.000899	0.001762	0.00642332	0.000334	2.447E-05	
328	0.011665	0.001112	0.002178	0.0079287	0.000417	3.02E-05	
329	0.014837	0.001418	0.002778	0.0100613	0.000541	3.832E-05	
330	0.019902	0.001921	0.003763	0.01341375	0.000754	5.109E-05	
331	0.028823	0.002862	0.005606	0.01910781	0.001175	7.278E-05	
332	0.048596	0.005358	0.010495	0.03028455	0.002343	0.0001154	
333	0.079673	0.008705	0.017051	0.04938782	0.004341	0.0001881	
334	0.10412	0.010611	0.020785	0.06700607	0.005463	0.0002552	
335	0.119017	0.011477	0.022482	0.07915806	0.005599	0.0003015	
336	0.124039	0.011814	0.023142	0.08291587	0.005851	0.0003158	
337	0.103696	0.011496	0.022519	0.06348495	0.005955	0.0002418	
338	0.076701	0.010727	0.021013	0.04124576	0.003558	0.0001571	
339	0.036817	0.004399	0.008618	0.02218086	0.001534	8.449E-05	
340	0.02825	0.003239	0.006344	0.01745986	0.001141	6.651E-05	
341	0.022448	0.002509	0.004915	0.01408131	0.000888	5.364E-05	
349	0.016881	0.001594	0.003121	0.0115216	0.000601	4.389E-05	
350	0.023572	0.002235	0.004378	0.0160322	0.000866	6.107E-05	
351	0.037073	0.003568	0.006989	0.0249654	0.001455	9.51E-05	
352	0.085055	0.008635	0.016916	0.05544414	0.003848	0.0002112	
353	0.045113	0.005633	0.011034	0.0264342	0.001911	0.0001007	

Via Oro
Unmitigated Cancer Risk Summary

Receptor #	Total Per/Million	Construction Cancer Risk					Receptor
		Site Prep	Grading	Building Construction	Paving	Architectural Coating	
354	0.032729	0.003833	0.007508	0.01997687	0.001335	7.609E-05	
355	0.025108	0.002846	0.005574	0.01562624	0.001002	5.952E-05	
364	0.025865	0.002404	0.00471	0.01777466	0.000908	6.771E-05	
365	0.041358	0.00385	0.007541	0.02834751	0.001512	0.000108	
366	0.089967	0.008461	0.016574	0.06109272	0.003607	0.0002327	
367	0.052576	0.006748	0.013218	0.03024164	0.002254	0.0001152	
368	0.036499	0.004339	0.0085	0.02206933	0.001506	8.407E-05	
369	0.027234	0.003125	0.006121	0.01682295	0.001101	6.408E-05	
377	0.026576	0.002432	0.004765	0.01841533	0.000894	7.015E-05	
378	0.041469	0.003774	0.007392	0.02877779	0.001416	0.0001096	
379	0.079376	0.007192	0.014088	0.05504708	0.00284	0.0002097	
380	0.059162	0.007787	0.015254	0.03341435	0.002579	0.0001273	
381	0.039346	0.00476	0.009324	0.02352033	0.001653	8.959E-05	
382	0.028684	0.003341	0.006545	0.0175443	0.001186	6.683E-05	
391	0.039682	0.003552	0.006957	0.02777427	0.001293	0.0001058	
392	0.069166	0.006096	0.011941	0.04865737	0.002286	0.0001853	
393	0.065028	0.008789	0.017217	0.03594085	0.002943	0.0001369	
394	0.041694	0.00517	0.010127	0.02448688	0.001817	9.327E-05	
395	0.029541	0.003512	0.006879	0.01781382	0.001269	6.786E-05	
405	0.036943	0.003276	0.006417	0.02597466	0.001177	9.894E-05	
406	0.061352	0.005325	0.010431	0.0434887	0.001942	0.0001657	
407	0.127465	0.010647	0.020856	0.09157541	0.004037	0.0003488	
408	0.07021	0.009801	0.019199	0.03768747	0.00338	0.0001436	
409	0.042964	0.005489	0.010752	0.02464072	0.001989	9.386E-05	
410	0.029593	0.003603	0.007058	0.01751958	0.001346	6.673E-05	
421	0.053305	0.004604	0.009019	0.03786958	0.001668	0.0001443	
422	0.100116	0.008312	0.016282	0.07217969	0.003068	0.0002749	
423	0.073541	0.010665	0.02089	0.03789371	0.003948	0.0001443	

Via Oro
Unmitigated Cancer Risk Summary

Receptor #	Total Per/Million	Construction Cancer Risk					Receptor
		Site Prep	Grading	Building Construction	Paving	Architectural Coating	
424	0.042714	0.005629	0.011026	0.02379618	0.002172	9.064E-05	
425	0.028506	0.003552	0.006958	0.01653939	0.001393	6.3E-05	
435	0.045182	0.003922	0.007684	0.03201832	0.001435	0.000122	
436	0.079498	0.006632	0.012991	0.05719115	0.002466	0.0002178	
437	0.040366	0.005464	0.010703	0.02181405	0.002302	8.309E-05	
438	0.026173	0.003311	0.006486	0.0149563	0.001362	5.697E-05	
449	0.03746	0.003297	0.006458	0.02637765	0.001227	0.0001005	
450	0.061751	0.005257	0.010298	0.04403248	0.001996	0.0001677	
451	0.125307	0.009971	0.019533	0.09144114	0.004014	0.0003483	
452	0.035507	0.004805	0.009413	0.01908942	0.002127	7.271E-05	
453	0.023182	0.002923	0.005725	0.01326406	0.00122	5.052E-05	
464	0.046594	0.004093	0.008017	0.03278732	0.001572	0.0001249	
465	0.08043	0.006878	0.013473	0.05710296	0.002758	0.0002175	
466	0.095561	0.014518	0.02844	0.04557088	0.006858	0.0001736	
467	0.030397	0.003996	0.007827	0.01677925	0.001731	6.391E-05	
468	0.02049	0.002543	0.004982	0.01187199	0.001048	4.522E-05	
479	0.034586	0.003117	0.006105	0.02407637	0.001197	9.171E-05	
480	0.052985	0.004734	0.009272	0.03697284	0.001866	0.0001408	
481	0.082604	0.00775	0.015181	0.05626396	0.003195	0.0002143	
482	0.106365	0.011289	0.022114	0.06772505	0.004979	0.000258	
483	0.102404	0.011222	0.021983	0.06387054	0.005085	0.0002433	
484	0.085196	0.009939	0.01947	0.0511028	0.00449	0.0001947	
485	0.061868	0.007925	0.015525	0.03473919	0.003547	0.0001323	
486	0.040752	0.005366	0.010511	0.02240648	0.002383	8.535E-05	
487	0.026604	0.003386	0.006632	0.01508938	0.00144	5.748E-05	
488	0.018418	0.002251	0.00441	0.01079768	0.000918	4.113E-05	
501	0.037167	0.003385	0.00663	0.02574192	0.001312	9.805E-05	
502	0.051843	0.00486	0.009519	0.03538876	0.001941	0.0001348	

Via Oro
Unmitigated Cancer Risk Summary

Receptor #	Total Per/Million	Construction Cancer Risk					Receptor
		Site Prep	Grading	Building Construction	Paving	Architectural Coating	
503	0.063286	0.006295	0.01233	0.04188742	0.002614	0.0001596	
504	0.064704	0.006749	0.01322	0.04170293	0.002873	0.0001589	
505	0.057421	0.006331	0.012401	0.03583783	0.002715	0.0001365	
506	0.045485	0.005364	0.010507	0.02720993	0.002301	0.0001036	
507	0.033179	0.004076	0.007984	0.01930951	0.001736	7.355E-05	
508	0.016784	0.002018	0.003954	0.0099565	0.000818	3.793E-05	
520	0.028039	0.002587	0.005067	0.01931979	0.000992	7.359E-05	
521	0.035901	0.003369	0.006599	0.02452287	0.001316	9.341E-05	
522	0.043079	0.004202	0.008231	0.02885155	0.001686	0.0001099	
523	0.045097	0.004588	0.008987	0.02953078	0.001879	0.0001125	
524	0.041906	0.004471	0.008759	0.02672211	0.001852	0.0001018	
525	0.03523	0.003961	0.007759	0.02178044	0.001647	8.296E-05	
526	0.027489	0.003216	0.0063	0.01657578	0.001334	6.314E-05	
527	0.015331	0.00181	0.003545	0.0092136	0.000728	3.51E-05	
539	0.021968	0.002046	0.004008	0.01507772	0.000779	5.743E-05	
540	0.027088	0.002555	0.005006	0.01847031	0.000986	7.036E-05	
541	0.031353	0.003037	0.005948	0.02109547	0.001192	8.036E-05	
542	0.033201	0.00333	0.006522	0.02193586	0.001329	8.356E-05	
543	0.031982	0.00334	0.006543	0.02067054	0.001349	7.874E-05	
544	0.028098	0.003062	0.005999	0.01772483	0.001245	6.752E-05	
545	0.022956	0.002595	0.005083	0.01416792	0.001055	5.397E-05	
546	0.013979	0.001618	0.00317	0.00851183	0.000646	3.242E-05	
560	0.021163	0.002006	0.003929	0.01440659	0.000767	5.488E-05	
561	0.024183	0.002339	0.004582	0.01629301	0.000906	6.206E-05	
562	0.025665	0.002554	0.005003	0.01704165	0.001003	6.491E-05	
563	0.024996	0.002571	0.005037	0.01630646	0.00102	6.211E-05	
564	0.022822	0.002434	0.004767	0.01459266	0.000972	5.559E-05	
565	0.019575	0.002155	0.004221	0.0122904	0.000863	4.682E-05	

Via Oro
Unmitigated Cancer Risk Summary

Receptor #	Total Per/Million	Construction Cancer Risk					Receptor
		Site Prep	Grading	Building Construction	Paving	Architectural Coating	
566	0.012781	0.001452	0.002843	0.00788104	0.000575	3.002E-05	
579	0.017017	0.001619	0.003172	0.01156589	0.000615	4.406E-05	
580	0.019201	0.001858	0.003639	0.01294234	0.000713	4.93E-05	
581	0.020453	0.002025	0.003967	0.01362276	0.000786	5.189E-05	
582	0.020359	0.002073	0.004061	0.01336155	0.000812	5.09E-05	
583	0.018968	0.001991	0.003899	0.01224611	0.000785	4.665E-05	
584	0.01668	0.001801	0.003527	0.01059875	0.000712	4.037E-05	
585	0.013305	0.001476	0.002891	0.00832338	0.000584	3.17E-05	
598	0.014013	0.001338	0.002622	0.00951021	0.000506	3.623E-05	
599	0.015627	0.001513	0.002964	0.0105333	0.000577	4.012E-05	
600	0.016646	0.001643	0.003219	0.01110991	0.000632	4.232E-05	
601	0.016768	0.001695	0.00332	0.01105414	0.000657	4.211E-05	
602	0.015951	0.001654	0.00324	0.01037155	0.000645	3.951E-05	
603	0.014425	0.001533	0.003004	0.00925236	0.0006	3.524E-05	
604	0.012496	0.001356	0.002656	0.00792198	0.000531	3.018E-05	

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>								
Receptor #	Max Chronic		Site Prep	Grading	Building Construction	Paving	Architectural Coating	Receptor
	0.0023		0.00	0.00	0.00	0.00	0.00	519 Residential
	0.0034		0.00	0.00	0.00	0.00	0.00	420 School
	0.0168	Receptor	0.02	0.02	0.01	0.00	0.00	466 Worker
1	1.03E-04		1.03E-04	9.21E-05	3.28E-05	2.24E-05	1.52E-06	1
2	1.06E-04		1.06E-04	9.49E-05	3.38E-05	2.31E-05	1.57E-06	2
3	1.09E-04		1.09E-04	9.79E-05	3.48E-05	2.38E-05	1.62E-06	3
4	1.12E-04		1.12E-04	1.01E-04	3.59E-05	2.45E-05	1.67E-06	4
5	1.16E-04		1.16E-04	1.04E-04	3.71E-05	2.53E-05	1.72E-06	5
6	1.20E-04		1.20E-04	1.08E-04	3.83E-05	2.62E-05	1.78E-06	6
7	1.24E-04		1.24E-04	1.11E-04	3.95E-05	2.70E-05	1.84E-06	7
8	1.28E-04		1.28E-04	1.15E-04	4.09E-05	2.79E-05	1.90E-06	8
9	1.32E-04		1.32E-04	1.19E-04	4.22E-05	2.89E-05	1.96E-06	9
10	1.37E-04		1.37E-04	1.23E-04	4.37E-05	2.99E-05	2.03E-06	10
11	1.41E-04		1.41E-04	1.27E-04	4.52E-05	3.09E-05	2.10E-06	11
12	1.46E-04		1.46E-04	1.31E-04	4.67E-05	3.19E-05	2.17E-06	12
13	1.51E-04		1.51E-04	1.36E-04	4.83E-05	3.30E-05	2.25E-06	13
14	1.56E-04		1.56E-04	1.40E-04	5.00E-05	3.42E-05	2.32E-06	14
15	1.62E-04		1.62E-04	1.45E-04	5.17E-05	3.54E-05	2.40E-06	15
16	1.67E-04		1.67E-04	1.50E-04	5.34E-05	3.66E-05	2.48E-06	16
17	1.73E-04		1.73E-04	1.55E-04	5.52E-05	3.78E-05	2.57E-06	17
18	1.79E-04		1.79E-04	1.60E-04	5.69E-05	3.91E-05	2.65E-06	18
19	1.84E-04		1.84E-04	1.65E-04	5.87E-05	4.03E-05	2.73E-06	19
20	1.90E-04		1.90E-04	1.70E-04	6.05E-05	4.16E-05	2.81E-06	20
21	1.95E-04		1.95E-04	1.75E-04	6.22E-05	4.28E-05	2.89E-06	21
22	2.01E-04		2.01E-04	1.80E-04	6.38E-05	4.40E-05	2.97E-06	22
23	2.06E-04		2.06E-04	1.85E-04	6.54E-05	4.51E-05	3.04E-06	23
24	2.11E-04		2.11E-04	1.89E-04	6.68E-05	4.62E-05	3.11E-06	24
25	2.15E-04		2.15E-04	1.93E-04	6.81E-05	4.71E-05	3.17E-06	25

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>							Receptor
Receptor #	Max Chronic	Site Prep	Grading	Building Construction	Paving	Architectural Coating	
26	2.19E-04	2.19E-04	1.97E-04	6.92E-05	4.79E-05	3.22E-06	26
27	2.22E-04	2.22E-04	1.99E-04	7.00E-05	4.86E-05	3.26E-06	27
28	2.25E-04	2.25E-04	2.02E-04	7.07E-05	4.92E-05	3.29E-06	28
29	2.26E-04	2.26E-04	2.03E-04	7.11E-05	4.96E-05	3.31E-06	29
30	2.28E-04	2.28E-04	2.04E-04	7.14E-05	4.98E-05	3.32E-06	30
31	2.28E-04	2.28E-04	2.05E-04	7.14E-05	4.99E-05	3.32E-06	31
32	2.28E-04	2.28E-04	2.05E-04	7.12E-05	4.99E-05	3.31E-06	32
55	2.18E-04	2.18E-04	1.96E-04	6.92E-05	4.77E-05	3.22E-06	55
56	2.24E-04	2.24E-04	2.01E-04	7.11E-05	4.90E-05	3.30E-06	56
57	2.29E-04	2.29E-04	2.06E-04	7.27E-05	5.03E-05	3.38E-06	57
58	2.35E-04	2.35E-04	2.11E-04	7.42E-05	5.14E-05	3.45E-06	58
59	2.39E-04	2.39E-04	2.15E-04	7.55E-05	5.24E-05	3.51E-06	59
60	2.43E-04	2.43E-04	2.18E-04	7.65E-05	5.32E-05	3.56E-06	60
61	2.46E-04	2.46E-04	2.20E-04	7.72E-05	5.38E-05	3.59E-06	61
62	2.48E-04	2.48E-04	2.22E-04	7.77E-05	5.42E-05	3.61E-06	62
63	2.49E-04	2.49E-04	2.23E-04	7.79E-05	5.45E-05	3.62E-06	63
64	2.49E-04	2.49E-04	2.24E-04	7.79E-05	5.46E-05	3.62E-06	64
65	2.49E-04	2.49E-04	2.23E-04	7.76E-05	5.45E-05	3.61E-06	65
66	2.48E-04	2.48E-04	2.23E-04	7.72E-05	5.43E-05	3.59E-06	66
67	1.11E-04	1.11E-04	9.95E-05	3.55E-05	2.42E-05	1.65E-06	67
68	1.15E-04	1.15E-04	1.03E-04	3.67E-05	2.50E-05	1.71E-06	68
69	1.19E-04	1.19E-04	1.07E-04	3.80E-05	2.59E-05	1.77E-06	69
70	1.23E-04	1.23E-04	1.10E-04	3.93E-05	2.68E-05	1.83E-06	70
71	1.27E-04	1.27E-04	1.14E-04	4.07E-05	2.78E-05	1.89E-06	71
72	1.32E-04	1.32E-04	1.18E-04	4.22E-05	2.88E-05	1.96E-06	72
73	1.37E-04	1.37E-04	1.23E-04	4.37E-05	2.98E-05	2.03E-06	73
74	1.42E-04	1.42E-04	1.27E-04	4.54E-05	3.09E-05	2.11E-06	74
75	1.47E-04	1.47E-04	1.32E-04	4.70E-05	3.21E-05	2.19E-06	75

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>							Receptor
Receptor #	Max Chronic	Site Prep	Grading	Building Construction	Paving	Architectural Coating	
76	1.53E-04	1.53E-04	1.37E-04	4.88E-05	3.33E-05	2.27E-06	76
77	1.58E-04	1.58E-04	1.42E-04	5.07E-05	3.46E-05	2.36E-06	77
78	1.65E-04	1.65E-04	1.48E-04	5.27E-05	3.60E-05	2.45E-06	78
79	1.99E-04	1.99E-04	1.79E-04	6.37E-05	4.36E-05	2.96E-06	79
80	2.07E-04	2.07E-04	1.86E-04	6.61E-05	4.53E-05	3.07E-06	80
81	2.14E-04	2.14E-04	1.93E-04	6.85E-05	4.70E-05	3.18E-06	81
82	2.22E-04	2.22E-04	1.99E-04	7.09E-05	4.87E-05	3.30E-06	82
83	2.30E-04	2.30E-04	2.06E-04	7.32E-05	5.04E-05	3.41E-06	83
84	2.37E-04	2.37E-04	2.13E-04	7.55E-05	5.20E-05	3.51E-06	84
85	2.44E-04	2.44E-04	2.19E-04	7.76E-05	5.36E-05	3.61E-06	85
86	2.51E-04	2.51E-04	2.25E-04	7.96E-05	5.51E-05	3.70E-06	86
87	2.57E-04	2.57E-04	2.31E-04	8.14E-05	5.64E-05	3.79E-06	87
88	2.62E-04	2.62E-04	2.35E-04	8.29E-05	5.75E-05	3.85E-06	88
89	2.67E-04	2.67E-04	2.39E-04	8.40E-05	5.85E-05	3.91E-06	89
90	2.70E-04	2.70E-04	2.42E-04	8.49E-05	5.92E-05	3.95E-06	90
91	2.72E-04	2.72E-04	2.44E-04	8.54E-05	5.97E-05	3.97E-06	91
92	2.73E-04	2.73E-04	2.45E-04	8.56E-05	5.99E-05	3.98E-06	92
93	2.74E-04	2.74E-04	2.46E-04	8.55E-05	6.00E-05	3.98E-06	93
96	2.71E-04	2.71E-04	2.44E-04	8.64E-05	5.95E-05	4.02E-06	96
97	2.76E-04	2.76E-04	2.48E-04	8.78E-05	6.05E-05	4.08E-06	97
98	2.90E-04	2.90E-04	2.60E-04	9.15E-05	6.36E-05	4.26E-06	98
99	2.95E-04	2.95E-04	2.65E-04	9.29E-05	6.47E-05	4.32E-06	99
100	2.99E-04	2.99E-04	2.68E-04	9.39E-05	6.55E-05	4.37E-06	100
101	3.01E-04	3.01E-04	2.70E-04	9.44E-05	6.61E-05	4.39E-06	101
102	3.02E-04	3.02E-04	2.71E-04	9.46E-05	6.63E-05	4.40E-06	102
106	1.15E-04	1.15E-04	1.03E-04	3.69E-05	2.51E-05	1.72E-06	106
107	1.20E-04	1.20E-04	1.07E-04	3.84E-05	2.61E-05	1.79E-06	107
108	1.24E-04	1.24E-04	1.12E-04	3.99E-05	2.71E-05	1.86E-06	108

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>							Receptor
Receptor #	Max Chronic	Site Prep	Grading	Building Construction	Paving	Architectural Coating	
109	1.29E-04	1.29E-04	1.16E-04	4.14E-05	2.82E-05	1.93E-06	109
110	1.34E-04	1.34E-04	1.21E-04	4.31E-05	2.93E-05	2.00E-06	110
111	1.40E-04	1.40E-04	1.25E-04	4.48E-05	3.05E-05	2.08E-06	111
112	1.45E-04	1.45E-04	1.30E-04	4.66E-05	3.17E-05	2.17E-06	112
113	1.51E-04	1.51E-04	1.36E-04	4.86E-05	3.30E-05	2.26E-06	113
114	1.58E-04	1.58E-04	1.42E-04	5.06E-05	3.44E-05	2.35E-06	114
115	1.64E-04	1.64E-04	1.48E-04	5.27E-05	3.59E-05	2.45E-06	115
116	1.71E-04	1.71E-04	1.54E-04	5.50E-05	3.75E-05	2.56E-06	116
117	1.79E-04	1.79E-04	1.61E-04	5.74E-05	3.91E-05	2.67E-06	117
118	1.87E-04	1.87E-04	1.68E-04	5.99E-05	4.08E-05	2.79E-06	118
124	1.19E-04	1.19E-04	1.07E-04	3.83E-05	2.60E-05	1.78E-06	124
125	1.24E-04	1.24E-04	1.11E-04	3.99E-05	2.71E-05	1.86E-06	125
126	1.29E-04	1.29E-04	1.16E-04	4.15E-05	2.82E-05	1.93E-06	126
127	1.35E-04	1.35E-04	1.21E-04	4.33E-05	2.94E-05	2.01E-06	127
128	1.40E-04	1.40E-04	1.26E-04	4.51E-05	3.06E-05	2.10E-06	128
129	1.46E-04	1.46E-04	1.31E-04	4.70E-05	3.19E-05	2.19E-06	129
130	1.53E-04	1.53E-04	1.37E-04	4.91E-05	3.33E-05	2.28E-06	130
131	1.59E-04	1.59E-04	1.43E-04	5.12E-05	3.48E-05	2.38E-06	131
132	1.67E-04	1.67E-04	1.50E-04	5.35E-05	3.64E-05	2.49E-06	132
133	1.74E-04	1.74E-04	1.56E-04	5.60E-05	3.80E-05	2.60E-06	133
134	1.82E-04	1.82E-04	1.64E-04	5.85E-05	3.98E-05	2.72E-06	134
135	1.91E-04	1.91E-04	1.71E-04	6.13E-05	4.17E-05	2.85E-06	135
136	2.00E-04	2.00E-04	1.79E-04	6.42E-05	4.37E-05	2.98E-06	136
137	2.09E-04	2.09E-04	1.88E-04	6.72E-05	4.58E-05	3.13E-06	137
138	2.19E-04	2.19E-04	1.97E-04	7.05E-05	4.80E-05	3.28E-06	138
141	1.24E-04	1.24E-04	1.11E-04	3.97E-05	2.69E-05	1.85E-06	141
142	1.29E-04	1.29E-04	1.16E-04	4.14E-05	2.81E-05	1.93E-06	142
143	1.34E-04	1.34E-04	1.21E-04	4.32E-05	2.93E-05	2.01E-06	143

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>							Receptor
Receptor #	Max Chronic	Site Prep	Grading	Building Construction	Paving	Architectural Coating	
144	1.40E-04	1.40E-04	1.26E-04	4.51E-05	3.06E-05	2.10E-06	144
145	1.47E-04	1.47E-04	1.32E-04	4.72E-05	3.19E-05	2.19E-06	145
146	1.53E-04	1.53E-04	1.37E-04	4.93E-05	3.34E-05	2.29E-06	146
147	1.60E-04	1.60E-04	1.44E-04	5.16E-05	3.50E-05	2.40E-06	147
148	1.68E-04	1.68E-04	1.51E-04	5.41E-05	3.66E-05	2.51E-06	148
149	1.76E-04	1.76E-04	1.58E-04	5.67E-05	3.84E-05	2.64E-06	149
150	1.85E-04	1.85E-04	1.66E-04	5.94E-05	4.03E-05	2.76E-06	150
151	1.94E-04	1.94E-04	1.74E-04	6.24E-05	4.23E-05	2.90E-06	151
152	2.03E-04	2.03E-04	1.83E-04	6.55E-05	4.45E-05	3.05E-06	152
153	2.14E-04	2.14E-04	1.92E-04	6.88E-05	4.68E-05	3.20E-06	153
154	2.25E-04	2.25E-04	2.02E-04	7.24E-05	4.92E-05	3.37E-06	154
155	2.37E-04	2.37E-04	2.12E-04	7.61E-05	5.18E-05	3.54E-06	155
164	2.42E-04	2.42E-04	2.17E-04	7.81E-05	5.30E-05	3.63E-06	164
165	2.56E-04	2.56E-04	2.30E-04	8.25E-05	5.61E-05	3.84E-06	165
166	2.71E-04	2.71E-04	2.43E-04	8.73E-05	5.94E-05	4.06E-06	166
178	2.61E-04	2.61E-04	2.35E-04	8.45E-05	5.73E-05	3.93E-06	178
179	2.78E-04	2.78E-04	2.49E-04	8.97E-05	6.09E-05	4.17E-06	179
180	2.95E-04	2.95E-04	2.65E-04	9.53E-05	6.48E-05	4.43E-06	180
192	2.82E-04	2.82E-04	2.54E-04	9.15E-05	6.19E-05	4.26E-06	192
193	3.02E-04	3.02E-04	2.71E-04	9.78E-05	6.62E-05	4.55E-06	193
194	3.23E-04	3.23E-04	2.90E-04	1.05E-04	7.09E-05	4.86E-06	194
207	3.05E-04	3.05E-04	2.74E-04	9.92E-05	6.68E-05	4.62E-06	207
208	3.28E-04	3.28E-04	2.95E-04	1.07E-04	7.20E-05	4.96E-06	208
209	3.54E-04	3.54E-04	3.18E-04	1.15E-04	7.77E-05	5.34E-06	209
223	3.30E-04	3.30E-04	2.96E-04	1.08E-04	7.22E-05	5.00E-06	223
224	3.57E-04	3.57E-04	3.21E-04	1.17E-04	7.83E-05	5.42E-06	224
225	3.88E-04	3.88E-04	3.48E-04	1.26E-04	8.52E-05	5.88E-06	225
239	3.56E-04	3.56E-04	3.19E-04	1.16E-04	7.78E-05	5.42E-06	239

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>							Receptor
Receptor #	Max Chronic	Site Prep	Grading	Building Construction	Paving	Architectural Coating	
240	3.88E-04	3.88E-04	3.49E-04	1.27E-04	8.51E-05	5.92E-06	240
241	4.26E-04	4.26E-04	3.82E-04	1.39E-04	9.35E-05	6.48E-06	241
255	3.82E-04	3.82E-04	3.43E-04	1.26E-04	8.36E-05	5.85E-06	255
256	4.21E-04	4.21E-04	3.78E-04	1.39E-04	9.22E-05	6.44E-06	256
272	4.09E-04	4.09E-04	3.67E-04	1.35E-04	8.93E-05	6.28E-06	272
273	4.55E-04	4.55E-04	4.08E-04	1.50E-04	9.95E-05	6.99E-06	273
289	4.35E-04	4.35E-04	3.91E-04	1.44E-04	9.48E-05	6.71E-06	289
290	4.88E-04	4.88E-04	4.38E-04	1.62E-04	1.06E-04	7.53E-06	290
306	4.59E-04	4.59E-04	4.12E-04	1.53E-04	9.99E-05	7.12E-06	306
307	5.18E-04	5.18E-04	4.65E-04	1.73E-04	1.13E-04	8.05E-06	307
323	4.80E-04	4.80E-04	4.31E-04	1.61E-04	1.04E-04	7.47E-06	323
324	5.45E-04	5.45E-04	4.90E-04	1.83E-04	1.19E-04	8.52E-06	324
342	4.96E-04	4.96E-04	4.45E-04	1.67E-04	1.07E-04	7.75E-06	342
343	5.67E-04	5.67E-04	5.09E-04	1.91E-04	1.23E-04	8.90E-06	343
344	6.55E-04	6.55E-04	5.88E-04	2.22E-04	1.42E-04	1.03E-05	344
356	5.06E-04	5.06E-04	4.55E-04	1.71E-04	1.09E-04	7.95E-06	356
357	5.81E-04	5.81E-04	5.21E-04	1.97E-04	1.26E-04	9.16E-06	357
358	6.75E-04	6.75E-04	6.06E-04	2.30E-04	1.46E-04	1.07E-05	358
370	5.11E-04	5.11E-04	4.59E-04	1.73E-04	1.10E-04	8.05E-06	370
371	5.88E-04	5.88E-04	5.28E-04	2.00E-04	1.27E-04	9.30E-06	371
372	6.84E-04	6.84E-04	6.14E-04	2.34E-04	1.47E-04	1.09E-05	372
383	5.11E-04	5.11E-04	4.58E-04	1.73E-04	1.10E-04	8.05E-06	383
384	5.87E-04	5.87E-04	5.27E-04	2.00E-04	1.27E-04	9.31E-06	384
385	6.83E-04	6.83E-04	6.14E-04	2.34E-04	1.47E-04	1.09E-05	385
396	5.05E-04	5.05E-04	4.53E-04	1.71E-04	1.09E-04	7.96E-06	396
397	5.79E-04	5.79E-04	5.20E-04	1.98E-04	1.25E-04	9.19E-06	397
398	6.74E-04	6.74E-04	6.05E-04	2.31E-04	1.45E-04	1.08E-05	398
399	7.95E-04	7.95E-04	7.14E-04	2.75E-04	1.71E-04	1.28E-05	399

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>							Receptor
Receptor #	Max Chronic	Site Prep	Grading	Building Construction	Paving	Architectural Coating	
411	4.94E-04	4.94E-04	4.43E-04	1.67E-04	1.07E-04	7.79E-06	411
412	5.66E-04	5.66E-04	5.08E-04	1.93E-04	1.22E-04	8.97E-06	412
413	6.56E-04	6.56E-04	5.89E-04	2.25E-04	1.42E-04	1.05E-05	413
414	7.72E-04	7.72E-04	6.93E-04	2.67E-04	1.66E-04	1.24E-05	414
426	4.80E-04	4.80E-04	4.31E-04	1.62E-04	1.04E-04	7.55E-06	426
427	5.48E-04	5.48E-04	4.92E-04	1.86E-04	1.19E-04	8.67E-06	427
428	6.33E-04	6.33E-04	5.68E-04	2.17E-04	1.37E-04	1.01E-05	428
429	7.40E-04	7.40E-04	6.65E-04	2.55E-04	1.60E-04	1.19E-05	429
439	4.63E-04	4.63E-04	4.15E-04	1.56E-04	1.00E-04	7.26E-06	439
440	5.26E-04	5.26E-04	4.72E-04	1.79E-04	1.14E-04	8.30E-06	440
441	6.05E-04	6.05E-04	5.43E-04	2.06E-04	1.31E-04	9.60E-06	441
442	7.03E-04	7.03E-04	6.31E-04	2.42E-04	1.52E-04	1.12E-05	442
443	8.29E-04	8.29E-04	7.44E-04	2.87E-04	1.79E-04	1.33E-05	443
454	4.43E-04	4.43E-04	3.98E-04	1.49E-04	9.64E-05	6.94E-06	454
455	5.02E-04	5.02E-04	4.51E-04	1.70E-04	1.09E-04	7.90E-06	455
456	5.74E-04	5.74E-04	5.15E-04	1.95E-04	1.25E-04	9.07E-06	456
457	6.62E-04	6.62E-04	5.95E-04	2.27E-04	1.44E-04	1.05E-05	457
458	7.74E-04	7.74E-04	6.95E-04	2.67E-04	1.68E-04	1.24E-05	458
469	4.23E-04	4.23E-04	3.80E-04	1.42E-04	9.21E-05	6.61E-06	469
470	4.76E-04	4.76E-04	4.28E-04	1.61E-04	1.04E-04	7.47E-06	470
471	5.41E-04	5.41E-04	4.86E-04	1.83E-04	1.18E-04	8.52E-06	471
472	6.20E-04	6.20E-04	5.57E-04	2.11E-04	1.35E-04	9.82E-06	472
473	7.19E-04	7.19E-04	6.45E-04	2.46E-04	1.57E-04	1.14E-05	473
489	4.02E-04	4.02E-04	3.61E-04	1.35E-04	8.76E-05	6.26E-06	489
490	4.50E-04	4.50E-04	4.04E-04	1.51E-04	9.81E-05	7.04E-06	490
491	5.08E-04	5.08E-04	4.56E-04	1.71E-04	1.11E-04	7.97E-06	491
492	5.78E-04	5.78E-04	5.19E-04	1.96E-04	1.26E-04	9.11E-06	492
493	6.64E-04	6.64E-04	5.96E-04	2.26E-04	1.45E-04	1.05E-05	493

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>							Receptor
Receptor #	Max Chronic	Site Prep	Grading	Building Construction	Paving	Architectural Coating	
494	7.72E-04	7.72E-04	6.93E-04	2.64E-04	1.69E-04	1.23E-05	494
509	3.81E-04	3.81E-04	3.42E-04	1.27E-04	8.32E-05	5.92E-06	509
510	4.25E-04	4.25E-04	3.81E-04	1.42E-04	9.26E-05	6.61E-06	510
511	4.76E-04	4.76E-04	4.27E-04	1.60E-04	1.04E-04	7.44E-06	511
512	5.37E-04	5.37E-04	4.82E-04	1.81E-04	1.17E-04	8.43E-06	512
513	6.12E-04	6.12E-04	5.50E-04	2.07E-04	1.34E-04	9.64E-06	513
514	7.04E-04	7.04E-04	6.32E-04	2.39E-04	1.54E-04	1.11E-05	514
515	9.69E-04	9.69E-04	8.70E-04	3.32E-04	2.14E-04	1.55E-05	515
516	1.16E-03	1.16E-03	1.04E-03	4.01E-04	2.58E-04	1.87E-05	516
517	1.43E-03	1.43E-03	1.28E-03	4.95E-04	3.18E-04	2.30E-05	517
518	1.79E-03	1.79E-03	1.61E-03	6.27E-04	4.01E-04	2.92E-05	518
519	2.30E-03	2.30E-03	2.07E-03	8.14E-04	5.20E-04	3.79E-05	519
528	3.61E-04	3.61E-04	3.24E-04	1.20E-04	7.87E-05	5.59E-06	528
529	4.00E-04	4.00E-04	3.59E-04	1.33E-04	8.72E-05	6.20E-06	529
530	4.45E-04	4.45E-04	4.00E-04	1.49E-04	9.72E-05	6.93E-06	530
531	4.99E-04	4.99E-04	4.48E-04	1.67E-04	1.09E-04	7.79E-06	531
532	5.64E-04	5.64E-04	5.06E-04	1.90E-04	1.24E-04	8.83E-06	532
533	6.43E-04	6.43E-04	5.77E-04	2.17E-04	1.41E-04	1.01E-05	533
534	8.63E-04	8.63E-04	7.75E-04	2.94E-04	1.91E-04	1.37E-05	534
535	1.02E-03	1.02E-03	9.16E-04	3.49E-04	2.26E-04	1.62E-05	535
536	1.23E-03	1.23E-03	1.10E-03	4.23E-04	2.74E-04	1.97E-05	536
537	1.50E-03	1.50E-03	1.35E-03	5.22E-04	3.36E-04	2.43E-05	537
538	1.87E-03	1.87E-03	1.68E-03	6.55E-04	4.21E-04	3.05E-05	538
547	3.41E-04	3.41E-04	3.06E-04	1.13E-04	7.45E-05	5.26E-06	547
548	3.76E-04	3.76E-04	3.37E-04	1.25E-04	8.21E-05	5.81E-06	548
549	4.16E-04	4.16E-04	3.73E-04	1.39E-04	9.10E-05	6.45E-06	549
550	4.63E-04	4.63E-04	4.16E-04	1.55E-04	1.01E-04	7.20E-06	550
551	5.19E-04	5.19E-04	4.66E-04	1.74E-04	1.14E-04	8.09E-06	551

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>							Receptor
Receptor #	Max Chronic	Site Prep	Grading	Building Construction	Paving	Architectural Coating	
552	5.87E-04	5.87E-04	5.27E-04	1.97E-04	1.29E-04	9.16E-06	552
553	6.69E-04	6.69E-04	6.01E-04	2.25E-04	1.48E-04	1.05E-05	553
554	7.71E-04	7.71E-04	6.92E-04	2.61E-04	1.71E-04	1.21E-05	554
555	9.00E-04	9.00E-04	8.08E-04	3.06E-04	2.00E-04	1.42E-05	555
556	1.07E-03	1.07E-03	9.58E-04	3.65E-04	2.37E-04	1.70E-05	556
557	1.28E-03	1.28E-03	1.15E-03	4.41E-04	2.86E-04	2.05E-05	557
558	1.56E-03	1.56E-03	1.40E-03	5.41E-04	3.50E-04	2.52E-05	558
559	1.91E-03	1.91E-03	1.72E-03	6.62E-04	4.31E-04	3.08E-05	559
567	3.22E-04	3.22E-04	2.89E-04	1.07E-04	7.04E-05	4.95E-06	567
568	3.53E-04	3.53E-04	3.17E-04	1.17E-04	7.72E-05	5.44E-06	568
569	3.88E-04	3.88E-04	3.49E-04	1.29E-04	8.50E-05	6.00E-06	569
570	4.30E-04	4.30E-04	3.86E-04	1.43E-04	9.42E-05	6.65E-06	570
571	4.78E-04	4.78E-04	4.29E-04	1.59E-04	1.05E-04	7.42E-06	571
572	5.36E-04	5.36E-04	4.81E-04	1.79E-04	1.18E-04	8.33E-06	572
573	6.06E-04	6.06E-04	5.44E-04	2.03E-04	1.34E-04	9.45E-06	573
574	7.98E-04	7.98E-04	7.16E-04	2.70E-04	1.77E-04	1.25E-05	574
575	9.33E-04	9.33E-04	8.38E-04	3.18E-04	2.07E-04	1.48E-05	575
576	1.11E-03	1.11E-03	9.92E-04	3.78E-04	2.46E-04	1.76E-05	576
577	1.32E-03	1.32E-03	1.19E-03	4.54E-04	2.95E-04	2.11E-05	577
578	1.58E-03	1.58E-03	1.42E-03	5.43E-04	3.55E-04	2.53E-05	578
586	3.04E-04	3.04E-04	2.73E-04	1.00E-04	6.65E-05	4.66E-06	586
587	3.31E-04	3.31E-04	2.97E-04	1.09E-04	7.26E-05	5.09E-06	587
588	3.63E-04	3.63E-04	3.26E-04	1.20E-04	7.95E-05	5.58E-06	588
589	3.99E-04	3.99E-04	3.58E-04	1.32E-04	8.76E-05	6.15E-06	589
590	4.41E-04	4.41E-04	3.96E-04	1.46E-04	9.70E-05	6.81E-06	590
591	4.91E-04	4.91E-04	4.41E-04	1.63E-04	1.08E-04	7.60E-06	591
592	5.50E-04	5.50E-04	4.94E-04	1.84E-04	1.22E-04	8.54E-06	592
593	7.11E-04	7.11E-04	6.38E-04	2.39E-04	1.58E-04	1.11E-05	593

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>							Receptor
Receptor #	Max Chronic	Site Prep	Grading	Building Construction	Paving	Architectural Coating	
594	8.23E-04	8.23E-04	7.39E-04	2.79E-04	1.83E-04	1.30E-05	594
595	9.60E-04	9.60E-04	8.62E-04	3.27E-04	2.13E-04	1.52E-05	595
596	1.13E-03	1.13E-03	1.01E-03	3.86E-04	2.51E-04	1.79E-05	596
597	1.33E-03	1.33E-03	1.19E-03	4.53E-04	2.97E-04	2.11E-05	597
345	7.69E-04	7.69E-04	6.90E-04	2.62E-04	1.67E-04	1.22E-05	345
346	9.18E-04	9.18E-04	8.24E-04	3.13E-04	2.00E-04	1.46E-05	346
347	1.12E-03	1.12E-03	1.01E-03	3.84E-04	2.45E-04	1.78E-05	347
348	1.41E-03	1.41E-03	1.26E-03	4.83E-04	3.11E-04	2.25E-05	348
359	7.96E-04	7.96E-04	7.14E-04	2.72E-04	1.72E-04	1.27E-05	359
360	9.55E-04	9.55E-04	8.57E-04	3.29E-04	2.07E-04	1.53E-05	360
361	1.17E-03	1.17E-03	1.05E-03	4.06E-04	2.55E-04	1.89E-05	361
362	1.48E-03	1.48E-03	1.33E-03	5.17E-04	3.24E-04	2.40E-05	362
363	1.96E-03	1.96E-03	1.76E-03	6.87E-04	4.33E-04	3.19E-05	363
373	9.73E-04	9.73E-04	8.74E-04	3.37E-04	2.10E-04	1.57E-05	373
374	1.20E-03	1.20E-03	1.08E-03	4.18E-04	2.58E-04	1.95E-05	374
375	1.52E-03	1.52E-03	1.36E-03	5.34E-04	3.27E-04	2.48E-05	375
376	2.00E-03	2.00E-03	1.80E-03	7.11E-04	4.33E-04	3.31E-05	376
386	9.72E-04	9.72E-04	8.73E-04	3.39E-04	2.09E-04	1.57E-05	386
387	1.20E-03	1.20E-03	1.07E-03	4.20E-04	2.56E-04	1.95E-05	387
388	1.51E-03	1.51E-03	1.35E-03	5.36E-04	3.23E-04	2.49E-05	388
389	1.98E-03	1.98E-03	1.77E-03	7.11E-04	4.23E-04	3.31E-05	389
390	2.74E-03	2.74E-03	2.46E-03	1.00E-03	5.87E-04	4.65E-05	390
400	9.54E-04	9.54E-04	8.57E-04	3.33E-04	2.05E-04	1.55E-05	400
401	1.17E-03	1.17E-03	1.05E-03	4.11E-04	2.50E-04	1.91E-05	401
402	1.47E-03	1.47E-03	1.32E-03	5.24E-04	3.13E-04	2.44E-05	402
403	1.90E-03	1.90E-03	1.71E-03	6.89E-04	4.05E-04	3.20E-05	403
404	2.59E-03	2.59E-03	2.32E-03	9.52E-04	5.51E-04	4.43E-05	404
415	9.22E-04	9.22E-04	8.28E-04	3.22E-04	1.98E-04	1.50E-05	415

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>							Receptor
Receptor #	Max Chronic	Site Prep	Grading	Building Construction	Paving	Architectural Coating	
416	1.12E-03	1.12E-03	1.01E-03	3.96E-04	2.41E-04	1.84E-05	416
417	1.40E-03	1.40E-03	1.26E-03	4.99E-04	2.99E-04	2.32E-05	417
418	1.80E-03	1.80E-03	1.62E-03	6.52E-04	3.85E-04	3.03E-05	418
419	2.42E-03	2.42E-03	2.17E-03	8.90E-04	5.15E-04	4.14E-05	419
420	3.40E-03	3.40E-03	3.05E-03	1.28E-03	7.27E-04	5.96E-05	420
430	1.06E-03	1.06E-03	9.54E-04	3.73E-04	2.29E-04	1.74E-05	430
431	1.31E-03	1.31E-03	1.18E-03	4.67E-04	2.82E-04	2.17E-05	431
432	1.67E-03	1.67E-03	1.50E-03	6.01E-04	3.59E-04	2.80E-05	432
433	2.20E-03	2.20E-03	1.98E-03	8.06E-04	4.74E-04	3.75E-05	433
434	3.06E-03	3.06E-03	2.74E-03	1.15E-03	6.60E-04	5.33E-05	434
444	9.93E-04	9.93E-04	8.92E-04	3.47E-04	2.15E-04	1.61E-05	444
445	1.21E-03	1.21E-03	1.09E-03	4.28E-04	2.63E-04	1.99E-05	445
446	1.52E-03	1.52E-03	1.37E-03	5.43E-04	3.30E-04	2.53E-05	446
447	1.97E-03	1.97E-03	1.77E-03	7.14E-04	4.29E-04	3.32E-05	447
448	2.67E-03	2.67E-03	2.40E-03	9.86E-04	5.84E-04	4.59E-05	448
459	1.11E-03	1.11E-03	9.96E-04	3.88E-04	2.41E-04	1.81E-05	459
460	1.37E-03	1.37E-03	1.23E-03	4.84E-04	2.99E-04	2.25E-05	460
461	1.74E-03	1.74E-03	1.56E-03	6.22E-04	3.82E-04	2.89E-05	461
462	2.30E-03	2.30E-03	2.06E-03	8.33E-04	5.08E-04	3.87E-05	462
463	3.18E-03	3.18E-03	2.85E-03	1.17E-03	7.11E-04	5.46E-05	463
474	1.01E-03	1.01E-03	9.03E-04	3.49E-04	2.20E-04	1.62E-05	474
475	1.22E-03	1.22E-03	1.10E-03	4.28E-04	2.68E-04	1.99E-05	475
476	1.53E-03	1.53E-03	1.37E-03	5.38E-04	3.37E-04	2.50E-05	476
477	1.96E-03	1.96E-03	1.76E-03	6.97E-04	4.35E-04	3.24E-05	477
478	2.61E-03	2.61E-03	2.34E-03	9.41E-04	5.86E-04	4.38E-05	478
495	9.09E-04	9.09E-04	8.16E-04	3.13E-04	1.99E-04	1.45E-05	495
496	1.09E-03	1.09E-03	9.78E-04	3.77E-04	2.40E-04	1.75E-05	496
497	1.33E-03	1.33E-03	1.20E-03	4.64E-04	2.95E-04	2.16E-05	497

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>							Receptor
Receptor #	Max Chronic	Site Prep	Grading	Building Construction	Paving	Architectural Coating	
498	1.67E-03	1.67E-03	1.50E-03	5.86E-04	3.72E-04	2.73E-05	498
499	2.15E-03	2.15E-03	1.93E-03	7.62E-04	4.83E-04	3.55E-05	499
500	2.86E-03	2.86E-03	2.57E-03	1.03E-03	6.50E-04	4.77E-05	500
139	2.30E-04	2.30E-04	2.07E-04	7.39E-05	5.04E-05	3.44E-06	139
140	2.41E-04	2.41E-04	2.17E-04	7.75E-05	5.29E-05	3.60E-06	140
156	2.49E-04	2.49E-04	2.24E-04	8.01E-05	5.46E-05	3.73E-06	156
157	2.62E-04	2.62E-04	2.36E-04	8.44E-05	5.76E-05	3.92E-06	157
158	2.76E-04	2.76E-04	2.48E-04	8.88E-05	6.07E-05	4.13E-06	158
159	2.91E-04	2.91E-04	2.61E-04	9.35E-05	6.40E-05	4.35E-06	159
160	3.07E-04	3.07E-04	2.75E-04	9.83E-05	6.74E-05	4.57E-06	160
161	3.38E-04	3.38E-04	3.04E-04	1.08E-04	7.45E-05	5.04E-06	161
162	3.55E-04	3.55E-04	3.18E-04	1.13E-04	7.81E-05	5.27E-06	162
163	3.70E-04	3.70E-04	3.32E-04	1.18E-04	8.16E-05	5.49E-06	163
167	2.86E-04	2.86E-04	2.57E-04	9.22E-05	6.29E-05	4.29E-06	167
168	3.03E-04	3.03E-04	2.72E-04	9.76E-05	6.67E-05	4.54E-06	168
169	3.21E-04	3.21E-04	2.88E-04	1.03E-04	7.06E-05	4.80E-06	169
170	3.40E-04	3.40E-04	3.05E-04	1.09E-04	7.48E-05	5.08E-06	170
171	3.59E-04	3.59E-04	3.23E-04	1.15E-04	7.92E-05	5.36E-06	171
172	3.79E-04	3.79E-04	3.40E-04	1.21E-04	8.36E-05	5.65E-06	172
173	3.99E-04	3.99E-04	3.58E-04	1.28E-04	8.81E-05	5.93E-06	173
174	4.19E-04	4.19E-04	3.76E-04	1.34E-04	9.25E-05	6.21E-06	174
175	4.37E-04	4.37E-04	3.93E-04	1.39E-04	9.66E-05	6.47E-06	175
176	4.54E-04	4.54E-04	4.08E-04	1.44E-04	1.00E-04	6.70E-06	176
177	4.69E-04	4.69E-04	4.21E-04	1.48E-04	1.04E-04	6.89E-06	177
181	3.35E-04	3.35E-04	3.00E-04	1.08E-04	7.36E-05	5.02E-06	181
182	3.56E-04	3.56E-04	3.20E-04	1.15E-04	7.84E-05	5.33E-06	182
183	3.79E-04	3.79E-04	3.40E-04	1.22E-04	8.36E-05	5.67E-06	183
184	4.03E-04	4.03E-04	3.62E-04	1.30E-04	8.91E-05	6.03E-06	184

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>							Receptor
Receptor #	Max Chronic	Site Prep	Grading	Building Construction	Paving	Architectural Coating	
185	4.29E-04	4.29E-04	3.85E-04	1.37E-04	9.47E-05	6.39E-06	185
186	4.54E-04	4.54E-04	4.08E-04	1.45E-04	1.00E-04	6.76E-06	186
187	4.79E-04	4.79E-04	4.30E-04	1.53E-04	1.06E-04	7.11E-06	187
188	5.03E-04	5.03E-04	4.52E-04	1.60E-04	1.11E-04	7.45E-06	188
189	5.25E-04	5.25E-04	4.71E-04	1.67E-04	1.16E-04	7.74E-06	189
190	5.43E-04	5.43E-04	4.88E-04	1.72E-04	1.20E-04	7.98E-06	190
191	5.57E-04	5.57E-04	5.00E-04	1.75E-04	1.24E-04	8.15E-06	191
195	3.71E-04	3.71E-04	3.33E-04	1.20E-04	8.16E-05	5.57E-06	195
196	3.97E-04	3.97E-04	3.57E-04	1.28E-04	8.77E-05	5.97E-06	196
197	4.26E-04	4.26E-04	3.83E-04	1.37E-04	9.41E-05	6.39E-06	197
198	4.57E-04	4.57E-04	4.10E-04	1.47E-04	1.01E-04	6.84E-06	198
199	4.89E-04	4.89E-04	4.39E-04	1.57E-04	1.08E-04	7.31E-06	199
200	5.22E-04	5.22E-04	4.69E-04	1.67E-04	1.16E-04	7.78E-06	200
201	5.55E-04	5.55E-04	4.99E-04	1.77E-04	1.23E-04	8.25E-06	201
202	5.87E-04	5.87E-04	5.27E-04	1.87E-04	1.31E-04	8.69E-06	202
203	6.16E-04	6.16E-04	5.53E-04	1.95E-04	1.37E-04	9.08E-06	203
204	6.40E-04	6.40E-04	5.74E-04	2.02E-04	1.42E-04	9.39E-06	204
205	6.58E-04	6.58E-04	5.91E-04	2.07E-04	1.46E-04	9.61E-06	205
206	6.70E-04	6.70E-04	6.01E-04	2.09E-04	1.49E-04	9.71E-06	206
210	3.81E-04	3.81E-04	3.42E-04	1.24E-04	8.39E-05	5.75E-06	210
211	4.12E-04	4.12E-04	3.70E-04	1.34E-04	9.09E-05	6.22E-06	211
212	4.46E-04	4.46E-04	4.00E-04	1.44E-04	9.85E-05	6.71E-06	212
213	4.83E-04	4.83E-04	4.33E-04	1.56E-04	1.07E-04	7.25E-06	213
214	5.64E-04	5.64E-04	5.07E-04	1.82E-04	1.26E-04	8.44E-06	214
215	6.08E-04	6.08E-04	5.46E-04	1.95E-04	1.36E-04	9.08E-06	215
216	6.53E-04	6.53E-04	5.86E-04	2.09E-04	1.46E-04	9.71E-06	216
217	6.96E-04	6.96E-04	6.25E-04	2.22E-04	1.56E-04	1.03E-05	217
218	7.35E-04	7.35E-04	6.60E-04	2.33E-04	1.64E-04	1.08E-05	218

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>							Receptor
Receptor #	Max Chronic	Site Prep	Grading	Building Construction	Paving	Architectural Coating	
219	7.67E-04	7.67E-04	6.89E-04	2.42E-04	1.72E-04	1.13E-05	219
220	7.92E-04	7.92E-04	7.11E-04	2.48E-04	1.77E-04	1.15E-05	220
221	8.06E-04	8.06E-04	7.24E-04	2.51E-04	1.80E-04	1.17E-05	221
222	8.10E-04	8.10E-04	7.27E-04	2.50E-04	1.81E-04	1.16E-05	222
226	4.22E-04	4.22E-04	3.79E-04	1.38E-04	9.30E-05	6.40E-06	226
227	4.61E-04	4.61E-04	4.14E-04	1.50E-04	1.02E-04	6.97E-06	227
228	5.03E-04	5.03E-04	4.52E-04	1.64E-04	1.11E-04	7.61E-06	228
229	5.51E-04	5.51E-04	4.95E-04	1.79E-04	1.22E-04	8.30E-06	229
230	6.03E-04	6.03E-04	5.41E-04	1.95E-04	1.34E-04	9.06E-06	230
231	6.58E-04	6.58E-04	5.91E-04	2.12E-04	1.47E-04	9.87E-06	231
232	7.18E-04	7.18E-04	6.45E-04	2.31E-04	1.61E-04	1.07E-05	232
233	8.42E-04	8.42E-04	7.56E-04	2.68E-04	1.90E-04	1.25E-05	233
234	8.97E-04	8.97E-04	8.05E-04	2.84E-04	2.02E-04	1.32E-05	234
235	9.42E-04	9.42E-04	8.46E-04	2.97E-04	2.12E-04	1.38E-05	235
236	9.75E-04	9.75E-04	8.76E-04	3.05E-04	2.20E-04	1.42E-05	236
237	9.94E-04	9.94E-04	8.92E-04	3.08E-04	2.23E-04	1.43E-05	237
238	9.97E-04	9.97E-04	8.95E-04	3.06E-04	2.24E-04	1.42E-05	238
242	4.68E-04	4.68E-04	4.20E-04	1.53E-04	1.03E-04	7.12E-06	242
243	5.16E-04	5.16E-04	4.64E-04	1.69E-04	1.14E-04	7.85E-06	243
244	5.69E-04	5.69E-04	5.11E-04	1.86E-04	1.26E-04	8.63E-06	244
245	6.32E-04	6.32E-04	5.68E-04	2.06E-04	1.41E-04	9.56E-06	245
246	7.03E-04	7.03E-04	6.31E-04	2.28E-04	1.57E-04	1.06E-05	246
247	7.81E-04	7.81E-04	7.01E-04	2.52E-04	1.76E-04	1.17E-05	247
248	8.67E-04	8.67E-04	7.78E-04	2.79E-04	1.96E-04	1.30E-05	248
249	1.04E-03	1.04E-03	9.37E-04	3.33E-04	2.38E-04	1.55E-05	249
250	1.12E-03	1.12E-03	1.01E-03	3.56E-04	2.56E-04	1.66E-05	250
251	1.19E-03	1.19E-03	1.07E-03	3.74E-04	2.71E-04	1.74E-05	251
252	1.24E-03	1.24E-03	1.11E-03	3.86E-04	2.82E-04	1.79E-05	252

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>							Receptor
Receptor #	Max Chronic	Site Prep	Grading	Building Construction	Paving	Architectural Coating	
253	1.26E-03	1.26E-03	1.13E-03	3.89E-04	2.86E-04	1.81E-05	253
254	1.26E-03	1.26E-03	1.13E-03	3.84E-04	2.85E-04	1.79E-05	254
257	5.18E-04	5.18E-04	4.65E-04	1.70E-04	1.14E-04	7.92E-06	257
258	5.79E-04	5.79E-04	5.20E-04	1.90E-04	1.28E-04	8.85E-06	258
259	6.50E-04	6.50E-04	5.84E-04	2.13E-04	1.44E-04	9.91E-06	259
260	7.29E-04	7.29E-04	6.55E-04	2.38E-04	1.63E-04	1.11E-05	260
261	8.30E-04	8.30E-04	7.45E-04	2.70E-04	1.87E-04	1.26E-05	261
262	9.41E-04	9.41E-04	8.45E-04	3.05E-04	2.13E-04	1.42E-05	262
263	1.07E-03	1.07E-03	9.58E-04	3.43E-04	2.44E-04	1.60E-05	263
264	1.34E-03	1.34E-03	1.21E-03	4.27E-04	3.10E-04	1.98E-05	264
265	1.47E-03	1.47E-03	1.32E-03	4.64E-04	3.40E-04	2.16E-05	265
266	1.57E-03	1.57E-03	1.41E-03	4.92E-04	3.63E-04	2.29E-05	266
267	1.64E-03	1.64E-03	1.47E-03	5.08E-04	3.78E-04	2.36E-05	267
268	1.67E-03	1.67E-03	1.50E-03	5.09E-04	3.83E-04	2.37E-05	268
269	1.66E-03	1.66E-03	1.49E-03	4.98E-04	3.77E-04	2.32E-05	269
270	1.43E-03	1.43E-03	1.29E-03	4.23E-04	3.18E-04	1.97E-05	270
271	1.33E-03	1.33E-03	1.20E-03	3.93E-04	2.93E-04	1.83E-05	271
274	5.72E-04	5.72E-04	5.14E-04	1.89E-04	1.26E-04	8.80E-06	274
275	6.48E-04	6.48E-04	5.82E-04	2.14E-04	1.43E-04	9.96E-06	275
276	7.40E-04	7.40E-04	6.65E-04	2.44E-04	1.65E-04	1.14E-05	276
277	8.49E-04	8.49E-04	7.62E-04	2.79E-04	1.90E-04	1.30E-05	277
278	9.87E-04	9.87E-04	8.86E-04	3.23E-04	2.23E-04	1.50E-05	278
279	1.15E-03	1.15E-03	1.03E-03	3.74E-04	2.63E-04	1.74E-05	279
280	1.34E-03	1.34E-03	1.20E-03	4.31E-04	3.09E-04	2.00E-05	280
281	1.80E-03	1.80E-03	1.62E-03	5.69E-04	4.25E-04	2.65E-05	281
282	2.01E-03	2.01E-03	1.81E-03	6.32E-04	4.77E-04	2.94E-05	282
283	2.18E-03	2.18E-03	1.96E-03	6.79E-04	5.16E-04	3.16E-05	283
284	2.29E-03	2.29E-03	2.06E-03	7.04E-04	5.40E-04	3.27E-05	284

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>							Receptor
Receptor #	Max Chronic	Site Prep	Grading	Building Construction	Paving	Architectural Coating	
285	2.33E-03	2.33E-03	2.09E-03	7.01E-04	5.44E-04	3.26E-05	285
286	2.28E-03	2.28E-03	2.05E-03	6.73E-04	5.25E-04	3.13E-05	286
287	1.82E-03	1.82E-03	1.63E-03	5.26E-04	4.02E-04	2.45E-05	287
288	1.64E-03	1.64E-03	1.48E-03	4.76E-04	3.59E-04	2.21E-05	288
291	6.27E-04	6.27E-04	5.63E-04	2.09E-04	1.38E-04	9.71E-06	291
292	7.22E-04	7.22E-04	6.48E-04	2.40E-04	1.59E-04	1.12E-05	292
293	8.40E-04	8.40E-04	7.54E-04	2.79E-04	1.87E-04	1.30E-05	293
294	9.87E-04	9.87E-04	8.86E-04	3.27E-04	2.21E-04	1.52E-05	294
295	1.18E-03	1.18E-03	1.06E-03	3.87E-04	2.67E-04	1.80E-05	295
296	1.43E-03	1.43E-03	1.28E-03	4.64E-04	3.29E-04	2.16E-05	296
297	1.75E-03	1.75E-03	1.57E-03	5.63E-04	4.13E-04	2.62E-05	297
298	2.60E-03	2.60E-03	2.34E-03	8.11E-04	6.37E-04	3.77E-05	298
299	3.02E-03	3.02E-03	2.71E-03	9.36E-04	7.45E-04	4.35E-05	299
300	3.32E-03	3.32E-03	2.98E-03	1.02E-03	8.17E-04	4.76E-05	300
301	3.51E-03	3.51E-03	3.15E-03	1.06E-03	8.56E-04	4.95E-05	301
302	3.52E-03	3.52E-03	3.16E-03	1.04E-03	8.43E-04	4.82E-05	302
303	3.36E-03	3.36E-03	3.01E-03	9.57E-04	7.80E-04	4.45E-05	303
304	2.34E-03	2.34E-03	2.11E-03	6.56E-04	5.11E-04	3.05E-05	304
305	2.03E-03	2.03E-03	1.82E-03	5.72E-04	4.38E-04	2.66E-05	305
308	6.81E-04	6.81E-04	6.12E-04	2.28E-04	1.49E-04	1.06E-05	308
309	7.95E-04	7.95E-04	7.14E-04	2.67E-04	1.75E-04	1.24E-05	309
310	9.42E-04	9.42E-04	8.46E-04	3.16E-04	2.09E-04	1.47E-05	310
311	1.14E-03	1.14E-03	1.02E-03	3.80E-04	2.55E-04	1.77E-05	311
312	1.41E-03	1.41E-03	1.26E-03	4.67E-04	3.20E-04	2.17E-05	312
313	1.79E-03	1.79E-03	1.61E-03	5.87E-04	4.17E-04	2.73E-05	313
314	2.38E-03	2.38E-03	2.14E-03	7.59E-04	5.73E-04	3.53E-05	314
315	4.41E-03	4.41E-03	3.96E-03	1.30E-03	1.15E-03	6.04E-05	315
316	5.41E-03	5.41E-03	4.85E-03	1.60E-03	1.44E-03	7.46E-05	316

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>							Receptor
Receptor #	Max Chronic	Site Prep	Grading	Building Construction	Paving	Architectural Coating	
317	5.94E-03	5.94E-03	5.33E-03	1.80E-03	1.56E-03	8.35E-05	317
318	6.24E-03	6.24E-03	5.60E-03	1.86E-03	1.62E-03	8.66E-05	318
319	6.13E-03	6.13E-03	5.50E-03	1.71E-03	1.52E-03	7.96E-05	319
320	5.54E-03	5.54E-03	4.98E-03	1.45E-03	1.28E-03	6.72E-05	320
321	3.01E-03	3.01E-03	2.70E-03	8.05E-04	6.43E-04	3.75E-05	321
322	2.46E-03	2.46E-03	2.21E-03	6.74E-04	5.24E-04	3.13E-05	322
325	7.30E-04	7.30E-04	6.55E-04	2.46E-04	1.59E-04	1.15E-05	325
326	8.63E-04	8.63E-04	7.74E-04	2.92E-04	1.89E-04	1.36E-05	326
327	1.04E-03	1.04E-03	9.33E-04	3.52E-04	2.29E-04	1.64E-05	327
328	1.28E-03	1.28E-03	1.15E-03	4.34E-04	2.87E-04	2.02E-05	328
329	1.64E-03	1.64E-03	1.47E-03	5.51E-04	3.72E-04	2.56E-05	329
330	2.22E-03	2.22E-03	1.99E-03	7.35E-04	5.18E-04	3.42E-05	330
331	3.31E-03	3.31E-03	2.97E-03	1.05E-03	8.07E-04	4.87E-05	331
332	6.19E-03	6.19E-03	5.56E-03	1.66E-03	1.61E-03	7.72E-05	332
333	1.01E-02	1.01E-02	9.03E-03	2.71E-03	2.98E-03	1.26E-04	333
334	1.23E-02	1.23E-02	1.10E-02	3.67E-03	3.75E-03	1.71E-04	334
335	1.33E-02	1.33E-02	1.19E-02	4.34E-03	3.85E-03	2.02E-04	335
336	1.37E-02	1.37E-02	1.23E-02	4.54E-03	4.02E-03	2.11E-04	336
337	1.33E-02	1.33E-02	1.19E-02	3.48E-03	4.09E-03	1.62E-04	337
338	1.24E-02	1.24E-02	1.11E-02	2.26E-03	2.44E-03	1.05E-04	338
339	5.08E-03	5.08E-03	4.57E-03	1.22E-03	1.05E-03	5.65E-05	339
340	3.74E-03	3.74E-03	3.36E-03	9.57E-04	7.84E-04	4.45E-05	340
341	2.90E-03	2.90E-03	2.60E-03	7.72E-04	6.10E-04	3.59E-05	341
349	1.84E-03	1.84E-03	1.65E-03	6.31E-04	4.13E-04	2.94E-05	349
350	2.58E-03	2.58E-03	2.32E-03	8.79E-04	5.95E-04	4.09E-05	350
351	4.12E-03	4.12E-03	3.70E-03	1.37E-03	1.00E-03	6.36E-05	351
352	9.98E-03	9.98E-03	8.96E-03	3.04E-03	2.64E-03	1.41E-04	352
353	6.51E-03	6.51E-03	5.85E-03	1.45E-03	1.31E-03	6.74E-05	353

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>							Receptor
Receptor #	Max Chronic	Site Prep	Grading	Building Construction	Paving	Architectural Coating	
354	4.43E-03	4.43E-03	3.98E-03	1.09E-03	9.18E-04	5.09E-05	354
355	3.29E-03	3.29E-03	2.95E-03	8.56E-04	6.89E-04	3.98E-05	355
364	2.78E-03	2.78E-03	2.49E-03	9.74E-04	6.24E-04	4.53E-05	364
365	4.45E-03	4.45E-03	3.99E-03	1.55E-03	1.04E-03	7.23E-05	365
366	9.78E-03	9.78E-03	8.78E-03	3.35E-03	2.48E-03	1.56E-04	366
367	7.80E-03	7.80E-03	7.00E-03	1.66E-03	1.55E-03	7.71E-05	367
368	5.02E-03	5.02E-03	4.50E-03	1.21E-03	1.03E-03	5.62E-05	368
369	3.61E-03	3.61E-03	3.24E-03	9.22E-04	7.57E-04	4.29E-05	369
377	2.81E-03	2.81E-03	2.52E-03	1.01E-03	6.14E-04	4.69E-05	377
378	4.36E-03	4.36E-03	3.92E-03	1.58E-03	9.73E-04	7.33E-05	378
379	8.31E-03	8.31E-03	7.46E-03	3.02E-03	1.95E-03	1.40E-04	379
380	9.00E-03	9.00E-03	8.08E-03	1.83E-03	1.77E-03	8.52E-05	380
381	5.50E-03	5.50E-03	4.94E-03	1.29E-03	1.14E-03	5.99E-05	381
382	3.86E-03	3.86E-03	3.47E-03	9.61E-04	8.15E-04	4.47E-05	382
391	4.10E-03	4.10E-03	3.69E-03	1.52E-03	8.89E-04	7.08E-05	391
392	7.05E-03	7.05E-03	6.33E-03	2.67E-03	1.57E-03	1.24E-04	392
393	1.02E-02	1.02E-02	9.12E-03	1.97E-03	2.02E-03	9.16E-05	393
394	5.98E-03	5.98E-03	5.36E-03	1.34E-03	1.25E-03	6.24E-05	394
395	4.06E-03	4.06E-03	3.64E-03	9.76E-04	8.72E-04	4.54E-05	395
405	3.79E-03	3.79E-03	3.40E-03	1.42E-03	8.09E-04	6.62E-05	405
406	6.15E-03	6.15E-03	5.53E-03	2.38E-03	1.33E-03	1.11E-04	406
407	1.23E-02	1.23E-02	1.10E-02	5.02E-03	2.77E-03	2.33E-04	407
408	1.13E-02	1.13E-02	1.02E-02	2.07E-03	2.32E-03	9.61E-05	408
409	6.34E-03	6.34E-03	5.70E-03	1.35E-03	1.37E-03	6.28E-05	409
410	4.16E-03	4.16E-03	3.74E-03	9.60E-04	9.25E-04	4.47E-05	410
421	5.32E-03	5.32E-03	4.78E-03	2.08E-03	1.15E-03	9.65E-05	421
422	9.61E-03	9.61E-03	8.62E-03	3.96E-03	2.11E-03	1.84E-04	422
423	1.23E-02	1.23E-02	1.11E-02	2.08E-03	2.71E-03	9.66E-05	423

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>							Receptor
Receptor #	Max Chronic	Site Prep	Grading	Building Construction	Paving	Architectural Coating	
424	6.51E-03	6.51E-03	5.84E-03	1.30E-03	1.49E-03	6.07E-05	424
425	4.11E-03	4.11E-03	3.69E-03	9.06E-04	9.58E-04	4.22E-05	425
435	4.53E-03	4.53E-03	4.07E-03	1.75E-03	9.86E-04	8.16E-05	435
436	7.66E-03	7.66E-03	6.88E-03	3.13E-03	1.69E-03	1.46E-04	436
437	6.32E-03	6.32E-03	5.67E-03	1.20E-03	1.58E-03	5.56E-05	437
438	3.83E-03	3.83E-03	3.44E-03	8.20E-04	9.36E-04	3.81E-05	438
449	3.81E-03	3.81E-03	3.42E-03	1.45E-03	8.43E-04	6.72E-05	449
450	6.08E-03	6.08E-03	5.46E-03	2.41E-03	1.37E-03	1.12E-04	450
451	1.15E-02	1.15E-02	1.03E-02	5.01E-03	2.76E-03	2.33E-04	451
452	5.55E-03	5.55E-03	4.99E-03	1.05E-03	1.46E-03	4.87E-05	452
453	3.38E-03	3.38E-03	3.03E-03	7.27E-04	8.38E-04	3.38E-05	453
464	4.73E-03	4.73E-03	4.25E-03	1.80E-03	1.08E-03	8.36E-05	464
465	7.95E-03	7.95E-03	7.14E-03	3.13E-03	1.90E-03	1.46E-04	465
466	1.68E-02	1.68E-02	1.51E-02	2.50E-03	4.71E-03	1.16E-04	466
467	4.62E-03	4.62E-03	4.15E-03	9.19E-04	1.19E-03	4.28E-05	467
468	2.94E-03	2.94E-03	2.64E-03	6.51E-04	7.20E-04	3.03E-05	468
479	3.60E-03	3.60E-03	3.23E-03	1.32E-03	8.22E-04	6.14E-05	479
480	5.47E-03	5.47E-03	4.91E-03	2.03E-03	1.28E-03	9.42E-05	480
481	8.96E-03	8.96E-03	8.04E-03	3.08E-03	2.20E-03	1.43E-04	481
482	1.30E-02	1.30E-02	1.17E-02	3.71E-03	3.42E-03	1.73E-04	482
483	1.30E-02	1.30E-02	1.16E-02	3.50E-03	3.49E-03	1.63E-04	483
484	1.15E-02	1.15E-02	1.03E-02	2.80E-03	3.09E-03	1.30E-04	484
485	9.16E-03	9.16E-03	8.22E-03	1.90E-03	2.44E-03	8.85E-05	485
486	6.20E-03	6.20E-03	5.57E-03	1.23E-03	1.64E-03	5.71E-05	486
487	3.91E-03	3.91E-03	3.51E-03	8.27E-04	9.89E-04	3.85E-05	487
488	2.60E-03	2.60E-03	2.34E-03	5.92E-04	6.31E-04	2.75E-05	488
501	3.91E-03	3.91E-03	3.51E-03	1.41E-03	9.02E-04	6.56E-05	501
502	5.62E-03	5.62E-03	5.04E-03	1.94E-03	1.33E-03	9.02E-05	502

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>							Receptor
Receptor #	Max Chronic	Site Prep	Grading	Building Construction	Paving	Architectural Coating	
503	7.28E-03	7.28E-03	6.53E-03	2.30E-03	1.80E-03	1.07E-04	503
504	7.80E-03	7.80E-03	7.00E-03	2.29E-03	1.97E-03	1.06E-04	504
505	7.32E-03	7.32E-03	6.57E-03	1.96E-03	1.87E-03	9.13E-05	505
506	6.20E-03	6.20E-03	5.57E-03	1.49E-03	1.58E-03	6.94E-05	506
507	4.71E-03	4.71E-03	4.23E-03	1.06E-03	1.19E-03	4.92E-05	507
508	2.33E-03	2.33E-03	2.09E-03	5.46E-04	5.62E-04	2.54E-05	508
520	2.99E-03	2.99E-03	2.68E-03	1.06E-03	6.82E-04	4.92E-05	520
521	3.89E-03	3.89E-03	3.50E-03	1.34E-03	9.05E-04	6.25E-05	521
522	4.86E-03	4.86E-03	4.36E-03	1.58E-03	1.16E-03	7.35E-05	522
523	5.30E-03	5.30E-03	4.76E-03	1.62E-03	1.29E-03	7.53E-05	523
524	5.17E-03	5.17E-03	4.64E-03	1.46E-03	1.27E-03	6.81E-05	524
525	4.58E-03	4.58E-03	4.11E-03	1.19E-03	1.13E-03	5.55E-05	525
526	3.72E-03	3.72E-03	3.34E-03	9.08E-04	9.17E-04	4.22E-05	526
527	2.09E-03	2.09E-03	1.88E-03	5.05E-04	5.00E-04	2.35E-05	527
539	2.36E-03	2.36E-03	2.12E-03	8.26E-04	5.35E-04	3.84E-05	539
540	2.95E-03	2.95E-03	2.65E-03	1.01E-03	6.78E-04	4.71E-05	540
541	3.51E-03	3.51E-03	3.15E-03	1.16E-03	8.19E-04	5.38E-05	541
542	3.85E-03	3.85E-03	3.46E-03	1.20E-03	9.14E-04	5.59E-05	542
543	3.86E-03	3.86E-03	3.47E-03	1.13E-03	9.27E-04	5.27E-05	543
544	3.54E-03	3.54E-03	3.18E-03	9.71E-04	8.56E-04	4.52E-05	544
545	3.00E-03	3.00E-03	2.69E-03	7.76E-04	7.25E-04	3.61E-05	545
546	1.87E-03	1.87E-03	1.68E-03	4.66E-04	4.44E-04	2.17E-05	546
560	2.32E-03	2.32E-03	2.08E-03	7.89E-04	5.27E-04	3.67E-05	560
561	2.70E-03	2.70E-03	2.43E-03	8.93E-04	6.23E-04	4.15E-05	561
562	2.95E-03	2.95E-03	2.65E-03	9.34E-04	6.89E-04	4.34E-05	562
563	2.97E-03	2.97E-03	2.67E-03	8.94E-04	7.01E-04	4.16E-05	563
564	2.81E-03	2.81E-03	2.53E-03	8.00E-04	6.68E-04	3.72E-05	564
565	2.49E-03	2.49E-03	2.24E-03	6.74E-04	5.93E-04	3.13E-05	565

Via Oro
Unmitigated Cancer Risk Summary

<i>Chronic Non Cancer Risk</i>							Receptor
Receptor #	Max Chronic	Site Prep	Grading	Building Construction	Paving	Architectural Coating	
566	1.68E-03	1.68E-03	1.51E-03	4.32E-04	3.95E-04	2.01E-05	566
579	1.87E-03	1.87E-03	1.68E-03	6.34E-04	4.23E-04	2.95E-05	579
580	2.15E-03	2.15E-03	1.93E-03	7.09E-04	4.90E-04	3.30E-05	580
581	2.34E-03	2.34E-03	2.10E-03	7.47E-04	5.40E-04	3.47E-05	581
582	2.40E-03	2.40E-03	2.15E-03	7.32E-04	5.58E-04	3.41E-05	582
583	2.30E-03	2.30E-03	2.07E-03	6.71E-04	5.39E-04	3.12E-05	583
584	2.08E-03	2.08E-03	1.87E-03	5.81E-04	4.89E-04	2.70E-05	584
585	1.71E-03	1.71E-03	1.53E-03	4.56E-04	4.01E-04	2.12E-05	585
598	1.55E-03	1.55E-03	1.39E-03	5.21E-04	3.48E-04	2.42E-05	598
599	1.75E-03	1.75E-03	1.57E-03	5.77E-04	3.96E-04	2.68E-05	599
600	1.90E-03	1.90E-03	1.71E-03	6.09E-04	4.34E-04	2.83E-05	600
601	1.96E-03	1.96E-03	1.76E-03	6.06E-04	4.51E-04	2.82E-05	601
602	1.91E-03	1.91E-03	1.72E-03	5.68E-04	4.43E-04	2.64E-05	602
603	1.77E-03	1.77E-03	1.59E-03	5.07E-04	4.13E-04	2.36E-05	603
604	1.57E-03	1.57E-03	1.41E-03	4.34E-04	3.65E-04	2.02E-05	604

Via Oro
Unmitigated Operational Cancer Risk Summary

			Operational Cancer Risk - by Route - From 710 @ Hughes Way								
Receptor #	Total Per/Million		A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Route A7
68	0.729	Res	0.142	0.216	0.596	0.148	0.601	0.714	0.713	0.251	0.254
346	0.519	School	0.185	0.290	0.211	0.229	0.049	0.223	0.056	0.038	0.209
408	0.168	Worker	0.164	0.164	0.046	0.017	0.047	0.029	0.031	0.022	0.027
1	0.271551		0.013429	0.013216	0.01520983	0.003211	0.014345	0.2581219	0.257257	0.0789865	0.0812604
2	0.285607		0.014007	0.013682	0.01667354	0.003321	0.0157621	0.2716007	0.2706892	0.0893185	0.091786
3	0.291253		0.014619	0.014161	0.0183879	0.003434	0.017428	0.2766349	0.275675	0.0983753	0.1010631
4	0.295695		0.015273	0.01466	0.02044059	0.003549	0.0194323	0.2804222	0.2794139	0.1061008	0.1090405
5	0.299869		0.015975	0.015179	0.02294605	0.003668	0.0218909	0.2838937	0.2828385	0.1122381	0.1154685
6	0.274285		0.016741	0.015725	0.02611862	0.003792	0.0250212	0.2575447	0.2564473	0.1177272	0.1212978
7	0.28059		0.017565	0.01629	0.03018949	0.003917	0.0290572	0.2630253	0.261893	0.1214947	0.1254656
8	0.286398		0.01845	0.01687	0.03558073	0.004042	0.034424	0.2679482	0.2667915	0.1235629	0.1280115
9	0.292386		0.019411	0.017468	0.04312876	0.004168	0.0419662	0.2729753	0.2718128	0.1248587	0.1298865
10	0.298216		0.020454	0.018083	0.05441278	0.004293	0.0532722	0.2777613	0.2766208	0.1254271	0.1311705
11	0.303545		0.02159	0.018711	0.07291964	0.004416	0.0718407	0.2819553	0.2808763	0.1251286	0.1317767
12	0.308095		0.022828	0.019349	0.10737912	0.004534	0.1064176	0.2852667	0.2843051	0.1238739	0.1316975
13	0.313041		0.024193	0.020003	0.14435671	0.00465	0.1435966	0.2888475	0.2880874	0.1222686	0.1316743
14	0.316623		0.025689	0.020663	0.17675584	0.004759	0.1762988	0.2909343	0.2904773	0.119326	0.130953
15	0.270398		0.027334	0.021329	0.21066764	0.004861	0.2106402	0.2430637	0.2430363	0.1152988	0.1302105
16	0.269915		0.029123	0.021992	0.22095262	0.004954	0.2214681	0.2402764	0.2407919	0.1094852	0.1295125
17	0.262649		0.031078	0.022658	0.22140948	0.005039	0.2225413	0.2304396	0.2315715	0.1028911	0.1303897
18	0.268049		0.033138	0.02331	0.22881333	0.005113	0.2304994	0.2332254	0.2349114	0.0948947	0.1288944
19	0.264241		0.035266	0.023951	0.2264527	0.005177	0.2285457	0.2268821	0.2289752	0.0865311	0.1184257
20	0.235503		0.037377	0.024574	0.1957869	0.005232	0.1981258	0.194431	0.1967699	0.0780274	0.1035118
21	0.219599		0.039382	0.02517	0.17774299	0.005277	0.1802178	0.173748	0.1762228	0.0694898	0.0893019
22	0.208969		0.04129	0.025739	0.16510291	0.005314	0.1676791	0.1593366	0.1619128	0.0614214	0.0769226
23	0.199757		0.043122	0.026271	0.15397852	0.005346	0.1566359	0.1486404	0.1512978	0.0540734	0.0662979
24	0.190361		0.044848	0.026761	0.14282205	0.005374	0.1455135	0.1407395	0.1434309	0.0476015	0.0572854
25	0.18438		0.04636	0.027209	0.13136101	0.005401	0.1340134	0.1353677	0.13802	0.0420055	0.0497035
26	0.182632		0.047525	0.027608	0.11969773	0.005428	0.1222365	0.1325682	0.1351069	0.0372031	0.0433519

Via Oro
Unmitigated Operational Cancer Risk Summary

		Operational Cancer Risk - by Route - From 710 @ Hughes Way								
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Route A7
27	0.183479	0.048282	0.027958	0.10818096	0.005457	0.1105549	0.1328229	0.1351968	0.0331129	0.0380546
28	0.187797	0.048614	0.02825	0.09715478	0.005489	0.0993401	0.136998	0.1391834	0.0296378	0.0336377
29	0.197849	0.048589	0.028487	0.0871281	0.005524	0.0891256	0.1472625	0.14926	0.0267051	0.0299627
30	0.218499	0.04825	0.028668	0.07815803	0.005561	0.0799791	0.1684277	0.1702488	0.0242228	0.0268923
31	0.264202	0.047626	0.028792	0.07025807	0.005599	0.0718227	0.2150111	0.2165758	0.0221051	0.0244031
32	0.401417	0.046759	0.028862	0.06308227	0.005638	0.064586	0.3531545	0.3546582	0.0202826	0.0221248
55	0.289528	0.049313	0.027757	0.23597762	0.00578	0.2402146	0.1950835	0.1993206	0.0693074	0.0861879
56	0.27355	0.052068	0.028379	0.21721353	0.00582	0.2214822	0.1802099	0.1844786	0.0591211	0.0715199
57	0.255953	0.054538	0.028965	0.19725257	0.005858	0.2014149	0.169728	0.1738903	0.0508333	0.0600525
58	0.236003	0.056361	0.029496	0.17573748	0.005895	0.1796415	0.1626291	0.1665332	0.043993	0.0509334
59	0.220182	0.057406	0.029967	0.15390888	0.005931	0.1574626	0.1592226	0.1627764	0.0383684	0.0436692
60	0.221437	0.057761	0.030373	0.1336007	0.005969	0.1367812	0.1604951	0.1636755	0.0337703	0.0378763
61	0.229306	0.057661	0.03072	0.11633508	0.006011	0.1191701	0.1688101	0.1716451	0.0300371	0.0332478
62	0.247645	0.057134	0.030995	0.10138964	0.006053	0.1039175	0.1879835	0.1905114	0.0269579	0.0294945
63	0.287719	0.05631	0.031203	0.08891812	0.006097	0.0910804	0.2292461	0.2314084	0.0244077	0.0265284
64	0.383496	0.055186	0.03134	0.0782091	0.00614	0.0801529	0.3263669	0.3283107	0.0222585	0.0239728
65	0.591806	0.05379	0.031413	0.0690416	0.006181	0.0708554	0.5362022	0.538016	0.0204207	0.0217621
66	0.7031	0.052323	0.031449	0.06165254	0.006219	0.0632116	0.6492183	0.6507773	0.0188478	0.0200317
67	0.722493	0.014272	0.014175	0.01580227	0.003516	0.0147412	0.7082217	0.7071606	0.2078711	0.2103972
68	0.729246	0.014934	0.014721	0.01738144	0.003653	0.0162444	0.714312	0.713175	0.1715809	0.1743443
69	0.66915	0.015645	0.015292	0.01925163	0.003794	0.0180323	0.6535051	0.6522858	0.2034703	0.2065075
70	0.575101	0.016412	0.015889	0.0215071	0.00394	0.0201995	0.5586898	0.5573822	0.2045245	0.2078801
71	0.559864	0.017233	0.016507	0.02425336	0.00409	0.0228503	0.5426307	0.5412276	0.200449	0.2041787
72	0.566067	0.01814	0.017165	0.02777335	0.004248	0.026273	0.5479276	0.5464272	0.2284084	0.2325831
73	0.564592	0.019124	0.017848	0.0323361	0.004409	0.0307356	0.5454675	0.543867	0.1544369	0.1591478
74	0.566274	0.0202	0.018557	0.03851127	0.004573	0.0368112	0.5460741	0.544374	0.2088753	0.2142447
75	0.569274	0.021381	0.01929	0.04737862	0.004738	0.045586	0.5478929	0.5461003	0.2129032	0.2190986
76	0.575107	0.022694	0.020052	0.0613595	0.004905	0.0594959	0.5524138	0.5505502	0.2282353	0.2354949
77	0.583135	0.024162	0.020841	0.08692624	0.005071	0.085036	0.5589722	0.557082	0.206475	0.215155

Via Oro
Unmitigated Operational Cancer Risk Summary

		Operational Cancer Risk - by Route - From 710 @ Hughes Way								
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Route A7
78	0.594563	0.025826	0.021658	0.14932901	0.005236	0.1475052	0.5687364	0.5669126	0.2100375	0.2206903
79	0.606277	0.038743	0.025908	0.56413438	0.00593	0.5675346	0.4930892	0.4964893	0.211464	0.2416338
80	0.643956	0.042793	0.026765	0.59589369	0.006032	0.6011633	0.4351358	0.4404054	0.183244	0.2165961
81	0.61015	0.047476	0.027624	0.55610091	0.006124	0.5626745	0.414006	0.4205796	0.1515732	0.2269053
82	0.546777	0.05245	0.028459	0.4871456	0.0062	0.494327	0.3338446	0.3410261	0.1205457	0.1594632
83	0.528687	0.057493	0.029275	0.46382537	0.006267	0.4711941	0.2904216	0.2977903	0.0961624	0.1204423
84	0.495028	0.062416	0.030051	0.42530954	0.006324	0.4326126	0.2579894	0.2652925	0.0777618	0.0939194
85	0.444821	0.066847	0.030792	0.37102615	0.006377	0.3779737	0.2341963	0.2411438	0.0640879	0.0750706
86	0.391303	0.069935	0.031484	0.31526186	0.006426	0.3213687	0.2173017	0.2234086	0.0536035	0.0614041
87	0.335098	0.071359	0.032115	0.25840692	0.006475	0.2637392	0.2061962	0.2115285	0.0454682	0.051054
88	0.286213	0.071513	0.03268	0.21011524	0.006524	0.2147002	0.20183	0.206415	0.0391636	0.0432595
89	0.279862	0.070806	0.033164	0.17153636	0.006574	0.1756335	0.2049589	0.209056	0.0342211	0.0371267
90	0.294207	0.069705	0.033567	0.14216119	0.006624	0.1457143	0.2209493	0.2245024	0.030319	0.0324977
91	0.335375	0.068494	0.033895	0.11979088	0.006676	0.1228012	0.2638707	0.2668811	0.0272018	0.0289474
92	0.438011	0.066917	0.034123	0.10131964	0.006724	0.1040704	0.3683437	0.3710945	0.0246212	0.0258745
93	0.502279	0.065258	0.034279	0.08721461	0.00677	0.0895815	0.4346547	0.4370216	0.0224766	0.0235198
96	0.53869	0.097128	0.034133	0.43315147	0.007058	0.4415619	0.3083201	0.3167305	0.0568669	0.0625946
97	0.620651	0.094557	0.033638	0.51948615	0.00714	0.5260938	0.2877583	0.294366	0.0473287	0.051262
98	0.416022	0.092412	0.035819	0.31754819	0.007229	0.3236094	0.2833129	0.2893741	0.0396411	0.0417524
99	0.386172	0.089629	0.036409	0.23721247	0.007294	0.242152	0.2916034	0.2965429	0.0345914	0.0361532
100	0.420998	0.086908	0.03689	0.18171614	0.007355	0.1859559	0.3298503	0.3340901	0.0306705	0.0317183
101	0.540329	0.084441	0.037258	0.14323021	0.007411	0.1470091	0.4521092	0.4558881	0.0275414	0.0281452
102	0.574296	0.082599	0.037526	0.11738596	0.007461	0.120576	0.4885074	0.4916974	0.0249912	0.0254854
106	0.238461	0.01441	0.014585	0.0147322	0.003697	0.0135379	0.2238766	0.2226823	0.1252572	0.1277875
107	0.295747	0.015111	0.015199	0.01609393	0.003861	0.0148024	0.280548	0.2792565	0.1498303	0.1526031
108	0.322484	0.01586	0.015838	0.01770494	0.004029	0.0162965	0.3066246	0.3052161	0.1447281	0.147784
109	0.353928	0.01667	0.016512	0.01960634	0.004206	0.0180655	0.3372581	0.3357172	0.1398406	0.143227
110	0.388505	0.017551	0.017225	0.02189098	0.004392	0.0202009	0.3709537	0.3692636	0.1406117	0.1443868
111	0.391716	0.018502	0.017968	0.0246441	0.004585	0.0227821	0.3732132	0.3713511	0.2217515	0.2259901

Via Oro
Unmitigated Operational Cancer Risk Summary

		Operational Cancer Risk - by Route - From 710 @ Hughes Way								
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Route A7
112	0.389386	0.019565	0.018768	0.02813647	0.004791	0.0260847	0.3698213	0.3677695	0.1378478	0.1426433
113	0.380906	0.020723	0.0196	0.03253283	0.005002	0.0302607	0.3601832	0.357911	0.1382352	0.1437145
114	0.37717	0.022008	0.020475	0.03830082	0.005221	0.0357777	0.3551621	0.352639	0.1466674	0.1530001
115	0.372656	0.023435	0.021386	0.04608562	0.005444	0.0432706	0.3492202	0.3464052	0.2169686	0.2243946
116	0.368401	0.025033	0.02233	0.05702599	0.005668	0.0538712	0.3433674	0.3402126	0.1314754	0.1403412
117	0.370936	0.026881	0.023331	0.07378608	0.005899	0.0702532	0.3440552	0.3405223	0.1363132	0.1471555
118	0.377405	0.02902	0.024368	0.10111516	0.006128	0.0971611	0.3483855	0.3444314	0.2156258	0.2293255
124	0.182624	0.014783	0.015074	0.01475455	0.003868	0.0134608	0.143062	0.1417683	0.1649222	0.1675503
125	0.269528	0.015516	0.015726	0.0161302	0.004046	0.0147125	0.173529	0.1721113	0.2509103	0.253802
126	0.254345	0.016309	0.016418	0.01773254	0.004234	0.016173	0.1928515	0.1912919	0.2347285	0.2379267
127	0.248316	0.017169	0.017152	0.01962115	0.004433	0.0178987	0.2086653	0.2069429	0.2275899	0.2311472
128	0.249135	0.018107	0.017929	0.0218748	0.004643	0.0199643	0.2223586	0.2204481	0.2270459	0.2310283
129	0.248189	0.019126	0.018747	0.024578	0.004863	0.0224471	0.2270036	0.2248727	0.2245717	0.2290632
130	0.249829	0.020263	0.019626	0.02795157	0.005099	0.0255664	0.2295653	0.2271802	0.2199168	0.2250246
131	0.251152	0.021515	0.020552	0.03215581	0.005344	0.0294688	0.2296373	0.2269503	0.2144842	0.2203514
132	0.25309	0.02291	0.021529	0.03754446	0.005599	0.0344974	0.2301804	0.2271333	0.2117881	0.2186081
133	0.253897	0.024466	0.022551	0.04458017	0.005861	0.0410888	0.2294305	0.2259391	0.2079623	0.2160135
134	0.257607	0.026247	0.023635	0.05419882	0.006133	0.0501671	0.23136	0.2273283	0.2077213	0.2173975
135	0.26108	0.028282	0.024761	0.06768071	0.006406	0.0629449	0.2327973	0.2280615	0.2072062	0.2191376
136	0.267227	0.030661	0.025934	0.08741365	0.006679	0.0817317	0.236566	0.2308841	0.2099908	0.2252124
137	0.276134	0.033488	0.027143	0.1155379	0.006945	0.1084637	0.2426466	0.2355724	0.2143904	0.2348058
138	0.293138	0.037021	0.028413	0.15210548	0.007209	0.1428928	0.2561173	0.2469047	0.2248337	0.2543713
141	0.168677	0.015142	0.015565	0.01474997	0.004045	0.0133481	0.1053752	0.1039734	0.1503892	0.1531123
142	0.169495	0.015914	0.016269	0.01611688	0.004242	0.0145698	0.124201	0.1226539	0.1502203	0.1532255
143	0.168113	0.016751	0.017018	0.01770347	0.004451	0.0159879	0.1383642	0.1366487	0.1477606	0.1510954
144	0.167998	0.017661	0.017814	0.01956573	0.004675	0.0176537	0.1492302	0.1473182	0.1464604	0.1501832
145	0.176355	0.018656	0.018664	0.02177214	0.004913	0.0196289	0.1576918	0.1555485	0.1462928	0.1504774
146	0.182236	0.019741	0.019562	0.02440245	0.005164	0.0219834	0.1624947	0.1600756	0.1453531	0.1500936
147	0.187019	0.020954	0.020531	0.0276405	0.005435	0.0248942	0.1660651	0.1633188	0.1450444	0.1504614

Via Oro
Unmitigated Operational Cancer Risk Summary

		<i>Operational Cancer Risk - by Route - From 710 @ Hughes Way</i>								
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Route A7
148	0.190365	0.022293	0.021556	0.03161323	0.005719	0.028467	0.1680723	0.1649261	0.143865	0.1501205
149	0.193796	0.023791	0.022646	0.03660369	0.006018	0.0329634	0.1700054	0.1663652	0.1431363	0.15045
150	0.197248	0.025476	0.023797	0.04297625	0.006329	0.0387067	0.1717718	0.1675022	0.1423147	0.1509999
151	0.201666	0.027402	0.025016	0.0513476	0.006652	0.0462576	0.1742647	0.1691748	0.1422295	0.1527422
152	0.207297	0.029629	0.026299	0.06263492	0.006982	0.0564219	0.1776687	0.1714557	0.1428462	0.1558975
153	0.214997	0.032252	0.027643	0.07819008	0.007315	0.0703333	0.1827448	0.174888	0.1445603	0.1613378
154	0.225217	0.035397	0.029033	0.09929981	0.00764	0.0887095	0.18982	0.1792297	0.1462621	0.1690282
155	0.242615	0.039346	0.030484	0.1274754	0.00796	0.1116844	0.2032687	0.1874777	0.1501273	0.1836531
164	0.196354	0.037195	0.031123	0.08985613	0.008459	0.0751677	0.1591589	0.1444705	0.1104675	0.1358129
165	0.216027	0.041509	0.0328	0.11517259	0.008855	0.0916833	0.1745183	0.151029	0.1126498	0.1508399
166	0.257456	0.0473	0.034567	0.15941215	0.009243	0.1119687	0.2101554	0.162712	0.1171189	0.1861806
178	0.178608	0.038845	0.033443	0.08440195	0.009433	0.0652103	0.1397634	0.1205717	0.0882286	0.1165582
179	0.201526	0.043455	0.035408	0.10969875	0.009937	0.0778047	0.1580716	0.1261776	0.0900932	0.1339978
180	0.253732	0.049623	0.03748	0.16215342	0.010431	0.0930496	0.2041087	0.1350048	0.0934092	0.1789097
192	0.167553	0.04035	0.036045	0.08157369	0.010613	0.0575881	0.1272033	0.1032177	0.0732716	0.1050442
193	0.194364	0.04517	0.038374	0.10867101	0.011271	0.0676228	0.1491938	0.1081456	0.075094	0.1259775
194	0.227091	0.051482	0.040814	0.14010176	0.011908	0.07955	0.1756089	0.1150571	0.0778066	0.15104
207	0.160732	0.041697	0.038975	0.08064759	0.012059	0.0514703	0.1190347	0.0898575	0.0623862	0.0982062
208	0.192804	0.046612	0.041749	0.11173012	0.012933	0.059631	0.1461913	0.0940922	0.0640607	0.124278
209	0.232003	0.052932	0.044683	0.1485247	0.013791	0.0693151	0.1790714	0.0998618	0.0665796	0.1558178
223	0.156917	0.042928	0.042328	0.08114687	0.013871	0.046443	0.1139891	0.0792853	0.0541535	0.094553
224	0.196192	0.047884	0.045674	0.11857666	0.015065	0.0531968	0.1483078	0.0829279	0.0556805	0.1278366
225	0.243496	0.054066	0.049213	0.16289367	0.016239	0.0610912	0.1894302	0.0876277	0.0578317	0.1677294
239	0.157427	0.044086	0.046247	0.08269005	0.016204	0.0422355	0.1111803	0.0707257	0.047724	0.0930967
240	0.205726	0.049084	0.050377	0.12938184	0.017905	0.0479088	0.1553489	0.0738758	0.0491161	0.1363127
241	0.20989	0.055213	0.054803	0.13131588	0.019618	0.05452	0.1546767	0.0778809	0.0510705	0.1345312
255	0.160638	0.045177	0.050932	0.08473645	0.019287	0.0386254	0.1097064	0.0635954	0.0425113	0.0929003
256	0.223351	0.050243	0.056227	0.14423175	0.021851	0.0434562	0.167124	0.0663484	0.0437919	0.1494564
272	0.165064	0.046191	0.05672	0.08627471	0.023493	0.0354743	0.1083442	0.0575437	0.0381761	0.0927257

Via Oro
Unmitigated Operational Cancer Risk Summary

		<i>Operational Cancer Risk - by Route - From 710 @ Hughes Way</i>								
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Route A7
273	0.201788	0.051377	0.063996	0.11744546	0.027709	0.0396491	0.1377921	0.0599958	0.0393852	0.1214007
289	0.169964	0.047137	0.064237	0.08606131	0.029469	0.0327122	0.1057274	0.0523783	0.0345431	0.091201
290	0.214303	0.052452	0.075454	0.12064011	0.037297	0.0363348	0.1388498	0.0545445	0.0356547	0.1236354
306	0.174339	0.047959	0.074087	0.08261207	0.037878	0.0302431	0.1002516	0.0478826	0.0314173	0.086726
307	0.230156	0.053417	0.095597	0.11815808	0.055671	0.0334072	0.1345585	0.0498077	0.0324406	0.1204204
323	0.175468	0.048619	0.085003	0.0745482	0.047501	0.0280173	0.0904657	0.0439348	0.0286943	0.0778535
324	0.250155	0.054213	0.098779	0.13651897	0.057249	0.0307875	0.1513753	0.0456439	0.0296267	0.1382173
342	0.168945	0.049079	0.091396	0.06310479	0.052802	0.0259987	0.0775484	0.0404422	0.0262995	0.0657686
343	0.262249	0.05478	0.151215	0.09750468	0.108315	0.0284248	0.1110345	0.0419546	0.0271386	0.0987675
344	0.276639	0.061588	0.146449	0.11765388	0.09845	0.0311659	0.1301907	0.0437027	0.0281785	0.1174062
356	0.157477	0.049295	0.092003	0.05230155	0.052566	0.0241575	0.0654741	0.0373301	0.0241721	0.0544523
357	0.233862	0.055053	0.13891	0.06957113	0.094952	0.0262782	0.0819541	0.0386611	0.0249127	0.0704946
358	0.247806	0.061956	0.143092	0.09319016	0.093729	0.028663	0.1047136	0.0401865	0.0258271	0.0927956
370	0.145943	0.049252	0.089969	0.0439036	0.049969	0.0224777	0.0559743	0.0345484	0.0222772	0.0456432
371	0.207908	0.055015	0.126291	0.05380325	0.081617	0.0243309	0.0651905	0.0357182	0.0229268	0.0544654
372	0.223492	0.06193	0.136891	0.06536137	0.086602	0.0263986	0.0760015	0.0370387	0.0237143	0.0648676
383	0.135695	0.048932	0.087021	0.03756335	0.046759	0.0209415	0.0486735	0.0320517	0.0205796	0.0389715
384	0.187175	0.054641	0.116096	0.04389037	0.071079	0.0225614	0.054407	0.033078	0.0211455	0.0443494
385	0.316882	0.061487	0.18381	0.0507611	0.133071	0.0243505	0.0606274	0.0342168	0.0218158	0.0502038
396	0.127436	0.048348	0.083833	0.03269348	0.043603	0.0195368	0.0429611	0.0298044	0.0190555	0.0338338
397	0.170816	0.053939	0.107901	0.03706089	0.062914	0.020952	0.0468126	0.0307037	0.0195443	0.0373625
398	0.262272	0.06063	0.156492	0.04163162	0.10578	0.0224995	0.0508161	0.0316839	0.0201097	0.0410368
399	0.251135	0.068743	0.154415	0.04559394	0.09672	0.0241975	0.05417	0.0327736	0.0207808	0.0440523
411	0.121293	0.047519	0.080608	0.02885778	0.040685	0.0182501	0.0383834	0.0277757	0.0176814	0.0297804
412	0.157493	0.052932	0.101051	0.03204427	0.056442	0.0194867	0.04112	0.0285624	0.0181009	0.032224
413	0.226534	0.059405	0.138392	0.03530906	0.088142	0.0208287	0.0438885	0.0294082	0.0185786	0.0346955
414	0.319487	0.067206	0.188292	0.03821968	0.131195	0.0222803	0.0462651	0.0303257	0.019125	0.0367691
426	0.115484	0.046486	0.07743	0.02576381	0.038053	0.0170729	0.034631	0.0259401	0.0164417	0.0265089
427	0.146343	0.051675	0.095138	0.02819302	0.051205	0.0181552	0.0366678	0.0266299	0.016801	0.028278

Via Oro
Unmitigated Operational Cancer Risk Summary

		Operational Cancer Risk - by Route - From 710 @ Hughes Way								
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Route A7
428	0.200586	0.057839	0.124985	0.03063134	0.075601	0.0193158	0.0386713	0.0273557	0.017196	0.030012
429	0.3327	0.06526	0.194349	0.03286176	0.138351	0.0205633	0.0404316	0.0281332	0.0176445	0.0315004
439	0.109975	0.045283	0.074302	0.0232158	0.035673	0.0159931	0.0314978	0.0242751	0.0153184	0.0238155
440	0.136655	0.050212	0.089831	0.02512146	0.046824	0.0169424	0.0330596	0.0248805	0.0156256	0.0251329
441	0.180864	0.05604	0.114543	0.02702335	0.066322	0.0179533	0.0345784	0.0255084	0.0159571	0.0264076
442	0.275398	0.063005	0.164949	0.02877561	0.110449	0.0190281	0.0359159	0.0261684	0.0163227	0.0274994
443	0.359098	0.071435	0.210631	0.03022503	0.148468	0.02017	0.0369239	0.0268689	0.0167339	0.0282611
454	0.104779	0.043956	0.071251	0.02108201	0.033528	0.0150047	0.0288393	0.022762	0.014301	0.0215619
455	0.128103	0.048597	0.084994	0.02261332	0.043109	0.0158394	0.0300686	0.0232947	0.0145636	0.0225675
456	0.164912	0.054051	0.10586	0.02413206	0.059052	0.0167221	0.0312499	0.0238399	0.0148413	0.023526
457	0.235918	0.060521	0.144306	0.02554596	0.091612	0.0176533	0.0322964	0.0244037	0.0151408	0.0243501
458	0.319069	0.068278	0.189437	0.02674947	0.129632	0.018633	0.0331073	0.0249909	0.0154699	0.0249401
469	0.099847	0.042533	0.068269	0.01926949	0.031577	0.0140986	0.0265552	0.0213842	0.0133764	0.01965
470	0.120377	0.046867	0.080492	0.02052496	0.039886	0.0148342	0.0275456	0.0218548	0.0136009	0.0204348
471	0.151537	0.051927	0.098372	0.02176478	0.053165	0.0156085	0.0284868	0.0223305	0.0138347	0.0211727
472	0.206953	0.057875	0.128803	0.0229271	0.07815	0.0164195	0.0293226	0.022815	0.014081	0.0218067
473	0.276363	0.06493	0.166761	0.02393758	0.109601	0.0172654	0.0299831	0.0233109	0.0143455	0.0222681
489	0.095198	0.041053	0.065385	0.01771671	0.029813	0.0132694	0.0245761	0.0201288	0.0125376	0.0180147
490	0.11342	0.045073	0.076322	0.01875617	0.037098	0.0139214	0.0253814	0.0205465	0.0127311	0.0186308
491	0.140121	0.049726	0.091799	0.01978528	0.048322	0.0146026	0.0261462	0.0209635	0.0129282	0.0192095
492	0.184727	0.055145	0.116596	0.0207555	0.068132	0.0153124	0.0268253	0.0213822	0.0131319	0.0197054
493	0.282905	0.061503	0.168629	0.02161286	0.114276	0.0160477	0.0273694	0.0218043	0.0133455	0.0200692
494	0.284119	0.069016	0.172742	0.02231336	0.111377	0.016803	0.0277393	0.0222289	0.0135709	0.0202632
509	0.090755	0.039523	0.062564	0.01636398	0.028191	0.0125084	0.0228368	0.0189813	0.0117727	0.0165926
510	0.107001	0.043228	0.072377	0.01724086	0.034624	0.0130883	0.0235063	0.0193537	0.0119406	0.0170883
511	0.130103	0.047473	0.085876	0.01810893	0.044227	0.0136909	0.0241393	0.0197213	0.0121073	0.0175503
512	0.166777	0.052368	0.106474	0.01892957	0.060303	0.0143152	0.0247004	0.0200861	0.012277	0.0179441
513	0.238869	0.058046	0.145158	0.01966183	0.093711	0.0149572	0.025152	0.0204474	0.0124505	0.0182325
514	0.314622	0.064665	0.186131	0.02027574	0.128491	0.0156121	0.0254685	0.0208049	0.0126284	0.0183901

Via Oro
Unmitigated Operational Cancer Risk Summary

		<i>Operational Cancer Risk - by Route - From 710 @ Hughes Way</i>								
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Route A7
515	0.357367	0.081628	0.215529	0.02106461	0.141838	0.0169222	0.0256292	0.0214869	0.0129881	0.0182513
516	0.257803	0.092567	0.170986	0.02123188	0.086817	0.0175478	0.0254721	0.021788	0.0131531	0.0179569
517	0.22413	0.10575	0.160518	0.02127716	0.063612	0.0181309	0.0251922	0.0220459	0.0132945	0.0175511
518	0.213984	0.121788	0.163262	0.02120045	0.050722	0.0186401	0.0247929	0.0222326	0.013388	0.01704
519	0.216866	0.141553	0.174422	0.02104409	0.042444	0.0190421	0.0243189	0.022317	0.0134051	0.0164717
528	0.086525	0.037966	0.059822	0.01517937	0.026702	0.0118104	0.0213	0.017931	0.0110758	0.01535
529	0.101064	0.041355	0.068643	0.01592827	0.03242	0.0123279	0.0218653	0.0182649	0.0112219	0.0157546
530	0.121242	0.045205	0.080504	0.0166677	0.040738	0.0128637	0.0223954	0.0185914	0.0113648	0.0161275
531	0.151932	0.049595	0.097881	0.01736991	0.054051	0.013415	0.0228654	0.0189104	0.0115064	0.0164446
532	0.20729	0.054628	0.127903	0.01800354	0.079387	0.0139789	0.023247	0.0192224	0.011648	0.0166777
533	0.272486	0.060421	0.163216	0.01854163	0.10927	0.0145493	0.023517	0.0195247	0.0117886	0.0168045
534	0.318827	0.07492	0.193254	0.01925814	0.125573	0.0156745	0.023665	0.0200814	0.0120565	0.0166842
535	0.273364	0.084047	0.174895	0.01942321	0.098469	0.0162045	0.0235372	0.0203185	0.0121714	0.0164343
536	0.224818	0.094877	0.155853	0.01949033	0.068965	0.0166952	0.0233112	0.0205161	0.0122644	0.0160967
537	0.206499	0.107674	0.152929	0.01943347	0.05357	0.0171165	0.0229616	0.0206446	0.0123105	0.0156492
538	0.20255	0.122999	0.158485	0.01929226	0.044065	0.0174465	0.0225334	0.0206877	0.012294	0.0151386
547	0.082495	0.036395	0.057162	0.01413433	0.025333	0.0111699	0.0199327	0.0169682	0.0104397	0.0142558
548	0.095553	0.039478	0.065105	0.01477981	0.030448	0.0116333	0.0204157	0.0172692	0.0105676	0.0145898
549	0.113275	0.042945	0.075564	0.01541757	0.03771	0.0121109	0.020866	0.0175594	0.01069	0.0148957
550	0.139376	0.046863	0.090431	0.01602259	0.048945	0.0126006	0.0212627	0.0178407	0.0108095	0.0151522
551	0.183384	0.0513	0.114504	0.01657461	0.06888	0.0130979	0.021588	0.0181113	0.0109251	0.0153421
552	0.282442	0.056347	0.1664	0.01704879	0.116042	0.0135972	0.0218206	0.018369	0.0110366	0.0154449
553	0.262062	0.062118	0.158934	0.017429	0.103128	0.0140919	0.0219475	0.0186104	0.0111417	0.0154478
554	0.240505	0.068734	0.151302	0.017701	0.089203	0.0145708	0.0219582	0.018828	0.0112355	0.0153415
555	0.299029	0.076392	0.184232	0.01786983	0.114797	0.0150256	0.021862	0.0190178	0.0113149	0.015136
556	0.229664	0.085328	0.153864	0.01794598	0.0758	0.0154428	0.0216725	0.0191693	0.0113728	0.0148477
557	0.202492	0.095669	0.145315	0.01790378	0.057177	0.0157965	0.0213653	0.019258	0.0113871	0.0144531
558	0.192486	0.107843	0.146288	0.01779448	0.046198	0.0160763	0.0209967	0.0192785	0.0113532	0.0140111
559	0.191722	0.121904	0.152864	0.01760322	0.038858	0.0162547	0.0205524	0.0192039	0.0112473	0.0135102

Via Oro
Unmitigated Operational Cancer Risk Summary

		<i>Operational Cancer Risk - by Route - From 710 @ Hughes Way</i>								
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Route A7
567	0.078637	0.034822	0.054574	0.01320659	0.024063	0.0105806	0.0187102	0.0160842	0.0098572	0.0132862
568	0.090392	0.037611	0.061733	0.01376873	0.028659	0.0109972	0.0191272	0.0163557	0.00997	0.0135659
569	0.10607	0.040721	0.071008	0.0143222	0.035062	0.011425	0.0195133	0.0166161	0.0100764	0.0138188
570	0.128466	0.044199	0.08382	0.01484983	0.044647	0.0118607	0.019854	0.0168649	0.010177	0.0140307
571	0.164361	0.048103	0.103588	0.01533271	0.060773	0.0123013	0.0201326	0.0171012	0.0102722	0.0141857
572	0.236118	0.052499	0.141529	0.01575304	0.094588	0.0127412	0.0203341	0.0173223	0.0103605	0.0142692
573	0.245354	0.057472	0.148496	0.01609508	0.096858	0.0131739	0.020447	0.0175259	0.0104406	0.0142698
574	0.340288	0.069562	0.201735	0.01650891	0.138553	0.0139822	0.0203826	0.0178558	0.0105599	0.0140028
575	0.239619	0.076979	0.15498	0.01658825	0.084639	0.0143391	0.0202209	0.0179717	0.0105907	0.0137522
576	0.201938	0.085486	0.140279	0.01658103	0.061659	0.0146443	0.0199738	0.0180371	0.0105886	0.0134276
577	0.185786	0.095216	0.136975	0.01649519	0.048811	0.014882	0.0196524	0.0180392	0.0105414	0.0130406
578	0.180046	0.106198	0.139534	0.01633138	0.040513	0.0150361	0.0192591	0.0179638	0.0104365	0.0125962
586	0.074965	0.033265	0.052078	0.01237709	0.022888	0.0100384	0.017609	0.0152703	0.0093247	0.0124217
587	0.085583	0.035778	0.058542	0.01286935	0.027041	0.0104141	0.0179718	0.0155166	0.0094243	0.0126571
588	0.099515	0.038558	0.066792	0.01335409	0.032723	0.0107979	0.018307	0.0157508	0.0095164	0.0128687
589	0.118951	0.041641	0.077941	0.01381662	0.04101	0.0111874	0.0186011	0.0159719	0.0096018	0.0130446
590	0.148823	0.045071	0.094478	0.01424232	0.054345	0.0115792	0.0188421	0.0161789	0.0096798	0.0131722
591	0.203643	0.048902	0.123686	0.01461699	0.079957	0.0119677	0.0190188	0.0163696	0.0097497	0.0132415
592	0.266467	0.053197	0.157127	0.01492392	0.10934	0.0123477	0.0191177	0.0165415	0.0098094	0.0132385
593	0.293707	0.063497	0.175663	0.01531005	0.118044	0.0130524	0.0190696	0.0168119	0.0098887	0.0130075
594	0.256496	0.069713	0.160056	0.01539229	0.096439	0.0133613	0.0189326	0.0169015	0.0099015	0.012791
595	0.205106	0.076704	0.137761	0.01539036	0.067345	0.013623	0.0187113	0.016944	0.0098828	0.0125001
596	0.182153	0.084536	0.130123	0.01532092	0.052031	0.013827	0.0184267	0.0169327	0.0098272	0.0121574
597	0.17164	0.093184	0.129135	0.01518955	0.042505	0.0139617	0.0180864	0.0168585	0.0097256	0.0117712
345	0.489439	0.069859	0.266696	0.21125329	0.212563	0.0343132	0.2227432	0.0458031	0.0295445	0.2094053
346	0.519267	0.080034	0.290426	0.2088111	0.228841	0.0379881	0.2192193	0.0483963	0.0313827	0.2052857
347	0.494878	0.092811	0.280432	0.20513892	0.209645	0.042429	0.2144463	0.0517364	0.0339638	0.1998703
348	0.489663	0.109243	0.280376	0.20109464	0.198054	0.0480812	0.2092874	0.056274	0.0377596	0.1940251
359	0.400144	0.070342	0.228027	0.10967593	0.172118	0.0313739	0.1202875	0.0419855	0.0269967	0.1078842

Via Oro
Unmitigated Operational Cancer Risk Summary

		Operational Cancer Risk - by Route - From 710 @ Hughes Way								
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Route A7
360	0.401152	0.080671	0.232545	0.11336434	0.168607	0.0344999	0.1230285	0.0441641	0.0285346	0.1101088
361	0.343662	0.093629	0.208803	0.11303804	0.134859	0.0382058	0.1217348	0.0469026	0.0306271	0.1082653
362	0.326642	0.110179	0.206631	0.11201146	0.120011	0.042752	0.1197235	0.0504641	0.0335628	0.1056748
363	0.332576	0.13215	0.214728	0.11113379	0.111582	0.0487689	0.1178481	0.0554832	0.0379891	0.1032001
373	0.417422	0.080696	0.241489	0.07839889	0.175933	0.0313646	0.0874143	0.04038	0.0259581	0.0754019
374	0.31413	0.093671	0.195135	0.07931827	0.118996	0.0344186	0.0874819	0.0425822	0.0276105	0.0749962
375	0.28548	0.110225	0.18757	0.07913632	0.09791	0.0380437	0.0864318	0.0453392	0.0298336	0.0734532
376	0.28127	0.132049	0.194371	0.07873015	0.086899	0.042568	0.0851457	0.0489836	0.0329733	0.0716613
386	0.342824	0.080051	0.204596	0.05986246	0.138228	0.0285624	0.0683067	0.0370066	0.0236506	0.057108
387	0.319204	0.092883	0.198234	0.06125208	0.120971	0.0310785	0.0689465	0.038773	0.0249427	0.0573376
388	0.273927	0.109227	0.182583	0.06154173	0.091344	0.0339678	0.0684698	0.0408958	0.026607	0.0564378
389	0.264098	0.130709	0.18692	0.06144462	0.077178	0.0374042	0.0675949	0.0435544	0.0288329	0.0551331
390	0.272543	0.159843	0.203794	0.06122279	0.068748	0.0416248	0.0665839	0.0469859	0.0318715	0.0536957
400	0.371457	0.078726	0.218904	0.04831294	0.152553	0.0260699	0.0562498	0.0340068	0.0215957	0.0457837
401	0.343597	0.091182	0.210423	0.04973986	0.133174	0.0281401	0.0570141	0.0354143	0.0225925	0.0461894
402	0.275328	0.107097	0.183311	0.05032963	0.092017	0.0304706	0.0569277	0.0370687	0.0238479	0.0457372
403	0.257368	0.127809	0.183571	0.05039393	0.073797	0.0331102	0.0563021	0.0390183	0.0254254	0.0447439
404	0.261956	0.155695	0.19846	0.05023472	0.063496	0.0361563	0.0554422	0.0413638	0.0274338	0.0435217
415	0.30943	0.076783	0.187502	0.04040212	0.121928	0.0238607	0.0478839	0.0313426	0.0197743	0.0380791
416	0.391254	0.088713	0.233742	0.04175394	0.157512	0.025584	0.0486504	0.0324804	0.020552	0.038531
417	0.28467	0.103802	0.18726	0.04241025	0.09741	0.0274622	0.0487055	0.0337575	0.0214833	0.0382679
418	0.256246	0.123486	0.182025	0.042679	0.07422	0.0295516	0.0483648	0.0352374	0.0226373	0.0376095
419	0.255391	0.149629	0.19368	0.04265965	0.061712	0.0318409	0.0477273	0.0369085	0.024015	0.0366621
420	0.272758	0.185266	0.21912	0.04230848	0.053638	0.0342397	0.0467339	0.0386651	0.0255275	0.0353775
430	0.339453	0.08551	0.206873	0.03583067	0.132581	0.0233414	0.0423819	0.0298926	0.0187632	0.0328983
431	0.302459	0.099603	0.19483	0.03653436	0.10763	0.0248882	0.0425533	0.0309072	0.0194724	0.0327909
432	0.258263	0.117702	0.181113	0.03684994	0.07715	0.0265461	0.0423248	0.032021	0.0203027	0.0322869
433	0.25011	0.141512	0.188201	0.0368982	0.061909	0.0283054	0.0418209	0.0332281	0.021255	0.031516
434	0.262342	0.173795	0.209674	0.03675099	0.052668	0.0301125	0.0411132	0.0344747	0.0222834	0.0305567

Via Oro
Unmitigated Operational Cancer Risk Summary

		Operational Cancer Risk - by Route - From 710 @ Hughes Way								
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Route A7
444	0.26976	0.081772	0.170701	0.03128361	0.099059	0.0213805	0.0375211	0.0276179	0.0172023	0.0286119
445	0.329882	0.094657	0.206728	0.03195007	0.123154	0.0226598	0.03771	0.0284197	0.0177373	0.0285562
446	0.263683	0.110963	0.181254	0.03229987	0.082429	0.0240013	0.0375742	0.0292756	0.018344	0.0281798
447	0.24618	0.132047	0.182477	0.03240502	0.063702	0.025385	0.0371858	0.0301658	0.0190112	0.0275603
448	0.251371	0.160053	0.198492	0.03232208	0.052879	0.0267642	0.0366036	0.0310458	0.0197006	0.0267616
459	0.37347	0.089252	0.226379	0.02829407	0.147091	0.020729	0.0338133	0.0262483	0.0162412	0.0252101
460	0.273503	0.103665	0.183181	0.02865129	0.090322	0.0218295	0.0337341	0.0269123	0.0166865	0.0249205
461	0.244197	0.12195	0.177227	0.02878949	0.06697	0.0229403	0.0334295	0.0275803	0.0171583	0.0244142
462	0.241338	0.145623	0.187189	0.02875332	0.054149	0.0240197	0.0329467	0.0282131	0.0176234	0.0237434
463	0.255416	0.176971	0.209493	0.02854107	0.045922	0.0249921	0.032285	0.028736	0.0180136	0.0229139
474	0.340335	0.083627	0.207478	0.02530822	0.132857	0.0190453	0.0306013	0.0243384	0.0149413	0.0224985
475	0.289644	0.096157	0.188057	0.02565526	0.101587	0.0199584	0.0305564	0.0248596	0.0152683	0.0222676
476	0.244784	0.111738	0.173064	0.02582334	0.07172	0.0208666	0.0303273	0.0253705	0.0156055	0.0218617
477	0.232955	0.13136	0.176615	0.02581142	0.05634	0.0217278	0.029914	0.0258303	0.0159183	0.0212852
478	0.238605	0.156553	0.19172	0.02565907	0.046885	0.0224963	0.0293607	0.0261979	0.0161683	0.0205861
495	0.25369	0.077972	0.161739	0.02283307	0.091951	0.017571	0.0279151	0.0226531	0.013807	0.0202674
496	0.315645	0.088743	0.197823	0.02316507	0.117822	0.0183373	0.0278935	0.0230657	0.0140477	0.0200814
497	0.248924	0.101853	0.170734	0.0233408	0.078191	0.0190879	0.0277109	0.023458	0.0142861	0.0197434
498	0.227097	0.117979	0.167607	0.02336189	0.05949	0.0197917	0.0273717	0.0238015	0.014499	0.0192612
499	0.224692	0.138065	0.176197	0.02324911	0.048495	0.0204108	0.0268997	0.0240613	0.0146543	0.0186616
500	0.235043	0.163449	0.193866	0.02303283	0.041178	0.0208968	0.0263279	0.0241918	0.0147113	0.0179834
139	0.030057	0.003811	0.002727	0.01799934	0.000684	0.0167467	0.0257036	0.024451	0.0217119	0.0262462
140	0.034857	0.004375	0.002849	0.02260283	0.000706	0.0236777	0.0294074	0.0304823	0.0160398	0.0232314
156	0.025446	0.004092	0.002938	0.01552781	0.000759	0.0128526	0.0213548	0.0186796	0.0144331	0.0197359
157	0.029726	0.00476	0.003079	0.01994362	0.000785	0.0167027	0.0249664	0.0217255	0.015297	0.0235578
158	0.03344	0.005818	0.003224	0.0199383	0.000809	0.0229714	0.0245894	0.0276226	0.0165105	0.0232357
159	0.03779	0.007822	0.003372	0.02451267	0.000831	0.0252886	0.0291924	0.0299683	0.0174432	0.0267674
160	0.042827	0.013769	0.00352	0.01942571	0.00085	0.0240717	0.0244117	0.0290577	0.0212378	0.0208692
161	0.054414	0.022946	0.003823	0.01696848	0.000884	0.0245684	0.0238683	0.0314682	0.0160115	0.0119327

Via Oro
Unmitigated Operational Cancer Risk Summary

		<i>Operational Cancer Risk - by Route - From 710 @ Hughes Way</i>								
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Route A7
162	0.048516	0.019616	0.003973	0.01697664	0.0009	0.0203987	0.0254774	0.0288995	0.0091051	0.0075435
163	0.049552	0.019909	0.004118	0.01754571	0.000915	0.0197001	0.0274887	0.0296431	0.0066461	0.0057108
167	0.024405	0.005086	0.003336	0.01533886	0.00088	0.0125976	0.0193194	0.0165782	0.0111626	0.0170086
168	0.027151	0.006338	0.003512	0.01715237	0.000912	0.0157709	0.0208132	0.0194317	0.0121243	0.0182308
169	0.032249	0.008847	0.003687	0.01993185	0.00094	0.0194726	0.0234025	0.0229432	0.0136125	0.0200921
170	0.034338	0.010199	0.003865	0.01604577	0.000965	0.0206589	0.0195268	0.0241399	0.0133679	0.0152937
171	0.039412	0.014327	0.004047	0.01447776	0.000988	0.0214288	0.018134	0.0250849	0.0150965	0.0130092
172	0.042538	0.01741	0.004233	0.01387294	0.001011	0.0211538	0.017847	0.0251279	0.0143321	0.0094992
173	0.036575	0.014774	0.004417	0.01379868	0.001032	0.0175142	0.0180852	0.0218007	0.00907	0.0068031
174	0.035592	0.014446	0.004599	0.01425735	0.001053	0.0168237	0.0185795	0.0211458	0.0069218	0.0053576
175	0.036018	0.014996	0.004773	0.01547691	0.001072	0.0174863	0.0190124	0.0210218	0.0057276	0.0044664
176	0.036871	0.015971	0.004934	0.01803065	0.001088	0.0196935	0.019237	0.0208998	0.0049224	0.0038452
177	0.041934	0.017053	0.005075	0.0234966	0.0011	0.0248811	0.0191532	0.0205377	0.0042933	0.0033832
181	0.025116	0.006715	0.003843	0.01539581	0.001039	0.0124652	0.0184013	0.0154707	0.00986	0.0156097
182	0.029115	0.009591	0.004052	0.01675283	0.001075	0.0157976	0.0195241	0.0185689	0.0118859	0.0161968
183	0.030672	0.011065	0.004269	0.01381028	0.001109	0.0169626	0.0164546	0.0196069	0.0121466	0.0124119
184	0.035784	0.014296	0.004491	0.01245368	0.001141	0.0188939	0.0150474	0.0214876	0.0137377	0.0100784
185	0.038198	0.016246	0.00472	0.01187301	0.001172	0.0193763	0.0144489	0.0219521	0.0136799	0.0080155
186	0.03314	0.014146	0.004952	0.01176666	0.001202	0.0165097	0.0142507	0.0189937	0.0098129	0.0062738
187	0.03153	0.013609	0.005178	0.01209908	0.001229	0.0157841	0.0142357	0.0179206	0.0079208	0.0050949
188	0.03079	0.013517	0.005397	0.01299647	0.001253	0.0160223	0.0142476	0.0172735	0.006693	0.0043235
189	0.03079	0.013541	0.0056	0.01480364	0.001272	0.0172498	0.0141812	0.0166274	0.0057027	0.0037795
190	0.033886	0.01356	0.005776	0.01842823	0.001284	0.0203257	0.0139558	0.0158533	0.0048299	0.0033616
191	0.042173	0.013572	0.005919	0.02717484	0.001288	0.0286013	0.0134669	0.0148934	0.0041002	0.0030336
195	0.02982	0.006887	0.004228	0.02039291	0.001201	0.0104159	0.022933	0.012956	0.0083717	0.0202292
196	0.026407	0.009714	0.004482	0.01439875	0.001249	0.0134259	0.0166927	0.0157199	0.0104662	0.0135874
197	0.03504	0.014723	0.004747	0.01210144	0.001295	0.018204	0.0142143	0.0203169	0.014516	0.0105764
198	0.035361	0.015294	0.005023	0.01103383	0.001341	0.018104	0.0129975	0.0200677	0.0138902	0.0086887
199	0.041445	0.018809	0.00531	0.01049892	0.001385	0.0208252	0.0123097	0.0226359	0.0160559	0.0071363

Via Oro
Unmitigated Operational Cancer Risk Summary

		Operational Cancer Risk - by Route - From 710 @ Hughes Way								
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Route A7
200	0.037287	0.01712	0.0056	0.01038116	0.001426	0.0185943	0.0119536	0.0201668	0.0130801	0.0058779
201	0.035308	0.016434	0.005889	0.01061814	0.001462	0.0177374	0.0117541	0.0188734	0.0113069	0.0049383
202	0.032292	0.015206	0.006166	0.01128792	0.00149	0.0167714	0.0116026	0.0170861	0.0091647	0.0042652
203	0.030172	0.013843	0.006421	0.01260815	0.001509	0.0163295	0.0114239	0.0151453	0.0070198	0.0037699
204	0.030553	0.012952	0.006642	0.01513222	0.001516	0.0176006	0.0111707	0.013639	0.0054693	0.003392
205	0.034625	0.012439	0.006822	0.02051276	0.001513	0.0221862	0.0107842	0.0124577	0.0044254	0.0030827
206	0.048831	0.012067	0.006953	0.03560579	0.001499	0.0367648	0.0102347	0.0113937	0.0036996	0.0028247
210	0.021778	0.005623	0.004373	0.01370578	0.001336	0.0073923	0.0161553	0.0098418	0.0064223	0.0138649
211	0.026371	0.006864	0.004684	0.01731518	0.001412	0.0088577	0.0195066	0.0110491	0.0071784	0.0169815
212	0.023771	0.009109	0.004995	0.01271109	0.001479	0.0111411	0.0146622	0.0130922	0.0087632	0.01183
213	0.03396	0.015192	0.005326	0.01090526	0.001546	0.0170202	0.0126531	0.018768	0.0140331	0.009428
214	0.032824	0.015309	0.006034	0.00952807	0.001673	0.0161622	0.0108806	0.0175147	0.0121408	0.006611
215	0.034635	0.016572	0.006403	0.00940582	0.001728	0.0169935	0.0104756	0.0180633	0.012363	0.0056266
216	0.035176	0.017162	0.006768	0.00956879	0.001772	0.0173786	0.010204	0.0180138	0.0120098	0.0048582
217	0.040944	0.020302	0.007122	0.01007146	0.001802	0.0206415	0.009989	0.0205591	0.0143227	0.0042747
218	0.031053	0.015053	0.007448	0.01105167	0.001817	0.0160005	0.0097777	0.0147265	0.008357	0.003835
219	0.028894	0.013246	0.007731	0.01282573	0.001815	0.0156486	0.0095159	0.0123387	0.0059451	0.0034797
220	0.030457	0.012437	0.007959	0.01625043	0.001797	0.0180203	0.0091812	0.0109511	0.0046508	0.0031858
221	0.036748	0.011954	0.008117	0.02363209	0.001764	0.0247942	0.0087497	0.0099118	0.0038316	0.0029335
222	0.058627	0.011576	0.008208	0.04626229	0.00172	0.0470517	0.0082293	0.0090187	0.003264	0.0027051
226	0.02108	0.005708	0.004862	0.01321394	0.001595	0.0064776	0.0153714	0.0086351	0.0056194	0.0132371
227	0.024188	0.006779	0.005236	0.01549547	0.001699	0.0076068	0.0174092	0.0095206	0.0061824	0.015086
228	0.02179	0.008442	0.005626	0.01165695	0.001796	0.0092045	0.0133473	0.0108949	0.0072256	0.0107848
229	0.024875	0.011426	0.006043	0.01006268	0.001895	0.0119627	0.0115488	0.0134488	0.0094721	0.0086918
230	0.034253	0.016403	0.006484	0.00925709	0.001989	0.0165631	0.0105443	0.0178503	0.0136067	0.0073377
231	0.04233	0.020777	0.00694	0.00884206	0.002073	0.0204894	0.0099059	0.0215532	0.0170677	0.0063052
232	0.040254	0.02009	0.00741	0.00873073	0.002144	0.0193853	0.0095096	0.0201641	0.0154482	0.0055124
233	0.046103	0.023577	0.008334	0.00922251	0.002223	0.0225261	0.0089995	0.0223031	0.0172212	0.0043854
234	0.031315	0.016033	0.008758	0.0099391	0.002226	0.0152817	0.0087702	0.0141128	0.0089376	0.003982

Via Oro
Unmitigated Operational Cancer Risk Summary

		<i>Operational Cancer Risk - by Route - From 710 @ Hughes Way</i>								
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Route A7
235	0.028021	0.013946	0.009128	0.01118733	0.002205	0.0140748	0.0085125	0.0114	0.0062091	0.003649
236	0.028224	0.013078	0.009422	0.01341344	0.002161	0.0151462	0.0082079	0.0099406	0.0048173	0.0033661
237	0.03137	0.012602	0.009625	0.01767388	0.002098	0.0187678	0.0078356	0.0089295	0.0039584	0.0031098
238	0.040297	0.012241	0.009729	0.02734778	0.002021	0.0280557	0.0074014	0.0081093	0.0033693	0.0028775
242	0.024524	0.005781	0.005462	0.01683392	0.001954	0.0057216	0.0187436	0.0076313	0.0049529	0.0167711
243	0.022495	0.00673	0.005929	0.014074	0.002107	0.0066104	0.0157651	0.0083015	0.0053809	0.0136387
244	0.02027	0.008032	0.00642	0.01074979	0.002252	0.0077573	0.0122381	0.0092456	0.0060774	0.0099213
245	0.020696	0.009935	0.00696	0.00946886	0.002403	0.0093788	0.0107615	0.0106714	0.0072646	0.0082192
246	0.025024	0.01244	0.007528	0.0087964	0.002541	0.0114871	0.0098932	0.0125839	0.0089638	0.0070912
247	0.029862	0.015204	0.008114	0.00847958	0.002656	0.0137773	0.0093606	0.0146583	0.0108483	0.0062755
248	0.038213	0.019752	0.008711	0.00837237	0.002739	0.0178439	0.0089898	0.0184612	0.0144793	0.0056208
249	0.047807	0.025202	0.009896	0.00871216	0.002802	0.0226054	0.0084722	0.0223655	0.0181187	0.0046449
250	0.031964	0.017297	0.010453	0.00920717	0.00278	0.0146672	0.0082299	0.0136899	0.0093762	0.004268
251	0.028012	0.015141	0.010953	0.0100553	0.002726	0.0128708	0.0079705	0.0107859	0.0064612	0.003946
252	0.027409	0.014336	0.011357	0.01145536	0.002641	0.0130732	0.0076716	0.0092894	0.005015	0.0036577
253	0.028899	0.013939	0.011631	0.01398199	0.00253	0.0149602	0.0073181	0.0082962	0.0041316	0.0033816
254	0.033067	0.013639	0.011758	0.0188205	0.002402	0.0194282	0.0069152	0.0075229	0.0035273	0.0031219
257	0.023517	0.005871	0.006252	0.01556213	0.002491	0.005104	0.017265	0.0068068	0.0044106	0.015447
258	0.0214	0.006758	0.006862	0.01302745	0.002736	0.0058281	0.0145373	0.007338	0.0047544	0.0125928
259	0.019633	0.007915	0.00752	0.01039279	0.002978	0.0067322	0.0117182	0.0080576	0.0052817	0.0096219
260	0.019758	0.00941	0.008198	0.00920416	0.003194	0.0078748	0.0103479	0.0090185	0.0060579	0.008076
261	0.021715	0.011384	0.008936	0.00871638	0.003394	0.0093698	0.0096777	0.0103311	0.0071986	0.0072085
262	0.026083	0.013948	0.009671	0.00845102	0.003532	0.0113733	0.0092129	0.0121352	0.0088511	0.0065322
263	0.035215	0.018938	0.010421	0.00836096	0.003615	0.0157515	0.0088865	0.016277	0.0128594	0.0059949
264	0.049539	0.02695	0.011967	0.00857382	0.003632	0.022589	0.0083926	0.0224077	0.0187916	0.0051544
265	0.033265	0.019026	0.012728	0.00889129	0.003569	0.0142388	0.0081457	0.0134933	0.0098274	0.0048012
266	0.029003	0.016986	0.013432	0.00940758	0.003459	0.0120176	0.0078655	0.0104755	0.0068018	0.0044685
267	0.028009	0.016364	0.014012	0.01022822	0.003307	0.0116444	0.007538	0.0089542	0.0053181	0.0041434
268	0.028531	0.016136	0.014405	0.01158291	0.00312	0.0123957	0.0071592	0.007972	0.0044189	0.0038188

Via Oro
Unmitigated Operational Cancer Risk Summary

Total		Operational Cancer Risk - by Route - From 710 @ Hughes Way								
		A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Route A7
Receptor #	Per/Million									
269	0.030184	0.015944	0.014577	0.01375609	0.00291	0.0142407	0.0067356	0.0072201	0.0037944	0.0034995
270	0.027518	0.015254	0.014485	0.01214663	0.002192	0.012264	0.0052765	0.0053938	0.0025377	0.0025601
271	0.022822	0.015096	0.014484	0.00765094	0.001948	0.0077252	0.0047709	0.0048452	0.0022122	0.0022655
274	0.027716	0.005982	0.007408	0.01877861	0.003389	0.0045925	0.0203075	0.0061213	0.0039638	0.0186326
275	0.022196	0.006845	0.00826	0.01257665	0.003818	0.0051988	0.0139356	0.0065578	0.0042524	0.0121562
276	0.020824	0.007947	0.009163	0.01046665	0.004229	0.0059491	0.0116603	0.0071427	0.0046845	0.0097581
277	0.020583	0.009341	0.010038	0.00951539	0.004541	0.0068854	0.0105445	0.0079146	0.0053089	0.0085025
278	0.021191	0.011188	0.010941	0.0091412	0.004784	0.0081436	0.0100029	0.0090053	0.0062617	0.0078075
279	0.024558	0.013813	0.011839	0.0089566	0.004923	0.0100639	0.0096375	0.0107448	0.0078786	0.0072799
280	0.033959	0.019019	0.012751	0.00886949	0.00497	0.0144706	0.0093395	0.0149406	0.0119686	0.0068209
281	0.051252	0.028818	0.014797	0.00898118	0.004896	0.0224338	0.0088718	0.0223244	0.0191978	0.0060854
282	0.03533	0.021317	0.015872	0.00913783	0.004762	0.0140131	0.0085973	0.0134725	0.0103081	0.0057261
283	0.031357	0.019734	0.016923	0.00939275	0.004571	0.0116229	0.0082748	0.0105049	0.0073347	0.0053594
284	0.030505	0.01958	0.01785	0.00978942	0.004323	0.0109255	0.007897	0.0090331	0.0058919	0.0049797
285	0.030698	0.019711	0.018494	0.01036478	0.004011	0.0109866	0.0074411	0.008063	0.0049863	0.0045632
286	0.031189	0.019677	0.018738	0.01115555	0.003641	0.0115125	0.0069098	0.0072668	0.0042888	0.0041099
287	0.028538	0.019062	0.018543	0.0093847	0.002417	0.0094757	0.0050981	0.0051891	0.0026583	0.0026999
288	0.025618	0.018833	0.018422	0.00672949	0.002064	0.0067845	0.0045411	0.0045961	0.0022446	0.0023112
291	0.029213	0.006105	0.009478	0.01835449	0.005198	0.004159	0.0197359	0.0055404	0.0035868	0.0181916
292	0.025126	0.006973	0.010796	0.01309739	0.00603	0.0046801	0.0143301	0.0059128	0.0038396	0.0126981
293	0.024634	0.008068	0.012014	0.01153465	0.006674	0.005321	0.0126202	0.0064065	0.0042106	0.010888
294	0.024954	0.009468	0.013097	0.01091905	0.007077	0.0061397	0.011857	0.0070777	0.0047621	0.010012
295	0.025563	0.011322	0.014115	0.01066126	0.007293	0.0072664	0.0114477	0.0080529	0.0056259	0.0094812
296	0.026369	0.014094	0.015177	0.01056728	0.007393	0.0091362	0.0111929	0.0097618	0.0072345	0.0090995
297	0.033839	0.01972	0.01633	0.01053429	0.007394	0.0136731	0.0109802	0.014119	0.0115049	0.0087614
298	0.054016	0.031404	0.019017	0.01045329	0.007111	0.022612	0.0104241	0.0225829	0.0198463	0.0079949
299	0.039323	0.024884	0.020639	0.01045017	0.006875	0.014439	0.0100933	0.0140822	0.0113157	0.0075956
300	0.036503	0.024331	0.022362	0.01048967	0.006589	0.0121724	0.0097134	0.0113961	0.0086256	0.0071784
301	0.0365	0.025145	0.024008	0.01053355	0.006202	0.0113552	0.009233	0.0100547	0.0073072	0.0066939

Via Oro
Unmitigated Operational Cancer Risk Summary

Total		Operational Cancer Risk - by Route - From 710 @ Hughes Way								
		A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Route A7
Receptor #	Per/Million									
302	0.036815	0.025895	0.025119	0.0104763	0.005607	0.0109191	0.008532	0.0089748	0.0062783	0.0060215
303	0.036593	0.02603	0.025438	0.01030768	0.004831	0.0105623	0.0076334	0.007888	0.0052694	0.0051821
304	0.032752	0.025063	0.024742	0.00762034	0.002565	0.0076887	0.0049098	0.0049782	0.002717	0.0027746
305	0.030232	0.024277	0.024029	0.00591229	0.002097	0.0059554	0.0042772	0.0043203	0.0022049	0.0022777
308	0.036781	0.006227	0.01491	0.02061481	0.010379	0.0037832	0.0218705	0.0050389	0.003261	0.0204442
309	0.034901	0.007116	0.017058	0.0167168	0.011972	0.0042367	0.0178426	0.0053625	0.003486	0.0163418
310	0.03532	0.008231	0.018452	0.015873	0.012701	0.0047918	0.0168685	0.0057874	0.0038107	0.0152849
311	0.036221	0.009667	0.019657	0.01570088	0.013102	0.005513	0.0165649	0.006377	0.0043024	0.0148892
312	0.037219	0.011612	0.020802	0.01568659	0.013266	0.0065468	0.0164168	0.007277	0.0051102	0.0146435
313	0.038356	0.014542	0.022061	0.0157064	0.013321	0.0083315	0.0162952	0.0089203	0.0066708	0.0144207
314	0.039618	0.020473	0.023492	0.01569106	0.013253	0.0128224	0.0161251	0.0132564	0.0109356	0.0141512
315	0.060127	0.035891	0.026654	0.01488727	0.012188	0.0241894	0.0149337	0.0242358	0.0218156	0.0127921
316	0.04967	0.032094	0.029444	0.01492079	0.012019	0.0175763	0.0147178	0.0173733	0.0149292	0.0125206
317	0.049747	0.033773	0.032631	0.01486901	0.011722	0.015974	0.0143546	0.0154597	0.0130126	0.0121257
318	0.05166	0.036547	0.035904	0.01455639	0.011103	0.0151131	0.0136775	0.0142342	0.0118058	0.0114435
319	0.051927	0.038273	0.037842	0.01333912	0.009544	0.0136537	0.01204	0.0123546	0.0099672	0.0098269
320	0.049516	0.038074	0.037749	0.01125119	0.007107	0.0114424	0.0095108	0.009702	0.0073769	0.0073431
321	0.040912	0.034487	0.034325	0.00637196	0.002538	0.0064255	0.0045919	0.0046455	0.0026106	0.0026769
322	0.036987	0.031811	0.031698	0.00513978	0.002023	0.0051752	0.0039441	0.0039795	0.0020646	0.0021396
325	0.02898	0.006334	0.016873	0.0107752	0.012107	0.0034499	0.0119232	0.0045978	0.002972	0.010603
326	0.03226	0.007247	0.017546	0.01368008	0.012158	0.003843	0.0147145	0.0048774	0.0031694	0.0133307
327	0.032243	0.008393	0.018078	0.01324602	0.011933	0.0043228	0.0141656	0.0052424	0.0034513	0.0127123
328	0.03761	0.009874	0.021252	0.01555469	0.014171	0.004947	0.0163581	0.0057504	0.0038781	0.0148291
329	0.035045	0.011859	0.020545	0.01381496	0.012302	0.0058351	0.0144995	0.0065196	0.004571	0.0128906
330	0.03449	0.014848	0.020997	0.01293158	0.011268	0.007393	0.0134936	0.007955	0.0059372	0.0118032
331	0.035862	0.020628	0.022634	0.01279934	0.010987	0.0113076	0.0132287	0.0117369	0.0096599	0.0114583
332	0.048263	0.029324	0.03009	0.01788975	0.015917	0.0175352	0.0181729	0.0178183	0.0156936	0.0163293
333	0.044098	0.028604	0.029733	0.01425295	0.012116	0.0134499	0.0143653	0.0135623	0.011403	0.0124594
334	0.051873	0.035836	0.034597	0.01455522	0.012233	0.0160369	0.0144712	0.0159529	0.0137744	0.0125196

Via Oro
Unmitigated Operational Cancer Risk Summary

		Operational Cancer Risk - by Route - From 710 @ Hughes Way								
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Route A7
335	0.057779	0.042022	0.041475	0.01503708	0.012507	0.0157565	0.0147223	0.0154417	0.0132608	0.012744
336	0.063855	0.049238	0.048948	0.01421408	0.011457	0.0146172	0.0136355	0.0140387	0.0118731	0.0116516
337	0.067493	0.055575	0.055401	0.01167618	0.008681	0.0119185	0.0108095	0.0110518	0.0089197	0.008841
338	0.077906	0.063722	0.063607	0.01403413	0.010825	0.0141837	0.0128905	0.01304	0.0109592	0.010958
339	0.06198	0.055509	0.055457	0.00639988	0.003114	0.0064704	0.005006	0.0050765	0.0031424	0.0031955
340	0.053709	0.04834	0.048314	0.00532515	0.002326	0.0053692	0.0041245	0.0041685	0.0023258	0.0023956
341	0.045483	0.041014	0.041017	0.0044365	0.001881	0.0044654	0.0035743	0.0036032	0.0018602	0.0019366
349	0.045255	0.012044	0.026407	0.01820054	0.017495	0.0051343	0.0188484	0.0057822	0.004018	0.0173809
350	0.046199	0.014917	0.027664	0.01799432	0.016986	0.0062917	0.0185346	0.006832	0.0050097	0.0170001
351	0.047571	0.01957	0.029472	0.01767391	0.01643	0.0086275	0.0180992	0.0090528	0.0071809	0.0164994
352	0.049325	0.028434	0.031947	0.01707434	0.015618	0.0142507	0.017378	0.0145544	0.0126424	0.0157189
353	0.092116	0.086751	0.086834	0.00522464	0.002658	0.0052819	0.0042995	0.0043568	0.0026025	0.0026625
354	0.069239	0.06462	0.064714	0.00449058	0.0021	0.0045252	0.0036722	0.0037068	0.0020286	0.0021024
355	0.053956	0.049969	0.050075	0.00385865	0.001756	0.0038806	0.0032453	0.0032672	0.0016727	0.0017513
364	0.031846	0.014911	0.021205	0.01011846	0.009708	0.0052747	0.010641	0.0057972	0.0041416	0.0092404
365	0.03397	0.01894	0.023549	0.00999652	0.009262	0.0065533	0.0104211	0.0069779	0.00528	0.008967
366	0.037351	0.024863	0.027185	0.00984677	0.008859	0.0084781	0.0101659	0.0087972	0.0070656	0.0086625
367	0.121248	0.116568	0.116774	0.00443246	0.002395	0.0044743	0.0038167	0.0038585	0.0022583	0.002328
368	0.081972	0.077862	0.078063	0.00388172	0.001958	0.0039083	0.003325	0.0033516	0.0018155	0.0018922
369	0.060177	0.056553	0.056754	0.00340863	0.001673	0.0034231	0.0029801	0.0029946	0.0015294	0.0016109
377	0.027134	0.014856	0.019435	0.00719272	0.007344	0.0044579	0.0076995	0.0049646	0.0034524	0.0064148
378	0.029625	0.018683	0.022077	0.00712745	0.00687	0.0052042	0.0075488	0.0056256	0.0040773	0.0062195
379	0.03367	0.024161	0.026292	0.0070468	0.006484	0.0061158	0.0073777	0.0064467	0.0048697	0.0060075
380	0.140674	0.136477	0.136794	0.00384864	0.002226	0.00388	0.0034442	0.0034755	0.002009	0.0020836
381	0.090093	0.086361	0.08666	0.00341402	0.00186	0.0034336	0.0030409	0.0030604	0.0016489	0.0017276
382	0.06357	0.06023	0.060516	0.00304337	0.001615	0.0030541	0.0027527	0.0027634	0.0014117	0.0014925
391	0.027445	0.018396	0.02145	0.00557727	0.00577	0.0042921	0.0059948	0.0047096	0.0032909	0.0047738
392	0.031726	0.023724	0.025875	0.00551187	0.005348	0.0048028	0.0058509	0.0051418	0.0036987	0.0045958
393	0.155922	0.152095	0.152513	0.00338864	0.002098	0.0034092	0.0031344	0.003155	0.0018051	0.0018854

Via Oro
Unmitigated Operational Cancer Risk Summary

		<i>Operational Cancer Risk - by Route - From 710 @ Hughes Way</i>								
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Route A7
394	0.095023	0.091578	0.091967	0.00304489	0.001792	0.003056	0.0028068	0.002818	0.0015148	0.0015974
395	0.064089	0.060975	0.06134	0.0027456	0.001574	0.0027497	0.0025605	0.0025646	0.0013127	0.0013962
405	0.026099	0.017871	0.020887	0.00458856	0.005211	0.003639	0.0050013	0.0040517	0.0027458	0.0038749
406	0.030161	0.023015	0.025271	0.00454471	0.004751	0.0039632	0.0048897	0.0043082	0.0029811	0.0037346
407	0.037328	0.030909	0.032559	0.00449374	0.004389	0.0042294	0.0047689	0.0045046	0.0031623	0.0035893
408	0.16751	0.163974	0.164484	0.00301445	0.002	0.0030258	0.0028699	0.0028812	0.0016334	0.0017182
409	0.094857	0.091643	0.092113	0.00273928	0.001739	0.0027435	0.0026009	0.0026051	0.0013977	0.0014831
410	0.060723	0.057787	0.058225	0.00249809	0.001544	0.0024936	0.0023942	0.0023897	0.0012263	0.0013147
421	0.0286	0.021779	0.02418	0.00385774	0.00442	0.0033672	0.0042054	0.0037149	0.0024896	0.0031379
422	0.034903	0.028961	0.030805	0.00381069	0.004023	0.0035461	0.0040977	0.003833	0.0025948	0.0030094
423	0.166031	0.162728	0.163324	0.00270251	0.001923	0.0027064	0.0026389	0.0026427	0.0014852	0.0015731
424	0.085422	0.082394	0.08294	0.00248209	0.001697	0.0024804	0.0024188	0.0024171	0.0012944	0.0013817
425	0.052824	0.050037	0.050541	0.00228273	0.001519	0.0022738	0.0022409	0.002232	0.0011476	0.0012368
435	0.026919	0.0201	0.022671	0.00334053	0.004249	0.0029201	0.0036883	0.0032679	0.0021327	0.0026982
436	0.032153	0.026307	0.028334	0.00330533	0.003819	0.003049	0.0036007	0.0033443	0.0021975	0.0025927
437	0.067215	0.064335	0.064952	0.00226279	0.001666	0.0022562	0.0022566	0.0022499	0.0012026	0.0012912
438	0.043085	0.040419	0.040986	0.00209251	0.0015	0.0020828	0.0020984	0.0020887	0.0010752	0.0011618
449	0.025138	0.018184	0.020949	0.00293995	0.004189	0.0025725	0.0032863	0.0029188	0.0018634	0.0023648
450	0.029197	0.023269	0.025479	0.00291334	0.003718	0.0026688	0.0032139	0.0029693	0.0019036	0.002277
451	0.036085	0.030954	0.032743	0.00286663	0.003343	0.002725	0.0031208	0.0029792	0.0019079	0.0021722
452	0.052219	0.049425	0.050109	0.00207257	0.001641	0.0020621	0.0021098	0.0020993	0.0011198	0.0012088
453	0.035618	0.033018	0.033645	0.00192931	0.001486	0.0019167	0.0019728	0.0019602	0.0010103	0.0010967
464	0.026304	0.020222	0.022617	0.00259474	0.003686	0.002367	0.0028977	0.0026699	0.0016765	0.002024
465	0.031155	0.02592	0.027874	0.00255561	0.003282	0.0024111	0.0028181	0.0026736	0.0016752	0.0019343
466	0.091044	0.087881	0.0888	0.00214868	0.001986	0.0021355	0.0022436	0.0022304	0.0012692	0.0013676
467	0.042503	0.039777	0.040525	0.00190752	0.001625	0.0018937	0.0019784	0.0019646	0.001046	0.0011349
468	0.03041	0.027867	0.02855	0.00178623	0.001478	0.0017711	0.0018593	0.0018441	0.0009517	0.0010376
479	0.023633	0.017353	0.019933	0.00232771	0.0037	0.0021195	0.0026299	0.0024216	0.0014944	0.0018141
480	0.02694	0.021554	0.023671	0.00229906	0.003269	0.0021568	0.0025667	0.0024244	0.0014913	0.0017409

Via Oro
Unmitigated Operational Cancer Risk Summary

Total		Operational Cancer Risk - by Route - From 710 @ Hughes Way								
		A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Route A7
Receptor #	Per/Million									
481	0.031997	0.027313	0.029077	0.00225475	0.00292	0.0021653	0.0024877	0.0023983	0.0014643	0.001656
482	0.039702	0.035573	0.037069	0.00220175	0.002633	0.0021464	0.0024019	0.0023465	0.0014152	0.0015676
483	0.04989	0.046221	0.047509	0.00213138	0.002381	0.0020992	0.0023008	0.0022687	0.001344	0.0014677
484	0.05838	0.055058	0.056184	0.00205249	0.002159	0.0020308	0.0021951	0.0021735	0.0012588	0.0013668
485	0.057455	0.054374	0.055372	0.00196231	0.001957	0.0019451	0.002083	0.0020658	0.0011648	0.0012633
486	0.046877	0.044011	0.044905	0.00186646	0.001777	0.0018489	0.0019717	0.0019541	0.0010702	0.0011642
487	0.034996	0.032327	0.033136	0.00176336	0.001615	0.0017467	0.0018603	0.0018436	0.0009799	0.0010687
488	0.026305	0.023812	0.024549	0.00165949	0.001473	0.0016424	0.0017557	0.0017385	0.000898	0.0009832
501	0.023506	0.017941	0.020219	0.00208044	0.003287	0.001945	0.0023487	0.0022132	0.0013389	0.0015748
502	0.026823	0.021993	0.023899	0.00204954	0.002924	0.0019555	0.0022897	0.0021956	0.0013201	0.0015105
503	0.031348	0.027108	0.028726	0.00200431	0.002622	0.0019416	0.0022155	0.0021528	0.0012795	0.001434
504	0.03668	0.032923	0.034316	0.00194692	0.002365	0.0019057	0.0021311	0.0020898	0.0012222	0.0013504
505	0.040755	0.037397	0.038613	0.00187898	0.002141	0.0018511	0.0020392	0.0020113	0.0011526	0.0012627
506	0.040582	0.037563	0.038639	0.00180359	0.001943	0.0017818	0.001944	0.0019221	0.0010755	0.0011749
507	0.035723	0.032912	0.033874	0.00172341	0.001767	0.0017027	0.0018492	0.0018285	0.0009968	0.0010908
508	0.022891	0.020441	0.02123	0.00154683	0.001472	0.001528	0.0016612	0.0016424	0.0008491	0.0009333
520	0.02099	0.015182	0.017638	0.00190373	0.003352	0.0017704	0.0021755	0.0020421	0.0012208	0.0014486
521	0.022859	0.017875	0.019917	0.00186652	0.002942	0.0017758	0.0021069	0.0020162	0.0011958	0.0013771
522	0.025704	0.021333	0.023071	0.00183447	0.002633	0.0017684	0.0020533	0.0019873	0.0011665	0.0013194
523	0.02868	0.024818	0.026314	0.00178598	0.002366	0.0017404	0.0019808	0.0019352	0.0011194	0.0012476
524	0.030848	0.027405	0.02871	0.00172935	0.002139	0.0016966	0.0019027	0.00187	0.0010619	0.001173
525	0.030843	0.027751	0.028902	0.00166561	0.00194	0.00164	0.0018209	0.0017953	0.0009979	0.0010976
526	0.028243	0.025449	0.026477	0.00159647	0.001766	0.0015742	0.001738	0.0017158	0.0009315	0.001024
527	0.019985	0.017572	0.01841	0.00144588	0.001474	0.0014257	0.0015745	0.0015543	0.0008041	0.0008872
539	0.019073	0.012981	0.015625	0.00175099	0.003448	0.0016215	0.0020229	0.0018935	0.0011195	0.001338
540	0.020165	0.014965	0.017161	0.00172273	0.003005	0.0016276	0.00197	0.0018749	0.0011003	0.0012811
541	0.021689	0.017175	0.019031	0.00168583	0.002658	0.001619	0.0019084	0.0018416	0.0010701	0.0012191
542	0.02338	0.019406	0.021001	0.00164422	0.002379	0.0015968	0.0018447	0.0017973	0.0010285	0.0011544
543	0.024651	0.021111	0.022503	0.00159902	0.002148	0.0015626	0.0017821	0.0017457	0.0009837	0.0010947

Via Oro
Unmitigated Operational Cancer Risk Summary

		<i>Operational Cancer Risk - by Route - From 710 @ Hughes Way</i>								
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Route A7
544	0.024634	0.021462	0.022687	0.00154447	0.001946	0.0015159	0.0017109	0.0016824	0.0009298	0.0010292
545	0.023075	0.020216	0.021306	0.00148283	0.001768	0.0014599	0.0016356	0.0016126	0.0008726	0.0009627
546	0.017526	0.015145	0.016031	0.00135505	0.001479	0.0013339	0.0014946	0.0014735	0.0007627	0.0008445
560	0.0181	0.012665	0.015018	0.00159261	0.003083	0.0014984	0.0018412	0.001747	0.0010156	0.0011909
561	0.018952	0.014255	0.01624	0.00156288	0.002712	0.0014927	0.0017903	0.0017202	0.0009901	0.0011384
562	0.01986	0.015746	0.017447	0.00152616	0.002413	0.0014745	0.0017339	0.0016822	0.0009561	0.0010825
563	0.020404	0.016769	0.018242	0.0014734	0.002161	0.0014393	0.0016559	0.0016218	0.0009114	0.0010149
564	0.020397	0.017141	0.018439	0.00143464	0.001958	0.001406	0.0016078	0.0015792	0.0008672	0.0009636
565	0.019445	0.01651	0.017664	0.00138697	0.001782	0.0013606	0.0015497	0.0015233	0.0008216	0.0009125
566	0.015554	0.013134	0.014067	0.00127391	0.001487	0.0012515	0.0014222	0.0013998	0.0007251	0.0008058
579	0.016549	0.010851	0.013368	0.00147796	0.003181	0.0013858	0.0017265	0.0016343	0.0009424	0.0011115
580	0.016895	0.012002	0.014118	0.00145211	0.002777	0.0013814	0.0016814	0.0016108	0.0009201	0.0010649
581	0.01734	0.013072	0.014881	0.00142121	0.00246	0.0013672	0.0016327	0.0015787	0.0008912	0.0010164
582	0.017608	0.013842	0.015408	0.00138457	0.0022	0.0013431	0.0015798	0.0015383	0.0008562	0.0009658
583	0.017452	0.014098	0.015471	0.00134321	0.001982	0.0013103	0.0015242	0.0014912	0.0008166	0.0009145
584	0.016719	0.013708	0.014923	0.00129704	0.001796	0.0012703	0.0014658	0.0014391	0.0007744	0.000863
585	0.014887	0.012294	0.013329	0.00119841	0.001559	0.0011846	0.0013506	0.0013368	0.0006997	0.0007669
598	0.015402	0.009406	0.012101	0.00137746	0.003301	0.001287	0.001625	0.0015346	0.0008788	0.0010422
599	0.015363	0.010253	0.012506	0.00135382	0.002857	0.0012836	0.0015837	0.0015135	0.0008588	0.0009996
600	0.015462	0.011031	0.012948	0.00132667	0.002514	0.0012719	0.0015402	0.0014854	0.0008335	0.0009562
601	0.015496	0.011602	0.013257	0.00129504	0.002238	0.001252	0.0014937	0.0014506	0.0008034	0.0009115
602	0.01528	0.011823	0.01327	0.00125918	0.00201	0.0012245	0.0014446	0.0014099	0.0007692	0.0008662
603	0.014703	0.011609	0.012886	0.00122001	0.001817	0.0011908	0.0013944	0.0013652	0.0007327	0.0008215
604	0.013749	0.010961	0.012098	0.00117721	0.001651	0.0011516	0.0013429	0.0013173	0.0006949	0.0007774

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>										
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI	Res
	0.003	0.055	0.005	0.013	0.013	0.069	0.078	0.248	0.025	School
	0.007	0.154	0.012	0.006	0.002	0.002	0.001	0.016	0.002	Worker
	0.010	0.014	0.015	0.011	0.007	0.005	0.002	0.020	0.007	
1	0.0003967	0.0008333	0.0006815	0.0009222	0.0005751	0.000834	0.0012898	0.0763101	0.0006759	
2	0.000414	0.0008717	0.0007184	0.0009915	0.0006307	0.0009254	0.001465	0.0864544	0.0007402	
3	0.0004322	0.0009116	0.0007578	0.0010683	0.0006948	0.0010332	0.0016812	0.0953031	0.0008139	
4	0.0004513	0.0009532	0.0008002	0.0011544	0.0007694	0.0011621	0.0019538	0.1027952	0.0008997	
5	0.0004716	0.0009966	0.0008458	0.0012511	0.000857	0.0013182	0.0023058	0.1086688	0.0010008	
6	0.0004932	0.0010423	0.0008956	0.0013613	0.0009618	0.0015114	0.0027773	0.1138546	0.0011224	
7	0.0005159	0.0010893	0.0009491	0.0014858	0.0010867	0.0017518	0.0034253	0.1172758	0.0012681	
8	0.0005398	0.0011372	0.0010063	0.0016258	0.0012364	0.0020555	0.0043542	0.1189477	0.0014434	
9	0.0005648	0.001186	0.0010676	0.0017845	0.0014176	0.0024477	0.0057733	0.1197836	0.0016582	
10	0.0005909	0.0012351	0.0011332	0.001964	0.0016382	0.0029647	0.0081316	0.1198151	0.0019239	
11	0.0006182	0.0012838	0.0012029	0.0021662	0.0019067	0.0036625	0.0125888	0.1188862	0.0022551	
12	0.0006465	0.0013314	0.0012768	0.0023928	0.0022321	0.0046299	0.0230189	0.1168872	0.0026706	
13	0.000676	0.0013779	0.0013551	0.002647	0.0026239	0.0060217	0.0217426	0.1143905	0.0031999	
14	0.0007063	0.0014218	0.001437	0.0029265	0.00308	0.0080899	0.0198568	0.1103937	0.0038624	
15	0.0007375	0.0014626	0.0015222	0.0032293	0.0035862	0.0112981	0.0398672	0.1051319	0.0046778	
16	0.0007691	0.0014991	0.0016091	0.0035455	0.0040949	0.0164479	0.0452654	0.0979463	0.0056152	
17	0.0008011	0.0015315	0.0016974	0.0038641	0.0045388	0.0240916	0.0393649	0.0899264	0.0066021	
18	0.0008327	0.0015584	0.0017837	0.0041559	0.004863	0.0308227	0.0429065	0.0807004	0.007422	
19	0.0008637	0.00158	0.0018663	0.0043954	0.0051001	0.0288875	0.0452829	0.071403	0.0080026	
20	0.0008937	0.0015965	0.0019424	0.0045618	0.0052876	0.0225356	0.0236472	0.0622075	0.0084221	
21	0.0009219	0.0016081	0.0020084	0.0046639	0.005404	0.0168829	0.0142843	0.0532292	0.0086664	
22	0.0009479	0.0016159	0.0020623	0.0047497	0.0054022	0.0126752	0.0095686	0.0449968	0.0086647	
23	0.0009711	0.0016208	0.0021018	0.0048506	0.0052436	0.0096382	0.0068846	0.0378009	0.0083489	
24	0.000991	0.0016245	0.0021269	0.0049519	0.0049306	0.0074447	0.0052125	0.0317871	0.0077446	
25	0.0010075	0.0016289	0.0021398	0.0050155	0.0045045	0.0058458	0.0040983	0.0268933	0.0069494	
26	0.0010202	0.0016353	0.0021455	0.005014	0.0040215	0.0046661	0.003317	0.0229453	0.0060782	

Via Oro
Unmitigated Operational Cancer Risk Summary

Operational Cancer Risk - by Source									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
27	0.0010292	0.0016451	0.0021506	0.0049418	0.0035319	0.0037836	0.0027462	0.0197646	0.0052267
28	0.0010347	0.0016586	0.0021613	0.0048068	0.0030704	0.0031148	0.002317	0.0171842	0.0044507
29	0.0010375	0.0016762	0.0021821	0.0046235	0.0026552	0.0025999	0.0019844	0.015085	0.003777
30	0.0010385	0.0016972	0.0022127	0.0044044	0.0022928	0.0021978	0.0017214	0.0133599	0.0032074
31	0.0010387	0.0017202	0.0022492	0.0041601	0.0019823	0.0018803	0.0015102	0.0119248	0.0027324
32	0.0010394	0.0017434	0.0022857	0.0039002	0.0017193	0.0016266	0.0013382	0.010718	0.0023393
55	0.0010435	0.0017941	0.0023698	0.0061764	0.0075826	0.0135349	0.0079088	0.0468481	0.0128696
56	0.0010716	0.0018008	0.002421	0.0063383	0.0069621	0.0097053	0.0058373	0.0377548	0.0115354
57	0.001096	0.0018072	0.0024538	0.0064354	0.0061677	0.0072138	0.0045131	0.0309069	0.009941
58	0.001116	0.0018146	0.0024704	0.0064056	0.0053178	0.0055266	0.0036096	0.0256912	0.0083097
59	0.0011312	0.0018246	0.0024787	0.0062503	0.0045076	0.004347	0.0029661	0.0216805	0.0068278
60	0.0011416	0.0018385	0.0024889	0.0060003	0.003789	0.0034975	0.0024884	0.0185626	0.0055769
61	0.0011483	0.0018574	0.0025105	0.005692	0.0031784	0.0028673	0.0021198	0.0161199	0.0045664
62	0.0011516	0.00188	0.0025443	0.0053471	0.0026726	0.0023918	0.0018319	0.0141548	0.0037602
63	0.0011531	0.0019055	0.0025871	0.0049842	0.0022587	0.0020243	0.0016009	0.0125594	0.0031239
64	0.0011541	0.0019316	0.0026308	0.0046142	0.0019219	0.0017362	0.0014135	0.011239	0.0026204
65	0.0011565	0.0019557	0.0026666	0.004246	0.0016481	0.0015071	0.0012595	0.0101316	0.00222
66	0.0011622	0.001976	0.0026885	0.0038895	0.0014237	0.0013193	0.0011288	0.0092063	0.0019012
67	0.0004251	0.0009222	0.0007336	0.0009883	0.0006073	0.0008577	0.0012815	0.2050198	0.0007043
68	0.0004454	0.0009705	0.0007771	0.0010696	0.0006707	0.0009557	0.0014553	0.1685134	0.0007754
69	0.0004669	0.0010215	0.0008245	0.0011615	0.0007451	0.0010728	0.0016702	0.2001591	0.0008584
70	0.0004899	0.0010753	0.000876	0.0012661	0.0008334	0.0012146	0.0019413	0.200936	0.0009565
71	0.0005141	0.0011313	0.0009317	0.0013849	0.0009389	0.0013878	0.002289	0.1965456	0.0010726
72	0.0005404	0.0011912	0.0009935	0.0015235	0.0010684	0.0016059	0.0027544	0.2241355	0.0012156
73	0.0005682	0.0012534	0.0010607	0.0016835	0.0012276	0.0018829	0.0033914	0.1497341	0.0013904
74	0.0005977	0.0013178	0.001134	0.0018693	0.0014266	0.0022427	0.0043024	0.2036666	0.0016078
75	0.0006289	0.0013841	0.0012138	0.0020865	0.0016796	0.0027231	0.0056818	0.2070906	0.0018834
76	0.000662	0.0014519	0.0013011	0.0023427	0.0020088	0.0033873	0.007948	0.2216872	0.0022422
77	0.0006972	0.0015206	0.0013964	0.0026463	0.0024464	0.0043435	0.0121407	0.1990132	0.0027218

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
78	0.0007344	0.0015897	0.0015005	0.0030088	0.0030414	0.0057876	0.0215847	0.2014061	0.0033878
79	0.000943	0.001881	0.0021338	0.0059878	0.0105421	0.0230278	0.0782595	0.1858946	0.0165048
80	0.0009874	0.0019205	0.0022752	0.006763	0.0120978	0.0265239	0.0536758	0.1516211	0.0215973
81	0.0010322	0.001953	0.0024161	0.0074499	0.013013	0.0688928	0.0255051	0.115473	0.0252021
82	0.0010755	0.0019771	0.0025479	0.0079096	0.0129502	0.0331487	0.0139554	0.0837047	0.0253081
83	0.0011171	0.001995	0.0026657	0.008217	0.0120678	0.0195809	0.0091334	0.0613167	0.0228458
84	0.0011555	0.0020071	0.0027606	0.0085132	0.0106619	0.0127987	0.0065881	0.0461157	0.0192168
85	0.0011901	0.0020169	0.0028298	0.0086831	0.0090049	0.0089253	0.005014	0.0359343	0.0154506
86	0.00122	0.0020264	0.002872	0.0085833	0.0073716	0.0065358	0.0039647	0.0288904	0.0120378
87	0.0012444	0.0020378	0.0028933	0.0082396	0.00594	0.0049781	0.0032291	0.02383	0.009261
88	0.0012629	0.0020531	0.0029078	0.0077512	0.0047695	0.0039115	0.0026883	0.0200928	0.0071488
89	0.0012756	0.0020729	0.0029297	0.0071997	0.0038466	0.0031561	0.0022804	0.0172361	0.00558
90	0.0012832	0.0020973	0.0029668	0.0066346	0.0031309	0.0026009	0.0019622	0.015009	0.0044254
91	0.0012876	0.0021256	0.0030178	0.0060797	0.0025767	0.0021793	0.0017069	0.0132447	0.003572
92	0.0012897	0.0021545	0.0030701	0.005539	0.0021471	0.001857	0.0015028	0.0117942	0.0029282
93	0.0012926	0.0021821	0.0031134	0.0050242	0.0018096	0.0016005	0.0013331	0.0106067	0.0024396
96	0.0012685	0.002298	0.0031901	0.0126528	0.0089829	0.0051552	0.0030387	0.0261784	0.0135771
97	0.0012622	0.002333	0.0032794	0.011524	0.0066111	0.00393	0.0025065	0.0215218	0.0097413
98	0.0014208	0.0023322	0.0034779	0.0094199	0.0046986	0.0034739	0.0024704	0.0184508	0.0068717
99	0.0014366	0.0023594	0.003521	0.0084535	0.0036747	0.0028266	0.0021107	0.0159644	0.0052159
100	0.0014462	0.0023903	0.0035816	0.007572	0.0029358	0.0023517	0.0018298	0.0139977	0.004073
101	0.0014514	0.0024226	0.0036465	0.0067667	0.0023919	0.0019908	0.0016041	0.0124148	0.003262
102	0.0014551	0.002453	0.0036964	0.0060301	0.0019796	0.0017046	0.0014162	0.0111373	0.0026723
106	0.0004319	0.0009633	0.0007381	0.0009617	0.0005652	0.0007708	0.0010948	0.1224727	0.0006529
107	0.0004542	0.0010209	0.0007851	0.0010439	0.0006247	0.0008567	0.001232	0.146831	0.000716
108	0.0004777	0.0010816	0.0008359	0.0011361	0.0006925	0.0009549	0.0013913	0.1414885	0.00079
109	0.000503	0.0011465	0.0008916	0.0012416	0.000773	0.0010725	0.0015861	0.1363276	0.0008768
110	0.0005302	0.0012161	0.0009532	0.0013636	0.0008697	0.0012152	0.0018278	0.1367842	0.0009805
111	0.0005592	0.0012897	0.0010206	0.0015045	0.0009867	0.0013899	0.002131	0.2175634	0.0011038

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
112	0.0005911	0.0013698	0.0010966	0.0016723	0.0011331	0.0016107	0.0025253	0.1332299	0.0012579
113	0.0006251	0.0014537	0.0011802	0.0018694	0.0013161	0.0018911	0.0030411	0.1331136	0.0014469
114	0.0006617	0.0015423	0.0012734	0.0021054	0.0015516	0.0022579	0.0037372	0.1409404	0.0016865
115	0.0007009	0.0016346	0.0013768	0.0023895	0.0018612	0.0027497	0.0047003	0.2105068	0.0019947
116	0.0007427	0.0017295	0.0014913	0.0027349	0.0022801	0.0034308	0.006075	0.1241059	0.0024007
117	0.0007882	0.0018291	0.001621	0.0031685	0.0028787	0.0044306	0.0081612	0.1277676	0.0029681
118	0.0008368	0.0019297	0.0017657	0.0037143	0.003772	0.0059735	0.011424	0.2055244	0.0037846
124	0.0004451	0.0010102	0.0007602	0.0009807	0.0005683	0.000766	0.0010717	0.1620848	0.0006513
125	0.0004686	0.001073	0.0008096	0.0010651	0.0006266	0.0008474	0.0011967	0.2478524	0.0007146
126	0.0004938	0.0011409	0.000864	0.0011617	0.0006951	0.0009436	0.0013462	0.2314207	0.0007883
127	0.0005211	0.0012142	0.0009242	0.001273	0.0007765	0.0010585	0.0015272	0.2239964	0.0008752
128	0.0005507	0.0012936	0.0009909	0.0014024	0.0008745	0.0011974	0.0017489	0.2231234	0.0009785
129	0.0005824	0.0013783	0.0010647	0.0015529	0.0009934	0.0013671	0.0020229	0.2202696	0.001102
130	0.0006173	0.0014709	0.0011482	0.0017332	0.0011422	0.0015804	0.0023712	0.2151628	0.0012554
131	0.0006549	0.0015695	0.0012412	0.0019478	0.0013296	0.0018506	0.0028157	0.2091956	0.0014447
132	0.0006957	0.0016746	0.0013458	0.0022076	0.0015716	0.0022013	0.0033943	0.2058545	0.0016846
133	0.0007397	0.001785	0.0014629	0.0025246	0.0018917	0.0026682	0.0041616	0.2012424	0.0019927
134	0.0007877	0.001902	0.0015961	0.0029215	0.0023323	0.0033121	0.0052069	0.2000099	0.002406
135	0.0008392	0.0020224	0.0017461	0.003422	0.0029616	0.0042339	0.0066669	0.1982289	0.00297
136	0.0008948	0.0021455	0.0019161	0.0040686	0.0039146	0.0056252	0.008719	0.199334	0.0037773
137	0.0009543	0.0022678	0.0021078	0.0049196	0.0054696	0.0078716	0.011355	0.201422	0.0049867
138	0.0010189	0.0023908	0.0023282	0.0060939	0.0083708	0.0119542	0.0140485	0.208397	0.0069956
141	0.0004579	0.0010572	0.0007806	0.0009942	0.0005665	0.0007547	0.0010403	0.1475097	0.0006469
142	0.0004829	0.001127	0.000833	0.0010815	0.0006244	0.0008337	0.0011574	0.1471134	0.0007094
143	0.00051	0.0012029	0.0008911	0.0011816	0.0006925	0.0009267	0.0012961	0.1443958	0.0007821
144	0.0005394	0.0012858	0.0009556	0.0012976	0.0007735	0.0010374	0.0014621	0.1428001	0.0008676
145	0.0005713	0.0013761	0.0010277	0.0014328	0.0008708	0.0011706	0.0016624	0.1422918	0.0009691
146	0.0006059	0.0014737	0.0011079	0.0015914	0.0009889	0.0013325	0.0019057	0.1409577	0.0010903
147	0.000644	0.0015812	0.0011991	0.001782	0.0011363	0.0015344	0.0022079	0.1401792	0.0012401

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
148	0.0006854	0.0016968	0.0013016	0.0020106	0.0013217	0.0017876	0.002583	0.1384432	0.0014243
149	0.0007306	0.0018214	0.0014178	0.0022899	0.0015607	0.0021127	0.0030562	0.1370414	0.0016565
150	0.0007799	0.0019545	0.0015499	0.0026354	0.0018765	0.0025392	0.0036614	0.1353952	0.0019543
151	0.0008339	0.0020961	0.0017011	0.0030719	0.0023082	0.0031147	0.0044496	0.1342751	0.0023476
152	0.0008927	0.0022447	0.0018745	0.0036342	0.0029219	0.0039164	0.0054904	0.1335633	0.0028814
153	0.0009568	0.0023985	0.0020743	0.0043769	0.0038409	0.0050798	0.0068459	0.1335199	0.0036324
154	0.001026	0.0025527	0.0023034	0.0053816	0.0053119	0.0068639	0.0084723	0.1328275	0.0047236
155	0.0011012	0.0027068	0.00257	0.0068083	0.0079192	0.0098156	0.0100863	0.1332206	0.0064272
164	0.001103	0.0028947	0.0025087	0.0057334	0.004852	0.0058049	0.0065797	0.0967973	0.0043251
165	0.0011912	0.0030927	0.0028303	0.0073694	0.006883	0.0078179	0.0076154	0.0955746	0.0056842
166	0.0012887	0.0032893	0.0032174	0.0099208	0.0105393	0.0110789	0.0083865	0.0948769	0.007815
178	0.0011849	0.0033093	0.0027173	0.0059241	0.0042754	0.0048625	0.005266	0.0745264	0.0038759
179	0.0012889	0.0035706	0.0031022	0.0076833	0.0057712	0.0062394	0.0059661	0.073086	0.0049327
180	0.0014051	0.0038319	0.0035767	0.0104666	0.0081678	0.0082288	0.0064967	0.0714856	0.0064751
192	0.0012715	0.0038194	0.0029214	0.0059341	0.003704	0.0040831	0.0043154	0.0597089	0.0034357
193	0.0013941	0.0041734	0.0033754	0.0077014	0.0047902	0.0050451	0.0048075	0.0583713	0.0042519
194	0.0015321	0.0045271	0.0039442	0.0104641	0.006371	0.0063106	0.0051848	0.0565036	0.0053626
207	0.0013608	0.0044511	0.0031083	0.0057663	0.0031879	0.0034548	0.0036042	0.0491239	0.0030268
208	0.0015041	0.0049387	0.0036287	0.0074154	0.0039766	0.0041415	0.003961	0.0478607	0.0036518
209	0.0016689	0.0054384	0.0042969	0.0099419	0.0050474	0.0049811	0.0042374	0.0462044	0.0044675
223	0.0014514	0.0052451	0.0032672	0.005464	0.0027447	0.0029509	0.0030578	0.041306	0.0026648
224	0.0016175	0.0059346	0.0038468	0.0069162	0.0033247	0.0034515	0.0033233	0.0401538	0.0031462
225	0.0018113	0.0066537	0.0046003	0.0090468	0.0040668	0.0040284	0.0035309	0.0386268	0.0037464
239	0.0015407	0.0062575	0.0033887	0.0050819	0.0023735	0.0025446	0.0026288	0.0353601	0.0023526
240	0.0017315	0.0072664	0.0040153	0.00631	0.0028071	0.0029164	0.0028308	0.0343315	0.0027278
241	0.0019592	0.0083658	0.0048435	0.0080451	0.0033385	0.0033264	0.0029902	0.0330395	0.0031832
255	0.0016245	0.0075537	0.0034636	0.0046624	0.0020644	0.0022135	0.0022855	0.0306765	0.0020843
256	0.0018406	0.0090946	0.0041206	0.0056748	0.0023942	0.0024948	0.0024423	0.0297754	0.0023805
272	0.0016975	0.0092019	0.0034867	0.0042389	0.0018074	0.0019418	0.0020068	0.0268986	0.0018544

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
273	0.0019383	0.0116911	0.0041566	0.0050643	0.0020621	0.0021572	0.0021301	0.0261341	0.0020919
289	0.0017553	0.0112323	0.003461	0.0038368	0.0015931	0.0017156	0.0017767	0.023831	0.001659
290	0.0020165	0.0154808	0.0041216	0.0045035	0.0017921	0.0018833	0.0018753	0.0231627	0.0018503
306	0.0017924	0.0133685	0.0033883	0.0034643	0.0014133	0.0015264	0.001585	0.021281	0.0014912
307	0.002068	0.020802	0.004021	0.0040035	0.0015706	0.0016584	0.0016648	0.0207012	0.0016469
323	0.0018065	0.0146905	0.003276	0.0031272	0.0012615	0.0013667	0.0014238	0.0191379	0.0013467
324	0.0020883	0.0254771	0.0038651	0.003565	0.0013871	0.0014721	0.0014891	0.0186341	0.0014742
342	0.0017981	0.0142689	0.0031338	0.0028267	0.0011323	0.0012307	0.0012865	0.0173193	0.0012216
343	0.0020775	0.0238568	0.0036689	0.0031844	0.0012333	0.0013157	0.0013405	0.0168809	0.0013269
344	0.0024336	0.0549993	0.0043565	0.003603	0.0013397	0.0014	0.0013864	0.0163477	0.0014378
356	0.0017697	0.0126338	0.002971	0.0025609	0.0010217	0.0011144	0.0011691	0.0157578	0.0011127
357	0.0020394	0.0190226	0.003447	0.0028553	0.0011046	0.0011844	0.0012148	0.0153711	0.0012
358	0.0023817	0.0320991	0.0040484	0.0031935	0.0011893	0.0012521	0.0012529	0.0149126	0.0012909
370	0.001726	0.0107945	0.0027971	0.0023271	0.0009263	0.0010138	0.0010675	0.0144096	0.0010174
371	0.001981	0.0149387	0.0032139	0.0025712	0.0009944	0.0010718	0.0011062	0.0140703	0.0010904
372	0.0023016	0.0215864	0.0037304	0.0028468	0.0010632	0.0011273	0.0011386	0.0136701	0.0011654
383	0.0016711	0.0091585	0.0026188	0.0021214	0.0008436	0.0009265	0.0009792	0.0132346	0.0009337
384	0.0019083	0.0119293	0.0029796	0.0023254	0.0009	0.0009748	0.0010122	0.0129371	0.0009951
385	0.0022026	0.0158029	0.0034178	0.0025518	0.0009564	0.001021	0.0010401	0.0125862	0.0010575
396	0.0016085	0.0077973	0.0024418	0.0019405	0.0007714	0.0008502	0.0009018	0.012205	0.0008598
397	0.0018259	0.0097174	0.0027514	0.002112	0.0008185	0.0008908	0.0009302	0.0119433	0.0009117
398	0.0020914	0.0121816	0.0031206	0.0022993	0.0008652	0.0009297	0.0009544	0.0116345	0.000964
399	0.0024193	0.0149556	0.0035651	0.0025006	0.00091	0.0009651	0.0009726	0.0112803	0.0010155
411	0.0015403	0.0066844	0.00227	0.0017808	0.0007081	0.0007832	0.0008337	0.011296	0.0007943
412	0.0017368	0.0080589	0.0025347	0.0019258	0.0007478	0.0008177	0.0008584	0.0110653	0.0008384
413	0.001973	0.0097251	0.0028455	0.0020819	0.0007864	0.0008502	0.0008791	0.0107956	0.0008826
414	0.0022583	0.0115427	0.0032124	0.0022471	0.0008241	0.0008806	0.0008955	0.0104815	0.0009258
426	0.0014685	0.0057765	0.002107	0.0016395	0.0006523	0.0007239	0.0007734	0.0104907	0.000736
427	0.001644	0.006789	0.0023332	0.0017627	0.0006858	0.0007533	0.0007948	0.0102873	0.0007737

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
428	0.0018509	0.0079659	0.0025948	0.0018935	0.0007189	0.0007816	0.0008134	0.0100455	0.0008112
429	0.0020967	0.0092218	0.0028996	0.0020303	0.0007502	0.0008073	0.0008278	0.00977	0.0008478
439	0.0013943	0.005032	0.0019545	0.0015139	0.000603	0.0006714	0.0007197	0.0097719	0.0006838
440	0.0015495	0.005796	0.0021484	0.0016191	0.0006315	0.0006968	0.0007385	0.0095923	0.0007163
441	0.0017297	0.0066576	0.0023702	0.0017295	0.0006595	0.0007209	0.0007548	0.0093793	0.0007485
442	0.00194	0.0075604	0.002625	0.0018435	0.000686	0.0007431	0.0007676	0.0091346	0.0007797
443	0.0021872	0.0084065	0.0029186	0.0019586	0.0007101	0.000762	0.000776	0.0088604	0.0008091
454	0.0013193	0.0044178	0.0018138	0.001402	0.0005591	0.0006246	0.0006718	0.0091287	0.0006371
455	0.0014556	0.0050065	0.0019808	0.0014922	0.0005835	0.0006465	0.0006883	0.0089698	0.0006652
456	0.0016117	0.0056543	0.0021699	0.0015858	0.0006073	0.0006674	0.0007027	0.0087809	0.0006929
457	0.0017916	0.0063239	0.0023846	0.0016815	0.00063	0.0006866	0.0007142	0.0085635	0.0007197
458	0.002	0.0069521	0.002628	0.0017773	0.0006507	0.0007032	0.0007219	0.0083195	0.000745
469	0.001245	0.003907	0.0016851	0.0013018	0.0005199	0.0005828	0.0006288	0.0085494	0.0005951
470	0.0013643	0.0043687	0.0018296	0.0013795	0.0005411	0.000602	0.0006435	0.008408	0.0006195
471	0.0014996	0.0048676	0.0019919	0.0014594	0.0005616	0.0006202	0.0006563	0.0082403	0.0006435
472	0.0016537	0.0053766	0.0021738	0.0015404	0.0005811	0.000637	0.0006667	0.0080464	0.0006667
473	0.0018304	0.0058535	0.002377	0.0016208	0.000599	0.0006515	0.0006739	0.0078287	0.0006885
489	0.0011729	0.0034792	0.001568	0.001212	0.0004847	0.000545	0.0005899	0.0080276	0.0005572
490	0.0012773	0.0038467	0.0016939	0.0012791	0.0005031	0.0005618	0.000603	0.0079024	0.0005785
491	0.0013948	0.0042374	0.0018338	0.0013475	0.0005209	0.0005779	0.0006145	0.0077527	0.0005994
492	0.0015275	0.0046321	0.0019887	0.0014164	0.0005378	0.0005926	0.0006239	0.0075797	0.0006196
493	0.0016783	0.0050013	0.0021592	0.0014844	0.0005531	0.0006054	0.0006304	0.007385	0.0006386
494	0.0018503	0.0053098	0.0023445	0.0015498	0.0005664	0.0006155	0.0006337	0.0071705	0.0006559
509	0.0011037	0.0031175	0.0014617	0.001131	0.0004532	0.0005112	0.0005548	0.0075535	0.0005228
510	0.0011954	0.0034142	0.0015718	0.0011892	0.0004692	0.000526	0.0005666	0.0074425	0.0005416
511	0.0012979	0.0037258	0.0016931	0.0012483	0.0004848	0.0005402	0.000577	0.0073082	0.0005599
512	0.0014129	0.0040372	0.0018258	0.0013072	0.0004995	0.0005532	0.0005855	0.0071535	0.0005775
513	0.0015422	0.004327	0.0019693	0.001365	0.0005128	0.0005645	0.0005915	0.0069798	0.0005942
514	0.0016885	0.0045719	0.0021232	0.0014207	0.0005245	0.0005736	0.0005948	0.0067867	0.0006093

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
515	0.0020366	0.0048277	0.0024482	0.001516	0.0005389	0.0005819	0.0005911	0.0063552	0.0006321
516	0.0022362	0.0048072	0.0026068	0.0015492	0.00054	0.0005797	0.0005835	0.0061229	0.000638
517	0.0024513	0.0046881	0.0027527	0.0015692	0.0005368	0.0005734	0.0005727	0.0058821	0.0006392
518	0.0026726	0.0044782	0.00287	0.0015726	0.0005289	0.0005628	0.0005586	0.0056376	0.0006352
519	0.0028872	0.0041956	0.0029416	0.0015579	0.0005164	0.0005483	0.0005419	0.0053926	0.0006258
528	0.0010384	0.0028096	0.0013653	0.0010579	0.0004247	0.0004805	0.0005231	0.0071226	0.0004917
529	0.0011192	0.003052	0.0014621	0.0011086	0.0004388	0.0004936	0.0005336	0.0070238	0.0005082
530	0.0012091	0.0033032	0.0015675	0.0011597	0.0004524	0.0005062	0.000543	0.0069043	0.0005243
531	0.0013093	0.0035527	0.0016815	0.0012105	0.0004654	0.0005178	0.0005508	0.0067652	0.0005398
532	0.0014212	0.0037845	0.0018034	0.0012602	0.0004772	0.000528	0.0005564	0.0066087	0.0005545
533	0.0015461	0.0039808	0.0019316	0.0013078	0.0004874	0.0005361	0.0005595	0.0064352	0.0005679
534	0.0018364	0.004194	0.0021965	0.001389	0.0005003	0.0005439	0.0005568	0.0060464	0.0005882
535	0.0019999	0.0041869	0.0023246	0.001418	0.0005017	0.0005425	0.0005506	0.0058352	0.0005937
536	0.0021738	0.0041031	0.0024428	0.0014364	0.0004996	0.0005377	0.0005415	0.0056162	0.0005952
537	0.0023478	0.0039427	0.0025365	0.0014404	0.000493	0.0005287	0.0005292	0.0053937	0.0005922
538	0.0025145	0.003722	0.0025956	0.0014293	0.0004826	0.0005162	0.0005144	0.0051701	0.0005846
547	0.0009772	0.0025454	0.0012779	0.0009916	0.0003989	0.0004527	0.0004941	0.0067297	0.0004633
548	0.0010488	0.0027453	0.0013631	0.001036	0.0004113	0.0004644	0.0005036	0.0066418	0.0004779
549	0.0011281	0.0029508	0.0014551	0.0010805	0.0004234	0.0004756	0.0005122	0.0065343	0.0004922
550	0.0012158	0.0031523	0.0015532	0.0011244	0.0004347	0.0004859	0.0005192	0.0064103	0.0005059
551	0.001313	0.00334	0.001657	0.0011673	0.0004452	0.0004951	0.0005245	0.0062689	0.0005189
552	0.0014203	0.0034995	0.0017647	0.0012083	0.0004543	0.0005024	0.0005275	0.0061126	0.0005308
553	0.001538	0.003617	0.0018746	0.0012461	0.0004614	0.0005075	0.0005281	0.005942	0.000541
554	0.0016645	0.0036794	0.0019833	0.0012784	0.000466	0.0005098	0.0005258	0.0057603	0.000549
555	0.0017999	0.0036817	0.0020885	0.0013041	0.0004677	0.0005091	0.0005207	0.0055683	0.0005541
556	0.001942	0.0036225	0.0021854	0.001321	0.0004663	0.0005054	0.000513	0.0053685	0.0005559
557	0.0020808	0.0034994	0.0022616	0.0013253	0.000461	0.0004978	0.0005023	0.0051656	0.0005537
558	0.0022148	0.0033279	0.0023127	0.0013178	0.0004524	0.0004873	0.0004894	0.0049604	0.0005476
559	0.00233	0.0031164	0.0023267	0.0012965	0.0004405	0.0004739	0.0004745	0.0047567	0.0005375

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
567	0.0009204	0.0023171	0.0011983	0.0009314	0.0003756	0.0004274	0.0004677	0.0063698	0.0004374
568	0.0009841	0.0024838	0.0012736	0.0009704	0.0003866	0.0004379	0.0004764	0.0062914	0.0004504
569	0.0010543	0.0026531	0.001354	0.0010093	0.0003973	0.0004479	0.0004841	0.0061957	0.0004631
570	0.0011315	0.0028188	0.001439	0.0010476	0.0004074	0.0004572	0.0004906	0.0060834	0.0004753
571	0.0012164	0.002972	0.0015277	0.0010849	0.0004167	0.0004654	0.0004955	0.0059563	0.0004869
572	0.0013091	0.0031031	0.0016188	0.0011205	0.0004248	0.0004721	0.0004985	0.0058146	0.0004975
573	0.0014094	0.0032011	0.0017108	0.0011532	0.0004312	0.0004769	0.0004992	0.0056604	0.0005067
574	0.0016285	0.0032635	0.0018881	0.0012041	0.0004372	0.0004789	0.0004933	0.0053206	0.0005187
575	0.0017449	0.0032212	0.0019679	0.0012193	0.0004363	0.0004759	0.0004867	0.0051381	0.0005206
576	0.00186	0.0031294	0.0020331	0.0012248	0.0004323	0.0004699	0.0004776	0.0049516	0.0005191
577	0.0019679	0.0029938	0.0020765	0.0012195	0.0004252	0.000461	0.0004663	0.0047633	0.0005142
578	0.0020612	0.0028239	0.0020913	0.0012027	0.000415	0.0004494	0.0004531	0.0045755	0.0005058
586	0.0008678	0.0021185	0.0011258	0.0008766	0.0003542	0.0004041	0.0004434	0.0060408	0.0004137
587	0.0009247	0.0022579	0.0011923	0.0009109	0.000364	0.0004135	0.0004513	0.0059711	0.0004253
588	0.0009871	0.002399	0.0012628	0.000945	0.0003735	0.0004226	0.0004584	0.0058848	0.0004366
589	0.0010553	0.002536	0.0013366	0.0009785	0.0003825	0.000431	0.0004644	0.0057839	0.0004476
590	0.0011295	0.0026627	0.0014126	0.0010111	0.0003908	0.0004385	0.0004689	0.0056686	0.0004579
591	0.0012097	0.0027713	0.00149	0.0010421	0.0003981	0.0004445	0.0004718	0.0055404	0.0004674
592	0.0012956	0.0028538	0.0015674	0.0010707	0.0004039	0.000449	0.0004727	0.0054001	0.0004757
593	0.0014801	0.0029131	0.001716	0.0011157	0.0004098	0.0004514	0.000468	0.0050901	0.0004867
594	0.0015768	0.0028839	0.001783	0.0011297	0.0004093	0.0004491	0.0004624	0.0049233	0.0004887
595	0.0016704	0.0028123	0.0018372	0.001135	0.000406	0.000444	0.0004544	0.0047524	0.0004878
596	0.0017582	0.0027045	0.0018744	0.0011314	0.0004	0.0004363	0.0004444	0.0045795	0.0004838
597	0.0018352	0.0025677	0.0018897	0.0011183	0.0003915	0.0004264	0.0004328	0.0044057	0.0004767
345	0.0029006	0.1241727	0.0052646	0.004091	0.0014444	0.0014763	0.001418	0.0157366	0.0015517
346	0.0035314	0.1479544	0.0064989	0.0046484	0.0015411	0.0015388	0.0014325	0.0150408	0.0016633
347	0.0044197	0.153955	0.008247	0.0052602	0.0016184	0.0015782	0.0014265	0.0142721	0.0017648
348	0.0057362	0.1537916	0.0108563	0.0058796	0.0016649	0.0015873	0.001399	0.013442	0.0018454
359	0.0028264	0.0513282	0.0048244	0.0035783	0.0012719	0.0013136	0.0012799	0.0143847	0.0013829

Via Oro
Unmitigated Operational Cancer Risk Summary

Operational Cancer Risk - by Source									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
360	0.0034192	0.0636529	0.005847	0.004005	0.0013466	0.0013632	0.0012924	0.0137914	0.001472
361	0.0042406	0.0686221	0.0072446	0.0044624	0.0014087	0.0013972	0.0012899	0.0131268	0.0015527
362	0.0054152	0.0699927	0.009204	0.0049104	0.001446	0.0014065	0.0012688	0.0124164	0.0016168
363	0.0072218	0.0694243	0.0121451	0.0053027	0.0014549	0.0013912	0.0012326	0.0116631	0.0016565
373	0.003251	0.0367782	0.0052149	0.0034871	0.0011901	0.0012194	0.0011743	0.0126924	0.0013127
374	0.0039732	0.0403713	0.0063032	0.0038338	0.0012388	0.0012472	0.0011729	0.0121226	0.0013777
375	0.004971	0.0416223	0.0077575	0.0041681	0.00127	0.001257	0.0011572	0.0115073	0.0014297
376	0.0064144	0.0413435	0.0097806	0.004458	0.0012791	0.0012469	0.0011282	0.0108573	0.0014629
386	0.0030482	0.0243563	0.0046288	0.0030626	0.0010596	0.0010977	0.0010719	0.0117325	0.0011785
387	0.0036668	0.0268751	0.0054763	0.0033318	0.0010996	0.0011217	0.0010721	0.0112361	0.0012317
388	0.0044857	0.0279219	0.0065584	0.0035871	0.0011256	0.0011312	0.0010602	0.0107013	0.0012746
389	0.0056093	0.0278409	0.0079786	0.0038073	0.0011347	0.0011251	0.0010373	0.010135	0.0013027
390	0.0072031	0.0267819	0.0098469	0.0039591	0.0011239	0.0011023	0.0010042	0.0095509	0.0013114
400	0.0028293	0.0174757	0.0041061	0.0027115	0.0009505	0.0009945	0.0009831	0.0108843	0.0010645
401	0.0033445	0.0192326	0.0047649	0.002922	0.0009827	0.0010145	0.0009837	0.0104526	0.0011084
402	0.0040103	0.0200937	0.0055877	0.0031236	0.0010057	0.0010245	0.0009756	0.0099819	0.0011444
403	0.0048747	0.020115	0.0066023	0.0032928	0.0010141	0.0010206	0.0009569	0.0094874	0.0011683
404	0.0060311	0.0194058	0.0078389	0.0034107	0.0010065	0.001003	0.0009293	0.0089762	0.0011769
415	0.0026069	0.0132254	0.00365	0.0024177	0.0008577	0.0009057	0.0009051	0.0101329	0.0009668
416	0.0030361	0.0144808	0.0041739	0.0025873	0.0008853	0.0009237	0.0009071	0.0097509	0.0010037
417	0.0035665	0.0151506	0.0047983	0.0027451	0.0009042	0.0009324	0.0009005	0.0093396	0.0010339
418	0.0042464	0.0152562	0.0055533	0.0028821	0.0009133	0.0009315	0.0008865	0.0089007	0.0010548
419	0.0051128	0.0148084	0.006415	0.0029777	0.0009093	0.0009189	0.0008644	0.0084461	0.0010633
420	0.0061901	0.0137851	0.0072736	0.0030111	0.0008888	0.0008925	0.000833	0.0079961	0.0010566
430	0.0027436	0.0113053	0.0036735	0.0023065	0.0008015	0.0008444	0.0008388	0.0091258	0.0009136
431	0.0031753	0.011841	0.0041639	0.0024353	0.0008188	0.0008535	0.0008349	0.0087584	0.0009395
432	0.0037048	0.01196	0.0047248	0.0025443	0.0008269	0.0008535	0.0008234	0.0083712	0.0009576
433	0.0043594	0.0116711	0.0053379	0.0026221	0.0008245	0.0008438	0.0008048	0.0079699	0.0009657
434	0.0051597	0.0109954	0.0059416	0.0026567	0.0008105	0.0008242	0.0007798	0.0075636	0.000962

Via Oro
Unmitigated Operational Cancer Risk Summary

Operational Cancer Risk - by Source									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
444	0.0024797	0.0090833	0.003256	0.0020711	0.0007303	0.0007762	0.000779	0.0085598	0.0008358
445	0.0028286	0.0095022	0.0036388	0.0021751	0.0007446	0.0007839	0.0007757	0.0082369	0.0008579
446	0.0032483	0.0096239	0.0040655	0.0022643	0.0007523	0.0007849	0.0007666	0.0078923	0.0008737
447	0.0037517	0.0094424	0.004515	0.0023288	0.0007514	0.0007778	0.0007514	0.0075342	0.0008814
448	0.0043454	0.0089738	0.0049451	0.0023598	0.0007408	0.0007623	0.0007303	0.0071708	0.0008795
459	0.0025287	0.0077954	0.0032062	0.0019562	0.0006808	0.0007231	0.000723	0.007763	0.000787
460	0.0028648	0.0079098	0.0035347	0.0020297	0.0006877	0.0007246	0.0007157	0.0074563	0.000801
461	0.0032578	0.0077964	0.0038718	0.0020836	0.0006876	0.0007192	0.0007029	0.0071369	0.0008082
462	0.0037065	0.0074664	0.0041877	0.0021112	0.0006796	0.0007068	0.0006851	0.0068105	0.0008074
463	0.0041922	0.0069472	0.0044336	0.0021064	0.0006637	0.0006876	0.0006627	0.0064834	0.0007979
474	0.0022693	0.006511	0.0028446	0.0017697	0.000625	0.0006693	0.0006756	0.0073326	0.000725
475	0.0025408	0.0066144	0.0031011	0.0018309	0.0006313	0.0006711	0.0006697	0.0070582	0.0007374
476	0.002853	0.0065486	0.0033608	0.001877	0.0006321	0.0006674	0.0006593	0.0067705	0.0007442
477	0.0031971	0.0063129	0.0035983	0.0019013	0.0006259	0.0006573	0.000644	0.0064773	0.0007443
478	0.0035639	0.0059331	0.0037859	0.0019003	0.0006133	0.0006416	0.0006249	0.0061812	0.0007371
495	0.0020464	0.0055229	0.0025417	0.0016101	0.0005764	0.000622	0.0006332	0.0069382	0.0006705
496	0.0022679	0.0056146	0.0027447	0.0016615	0.0005821	0.0006239	0.0006284	0.0066921	0.0006815
497	0.0025171	0.0055774	0.0029468	0.0017007	0.0005832	0.0006212	0.0006196	0.0064336	0.0006878
498	0.0027878	0.0054107	0.0031315	0.0017229	0.0005788	0.0006132	0.0006068	0.0061682	0.0006886
499	0.0030695	0.0051288	0.0032777	0.0017243	0.0005687	0.0006002	0.0005903	0.0058996	0.0006832
500	0.0033437	0.0047569	0.0033609	0.0017031	0.0005533	0.0005827	0.0005709	0.0056321	0.0006714
139	9.981E-05	0.0002301	0.0002364	0.0007102	0.0013721	0.0019096	0.0014589	0.0196954	0.0009701
140	0.0001065	0.0002399	0.0002621	0.0009346	0.003609	0.0046575	0.0015017	0.0130641	0.0016725
156	0.0001086	0.0002623	0.0002645	0.0008212	0.0012207	0.0014069	0.0010331	0.0123853	0.0008534
157	0.0001166	0.0002749	0.0002974	0.0011319	0.0025187	0.0025012	0.0010675	0.0124214	0.0013298
158	0.0001251	0.0002863	0.0003356	0.0016864	0.0058537	0.0039046	0.0010195	0.0120531	0.0023103
159	0.0001341	0.000296	0.000379	0.0028653	0.0068366	0.0032635	0.0008991	0.0099237	0.0041411
160	0.0001434	0.0003037	0.0004273	0.0069298	0.0022732	0.0020041	0.0007422	0.0066779	0.0070594
161	0.0001623	0.000315	0.000532	0.0070404	0.0026965	0.0008246	0.000456	0.0033004	0.0049763

Via Oro
Unmitigated Operational Cancer Risk Summary

Operational Cancer Risk - by Source									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
162	0.0001714	0.0003193	0.0005782	0.0037357	0.0012741	0.0005863	0.0003614	0.0026034	0.0020165
163	0.0001797	0.0003233	0.0006105	0.0025728	0.0007759	0.0004431	0.0002951	0.0021365	0.0011466
167	0.0001278	0.0003181	0.000337	0.0012942	0.0016153	0.0014894	0.0007966	0.0083795	0.0010242
168	0.0001385	0.0003339	0.0003887	0.002052	0.002774	0.001951	0.0007708	0.0079656	0.0015795
169	0.0001496	0.0003467	0.0004496	0.0038609	0.0041443	0.001876	0.0006996	0.0067484	0.002404
170	0.0001614	0.0003573	0.0005216	0.0040266	0.0051319	0.0014071	0.0005994	0.0051558	0.0035025
171	0.0001735	0.0003658	0.0006046	0.0059973	0.0038847	0.0009791	0.0004931	0.0038132	0.0045079
172	0.0001858	0.0003731	0.0006952	0.0075722	0.0017603	0.0006877	0.0003976	0.0029305	0.0029484
173	0.0001976	0.0003793	0.0007792	0.0042221	0.0009438	0.0005049	0.0003225	0.0023585	0.0015126
174	0.0002087	0.0003852	0.0008408	0.0029893	0.0006138	0.0003883	0.0002665	0.001966	0.000917
175	0.0002185	0.0003909	0.0008767	0.0023224	0.0004387	0.0003095	0.0002247	0.0016795	0.0006305
176	0.0002265	0.0003963	0.0009082	0.0018617	0.000332	0.0002537	0.0001927	0.0014599	0.0004661
177	0.0002325	0.000401	0.0009268	0.0014877	0.0002618	0.0002126	0.0001677	0.0012854	0.0003608
181	0.0001537	0.000395	0.0004496	0.002276	0.001618	0.0012011	0.0006037	0.0058603	0.0011204
182	0.0001676	0.0004126	0.0005344	0.0045411	0.0021473	0.0012084	0.000559	0.0051042	0.0015386
183	0.0001827	0.0004276	0.0006433	0.0051592	0.002401	0.0010167	0.0004932	0.0041603	0.002001
184	0.0001984	0.0004399	0.0007814	0.0072381	0.0020036	0.0007774	0.0004194	0.0032809	0.0022389
185	0.0002147	0.0004507	0.0009517	0.0080826	0.0012588	0.0005801	0.0003488	0.002617	0.0018139
186	0.0002308	0.0004599	0.0011357	0.0051258	0.000764	0.0004401	0.0002892	0.0021493	0.0011713
187	0.0002458	0.000468	0.0012774	0.0038205	0.0005146	0.0003445	0.0002423	0.0018145	0.0007627
188	0.0002593	0.0004752	0.0013659	0.0029634	0.0003779	0.0002785	0.0002063	0.0015644	0.00054
189	0.0002705	0.0004809	0.0014129	0.0022413	0.0002923	0.0002308	0.0001783	0.0013701	0.0004077
190	0.0002788	0.0004846	0.0013683	0.001647	0.0002341	0.0001951	0.0001561	0.0012145	0.0003213
191	0.0002846	0.0004851	0.0012557	0.001212	0.0001924	0.0001674	0.0001381	0.001087	0.0002608
195	0.000171	0.0004758	0.0005165	0.0022626	0.0010559	0.0008247	0.0004856	0.0045953	0.0008263
196	0.0001887	0.0005008	0.0006328	0.0045076	0.0013042	0.0008441	0.0004571	0.0040789	0.0010582
197	0.000208	0.0005224	0.0007935	0.0087696	0.0014046	0.0007582	0.0004122	0.0034626	0.0012824
198	0.000229	0.0005412	0.0010253	0.0084091	0.001246	0.0006227	0.0003599	0.0028527	0.0013742
199	0.0002509	0.0005574	0.0013695	0.0108726	0.0009169	0.0004897	0.0003068	0.0023513	0.0012116

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
200	0.0002732	0.000571	0.0018713	0.0080654	0.0006263	0.0003847	0.0002598	0.001967	0.0009033
201	0.0002945	0.0005819	0.0024013	0.0062918	0.0004427	0.000308	0.0002212	0.0016789	0.0006404
202	0.0003138	0.0005895	0.0026548	0.0042676	0.0003318	0.0002521	0.0001901	0.0014597	0.0004689
203	0.0003296	0.0005934	0.0024275	0.0026149	0.0002606	0.0002109	0.0001655	0.0012873	0.0003604
204	0.0003416	0.0005928	0.0020246	0.0016672	0.0002115	0.0001797	0.0001457	0.0011479	0.000288
205	0.0003504	0.0005867	0.0016639	0.0011412	0.0001756	0.0001552	0.0001294	0.0010331	0.0002367
206	0.0003574	0.000574	0.0013761	0.0008305	0.0001485	0.0001356	0.000116	0.0009369	0.0001987
210	0.00017	0.000541	0.0004725	0.0012809	0.0005896	0.0005396	0.0004018	0.0039957	0.0005032
211	0.0001905	0.0005856	0.0005842	0.0020152	0.0007403	0.0006053	0.0003987	0.0037576	0.000631
212	0.000213	0.0006227	0.0007369	0.0036616	0.0008729	0.0006239	0.0003803	0.0033827	0.0007689
213	0.0002384	0.0006559	0.000964	0.0089928	0.0009262	0.0005836	0.0003495	0.0029467	0.0008912
214	0.000297	0.00071	0.0020007	0.0068582	0.000689	0.0004153	0.0002713	0.00212	0.000865
215	0.0003285	0.0007291	0.0036024	0.005923	0.0005143	0.0003371	0.000234	0.0018053	0.0007038
216	0.0003596	0.0007414	0.0028026	0.0067526	0.0003825	0.0002757	0.000202	0.001558	0.0005369
217	0.0003881	0.0007466	0.0066816	0.0054784	0.0002934	0.0002287	0.0001754	0.0013657	0.000409
218	0.0004119	0.000744	0.0039878	0.0024246	0.0002337	0.0001931	0.0001537	0.001212	0.0003207
219	0.0004302	0.0007333	0.0027354	0.0014335	0.0001918	0.0001657	0.0001361	0.0010865	0.0002595
220	0.0004442	0.0007132	0.002034	0.0009748	0.0001608	0.0001441	0.0001215	0.0009823	0.0002156
221	0.0004555	0.000683	0.0015822	0.0007172	0.0001372	0.0001267	0.0001093	0.0008941	0.0001826
222	0.0004658	0.0006439	0.001266	0.0005552	0.0001184	0.0001122	9.881E-05	0.0008199	0.0001571
226	0.0001872	0.0006767	0.0005153	0.0011368	0.0004572	0.0004242	0.0003346	0.0033677	0.0004125
227	0.0002122	0.0007417	0.0006468	0.0016721	0.0005487	0.0004663	0.0003337	0.0031553	0.0004959
228	0.000241	0.0007992	0.0008356	0.0026908	0.0006256	0.0004812	0.0003214	0.0028752	0.000583
229	0.0002747	0.0008526	0.0011307	0.0048586	0.0006582	0.0004616	0.0002998	0.0025521	0.000656
230	0.0003131	0.0008997	0.0016388	0.008747	0.0006233	0.0004137	0.0002716	0.0022228	0.000685
231	0.0003556	0.0009362	0.0026736	0.011468	0.0005318	0.000353	0.0002405	0.0019218	0.0006487
232	0.0004021	0.0009613	0.0058718	0.0069536	0.0004234	0.0002953	0.0002109	0.0016626	0.0005581
233	0.000494	0.0009664	0.0114909	0.0035982	0.0002601	0.0002077	0.0001619	0.0012806	0.0003574
234	0.0005317	0.0009477	0.005203	0.0017728	0.0002101	0.000177	0.0001428	0.0011436	0.0002865

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
235	0.0005617	0.000915	0.0032473	0.001135	0.0001743	0.000153	0.0001271	0.0010302	0.0002349
236	0.0005853	0.0008677	0.0022888	0.0008112	0.0001476	0.0001339	0.0001141	0.000935	0.000197
237	0.0006043	0.0008072	0.0017145	0.0006171	0.0001269	0.0001184	0.0001031	0.0008542	0.0001682
238	0.0006192	0.0007376	0.0013304	0.0004893	0.0001105	0.0001056	9.371E-05	0.0007847	0.0001457
242	0.000205	0.0008711	0.0005482	0.0009735	0.0003634	0.0003425	0.000283	0.0028841	0.0003421
243	0.0002356	0.0009735	0.0006961	0.0013444	0.0004227	0.0003715	0.0002834	0.0027055	0.0003993
244	0.000272	0.0010666	0.0009123	0.0019431	0.0004691	0.0003823	0.0002744	0.0024933	0.0004566
245	0.0003167	0.0011584	0.001262	0.0029375	0.0004915	0.000373	0.0002592	0.0022449	0.0005035
246	0.0003703	0.0012365	0.0018796	0.0042015	0.0004745	0.0003436	0.0002384	0.0019892	0.0005233
247	0.0004331	0.001292	0.0031796	0.0049841	0.000422	0.0003029	0.0002148	0.001747	0.0005045
248	0.0005042	0.001318	0.0071376	0.0048541	0.0003528	0.0002602	0.0001911	0.0015325	0.0004509
249	0.000652	0.0012795	0.0135908	0.0023599	0.0002308	0.0001887	0.0001494	0.0012035	0.0003125
250	0.0007155	0.0012237	0.0059318	0.0013921	0.0001894	0.0001624	0.0001328	0.0010805	0.0002563
251	0.0007688	0.0011464	0.0035604	0.0009409	0.0001588	0.0001414	0.0001189	0.0009779	0.0002132
252	0.0008123	0.0010489	0.0024348	0.0006968	0.0001358	0.0001247	0.0001073	0.0008906	0.0001805
253	0.000843	0.0009384	0.0017733	0.0005431	0.0001175	0.0001107	9.722E-05	0.0008168	0.0001553
254	0.0008591	0.0008245	0.001342	0.0004386	0.000103	9.924E-05	8.875E-05	0.0007523	0.0001354
257	0.0002229	0.0011703	0.0005693	0.0008233	0.0002954	0.0002829	0.0002426	0.0025074	0.0002876
258	0.0002601	0.001346	0.0007281	0.0010788	0.0003354	0.0003036	0.0002436	0.0023592	0.0003282
259	0.0003067	0.0015185	0.0009665	0.0014522	0.0003669	0.0003127	0.0002378	0.0021884	0.0003679
260	0.0003648	0.0016715	0.0013438	0.0019548	0.0003813	0.0003074	0.0002261	0.0019956	0.000399
261	0.0004407	0.0018054	0.0020334	0.00252	0.0003737	0.0002895	0.000211	0.0017908	0.0004136
262	0.0005342	0.001878	0.0034629	0.0028554	0.000342	0.0002614	0.0001926	0.0015948	0.0004038
263	0.0006475	0.0018873	0.0076357	0.0027888	0.0002964	0.0002297	0.0001735	0.0014166	0.0003707
264	0.0009065	0.0017372	0.014798	0.001682	0.0002059	0.0001722	0.0001385	0.0011311	0.000274
265	0.0010256	0.0016015	0.0064125	0.0011382	0.0001717	0.0001496	0.0001239	0.0010211	0.0002299
266	0.0011299	0.0014332	0.0037421	0.0008076	0.0001455	0.0001312	0.0001115	0.0009281	0.000194
267	0.00121	0.0012448	0.0024819	0.0006118	0.0001252	0.0001162	0.000101	0.0008487	0.0001658
268	0.0012512	0.0010573	0.001758	0.0004851	0.000109	0.0001037	9.186E-05	0.000781	0.0001437

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
269	0.0012496	0.000887	0.0013003	0.0003973	9.624E-05	9.342E-05	8.416E-05	0.0007212	0.000126
270	0.0009972	0.0005233	0.0006229	0.0002454	6.922E-05	7.05E-05	6.623E-05	0.0005823	8.988E-05
271	0.0008616	0.0004443	0.0005089	0.0002147	6.284E-05	6.482E-05	6.159E-05	0.0005455	8.142E-05
274	0.0002398	0.0016784	0.0005769	0.0006952	0.0002448	0.0002379	0.0002104	0.002207	0.0002449
275	0.000284	0.0020151	0.000739	0.0008726	0.0002728	0.0002532	0.0002118	0.0020824	0.0002744
276	0.0003421	0.0023585	0.0009857	0.0011114	0.0002951	0.0002609	0.0002081	0.0019425	0.0003028
277	0.0004181	0.0026352	0.0013771	0.0014002	0.0003055	0.0002582	0.0001993	0.0017887	0.0003248
278	0.0005228	0.0028362	0.0020848	0.0016942	0.0003017	0.0002465	0.0001876	0.0016243	0.0003356
279	0.0006644	0.0029122	0.0035507	0.0018694	0.0002818	0.0002268	0.0001732	0.0014636	0.0003305
280	0.0008506	0.0028552	0.0076548	0.0018392	0.0002505	0.0002028	0.0001575	0.0013147	0.0003094
281	0.0013489	0.0024348	0.015278	0.0012647	0.0001834	0.0001569	0.0001282	0.0010653	0.0002408
282	0.0016025	0.0021157	0.0065966	0.000936	0.0001555	0.0001378	0.0001156	0.0009666	0.0002063
283	0.001829	0.0017597	0.003749	0.0006977	0.0001332	0.0001217	0.0001045	0.0008823	0.0001767
284	0.0019783	0.0014194	0.0024097	0.0005416	0.0001155	0.0001084	9.506E-05	0.0008098	0.0001525
285	0.0020057	0.0011314	0.0016639	0.0004366	0.0001014	9.732E-05	8.691E-05	0.0007469	0.0001331
286	0.0019107	0.0009039	0.0012072	0.0003618	9.002E-05	8.804E-05	7.989E-05	0.0006916	0.0001175
287	0.001214	0.0004954	0.0005679	0.0002289	6.549E-05	6.702E-05	6.329E-05	0.0005626	8.49E-05
288	0.0009727	0.0004169	0.0004653	0.0002017	5.977E-05	6.189E-05	5.907E-05	0.0005276	7.721E-05
291	0.0002541	0.0027099	0.0005703	0.0005894	0.0002061	0.0002032	0.0001844	0.0019622	0.0002109
292	0.000305	0.0034906	0.0007288	0.0007153	0.0002264	0.0002148	0.0001858	0.0018576	0.0002329
293	0.0003742	0.004191	0.0009687	0.0008731	0.0002426	0.0002212	0.0001835	0.001741	0.0002536
294	0.0004707	0.0046742	0.0013534	0.0010525	0.0002505	0.0002201	0.000177	0.0016157	0.0002698
295	0.0006106	0.0049263	0.0020344	0.0012212	0.0002485	0.0002121	0.0001677	0.0014817	0.000278
296	0.0008236	0.0049709	0.0034622	0.0013252	0.0002358	0.0001981	0.0001564	0.0013479	0.0002756
297	0.0011558	0.0047772	0.0075501	0.0013159	0.0002148	0.0001805	0.0001439	0.001221	0.000262
298	0.0022712	0.0036033	0.0153699	0.0009885	0.000164	0.0001434	0.0001191	0.0010041	0.0002125
299	0.0029416	0.0027877	0.0064934	0.0007796	0.0001414	0.0001272	0.0001081	0.0009155	0.0001856
300	0.0034742	0.0020479	0.003544	0.0006072	0.0001224	0.0001132	9.824E-05	0.0008391	0.0001612
301	0.0037051	0.0015	0.0022055	0.0004832	0.000107	0.0001014	8.974E-05	0.0007727	0.0001406

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
302	0.0035514	0.0011218	0.0014935	0.0003951	9.451E-05	9.147E-05	8.233E-05	0.0007147	0.0001236
303	0.0030903	0.0008624	0.0010753	0.0003307	8.429E-05	8.306E-05	7.59E-05	0.0006635	0.0001097
304	0.0013672	0.0004556	0.0005122	0.0002142	6.211E-05	6.385E-05	6.059E-05	0.0005432	8.028E-05
305	0.0010088	0.0003833	0.0004225	0.0001897	5.683E-05	5.908E-05	5.664E-05	0.0005106	7.325E-05
308	0.000264	0.0058927	0.0005507	0.0005031	0.0001759	0.0001757	0.000163	0.0017597	0.0001835
309	0.0003202	0.0081328	0.000699	0.0005946	0.000191	0.0001847	0.0001644	0.0016719	0.0002002
310	0.0003985	0.0093949	0.00092	0.0007029	0.000203	0.00019	0.0001629	0.0015735	0.0002157
311	0.0005127	0.0101331	0.0012724	0.00082	0.0002092	0.0001898	0.0001581	0.0014693	0.000228
312	0.0006915	0.0104543	0.0018997	0.0009275	0.0002088	0.0001847	0.0001511	0.001357	0.0002346
313	0.0009934	0.0104659	0.0032059	0.000993	0.0002004	0.0001746	0.000142	0.0012449	0.0002336
314	0.0015738	0.0100206	0.0070086	0.0009917	0.0001856	0.0001613	0.0001318	0.001137	0.0002244
315	0.0050726	0.005756	0.0148121	0.0007952	0.0001472	0.0001314	0.0001108	0.0009474	0.0001884
316	0.0074043	0.0033688	0.0058332	0.0006569	0.000129	0.0001179	0.0001013	0.0008676	0.0001673
317	0.0084844	0.0020881	0.0030513	0.0005309	0.0001127	0.0001055	9.248E-05	0.0007986	0.0001473
318	0.0086264	0.0014101	0.0018793	0.0004327	9.935E-05	9.507E-05	8.484E-05	0.0007376	0.0001298
319	0.0075312	0.0010189	0.0012781	0.0003587	8.825E-05	8.61E-05	7.809E-05	0.0006841	0.000115
320	0.005403	0.0007742	0.0009311	0.0003033	7.899E-05	7.839E-05	7.213E-05	0.000637	0.0001025
321	0.0013487	0.0004128	0.0004608	0.0002005	5.892E-05	6.084E-05	5.802E-05	0.0005246	7.596E-05
322	0.0009384	0.0003496	0.000384	0.0001784	5.404E-05	5.64E-05	5.431E-05	0.0004941	6.954E-05
325	0.0002681	0.0030879	0.0005205	0.0004329	0.000152	0.0001536	0.0001452	0.0015895	0.000161
326	0.0003268	0.0065757	0.0006529	0.0005007	0.0001634	0.0001608	0.0001466	0.001515	0.000174
327	0.0004097	0.0077203	0.000846	0.0005777	0.0001726	0.0001651	0.0001456	0.001432	0.000186
328	0.0005336	0.0106384	0.001148	0.0006581	0.0001777	0.0001656	0.0001422	0.0013431	0.0001954
329	0.0007317	0.0090903	0.0016606	0.0007287	0.0001777	0.000162	0.0001365	0.0012494	0.0002006
330	0.0010968	0.0080505	0.0027126	0.0007738	0.0001724	0.0001549	0.0001295	0.0011534	0.0002005
331	0.0019217	0.0072124	0.0057066	0.0007763	0.0001619	0.0001448	0.0001211	0.0010608	0.0001944
332	0.0050163	0.0092557	0.0087883	0.0007327	0.0001481	0.0001331	0.0001123	0.0009733	0.0001829
333	0.0033716	0.0072643	0.0063157	0.0006535	0.0001326	0.0001208	0.0001034	0.0008944	0.0001678
334	0.0078726	0.003016	0.0043691	0.0005584	0.0001177	0.0001092	9.5E-05	0.0008231	0.0001512

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
335	0.0095178	0.0017587	0.0023816	0.0004663	0.0001041	9.857E-05	8.725E-05	0.0007602	0.0001349
336	0.0091335	0.001189	0.0015269	0.0003883	9.239E-05	8.924E-05	8.03E-05	0.0007045	0.00012
337	0.0067575	0.0008724	0.0010733	0.0003265	8.249E-05	8.112E-05	7.412E-05	0.0006553	0.0001071
338	0.0091717	0.0006739	0.0008014	0.0002787	7.42E-05	7.417E-05	6.87E-05	0.0006114	9.599E-05
339	0.0018097	0.0004448	0.0005039	0.0002117	6.1E-05	6.26E-05	5.938E-05	0.0005385	7.871E-05
340	0.0011424	0.0003744	0.0004168	0.0001878	5.589E-05	5.799E-05	5.557E-05	0.0005068	7.193E-05
341	0.0007968	0.0003203	0.0003511	0.000168	5.142E-05	5.388E-05	5.212E-05	0.0004782	6.605E-05
349	0.0007192	0.013936	0.0013812	0.0005894	0.0001533	0.0001434	0.0001241	0.0011544	0.0001738
350	0.0010626	0.0135466	0.0020793	0.000621	0.0001497	0.0001381	0.0001183	0.0010727	0.0001741
351	0.0017849	0.0126014	0.0036082	0.0006248	0.000142	0.0001302	0.0001113	0.0009931	0.0001699
352	0.0039645	0.00986	0.0070022	0.0005983	0.0001317	0.0001211	0.0001041	0.0009158	0.0001616
353	0.001357	0.0004034	0.0004542	0.0001975	5.775E-05	5.957E-05	5.681E-05	0.0005194	7.437E-05
354	0.0009144	0.0003435	0.0003802	0.0001762	5.308E-05	5.532E-05	5.327E-05	0.0004897	6.818E-05
355	0.0006655	0.0002965	0.0003234	0.0001583	4.897E-05	5.153E-05	5.006E-05	0.0004628	6.279E-05
364	0.0009352	0.0061362	0.001543	0.0005103	0.0001312	0.0001239	0.0001085	0.0010004	0.0001527
365	0.0014265	0.0055974	0.0022583	0.0005149	0.0001257	0.000118	0.0001029	0.0009304	0.0001499
366	0.0024357	0.004479	0.0031244	0.0004981	0.0001177	0.0001105	9.666E-05	0.0008636	0.0001437
367	0.0010891	0.0003711	0.000413	0.0001847	5.475E-05	5.676E-05	5.441E-05	0.000501	7.037E-05
368	0.0007635	0.0003185	0.0003487	0.0001654	5.043E-05	5.28E-05	5.109E-05	0.0004733	6.469E-05
369	0.0005733	0.0002771	0.0002991	0.0001493	4.666E-05	4.929E-05	4.81E-05	0.000448	5.973E-05
377	0.0007901	0.003647	0.0011643	0.0004273	0.0001159	0.0001117	9.987E-05	0.0009356	0.0001351
378	0.0011096	0.0033226	0.0015281	0.0004319	0.0001119	0.0001071	9.521E-05	0.0008746	0.0001331
379	0.0016308	0.0027566	0.0018735	0.0004212	0.0001057	0.0001011	8.99E-05	0.0008156	0.0001286
380	0.0009094	0.0003436	0.0003765	0.0001727	5.191E-05	5.409E-05	5.211E-05	0.0004837	6.663E-05
381	0.0006544	0.0002968	0.0003201	0.0001552	4.79E-05	5.038E-05	4.898E-05	0.0004578	6.14E-05
382	0.0005032	0.0002601	0.000277	0.0001407	4.445E-05	4.715E-05	4.621E-05	0.0004339	5.686E-05
391	0.0008722	0.0022534	0.0011082	0.0003678	0.0001002	9.759E-05	8.831E-05	0.0008235	0.0001191
392	0.0011694	0.0019259	0.0012813	0.0003608	9.536E-05	9.269E-05	8.376E-05	0.0007714	0.0001156
393	0.0007686	0.0003192	0.0003444	0.0001618	4.927E-05	5.159E-05	4.996E-05	0.0004671	6.316E-05

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
394	0.0005722	0.0002779	0.0002955	0.0001461	4.561E-05	4.818E-05	4.705E-05	0.0004427	5.838E-05
395	0.0004479	0.000245	0.0002575	0.000133	4.243E-05	4.518E-05	4.446E-05	0.0004201	5.42E-05
405	0.0006988	0.0016494	0.0008456	0.0003174	9.024E-05	8.932E-05	8.213E-05	0.0007768	0.0001072
406	0.0008864	0.0014455	0.0009467	0.0003131	8.656E-05	8.542E-05	7.833E-05	0.0007303	0.0001046
407	0.0011014	0.0011949	0.0009742	0.0003008	8.184E-05	8.085E-05	7.424E-05	0.0006853	0.0001005
408	0.0006541	0.0002974	0.0003162	0.0001519	4.685E-05	4.928E-05	4.795E-05	0.0004512	5.995E-05
409	0.000503	0.0002605	0.0002732	0.0001377	4.346E-05	4.61E-05	4.522E-05	0.0004282	5.556E-05
410	0.000402	0.0002311	0.0002398	0.0001259	4.055E-05	4.334E-05	4.282E-05	0.0004068	5.171E-05
421	0.0006941	0.0011331	0.0007337	0.0002742	7.884E-05	7.888E-05	7.334E-05	0.0006925	9.51E-05
422	0.0008293	0.0009677	0.0007561	0.0002653	7.499E-05	7.505E-05	6.977E-05	0.0006522	9.183E-05
423	0.0005586	0.0002774	0.0002909	0.0001428	4.458E-05	4.71E-05	4.605E-05	0.000436	5.694E-05
424	0.000444	0.0002445	0.0002531	0.00013	4.146E-05	4.416E-05	4.35E-05	0.0004144	5.293E-05
425	0.0003613	0.000218	0.0002235	0.0001192	3.876E-05	4.158E-05	4.125E-05	0.0003942	4.938E-05
435	0.0005579	0.0009154	0.0005882	0.0002422	7.205E-05	7.301E-05	6.876E-05	0.0006577	8.681E-05
436	0.0006495	0.000802	0.0006067	0.0002359	6.9E-05	6.987E-05	6.572E-05	0.0006212	8.424E-05
437	0.0003931	0.0002297	0.0002351	0.0001228	3.96E-05	4.234E-05	4.188E-05	0.0004011	5.047E-05
438	0.0003246	0.0002055	0.0002083	0.0001129	3.704E-05	3.989E-05	3.972E-05	0.0003822	4.717E-05
449	0.0004588	0.0007569	0.000484	0.0002156	6.611E-05	6.777E-05	6.46E-05	0.0006254	7.959E-05
450	0.0005234	0.0006765	0.0004993	0.0002111	6.369E-05	6.521E-05	6.201E-05	0.0005923	7.756E-05
451	0.0005786	0.0005878	0.0004913	0.0002027	6.058E-05	6.211E-05	5.911E-05	0.0005606	7.467E-05
452	0.0003486	0.0002159	0.0002185	0.0001162	3.783E-05	4.061E-05	4.034E-05	0.0003885	4.816E-05
453	0.000293	0.0001939	0.0001945	0.0001071	3.546E-05	3.832E-05	3.83E-05	0.0003707	4.511E-05
464	0.0004305	0.0005783	0.0004188	0.00019	5.889E-05	6.091E-05	5.854E-05	0.0005656	7.162E-05
465	0.0004704	0.000512	0.0004154	0.0001835	5.632E-05	5.829E-05	5.601E-05	0.0005366	6.926E-05
466	0.0004142	0.0002557	0.0002589	0.0001297	4.128E-05	4.389E-05	4.32E-05	0.000414	5.237E-05
467	0.0003102	0.0002031	0.0002034	0.00011	3.618E-05	3.899E-05	3.888E-05	0.0003763	4.599E-05
468	0.0002652	0.0001833	0.0001821	0.0001017	3.398E-05	3.684E-05	3.697E-05	0.0003595	4.318E-05
479	0.0003596	0.0004987	0.0003562	0.0001716	5.453E-05	5.694E-05	5.528E-05	0.0005407	6.629E-05
480	0.00039	0.0004494	0.0003559	0.0001669	5.246E-05	5.478E-05	5.312E-05	0.0005142	6.44E-05

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
481	0.0004105	0.0003977	0.0003435	0.0001597	4.998E-05	5.229E-05	5.076E-05	0.0004887	6.193E-05
482	0.0004185	0.0003494	0.0003221	0.0001511	4.734E-05	4.97E-05	4.84E-05	0.0004644	5.91E-05
483	0.0004105	0.0003057	0.0002944	0.0001414	4.456E-05	4.702E-05	4.599E-05	0.0004417	5.601E-05
484	0.0003888	0.0002691	0.0002654	0.0001315	4.187E-05	4.445E-05	4.371E-05	0.0004203	5.286E-05
485	0.0003557	0.0002383	0.0002373	0.0001218	3.928E-05	4.196E-05	4.151E-05	0.0004004	4.974E-05
486	0.0003169	0.0002128	0.000212	0.0001127	3.687E-05	3.964E-05	3.944E-05	0.0003818	4.676E-05
487	0.0002772	0.0001914	0.0001898	0.0001043	3.464E-05	3.746E-05	3.75E-05	0.0003647	4.396E-05
488	0.0002405	0.0001733	0.0001707	9.667E-05	3.258E-05	3.545E-05	3.57E-05	0.0003488	4.136E-05
501	0.0003281	0.0003965	0.000308	0.0001522	4.892E-05	5.151E-05	5.039E-05	0.0004906	5.998E-05
502	0.0003452	0.000357	0.0003007	0.0001468	4.69E-05	4.944E-05	4.838E-05	0.0004695	5.797E-05
503	0.0003521	0.0003176	0.0002852	0.0001397	4.461E-05	4.716E-05	4.624E-05	0.0004471	5.554E-05
504	0.0003476	0.0002813	0.0002643	0.0001315	4.218E-05	4.478E-05	4.407E-05	0.0004258	5.287E-05
505	0.0003324	0.0002495	0.0002412	0.000123	3.976E-05	4.243E-05	4.195E-05	0.0004059	5.008E-05
506	0.0003085	0.0002224	0.000218	0.0001145	3.743E-05	4.016E-05	3.992E-05	0.0003873	4.73E-05
507	0.0002794	0.0001998	0.0001965	0.0001065	3.523E-05	3.803E-05	3.801E-05	0.0003698	4.461E-05
508	0.0002187	0.000164	0.0001602	9.201E-05	3.127E-05	3.414E-05	3.449E-05	0.0003386	3.965E-05
520	0.0002814	0.0003538	0.0002704	0.0001397	4.583E-05	4.863E-05	4.796E-05	0.0004732	5.609E-05
521	0.0002931	0.0003204	0.0002644	0.0001349	4.397E-05	4.669E-05	4.604E-05	0.0004491	5.428E-05
522	0.0003002	0.0002893	0.000254	0.0001294	4.207E-05	4.477E-05	4.42E-05	0.0004307	5.228E-05
523	0.0002979	0.0002589	0.0002381	0.0001225	3.995E-05	4.266E-05	4.224E-05	0.000411	4.996E-05
524	0.0002873	0.0002316	0.0002196	0.0001152	3.779E-05	4.054E-05	4.029E-05	0.0003923	4.75E-05
525	0.0002697	0.0002079	0.0002005	0.0001078	3.568E-05	3.846E-05	3.841E-05	0.0003748	4.501E-05
526	0.0002476	0.0001876	0.0001823	0.0001007	3.368E-05	3.65E-05	3.663E-05	0.0003583	4.258E-05
527	0.0001992	0.0001553	0.0001505	8.763E-05	3.003E-05	3.289E-05	3.334E-05	0.0003287	3.803E-05
539	0.0002442	0.0003175	0.0002395	0.0001288	4.303E-05	4.598E-05	4.57E-05	0.0004544	5.257E-05
540	0.000254	0.0002909	0.0002357	0.000125	4.146E-05	4.432E-05	4.402E-05	0.0004345	5.107E-05
541	0.0002585	0.0002638	0.000227	0.0001199	3.968E-05	4.249E-05	4.224E-05	0.0004153	4.925E-05
542	0.0002574	0.0002382	0.0002148	0.0001142	3.781E-05	4.061E-05	4.045E-05	0.0003949	4.722E-05
543	0.0002506	0.0002153	0.0002005	0.0001081	3.594E-05	3.875E-05	3.872E-05	0.0003794	4.509E-05

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
544	0.0002376	0.0001945	0.0001848	0.0001016	3.404E-05	3.686E-05	3.698E-05	0.0003629	4.287E-05
545	0.0002203	0.0001761	0.000169	9.515E-05	3.218E-05	3.501E-05	3.529E-05	0.0003475	4.064E-05
546	0.0001819	0.0001472	0.0001415	8.351E-05	2.885E-05	3.17E-05	3.225E-05	0.0003193	3.65E-05
560	0.0002219	0.0002647	0.0002112	0.000116	3.911E-05	4.208E-05	4.208E-05	0.0004184	4.809E-05
561	0.0002262	0.0002425	0.000205	0.0001119	3.759E-05	4.05E-05	4.05E-05	0.0004005	4.654E-05
562	0.0002257	0.0002207	0.0001953	0.0001069	3.592E-05	3.879E-05	3.886E-05	0.0003834	4.476E-05
563	0.0002197	0.0001997	0.000183	0.0001013	3.371E-05	3.56E-05	3.547E-05	0.0003647	4.278E-05
564	0.0002105	0.0001819	0.0001704	9.579E-05	3.247E-05	3.532E-05	3.56E-05	0.0003497	4.084E-05
565	0.0001979	0.0001662	0.0001576	9.031E-05	3.085E-05	3.37E-05	3.41E-05	0.0003369	3.888E-05
566	0.0001667	0.0001398	0.0001334	7.973E-05	2.776E-05	3.059E-05	3.123E-05	0.0003102	3.507E-05
579	0.0001957	0.0002416	0.0001903	0.0001079	3.695E-05	3.999E-05	4.025E-05	0.0004032	4.536E-05
580	0.0001994	0.0002231	0.0001857	0.0001044	3.562E-05	3.859E-05	3.883E-05	0.0003866	4.402E-05
581	0.0001996	0.0002048	0.0001783	0.0001003	3.417E-05	3.708E-05	3.735E-05	0.0003705	4.248E-05
582	0.0001958	0.0001872	0.0001688	9.561E-05	3.263E-05	3.551E-05	3.585E-05	0.0003552	4.078E-05
583	0.0001884	0.000171	0.0001579	9.063E-05	3.107E-05	3.393E-05	3.435E-05	0.0003407	3.899E-05
584	0.000178	0.0001565	0.0001467	8.558E-05	2.953E-05	3.238E-05	3.29E-05	0.0003269	3.718E-05
585	0.0001567	0.0001297	0.0001256	7.455E-05	2.546E-05	2.789E-05	2.835E-05	0.0003086	3.424E-05
598	0.000174	0.0002213	0.0001725	0.0001006	3.496E-05	3.805E-05	3.855E-05	0.0003888	4.286E-05
599	0.0001771	0.0002057	0.0001689	9.77E-05	3.378E-05	3.679E-05	3.725E-05	0.0003734	4.17E-05
600	0.0001775	0.0001901	0.0001631	9.416E-05	3.25E-05	3.545E-05	3.59E-05	0.0003584	4.034E-05
601	0.0001749	0.000175	0.0001555	9.014E-05	3.113E-05	3.404E-05	3.453E-05	0.000344	3.884E-05
602	0.0001693	0.0001608	0.0001466	8.58E-05	2.973E-05	3.26E-05	3.315E-05	0.0003303	3.725E-05
603	0.0001613	0.000148	0.0001371	8.138E-05	2.835E-05	3.12E-05	3.182E-05	0.0003172	3.562E-05
604	0.0001514	0.0001364	0.0001276	7.695E-05	2.699E-05	2.981E-05	3.052E-05	0.0003049	3.4E-05

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>										
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2	Res
	0.499	0.638	0.113	0.138	0.137	0.053	0.048	0.051	0.033	School
	0.021	0.027	0.064	0.140	0.004	0.004	0.059	0.063	0.043	Worker
	0.044	0.024	0.014	0.009	0.003	0.013	0.071	0.074	0.018	
1	0.0096457	0.1377935	0.0022103	0.0019805	0.116054	0.0014228	0.0038465	0.0040547	0.0021045	
2	0.0106171	0.1398114	0.0023803	0.0020351	0.1271978	0.0015222	0.0039829	0.0041985	0.0021792	
3	0.0117606	0.14004	0.0025691	0.0020897	0.1316488	0.0016324	0.0041241	0.0043473	0.0022564	
4	0.0131411	0.1405215	0.002779	0.0021447	0.1345551	0.0017561	0.0042713	0.0045025	0.0023368	
5	0.0148414	0.1406793	0.0030126	0.0021999	0.1374155	0.0018959	0.0044251	0.0046647	0.0024209	
6	0.0170206	0.142334	0.0032739	0.0022561	0.10889	0.0020569	0.0045879	0.0048362	0.0025096	
7	0.0198425	0.1443959	0.0035646	0.0023115	0.1117077	0.0022406	0.0047572	0.0050148	0.0026017	
8	0.0236062	0.1461169	0.0038879	0.0023653	0.1142109	0.0024505	0.004932	0.005199	0.0026966	
9	0.0289108	0.1480556	0.0042462	0.0024174	0.116475	0.0026935	0.0051141	0.005391	0.0027951	
10	0.0368497	0.1498681	0.0046407	0.0024669	0.1184617	0.0029765	0.0053029	0.0055899	0.0028969	
11	0.0496954	0.151222	0.0050709	0.0025135	0.1200979	0.0033075	0.0054979	0.0057956	0.0030018	
12	0.0722206	0.1519721	0.0055318	0.0025564	0.1211549	0.0036967	0.0056987	0.0060072	0.0031091	
13	0.1085303	0.152935	0.0060082	0.0025957	0.1218286	0.0041617	0.0059068	0.0062266	0.0032201	
14	0.1402022	0.1527876	0.0064788	0.0026306	0.1214499	0.0047147	0.00612	0.0064513	0.003333	
15	0.1503996	0.1520597	0.0069026	0.0026607	0.0706032	0.0053768	0.0063386	0.0066817	0.0034478	
16	0.1497363	0.149647	0.0072349	0.0026857	0.0646785	0.0061616	0.00656	0.0069151	0.0035632	
17	0.1481833	0.1468542	0.007437	0.0027066	0.0497242	0.0070964	0.0067858	0.0071532	0.0036799	
18	0.1451348	0.1424513	0.0075582	0.002722	0.0500021	0.0081683	0.0070114	0.0073909	0.0037948	
19	0.1421498	0.1376174	0.0076887	0.0027334	0.0502447	0.009367	0.0072369	0.0076287	0.0039081	
20	0.1392575	0.1323386	0.0078564	0.0027415	0.0292102	0.0106373	0.0074599	0.0078637	0.0040185	
21	0.1360524	0.1267927	0.0079934	0.0027467	0.019549	0.0118937	0.0076772	0.0080928	0.0041238	
22	0.1322732	0.1217624	0.0080221	0.0027507	0.0143132	0.0131055	0.0078872	0.0083141	0.0042233	
23	0.1269458	0.1173782	0.007918	0.0027542	0.0111141	0.0142736	0.0080858	0.0085235	0.0043152	
24	0.1198559	0.1140006	0.0076934	0.0027584	0.0089852	0.0153909	0.0082707	0.0087184	0.0043982	
25	0.1114019	0.1120292	0.0073786	0.0027644	0.0074776	0.0163889	0.0084398	0.0088966	0.0044717	
26	0.1020522	0.1118793	0.0070069	0.0027726	0.0063604	0.0171651	0.0085905	0.0090555	0.0045344	

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
27	0.0923715	0.1142574	0.0066053	0.0027832	0.0055022	0.01766	0.0087211	0.0091932	0.0045859
28	0.082835	0.1201685	0.0061947	0.0027957	0.0048267	0.0178502	0.0088287	0.0093066	0.0046252
29	0.074043	0.1318809	0.0057871	0.00281	0.0042808	0.017783	0.0089137	0.0093962	0.004653
30	0.0661116	0.1542705	0.0053915	0.0028252	0.0038321	0.0174878	0.0089755	0.0094614	0.0046697
31	0.0590019	0.2018064	0.0051067	0.0028405	0.0034588	0.0169853	0.0090142	0.0095022	0.0046762
32	0.0526765	0.3409424	0.0046581	0.0028549	0.0031445	0.0163091	0.0090307	0.0095196	0.0046739
55	0.2015986	0.1562726	0.0100977	0.0029428	0.0123407	0.0177464	0.0084829	0.0089421	0.004552
56	0.1891466	0.1481749	0.009652	0.0029478	0.0098054	0.0196776	0.0087142	0.0091859	0.0046591
57	0.1735349	0.1424582	0.0090874	0.002955	0.0080653	0.0214463	0.0089327	0.0094163	0.0047576
58	0.1551954	0.1388925	0.0084752	0.0029641	0.0068042	0.0227673	0.0091316	0.0096259	0.0048441
59	0.1357818	0.1382062	0.0078582	0.0029755	0.0058555	0.0235099	0.0093077	0.0098115	0.0049168
60	0.1173756	0.1416422	0.0072592	0.002989	0.005116	0.0237263	0.0094583	0.0099703	0.0049755
61	0.1016538	0.1517287	0.0066885	0.0030049	0.0045199	0.0236001	0.0095849	0.0101038	0.0050211
62	0.0879783	0.1723691	0.0061561	0.0030217	0.004035	0.023149	0.0096826	0.0102068	0.0050524
63	0.0764722	0.2147697	0.0057623	0.0030386	0.0036313	0.0224803	0.0097534	0.0102813	0.0050708
64	0.0666822	0.3129608	0.0052914	0.0030545	0.0032926	0.0215868	0.0097962	0.0103265	0.0050771
65	0.0583715	0.5237863	0.0047913	0.0030684	0.0030053	0.0204887	0.0098136	0.0103449	0.005074
66	0.0515995	0.6375395	0.0044667	0.0030803	0.0027545	0.0193523	0.0098155	0.0103469	0.0050679
67	0.0098478	0.5757781	0.002468	0.0021691	0.1277706	0.0014663	0.0040943	0.0043159	0.0022482
68	0.0108706	0.5767737	0.0026839	0.0022366	0.1324828	0.0015738	0.0042513	0.0044814	0.0023353
69	0.0120913	0.5126658	0.0029289	0.0023053	0.1353493	0.0016945	0.0044162	0.0046553	0.0024263
70	0.0135782	0.4156553	0.0032079	0.0023751	0.1370469	0.0018312	0.0045891	0.0048375	0.0025218
71	0.0154039	0.3988853	0.0035273	0.0024447	0.1371849	0.0019854	0.004769	0.0050271	0.0026207
72	0.0177869	0.4048563	0.0038946	0.0025165	0.1358392	0.0021656	0.0049609	0.0052294	0.0027262
73	0.0209214	0.4041136	0.0043189	0.0025877	0.1333305	0.0023734	0.0051614	0.0054408	0.0028363
74	0.0252385	0.4064462	0.0048121	0.0026574	0.1306575	0.0026154	0.0053711	0.0056618	0.0029509
75	0.0315723	0.4101851	0.0053884	0.0027252	0.1275833	0.0029002	0.0055896	0.0058922	0.0030703
76	0.041846	0.4162026	0.0060643	0.0027907	0.1246458	0.0032405	0.0058186	0.0061336	0.003195
77	0.0613655	0.4235907	0.0068587	0.002853	0.1219615	0.0036524	0.0060585	0.0063864	0.0033251

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
78	0.1118479	0.4340522	0.0077848	0.0029115	0.1187877	0.0041606	0.0063097	0.0066512	0.0034612
79	0.4466405	0.3671288	0.0133825	0.0031058	0.086726	0.0096998	0.0076854	0.0081015	0.0041915
80	0.4988402	0.3353287	0.0139459	0.0031242	0.0564295	0.0120339	0.0079792	0.0084111	0.004343
81	0.4443655	0.2978421	0.0143523	0.0031384	0.0299336	0.0150772	0.0082783	0.0087264	0.0044955
82	0.4227398	0.2644027	0.014249	0.0031478	0.0189915	0.0186584	0.0085752	0.0090394	0.0046438
83	0.4184122	0.2403346	0.0135868	0.0031554	0.0138072	0.0224857	0.0088696	0.0093497	0.0047882
84	0.3901345	0.218617	0.0126256	0.0031617	0.0107855	0.0262592	0.0091538	0.0096493	0.004924
85	0.3423265	0.2017411	0.0115533	0.0031696	0.0087695	0.0297288	0.0094269	0.0099372	0.005051
86	0.2908213	0.1894904	0.0106935	0.0031798	0.0073355	0.0322012	0.0096836	0.0102078	0.0051667
87	0.2372147	0.1819622	0.0097028	0.0031925	0.006271	0.0333415	0.0099177	0.0104545	0.0052682
88	0.191409	0.1803644	0.0087904	0.0032081	0.0054477	0.0334346	0.0101267	0.0106749	0.0053545
89	0.1549455	0.185851	0.0078059	0.0032254	0.0047974	0.0328111	0.0103047	0.0108625	0.0054232
90	0.1271356	0.203617	0.0070819	0.0032438	0.004269	0.0318774	0.0104512	0.011017	0.0054749
91	0.1059532	0.2479113	0.0065382	0.0032629	0.0038287	0.0308896	0.0105676	0.0111397	0.0055117
92	0.0886647	0.3537276	0.0058509	0.00328	0.003464	0.0296194	0.010646	0.0112223	0.0055302
93	0.075408	0.42103	0.0053983	0.0032952	0.0031512	0.0283181	0.0106961	0.0112751	0.0055379
96	0.4072737	0.2796792	0.0141174	0.0034919	0.0058018	0.0529426	0.0104474	0.011013	0.0056138
97	0.4969807	0.2627584	0.0124738	0.0035446	0.005001	0.0519935	0.0101597	0.0107097	0.0056289
98	0.2986479	0.2617663	0.009203	0.0034765	0.0051168	0.0495041	0.0110663	0.0116653	0.0058579
99	0.2201288	0.2721011	0.0083503	0.0034977	0.0045294	0.0471019	0.011282	0.0118927	0.005941
100	0.1662388	0.3121508	0.0074594	0.0035185	0.0040519	0.0447733	0.0114565	0.0120766	0.0060017
101	0.1291577	0.4359865	0.0066036	0.0035373	0.0036544	0.0427294	0.0115891	0.0122164	0.0060413
102	0.104294	0.4735191	0.0060629	0.0035532	0.0033125	0.0413528	0.0116836	0.0123161	0.0060647
106	0.0089755	0.1859846	0.002496	0.0023023	0.0332301	0.0013912	0.004179	0.0044052	0.0023032
107	0.0098059	0.2362677	0.0027243	0.0023855	0.0392242	0.0014896	0.0043515	0.0045871	0.0023994
108	0.0108081	0.2588226	0.0029914	0.00247	0.0422965	0.0016014	0.0045317	0.004777	0.0025
109	0.0119977	0.287005	0.0033006	0.0025565	0.0442305	0.0017276	0.004722	0.0049777	0.002606
110	0.0134411	0.318863	0.0036605	0.002646	0.0454686	0.0018717	0.0049238	0.0051903	0.0027184
111	0.0151901	0.3196488	0.0040842	0.0027359	0.0462414	0.0020349	0.0051347	0.0054127	0.0028357

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
112	0.0174556	0.3150975	0.004584	0.0028301	0.0465682	0.0022278	0.0053622	0.0056524	0.0029623
113	0.0203376	0.3044361	0.0051842	0.0029235	0.046593	0.0024505	0.0056001	0.0059032	0.0030942
114	0.0241905	0.2984225	0.0059113	0.003017	0.0463665	0.0027136	0.0058516	0.0061684	0.0032335
115	0.0294921	0.291352	0.0068079	0.0031083	0.045975	0.0030262	0.0061159	0.0064469	0.0033793
116	0.0371164	0.2842019	0.0079315	0.0031956	0.0453309	0.0034018	0.0063925	0.0067385	0.0035316
117	0.0492051	0.2830163	0.0093719	0.0032813	0.0446191	0.0038715	0.0066881	0.0070502	0.0036939
118	0.0696747	0.2846754	0.0112764	0.0033611	0.0436937	0.004462	0.006999	0.0073779	0.003864
124	0.0088686	0.1140125	0.0025928	0.0024132	0.0242354	0.001392	0.0042992	0.0045319	0.002374
125	0.0096984	0.1405428	0.0028461	0.0025043	0.0277512	0.001492	0.004481	0.0047235	0.002476
126	0.0106686	0.1569559	0.0031395	0.0025991	0.0301778	0.0016045	0.0046738	0.0049268	0.002584
127	0.0118183	0.170606	0.0034818	0.0026972	0.0317836	0.0017317	0.0048781	0.0051422	0.0026987
128	0.0131995	0.1825851	0.0038847	0.0027988	0.0328471	0.0018769	0.0050951	0.0053709	0.0028202
129	0.0148636	0.1857881	0.0043636	0.0029021	0.0335239	0.0020422	0.0053238	0.005612	0.0029481
130	0.0169739	0.1870514	0.0049378	0.0030103	0.0339075	0.0022367	0.0055703	0.0058718	0.0030859
131	0.0196291	0.185895	0.0056361	0.0031192	0.0340313	0.0024629	0.0058307	0.0061463	0.0032312
132	0.0230811	0.1851627	0.0064974	0.0032289	0.0339487	0.0027307	0.006107	0.0064376	0.0033853
133	0.0276401	0.1829251	0.0075855	0.0033368	0.033727	0.0030493	0.0063982	0.0067445	0.0035472
134	0.0340104	0.1830527	0.0089797	0.0034435	0.0333258	0.0034398	0.0067094	0.0070726	0.0037199
135	0.0430751	0.182069	0.0108431	0.0035445	0.0327896	0.0039197	0.0070367	0.0074177	0.0039008
136	0.0565934	0.1823936	0.0134357	0.0036386	0.0320712	0.0045261	0.0073822	0.0077818	0.004091
137	0.0757858	0.1831265	0.0173034	0.0037227	0.031123	0.0053082	0.0077444	0.0081637	0.0042897
138	0.0990782	0.1872656	0.0236148	0.0037994	0.029873	0.0063758	0.0081314	0.0085716	0.0045013
141	0.008754	0.081863	0.0026858	0.0025296	0.0185565	0.0013896	0.0044181	0.0046573	0.0024447
142	0.0095568	0.0977547	0.0029591	0.0026318	0.0210436	0.0014895	0.004612	0.0048616	0.0025539
143	0.0104899	0.1095161	0.0032778	0.0027385	0.0229307	0.0016017	0.0048178	0.0050786	0.0026697
144	0.0115882	0.1184525	0.0036529	0.0028498	0.0242622	0.0017289	0.0050367	0.0053094	0.0027933
145	0.0128933	0.1252973	0.0040984	0.0029658	0.025178	0.0018736	0.0052702	0.0055555	0.0029247
146	0.0144511	0.1286646	0.0046335	0.0030848	0.0257844	0.0020387	0.0055173	0.005816	0.0030638
147	0.0163905	0.1308769	0.0052826	0.0032101	0.026146	0.0022327	0.0057844	0.0060975	0.0032141

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
148	0.0187772	0.1315123	0.0060833	0.0033371	0.026307	0.002458	0.0060677	0.0063961	0.0033731
149	0.0217954	0.1319576	0.0070873	0.0034662	0.0262958	0.0027248	0.00637	0.0067148	0.0035428
150	0.0256644	0.1319754	0.0083768	0.0035949	0.0261459	0.0030433	0.0066913	0.0070535	0.0037227
151	0.0307784	0.1322887	0.010075	0.0037222	0.0258565	0.003431	0.0070342	0.007415	0.0039145
152	0.0376917	0.1327874	0.0123989	0.0038446	0.0254285	0.0039103	0.0073993	0.0077999	0.0041178
153	0.0471587	0.1337123	0.0157503	0.0039594	0.0248471	0.0045155	0.007787	0.0082085	0.0043333
154	0.0593504	0.1342363	0.0210345	0.0040615	0.0241066	0.0052935	0.0081952	0.0086388	0.0045588
155	0.0733839	0.1361398	0.0303817	0.004152	0.0231236	0.0063427	0.0086295	0.0090966	0.0047981
164	0.048586	0.1050854	0.0248878	0.004461	0.0193831	0.0051857	0.0086736	0.0091431	0.0048479
165	0.0579761	0.1063383	0.0374793	0.0045709	0.0185989	0.0061728	0.0091643	0.0096604	0.0051208
166	0.0675371	0.1090747	0.0678317	0.0046649	0.0175921	0.007549	0.0096931	0.0102178	0.0054134
178	0.04098	0.0855905	0.0287992	0.0049386	0.0160169	0.0050089	0.0091782	0.0096751	0.0051565
179	0.0477535	0.0867113	0.0448802	0.0050776	0.0153812	0.0059099	0.0097365	0.0102636	0.0054704
180	0.0547079	0.0885792	0.0874831	0.0051937	0.0145806	0.0071253	0.0103408	0.0109006	0.0058083
192	0.0353587	0.0717944	0.0327257	0.0055218	0.0135092	0.0047909	0.0097102	0.0102359	0.0054862
193	0.0405091	0.0728533	0.0527418	0.0057037	0.0129861	0.005596	0.0103472	0.0109073	0.0058486
194	0.0457432	0.0740914	0.0768039	0.0058491	0.0123437	0.0066354	0.0110352	0.0116326	0.0062383
207	0.030988	0.0613953	0.0367886	0.0062466	0.011584	0.0045451	0.0102638	0.0108194	0.0058338
208	0.0350036	0.0622736	0.0621811	0.0064898	0.0111522	0.0052477	0.0109857	0.0115804	0.0062502
209	0.0391415	0.0633013	0.0930574	0.0066834	0.0106242	0.0061313	0.0117756	0.012413	0.0067041
223	0.0275069	0.0533426	0.0409347	0.0071742	0.0100644	0.0042882	0.010836	0.0114226	0.0061983
224	0.0307167	0.0540655	0.073533	0.007513	0.0097057	0.0048948	0.0116516	0.0122823	0.0066753
225	0.0340065	0.0548008	0.1128628	0.0077743	0.0092731	0.0056333	0.012548	0.0132273	0.0071986
239	0.0246772	0.0469584	0.0450412	0.0084056	0.0088378	0.0040323	0.0114232	0.0120415	0.006578
240	0.0272977	0.0475572	0.0873391	0.0089066	0.0085383	0.0045544	0.0123409	0.0130089	0.0071229
241	0.0300172	0.0481905	0.0846571	0.0092932	0.0081777	0.0051805	0.0133651	0.0140886	0.0077311
255	0.0223115	0.0417341	0.0487477	0.0101088	0.0078329	0.0037821	0.0120141	0.0126645	0.0069659
256	0.0244889	0.0422423	0.1038706	0.010916	0.0075811	0.0042317	0.0130419	0.0137479	0.0075859
272	0.0202951	0.0373713	0.0511316	0.012594	0.0070001	0.0035413	0.0125956	0.0132774	0.007354

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
273	0.0221406	0.0378334	0.0773882	0.0140795	0.0067839	0.0039313	0.0137429	0.0144869	0.0080572
289	0.0185736	0.0337205	0.0510078	0.016481	0.006296	0.0033159	0.0131596	0.0138719	0.0077367
290	0.0201425	0.0341154	0.0792418	0.0197995	0.0061121	0.0036535	0.0144256	0.0152065	0.0085246
306	0.0170733	0.0305997	0.0472664	0.022717	0.0056982	0.0031045	0.0136846	0.0144254	0.0080996
307	0.0184209	0.030946	0.0735439	0.0328006	0.0055401	0.0033979	0.0150686	0.0158843	0.0089739
323	0.0157556	0.0279113	0.0395051	0.0310042	0.0051855	0.0029078	0.0141528	0.0149189	0.0084298
324	0.0169209	0.0282171	0.0890715	0.0296833	0.0050493	0.0031636	0.0156481	0.0164952	0.0093873
342	0.0145906	0.0255792	0.0299301	0.0367351	0.0047414	0.0027256	0.0145464	0.0153339	0.0087141
343	0.0156044	0.0258514	0.0533097	0.0823808	0.0046234	0.0029495	0.0161398	0.0170135	0.0097466
344	0.0166467	0.0260825	0.0407879	0.0410174	0.0044875	0.0031963	0.0180209	0.0189964	0.010981
356	0.0135506	0.0235371	0.022064	0.038163	0.0043552	0.002557	0.0148475	0.0156512	0.0089379
357	0.0144328	0.0237761	0.0316771	0.0738897	0.0042544	0.0027529	0.016517	0.0174111	0.0100305
358	0.0153452	0.0239869	0.0408592	0.0592479	0.0041346	0.0029682	0.0185056	0.0195073	0.0113509
370	0.01262	0.0217424	0.0166818	0.0374488	0.0040157	0.0024017	0.0150461	0.0158605	0.0090931
371	0.0133923	0.0219571	0.0213132	0.0646971	0.0039287	0.0025741	0.0167685	0.0176762	0.0102295
372	0.0141906	0.0221452	0.0250167	0.0627134	0.0038242	0.0027622	0.0188298	0.0198491	0.0116105
383	0.0117809	0.020154	0.0130471	0.0359295	0.0037163	0.0022586	0.0151349	0.0159542	0.0091732
384	0.012461	0.0203495	0.0156047	0.0572417	0.0036404	0.0024111	0.0168843	0.0177983	0.010334
385	0.0131609	0.0205177	0.0175336	0.1150658	0.0035495	0.002576	0.0189817	0.0200092	0.0117479
396	0.0110227	0.0187418	0.0105131	0.0341969	0.0034503	0.0021269	0.0151168	0.0159351	0.0091784
397	0.0116232	0.0189209	0.0120735	0.0513712	0.0033842	0.0022622	0.0168656	0.0177786	0.0103429
398	0.0122389	0.0190728	0.0132357	0.0915075	0.0033049	0.0024074	0.0189617	0.0199882	0.0117613
399	0.0128649	0.0192005	0.0134165	0.0793452	0.003213	0.0025625	0.0215074	0.0226716	0.0135163
411	0.0103339	0.01748	0.0086823	0.0324606	0.0032132	0.0020057	0.0149988	0.0158107	0.0091128
412	0.0108655	0.0176438	0.0097069	0.0466465	0.0031558	0.0021261	0.0167213	0.0176264	0.0102609
413	0.0114127	0.0177863	0.010469	0.0764444	0.0030849	0.002255	0.018786	0.0198029	0.0116603
414	0.0119623	0.0178981	0.0106803	0.1173941	0.0030051	0.002391	0.0212815	0.0224335	0.0133817
426	0.0097083	0.0163484	0.0073132	0.0308084	0.0030005	0.0018942	0.0147951	0.015596	0.0089858
427	0.0101812	0.0165008	0.0080306	0.0427716	0.00295	0.0020018	0.0164703	0.0173619	0.0101014

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
428	0.0106626	0.0166264	0.0085569	0.0657844	0.0028895	0.0021157	0.0184666	0.0194662	0.0114513
429	0.0111514	0.0167309	0.0087567	0.1270329	0.0028181	0.0022361	0.020878	0.0220082	0.0131111
439	0.0091362	0.0153285	0.0062621	0.0292465	0.0028094	0.0017915	0.0145185	0.0153045	0.008806
440	0.0095586	0.0154701	0.0067821	0.0394785	0.0027652	0.001888	0.0161293	0.0170025	0.009875
441	0.0099888	0.0155873	0.0071716	0.0579345	0.0027113	0.0019896	0.0180409	0.0190175	0.0111624
442	0.0104228	0.0156823	0.0073416	0.1009481	0.0026484	0.0020963	0.020334	0.0214347	0.0127319
443	0.0108575	0.0157556	0.0072359	0.1378743	0.0025768	0.0022076	0.0231188	0.0243703	0.0146735
454	0.0086142	0.0144067	0.0054343	0.0277904	0.0026365	0.0016968	0.0141855	0.0149533	0.0085848
455	0.0089926	0.0145383	0.0058239	0.0366468	0.0025978	0.0017836	0.0157186	0.0165694	0.0095968
456	0.0093772	0.0146477	0.0061187	0.0517857	0.0025501	0.0018746	0.0175267	0.0184754	0.0108065
457	0.0097649	0.0147352	0.0062648	0.0834968	0.0024942	0.0019695	0.0196799	0.0207452	0.0122682
458	0.0101519	0.0148011	0.0062204	0.1206804	0.0024307	0.002068	0.0222712	0.0234768	0.0140562
469	0.0081352	0.0135695	0.0047707	0.0264253	0.0024802	0.0016093	0.013807	0.0145544	0.0083307
470	0.0084741	0.0136917	0.0050724	0.0341529	0.0024466	0.0016874	0.0152516	0.0160772	0.009277
471	0.0088195	0.0137936	0.0053016	0.0467981	0.0024043	0.0017691	0.0169449	0.0178622	0.0103999
472	0.0091668	0.0138743	0.0054263	0.0711201	0.0023547	0.0018539	0.0189427	0.0199681	0.0117419
473	0.0095128	0.0139341	0.0054154	0.1019174	0.0022981	0.0019414	0.0213215	0.0224757	0.0133628
489	0.007697	0.0128089	0.0042327	0.025161	0.0023374	0.0015287	0.0133966	0.0141217	0.0080533
490	0.0080032	0.0129237	0.0044641	0.031974	0.0023077	0.0015993	0.0147472	0.0155455	0.0089311
491	0.0083133	0.0130182	0.0046474	0.0426898	0.0022705	0.0016728	0.0163165	0.0171997	0.0099612
492	0.0086256	0.0130929	0.0047539	0.0619722	0.0022263	0.0017488	0.0181509	0.0191335	0.0111793
493	0.0089369	0.0131484	0.0047606	0.107596	0.0021755	0.0018268	0.0203112	0.0214107	0.0126321
494	0.0092428	0.0131835	0.0046613	0.1042167	0.002119	0.0019064	0.0228733	0.0241115	0.0143804
509	0.0072929	0.0121127	0.0037838	0.0239699	0.0022079	0.0014538	0.0129575	0.0136589	0.0077567
510	0.0075701	0.0122206	0.0039687	0.0300143	0.0021815	0.0015179	0.0142105	0.0149798	0.0085631
511	0.0078497	0.0123082	0.0041184	0.0392033	0.0021489	0.0015841	0.0156516	0.0164989	0.0094987
512	0.008131	0.0123779	0.0042097	0.0548533	0.0021095	0.0016523	0.0173198	0.0182574	0.010593
513	0.0084118	0.0124299	0.0042248	0.0878418	0.0020636	0.0017223	0.0192615	0.0203042	0.0118817
514	0.0086869	0.0124615	0.0041601	0.1222308	0.0020129	0.0017931	0.0215331	0.0226987	0.0134082

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
515	0.0092096	0.012468	0.0038177	0.1349732	0.0018973	0.0019354	0.0273857	0.0288681	0.0174382
516	0.0094523	0.0124427	0.0035729	0.0797735	0.0018333	0.0020049	0.0311779	0.0328657	0.0201259
517	0.0096748	0.0123947	0.0033169	0.0564731	0.0017677	0.0020711	0.0357639	0.0376999	0.0234415
518	0.0098747	0.012325	0.0030536	0.0435711	0.0017008	0.0021326	0.0413621	0.0436011	0.0275769
519	0.0100489	0.012232	0.0028222	0.0353607	0.0016337	0.0021875	0.0482843	0.050898	0.0327961
528	0.0069205	0.0114749	0.0034073	0.0228545	0.0020893	0.0013844	0.0124979	0.0131744	0.0074472
529	0.007172	0.0115763	0.0035578	0.0282492	0.0020663	0.0014426	0.013651	0.0143899	0.0081821
530	0.0074258	0.0116594	0.0036804	0.0362259	0.0020371	0.0015026	0.0149649	0.0157749	0.009026
531	0.0076796	0.0117238	0.0037597	0.0491893	0.0020021	0.001564	0.0164688	0.0173603	0.0100006
532	0.0079326	0.0117713	0.0037809	0.074181	0.0019612	0.0016266	0.0181988	0.019184	0.0111335
533	0.0081807	0.0118005	0.0037383	0.1037435	0.0019152	0.00169	0.0201973	0.0212906	0.0124573
534	0.0086516	0.0118054	0.0034755	0.1195426	0.0018099	0.0018167	0.0252267	0.0265923	0.0158624
535	0.0088671	0.0117797	0.0032761	0.0922823	0.0017521	0.0018782	0.0284106	0.0299485	0.0180668
536	0.0090635	0.0117332	0.0030708	0.0626881	0.0016927	0.0019367	0.0322048	0.0339481	0.0207347
537	0.009241	0.0116674	0.0028441	0.0472795	0.001631	0.0019911	0.0367114	0.0386987	0.0239485
538	0.009394	0.0115808	0.0026312	0.0378287	0.0015688	0.0020399	0.0421389	0.04442	0.0278609
547	0.0065775	0.0108895	0.0030874	0.0218108	0.0019804	0.00132	0.0120237	0.0126745	0.0071303
548	0.0068062	0.0109855	0.0032116	0.0266537	0.0019601	0.001373	0.0130771	0.013785	0.0077952
549	0.007036	0.0110622	0.0033148	0.0336316	0.0019345	0.0014273	0.0142657	0.0150379	0.0085502
550	0.0072674	0.0111241	0.003382	0.0445767	0.0019027	0.0014828	0.0156136	0.0164587	0.0094143
551	0.0074958	0.0111676	0.0034062	0.0642275	0.0018662	0.0015392	0.0171451	0.0180732	0.0104049
552	0.0077197	0.0111943	0.0033793	0.1111225	0.0018247	0.001596	0.0188935	0.0199163	0.011548
553	0.0079362	0.0112037	0.0033022	0.0979726	0.001779	0.0016528	0.0209002	0.0220316	0.0128748
554	0.008143	0.0111968	0.0031785	0.0838596	0.0017292	0.001709	0.0232095	0.0244659	0.0144228
555	0.0083355	0.0111716	0.0030229	0.1093151	0.0016768	0.0017636	0.0258951	0.0272968	0.0162437
556	0.0085097	0.0111265	0.0028534	0.0702352	0.0016227	0.0018155	0.0290456	0.0306179	0.018401
557	0.0086678	0.0110657	0.0026558	0.0515973	0.0015658	0.001864	0.0327136	0.0344844	0.0209392
558	0.0088019	0.0109845	0.0024732	0.0406554	0.001509	0.0019074	0.0370638	0.0390702	0.0239563
559	0.0089126	0.0108846	0.0022957	0.0334115	0.0014518	0.0019447	0.0421431	0.0444243	0.0274389

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
567	0.0062599	0.0103506	0.0028141	0.0208251	0.0018805	0.00126	0.011539	0.0121636	0.0068092
568	0.0064682	0.0104402	0.0029183	0.025191	0.0018629	0.0013083	0.0124953	0.0131717	0.0074071
569	0.006678	0.0105134	0.0030047	0.031355	0.0018399	0.0013577	0.0135653	0.0142996	0.0080804
570	0.0068873	0.0105703	0.0030644	0.0406964	0.0018117	0.0014079	0.014766	0.0155653	0.0088416
571	0.0070947	0.0106114	0.0030886	0.0565844	0.0017787	0.0014588	0.0161179	0.0169904	0.0097065
572	0.0072974	0.0106357	0.0030728	0.090176	0.0017413	0.0015098	0.0176463	0.0186015	0.0106933
573	0.0074931	0.0106446	0.0030153	0.0922478	0.0016997	0.0015608	0.0193814	0.0204306	0.0118253
574	0.0078521	0.0106124	0.0027927	0.1336613	0.0016066	0.0016598	0.0236308	0.02491	0.0146409
575	0.008008	0.0105703	0.0026515	0.0796731	0.001557	0.0017061	0.0262599	0.0276814	0.0163994
576	0.0081466	0.0105115	0.0024976	0.0566699	0.0015055	0.0017491	0.0292978	0.0308838	0.0184378
577	0.0082657	0.0104363	0.0023405	0.0438494	0.001453	0.0017879	0.0328033	0.0345791	0.0207813
578	0.0083633	0.0103442	0.0021805	0.0356274	0.0013999	0.0018215	0.0368082	0.0388007	0.0234123
586	0.0059665	0.0098538	0.0025768	0.0199013	0.0017879	0.0012043	0.0110511	0.0116493	0.0064897
587	0.0061575	0.009939	0.0026645	0.0238582	0.0017722	0.0012485	0.0119155	0.0125605	0.0070256
588	0.0063485	0.0100077	0.0027386	0.0293369	0.001752	0.0012933	0.0128744	0.0135713	0.0076236
589	0.0065391	0.0100612	0.0027908	0.0374183	0.0017268	0.0013389	0.0139415	0.0146962	0.0082941
590	0.0067277	0.0100993	0.002815	0.0505524	0.0016971	0.0013849	0.0151327	0.0159518	0.0090488
591	0.0069115	0.010122	0.0028081	0.0759759	0.0016631	0.0014309	0.0164681	0.0173596	0.0099018
592	0.0070884	0.0101295	0.0027645	0.1051907	0.0016255	0.0014768	0.0179717	0.0189446	0.0108707
593	0.0074114	0.0100983	0.002586	0.1136505	0.0015407	0.0015654	0.021606	0.0227756	0.0132381
594	0.0075509	0.0100582	0.0024692	0.0919787	0.0014954	0.0016067	0.0238208	0.0251103	0.014686
595	0.007676	0.0100038	0.0023332	0.0628625	0.0014477	0.0016455	0.0263316	0.0277569	0.0163273
596	0.0077823	0.0099335	0.0021952	0.0475683	0.001399	0.0016803	0.0291732	0.0307524	0.0181661
597	0.0078679	0.0098474	0.0020596	0.0381018	0.0013501	0.0017105	0.0323529	0.0341042	0.0201729
345	0.0177184	0.0262977	0.0635674	0.0854899	0.0043286	0.0034702	0.0202763	0.0213739	0.0124827
346	0.0187969	0.0264857	0.035557	0.0773551	0.0041519	0.0037705	0.0230049	0.0242502	0.0143301
347	0.019879	0.026655	0.0238805	0.0512705	0.003958	0.0040977	0.0263576	0.0277844	0.0166445
348	0.0209579	0.0267985	0.0176226	0.0385258	0.0037512	0.0044484	0.0305362	0.0321892	0.019597
359	0.0162795	0.0241749	0.0366484	0.1179632	0.003996	0.0032042	0.0209037	0.0220353	0.0129698

Via Oro
Unmitigated Operational Cancer Risk Summary

Operational Cancer Risk - by Source									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
360	0.0172266	0.0243437	0.0264102	0.1015345	0.0038394	0.0034614	0.0238316	0.0251217	0.0149856
361	0.0181623	0.0244763	0.0193259	0.0619962	0.0036727	0.0037368	0.0274602	0.0289467	0.0175373
362	0.0191011	0.0245906	0.0148271	0.0446035	0.0034914	0.0040304	0.0320236	0.0337571	0.0208387
363	0.0200206	0.0246608	0.0118433	0.0349358	0.0033068	0.0043342	0.0379248	0.0399777	0.0252437
373	0.0158277	0.022449	0.0201482	0.1359033	0.0035685	0.0031865	0.0243937	0.0257142	0.0154487
374	0.0166494	0.0225658	0.0159042	0.0746511	0.0034202	0.0034216	0.0282171	0.0297445	0.0181775
375	0.0174631	0.0226539	0.0126658	0.0513167	0.0032618	0.0036691	0.0330657	0.0348556	0.0217385
376	0.0182608	0.0227058	0.0103363	0.039141	0.0030988	0.0039243	0.0393934	0.0415259	0.0265528
386	0.0145936	0.0207839	0.0156948	0.1108237	0.0033257	0.0029436	0.0246665	0.0260018	0.0156995
387	0.0153102	0.0208809	0.0132061	0.0904286	0.0031958	0.003145	0.0285942	0.0301421	0.0185269
388	0.0160196	0.0209517	0.0109231	0.058936	0.0030562	0.0033556	0.0335932	0.0354117	0.0222349
389	0.016712	0.0209873	0.0091201	0.0437277	0.0029122	0.0035716	0.0401478	0.0423211	0.0272734
390	0.0173852	0.0209843	0.0077461	0.0347634	0.0027662	0.0037876	0.0490025	0.0516551	0.0343885
400	0.013495	0.0193059	0.0125353	0.1322478	0.003109	0.0027275	0.0246453	0.0259794	0.0157269
401	0.0141278	0.019393	0.0110368	0.1105968	0.0029927	0.0029018	0.0285682	0.0301147	0.0185662
402	0.0147432	0.0194454	0.0094824	0.0679135	0.0028715	0.003082	0.0335869	0.035405	0.0223018
403	0.0153488	0.0194712	0.0080779	0.0488078	0.0027427	0.0032664	0.0401275	0.0422997	0.0273461
404	0.0159367	0.0194623	0.0069288	0.0380591	0.0026112	0.0034503	0.0489378	0.0515869	0.0344395
415	0.0125176	0.0179912	0.0102414	0.106096	0.0029134	0.002535	0.024354	0.0256724	0.0155472
416	0.0130705	0.0180619	0.0093357	0.1399952	0.0028121	0.0026858	0.0281917	0.0297178	0.0183203
417	0.0136153	0.0181084	0.0082449	0.0786929	0.0027027	0.0028418	0.033059	0.0348486	0.0219427
418	0.0141386	0.0181203	0.0072198	0.0547177	0.0025905	0.0029995	0.039421	0.041555	0.026829
419	0.0146426	0.0181	0.0063125	0.0417905	0.0024746	0.003156	0.0478881	0.0504804	0.0335993
420	0.0151506	0.018058	0.0054572	0.0336629	0.0023511	0.0033095	0.0594588	0.0626774	0.043346
430	0.012133	0.0168768	0.0079655	0.1185317	0.0026462	0.0024944	0.0274922	0.0289805	0.0178194
431	0.0126065	0.016909	0.0072232	0.0926135	0.0025514	0.002629	0.0321159	0.0338544	0.0212296
432	0.0130684	0.0169164	0.0064399	0.0614855	0.0024502	0.0027655	0.0380694	0.0401302	0.0257628
433	0.0135129	0.0168951	0.0057061	0.0458784	0.0023453	0.0029008	0.0459185	0.0484042	0.031969
434	0.0139401	0.0168442	0.0050519	0.0365128	0.0022379	0.0030315	0.0565724	0.0596348	0.0407986

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
444	0.0112882	0.015807	0.0068773	0.0874957	0.0024976	0.0023227	0.026546	0.027983	0.0171136
445	0.011713	0.0158377	0.0063467	0.1108232	0.0024109	0.0024409	0.0308315	0.0325005	0.020242
446	0.0121195	0.0158397	0.0057567	0.069557	0.0023207	0.0025593	0.0362695	0.0382329	0.0243228
447	0.0125089	0.0158144	0.0051728	0.0505082	0.0022266	0.0026764	0.0433167	0.0456616	0.0297967
448	0.0128804	0.0157625	0.0046299	0.0395596	0.0021298	0.0027894	0.0526834	0.0555353	0.0373946
459	0.010911	0.0148703	0.0056128	0.1367669	0.0022829	0.0022728	0.0293153	0.0309022	0.0190703
460	0.0112723	0.0148693	0.0051641	0.0795475	0.0022015	0.0023765	0.0341772	0.0360273	0.0226544
461	0.0116175	0.0148441	0.0046958	0.0559155	0.0021163	0.0024786	0.0403587	0.0425434	0.0273555
462	0.0119429	0.0147926	0.0042457	0.0429758	0.0020287	0.0025768	0.048368	0.0509863	0.0336862
463	0.0122458	0.014713	0.0038055	0.034783	0.0019395	0.0026682	0.0589531	0.0621444	0.042473
474	0.0101917	0.0139955	0.0049912	0.1240768	0.0021649	0.0021224	0.0276597	0.029157	0.0178041
475	0.0105135	0.013993	0.0046458	0.0924316	0.0020913	0.0022134	0.0319266	0.0336548	0.020889
476	0.010817	0.0139653	0.004278	0.0623181	0.0020149	0.0023026	0.0372459	0.0392621	0.0248363
477	0.0111038	0.0139153	0.0038963	0.0468301	0.0019351	0.0023884	0.0439537	0.046333	0.029988
478	0.0113663	0.0138386	0.0035292	0.0373881	0.0018543	0.0024681	0.052566	0.0554116	0.0368571
495	0.0095412	0.0131993	0.0044673	0.084382	0.0020572	0.0019868	0.0259379	0.027342	0.0165076
496	0.0098289	0.0131954	0.0042014	0.109939	0.0019903	0.0020671	0.029635	0.0312392	0.0191276
497	0.0100992	0.0131682	0.0039062	0.0700962	0.0019208	0.0021456	0.0341483	0.0359968	0.0223978
498	0.0103507	0.0131187	0.0035927	0.051292	0.0018486	0.0022208	0.0397129	0.0418626	0.0265408
499	0.01058	0.0130459	0.0032803	0.0402963	0.0017749	0.0022907	0.0466554	0.049181	0.0318665
500	0.010782	0.012947	0.0029965	0.033077	0.0017011	0.002353	0.055439	0.0584401	0.0388089
139	0.0109597	0.0175309	0.0033413	0.0003545	0.002592	0.0007217	0.0007835	0.0008259	0.0004333
140	0.0126063	0.0185258	0.0034909	0.0003592	0.0023867	0.0009282	0.0008223	0.0008668	0.0004542
156	0.0079975	0.0128519	0.0047194	0.0003883	0.0020057	0.0007186	0.0008348	0.00088	0.0004638
157	0.0090695	0.0133052	0.006914	0.0003936	0.0018545	0.0009206	0.0008791	0.0009267	0.0004879
158	0.0100465	0.0140567	0.0045562	0.0003978	0.0016604	0.0012556	0.0009259	0.000976	0.0005132
159	0.010911	0.0150608	0.009009	0.0004007	0.0014289	0.0019018	0.0009747	0.0010274	0.0005393
160	0.0115517	0.0160869	0.0046806	0.0004028	0.0011929	0.0035982	0.0010246	0.0010801	0.0005656
161	0.0128566	0.0194079	0.002354	0.000407	0.0008045	0.0122731	0.0011291	0.0011902	0.0006192

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
162	0.0136916	0.0218794	0.0018466	0.0004096	0.0006744	0.0120582	0.0011818	0.0012458	0.0006453
163	0.0148229	0.0244825	0.0014816	0.0004124	0.0005785	0.0133427	0.0012332	0.0013	0.0006698
167	0.0069373	0.0102143	0.0056695	0.0004343	0.0015002	0.0008708	0.0009402	0.0009911	0.0005246
168	0.0076959	0.0107718	0.0062624	0.0004397	0.0013557	0.0011587	0.0009957	0.0010496	0.0005549
169	0.0082925	0.0112691	0.0085673	0.0004431	0.0011937	0.001639	0.0010525	0.0011095	0.0005856
170	0.0088109	0.0118672	0.0047096	0.0004459	0.0010241	0.0025883	0.0011117	0.0011718	0.0006172
171	0.0092965	0.0125807	0.0031698	0.0004486	0.0008651	0.0044929	0.001173	0.0012365	0.0006493
172	0.0098551	0.0134986	0.0023737	0.0004518	0.0007281	0.005735	0.0012366	0.0013035	0.0006821
173	0.0105442	0.0145334	0.0018502	0.0004552	0.0006198	0.0061902	0.0013004	0.0013708	0.0007141
174	0.0115162	0.0155687	0.0014924	0.0004588	0.0005362	0.0068609	0.001364	0.0014378	0.0007447
175	0.0130958	0.0163854	0.0012375	0.0004622	0.0004706	0.0078768	0.0014257	0.0015028	0.0007732
176	0.0159187	0.0168997	0.0010427	0.000465	0.000418	0.0091283	0.0014838	0.0015641	0.0007985
177	0.0215919	0.0170412	0.0008908	0.0004667	0.0003751	0.0104312	0.001536	0.0016191	0.0008196
181	0.0061631	0.0086331	0.0068792	0.0004907	0.0011392	0.001032	0.0010721	0.0011302	0.0006013
182	0.0066398	0.0089522	0.0077654	0.0004949	0.0010179	0.0013703	0.0011388	0.0012005	0.0006378
183	0.0070665	0.0093122	0.0046237	0.0004987	0.0008918	0.0019201	0.0012094	0.0012748	0.0006759
184	0.0074757	0.0097179	0.0031428	0.0005026	0.0007709	0.002728	0.0012829	0.0013523	0.0007149
185	0.0079395	0.0102017	0.0023391	0.000507	0.0006625	0.0034491	0.0013596	0.0014332	0.000755
186	0.0085243	0.0107255	0.0018224	0.0005115	0.000572	0.0039049	0.0014382	0.0015161	0.000795
187	0.009339	0.0112186	0.0014596	0.0005155	0.0004992	0.0043164	0.0015166	0.0015987	0.0008334
188	0.010571	0.0115871	0.0012062	0.0005186	0.0004413	0.004784	0.0015942	0.0016805	0.0008696
189	0.0126236	0.0117852	0.0010194	0.0005203	0.0003943	0.0052877	0.001668	0.0017583	0.0009019
190	0.0164462	0.0117746	0.0008674	0.0005202	0.0003554	0.0057733	0.0017349	0.0018288	0.000929
191	0.025351	0.0114585	0.0007486	0.0005182	0.0003226	0.0061879	0.0017923	0.0018893	0.0009499
195	0.0050997	0.0071485	0.0133362	0.0005543	0.0009768	0.0009097	0.0011558	0.0012184	0.0006529
196	0.0054914	0.0073588	0.0069166	0.0005597	0.0008836	0.0011524	0.0012347	0.0013015	0.0006967
197	0.0058578	0.0075969	0.0043427	0.000565	0.000786	0.0015003	0.0013188	0.0013902	0.0007428
198	0.006212	0.0078439	0.003069	0.0005708	0.0006918	0.0019478	0.0014077	0.0014839	0.0007908
199	0.0066187	0.0081322	0.0022753	0.0005766	0.000604	0.0023907	0.0015015	0.0015828	0.0008406

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
200	0.0071137	0.0084172	0.0017787	0.0005817	0.0005288	0.0027356	0.0015986	0.0016852	0.0008908
201	0.0077779	0.0086687	0.0014347	0.0005853	0.0004664	0.0030198	0.0016975	0.0017894	0.00094
202	0.0087612	0.0088511	0.0011812	0.0005866	0.000415	0.0032937	0.001796	0.0018932	0.0009866
203	0.0103205	0.0089291	0.0009882	0.0005855	0.0003726	0.0035586	0.0018907	0.001993	0.0010285
204	0.0130304	0.0088773	0.000842	0.0005817	0.0003372	0.0037927	0.0019777	0.0020847	0.0010639
205	0.0185704	0.0086642	0.0007205	0.0005757	0.0003072	0.003974	0.0020534	0.0021646	0.0010913
206	0.0338007	0.0082642	0.0006221	0.0005677	0.0002814	0.0040493	0.0021144	0.0022289	0.0011101
210	0.0039379	0.005871	0.0081154	0.0006245	0.0009182	0.0006621	0.0011578	0.0012204	0.0006592
211	0.0043235	0.0060638	0.0112116	0.0006357	0.0008499	0.0008024	0.001247	0.0013145	0.0007102
212	0.0046524	0.0062071	0.0062188	0.0006433	0.0007767	0.0009813	0.0013404	0.0014129	0.0007629
213	0.0049658	0.0063629	0.0041122	0.0006512	0.0007001	0.0012171	0.0014414	0.0015195	0.0008193
214	0.0056308	0.0067015	0.0022037	0.0006658	0.0005531	0.0017918	0.0016651	0.0017553	0.0009412
215	0.0060543	0.0068682	0.0017228	0.0006699	0.0004898	0.002043	0.0017866	0.0018833	0.0010053
216	0.0066035	0.0070047	0.0013865	0.0006706	0.000436	0.0022508	0.001912	0.0020155	0.0010689
217	0.0073961	0.0070986	0.0011367	0.0006676	0.0003904	0.0024351	0.0020393	0.0021497	0.0011304
218	0.0085956	0.007123	0.0009533	0.000661	0.0003523	0.0025977	0.0021636	0.0022807	0.0011864
219	0.0105559	0.007062	0.0008045	0.0006513	0.0003202	0.0027305	0.0022795	0.0024029	0.0012338
220	0.014141	0.0069006	0.0006864	0.0006392	0.0002927	0.0028216	0.0023814	0.0025103	0.0012704
221	0.0216659	0.0066238	0.0005916	0.0006252	0.000269	0.0028454	0.0024628	0.0025962	0.0012947
222	0.0444354	0.0062533	0.0005062	0.0006099	0.000248	0.0028	0.0025215	0.002658	0.0013092
226	0.0034224	0.0051098	0.0081689	0.0007308	0.0008047	0.0006014	0.0012432	0.0013105	0.0007139
227	0.003727	0.0052247	0.0100146	0.0007448	0.0007498	0.0007101	0.0013456	0.0014185	0.0007734
228	0.004009	0.0053304	0.0058051	0.0007559	0.0006904	0.0008457	0.0014566	0.0015354	0.0008373
229	0.0042792	0.0054361	0.0038949	0.0007673	0.0006289	0.0010138	0.0015782	0.0016636	0.0009065
230	0.0045556	0.0055473	0.0028034	0.0007765	0.0005671	0.001209	0.0017107	0.0018033	0.000981
231	0.0048669	0.0056638	0.0020898	0.0007807	0.0005073	0.0014119	0.0018535	0.0019538	0.0010603
232	0.0052282	0.0057638	0.001633	0.0007802	0.000454	0.0015958	0.0020073	0.002116	0.0011433
233	0.0063133	0.0058846	0.0010793	0.0007625	0.0003675	0.0018835	0.0023368	0.0024633	0.0013106
234	0.0072444	0.0058851	0.0008955	0.0007469	0.0003331	0.0019948	0.002504	0.0026395	0.0013876

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
235	0.0086763	0.0058246	0.0007542	0.0007283	0.000304	0.0020795	0.0026627	0.0028069	0.0014533
236	0.0110652	0.0056948	0.0006473	0.0007077	0.0002789	0.0021306	0.0028033	0.0029551	0.0015033
237	0.0154833	0.005491	0.0005575	0.000686	0.0002571	0.0021388	0.0029166	0.0030745	0.0015361
238	0.025307	0.0052162	0.0004848	0.0006638	0.0002381	0.002094	0.0029958	0.0031579	0.0015542
242	0.0030059	0.0044864	0.0121264	0.0008776	0.0007123	0.0005452	0.0013322	0.0014043	0.0007721
243	0.0032566	0.0045631	0.0089534	0.0008978	0.000668	0.0006314	0.0014508	0.0015293	0.0008423
244	0.003504	0.0046491	0.0052506	0.0009134	0.0006176	0.0007367	0.0015815	0.0016672	0.0009194
245	0.0037388	0.0047229	0.0036227	0.000928	0.0005678	0.0008617	0.0017289	0.0018225	0.0010056
246	0.0039792	0.0047973	0.0026284	0.0009343	0.0005171	0.0010026	0.0018921	0.0019945	0.0010999
247	0.0042408	0.0048685	0.001996	0.0009304	0.000468	0.0011483	0.002072	0.0021842	0.0012022
248	0.004544	0.0049298	0.0015549	0.0009172	0.0004227	0.0012848	0.0022685	0.0023913	0.0013115
249	0.0054338	0.0049973	0.0010087	0.0008703	0.0003461	0.0015046	0.0027039	0.0028502	0.0015403
250	0.0061433	0.0049836	0.0008296	0.0008412	0.0003152	0.001585	0.0029324	0.0030911	0.0016489
251	0.0071815	0.0049268	0.0006982	0.0008106	0.0002887	0.0016437	0.0031565	0.0033274	0.0017435
252	0.0087615	0.004819	0.0006007	0.0007795	0.000266	0.001675	0.0033597	0.0035415	0.0018154
253	0.0114753	0.0046627	0.0005174	0.0007487	0.0002458	0.0016785	0.0035242	0.003715	0.0018618
254	0.0164976	0.0044528	0.0004513	0.0007185	0.0002283	0.0016434	0.0036363	0.0038332	0.0018866
257	0.0026675	0.0039768	0.0109759	0.001098	0.0006361	0.0004952	0.0014248	0.0015019	0.000834
258	0.0028785	0.0040325	0.0079957	0.0011303	0.0005995	0.0005647	0.0015622	0.0016467	0.0009171
259	0.0030894	0.0040941	0.0049276	0.001153	0.0005585	0.0006477	0.0017184	0.0018114	0.0010116
260	0.0032966	0.0041508	0.0033378	0.0011574	0.0005157	0.0007428	0.0018928	0.0019952	0.0011163
261	0.0035014	0.0041993	0.0024683	0.0011479	0.0004745	0.000848	0.0020954	0.0022089	0.0012373
262	0.0037248	0.0042462	0.0018599	0.0011195	0.0004331	0.0009565	0.0023214	0.0024471	0.0013705
263	0.0039798	0.0042849	0.0014432	0.0010804	0.0003941	0.0010601	0.0025749	0.0027143	0.0015169
264	0.004686	0.0043165	0.0009335	0.0009886	0.0003268	0.0012294	0.0031623	0.0033335	0.0018387
265	0.0052172	0.0042967	0.0007734	0.0009417	0.000299	0.0012904	0.0034857	0.0036744	0.0019991
266	0.0059496	0.0042442	0.0006521	0.0008961	0.0002749	0.0013332	0.0038124	0.0040188	0.0021414
267	0.0069984	0.0041553	0.0005579	0.0008526	0.0002539	0.0013556	0.0041162	0.004339	0.0022497
268	0.0085969	0.0040298	0.000482	0.0008115	0.0002352	0.0013564	0.0043657	0.0046021	0.0023172

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
269	0.0110196	0.0038642	0.0004223	0.0007729	0.0002191	0.001329	0.0045338	0.0047793	0.0023545
270	0.0101925	0.0032088	0.0002969	0.0006718	0.0001798	0.0010954	0.0047753	0.0050338	0.0024837
271	0.0059507	0.0029631	0.0002679	0.0006425	0.0001692	0.0009758	0.0048805	0.0051447	0.0025101
274	0.0023875	0.0035543	0.0140246	0.0014703	0.0005724	0.0004509	0.0015194	0.0016017	0.0008986
275	0.0025655	0.0035942	0.0072471	0.0015192	0.000542	0.0005074	0.0016775	0.0017683	0.0009965
276	0.0027458	0.0036393	0.0045514	0.0015284	0.0005081	0.0005735	0.0018614	0.0019622	0.0011107
277	0.002927	0.0036837	0.0030776	0.0014879	0.0004718	0.0006482	0.0020717	0.0021838	0.0012414
278	0.003106	0.0037187	0.0022421	0.0014245	0.0004366	0.0007289	0.0023186	0.0024441	0.0013944
279	0.0032977	0.0037504	0.0016823	0.0013462	0.0004013	0.0008122	0.0026031	0.002744	0.0015695
280	0.0035152	0.0037755	0.0012883	0.001264	0.0003672	0.0008927	0.0029283	0.0030868	0.0017665
281	0.0040737	0.0037842	0.0008386	0.0011122	0.0003084	0.0010251	0.003733	0.003935	0.002233
282	0.0044691	0.0037607	0.0006972	0.001044	0.0002834	0.0010727	0.0042012	0.0044287	0.0024795
283	0.0049878	0.0037129	0.00059	0.0009818	0.0002615	0.0011057	0.0046957	0.0049499	0.0027071
284	0.005677	0.0036374	0.0005113	0.0009252	0.0002422	0.0011226	0.0051812	0.0054616	0.0028849
285	0.0065947	0.0035327	0.0004487	0.0008736	0.0002253	0.0011214	0.0055942	0.005897	0.0029921
286	0.0077748	0.0033986	0.0003982	0.0008263	0.0002103	0.0011	0.0058626	0.00618	0.0030541
287	0.0072691	0.0028723	0.0002759	0.0007073	0.0001735	0.0009252	0.0062813	0.0066213	0.0032236
288	0.004964	0.002671	0.0002548	0.0006739	0.0001637	0.0008346	0.0064076	0.0067545	0.0031967
291	0.0021516	0.0031989	0.0128513	0.0022342	0.0005184	0.0004117	0.0016138	0.0017011	0.0009645
292	0.002304	0.0032297	0.0065972	0.0022345	0.0004928	0.0004582	0.0017946	0.0018918	0.0010792
293	0.0024578	0.0032623	0.004107	0.0021084	0.0004645	0.0005114	0.0020081	0.0021168	0.0012155
294	0.0026156	0.0032968	0.0027615	0.0019321	0.0004337	0.000571	0.0022599	0.0023823	0.0013777
295	0.002772	0.0033232	0.0019726	0.0017565	0.000403	0.0006344	0.002557	0.0026954	0.0015692
296	0.002935	0.0033441	0.0014834	0.0015989	0.0003728	0.0006995	0.0029131	0.0030708	0.0017993
297	0.003112	0.003358	0.0011649	0.0014611	0.0003439	0.0007624	0.0033402	0.003521	0.0020746
298	0.003556	0.0033543	0.0007603	0.0012366	0.0002916	0.000868	0.0044489	0.0046897	0.0027673
299	0.0038476	0.0033296	0.0006379	0.0011461	0.0002692	0.0009059	0.0051545	0.0054335	0.0031751
300	0.0042133	0.0032861	0.0005428	0.0010664	0.0002492	0.0009322	0.0059408	0.0062624	0.00357
301	0.0046632	0.0032208	0.0004741	0.0009965	0.0002316	0.0009453	0.0067742	0.0071409	0.0038909

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
302	0.0052108	0.0031329	0.0004184	0.0009342	0.0002159	0.0009442	0.0075148	0.0079216	0.0040748
303	0.0058228	0.0030223	0.0003733	0.0008783	0.000202	0.0009275	0.0079898	0.0084223	0.0041945
304	0.0054087	0.0025911	0.0002645	0.000742	0.0001676	0.0007931	0.0087125	0.0091842	0.0042801
305	0.0041617	0.0024249	0.0002427	0.0007046	0.0001584	0.0007241	0.0086858	0.009156	0.0040901
308	0.0019508	0.0028973	0.0121687	0.004222	0.0004722	0.0003769	0.0017049	0.0017972	0.0010297
309	0.0020827	0.0029227	0.005832	0.0035188	0.0004503	0.0004157	0.00191	0.0020134	0.001163
310	0.0022145	0.0029465	0.0035122	0.0029079	0.0004264	0.0004591	0.0021549	0.0022715	0.0013237
311	0.0023508	0.0029729	0.0023563	0.0024559	0.0004	0.0005072	0.0024507	0.0025834	0.0015208
312	0.0024835	0.0029906	0.0017215	0.0021202	0.0003742	0.0005577	0.0028105	0.0029627	0.0017628
313	0.0026222	0.003005	0.0013084	0.0018618	0.0003479	0.0006095	0.0032505	0.0034265	0.0020628
314	0.0027695	0.0030127	0.001034	0.0016589	0.0003226	0.0006596	0.0037971	0.0040026	0.0024394
315	0.0031202	0.0030012	0.0006963	0.0013594	0.0002762	0.0007448	0.0053364	0.0056253	0.0035047
316	0.0033338	0.0029759	0.0005948	0.0012464	0.0002562	0.0007753	0.0064242	0.0067719	0.0042282
317	0.0035967	0.0029371	0.0005019	0.0011493	0.0002377	0.000797	0.0077427	0.0081618	0.0050046
318	0.0038955	0.0028799	0.0004445	0.0010662	0.0002216	0.0008075	0.0093086	0.0098125	0.0056798
319	0.0042332	0.002805	0.0003916	0.0009935	0.0002071	0.0008067	0.0108338	0.0114203	0.0060443
320	0.0045755	0.0027131	0.0003479	0.0009294	0.0001941	0.0007942	0.0118473	0.0124887	0.0063065
321	0.0042376	0.0023536	0.0002539	0.000776	0.000162	0.000689	0.0127034	0.013391	0.0056934
322	0.0035095	0.002215	0.0002315	0.0007346	0.0001532	0.0006354	0.011936	0.0125821	0.0051571
325	0.0017775	0.0026384	0.0053429	0.008751	0.0004323	0.000346	0.0017889	0.0018858	0.0010913
326	0.0018918	0.0026593	0.0045785	0.0052552	0.0004135	0.0003787	0.0020178	0.002127	0.0012433
327	0.002006	0.0026783	0.0027992	0.0038029	0.000393	0.0004145	0.0022951	0.0024194	0.0014303
328	0.0021218	0.0026966	0.0019531	0.0029988	0.0003708	0.0004537	0.0026366	0.0027793	0.0016649
329	0.0022379	0.0027111	0.0014565	0.00248	0.0003479	0.0004948	0.0030583	0.0032239	0.001961
330	0.0023529	0.0027188	0.001147	0.0021211	0.0003256	0.0005363	0.0035943	0.0037888	0.0023451
331	0.0024752	0.0027223	0.0009242	0.0018531	0.0003033	0.0005768	0.0042811	0.0045129	0.0028523
332	0.0026043	0.0027175	0.000768	0.0016452	0.0002823	0.0006137	0.0051779	0.0054582	0.0035365
333	0.0027524	0.002706	0.0006405	0.0014799	0.0002621	0.0006462	0.0063872	0.0067329	0.004497
334	0.0029149	0.0026821	0.0005476	0.0013442	0.0002439	0.0006715	0.0080401	0.0084754	0.0058488

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
335	0.0031009	0.0026462	0.0004739	0.0012308	0.0002272	0.0006892	0.0103567	0.0109174	0.0076934
336	0.0033067	0.0025962	0.0004153	0.0011345	0.0002122	0.0006982	0.0135876	0.0143232	0.0095804
337	0.0035234	0.0025321	0.0003676	0.0010516	0.0001987	0.0006979	0.0175991	0.0185517	0.0105688
338	0.0037148	0.0024531	0.0003309	0.0009791	0.0001867	0.0006878	0.0204515	0.0215586	0.0107726
339	0.0037622	0.0022622	0.0002613	0.0008596	0.0001655	0.0006414	0.0212887	0.0224411	0.008613
340	0.0034527	0.0021511	0.0002421	0.0008094	0.0001565	0.0006051	0.0188049	0.0198229	0.0073601
341	0.0029921	0.0020338	0.0002214	0.0007642	0.0001483	0.0005626	0.0159997	0.0168658	0.0062704
349	0.0020237	0.002471	0.0012541	0.0028401	0.0003247	0.0004422	0.0032903	0.0034684	0.002153
350	0.0021227	0.0024763	0.001006	0.0023768	0.000305	0.0004763	0.00392	0.0041322	0.0026261
351	0.0022262	0.0024776	0.0008199	0.0020434	0.0002852	0.0005096	0.0047522	0.0050094	0.0032808
352	0.0023287	0.0024696	0.0006959	0.0017936	0.0002668	0.0005396	0.0058909	0.0062098	0.0042284
353	0.0030991	0.0020711	0.0002488	0.0008973	0.0001597	0.0005653	0.0354439	0.0373625	0.0113704
354	0.0028928	0.0019764	0.0002313	0.0008426	0.0001513	0.0005363	0.0261078	0.0275211	0.0089843
355	0.0025829	0.0018761	0.0002122	0.0007936	0.0001435	0.0005021	0.0199942	0.0210765	0.0072491
364	0.0019226	0.0022673	0.000892	0.002637	0.0002864	0.0004261	0.0041975	0.0044248	0.0028742
365	0.0020069	0.0022652	0.0007447	0.0022384	0.0002693	0.0004534	0.0051679	0.0054476	0.003671
366	0.002095	0.0022583	0.0006299	0.0019443	0.0002524	0.0004788	0.0065412	0.0068953	0.0048899
367	0.0026215	0.0019058	0.0002396	0.0009351	0.0001543	0.0005025	0.0489792	0.0516305	0.0137691
368	0.0024765	0.0018245	0.0002194	0.0008757	0.0001463	0.000479	0.0320392	0.0337735	0.0102929
369	0.0022574	0.001738	0.0002034	0.0008229	0.000139	0.0004512	0.0229386	0.0241803	0.0079615
377	0.0017487	0.0020859	0.0007954	0.0029067	0.0002694	0.0003839	0.0043972	0.0046353	0.0030583
378	0.0018204	0.0020828	0.0006725	0.0024375	0.0002542	0.0004067	0.0054729	0.0057692	0.0039648
379	0.0018936	0.0020753	0.0005749	0.0020969	0.0002391	0.000428	0.0070231	0.0074033	0.0053816
380	0.0022632	0.0017619	0.0002263	0.0009727	0.0001489	0.0004499	0.0578991	0.0610333	0.0156361
381	0.0021566	0.001691	0.0002069	0.0009084	0.0001414	0.0004308	0.0358392	0.0377792	0.0111817
382	0.0019954	0.0016163	0.0001913	0.000852	0.0001345	0.000408	0.0246125	0.0259448	0.0083435
391	0.0016578	0.0019233	0.0006079	0.0026441	0.0002404	0.0003671	0.0056287	0.0059334	0.0041184
392	0.0017194	0.0019154	0.0005206	0.0022525	0.0002267	0.000385	0.0072599	0.0076529	0.0056142
393	0.0019836	0.0016354	0.0002156	0.0010104	0.0001439	0.0004054	0.0649488	0.0684646	0.0170014

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
394	0.0019014	0.0015736	0.0001981	0.0009417	0.0001368	0.0003897	0.0382386	0.0403085	0.0116277
395	0.0017792	0.0015082	0.0001838	0.0008813	0.0001304	0.0003708	0.0250319	0.026387	0.0083465
405	0.0015155	0.0017826	0.0005534	0.0028629	0.0002277	0.0003331	0.0056246	0.0059291	0.0041227
406	0.0015667	0.0017744	0.0004824	0.002419	0.0002156	0.0003483	0.0072588	0.0076517	0.0056097
407	0.001616	0.0017614	0.0004264	0.0020923	0.000204	0.0003616	0.009767	0.0102957	0.0081076
408	0.0017594	0.0015236	0.0002062	0.0010488	0.0001391	0.0003674	0.0705176	0.0743348	0.0176315
409	0.0016948	0.0014692	0.0001896	0.000975	0.0001324	0.0003544	0.0384449	0.040526	0.0114039
410	0.0015992	0.0014117	0.0001796	0.0009108	0.0001264	0.0003386	0.0237544	0.0250403	0.0078862
421	0.0014341	0.0016499	0.0004442	0.0025924	0.0002052	0.0003168	0.0070062	0.0073855	0.0053687
422	0.0014755	0.0016377	0.0003933	0.0022258	0.0001945	0.0003283	0.0093219	0.0098265	0.0076338
423	0.0015764	0.0014242	0.000197	0.0010874	0.0001346	0.0003347	0.0703877	0.074198	0.0168152
424	0.0015242	0.0013761	0.0001817	0.0010087	0.0001283	0.0003239	0.0345308	0.0364	0.0103124
425	0.0014482	0.0013251	0.0001724	0.0009402	0.0001226	0.0003106	0.0204679	0.0215758	0.0069782
435	0.0013181	0.0015392	0.0004074	0.0027753	0.0001954	0.0002896	0.0065589	0.0069139	0.0049491
436	0.0013523	0.0015275	0.0003659	0.0023676	0.0001859	0.0002994	0.008583	0.0090476	0.0068843
437	0.0013813	0.0012927	0.0001744	0.0010428	0.0001243	0.0002972	0.0266415	0.0280837	0.0085617
438	0.0013204	0.0012472	0.0001624	0.0009696	0.0001188	0.0002861	0.0163645	0.0172503	0.0058719
449	0.0012156	0.0014402	0.0003763	0.0029732	0.0001864	0.0002659	0.0060013	0.0063262	0.0044324
450	0.0012441	0.0014289	0.0003421	0.002518	0.0001778	0.0002743	0.007681	0.0080968	0.0059832
451	0.0012706	0.0014148	0.0003084	0.0021762	0.0001692	0.0002815	0.0101613	0.0107113	0.0085274
452	0.0012601	0.0012172	0.0001671	0.0010769	0.0001204	0.0002738	0.0202315	0.0213267	0.0069095
453	0.0012101	0.0011766	0.0001557	0.0009992	0.0001152	0.0002644	0.0132578	0.0139755	0.0049255
464	0.0011494	0.0013407	0.0003172	0.0026777	0.0001701	0.0002524	0.0067454	0.0071106	0.0050747
465	0.0011712	0.0013275	0.0002877	0.0022995	0.0001622	0.0002586	0.0086272	0.0090943	0.0068701
466	0.0012043	0.0012146	0.0001873	0.0013157	0.0001278	0.0002642	0.0355588	0.0374837	0.0137719
467	0.001156	0.001149	0.0001603	0.0011114	0.0001168	0.0002532	0.0161313	0.0170045	0.0057641
468	0.0011144	0.0011125	0.0001496	0.0010291	0.0001118	0.0002452	0.0111176	0.0117194	0.004236
479	0.0010653	0.0012607	0.0002919	0.0028417	0.0001621	0.000233	0.0058432	0.0061595	0.0042303
480	0.0010836	0.0012488	0.0002681	0.0024295	0.0001556	0.0002386	0.0072639	0.0076571	0.0054815

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
481	0.0010986	0.0012337	0.0002449	0.0021123	0.0001486	0.0002428	0.0091917	0.0096893	0.0072755
482	0.0011092	0.0012158	0.0002265	0.0018651	0.0001419	0.0002456	0.0119334	0.0125794	0.0099229
483	0.0011154	0.0011953	0.0002067	0.0016645	0.0001354	0.0002468	0.0156598	0.0165075	0.0129607
484	0.0011151	0.0011721	0.0001913	0.0015008	0.0001294	0.0002463	0.0198717	0.0209474	0.0132068
485	0.0011076	0.0011462	0.0001773	0.0013633	0.0001237	0.0002441	0.0211638	0.0223094	0.0099419
486	0.0010914	0.0011177	0.0001663	0.0012468	0.0001183	0.0002403	0.0176521	0.0186076	0.0068692
487	0.0010658	0.001087	0.000154	0.0011465	0.0001133	0.0002349	0.0129516	0.0136527	0.0049162
488	0.0010308	0.0010541	0.0001438	0.0010591	0.0001086	0.000228	0.0094333	0.0099439	0.0036993
501	0.0010058	0.0011769	0.0002481	0.0025624	0.0001476	0.0002208	0.0061055	0.006436	0.0043903
502	0.0010181	0.0011636	0.0002314	0.0022218	0.0001431	0.0002246	0.0075042	0.0079104	0.0055608
503	0.0010267	0.0011472	0.0002146	0.001952	0.0001369	0.0002271	0.0092956	0.0097988	0.0070097
504	0.0010311	0.0011285	0.0001981	0.0017358	0.0001308	0.0002283	0.0114821	0.0121037	0.0083651
505	0.0010303	0.0011074	0.0001823	0.0015593	0.0001251	0.0002281	0.0135798	0.0143149	0.0085773
506	0.0010233	0.0010839	0.0001693	0.0014123	0.0001197	0.0002263	0.0143121	0.0150868	0.0072965
507	0.001009	0.0010582	0.0001592	0.0012883	0.0001147	0.0002231	0.0129107	0.0136096	0.0055861
508	0.0009572	0.0010006	0.0001383	0.0010894	0.0001055	0.0002127	0.0080325	0.0084673	0.0032579
520	0.0009364	0.0011124	0.0002355	0.002717	0.0001437	0.0002051	0.0052029	0.0054846	0.0035982
521	0.0009467	0.0010991	0.0002136	0.0023288	0.0001341	0.0002083	0.006158	0.0064914	0.004325
522	0.0009538	0.0010849	0.0002021	0.002043	0.000132	0.0002108	0.0074101	0.0078113	0.0052174
523	0.0009571	0.0010677	0.0001872	0.0018095	0.0001264	0.000212	0.0087669	0.0092415	0.0059393
524	0.0009559	0.0010485	0.0001737	0.0016197	0.000121	0.0002119	0.0099644	0.0105038	0.006103
525	0.0009494	0.0010271	0.0001617	0.0014626	0.000116	0.0002105	0.010436	0.0110009	0.0055252
526	0.0009368	0.0010038	0.0001513	0.0013305	0.0001112	0.0002078	0.0098132	0.0103444	0.0045534
527	0.0008921	0.0009516	0.000133	0.0011198	0.0001025	0.0001989	0.0068431	0.0072136	0.002879
539	0.0008742	0.0010535	0.0002233	0.0028858	0.0001384	0.0001911	0.0044713	0.0047133	0.0029929
540	0.0008832	0.0010417	0.0002063	0.0024597	0.0001328	0.0001941	0.0051884	0.0054692	0.0034984
541	0.000889	0.0010276	0.0001897	0.0021354	0.0001263	0.0001962	0.0060106	0.0063359	0.0040269
542	0.0008915	0.0010119	0.000176	0.0018832	0.0001206	0.0001973	0.0068938	0.007267	0.0044612
543	0.00089	0.0009947	0.0001656	0.0016823	0.0001171	0.0001974	0.0076696	0.0080848	0.0046001

Via Oro
Unmitigated Operational Cancer Risk Summary

<i>Operational Cancer Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
544	0.0008841	0.0009751	0.0001545	0.001514	0.0001124	0.0001963	0.0079966	0.0084295	0.0043152
545	0.0008729	0.0009536	0.0001432	0.001372	0.0001073	0.000194	0.0076933	0.0081097	0.003735
546	0.0008342	0.0009064	0.0001278	0.0011501	9.962E-05	0.0001864	0.0058438	0.0061602	0.0025478
560	0.0008261	0.0009886	0.0001958	0.002596	0.0001281	0.0001813	0.0044099	0.0046486	0.0028765
561	0.000831	0.0009759	0.0001821	0.002243	0.0001231	0.0001832	0.0050109	0.0052822	0.0032353
562	0.000833	0.0009614	0.0001692	0.001967	0.0001181	0.0001843	0.0056093	0.005913	0.0035112
563	0.0008305	0.0009438	0.0001523	0.0017421	0.0001047	0.0001842	0.0060788	0.0064078	0.0035939
564	0.0008259	0.0009272	0.0001453	0.0015656	0.0001075	0.0001835	0.0063403	0.0066835	0.003457
565	0.0008161	0.0009082	0.000139	0.0014176	0.0001047	0.0001817	0.0062152	0.0065516	0.0031152
566	0.0007822	0.0008648	0.0001234	0.0011809	9.692E-05	0.0001751	0.0050221	0.0052939	0.0022632
579	0.0007747	0.0009398	0.0001857	0.0027435	0.0001237	0.0001697	0.0037883	0.0039934	0.0024056
580	0.0007789	0.0009281	0.0001733	0.0023545	0.000119	0.0001715	0.0042287	0.0044576	0.0026546
581	0.0007805	0.0009149	0.000162	0.0020553	0.0001144	0.0001726	0.0046607	0.004913	0.0028474
582	0.0007789	0.0009001	0.0001513	0.0018167	0.00011	0.0001728	0.005008	0.0052791	0.0029217
583	0.000774	0.0008836	0.0001415	0.0016224	0.0001057	0.0001721	0.0051836	0.0054642	0.002841
584	0.0007653	0.0008657	0.000132	0.0014611	0.0001012	0.0001705	0.005116	0.0053929	0.0026187
585	0.000746	0.0008414	0.0001097	0.0012724	8.521E-05	0.0001668	0.0046633	0.0049157	0.0021908
598	0.0007283	0.0008949	0.0001772	0.002906	0.0001195	0.0001593	0.003289	0.0034671	0.0020435
599	0.0007321	0.0008841	0.0001649	0.0024744	0.0001151	0.000161	0.0036161	0.0038118	0.0022208
600	0.0007333	0.0008719	0.0001544	0.0021466	0.0001108	0.000162	0.0039312	0.004144	0.0023587
601	0.0007318	0.0008583	0.0001448	0.0018885	0.0001066	0.0001622	0.0041867	0.0044133	0.0024192
602	0.0007274	0.0008433	0.000136	0.0016798	0.0001026	0.0001617	0.0043246	0.0045587	0.0023765
603	0.0007195	0.000827	0.0001281	0.0015081	9.881E-05	0.0001604	0.0043007	0.0045335	0.0022346
604	0.0007083	0.0008093	0.0001208	0.0013636	9.517E-05	0.0001584	0.0041008	0.0043228	0.0020229

Via Oro
Unmitigated Chronic Risk Summary

			Operational Chronic - by Route - From 710 @ Hughes Way								
Receptor #	Total Per/Million		A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Max A
68	0.0002	Res	3.6E-05	5.5E-05	1.5E-04	3.8E-05	1.5E-04	1.8E-04	1.8E-04	6.4E-05	6.5E-05
346	0.0001	School	4.7E-05	7.4E-05	5.4E-05	5.9E-05	1.2E-05	5.7E-05	1.4E-05	9.7E-06	5.4E-05
408	0.0005	Worker	4.6E-04	4.6E-04	1.3E-04	4.9E-05	1.3E-04	8.2E-05	8.8E-05	6.1E-05	7.5E-05
1	6.948E-05		3.436E-06	3.382E-06	3.892E-06	8.215E-07	3.671E-06	6.6E-05	6.58E-05	2.02E-05	2.08E-05
2	7.308E-05		3.584E-06	3.501E-06	4.266E-06	8.497E-07	4.033E-06	6.95E-05	6.93E-05	2.29E-05	2.35E-05
3	7.452E-05		3.741E-06	3.624E-06	4.705E-06	8.786E-07	4.459E-06	7.08E-05	7.05E-05	2.52E-05	2.59E-05
4	7.566E-05		3.908E-06	3.751E-06	5.23E-06	9.082E-07	4.972E-06	7.18E-05	7.15E-05	2.71E-05	2.79E-05
5	7.673E-05		4.088E-06	3.884E-06	5.871E-06	9.386E-07	5.601E-06	7.26E-05	7.24E-05	2.87E-05	2.95E-05
6	7.018E-05		4.284E-06	4.024E-06	6.683E-06	9.702E-07	6.402E-06	6.59E-05	6.56E-05	3.01E-05	3.1E-05
7	7.18E-05		4.494E-06	4.168E-06	7.725E-06	1.002E-06	7.435E-06	6.73E-05	6.7E-05	3.11E-05	3.21E-05
8	7.328E-05		4.721E-06	4.317E-06	9.104E-06	1.034E-06	8.808E-06	6.86E-05	6.83E-05	3.16E-05	3.28E-05
9	7.481E-05		4.967E-06	4.47E-06	1.104E-05	1.067E-06	1.074E-05	6.98E-05	6.96E-05	3.19E-05	3.32E-05
10	7.631E-05		5.234E-06	4.627E-06	1.392E-05	1.098E-06	1.363E-05	7.11E-05	7.08E-05	3.21E-05	3.36E-05
11	7.767E-05		5.524E-06	4.788E-06	1.866E-05	1.13E-06	1.838E-05	7.21E-05	7.19E-05	3.2E-05	3.37E-05
12	7.883E-05		5.841E-06	4.951E-06	2.748E-05	1.16E-06	2.723E-05	7.3E-05	7.27E-05	3.17E-05	3.37E-05
13	8.01E-05		6.191E-06	5.118E-06	3.694E-05	1.19E-06	3.674E-05	7.39E-05	7.37E-05	3.13E-05	3.37E-05
14	8.102E-05		6.573E-06	5.287E-06	4.523E-05	1.218E-06	4.511E-05	7.44E-05	7.43E-05	3.05E-05	3.35E-05
15	6.919E-05		6.994E-06	5.458E-06	5.39E-05	1.244E-06	5.39E-05	6.22E-05	6.22E-05	2.95E-05	3.33E-05
16	6.906E-05		7.452E-06	5.627E-06	5.654E-05	1.268E-06	5.667E-05	6.15E-05	6.16E-05	2.8E-05	3.31E-05
17	6.721E-05		7.952E-06	5.798E-06	5.665E-05	1.289E-06	5.694E-05	5.9E-05	5.93E-05	2.63E-05	3.34E-05
18	6.859E-05		8.479E-06	5.964E-06	5.855E-05	1.308E-06	5.898E-05	5.97E-05	6.01E-05	2.43E-05	3.3E-05
19	6.761E-05		9.024E-06	6.128E-06	5.794E-05	1.325E-06	5.848E-05	5.81E-05	5.86E-05	2.21E-05	3.03E-05
20	6.026E-05		9.564E-06	6.288E-06	5.01E-05	1.339E-06	5.07E-05	4.98E-05	5.03E-05	2E-05	2.65E-05
21	5.619E-05		1.008E-05	6.44E-06	4.548E-05	1.35E-06	4.611E-05	4.45E-05	4.51E-05	1.78E-05	2.29E-05
22	5.347E-05		1.057E-05	6.586E-06	4.225E-05	1.36E-06	4.29E-05	4.08E-05	4.14E-05	1.57E-05	1.97E-05
23	5.111E-05		1.103E-05	6.722E-06	3.94E-05	1.368E-06	4.008E-05	3.8E-05	3.87E-05	1.38E-05	1.7E-05
24	4.871E-05		1.148E-05	6.848E-06	3.654E-05	1.375E-06	3.723E-05	3.6E-05	3.67E-05	1.22E-05	1.47E-05
25	4.718E-05		1.186E-05	6.962E-06	3.361E-05	1.382E-06	3.429E-05	3.46E-05	3.53E-05	1.07E-05	1.27E-05
26	4.673E-05		1.216E-05	7.064E-06	3.063E-05	1.389E-06	3.128E-05	3.39E-05	3.46E-05	9.52E-06	1.11E-05

Via Oro
Unmitigated Chronic Risk Summary

				Operational Chronic - by Route - From 710 @ Hughes Way						
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Max A
27	4.695E-05	1.235E-05	7.154E-06	2.768E-05	1.396E-06	2.829E-05	3.4E-05	3.46E-05	8.47E-06	9.74E-06
28	4.805E-05	1.244E-05	7.228E-06	2.486E-05	1.405E-06	2.542E-05	3.51E-05	3.56E-05	7.58E-06	8.61E-06
29	5.062E-05	1.243E-05	7.289E-06	2.229E-05	1.413E-06	2.281E-05	3.77E-05	3.82E-05	6.83E-06	7.67E-06
30	5.591E-05	1.235E-05	7.335E-06	2E-05	1.423E-06	2.046E-05	4.31E-05	4.36E-05	6.2E-06	6.88E-06
31	6.76E-05	1.219E-05	7.367E-06	1.798E-05	1.433E-06	1.838E-05	5.5E-05	5.54E-05	5.66E-06	6.24E-06
32	0.0001027	1.196E-05	7.385E-06	1.614E-05	1.443E-06	1.653E-05	9.04E-05	9.07E-05	5.19E-06	5.66E-06
55	7.408E-05	1.262E-05	7.102E-06	6.038E-05	1.479E-06	6.146E-05	4.99E-05	5.1E-05	1.77E-05	2.21E-05
56	6.999E-05	1.332E-05	7.262E-06	5.558E-05	1.489E-06	5.667E-05	4.61E-05	4.72E-05	1.51E-05	1.83E-05
57	6.549E-05	1.395E-05	7.411E-06	5.047E-05	1.499E-06	5.154E-05	4.34E-05	4.45E-05	1.3E-05	1.54E-05
58	6.039E-05	1.442E-05	7.547E-06	4.497E-05	1.508E-06	4.597E-05	4.16E-05	4.26E-05	1.13E-05	1.3E-05
59	5.634E-05	1.469E-05	7.668E-06	3.938E-05	1.518E-06	4.029E-05	4.07E-05	4.17E-05	9.82E-06	1.12E-05
60	5.666E-05	1.478E-05	7.772E-06	3.419E-05	1.527E-06	3.5E-05	4.11E-05	4.19E-05	8.64E-06	9.69E-06
61	5.867E-05	1.475E-05	7.861E-06	2.977E-05	1.538E-06	3.049E-05	4.32E-05	4.39E-05	7.69E-06	8.51E-06
62	6.337E-05	1.462E-05	7.931E-06	2.594E-05	1.549E-06	2.659E-05	4.81E-05	4.87E-05	6.9E-06	7.55E-06
63	7.362E-05	1.441E-05	7.984E-06	2.275E-05	1.56E-06	2.331E-05	5.87E-05	5.92E-05	6.25E-06	6.79E-06
64	9.813E-05	1.412E-05	8.019E-06	2.001E-05	1.571E-06	2.051E-05	8.35E-05	8.4E-05	5.7E-06	6.13E-06
65	0.0001514	1.376E-05	8.038E-06	1.767E-05	1.581E-06	1.813E-05	0.000137	0.000138	5.23E-06	5.57E-06
66	0.0001799	1.339E-05	8.047E-06	1.578E-05	1.591E-06	1.617E-05	0.000166	0.000167	4.82E-06	5.13E-06
67	0.0001849	3.652E-06	3.627E-06	4.043E-06	8.998E-07	3.772E-06	0.000181	0.000181	5.32E-05	5.38E-05
68	0.0001866	3.821E-06	3.767E-06	4.447E-06	9.346E-07	4.157E-06	0.000183	0.000182	4.39E-05	4.46E-05
69	0.0001712	4.003E-06	3.913E-06	4.926E-06	9.707E-07	4.614E-06	0.000167	0.000167	5.21E-05	5.28E-05
70	0.0001472	4.199E-06	4.066E-06	5.503E-06	1.008E-06	5.169E-06	0.000143	0.000143	5.23E-05	5.32E-05
71	0.0001433	4.409E-06	4.224E-06	6.206E-06	1.047E-06	5.847E-06	0.000139	0.000138	5.13E-05	5.22E-05
72	0.0001448	4.641E-06	4.392E-06	7.107E-06	1.087E-06	6.723E-06	0.00014	0.00014	5.84E-05	5.95E-05
73	0.0001445	4.893E-06	4.567E-06	8.274E-06	1.128E-06	7.864E-06	0.00014	0.000139	3.95E-05	4.07E-05
74	0.0001449	5.169E-06	4.748E-06	9.854E-06	1.17E-06	9.419E-06	0.00014	0.000139	5.34E-05	5.48E-05
75	0.0001457	5.471E-06	4.936E-06	1.212E-05	1.212E-06	1.166E-05	0.00014	0.00014	5.45E-05	5.61E-05
76	0.0001472	5.807E-06	5.131E-06	1.57E-05	1.255E-06	1.522E-05	0.000141	0.000141	5.84E-05	6.03E-05
77	0.0001492	6.183E-06	5.333E-06	2.224E-05	1.297E-06	2.176E-05	0.000143	0.000143	5.28E-05	5.51E-05

Via Oro
Unmitigated Chronic Risk Summary

				<i>Operational Chronic - by Route - From 710 @ Hughes Way</i>						
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Max A
78	0.0001521	6.608E-06	5.542E-06	3.821E-05	1.34E-06	3.774E-05	0.000146	0.000145	5.37E-05	5.65E-05
79	0.0001551	9.913E-06	6.629E-06	0.0001443	1.517E-06	0.0001452	0.000126	0.000127	5.41E-05	6.18E-05
80	0.0001648	1.095E-05	6.849E-06	0.0001525	1.543E-06	0.0001538	0.000111	0.000113	4.69E-05	5.54E-05
81	0.0001561	1.215E-05	7.068E-06	0.0001423	1.567E-06	0.000144	0.000106	0.000108	3.88E-05	5.81E-05
82	0.0001399	1.342E-05	7.282E-06	0.0001246	1.587E-06	0.0001265	8.54E-05	8.73E-05	3.08E-05	4.08E-05
83	0.0001353	1.471E-05	7.491E-06	0.0001187	1.604E-06	0.0001206	7.43E-05	7.62E-05	2.46E-05	3.08E-05
84	0.0001267	1.597E-05	7.689E-06	0.0001088	1.618E-06	0.0001107	6.6E-05	6.79E-05	1.99E-05	2.4E-05
85	0.0001138	1.71E-05	7.879E-06	9.494E-05	1.632E-06	9.671E-05	5.99E-05	6.17E-05	1.64E-05	1.92E-05
86	0.0001001	1.789E-05	8.056E-06	8.067E-05	1.644E-06	8.223E-05	5.56E-05	5.72E-05	1.37E-05	1.57E-05
87	8.574E-05	1.826E-05	8.217E-06	6.612E-05	1.657E-06	6.748E-05	5.28E-05	5.41E-05	1.16E-05	1.31E-05
88	7.323E-05	1.83E-05	8.362E-06	5.376E-05	1.669E-06	5.494E-05	5.16E-05	5.28E-05	1E-05	1.11E-05
89	7.161E-05	1.812E-05	8.486E-06	4.389E-05	1.682E-06	4.494E-05	5.24E-05	5.35E-05	8.76E-06	9.5E-06
90	7.528E-05	1.784E-05	8.589E-06	3.638E-05	1.695E-06	3.728E-05	5.65E-05	5.74E-05	7.76E-06	8.32E-06
91	8.581E-05	1.753E-05	8.673E-06	3.065E-05	1.708E-06	3.142E-05	6.75E-05	6.83E-05	6.96E-06	7.41E-06
92	0.0001121	1.712E-05	8.731E-06	2.593E-05	1.721E-06	2.663E-05	9.42E-05	9.5E-05	6.3E-06	6.62E-06
93	0.0001285	1.67E-05	8.771E-06	2.232E-05	1.732E-06	2.292E-05	0.000111	0.000112	5.75E-06	6.02E-06
96	0.0001378	2.485E-05	8.734E-06	0.0001108	1.806E-06	0.000113	7.89E-05	8.1E-05	1.46E-05	1.6E-05
97	0.0001588	2.419E-05	8.607E-06	0.0001329	1.827E-06	0.0001346	7.36E-05	7.53E-05	1.21E-05	1.31E-05
98	0.0001064	2.365E-05	9.165E-06	8.125E-05	1.85E-06	8.28E-05	7.25E-05	7.4E-05	1.01E-05	1.07E-05
99	9.881E-05	2.293E-05	9.316E-06	6.07E-05	1.866E-06	6.196E-05	7.46E-05	7.59E-05	8.85E-06	9.25E-06
100	0.0001077	2.224E-05	9.439E-06	4.65E-05	1.882E-06	4.758E-05	8.44E-05	8.55E-05	7.85E-06	8.12E-06
101	0.0001383	2.161E-05	9.533E-06	3.665E-05	1.896E-06	3.762E-05	0.000116	0.000117	7.05E-06	7.2E-06
102	0.0001469	2.113E-05	9.602E-06	3.004E-05	1.909E-06	3.085E-05	0.000125	0.000126	6.39E-06	6.52E-06
106	6.102E-05	3.687E-06	3.732E-06	3.77E-06	9.461E-07	3.464E-06	5.73E-05	5.7E-05	3.21E-05	3.27E-05
107	7.567E-05	3.866E-06	3.889E-06	4.118E-06	9.878E-07	3.788E-06	7.18E-05	7.15E-05	3.83E-05	3.9E-05
108	8.252E-05	4.058E-06	4.053E-06	4.53E-06	1.031E-06	4.17E-06	7.85E-05	7.81E-05	3.7E-05	3.78E-05
109	9.056E-05	4.265E-06	4.225E-06	5.017E-06	1.076E-06	4.623E-06	8.63E-05	8.59E-05	3.58E-05	3.66E-05
110	9.941E-05	4.491E-06	4.407E-06	5.601E-06	1.124E-06	5.169E-06	9.49E-05	9.45E-05	3.6E-05	3.69E-05
111	0.0001002	4.734E-06	4.598E-06	6.306E-06	1.173E-06	5.829E-06	9.55E-05	9.5E-05	5.67E-05	5.78E-05

Via Oro
Unmitigated Chronic Risk Summary

				<i>Operational Chronic - by Route - From 710 @ Hughes Way</i>						
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Max A
112	9.963E-05	5.006E-06	4.802E-06	7.199E-06	1.226E-06	6.674E-06	9.46E-05	9.41E-05	3.53E-05	3.65E-05
113	9.746E-05	5.302E-06	5.015E-06	8.324E-06	1.28E-06	7.743E-06	9.22E-05	9.16E-05	3.54E-05	3.68E-05
114	9.651E-05	5.631E-06	5.239E-06	9.8E-06	1.336E-06	9.155E-06	9.09E-05	9.02E-05	3.75E-05	3.91E-05
115	9.535E-05	5.997E-06	5.472E-06	1.179E-05	1.393E-06	1.107E-05	8.94E-05	8.86E-05	5.55E-05	5.74E-05
116	9.426E-05	6.405E-06	5.714E-06	1.459E-05	1.45E-06	1.378E-05	8.79E-05	8.71E-05	3.36E-05	3.59E-05
117	9.491E-05	6.878E-06	5.97E-06	1.888E-05	1.509E-06	1.798E-05	8.8E-05	8.71E-05	3.49E-05	3.77E-05
118	9.657E-05	7.425E-06	6.235E-06	2.587E-05	1.568E-06	2.486E-05	8.91E-05	8.81E-05	5.52E-05	5.87E-05
124	4.673E-05	3.783E-06	3.857E-06	3.775E-06	9.898E-07	3.444E-06	3.66E-05	3.63E-05	4.22E-05	4.29E-05
125	6.897E-05	3.97E-06	4.024E-06	4.127E-06	1.035E-06	3.765E-06	4.44E-05	4.4E-05	6.42E-05	6.49E-05
126	6.508E-05	4.173E-06	4.201E-06	4.537E-06	1.083E-06	4.138E-06	4.93E-05	4.89E-05	6.01E-05	6.09E-05
127	6.354E-05	4.393E-06	4.389E-06	5.021E-06	1.134E-06	4.58E-06	5.34E-05	5.3E-05	5.82E-05	5.91E-05
128	6.375E-05	4.633E-06	4.588E-06	5.597E-06	1.188E-06	5.108E-06	5.69E-05	5.64E-05	5.81E-05	5.91E-05
129	6.351E-05	4.894E-06	4.797E-06	6.289E-06	1.244E-06	5.744E-06	5.81E-05	5.75E-05	5.75E-05	5.86E-05
130	6.392E-05	5.185E-06	5.022E-06	7.152E-06	1.305E-06	6.542E-06	5.87E-05	5.81E-05	5.63E-05	5.76E-05
131	6.426E-05	5.505E-06	5.259E-06	8.228E-06	1.367E-06	7.54E-06	5.88E-05	5.81E-05	5.49E-05	5.64E-05
132	6.476E-05	5.862E-06	5.509E-06	9.607E-06	1.433E-06	8.827E-06	5.89E-05	5.81E-05	5.42E-05	5.59E-05
133	6.497E-05	6.26E-06	5.77E-06	1.141E-05	1.5E-06	1.051E-05	5.87E-05	5.78E-05	5.32E-05	5.53E-05
134	6.592E-05	6.716E-06	6.048E-06	1.387E-05	1.569E-06	1.284E-05	5.92E-05	5.82E-05	5.32E-05	5.56E-05
135	6.68E-05	7.237E-06	6.336E-06	1.732E-05	1.639E-06	1.611E-05	5.96E-05	5.84E-05	5.3E-05	5.61E-05
136	6.838E-05	7.845E-06	6.636E-06	2.237E-05	1.709E-06	2.091E-05	6.05E-05	5.91E-05	5.37E-05	5.76E-05
137	7.066E-05	8.569E-06	6.945E-06	2.956E-05	1.777E-06	2.775E-05	6.21E-05	6.03E-05	5.49E-05	6.01E-05
138	7.501E-05	9.473E-06	7.27E-06	3.892E-05	1.845E-06	3.656E-05	6.55E-05	6.32E-05	5.75E-05	6.51E-05
141	4.316E-05	3.875E-06	3.983E-06	3.774E-06	1.035E-06	3.415E-06	2.7E-05	2.66E-05	3.85E-05	3.92E-05
142	4.337E-05	4.072E-06	4.163E-06	4.124E-06	1.085E-06	3.728E-06	3.18E-05	3.14E-05	3.84E-05	3.92E-05
143	4.302E-05	4.286E-06	4.354E-06	4.53E-06	1.139E-06	4.091E-06	3.54E-05	3.5E-05	3.78E-05	3.87E-05
144	4.299E-05	4.519E-06	4.558E-06	5.006E-06	1.196E-06	4.517E-06	3.82E-05	3.77E-05	3.75E-05	3.84E-05
145	4.512E-05	4.774E-06	4.776E-06	5.571E-06	1.257E-06	5.023E-06	4.03E-05	3.98E-05	3.74E-05	3.85E-05
146	4.663E-05	5.051E-06	5.005E-06	6.244E-06	1.321E-06	5.625E-06	4.16E-05	4.1E-05	3.72E-05	3.84E-05
147	4.785E-05	5.362E-06	5.253E-06	7.073E-06	1.391E-06	6.37E-06	4.25E-05	4.18E-05	3.71E-05	3.85E-05

Via Oro
Unmitigated Chronic Risk Summary

				Operational Chronic - by Route - From 710 @ Hughes Way						
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Max A
148	4.871E-05	5.704E-06	5.516E-06	8.089E-06	1.463E-06	7.284E-06	4.3E-05	4.22E-05	3.68E-05	3.84E-05
149	4.959E-05	6.087E-06	5.795E-06	9.366E-06	1.54E-06	8.435E-06	4.35E-05	4.26E-05	3.66E-05	3.85E-05
150	5.047E-05	6.519E-06	6.089E-06	1.1E-05	1.62E-06	9.904E-06	4.4E-05	4.29E-05	3.64E-05	3.86E-05
151	5.16E-05	7.011E-06	6.401E-06	1.314E-05	1.702E-06	1.184E-05	4.46E-05	4.33E-05	3.64E-05	3.91E-05
152	5.304E-05	7.581E-06	6.729E-06	1.603E-05	1.787E-06	1.444E-05	4.55E-05	4.39E-05	3.66E-05	3.99E-05
153	5.501E-05	8.253E-06	7.073E-06	2.001E-05	1.872E-06	1.8E-05	4.68E-05	4.47E-05	3.7E-05	4.13E-05
154	5.763E-05	9.057E-06	7.429E-06	2.541E-05	1.955E-06	2.27E-05	4.86E-05	4.59E-05	3.74E-05	4.33E-05
155	6.208E-05	1.007E-05	7.8E-06	3.262E-05	2.037E-06	2.858E-05	5.2E-05	4.8E-05	3.84E-05	4.7E-05
164	5.024E-05	9.517E-06	7.964E-06	2.299E-05	2.164E-06	1.923E-05	4.07E-05	3.7E-05	2.83E-05	3.48E-05
165	5.528E-05	1.062E-05	8.393E-06	2.947E-05	2.266E-06	2.346E-05	4.47E-05	3.86E-05	2.88E-05	3.86E-05
166	6.588E-05	1.21E-05	8.845E-06	4.079E-05	2.365E-06	2.865E-05	5.38E-05	4.16E-05	3E-05	4.76E-05
178	4.57E-05	9.939E-06	8.557E-06	2.16E-05	2.414E-06	1.669E-05	3.58E-05	3.09E-05	2.26E-05	2.98E-05
179	5.157E-05	1.112E-05	9.06E-06	2.807E-05	2.543E-06	1.991E-05	4.04E-05	3.23E-05	2.31E-05	3.43E-05
180	6.492E-05	1.27E-05	9.59E-06	4.149E-05	2.669E-06	2.381E-05	5.22E-05	3.45E-05	2.39E-05	4.58E-05
192	4.287E-05	1.032E-05	9.223E-06	2.087E-05	2.716E-06	1.474E-05	3.25E-05	2.64E-05	1.87E-05	2.69E-05
193	4.973E-05	1.156E-05	9.819E-06	2.781E-05	2.884E-06	1.73E-05	3.82E-05	2.77E-05	1.92E-05	3.22E-05
194	5.811E-05	1.317E-05	1.044E-05	3.585E-05	3.047E-06	2.035E-05	4.49E-05	2.94E-05	1.99E-05	3.86E-05
207	4.113E-05	1.067E-05	9.973E-06	2.064E-05	3.085E-06	1.317E-05	3.05E-05	2.3E-05	1.6E-05	2.51E-05
208	4.933E-05	1.193E-05	1.068E-05	2.859E-05	3.309E-06	1.526E-05	3.74E-05	2.41E-05	1.64E-05	3.18E-05
209	5.936E-05	1.354E-05	1.143E-05	3.8E-05	3.529E-06	1.774E-05	4.58E-05	2.56E-05	1.7E-05	3.99E-05
223	4.015E-05	1.098E-05	1.083E-05	2.076E-05	3.549E-06	1.188E-05	2.92E-05	2.03E-05	1.39E-05	2.42E-05
224	5.02E-05	1.225E-05	1.169E-05	3.034E-05	3.855E-06	1.361E-05	3.79E-05	2.12E-05	1.42E-05	3.27E-05
225	6.23E-05	1.383E-05	1.259E-05	4.168E-05	4.155E-06	1.563E-05	4.85E-05	2.24E-05	1.48E-05	4.29E-05
239	4.028E-05	1.128E-05	1.183E-05	2.116E-05	4.146E-06	1.081E-05	2.84E-05	1.81E-05	1.22E-05	2.38E-05
240	5.264E-05	1.256E-05	1.289E-05	3.311E-05	4.581E-06	1.226E-05	3.97E-05	1.89E-05	1.26E-05	3.49E-05
241	5.371E-05	1.413E-05	1.402E-05	3.36E-05	5.02E-06	1.395E-05	3.96E-05	1.99E-05	1.31E-05	3.44E-05
255	4.11E-05	1.156E-05	1.303E-05	2.168E-05	4.935E-06	9.883E-06	2.81E-05	1.63E-05	1.09E-05	2.38E-05
256	5.715E-05	1.286E-05	1.439E-05	3.691E-05	5.591E-06	1.112E-05	4.28E-05	1.7E-05	1.12E-05	3.82E-05
272	4.224E-05	1.182E-05	1.451E-05	2.208E-05	6.011E-06	9.077E-06	2.77E-05	1.47E-05	9.77E-06	2.37E-05

Via Oro
Unmitigated Chronic Risk Summary

				<i>Operational Chronic - by Route - From 710 @ Hughes Way</i>						
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Max A
273	5.163E-05	1.315E-05	1.637E-05	3.005E-05	7.09E-06	1.015E-05	3.53E-05	1.54E-05	1.01E-05	3.11E-05
289	4.349E-05	1.206E-05	1.644E-05	2.202E-05	7.54E-06	8.37E-06	2.71E-05	1.34E-05	8.84E-06	2.33E-05
290	5.483E-05	1.342E-05	1.931E-05	3.087E-05	9.543E-06	9.297E-06	3.55E-05	1.4E-05	9.12E-06	3.16E-05
306	4.461E-05	1.227E-05	1.896E-05	2.114E-05	9.692E-06	7.738E-06	2.57E-05	1.23E-05	8.04E-06	2.22E-05
307	5.889E-05	1.367E-05	2.446E-05	3.023E-05	1.424E-05	8.548E-06	3.44E-05	1.27E-05	8.3E-06	3.08E-05
323	4.49E-05	1.244E-05	2.175E-05	1.908E-05	1.215E-05	7.169E-06	2.31E-05	1.12E-05	7.34E-06	1.99E-05
324	6.401E-05	1.387E-05	2.528E-05	3.493E-05	1.465E-05	7.878E-06	3.87E-05	1.17E-05	7.58E-06	3.54E-05
342	4.323E-05	1.256E-05	2.339E-05	1.615E-05	1.351E-05	6.652E-06	1.98E-05	1.03E-05	6.73E-06	1.68E-05
343	6.71E-05	1.402E-05	3.869E-05	2.495E-05	2.772E-05	7.273E-06	2.84E-05	1.07E-05	6.94E-06	2.53E-05
344	7.079E-05	1.576E-05	3.747E-05	3.01E-05	2.519E-05	7.975E-06	3.33E-05	1.12E-05	7.21E-06	3E-05
356	4.029E-05	1.261E-05	2.354E-05	1.338E-05	1.345E-05	6.181E-06	1.68E-05	9.55E-06	6.19E-06	1.39E-05
357	5.984E-05	1.409E-05	3.554E-05	1.78E-05	2.43E-05	6.724E-06	2.1E-05	9.89E-06	6.37E-06	1.8E-05
358	6.341E-05	1.585E-05	3.661E-05	2.385E-05	2.398E-05	7.334E-06	2.68E-05	1.03E-05	6.61E-06	2.37E-05
370	3.734E-05	1.26E-05	2.302E-05	1.123E-05	1.279E-05	5.751E-06	1.43E-05	8.84E-06	5.7E-06	1.17E-05
371	5.32E-05	1.408E-05	3.231E-05	1.377E-05	2.088E-05	6.226E-06	1.67E-05	9.14E-06	5.87E-06	1.39E-05
372	5.719E-05	1.585E-05	3.503E-05	1.672E-05	2.216E-05	6.755E-06	1.94E-05	9.48E-06	6.07E-06	1.66E-05
383	3.472E-05	1.252E-05	2.227E-05	9.612E-06	1.196E-05	5.358E-06	1.25E-05	8.2E-06	5.27E-06	9.97E-06
384	4.789E-05	1.398E-05	2.971E-05	1.123E-05	1.819E-05	5.773E-06	1.39E-05	8.46E-06	5.41E-06	1.13E-05
385	8.108E-05	1.573E-05	4.703E-05	1.299E-05	3.405E-05	6.231E-06	1.55E-05	8.76E-06	5.58E-06	1.28E-05
396	3.261E-05	1.237E-05	2.145E-05	8.365E-06	1.116E-05	4.999E-06	1.1E-05	7.63E-06	4.88E-06	8.66E-06
397	4.371E-05	1.38E-05	2.761E-05	9.483E-06	1.61E-05	5.361E-06	1.2E-05	7.86E-06	5E-06	9.56E-06
398	6.711E-05	1.551E-05	4.004E-05	1.065E-05	2.707E-05	5.757E-06	1.3E-05	8.11E-06	5.15E-06	1.05E-05
399	6.426E-05	1.759E-05	3.951E-05	1.167E-05	2.475E-05	6.192E-06	1.39E-05	8.39E-06	5.32E-06	1.13E-05
411	3.104E-05	1.216E-05	2.063E-05	7.384E-06	1.041E-05	4.67E-06	9.82E-06	7.11E-06	4.52E-06	7.62E-06
412	4.03E-05	1.354E-05	2.586E-05	8.199E-06	1.444E-05	4.986E-06	1.05E-05	7.31E-06	4.63E-06	8.25E-06
413	5.796E-05	1.52E-05	3.541E-05	9.035E-06	2.255E-05	5.33E-06	1.12E-05	7.52E-06	4.75E-06	8.88E-06
414	8.175E-05	1.72E-05	4.818E-05	9.779E-06	3.357E-05	5.701E-06	1.18E-05	7.76E-06	4.89E-06	9.41E-06
426	2.955E-05	1.189E-05	1.981E-05	6.592E-06	9.737E-06	4.369E-06	8.86E-06	6.64E-06	4.21E-06	6.78E-06
427	3.745E-05	1.322E-05	2.434E-05	7.214E-06	1.31E-05	4.645E-06	9.38E-06	6.81E-06	4.3E-06	7.24E-06

Via Oro
Unmitigated Chronic Risk Summary

				<i>Operational Chronic - by Route - From 710 @ Hughes Way</i>						
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Max A
428	5.133E-05	1.48E-05	3.198E-05	7.838E-06	1.934E-05	4.942E-06	9.9E-06	7E-06	4.4E-06	7.68E-06
429	8.513E-05	1.67E-05	4.973E-05	8.409E-06	3.54E-05	5.262E-06	1.03E-05	7.2E-06	4.51E-06	8.06E-06
439	2.814E-05	1.159E-05	1.901E-05	5.94E-06	9.128E-06	4.092E-06	8.06E-06	6.21E-06	3.92E-06	6.09E-06
440	3.497E-05	1.285E-05	2.299E-05	6.428E-06	1.198E-05	4.335E-06	8.46E-06	6.37E-06	4E-06	6.43E-06
441	4.628E-05	1.434E-05	2.931E-05	6.915E-06	1.697E-05	4.594E-06	8.85E-06	6.53E-06	4.08E-06	6.76E-06
442	7.047E-05	1.612E-05	4.221E-05	7.363E-06	2.826E-05	4.869E-06	9.19E-06	6.7E-06	4.18E-06	7.04E-06
443	9.188E-05	1.828E-05	5.39E-05	7.734E-06	3.799E-05	5.161E-06	9.45E-06	6.88E-06	4.28E-06	7.23E-06
454	2.681E-05	1.125E-05	1.823E-05	5.394E-06	8.579E-06	3.839E-06	7.38E-06	5.82E-06	3.66E-06	5.52E-06
455	3.278E-05	1.243E-05	2.175E-05	5.786E-06	1.103E-05	4.053E-06	7.69E-06	5.96E-06	3.73E-06	5.77E-06
456	4.22E-05	1.383E-05	2.709E-05	6.175E-06	1.511E-05	4.279E-06	8E-06	6.1E-06	3.8E-06	6.02E-06
457	6.037E-05	1.549E-05	3.692E-05	6.537E-06	2.344E-05	4.517E-06	8.26E-06	6.24E-06	3.87E-06	6.23E-06
458	8.164E-05	1.747E-05	4.847E-05	6.845E-06	3.317E-05	4.768E-06	8.47E-06	6.39E-06	3.96E-06	6.38E-06
469	2.555E-05	1.088E-05	1.747E-05	4.931E-06	8.08E-06	3.607E-06	6.79E-06	5.47E-06	3.42E-06	5.03E-06
470	3.08E-05	1.199E-05	2.06E-05	5.252E-06	1.021E-05	3.796E-06	7.05E-06	5.59E-06	3.48E-06	5.23E-06
471	3.877E-05	1.329E-05	2.517E-05	5.569E-06	1.36E-05	3.994E-06	7.29E-06	5.71E-06	3.54E-06	5.42E-06
472	5.295E-05	1.481E-05	3.296E-05	5.866E-06	2E-05	4.201E-06	7.5E-06	5.84E-06	3.6E-06	5.58E-06
473	7.071E-05	1.661E-05	4.267E-05	6.125E-06	2.804E-05	4.418E-06	7.67E-06	5.96E-06	3.67E-06	5.7E-06
489	2.436E-05	1.05E-05	1.673E-05	4.533E-06	7.628E-06	3.395E-06	6.29E-06	5.15E-06	3.21E-06	4.61E-06
490	2.902E-05	1.153E-05	1.953E-05	4.799E-06	9.492E-06	3.562E-06	6.49E-06	5.26E-06	3.26E-06	4.77E-06
491	3.585E-05	1.272E-05	2.349E-05	5.063E-06	1.236E-05	3.736E-06	6.69E-06	5.36E-06	3.31E-06	4.92E-06
492	4.727E-05	1.411E-05	2.983E-05	5.311E-06	1.743E-05	3.918E-06	6.86E-06	5.47E-06	3.36E-06	5.04E-06
493	7.239E-05	1.574E-05	4.315E-05	5.53E-06	2.924E-05	4.106E-06	7E-06	5.58E-06	3.41E-06	5.14E-06
494	7.27E-05	1.766E-05	4.42E-05	5.709E-06	2.85E-05	4.299E-06	7.1E-06	5.69E-06	3.47E-06	5.18E-06
509	2.322E-05	1.011E-05	1.601E-05	4.187E-06	7.213E-06	3.201E-06	5.84E-06	4.86E-06	3.01E-06	4.25E-06
510	2.738E-05	1.106E-05	1.852E-05	4.412E-06	8.859E-06	3.349E-06	6.01E-06	4.95E-06	3.06E-06	4.37E-06
511	3.329E-05	1.215E-05	2.197E-05	4.634E-06	1.132E-05	3.503E-06	6.18E-06	5.05E-06	3.1E-06	4.49E-06
512	4.267E-05	1.34E-05	2.724E-05	4.844E-06	1.543E-05	3.663E-06	6.32E-06	5.14E-06	3.14E-06	4.59E-06
513	6.112E-05	1.485E-05	3.714E-05	5.031E-06	2.398E-05	3.827E-06	6.44E-06	5.23E-06	3.19E-06	4.67E-06
514	8.05E-05	1.655E-05	4.763E-05	5.188E-06	3.288E-05	3.995E-06	6.52E-06	5.32E-06	3.23E-06	4.71E-06

Via Oro
Unmitigated Chronic Risk Summary

				Operational Chronic - by Route - From 710 @ Hughes Way						
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Max A
515	9.144E-05	2.089E-05	5.515E-05	5.39E-06	3.629E-05	4.33E-06	6.56E-06	5.5E-06	3.32E-06	4.67E-06
516	6.597E-05	2.369E-05	4.375E-05	5.433E-06	2.221E-05	4.49E-06	6.52E-06	5.58E-06	3.37E-06	4.59E-06
517	5.735E-05	2.706E-05	4.107E-05	5.444E-06	1.628E-05	4.639E-06	6.45E-06	5.64E-06	3.4E-06	4.49E-06
518	5.475E-05	3.116E-05	4.177E-05	5.425E-06	1.298E-05	4.77E-06	6.34E-06	5.69E-06	3.43E-06	4.36E-06
519	5.549E-05	3.622E-05	4.463E-05	5.385E-06	1.086E-05	4.872E-06	6.22E-06	5.71E-06	3.43E-06	4.21E-06
528	2.214E-05	9.714E-06	1.531E-05	3.884E-06	6.832E-06	3.022E-06	5.45E-06	4.59E-06	2.83E-06	3.93E-06
529	2.586E-05	1.058E-05	1.756E-05	4.076E-06	8.296E-06	3.154E-06	5.59E-06	4.67E-06	2.87E-06	4.03E-06
530	3.102E-05	1.157E-05	2.06E-05	4.265E-06	1.042E-05	3.291E-06	5.73E-06	4.76E-06	2.91E-06	4.13E-06
531	3.888E-05	1.269E-05	2.505E-05	4.445E-06	1.383E-05	3.433E-06	5.85E-06	4.84E-06	2.94E-06	4.21E-06
532	5.304E-05	1.398E-05	3.273E-05	4.607E-06	2.031E-05	3.577E-06	5.95E-06	4.92E-06	2.98E-06	4.27E-06
533	6.972E-05	1.546E-05	4.176E-05	4.744E-06	2.796E-05	3.723E-06	6.02E-06	5E-06	3.02E-06	4.3E-06
534	8.158E-05	1.917E-05	4.945E-05	4.928E-06	3.213E-05	4.011E-06	6.06E-06	5.14E-06	3.08E-06	4.27E-06
535	6.995E-05	2.151E-05	4.475E-05	4.97E-06	2.52E-05	4.146E-06	6.02E-06	5.2E-06	3.11E-06	4.21E-06
536	5.753E-05	2.428E-05	3.988E-05	4.987E-06	1.765E-05	4.272E-06	5.96E-06	5.25E-06	3.14E-06	4.12E-06
537	5.284E-05	2.755E-05	3.913E-05	4.973E-06	1.371E-05	4.38E-06	5.88E-06	5.28E-06	3.15E-06	4E-06
538	5.183E-05	3.147E-05	4.055E-05	4.936E-06	1.128E-05	4.464E-06	5.77E-06	5.29E-06	3.15E-06	3.87E-06
547	2.111E-05	9.313E-06	1.463E-05	3.617E-06	6.482E-06	2.858E-06	5.1E-06	4.34E-06	2.67E-06	3.65E-06
548	2.445E-05	1.01E-05	1.666E-05	3.782E-06	7.791E-06	2.977E-06	5.22E-06	4.42E-06	2.7E-06	3.73E-06
549	2.898E-05	1.099E-05	1.934E-05	3.945E-06	9.649E-06	3.099E-06	5.34E-06	4.49E-06	2.74E-06	3.81E-06
550	3.566E-05	1.199E-05	2.314E-05	4.1E-06	1.252E-05	3.224E-06	5.44E-06	4.56E-06	2.77E-06	3.88E-06
551	4.692E-05	1.313E-05	2.93E-05	4.241E-06	1.762E-05	3.351E-06	5.52E-06	4.63E-06	2.8E-06	3.93E-06
552	7.227E-05	1.442E-05	4.258E-05	4.362E-06	2.969E-05	3.479E-06	5.58E-06	4.7E-06	2.82E-06	3.95E-06
553	6.706E-05	1.589E-05	4.067E-05	4.46E-06	2.639E-05	3.606E-06	5.62E-06	4.76E-06	2.85E-06	3.95E-06
554	6.154E-05	1.759E-05	3.871E-05	4.529E-06	2.282E-05	3.728E-06	5.62E-06	4.82E-06	2.87E-06	3.93E-06
555	7.651E-05	1.955E-05	4.714E-05	4.572E-06	2.937E-05	3.845E-06	5.59E-06	4.87E-06	2.9E-06	3.87E-06
556	5.877E-05	2.183E-05	3.937E-05	4.592E-06	1.94E-05	3.951E-06	5.55E-06	4.9E-06	2.91E-06	3.8E-06
557	5.181E-05	2.448E-05	3.718E-05	4.581E-06	1.463E-05	4.042E-06	5.47E-06	4.93E-06	2.91E-06	3.7E-06
558	4.925E-05	2.759E-05	3.743E-05	4.553E-06	1.182E-05	4.114E-06	5.37E-06	4.93E-06	2.91E-06	3.59E-06
559	4.906E-05	3.119E-05	3.911E-05	4.504E-06	9.943E-06	4.159E-06	5.26E-06	4.91E-06	2.88E-06	3.46E-06

Via Oro
Unmitigated Chronic Risk Summary

				Operational Chronic - by Route - From 710 @ Hughes Way						
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Max A
567	2.012E-05	8.91E-06	1.396E-05	3.379E-06	6.157E-06	2.707E-06	4.79E-06	4.12E-06	2.52E-06	3.4E-06
568	2.313E-05	9.624E-06	1.58E-05	3.523E-06	7.333E-06	2.814E-06	4.89E-06	4.19E-06	2.55E-06	3.47E-06
569	2.714E-05	1.042E-05	1.817E-05	3.665E-06	8.972E-06	2.923E-06	4.99E-06	4.25E-06	2.58E-06	3.54E-06
570	3.287E-05	1.131E-05	2.145E-05	3.8E-06	1.142E-05	3.035E-06	5.08E-06	4.32E-06	2.6E-06	3.59E-06
571	4.206E-05	1.231E-05	2.651E-05	3.923E-06	1.555E-05	3.148E-06	5.15E-06	4.38E-06	2.63E-06	3.63E-06
572	6.042E-05	1.343E-05	3.621E-05	4.031E-06	2.42E-05	3.26E-06	5.2E-06	4.43E-06	2.65E-06	3.65E-06
573	6.278E-05	1.471E-05	3.8E-05	4.118E-06	2.478E-05	3.371E-06	5.23E-06	4.48E-06	2.67E-06	3.65E-06
574	8.707E-05	1.78E-05	5.162E-05	4.224E-06	3.545E-05	3.578E-06	5.22E-06	4.57E-06	2.7E-06	3.58E-06
575	6.131E-05	1.97E-05	3.966E-05	4.245E-06	2.166E-05	3.669E-06	5.17E-06	4.6E-06	2.71E-06	3.52E-06
576	5.167E-05	2.187E-05	3.589E-05	4.243E-06	1.578E-05	3.747E-06	5.11E-06	4.62E-06	2.71E-06	3.44E-06
577	4.754E-05	2.436E-05	3.505E-05	4.221E-06	1.249E-05	3.808E-06	5.03E-06	4.62E-06	2.7E-06	3.34E-06
578	4.607E-05	2.717E-05	3.57E-05	4.179E-06	1.037E-05	3.847E-06	4.93E-06	4.6E-06	2.67E-06	3.22E-06
586	1.918E-05	8.512E-06	1.333E-05	3.167E-06	5.856E-06	2.569E-06	4.51E-06	3.91E-06	2.39E-06	3.18E-06
587	2.19E-05	9.155E-06	1.498E-05	3.293E-06	6.919E-06	2.665E-06	4.6E-06	3.97E-06	2.41E-06	3.24E-06
588	2.546E-05	9.866E-06	1.709E-05	3.417E-06	8.373E-06	2.763E-06	4.68E-06	4.03E-06	2.44E-06	3.29E-06
589	3.044E-05	1.065E-05	1.994E-05	3.535E-06	1.049E-05	2.863E-06	4.76E-06	4.09E-06	2.46E-06	3.34E-06
590	3.808E-05	1.153E-05	2.417E-05	3.644E-06	1.391E-05	2.963E-06	4.82E-06	4.14E-06	2.48E-06	3.37E-06
591	5.211E-05	1.251E-05	3.165E-05	3.74E-06	2.046E-05	3.062E-06	4.87E-06	4.19E-06	2.49E-06	3.39E-06
592	6.818E-05	1.361E-05	4.02E-05	3.819E-06	2.798E-05	3.159E-06	4.89E-06	4.23E-06	2.51E-06	3.39E-06
593	7.515E-05	1.625E-05	4.495E-05	3.917E-06	3.02E-05	3.34E-06	4.88E-06	4.3E-06	2.53E-06	3.33E-06
594	6.563E-05	1.784E-05	4.095E-05	3.939E-06	2.468E-05	3.419E-06	4.84E-06	4.32E-06	2.53E-06	3.27E-06
595	5.248E-05	1.963E-05	3.525E-05	3.938E-06	1.723E-05	3.486E-06	4.79E-06	4.34E-06	2.53E-06	3.2E-06
596	4.661E-05	2.163E-05	3.33E-05	3.92E-06	1.331E-05	3.538E-06	4.71E-06	4.33E-06	2.51E-06	3.11E-06
597	4.392E-05	2.384E-05	3.304E-05	3.887E-06	1.088E-05	3.572E-06	4.63E-06	4.31E-06	2.49E-06	3.01E-06
345	0.0001252	1.788E-05	6.824E-05	5.405E-05	5.439E-05	8.78E-06	5.7E-05	1.17E-05	7.56E-06	5.36E-05
346	0.0001329	2.048E-05	7.431E-05	5.343E-05	5.855E-05	9.72E-06	5.61E-05	1.24E-05	8.03E-06	5.25E-05
347	0.0001266	2.375E-05	7.176E-05	5.249E-05	5.364E-05	1.086E-05	5.49E-05	1.32E-05	8.69E-06	5.11E-05
348	0.0001253	2.795E-05	7.174E-05	5.146E-05	5.068E-05	1.23E-05	5.36E-05	1.44E-05	9.66E-06	4.96E-05
359	0.0001024	1.8E-05	5.835E-05	2.806E-05	4.404E-05	8.028E-06	3.08E-05	1.07E-05	6.91E-06	2.76E-05

Via Oro
Unmitigated Chronic Risk Summary

				Operational Chronic - by Route - From 710 @ Hughes Way						
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Max A
360	0.0001026	2.064E-05	5.95E-05	2.901E-05	4.314E-05	8.828E-06	3.15E-05	1.13E-05	7.3E-06	2.82E-05
361	8.793E-05	2.396E-05	5.343E-05	2.892E-05	3.451E-05	9.776E-06	3.11E-05	1.2E-05	7.84E-06	2.77E-05
362	8.358E-05	2.819E-05	5.287E-05	2.866E-05	3.071E-05	1.094E-05	3.06E-05	1.29E-05	8.59E-06	2.7E-05
363	8.51E-05	3.381E-05	5.494E-05	2.844E-05	2.855E-05	1.248E-05	3.02E-05	1.42E-05	9.72E-06	2.64E-05
373	0.0001068	2.065E-05	6.179E-05	2.006E-05	4.502E-05	8.025E-06	2.24E-05	1.03E-05	6.64E-06	1.93E-05
374	8.038E-05	2.397E-05	4.993E-05	2.03E-05	3.045E-05	8.807E-06	2.24E-05	1.09E-05	7.06E-06	1.92E-05
375	7.305E-05	2.82E-05	4.799E-05	2.025E-05	2.505E-05	9.734E-06	2.21E-05	1.16E-05	7.63E-06	1.88E-05
376	7.197E-05	3.379E-05	4.973E-05	2.015E-05	2.224E-05	1.089E-05	2.18E-05	1.25E-05	8.44E-06	1.83E-05
386	8.772E-05	2.048E-05	5.235E-05	1.532E-05	3.537E-05	7.308E-06	1.75E-05	9.47E-06	6.05E-06	1.46E-05
387	8.168E-05	2.377E-05	5.072E-05	1.567E-05	3.095E-05	7.952E-06	1.76E-05	9.92E-06	6.38E-06	1.47E-05
388	7.009E-05	2.795E-05	4.672E-05	1.575E-05	2.337E-05	8.692E-06	1.75E-05	1.05E-05	6.81E-06	1.44E-05
389	6.758E-05	3.345E-05	4.783E-05	1.572E-05	1.975E-05	9.571E-06	1.73E-05	1.11E-05	7.38E-06	1.41E-05
390	6.974E-05	4.09E-05	5.215E-05	1.567E-05	1.759E-05	1.065E-05	1.7E-05	1.2E-05	8.16E-06	1.37E-05
400	9.505E-05	2.014E-05	5.601E-05	1.236E-05	3.903E-05	6.671E-06	1.44E-05	8.7E-06	5.53E-06	1.17E-05
401	8.792E-05	2.333E-05	5.384E-05	1.273E-05	3.408E-05	7.2E-06	1.46E-05	9.06E-06	5.78E-06	1.18E-05
402	7.045E-05	2.74E-05	4.69E-05	1.288E-05	2.354E-05	7.797E-06	1.46E-05	9.48E-06	6.1E-06	1.17E-05
403	6.585E-05	3.27E-05	4.697E-05	1.289E-05	1.888E-05	8.472E-06	1.44E-05	9.98E-06	6.51E-06	1.14E-05
404	6.703E-05	3.984E-05	5.078E-05	1.285E-05	1.625E-05	9.251E-06	1.42E-05	1.06E-05	7.02E-06	1.11E-05
415	7.918E-05	1.965E-05	4.798E-05	1.034E-05	3.12E-05	6.105E-06	1.23E-05	8.02E-06	5.06E-06	9.74E-06
416	0.0001001	2.27E-05	5.981E-05	1.068E-05	4.03E-05	6.546E-06	1.24E-05	8.31E-06	5.26E-06	9.86E-06
417	7.284E-05	2.656E-05	4.792E-05	1.085E-05	2.492E-05	7.027E-06	1.25E-05	8.64E-06	5.5E-06	9.79E-06
418	6.557E-05	3.16E-05	4.658E-05	1.092E-05	1.899E-05	7.562E-06	1.24E-05	9.02E-06	5.79E-06	9.62E-06
419	6.535E-05	3.829E-05	4.956E-05	1.092E-05	1.579E-05	8.147E-06	1.22E-05	9.44E-06	6.14E-06	9.38E-06
420	6.979E-05	4.741E-05	5.607E-05	1.083E-05	1.372E-05	8.761E-06	1.2E-05	9.89E-06	6.53E-06	9.05E-06
430	8.686E-05	2.188E-05	5.293E-05	9.168E-06	3.392E-05	5.972E-06	1.08E-05	7.65E-06	4.8E-06	8.42E-06
431	7.739E-05	2.549E-05	4.985E-05	9.348E-06	2.754E-05	6.368E-06	1.09E-05	7.91E-06	4.98E-06	8.39E-06
432	6.608E-05	3.012E-05	4.634E-05	9.429E-06	1.974E-05	6.792E-06	1.08E-05	8.19E-06	5.19E-06	8.26E-06
433	6.4E-05	3.621E-05	4.816E-05	9.441E-06	1.584E-05	7.243E-06	1.07E-05	8.5E-06	5.44E-06	8.06E-06
434	6.713E-05	4.447E-05	5.365E-05	9.404E-06	1.348E-05	7.705E-06	1.05E-05	8.82E-06	5.7E-06	7.82E-06

Via Oro
Unmitigated Chronic Risk Summary

				Operational Chronic - by Route - From 710 @ Hughes Way						
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Max A
444	6.902E-05	2.092E-05	4.368E-05	8.005E-06	2.535E-05	5.471E-06	9.6E-06	7.07E-06	4.4E-06	7.32E-06
445	8.441E-05	2.422E-05	5.29E-05	8.175E-06	3.151E-05	5.798E-06	9.65E-06	7.27E-06	4.54E-06	7.31E-06
446	6.747E-05	2.839E-05	4.638E-05	8.265E-06	2.109E-05	6.141E-06	9.61E-06	7.49E-06	4.69E-06	7.21E-06
447	6.299E-05	3.379E-05	4.669E-05	8.292E-06	1.63E-05	6.495E-06	9.51E-06	7.72E-06	4.86E-06	7.05E-06
448	6.432E-05	4.095E-05	5.079E-05	8.27E-06	1.353E-05	6.848E-06	9.37E-06	7.94E-06	5.04E-06	6.85E-06
459	9.556E-05	2.284E-05	5.792E-05	7.24E-06	3.764E-05	5.304E-06	8.65E-06	6.72E-06	4.16E-06	6.45E-06
460	6.998E-05	2.653E-05	4.687E-05	7.331E-06	2.311E-05	5.586E-06	8.63E-06	6.89E-06	4.27E-06	6.38E-06
461	6.248E-05	3.12E-05	4.535E-05	7.367E-06	1.714E-05	5.87E-06	8.55E-06	7.06E-06	4.39E-06	6.25E-06
462	6.175E-05	3.726E-05	4.79E-05	7.357E-06	1.386E-05	6.146E-06	8.43E-06	7.22E-06	4.51E-06	6.08E-06
463	6.535E-05	4.528E-05	5.36E-05	7.303E-06	1.175E-05	6.395E-06	8.26E-06	7.35E-06	4.61E-06	5.86E-06
474	8.708E-05	2.14E-05	5.309E-05	6.476E-06	3.399E-05	4.873E-06	7.83E-06	6.23E-06	3.82E-06	5.76E-06
475	7.411E-05	2.46E-05	4.812E-05	6.565E-06	2.599E-05	5.107E-06	7.82E-06	6.36E-06	3.91E-06	5.7E-06
476	6.263E-05	2.859E-05	4.428E-05	6.608E-06	1.835E-05	5.339E-06	7.76E-06	6.49E-06	3.99E-06	5.59E-06
477	5.961E-05	3.361E-05	4.519E-05	6.604E-06	1.442E-05	5.56E-06	7.65E-06	6.61E-06	4.07E-06	5.45E-06
478	6.105E-05	4.006E-05	4.906E-05	6.566E-06	1.2E-05	5.756E-06	7.51E-06	6.7E-06	4.14E-06	5.27E-06
495	6.491E-05	1.995E-05	4.138E-05	5.842E-06	2.353E-05	4.496E-06	7.14E-06	5.8E-06	3.53E-06	5.19E-06
496	8.077E-05	2.271E-05	5.062E-05	5.927E-06	3.015E-05	4.692E-06	7.14E-06	5.9E-06	3.59E-06	5.14E-06
497	6.369E-05	2.606E-05	4.369E-05	5.972E-06	2.001E-05	4.884E-06	7.09E-06	6E-06	3.66E-06	5.05E-06
498	5.811E-05	3.019E-05	4.289E-05	5.978E-06	1.522E-05	5.064E-06	7E-06	6.09E-06	3.71E-06	4.93E-06
499	5.749E-05	3.533E-05	4.508E-05	5.949E-06	1.241E-05	5.223E-06	6.88E-06	6.16E-06	3.75E-06	4.78E-06
500	6.014E-05	4.182E-05	4.961E-05	5.894E-06	1.054E-05	5.347E-06	6.74E-06	6.19E-06	3.76E-06	4.6E-06
139	8.375E-05	1.062E-05	7.599E-06	5.015E-05	1.907E-06	4.666E-05	7.16E-05	6.81E-05	6.05E-05	7.31E-05
140	9.713E-05	1.219E-05	7.939E-06	6.298E-05	1.966E-06	6.598E-05	8.19E-05	8.49E-05	4.47E-05	6.47E-05
156	7.091E-05	1.14E-05	8.186E-06	4.327E-05	2.116E-06	3.581E-05	5.95E-05	5.21E-05	4.02E-05	5.5E-05
157	8.283E-05	1.326E-05	8.579E-06	5.557E-05	2.188E-06	4.654E-05	6.96E-05	6.05E-05	4.26E-05	6.56E-05
158	9.318E-05	1.621E-05	8.984E-06	5.556E-05	2.255E-06	6.401E-05	6.85E-05	7.7E-05	4.6E-05	6.47E-05
159	0.0001053	2.179E-05	9.397E-06	6.83E-05	2.315E-06	7.047E-05	8.13E-05	8.35E-05	4.86E-05	7.46E-05
160	0.0001193	3.837E-05	9.809E-06	5.413E-05	2.368E-06	6.708E-05	6.8E-05	8.1E-05	5.92E-05	5.82E-05
161	0.0001516	6.394E-05	1.065E-05	4.728E-05	2.464E-06	6.846E-05	6.65E-05	8.77E-05	4.46E-05	3.33E-05

Via Oro
Unmitigated Chronic Risk Summary

				<i>Operational Chronic - by Route - From 710 @ Hughes Way</i>						
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Max A
162	0.0001352	5.466E-05	1.107E-05	4.731E-05	2.509E-06	5.684E-05	7.1E-05	8.05E-05	2.54E-05	2.1E-05
163	0.0001381	5.548E-05	1.148E-05	4.889E-05	2.551E-06	5.489E-05	7.66E-05	8.26E-05	1.85E-05	1.59E-05
167	6.8E-05	1.417E-05	9.296E-06	4.274E-05	2.453E-06	3.51E-05	5.38E-05	4.62E-05	3.11E-05	4.74E-05
168	7.566E-05	1.766E-05	9.787E-06	4.779E-05	2.542E-06	4.395E-05	5.8E-05	5.41E-05	3.38E-05	5.08E-05
169	8.986E-05	2.465E-05	1.027E-05	5.554E-05	2.618E-06	5.426E-05	6.52E-05	6.39E-05	3.79E-05	5.6E-05
170	9.568E-05	2.842E-05	1.077E-05	4.471E-05	2.688E-06	5.757E-05	5.44E-05	6.73E-05	3.72E-05	4.26E-05
171	0.0001098	3.992E-05	1.128E-05	4.034E-05	2.753E-06	5.971E-05	5.05E-05	6.99E-05	4.21E-05	3.63E-05
172	0.0001185	4.851E-05	1.179E-05	3.866E-05	2.816E-06	5.894E-05	4.97E-05	7E-05	3.99E-05	2.65E-05
173	0.0001019	4.117E-05	1.231E-05	3.845E-05	2.876E-06	4.88E-05	5.04E-05	6.07E-05	2.53E-05	1.9E-05
174	9.918E-05	4.025E-05	1.282E-05	3.973E-05	2.933E-06	4.688E-05	5.18E-05	5.89E-05	1.93E-05	1.49E-05
175	0.0001004	4.179E-05	1.33E-05	4.313E-05	2.986E-06	4.873E-05	5.3E-05	5.86E-05	1.6E-05	1.24E-05
176	0.0001027	4.45E-05	1.375E-05	5.024E-05	3.031E-06	5.488E-05	5.36E-05	5.82E-05	1.37E-05	1.07E-05
177	0.0001168	4.752E-05	1.414E-05	6.547E-05	3.066E-06	6.933E-05	5.34E-05	5.72E-05	1.2E-05	9.43E-06
181	6.999E-05	1.871E-05	1.071E-05	4.29E-05	2.896E-06	3.473E-05	5.13E-05	4.31E-05	2.75E-05	4.35E-05
182	8.113E-05	2.672E-05	1.129E-05	4.668E-05	2.996E-06	4.402E-05	5.44E-05	5.17E-05	3.31E-05	4.51E-05
183	8.547E-05	3.083E-05	1.19E-05	3.848E-05	3.09E-06	4.727E-05	4.59E-05	5.46E-05	3.38E-05	3.46E-05
184	9.971E-05	3.984E-05	1.251E-05	3.47E-05	3.179E-06	5.265E-05	4.19E-05	5.99E-05	3.83E-05	2.81E-05
185	0.0001064	4.527E-05	1.315E-05	3.308E-05	3.267E-06	5.399E-05	4.03E-05	6.12E-05	3.81E-05	2.23E-05
186	9.234E-05	3.942E-05	1.38E-05	3.279E-05	3.35E-06	4.6E-05	3.97E-05	5.29E-05	2.73E-05	1.75E-05
187	8.786E-05	3.792E-05	1.443E-05	3.371E-05	3.425E-06	4.398E-05	3.97E-05	4.99E-05	2.21E-05	1.42E-05
188	8.58E-05	3.766E-05	1.504E-05	3.621E-05	3.492E-06	4.465E-05	3.97E-05	4.81E-05	1.86E-05	1.2E-05
189	8.58E-05	3.773E-05	1.56E-05	4.125E-05	3.544E-06	4.807E-05	3.95E-05	4.63E-05	1.59E-05	1.05E-05
190	9.442E-05	3.779E-05	1.61E-05	5.135E-05	3.577E-06	5.664E-05	3.89E-05	4.42E-05	1.35E-05	9.37E-06
191	0.0001175	3.782E-05	1.649E-05	7.572E-05	3.589E-06	7.97E-05	3.75E-05	4.15E-05	1.14E-05	8.45E-06
195	8.309E-05	1.919E-05	1.178E-05	5.682E-05	3.347E-06	2.902E-05	6.39E-05	3.61E-05	2.33E-05	5.64E-05
196	7.358E-05	2.707E-05	1.249E-05	4.012E-05	3.481E-06	3.741E-05	4.65E-05	4.38E-05	2.92E-05	3.79E-05
197	9.764E-05	4.103E-05	1.323E-05	3.372E-05	3.61E-06	5.073E-05	3.96E-05	5.66E-05	4.04E-05	2.95E-05
198	9.853E-05	4.262E-05	1.4E-05	3.075E-05	3.737E-06	5.045E-05	3.62E-05	5.59E-05	3.87E-05	2.42E-05
199	0.0001155	5.241E-05	1.48E-05	2.926E-05	3.859E-06	5.803E-05	3.43E-05	6.31E-05	4.47E-05	1.99E-05

Via Oro
Unmitigated Chronic Risk Summary

				Operational Chronic - by Route - From 710 @ Hughes Way						
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Max A
200	0.0001039	4.77E-05	1.561E-05	2.893E-05	3.973E-06	5.181E-05	3.33E-05	5.62E-05	3.64E-05	1.64E-05
201	9.838E-05	4.579E-05	1.641E-05	2.959E-05	4.073E-06	4.943E-05	3.28E-05	5.26E-05	3.15E-05	1.38E-05
202	8.998E-05	4.237E-05	1.718E-05	3.145E-05	4.152E-06	4.673E-05	3.23E-05	4.76E-05	2.55E-05	1.19E-05
203	8.407E-05	3.857E-05	1.789E-05	3.513E-05	4.203E-06	4.55E-05	3.18E-05	4.22E-05	1.96E-05	1.05E-05
204	8.514E-05	3.609E-05	1.851E-05	4.217E-05	4.225E-06	4.904E-05	3.11E-05	3.8E-05	1.52E-05	9.45E-06
205	9.648E-05	3.466E-05	1.901E-05	5.716E-05	4.216E-06	6.182E-05	3.01E-05	3.47E-05	1.23E-05	8.59E-06
206	0.0001361	3.362E-05	1.937E-05	9.922E-05	4.177E-06	0.0001024	2.85E-05	3.17E-05	1.03E-05	7.87E-06
210	6.068E-05	1.567E-05	1.219E-05	3.819E-05	3.722E-06	2.06E-05	4.5E-05	2.74E-05	1.79E-05	3.86E-05
211	7.348E-05	1.913E-05	1.305E-05	4.825E-05	3.934E-06	2.468E-05	5.44E-05	3.08E-05	2E-05	4.73E-05
212	6.624E-05	2.538E-05	1.392E-05	3.542E-05	4.121E-06	3.104E-05	4.09E-05	3.65E-05	2.44E-05	3.3E-05
213	9.463E-05	4.233E-05	1.484E-05	3.039E-05	4.307E-06	4.743E-05	3.53E-05	5.23E-05	3.91E-05	2.63E-05
214	9.146E-05	4.266E-05	1.681E-05	2.655E-05	4.661E-06	4.504E-05	3.03E-05	4.88E-05	3.38E-05	1.84E-05
215	9.651E-05	4.618E-05	1.784E-05	2.621E-05	4.814E-06	4.735E-05	2.92E-05	5.03E-05	3.44E-05	1.57E-05
216	9.802E-05	4.782E-05	1.886E-05	2.666E-05	4.937E-06	4.843E-05	2.84E-05	5.02E-05	3.35E-05	1.35E-05
217	0.0001141	5.657E-05	1.984E-05	2.806E-05	5.022E-06	5.752E-05	2.78E-05	5.73E-05	3.99E-05	1.19E-05
218	8.653E-05	4.194E-05	2.075E-05	3.08E-05	5.063E-06	4.459E-05	2.72E-05	4.1E-05	2.33E-05	1.07E-05
219	8.051E-05	3.691E-05	2.154E-05	3.574E-05	5.057E-06	4.36E-05	2.65E-05	3.44E-05	1.66E-05	9.7E-06
220	8.487E-05	3.465E-05	2.218E-05	4.528E-05	5.006E-06	5.021E-05	2.56E-05	3.05E-05	1.3E-05	8.88E-06
221	0.0001024	3.331E-05	2.262E-05	6.585E-05	4.915E-06	6.909E-05	2.44E-05	2.76E-05	1.07E-05	8.17E-06
222	0.0001634	3.226E-05	2.287E-05	0.0001289	4.792E-06	0.0001311	2.29E-05	2.51E-05	9.1E-06	7.54E-06
226	5.874E-05	1.591E-05	1.355E-05	3.682E-05	4.443E-06	1.805E-05	4.28E-05	2.41E-05	1.57E-05	3.69E-05
227	6.74E-05	1.889E-05	1.459E-05	4.318E-05	4.733E-06	2.12E-05	4.85E-05	2.65E-05	1.72E-05	4.2E-05
228	6.072E-05	2.352E-05	1.568E-05	3.248E-05	5.005E-06	2.565E-05	3.72E-05	3.04E-05	2.01E-05	3.01E-05
229	6.931E-05	3.184E-05	1.684E-05	2.804E-05	5.279E-06	3.333E-05	3.22E-05	3.75E-05	2.64E-05	2.42E-05
230	9.545E-05	4.571E-05	1.807E-05	2.579E-05	5.543E-06	4.615E-05	2.94E-05	4.97E-05	3.79E-05	2.04E-05
231	0.000118	5.789E-05	1.934E-05	2.464E-05	5.775E-06	5.709E-05	2.76E-05	6.01E-05	4.76E-05	1.76E-05
232	0.0001122	5.598E-05	2.065E-05	2.433E-05	5.973E-06	5.402E-05	2.65E-05	5.62E-05	4.3E-05	1.54E-05
233	0.0001285	6.57E-05	2.322E-05	2.57E-05	6.194E-06	6.277E-05	2.51E-05	6.21E-05	4.8E-05	1.22E-05
234	8.726E-05	4.468E-05	2.44E-05	2.77E-05	6.204E-06	4.258E-05	2.44E-05	3.93E-05	2.49E-05	1.11E-05

Via Oro
Unmitigated Chronic Risk Summary

				Operational Chronic - by Route - From 710 @ Hughes Way						
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Max A
235	7.808E-05	3.886E-05	2.543E-05	3.117E-05	6.144E-06	3.922E-05	2.37E-05	3.18E-05	1.73E-05	1.02E-05
236	7.865E-05	3.644E-05	2.626E-05	3.738E-05	6.021E-06	4.22E-05	2.29E-05	2.77E-05	1.34E-05	9.38E-06
237	8.741E-05	3.512E-05	2.682E-05	4.925E-05	5.845E-06	5.23E-05	2.18E-05	2.49E-05	1.1E-05	8.67E-06
238	0.0001123	3.411E-05	2.711E-05	7.62E-05	5.63E-06	7.818E-05	2.06E-05	2.26E-05	9.39E-06	8.02E-06
242	6.834E-05	1.611E-05	1.522E-05	4.691E-05	5.444E-06	1.594E-05	5.22E-05	2.13E-05	1.38E-05	4.67E-05
243	6.268E-05	1.875E-05	1.652E-05	3.922E-05	5.871E-06	1.842E-05	4.39E-05	2.31E-05	1.5E-05	3.8E-05
244	5.648E-05	2.238E-05	1.789E-05	2.995E-05	6.275E-06	2.162E-05	3.41E-05	2.58E-05	1.69E-05	2.76E-05
245	5.767E-05	2.768E-05	1.939E-05	2.638E-05	6.696E-06	2.613E-05	3E-05	2.97E-05	2.02E-05	2.29E-05
246	6.973E-05	3.467E-05	2.098E-05	2.451E-05	7.081E-06	3.201E-05	2.76E-05	3.51E-05	2.5E-05	1.98E-05
247	8.321E-05	4.236E-05	2.261E-05	2.363E-05	7.4E-06	3.839E-05	2.61E-05	4.08E-05	3.02E-05	1.75E-05
248	0.0001065	5.504E-05	2.427E-05	2.333E-05	7.633E-06	4.972E-05	2.5E-05	5.14E-05	4.03E-05	1.57E-05
249	0.0001332	7.022E-05	2.758E-05	2.428E-05	7.807E-06	6.299E-05	2.36E-05	6.23E-05	5.05E-05	1.29E-05
250	8.907E-05	4.82E-05	2.913E-05	2.566E-05	7.747E-06	4.087E-05	2.29E-05	3.81E-05	2.61E-05	1.19E-05
251	7.806E-05	4.219E-05	3.052E-05	2.802E-05	7.596E-06	3.586E-05	2.22E-05	3.01E-05	1.8E-05	1.1E-05
252	7.637E-05	3.995E-05	3.165E-05	3.192E-05	7.358E-06	3.643E-05	2.14E-05	2.59E-05	1.4E-05	1.02E-05
253	8.053E-05	3.884E-05	3.241E-05	3.896E-05	7.05E-06	4.169E-05	2.04E-05	2.31E-05	1.15E-05	9.42E-06
254	9.214E-05	3.801E-05	3.276E-05	5.244E-05	6.694E-06	5.414E-05	1.93E-05	2.1E-05	9.83E-06	8.7E-06
257	6.553E-05	1.636E-05	1.742E-05	4.336E-05	6.942E-06	1.422E-05	4.81E-05	1.9E-05	1.23E-05	4.3E-05
258	5.963E-05	1.883E-05	1.912E-05	3.63E-05	7.625E-06	1.624E-05	4.05E-05	2.04E-05	1.32E-05	3.51E-05
259	5.471E-05	2.205E-05	2.095E-05	2.896E-05	8.299E-06	1.876E-05	3.27E-05	2.25E-05	1.47E-05	2.68E-05
260	5.506E-05	2.622E-05	2.284E-05	2.565E-05	8.899E-06	2.194E-05	2.88E-05	2.51E-05	1.69E-05	2.25E-05
261	6.051E-05	3.172E-05	2.49E-05	2.429E-05	9.458E-06	2.611E-05	2.7E-05	2.88E-05	2.01E-05	2.01E-05
262	7.268E-05	3.887E-05	2.695E-05	2.355E-05	9.841E-06	3.169E-05	2.57E-05	3.38E-05	2.47E-05	1.82E-05
263	9.813E-05	5.277E-05	2.904E-05	2.33E-05	1.007E-05	4.389E-05	2.48E-05	4.54E-05	3.58E-05	1.67E-05
264	0.000138	7.51E-05	3.335E-05	2.389E-05	1.012E-05	6.294E-05	2.34E-05	6.24E-05	5.24E-05	1.44E-05
265	9.269E-05	5.302E-05	3.547E-05	2.478E-05	9.944E-06	3.968E-05	2.27E-05	3.76E-05	2.74E-05	1.34E-05
266	8.082E-05	4.733E-05	3.743E-05	2.621E-05	9.639E-06	3.349E-05	2.19E-05	2.92E-05	1.9E-05	1.25E-05
267	7.805E-05	4.56E-05	3.904E-05	2.85E-05	9.216E-06	3.245E-05	2.1E-05	2.5E-05	1.48E-05	1.15E-05
268	7.95E-05	4.496E-05	4.014E-05	3.228E-05	8.694E-06	3.454E-05	1.99E-05	2.22E-05	1.23E-05	1.06E-05

Via Oro
Unmitigated Chronic Risk Summary

				Operational Chronic - by Route - From 710 @ Hughes Way						
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Max A
269	8.411E-05	4.443E-05	4.062E-05	3.833E-05	8.107E-06	3.968E-05	1.88E-05	2.01E-05	1.06E-05	9.75E-06
270	7.668E-05	4.25E-05	4.036E-05	3.385E-05	6.109E-06	3.417E-05	1.47E-05	1.5E-05	7.07E-06	7.13E-06
271	6.359E-05	4.207E-05	4.036E-05	2.132E-05	5.429E-06	2.153E-05	1.33E-05	1.35E-05	6.16E-06	6.31E-06
274	7.723E-05	1.667E-05	2.064E-05	5.233E-05	9.442E-06	1.28E-05	5.66E-05	1.71E-05	1.1E-05	5.19E-05
275	6.185E-05	1.907E-05	2.302E-05	3.504E-05	1.064E-05	1.449E-05	3.88E-05	1.83E-05	1.18E-05	3.39E-05
276	5.802E-05	2.214E-05	2.553E-05	2.917E-05	1.178E-05	1.658E-05	3.25E-05	1.99E-05	1.31E-05	2.72E-05
277	5.735E-05	2.603E-05	2.797E-05	2.651E-05	1.265E-05	1.919E-05	2.94E-05	2.21E-05	1.48E-05	2.37E-05
278	5.905E-05	3.117E-05	3.049E-05	2.547E-05	1.333E-05	2.269E-05	2.79E-05	2.51E-05	1.74E-05	2.18E-05
279	6.843E-05	3.849E-05	3.299E-05	2.496E-05	1.372E-05	2.804E-05	2.69E-05	2.99E-05	2.2E-05	2.03E-05
280	9.463E-05	5.3E-05	3.553E-05	2.471E-05	1.385E-05	4.032E-05	2.6E-05	4.16E-05	3.34E-05	1.9E-05
281	0.0001428	8.03E-05	4.123E-05	2.503E-05	1.364E-05	6.251E-05	2.47E-05	6.22E-05	5.35E-05	1.7E-05
282	9.845E-05	5.94E-05	4.423E-05	2.546E-05	1.327E-05	3.905E-05	2.4E-05	3.75E-05	2.87E-05	1.6E-05
283	8.738E-05	5.499E-05	4.716E-05	2.617E-05	1.274E-05	3.239E-05	2.31E-05	2.93E-05	2.04E-05	1.49E-05
284	8.5E-05	5.456E-05	4.974E-05	2.728E-05	1.205E-05	3.044E-05	2.2E-05	2.52E-05	1.64E-05	1.39E-05
285	8.554E-05	5.492E-05	5.153E-05	2.888E-05	1.118E-05	3.061E-05	2.07E-05	2.25E-05	1.39E-05	1.27E-05
286	8.691E-05	5.483E-05	5.221E-05	3.108E-05	1.015E-05	3.208E-05	1.93E-05	2.02E-05	1.2E-05	1.15E-05
287	7.952E-05	5.312E-05	5.167E-05	2.615E-05	6.734E-06	2.64E-05	1.42E-05	1.45E-05	7.41E-06	7.52E-06
288	7.138E-05	5.248E-05	5.133E-05	1.875E-05	5.75E-06	1.891E-05	1.27E-05	1.28E-05	6.25E-06	6.44E-06
291	8.14E-05	1.701E-05	2.641E-05	5.114E-05	1.448E-05	1.159E-05	5.5E-05	1.54E-05	9.99E-06	5.07E-05
292	7.001E-05	1.943E-05	3.008E-05	3.65E-05	1.68E-05	1.304E-05	3.99E-05	1.65E-05	1.07E-05	3.54E-05
293	6.864E-05	2.248E-05	3.348E-05	3.214E-05	1.86E-05	1.483E-05	3.52E-05	1.79E-05	1.17E-05	3.03E-05
294	6.953E-05	2.638E-05	3.649E-05	3.043E-05	1.972E-05	1.711E-05	3.3E-05	1.97E-05	1.33E-05	2.79E-05
295	7.123E-05	3.155E-05	3.933E-05	2.971E-05	2.032E-05	2.025E-05	3.19E-05	2.24E-05	1.57E-05	2.64E-05
296	7.348E-05	3.927E-05	4.229E-05	2.945E-05	2.06E-05	2.546E-05	3.12E-05	2.72E-05	2.02E-05	2.54E-05
297	9.429E-05	5.495E-05	4.55E-05	2.935E-05	2.06E-05	3.81E-05	3.06E-05	3.93E-05	3.21E-05	2.44E-05
298	0.0001505	8.751E-05	5.299E-05	2.913E-05	1.982E-05	6.301E-05	2.9E-05	6.29E-05	5.53E-05	2.23E-05
299	0.0001096	6.934E-05	5.751E-05	2.912E-05	1.916E-05	4.023E-05	2.81E-05	3.92E-05	3.15E-05	2.12E-05
300	0.0001017	6.78E-05	6.231E-05	2.923E-05	1.836E-05	3.392E-05	2.71E-05	3.18E-05	2.4E-05	2E-05
301	0.0001017	7.007E-05	6.69E-05	2.935E-05	1.728E-05	3.164E-05	2.57E-05	2.8E-05	2.04E-05	1.87E-05

Via Oro
Unmitigated Chronic Risk Summary

				Operational Chronic - by Route - From 710 @ Hughes Way						
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Max A
302	0.0001026	7.216E-05	6.999E-05	2.919E-05	1.563E-05	3.043E-05	2.38E-05	2.5E-05	1.75E-05	1.68E-05
303	0.000102	7.253E-05	7.088E-05	2.872E-05	1.346E-05	2.943E-05	2.13E-05	2.2E-05	1.47E-05	1.44E-05
304	9.126E-05	6.984E-05	6.894E-05	2.123E-05	7.147E-06	2.142E-05	1.37E-05	1.39E-05	7.57E-06	7.73E-06
305	8.424E-05	6.765E-05	6.696E-05	1.647E-05	5.842E-06	1.659E-05	1.19E-05	1.2E-05	6.14E-06	6.35E-06
308	0.0001025	1.735E-05	4.155E-05	5.744E-05	2.892E-05	1.054E-05	6.09E-05	1.4E-05	9.09E-06	5.7E-05
309	9.725E-05	1.983E-05	4.753E-05	4.658E-05	3.336E-05	1.181E-05	4.97E-05	1.49E-05	9.71E-06	4.55E-05
310	9.842E-05	2.293E-05	5.141E-05	4.423E-05	3.539E-05	1.335E-05	4.7E-05	1.61E-05	1.06E-05	4.26E-05
311	0.0001009	2.694E-05	5.477E-05	4.375E-05	3.651E-05	1.536E-05	4.62E-05	1.78E-05	1.2E-05	4.15E-05
312	0.0001037	3.236E-05	5.796E-05	4.371E-05	3.697E-05	1.824E-05	4.57E-05	2.03E-05	1.42E-05	4.08E-05
313	0.0001069	4.052E-05	6.147E-05	4.377E-05	3.712E-05	2.322E-05	4.54E-05	2.49E-05	1.86E-05	4.02E-05
314	0.0001104	5.705E-05	6.546E-05	4.372E-05	3.693E-05	3.573E-05	4.49E-05	3.69E-05	3.05E-05	3.94E-05
315	0.0001675	0.0001	7.427E-05	4.148E-05	3.396E-05	6.74E-05	4.16E-05	6.75E-05	6.08E-05	3.56E-05
316	0.0001384	8.943E-05	8.204E-05	4.158E-05	3.349E-05	4.898E-05	4.1E-05	4.84E-05	4.16E-05	3.49E-05
317	0.0001386	9.411E-05	9.093E-05	4.143E-05	3.266E-05	4.451E-05	4E-05	4.31E-05	3.63E-05	3.38E-05
318	0.0001439	0.0001018	0.0001	4.056E-05	3.094E-05	4.211E-05	3.81E-05	3.97E-05	3.29E-05	3.19E-05
319	0.0001447	0.0001066	0.0001054	3.717E-05	2.659E-05	3.805E-05	3.35E-05	3.44E-05	2.78E-05	2.74E-05
320	0.000138	0.0001061	0.0001052	3.135E-05	1.98E-05	3.188E-05	2.65E-05	2.7E-05	2.06E-05	2.05E-05
321	0.000114	9.61E-05	9.565E-05	1.776E-05	7.071E-06	1.79E-05	1.28E-05	1.29E-05	7.27E-06	7.46E-06
322	0.0001031	8.864E-05	8.833E-05	1.432E-05	5.636E-06	1.442E-05	1.1E-05	1.11E-05	5.75E-06	5.96E-06
325	8.075E-05	1.765E-05	4.702E-05	3.002E-05	3.374E-05	9.613E-06	3.32E-05	1.28E-05	8.28E-06	2.95E-05
326	8.989E-05	2.019E-05	4.889E-05	3.812E-05	3.388E-05	1.071E-05	4.1E-05	1.36E-05	8.83E-06	3.71E-05
327	8.985E-05	2.339E-05	5.037E-05	3.691E-05	3.325E-05	1.205E-05	3.95E-05	1.46E-05	9.62E-06	3.54E-05
328	0.0001048	2.751E-05	5.922E-05	4.334E-05	3.949E-05	1.378E-05	4.56E-05	1.6E-05	1.08E-05	4.13E-05
329	9.765E-05	3.304E-05	5.725E-05	3.85E-05	3.428E-05	1.626E-05	4.04E-05	1.82E-05	1.27E-05	3.59E-05
330	9.611E-05	4.137E-05	5.851E-05	3.603E-05	3.14E-05	2.06E-05	3.76E-05	2.22E-05	1.65E-05	3.29E-05
331	9.993E-05	5.748E-05	6.307E-05	3.567E-05	3.062E-05	3.151E-05	3.69E-05	3.27E-05	2.69E-05	3.19E-05
332	0.0001345	8.171E-05	8.384E-05	4.985E-05	4.435E-05	4.886E-05	5.06E-05	4.97E-05	4.37E-05	4.55E-05
333	0.0001229	7.97E-05	8.285E-05	3.972E-05	3.376E-05	3.748E-05	4E-05	3.78E-05	3.18E-05	3.47E-05
334	0.0001445	9.986E-05	9.64E-05	4.056E-05	3.409E-05	4.469E-05	4.03E-05	4.45E-05	3.84E-05	3.49E-05

Via Oro
Unmitigated Chronic Risk Summary

				Operational Chronic - by Route - From 710 @ Hughes Way						
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Max A
335	0.000161	0.0001171	0.0001156	4.19E-05	3.485E-05	4.391E-05	4.1E-05	4.3E-05	3.7E-05	3.55E-05
336	0.0001779	0.0001372	0.0001364	3.961E-05	3.192E-05	4.073E-05	3.8E-05	3.91E-05	3.31E-05	3.25E-05
337	0.0001881	0.0001549	0.0001544	3.254E-05	2.419E-05	3.321E-05	3.01E-05	3.08E-05	2.49E-05	2.46E-05
338	0.0002171	0.0001776	0.0001772	3.911E-05	3.016E-05	3.952E-05	3.59E-05	3.63E-05	3.05E-05	3.05E-05
339	0.0001727	0.0001547	0.0001545	1.783E-05	8.677E-06	1.803E-05	1.39E-05	1.41E-05	8.76E-06	8.9E-06
340	0.0001497	0.0001347	0.0001346	1.484E-05	6.482E-06	1.496E-05	1.15E-05	1.16E-05	6.48E-06	6.68E-06
341	0.0001267	0.0001143	0.0001143	1.236E-05	5.242E-06	1.244E-05	9.96E-06	1E-05	5.18E-06	5.4E-06
349	0.0001261	3.356E-05	7.358E-05	5.072E-05	4.875E-05	1.431E-05	5.25E-05	1.61E-05	1.12E-05	4.84E-05
350	0.0001287	4.157E-05	7.709E-05	5.014E-05	4.733E-05	1.753E-05	5.16E-05	1.9E-05	1.4E-05	4.74E-05
351	0.0001326	5.453E-05	8.212E-05	4.925E-05	4.578E-05	2.404E-05	5.04E-05	2.52E-05	2E-05	4.6E-05
352	0.0001374	7.923E-05	8.902E-05	4.758E-05	4.352E-05	3.971E-05	4.84E-05	4.06E-05	3.52E-05	4.38E-05
353	0.0002567	0.0002417	0.000242	1.456E-05	7.406E-06	1.472E-05	1.2E-05	1.21E-05	7.25E-06	7.42E-06
354	0.0001929	0.0001801	0.0001803	1.251E-05	5.853E-06	1.261E-05	1.02E-05	1.03E-05	5.65E-06	5.86E-06
355	0.0001503	0.0001392	0.0001395	1.075E-05	4.892E-06	1.081E-05	9.04E-06	9.1E-06	4.66E-06	4.88E-06
364	8.874E-05	4.155E-05	5.909E-05	2.819E-05	2.705E-05	1.47E-05	2.97E-05	1.62E-05	1.15E-05	2.57E-05
365	9.466E-05	5.278E-05	6.562E-05	2.786E-05	2.581E-05	1.826E-05	2.9E-05	1.94E-05	1.47E-05	2.5E-05
366	0.0001041	6.928E-05	7.575E-05	2.744E-05	2.469E-05	2.362E-05	2.83E-05	2.45E-05	1.97E-05	2.41E-05
367	0.0003379	0.0003248	0.0003254	1.235E-05	6.674E-06	1.247E-05	1.06E-05	1.08E-05	6.29E-06	6.49E-06
368	0.0002284	0.000217	0.0002175	1.082E-05	5.455E-06	1.089E-05	9.26E-06	9.34E-06	5.06E-06	5.27E-06
369	0.0001677	0.0001576	0.0001581	9.498E-06	4.663E-06	9.538E-06	8.3E-06	8.34E-06	4.26E-06	4.49E-06
377	7.561E-05	4.14E-05	5.415E-05	2.004E-05	2.046E-05	1.242E-05	2.15E-05	1.38E-05	9.62E-06	1.79E-05
378	8.255E-05	5.206E-05	6.152E-05	1.986E-05	1.914E-05	1.45E-05	2.1E-05	1.57E-05	1.14E-05	1.73E-05
379	9.382E-05	6.733E-05	7.326E-05	1.964E-05	1.807E-05	1.704E-05	2.06E-05	1.8E-05	1.36E-05	1.67E-05
380	0.000392	0.0003803	0.0003812	1.072E-05	6.202E-06	1.081E-05	9.6E-06	9.68E-06	5.6E-06	5.81E-06
381	0.000251	0.0002406	0.0002415	9.513E-06	5.182E-06	9.568E-06	8.47E-06	8.53E-06	4.59E-06	4.81E-06
382	0.0001771	0.0001678	0.0001686	8.48E-06	4.501E-06	8.51E-06	7.67E-06	7.7E-06	3.93E-06	4.16E-06
391	7.648E-05	5.126E-05	5.977E-05	1.554E-05	1.608E-05	1.196E-05	1.67E-05	1.31E-05	9.17E-06	1.33E-05
392	8.84E-05	6.611E-05	7.21E-05	1.536E-05	1.49E-05	1.338E-05	1.63E-05	1.43E-05	1.03E-05	1.28E-05
393	0.0004345	0.0004238	0.000425	9.442E-06	5.847E-06	9.5E-06	8.73E-06	8.79E-06	5.03E-06	5.25E-06

Via Oro
Unmitigated Chronic Risk Summary

				Operational Chronic - by Route - From 710 @ Hughes Way						
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Max A
394	0.0002648	0.0002552	0.0002563	8.485E-06	4.993E-06	8.516E-06	7.82E-06	7.85E-06	4.22E-06	4.45E-06
395	0.0001786	0.0001699	0.0001709	7.651E-06	4.387E-06	7.662E-06	7.13E-06	7.15E-06	3.66E-06	3.89E-06
405	7.272E-05	4.98E-05	5.82E-05	1.279E-05	1.452E-05	1.014E-05	1.39E-05	1.13E-05	7.65E-06	1.08E-05
406	8.404E-05	6.413E-05	7.042E-05	1.266E-05	1.324E-05	1.104E-05	1.36E-05	1.2E-05	8.31E-06	1.04E-05
407	0.000104	8.613E-05	9.073E-05	1.252E-05	1.223E-05	1.179E-05	1.33E-05	1.26E-05	8.81E-06	1E-05
408	0.0004668	0.0004569	0.0004583	8.4E-06	5.574E-06	8.431E-06	8E-06	8.03E-06	4.55E-06	4.79E-06
409	0.0002643	0.0002554	0.0002567	7.633E-06	4.844E-06	7.645E-06	7.25E-06	7.26E-06	3.89E-06	4.13E-06
410	0.0001692	0.000161	0.0001622	6.961E-06	4.302E-06	6.948E-06	6.67E-06	6.66E-06	3.42E-06	3.66E-06
421	7.969E-05	6.069E-05	6.738E-05	1.075E-05	1.232E-05	9.383E-06	1.17E-05	1.04E-05	6.94E-06	8.74E-06
422	9.726E-05	8.07E-05	8.584E-05	1.062E-05	1.121E-05	9.881E-06	1.14E-05	1.07E-05	7.23E-06	8.39E-06
423	0.0004626	0.0004534	0.0004551	7.531E-06	5.359E-06	7.541E-06	7.35E-06	7.36E-06	4.14E-06	4.38E-06
424	0.000238	0.0002296	0.0002311	6.916E-06	4.729E-06	6.912E-06	6.74E-06	6.74E-06	3.61E-06	3.85E-06
425	0.0001472	0.0001394	0.0001408	6.361E-06	4.234E-06	6.336E-06	6.24E-06	6.22E-06	3.2E-06	3.45E-06
435	7.501E-05	5.601E-05	6.317E-05	9.308E-06	1.184E-05	8.137E-06	1.03E-05	9.11E-06	5.94E-06	7.52E-06
436	8.959E-05	7.33E-05	7.895E-05	9.21E-06	1.064E-05	8.496E-06	1E-05	9.32E-06	6.12E-06	7.22E-06
437	0.0001873	0.0001793	0.000181	6.305E-06	4.641E-06	6.287E-06	6.29E-06	6.27E-06	3.35E-06	3.6E-06
438	0.0001201	0.0001126	0.0001142	5.831E-06	4.179E-06	5.804E-06	5.85E-06	5.82E-06	3E-06	3.24E-06
449	7.005E-05	5.067E-05	5.837E-05	8.192E-06	1.167E-05	7.168E-06	9.16E-06	8.13E-06	5.19E-06	6.59E-06
450	8.136E-05	6.484E-05	7.1E-05	8.118E-06	1.036E-05	7.437E-06	8.96E-06	8.27E-06	5.3E-06	6.34E-06
451	0.0001006	8.625E-05	9.124E-05	7.988E-06	9.314E-06	7.593E-06	8.7E-06	8.3E-06	5.32E-06	6.05E-06
452	0.0001455	0.0001377	0.0001396	5.775E-06	4.573E-06	5.746E-06	5.88E-06	5.85E-06	3.12E-06	3.37E-06
453	9.925E-05	9.2E-05	9.375E-05	5.376E-06	4.141E-06	5.341E-06	5.5E-06	5.46E-06	2.82E-06	3.06E-06
464	7.329E-05	5.635E-05	6.302E-05	7.23E-06	1.027E-05	6.596E-06	8.07E-06	7.44E-06	4.67E-06	5.64E-06
465	8.681E-05	7.222E-05	7.767E-05	7.121E-06	9.145E-06	6.719E-06	7.85E-06	7.45E-06	4.67E-06	5.39E-06
466	0.0002537	0.0002449	0.0002474	5.987E-06	5.533E-06	5.951E-06	6.25E-06	6.22E-06	3.54E-06	3.81E-06
467	0.0001184	0.0001108	0.0001129	5.315E-06	4.527E-06	5.277E-06	5.51E-06	5.47E-06	2.91E-06	3.16E-06
468	8.474E-05	7.765E-05	7.956E-05	4.977E-06	4.117E-06	4.935E-06	5.18E-06	5.14E-06	2.65E-06	2.89E-06
479	6.585E-05	4.836E-05	5.554E-05	6.486E-06	1.031E-05	5.906E-06	7.33E-06	6.75E-06	4.16E-06	5.05E-06
480	7.507E-05	6.006E-05	6.596E-05	6.406E-06	9.109E-06	6.01E-06	7.15E-06	6.76E-06	4.16E-06	4.85E-06

Via Oro
Unmitigated Chronic Risk Summary

				Operational Chronic - by Route - From 710 @ Hughes Way						
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Max A
481	8.916E-05	7.611E-05	8.102E-05	6.283E-06	8.138E-06	6.034E-06	6.93E-06	6.68E-06	4.08E-06	4.61E-06
482	0.0001106	9.912E-05	0.0001033	6.135E-06	7.337E-06	5.981E-06	6.69E-06	6.54E-06	3.94E-06	4.37E-06
483	0.000139	0.0001288	0.0001324	5.939E-06	6.634E-06	5.85E-06	6.41E-06	6.32E-06	3.74E-06	4.09E-06
484	0.0001627	0.0001534	0.0001566	5.719E-06	6.015E-06	5.659E-06	6.12E-06	6.06E-06	3.51E-06	3.81E-06
485	0.0001601	0.0001515	0.0001543	5.468E-06	5.454E-06	5.42E-06	5.8E-06	5.76E-06	3.25E-06	3.52E-06
486	0.0001306	0.0001226	0.0001251	5.201E-06	4.95E-06	5.152E-06	5.49E-06	5.45E-06	2.98E-06	3.24E-06
487	9.752E-05	9.008E-05	9.233E-05	4.914E-06	4.5E-06	4.867E-06	5.18E-06	5.14E-06	2.73E-06	2.98E-06
488	7.33E-05	6.635E-05	6.841E-05	4.624E-06	4.104E-06	4.576E-06	4.89E-06	4.84E-06	2.5E-06	2.74E-06
501	6.55E-05	4.999E-05	5.634E-05	5.797E-06	9.16E-06	5.42E-06	6.54E-06	6.17E-06	3.73E-06	4.39E-06
502	7.474E-05	6.128E-05	6.66E-05	5.711E-06	8.148E-06	5.449E-06	6.38E-06	6.12E-06	3.68E-06	4.21E-06
503	8.735E-05	7.554E-05	8.004E-05	5.585E-06	7.305E-06	5.41E-06	6.17E-06	6E-06	3.57E-06	4E-06
504	0.0001022	9.174E-05	9.562E-05	5.425E-06	6.589E-06	5.31E-06	5.94E-06	5.82E-06	3.41E-06	3.76E-06
505	0.0001136	0.0001042	0.0001076	5.236E-06	5.967E-06	5.158E-06	5.68E-06	5.6E-06	3.21E-06	3.52E-06
506	0.0001131	0.0001047	0.0001077	5.026E-06	5.415E-06	4.965E-06	5.42E-06	5.36E-06	3E-06	3.27E-06
507	9.954E-05	9.171E-05	9.439E-05	4.802E-06	4.925E-06	4.744E-06	5.15E-06	5.1E-06	2.78E-06	3.04E-06
508	6.379E-05	5.696E-05	5.916E-05	4.31E-06	4.102E-06	4.258E-06	4.63E-06	4.58E-06	2.37E-06	2.6E-06
520	5.849E-05	4.231E-05	4.915E-05	5.305E-06	9.341E-06	4.933E-06	6.06E-06	5.69E-06	3.4E-06	4.04E-06
521	6.37E-05	4.981E-05	5.55E-05	5.201E-06	8.199E-06	4.948E-06	5.87E-06	5.62E-06	3.33E-06	3.84E-06
522	7.162E-05	5.944E-05	6.429E-05	5.112E-06	7.336E-06	4.928E-06	5.72E-06	5.54E-06	3.25E-06	3.68E-06
523	7.992E-05	6.916E-05	7.332E-05	4.977E-06	6.594E-06	4.85E-06	5.52E-06	5.39E-06	3.12E-06	3.48E-06
524	8.596E-05	7.636E-05	8E-05	4.819E-06	5.959E-06	4.728E-06	5.3E-06	5.21E-06	2.96E-06	3.27E-06
525	8.594E-05	7.733E-05	8.054E-05	4.641E-06	5.406E-06	4.57E-06	5.07E-06	5E-06	2.78E-06	3.06E-06
526	7.87E-05	7.091E-05	7.378E-05	4.449E-06	4.92E-06	4.387E-06	4.84E-06	4.78E-06	2.6E-06	2.85E-06
527	5.569E-05	4.896E-05	5.13E-05	4.029E-06	4.108E-06	3.973E-06	4.39E-06	4.33E-06	2.24E-06	2.47E-06
539	5.315E-05	3.617E-05	4.354E-05	4.879E-06	9.607E-06	4.518E-06	5.64E-06	5.28E-06	3.12E-06	3.73E-06
540	5.619E-05	4.17E-05	4.782E-05	4.8E-06	8.372E-06	4.535E-06	5.49E-06	5.22E-06	3.07E-06	3.57E-06
541	6.044E-05	4.786E-05	5.303E-05	4.698E-06	7.406E-06	4.511E-06	5.32E-06	5.13E-06	2.98E-06	3.4E-06
542	6.515E-05	5.407E-05	5.852E-05	4.582E-06	6.629E-06	4.449E-06	5.14E-06	5.01E-06	2.87E-06	3.22E-06
543	6.869E-05	5.883E-05	6.27E-05	4.456E-06	5.986E-06	4.354E-06	4.97E-06	4.86E-06	2.74E-06	3.05E-06

Via Oro
Unmitigated Chronic Risk Summary

				<i>Operational Chronic - by Route - From 710 @ Hughes Way</i>						
Receptor #	Total Per/Million	A	B	Route A1	Route A2	Route A3	Route A4	Route A5	Route A6	Max A
544	6.864E-05	5.98E-05	6.322E-05	4.304E-06	5.423E-06	4.224E-06	4.77E-06	4.69E-06	2.59E-06	2.87E-06
545	6.43E-05	5.633E-05	5.937E-05	4.132E-06	4.928E-06	4.068E-06	4.56E-06	4.49E-06	2.43E-06	2.68E-06
546	4.883E-05	4.22E-05	4.467E-05	3.776E-06	4.122E-06	3.717E-06	4.16E-06	4.11E-06	2.13E-06	2.35E-06
560	5.044E-05	3.529E-05	4.185E-05	4.438E-06	8.59E-06	4.175E-06	5.13E-06	4.87E-06	2.83E-06	3.32E-06
561	5.281E-05	3.972E-05	4.525E-05	4.355E-06	7.556E-06	4.159E-06	4.99E-06	4.79E-06	2.76E-06	3.17E-06
562	5.534E-05	4.388E-05	4.862E-05	4.253E-06	6.725E-06	4.109E-06	4.83E-06	4.69E-06	2.66E-06	3.02E-06
563	5.685E-05	4.673E-05	5.083E-05	4.106E-06	6.023E-06	4.011E-06	4.61E-06	4.52E-06	2.54E-06	2.83E-06
564	5.684E-05	4.776E-05	5.138E-05	3.998E-06	5.456E-06	3.918E-06	4.48E-06	4.4E-06	2.42E-06	2.69E-06
565	5.418E-05	4.6E-05	4.922E-05	3.865E-06	4.965E-06	3.791E-06	4.32E-06	4.24E-06	2.29E-06	2.54E-06
566	4.334E-05	3.66E-05	3.92E-05	3.55E-06	4.145E-06	3.487E-06	3.96E-06	3.9E-06	2.02E-06	2.25E-06
579	4.611E-05	3.024E-05	3.725E-05	4.118E-06	8.863E-06	3.861E-06	4.81E-06	4.55E-06	2.63E-06	3.1E-06
580	4.708E-05	3.344E-05	3.934E-05	4.046E-06	7.738E-06	3.849E-06	4.69E-06	4.49E-06	2.56E-06	2.97E-06
581	4.832E-05	3.642E-05	4.146E-05	3.96E-06	6.854E-06	3.81E-06	4.55E-06	4.4E-06	2.48E-06	2.83E-06
582	4.906E-05	3.857E-05	4.294E-05	3.858E-06	6.129E-06	3.742E-06	4.4E-06	4.29E-06	2.39E-06	2.69E-06
583	4.863E-05	3.928E-05	4.311E-05	3.743E-06	5.522E-06	3.651E-06	4.25E-06	4.16E-06	2.28E-06	2.55E-06
584	4.659E-05	3.82E-05	4.158E-05	3.614E-06	5.003E-06	3.54E-06	4.08E-06	4.01E-06	2.16E-06	2.4E-06
585	4.148E-05	3.426E-05	3.714E-05	3.339E-06	4.344E-06	3.301E-06	3.76E-06	3.72E-06	1.95E-06	2.14E-06
598	4.292E-05	2.621E-05	3.372E-05	3.838E-06	9.199E-06	3.586E-06	4.53E-06	4.28E-06	2.45E-06	2.9E-06
599	4.281E-05	2.857E-05	3.485E-05	3.772E-06	7.962E-06	3.577E-06	4.41E-06	4.22E-06	2.39E-06	2.79E-06
600	4.309E-05	3.074E-05	3.608E-05	3.697E-06	7.006E-06	3.544E-06	4.29E-06	4.14E-06	2.32E-06	2.66E-06
601	4.318E-05	3.233E-05	3.694E-05	3.609E-06	6.237E-06	3.489E-06	4.16E-06	4.04E-06	2.24E-06	2.54E-06
602	4.258E-05	3.295E-05	3.698E-05	3.509E-06	5.6E-06	3.412E-06	4.03E-06	3.93E-06	2.14E-06	2.41E-06
603	4.097E-05	3.235E-05	3.591E-05	3.4E-06	5.064E-06	3.318E-06	3.89E-06	3.8E-06	2.04E-06	2.29E-06
604	3.831E-05	3.054E-05	3.371E-05	3.28E-06	4.602E-06	3.209E-06	3.74E-06	3.67E-06	1.94E-06	2.17E-06

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>										
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI	Res
	7.4E-07	1.4E-05	1.2E-06	3.2E-06	3.3E-06	1.8E-05	2.0E-05	6.3E-05	6.5E-06	School
	1.8E-06	3.9E-05	3.1E-06	1.5E-06	4.3E-07	4.1E-07	3.7E-07	4.0E-06	4.7E-07	Worker
	2.7E-05	3.9E-05	4.3E-05	3.2E-05	1.9E-05	1.3E-05	4.2E-06	5.5E-05	2.0E-05	
1	1.02E-07	2.13E-07	1.74E-07	2.36E-07	1.47E-07	2.13E-07	3.30E-07	1.95E-05	1.73E-07	
2	1.06E-07	2.23E-07	1.84E-07	2.54E-07	1.61E-07	2.37E-07	3.75E-07	2.21E-05	1.89E-07	
3	1.11E-07	2.33E-07	1.94E-07	2.73E-07	1.78E-07	2.64E-07	4.30E-07	2.44E-05	2.08E-07	
4	1.15E-07	2.44E-07	2.05E-07	2.95E-07	1.97E-07	2.97E-07	5.00E-07	2.63E-05	2.30E-07	
5	1.21E-07	2.55E-07	2.16E-07	3.20E-07	2.19E-07	3.37E-07	5.90E-07	2.78E-05	2.56E-07	
6	1.26E-07	2.67E-07	2.29E-07	3.48E-07	2.46E-07	3.87E-07	7.11E-07	2.91E-05	2.87E-07	
7	1.32E-07	2.79E-07	2.43E-07	3.80E-07	2.78E-07	4.48E-07	8.76E-07	3.00E-05	3.24E-07	
8	1.38E-07	2.91E-07	2.57E-07	4.16E-07	3.16E-07	5.26E-07	1.11E-06	3.04E-05	3.69E-07	
9	1.45E-07	3.03E-07	2.73E-07	4.57E-07	3.63E-07	6.26E-07	1.48E-06	3.06E-05	4.24E-07	
10	1.51E-07	3.16E-07	2.90E-07	5.03E-07	4.19E-07	7.59E-07	2.08E-06	3.07E-05	4.92E-07	
11	1.58E-07	3.28E-07	3.08E-07	5.54E-07	4.88E-07	9.37E-07	3.22E-06	3.04E-05	5.77E-07	
12	1.65E-07	3.41E-07	3.27E-07	6.12E-07	5.71E-07	1.18E-06	5.89E-06	2.99E-05	6.83E-07	
13	1.73E-07	3.53E-07	3.47E-07	6.77E-07	6.71E-07	1.54E-06	5.56E-06	2.93E-05	8.19E-07	
14	1.81E-07	3.64E-07	3.68E-07	7.49E-07	7.88E-07	2.07E-06	5.08E-06	2.82E-05	9.88E-07	
15	1.89E-07	3.74E-07	3.89E-07	8.26E-07	9.18E-07	2.89E-06	1.02E-05	2.69E-05	1.20E-06	
16	1.97E-07	3.84E-07	4.12E-07	9.07E-07	1.05E-06	4.21E-06	1.16E-05	2.51E-05	1.44E-06	
17	2.05E-07	3.92E-07	4.34E-07	9.89E-07	1.16E-06	6.16E-06	1.01E-05	2.30E-05	1.69E-06	
18	2.13E-07	3.99E-07	4.56E-07	1.06E-06	1.24E-06	7.89E-06	1.10E-05	2.06E-05	1.90E-06	
19	2.21E-07	4.04E-07	4.78E-07	1.12E-06	1.30E-06	7.39E-06	1.16E-05	1.83E-05	2.05E-06	
20	2.29E-07	4.09E-07	4.97E-07	1.17E-06	1.35E-06	5.77E-06	6.05E-06	1.59E-05	2.16E-06	
21	2.36E-07	4.11E-07	5.14E-07	1.19E-06	1.38E-06	4.32E-06	3.65E-06	1.36E-05	2.22E-06	
22	2.43E-07	4.13E-07	5.28E-07	1.22E-06	1.38E-06	3.24E-06	2.45E-06	1.15E-05	2.22E-06	
23	2.48E-07	4.15E-07	5.38E-07	1.24E-06	1.34E-06	2.47E-06	1.76E-06	9.67E-06	2.14E-06	
24	2.54E-07	4.16E-07	5.44E-07	1.27E-06	1.26E-06	1.90E-06	1.33E-06	8.13E-06	1.98E-06	
25	2.58E-07	4.17E-07	5.48E-07	1.28E-06	1.15E-06	1.50E-06	1.05E-06	6.88E-06	1.78E-06	
26	2.61E-07	4.18E-07	5.49E-07	1.28E-06	1.03E-06	1.19E-06	8.49E-07	5.87E-06	1.56E-06	

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
27	2.63E-07	4.21E-07	5.50E-07	1.26E-06	9.04E-07	9.68E-07	7.03E-07	5.06E-06	1.34E-06
28	2.65E-07	4.24E-07	5.53E-07	1.23E-06	7.86E-07	7.97E-07	5.93E-07	4.40E-06	1.14E-06
29	2.65E-07	4.29E-07	5.58E-07	1.18E-06	6.79E-07	6.65E-07	5.08E-07	3.86E-06	9.66E-07
30	2.66E-07	4.34E-07	5.66E-07	1.13E-06	5.87E-07	5.62E-07	4.40E-07	3.42E-06	8.21E-07
31	2.66E-07	4.40E-07	5.76E-07	1.06E-06	5.07E-07	4.81E-07	3.86E-07	3.05E-06	6.99E-07
32	2.66E-07	4.46E-07	5.85E-07	9.98E-07	4.40E-07	4.16E-07	3.42E-07	2.74E-06	5.99E-07
55	2.67E-07	4.59E-07	6.06E-07	1.58E-06	1.94E-06	3.46E-06	2.02E-06	1.20E-05	3.29E-06
56	2.74E-07	4.61E-07	6.19E-07	1.62E-06	1.78E-06	2.48E-06	1.49E-06	9.66E-06	2.95E-06
57	2.80E-07	4.62E-07	6.28E-07	1.65E-06	1.58E-06	1.85E-06	1.15E-06	7.91E-06	2.54E-06
58	2.86E-07	4.64E-07	6.32E-07	1.64E-06	1.36E-06	1.41E-06	9.24E-07	6.57E-06	2.13E-06
59	2.89E-07	4.67E-07	6.34E-07	1.60E-06	1.15E-06	1.11E-06	7.59E-07	5.55E-06	1.75E-06
60	2.92E-07	4.70E-07	6.37E-07	1.54E-06	9.70E-07	8.95E-07	6.37E-07	4.75E-06	1.43E-06
61	2.94E-07	4.75E-07	6.42E-07	1.46E-06	8.13E-07	7.34E-07	5.42E-07	4.12E-06	1.17E-06
62	2.95E-07	4.81E-07	6.51E-07	1.37E-06	6.84E-07	6.12E-07	4.69E-07	3.62E-06	9.62E-07
63	2.95E-07	4.88E-07	6.62E-07	1.28E-06	5.78E-07	5.18E-07	4.10E-07	3.21E-06	7.99E-07
64	2.95E-07	4.94E-07	6.73E-07	1.18E-06	4.92E-07	4.44E-07	3.62E-07	2.88E-06	6.70E-07
65	2.96E-07	5.00E-07	6.82E-07	1.09E-06	4.22E-07	3.86E-07	3.22E-07	2.59E-06	5.68E-07
66	2.97E-07	5.06E-07	6.88E-07	9.95E-07	3.64E-07	3.38E-07	2.89E-07	2.36E-06	4.86E-07
67	1.09E-07	2.36E-07	1.88E-07	2.53E-07	1.55E-07	2.19E-07	3.28E-07	5.25E-05	1.80E-07
68	1.14E-07	2.48E-07	1.99E-07	2.74E-07	1.72E-07	2.45E-07	3.72E-07	4.31E-05	1.98E-07
69	1.19E-07	2.61E-07	2.11E-07	2.97E-07	1.91E-07	2.75E-07	4.27E-07	5.12E-05	2.20E-07
70	1.25E-07	2.75E-07	2.24E-07	3.24E-07	2.13E-07	3.11E-07	4.97E-07	5.14E-05	2.45E-07
71	1.32E-07	2.89E-07	2.38E-07	3.54E-07	2.40E-07	3.55E-07	5.86E-07	5.03E-05	2.74E-07
72	1.38E-07	3.05E-07	2.54E-07	3.90E-07	2.73E-07	4.11E-07	7.05E-07	5.74E-05	3.11E-07
73	1.45E-07	3.21E-07	2.71E-07	4.31E-07	3.14E-07	4.82E-07	8.68E-07	3.83E-05	3.56E-07
74	1.53E-07	3.37E-07	2.90E-07	4.78E-07	3.65E-07	5.74E-07	1.10E-06	5.21E-05	4.11E-07
75	1.61E-07	3.54E-07	3.11E-07	5.34E-07	4.30E-07	6.97E-07	1.45E-06	5.30E-05	4.82E-07
76	1.69E-07	3.71E-07	3.33E-07	5.99E-07	5.14E-07	8.67E-07	2.03E-06	5.67E-05	5.74E-07
77	1.78E-07	3.89E-07	3.57E-07	6.77E-07	6.26E-07	1.11E-06	3.11E-06	5.09E-05	6.96E-07

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
78	1.88E-07	4.07E-07	3.84E-07	7.70E-07	7.78E-07	1.48E-06	5.52E-06	5.15E-05	8.67E-07
79	2.41E-07	4.81E-07	5.46E-07	1.53E-06	2.70E-06	5.89E-06	2.00E-05	4.76E-05	4.22E-06
80	2.53E-07	4.91E-07	5.82E-07	1.73E-06	3.10E-06	6.79E-06	1.37E-05	3.88E-05	5.53E-06
81	2.64E-07	5.00E-07	6.18E-07	1.91E-06	3.33E-06	1.76E-05	6.53E-06	2.95E-05	6.45E-06
82	2.75E-07	5.06E-07	6.52E-07	2.02E-06	3.31E-06	8.48E-06	3.57E-06	2.14E-05	6.48E-06
83	2.86E-07	5.10E-07	6.82E-07	2.10E-06	3.09E-06	5.01E-06	2.34E-06	1.57E-05	5.85E-06
84	2.96E-07	5.14E-07	7.06E-07	2.18E-06	2.73E-06	3.27E-06	1.69E-06	1.18E-05	4.92E-06
85	3.05E-07	5.16E-07	7.24E-07	2.22E-06	2.30E-06	2.28E-06	1.28E-06	9.19E-06	3.95E-06
86	3.12E-07	5.19E-07	7.35E-07	2.20E-06	1.89E-06	1.67E-06	1.01E-06	7.39E-06	3.08E-06
87	3.18E-07	5.21E-07	7.40E-07	2.11E-06	1.52E-06	1.27E-06	8.26E-07	6.10E-06	2.37E-06
88	3.23E-07	5.25E-07	7.44E-07	1.98E-06	1.22E-06	1.00E-06	6.88E-07	5.14E-06	1.83E-06
89	3.26E-07	5.30E-07	7.50E-07	1.84E-06	9.84E-07	8.08E-07	5.83E-07	4.41E-06	1.43E-06
90	3.28E-07	5.37E-07	7.59E-07	1.70E-06	8.01E-07	6.66E-07	5.02E-07	3.84E-06	1.13E-06
91	3.29E-07	5.44E-07	7.72E-07	1.56E-06	6.59E-07	5.58E-07	4.37E-07	3.39E-06	9.14E-07
92	3.30E-07	5.51E-07	7.86E-07	1.42E-06	5.49E-07	4.75E-07	3.85E-07	3.02E-06	7.49E-07
93	3.31E-07	5.58E-07	7.97E-07	1.29E-06	4.63E-07	4.10E-07	3.41E-07	2.71E-06	6.24E-07
96	3.25E-07	5.88E-07	8.16E-07	3.24E-06	2.30E-06	1.32E-06	7.78E-07	6.70E-06	3.47E-06
97	3.23E-07	5.97E-07	8.39E-07	2.95E-06	1.69E-06	1.01E-06	6.41E-07	5.51E-06	2.49E-06
98	3.64E-07	5.97E-07	8.90E-07	2.41E-06	1.20E-06	8.89E-07	6.32E-07	4.72E-06	1.76E-06
99	3.68E-07	6.04E-07	9.01E-07	2.16E-06	9.40E-07	7.23E-07	5.40E-07	4.08E-06	1.33E-06
100	3.70E-07	6.12E-07	9.16E-07	1.94E-06	7.51E-07	6.02E-07	4.68E-07	3.58E-06	1.04E-06
101	3.71E-07	6.20E-07	9.33E-07	1.73E-06	6.12E-07	5.09E-07	4.10E-07	3.18E-06	8.35E-07
102	3.72E-07	6.28E-07	9.46E-07	1.54E-06	5.07E-07	4.36E-07	3.62E-07	2.85E-06	6.84E-07
106	1.11E-07	2.46E-07	1.89E-07	2.46E-07	1.45E-07	1.97E-07	2.80E-07	3.13E-05	1.67E-07
107	1.16E-07	2.61E-07	2.01E-07	2.67E-07	1.60E-07	2.19E-07	3.15E-07	3.76E-05	1.83E-07
108	1.22E-07	2.77E-07	2.14E-07	2.91E-07	1.77E-07	2.44E-07	3.56E-07	3.62E-05	2.02E-07
109	1.29E-07	2.93E-07	2.28E-07	3.18E-07	1.98E-07	2.74E-07	4.06E-07	3.49E-05	2.24E-07
110	1.36E-07	3.11E-07	2.44E-07	3.49E-07	2.23E-07	3.11E-07	4.68E-07	3.50E-05	2.51E-07
111	1.43E-07	3.30E-07	2.61E-07	3.85E-07	2.52E-07	3.56E-07	5.45E-07	5.57E-05	2.82E-07

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
112	1.51E-07	3.50E-07	2.81E-07	4.28E-07	2.90E-07	4.12E-07	6.46E-07	3.41E-05	3.22E-07
113	1.60E-07	3.72E-07	3.02E-07	4.78E-07	3.37E-07	4.84E-07	7.78E-07	3.41E-05	3.70E-07
114	1.69E-07	3.95E-07	3.26E-07	5.39E-07	3.97E-07	5.78E-07	9.56E-07	3.61E-05	4.32E-07
115	1.79E-07	4.18E-07	3.52E-07	6.11E-07	4.76E-07	7.04E-07	1.20E-06	5.39E-05	5.10E-07
116	1.90E-07	4.43E-07	3.82E-07	7.00E-07	5.83E-07	8.78E-07	1.55E-06	3.18E-05	6.14E-07
117	2.02E-07	4.68E-07	4.15E-07	8.11E-07	7.37E-07	1.13E-06	2.09E-06	3.27E-05	7.59E-07
118	2.14E-07	4.94E-07	4.52E-07	9.50E-07	9.65E-07	1.53E-06	2.92E-06	5.26E-05	9.68E-07
124	1.14E-07	2.58E-07	1.95E-07	2.51E-07	1.45E-07	1.96E-07	2.74E-07	4.15E-05	1.67E-07
125	1.20E-07	2.75E-07	2.07E-07	2.73E-07	1.60E-07	2.17E-07	3.06E-07	6.34E-05	1.83E-07
126	1.26E-07	2.92E-07	2.21E-07	2.97E-07	1.78E-07	2.41E-07	3.44E-07	5.92E-05	2.02E-07
127	1.33E-07	3.11E-07	2.36E-07	3.26E-07	1.99E-07	2.71E-07	3.91E-07	5.73E-05	2.24E-07
128	1.41E-07	3.31E-07	2.54E-07	3.59E-07	2.24E-07	3.06E-07	4.48E-07	5.71E-05	2.50E-07
129	1.49E-07	3.53E-07	2.72E-07	3.97E-07	2.54E-07	3.50E-07	5.18E-07	5.64E-05	2.82E-07
130	1.58E-07	3.76E-07	2.94E-07	4.43E-07	2.92E-07	4.04E-07	6.07E-07	5.51E-05	3.21E-07
131	1.68E-07	4.02E-07	3.18E-07	4.98E-07	3.40E-07	4.74E-07	7.20E-07	5.35E-05	3.70E-07
132	1.78E-07	4.28E-07	3.44E-07	5.65E-07	4.02E-07	5.63E-07	8.69E-07	5.27E-05	4.31E-07
133	1.89E-07	4.57E-07	3.74E-07	6.46E-07	4.84E-07	6.83E-07	1.06E-06	5.15E-05	5.10E-07
134	2.02E-07	4.87E-07	4.08E-07	7.48E-07	5.97E-07	8.47E-07	1.33E-06	5.12E-05	6.16E-07
135	2.15E-07	5.17E-07	4.47E-07	8.76E-07	7.58E-07	1.08E-06	1.71E-06	5.07E-05	7.60E-07
136	2.29E-07	5.49E-07	4.90E-07	1.04E-06	1.00E-06	1.44E-06	2.23E-06	5.10E-05	9.67E-07
137	2.44E-07	5.80E-07	5.39E-07	1.26E-06	1.40E-06	2.01E-06	2.91E-06	5.15E-05	1.28E-06
138	2.61E-07	6.12E-07	5.96E-07	1.56E-06	2.14E-06	3.06E-06	3.59E-06	5.33E-05	1.79E-06
141	1.17E-07	2.71E-07	2.00E-07	2.54E-07	1.45E-07	1.93E-07	2.66E-07	3.77E-05	1.66E-07
142	1.24E-07	2.88E-07	2.13E-07	2.77E-07	1.60E-07	2.13E-07	2.96E-07	3.76E-05	1.82E-07
143	1.30E-07	3.08E-07	2.28E-07	3.02E-07	1.77E-07	2.37E-07	3.32E-07	3.69E-05	2.00E-07
144	1.38E-07	3.29E-07	2.45E-07	3.32E-07	1.98E-07	2.65E-07	3.74E-07	3.65E-05	2.22E-07
145	1.46E-07	3.52E-07	2.63E-07	3.67E-07	2.23E-07	3.00E-07	4.25E-07	3.64E-05	2.48E-07
146	1.55E-07	3.77E-07	2.83E-07	4.07E-07	2.53E-07	3.41E-07	4.88E-07	3.61E-05	2.79E-07
147	1.65E-07	4.05E-07	3.07E-07	4.56E-07	2.91E-07	3.93E-07	5.65E-07	3.59E-05	3.17E-07

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
148	1.75E-07	4.34E-07	3.33E-07	5.14E-07	3.38E-07	4.57E-07	6.61E-07	3.54E-05	3.64E-07
149	1.87E-07	4.66E-07	3.63E-07	5.86E-07	3.99E-07	5.41E-07	7.82E-07	3.51E-05	4.24E-07
150	2.00E-07	5.00E-07	3.97E-07	6.74E-07	4.80E-07	6.50E-07	9.37E-07	3.46E-05	5.00E-07
151	2.13E-07	5.36E-07	4.35E-07	7.86E-07	5.91E-07	7.97E-07	1.14E-06	3.44E-05	6.01E-07
152	2.28E-07	5.74E-07	4.80E-07	9.30E-07	7.48E-07	1.00E-06	1.40E-06	3.42E-05	7.37E-07
153	2.45E-07	6.14E-07	5.31E-07	1.12E-06	9.83E-07	1.30E-06	1.75E-06	3.42E-05	9.29E-07
154	2.63E-07	6.53E-07	5.89E-07	1.38E-06	1.36E-06	1.76E-06	2.17E-06	3.40E-05	1.21E-06
155	2.82E-07	6.93E-07	6.58E-07	1.74E-06	2.03E-06	2.51E-06	2.58E-06	3.41E-05	1.64E-06
164	2.82E-07	7.41E-07	6.42E-07	1.47E-06	1.24E-06	1.49E-06	1.68E-06	2.48E-05	1.11E-06
165	3.05E-07	7.91E-07	7.24E-07	1.89E-06	1.76E-06	2.00E-06	1.95E-06	2.45E-05	1.45E-06
166	3.30E-07	8.42E-07	8.23E-07	2.54E-06	2.70E-06	2.83E-06	2.15E-06	2.43E-05	2.00E-06
178	3.03E-07	8.47E-07	6.95E-07	1.52E-06	1.09E-06	1.24E-06	1.35E-06	1.91E-05	9.92E-07
179	3.30E-07	9.14E-07	7.94E-07	1.97E-06	1.48E-06	1.60E-06	1.53E-06	1.87E-05	1.26E-06
180	3.60E-07	9.80E-07	9.15E-07	2.68E-06	2.09E-06	2.11E-06	1.66E-06	1.83E-05	1.66E-06
192	3.25E-07	9.77E-07	7.48E-07	1.52E-06	9.48E-07	1.04E-06	1.10E-06	1.53E-05	8.79E-07
193	3.57E-07	1.07E-06	8.64E-07	1.97E-06	1.23E-06	1.29E-06	1.23E-06	1.49E-05	1.09E-06
194	3.92E-07	1.16E-06	1.01E-06	2.68E-06	1.63E-06	1.61E-06	1.33E-06	1.45E-05	1.37E-06
207	3.48E-07	1.14E-06	7.95E-07	1.48E-06	8.16E-07	8.84E-07	9.22E-07	1.26E-05	7.74E-07
208	3.85E-07	1.26E-06	9.28E-07	1.90E-06	1.02E-06	1.06E-06	1.01E-06	1.22E-05	9.34E-07
209	4.27E-07	1.39E-06	1.10E-06	2.54E-06	1.29E-06	1.27E-06	1.08E-06	1.18E-05	1.14E-06
223	3.71E-07	1.34E-06	8.36E-07	1.40E-06	7.02E-07	7.55E-07	7.82E-07	1.06E-05	6.82E-07
224	4.14E-07	1.52E-06	9.84E-07	1.77E-06	8.51E-07	8.83E-07	8.50E-07	1.03E-05	8.05E-07
225	4.63E-07	1.70E-06	1.18E-06	2.31E-06	1.04E-06	1.03E-06	9.03E-07	9.88E-06	9.59E-07
239	3.94E-07	1.60E-06	8.67E-07	1.30E-06	6.07E-07	6.51E-07	6.73E-07	9.05E-06	6.02E-07
240	4.43E-07	1.86E-06	1.03E-06	1.61E-06	7.18E-07	7.46E-07	7.24E-07	8.78E-06	6.98E-07
241	5.01E-07	2.14E-06	1.24E-06	2.06E-06	8.54E-07	8.51E-07	7.65E-07	8.45E-06	8.15E-07
255	4.16E-07	1.93E-06	8.86E-07	1.19E-06	5.28E-07	5.66E-07	5.85E-07	7.85E-06	5.33E-07
256	4.71E-07	2.33E-06	1.05E-06	1.45E-06	6.13E-07	6.38E-07	6.25E-07	7.62E-06	6.09E-07
272	4.34E-07	2.35E-06	8.92E-07	1.08E-06	4.62E-07	4.97E-07	5.13E-07	6.88E-06	4.74E-07

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
273	4.96E-07	2.99E-06	1.06E-06	1.30E-06	5.28E-07	5.52E-07	5.45E-07	6.69E-06	5.35E-07
289	4.49E-07	2.87E-06	8.86E-07	9.82E-07	4.08E-07	4.39E-07	4.55E-07	6.10E-06	4.24E-07
290	5.16E-07	3.96E-06	1.05E-06	1.15E-06	4.59E-07	4.82E-07	4.80E-07	5.93E-06	4.73E-07
306	4.59E-07	3.42E-06	8.67E-07	8.86E-07	3.62E-07	3.91E-07	4.06E-07	5.45E-06	3.82E-07
307	5.29E-07	5.32E-06	1.03E-06	1.02E-06	4.02E-07	4.24E-07	4.26E-07	5.30E-06	4.21E-07
323	4.62E-07	3.76E-06	8.38E-07	8.00E-07	3.23E-07	3.50E-07	3.64E-07	4.90E-06	3.45E-07
324	5.34E-07	6.52E-06	9.89E-07	9.12E-07	3.55E-07	3.77E-07	3.81E-07	4.77E-06	3.77E-07
342	4.60E-07	3.65E-06	8.02E-07	7.23E-07	2.90E-07	3.15E-07	3.29E-07	4.43E-06	3.13E-07
343	5.32E-07	6.10E-06	9.39E-07	8.15E-07	3.16E-07	3.37E-07	3.43E-07	4.32E-06	3.40E-07
344	6.23E-07	1.41E-05	1.11E-06	9.22E-07	3.43E-07	3.58E-07	3.55E-07	4.18E-06	3.68E-07
356	4.53E-07	3.23E-06	7.60E-07	6.55E-07	2.61E-07	2.85E-07	2.99E-07	4.03E-06	2.85E-07
357	5.22E-07	4.87E-06	8.82E-07	7.31E-07	2.83E-07	3.03E-07	3.11E-07	3.93E-06	3.07E-07
358	6.09E-07	8.21E-06	1.04E-06	8.17E-07	3.04E-07	3.20E-07	3.21E-07	3.82E-06	3.30E-07
370	4.42E-07	2.76E-06	7.16E-07	5.95E-07	2.37E-07	2.59E-07	2.73E-07	3.69E-06	2.60E-07
371	5.07E-07	3.82E-06	8.22E-07	6.58E-07	2.54E-07	2.74E-07	2.83E-07	3.60E-06	2.79E-07
372	5.89E-07	5.52E-06	9.55E-07	7.28E-07	2.72E-07	2.88E-07	2.91E-07	3.50E-06	2.98E-07
383	4.28E-07	2.34E-06	6.70E-07	5.43E-07	2.16E-07	2.37E-07	2.51E-07	3.39E-06	2.39E-07
384	4.88E-07	3.05E-06	7.62E-07	5.95E-07	2.30E-07	2.49E-07	2.59E-07	3.31E-06	2.55E-07
385	5.64E-07	4.04E-06	8.75E-07	6.53E-07	2.45E-07	2.61E-07	2.66E-07	3.22E-06	2.71E-07
396	4.12E-07	2.00E-06	6.25E-07	4.97E-07	1.97E-07	2.18E-07	2.31E-07	3.12E-06	2.20E-07
397	4.67E-07	2.49E-06	7.04E-07	5.40E-07	2.09E-07	2.28E-07	2.38E-07	3.06E-06	2.33E-07
398	5.35E-07	3.12E-06	7.98E-07	5.88E-07	2.21E-07	2.38E-07	2.44E-07	2.98E-06	2.47E-07
399	6.19E-07	3.83E-06	9.12E-07	6.40E-07	2.33E-07	2.47E-07	2.49E-07	2.89E-06	2.60E-07
411	3.94E-07	1.71E-06	5.81E-07	4.56E-07	1.81E-07	2.00E-07	2.13E-07	2.89E-06	2.03E-07
412	4.44E-07	2.06E-06	6.49E-07	4.93E-07	1.91E-07	2.09E-07	2.20E-07	2.83E-06	2.15E-07
413	5.05E-07	2.49E-06	7.28E-07	5.33E-07	2.01E-07	2.18E-07	2.25E-07	2.76E-06	2.26E-07
414	5.78E-07	2.95E-06	8.22E-07	5.75E-07	2.11E-07	2.25E-07	2.29E-07	2.68E-06	2.37E-07
426	3.76E-07	1.48E-06	5.39E-07	4.20E-07	1.67E-07	1.85E-07	1.98E-07	2.68E-06	1.88E-07
427	4.21E-07	1.74E-06	5.97E-07	4.51E-07	1.75E-07	1.93E-07	2.03E-07	2.63E-06	1.98E-07

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
428	4.74E-07	2.04E-06	6.64E-07	4.85E-07	1.84E-07	2.00E-07	2.08E-07	2.57E-06	2.08E-07
429	5.37E-07	2.36E-06	7.42E-07	5.19E-07	1.92E-07	2.07E-07	2.12E-07	2.50E-06	2.17E-07
439	3.57E-07	1.29E-06	5.00E-07	3.87E-07	1.54E-07	1.72E-07	1.84E-07	2.50E-06	1.75E-07
440	3.96E-07	1.48E-06	5.50E-07	4.14E-07	1.62E-07	1.78E-07	1.89E-07	2.45E-06	1.83E-07
441	4.43E-07	1.70E-06	6.06E-07	4.43E-07	1.69E-07	1.84E-07	1.93E-07	2.40E-06	1.92E-07
442	4.96E-07	1.93E-06	6.72E-07	4.72E-07	1.76E-07	1.90E-07	1.96E-07	2.34E-06	1.99E-07
443	5.60E-07	2.15E-06	7.47E-07	5.01E-07	1.82E-07	1.95E-07	1.99E-07	2.27E-06	2.07E-07
454	3.38E-07	1.13E-06	4.64E-07	3.59E-07	1.43E-07	1.60E-07	1.72E-07	2.34E-06	1.63E-07
455	3.72E-07	1.28E-06	5.07E-07	3.82E-07	1.49E-07	1.65E-07	1.76E-07	2.30E-06	1.70E-07
456	4.12E-07	1.45E-06	5.55E-07	4.06E-07	1.55E-07	1.71E-07	1.80E-07	2.25E-06	1.77E-07
457	4.58E-07	1.62E-06	6.10E-07	4.30E-07	1.61E-07	1.76E-07	1.83E-07	2.19E-06	1.84E-07
458	5.12E-07	1.78E-06	6.72E-07	4.55E-07	1.66E-07	1.80E-07	1.85E-07	2.13E-06	1.91E-07
469	3.19E-07	1.00E-06	4.31E-07	3.33E-07	1.33E-07	1.49E-07	1.61E-07	2.19E-06	1.52E-07
470	3.49E-07	1.12E-06	4.68E-07	3.53E-07	1.38E-07	1.54E-07	1.65E-07	2.15E-06	1.59E-07
471	3.84E-07	1.25E-06	5.10E-07	3.73E-07	1.44E-07	1.59E-07	1.68E-07	2.11E-06	1.65E-07
472	4.23E-07	1.38E-06	5.56E-07	3.94E-07	1.49E-07	1.63E-07	1.71E-07	2.06E-06	1.71E-07
473	4.68E-07	1.50E-06	6.08E-07	4.15E-07	1.53E-07	1.67E-07	1.72E-07	2.00E-06	1.76E-07
489	3.00E-07	8.90E-07	4.01E-07	3.10E-07	1.24E-07	1.39E-07	1.51E-07	2.05E-06	1.43E-07
490	3.27E-07	9.84E-07	4.33E-07	3.27E-07	1.29E-07	1.44E-07	1.54E-07	2.02E-06	1.48E-07
491	3.57E-07	1.08E-06	4.69E-07	3.45E-07	1.33E-07	1.48E-07	1.57E-07	1.98E-06	1.53E-07
492	3.91E-07	1.19E-06	5.09E-07	3.62E-07	1.38E-07	1.52E-07	1.60E-07	1.94E-06	1.59E-07
493	4.29E-07	1.28E-06	5.52E-07	3.80E-07	1.42E-07	1.55E-07	1.61E-07	1.89E-06	1.63E-07
494	4.73E-07	1.36E-06	6.00E-07	3.97E-07	1.45E-07	1.57E-07	1.62E-07	1.83E-06	1.68E-07
509	2.82E-07	7.98E-07	3.74E-07	2.89E-07	1.16E-07	1.31E-07	1.42E-07	1.93E-06	1.34E-07
510	3.06E-07	8.74E-07	4.02E-07	3.04E-07	1.20E-07	1.35E-07	1.45E-07	1.90E-06	1.39E-07
511	3.32E-07	9.53E-07	4.33E-07	3.19E-07	1.24E-07	1.38E-07	1.48E-07	1.87E-06	1.43E-07
512	3.62E-07	1.03E-06	4.67E-07	3.34E-07	1.28E-07	1.42E-07	1.50E-07	1.83E-06	1.48E-07
513	3.95E-07	1.11E-06	5.04E-07	3.49E-07	1.31E-07	1.44E-07	1.51E-07	1.79E-06	1.52E-07
514	4.32E-07	1.17E-06	5.43E-07	3.64E-07	1.34E-07	1.47E-07	1.52E-07	1.74E-06	1.56E-07

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
515	5.21E-07	1.24E-06	6.26E-07	3.88E-07	1.38E-07	1.49E-07	1.51E-07	1.63E-06	1.62E-07
516	5.72E-07	1.23E-06	6.67E-07	3.96E-07	1.38E-07	1.48E-07	1.49E-07	1.57E-06	1.63E-07
517	6.27E-07	1.20E-06	7.04E-07	4.02E-07	1.37E-07	1.47E-07	1.47E-07	1.51E-06	1.64E-07
518	6.84E-07	1.15E-06	7.34E-07	4.02E-07	1.35E-07	1.44E-07	1.43E-07	1.44E-06	1.63E-07
519	7.39E-07	1.07E-06	7.53E-07	3.99E-07	1.32E-07	1.40E-07	1.39E-07	1.38E-06	1.60E-07
528	2.66E-07	7.19E-07	3.49E-07	2.71E-07	1.09E-07	1.23E-07	1.34E-07	1.82E-06	1.26E-07
529	2.86E-07	7.81E-07	3.74E-07	2.84E-07	1.12E-07	1.26E-07	1.37E-07	1.80E-06	1.30E-07
530	3.09E-07	8.45E-07	4.01E-07	2.97E-07	1.16E-07	1.30E-07	1.39E-07	1.77E-06	1.34E-07
531	3.35E-07	9.09E-07	4.30E-07	3.10E-07	1.19E-07	1.33E-07	1.41E-07	1.73E-06	1.38E-07
532	3.64E-07	9.68E-07	4.61E-07	3.22E-07	1.22E-07	1.35E-07	1.42E-07	1.69E-06	1.42E-07
533	3.96E-07	1.02E-06	4.94E-07	3.35E-07	1.25E-07	1.37E-07	1.43E-07	1.65E-06	1.45E-07
534	4.70E-07	1.07E-06	5.62E-07	3.55E-07	1.28E-07	1.39E-07	1.42E-07	1.55E-06	1.51E-07
535	5.12E-07	1.07E-06	5.95E-07	3.63E-07	1.28E-07	1.39E-07	1.41E-07	1.49E-06	1.52E-07
536	5.56E-07	1.05E-06	6.25E-07	3.68E-07	1.28E-07	1.38E-07	1.39E-07	1.44E-06	1.52E-07
537	6.01E-07	1.01E-06	6.49E-07	3.69E-07	1.26E-07	1.35E-07	1.35E-07	1.38E-06	1.52E-07
538	6.43E-07	9.52E-07	6.64E-07	3.66E-07	1.23E-07	1.32E-07	1.32E-07	1.32E-06	1.50E-07
547	2.50E-07	6.51E-07	3.27E-07	2.54E-07	1.02E-07	1.16E-07	1.26E-07	1.72E-06	1.19E-07
548	2.68E-07	7.02E-07	3.49E-07	2.65E-07	1.05E-07	1.19E-07	1.29E-07	1.70E-06	1.22E-07
549	2.89E-07	7.55E-07	3.72E-07	2.76E-07	1.08E-07	1.22E-07	1.31E-07	1.67E-06	1.26E-07
550	3.11E-07	8.07E-07	3.97E-07	2.88E-07	1.11E-07	1.24E-07	1.33E-07	1.64E-06	1.29E-07
551	3.36E-07	8.55E-07	4.24E-07	2.99E-07	1.14E-07	1.27E-07	1.34E-07	1.60E-06	1.33E-07
552	3.63E-07	8.95E-07	4.52E-07	3.09E-07	1.16E-07	1.29E-07	1.35E-07	1.56E-06	1.36E-07
553	3.94E-07	9.25E-07	4.80E-07	3.19E-07	1.18E-07	1.30E-07	1.35E-07	1.52E-06	1.38E-07
554	4.26E-07	9.41E-07	5.07E-07	3.27E-07	1.19E-07	1.30E-07	1.35E-07	1.47E-06	1.40E-07
555	4.61E-07	9.42E-07	5.34E-07	3.34E-07	1.20E-07	1.30E-07	1.33E-07	1.42E-06	1.42E-07
556	4.97E-07	9.27E-07	5.59E-07	3.38E-07	1.19E-07	1.29E-07	1.31E-07	1.37E-06	1.42E-07
557	5.32E-07	8.95E-07	5.79E-07	3.39E-07	1.18E-07	1.27E-07	1.29E-07	1.32E-06	1.42E-07
558	5.67E-07	8.52E-07	5.92E-07	3.37E-07	1.16E-07	1.25E-07	1.25E-07	1.27E-06	1.40E-07
559	5.96E-07	7.97E-07	5.95E-07	3.32E-07	1.13E-07	1.21E-07	1.21E-07	1.22E-06	1.38E-07

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
567	2.35E-07	5.93E-07	3.07E-07	2.38E-07	9.61E-08	1.09E-07	1.20E-07	1.63E-06	1.12E-07
568	2.52E-07	6.36E-07	3.26E-07	2.48E-07	9.89E-08	1.12E-07	1.22E-07	1.61E-06	1.15E-07
569	2.70E-07	6.79E-07	3.46E-07	2.58E-07	1.02E-07	1.15E-07	1.24E-07	1.59E-06	1.18E-07
570	2.90E-07	7.21E-07	3.68E-07	2.68E-07	1.04E-07	1.17E-07	1.26E-07	1.56E-06	1.22E-07
571	3.11E-07	7.60E-07	3.91E-07	2.78E-07	1.07E-07	1.19E-07	1.27E-07	1.52E-06	1.25E-07
572	3.35E-07	7.94E-07	4.14E-07	2.87E-07	1.09E-07	1.21E-07	1.28E-07	1.49E-06	1.27E-07
573	3.61E-07	8.19E-07	4.38E-07	2.95E-07	1.10E-07	1.22E-07	1.28E-07	1.45E-06	1.30E-07
574	4.17E-07	8.35E-07	4.83E-07	3.08E-07	1.12E-07	1.23E-07	1.26E-07	1.36E-06	1.33E-07
575	4.46E-07	8.24E-07	5.04E-07	3.12E-07	1.12E-07	1.22E-07	1.25E-07	1.31E-06	1.33E-07
576	4.76E-07	8.01E-07	5.20E-07	3.13E-07	1.11E-07	1.20E-07	1.22E-07	1.27E-06	1.33E-07
577	5.04E-07	7.66E-07	5.31E-07	3.12E-07	1.09E-07	1.18E-07	1.19E-07	1.22E-06	1.32E-07
578	5.27E-07	7.23E-07	5.35E-07	3.08E-07	1.06E-07	1.15E-07	1.16E-07	1.17E-06	1.29E-07
586	2.22E-07	5.42E-07	2.88E-07	2.24E-07	9.06E-08	1.03E-07	1.13E-07	1.55E-06	1.06E-07
587	2.37E-07	5.78E-07	3.05E-07	2.33E-07	9.31E-08	1.06E-07	1.15E-07	1.53E-06	1.09E-07
588	2.53E-07	6.14E-07	3.23E-07	2.42E-07	9.56E-08	1.08E-07	1.17E-07	1.51E-06	1.12E-07
589	2.70E-07	6.49E-07	3.42E-07	2.50E-07	9.79E-08	1.10E-07	1.19E-07	1.48E-06	1.15E-07
590	2.89E-07	6.81E-07	3.61E-07	2.59E-07	1.00E-07	1.12E-07	1.20E-07	1.45E-06	1.17E-07
591	3.10E-07	7.09E-07	3.81E-07	2.67E-07	1.02E-07	1.14E-07	1.21E-07	1.42E-06	1.20E-07
592	3.32E-07	7.30E-07	4.01E-07	2.74E-07	1.03E-07	1.15E-07	1.21E-07	1.38E-06	1.22E-07
593	3.79E-07	7.45E-07	4.39E-07	2.85E-07	1.05E-07	1.16E-07	1.20E-07	1.30E-06	1.25E-07
594	4.03E-07	7.38E-07	4.56E-07	2.89E-07	1.05E-07	1.15E-07	1.18E-07	1.26E-06	1.25E-07
595	4.27E-07	7.20E-07	4.70E-07	2.90E-07	1.04E-07	1.14E-07	1.16E-07	1.22E-06	1.25E-07
596	4.50E-07	6.92E-07	4.80E-07	2.89E-07	1.02E-07	1.12E-07	1.14E-07	1.17E-06	1.24E-07
597	4.70E-07	6.57E-07	4.84E-07	2.86E-07	1.00E-07	1.09E-07	1.11E-07	1.13E-06	1.22E-07
345	7.42E-07	3.18E-05	1.35E-06	1.05E-06	3.70E-07	3.78E-07	3.63E-07	4.03E-06	3.97E-07
346	9.04E-07	3.79E-05	1.66E-06	1.19E-06	3.94E-07	3.94E-07	3.67E-07	3.85E-06	4.26E-07
347	1.13E-06	3.94E-05	2.11E-06	1.35E-06	4.14E-07	4.04E-07	3.65E-07	3.65E-06	4.52E-07
348	1.47E-06	3.94E-05	2.78E-06	1.50E-06	4.26E-07	4.06E-07	3.58E-07	3.44E-06	4.72E-07
359	7.23E-07	1.31E-05	1.23E-06	9.16E-07	3.25E-07	3.36E-07	3.27E-07	3.68E-06	3.54E-07

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
360	8.75E-07	1.63E-05	1.50E-06	1.02E-06	3.45E-07	3.49E-07	3.31E-07	3.53E-06	3.77E-07
361	1.09E-06	1.76E-05	1.85E-06	1.14E-06	3.60E-07	3.58E-07	3.30E-07	3.36E-06	3.97E-07
362	1.39E-06	1.79E-05	2.36E-06	1.26E-06	3.70E-07	3.60E-07	3.25E-07	3.18E-06	4.14E-07
363	1.85E-06	1.78E-05	3.11E-06	1.36E-06	3.72E-07	3.56E-07	3.15E-07	2.98E-06	4.24E-07
373	8.32E-07	9.41E-06	1.33E-06	8.92E-07	3.05E-07	3.12E-07	3.00E-07	3.25E-06	3.36E-07
374	1.02E-06	1.03E-05	1.61E-06	9.81E-07	3.17E-07	3.19E-07	3.00E-07	3.10E-06	3.53E-07
375	1.27E-06	1.07E-05	1.98E-06	1.07E-06	3.25E-07	3.22E-07	2.96E-07	2.94E-06	3.66E-07
376	1.64E-06	1.06E-05	2.50E-06	1.14E-06	3.27E-07	3.19E-07	2.89E-07	2.78E-06	3.74E-07
386	7.80E-07	6.23E-06	1.18E-06	7.84E-07	2.71E-07	2.81E-07	2.74E-07	3.00E-06	3.02E-07
387	9.38E-07	6.88E-06	1.40E-06	8.53E-07	2.81E-07	2.87E-07	2.74E-07	2.88E-06	3.15E-07
388	1.15E-06	7.14E-06	1.68E-06	9.18E-07	2.88E-07	2.89E-07	2.71E-07	2.74E-06	3.26E-07
389	1.44E-06	7.12E-06	2.04E-06	9.74E-07	2.90E-07	2.88E-07	2.65E-07	2.59E-06	3.33E-07
390	1.84E-06	6.85E-06	2.52E-06	1.01E-06	2.88E-07	2.82E-07	2.57E-07	2.44E-06	3.36E-07
400	7.24E-07	4.47E-06	1.05E-06	6.94E-07	2.43E-07	2.54E-07	2.52E-07	2.79E-06	2.72E-07
401	8.56E-07	4.92E-06	1.22E-06	7.48E-07	2.51E-07	2.60E-07	2.52E-07	2.67E-06	2.84E-07
402	1.03E-06	5.14E-06	1.43E-06	7.99E-07	2.57E-07	2.62E-07	2.50E-07	2.55E-06	2.93E-07
403	1.25E-06	5.15E-06	1.69E-06	8.43E-07	2.59E-07	2.61E-07	2.45E-07	2.43E-06	2.99E-07
404	1.54E-06	4.97E-06	2.01E-06	8.73E-07	2.58E-07	2.57E-07	2.38E-07	2.30E-06	3.01E-07
415	6.67E-07	3.38E-06	9.34E-07	6.19E-07	2.19E-07	2.32E-07	2.32E-07	2.59E-06	2.47E-07
416	7.77E-07	3.71E-06	1.07E-06	6.62E-07	2.27E-07	2.36E-07	2.32E-07	2.50E-06	2.57E-07
417	9.13E-07	3.88E-06	1.23E-06	7.02E-07	2.31E-07	2.39E-07	2.30E-07	2.39E-06	2.65E-07
418	1.09E-06	3.90E-06	1.42E-06	7.37E-07	2.34E-07	2.38E-07	2.27E-07	2.28E-06	2.70E-07
419	1.31E-06	3.79E-06	1.64E-06	7.62E-07	2.33E-07	2.35E-07	2.21E-07	2.16E-06	2.72E-07
420	1.58E-06	3.53E-06	1.86E-06	7.70E-07	2.27E-07	2.28E-07	2.13E-07	2.05E-06	2.70E-07
430	7.02E-07	2.89E-06	9.40E-07	5.90E-07	2.05E-07	2.16E-07	2.15E-07	2.34E-06	2.34E-07
431	8.12E-07	3.03E-06	1.07E-06	6.23E-07	2.10E-07	2.18E-07	2.14E-07	2.24E-06	2.40E-07
432	9.48E-07	3.06E-06	1.21E-06	6.51E-07	2.12E-07	2.18E-07	2.11E-07	2.14E-06	2.45E-07
433	1.12E-06	2.99E-06	1.37E-06	6.71E-07	2.11E-07	2.16E-07	2.06E-07	2.04E-06	2.47E-07
434	1.32E-06	2.81E-06	1.52E-06	6.80E-07	2.07E-07	2.11E-07	2.00E-07	1.94E-06	2.46E-07

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
444	6.34E-07	2.32E-06	8.33E-07	5.30E-07	1.87E-07	1.99E-07	1.99E-07	2.19E-06	2.14E-07
445	7.24E-07	2.43E-06	9.31E-07	5.57E-07	1.91E-07	2.01E-07	1.98E-07	2.11E-06	2.20E-07
446	8.31E-07	2.46E-06	1.04E-06	5.79E-07	1.92E-07	2.01E-07	1.96E-07	2.02E-06	2.24E-07
447	9.60E-07	2.42E-06	1.16E-06	5.96E-07	1.92E-07	1.99E-07	1.92E-07	1.93E-06	2.26E-07
448	1.11E-06	2.30E-06	1.27E-06	6.04E-07	1.90E-07	1.95E-07	1.87E-07	1.83E-06	2.25E-07
459	6.47E-07	1.99E-06	8.20E-07	5.01E-07	1.74E-07	1.85E-07	1.85E-07	1.99E-06	2.01E-07
460	7.33E-07	2.02E-06	9.04E-07	5.19E-07	1.76E-07	1.85E-07	1.83E-07	1.91E-06	2.05E-07
461	8.34E-07	1.99E-06	9.91E-07	5.33E-07	1.76E-07	1.84E-07	1.80E-07	1.83E-06	2.07E-07
462	9.48E-07	1.91E-06	1.07E-06	5.40E-07	1.74E-07	1.81E-07	1.75E-07	1.74E-06	2.07E-07
463	1.07E-06	1.78E-06	1.13E-06	5.39E-07	1.70E-07	1.76E-07	1.70E-07	1.66E-06	2.04E-07
474	5.81E-07	1.67E-06	7.28E-07	4.53E-07	1.60E-07	1.71E-07	1.73E-07	1.88E-06	1.86E-07
475	6.50E-07	1.69E-06	7.94E-07	4.68E-07	1.62E-07	1.72E-07	1.71E-07	1.81E-06	1.89E-07
476	7.30E-07	1.68E-06	8.60E-07	4.80E-07	1.62E-07	1.71E-07	1.69E-07	1.73E-06	1.90E-07
477	8.18E-07	1.62E-06	9.21E-07	4.86E-07	1.60E-07	1.68E-07	1.65E-07	1.66E-06	1.90E-07
478	9.12E-07	1.52E-06	9.69E-07	4.86E-07	1.57E-07	1.64E-07	1.60E-07	1.58E-06	1.89E-07
495	5.24E-07	1.41E-06	6.50E-07	4.12E-07	1.47E-07	1.59E-07	1.62E-07	1.78E-06	1.72E-07
496	5.80E-07	1.44E-06	7.02E-07	4.25E-07	1.49E-07	1.60E-07	1.61E-07	1.71E-06	1.74E-07
497	6.44E-07	1.43E-06	7.54E-07	4.35E-07	1.49E-07	1.59E-07	1.59E-07	1.65E-06	1.76E-07
498	7.13E-07	1.38E-06	8.01E-07	4.41E-07	1.48E-07	1.57E-07	1.55E-07	1.58E-06	1.76E-07
499	7.85E-07	1.31E-06	8.39E-07	4.41E-07	1.46E-07	1.54E-07	1.51E-07	1.51E-06	1.75E-07
500	8.56E-07	1.22E-06	8.60E-07	4.36E-07	1.42E-07	1.49E-07	1.46E-07	1.44E-06	1.72E-07
139	2.78E-07	6.41E-07	6.59E-07	1.98E-06	3.82E-06	5.32E-06	4.07E-06	5.49E-05	2.70E-06
140	2.97E-07	6.69E-07	7.30E-07	2.60E-06	1.01E-05	1.30E-05	4.18E-06	3.64E-05	4.66E-06
156	3.03E-07	7.31E-07	7.37E-07	2.29E-06	3.40E-06	3.92E-06	2.88E-06	3.45E-05	2.38E-06
157	3.25E-07	7.66E-07	8.29E-07	3.15E-06	7.02E-06	6.97E-06	2.97E-06	3.46E-05	3.71E-06
158	3.49E-07	7.98E-07	9.35E-07	4.70E-06	1.63E-05	1.09E-05	2.84E-06	3.36E-05	6.44E-06
159	3.74E-07	8.25E-07	1.06E-06	7.98E-06	1.91E-05	9.09E-06	2.51E-06	2.77E-05	1.15E-05
160	4.00E-07	8.46E-07	1.19E-06	1.93E-05	6.33E-06	5.58E-06	2.07E-06	1.86E-05	1.97E-05
161	4.52E-07	8.78E-07	1.48E-06	1.96E-05	7.51E-06	2.30E-06	1.27E-06	9.20E-06	1.39E-05

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
162	4.78E-07	8.90E-07	1.61E-06	1.04E-05	3.55E-06	1.63E-06	1.01E-06	7.25E-06	5.62E-06
163	5.01E-07	9.01E-07	1.70E-06	7.17E-06	2.16E-06	1.23E-06	8.22E-07	5.95E-06	3.19E-06
167	3.56E-07	8.86E-07	9.39E-07	3.61E-06	4.50E-06	4.15E-06	2.22E-06	2.33E-05	2.85E-06
168	3.86E-07	9.30E-07	1.08E-06	5.72E-06	7.73E-06	5.44E-06	2.15E-06	2.22E-05	4.40E-06
169	4.17E-07	9.66E-07	1.25E-06	1.08E-05	1.15E-05	5.23E-06	1.95E-06	1.88E-05	6.70E-06
170	4.50E-07	9.96E-07	1.45E-06	1.12E-05	1.43E-05	3.92E-06	1.67E-06	1.44E-05	9.76E-06
171	4.83E-07	1.02E-06	1.68E-06	1.67E-05	1.08E-05	2.73E-06	1.37E-06	1.06E-05	1.26E-05
172	5.18E-07	1.04E-06	1.94E-06	2.11E-05	4.91E-06	1.92E-06	1.11E-06	8.17E-06	8.22E-06
173	5.51E-07	1.06E-06	2.17E-06	1.18E-05	2.63E-06	1.41E-06	8.99E-07	6.57E-06	4.21E-06
174	5.82E-07	1.07E-06	2.34E-06	8.33E-06	1.71E-06	1.08E-06	7.43E-07	5.48E-06	2.56E-06
175	6.09E-07	1.09E-06	2.44E-06	6.47E-06	1.22E-06	8.62E-07	6.26E-07	4.68E-06	1.76E-06
176	6.31E-07	1.10E-06	2.53E-06	5.19E-06	9.25E-07	7.07E-07	5.37E-07	4.07E-06	1.30E-06
177	6.48E-07	1.12E-06	2.58E-06	4.15E-06	7.29E-07	5.92E-07	4.67E-07	3.58E-06	1.01E-06
181	4.28E-07	1.10E-06	1.25E-06	6.34E-06	4.51E-06	3.35E-06	1.68E-06	1.63E-05	3.12E-06
182	4.67E-07	1.15E-06	1.49E-06	1.27E-05	5.98E-06	3.37E-06	1.56E-06	1.42E-05	4.29E-06
183	5.09E-07	1.19E-06	1.79E-06	1.44E-05	6.69E-06	2.83E-06	1.37E-06	1.16E-05	5.58E-06
184	5.53E-07	1.23E-06	2.18E-06	2.02E-05	5.58E-06	2.17E-06	1.17E-06	9.14E-06	6.24E-06
185	5.98E-07	1.26E-06	2.65E-06	2.25E-05	3.51E-06	1.62E-06	9.72E-07	7.29E-06	5.05E-06
186	6.43E-07	1.28E-06	3.16E-06	1.43E-05	2.13E-06	1.23E-06	8.06E-07	5.99E-06	3.26E-06
187	6.85E-07	1.30E-06	3.56E-06	1.06E-05	1.43E-06	9.60E-07	6.75E-07	5.06E-06	2.13E-06
188	7.23E-07	1.32E-06	3.81E-06	8.26E-06	1.05E-06	7.76E-07	5.75E-07	4.36E-06	1.50E-06
189	7.54E-07	1.34E-06	3.94E-06	6.25E-06	8.14E-07	6.43E-07	4.97E-07	3.82E-06	1.14E-06
190	7.77E-07	1.35E-06	3.81E-06	4.59E-06	6.52E-07	5.44E-07	4.35E-07	3.38E-06	8.95E-07
191	7.93E-07	1.35E-06	3.50E-06	3.38E-06	5.36E-07	4.67E-07	3.85E-07	3.03E-06	7.27E-07
195	4.77E-07	1.33E-06	1.44E-06	6.30E-06	2.94E-06	2.30E-06	1.35E-06	1.28E-05	2.30E-06
196	5.26E-07	1.40E-06	1.76E-06	1.26E-05	3.63E-06	2.35E-06	1.27E-06	1.14E-05	2.95E-06
197	5.80E-07	1.46E-06	2.21E-06	2.44E-05	3.91E-06	2.11E-06	1.15E-06	9.65E-06	3.57E-06
198	6.38E-07	1.51E-06	2.86E-06	2.34E-05	3.47E-06	1.74E-06	1.00E-06	7.95E-06	3.83E-06
199	6.99E-07	1.55E-06	3.82E-06	3.03E-05	2.55E-06	1.36E-06	8.55E-07	6.55E-06	3.38E-06

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
200	7.61E-07	1.59E-06	5.21E-06	2.25E-05	1.75E-06	1.07E-06	7.24E-07	5.48E-06	2.52E-06
201	8.21E-07	1.62E-06	6.69E-06	1.75E-05	1.23E-06	8.58E-07	6.16E-07	4.68E-06	1.78E-06
202	8.74E-07	1.64E-06	7.40E-06	1.19E-05	9.25E-07	7.03E-07	5.30E-07	4.07E-06	1.31E-06
203	9.19E-07	1.65E-06	6.76E-06	7.29E-06	7.26E-07	5.88E-07	4.61E-07	3.59E-06	1.00E-06
204	9.52E-07	1.65E-06	5.64E-06	4.65E-06	5.89E-07	5.01E-07	4.06E-07	3.20E-06	8.02E-07
205	9.76E-07	1.63E-06	4.64E-06	3.18E-06	4.89E-07	4.32E-07	3.61E-07	2.88E-06	6.60E-07
206	9.96E-07	1.60E-06	3.83E-06	2.31E-06	4.14E-07	3.78E-07	3.23E-07	2.61E-06	5.54E-07
210	4.74E-07	1.51E-06	1.32E-06	3.57E-06	1.64E-06	1.50E-06	1.12E-06	1.11E-05	1.40E-06
211	5.31E-07	1.63E-06	1.63E-06	5.62E-06	2.06E-06	1.69E-06	1.11E-06	1.05E-05	1.76E-06
212	5.94E-07	1.74E-06	2.05E-06	1.02E-05	2.43E-06	1.74E-06	1.06E-06	9.43E-06	2.14E-06
213	6.64E-07	1.83E-06	2.69E-06	2.51E-05	2.58E-06	1.63E-06	9.74E-07	8.21E-06	2.48E-06
214	8.27E-07	1.98E-06	5.57E-06	1.91E-05	1.92E-06	1.16E-06	7.56E-07	5.91E-06	2.41E-06
215	9.15E-07	2.03E-06	1.00E-05	1.65E-05	1.43E-06	9.39E-07	6.52E-07	5.03E-06	1.96E-06
216	1.00E-06	2.07E-06	7.81E-06	1.88E-05	1.07E-06	7.68E-07	5.63E-07	4.34E-06	1.50E-06
217	1.08E-06	2.08E-06	1.86E-05	1.53E-05	8.17E-07	6.37E-07	4.89E-07	3.81E-06	1.14E-06
218	1.15E-06	2.07E-06	1.11E-05	6.76E-06	6.51E-07	5.38E-07	4.28E-07	3.38E-06	8.94E-07
219	1.20E-06	2.04E-06	7.62E-06	3.99E-06	5.34E-07	4.62E-07	3.79E-07	3.03E-06	7.23E-07
220	1.24E-06	1.99E-06	5.67E-06	2.72E-06	4.48E-07	4.02E-07	3.39E-07	2.74E-06	6.01E-07
221	1.27E-06	1.90E-06	4.41E-06	2.00E-06	3.82E-07	3.53E-07	3.05E-07	2.49E-06	5.09E-07
222	1.30E-06	1.79E-06	3.53E-06	1.55E-06	3.30E-07	3.13E-07	2.75E-07	2.28E-06	4.38E-07
226	5.22E-07	1.89E-06	1.44E-06	3.17E-06	1.27E-06	1.18E-06	9.32E-07	9.38E-06	1.15E-06
227	5.91E-07	2.07E-06	1.80E-06	4.66E-06	1.53E-06	1.30E-06	9.30E-07	8.79E-06	1.38E-06
228	6.72E-07	2.23E-06	2.33E-06	7.50E-06	1.74E-06	1.34E-06	8.95E-07	8.01E-06	1.62E-06
229	7.65E-07	2.38E-06	3.15E-06	1.35E-05	1.83E-06	1.29E-06	8.35E-07	7.11E-06	1.83E-06
230	8.72E-07	2.51E-06	4.57E-06	2.44E-05	1.74E-06	1.15E-06	7.57E-07	6.19E-06	1.91E-06
231	9.91E-07	2.61E-06	7.45E-06	3.20E-05	1.48E-06	9.84E-07	6.70E-07	5.36E-06	1.81E-06
232	1.12E-06	2.68E-06	1.64E-05	1.94E-05	1.18E-06	8.23E-07	5.88E-07	4.63E-06	1.56E-06
233	1.38E-06	2.69E-06	3.20E-05	1.00E-05	7.25E-07	5.79E-07	4.51E-07	3.57E-06	9.96E-07
234	1.48E-06	2.64E-06	1.45E-05	4.94E-06	5.85E-07	4.93E-07	3.98E-07	3.19E-06	7.98E-07

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
235	1.57E-06	2.55E-06	9.05E-06	3.16E-06	4.86E-07	4.26E-07	3.54E-07	2.87E-06	6.55E-07
236	1.63E-06	2.42E-06	6.38E-06	2.26E-06	4.11E-07	3.73E-07	3.18E-07	2.61E-06	5.49E-07
237	1.68E-06	2.25E-06	4.78E-06	1.72E-06	3.54E-07	3.30E-07	2.87E-07	2.38E-06	4.69E-07
238	1.73E-06	2.06E-06	3.71E-06	1.36E-06	3.08E-07	2.94E-07	2.61E-07	2.19E-06	4.06E-07
242	5.71E-07	2.43E-06	1.53E-06	2.71E-06	1.01E-06	9.54E-07	7.89E-07	8.04E-06	9.53E-07
243	6.57E-07	2.71E-06	1.94E-06	3.75E-06	1.18E-06	1.04E-06	7.90E-07	7.54E-06	1.11E-06
244	7.58E-07	2.97E-06	2.54E-06	5.41E-06	1.31E-06	1.07E-06	7.65E-07	6.95E-06	1.27E-06
245	8.83E-07	3.23E-06	3.52E-06	8.19E-06	1.37E-06	1.04E-06	7.22E-07	6.26E-06	1.40E-06
246	1.03E-06	3.45E-06	5.24E-06	1.17E-05	1.32E-06	9.57E-07	6.64E-07	5.54E-06	1.46E-06
247	1.21E-06	3.60E-06	8.86E-06	1.39E-05	1.18E-06	8.44E-07	5.99E-07	4.87E-06	1.41E-06
248	1.40E-06	3.67E-06	1.99E-05	1.35E-05	9.83E-07	7.25E-07	5.33E-07	4.27E-06	1.26E-06
249	1.82E-06	3.57E-06	3.79E-05	6.58E-06	6.43E-07	5.26E-07	4.16E-07	3.35E-06	8.71E-07
250	1.99E-06	3.41E-06	1.65E-05	3.88E-06	5.28E-07	4.52E-07	3.70E-07	3.01E-06	7.14E-07
251	2.14E-06	3.19E-06	9.92E-06	2.62E-06	4.42E-07	3.94E-07	3.31E-07	2.72E-06	5.94E-07
252	2.26E-06	2.92E-06	6.78E-06	1.94E-06	3.78E-07	3.47E-07	2.99E-07	2.48E-06	5.03E-07
253	2.35E-06	2.61E-06	4.94E-06	1.51E-06	3.27E-07	3.08E-07	2.71E-07	2.28E-06	4.33E-07
254	2.39E-06	2.30E-06	3.74E-06	1.22E-06	2.87E-07	2.77E-07	2.47E-07	2.10E-06	3.77E-07
257	6.21E-07	3.26E-06	1.59E-06	2.29E-06	8.23E-07	7.88E-07	6.76E-07	6.99E-06	8.01E-07
258	7.25E-07	3.75E-06	2.03E-06	3.01E-06	9.35E-07	8.46E-07	6.79E-07	6.57E-06	9.14E-07
259	8.55E-07	4.23E-06	2.69E-06	4.05E-06	1.02E-06	8.71E-07	6.63E-07	6.10E-06	1.03E-06
260	1.02E-06	4.66E-06	3.74E-06	5.45E-06	1.06E-06	8.57E-07	6.30E-07	5.56E-06	1.11E-06
261	1.23E-06	5.03E-06	5.67E-06	7.02E-06	1.04E-06	8.07E-07	5.88E-07	4.99E-06	1.15E-06
262	1.49E-06	5.23E-06	9.65E-06	7.96E-06	9.53E-07	7.28E-07	5.37E-07	4.44E-06	1.13E-06
263	1.80E-06	5.26E-06	2.13E-05	7.77E-06	8.26E-07	6.40E-07	4.83E-07	3.95E-06	1.03E-06
264	2.53E-06	4.84E-06	4.12E-05	4.69E-06	5.74E-07	4.80E-07	3.86E-07	3.15E-06	7.64E-07
265	2.86E-06	4.46E-06	1.79E-05	3.17E-06	4.79E-07	4.17E-07	3.45E-07	2.85E-06	6.41E-07
266	3.15E-06	3.99E-06	1.04E-05	2.25E-06	4.05E-07	3.66E-07	3.11E-07	2.59E-06	5.41E-07
267	3.37E-06	3.47E-06	6.92E-06	1.70E-06	3.49E-07	3.24E-07	2.81E-07	2.36E-06	4.62E-07
268	3.49E-06	2.95E-06	4.90E-06	1.35E-06	3.04E-07	2.89E-07	2.56E-07	2.18E-06	4.00E-07

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
269	3.48E-06	2.47E-06	3.62E-06	1.11E-06	2.68E-07	2.60E-07	2.35E-07	2.01E-06	3.51E-07
270	2.78E-06	1.46E-06	1.74E-06	6.84E-07	1.93E-07	1.96E-07	1.85E-07	1.62E-06	2.50E-07
271	2.40E-06	1.24E-06	1.42E-06	5.98E-07	1.75E-07	1.81E-07	1.72E-07	1.52E-06	2.27E-07
274	6.68E-07	4.68E-06	1.61E-06	1.94E-06	6.82E-07	6.63E-07	5.86E-07	6.15E-06	6.83E-07
275	7.91E-07	5.62E-06	2.06E-06	2.43E-06	7.60E-07	7.06E-07	5.90E-07	5.80E-06	7.65E-07
276	9.53E-07	6.57E-06	2.75E-06	3.10E-06	8.22E-07	7.27E-07	5.80E-07	5.41E-06	8.44E-07
277	1.16E-06	7.34E-06	3.84E-06	3.90E-06	8.51E-07	7.20E-07	5.55E-07	4.98E-06	9.05E-07
278	1.46E-06	7.90E-06	5.81E-06	4.72E-06	8.41E-07	6.87E-07	5.23E-07	4.53E-06	9.35E-07
279	1.85E-06	8.11E-06	9.89E-06	5.21E-06	7.85E-07	6.32E-07	4.83E-07	4.08E-06	9.21E-07
280	2.37E-06	7.96E-06	2.13E-05	5.13E-06	6.98E-07	5.65E-07	4.39E-07	3.66E-06	8.62E-07
281	3.76E-06	6.78E-06	4.26E-05	3.52E-06	5.11E-07	4.37E-07	3.57E-07	2.97E-06	6.71E-07
282	4.47E-06	5.90E-06	1.84E-05	2.61E-06	4.33E-07	3.84E-07	3.22E-07	2.69E-06	5.75E-07
283	5.10E-06	4.90E-06	1.04E-05	1.94E-06	3.71E-07	3.39E-07	2.91E-07	2.46E-06	4.92E-07
284	5.51E-06	3.96E-06	6.71E-06	1.51E-06	3.22E-07	3.02E-07	2.65E-07	2.26E-06	4.25E-07
285	5.59E-06	3.15E-06	4.64E-06	1.22E-06	2.83E-07	2.71E-07	2.42E-07	2.08E-06	3.71E-07
286	5.32E-06	2.52E-06	3.36E-06	1.01E-06	2.51E-07	2.45E-07	2.23E-07	1.93E-06	3.27E-07
287	3.38E-06	1.38E-06	1.58E-06	6.38E-07	1.83E-07	1.87E-07	1.76E-07	1.57E-06	2.37E-07
288	2.71E-06	1.16E-06	1.30E-06	5.62E-07	1.67E-07	1.72E-07	1.65E-07	1.47E-06	2.15E-07
291	7.08E-07	7.55E-06	1.59E-06	1.64E-06	5.74E-07	5.66E-07	5.14E-07	5.47E-06	5.88E-07
292	8.50E-07	9.73E-06	2.03E-06	1.99E-06	6.31E-07	5.99E-07	5.18E-07	5.18E-06	6.49E-07
293	1.04E-06	1.17E-05	2.70E-06	2.43E-06	6.76E-07	6.16E-07	5.11E-07	4.85E-06	7.07E-07
294	1.31E-06	1.30E-05	3.77E-06	2.93E-06	6.98E-07	6.13E-07	4.93E-07	4.50E-06	7.52E-07
295	1.70E-06	1.37E-05	5.67E-06	3.40E-06	6.92E-07	5.91E-07	4.67E-07	4.13E-06	7.75E-07
296	2.29E-06	1.39E-05	9.65E-06	3.69E-06	6.57E-07	5.52E-07	4.36E-07	3.76E-06	7.68E-07
297	3.22E-06	1.33E-05	2.10E-05	3.67E-06	5.98E-07	5.03E-07	4.01E-07	3.40E-06	7.30E-07
298	6.33E-06	1.00E-05	4.28E-05	2.75E-06	4.57E-07	4.00E-07	3.32E-07	2.80E-06	5.92E-07
299	8.20E-06	7.77E-06	1.81E-05	2.17E-06	3.94E-07	3.55E-07	3.01E-07	2.55E-06	5.17E-07
300	9.68E-06	5.71E-06	9.88E-06	1.69E-06	3.41E-07	3.15E-07	2.74E-07	2.34E-06	4.49E-07
301	1.03E-05	4.18E-06	6.15E-06	1.35E-06	2.98E-07	2.83E-07	2.50E-07	2.15E-06	3.92E-07

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
302	9.90E-06	3.13E-06	4.16E-06	1.10E-06	2.63E-07	2.55E-07	2.29E-07	1.99E-06	3.44E-07
303	8.61E-06	2.40E-06	3.00E-06	9.22E-07	2.35E-07	2.31E-07	2.11E-07	1.85E-06	3.06E-07
304	3.81E-06	1.27E-06	1.43E-06	5.97E-07	1.73E-07	1.78E-07	1.69E-07	1.51E-06	2.24E-07
305	2.81E-06	1.07E-06	1.18E-06	5.29E-07	1.58E-07	1.65E-07	1.58E-07	1.42E-06	2.04E-07
308	7.36E-07	1.64E-05	1.53E-06	1.40E-06	4.90E-07	4.90E-07	4.54E-07	4.90E-06	5.11E-07
309	8.92E-07	2.27E-05	1.95E-06	1.66E-06	5.32E-07	5.15E-07	4.58E-07	4.66E-06	5.58E-07
310	1.11E-06	2.62E-05	2.56E-06	1.96E-06	5.66E-07	5.29E-07	4.54E-07	4.38E-06	6.01E-07
311	1.43E-06	2.82E-05	3.55E-06	2.28E-06	5.83E-07	5.29E-07	4.40E-07	4.09E-06	6.35E-07
312	1.93E-06	2.91E-05	5.29E-06	2.58E-06	5.82E-07	5.15E-07	4.21E-07	3.78E-06	6.54E-07
313	2.77E-06	2.92E-05	8.93E-06	2.77E-06	5.59E-07	4.87E-07	3.96E-07	3.47E-06	6.51E-07
314	4.39E-06	2.79E-05	1.95E-05	2.76E-06	5.17E-07	4.49E-07	3.67E-07	3.17E-06	6.25E-07
315	1.41E-05	1.60E-05	4.13E-05	2.22E-06	4.10E-07	3.66E-07	3.09E-07	2.64E-06	5.25E-07
316	2.06E-05	9.39E-06	1.63E-05	1.83E-06	3.59E-07	3.28E-07	2.82E-07	2.42E-06	4.66E-07
317	2.36E-05	5.82E-06	8.50E-06	1.48E-06	3.14E-07	2.94E-07	2.58E-07	2.23E-06	4.11E-07
318	2.40E-05	3.93E-06	5.24E-06	1.21E-06	2.77E-07	2.65E-07	2.36E-07	2.06E-06	3.62E-07
319	2.10E-05	2.84E-06	3.56E-06	1.00E-06	2.46E-07	2.40E-07	2.18E-07	1.91E-06	3.20E-07
320	1.51E-05	2.16E-06	2.59E-06	8.45E-07	2.20E-07	2.18E-07	2.01E-07	1.78E-06	2.86E-07
321	3.76E-06	1.15E-06	1.28E-06	5.59E-07	1.64E-07	1.70E-07	1.62E-07	1.46E-06	2.12E-07
322	2.61E-06	9.74E-07	1.07E-06	4.97E-07	1.51E-07	1.57E-07	1.51E-07	1.38E-06	1.94E-07
325	7.47E-07	8.60E-06	1.45E-06	1.21E-06	4.24E-07	4.28E-07	4.05E-07	4.43E-06	4.49E-07
326	9.11E-07	1.83E-05	1.82E-06	1.40E-06	4.55E-07	4.48E-07	4.08E-07	4.22E-06	4.85E-07
327	1.14E-06	2.15E-05	2.36E-06	1.61E-06	4.81E-07	4.60E-07	4.06E-07	3.99E-06	5.18E-07
328	1.49E-06	2.96E-05	3.20E-06	1.83E-06	4.95E-07	4.61E-07	3.96E-07	3.74E-06	5.44E-07
329	2.04E-06	2.53E-05	4.63E-06	2.03E-06	4.95E-07	4.51E-07	3.80E-07	3.48E-06	5.59E-07
330	3.06E-06	2.24E-05	7.56E-06	2.16E-06	4.80E-07	4.32E-07	3.61E-07	3.21E-06	5.59E-07
331	5.35E-06	2.01E-05	1.59E-05	2.16E-06	4.51E-07	4.03E-07	3.37E-07	2.96E-06	5.42E-07
332	1.40E-05	2.58E-05	2.45E-05	2.04E-06	4.13E-07	3.71E-07	3.13E-07	2.71E-06	5.10E-07
333	9.39E-06	2.02E-05	1.76E-05	1.82E-06	3.69E-07	3.37E-07	2.88E-07	2.49E-06	4.68E-07
334	2.19E-05	8.40E-06	1.22E-05	1.56E-06	3.28E-07	3.04E-07	2.65E-07	2.29E-06	4.21E-07

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
335	2.65E-05	4.90E-06	6.64E-06	1.30E-06	2.90E-07	2.75E-07	2.43E-07	2.12E-06	3.76E-07
336	2.55E-05	3.31E-06	4.25E-06	1.08E-06	2.57E-07	2.49E-07	2.24E-07	1.96E-06	3.34E-07
337	1.88E-05	2.43E-06	2.99E-06	9.10E-07	2.30E-07	2.26E-07	2.07E-07	1.83E-06	2.98E-07
338	2.56E-05	1.88E-06	2.23E-06	7.77E-07	2.07E-07	2.07E-07	1.91E-07	1.70E-06	2.67E-07
339	5.04E-06	1.24E-06	1.40E-06	5.90E-07	1.70E-07	1.74E-07	1.65E-07	1.50E-06	2.19E-07
340	3.18E-06	1.04E-06	1.16E-06	5.23E-07	1.56E-07	1.62E-07	1.55E-07	1.41E-06	2.00E-07
341	2.22E-06	8.92E-07	9.78E-07	4.68E-07	1.43E-07	1.50E-07	1.45E-07	1.33E-06	1.84E-07
349	2.00E-06	3.88E-05	3.85E-06	1.64E-06	4.27E-07	4.00E-07	3.46E-07	3.22E-06	4.84E-07
350	2.96E-06	3.77E-05	5.79E-06	1.73E-06	4.17E-07	3.85E-07	3.30E-07	2.99E-06	4.85E-07
351	4.97E-06	3.51E-05	1.01E-05	1.74E-06	3.96E-07	3.63E-07	3.10E-07	2.77E-06	4.73E-07
352	1.10E-05	2.75E-05	1.95E-05	1.67E-06	3.67E-07	3.38E-07	2.90E-07	2.55E-06	4.50E-07
353	3.78E-06	1.12E-06	1.27E-06	5.50E-07	1.61E-07	1.66E-07	1.58E-07	1.45E-06	2.07E-07
354	2.55E-06	9.57E-07	1.06E-06	4.91E-07	1.48E-07	1.54E-07	1.48E-07	1.36E-06	1.90E-07
355	1.85E-06	8.26E-07	9.01E-07	4.41E-07	1.36E-07	1.44E-07	1.39E-07	1.29E-06	1.75E-07
364	2.61E-06	1.71E-05	4.30E-06	1.42E-06	3.66E-07	3.45E-07	3.02E-07	2.79E-06	4.26E-07
365	3.97E-06	1.56E-05	6.29E-06	1.43E-06	3.50E-07	3.29E-07	2.87E-07	2.59E-06	4.18E-07
366	6.79E-06	1.25E-05	8.71E-06	1.39E-06	3.28E-07	3.08E-07	2.69E-07	2.41E-06	4.00E-07
367	3.03E-06	1.03E-06	1.15E-06	5.15E-07	1.53E-07	1.58E-07	1.52E-07	1.40E-06	1.96E-07
368	2.13E-06	8.88E-07	9.72E-07	4.61E-07	1.41E-07	1.47E-07	1.42E-07	1.32E-06	1.80E-07
369	1.60E-06	7.72E-07	8.33E-07	4.16E-07	1.30E-07	1.37E-07	1.34E-07	1.25E-06	1.66E-07
377	2.20E-06	1.02E-05	3.24E-06	1.19E-06	3.23E-07	3.11E-07	2.78E-07	2.61E-06	3.76E-07
378	3.09E-06	9.26E-06	4.26E-06	1.20E-06	3.12E-07	2.98E-07	2.65E-07	2.44E-06	3.71E-07
379	4.54E-06	7.68E-06	5.22E-06	1.17E-06	2.95E-07	2.82E-07	2.50E-07	2.27E-06	3.58E-07
380	2.53E-06	9.57E-07	1.05E-06	4.81E-07	1.45E-07	1.51E-07	1.45E-07	1.35E-06	1.86E-07
381	1.82E-06	8.27E-07	8.92E-07	4.32E-07	1.33E-07	1.40E-07	1.36E-07	1.28E-06	1.71E-07
382	1.40E-06	7.25E-07	7.72E-07	3.92E-07	1.24E-07	1.31E-07	1.29E-07	1.21E-06	1.58E-07
391	2.43E-06	6.28E-06	3.09E-06	1.02E-06	2.79E-07	2.72E-07	2.46E-07	2.29E-06	3.32E-07
392	3.26E-06	5.37E-06	3.57E-06	1.01E-06	2.66E-07	2.58E-07	2.33E-07	2.15E-06	3.22E-07
393	2.14E-06	8.90E-07	9.60E-07	4.51E-07	1.37E-07	1.44E-07	1.39E-07	1.30E-06	1.76E-07

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
394	1.59E-06	7.74E-07	8.23E-07	4.07E-07	1.27E-07	1.34E-07	1.31E-07	1.23E-06	1.63E-07
395	1.25E-06	6.83E-07	7.17E-07	3.71E-07	1.18E-07	1.26E-07	1.24E-07	1.17E-06	1.51E-07
405	1.95E-06	4.60E-06	2.36E-06	8.84E-07	2.51E-07	2.49E-07	2.29E-07	2.16E-06	2.99E-07
406	2.47E-06	4.03E-06	2.64E-06	8.72E-07	2.41E-07	2.38E-07	2.18E-07	2.03E-06	2.92E-07
407	3.07E-06	3.33E-06	2.71E-06	8.38E-07	2.28E-07	2.25E-07	2.07E-07	1.91E-06	2.80E-07
408	1.82E-06	8.29E-07	8.81E-07	4.23E-07	1.31E-07	1.37E-07	1.34E-07	1.26E-06	1.67E-07
409	1.40E-06	7.26E-07	7.61E-07	3.84E-07	1.21E-07	1.28E-07	1.26E-07	1.19E-06	1.55E-07
410	1.12E-06	6.44E-07	6.68E-07	3.51E-07	1.13E-07	1.21E-07	1.19E-07	1.13E-06	1.44E-07
421	1.93E-06	3.16E-06	2.04E-06	7.64E-07	2.20E-07	2.20E-07	2.04E-07	1.93E-06	2.65E-07
422	2.31E-06	2.70E-06	2.11E-06	7.39E-07	2.09E-07	2.09E-07	1.94E-07	1.82E-06	2.56E-07
423	1.56E-06	7.73E-07	8.10E-07	3.98E-07	1.24E-07	1.31E-07	1.28E-07	1.21E-06	1.59E-07
424	1.24E-06	6.81E-07	7.05E-07	3.62E-07	1.16E-07	1.23E-07	1.21E-07	1.15E-06	1.47E-07
425	1.01E-06	6.07E-07	6.23E-07	3.32E-07	1.08E-07	1.16E-07	1.15E-07	1.10E-06	1.38E-07
435	1.55E-06	2.55E-06	1.64E-06	6.75E-07	2.01E-07	2.03E-07	1.92E-07	1.83E-06	2.42E-07
436	1.81E-06	2.23E-06	1.69E-06	6.57E-07	1.92E-07	1.95E-07	1.83E-07	1.73E-06	2.35E-07
437	1.10E-06	6.40E-07	6.55E-07	3.42E-07	1.10E-07	1.18E-07	1.17E-07	1.12E-06	1.41E-07
438	9.05E-07	5.73E-07	5.80E-07	3.15E-07	1.03E-07	1.11E-07	1.11E-07	1.07E-06	1.31E-07
449	1.28E-06	2.11E-06	1.35E-06	6.01E-07	1.84E-07	1.89E-07	1.80E-07	1.74E-06	2.22E-07
450	1.46E-06	1.89E-06	1.39E-06	5.88E-07	1.77E-07	1.82E-07	1.73E-07	1.65E-06	2.16E-07
451	1.61E-06	1.64E-06	1.37E-06	5.65E-07	1.69E-07	1.73E-07	1.65E-07	1.56E-06	2.08E-07
452	9.71E-07	6.02E-07	6.09E-07	3.24E-07	1.05E-07	1.13E-07	1.12E-07	1.08E-06	1.34E-07
453	8.16E-07	5.40E-07	5.42E-07	2.98E-07	9.88E-08	1.07E-07	1.07E-07	1.03E-06	1.26E-07
464	1.20E-06	1.61E-06	1.17E-06	5.29E-07	1.64E-07	1.70E-07	1.63E-07	1.58E-06	2.00E-07
465	1.31E-06	1.43E-06	1.16E-06	5.11E-07	1.57E-07	1.62E-07	1.56E-07	1.50E-06	1.93E-07
466	1.15E-06	7.13E-07	7.21E-07	3.61E-07	1.15E-07	1.22E-07	1.20E-07	1.15E-06	1.46E-07
467	8.64E-07	5.66E-07	5.67E-07	3.06E-07	1.01E-07	1.09E-07	1.08E-07	1.05E-06	1.28E-07
468	7.39E-07	5.11E-07	5.07E-07	2.83E-07	9.47E-08	1.03E-07	1.03E-07	1.00E-06	1.20E-07
479	1.00E-06	1.39E-06	9.93E-07	4.78E-07	1.52E-07	1.59E-07	1.54E-07	1.51E-06	1.85E-07
480	1.09E-06	1.25E-06	9.92E-07	4.65E-07	1.46E-07	1.53E-07	1.48E-07	1.43E-06	1.79E-07

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
481	1.14E-06	1.11E-06	9.57E-07	4.45E-07	1.39E-07	1.46E-07	1.41E-07	1.36E-06	1.73E-07
482	1.17E-06	9.74E-07	8.97E-07	4.21E-07	1.32E-07	1.38E-07	1.35E-07	1.29E-06	1.65E-07
483	1.14E-06	8.52E-07	8.20E-07	3.94E-07	1.24E-07	1.31E-07	1.28E-07	1.23E-06	1.56E-07
484	1.08E-06	7.50E-07	7.40E-07	3.66E-07	1.17E-07	1.24E-07	1.22E-07	1.17E-06	1.47E-07
485	9.91E-07	6.64E-07	6.61E-07	3.39E-07	1.09E-07	1.17E-07	1.16E-07	1.12E-06	1.39E-07
486	8.83E-07	5.93E-07	5.91E-07	3.14E-07	1.03E-07	1.10E-07	1.10E-07	1.06E-06	1.30E-07
487	7.72E-07	5.33E-07	5.29E-07	2.91E-07	9.65E-08	1.04E-07	1.05E-07	1.02E-06	1.22E-07
488	6.70E-07	4.83E-07	4.76E-07	2.69E-07	9.08E-08	9.88E-08	9.95E-08	9.72E-07	1.15E-07
501	9.14E-07	1.10E-06	8.58E-07	4.24E-07	1.36E-07	1.44E-07	1.40E-07	1.37E-06	1.67E-07
502	9.62E-07	9.95E-07	8.38E-07	4.09E-07	1.31E-07	1.38E-07	1.35E-07	1.31E-06	1.62E-07
503	9.81E-07	8.85E-07	7.95E-07	3.89E-07	1.24E-07	1.31E-07	1.29E-07	1.25E-06	1.55E-07
504	9.69E-07	7.84E-07	7.37E-07	3.67E-07	1.18E-07	1.25E-07	1.23E-07	1.19E-06	1.47E-07
505	9.26E-07	6.95E-07	6.72E-07	3.43E-07	1.11E-07	1.18E-07	1.17E-07	1.13E-06	1.40E-07
506	8.60E-07	6.20E-07	6.07E-07	3.19E-07	1.04E-07	1.12E-07	1.11E-07	1.08E-06	1.32E-07
507	7.79E-07	5.57E-07	5.48E-07	2.97E-07	9.82E-08	1.06E-07	1.06E-07	1.03E-06	1.24E-07
508	6.09E-07	4.57E-07	4.46E-07	2.56E-07	8.71E-08	9.51E-08	9.61E-08	9.43E-07	1.10E-07
520	7.84E-07	9.86E-07	7.53E-07	3.89E-07	1.28E-07	1.35E-07	1.34E-07	1.32E-06	1.56E-07
521	8.17E-07	8.93E-07	7.37E-07	3.76E-07	1.23E-07	1.30E-07	1.28E-07	1.25E-06	1.51E-07
522	8.37E-07	8.06E-07	7.08E-07	3.60E-07	1.17E-07	1.25E-07	1.23E-07	1.20E-06	1.46E-07
523	8.30E-07	7.22E-07	6.63E-07	3.41E-07	1.11E-07	1.19E-07	1.18E-07	1.15E-06	1.39E-07
524	8.01E-07	6.45E-07	6.12E-07	3.21E-07	1.05E-07	1.13E-07	1.12E-07	1.09E-06	1.32E-07
525	7.52E-07	5.79E-07	5.59E-07	3.00E-07	9.94E-08	1.07E-07	1.07E-07	1.04E-06	1.25E-07
526	6.90E-07	5.23E-07	5.08E-07	2.81E-07	9.38E-08	1.02E-07	1.02E-07	9.99E-07	1.19E-07
527	5.55E-07	4.33E-07	4.19E-07	2.44E-07	8.37E-08	9.16E-08	9.29E-08	9.16E-07	1.06E-07
539	6.81E-07	8.85E-07	6.67E-07	3.59E-07	1.20E-07	1.28E-07	1.27E-07	1.27E-06	1.46E-07
540	7.08E-07	8.11E-07	6.57E-07	3.48E-07	1.16E-07	1.24E-07	1.23E-07	1.21E-06	1.42E-07
541	7.20E-07	7.35E-07	6.33E-07	3.34E-07	1.11E-07	1.18E-07	1.18E-07	1.16E-06	1.37E-07
542	7.17E-07	6.64E-07	5.99E-07	3.18E-07	1.05E-07	1.13E-07	1.13E-07	1.10E-06	1.32E-07
543	6.98E-07	6.00E-07	5.59E-07	3.01E-07	1.00E-07	1.08E-07	1.08E-07	1.06E-06	1.26E-07

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKA	TKB	TKC	TKD	TKE	TKF	TKG	TKH	TKI
544	6.62E-07	5.42E-07	5.15E-07	2.83E-07	9.48E-08	1.03E-07	1.03E-07	1.01E-06	1.19E-07
545	6.14E-07	4.91E-07	4.71E-07	2.65E-07	8.97E-08	9.76E-08	9.83E-08	9.68E-07	1.13E-07
546	5.07E-07	4.10E-07	3.94E-07	2.33E-07	8.04E-08	8.83E-08	8.99E-08	8.90E-07	1.02E-07
560	6.18E-07	7.37E-07	5.88E-07	3.23E-07	1.09E-07	1.17E-07	1.17E-07	1.17E-06	1.34E-07
561	6.30E-07	6.76E-07	5.71E-07	3.12E-07	1.05E-07	1.13E-07	1.13E-07	1.12E-06	1.30E-07
562	6.29E-07	6.15E-07	5.44E-07	2.98E-07	1.00E-07	1.08E-07	1.08E-07	1.07E-06	1.25E-07
563	6.12E-07	5.57E-07	5.10E-07	2.82E-07	9.39E-08	9.92E-08	9.88E-08	1.02E-06	1.19E-07
564	5.87E-07	5.07E-07	4.75E-07	2.67E-07	9.05E-08	9.84E-08	9.92E-08	9.74E-07	1.14E-07
565	5.51E-07	4.63E-07	4.39E-07	2.52E-07	8.60E-08	9.39E-08	9.50E-08	9.39E-07	1.08E-07
566	4.64E-07	3.90E-07	3.72E-07	2.22E-07	7.73E-08	8.52E-08	8.70E-08	8.64E-07	9.77E-08
579	5.45E-07	6.73E-07	5.30E-07	3.01E-07	1.03E-07	1.11E-07	1.12E-07	1.12E-06	1.26E-07
580	5.56E-07	6.22E-07	5.17E-07	2.91E-07	9.93E-08	1.08E-07	1.08E-07	1.08E-06	1.23E-07
581	5.56E-07	5.71E-07	4.97E-07	2.79E-07	9.52E-08	1.03E-07	1.04E-07	1.03E-06	1.18E-07
582	5.46E-07	5.22E-07	4.70E-07	2.66E-07	9.09E-08	9.90E-08	9.99E-08	9.90E-07	1.14E-07
583	5.25E-07	4.76E-07	4.40E-07	2.53E-07	8.66E-08	9.46E-08	9.57E-08	9.49E-07	1.09E-07
584	4.96E-07	4.36E-07	4.09E-07	2.38E-07	8.23E-08	9.02E-08	9.17E-08	9.11E-07	1.04E-07
585	4.37E-07	3.62E-07	3.50E-07	2.08E-07	7.09E-08	7.77E-08	7.90E-08	8.60E-07	9.54E-08
598	4.85E-07	6.17E-07	4.81E-07	2.80E-07	9.74E-08	1.06E-07	1.07E-07	1.08E-06	1.19E-07
599	4.93E-07	5.73E-07	4.71E-07	2.72E-07	9.41E-08	1.03E-07	1.04E-07	1.04E-06	1.16E-07
600	4.95E-07	5.30E-07	4.55E-07	2.62E-07	9.06E-08	9.88E-08	1.00E-07	9.99E-07	1.12E-07
601	4.87E-07	4.88E-07	4.33E-07	2.51E-07	8.68E-08	9.48E-08	9.62E-08	9.59E-07	1.08E-07
602	4.72E-07	4.48E-07	4.08E-07	2.39E-07	8.28E-08	9.08E-08	9.24E-08	9.20E-07	1.04E-07
603	4.50E-07	4.12E-07	3.82E-07	2.27E-07	7.90E-08	8.69E-08	8.87E-08	8.84E-07	9.93E-08
604	4.22E-07	3.80E-07	3.56E-07	2.14E-07	7.52E-08	8.31E-08	8.50E-08	8.50E-07	9.47E-08

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>										
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2	Res
	1.3E-04	1.6E-04	2.9E-05	3.5E-05	3.5E-05	1.4E-05	1.2E-05	1.3E-05	8.4E-06	School
	5.4E-06	6.9E-06	1.6E-05	3.6E-05	1.1E-06	1.1E-06	1.5E-05	1.6E-05	1.1E-05	Worker
	1.2E-04	6.8E-05	3.9E-05	2.4E-05	7.2E-06	3.7E-05	2.0E-04	2.1E-04	4.9E-05	
1	2.47E-06	3.53E-05	5.66E-07	5.07E-07	2.97E-05	3.64E-07	9.84E-07	1.04E-06	5.38E-07	
2	2.72E-06	3.58E-05	6.09E-07	5.21E-07	3.25E-05	3.89E-07	1.02E-06	1.07E-06	5.58E-07	
3	3.01E-06	3.58E-05	6.57E-07	5.35E-07	3.37E-05	4.18E-07	1.06E-06	1.11E-06	5.77E-07	
4	3.36E-06	3.60E-05	7.11E-07	5.49E-07	3.44E-05	4.49E-07	1.09E-06	1.15E-06	5.98E-07	
5	3.80E-06	3.60E-05	7.71E-07	5.63E-07	3.52E-05	4.85E-07	1.13E-06	1.19E-06	6.19E-07	
6	4.36E-06	3.64E-05	8.38E-07	5.77E-07	2.79E-05	5.26E-07	1.17E-06	1.24E-06	6.42E-07	
7	5.08E-06	3.69E-05	9.12E-07	5.91E-07	2.86E-05	5.73E-07	1.22E-06	1.28E-06	6.66E-07	
8	6.04E-06	3.74E-05	9.95E-07	6.05E-07	2.92E-05	6.27E-07	1.26E-06	1.33E-06	6.90E-07	
9	7.40E-06	3.79E-05	1.09E-06	6.19E-07	2.98E-05	6.89E-07	1.31E-06	1.38E-06	7.15E-07	
10	9.43E-06	3.83E-05	1.19E-06	6.31E-07	3.03E-05	7.62E-07	1.36E-06	1.43E-06	7.41E-07	
11	1.27E-05	3.87E-05	1.30E-06	6.43E-07	3.07E-05	8.46E-07	1.41E-06	1.48E-06	7.68E-07	
12	1.85E-05	3.89E-05	1.42E-06	6.54E-07	3.10E-05	9.46E-07	1.46E-06	1.54E-06	7.96E-07	
13	2.78E-05	3.91E-05	1.54E-06	6.64E-07	3.12E-05	1.06E-06	1.51E-06	1.59E-06	8.24E-07	
14	3.59E-05	3.91E-05	1.66E-06	6.73E-07	3.11E-05	1.21E-06	1.57E-06	1.65E-06	8.53E-07	
15	3.85E-05	3.89E-05	1.77E-06	6.81E-07	1.81E-05	1.38E-06	1.62E-06	1.71E-06	8.82E-07	
16	3.83E-05	3.83E-05	1.85E-06	6.87E-07	1.65E-05	1.58E-06	1.68E-06	1.77E-06	9.12E-07	
17	3.79E-05	3.76E-05	1.90E-06	6.93E-07	1.27E-05	1.82E-06	1.74E-06	1.83E-06	9.42E-07	
18	3.71E-05	3.64E-05	1.93E-06	6.97E-07	1.28E-05	2.09E-06	1.79E-06	1.89E-06	9.71E-07	
19	3.64E-05	3.52E-05	1.97E-06	6.99E-07	1.29E-05	2.40E-06	1.85E-06	1.95E-06	1.00E-06	
20	3.56E-05	3.39E-05	2.01E-06	7.01E-07	7.47E-06	2.72E-06	1.91E-06	2.01E-06	1.03E-06	
21	3.48E-05	3.24E-05	2.05E-06	7.03E-07	5.00E-06	3.04E-06	1.96E-06	2.07E-06	1.06E-06	
22	3.38E-05	3.12E-05	2.05E-06	7.04E-07	3.66E-06	3.35E-06	2.02E-06	2.13E-06	1.08E-06	
23	3.25E-05	3.00E-05	2.03E-06	7.05E-07	2.84E-06	3.65E-06	2.07E-06	2.18E-06	1.10E-06	
24	3.07E-05	2.92E-05	1.97E-06	7.06E-07	2.30E-06	3.94E-06	2.12E-06	2.23E-06	1.13E-06	
25	2.85E-05	2.87E-05	1.89E-06	7.07E-07	1.91E-06	4.19E-06	2.16E-06	2.28E-06	1.14E-06	
26	2.61E-05	2.86E-05	1.79E-06	7.09E-07	1.63E-06	4.39E-06	2.20E-06	2.32E-06	1.16E-06	

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
27	2.36E-05	2.92E-05	1.69E-06	7.12E-07	1.41E-06	4.52E-06	2.23E-06	2.35E-06	1.17E-06
28	2.12E-05	3.07E-05	1.59E-06	7.15E-07	1.24E-06	4.57E-06	2.26E-06	2.38E-06	1.18E-06
29	1.89E-05	3.37E-05	1.48E-06	7.19E-07	1.10E-06	4.55E-06	2.28E-06	2.40E-06	1.19E-06
30	1.69E-05	3.95E-05	1.38E-06	7.23E-07	9.81E-07	4.47E-06	2.30E-06	2.42E-06	1.19E-06
31	1.51E-05	5.16E-05	1.31E-06	7.27E-07	8.85E-07	4.35E-06	2.31E-06	2.43E-06	1.20E-06
32	1.35E-05	8.72E-05	1.19E-06	7.30E-07	8.05E-07	4.17E-06	2.31E-06	2.44E-06	1.20E-06
55	5.16E-05	4.00E-05	2.58E-06	7.53E-07	3.16E-06	4.54E-06	2.17E-06	2.29E-06	1.16E-06
56	4.84E-05	3.79E-05	2.47E-06	7.54E-07	2.51E-06	5.04E-06	2.23E-06	2.35E-06	1.19E-06
57	4.44E-05	3.65E-05	2.33E-06	7.56E-07	2.06E-06	5.49E-06	2.29E-06	2.41E-06	1.22E-06
58	3.97E-05	3.55E-05	2.17E-06	7.58E-07	1.74E-06	5.83E-06	2.34E-06	2.46E-06	1.24E-06
59	3.47E-05	3.54E-05	2.01E-06	7.61E-07	1.50E-06	6.02E-06	2.38E-06	2.51E-06	1.26E-06
60	3.00E-05	3.62E-05	1.86E-06	7.65E-07	1.31E-06	6.07E-06	2.42E-06	2.55E-06	1.27E-06
61	2.60E-05	3.88E-05	1.71E-06	7.69E-07	1.16E-06	6.04E-06	2.45E-06	2.59E-06	1.28E-06
62	2.25E-05	4.41E-05	1.58E-06	7.73E-07	1.03E-06	5.92E-06	2.48E-06	2.61E-06	1.29E-06
63	1.96E-05	5.50E-05	1.47E-06	7.78E-07	9.29E-07	5.75E-06	2.50E-06	2.63E-06	1.30E-06
64	1.71E-05	8.01E-05	1.35E-06	7.82E-07	8.42E-07	5.52E-06	2.51E-06	2.64E-06	1.30E-06
65	1.49E-05	1.34E-04	1.23E-06	7.85E-07	7.69E-07	5.24E-06	2.51E-06	2.65E-06	1.30E-06
66	1.32E-05	1.63E-04	1.14E-06	7.88E-07	7.05E-07	4.95E-06	2.51E-06	2.65E-06	1.30E-06
67	2.52E-06	1.47E-04	6.32E-07	5.55E-07	3.27E-05	3.75E-07	1.05E-06	1.10E-06	5.75E-07
68	2.78E-06	1.48E-04	6.87E-07	5.72E-07	3.39E-05	4.03E-07	1.09E-06	1.15E-06	5.98E-07
69	3.09E-06	1.31E-04	7.49E-07	5.90E-07	3.46E-05	4.34E-07	1.13E-06	1.19E-06	6.21E-07
70	3.47E-06	1.06E-04	8.21E-07	6.08E-07	3.51E-05	4.69E-07	1.17E-06	1.24E-06	6.45E-07
71	3.94E-06	1.02E-04	9.03E-07	6.26E-07	3.51E-05	5.08E-07	1.22E-06	1.29E-06	6.71E-07
72	4.55E-06	1.04E-04	9.97E-07	6.44E-07	3.48E-05	5.54E-07	1.27E-06	1.34E-06	6.98E-07
73	5.35E-06	1.03E-04	1.11E-06	6.62E-07	3.41E-05	6.07E-07	1.32E-06	1.39E-06	7.26E-07
74	6.46E-06	1.04E-04	1.23E-06	6.80E-07	3.34E-05	6.69E-07	1.37E-06	1.45E-06	7.55E-07
75	8.08E-06	1.05E-04	1.38E-06	6.97E-07	3.26E-05	7.42E-07	1.43E-06	1.51E-06	7.86E-07
76	1.07E-05	1.06E-04	1.55E-06	7.14E-07	3.19E-05	8.29E-07	1.49E-06	1.57E-06	8.18E-07
77	1.57E-05	1.08E-04	1.75E-06	7.30E-07	3.12E-05	9.35E-07	1.55E-06	1.63E-06	8.51E-07

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
78	2.86E-05	1.11E-04	1.99E-06	7.45E-07	3.04E-05	1.06E-06	1.61E-06	1.70E-06	8.86E-07
79	1.14E-04	9.39E-05	3.42E-06	7.95E-07	2.22E-05	2.48E-06	1.97E-06	2.07E-06	1.07E-06
80	1.28E-04	8.58E-05	3.57E-06	7.99E-07	1.44E-05	3.08E-06	2.04E-06	2.15E-06	1.11E-06
81	1.14E-04	7.62E-05	3.67E-06	8.03E-07	7.66E-06	3.86E-06	2.12E-06	2.23E-06	1.15E-06
82	1.08E-04	6.77E-05	3.65E-06	8.05E-07	4.86E-06	4.77E-06	2.19E-06	2.31E-06	1.19E-06
83	1.07E-04	6.15E-05	3.48E-06	8.07E-07	3.53E-06	5.75E-06	2.27E-06	2.39E-06	1.23E-06
84	9.98E-05	5.59E-05	3.23E-06	8.09E-07	2.76E-06	6.72E-06	2.34E-06	2.47E-06	1.26E-06
85	8.76E-05	5.16E-05	2.96E-06	8.11E-07	2.24E-06	7.61E-06	2.41E-06	2.54E-06	1.29E-06
86	7.44E-05	4.85E-05	2.74E-06	8.14E-07	1.88E-06	8.24E-06	2.48E-06	2.61E-06	1.32E-06
87	6.07E-05	4.66E-05	2.48E-06	8.17E-07	1.60E-06	8.53E-06	2.54E-06	2.68E-06	1.35E-06
88	4.90E-05	4.62E-05	2.25E-06	8.21E-07	1.39E-06	8.56E-06	2.59E-06	2.73E-06	1.37E-06
89	3.96E-05	4.76E-05	2.00E-06	8.25E-07	1.23E-06	8.40E-06	2.64E-06	2.78E-06	1.39E-06
90	3.25E-05	5.21E-05	1.81E-06	8.30E-07	1.09E-06	8.16E-06	2.67E-06	2.82E-06	1.40E-06
91	2.71E-05	6.34E-05	1.67E-06	8.35E-07	9.80E-07	7.90E-06	2.70E-06	2.85E-06	1.41E-06
92	2.27E-05	9.05E-05	1.50E-06	8.39E-07	8.86E-07	7.58E-06	2.72E-06	2.87E-06	1.42E-06
93	1.93E-05	1.08E-04	1.38E-06	8.43E-07	8.06E-07	7.25E-06	2.74E-06	2.89E-06	1.42E-06
96	1.04E-04	7.16E-05	3.61E-06	8.93E-07	1.48E-06	1.35E-05	2.67E-06	2.82E-06	1.44E-06
97	1.27E-04	6.72E-05	3.19E-06	9.07E-07	1.28E-06	1.33E-05	2.60E-06	2.74E-06	1.44E-06
98	7.64E-05	6.70E-05	2.35E-06	8.90E-07	1.31E-06	1.27E-05	2.83E-06	2.98E-06	1.50E-06
99	5.63E-05	6.96E-05	2.14E-06	8.95E-07	1.16E-06	1.21E-05	2.89E-06	3.04E-06	1.52E-06
100	4.25E-05	7.99E-05	1.91E-06	9.00E-07	1.04E-06	1.15E-05	2.93E-06	3.09E-06	1.54E-06
101	3.30E-05	1.12E-04	1.69E-06	9.05E-07	9.35E-07	1.09E-05	2.97E-06	3.13E-06	1.55E-06
102	2.67E-05	1.21E-04	1.55E-06	9.09E-07	8.48E-07	1.06E-05	2.99E-06	3.15E-06	1.55E-06
106	2.30E-06	4.76E-05	6.39E-07	5.89E-07	8.50E-06	3.56E-07	1.07E-06	1.13E-06	5.89E-07
107	2.51E-06	6.05E-05	6.97E-07	6.10E-07	1.00E-05	3.81E-07	1.11E-06	1.17E-06	6.14E-07
108	2.77E-06	6.62E-05	7.65E-07	6.32E-07	1.08E-05	4.10E-07	1.16E-06	1.22E-06	6.40E-07
109	3.07E-06	7.34E-05	8.45E-07	6.54E-07	1.13E-05	4.42E-07	1.21E-06	1.27E-06	6.67E-07
110	3.44E-06	8.16E-05	9.37E-07	6.77E-07	1.16E-05	4.79E-07	1.26E-06	1.33E-06	6.96E-07
111	3.89E-06	8.18E-05	1.05E-06	7.00E-07	1.18E-05	5.21E-07	1.31E-06	1.38E-06	7.26E-07

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
112	4.47E-06	8.06E-05	1.17E-06	7.24E-07	1.19E-05	5.70E-07	1.37E-06	1.45E-06	7.58E-07
113	5.20E-06	7.79E-05	1.33E-06	7.48E-07	1.19E-05	6.27E-07	1.43E-06	1.51E-06	7.92E-07
114	6.19E-06	7.64E-05	1.51E-06	7.72E-07	1.19E-05	6.94E-07	1.50E-06	1.58E-06	8.27E-07
115	7.55E-06	7.45E-05	1.74E-06	7.95E-07	1.18E-05	7.74E-07	1.56E-06	1.65E-06	8.65E-07
116	9.50E-06	7.27E-05	2.03E-06	8.18E-07	1.16E-05	8.70E-07	1.64E-06	1.72E-06	9.04E-07
117	1.26E-05	7.24E-05	2.40E-06	8.40E-07	1.14E-05	9.91E-07	1.71E-06	1.80E-06	9.45E-07
118	1.78E-05	7.28E-05	2.89E-06	8.60E-07	1.12E-05	1.14E-06	1.79E-06	1.89E-06	9.89E-07
124	2.27E-06	2.92E-05	6.63E-07	6.17E-07	6.20E-06	3.56E-07	1.10E-06	1.16E-06	6.07E-07
125	2.48E-06	3.60E-05	7.28E-07	6.41E-07	7.10E-06	3.82E-07	1.15E-06	1.21E-06	6.34E-07
126	2.73E-06	4.02E-05	8.03E-07	6.65E-07	7.72E-06	4.11E-07	1.20E-06	1.26E-06	6.61E-07
127	3.02E-06	4.37E-05	8.91E-07	6.90E-07	8.13E-06	4.43E-07	1.25E-06	1.32E-06	6.91E-07
128	3.38E-06	4.67E-05	9.94E-07	7.16E-07	8.40E-06	4.80E-07	1.30E-06	1.37E-06	7.22E-07
129	3.80E-06	4.75E-05	1.12E-06	7.43E-07	8.58E-06	5.23E-07	1.36E-06	1.44E-06	7.54E-07
130	4.34E-06	4.79E-05	1.26E-06	7.70E-07	8.68E-06	5.72E-07	1.43E-06	1.50E-06	7.90E-07
131	5.02E-06	4.76E-05	1.44E-06	7.98E-07	8.71E-06	6.30E-07	1.49E-06	1.57E-06	8.27E-07
132	5.91E-06	4.74E-05	1.66E-06	8.26E-07	8.69E-06	6.99E-07	1.56E-06	1.65E-06	8.66E-07
133	7.07E-06	4.68E-05	1.94E-06	8.54E-07	8.63E-06	7.80E-07	1.64E-06	1.73E-06	9.08E-07
134	8.70E-06	4.68E-05	2.30E-06	8.81E-07	8.53E-06	8.80E-07	1.72E-06	1.81E-06	9.52E-07
135	1.10E-05	4.66E-05	2.77E-06	9.07E-07	8.39E-06	1.00E-06	1.80E-06	1.90E-06	9.98E-07
136	1.45E-05	4.67E-05	3.44E-06	9.31E-07	8.21E-06	1.16E-06	1.89E-06	1.99E-06	1.05E-06
137	1.94E-05	4.69E-05	4.43E-06	9.53E-07	7.96E-06	1.36E-06	1.98E-06	2.09E-06	1.10E-06
138	2.54E-05	4.79E-05	6.04E-06	9.72E-07	7.64E-06	1.63E-06	2.08E-06	2.19E-06	1.15E-06
141	2.24E-06	2.09E-05	6.87E-07	6.47E-07	4.75E-06	3.56E-07	1.13E-06	1.19E-06	6.26E-07
142	2.45E-06	2.50E-05	7.57E-07	6.73E-07	5.38E-06	3.81E-07	1.18E-06	1.24E-06	6.53E-07
143	2.68E-06	2.80E-05	8.39E-07	7.01E-07	5.87E-06	4.10E-07	1.23E-06	1.30E-06	6.83E-07
144	2.97E-06	3.03E-05	9.35E-07	7.29E-07	6.21E-06	4.42E-07	1.29E-06	1.36E-06	7.15E-07
145	3.30E-06	3.21E-05	1.05E-06	7.59E-07	6.44E-06	4.79E-07	1.35E-06	1.42E-06	7.48E-07
146	3.70E-06	3.29E-05	1.19E-06	7.89E-07	6.60E-06	5.22E-07	1.41E-06	1.49E-06	7.84E-07
147	4.19E-06	3.35E-05	1.35E-06	8.21E-07	6.69E-06	5.71E-07	1.48E-06	1.56E-06	8.22E-07

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
148	4.80E-06	3.37E-05	1.56E-06	8.54E-07	6.73E-06	6.29E-07	1.55E-06	1.64E-06	8.63E-07
149	5.58E-06	3.38E-05	1.81E-06	8.87E-07	6.73E-06	6.97E-07	1.63E-06	1.72E-06	9.07E-07
150	6.57E-06	3.38E-05	2.14E-06	9.20E-07	6.69E-06	7.79E-07	1.71E-06	1.80E-06	9.53E-07
151	7.88E-06	3.38E-05	2.58E-06	9.52E-07	6.62E-06	8.78E-07	1.80E-06	1.90E-06	1.00E-06
152	9.64E-06	3.40E-05	3.17E-06	9.84E-07	6.51E-06	1.00E-06	1.89E-06	2.00E-06	1.05E-06
153	1.21E-05	3.42E-05	4.03E-06	1.01E-06	6.36E-06	1.16E-06	1.99E-06	2.10E-06	1.11E-06
154	1.52E-05	3.43E-05	5.38E-06	1.04E-06	6.17E-06	1.35E-06	2.10E-06	2.21E-06	1.17E-06
155	1.88E-05	3.48E-05	7.77E-06	1.06E-06	5.92E-06	1.62E-06	2.21E-06	2.33E-06	1.23E-06
164	1.24E-05	2.69E-05	6.37E-06	1.14E-06	4.96E-06	1.33E-06	2.22E-06	2.34E-06	1.24E-06
165	1.48E-05	2.72E-05	9.59E-06	1.17E-06	4.76E-06	1.58E-06	2.34E-06	2.47E-06	1.31E-06
166	1.73E-05	2.79E-05	1.74E-05	1.19E-06	4.50E-06	1.93E-06	2.48E-06	2.61E-06	1.39E-06
178	1.05E-05	2.19E-05	7.37E-06	1.26E-06	4.10E-06	1.28E-06	2.35E-06	2.48E-06	1.32E-06
179	1.22E-05	2.22E-05	1.15E-05	1.30E-06	3.94E-06	1.51E-06	2.49E-06	2.63E-06	1.40E-06
180	1.40E-05	2.27E-05	2.24E-05	1.33E-06	3.73E-06	1.82E-06	2.65E-06	2.79E-06	1.49E-06
192	9.05E-06	1.84E-05	8.37E-06	1.41E-06	3.46E-06	1.23E-06	2.48E-06	2.62E-06	1.40E-06
193	1.04E-05	1.86E-05	1.35E-05	1.46E-06	3.32E-06	1.43E-06	2.65E-06	2.79E-06	1.50E-06
194	1.17E-05	1.90E-05	1.97E-05	1.50E-06	3.16E-06	1.70E-06	2.82E-06	2.98E-06	1.60E-06
207	7.93E-06	1.57E-05	9.41E-06	1.60E-06	2.96E-06	1.16E-06	2.63E-06	2.77E-06	1.49E-06
208	8.96E-06	1.59E-05	1.59E-05	1.66E-06	2.85E-06	1.34E-06	2.81E-06	2.96E-06	1.60E-06
209	1.00E-05	1.62E-05	2.38E-05	1.71E-06	2.72E-06	1.57E-06	3.01E-06	3.18E-06	1.72E-06
223	7.04E-06	1.36E-05	1.05E-05	1.84E-06	2.58E-06	1.10E-06	2.77E-06	2.92E-06	1.59E-06
224	7.86E-06	1.38E-05	1.88E-05	1.92E-06	2.48E-06	1.25E-06	2.98E-06	3.14E-06	1.71E-06
225	8.70E-06	1.40E-05	2.89E-05	1.99E-06	2.37E-06	1.44E-06	3.21E-06	3.38E-06	1.84E-06
239	6.31E-06	1.20E-05	1.15E-05	2.15E-06	2.26E-06	1.03E-06	2.92E-06	3.08E-06	1.68E-06
240	6.98E-06	1.22E-05	2.23E-05	2.28E-06	2.18E-06	1.17E-06	3.16E-06	3.33E-06	1.82E-06
241	7.68E-06	1.23E-05	2.17E-05	2.38E-06	2.09E-06	1.33E-06	3.42E-06	3.60E-06	1.98E-06
255	5.71E-06	1.07E-05	1.25E-05	2.59E-06	2.00E-06	9.68E-07	3.07E-06	3.24E-06	1.78E-06
256	6.27E-06	1.08E-05	2.66E-05	2.79E-06	1.94E-06	1.08E-06	3.34E-06	3.52E-06	1.94E-06
272	5.19E-06	9.56E-06	1.31E-05	3.22E-06	1.79E-06	9.06E-07	3.22E-06	3.40E-06	1.88E-06

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
273	5.67E-06	9.68E-06	1.98E-05	3.60E-06	1.74E-06	1.01E-06	3.52E-06	3.71E-06	2.06E-06
289	4.75E-06	8.63E-06	1.31E-05	4.22E-06	1.61E-06	8.48E-07	3.37E-06	3.55E-06	1.98E-06
290	5.15E-06	8.73E-06	2.03E-05	5.07E-06	1.56E-06	9.35E-07	3.69E-06	3.89E-06	2.18E-06
306	4.37E-06	7.83E-06	1.21E-05	5.81E-06	1.46E-06	7.94E-07	3.50E-06	3.69E-06	2.07E-06
307	4.71E-06	7.92E-06	1.88E-05	8.39E-06	1.42E-06	8.69E-07	3.86E-06	4.06E-06	2.30E-06
323	4.03E-06	7.14E-06	1.01E-05	7.93E-06	1.33E-06	7.44E-07	3.62E-06	3.82E-06	2.16E-06
324	4.33E-06	7.22E-06	2.28E-05	7.60E-06	1.29E-06	8.09E-07	4.00E-06	4.22E-06	2.40E-06
342	3.73E-06	6.55E-06	7.66E-06	9.40E-06	1.21E-06	6.97E-07	3.72E-06	3.92E-06	2.23E-06
343	3.99E-06	6.61E-06	1.36E-05	2.11E-05	1.18E-06	7.55E-07	4.13E-06	4.35E-06	2.49E-06
344	4.26E-06	6.67E-06	1.04E-05	1.05E-05	1.15E-06	8.18E-07	4.61E-06	4.86E-06	2.81E-06
356	3.47E-06	6.02E-06	5.65E-06	9.76E-06	1.11E-06	6.54E-07	3.80E-06	4.00E-06	2.29E-06
357	3.69E-06	6.08E-06	8.11E-06	1.89E-05	1.09E-06	7.04E-07	4.23E-06	4.46E-06	2.57E-06
358	3.93E-06	6.14E-06	1.05E-05	1.52E-05	1.06E-06	7.59E-07	4.74E-06	4.99E-06	2.90E-06
370	3.23E-06	5.56E-06	4.27E-06	9.58E-06	1.03E-06	6.15E-07	3.85E-06	4.06E-06	2.33E-06
371	3.43E-06	5.62E-06	5.45E-06	1.66E-05	1.01E-06	6.59E-07	4.29E-06	4.52E-06	2.62E-06
372	3.63E-06	5.67E-06	6.40E-06	1.60E-05	9.79E-07	7.07E-07	4.82E-06	5.08E-06	2.97E-06
383	3.01E-06	5.16E-06	3.34E-06	9.19E-06	9.51E-07	5.78E-07	3.87E-06	4.08E-06	2.35E-06
384	3.19E-06	5.21E-06	3.99E-06	1.46E-05	9.31E-07	6.17E-07	4.32E-06	4.55E-06	2.64E-06
385	3.37E-06	5.25E-06	4.49E-06	2.94E-05	9.08E-07	6.59E-07	4.86E-06	5.12E-06	3.01E-06
396	2.82E-06	4.80E-06	2.69E-06	8.75E-06	8.83E-07	5.44E-07	3.87E-06	4.08E-06	2.35E-06
397	2.97E-06	4.84E-06	3.09E-06	1.31E-05	8.66E-07	5.79E-07	4.32E-06	4.55E-06	2.65E-06
398	3.13E-06	4.88E-06	3.39E-06	2.34E-05	8.46E-07	6.16E-07	4.85E-06	5.11E-06	3.01E-06
399	3.29E-06	4.91E-06	3.43E-06	2.03E-05	8.22E-07	6.56E-07	5.50E-06	5.80E-06	3.46E-06
411	2.64E-06	4.47E-06	2.22E-06	8.31E-06	8.22E-07	5.13E-07	3.84E-06	4.05E-06	2.33E-06
412	2.78E-06	4.51E-06	2.48E-06	1.19E-05	8.07E-07	5.44E-07	4.28E-06	4.51E-06	2.63E-06
413	2.92E-06	4.55E-06	2.68E-06	1.96E-05	7.89E-07	5.77E-07	4.81E-06	5.07E-06	2.98E-06
414	3.06E-06	4.58E-06	2.73E-06	3.00E-05	7.69E-07	6.12E-07	5.45E-06	5.74E-06	3.42E-06
426	2.48E-06	4.18E-06	1.87E-06	7.88E-06	7.68E-07	4.85E-07	3.79E-06	3.99E-06	2.30E-06
427	2.61E-06	4.22E-06	2.05E-06	1.09E-05	7.55E-07	5.12E-07	4.21E-06	4.44E-06	2.58E-06

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
428	2.73E-06	4.25E-06	2.19E-06	1.68E-05	7.39E-07	5.41E-07	4.73E-06	4.98E-06	2.93E-06
429	2.85E-06	4.28E-06	2.24E-06	3.25E-05	7.21E-07	5.72E-07	5.34E-06	5.63E-06	3.35E-06
439	2.34E-06	3.92E-06	1.60E-06	7.48E-06	7.19E-07	4.58E-07	3.71E-06	3.92E-06	2.25E-06
440	2.45E-06	3.96E-06	1.74E-06	1.01E-05	7.08E-07	4.83E-07	4.13E-06	4.35E-06	2.53E-06
441	2.56E-06	3.99E-06	1.84E-06	1.48E-05	6.94E-07	5.09E-07	4.62E-06	4.87E-06	2.86E-06
442	2.67E-06	4.01E-06	1.88E-06	2.58E-05	6.78E-07	5.36E-07	5.20E-06	5.48E-06	3.26E-06
443	2.78E-06	4.03E-06	1.85E-06	3.53E-05	6.59E-07	5.65E-07	5.92E-06	6.24E-06	3.75E-06
454	2.20E-06	3.69E-06	1.39E-06	7.11E-06	6.75E-07	4.34E-07	3.63E-06	3.83E-06	2.20E-06
455	2.30E-06	3.72E-06	1.49E-06	9.38E-06	6.65E-07	4.56E-07	4.02E-06	4.24E-06	2.46E-06
456	2.40E-06	3.75E-06	1.57E-06	1.33E-05	6.52E-07	4.80E-07	4.48E-06	4.73E-06	2.77E-06
457	2.50E-06	3.77E-06	1.60E-06	2.14E-05	6.38E-07	5.04E-07	5.04E-06	5.31E-06	3.14E-06
458	2.60E-06	3.79E-06	1.59E-06	3.09E-05	6.22E-07	5.29E-07	5.70E-06	6.01E-06	3.60E-06
469	2.08E-06	3.47E-06	1.22E-06	6.76E-06	6.35E-07	4.12E-07	3.53E-06	3.72E-06	2.13E-06
470	2.17E-06	3.50E-06	1.30E-06	8.74E-06	6.26E-07	4.32E-07	3.90E-06	4.11E-06	2.37E-06
471	2.26E-06	3.53E-06	1.36E-06	1.20E-05	6.15E-07	4.53E-07	4.34E-06	4.57E-06	2.66E-06
472	2.35E-06	3.55E-06	1.39E-06	1.82E-05	6.03E-07	4.74E-07	4.85E-06	5.11E-06	3.00E-06
473	2.43E-06	3.57E-06	1.39E-06	2.61E-05	5.88E-07	4.97E-07	5.46E-06	5.75E-06	3.42E-06
489	1.97E-06	3.28E-06	1.08E-06	6.44E-06	5.98E-07	3.91E-07	3.43E-06	3.61E-06	2.06E-06
490	2.05E-06	3.31E-06	1.14E-06	8.18E-06	5.90E-07	4.09E-07	3.77E-06	3.98E-06	2.29E-06
491	2.13E-06	3.33E-06	1.19E-06	1.09E-05	5.81E-07	4.28E-07	4.17E-06	4.40E-06	2.55E-06
492	2.21E-06	3.35E-06	1.22E-06	1.59E-05	5.70E-07	4.47E-07	4.64E-06	4.90E-06	2.86E-06
493	2.29E-06	3.36E-06	1.22E-06	2.75E-05	5.57E-07	4.67E-07	5.20E-06	5.48E-06	3.23E-06
494	2.37E-06	3.37E-06	1.19E-06	2.67E-05	5.42E-07	4.88E-07	5.85E-06	6.17E-06	3.68E-06
509	1.87E-06	3.10E-06	9.68E-07	6.13E-06	5.65E-07	3.72E-07	3.32E-06	3.49E-06	1.98E-06
510	1.94E-06	3.13E-06	1.02E-06	7.68E-06	5.58E-07	3.88E-07	3.64E-06	3.83E-06	2.19E-06
511	2.01E-06	3.15E-06	1.05E-06	1.00E-05	5.50E-07	4.05E-07	4.00E-06	4.22E-06	2.43E-06
512	2.08E-06	3.17E-06	1.08E-06	1.40E-05	5.40E-07	4.23E-07	4.43E-06	4.67E-06	2.71E-06
513	2.15E-06	3.18E-06	1.08E-06	2.25E-05	5.28E-07	4.41E-07	4.93E-06	5.20E-06	3.04E-06
514	2.22E-06	3.19E-06	1.06E-06	3.13E-05	5.15E-07	4.59E-07	5.51E-06	5.81E-06	3.43E-06

Via Oro
Unmitigated Chronic Risk Summary

Operational Chronic Risk - by Source

Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
515	2.36E-06	3.19E-06	9.77E-07	3.45E-05	4.85E-07	4.95E-07	7.01E-06	7.39E-06	4.46E-06
516	2.42E-06	3.18E-06	9.14E-07	2.04E-05	4.69E-07	5.13E-07	7.98E-06	8.41E-06	5.15E-06
517	2.48E-06	3.17E-06	8.49E-07	1.45E-05	4.52E-07	5.30E-07	9.15E-06	9.65E-06	6.00E-06
518	2.53E-06	3.15E-06	7.81E-07	1.11E-05	4.35E-07	5.46E-07	1.06E-05	1.12E-05	7.06E-06
519	2.57E-06	3.13E-06	7.22E-07	9.05E-06	4.18E-07	5.60E-07	1.24E-05	1.30E-05	8.39E-06
528	1.77E-06	2.94E-06	8.72E-07	5.85E-06	5.35E-07	3.54E-07	3.20E-06	3.37E-06	1.91E-06
529	1.84E-06	2.96E-06	9.10E-07	7.23E-06	5.29E-07	3.69E-07	3.49E-06	3.68E-06	2.09E-06
530	1.90E-06	2.98E-06	9.42E-07	9.27E-06	5.21E-07	3.84E-07	3.83E-06	4.04E-06	2.31E-06
531	1.97E-06	3.00E-06	9.62E-07	1.26E-05	5.12E-07	4.00E-07	4.21E-06	4.44E-06	2.56E-06
532	2.03E-06	3.01E-06	9.67E-07	1.90E-05	5.02E-07	4.16E-07	4.66E-06	4.91E-06	2.85E-06
533	2.09E-06	3.02E-06	9.57E-07	2.65E-05	4.90E-07	4.32E-07	5.17E-06	5.45E-06	3.19E-06
534	2.21E-06	3.02E-06	8.89E-07	3.06E-05	4.63E-07	4.65E-07	6.45E-06	6.80E-06	4.06E-06
535	2.27E-06	3.01E-06	8.38E-07	2.36E-05	4.48E-07	4.81E-07	7.27E-06	7.66E-06	4.62E-06
536	2.32E-06	3.00E-06	7.86E-07	1.60E-05	4.33E-07	4.96E-07	8.24E-06	8.69E-06	5.31E-06
537	2.36E-06	2.99E-06	7.28E-07	1.21E-05	4.17E-07	5.09E-07	9.39E-06	9.90E-06	6.13E-06
538	2.40E-06	2.96E-06	6.73E-07	9.68E-06	4.01E-07	5.22E-07	1.08E-05	1.14E-05	7.13E-06
547	1.68E-06	2.79E-06	7.90E-07	5.58E-06	5.07E-07	3.38E-07	3.08E-06	3.24E-06	1.82E-06
548	1.74E-06	2.81E-06	8.22E-07	6.82E-06	5.02E-07	3.51E-07	3.35E-06	3.53E-06	1.99E-06
549	1.80E-06	2.83E-06	8.48E-07	8.61E-06	4.95E-07	3.65E-07	3.65E-06	3.85E-06	2.19E-06
550	1.86E-06	2.85E-06	8.65E-07	1.14E-05	4.87E-07	3.79E-07	4.00E-06	4.21E-06	2.41E-06
551	1.92E-06	2.86E-06	8.72E-07	1.64E-05	4.78E-07	3.94E-07	4.39E-06	4.62E-06	2.66E-06
552	1.98E-06	2.86E-06	8.65E-07	2.84E-05	4.67E-07	4.08E-07	4.83E-06	5.10E-06	2.95E-06
553	2.03E-06	2.87E-06	8.45E-07	2.51E-05	4.55E-07	4.23E-07	5.35E-06	5.64E-06	3.29E-06
554	2.08E-06	2.86E-06	8.13E-07	2.15E-05	4.42E-07	4.37E-07	5.94E-06	6.26E-06	3.69E-06
555	2.13E-06	2.86E-06	7.73E-07	2.80E-05	4.29E-07	4.51E-07	6.63E-06	6.98E-06	4.16E-06
556	2.18E-06	2.85E-06	7.30E-07	1.80E-05	4.15E-07	4.65E-07	7.43E-06	7.83E-06	4.71E-06
557	2.22E-06	2.83E-06	6.80E-07	1.32E-05	4.01E-07	4.77E-07	8.37E-06	8.82E-06	5.36E-06
558	2.25E-06	2.81E-06	6.33E-07	1.04E-05	3.86E-07	4.88E-07	9.48E-06	1.00E-05	6.13E-06
559	2.28E-06	2.79E-06	5.87E-07	8.55E-06	3.71E-07	4.98E-07	1.08E-05	1.14E-05	7.02E-06

Via Oro
Unmitigated Chronic Risk Summary

Operational Chronic Risk - by Source

Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
567	1.60E-06	2.65E-06	7.20E-07	5.33E-06	4.81E-07	3.22E-07	2.95E-06	3.11E-06	1.74E-06
568	1.66E-06	2.67E-06	7.47E-07	6.45E-06	4.77E-07	3.35E-07	3.20E-06	3.37E-06	1.90E-06
569	1.71E-06	2.69E-06	7.69E-07	8.02E-06	4.71E-07	3.47E-07	3.47E-06	3.66E-06	2.07E-06
570	1.76E-06	2.70E-06	7.84E-07	1.04E-05	4.64E-07	3.60E-07	3.78E-06	3.98E-06	2.26E-06
571	1.82E-06	2.72E-06	7.90E-07	1.45E-05	4.55E-07	3.73E-07	4.12E-06	4.35E-06	2.48E-06
572	1.87E-06	2.72E-06	7.86E-07	2.31E-05	4.46E-07	3.86E-07	4.52E-06	4.76E-06	2.74E-06
573	1.92E-06	2.72E-06	7.72E-07	2.36E-05	4.35E-07	3.99E-07	4.96E-06	5.23E-06	3.03E-06
574	2.01E-06	2.72E-06	7.15E-07	3.42E-05	4.11E-07	4.25E-07	6.05E-06	6.37E-06	3.75E-06
575	2.05E-06	2.70E-06	6.78E-07	2.04E-05	3.98E-07	4.37E-07	6.72E-06	7.08E-06	4.20E-06
576	2.08E-06	2.69E-06	6.39E-07	1.45E-05	3.85E-07	4.48E-07	7.50E-06	7.90E-06	4.72E-06
577	2.11E-06	2.67E-06	5.99E-07	1.12E-05	3.72E-07	4.57E-07	8.39E-06	8.85E-06	5.32E-06
578	2.14E-06	2.65E-06	5.58E-07	9.12E-06	3.58E-07	4.66E-07	9.42E-06	9.93E-06	5.99E-06
586	1.53E-06	2.52E-06	6.59E-07	5.09E-06	4.57E-07	3.08E-07	2.83E-06	2.98E-06	1.66E-06
587	1.58E-06	2.54E-06	6.82E-07	6.10E-06	4.53E-07	3.19E-07	3.05E-06	3.21E-06	1.80E-06
588	1.62E-06	2.56E-06	7.01E-07	7.51E-06	4.48E-07	3.31E-07	3.29E-06	3.47E-06	1.95E-06
589	1.67E-06	2.57E-06	7.14E-07	9.57E-06	4.42E-07	3.43E-07	3.57E-06	3.76E-06	2.12E-06
590	1.72E-06	2.58E-06	7.20E-07	1.29E-05	4.34E-07	3.54E-07	3.87E-06	4.08E-06	2.32E-06
591	1.77E-06	2.59E-06	7.19E-07	1.94E-05	4.26E-07	3.66E-07	4.21E-06	4.44E-06	2.53E-06
592	1.81E-06	2.59E-06	7.07E-07	2.69E-05	4.16E-07	3.78E-07	4.60E-06	4.85E-06	2.78E-06
593	1.90E-06	2.58E-06	6.62E-07	2.91E-05	3.94E-07	4.01E-07	5.53E-06	5.83E-06	3.39E-06
594	1.93E-06	2.57E-06	6.32E-07	2.35E-05	3.83E-07	4.11E-07	6.10E-06	6.43E-06	3.76E-06
595	1.96E-06	2.56E-06	5.97E-07	1.61E-05	3.70E-07	4.21E-07	6.74E-06	7.10E-06	4.18E-06
596	1.99E-06	2.54E-06	5.62E-07	1.22E-05	3.58E-07	4.30E-07	7.46E-06	7.87E-06	4.65E-06
597	2.01E-06	2.52E-06	5.27E-07	9.75E-06	3.45E-07	4.38E-07	8.28E-06	8.73E-06	5.16E-06
345	4.53E-06	6.73E-06	1.63E-05	2.19E-05	1.11E-06	8.88E-07	5.19E-06	5.47E-06	3.19E-06
346	4.81E-06	6.78E-06	9.10E-06	1.98E-05	1.06E-06	9.65E-07	5.89E-06	6.21E-06	3.67E-06
347	5.09E-06	6.82E-06	6.11E-06	1.31E-05	1.01E-06	1.05E-06	6.74E-06	7.11E-06	4.26E-06
348	5.36E-06	6.86E-06	4.51E-06	9.86E-06	9.60E-07	1.14E-06	7.81E-06	8.24E-06	5.01E-06
359	4.17E-06	6.19E-06	9.38E-06	3.02E-05	1.02E-06	8.20E-07	5.35E-06	5.64E-06	3.32E-06

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
360	4.41E-06	6.23E-06	6.76E-06	2.60E-05	9.82E-07	8.86E-07	6.10E-06	6.43E-06	3.83E-06
361	4.65E-06	6.26E-06	4.95E-06	1.59E-05	9.40E-07	9.56E-07	7.03E-06	7.41E-06	4.49E-06
362	4.89E-06	6.29E-06	3.79E-06	1.14E-05	8.93E-07	1.03E-06	8.19E-06	8.64E-06	5.33E-06
363	5.12E-06	6.31E-06	3.03E-06	8.94E-06	8.46E-07	1.11E-06	9.70E-06	1.02E-05	6.46E-06
373	4.05E-06	5.74E-06	5.16E-06	3.48E-05	9.13E-07	8.15E-07	6.24E-06	6.58E-06	3.95E-06
374	4.26E-06	5.77E-06	4.07E-06	1.91E-05	8.75E-07	8.76E-07	7.22E-06	7.61E-06	4.65E-06
375	4.47E-06	5.80E-06	3.24E-06	1.31E-05	8.35E-07	9.39E-07	8.46E-06	8.92E-06	5.56E-06
376	4.67E-06	5.81E-06	2.64E-06	1.00E-05	7.93E-07	1.00E-06	1.01E-05	1.06E-05	6.79E-06
386	3.73E-06	5.32E-06	4.02E-06	2.84E-05	8.51E-07	7.53E-07	6.31E-06	6.65E-06	4.02E-06
387	3.92E-06	5.34E-06	3.38E-06	2.31E-05	8.18E-07	8.05E-07	7.32E-06	7.71E-06	4.74E-06
388	4.10E-06	5.36E-06	2.79E-06	1.51E-05	7.82E-07	8.59E-07	8.60E-06	9.06E-06	5.69E-06
389	4.28E-06	5.37E-06	2.33E-06	1.12E-05	7.45E-07	9.14E-07	1.03E-05	1.08E-05	6.98E-06
390	4.45E-06	5.37E-06	1.98E-06	8.90E-06	7.08E-07	9.69E-07	1.25E-05	1.32E-05	8.80E-06
400	3.45E-06	4.94E-06	3.21E-06	3.38E-05	7.96E-07	6.98E-07	6.31E-06	6.65E-06	4.02E-06
401	3.61E-06	4.96E-06	2.82E-06	2.83E-05	7.66E-07	7.42E-07	7.31E-06	7.71E-06	4.75E-06
402	3.77E-06	4.98E-06	2.43E-06	1.74E-05	7.35E-07	7.89E-07	8.59E-06	9.06E-06	5.71E-06
403	3.93E-06	4.98E-06	2.07E-06	1.25E-05	7.02E-07	8.36E-07	1.03E-05	1.08E-05	7.00E-06
404	4.08E-06	4.98E-06	1.77E-06	9.74E-06	6.68E-07	8.83E-07	1.25E-05	1.32E-05	8.81E-06
415	3.20E-06	4.60E-06	2.62E-06	2.71E-05	7.45E-07	6.49E-07	6.23E-06	6.57E-06	3.98E-06
416	3.34E-06	4.62E-06	2.39E-06	3.58E-05	7.20E-07	6.87E-07	7.21E-06	7.60E-06	4.69E-06
417	3.48E-06	4.63E-06	2.11E-06	2.01E-05	6.92E-07	7.27E-07	8.46E-06	8.92E-06	5.61E-06
418	3.62E-06	4.64E-06	1.85E-06	1.40E-05	6.63E-07	7.68E-07	1.01E-05	1.06E-05	6.86E-06
419	3.75E-06	4.63E-06	1.62E-06	1.07E-05	6.33E-07	8.08E-07	1.23E-05	1.29E-05	8.60E-06
420	3.88E-06	4.62E-06	1.40E-06	8.61E-06	6.02E-07	8.47E-07	1.52E-05	1.60E-05	1.11E-05
430	3.10E-06	4.32E-06	2.04E-06	3.03E-05	6.77E-07	6.38E-07	7.03E-06	7.42E-06	4.56E-06
431	3.23E-06	4.33E-06	1.85E-06	2.37E-05	6.53E-07	6.73E-07	8.22E-06	8.66E-06	5.43E-06
432	3.34E-06	4.33E-06	1.65E-06	1.57E-05	6.27E-07	7.08E-07	9.74E-06	1.03E-05	6.59E-06
433	3.46E-06	4.32E-06	1.46E-06	1.17E-05	6.00E-07	7.42E-07	1.17E-05	1.24E-05	8.18E-06
434	3.57E-06	4.31E-06	1.29E-06	9.34E-06	5.73E-07	7.76E-07	1.45E-05	1.53E-05	1.04E-05

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
444	2.89E-06	4.04E-06	1.76E-06	2.24E-05	6.39E-07	5.94E-07	6.79E-06	7.16E-06	4.38E-06
445	3.00E-06	4.05E-06	1.62E-06	2.84E-05	6.17E-07	6.25E-07	7.89E-06	8.32E-06	5.18E-06
446	3.10E-06	4.05E-06	1.47E-06	1.78E-05	5.94E-07	6.55E-07	9.28E-06	9.78E-06	6.22E-06
447	3.20E-06	4.05E-06	1.32E-06	1.29E-05	5.70E-07	6.85E-07	1.11E-05	1.17E-05	7.62E-06
448	3.30E-06	4.03E-06	1.18E-06	1.01E-05	5.45E-07	7.14E-07	1.35E-05	1.42E-05	9.57E-06
459	2.79E-06	3.80E-06	1.44E-06	3.50E-05	5.84E-07	5.82E-07	7.50E-06	7.91E-06	4.88E-06
460	2.88E-06	3.80E-06	1.32E-06	2.04E-05	5.63E-07	6.08E-07	8.75E-06	9.22E-06	5.80E-06
461	2.97E-06	3.80E-06	1.20E-06	1.43E-05	5.41E-07	6.34E-07	1.03E-05	1.09E-05	7.00E-06
462	3.06E-06	3.79E-06	1.09E-06	1.10E-05	5.19E-07	6.59E-07	1.24E-05	1.30E-05	8.62E-06
463	3.13E-06	3.76E-06	9.74E-07	8.90E-06	4.96E-07	6.83E-07	1.51E-05	1.59E-05	1.09E-05
474	2.61E-06	3.58E-06	1.28E-06	3.17E-05	5.54E-07	5.43E-07	7.08E-06	7.46E-06	4.56E-06
475	2.69E-06	3.58E-06	1.19E-06	2.37E-05	5.35E-07	5.66E-07	8.17E-06	8.61E-06	5.34E-06
476	2.77E-06	3.57E-06	1.09E-06	1.59E-05	5.16E-07	5.89E-07	9.53E-06	1.00E-05	6.35E-06
477	2.84E-06	3.56E-06	9.97E-07	1.20E-05	4.95E-07	6.11E-07	1.12E-05	1.19E-05	7.67E-06
478	2.91E-06	3.54E-06	9.03E-07	9.57E-06	4.74E-07	6.32E-07	1.35E-05	1.42E-05	9.43E-06
495	2.44E-06	3.38E-06	1.14E-06	2.16E-05	5.26E-07	5.08E-07	6.64E-06	7.00E-06	4.22E-06
496	2.51E-06	3.38E-06	1.08E-06	2.81E-05	5.09E-07	5.29E-07	7.58E-06	7.99E-06	4.89E-06
497	2.58E-06	3.37E-06	1.00E-06	1.79E-05	4.91E-07	5.49E-07	8.74E-06	9.21E-06	5.73E-06
498	2.65E-06	3.36E-06	9.19E-07	1.31E-05	4.73E-07	5.68E-07	1.02E-05	1.07E-05	6.79E-06
499	2.71E-06	3.34E-06	8.39E-07	1.03E-05	4.54E-07	5.86E-07	1.19E-05	1.26E-05	8.15E-06
500	2.76E-06	3.31E-06	7.67E-07	8.46E-06	4.35E-07	6.02E-07	1.42E-05	1.50E-05	9.93E-06
139	3.05E-05	4.88E-05	9.31E-06	9.88E-07	7.22E-06	2.01E-06	2.18E-06	2.30E-06	1.21E-06
140	3.51E-05	5.16E-05	9.73E-06	1.00E-06	6.65E-06	2.59E-06	2.29E-06	2.42E-06	1.27E-06
156	2.23E-05	3.58E-05	1.32E-05	1.08E-06	5.59E-06	2.00E-06	2.33E-06	2.45E-06	1.29E-06
157	2.53E-05	3.71E-05	1.93E-05	1.10E-06	5.17E-06	2.57E-06	2.45E-06	2.58E-06	1.36E-06
158	2.80E-05	3.92E-05	1.27E-05	1.11E-06	4.63E-06	3.50E-06	2.58E-06	2.72E-06	1.43E-06
159	3.04E-05	4.20E-05	2.51E-05	1.12E-06	3.98E-06	5.30E-06	2.72E-06	2.86E-06	1.50E-06
160	3.22E-05	4.48E-05	1.30E-05	1.12E-06	3.32E-06	1.00E-05	2.86E-06	3.01E-06	1.58E-06
161	3.58E-05	5.41E-05	6.56E-06	1.13E-06	2.24E-06	3.42E-05	3.15E-06	3.32E-06	1.73E-06

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
162	3.82E-05	6.10E-05	5.15E-06	1.14E-06	1.88E-06	3.36E-05	3.29E-06	3.47E-06	1.80E-06
163	4.13E-05	6.82E-05	4.13E-06	1.15E-06	1.61E-06	3.72E-05	3.44E-06	3.62E-06	1.87E-06
167	1.93E-05	2.85E-05	1.58E-05	1.21E-06	4.18E-06	2.43E-06	2.62E-06	2.76E-06	1.46E-06
168	2.14E-05	3.00E-05	1.74E-05	1.23E-06	3.78E-06	3.23E-06	2.77E-06	2.92E-06	1.55E-06
169	2.31E-05	3.14E-05	2.39E-05	1.23E-06	3.33E-06	4.57E-06	2.93E-06	3.09E-06	1.63E-06
170	2.46E-05	3.31E-05	1.31E-05	1.24E-06	2.85E-06	7.21E-06	3.10E-06	3.27E-06	1.72E-06
171	2.59E-05	3.51E-05	8.83E-06	1.25E-06	2.41E-06	1.25E-05	3.27E-06	3.45E-06	1.81E-06
172	2.75E-05	3.76E-05	6.61E-06	1.26E-06	2.03E-06	1.60E-05	3.45E-06	3.63E-06	1.90E-06
173	2.94E-05	4.05E-05	5.16E-06	1.27E-06	1.73E-06	1.72E-05	3.62E-06	3.82E-06	1.99E-06
174	3.21E-05	4.34E-05	4.16E-06	1.28E-06	1.49E-06	1.91E-05	3.80E-06	4.01E-06	2.08E-06
175	3.65E-05	4.57E-05	3.45E-06	1.29E-06	1.31E-06	2.19E-05	3.97E-06	4.19E-06	2.15E-06
176	4.44E-05	4.71E-05	2.91E-06	1.30E-06	1.16E-06	2.54E-05	4.13E-06	4.36E-06	2.23E-06
177	6.02E-05	4.75E-05	2.48E-06	1.30E-06	1.05E-06	2.91E-05	4.28E-06	4.51E-06	2.28E-06
181	1.72E-05	2.41E-05	1.92E-05	1.37E-06	3.17E-06	2.88E-06	2.99E-06	3.15E-06	1.68E-06
182	1.85E-05	2.49E-05	2.16E-05	1.38E-06	2.84E-06	3.82E-06	3.17E-06	3.35E-06	1.78E-06
183	1.97E-05	2.59E-05	1.29E-05	1.39E-06	2.49E-06	5.35E-06	3.37E-06	3.55E-06	1.88E-06
184	2.08E-05	2.71E-05	8.76E-06	1.40E-06	2.15E-06	7.60E-06	3.57E-06	3.77E-06	1.99E-06
185	2.21E-05	2.84E-05	6.52E-06	1.41E-06	1.85E-06	9.61E-06	3.79E-06	3.99E-06	2.10E-06
186	2.38E-05	2.99E-05	5.08E-06	1.43E-06	1.59E-06	1.09E-05	4.01E-06	4.22E-06	2.22E-06
187	2.60E-05	3.13E-05	4.07E-06	1.44E-06	1.39E-06	1.20E-05	4.23E-06	4.45E-06	2.32E-06
188	2.95E-05	3.23E-05	3.36E-06	1.45E-06	1.23E-06	1.33E-05	4.44E-06	4.68E-06	2.42E-06
189	3.52E-05	3.28E-05	2.84E-06	1.45E-06	1.10E-06	1.47E-05	4.65E-06	4.90E-06	2.51E-06
190	4.58E-05	3.28E-05	2.42E-06	1.45E-06	9.90E-07	1.61E-05	4.83E-06	5.10E-06	2.59E-06
191	7.06E-05	3.19E-05	2.09E-06	1.44E-06	8.99E-07	1.72E-05	4.99E-06	5.26E-06	2.65E-06
195	1.42E-05	1.99E-05	3.72E-05	1.54E-06	2.72E-06	2.53E-06	3.22E-06	3.40E-06	1.82E-06
196	1.53E-05	2.05E-05	1.93E-05	1.56E-06	2.46E-06	3.21E-06	3.44E-06	3.63E-06	1.94E-06
197	1.63E-05	2.12E-05	1.21E-05	1.57E-06	2.19E-06	4.18E-06	3.67E-06	3.87E-06	2.07E-06
198	1.73E-05	2.19E-05	8.55E-06	1.59E-06	1.93E-06	5.43E-06	3.92E-06	4.13E-06	2.20E-06
199	1.84E-05	2.27E-05	6.34E-06	1.61E-06	1.68E-06	6.66E-06	4.18E-06	4.41E-06	2.34E-06

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
200	1.98E-05	2.35E-05	4.96E-06	1.62E-06	1.47E-06	7.62E-06	4.45E-06	4.70E-06	2.48E-06
201	2.17E-05	2.42E-05	4.00E-06	1.63E-06	1.30E-06	8.41E-06	4.73E-06	4.99E-06	2.62E-06
202	2.44E-05	2.47E-05	3.29E-06	1.63E-06	1.16E-06	9.18E-06	5.00E-06	5.28E-06	2.75E-06
203	2.88E-05	2.49E-05	2.75E-06	1.63E-06	1.04E-06	9.92E-06	5.27E-06	5.55E-06	2.87E-06
204	3.63E-05	2.47E-05	2.35E-06	1.62E-06	9.40E-07	1.06E-05	5.51E-06	5.81E-06	2.96E-06
205	5.17E-05	2.41E-05	2.01E-06	1.60E-06	8.56E-07	1.11E-05	5.72E-06	6.03E-06	3.04E-06
206	9.42E-05	2.30E-05	1.73E-06	1.58E-06	7.84E-07	1.13E-05	5.89E-06	6.21E-06	3.09E-06
210	1.10E-05	1.64E-05	2.26E-05	1.74E-06	2.56E-06	1.84E-06	3.23E-06	3.40E-06	1.84E-06
211	1.20E-05	1.69E-05	3.12E-05	1.77E-06	2.37E-06	2.24E-06	3.47E-06	3.66E-06	1.98E-06
212	1.30E-05	1.73E-05	1.73E-05	1.79E-06	2.16E-06	2.73E-06	3.73E-06	3.94E-06	2.13E-06
213	1.38E-05	1.77E-05	1.15E-05	1.81E-06	1.95E-06	3.39E-06	4.02E-06	4.23E-06	2.28E-06
214	1.57E-05	1.87E-05	6.14E-06	1.86E-06	1.54E-06	4.99E-06	4.64E-06	4.89E-06	2.62E-06
215	1.69E-05	1.91E-05	4.80E-06	1.87E-06	1.36E-06	5.69E-06	4.98E-06	5.25E-06	2.80E-06
216	1.84E-05	1.95E-05	3.86E-06	1.87E-06	1.21E-06	6.27E-06	5.33E-06	5.62E-06	2.98E-06
217	2.06E-05	1.98E-05	3.17E-06	1.86E-06	1.09E-06	6.79E-06	5.68E-06	5.99E-06	3.15E-06
218	2.40E-05	1.98E-05	2.66E-06	1.84E-06	9.82E-07	7.24E-06	6.03E-06	6.36E-06	3.31E-06
219	2.94E-05	1.97E-05	2.24E-06	1.81E-06	8.92E-07	7.61E-06	6.35E-06	6.70E-06	3.44E-06
220	3.94E-05	1.92E-05	1.91E-06	1.78E-06	8.16E-07	7.86E-06	6.64E-06	6.99E-06	3.54E-06
221	6.04E-05	1.85E-05	1.65E-06	1.74E-06	7.50E-07	7.93E-06	6.86E-06	7.23E-06	3.61E-06
222	1.24E-04	1.74E-05	1.41E-06	1.70E-06	6.91E-07	7.80E-06	7.03E-06	7.41E-06	3.65E-06
226	9.54E-06	1.42E-05	2.28E-05	2.04E-06	2.24E-06	1.68E-06	3.46E-06	3.65E-06	1.99E-06
227	1.04E-05	1.46E-05	2.79E-05	2.08E-06	2.09E-06	1.98E-06	3.75E-06	3.95E-06	2.15E-06
228	1.12E-05	1.49E-05	1.62E-05	2.11E-06	1.92E-06	2.36E-06	4.06E-06	4.28E-06	2.33E-06
229	1.19E-05	1.51E-05	1.09E-05	2.14E-06	1.75E-06	2.82E-06	4.40E-06	4.64E-06	2.53E-06
230	1.27E-05	1.55E-05	7.81E-06	2.16E-06	1.58E-06	3.37E-06	4.77E-06	5.02E-06	2.73E-06
231	1.36E-05	1.58E-05	5.82E-06	2.18E-06	1.41E-06	3.93E-06	5.16E-06	5.44E-06	2.95E-06
232	1.46E-05	1.61E-05	4.55E-06	2.17E-06	1.27E-06	4.45E-06	5.59E-06	5.90E-06	3.19E-06
233	1.76E-05	1.64E-05	3.01E-06	2.12E-06	1.02E-06	5.25E-06	6.51E-06	6.86E-06	3.65E-06
234	2.02E-05	1.64E-05	2.50E-06	2.08E-06	9.28E-07	5.56E-06	6.98E-06	7.36E-06	3.87E-06

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
235	2.42E-05	1.62E-05	2.10E-06	2.03E-06	8.47E-07	5.79E-06	7.42E-06	7.82E-06	4.05E-06
236	3.08E-05	1.59E-05	1.80E-06	1.97E-06	7.77E-07	5.94E-06	7.81E-06	8.23E-06	4.19E-06
237	4.31E-05	1.53E-05	1.55E-06	1.91E-06	7.17E-07	5.96E-06	8.13E-06	8.57E-06	4.28E-06
238	7.05E-05	1.45E-05	1.35E-06	1.85E-06	6.63E-07	5.84E-06	8.35E-06	8.80E-06	4.33E-06
242	8.38E-06	1.25E-05	3.38E-05	2.45E-06	1.98E-06	1.52E-06	3.71E-06	3.91E-06	2.15E-06
243	9.07E-06	1.27E-05	2.49E-05	2.50E-06	1.86E-06	1.76E-06	4.04E-06	4.26E-06	2.35E-06
244	9.76E-06	1.30E-05	1.46E-05	2.55E-06	1.72E-06	2.05E-06	4.41E-06	4.65E-06	2.56E-06
245	1.04E-05	1.32E-05	1.01E-05	2.59E-06	1.58E-06	2.40E-06	4.82E-06	5.08E-06	2.80E-06
246	1.11E-05	1.34E-05	7.32E-06	2.60E-06	1.44E-06	2.79E-06	5.27E-06	5.56E-06	3.06E-06
247	1.18E-05	1.36E-05	5.56E-06	2.59E-06	1.30E-06	3.20E-06	5.77E-06	6.09E-06	3.35E-06
248	1.27E-05	1.37E-05	4.33E-06	2.56E-06	1.18E-06	3.58E-06	6.32E-06	6.66E-06	3.65E-06
249	1.51E-05	1.39E-05	2.81E-06	2.43E-06	9.64E-07	4.19E-06	7.53E-06	7.94E-06	4.29E-06
250	1.71E-05	1.39E-05	2.31E-06	2.34E-06	8.78E-07	4.42E-06	8.17E-06	8.61E-06	4.59E-06
251	2.00E-05	1.37E-05	1.95E-06	2.26E-06	8.05E-07	4.58E-06	8.80E-06	9.27E-06	4.86E-06
252	2.44E-05	1.34E-05	1.67E-06	2.17E-06	7.41E-07	4.67E-06	9.36E-06	9.87E-06	5.06E-06
253	3.20E-05	1.30E-05	1.44E-06	2.09E-06	6.85E-07	4.68E-06	9.82E-06	1.04E-05	5.19E-06
254	4.60E-05	1.24E-05	1.26E-06	2.00E-06	6.36E-07	4.58E-06	1.01E-05	1.07E-05	5.26E-06
257	7.43E-06	1.11E-05	3.06E-05	3.06E-06	1.77E-06	1.38E-06	3.97E-06	4.19E-06	2.32E-06
258	8.02E-06	1.12E-05	2.23E-05	3.15E-06	1.67E-06	1.57E-06	4.35E-06	4.59E-06	2.56E-06
259	8.61E-06	1.14E-05	1.37E-05	3.21E-06	1.56E-06	1.80E-06	4.79E-06	5.05E-06	2.82E-06
260	9.19E-06	1.16E-05	9.30E-06	3.22E-06	1.44E-06	2.07E-06	5.27E-06	5.56E-06	3.11E-06
261	9.76E-06	1.17E-05	6.88E-06	3.20E-06	1.32E-06	2.36E-06	5.84E-06	6.15E-06	3.45E-06
262	1.04E-05	1.18E-05	5.18E-06	3.12E-06	1.21E-06	2.67E-06	6.47E-06	6.82E-06	3.82E-06
263	1.11E-05	1.19E-05	4.02E-06	3.01E-06	1.10E-06	2.95E-06	7.17E-06	7.56E-06	4.23E-06
264	1.31E-05	1.20E-05	2.60E-06	2.75E-06	9.10E-07	3.43E-06	8.81E-06	9.29E-06	5.12E-06
265	1.45E-05	1.20E-05	2.16E-06	2.62E-06	8.33E-07	3.60E-06	9.71E-06	1.02E-05	5.57E-06
266	1.66E-05	1.18E-05	1.82E-06	2.50E-06	7.66E-07	3.72E-06	1.06E-05	1.12E-05	5.97E-06
267	1.95E-05	1.16E-05	1.55E-06	2.38E-06	7.07E-07	3.78E-06	1.15E-05	1.21E-05	6.27E-06
268	2.40E-05	1.12E-05	1.34E-06	2.26E-06	6.55E-07	3.78E-06	1.22E-05	1.28E-05	6.46E-06

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
269	3.07E-05	1.08E-05	1.18E-06	2.15E-06	6.10E-07	3.70E-06	1.26E-05	1.33E-05	6.56E-06
270	2.84E-05	8.94E-06	8.27E-07	1.87E-06	5.01E-07	3.05E-06	1.33E-05	1.40E-05	6.92E-06
271	1.66E-05	8.26E-06	7.47E-07	1.79E-06	4.71E-07	2.72E-06	1.36E-05	1.43E-05	6.99E-06
274	6.65E-06	9.90E-06	3.91E-05	4.10E-06	1.59E-06	1.26E-06	4.23E-06	4.46E-06	2.50E-06
275	7.15E-06	1.00E-05	2.02E-05	4.23E-06	1.51E-06	1.41E-06	4.67E-06	4.93E-06	2.78E-06
276	7.65E-06	1.01E-05	1.27E-05	4.26E-06	1.42E-06	1.60E-06	5.19E-06	5.47E-06	3.09E-06
277	8.16E-06	1.03E-05	8.58E-06	4.15E-06	1.31E-06	1.81E-06	5.77E-06	6.09E-06	3.46E-06
278	8.65E-06	1.04E-05	6.25E-06	3.97E-06	1.22E-06	2.03E-06	6.46E-06	6.81E-06	3.89E-06
279	9.19E-06	1.05E-05	4.69E-06	3.75E-06	1.12E-06	2.26E-06	7.25E-06	7.65E-06	4.37E-06
280	9.79E-06	1.05E-05	3.59E-06	3.52E-06	1.02E-06	2.49E-06	8.16E-06	8.60E-06	4.92E-06
281	1.14E-05	1.05E-05	2.34E-06	3.10E-06	8.59E-07	2.86E-06	1.04E-05	1.10E-05	6.22E-06
282	1.25E-05	1.05E-05	1.94E-06	2.91E-06	7.90E-07	2.99E-06	1.17E-05	1.23E-05	6.91E-06
283	1.39E-05	1.03E-05	1.64E-06	2.74E-06	7.29E-07	3.08E-06	1.31E-05	1.38E-05	7.54E-06
284	1.58E-05	1.01E-05	1.42E-06	2.58E-06	6.75E-07	3.13E-06	1.44E-05	1.52E-05	8.04E-06
285	1.84E-05	9.84E-06	1.25E-06	2.43E-06	6.28E-07	3.12E-06	1.56E-05	1.64E-05	8.34E-06
286	2.17E-05	9.47E-06	1.11E-06	2.30E-06	5.86E-07	3.07E-06	1.63E-05	1.72E-05	8.51E-06
287	2.03E-05	8.00E-06	7.69E-07	1.97E-06	4.83E-07	2.58E-06	1.75E-05	1.85E-05	8.98E-06
288	1.38E-05	7.44E-06	7.10E-07	1.88E-06	4.56E-07	2.33E-06	1.79E-05	1.88E-05	8.91E-06
291	6.00E-06	8.91E-06	3.58E-05	6.23E-06	1.44E-06	1.15E-06	4.50E-06	4.74E-06	2.69E-06
292	6.42E-06	9.00E-06	1.84E-05	6.23E-06	1.37E-06	1.28E-06	5.00E-06	5.27E-06	3.01E-06
293	6.85E-06	9.09E-06	1.14E-05	5.87E-06	1.29E-06	1.42E-06	5.60E-06	5.90E-06	3.39E-06
294	7.29E-06	9.19E-06	7.69E-06	5.38E-06	1.21E-06	1.59E-06	6.30E-06	6.64E-06	3.84E-06
295	7.72E-06	9.26E-06	5.50E-06	4.89E-06	1.12E-06	1.77E-06	7.13E-06	7.51E-06	4.37E-06
296	8.18E-06	9.32E-06	4.13E-06	4.46E-06	1.04E-06	1.95E-06	8.12E-06	8.56E-06	5.01E-06
297	8.67E-06	9.36E-06	3.25E-06	4.07E-06	9.58E-07	2.12E-06	9.31E-06	9.81E-06	5.78E-06
298	9.91E-06	9.35E-06	2.12E-06	3.45E-06	8.12E-07	2.42E-06	1.24E-05	1.31E-05	7.71E-06
299	1.07E-05	9.28E-06	1.78E-06	3.19E-06	7.50E-07	2.52E-06	1.44E-05	1.51E-05	8.85E-06
300	1.17E-05	9.16E-06	1.51E-06	2.97E-06	6.94E-07	2.60E-06	1.66E-05	1.75E-05	9.95E-06
301	1.30E-05	8.97E-06	1.32E-06	2.78E-06	6.45E-07	2.63E-06	1.89E-05	1.99E-05	1.08E-05

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
302	1.45E-05	8.73E-06	1.17E-06	2.60E-06	6.02E-07	2.63E-06	2.09E-05	2.21E-05	1.14E-05
303	1.62E-05	8.42E-06	1.04E-06	2.45E-06	5.63E-07	2.58E-06	2.23E-05	2.35E-05	1.17E-05
304	1.51E-05	7.22E-06	7.37E-07	2.07E-06	4.67E-07	2.21E-06	2.43E-05	2.56E-05	1.19E-05
305	1.16E-05	6.76E-06	6.76E-07	1.96E-06	4.41E-07	2.02E-06	2.42E-05	2.55E-05	1.14E-05
308	5.44E-06	8.07E-06	3.39E-05	1.18E-05	1.32E-06	1.05E-06	4.75E-06	5.01E-06	2.87E-06
309	5.80E-06	8.14E-06	1.63E-05	9.80E-06	1.25E-06	1.16E-06	5.32E-06	5.61E-06	3.24E-06
310	6.17E-06	8.21E-06	9.79E-06	8.10E-06	1.19E-06	1.28E-06	6.00E-06	6.33E-06	3.69E-06
311	6.55E-06	8.28E-06	6.57E-06	6.84E-06	1.11E-06	1.41E-06	6.83E-06	7.20E-06	4.24E-06
312	6.92E-06	8.33E-06	4.80E-06	5.91E-06	1.04E-06	1.55E-06	7.83E-06	8.26E-06	4.91E-06
313	7.31E-06	8.37E-06	3.65E-06	5.19E-06	9.70E-07	1.70E-06	9.06E-06	9.55E-06	5.75E-06
314	7.72E-06	8.39E-06	2.88E-06	4.62E-06	8.99E-07	1.84E-06	1.06E-05	1.12E-05	6.80E-06
315	8.69E-06	8.36E-06	1.94E-06	3.79E-06	7.70E-07	2.08E-06	1.49E-05	1.57E-05	9.77E-06
316	9.29E-06	8.29E-06	1.66E-06	3.47E-06	7.14E-07	2.16E-06	1.79E-05	1.89E-05	1.18E-05
317	1.00E-05	8.18E-06	1.40E-06	3.20E-06	6.62E-07	2.22E-06	2.16E-05	2.27E-05	1.39E-05
318	1.09E-05	8.02E-06	1.24E-06	2.97E-06	6.17E-07	2.25E-06	2.59E-05	2.73E-05	1.58E-05
319	1.18E-05	7.82E-06	1.09E-06	2.77E-06	5.77E-07	2.25E-06	3.02E-05	3.18E-05	1.68E-05
320	1.27E-05	7.56E-06	9.70E-07	2.59E-06	5.41E-07	2.21E-06	3.30E-05	3.48E-05	1.76E-05
321	1.18E-05	6.56E-06	7.08E-07	2.16E-06	4.51E-07	1.92E-06	3.54E-05	3.73E-05	1.59E-05
322	9.78E-06	6.17E-06	6.45E-07	2.05E-06	4.27E-07	1.77E-06	3.33E-05	3.51E-05	1.44E-05
325	4.95E-06	7.35E-06	1.49E-05	2.44E-05	1.20E-06	9.64E-07	4.98E-06	5.25E-06	3.04E-06
326	5.27E-06	7.41E-06	1.28E-05	1.46E-05	1.15E-06	1.06E-06	5.62E-06	5.93E-06	3.46E-06
327	5.59E-06	7.46E-06	7.80E-06	1.06E-05	1.09E-06	1.16E-06	6.40E-06	6.74E-06	3.99E-06
328	5.91E-06	7.51E-06	5.44E-06	8.36E-06	1.03E-06	1.26E-06	7.35E-06	7.74E-06	4.64E-06
329	6.24E-06	7.55E-06	4.06E-06	6.91E-06	9.69E-07	1.38E-06	8.52E-06	8.98E-06	5.46E-06
330	6.56E-06	7.58E-06	3.20E-06	5.91E-06	9.07E-07	1.49E-06	1.00E-05	1.06E-05	6.53E-06
331	6.90E-06	7.59E-06	2.58E-06	5.16E-06	8.45E-07	1.61E-06	1.19E-05	1.26E-05	7.95E-06
332	7.26E-06	7.57E-06	2.14E-06	4.58E-06	7.86E-07	1.71E-06	1.44E-05	1.52E-05	9.85E-06
333	7.67E-06	7.54E-06	1.78E-06	4.12E-06	7.30E-07	1.80E-06	1.78E-05	1.88E-05	1.25E-05
334	8.12E-06	7.47E-06	1.53E-06	3.75E-06	6.80E-07	1.87E-06	2.24E-05	2.36E-05	1.63E-05

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
335	8.64E-06	7.37E-06	1.32E-06	3.43E-06	6.33E-07	1.92E-06	2.89E-05	3.04E-05	2.14E-05
336	9.21E-06	7.23E-06	1.16E-06	3.16E-06	5.91E-07	1.95E-06	3.79E-05	3.99E-05	2.67E-05
337	9.82E-06	7.06E-06	1.02E-06	2.93E-06	5.54E-07	1.94E-06	4.90E-05	5.17E-05	2.94E-05
338	1.04E-05	6.84E-06	9.22E-07	2.73E-06	5.20E-07	1.92E-06	5.70E-05	6.01E-05	3.00E-05
339	1.05E-05	6.30E-06	7.28E-07	2.40E-06	4.61E-07	1.79E-06	5.93E-05	6.25E-05	2.40E-05
340	9.62E-06	5.99E-06	6.75E-07	2.26E-06	4.36E-07	1.69E-06	5.24E-05	5.52E-05	2.05E-05
341	8.34E-06	5.67E-06	6.17E-07	2.13E-06	4.13E-07	1.57E-06	4.46E-05	4.70E-05	1.75E-05
349	5.64E-06	6.89E-06	3.49E-06	7.91E-06	9.05E-07	1.23E-06	9.17E-06	9.66E-06	6.00E-06
350	5.91E-06	6.90E-06	2.80E-06	6.62E-06	8.50E-07	1.33E-06	1.09E-05	1.15E-05	7.32E-06
351	6.20E-06	6.90E-06	2.28E-06	5.69E-06	7.95E-07	1.42E-06	1.32E-05	1.40E-05	9.14E-06
352	6.49E-06	6.88E-06	1.94E-06	5.00E-06	7.44E-07	1.50E-06	1.64E-05	1.73E-05	1.18E-05
353	8.64E-06	5.77E-06	6.93E-07	2.50E-06	4.45E-07	1.58E-06	9.88E-05	1.04E-04	3.17E-05
354	8.06E-06	5.51E-06	6.45E-07	2.35E-06	4.22E-07	1.49E-06	7.27E-05	7.67E-05	2.50E-05
355	7.20E-06	5.23E-06	5.91E-07	2.21E-06	4.00E-07	1.40E-06	5.57E-05	5.87E-05	2.02E-05
364	5.36E-06	6.32E-06	2.49E-06	7.35E-06	7.98E-07	1.19E-06	1.17E-05	1.23E-05	8.01E-06
365	5.59E-06	6.31E-06	2.08E-06	6.24E-06	7.50E-07	1.26E-06	1.44E-05	1.52E-05	1.02E-05
366	5.84E-06	6.29E-06	1.76E-06	5.42E-06	7.03E-07	1.33E-06	1.82E-05	1.92E-05	1.36E-05
367	7.30E-06	5.31E-06	6.68E-07	2.61E-06	4.30E-07	1.40E-06	1.36E-04	1.44E-04	3.84E-05
368	6.90E-06	5.08E-06	6.11E-07	2.44E-06	4.08E-07	1.33E-06	8.93E-05	9.41E-05	2.87E-05
369	6.29E-06	4.84E-06	5.67E-07	2.29E-06	3.87E-07	1.26E-06	6.39E-05	6.74E-05	2.22E-05
377	4.87E-06	5.81E-06	2.22E-06	8.10E-06	7.51E-07	1.07E-06	1.23E-05	1.29E-05	8.52E-06
378	5.07E-06	5.80E-06	1.87E-06	6.79E-06	7.08E-07	1.13E-06	1.53E-05	1.61E-05	1.10E-05
379	5.28E-06	5.78E-06	1.60E-06	5.84E-06	6.66E-07	1.19E-06	1.96E-05	2.06E-05	1.50E-05
380	6.31E-06	4.91E-06	6.31E-07	2.71E-06	4.15E-07	1.25E-06	1.61E-04	1.70E-04	4.36E-05
381	6.01E-06	4.71E-06	5.76E-07	2.53E-06	3.94E-07	1.20E-06	9.99E-05	1.05E-04	3.12E-05
382	5.56E-06	4.50E-06	5.33E-07	2.37E-06	3.75E-07	1.14E-06	6.86E-05	7.23E-05	2.32E-05
391	4.62E-06	5.36E-06	1.69E-06	7.37E-06	6.70E-07	1.02E-06	1.57E-05	1.65E-05	1.15E-05
392	4.79E-06	5.34E-06	1.45E-06	6.28E-06	6.32E-07	1.07E-06	2.02E-05	2.13E-05	1.56E-05
393	5.53E-06	4.56E-06	6.01E-07	2.82E-06	4.01E-07	1.13E-06	1.81E-04	1.91E-04	4.74E-05

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
394	5.30E-06	4.38E-06	5.52E-07	2.62E-06	3.81E-07	1.09E-06	1.07E-04	1.12E-04	3.24E-05
395	4.96E-06	4.20E-06	5.12E-07	2.46E-06	3.63E-07	1.03E-06	6.98E-05	7.35E-05	2.33E-05
405	4.22E-06	4.97E-06	1.54E-06	7.98E-06	6.35E-07	9.28E-07	1.57E-05	1.65E-05	1.15E-05
406	4.37E-06	4.94E-06	1.34E-06	6.74E-06	6.01E-07	9.71E-07	2.02E-05	2.13E-05	1.56E-05
407	4.50E-06	4.91E-06	1.19E-06	5.83E-06	5.68E-07	1.01E-06	2.72E-05	2.87E-05	2.26E-05
408	4.90E-06	4.25E-06	5.75E-07	2.92E-06	3.88E-07	1.02E-06	1.96E-04	2.07E-04	4.91E-05
409	4.72E-06	4.09E-06	5.28E-07	2.72E-06	3.69E-07	9.88E-07	1.07E-04	1.13E-04	3.18E-05
410	4.46E-06	3.93E-06	5.01E-07	2.54E-06	3.52E-07	9.44E-07	6.62E-05	6.98E-05	2.20E-05
421	4.00E-06	4.60E-06	1.24E-06	7.22E-06	5.72E-07	8.83E-07	1.95E-05	2.06E-05	1.50E-05
422	4.11E-06	4.56E-06	1.10E-06	6.20E-06	5.42E-07	9.15E-07	2.60E-05	2.74E-05	2.13E-05
423	4.39E-06	3.97E-06	5.49E-07	3.03E-06	3.75E-07	9.33E-07	1.96E-04	2.07E-04	4.69E-05
424	4.25E-06	3.83E-06	5.06E-07	2.81E-06	3.57E-07	9.02E-07	9.62E-05	1.01E-04	2.87E-05
425	4.04E-06	3.69E-06	4.80E-07	2.62E-06	3.42E-07	8.66E-07	5.70E-05	6.01E-05	1.94E-05
435	3.67E-06	4.29E-06	1.14E-06	7.73E-06	5.45E-07	8.07E-07	1.83E-05	1.93E-05	1.38E-05
436	3.77E-06	4.26E-06	1.02E-06	6.60E-06	5.18E-07	8.34E-07	2.39E-05	2.52E-05	1.92E-05
437	3.85E-06	3.60E-06	4.86E-07	2.91E-06	3.46E-07	8.28E-07	7.42E-05	7.83E-05	2.39E-05
438	3.68E-06	3.48E-06	4.53E-07	2.70E-06	3.31E-07	7.97E-07	4.56E-05	4.81E-05	1.64E-05
449	3.39E-06	4.01E-06	1.05E-06	8.28E-06	5.19E-07	7.41E-07	1.67E-05	1.76E-05	1.24E-05
450	3.47E-06	3.98E-06	9.53E-07	7.02E-06	4.95E-07	7.64E-07	2.14E-05	2.26E-05	1.67E-05
451	3.54E-06	3.94E-06	8.59E-07	6.06E-06	4.71E-07	7.84E-07	2.83E-05	2.98E-05	2.38E-05
452	3.51E-06	3.39E-06	4.66E-07	3.00E-06	3.36E-07	7.63E-07	5.64E-05	5.94E-05	1.93E-05
453	3.37E-06	3.28E-06	4.34E-07	2.78E-06	3.21E-07	7.37E-07	3.69E-05	3.89E-05	1.37E-05
464	3.20E-06	3.74E-06	8.84E-07	7.46E-06	4.74E-07	7.03E-07	1.88E-05	1.98E-05	1.41E-05
465	3.26E-06	3.70E-06	8.02E-07	6.41E-06	4.52E-07	7.21E-07	2.40E-05	2.53E-05	1.91E-05
466	3.36E-06	3.38E-06	5.22E-07	3.67E-06	3.56E-07	7.36E-07	9.91E-05	1.04E-04	3.84E-05
467	3.22E-06	3.20E-06	4.47E-07	3.10E-06	3.25E-07	7.06E-07	4.49E-05	4.74E-05	1.61E-05
468	3.11E-06	3.10E-06	4.17E-07	2.87E-06	3.12E-07	6.83E-07	3.10E-05	3.27E-05	1.18E-05
479	2.97E-06	3.51E-06	8.13E-07	7.92E-06	4.52E-07	6.49E-07	1.63E-05	1.72E-05	1.18E-05
480	3.02E-06	3.48E-06	7.47E-07	6.77E-06	4.34E-07	6.65E-07	2.02E-05	2.13E-05	1.53E-05

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
481	3.06E-06	3.44E-06	6.82E-07	5.89E-06	4.14E-07	6.77E-07	2.56E-05	2.70E-05	2.03E-05
482	3.09E-06	3.39E-06	6.31E-07	5.20E-06	3.96E-07	6.84E-07	3.33E-05	3.51E-05	2.77E-05
483	3.11E-06	3.33E-06	5.76E-07	4.64E-06	3.77E-07	6.88E-07	4.36E-05	4.60E-05	3.61E-05
484	3.11E-06	3.27E-06	5.33E-07	4.18E-06	3.61E-07	6.86E-07	5.54E-05	5.84E-05	3.68E-05
485	3.09E-06	3.19E-06	4.94E-07	3.80E-06	3.45E-07	6.80E-07	5.90E-05	6.22E-05	2.77E-05
486	3.04E-06	3.11E-06	4.63E-07	3.47E-06	3.30E-07	6.70E-07	4.92E-05	5.18E-05	1.91E-05
487	2.97E-06	3.03E-06	4.29E-07	3.19E-06	3.16E-07	6.54E-07	3.61E-05	3.80E-05	1.37E-05
488	2.87E-06	2.94E-06	4.01E-07	2.95E-06	3.03E-07	6.35E-07	2.63E-05	2.77E-05	1.03E-05
501	2.80E-06	3.28E-06	6.91E-07	7.14E-06	4.11E-07	6.15E-07	1.70E-05	1.79E-05	1.22E-05
502	2.84E-06	3.24E-06	6.45E-07	6.19E-06	3.99E-07	6.26E-07	2.09E-05	2.20E-05	1.55E-05
503	2.86E-06	3.20E-06	5.98E-07	5.44E-06	3.81E-07	6.33E-07	2.59E-05	2.73E-05	1.95E-05
504	2.87E-06	3.14E-06	5.52E-07	4.84E-06	3.65E-07	6.36E-07	3.20E-05	3.37E-05	2.33E-05
505	2.87E-06	3.09E-06	5.08E-07	4.34E-06	3.49E-07	6.35E-07	3.78E-05	3.99E-05	2.39E-05
506	2.85E-06	3.02E-06	4.72E-07	3.94E-06	3.34E-07	6.31E-07	3.99E-05	4.20E-05	2.03E-05
507	2.81E-06	2.95E-06	4.44E-07	3.59E-06	3.20E-07	6.22E-07	3.60E-05	3.79E-05	1.56E-05
508	2.67E-06	2.79E-06	3.85E-07	3.04E-06	2.94E-07	5.93E-07	2.24E-05	2.36E-05	9.08E-06
520	2.61E-06	3.10E-06	6.56E-07	7.57E-06	4.00E-07	5.72E-07	1.45E-05	1.53E-05	1.00E-05
521	2.64E-06	3.06E-06	5.95E-07	6.49E-06	3.74E-07	5.81E-07	1.72E-05	1.81E-05	1.21E-05
522	2.66E-06	3.02E-06	5.63E-07	5.69E-06	3.68E-07	5.87E-07	2.06E-05	2.18E-05	1.45E-05
523	2.67E-06	2.98E-06	5.22E-07	5.04E-06	3.52E-07	5.91E-07	2.44E-05	2.58E-05	1.65E-05
524	2.66E-06	2.92E-06	4.84E-07	4.51E-06	3.37E-07	5.90E-07	2.78E-05	2.93E-05	1.70E-05
525	2.65E-06	2.86E-06	4.51E-07	4.08E-06	3.23E-07	5.86E-07	2.91E-05	3.07E-05	1.54E-05
526	2.61E-06	2.80E-06	4.21E-07	3.71E-06	3.10E-07	5.79E-07	2.73E-05	2.88E-05	1.27E-05
527	2.49E-06	2.65E-06	3.71E-07	3.12E-06	2.86E-07	5.54E-07	1.91E-05	2.01E-05	8.02E-06
539	2.44E-06	2.94E-06	6.22E-07	8.04E-06	3.86E-07	5.33E-07	1.25E-05	1.31E-05	8.34E-06
540	2.46E-06	2.90E-06	5.75E-07	6.85E-06	3.70E-07	5.41E-07	1.45E-05	1.52E-05	9.75E-06
541	2.48E-06	2.86E-06	5.29E-07	5.95E-06	3.52E-07	5.47E-07	1.67E-05	1.77E-05	1.12E-05
542	2.48E-06	2.82E-06	4.90E-07	5.25E-06	3.36E-07	5.50E-07	1.92E-05	2.02E-05	1.24E-05
543	2.48E-06	2.77E-06	4.61E-07	4.69E-06	3.26E-07	5.50E-07	2.14E-05	2.25E-05	1.28E-05

Via Oro
Unmitigated Chronic Risk Summary

<i>Operational Chronic Risk - by Source</i>									
Receptor #	TKJ	TKK	TKL	TKM	TKN	TKO	Onsite	Idle 1	Idle 2
544	2.46E-06	2.72E-06	4.30E-07	4.22E-06	3.13E-07	5.47E-07	2.23E-05	2.35E-05	1.20E-05
545	2.43E-06	2.66E-06	3.99E-07	3.82E-06	2.99E-07	5.41E-07	2.14E-05	2.26E-05	1.04E-05
546	2.32E-06	2.53E-06	3.56E-07	3.20E-06	2.78E-07	5.19E-07	1.63E-05	1.72E-05	7.10E-06
560	2.30E-06	2.75E-06	5.45E-07	7.23E-06	3.57E-07	5.05E-07	1.23E-05	1.30E-05	8.02E-06
561	2.32E-06	2.72E-06	5.07E-07	6.25E-06	3.43E-07	5.11E-07	1.40E-05	1.47E-05	9.02E-06
562	2.32E-06	2.68E-06	4.71E-07	5.48E-06	3.29E-07	5.14E-07	1.56E-05	1.65E-05	9.78E-06
563	2.31E-06	2.63E-06	4.24E-07	4.85E-06	2.92E-07	5.13E-07	1.69E-05	1.79E-05	1.00E-05
564	2.30E-06	2.58E-06	4.05E-07	4.36E-06	2.99E-07	5.11E-07	1.77E-05	1.86E-05	9.63E-06
565	2.27E-06	2.53E-06	3.87E-07	3.95E-06	2.92E-07	5.06E-07	1.73E-05	1.83E-05	8.68E-06
566	2.18E-06	2.41E-06	3.44E-07	3.29E-06	2.70E-07	4.88E-07	1.40E-05	1.48E-05	6.31E-06
579	2.16E-06	2.62E-06	5.18E-07	7.64E-06	3.45E-07	4.73E-07	1.06E-05	1.11E-05	6.70E-06
580	2.17E-06	2.59E-06	4.83E-07	6.56E-06	3.32E-07	4.78E-07	1.18E-05	1.24E-05	7.40E-06
581	2.17E-06	2.55E-06	4.51E-07	5.73E-06	3.19E-07	4.81E-07	1.30E-05	1.37E-05	7.93E-06
582	2.17E-06	2.51E-06	4.22E-07	5.06E-06	3.06E-07	4.81E-07	1.40E-05	1.47E-05	8.14E-06
583	2.16E-06	2.46E-06	3.94E-07	4.52E-06	2.95E-07	4.80E-07	1.44E-05	1.52E-05	7.92E-06
584	2.13E-06	2.41E-06	3.68E-07	4.07E-06	2.82E-07	4.75E-07	1.43E-05	1.50E-05	7.30E-06
585	2.08E-06	2.34E-06	3.06E-07	3.55E-06	2.37E-07	4.65E-07	1.30E-05	1.37E-05	6.10E-06
598	2.03E-06	2.49E-06	4.94E-07	8.10E-06	3.33E-07	4.44E-07	9.16E-06	9.66E-06	5.69E-06
599	2.04E-06	2.46E-06	4.60E-07	6.89E-06	3.21E-07	4.49E-07	1.01E-05	1.06E-05	6.19E-06
600	2.04E-06	2.43E-06	4.30E-07	5.98E-06	3.09E-07	4.51E-07	1.10E-05	1.15E-05	6.57E-06
601	2.04E-06	2.39E-06	4.04E-07	5.26E-06	2.97E-07	4.52E-07	1.17E-05	1.23E-05	6.74E-06
602	2.03E-06	2.35E-06	3.79E-07	4.68E-06	2.86E-07	4.51E-07	1.21E-05	1.27E-05	6.62E-06
603	2.01E-06	2.30E-06	3.57E-07	4.20E-06	2.75E-07	4.47E-07	1.20E-05	1.26E-05	6.23E-06
604	1.97E-06	2.26E-06	3.37E-07	3.80E-06	2.65E-07	4.41E-07	1.14E-05	1.20E-05	5.64E-06

Via Oro
Site Prep

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.0297	1.73E-02	5.1E-04	3.46E-04	1.77E-07	0.06	1.57E-01	1.68E-09	1.0E+06	1.7E-03
2	0.03062	1.73E-02	5.3E-04	3.46E-04	1.83E-07	0.06	1.57E-01	1.73E-09	1.0E+06	1.7E-03
3	0.03157	1.73E-02	5.4E-04	3.46E-04	1.89E-07	0.06	1.57E-01	1.79E-09	1.0E+06	1.8E-03
4	0.03256	1.73E-02	5.6E-04	3.46E-04	1.95E-07	0.06	1.57E-01	1.84E-09	1.0E+06	1.8E-03
5	0.0336	1.73E-02	5.8E-04	3.46E-04	2.01E-07	0.06	1.57E-01	1.90E-09	1.0E+06	1.9E-03
6	0.0347	1.73E-02	6.0E-04	3.46E-04	2.07E-07	0.06	1.57E-01	1.96E-09	1.0E+06	2.0E-03
7	0.03584	1.73E-02	6.2E-04	3.46E-04	2.14E-07	0.06	1.57E-01	2.03E-09	1.0E+06	2.0E-03
8	0.03703	1.73E-02	6.4E-04	3.46E-04	2.21E-07	0.06	1.57E-01	2.10E-09	1.0E+06	2.1E-03
9	0.03828	1.73E-02	6.6E-04	3.46E-04	2.29E-07	0.06	1.57E-01	2.17E-09	1.0E+06	2.2E-03
10	0.03958	1.73E-02	6.8E-04	3.46E-04	2.37E-07	0.06	1.57E-01	2.24E-09	1.0E+06	2.2E-03
11	0.04093	1.73E-02	7.1E-04	3.46E-04	2.45E-07	0.06	1.57E-01	2.32E-09	1.0E+06	2.3E-03
12	0.04233	1.73E-02	7.3E-04	3.46E-04	2.53E-07	0.06	1.57E-01	2.40E-09	1.0E+06	2.4E-03
13	0.04379	1.73E-02	7.6E-04	3.46E-04	2.62E-07	0.06	1.57E-01	2.48E-09	1.0E+06	2.5E-03
14	0.0453	1.73E-02	7.8E-04	3.46E-04	2.71E-07	0.06	1.57E-01	2.56E-09	1.0E+06	2.6E-03
15	0.04686	1.73E-02	8.1E-04	3.46E-04	2.80E-07	0.06	1.57E-01	2.65E-09	1.0E+06	2.7E-03
16	0.04845	1.73E-02	8.4E-04	3.46E-04	2.90E-07	0.06	1.57E-01	2.74E-09	1.0E+06	2.7E-03
17	0.05007	1.73E-02	8.6E-04	3.46E-04	2.99E-07	0.06	1.57E-01	2.83E-09	1.0E+06	2.8E-03
18	0.05171	1.73E-02	8.9E-04	3.46E-04	3.09E-07	0.06	1.57E-01	2.93E-09	1.0E+06	2.9E-03
19	0.05336	1.73E-02	9.2E-04	3.46E-04	3.19E-07	0.06	1.57E-01	3.02E-09	1.0E+06	3.0E-03
20	0.055	1.73E-02	9.5E-04	3.46E-04	3.29E-07	0.06	1.57E-01	3.11E-09	1.0E+06	3.1E-03
21	0.05661	1.73E-02	9.8E-04	3.46E-04	3.38E-07	0.06	1.57E-01	3.20E-09	1.0E+06	3.2E-03
22	0.05817	1.73E-02	1.0E-03	3.46E-04	3.48E-07	0.06	1.57E-01	3.29E-09	1.0E+06	3.3E-03
23	0.05966	1.73E-02	1.0E-03	3.46E-04	3.56E-07	0.06	1.57E-01	3.38E-09	1.0E+06	3.4E-03
24	0.06105	1.73E-02	1.1E-03	3.46E-04	3.65E-07	0.06	1.57E-01	3.46E-09	1.0E+06	3.5E-03
25	0.06231	1.73E-02	1.1E-03	3.46E-04	3.72E-07	0.06	1.57E-01	3.53E-09	1.0E+06	3.5E-03
26	0.06341	1.73E-02	1.1E-03	3.46E-04	3.79E-07	0.06	1.57E-01	3.59E-09	1.0E+06	3.6E-03
27	0.06434	1.73E-02	1.1E-03	3.46E-04	3.84E-07	0.06	1.57E-01	3.64E-09	1.0E+06	3.6E-03
28	0.06507	1.73E-02	1.1E-03	3.46E-04	3.89E-07	0.06	1.57E-01	3.68E-09	1.0E+06	3.7E-03
29	0.0656	1.73E-02	1.1E-03	3.46E-04	3.92E-07	0.06	1.57E-01	3.71E-09	1.0E+06	3.7E-03
30	0.06593	1.73E-02	1.1E-03	3.46E-04	3.94E-07	0.06	1.57E-01	3.73E-09	1.0E+06	3.7E-03
31	0.06606	1.73E-02	1.1E-03	3.46E-04	3.95E-07	0.06	1.57E-01	3.74E-09	1.0E+06	3.7E-03

Via Oro
Site Prep

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.06601	1.73E-02	1.1E-03	3.46E-04	3.94E-07	0.06	1.57E-01	3.74E-09	1.0E+06	3.7E-03
55	0.06308	1.73E-02	1.1E-03	3.46E-04	3.77E-07	0.06	1.57E-01	3.57E-09	1.0E+06	3.6E-03
56	0.06482	1.73E-02	1.1E-03	3.46E-04	3.87E-07	0.06	1.57E-01	3.67E-09	1.0E+06	3.7E-03
57	0.06645	1.73E-02	1.1E-03	3.46E-04	3.97E-07	0.06	1.57E-01	3.76E-09	1.0E+06	3.8E-03
58	0.06793	1.73E-02	1.2E-03	3.46E-04	4.06E-07	0.06	1.57E-01	3.84E-09	1.0E+06	3.8E-03
59	0.06921	1.73E-02	1.2E-03	3.46E-04	4.14E-07	0.06	1.57E-01	3.92E-09	1.0E+06	3.9E-03
60	0.07028	1.73E-02	1.2E-03	3.46E-04	4.20E-07	0.06	1.57E-01	3.98E-09	1.0E+06	4.0E-03
61	0.07112	1.73E-02	1.2E-03	3.46E-04	4.25E-07	0.06	1.57E-01	4.03E-09	1.0E+06	4.0E-03
62	0.0717	1.73E-02	1.2E-03	3.46E-04	4.28E-07	0.06	1.57E-01	4.06E-09	1.0E+06	4.1E-03
63	0.07205	1.73E-02	1.2E-03	3.46E-04	4.31E-07	0.06	1.57E-01	4.08E-09	1.0E+06	4.1E-03
64	0.07216	1.73E-02	1.2E-03	3.46E-04	4.31E-07	0.06	1.57E-01	4.08E-09	1.0E+06	4.1E-03
65	0.07206	1.73E-02	1.2E-03	3.46E-04	4.31E-07	0.06	1.57E-01	4.08E-09	1.0E+06	4.1E-03
66	0.07179	1.73E-02	1.2E-03	3.46E-04	4.29E-07	0.06	1.57E-01	4.06E-09	1.0E+06	4.1E-03
67	0.0321	1.73E-02	5.5E-04	3.46E-04	1.92E-07	0.06	1.57E-01	1.82E-09	1.0E+06	1.8E-03
68	0.03321	1.73E-02	5.7E-04	3.46E-04	1.98E-07	0.06	1.57E-01	1.88E-09	1.0E+06	1.9E-03
69	0.03437	1.73E-02	5.9E-04	3.46E-04	2.05E-07	0.06	1.57E-01	1.95E-09	1.0E+06	1.9E-03
70	0.03558	1.73E-02	6.1E-04	3.46E-04	2.13E-07	0.06	1.57E-01	2.01E-09	1.0E+06	2.0E-03
71	0.03683	1.73E-02	6.4E-04	3.46E-04	2.20E-07	0.06	1.57E-01	2.08E-09	1.0E+06	2.1E-03
72	0.03817	1.73E-02	6.6E-04	3.46E-04	2.28E-07	0.06	1.57E-01	2.16E-09	1.0E+06	2.2E-03
73	0.03957	1.73E-02	6.8E-04	3.46E-04	2.36E-07	0.06	1.57E-01	2.24E-09	1.0E+06	2.2E-03
74	0.04103	1.73E-02	7.1E-04	3.46E-04	2.45E-07	0.06	1.57E-01	2.32E-09	1.0E+06	2.3E-03
75	0.04257	1.73E-02	7.3E-04	3.46E-04	2.54E-07	0.06	1.57E-01	2.41E-09	1.0E+06	2.4E-03
76	0.04418	1.73E-02	7.6E-04	3.46E-04	2.64E-07	0.06	1.57E-01	2.50E-09	1.0E+06	2.5E-03
77	0.04588	1.73E-02	7.9E-04	3.46E-04	2.74E-07	0.06	1.57E-01	2.60E-09	1.0E+06	2.6E-03
78	0.04767	1.73E-02	8.2E-04	3.46E-04	2.85E-07	0.06	1.57E-01	2.70E-09	1.0E+06	2.7E-03
79	0.0577	1.73E-02	1.0E-03	3.46E-04	3.45E-07	0.06	1.57E-01	3.27E-09	1.0E+06	3.3E-03
80	0.05989	1.73E-02	1.0E-03	3.46E-04	3.58E-07	0.06	1.57E-01	3.39E-09	1.0E+06	3.4E-03
81	0.06212	1.73E-02	1.1E-03	3.46E-04	3.71E-07	0.06	1.57E-01	3.52E-09	1.0E+06	3.5E-03
82	0.06435	1.73E-02	1.1E-03	3.46E-04	3.85E-07	0.06	1.57E-01	3.64E-09	1.0E+06	3.6E-03
83	0.06657	1.73E-02	1.1E-03	3.46E-04	3.98E-07	0.06	1.57E-01	3.77E-09	1.0E+06	3.8E-03
84	0.06872	1.73E-02	1.2E-03	3.46E-04	4.11E-07	0.06	1.57E-01	3.89E-09	1.0E+06	3.9E-03

Via Oro
Site Prep

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	0.07079	1.73E-02	1.2E-03	3.46E-04	4.23E-07	0.06	1.57E-01	4.01E-09	1.0E+06	4.0E-03
86	0.07272	1.73E-02	1.3E-03	3.46E-04	4.35E-07	0.06	1.57E-01	4.12E-09	1.0E+06	4.1E-03
87	0.07446	1.73E-02	1.3E-03	3.46E-04	4.45E-07	0.06	1.57E-01	4.21E-09	1.0E+06	4.2E-03
88	0.07597	1.73E-02	1.3E-03	3.46E-04	4.54E-07	0.06	1.57E-01	4.30E-09	1.0E+06	4.3E-03
89	0.07722	1.73E-02	1.3E-03	3.46E-04	4.61E-07	0.06	1.57E-01	4.37E-09	1.0E+06	4.4E-03
90	0.07817	1.73E-02	1.3E-03	3.46E-04	4.67E-07	0.06	1.57E-01	4.42E-09	1.0E+06	4.4E-03
91	0.07883	1.73E-02	1.4E-03	3.46E-04	4.71E-07	0.06	1.57E-01	4.46E-09	1.0E+06	4.5E-03
92	0.07919	1.73E-02	1.4E-03	3.46E-04	4.73E-07	0.06	1.57E-01	4.48E-09	1.0E+06	4.5E-03
93	0.07927	1.73E-02	1.4E-03	3.46E-04	4.74E-07	0.06	1.57E-01	4.49E-09	1.0E+06	4.5E-03
96	0.07858	1.73E-02	1.4E-03	3.46E-04	4.70E-07	0.06	1.57E-01	4.45E-09	1.0E+06	4.4E-03
97	0.08009	1.73E-02	1.4E-03	3.46E-04	4.79E-07	0.06	1.57E-01	4.53E-09	1.0E+06	4.5E-03
98	0.08391	1.73E-02	1.4E-03	3.46E-04	5.01E-07	0.06	1.57E-01	4.75E-09	1.0E+06	4.7E-03
99	0.08539	1.73E-02	1.5E-03	3.46E-04	5.10E-07	0.06	1.57E-01	4.83E-09	1.0E+06	4.8E-03
100	0.0865	1.73E-02	1.5E-03	3.46E-04	5.17E-07	0.06	1.57E-01	4.90E-09	1.0E+06	4.9E-03
101	0.08723	1.73E-02	1.5E-03	3.46E-04	5.21E-07	0.06	1.57E-01	4.94E-09	1.0E+06	4.9E-03
102	0.08758	1.73E-02	1.5E-03	3.46E-04	5.23E-07	0.06	1.57E-01	4.96E-09	1.0E+06	5.0E-03
106	0.03331	1.73E-02	5.7E-04	3.46E-04	1.99E-07	0.06	1.57E-01	1.89E-09	1.0E+06	1.9E-03
107	0.03466	1.73E-02	6.0E-04	3.46E-04	2.07E-07	0.06	1.57E-01	1.96E-09	1.0E+06	2.0E-03
108	0.036	1.73E-02	6.2E-04	3.46E-04	2.15E-07	0.06	1.57E-01	2.04E-09	1.0E+06	2.0E-03
109	0.0374	1.73E-02	6.5E-04	3.46E-04	2.23E-07	0.06	1.57E-01	2.12E-09	1.0E+06	2.1E-03
110	0.03889	1.73E-02	6.7E-04	3.46E-04	2.32E-07	0.06	1.57E-01	2.20E-09	1.0E+06	2.2E-03
111	0.04044	1.73E-02	7.0E-04	3.46E-04	2.42E-07	0.06	1.57E-01	2.29E-09	1.0E+06	2.3E-03
112	0.0421	1.73E-02	7.3E-04	3.46E-04	2.52E-07	0.06	1.57E-01	2.38E-09	1.0E+06	2.4E-03
113	0.04384	1.73E-02	7.6E-04	3.46E-04	2.62E-07	0.06	1.57E-01	2.48E-09	1.0E+06	2.5E-03
114	0.04567	1.73E-02	7.9E-04	3.46E-04	2.73E-07	0.06	1.57E-01	2.58E-09	1.0E+06	2.6E-03
115	0.04761	1.73E-02	8.2E-04	3.46E-04	2.84E-07	0.06	1.57E-01	2.69E-09	1.0E+06	2.7E-03
116	0.04964	1.73E-02	8.6E-04	3.46E-04	2.97E-07	0.06	1.57E-01	2.81E-09	1.0E+06	2.8E-03
117	0.05181	1.73E-02	8.9E-04	3.46E-04	3.10E-07	0.06	1.57E-01	2.93E-09	1.0E+06	2.9E-03
118	0.0541	1.73E-02	9.3E-04	3.46E-04	3.23E-07	0.06	1.57E-01	3.06E-09	1.0E+06	3.1E-03
124	0.03458	1.73E-02	6.0E-04	3.46E-04	2.07E-07	0.06	1.57E-01	1.96E-09	1.0E+06	2.0E-03
125	0.03597	1.73E-02	6.2E-04	3.46E-04	2.15E-07	0.06	1.57E-01	2.04E-09	1.0E+06	2.0E-03

Via Oro
Site Prep

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.03744	1.73E-02	6.5E-04	3.46E-04	2.24E-07	0.06	1.57E-01	2.12E-09	1.0E+06	2.1E-03
127	0.03899	1.73E-02	6.7E-04	3.46E-04	2.33E-07	0.06	1.57E-01	2.21E-09	1.0E+06	2.2E-03
128	0.04063	1.73E-02	7.0E-04	3.46E-04	2.43E-07	0.06	1.57E-01	2.30E-09	1.0E+06	2.3E-03
129	0.04236	1.73E-02	7.3E-04	3.46E-04	2.53E-07	0.06	1.57E-01	2.40E-09	1.0E+06	2.4E-03
130	0.04422	1.73E-02	7.6E-04	3.46E-04	2.64E-07	0.06	1.57E-01	2.50E-09	1.0E+06	2.5E-03
131	0.04617	1.73E-02	8.0E-04	3.46E-04	2.76E-07	0.06	1.57E-01	2.61E-09	1.0E+06	2.6E-03
132	0.04824	1.73E-02	8.3E-04	3.46E-04	2.88E-07	0.06	1.57E-01	2.73E-09	1.0E+06	2.7E-03
133	0.05043	1.73E-02	8.7E-04	3.46E-04	3.01E-07	0.06	1.57E-01	2.85E-09	1.0E+06	2.9E-03
134	0.05276	1.73E-02	9.1E-04	3.46E-04	3.15E-07	0.06	1.57E-01	2.99E-09	1.0E+06	3.0E-03
135	0.05523	1.73E-02	9.5E-04	3.46E-04	3.30E-07	0.06	1.57E-01	3.13E-09	1.0E+06	3.1E-03
136	0.05784	1.73E-02	1.0E-03	3.46E-04	3.46E-07	0.06	1.57E-01	3.27E-09	1.0E+06	3.3E-03
137	0.06059	1.73E-02	1.0E-03	3.46E-04	3.62E-07	0.06	1.57E-01	3.43E-09	1.0E+06	3.4E-03
138	0.06354	1.73E-02	1.1E-03	3.46E-04	3.80E-07	0.06	1.57E-01	3.60E-09	1.0E+06	3.6E-03
141	0.03578	1.73E-02	6.2E-04	3.46E-04	2.14E-07	0.06	1.57E-01	2.03E-09	1.0E+06	2.0E-03
142	0.0373	1.73E-02	6.4E-04	3.46E-04	2.23E-07	0.06	1.57E-01	2.11E-09	1.0E+06	2.1E-03
143	0.03891	1.73E-02	6.7E-04	3.46E-04	2.33E-07	0.06	1.57E-01	2.20E-09	1.0E+06	2.2E-03
144	0.04062	1.73E-02	7.0E-04	3.46E-04	2.43E-07	0.06	1.57E-01	2.30E-09	1.0E+06	2.3E-03
145	0.04244	1.73E-02	7.3E-04	3.46E-04	2.54E-07	0.06	1.57E-01	2.40E-09	1.0E+06	2.4E-03
146	0.04436	1.73E-02	7.7E-04	3.46E-04	2.65E-07	0.06	1.57E-01	2.51E-09	1.0E+06	2.5E-03
147	0.04643	1.73E-02	8.0E-04	3.46E-04	2.77E-07	0.06	1.57E-01	2.63E-09	1.0E+06	2.6E-03
148	0.04863	1.73E-02	8.4E-04	3.46E-04	2.91E-07	0.06	1.57E-01	2.75E-09	1.0E+06	2.8E-03
149	0.05097	1.73E-02	8.8E-04	3.46E-04	3.05E-07	0.06	1.57E-01	2.88E-09	1.0E+06	2.9E-03
150	0.05345	1.73E-02	9.2E-04	3.46E-04	3.19E-07	0.06	1.57E-01	3.03E-09	1.0E+06	3.0E-03
151	0.05611	1.73E-02	9.7E-04	3.46E-04	3.35E-07	0.06	1.57E-01	3.18E-09	1.0E+06	3.2E-03
152	0.05894	1.73E-02	1.0E-03	3.46E-04	3.52E-07	0.06	1.57E-01	3.34E-09	1.0E+06	3.3E-03
153	0.06195	1.73E-02	1.1E-03	3.46E-04	3.70E-07	0.06	1.57E-01	3.51E-09	1.0E+06	3.5E-03
154	0.06514	1.73E-02	1.1E-03	3.46E-04	3.89E-07	0.06	1.57E-01	3.69E-09	1.0E+06	3.7E-03
155	0.06855	1.73E-02	1.2E-03	3.46E-04	4.10E-07	0.06	1.57E-01	3.88E-09	1.0E+06	3.9E-03
164	0.07017	1.73E-02	1.2E-03	3.46E-04	4.19E-07	0.06	1.57E-01	3.97E-09	1.0E+06	4.0E-03
165	0.07416	1.73E-02	1.3E-03	3.46E-04	4.43E-07	0.06	1.57E-01	4.20E-09	1.0E+06	4.2E-03
166	0.07845	1.73E-02	1.4E-03	3.46E-04	4.69E-07	0.06	1.57E-01	4.44E-09	1.0E+06	4.4E-03

Via Oro
Site Prep

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	0.07572	1.73E-02	1.3E-03	3.46E-04	4.52E-07	0.06	1.57E-01	4.29E-09	1.0E+06	4.3E-03
179	0.08043	1.73E-02	1.4E-03	3.46E-04	4.81E-07	0.06	1.57E-01	4.55E-09	1.0E+06	4.6E-03
180	0.08553	1.73E-02	1.5E-03	3.46E-04	5.11E-07	0.06	1.57E-01	4.84E-09	1.0E+06	4.8E-03
192	0.08181	1.73E-02	1.4E-03	3.46E-04	4.89E-07	0.06	1.57E-01	4.63E-09	1.0E+06	4.6E-03
193	0.08742	1.73E-02	1.5E-03	3.46E-04	5.22E-07	0.06	1.57E-01	4.95E-09	1.0E+06	4.9E-03
194	0.09352	1.73E-02	1.6E-03	3.46E-04	5.59E-07	0.06	1.57E-01	5.29E-09	1.0E+06	5.3E-03
207	0.08842	1.73E-02	1.5E-03	3.46E-04	5.28E-07	0.06	1.57E-01	5.00E-09	1.0E+06	5.0E-03
208	0.09511	1.73E-02	1.6E-03	3.46E-04	5.68E-07	0.06	1.57E-01	5.38E-09	1.0E+06	5.4E-03
209	0.10248	1.73E-02	1.8E-03	3.46E-04	6.12E-07	0.06	1.57E-01	5.80E-09	1.0E+06	5.8E-03
223	0.09551	1.73E-02	1.6E-03	3.46E-04	5.71E-07	0.06	1.57E-01	5.41E-09	1.0E+06	5.4E-03
224	0.10349	1.73E-02	1.8E-03	3.46E-04	6.18E-07	0.06	1.57E-01	5.86E-09	1.0E+06	5.9E-03
225	0.1124	1.73E-02	1.9E-03	3.46E-04	6.72E-07	0.06	1.57E-01	6.36E-09	1.0E+06	6.4E-03
239	0.103	1.73E-02	1.8E-03	3.46E-04	6.15E-07	0.06	1.57E-01	5.83E-09	1.0E+06	5.8E-03
240	0.11251	1.73E-02	1.9E-03	3.46E-04	6.72E-07	0.06	1.57E-01	6.37E-09	1.0E+06	6.4E-03
241	0.12331	1.73E-02	2.1E-03	3.46E-04	7.37E-07	0.06	1.57E-01	6.98E-09	1.0E+06	7.0E-03
255	0.11074	1.73E-02	1.9E-03	3.46E-04	6.62E-07	0.06	1.57E-01	6.27E-09	1.0E+06	6.3E-03
256	0.12199	1.73E-02	2.1E-03	3.46E-04	7.29E-07	0.06	1.57E-01	6.90E-09	1.0E+06	6.9E-03
272	0.1185	1.73E-02	2.0E-03	3.46E-04	7.08E-07	0.06	1.57E-01	6.71E-09	1.0E+06	6.7E-03
273	0.13169	1.73E-02	2.3E-03	3.46E-04	7.87E-07	0.06	1.57E-01	7.45E-09	1.0E+06	7.5E-03
289	0.12602	1.73E-02	2.2E-03	3.46E-04	7.53E-07	0.06	1.57E-01	7.13E-09	1.0E+06	7.1E-03
290	0.14123	1.73E-02	2.4E-03	3.46E-04	8.44E-07	0.06	1.57E-01	7.99E-09	1.0E+06	8.0E-03
306	0.13294	1.73E-02	2.3E-03	3.46E-04	7.94E-07	0.06	1.57E-01	7.52E-09	1.0E+06	7.5E-03
307	0.15016	1.73E-02	2.6E-03	3.46E-04	8.97E-07	0.06	1.57E-01	8.50E-09	1.0E+06	8.5E-03
323	0.1389	1.73E-02	2.4E-03	3.46E-04	8.30E-07	0.06	1.57E-01	7.86E-09	1.0E+06	7.9E-03
324	0.15795	1.73E-02	2.7E-03	3.46E-04	9.44E-07	0.06	1.57E-01	8.94E-09	1.0E+06	8.9E-03
342	0.14356	1.73E-02	2.5E-03	3.46E-04	8.58E-07	0.06	1.57E-01	8.13E-09	1.0E+06	8.1E-03
343	0.16411	1.73E-02	2.8E-03	3.46E-04	9.81E-07	0.06	1.57E-01	9.29E-09	1.0E+06	9.3E-03
344	0.18982	1.73E-02	3.3E-03	3.46E-04	1.13E-06	0.06	1.57E-01	1.07E-08	1.0E+06	1.1E-02
356	0.14667	1.73E-02	2.5E-03	3.46E-04	8.76E-07	0.06	1.57E-01	8.30E-09	1.0E+06	8.3E-03
357	0.16825	1.73E-02	2.9E-03	3.46E-04	1.01E-06	0.06	1.57E-01	9.52E-09	1.0E+06	9.5E-03
358	0.19544	1.73E-02	3.4E-03	3.46E-04	1.17E-06	0.06	1.57E-01	1.11E-08	1.0E+06	1.1E-02

Via Oro
Site Prep

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.1481	1.73E-02	2.6E-03	3.46E-04	8.85E-07	0.06	1.57E-01	8.38E-09	1.0E+06	8.4E-03
371	0.17021	1.73E-02	2.9E-03	3.46E-04	1.02E-06	0.06	1.57E-01	9.63E-09	1.0E+06	9.6E-03
372	0.19813	1.73E-02	3.4E-03	3.46E-04	1.18E-06	0.06	1.57E-01	1.12E-08	1.0E+06	1.1E-02
383	0.14788	1.73E-02	2.6E-03	3.46E-04	8.84E-07	0.06	1.57E-01	8.37E-09	1.0E+06	8.4E-03
384	0.17002	1.73E-02	2.9E-03	3.46E-04	1.02E-06	0.06	1.57E-01	9.62E-09	1.0E+06	9.6E-03
385	0.19796	1.73E-02	3.4E-03	3.46E-04	1.18E-06	0.06	1.57E-01	1.12E-08	1.0E+06	1.1E-02
396	0.14614	1.73E-02	2.5E-03	3.46E-04	8.73E-07	0.06	1.57E-01	8.27E-09	1.0E+06	8.3E-03
397	0.16784	1.73E-02	2.9E-03	3.46E-04	1.00E-06	0.06	1.57E-01	9.50E-09	1.0E+06	9.5E-03
398	0.19517	1.73E-02	3.4E-03	3.46E-04	1.17E-06	0.06	1.57E-01	1.10E-08	1.0E+06	1.1E-02
399	0.23024	1.73E-02	4.0E-03	3.46E-04	1.38E-06	0.06	1.57E-01	1.30E-08	1.0E+06	1.3E-02
411	0.14308	1.73E-02	2.5E-03	3.46E-04	8.55E-07	0.06	1.57E-01	8.10E-09	1.0E+06	8.1E-03
412	0.16397	1.73E-02	2.8E-03	3.46E-04	9.80E-07	0.06	1.57E-01	9.28E-09	1.0E+06	9.3E-03
413	0.19015	1.73E-02	3.3E-03	3.46E-04	1.14E-06	0.06	1.57E-01	1.08E-08	1.0E+06	1.1E-02
414	0.22354	1.73E-02	3.9E-03	3.46E-04	1.34E-06	0.06	1.57E-01	1.27E-08	1.0E+06	1.3E-02
426	0.13895	1.73E-02	2.4E-03	3.46E-04	8.30E-07	0.06	1.57E-01	7.86E-09	1.0E+06	7.9E-03
427	0.15871	1.73E-02	2.7E-03	3.46E-04	9.48E-07	0.06	1.57E-01	8.98E-09	1.0E+06	9.0E-03
428	0.18331	1.73E-02	3.2E-03	3.46E-04	1.10E-06	0.06	1.57E-01	1.04E-08	1.0E+06	1.0E-02
429	0.21446	1.73E-02	3.7E-03	3.46E-04	1.28E-06	0.06	1.57E-01	1.21E-08	1.0E+06	1.2E-02
439	0.13398	1.73E-02	2.3E-03	3.46E-04	8.01E-07	0.06	1.57E-01	7.58E-09	1.0E+06	7.6E-03
440	0.15241	1.73E-02	2.6E-03	3.46E-04	9.11E-07	0.06	1.57E-01	8.63E-09	1.0E+06	8.6E-03
441	0.17516	1.73E-02	3.0E-03	3.46E-04	1.05E-06	0.06	1.57E-01	9.91E-09	1.0E+06	9.9E-03
442	0.20368	1.73E-02	3.5E-03	3.46E-04	1.22E-06	0.06	1.57E-01	1.15E-08	1.0E+06	1.2E-02
443	0.2401	1.73E-02	4.1E-03	3.46E-04	1.43E-06	0.06	1.57E-01	1.36E-08	1.0E+06	1.4E-02
454	0.12844	1.73E-02	2.2E-03	3.46E-04	7.67E-07	0.06	1.57E-01	7.27E-09	1.0E+06	7.3E-03
455	0.1454	1.73E-02	2.5E-03	3.46E-04	8.69E-07	0.06	1.57E-01	8.23E-09	1.0E+06	8.2E-03
456	0.16613	1.73E-02	2.9E-03	3.46E-04	9.93E-07	0.06	1.57E-01	9.40E-09	1.0E+06	9.4E-03
457	0.19185	1.73E-02	3.3E-03	3.46E-04	1.15E-06	0.06	1.57E-01	1.09E-08	1.0E+06	1.1E-02
458	0.22431	1.73E-02	3.9E-03	3.46E-04	1.34E-06	0.06	1.57E-01	1.27E-08	1.0E+06	1.3E-02
469	0.12254	1.73E-02	2.1E-03	3.46E-04	7.32E-07	0.06	1.57E-01	6.94E-09	1.0E+06	6.9E-03
470	0.13798	1.73E-02	2.4E-03	3.46E-04	8.24E-07	0.06	1.57E-01	7.81E-09	1.0E+06	7.8E-03
471	0.15667	1.73E-02	2.7E-03	3.46E-04	9.36E-07	0.06	1.57E-01	8.87E-09	1.0E+06	8.9E-03

Via Oro
Site Prep

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.1796	1.73E-02	3.1E-03	3.46E-04	1.07E-06	0.06	1.57E-01	1.02E-08	1.0E+06	1.0E-02
473	0.20816	1.73E-02	3.6E-03	3.46E-04	1.24E-06	0.06	1.57E-01	1.18E-08	1.0E+06	1.2E-02
489	0.11649	1.73E-02	2.0E-03	3.46E-04	6.96E-07	0.06	1.57E-01	6.59E-09	1.0E+06	6.6E-03
490	0.13044	1.73E-02	2.3E-03	3.46E-04	7.79E-07	0.06	1.57E-01	7.38E-09	1.0E+06	7.4E-03
491	0.14715	1.73E-02	2.5E-03	3.46E-04	8.79E-07	0.06	1.57E-01	8.33E-09	1.0E+06	8.3E-03
492	0.16742	1.73E-02	2.9E-03	3.46E-04	1.00E-06	0.06	1.57E-01	9.48E-09	1.0E+06	9.5E-03
493	0.19235	1.73E-02	3.3E-03	3.46E-04	1.15E-06	0.06	1.57E-01	1.09E-08	1.0E+06	1.1E-02
494	0.22355	1.73E-02	3.9E-03	3.46E-04	1.34E-06	0.06	1.57E-01	1.27E-08	1.0E+06	1.3E-02
509	0.11045	1.73E-02	1.9E-03	3.46E-04	6.60E-07	0.06	1.57E-01	6.25E-09	1.0E+06	6.3E-03
510	0.12297	1.73E-02	2.1E-03	3.46E-04	7.35E-07	0.06	1.57E-01	6.96E-09	1.0E+06	7.0E-03
511	0.13783	1.73E-02	2.4E-03	3.46E-04	8.24E-07	0.06	1.57E-01	7.80E-09	1.0E+06	7.8E-03
512	0.15566	1.73E-02	2.7E-03	3.46E-04	9.30E-07	0.06	1.57E-01	8.81E-09	1.0E+06	8.8E-03
513	0.17731	1.73E-02	3.1E-03	3.46E-04	1.06E-06	0.06	1.57E-01	1.00E-08	1.0E+06	1.0E-02
514	0.20404	1.73E-02	3.5E-03	3.46E-04	1.22E-06	0.06	1.57E-01	1.15E-08	1.0E+06	1.2E-02
515	0.2807	1.73E-02	4.8E-03	3.46E-04	1.68E-06	0.06	1.57E-01	1.59E-08	1.0E+06	1.6E-02
516	0.33697	1.73E-02	5.8E-03	3.46E-04	2.01E-06	0.06	1.57E-01	1.91E-08	1.0E+06	1.9E-02
517	0.41299	1.73E-02	7.1E-03	3.46E-04	2.47E-06	0.06	1.57E-01	2.34E-08	1.0E+06	2.3E-02
518	0.51796	1.73E-02	8.9E-03	3.46E-04	3.10E-06	0.06	1.57E-01	2.93E-08	1.0E+06	2.9E-02
519	0.66655	1.73E-02	1.2E-02	3.46E-04	3.98E-06	0.06	1.57E-01	3.77E-08	1.0E+06	3.8E-02
528	0.10452	1.73E-02	1.8E-03	3.46E-04	6.25E-07	0.06	1.57E-01	5.92E-09	1.0E+06	5.9E-03
529	0.11573	1.73E-02	2.0E-03	3.46E-04	6.92E-07	0.06	1.57E-01	6.55E-09	1.0E+06	6.5E-03
530	0.12889	1.73E-02	2.2E-03	3.46E-04	7.70E-07	0.06	1.57E-01	7.29E-09	1.0E+06	7.3E-03
531	0.14452	1.73E-02	2.5E-03	3.46E-04	8.64E-07	0.06	1.57E-01	8.18E-09	1.0E+06	8.2E-03
532	0.16329	1.73E-02	2.8E-03	3.46E-04	9.76E-07	0.06	1.57E-01	9.24E-09	1.0E+06	9.2E-03
533	0.18614	1.73E-02	3.2E-03	3.46E-04	1.11E-06	0.06	1.57E-01	1.05E-08	1.0E+06	1.1E-02
534	0.24993	1.73E-02	4.3E-03	3.46E-04	1.49E-06	0.06	1.57E-01	1.41E-08	1.0E+06	1.4E-02
535	0.29541	1.73E-02	5.1E-03	3.46E-04	1.77E-06	0.06	1.57E-01	1.67E-08	1.0E+06	1.7E-02
536	0.35583	1.73E-02	6.1E-03	3.46E-04	2.13E-06	0.06	1.57E-01	2.01E-08	1.0E+06	2.0E-02
537	0.43528	1.73E-02	7.5E-03	3.46E-04	2.60E-06	0.06	1.57E-01	2.46E-08	1.0E+06	2.5E-02
538	0.54262	1.73E-02	9.4E-03	3.46E-04	3.24E-06	0.06	1.57E-01	3.07E-08	1.0E+06	3.1E-02
547	0.09878	1.73E-02	1.7E-03	3.46E-04	5.90E-07	0.06	1.57E-01	5.59E-09	1.0E+06	5.6E-03

Via Oro
Site Prep

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.10878	1.73E-02	1.9E-03	3.46E-04	6.50E-07	0.06	1.57E-01	6.16E-09	1.0E+06	6.2E-03
549	0.12042	1.73E-02	2.1E-03	3.46E-04	7.20E-07	0.06	1.57E-01	6.82E-09	1.0E+06	6.8E-03
550	0.1341	1.73E-02	2.3E-03	3.46E-04	8.01E-07	0.06	1.57E-01	7.59E-09	1.0E+06	7.6E-03
551	0.15035	1.73E-02	2.6E-03	3.46E-04	8.98E-07	0.06	1.57E-01	8.51E-09	1.0E+06	8.5E-03
552	0.16989	1.73E-02	2.9E-03	3.46E-04	1.02E-06	0.06	1.57E-01	9.62E-09	1.0E+06	9.6E-03
553	0.19376	1.73E-02	3.3E-03	3.46E-04	1.16E-06	0.06	1.57E-01	1.10E-08	1.0E+06	1.1E-02
554	0.22323	1.73E-02	3.9E-03	3.46E-04	1.33E-06	0.06	1.57E-01	1.26E-08	1.0E+06	1.3E-02
555	0.2606	1.73E-02	4.5E-03	3.46E-04	1.56E-06	0.06	1.57E-01	1.47E-08	1.0E+06	1.5E-02
556	0.30907	1.73E-02	5.3E-03	3.46E-04	1.85E-06	0.06	1.57E-01	1.75E-08	1.0E+06	1.7E-02
557	0.37089	1.73E-02	6.4E-03	3.46E-04	2.22E-06	0.06	1.57E-01	2.10E-08	1.0E+06	2.1E-02
558	0.45244	1.73E-02	7.8E-03	3.46E-04	2.70E-06	0.06	1.57E-01	2.56E-08	1.0E+06	2.6E-02
559	0.55409	1.73E-02	9.6E-03	3.46E-04	3.31E-06	0.06	1.57E-01	3.14E-08	1.0E+06	3.1E-02
567	0.09328	1.73E-02	1.6E-03	3.46E-04	5.57E-07	0.06	1.57E-01	5.28E-09	1.0E+06	5.3E-03
568	0.10218	1.73E-02	1.8E-03	3.46E-04	6.11E-07	0.06	1.57E-01	5.78E-09	1.0E+06	5.8E-03
569	0.11246	1.73E-02	1.9E-03	3.46E-04	6.72E-07	0.06	1.57E-01	6.36E-09	1.0E+06	6.4E-03
570	0.12444	1.73E-02	2.1E-03	3.46E-04	7.44E-07	0.06	1.57E-01	7.04E-09	1.0E+06	7.0E-03
571	0.13852	1.73E-02	2.4E-03	3.46E-04	8.28E-07	0.06	1.57E-01	7.84E-09	1.0E+06	7.8E-03
572	0.15529	1.73E-02	2.7E-03	3.46E-04	9.28E-07	0.06	1.57E-01	8.79E-09	1.0E+06	8.8E-03
573	0.17553	1.73E-02	3.0E-03	3.46E-04	1.05E-06	0.06	1.57E-01	9.93E-09	1.0E+06	9.9E-03
574	0.2311	1.73E-02	4.0E-03	3.46E-04	1.38E-06	0.06	1.57E-01	1.31E-08	1.0E+06	1.3E-02
575	0.27035	1.73E-02	4.7E-03	3.46E-04	1.62E-06	0.06	1.57E-01	1.53E-08	1.0E+06	1.5E-02
576	0.32012	1.73E-02	5.5E-03	3.46E-04	1.91E-06	0.06	1.57E-01	1.81E-08	1.0E+06	1.8E-02
577	0.38282	1.73E-02	6.6E-03	3.46E-04	2.29E-06	0.06	1.57E-01	2.17E-08	1.0E+06	2.2E-02
578	0.45874	1.73E-02	7.9E-03	3.46E-04	2.74E-06	0.06	1.57E-01	2.60E-08	1.0E+06	2.6E-02
586	0.08804	1.73E-02	1.5E-03	3.46E-04	5.26E-07	0.06	1.57E-01	4.98E-09	1.0E+06	5.0E-03
587	0.09595	1.73E-02	1.7E-03	3.46E-04	5.73E-07	0.06	1.57E-01	5.43E-09	1.0E+06	5.4E-03
588	0.10503	1.73E-02	1.8E-03	3.46E-04	6.28E-07	0.06	1.57E-01	5.94E-09	1.0E+06	5.9E-03
589	0.11551	1.73E-02	2.0E-03	3.46E-04	6.90E-07	0.06	1.57E-01	6.54E-09	1.0E+06	6.5E-03
590	0.12773	1.73E-02	2.2E-03	3.46E-04	7.63E-07	0.06	1.57E-01	7.23E-09	1.0E+06	7.2E-03
591	0.14215	1.73E-02	2.5E-03	3.46E-04	8.49E-07	0.06	1.57E-01	8.05E-09	1.0E+06	8.0E-03
592	0.15939	1.73E-02	2.8E-03	3.46E-04	9.52E-07	0.06	1.57E-01	9.02E-09	1.0E+06	9.0E-03

Via Oro
Site Prep

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.20599	1.73E-02	3.6E-03	3.46E-04	1.23E-06	0.06	1.57E-01	1.17E-08	1.0E+06	1.2E-02
594	0.2383	1.73E-02	4.1E-03	3.46E-04	1.42E-06	0.06	1.57E-01	1.35E-08	1.0E+06	1.3E-02
595	0.2782	1.73E-02	4.8E-03	3.46E-04	1.66E-06	0.06	1.57E-01	1.57E-08	1.0E+06	1.6E-02
596	0.32718	1.73E-02	5.6E-03	3.46E-04	1.96E-06	0.06	1.57E-01	1.85E-08	1.0E+06	1.9E-02
597	0.3851	1.73E-02	6.6E-03	3.46E-04	2.30E-06	0.06	1.57E-01	2.18E-08	1.0E+06	2.2E-02
345	0.2227	1.73E-02	3.8E-03	3.46E-04	1.33E-06	0.06	1.57E-01	1.26E-08	1.0E+06	1.3E-02
346	0.26583	1.73E-02	4.6E-03	3.46E-04	1.59E-06	0.06	1.57E-01	1.50E-08	1.0E+06	1.5E-02
347	0.32435	1.73E-02	5.6E-03	3.46E-04	1.94E-06	0.06	1.57E-01	1.84E-08	1.0E+06	1.8E-02
348	0.40749	1.73E-02	7.0E-03	3.46E-04	2.43E-06	0.06	1.57E-01	2.31E-08	1.0E+06	2.3E-02
359	0.23043	1.73E-02	4.0E-03	3.46E-04	1.38E-06	0.06	1.57E-01	1.30E-08	1.0E+06	1.3E-02
360	0.27662	1.73E-02	4.8E-03	3.46E-04	1.65E-06	0.06	1.57E-01	1.57E-08	1.0E+06	1.6E-02
361	0.33997	1.73E-02	5.9E-03	3.46E-04	2.03E-06	0.06	1.57E-01	1.92E-08	1.0E+06	1.9E-02
362	0.42974	1.73E-02	7.4E-03	3.46E-04	2.57E-06	0.06	1.57E-01	2.43E-08	1.0E+06	2.4E-02
363	0.56883	1.73E-02	9.8E-03	3.46E-04	3.40E-06	0.06	1.57E-01	3.22E-08	1.0E+06	3.2E-02
373	0.28188	1.73E-02	4.9E-03	3.46E-04	1.68E-06	0.06	1.57E-01	1.60E-08	1.0E+06	1.6E-02
374	0.34692	1.73E-02	6.0E-03	3.46E-04	2.07E-06	0.06	1.57E-01	1.96E-08	1.0E+06	2.0E-02
375	0.43896	1.73E-02	7.6E-03	3.46E-04	2.62E-06	0.06	1.57E-01	2.48E-08	1.0E+06	2.5E-02
376	0.57944	1.73E-02	1.0E-02	3.46E-04	3.46E-06	0.06	1.57E-01	3.28E-08	1.0E+06	3.3E-02
386	0.28155	1.73E-02	4.9E-03	3.46E-04	1.68E-06	0.06	1.57E-01	1.59E-08	1.0E+06	1.6E-02
387	0.3462	1.73E-02	6.0E-03	3.46E-04	2.07E-06	0.06	1.57E-01	1.96E-08	1.0E+06	2.0E-02
388	0.43672	1.73E-02	7.5E-03	3.46E-04	2.61E-06	0.06	1.57E-01	2.47E-08	1.0E+06	2.5E-02
389	0.57256	1.73E-02	9.9E-03	3.46E-04	3.42E-06	0.06	1.57E-01	3.24E-08	1.0E+06	3.2E-02
390	0.79338	1.73E-02	1.4E-02	3.46E-04	4.74E-06	0.06	1.57E-01	4.49E-08	1.0E+06	4.5E-02
400	0.27635	1.73E-02	4.8E-03	3.46E-04	1.65E-06	0.06	1.57E-01	1.56E-08	1.0E+06	1.6E-02
401	0.33816	1.73E-02	5.8E-03	3.46E-04	2.02E-06	0.06	1.57E-01	1.91E-08	1.0E+06	1.9E-02
402	0.4252	1.73E-02	7.3E-03	3.46E-04	2.54E-06	0.06	1.57E-01	2.41E-08	1.0E+06	2.4E-02
403	0.55138	1.73E-02	9.5E-03	3.46E-04	3.29E-06	0.06	1.57E-01	3.12E-08	1.0E+06	3.1E-02
404	0.74962	1.73E-02	1.3E-02	3.46E-04	4.48E-06	0.06	1.57E-01	4.24E-08	1.0E+06	4.2E-02
415	0.26709	1.73E-02	4.6E-03	3.46E-04	1.60E-06	0.06	1.57E-01	1.51E-08	1.0E+06	1.5E-02
416	0.32536	1.73E-02	5.6E-03	3.46E-04	1.94E-06	0.06	1.57E-01	1.84E-08	1.0E+06	1.8E-02
417	0.40519	1.73E-02	7.0E-03	3.46E-04	2.42E-06	0.06	1.57E-01	2.29E-08	1.0E+06	2.3E-02

Via Oro
Site Prep

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.52201	1.73E-02	9.0E-03	3.46E-04	3.12E-06	0.06	1.57E-01	2.95E-08	1.0E+06	3.0E-02
419	0.6999	1.73E-02	1.2E-02	3.46E-04	4.18E-06	0.06	1.57E-01	3.96E-08	1.0E+06	4.0E-02
420	0.9853	1.73E-02	1.7E-02	3.46E-04	5.89E-06	0.06	1.57E-01	5.58E-08	1.0E+06	5.6E-02
430	0.3078	1.73E-02	5.3E-03	3.46E-04	1.84E-06	0.06	1.57E-01	1.74E-08	1.0E+06	1.7E-02
431	0.38049	1.73E-02	6.6E-03	3.46E-04	2.27E-06	0.06	1.57E-01	2.15E-08	1.0E+06	2.2E-02
432	0.48348	1.73E-02	8.3E-03	3.46E-04	2.89E-06	0.06	1.57E-01	2.74E-08	1.0E+06	2.7E-02
433	0.63759	1.73E-02	1.1E-02	3.46E-04	3.81E-06	0.06	1.57E-01	3.61E-08	1.0E+06	3.6E-02
434	0.88507	1.73E-02	1.5E-02	3.46E-04	5.29E-06	0.06	1.57E-01	5.01E-08	1.0E+06	5.0E-02
444	0.28768	1.73E-02	5.0E-03	3.46E-04	1.72E-06	0.06	1.57E-01	1.63E-08	1.0E+06	1.6E-02
445	0.35159	1.73E-02	6.1E-03	3.46E-04	2.10E-06	0.06	1.57E-01	1.99E-08	1.0E+06	2.0E-02
446	0.44074	1.73E-02	7.6E-03	3.46E-04	2.63E-06	0.06	1.57E-01	2.49E-08	1.0E+06	2.5E-02
447	0.57096	1.73E-02	9.9E-03	3.46E-04	3.41E-06	0.06	1.57E-01	3.23E-08	1.0E+06	3.2E-02
448	0.77323	1.73E-02	1.3E-02	3.46E-04	4.62E-06	0.06	1.57E-01	4.38E-08	1.0E+06	4.4E-02
459	0.32138	1.73E-02	5.5E-03	3.46E-04	1.92E-06	0.06	1.57E-01	1.82E-08	1.0E+06	1.8E-02
460	0.39688	1.73E-02	6.9E-03	3.46E-04	2.37E-06	0.06	1.57E-01	2.25E-08	1.0E+06	2.2E-02
461	0.50434	1.73E-02	8.7E-03	3.46E-04	3.01E-06	0.06	1.57E-01	2.85E-08	1.0E+06	2.9E-02
462	0.66519	1.73E-02	1.1E-02	3.46E-04	3.97E-06	0.06	1.57E-01	3.76E-08	1.0E+06	3.8E-02
463	0.9199	1.73E-02	1.6E-02	3.46E-04	5.50E-06	0.06	1.57E-01	5.21E-08	1.0E+06	5.2E-02
474	0.29149	1.73E-02	5.0E-03	3.46E-04	1.74E-06	0.06	1.57E-01	1.65E-08	1.0E+06	1.6E-02
475	0.3544	1.73E-02	6.1E-03	3.46E-04	2.12E-06	0.06	1.57E-01	2.01E-08	1.0E+06	2.0E-02
476	0.44175	1.73E-02	7.6E-03	3.46E-04	2.64E-06	0.06	1.57E-01	2.50E-08	1.0E+06	2.5E-02
477	0.56696	1.73E-02	9.8E-03	3.46E-04	3.39E-06	0.06	1.57E-01	3.21E-08	1.0E+06	3.2E-02
478	0.75502	1.73E-02	1.3E-02	3.46E-04	4.51E-06	0.06	1.57E-01	4.27E-08	1.0E+06	4.3E-02
495	0.26339	1.73E-02	4.5E-03	3.46E-04	1.57E-06	0.06	1.57E-01	1.49E-08	1.0E+06	1.5E-02
496	0.31542	1.73E-02	5.4E-03	3.46E-04	1.88E-06	0.06	1.57E-01	1.79E-08	1.0E+06	1.8E-02
497	0.38568	1.73E-02	6.7E-03	3.46E-04	2.30E-06	0.06	1.57E-01	2.18E-08	1.0E+06	2.2E-02
498	0.48315	1.73E-02	8.3E-03	3.46E-04	2.89E-06	0.06	1.57E-01	2.73E-08	1.0E+06	2.7E-02
499	0.62238	1.73E-02	1.1E-02	3.46E-04	3.72E-06	0.06	1.57E-01	3.52E-08	1.0E+06	3.5E-02
500	0.82822	1.73E-02	1.4E-02	3.46E-04	4.95E-06	0.06	1.57E-01	4.69E-08	1.0E+06	4.7E-02

Via Oro
Site Prep

		Cancer Risk from 3rd Trimester - Construction									
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
139	0.06663	1.73E-02	1.2E-03	3.46E-04	3.98E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	0.0699	1.73E-02	1.2E-03	3.46E-04	4.18E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	0.07218	1.73E-02	1.2E-03	3.46E-04	4.31E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	0.07602	1.73E-02	1.3E-03	3.46E-04	4.54E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	0.08009	1.73E-02	1.4E-03	3.46E-04	4.79E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	0.08436	1.73E-02	1.5E-03	3.46E-04	5.04E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	0.08879	1.73E-02	1.5E-03	3.46E-04	5.31E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	0.09804	1.73E-02	1.7E-03	3.46E-04	5.86E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	0.10269	1.73E-02	1.8E-03	3.46E-04	6.14E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	0.10719	1.73E-02	1.9E-03	3.46E-04	6.41E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	0.08296	1.73E-02	1.4E-03	3.46E-04	4.96E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	0.08789	1.73E-02	1.5E-03	3.46E-04	5.25E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	0.09303	1.73E-02	1.6E-03	3.46E-04	5.56E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	0.09843	1.73E-02	1.7E-03	3.46E-04	5.88E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	0.10406	1.73E-02	1.8E-03	3.46E-04	6.22E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	0.10985	1.73E-02	1.9E-03	3.46E-04	6.56E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	0.11559	1.73E-02	2.0E-03	3.46E-04	6.91E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	0.12128	1.73E-02	2.1E-03	3.46E-04	7.25E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	0.12668	1.73E-02	2.2E-03	3.46E-04	7.57E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	0.13159	1.73E-02	2.3E-03	3.46E-04	7.86E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	0.13573	1.73E-02	2.3E-03	3.46E-04	8.11E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	0.0969	1.73E-02	1.7E-03	3.46E-04	5.79E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	0.10314	1.73E-02	1.8E-03	3.46E-04	6.16E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	0.10985	1.73E-02	1.9E-03	3.46E-04	6.56E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	0.11685	1.73E-02	2.0E-03	3.46E-04	6.98E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	0.12414	1.73E-02	2.1E-03	3.46E-04	7.42E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	0.13152	1.73E-02	2.3E-03	3.46E-04	7.86E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	0.13868	1.73E-02	2.4E-03	3.46E-04	8.29E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	0.14569	1.73E-02	2.5E-03	3.46E-04	8.71E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	0.15206	1.73E-02	2.6E-03	3.46E-04	9.09E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	0.15738	1.73E-02	2.7E-03	3.46E-04	9.40E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Site Prep

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	0.16146	1.73E-02	2.8E-03	3.46E-04	9.65E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	0.10736	1.73E-02	1.9E-03	3.46E-04	6.42E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	0.11509	1.73E-02	2.0E-03	3.46E-04	6.88E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	0.12341	1.73E-02	2.1E-03	3.46E-04	7.37E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	0.13233	1.73E-02	2.3E-03	3.46E-04	7.91E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	0.14166	1.73E-02	2.4E-03	3.46E-04	8.46E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	0.15125	1.73E-02	2.6E-03	3.46E-04	9.04E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	0.16083	1.73E-02	2.8E-03	3.46E-04	9.61E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	0.17001	1.73E-02	2.9E-03	3.46E-04	1.02E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	0.17832	1.73E-02	3.1E-03	3.46E-04	1.07E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	0.1853	1.73E-02	3.2E-03	3.46E-04	1.11E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	0.19058	1.73E-02	3.3E-03	3.46E-04	1.14E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	0.19393	1.73E-02	3.3E-03	3.46E-04	1.16E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	0.11044	1.73E-02	1.9E-03	3.46E-04	6.60E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	0.11946	1.73E-02	2.1E-03	3.46E-04	7.14E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	0.12914	1.73E-02	2.2E-03	3.46E-04	7.72E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	0.13977	1.73E-02	2.4E-03	3.46E-04	8.35E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	0.16345	1.73E-02	2.8E-03	3.46E-04	9.77E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	0.17619	1.73E-02	3.0E-03	3.46E-04	1.05E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	0.18908	1.73E-02	3.3E-03	3.46E-04	1.13E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	0.20154	1.73E-02	3.5E-03	3.46E-04	1.20E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	0.21285	1.73E-02	3.7E-03	3.46E-04	1.27E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	0.22229	1.73E-02	3.8E-03	3.46E-04	1.33E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	0.22928	1.73E-02	4.0E-03	3.46E-04	1.37E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	0.23347	1.73E-02	4.0E-03	3.46E-04	1.40E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	0.23463	1.73E-02	4.1E-03	3.46E-04	1.40E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	0.12234	1.73E-02	2.1E-03	3.46E-04	7.31E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	0.13352	1.73E-02	2.3E-03	3.46E-04	7.98E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	0.14584	1.73E-02	2.5E-03	3.46E-04	8.71E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	0.15957	1.73E-02	2.8E-03	3.46E-04	9.53E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	0.17462	1.73E-02	3.0E-03	3.46E-04	1.04E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	0.19059	1.73E-02	3.3E-03	3.46E-04	1.14E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	0.20809	1.73E-02	3.6E-03	3.46E-04	1.24E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	0.24383	1.73E-02	4.2E-03	3.46E-04	1.46E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	0.25978	1.73E-02	4.5E-03	3.46E-04	1.55E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	0.27299	1.73E-02	4.7E-03	3.46E-04	1.63E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	0.28252	1.73E-02	4.9E-03	3.46E-04	1.69E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	0.28784	1.73E-02	5.0E-03	3.46E-04	1.72E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	0.28884	1.73E-02	5.0E-03	3.46E-04	1.73E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	0.13558	1.73E-02	2.3E-03	3.46E-04	8.10E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	0.1496	1.73E-02	2.6E-03	3.46E-04	8.94E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	0.16486	1.73E-02	2.8E-03	3.46E-04	9.85E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	0.18312	1.73E-02	3.2E-03	3.46E-04	1.09E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	0.20356	1.73E-02	3.5E-03	3.46E-04	1.22E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	0.22624	1.73E-02	3.9E-03	3.46E-04	1.35E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	0.25101	1.73E-02	4.3E-03	3.46E-04	1.50E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	0.30237	1.73E-02	5.2E-03	3.46E-04	1.81E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	0.32558	1.73E-02	5.6E-03	3.46E-04	1.95E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	0.34508	1.73E-02	6.0E-03	3.46E-04	2.06E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	0.35899	1.73E-02	6.2E-03	3.46E-04	2.15E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	0.3657	1.73E-02	6.3E-03	3.46E-04	2.19E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	0.36553	1.73E-02	6.3E-03	3.46E-04	2.18E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	0.15013	1.73E-02	2.6E-03	3.46E-04	8.97E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	0.16778	1.73E-02	2.9E-03	3.46E-04	1.00E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	0.18826	1.73E-02	3.2E-03	3.46E-04	1.12E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	0.21119	1.73E-02	3.6E-03	3.46E-04	1.26E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	0.24033	1.73E-02	4.1E-03	3.46E-04	1.44E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	0.27257	1.73E-02	4.7E-03	3.46E-04	1.63E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	0.30901	1.73E-02	5.3E-03	3.46E-04	1.85E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	0.38883	1.73E-02	6.7E-03	3.46E-04	2.32E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	0.42538	1.73E-02	7.3E-03	3.46E-04	2.54E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	0.45533	1.73E-02	7.9E-03	3.46E-04	2.72E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	0.47529	1.73E-02	8.2E-03	3.46E-04	2.84E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	0.48327	1.73E-02	8.3E-03	3.46E-04	2.89E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	0.47972	1.73E-02	8.3E-03	3.46E-04	2.87E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	0.41534	1.73E-02	7.2E-03	3.46E-04	2.48E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	0.38572	1.73E-02	6.7E-03	3.46E-04	2.30E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	0.16569	1.73E-02	2.9E-03	3.46E-04	9.90E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	0.18778	1.73E-02	3.2E-03	3.46E-04	1.12E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	0.21449	1.73E-02	3.7E-03	3.46E-04	1.28E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	0.2458	1.73E-02	4.2E-03	3.46E-04	1.47E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	0.28575	1.73E-02	4.9E-03	3.46E-04	1.71E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	0.33325	1.73E-02	5.8E-03	3.46E-04	1.99E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	0.38759	1.73E-02	6.7E-03	3.46E-04	2.32E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	0.52116	1.73E-02	9.0E-03	3.46E-04	3.11E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	0.58294	1.73E-02	1.0E-02	3.46E-04	3.48E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	0.63209	1.73E-02	1.1E-02	3.46E-04	3.78E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	0.66432	1.73E-02	1.1E-02	3.46E-04	3.97E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	0.67476	1.73E-02	1.2E-02	3.46E-04	4.03E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	0.66044	1.73E-02	1.1E-02	3.46E-04	3.95E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	0.52728	1.73E-02	9.1E-03	3.46E-04	3.15E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	0.4762	1.73E-02	8.2E-03	3.46E-04	2.85E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	0.1817	1.73E-02	3.1E-03	3.46E-04	1.09E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	0.20901	1.73E-02	3.6E-03	3.46E-04	1.25E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	0.24319	1.73E-02	4.2E-03	3.46E-04	1.45E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	0.28587	1.73E-02	4.9E-03	3.46E-04	1.71E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	0.34053	1.73E-02	5.9E-03	3.46E-04	2.03E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	0.4128	1.73E-02	7.1E-03	3.46E-04	2.47E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	0.50796	1.73E-02	8.8E-03	3.46E-04	3.04E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	0.7543	1.73E-02	1.3E-02	3.46E-04	4.51E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	0.87558	1.73E-02	1.5E-02	3.46E-04	5.23E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	0.96299	1.73E-02	1.7E-02	3.46E-04	5.75E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	1.01683	1.73E-02	1.8E-02	3.46E-04	6.08E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	1.02096	1.73E-02	1.8E-02	3.46E-04	6.10E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	0.97241	1.73E-02	1.7E-02	3.46E-04	5.81E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	0.67919	1.73E-02	1.2E-02	3.46E-04	4.06E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	0.58734	1.73E-02	1.0E-02	3.46E-04	3.51E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	0.1973	1.73E-02	3.4E-03	3.46E-04	1.18E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	0.2303	1.73E-02	4.0E-03	3.46E-04	1.38E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	0.27297	1.73E-02	4.7E-03	3.46E-04	1.63E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	0.32907	1.73E-02	5.7E-03	3.46E-04	1.97E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	0.40771	1.73E-02	7.0E-03	3.46E-04	2.44E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	0.51965	1.73E-02	9.0E-03	3.46E-04	3.11E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	0.69071	1.73E-02	1.2E-02	3.46E-04	4.13E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	1.2766	1.73E-02	2.2E-02	3.46E-04	7.63E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	1.56579	1.73E-02	2.7E-02	3.46E-04	9.36E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	1.72059	1.73E-02	3.0E-02	3.46E-04	1.03E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	1.80825	1.73E-02	3.1E-02	3.46E-04	1.08E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	1.77443	1.73E-02	3.1E-02	3.46E-04	1.06E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	1.606	1.73E-02	2.8E-02	3.46E-04	9.60E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	0.8711	1.73E-02	1.5E-02	3.46E-04	5.21E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	0.71344	1.73E-02	1.2E-02	3.46E-04	4.26E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	0.21135	1.73E-02	3.6E-03	3.46E-04	1.26E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	0.24986	1.73E-02	4.3E-03	3.46E-04	1.49E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	0.30113	1.73E-02	5.2E-03	3.46E-04	1.80E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	0.37218	1.73E-02	6.4E-03	3.46E-04	2.22E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	0.47485	1.73E-02	8.2E-03	3.46E-04	2.84E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	0.64308	1.73E-02	1.1E-02	3.46E-04	3.84E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	0.95803	1.73E-02	1.7E-02	3.46E-04	5.72E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	1.79371	1.73E-02	3.1E-02	3.46E-04	1.07E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	2.9141	1.73E-02	5.0E-02	3.46E-04	1.74E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	3.55228	1.73E-02	6.1E-02	3.46E-04	2.12E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	3.84223	1.73E-02	6.6E-02	3.46E-04	2.30E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	3.95507	1.73E-02	6.8E-02	3.46E-04	2.36E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	3.84857	1.73E-02	6.6E-02	3.46E-04	2.30E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	3.59119	1.73E-02	6.2E-02	3.46E-04	2.15E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	1.47281	1.73E-02	2.5E-02	3.46E-04	8.80E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	1.08422	1.73E-02	1.9E-02	3.46E-04	6.48E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.84001	1.73E-02	1.5E-02	3.46E-04	5.02E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	0.53347	1.73E-02	9.2E-03	3.46E-04	3.19E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	0.74819	1.73E-02	1.3E-02	3.46E-04	4.47E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	1.19448	1.73E-02	2.1E-02	3.46E-04	7.14E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	2.89095	1.73E-02	5.0E-02	3.46E-04	1.73E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	1.88579	1.73E-02	3.3E-02	3.46E-04	1.13E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	1.28314	1.73E-02	2.2E-02	3.46E-04	7.67E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.95264	1.73E-02	1.6E-02	3.46E-04	5.69E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	0.80495	1.73E-02	1.4E-02	3.46E-04	4.81E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	1.28882	1.73E-02	2.2E-02	3.46E-04	7.70E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	2.83251	1.73E-02	4.9E-02	3.46E-04	1.69E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	2.25892	1.73E-02	3.9E-02	3.46E-04	1.35E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	1.45272	1.73E-02	2.5E-02	3.46E-04	8.68E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	1.04608	1.73E-02	1.8E-02	3.46E-04	6.25E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	0.8143	1.73E-02	1.4E-02	3.46E-04	4.87E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	1.26331	1.73E-02	2.2E-02	3.46E-04	7.55E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	2.40763	1.73E-02	4.2E-02	3.46E-04	1.44E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	2.607	1.73E-02	4.5E-02	3.46E-04	1.56E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	1.59345	1.73E-02	2.8E-02	3.46E-04	9.52E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	1.11861	1.73E-02	1.9E-02	3.46E-04	6.68E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	1.18902	1.73E-02	2.1E-02	3.46E-04	7.10E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	2.04084	1.73E-02	3.5E-02	3.46E-04	1.22E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	2.94249	1.73E-02	5.1E-02	3.46E-04	1.76E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	1.73071	1.73E-02	3.0E-02	3.46E-04	1.03E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	1.17565	1.73E-02	2.0E-02	3.46E-04	7.02E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	1.09668	1.73E-02	1.9E-02	3.46E-04	6.55E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	1.78264	1.73E-02	3.1E-02	3.46E-04	1.07E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	3.56443	1.73E-02	6.2E-02	3.46E-04	2.13E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	3.28113	1.73E-02	5.7E-02	3.46E-04	1.96E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	1.83749	1.73E-02	3.2E-02	3.46E-04	1.10E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	1.20616	1.73E-02	2.1E-02	3.46E-04	7.21E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	1.54138	1.73E-02	2.7E-02	3.46E-04	9.21E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	2.78266	1.73E-02	4.8E-02	3.46E-04	1.66E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	3.57021	1.73E-02	6.2E-02	3.46E-04	2.13E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	1.8844	1.73E-02	3.3E-02	3.46E-04	1.13E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	1.18917	1.73E-02	2.1E-02	3.46E-04	7.11E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	1.31314	1.73E-02	2.3E-02	3.46E-04	7.85E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	2.22012	1.73E-02	3.8E-02	3.46E-04	1.33E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	1.82921	1.73E-02	3.2E-02	3.46E-04	1.09E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	1.10856	1.73E-02	1.9E-02	3.46E-04	6.62E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	1.10375	1.73E-02	1.9E-02	3.46E-04	6.60E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	1.75996	1.73E-02	3.0E-02	3.46E-04	1.05E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	3.33818	1.73E-02	5.8E-02	3.46E-04	1.99E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	1.60872	1.73E-02	2.8E-02	3.46E-04	9.61E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.97845	1.73E-02	1.7E-02	3.46E-04	5.85E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	1.37016	1.73E-02	2.4E-02	3.46E-04	8.19E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	2.30263	1.73E-02	4.0E-02	3.46E-04	1.38E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	4.86042	1.73E-02	8.4E-02	3.46E-04	2.90E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	1.33766	1.73E-02	2.3E-02	3.46E-04	7.99E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.85143	1.73E-02	1.5E-02	3.46E-04	5.09E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	1.04335	1.73E-02	1.8E-02	3.46E-04	6.23E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	1.58467	1.73E-02	2.7E-02	3.46E-04	9.47E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	2.59449	1.73E-02	4.5E-02	3.46E-04	1.55E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	3.77934	1.73E-02	6.5E-02	3.46E-04	2.26E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	3.75696	1.73E-02	6.5E-02	3.46E-04	2.24E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	3.32743	1.73E-02	5.7E-02	3.46E-04	1.99E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	2.65322	1.73E-02	4.6E-02	3.46E-04	1.59E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	1.79639	1.73E-02	3.1E-02	3.46E-04	1.07E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	1.13343	1.73E-02	2.0E-02	3.46E-04	6.77E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.75363	1.73E-02	1.3E-02	3.46E-04	4.50E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	1.13306	1.73E-02	2.0E-02	3.46E-04	6.77E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	1.62685	1.73E-02	2.8E-02	3.46E-04	9.72E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	2.10731	1.73E-02	3.6E-02	3.46E-04	1.26E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	2.2594	1.73E-02	3.9E-02	3.46E-04	1.35E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	2.11935	1.73E-02	3.7E-02	3.46E-04	1.27E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	1.79572	1.73E-02	3.1E-02	3.46E-04	1.07E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	1.36447	1.73E-02	2.4E-02	3.46E-04	8.15E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.67568	1.73E-02	1.2E-02	3.46E-04	4.04E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.86595	1.73E-02	1.5E-02	3.46E-04	5.17E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	1.12784	1.73E-02	1.9E-02	3.46E-04	6.74E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	1.40663	1.73E-02	2.4E-02	3.46E-04	8.41E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	1.53599	1.73E-02	2.7E-02	3.46E-04	9.18E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	1.49691	1.73E-02	2.6E-02	3.46E-04	8.94E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	1.32596	1.73E-02	2.3E-02	3.46E-04	7.92E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	1.07668	1.73E-02	1.9E-02	3.46E-04	6.43E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.6058	1.73E-02	1.0E-02	3.46E-04	3.62E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.68491	1.73E-02	1.2E-02	3.46E-04	4.09E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.85547	1.73E-02	1.5E-02	3.46E-04	5.11E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	1.01655	1.73E-02	1.8E-02	3.46E-04	6.07E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	1.11469	1.73E-02	1.9E-02	3.46E-04	6.66E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	1.11822	1.73E-02	1.9E-02	3.46E-04	6.68E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	1.02519	1.73E-02	1.8E-02	3.46E-04	6.13E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.86877	1.73E-02	1.5E-02	3.46E-04	5.19E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.54176	1.73E-02	9.4E-03	3.46E-04	3.24E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.67142	1.73E-02	1.2E-02	3.46E-04	4.01E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.78316	1.73E-02	1.4E-02	3.46E-04	4.68E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.85495	1.73E-02	1.5E-02	3.46E-04	5.11E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.86079	1.73E-02	1.5E-02	3.46E-04	5.14E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.81475	1.73E-02	1.4E-02	3.46E-04	4.87E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.72132	1.73E-02	1.2E-02	3.46E-04	4.31E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.48594	1.73E-02	8.4E-03	3.46E-04	2.90E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.54212	1.73E-02	9.4E-03	3.46E-04	3.24E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.62185	1.73E-02	1.1E-02	3.46E-04	3.72E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.67804	1.73E-02	1.2E-02	3.46E-04	4.05E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.69409	1.73E-02	1.2E-02	3.46E-04	4.15E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.66642	1.73E-02	1.2E-02	3.46E-04	3.98E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.60285	1.73E-02	1.0E-02	3.46E-04	3.60E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.494	1.73E-02	8.5E-03	3.46E-04	2.95E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.44808	1.73E-02	7.7E-03	3.46E-04	2.68E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.50651	1.73E-02	8.7E-03	3.46E-04	3.03E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.55009	1.73E-02	9.5E-03	3.46E-04	3.29E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.56737	1.73E-02	9.8E-03	3.46E-04	3.39E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.55377	1.73E-02	9.6E-03	3.46E-04	3.31E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.51334	1.73E-02	8.9E-03	3.46E-04	3.07E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.45398	1.73E-02	7.8E-03	3.46E-04	2.71E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.0297	1.73E-02	5.1E-04	1.05E-03	5.36E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
2	0.03062	1.73E-02	5.3E-04	1.05E-03	5.52E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
3	0.03157	1.73E-02	5.4E-04	1.05E-03	5.70E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
4	0.03256	1.73E-02	5.6E-04	1.05E-03	5.87E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
5	0.0336	1.73E-02	5.8E-04	1.05E-03	6.06E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
6	0.0347	1.73E-02	6.0E-04	1.05E-03	6.26E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
7	0.03584	1.73E-02	6.2E-04	1.05E-03	6.47E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
8	0.03703	1.73E-02	6.4E-04	1.05E-03	6.68E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
9	0.03828	1.73E-02	6.6E-04	1.05E-03	6.91E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
10	0.03958	1.73E-02	6.8E-04	1.05E-03	7.14E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
11	0.04093	1.73E-02	7.1E-04	1.05E-03	7.38E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
12	0.04233	1.73E-02	7.3E-04	1.05E-03	7.64E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
13	0.04379	1.73E-02	7.6E-04	1.05E-03	7.90E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
14	0.0453	1.73E-02	7.8E-04	1.05E-03	8.17E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
15	0.04686	1.73E-02	8.1E-04	1.05E-03	8.45E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
16	0.04845	1.73E-02	8.4E-04	1.05E-03	8.74E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
17	0.05007	1.73E-02	8.6E-04	1.05E-03	9.03E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
18	0.05171	1.73E-02	8.9E-04	1.05E-03	9.33E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
19	0.05336	1.73E-02	9.2E-04	1.05E-03	9.63E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
20	0.055	1.73E-02	9.5E-04	1.05E-03	9.92E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
21	0.05661	1.73E-02	9.8E-04	1.05E-03	1.02E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
22	0.05817	1.73E-02	1.0E-03	1.05E-03	1.05E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
23	0.05966	1.73E-02	1.0E-03	1.05E-03	1.08E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
24	0.06105	1.73E-02	1.1E-03	1.05E-03	1.10E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
25	0.06231	1.73E-02	1.1E-03	1.05E-03	1.12E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
26	0.06341	1.73E-02	1.1E-03	1.05E-03	1.14E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
27	0.06434	1.73E-02	1.1E-03	1.05E-03	1.16E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
28	0.06507	1.73E-02	1.1E-03	1.05E-03	1.17E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
29	0.0656	1.73E-02	1.1E-03	1.05E-03	1.18E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
30	0.06593	1.73E-02	1.1E-03	1.05E-03	1.19E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
31	0.06606	1.73E-02	1.1E-03	1.05E-03	1.19E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.06601	1.73E-02	1.1E-03	1.05E-03	1.19E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
55	0.06308	1.73E-02	1.1E-03	1.05E-03	1.14E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
56	0.06482	1.73E-02	1.1E-03	1.05E-03	1.17E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
57	0.06645	1.73E-02	1.1E-03	1.05E-03	1.20E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
58	0.06793	1.73E-02	1.2E-03	1.05E-03	1.23E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
59	0.06921	1.73E-02	1.2E-03	1.05E-03	1.25E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
60	0.07028	1.73E-02	1.2E-03	1.05E-03	1.27E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
61	0.07112	1.73E-02	1.2E-03	1.05E-03	1.28E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
62	0.0717	1.73E-02	1.2E-03	1.05E-03	1.29E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
63	0.07205	1.73E-02	1.2E-03	1.05E-03	1.30E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
64	0.07216	1.73E-02	1.2E-03	1.05E-03	1.30E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
65	0.07206	1.73E-02	1.2E-03	1.05E-03	1.30E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
66	0.07179	1.73E-02	1.2E-03	1.05E-03	1.30E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
67	0.0321	1.73E-02	5.5E-04	1.05E-03	5.79E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
68	0.03321	1.73E-02	5.7E-04	1.05E-03	5.99E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
69	0.03437	1.73E-02	5.9E-04	1.05E-03	6.20E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
70	0.03558	1.73E-02	6.1E-04	1.05E-03	6.42E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
71	0.03683	1.73E-02	6.4E-04	1.05E-03	6.64E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
72	0.03817	1.73E-02	6.6E-04	1.05E-03	6.89E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
73	0.03957	1.73E-02	6.8E-04	1.05E-03	7.14E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
74	0.04103	1.73E-02	7.1E-04	1.05E-03	7.40E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
75	0.04257	1.73E-02	7.3E-04	1.05E-03	7.68E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
76	0.04418	1.73E-02	7.6E-04	1.05E-03	7.97E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
77	0.04588	1.73E-02	7.9E-04	1.05E-03	8.28E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
78	0.04767	1.73E-02	8.2E-04	1.05E-03	8.60E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
79	0.0577	1.73E-02	1.0E-03	1.05E-03	1.04E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
80	0.05989	1.73E-02	1.0E-03	1.05E-03	1.08E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
81	0.06212	1.73E-02	1.1E-03	1.05E-03	1.12E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
82	0.06435	1.73E-02	1.1E-03	1.05E-03	1.16E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
83	0.06657	1.73E-02	1.1E-03	1.05E-03	1.20E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
84	0.06872	1.73E-02	1.2E-03	1.05E-03	1.24E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	0.07079	1.73E-02	1.2E-03	1.05E-03	1.28E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
86	0.07272	1.73E-02	1.3E-03	1.05E-03	1.31E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
87	0.07446	1.73E-02	1.3E-03	1.05E-03	1.34E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
88	0.07597	1.73E-02	1.3E-03	1.05E-03	1.37E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
89	0.07722	1.73E-02	1.3E-03	1.05E-03	1.39E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
90	0.07817	1.73E-02	1.3E-03	1.05E-03	1.41E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
91	0.07883	1.73E-02	1.4E-03	1.05E-03	1.42E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
92	0.07919	1.73E-02	1.4E-03	1.05E-03	1.43E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
93	0.07927	1.73E-02	1.4E-03	1.05E-03	1.43E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
96	0.07858	1.73E-02	1.4E-03	1.05E-03	1.42E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
97	0.08009	1.73E-02	1.4E-03	1.05E-03	1.44E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
98	0.08391	1.73E-02	1.4E-03	1.05E-03	1.51E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
99	0.08539	1.73E-02	1.5E-03	1.05E-03	1.54E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
100	0.0865	1.73E-02	1.5E-03	1.05E-03	1.56E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
101	0.08723	1.73E-02	1.5E-03	1.05E-03	1.57E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
102	0.08758	1.73E-02	1.5E-03	1.05E-03	1.58E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
106	0.03331	1.73E-02	5.7E-04	1.05E-03	6.01E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
107	0.03466	1.73E-02	6.0E-04	1.05E-03	6.25E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
108	0.036	1.73E-02	6.2E-04	1.05E-03	6.50E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
109	0.0374	1.73E-02	6.5E-04	1.05E-03	6.75E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
110	0.03889	1.73E-02	6.7E-04	1.05E-03	7.02E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
111	0.04044	1.73E-02	7.0E-04	1.05E-03	7.30E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
112	0.0421	1.73E-02	7.3E-04	1.05E-03	7.60E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
113	0.04384	1.73E-02	7.6E-04	1.05E-03	7.91E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
114	0.04567	1.73E-02	7.9E-04	1.05E-03	8.24E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
115	0.04761	1.73E-02	8.2E-04	1.05E-03	8.59E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
116	0.04964	1.73E-02	8.6E-04	1.05E-03	8.96E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
117	0.05181	1.73E-02	8.9E-04	1.05E-03	9.35E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
118	0.0541	1.73E-02	9.3E-04	1.05E-03	9.76E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
124	0.03458	1.73E-02	6.0E-04	1.05E-03	6.24E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
125	0.03597	1.73E-02	6.2E-04	1.05E-03	6.49E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.03744	1.73E-02	6.5E-04	1.05E-03	6.75E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
127	0.03899	1.73E-02	6.7E-04	1.05E-03	7.03E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
128	0.04063	1.73E-02	7.0E-04	1.05E-03	7.33E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
129	0.04236	1.73E-02	7.3E-04	1.05E-03	7.64E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
130	0.04422	1.73E-02	7.6E-04	1.05E-03	7.98E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
131	0.04617	1.73E-02	8.0E-04	1.05E-03	8.33E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
132	0.04824	1.73E-02	8.3E-04	1.05E-03	8.70E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
133	0.05043	1.73E-02	8.7E-04	1.05E-03	9.10E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
134	0.05276	1.73E-02	9.1E-04	1.05E-03	9.52E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
135	0.05523	1.73E-02	9.5E-04	1.05E-03	9.96E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
136	0.05784	1.73E-02	1.0E-03	1.05E-03	1.04E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
137	0.06059	1.73E-02	1.0E-03	1.05E-03	1.09E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
138	0.06354	1.73E-02	1.1E-03	1.05E-03	1.15E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
141	0.03578	1.73E-02	6.2E-04	1.05E-03	6.46E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
142	0.0373	1.73E-02	6.4E-04	1.05E-03	6.73E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
143	0.03891	1.73E-02	6.7E-04	1.05E-03	7.02E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
144	0.04062	1.73E-02	7.0E-04	1.05E-03	7.33E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
145	0.04244	1.73E-02	7.3E-04	1.05E-03	7.66E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
146	0.04436	1.73E-02	7.7E-04	1.05E-03	8.00E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
147	0.04643	1.73E-02	8.0E-04	1.05E-03	8.38E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
148	0.04863	1.73E-02	8.4E-04	1.05E-03	8.77E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
149	0.05097	1.73E-02	8.8E-04	1.05E-03	9.20E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
150	0.05345	1.73E-02	9.2E-04	1.05E-03	9.64E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
151	0.05611	1.73E-02	9.7E-04	1.05E-03	1.01E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
152	0.05894	1.73E-02	1.0E-03	1.05E-03	1.06E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
153	0.06195	1.73E-02	1.1E-03	1.05E-03	1.12E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
154	0.06514	1.73E-02	1.1E-03	1.05E-03	1.18E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
155	0.06855	1.73E-02	1.2E-03	1.05E-03	1.24E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
164	0.07017	1.73E-02	1.2E-03	1.05E-03	1.27E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
165	0.07416	1.73E-02	1.3E-03	1.05E-03	1.34E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
166	0.07845	1.73E-02	1.4E-03	1.05E-03	1.42E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	0.07572	1.73E-02	1.3E-03	1.05E-03	1.37E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
179	0.08043	1.73E-02	1.4E-03	1.05E-03	1.45E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
180	0.08553	1.73E-02	1.5E-03	1.05E-03	1.54E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
192	0.08181	1.73E-02	1.4E-03	1.05E-03	1.48E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
193	0.08742	1.73E-02	1.5E-03	1.05E-03	1.58E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
194	0.09352	1.73E-02	1.6E-03	1.05E-03	1.69E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
207	0.08842	1.73E-02	1.5E-03	1.05E-03	1.60E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
208	0.09511	1.73E-02	1.6E-03	1.05E-03	1.72E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
209	0.10248	1.73E-02	1.8E-03	1.05E-03	1.85E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
223	0.09551	1.73E-02	1.6E-03	1.05E-03	1.72E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
224	0.10349	1.73E-02	1.8E-03	1.05E-03	1.87E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
225	0.1124	1.73E-02	1.9E-03	1.05E-03	2.03E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
239	0.103	1.73E-02	1.8E-03	1.05E-03	1.86E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
240	0.11251	1.73E-02	1.9E-03	1.05E-03	2.03E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
241	0.12331	1.73E-02	2.1E-03	1.05E-03	2.22E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
255	0.11074	1.73E-02	1.9E-03	1.05E-03	2.00E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
256	0.12199	1.73E-02	2.1E-03	1.05E-03	2.20E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
272	0.1185	1.73E-02	2.0E-03	1.05E-03	2.14E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
273	0.13169	1.73E-02	2.3E-03	1.05E-03	2.38E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
289	0.12602	1.73E-02	2.2E-03	1.05E-03	2.27E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
290	0.14123	1.73E-02	2.4E-03	1.05E-03	2.55E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
306	0.13294	1.73E-02	2.3E-03	1.05E-03	2.40E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
307	0.15016	1.73E-02	2.6E-03	1.05E-03	2.71E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
323	0.1389	1.73E-02	2.4E-03	1.05E-03	2.51E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
324	0.15795	1.73E-02	2.7E-03	1.05E-03	2.85E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
342	0.14356	1.73E-02	2.5E-03	1.05E-03	2.59E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
343	0.16411	1.73E-02	2.8E-03	1.05E-03	2.96E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
344	0.18982	1.73E-02	3.3E-03	1.05E-03	3.42E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
356	0.14667	1.73E-02	2.5E-03	1.05E-03	2.65E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
357	0.16825	1.73E-02	2.9E-03	1.05E-03	3.04E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
358	0.19544	1.73E-02	3.4E-03	1.05E-03	3.53E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.1481	1.73E-02	2.6E-03	1.05E-03	2.67E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
371	0.17021	1.73E-02	2.9E-03	1.05E-03	3.07E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
372	0.19813	1.73E-02	3.4E-03	1.05E-03	3.57E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
383	0.14788	1.73E-02	2.6E-03	1.05E-03	2.67E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
384	0.17002	1.73E-02	2.9E-03	1.05E-03	3.07E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
385	0.19796	1.73E-02	3.4E-03	1.05E-03	3.57E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
396	0.14614	1.73E-02	2.5E-03	1.05E-03	2.64E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
397	0.16784	1.73E-02	2.9E-03	1.05E-03	3.03E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
398	0.19517	1.73E-02	3.4E-03	1.05E-03	3.52E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
399	0.23024	1.73E-02	4.0E-03	1.05E-03	4.15E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
411	0.14308	1.73E-02	2.5E-03	1.05E-03	2.58E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
412	0.16397	1.73E-02	2.8E-03	1.05E-03	2.96E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
413	0.19015	1.73E-02	3.3E-03	1.05E-03	3.43E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
414	0.22354	1.73E-02	3.9E-03	1.05E-03	4.03E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
426	0.13895	1.73E-02	2.4E-03	1.05E-03	2.51E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
427	0.15871	1.73E-02	2.7E-03	1.05E-03	2.86E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
428	0.18331	1.73E-02	3.2E-03	1.05E-03	3.31E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
429	0.21446	1.73E-02	3.7E-03	1.05E-03	3.87E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
439	0.13398	1.73E-02	2.3E-03	1.05E-03	2.42E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
440	0.15241	1.73E-02	2.6E-03	1.05E-03	2.75E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
441	0.17516	1.73E-02	3.0E-03	1.05E-03	3.16E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
442	0.20368	1.73E-02	3.5E-03	1.05E-03	3.67E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
443	0.2401	1.73E-02	4.1E-03	1.05E-03	4.33E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
454	0.12844	1.73E-02	2.2E-03	1.05E-03	2.32E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
455	0.1454	1.73E-02	2.5E-03	1.05E-03	2.62E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
456	0.16613	1.73E-02	2.9E-03	1.05E-03	3.00E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
457	0.19185	1.73E-02	3.3E-03	1.05E-03	3.46E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
458	0.22431	1.73E-02	3.9E-03	1.05E-03	4.05E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
469	0.12254	1.73E-02	2.1E-03	1.05E-03	2.21E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
470	0.13798	1.73E-02	2.4E-03	1.05E-03	2.49E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
471	0.15667	1.73E-02	2.7E-03	1.05E-03	2.83E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.1796	1.73E-02	3.1E-03	1.05E-03	3.24E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
473	0.20816	1.73E-02	3.6E-03	1.05E-03	3.76E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
489	0.11649	1.73E-02	2.0E-03	1.05E-03	2.10E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
490	0.13044	1.73E-02	2.3E-03	1.05E-03	2.35E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
491	0.14715	1.73E-02	2.5E-03	1.05E-03	2.65E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
492	0.16742	1.73E-02	2.9E-03	1.05E-03	3.02E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
493	0.19235	1.73E-02	3.3E-03	1.05E-03	3.47E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
494	0.22355	1.73E-02	3.9E-03	1.05E-03	4.03E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
509	0.11045	1.73E-02	1.9E-03	1.05E-03	1.99E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
510	0.12297	1.73E-02	2.1E-03	1.05E-03	2.22E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
511	0.13783	1.73E-02	2.4E-03	1.05E-03	2.49E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
512	0.15566	1.73E-02	2.7E-03	1.05E-03	2.81E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
513	0.17731	1.73E-02	3.1E-03	1.05E-03	3.20E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
514	0.20404	1.73E-02	3.5E-03	1.05E-03	3.68E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
515	0.2807	1.73E-02	4.8E-03	1.05E-03	5.06E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
516	0.33697	1.73E-02	5.8E-03	1.05E-03	6.08E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
517	0.41299	1.73E-02	7.1E-03	1.05E-03	7.45E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
518	0.51796	1.73E-02	8.9E-03	1.05E-03	9.35E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
519	0.66655	1.73E-02	1.2E-02	1.05E-03	1.20E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
528	0.10452	1.73E-02	1.8E-03	1.05E-03	1.89E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
529	0.11573	1.73E-02	2.0E-03	1.05E-03	2.09E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
530	0.12889	1.73E-02	2.2E-03	1.05E-03	2.33E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
531	0.14452	1.73E-02	2.5E-03	1.05E-03	2.61E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
532	0.16329	1.73E-02	2.8E-03	1.05E-03	2.95E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
533	0.18614	1.73E-02	3.2E-03	1.05E-03	3.36E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
534	0.24993	1.73E-02	4.3E-03	1.05E-03	4.51E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
535	0.29541	1.73E-02	5.1E-03	1.05E-03	5.33E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
536	0.35583	1.73E-02	6.1E-03	1.05E-03	6.42E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
537	0.43528	1.73E-02	7.5E-03	1.05E-03	7.85E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
538	0.54262	1.73E-02	9.4E-03	1.05E-03	9.79E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
547	0.09878	1.73E-02	1.7E-03	1.05E-03	1.78E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

		Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.10878	1.73E-02	1.9E-03	1.05E-03	1.96E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
549	0.12042	1.73E-02	2.1E-03	1.05E-03	2.17E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
550	0.1341	1.73E-02	2.3E-03	1.05E-03	2.42E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
551	0.15035	1.73E-02	2.6E-03	1.05E-03	2.71E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
552	0.16989	1.73E-02	2.9E-03	1.05E-03	3.07E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
553	0.19376	1.73E-02	3.3E-03	1.05E-03	3.50E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
554	0.22323	1.73E-02	3.9E-03	1.05E-03	4.03E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
555	0.2606	1.73E-02	4.5E-03	1.05E-03	4.70E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
556	0.30907	1.73E-02	5.3E-03	1.05E-03	5.58E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
557	0.37089	1.73E-02	6.4E-03	1.05E-03	6.69E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
558	0.45244	1.73E-02	7.8E-03	1.05E-03	8.16E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
559	0.55409	1.73E-02	9.6E-03	1.05E-03	1.00E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
567	0.09328	1.73E-02	1.6E-03	1.05E-03	1.68E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
568	0.10218	1.73E-02	1.8E-03	1.05E-03	1.84E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
569	0.11246	1.73E-02	1.9E-03	1.05E-03	2.03E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
570	0.12444	1.73E-02	2.1E-03	1.05E-03	2.25E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
571	0.13852	1.73E-02	2.4E-03	1.05E-03	2.50E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
572	0.15529	1.73E-02	2.7E-03	1.05E-03	2.80E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
573	0.17553	1.73E-02	3.0E-03	1.05E-03	3.17E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
574	0.2311	1.73E-02	4.0E-03	1.05E-03	4.17E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
575	0.27035	1.73E-02	4.7E-03	1.05E-03	4.88E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
576	0.32012	1.73E-02	5.5E-03	1.05E-03	5.78E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
577	0.38282	1.73E-02	6.6E-03	1.05E-03	6.91E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
578	0.45874	1.73E-02	7.9E-03	1.05E-03	8.28E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
586	0.08804	1.73E-02	1.5E-03	1.05E-03	1.59E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
587	0.09595	1.73E-02	1.7E-03	1.05E-03	1.73E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
588	0.10503	1.73E-02	1.8E-03	1.05E-03	1.89E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
589	0.11551	1.73E-02	2.0E-03	1.05E-03	2.08E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
590	0.12773	1.73E-02	2.2E-03	1.05E-03	2.30E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
591	0.14215	1.73E-02	2.5E-03	1.05E-03	2.56E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
592	0.15939	1.73E-02	2.8E-03	1.05E-03	2.88E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

		Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.20599	1.73E-02	3.6E-03	1.05E-03	3.72E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
594	0.2383	1.73E-02	4.1E-03	1.05E-03	4.30E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
595	0.2782	1.73E-02	4.8E-03	1.05E-03	5.02E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
596	0.32718	1.73E-02	5.6E-03	1.05E-03	5.90E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
597	0.3851	1.73E-02	6.6E-03	1.05E-03	6.95E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
345	0.2227	1.73E-02	3.8E-03	1.05E-03	4.02E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
346	0.26583	1.73E-02	4.6E-03	1.05E-03	4.80E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
347	0.32435	1.73E-02	5.6E-03	1.05E-03	5.85E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
348	0.40749	1.73E-02	7.0E-03	1.05E-03	7.35E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
359	0.23043	1.73E-02	4.0E-03	1.05E-03	4.16E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
360	0.27662	1.73E-02	4.8E-03	1.05E-03	4.99E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
361	0.33997	1.73E-02	5.9E-03	1.05E-03	6.13E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
362	0.42974	1.73E-02	7.4E-03	1.05E-03	7.75E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
363	0.56883	1.73E-02	9.8E-03	1.05E-03	1.03E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
373	0.28188	1.73E-02	4.9E-03	1.05E-03	5.09E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
374	0.34692	1.73E-02	6.0E-03	1.05E-03	6.26E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
375	0.43896	1.73E-02	7.6E-03	1.05E-03	7.92E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
376	0.57944	1.73E-02	1.0E-02	1.05E-03	1.05E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
386	0.28155	1.73E-02	4.9E-03	1.05E-03	5.08E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
387	0.3462	1.73E-02	6.0E-03	1.05E-03	6.25E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
388	0.43672	1.73E-02	7.5E-03	1.05E-03	7.88E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
389	0.57256	1.73E-02	9.9E-03	1.05E-03	1.03E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
390	0.79338	1.73E-02	1.4E-02	1.05E-03	1.43E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
400	0.27635	1.73E-02	4.8E-03	1.05E-03	4.99E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
401	0.33816	1.73E-02	5.8E-03	1.05E-03	6.10E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
402	0.4252	1.73E-02	7.3E-03	1.05E-03	7.67E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
403	0.55138	1.73E-02	9.5E-03	1.05E-03	9.95E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
404	0.74962	1.73E-02	1.3E-02	1.05E-03	1.35E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
415	0.26709	1.73E-02	4.6E-03	1.05E-03	4.82E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
416	0.32536	1.73E-02	5.6E-03	1.05E-03	5.87E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
417	0.40519	1.73E-02	7.0E-03	1.05E-03	7.31E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.52201	1.73E-02	9.0E-03	1.05E-03	9.42E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
419	0.6999	1.73E-02	1.2E-02	1.05E-03	1.26E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
420	0.9853	1.73E-02	1.7E-02	1.05E-03	1.78E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
430	0.3078	1.73E-02	5.3E-03	1.05E-03	5.55E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
431	0.38049	1.73E-02	6.6E-03	1.05E-03	6.86E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
432	0.48348	1.73E-02	8.3E-03	1.05E-03	8.72E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
433	0.63759	1.73E-02	1.1E-02	1.05E-03	1.15E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
434	0.88507	1.73E-02	1.5E-02	1.05E-03	1.60E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
444	0.28768	1.73E-02	5.0E-03	1.05E-03	5.19E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
445	0.35159	1.73E-02	6.1E-03	1.05E-03	6.34E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
446	0.44074	1.73E-02	7.6E-03	1.05E-03	7.95E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
447	0.57096	1.73E-02	9.9E-03	1.05E-03	1.03E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
448	0.77323	1.73E-02	1.3E-02	1.05E-03	1.40E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
459	0.32138	1.73E-02	5.5E-03	1.05E-03	5.80E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
460	0.39688	1.73E-02	6.9E-03	1.05E-03	7.16E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
461	0.50434	1.73E-02	8.7E-03	1.05E-03	9.10E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
462	0.66519	1.73E-02	1.1E-02	1.05E-03	1.20E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
463	0.9199	1.73E-02	1.6E-02	1.05E-03	1.66E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
474	0.29149	1.73E-02	5.0E-03	1.05E-03	5.26E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
475	0.3544	1.73E-02	6.1E-03	1.05E-03	6.39E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
476	0.44175	1.73E-02	7.6E-03	1.05E-03	7.97E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
477	0.56696	1.73E-02	9.8E-03	1.05E-03	1.02E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
478	0.75502	1.73E-02	1.3E-02	1.05E-03	1.36E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
495	0.26339	1.73E-02	4.5E-03	1.05E-03	4.75E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
496	0.31542	1.73E-02	5.4E-03	1.05E-03	5.69E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
497	0.38568	1.73E-02	6.7E-03	1.05E-03	6.96E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
498	0.48315	1.73E-02	8.3E-03	1.05E-03	8.72E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
499	0.62238	1.73E-02	1.1E-02	1.05E-03	1.12E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
500	0.82822	1.73E-02	1.4E-02	1.05E-03	1.49E-05	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	0.06663	1.73E-02	1.2E-03	2.50E-04	2.88E-07	0.06	1.15E-02	1.99E-10	1.0E+06	2.0E-04
140	0.0699	1.73E-02	1.2E-03	2.50E-04	3.02E-07	0.06	1.15E-02	2.09E-10	1.0E+06	2.1E-04
156	0.07218	1.73E-02	1.2E-03	2.50E-04	3.12E-07	0.06	1.15E-02	2.16E-10	1.0E+06	2.2E-04
157	0.07602	1.73E-02	1.3E-03	2.50E-04	3.28E-07	0.06	1.15E-02	2.27E-10	1.0E+06	2.3E-04
158	0.08009	1.73E-02	1.4E-03	2.50E-04	3.46E-07	0.06	1.15E-02	2.39E-10	1.0E+06	2.4E-04
159	0.08436	1.73E-02	1.5E-03	2.50E-04	3.64E-07	0.06	1.15E-02	2.52E-10	1.0E+06	2.5E-04
160	0.08879	1.73E-02	1.5E-03	2.50E-04	3.84E-07	0.06	1.15E-02	2.65E-10	1.0E+06	2.7E-04
161	0.09804	1.73E-02	1.7E-03	2.50E-04	4.24E-07	0.06	1.15E-02	2.93E-10	1.0E+06	2.9E-04
162	0.10269	1.73E-02	1.8E-03	2.50E-04	4.44E-07	0.06	1.15E-02	3.07E-10	1.0E+06	3.1E-04
163	0.10719	1.73E-02	1.9E-03	2.50E-04	4.63E-07	0.06	1.15E-02	3.20E-10	1.0E+06	3.2E-04
167	0.08296	1.73E-02	1.4E-03	2.50E-04	3.58E-07	0.06	1.15E-02	2.48E-10	1.0E+06	2.5E-04
168	0.08789	1.73E-02	1.5E-03	2.50E-04	3.80E-07	0.06	1.15E-02	2.63E-10	1.0E+06	2.6E-04
169	0.09303	1.73E-02	1.6E-03	2.50E-04	4.02E-07	0.06	1.15E-02	2.78E-10	1.0E+06	2.8E-04
170	0.09843	1.73E-02	1.7E-03	2.50E-04	4.25E-07	0.06	1.15E-02	2.94E-10	1.0E+06	2.9E-04
171	0.10406	1.73E-02	1.8E-03	2.50E-04	4.50E-07	0.06	1.15E-02	3.11E-10	1.0E+06	3.1E-04
172	0.10985	1.73E-02	1.9E-03	2.50E-04	4.75E-07	0.06	1.15E-02	3.28E-10	1.0E+06	3.3E-04
173	0.11559	1.73E-02	2.0E-03	2.50E-04	4.99E-07	0.06	1.15E-02	3.45E-10	1.0E+06	3.5E-04
174	0.12128	1.73E-02	2.1E-03	2.50E-04	5.24E-07	0.06	1.15E-02	3.62E-10	1.0E+06	3.6E-04
175	0.12668	1.73E-02	2.2E-03	2.50E-04	5.47E-07	0.06	1.15E-02	3.78E-10	1.0E+06	3.8E-04
176	0.13159	1.73E-02	2.3E-03	2.50E-04	5.68E-07	0.06	1.15E-02	3.93E-10	1.0E+06	3.9E-04
177	0.13573	1.73E-02	2.3E-03	2.50E-04	5.86E-07	0.06	1.15E-02	4.05E-10	1.0E+06	4.1E-04
181	0.0969	1.73E-02	1.7E-03	2.50E-04	4.19E-07	0.06	1.15E-02	2.89E-10	1.0E+06	2.9E-04
182	0.10314	1.73E-02	1.8E-03	2.50E-04	4.46E-07	0.06	1.15E-02	3.08E-10	1.0E+06	3.1E-04
183	0.10985	1.73E-02	1.9E-03	2.50E-04	4.75E-07	0.06	1.15E-02	3.28E-10	1.0E+06	3.3E-04
184	0.11685	1.73E-02	2.0E-03	2.50E-04	5.05E-07	0.06	1.15E-02	3.49E-10	1.0E+06	3.5E-04
185	0.12414	1.73E-02	2.1E-03	2.50E-04	5.36E-07	0.06	1.15E-02	3.71E-10	1.0E+06	3.7E-04
186	0.13152	1.73E-02	2.3E-03	2.50E-04	5.68E-07	0.06	1.15E-02	3.93E-10	1.0E+06	3.9E-04
187	0.13868	1.73E-02	2.4E-03	2.50E-04	5.99E-07	0.06	1.15E-02	4.14E-10	1.0E+06	4.1E-04
188	0.14569	1.73E-02	2.5E-03	2.50E-04	6.29E-07	0.06	1.15E-02	4.35E-10	1.0E+06	4.4E-04
189	0.15206	1.73E-02	2.6E-03	2.50E-04	6.57E-07	0.06	1.15E-02	4.54E-10	1.0E+06	4.5E-04
190	0.15738	1.73E-02	2.7E-03	2.50E-04	6.80E-07	0.06	1.15E-02	4.70E-10	1.0E+06	4.7E-04

Via Oro
Site Prep

		Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	0.16146	1.73E-02	2.8E-03	2.50E-04	6.98E-07	0.06	1.15E-02	4.82E-10	1.0E+06	4.8E-04
195	0.10736	1.73E-02	1.9E-03	2.50E-04	4.64E-07	0.06	1.15E-02	3.21E-10	1.0E+06	3.2E-04
196	0.11509	1.73E-02	2.0E-03	2.50E-04	4.97E-07	0.06	1.15E-02	3.44E-10	1.0E+06	3.4E-04
197	0.12341	1.73E-02	2.1E-03	2.50E-04	5.33E-07	0.06	1.15E-02	3.69E-10	1.0E+06	3.7E-04
198	0.13233	1.73E-02	2.3E-03	2.50E-04	5.72E-07	0.06	1.15E-02	3.95E-10	1.0E+06	4.0E-04
199	0.14166	1.73E-02	2.4E-03	2.50E-04	6.12E-07	0.06	1.15E-02	4.23E-10	1.0E+06	4.2E-04
200	0.15125	1.73E-02	2.6E-03	2.50E-04	6.53E-07	0.06	1.15E-02	4.52E-10	1.0E+06	4.5E-04
201	0.16083	1.73E-02	2.8E-03	2.50E-04	6.95E-07	0.06	1.15E-02	4.80E-10	1.0E+06	4.8E-04
202	0.17001	1.73E-02	2.9E-03	2.50E-04	7.34E-07	0.06	1.15E-02	5.08E-10	1.0E+06	5.1E-04
203	0.17832	1.73E-02	3.1E-03	2.50E-04	7.70E-07	0.06	1.15E-02	5.33E-10	1.0E+06	5.3E-04
204	0.1853	1.73E-02	3.2E-03	2.50E-04	8.01E-07	0.06	1.15E-02	5.54E-10	1.0E+06	5.5E-04
205	0.19058	1.73E-02	3.3E-03	2.50E-04	8.23E-07	0.06	1.15E-02	5.69E-10	1.0E+06	5.7E-04
206	0.19393	1.73E-02	3.3E-03	2.50E-04	8.38E-07	0.06	1.15E-02	5.79E-10	1.0E+06	5.8E-04
210	0.11044	1.73E-02	1.9E-03	2.50E-04	4.77E-07	0.06	1.15E-02	3.30E-10	1.0E+06	3.3E-04
211	0.11946	1.73E-02	2.1E-03	2.50E-04	5.16E-07	0.06	1.15E-02	3.57E-10	1.0E+06	3.6E-04
212	0.12914	1.73E-02	2.2E-03	2.50E-04	5.58E-07	0.06	1.15E-02	3.86E-10	1.0E+06	3.9E-04
213	0.13977	1.73E-02	2.4E-03	2.50E-04	6.04E-07	0.06	1.15E-02	4.18E-10	1.0E+06	4.2E-04
214	0.16345	1.73E-02	2.8E-03	2.50E-04	7.06E-07	0.06	1.15E-02	4.88E-10	1.0E+06	4.9E-04
215	0.17619	1.73E-02	3.0E-03	2.50E-04	7.61E-07	0.06	1.15E-02	5.26E-10	1.0E+06	5.3E-04
216	0.18908	1.73E-02	3.3E-03	2.50E-04	8.17E-07	0.06	1.15E-02	5.65E-10	1.0E+06	5.6E-04
217	0.20154	1.73E-02	3.5E-03	2.50E-04	8.71E-07	0.06	1.15E-02	6.02E-10	1.0E+06	6.0E-04
218	0.21285	1.73E-02	3.7E-03	2.50E-04	9.20E-07	0.06	1.15E-02	6.36E-10	1.0E+06	6.4E-04
219	0.22229	1.73E-02	3.8E-03	2.50E-04	9.60E-07	0.06	1.15E-02	6.64E-10	1.0E+06	6.6E-04
220	0.22928	1.73E-02	4.0E-03	2.50E-04	9.91E-07	0.06	1.15E-02	6.85E-10	1.0E+06	6.8E-04
221	0.23347	1.73E-02	4.0E-03	2.50E-04	1.01E-06	0.06	1.15E-02	6.97E-10	1.0E+06	7.0E-04
222	0.23463	1.73E-02	4.1E-03	2.50E-04	1.01E-06	0.06	1.15E-02	7.01E-10	1.0E+06	7.0E-04
226	0.12234	1.73E-02	2.1E-03	2.50E-04	5.29E-07	0.06	1.15E-02	3.65E-10	1.0E+06	3.7E-04
227	0.13352	1.73E-02	2.3E-03	2.50E-04	5.77E-07	0.06	1.15E-02	3.99E-10	1.0E+06	4.0E-04
228	0.14584	1.73E-02	2.5E-03	2.50E-04	6.30E-07	0.06	1.15E-02	4.36E-10	1.0E+06	4.4E-04
229	0.15957	1.73E-02	2.8E-03	2.50E-04	6.89E-07	0.06	1.15E-02	4.77E-10	1.0E+06	4.8E-04
230	0.17462	1.73E-02	3.0E-03	2.50E-04	7.54E-07	0.06	1.15E-02	5.22E-10	1.0E+06	5.2E-04

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	0.19059	1.73E-02	3.3E-03	2.50E-04	8.23E-07	0.06	1.15E-02	5.69E-10	1.0E+06	5.7E-04
232	0.20809	1.73E-02	3.6E-03	2.50E-04	8.99E-07	0.06	1.15E-02	6.22E-10	1.0E+06	6.2E-04
233	0.24383	1.73E-02	4.2E-03	2.50E-04	1.05E-06	0.06	1.15E-02	7.28E-10	1.0E+06	7.3E-04
234	0.25978	1.73E-02	4.5E-03	2.50E-04	1.12E-06	0.06	1.15E-02	7.76E-10	1.0E+06	7.8E-04
235	0.27299	1.73E-02	4.7E-03	2.50E-04	1.18E-06	0.06	1.15E-02	8.15E-10	1.0E+06	8.2E-04
236	0.28252	1.73E-02	4.9E-03	2.50E-04	1.22E-06	0.06	1.15E-02	8.44E-10	1.0E+06	8.4E-04
237	0.28784	1.73E-02	5.0E-03	2.50E-04	1.24E-06	0.06	1.15E-02	8.60E-10	1.0E+06	8.6E-04
238	0.28884	1.73E-02	5.0E-03	2.50E-04	1.25E-06	0.06	1.15E-02	8.63E-10	1.0E+06	8.6E-04
242	0.13558	1.73E-02	2.3E-03	2.50E-04	5.86E-07	0.06	1.15E-02	4.05E-10	1.0E+06	4.0E-04
243	0.1496	1.73E-02	2.6E-03	2.50E-04	6.46E-07	0.06	1.15E-02	4.47E-10	1.0E+06	4.5E-04
244	0.16486	1.73E-02	2.8E-03	2.50E-04	7.12E-07	0.06	1.15E-02	4.92E-10	1.0E+06	4.9E-04
245	0.18312	1.73E-02	3.2E-03	2.50E-04	7.91E-07	0.06	1.15E-02	5.47E-10	1.0E+06	5.5E-04
246	0.20356	1.73E-02	3.5E-03	2.50E-04	8.79E-07	0.06	1.15E-02	6.08E-10	1.0E+06	6.1E-04
247	0.22624	1.73E-02	3.9E-03	2.50E-04	9.77E-07	0.06	1.15E-02	6.76E-10	1.0E+06	6.8E-04
248	0.25101	1.73E-02	4.3E-03	2.50E-04	1.08E-06	0.06	1.15E-02	7.50E-10	1.0E+06	7.5E-04
249	0.30237	1.73E-02	5.2E-03	2.50E-04	1.31E-06	0.06	1.15E-02	9.03E-10	1.0E+06	9.0E-04
250	0.32558	1.73E-02	5.6E-03	2.50E-04	1.41E-06	0.06	1.15E-02	9.73E-10	1.0E+06	9.7E-04
251	0.34508	1.73E-02	6.0E-03	2.50E-04	1.49E-06	0.06	1.15E-02	1.03E-09	1.0E+06	1.0E-03
252	0.35899	1.73E-02	6.2E-03	2.50E-04	1.55E-06	0.06	1.15E-02	1.07E-09	1.0E+06	1.1E-03
253	0.3657	1.73E-02	6.3E-03	2.50E-04	1.58E-06	0.06	1.15E-02	1.09E-09	1.0E+06	1.1E-03
254	0.36553	1.73E-02	6.3E-03	2.50E-04	1.58E-06	0.06	1.15E-02	1.09E-09	1.0E+06	1.1E-03
257	0.15013	1.73E-02	2.6E-03	2.50E-04	6.49E-07	0.06	1.15E-02	4.48E-10	1.0E+06	4.5E-04
258	0.16778	1.73E-02	2.9E-03	2.50E-04	7.25E-07	0.06	1.15E-02	5.01E-10	1.0E+06	5.0E-04
259	0.18826	1.73E-02	3.2E-03	2.50E-04	8.13E-07	0.06	1.15E-02	5.62E-10	1.0E+06	5.6E-04
260	0.21119	1.73E-02	3.6E-03	2.50E-04	9.12E-07	0.06	1.15E-02	6.31E-10	1.0E+06	6.3E-04
261	0.24033	1.73E-02	4.1E-03	2.50E-04	1.04E-06	0.06	1.15E-02	7.18E-10	1.0E+06	7.2E-04
262	0.27257	1.73E-02	4.7E-03	2.50E-04	1.18E-06	0.06	1.15E-02	8.14E-10	1.0E+06	8.1E-04
263	0.30901	1.73E-02	5.3E-03	2.50E-04	1.33E-06	0.06	1.15E-02	9.23E-10	1.0E+06	9.2E-04
264	0.38883	1.73E-02	6.7E-03	2.50E-04	1.68E-06	0.06	1.15E-02	1.16E-09	1.0E+06	1.2E-03
265	0.42538	1.73E-02	7.3E-03	2.50E-04	1.84E-06	0.06	1.15E-02	1.27E-09	1.0E+06	1.3E-03
266	0.45533	1.73E-02	7.9E-03	2.50E-04	1.97E-06	0.06	1.15E-02	1.36E-09	1.0E+06	1.4E-03

Via Oro
Site Prep

		Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	0.47529	1.73E-02	8.2E-03	2.50E-04	2.05E-06	0.06	1.15E-02	1.42E-09	1.0E+06	1.4E-03
268	0.48327	1.73E-02	8.3E-03	2.50E-04	2.09E-06	0.06	1.15E-02	1.44E-09	1.0E+06	1.4E-03
269	0.47972	1.73E-02	8.3E-03	2.50E-04	2.07E-06	0.06	1.15E-02	1.43E-09	1.0E+06	1.4E-03
270	0.41534	1.73E-02	7.2E-03	2.50E-04	1.79E-06	0.06	1.15E-02	1.24E-09	1.0E+06	1.2E-03
271	0.38572	1.73E-02	6.7E-03	2.50E-04	1.67E-06	0.06	1.15E-02	1.15E-09	1.0E+06	1.2E-03
274	0.16569	1.73E-02	2.9E-03	2.50E-04	7.16E-07	0.06	1.15E-02	4.95E-10	1.0E+06	4.9E-04
275	0.18778	1.73E-02	3.2E-03	2.50E-04	8.11E-07	0.06	1.15E-02	5.61E-10	1.0E+06	5.6E-04
276	0.21449	1.73E-02	3.7E-03	2.50E-04	9.27E-07	0.06	1.15E-02	6.41E-10	1.0E+06	6.4E-04
277	0.2458	1.73E-02	4.2E-03	2.50E-04	1.06E-06	0.06	1.15E-02	7.34E-10	1.0E+06	7.3E-04
278	0.28575	1.73E-02	4.9E-03	2.50E-04	1.23E-06	0.06	1.15E-02	8.54E-10	1.0E+06	8.5E-04
279	0.33325	1.73E-02	5.8E-03	2.50E-04	1.44E-06	0.06	1.15E-02	9.95E-10	1.0E+06	1.0E-03
280	0.38759	1.73E-02	6.7E-03	2.50E-04	1.67E-06	0.06	1.15E-02	1.16E-09	1.0E+06	1.2E-03
281	0.52116	1.73E-02	9.0E-03	2.50E-04	2.25E-06	0.06	1.15E-02	1.56E-09	1.0E+06	1.6E-03
282	0.58294	1.73E-02	1.0E-02	2.50E-04	2.52E-06	0.06	1.15E-02	1.74E-09	1.0E+06	1.7E-03
283	0.63209	1.73E-02	1.1E-02	2.50E-04	2.73E-06	0.06	1.15E-02	1.89E-09	1.0E+06	1.9E-03
284	0.66432	1.73E-02	1.1E-02	2.50E-04	2.87E-06	0.06	1.15E-02	1.98E-09	1.0E+06	2.0E-03
285	0.67476	1.73E-02	1.2E-02	2.50E-04	2.92E-06	0.06	1.15E-02	2.02E-09	1.0E+06	2.0E-03
286	0.66044	1.73E-02	1.1E-02	2.50E-04	2.85E-06	0.06	1.15E-02	1.97E-09	1.0E+06	2.0E-03
287	0.52728	1.73E-02	9.1E-03	2.50E-04	2.28E-06	0.06	1.15E-02	1.58E-09	1.0E+06	1.6E-03
288	0.4762	1.73E-02	8.2E-03	2.50E-04	2.06E-06	0.06	1.15E-02	1.42E-09	1.0E+06	1.4E-03
291	0.1817	1.73E-02	3.1E-03	2.50E-04	7.85E-07	0.06	1.15E-02	5.43E-10	1.0E+06	5.4E-04
292	0.20901	1.73E-02	3.6E-03	2.50E-04	9.03E-07	0.06	1.15E-02	6.24E-10	1.0E+06	6.2E-04
293	0.24319	1.73E-02	4.2E-03	2.50E-04	1.05E-06	0.06	1.15E-02	7.26E-10	1.0E+06	7.3E-04
294	0.28587	1.73E-02	4.9E-03	2.50E-04	1.24E-06	0.06	1.15E-02	8.54E-10	1.0E+06	8.5E-04
295	0.34053	1.73E-02	5.9E-03	2.50E-04	1.47E-06	0.06	1.15E-02	1.02E-09	1.0E+06	1.0E-03
296	0.4128	1.73E-02	7.1E-03	2.50E-04	1.78E-06	0.06	1.15E-02	1.23E-09	1.0E+06	1.2E-03
297	0.50796	1.73E-02	8.8E-03	2.50E-04	2.19E-06	0.06	1.15E-02	1.52E-09	1.0E+06	1.5E-03
298	0.7543	1.73E-02	1.3E-02	2.50E-04	3.26E-06	0.06	1.15E-02	2.25E-09	1.0E+06	2.3E-03
299	0.87558	1.73E-02	1.5E-02	2.50E-04	3.78E-06	0.06	1.15E-02	2.62E-09	1.0E+06	2.6E-03
300	0.96299	1.73E-02	1.7E-02	2.50E-04	4.16E-06	0.06	1.15E-02	2.88E-09	1.0E+06	2.9E-03
301	1.01683	1.73E-02	1.8E-02	2.50E-04	4.39E-06	0.06	1.15E-02	3.04E-09	1.0E+06	3.0E-03

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	1.02096	1.73E-02	1.8E-02	2.50E-04	4.41E-06	0.06	1.15E-02	3.05E-09	1.0E+06	3.0E-03
303	0.97241	1.73E-02	1.7E-02	2.50E-04	4.20E-06	0.06	1.15E-02	2.90E-09	1.0E+06	2.9E-03
304	0.67919	1.73E-02	1.2E-02	2.50E-04	2.93E-06	0.06	1.15E-02	2.03E-09	1.0E+06	2.0E-03
305	0.58734	1.73E-02	1.0E-02	2.50E-04	2.54E-06	0.06	1.15E-02	1.75E-09	1.0E+06	1.8E-03
308	0.1973	1.73E-02	3.4E-03	2.50E-04	8.52E-07	0.06	1.15E-02	5.89E-10	1.0E+06	5.9E-04
309	0.2303	1.73E-02	4.0E-03	2.50E-04	9.95E-07	0.06	1.15E-02	6.88E-10	1.0E+06	6.9E-04
310	0.27297	1.73E-02	4.7E-03	2.50E-04	1.18E-06	0.06	1.15E-02	8.15E-10	1.0E+06	8.2E-04
311	0.32907	1.73E-02	5.7E-03	2.50E-04	1.42E-06	0.06	1.15E-02	9.83E-10	1.0E+06	9.8E-04
312	0.40771	1.73E-02	7.0E-03	2.50E-04	1.76E-06	0.06	1.15E-02	1.22E-09	1.0E+06	1.2E-03
313	0.51965	1.73E-02	9.0E-03	2.50E-04	2.24E-06	0.06	1.15E-02	1.55E-09	1.0E+06	1.6E-03
314	0.69071	1.73E-02	1.2E-02	2.50E-04	2.98E-06	0.06	1.15E-02	2.06E-09	1.0E+06	2.1E-03
315	1.2766	1.73E-02	2.2E-02	2.50E-04	5.52E-06	0.06	1.15E-02	3.81E-09	1.0E+06	3.8E-03
316	1.56579	1.73E-02	2.7E-02	2.50E-04	6.76E-06	0.06	1.15E-02	4.68E-09	1.0E+06	4.7E-03
317	1.72059	1.73E-02	3.0E-02	2.50E-04	7.43E-06	0.06	1.15E-02	5.14E-09	1.0E+06	5.1E-03
318	1.80825	1.73E-02	3.1E-02	2.50E-04	7.81E-06	0.06	1.15E-02	5.40E-09	1.0E+06	5.4E-03
319	1.77443	1.73E-02	3.1E-02	2.50E-04	7.67E-06	0.06	1.15E-02	5.30E-09	1.0E+06	5.3E-03
320	1.606	1.73E-02	2.8E-02	2.50E-04	6.94E-06	0.06	1.15E-02	4.80E-09	1.0E+06	4.8E-03
321	0.8711	1.73E-02	1.5E-02	2.50E-04	3.76E-06	0.06	1.15E-02	2.60E-09	1.0E+06	2.6E-03
322	0.71344	1.73E-02	1.2E-02	2.50E-04	3.08E-06	0.06	1.15E-02	2.13E-09	1.0E+06	2.1E-03
325	0.21135	1.73E-02	3.6E-03	2.50E-04	9.13E-07	0.06	1.15E-02	6.31E-10	1.0E+06	6.3E-04
326	0.24986	1.73E-02	4.3E-03	2.50E-04	1.08E-06	0.06	1.15E-02	7.46E-10	1.0E+06	7.5E-04
327	0.30113	1.73E-02	5.2E-03	2.50E-04	1.30E-06	0.06	1.15E-02	8.99E-10	1.0E+06	9.0E-04
328	0.37218	1.73E-02	6.4E-03	2.50E-04	1.61E-06	0.06	1.15E-02	1.11E-09	1.0E+06	1.1E-03
329	0.47485	1.73E-02	8.2E-03	2.50E-04	2.05E-06	0.06	1.15E-02	1.42E-09	1.0E+06	1.4E-03
330	0.64308	1.73E-02	1.1E-02	2.50E-04	2.78E-06	0.06	1.15E-02	1.92E-09	1.0E+06	1.9E-03
331	0.95803	1.73E-02	1.7E-02	2.50E-04	4.14E-06	0.06	1.15E-02	2.86E-09	1.0E+06	2.9E-03
332	1.79371	1.73E-02	3.1E-02	2.50E-04	7.75E-06	0.06	1.15E-02	5.36E-09	1.0E+06	5.4E-03
333	2.9141	1.73E-02	5.0E-02	2.50E-04	1.26E-05	0.06	1.15E-02	8.70E-09	1.0E+06	8.7E-03
334	3.55228	1.73E-02	6.1E-02	2.50E-04	1.53E-05	0.06	1.15E-02	1.06E-08	1.0E+06	1.1E-02
335	3.84223	1.73E-02	6.6E-02	2.50E-04	1.66E-05	0.06	1.15E-02	1.15E-08	1.0E+06	1.1E-02
336	3.95507	1.73E-02	6.8E-02	2.50E-04	1.71E-05	0.06	1.15E-02	1.18E-08	1.0E+06	1.2E-02

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	3.84857	1.73E-02	6.6E-02	2.50E-04	1.66E-05	0.06	1.15E-02	1.15E-08	1.0E+06	1.1E-02
338	3.59119	1.73E-02	6.2E-02	2.50E-04	1.55E-05	0.06	1.15E-02	1.07E-08	1.0E+06	1.1E-02
339	1.47281	1.73E-02	2.5E-02	2.50E-04	6.36E-06	0.06	1.15E-02	4.40E-09	1.0E+06	4.4E-03
340	1.08422	1.73E-02	1.9E-02	2.50E-04	4.68E-06	0.06	1.15E-02	3.24E-09	1.0E+06	3.2E-03
341	0.84001	1.73E-02	1.5E-02	2.50E-04	3.63E-06	0.06	1.15E-02	2.51E-09	1.0E+06	2.5E-03
349	0.53347	1.73E-02	9.2E-03	2.50E-04	2.30E-06	0.06	1.15E-02	1.59E-09	1.0E+06	1.6E-03
350	0.74819	1.73E-02	1.3E-02	2.50E-04	3.23E-06	0.06	1.15E-02	2.23E-09	1.0E+06	2.2E-03
351	1.19448	1.73E-02	2.1E-02	2.50E-04	5.16E-06	0.06	1.15E-02	3.57E-09	1.0E+06	3.6E-03
352	2.89095	1.73E-02	5.0E-02	2.50E-04	1.25E-05	0.06	1.15E-02	8.64E-09	1.0E+06	8.6E-03
353	1.88579	1.73E-02	3.3E-02	2.50E-04	8.15E-06	0.06	1.15E-02	5.63E-09	1.0E+06	5.6E-03
354	1.28314	1.73E-02	2.2E-02	2.50E-04	5.54E-06	0.06	1.15E-02	3.83E-09	1.0E+06	3.8E-03
355	0.95264	1.73E-02	1.6E-02	2.50E-04	4.12E-06	0.06	1.15E-02	2.85E-09	1.0E+06	2.8E-03
364	0.80495	1.73E-02	1.4E-02	2.50E-04	3.48E-06	0.06	1.15E-02	2.40E-09	1.0E+06	2.4E-03
365	1.28882	1.73E-02	2.2E-02	2.50E-04	5.57E-06	0.06	1.15E-02	3.85E-09	1.0E+06	3.8E-03
366	2.83251	1.73E-02	4.9E-02	2.50E-04	1.22E-05	0.06	1.15E-02	8.46E-09	1.0E+06	8.5E-03
367	2.25892	1.73E-02	3.9E-02	2.50E-04	9.76E-06	0.06	1.15E-02	6.75E-09	1.0E+06	6.7E-03
368	1.45272	1.73E-02	2.5E-02	2.50E-04	6.28E-06	0.06	1.15E-02	4.34E-09	1.0E+06	4.3E-03
369	1.04608	1.73E-02	1.8E-02	2.50E-04	4.52E-06	0.06	1.15E-02	3.12E-09	1.0E+06	3.1E-03
377	0.8143	1.73E-02	1.4E-02	2.50E-04	3.52E-06	0.06	1.15E-02	2.43E-09	1.0E+06	2.4E-03
378	1.26331	1.73E-02	2.2E-02	2.50E-04	5.46E-06	0.06	1.15E-02	3.77E-09	1.0E+06	3.8E-03
379	2.40763	1.73E-02	4.2E-02	2.50E-04	1.04E-05	0.06	1.15E-02	7.19E-09	1.0E+06	7.2E-03
380	2.607	1.73E-02	4.5E-02	2.50E-04	1.13E-05	0.06	1.15E-02	7.79E-09	1.0E+06	7.8E-03
381	1.59345	1.73E-02	2.8E-02	2.50E-04	6.88E-06	0.06	1.15E-02	4.76E-09	1.0E+06	4.8E-03
382	1.11861	1.73E-02	1.9E-02	2.50E-04	4.83E-06	0.06	1.15E-02	3.34E-09	1.0E+06	3.3E-03
391	1.18902	1.73E-02	2.1E-02	2.50E-04	5.14E-06	0.06	1.15E-02	3.55E-09	1.0E+06	3.6E-03
392	2.04084	1.73E-02	3.5E-02	2.50E-04	8.82E-06	0.06	1.15E-02	6.10E-09	1.0E+06	6.1E-03
393	2.94249	1.73E-02	5.1E-02	2.50E-04	1.27E-05	0.06	1.15E-02	8.79E-09	1.0E+06	8.8E-03
394	1.73071	1.73E-02	3.0E-02	2.50E-04	7.48E-06	0.06	1.15E-02	5.17E-09	1.0E+06	5.2E-03
395	1.17565	1.73E-02	2.0E-02	2.50E-04	5.08E-06	0.06	1.15E-02	3.51E-09	1.0E+06	3.5E-03
405	1.09668	1.73E-02	1.9E-02	2.50E-04	4.74E-06	0.06	1.15E-02	3.28E-09	1.0E+06	3.3E-03
406	1.78264	1.73E-02	3.1E-02	2.50E-04	7.70E-06	0.06	1.15E-02	5.32E-09	1.0E+06	5.3E-03

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	3.56443	1.73E-02	6.2E-02	2.50E-04	1.54E-05	0.06	1.15E-02	1.06E-08	1.0E+06	1.1E-02
408	3.28113	1.73E-02	5.7E-02	2.50E-04	1.42E-05	0.06	1.15E-02	9.80E-09	1.0E+06	9.8E-03
409	1.83749	1.73E-02	3.2E-02	2.50E-04	7.94E-06	0.06	1.15E-02	5.49E-09	1.0E+06	5.5E-03
410	1.20616	1.73E-02	2.1E-02	2.50E-04	5.21E-06	0.06	1.15E-02	3.60E-09	1.0E+06	3.6E-03
421	1.54138	1.73E-02	2.7E-02	2.50E-04	6.66E-06	0.06	1.15E-02	4.60E-09	1.0E+06	4.6E-03
422	2.78266	1.73E-02	4.8E-02	2.50E-04	1.20E-05	0.06	1.15E-02	8.31E-09	1.0E+06	8.3E-03
423	3.57021	1.73E-02	6.2E-02	2.50E-04	1.54E-05	0.06	1.15E-02	1.07E-08	1.0E+06	1.1E-02
424	1.8844	1.73E-02	3.3E-02	2.50E-04	8.14E-06	0.06	1.15E-02	5.63E-09	1.0E+06	5.6E-03
425	1.18917	1.73E-02	2.1E-02	2.50E-04	5.14E-06	0.06	1.15E-02	3.55E-09	1.0E+06	3.6E-03
435	1.31314	1.73E-02	2.3E-02	2.50E-04	5.67E-06	0.06	1.15E-02	3.92E-09	1.0E+06	3.9E-03
436	2.22012	1.73E-02	3.8E-02	2.50E-04	9.59E-06	0.06	1.15E-02	6.63E-09	1.0E+06	6.6E-03
437	1.82921	1.73E-02	3.2E-02	2.50E-04	7.90E-06	0.06	1.15E-02	5.46E-09	1.0E+06	5.5E-03
438	1.10856	1.73E-02	1.9E-02	2.50E-04	4.79E-06	0.06	1.15E-02	3.31E-09	1.0E+06	3.3E-03
449	1.10375	1.73E-02	1.9E-02	2.50E-04	4.77E-06	0.06	1.15E-02	3.30E-09	1.0E+06	3.3E-03
450	1.75996	1.73E-02	3.0E-02	2.50E-04	7.60E-06	0.06	1.15E-02	5.26E-09	1.0E+06	5.3E-03
451	3.33818	1.73E-02	5.8E-02	2.50E-04	1.44E-05	0.06	1.15E-02	9.97E-09	1.0E+06	1.0E-02
452	1.60872	1.73E-02	2.8E-02	2.50E-04	6.95E-06	0.06	1.15E-02	4.81E-09	1.0E+06	4.8E-03
453	0.97845	1.73E-02	1.7E-02	2.50E-04	4.23E-06	0.06	1.15E-02	2.92E-09	1.0E+06	2.9E-03
464	1.37016	1.73E-02	2.4E-02	2.50E-04	5.92E-06	0.06	1.15E-02	4.09E-09	1.0E+06	4.1E-03
465	2.30263	1.73E-02	4.0E-02	2.50E-04	9.95E-06	0.06	1.15E-02	6.88E-09	1.0E+06	6.9E-03
466	4.86042	1.73E-02	8.4E-02	2.50E-04	2.10E-05	0.06	1.15E-02	1.45E-08	1.0E+06	1.5E-02
467	1.33766	1.73E-02	2.3E-02	2.50E-04	5.78E-06	0.06	1.15E-02	4.00E-09	1.0E+06	4.0E-03
468	0.85143	1.73E-02	1.5E-02	2.50E-04	3.68E-06	0.06	1.15E-02	2.54E-09	1.0E+06	2.5E-03
479	1.04335	1.73E-02	1.8E-02	2.50E-04	4.51E-06	0.06	1.15E-02	3.12E-09	1.0E+06	3.1E-03
480	1.58467	1.73E-02	2.7E-02	2.50E-04	6.85E-06	0.06	1.15E-02	4.73E-09	1.0E+06	4.7E-03
481	2.59449	1.73E-02	4.5E-02	2.50E-04	1.12E-05	0.06	1.15E-02	7.75E-09	1.0E+06	7.7E-03
482	3.77934	1.73E-02	6.5E-02	2.50E-04	1.63E-05	0.06	1.15E-02	1.13E-08	1.0E+06	1.1E-02
483	3.75696	1.73E-02	6.5E-02	2.50E-04	1.62E-05	0.06	1.15E-02	1.12E-08	1.0E+06	1.1E-02
484	3.32743	1.73E-02	5.7E-02	2.50E-04	1.44E-05	0.06	1.15E-02	9.94E-09	1.0E+06	9.9E-03
485	2.65322	1.73E-02	4.6E-02	2.50E-04	1.15E-05	0.06	1.15E-02	7.93E-09	1.0E+06	7.9E-03
486	1.79639	1.73E-02	3.1E-02	2.50E-04	7.76E-06	0.06	1.15E-02	5.37E-09	1.0E+06	5.4E-03

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	1.13343	1.73E-02	2.0E-02	2.50E-04	4.90E-06	0.06	1.15E-02	3.39E-09	1.0E+06	3.4E-03
488	0.75363	1.73E-02	1.3E-02	2.50E-04	3.26E-06	0.06	1.15E-02	2.25E-09	1.0E+06	2.3E-03
501	1.13306	1.73E-02	2.0E-02	2.50E-04	4.89E-06	0.06	1.15E-02	3.38E-09	1.0E+06	3.4E-03
502	1.62685	1.73E-02	2.8E-02	2.50E-04	7.03E-06	0.06	1.15E-02	4.86E-09	1.0E+06	4.9E-03
503	2.10731	1.73E-02	3.6E-02	2.50E-04	9.10E-06	0.06	1.15E-02	6.29E-09	1.0E+06	6.3E-03
504	2.2594	1.73E-02	3.9E-02	2.50E-04	9.76E-06	0.06	1.15E-02	6.75E-09	1.0E+06	6.7E-03
505	2.11935	1.73E-02	3.7E-02	2.50E-04	9.16E-06	0.06	1.15E-02	6.33E-09	1.0E+06	6.3E-03
506	1.79572	1.73E-02	3.1E-02	2.50E-04	7.76E-06	0.06	1.15E-02	5.36E-09	1.0E+06	5.4E-03
507	1.36447	1.73E-02	2.4E-02	2.50E-04	5.89E-06	0.06	1.15E-02	4.08E-09	1.0E+06	4.1E-03
508	0.67568	1.73E-02	1.2E-02	2.50E-04	2.92E-06	0.06	1.15E-02	2.02E-09	1.0E+06	2.0E-03
520	0.86595	1.73E-02	1.5E-02	2.50E-04	3.74E-06	0.06	1.15E-02	2.59E-09	1.0E+06	2.6E-03
521	1.12784	1.73E-02	1.9E-02	2.50E-04	4.87E-06	0.06	1.15E-02	3.37E-09	1.0E+06	3.4E-03
522	1.40663	1.73E-02	2.4E-02	2.50E-04	6.08E-06	0.06	1.15E-02	4.20E-09	1.0E+06	4.2E-03
523	1.53599	1.73E-02	2.7E-02	2.50E-04	6.64E-06	0.06	1.15E-02	4.59E-09	1.0E+06	4.6E-03
524	1.49691	1.73E-02	2.6E-02	2.50E-04	6.47E-06	0.06	1.15E-02	4.47E-09	1.0E+06	4.5E-03
525	1.32596	1.73E-02	2.3E-02	2.50E-04	5.73E-06	0.06	1.15E-02	3.96E-09	1.0E+06	4.0E-03
526	1.07668	1.73E-02	1.9E-02	2.50E-04	4.65E-06	0.06	1.15E-02	3.22E-09	1.0E+06	3.2E-03
527	0.6058	1.73E-02	1.0E-02	2.50E-04	2.62E-06	0.06	1.15E-02	1.81E-09	1.0E+06	1.8E-03
539	0.68491	1.73E-02	1.2E-02	2.50E-04	2.96E-06	0.06	1.15E-02	2.05E-09	1.0E+06	2.0E-03
540	0.85547	1.73E-02	1.5E-02	2.50E-04	3.70E-06	0.06	1.15E-02	2.56E-09	1.0E+06	2.6E-03
541	1.01655	1.73E-02	1.8E-02	2.50E-04	4.39E-06	0.06	1.15E-02	3.04E-09	1.0E+06	3.0E-03
542	1.11469	1.73E-02	1.9E-02	2.50E-04	4.82E-06	0.06	1.15E-02	3.33E-09	1.0E+06	3.3E-03
543	1.11822	1.73E-02	1.9E-02	2.50E-04	4.83E-06	0.06	1.15E-02	3.34E-09	1.0E+06	3.3E-03
544	1.02519	1.73E-02	1.8E-02	2.50E-04	4.43E-06	0.06	1.15E-02	3.06E-09	1.0E+06	3.1E-03
545	0.86877	1.73E-02	1.5E-02	2.50E-04	3.75E-06	0.06	1.15E-02	2.60E-09	1.0E+06	2.6E-03
546	0.54176	1.73E-02	9.4E-03	2.50E-04	2.34E-06	0.06	1.15E-02	1.62E-09	1.0E+06	1.6E-03
560	0.67142	1.73E-02	1.2E-02	2.50E-04	2.90E-06	0.06	1.15E-02	2.01E-09	1.0E+06	2.0E-03
561	0.78316	1.73E-02	1.4E-02	2.50E-04	3.38E-06	0.06	1.15E-02	2.34E-09	1.0E+06	2.3E-03
562	0.85495	1.73E-02	1.5E-02	2.50E-04	3.69E-06	0.06	1.15E-02	2.55E-09	1.0E+06	2.6E-03
563	0.86079	1.73E-02	1.5E-02	2.50E-04	3.72E-06	0.06	1.15E-02	2.57E-09	1.0E+06	2.6E-03
564	0.81475	1.73E-02	1.4E-02	2.50E-04	3.52E-06	0.06	1.15E-02	2.43E-09	1.0E+06	2.4E-03

Via Oro
Site Prep

		Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.72132	1.73E-02	1.2E-02	2.50E-04	3.12E-06	0.06	1.15E-02	2.15E-09	1.0E+06	2.2E-03
566	0.48594	1.73E-02	8.4E-03	2.50E-04	2.10E-06	0.06	1.15E-02	1.45E-09	1.0E+06	1.5E-03
579	0.54212	1.73E-02	9.4E-03	2.50E-04	2.34E-06	0.06	1.15E-02	1.62E-09	1.0E+06	1.6E-03
580	0.62185	1.73E-02	1.1E-02	2.50E-04	2.69E-06	0.06	1.15E-02	1.86E-09	1.0E+06	1.9E-03
581	0.67804	1.73E-02	1.2E-02	2.50E-04	2.93E-06	0.06	1.15E-02	2.03E-09	1.0E+06	2.0E-03
582	0.69409	1.73E-02	1.2E-02	2.50E-04	3.00E-06	0.06	1.15E-02	2.07E-09	1.0E+06	2.1E-03
583	0.66642	1.73E-02	1.2E-02	2.50E-04	2.88E-06	0.06	1.15E-02	1.99E-09	1.0E+06	2.0E-03
584	0.60285	1.73E-02	1.0E-02	2.50E-04	2.60E-06	0.06	1.15E-02	1.80E-09	1.0E+06	1.8E-03
585	0.494	1.73E-02	8.5E-03	2.50E-04	2.13E-06	0.06	1.15E-02	1.48E-09	1.0E+06	1.5E-03
598	0.44808	1.73E-02	7.7E-03	2.50E-04	1.94E-06	0.06	1.15E-02	1.34E-09	1.0E+06	1.3E-03
599	0.50651	1.73E-02	8.7E-03	2.50E-04	2.19E-06	0.06	1.15E-02	1.51E-09	1.0E+06	1.5E-03
600	0.55009	1.73E-02	9.5E-03	2.50E-04	2.38E-06	0.06	1.15E-02	1.64E-09	1.0E+06	1.6E-03
601	0.56737	1.73E-02	9.8E-03	2.50E-04	2.45E-06	0.06	1.15E-02	1.69E-09	1.0E+06	1.7E-03
602	0.55377	1.73E-02	9.6E-03	2.50E-04	2.39E-06	0.06	1.15E-02	1.65E-09	1.0E+06	1.7E-03
603	0.51334	1.73E-02	8.9E-03	2.50E-04	2.22E-06	0.06	1.15E-02	1.53E-09	1.0E+06	1.5E-03
604	0.45398	1.73E-02	7.8E-03	2.50E-04	1.96E-06	0.06	1.15E-02	1.36E-09	1.0E+06	1.4E-03

Via Oro
Site Prep

Max Cancer Risk Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million
1	1	1.7E-03
2	2	1.7E-03
3	3	1.8E-03
4	4	1.8E-03
5	5	1.9E-03
6	6	2.0E-03
7	7	2.0E-03
8	8	2.1E-03
9	9	2.2E-03
10	10	2.2E-03
11	11	2.3E-03
12	12	2.4E-03
13	13	2.5E-03
14	14	2.6E-03
15	15	2.7E-03
16	16	2.7E-03
17	17	2.8E-03
18	18	2.9E-03
19	19	3.0E-03
20	20	3.1E-03
21	21	3.2E-03
22	22	3.3E-03
23	23	3.4E-03
24	24	3.5E-03
25	25	3.5E-03
26	26	3.6E-03
27	27	3.6E-03
28	28	3.7E-03
29	29	3.7E-03
30	30	3.7E-03
31	31	3.7E-03

Max	Receptor #	
0.038	519	Res
0.056	420	School
0.015	466	Worker

Chronic Non Cancer Risk		
REL	HI Offroad	
5	1.03E-04	
5	1.06E-04	
5	1.09E-04	
5	1.12E-04	
5	1.16E-04	
5	1.20E-04	
5	1.24E-04	
5	1.28E-04	
5	1.32E-04	
5	1.37E-04	
5	1.41E-04	
5	1.46E-04	
5	1.51E-04	
5	1.56E-04	
5	1.62E-04	
5	1.67E-04	
5	1.73E-04	
5	1.79E-04	
5	1.84E-04	
5	1.90E-04	
5	1.95E-04	
5	2.01E-04	
5	2.06E-04	
5	2.11E-04	
5	2.15E-04	
5	2.19E-04	
5	2.22E-04	
5	2.25E-04	
5	2.26E-04	
5	2.28E-04	
5	2.28E-04	

Max	Receptor #	
2.301E-03	519	Res
3.402E-03	420	School
1.678E-02	466	Worker

Via Oro
Site Prep

		<i>Max Cancer Risk</i>	<i>Cancer Risk</i>
Receptor #	Receptor #	Total Risk/ Million	
32	32	3.7E-03	
55	55	3.6E-03	
56	56	3.7E-03	
57	57	3.8E-03	
58	58	3.8E-03	
59	59	3.9E-03	
60	60	4.0E-03	
61	61	4.0E-03	
62	62	4.1E-03	
63	63	4.1E-03	
64	64	4.1E-03	
65	65	4.1E-03	
66	66	4.1E-03	
67	67	1.8E-03	
68	68	1.9E-03	
69	69	1.9E-03	
70	70	2.0E-03	
71	71	2.1E-03	
72	72	2.2E-03	
73	73	2.2E-03	
74	74	2.3E-03	
75	75	2.4E-03	
76	76	2.5E-03	
77	77	2.6E-03	
78	78	2.7E-03	
79	79	3.3E-03	
80	80	3.4E-03	
81	81	3.5E-03	
82	82	3.6E-03	
83	83	3.8E-03	
84	84	3.9E-03	

		<i>Chronic Non Cancer Risk</i>
REL	HI Offroad	
5	2.28E-04	
5	2.18E-04	
5	2.24E-04	
5	2.29E-04	
5	2.35E-04	
5	2.39E-04	
5	2.43E-04	
5	2.46E-04	
5	2.48E-04	
5	2.49E-04	
5	2.49E-04	
5	2.48E-04	
5	1.11E-04	
5	1.15E-04	
5	1.19E-04	
5	1.23E-04	
5	1.27E-04	
5	1.32E-04	
5	1.37E-04	
5	1.42E-04	
5	1.47E-04	
5	1.53E-04	
5	1.58E-04	
5	1.65E-04	
5	1.99E-04	
5	2.07E-04	
5	2.14E-04	
5	2.22E-04	
5	2.30E-04	
5	2.37E-04	

Via Oro
Site Prep

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
85	85	4.0E-03	
86	86	4.1E-03	
87	87	4.2E-03	
88	88	4.3E-03	
89	89	4.4E-03	
90	90	4.4E-03	
91	91	4.5E-03	
92	92	4.5E-03	
93	93	4.5E-03	
96	96	4.4E-03	
97	97	4.5E-03	
98	98	4.7E-03	
99	99	4.8E-03	
100	100	4.9E-03	
101	101	4.9E-03	
102	102	5.0E-03	
106	106	1.9E-03	
107	107	2.0E-03	
108	108	2.0E-03	
109	109	2.1E-03	
110	110	2.2E-03	
111	111	2.3E-03	
112	112	2.4E-03	
113	113	2.5E-03	
114	114	2.6E-03	
115	115	2.7E-03	
116	116	2.8E-03	
117	117	2.9E-03	
118	118	3.1E-03	
124	124	2.0E-03	
125	125	2.0E-03	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	2.44E-04		
5	2.51E-04		
5	2.57E-04		
5	2.62E-04		
5	2.67E-04		
5	2.70E-04		
5	2.72E-04		
5	2.73E-04		
5	2.74E-04		
5	2.71E-04		
5	2.76E-04		
5	2.90E-04		
5	2.95E-04		
5	2.99E-04		
5	3.01E-04		
5	3.02E-04		
5	1.15E-04		
5	1.20E-04		
5	1.24E-04		
5	1.29E-04		
5	1.34E-04		
5	1.40E-04		
5	1.45E-04		
5	1.51E-04		
5	1.58E-04		
5	1.64E-04		
5	1.71E-04		
5	1.79E-04		
5	1.87E-04		
5	1.19E-04		
5	1.24E-04		

**Via Oro
Site Prep**

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
126	126	2.1E-03	
127	127	2.2E-03	
128	128	2.3E-03	
129	129	2.4E-03	
130	130	2.5E-03	
131	131	2.6E-03	
132	132	2.7E-03	
133	133	2.9E-03	
134	134	3.0E-03	
135	135	3.1E-03	
136	136	3.3E-03	
137	137	3.4E-03	
138	138	3.6E-03	
141	141	2.0E-03	
142	142	2.1E-03	
143	143	2.2E-03	
144	144	2.3E-03	
145	145	2.4E-03	
146	146	2.5E-03	
147	147	2.6E-03	
148	148	2.8E-03	
149	149	2.9E-03	
150	150	3.0E-03	
151	151	3.2E-03	
152	152	3.3E-03	
153	153	3.5E-03	
154	154	3.7E-03	
155	155	3.9E-03	
164	164	4.0E-03	
165	165	4.2E-03	
166	166	4.4E-03	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	1.29E-04		
5	1.35E-04		
5	1.40E-04		
5	1.46E-04		
5	1.53E-04		
5	1.59E-04		
5	1.67E-04		
5	1.74E-04		
5	1.82E-04		
5	1.91E-04		
5	2.00E-04		
5	2.09E-04		
5	2.19E-04		
5	1.24E-04		
5	1.29E-04		
5	1.34E-04		
5	1.40E-04		
5	1.47E-04		
5	1.53E-04		
5	1.60E-04		
5	1.68E-04		
5	1.76E-04		
5	1.85E-04		
5	1.94E-04		
5	2.03E-04		
5	2.14E-04		
5	2.25E-04		
5	2.37E-04		
5	2.42E-04		
5	2.56E-04		
5	2.71E-04		

**Via Oro
Site Prep**

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
178	178	4.3E-03	
179	179	4.6E-03	
180	180	4.8E-03	
192	192	4.6E-03	
193	193	4.9E-03	
194	194	5.3E-03	
207	207	5.0E-03	
208	208	5.4E-03	
209	209	5.8E-03	
223	223	5.4E-03	
224	224	5.9E-03	
225	225	6.4E-03	
239	239	5.8E-03	
240	240	6.4E-03	
241	241	7.0E-03	
255	255	6.3E-03	
256	256	6.9E-03	
272	272	6.7E-03	
273	273	7.5E-03	
289	289	7.1E-03	
290	290	8.0E-03	
306	306	7.5E-03	
307	307	8.5E-03	
323	323	7.9E-03	
324	324	8.9E-03	
342	342	8.1E-03	
343	343	9.3E-03	
344	344	1.1E-02	
356	356	8.3E-03	
357	357	9.5E-03	
358	358	1.1E-02	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	2.61E-04		
5	2.78E-04		
5	2.95E-04		
5	2.82E-04		
5	3.02E-04		
5	3.23E-04		
5	3.05E-04		
5	3.28E-04		
5	3.54E-04		
5	3.30E-04		
5	3.57E-04		
5	3.88E-04		
5	3.56E-04		
5	3.88E-04		
5	4.26E-04		
5	3.82E-04		
5	4.21E-04		
5	4.09E-04		
5	4.55E-04		
5	4.35E-04		
5	4.88E-04		
5	4.59E-04		
5	5.18E-04		
5	4.80E-04		
5	5.45E-04		
5	4.96E-04		
5	5.67E-04		
5	6.55E-04		
5	5.06E-04		
5	5.81E-04		
5	6.75E-04		

Via Oro
Site Prep

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
370	370	8.4E-03	
371	371	9.6E-03	
372	372	1.1E-02	
383	383	8.4E-03	
384	384	9.6E-03	
385	385	1.1E-02	
396	396	8.3E-03	
397	397	9.5E-03	
398	398	1.1E-02	
399	399	1.3E-02	
411	411	8.1E-03	
412	412	9.3E-03	
413	413	1.1E-02	
414	414	1.3E-02	
426	426	7.9E-03	
427	427	9.0E-03	
428	428	1.0E-02	
429	429	1.2E-02	
439	439	7.6E-03	
440	440	8.6E-03	
441	441	9.9E-03	
442	442	1.2E-02	
443	443	1.4E-02	
454	454	7.3E-03	
455	455	8.2E-03	
456	456	9.4E-03	
457	457	1.1E-02	
458	458	1.3E-02	
469	469	6.9E-03	
470	470	7.8E-03	
471	471	8.9E-03	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	5.11E-04		
5	5.88E-04		
5	6.84E-04		
5	5.11E-04		
5	5.87E-04		
5	6.83E-04		
5	5.05E-04		
5	5.79E-04		
5	6.74E-04		
5	7.95E-04		
5	4.94E-04		
5	5.66E-04		
5	6.56E-04		
5	7.72E-04		
5	4.80E-04		
5	5.48E-04		
5	6.33E-04		
5	7.40E-04		
5	4.63E-04		
5	5.26E-04		
5	6.05E-04		
5	7.03E-04		
5	8.29E-04		
5	4.43E-04		
5	5.02E-04		
5	5.74E-04		
5	6.62E-04		
5	7.74E-04		
5	4.23E-04		
5	4.76E-04		
5	5.41E-04		

**Via Oro
Site Prep**

		<i>Max Cancer Risk</i>	<i>Cancer Risk</i>
Receptor #	Receptor #	Total Risk/ Million	
472	472	1.0E-02	
473	473	1.2E-02	
489	489	6.6E-03	
490	490	7.4E-03	
491	491	8.3E-03	
492	492	9.5E-03	
493	493	1.1E-02	
494	494	1.3E-02	
509	509	6.3E-03	
510	510	7.0E-03	
511	511	7.8E-03	
512	512	8.8E-03	
513	513	1.0E-02	
514	514	1.2E-02	
515	515	1.6E-02	
516	516	1.9E-02	
517	517	2.3E-02	
518	518	2.9E-02	
519	519	3.8E-02	
528	528	5.9E-03	
529	529	6.5E-03	
530	530	7.3E-03	
531	531	8.2E-03	
532	532	9.2E-03	
533	533	1.1E-02	
534	534	1.4E-02	
535	535	1.7E-02	
536	536	2.0E-02	
537	537	2.5E-02	
538	538	3.1E-02	
547	547	5.6E-03	

		<i>Chronic Non Cancer Risk</i>
REL	HI Offroad	
5	6.20E-04	
5	7.19E-04	
5	4.02E-04	
5	4.50E-04	
5	5.08E-04	
5	5.78E-04	
5	6.64E-04	
5	7.72E-04	
5	3.81E-04	
5	4.25E-04	
5	4.76E-04	
5	5.37E-04	
5	6.12E-04	
5	7.04E-04	
5	9.69E-04	
5	1.16E-03	
5	1.43E-03	
5	1.79E-03	
5	2.30E-03	
5	3.61E-04	
5	4.00E-04	
5	4.45E-04	
5	4.99E-04	
5	5.64E-04	
5	6.43E-04	
5	8.63E-04	
5	1.02E-03	
5	1.23E-03	
5	1.50E-03	
5	1.87E-03	
5	3.41E-04	

Via Oro
Site Prep

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
548	548	6.2E-03	
549	549	6.8E-03	
550	550	7.6E-03	
551	551	8.5E-03	
552	552	9.6E-03	
553	553	1.1E-02	
554	554	1.3E-02	
555	555	1.5E-02	
556	556	1.7E-02	
557	557	2.1E-02	
558	558	2.6E-02	
559	559	3.1E-02	
567	567	5.3E-03	
568	568	5.8E-03	
569	569	6.4E-03	
570	570	7.0E-03	
571	571	7.8E-03	
572	572	8.8E-03	
573	573	9.9E-03	
574	574	1.3E-02	
575	575	1.5E-02	
576	576	1.8E-02	
577	577	2.2E-02	
578	578	2.6E-02	
586	586	5.0E-03	
587	587	5.4E-03	
588	588	5.9E-03	
589	589	6.5E-03	
590	590	7.2E-03	
591	591	8.0E-03	
592	592	9.0E-03	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	3.76E-04		
5	4.16E-04		
5	4.63E-04		
5	5.19E-04		
5	5.87E-04		
5	6.69E-04		
5	7.71E-04		
5	9.00E-04		
5	1.07E-03		
5	1.28E-03		
5	1.56E-03		
5	1.91E-03		
5	3.22E-04		
5	3.53E-04		
5	3.88E-04		
5	4.30E-04		
5	4.78E-04		
5	5.36E-04		
5	6.06E-04		
5	7.98E-04		
5	9.33E-04		
5	1.11E-03		
5	1.32E-03		
5	1.58E-03		
5	3.04E-04		
5	3.31E-04		
5	3.63E-04		
5	3.99E-04		
5	4.41E-04		
5	4.91E-04		
5	5.50E-04		

Via Oro
Site Prep

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
593	593	1.2E-02	5	7.11E-04	
594	594	1.3E-02	5	8.23E-04	
595	595	1.6E-02	5	9.60E-04	
596	596	1.9E-02	5	1.13E-03	
597	597	2.2E-02	5	1.33E-03	
345	345	1.3E-02	5	7.69E-04	
346	346	1.5E-02	5	9.18E-04	
347	347	1.8E-02	5	1.12E-03	
348	348	2.3E-02	5	1.41E-03	
359	359	1.3E-02	5	7.96E-04	
360	360	1.6E-02	5	9.55E-04	
361	361	1.9E-02	5	1.17E-03	
362	362	2.4E-02	5	1.48E-03	
363	363	3.2E-02	5	1.96E-03	
373	373	1.6E-02	5	9.73E-04	
374	374	2.0E-02	5	1.20E-03	
375	375	2.5E-02	5	1.52E-03	
376	376	3.3E-02	5	2.00E-03	
386	386	1.6E-02	5	9.72E-04	
387	387	2.0E-02	5	1.20E-03	
388	388	2.5E-02	5	1.51E-03	
389	389	3.2E-02	5	1.98E-03	
390	390	4.5E-02	5	2.74E-03	
400	400	1.6E-02	5	9.54E-04	
401	401	1.9E-02	5	1.17E-03	
402	402	2.4E-02	5	1.47E-03	
403	403	3.1E-02	5	1.90E-03	
404	404	4.2E-02	5	2.59E-03	
415	415	1.5E-02	5	9.22E-04	
416	416	1.8E-02	5	1.12E-03	
417	417	2.3E-02	5	1.40E-03	

Via Oro
Site Prep

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
418	418	3.0E-02	5	1.80E-03	
419	419	4.0E-02	5	2.42E-03	
420	420	5.6E-02	5	3.40E-03	
430	430	1.7E-02	5	1.06E-03	
431	431	2.2E-02	5	1.31E-03	
432	432	2.7E-02	5	1.67E-03	
433	433	3.6E-02	5	2.20E-03	
434	434	5.0E-02	5	3.06E-03	
444	444	1.6E-02	5	9.93E-04	
445	445	2.0E-02	5	1.21E-03	
446	446	2.5E-02	5	1.52E-03	
447	447	3.2E-02	5	1.97E-03	
448	448	4.4E-02	5	2.67E-03	
459	459	1.8E-02	5	1.11E-03	
460	460	2.2E-02	5	1.37E-03	
461	461	2.9E-02	5	1.74E-03	
462	462	3.8E-02	5	2.30E-03	
463	463	5.2E-02	5	3.18E-03	
474	474	1.6E-02	5	1.01E-03	
475	475	2.0E-02	5	1.22E-03	
476	476	2.5E-02	5	1.53E-03	
477	477	3.2E-02	5	1.96E-03	
478	478	4.3E-02	5	2.61E-03	
495	495	1.5E-02	5	9.09E-04	
496	496	1.8E-02	5	1.09E-03	
497	497	2.2E-02	5	1.33E-03	
498	498	2.7E-02	5	1.67E-03	
499	499	3.5E-02	5	2.15E-03	
500	500	4.7E-02	5	2.86E-03	

Via Oro
Site Prep

Max Cancer Risk			Chronic Non Cancer Risk	
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad
139	139	2.0E-04	5	2.30E-04
140	140	2.1E-04	5	2.41E-04
156	156	2.2E-04	5	2.49E-04
157	157	2.3E-04	5	2.62E-04
158	158	2.4E-04	5	2.76E-04
159	159	2.5E-04	5	2.91E-04
160	160	2.7E-04	5	3.07E-04
161	161	2.9E-04	5	3.38E-04
162	162	3.1E-04	5	3.55E-04
163	163	3.2E-04	5	3.70E-04
167	167	2.5E-04	5	2.86E-04
168	168	2.6E-04	5	3.03E-04
169	169	2.8E-04	5	3.21E-04
170	170	2.9E-04	5	3.40E-04
171	171	3.1E-04	5	3.59E-04
172	172	3.3E-04	5	3.79E-04
173	173	3.5E-04	5	3.99E-04
174	174	3.6E-04	5	4.19E-04
175	175	3.8E-04	5	4.37E-04
176	176	3.9E-04	5	4.54E-04
177	177	4.1E-04	5	4.69E-04
181	181	2.9E-04	5	3.35E-04
182	182	3.1E-04	5	3.56E-04
183	183	3.3E-04	5	3.79E-04
184	184	3.5E-04	5	4.03E-04
185	185	3.7E-04	5	4.29E-04
186	186	3.9E-04	5	4.54E-04
187	187	4.1E-04	5	4.79E-04
188	188	4.4E-04	5	5.03E-04
189	189	4.5E-04	5	5.25E-04
190	190	4.7E-04	5	5.43E-04

Via Oro
Site Prep

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
191	191	4.8E-04	
195	195	3.2E-04	
196	196	3.4E-04	
197	197	3.7E-04	
198	198	4.0E-04	
199	199	4.2E-04	
200	200	4.5E-04	
201	201	4.8E-04	
202	202	5.1E-04	
203	203	5.3E-04	
204	204	5.5E-04	
205	205	5.7E-04	
206	206	5.8E-04	
210	210	3.3E-04	
211	211	3.6E-04	
212	212	3.9E-04	
213	213	4.2E-04	
214	214	4.9E-04	
215	215	5.3E-04	
216	216	5.6E-04	
217	217	6.0E-04	
218	218	6.4E-04	
219	219	6.6E-04	
220	220	6.8E-04	
221	221	7.0E-04	
222	222	7.0E-04	
226	226	3.7E-04	
227	227	4.0E-04	
228	228	4.4E-04	
229	229	4.8E-04	
230	230	5.2E-04	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	5.57E-04		
5	3.71E-04		
5	3.97E-04		
5	4.26E-04		
5	4.57E-04		
5	4.89E-04		
5	5.22E-04		
5	5.55E-04		
5	5.87E-04		
5	6.16E-04		
5	6.40E-04		
5	6.58E-04		
5	6.70E-04		
5	3.81E-04		
5	4.12E-04		
5	4.46E-04		
5	4.83E-04		
5	5.64E-04		
5	6.08E-04		
5	6.53E-04		
5	6.96E-04		
5	7.35E-04		
5	7.67E-04		
5	7.92E-04		
5	8.06E-04		
5	8.10E-04		
5	4.22E-04		
5	4.61E-04		
5	5.03E-04		
5	5.51E-04		
5	6.03E-04		

**Via Oro
Site Prep**

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
231	231	5.7E-04	
232	232	6.2E-04	
233	233	7.3E-04	
234	234	7.8E-04	
235	235	8.2E-04	
236	236	8.4E-04	
237	237	8.6E-04	
238	238	8.6E-04	
242	242	4.0E-04	
243	243	4.5E-04	
244	244	4.9E-04	
245	245	5.5E-04	
246	246	6.1E-04	
247	247	6.8E-04	
248	248	7.5E-04	
249	249	9.0E-04	
250	250	9.7E-04	
251	251	1.0E-03	
252	252	1.1E-03	
253	253	1.1E-03	
254	254	1.1E-03	
257	257	4.5E-04	
258	258	5.0E-04	
259	259	5.6E-04	
260	260	6.3E-04	
261	261	7.2E-04	
262	262	8.1E-04	
263	263	9.2E-04	
264	264	1.2E-03	
265	265	1.3E-03	
266	266	1.4E-03	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	6.58E-04		
5	7.18E-04		
5	8.42E-04		
5	8.97E-04		
5	9.42E-04		
5	9.75E-04		
5	9.94E-04		
5	9.97E-04		
5	4.68E-04		
5	5.16E-04		
5	5.69E-04		
5	6.32E-04		
5	7.03E-04		
5	7.81E-04		
5	8.67E-04		
5	1.04E-03		
5	1.12E-03		
5	1.19E-03		
5	1.24E-03		
5	1.26E-03		
5	1.26E-03		
5	5.18E-04		
5	5.79E-04		
5	6.50E-04		
5	7.29E-04		
5	8.30E-04		
5	9.41E-04		
5	1.07E-03		
5	1.34E-03		
5	1.47E-03		
5	1.57E-03		

Via Oro
Site Prep

Max Cancer Risk Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million
267	267	1.4E-03
268	268	1.4E-03
269	269	1.4E-03
270	270	1.2E-03
271	271	1.2E-03
274	274	4.9E-04
275	275	5.6E-04
276	276	6.4E-04
277	277	7.3E-04
278	278	8.5E-04
279	279	1.0E-03
280	280	1.2E-03
281	281	1.6E-03
282	282	1.7E-03
283	283	1.9E-03
284	284	2.0E-03
285	285	2.0E-03
286	286	2.0E-03
287	287	1.6E-03
288	288	1.4E-03
291	291	5.4E-04
292	292	6.2E-04
293	293	7.3E-04
294	294	8.5E-04
295	295	1.0E-03
296	296	1.2E-03
297	297	1.5E-03
298	298	2.3E-03
299	299	2.6E-03
300	300	2.9E-03
301	301	3.0E-03

Chronic Non Cancer Risk	
REL	HI Offroad
5	1.64E-03
5	1.67E-03
5	1.66E-03
5	1.43E-03
5	1.33E-03
5	5.72E-04
5	6.48E-04
5	7.40E-04
5	8.49E-04
5	9.87E-04
5	1.15E-03
5	1.34E-03
5	1.80E-03
5	2.01E-03
5	2.18E-03
5	2.29E-03
5	2.33E-03
5	2.28E-03
5	1.82E-03
5	1.64E-03
5	6.27E-04
5	7.22E-04
5	8.40E-04
5	9.87E-04
5	1.18E-03
5	1.43E-03
5	1.75E-03
5	2.60E-03
5	3.02E-03
5	3.32E-03
5	3.51E-03

**Via Oro
Site Prep**

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
302	302	3.0E-03	
303	303	2.9E-03	
304	304	2.0E-03	
305	305	1.8E-03	
308	308	5.9E-04	
309	309	6.9E-04	
310	310	8.2E-04	
311	311	9.8E-04	
312	312	1.2E-03	
313	313	1.6E-03	
314	314	2.1E-03	
315	315	3.8E-03	
316	316	4.7E-03	
317	317	5.1E-03	
318	318	5.4E-03	
319	319	5.3E-03	
320	320	4.8E-03	
321	321	2.6E-03	
322	322	2.1E-03	
325	325	6.3E-04	
326	326	7.5E-04	
327	327	9.0E-04	
328	328	1.1E-03	
329	329	1.4E-03	
330	330	1.9E-03	
331	331	2.9E-03	
332	332	5.4E-03	
333	333	8.7E-03	
334	334	1.1E-02	
335	335	1.1E-02	
336	336	1.2E-02	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	3.52E-03		
5	3.36E-03		
5	2.34E-03		
5	2.03E-03		
5	6.81E-04		
5	7.95E-04		
5	9.42E-04		
5	1.14E-03		
5	1.41E-03		
5	1.79E-03		
5	2.38E-03		
5	4.41E-03		
5	5.41E-03		
5	5.94E-03		
5	6.24E-03		
5	6.13E-03		
5	5.54E-03		
5	3.01E-03		
5	2.46E-03		
5	7.30E-04		
5	8.63E-04		
5	1.04E-03		
5	1.28E-03		
5	1.64E-03		
5	2.22E-03		
5	3.31E-03		
5	6.19E-03		
5	1.01E-02		
5	1.23E-02		
5	1.33E-02		
5	1.37E-02		

**Via Oro
Site Prep**

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
337	337	1.1E-02	
338	338	1.1E-02	
339	339	4.4E-03	
340	340	3.2E-03	
341	341	2.5E-03	
349	349	1.6E-03	
350	350	2.2E-03	
351	351	3.6E-03	
352	352	8.6E-03	
353	353	5.6E-03	
354	354	3.8E-03	
355	355	2.8E-03	
364	364	2.4E-03	
365	365	3.8E-03	
366	366	8.5E-03	
367	367	6.7E-03	
368	368	4.3E-03	
369	369	3.1E-03	
377	377	2.4E-03	
378	378	3.8E-03	
379	379	7.2E-03	
380	380	7.8E-03	
381	381	4.8E-03	
382	382	3.3E-03	
391	391	3.6E-03	
392	392	6.1E-03	
393	393	8.8E-03	
394	394	5.2E-03	
395	395	3.5E-03	
405	405	3.3E-03	
406	406	5.3E-03	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	1.33E-02		
5	1.24E-02		
5	5.08E-03		
5	3.74E-03		
5	2.90E-03		
5	1.84E-03		
5	2.58E-03		
5	4.12E-03		
5	9.98E-03		
5	6.51E-03		
5	4.43E-03		
5	3.29E-03		
5	2.78E-03		
5	4.45E-03		
5	9.78E-03		
5	7.80E-03		
5	5.02E-03		
5	3.61E-03		
5	2.81E-03		
5	4.36E-03		
5	8.31E-03		
5	9.00E-03		
5	5.50E-03		
5	3.86E-03		
5	4.10E-03		
5	7.05E-03		
5	1.02E-02		
5	5.98E-03		
5	4.06E-03		
5	3.79E-03		
5	6.15E-03		

**Via Oro
Site Prep**

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
407	407	1.1E-02	
408	408	9.8E-03	
409	409	5.5E-03	
410	410	3.6E-03	
421	421	4.6E-03	
422	422	8.3E-03	
423	423	1.1E-02	
424	424	5.6E-03	
425	425	3.6E-03	
435	435	3.9E-03	
436	436	6.6E-03	
437	437	5.5E-03	
438	438	3.3E-03	
449	449	3.3E-03	
450	450	5.3E-03	
451	451	1.0E-02	
452	452	4.8E-03	
453	453	2.9E-03	
464	464	4.1E-03	
465	465	6.9E-03	
466	466	1.5E-02	
467	467	4.0E-03	
468	468	2.5E-03	
479	479	3.1E-03	
480	480	4.7E-03	
481	481	7.7E-03	
482	482	1.1E-02	
483	483	1.1E-02	
484	484	9.9E-03	
485	485	7.9E-03	
486	486	5.4E-03	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	1.23E-02		
5	1.13E-02		
5	6.34E-03		
5	4.16E-03		
5	5.32E-03		
5	9.61E-03		
5	1.23E-02		
5	6.51E-03		
5	4.11E-03		
5	4.53E-03		
5	7.66E-03		
5	6.32E-03		
5	3.83E-03		
5	3.81E-03		
5	6.08E-03		
5	1.15E-02		
5	5.55E-03		
5	3.38E-03		
5	4.73E-03		
5	7.95E-03		
5	1.68E-02		
5	4.62E-03		
5	2.94E-03		
5	3.60E-03		
5	5.47E-03		
5	8.96E-03		
5	1.30E-02		
5	1.30E-02		
5	1.15E-02		
5	9.16E-03		
5	6.20E-03		

**Via Oro
Site Prep**

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
487	487	3.4E-03	
488	488	2.3E-03	
501	501	3.4E-03	
502	502	4.9E-03	
503	503	6.3E-03	
504	504	6.7E-03	
505	505	6.3E-03	
506	506	5.4E-03	
507	507	4.1E-03	
508	508	2.0E-03	
520	520	2.6E-03	
521	521	3.4E-03	
522	522	4.2E-03	
523	523	4.6E-03	
524	524	4.5E-03	
525	525	4.0E-03	
526	526	3.2E-03	
527	527	1.8E-03	
539	539	2.0E-03	
540	540	2.6E-03	
541	541	3.0E-03	
542	542	3.3E-03	
543	543	3.3E-03	
544	544	3.1E-03	
545	545	2.6E-03	
546	546	1.6E-03	
560	560	2.0E-03	
561	561	2.3E-03	
562	562	2.6E-03	
563	563	2.6E-03	
564	564	2.4E-03	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	3.91E-03		
5	2.60E-03		
5	3.91E-03		
5	5.62E-03		
5	7.28E-03		
5	7.80E-03		
5	7.32E-03		
5	6.20E-03		
5	4.71E-03		
5	2.33E-03		
5	2.99E-03		
5	3.89E-03		
5	4.86E-03		
5	5.30E-03		
5	5.17E-03		
5	4.58E-03		
5	3.72E-03		
5	2.09E-03		
5	2.36E-03		
5	2.95E-03		
5	3.51E-03		
5	3.85E-03		
5	3.86E-03		
5	3.54E-03		
5	3.00E-03		
5	1.87E-03		
5	2.32E-03		
5	2.70E-03		
5	2.95E-03		
5	2.97E-03		
5	2.81E-03		

**Via Oro
Site Prep**

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
565	565	2.2E-03	
566	566	1.5E-03	
579	579	1.6E-03	
580	580	1.9E-03	
581	581	2.0E-03	
582	582	2.1E-03	
583	583	2.0E-03	
584	584	1.8E-03	
585	585	1.5E-03	
598	598	1.3E-03	
599	599	1.5E-03	
600	600	1.6E-03	
601	601	1.7E-03	
602	602	1.7E-03	
603	603	1.5E-03	
604	604	1.4E-03	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	2.49E-03		
5	1.68E-03		
5	1.87E-03		
5	2.15E-03		
5	2.34E-03		
5	2.40E-03		
5	2.30E-03		
5	2.08E-03		
5	1.71E-03		
5	1.55E-03		
5	1.75E-03		
5	1.90E-03		
5	1.96E-03		
5	1.91E-03		
5	1.77E-03		
5	1.57E-03		

Via Oro
Grading

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.0297	1.55E-02	4.6E-04	3.46E-04	1.59E-07	0.12	1.57E-01	2.88E-09	1.0E+06	2.9E-03
2	0.03062	1.55E-02	4.7E-04	3.46E-04	1.64E-07	0.12	1.57E-01	2.97E-09	1.0E+06	3.0E-03
3	0.03157	1.55E-02	4.9E-04	3.46E-04	1.69E-07	0.12	1.57E-01	3.06E-09	1.0E+06	3.1E-03
4	0.03256	1.55E-02	5.0E-04	3.46E-04	1.75E-07	0.12	1.57E-01	3.16E-09	1.0E+06	3.2E-03
5	0.0336	1.55E-02	5.2E-04	3.46E-04	1.80E-07	0.12	1.57E-01	3.26E-09	1.0E+06	3.3E-03
6	0.0347	1.55E-02	5.4E-04	3.46E-04	1.86E-07	0.12	1.57E-01	3.37E-09	1.0E+06	3.4E-03
7	0.03584	1.55E-02	5.6E-04	3.46E-04	1.92E-07	0.12	1.57E-01	3.48E-09	1.0E+06	3.5E-03
8	0.03703	1.55E-02	5.7E-04	3.46E-04	1.99E-07	0.12	1.57E-01	3.59E-09	1.0E+06	3.6E-03
9	0.03828	1.55E-02	5.9E-04	3.46E-04	2.05E-07	0.12	1.57E-01	3.71E-09	1.0E+06	3.7E-03
10	0.03958	1.55E-02	6.1E-04	3.46E-04	2.12E-07	0.12	1.57E-01	3.84E-09	1.0E+06	3.8E-03
11	0.04093	1.55E-02	6.3E-04	3.46E-04	2.20E-07	0.12	1.57E-01	3.97E-09	1.0E+06	4.0E-03
12	0.04233	1.55E-02	6.6E-04	3.46E-04	2.27E-07	0.12	1.57E-01	4.11E-09	1.0E+06	4.1E-03
13	0.04379	1.55E-02	6.8E-04	3.46E-04	2.35E-07	0.12	1.57E-01	4.25E-09	1.0E+06	4.2E-03
14	0.0453	1.55E-02	7.0E-04	3.46E-04	2.43E-07	0.12	1.57E-01	4.39E-09	1.0E+06	4.4E-03
15	0.04686	1.55E-02	7.3E-04	3.46E-04	2.51E-07	0.12	1.57E-01	4.55E-09	1.0E+06	4.5E-03
16	0.04845	1.55E-02	7.5E-04	3.46E-04	2.60E-07	0.12	1.57E-01	4.70E-09	1.0E+06	4.7E-03
17	0.05007	1.55E-02	7.8E-04	3.46E-04	2.69E-07	0.12	1.57E-01	4.86E-09	1.0E+06	4.9E-03
18	0.05171	1.55E-02	8.0E-04	3.46E-04	2.77E-07	0.12	1.57E-01	5.02E-09	1.0E+06	5.0E-03
19	0.05336	1.55E-02	8.3E-04	3.46E-04	2.86E-07	0.12	1.57E-01	5.18E-09	1.0E+06	5.2E-03
20	0.055	1.55E-02	8.5E-04	3.46E-04	2.95E-07	0.12	1.57E-01	5.34E-09	1.0E+06	5.3E-03
21	0.05661	1.55E-02	8.8E-04	3.46E-04	3.04E-07	0.12	1.57E-01	5.49E-09	1.0E+06	5.5E-03
22	0.05817	1.55E-02	9.0E-04	3.46E-04	3.12E-07	0.12	1.57E-01	5.64E-09	1.0E+06	5.6E-03
23	0.05966	1.55E-02	9.2E-04	3.46E-04	3.20E-07	0.12	1.57E-01	5.79E-09	1.0E+06	5.8E-03
24	0.06105	1.55E-02	9.5E-04	3.46E-04	3.28E-07	0.12	1.57E-01	5.92E-09	1.0E+06	5.9E-03
25	0.06231	1.55E-02	9.7E-04	3.46E-04	3.34E-07	0.12	1.57E-01	6.04E-09	1.0E+06	6.0E-03
26	0.06341	1.55E-02	9.8E-04	3.46E-04	3.40E-07	0.12	1.57E-01	6.15E-09	1.0E+06	6.2E-03
27	0.06434	1.55E-02	1.0E-03	3.46E-04	3.45E-07	0.12	1.57E-01	6.24E-09	1.0E+06	6.2E-03
28	0.06507	1.55E-02	1.0E-03	3.46E-04	3.49E-07	0.12	1.57E-01	6.31E-09	1.0E+06	6.3E-03
29	0.0656	1.55E-02	1.0E-03	3.46E-04	3.52E-07	0.12	1.57E-01	6.36E-09	1.0E+06	6.4E-03
30	0.06593	1.55E-02	1.0E-03	3.46E-04	3.54E-07	0.12	1.57E-01	6.40E-09	1.0E+06	6.4E-03
31	0.06606	1.55E-02	1.0E-03	3.46E-04	3.54E-07	0.12	1.57E-01	6.41E-09	1.0E+06	6.4E-03

Via Oro
Grading

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.06601	1.55E-02	1.0E-03	3.46E-04	3.54E-07	0.12	1.57E-01	6.40E-09	1.0E+06	6.4E-03
55	0.06308	1.55E-02	9.8E-04	3.46E-04	3.38E-07	0.12	1.57E-01	6.12E-09	1.0E+06	6.1E-03
56	0.06482	1.55E-02	1.0E-03	3.46E-04	3.48E-07	0.12	1.57E-01	6.29E-09	1.0E+06	6.3E-03
57	0.06645	1.55E-02	1.0E-03	3.46E-04	3.56E-07	0.12	1.57E-01	6.45E-09	1.0E+06	6.4E-03
58	0.06793	1.55E-02	1.1E-03	3.46E-04	3.64E-07	0.12	1.57E-01	6.59E-09	1.0E+06	6.6E-03
59	0.06921	1.55E-02	1.1E-03	3.46E-04	3.71E-07	0.12	1.57E-01	6.71E-09	1.0E+06	6.7E-03
60	0.07028	1.55E-02	1.1E-03	3.46E-04	3.77E-07	0.12	1.57E-01	6.82E-09	1.0E+06	6.8E-03
61	0.07112	1.55E-02	1.1E-03	3.46E-04	3.82E-07	0.12	1.57E-01	6.90E-09	1.0E+06	6.9E-03
62	0.0717	1.55E-02	1.1E-03	3.46E-04	3.85E-07	0.12	1.57E-01	6.96E-09	1.0E+06	7.0E-03
63	0.07205	1.55E-02	1.1E-03	3.46E-04	3.87E-07	0.12	1.57E-01	6.99E-09	1.0E+06	7.0E-03
64	0.07216	1.55E-02	1.1E-03	3.46E-04	3.87E-07	0.12	1.57E-01	7.00E-09	1.0E+06	7.0E-03
65	0.07206	1.55E-02	1.1E-03	3.46E-04	3.87E-07	0.12	1.57E-01	6.99E-09	1.0E+06	7.0E-03
66	0.07179	1.55E-02	1.1E-03	3.46E-04	3.85E-07	0.12	1.57E-01	6.96E-09	1.0E+06	7.0E-03
67	0.0321	1.55E-02	5.0E-04	3.46E-04	1.72E-07	0.12	1.57E-01	3.11E-09	1.0E+06	3.1E-03
68	0.03321	1.55E-02	5.1E-04	3.46E-04	1.78E-07	0.12	1.57E-01	3.22E-09	1.0E+06	3.2E-03
69	0.03437	1.55E-02	5.3E-04	3.46E-04	1.84E-07	0.12	1.57E-01	3.33E-09	1.0E+06	3.3E-03
70	0.03558	1.55E-02	5.5E-04	3.46E-04	1.91E-07	0.12	1.57E-01	3.45E-09	1.0E+06	3.5E-03
71	0.03683	1.55E-02	5.7E-04	3.46E-04	1.98E-07	0.12	1.57E-01	3.57E-09	1.0E+06	3.6E-03
72	0.03817	1.55E-02	5.9E-04	3.46E-04	2.05E-07	0.12	1.57E-01	3.70E-09	1.0E+06	3.7E-03
73	0.03957	1.55E-02	6.1E-04	3.46E-04	2.12E-07	0.12	1.57E-01	3.84E-09	1.0E+06	3.8E-03
74	0.04103	1.55E-02	6.4E-04	3.46E-04	2.20E-07	0.12	1.57E-01	3.98E-09	1.0E+06	4.0E-03
75	0.04257	1.55E-02	6.6E-04	3.46E-04	2.28E-07	0.12	1.57E-01	4.13E-09	1.0E+06	4.1E-03
76	0.04418	1.55E-02	6.8E-04	3.46E-04	2.37E-07	0.12	1.57E-01	4.29E-09	1.0E+06	4.3E-03
77	0.04588	1.55E-02	7.1E-04	3.46E-04	2.46E-07	0.12	1.57E-01	4.45E-09	1.0E+06	4.5E-03
78	0.04767	1.55E-02	7.4E-04	3.46E-04	2.56E-07	0.12	1.57E-01	4.62E-09	1.0E+06	4.6E-03
79	0.0577	1.55E-02	8.9E-04	3.46E-04	3.10E-07	0.12	1.57E-01	5.60E-09	1.0E+06	5.6E-03
80	0.05989	1.55E-02	9.3E-04	3.46E-04	3.21E-07	0.12	1.57E-01	5.81E-09	1.0E+06	5.8E-03
81	0.06212	1.55E-02	9.6E-04	3.46E-04	3.33E-07	0.12	1.57E-01	6.03E-09	1.0E+06	6.0E-03
82	0.06435	1.55E-02	1.0E-03	3.46E-04	3.45E-07	0.12	1.57E-01	6.24E-09	1.0E+06	6.2E-03
83	0.06657	1.55E-02	1.0E-03	3.46E-04	3.57E-07	0.12	1.57E-01	6.46E-09	1.0E+06	6.5E-03
84	0.06872	1.55E-02	1.1E-03	3.46E-04	3.69E-07	0.12	1.57E-01	6.67E-09	1.0E+06	6.7E-03

Via Oro
Grading

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	0.07079	1.55E-02	1.1E-03	3.46E-04	3.80E-07	0.12	1.57E-01	6.87E-09	1.0E+06	6.9E-03
86	0.07272	1.55E-02	1.1E-03	3.46E-04	3.90E-07	0.12	1.57E-01	7.05E-09	1.0E+06	7.1E-03
87	0.07446	1.55E-02	1.2E-03	3.46E-04	3.99E-07	0.12	1.57E-01	7.22E-09	1.0E+06	7.2E-03
88	0.07597	1.55E-02	1.2E-03	3.46E-04	4.08E-07	0.12	1.57E-01	7.37E-09	1.0E+06	7.4E-03
89	0.07722	1.55E-02	1.2E-03	3.46E-04	4.14E-07	0.12	1.57E-01	7.49E-09	1.0E+06	7.5E-03
90	0.07817	1.55E-02	1.2E-03	3.46E-04	4.19E-07	0.12	1.57E-01	7.58E-09	1.0E+06	7.6E-03
91	0.07883	1.55E-02	1.2E-03	3.46E-04	4.23E-07	0.12	1.57E-01	7.65E-09	1.0E+06	7.6E-03
92	0.07919	1.55E-02	1.2E-03	3.46E-04	4.25E-07	0.12	1.57E-01	7.68E-09	1.0E+06	7.7E-03
93	0.07927	1.55E-02	1.2E-03	3.46E-04	4.25E-07	0.12	1.57E-01	7.69E-09	1.0E+06	7.7E-03
96	0.07858	1.55E-02	1.2E-03	3.46E-04	4.22E-07	0.12	1.57E-01	7.62E-09	1.0E+06	7.6E-03
97	0.08009	1.55E-02	1.2E-03	3.46E-04	4.30E-07	0.12	1.57E-01	7.77E-09	1.0E+06	7.8E-03
98	0.08391	1.55E-02	1.3E-03	3.46E-04	4.50E-07	0.12	1.57E-01	8.14E-09	1.0E+06	8.1E-03
99	0.08539	1.55E-02	1.3E-03	3.46E-04	4.58E-07	0.12	1.57E-01	8.28E-09	1.0E+06	8.3E-03
100	0.0865	1.55E-02	1.3E-03	3.46E-04	4.64E-07	0.12	1.57E-01	8.39E-09	1.0E+06	8.4E-03
101	0.08723	1.55E-02	1.4E-03	3.46E-04	4.68E-07	0.12	1.57E-01	8.46E-09	1.0E+06	8.5E-03
102	0.08758	1.55E-02	1.4E-03	3.46E-04	4.70E-07	0.12	1.57E-01	8.50E-09	1.0E+06	8.5E-03
106	0.03331	1.55E-02	5.2E-04	3.46E-04	1.79E-07	0.12	1.57E-01	3.23E-09	1.0E+06	3.2E-03
107	0.03466	1.55E-02	5.4E-04	3.46E-04	1.86E-07	0.12	1.57E-01	3.36E-09	1.0E+06	3.4E-03
108	0.036	1.55E-02	5.6E-04	3.46E-04	1.93E-07	0.12	1.57E-01	3.49E-09	1.0E+06	3.5E-03
109	0.0374	1.55E-02	5.8E-04	3.46E-04	2.01E-07	0.12	1.57E-01	3.63E-09	1.0E+06	3.6E-03
110	0.03889	1.55E-02	6.0E-04	3.46E-04	2.09E-07	0.12	1.57E-01	3.77E-09	1.0E+06	3.8E-03
111	0.04044	1.55E-02	6.3E-04	3.46E-04	2.17E-07	0.12	1.57E-01	3.92E-09	1.0E+06	3.9E-03
112	0.0421	1.55E-02	6.5E-04	3.46E-04	2.26E-07	0.12	1.57E-01	4.08E-09	1.0E+06	4.1E-03
113	0.04384	1.55E-02	6.8E-04	3.46E-04	2.35E-07	0.12	1.57E-01	4.25E-09	1.0E+06	4.3E-03
114	0.04567	1.55E-02	7.1E-04	3.46E-04	2.45E-07	0.12	1.57E-01	4.43E-09	1.0E+06	4.4E-03
115	0.04761	1.55E-02	7.4E-04	3.46E-04	2.55E-07	0.12	1.57E-01	4.62E-09	1.0E+06	4.6E-03
116	0.04964	1.55E-02	7.7E-04	3.46E-04	2.66E-07	0.12	1.57E-01	4.82E-09	1.0E+06	4.8E-03
117	0.05181	1.55E-02	8.0E-04	3.46E-04	2.78E-07	0.12	1.57E-01	5.03E-09	1.0E+06	5.0E-03
118	0.0541	1.55E-02	8.4E-04	3.46E-04	2.90E-07	0.12	1.57E-01	5.25E-09	1.0E+06	5.2E-03
124	0.03458	1.55E-02	5.4E-04	3.46E-04	1.86E-07	0.12	1.57E-01	3.35E-09	1.0E+06	3.4E-03
125	0.03597	1.55E-02	5.6E-04	3.46E-04	1.93E-07	0.12	1.57E-01	3.49E-09	1.0E+06	3.5E-03

Via Oro
Grading

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.03744	1.55E-02	5.8E-04	3.46E-04	2.01E-07	0.12	1.57E-01	3.63E-09	1.0E+06	3.6E-03
127	0.03899	1.55E-02	6.0E-04	3.46E-04	2.09E-07	0.12	1.57E-01	3.78E-09	1.0E+06	3.8E-03
128	0.04063	1.55E-02	6.3E-04	3.46E-04	2.18E-07	0.12	1.57E-01	3.94E-09	1.0E+06	3.9E-03
129	0.04236	1.55E-02	6.6E-04	3.46E-04	2.27E-07	0.12	1.57E-01	4.11E-09	1.0E+06	4.1E-03
130	0.04422	1.55E-02	6.9E-04	3.46E-04	2.37E-07	0.12	1.57E-01	4.29E-09	1.0E+06	4.3E-03
131	0.04617	1.55E-02	7.2E-04	3.46E-04	2.48E-07	0.12	1.57E-01	4.48E-09	1.0E+06	4.5E-03
132	0.04824	1.55E-02	7.5E-04	3.46E-04	2.59E-07	0.12	1.57E-01	4.68E-09	1.0E+06	4.7E-03
133	0.05043	1.55E-02	7.8E-04	3.46E-04	2.71E-07	0.12	1.57E-01	4.89E-09	1.0E+06	4.9E-03
134	0.05276	1.55E-02	8.2E-04	3.46E-04	2.83E-07	0.12	1.57E-01	5.12E-09	1.0E+06	5.1E-03
135	0.05523	1.55E-02	8.6E-04	3.46E-04	2.96E-07	0.12	1.57E-01	5.36E-09	1.0E+06	5.4E-03
136	0.05784	1.55E-02	9.0E-04	3.46E-04	3.10E-07	0.12	1.57E-01	5.61E-09	1.0E+06	5.6E-03
137	0.06059	1.55E-02	9.4E-04	3.46E-04	3.25E-07	0.12	1.57E-01	5.88E-09	1.0E+06	5.9E-03
138	0.06354	1.55E-02	9.8E-04	3.46E-04	3.41E-07	0.12	1.57E-01	6.16E-09	1.0E+06	6.2E-03
141	0.03578	1.55E-02	5.5E-04	3.46E-04	1.92E-07	0.12	1.57E-01	3.47E-09	1.0E+06	3.5E-03
142	0.0373	1.55E-02	5.8E-04	3.46E-04	2.00E-07	0.12	1.57E-01	3.62E-09	1.0E+06	3.6E-03
143	0.03891	1.55E-02	6.0E-04	3.46E-04	2.09E-07	0.12	1.57E-01	3.77E-09	1.0E+06	3.8E-03
144	0.04062	1.55E-02	6.3E-04	3.46E-04	2.18E-07	0.12	1.57E-01	3.94E-09	1.0E+06	3.9E-03
145	0.04244	1.55E-02	6.6E-04	3.46E-04	2.28E-07	0.12	1.57E-01	4.12E-09	1.0E+06	4.1E-03
146	0.04436	1.55E-02	6.9E-04	3.46E-04	2.38E-07	0.12	1.57E-01	4.30E-09	1.0E+06	4.3E-03
147	0.04643	1.55E-02	7.2E-04	3.46E-04	2.49E-07	0.12	1.57E-01	4.50E-09	1.0E+06	4.5E-03
148	0.04863	1.55E-02	7.5E-04	3.46E-04	2.61E-07	0.12	1.57E-01	4.72E-09	1.0E+06	4.7E-03
149	0.05097	1.55E-02	7.9E-04	3.46E-04	2.73E-07	0.12	1.57E-01	4.94E-09	1.0E+06	4.9E-03
150	0.05345	1.55E-02	8.3E-04	3.46E-04	2.87E-07	0.12	1.57E-01	5.19E-09	1.0E+06	5.2E-03
151	0.05611	1.55E-02	8.7E-04	3.46E-04	3.01E-07	0.12	1.57E-01	5.44E-09	1.0E+06	5.4E-03
152	0.05894	1.55E-02	9.1E-04	3.46E-04	3.16E-07	0.12	1.57E-01	5.72E-09	1.0E+06	5.7E-03
153	0.06195	1.55E-02	9.6E-04	3.46E-04	3.32E-07	0.12	1.57E-01	6.01E-09	1.0E+06	6.0E-03
154	0.06514	1.55E-02	1.0E-03	3.46E-04	3.49E-07	0.12	1.57E-01	6.32E-09	1.0E+06	6.3E-03
155	0.06855	1.55E-02	1.1E-03	3.46E-04	3.68E-07	0.12	1.57E-01	6.65E-09	1.0E+06	6.6E-03
164	0.07017	1.55E-02	1.1E-03	3.46E-04	3.76E-07	0.12	1.57E-01	6.81E-09	1.0E+06	6.8E-03
165	0.07416	1.55E-02	1.1E-03	3.46E-04	3.98E-07	0.12	1.57E-01	7.19E-09	1.0E+06	7.2E-03
166	0.07845	1.55E-02	1.2E-03	3.46E-04	4.21E-07	0.12	1.57E-01	7.61E-09	1.0E+06	7.6E-03

Via Oro
Grading

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	0.07572	1.55E-02	1.2E-03	3.46E-04	4.06E-07	0.12	1.57E-01	7.35E-09	1.0E+06	7.3E-03
179	0.08043	1.55E-02	1.2E-03	3.46E-04	4.31E-07	0.12	1.57E-01	7.80E-09	1.0E+06	7.8E-03
180	0.08553	1.55E-02	1.3E-03	3.46E-04	4.59E-07	0.12	1.57E-01	8.30E-09	1.0E+06	8.3E-03
192	0.08181	1.55E-02	1.3E-03	3.46E-04	4.39E-07	0.12	1.57E-01	7.94E-09	1.0E+06	7.9E-03
193	0.08742	1.55E-02	1.4E-03	3.46E-04	4.69E-07	0.12	1.57E-01	8.48E-09	1.0E+06	8.5E-03
194	0.09352	1.55E-02	1.4E-03	3.46E-04	5.02E-07	0.12	1.57E-01	9.07E-09	1.0E+06	9.1E-03
207	0.08842	1.55E-02	1.4E-03	3.46E-04	4.74E-07	0.12	1.57E-01	8.58E-09	1.0E+06	8.6E-03
208	0.09511	1.55E-02	1.5E-03	3.46E-04	5.10E-07	0.12	1.57E-01	9.23E-09	1.0E+06	9.2E-03
209	0.10248	1.55E-02	1.6E-03	3.46E-04	5.50E-07	0.12	1.57E-01	9.94E-09	1.0E+06	9.9E-03
223	0.09551	1.55E-02	1.5E-03	3.46E-04	5.12E-07	0.12	1.57E-01	9.27E-09	1.0E+06	9.3E-03
224	0.10349	1.55E-02	1.6E-03	3.46E-04	5.55E-07	0.12	1.57E-01	1.00E-08	1.0E+06	1.0E-02
225	0.1124	1.55E-02	1.7E-03	3.46E-04	6.03E-07	0.12	1.57E-01	1.09E-08	1.0E+06	1.1E-02
239	0.103	1.55E-02	1.6E-03	3.46E-04	5.53E-07	0.12	1.57E-01	9.99E-09	1.0E+06	1.0E-02
240	0.11251	1.55E-02	1.7E-03	3.46E-04	6.04E-07	0.12	1.57E-01	1.09E-08	1.0E+06	1.1E-02
241	0.12331	1.55E-02	1.9E-03	3.46E-04	6.62E-07	0.12	1.57E-01	1.20E-08	1.0E+06	1.2E-02
255	0.11074	1.55E-02	1.7E-03	3.46E-04	5.94E-07	0.12	1.57E-01	1.07E-08	1.0E+06	1.1E-02
256	0.12199	1.55E-02	1.9E-03	3.46E-04	6.54E-07	0.12	1.57E-01	1.18E-08	1.0E+06	1.2E-02
272	0.1185	1.55E-02	1.8E-03	3.46E-04	6.36E-07	0.12	1.57E-01	1.15E-08	1.0E+06	1.1E-02
273	0.13169	1.55E-02	2.0E-03	3.46E-04	7.06E-07	0.12	1.57E-01	1.28E-08	1.0E+06	1.3E-02
289	0.12602	1.55E-02	2.0E-03	3.46E-04	6.76E-07	0.12	1.57E-01	1.22E-08	1.0E+06	1.2E-02
290	0.14123	1.55E-02	2.2E-03	3.46E-04	7.58E-07	0.12	1.57E-01	1.37E-08	1.0E+06	1.4E-02
306	0.13294	1.55E-02	2.1E-03	3.46E-04	7.13E-07	0.12	1.57E-01	1.29E-08	1.0E+06	1.3E-02
307	0.15016	1.55E-02	2.3E-03	3.46E-04	8.06E-07	0.12	1.57E-01	1.46E-08	1.0E+06	1.5E-02
323	0.1389	1.55E-02	2.2E-03	3.46E-04	7.45E-07	0.12	1.57E-01	1.35E-08	1.0E+06	1.3E-02
324	0.15795	1.55E-02	2.4E-03	3.46E-04	8.47E-07	0.12	1.57E-01	1.53E-08	1.0E+06	1.5E-02
342	0.14356	1.55E-02	2.2E-03	3.46E-04	7.70E-07	0.12	1.57E-01	1.39E-08	1.0E+06	1.4E-02
343	0.16411	1.55E-02	2.5E-03	3.46E-04	8.80E-07	0.12	1.57E-01	1.59E-08	1.0E+06	1.6E-02
344	0.18982	1.55E-02	2.9E-03	3.46E-04	1.02E-06	0.12	1.57E-01	1.84E-08	1.0E+06	1.8E-02
356	0.14667	1.55E-02	2.3E-03	3.46E-04	7.87E-07	0.12	1.57E-01	1.42E-08	1.0E+06	1.4E-02
357	0.16825	1.55E-02	2.6E-03	3.46E-04	9.03E-07	0.12	1.57E-01	1.63E-08	1.0E+06	1.6E-02
358	0.19544	1.55E-02	3.0E-03	3.46E-04	1.05E-06	0.12	1.57E-01	1.90E-08	1.0E+06	1.9E-02

Via Oro
Grading

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.1481	1.55E-02	2.3E-03	3.46E-04	7.95E-07	0.12	1.57E-01	1.44E-08	1.0E+06	1.4E-02
371	0.17021	1.55E-02	2.6E-03	3.46E-04	9.13E-07	0.12	1.57E-01	1.65E-08	1.0E+06	1.7E-02
372	0.19813	1.55E-02	3.1E-03	3.46E-04	1.06E-06	0.12	1.57E-01	1.92E-08	1.0E+06	1.9E-02
383	0.14788	1.55E-02	2.3E-03	3.46E-04	7.93E-07	0.12	1.57E-01	1.43E-08	1.0E+06	1.4E-02
384	0.17002	1.55E-02	2.6E-03	3.46E-04	9.12E-07	0.12	1.57E-01	1.65E-08	1.0E+06	1.6E-02
385	0.19796	1.55E-02	3.1E-03	3.46E-04	1.06E-06	0.12	1.57E-01	1.92E-08	1.0E+06	1.9E-02
396	0.14614	1.55E-02	2.3E-03	3.46E-04	7.84E-07	0.12	1.57E-01	1.42E-08	1.0E+06	1.4E-02
397	0.16784	1.55E-02	2.6E-03	3.46E-04	9.00E-07	0.12	1.57E-01	1.63E-08	1.0E+06	1.6E-02
398	0.19517	1.55E-02	3.0E-03	3.46E-04	1.05E-06	0.12	1.57E-01	1.89E-08	1.0E+06	1.9E-02
399	0.23024	1.55E-02	3.6E-03	3.46E-04	1.24E-06	0.12	1.57E-01	2.23E-08	1.0E+06	2.2E-02
411	0.14308	1.55E-02	2.2E-03	3.46E-04	7.68E-07	0.12	1.57E-01	1.39E-08	1.0E+06	1.4E-02
412	0.16397	1.55E-02	2.5E-03	3.46E-04	8.80E-07	0.12	1.57E-01	1.59E-08	1.0E+06	1.6E-02
413	0.19015	1.55E-02	2.9E-03	3.46E-04	1.02E-06	0.12	1.57E-01	1.84E-08	1.0E+06	1.8E-02
414	0.22354	1.55E-02	3.5E-03	3.46E-04	1.20E-06	0.12	1.57E-01	2.17E-08	1.0E+06	2.2E-02
426	0.13895	1.55E-02	2.2E-03	3.46E-04	7.45E-07	0.12	1.57E-01	1.35E-08	1.0E+06	1.3E-02
427	0.15871	1.55E-02	2.5E-03	3.46E-04	8.51E-07	0.12	1.57E-01	1.54E-08	1.0E+06	1.5E-02
428	0.18331	1.55E-02	2.8E-03	3.46E-04	9.83E-07	0.12	1.57E-01	1.78E-08	1.0E+06	1.8E-02
429	0.21446	1.55E-02	3.3E-03	3.46E-04	1.15E-06	0.12	1.57E-01	2.08E-08	1.0E+06	2.1E-02
439	0.13398	1.55E-02	2.1E-03	3.46E-04	7.19E-07	0.12	1.57E-01	1.30E-08	1.0E+06	1.3E-02
440	0.15241	1.55E-02	2.4E-03	3.46E-04	8.18E-07	0.12	1.57E-01	1.48E-08	1.0E+06	1.5E-02
441	0.17516	1.55E-02	2.7E-03	3.46E-04	9.40E-07	0.12	1.57E-01	1.70E-08	1.0E+06	1.7E-02
442	0.20368	1.55E-02	3.2E-03	3.46E-04	1.09E-06	0.12	1.57E-01	1.98E-08	1.0E+06	2.0E-02
443	0.2401	1.55E-02	3.7E-03	3.46E-04	1.29E-06	0.12	1.57E-01	2.33E-08	1.0E+06	2.3E-02
454	0.12844	1.55E-02	2.0E-03	3.46E-04	6.89E-07	0.12	1.57E-01	1.25E-08	1.0E+06	1.2E-02
455	0.1454	1.55E-02	2.3E-03	3.46E-04	7.80E-07	0.12	1.57E-01	1.41E-08	1.0E+06	1.4E-02
456	0.16613	1.55E-02	2.6E-03	3.46E-04	8.91E-07	0.12	1.57E-01	1.61E-08	1.0E+06	1.6E-02
457	0.19185	1.55E-02	3.0E-03	3.46E-04	1.03E-06	0.12	1.57E-01	1.86E-08	1.0E+06	1.9E-02
458	0.22431	1.55E-02	3.5E-03	3.46E-04	1.20E-06	0.12	1.57E-01	2.18E-08	1.0E+06	2.2E-02
469	0.12254	1.55E-02	1.9E-03	3.46E-04	6.57E-07	0.12	1.57E-01	1.19E-08	1.0E+06	1.2E-02
470	0.13798	1.55E-02	2.1E-03	3.46E-04	7.40E-07	0.12	1.57E-01	1.34E-08	1.0E+06	1.3E-02
471	0.15667	1.55E-02	2.4E-03	3.46E-04	8.40E-07	0.12	1.57E-01	1.52E-08	1.0E+06	1.5E-02

Via Oro
Grading

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.1796	1.55E-02	2.8E-03	3.46E-04	9.64E-07	0.12	1.57E-01	1.74E-08	1.0E+06	1.7E-02
473	0.20816	1.55E-02	3.2E-03	3.46E-04	1.12E-06	0.12	1.57E-01	2.02E-08	1.0E+06	2.0E-02
489	0.11649	1.55E-02	1.8E-03	3.46E-04	6.25E-07	0.12	1.57E-01	1.13E-08	1.0E+06	1.1E-02
490	0.13044	1.55E-02	2.0E-03	3.46E-04	7.00E-07	0.12	1.57E-01	1.27E-08	1.0E+06	1.3E-02
491	0.14715	1.55E-02	2.3E-03	3.46E-04	7.89E-07	0.12	1.57E-01	1.43E-08	1.0E+06	1.4E-02
492	0.16742	1.55E-02	2.6E-03	3.46E-04	8.98E-07	0.12	1.57E-01	1.62E-08	1.0E+06	1.6E-02
493	0.19235	1.55E-02	3.0E-03	3.46E-04	1.03E-06	0.12	1.57E-01	1.87E-08	1.0E+06	1.9E-02
494	0.22355	1.55E-02	3.5E-03	3.46E-04	1.20E-06	0.12	1.57E-01	2.17E-08	1.0E+06	2.2E-02
509	0.11045	1.55E-02	1.7E-03	3.46E-04	5.93E-07	0.12	1.57E-01	1.07E-08	1.0E+06	1.1E-02
510	0.12297	1.55E-02	1.9E-03	3.46E-04	6.60E-07	0.12	1.57E-01	1.19E-08	1.0E+06	1.2E-02
511	0.13783	1.55E-02	2.1E-03	3.46E-04	7.39E-07	0.12	1.57E-01	1.34E-08	1.0E+06	1.3E-02
512	0.15566	1.55E-02	2.4E-03	3.46E-04	8.35E-07	0.12	1.57E-01	1.51E-08	1.0E+06	1.5E-02
513	0.17731	1.55E-02	2.7E-03	3.46E-04	9.51E-07	0.12	1.57E-01	1.72E-08	1.0E+06	1.7E-02
514	0.20404	1.55E-02	3.2E-03	3.46E-04	1.09E-06	0.12	1.57E-01	1.98E-08	1.0E+06	2.0E-02
515	0.2807	1.55E-02	4.4E-03	3.46E-04	1.51E-06	0.12	1.57E-01	2.72E-08	1.0E+06	2.7E-02
516	0.33697	1.55E-02	5.2E-03	3.46E-04	1.81E-06	0.12	1.57E-01	3.27E-08	1.0E+06	3.3E-02
517	0.41299	1.55E-02	6.4E-03	3.46E-04	2.22E-06	0.12	1.57E-01	4.01E-08	1.0E+06	4.0E-02
518	0.51796	1.55E-02	8.0E-03	3.46E-04	2.78E-06	0.12	1.57E-01	5.02E-08	1.0E+06	5.0E-02
519	0.66655	1.55E-02	1.0E-02	3.46E-04	3.58E-06	0.12	1.57E-01	6.47E-08	1.0E+06	6.5E-02
528	0.10452	1.55E-02	1.6E-03	3.46E-04	5.61E-07	0.12	1.57E-01	1.01E-08	1.0E+06	1.0E-02
529	0.11573	1.55E-02	1.8E-03	3.46E-04	6.21E-07	0.12	1.57E-01	1.12E-08	1.0E+06	1.1E-02
530	0.12889	1.55E-02	2.0E-03	3.46E-04	6.91E-07	0.12	1.57E-01	1.25E-08	1.0E+06	1.3E-02
531	0.14452	1.55E-02	2.2E-03	3.46E-04	7.75E-07	0.12	1.57E-01	1.40E-08	1.0E+06	1.4E-02
532	0.16329	1.55E-02	2.5E-03	3.46E-04	8.76E-07	0.12	1.57E-01	1.58E-08	1.0E+06	1.6E-02
533	0.18614	1.55E-02	2.9E-03	3.46E-04	9.99E-07	0.12	1.57E-01	1.81E-08	1.0E+06	1.8E-02
534	0.24993	1.55E-02	3.9E-03	3.46E-04	1.34E-06	0.12	1.57E-01	2.42E-08	1.0E+06	2.4E-02
535	0.29541	1.55E-02	4.6E-03	3.46E-04	1.58E-06	0.12	1.57E-01	2.87E-08	1.0E+06	2.9E-02
536	0.35583	1.55E-02	5.5E-03	3.46E-04	1.91E-06	0.12	1.57E-01	3.45E-08	1.0E+06	3.5E-02
537	0.43528	1.55E-02	6.7E-03	3.46E-04	2.34E-06	0.12	1.57E-01	4.22E-08	1.0E+06	4.2E-02
538	0.54262	1.55E-02	8.4E-03	3.46E-04	2.91E-06	0.12	1.57E-01	5.26E-08	1.0E+06	5.3E-02
547	0.09878	1.55E-02	1.5E-03	3.46E-04	5.30E-07	0.12	1.57E-01	9.58E-09	1.0E+06	9.6E-03

Via Oro
Grading

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.10878	1.55E-02	1.7E-03	3.46E-04	5.84E-07	0.12	1.57E-01	1.06E-08	1.0E+06	1.1E-02
549	0.12042	1.55E-02	1.9E-03	3.46E-04	6.46E-07	0.12	1.57E-01	1.17E-08	1.0E+06	1.2E-02
550	0.1341	1.55E-02	2.1E-03	3.46E-04	7.19E-07	0.12	1.57E-01	1.30E-08	1.0E+06	1.3E-02
551	0.15035	1.55E-02	2.3E-03	3.46E-04	8.07E-07	0.12	1.57E-01	1.46E-08	1.0E+06	1.5E-02
552	0.16989	1.55E-02	2.6E-03	3.46E-04	9.11E-07	0.12	1.57E-01	1.65E-08	1.0E+06	1.6E-02
553	0.19376	1.55E-02	3.0E-03	3.46E-04	1.04E-06	0.12	1.57E-01	1.88E-08	1.0E+06	1.9E-02
554	0.22323	1.55E-02	3.5E-03	3.46E-04	1.20E-06	0.12	1.57E-01	2.17E-08	1.0E+06	2.2E-02
555	0.2606	1.55E-02	4.0E-03	3.46E-04	1.40E-06	0.12	1.57E-01	2.53E-08	1.0E+06	2.5E-02
556	0.30907	1.55E-02	4.8E-03	3.46E-04	1.66E-06	0.12	1.57E-01	3.00E-08	1.0E+06	3.0E-02
557	0.37089	1.55E-02	5.7E-03	3.46E-04	1.99E-06	0.12	1.57E-01	3.60E-08	1.0E+06	3.6E-02
558	0.45244	1.55E-02	7.0E-03	3.46E-04	2.43E-06	0.12	1.57E-01	4.39E-08	1.0E+06	4.4E-02
559	0.55409	1.55E-02	8.6E-03	3.46E-04	2.97E-06	0.12	1.57E-01	5.38E-08	1.0E+06	5.4E-02
567	0.09328	1.55E-02	1.4E-03	3.46E-04	5.00E-07	0.12	1.57E-01	9.05E-09	1.0E+06	9.0E-03
568	0.10218	1.55E-02	1.6E-03	3.46E-04	5.48E-07	0.12	1.57E-01	9.91E-09	1.0E+06	9.9E-03
569	0.11246	1.55E-02	1.7E-03	3.46E-04	6.03E-07	0.12	1.57E-01	1.09E-08	1.0E+06	1.1E-02
570	0.12444	1.55E-02	1.9E-03	3.46E-04	6.68E-07	0.12	1.57E-01	1.21E-08	1.0E+06	1.2E-02
571	0.13852	1.55E-02	2.1E-03	3.46E-04	7.43E-07	0.12	1.57E-01	1.34E-08	1.0E+06	1.3E-02
572	0.15529	1.55E-02	2.4E-03	3.46E-04	8.33E-07	0.12	1.57E-01	1.51E-08	1.0E+06	1.5E-02
573	0.17553	1.55E-02	2.7E-03	3.46E-04	9.42E-07	0.12	1.57E-01	1.70E-08	1.0E+06	1.7E-02
574	0.2311	1.55E-02	3.6E-03	3.46E-04	1.24E-06	0.12	1.57E-01	2.24E-08	1.0E+06	2.2E-02
575	0.27035	1.55E-02	4.2E-03	3.46E-04	1.45E-06	0.12	1.57E-01	2.62E-08	1.0E+06	2.6E-02
576	0.32012	1.55E-02	5.0E-03	3.46E-04	1.72E-06	0.12	1.57E-01	3.11E-08	1.0E+06	3.1E-02
577	0.38282	1.55E-02	5.9E-03	3.46E-04	2.05E-06	0.12	1.57E-01	3.71E-08	1.0E+06	3.7E-02
578	0.45874	1.55E-02	7.1E-03	3.46E-04	2.46E-06	0.12	1.57E-01	4.45E-08	1.0E+06	4.5E-02
586	0.08804	1.55E-02	1.4E-03	3.46E-04	4.72E-07	0.12	1.57E-01	8.54E-09	1.0E+06	8.5E-03
587	0.09595	1.55E-02	1.5E-03	3.46E-04	5.15E-07	0.12	1.57E-01	9.31E-09	1.0E+06	9.3E-03
588	0.10503	1.55E-02	1.6E-03	3.46E-04	5.63E-07	0.12	1.57E-01	1.02E-08	1.0E+06	1.0E-02
589	0.11551	1.55E-02	1.8E-03	3.46E-04	6.20E-07	0.12	1.57E-01	1.12E-08	1.0E+06	1.1E-02
590	0.12773	1.55E-02	2.0E-03	3.46E-04	6.85E-07	0.12	1.57E-01	1.24E-08	1.0E+06	1.2E-02
591	0.14215	1.55E-02	2.2E-03	3.46E-04	7.63E-07	0.12	1.57E-01	1.38E-08	1.0E+06	1.4E-02
592	0.15939	1.55E-02	2.5E-03	3.46E-04	8.55E-07	0.12	1.57E-01	1.55E-08	1.0E+06	1.5E-02

Via Oro
Grading

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.20599	1.55E-02	3.2E-03	3.46E-04	1.11E-06	0.12	1.57E-01	2.00E-08	1.0E+06	2.0E-02
594	0.2383	1.55E-02	3.7E-03	3.46E-04	1.28E-06	0.12	1.57E-01	2.31E-08	1.0E+06	2.3E-02
595	0.2782	1.55E-02	4.3E-03	3.46E-04	1.49E-06	0.12	1.57E-01	2.70E-08	1.0E+06	2.7E-02
596	0.32718	1.55E-02	5.1E-03	3.46E-04	1.76E-06	0.12	1.57E-01	3.17E-08	1.0E+06	3.2E-02
597	0.3851	1.55E-02	6.0E-03	3.46E-04	2.07E-06	0.12	1.57E-01	3.74E-08	1.0E+06	3.7E-02
345	0.2227	1.55E-02	3.5E-03	3.46E-04	1.19E-06	0.12	1.57E-01	2.16E-08	1.0E+06	2.2E-02
346	0.26583	1.55E-02	4.1E-03	3.46E-04	1.43E-06	0.12	1.57E-01	2.58E-08	1.0E+06	2.6E-02
347	0.32435	1.55E-02	5.0E-03	3.46E-04	1.74E-06	0.12	1.57E-01	3.15E-08	1.0E+06	3.1E-02
348	0.40749	1.55E-02	6.3E-03	3.46E-04	2.19E-06	0.12	1.57E-01	3.95E-08	1.0E+06	4.0E-02
359	0.23043	1.55E-02	3.6E-03	3.46E-04	1.24E-06	0.12	1.57E-01	2.24E-08	1.0E+06	2.2E-02
360	0.27662	1.55E-02	4.3E-03	3.46E-04	1.48E-06	0.12	1.57E-01	2.68E-08	1.0E+06	2.7E-02
361	0.33997	1.55E-02	5.3E-03	3.46E-04	1.82E-06	0.12	1.57E-01	3.30E-08	1.0E+06	3.3E-02
362	0.42974	1.55E-02	6.7E-03	3.46E-04	2.31E-06	0.12	1.57E-01	4.17E-08	1.0E+06	4.2E-02
363	0.56883	1.55E-02	8.8E-03	3.46E-04	3.05E-06	0.12	1.57E-01	5.52E-08	1.0E+06	5.5E-02
373	0.28188	1.55E-02	4.4E-03	3.46E-04	1.51E-06	0.12	1.57E-01	2.73E-08	1.0E+06	2.7E-02
374	0.34692	1.55E-02	5.4E-03	3.46E-04	1.86E-06	0.12	1.57E-01	3.37E-08	1.0E+06	3.4E-02
375	0.43896	1.55E-02	6.8E-03	3.46E-04	2.35E-06	0.12	1.57E-01	4.26E-08	1.0E+06	4.3E-02
376	0.57944	1.55E-02	9.0E-03	3.46E-04	3.11E-06	0.12	1.57E-01	5.62E-08	1.0E+06	5.6E-02
386	0.28155	1.55E-02	4.4E-03	3.46E-04	1.51E-06	0.12	1.57E-01	2.73E-08	1.0E+06	2.7E-02
387	0.3462	1.55E-02	5.4E-03	3.46E-04	1.86E-06	0.12	1.57E-01	3.36E-08	1.0E+06	3.4E-02
388	0.43672	1.55E-02	6.8E-03	3.46E-04	2.34E-06	0.12	1.57E-01	4.24E-08	1.0E+06	4.2E-02
389	0.57256	1.55E-02	8.9E-03	3.46E-04	3.07E-06	0.12	1.57E-01	5.55E-08	1.0E+06	5.6E-02
390	0.79338	1.55E-02	1.2E-02	3.46E-04	4.26E-06	0.12	1.57E-01	7.70E-08	1.0E+06	7.7E-02
400	0.27635	1.55E-02	4.3E-03	3.46E-04	1.48E-06	0.12	1.57E-01	2.68E-08	1.0E+06	2.7E-02
401	0.33816	1.55E-02	5.2E-03	3.46E-04	1.81E-06	0.12	1.57E-01	3.28E-08	1.0E+06	3.3E-02
402	0.4252	1.55E-02	6.6E-03	3.46E-04	2.28E-06	0.12	1.57E-01	4.12E-08	1.0E+06	4.1E-02
403	0.55138	1.55E-02	8.5E-03	3.46E-04	2.96E-06	0.12	1.57E-01	5.35E-08	1.0E+06	5.3E-02
404	0.74962	1.55E-02	1.2E-02	3.46E-04	4.02E-06	0.12	1.57E-01	7.27E-08	1.0E+06	7.3E-02
415	0.26709	1.55E-02	4.1E-03	3.46E-04	1.43E-06	0.12	1.57E-01	2.59E-08	1.0E+06	2.6E-02
416	0.32536	1.55E-02	5.0E-03	3.46E-04	1.75E-06	0.12	1.57E-01	3.16E-08	1.0E+06	3.2E-02
417	0.40519	1.55E-02	6.3E-03	3.46E-04	2.17E-06	0.12	1.57E-01	3.93E-08	1.0E+06	3.9E-02

Via Oro
Grading

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.52201	1.55E-02	8.1E-03	3.46E-04	2.80E-06	0.12	1.57E-01	5.06E-08	1.0E+06	5.1E-02
419	0.6999	1.55E-02	1.1E-02	3.46E-04	3.75E-06	0.12	1.57E-01	6.79E-08	1.0E+06	6.8E-02
420	0.9853	1.55E-02	1.5E-02	3.46E-04	5.29E-06	0.12	1.57E-01	9.56E-08	1.0E+06	9.6E-02
430	0.3078	1.55E-02	4.8E-03	3.46E-04	1.65E-06	0.12	1.57E-01	2.99E-08	1.0E+06	3.0E-02
431	0.38049	1.55E-02	5.9E-03	3.46E-04	2.04E-06	0.12	1.57E-01	3.69E-08	1.0E+06	3.7E-02
432	0.48348	1.55E-02	7.5E-03	3.46E-04	2.59E-06	0.12	1.57E-01	4.69E-08	1.0E+06	4.7E-02
433	0.63759	1.55E-02	9.9E-03	3.46E-04	3.42E-06	0.12	1.57E-01	6.19E-08	1.0E+06	6.2E-02
434	0.88507	1.55E-02	1.4E-02	3.46E-04	4.75E-06	0.12	1.57E-01	8.59E-08	1.0E+06	8.6E-02
444	0.28768	1.55E-02	4.5E-03	3.46E-04	1.54E-06	0.12	1.57E-01	2.79E-08	1.0E+06	2.8E-02
445	0.35159	1.55E-02	5.4E-03	3.46E-04	1.89E-06	0.12	1.57E-01	3.41E-08	1.0E+06	3.4E-02
446	0.44074	1.55E-02	6.8E-03	3.46E-04	2.36E-06	0.12	1.57E-01	4.28E-08	1.0E+06	4.3E-02
447	0.57096	1.55E-02	8.8E-03	3.46E-04	3.06E-06	0.12	1.57E-01	5.54E-08	1.0E+06	5.5E-02
448	0.77323	1.55E-02	1.2E-02	3.46E-04	4.15E-06	0.12	1.57E-01	7.50E-08	1.0E+06	7.5E-02
459	0.32138	1.55E-02	5.0E-03	3.46E-04	1.72E-06	0.12	1.57E-01	3.12E-08	1.0E+06	3.1E-02
460	0.39688	1.55E-02	6.2E-03	3.46E-04	2.13E-06	0.12	1.57E-01	3.85E-08	1.0E+06	3.9E-02
461	0.50434	1.55E-02	7.8E-03	3.46E-04	2.71E-06	0.12	1.57E-01	4.89E-08	1.0E+06	4.9E-02
462	0.66519	1.55E-02	1.0E-02	3.46E-04	3.57E-06	0.12	1.57E-01	6.45E-08	1.0E+06	6.5E-02
463	0.9199	1.55E-02	1.4E-02	3.46E-04	4.94E-06	0.12	1.57E-01	8.92E-08	1.0E+06	8.9E-02
474	0.29149	1.55E-02	4.5E-03	3.46E-04	1.56E-06	0.12	1.57E-01	2.83E-08	1.0E+06	2.8E-02
475	0.3544	1.55E-02	5.5E-03	3.46E-04	1.90E-06	0.12	1.57E-01	3.44E-08	1.0E+06	3.4E-02
476	0.44175	1.55E-02	6.8E-03	3.46E-04	2.37E-06	0.12	1.57E-01	4.29E-08	1.0E+06	4.3E-02
477	0.56696	1.55E-02	8.8E-03	3.46E-04	3.04E-06	0.12	1.57E-01	5.50E-08	1.0E+06	5.5E-02
478	0.75502	1.55E-02	1.2E-02	3.46E-04	4.05E-06	0.12	1.57E-01	7.32E-08	1.0E+06	7.3E-02
495	0.26339	1.55E-02	4.1E-03	3.46E-04	1.41E-06	0.12	1.57E-01	2.56E-08	1.0E+06	2.6E-02
496	0.31542	1.55E-02	4.9E-03	3.46E-04	1.69E-06	0.12	1.57E-01	3.06E-08	1.0E+06	3.1E-02
497	0.38568	1.55E-02	6.0E-03	3.46E-04	2.07E-06	0.12	1.57E-01	3.74E-08	1.0E+06	3.7E-02
498	0.48315	1.55E-02	7.5E-03	3.46E-04	2.59E-06	0.12	1.57E-01	4.69E-08	1.0E+06	4.7E-02
499	0.62238	1.55E-02	9.6E-03	3.46E-04	3.34E-06	0.12	1.57E-01	6.04E-08	1.0E+06	6.0E-02
500	0.82822	1.55E-02	1.3E-02	3.46E-04	4.44E-06	0.12	1.57E-01	8.03E-08	1.0E+06	8.0E-02

Via Oro
Grading

		Cancer Risk from 3rd Trimester - Construction									
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
139	0.06663	1.55E-02	1.0E-03	2.50E-04	2.58E-07	0.12	1.15E-02	3.41E-10	1.0E+06	3.4E-04	
140	0.0699	1.55E-02	1.1E-03	2.50E-04	2.71E-07	0.12	1.15E-02	3.58E-10	1.0E+06	3.6E-04	
156	0.07218	1.55E-02	1.1E-03	2.50E-04	2.80E-07	0.12	1.15E-02	3.70E-10	1.0E+06	3.7E-04	
157	0.07602	1.55E-02	1.2E-03	2.50E-04	2.95E-07	0.12	1.15E-02	3.89E-10	1.0E+06	3.9E-04	
158	0.08009	1.55E-02	1.2E-03	2.50E-04	3.11E-07	0.12	1.15E-02	4.10E-10	1.0E+06	4.1E-04	
159	0.08436	1.55E-02	1.3E-03	2.50E-04	3.27E-07	0.12	1.15E-02	4.32E-10	1.0E+06	4.3E-04	
160	0.08879	1.55E-02	1.4E-03	2.50E-04	3.44E-07	0.12	1.15E-02	4.55E-10	1.0E+06	4.5E-04	
161	0.09804	1.55E-02	1.5E-03	2.50E-04	3.80E-07	0.12	1.15E-02	5.02E-10	1.0E+06	5.0E-04	
162	0.10269	1.55E-02	1.6E-03	2.50E-04	3.98E-07	0.12	1.15E-02	5.26E-10	1.0E+06	5.3E-04	
163	0.10719	1.55E-02	1.7E-03	2.50E-04	4.16E-07	0.12	1.15E-02	5.49E-10	1.0E+06	5.5E-04	
167	0.08296	1.55E-02	1.3E-03	2.50E-04	3.22E-07	0.12	1.15E-02	4.25E-10	1.0E+06	4.2E-04	
168	0.08789	1.55E-02	1.4E-03	2.50E-04	3.41E-07	0.12	1.15E-02	4.50E-10	1.0E+06	4.5E-04	
169	0.09303	1.55E-02	1.4E-03	2.50E-04	3.61E-07	0.12	1.15E-02	4.76E-10	1.0E+06	4.8E-04	
170	0.09843	1.55E-02	1.5E-03	2.50E-04	3.82E-07	0.12	1.15E-02	5.04E-10	1.0E+06	5.0E-04	
171	0.10406	1.55E-02	1.6E-03	2.50E-04	4.04E-07	0.12	1.15E-02	5.33E-10	1.0E+06	5.3E-04	
172	0.10985	1.55E-02	1.7E-03	2.50E-04	4.26E-07	0.12	1.15E-02	5.62E-10	1.0E+06	5.6E-04	
173	0.11559	1.55E-02	1.8E-03	2.50E-04	4.48E-07	0.12	1.15E-02	5.92E-10	1.0E+06	5.9E-04	
174	0.12128	1.55E-02	1.9E-03	2.50E-04	4.70E-07	0.12	1.15E-02	6.21E-10	1.0E+06	6.2E-04	
175	0.12668	1.55E-02	2.0E-03	2.50E-04	4.91E-07	0.12	1.15E-02	6.49E-10	1.0E+06	6.5E-04	
176	0.13159	1.55E-02	2.0E-03	2.50E-04	5.10E-07	0.12	1.15E-02	6.74E-10	1.0E+06	6.7E-04	
177	0.13573	1.55E-02	2.1E-03	2.50E-04	5.26E-07	0.12	1.15E-02	6.95E-10	1.0E+06	6.9E-04	
181	0.0969	1.55E-02	1.5E-03	2.50E-04	3.76E-07	0.12	1.15E-02	4.96E-10	1.0E+06	5.0E-04	
182	0.10314	1.55E-02	1.6E-03	2.50E-04	4.00E-07	0.12	1.15E-02	5.28E-10	1.0E+06	5.3E-04	
183	0.10985	1.55E-02	1.7E-03	2.50E-04	4.26E-07	0.12	1.15E-02	5.62E-10	1.0E+06	5.6E-04	
184	0.11685	1.55E-02	1.8E-03	2.50E-04	4.53E-07	0.12	1.15E-02	5.98E-10	1.0E+06	6.0E-04	
185	0.12414	1.55E-02	1.9E-03	2.50E-04	4.81E-07	0.12	1.15E-02	6.36E-10	1.0E+06	6.4E-04	
186	0.13152	1.55E-02	2.0E-03	2.50E-04	5.10E-07	0.12	1.15E-02	6.73E-10	1.0E+06	6.7E-04	
187	0.13868	1.55E-02	2.1E-03	2.50E-04	5.38E-07	0.12	1.15E-02	7.10E-10	1.0E+06	7.1E-04	
188	0.14569	1.55E-02	2.3E-03	2.50E-04	5.65E-07	0.12	1.15E-02	7.46E-10	1.0E+06	7.5E-04	
189	0.15206	1.55E-02	2.4E-03	2.50E-04	5.90E-07	0.12	1.15E-02	7.79E-10	1.0E+06	7.8E-04	
190	0.15738	1.55E-02	2.4E-03	2.50E-04	6.10E-07	0.12	1.15E-02	8.06E-10	1.0E+06	8.1E-04	

Via Oro
Grading

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	0.16146	1.55E-02	2.5E-03	2.50E-04	6.26E-07	0.12	1.15E-02	8.27E-10	1.0E+06	8.3E-04
195	0.10736	1.55E-02	1.7E-03	2.50E-04	4.16E-07	0.12	1.15E-02	5.50E-10	1.0E+06	5.5E-04
196	0.11509	1.55E-02	1.8E-03	2.50E-04	4.46E-07	0.12	1.15E-02	5.89E-10	1.0E+06	5.9E-04
197	0.12341	1.55E-02	1.9E-03	2.50E-04	4.79E-07	0.12	1.15E-02	6.32E-10	1.0E+06	6.3E-04
198	0.13233	1.55E-02	2.1E-03	2.50E-04	5.13E-07	0.12	1.15E-02	6.78E-10	1.0E+06	6.8E-04
199	0.14166	1.55E-02	2.2E-03	2.50E-04	5.49E-07	0.12	1.15E-02	7.25E-10	1.0E+06	7.3E-04
200	0.15125	1.55E-02	2.3E-03	2.50E-04	5.87E-07	0.12	1.15E-02	7.74E-10	1.0E+06	7.7E-04
201	0.16083	1.55E-02	2.5E-03	2.50E-04	6.24E-07	0.12	1.15E-02	8.23E-10	1.0E+06	8.2E-04
202	0.17001	1.55E-02	2.6E-03	2.50E-04	6.59E-07	0.12	1.15E-02	8.70E-10	1.0E+06	8.7E-04
203	0.17832	1.55E-02	2.8E-03	2.50E-04	6.92E-07	0.12	1.15E-02	9.13E-10	1.0E+06	9.1E-04
204	0.1853	1.55E-02	2.9E-03	2.50E-04	7.19E-07	0.12	1.15E-02	9.49E-10	1.0E+06	9.5E-04
205	0.19058	1.55E-02	3.0E-03	2.50E-04	7.39E-07	0.12	1.15E-02	9.76E-10	1.0E+06	9.8E-04
206	0.19393	1.55E-02	3.0E-03	2.50E-04	7.52E-07	0.12	1.15E-02	9.93E-10	1.0E+06	9.9E-04
210	0.11044	1.55E-02	1.7E-03	2.50E-04	4.28E-07	0.12	1.15E-02	5.65E-10	1.0E+06	5.7E-04
211	0.11946	1.55E-02	1.9E-03	2.50E-04	4.63E-07	0.12	1.15E-02	6.12E-10	1.0E+06	6.1E-04
212	0.12914	1.55E-02	2.0E-03	2.50E-04	5.01E-07	0.12	1.15E-02	6.61E-10	1.0E+06	6.6E-04
213	0.13977	1.55E-02	2.2E-03	2.50E-04	5.42E-07	0.12	1.15E-02	7.16E-10	1.0E+06	7.2E-04
214	0.16345	1.55E-02	2.5E-03	2.50E-04	6.34E-07	0.12	1.15E-02	8.37E-10	1.0E+06	8.4E-04
215	0.17619	1.55E-02	2.7E-03	2.50E-04	6.83E-07	0.12	1.15E-02	9.02E-10	1.0E+06	9.0E-04
216	0.18908	1.55E-02	2.9E-03	2.50E-04	7.33E-07	0.12	1.15E-02	9.68E-10	1.0E+06	9.7E-04
217	0.20154	1.55E-02	3.1E-03	2.50E-04	7.82E-07	0.12	1.15E-02	1.03E-09	1.0E+06	1.0E-03
218	0.21285	1.55E-02	3.3E-03	2.50E-04	8.26E-07	0.12	1.15E-02	1.09E-09	1.0E+06	1.1E-03
219	0.22229	1.55E-02	3.4E-03	2.50E-04	8.62E-07	0.12	1.15E-02	1.14E-09	1.0E+06	1.1E-03
220	0.22928	1.55E-02	3.6E-03	2.50E-04	8.89E-07	0.12	1.15E-02	1.17E-09	1.0E+06	1.2E-03
221	0.23347	1.55E-02	3.6E-03	2.50E-04	9.06E-07	0.12	1.15E-02	1.20E-09	1.0E+06	1.2E-03
222	0.23463	1.55E-02	3.6E-03	2.50E-04	9.10E-07	0.12	1.15E-02	1.20E-09	1.0E+06	1.2E-03
226	0.12234	1.55E-02	1.9E-03	2.50E-04	4.75E-07	0.12	1.15E-02	6.26E-10	1.0E+06	6.3E-04
227	0.13352	1.55E-02	2.1E-03	2.50E-04	5.18E-07	0.12	1.15E-02	6.84E-10	1.0E+06	6.8E-04
228	0.14584	1.55E-02	2.3E-03	2.50E-04	5.66E-07	0.12	1.15E-02	7.47E-10	1.0E+06	7.5E-04
229	0.15957	1.55E-02	2.5E-03	2.50E-04	6.19E-07	0.12	1.15E-02	8.17E-10	1.0E+06	8.2E-04
230	0.17462	1.55E-02	2.7E-03	2.50E-04	6.77E-07	0.12	1.15E-02	8.94E-10	1.0E+06	8.9E-04

Via Oro
Grading

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	0.19059	1.55E-02	3.0E-03	2.50E-04	7.39E-07	0.12	1.15E-02	9.76E-10	1.0E+06	9.8E-04
232	0.20809	1.55E-02	3.2E-03	2.50E-04	8.07E-07	0.12	1.15E-02	1.07E-09	1.0E+06	1.1E-03
233	0.24383	1.55E-02	3.8E-03	2.50E-04	9.46E-07	0.12	1.15E-02	1.25E-09	1.0E+06	1.2E-03
234	0.25978	1.55E-02	4.0E-03	2.50E-04	1.01E-06	0.12	1.15E-02	1.33E-09	1.0E+06	1.3E-03
235	0.27299	1.55E-02	4.2E-03	2.50E-04	1.06E-06	0.12	1.15E-02	1.40E-09	1.0E+06	1.4E-03
236	0.28252	1.55E-02	4.4E-03	2.50E-04	1.10E-06	0.12	1.15E-02	1.45E-09	1.0E+06	1.4E-03
237	0.28784	1.55E-02	4.5E-03	2.50E-04	1.12E-06	0.12	1.15E-02	1.47E-09	1.0E+06	1.5E-03
238	0.28884	1.55E-02	4.5E-03	2.50E-04	1.12E-06	0.12	1.15E-02	1.48E-09	1.0E+06	1.5E-03
242	0.13558	1.55E-02	2.1E-03	2.50E-04	5.26E-07	0.12	1.15E-02	6.94E-10	1.0E+06	6.9E-04
243	0.1496	1.55E-02	2.3E-03	2.50E-04	5.80E-07	0.12	1.15E-02	7.66E-10	1.0E+06	7.7E-04
244	0.16486	1.55E-02	2.6E-03	2.50E-04	6.39E-07	0.12	1.15E-02	8.44E-10	1.0E+06	8.4E-04
245	0.18312	1.55E-02	2.8E-03	2.50E-04	7.10E-07	0.12	1.15E-02	9.38E-10	1.0E+06	9.4E-04
246	0.20356	1.55E-02	3.2E-03	2.50E-04	7.90E-07	0.12	1.15E-02	1.04E-09	1.0E+06	1.0E-03
247	0.22624	1.55E-02	3.5E-03	2.50E-04	8.78E-07	0.12	1.15E-02	1.16E-09	1.0E+06	1.2E-03
248	0.25101	1.55E-02	3.9E-03	2.50E-04	9.74E-07	0.12	1.15E-02	1.29E-09	1.0E+06	1.3E-03
249	0.30237	1.55E-02	4.7E-03	2.50E-04	1.17E-06	0.12	1.15E-02	1.55E-09	1.0E+06	1.5E-03
250	0.32558	1.55E-02	5.0E-03	2.50E-04	1.26E-06	0.12	1.15E-02	1.67E-09	1.0E+06	1.7E-03
251	0.34508	1.55E-02	5.3E-03	2.50E-04	1.34E-06	0.12	1.15E-02	1.77E-09	1.0E+06	1.8E-03
252	0.35899	1.55E-02	5.6E-03	2.50E-04	1.39E-06	0.12	1.15E-02	1.84E-09	1.0E+06	1.8E-03
253	0.3657	1.55E-02	5.7E-03	2.50E-04	1.42E-06	0.12	1.15E-02	1.87E-09	1.0E+06	1.9E-03
254	0.36553	1.55E-02	5.7E-03	2.50E-04	1.42E-06	0.12	1.15E-02	1.87E-09	1.0E+06	1.9E-03
257	0.15013	1.55E-02	2.3E-03	2.50E-04	5.82E-07	0.12	1.15E-02	7.69E-10	1.0E+06	7.7E-04
258	0.16778	1.55E-02	2.6E-03	2.50E-04	6.51E-07	0.12	1.15E-02	8.59E-10	1.0E+06	8.6E-04
259	0.18826	1.55E-02	2.9E-03	2.50E-04	7.30E-07	0.12	1.15E-02	9.64E-10	1.0E+06	9.6E-04
260	0.21119	1.55E-02	3.3E-03	2.50E-04	8.19E-07	0.12	1.15E-02	1.08E-09	1.0E+06	1.1E-03
261	0.24033	1.55E-02	3.7E-03	2.50E-04	9.32E-07	0.12	1.15E-02	1.23E-09	1.0E+06	1.2E-03
262	0.27257	1.55E-02	4.2E-03	2.50E-04	1.06E-06	0.12	1.15E-02	1.40E-09	1.0E+06	1.4E-03
263	0.30901	1.55E-02	4.8E-03	2.50E-04	1.20E-06	0.12	1.15E-02	1.58E-09	1.0E+06	1.6E-03
264	0.38883	1.55E-02	6.0E-03	2.50E-04	1.51E-06	0.12	1.15E-02	1.99E-09	1.0E+06	2.0E-03
265	0.42538	1.55E-02	6.6E-03	2.50E-04	1.65E-06	0.12	1.15E-02	2.18E-09	1.0E+06	2.2E-03
266	0.45533	1.55E-02	7.1E-03	2.50E-04	1.77E-06	0.12	1.15E-02	2.33E-09	1.0E+06	2.3E-03

Via Oro
Grading

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	0.47529	1.55E-02	7.4E-03	2.50E-04	1.84E-06	0.12	1.15E-02	2.43E-09	1.0E+06	2.4E-03
268	0.48327	1.55E-02	7.5E-03	2.50E-04	1.87E-06	0.12	1.15E-02	2.47E-09	1.0E+06	2.5E-03
269	0.47972	1.55E-02	7.4E-03	2.50E-04	1.86E-06	0.12	1.15E-02	2.46E-09	1.0E+06	2.5E-03
270	0.41534	1.55E-02	6.4E-03	2.50E-04	1.61E-06	0.12	1.15E-02	2.13E-09	1.0E+06	2.1E-03
271	0.38572	1.55E-02	6.0E-03	2.50E-04	1.50E-06	0.12	1.15E-02	1.97E-09	1.0E+06	2.0E-03
274	0.16569	1.55E-02	2.6E-03	2.50E-04	6.43E-07	0.12	1.15E-02	8.48E-10	1.0E+06	8.5E-04
275	0.18778	1.55E-02	2.9E-03	2.50E-04	7.28E-07	0.12	1.15E-02	9.61E-10	1.0E+06	9.6E-04
276	0.21449	1.55E-02	3.3E-03	2.50E-04	8.32E-07	0.12	1.15E-02	1.10E-09	1.0E+06	1.1E-03
277	0.2458	1.55E-02	3.8E-03	2.50E-04	9.53E-07	0.12	1.15E-02	1.26E-09	1.0E+06	1.3E-03
278	0.28575	1.55E-02	4.4E-03	2.50E-04	1.11E-06	0.12	1.15E-02	1.46E-09	1.0E+06	1.5E-03
279	0.33325	1.55E-02	5.2E-03	2.50E-04	1.29E-06	0.12	1.15E-02	1.71E-09	1.0E+06	1.7E-03
280	0.38759	1.55E-02	6.0E-03	2.50E-04	1.50E-06	0.12	1.15E-02	1.98E-09	1.0E+06	2.0E-03
281	0.52116	1.55E-02	8.1E-03	2.50E-04	2.02E-06	0.12	1.15E-02	2.67E-09	1.0E+06	2.7E-03
282	0.58294	1.55E-02	9.0E-03	2.50E-04	2.26E-06	0.12	1.15E-02	2.98E-09	1.0E+06	3.0E-03
283	0.63209	1.55E-02	9.8E-03	2.50E-04	2.45E-06	0.12	1.15E-02	3.24E-09	1.0E+06	3.2E-03
284	0.66432	1.55E-02	1.0E-02	2.50E-04	2.58E-06	0.12	1.15E-02	3.40E-09	1.0E+06	3.4E-03
285	0.67476	1.55E-02	1.0E-02	2.50E-04	2.62E-06	0.12	1.15E-02	3.45E-09	1.0E+06	3.5E-03
286	0.66044	1.55E-02	1.0E-02	2.50E-04	2.56E-06	0.12	1.15E-02	3.38E-09	1.0E+06	3.4E-03
287	0.52728	1.55E-02	8.2E-03	2.50E-04	2.05E-06	0.12	1.15E-02	2.70E-09	1.0E+06	2.7E-03
288	0.4762	1.55E-02	7.4E-03	2.50E-04	1.85E-06	0.12	1.15E-02	2.44E-09	1.0E+06	2.4E-03
291	0.1817	1.55E-02	2.8E-03	2.50E-04	7.05E-07	0.12	1.15E-02	9.30E-10	1.0E+06	9.3E-04
292	0.20901	1.55E-02	3.2E-03	2.50E-04	8.11E-07	0.12	1.15E-02	1.07E-09	1.0E+06	1.1E-03
293	0.24319	1.55E-02	3.8E-03	2.50E-04	9.43E-07	0.12	1.15E-02	1.25E-09	1.0E+06	1.2E-03
294	0.28587	1.55E-02	4.4E-03	2.50E-04	1.11E-06	0.12	1.15E-02	1.46E-09	1.0E+06	1.5E-03
295	0.34053	1.55E-02	5.3E-03	2.50E-04	1.32E-06	0.12	1.15E-02	1.74E-09	1.0E+06	1.7E-03
296	0.4128	1.55E-02	6.4E-03	2.50E-04	1.60E-06	0.12	1.15E-02	2.11E-09	1.0E+06	2.1E-03
297	0.50796	1.55E-02	7.9E-03	2.50E-04	1.97E-06	0.12	1.15E-02	2.60E-09	1.0E+06	2.6E-03
298	0.7543	1.55E-02	1.2E-02	2.50E-04	2.93E-06	0.12	1.15E-02	3.86E-09	1.0E+06	3.9E-03
299	0.87558	1.55E-02	1.4E-02	2.50E-04	3.40E-06	0.12	1.15E-02	4.48E-09	1.0E+06	4.5E-03
300	0.96299	1.55E-02	1.5E-02	2.50E-04	3.74E-06	0.12	1.15E-02	4.93E-09	1.0E+06	4.9E-03
301	1.01683	1.55E-02	1.6E-02	2.50E-04	3.94E-06	0.12	1.15E-02	5.21E-09	1.0E+06	5.2E-03

Via Oro
Grading

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	1.02096	1.55E-02	1.6E-02	2.50E-04	3.96E-06	0.12	1.15E-02	5.23E-09	1.0E+06	5.2E-03
303	0.97241	1.55E-02	1.5E-02	2.50E-04	3.77E-06	0.12	1.15E-02	4.98E-09	1.0E+06	5.0E-03
304	0.67919	1.55E-02	1.1E-02	2.50E-04	2.63E-06	0.12	1.15E-02	3.48E-09	1.0E+06	3.5E-03
305	0.58734	1.55E-02	9.1E-03	2.50E-04	2.28E-06	0.12	1.15E-02	3.01E-09	1.0E+06	3.0E-03
308	0.1973	1.55E-02	3.1E-03	2.50E-04	7.65E-07	0.12	1.15E-02	1.01E-09	1.0E+06	1.0E-03
309	0.2303	1.55E-02	3.6E-03	2.50E-04	8.93E-07	0.12	1.15E-02	1.18E-09	1.0E+06	1.2E-03
310	0.27297	1.55E-02	4.2E-03	2.50E-04	1.06E-06	0.12	1.15E-02	1.40E-09	1.0E+06	1.4E-03
311	0.32907	1.55E-02	5.1E-03	2.50E-04	1.28E-06	0.12	1.15E-02	1.68E-09	1.0E+06	1.7E-03
312	0.40771	1.55E-02	6.3E-03	2.50E-04	1.58E-06	0.12	1.15E-02	2.09E-09	1.0E+06	2.1E-03
313	0.51965	1.55E-02	8.1E-03	2.50E-04	2.02E-06	0.12	1.15E-02	2.66E-09	1.0E+06	2.7E-03
314	0.69071	1.55E-02	1.1E-02	2.50E-04	2.68E-06	0.12	1.15E-02	3.54E-09	1.0E+06	3.5E-03
315	1.2766	1.55E-02	2.0E-02	2.50E-04	4.95E-06	0.12	1.15E-02	6.54E-09	1.0E+06	6.5E-03
316	1.56579	1.55E-02	2.4E-02	2.50E-04	6.07E-06	0.12	1.15E-02	8.02E-09	1.0E+06	8.0E-03
317	1.72059	1.55E-02	2.7E-02	2.50E-04	6.67E-06	0.12	1.15E-02	8.81E-09	1.0E+06	8.8E-03
318	1.80825	1.55E-02	2.8E-02	2.50E-04	7.01E-06	0.12	1.15E-02	9.26E-09	1.0E+06	9.3E-03
319	1.77443	1.55E-02	2.7E-02	2.50E-04	6.88E-06	0.12	1.15E-02	9.08E-09	1.0E+06	9.1E-03
320	1.606	1.55E-02	2.5E-02	2.50E-04	6.23E-06	0.12	1.15E-02	8.22E-09	1.0E+06	8.2E-03
321	0.8711	1.55E-02	1.4E-02	2.50E-04	3.38E-06	0.12	1.15E-02	4.46E-09	1.0E+06	4.5E-03
322	0.71344	1.55E-02	1.1E-02	2.50E-04	2.77E-06	0.12	1.15E-02	3.65E-09	1.0E+06	3.7E-03
325	0.21135	1.55E-02	3.3E-03	2.50E-04	8.20E-07	0.12	1.15E-02	1.08E-09	1.0E+06	1.1E-03
326	0.24986	1.55E-02	3.9E-03	2.50E-04	9.69E-07	0.12	1.15E-02	1.28E-09	1.0E+06	1.3E-03
327	0.30113	1.55E-02	4.7E-03	2.50E-04	1.17E-06	0.12	1.15E-02	1.54E-09	1.0E+06	1.5E-03
328	0.37218	1.55E-02	5.8E-03	2.50E-04	1.44E-06	0.12	1.15E-02	1.91E-09	1.0E+06	1.9E-03
329	0.47485	1.55E-02	7.4E-03	2.50E-04	1.84E-06	0.12	1.15E-02	2.43E-09	1.0E+06	2.4E-03
330	0.64308	1.55E-02	1.0E-02	2.50E-04	2.49E-06	0.12	1.15E-02	3.29E-09	1.0E+06	3.3E-03
331	0.95803	1.55E-02	1.5E-02	2.50E-04	3.72E-06	0.12	1.15E-02	4.90E-09	1.0E+06	4.9E-03
332	1.79371	1.55E-02	2.8E-02	2.50E-04	6.96E-06	0.12	1.15E-02	9.18E-09	1.0E+06	9.2E-03
333	2.9141	1.55E-02	4.5E-02	2.50E-04	1.13E-05	0.12	1.15E-02	1.49E-08	1.0E+06	1.5E-02
334	3.55228	1.55E-02	5.5E-02	2.50E-04	1.38E-05	0.12	1.15E-02	1.82E-08	1.0E+06	1.8E-02
335	3.84223	1.55E-02	6.0E-02	2.50E-04	1.49E-05	0.12	1.15E-02	1.97E-08	1.0E+06	2.0E-02
336	3.95507	1.55E-02	6.1E-02	2.50E-04	1.53E-05	0.12	1.15E-02	2.02E-08	1.0E+06	2.0E-02

Via Oro
Grading

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	3.84857	1.55E-02	6.0E-02	2.50E-04	1.49E-05	0.12	1.15E-02	1.97E-08	1.0E+06	2.0E-02
338	3.59119	1.55E-02	5.6E-02	2.50E-04	1.39E-05	0.12	1.15E-02	1.84E-08	1.0E+06	1.8E-02
339	1.47281	1.55E-02	2.3E-02	2.50E-04	5.71E-06	0.12	1.15E-02	7.54E-09	1.0E+06	7.5E-03
340	1.08422	1.55E-02	1.7E-02	2.50E-04	4.21E-06	0.12	1.15E-02	5.55E-09	1.0E+06	5.6E-03
341	0.84001	1.55E-02	1.3E-02	2.50E-04	3.26E-06	0.12	1.15E-02	4.30E-09	1.0E+06	4.3E-03
349	0.53347	1.55E-02	8.3E-03	2.50E-04	2.07E-06	0.12	1.15E-02	2.73E-09	1.0E+06	2.7E-03
350	0.74819	1.55E-02	1.2E-02	2.50E-04	2.90E-06	0.12	1.15E-02	3.83E-09	1.0E+06	3.8E-03
351	1.19448	1.55E-02	1.9E-02	2.50E-04	4.63E-06	0.12	1.15E-02	6.12E-09	1.0E+06	6.1E-03
352	2.89095	1.55E-02	4.5E-02	2.50E-04	1.12E-05	0.12	1.15E-02	1.48E-08	1.0E+06	1.5E-02
353	1.88579	1.55E-02	2.9E-02	2.50E-04	7.31E-06	0.12	1.15E-02	9.65E-09	1.0E+06	9.7E-03
354	1.28314	1.55E-02	2.0E-02	2.50E-04	4.98E-06	0.12	1.15E-02	6.57E-09	1.0E+06	6.6E-03
355	0.95264	1.55E-02	1.5E-02	2.50E-04	3.69E-06	0.12	1.15E-02	4.88E-09	1.0E+06	4.9E-03
364	0.80495	1.55E-02	1.2E-02	2.50E-04	3.12E-06	0.12	1.15E-02	4.12E-09	1.0E+06	4.1E-03
365	1.28882	1.55E-02	2.0E-02	2.50E-04	5.00E-06	0.12	1.15E-02	6.60E-09	1.0E+06	6.6E-03
366	2.83251	1.55E-02	4.4E-02	2.50E-04	1.10E-05	0.12	1.15E-02	1.45E-08	1.0E+06	1.5E-02
367	2.25892	1.55E-02	3.5E-02	2.50E-04	8.76E-06	0.12	1.15E-02	1.16E-08	1.0E+06	1.2E-02
368	1.45272	1.55E-02	2.3E-02	2.50E-04	5.63E-06	0.12	1.15E-02	7.44E-09	1.0E+06	7.4E-03
369	1.04608	1.55E-02	1.6E-02	2.50E-04	4.06E-06	0.12	1.15E-02	5.36E-09	1.0E+06	5.4E-03
377	0.8143	1.55E-02	1.3E-02	2.50E-04	3.16E-06	0.12	1.15E-02	4.17E-09	1.0E+06	4.2E-03
378	1.26331	1.55E-02	2.0E-02	2.50E-04	4.90E-06	0.12	1.15E-02	6.47E-09	1.0E+06	6.5E-03
379	2.40763	1.55E-02	3.7E-02	2.50E-04	9.34E-06	0.12	1.15E-02	1.23E-08	1.0E+06	1.2E-02
380	2.607	1.55E-02	4.0E-02	2.50E-04	1.01E-05	0.12	1.15E-02	1.33E-08	1.0E+06	1.3E-02
381	1.59345	1.55E-02	2.5E-02	2.50E-04	6.18E-06	0.12	1.15E-02	8.16E-09	1.0E+06	8.2E-03
382	1.11861	1.55E-02	1.7E-02	2.50E-04	4.34E-06	0.12	1.15E-02	5.73E-09	1.0E+06	5.7E-03
391	1.18902	1.55E-02	1.8E-02	2.50E-04	4.61E-06	0.12	1.15E-02	6.09E-09	1.0E+06	6.1E-03
392	2.04084	1.55E-02	3.2E-02	2.50E-04	7.92E-06	0.12	1.15E-02	1.04E-08	1.0E+06	1.0E-02
393	2.94249	1.55E-02	4.6E-02	2.50E-04	1.14E-05	0.12	1.15E-02	1.51E-08	1.0E+06	1.5E-02
394	1.73071	1.55E-02	2.7E-02	2.50E-04	6.71E-06	0.12	1.15E-02	8.86E-09	1.0E+06	8.9E-03
395	1.17565	1.55E-02	1.8E-02	2.50E-04	4.56E-06	0.12	1.15E-02	6.02E-09	1.0E+06	6.0E-03
405	1.09668	1.55E-02	1.7E-02	2.50E-04	4.25E-06	0.12	1.15E-02	5.61E-09	1.0E+06	5.6E-03
406	1.78264	1.55E-02	2.8E-02	2.50E-04	6.91E-06	0.12	1.15E-02	9.13E-09	1.0E+06	9.1E-03

Via Oro
Grading

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	3.56443	1.55E-02	5.5E-02	2.50E-04	1.38E-05	0.12	1.15E-02	1.82E-08	1.0E+06	1.8E-02
408	3.28113	1.55E-02	5.1E-02	2.50E-04	1.27E-05	0.12	1.15E-02	1.68E-08	1.0E+06	1.7E-02
409	1.83749	1.55E-02	2.8E-02	2.50E-04	7.13E-06	0.12	1.15E-02	9.41E-09	1.0E+06	9.4E-03
410	1.20616	1.55E-02	1.9E-02	2.50E-04	4.68E-06	0.12	1.15E-02	6.18E-09	1.0E+06	6.2E-03
421	1.54138	1.55E-02	2.4E-02	2.50E-04	5.98E-06	0.12	1.15E-02	7.89E-09	1.0E+06	7.9E-03
422	2.78266	1.55E-02	4.3E-02	2.50E-04	1.08E-05	0.12	1.15E-02	1.42E-08	1.0E+06	1.4E-02
423	3.57021	1.55E-02	5.5E-02	2.50E-04	1.38E-05	0.12	1.15E-02	1.83E-08	1.0E+06	1.8E-02
424	1.8844	1.55E-02	2.9E-02	2.50E-04	7.31E-06	0.12	1.15E-02	9.65E-09	1.0E+06	9.6E-03
425	1.18917	1.55E-02	1.8E-02	2.50E-04	4.61E-06	0.12	1.15E-02	6.09E-09	1.0E+06	6.1E-03
435	1.31314	1.55E-02	2.0E-02	2.50E-04	5.09E-06	0.12	1.15E-02	6.72E-09	1.0E+06	6.7E-03
436	2.22012	1.55E-02	3.4E-02	2.50E-04	8.61E-06	0.12	1.15E-02	1.14E-08	1.0E+06	1.1E-02
437	1.82921	1.55E-02	2.8E-02	2.50E-04	7.09E-06	0.12	1.15E-02	9.37E-09	1.0E+06	9.4E-03
438	1.10856	1.55E-02	1.7E-02	2.50E-04	4.30E-06	0.12	1.15E-02	5.68E-09	1.0E+06	5.7E-03
449	1.10375	1.55E-02	1.7E-02	2.50E-04	4.28E-06	0.12	1.15E-02	5.65E-09	1.0E+06	5.7E-03
450	1.75996	1.55E-02	2.7E-02	2.50E-04	6.83E-06	0.12	1.15E-02	9.01E-09	1.0E+06	9.0E-03
451	3.33818	1.55E-02	5.2E-02	2.50E-04	1.29E-05	0.12	1.15E-02	1.71E-08	1.0E+06	1.7E-02
452	1.60872	1.55E-02	2.5E-02	2.50E-04	6.24E-06	0.12	1.15E-02	8.24E-09	1.0E+06	8.2E-03
453	0.97845	1.55E-02	1.5E-02	2.50E-04	3.80E-06	0.12	1.15E-02	5.01E-09	1.0E+06	5.0E-03
464	1.37016	1.55E-02	2.1E-02	2.50E-04	5.31E-06	0.12	1.15E-02	7.02E-09	1.0E+06	7.0E-03
465	2.30263	1.55E-02	3.6E-02	2.50E-04	8.93E-06	0.12	1.15E-02	1.18E-08	1.0E+06	1.2E-02
466	4.86042	1.55E-02	7.5E-02	2.50E-04	1.89E-05	0.12	1.15E-02	2.49E-08	1.0E+06	2.5E-02
467	1.33766	1.55E-02	2.1E-02	2.50E-04	5.19E-06	0.12	1.15E-02	6.85E-09	1.0E+06	6.8E-03
468	0.85143	1.55E-02	1.3E-02	2.50E-04	3.30E-06	0.12	1.15E-02	4.36E-09	1.0E+06	4.4E-03
479	1.04335	1.55E-02	1.6E-02	2.50E-04	4.05E-06	0.12	1.15E-02	5.34E-09	1.0E+06	5.3E-03
480	1.58467	1.55E-02	2.5E-02	2.50E-04	6.15E-06	0.12	1.15E-02	8.11E-09	1.0E+06	8.1E-03
481	2.59449	1.55E-02	4.0E-02	2.50E-04	1.01E-05	0.12	1.15E-02	1.33E-08	1.0E+06	1.3E-02
482	3.77934	1.55E-02	5.9E-02	2.50E-04	1.47E-05	0.12	1.15E-02	1.93E-08	1.0E+06	1.9E-02
483	3.75696	1.55E-02	5.8E-02	2.50E-04	1.46E-05	0.12	1.15E-02	1.92E-08	1.0E+06	1.9E-02
484	3.32743	1.55E-02	5.2E-02	2.50E-04	1.29E-05	0.12	1.15E-02	1.70E-08	1.0E+06	1.7E-02
485	2.65322	1.55E-02	4.1E-02	2.50E-04	1.03E-05	0.12	1.15E-02	1.36E-08	1.0E+06	1.4E-02
486	1.79639	1.55E-02	2.8E-02	2.50E-04	6.97E-06	0.12	1.15E-02	9.20E-09	1.0E+06	9.2E-03

Via Oro
Grading

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	1.13343	1.55E-02	1.8E-02	2.50E-04	4.40E-06	0.12	1.15E-02	5.80E-09	1.0E+06	5.8E-03
488	0.75363	1.55E-02	1.2E-02	2.50E-04	2.92E-06	0.12	1.15E-02	3.86E-09	1.0E+06	3.9E-03
501	1.13306	1.55E-02	1.8E-02	2.50E-04	4.39E-06	0.12	1.15E-02	5.80E-09	1.0E+06	5.8E-03
502	1.62685	1.55E-02	2.5E-02	2.50E-04	6.31E-06	0.12	1.15E-02	8.33E-09	1.0E+06	8.3E-03
503	2.10731	1.55E-02	3.3E-02	2.50E-04	8.17E-06	0.12	1.15E-02	1.08E-08	1.0E+06	1.1E-02
504	2.2594	1.55E-02	3.5E-02	2.50E-04	8.76E-06	0.12	1.15E-02	1.16E-08	1.0E+06	1.2E-02
505	2.11935	1.55E-02	3.3E-02	2.50E-04	8.22E-06	0.12	1.15E-02	1.09E-08	1.0E+06	1.1E-02
506	1.79572	1.55E-02	2.8E-02	2.50E-04	6.97E-06	0.12	1.15E-02	9.19E-09	1.0E+06	9.2E-03
507	1.36447	1.55E-02	2.1E-02	2.50E-04	5.29E-06	0.12	1.15E-02	6.99E-09	1.0E+06	7.0E-03
508	0.67568	1.55E-02	1.0E-02	2.50E-04	2.62E-06	0.12	1.15E-02	3.46E-09	1.0E+06	3.5E-03
520	0.86595	1.55E-02	1.3E-02	2.50E-04	3.36E-06	0.12	1.15E-02	4.43E-09	1.0E+06	4.4E-03
521	1.12784	1.55E-02	1.7E-02	2.50E-04	4.37E-06	0.12	1.15E-02	5.77E-09	1.0E+06	5.8E-03
522	1.40663	1.55E-02	2.2E-02	2.50E-04	5.46E-06	0.12	1.15E-02	7.20E-09	1.0E+06	7.2E-03
523	1.53599	1.55E-02	2.4E-02	2.50E-04	5.96E-06	0.12	1.15E-02	7.86E-09	1.0E+06	7.9E-03
524	1.49691	1.55E-02	2.3E-02	2.50E-04	5.81E-06	0.12	1.15E-02	7.66E-09	1.0E+06	7.7E-03
525	1.32596	1.55E-02	2.1E-02	2.50E-04	5.14E-06	0.12	1.15E-02	6.79E-09	1.0E+06	6.8E-03
526	1.07668	1.55E-02	1.7E-02	2.50E-04	4.18E-06	0.12	1.15E-02	5.51E-09	1.0E+06	5.5E-03
527	0.6058	1.55E-02	9.4E-03	2.50E-04	2.35E-06	0.12	1.15E-02	3.10E-09	1.0E+06	3.1E-03
539	0.68491	1.55E-02	1.1E-02	2.50E-04	2.66E-06	0.12	1.15E-02	3.51E-09	1.0E+06	3.5E-03
540	0.85547	1.55E-02	1.3E-02	2.50E-04	3.32E-06	0.12	1.15E-02	4.38E-09	1.0E+06	4.4E-03
541	1.01655	1.55E-02	1.6E-02	2.50E-04	3.94E-06	0.12	1.15E-02	5.20E-09	1.0E+06	5.2E-03
542	1.11469	1.55E-02	1.7E-02	2.50E-04	4.32E-06	0.12	1.15E-02	5.71E-09	1.0E+06	5.7E-03
543	1.11822	1.55E-02	1.7E-02	2.50E-04	4.34E-06	0.12	1.15E-02	5.73E-09	1.0E+06	5.7E-03
544	1.02519	1.55E-02	1.6E-02	2.50E-04	3.98E-06	0.12	1.15E-02	5.25E-09	1.0E+06	5.2E-03
545	0.86877	1.55E-02	1.3E-02	2.50E-04	3.37E-06	0.12	1.15E-02	4.45E-09	1.0E+06	4.4E-03
546	0.54176	1.55E-02	8.4E-03	2.50E-04	2.10E-06	0.12	1.15E-02	2.77E-09	1.0E+06	2.8E-03
560	0.67142	1.55E-02	1.0E-02	2.50E-04	2.60E-06	0.12	1.15E-02	3.44E-09	1.0E+06	3.4E-03
561	0.78316	1.55E-02	1.2E-02	2.50E-04	3.04E-06	0.12	1.15E-02	4.01E-09	1.0E+06	4.0E-03
562	0.85495	1.55E-02	1.3E-02	2.50E-04	3.32E-06	0.12	1.15E-02	4.38E-09	1.0E+06	4.4E-03
563	0.86079	1.55E-02	1.3E-02	2.50E-04	3.34E-06	0.12	1.15E-02	4.41E-09	1.0E+06	4.4E-03
564	0.81475	1.55E-02	1.3E-02	2.50E-04	3.16E-06	0.12	1.15E-02	4.17E-09	1.0E+06	4.2E-03

Via Oro
Grading

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.72132	1.55E-02	1.1E-02	2.50E-04	2.80E-06	0.12	1.15E-02	3.69E-09	1.0E+06	3.7E-03
566	0.48594	1.55E-02	7.5E-03	2.50E-04	1.88E-06	0.12	1.15E-02	2.49E-09	1.0E+06	2.5E-03
579	0.54212	1.55E-02	8.4E-03	2.50E-04	2.10E-06	0.12	1.15E-02	2.78E-09	1.0E+06	2.8E-03
580	0.62185	1.55E-02	9.6E-03	2.50E-04	2.41E-06	0.12	1.15E-02	3.18E-09	1.0E+06	3.2E-03
581	0.67804	1.55E-02	1.1E-02	2.50E-04	2.63E-06	0.12	1.15E-02	3.47E-09	1.0E+06	3.5E-03
582	0.69409	1.55E-02	1.1E-02	2.50E-04	2.69E-06	0.12	1.15E-02	3.55E-09	1.0E+06	3.6E-03
583	0.66642	1.55E-02	1.0E-02	2.50E-04	2.58E-06	0.12	1.15E-02	3.41E-09	1.0E+06	3.4E-03
584	0.60285	1.55E-02	9.3E-03	2.50E-04	2.34E-06	0.12	1.15E-02	3.09E-09	1.0E+06	3.1E-03
585	0.494	1.55E-02	7.7E-03	2.50E-04	1.92E-06	0.12	1.15E-02	2.53E-09	1.0E+06	2.5E-03
598	0.44808	1.55E-02	6.9E-03	2.50E-04	1.74E-06	0.12	1.15E-02	2.29E-09	1.0E+06	2.3E-03
599	0.50651	1.55E-02	7.8E-03	2.50E-04	1.96E-06	0.12	1.15E-02	2.59E-09	1.0E+06	2.6E-03
600	0.55009	1.55E-02	8.5E-03	2.50E-04	2.13E-06	0.12	1.15E-02	2.82E-09	1.0E+06	2.8E-03
601	0.56737	1.55E-02	8.8E-03	2.50E-04	2.20E-06	0.12	1.15E-02	2.90E-09	1.0E+06	2.9E-03
602	0.55377	1.55E-02	8.6E-03	2.50E-04	2.15E-06	0.12	1.15E-02	2.84E-09	1.0E+06	2.8E-03
603	0.51334	1.55E-02	8.0E-03	2.50E-04	1.99E-06	0.12	1.15E-02	2.63E-09	1.0E+06	2.6E-03
604	0.45398	1.55E-02	7.0E-03	2.50E-04	1.76E-06	0.12	1.15E-02	2.32E-09	1.0E+06	2.3E-03
0	0	1.55E-02	0.0E+00	2.50E-04	0.00E+00	0.12	1.15E-02	0.00E+00	1.0E+06	0.0E+00
0	0	1.55E-02	0.0E+00	2.50E-04	0.00E+00	0.12	1.15E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Grading

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.0297	1.55E-02	4.6E-04	1.05E-03	4.81E-07	0.02	1.57E-01	1.24E-09	1.0E+06	1.2E-03
2	0.03062	1.55E-02	4.7E-04	1.05E-03	4.96E-07	0.02	1.57E-01	1.28E-09	1.0E+06	1.3E-03
3	0.03157	1.55E-02	4.9E-04	1.05E-03	5.11E-07	0.02	1.57E-01	1.32E-09	1.0E+06	1.3E-03
4	0.03256	1.55E-02	5.0E-04	1.05E-03	5.27E-07	0.02	1.57E-01	1.36E-09	1.0E+06	1.4E-03
5	0.0336	1.55E-02	5.2E-04	1.05E-03	5.44E-07	0.02	1.57E-01	1.41E-09	1.0E+06	1.4E-03
6	0.0347	1.55E-02	5.4E-04	1.05E-03	5.62E-07	0.02	1.57E-01	1.45E-09	1.0E+06	1.5E-03
7	0.03584	1.55E-02	5.6E-04	1.05E-03	5.81E-07	0.02	1.57E-01	1.50E-09	1.0E+06	1.5E-03
8	0.03703	1.55E-02	5.7E-04	1.05E-03	6.00E-07	0.02	1.57E-01	1.55E-09	1.0E+06	1.5E-03
9	0.03828	1.55E-02	5.9E-04	1.05E-03	6.20E-07	0.02	1.57E-01	1.60E-09	1.0E+06	1.6E-03
10	0.03958	1.55E-02	6.1E-04	1.05E-03	6.41E-07	0.02	1.57E-01	1.66E-09	1.0E+06	1.7E-03
11	0.04093	1.55E-02	6.3E-04	1.05E-03	6.63E-07	0.02	1.57E-01	1.71E-09	1.0E+06	1.7E-03
12	0.04233	1.55E-02	6.6E-04	1.05E-03	6.86E-07	0.02	1.57E-01	1.77E-09	1.0E+06	1.8E-03
13	0.04379	1.55E-02	6.8E-04	1.05E-03	7.09E-07	0.02	1.57E-01	1.83E-09	1.0E+06	1.8E-03
14	0.0453	1.55E-02	7.0E-04	1.05E-03	7.34E-07	0.02	1.57E-01	1.90E-09	1.0E+06	1.9E-03
15	0.04686	1.55E-02	7.3E-04	1.05E-03	7.59E-07	0.02	1.57E-01	1.96E-09	1.0E+06	2.0E-03
16	0.04845	1.55E-02	7.5E-04	1.05E-03	7.85E-07	0.02	1.57E-01	2.03E-09	1.0E+06	2.0E-03
17	0.05007	1.55E-02	7.8E-04	1.05E-03	8.11E-07	0.02	1.57E-01	2.10E-09	1.0E+06	2.1E-03
18	0.05171	1.55E-02	8.0E-04	1.05E-03	8.38E-07	0.02	1.57E-01	2.16E-09	1.0E+06	2.2E-03
19	0.05336	1.55E-02	8.3E-04	1.05E-03	8.64E-07	0.02	1.57E-01	2.23E-09	1.0E+06	2.2E-03
20	0.055	1.55E-02	8.5E-04	1.05E-03	8.91E-07	0.02	1.57E-01	2.30E-09	1.0E+06	2.3E-03
21	0.05661	1.55E-02	8.8E-04	1.05E-03	9.17E-07	0.02	1.57E-01	2.37E-09	1.0E+06	2.4E-03
22	0.05817	1.55E-02	9.0E-04	1.05E-03	9.42E-07	0.02	1.57E-01	2.43E-09	1.0E+06	2.4E-03
23	0.05966	1.55E-02	9.2E-04	1.05E-03	9.66E-07	0.02	1.57E-01	2.50E-09	1.0E+06	2.5E-03
24	0.06105	1.55E-02	9.5E-04	1.05E-03	9.89E-07	0.02	1.57E-01	2.55E-09	1.0E+06	2.6E-03
25	0.06231	1.55E-02	9.7E-04	1.05E-03	1.01E-06	0.02	1.57E-01	2.61E-09	1.0E+06	2.6E-03
26	0.06341	1.55E-02	9.8E-04	1.05E-03	1.03E-06	0.02	1.57E-01	2.65E-09	1.0E+06	2.7E-03
27	0.06434	1.55E-02	1.0E-03	1.05E-03	1.04E-06	0.02	1.57E-01	2.69E-09	1.0E+06	2.7E-03
28	0.06507	1.55E-02	1.0E-03	1.05E-03	1.05E-06	0.02	1.57E-01	2.72E-09	1.0E+06	2.7E-03
29	0.0656	1.55E-02	1.0E-03	1.05E-03	1.06E-06	0.02	1.57E-01	2.74E-09	1.0E+06	2.7E-03
30	0.06593	1.55E-02	1.0E-03	1.05E-03	1.07E-06	0.02	1.57E-01	2.76E-09	1.0E+06	2.8E-03
31	0.06606	1.55E-02	1.0E-03	1.05E-03	1.07E-06	0.02	1.57E-01	2.76E-09	1.0E+06	2.8E-03

Via Oro
Grading

		Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.06601	1.55E-02	1.0E-03	1.05E-03	1.07E-06	0.02	1.57E-01	2.76E-09	1.0E+06	2.8E-03
55	0.06308	1.55E-02	9.8E-04	1.05E-03	1.02E-06	0.02	1.57E-01	2.64E-09	1.0E+06	2.6E-03
56	0.06482	1.55E-02	1.0E-03	1.05E-03	1.05E-06	0.02	1.57E-01	2.71E-09	1.0E+06	2.7E-03
57	0.06645	1.55E-02	1.0E-03	1.05E-03	1.08E-06	0.02	1.57E-01	2.78E-09	1.0E+06	2.8E-03
58	0.06793	1.55E-02	1.1E-03	1.05E-03	1.10E-06	0.02	1.57E-01	2.84E-09	1.0E+06	2.8E-03
59	0.06921	1.55E-02	1.1E-03	1.05E-03	1.12E-06	0.02	1.57E-01	2.90E-09	1.0E+06	2.9E-03
60	0.07028	1.55E-02	1.1E-03	1.05E-03	1.14E-06	0.02	1.57E-01	2.94E-09	1.0E+06	2.9E-03
61	0.07112	1.55E-02	1.1E-03	1.05E-03	1.15E-06	0.02	1.57E-01	2.98E-09	1.0E+06	3.0E-03
62	0.0717	1.55E-02	1.1E-03	1.05E-03	1.16E-06	0.02	1.57E-01	3.00E-09	1.0E+06	3.0E-03
63	0.07205	1.55E-02	1.1E-03	1.05E-03	1.17E-06	0.02	1.57E-01	3.01E-09	1.0E+06	3.0E-03
64	0.07216	1.55E-02	1.1E-03	1.05E-03	1.17E-06	0.02	1.57E-01	3.02E-09	1.0E+06	3.0E-03
65	0.07206	1.55E-02	1.1E-03	1.05E-03	1.17E-06	0.02	1.57E-01	3.02E-09	1.0E+06	3.0E-03
66	0.07179	1.55E-02	1.1E-03	1.05E-03	1.16E-06	0.02	1.57E-01	3.00E-09	1.0E+06	3.0E-03
67	0.0321	1.55E-02	5.0E-04	1.05E-03	5.20E-07	0.02	1.57E-01	1.34E-09	1.0E+06	1.3E-03
68	0.03321	1.55E-02	5.1E-04	1.05E-03	5.38E-07	0.02	1.57E-01	1.39E-09	1.0E+06	1.4E-03
69	0.03437	1.55E-02	5.3E-04	1.05E-03	5.57E-07	0.02	1.57E-01	1.44E-09	1.0E+06	1.4E-03
70	0.03558	1.55E-02	5.5E-04	1.05E-03	5.76E-07	0.02	1.57E-01	1.49E-09	1.0E+06	1.5E-03
71	0.03683	1.55E-02	5.7E-04	1.05E-03	5.97E-07	0.02	1.57E-01	1.54E-09	1.0E+06	1.5E-03
72	0.03817	1.55E-02	5.9E-04	1.05E-03	6.18E-07	0.02	1.57E-01	1.60E-09	1.0E+06	1.6E-03
73	0.03957	1.55E-02	6.1E-04	1.05E-03	6.41E-07	0.02	1.57E-01	1.66E-09	1.0E+06	1.7E-03
74	0.04103	1.55E-02	6.4E-04	1.05E-03	6.65E-07	0.02	1.57E-01	1.72E-09	1.0E+06	1.7E-03
75	0.04257	1.55E-02	6.6E-04	1.05E-03	6.90E-07	0.02	1.57E-01	1.78E-09	1.0E+06	1.8E-03
76	0.04418	1.55E-02	6.8E-04	1.05E-03	7.16E-07	0.02	1.57E-01	1.85E-09	1.0E+06	1.8E-03
77	0.04588	1.55E-02	7.1E-04	1.05E-03	7.43E-07	0.02	1.57E-01	1.92E-09	1.0E+06	1.9E-03
78	0.04767	1.55E-02	7.4E-04	1.05E-03	7.72E-07	0.02	1.57E-01	1.99E-09	1.0E+06	2.0E-03
79	0.0577	1.55E-02	8.9E-04	1.05E-03	9.35E-07	0.02	1.57E-01	2.41E-09	1.0E+06	2.4E-03
80	0.05989	1.55E-02	9.3E-04	1.05E-03	9.70E-07	0.02	1.57E-01	2.51E-09	1.0E+06	2.5E-03
81	0.06212	1.55E-02	9.6E-04	1.05E-03	1.01E-06	0.02	1.57E-01	2.60E-09	1.0E+06	2.6E-03
82	0.06435	1.55E-02	1.0E-03	1.05E-03	1.04E-06	0.02	1.57E-01	2.69E-09	1.0E+06	2.7E-03
83	0.06657	1.55E-02	1.0E-03	1.05E-03	1.08E-06	0.02	1.57E-01	2.79E-09	1.0E+06	2.8E-03
84	0.06872	1.55E-02	1.1E-03	1.05E-03	1.11E-06	0.02	1.57E-01	2.88E-09	1.0E+06	2.9E-03

Via Oro
Grading

		Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	0.07079	1.55E-02	1.1E-03	1.05E-03	1.15E-06	0.02	1.57E-01	2.96E-09	1.0E+06	3.0E-03
86	0.07272	1.55E-02	1.1E-03	1.05E-03	1.18E-06	0.02	1.57E-01	3.04E-09	1.0E+06	3.0E-03
87	0.07446	1.55E-02	1.2E-03	1.05E-03	1.21E-06	0.02	1.57E-01	3.12E-09	1.0E+06	3.1E-03
88	0.07597	1.55E-02	1.2E-03	1.05E-03	1.23E-06	0.02	1.57E-01	3.18E-09	1.0E+06	3.2E-03
89	0.07722	1.55E-02	1.2E-03	1.05E-03	1.25E-06	0.02	1.57E-01	3.23E-09	1.0E+06	3.2E-03
90	0.07817	1.55E-02	1.2E-03	1.05E-03	1.27E-06	0.02	1.57E-01	3.27E-09	1.0E+06	3.3E-03
91	0.07883	1.55E-02	1.2E-03	1.05E-03	1.28E-06	0.02	1.57E-01	3.30E-09	1.0E+06	3.3E-03
92	0.07919	1.55E-02	1.2E-03	1.05E-03	1.28E-06	0.02	1.57E-01	3.31E-09	1.0E+06	3.3E-03
93	0.07927	1.55E-02	1.2E-03	1.05E-03	1.28E-06	0.02	1.57E-01	3.32E-09	1.0E+06	3.3E-03
96	0.07858	1.55E-02	1.2E-03	1.05E-03	1.27E-06	0.02	1.57E-01	3.29E-09	1.0E+06	3.3E-03
97	0.08009	1.55E-02	1.2E-03	1.05E-03	1.30E-06	0.02	1.57E-01	3.35E-09	1.0E+06	3.4E-03
98	0.08391	1.55E-02	1.3E-03	1.05E-03	1.36E-06	0.02	1.57E-01	3.51E-09	1.0E+06	3.5E-03
99	0.08539	1.55E-02	1.3E-03	1.05E-03	1.38E-06	0.02	1.57E-01	3.57E-09	1.0E+06	3.6E-03
100	0.0865	1.55E-02	1.3E-03	1.05E-03	1.40E-06	0.02	1.57E-01	3.62E-09	1.0E+06	3.6E-03
101	0.08723	1.55E-02	1.4E-03	1.05E-03	1.41E-06	0.02	1.57E-01	3.65E-09	1.0E+06	3.6E-03
102	0.08758	1.55E-02	1.4E-03	1.05E-03	1.42E-06	0.02	1.57E-01	3.66E-09	1.0E+06	3.7E-03
106	0.03331	1.55E-02	5.2E-04	1.05E-03	5.40E-07	0.02	1.57E-01	1.39E-09	1.0E+06	1.4E-03
107	0.03466	1.55E-02	5.4E-04	1.05E-03	5.61E-07	0.02	1.57E-01	1.45E-09	1.0E+06	1.5E-03
108	0.036	1.55E-02	5.6E-04	1.05E-03	5.83E-07	0.02	1.57E-01	1.51E-09	1.0E+06	1.5E-03
109	0.0374	1.55E-02	5.8E-04	1.05E-03	6.06E-07	0.02	1.57E-01	1.56E-09	1.0E+06	1.6E-03
110	0.03889	1.55E-02	6.0E-04	1.05E-03	6.30E-07	0.02	1.57E-01	1.63E-09	1.0E+06	1.6E-03
111	0.04044	1.55E-02	6.3E-04	1.05E-03	6.55E-07	0.02	1.57E-01	1.69E-09	1.0E+06	1.7E-03
112	0.0421	1.55E-02	6.5E-04	1.05E-03	6.82E-07	0.02	1.57E-01	1.76E-09	1.0E+06	1.8E-03
113	0.04384	1.55E-02	6.8E-04	1.05E-03	7.10E-07	0.02	1.57E-01	1.83E-09	1.0E+06	1.8E-03
114	0.04567	1.55E-02	7.1E-04	1.05E-03	7.40E-07	0.02	1.57E-01	1.91E-09	1.0E+06	1.9E-03
115	0.04761	1.55E-02	7.4E-04	1.05E-03	7.71E-07	0.02	1.57E-01	1.99E-09	1.0E+06	2.0E-03
116	0.04964	1.55E-02	7.7E-04	1.05E-03	8.04E-07	0.02	1.57E-01	2.08E-09	1.0E+06	2.1E-03
117	0.05181	1.55E-02	8.0E-04	1.05E-03	8.39E-07	0.02	1.57E-01	2.17E-09	1.0E+06	2.2E-03
118	0.0541	1.55E-02	8.4E-04	1.05E-03	8.76E-07	0.02	1.57E-01	2.26E-09	1.0E+06	2.3E-03
124	0.03458	1.55E-02	5.4E-04	1.05E-03	5.60E-07	0.02	1.57E-01	1.45E-09	1.0E+06	1.4E-03
125	0.03597	1.55E-02	5.6E-04	1.05E-03	5.83E-07	0.02	1.57E-01	1.51E-09	1.0E+06	1.5E-03

Via Oro
Grading

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.03744	1.55E-02	5.8E-04	1.05E-03	6.06E-07	0.02	1.57E-01	1.57E-09	1.0E+06	1.6E-03
127	0.03899	1.55E-02	6.0E-04	1.05E-03	6.32E-07	0.02	1.57E-01	1.63E-09	1.0E+06	1.6E-03
128	0.04063	1.55E-02	6.3E-04	1.05E-03	6.58E-07	0.02	1.57E-01	1.70E-09	1.0E+06	1.7E-03
129	0.04236	1.55E-02	6.6E-04	1.05E-03	6.86E-07	0.02	1.57E-01	1.77E-09	1.0E+06	1.8E-03
130	0.04422	1.55E-02	6.9E-04	1.05E-03	7.16E-07	0.02	1.57E-01	1.85E-09	1.0E+06	1.9E-03
131	0.04617	1.55E-02	7.2E-04	1.05E-03	7.48E-07	0.02	1.57E-01	1.93E-09	1.0E+06	1.9E-03
132	0.04824	1.55E-02	7.5E-04	1.05E-03	7.81E-07	0.02	1.57E-01	2.02E-09	1.0E+06	2.0E-03
133	0.05043	1.55E-02	7.8E-04	1.05E-03	8.17E-07	0.02	1.57E-01	2.11E-09	1.0E+06	2.1E-03
134	0.05276	1.55E-02	8.2E-04	1.05E-03	8.55E-07	0.02	1.57E-01	2.21E-09	1.0E+06	2.2E-03
135	0.05523	1.55E-02	8.6E-04	1.05E-03	8.95E-07	0.02	1.57E-01	2.31E-09	1.0E+06	2.3E-03
136	0.05784	1.55E-02	9.0E-04	1.05E-03	9.37E-07	0.02	1.57E-01	2.42E-09	1.0E+06	2.4E-03
137	0.06059	1.55E-02	9.4E-04	1.05E-03	9.81E-07	0.02	1.57E-01	2.54E-09	1.0E+06	2.5E-03
138	0.06354	1.55E-02	9.8E-04	1.05E-03	1.03E-06	0.02	1.57E-01	2.66E-09	1.0E+06	2.7E-03
141	0.03578	1.55E-02	5.5E-04	1.05E-03	5.80E-07	0.02	1.57E-01	1.50E-09	1.0E+06	1.5E-03
142	0.0373	1.55E-02	5.8E-04	1.05E-03	6.04E-07	0.02	1.57E-01	1.56E-09	1.0E+06	1.6E-03
143	0.03891	1.55E-02	6.0E-04	1.05E-03	6.30E-07	0.02	1.57E-01	1.63E-09	1.0E+06	1.6E-03
144	0.04062	1.55E-02	6.3E-04	1.05E-03	6.58E-07	0.02	1.57E-01	1.70E-09	1.0E+06	1.7E-03
145	0.04244	1.55E-02	6.6E-04	1.05E-03	6.87E-07	0.02	1.57E-01	1.78E-09	1.0E+06	1.8E-03
146	0.04436	1.55E-02	6.9E-04	1.05E-03	7.19E-07	0.02	1.57E-01	1.86E-09	1.0E+06	1.9E-03
147	0.04643	1.55E-02	7.2E-04	1.05E-03	7.52E-07	0.02	1.57E-01	1.94E-09	1.0E+06	1.9E-03
148	0.04863	1.55E-02	7.5E-04	1.05E-03	7.88E-07	0.02	1.57E-01	2.03E-09	1.0E+06	2.0E-03
149	0.05097	1.55E-02	7.9E-04	1.05E-03	8.26E-07	0.02	1.57E-01	2.13E-09	1.0E+06	2.1E-03
150	0.05345	1.55E-02	8.3E-04	1.05E-03	8.66E-07	0.02	1.57E-01	2.24E-09	1.0E+06	2.2E-03
151	0.05611	1.55E-02	8.7E-04	1.05E-03	9.09E-07	0.02	1.57E-01	2.35E-09	1.0E+06	2.3E-03
152	0.05894	1.55E-02	9.1E-04	1.05E-03	9.55E-07	0.02	1.57E-01	2.47E-09	1.0E+06	2.5E-03
153	0.06195	1.55E-02	9.6E-04	1.05E-03	1.00E-06	0.02	1.57E-01	2.59E-09	1.0E+06	2.6E-03
154	0.06514	1.55E-02	1.0E-03	1.05E-03	1.06E-06	0.02	1.57E-01	2.73E-09	1.0E+06	2.7E-03
155	0.06855	1.55E-02	1.1E-03	1.05E-03	1.11E-06	0.02	1.57E-01	2.87E-09	1.0E+06	2.9E-03
164	0.07017	1.55E-02	1.1E-03	1.05E-03	1.14E-06	0.02	1.57E-01	2.94E-09	1.0E+06	2.9E-03
165	0.07416	1.55E-02	1.1E-03	1.05E-03	1.20E-06	0.02	1.57E-01	3.10E-09	1.0E+06	3.1E-03
166	0.07845	1.55E-02	1.2E-03	1.05E-03	1.27E-06	0.02	1.57E-01	3.28E-09	1.0E+06	3.3E-03

Via Oro
Grading

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	0.07572	1.55E-02	1.2E-03	1.05E-03	1.23E-06	0.02	1.57E-01	3.17E-09	1.0E+06	3.2E-03
179	0.08043	1.55E-02	1.2E-03	1.05E-03	1.30E-06	0.02	1.57E-01	3.37E-09	1.0E+06	3.4E-03
180	0.08553	1.55E-02	1.3E-03	1.05E-03	1.39E-06	0.02	1.57E-01	3.58E-09	1.0E+06	3.6E-03
192	0.08181	1.55E-02	1.3E-03	1.05E-03	1.33E-06	0.02	1.57E-01	3.42E-09	1.0E+06	3.4E-03
193	0.08742	1.55E-02	1.4E-03	1.05E-03	1.42E-06	0.02	1.57E-01	3.66E-09	1.0E+06	3.7E-03
194	0.09352	1.55E-02	1.4E-03	1.05E-03	1.51E-06	0.02	1.57E-01	3.91E-09	1.0E+06	3.9E-03
207	0.08842	1.55E-02	1.4E-03	1.05E-03	1.43E-06	0.02	1.57E-01	3.70E-09	1.0E+06	3.7E-03
208	0.09511	1.55E-02	1.5E-03	1.05E-03	1.54E-06	0.02	1.57E-01	3.98E-09	1.0E+06	4.0E-03
209	0.10248	1.55E-02	1.6E-03	1.05E-03	1.66E-06	0.02	1.57E-01	4.29E-09	1.0E+06	4.3E-03
223	0.09551	1.55E-02	1.5E-03	1.05E-03	1.55E-06	0.02	1.57E-01	4.00E-09	1.0E+06	4.0E-03
224	0.10349	1.55E-02	1.6E-03	1.05E-03	1.68E-06	0.02	1.57E-01	4.33E-09	1.0E+06	4.3E-03
225	0.1124	1.55E-02	1.7E-03	1.05E-03	1.82E-06	0.02	1.57E-01	4.70E-09	1.0E+06	4.7E-03
239	0.103	1.55E-02	1.6E-03	1.05E-03	1.67E-06	0.02	1.57E-01	4.31E-09	1.0E+06	4.3E-03
240	0.11251	1.55E-02	1.7E-03	1.05E-03	1.82E-06	0.02	1.57E-01	4.71E-09	1.0E+06	4.7E-03
241	0.12331	1.55E-02	1.9E-03	1.05E-03	2.00E-06	0.02	1.57E-01	5.16E-09	1.0E+06	5.2E-03
255	0.11074	1.55E-02	1.7E-03	1.05E-03	1.79E-06	0.02	1.57E-01	4.63E-09	1.0E+06	4.6E-03
256	0.12199	1.55E-02	1.9E-03	1.05E-03	1.98E-06	0.02	1.57E-01	5.10E-09	1.0E+06	5.1E-03
272	0.1185	1.55E-02	1.8E-03	1.05E-03	1.92E-06	0.02	1.57E-01	4.96E-09	1.0E+06	5.0E-03
273	0.13169	1.55E-02	2.0E-03	1.05E-03	2.13E-06	0.02	1.57E-01	5.51E-09	1.0E+06	5.5E-03
289	0.12602	1.55E-02	2.0E-03	1.05E-03	2.04E-06	0.02	1.57E-01	5.27E-09	1.0E+06	5.3E-03
290	0.14123	1.55E-02	2.2E-03	1.05E-03	2.29E-06	0.02	1.57E-01	5.91E-09	1.0E+06	5.9E-03
306	0.13294	1.55E-02	2.1E-03	1.05E-03	2.15E-06	0.02	1.57E-01	5.56E-09	1.0E+06	5.6E-03
307	0.15016	1.55E-02	2.3E-03	1.05E-03	2.43E-06	0.02	1.57E-01	6.28E-09	1.0E+06	6.3E-03
323	0.1389	1.55E-02	2.2E-03	1.05E-03	2.25E-06	0.02	1.57E-01	5.81E-09	1.0E+06	5.8E-03
324	0.15795	1.55E-02	2.4E-03	1.05E-03	2.56E-06	0.02	1.57E-01	6.61E-09	1.0E+06	6.6E-03
342	0.14356	1.55E-02	2.2E-03	1.05E-03	2.33E-06	0.02	1.57E-01	6.01E-09	1.0E+06	6.0E-03
343	0.16411	1.55E-02	2.5E-03	1.05E-03	2.66E-06	0.02	1.57E-01	6.87E-09	1.0E+06	6.9E-03
344	0.18982	1.55E-02	2.9E-03	1.05E-03	3.07E-06	0.02	1.57E-01	7.94E-09	1.0E+06	7.9E-03
356	0.14667	1.55E-02	2.3E-03	1.05E-03	2.38E-06	0.02	1.57E-01	6.14E-09	1.0E+06	6.1E-03
357	0.16825	1.55E-02	2.6E-03	1.05E-03	2.73E-06	0.02	1.57E-01	7.04E-09	1.0E+06	7.0E-03
358	0.19544	1.55E-02	3.0E-03	1.05E-03	3.17E-06	0.02	1.57E-01	8.18E-09	1.0E+06	8.2E-03

Via Oro
Grading

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.1481	1.55E-02	2.3E-03	1.05E-03	2.40E-06	0.02	1.57E-01	6.20E-09	1.0E+06	6.2E-03
371	0.17021	1.55E-02	2.6E-03	1.05E-03	2.76E-06	0.02	1.57E-01	7.12E-09	1.0E+06	7.1E-03
372	0.19813	1.55E-02	3.1E-03	1.05E-03	3.21E-06	0.02	1.57E-01	8.29E-09	1.0E+06	8.3E-03
383	0.14788	1.55E-02	2.3E-03	1.05E-03	2.40E-06	0.02	1.57E-01	6.19E-09	1.0E+06	6.2E-03
384	0.17002	1.55E-02	2.6E-03	1.05E-03	2.75E-06	0.02	1.57E-01	7.11E-09	1.0E+06	7.1E-03
385	0.19796	1.55E-02	3.1E-03	1.05E-03	3.21E-06	0.02	1.57E-01	8.28E-09	1.0E+06	8.3E-03
396	0.14614	1.55E-02	2.3E-03	1.05E-03	2.37E-06	0.02	1.57E-01	6.11E-09	1.0E+06	6.1E-03
397	0.16784	1.55E-02	2.6E-03	1.05E-03	2.72E-06	0.02	1.57E-01	7.02E-09	1.0E+06	7.0E-03
398	0.19517	1.55E-02	3.0E-03	1.05E-03	3.16E-06	0.02	1.57E-01	8.17E-09	1.0E+06	8.2E-03
399	0.23024	1.55E-02	3.6E-03	1.05E-03	3.73E-06	0.02	1.57E-01	9.63E-09	1.0E+06	9.6E-03
411	0.14308	1.55E-02	2.2E-03	1.05E-03	2.32E-06	0.02	1.57E-01	5.99E-09	1.0E+06	6.0E-03
412	0.16397	1.55E-02	2.5E-03	1.05E-03	2.66E-06	0.02	1.57E-01	6.86E-09	1.0E+06	6.9E-03
413	0.19015	1.55E-02	2.9E-03	1.05E-03	3.08E-06	0.02	1.57E-01	7.96E-09	1.0E+06	8.0E-03
414	0.22354	1.55E-02	3.5E-03	1.05E-03	3.62E-06	0.02	1.57E-01	9.35E-09	1.0E+06	9.4E-03
426	0.13895	1.55E-02	2.2E-03	1.05E-03	2.25E-06	0.02	1.57E-01	5.81E-09	1.0E+06	5.8E-03
427	0.15871	1.55E-02	2.5E-03	1.05E-03	2.57E-06	0.02	1.57E-01	6.64E-09	1.0E+06	6.6E-03
428	0.18331	1.55E-02	2.8E-03	1.05E-03	2.97E-06	0.02	1.57E-01	7.67E-09	1.0E+06	7.7E-03
429	0.21446	1.55E-02	3.3E-03	1.05E-03	3.47E-06	0.02	1.57E-01	8.97E-09	1.0E+06	9.0E-03
439	0.13398	1.55E-02	2.1E-03	1.05E-03	2.17E-06	0.02	1.57E-01	5.61E-09	1.0E+06	5.6E-03
440	0.15241	1.55E-02	2.4E-03	1.05E-03	2.47E-06	0.02	1.57E-01	6.38E-09	1.0E+06	6.4E-03
441	0.17516	1.55E-02	2.7E-03	1.05E-03	2.84E-06	0.02	1.57E-01	7.33E-09	1.0E+06	7.3E-03
442	0.20368	1.55E-02	3.2E-03	1.05E-03	3.30E-06	0.02	1.57E-01	8.52E-09	1.0E+06	8.5E-03
443	0.2401	1.55E-02	3.7E-03	1.05E-03	3.89E-06	0.02	1.57E-01	1.00E-08	1.0E+06	1.0E-02
454	0.12844	1.55E-02	2.0E-03	1.05E-03	2.08E-06	0.02	1.57E-01	5.37E-09	1.0E+06	5.4E-03
455	0.1454	1.55E-02	2.3E-03	1.05E-03	2.36E-06	0.02	1.57E-01	6.08E-09	1.0E+06	6.1E-03
456	0.16613	1.55E-02	2.6E-03	1.05E-03	2.69E-06	0.02	1.57E-01	6.95E-09	1.0E+06	7.0E-03
457	0.19185	1.55E-02	3.0E-03	1.05E-03	3.11E-06	0.02	1.57E-01	8.03E-09	1.0E+06	8.0E-03
458	0.22431	1.55E-02	3.5E-03	1.05E-03	3.63E-06	0.02	1.57E-01	9.39E-09	1.0E+06	9.4E-03
469	0.12254	1.55E-02	1.9E-03	1.05E-03	1.98E-06	0.02	1.57E-01	5.13E-09	1.0E+06	5.1E-03
470	0.13798	1.55E-02	2.1E-03	1.05E-03	2.24E-06	0.02	1.57E-01	5.77E-09	1.0E+06	5.8E-03
471	0.15667	1.55E-02	2.4E-03	1.05E-03	2.54E-06	0.02	1.57E-01	6.56E-09	1.0E+06	6.6E-03

Via Oro
Grading

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.1796	1.55E-02	2.8E-03	1.05E-03	2.91E-06	0.02	1.57E-01	7.52E-09	1.0E+06	7.5E-03
473	0.20816	1.55E-02	3.2E-03	1.05E-03	3.37E-06	0.02	1.57E-01	8.71E-09	1.0E+06	8.7E-03
489	0.11649	1.55E-02	1.8E-03	1.05E-03	1.89E-06	0.02	1.57E-01	4.87E-09	1.0E+06	4.9E-03
490	0.13044	1.55E-02	2.0E-03	1.05E-03	2.11E-06	0.02	1.57E-01	5.46E-09	1.0E+06	5.5E-03
491	0.14715	1.55E-02	2.3E-03	1.05E-03	2.38E-06	0.02	1.57E-01	6.16E-09	1.0E+06	6.2E-03
492	0.16742	1.55E-02	2.6E-03	1.05E-03	2.71E-06	0.02	1.57E-01	7.01E-09	1.0E+06	7.0E-03
493	0.19235	1.55E-02	3.0E-03	1.05E-03	3.12E-06	0.02	1.57E-01	8.05E-09	1.0E+06	8.0E-03
494	0.22355	1.55E-02	3.5E-03	1.05E-03	3.62E-06	0.02	1.57E-01	9.35E-09	1.0E+06	9.4E-03
509	0.11045	1.55E-02	1.7E-03	1.05E-03	1.79E-06	0.02	1.57E-01	4.62E-09	1.0E+06	4.6E-03
510	0.12297	1.55E-02	1.9E-03	1.05E-03	1.99E-06	0.02	1.57E-01	5.15E-09	1.0E+06	5.1E-03
511	0.13783	1.55E-02	2.1E-03	1.05E-03	2.23E-06	0.02	1.57E-01	5.77E-09	1.0E+06	5.8E-03
512	0.15566	1.55E-02	2.4E-03	1.05E-03	2.52E-06	0.02	1.57E-01	6.51E-09	1.0E+06	6.5E-03
513	0.17731	1.55E-02	2.7E-03	1.05E-03	2.87E-06	0.02	1.57E-01	7.42E-09	1.0E+06	7.4E-03
514	0.20404	1.55E-02	3.2E-03	1.05E-03	3.31E-06	0.02	1.57E-01	8.54E-09	1.0E+06	8.5E-03
515	0.2807	1.55E-02	4.4E-03	1.05E-03	4.55E-06	0.02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
516	0.33697	1.55E-02	5.2E-03	1.05E-03	5.46E-06	0.02	1.57E-01	1.41E-08	1.0E+06	1.4E-02
517	0.41299	1.55E-02	6.4E-03	1.05E-03	6.69E-06	0.02	1.57E-01	1.73E-08	1.0E+06	1.7E-02
518	0.51796	1.55E-02	8.0E-03	1.05E-03	8.39E-06	0.02	1.57E-01	2.17E-08	1.0E+06	2.2E-02
519	0.66655	1.55E-02	1.0E-02	1.05E-03	1.08E-05	0.02	1.57E-01	2.79E-08	1.0E+06	2.8E-02
528	0.10452	1.55E-02	1.6E-03	1.05E-03	1.69E-06	0.02	1.57E-01	4.37E-09	1.0E+06	4.4E-03
529	0.11573	1.55E-02	1.8E-03	1.05E-03	1.87E-06	0.02	1.57E-01	4.84E-09	1.0E+06	4.8E-03
530	0.12889	1.55E-02	2.0E-03	1.05E-03	2.09E-06	0.02	1.57E-01	5.39E-09	1.0E+06	5.4E-03
531	0.14452	1.55E-02	2.2E-03	1.05E-03	2.34E-06	0.02	1.57E-01	6.05E-09	1.0E+06	6.0E-03
532	0.16329	1.55E-02	2.5E-03	1.05E-03	2.65E-06	0.02	1.57E-01	6.83E-09	1.0E+06	6.8E-03
533	0.18614	1.55E-02	2.9E-03	1.05E-03	3.02E-06	0.02	1.57E-01	7.79E-09	1.0E+06	7.8E-03
534	0.24993	1.55E-02	3.9E-03	1.05E-03	4.05E-06	0.02	1.57E-01	1.05E-08	1.0E+06	1.0E-02
535	0.29541	1.55E-02	4.6E-03	1.05E-03	4.79E-06	0.02	1.57E-01	1.24E-08	1.0E+06	1.2E-02
536	0.35583	1.55E-02	5.5E-03	1.05E-03	5.76E-06	0.02	1.57E-01	1.49E-08	1.0E+06	1.5E-02
537	0.43528	1.55E-02	6.7E-03	1.05E-03	7.05E-06	0.02	1.57E-01	1.82E-08	1.0E+06	1.8E-02
538	0.54262	1.55E-02	8.4E-03	1.05E-03	8.79E-06	0.02	1.57E-01	2.27E-08	1.0E+06	2.3E-02
547	0.09878	1.55E-02	1.5E-03	1.05E-03	1.60E-06	0.02	1.57E-01	4.13E-09	1.0E+06	4.1E-03

Via Oro
Grading

		Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.10878	1.55E-02	1.7E-03	1.05E-03	1.76E-06	0.02	1.57E-01	4.55E-09	1.0E+06	4.6E-03
549	0.12042	1.55E-02	1.9E-03	1.05E-03	1.95E-06	0.02	1.57E-01	5.04E-09	1.0E+06	5.0E-03
550	0.1341	1.55E-02	2.1E-03	1.05E-03	2.17E-06	0.02	1.57E-01	5.61E-09	1.0E+06	5.6E-03
551	0.15035	1.55E-02	2.3E-03	1.05E-03	2.44E-06	0.02	1.57E-01	6.29E-09	1.0E+06	6.3E-03
552	0.16989	1.55E-02	2.6E-03	1.05E-03	2.75E-06	0.02	1.57E-01	7.11E-09	1.0E+06	7.1E-03
553	0.19376	1.55E-02	3.0E-03	1.05E-03	3.14E-06	0.02	1.57E-01	8.11E-09	1.0E+06	8.1E-03
554	0.22323	1.55E-02	3.5E-03	1.05E-03	3.62E-06	0.02	1.57E-01	9.34E-09	1.0E+06	9.3E-03
555	0.2606	1.55E-02	4.0E-03	1.05E-03	4.22E-06	0.02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
556	0.30907	1.55E-02	4.8E-03	1.05E-03	5.01E-06	0.02	1.57E-01	1.29E-08	1.0E+06	1.3E-02
557	0.37089	1.55E-02	5.7E-03	1.05E-03	6.01E-06	0.02	1.57E-01	1.55E-08	1.0E+06	1.6E-02
558	0.45244	1.55E-02	7.0E-03	1.05E-03	7.33E-06	0.02	1.57E-01	1.89E-08	1.0E+06	1.9E-02
559	0.55409	1.55E-02	8.6E-03	1.05E-03	8.98E-06	0.02	1.57E-01	2.32E-08	1.0E+06	2.3E-02
567	0.09328	1.55E-02	1.4E-03	1.05E-03	1.51E-06	0.02	1.57E-01	3.90E-09	1.0E+06	3.9E-03
568	0.10218	1.55E-02	1.6E-03	1.05E-03	1.66E-06	0.02	1.57E-01	4.28E-09	1.0E+06	4.3E-03
569	0.11246	1.55E-02	1.7E-03	1.05E-03	1.82E-06	0.02	1.57E-01	4.71E-09	1.0E+06	4.7E-03
570	0.12444	1.55E-02	1.9E-03	1.05E-03	2.02E-06	0.02	1.57E-01	5.21E-09	1.0E+06	5.2E-03
571	0.13852	1.55E-02	2.1E-03	1.05E-03	2.24E-06	0.02	1.57E-01	5.80E-09	1.0E+06	5.8E-03
572	0.15529	1.55E-02	2.4E-03	1.05E-03	2.52E-06	0.02	1.57E-01	6.50E-09	1.0E+06	6.5E-03
573	0.17553	1.55E-02	2.7E-03	1.05E-03	2.84E-06	0.02	1.57E-01	7.34E-09	1.0E+06	7.3E-03
574	0.2311	1.55E-02	3.6E-03	1.05E-03	3.74E-06	0.02	1.57E-01	9.67E-09	1.0E+06	9.7E-03
575	0.27035	1.55E-02	4.2E-03	1.05E-03	4.38E-06	0.02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
576	0.32012	1.55E-02	5.0E-03	1.05E-03	5.19E-06	0.02	1.57E-01	1.34E-08	1.0E+06	1.3E-02
577	0.38282	1.55E-02	5.9E-03	1.05E-03	6.20E-06	0.02	1.57E-01	1.60E-08	1.0E+06	1.6E-02
578	0.45874	1.55E-02	7.1E-03	1.05E-03	7.43E-06	0.02	1.57E-01	1.92E-08	1.0E+06	1.9E-02
586	0.08804	1.55E-02	1.4E-03	1.05E-03	1.43E-06	0.02	1.57E-01	3.68E-09	1.0E+06	3.7E-03
587	0.09595	1.55E-02	1.5E-03	1.05E-03	1.55E-06	0.02	1.57E-01	4.01E-09	1.0E+06	4.0E-03
588	0.10503	1.55E-02	1.6E-03	1.05E-03	1.70E-06	0.02	1.57E-01	4.39E-09	1.0E+06	4.4E-03
589	0.11551	1.55E-02	1.8E-03	1.05E-03	1.87E-06	0.02	1.57E-01	4.83E-09	1.0E+06	4.8E-03
590	0.12773	1.55E-02	2.0E-03	1.05E-03	2.07E-06	0.02	1.57E-01	5.34E-09	1.0E+06	5.3E-03
591	0.14215	1.55E-02	2.2E-03	1.05E-03	2.30E-06	0.02	1.57E-01	5.95E-09	1.0E+06	5.9E-03
592	0.15939	1.55E-02	2.5E-03	1.05E-03	2.58E-06	0.02	1.57E-01	6.67E-09	1.0E+06	6.7E-03

Via Oro
Grading

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.20599	1.55E-02	3.2E-03	1.05E-03	3.34E-06	0.02	1.57E-01	8.62E-09	1.0E+06	8.6E-03
594	0.2383	1.55E-02	3.7E-03	1.05E-03	3.86E-06	0.02	1.57E-01	9.97E-09	1.0E+06	1.0E-02
595	0.2782	1.55E-02	4.3E-03	1.05E-03	4.51E-06	0.02	1.57E-01	1.16E-08	1.0E+06	1.2E-02
596	0.32718	1.55E-02	5.1E-03	1.05E-03	5.30E-06	0.02	1.57E-01	1.37E-08	1.0E+06	1.4E-02
597	0.3851	1.55E-02	6.0E-03	1.05E-03	6.24E-06	0.02	1.57E-01	1.61E-08	1.0E+06	1.6E-02
345	0.2227	1.55E-02	3.5E-03	1.05E-03	3.61E-06	0.02	1.57E-01	9.32E-09	1.0E+06	9.3E-03
346	0.26583	1.55E-02	4.1E-03	1.05E-03	4.31E-06	0.02	1.57E-01	1.11E-08	1.0E+06	1.1E-02
347	0.32435	1.55E-02	5.0E-03	1.05E-03	5.25E-06	0.02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
348	0.40749	1.55E-02	6.3E-03	1.05E-03	6.60E-06	0.02	1.57E-01	1.71E-08	1.0E+06	1.7E-02
359	0.23043	1.55E-02	3.6E-03	1.05E-03	3.73E-06	0.02	1.57E-01	9.64E-09	1.0E+06	9.6E-03
360	0.27662	1.55E-02	4.3E-03	1.05E-03	4.48E-06	0.02	1.57E-01	1.16E-08	1.0E+06	1.2E-02
361	0.33997	1.55E-02	5.3E-03	1.05E-03	5.51E-06	0.02	1.57E-01	1.42E-08	1.0E+06	1.4E-02
362	0.42974	1.55E-02	6.7E-03	1.05E-03	6.96E-06	0.02	1.57E-01	1.80E-08	1.0E+06	1.8E-02
363	0.56883	1.55E-02	8.8E-03	1.05E-03	9.21E-06	0.02	1.57E-01	2.38E-08	1.0E+06	2.4E-02
373	0.28188	1.55E-02	4.4E-03	1.05E-03	4.57E-06	0.02	1.57E-01	1.18E-08	1.0E+06	1.2E-02
374	0.34692	1.55E-02	5.4E-03	1.05E-03	5.62E-06	0.02	1.57E-01	1.45E-08	1.0E+06	1.5E-02
375	0.43896	1.55E-02	6.8E-03	1.05E-03	7.11E-06	0.02	1.57E-01	1.84E-08	1.0E+06	1.8E-02
376	0.57944	1.55E-02	9.0E-03	1.05E-03	9.39E-06	0.02	1.57E-01	2.42E-08	1.0E+06	2.4E-02
386	0.28155	1.55E-02	4.4E-03	1.05E-03	4.56E-06	0.02	1.57E-01	1.18E-08	1.0E+06	1.2E-02
387	0.3462	1.55E-02	5.4E-03	1.05E-03	5.61E-06	0.02	1.57E-01	1.45E-08	1.0E+06	1.4E-02
388	0.43672	1.55E-02	6.8E-03	1.05E-03	7.07E-06	0.02	1.57E-01	1.83E-08	1.0E+06	1.8E-02
389	0.57256	1.55E-02	8.9E-03	1.05E-03	9.27E-06	0.02	1.57E-01	2.40E-08	1.0E+06	2.4E-02
390	0.79338	1.55E-02	1.2E-02	1.05E-03	1.29E-05	0.02	1.57E-01	3.32E-08	1.0E+06	3.3E-02
400	0.27635	1.55E-02	4.3E-03	1.05E-03	4.48E-06	0.02	1.57E-01	1.16E-08	1.0E+06	1.2E-02
401	0.33816	1.55E-02	5.2E-03	1.05E-03	5.48E-06	0.02	1.57E-01	1.41E-08	1.0E+06	1.4E-02
402	0.4252	1.55E-02	6.6E-03	1.05E-03	6.89E-06	0.02	1.57E-01	1.78E-08	1.0E+06	1.8E-02
403	0.55138	1.55E-02	8.5E-03	1.05E-03	8.93E-06	0.02	1.57E-01	2.31E-08	1.0E+06	2.3E-02
404	0.74962	1.55E-02	1.2E-02	1.05E-03	1.21E-05	0.02	1.57E-01	3.14E-08	1.0E+06	3.1E-02
415	0.26709	1.55E-02	4.1E-03	1.05E-03	4.33E-06	0.02	1.57E-01	1.12E-08	1.0E+06	1.1E-02
416	0.32536	1.55E-02	5.0E-03	1.05E-03	5.27E-06	0.02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
417	0.40519	1.55E-02	6.3E-03	1.05E-03	6.56E-06	0.02	1.57E-01	1.70E-08	1.0E+06	1.7E-02

Via Oro
Grading

		Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.52201	1.55E-02	8.1E-03	1.05E-03	8.46E-06	0.02	1.57E-01	2.18E-08	1.0E+06	2.2E-02
419	0.6999	1.55E-02	1.1E-02	1.05E-03	1.13E-05	0.02	1.57E-01	2.93E-08	1.0E+06	2.9E-02
420	0.9853	1.55E-02	1.5E-02	1.05E-03	1.60E-05	0.02	1.57E-01	4.12E-08	1.0E+06	4.1E-02
430	0.3078	1.55E-02	4.8E-03	1.05E-03	4.99E-06	0.02	1.57E-01	1.29E-08	1.0E+06	1.3E-02
431	0.38049	1.55E-02	5.9E-03	1.05E-03	6.16E-06	0.02	1.57E-01	1.59E-08	1.0E+06	1.6E-02
432	0.48348	1.55E-02	7.5E-03	1.05E-03	7.83E-06	0.02	1.57E-01	2.02E-08	1.0E+06	2.0E-02
433	0.63759	1.55E-02	9.9E-03	1.05E-03	1.03E-05	0.02	1.57E-01	2.67E-08	1.0E+06	2.7E-02
434	0.88507	1.55E-02	1.4E-02	1.05E-03	1.43E-05	0.02	1.57E-01	3.70E-08	1.0E+06	3.7E-02
444	0.28768	1.55E-02	4.5E-03	1.05E-03	4.66E-06	0.02	1.57E-01	1.20E-08	1.0E+06	1.2E-02
445	0.35159	1.55E-02	5.4E-03	1.05E-03	5.70E-06	0.02	1.57E-01	1.47E-08	1.0E+06	1.5E-02
446	0.44074	1.55E-02	6.8E-03	1.05E-03	7.14E-06	0.02	1.57E-01	1.84E-08	1.0E+06	1.8E-02
447	0.57096	1.55E-02	8.8E-03	1.05E-03	9.25E-06	0.02	1.57E-01	2.39E-08	1.0E+06	2.4E-02
448	0.77323	1.55E-02	1.2E-02	1.05E-03	1.25E-05	0.02	1.57E-01	3.24E-08	1.0E+06	3.2E-02
459	0.32138	1.55E-02	5.0E-03	1.05E-03	5.21E-06	0.02	1.57E-01	1.34E-08	1.0E+06	1.3E-02
460	0.39688	1.55E-02	6.2E-03	1.05E-03	6.43E-06	0.02	1.57E-01	1.66E-08	1.0E+06	1.7E-02
461	0.50434	1.55E-02	7.8E-03	1.05E-03	8.17E-06	0.02	1.57E-01	2.11E-08	1.0E+06	2.1E-02
462	0.66519	1.55E-02	1.0E-02	1.05E-03	1.08E-05	0.02	1.57E-01	2.78E-08	1.0E+06	2.8E-02
463	0.9199	1.55E-02	1.4E-02	1.05E-03	1.49E-05	0.02	1.57E-01	3.85E-08	1.0E+06	3.8E-02
474	0.29149	1.55E-02	4.5E-03	1.05E-03	4.72E-06	0.02	1.57E-01	1.22E-08	1.0E+06	1.2E-02
475	0.3544	1.55E-02	5.5E-03	1.05E-03	5.74E-06	0.02	1.57E-01	1.48E-08	1.0E+06	1.5E-02
476	0.44175	1.55E-02	6.8E-03	1.05E-03	7.16E-06	0.02	1.57E-01	1.85E-08	1.0E+06	1.8E-02
477	0.56696	1.55E-02	8.8E-03	1.05E-03	9.18E-06	0.02	1.57E-01	2.37E-08	1.0E+06	2.4E-02
478	0.75502	1.55E-02	1.2E-02	1.05E-03	1.22E-05	0.02	1.57E-01	3.16E-08	1.0E+06	3.2E-02
495	0.26339	1.55E-02	4.1E-03	1.05E-03	4.27E-06	0.02	1.57E-01	1.10E-08	1.0E+06	1.1E-02
496	0.31542	1.55E-02	4.9E-03	1.05E-03	5.11E-06	0.02	1.57E-01	1.32E-08	1.0E+06	1.3E-02
497	0.38568	1.55E-02	6.0E-03	1.05E-03	6.25E-06	0.02	1.57E-01	1.61E-08	1.0E+06	1.6E-02
498	0.48315	1.55E-02	7.5E-03	1.05E-03	7.83E-06	0.02	1.57E-01	2.02E-08	1.0E+06	2.0E-02
499	0.62238	1.55E-02	9.6E-03	1.05E-03	1.01E-05	0.02	1.57E-01	2.60E-08	1.0E+06	2.6E-02
500	0.82822	1.55E-02	1.3E-02	1.05E-03	1.34E-05	0.02	1.57E-01	3.47E-08	1.0E+06	3.5E-02

Via Oro
Grading

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	0.06663	1.55E-02	1.0E-03	2.50E-04	2.58E-07	0.02	1.15E-02	4.87E-11	1.0E+06	4.9E-05
140	0.0699	1.55E-02	1.1E-03	2.50E-04	2.71E-07	0.02	1.15E-02	5.11E-11	1.0E+06	5.1E-05
156	0.07218	1.55E-02	1.1E-03	2.50E-04	2.80E-07	0.02	1.15E-02	5.28E-11	1.0E+06	5.3E-05
157	0.07602	1.55E-02	1.2E-03	2.50E-04	2.95E-07	0.02	1.15E-02	5.56E-11	1.0E+06	5.6E-05
158	0.08009	1.55E-02	1.2E-03	2.50E-04	3.11E-07	0.02	1.15E-02	5.86E-11	1.0E+06	5.9E-05
159	0.08436	1.55E-02	1.3E-03	2.50E-04	3.27E-07	0.02	1.15E-02	6.17E-11	1.0E+06	6.2E-05
160	0.08879	1.55E-02	1.4E-03	2.50E-04	3.44E-07	0.02	1.15E-02	6.49E-11	1.0E+06	6.5E-05
161	0.09804	1.55E-02	1.5E-03	2.50E-04	3.80E-07	0.02	1.15E-02	7.17E-11	1.0E+06	7.2E-05
162	0.10269	1.55E-02	1.6E-03	2.50E-04	3.98E-07	0.02	1.15E-02	7.51E-11	1.0E+06	7.5E-05
163	0.10719	1.55E-02	1.7E-03	2.50E-04	4.16E-07	0.02	1.15E-02	7.84E-11	1.0E+06	7.8E-05
167	0.08296	1.55E-02	1.3E-03	2.50E-04	3.22E-07	0.02	1.15E-02	6.07E-11	1.0E+06	6.1E-05
168	0.08789	1.55E-02	1.4E-03	2.50E-04	3.41E-07	0.02	1.15E-02	6.43E-11	1.0E+06	6.4E-05
169	0.09303	1.55E-02	1.4E-03	2.50E-04	3.61E-07	0.02	1.15E-02	6.80E-11	1.0E+06	6.8E-05
170	0.09843	1.55E-02	1.5E-03	2.50E-04	3.82E-07	0.02	1.15E-02	7.20E-11	1.0E+06	7.2E-05
171	0.10406	1.55E-02	1.6E-03	2.50E-04	4.04E-07	0.02	1.15E-02	7.61E-11	1.0E+06	7.6E-05
172	0.10985	1.55E-02	1.7E-03	2.50E-04	4.26E-07	0.02	1.15E-02	8.03E-11	1.0E+06	8.0E-05
173	0.11559	1.55E-02	1.8E-03	2.50E-04	4.48E-07	0.02	1.15E-02	8.45E-11	1.0E+06	8.5E-05
174	0.12128	1.55E-02	1.9E-03	2.50E-04	4.70E-07	0.02	1.15E-02	8.87E-11	1.0E+06	8.9E-05
175	0.12668	1.55E-02	2.0E-03	2.50E-04	4.91E-07	0.02	1.15E-02	9.27E-11	1.0E+06	9.3E-05
176	0.13159	1.55E-02	2.0E-03	2.50E-04	5.10E-07	0.02	1.15E-02	9.62E-11	1.0E+06	9.6E-05
177	0.13573	1.55E-02	2.1E-03	2.50E-04	5.26E-07	0.02	1.15E-02	9.93E-11	1.0E+06	9.9E-05
181	0.0969	1.55E-02	1.5E-03	2.50E-04	3.76E-07	0.02	1.15E-02	7.09E-11	1.0E+06	7.1E-05
182	0.10314	1.55E-02	1.6E-03	2.50E-04	4.00E-07	0.02	1.15E-02	7.54E-11	1.0E+06	7.5E-05
183	0.10985	1.55E-02	1.7E-03	2.50E-04	4.26E-07	0.02	1.15E-02	8.03E-11	1.0E+06	8.0E-05
184	0.11685	1.55E-02	1.8E-03	2.50E-04	4.53E-07	0.02	1.15E-02	8.55E-11	1.0E+06	8.5E-05
185	0.12414	1.55E-02	1.9E-03	2.50E-04	4.81E-07	0.02	1.15E-02	9.08E-11	1.0E+06	9.1E-05
186	0.13152	1.55E-02	2.0E-03	2.50E-04	5.10E-07	0.02	1.15E-02	9.62E-11	1.0E+06	9.6E-05
187	0.13868	1.55E-02	2.1E-03	2.50E-04	5.38E-07	0.02	1.15E-02	1.01E-10	1.0E+06	1.0E-04
188	0.14569	1.55E-02	2.3E-03	2.50E-04	5.65E-07	0.02	1.15E-02	1.07E-10	1.0E+06	1.1E-04
189	0.15206	1.55E-02	2.4E-03	2.50E-04	5.90E-07	0.02	1.15E-02	1.11E-10	1.0E+06	1.1E-04
190	0.15738	1.55E-02	2.4E-03	2.50E-04	6.10E-07	0.02	1.15E-02	1.15E-10	1.0E+06	1.2E-04

Via Oro
Grading

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	0.16146	1.55E-02	2.5E-03	2.50E-04	6.26E-07	0.02	1.15E-02	1.18E-10	1.0E+06	1.2E-04
195	0.10736	1.55E-02	1.7E-03	2.50E-04	4.16E-07	0.02	1.15E-02	7.85E-11	1.0E+06	7.9E-05
196	0.11509	1.55E-02	1.8E-03	2.50E-04	4.46E-07	0.02	1.15E-02	8.42E-11	1.0E+06	8.4E-05
197	0.12341	1.55E-02	1.9E-03	2.50E-04	4.79E-07	0.02	1.15E-02	9.03E-11	1.0E+06	9.0E-05
198	0.13233	1.55E-02	2.1E-03	2.50E-04	5.13E-07	0.02	1.15E-02	9.68E-11	1.0E+06	9.7E-05
199	0.14166	1.55E-02	2.2E-03	2.50E-04	5.49E-07	0.02	1.15E-02	1.04E-10	1.0E+06	1.0E-04
200	0.15125	1.55E-02	2.3E-03	2.50E-04	5.87E-07	0.02	1.15E-02	1.11E-10	1.0E+06	1.1E-04
201	0.16083	1.55E-02	2.5E-03	2.50E-04	6.24E-07	0.02	1.15E-02	1.18E-10	1.0E+06	1.2E-04
202	0.17001	1.55E-02	2.6E-03	2.50E-04	6.59E-07	0.02	1.15E-02	1.24E-10	1.0E+06	1.2E-04
203	0.17832	1.55E-02	2.8E-03	2.50E-04	6.92E-07	0.02	1.15E-02	1.30E-10	1.0E+06	1.3E-04
204	0.1853	1.55E-02	2.9E-03	2.50E-04	7.19E-07	0.02	1.15E-02	1.36E-10	1.0E+06	1.4E-04
205	0.19058	1.55E-02	3.0E-03	2.50E-04	7.39E-07	0.02	1.15E-02	1.39E-10	1.0E+06	1.4E-04
206	0.19393	1.55E-02	3.0E-03	2.50E-04	7.52E-07	0.02	1.15E-02	1.42E-10	1.0E+06	1.4E-04
210	0.11044	1.55E-02	1.7E-03	2.50E-04	4.28E-07	0.02	1.15E-02	8.08E-11	1.0E+06	8.1E-05
211	0.11946	1.55E-02	1.9E-03	2.50E-04	4.63E-07	0.02	1.15E-02	8.74E-11	1.0E+06	8.7E-05
212	0.12914	1.55E-02	2.0E-03	2.50E-04	5.01E-07	0.02	1.15E-02	9.45E-11	1.0E+06	9.4E-05
213	0.13977	1.55E-02	2.2E-03	2.50E-04	5.42E-07	0.02	1.15E-02	1.02E-10	1.0E+06	1.0E-04
214	0.16345	1.55E-02	2.5E-03	2.50E-04	6.34E-07	0.02	1.15E-02	1.20E-10	1.0E+06	1.2E-04
215	0.17619	1.55E-02	2.7E-03	2.50E-04	6.83E-07	0.02	1.15E-02	1.29E-10	1.0E+06	1.3E-04
216	0.18908	1.55E-02	2.9E-03	2.50E-04	7.33E-07	0.02	1.15E-02	1.38E-10	1.0E+06	1.4E-04
217	0.20154	1.55E-02	3.1E-03	2.50E-04	7.82E-07	0.02	1.15E-02	1.47E-10	1.0E+06	1.5E-04
218	0.21285	1.55E-02	3.3E-03	2.50E-04	8.26E-07	0.02	1.15E-02	1.56E-10	1.0E+06	1.6E-04
219	0.22229	1.55E-02	3.4E-03	2.50E-04	8.62E-07	0.02	1.15E-02	1.63E-10	1.0E+06	1.6E-04
220	0.22928	1.55E-02	3.6E-03	2.50E-04	8.89E-07	0.02	1.15E-02	1.68E-10	1.0E+06	1.7E-04
221	0.23347	1.55E-02	3.6E-03	2.50E-04	9.06E-07	0.02	1.15E-02	1.71E-10	1.0E+06	1.7E-04
222	0.23463	1.55E-02	3.6E-03	2.50E-04	9.10E-07	0.02	1.15E-02	1.72E-10	1.0E+06	1.7E-04
226	0.12234	1.55E-02	1.9E-03	2.50E-04	4.75E-07	0.02	1.15E-02	8.95E-11	1.0E+06	8.9E-05
227	0.13352	1.55E-02	2.1E-03	2.50E-04	5.18E-07	0.02	1.15E-02	9.77E-11	1.0E+06	9.8E-05
228	0.14584	1.55E-02	2.3E-03	2.50E-04	5.66E-07	0.02	1.15E-02	1.07E-10	1.0E+06	1.1E-04
229	0.15957	1.55E-02	2.5E-03	2.50E-04	6.19E-07	0.02	1.15E-02	1.17E-10	1.0E+06	1.2E-04
230	0.17462	1.55E-02	2.7E-03	2.50E-04	6.77E-07	0.02	1.15E-02	1.28E-10	1.0E+06	1.3E-04

Via Oro
Grading

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	0.19059	1.55E-02	3.0E-03	2.50E-04	7.39E-07	0.02	1.15E-02	1.39E-10	1.0E+06	1.4E-04
232	0.20809	1.55E-02	3.2E-03	2.50E-04	8.07E-07	0.02	1.15E-02	1.52E-10	1.0E+06	1.5E-04
233	0.24383	1.55E-02	3.8E-03	2.50E-04	9.46E-07	0.02	1.15E-02	1.78E-10	1.0E+06	1.8E-04
234	0.25978	1.55E-02	4.0E-03	2.50E-04	1.01E-06	0.02	1.15E-02	1.90E-10	1.0E+06	1.9E-04
235	0.27299	1.55E-02	4.2E-03	2.50E-04	1.06E-06	0.02	1.15E-02	2.00E-10	1.0E+06	2.0E-04
236	0.28252	1.55E-02	4.4E-03	2.50E-04	1.10E-06	0.02	1.15E-02	2.07E-10	1.0E+06	2.1E-04
237	0.28784	1.55E-02	4.5E-03	2.50E-04	1.12E-06	0.02	1.15E-02	2.11E-10	1.0E+06	2.1E-04
238	0.28884	1.55E-02	4.5E-03	2.50E-04	1.12E-06	0.02	1.15E-02	2.11E-10	1.0E+06	2.1E-04
242	0.13558	1.55E-02	2.1E-03	2.50E-04	5.26E-07	0.02	1.15E-02	9.92E-11	1.0E+06	9.9E-05
243	0.1496	1.55E-02	2.3E-03	2.50E-04	5.80E-07	0.02	1.15E-02	1.09E-10	1.0E+06	1.1E-04
244	0.16486	1.55E-02	2.6E-03	2.50E-04	6.39E-07	0.02	1.15E-02	1.21E-10	1.0E+06	1.2E-04
245	0.18312	1.55E-02	2.8E-03	2.50E-04	7.10E-07	0.02	1.15E-02	1.34E-10	1.0E+06	1.3E-04
246	0.20356	1.55E-02	3.2E-03	2.50E-04	7.90E-07	0.02	1.15E-02	1.49E-10	1.0E+06	1.5E-04
247	0.22624	1.55E-02	3.5E-03	2.50E-04	8.78E-07	0.02	1.15E-02	1.65E-10	1.0E+06	1.7E-04
248	0.25101	1.55E-02	3.9E-03	2.50E-04	9.74E-07	0.02	1.15E-02	1.84E-10	1.0E+06	1.8E-04
249	0.30237	1.55E-02	4.7E-03	2.50E-04	1.17E-06	0.02	1.15E-02	2.21E-10	1.0E+06	2.2E-04
250	0.32558	1.55E-02	5.0E-03	2.50E-04	1.26E-06	0.02	1.15E-02	2.38E-10	1.0E+06	2.4E-04
251	0.34508	1.55E-02	5.3E-03	2.50E-04	1.34E-06	0.02	1.15E-02	2.52E-10	1.0E+06	2.5E-04
252	0.35899	1.55E-02	5.6E-03	2.50E-04	1.39E-06	0.02	1.15E-02	2.63E-10	1.0E+06	2.6E-04
253	0.3657	1.55E-02	5.7E-03	2.50E-04	1.42E-06	0.02	1.15E-02	2.67E-10	1.0E+06	2.7E-04
254	0.36553	1.55E-02	5.7E-03	2.50E-04	1.42E-06	0.02	1.15E-02	2.67E-10	1.0E+06	2.7E-04
257	0.15013	1.55E-02	2.3E-03	2.50E-04	5.82E-07	0.02	1.15E-02	1.10E-10	1.0E+06	1.1E-04
258	0.16778	1.55E-02	2.6E-03	2.50E-04	6.51E-07	0.02	1.15E-02	1.23E-10	1.0E+06	1.2E-04
259	0.18826	1.55E-02	2.9E-03	2.50E-04	7.30E-07	0.02	1.15E-02	1.38E-10	1.0E+06	1.4E-04
260	0.21119	1.55E-02	3.3E-03	2.50E-04	8.19E-07	0.02	1.15E-02	1.54E-10	1.0E+06	1.5E-04
261	0.24033	1.55E-02	3.7E-03	2.50E-04	9.32E-07	0.02	1.15E-02	1.76E-10	1.0E+06	1.8E-04
262	0.27257	1.55E-02	4.2E-03	2.50E-04	1.06E-06	0.02	1.15E-02	1.99E-10	1.0E+06	2.0E-04
263	0.30901	1.55E-02	4.8E-03	2.50E-04	1.20E-06	0.02	1.15E-02	2.26E-10	1.0E+06	2.3E-04
264	0.38883	1.55E-02	6.0E-03	2.50E-04	1.51E-06	0.02	1.15E-02	2.84E-10	1.0E+06	2.8E-04
265	0.42538	1.55E-02	6.6E-03	2.50E-04	1.65E-06	0.02	1.15E-02	3.11E-10	1.0E+06	3.1E-04
266	0.45533	1.55E-02	7.1E-03	2.50E-04	1.77E-06	0.02	1.15E-02	3.33E-10	1.0E+06	3.3E-04

Via Oro
Grading

		Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	0.47529	1.55E-02	7.4E-03	2.50E-04	1.84E-06	0.02	1.15E-02	3.48E-10	1.0E+06	3.5E-04
268	0.48327	1.55E-02	7.5E-03	2.50E-04	1.87E-06	0.02	1.15E-02	3.53E-10	1.0E+06	3.5E-04
269	0.47972	1.55E-02	7.4E-03	2.50E-04	1.86E-06	0.02	1.15E-02	3.51E-10	1.0E+06	3.5E-04
270	0.41534	1.55E-02	6.4E-03	2.50E-04	1.61E-06	0.02	1.15E-02	3.04E-10	1.0E+06	3.0E-04
271	0.38572	1.55E-02	6.0E-03	2.50E-04	1.50E-06	0.02	1.15E-02	2.82E-10	1.0E+06	2.8E-04
274	0.16569	1.55E-02	2.6E-03	2.50E-04	6.43E-07	0.02	1.15E-02	1.21E-10	1.0E+06	1.2E-04
275	0.18778	1.55E-02	2.9E-03	2.50E-04	7.28E-07	0.02	1.15E-02	1.37E-10	1.0E+06	1.4E-04
276	0.21449	1.55E-02	3.3E-03	2.50E-04	8.32E-07	0.02	1.15E-02	1.57E-10	1.0E+06	1.6E-04
277	0.2458	1.55E-02	3.8E-03	2.50E-04	9.53E-07	0.02	1.15E-02	1.80E-10	1.0E+06	1.8E-04
278	0.28575	1.55E-02	4.4E-03	2.50E-04	1.11E-06	0.02	1.15E-02	2.09E-10	1.0E+06	2.1E-04
279	0.33325	1.55E-02	5.2E-03	2.50E-04	1.29E-06	0.02	1.15E-02	2.44E-10	1.0E+06	2.4E-04
280	0.38759	1.55E-02	6.0E-03	2.50E-04	1.50E-06	0.02	1.15E-02	2.83E-10	1.0E+06	2.8E-04
281	0.52116	1.55E-02	8.1E-03	2.50E-04	2.02E-06	0.02	1.15E-02	3.81E-10	1.0E+06	3.8E-04
282	0.58294	1.55E-02	9.0E-03	2.50E-04	2.26E-06	0.02	1.15E-02	4.26E-10	1.0E+06	4.3E-04
283	0.63209	1.55E-02	9.8E-03	2.50E-04	2.45E-06	0.02	1.15E-02	4.62E-10	1.0E+06	4.6E-04
284	0.66432	1.55E-02	1.0E-02	2.50E-04	2.58E-06	0.02	1.15E-02	4.86E-10	1.0E+06	4.9E-04
285	0.67476	1.55E-02	1.0E-02	2.50E-04	2.62E-06	0.02	1.15E-02	4.94E-10	1.0E+06	4.9E-04
286	0.66044	1.55E-02	1.0E-02	2.50E-04	2.56E-06	0.02	1.15E-02	4.83E-10	1.0E+06	4.8E-04
287	0.52728	1.55E-02	8.2E-03	2.50E-04	2.05E-06	0.02	1.15E-02	3.86E-10	1.0E+06	3.9E-04
288	0.4762	1.55E-02	7.4E-03	2.50E-04	1.85E-06	0.02	1.15E-02	3.48E-10	1.0E+06	3.5E-04
291	0.1817	1.55E-02	2.8E-03	2.50E-04	7.05E-07	0.02	1.15E-02	1.33E-10	1.0E+06	1.3E-04
292	0.20901	1.55E-02	3.2E-03	2.50E-04	8.11E-07	0.02	1.15E-02	1.53E-10	1.0E+06	1.5E-04
293	0.24319	1.55E-02	3.8E-03	2.50E-04	9.43E-07	0.02	1.15E-02	1.78E-10	1.0E+06	1.8E-04
294	0.28587	1.55E-02	4.4E-03	2.50E-04	1.11E-06	0.02	1.15E-02	2.09E-10	1.0E+06	2.1E-04
295	0.34053	1.55E-02	5.3E-03	2.50E-04	1.32E-06	0.02	1.15E-02	2.49E-10	1.0E+06	2.5E-04
296	0.4128	1.55E-02	6.4E-03	2.50E-04	1.60E-06	0.02	1.15E-02	3.02E-10	1.0E+06	3.0E-04
297	0.50796	1.55E-02	7.9E-03	2.50E-04	1.97E-06	0.02	1.15E-02	3.72E-10	1.0E+06	3.7E-04
298	0.7543	1.55E-02	1.2E-02	2.50E-04	2.93E-06	0.02	1.15E-02	5.52E-10	1.0E+06	5.5E-04
299	0.87558	1.55E-02	1.4E-02	2.50E-04	3.40E-06	0.02	1.15E-02	6.40E-10	1.0E+06	6.4E-04
300	0.96299	1.55E-02	1.5E-02	2.50E-04	3.74E-06	0.02	1.15E-02	7.04E-10	1.0E+06	7.0E-04
301	1.01683	1.55E-02	1.6E-02	2.50E-04	3.94E-06	0.02	1.15E-02	7.44E-10	1.0E+06	7.4E-04

Via Oro
Grading

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	1.02096	1.55E-02	1.6E-02	2.50E-04	3.96E-06	0.02	1.15E-02	7.47E-10	1.0E+06	7.5E-04
303	0.97241	1.55E-02	1.5E-02	2.50E-04	3.77E-06	0.02	1.15E-02	7.11E-10	1.0E+06	7.1E-04
304	0.67919	1.55E-02	1.1E-02	2.50E-04	2.63E-06	0.02	1.15E-02	4.97E-10	1.0E+06	5.0E-04
305	0.58734	1.55E-02	9.1E-03	2.50E-04	2.28E-06	0.02	1.15E-02	4.30E-10	1.0E+06	4.3E-04
308	0.1973	1.55E-02	3.1E-03	2.50E-04	7.65E-07	0.02	1.15E-02	1.44E-10	1.0E+06	1.4E-04
309	0.2303	1.55E-02	3.6E-03	2.50E-04	8.93E-07	0.02	1.15E-02	1.68E-10	1.0E+06	1.7E-04
310	0.27297	1.55E-02	4.2E-03	2.50E-04	1.06E-06	0.02	1.15E-02	2.00E-10	1.0E+06	2.0E-04
311	0.32907	1.55E-02	5.1E-03	2.50E-04	1.28E-06	0.02	1.15E-02	2.41E-10	1.0E+06	2.4E-04
312	0.40771	1.55E-02	6.3E-03	2.50E-04	1.58E-06	0.02	1.15E-02	2.98E-10	1.0E+06	3.0E-04
313	0.51965	1.55E-02	8.1E-03	2.50E-04	2.02E-06	0.02	1.15E-02	3.80E-10	1.0E+06	3.8E-04
314	0.69071	1.55E-02	1.1E-02	2.50E-04	2.68E-06	0.02	1.15E-02	5.05E-10	1.0E+06	5.1E-04
315	1.2766	1.55E-02	2.0E-02	2.50E-04	4.95E-06	0.02	1.15E-02	9.34E-10	1.0E+06	9.3E-04
316	1.56579	1.55E-02	2.4E-02	2.50E-04	6.07E-06	0.02	1.15E-02	1.15E-09	1.0E+06	1.1E-03
317	1.72059	1.55E-02	2.7E-02	2.50E-04	6.67E-06	0.02	1.15E-02	1.26E-09	1.0E+06	1.3E-03
318	1.80825	1.55E-02	2.8E-02	2.50E-04	7.01E-06	0.02	1.15E-02	1.32E-09	1.0E+06	1.3E-03
319	1.77443	1.55E-02	2.7E-02	2.50E-04	6.88E-06	0.02	1.15E-02	1.30E-09	1.0E+06	1.3E-03
320	1.606	1.55E-02	2.5E-02	2.50E-04	6.23E-06	0.02	1.15E-02	1.17E-09	1.0E+06	1.2E-03
321	0.8711	1.55E-02	1.4E-02	2.50E-04	3.38E-06	0.02	1.15E-02	6.37E-10	1.0E+06	6.4E-04
322	0.71344	1.55E-02	1.1E-02	2.50E-04	2.77E-06	0.02	1.15E-02	5.22E-10	1.0E+06	5.2E-04
325	0.21135	1.55E-02	3.3E-03	2.50E-04	8.20E-07	0.02	1.15E-02	1.55E-10	1.0E+06	1.5E-04
326	0.24986	1.55E-02	3.9E-03	2.50E-04	9.69E-07	0.02	1.15E-02	1.83E-10	1.0E+06	1.8E-04
327	0.30113	1.55E-02	4.7E-03	2.50E-04	1.17E-06	0.02	1.15E-02	2.20E-10	1.0E+06	2.2E-04
328	0.37218	1.55E-02	5.8E-03	2.50E-04	1.44E-06	0.02	1.15E-02	2.72E-10	1.0E+06	2.7E-04
329	0.47485	1.55E-02	7.4E-03	2.50E-04	1.84E-06	0.02	1.15E-02	3.47E-10	1.0E+06	3.5E-04
330	0.64308	1.55E-02	1.0E-02	2.50E-04	2.49E-06	0.02	1.15E-02	4.70E-10	1.0E+06	4.7E-04
331	0.95803	1.55E-02	1.5E-02	2.50E-04	3.72E-06	0.02	1.15E-02	7.01E-10	1.0E+06	7.0E-04
332	1.79371	1.55E-02	2.8E-02	2.50E-04	6.96E-06	0.02	1.15E-02	1.31E-09	1.0E+06	1.3E-03
333	2.9141	1.55E-02	4.5E-02	2.50E-04	1.13E-05	0.02	1.15E-02	2.13E-09	1.0E+06	2.1E-03
334	3.55228	1.55E-02	5.5E-02	2.50E-04	1.38E-05	0.02	1.15E-02	2.60E-09	1.0E+06	2.6E-03
335	3.84223	1.55E-02	6.0E-02	2.50E-04	1.49E-05	0.02	1.15E-02	2.81E-09	1.0E+06	2.8E-03
336	3.95507	1.55E-02	6.1E-02	2.50E-04	1.53E-05	0.02	1.15E-02	2.89E-09	1.0E+06	2.9E-03

Via Oro
Grading

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	3.84857	1.55E-02	6.0E-02	2.50E-04	1.49E-05	0.02	1.15E-02	2.81E-09	1.0E+06	2.8E-03
338	3.59119	1.55E-02	5.6E-02	2.50E-04	1.39E-05	0.02	1.15E-02	2.63E-09	1.0E+06	2.6E-03
339	1.47281	1.55E-02	2.3E-02	2.50E-04	5.71E-06	0.02	1.15E-02	1.08E-09	1.0E+06	1.1E-03
340	1.08422	1.55E-02	1.7E-02	2.50E-04	4.21E-06	0.02	1.15E-02	7.93E-10	1.0E+06	7.9E-04
341	0.84001	1.55E-02	1.3E-02	2.50E-04	3.26E-06	0.02	1.15E-02	6.14E-10	1.0E+06	6.1E-04
349	0.53347	1.55E-02	8.3E-03	2.50E-04	2.07E-06	0.02	1.15E-02	3.90E-10	1.0E+06	3.9E-04
350	0.74819	1.55E-02	1.2E-02	2.50E-04	2.90E-06	0.02	1.15E-02	5.47E-10	1.0E+06	5.5E-04
351	1.19448	1.55E-02	1.9E-02	2.50E-04	4.63E-06	0.02	1.15E-02	8.74E-10	1.0E+06	8.7E-04
352	2.89095	1.55E-02	4.5E-02	2.50E-04	1.12E-05	0.02	1.15E-02	2.11E-09	1.0E+06	2.1E-03
353	1.88579	1.55E-02	2.9E-02	2.50E-04	7.31E-06	0.02	1.15E-02	1.38E-09	1.0E+06	1.4E-03
354	1.28314	1.55E-02	2.0E-02	2.50E-04	4.98E-06	0.02	1.15E-02	9.38E-10	1.0E+06	9.4E-04
355	0.95264	1.55E-02	1.5E-02	2.50E-04	3.69E-06	0.02	1.15E-02	6.97E-10	1.0E+06	7.0E-04
364	0.80495	1.55E-02	1.2E-02	2.50E-04	3.12E-06	0.02	1.15E-02	5.89E-10	1.0E+06	5.9E-04
365	1.28882	1.55E-02	2.0E-02	2.50E-04	5.00E-06	0.02	1.15E-02	9.43E-10	1.0E+06	9.4E-04
366	2.83251	1.55E-02	4.4E-02	2.50E-04	1.10E-05	0.02	1.15E-02	2.07E-09	1.0E+06	2.1E-03
367	2.25892	1.55E-02	3.5E-02	2.50E-04	8.76E-06	0.02	1.15E-02	1.65E-09	1.0E+06	1.7E-03
368	1.45272	1.55E-02	2.3E-02	2.50E-04	5.63E-06	0.02	1.15E-02	1.06E-09	1.0E+06	1.1E-03
369	1.04608	1.55E-02	1.6E-02	2.50E-04	4.06E-06	0.02	1.15E-02	7.65E-10	1.0E+06	7.7E-04
377	0.8143	1.55E-02	1.3E-02	2.50E-04	3.16E-06	0.02	1.15E-02	5.96E-10	1.0E+06	6.0E-04
378	1.26331	1.55E-02	2.0E-02	2.50E-04	4.90E-06	0.02	1.15E-02	9.24E-10	1.0E+06	9.2E-04
379	2.40763	1.55E-02	3.7E-02	2.50E-04	9.34E-06	0.02	1.15E-02	1.76E-09	1.0E+06	1.8E-03
380	2.607	1.55E-02	4.0E-02	2.50E-04	1.01E-05	0.02	1.15E-02	1.91E-09	1.0E+06	1.9E-03
381	1.59345	1.55E-02	2.5E-02	2.50E-04	6.18E-06	0.02	1.15E-02	1.17E-09	1.0E+06	1.2E-03
382	1.11861	1.55E-02	1.7E-02	2.50E-04	4.34E-06	0.02	1.15E-02	8.18E-10	1.0E+06	8.2E-04
391	1.18902	1.55E-02	1.8E-02	2.50E-04	4.61E-06	0.02	1.15E-02	8.70E-10	1.0E+06	8.7E-04
392	2.04084	1.55E-02	3.2E-02	2.50E-04	7.92E-06	0.02	1.15E-02	1.49E-09	1.0E+06	1.5E-03
393	2.94249	1.55E-02	4.6E-02	2.50E-04	1.14E-05	0.02	1.15E-02	2.15E-09	1.0E+06	2.2E-03
394	1.73071	1.55E-02	2.7E-02	2.50E-04	6.71E-06	0.02	1.15E-02	1.27E-09	1.0E+06	1.3E-03
395	1.17565	1.55E-02	1.8E-02	2.50E-04	4.56E-06	0.02	1.15E-02	8.60E-10	1.0E+06	8.6E-04
405	1.09668	1.55E-02	1.7E-02	2.50E-04	4.25E-06	0.02	1.15E-02	8.02E-10	1.0E+06	8.0E-04
406	1.78264	1.55E-02	2.8E-02	2.50E-04	6.91E-06	0.02	1.15E-02	1.30E-09	1.0E+06	1.3E-03

Via Oro
Grading

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	3.56443	1.55E-02	5.5E-02	2.50E-04	1.38E-05	0.02	1.15E-02	2.61E-09	1.0E+06	2.6E-03
408	3.28113	1.55E-02	5.1E-02	2.50E-04	1.27E-05	0.02	1.15E-02	2.40E-09	1.0E+06	2.4E-03
409	1.83749	1.55E-02	2.8E-02	2.50E-04	7.13E-06	0.02	1.15E-02	1.34E-09	1.0E+06	1.3E-03
410	1.20616	1.55E-02	1.9E-02	2.50E-04	4.68E-06	0.02	1.15E-02	8.82E-10	1.0E+06	8.8E-04
421	1.54138	1.55E-02	2.4E-02	2.50E-04	5.98E-06	0.02	1.15E-02	1.13E-09	1.0E+06	1.1E-03
422	2.78266	1.55E-02	4.3E-02	2.50E-04	1.08E-05	0.02	1.15E-02	2.04E-09	1.0E+06	2.0E-03
423	3.57021	1.55E-02	5.5E-02	2.50E-04	1.38E-05	0.02	1.15E-02	2.61E-09	1.0E+06	2.6E-03
424	1.8844	1.55E-02	2.9E-02	2.50E-04	7.31E-06	0.02	1.15E-02	1.38E-09	1.0E+06	1.4E-03
425	1.18917	1.55E-02	1.8E-02	2.50E-04	4.61E-06	0.02	1.15E-02	8.70E-10	1.0E+06	8.7E-04
435	1.31314	1.55E-02	2.0E-02	2.50E-04	5.09E-06	0.02	1.15E-02	9.60E-10	1.0E+06	9.6E-04
436	2.22012	1.55E-02	3.4E-02	2.50E-04	8.61E-06	0.02	1.15E-02	1.62E-09	1.0E+06	1.6E-03
437	1.82921	1.55E-02	2.8E-02	2.50E-04	7.09E-06	0.02	1.15E-02	1.34E-09	1.0E+06	1.3E-03
438	1.10856	1.55E-02	1.7E-02	2.50E-04	4.30E-06	0.02	1.15E-02	8.11E-10	1.0E+06	8.1E-04
449	1.10375	1.55E-02	1.7E-02	2.50E-04	4.28E-06	0.02	1.15E-02	8.07E-10	1.0E+06	8.1E-04
450	1.75996	1.55E-02	2.7E-02	2.50E-04	6.83E-06	0.02	1.15E-02	1.29E-09	1.0E+06	1.3E-03
451	3.33818	1.55E-02	5.2E-02	2.50E-04	1.29E-05	0.02	1.15E-02	2.44E-09	1.0E+06	2.4E-03
452	1.60872	1.55E-02	2.5E-02	2.50E-04	6.24E-06	0.02	1.15E-02	1.18E-09	1.0E+06	1.2E-03
453	0.97845	1.55E-02	1.5E-02	2.50E-04	3.80E-06	0.02	1.15E-02	7.16E-10	1.0E+06	7.2E-04
464	1.37016	1.55E-02	2.1E-02	2.50E-04	5.31E-06	0.02	1.15E-02	1.00E-09	1.0E+06	1.0E-03
465	2.30263	1.55E-02	3.6E-02	2.50E-04	8.93E-06	0.02	1.15E-02	1.68E-09	1.0E+06	1.7E-03
466	4.86042	1.55E-02	7.5E-02	2.50E-04	1.89E-05	0.02	1.15E-02	3.55E-09	1.0E+06	3.6E-03
467	1.33766	1.55E-02	2.1E-02	2.50E-04	5.19E-06	0.02	1.15E-02	9.78E-10	1.0E+06	9.8E-04
468	0.85143	1.55E-02	1.3E-02	2.50E-04	3.30E-06	0.02	1.15E-02	6.23E-10	1.0E+06	6.2E-04
479	1.04335	1.55E-02	1.6E-02	2.50E-04	4.05E-06	0.02	1.15E-02	7.63E-10	1.0E+06	7.6E-04
480	1.58467	1.55E-02	2.5E-02	2.50E-04	6.15E-06	0.02	1.15E-02	1.16E-09	1.0E+06	1.2E-03
481	2.59449	1.55E-02	4.0E-02	2.50E-04	1.01E-05	0.02	1.15E-02	1.90E-09	1.0E+06	1.9E-03
482	3.77934	1.55E-02	5.9E-02	2.50E-04	1.47E-05	0.02	1.15E-02	2.76E-09	1.0E+06	2.8E-03
483	3.75696	1.55E-02	5.8E-02	2.50E-04	1.46E-05	0.02	1.15E-02	2.75E-09	1.0E+06	2.7E-03
484	3.32743	1.55E-02	5.2E-02	2.50E-04	1.29E-05	0.02	1.15E-02	2.43E-09	1.0E+06	2.4E-03
485	2.65322	1.55E-02	4.1E-02	2.50E-04	1.03E-05	0.02	1.15E-02	1.94E-09	1.0E+06	1.9E-03
486	1.79639	1.55E-02	2.8E-02	2.50E-04	6.97E-06	0.02	1.15E-02	1.31E-09	1.0E+06	1.3E-03

Via Oro
Grading

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	1.13343	1.55E-02	1.8E-02	2.50E-04	4.40E-06	0.02	1.15E-02	8.29E-10	1.0E+06	8.3E-04
488	0.75363	1.55E-02	1.2E-02	2.50E-04	2.92E-06	0.02	1.15E-02	5.51E-10	1.0E+06	5.5E-04
501	1.13306	1.55E-02	1.8E-02	2.50E-04	4.39E-06	0.02	1.15E-02	8.29E-10	1.0E+06	8.3E-04
502	1.62685	1.55E-02	2.5E-02	2.50E-04	6.31E-06	0.02	1.15E-02	1.19E-09	1.0E+06	1.2E-03
503	2.10731	1.55E-02	3.3E-02	2.50E-04	8.17E-06	0.02	1.15E-02	1.54E-09	1.0E+06	1.5E-03
504	2.2594	1.55E-02	3.5E-02	2.50E-04	8.76E-06	0.02	1.15E-02	1.65E-09	1.0E+06	1.7E-03
505	2.11935	1.55E-02	3.3E-02	2.50E-04	8.22E-06	0.02	1.15E-02	1.55E-09	1.0E+06	1.6E-03
506	1.79572	1.55E-02	2.8E-02	2.50E-04	6.97E-06	0.02	1.15E-02	1.31E-09	1.0E+06	1.3E-03
507	1.36447	1.55E-02	2.1E-02	2.50E-04	5.29E-06	0.02	1.15E-02	9.98E-10	1.0E+06	1.0E-03
508	0.67568	1.55E-02	1.0E-02	2.50E-04	2.62E-06	0.02	1.15E-02	4.94E-10	1.0E+06	4.9E-04
520	0.86595	1.55E-02	1.3E-02	2.50E-04	3.36E-06	0.02	1.15E-02	6.33E-10	1.0E+06	6.3E-04
521	1.12784	1.55E-02	1.7E-02	2.50E-04	4.37E-06	0.02	1.15E-02	8.25E-10	1.0E+06	8.2E-04
522	1.40663	1.55E-02	2.2E-02	2.50E-04	5.46E-06	0.02	1.15E-02	1.03E-09	1.0E+06	1.0E-03
523	1.53599	1.55E-02	2.4E-02	2.50E-04	5.96E-06	0.02	1.15E-02	1.12E-09	1.0E+06	1.1E-03
524	1.49691	1.55E-02	2.3E-02	2.50E-04	5.81E-06	0.02	1.15E-02	1.09E-09	1.0E+06	1.1E-03
525	1.32596	1.55E-02	2.1E-02	2.50E-04	5.14E-06	0.02	1.15E-02	9.70E-10	1.0E+06	9.7E-04
526	1.07668	1.55E-02	1.7E-02	2.50E-04	4.18E-06	0.02	1.15E-02	7.87E-10	1.0E+06	7.9E-04
527	0.6058	1.55E-02	9.4E-03	2.50E-04	2.35E-06	0.02	1.15E-02	4.43E-10	1.0E+06	4.4E-04
539	0.68491	1.55E-02	1.1E-02	2.50E-04	2.66E-06	0.02	1.15E-02	5.01E-10	1.0E+06	5.0E-04
540	0.85547	1.55E-02	1.3E-02	2.50E-04	3.32E-06	0.02	1.15E-02	6.26E-10	1.0E+06	6.3E-04
541	1.01655	1.55E-02	1.6E-02	2.50E-04	3.94E-06	0.02	1.15E-02	7.44E-10	1.0E+06	7.4E-04
542	1.11469	1.55E-02	1.7E-02	2.50E-04	4.32E-06	0.02	1.15E-02	8.15E-10	1.0E+06	8.2E-04
543	1.11822	1.55E-02	1.7E-02	2.50E-04	4.34E-06	0.02	1.15E-02	8.18E-10	1.0E+06	8.2E-04
544	1.02519	1.55E-02	1.6E-02	2.50E-04	3.98E-06	0.02	1.15E-02	7.50E-10	1.0E+06	7.5E-04
545	0.86877	1.55E-02	1.3E-02	2.50E-04	3.37E-06	0.02	1.15E-02	6.35E-10	1.0E+06	6.4E-04
546	0.54176	1.55E-02	8.4E-03	2.50E-04	2.10E-06	0.02	1.15E-02	3.96E-10	1.0E+06	4.0E-04
560	0.67142	1.55E-02	1.0E-02	2.50E-04	2.60E-06	0.02	1.15E-02	4.91E-10	1.0E+06	4.9E-04
561	0.78316	1.55E-02	1.2E-02	2.50E-04	3.04E-06	0.02	1.15E-02	5.73E-10	1.0E+06	5.7E-04
562	0.85495	1.55E-02	1.3E-02	2.50E-04	3.32E-06	0.02	1.15E-02	6.25E-10	1.0E+06	6.3E-04
563	0.86079	1.55E-02	1.3E-02	2.50E-04	3.34E-06	0.02	1.15E-02	6.30E-10	1.0E+06	6.3E-04
564	0.81475	1.55E-02	1.3E-02	2.50E-04	3.16E-06	0.02	1.15E-02	5.96E-10	1.0E+06	6.0E-04

Via Oro
Grading

		Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.72132	1.55E-02	1.1E-02	2.50E-04	2.80E-06	0.02	1.15E-02	5.28E-10	1.0E+06	5.3E-04
566	0.48594	1.55E-02	7.5E-03	2.50E-04	1.88E-06	0.02	1.15E-02	3.55E-10	1.0E+06	3.6E-04
579	0.54212	1.55E-02	8.4E-03	2.50E-04	2.10E-06	0.02	1.15E-02	3.97E-10	1.0E+06	4.0E-04
580	0.62185	1.55E-02	9.6E-03	2.50E-04	2.41E-06	0.02	1.15E-02	4.55E-10	1.0E+06	4.5E-04
581	0.67804	1.55E-02	1.1E-02	2.50E-04	2.63E-06	0.02	1.15E-02	4.96E-10	1.0E+06	5.0E-04
582	0.69409	1.55E-02	1.1E-02	2.50E-04	2.69E-06	0.02	1.15E-02	5.08E-10	1.0E+06	5.1E-04
583	0.66642	1.55E-02	1.0E-02	2.50E-04	2.58E-06	0.02	1.15E-02	4.87E-10	1.0E+06	4.9E-04
584	0.60285	1.55E-02	9.3E-03	2.50E-04	2.34E-06	0.02	1.15E-02	4.41E-10	1.0E+06	4.4E-04
585	0.494	1.55E-02	7.7E-03	2.50E-04	1.92E-06	0.02	1.15E-02	3.61E-10	1.0E+06	3.6E-04
598	0.44808	1.55E-02	6.9E-03	2.50E-04	1.74E-06	0.02	1.15E-02	3.28E-10	1.0E+06	3.3E-04
599	0.50651	1.55E-02	7.8E-03	2.50E-04	1.96E-06	0.02	1.15E-02	3.70E-10	1.0E+06	3.7E-04
600	0.55009	1.55E-02	8.5E-03	2.50E-04	2.13E-06	0.02	1.15E-02	4.02E-10	1.0E+06	4.0E-04
601	0.56737	1.55E-02	8.8E-03	2.50E-04	2.20E-06	0.02	1.15E-02	4.15E-10	1.0E+06	4.1E-04
602	0.55377	1.55E-02	8.6E-03	2.50E-04	2.15E-06	0.02	1.15E-02	4.05E-10	1.0E+06	4.1E-04
603	0.51334	1.55E-02	8.0E-03	2.50E-04	1.99E-06	0.02	1.15E-02	3.75E-10	1.0E+06	3.8E-04
604	0.45398	1.55E-02	7.0E-03	2.50E-04	1.76E-06	0.02	1.15E-02	3.32E-10	1.0E+06	3.3E-04
0	0	1.55E-02	0.0E+00	2.50E-04	0.00E+00	0.02	1.15E-02	0.00E+00	1.0E+06	0.0E+00
0	0	1.55E-02	0.0E+00	2.50E-04	0.00E+00	0.02	1.15E-02	0.00E+00	1.0E+06	0.0E+00

**Via Oro
Grading**

Max Cancer Risk Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million
1	1	4.1E-03
2	2	4.3E-03
3	3	4.4E-03
4	4	4.5E-03
5	5	4.7E-03
6	6	4.8E-03
7	7	5.0E-03
8	8	5.1E-03
9	9	5.3E-03
10	10	5.5E-03
11	11	5.7E-03
12	12	5.9E-03
13	13	6.1E-03
14	14	6.3E-03
15	15	6.5E-03
16	16	6.7E-03
17	17	7.0E-03
18	18	7.2E-03
19	19	7.4E-03
20	20	7.6E-03
21	21	7.9E-03
22	22	8.1E-03
23	23	8.3E-03
24	24	8.5E-03
25	25	8.7E-03
26	26	8.8E-03
27	27	8.9E-03
28	28	9.0E-03
29	29	9.1E-03
30	30	9.2E-03
31	31	9.2E-03

Max	Receptor #	
0.093	519	Res
0.137	420	School
0.028	466	Worker

Chronic Non Cancer Risk		
REL	HI Offroad	
5	9.21E-05	
5	9.49E-05	
5	9.79E-05	
5	1.01E-04	
5	1.04E-04	
5	1.08E-04	
5	1.11E-04	
5	1.15E-04	
5	1.19E-04	
5	1.23E-04	
5	1.27E-04	
5	1.31E-04	
5	1.36E-04	
5	1.40E-04	
5	1.45E-04	
5	1.50E-04	
5	1.55E-04	
5	1.60E-04	
5	1.65E-04	
5	1.70E-04	
5	1.75E-04	
5	1.80E-04	
5	1.85E-04	
5	1.89E-04	
5	1.93E-04	
5	1.97E-04	
5	1.99E-04	
5	2.02E-04	
5	2.03E-04	
5	2.04E-04	
5	2.05E-04	

Max	Receptor #	
2.066E-03	519	Res
3.054E-03	420	School
1.507E-02	466	Worker

**Via Oro
Grading**

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
32	32	9.2E-03	5	2.05E-04	
55	55	8.8E-03	5	1.96E-04	
56	56	9.0E-03	5	2.01E-04	
57	57	9.2E-03	5	2.06E-04	
58	58	9.4E-03	5	2.11E-04	
59	59	9.6E-03	5	2.15E-04	
60	60	9.8E-03	5	2.18E-04	
61	61	9.9E-03	5	2.20E-04	
62	62	1.0E-02	5	2.22E-04	
63	63	1.0E-02	5	2.23E-04	
64	64	1.0E-02	5	2.24E-04	
65	65	1.0E-02	5	2.23E-04	
66	66	1.0E-02	5	2.23E-04	
67	67	4.5E-03	5	9.95E-05	
68	68	4.6E-03	5	1.03E-04	
69	69	4.8E-03	5	1.07E-04	
70	70	4.9E-03	5	1.10E-04	
71	71	5.1E-03	5	1.14E-04	
72	72	5.3E-03	5	1.18E-04	
73	73	5.5E-03	5	1.23E-04	
74	74	5.7E-03	5	1.27E-04	
75	75	5.9E-03	5	1.32E-04	
76	76	6.1E-03	5	1.37E-04	
77	77	6.4E-03	5	1.42E-04	
78	78	6.6E-03	5	1.48E-04	
79	79	8.0E-03	5	1.79E-04	
80	80	8.3E-03	5	1.86E-04	
81	81	8.6E-03	5	1.93E-04	
82	82	8.9E-03	5	1.99E-04	
83	83	9.2E-03	5	2.06E-04	
84	84	9.5E-03	5	2.13E-04	

**Via Oro
Grading**

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
85	85	9.8E-03	
86	86	1.0E-02	
87	87	1.0E-02	
88	88	1.1E-02	
89	89	1.1E-02	
90	90	1.1E-02	
91	91	1.1E-02	
92	92	1.1E-02	
93	93	1.1E-02	
96	96	1.1E-02	
97	97	1.1E-02	
98	98	1.2E-02	
99	99	1.2E-02	
100	100	1.2E-02	
101	101	1.2E-02	
102	102	1.2E-02	
106	106	4.6E-03	
107	107	4.8E-03	
108	108	5.0E-03	
109	109	5.2E-03	
110	110	5.4E-03	
111	111	5.6E-03	
112	112	5.8E-03	
113	113	6.1E-03	
114	114	6.3E-03	
115	115	6.6E-03	
116	116	6.9E-03	
117	117	7.2E-03	
118	118	7.5E-03	
124	124	4.8E-03	
125	125	5.0E-03	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	2.19E-04		
5	2.25E-04		
5	2.31E-04		
5	2.35E-04		
5	2.39E-04		
5	2.42E-04		
5	2.44E-04		
5	2.45E-04		
5	2.46E-04		
5	2.44E-04		
5	2.48E-04		
5	2.60E-04		
5	2.65E-04		
5	2.68E-04		
5	2.70E-04		
5	2.71E-04		
5	1.03E-04		
5	1.07E-04		
5	1.12E-04		
5	1.16E-04		
5	1.21E-04		
5	1.25E-04		
5	1.30E-04		
5	1.36E-04		
5	1.42E-04		
5	1.48E-04		
5	1.54E-04		
5	1.61E-04		
5	1.68E-04		
5	1.07E-04		
5	1.11E-04		

**Via Oro
Grading**

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
126	126	5.2E-03	
127	127	5.4E-03	
128	128	5.6E-03	
129	129	5.9E-03	
130	130	6.1E-03	
131	131	6.4E-03	
132	132	6.7E-03	
133	133	7.0E-03	
134	134	7.3E-03	
135	135	7.7E-03	
136	136	8.0E-03	
137	137	8.4E-03	
138	138	8.8E-03	
141	141	5.0E-03	
142	142	5.2E-03	
143	143	5.4E-03	
144	144	5.6E-03	
145	145	5.9E-03	
146	146	6.2E-03	
147	147	6.4E-03	
148	148	6.8E-03	
149	149	7.1E-03	
150	150	7.4E-03	
151	151	7.8E-03	
152	152	8.2E-03	
153	153	8.6E-03	
154	154	9.0E-03	
155	155	9.5E-03	
164	164	9.7E-03	
165	165	1.0E-02	
166	166	1.1E-02	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	1.16E-04		
5	1.21E-04		
5	1.26E-04		
5	1.31E-04		
5	1.37E-04		
5	1.43E-04		
5	1.50E-04		
5	1.56E-04		
5	1.64E-04		
5	1.71E-04		
5	1.79E-04		
5	1.88E-04		
5	1.97E-04		
5	1.11E-04		
5	1.16E-04		
5	1.21E-04		
5	1.26E-04		
5	1.32E-04		
5	1.37E-04		
5	1.44E-04		
5	1.51E-04		
5	1.58E-04		
5	1.66E-04		
5	1.74E-04		
5	1.83E-04		
5	1.92E-04		
5	2.02E-04		
5	2.12E-04		
5	2.17E-04		
5	2.30E-04		
5	2.43E-04		

**Via Oro
Grading**

<i>Max Cancer Risk Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
178	178	1.1E-02	5	2.35E-04	
179	179	1.1E-02	5	2.49E-04	
180	180	1.2E-02	5	2.65E-04	
192	192	1.1E-02	5	2.54E-04	
193	193	1.2E-02	5	2.71E-04	
194	194	1.3E-02	5	2.90E-04	
207	207	1.2E-02	5	2.74E-04	
208	208	1.3E-02	5	2.95E-04	
209	209	1.4E-02	5	3.18E-04	
223	223	1.3E-02	5	2.96E-04	
224	224	1.4E-02	5	3.21E-04	
225	225	1.6E-02	5	3.48E-04	
239	239	1.4E-02	5	3.19E-04	
240	240	1.6E-02	5	3.49E-04	
241	241	1.7E-02	5	3.82E-04	
255	255	1.5E-02	5	3.43E-04	
256	256	1.7E-02	5	3.78E-04	
272	272	1.6E-02	5	3.67E-04	
273	273	1.8E-02	5	4.08E-04	
289	289	1.7E-02	5	3.91E-04	
290	290	2.0E-02	5	4.38E-04	
306	306	1.8E-02	5	4.12E-04	
307	307	2.1E-02	5	4.65E-04	
323	323	1.9E-02	5	4.31E-04	
324	324	2.2E-02	5	4.90E-04	
342	342	2.0E-02	5	4.45E-04	
343	343	2.3E-02	5	5.09E-04	
344	344	2.6E-02	5	5.88E-04	
356	356	2.0E-02	5	4.55E-04	
357	357	2.3E-02	5	5.21E-04	
358	358	2.7E-02	5	6.06E-04	

**Via Oro
Grading**

		<i>Max Cancer Risk</i>	<i>Cancer Risk</i>
Receptor #	Receptor #	Total Risk/ Million	
370	370	2.1E-02	
371	371	2.4E-02	
372	372	2.8E-02	
383	383	2.1E-02	
384	384	2.4E-02	
385	385	2.7E-02	
396	396	2.0E-02	
397	397	2.3E-02	
398	398	2.7E-02	
399	399	3.2E-02	
411	411	2.0E-02	
412	412	2.3E-02	
413	413	2.6E-02	
414	414	3.1E-02	
426	426	1.9E-02	
427	427	2.2E-02	
428	428	2.5E-02	
429	429	3.0E-02	
439	439	1.9E-02	
440	440	2.1E-02	
441	441	2.4E-02	
442	442	2.8E-02	
443	443	3.3E-02	
454	454	1.8E-02	
455	455	2.0E-02	
456	456	2.3E-02	
457	457	2.7E-02	
458	458	3.1E-02	
469	469	1.7E-02	
470	470	1.9E-02	
471	471	2.2E-02	

		<i>Chronic Non Cancer Risk</i>
REL	HI Offroad	
5	4.59E-04	
5	5.28E-04	
5	6.14E-04	
5	4.58E-04	
5	5.27E-04	
5	6.14E-04	
5	4.53E-04	
5	5.20E-04	
5	6.05E-04	
5	7.14E-04	
5	4.43E-04	
5	5.08E-04	
5	5.89E-04	
5	6.93E-04	
5	4.31E-04	
5	4.92E-04	
5	5.68E-04	
5	6.65E-04	
5	4.15E-04	
5	4.72E-04	
5	5.43E-04	
5	6.31E-04	
5	7.44E-04	
5	3.98E-04	
5	4.51E-04	
5	5.15E-04	
5	5.95E-04	
5	6.95E-04	
5	3.80E-04	
5	4.28E-04	
5	4.86E-04	

**Via Oro
Grading**

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
472	472	2.5E-02	5	5.57E-04	
473	473	2.9E-02	5	6.45E-04	
489	489	1.6E-02	5	3.61E-04	
490	490	1.8E-02	5	4.04E-04	
491	491	2.0E-02	5	4.56E-04	
492	492	2.3E-02	5	5.19E-04	
493	493	2.7E-02	5	5.96E-04	
494	494	3.1E-02	5	6.93E-04	
509	509	1.5E-02	5	3.42E-04	
510	510	1.7E-02	5	3.81E-04	
511	511	1.9E-02	5	4.27E-04	
512	512	2.2E-02	5	4.82E-04	
513	513	2.5E-02	5	5.50E-04	
514	514	2.8E-02	5	6.32E-04	
515	515	3.9E-02	5	8.70E-04	
516	516	4.7E-02	5	1.04E-03	
517	517	5.7E-02	5	1.28E-03	
518	518	7.2E-02	5	1.61E-03	
519	519	9.3E-02	5	2.07E-03	
528	528	1.5E-02	5	3.24E-04	
529	529	1.6E-02	5	3.59E-04	
530	530	1.8E-02	5	4.00E-04	
531	531	2.0E-02	5	4.48E-04	
532	532	2.3E-02	5	5.06E-04	
533	533	2.6E-02	5	5.77E-04	
534	534	3.5E-02	5	7.75E-04	
535	535	4.1E-02	5	9.16E-04	
536	536	4.9E-02	5	1.10E-03	
537	537	6.0E-02	5	1.35E-03	
538	538	7.5E-02	5	1.68E-03	
547	547	1.4E-02	5	3.06E-04	

**Via Oro
Grading**

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
548	548	1.5E-02	5	3.37E-04	
549	549	1.7E-02	5	3.73E-04	
550	550	1.9E-02	5	4.16E-04	
551	551	2.1E-02	5	4.66E-04	
552	552	2.4E-02	5	5.27E-04	
553	553	2.7E-02	5	6.01E-04	
554	554	3.1E-02	5	6.92E-04	
555	555	3.6E-02	5	8.08E-04	
556	556	4.3E-02	5	9.58E-04	
557	557	5.1E-02	5	1.15E-03	
558	558	6.3E-02	5	1.40E-03	
559	559	7.7E-02	5	1.72E-03	
567	567	1.3E-02	5	2.89E-04	
568	568	1.4E-02	5	3.17E-04	
569	569	1.6E-02	5	3.49E-04	
570	570	1.7E-02	5	3.86E-04	
571	571	1.9E-02	5	4.29E-04	
572	572	2.2E-02	5	4.81E-04	
573	573	2.4E-02	5	5.44E-04	
574	574	3.2E-02	5	7.16E-04	
575	575	3.8E-02	5	8.38E-04	
576	576	4.4E-02	5	9.92E-04	
577	577	5.3E-02	5	1.19E-03	
578	578	6.4E-02	5	1.42E-03	
586	586	1.2E-02	5	2.73E-04	
587	587	1.3E-02	5	2.97E-04	
588	588	1.5E-02	5	3.26E-04	
589	589	1.6E-02	5	3.58E-04	
590	590	1.8E-02	5	3.96E-04	
591	591	2.0E-02	5	4.41E-04	
592	592	2.2E-02	5	4.94E-04	

**Via Oro
Grading**

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
593	593	2.9E-02	5	6.38E-04	
594	594	3.3E-02	5	7.39E-04	
595	595	3.9E-02	5	8.62E-04	
596	596	4.5E-02	5	1.01E-03	
597	597	5.3E-02	5	1.19E-03	
345	345	3.1E-02	5	6.90E-04	
346	346	3.7E-02	5	8.24E-04	
347	347	4.5E-02	5	1.01E-03	
348	348	5.7E-02	5	1.26E-03	
359	359	3.2E-02	5	7.14E-04	
360	360	3.8E-02	5	8.57E-04	
361	361	4.7E-02	5	1.05E-03	
362	362	6.0E-02	5	1.33E-03	
363	363	7.9E-02	5	1.76E-03	
373	373	3.9E-02	5	8.74E-04	
374	374	4.8E-02	5	1.08E-03	
375	375	6.1E-02	5	1.36E-03	
376	376	8.0E-02	5	1.80E-03	
386	386	3.9E-02	5	8.73E-04	
387	387	4.8E-02	5	1.07E-03	
388	388	6.1E-02	5	1.35E-03	
389	389	7.9E-02	5	1.77E-03	
390	390	1.1E-01	5	2.46E-03	
400	400	3.8E-02	5	8.57E-04	
401	401	4.7E-02	5	1.05E-03	
402	402	5.9E-02	5	1.32E-03	
403	403	7.7E-02	5	1.71E-03	
404	404	1.0E-01	5	2.32E-03	
415	415	3.7E-02	5	8.28E-04	
416	416	4.5E-02	5	1.01E-03	
417	417	5.6E-02	5	1.26E-03	

**Via Oro
Grading**

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
418	418	7.2E-02	5	1.62E-03	
419	419	9.7E-02	5	2.17E-03	
420	420	1.4E-01	5	3.05E-03	
430	430	4.3E-02	5	9.54E-04	
431	431	5.3E-02	5	1.18E-03	
432	432	6.7E-02	5	1.50E-03	
433	433	8.9E-02	5	1.98E-03	
434	434	1.2E-01	5	2.74E-03	
444	444	4.0E-02	5	8.92E-04	
445	445	4.9E-02	5	1.09E-03	
446	446	6.1E-02	5	1.37E-03	
447	447	7.9E-02	5	1.77E-03	
448	448	1.1E-01	5	2.40E-03	
459	459	4.5E-02	5	9.96E-04	
460	460	5.5E-02	5	1.23E-03	
461	461	7.0E-02	5	1.56E-03	
462	462	9.2E-02	5	2.06E-03	
463	463	1.3E-01	5	2.85E-03	
474	474	4.0E-02	5	9.03E-04	
475	475	4.9E-02	5	1.10E-03	
476	476	6.1E-02	5	1.37E-03	
477	477	7.9E-02	5	1.76E-03	
478	478	1.0E-01	5	2.34E-03	
495	495	3.7E-02	5	8.16E-04	
496	496	4.4E-02	5	9.78E-04	
497	497	5.4E-02	5	1.20E-03	
498	498	6.7E-02	5	1.50E-03	
499	499	8.6E-02	5	1.93E-03	
500	500	1.1E-01	5	2.57E-03	

Via Oro
Grading

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk	
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad
139	139	3.9E-04	5	2.07E-04
140	140	4.1E-04	5	2.17E-04
156	156	4.2E-04	5	2.24E-04
157	157	4.4E-04	5	2.36E-04
158	158	4.7E-04	5	2.48E-04
159	159	4.9E-04	5	2.61E-04
160	160	5.2E-04	5	2.75E-04
161	161	5.7E-04	5	3.04E-04
162	162	6.0E-04	5	3.18E-04
163	163	6.3E-04	5	3.32E-04
167	167	4.9E-04	5	2.57E-04
168	168	5.1E-04	5	2.72E-04
169	169	5.4E-04	5	2.88E-04
170	170	5.8E-04	5	3.05E-04
171	171	6.1E-04	5	3.23E-04
172	172	6.4E-04	5	3.40E-04
173	173	6.8E-04	5	3.58E-04
174	174	7.1E-04	5	3.76E-04
175	175	7.4E-04	5	3.93E-04
176	176	7.7E-04	5	4.08E-04
177	177	7.9E-04	5	4.21E-04
181	181	5.7E-04	5	3.00E-04
182	182	6.0E-04	5	3.20E-04
183	183	6.4E-04	5	3.40E-04
184	184	6.8E-04	5	3.62E-04
185	185	7.3E-04	5	3.85E-04
186	186	7.7E-04	5	4.08E-04
187	187	8.1E-04	5	4.30E-04
188	188	8.5E-04	5	4.52E-04
189	189	8.9E-04	5	4.71E-04
190	190	9.2E-04	5	4.88E-04

**Via Oro
Grading**

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
191	191	9.4E-04	5	5.00E-04	
195	195	6.3E-04	5	3.33E-04	
196	196	6.7E-04	5	3.57E-04	
197	197	7.2E-04	5	3.83E-04	
198	198	7.7E-04	5	4.10E-04	
199	199	8.3E-04	5	4.39E-04	
200	200	8.9E-04	5	4.69E-04	
201	201	9.4E-04	5	4.99E-04	
202	202	9.9E-04	5	5.27E-04	
203	203	1.0E-03	5	5.53E-04	
204	204	1.1E-03	5	5.74E-04	
205	205	1.1E-03	5	5.91E-04	
206	206	1.1E-03	5	6.01E-04	
210	210	6.5E-04	5	3.42E-04	
211	211	7.0E-04	5	3.70E-04	
212	212	7.6E-04	5	4.00E-04	
213	213	8.2E-04	5	4.33E-04	
214	214	9.6E-04	5	5.07E-04	
215	215	1.0E-03	5	5.46E-04	
216	216	1.1E-03	5	5.86E-04	
217	217	1.2E-03	5	6.25E-04	
218	218	1.2E-03	5	6.60E-04	
219	219	1.3E-03	5	6.89E-04	
220	220	1.3E-03	5	7.11E-04	
221	221	1.4E-03	5	7.24E-04	
222	222	1.4E-03	5	7.27E-04	
226	226	7.2E-04	5	3.79E-04	
227	227	7.8E-04	5	4.14E-04	
228	228	8.5E-04	5	4.52E-04	
229	229	9.3E-04	5	4.95E-04	
230	230	1.0E-03	5	5.41E-04	

**Via Oro
Grading**

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
231	231	1.1E-03	5	5.91E-04	
232	232	1.2E-03	5	6.45E-04	
233	233	1.4E-03	5	7.56E-04	
234	234	1.5E-03	5	8.05E-04	
235	235	1.6E-03	5	8.46E-04	
236	236	1.7E-03	5	8.76E-04	
237	237	1.7E-03	5	8.92E-04	
238	238	1.7E-03	5	8.95E-04	
242	242	7.9E-04	5	4.20E-04	
243	243	8.8E-04	5	4.64E-04	
244	244	9.6E-04	5	5.11E-04	
245	245	1.1E-03	5	5.68E-04	
246	246	1.2E-03	5	6.31E-04	
247	247	1.3E-03	5	7.01E-04	
248	248	1.5E-03	5	7.78E-04	
249	249	1.8E-03	5	9.37E-04	
250	250	1.9E-03	5	1.01E-03	
251	251	2.0E-03	5	1.07E-03	
252	252	2.1E-03	5	1.11E-03	
253	253	2.1E-03	5	1.13E-03	
254	254	2.1E-03	5	1.13E-03	
257	257	8.8E-04	5	4.65E-04	
258	258	9.8E-04	5	5.20E-04	
259	259	1.1E-03	5	5.84E-04	
260	260	1.2E-03	5	6.55E-04	
261	261	1.4E-03	5	7.45E-04	
262	262	1.6E-03	5	8.45E-04	
263	263	1.8E-03	5	9.58E-04	
264	264	2.3E-03	5	1.21E-03	
265	265	2.5E-03	5	1.32E-03	
266	266	2.7E-03	5	1.41E-03	

**Via Oro
Grading**

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
267	267	2.8E-03	
268	268	2.8E-03	
269	269	2.8E-03	
270	270	2.4E-03	
271	271	2.3E-03	
274	274	9.7E-04	
275	275	1.1E-03	
276	276	1.3E-03	
277	277	1.4E-03	
278	278	1.7E-03	
279	279	1.9E-03	
280	280	2.3E-03	
281	281	3.0E-03	
282	282	3.4E-03	
283	283	3.7E-03	
284	284	3.9E-03	
285	285	3.9E-03	
286	286	3.9E-03	
287	287	3.1E-03	
288	288	2.8E-03	
291	291	1.1E-03	
292	292	1.2E-03	
293	293	1.4E-03	
294	294	1.7E-03	
295	295	2.0E-03	
296	296	2.4E-03	
297	297	3.0E-03	
298	298	4.4E-03	
299	299	5.1E-03	
300	300	5.6E-03	
301	301	5.9E-03	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	1.47E-03		
5	1.50E-03		
5	1.49E-03		
5	1.29E-03		
5	1.20E-03		
5	5.14E-04		
5	5.82E-04		
5	6.65E-04		
5	7.62E-04		
5	8.86E-04		
5	1.03E-03		
5	1.20E-03		
5	1.62E-03		
5	1.81E-03		
5	1.96E-03		
5	2.06E-03		
5	2.09E-03		
5	2.05E-03		
5	1.63E-03		
5	1.48E-03		
5	5.63E-04		
5	6.48E-04		
5	7.54E-04		
5	8.86E-04		
5	1.06E-03		
5	1.28E-03		
5	1.57E-03		
5	2.34E-03		
5	2.71E-03		
5	2.98E-03		
5	3.15E-03		

**Via Oro
Grading**

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
302	302	6.0E-03	
303	303	5.7E-03	
304	304	4.0E-03	
305	305	3.4E-03	
308	308	1.2E-03	
309	309	1.3E-03	
310	310	1.6E-03	
311	311	1.9E-03	
312	312	2.4E-03	
313	313	3.0E-03	
314	314	4.0E-03	
315	315	7.5E-03	
316	316	9.2E-03	
317	317	1.0E-02	
318	318	1.1E-02	
319	319	1.0E-02	
320	320	9.4E-03	
321	321	5.1E-03	
322	322	4.2E-03	
325	325	1.2E-03	
326	326	1.5E-03	
327	327	1.8E-03	
328	328	2.2E-03	
329	329	2.8E-03	
330	330	3.8E-03	
331	331	5.6E-03	
332	332	1.0E-02	
333	333	1.7E-02	
334	334	2.1E-02	
335	335	2.2E-02	
336	336	2.3E-02	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	3.16E-03		
5	3.01E-03		
5	2.11E-03		
5	1.82E-03		
5	6.12E-04		
5	7.14E-04		
5	8.46E-04		
5	1.02E-03		
5	1.26E-03		
5	1.61E-03		
5	2.14E-03		
5	3.96E-03		
5	4.85E-03		
5	5.33E-03		
5	5.60E-03		
5	5.50E-03		
5	4.98E-03		
5	2.70E-03		
5	2.21E-03		
5	6.55E-04		
5	7.74E-04		
5	9.33E-04		
5	1.15E-03		
5	1.47E-03		
5	1.99E-03		
5	2.97E-03		
5	5.56E-03		
5	9.03E-03		
5	1.10E-02		
5	1.19E-02		
5	1.23E-02		

**Via Oro
Grading**

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
337	337	2.3E-02	5	1.19E-02	
338	338	2.1E-02	5	1.11E-02	
339	339	8.6E-03	5	4.57E-03	
340	340	6.3E-03	5	3.36E-03	
341	341	4.9E-03	5	2.60E-03	
349	349	3.1E-03	5	1.65E-03	
350	350	4.4E-03	5	2.32E-03	
351	351	7.0E-03	5	3.70E-03	
352	352	1.7E-02	5	8.96E-03	
353	353	1.1E-02	5	5.85E-03	
354	354	7.5E-03	5	3.98E-03	
355	355	5.6E-03	5	2.95E-03	
364	364	4.7E-03	5	2.49E-03	
365	365	7.5E-03	5	3.99E-03	
366	366	1.7E-02	5	8.78E-03	
367	367	1.3E-02	5	7.00E-03	
368	368	8.5E-03	5	4.50E-03	
369	369	6.1E-03	5	3.24E-03	
377	377	4.8E-03	5	2.52E-03	
378	378	7.4E-03	5	3.92E-03	
379	379	1.4E-02	5	7.46E-03	
380	380	1.5E-02	5	8.08E-03	
381	381	9.3E-03	5	4.94E-03	
382	382	6.5E-03	5	3.47E-03	
391	391	7.0E-03	5	3.69E-03	
392	392	1.2E-02	5	6.33E-03	
393	393	1.7E-02	5	9.12E-03	
394	394	1.0E-02	5	5.36E-03	
395	395	6.9E-03	5	3.64E-03	
405	405	6.4E-03	5	3.40E-03	
406	406	1.0E-02	5	5.53E-03	

**Via Oro
Grading**

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
407	407	2.1E-02	
408	408	1.9E-02	
409	409	1.1E-02	
410	410	7.1E-03	
421	421	9.0E-03	
422	422	1.6E-02	
423	423	2.1E-02	
424	424	1.1E-02	
425	425	7.0E-03	
435	435	7.7E-03	
436	436	1.3E-02	
437	437	1.1E-02	
438	438	6.5E-03	
449	449	6.5E-03	
450	450	1.0E-02	
451	451	2.0E-02	
452	452	9.4E-03	
453	453	5.7E-03	
464	464	8.0E-03	
465	465	1.3E-02	
466	466	2.8E-02	
467	467	7.8E-03	
468	468	5.0E-03	
479	479	6.1E-03	
480	480	9.3E-03	
481	481	1.5E-02	
482	482	2.2E-02	
483	483	2.2E-02	
484	484	1.9E-02	
485	485	1.6E-02	
486	486	1.1E-02	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	1.10E-02		
5	1.02E-02		
5	5.70E-03		
5	3.74E-03		
5	4.78E-03		
5	8.62E-03		
5	1.11E-02		
5	5.84E-03		
5	3.69E-03		
5	4.07E-03		
5	6.88E-03		
5	5.67E-03		
5	3.44E-03		
5	3.42E-03		
5	5.46E-03		
5	1.03E-02		
5	4.99E-03		
5	3.03E-03		
5	4.25E-03		
5	7.14E-03		
5	1.51E-02		
5	4.15E-03		
5	2.64E-03		
5	3.23E-03		
5	4.91E-03		
5	8.04E-03		
5	1.17E-02		
5	1.16E-02		
5	1.03E-02		
5	8.22E-03		
5	5.57E-03		

**Via Oro
Grading**

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
487	487	6.6E-03	
488	488	4.4E-03	
501	501	6.6E-03	
502	502	9.5E-03	
503	503	1.2E-02	
504	504	1.3E-02	
505	505	1.2E-02	
506	506	1.1E-02	
507	507	8.0E-03	
508	508	4.0E-03	
520	520	5.1E-03	
521	521	6.6E-03	
522	522	8.2E-03	
523	523	9.0E-03	
524	524	8.8E-03	
525	525	7.8E-03	
526	526	6.3E-03	
527	527	3.5E-03	
539	539	4.0E-03	
540	540	5.0E-03	
541	541	5.9E-03	
542	542	6.5E-03	
543	543	6.5E-03	
544	544	6.0E-03	
545	545	5.1E-03	
546	546	3.2E-03	
560	560	3.9E-03	
561	561	4.6E-03	
562	562	5.0E-03	
563	563	5.0E-03	
564	564	4.8E-03	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	3.51E-03		
5	2.34E-03		
5	3.51E-03		
5	5.04E-03		
5	6.53E-03		
5	7.00E-03		
5	6.57E-03		
5	5.57E-03		
5	4.23E-03		
5	2.09E-03		
5	2.68E-03		
5	3.50E-03		
5	4.36E-03		
5	4.76E-03		
5	4.64E-03		
5	4.11E-03		
5	3.34E-03		
5	1.88E-03		
5	2.12E-03		
5	2.65E-03		
5	3.15E-03		
5	3.46E-03		
5	3.47E-03		
5	3.18E-03		
5	2.69E-03		
5	1.68E-03		
5	2.08E-03		
5	2.43E-03		
5	2.65E-03		
5	2.67E-03		
5	2.53E-03		

**Via Oro
Grading**

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
565	565	4.2E-03	
566	566	2.8E-03	
579	579	3.2E-03	
580	580	3.6E-03	
581	581	4.0E-03	
582	582	4.1E-03	
583	583	3.9E-03	
584	584	3.5E-03	
585	585	2.9E-03	
598	598	2.6E-03	
599	599	3.0E-03	
600	600	3.2E-03	
601	601	3.3E-03	
602	602	3.2E-03	
603	603	3.0E-03	
604	604	2.7E-03	
0	0	0.0E+00	
0	0	0.0E+00	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	2.24E-03		
5	1.51E-03		
5	1.68E-03		
5	1.93E-03		
5	2.10E-03		
5	2.15E-03		
5	2.07E-03		
5	1.87E-03		
5	1.53E-03		
5	1.39E-03		
5	1.57E-03		
5	1.71E-03		
5	1.76E-03		
5	1.72E-03		
5	1.59E-03		
5	1.41E-03		
5	0.00E+00		
5	0.00E+00		

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.03023	5.42E-03	1.6E-04	3.46E-04	5.67E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
2	0.03117	5.42E-03	1.7E-04	3.46E-04	5.85E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
3	0.03214	5.42E-03	1.7E-04	3.46E-04	6.03E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
4	0.03315	5.42E-03	1.8E-04	3.46E-04	6.22E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
5	0.0342	5.42E-03	1.9E-04	3.46E-04	6.41E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
6	0.03532	5.42E-03	1.9E-04	3.46E-04	6.62E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
7	0.03649	5.42E-03	2.0E-04	3.46E-04	6.84E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
8	0.0377	5.42E-03	2.0E-04	3.46E-04	7.07E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
9	0.03897	5.42E-03	2.1E-04	3.46E-04	7.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
10	0.04029	5.42E-03	2.2E-04	3.46E-04	7.56E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
11	0.04167	5.42E-03	2.3E-04	3.46E-04	7.82E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
12	0.0431	5.42E-03	2.3E-04	3.46E-04	8.08E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
13	0.04458	5.42E-03	2.4E-04	3.46E-04	8.36E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
14	0.04611	5.42E-03	2.5E-04	3.46E-04	8.65E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
15	0.04768	5.42E-03	2.6E-04	3.46E-04	8.94E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
16	0.04927	5.42E-03	2.7E-04	3.46E-04	9.24E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
17	0.0509	5.42E-03	2.8E-04	3.46E-04	9.55E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
18	0.05254	5.42E-03	2.8E-04	3.46E-04	9.85E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
19	0.05417	5.42E-03	2.9E-04	3.46E-04	1.02E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
20	0.05579	5.42E-03	3.0E-04	3.46E-04	1.05E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
21	0.05737	5.42E-03	3.1E-04	3.46E-04	1.08E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
22	0.05889	5.42E-03	3.2E-04	3.46E-04	1.10E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
23	0.06032	5.42E-03	3.3E-04	3.46E-04	1.13E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
24	0.06164	5.42E-03	3.3E-04	3.46E-04	1.16E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
25	0.06282	5.42E-03	3.4E-04	3.46E-04	1.18E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
26	0.06382	5.42E-03	3.5E-04	3.46E-04	1.20E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
27	0.06464	5.42E-03	3.5E-04	3.46E-04	1.21E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
28	0.06525	5.42E-03	3.5E-04	3.46E-04	1.22E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
29	0.06565	5.42E-03	3.6E-04	3.46E-04	1.23E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
30	0.06585	5.42E-03	3.6E-04	3.46E-04	1.24E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
31	0.06587	5.42E-03	3.6E-04	3.46E-04	1.24E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.06571	5.42E-03	3.6E-04	3.46E-04	1.23E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
55	0.0639	5.42E-03	3.5E-04	3.46E-04	1.20E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
56	0.06557	5.42E-03	3.6E-04	3.46E-04	1.23E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
57	0.06713	5.42E-03	3.6E-04	3.46E-04	1.26E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
58	0.0685	5.42E-03	3.7E-04	3.46E-04	1.28E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
59	0.06967	5.42E-03	3.8E-04	3.46E-04	1.31E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
60	0.0706	5.42E-03	3.8E-04	3.46E-04	1.32E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
61	0.07129	5.42E-03	3.9E-04	3.46E-04	1.34E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
62	0.07172	5.42E-03	3.9E-04	3.46E-04	1.35E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
63	0.07192	5.42E-03	3.9E-04	3.46E-04	1.35E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
64	0.07189	5.42E-03	3.9E-04	3.46E-04	1.35E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
65	0.07166	5.42E-03	3.9E-04	3.46E-04	1.34E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
66	0.07129	5.42E-03	3.9E-04	3.46E-04	1.34E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
67	0.03274	5.42E-03	1.8E-04	3.46E-04	6.14E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
68	0.03387	5.42E-03	1.8E-04	3.46E-04	6.35E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
69	0.03505	5.42E-03	1.9E-04	3.46E-04	6.57E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
70	0.03629	5.42E-03	2.0E-04	3.46E-04	6.81E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
71	0.03757	5.42E-03	2.0E-04	3.46E-04	7.05E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
72	0.03894	5.42E-03	2.1E-04	3.46E-04	7.30E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
73	0.04036	5.42E-03	2.2E-04	3.46E-04	7.57E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
74	0.04186	5.42E-03	2.3E-04	3.46E-04	7.85E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
75	0.04342	5.42E-03	2.4E-04	3.46E-04	8.14E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
76	0.04507	5.42E-03	2.4E-04	3.46E-04	8.45E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
77	0.0468	5.42E-03	2.5E-04	3.46E-04	8.78E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
78	0.04862	5.42E-03	2.6E-04	3.46E-04	9.12E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
79	0.05877	5.42E-03	3.2E-04	3.46E-04	1.10E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
80	0.06096	5.42E-03	3.3E-04	3.46E-04	1.14E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
81	0.06318	5.42E-03	3.4E-04	3.46E-04	1.18E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
82	0.06539	5.42E-03	3.5E-04	3.46E-04	1.23E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
83	0.06757	5.42E-03	3.7E-04	3.46E-04	1.27E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
84	0.06967	5.42E-03	3.8E-04	3.46E-04	1.31E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	0.07166	5.42E-03	3.9E-04	3.46E-04	1.34E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
86	0.07349	5.42E-03	4.0E-04	3.46E-04	1.38E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
87	0.07511	5.42E-03	4.1E-04	3.46E-04	1.41E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
88	0.07648	5.42E-03	4.1E-04	3.46E-04	1.43E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
89	0.07756	5.42E-03	4.2E-04	3.46E-04	1.45E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
90	0.07833	5.42E-03	4.2E-04	3.46E-04	1.47E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
91	0.07881	5.42E-03	4.3E-04	3.46E-04	1.48E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
92	0.07898	5.42E-03	4.3E-04	3.46E-04	1.48E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
93	0.07889	5.42E-03	4.3E-04	3.46E-04	1.48E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
96	0.07971	5.42E-03	4.3E-04	3.46E-04	1.49E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
97	0.081	5.42E-03	4.4E-04	3.46E-04	1.52E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
98	0.08448	5.42E-03	4.6E-04	3.46E-04	1.58E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
99	0.08575	5.42E-03	4.6E-04	3.46E-04	1.61E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
100	0.08664	5.42E-03	4.7E-04	3.46E-04	1.62E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
101	0.08714	5.42E-03	4.7E-04	3.46E-04	1.63E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
102	0.08726	5.42E-03	4.7E-04	3.46E-04	1.64E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
106	0.03405	5.42E-03	1.8E-04	3.46E-04	6.39E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
107	0.03544	5.42E-03	1.9E-04	3.46E-04	6.65E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
108	0.03681	5.42E-03	2.0E-04	3.46E-04	6.90E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
109	0.03825	5.42E-03	2.1E-04	3.46E-04	7.17E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
110	0.03977	5.42E-03	2.2E-04	3.46E-04	7.46E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
111	0.04135	5.42E-03	2.2E-04	3.46E-04	7.76E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
112	0.04305	5.42E-03	2.3E-04	3.46E-04	8.07E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
113	0.04483	5.42E-03	2.4E-04	3.46E-04	8.41E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
114	0.04671	5.42E-03	2.5E-04	3.46E-04	8.76E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
115	0.04868	5.42E-03	2.6E-04	3.46E-04	9.13E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
116	0.05075	5.42E-03	2.7E-04	3.46E-04	9.52E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
117	0.05297	5.42E-03	2.9E-04	3.46E-04	9.93E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
118	0.0553	5.42E-03	3.0E-04	3.46E-04	1.04E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
124	0.03539	5.42E-03	1.9E-04	3.46E-04	6.64E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
125	0.03682	5.42E-03	2.0E-04	3.46E-04	6.91E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.03833	5.42E-03	2.1E-04	3.46E-04	7.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
127	0.03993	5.42E-03	2.2E-04	3.46E-04	7.49E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
128	0.04161	5.42E-03	2.3E-04	3.46E-04	7.80E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
129	0.04339	5.42E-03	2.4E-04	3.46E-04	8.14E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
130	0.04529	5.42E-03	2.5E-04	3.46E-04	8.49E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
131	0.04729	5.42E-03	2.6E-04	3.46E-04	8.87E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
132	0.04941	5.42E-03	2.7E-04	3.46E-04	9.27E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
133	0.05165	5.42E-03	2.8E-04	3.46E-04	9.69E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
134	0.05403	5.42E-03	2.9E-04	3.46E-04	1.01E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
135	0.05655	5.42E-03	3.1E-04	3.46E-04	1.06E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
136	0.05921	5.42E-03	3.2E-04	3.46E-04	1.11E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
137	0.06202	5.42E-03	3.4E-04	3.46E-04	1.16E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
138	0.06502	5.42E-03	3.5E-04	3.46E-04	1.22E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
141	0.03667	5.42E-03	2.0E-04	3.46E-04	6.88E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
142	0.03823	5.42E-03	2.1E-04	3.46E-04	7.17E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
143	0.03989	5.42E-03	2.2E-04	3.46E-04	7.48E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
144	0.04166	5.42E-03	2.3E-04	3.46E-04	7.81E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
145	0.04353	5.42E-03	2.4E-04	3.46E-04	8.16E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
146	0.04551	5.42E-03	2.5E-04	3.46E-04	8.54E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
147	0.04764	5.42E-03	2.6E-04	3.46E-04	8.93E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
148	0.04989	5.42E-03	2.7E-04	3.46E-04	9.36E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
149	0.05229	5.42E-03	2.8E-04	3.46E-04	9.81E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
150	0.05484	5.42E-03	3.0E-04	3.46E-04	1.03E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
151	0.05756	5.42E-03	3.1E-04	3.46E-04	1.08E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
152	0.06045	5.42E-03	3.3E-04	3.46E-04	1.13E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
153	0.06353	5.42E-03	3.4E-04	3.46E-04	1.19E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
154	0.06679	5.42E-03	3.6E-04	3.46E-04	1.25E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
155	0.07026	5.42E-03	3.8E-04	3.46E-04	1.32E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
164	0.07209	5.42E-03	3.9E-04	3.46E-04	1.35E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
165	0.07615	5.42E-03	4.1E-04	3.46E-04	1.43E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
166	0.08052	5.42E-03	4.4E-04	3.46E-04	1.51E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	0.07796	5.42E-03	4.2E-04	3.46E-04	1.46E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
179	0.08278	5.42E-03	4.5E-04	3.46E-04	1.55E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
180	0.08798	5.42E-03	4.8E-04	3.46E-04	1.65E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
192	0.08446	5.42E-03	4.6E-04	3.46E-04	1.58E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
193	0.09022	5.42E-03	4.9E-04	3.46E-04	1.69E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
194	0.09645	5.42E-03	5.2E-04	3.46E-04	1.81E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
207	0.09157	5.42E-03	5.0E-04	3.46E-04	1.72E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
208	0.09846	5.42E-03	5.3E-04	3.46E-04	1.85E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
209	0.10603	5.42E-03	5.7E-04	3.46E-04	1.99E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
223	0.09926	5.42E-03	5.4E-04	3.46E-04	1.86E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
224	0.10753	5.42E-03	5.8E-04	3.46E-04	2.02E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
225	0.11672	5.42E-03	6.3E-04	3.46E-04	2.19E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
239	0.10746	5.42E-03	5.8E-04	3.46E-04	2.02E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
240	0.11738	5.42E-03	6.4E-04	3.46E-04	2.20E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
241	0.12859	5.42E-03	7.0E-04	3.46E-04	2.41E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
255	0.11601	5.42E-03	6.3E-04	3.46E-04	2.18E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
256	0.12784	5.42E-03	6.9E-04	3.46E-04	2.40E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
272	0.12469	5.42E-03	6.8E-04	3.46E-04	2.34E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
273	0.13868	5.42E-03	7.5E-04	3.46E-04	2.60E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
289	0.13322	5.42E-03	7.2E-04	3.46E-04	2.50E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
290	0.1495	5.42E-03	8.1E-04	3.46E-04	2.80E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
306	0.1412	5.42E-03	7.7E-04	3.46E-04	2.65E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
307	0.15982	5.42E-03	8.7E-04	3.46E-04	3.00E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
323	0.14821	5.42E-03	8.0E-04	3.46E-04	2.78E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
324	0.16903	5.42E-03	9.2E-04	3.46E-04	3.17E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
342	0.15384	5.42E-03	8.3E-04	3.46E-04	2.89E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
343	0.17651	5.42E-03	9.6E-04	3.46E-04	3.31E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
344	0.20495	5.42E-03	1.1E-03	3.46E-04	3.84E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
356	0.15773	5.42E-03	8.5E-04	3.46E-04	2.96E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
357	0.18176	5.42E-03	9.8E-04	3.46E-04	3.41E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
358	0.21216	5.42E-03	1.1E-03	3.46E-04	3.98E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.15971	5.42E-03	8.7E-04	3.46E-04	3.00E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
371	0.18449	5.42E-03	1.0E-03	3.46E-04	3.46E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
372	0.21598	5.42E-03	1.2E-03	3.46E-04	4.05E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
383	0.15971	5.42E-03	8.7E-04	3.46E-04	3.00E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
384	0.18464	5.42E-03	1.0E-03	3.46E-04	3.46E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
385	0.21634	5.42E-03	1.2E-03	3.46E-04	4.06E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
396	0.15789	5.42E-03	8.6E-04	3.46E-04	2.96E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
397	0.18239	5.42E-03	9.9E-04	3.46E-04	3.42E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
398	0.21347	5.42E-03	1.2E-03	3.46E-04	4.00E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
399	0.25373	5.42E-03	1.4E-03	3.46E-04	4.76E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
411	0.15447	5.42E-03	8.4E-04	3.46E-04	2.90E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
412	0.17804	5.42E-03	9.6E-04	3.46E-04	3.34E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
413	0.20782	5.42E-03	1.1E-03	3.46E-04	3.90E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
414	0.24616	5.42E-03	1.3E-03	3.46E-04	4.62E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
426	0.14976	5.42E-03	8.1E-04	3.46E-04	2.81E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
427	0.17201	5.42E-03	9.3E-04	3.46E-04	3.23E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
428	0.19993	5.42E-03	1.1E-03	3.46E-04	3.75E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
429	0.2356	5.42E-03	1.3E-03	3.46E-04	4.42E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
439	0.14408	5.42E-03	7.8E-04	3.46E-04	2.70E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
440	0.16475	5.42E-03	8.9E-04	3.46E-04	3.09E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
441	0.19045	5.42E-03	1.0E-03	3.46E-04	3.57E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
442	0.22294	5.42E-03	1.2E-03	3.46E-04	4.18E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
443	0.26482	5.42E-03	1.4E-03	3.46E-04	4.97E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
454	0.13775	5.42E-03	7.5E-04	3.46E-04	2.58E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
455	0.15669	5.42E-03	8.5E-04	3.46E-04	2.94E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
456	0.17999	5.42E-03	9.8E-04	3.46E-04	3.38E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
457	0.20909	5.42E-03	1.1E-03	3.46E-04	3.92E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
458	0.24609	5.42E-03	1.3E-03	3.46E-04	4.62E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
469	0.13106	5.42E-03	7.1E-04	3.46E-04	2.46E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
470	0.1482	5.42E-03	8.0E-04	3.46E-04	2.78E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
471	0.16908	5.42E-03	9.2E-04	3.46E-04	3.17E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.19482	5.42E-03	1.1E-03	3.46E-04	3.65E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
473	0.22708	5.42E-03	1.2E-03	3.46E-04	4.26E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
489	0.12424	5.42E-03	6.7E-04	3.46E-04	2.33E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
490	0.13964	5.42E-03	7.6E-04	3.46E-04	2.62E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
491	0.15817	5.42E-03	8.6E-04	3.46E-04	2.97E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
492	0.18075	5.42E-03	9.8E-04	3.46E-04	3.39E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
493	0.20864	5.42E-03	1.1E-03	3.46E-04	3.91E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
494	0.2437	5.42E-03	1.3E-03	3.46E-04	4.57E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
509	0.11745	5.42E-03	6.4E-04	3.46E-04	2.20E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
510	0.1312	5.42E-03	7.1E-04	3.46E-04	2.46E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
511	0.14757	5.42E-03	8.0E-04	3.46E-04	2.77E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
512	0.16727	5.42E-03	9.1E-04	3.46E-04	3.14E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
513	0.19126	5.42E-03	1.0E-03	3.46E-04	3.59E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
514	0.22097	5.42E-03	1.2E-03	3.46E-04	4.14E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
515	0.30678	5.42E-03	1.7E-03	3.46E-04	5.75E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
516	0.37036	5.42E-03	2.0E-03	3.46E-04	6.95E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
517	0.4571	5.42E-03	2.5E-03	3.46E-04	8.57E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
518	0.57842	5.42E-03	3.1E-03	3.46E-04	1.08E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
519	0.75145	5.42E-03	4.1E-03	3.46E-04	1.41E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
528	0.11082	5.42E-03	6.0E-04	3.46E-04	2.08E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
529	0.12305	5.42E-03	6.7E-04	3.46E-04	2.31E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
530	0.13745	5.42E-03	7.4E-04	3.46E-04	2.58E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
531	0.15457	5.42E-03	8.4E-04	3.46E-04	2.90E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
532	0.17519	5.42E-03	9.5E-04	3.46E-04	3.29E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
533	0.20035	5.42E-03	1.1E-03	3.46E-04	3.76E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
534	0.27108	5.42E-03	1.5E-03	3.46E-04	5.08E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
535	0.32198	5.42E-03	1.7E-03	3.46E-04	6.04E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
536	0.39049	5.42E-03	2.1E-03	3.46E-04	7.32E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
537	0.48144	5.42E-03	2.6E-03	3.46E-04	9.03E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
538	0.60461	5.42E-03	3.3E-03	3.46E-04	1.13E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
547	0.10443	5.42E-03	5.7E-04	3.46E-04	1.96E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.11526	5.42E-03	6.2E-04	3.46E-04	2.16E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
549	0.1279	5.42E-03	6.9E-04	3.46E-04	2.40E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
550	0.14277	5.42E-03	7.7E-04	3.46E-04	2.68E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
551	0.16048	5.42E-03	8.7E-04	3.46E-04	3.01E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
552	0.18183	5.42E-03	9.9E-04	3.46E-04	3.41E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
553	0.20802	5.42E-03	1.1E-03	3.46E-04	3.90E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
554	0.24055	5.42E-03	1.3E-03	3.46E-04	4.51E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
555	0.28221	5.42E-03	1.5E-03	3.46E-04	5.29E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
556	0.3369	5.42E-03	1.8E-03	3.46E-04	6.32E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
557	0.40712	5.42E-03	2.2E-03	3.46E-04	7.64E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
558	0.49947	5.42E-03	2.7E-03	3.46E-04	9.37E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
559	0.61058	5.42E-03	3.3E-03	3.46E-04	1.15E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
567	0.09831	5.42E-03	5.3E-04	3.46E-04	1.84E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
568	0.10789	5.42E-03	5.8E-04	3.46E-04	2.02E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
569	0.11897	5.42E-03	6.4E-04	3.46E-04	2.23E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
570	0.1319	5.42E-03	7.1E-04	3.46E-04	2.47E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
571	0.14714	5.42E-03	8.0E-04	3.46E-04	2.76E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
572	0.16536	5.42E-03	9.0E-04	3.46E-04	3.10E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
573	0.18747	5.42E-03	1.0E-03	3.46E-04	3.52E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
574	0.24896	5.42E-03	1.3E-03	3.46E-04	4.67E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
575	0.29304	5.42E-03	1.6E-03	3.46E-04	5.50E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
576	0.34921	5.42E-03	1.9E-03	3.46E-04	6.55E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
577	0.41933	5.42E-03	2.3E-03	3.46E-04	7.86E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
578	0.50135	5.42E-03	2.7E-03	3.46E-04	9.40E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
586	0.0925	5.42E-03	5.0E-04	3.46E-04	1.73E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
587	0.10097	5.42E-03	5.5E-04	3.46E-04	1.89E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
588	0.11069	5.42E-03	6.0E-04	3.46E-04	2.08E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
589	0.12195	5.42E-03	6.6E-04	3.46E-04	2.29E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
590	0.13512	5.42E-03	7.3E-04	3.46E-04	2.53E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
591	0.15072	5.42E-03	8.2E-04	3.46E-04	2.83E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
592	0.1695	5.42E-03	9.2E-04	3.46E-04	3.18E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.22092	5.42E-03	1.2E-03	3.46E-04	4.14E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
594	0.25706	5.42E-03	1.4E-03	3.46E-04	4.82E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
595	0.30171	5.42E-03	1.6E-03	3.46E-04	5.66E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
596	0.35586	5.42E-03	1.9E-03	3.46E-04	6.67E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
597	0.41784	5.42E-03	2.3E-03	3.46E-04	7.84E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
345	0.24137	5.42E-03	1.3E-03	3.46E-04	4.53E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
346	0.28917	5.42E-03	1.6E-03	3.46E-04	5.42E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
347	0.35394	5.42E-03	1.9E-03	3.46E-04	6.64E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
348	0.44547	5.42E-03	2.4E-03	3.46E-04	8.35E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
359	0.25144	5.42E-03	1.4E-03	3.46E-04	4.72E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
360	0.3035	5.42E-03	1.6E-03	3.46E-04	5.69E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
361	0.37508	5.42E-03	2.0E-03	3.46E-04	7.03E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
362	0.47671	5.42E-03	2.6E-03	3.46E-04	8.94E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
363	0.63391	5.42E-03	3.4E-03	3.46E-04	1.19E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
373	0.31136	5.42E-03	1.7E-03	3.46E-04	5.84E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
374	0.38621	5.42E-03	2.1E-03	3.46E-04	7.24E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
375	0.49277	5.42E-03	2.7E-03	3.46E-04	9.24E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
376	0.65646	5.42E-03	3.6E-03	3.46E-04	1.23E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
386	0.31239	5.42E-03	1.7E-03	3.46E-04	5.86E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
387	0.38773	5.42E-03	2.1E-03	3.46E-04	7.27E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
388	0.49431	5.42E-03	2.7E-03	3.46E-04	9.27E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
389	0.65617	5.42E-03	3.6E-03	3.46E-04	1.23E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
390	0.92241	5.42E-03	5.0E-03	3.46E-04	1.73E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
400	0.30719	5.42E-03	1.7E-03	3.46E-04	5.76E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
401	0.37974	5.42E-03	2.1E-03	3.46E-04	7.12E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
402	0.48326	5.42E-03	2.6E-03	3.46E-04	9.06E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
403	0.63557	5.42E-03	3.4E-03	3.46E-04	1.19E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
404	0.87893	5.42E-03	4.8E-03	3.46E-04	1.65E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
415	0.29671	5.42E-03	1.6E-03	3.46E-04	5.56E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
416	0.36519	5.42E-03	2.0E-03	3.46E-04	6.85E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
417	0.46038	5.42E-03	2.5E-03	3.46E-04	8.63E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.60194	5.42E-03	3.3E-03	3.46E-04	1.13E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
419	0.8217	5.42E-03	4.5E-03	3.46E-04	1.54E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
420	1.18327	5.42E-03	6.4E-03	3.46E-04	2.22E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
430	0.34435	5.42E-03	1.9E-03	3.46E-04	6.46E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
431	0.4306	5.42E-03	2.3E-03	3.46E-04	8.08E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
432	0.55478	5.42E-03	3.0E-03	3.46E-04	1.04E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
433	0.74427	5.42E-03	4.0E-03	3.46E-04	1.40E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
434	1.05677	5.42E-03	5.7E-03	3.46E-04	1.98E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
444	0.32009	5.42E-03	1.7E-03	3.46E-04	6.00E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
445	0.3952	5.42E-03	2.1E-03	3.46E-04	7.41E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
446	0.50138	5.42E-03	2.7E-03	3.46E-04	9.40E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
447	0.65915	5.42E-03	3.6E-03	3.46E-04	1.24E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
448	0.91002	5.42E-03	4.9E-03	3.46E-04	1.71E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
459	0.35824	5.42E-03	1.9E-03	3.46E-04	6.72E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
460	0.44673	5.42E-03	2.4E-03	3.46E-04	8.38E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
461	0.5743	5.42E-03	3.1E-03	3.46E-04	1.08E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
462	0.76859	5.42E-03	4.2E-03	3.46E-04	1.44E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
463	1.0833	5.42E-03	5.9E-03	3.46E-04	2.03E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
474	0.32214	5.42E-03	1.7E-03	3.46E-04	6.04E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
475	0.39466	5.42E-03	2.1E-03	3.46E-04	7.40E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
476	0.49626	5.42E-03	2.7E-03	3.46E-04	9.31E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
477	0.64368	5.42E-03	3.5E-03	3.46E-04	1.21E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
478	0.86818	5.42E-03	4.7E-03	3.46E-04	1.63E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
495	0.28868	5.42E-03	1.6E-03	3.46E-04	5.41E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
496	0.34778	5.42E-03	1.9E-03	3.46E-04	6.52E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
497	0.42817	5.42E-03	2.3E-03	3.46E-04	8.03E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
498	0.54081	5.42E-03	2.9E-03	3.46E-04	1.01E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
499	0.70359	5.42E-03	3.8E-03	3.46E-04	1.32E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
500	0.94704	5.42E-03	5.1E-03	3.46E-04	1.78E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Cancer Risk from 3rd Trimester - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
139	0.06816	5.42E-03	3.7E-04	3.46E-04	1.28E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
140	0.07148	5.42E-03	3.9E-04	3.46E-04	1.34E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
156	0.07396	5.42E-03	4.0E-04	3.46E-04	1.39E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
157	0.07785	5.42E-03	4.2E-04	3.46E-04	1.46E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
158	0.08197	5.42E-03	4.4E-04	3.46E-04	1.54E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
159	0.08628	5.42E-03	4.7E-04	3.46E-04	1.62E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
160	0.09072	5.42E-03	4.9E-04	3.46E-04	1.70E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
161	0.09992	5.42E-03	5.4E-04	3.46E-04	1.87E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
162	0.10448	5.42E-03	5.7E-04	3.46E-04	1.96E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
163	0.10884	5.42E-03	5.9E-04	3.46E-04	2.04E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
167	0.08511	5.42E-03	4.6E-04	3.46E-04	1.60E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
168	0.0901	5.42E-03	4.9E-04	3.46E-04	1.69E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
169	0.0953	5.42E-03	5.2E-04	3.46E-04	1.79E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
170	0.10073	5.42E-03	5.5E-04	3.46E-04	1.89E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
171	0.10635	5.42E-03	5.8E-04	3.46E-04	1.99E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
172	0.1121	5.42E-03	6.1E-04	3.46E-04	2.10E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
173	0.11775	5.42E-03	6.4E-04	3.46E-04	2.21E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
174	0.12327	5.42E-03	6.7E-04	3.46E-04	2.31E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
175	0.12841	5.42E-03	7.0E-04	3.46E-04	2.41E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
176	0.13295	5.42E-03	7.2E-04	3.46E-04	2.49E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
177	0.13662	5.42E-03	7.4E-04	3.46E-04	2.56E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
181	0.09954	5.42E-03	5.4E-04	3.46E-04	1.87E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
182	0.10585	5.42E-03	5.7E-04	3.46E-04	1.99E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
183	0.1126	5.42E-03	6.1E-04	3.46E-04	2.11E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
184	0.11961	5.42E-03	6.5E-04	3.46E-04	2.24E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
185	0.12685	5.42E-03	6.9E-04	3.46E-04	2.38E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
186	0.13413	5.42E-03	7.3E-04	3.46E-04	2.52E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
187	0.14109	5.42E-03	7.6E-04	3.46E-04	2.65E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
188	0.14778	5.42E-03	8.0E-04	3.46E-04	2.77E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
189	0.15367	5.42E-03	8.3E-04	3.46E-04	2.88E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
190	0.15837	5.42E-03	8.6E-04	3.46E-04	2.97E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	0.16169	5.42E-03	8.8E-04	3.46E-04	3.03E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	0.11054	5.42E-03	6.0E-04	3.46E-04	2.07E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	0.11838	5.42E-03	6.4E-04	3.46E-04	2.22E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	0.12675	5.42E-03	6.9E-04	3.46E-04	2.38E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	0.13568	5.42E-03	7.4E-04	3.46E-04	2.54E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	0.14497	5.42E-03	7.9E-04	3.46E-04	2.72E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	0.15443	5.42E-03	8.4E-04	3.46E-04	2.90E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	0.16376	5.42E-03	8.9E-04	3.46E-04	3.07E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	0.17252	5.42E-03	9.3E-04	3.46E-04	3.24E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	0.18022	5.42E-03	9.8E-04	3.46E-04	3.38E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	0.18636	5.42E-03	1.0E-03	3.46E-04	3.50E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	0.1906	5.42E-03	1.0E-03	3.46E-04	3.57E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	0.19276	5.42E-03	1.0E-03	3.46E-04	3.62E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	0.11417	5.42E-03	6.2E-04	3.46E-04	2.14E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	0.12337	5.42E-03	6.7E-04	3.46E-04	2.31E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	0.13318	5.42E-03	7.2E-04	3.46E-04	2.50E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	0.1439	5.42E-03	7.8E-04	3.46E-04	2.70E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	0.16754	5.42E-03	9.1E-04	3.46E-04	3.14E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	0.18011	5.42E-03	9.8E-04	3.46E-04	3.38E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	0.19267	5.42E-03	1.0E-03	3.46E-04	3.61E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	0.20459	5.42E-03	1.1E-03	3.46E-04	3.84E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	0.21509	5.42E-03	1.2E-03	3.46E-04	4.03E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	0.22337	5.42E-03	1.2E-03	3.46E-04	4.19E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	0.22887	5.42E-03	1.2E-03	3.46E-04	4.29E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	0.23135	5.42E-03	1.3E-03	3.46E-04	4.34E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	0.23084	5.42E-03	1.3E-03	3.46E-04	4.33E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	0.12693	5.42E-03	6.9E-04	3.46E-04	2.38E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	0.13837	5.42E-03	7.5E-04	3.46E-04	2.60E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	0.1509	5.42E-03	8.2E-04	3.46E-04	2.83E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	0.16475	5.42E-03	8.9E-04	3.46E-04	3.09E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	0.17985	5.42E-03	9.7E-04	3.46E-04	3.37E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	0.19574	5.42E-03	1.1E-03	3.46E-04	3.67E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	0.21301	5.42E-03	1.2E-03	3.46E-04	3.99E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	0.24754	5.42E-03	1.3E-03	3.46E-04	4.64E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	0.26237	5.42E-03	1.4E-03	3.46E-04	4.92E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	0.27394	5.42E-03	1.5E-03	3.46E-04	5.14E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	0.28126	5.42E-03	1.5E-03	3.46E-04	5.27E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	0.28398	5.42E-03	1.5E-03	3.46E-04	5.33E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	0.28245	5.42E-03	1.5E-03	3.46E-04	5.30E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	0.14128	5.42E-03	7.7E-04	3.46E-04	2.65E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	0.1557	5.42E-03	8.4E-04	3.46E-04	2.92E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	0.17123	5.42E-03	9.3E-04	3.46E-04	3.21E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	0.18977	5.42E-03	1.0E-03	3.46E-04	3.56E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	0.21032	5.42E-03	1.1E-03	3.46E-04	3.94E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	0.23287	5.42E-03	1.3E-03	3.46E-04	4.37E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	0.25722	5.42E-03	1.4E-03	3.46E-04	4.82E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	0.30686	5.42E-03	1.7E-03	3.46E-04	5.76E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	0.32848	5.42E-03	1.8E-03	3.46E-04	6.16E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	0.34558	5.42E-03	1.9E-03	3.46E-04	6.48E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	0.35596	5.42E-03	1.9E-03	3.46E-04	6.68E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	0.35858	5.42E-03	1.9E-03	3.46E-04	6.73E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	0.35448	5.42E-03	1.9E-03	3.46E-04	6.65E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	0.15723	5.42E-03	8.5E-04	3.46E-04	2.95E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	0.1755	5.42E-03	9.5E-04	3.46E-04	3.29E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	0.19656	5.42E-03	1.1E-03	3.46E-04	3.69E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	0.2198	5.42E-03	1.2E-03	3.46E-04	4.12E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	0.2492	5.42E-03	1.4E-03	3.46E-04	4.67E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	0.28123	5.42E-03	1.5E-03	3.46E-04	5.27E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	0.31696	5.42E-03	1.7E-03	3.46E-04	5.94E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	0.39375	5.42E-03	2.1E-03	3.46E-04	7.38E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	0.428	5.42E-03	2.3E-03	3.46E-04	8.03E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	0.4542	5.42E-03	2.5E-03	3.46E-04	8.52E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	0.46851	5.42E-03	2.5E-03	3.46E-04	8.79E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	0.46966	5.42E-03	2.5E-03	3.46E-04	8.81E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	0.45965	5.42E-03	2.5E-03	3.46E-04	8.62E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	0.39054	5.42E-03	2.1E-03	3.46E-04	7.32E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	0.36233	5.42E-03	2.0E-03	3.46E-04	6.80E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	0.17452	5.42E-03	9.5E-04	3.46E-04	3.27E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	0.19761	5.42E-03	1.1E-03	3.46E-04	3.71E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	0.22528	5.42E-03	1.2E-03	3.46E-04	4.23E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	0.25729	5.42E-03	1.4E-03	3.46E-04	4.83E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	0.2977	5.42E-03	1.6E-03	3.46E-04	5.58E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	0.34485	5.42E-03	1.9E-03	3.46E-04	6.47E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	0.39761	5.42E-03	2.2E-03	3.46E-04	7.46E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	0.52517	5.42E-03	2.8E-03	3.46E-04	9.85E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	0.58317	5.42E-03	3.2E-03	3.46E-04	1.09E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	0.62671	5.42E-03	3.4E-03	3.46E-04	1.18E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	0.64939	5.42E-03	3.5E-03	3.46E-04	1.22E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	0.64683	5.42E-03	3.5E-03	3.46E-04	1.21E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	0.62106	5.42E-03	3.4E-03	3.46E-04	1.16E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	0.48572	5.42E-03	2.6E-03	3.46E-04	9.11E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	0.43897	5.42E-03	2.4E-03	3.46E-04	8.23E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	0.19262	5.42E-03	1.0E-03	3.46E-04	3.61E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	0.2215	5.42E-03	1.2E-03	3.46E-04	4.15E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	0.25729	5.42E-03	1.4E-03	3.46E-04	4.83E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	0.30141	5.42E-03	1.6E-03	3.46E-04	5.65E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	0.3568	5.42E-03	1.9E-03	3.46E-04	6.69E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	0.4283	5.42E-03	2.3E-03	3.46E-04	8.03E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	0.51963	5.42E-03	2.8E-03	3.46E-04	9.75E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	0.74864	5.42E-03	4.1E-03	3.46E-04	1.40E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	0.86402	5.42E-03	4.7E-03	3.46E-04	1.62E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	0.9446	5.42E-03	5.1E-03	3.46E-04	1.77E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	0.98164	5.42E-03	5.3E-03	3.46E-04	1.84E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	0.95643	5.42E-03	5.2E-03	3.46E-04	1.79E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	0.88334	5.42E-03	4.8E-03	3.46E-04	1.66E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	0.60586	5.42E-03	3.3E-03	3.46E-04	1.14E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	0.52765	5.42E-03	2.9E-03	3.46E-04	9.90E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	0.21065	5.42E-03	1.1E-03	3.46E-04	3.95E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	0.24602	5.42E-03	1.3E-03	3.46E-04	4.61E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	0.29138	5.42E-03	1.6E-03	3.46E-04	5.46E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	0.35023	5.42E-03	1.9E-03	3.46E-04	6.57E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	0.43095	5.42E-03	2.3E-03	3.46E-04	8.08E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	0.54158	5.42E-03	2.9E-03	3.46E-04	1.02E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	0.70021	5.42E-03	3.8E-03	3.46E-04	1.31E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	1.19783	5.42E-03	6.5E-03	3.46E-04	2.25E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	1.48064	5.42E-03	8.0E-03	3.46E-04	2.78E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	1.65696	5.42E-03	9.0E-03	3.46E-04	3.11E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	1.71766	5.42E-03	9.3E-03	3.46E-04	3.22E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	1.57894	5.42E-03	8.6E-03	3.46E-04	2.96E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	1.33355	5.42E-03	7.2E-03	3.46E-04	2.50E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	0.74311	5.42E-03	4.0E-03	3.46E-04	1.39E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	0.6219	5.42E-03	3.4E-03	3.46E-04	1.17E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	0.22736	5.42E-03	1.2E-03	3.46E-04	4.26E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	0.26931	5.42E-03	1.5E-03	3.46E-04	5.05E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	0.32484	5.42E-03	1.8E-03	3.46E-04	6.09E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	0.40097	5.42E-03	2.2E-03	3.46E-04	7.52E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	0.50882	5.42E-03	2.8E-03	3.46E-04	9.54E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	0.67836	5.42E-03	3.7E-03	3.46E-04	1.27E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	0.96632	5.42E-03	5.2E-03	3.46E-04	1.81E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	1.53155	5.42E-03	8.3E-03	3.46E-04	2.87E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	2.49764	5.42E-03	1.4E-02	3.46E-04	4.68E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	3.38863	5.42E-03	1.8E-02	3.46E-04	6.36E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	4.00318	5.42E-03	2.2E-02	3.46E-04	7.51E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	4.19322	5.42E-03	2.3E-02	3.46E-04	7.86E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	3.21056	5.42E-03	1.7E-02	3.46E-04	6.02E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	2.08588	5.42E-03	1.1E-02	3.46E-04	3.91E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	1.12173	5.42E-03	6.1E-03	3.46E-04	2.10E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	0.88298	5.42E-03	4.8E-03	3.46E-04	1.66E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.71212	5.42E-03	3.9E-03	3.46E-04	1.34E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	0.58267	5.42E-03	3.2E-03	3.46E-04	1.09E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	0.81078	5.42E-03	4.4E-03	3.46E-04	1.52E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	1.26255	5.42E-03	6.8E-03	3.46E-04	2.37E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	2.80392	5.42E-03	1.5E-02	3.46E-04	5.26E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	1.33683	5.42E-03	7.2E-03	3.46E-04	2.51E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	1.01027	5.42E-03	5.5E-03	3.46E-04	1.89E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.79025	5.42E-03	4.3E-03	3.46E-04	1.48E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	0.8989	5.42E-03	4.9E-03	3.46E-04	1.69E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	1.43359	5.42E-03	7.8E-03	3.46E-04	2.69E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	3.08958	5.42E-03	1.7E-02	3.46E-04	5.79E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	1.52938	5.42E-03	8.3E-03	3.46E-04	2.87E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	1.11609	5.42E-03	6.0E-03	3.46E-04	2.09E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.85077	5.42E-03	4.6E-03	3.46E-04	1.60E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	0.9313	5.42E-03	5.0E-03	3.46E-04	1.75E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	1.45535	5.42E-03	7.9E-03	3.46E-04	2.73E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	2.78384	5.42E-03	1.5E-02	3.46E-04	5.22E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	1.68983	5.42E-03	9.2E-03	3.46E-04	3.17E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	1.18947	5.42E-03	6.4E-03	3.46E-04	2.23E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.88725	5.42E-03	4.8E-03	3.46E-04	1.66E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	1.4046	5.42E-03	7.6E-03	3.46E-04	2.63E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	2.4607	5.42E-03	1.3E-02	3.46E-04	4.62E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	1.8176	5.42E-03	9.8E-03	3.46E-04	3.41E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	1.23835	5.42E-03	6.7E-03	3.46E-04	2.32E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.90088	5.42E-03	4.9E-03	3.46E-04	1.69E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	1.31359	5.42E-03	7.1E-03	3.46E-04	2.46E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	2.19931	5.42E-03	1.2E-02	3.46E-04	4.12E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	4.63115	5.42E-03	2.5E-02	3.46E-04	8.69E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	1.90593	5.42E-03	1.0E-02	3.46E-04	3.57E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	1.24613	5.42E-03	6.8E-03	3.46E-04	2.34E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.886	5.42E-03	4.8E-03	3.46E-04	1.66E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	1.91514	5.42E-03	1.0E-02	3.46E-04	3.59E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	3.65027	5.42E-03	2.0E-02	3.46E-04	6.85E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	1.91636	5.42E-03	1.0E-02	3.46E-04	3.59E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	1.20342	5.42E-03	6.5E-03	3.46E-04	2.26E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.83643	5.42E-03	4.5E-03	3.46E-04	1.57E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	1.61923	5.42E-03	8.8E-03	3.46E-04	3.04E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	2.89227	5.42E-03	1.6E-02	3.46E-04	5.42E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	1.10318	5.42E-03	6.0E-03	3.46E-04	2.07E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.75637	5.42E-03	4.1E-03	3.46E-04	1.42E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	1.33397	5.42E-03	7.2E-03	3.46E-04	2.50E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	2.22681	5.42E-03	1.2E-02	3.46E-04	4.18E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	4.62436	5.42E-03	2.5E-02	3.46E-04	8.67E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.96539	5.42E-03	5.2E-03	3.46E-04	1.81E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.67079	5.42E-03	3.6E-03	3.46E-04	1.26E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	1.65812	5.42E-03	9.0E-03	3.46E-04	3.11E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	2.88781	5.42E-03	1.6E-02	3.46E-04	5.42E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	2.30461	5.42E-03	1.2E-02	3.46E-04	4.32E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.84856	5.42E-03	4.6E-03	3.46E-04	1.59E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.60039	5.42E-03	3.3E-03	3.46E-04	1.13E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	1.21759	5.42E-03	6.6E-03	3.46E-04	2.28E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	1.86979	5.42E-03	1.0E-02	3.46E-04	3.51E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	2.84538	5.42E-03	1.5E-02	3.46E-04	5.34E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	3.42499	5.42E-03	1.9E-02	3.46E-04	6.42E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	3.23006	5.42E-03	1.8E-02	3.46E-04	6.06E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	2.58437	5.42E-03	1.4E-02	3.46E-04	4.85E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	1.75683	5.42E-03	9.5E-03	3.46E-04	3.29E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	1.13314	5.42E-03	6.1E-03	3.46E-04	2.13E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.7631	5.42E-03	4.1E-03	3.46E-04	1.43E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.54606	5.42E-03	3.0E-03	3.46E-04	1.02E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	1.30182	5.42E-03	7.1E-03	3.46E-04	2.44E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	1.78968	5.42E-03	9.7E-03	3.46E-04	3.36E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	2.11833	5.42E-03	1.1E-02	3.46E-04	3.97E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	2.109	5.42E-03	1.1E-02	3.46E-04	3.96E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	1.81239	5.42E-03	9.8E-03	3.46E-04	3.40E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	1.37606	5.42E-03	7.5E-03	3.46E-04	2.58E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.97652	5.42E-03	5.3E-03	3.46E-04	1.83E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.50352	5.42E-03	2.7E-03	3.46E-04	9.44E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.97704	5.42E-03	5.3E-03	3.46E-04	1.83E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	1.24017	5.42E-03	6.7E-03	3.46E-04	2.33E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	1.45908	5.42E-03	7.9E-03	3.46E-04	2.74E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	1.49343	5.42E-03	8.1E-03	3.46E-04	2.80E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	1.35139	5.42E-03	7.3E-03	3.46E-04	2.53E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	1.10148	5.42E-03	6.0E-03	3.46E-04	2.07E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.83827	5.42E-03	4.5E-03	3.46E-04	1.57E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.46595	5.42E-03	2.5E-03	3.46E-04	8.74E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.76251	5.42E-03	4.1E-03	3.46E-04	1.43E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.93408	5.42E-03	5.1E-03	3.46E-04	1.75E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	1.06684	5.42E-03	5.8E-03	3.46E-04	2.00E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	1.10934	5.42E-03	6.0E-03	3.46E-04	2.08E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	1.04535	5.42E-03	5.7E-03	3.46E-04	1.96E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.89638	5.42E-03	4.9E-03	3.46E-04	1.68E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.7165	5.42E-03	3.9E-03	3.46E-04	1.34E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.43046	5.42E-03	2.3E-03	3.46E-04	8.07E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.72857	5.42E-03	3.9E-03	3.46E-04	1.37E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.82397	5.42E-03	4.5E-03	3.46E-04	1.55E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.86183	5.42E-03	4.7E-03	3.46E-04	1.62E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.82465	5.42E-03	4.5E-03	3.46E-04	1.55E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.73798	5.42E-03	4.0E-03	3.46E-04	1.38E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.62155	5.42E-03	3.4E-03	3.46E-04	1.17E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.39856	5.42E-03	2.2E-03	3.46E-04	7.47E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.58491	5.42E-03	3.2E-03	3.46E-04	1.10E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.65452	5.42E-03	3.5E-03	3.46E-04	1.23E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.68893	5.42E-03	3.7E-03	3.46E-04	1.29E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.67572	5.42E-03	3.7E-03	3.46E-04	1.27E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.61931	5.42E-03	3.4E-03	3.46E-04	1.16E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.536	5.42E-03	2.9E-03	3.46E-04	1.01E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.42093	5.42E-03	2.3E-03	3.46E-04	7.89E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.48095	5.42E-03	2.6E-03	3.46E-04	9.02E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.53269	5.42E-03	2.9E-03	3.46E-04	9.99E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.56185	5.42E-03	3.0E-03	3.46E-04	1.05E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.55903	5.42E-03	3.0E-03	3.46E-04	1.05E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.52451	5.42E-03	2.8E-03	3.46E-04	9.84E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.46791	5.42E-03	2.5E-03	3.46E-04	8.78E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.40063	5.42E-03	2.2E-03	3.46E-04	7.51E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	5.42E-03	0.0E+00	3.46E-04	0.00E+00	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	5.42E-03	0.0E+00	3.46E-04	0.00E+00	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

		Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.03023	5.42E-03	1.6E-04	1.05E-03	1.71E-07	1.27	1.57E-01	3.42E-08	1.0E+06	3.4E-02
2	0.03117	5.42E-03	1.7E-04	1.05E-03	1.77E-07	1.27	1.57E-01	3.53E-08	1.0E+06	3.5E-02
3	0.03214	5.42E-03	1.7E-04	1.05E-03	1.82E-07	1.27	1.57E-01	3.64E-08	1.0E+06	3.6E-02
4	0.03315	5.42E-03	1.8E-04	1.05E-03	1.88E-07	1.27	1.57E-01	3.75E-08	1.0E+06	3.8E-02
5	0.0342	5.42E-03	1.9E-04	1.05E-03	1.94E-07	1.27	1.57E-01	3.87E-08	1.0E+06	3.9E-02
6	0.03532	5.42E-03	1.9E-04	1.05E-03	2.00E-07	1.27	1.57E-01	4.00E-08	1.0E+06	4.0E-02
7	0.03649	5.42E-03	2.0E-04	1.05E-03	2.07E-07	1.27	1.57E-01	4.13E-08	1.0E+06	4.1E-02
8	0.0377	5.42E-03	2.0E-04	1.05E-03	2.13E-07	1.27	1.57E-01	4.26E-08	1.0E+06	4.3E-02
9	0.03897	5.42E-03	2.1E-04	1.05E-03	2.21E-07	1.27	1.57E-01	4.41E-08	1.0E+06	4.4E-02
10	0.04029	5.42E-03	2.2E-04	1.05E-03	2.28E-07	1.27	1.57E-01	4.56E-08	1.0E+06	4.6E-02
11	0.04167	5.42E-03	2.3E-04	1.05E-03	2.36E-07	1.27	1.57E-01	4.71E-08	1.0E+06	4.7E-02
12	0.0431	5.42E-03	2.3E-04	1.05E-03	2.44E-07	1.27	1.57E-01	4.88E-08	1.0E+06	4.9E-02
13	0.04458	5.42E-03	2.4E-04	1.05E-03	2.52E-07	1.27	1.57E-01	5.04E-08	1.0E+06	5.0E-02
14	0.04611	5.42E-03	2.5E-04	1.05E-03	2.61E-07	1.27	1.57E-01	5.22E-08	1.0E+06	5.2E-02
15	0.04768	5.42E-03	2.6E-04	1.05E-03	2.70E-07	1.27	1.57E-01	5.39E-08	1.0E+06	5.4E-02
16	0.04927	5.42E-03	2.7E-04	1.05E-03	2.79E-07	1.27	1.57E-01	5.57E-08	1.0E+06	5.6E-02
17	0.0509	5.42E-03	2.8E-04	1.05E-03	2.88E-07	1.27	1.57E-01	5.76E-08	1.0E+06	5.8E-02
18	0.05254	5.42E-03	2.8E-04	1.05E-03	2.98E-07	1.27	1.57E-01	5.94E-08	1.0E+06	5.9E-02
19	0.05417	5.42E-03	2.9E-04	1.05E-03	3.07E-07	1.27	1.57E-01	6.13E-08	1.0E+06	6.1E-02
20	0.05579	5.42E-03	3.0E-04	1.05E-03	3.16E-07	1.27	1.57E-01	6.31E-08	1.0E+06	6.3E-02
21	0.05737	5.42E-03	3.1E-04	1.05E-03	3.25E-07	1.27	1.57E-01	6.49E-08	1.0E+06	6.5E-02
22	0.05889	5.42E-03	3.2E-04	1.05E-03	3.33E-07	1.27	1.57E-01	6.66E-08	1.0E+06	6.7E-02
23	0.06032	5.42E-03	3.3E-04	1.05E-03	3.42E-07	1.27	1.57E-01	6.82E-08	1.0E+06	6.8E-02
24	0.06164	5.42E-03	3.3E-04	1.05E-03	3.49E-07	1.27	1.57E-01	6.97E-08	1.0E+06	7.0E-02
25	0.06282	5.42E-03	3.4E-04	1.05E-03	3.56E-07	1.27	1.57E-01	7.11E-08	1.0E+06	7.1E-02
26	0.06382	5.42E-03	3.5E-04	1.05E-03	3.61E-07	1.27	1.57E-01	7.22E-08	1.0E+06	7.2E-02
27	0.06464	5.42E-03	3.5E-04	1.05E-03	3.66E-07	1.27	1.57E-01	7.31E-08	1.0E+06	7.3E-02
28	0.06525	5.42E-03	3.5E-04	1.05E-03	3.69E-07	1.27	1.57E-01	7.38E-08	1.0E+06	7.4E-02
29	0.06565	5.42E-03	3.6E-04	1.05E-03	3.72E-07	1.27	1.57E-01	7.43E-08	1.0E+06	7.4E-02
30	0.06585	5.42E-03	3.6E-04	1.05E-03	3.73E-07	1.27	1.57E-01	7.45E-08	1.0E+06	7.4E-02
31	0.06587	5.42E-03	3.6E-04	1.05E-03	3.73E-07	1.27	1.57E-01	7.45E-08	1.0E+06	7.5E-02

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.06571	5.42E-03	3.6E-04	1.05E-03	3.72E-07	1.27	1.57E-01	7.43E-08	1.0E+06	7.4E-02
55	0.0639	5.42E-03	3.5E-04	1.05E-03	3.62E-07	1.27	1.57E-01	7.23E-08	1.0E+06	7.2E-02
56	0.06557	5.42E-03	3.6E-04	1.05E-03	3.71E-07	1.27	1.57E-01	7.42E-08	1.0E+06	7.4E-02
57	0.06713	5.42E-03	3.6E-04	1.05E-03	3.80E-07	1.27	1.57E-01	7.59E-08	1.0E+06	7.6E-02
58	0.0685	5.42E-03	3.7E-04	1.05E-03	3.88E-07	1.27	1.57E-01	7.75E-08	1.0E+06	7.7E-02
59	0.06967	5.42E-03	3.8E-04	1.05E-03	3.95E-07	1.27	1.57E-01	7.88E-08	1.0E+06	7.9E-02
60	0.0706	5.42E-03	3.8E-04	1.05E-03	4.00E-07	1.27	1.57E-01	7.99E-08	1.0E+06	8.0E-02
61	0.07129	5.42E-03	3.9E-04	1.05E-03	4.04E-07	1.27	1.57E-01	8.06E-08	1.0E+06	8.1E-02
62	0.07172	5.42E-03	3.9E-04	1.05E-03	4.06E-07	1.27	1.57E-01	8.11E-08	1.0E+06	8.1E-02
63	0.07192	5.42E-03	3.9E-04	1.05E-03	4.07E-07	1.27	1.57E-01	8.14E-08	1.0E+06	8.1E-02
64	0.07189	5.42E-03	3.9E-04	1.05E-03	4.07E-07	1.27	1.57E-01	8.13E-08	1.0E+06	8.1E-02
65	0.07166	5.42E-03	3.9E-04	1.05E-03	4.06E-07	1.27	1.57E-01	8.11E-08	1.0E+06	8.1E-02
66	0.07129	5.42E-03	3.9E-04	1.05E-03	4.04E-07	1.27	1.57E-01	8.06E-08	1.0E+06	8.1E-02
67	0.03274	5.42E-03	1.8E-04	1.05E-03	1.85E-07	1.27	1.57E-01	3.70E-08	1.0E+06	3.7E-02
68	0.03387	5.42E-03	1.8E-04	1.05E-03	1.92E-07	1.27	1.57E-01	3.83E-08	1.0E+06	3.8E-02
69	0.03505	5.42E-03	1.9E-04	1.05E-03	1.98E-07	1.27	1.57E-01	3.96E-08	1.0E+06	4.0E-02
70	0.03629	5.42E-03	2.0E-04	1.05E-03	2.06E-07	1.27	1.57E-01	4.11E-08	1.0E+06	4.1E-02
71	0.03757	5.42E-03	2.0E-04	1.05E-03	2.13E-07	1.27	1.57E-01	4.25E-08	1.0E+06	4.3E-02
72	0.03894	5.42E-03	2.1E-04	1.05E-03	2.21E-07	1.27	1.57E-01	4.41E-08	1.0E+06	4.4E-02
73	0.04036	5.42E-03	2.2E-04	1.05E-03	2.29E-07	1.27	1.57E-01	4.57E-08	1.0E+06	4.6E-02
74	0.04186	5.42E-03	2.3E-04	1.05E-03	2.37E-07	1.27	1.57E-01	4.74E-08	1.0E+06	4.7E-02
75	0.04342	5.42E-03	2.4E-04	1.05E-03	2.46E-07	1.27	1.57E-01	4.91E-08	1.0E+06	4.9E-02
76	0.04507	5.42E-03	2.4E-04	1.05E-03	2.55E-07	1.27	1.57E-01	5.10E-08	1.0E+06	5.1E-02
77	0.0468	5.42E-03	2.5E-04	1.05E-03	2.65E-07	1.27	1.57E-01	5.29E-08	1.0E+06	5.3E-02
78	0.04862	5.42E-03	2.6E-04	1.05E-03	2.75E-07	1.27	1.57E-01	5.50E-08	1.0E+06	5.5E-02
79	0.05877	5.42E-03	3.2E-04	1.05E-03	3.33E-07	1.27	1.57E-01	6.65E-08	1.0E+06	6.6E-02
80	0.06096	5.42E-03	3.3E-04	1.05E-03	3.45E-07	1.27	1.57E-01	6.90E-08	1.0E+06	6.9E-02
81	0.06318	5.42E-03	3.4E-04	1.05E-03	3.58E-07	1.27	1.57E-01	7.15E-08	1.0E+06	7.1E-02
82	0.06539	5.42E-03	3.5E-04	1.05E-03	3.70E-07	1.27	1.57E-01	7.40E-08	1.0E+06	7.4E-02
83	0.06757	5.42E-03	3.7E-04	1.05E-03	3.83E-07	1.27	1.57E-01	7.64E-08	1.0E+06	7.6E-02
84	0.06967	5.42E-03	3.8E-04	1.05E-03	3.95E-07	1.27	1.57E-01	7.88E-08	1.0E+06	7.9E-02

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	0.07166	5.42E-03	3.9E-04	1.05E-03	4.06E-07	1.27	1.57E-01	8.11E-08	1.0E+06	8.1E-02
86	0.07349	5.42E-03	4.0E-04	1.05E-03	4.16E-07	1.27	1.57E-01	8.31E-08	1.0E+06	8.3E-02
87	0.07511	5.42E-03	4.1E-04	1.05E-03	4.25E-07	1.27	1.57E-01	8.50E-08	1.0E+06	8.5E-02
88	0.07648	5.42E-03	4.1E-04	1.05E-03	4.33E-07	1.27	1.57E-01	8.65E-08	1.0E+06	8.7E-02
89	0.07756	5.42E-03	4.2E-04	1.05E-03	4.39E-07	1.27	1.57E-01	8.77E-08	1.0E+06	8.8E-02
90	0.07833	5.42E-03	4.2E-04	1.05E-03	4.44E-07	1.27	1.57E-01	8.86E-08	1.0E+06	8.9E-02
91	0.07881	5.42E-03	4.3E-04	1.05E-03	4.46E-07	1.27	1.57E-01	8.92E-08	1.0E+06	8.9E-02
92	0.07898	5.42E-03	4.3E-04	1.05E-03	4.47E-07	1.27	1.57E-01	8.93E-08	1.0E+06	8.9E-02
93	0.07889	5.42E-03	4.3E-04	1.05E-03	4.47E-07	1.27	1.57E-01	8.92E-08	1.0E+06	8.9E-02
96	0.07971	5.42E-03	4.3E-04	1.05E-03	4.51E-07	1.27	1.57E-01	9.02E-08	1.0E+06	9.0E-02
97	0.081	5.42E-03	4.4E-04	1.05E-03	4.59E-07	1.27	1.57E-01	9.16E-08	1.0E+06	9.2E-02
98	0.08448	5.42E-03	4.6E-04	1.05E-03	4.78E-07	1.27	1.57E-01	9.56E-08	1.0E+06	9.6E-02
99	0.08575	5.42E-03	4.6E-04	1.05E-03	4.86E-07	1.27	1.57E-01	9.70E-08	1.0E+06	9.7E-02
100	0.08664	5.42E-03	4.7E-04	1.05E-03	4.91E-07	1.27	1.57E-01	9.80E-08	1.0E+06	9.8E-02
101	0.08714	5.42E-03	4.7E-04	1.05E-03	4.93E-07	1.27	1.57E-01	9.86E-08	1.0E+06	9.9E-02
102	0.08726	5.42E-03	4.7E-04	1.05E-03	4.94E-07	1.27	1.57E-01	9.87E-08	1.0E+06	9.9E-02
106	0.03405	5.42E-03	1.8E-04	1.05E-03	1.93E-07	1.27	1.57E-01	3.85E-08	1.0E+06	3.9E-02
107	0.03544	5.42E-03	1.9E-04	1.05E-03	2.01E-07	1.27	1.57E-01	4.01E-08	1.0E+06	4.0E-02
108	0.03681	5.42E-03	2.0E-04	1.05E-03	2.08E-07	1.27	1.57E-01	4.16E-08	1.0E+06	4.2E-02
109	0.03825	5.42E-03	2.1E-04	1.05E-03	2.17E-07	1.27	1.57E-01	4.33E-08	1.0E+06	4.3E-02
110	0.03977	5.42E-03	2.2E-04	1.05E-03	2.25E-07	1.27	1.57E-01	4.50E-08	1.0E+06	4.5E-02
111	0.04135	5.42E-03	2.2E-04	1.05E-03	2.34E-07	1.27	1.57E-01	4.68E-08	1.0E+06	4.7E-02
112	0.04305	5.42E-03	2.3E-04	1.05E-03	2.44E-07	1.27	1.57E-01	4.87E-08	1.0E+06	4.9E-02
113	0.04483	5.42E-03	2.4E-04	1.05E-03	2.54E-07	1.27	1.57E-01	5.07E-08	1.0E+06	5.1E-02
114	0.04671	5.42E-03	2.5E-04	1.05E-03	2.65E-07	1.27	1.57E-01	5.28E-08	1.0E+06	5.3E-02
115	0.04868	5.42E-03	2.6E-04	1.05E-03	2.76E-07	1.27	1.57E-01	5.51E-08	1.0E+06	5.5E-02
116	0.05075	5.42E-03	2.7E-04	1.05E-03	2.87E-07	1.27	1.57E-01	5.74E-08	1.0E+06	5.7E-02
117	0.05297	5.42E-03	2.9E-04	1.05E-03	3.00E-07	1.27	1.57E-01	5.99E-08	1.0E+06	6.0E-02
118	0.0553	5.42E-03	3.0E-04	1.05E-03	3.13E-07	1.27	1.57E-01	6.26E-08	1.0E+06	6.3E-02
124	0.03539	5.42E-03	1.9E-04	1.05E-03	2.00E-07	1.27	1.57E-01	4.00E-08	1.0E+06	4.0E-02
125	0.03682	5.42E-03	2.0E-04	1.05E-03	2.09E-07	1.27	1.57E-01	4.17E-08	1.0E+06	4.2E-02

Via Oro
Building Construction

		Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.03833	5.42E-03	2.1E-04	1.05E-03	2.17E-07	1.27	1.57E-01	4.34E-08	1.0E+06	4.3E-02
127	0.03993	5.42E-03	2.2E-04	1.05E-03	2.26E-07	1.27	1.57E-01	4.52E-08	1.0E+06	4.5E-02
128	0.04161	5.42E-03	2.3E-04	1.05E-03	2.36E-07	1.27	1.57E-01	4.71E-08	1.0E+06	4.7E-02
129	0.04339	5.42E-03	2.4E-04	1.05E-03	2.46E-07	1.27	1.57E-01	4.91E-08	1.0E+06	4.9E-02
130	0.04529	5.42E-03	2.5E-04	1.05E-03	2.56E-07	1.27	1.57E-01	5.12E-08	1.0E+06	5.1E-02
131	0.04729	5.42E-03	2.6E-04	1.05E-03	2.68E-07	1.27	1.57E-01	5.35E-08	1.0E+06	5.3E-02
132	0.04941	5.42E-03	2.7E-04	1.05E-03	2.80E-07	1.27	1.57E-01	5.59E-08	1.0E+06	5.6E-02
133	0.05165	5.42E-03	2.8E-04	1.05E-03	2.92E-07	1.27	1.57E-01	5.84E-08	1.0E+06	5.8E-02
134	0.05403	5.42E-03	2.9E-04	1.05E-03	3.06E-07	1.27	1.57E-01	6.11E-08	1.0E+06	6.1E-02
135	0.05655	5.42E-03	3.1E-04	1.05E-03	3.20E-07	1.27	1.57E-01	6.40E-08	1.0E+06	6.4E-02
136	0.05921	5.42E-03	3.2E-04	1.05E-03	3.35E-07	1.27	1.57E-01	6.70E-08	1.0E+06	6.7E-02
137	0.06202	5.42E-03	3.4E-04	1.05E-03	3.51E-07	1.27	1.57E-01	7.02E-08	1.0E+06	7.0E-02
138	0.06502	5.42E-03	3.5E-04	1.05E-03	3.68E-07	1.27	1.57E-01	7.36E-08	1.0E+06	7.4E-02
141	0.03667	5.42E-03	2.0E-04	1.05E-03	2.08E-07	1.27	1.57E-01	4.15E-08	1.0E+06	4.1E-02
142	0.03823	5.42E-03	2.1E-04	1.05E-03	2.16E-07	1.27	1.57E-01	4.32E-08	1.0E+06	4.3E-02
143	0.03989	5.42E-03	2.2E-04	1.05E-03	2.26E-07	1.27	1.57E-01	4.51E-08	1.0E+06	4.5E-02
144	0.04166	5.42E-03	2.3E-04	1.05E-03	2.36E-07	1.27	1.57E-01	4.71E-08	1.0E+06	4.7E-02
145	0.04353	5.42E-03	2.4E-04	1.05E-03	2.47E-07	1.27	1.57E-01	4.92E-08	1.0E+06	4.9E-02
146	0.04551	5.42E-03	2.5E-04	1.05E-03	2.58E-07	1.27	1.57E-01	5.15E-08	1.0E+06	5.1E-02
147	0.04764	5.42E-03	2.6E-04	1.05E-03	2.70E-07	1.27	1.57E-01	5.39E-08	1.0E+06	5.4E-02
148	0.04989	5.42E-03	2.7E-04	1.05E-03	2.83E-07	1.27	1.57E-01	5.64E-08	1.0E+06	5.6E-02
149	0.05229	5.42E-03	2.8E-04	1.05E-03	2.96E-07	1.27	1.57E-01	5.92E-08	1.0E+06	5.9E-02
150	0.05484	5.42E-03	3.0E-04	1.05E-03	3.11E-07	1.27	1.57E-01	6.20E-08	1.0E+06	6.2E-02
151	0.05756	5.42E-03	3.1E-04	1.05E-03	3.26E-07	1.27	1.57E-01	6.51E-08	1.0E+06	6.5E-02
152	0.06045	5.42E-03	3.3E-04	1.05E-03	3.42E-07	1.27	1.57E-01	6.84E-08	1.0E+06	6.8E-02
153	0.06353	5.42E-03	3.4E-04	1.05E-03	3.60E-07	1.27	1.57E-01	7.19E-08	1.0E+06	7.2E-02
154	0.06679	5.42E-03	3.6E-04	1.05E-03	3.78E-07	1.27	1.57E-01	7.56E-08	1.0E+06	7.6E-02
155	0.07026	5.42E-03	3.8E-04	1.05E-03	3.98E-07	1.27	1.57E-01	7.95E-08	1.0E+06	7.9E-02
164	0.07209	5.42E-03	3.9E-04	1.05E-03	4.08E-07	1.27	1.57E-01	8.16E-08	1.0E+06	8.2E-02
165	0.07615	5.42E-03	4.1E-04	1.05E-03	4.31E-07	1.27	1.57E-01	8.61E-08	1.0E+06	8.6E-02
166	0.08052	5.42E-03	4.4E-04	1.05E-03	4.56E-07	1.27	1.57E-01	9.11E-08	1.0E+06	9.1E-02

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	0.07796	5.42E-03	4.2E-04	1.05E-03	4.41E-07	1.27	1.57E-01	8.82E-08	1.0E+06	8.8E-02
179	0.08278	5.42E-03	4.5E-04	1.05E-03	4.69E-07	1.27	1.57E-01	9.36E-08	1.0E+06	9.4E-02
180	0.08798	5.42E-03	4.8E-04	1.05E-03	4.98E-07	1.27	1.57E-01	9.95E-08	1.0E+06	1.0E-01
192	0.08446	5.42E-03	4.6E-04	1.05E-03	4.78E-07	1.27	1.57E-01	9.55E-08	1.0E+06	9.6E-02
193	0.09022	5.42E-03	4.9E-04	1.05E-03	5.11E-07	1.27	1.57E-01	1.02E-07	1.0E+06	1.0E-01
194	0.09645	5.42E-03	5.2E-04	1.05E-03	5.46E-07	1.27	1.57E-01	1.09E-07	1.0E+06	1.1E-01
207	0.09157	5.42E-03	5.0E-04	1.05E-03	5.19E-07	1.27	1.57E-01	1.04E-07	1.0E+06	1.0E-01
208	0.09846	5.42E-03	5.3E-04	1.05E-03	5.58E-07	1.27	1.57E-01	1.11E-07	1.0E+06	1.1E-01
209	0.10603	5.42E-03	5.7E-04	1.05E-03	6.00E-07	1.27	1.57E-01	1.20E-07	1.0E+06	1.2E-01
223	0.09926	5.42E-03	5.4E-04	1.05E-03	5.62E-07	1.27	1.57E-01	1.12E-07	1.0E+06	1.1E-01
224	0.10753	5.42E-03	5.8E-04	1.05E-03	6.09E-07	1.27	1.57E-01	1.22E-07	1.0E+06	1.2E-01
225	0.11672	5.42E-03	6.3E-04	1.05E-03	6.61E-07	1.27	1.57E-01	1.32E-07	1.0E+06	1.3E-01
239	0.10746	5.42E-03	5.8E-04	1.05E-03	6.09E-07	1.27	1.57E-01	1.22E-07	1.0E+06	1.2E-01
240	0.11738	5.42E-03	6.4E-04	1.05E-03	6.65E-07	1.27	1.57E-01	1.33E-07	1.0E+06	1.3E-01
241	0.12859	5.42E-03	7.0E-04	1.05E-03	7.28E-07	1.27	1.57E-01	1.45E-07	1.0E+06	1.5E-01
255	0.11601	5.42E-03	6.3E-04	1.05E-03	6.57E-07	1.27	1.57E-01	1.31E-07	1.0E+06	1.3E-01
256	0.12784	5.42E-03	6.9E-04	1.05E-03	7.24E-07	1.27	1.57E-01	1.45E-07	1.0E+06	1.4E-01
272	0.12469	5.42E-03	6.8E-04	1.05E-03	7.06E-07	1.27	1.57E-01	1.41E-07	1.0E+06	1.4E-01
273	0.13868	5.42E-03	7.5E-04	1.05E-03	7.85E-07	1.27	1.57E-01	1.57E-07	1.0E+06	1.6E-01
289	0.13322	5.42E-03	7.2E-04	1.05E-03	7.54E-07	1.27	1.57E-01	1.51E-07	1.0E+06	1.5E-01
290	0.1495	5.42E-03	8.1E-04	1.05E-03	8.47E-07	1.27	1.57E-01	1.69E-07	1.0E+06	1.7E-01
306	0.1412	5.42E-03	7.7E-04	1.05E-03	8.00E-07	1.27	1.57E-01	1.60E-07	1.0E+06	1.6E-01
307	0.15982	5.42E-03	8.7E-04	1.05E-03	9.05E-07	1.27	1.57E-01	1.81E-07	1.0E+06	1.8E-01
323	0.14821	5.42E-03	8.0E-04	1.05E-03	8.39E-07	1.27	1.57E-01	1.68E-07	1.0E+06	1.7E-01
324	0.16903	5.42E-03	9.2E-04	1.05E-03	9.57E-07	1.27	1.57E-01	1.91E-07	1.0E+06	1.9E-01
342	0.15384	5.42E-03	8.3E-04	1.05E-03	8.71E-07	1.27	1.57E-01	1.74E-07	1.0E+06	1.7E-01
343	0.17651	5.42E-03	9.6E-04	1.05E-03	1.00E-06	1.27	1.57E-01	2.00E-07	1.0E+06	2.0E-01
344	0.20495	5.42E-03	1.1E-03	1.05E-03	1.16E-06	1.27	1.57E-01	2.32E-07	1.0E+06	2.3E-01
356	0.15773	5.42E-03	8.5E-04	1.05E-03	8.93E-07	1.27	1.57E-01	1.78E-07	1.0E+06	1.8E-01
357	0.18176	5.42E-03	9.8E-04	1.05E-03	1.03E-06	1.27	1.57E-01	2.06E-07	1.0E+06	2.1E-01
358	0.21216	5.42E-03	1.1E-03	1.05E-03	1.20E-06	1.27	1.57E-01	2.40E-07	1.0E+06	2.4E-01

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.15971	5.42E-03	8.7E-04	1.05E-03	9.04E-07	1.27	1.57E-01	1.81E-07	1.0E+06	1.8E-01
371	0.18449	5.42E-03	1.0E-03	1.05E-03	1.04E-06	1.27	1.57E-01	2.09E-07	1.0E+06	2.1E-01
372	0.21598	5.42E-03	1.2E-03	1.05E-03	1.22E-06	1.27	1.57E-01	2.44E-07	1.0E+06	2.4E-01
383	0.15971	5.42E-03	8.7E-04	1.05E-03	9.04E-07	1.27	1.57E-01	1.81E-07	1.0E+06	1.8E-01
384	0.18464	5.42E-03	1.0E-03	1.05E-03	1.05E-06	1.27	1.57E-01	2.09E-07	1.0E+06	2.1E-01
385	0.21634	5.42E-03	1.2E-03	1.05E-03	1.23E-06	1.27	1.57E-01	2.45E-07	1.0E+06	2.4E-01
396	0.15789	5.42E-03	8.6E-04	1.05E-03	8.94E-07	1.27	1.57E-01	1.79E-07	1.0E+06	1.8E-01
397	0.18239	5.42E-03	9.9E-04	1.05E-03	1.03E-06	1.27	1.57E-01	2.06E-07	1.0E+06	2.1E-01
398	0.21347	5.42E-03	1.2E-03	1.05E-03	1.21E-06	1.27	1.57E-01	2.41E-07	1.0E+06	2.4E-01
399	0.25373	5.42E-03	1.4E-03	1.05E-03	1.44E-06	1.27	1.57E-01	2.87E-07	1.0E+06	2.9E-01
411	0.15447	5.42E-03	8.4E-04	1.05E-03	8.75E-07	1.27	1.57E-01	1.75E-07	1.0E+06	1.7E-01
412	0.17804	5.42E-03	9.6E-04	1.05E-03	1.01E-06	1.27	1.57E-01	2.01E-07	1.0E+06	2.0E-01
413	0.20782	5.42E-03	1.1E-03	1.05E-03	1.18E-06	1.27	1.57E-01	2.35E-07	1.0E+06	2.4E-01
414	0.24616	5.42E-03	1.3E-03	1.05E-03	1.39E-06	1.27	1.57E-01	2.78E-07	1.0E+06	2.8E-01
426	0.14976	5.42E-03	8.1E-04	1.05E-03	8.48E-07	1.27	1.57E-01	1.69E-07	1.0E+06	1.7E-01
427	0.17201	5.42E-03	9.3E-04	1.05E-03	9.74E-07	1.27	1.57E-01	1.95E-07	1.0E+06	1.9E-01
428	0.19993	5.42E-03	1.1E-03	1.05E-03	1.13E-06	1.27	1.57E-01	2.26E-07	1.0E+06	2.3E-01
429	0.2356	5.42E-03	1.3E-03	1.05E-03	1.33E-06	1.27	1.57E-01	2.67E-07	1.0E+06	2.7E-01
439	0.14408	5.42E-03	7.8E-04	1.05E-03	8.16E-07	1.27	1.57E-01	1.63E-07	1.0E+06	1.6E-01
440	0.16475	5.42E-03	8.9E-04	1.05E-03	9.33E-07	1.27	1.57E-01	1.86E-07	1.0E+06	1.9E-01
441	0.19045	5.42E-03	1.0E-03	1.05E-03	1.08E-06	1.27	1.57E-01	2.15E-07	1.0E+06	2.2E-01
442	0.22294	5.42E-03	1.2E-03	1.05E-03	1.26E-06	1.27	1.57E-01	2.52E-07	1.0E+06	2.5E-01
443	0.26482	5.42E-03	1.4E-03	1.05E-03	1.50E-06	1.27	1.57E-01	3.00E-07	1.0E+06	3.0E-01
454	0.13775	5.42E-03	7.5E-04	1.05E-03	7.80E-07	1.27	1.57E-01	1.56E-07	1.0E+06	1.6E-01
455	0.15669	5.42E-03	8.5E-04	1.05E-03	8.87E-07	1.27	1.57E-01	1.77E-07	1.0E+06	1.8E-01
456	0.17999	5.42E-03	9.8E-04	1.05E-03	1.02E-06	1.27	1.57E-01	2.04E-07	1.0E+06	2.0E-01
457	0.20909	5.42E-03	1.1E-03	1.05E-03	1.18E-06	1.27	1.57E-01	2.37E-07	1.0E+06	2.4E-01
458	0.24609	5.42E-03	1.3E-03	1.05E-03	1.39E-06	1.27	1.57E-01	2.78E-07	1.0E+06	2.8E-01
469	0.13106	5.42E-03	7.1E-04	1.05E-03	7.42E-07	1.27	1.57E-01	1.48E-07	1.0E+06	1.5E-01
470	0.1482	5.42E-03	8.0E-04	1.05E-03	8.39E-07	1.27	1.57E-01	1.68E-07	1.0E+06	1.7E-01
471	0.16908	5.42E-03	9.2E-04	1.05E-03	9.57E-07	1.27	1.57E-01	1.91E-07	1.0E+06	1.9E-01

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.19482	5.42E-03	1.1E-03	1.05E-03	1.10E-06	1.27	1.57E-01	2.20E-07	1.0E+06	2.2E-01
473	0.22708	5.42E-03	1.2E-03	1.05E-03	1.29E-06	1.27	1.57E-01	2.57E-07	1.0E+06	2.6E-01
489	0.12424	5.42E-03	6.7E-04	1.05E-03	7.04E-07	1.27	1.57E-01	1.41E-07	1.0E+06	1.4E-01
490	0.13964	5.42E-03	7.6E-04	1.05E-03	7.91E-07	1.27	1.57E-01	1.58E-07	1.0E+06	1.6E-01
491	0.15817	5.42E-03	8.6E-04	1.05E-03	8.96E-07	1.27	1.57E-01	1.79E-07	1.0E+06	1.8E-01
492	0.18075	5.42E-03	9.8E-04	1.05E-03	1.02E-06	1.27	1.57E-01	2.04E-07	1.0E+06	2.0E-01
493	0.20864	5.42E-03	1.1E-03	1.05E-03	1.18E-06	1.27	1.57E-01	2.36E-07	1.0E+06	2.4E-01
494	0.2437	5.42E-03	1.3E-03	1.05E-03	1.38E-06	1.27	1.57E-01	2.76E-07	1.0E+06	2.8E-01
509	0.11745	5.42E-03	6.4E-04	1.05E-03	6.65E-07	1.27	1.57E-01	1.33E-07	1.0E+06	1.3E-01
510	0.1312	5.42E-03	7.1E-04	1.05E-03	7.43E-07	1.27	1.57E-01	1.48E-07	1.0E+06	1.5E-01
511	0.14757	5.42E-03	8.0E-04	1.05E-03	8.36E-07	1.27	1.57E-01	1.67E-07	1.0E+06	1.7E-01
512	0.16727	5.42E-03	9.1E-04	1.05E-03	9.47E-07	1.27	1.57E-01	1.89E-07	1.0E+06	1.9E-01
513	0.19126	5.42E-03	1.0E-03	1.05E-03	1.08E-06	1.27	1.57E-01	2.16E-07	1.0E+06	2.2E-01
514	0.22097	5.42E-03	1.2E-03	1.05E-03	1.25E-06	1.27	1.57E-01	2.50E-07	1.0E+06	2.5E-01
515	0.30678	5.42E-03	1.7E-03	1.05E-03	1.74E-06	1.27	1.57E-01	3.47E-07	1.0E+06	3.5E-01
516	0.37036	5.42E-03	2.0E-03	1.05E-03	2.10E-06	1.27	1.57E-01	4.19E-07	1.0E+06	4.2E-01
517	0.4571	5.42E-03	2.5E-03	1.05E-03	2.59E-06	1.27	1.57E-01	5.17E-07	1.0E+06	5.2E-01
518	0.57842	5.42E-03	3.1E-03	1.05E-03	3.28E-06	1.27	1.57E-01	6.54E-07	1.0E+06	6.5E-01
519	0.75145	5.42E-03	4.1E-03	1.05E-03	4.26E-06	1.27	1.57E-01	8.50E-07	1.0E+06	8.5E-01
528	0.11082	5.42E-03	6.0E-04	1.05E-03	6.28E-07	1.27	1.57E-01	1.25E-07	1.0E+06	1.3E-01
529	0.12305	5.42E-03	6.7E-04	1.05E-03	6.97E-07	1.27	1.57E-01	1.39E-07	1.0E+06	1.4E-01
530	0.13745	5.42E-03	7.4E-04	1.05E-03	7.78E-07	1.27	1.57E-01	1.55E-07	1.0E+06	1.6E-01
531	0.15457	5.42E-03	8.4E-04	1.05E-03	8.75E-07	1.27	1.57E-01	1.75E-07	1.0E+06	1.7E-01
532	0.17519	5.42E-03	9.5E-04	1.05E-03	9.92E-07	1.27	1.57E-01	1.98E-07	1.0E+06	2.0E-01
533	0.20035	5.42E-03	1.1E-03	1.05E-03	1.13E-06	1.27	1.57E-01	2.27E-07	1.0E+06	2.3E-01
534	0.27108	5.42E-03	1.5E-03	1.05E-03	1.54E-06	1.27	1.57E-01	3.07E-07	1.0E+06	3.1E-01
535	0.32198	5.42E-03	1.7E-03	1.05E-03	1.82E-06	1.27	1.57E-01	3.64E-07	1.0E+06	3.6E-01
536	0.39049	5.42E-03	2.1E-03	1.05E-03	2.21E-06	1.27	1.57E-01	4.42E-07	1.0E+06	4.4E-01
537	0.48144	5.42E-03	2.6E-03	1.05E-03	2.73E-06	1.27	1.57E-01	5.45E-07	1.0E+06	5.4E-01
538	0.60461	5.42E-03	3.3E-03	1.05E-03	3.42E-06	1.27	1.57E-01	6.84E-07	1.0E+06	6.8E-01
547	0.10443	5.42E-03	5.7E-04	1.05E-03	5.91E-07	1.27	1.57E-01	1.18E-07	1.0E+06	1.2E-01

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.11526	5.42E-03	6.2E-04	1.05E-03	6.53E-07	1.27	1.57E-01	1.30E-07	1.0E+06	1.3E-01
549	0.1279	5.42E-03	6.9E-04	1.05E-03	7.24E-07	1.27	1.57E-01	1.45E-07	1.0E+06	1.4E-01
550	0.14277	5.42E-03	7.7E-04	1.05E-03	8.08E-07	1.27	1.57E-01	1.62E-07	1.0E+06	1.6E-01
551	0.16048	5.42E-03	8.7E-04	1.05E-03	9.09E-07	1.27	1.57E-01	1.82E-07	1.0E+06	1.8E-01
552	0.18183	5.42E-03	9.9E-04	1.05E-03	1.03E-06	1.27	1.57E-01	2.06E-07	1.0E+06	2.1E-01
553	0.20802	5.42E-03	1.1E-03	1.05E-03	1.18E-06	1.27	1.57E-01	2.35E-07	1.0E+06	2.4E-01
554	0.24055	5.42E-03	1.3E-03	1.05E-03	1.36E-06	1.27	1.57E-01	2.72E-07	1.0E+06	2.7E-01
555	0.28221	5.42E-03	1.5E-03	1.05E-03	1.60E-06	1.27	1.57E-01	3.19E-07	1.0E+06	3.2E-01
556	0.3369	5.42E-03	1.8E-03	1.05E-03	1.91E-06	1.27	1.57E-01	3.81E-07	1.0E+06	3.8E-01
557	0.40712	5.42E-03	2.2E-03	1.05E-03	2.31E-06	1.27	1.57E-01	4.61E-07	1.0E+06	4.6E-01
558	0.49947	5.42E-03	2.7E-03	1.05E-03	2.83E-06	1.27	1.57E-01	5.65E-07	1.0E+06	5.7E-01
559	0.61058	5.42E-03	3.3E-03	1.05E-03	3.46E-06	1.27	1.57E-01	6.91E-07	1.0E+06	6.9E-01
567	0.09831	5.42E-03	5.3E-04	1.05E-03	5.57E-07	1.27	1.57E-01	1.11E-07	1.0E+06	1.1E-01
568	0.10789	5.42E-03	5.8E-04	1.05E-03	6.11E-07	1.27	1.57E-01	1.22E-07	1.0E+06	1.2E-01
569	0.11897	5.42E-03	6.4E-04	1.05E-03	6.74E-07	1.27	1.57E-01	1.35E-07	1.0E+06	1.3E-01
570	0.1319	5.42E-03	7.1E-04	1.05E-03	7.47E-07	1.27	1.57E-01	1.49E-07	1.0E+06	1.5E-01
571	0.14714	5.42E-03	8.0E-04	1.05E-03	8.33E-07	1.27	1.57E-01	1.66E-07	1.0E+06	1.7E-01
572	0.16536	5.42E-03	9.0E-04	1.05E-03	9.36E-07	1.27	1.57E-01	1.87E-07	1.0E+06	1.9E-01
573	0.18747	5.42E-03	1.0E-03	1.05E-03	1.06E-06	1.27	1.57E-01	2.12E-07	1.0E+06	2.1E-01
574	0.24896	5.42E-03	1.3E-03	1.05E-03	1.41E-06	1.27	1.57E-01	2.82E-07	1.0E+06	2.8E-01
575	0.29304	5.42E-03	1.6E-03	1.05E-03	1.66E-06	1.27	1.57E-01	3.31E-07	1.0E+06	3.3E-01
576	0.34921	5.42E-03	1.9E-03	1.05E-03	1.98E-06	1.27	1.57E-01	3.95E-07	1.0E+06	4.0E-01
577	0.41933	5.42E-03	2.3E-03	1.05E-03	2.37E-06	1.27	1.57E-01	4.74E-07	1.0E+06	4.7E-01
578	0.50135	5.42E-03	2.7E-03	1.05E-03	2.84E-06	1.27	1.57E-01	5.67E-07	1.0E+06	5.7E-01
586	0.0925	5.42E-03	5.0E-04	1.05E-03	5.24E-07	1.27	1.57E-01	1.05E-07	1.0E+06	1.0E-01
587	0.10097	5.42E-03	5.5E-04	1.05E-03	5.72E-07	1.27	1.57E-01	1.14E-07	1.0E+06	1.1E-01
588	0.11069	5.42E-03	6.0E-04	1.05E-03	6.27E-07	1.27	1.57E-01	1.25E-07	1.0E+06	1.3E-01
589	0.12195	5.42E-03	6.6E-04	1.05E-03	6.91E-07	1.27	1.57E-01	1.38E-07	1.0E+06	1.4E-01
590	0.13512	5.42E-03	7.3E-04	1.05E-03	7.65E-07	1.27	1.57E-01	1.53E-07	1.0E+06	1.5E-01
591	0.15072	5.42E-03	8.2E-04	1.05E-03	8.54E-07	1.27	1.57E-01	1.70E-07	1.0E+06	1.7E-01
592	0.1695	5.42E-03	9.2E-04	1.05E-03	9.60E-07	1.27	1.57E-01	1.92E-07	1.0E+06	1.9E-01

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.22092	5.42E-03	1.2E-03	1.05E-03	1.25E-06	1.27	1.57E-01	2.50E-07	1.0E+06	2.5E-01
594	0.25706	5.42E-03	1.4E-03	1.05E-03	1.46E-06	1.27	1.57E-01	2.91E-07	1.0E+06	2.9E-01
595	0.30171	5.42E-03	1.6E-03	1.05E-03	1.71E-06	1.27	1.57E-01	3.41E-07	1.0E+06	3.4E-01
596	0.35586	5.42E-03	1.9E-03	1.05E-03	2.02E-06	1.27	1.57E-01	4.03E-07	1.0E+06	4.0E-01
597	0.41784	5.42E-03	2.3E-03	1.05E-03	2.37E-06	1.27	1.57E-01	4.73E-07	1.0E+06	4.7E-01
345	0.24137	5.42E-03	1.3E-03	1.05E-03	1.37E-06	1.27	1.57E-01	2.73E-07	1.0E+06	2.7E-01
346	0.28917	5.42E-03	1.6E-03	1.05E-03	1.64E-06	1.27	1.57E-01	3.27E-07	1.0E+06	3.3E-01
347	0.35394	5.42E-03	1.9E-03	1.05E-03	2.00E-06	1.27	1.57E-01	4.00E-07	1.0E+06	4.0E-01
348	0.44547	5.42E-03	2.4E-03	1.05E-03	2.52E-06	1.27	1.57E-01	5.04E-07	1.0E+06	5.0E-01
359	0.25144	5.42E-03	1.4E-03	1.05E-03	1.42E-06	1.27	1.57E-01	2.84E-07	1.0E+06	2.8E-01
360	0.3035	5.42E-03	1.6E-03	1.05E-03	1.72E-06	1.27	1.57E-01	3.43E-07	1.0E+06	3.4E-01
361	0.37508	5.42E-03	2.0E-03	1.05E-03	2.12E-06	1.27	1.57E-01	4.24E-07	1.0E+06	4.2E-01
362	0.47671	5.42E-03	2.6E-03	1.05E-03	2.70E-06	1.27	1.57E-01	5.39E-07	1.0E+06	5.4E-01
363	0.63391	5.42E-03	3.4E-03	1.05E-03	3.59E-06	1.27	1.57E-01	7.17E-07	1.0E+06	7.2E-01
373	0.31136	5.42E-03	1.7E-03	1.05E-03	1.76E-06	1.27	1.57E-01	3.52E-07	1.0E+06	3.5E-01
374	0.38621	5.42E-03	2.1E-03	1.05E-03	2.19E-06	1.27	1.57E-01	4.37E-07	1.0E+06	4.4E-01
375	0.49277	5.42E-03	2.7E-03	1.05E-03	2.79E-06	1.27	1.57E-01	5.57E-07	1.0E+06	5.6E-01
376	0.65646	5.42E-03	3.6E-03	1.05E-03	3.72E-06	1.27	1.57E-01	7.43E-07	1.0E+06	7.4E-01
386	0.31239	5.42E-03	1.7E-03	1.05E-03	1.77E-06	1.27	1.57E-01	3.53E-07	1.0E+06	3.5E-01
387	0.38773	5.42E-03	2.1E-03	1.05E-03	2.20E-06	1.27	1.57E-01	4.39E-07	1.0E+06	4.4E-01
388	0.49431	5.42E-03	2.7E-03	1.05E-03	2.80E-06	1.27	1.57E-01	5.59E-07	1.0E+06	5.6E-01
389	0.65617	5.42E-03	3.6E-03	1.05E-03	3.72E-06	1.27	1.57E-01	7.42E-07	1.0E+06	7.4E-01
390	0.92241	5.42E-03	5.0E-03	1.05E-03	5.22E-06	1.27	1.57E-01	1.04E-06	1.0E+06	1.0E+00
400	0.30719	5.42E-03	1.7E-03	1.05E-03	1.74E-06	1.27	1.57E-01	3.48E-07	1.0E+06	3.5E-01
401	0.37974	5.42E-03	2.1E-03	1.05E-03	2.15E-06	1.27	1.57E-01	4.30E-07	1.0E+06	4.3E-01
402	0.48326	5.42E-03	2.6E-03	1.05E-03	2.74E-06	1.27	1.57E-01	5.47E-07	1.0E+06	5.5E-01
403	0.63557	5.42E-03	3.4E-03	1.05E-03	3.60E-06	1.27	1.57E-01	7.19E-07	1.0E+06	7.2E-01
404	0.87893	5.42E-03	4.8E-03	1.05E-03	4.98E-06	1.27	1.57E-01	9.94E-07	1.0E+06	9.9E-01
415	0.29671	5.42E-03	1.6E-03	1.05E-03	1.68E-06	1.27	1.57E-01	3.36E-07	1.0E+06	3.4E-01
416	0.36519	5.42E-03	2.0E-03	1.05E-03	2.07E-06	1.27	1.57E-01	4.13E-07	1.0E+06	4.1E-01
417	0.46038	5.42E-03	2.5E-03	1.05E-03	2.61E-06	1.27	1.57E-01	5.21E-07	1.0E+06	5.2E-01

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.60194	5.42E-03	3.3E-03	1.05E-03	3.41E-06	1.27	1.57E-01	6.81E-07	1.0E+06	6.8E-01
419	0.8217	5.42E-03	4.5E-03	1.05E-03	4.65E-06	1.27	1.57E-01	9.30E-07	1.0E+06	9.3E-01
420	1.18327	5.42E-03	6.4E-03	1.05E-03	6.70E-06	1.27	1.57E-01	1.34E-06	1.0E+06	1.3E+00
430	0.34435	5.42E-03	1.9E-03	1.05E-03	1.95E-06	1.27	1.57E-01	3.90E-07	1.0E+06	3.9E-01
431	0.4306	5.42E-03	2.3E-03	1.05E-03	2.44E-06	1.27	1.57E-01	4.87E-07	1.0E+06	4.9E-01
432	0.55478	5.42E-03	3.0E-03	1.05E-03	3.14E-06	1.27	1.57E-01	6.28E-07	1.0E+06	6.3E-01
433	0.74427	5.42E-03	4.0E-03	1.05E-03	4.21E-06	1.27	1.57E-01	8.42E-07	1.0E+06	8.4E-01
434	1.05677	5.42E-03	5.7E-03	1.05E-03	5.98E-06	1.27	1.57E-01	1.20E-06	1.0E+06	1.2E+00
444	0.32009	5.42E-03	1.7E-03	1.05E-03	1.81E-06	1.27	1.57E-01	3.62E-07	1.0E+06	3.6E-01
445	0.3952	5.42E-03	2.1E-03	1.05E-03	2.24E-06	1.27	1.57E-01	4.47E-07	1.0E+06	4.5E-01
446	0.50138	5.42E-03	2.7E-03	1.05E-03	2.84E-06	1.27	1.57E-01	5.67E-07	1.0E+06	5.7E-01
447	0.65915	5.42E-03	3.6E-03	1.05E-03	3.73E-06	1.27	1.57E-01	7.46E-07	1.0E+06	7.5E-01
448	0.91002	5.42E-03	4.9E-03	1.05E-03	5.15E-06	1.27	1.57E-01	1.03E-06	1.0E+06	1.0E+00
459	0.35824	5.42E-03	1.9E-03	1.05E-03	2.03E-06	1.27	1.57E-01	4.05E-07	1.0E+06	4.1E-01
460	0.44673	5.42E-03	2.4E-03	1.05E-03	2.53E-06	1.27	1.57E-01	5.05E-07	1.0E+06	5.1E-01
461	0.5743	5.42E-03	3.1E-03	1.05E-03	3.25E-06	1.27	1.57E-01	6.50E-07	1.0E+06	6.5E-01
462	0.76859	5.42E-03	4.2E-03	1.05E-03	4.35E-06	1.27	1.57E-01	8.69E-07	1.0E+06	8.7E-01
463	1.0833	5.42E-03	5.9E-03	1.05E-03	6.13E-06	1.27	1.57E-01	1.23E-06	1.0E+06	1.2E+00
474	0.32214	5.42E-03	1.7E-03	1.05E-03	1.82E-06	1.27	1.57E-01	3.64E-07	1.0E+06	3.6E-01
475	0.39466	5.42E-03	2.1E-03	1.05E-03	2.23E-06	1.27	1.57E-01	4.46E-07	1.0E+06	4.5E-01
476	0.49626	5.42E-03	2.7E-03	1.05E-03	2.81E-06	1.27	1.57E-01	5.61E-07	1.0E+06	5.6E-01
477	0.64368	5.42E-03	3.5E-03	1.05E-03	3.65E-06	1.27	1.57E-01	7.28E-07	1.0E+06	7.3E-01
478	0.86818	5.42E-03	4.7E-03	1.05E-03	4.92E-06	1.27	1.57E-01	9.82E-07	1.0E+06	9.8E-01
495	0.28868	5.42E-03	1.6E-03	1.05E-03	1.63E-06	1.27	1.57E-01	3.27E-07	1.0E+06	3.3E-01
496	0.34778	5.42E-03	1.9E-03	1.05E-03	1.97E-06	1.27	1.57E-01	3.93E-07	1.0E+06	3.9E-01
497	0.42817	5.42E-03	2.3E-03	1.05E-03	2.42E-06	1.27	1.57E-01	4.84E-07	1.0E+06	4.8E-01
498	0.54081	5.42E-03	2.9E-03	1.05E-03	3.06E-06	1.27	1.57E-01	6.12E-07	1.0E+06	6.1E-01
499	0.70359	5.42E-03	3.8E-03	1.05E-03	3.98E-06	1.27	1.57E-01	7.96E-07	1.0E+06	8.0E-01
500	0.94704	5.42E-03	5.1E-03	1.05E-03	5.36E-06	1.27	1.57E-01	1.07E-06	1.0E+06	1.1E+00

Via Oro
Building Construction

		Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction									
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
139	0.06816	5.42E-03	3.7E-04	2.50E-04	9.24E-08	1.27	1.15E-02	1.35E-09	1.0E+06	1.3E-03	
140	0.07148	5.42E-03	3.9E-04	2.50E-04	9.69E-08	1.27	1.15E-02	1.41E-09	1.0E+06	1.4E-03	
156	0.07396	5.42E-03	4.0E-04	2.50E-04	1.00E-07	1.27	1.15E-02	1.46E-09	1.0E+06	1.5E-03	
157	0.07785	5.42E-03	4.2E-04	2.50E-04	1.06E-07	1.27	1.15E-02	1.54E-09	1.0E+06	1.5E-03	
158	0.08197	5.42E-03	4.4E-04	2.50E-04	1.11E-07	1.27	1.15E-02	1.62E-09	1.0E+06	1.6E-03	
159	0.08628	5.42E-03	4.7E-04	2.50E-04	1.17E-07	1.27	1.15E-02	1.71E-09	1.0E+06	1.7E-03	
160	0.09072	5.42E-03	4.9E-04	2.50E-04	1.23E-07	1.27	1.15E-02	1.79E-09	1.0E+06	1.8E-03	
161	0.09992	5.42E-03	5.4E-04	2.50E-04	1.35E-07	1.27	1.15E-02	1.98E-09	1.0E+06	2.0E-03	
162	0.10448	5.42E-03	5.7E-04	2.50E-04	1.42E-07	1.27	1.15E-02	2.07E-09	1.0E+06	2.1E-03	
163	0.10884	5.42E-03	5.9E-04	2.50E-04	1.48E-07	1.27	1.15E-02	2.15E-09	1.0E+06	2.2E-03	
167	0.08511	5.42E-03	4.6E-04	2.50E-04	1.15E-07	1.27	1.15E-02	1.68E-09	1.0E+06	1.7E-03	
168	0.0901	5.42E-03	4.9E-04	2.50E-04	1.22E-07	1.27	1.15E-02	1.78E-09	1.0E+06	1.8E-03	
169	0.0953	5.42E-03	5.2E-04	2.50E-04	1.29E-07	1.27	1.15E-02	1.88E-09	1.0E+06	1.9E-03	
170	0.10073	5.42E-03	5.5E-04	2.50E-04	1.37E-07	1.27	1.15E-02	1.99E-09	1.0E+06	2.0E-03	
171	0.10635	5.42E-03	5.8E-04	2.50E-04	1.44E-07	1.27	1.15E-02	2.10E-09	1.0E+06	2.1E-03	
172	0.1121	5.42E-03	6.1E-04	2.50E-04	1.52E-07	1.27	1.15E-02	2.22E-09	1.0E+06	2.2E-03	
173	0.11775	5.42E-03	6.4E-04	2.50E-04	1.60E-07	1.27	1.15E-02	2.33E-09	1.0E+06	2.3E-03	
174	0.12327	5.42E-03	6.7E-04	2.50E-04	1.67E-07	1.27	1.15E-02	2.44E-09	1.0E+06	2.4E-03	
175	0.12841	5.42E-03	7.0E-04	2.50E-04	1.74E-07	1.27	1.15E-02	2.54E-09	1.0E+06	2.5E-03	
176	0.13295	5.42E-03	7.2E-04	2.50E-04	1.80E-07	1.27	1.15E-02	2.63E-09	1.0E+06	2.6E-03	
177	0.13662	5.42E-03	7.4E-04	2.50E-04	1.85E-07	1.27	1.15E-02	2.70E-09	1.0E+06	2.7E-03	
181	0.09954	5.42E-03	5.4E-04	2.50E-04	1.35E-07	1.27	1.15E-02	1.97E-09	1.0E+06	2.0E-03	
182	0.10585	5.42E-03	5.7E-04	2.50E-04	1.44E-07	1.27	1.15E-02	2.09E-09	1.0E+06	2.1E-03	
183	0.1126	5.42E-03	6.1E-04	2.50E-04	1.53E-07	1.27	1.15E-02	2.23E-09	1.0E+06	2.2E-03	
184	0.11961	5.42E-03	6.5E-04	2.50E-04	1.62E-07	1.27	1.15E-02	2.37E-09	1.0E+06	2.4E-03	
185	0.12685	5.42E-03	6.9E-04	2.50E-04	1.72E-07	1.27	1.15E-02	2.51E-09	1.0E+06	2.5E-03	
186	0.13413	5.42E-03	7.3E-04	2.50E-04	1.82E-07	1.27	1.15E-02	2.65E-09	1.0E+06	2.7E-03	
187	0.14109	5.42E-03	7.6E-04	2.50E-04	1.91E-07	1.27	1.15E-02	2.79E-09	1.0E+06	2.8E-03	
188	0.14778	5.42E-03	8.0E-04	2.50E-04	2.00E-07	1.27	1.15E-02	2.92E-09	1.0E+06	2.9E-03	
189	0.15367	5.42E-03	8.3E-04	2.50E-04	2.08E-07	1.27	1.15E-02	3.04E-09	1.0E+06	3.0E-03	
190	0.15837	5.42E-03	8.6E-04	2.50E-04	2.15E-07	1.27	1.15E-02	3.13E-09	1.0E+06	3.1E-03	

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	0.16169	5.42E-03	8.8E-04	2.50E-04	2.19E-07	1.27	1.15E-02	3.20E-09	1.0E+06	3.2E-03
195	0.11054	5.42E-03	6.0E-04	2.50E-04	1.50E-07	1.27	1.15E-02	2.19E-09	1.0E+06	2.2E-03
196	0.11838	5.42E-03	6.4E-04	2.50E-04	1.61E-07	1.27	1.15E-02	2.34E-09	1.0E+06	2.3E-03
197	0.12675	5.42E-03	6.9E-04	2.50E-04	1.72E-07	1.27	1.15E-02	2.51E-09	1.0E+06	2.5E-03
198	0.13568	5.42E-03	7.4E-04	2.50E-04	1.84E-07	1.27	1.15E-02	2.68E-09	1.0E+06	2.7E-03
199	0.14497	5.42E-03	7.9E-04	2.50E-04	1.97E-07	1.27	1.15E-02	2.87E-09	1.0E+06	2.9E-03
200	0.15443	5.42E-03	8.4E-04	2.50E-04	2.09E-07	1.27	1.15E-02	3.05E-09	1.0E+06	3.1E-03
201	0.16376	5.42E-03	8.9E-04	2.50E-04	2.22E-07	1.27	1.15E-02	3.24E-09	1.0E+06	3.2E-03
202	0.17252	5.42E-03	9.3E-04	2.50E-04	2.34E-07	1.27	1.15E-02	3.41E-09	1.0E+06	3.4E-03
203	0.18022	5.42E-03	9.8E-04	2.50E-04	2.44E-07	1.27	1.15E-02	3.56E-09	1.0E+06	3.6E-03
204	0.18636	5.42E-03	1.0E-03	2.50E-04	2.53E-07	1.27	1.15E-02	3.69E-09	1.0E+06	3.7E-03
205	0.1906	5.42E-03	1.0E-03	2.50E-04	2.58E-07	1.27	1.15E-02	3.77E-09	1.0E+06	3.8E-03
206	0.19276	5.42E-03	1.0E-03	2.50E-04	2.61E-07	1.27	1.15E-02	3.81E-09	1.0E+06	3.8E-03
210	0.11417	5.42E-03	6.2E-04	2.50E-04	1.55E-07	1.27	1.15E-02	2.26E-09	1.0E+06	2.3E-03
211	0.12337	5.42E-03	6.7E-04	2.50E-04	1.67E-07	1.27	1.15E-02	2.44E-09	1.0E+06	2.4E-03
212	0.13318	5.42E-03	7.2E-04	2.50E-04	1.81E-07	1.27	1.15E-02	2.63E-09	1.0E+06	2.6E-03
213	0.1439	5.42E-03	7.8E-04	2.50E-04	1.95E-07	1.27	1.15E-02	2.85E-09	1.0E+06	2.8E-03
214	0.16754	5.42E-03	9.1E-04	2.50E-04	2.27E-07	1.27	1.15E-02	3.31E-09	1.0E+06	3.3E-03
215	0.18011	5.42E-03	9.8E-04	2.50E-04	2.44E-07	1.27	1.15E-02	3.56E-09	1.0E+06	3.6E-03
216	0.19267	5.42E-03	1.0E-03	2.50E-04	2.61E-07	1.27	1.15E-02	3.81E-09	1.0E+06	3.8E-03
217	0.20459	5.42E-03	1.1E-03	2.50E-04	2.77E-07	1.27	1.15E-02	4.05E-09	1.0E+06	4.0E-03
218	0.21509	5.42E-03	1.2E-03	2.50E-04	2.92E-07	1.27	1.15E-02	4.25E-09	1.0E+06	4.3E-03
219	0.22337	5.42E-03	1.2E-03	2.50E-04	3.03E-07	1.27	1.15E-02	4.42E-09	1.0E+06	4.4E-03
220	0.22887	5.42E-03	1.2E-03	2.50E-04	3.10E-07	1.27	1.15E-02	4.53E-09	1.0E+06	4.5E-03
221	0.23135	5.42E-03	1.3E-03	2.50E-04	3.14E-07	1.27	1.15E-02	4.57E-09	1.0E+06	4.6E-03
222	0.23084	5.42E-03	1.3E-03	2.50E-04	3.13E-07	1.27	1.15E-02	4.56E-09	1.0E+06	4.6E-03
226	0.12693	5.42E-03	6.9E-04	2.50E-04	1.72E-07	1.27	1.15E-02	2.51E-09	1.0E+06	2.5E-03
227	0.13837	5.42E-03	7.5E-04	2.50E-04	1.88E-07	1.27	1.15E-02	2.74E-09	1.0E+06	2.7E-03
228	0.1509	5.42E-03	8.2E-04	2.50E-04	2.05E-07	1.27	1.15E-02	2.98E-09	1.0E+06	3.0E-03
229	0.16475	5.42E-03	8.9E-04	2.50E-04	2.23E-07	1.27	1.15E-02	3.26E-09	1.0E+06	3.3E-03
230	0.17985	5.42E-03	9.7E-04	2.50E-04	2.44E-07	1.27	1.15E-02	3.56E-09	1.0E+06	3.6E-03

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	0.19574	5.42E-03	1.1E-03	2.50E-04	2.65E-07	1.27	1.15E-02	3.87E-09	1.0E+06	3.9E-03
232	0.21301	5.42E-03	1.2E-03	2.50E-04	2.89E-07	1.27	1.15E-02	4.21E-09	1.0E+06	4.2E-03
233	0.24754	5.42E-03	1.3E-03	2.50E-04	3.36E-07	1.27	1.15E-02	4.89E-09	1.0E+06	4.9E-03
234	0.26237	5.42E-03	1.4E-03	2.50E-04	3.56E-07	1.27	1.15E-02	5.19E-09	1.0E+06	5.2E-03
235	0.27394	5.42E-03	1.5E-03	2.50E-04	3.71E-07	1.27	1.15E-02	5.42E-09	1.0E+06	5.4E-03
236	0.28126	5.42E-03	1.5E-03	2.50E-04	3.81E-07	1.27	1.15E-02	5.56E-09	1.0E+06	5.6E-03
237	0.28398	5.42E-03	1.5E-03	2.50E-04	3.85E-07	1.27	1.15E-02	5.62E-09	1.0E+06	5.6E-03
238	0.28245	5.42E-03	1.5E-03	2.50E-04	3.83E-07	1.27	1.15E-02	5.59E-09	1.0E+06	5.6E-03
242	0.14128	5.42E-03	7.7E-04	2.50E-04	1.92E-07	1.27	1.15E-02	2.79E-09	1.0E+06	2.8E-03
243	0.1557	5.42E-03	8.4E-04	2.50E-04	2.11E-07	1.27	1.15E-02	3.08E-09	1.0E+06	3.1E-03
244	0.17123	5.42E-03	9.3E-04	2.50E-04	2.32E-07	1.27	1.15E-02	3.39E-09	1.0E+06	3.4E-03
245	0.18977	5.42E-03	1.0E-03	2.50E-04	2.57E-07	1.27	1.15E-02	3.75E-09	1.0E+06	3.8E-03
246	0.21032	5.42E-03	1.1E-03	2.50E-04	2.85E-07	1.27	1.15E-02	4.16E-09	1.0E+06	4.2E-03
247	0.23287	5.42E-03	1.3E-03	2.50E-04	3.16E-07	1.27	1.15E-02	4.60E-09	1.0E+06	4.6E-03
248	0.25722	5.42E-03	1.4E-03	2.50E-04	3.49E-07	1.27	1.15E-02	5.09E-09	1.0E+06	5.1E-03
249	0.30686	5.42E-03	1.7E-03	2.50E-04	4.16E-07	1.27	1.15E-02	6.07E-09	1.0E+06	6.1E-03
250	0.32848	5.42E-03	1.8E-03	2.50E-04	4.45E-07	1.27	1.15E-02	6.50E-09	1.0E+06	6.5E-03
251	0.34558	5.42E-03	1.9E-03	2.50E-04	4.69E-07	1.27	1.15E-02	6.83E-09	1.0E+06	6.8E-03
252	0.35596	5.42E-03	1.9E-03	2.50E-04	4.83E-07	1.27	1.15E-02	7.04E-09	1.0E+06	7.0E-03
253	0.35858	5.42E-03	1.9E-03	2.50E-04	4.86E-07	1.27	1.15E-02	7.09E-09	1.0E+06	7.1E-03
254	0.35448	5.42E-03	1.9E-03	2.50E-04	4.81E-07	1.27	1.15E-02	7.01E-09	1.0E+06	7.0E-03
257	0.15723	5.42E-03	8.5E-04	2.50E-04	2.13E-07	1.27	1.15E-02	3.11E-09	1.0E+06	3.1E-03
258	0.1755	5.42E-03	9.5E-04	2.50E-04	2.38E-07	1.27	1.15E-02	3.47E-09	1.0E+06	3.5E-03
259	0.19656	5.42E-03	1.1E-03	2.50E-04	2.67E-07	1.27	1.15E-02	3.89E-09	1.0E+06	3.9E-03
260	0.2198	5.42E-03	1.2E-03	2.50E-04	2.98E-07	1.27	1.15E-02	4.35E-09	1.0E+06	4.3E-03
261	0.2492	5.42E-03	1.4E-03	2.50E-04	3.38E-07	1.27	1.15E-02	4.93E-09	1.0E+06	4.9E-03
262	0.28123	5.42E-03	1.5E-03	2.50E-04	3.81E-07	1.27	1.15E-02	5.56E-09	1.0E+06	5.6E-03
263	0.31696	5.42E-03	1.7E-03	2.50E-04	4.30E-07	1.27	1.15E-02	6.27E-09	1.0E+06	6.3E-03
264	0.39375	5.42E-03	2.1E-03	2.50E-04	5.34E-07	1.27	1.15E-02	7.79E-09	1.0E+06	7.8E-03
265	0.428	5.42E-03	2.3E-03	2.50E-04	5.80E-07	1.27	1.15E-02	8.46E-09	1.0E+06	8.5E-03
266	0.4542	5.42E-03	2.5E-03	2.50E-04	6.16E-07	1.27	1.15E-02	8.98E-09	1.0E+06	9.0E-03

Via Oro
Building Construction

		Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	0.46851	5.42E-03	2.5E-03	2.50E-04	6.35E-07	1.27	1.15E-02	9.26E-09	1.0E+06	9.3E-03
268	0.46966	5.42E-03	2.5E-03	2.50E-04	6.37E-07	1.27	1.15E-02	9.29E-09	1.0E+06	9.3E-03
269	0.45965	5.42E-03	2.5E-03	2.50E-04	6.23E-07	1.27	1.15E-02	9.09E-09	1.0E+06	9.1E-03
270	0.39054	5.42E-03	2.1E-03	2.50E-04	5.30E-07	1.27	1.15E-02	7.72E-09	1.0E+06	7.7E-03
271	0.36233	5.42E-03	2.0E-03	2.50E-04	4.91E-07	1.27	1.15E-02	7.16E-09	1.0E+06	7.2E-03
274	0.17452	5.42E-03	9.5E-04	2.50E-04	2.37E-07	1.27	1.15E-02	3.45E-09	1.0E+06	3.5E-03
275	0.19761	5.42E-03	1.1E-03	2.50E-04	2.68E-07	1.27	1.15E-02	3.91E-09	1.0E+06	3.9E-03
276	0.22528	5.42E-03	1.2E-03	2.50E-04	3.05E-07	1.27	1.15E-02	4.45E-09	1.0E+06	4.5E-03
277	0.25729	5.42E-03	1.4E-03	2.50E-04	3.49E-07	1.27	1.15E-02	5.09E-09	1.0E+06	5.1E-03
278	0.2977	5.42E-03	1.6E-03	2.50E-04	4.04E-07	1.27	1.15E-02	5.89E-09	1.0E+06	5.9E-03
279	0.34485	5.42E-03	1.9E-03	2.50E-04	4.68E-07	1.27	1.15E-02	6.82E-09	1.0E+06	6.8E-03
280	0.39761	5.42E-03	2.2E-03	2.50E-04	5.39E-07	1.27	1.15E-02	7.86E-09	1.0E+06	7.9E-03
281	0.52517	5.42E-03	2.8E-03	2.50E-04	7.12E-07	1.27	1.15E-02	1.04E-08	1.0E+06	1.0E-02
282	0.58317	5.42E-03	3.2E-03	2.50E-04	7.91E-07	1.27	1.15E-02	1.15E-08	1.0E+06	1.2E-02
283	0.62671	5.42E-03	3.4E-03	2.50E-04	8.50E-07	1.27	1.15E-02	1.24E-08	1.0E+06	1.2E-02
284	0.64939	5.42E-03	3.5E-03	2.50E-04	8.81E-07	1.27	1.15E-02	1.28E-08	1.0E+06	1.3E-02
285	0.64683	5.42E-03	3.5E-03	2.50E-04	8.77E-07	1.27	1.15E-02	1.28E-08	1.0E+06	1.3E-02
286	0.62106	5.42E-03	3.4E-03	2.50E-04	8.42E-07	1.27	1.15E-02	1.23E-08	1.0E+06	1.2E-02
287	0.48572	5.42E-03	2.6E-03	2.50E-04	6.59E-07	1.27	1.15E-02	9.60E-09	1.0E+06	9.6E-03
288	0.43897	5.42E-03	2.4E-03	2.50E-04	5.95E-07	1.27	1.15E-02	8.68E-09	1.0E+06	8.7E-03
291	0.19262	5.42E-03	1.0E-03	2.50E-04	2.61E-07	1.27	1.15E-02	3.81E-09	1.0E+06	3.8E-03
292	0.2215	5.42E-03	1.2E-03	2.50E-04	3.00E-07	1.27	1.15E-02	4.38E-09	1.0E+06	4.4E-03
293	0.25729	5.42E-03	1.4E-03	2.50E-04	3.49E-07	1.27	1.15E-02	5.09E-09	1.0E+06	5.1E-03
294	0.30141	5.42E-03	1.6E-03	2.50E-04	4.09E-07	1.27	1.15E-02	5.96E-09	1.0E+06	6.0E-03
295	0.3568	5.42E-03	1.9E-03	2.50E-04	4.84E-07	1.27	1.15E-02	7.06E-09	1.0E+06	7.1E-03
296	0.4283	5.42E-03	2.3E-03	2.50E-04	5.81E-07	1.27	1.15E-02	8.47E-09	1.0E+06	8.5E-03
297	0.51963	5.42E-03	2.8E-03	2.50E-04	7.05E-07	1.27	1.15E-02	1.03E-08	1.0E+06	1.0E-02
298	0.74864	5.42E-03	4.1E-03	2.50E-04	1.02E-06	1.27	1.15E-02	1.48E-08	1.0E+06	1.5E-02
299	0.86402	5.42E-03	4.7E-03	2.50E-04	1.17E-06	1.27	1.15E-02	1.71E-08	1.0E+06	1.7E-02
300	0.9446	5.42E-03	5.1E-03	2.50E-04	1.28E-06	1.27	1.15E-02	1.87E-08	1.0E+06	1.9E-02
301	0.98164	5.42E-03	5.3E-03	2.50E-04	1.33E-06	1.27	1.15E-02	1.94E-08	1.0E+06	1.9E-02

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	0.95643	5.42E-03	5.2E-03	2.50E-04	1.30E-06	1.27	1.15E-02	1.89E-08	1.0E+06	1.9E-02
303	0.88334	5.42E-03	4.8E-03	2.50E-04	1.20E-06	1.27	1.15E-02	1.75E-08	1.0E+06	1.7E-02
304	0.60586	5.42E-03	3.3E-03	2.50E-04	8.22E-07	1.27	1.15E-02	1.20E-08	1.0E+06	1.2E-02
305	0.52765	5.42E-03	2.9E-03	2.50E-04	7.15E-07	1.27	1.15E-02	1.04E-08	1.0E+06	1.0E-02
308	0.21065	5.42E-03	1.1E-03	2.50E-04	2.86E-07	1.27	1.15E-02	4.17E-09	1.0E+06	4.2E-03
309	0.24602	5.42E-03	1.3E-03	2.50E-04	3.34E-07	1.27	1.15E-02	4.86E-09	1.0E+06	4.9E-03
310	0.29138	5.42E-03	1.6E-03	2.50E-04	3.95E-07	1.27	1.15E-02	5.76E-09	1.0E+06	5.8E-03
311	0.35023	5.42E-03	1.9E-03	2.50E-04	4.75E-07	1.27	1.15E-02	6.93E-09	1.0E+06	6.9E-03
312	0.43095	5.42E-03	2.3E-03	2.50E-04	5.84E-07	1.27	1.15E-02	8.52E-09	1.0E+06	8.5E-03
313	0.54158	5.42E-03	2.9E-03	2.50E-04	7.34E-07	1.27	1.15E-02	1.07E-08	1.0E+06	1.1E-02
314	0.70021	5.42E-03	3.8E-03	2.50E-04	9.49E-07	1.27	1.15E-02	1.38E-08	1.0E+06	1.4E-02
315	1.19783	5.42E-03	6.5E-03	2.50E-04	1.62E-06	1.27	1.15E-02	2.37E-08	1.0E+06	2.4E-02
316	1.48064	5.42E-03	8.0E-03	2.50E-04	2.01E-06	1.27	1.15E-02	2.93E-08	1.0E+06	2.9E-02
317	1.65696	5.42E-03	9.0E-03	2.50E-04	2.25E-06	1.27	1.15E-02	3.28E-08	1.0E+06	3.3E-02
318	1.71766	5.42E-03	9.3E-03	2.50E-04	2.33E-06	1.27	1.15E-02	3.40E-08	1.0E+06	3.4E-02
319	1.57894	5.42E-03	8.6E-03	2.50E-04	2.14E-06	1.27	1.15E-02	3.12E-08	1.0E+06	3.1E-02
320	1.33355	5.42E-03	7.2E-03	2.50E-04	1.81E-06	1.27	1.15E-02	2.64E-08	1.0E+06	2.6E-02
321	0.74311	5.42E-03	4.0E-03	2.50E-04	1.01E-06	1.27	1.15E-02	1.47E-08	1.0E+06	1.5E-02
322	0.6219	5.42E-03	3.4E-03	2.50E-04	8.43E-07	1.27	1.15E-02	1.23E-08	1.0E+06	1.2E-02
325	0.22736	5.42E-03	1.2E-03	2.50E-04	3.08E-07	1.27	1.15E-02	4.50E-09	1.0E+06	4.5E-03
326	0.26931	5.42E-03	1.5E-03	2.50E-04	3.65E-07	1.27	1.15E-02	5.33E-09	1.0E+06	5.3E-03
327	0.32484	5.42E-03	1.8E-03	2.50E-04	4.40E-07	1.27	1.15E-02	6.42E-09	1.0E+06	6.4E-03
328	0.40097	5.42E-03	2.2E-03	2.50E-04	5.44E-07	1.27	1.15E-02	7.93E-09	1.0E+06	7.9E-03
329	0.50882	5.42E-03	2.8E-03	2.50E-04	6.90E-07	1.27	1.15E-02	1.01E-08	1.0E+06	1.0E-02
330	0.67836	5.42E-03	3.7E-03	2.50E-04	9.20E-07	1.27	1.15E-02	1.34E-08	1.0E+06	1.3E-02
331	0.96632	5.42E-03	5.2E-03	2.50E-04	1.31E-06	1.27	1.15E-02	1.91E-08	1.0E+06	1.9E-02
332	1.53155	5.42E-03	8.3E-03	2.50E-04	2.08E-06	1.27	1.15E-02	3.03E-08	1.0E+06	3.0E-02
333	2.49764	5.42E-03	1.4E-02	2.50E-04	3.39E-06	1.27	1.15E-02	4.94E-08	1.0E+06	4.9E-02
334	3.38863	5.42E-03	1.8E-02	2.50E-04	4.59E-06	1.27	1.15E-02	6.70E-08	1.0E+06	6.7E-02
335	4.00318	5.42E-03	2.2E-02	2.50E-04	5.43E-06	1.27	1.15E-02	7.92E-08	1.0E+06	7.9E-02
336	4.19322	5.42E-03	2.3E-02	2.50E-04	5.69E-06	1.27	1.15E-02	8.29E-08	1.0E+06	8.3E-02

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	3.21056	5.42E-03	1.7E-02	2.50E-04	4.35E-06	1.27	1.15E-02	6.35E-08	1.0E+06	6.3E-02
338	2.08588	5.42E-03	1.1E-02	2.50E-04	2.83E-06	1.27	1.15E-02	4.12E-08	1.0E+06	4.1E-02
339	1.12173	5.42E-03	6.1E-03	2.50E-04	1.52E-06	1.27	1.15E-02	2.22E-08	1.0E+06	2.2E-02
340	0.88298	5.42E-03	4.8E-03	2.50E-04	1.20E-06	1.27	1.15E-02	1.75E-08	1.0E+06	1.7E-02
341	0.71212	5.42E-03	3.9E-03	2.50E-04	9.66E-07	1.27	1.15E-02	1.41E-08	1.0E+06	1.4E-02
349	0.58267	5.42E-03	3.2E-03	2.50E-04	7.90E-07	1.27	1.15E-02	1.15E-08	1.0E+06	1.2E-02
350	0.81078	5.42E-03	4.4E-03	2.50E-04	1.10E-06	1.27	1.15E-02	1.60E-08	1.0E+06	1.6E-02
351	1.26255	5.42E-03	6.8E-03	2.50E-04	1.71E-06	1.27	1.15E-02	2.50E-08	1.0E+06	2.5E-02
352	2.80392	5.42E-03	1.5E-02	2.50E-04	3.80E-06	1.27	1.15E-02	5.54E-08	1.0E+06	5.5E-02
353	1.33683	5.42E-03	7.2E-03	2.50E-04	1.81E-06	1.27	1.15E-02	2.64E-08	1.0E+06	2.6E-02
354	1.01027	5.42E-03	5.5E-03	2.50E-04	1.37E-06	1.27	1.15E-02	2.00E-08	1.0E+06	2.0E-02
355	0.79025	5.42E-03	4.3E-03	2.50E-04	1.07E-06	1.27	1.15E-02	1.56E-08	1.0E+06	1.6E-02
364	0.8989	5.42E-03	4.9E-03	2.50E-04	1.22E-06	1.27	1.15E-02	1.78E-08	1.0E+06	1.8E-02
365	1.43359	5.42E-03	7.8E-03	2.50E-04	1.94E-06	1.27	1.15E-02	2.83E-08	1.0E+06	2.8E-02
366	3.08958	5.42E-03	1.7E-02	2.50E-04	4.19E-06	1.27	1.15E-02	6.11E-08	1.0E+06	6.1E-02
367	1.52938	5.42E-03	8.3E-03	2.50E-04	2.07E-06	1.27	1.15E-02	3.02E-08	1.0E+06	3.0E-02
368	1.11609	5.42E-03	6.0E-03	2.50E-04	1.51E-06	1.27	1.15E-02	2.21E-08	1.0E+06	2.2E-02
369	0.85077	5.42E-03	4.6E-03	2.50E-04	1.15E-06	1.27	1.15E-02	1.68E-08	1.0E+06	1.7E-02
377	0.9313	5.42E-03	5.0E-03	2.50E-04	1.26E-06	1.27	1.15E-02	1.84E-08	1.0E+06	1.8E-02
378	1.45535	5.42E-03	7.9E-03	2.50E-04	1.97E-06	1.27	1.15E-02	2.88E-08	1.0E+06	2.9E-02
379	2.78384	5.42E-03	1.5E-02	2.50E-04	3.77E-06	1.27	1.15E-02	5.50E-08	1.0E+06	5.5E-02
380	1.68983	5.42E-03	9.2E-03	2.50E-04	2.29E-06	1.27	1.15E-02	3.34E-08	1.0E+06	3.3E-02
381	1.18947	5.42E-03	6.4E-03	2.50E-04	1.61E-06	1.27	1.15E-02	2.35E-08	1.0E+06	2.4E-02
382	0.88725	5.42E-03	4.8E-03	2.50E-04	1.20E-06	1.27	1.15E-02	1.75E-08	1.0E+06	1.8E-02
391	1.4046	5.42E-03	7.6E-03	2.50E-04	1.90E-06	1.27	1.15E-02	2.78E-08	1.0E+06	2.8E-02
392	2.4607	5.42E-03	1.3E-02	2.50E-04	3.34E-06	1.27	1.15E-02	4.87E-08	1.0E+06	4.9E-02
393	1.8176	5.42E-03	9.8E-03	2.50E-04	2.46E-06	1.27	1.15E-02	3.59E-08	1.0E+06	3.6E-02
394	1.23835	5.42E-03	6.7E-03	2.50E-04	1.68E-06	1.27	1.15E-02	2.45E-08	1.0E+06	2.4E-02
395	0.90088	5.42E-03	4.9E-03	2.50E-04	1.22E-06	1.27	1.15E-02	1.78E-08	1.0E+06	1.8E-02
405	1.31359	5.42E-03	7.1E-03	2.50E-04	1.78E-06	1.27	1.15E-02	2.60E-08	1.0E+06	2.6E-02
406	2.19931	5.42E-03	1.2E-02	2.50E-04	2.98E-06	1.27	1.15E-02	4.35E-08	1.0E+06	4.3E-02

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	4.63115	5.42E-03	2.5E-02	2.50E-04	6.28E-06	1.27	1.15E-02	9.16E-08	1.0E+06	9.2E-02
408	1.90593	5.42E-03	1.0E-02	2.50E-04	2.58E-06	1.27	1.15E-02	3.77E-08	1.0E+06	3.8E-02
409	1.24613	5.42E-03	6.8E-03	2.50E-04	1.69E-06	1.27	1.15E-02	2.46E-08	1.0E+06	2.5E-02
410	0.886	5.42E-03	4.8E-03	2.50E-04	1.20E-06	1.27	1.15E-02	1.75E-08	1.0E+06	1.8E-02
421	1.91514	5.42E-03	1.0E-02	2.50E-04	2.60E-06	1.27	1.15E-02	3.79E-08	1.0E+06	3.8E-02
422	3.65027	5.42E-03	2.0E-02	2.50E-04	4.95E-06	1.27	1.15E-02	7.22E-08	1.0E+06	7.2E-02
423	1.91636	5.42E-03	1.0E-02	2.50E-04	2.60E-06	1.27	1.15E-02	3.79E-08	1.0E+06	3.8E-02
424	1.20342	5.42E-03	6.5E-03	2.50E-04	1.63E-06	1.27	1.15E-02	2.38E-08	1.0E+06	2.4E-02
425	0.83643	5.42E-03	4.5E-03	2.50E-04	1.13E-06	1.27	1.15E-02	1.65E-08	1.0E+06	1.7E-02
435	1.61923	5.42E-03	8.8E-03	2.50E-04	2.20E-06	1.27	1.15E-02	3.20E-08	1.0E+06	3.2E-02
436	2.89227	5.42E-03	1.6E-02	2.50E-04	3.92E-06	1.27	1.15E-02	5.72E-08	1.0E+06	5.7E-02
437	1.10318	5.42E-03	6.0E-03	2.50E-04	1.50E-06	1.27	1.15E-02	2.18E-08	1.0E+06	2.2E-02
438	0.75637	5.42E-03	4.1E-03	2.50E-04	1.03E-06	1.27	1.15E-02	1.50E-08	1.0E+06	1.5E-02
449	1.33397	5.42E-03	7.2E-03	2.50E-04	1.81E-06	1.27	1.15E-02	2.64E-08	1.0E+06	2.6E-02
450	2.22681	5.42E-03	1.2E-02	2.50E-04	3.02E-06	1.27	1.15E-02	4.40E-08	1.0E+06	4.4E-02
451	4.62436	5.42E-03	2.5E-02	2.50E-04	6.27E-06	1.27	1.15E-02	9.14E-08	1.0E+06	9.1E-02
452	0.96539	5.42E-03	5.2E-03	2.50E-04	1.31E-06	1.27	1.15E-02	1.91E-08	1.0E+06	1.9E-02
453	0.67079	5.42E-03	3.6E-03	2.50E-04	9.10E-07	1.27	1.15E-02	1.33E-08	1.0E+06	1.3E-02
464	1.65812	5.42E-03	9.0E-03	2.50E-04	2.25E-06	1.27	1.15E-02	3.28E-08	1.0E+06	3.3E-02
465	2.88781	5.42E-03	1.6E-02	2.50E-04	3.92E-06	1.27	1.15E-02	5.71E-08	1.0E+06	5.7E-02
466	2.30461	5.42E-03	1.2E-02	2.50E-04	3.12E-06	1.27	1.15E-02	4.56E-08	1.0E+06	4.6E-02
467	0.84856	5.42E-03	4.6E-03	2.50E-04	1.15E-06	1.27	1.15E-02	1.68E-08	1.0E+06	1.7E-02
468	0.60039	5.42E-03	3.3E-03	2.50E-04	8.14E-07	1.27	1.15E-02	1.19E-08	1.0E+06	1.2E-02
479	1.21759	5.42E-03	6.6E-03	2.50E-04	1.65E-06	1.27	1.15E-02	2.41E-08	1.0E+06	2.4E-02
480	1.86979	5.42E-03	1.0E-02	2.50E-04	2.54E-06	1.27	1.15E-02	3.70E-08	1.0E+06	3.7E-02
481	2.84538	5.42E-03	1.5E-02	2.50E-04	3.86E-06	1.27	1.15E-02	5.63E-08	1.0E+06	5.6E-02
482	3.42499	5.42E-03	1.9E-02	2.50E-04	4.64E-06	1.27	1.15E-02	6.77E-08	1.0E+06	6.8E-02
483	3.23006	5.42E-03	1.8E-02	2.50E-04	4.38E-06	1.27	1.15E-02	6.39E-08	1.0E+06	6.4E-02
484	2.58437	5.42E-03	1.4E-02	2.50E-04	3.50E-06	1.27	1.15E-02	5.11E-08	1.0E+06	5.1E-02
485	1.75683	5.42E-03	9.5E-03	2.50E-04	2.38E-06	1.27	1.15E-02	3.47E-08	1.0E+06	3.5E-02
486	1.13314	5.42E-03	6.1E-03	2.50E-04	1.54E-06	1.27	1.15E-02	2.24E-08	1.0E+06	2.2E-02

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.7631	5.42E-03	4.1E-03	2.50E-04	1.03E-06	1.27	1.15E-02	1.51E-08	1.0E+06	1.5E-02
488	0.54606	5.42E-03	3.0E-03	2.50E-04	7.40E-07	1.27	1.15E-02	1.08E-08	1.0E+06	1.1E-02
501	1.30182	5.42E-03	7.1E-03	2.50E-04	1.77E-06	1.27	1.15E-02	2.57E-08	1.0E+06	2.6E-02
502	1.78968	5.42E-03	9.7E-03	2.50E-04	2.43E-06	1.27	1.15E-02	3.54E-08	1.0E+06	3.5E-02
503	2.11833	5.42E-03	1.1E-02	2.50E-04	2.87E-06	1.27	1.15E-02	4.19E-08	1.0E+06	4.2E-02
504	2.109	5.42E-03	1.1E-02	2.50E-04	2.86E-06	1.27	1.15E-02	4.17E-08	1.0E+06	4.2E-02
505	1.81239	5.42E-03	9.8E-03	2.50E-04	2.46E-06	1.27	1.15E-02	3.58E-08	1.0E+06	3.6E-02
506	1.37606	5.42E-03	7.5E-03	2.50E-04	1.87E-06	1.27	1.15E-02	2.72E-08	1.0E+06	2.7E-02
507	0.97652	5.42E-03	5.3E-03	2.50E-04	1.32E-06	1.27	1.15E-02	1.93E-08	1.0E+06	1.9E-02
508	0.50352	5.42E-03	2.7E-03	2.50E-04	6.83E-07	1.27	1.15E-02	9.96E-09	1.0E+06	1.0E-02
520	0.97704	5.42E-03	5.3E-03	2.50E-04	1.32E-06	1.27	1.15E-02	1.93E-08	1.0E+06	1.9E-02
521	1.24017	5.42E-03	6.7E-03	2.50E-04	1.68E-06	1.27	1.15E-02	2.45E-08	1.0E+06	2.5E-02
522	1.45908	5.42E-03	7.9E-03	2.50E-04	1.98E-06	1.27	1.15E-02	2.89E-08	1.0E+06	2.9E-02
523	1.49343	5.42E-03	8.1E-03	2.50E-04	2.03E-06	1.27	1.15E-02	2.95E-08	1.0E+06	3.0E-02
524	1.35139	5.42E-03	7.3E-03	2.50E-04	1.83E-06	1.27	1.15E-02	2.67E-08	1.0E+06	2.7E-02
525	1.10148	5.42E-03	6.0E-03	2.50E-04	1.49E-06	1.27	1.15E-02	2.18E-08	1.0E+06	2.2E-02
526	0.83827	5.42E-03	4.5E-03	2.50E-04	1.14E-06	1.27	1.15E-02	1.66E-08	1.0E+06	1.7E-02
527	0.46595	5.42E-03	2.5E-03	2.50E-04	6.32E-07	1.27	1.15E-02	9.21E-09	1.0E+06	9.2E-03
539	0.76251	5.42E-03	4.1E-03	2.50E-04	1.03E-06	1.27	1.15E-02	1.51E-08	1.0E+06	1.5E-02
540	0.93408	5.42E-03	5.1E-03	2.50E-04	1.27E-06	1.27	1.15E-02	1.85E-08	1.0E+06	1.8E-02
541	1.06684	5.42E-03	5.8E-03	2.50E-04	1.45E-06	1.27	1.15E-02	2.11E-08	1.0E+06	2.1E-02
542	1.10934	5.42E-03	6.0E-03	2.50E-04	1.50E-06	1.27	1.15E-02	2.19E-08	1.0E+06	2.2E-02
543	1.04535	5.42E-03	5.7E-03	2.50E-04	1.42E-06	1.27	1.15E-02	2.07E-08	1.0E+06	2.1E-02
544	0.89638	5.42E-03	4.9E-03	2.50E-04	1.22E-06	1.27	1.15E-02	1.77E-08	1.0E+06	1.8E-02
545	0.7165	5.42E-03	3.9E-03	2.50E-04	9.72E-07	1.27	1.15E-02	1.42E-08	1.0E+06	1.4E-02
546	0.43046	5.42E-03	2.3E-03	2.50E-04	5.84E-07	1.27	1.15E-02	8.51E-09	1.0E+06	8.5E-03
560	0.72857	5.42E-03	3.9E-03	2.50E-04	9.88E-07	1.27	1.15E-02	1.44E-08	1.0E+06	1.4E-02
561	0.82397	5.42E-03	4.5E-03	2.50E-04	1.12E-06	1.27	1.15E-02	1.63E-08	1.0E+06	1.6E-02
562	0.86183	5.42E-03	4.7E-03	2.50E-04	1.17E-06	1.27	1.15E-02	1.70E-08	1.0E+06	1.7E-02
563	0.82465	5.42E-03	4.5E-03	2.50E-04	1.12E-06	1.27	1.15E-02	1.63E-08	1.0E+06	1.6E-02
564	0.73798	5.42E-03	4.0E-03	2.50E-04	1.00E-06	1.27	1.15E-02	1.46E-08	1.0E+06	1.5E-02

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.62155	5.42E-03	3.4E-03	2.50E-04	8.43E-07	1.27	1.15E-02	1.23E-08	1.0E+06	1.2E-02
566	0.39856	5.42E-03	2.2E-03	2.50E-04	5.40E-07	1.27	1.15E-02	7.88E-09	1.0E+06	7.9E-03
579	0.58491	5.42E-03	3.2E-03	2.50E-04	7.93E-07	1.27	1.15E-02	1.16E-08	1.0E+06	1.2E-02
580	0.65452	5.42E-03	3.5E-03	2.50E-04	8.88E-07	1.27	1.15E-02	1.29E-08	1.0E+06	1.3E-02
581	0.68893	5.42E-03	3.7E-03	2.50E-04	9.34E-07	1.27	1.15E-02	1.36E-08	1.0E+06	1.4E-02
582	0.67572	5.42E-03	3.7E-03	2.50E-04	9.16E-07	1.27	1.15E-02	1.34E-08	1.0E+06	1.3E-02
583	0.61931	5.42E-03	3.4E-03	2.50E-04	8.40E-07	1.27	1.15E-02	1.22E-08	1.0E+06	1.2E-02
584	0.536	5.42E-03	2.9E-03	2.50E-04	7.27E-07	1.27	1.15E-02	1.06E-08	1.0E+06	1.1E-02
585	0.42093	5.42E-03	2.3E-03	2.50E-04	5.71E-07	1.27	1.15E-02	8.32E-09	1.0E+06	8.3E-03
598	0.48095	5.42E-03	2.6E-03	2.50E-04	6.52E-07	1.27	1.15E-02	9.51E-09	1.0E+06	9.5E-03
599	0.53269	5.42E-03	2.9E-03	2.50E-04	7.22E-07	1.27	1.15E-02	1.05E-08	1.0E+06	1.1E-02
600	0.56185	5.42E-03	3.0E-03	2.50E-04	7.62E-07	1.27	1.15E-02	1.11E-08	1.0E+06	1.1E-02
601	0.55903	5.42E-03	3.0E-03	2.50E-04	7.58E-07	1.27	1.15E-02	1.11E-08	1.0E+06	1.1E-02
602	0.52451	5.42E-03	2.8E-03	2.50E-04	7.11E-07	1.27	1.15E-02	1.04E-08	1.0E+06	1.0E-02
603	0.46791	5.42E-03	2.5E-03	2.50E-04	6.34E-07	1.27	1.15E-02	9.25E-09	1.0E+06	9.3E-03
604	0.40063	5.42E-03	2.2E-03	2.50E-04	5.43E-07	1.27	1.15E-02	7.92E-09	1.0E+06	7.9E-03
0	0	5.42E-03	0.0E+00	2.50E-04	0.00E+00	1.27	1.15E-02	0.00E+00	1.0E+06	0.0E+00
0	0	5.42E-03	0.0E+00	2.50E-04	0.00E+00	1.27	1.15E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
1	1	3.4E-02	5	3.28E-05	
2	2	3.5E-02	5	3.38E-05	
3	3	3.6E-02	5	3.48E-05	
4	4	3.8E-02	5	3.59E-05	
5	5	3.9E-02	5	3.71E-05	
6	6	4.0E-02	5	3.83E-05	
7	7	4.1E-02	5	3.95E-05	
8	8	4.3E-02	5	4.09E-05	
9	9	4.4E-02	5	4.22E-05	
10	10	4.6E-02	5	4.37E-05	
11	11	4.7E-02	5	4.52E-05	
12	12	4.9E-02	5	4.67E-05	
13	13	5.0E-02	5	4.83E-05	
14	14	5.2E-02	5	5.00E-05	
15	15	5.4E-02	5	5.17E-05	
16	16	5.6E-02	5	5.34E-05	
17	17	5.8E-02	5	5.52E-05	
18	18	5.9E-02	5	5.69E-05	
19	19	6.1E-02	5	5.87E-05	
20	20	6.3E-02	5	6.05E-05	
21	21	6.5E-02	5	6.22E-05	
22	22	6.7E-02	5	6.38E-05	
23	23	6.8E-02	5	6.54E-05	
24	24	7.0E-02	5	6.68E-05	
25	25	7.1E-02	5	6.81E-05	
26	26	7.2E-02	5	6.92E-05	
27	27	7.3E-02	5	7.00E-05	
28	28	7.4E-02	5	7.07E-05	
29	29	7.4E-02	5	7.11E-05	
30	30	7.4E-02	5	7.14E-05	
31	31	7.5E-02	5	7.14E-05	

Max	Receptor #	
0.850	519	Res
1.339	420	School
0.092	407	Worker

Max	Receptor #	
8.143E-04	519	Res
1.282E-03	420	School
5.018E-03	407	Worker

Via Oro
Building Construction

		<i>Max Cancer Risk</i>		<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million		REL	HI Offroad
32	32	7.4E-02		5	7.12E-05
55	55	7.2E-02		5	6.92E-05
56	56	7.4E-02		5	7.11E-05
57	57	7.6E-02		5	7.27E-05
58	58	7.7E-02		5	7.42E-05
59	59	7.9E-02		5	7.55E-05
60	60	8.0E-02		5	7.65E-05
61	61	8.1E-02		5	7.72E-05
62	62	8.1E-02		5	7.77E-05
63	63	8.1E-02		5	7.79E-05
64	64	8.1E-02		5	7.79E-05
65	65	8.1E-02		5	7.76E-05
66	66	8.1E-02		5	7.72E-05
67	67	3.7E-02		5	3.55E-05
68	68	3.8E-02		5	3.67E-05
69	69	4.0E-02		5	3.80E-05
70	70	4.1E-02		5	3.93E-05
71	71	4.3E-02		5	4.07E-05
72	72	4.4E-02		5	4.22E-05
73	73	4.6E-02		5	4.37E-05
74	74	4.7E-02		5	4.54E-05
75	75	4.9E-02		5	4.70E-05
76	76	5.1E-02		5	4.88E-05
77	77	5.3E-02		5	5.07E-05
78	78	5.5E-02		5	5.27E-05
79	79	6.6E-02		5	6.37E-05
80	80	6.9E-02		5	6.61E-05
81	81	7.1E-02		5	6.85E-05
82	82	7.4E-02		5	7.09E-05
83	83	7.6E-02		5	7.32E-05
84	84	7.9E-02		5	7.55E-05

Via Oro
Building Construction

		<i>Max Cancer Risk</i>		<i>Cancer Risk</i>		<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad
85	85	8.1E-02				5	7.76E-05
86	86	8.3E-02				5	7.96E-05
87	87	8.5E-02				5	8.14E-05
88	88	8.7E-02				5	8.29E-05
89	89	8.8E-02				5	8.40E-05
90	90	8.9E-02				5	8.49E-05
91	91	8.9E-02				5	8.54E-05
92	92	8.9E-02				5	8.56E-05
93	93	8.9E-02				5	8.55E-05
96	96	9.0E-02				5	8.64E-05
97	97	9.2E-02				5	8.78E-05
98	98	9.6E-02				5	9.15E-05
99	99	9.7E-02				5	9.29E-05
100	100	9.8E-02				5	9.39E-05
101	101	9.9E-02				5	9.44E-05
102	102	9.9E-02				5	9.46E-05
106	106	3.9E-02				5	3.69E-05
107	107	4.0E-02				5	3.84E-05
108	108	4.2E-02				5	3.99E-05
109	109	4.3E-02				5	4.14E-05
110	110	4.5E-02				5	4.31E-05
111	111	4.7E-02				5	4.48E-05
112	112	4.9E-02				5	4.66E-05
113	113	5.1E-02				5	4.86E-05
114	114	5.3E-02				5	5.06E-05
115	115	5.5E-02				5	5.27E-05
116	116	5.7E-02				5	5.50E-05
117	117	6.0E-02				5	5.74E-05
118	118	6.3E-02				5	5.99E-05
124	124	4.0E-02				5	3.83E-05
125	125	4.2E-02				5	3.99E-05

Via Oro
Building Construction

		<i>Max Cancer Risk</i>		<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million		REL	HI Offroad
126	126	4.3E-02		5	4.15E-05
127	127	4.5E-02		5	4.33E-05
128	128	4.7E-02		5	4.51E-05
129	129	4.9E-02		5	4.70E-05
130	130	5.1E-02		5	4.91E-05
131	131	5.3E-02		5	5.12E-05
132	132	5.6E-02		5	5.35E-05
133	133	5.8E-02		5	5.60E-05
134	134	6.1E-02		5	5.85E-05
135	135	6.4E-02		5	6.13E-05
136	136	6.7E-02		5	6.42E-05
137	137	7.0E-02		5	6.72E-05
138	138	7.4E-02		5	7.05E-05
141	141	4.1E-02		5	3.97E-05
142	142	4.3E-02		5	4.14E-05
143	143	4.5E-02		5	4.32E-05
144	144	4.7E-02		5	4.51E-05
145	145	4.9E-02		5	4.72E-05
146	146	5.1E-02		5	4.93E-05
147	147	5.4E-02		5	5.16E-05
148	148	5.6E-02		5	5.41E-05
149	149	5.9E-02		5	5.67E-05
150	150	6.2E-02		5	5.94E-05
151	151	6.5E-02		5	6.24E-05
152	152	6.8E-02		5	6.55E-05
153	153	7.2E-02		5	6.88E-05
154	154	7.6E-02		5	7.24E-05
155	155	7.9E-02		5	7.61E-05
164	164	8.2E-02		5	7.81E-05
165	165	8.6E-02		5	8.25E-05
166	166	9.1E-02		5	8.73E-05

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
178	178	8.8E-02				5	8.45E-05	
179	179	9.4E-02				5	8.97E-05	
180	180	1.0E-01				5	9.53E-05	
192	192	9.6E-02				5	9.15E-05	
193	193	1.0E-01				5	9.78E-05	
194	194	1.1E-01				5	1.05E-04	
207	207	1.0E-01				5	9.92E-05	
208	208	1.1E-01				5	1.07E-04	
209	209	1.2E-01				5	1.15E-04	
223	223	1.1E-01				5	1.08E-04	
224	224	1.2E-01				5	1.17E-04	
225	225	1.3E-01				5	1.26E-04	
239	239	1.2E-01				5	1.16E-04	
240	240	1.3E-01				5	1.27E-04	
241	241	1.5E-01				5	1.39E-04	
255	255	1.3E-01				5	1.26E-04	
256	256	1.4E-01				5	1.39E-04	
272	272	1.4E-01				5	1.35E-04	
273	273	1.6E-01				5	1.50E-04	
289	289	1.5E-01				5	1.44E-04	
290	290	1.7E-01				5	1.62E-04	
306	306	1.6E-01				5	1.53E-04	
307	307	1.8E-01				5	1.73E-04	
323	323	1.7E-01				5	1.61E-04	
324	324	1.9E-01				5	1.83E-04	
342	342	1.7E-01				5	1.67E-04	
343	343	2.0E-01				5	1.91E-04	
344	344	2.3E-01				5	2.22E-04	
356	356	1.8E-01				5	1.71E-04	
357	357	2.1E-01				5	1.97E-04	
358	358	2.4E-01				5	2.30E-04	

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
370	370	1.8E-01	5	1.73E-04	
371	371	2.1E-01	5	2.00E-04	
372	372	2.4E-01	5	2.34E-04	
383	383	1.8E-01	5	1.73E-04	
384	384	2.1E-01	5	2.00E-04	
385	385	2.4E-01	5	2.34E-04	
396	396	1.8E-01	5	1.71E-04	
397	397	2.1E-01	5	1.98E-04	
398	398	2.4E-01	5	2.31E-04	
399	399	2.9E-01	5	2.75E-04	
411	411	1.7E-01	5	1.67E-04	
412	412	2.0E-01	5	1.93E-04	
413	413	2.4E-01	5	2.25E-04	
414	414	2.8E-01	5	2.67E-04	
426	426	1.7E-01	5	1.62E-04	
427	427	1.9E-01	5	1.86E-04	
428	428	2.3E-01	5	2.17E-04	
429	429	2.7E-01	5	2.55E-04	
439	439	1.6E-01	5	1.56E-04	
440	440	1.9E-01	5	1.79E-04	
441	441	2.2E-01	5	2.06E-04	
442	442	2.5E-01	5	2.42E-04	
443	443	3.0E-01	5	2.87E-04	
454	454	1.6E-01	5	1.49E-04	
455	455	1.8E-01	5	1.70E-04	
456	456	2.0E-01	5	1.95E-04	
457	457	2.4E-01	5	2.27E-04	
458	458	2.8E-01	5	2.67E-04	
469	469	1.5E-01	5	1.42E-04	
470	470	1.7E-01	5	1.61E-04	
471	471	1.9E-01	5	1.83E-04	

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
472	472	2.2E-01	5	2.11E-04	
473	473	2.6E-01	5	2.46E-04	
489	489	1.4E-01	5	1.35E-04	
490	490	1.6E-01	5	1.51E-04	
491	491	1.8E-01	5	1.71E-04	
492	492	2.0E-01	5	1.96E-04	
493	493	2.4E-01	5	2.26E-04	
494	494	2.8E-01	5	2.64E-04	
509	509	1.3E-01	5	1.27E-04	
510	510	1.5E-01	5	1.42E-04	
511	511	1.7E-01	5	1.60E-04	
512	512	1.9E-01	5	1.81E-04	
513	513	2.2E-01	5	2.07E-04	
514	514	2.5E-01	5	2.39E-04	
515	515	3.5E-01	5	3.32E-04	
516	516	4.2E-01	5	4.01E-04	
517	517	5.2E-01	5	4.95E-04	
518	518	6.5E-01	5	6.27E-04	
519	519	8.5E-01	5	8.14E-04	
528	528	1.3E-01	5	1.20E-04	
529	529	1.4E-01	5	1.33E-04	
530	530	1.6E-01	5	1.49E-04	
531	531	1.7E-01	5	1.67E-04	
532	532	2.0E-01	5	1.90E-04	
533	533	2.3E-01	5	2.17E-04	
534	534	3.1E-01	5	2.94E-04	
535	535	3.6E-01	5	3.49E-04	
536	536	4.4E-01	5	4.23E-04	
537	537	5.4E-01	5	5.22E-04	
538	538	6.8E-01	5	6.55E-04	
547	547	1.2E-01	5	1.13E-04	

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
548	548	1.3E-01	5	1.25E-04	
549	549	1.4E-01	5	1.39E-04	
550	550	1.6E-01	5	1.55E-04	
551	551	1.8E-01	5	1.74E-04	
552	552	2.1E-01	5	1.97E-04	
553	553	2.4E-01	5	2.25E-04	
554	554	2.7E-01	5	2.61E-04	
555	555	3.2E-01	5	3.06E-04	
556	556	3.8E-01	5	3.65E-04	
557	557	4.6E-01	5	4.41E-04	
558	558	5.7E-01	5	5.41E-04	
559	559	6.9E-01	5	6.62E-04	
567	567	1.1E-01	5	1.07E-04	
568	568	1.2E-01	5	1.17E-04	
569	569	1.3E-01	5	1.29E-04	
570	570	1.5E-01	5	1.43E-04	
571	571	1.7E-01	5	1.59E-04	
572	572	1.9E-01	5	1.79E-04	
573	573	2.1E-01	5	2.03E-04	
574	574	2.8E-01	5	2.70E-04	
575	575	3.3E-01	5	3.18E-04	
576	576	4.0E-01	5	3.78E-04	
577	577	4.7E-01	5	4.54E-04	
578	578	5.7E-01	5	5.43E-04	
586	586	1.0E-01	5	1.00E-04	
587	587	1.1E-01	5	1.09E-04	
588	588	1.3E-01	5	1.20E-04	
589	589	1.4E-01	5	1.32E-04	
590	590	1.5E-01	5	1.46E-04	
591	591	1.7E-01	5	1.63E-04	
592	592	1.9E-01	5	1.84E-04	

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
593	593	2.5E-01	5	2.39E-04	
594	594	2.9E-01	5	2.79E-04	
595	595	3.4E-01	5	3.27E-04	
596	596	4.0E-01	5	3.86E-04	
597	597	4.7E-01	5	4.53E-04	
345	345	2.7E-01	5	2.62E-04	
346	346	3.3E-01	5	3.13E-04	
347	347	4.0E-01	5	3.84E-04	
348	348	5.0E-01	5	4.83E-04	
359	359	2.8E-01	5	2.72E-04	
360	360	3.4E-01	5	3.29E-04	
361	361	4.2E-01	5	4.06E-04	
362	362	5.4E-01	5	5.17E-04	
363	363	7.2E-01	5	6.87E-04	
373	373	3.5E-01	5	3.37E-04	
374	374	4.4E-01	5	4.18E-04	
375	375	5.6E-01	5	5.34E-04	
376	376	7.4E-01	5	7.11E-04	
386	386	3.5E-01	5	3.39E-04	
387	387	4.4E-01	5	4.20E-04	
388	388	5.6E-01	5	5.36E-04	
389	389	7.4E-01	5	7.11E-04	
390	390	1.0E+00	5	1.00E-03	
400	400	3.5E-01	5	3.33E-04	
401	401	4.3E-01	5	4.11E-04	
402	402	5.5E-01	5	5.24E-04	
403	403	7.2E-01	5	6.89E-04	
404	404	9.9E-01	5	9.52E-04	
415	415	3.4E-01	5	3.22E-04	
416	416	4.1E-01	5	3.96E-04	
417	417	5.2E-01	5	4.99E-04	

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
418	418	6.8E-01	5	6.52E-04	
419	419	9.3E-01	5	8.90E-04	
420	420	1.3E+00	5	1.28E-03	
430	430	3.9E-01	5	3.73E-04	
431	431	4.9E-01	5	4.67E-04	
432	432	6.3E-01	5	6.01E-04	
433	433	8.4E-01	5	8.06E-04	
434	434	1.2E+00	5	1.15E-03	
444	444	3.6E-01	5	3.47E-04	
445	445	4.5E-01	5	4.28E-04	
446	446	5.7E-01	5	5.43E-04	
447	447	7.5E-01	5	7.14E-04	
448	448	1.0E+00	5	9.86E-04	
459	459	4.1E-01	5	3.88E-04	
460	460	5.1E-01	5	4.84E-04	
461	461	6.5E-01	5	6.22E-04	
462	462	8.7E-01	5	8.33E-04	
463	463	1.2E+00	5	1.17E-03	
474	474	3.6E-01	5	3.49E-04	
475	475	4.5E-01	5	4.28E-04	
476	476	5.6E-01	5	5.38E-04	
477	477	7.3E-01	5	6.97E-04	
478	478	9.8E-01	5	9.41E-04	
495	495	3.3E-01	5	3.13E-04	
496	496	3.9E-01	5	3.77E-04	
497	497	4.8E-01	5	4.64E-04	
498	498	6.1E-01	5	5.86E-04	
499	499	8.0E-01	5	7.62E-04	
500	500	1.1E+00	5	1.03E-03	

Via Oro
Building Construction

		<i>Max Cancer Risk</i>		<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million		REL	HI Offroad
139	139	1.3E-03		5	7.39E-05
140	140	1.4E-03		5	7.75E-05
156	156	1.5E-03		5	8.01E-05
157	157	1.5E-03		5	8.44E-05
158	158	1.6E-03		5	8.88E-05
159	159	1.7E-03		5	9.35E-05
160	160	1.8E-03		5	9.83E-05
161	161	2.0E-03		5	1.08E-04
162	162	2.1E-03		5	1.13E-04
163	163	2.2E-03		5	1.18E-04
167	167	1.7E-03		5	9.22E-05
168	168	1.8E-03		5	9.76E-05
169	169	1.9E-03		5	1.03E-04
170	170	2.0E-03		5	1.09E-04
171	171	2.1E-03		5	1.15E-04
172	172	2.2E-03		5	1.21E-04
173	173	2.3E-03		5	1.28E-04
174	174	2.4E-03		5	1.34E-04
175	175	2.5E-03		5	1.39E-04
176	176	2.6E-03		5	1.44E-04
177	177	2.7E-03		5	1.48E-04
181	181	2.0E-03		5	1.08E-04
182	182	2.1E-03		5	1.15E-04
183	183	2.2E-03		5	1.22E-04
184	184	2.4E-03		5	1.30E-04
185	185	2.5E-03		5	1.37E-04
186	186	2.7E-03		5	1.45E-04
187	187	2.8E-03		5	1.53E-04
188	188	2.9E-03		5	1.60E-04
189	189	3.0E-03		5	1.67E-04
190	190	3.1E-03		5	1.72E-04

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
191	191	3.2E-03	5	1.75E-04	
195	195	2.2E-03	5	1.20E-04	
196	196	2.3E-03	5	1.28E-04	
197	197	2.5E-03	5	1.37E-04	
198	198	2.7E-03	5	1.47E-04	
199	199	2.9E-03	5	1.57E-04	
200	200	3.1E-03	5	1.67E-04	
201	201	3.2E-03	5	1.77E-04	
202	202	3.4E-03	5	1.87E-04	
203	203	3.6E-03	5	1.95E-04	
204	204	3.7E-03	5	2.02E-04	
205	205	3.8E-03	5	2.07E-04	
206	206	3.8E-03	5	2.09E-04	
210	210	2.3E-03	5	1.24E-04	
211	211	2.4E-03	5	1.34E-04	
212	212	2.6E-03	5	1.44E-04	
213	213	2.8E-03	5	1.56E-04	
214	214	3.3E-03	5	1.82E-04	
215	215	3.6E-03	5	1.95E-04	
216	216	3.8E-03	5	2.09E-04	
217	217	4.0E-03	5	2.22E-04	
218	218	4.3E-03	5	2.33E-04	
219	219	4.4E-03	5	2.42E-04	
220	220	4.5E-03	5	2.48E-04	
221	221	4.6E-03	5	2.51E-04	
222	222	4.6E-03	5	2.50E-04	
226	226	2.5E-03	5	1.38E-04	
227	227	2.7E-03	5	1.50E-04	
228	228	3.0E-03	5	1.64E-04	
229	229	3.3E-03	5	1.79E-04	
230	230	3.6E-03	5	1.95E-04	

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
231	231	3.9E-03	5	2.12E-04	
232	232	4.2E-03	5	2.31E-04	
233	233	4.9E-03	5	2.68E-04	
234	234	5.2E-03	5	2.84E-04	
235	235	5.4E-03	5	2.97E-04	
236	236	5.6E-03	5	3.05E-04	
237	237	5.6E-03	5	3.08E-04	
238	238	5.6E-03	5	3.06E-04	
242	242	2.8E-03	5	1.53E-04	
243	243	3.1E-03	5	1.69E-04	
244	244	3.4E-03	5	1.86E-04	
245	245	3.8E-03	5	2.06E-04	
246	246	4.2E-03	5	2.28E-04	
247	247	4.6E-03	5	2.52E-04	
248	248	5.1E-03	5	2.79E-04	
249	249	6.1E-03	5	3.33E-04	
250	250	6.5E-03	5	3.56E-04	
251	251	6.8E-03	5	3.74E-04	
252	252	7.0E-03	5	3.86E-04	
253	253	7.1E-03	5	3.89E-04	
254	254	7.0E-03	5	3.84E-04	
257	257	3.1E-03	5	1.70E-04	
258	258	3.5E-03	5	1.90E-04	
259	259	3.9E-03	5	2.13E-04	
260	260	4.3E-03	5	2.38E-04	
261	261	4.9E-03	5	2.70E-04	
262	262	5.6E-03	5	3.05E-04	
263	263	6.3E-03	5	3.43E-04	
264	264	7.8E-03	5	4.27E-04	
265	265	8.5E-03	5	4.64E-04	
266	266	9.0E-03	5	4.92E-04	

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
267	267	9.3E-03	5	5.08E-04	
268	268	9.3E-03	5	5.09E-04	
269	269	9.1E-03	5	4.98E-04	
270	270	7.7E-03	5	4.23E-04	
271	271	7.2E-03	5	3.93E-04	
274	274	3.5E-03	5	1.89E-04	
275	275	3.9E-03	5	2.14E-04	
276	276	4.5E-03	5	2.44E-04	
277	277	5.1E-03	5	2.79E-04	
278	278	5.9E-03	5	3.23E-04	
279	279	6.8E-03	5	3.74E-04	
280	280	7.9E-03	5	4.31E-04	
281	281	1.0E-02	5	5.69E-04	
282	282	1.2E-02	5	6.32E-04	
283	283	1.2E-02	5	6.79E-04	
284	284	1.3E-02	5	7.04E-04	
285	285	1.3E-02	5	7.01E-04	
286	286	1.2E-02	5	6.73E-04	
287	287	9.6E-03	5	5.26E-04	
288	288	8.7E-03	5	4.76E-04	
291	291	3.8E-03	5	2.09E-04	
292	292	4.4E-03	5	2.40E-04	
293	293	5.1E-03	5	2.79E-04	
294	294	6.0E-03	5	3.27E-04	
295	295	7.1E-03	5	3.87E-04	
296	296	8.5E-03	5	4.64E-04	
297	297	1.0E-02	5	5.63E-04	
298	298	1.5E-02	5	8.11E-04	
299	299	1.7E-02	5	9.36E-04	
300	300	1.9E-02	5	1.02E-03	
301	301	1.9E-02	5	1.06E-03	

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
302	302	1.9E-02	5	1.04E-03	
303	303	1.7E-02	5	9.57E-04	
304	304	1.2E-02	5	6.56E-04	
305	305	1.0E-02	5	5.72E-04	
308	308	4.2E-03	5	2.28E-04	
309	309	4.9E-03	5	2.67E-04	
310	310	5.8E-03	5	3.16E-04	
311	311	6.9E-03	5	3.80E-04	
312	312	8.5E-03	5	4.67E-04	
313	313	1.1E-02	5	5.87E-04	
314	314	1.4E-02	5	7.59E-04	
315	315	2.4E-02	5	1.30E-03	
316	316	2.9E-02	5	1.60E-03	
317	317	3.3E-02	5	1.80E-03	
318	318	3.4E-02	5	1.86E-03	
319	319	3.1E-02	5	1.71E-03	
320	320	2.6E-02	5	1.45E-03	
321	321	1.5E-02	5	8.05E-04	
322	322	1.2E-02	5	6.74E-04	
325	325	4.5E-03	5	2.46E-04	
326	326	5.3E-03	5	2.92E-04	
327	327	6.4E-03	5	3.52E-04	
328	328	7.9E-03	5	4.34E-04	
329	329	1.0E-02	5	5.51E-04	
330	330	1.3E-02	5	7.35E-04	
331	331	1.9E-02	5	1.05E-03	
332	332	3.0E-02	5	1.66E-03	
333	333	4.9E-02	5	2.71E-03	
334	334	6.7E-02	5	3.67E-03	
335	335	7.9E-02	5	4.34E-03	
336	336	8.3E-02	5	4.54E-03	

Via Oro
Building Construction

		<i>Max Cancer Risk Cancer Risk</i>		<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million		REL	HI Offroad
337	337	6.3E-02		5	3.48E-03
338	338	4.1E-02		5	2.26E-03
339	339	2.2E-02		5	1.22E-03
340	340	1.7E-02		5	9.57E-04
341	341	1.4E-02		5	7.72E-04
349	349	1.2E-02		5	6.31E-04
350	350	1.6E-02		5	8.79E-04
351	351	2.5E-02		5	1.37E-03
352	352	5.5E-02		5	3.04E-03
353	353	2.6E-02		5	1.45E-03
354	354	2.0E-02		5	1.09E-03
355	355	1.6E-02		5	8.56E-04
364	364	1.8E-02		5	9.74E-04
365	365	2.8E-02		5	1.55E-03
366	366	6.1E-02		5	3.35E-03
367	367	3.0E-02		5	1.66E-03
368	368	2.2E-02		5	1.21E-03
369	369	1.7E-02		5	9.22E-04
377	377	1.8E-02		5	1.01E-03
378	378	2.9E-02		5	1.58E-03
379	379	5.5E-02		5	3.02E-03
380	380	3.3E-02		5	1.83E-03
381	381	2.4E-02		5	1.29E-03
382	382	1.8E-02		5	9.61E-04
391	391	2.8E-02		5	1.52E-03
392	392	4.9E-02		5	2.67E-03
393	393	3.6E-02		5	1.97E-03
394	394	2.4E-02		5	1.34E-03
395	395	1.8E-02		5	9.76E-04
405	405	2.6E-02		5	1.42E-03
406	406	4.3E-02		5	2.38E-03

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
407	407	9.2E-02	5	5.02E-03	
408	408	3.8E-02	5	2.07E-03	
409	409	2.5E-02	5	1.35E-03	
410	410	1.8E-02	5	9.60E-04	
421	421	3.8E-02	5	2.08E-03	
422	422	7.2E-02	5	3.96E-03	
423	423	3.8E-02	5	2.08E-03	
424	424	2.4E-02	5	1.30E-03	
425	425	1.7E-02	5	9.06E-04	
435	435	3.2E-02	5	1.75E-03	
436	436	5.7E-02	5	3.13E-03	
437	437	2.2E-02	5	1.20E-03	
438	438	1.5E-02	5	8.20E-04	
449	449	2.6E-02	5	1.45E-03	
450	450	4.4E-02	5	2.41E-03	
451	451	9.1E-02	5	5.01E-03	
452	452	1.9E-02	5	1.05E-03	
453	453	1.3E-02	5	7.27E-04	
464	464	3.3E-02	5	1.80E-03	
465	465	5.7E-02	5	3.13E-03	
466	466	4.6E-02	5	2.50E-03	
467	467	1.7E-02	5	9.19E-04	
468	468	1.2E-02	5	6.51E-04	
479	479	2.4E-02	5	1.32E-03	
480	480	3.7E-02	5	2.03E-03	
481	481	5.6E-02	5	3.08E-03	
482	482	6.8E-02	5	3.71E-03	
483	483	6.4E-02	5	3.50E-03	
484	484	5.1E-02	5	2.80E-03	
485	485	3.5E-02	5	1.90E-03	
486	486	2.2E-02	5	1.23E-03	

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
487	487	1.5E-02	5	8.27E-04	
488	488	1.1E-02	5	5.92E-04	
501	501	2.6E-02	5	1.41E-03	
502	502	3.5E-02	5	1.94E-03	
503	503	4.2E-02	5	2.30E-03	
504	504	4.2E-02	5	2.29E-03	
505	505	3.6E-02	5	1.96E-03	
506	506	2.7E-02	5	1.49E-03	
507	507	1.9E-02	5	1.06E-03	
508	508	1.0E-02	5	5.46E-04	
520	520	1.9E-02	5	1.06E-03	
521	521	2.5E-02	5	1.34E-03	
522	522	2.9E-02	5	1.58E-03	
523	523	3.0E-02	5	1.62E-03	
524	524	2.7E-02	5	1.46E-03	
525	525	2.2E-02	5	1.19E-03	
526	526	1.7E-02	5	9.08E-04	
527	527	9.2E-03	5	5.05E-04	
539	539	1.5E-02	5	8.26E-04	
540	540	1.8E-02	5	1.01E-03	
541	541	2.1E-02	5	1.16E-03	
542	542	2.2E-02	5	1.20E-03	
543	543	2.1E-02	5	1.13E-03	
544	544	1.8E-02	5	9.71E-04	
545	545	1.4E-02	5	7.76E-04	
546	546	8.5E-03	5	4.66E-04	
560	560	1.4E-02	5	7.89E-04	
561	561	1.6E-02	5	8.93E-04	
562	562	1.7E-02	5	9.34E-04	
563	563	1.6E-02	5	8.94E-04	
564	564	1.5E-02	5	8.00E-04	

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
565	565	1.2E-02				5	6.74E-04	
566	566	7.9E-03				5	4.32E-04	
579	579	1.2E-02				5	6.34E-04	
580	580	1.3E-02				5	7.09E-04	
581	581	1.4E-02				5	7.47E-04	
582	582	1.3E-02				5	7.32E-04	
583	583	1.2E-02				5	6.71E-04	
584	584	1.1E-02				5	5.81E-04	
585	585	8.3E-03				5	4.56E-04	
598	598	9.5E-03				5	5.21E-04	
599	599	1.1E-02				5	5.77E-04	
600	600	1.1E-02				5	6.09E-04	
601	601	1.1E-02				5	6.06E-04	
602	602	1.0E-02				5	5.68E-04	
603	603	9.3E-03				5	5.07E-04	
604	604	7.9E-03				5	4.34E-04	
0	0	0.0E+00				5	0.00E+00	
0	0	0.0E+00				5	0.00E+00	

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.03023	2.52E-04	7.6E-06	3.46E-04	2.64E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
2	0.03117	2.52E-04	7.9E-06	3.46E-04	2.72E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
3	0.03214	2.52E-04	8.1E-06	3.46E-04	2.80E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
4	0.03315	2.52E-04	8.4E-06	3.46E-04	2.89E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
5	0.0342	2.52E-04	8.6E-06	3.46E-04	2.98E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
6	0.03532	2.52E-04	8.9E-06	3.46E-04	3.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
7	0.03649	2.52E-04	9.2E-06	3.46E-04	3.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
8	0.0377	2.52E-04	9.5E-06	3.46E-04	3.29E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
9	0.03897	2.52E-04	9.8E-06	3.46E-04	3.40E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
10	0.04029	2.52E-04	1.0E-05	3.46E-04	3.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
11	0.04167	2.52E-04	1.1E-05	3.46E-04	3.63E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
12	0.0431	2.52E-04	1.1E-05	3.46E-04	3.76E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
13	0.04458	2.52E-04	1.1E-05	3.46E-04	3.89E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
14	0.04611	2.52E-04	1.2E-05	3.46E-04	4.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
15	0.04768	2.52E-04	1.2E-05	3.46E-04	4.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
16	0.04927	2.52E-04	1.2E-05	3.46E-04	4.30E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
17	0.0509	2.52E-04	1.3E-05	3.46E-04	4.44E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
18	0.05254	2.52E-04	1.3E-05	3.46E-04	4.58E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
19	0.05417	2.52E-04	1.4E-05	3.46E-04	4.73E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
20	0.05579	2.52E-04	1.4E-05	3.46E-04	4.87E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
21	0.05737	2.52E-04	1.4E-05	3.46E-04	5.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
22	0.05889	2.52E-04	1.5E-05	3.46E-04	5.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
23	0.06032	2.52E-04	1.5E-05	3.46E-04	5.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
24	0.06164	2.52E-04	1.6E-05	3.46E-04	5.38E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
25	0.06282	2.52E-04	1.6E-05	3.46E-04	5.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
26	0.06382	2.52E-04	1.6E-05	3.46E-04	5.57E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
27	0.06464	2.52E-04	1.6E-05	3.46E-04	5.64E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
28	0.06525	2.52E-04	1.6E-05	3.46E-04	5.69E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
29	0.06565	2.52E-04	1.7E-05	3.46E-04	5.73E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
30	0.06585	2.52E-04	1.7E-05	3.46E-04	5.74E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
31	0.06587	2.52E-04	1.7E-05	3.46E-04	5.75E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.06571	2.52E-04	1.7E-05	3.46E-04	5.73E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
55	0.0639	2.52E-04	1.6E-05	3.46E-04	5.57E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
56	0.06557	2.52E-04	1.7E-05	3.46E-04	5.72E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
57	0.06713	2.52E-04	1.7E-05	3.46E-04	5.86E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
58	0.0685	2.52E-04	1.7E-05	3.46E-04	5.98E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
59	0.06967	2.52E-04	1.8E-05	3.46E-04	6.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
60	0.0706	2.52E-04	1.8E-05	3.46E-04	6.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
61	0.07129	2.52E-04	1.8E-05	3.46E-04	6.22E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
62	0.07172	2.52E-04	1.8E-05	3.46E-04	6.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
63	0.07192	2.52E-04	1.8E-05	3.46E-04	6.27E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
64	0.07189	2.52E-04	1.8E-05	3.46E-04	6.27E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
65	0.07166	2.52E-04	1.8E-05	3.46E-04	6.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
66	0.07129	2.52E-04	1.8E-05	3.46E-04	6.22E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
67	0.03274	2.52E-04	8.3E-06	3.46E-04	2.86E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
68	0.03387	2.52E-04	8.5E-06	3.46E-04	2.95E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
69	0.03505	2.52E-04	8.8E-06	3.46E-04	3.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
70	0.03629	2.52E-04	9.1E-06	3.46E-04	3.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
71	0.03757	2.52E-04	9.5E-06	3.46E-04	3.28E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
72	0.03894	2.52E-04	9.8E-06	3.46E-04	3.40E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
73	0.04036	2.52E-04	1.0E-05	3.46E-04	3.52E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
74	0.04186	2.52E-04	1.1E-05	3.46E-04	3.65E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
75	0.04342	2.52E-04	1.1E-05	3.46E-04	3.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
76	0.04507	2.52E-04	1.1E-05	3.46E-04	3.93E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
77	0.0468	2.52E-04	1.2E-05	3.46E-04	4.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
78	0.04862	2.52E-04	1.2E-05	3.46E-04	4.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
79	0.05877	2.52E-04	1.5E-05	3.46E-04	5.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
80	0.06096	2.52E-04	1.5E-05	3.46E-04	5.32E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
81	0.06318	2.52E-04	1.6E-05	3.46E-04	5.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
82	0.06539	2.52E-04	1.6E-05	3.46E-04	5.70E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
83	0.06757	2.52E-04	1.7E-05	3.46E-04	5.89E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
84	0.06967	2.52E-04	1.8E-05	3.46E-04	6.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	0.07166	2.52E-04	1.8E-05	3.46E-04	6.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
86	0.07349	2.52E-04	1.9E-05	3.46E-04	6.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
87	0.07511	2.52E-04	1.9E-05	3.46E-04	6.55E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
88	0.07648	2.52E-04	1.9E-05	3.46E-04	6.67E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
89	0.07756	2.52E-04	2.0E-05	3.46E-04	6.77E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
90	0.07833	2.52E-04	2.0E-05	3.46E-04	6.83E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
91	0.07881	2.52E-04	2.0E-05	3.46E-04	6.87E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
92	0.07898	2.52E-04	2.0E-05	3.46E-04	6.89E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
93	0.07889	2.52E-04	2.0E-05	3.46E-04	6.88E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
96	0.07971	2.52E-04	2.0E-05	3.46E-04	6.95E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
97	0.081	2.52E-04	2.0E-05	3.46E-04	7.07E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
98	0.08448	2.52E-04	2.1E-05	3.46E-04	7.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
99	0.08575	2.52E-04	2.2E-05	3.46E-04	7.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
100	0.08664	2.52E-04	2.2E-05	3.46E-04	7.56E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
101	0.08714	2.52E-04	2.2E-05	3.46E-04	7.60E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
102	0.08726	2.52E-04	2.2E-05	3.46E-04	7.61E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
106	0.03405	2.52E-04	8.6E-06	3.46E-04	2.97E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
107	0.03544	2.52E-04	8.9E-06	3.46E-04	3.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
108	0.03681	2.52E-04	9.3E-06	3.46E-04	3.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
109	0.03825	2.52E-04	9.6E-06	3.46E-04	3.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
110	0.03977	2.52E-04	1.0E-05	3.46E-04	3.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
111	0.04135	2.52E-04	1.0E-05	3.46E-04	3.61E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
112	0.04305	2.52E-04	1.1E-05	3.46E-04	3.76E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
113	0.04483	2.52E-04	1.1E-05	3.46E-04	3.91E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
114	0.04671	2.52E-04	1.2E-05	3.46E-04	4.07E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
115	0.04868	2.52E-04	1.2E-05	3.46E-04	4.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
116	0.05075	2.52E-04	1.3E-05	3.46E-04	4.43E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
117	0.05297	2.52E-04	1.3E-05	3.46E-04	4.62E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
118	0.0553	2.52E-04	1.4E-05	3.46E-04	4.82E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
124	0.03539	2.52E-04	8.9E-06	3.46E-04	3.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
125	0.03682	2.52E-04	9.3E-06	3.46E-04	3.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.03833	2.52E-04	9.7E-06	3.46E-04	3.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
127	0.03993	2.52E-04	1.0E-05	3.46E-04	3.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
128	0.04161	2.52E-04	1.0E-05	3.46E-04	3.63E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
129	0.04339	2.52E-04	1.1E-05	3.46E-04	3.78E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
130	0.04529	2.52E-04	1.1E-05	3.46E-04	3.95E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
131	0.04729	2.52E-04	1.2E-05	3.46E-04	4.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
132	0.04941	2.52E-04	1.2E-05	3.46E-04	4.31E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
133	0.05165	2.52E-04	1.3E-05	3.46E-04	4.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
134	0.05403	2.52E-04	1.4E-05	3.46E-04	4.71E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
135	0.05655	2.52E-04	1.4E-05	3.46E-04	4.93E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
136	0.05921	2.52E-04	1.5E-05	3.46E-04	5.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
137	0.06202	2.52E-04	1.6E-05	3.46E-04	5.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
138	0.06502	2.52E-04	1.6E-05	3.46E-04	5.67E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
141	0.03667	2.52E-04	9.2E-06	3.46E-04	3.20E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
142	0.03823	2.52E-04	9.6E-06	3.46E-04	3.33E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
143	0.03989	2.52E-04	1.0E-05	3.46E-04	3.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
144	0.04166	2.52E-04	1.0E-05	3.46E-04	3.63E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
145	0.04353	2.52E-04	1.1E-05	3.46E-04	3.80E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
146	0.04551	2.52E-04	1.1E-05	3.46E-04	3.97E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
147	0.04764	2.52E-04	1.2E-05	3.46E-04	4.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
148	0.04989	2.52E-04	1.3E-05	3.46E-04	4.35E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
149	0.05229	2.52E-04	1.3E-05	3.46E-04	4.56E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
150	0.05484	2.52E-04	1.4E-05	3.46E-04	4.78E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
151	0.05756	2.52E-04	1.5E-05	3.46E-04	5.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
152	0.06045	2.52E-04	1.5E-05	3.46E-04	5.27E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
153	0.06353	2.52E-04	1.6E-05	3.46E-04	5.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
154	0.06679	2.52E-04	1.7E-05	3.46E-04	5.83E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
155	0.07026	2.52E-04	1.8E-05	3.46E-04	6.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
164	0.07209	2.52E-04	1.8E-05	3.46E-04	6.29E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
165	0.07615	2.52E-04	1.9E-05	3.46E-04	6.64E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
166	0.08052	2.52E-04	2.0E-05	3.46E-04	7.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	0.07796	2.52E-04	2.0E-05	3.46E-04	6.80E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
179	0.08278	2.52E-04	2.1E-05	3.46E-04	7.22E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
180	0.08798	2.52E-04	2.2E-05	3.46E-04	7.67E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
192	0.08446	2.52E-04	2.1E-05	3.46E-04	7.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
193	0.09022	2.52E-04	2.3E-05	3.46E-04	7.87E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
194	0.09645	2.52E-04	2.4E-05	3.46E-04	8.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
207	0.09157	2.52E-04	2.3E-05	3.46E-04	7.99E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
208	0.09846	2.52E-04	2.5E-05	3.46E-04	8.59E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
209	0.10603	2.52E-04	2.7E-05	3.46E-04	9.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
223	0.09926	2.52E-04	2.5E-05	3.46E-04	8.66E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
224	0.10753	2.52E-04	2.7E-05	3.46E-04	9.38E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
225	0.11672	2.52E-04	2.9E-05	3.46E-04	1.02E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
239	0.10746	2.52E-04	2.7E-05	3.46E-04	9.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
240	0.11738	2.52E-04	3.0E-05	3.46E-04	1.02E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
241	0.12859	2.52E-04	3.2E-05	3.46E-04	1.12E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
255	0.11601	2.52E-04	2.9E-05	3.46E-04	1.01E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
256	0.12784	2.52E-04	3.2E-05	3.46E-04	1.12E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
272	0.12469	2.52E-04	3.1E-05	3.46E-04	1.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
273	0.13868	2.52E-04	3.5E-05	3.46E-04	1.21E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
289	0.13322	2.52E-04	3.4E-05	3.46E-04	1.16E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
290	0.1495	2.52E-04	3.8E-05	3.46E-04	1.30E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
306	0.1412	2.52E-04	3.6E-05	3.46E-04	1.23E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
307	0.15982	2.52E-04	4.0E-05	3.46E-04	1.39E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
323	0.14821	2.52E-04	3.7E-05	3.46E-04	1.29E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
324	0.16903	2.52E-04	4.3E-05	3.46E-04	1.47E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
342	0.15384	2.52E-04	3.9E-05	3.46E-04	1.34E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
343	0.17651	2.52E-04	4.4E-05	3.46E-04	1.54E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
344	0.20495	2.52E-04	5.2E-05	3.46E-04	1.79E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
356	0.15773	2.52E-04	4.0E-05	3.46E-04	1.38E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
357	0.18176	2.52E-04	4.6E-05	3.46E-04	1.59E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
358	0.21216	2.52E-04	5.3E-05	3.46E-04	1.85E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.15971	2.52E-04	4.0E-05	3.46E-04	1.39E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
371	0.18449	2.52E-04	4.6E-05	3.46E-04	1.61E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
372	0.21598	2.52E-04	5.4E-05	3.46E-04	1.88E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
383	0.15971	2.52E-04	4.0E-05	3.46E-04	1.39E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
384	0.18464	2.52E-04	4.7E-05	3.46E-04	1.61E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
385	0.21634	2.52E-04	5.5E-05	3.46E-04	1.89E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
396	0.15789	2.52E-04	4.0E-05	3.46E-04	1.38E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
397	0.18239	2.52E-04	4.6E-05	3.46E-04	1.59E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
398	0.21347	2.52E-04	5.4E-05	3.46E-04	1.86E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
399	0.25373	2.52E-04	6.4E-05	3.46E-04	2.21E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
411	0.15447	2.52E-04	3.9E-05	3.46E-04	1.35E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
412	0.17804	2.52E-04	4.5E-05	3.46E-04	1.55E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
413	0.20782	2.52E-04	5.2E-05	3.46E-04	1.81E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
414	0.24616	2.52E-04	6.2E-05	3.46E-04	2.15E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
426	0.14976	2.52E-04	3.8E-05	3.46E-04	1.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
427	0.17201	2.52E-04	4.3E-05	3.46E-04	1.50E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
428	0.19993	2.52E-04	5.0E-05	3.46E-04	1.74E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
429	0.2356	2.52E-04	5.9E-05	3.46E-04	2.06E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
439	0.14408	2.52E-04	3.6E-05	3.46E-04	1.26E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
440	0.16475	2.52E-04	4.2E-05	3.46E-04	1.44E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
441	0.19045	2.52E-04	4.8E-05	3.46E-04	1.66E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
442	0.22294	2.52E-04	5.6E-05	3.46E-04	1.94E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
443	0.26482	2.52E-04	6.7E-05	3.46E-04	2.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
454	0.13775	2.52E-04	3.5E-05	3.46E-04	1.20E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
455	0.15669	2.52E-04	3.9E-05	3.46E-04	1.37E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
456	0.17999	2.52E-04	4.5E-05	3.46E-04	1.57E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
457	0.20909	2.52E-04	5.3E-05	3.46E-04	1.82E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
458	0.24609	2.52E-04	6.2E-05	3.46E-04	2.15E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
469	0.13106	2.52E-04	3.3E-05	3.46E-04	1.14E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
470	0.1482	2.52E-04	3.7E-05	3.46E-04	1.29E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
471	0.16908	2.52E-04	4.3E-05	3.46E-04	1.47E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.19482	2.52E-04	4.9E-05	3.46E-04	1.70E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
473	0.22708	2.52E-04	5.7E-05	3.46E-04	1.98E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
489	0.12424	2.52E-04	3.1E-05	3.46E-04	1.08E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
490	0.13964	2.52E-04	3.5E-05	3.46E-04	1.22E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
491	0.15817	2.52E-04	4.0E-05	3.46E-04	1.38E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
492	0.18075	2.52E-04	4.6E-05	3.46E-04	1.58E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
493	0.20864	2.52E-04	5.3E-05	3.46E-04	1.82E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
494	0.2437	2.52E-04	6.1E-05	3.46E-04	2.13E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
509	0.11745	2.52E-04	3.0E-05	3.46E-04	1.02E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
510	0.1312	2.52E-04	3.3E-05	3.46E-04	1.14E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
511	0.14757	2.52E-04	3.7E-05	3.46E-04	1.29E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
512	0.16727	2.52E-04	4.2E-05	3.46E-04	1.46E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
513	0.19126	2.52E-04	4.8E-05	3.46E-04	1.67E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
514	0.22097	2.52E-04	5.6E-05	3.46E-04	1.93E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
515	0.30678	2.52E-04	7.7E-05	3.46E-04	2.68E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
516	0.37036	2.52E-04	9.3E-05	3.46E-04	3.23E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
517	0.4571	2.52E-04	1.2E-04	3.46E-04	3.99E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
518	0.57842	2.52E-04	1.5E-04	3.46E-04	5.05E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
519	0.75145	2.52E-04	1.9E-04	3.46E-04	6.56E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
528	0.11082	2.52E-04	2.8E-05	3.46E-04	9.67E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
529	0.12305	2.52E-04	3.1E-05	3.46E-04	1.07E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
530	0.13745	2.52E-04	3.5E-05	3.46E-04	1.20E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
531	0.15457	2.52E-04	3.9E-05	3.46E-04	1.35E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
532	0.17519	2.52E-04	4.4E-05	3.46E-04	1.53E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
533	0.20035	2.52E-04	5.0E-05	3.46E-04	1.75E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
534	0.27108	2.52E-04	6.8E-05	3.46E-04	2.36E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
535	0.32198	2.52E-04	8.1E-05	3.46E-04	2.81E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
536	0.39049	2.52E-04	9.8E-05	3.46E-04	3.41E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
537	0.48144	2.52E-04	1.2E-04	3.46E-04	4.20E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
538	0.60461	2.52E-04	1.5E-04	3.46E-04	5.27E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
547	0.10443	2.52E-04	2.6E-05	3.46E-04	9.11E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.11526	2.52E-04	2.9E-05	3.46E-04	1.01E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
549	0.1279	2.52E-04	3.2E-05	3.46E-04	1.12E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
550	0.14277	2.52E-04	3.6E-05	3.46E-04	1.25E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
551	0.16048	2.52E-04	4.0E-05	3.46E-04	1.40E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
552	0.18183	2.52E-04	4.6E-05	3.46E-04	1.59E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
553	0.20802	2.52E-04	5.2E-05	3.46E-04	1.81E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
554	0.24055	2.52E-04	6.1E-05	3.46E-04	2.10E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
555	0.28221	2.52E-04	7.1E-05	3.46E-04	2.46E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
556	0.3369	2.52E-04	8.5E-05	3.46E-04	2.94E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
557	0.40712	2.52E-04	1.0E-04	3.46E-04	3.55E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
558	0.49947	2.52E-04	1.3E-04	3.46E-04	4.36E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
559	0.61058	2.52E-04	1.5E-04	3.46E-04	5.33E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
567	0.09831	2.52E-04	2.5E-05	3.46E-04	8.58E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
568	0.10789	2.52E-04	2.7E-05	3.46E-04	9.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
569	0.11897	2.52E-04	3.0E-05	3.46E-04	1.04E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
570	0.1319	2.52E-04	3.3E-05	3.46E-04	1.15E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
571	0.14714	2.52E-04	3.7E-05	3.46E-04	1.28E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
572	0.16536	2.52E-04	4.2E-05	3.46E-04	1.44E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
573	0.18747	2.52E-04	4.7E-05	3.46E-04	1.64E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
574	0.24896	2.52E-04	6.3E-05	3.46E-04	2.17E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
575	0.29304	2.52E-04	7.4E-05	3.46E-04	2.56E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
576	0.34921	2.52E-04	8.8E-05	3.46E-04	3.05E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
577	0.41933	2.52E-04	1.1E-04	3.46E-04	3.66E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
578	0.50135	2.52E-04	1.3E-04	3.46E-04	4.37E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
586	0.0925	2.52E-04	2.3E-05	3.46E-04	8.07E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
587	0.10097	2.52E-04	2.5E-05	3.46E-04	8.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
588	0.11069	2.52E-04	2.8E-05	3.46E-04	9.66E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
589	0.12195	2.52E-04	3.1E-05	3.46E-04	1.06E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
590	0.13512	2.52E-04	3.4E-05	3.46E-04	1.18E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
591	0.15072	2.52E-04	3.8E-05	3.46E-04	1.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
592	0.1695	2.52E-04	4.3E-05	3.46E-04	1.48E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.22092	2.52E-04	5.6E-05	3.46E-04	1.93E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
594	0.25706	2.52E-04	6.5E-05	3.46E-04	2.24E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
595	0.30171	2.52E-04	7.6E-05	3.46E-04	2.63E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
596	0.35586	2.52E-04	9.0E-05	3.46E-04	3.10E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
597	0.41784	2.52E-04	1.1E-04	3.46E-04	3.64E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
345	0.24137	2.52E-04	6.1E-05	3.46E-04	2.11E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
346	0.28917	2.52E-04	7.3E-05	3.46E-04	2.52E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
347	0.35394	2.52E-04	8.9E-05	3.46E-04	3.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
348	0.44547	2.52E-04	1.1E-04	3.46E-04	3.89E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
359	0.25144	2.52E-04	6.3E-05	3.46E-04	2.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
360	0.3035	2.52E-04	7.6E-05	3.46E-04	2.65E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
361	0.37508	2.52E-04	9.5E-05	3.46E-04	3.27E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
362	0.47671	2.52E-04	1.2E-04	3.46E-04	4.16E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
363	0.63391	2.52E-04	1.6E-04	3.46E-04	5.53E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
373	0.31136	2.52E-04	7.8E-05	3.46E-04	2.72E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
374	0.38621	2.52E-04	9.7E-05	3.46E-04	3.37E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
375	0.49277	2.52E-04	1.2E-04	3.46E-04	4.30E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
376	0.65646	2.52E-04	1.7E-04	3.46E-04	5.73E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
386	0.31239	2.52E-04	7.9E-05	3.46E-04	2.73E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
387	0.38773	2.52E-04	9.8E-05	3.46E-04	3.38E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
388	0.49431	2.52E-04	1.2E-04	3.46E-04	4.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
389	0.65617	2.52E-04	1.7E-04	3.46E-04	5.72E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
390	0.92241	2.52E-04	2.3E-04	3.46E-04	8.05E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
400	0.30719	2.52E-04	7.7E-05	3.46E-04	2.68E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
401	0.37974	2.52E-04	9.6E-05	3.46E-04	3.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
402	0.48326	2.52E-04	1.2E-04	3.46E-04	4.22E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
403	0.63557	2.52E-04	1.6E-04	3.46E-04	5.54E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
404	0.87893	2.52E-04	2.2E-04	3.46E-04	7.67E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
415	0.29671	2.52E-04	7.5E-05	3.46E-04	2.59E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
416	0.36519	2.52E-04	9.2E-05	3.46E-04	3.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
417	0.46038	2.52E-04	1.2E-04	3.46E-04	4.02E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.60194	2.52E-04	1.5E-04	3.46E-04	5.25E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
419	0.8217	2.52E-04	2.1E-04	3.46E-04	7.17E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
420	1.18327	2.52E-04	3.0E-04	3.46E-04	1.03E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
430	0.34435	2.52E-04	8.7E-05	3.46E-04	3.00E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
431	0.4306	2.52E-04	1.1E-04	3.46E-04	3.76E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
432	0.55478	2.52E-04	1.4E-04	3.46E-04	4.84E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
433	0.74427	2.52E-04	1.9E-04	3.46E-04	6.49E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
434	1.05677	2.52E-04	2.7E-04	3.46E-04	9.22E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
444	0.32009	2.52E-04	8.1E-05	3.46E-04	2.79E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
445	0.3952	2.52E-04	1.0E-04	3.46E-04	3.45E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
446	0.50138	2.52E-04	1.3E-04	3.46E-04	4.37E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
447	0.65915	2.52E-04	1.7E-04	3.46E-04	5.75E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
448	0.91002	2.52E-04	2.3E-04	3.46E-04	7.94E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
459	0.35824	2.52E-04	9.0E-05	3.46E-04	3.12E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
460	0.44673	2.52E-04	1.1E-04	3.46E-04	3.90E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
461	0.5743	2.52E-04	1.4E-04	3.46E-04	5.01E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
462	0.76859	2.52E-04	1.9E-04	3.46E-04	6.70E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
463	1.0833	2.52E-04	2.7E-04	3.46E-04	9.45E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
474	0.32214	2.52E-04	8.1E-05	3.46E-04	2.81E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
475	0.39466	2.52E-04	9.9E-05	3.46E-04	3.44E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
476	0.49626	2.52E-04	1.3E-04	3.46E-04	4.33E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
477	0.64368	2.52E-04	1.6E-04	3.46E-04	5.61E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
478	0.86818	2.52E-04	2.2E-04	3.46E-04	7.57E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
495	0.28868	2.52E-04	7.3E-05	3.46E-04	2.52E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
496	0.34778	2.52E-04	8.8E-05	3.46E-04	3.03E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
497	0.42817	2.52E-04	1.1E-04	3.46E-04	3.74E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
498	0.54081	2.52E-04	1.4E-04	3.46E-04	4.72E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
499	0.70359	2.52E-04	1.8E-04	3.46E-04	6.14E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
500	0.94704	2.52E-04	2.4E-04	3.46E-04	8.26E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Cancer Risk from 3rd Trimester - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	0.06816	2.52E-04	1.7E-05	3.46E-04	5.95E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
140	0.07148	2.52E-04	1.8E-05	3.46E-04	6.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
156	0.07396	2.52E-04	1.9E-05	3.46E-04	6.45E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
157	0.07785	2.52E-04	2.0E-05	3.46E-04	6.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
158	0.08197	2.52E-04	2.1E-05	3.46E-04	7.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
159	0.08628	2.52E-04	2.2E-05	3.46E-04	7.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
160	0.09072	2.52E-04	2.3E-05	3.46E-04	7.91E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
161	0.09992	2.52E-04	2.5E-05	3.46E-04	8.72E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
162	0.10448	2.52E-04	2.6E-05	3.46E-04	9.11E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
163	0.10884	2.52E-04	2.7E-05	3.46E-04	9.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
167	0.08511	2.52E-04	2.1E-05	3.46E-04	7.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
168	0.0901	2.52E-04	2.3E-05	3.46E-04	7.86E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
169	0.0953	2.52E-04	2.4E-05	3.46E-04	8.31E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
170	0.10073	2.52E-04	2.5E-05	3.46E-04	8.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
171	0.10635	2.52E-04	2.7E-05	3.46E-04	9.28E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
172	0.1121	2.52E-04	2.8E-05	3.46E-04	9.78E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
173	0.11775	2.52E-04	3.0E-05	3.46E-04	1.03E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
174	0.12327	2.52E-04	3.1E-05	3.46E-04	1.08E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
175	0.12841	2.52E-04	3.2E-05	3.46E-04	1.12E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
176	0.13295	2.52E-04	3.4E-05	3.46E-04	1.16E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
177	0.13662	2.52E-04	3.4E-05	3.46E-04	1.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
181	0.09954	2.52E-04	2.5E-05	3.46E-04	8.68E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
182	0.10585	2.52E-04	2.7E-05	3.46E-04	9.23E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
183	0.1126	2.52E-04	2.8E-05	3.46E-04	9.82E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
184	0.11961	2.52E-04	3.0E-05	3.46E-04	1.04E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
185	0.12685	2.52E-04	3.2E-05	3.46E-04	1.11E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
186	0.13413	2.52E-04	3.4E-05	3.46E-04	1.17E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
187	0.14109	2.52E-04	3.6E-05	3.46E-04	1.23E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
188	0.14778	2.52E-04	3.7E-05	3.46E-04	1.29E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
189	0.15367	2.52E-04	3.9E-05	3.46E-04	1.34E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
190	0.15837	2.52E-04	4.0E-05	3.46E-04	1.38E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	0.16169	2.52E-04	4.1E-05	3.46E-04	1.41E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	0.11054	2.52E-04	2.8E-05	3.46E-04	9.64E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	0.11838	2.52E-04	3.0E-05	3.46E-04	1.03E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	0.12675	2.52E-04	3.2E-05	3.46E-04	1.11E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	0.13568	2.52E-04	3.4E-05	3.46E-04	1.18E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	0.14497	2.52E-04	3.7E-05	3.46E-04	1.26E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	0.15443	2.52E-04	3.9E-05	3.46E-04	1.35E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	0.16376	2.52E-04	4.1E-05	3.46E-04	1.43E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	0.17252	2.52E-04	4.3E-05	3.46E-04	1.50E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	0.18022	2.52E-04	4.5E-05	3.46E-04	1.57E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	0.18636	2.52E-04	4.7E-05	3.46E-04	1.63E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	0.1906	2.52E-04	4.8E-05	3.46E-04	1.66E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	0.19276	2.52E-04	4.9E-05	3.46E-04	1.68E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	0.11417	2.52E-04	2.9E-05	3.46E-04	9.96E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	0.12337	2.52E-04	3.1E-05	3.46E-04	1.08E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	0.13318	2.52E-04	3.4E-05	3.46E-04	1.16E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	0.1439	2.52E-04	3.6E-05	3.46E-04	1.26E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	0.16754	2.52E-04	4.2E-05	3.46E-04	1.46E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	0.18011	2.52E-04	4.5E-05	3.46E-04	1.57E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	0.19267	2.52E-04	4.9E-05	3.46E-04	1.68E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	0.20459	2.52E-04	5.2E-05	3.46E-04	1.78E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	0.21509	2.52E-04	5.4E-05	3.46E-04	1.88E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	0.22337	2.52E-04	5.6E-05	3.46E-04	1.95E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	0.22887	2.52E-04	5.8E-05	3.46E-04	2.00E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	0.23135	2.52E-04	5.8E-05	3.46E-04	2.02E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	0.23084	2.52E-04	5.8E-05	3.46E-04	2.01E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	0.12693	2.52E-04	3.2E-05	3.46E-04	1.11E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	0.13837	2.52E-04	3.5E-05	3.46E-04	1.21E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	0.1509	2.52E-04	3.8E-05	3.46E-04	1.32E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	0.16475	2.52E-04	4.2E-05	3.46E-04	1.44E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	0.17985	2.52E-04	4.5E-05	3.46E-04	1.57E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	0.19574	2.52E-04	4.9E-05	3.46E-04	1.71E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	0.21301	2.52E-04	5.4E-05	3.46E-04	1.86E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	0.24754	2.52E-04	6.2E-05	3.46E-04	2.16E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	0.26237	2.52E-04	6.6E-05	3.46E-04	2.29E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	0.27394	2.52E-04	6.9E-05	3.46E-04	2.39E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	0.28126	2.52E-04	7.1E-05	3.46E-04	2.45E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	0.28398	2.52E-04	7.2E-05	3.46E-04	2.48E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	0.28245	2.52E-04	7.1E-05	3.46E-04	2.46E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	0.14128	2.52E-04	3.6E-05	3.46E-04	1.23E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	0.1557	2.52E-04	3.9E-05	3.46E-04	1.36E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	0.17123	2.52E-04	4.3E-05	3.46E-04	1.49E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	0.18977	2.52E-04	4.8E-05	3.46E-04	1.66E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	0.21032	2.52E-04	5.3E-05	3.46E-04	1.83E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	0.23287	2.52E-04	5.9E-05	3.46E-04	2.03E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	0.25722	2.52E-04	6.5E-05	3.46E-04	2.24E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	0.30686	2.52E-04	7.7E-05	3.46E-04	2.68E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	0.32848	2.52E-04	8.3E-05	3.46E-04	2.87E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	0.34558	2.52E-04	8.7E-05	3.46E-04	3.01E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	0.35596	2.52E-04	9.0E-05	3.46E-04	3.11E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	0.35858	2.52E-04	9.0E-05	3.46E-04	3.13E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	0.35448	2.52E-04	8.9E-05	3.46E-04	3.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	0.15723	2.52E-04	4.0E-05	3.46E-04	1.37E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	0.1755	2.52E-04	4.4E-05	3.46E-04	1.53E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	0.19656	2.52E-04	5.0E-05	3.46E-04	1.71E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	0.2198	2.52E-04	5.5E-05	3.46E-04	1.92E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	0.2492	2.52E-04	6.3E-05	3.46E-04	2.17E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	0.28123	2.52E-04	7.1E-05	3.46E-04	2.45E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	0.31696	2.52E-04	8.0E-05	3.46E-04	2.76E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	0.39375	2.52E-04	9.9E-05	3.46E-04	3.43E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	0.428	2.52E-04	1.1E-04	3.46E-04	3.73E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	0.4542	2.52E-04	1.1E-04	3.46E-04	3.96E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	0.46851	2.52E-04	1.2E-04	3.46E-04	4.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	0.46966	2.52E-04	1.2E-04	3.46E-04	4.10E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	0.45965	2.52E-04	1.2E-04	3.46E-04	4.01E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	0.39054	2.52E-04	9.8E-05	3.46E-04	3.41E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	0.36233	2.52E-04	9.1E-05	3.46E-04	3.16E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	0.17452	2.52E-04	4.4E-05	3.46E-04	1.52E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	0.19761	2.52E-04	5.0E-05	3.46E-04	1.72E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	0.22528	2.52E-04	5.7E-05	3.46E-04	1.97E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	0.25729	2.52E-04	6.5E-05	3.46E-04	2.24E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	0.2977	2.52E-04	7.5E-05	3.46E-04	2.60E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	0.34485	2.52E-04	8.7E-05	3.46E-04	3.01E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	0.39761	2.52E-04	1.0E-04	3.46E-04	3.47E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	0.52517	2.52E-04	1.3E-04	3.46E-04	4.58E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	0.58317	2.52E-04	1.5E-04	3.46E-04	5.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	0.62671	2.52E-04	1.6E-04	3.46E-04	5.47E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	0.64939	2.52E-04	1.6E-04	3.46E-04	5.66E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	0.64683	2.52E-04	1.6E-04	3.46E-04	5.64E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	0.62106	2.52E-04	1.6E-04	3.46E-04	5.42E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	0.48572	2.52E-04	1.2E-04	3.46E-04	4.24E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	0.43897	2.52E-04	1.1E-04	3.46E-04	3.83E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	0.19262	2.52E-04	4.9E-05	3.46E-04	1.68E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	0.2215	2.52E-04	5.6E-05	3.46E-04	1.93E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	0.25729	2.52E-04	6.5E-05	3.46E-04	2.24E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	0.30141	2.52E-04	7.6E-05	3.46E-04	2.63E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	0.3568	2.52E-04	9.0E-05	3.46E-04	3.11E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	0.4283	2.52E-04	1.1E-04	3.46E-04	3.74E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	0.51963	2.52E-04	1.3E-04	3.46E-04	4.53E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	0.74864	2.52E-04	1.9E-04	3.46E-04	6.53E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	0.86402	2.52E-04	2.2E-04	3.46E-04	7.54E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	0.9446	2.52E-04	2.4E-04	3.46E-04	8.24E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	0.98164	2.52E-04	2.5E-04	3.46E-04	8.56E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	0.95643	2.52E-04	2.4E-04	3.46E-04	8.34E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	0.88334	2.52E-04	2.2E-04	3.46E-04	7.71E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	0.60586	2.52E-04	1.5E-04	3.46E-04	5.29E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	0.52765	2.52E-04	1.3E-04	3.46E-04	4.60E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	0.21065	2.52E-04	5.3E-05	3.46E-04	1.84E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	0.24602	2.52E-04	6.2E-05	3.46E-04	2.15E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	0.29138	2.52E-04	7.3E-05	3.46E-04	2.54E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	0.35023	2.52E-04	8.8E-05	3.46E-04	3.06E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	0.43095	2.52E-04	1.1E-04	3.46E-04	3.76E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	0.54158	2.52E-04	1.4E-04	3.46E-04	4.72E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	0.70021	2.52E-04	1.8E-04	3.46E-04	6.11E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	1.19783	2.52E-04	3.0E-04	3.46E-04	1.04E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	1.48064	2.52E-04	3.7E-04	3.46E-04	1.29E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	1.65696	2.52E-04	4.2E-04	3.46E-04	1.45E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	1.71766	2.52E-04	4.3E-04	3.46E-04	1.50E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	1.57894	2.52E-04	4.0E-04	3.46E-04	1.38E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	1.33355	2.52E-04	3.4E-04	3.46E-04	1.16E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	0.74311	2.52E-04	1.9E-04	3.46E-04	6.48E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	0.6219	2.52E-04	1.6E-04	3.46E-04	5.42E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	0.22736	2.52E-04	5.7E-05	3.46E-04	1.98E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	0.26931	2.52E-04	6.8E-05	3.46E-04	2.35E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	0.32484	2.52E-04	8.2E-05	3.46E-04	2.83E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	0.40097	2.52E-04	1.0E-04	3.46E-04	3.50E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	0.50882	2.52E-04	1.3E-04	3.46E-04	4.44E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	0.67836	2.52E-04	1.7E-04	3.46E-04	5.92E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	0.96632	2.52E-04	2.4E-04	3.46E-04	8.43E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	1.53155	2.52E-04	3.9E-04	3.46E-04	1.34E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	2.49764	2.52E-04	6.3E-04	3.46E-04	2.18E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	3.38863	2.52E-04	8.5E-04	3.46E-04	2.96E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	4.00318	2.52E-04	1.0E-03	3.46E-04	3.49E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	4.19322	2.52E-04	1.1E-03	3.46E-04	3.66E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	3.21056	2.52E-04	8.1E-04	3.46E-04	2.80E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	2.08588	2.52E-04	5.3E-04	3.46E-04	1.82E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	1.12173	2.52E-04	2.8E-04	3.46E-04	9.79E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	0.88298	2.52E-04	2.2E-04	3.46E-04	7.70E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.71212	2.52E-04	1.8E-04	3.46E-04	6.21E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	0.58267	2.52E-04	1.5E-04	3.46E-04	5.08E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	0.81078	2.52E-04	2.0E-04	3.46E-04	7.07E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	1.26255	2.52E-04	3.2E-04	3.46E-04	1.10E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	2.80392	2.52E-04	7.1E-04	3.46E-04	2.45E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	1.33683	2.52E-04	3.4E-04	3.46E-04	1.17E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	1.01027	2.52E-04	2.5E-04	3.46E-04	8.81E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.79025	2.52E-04	2.0E-04	3.46E-04	6.89E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	0.8989	2.52E-04	2.3E-04	3.46E-04	7.84E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	1.43359	2.52E-04	3.6E-04	3.46E-04	1.25E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	3.08958	2.52E-04	7.8E-04	3.46E-04	2.70E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	1.52938	2.52E-04	3.9E-04	3.46E-04	1.33E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	1.11609	2.52E-04	2.8E-04	3.46E-04	9.74E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.85077	2.52E-04	2.1E-04	3.46E-04	7.42E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	0.9313	2.52E-04	2.3E-04	3.46E-04	8.12E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	1.45535	2.52E-04	3.7E-04	3.46E-04	1.27E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	2.78384	2.52E-04	7.0E-04	3.46E-04	2.43E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	1.68983	2.52E-04	4.3E-04	3.46E-04	1.47E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	1.18947	2.52E-04	3.0E-04	3.46E-04	1.04E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.88725	2.52E-04	2.2E-04	3.46E-04	7.74E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	1.4046	2.52E-04	3.5E-04	3.46E-04	1.23E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	2.4607	2.52E-04	6.2E-04	3.46E-04	2.15E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	1.8176	2.52E-04	4.6E-04	3.46E-04	1.59E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	1.23835	2.52E-04	3.1E-04	3.46E-04	1.08E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.90088	2.52E-04	2.3E-04	3.46E-04	7.86E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	1.31359	2.52E-04	3.3E-04	3.46E-04	1.15E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	2.19931	2.52E-04	5.5E-04	3.46E-04	1.92E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	4.63115	2.52E-04	1.2E-03	3.46E-04	4.04E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	1.90593	2.52E-04	4.8E-04	3.46E-04	1.66E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	1.24613	2.52E-04	3.1E-04	3.46E-04	1.09E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.886	2.52E-04	2.2E-04	3.46E-04	7.73E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	1.91514	2.52E-04	4.8E-04	3.46E-04	1.67E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	3.65027	2.52E-04	9.2E-04	3.46E-04	3.18E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	1.91636	2.52E-04	4.8E-04	3.46E-04	1.67E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	1.20342	2.52E-04	3.0E-04	3.46E-04	1.05E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.83643	2.52E-04	2.1E-04	3.46E-04	7.30E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	1.61923	2.52E-04	4.1E-04	3.46E-04	1.41E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	2.89227	2.52E-04	7.3E-04	3.46E-04	2.52E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	1.10318	2.52E-04	2.8E-04	3.46E-04	9.62E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.75637	2.52E-04	1.9E-04	3.46E-04	6.60E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	1.33397	2.52E-04	3.4E-04	3.46E-04	1.16E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	2.22681	2.52E-04	5.6E-04	3.46E-04	1.94E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	4.62436	2.52E-04	1.2E-03	3.46E-04	4.03E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.96539	2.52E-04	2.4E-04	3.46E-04	8.42E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.67079	2.52E-04	1.7E-04	3.46E-04	5.85E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	1.65812	2.52E-04	4.2E-04	3.46E-04	1.45E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	2.88781	2.52E-04	7.3E-04	3.46E-04	2.52E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	2.30461	2.52E-04	5.8E-04	3.46E-04	2.01E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.84856	2.52E-04	2.1E-04	3.46E-04	7.40E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.60039	2.52E-04	1.5E-04	3.46E-04	5.24E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	1.21759	2.52E-04	3.1E-04	3.46E-04	1.06E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	1.86979	2.52E-04	4.7E-04	3.46E-04	1.63E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	2.84538	2.52E-04	7.2E-04	3.46E-04	2.48E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	3.42499	2.52E-04	8.6E-04	3.46E-04	2.99E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	3.23006	2.52E-04	8.1E-04	3.46E-04	2.82E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	2.58437	2.52E-04	6.5E-04	3.46E-04	2.25E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	1.75683	2.52E-04	4.4E-04	3.46E-04	1.53E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	1.13314	2.52E-04	2.9E-04	3.46E-04	9.88E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.7631	2.52E-04	1.9E-04	3.46E-04	6.66E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.54606	2.52E-04	1.4E-04	3.46E-04	4.76E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	1.30182	2.52E-04	3.3E-04	3.46E-04	1.14E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	1.78968	2.52E-04	4.5E-04	3.46E-04	1.56E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	2.11833	2.52E-04	5.3E-04	3.46E-04	1.85E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	2.109	2.52E-04	5.3E-04	3.46E-04	1.84E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	1.81239	2.52E-04	4.6E-04	3.46E-04	1.58E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	1.37606	2.52E-04	3.5E-04	3.46E-04	1.20E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.97652	2.52E-04	2.5E-04	3.46E-04	8.52E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.50352	2.52E-04	1.3E-04	3.46E-04	4.39E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.97704	2.52E-04	2.5E-04	3.46E-04	8.52E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	1.24017	2.52E-04	3.1E-04	3.46E-04	1.08E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	1.45908	2.52E-04	3.7E-04	3.46E-04	1.27E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	1.49343	2.52E-04	3.8E-04	3.46E-04	1.30E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	1.35139	2.52E-04	3.4E-04	3.46E-04	1.18E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	1.10148	2.52E-04	2.8E-04	3.46E-04	9.61E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.83827	2.52E-04	2.1E-04	3.46E-04	7.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.46595	2.52E-04	1.2E-04	3.46E-04	4.06E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.76251	2.52E-04	1.9E-04	3.46E-04	6.65E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.93408	2.52E-04	2.4E-04	3.46E-04	8.15E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	1.06684	2.52E-04	2.7E-04	3.46E-04	9.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	1.10934	2.52E-04	2.8E-04	3.46E-04	9.68E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	1.04535	2.52E-04	2.6E-04	3.46E-04	9.12E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.89638	2.52E-04	2.3E-04	3.46E-04	7.82E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.7165	2.52E-04	1.8E-04	3.46E-04	6.25E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.43046	2.52E-04	1.1E-04	3.46E-04	3.75E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.72857	2.52E-04	1.8E-04	3.46E-04	6.36E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.82397	2.52E-04	2.1E-04	3.46E-04	7.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.86183	2.52E-04	2.2E-04	3.46E-04	7.52E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.82465	2.52E-04	2.1E-04	3.46E-04	7.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.73798	2.52E-04	1.9E-04	3.46E-04	6.44E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.62155	2.52E-04	1.6E-04	3.46E-04	5.42E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.39856	2.52E-04	1.0E-04	3.46E-04	3.48E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.58491	2.52E-04	1.5E-04	3.46E-04	5.10E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.65452	2.52E-04	1.6E-04	3.46E-04	5.71E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.68893	2.52E-04	1.7E-04	3.46E-04	6.01E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.67572	2.52E-04	1.7E-04	3.46E-04	5.89E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.61931	2.52E-04	1.6E-04	3.46E-04	5.40E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.536	2.52E-04	1.4E-04	3.46E-04	4.68E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.42093	2.52E-04	1.1E-04	3.46E-04	3.67E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.48095	2.52E-04	1.2E-04	3.46E-04	4.20E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.53269	2.52E-04	1.3E-04	3.46E-04	4.65E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.56185	2.52E-04	1.4E-04	3.46E-04	4.90E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.55903	2.52E-04	1.4E-04	3.46E-04	4.88E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.52451	2.52E-04	1.3E-04	3.46E-04	4.58E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.46791	2.52E-04	1.2E-04	3.46E-04	4.08E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.40063	2.52E-04	1.0E-04	3.46E-04	3.49E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	2.52E-04	0.0E+00	3.46E-04	0.00E+00	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	2.52E-04	0.0E+00	3.46E-04	0.00E+00	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Building Construction

		Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.03023	2.52E-04	7.6E-06	1.05E-03	7.96E-09	0.10	1.57E-01	1.30E-10	1.0E+06	1.3E-04
2	0.03117	2.52E-04	7.9E-06	1.05E-03	8.21E-09	0.10	1.57E-01	1.34E-10	1.0E+06	1.3E-04
3	0.03214	2.52E-04	8.1E-06	1.05E-03	8.47E-09	0.10	1.57E-01	1.38E-10	1.0E+06	1.4E-04
4	0.03315	2.52E-04	8.4E-06	1.05E-03	8.73E-09	0.10	1.57E-01	1.43E-10	1.0E+06	1.4E-04
5	0.0342	2.52E-04	8.6E-06	1.05E-03	9.01E-09	0.10	1.57E-01	1.47E-10	1.0E+06	1.5E-04
6	0.03532	2.52E-04	8.9E-06	1.05E-03	9.30E-09	0.10	1.57E-01	1.52E-10	1.0E+06	1.5E-04
7	0.03649	2.52E-04	9.2E-06	1.05E-03	9.61E-09	0.10	1.57E-01	1.57E-10	1.0E+06	1.6E-04
8	0.0377	2.52E-04	9.5E-06	1.05E-03	9.93E-09	0.10	1.57E-01	1.62E-10	1.0E+06	1.6E-04
9	0.03897	2.52E-04	9.8E-06	1.05E-03	1.03E-08	0.10	1.57E-01	1.68E-10	1.0E+06	1.7E-04
10	0.04029	2.52E-04	1.0E-05	1.05E-03	1.06E-08	0.10	1.57E-01	1.74E-10	1.0E+06	1.7E-04
11	0.04167	2.52E-04	1.1E-05	1.05E-03	1.10E-08	0.10	1.57E-01	1.80E-10	1.0E+06	1.8E-04
12	0.0431	2.52E-04	1.1E-05	1.05E-03	1.14E-08	0.10	1.57E-01	1.86E-10	1.0E+06	1.9E-04
13	0.04458	2.52E-04	1.1E-05	1.05E-03	1.17E-08	0.10	1.57E-01	1.92E-10	1.0E+06	1.9E-04
14	0.04611	2.52E-04	1.2E-05	1.05E-03	1.21E-08	0.10	1.57E-01	1.99E-10	1.0E+06	2.0E-04
15	0.04768	2.52E-04	1.2E-05	1.05E-03	1.26E-08	0.10	1.57E-01	2.05E-10	1.0E+06	2.1E-04
16	0.04927	2.52E-04	1.2E-05	1.05E-03	1.30E-08	0.10	1.57E-01	2.12E-10	1.0E+06	2.1E-04
17	0.0509	2.52E-04	1.3E-05	1.05E-03	1.34E-08	0.10	1.57E-01	2.19E-10	1.0E+06	2.2E-04
18	0.05254	2.52E-04	1.3E-05	1.05E-03	1.38E-08	0.10	1.57E-01	2.26E-10	1.0E+06	2.3E-04
19	0.05417	2.52E-04	1.4E-05	1.05E-03	1.43E-08	0.10	1.57E-01	2.33E-10	1.0E+06	2.3E-04
20	0.05579	2.52E-04	1.4E-05	1.05E-03	1.47E-08	0.10	1.57E-01	2.40E-10	1.0E+06	2.4E-04
21	0.05737	2.52E-04	1.4E-05	1.05E-03	1.51E-08	0.10	1.57E-01	2.47E-10	1.0E+06	2.5E-04
22	0.05889	2.52E-04	1.5E-05	1.05E-03	1.55E-08	0.10	1.57E-01	2.54E-10	1.0E+06	2.5E-04
23	0.06032	2.52E-04	1.5E-05	1.05E-03	1.59E-08	0.10	1.57E-01	2.60E-10	1.0E+06	2.6E-04
24	0.06164	2.52E-04	1.6E-05	1.05E-03	1.62E-08	0.10	1.57E-01	2.66E-10	1.0E+06	2.7E-04
25	0.06282	2.52E-04	1.6E-05	1.05E-03	1.65E-08	0.10	1.57E-01	2.71E-10	1.0E+06	2.7E-04
26	0.06382	2.52E-04	1.6E-05	1.05E-03	1.68E-08	0.10	1.57E-01	2.75E-10	1.0E+06	2.8E-04
27	0.06464	2.52E-04	1.6E-05	1.05E-03	1.70E-08	0.10	1.57E-01	2.79E-10	1.0E+06	2.8E-04
28	0.06525	2.52E-04	1.6E-05	1.05E-03	1.72E-08	0.10	1.57E-01	2.81E-10	1.0E+06	2.8E-04
29	0.06565	2.52E-04	1.7E-05	1.05E-03	1.73E-08	0.10	1.57E-01	2.83E-10	1.0E+06	2.8E-04
30	0.06585	2.52E-04	1.7E-05	1.05E-03	1.73E-08	0.10	1.57E-01	2.84E-10	1.0E+06	2.8E-04
31	0.06587	2.52E-04	1.7E-05	1.05E-03	1.73E-08	0.10	1.57E-01	2.84E-10	1.0E+06	2.8E-04

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.06571	2.52E-04	1.7E-05	1.05E-03	1.73E-08	0.10	1.57E-01	2.83E-10	1.0E+06	2.8E-04
55	0.0639	2.52E-04	1.6E-05	1.05E-03	1.68E-08	0.10	1.57E-01	2.75E-10	1.0E+06	2.8E-04
56	0.06557	2.52E-04	1.7E-05	1.05E-03	1.73E-08	0.10	1.57E-01	2.83E-10	1.0E+06	2.8E-04
57	0.06713	2.52E-04	1.7E-05	1.05E-03	1.77E-08	0.10	1.57E-01	2.89E-10	1.0E+06	2.9E-04
58	0.0685	2.52E-04	1.7E-05	1.05E-03	1.80E-08	0.10	1.57E-01	2.95E-10	1.0E+06	3.0E-04
59	0.06967	2.52E-04	1.8E-05	1.05E-03	1.84E-08	0.10	1.57E-01	3.00E-10	1.0E+06	3.0E-04
60	0.0706	2.52E-04	1.8E-05	1.05E-03	1.86E-08	0.10	1.57E-01	3.04E-10	1.0E+06	3.0E-04
61	0.07129	2.52E-04	1.8E-05	1.05E-03	1.88E-08	0.10	1.57E-01	3.07E-10	1.0E+06	3.1E-04
62	0.07172	2.52E-04	1.8E-05	1.05E-03	1.89E-08	0.10	1.57E-01	3.09E-10	1.0E+06	3.1E-04
63	0.07192	2.52E-04	1.8E-05	1.05E-03	1.89E-08	0.10	1.57E-01	3.10E-10	1.0E+06	3.1E-04
64	0.07189	2.52E-04	1.8E-05	1.05E-03	1.89E-08	0.10	1.57E-01	3.10E-10	1.0E+06	3.1E-04
65	0.07166	2.52E-04	1.8E-05	1.05E-03	1.89E-08	0.10	1.57E-01	3.09E-10	1.0E+06	3.1E-04
66	0.07129	2.52E-04	1.8E-05	1.05E-03	1.88E-08	0.10	1.57E-01	3.07E-10	1.0E+06	3.1E-04
67	0.03274	2.52E-04	8.3E-06	1.05E-03	8.62E-09	0.10	1.57E-01	1.41E-10	1.0E+06	1.4E-04
68	0.03387	2.52E-04	8.5E-06	1.05E-03	8.92E-09	0.10	1.57E-01	1.46E-10	1.0E+06	1.5E-04
69	0.03505	2.52E-04	8.8E-06	1.05E-03	9.23E-09	0.10	1.57E-01	1.51E-10	1.0E+06	1.5E-04
70	0.03629	2.52E-04	9.1E-06	1.05E-03	9.56E-09	0.10	1.57E-01	1.56E-10	1.0E+06	1.6E-04
71	0.03757	2.52E-04	9.5E-06	1.05E-03	9.90E-09	0.10	1.57E-01	1.62E-10	1.0E+06	1.6E-04
72	0.03894	2.52E-04	9.8E-06	1.05E-03	1.03E-08	0.10	1.57E-01	1.68E-10	1.0E+06	1.7E-04
73	0.04036	2.52E-04	1.0E-05	1.05E-03	1.06E-08	0.10	1.57E-01	1.74E-10	1.0E+06	1.7E-04
74	0.04186	2.52E-04	1.1E-05	1.05E-03	1.10E-08	0.10	1.57E-01	1.80E-10	1.0E+06	1.8E-04
75	0.04342	2.52E-04	1.1E-05	1.05E-03	1.14E-08	0.10	1.57E-01	1.87E-10	1.0E+06	1.9E-04
76	0.04507	2.52E-04	1.1E-05	1.05E-03	1.19E-08	0.10	1.57E-01	1.94E-10	1.0E+06	1.9E-04
77	0.0468	2.52E-04	1.2E-05	1.05E-03	1.23E-08	0.10	1.57E-01	2.02E-10	1.0E+06	2.0E-04
78	0.04862	2.52E-04	1.2E-05	1.05E-03	1.28E-08	0.10	1.57E-01	2.10E-10	1.0E+06	2.1E-04
79	0.05877	2.52E-04	1.5E-05	1.05E-03	1.55E-08	0.10	1.57E-01	2.53E-10	1.0E+06	2.5E-04
80	0.06096	2.52E-04	1.5E-05	1.05E-03	1.61E-08	0.10	1.57E-01	2.63E-10	1.0E+06	2.6E-04
81	0.06318	2.52E-04	1.6E-05	1.05E-03	1.66E-08	0.10	1.57E-01	2.72E-10	1.0E+06	2.7E-04
82	0.06539	2.52E-04	1.6E-05	1.05E-03	1.72E-08	0.10	1.57E-01	2.82E-10	1.0E+06	2.8E-04
83	0.06757	2.52E-04	1.7E-05	1.05E-03	1.78E-08	0.10	1.57E-01	2.91E-10	1.0E+06	2.9E-04
84	0.06967	2.52E-04	1.8E-05	1.05E-03	1.84E-08	0.10	1.57E-01	3.00E-10	1.0E+06	3.0E-04

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	0.07166	2.52E-04	1.8E-05	1.05E-03	1.89E-08	0.10	1.57E-01	3.09E-10	1.0E+06	3.1E-04
86	0.07349	2.52E-04	1.9E-05	1.05E-03	1.94E-08	0.10	1.57E-01	3.17E-10	1.0E+06	3.2E-04
87	0.07511	2.52E-04	1.9E-05	1.05E-03	1.98E-08	0.10	1.57E-01	3.24E-10	1.0E+06	3.2E-04
88	0.07648	2.52E-04	1.9E-05	1.05E-03	2.01E-08	0.10	1.57E-01	3.30E-10	1.0E+06	3.3E-04
89	0.07756	2.52E-04	2.0E-05	1.05E-03	2.04E-08	0.10	1.57E-01	3.34E-10	1.0E+06	3.3E-04
90	0.07833	2.52E-04	2.0E-05	1.05E-03	2.06E-08	0.10	1.57E-01	3.38E-10	1.0E+06	3.4E-04
91	0.07881	2.52E-04	2.0E-05	1.05E-03	2.08E-08	0.10	1.57E-01	3.40E-10	1.0E+06	3.4E-04
92	0.07898	2.52E-04	2.0E-05	1.05E-03	2.08E-08	0.10	1.57E-01	3.40E-10	1.0E+06	3.4E-04
93	0.07889	2.52E-04	2.0E-05	1.05E-03	2.08E-08	0.10	1.57E-01	3.40E-10	1.0E+06	3.4E-04
96	0.07971	2.52E-04	2.0E-05	1.05E-03	2.10E-08	0.10	1.57E-01	3.43E-10	1.0E+06	3.4E-04
97	0.081	2.52E-04	2.0E-05	1.05E-03	2.13E-08	0.10	1.57E-01	3.49E-10	1.0E+06	3.5E-04
98	0.08448	2.52E-04	2.1E-05	1.05E-03	2.23E-08	0.10	1.57E-01	3.64E-10	1.0E+06	3.6E-04
99	0.08575	2.52E-04	2.2E-05	1.05E-03	2.26E-08	0.10	1.57E-01	3.69E-10	1.0E+06	3.7E-04
100	0.08664	2.52E-04	2.2E-05	1.05E-03	2.28E-08	0.10	1.57E-01	3.73E-10	1.0E+06	3.7E-04
101	0.08714	2.52E-04	2.2E-05	1.05E-03	2.30E-08	0.10	1.57E-01	3.75E-10	1.0E+06	3.8E-04
102	0.08726	2.52E-04	2.2E-05	1.05E-03	2.30E-08	0.10	1.57E-01	3.76E-10	1.0E+06	3.8E-04
106	0.03405	2.52E-04	8.6E-06	1.05E-03	8.97E-09	0.10	1.57E-01	1.47E-10	1.0E+06	1.5E-04
107	0.03544	2.52E-04	8.9E-06	1.05E-03	9.33E-09	0.10	1.57E-01	1.53E-10	1.0E+06	1.5E-04
108	0.03681	2.52E-04	9.3E-06	1.05E-03	9.70E-09	0.10	1.57E-01	1.59E-10	1.0E+06	1.6E-04
109	0.03825	2.52E-04	9.6E-06	1.05E-03	1.01E-08	0.10	1.57E-01	1.65E-10	1.0E+06	1.6E-04
110	0.03977	2.52E-04	1.0E-05	1.05E-03	1.05E-08	0.10	1.57E-01	1.71E-10	1.0E+06	1.7E-04
111	0.04135	2.52E-04	1.0E-05	1.05E-03	1.09E-08	0.10	1.57E-01	1.78E-10	1.0E+06	1.8E-04
112	0.04305	2.52E-04	1.1E-05	1.05E-03	1.13E-08	0.10	1.57E-01	1.86E-10	1.0E+06	1.9E-04
113	0.04483	2.52E-04	1.1E-05	1.05E-03	1.18E-08	0.10	1.57E-01	1.93E-10	1.0E+06	1.9E-04
114	0.04671	2.52E-04	1.2E-05	1.05E-03	1.23E-08	0.10	1.57E-01	2.01E-10	1.0E+06	2.0E-04
115	0.04868	2.52E-04	1.2E-05	1.05E-03	1.28E-08	0.10	1.57E-01	2.10E-10	1.0E+06	2.1E-04
116	0.05075	2.52E-04	1.3E-05	1.05E-03	1.34E-08	0.10	1.57E-01	2.19E-10	1.0E+06	2.2E-04
117	0.05297	2.52E-04	1.3E-05	1.05E-03	1.40E-08	0.10	1.57E-01	2.28E-10	1.0E+06	2.3E-04
118	0.0553	2.52E-04	1.4E-05	1.05E-03	1.46E-08	0.10	1.57E-01	2.38E-10	1.0E+06	2.4E-04
124	0.03539	2.52E-04	8.9E-06	1.05E-03	9.32E-09	0.10	1.57E-01	1.52E-10	1.0E+06	1.5E-04
125	0.03682	2.52E-04	9.3E-06	1.05E-03	9.70E-09	0.10	1.57E-01	1.59E-10	1.0E+06	1.6E-04

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.03833	2.52E-04	9.7E-06	1.05E-03	1.01E-08	0.10	1.57E-01	1.65E-10	1.0E+06	1.7E-04
127	0.03993	2.52E-04	1.0E-05	1.05E-03	1.05E-08	0.10	1.57E-01	1.72E-10	1.0E+06	1.7E-04
128	0.04161	2.52E-04	1.0E-05	1.05E-03	1.10E-08	0.10	1.57E-01	1.79E-10	1.0E+06	1.8E-04
129	0.04339	2.52E-04	1.1E-05	1.05E-03	1.14E-08	0.10	1.57E-01	1.87E-10	1.0E+06	1.9E-04
130	0.04529	2.52E-04	1.1E-05	1.05E-03	1.19E-08	0.10	1.57E-01	1.95E-10	1.0E+06	2.0E-04
131	0.04729	2.52E-04	1.2E-05	1.05E-03	1.25E-08	0.10	1.57E-01	2.04E-10	1.0E+06	2.0E-04
132	0.04941	2.52E-04	1.2E-05	1.05E-03	1.30E-08	0.10	1.57E-01	2.13E-10	1.0E+06	2.1E-04
133	0.05165	2.52E-04	1.3E-05	1.05E-03	1.36E-08	0.10	1.57E-01	2.23E-10	1.0E+06	2.2E-04
134	0.05403	2.52E-04	1.4E-05	1.05E-03	1.42E-08	0.10	1.57E-01	2.33E-10	1.0E+06	2.3E-04
135	0.05655	2.52E-04	1.4E-05	1.05E-03	1.49E-08	0.10	1.57E-01	2.44E-10	1.0E+06	2.4E-04
136	0.05921	2.52E-04	1.5E-05	1.05E-03	1.56E-08	0.10	1.57E-01	2.55E-10	1.0E+06	2.6E-04
137	0.06202	2.52E-04	1.6E-05	1.05E-03	1.63E-08	0.10	1.57E-01	2.67E-10	1.0E+06	2.7E-04
138	0.06502	2.52E-04	1.6E-05	1.05E-03	1.71E-08	0.10	1.57E-01	2.80E-10	1.0E+06	2.8E-04
141	0.03667	2.52E-04	9.2E-06	1.05E-03	9.66E-09	0.10	1.57E-01	1.58E-10	1.0E+06	1.6E-04
142	0.03823	2.52E-04	9.6E-06	1.05E-03	1.01E-08	0.10	1.57E-01	1.65E-10	1.0E+06	1.6E-04
143	0.03989	2.52E-04	1.0E-05	1.05E-03	1.05E-08	0.10	1.57E-01	1.72E-10	1.0E+06	1.7E-04
144	0.04166	2.52E-04	1.0E-05	1.05E-03	1.10E-08	0.10	1.57E-01	1.80E-10	1.0E+06	1.8E-04
145	0.04353	2.52E-04	1.1E-05	1.05E-03	1.15E-08	0.10	1.57E-01	1.88E-10	1.0E+06	1.9E-04
146	0.04551	2.52E-04	1.1E-05	1.05E-03	1.20E-08	0.10	1.57E-01	1.96E-10	1.0E+06	2.0E-04
147	0.04764	2.52E-04	1.2E-05	1.05E-03	1.25E-08	0.10	1.57E-01	2.05E-10	1.0E+06	2.1E-04
148	0.04989	2.52E-04	1.3E-05	1.05E-03	1.31E-08	0.10	1.57E-01	2.15E-10	1.0E+06	2.1E-04
149	0.05229	2.52E-04	1.3E-05	1.05E-03	1.38E-08	0.10	1.57E-01	2.25E-10	1.0E+06	2.3E-04
150	0.05484	2.52E-04	1.4E-05	1.05E-03	1.44E-08	0.10	1.57E-01	2.36E-10	1.0E+06	2.4E-04
151	0.05756	2.52E-04	1.5E-05	1.05E-03	1.52E-08	0.10	1.57E-01	2.48E-10	1.0E+06	2.5E-04
152	0.06045	2.52E-04	1.5E-05	1.05E-03	1.59E-08	0.10	1.57E-01	2.60E-10	1.0E+06	2.6E-04
153	0.06353	2.52E-04	1.6E-05	1.05E-03	1.67E-08	0.10	1.57E-01	2.74E-10	1.0E+06	2.7E-04
154	0.06679	2.52E-04	1.7E-05	1.05E-03	1.76E-08	0.10	1.57E-01	2.88E-10	1.0E+06	2.9E-04
155	0.07026	2.52E-04	1.8E-05	1.05E-03	1.85E-08	0.10	1.57E-01	3.03E-10	1.0E+06	3.0E-04
164	0.07209	2.52E-04	1.8E-05	1.05E-03	1.90E-08	0.10	1.57E-01	3.11E-10	1.0E+06	3.1E-04
165	0.07615	2.52E-04	1.9E-05	1.05E-03	2.01E-08	0.10	1.57E-01	3.28E-10	1.0E+06	3.3E-04
166	0.08052	2.52E-04	2.0E-05	1.05E-03	2.12E-08	0.10	1.57E-01	3.47E-10	1.0E+06	3.5E-04

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	0.07796	2.52E-04	2.0E-05	1.05E-03	2.05E-08	0.10	1.57E-01	3.36E-10	1.0E+06	3.4E-04
179	0.08278	2.52E-04	2.1E-05	1.05E-03	2.18E-08	0.10	1.57E-01	3.57E-10	1.0E+06	3.6E-04
180	0.08798	2.52E-04	2.2E-05	1.05E-03	2.32E-08	0.10	1.57E-01	3.79E-10	1.0E+06	3.8E-04
192	0.08446	2.52E-04	2.1E-05	1.05E-03	2.22E-08	0.10	1.57E-01	3.64E-10	1.0E+06	3.6E-04
193	0.09022	2.52E-04	2.3E-05	1.05E-03	2.38E-08	0.10	1.57E-01	3.89E-10	1.0E+06	3.9E-04
194	0.09645	2.52E-04	2.4E-05	1.05E-03	2.54E-08	0.10	1.57E-01	4.16E-10	1.0E+06	4.2E-04
207	0.09157	2.52E-04	2.3E-05	1.05E-03	2.41E-08	0.10	1.57E-01	3.95E-10	1.0E+06	3.9E-04
208	0.09846	2.52E-04	2.5E-05	1.05E-03	2.59E-08	0.10	1.57E-01	4.24E-10	1.0E+06	4.2E-04
209	0.10603	2.52E-04	2.7E-05	1.05E-03	2.79E-08	0.10	1.57E-01	4.57E-10	1.0E+06	4.6E-04
223	0.09926	2.52E-04	2.5E-05	1.05E-03	2.61E-08	0.10	1.57E-01	4.28E-10	1.0E+06	4.3E-04
224	0.10753	2.52E-04	2.7E-05	1.05E-03	2.83E-08	0.10	1.57E-01	4.63E-10	1.0E+06	4.6E-04
225	0.11672	2.52E-04	2.9E-05	1.05E-03	3.07E-08	0.10	1.57E-01	5.03E-10	1.0E+06	5.0E-04
239	0.10746	2.52E-04	2.7E-05	1.05E-03	2.83E-08	0.10	1.57E-01	4.63E-10	1.0E+06	4.6E-04
240	0.11738	2.52E-04	3.0E-05	1.05E-03	3.09E-08	0.10	1.57E-01	5.06E-10	1.0E+06	5.1E-04
241	0.12859	2.52E-04	3.2E-05	1.05E-03	3.39E-08	0.10	1.57E-01	5.54E-10	1.0E+06	5.5E-04
255	0.11601	2.52E-04	2.9E-05	1.05E-03	3.06E-08	0.10	1.57E-01	5.00E-10	1.0E+06	5.0E-04
256	0.12784	2.52E-04	3.2E-05	1.05E-03	3.37E-08	0.10	1.57E-01	5.51E-10	1.0E+06	5.5E-04
272	0.12469	2.52E-04	3.1E-05	1.05E-03	3.28E-08	0.10	1.57E-01	5.37E-10	1.0E+06	5.4E-04
273	0.13868	2.52E-04	3.5E-05	1.05E-03	3.65E-08	0.10	1.57E-01	5.98E-10	1.0E+06	6.0E-04
289	0.13322	2.52E-04	3.4E-05	1.05E-03	3.51E-08	0.10	1.57E-01	5.74E-10	1.0E+06	5.7E-04
290	0.1495	2.52E-04	3.8E-05	1.05E-03	3.94E-08	0.10	1.57E-01	6.44E-10	1.0E+06	6.4E-04
306	0.1412	2.52E-04	3.6E-05	1.05E-03	3.72E-08	0.10	1.57E-01	6.08E-10	1.0E+06	6.1E-04
307	0.15982	2.52E-04	4.0E-05	1.05E-03	4.21E-08	0.10	1.57E-01	6.89E-10	1.0E+06	6.9E-04
323	0.14821	2.52E-04	3.7E-05	1.05E-03	3.90E-08	0.10	1.57E-01	6.39E-10	1.0E+06	6.4E-04
324	0.16903	2.52E-04	4.3E-05	1.05E-03	4.45E-08	0.10	1.57E-01	7.28E-10	1.0E+06	7.3E-04
342	0.15384	2.52E-04	3.9E-05	1.05E-03	4.05E-08	0.10	1.57E-01	6.63E-10	1.0E+06	6.6E-04
343	0.17651	2.52E-04	4.4E-05	1.05E-03	4.65E-08	0.10	1.57E-01	7.61E-10	1.0E+06	7.6E-04
344	0.20495	2.52E-04	5.2E-05	1.05E-03	5.40E-08	0.10	1.57E-01	8.83E-10	1.0E+06	8.8E-04
356	0.15773	2.52E-04	4.0E-05	1.05E-03	4.15E-08	0.10	1.57E-01	6.80E-10	1.0E+06	6.8E-04
357	0.18176	2.52E-04	4.6E-05	1.05E-03	4.79E-08	0.10	1.57E-01	7.83E-10	1.0E+06	7.8E-04
358	0.21216	2.52E-04	5.3E-05	1.05E-03	5.59E-08	0.10	1.57E-01	9.14E-10	1.0E+06	9.1E-04

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.15971	2.52E-04	4.0E-05	1.05E-03	4.21E-08	0.10	1.57E-01	6.88E-10	1.0E+06	6.9E-04
371	0.18449	2.52E-04	4.6E-05	1.05E-03	4.86E-08	0.10	1.57E-01	7.95E-10	1.0E+06	7.9E-04
372	0.21598	2.52E-04	5.4E-05	1.05E-03	5.69E-08	0.10	1.57E-01	9.31E-10	1.0E+06	9.3E-04
383	0.15971	2.52E-04	4.0E-05	1.05E-03	4.21E-08	0.10	1.57E-01	6.88E-10	1.0E+06	6.9E-04
384	0.18464	2.52E-04	4.7E-05	1.05E-03	4.86E-08	0.10	1.57E-01	7.96E-10	1.0E+06	8.0E-04
385	0.21634	2.52E-04	5.5E-05	1.05E-03	5.70E-08	0.10	1.57E-01	9.32E-10	1.0E+06	9.3E-04
396	0.15789	2.52E-04	4.0E-05	1.05E-03	4.16E-08	0.10	1.57E-01	6.80E-10	1.0E+06	6.8E-04
397	0.18239	2.52E-04	4.6E-05	1.05E-03	4.80E-08	0.10	1.57E-01	7.86E-10	1.0E+06	7.9E-04
398	0.21347	2.52E-04	5.4E-05	1.05E-03	5.62E-08	0.10	1.57E-01	9.20E-10	1.0E+06	9.2E-04
399	0.25373	2.52E-04	6.4E-05	1.05E-03	6.68E-08	0.10	1.57E-01	1.09E-09	1.0E+06	1.1E-03
411	0.15447	2.52E-04	3.9E-05	1.05E-03	4.07E-08	0.10	1.57E-01	6.66E-10	1.0E+06	6.7E-04
412	0.17804	2.52E-04	4.5E-05	1.05E-03	4.69E-08	0.10	1.57E-01	7.67E-10	1.0E+06	7.7E-04
413	0.20782	2.52E-04	5.2E-05	1.05E-03	5.47E-08	0.10	1.57E-01	8.96E-10	1.0E+06	9.0E-04
414	0.24616	2.52E-04	6.2E-05	1.05E-03	6.48E-08	0.10	1.57E-01	1.06E-09	1.0E+06	1.1E-03
426	0.14976	2.52E-04	3.8E-05	1.05E-03	3.94E-08	0.10	1.57E-01	6.45E-10	1.0E+06	6.5E-04
427	0.17201	2.52E-04	4.3E-05	1.05E-03	4.53E-08	0.10	1.57E-01	7.41E-10	1.0E+06	7.4E-04
428	0.19993	2.52E-04	5.0E-05	1.05E-03	5.27E-08	0.10	1.57E-01	8.62E-10	1.0E+06	8.6E-04
429	0.2356	2.52E-04	5.9E-05	1.05E-03	6.21E-08	0.10	1.57E-01	1.02E-09	1.0E+06	1.0E-03
439	0.14408	2.52E-04	3.6E-05	1.05E-03	3.79E-08	0.10	1.57E-01	6.21E-10	1.0E+06	6.2E-04
440	0.16475	2.52E-04	4.2E-05	1.05E-03	4.34E-08	0.10	1.57E-01	7.10E-10	1.0E+06	7.1E-04
441	0.19045	2.52E-04	4.8E-05	1.05E-03	5.02E-08	0.10	1.57E-01	8.21E-10	1.0E+06	8.2E-04
442	0.22294	2.52E-04	5.6E-05	1.05E-03	5.87E-08	0.10	1.57E-01	9.61E-10	1.0E+06	9.6E-04
443	0.26482	2.52E-04	6.7E-05	1.05E-03	6.98E-08	0.10	1.57E-01	1.14E-09	1.0E+06	1.1E-03
454	0.13775	2.52E-04	3.5E-05	1.05E-03	3.63E-08	0.10	1.57E-01	5.94E-10	1.0E+06	5.9E-04
455	0.15669	2.52E-04	3.9E-05	1.05E-03	4.13E-08	0.10	1.57E-01	6.75E-10	1.0E+06	6.8E-04
456	0.17999	2.52E-04	4.5E-05	1.05E-03	4.74E-08	0.10	1.57E-01	7.76E-10	1.0E+06	7.8E-04
457	0.20909	2.52E-04	5.3E-05	1.05E-03	5.51E-08	0.10	1.57E-01	9.01E-10	1.0E+06	9.0E-04
458	0.24609	2.52E-04	6.2E-05	1.05E-03	6.48E-08	0.10	1.57E-01	1.06E-09	1.0E+06	1.1E-03
469	0.13106	2.52E-04	3.3E-05	1.05E-03	3.45E-08	0.10	1.57E-01	5.65E-10	1.0E+06	5.6E-04
470	0.1482	2.52E-04	3.7E-05	1.05E-03	3.90E-08	0.10	1.57E-01	6.39E-10	1.0E+06	6.4E-04
471	0.16908	2.52E-04	4.3E-05	1.05E-03	4.45E-08	0.10	1.57E-01	7.29E-10	1.0E+06	7.3E-04

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.19482	2.52E-04	4.9E-05	1.05E-03	5.13E-08	0.10	1.57E-01	8.39E-10	1.0E+06	8.4E-04
473	0.22708	2.52E-04	5.7E-05	1.05E-03	5.98E-08	0.10	1.57E-01	9.78E-10	1.0E+06	9.8E-04
489	0.12424	2.52E-04	3.1E-05	1.05E-03	3.27E-08	0.10	1.57E-01	5.35E-10	1.0E+06	5.4E-04
490	0.13964	2.52E-04	3.5E-05	1.05E-03	3.68E-08	0.10	1.57E-01	6.02E-10	1.0E+06	6.0E-04
491	0.15817	2.52E-04	4.0E-05	1.05E-03	4.17E-08	0.10	1.57E-01	6.82E-10	1.0E+06	6.8E-04
492	0.18075	2.52E-04	4.6E-05	1.05E-03	4.76E-08	0.10	1.57E-01	7.79E-10	1.0E+06	7.8E-04
493	0.20864	2.52E-04	5.3E-05	1.05E-03	5.50E-08	0.10	1.57E-01	8.99E-10	1.0E+06	9.0E-04
494	0.2437	2.52E-04	6.1E-05	1.05E-03	6.42E-08	0.10	1.57E-01	1.05E-09	1.0E+06	1.1E-03
509	0.11745	2.52E-04	3.0E-05	1.05E-03	3.09E-08	0.10	1.57E-01	5.06E-10	1.0E+06	5.1E-04
510	0.1312	2.52E-04	3.3E-05	1.05E-03	3.46E-08	0.10	1.57E-01	5.65E-10	1.0E+06	5.7E-04
511	0.14757	2.52E-04	3.7E-05	1.05E-03	3.89E-08	0.10	1.57E-01	6.36E-10	1.0E+06	6.4E-04
512	0.16727	2.52E-04	4.2E-05	1.05E-03	4.41E-08	0.10	1.57E-01	7.21E-10	1.0E+06	7.2E-04
513	0.19126	2.52E-04	4.8E-05	1.05E-03	5.04E-08	0.10	1.57E-01	8.24E-10	1.0E+06	8.2E-04
514	0.22097	2.52E-04	5.6E-05	1.05E-03	5.82E-08	0.10	1.57E-01	9.52E-10	1.0E+06	9.5E-04
515	0.30678	2.52E-04	7.7E-05	1.05E-03	8.08E-08	0.10	1.57E-01	1.32E-09	1.0E+06	1.3E-03
516	0.37036	2.52E-04	9.3E-05	1.05E-03	9.75E-08	0.10	1.57E-01	1.60E-09	1.0E+06	1.6E-03
517	0.4571	2.52E-04	1.2E-04	1.05E-03	1.20E-07	0.10	1.57E-01	1.97E-09	1.0E+06	2.0E-03
518	0.57842	2.52E-04	1.5E-04	1.05E-03	1.52E-07	0.10	1.57E-01	2.49E-09	1.0E+06	2.5E-03
519	0.75145	2.52E-04	1.9E-04	1.05E-03	1.98E-07	0.10	1.57E-01	3.24E-09	1.0E+06	3.2E-03
528	0.11082	2.52E-04	2.8E-05	1.05E-03	2.92E-08	0.10	1.57E-01	4.78E-10	1.0E+06	4.8E-04
529	0.12305	2.52E-04	3.1E-05	1.05E-03	3.24E-08	0.10	1.57E-01	5.30E-10	1.0E+06	5.3E-04
530	0.13745	2.52E-04	3.5E-05	1.05E-03	3.62E-08	0.10	1.57E-01	5.92E-10	1.0E+06	5.9E-04
531	0.15457	2.52E-04	3.9E-05	1.05E-03	4.07E-08	0.10	1.57E-01	6.66E-10	1.0E+06	6.7E-04
532	0.17519	2.52E-04	4.4E-05	1.05E-03	4.61E-08	0.10	1.57E-01	7.55E-10	1.0E+06	7.5E-04
533	0.20035	2.52E-04	5.0E-05	1.05E-03	5.28E-08	0.10	1.57E-01	8.63E-10	1.0E+06	8.6E-04
534	0.27108	2.52E-04	6.8E-05	1.05E-03	7.14E-08	0.10	1.57E-01	1.17E-09	1.0E+06	1.2E-03
535	0.32198	2.52E-04	8.1E-05	1.05E-03	8.48E-08	0.10	1.57E-01	1.39E-09	1.0E+06	1.4E-03
536	0.39049	2.52E-04	9.8E-05	1.05E-03	1.03E-07	0.10	1.57E-01	1.68E-09	1.0E+06	1.7E-03
537	0.48144	2.52E-04	1.2E-04	1.05E-03	1.27E-07	0.10	1.57E-01	2.07E-09	1.0E+06	2.1E-03
538	0.60461	2.52E-04	1.5E-04	1.05E-03	1.59E-07	0.10	1.57E-01	2.61E-09	1.0E+06	2.6E-03
547	0.10443	2.52E-04	2.6E-05	1.05E-03	2.75E-08	0.10	1.57E-01	4.50E-10	1.0E+06	4.5E-04

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.11526	2.52E-04	2.9E-05	1.05E-03	3.04E-08	0.10	1.57E-01	4.97E-10	1.0E+06	5.0E-04
549	0.1279	2.52E-04	3.2E-05	1.05E-03	3.37E-08	0.10	1.57E-01	5.51E-10	1.0E+06	5.5E-04
550	0.14277	2.52E-04	3.6E-05	1.05E-03	3.76E-08	0.10	1.57E-01	6.15E-10	1.0E+06	6.2E-04
551	0.16048	2.52E-04	4.0E-05	1.05E-03	4.23E-08	0.10	1.57E-01	6.92E-10	1.0E+06	6.9E-04
552	0.18183	2.52E-04	4.6E-05	1.05E-03	4.79E-08	0.10	1.57E-01	7.84E-10	1.0E+06	7.8E-04
553	0.20802	2.52E-04	5.2E-05	1.05E-03	5.48E-08	0.10	1.57E-01	8.96E-10	1.0E+06	9.0E-04
554	0.24055	2.52E-04	6.1E-05	1.05E-03	6.34E-08	0.10	1.57E-01	1.04E-09	1.0E+06	1.0E-03
555	0.28221	2.52E-04	7.1E-05	1.05E-03	7.43E-08	0.10	1.57E-01	1.22E-09	1.0E+06	1.2E-03
556	0.3369	2.52E-04	8.5E-05	1.05E-03	8.87E-08	0.10	1.57E-01	1.45E-09	1.0E+06	1.5E-03
557	0.40712	2.52E-04	1.0E-04	1.05E-03	1.07E-07	0.10	1.57E-01	1.75E-09	1.0E+06	1.8E-03
558	0.49947	2.52E-04	1.3E-04	1.05E-03	1.32E-07	0.10	1.57E-01	2.15E-09	1.0E+06	2.2E-03
559	0.61058	2.52E-04	1.5E-04	1.05E-03	1.61E-07	0.10	1.57E-01	2.63E-09	1.0E+06	2.6E-03
567	0.09831	2.52E-04	2.5E-05	1.05E-03	2.59E-08	0.10	1.57E-01	4.24E-10	1.0E+06	4.2E-04
568	0.10789	2.52E-04	2.7E-05	1.05E-03	2.84E-08	0.10	1.57E-01	4.65E-10	1.0E+06	4.6E-04
569	0.11897	2.52E-04	3.0E-05	1.05E-03	3.13E-08	0.10	1.57E-01	5.13E-10	1.0E+06	5.1E-04
570	0.1319	2.52E-04	3.3E-05	1.05E-03	3.47E-08	0.10	1.57E-01	5.68E-10	1.0E+06	5.7E-04
571	0.14714	2.52E-04	3.7E-05	1.05E-03	3.88E-08	0.10	1.57E-01	6.34E-10	1.0E+06	6.3E-04
572	0.16536	2.52E-04	4.2E-05	1.05E-03	4.36E-08	0.10	1.57E-01	7.13E-10	1.0E+06	7.1E-04
573	0.18747	2.52E-04	4.7E-05	1.05E-03	4.94E-08	0.10	1.57E-01	8.08E-10	1.0E+06	8.1E-04
574	0.24896	2.52E-04	6.3E-05	1.05E-03	6.56E-08	0.10	1.57E-01	1.07E-09	1.0E+06	1.1E-03
575	0.29304	2.52E-04	7.4E-05	1.05E-03	7.72E-08	0.10	1.57E-01	1.26E-09	1.0E+06	1.3E-03
576	0.34921	2.52E-04	8.8E-05	1.05E-03	9.20E-08	0.10	1.57E-01	1.50E-09	1.0E+06	1.5E-03
577	0.41933	2.52E-04	1.1E-04	1.05E-03	1.10E-07	0.10	1.57E-01	1.81E-09	1.0E+06	1.8E-03
578	0.50135	2.52E-04	1.3E-04	1.05E-03	1.32E-07	0.10	1.57E-01	2.16E-09	1.0E+06	2.2E-03
586	0.0925	2.52E-04	2.3E-05	1.05E-03	2.44E-08	0.10	1.57E-01	3.99E-10	1.0E+06	4.0E-04
587	0.10097	2.52E-04	2.5E-05	1.05E-03	2.66E-08	0.10	1.57E-01	4.35E-10	1.0E+06	4.4E-04
588	0.11069	2.52E-04	2.8E-05	1.05E-03	2.92E-08	0.10	1.57E-01	4.77E-10	1.0E+06	4.8E-04
589	0.12195	2.52E-04	3.1E-05	1.05E-03	3.21E-08	0.10	1.57E-01	5.25E-10	1.0E+06	5.3E-04
590	0.13512	2.52E-04	3.4E-05	1.05E-03	3.56E-08	0.10	1.57E-01	5.82E-10	1.0E+06	5.8E-04
591	0.15072	2.52E-04	3.8E-05	1.05E-03	3.97E-08	0.10	1.57E-01	6.49E-10	1.0E+06	6.5E-04
592	0.1695	2.52E-04	4.3E-05	1.05E-03	4.46E-08	0.10	1.57E-01	7.30E-10	1.0E+06	7.3E-04

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.22092	2.52E-04	5.6E-05	1.05E-03	5.82E-08	0.10	1.57E-01	9.52E-10	1.0E+06	9.5E-04
594	0.25706	2.52E-04	6.5E-05	1.05E-03	6.77E-08	0.10	1.57E-01	1.11E-09	1.0E+06	1.1E-03
595	0.30171	2.52E-04	7.6E-05	1.05E-03	7.95E-08	0.10	1.57E-01	1.30E-09	1.0E+06	1.3E-03
596	0.35586	2.52E-04	9.0E-05	1.05E-03	9.37E-08	0.10	1.57E-01	1.53E-09	1.0E+06	1.5E-03
597	0.41784	2.52E-04	1.1E-04	1.05E-03	1.10E-07	0.10	1.57E-01	1.80E-09	1.0E+06	1.8E-03
345	0.24137	2.52E-04	6.1E-05	1.05E-03	6.36E-08	0.10	1.57E-01	1.04E-09	1.0E+06	1.0E-03
346	0.28917	2.52E-04	7.3E-05	1.05E-03	7.62E-08	0.10	1.57E-01	1.25E-09	1.0E+06	1.2E-03
347	0.35394	2.52E-04	8.9E-05	1.05E-03	9.32E-08	0.10	1.57E-01	1.53E-09	1.0E+06	1.5E-03
348	0.44547	2.52E-04	1.1E-04	1.05E-03	1.17E-07	0.10	1.57E-01	1.92E-09	1.0E+06	1.9E-03
359	0.25144	2.52E-04	6.3E-05	1.05E-03	6.62E-08	0.10	1.57E-01	1.08E-09	1.0E+06	1.1E-03
360	0.3035	2.52E-04	7.6E-05	1.05E-03	7.99E-08	0.10	1.57E-01	1.31E-09	1.0E+06	1.3E-03
361	0.37508	2.52E-04	9.5E-05	1.05E-03	9.88E-08	0.10	1.57E-01	1.62E-09	1.0E+06	1.6E-03
362	0.47671	2.52E-04	1.2E-04	1.05E-03	1.26E-07	0.10	1.57E-01	2.05E-09	1.0E+06	2.1E-03
363	0.63391	2.52E-04	1.6E-04	1.05E-03	1.67E-07	0.10	1.57E-01	2.73E-09	1.0E+06	2.7E-03
373	0.31136	2.52E-04	7.8E-05	1.05E-03	8.20E-08	0.10	1.57E-01	1.34E-09	1.0E+06	1.3E-03
374	0.38621	2.52E-04	9.7E-05	1.05E-03	1.02E-07	0.10	1.57E-01	1.66E-09	1.0E+06	1.7E-03
375	0.49277	2.52E-04	1.2E-04	1.05E-03	1.30E-07	0.10	1.57E-01	2.12E-09	1.0E+06	2.1E-03
376	0.65646	2.52E-04	1.7E-04	1.05E-03	1.73E-07	0.10	1.57E-01	2.83E-09	1.0E+06	2.8E-03
386	0.31239	2.52E-04	7.9E-05	1.05E-03	8.23E-08	0.10	1.57E-01	1.35E-09	1.0E+06	1.3E-03
387	0.38773	2.52E-04	9.8E-05	1.05E-03	1.02E-07	0.10	1.57E-01	1.67E-09	1.0E+06	1.7E-03
388	0.49431	2.52E-04	1.2E-04	1.05E-03	1.30E-07	0.10	1.57E-01	2.13E-09	1.0E+06	2.1E-03
389	0.65617	2.52E-04	1.7E-04	1.05E-03	1.73E-07	0.10	1.57E-01	2.83E-09	1.0E+06	2.8E-03
390	0.92241	2.52E-04	2.3E-04	1.05E-03	2.43E-07	0.10	1.57E-01	3.97E-09	1.0E+06	4.0E-03
400	0.30719	2.52E-04	7.7E-05	1.05E-03	8.09E-08	0.10	1.57E-01	1.32E-09	1.0E+06	1.3E-03
401	0.37974	2.52E-04	9.6E-05	1.05E-03	1.00E-07	0.10	1.57E-01	1.64E-09	1.0E+06	1.6E-03
402	0.48326	2.52E-04	1.2E-04	1.05E-03	1.27E-07	0.10	1.57E-01	2.08E-09	1.0E+06	2.1E-03
403	0.63557	2.52E-04	1.6E-04	1.05E-03	1.67E-07	0.10	1.57E-01	2.74E-09	1.0E+06	2.7E-03
404	0.87893	2.52E-04	2.2E-04	1.05E-03	2.31E-07	0.10	1.57E-01	3.79E-09	1.0E+06	3.8E-03
415	0.29671	2.52E-04	7.5E-05	1.05E-03	7.81E-08	0.10	1.57E-01	1.28E-09	1.0E+06	1.3E-03
416	0.36519	2.52E-04	9.2E-05	1.05E-03	9.62E-08	0.10	1.57E-01	1.57E-09	1.0E+06	1.6E-03
417	0.46038	2.52E-04	1.2E-04	1.05E-03	1.21E-07	0.10	1.57E-01	1.98E-09	1.0E+06	2.0E-03

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.60194	2.52E-04	1.5E-04	1.05E-03	1.59E-07	0.10	1.57E-01	2.59E-09	1.0E+06	2.6E-03
419	0.8217	2.52E-04	2.1E-04	1.05E-03	2.16E-07	0.10	1.57E-01	3.54E-09	1.0E+06	3.5E-03
420	1.18327	2.52E-04	3.0E-04	1.05E-03	3.12E-07	0.10	1.57E-01	5.10E-09	1.0E+06	5.1E-03
430	0.34435	2.52E-04	8.7E-05	1.05E-03	9.07E-08	0.10	1.57E-01	1.48E-09	1.0E+06	1.5E-03
431	0.4306	2.52E-04	1.1E-04	1.05E-03	1.13E-07	0.10	1.57E-01	1.86E-09	1.0E+06	1.9E-03
432	0.55478	2.52E-04	1.4E-04	1.05E-03	1.46E-07	0.10	1.57E-01	2.39E-09	1.0E+06	2.4E-03
433	0.74427	2.52E-04	1.9E-04	1.05E-03	1.96E-07	0.10	1.57E-01	3.21E-09	1.0E+06	3.2E-03
434	1.05677	2.52E-04	2.7E-04	1.05E-03	2.78E-07	0.10	1.57E-01	4.55E-09	1.0E+06	4.6E-03
444	0.32009	2.52E-04	8.1E-05	1.05E-03	8.43E-08	0.10	1.57E-01	1.38E-09	1.0E+06	1.4E-03
445	0.3952	2.52E-04	1.0E-04	1.05E-03	1.04E-07	0.10	1.57E-01	1.70E-09	1.0E+06	1.7E-03
446	0.50138	2.52E-04	1.3E-04	1.05E-03	1.32E-07	0.10	1.57E-01	2.16E-09	1.0E+06	2.2E-03
447	0.65915	2.52E-04	1.7E-04	1.05E-03	1.74E-07	0.10	1.57E-01	2.84E-09	1.0E+06	2.8E-03
448	0.91002	2.52E-04	2.3E-04	1.05E-03	2.40E-07	0.10	1.57E-01	3.92E-09	1.0E+06	3.9E-03
459	0.35824	2.52E-04	9.0E-05	1.05E-03	9.44E-08	0.10	1.57E-01	1.54E-09	1.0E+06	1.5E-03
460	0.44673	2.52E-04	1.1E-04	1.05E-03	1.18E-07	0.10	1.57E-01	1.92E-09	1.0E+06	1.9E-03
461	0.5743	2.52E-04	1.4E-04	1.05E-03	1.51E-07	0.10	1.57E-01	2.47E-09	1.0E+06	2.5E-03
462	0.76859	2.52E-04	1.9E-04	1.05E-03	2.02E-07	0.10	1.57E-01	3.31E-09	1.0E+06	3.3E-03
463	1.0833	2.52E-04	2.7E-04	1.05E-03	2.85E-07	0.10	1.57E-01	4.67E-09	1.0E+06	4.7E-03
474	0.32214	2.52E-04	8.1E-05	1.05E-03	8.48E-08	0.10	1.57E-01	1.39E-09	1.0E+06	1.4E-03
475	0.39466	2.52E-04	9.9E-05	1.05E-03	1.04E-07	0.10	1.57E-01	1.70E-09	1.0E+06	1.7E-03
476	0.49626	2.52E-04	1.3E-04	1.05E-03	1.31E-07	0.10	1.57E-01	2.14E-09	1.0E+06	2.1E-03
477	0.64368	2.52E-04	1.6E-04	1.05E-03	1.70E-07	0.10	1.57E-01	2.77E-09	1.0E+06	2.8E-03
478	0.86818	2.52E-04	2.2E-04	1.05E-03	2.29E-07	0.10	1.57E-01	3.74E-09	1.0E+06	3.7E-03
495	0.28868	2.52E-04	7.3E-05	1.05E-03	7.60E-08	0.10	1.57E-01	1.24E-09	1.0E+06	1.2E-03
496	0.34778	2.52E-04	8.8E-05	1.05E-03	9.16E-08	0.10	1.57E-01	1.50E-09	1.0E+06	1.5E-03
497	0.42817	2.52E-04	1.1E-04	1.05E-03	1.13E-07	0.10	1.57E-01	1.85E-09	1.0E+06	1.8E-03
498	0.54081	2.52E-04	1.4E-04	1.05E-03	1.42E-07	0.10	1.57E-01	2.33E-09	1.0E+06	2.3E-03
499	0.70359	2.52E-04	1.8E-04	1.05E-03	1.85E-07	0.10	1.57E-01	3.03E-09	1.0E+06	3.0E-03
500	0.94704	2.52E-04	2.4E-04	1.05E-03	2.49E-07	0.10	1.57E-01	4.08E-09	1.0E+06	4.1E-03

Via Oro
Building Construction

		Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction									
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
139	0.06816	2.52E-04	1.7E-05	2.50E-04	4.30E-09	0.10	1.15E-02	5.13E-12	1.0E+06	5.1E-06	
140	0.07148	2.52E-04	1.8E-05	2.50E-04	4.51E-09	0.10	1.15E-02	5.38E-12	1.0E+06	5.4E-06	
156	0.07396	2.52E-04	1.9E-05	2.50E-04	4.66E-09	0.10	1.15E-02	5.57E-12	1.0E+06	5.6E-06	
157	0.07785	2.52E-04	2.0E-05	2.50E-04	4.91E-09	0.10	1.15E-02	5.86E-12	1.0E+06	5.9E-06	
158	0.08197	2.52E-04	2.1E-05	2.50E-04	5.17E-09	0.10	1.15E-02	6.17E-12	1.0E+06	6.2E-06	
159	0.08628	2.52E-04	2.2E-05	2.50E-04	5.44E-09	0.10	1.15E-02	6.50E-12	1.0E+06	6.5E-06	
160	0.09072	2.52E-04	2.3E-05	2.50E-04	5.72E-09	0.10	1.15E-02	6.83E-12	1.0E+06	6.8E-06	
161	0.09992	2.52E-04	2.5E-05	2.50E-04	6.30E-09	0.10	1.15E-02	7.53E-12	1.0E+06	7.5E-06	
162	0.10448	2.52E-04	2.6E-05	2.50E-04	6.59E-09	0.10	1.15E-02	7.87E-12	1.0E+06	7.9E-06	
163	0.10884	2.52E-04	2.7E-05	2.50E-04	6.86E-09	0.10	1.15E-02	8.20E-12	1.0E+06	8.2E-06	
167	0.08511	2.52E-04	2.1E-05	2.50E-04	5.37E-09	0.10	1.15E-02	6.41E-12	1.0E+06	6.4E-06	
168	0.0901	2.52E-04	2.3E-05	2.50E-04	5.68E-09	0.10	1.15E-02	6.79E-12	1.0E+06	6.8E-06	
169	0.0953	2.52E-04	2.4E-05	2.50E-04	6.01E-09	0.10	1.15E-02	7.18E-12	1.0E+06	7.2E-06	
170	0.10073	2.52E-04	2.5E-05	2.50E-04	6.35E-09	0.10	1.15E-02	7.59E-12	1.0E+06	7.6E-06	
171	0.10635	2.52E-04	2.7E-05	2.50E-04	6.71E-09	0.10	1.15E-02	8.01E-12	1.0E+06	8.0E-06	
172	0.1121	2.52E-04	2.8E-05	2.50E-04	7.07E-09	0.10	1.15E-02	8.44E-12	1.0E+06	8.4E-06	
173	0.11775	2.52E-04	3.0E-05	2.50E-04	7.43E-09	0.10	1.15E-02	8.87E-12	1.0E+06	8.9E-06	
174	0.12327	2.52E-04	3.1E-05	2.50E-04	7.77E-09	0.10	1.15E-02	9.28E-12	1.0E+06	9.3E-06	
175	0.12841	2.52E-04	3.2E-05	2.50E-04	8.10E-09	0.10	1.15E-02	9.67E-12	1.0E+06	9.7E-06	
176	0.13295	2.52E-04	3.4E-05	2.50E-04	8.38E-09	0.10	1.15E-02	1.00E-11	1.0E+06	1.0E-05	
177	0.13662	2.52E-04	3.4E-05	2.50E-04	8.62E-09	0.10	1.15E-02	1.03E-11	1.0E+06	1.0E-05	
181	0.09954	2.52E-04	2.5E-05	2.50E-04	6.28E-09	0.10	1.15E-02	7.50E-12	1.0E+06	7.5E-06	
182	0.10585	2.52E-04	2.7E-05	2.50E-04	6.68E-09	0.10	1.15E-02	7.97E-12	1.0E+06	8.0E-06	
183	0.1126	2.52E-04	2.8E-05	2.50E-04	7.10E-09	0.10	1.15E-02	8.48E-12	1.0E+06	8.5E-06	
184	0.11961	2.52E-04	3.0E-05	2.50E-04	7.54E-09	0.10	1.15E-02	9.01E-12	1.0E+06	9.0E-06	
185	0.12685	2.52E-04	3.2E-05	2.50E-04	8.00E-09	0.10	1.15E-02	9.55E-12	1.0E+06	9.6E-06	
186	0.13413	2.52E-04	3.4E-05	2.50E-04	8.46E-09	0.10	1.15E-02	1.01E-11	1.0E+06	1.0E-05	
187	0.14109	2.52E-04	3.6E-05	2.50E-04	8.90E-09	0.10	1.15E-02	1.06E-11	1.0E+06	1.1E-05	
188	0.14778	2.52E-04	3.7E-05	2.50E-04	9.32E-09	0.10	1.15E-02	1.11E-11	1.0E+06	1.1E-05	
189	0.15367	2.52E-04	3.9E-05	2.50E-04	9.69E-09	0.10	1.15E-02	1.16E-11	1.0E+06	1.2E-05	
190	0.15837	2.52E-04	4.0E-05	2.50E-04	9.99E-09	0.10	1.15E-02	1.19E-11	1.0E+06	1.2E-05	

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	0.16169	2.52E-04	4.1E-05	2.50E-04	1.02E-08	0.10	1.15E-02	1.22E-11	1.0E+06	1.2E-05
195	0.11054	2.52E-04	2.8E-05	2.50E-04	6.97E-09	0.10	1.15E-02	8.33E-12	1.0E+06	8.3E-06
196	0.11838	2.52E-04	3.0E-05	2.50E-04	7.47E-09	0.10	1.15E-02	8.92E-12	1.0E+06	8.9E-06
197	0.12675	2.52E-04	3.2E-05	2.50E-04	7.99E-09	0.10	1.15E-02	9.55E-12	1.0E+06	9.5E-06
198	0.13568	2.52E-04	3.4E-05	2.50E-04	8.56E-09	0.10	1.15E-02	1.02E-11	1.0E+06	1.0E-05
199	0.14497	2.52E-04	3.7E-05	2.50E-04	9.14E-09	0.10	1.15E-02	1.09E-11	1.0E+06	1.1E-05
200	0.15443	2.52E-04	3.9E-05	2.50E-04	9.74E-09	0.10	1.15E-02	1.16E-11	1.0E+06	1.2E-05
201	0.16376	2.52E-04	4.1E-05	2.50E-04	1.03E-08	0.10	1.15E-02	1.23E-11	1.0E+06	1.2E-05
202	0.17252	2.52E-04	4.3E-05	2.50E-04	1.09E-08	0.10	1.15E-02	1.30E-11	1.0E+06	1.3E-05
203	0.18022	2.52E-04	4.5E-05	2.50E-04	1.14E-08	0.10	1.15E-02	1.36E-11	1.0E+06	1.4E-05
204	0.18636	2.52E-04	4.7E-05	2.50E-04	1.18E-08	0.10	1.15E-02	1.40E-11	1.0E+06	1.4E-05
205	0.1906	2.52E-04	4.8E-05	2.50E-04	1.20E-08	0.10	1.15E-02	1.44E-11	1.0E+06	1.4E-05
206	0.19276	2.52E-04	4.9E-05	2.50E-04	1.22E-08	0.10	1.15E-02	1.45E-11	1.0E+06	1.5E-05
210	0.11417	2.52E-04	2.9E-05	2.50E-04	7.20E-09	0.10	1.15E-02	8.60E-12	1.0E+06	8.6E-06
211	0.12337	2.52E-04	3.1E-05	2.50E-04	7.78E-09	0.10	1.15E-02	9.29E-12	1.0E+06	9.3E-06
212	0.13318	2.52E-04	3.4E-05	2.50E-04	8.40E-09	0.10	1.15E-02	1.00E-11	1.0E+06	1.0E-05
213	0.1439	2.52E-04	3.6E-05	2.50E-04	9.08E-09	0.10	1.15E-02	1.08E-11	1.0E+06	1.1E-05
214	0.16754	2.52E-04	4.2E-05	2.50E-04	1.06E-08	0.10	1.15E-02	1.26E-11	1.0E+06	1.3E-05
215	0.18011	2.52E-04	4.5E-05	2.50E-04	1.14E-08	0.10	1.15E-02	1.36E-11	1.0E+06	1.4E-05
216	0.19267	2.52E-04	4.9E-05	2.50E-04	1.22E-08	0.10	1.15E-02	1.45E-11	1.0E+06	1.5E-05
217	0.20459	2.52E-04	5.2E-05	2.50E-04	1.29E-08	0.10	1.15E-02	1.54E-11	1.0E+06	1.5E-05
218	0.21509	2.52E-04	5.4E-05	2.50E-04	1.36E-08	0.10	1.15E-02	1.62E-11	1.0E+06	1.6E-05
219	0.22337	2.52E-04	5.6E-05	2.50E-04	1.41E-08	0.10	1.15E-02	1.68E-11	1.0E+06	1.7E-05
220	0.22887	2.52E-04	5.8E-05	2.50E-04	1.44E-08	0.10	1.15E-02	1.72E-11	1.0E+06	1.7E-05
221	0.23135	2.52E-04	5.8E-05	2.50E-04	1.46E-08	0.10	1.15E-02	1.74E-11	1.0E+06	1.7E-05
222	0.23084	2.52E-04	5.8E-05	2.50E-04	1.46E-08	0.10	1.15E-02	1.74E-11	1.0E+06	1.7E-05
226	0.12693	2.52E-04	3.2E-05	2.50E-04	8.01E-09	0.10	1.15E-02	9.56E-12	1.0E+06	9.6E-06
227	0.13837	2.52E-04	3.5E-05	2.50E-04	8.73E-09	0.10	1.15E-02	1.04E-11	1.0E+06	1.0E-05
228	0.1509	2.52E-04	3.8E-05	2.50E-04	9.52E-09	0.10	1.15E-02	1.14E-11	1.0E+06	1.1E-05
229	0.16475	2.52E-04	4.2E-05	2.50E-04	1.04E-08	0.10	1.15E-02	1.24E-11	1.0E+06	1.2E-05
230	0.17985	2.52E-04	4.5E-05	2.50E-04	1.13E-08	0.10	1.15E-02	1.35E-11	1.0E+06	1.4E-05

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	0.19574	2.52E-04	4.9E-05	2.50E-04	1.23E-08	0.10	1.15E-02	1.47E-11	1.0E+06	1.5E-05
232	0.21301	2.52E-04	5.4E-05	2.50E-04	1.34E-08	0.10	1.15E-02	1.60E-11	1.0E+06	1.6E-05
233	0.24754	2.52E-04	6.2E-05	2.50E-04	1.56E-08	0.10	1.15E-02	1.86E-11	1.0E+06	1.9E-05
234	0.26237	2.52E-04	6.6E-05	2.50E-04	1.65E-08	0.10	1.15E-02	1.98E-11	1.0E+06	2.0E-05
235	0.27394	2.52E-04	6.9E-05	2.50E-04	1.73E-08	0.10	1.15E-02	2.06E-11	1.0E+06	2.1E-05
236	0.28126	2.52E-04	7.1E-05	2.50E-04	1.77E-08	0.10	1.15E-02	2.12E-11	1.0E+06	2.1E-05
237	0.28398	2.52E-04	7.2E-05	2.50E-04	1.79E-08	0.10	1.15E-02	2.14E-11	1.0E+06	2.1E-05
238	0.28245	2.52E-04	7.1E-05	2.50E-04	1.78E-08	0.10	1.15E-02	2.13E-11	1.0E+06	2.1E-05
242	0.14128	2.52E-04	3.6E-05	2.50E-04	8.91E-09	0.10	1.15E-02	1.06E-11	1.0E+06	1.1E-05
243	0.1557	2.52E-04	3.9E-05	2.50E-04	9.82E-09	0.10	1.15E-02	1.17E-11	1.0E+06	1.2E-05
244	0.17123	2.52E-04	4.3E-05	2.50E-04	1.08E-08	0.10	1.15E-02	1.29E-11	1.0E+06	1.3E-05
245	0.18977	2.52E-04	4.8E-05	2.50E-04	1.20E-08	0.10	1.15E-02	1.43E-11	1.0E+06	1.4E-05
246	0.21032	2.52E-04	5.3E-05	2.50E-04	1.33E-08	0.10	1.15E-02	1.58E-11	1.0E+06	1.6E-05
247	0.23287	2.52E-04	5.9E-05	2.50E-04	1.47E-08	0.10	1.15E-02	1.75E-11	1.0E+06	1.8E-05
248	0.25722	2.52E-04	6.5E-05	2.50E-04	1.62E-08	0.10	1.15E-02	1.94E-11	1.0E+06	1.9E-05
249	0.30686	2.52E-04	7.7E-05	2.50E-04	1.94E-08	0.10	1.15E-02	2.31E-11	1.0E+06	2.3E-05
250	0.32848	2.52E-04	8.3E-05	2.50E-04	2.07E-08	0.10	1.15E-02	2.47E-11	1.0E+06	2.5E-05
251	0.34558	2.52E-04	8.7E-05	2.50E-04	2.18E-08	0.10	1.15E-02	2.60E-11	1.0E+06	2.6E-05
252	0.35596	2.52E-04	9.0E-05	2.50E-04	2.24E-08	0.10	1.15E-02	2.68E-11	1.0E+06	2.7E-05
253	0.35858	2.52E-04	9.0E-05	2.50E-04	2.26E-08	0.10	1.15E-02	2.70E-11	1.0E+06	2.7E-05
254	0.35448	2.52E-04	8.9E-05	2.50E-04	2.24E-08	0.10	1.15E-02	2.67E-11	1.0E+06	2.7E-05
257	0.15723	2.52E-04	4.0E-05	2.50E-04	9.92E-09	0.10	1.15E-02	1.18E-11	1.0E+06	1.2E-05
258	0.1755	2.52E-04	4.4E-05	2.50E-04	1.11E-08	0.10	1.15E-02	1.32E-11	1.0E+06	1.3E-05
259	0.19656	2.52E-04	5.0E-05	2.50E-04	1.24E-08	0.10	1.15E-02	1.48E-11	1.0E+06	1.5E-05
260	0.2198	2.52E-04	5.5E-05	2.50E-04	1.39E-08	0.10	1.15E-02	1.66E-11	1.0E+06	1.7E-05
261	0.2492	2.52E-04	6.3E-05	2.50E-04	1.57E-08	0.10	1.15E-02	1.88E-11	1.0E+06	1.9E-05
262	0.28123	2.52E-04	7.1E-05	2.50E-04	1.77E-08	0.10	1.15E-02	2.12E-11	1.0E+06	2.1E-05
263	0.31696	2.52E-04	8.0E-05	2.50E-04	2.00E-08	0.10	1.15E-02	2.39E-11	1.0E+06	2.4E-05
264	0.39375	2.52E-04	9.9E-05	2.50E-04	2.48E-08	0.10	1.15E-02	2.97E-11	1.0E+06	3.0E-05
265	0.428	2.52E-04	1.1E-04	2.50E-04	2.70E-08	0.10	1.15E-02	3.22E-11	1.0E+06	3.2E-05
266	0.4542	2.52E-04	1.1E-04	2.50E-04	2.86E-08	0.10	1.15E-02	3.42E-11	1.0E+06	3.4E-05

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	0.46851	2.52E-04	1.2E-04	2.50E-04	2.95E-08	0.10	1.15E-02	3.53E-11	1.0E+06	3.5E-05
268	0.46966	2.52E-04	1.2E-04	2.50E-04	2.96E-08	0.10	1.15E-02	3.54E-11	1.0E+06	3.5E-05
269	0.45965	2.52E-04	1.2E-04	2.50E-04	2.90E-08	0.10	1.15E-02	3.46E-11	1.0E+06	3.5E-05
270	0.39054	2.52E-04	9.8E-05	2.50E-04	2.46E-08	0.10	1.15E-02	2.94E-11	1.0E+06	2.9E-05
271	0.36233	2.52E-04	9.1E-05	2.50E-04	2.29E-08	0.10	1.15E-02	2.73E-11	1.0E+06	2.7E-05
274	0.17452	2.52E-04	4.4E-05	2.50E-04	1.10E-08	0.10	1.15E-02	1.31E-11	1.0E+06	1.3E-05
275	0.19761	2.52E-04	5.0E-05	2.50E-04	1.25E-08	0.10	1.15E-02	1.49E-11	1.0E+06	1.5E-05
276	0.22528	2.52E-04	5.7E-05	2.50E-04	1.42E-08	0.10	1.15E-02	1.70E-11	1.0E+06	1.7E-05
277	0.25729	2.52E-04	6.5E-05	2.50E-04	1.62E-08	0.10	1.15E-02	1.94E-11	1.0E+06	1.9E-05
278	0.2977	2.52E-04	7.5E-05	2.50E-04	1.88E-08	0.10	1.15E-02	2.24E-11	1.0E+06	2.2E-05
279	0.34485	2.52E-04	8.7E-05	2.50E-04	2.17E-08	0.10	1.15E-02	2.60E-11	1.0E+06	2.6E-05
280	0.39761	2.52E-04	1.0E-04	2.50E-04	2.51E-08	0.10	1.15E-02	2.99E-11	1.0E+06	3.0E-05
281	0.52517	2.52E-04	1.3E-04	2.50E-04	3.31E-08	0.10	1.15E-02	3.96E-11	1.0E+06	4.0E-05
282	0.58317	2.52E-04	1.5E-04	2.50E-04	3.68E-08	0.10	1.15E-02	4.39E-11	1.0E+06	4.4E-05
283	0.62671	2.52E-04	1.6E-04	2.50E-04	3.95E-08	0.10	1.15E-02	4.72E-11	1.0E+06	4.7E-05
284	0.64939	2.52E-04	1.6E-04	2.50E-04	4.10E-08	0.10	1.15E-02	4.89E-11	1.0E+06	4.9E-05
285	0.64683	2.52E-04	1.6E-04	2.50E-04	4.08E-08	0.10	1.15E-02	4.87E-11	1.0E+06	4.9E-05
286	0.62106	2.52E-04	1.6E-04	2.50E-04	3.92E-08	0.10	1.15E-02	4.68E-11	1.0E+06	4.7E-05
287	0.48572	2.52E-04	1.2E-04	2.50E-04	3.06E-08	0.10	1.15E-02	3.66E-11	1.0E+06	3.7E-05
288	0.43897	2.52E-04	1.1E-04	2.50E-04	2.77E-08	0.10	1.15E-02	3.31E-11	1.0E+06	3.3E-05
291	0.19262	2.52E-04	4.9E-05	2.50E-04	1.21E-08	0.10	1.15E-02	1.45E-11	1.0E+06	1.5E-05
292	0.2215	2.52E-04	5.6E-05	2.50E-04	1.40E-08	0.10	1.15E-02	1.67E-11	1.0E+06	1.7E-05
293	0.25729	2.52E-04	6.5E-05	2.50E-04	1.62E-08	0.10	1.15E-02	1.94E-11	1.0E+06	1.9E-05
294	0.30141	2.52E-04	7.6E-05	2.50E-04	1.90E-08	0.10	1.15E-02	2.27E-11	1.0E+06	2.3E-05
295	0.3568	2.52E-04	9.0E-05	2.50E-04	2.25E-08	0.10	1.15E-02	2.69E-11	1.0E+06	2.7E-05
296	0.4283	2.52E-04	1.1E-04	2.50E-04	2.70E-08	0.10	1.15E-02	3.23E-11	1.0E+06	3.2E-05
297	0.51963	2.52E-04	1.3E-04	2.50E-04	3.28E-08	0.10	1.15E-02	3.91E-11	1.0E+06	3.9E-05
298	0.74864	2.52E-04	1.9E-04	2.50E-04	4.72E-08	0.10	1.15E-02	5.64E-11	1.0E+06	5.6E-05
299	0.86402	2.52E-04	2.2E-04	2.50E-04	5.45E-08	0.10	1.15E-02	6.51E-11	1.0E+06	6.5E-05
300	0.9446	2.52E-04	2.4E-04	2.50E-04	5.96E-08	0.10	1.15E-02	7.11E-11	1.0E+06	7.1E-05
301	0.98164	2.52E-04	2.5E-04	2.50E-04	6.19E-08	0.10	1.15E-02	7.39E-11	1.0E+06	7.4E-05

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	0.95643	2.52E-04	2.4E-04	2.50E-04	6.03E-08	0.10	1.15E-02	7.20E-11	1.0E+06	7.2E-05
303	0.88334	2.52E-04	2.2E-04	2.50E-04	5.57E-08	0.10	1.15E-02	6.65E-11	1.0E+06	6.7E-05
304	0.60586	2.52E-04	1.5E-04	2.50E-04	3.82E-08	0.10	1.15E-02	4.56E-11	1.0E+06	4.6E-05
305	0.52765	2.52E-04	1.3E-04	2.50E-04	3.33E-08	0.10	1.15E-02	3.97E-11	1.0E+06	4.0E-05
308	0.21065	2.52E-04	5.3E-05	2.50E-04	1.33E-08	0.10	1.15E-02	1.59E-11	1.0E+06	1.6E-05
309	0.24602	2.52E-04	6.2E-05	2.50E-04	1.55E-08	0.10	1.15E-02	1.85E-11	1.0E+06	1.9E-05
310	0.29138	2.52E-04	7.3E-05	2.50E-04	1.84E-08	0.10	1.15E-02	2.19E-11	1.0E+06	2.2E-05
311	0.35023	2.52E-04	8.8E-05	2.50E-04	2.21E-08	0.10	1.15E-02	2.64E-11	1.0E+06	2.6E-05
312	0.43095	2.52E-04	1.1E-04	2.50E-04	2.72E-08	0.10	1.15E-02	3.25E-11	1.0E+06	3.2E-05
313	0.54158	2.52E-04	1.4E-04	2.50E-04	3.42E-08	0.10	1.15E-02	4.08E-11	1.0E+06	4.1E-05
314	0.70021	2.52E-04	1.8E-04	2.50E-04	4.42E-08	0.10	1.15E-02	5.27E-11	1.0E+06	5.3E-05
315	1.19783	2.52E-04	3.0E-04	2.50E-04	7.55E-08	0.10	1.15E-02	9.02E-11	1.0E+06	9.0E-05
316	1.48064	2.52E-04	3.7E-04	2.50E-04	9.34E-08	0.10	1.15E-02	1.12E-10	1.0E+06	1.1E-04
317	1.65696	2.52E-04	4.2E-04	2.50E-04	1.05E-07	0.10	1.15E-02	1.25E-10	1.0E+06	1.2E-04
318	1.71766	2.52E-04	4.3E-04	2.50E-04	1.08E-07	0.10	1.15E-02	1.29E-10	1.0E+06	1.3E-04
319	1.57894	2.52E-04	4.0E-04	2.50E-04	9.96E-08	0.10	1.15E-02	1.19E-10	1.0E+06	1.2E-04
320	1.33355	2.52E-04	3.4E-04	2.50E-04	8.41E-08	0.10	1.15E-02	1.00E-10	1.0E+06	1.0E-04
321	0.74311	2.52E-04	1.9E-04	2.50E-04	4.69E-08	0.10	1.15E-02	5.60E-11	1.0E+06	5.6E-05
322	0.6219	2.52E-04	1.6E-04	2.50E-04	3.92E-08	0.10	1.15E-02	4.68E-11	1.0E+06	4.7E-05
325	0.22736	2.52E-04	5.7E-05	2.50E-04	1.43E-08	0.10	1.15E-02	1.71E-11	1.0E+06	1.7E-05
326	0.26931	2.52E-04	6.8E-05	2.50E-04	1.70E-08	0.10	1.15E-02	2.03E-11	1.0E+06	2.0E-05
327	0.32484	2.52E-04	8.2E-05	2.50E-04	2.05E-08	0.10	1.15E-02	2.45E-11	1.0E+06	2.4E-05
328	0.40097	2.52E-04	1.0E-04	2.50E-04	2.53E-08	0.10	1.15E-02	3.02E-11	1.0E+06	3.0E-05
329	0.50882	2.52E-04	1.3E-04	2.50E-04	3.21E-08	0.10	1.15E-02	3.83E-11	1.0E+06	3.8E-05
330	0.67836	2.52E-04	1.7E-04	2.50E-04	4.28E-08	0.10	1.15E-02	5.11E-11	1.0E+06	5.1E-05
331	0.96632	2.52E-04	2.4E-04	2.50E-04	6.09E-08	0.10	1.15E-02	7.28E-11	1.0E+06	7.3E-05
332	1.53155	2.52E-04	3.9E-04	2.50E-04	9.66E-08	0.10	1.15E-02	1.15E-10	1.0E+06	1.2E-04
333	2.49764	2.52E-04	6.3E-04	2.50E-04	1.58E-07	0.10	1.15E-02	1.88E-10	1.0E+06	1.9E-04
334	3.38863	2.52E-04	8.5E-04	2.50E-04	2.14E-07	0.10	1.15E-02	2.55E-10	1.0E+06	2.6E-04
335	4.00318	2.52E-04	1.0E-03	2.50E-04	2.52E-07	0.10	1.15E-02	3.02E-10	1.0E+06	3.0E-04
336	4.19322	2.52E-04	1.1E-03	2.50E-04	2.64E-07	0.10	1.15E-02	3.16E-10	1.0E+06	3.2E-04

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	3.21056	2.52E-04	8.1E-04	2.50E-04	2.02E-07	0.10	1.15E-02	2.42E-10	1.0E+06	2.4E-04
338	2.08588	2.52E-04	5.3E-04	2.50E-04	1.32E-07	0.10	1.15E-02	1.57E-10	1.0E+06	1.6E-04
339	1.12173	2.52E-04	2.8E-04	2.50E-04	7.07E-08	0.10	1.15E-02	8.45E-11	1.0E+06	8.4E-05
340	0.88298	2.52E-04	2.2E-04	2.50E-04	5.57E-08	0.10	1.15E-02	6.65E-11	1.0E+06	6.7E-05
341	0.71212	2.52E-04	1.8E-04	2.50E-04	4.49E-08	0.10	1.15E-02	5.36E-11	1.0E+06	5.4E-05
349	0.58267	2.52E-04	1.5E-04	2.50E-04	3.67E-08	0.10	1.15E-02	4.39E-11	1.0E+06	4.4E-05
350	0.81078	2.52E-04	2.0E-04	2.50E-04	5.11E-08	0.10	1.15E-02	6.11E-11	1.0E+06	6.1E-05
351	1.26255	2.52E-04	3.2E-04	2.50E-04	7.96E-08	0.10	1.15E-02	9.51E-11	1.0E+06	9.5E-05
352	2.80392	2.52E-04	7.1E-04	2.50E-04	1.77E-07	0.10	1.15E-02	2.11E-10	1.0E+06	2.1E-04
353	1.33683	2.52E-04	3.4E-04	2.50E-04	8.43E-08	0.10	1.15E-02	1.01E-10	1.0E+06	1.0E-04
354	1.01027	2.52E-04	2.5E-04	2.50E-04	6.37E-08	0.10	1.15E-02	7.61E-11	1.0E+06	7.6E-05
355	0.79025	2.52E-04	2.0E-04	2.50E-04	4.98E-08	0.10	1.15E-02	5.95E-11	1.0E+06	6.0E-05
364	0.8989	2.52E-04	2.3E-04	2.50E-04	5.67E-08	0.10	1.15E-02	6.77E-11	1.0E+06	6.8E-05
365	1.43359	2.52E-04	3.6E-04	2.50E-04	9.04E-08	0.10	1.15E-02	1.08E-10	1.0E+06	1.1E-04
366	3.08958	2.52E-04	7.8E-04	2.50E-04	1.95E-07	0.10	1.15E-02	2.33E-10	1.0E+06	2.3E-04
367	1.52938	2.52E-04	3.9E-04	2.50E-04	9.65E-08	0.10	1.15E-02	1.15E-10	1.0E+06	1.2E-04
368	1.11609	2.52E-04	2.8E-04	2.50E-04	7.04E-08	0.10	1.15E-02	8.41E-11	1.0E+06	8.4E-05
369	0.85077	2.52E-04	2.1E-04	2.50E-04	5.37E-08	0.10	1.15E-02	6.41E-11	1.0E+06	6.4E-05
377	0.9313	2.52E-04	2.3E-04	2.50E-04	5.87E-08	0.10	1.15E-02	7.01E-11	1.0E+06	7.0E-05
378	1.45535	2.52E-04	3.7E-04	2.50E-04	9.18E-08	0.10	1.15E-02	1.10E-10	1.0E+06	1.1E-04
379	2.78384	2.52E-04	7.0E-04	2.50E-04	1.76E-07	0.10	1.15E-02	2.10E-10	1.0E+06	2.1E-04
380	1.68983	2.52E-04	4.3E-04	2.50E-04	1.07E-07	0.10	1.15E-02	1.27E-10	1.0E+06	1.3E-04
381	1.18947	2.52E-04	3.0E-04	2.50E-04	7.50E-08	0.10	1.15E-02	8.96E-11	1.0E+06	9.0E-05
382	0.88725	2.52E-04	2.2E-04	2.50E-04	5.60E-08	0.10	1.15E-02	6.68E-11	1.0E+06	6.7E-05
391	1.4046	2.52E-04	3.5E-04	2.50E-04	8.86E-08	0.10	1.15E-02	1.06E-10	1.0E+06	1.1E-04
392	2.4607	2.52E-04	6.2E-04	2.50E-04	1.55E-07	0.10	1.15E-02	1.85E-10	1.0E+06	1.9E-04
393	1.8176	2.52E-04	4.6E-04	2.50E-04	1.15E-07	0.10	1.15E-02	1.37E-10	1.0E+06	1.4E-04
394	1.23835	2.52E-04	3.1E-04	2.50E-04	7.81E-08	0.10	1.15E-02	9.33E-11	1.0E+06	9.3E-05
395	0.90088	2.52E-04	2.3E-04	2.50E-04	5.68E-08	0.10	1.15E-02	6.79E-11	1.0E+06	6.8E-05
405	1.31359	2.52E-04	3.3E-04	2.50E-04	8.28E-08	0.10	1.15E-02	9.89E-11	1.0E+06	9.9E-05
406	2.19931	2.52E-04	5.5E-04	2.50E-04	1.39E-07	0.10	1.15E-02	1.66E-10	1.0E+06	1.7E-04

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	4.63115	2.52E-04	1.2E-03	2.50E-04	2.92E-07	0.10	1.15E-02	3.49E-10	1.0E+06	3.5E-04
408	1.90593	2.52E-04	4.8E-04	2.50E-04	1.20E-07	0.10	1.15E-02	1.44E-10	1.0E+06	1.4E-04
409	1.24613	2.52E-04	3.1E-04	2.50E-04	7.86E-08	0.10	1.15E-02	9.39E-11	1.0E+06	9.4E-05
410	0.886	2.52E-04	2.2E-04	2.50E-04	5.59E-08	0.10	1.15E-02	6.67E-11	1.0E+06	6.7E-05
421	1.91514	2.52E-04	4.8E-04	2.50E-04	1.21E-07	0.10	1.15E-02	1.44E-10	1.0E+06	1.4E-04
422	3.65027	2.52E-04	9.2E-04	2.50E-04	2.30E-07	0.10	1.15E-02	2.75E-10	1.0E+06	2.7E-04
423	1.91636	2.52E-04	4.8E-04	2.50E-04	1.21E-07	0.10	1.15E-02	1.44E-10	1.0E+06	1.4E-04
424	1.20342	2.52E-04	3.0E-04	2.50E-04	7.59E-08	0.10	1.15E-02	9.06E-11	1.0E+06	9.1E-05
425	0.83643	2.52E-04	2.1E-04	2.50E-04	5.28E-08	0.10	1.15E-02	6.30E-11	1.0E+06	6.3E-05
435	1.61923	2.52E-04	4.1E-04	2.50E-04	1.02E-07	0.10	1.15E-02	1.22E-10	1.0E+06	1.2E-04
436	2.89227	2.52E-04	7.3E-04	2.50E-04	1.82E-07	0.10	1.15E-02	2.18E-10	1.0E+06	2.2E-04
437	1.10318	2.52E-04	2.8E-04	2.50E-04	6.96E-08	0.10	1.15E-02	8.31E-11	1.0E+06	8.3E-05
438	0.75637	2.52E-04	1.9E-04	2.50E-04	4.77E-08	0.10	1.15E-02	5.70E-11	1.0E+06	5.7E-05
449	1.33397	2.52E-04	3.4E-04	2.50E-04	8.41E-08	0.10	1.15E-02	1.00E-10	1.0E+06	1.0E-04
450	2.22681	2.52E-04	5.6E-04	2.50E-04	1.40E-07	0.10	1.15E-02	1.68E-10	1.0E+06	1.7E-04
451	4.62436	2.52E-04	1.2E-03	2.50E-04	2.92E-07	0.10	1.15E-02	3.48E-10	1.0E+06	3.5E-04
452	0.96539	2.52E-04	2.4E-04	2.50E-04	6.09E-08	0.10	1.15E-02	7.27E-11	1.0E+06	7.3E-05
453	0.67079	2.52E-04	1.7E-04	2.50E-04	4.23E-08	0.10	1.15E-02	5.05E-11	1.0E+06	5.1E-05
464	1.65812	2.52E-04	4.2E-04	2.50E-04	1.05E-07	0.10	1.15E-02	1.25E-10	1.0E+06	1.2E-04
465	2.88781	2.52E-04	7.3E-04	2.50E-04	1.82E-07	0.10	1.15E-02	2.18E-10	1.0E+06	2.2E-04
466	2.30461	2.52E-04	5.8E-04	2.50E-04	1.45E-07	0.10	1.15E-02	1.74E-10	1.0E+06	1.7E-04
467	0.84856	2.52E-04	2.1E-04	2.50E-04	5.35E-08	0.10	1.15E-02	6.39E-11	1.0E+06	6.4E-05
468	0.60039	2.52E-04	1.5E-04	2.50E-04	3.79E-08	0.10	1.15E-02	4.52E-11	1.0E+06	4.5E-05
479	1.21759	2.52E-04	3.1E-04	2.50E-04	7.68E-08	0.10	1.15E-02	9.17E-11	1.0E+06	9.2E-05
480	1.86979	2.52E-04	4.7E-04	2.50E-04	1.18E-07	0.10	1.15E-02	1.41E-10	1.0E+06	1.4E-04
481	2.84538	2.52E-04	7.2E-04	2.50E-04	1.79E-07	0.10	1.15E-02	2.14E-10	1.0E+06	2.1E-04
482	3.42499	2.52E-04	8.6E-04	2.50E-04	2.16E-07	0.10	1.15E-02	2.58E-10	1.0E+06	2.6E-04
483	3.23006	2.52E-04	8.1E-04	2.50E-04	2.04E-07	0.10	1.15E-02	2.43E-10	1.0E+06	2.4E-04
484	2.58437	2.52E-04	6.5E-04	2.50E-04	1.63E-07	0.10	1.15E-02	1.95E-10	1.0E+06	1.9E-04
485	1.75683	2.52E-04	4.4E-04	2.50E-04	1.11E-07	0.10	1.15E-02	1.32E-10	1.0E+06	1.3E-04
486	1.13314	2.52E-04	2.9E-04	2.50E-04	7.15E-08	0.10	1.15E-02	8.53E-11	1.0E+06	8.5E-05

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.7631	2.52E-04	1.9E-04	2.50E-04	4.81E-08	0.10	1.15E-02	5.75E-11	1.0E+06	5.7E-05
488	0.54606	2.52E-04	1.4E-04	2.50E-04	3.44E-08	0.10	1.15E-02	4.11E-11	1.0E+06	4.1E-05
501	1.30182	2.52E-04	3.3E-04	2.50E-04	8.21E-08	0.10	1.15E-02	9.81E-11	1.0E+06	9.8E-05
502	1.78968	2.52E-04	4.5E-04	2.50E-04	1.13E-07	0.10	1.15E-02	1.35E-10	1.0E+06	1.3E-04
503	2.11833	2.52E-04	5.3E-04	2.50E-04	1.34E-07	0.10	1.15E-02	1.60E-10	1.0E+06	1.6E-04
504	2.109	2.52E-04	5.3E-04	2.50E-04	1.33E-07	0.10	1.15E-02	1.59E-10	1.0E+06	1.6E-04
505	1.81239	2.52E-04	4.6E-04	2.50E-04	1.14E-07	0.10	1.15E-02	1.37E-10	1.0E+06	1.4E-04
506	1.37606	2.52E-04	3.5E-04	2.50E-04	8.68E-08	0.10	1.15E-02	1.04E-10	1.0E+06	1.0E-04
507	0.97652	2.52E-04	2.5E-04	2.50E-04	6.16E-08	0.10	1.15E-02	7.36E-11	1.0E+06	7.4E-05
508	0.50352	2.52E-04	1.3E-04	2.50E-04	3.18E-08	0.10	1.15E-02	3.79E-11	1.0E+06	3.8E-05
520	0.97704	2.52E-04	2.5E-04	2.50E-04	6.16E-08	0.10	1.15E-02	7.36E-11	1.0E+06	7.4E-05
521	1.24017	2.52E-04	3.1E-04	2.50E-04	7.82E-08	0.10	1.15E-02	9.34E-11	1.0E+06	9.3E-05
522	1.45908	2.52E-04	3.7E-04	2.50E-04	9.20E-08	0.10	1.15E-02	1.10E-10	1.0E+06	1.1E-04
523	1.49343	2.52E-04	3.8E-04	2.50E-04	9.42E-08	0.10	1.15E-02	1.12E-10	1.0E+06	1.1E-04
524	1.35139	2.52E-04	3.4E-04	2.50E-04	8.52E-08	0.10	1.15E-02	1.02E-10	1.0E+06	1.0E-04
525	1.10148	2.52E-04	2.8E-04	2.50E-04	6.95E-08	0.10	1.15E-02	8.30E-11	1.0E+06	8.3E-05
526	0.83827	2.52E-04	2.1E-04	2.50E-04	5.29E-08	0.10	1.15E-02	6.31E-11	1.0E+06	6.3E-05
527	0.46595	2.52E-04	1.2E-04	2.50E-04	2.94E-08	0.10	1.15E-02	3.51E-11	1.0E+06	3.5E-05
539	0.76251	2.52E-04	1.9E-04	2.50E-04	4.81E-08	0.10	1.15E-02	5.74E-11	1.0E+06	5.7E-05
540	0.93408	2.52E-04	2.4E-04	2.50E-04	5.89E-08	0.10	1.15E-02	7.04E-11	1.0E+06	7.0E-05
541	1.06684	2.52E-04	2.7E-04	2.50E-04	6.73E-08	0.10	1.15E-02	8.04E-11	1.0E+06	8.0E-05
542	1.10934	2.52E-04	2.8E-04	2.50E-04	7.00E-08	0.10	1.15E-02	8.36E-11	1.0E+06	8.4E-05
543	1.04535	2.52E-04	2.6E-04	2.50E-04	6.59E-08	0.10	1.15E-02	7.87E-11	1.0E+06	7.9E-05
544	0.89638	2.52E-04	2.3E-04	2.50E-04	5.65E-08	0.10	1.15E-02	6.75E-11	1.0E+06	6.8E-05
545	0.7165	2.52E-04	1.8E-04	2.50E-04	4.52E-08	0.10	1.15E-02	5.40E-11	1.0E+06	5.4E-05
546	0.43046	2.52E-04	1.1E-04	2.50E-04	2.71E-08	0.10	1.15E-02	3.24E-11	1.0E+06	3.2E-05
560	0.72857	2.52E-04	1.8E-04	2.50E-04	4.59E-08	0.10	1.15E-02	5.49E-11	1.0E+06	5.5E-05
561	0.82397	2.52E-04	2.1E-04	2.50E-04	5.20E-08	0.10	1.15E-02	6.21E-11	1.0E+06	6.2E-05
562	0.86183	2.52E-04	2.2E-04	2.50E-04	5.44E-08	0.10	1.15E-02	6.49E-11	1.0E+06	6.5E-05
563	0.82465	2.52E-04	2.1E-04	2.50E-04	5.20E-08	0.10	1.15E-02	6.21E-11	1.0E+06	6.2E-05
564	0.73798	2.52E-04	1.9E-04	2.50E-04	4.65E-08	0.10	1.15E-02	5.56E-11	1.0E+06	5.6E-05

Via Oro
Building Construction

		<i>Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.62155	2.52E-04	1.6E-04	2.50E-04	3.92E-08	0.10	1.15E-02	4.68E-11	1.0E+06	4.7E-05
566	0.39856	2.52E-04	1.0E-04	2.50E-04	2.51E-08	0.10	1.15E-02	3.00E-11	1.0E+06	3.0E-05
579	0.58491	2.52E-04	1.5E-04	2.50E-04	3.69E-08	0.10	1.15E-02	4.41E-11	1.0E+06	4.4E-05
580	0.65452	2.52E-04	1.6E-04	2.50E-04	4.13E-08	0.10	1.15E-02	4.93E-11	1.0E+06	4.9E-05
581	0.68893	2.52E-04	1.7E-04	2.50E-04	4.34E-08	0.10	1.15E-02	5.19E-11	1.0E+06	5.2E-05
582	0.67572	2.52E-04	1.7E-04	2.50E-04	4.26E-08	0.10	1.15E-02	5.09E-11	1.0E+06	5.1E-05
583	0.61931	2.52E-04	1.6E-04	2.50E-04	3.91E-08	0.10	1.15E-02	4.66E-11	1.0E+06	4.7E-05
584	0.536	2.52E-04	1.4E-04	2.50E-04	3.38E-08	0.10	1.15E-02	4.04E-11	1.0E+06	4.0E-05
585	0.42093	2.52E-04	1.1E-04	2.50E-04	2.65E-08	0.10	1.15E-02	3.17E-11	1.0E+06	3.2E-05
598	0.48095	2.52E-04	1.2E-04	2.50E-04	3.03E-08	0.10	1.15E-02	3.62E-11	1.0E+06	3.6E-05
599	0.53269	2.52E-04	1.3E-04	2.50E-04	3.36E-08	0.10	1.15E-02	4.01E-11	1.0E+06	4.0E-05
600	0.56185	2.52E-04	1.4E-04	2.50E-04	3.54E-08	0.10	1.15E-02	4.23E-11	1.0E+06	4.2E-05
601	0.55903	2.52E-04	1.4E-04	2.50E-04	3.53E-08	0.10	1.15E-02	4.21E-11	1.0E+06	4.2E-05
602	0.52451	2.52E-04	1.3E-04	2.50E-04	3.31E-08	0.10	1.15E-02	3.95E-11	1.0E+06	4.0E-05
603	0.46791	2.52E-04	1.2E-04	2.50E-04	2.95E-08	0.10	1.15E-02	3.52E-11	1.0E+06	3.5E-05
604	0.40063	2.52E-04	1.0E-04	2.50E-04	2.53E-08	0.10	1.15E-02	3.02E-11	1.0E+06	3.0E-05
0	0	2.52E-04	0.0E+00	2.50E-04	0.00E+00	0.10	1.15E-02	0.00E+00	1.0E+06	0.0E+00
0	0	2.52E-04	0.0E+00	2.50E-04	0.00E+00	0.10	1.15E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro

Building Construction

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
1	1	1.3E-04	5	1.52E-06	
2	2	1.3E-04	5	1.57E-06	
3	3	1.4E-04	5	1.62E-06	
4	4	1.4E-04	5	1.67E-06	
5	5	1.5E-04	5	1.72E-06	
6	6	1.5E-04	5	1.78E-06	
7	7	1.6E-04	5	1.84E-06	
8	8	1.6E-04	5	1.90E-06	
9	9	1.7E-04	5	1.96E-06	
10	10	1.7E-04	5	2.03E-06	
11	11	1.8E-04	5	2.10E-06	
12	12	1.9E-04	5	2.17E-06	
13	13	1.9E-04	5	2.25E-06	
14	14	2.0E-04	5	2.32E-06	
15	15	2.1E-04	5	2.40E-06	
16	16	2.1E-04	5	2.48E-06	
17	17	2.2E-04	5	2.57E-06	
18	18	2.3E-04	5	2.65E-06	
19	19	2.3E-04	5	2.73E-06	
20	20	2.4E-04	5	2.81E-06	
21	21	2.5E-04	5	2.89E-06	
22	22	2.5E-04	5	2.97E-06	
23	23	2.6E-04	5	3.04E-06	
24	24	2.7E-04	5	3.11E-06	
25	25	2.7E-04	5	3.17E-06	
26	26	2.8E-04	5	3.22E-06	
27	27	2.8E-04	5	3.26E-06	
28	28	2.8E-04	5	3.29E-06	
29	29	2.8E-04	5	3.31E-06	
30	30	2.8E-04	5	3.32E-06	
31	31	2.8E-04	5	3.32E-06	

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
32	32	2.8E-04	5	3.31E-06	
55	55	2.8E-04	5	3.22E-06	
56	56	2.8E-04	5	3.30E-06	
57	57	2.9E-04	5	3.38E-06	
58	58	3.0E-04	5	3.45E-06	
59	59	3.0E-04	5	3.51E-06	
60	60	3.0E-04	5	3.56E-06	
61	61	3.1E-04	5	3.59E-06	
62	62	3.1E-04	5	3.61E-06	
63	63	3.1E-04	5	3.62E-06	
64	64	3.1E-04	5	3.62E-06	
65	65	3.1E-04	5	3.61E-06	
66	66	3.1E-04	5	3.59E-06	
67	67	1.4E-04	5	1.65E-06	
68	68	1.5E-04	5	1.71E-06	
69	69	1.5E-04	5	1.77E-06	
70	70	1.6E-04	5	1.83E-06	
71	71	1.6E-04	5	1.89E-06	
72	72	1.7E-04	5	1.96E-06	
73	73	1.7E-04	5	2.03E-06	
74	74	1.8E-04	5	2.11E-06	
75	75	1.9E-04	5	2.19E-06	
76	76	1.9E-04	5	2.27E-06	
77	77	2.0E-04	5	2.36E-06	
78	78	2.1E-04	5	2.45E-06	
79	79	2.5E-04	5	2.96E-06	
80	80	2.6E-04	5	3.07E-06	
81	81	2.7E-04	5	3.18E-06	
82	82	2.8E-04	5	3.30E-06	
83	83	2.9E-04	5	3.41E-06	
84	84	3.0E-04	5	3.51E-06	

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
85	85	3.1E-04	5	3.61E-06	
86	86	3.2E-04	5	3.70E-06	
87	87	3.2E-04	5	3.79E-06	
88	88	3.3E-04	5	3.85E-06	
89	89	3.3E-04	5	3.91E-06	
90	90	3.4E-04	5	3.95E-06	
91	91	3.4E-04	5	3.97E-06	
92	92	3.4E-04	5	3.98E-06	
93	93	3.4E-04	5	3.98E-06	
96	96	3.4E-04	5	4.02E-06	
97	97	3.5E-04	5	4.08E-06	
98	98	3.6E-04	5	4.26E-06	
99	99	3.7E-04	5	4.32E-06	
100	100	3.7E-04	5	4.37E-06	
101	101	3.8E-04	5	4.39E-06	
102	102	3.8E-04	5	4.40E-06	
106	106	1.5E-04	5	1.72E-06	
107	107	1.5E-04	5	1.79E-06	
108	108	1.6E-04	5	1.86E-06	
109	109	1.6E-04	5	1.93E-06	
110	110	1.7E-04	5	2.00E-06	
111	111	1.8E-04	5	2.08E-06	
112	112	1.9E-04	5	2.17E-06	
113	113	1.9E-04	5	2.26E-06	
114	114	2.0E-04	5	2.35E-06	
115	115	2.1E-04	5	2.45E-06	
116	116	2.2E-04	5	2.56E-06	
117	117	2.3E-04	5	2.67E-06	
118	118	2.4E-04	5	2.79E-06	
124	124	1.5E-04	5	1.78E-06	
125	125	1.6E-04	5	1.86E-06	

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
126	126	1.7E-04	5	1.93E-06	
127	127	1.7E-04	5	2.01E-06	
128	128	1.8E-04	5	2.10E-06	
129	129	1.9E-04	5	2.19E-06	
130	130	2.0E-04	5	2.28E-06	
131	131	2.0E-04	5	2.38E-06	
132	132	2.1E-04	5	2.49E-06	
133	133	2.2E-04	5	2.60E-06	
134	134	2.3E-04	5	2.72E-06	
135	135	2.4E-04	5	2.85E-06	
136	136	2.6E-04	5	2.98E-06	
137	137	2.7E-04	5	3.13E-06	
138	138	2.8E-04	5	3.28E-06	
141	141	1.6E-04	5	1.85E-06	
142	142	1.6E-04	5	1.93E-06	
143	143	1.7E-04	5	2.01E-06	
144	144	1.8E-04	5	2.10E-06	
145	145	1.9E-04	5	2.19E-06	
146	146	2.0E-04	5	2.29E-06	
147	147	2.1E-04	5	2.40E-06	
148	148	2.1E-04	5	2.51E-06	
149	149	2.3E-04	5	2.64E-06	
150	150	2.4E-04	5	2.76E-06	
151	151	2.5E-04	5	2.90E-06	
152	152	2.6E-04	5	3.05E-06	
153	153	2.7E-04	5	3.20E-06	
154	154	2.9E-04	5	3.37E-06	
155	155	3.0E-04	5	3.54E-06	
164	164	3.1E-04	5	3.63E-06	
165	165	3.3E-04	5	3.84E-06	
166	166	3.5E-04	5	4.06E-06	

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
178	178	3.4E-04	5	3.93E-06	
179	179	3.6E-04	5	4.17E-06	
180	180	3.8E-04	5	4.43E-06	
192	192	3.6E-04	5	4.26E-06	
193	193	3.9E-04	5	4.55E-06	
194	194	4.2E-04	5	4.86E-06	
207	207	3.9E-04	5	4.62E-06	
208	208	4.2E-04	5	4.96E-06	
209	209	4.6E-04	5	5.34E-06	
223	223	4.3E-04	5	5.00E-06	
224	224	4.6E-04	5	5.42E-06	
225	225	5.0E-04	5	5.88E-06	
239	239	4.6E-04	5	5.42E-06	
240	240	5.1E-04	5	5.92E-06	
241	241	5.5E-04	5	6.48E-06	
255	255	5.0E-04	5	5.85E-06	
256	256	5.5E-04	5	6.44E-06	
272	272	5.4E-04	5	6.28E-06	
273	273	6.0E-04	5	6.99E-06	
289	289	5.7E-04	5	6.71E-06	
290	290	6.4E-04	5	7.53E-06	
306	306	6.1E-04	5	7.12E-06	
307	307	6.9E-04	5	8.05E-06	
323	323	6.4E-04	5	7.47E-06	
324	324	7.3E-04	5	8.52E-06	
342	342	6.6E-04	5	7.75E-06	
343	343	7.6E-04	5	8.90E-06	
344	344	8.8E-04	5	1.03E-05	
356	356	6.8E-04	5	7.95E-06	
357	357	7.8E-04	5	9.16E-06	
358	358	9.1E-04	5	1.07E-05	

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
370	370	6.9E-04	5	8.05E-06	
371	371	7.9E-04	5	9.30E-06	
372	372	9.3E-04	5	1.09E-05	
383	383	6.9E-04	5	8.05E-06	
384	384	8.0E-04	5	9.31E-06	
385	385	9.3E-04	5	1.09E-05	
396	396	6.8E-04	5	7.96E-06	
397	397	7.9E-04	5	9.19E-06	
398	398	9.2E-04	5	1.08E-05	
399	399	1.1E-03	5	1.28E-05	
411	411	6.7E-04	5	7.79E-06	
412	412	7.7E-04	5	8.97E-06	
413	413	9.0E-04	5	1.05E-05	
414	414	1.1E-03	5	1.24E-05	
426	426	6.5E-04	5	7.55E-06	
427	427	7.4E-04	5	8.67E-06	
428	428	8.6E-04	5	1.01E-05	
429	429	1.0E-03	5	1.19E-05	
439	439	6.2E-04	5	7.26E-06	
440	440	7.1E-04	5	8.30E-06	
441	441	8.2E-04	5	9.60E-06	
442	442	9.6E-04	5	1.12E-05	
443	443	1.1E-03	5	1.33E-05	
454	454	5.9E-04	5	6.94E-06	
455	455	6.8E-04	5	7.90E-06	
456	456	7.8E-04	5	9.07E-06	
457	457	9.0E-04	5	1.05E-05	
458	458	1.1E-03	5	1.24E-05	
469	469	5.6E-04	5	6.61E-06	
470	470	6.4E-04	5	7.47E-06	
471	471	7.3E-04	5	8.52E-06	

Via Oro
Building Construction

		<i>Max Cancer Risk</i>		<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million		REL	HI Offroad
472	472	8.4E-04		5	9.82E-06
473	473	9.8E-04		5	1.14E-05
489	489	5.4E-04		5	6.26E-06
490	490	6.0E-04		5	7.04E-06
491	491	6.8E-04		5	7.97E-06
492	492	7.8E-04		5	9.11E-06
493	493	9.0E-04		5	1.05E-05
494	494	1.1E-03		5	1.23E-05
509	509	5.1E-04		5	5.92E-06
510	510	5.7E-04		5	6.61E-06
511	511	6.4E-04		5	7.44E-06
512	512	7.2E-04		5	8.43E-06
513	513	8.2E-04		5	9.64E-06
514	514	9.5E-04		5	1.11E-05
515	515	1.3E-03		5	1.55E-05
516	516	1.6E-03		5	1.87E-05
517	517	2.0E-03		5	2.30E-05
518	518	2.5E-03		5	2.92E-05
519	519	3.2E-03		5	3.79E-05
528	528	4.8E-04		5	5.59E-06
529	529	5.3E-04		5	6.20E-06
530	530	5.9E-04		5	6.93E-06
531	531	6.7E-04		5	7.79E-06
532	532	7.5E-04		5	8.83E-06
533	533	8.6E-04		5	1.01E-05
534	534	1.2E-03		5	1.37E-05
535	535	1.4E-03		5	1.62E-05
536	536	1.7E-03		5	1.97E-05
537	537	2.1E-03		5	2.43E-05
538	538	2.6E-03		5	3.05E-05
547	547	4.5E-04		5	5.26E-06

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
548	548	5.0E-04	5	5.81E-06	
549	549	5.5E-04	5	6.45E-06	
550	550	6.2E-04	5	7.20E-06	
551	551	6.9E-04	5	8.09E-06	
552	552	7.8E-04	5	9.16E-06	
553	553	9.0E-04	5	1.05E-05	
554	554	1.0E-03	5	1.21E-05	
555	555	1.2E-03	5	1.42E-05	
556	556	1.5E-03	5	1.70E-05	
557	557	1.8E-03	5	2.05E-05	
558	558	2.2E-03	5	2.52E-05	
559	559	2.6E-03	5	3.08E-05	
567	567	4.2E-04	5	4.95E-06	
568	568	4.6E-04	5	5.44E-06	
569	569	5.1E-04	5	6.00E-06	
570	570	5.7E-04	5	6.65E-06	
571	571	6.3E-04	5	7.42E-06	
572	572	7.1E-04	5	8.33E-06	
573	573	8.1E-04	5	9.45E-06	
574	574	1.1E-03	5	1.25E-05	
575	575	1.3E-03	5	1.48E-05	
576	576	1.5E-03	5	1.76E-05	
577	577	1.8E-03	5	2.11E-05	
578	578	2.2E-03	5	2.53E-05	
586	586	4.0E-04	5	4.66E-06	
587	587	4.4E-04	5	5.09E-06	
588	588	4.8E-04	5	5.58E-06	
589	589	5.3E-04	5	6.15E-06	
590	590	5.8E-04	5	6.81E-06	
591	591	6.5E-04	5	7.60E-06	
592	592	7.3E-04	5	8.54E-06	

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
593	593	9.5E-04	5	1.11E-05	
594	594	1.1E-03	5	1.30E-05	
595	595	1.3E-03	5	1.52E-05	
596	596	1.5E-03	5	1.79E-05	
597	597	1.8E-03	5	2.11E-05	
345	345	1.0E-03	5	1.22E-05	
346	346	1.2E-03	5	1.46E-05	
347	347	1.5E-03	5	1.78E-05	
348	348	1.9E-03	5	2.25E-05	
359	359	1.1E-03	5	1.27E-05	
360	360	1.3E-03	5	1.53E-05	
361	361	1.6E-03	5	1.89E-05	
362	362	2.1E-03	5	2.40E-05	
363	363	2.7E-03	5	3.19E-05	
373	373	1.3E-03	5	1.57E-05	
374	374	1.7E-03	5	1.95E-05	
375	375	2.1E-03	5	2.48E-05	
376	376	2.8E-03	5	3.31E-05	
386	386	1.3E-03	5	1.57E-05	
387	387	1.7E-03	5	1.95E-05	
388	388	2.1E-03	5	2.49E-05	
389	389	2.8E-03	5	3.31E-05	
390	390	4.0E-03	5	4.65E-05	
400	400	1.3E-03	5	1.55E-05	
401	401	1.6E-03	5	1.91E-05	
402	402	2.1E-03	5	2.44E-05	
403	403	2.7E-03	5	3.20E-05	
404	404	3.8E-03	5	4.43E-05	
415	415	1.3E-03	5	1.50E-05	
416	416	1.6E-03	5	1.84E-05	
417	417	2.0E-03	5	2.32E-05	

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
418	418	2.6E-03	5	3.03E-05	
419	419	3.5E-03	5	4.14E-05	
420	420	5.1E-03	5	5.96E-05	
430	430	1.5E-03	5	1.74E-05	
431	431	1.9E-03	5	2.17E-05	
432	432	2.4E-03	5	2.80E-05	
433	433	3.2E-03	5	3.75E-05	
434	434	4.6E-03	5	5.33E-05	
444	444	1.4E-03	5	1.61E-05	
445	445	1.7E-03	5	1.99E-05	
446	446	2.2E-03	5	2.53E-05	
447	447	2.8E-03	5	3.32E-05	
448	448	3.9E-03	5	4.59E-05	
459	459	1.5E-03	5	1.81E-05	
460	460	1.9E-03	5	2.25E-05	
461	461	2.5E-03	5	2.89E-05	
462	462	3.3E-03	5	3.87E-05	
463	463	4.7E-03	5	5.46E-05	
474	474	1.4E-03	5	1.62E-05	
475	475	1.7E-03	5	1.99E-05	
476	476	2.1E-03	5	2.50E-05	
477	477	2.8E-03	5	3.24E-05	
478	478	3.7E-03	5	4.38E-05	
495	495	1.2E-03	5	1.45E-05	
496	496	1.5E-03	5	1.75E-05	
497	497	1.8E-03	5	2.16E-05	
498	498	2.3E-03	5	2.73E-05	
499	499	3.0E-03	5	3.55E-05	
500	500	4.1E-03	5	4.77E-05	

Via Oro
Building Construction

		<i>Max Cancer Risk</i>		<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million		REL	HI Offroad
139	139	5.1E-06		5	3.44E-06
140	140	5.4E-06		5	3.60E-06
156	156	5.6E-06		5	3.73E-06
157	157	5.9E-06		5	3.92E-06
158	158	6.2E-06		5	4.13E-06
159	159	6.5E-06		5	4.35E-06
160	160	6.8E-06		5	4.57E-06
161	161	7.5E-06		5	5.04E-06
162	162	7.9E-06		5	5.27E-06
163	163	8.2E-06		5	5.49E-06
167	167	6.4E-06		5	4.29E-06
168	168	6.8E-06		5	4.54E-06
169	169	7.2E-06		5	4.80E-06
170	170	7.6E-06		5	5.08E-06
171	171	8.0E-06		5	5.36E-06
172	172	8.4E-06		5	5.65E-06
173	173	8.9E-06		5	5.93E-06
174	174	9.3E-06		5	6.21E-06
175	175	9.7E-06		5	6.47E-06
176	176	1.0E-05		5	6.70E-06
177	177	1.0E-05		5	6.89E-06
181	181	7.5E-06		5	5.02E-06
182	182	8.0E-06		5	5.33E-06
183	183	8.5E-06		5	5.67E-06
184	184	9.0E-06		5	6.03E-06
185	185	9.6E-06		5	6.39E-06
186	186	1.0E-05		5	6.76E-06
187	187	1.1E-05		5	7.11E-06
188	188	1.1E-05		5	7.45E-06
189	189	1.2E-05		5	7.74E-06
190	190	1.2E-05		5	7.98E-06

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
191	191	1.2E-05	5	8.15E-06	
195	195	8.3E-06	5	5.57E-06	
196	196	8.9E-06	5	5.97E-06	
197	197	9.5E-06	5	6.39E-06	
198	198	1.0E-05	5	6.84E-06	
199	199	1.1E-05	5	7.31E-06	
200	200	1.2E-05	5	7.78E-06	
201	201	1.2E-05	5	8.25E-06	
202	202	1.3E-05	5	8.69E-06	
203	203	1.4E-05	5	9.08E-06	
204	204	1.4E-05	5	9.39E-06	
205	205	1.4E-05	5	9.61E-06	
206	206	1.5E-05	5	9.71E-06	
210	210	8.6E-06	5	5.75E-06	
211	211	9.3E-06	5	6.22E-06	
212	212	1.0E-05	5	6.71E-06	
213	213	1.1E-05	5	7.25E-06	
214	214	1.3E-05	5	8.44E-06	
215	215	1.4E-05	5	9.08E-06	
216	216	1.5E-05	5	9.71E-06	
217	217	1.5E-05	5	1.03E-05	
218	218	1.6E-05	5	1.08E-05	
219	219	1.7E-05	5	1.13E-05	
220	220	1.7E-05	5	1.15E-05	
221	221	1.7E-05	5	1.17E-05	
222	222	1.7E-05	5	1.16E-05	
226	226	9.6E-06	5	6.40E-06	
227	227	1.0E-05	5	6.97E-06	
228	228	1.1E-05	5	7.61E-06	
229	229	1.2E-05	5	8.30E-06	
230	230	1.4E-05	5	9.06E-06	

Via Oro
Building Construction

		<i>Max Cancer Risk Cancer Risk</i>		<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million		REL	HI Offroad
231	231	1.5E-05		5	9.87E-06
232	232	1.6E-05		5	1.07E-05
233	233	1.9E-05		5	1.25E-05
234	234	2.0E-05		5	1.32E-05
235	235	2.1E-05		5	1.38E-05
236	236	2.1E-05		5	1.42E-05
237	237	2.1E-05		5	1.43E-05
238	238	2.1E-05		5	1.42E-05
242	242	1.1E-05		5	7.12E-06
243	243	1.2E-05		5	7.85E-06
244	244	1.3E-05		5	8.63E-06
245	245	1.4E-05		5	9.56E-06
246	246	1.6E-05		5	1.06E-05
247	247	1.8E-05		5	1.17E-05
248	248	1.9E-05		5	1.30E-05
249	249	2.3E-05		5	1.55E-05
250	250	2.5E-05		5	1.66E-05
251	251	2.6E-05		5	1.74E-05
252	252	2.7E-05		5	1.79E-05
253	253	2.7E-05		5	1.81E-05
254	254	2.7E-05		5	1.79E-05
257	257	1.2E-05		5	7.92E-06
258	258	1.3E-05		5	8.85E-06
259	259	1.5E-05		5	9.91E-06
260	260	1.7E-05		5	1.11E-05
261	261	1.9E-05		5	1.26E-05
262	262	2.1E-05		5	1.42E-05
263	263	2.4E-05		5	1.60E-05
264	264	3.0E-05		5	1.98E-05
265	265	3.2E-05		5	2.16E-05
266	266	3.4E-05		5	2.29E-05

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
267	267	3.5E-05				5	2.36E-05	
268	268	3.5E-05				5	2.37E-05	
269	269	3.5E-05				5	2.32E-05	
270	270	2.9E-05				5	1.97E-05	
271	271	2.7E-05				5	1.83E-05	
274	274	1.3E-05				5	8.80E-06	
275	275	1.5E-05				5	9.96E-06	
276	276	1.7E-05				5	1.14E-05	
277	277	1.9E-05				5	1.30E-05	
278	278	2.2E-05				5	1.50E-05	
279	279	2.6E-05				5	1.74E-05	
280	280	3.0E-05				5	2.00E-05	
281	281	4.0E-05				5	2.65E-05	
282	282	4.4E-05				5	2.94E-05	
283	283	4.7E-05				5	3.16E-05	
284	284	4.9E-05				5	3.27E-05	
285	285	4.9E-05				5	3.26E-05	
286	286	4.7E-05				5	3.13E-05	
287	287	3.7E-05				5	2.45E-05	
288	288	3.3E-05				5	2.21E-05	
291	291	1.5E-05				5	9.71E-06	
292	292	1.7E-05				5	1.12E-05	
293	293	1.9E-05				5	1.30E-05	
294	294	2.3E-05				5	1.52E-05	
295	295	2.7E-05				5	1.80E-05	
296	296	3.2E-05				5	2.16E-05	
297	297	3.9E-05				5	2.62E-05	
298	298	5.6E-05				5	3.77E-05	
299	299	6.5E-05				5	4.35E-05	
300	300	7.1E-05				5	4.76E-05	
301	301	7.4E-05				5	4.95E-05	

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
302	302	7.2E-05	5	4.82E-05	
303	303	6.7E-05	5	4.45E-05	
304	304	4.6E-05	5	3.05E-05	
305	305	4.0E-05	5	2.66E-05	
308	308	1.6E-05	5	1.06E-05	
309	309	1.9E-05	5	1.24E-05	
310	310	2.2E-05	5	1.47E-05	
311	311	2.6E-05	5	1.77E-05	
312	312	3.2E-05	5	2.17E-05	
313	313	4.1E-05	5	2.73E-05	
314	314	5.3E-05	5	3.53E-05	
315	315	9.0E-05	5	6.04E-05	
316	316	1.1E-04	5	7.46E-05	
317	317	1.2E-04	5	8.35E-05	
318	318	1.3E-04	5	8.66E-05	
319	319	1.2E-04	5	7.96E-05	
320	320	1.0E-04	5	6.72E-05	
321	321	5.6E-05	5	3.75E-05	
322	322	4.7E-05	5	3.13E-05	
325	325	1.7E-05	5	1.15E-05	
326	326	2.0E-05	5	1.36E-05	
327	327	2.4E-05	5	1.64E-05	
328	328	3.0E-05	5	2.02E-05	
329	329	3.8E-05	5	2.56E-05	
330	330	5.1E-05	5	3.42E-05	
331	331	7.3E-05	5	4.87E-05	
332	332	1.2E-04	5	7.72E-05	
333	333	1.9E-04	5	1.26E-04	
334	334	2.6E-04	5	1.71E-04	
335	335	3.0E-04	5	2.02E-04	
336	336	3.2E-04	5	2.11E-04	

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
337	337	2.4E-04	5	1.62E-04	
338	338	1.6E-04	5	1.05E-04	
339	339	8.4E-05	5	5.65E-05	
340	340	6.7E-05	5	4.45E-05	
341	341	5.4E-05	5	3.59E-05	
349	349	4.4E-05	5	2.94E-05	
350	350	6.1E-05	5	4.09E-05	
351	351	9.5E-05	5	6.36E-05	
352	352	2.1E-04	5	1.41E-04	
353	353	1.0E-04	5	6.74E-05	
354	354	7.6E-05	5	5.09E-05	
355	355	6.0E-05	5	3.98E-05	
364	364	6.8E-05	5	4.53E-05	
365	365	1.1E-04	5	7.23E-05	
366	366	2.3E-04	5	1.56E-04	
367	367	1.2E-04	5	7.71E-05	
368	368	8.4E-05	5	5.62E-05	
369	369	6.4E-05	5	4.29E-05	
377	377	7.0E-05	5	4.69E-05	
378	378	1.1E-04	5	7.33E-05	
379	379	2.1E-04	5	1.40E-04	
380	380	1.3E-04	5	8.52E-05	
381	381	9.0E-05	5	5.99E-05	
382	382	6.7E-05	5	4.47E-05	
391	391	1.1E-04	5	7.08E-05	
392	392	1.9E-04	5	1.24E-04	
393	393	1.4E-04	5	9.16E-05	
394	394	9.3E-05	5	6.24E-05	
395	395	6.8E-05	5	4.54E-05	
405	405	9.9E-05	5	6.62E-05	
406	406	1.7E-04	5	1.11E-04	

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
407	407	3.5E-04	5	2.33E-04	
408	408	1.4E-04	5	9.61E-05	
409	409	9.4E-05	5	6.28E-05	
410	410	6.7E-05	5	4.47E-05	
421	421	1.4E-04	5	9.65E-05	
422	422	2.7E-04	5	1.84E-04	
423	423	1.4E-04	5	9.66E-05	
424	424	9.1E-05	5	6.07E-05	
425	425	6.3E-05	5	4.22E-05	
435	435	1.2E-04	5	8.16E-05	
436	436	2.2E-04	5	1.46E-04	
437	437	8.3E-05	5	5.56E-05	
438	438	5.7E-05	5	3.81E-05	
449	449	1.0E-04	5	6.72E-05	
450	450	1.7E-04	5	1.12E-04	
451	451	3.5E-04	5	2.33E-04	
452	452	7.3E-05	5	4.87E-05	
453	453	5.1E-05	5	3.38E-05	
464	464	1.2E-04	5	8.36E-05	
465	465	2.2E-04	5	1.46E-04	
466	466	1.7E-04	5	1.16E-04	
467	467	6.4E-05	5	4.28E-05	
468	468	4.5E-05	5	3.03E-05	
479	479	9.2E-05	5	6.14E-05	
480	480	1.4E-04	5	9.42E-05	
481	481	2.1E-04	5	1.43E-04	
482	482	2.6E-04	5	1.73E-04	
483	483	2.4E-04	5	1.63E-04	
484	484	1.9E-04	5	1.30E-04	
485	485	1.3E-04	5	8.85E-05	
486	486	8.5E-05	5	5.71E-05	

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
487	487	5.7E-05	5	3.85E-05	
488	488	4.1E-05	5	2.75E-05	
501	501	9.8E-05	5	6.56E-05	
502	502	1.3E-04	5	9.02E-05	
503	503	1.6E-04	5	1.07E-04	
504	504	1.6E-04	5	1.06E-04	
505	505	1.4E-04	5	9.13E-05	
506	506	1.0E-04	5	6.94E-05	
507	507	7.4E-05	5	4.92E-05	
508	508	3.8E-05	5	2.54E-05	
520	520	7.4E-05	5	4.92E-05	
521	521	9.3E-05	5	6.25E-05	
522	522	1.1E-04	5	7.35E-05	
523	523	1.1E-04	5	7.53E-05	
524	524	1.0E-04	5	6.81E-05	
525	525	8.3E-05	5	5.55E-05	
526	526	6.3E-05	5	4.22E-05	
527	527	3.5E-05	5	2.35E-05	
539	539	5.7E-05	5	3.84E-05	
540	540	7.0E-05	5	4.71E-05	
541	541	8.0E-05	5	5.38E-05	
542	542	8.4E-05	5	5.59E-05	
543	543	7.9E-05	5	5.27E-05	
544	544	6.8E-05	5	4.52E-05	
545	545	5.4E-05	5	3.61E-05	
546	546	3.2E-05	5	2.17E-05	
560	560	5.5E-05	5	3.67E-05	
561	561	6.2E-05	5	4.15E-05	
562	562	6.5E-05	5	4.34E-05	
563	563	6.2E-05	5	4.16E-05	
564	564	5.6E-05	5	3.72E-05	

Via Oro
Building Construction

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
565	565	4.7E-05				5	3.13E-05	
566	566	3.0E-05				5	2.01E-05	
579	579	4.4E-05				5	2.95E-05	
580	580	4.9E-05				5	3.30E-05	
581	581	5.2E-05				5	3.47E-05	
582	582	5.1E-05				5	3.41E-05	
583	583	4.7E-05				5	3.12E-05	
584	584	4.0E-05				5	2.70E-05	
585	585	3.2E-05				5	2.12E-05	
598	598	3.6E-05				5	2.42E-05	
599	599	4.0E-05				5	2.68E-05	
600	600	4.2E-05				5	2.83E-05	
601	601	4.2E-05				5	2.82E-05	
602	602	4.0E-05				5	2.64E-05	
603	603	3.5E-05				5	2.36E-05	
604	604	3.0E-05				5	2.02E-05	
0	0	0.0E+00				5	0.00E+00	
0	0	0.0E+00				5	0.00E+00	

Via Oro
Site Prep

Cancer Risk from 3rd Trimester - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.0296	3.78E-03	1.1E-04	3.46E-04	3.87E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
2	0.03052	3.78E-03	1.2E-04	3.46E-04	3.99E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
3	0.03147	3.78E-03	1.2E-04	3.46E-04	4.12E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
4	0.03246	3.78E-03	1.2E-04	3.46E-04	4.25E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
5	0.0335	3.78E-03	1.3E-04	3.46E-04	4.38E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
6	0.0346	3.78E-03	1.3E-04	3.46E-04	4.53E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
7	0.03575	3.78E-03	1.4E-04	3.46E-04	4.68E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
8	0.03694	3.78E-03	1.4E-04	3.46E-04	4.83E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
9	0.03818	3.78E-03	1.4E-04	3.46E-04	5.00E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
10	0.03949	3.78E-03	1.5E-04	3.46E-04	5.17E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
11	0.04084	3.78E-03	1.5E-04	3.46E-04	5.34E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
12	0.04225	3.78E-03	1.6E-04	3.46E-04	5.53E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
13	0.04371	3.78E-03	1.7E-04	3.46E-04	5.72E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
14	0.04523	3.78E-03	1.7E-04	3.46E-04	5.92E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
15	0.04679	3.78E-03	1.8E-04	3.46E-04	6.12E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
16	0.04838	3.78E-03	1.8E-04	3.46E-04	6.33E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
17	0.05002	3.78E-03	1.9E-04	3.46E-04	6.55E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
18	0.05167	3.78E-03	2.0E-04	3.46E-04	6.76E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
19	0.05332	3.78E-03	2.0E-04	3.46E-04	6.98E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
20	0.05497	3.78E-03	2.1E-04	3.46E-04	7.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
21	0.05659	3.78E-03	2.1E-04	3.46E-04	7.40E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
22	0.05817	3.78E-03	2.2E-04	3.46E-04	7.61E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
23	0.05966	3.78E-03	2.3E-04	3.46E-04	7.81E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
24	0.06105	3.78E-03	2.3E-04	3.46E-04	7.99E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
25	0.06231	3.78E-03	2.4E-04	3.46E-04	8.15E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
26	0.06342	3.78E-03	2.4E-04	3.46E-04	8.30E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
27	0.06435	3.78E-03	2.4E-04	3.46E-04	8.42E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
28	0.06508	3.78E-03	2.5E-04	3.46E-04	8.52E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
29	0.0656	3.78E-03	2.5E-04	3.46E-04	8.58E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
30	0.06593	3.78E-03	2.5E-04	3.46E-04	8.63E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
31	0.06606	3.78E-03	2.5E-04	3.46E-04	8.64E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.06601	3.78E-03	2.5E-04	3.46E-04	8.64E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
55	0.0631	3.78E-03	2.4E-04	3.46E-04	8.26E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
56	0.06486	3.78E-03	2.5E-04	3.46E-04	8.49E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
57	0.0665	3.78E-03	2.5E-04	3.46E-04	8.70E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
58	0.06798	3.78E-03	2.6E-04	3.46E-04	8.90E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
59	0.06926	3.78E-03	2.6E-04	3.46E-04	9.06E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
60	0.07033	3.78E-03	2.7E-04	3.46E-04	9.20E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
61	0.07116	3.78E-03	2.7E-04	3.46E-04	9.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
62	0.07175	3.78E-03	2.7E-04	3.46E-04	9.39E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
63	0.07209	3.78E-03	2.7E-04	3.46E-04	9.43E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
64	0.0722	3.78E-03	2.7E-04	3.46E-04	9.45E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
65	0.07209	3.78E-03	2.7E-04	3.46E-04	9.43E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
66	0.07181	3.78E-03	2.7E-04	3.46E-04	9.40E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
67	0.03198	3.78E-03	1.2E-04	3.46E-04	4.18E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
68	0.03309	3.78E-03	1.3E-04	3.46E-04	4.33E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
69	0.03425	3.78E-03	1.3E-04	3.46E-04	4.48E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
70	0.03546	3.78E-03	1.3E-04	3.46E-04	4.64E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
71	0.03672	3.78E-03	1.4E-04	3.46E-04	4.80E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
72	0.03806	3.78E-03	1.4E-04	3.46E-04	4.98E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
73	0.03946	3.78E-03	1.5E-04	3.46E-04	5.16E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
74	0.04093	3.78E-03	1.5E-04	3.46E-04	5.36E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
75	0.04247	3.78E-03	1.6E-04	3.46E-04	5.56E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
76	0.04409	3.78E-03	1.7E-04	3.46E-04	5.77E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
77	0.04579	3.78E-03	1.7E-04	3.46E-04	5.99E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
78	0.04759	3.78E-03	1.8E-04	3.46E-04	6.23E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
79	0.05769	3.78E-03	2.2E-04	3.46E-04	7.55E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
80	0.05989	3.78E-03	2.3E-04	3.46E-04	7.84E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
81	0.06214	3.78E-03	2.3E-04	3.46E-04	8.13E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
82	0.06439	3.78E-03	2.4E-04	3.46E-04	8.43E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
83	0.06663	3.78E-03	2.5E-04	3.46E-04	8.72E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
84	0.0688	3.78E-03	2.6E-04	3.46E-04	9.00E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	0.07088	3.78E-03	2.7E-04	3.46E-04	9.27E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
86	0.07282	3.78E-03	2.8E-04	3.46E-04	9.53E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
87	0.07457	3.78E-03	2.8E-04	3.46E-04	9.76E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
88	0.07608	3.78E-03	2.9E-04	3.46E-04	9.95E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
89	0.07733	3.78E-03	2.9E-04	3.46E-04	1.01E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
90	0.07828	3.78E-03	3.0E-04	3.46E-04	1.02E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
91	0.07894	3.78E-03	3.0E-04	3.46E-04	1.03E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
92	0.07928	3.78E-03	3.0E-04	3.46E-04	1.04E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
93	0.07936	3.78E-03	3.0E-04	3.46E-04	1.04E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
96	0.07869	3.78E-03	3.0E-04	3.46E-04	1.03E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
97	0.08007	3.78E-03	3.0E-04	3.46E-04	1.05E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
98	0.08412	3.78E-03	3.2E-04	3.46E-04	1.10E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
99	0.08559	3.78E-03	3.2E-04	3.46E-04	1.12E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
100	0.0867	3.78E-03	3.3E-04	3.46E-04	1.13E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
101	0.08742	3.78E-03	3.3E-04	3.46E-04	1.14E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
102	0.08775	3.78E-03	3.3E-04	3.46E-04	1.15E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
106	0.03317	3.78E-03	1.3E-04	3.46E-04	4.34E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
107	0.03452	3.78E-03	1.3E-04	3.46E-04	4.52E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
108	0.03585	3.78E-03	1.4E-04	3.46E-04	4.69E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
109	0.03726	3.78E-03	1.4E-04	3.46E-04	4.88E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
110	0.03874	3.78E-03	1.5E-04	3.46E-04	5.07E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
111	0.0403	3.78E-03	1.5E-04	3.46E-04	5.27E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
112	0.04196	3.78E-03	1.6E-04	3.46E-04	5.49E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
113	0.04371	3.78E-03	1.7E-04	3.46E-04	5.72E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
114	0.04555	3.78E-03	1.7E-04	3.46E-04	5.96E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
115	0.0475	3.78E-03	1.8E-04	3.46E-04	6.22E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
116	0.04954	3.78E-03	1.9E-04	3.46E-04	6.48E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
117	0.05172	3.78E-03	2.0E-04	3.46E-04	6.77E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
118	0.05403	3.78E-03	2.0E-04	3.46E-04	7.07E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
124	0.03443	3.78E-03	1.3E-04	3.46E-04	4.51E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
125	0.03581	3.78E-03	1.4E-04	3.46E-04	4.69E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.03728	3.78E-03	1.4E-04	3.46E-04	4.88E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
127	0.03883	3.78E-03	1.5E-04	3.46E-04	5.08E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
128	0.04047	3.78E-03	1.5E-04	3.46E-04	5.30E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
129	0.04221	3.78E-03	1.6E-04	3.46E-04	5.52E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
130	0.04406	3.78E-03	1.7E-04	3.46E-04	5.77E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
131	0.04603	3.78E-03	1.7E-04	3.46E-04	6.02E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
132	0.04811	3.78E-03	1.8E-04	3.46E-04	6.30E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
133	0.05031	3.78E-03	1.9E-04	3.46E-04	6.58E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
134	0.05266	3.78E-03	2.0E-04	3.46E-04	6.89E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
135	0.05514	3.78E-03	2.1E-04	3.46E-04	7.21E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
136	0.05778	3.78E-03	2.2E-04	3.46E-04	7.56E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
137	0.06056	3.78E-03	2.3E-04	3.46E-04	7.92E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
138	0.06354	3.78E-03	2.4E-04	3.46E-04	8.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
141	0.03561	3.78E-03	1.3E-04	3.46E-04	4.66E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
142	0.03713	3.78E-03	1.4E-04	3.46E-04	4.86E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
143	0.03873	3.78E-03	1.5E-04	3.46E-04	5.07E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
144	0.04044	3.78E-03	1.5E-04	3.46E-04	5.29E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
145	0.04226	3.78E-03	1.6E-04	3.46E-04	5.53E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
146	0.04419	3.78E-03	1.7E-04	3.46E-04	5.78E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
147	0.04626	3.78E-03	1.7E-04	3.46E-04	6.05E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
148	0.04847	3.78E-03	1.8E-04	3.46E-04	6.34E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
149	0.05082	3.78E-03	1.9E-04	3.46E-04	6.65E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
150	0.05332	3.78E-03	2.0E-04	3.46E-04	6.98E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
151	0.056	3.78E-03	2.1E-04	3.46E-04	7.33E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
152	0.05885	3.78E-03	2.2E-04	3.46E-04	7.70E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
153	0.06189	3.78E-03	2.3E-04	3.46E-04	8.10E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
154	0.06512	3.78E-03	2.5E-04	3.46E-04	8.52E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
155	0.06857	3.78E-03	2.6E-04	3.46E-04	8.97E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
164	0.07017	3.78E-03	2.7E-04	3.46E-04	9.18E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
165	0.07422	3.78E-03	2.8E-04	3.46E-04	9.71E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
166	0.07858	3.78E-03	3.0E-04	3.46E-04	1.03E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	0.07573	3.78E-03	2.9E-04	3.46E-04	9.91E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
179	0.08052	3.78E-03	3.0E-04	3.46E-04	1.05E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
180	0.08572	3.78E-03	3.2E-04	3.46E-04	1.12E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
192	0.08182	3.78E-03	3.1E-04	3.46E-04	1.07E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
193	0.08754	3.78E-03	3.3E-04	3.46E-04	1.15E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
194	0.09377	3.78E-03	3.5E-04	3.46E-04	1.23E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
207	0.08841	3.78E-03	3.3E-04	3.46E-04	1.16E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
208	0.09524	3.78E-03	3.6E-04	3.46E-04	1.25E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
209	0.10279	3.78E-03	3.9E-04	3.46E-04	1.34E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
223	0.09547	3.78E-03	3.6E-04	3.46E-04	1.25E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
224	0.10362	3.78E-03	3.9E-04	3.46E-04	1.36E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
225	0.11276	3.78E-03	4.3E-04	3.46E-04	1.48E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
239	0.10291	3.78E-03	3.9E-04	3.46E-04	1.35E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
240	0.1126	3.78E-03	4.3E-04	3.46E-04	1.47E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
241	0.12368	3.78E-03	4.7E-04	3.46E-04	1.62E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
255	0.11054	3.78E-03	4.2E-04	3.46E-04	1.45E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
256	0.122	3.78E-03	4.6E-04	3.46E-04	1.60E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
272	0.11815	3.78E-03	4.5E-04	3.46E-04	1.55E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
273	0.13155	3.78E-03	5.0E-04	3.46E-04	1.72E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
289	0.12546	3.78E-03	4.7E-04	3.46E-04	1.64E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
290	0.14085	3.78E-03	5.3E-04	3.46E-04	1.84E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
306	0.13211	3.78E-03	5.0E-04	3.46E-04	1.73E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
307	0.14944	3.78E-03	5.6E-04	3.46E-04	1.96E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
323	0.13773	3.78E-03	5.2E-04	3.46E-04	1.80E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
324	0.15678	3.78E-03	5.9E-04	3.46E-04	2.05E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
342	0.14204	3.78E-03	5.4E-04	3.46E-04	1.86E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
343	0.16242	3.78E-03	6.1E-04	3.46E-04	2.13E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
344	0.18803	3.78E-03	7.1E-04	3.46E-04	2.46E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
356	0.14482	3.78E-03	5.5E-04	3.46E-04	1.89E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
357	0.16608	3.78E-03	6.3E-04	3.46E-04	2.17E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
358	0.19291	3.78E-03	7.3E-04	3.46E-04	2.52E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.14604	3.78E-03	5.5E-04	3.46E-04	1.91E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
371	0.1677	3.78E-03	6.3E-04	3.46E-04	2.19E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
372	0.19505	3.78E-03	7.4E-04	3.46E-04	2.55E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
383	0.14575	3.78E-03	5.5E-04	3.46E-04	1.91E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
384	0.16737	3.78E-03	6.3E-04	3.46E-04	2.19E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
385	0.19463	3.78E-03	7.4E-04	3.46E-04	2.55E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
396	0.14411	3.78E-03	5.4E-04	3.46E-04	1.89E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
397	0.16531	3.78E-03	6.2E-04	3.46E-04	2.16E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
398	0.19195	3.78E-03	7.3E-04	3.46E-04	2.51E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
399	0.22608	3.78E-03	8.5E-04	3.46E-04	2.96E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
411	0.14129	3.78E-03	5.3E-04	3.46E-04	1.85E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
412	0.16173	3.78E-03	6.1E-04	3.46E-04	2.12E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
413	0.18731	3.78E-03	7.1E-04	3.46E-04	2.45E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
414	0.21986	3.78E-03	8.3E-04	3.46E-04	2.88E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
426	0.13745	3.78E-03	5.2E-04	3.46E-04	1.80E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
427	0.15687	3.78E-03	5.9E-04	3.46E-04	2.05E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
428	0.18099	3.78E-03	6.8E-04	3.46E-04	2.37E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
429	0.21148	3.78E-03	8.0E-04	3.46E-04	2.77E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
439	0.13279	3.78E-03	5.0E-04	3.46E-04	1.74E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
440	0.15096	3.78E-03	5.7E-04	3.46E-04	1.98E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
441	0.17336	3.78E-03	6.6E-04	3.46E-04	2.27E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
442	0.20143	3.78E-03	7.6E-04	3.46E-04	2.64E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
443	0.23728	3.78E-03	9.0E-04	3.46E-04	3.10E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
454	0.12751	3.78E-03	4.8E-04	3.46E-04	1.67E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
455	0.14428	3.78E-03	5.5E-04	3.46E-04	1.89E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
456	0.16479	3.78E-03	6.2E-04	3.46E-04	2.16E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
457	0.19025	3.78E-03	7.2E-04	3.46E-04	2.49E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
458	0.22243	3.78E-03	8.4E-04	3.46E-04	2.91E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
469	0.12182	3.78E-03	4.6E-04	3.46E-04	1.59E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
470	0.13713	3.78E-03	5.2E-04	3.46E-04	1.79E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
471	0.1557	3.78E-03	5.9E-04	3.46E-04	2.04E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.17851	3.78E-03	6.7E-04	3.46E-04	2.34E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
473	0.20702	3.78E-03	7.8E-04	3.46E-04	2.71E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
489	0.11592	3.78E-03	4.4E-04	3.46E-04	1.52E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
490	0.12979	3.78E-03	4.9E-04	3.46E-04	1.70E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
491	0.14645	3.78E-03	5.5E-04	3.46E-04	1.92E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
492	0.16671	3.78E-03	6.3E-04	3.46E-04	2.18E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
493	0.19174	3.78E-03	7.2E-04	3.46E-04	2.51E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
494	0.22325	3.78E-03	8.4E-04	3.46E-04	2.92E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
509	0.10999	3.78E-03	4.2E-04	3.46E-04	1.44E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
510	0.12248	3.78E-03	4.6E-04	3.46E-04	1.60E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
511	0.13735	3.78E-03	5.2E-04	3.46E-04	1.80E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
512	0.15526	3.78E-03	5.9E-04	3.46E-04	2.03E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
513	0.17709	3.78E-03	6.7E-04	3.46E-04	2.32E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
514	0.20424	3.78E-03	7.7E-04	3.46E-04	2.67E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
515	0.283	3.78E-03	1.1E-03	3.46E-04	3.70E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
516	0.34137	3.78E-03	1.3E-03	3.46E-04	4.47E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
517	0.42067	3.78E-03	1.6E-03	3.46E-04	5.50E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
518	0.53066	3.78E-03	2.0E-03	3.46E-04	6.94E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
519	0.68744	3.78E-03	2.6E-03	3.46E-04	9.00E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
528	0.10416	3.78E-03	3.9E-04	3.46E-04	1.36E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
529	0.11537	3.78E-03	4.4E-04	3.46E-04	1.51E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
530	0.1286	3.78E-03	4.9E-04	3.46E-04	1.68E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
531	0.14437	3.78E-03	5.5E-04	3.46E-04	1.89E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
532	0.1634	3.78E-03	6.2E-04	3.46E-04	2.14E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
533	0.18671	3.78E-03	7.1E-04	3.46E-04	2.44E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
534	0.25236	3.78E-03	9.5E-04	3.46E-04	3.30E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
535	0.29948	3.78E-03	1.1E-03	3.46E-04	3.92E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
536	0.36216	3.78E-03	1.4E-03	3.46E-04	4.74E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
537	0.44473	3.78E-03	1.7E-03	3.46E-04	5.82E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
538	0.55683	3.78E-03	2.1E-03	3.46E-04	7.29E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
547	0.09852	3.78E-03	3.7E-04	3.46E-04	1.29E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.10857	3.78E-03	4.1E-04	3.46E-04	1.42E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
549	0.12031	3.78E-03	4.5E-04	3.46E-04	1.57E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
550	0.13416	3.78E-03	5.1E-04	3.46E-04	1.76E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
551	0.1507	3.78E-03	5.7E-04	3.46E-04	1.97E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
552	0.17069	3.78E-03	6.5E-04	3.46E-04	2.23E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
553	0.19522	3.78E-03	7.4E-04	3.46E-04	2.55E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
554	0.22557	3.78E-03	8.5E-04	3.46E-04	2.95E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
555	0.26414	3.78E-03	1.0E-03	3.46E-04	3.46E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
556	0.31413	3.78E-03	1.2E-03	3.46E-04	4.11E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
557	0.3779	3.78E-03	1.4E-03	3.46E-04	4.94E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
558	0.46247	3.78E-03	1.7E-03	3.46E-04	6.05E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
559	0.56965	3.78E-03	2.2E-03	3.46E-04	7.45E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
567	0.09312	3.78E-03	3.5E-04	3.46E-04	1.22E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
568	0.1021	3.78E-03	3.9E-04	3.46E-04	1.34E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
569	0.1125	3.78E-03	4.3E-04	3.46E-04	1.47E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
570	0.12467	3.78E-03	4.7E-04	3.46E-04	1.63E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
571	0.13904	3.78E-03	5.3E-04	3.46E-04	1.82E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
572	0.15621	3.78E-03	5.9E-04	3.46E-04	2.04E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
573	0.17699	3.78E-03	6.7E-04	3.46E-04	2.32E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
574	0.23406	3.78E-03	8.8E-04	3.46E-04	3.06E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
575	0.27432	3.78E-03	1.0E-03	3.46E-04	3.59E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
576	0.32539	3.78E-03	1.2E-03	3.46E-04	4.26E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
577	0.3901	3.78E-03	1.5E-03	3.46E-04	5.10E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
578	0.46964	3.78E-03	1.8E-03	3.46E-04	6.15E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
586	0.08798	3.78E-03	3.3E-04	3.46E-04	1.15E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
587	0.09598	3.78E-03	3.6E-04	3.46E-04	1.26E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
588	0.10519	3.78E-03	4.0E-04	3.46E-04	1.38E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
589	0.11586	3.78E-03	4.4E-04	3.46E-04	1.52E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
590	0.12834	3.78E-03	4.9E-04	3.46E-04	1.68E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
591	0.14309	3.78E-03	5.4E-04	3.46E-04	1.87E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
592	0.16074	3.78E-03	6.1E-04	3.46E-04	2.10E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.20841	3.78E-03	7.9E-04	3.46E-04	2.73E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
594	0.24141	3.78E-03	9.1E-04	3.46E-04	3.16E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
595	0.2822	3.78E-03	1.1E-03	3.46E-04	3.69E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
596	0.33259	3.78E-03	1.3E-03	3.46E-04	4.35E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
597	0.39298	3.78E-03	1.5E-03	3.46E-04	5.14E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
345	0.22095	3.78E-03	8.4E-04	3.46E-04	2.89E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
346	0.26452	3.78E-03	1.0E-03	3.46E-04	3.46E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
347	0.32439	3.78E-03	1.2E-03	3.46E-04	4.24E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
348	0.41111	3.78E-03	1.6E-03	3.46E-04	5.38E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
359	0.22755	3.78E-03	8.6E-04	3.46E-04	2.98E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
360	0.27347	3.78E-03	1.0E-03	3.46E-04	3.58E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
361	0.33702	3.78E-03	1.3E-03	3.46E-04	4.41E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
362	0.42805	3.78E-03	1.6E-03	3.46E-04	5.60E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
363	0.57228	3.78E-03	2.2E-03	3.46E-04	7.49E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
373	0.27723	3.78E-03	1.0E-03	3.46E-04	3.63E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
374	0.34123	3.78E-03	1.3E-03	3.46E-04	4.46E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
375	0.43228	3.78E-03	1.6E-03	3.46E-04	5.66E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
376	0.57277	3.78E-03	2.2E-03	3.46E-04	7.49E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
386	0.27607	3.78E-03	1.0E-03	3.46E-04	3.61E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
387	0.33894	3.78E-03	1.3E-03	3.46E-04	4.43E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
388	0.42694	3.78E-03	1.6E-03	3.46E-04	5.59E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
389	0.55942	3.78E-03	2.1E-03	3.46E-04	7.32E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
390	0.77678	3.78E-03	2.9E-03	3.46E-04	1.02E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
400	0.27085	3.78E-03	1.0E-03	3.46E-04	3.54E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
401	0.33061	3.78E-03	1.2E-03	3.46E-04	4.33E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
402	0.41466	3.78E-03	1.6E-03	3.46E-04	5.43E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
403	0.53632	3.78E-03	2.0E-03	3.46E-04	7.02E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
404	0.72827	3.78E-03	2.8E-03	3.46E-04	9.53E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
415	0.26222	3.78E-03	9.9E-04	3.46E-04	3.43E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
416	0.31872	3.78E-03	1.2E-03	3.46E-04	4.17E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
417	0.39585	3.78E-03	1.5E-03	3.46E-04	5.18E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.5089	3.78E-03	1.9E-03	3.46E-04	6.66E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
419	0.6818	3.78E-03	2.6E-03	3.46E-04	8.92E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
420	0.96165	3.78E-03	3.6E-03	3.46E-04	1.26E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
430	0.30262	3.78E-03	1.1E-03	3.46E-04	3.96E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
431	0.37363	3.78E-03	1.4E-03	3.46E-04	4.89E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
432	0.47448	3.78E-03	1.8E-03	3.46E-04	6.21E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
433	0.62644	3.78E-03	2.4E-03	3.46E-04	8.20E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
434	0.87307	3.78E-03	3.3E-03	3.46E-04	1.14E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
444	0.28417	3.78E-03	1.1E-03	3.46E-04	3.72E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
445	0.34735	3.78E-03	1.3E-03	3.46E-04	4.55E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
446	0.43609	3.78E-03	1.6E-03	3.46E-04	5.71E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
447	0.56701	3.78E-03	2.1E-03	3.46E-04	7.42E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
448	0.77299	3.78E-03	2.9E-03	3.46E-04	1.01E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
459	0.31934	3.78E-03	1.2E-03	3.46E-04	4.18E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
460	0.39559	3.78E-03	1.5E-03	3.46E-04	5.18E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
461	0.50538	3.78E-03	1.9E-03	3.46E-04	6.61E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
462	0.67198	3.78E-03	2.5E-03	3.46E-04	8.79E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
463	0.94043	3.78E-03	3.6E-03	3.46E-04	1.23E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
474	0.29095	3.78E-03	1.1E-03	3.46E-04	3.81E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
475	0.35513	3.78E-03	1.3E-03	3.46E-04	4.65E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
476	0.44528	3.78E-03	1.7E-03	3.46E-04	5.83E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
477	0.57601	3.78E-03	2.2E-03	3.46E-04	7.54E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
478	0.77532	3.78E-03	2.9E-03	3.46E-04	1.01E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
495	0.2638	3.78E-03	1.0E-03	3.46E-04	3.45E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
496	0.31721	3.78E-03	1.2E-03	3.46E-04	4.15E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
497	0.39005	3.78E-03	1.5E-03	3.46E-04	5.10E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
498	0.49198	3.78E-03	1.9E-03	3.46E-04	6.44E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
499	0.63899	3.78E-03	2.4E-03	3.46E-04	8.36E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
500	0.85915	3.78E-03	3.2E-03	3.46E-04	1.12E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

		Cancer Risk from 3rd Trimester - Construction									
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
139	0.06666	3.78E-03	2.5E-04	3.46E-04	8.72E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	0.06997	3.78E-03	2.6E-04	3.46E-04	9.16E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	0.07226	3.78E-03	2.7E-04	3.46E-04	9.46E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	0.07615	3.78E-03	2.9E-04	3.46E-04	9.96E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	0.08028	3.78E-03	3.0E-04	3.46E-04	1.05E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	0.08463	3.78E-03	3.2E-04	3.46E-04	1.11E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	0.08914	3.78E-03	3.4E-04	3.46E-04	1.17E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	0.09856	3.78E-03	3.7E-04	3.46E-04	1.29E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	0.1033	3.78E-03	3.9E-04	3.46E-04	1.35E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	0.10789	3.78E-03	4.1E-04	3.46E-04	1.41E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	0.08318	3.78E-03	3.1E-04	3.46E-04	1.09E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	0.08819	3.78E-03	3.3E-04	3.46E-04	1.15E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	0.09344	3.78E-03	3.5E-04	3.46E-04	1.22E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	0.09896	3.78E-03	3.7E-04	3.46E-04	1.29E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	0.10472	3.78E-03	4.0E-04	3.46E-04	1.37E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	0.11064	3.78E-03	4.2E-04	3.46E-04	1.45E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	0.1165	3.78E-03	4.4E-04	3.46E-04	1.52E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	0.12232	3.78E-03	4.6E-04	3.46E-04	1.60E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	0.12783	3.78E-03	4.8E-04	3.46E-04	1.67E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	0.13281	3.78E-03	5.0E-04	3.46E-04	1.74E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	0.13698	3.78E-03	5.2E-04	3.46E-04	1.79E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	0.09734	3.78E-03	3.7E-04	3.46E-04	1.27E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	0.10374	3.78E-03	3.9E-04	3.46E-04	1.36E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	0.11063	3.78E-03	4.2E-04	3.46E-04	1.45E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	0.11783	3.78E-03	4.5E-04	3.46E-04	1.54E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	0.12533	3.78E-03	4.7E-04	3.46E-04	1.64E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	0.13292	3.78E-03	5.0E-04	3.46E-04	1.74E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	0.14025	3.78E-03	5.3E-04	3.46E-04	1.84E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	0.14744	3.78E-03	5.6E-04	3.46E-04	1.93E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	0.15394	3.78E-03	5.8E-04	3.46E-04	2.01E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	0.15931	3.78E-03	6.0E-04	3.46E-04	2.08E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Site Prep

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	0.16338	3.78E-03	6.2E-04	3.46E-04	2.14E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	0.10798	3.78E-03	4.1E-04	3.46E-04	1.41E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	0.11595	3.78E-03	4.4E-04	3.46E-04	1.52E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	0.12453	3.78E-03	4.7E-04	3.46E-04	1.63E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	0.13377	3.78E-03	5.1E-04	3.46E-04	1.75E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	0.14344	3.78E-03	5.4E-04	3.46E-04	1.88E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	0.15338	3.78E-03	5.8E-04	3.46E-04	2.01E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	0.16329	3.78E-03	6.2E-04	3.46E-04	2.14E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	0.17275	3.78E-03	6.5E-04	3.46E-04	2.26E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	0.18125	3.78E-03	6.9E-04	3.46E-04	2.37E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	0.18831	3.78E-03	7.1E-04	3.46E-04	2.46E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	0.19357	3.78E-03	7.3E-04	3.46E-04	2.53E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	0.19682	3.78E-03	7.4E-04	3.46E-04	2.58E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	0.11099	3.78E-03	4.2E-04	3.46E-04	1.45E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	0.1203	3.78E-03	4.5E-04	3.46E-04	1.57E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	0.13032	3.78E-03	4.9E-04	3.46E-04	1.71E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	0.14139	3.78E-03	5.3E-04	3.46E-04	1.85E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	0.16613	3.78E-03	6.3E-04	3.46E-04	2.17E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	0.17946	3.78E-03	6.8E-04	3.46E-04	2.35E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	0.19292	3.78E-03	7.3E-04	3.46E-04	2.52E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	0.20586	3.78E-03	7.8E-04	3.46E-04	2.69E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	0.21751	3.78E-03	8.2E-04	3.46E-04	2.85E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	0.22711	3.78E-03	8.6E-04	3.46E-04	2.97E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	0.23407	3.78E-03	8.8E-04	3.46E-04	3.06E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	0.23807	3.78E-03	9.0E-04	3.46E-04	3.12E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	0.23886	3.78E-03	9.0E-04	3.46E-04	3.13E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	0.12301	3.78E-03	4.6E-04	3.46E-04	1.61E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	0.13462	3.78E-03	5.1E-04	3.46E-04	1.76E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	0.14745	3.78E-03	5.6E-04	3.46E-04	1.93E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	0.16187	3.78E-03	6.1E-04	3.46E-04	2.12E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	0.17774	3.78E-03	6.7E-04	3.46E-04	2.33E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	0.19457	3.78E-03	7.4E-04	3.46E-04	2.55E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	0.21312	3.78E-03	8.1E-04	3.46E-04	2.79E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	0.25086	3.78E-03	9.5E-04	3.46E-04	3.28E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	0.26744	3.78E-03	1.0E-03	3.46E-04	3.50E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	0.28094	3.78E-03	1.1E-03	3.46E-04	3.68E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	0.29043	3.78E-03	1.1E-03	3.46E-04	3.80E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	0.29538	3.78E-03	1.1E-03	3.46E-04	3.86E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	0.29572	3.78E-03	1.1E-03	3.46E-04	3.87E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	0.13637	3.78E-03	5.2E-04	3.46E-04	1.78E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	0.15096	3.78E-03	5.7E-04	3.46E-04	1.98E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	0.16695	3.78E-03	6.3E-04	3.46E-04	2.18E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	0.18625	3.78E-03	7.0E-04	3.46E-04	2.44E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	0.20805	3.78E-03	7.9E-04	3.46E-04	2.72E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	0.2324	3.78E-03	8.8E-04	3.46E-04	3.04E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	0.25913	3.78E-03	9.8E-04	3.46E-04	3.39E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	0.3142	3.78E-03	1.2E-03	3.46E-04	4.11E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	0.3386	3.78E-03	1.3E-03	3.46E-04	4.43E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	0.35872	3.78E-03	1.4E-03	3.46E-04	4.69E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	0.37263	3.78E-03	1.4E-03	3.46E-04	4.88E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	0.37858	3.78E-03	1.4E-03	3.46E-04	4.95E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	0.37694	3.78E-03	1.4E-03	3.46E-04	4.93E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	0.15097	3.78E-03	5.7E-04	3.46E-04	1.98E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	0.16938	3.78E-03	6.4E-04	3.46E-04	2.22E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	0.19095	3.78E-03	7.2E-04	3.46E-04	2.50E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	0.2154	3.78E-03	8.1E-04	3.46E-04	2.82E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	0.24687	3.78E-03	9.3E-04	3.46E-04	3.23E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	0.28211	3.78E-03	1.1E-03	3.46E-04	3.69E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	0.32228	3.78E-03	1.2E-03	3.46E-04	4.22E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	0.4102	3.78E-03	1.6E-03	3.46E-04	5.37E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	0.44938	3.78E-03	1.7E-03	3.46E-04	5.88E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	0.4806	3.78E-03	1.8E-03	3.46E-04	6.29E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	0.50037	3.78E-03	1.9E-03	3.46E-04	6.55E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	0.50642	3.78E-03	1.9E-03	3.46E-04	6.63E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	0.49919	3.78E-03	1.9E-03	3.46E-04	6.53E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	0.42091	3.78E-03	1.6E-03	3.46E-04	5.51E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	0.38777	3.78E-03	1.5E-03	3.46E-04	5.07E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	0.16649	3.78E-03	6.3E-04	3.46E-04	2.18E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	0.18955	3.78E-03	7.2E-04	3.46E-04	2.48E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	0.21778	3.78E-03	8.2E-04	3.46E-04	2.85E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	0.25135	3.78E-03	9.5E-04	3.46E-04	3.29E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	0.29496	3.78E-03	1.1E-03	3.46E-04	3.86E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	0.3478	3.78E-03	1.3E-03	3.46E-04	4.55E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	0.40927	3.78E-03	1.5E-03	3.46E-04	5.36E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	0.56187	3.78E-03	2.1E-03	3.46E-04	7.35E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	0.63037	3.78E-03	2.4E-03	3.46E-04	8.25E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	0.68234	3.78E-03	2.6E-03	3.46E-04	8.93E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	0.71413	3.78E-03	2.7E-03	3.46E-04	9.34E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	0.71946	3.78E-03	2.7E-03	3.46E-04	9.41E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	0.69443	3.78E-03	2.6E-03	3.46E-04	9.09E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	0.53127	3.78E-03	2.0E-03	3.46E-04	6.95E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	0.47517	3.78E-03	1.8E-03	3.46E-04	6.22E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	0.18229	3.78E-03	6.9E-04	3.46E-04	2.39E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	0.21072	3.78E-03	8.0E-04	3.46E-04	2.76E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	0.24683	3.78E-03	9.3E-04	3.46E-04	3.23E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	0.29273	3.78E-03	1.1E-03	3.46E-04	3.83E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	0.35301	3.78E-03	1.3E-03	3.46E-04	4.62E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	0.43487	3.78E-03	1.6E-03	3.46E-04	5.69E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	0.54585	3.78E-03	2.1E-03	3.46E-04	7.14E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	0.84306	3.78E-03	3.2E-03	3.46E-04	1.10E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	0.98539	3.78E-03	3.7E-03	3.46E-04	1.29E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	1.08037	3.78E-03	4.1E-03	3.46E-04	1.41E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	1.13186	3.78E-03	4.3E-03	3.46E-04	1.48E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	1.11565	3.78E-03	4.2E-03	3.46E-04	1.46E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	1.03156	3.78E-03	3.9E-03	3.46E-04	1.35E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	0.67594	3.78E-03	2.6E-03	3.46E-04	8.84E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	0.57921	3.78E-03	2.2E-03	3.46E-04	7.58E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	0.19741	3.78E-03	7.5E-04	3.46E-04	2.58E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	0.23155	3.78E-03	8.8E-04	3.46E-04	3.03E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	0.27643	3.78E-03	1.0E-03	3.46E-04	3.62E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	0.33665	3.78E-03	1.3E-03	3.46E-04	4.40E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	0.42367	3.78E-03	1.6E-03	3.46E-04	5.54E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	0.55223	3.78E-03	2.1E-03	3.46E-04	7.23E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	0.75782	3.78E-03	2.9E-03	3.46E-04	9.92E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	1.52435	3.78E-03	5.8E-03	3.46E-04	1.99E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	1.90133	3.78E-03	7.2E-03	3.46E-04	2.49E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	2.06836	3.78E-03	7.8E-03	3.46E-04	2.71E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	2.14622	3.78E-03	8.1E-03	3.46E-04	2.81E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	2.01534	3.78E-03	7.6E-03	3.46E-04	2.64E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	1.69212	3.78E-03	6.4E-03	3.46E-04	2.21E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	0.85035	3.78E-03	3.2E-03	3.46E-04	1.11E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	0.69378	3.78E-03	2.6E-03	3.46E-04	9.08E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	0.21067	3.78E-03	8.0E-04	3.46E-04	2.76E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	0.25012	3.78E-03	9.5E-04	3.46E-04	3.27E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	0.30345	3.78E-03	1.1E-03	3.46E-04	3.97E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	0.37903	3.78E-03	1.4E-03	3.46E-04	4.96E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	0.4917	3.78E-03	1.9E-03	3.46E-04	6.43E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	0.68508	3.78E-03	2.6E-03	3.46E-04	8.96E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	1.06798	3.78E-03	4.0E-03	3.46E-04	1.40E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	2.12938	3.78E-03	8.0E-03	3.46E-04	2.79E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	3.94613	3.78E-03	1.5E-02	3.46E-04	5.16E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	4.96563	3.78E-03	1.9E-02	3.46E-04	6.50E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	5.08943	3.78E-03	1.9E-02	3.46E-04	6.66E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	5.31849	3.78E-03	2.0E-02	3.46E-04	6.96E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	5.41289	3.78E-03	2.0E-02	3.46E-04	7.08E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	3.23417	3.78E-03	1.2E-02	3.46E-04	4.23E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	1.39483	3.78E-03	5.3E-03	3.46E-04	1.83E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	1.03756	3.78E-03	3.9E-03	3.46E-04	1.36E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.80753	3.78E-03	3.1E-03	3.46E-04	1.06E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	0.5463	3.78E-03	2.1E-03	3.46E-04	7.15E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	0.78754	3.78E-03	3.0E-03	3.46E-04	1.03E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	1.32297	3.78E-03	5.0E-03	3.46E-04	1.73E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	3.4982	3.78E-03	1.3E-02	3.46E-04	4.58E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	1.73674	3.78E-03	6.6E-03	3.46E-04	2.27E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	1.21391	3.78E-03	4.6E-03	3.46E-04	1.59E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.9109	3.78E-03	3.4E-03	3.46E-04	1.19E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	0.82561	3.78E-03	3.1E-03	3.46E-04	1.08E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	1.3742	3.78E-03	5.2E-03	3.46E-04	1.80E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	3.27852	3.78E-03	1.2E-02	3.46E-04	4.29E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	2.04934	3.78E-03	7.7E-03	3.46E-04	2.68E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	1.36879	3.78E-03	5.2E-03	3.46E-04	1.79E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	1.00108	3.78E-03	3.8E-03	3.46E-04	1.31E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	0.81225	3.78E-03	3.1E-03	3.46E-04	1.06E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	1.28674	3.78E-03	4.9E-03	3.46E-04	1.68E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	2.58131	3.78E-03	9.8E-03	3.46E-04	3.38E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	2.34425	3.78E-03	8.9E-03	3.46E-04	3.07E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	1.50243	3.78E-03	5.7E-03	3.46E-04	1.97E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	1.07795	3.78E-03	4.1E-03	3.46E-04	1.41E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	1.17529	3.78E-03	4.4E-03	3.46E-04	1.54E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	2.07803	3.78E-03	7.9E-03	3.46E-04	2.72E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	2.67529	3.78E-03	1.0E-02	3.46E-04	3.50E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	1.65168	3.78E-03	6.2E-03	3.46E-04	2.16E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	1.15312	3.78E-03	4.4E-03	3.46E-04	1.51E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	1.06989	3.78E-03	4.0E-03	3.46E-04	1.40E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	1.76567	3.78E-03	6.7E-03	3.46E-04	2.31E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	3.66976	3.78E-03	1.4E-02	3.46E-04	4.80E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	3.07216	3.78E-03	1.2E-02	3.46E-04	4.02E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	1.80807	3.78E-03	6.8E-03	3.46E-04	2.37E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	1.22348	3.78E-03	4.6E-03	3.46E-04	1.60E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	1.5162	3.78E-03	5.7E-03	3.46E-04	1.98E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	2.78863	3.78E-03	1.1E-02	3.46E-04	3.65E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	3.58855	3.78E-03	1.4E-02	3.46E-04	4.70E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	1.97457	3.78E-03	7.5E-03	3.46E-04	2.58E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	1.26667	3.78E-03	4.8E-03	3.46E-04	1.66E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	1.30479	3.78E-03	4.9E-03	3.46E-04	1.71E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	2.24203	3.78E-03	8.5E-03	3.46E-04	2.93E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	2.09235	3.78E-03	7.9E-03	3.46E-04	2.74E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	1.23807	3.78E-03	4.7E-03	3.46E-04	1.62E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	1.11511	3.78E-03	4.2E-03	3.46E-04	1.46E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	1.81429	3.78E-03	6.9E-03	3.46E-04	2.37E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	3.64851	3.78E-03	1.4E-02	3.46E-04	4.77E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	1.93326	3.78E-03	7.3E-03	3.46E-04	2.53E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	1.10895	3.78E-03	4.2E-03	3.46E-04	1.45E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	1.42926	3.78E-03	5.4E-03	3.46E-04	1.87E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	2.50714	3.78E-03	9.5E-03	3.46E-04	3.28E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	6.23424	3.78E-03	2.4E-02	3.46E-04	8.16E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	1.5739	3.78E-03	5.9E-03	3.46E-04	2.06E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.95236	3.78E-03	3.6E-03	3.46E-04	1.25E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	1.08776	3.78E-03	4.1E-03	3.46E-04	1.42E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	1.69613	3.78E-03	6.4E-03	3.46E-04	2.22E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	2.90419	3.78E-03	1.1E-02	3.46E-04	3.80E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	4.52603	3.78E-03	1.7E-02	3.46E-04	5.92E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	4.62248	3.78E-03	1.7E-02	3.46E-04	6.05E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	4.08111	3.78E-03	1.5E-02	3.46E-04	5.34E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	3.22412	3.78E-03	1.2E-02	3.46E-04	4.22E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	2.16655	3.78E-03	8.2E-03	3.46E-04	2.83E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	1.30879	3.78E-03	4.9E-03	3.46E-04	1.71E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.83473	3.78E-03	3.2E-03	3.46E-04	1.09E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	1.19298	3.78E-03	4.5E-03	3.46E-04	1.56E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	1.76423	3.78E-03	6.7E-03	3.46E-04	2.31E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	2.37614	3.78E-03	9.0E-03	3.46E-04	3.11E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	2.61124	3.78E-03	9.9E-03	3.46E-04	3.42E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	2.46778	3.78E-03	9.3E-03	3.46E-04	3.23E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	2.09127	3.78E-03	7.9E-03	3.46E-04	2.74E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	1.57839	3.78E-03	6.0E-03	3.46E-04	2.07E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.74345	3.78E-03	2.8E-03	3.46E-04	9.73E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.90207	3.78E-03	3.4E-03	3.46E-04	1.18E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	1.19662	3.78E-03	4.5E-03	3.46E-04	1.57E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	1.53238	3.78E-03	5.8E-03	3.46E-04	2.01E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	1.7077	3.78E-03	6.5E-03	3.46E-04	2.23E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	1.68315	3.78E-03	6.4E-03	3.46E-04	2.20E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	1.49749	3.78E-03	5.7E-03	3.46E-04	1.96E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	1.21273	3.78E-03	4.6E-03	3.46E-04	1.59E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.6618	3.78E-03	2.5E-03	3.46E-04	8.66E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.70811	3.78E-03	2.7E-03	3.46E-04	9.27E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.89629	3.78E-03	3.4E-03	3.46E-04	1.17E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	1.08388	3.78E-03	4.1E-03	3.46E-04	1.42E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	1.20837	3.78E-03	4.6E-03	3.46E-04	1.58E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	1.22667	3.78E-03	4.6E-03	3.46E-04	1.61E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	1.13169	3.78E-03	4.3E-03	3.46E-04	1.48E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.95945	3.78E-03	3.6E-03	3.46E-04	1.26E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.58738	3.78E-03	2.2E-03	3.46E-04	7.69E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.69715	3.78E-03	2.6E-03	3.46E-04	9.12E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.82393	3.78E-03	3.1E-03	3.46E-04	1.08E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.91134	3.78E-03	3.4E-03	3.46E-04	1.19E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.92714	3.78E-03	3.5E-03	3.46E-04	1.21E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.88387	3.78E-03	3.3E-03	3.46E-04	1.16E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.78437	3.78E-03	3.0E-03	3.46E-04	1.03E-06	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.52297	3.78E-03	2.0E-03	3.46E-04	6.84E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.55925	3.78E-03	2.1E-03	3.46E-04	7.32E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.64799	3.78E-03	2.4E-03	3.46E-04	8.48E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.71413	3.78E-03	2.7E-03	3.46E-04	9.34E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.73792	3.78E-03	2.8E-03	3.46E-04	9.66E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.71335	3.78E-03	2.7E-03	3.46E-04	9.33E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.64749	3.78E-03	2.4E-03	3.46E-04	8.47E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.53044	3.78E-03	2.0E-03	3.46E-04	6.94E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.46001	3.78E-03	1.7E-03	3.46E-04	6.02E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.52412	3.78E-03	2.0E-03	3.46E-04	6.86E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.57421	3.78E-03	2.2E-03	3.46E-04	7.51E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.5971	3.78E-03	2.3E-03	3.46E-04	7.81E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.58654	3.78E-03	2.2E-03	3.46E-04	7.67E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.54583	3.78E-03	2.1E-03	3.46E-04	7.14E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.48309	3.78E-03	1.8E-03	3.46E-04	6.32E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	3.78E-03	0.0E+00	3.46E-04	0.00E+00	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.0296	3.78E-03	1.1E-04	1.05E-03	1.17E-07	0.10	1.57E-01	1.86E-09	1.0E+06	1.9E-03
2	0.03052	3.78E-03	1.2E-04	1.05E-03	1.21E-07	0.10	1.57E-01	1.92E-09	1.0E+06	1.9E-03
3	0.03147	3.78E-03	1.2E-04	1.05E-03	1.24E-07	0.10	1.57E-01	1.98E-09	1.0E+06	2.0E-03
4	0.03246	3.78E-03	1.2E-04	1.05E-03	1.28E-07	0.10	1.57E-01	2.04E-09	1.0E+06	2.0E-03
5	0.0335	3.78E-03	1.3E-04	1.05E-03	1.32E-07	0.10	1.57E-01	2.11E-09	1.0E+06	2.1E-03
6	0.0346	3.78E-03	1.3E-04	1.05E-03	1.37E-07	0.10	1.57E-01	2.18E-09	1.0E+06	2.2E-03
7	0.03575	3.78E-03	1.4E-04	1.05E-03	1.41E-07	0.10	1.57E-01	2.25E-09	1.0E+06	2.2E-03
8	0.03694	3.78E-03	1.4E-04	1.05E-03	1.46E-07	0.10	1.57E-01	2.32E-09	1.0E+06	2.3E-03
9	0.03818	3.78E-03	1.4E-04	1.05E-03	1.51E-07	0.10	1.57E-01	2.40E-09	1.0E+06	2.4E-03
10	0.03949	3.78E-03	1.5E-04	1.05E-03	1.56E-07	0.10	1.57E-01	2.49E-09	1.0E+06	2.5E-03
11	0.04084	3.78E-03	1.5E-04	1.05E-03	1.61E-07	0.10	1.57E-01	2.57E-09	1.0E+06	2.6E-03
12	0.04225	3.78E-03	1.6E-04	1.05E-03	1.67E-07	0.10	1.57E-01	2.66E-09	1.0E+06	2.7E-03
13	0.04371	3.78E-03	1.7E-04	1.05E-03	1.73E-07	0.10	1.57E-01	2.75E-09	1.0E+06	2.8E-03
14	0.04523	3.78E-03	1.7E-04	1.05E-03	1.79E-07	0.10	1.57E-01	2.85E-09	1.0E+06	2.8E-03
15	0.04679	3.78E-03	1.8E-04	1.05E-03	1.85E-07	0.10	1.57E-01	2.94E-09	1.0E+06	2.9E-03
16	0.04838	3.78E-03	1.8E-04	1.05E-03	1.91E-07	0.10	1.57E-01	3.04E-09	1.0E+06	3.0E-03
17	0.05002	3.78E-03	1.9E-04	1.05E-03	1.98E-07	0.10	1.57E-01	3.15E-09	1.0E+06	3.1E-03
18	0.05167	3.78E-03	2.0E-04	1.05E-03	2.04E-07	0.10	1.57E-01	3.25E-09	1.0E+06	3.3E-03
19	0.05332	3.78E-03	2.0E-04	1.05E-03	2.11E-07	0.10	1.57E-01	3.36E-09	1.0E+06	3.4E-03
20	0.05497	3.78E-03	2.1E-04	1.05E-03	2.17E-07	0.10	1.57E-01	3.46E-09	1.0E+06	3.5E-03
21	0.05659	3.78E-03	2.1E-04	1.05E-03	2.24E-07	0.10	1.57E-01	3.56E-09	1.0E+06	3.6E-03
22	0.05817	3.78E-03	2.2E-04	1.05E-03	2.30E-07	0.10	1.57E-01	3.66E-09	1.0E+06	3.7E-03
23	0.05966	3.78E-03	2.3E-04	1.05E-03	2.36E-07	0.10	1.57E-01	3.75E-09	1.0E+06	3.8E-03
24	0.06105	3.78E-03	2.3E-04	1.05E-03	2.41E-07	0.10	1.57E-01	3.84E-09	1.0E+06	3.8E-03
25	0.06231	3.78E-03	2.4E-04	1.05E-03	2.46E-07	0.10	1.57E-01	3.92E-09	1.0E+06	3.9E-03
26	0.06342	3.78E-03	2.4E-04	1.05E-03	2.51E-07	0.10	1.57E-01	3.99E-09	1.0E+06	4.0E-03
27	0.06435	3.78E-03	2.4E-04	1.05E-03	2.54E-07	0.10	1.57E-01	4.05E-09	1.0E+06	4.0E-03
28	0.06508	3.78E-03	2.5E-04	1.05E-03	2.57E-07	0.10	1.57E-01	4.10E-09	1.0E+06	4.1E-03
29	0.0656	3.78E-03	2.5E-04	1.05E-03	2.59E-07	0.10	1.57E-01	4.13E-09	1.0E+06	4.1E-03
30	0.06593	3.78E-03	2.5E-04	1.05E-03	2.60E-07	0.10	1.57E-01	4.15E-09	1.0E+06	4.1E-03
31	0.06606	3.78E-03	2.5E-04	1.05E-03	2.61E-07	0.10	1.57E-01	4.16E-09	1.0E+06	4.2E-03

Via Oro
Site Prep

		Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.06601	3.78E-03	2.5E-04	1.05E-03	2.61E-07	0.10	1.57E-01	4.15E-09	1.0E+06	4.2E-03
55	0.0631	3.78E-03	2.4E-04	1.05E-03	2.49E-07	0.10	1.57E-01	3.97E-09	1.0E+06	4.0E-03
56	0.06486	3.78E-03	2.5E-04	1.05E-03	2.56E-07	0.10	1.57E-01	4.08E-09	1.0E+06	4.1E-03
57	0.0665	3.78E-03	2.5E-04	1.05E-03	2.63E-07	0.10	1.57E-01	4.19E-09	1.0E+06	4.2E-03
58	0.06798	3.78E-03	2.6E-04	1.05E-03	2.69E-07	0.10	1.57E-01	4.28E-09	1.0E+06	4.3E-03
59	0.06926	3.78E-03	2.6E-04	1.05E-03	2.74E-07	0.10	1.57E-01	4.36E-09	1.0E+06	4.4E-03
60	0.07033	3.78E-03	2.7E-04	1.05E-03	2.78E-07	0.10	1.57E-01	4.43E-09	1.0E+06	4.4E-03
61	0.07116	3.78E-03	2.7E-04	1.05E-03	2.81E-07	0.10	1.57E-01	4.48E-09	1.0E+06	4.5E-03
62	0.07175	3.78E-03	2.7E-04	1.05E-03	2.83E-07	0.10	1.57E-01	4.52E-09	1.0E+06	4.5E-03
63	0.07209	3.78E-03	2.7E-04	1.05E-03	2.85E-07	0.10	1.57E-01	4.54E-09	1.0E+06	4.5E-03
64	0.0722	3.78E-03	2.7E-04	1.05E-03	2.85E-07	0.10	1.57E-01	4.54E-09	1.0E+06	4.5E-03
65	0.07209	3.78E-03	2.7E-04	1.05E-03	2.85E-07	0.10	1.57E-01	4.54E-09	1.0E+06	4.5E-03
66	0.07181	3.78E-03	2.7E-04	1.05E-03	2.84E-07	0.10	1.57E-01	4.52E-09	1.0E+06	4.5E-03
67	0.03198	3.78E-03	1.2E-04	1.05E-03	1.26E-07	0.10	1.57E-01	2.01E-09	1.0E+06	2.0E-03
68	0.03309	3.78E-03	1.3E-04	1.05E-03	1.31E-07	0.10	1.57E-01	2.08E-09	1.0E+06	2.1E-03
69	0.03425	3.78E-03	1.3E-04	1.05E-03	1.35E-07	0.10	1.57E-01	2.16E-09	1.0E+06	2.2E-03
70	0.03546	3.78E-03	1.3E-04	1.05E-03	1.40E-07	0.10	1.57E-01	2.23E-09	1.0E+06	2.2E-03
71	0.03672	3.78E-03	1.4E-04	1.05E-03	1.45E-07	0.10	1.57E-01	2.31E-09	1.0E+06	2.3E-03
72	0.03806	3.78E-03	1.4E-04	1.05E-03	1.50E-07	0.10	1.57E-01	2.40E-09	1.0E+06	2.4E-03
73	0.03946	3.78E-03	1.5E-04	1.05E-03	1.56E-07	0.10	1.57E-01	2.48E-09	1.0E+06	2.5E-03
74	0.04093	3.78E-03	1.5E-04	1.05E-03	1.62E-07	0.10	1.57E-01	2.58E-09	1.0E+06	2.6E-03
75	0.04247	3.78E-03	1.6E-04	1.05E-03	1.68E-07	0.10	1.57E-01	2.67E-09	1.0E+06	2.7E-03
76	0.04409	3.78E-03	1.7E-04	1.05E-03	1.74E-07	0.10	1.57E-01	2.77E-09	1.0E+06	2.8E-03
77	0.04579	3.78E-03	1.7E-04	1.05E-03	1.81E-07	0.10	1.57E-01	2.88E-09	1.0E+06	2.9E-03
78	0.04759	3.78E-03	1.8E-04	1.05E-03	1.88E-07	0.10	1.57E-01	3.00E-09	1.0E+06	3.0E-03
79	0.05769	3.78E-03	2.2E-04	1.05E-03	2.28E-07	0.10	1.57E-01	3.63E-09	1.0E+06	3.6E-03
80	0.05989	3.78E-03	2.3E-04	1.05E-03	2.37E-07	0.10	1.57E-01	3.77E-09	1.0E+06	3.8E-03
81	0.06214	3.78E-03	2.3E-04	1.05E-03	2.46E-07	0.10	1.57E-01	3.91E-09	1.0E+06	3.9E-03
82	0.06439	3.78E-03	2.4E-04	1.05E-03	2.54E-07	0.10	1.57E-01	4.05E-09	1.0E+06	4.1E-03
83	0.06663	3.78E-03	2.5E-04	1.05E-03	2.63E-07	0.10	1.57E-01	4.19E-09	1.0E+06	4.2E-03
84	0.0688	3.78E-03	2.6E-04	1.05E-03	2.72E-07	0.10	1.57E-01	4.33E-09	1.0E+06	4.3E-03

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	0.07088	3.78E-03	2.7E-04	1.05E-03	2.80E-07	0.10	1.57E-01	4.46E-09	1.0E+06	4.5E-03
86	0.07282	3.78E-03	2.8E-04	1.05E-03	2.88E-07	0.10	1.57E-01	4.58E-09	1.0E+06	4.6E-03
87	0.07457	3.78E-03	2.8E-04	1.05E-03	2.95E-07	0.10	1.57E-01	4.69E-09	1.0E+06	4.7E-03
88	0.07608	3.78E-03	2.9E-04	1.05E-03	3.01E-07	0.10	1.57E-01	4.79E-09	1.0E+06	4.8E-03
89	0.07733	3.78E-03	2.9E-04	1.05E-03	3.06E-07	0.10	1.57E-01	4.87E-09	1.0E+06	4.9E-03
90	0.07828	3.78E-03	3.0E-04	1.05E-03	3.09E-07	0.10	1.57E-01	4.93E-09	1.0E+06	4.9E-03
91	0.07894	3.78E-03	3.0E-04	1.05E-03	3.12E-07	0.10	1.57E-01	4.97E-09	1.0E+06	5.0E-03
92	0.07928	3.78E-03	3.0E-04	1.05E-03	3.13E-07	0.10	1.57E-01	4.99E-09	1.0E+06	5.0E-03
93	0.07936	3.78E-03	3.0E-04	1.05E-03	3.14E-07	0.10	1.57E-01	4.99E-09	1.0E+06	5.0E-03
96	0.07869	3.78E-03	3.0E-04	1.05E-03	3.11E-07	0.10	1.57E-01	4.95E-09	1.0E+06	5.0E-03
97	0.08007	3.78E-03	3.0E-04	1.05E-03	3.16E-07	0.10	1.57E-01	5.04E-09	1.0E+06	5.0E-03
98	0.08412	3.78E-03	3.2E-04	1.05E-03	3.32E-07	0.10	1.57E-01	5.29E-09	1.0E+06	5.3E-03
99	0.08559	3.78E-03	3.2E-04	1.05E-03	3.38E-07	0.10	1.57E-01	5.39E-09	1.0E+06	5.4E-03
100	0.0867	3.78E-03	3.3E-04	1.05E-03	3.43E-07	0.10	1.57E-01	5.46E-09	1.0E+06	5.5E-03
101	0.08742	3.78E-03	3.3E-04	1.05E-03	3.45E-07	0.10	1.57E-01	5.50E-09	1.0E+06	5.5E-03
102	0.08775	3.78E-03	3.3E-04	1.05E-03	3.47E-07	0.10	1.57E-01	5.52E-09	1.0E+06	5.5E-03
106	0.03317	3.78E-03	1.3E-04	1.05E-03	1.31E-07	0.10	1.57E-01	2.09E-09	1.0E+06	2.1E-03
107	0.03452	3.78E-03	1.3E-04	1.05E-03	1.36E-07	0.10	1.57E-01	2.17E-09	1.0E+06	2.2E-03
108	0.03585	3.78E-03	1.4E-04	1.05E-03	1.42E-07	0.10	1.57E-01	2.26E-09	1.0E+06	2.3E-03
109	0.03726	3.78E-03	1.4E-04	1.05E-03	1.47E-07	0.10	1.57E-01	2.34E-09	1.0E+06	2.3E-03
110	0.03874	3.78E-03	1.5E-04	1.05E-03	1.53E-07	0.10	1.57E-01	2.44E-09	1.0E+06	2.4E-03
111	0.0403	3.78E-03	1.5E-04	1.05E-03	1.59E-07	0.10	1.57E-01	2.54E-09	1.0E+06	2.5E-03
112	0.04196	3.78E-03	1.6E-04	1.05E-03	1.66E-07	0.10	1.57E-01	2.64E-09	1.0E+06	2.6E-03
113	0.04371	3.78E-03	1.7E-04	1.05E-03	1.73E-07	0.10	1.57E-01	2.75E-09	1.0E+06	2.8E-03
114	0.04555	3.78E-03	1.7E-04	1.05E-03	1.80E-07	0.10	1.57E-01	2.87E-09	1.0E+06	2.9E-03
115	0.0475	3.78E-03	1.8E-04	1.05E-03	1.88E-07	0.10	1.57E-01	2.99E-09	1.0E+06	3.0E-03
116	0.04954	3.78E-03	1.9E-04	1.05E-03	1.96E-07	0.10	1.57E-01	3.12E-09	1.0E+06	3.1E-03
117	0.05172	3.78E-03	2.0E-04	1.05E-03	2.04E-07	0.10	1.57E-01	3.25E-09	1.0E+06	3.3E-03
118	0.05403	3.78E-03	2.0E-04	1.05E-03	2.13E-07	0.10	1.57E-01	3.40E-09	1.0E+06	3.4E-03
124	0.03443	3.78E-03	1.3E-04	1.05E-03	1.36E-07	0.10	1.57E-01	2.17E-09	1.0E+06	2.2E-03
125	0.03581	3.78E-03	1.4E-04	1.05E-03	1.41E-07	0.10	1.57E-01	2.25E-09	1.0E+06	2.3E-03

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.03728	3.78E-03	1.4E-04	1.05E-03	1.47E-07	0.10	1.57E-01	2.35E-09	1.0E+06	2.3E-03
127	0.03883	3.78E-03	1.5E-04	1.05E-03	1.53E-07	0.10	1.57E-01	2.44E-09	1.0E+06	2.4E-03
128	0.04047	3.78E-03	1.5E-04	1.05E-03	1.60E-07	0.10	1.57E-01	2.55E-09	1.0E+06	2.5E-03
129	0.04221	3.78E-03	1.6E-04	1.05E-03	1.67E-07	0.10	1.57E-01	2.66E-09	1.0E+06	2.7E-03
130	0.04406	3.78E-03	1.7E-04	1.05E-03	1.74E-07	0.10	1.57E-01	2.77E-09	1.0E+06	2.8E-03
131	0.04603	3.78E-03	1.7E-04	1.05E-03	1.82E-07	0.10	1.57E-01	2.90E-09	1.0E+06	2.9E-03
132	0.04811	3.78E-03	1.8E-04	1.05E-03	1.90E-07	0.10	1.57E-01	3.03E-09	1.0E+06	3.0E-03
133	0.05031	3.78E-03	1.9E-04	1.05E-03	1.99E-07	0.10	1.57E-01	3.17E-09	1.0E+06	3.2E-03
134	0.05266	3.78E-03	2.0E-04	1.05E-03	2.08E-07	0.10	1.57E-01	3.31E-09	1.0E+06	3.3E-03
135	0.05514	3.78E-03	2.1E-04	1.05E-03	2.18E-07	0.10	1.57E-01	3.47E-09	1.0E+06	3.5E-03
136	0.05778	3.78E-03	2.2E-04	1.05E-03	2.28E-07	0.10	1.57E-01	3.64E-09	1.0E+06	3.6E-03
137	0.06056	3.78E-03	2.3E-04	1.05E-03	2.39E-07	0.10	1.57E-01	3.81E-09	1.0E+06	3.8E-03
138	0.06354	3.78E-03	2.4E-04	1.05E-03	2.51E-07	0.10	1.57E-01	4.00E-09	1.0E+06	4.0E-03
141	0.03561	3.78E-03	1.3E-04	1.05E-03	1.41E-07	0.10	1.57E-01	2.24E-09	1.0E+06	2.2E-03
142	0.03713	3.78E-03	1.4E-04	1.05E-03	1.47E-07	0.10	1.57E-01	2.34E-09	1.0E+06	2.3E-03
143	0.03873	3.78E-03	1.5E-04	1.05E-03	1.53E-07	0.10	1.57E-01	2.44E-09	1.0E+06	2.4E-03
144	0.04044	3.78E-03	1.5E-04	1.05E-03	1.60E-07	0.10	1.57E-01	2.55E-09	1.0E+06	2.5E-03
145	0.04226	3.78E-03	1.6E-04	1.05E-03	1.67E-07	0.10	1.57E-01	2.66E-09	1.0E+06	2.7E-03
146	0.04419	3.78E-03	1.7E-04	1.05E-03	1.75E-07	0.10	1.57E-01	2.78E-09	1.0E+06	2.8E-03
147	0.04626	3.78E-03	1.7E-04	1.05E-03	1.83E-07	0.10	1.57E-01	2.91E-09	1.0E+06	2.9E-03
148	0.04847	3.78E-03	1.8E-04	1.05E-03	1.91E-07	0.10	1.57E-01	3.05E-09	1.0E+06	3.1E-03
149	0.05082	3.78E-03	1.9E-04	1.05E-03	2.01E-07	0.10	1.57E-01	3.20E-09	1.0E+06	3.2E-03
150	0.05332	3.78E-03	2.0E-04	1.05E-03	2.11E-07	0.10	1.57E-01	3.36E-09	1.0E+06	3.4E-03
151	0.056	3.78E-03	2.1E-04	1.05E-03	2.21E-07	0.10	1.57E-01	3.52E-09	1.0E+06	3.5E-03
152	0.05885	3.78E-03	2.2E-04	1.05E-03	2.33E-07	0.10	1.57E-01	3.70E-09	1.0E+06	3.7E-03
153	0.06189	3.78E-03	2.3E-04	1.05E-03	2.45E-07	0.10	1.57E-01	3.90E-09	1.0E+06	3.9E-03
154	0.06512	3.78E-03	2.5E-04	1.05E-03	2.57E-07	0.10	1.57E-01	4.10E-09	1.0E+06	4.1E-03
155	0.06857	3.78E-03	2.6E-04	1.05E-03	2.71E-07	0.10	1.57E-01	4.32E-09	1.0E+06	4.3E-03
164	0.07017	3.78E-03	2.7E-04	1.05E-03	2.77E-07	0.10	1.57E-01	4.42E-09	1.0E+06	4.4E-03
165	0.07422	3.78E-03	2.8E-04	1.05E-03	2.93E-07	0.10	1.57E-01	4.67E-09	1.0E+06	4.7E-03
166	0.07858	3.78E-03	3.0E-04	1.05E-03	3.10E-07	0.10	1.57E-01	4.95E-09	1.0E+06	4.9E-03

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	0.07573	3.78E-03	2.9E-04	1.05E-03	2.99E-07	0.10	1.57E-01	4.77E-09	1.0E+06	4.8E-03
179	0.08052	3.78E-03	3.0E-04	1.05E-03	3.18E-07	0.10	1.57E-01	5.07E-09	1.0E+06	5.1E-03
180	0.08572	3.78E-03	3.2E-04	1.05E-03	3.39E-07	0.10	1.57E-01	5.39E-09	1.0E+06	5.4E-03
192	0.08182	3.78E-03	3.1E-04	1.05E-03	3.23E-07	0.10	1.57E-01	5.15E-09	1.0E+06	5.1E-03
193	0.08754	3.78E-03	3.3E-04	1.05E-03	3.46E-07	0.10	1.57E-01	5.51E-09	1.0E+06	5.5E-03
194	0.09377	3.78E-03	3.5E-04	1.05E-03	3.70E-07	0.10	1.57E-01	5.90E-09	1.0E+06	5.9E-03
207	0.08841	3.78E-03	3.3E-04	1.05E-03	3.49E-07	0.10	1.57E-01	5.56E-09	1.0E+06	5.6E-03
208	0.09524	3.78E-03	3.6E-04	1.05E-03	3.76E-07	0.10	1.57E-01	5.99E-09	1.0E+06	6.0E-03
209	0.10279	3.78E-03	3.9E-04	1.05E-03	4.06E-07	0.10	1.57E-01	6.47E-09	1.0E+06	6.5E-03
223	0.09547	3.78E-03	3.6E-04	1.05E-03	3.77E-07	0.10	1.57E-01	6.01E-09	1.0E+06	6.0E-03
224	0.10362	3.78E-03	3.9E-04	1.05E-03	4.09E-07	0.10	1.57E-01	6.52E-09	1.0E+06	6.5E-03
225	0.11276	3.78E-03	4.3E-04	1.05E-03	4.45E-07	0.10	1.57E-01	7.10E-09	1.0E+06	7.1E-03
239	0.10291	3.78E-03	3.9E-04	1.05E-03	4.07E-07	0.10	1.57E-01	6.48E-09	1.0E+06	6.5E-03
240	0.1126	3.78E-03	4.3E-04	1.05E-03	4.45E-07	0.10	1.57E-01	7.09E-09	1.0E+06	7.1E-03
241	0.12368	3.78E-03	4.7E-04	1.05E-03	4.89E-07	0.10	1.57E-01	7.78E-09	1.0E+06	7.8E-03
255	0.11054	3.78E-03	4.2E-04	1.05E-03	4.37E-07	0.10	1.57E-01	6.96E-09	1.0E+06	7.0E-03
256	0.122	3.78E-03	4.6E-04	1.05E-03	4.82E-07	0.10	1.57E-01	7.68E-09	1.0E+06	7.7E-03
272	0.11815	3.78E-03	4.5E-04	1.05E-03	4.67E-07	0.10	1.57E-01	7.44E-09	1.0E+06	7.4E-03
273	0.13155	3.78E-03	5.0E-04	1.05E-03	5.20E-07	0.10	1.57E-01	8.28E-09	1.0E+06	8.3E-03
289	0.12546	3.78E-03	4.7E-04	1.05E-03	4.96E-07	0.10	1.57E-01	7.90E-09	1.0E+06	7.9E-03
290	0.14085	3.78E-03	5.3E-04	1.05E-03	5.56E-07	0.10	1.57E-01	8.86E-09	1.0E+06	8.9E-03
306	0.13211	3.78E-03	5.0E-04	1.05E-03	5.22E-07	0.10	1.57E-01	8.31E-09	1.0E+06	8.3E-03
307	0.14944	3.78E-03	5.6E-04	1.05E-03	5.90E-07	0.10	1.57E-01	9.40E-09	1.0E+06	9.4E-03
323	0.13773	3.78E-03	5.2E-04	1.05E-03	5.44E-07	0.10	1.57E-01	8.67E-09	1.0E+06	8.7E-03
324	0.15678	3.78E-03	5.9E-04	1.05E-03	6.19E-07	0.10	1.57E-01	9.87E-09	1.0E+06	9.9E-03
342	0.14204	3.78E-03	5.4E-04	1.05E-03	5.61E-07	0.10	1.57E-01	8.94E-09	1.0E+06	8.9E-03
343	0.16242	3.78E-03	6.1E-04	1.05E-03	6.42E-07	0.10	1.57E-01	1.02E-08	1.0E+06	1.0E-02
344	0.18803	3.78E-03	7.1E-04	1.05E-03	7.43E-07	0.10	1.57E-01	1.18E-08	1.0E+06	1.2E-02
356	0.14482	3.78E-03	5.5E-04	1.05E-03	5.72E-07	0.10	1.57E-01	9.11E-09	1.0E+06	9.1E-03
357	0.16608	3.78E-03	6.3E-04	1.05E-03	6.56E-07	0.10	1.57E-01	1.05E-08	1.0E+06	1.0E-02
358	0.19291	3.78E-03	7.3E-04	1.05E-03	7.62E-07	0.10	1.57E-01	1.21E-08	1.0E+06	1.2E-02

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.14604	3.78E-03	5.5E-04	1.05E-03	5.77E-07	0.10	1.57E-01	9.19E-09	1.0E+06	9.2E-03
371	0.1677	3.78E-03	6.3E-04	1.05E-03	6.63E-07	0.10	1.57E-01	1.06E-08	1.0E+06	1.1E-02
372	0.19505	3.78E-03	7.4E-04	1.05E-03	7.71E-07	0.10	1.57E-01	1.23E-08	1.0E+06	1.2E-02
383	0.14575	3.78E-03	5.5E-04	1.05E-03	5.76E-07	0.10	1.57E-01	9.17E-09	1.0E+06	9.2E-03
384	0.16737	3.78E-03	6.3E-04	1.05E-03	6.61E-07	0.10	1.57E-01	1.05E-08	1.0E+06	1.1E-02
385	0.19463	3.78E-03	7.4E-04	1.05E-03	7.69E-07	0.10	1.57E-01	1.22E-08	1.0E+06	1.2E-02
396	0.14411	3.78E-03	5.4E-04	1.05E-03	5.69E-07	0.10	1.57E-01	9.07E-09	1.0E+06	9.1E-03
397	0.16531	3.78E-03	6.2E-04	1.05E-03	6.53E-07	0.10	1.57E-01	1.04E-08	1.0E+06	1.0E-02
398	0.19195	3.78E-03	7.3E-04	1.05E-03	7.58E-07	0.10	1.57E-01	1.21E-08	1.0E+06	1.2E-02
399	0.22608	3.78E-03	8.5E-04	1.05E-03	8.93E-07	0.10	1.57E-01	1.42E-08	1.0E+06	1.4E-02
411	0.14129	3.78E-03	5.3E-04	1.05E-03	5.58E-07	0.10	1.57E-01	8.89E-09	1.0E+06	8.9E-03
412	0.16173	3.78E-03	6.1E-04	1.05E-03	6.39E-07	0.10	1.57E-01	1.02E-08	1.0E+06	1.0E-02
413	0.18731	3.78E-03	7.1E-04	1.05E-03	7.40E-07	0.10	1.57E-01	1.18E-08	1.0E+06	1.2E-02
414	0.21986	3.78E-03	8.3E-04	1.05E-03	8.69E-07	0.10	1.57E-01	1.38E-08	1.0E+06	1.4E-02
426	0.13745	3.78E-03	5.2E-04	1.05E-03	5.43E-07	0.10	1.57E-01	8.65E-09	1.0E+06	8.7E-03
427	0.15687	3.78E-03	5.9E-04	1.05E-03	6.20E-07	0.10	1.57E-01	9.87E-09	1.0E+06	9.9E-03
428	0.18099	3.78E-03	6.8E-04	1.05E-03	7.15E-07	0.10	1.57E-01	1.14E-08	1.0E+06	1.1E-02
429	0.21148	3.78E-03	8.0E-04	1.05E-03	8.36E-07	0.10	1.57E-01	1.33E-08	1.0E+06	1.3E-02
439	0.13279	3.78E-03	5.0E-04	1.05E-03	5.25E-07	0.10	1.57E-01	8.36E-09	1.0E+06	8.4E-03
440	0.15096	3.78E-03	5.7E-04	1.05E-03	5.96E-07	0.10	1.57E-01	9.50E-09	1.0E+06	9.5E-03
441	0.17336	3.78E-03	6.6E-04	1.05E-03	6.85E-07	0.10	1.57E-01	1.09E-08	1.0E+06	1.1E-02
442	0.20143	3.78E-03	7.6E-04	1.05E-03	7.96E-07	0.10	1.57E-01	1.27E-08	1.0E+06	1.3E-02
443	0.23728	3.78E-03	9.0E-04	1.05E-03	9.37E-07	0.10	1.57E-01	1.49E-08	1.0E+06	1.5E-02
454	0.12751	3.78E-03	4.8E-04	1.05E-03	5.04E-07	0.10	1.57E-01	8.02E-09	1.0E+06	8.0E-03
455	0.14428	3.78E-03	5.5E-04	1.05E-03	5.70E-07	0.10	1.57E-01	9.08E-09	1.0E+06	9.1E-03
456	0.16479	3.78E-03	6.2E-04	1.05E-03	6.51E-07	0.10	1.57E-01	1.04E-08	1.0E+06	1.0E-02
457	0.19025	3.78E-03	7.2E-04	1.05E-03	7.52E-07	0.10	1.57E-01	1.20E-08	1.0E+06	1.2E-02
458	0.22243	3.78E-03	8.4E-04	1.05E-03	8.79E-07	0.10	1.57E-01	1.40E-08	1.0E+06	1.4E-02
469	0.12182	3.78E-03	4.6E-04	1.05E-03	4.81E-07	0.10	1.57E-01	7.67E-09	1.0E+06	7.7E-03
470	0.13713	3.78E-03	5.2E-04	1.05E-03	5.42E-07	0.10	1.57E-01	8.63E-09	1.0E+06	8.6E-03
471	0.1557	3.78E-03	5.9E-04	1.05E-03	6.15E-07	0.10	1.57E-01	9.80E-09	1.0E+06	9.8E-03

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.17851	3.78E-03	6.7E-04	1.05E-03	7.05E-07	0.10	1.57E-01	1.12E-08	1.0E+06	1.1E-02
473	0.20702	3.78E-03	7.8E-04	1.05E-03	8.18E-07	0.10	1.57E-01	1.30E-08	1.0E+06	1.3E-02
489	0.11592	3.78E-03	4.4E-04	1.05E-03	4.58E-07	0.10	1.57E-01	7.30E-09	1.0E+06	7.3E-03
490	0.12979	3.78E-03	4.9E-04	1.05E-03	5.13E-07	0.10	1.57E-01	8.17E-09	1.0E+06	8.2E-03
491	0.14645	3.78E-03	5.5E-04	1.05E-03	5.79E-07	0.10	1.57E-01	9.22E-09	1.0E+06	9.2E-03
492	0.16671	3.78E-03	6.3E-04	1.05E-03	6.59E-07	0.10	1.57E-01	1.05E-08	1.0E+06	1.0E-02
493	0.19174	3.78E-03	7.2E-04	1.05E-03	7.58E-07	0.10	1.57E-01	1.21E-08	1.0E+06	1.2E-02
494	0.22325	3.78E-03	8.4E-04	1.05E-03	8.82E-07	0.10	1.57E-01	1.41E-08	1.0E+06	1.4E-02
509	0.10999	3.78E-03	4.2E-04	1.05E-03	4.35E-07	0.10	1.57E-01	6.92E-09	1.0E+06	6.9E-03
510	0.12248	3.78E-03	4.6E-04	1.05E-03	4.84E-07	0.10	1.57E-01	7.71E-09	1.0E+06	7.7E-03
511	0.13735	3.78E-03	5.2E-04	1.05E-03	5.43E-07	0.10	1.57E-01	8.64E-09	1.0E+06	8.6E-03
512	0.15526	3.78E-03	5.9E-04	1.05E-03	6.13E-07	0.10	1.57E-01	9.77E-09	1.0E+06	9.8E-03
513	0.17709	3.78E-03	6.7E-04	1.05E-03	7.00E-07	0.10	1.57E-01	1.11E-08	1.0E+06	1.1E-02
514	0.20424	3.78E-03	7.7E-04	1.05E-03	8.07E-07	0.10	1.57E-01	1.29E-08	1.0E+06	1.3E-02
515	0.283	3.78E-03	1.1E-03	1.05E-03	1.12E-06	0.10	1.57E-01	1.78E-08	1.0E+06	1.8E-02
516	0.34137	3.78E-03	1.3E-03	1.05E-03	1.35E-06	0.10	1.57E-01	2.15E-08	1.0E+06	2.1E-02
517	0.42067	3.78E-03	1.6E-03	1.05E-03	1.66E-06	0.10	1.57E-01	2.65E-08	1.0E+06	2.6E-02
518	0.53066	3.78E-03	2.0E-03	1.05E-03	2.10E-06	0.10	1.57E-01	3.34E-08	1.0E+06	3.3E-02
519	0.68744	3.78E-03	2.6E-03	1.05E-03	2.72E-06	0.10	1.57E-01	4.33E-08	1.0E+06	4.3E-02
528	0.10416	3.78E-03	3.9E-04	1.05E-03	4.12E-07	0.10	1.57E-01	6.56E-09	1.0E+06	6.6E-03
529	0.11537	3.78E-03	4.4E-04	1.05E-03	4.56E-07	0.10	1.57E-01	7.26E-09	1.0E+06	7.3E-03
530	0.1286	3.78E-03	4.9E-04	1.05E-03	5.08E-07	0.10	1.57E-01	8.09E-09	1.0E+06	8.1E-03
531	0.14437	3.78E-03	5.5E-04	1.05E-03	5.70E-07	0.10	1.57E-01	9.09E-09	1.0E+06	9.1E-03
532	0.1634	3.78E-03	6.2E-04	1.05E-03	6.46E-07	0.10	1.57E-01	1.03E-08	1.0E+06	1.0E-02
533	0.18671	3.78E-03	7.1E-04	1.05E-03	7.38E-07	0.10	1.57E-01	1.18E-08	1.0E+06	1.2E-02
534	0.25236	3.78E-03	9.5E-04	1.05E-03	9.97E-07	0.10	1.57E-01	1.59E-08	1.0E+06	1.6E-02
535	0.29948	3.78E-03	1.1E-03	1.05E-03	1.18E-06	0.10	1.57E-01	1.88E-08	1.0E+06	1.9E-02
536	0.36216	3.78E-03	1.4E-03	1.05E-03	1.43E-06	0.10	1.57E-01	2.28E-08	1.0E+06	2.3E-02
537	0.44473	3.78E-03	1.7E-03	1.05E-03	1.76E-06	0.10	1.57E-01	2.80E-08	1.0E+06	2.8E-02
538	0.55683	3.78E-03	2.1E-03	1.05E-03	2.20E-06	0.10	1.57E-01	3.50E-08	1.0E+06	3.5E-02
547	0.09852	3.78E-03	3.7E-04	1.05E-03	3.89E-07	0.10	1.57E-01	6.20E-09	1.0E+06	6.2E-03

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.10857	3.78E-03	4.1E-04	1.05E-03	4.29E-07	0.10	1.57E-01	6.83E-09	1.0E+06	6.8E-03
549	0.12031	3.78E-03	4.5E-04	1.05E-03	4.75E-07	0.10	1.57E-01	7.57E-09	1.0E+06	7.6E-03
550	0.13416	3.78E-03	5.1E-04	1.05E-03	5.30E-07	0.10	1.57E-01	8.44E-09	1.0E+06	8.4E-03
551	0.1507	3.78E-03	5.7E-04	1.05E-03	5.95E-07	0.10	1.57E-01	9.48E-09	1.0E+06	9.5E-03
552	0.17069	3.78E-03	6.5E-04	1.05E-03	6.74E-07	0.10	1.57E-01	1.07E-08	1.0E+06	1.1E-02
553	0.19522	3.78E-03	7.4E-04	1.05E-03	7.71E-07	0.10	1.57E-01	1.23E-08	1.0E+06	1.2E-02
554	0.22557	3.78E-03	8.5E-04	1.05E-03	8.91E-07	0.10	1.57E-01	1.42E-08	1.0E+06	1.4E-02
555	0.26414	3.78E-03	1.0E-03	1.05E-03	1.04E-06	0.10	1.57E-01	1.66E-08	1.0E+06	1.7E-02
556	0.31413	3.78E-03	1.2E-03	1.05E-03	1.24E-06	0.10	1.57E-01	1.98E-08	1.0E+06	2.0E-02
557	0.3779	3.78E-03	1.4E-03	1.05E-03	1.49E-06	0.10	1.57E-01	2.38E-08	1.0E+06	2.4E-02
558	0.46247	3.78E-03	1.7E-03	1.05E-03	1.83E-06	0.10	1.57E-01	2.91E-08	1.0E+06	2.9E-02
559	0.56965	3.78E-03	2.2E-03	1.05E-03	2.25E-06	0.10	1.57E-01	3.59E-08	1.0E+06	3.6E-02
567	0.09312	3.78E-03	3.5E-04	1.05E-03	3.68E-07	0.10	1.57E-01	5.86E-09	1.0E+06	5.9E-03
568	0.1021	3.78E-03	3.9E-04	1.05E-03	4.03E-07	0.10	1.57E-01	6.43E-09	1.0E+06	6.4E-03
569	0.1125	3.78E-03	4.3E-04	1.05E-03	4.44E-07	0.10	1.57E-01	7.08E-09	1.0E+06	7.1E-03
570	0.12467	3.78E-03	4.7E-04	1.05E-03	4.93E-07	0.10	1.57E-01	7.85E-09	1.0E+06	7.8E-03
571	0.13904	3.78E-03	5.3E-04	1.05E-03	5.49E-07	0.10	1.57E-01	8.75E-09	1.0E+06	8.8E-03
572	0.15621	3.78E-03	5.9E-04	1.05E-03	6.17E-07	0.10	1.57E-01	9.83E-09	1.0E+06	9.8E-03
573	0.17699	3.78E-03	6.7E-04	1.05E-03	6.99E-07	0.10	1.57E-01	1.11E-08	1.0E+06	1.1E-02
574	0.23406	3.78E-03	8.8E-04	1.05E-03	9.25E-07	0.10	1.57E-01	1.47E-08	1.0E+06	1.5E-02
575	0.27432	3.78E-03	1.0E-03	1.05E-03	1.08E-06	0.10	1.57E-01	1.73E-08	1.0E+06	1.7E-02
576	0.32539	3.78E-03	1.2E-03	1.05E-03	1.29E-06	0.10	1.57E-01	2.05E-08	1.0E+06	2.0E-02
577	0.3901	3.78E-03	1.5E-03	1.05E-03	1.54E-06	0.10	1.57E-01	2.46E-08	1.0E+06	2.5E-02
578	0.46964	3.78E-03	1.8E-03	1.05E-03	1.86E-06	0.10	1.57E-01	2.96E-08	1.0E+06	3.0E-02
586	0.08798	3.78E-03	3.3E-04	1.05E-03	3.48E-07	0.10	1.57E-01	5.54E-09	1.0E+06	5.5E-03
587	0.09598	3.78E-03	3.6E-04	1.05E-03	3.79E-07	0.10	1.57E-01	6.04E-09	1.0E+06	6.0E-03
588	0.10519	3.78E-03	4.0E-04	1.05E-03	4.16E-07	0.10	1.57E-01	6.62E-09	1.0E+06	6.6E-03
589	0.11586	3.78E-03	4.4E-04	1.05E-03	4.58E-07	0.10	1.57E-01	7.29E-09	1.0E+06	7.3E-03
590	0.12834	3.78E-03	4.9E-04	1.05E-03	5.07E-07	0.10	1.57E-01	8.08E-09	1.0E+06	8.1E-03
591	0.14309	3.78E-03	5.4E-04	1.05E-03	5.65E-07	0.10	1.57E-01	9.01E-09	1.0E+06	9.0E-03
592	0.16074	3.78E-03	6.1E-04	1.05E-03	6.35E-07	0.10	1.57E-01	1.01E-08	1.0E+06	1.0E-02

Via Oro
Site Prep

		Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.20841	3.78E-03	7.9E-04	1.05E-03	8.23E-07	0.10	1.57E-01	1.31E-08	1.0E+06	1.3E-02
594	0.24141	3.78E-03	9.1E-04	1.05E-03	9.54E-07	0.10	1.57E-01	1.52E-08	1.0E+06	1.5E-02
595	0.2822	3.78E-03	1.1E-03	1.05E-03	1.11E-06	0.10	1.57E-01	1.78E-08	1.0E+06	1.8E-02
596	0.33259	3.78E-03	1.3E-03	1.05E-03	1.31E-06	0.10	1.57E-01	2.09E-08	1.0E+06	2.1E-02
597	0.39298	3.78E-03	1.5E-03	1.05E-03	1.55E-06	0.10	1.57E-01	2.47E-08	1.0E+06	2.5E-02
345	0.22095	3.78E-03	8.4E-04	1.05E-03	8.73E-07	0.10	1.57E-01	1.39E-08	1.0E+06	1.4E-02
346	0.26452	3.78E-03	1.0E-03	1.05E-03	1.05E-06	0.10	1.57E-01	1.66E-08	1.0E+06	1.7E-02
347	0.32439	3.78E-03	1.2E-03	1.05E-03	1.28E-06	0.10	1.57E-01	2.04E-08	1.0E+06	2.0E-02
348	0.41111	3.78E-03	1.6E-03	1.05E-03	1.62E-06	0.10	1.57E-01	2.59E-08	1.0E+06	2.6E-02
359	0.22755	3.78E-03	8.6E-04	1.05E-03	8.99E-07	0.10	1.57E-01	1.43E-08	1.0E+06	1.4E-02
360	0.27347	3.78E-03	1.0E-03	1.05E-03	1.08E-06	0.10	1.57E-01	1.72E-08	1.0E+06	1.7E-02
361	0.33702	3.78E-03	1.3E-03	1.05E-03	1.33E-06	0.10	1.57E-01	2.12E-08	1.0E+06	2.1E-02
362	0.42805	3.78E-03	1.6E-03	1.05E-03	1.69E-06	0.10	1.57E-01	2.69E-08	1.0E+06	2.7E-02
363	0.57228	3.78E-03	2.2E-03	1.05E-03	2.26E-06	0.10	1.57E-01	3.60E-08	1.0E+06	3.6E-02
373	0.27723	3.78E-03	1.0E-03	1.05E-03	1.10E-06	0.10	1.57E-01	1.74E-08	1.0E+06	1.7E-02
374	0.34123	3.78E-03	1.3E-03	1.05E-03	1.35E-06	0.10	1.57E-01	2.15E-08	1.0E+06	2.1E-02
375	0.43228	3.78E-03	1.6E-03	1.05E-03	1.71E-06	0.10	1.57E-01	2.72E-08	1.0E+06	2.7E-02
376	0.57277	3.78E-03	2.2E-03	1.05E-03	2.26E-06	0.10	1.57E-01	3.60E-08	1.0E+06	3.6E-02
386	0.27607	3.78E-03	1.0E-03	1.05E-03	1.09E-06	0.10	1.57E-01	1.74E-08	1.0E+06	1.7E-02
387	0.33894	3.78E-03	1.3E-03	1.05E-03	1.34E-06	0.10	1.57E-01	2.13E-08	1.0E+06	2.1E-02
388	0.42694	3.78E-03	1.6E-03	1.05E-03	1.69E-06	0.10	1.57E-01	2.69E-08	1.0E+06	2.7E-02
389	0.55942	3.78E-03	2.1E-03	1.05E-03	2.21E-06	0.10	1.57E-01	3.52E-08	1.0E+06	3.5E-02
390	0.77678	3.78E-03	2.9E-03	1.05E-03	3.07E-06	0.10	1.57E-01	4.89E-08	1.0E+06	4.9E-02
400	0.27085	3.78E-03	1.0E-03	1.05E-03	1.07E-06	0.10	1.57E-01	1.70E-08	1.0E+06	1.7E-02
401	0.33061	3.78E-03	1.2E-03	1.05E-03	1.31E-06	0.10	1.57E-01	2.08E-08	1.0E+06	2.1E-02
402	0.41466	3.78E-03	1.6E-03	1.05E-03	1.64E-06	0.10	1.57E-01	2.61E-08	1.0E+06	2.6E-02
403	0.53632	3.78E-03	2.0E-03	1.05E-03	2.12E-06	0.10	1.57E-01	3.38E-08	1.0E+06	3.4E-02
404	0.72827	3.78E-03	2.8E-03	1.05E-03	2.88E-06	0.10	1.57E-01	4.58E-08	1.0E+06	4.6E-02
415	0.26222	3.78E-03	9.9E-04	1.05E-03	1.04E-06	0.10	1.57E-01	1.65E-08	1.0E+06	1.7E-02
416	0.31872	3.78E-03	1.2E-03	1.05E-03	1.26E-06	0.10	1.57E-01	2.01E-08	1.0E+06	2.0E-02
417	0.39585	3.78E-03	1.5E-03	1.05E-03	1.56E-06	0.10	1.57E-01	2.49E-08	1.0E+06	2.5E-02

Via Oro
Site Prep

		Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.5089	3.78E-03	1.9E-03	1.05E-03	2.01E-06	0.10	1.57E-01	3.20E-08	1.0E+06	3.2E-02
419	0.6818	3.78E-03	2.6E-03	1.05E-03	2.69E-06	0.10	1.57E-01	4.29E-08	1.0E+06	4.3E-02
420	0.96165	3.78E-03	3.6E-03	1.05E-03	3.80E-06	0.10	1.57E-01	6.05E-08	1.0E+06	6.1E-02
430	0.30262	3.78E-03	1.1E-03	1.05E-03	1.20E-06	0.10	1.57E-01	1.90E-08	1.0E+06	1.9E-02
431	0.37363	3.78E-03	1.4E-03	1.05E-03	1.48E-06	0.10	1.57E-01	2.35E-08	1.0E+06	2.4E-02
432	0.47448	3.78E-03	1.8E-03	1.05E-03	1.87E-06	0.10	1.57E-01	2.99E-08	1.0E+06	3.0E-02
433	0.62644	3.78E-03	2.4E-03	1.05E-03	2.47E-06	0.10	1.57E-01	3.94E-08	1.0E+06	3.9E-02
434	0.87307	3.78E-03	3.3E-03	1.05E-03	3.45E-06	0.10	1.57E-01	5.49E-08	1.0E+06	5.5E-02
444	0.28417	3.78E-03	1.1E-03	1.05E-03	1.12E-06	0.10	1.57E-01	1.79E-08	1.0E+06	1.8E-02
445	0.34735	3.78E-03	1.3E-03	1.05E-03	1.37E-06	0.10	1.57E-01	2.19E-08	1.0E+06	2.2E-02
446	0.43609	3.78E-03	1.6E-03	1.05E-03	1.72E-06	0.10	1.57E-01	2.74E-08	1.0E+06	2.7E-02
447	0.56701	3.78E-03	2.1E-03	1.05E-03	2.24E-06	0.10	1.57E-01	3.57E-08	1.0E+06	3.6E-02
448	0.77299	3.78E-03	2.9E-03	1.05E-03	3.05E-06	0.10	1.57E-01	4.86E-08	1.0E+06	4.9E-02
459	0.31934	3.78E-03	1.2E-03	1.05E-03	1.26E-06	0.10	1.57E-01	2.01E-08	1.0E+06	2.0E-02
460	0.39559	3.78E-03	1.5E-03	1.05E-03	1.56E-06	0.10	1.57E-01	2.49E-08	1.0E+06	2.5E-02
461	0.50538	3.78E-03	1.9E-03	1.05E-03	2.00E-06	0.10	1.57E-01	3.18E-08	1.0E+06	3.2E-02
462	0.67198	3.78E-03	2.5E-03	1.05E-03	2.65E-06	0.10	1.57E-01	4.23E-08	1.0E+06	4.2E-02
463	0.94043	3.78E-03	3.6E-03	1.05E-03	3.72E-06	0.10	1.57E-01	5.92E-08	1.0E+06	5.9E-02
474	0.29095	3.78E-03	1.1E-03	1.05E-03	1.15E-06	0.10	1.57E-01	1.83E-08	1.0E+06	1.8E-02
475	0.35513	3.78E-03	1.3E-03	1.05E-03	1.40E-06	0.10	1.57E-01	2.23E-08	1.0E+06	2.2E-02
476	0.44528	3.78E-03	1.7E-03	1.05E-03	1.76E-06	0.10	1.57E-01	2.80E-08	1.0E+06	2.8E-02
477	0.57601	3.78E-03	2.2E-03	1.05E-03	2.28E-06	0.10	1.57E-01	3.63E-08	1.0E+06	3.6E-02
478	0.77532	3.78E-03	2.9E-03	1.05E-03	3.06E-06	0.10	1.57E-01	4.88E-08	1.0E+06	4.9E-02
495	0.2638	3.78E-03	1.0E-03	1.05E-03	1.04E-06	0.10	1.57E-01	1.66E-08	1.0E+06	1.7E-02
496	0.31721	3.78E-03	1.2E-03	1.05E-03	1.25E-06	0.10	1.57E-01	2.00E-08	1.0E+06	2.0E-02
497	0.39005	3.78E-03	1.5E-03	1.05E-03	1.54E-06	0.10	1.57E-01	2.45E-08	1.0E+06	2.5E-02
498	0.49198	3.78E-03	1.9E-03	1.05E-03	1.94E-06	0.10	1.57E-01	3.10E-08	1.0E+06	3.1E-02
499	0.63899	3.78E-03	2.4E-03	1.05E-03	2.52E-06	0.10	1.57E-01	4.02E-08	1.0E+06	4.0E-02
500	0.85915	3.78E-03	3.2E-03	1.05E-03	3.39E-06	0.10	1.57E-01	5.41E-08	1.0E+06	5.4E-02

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	0.06666	3.78E-03	2.5E-04	2.50E-04	6.31E-08	0.10	1.15E-02	7.33E-11	1.0E+06	7.3E-05
140	0.06997	3.78E-03	2.6E-04	2.50E-04	6.62E-08	0.10	1.15E-02	7.70E-11	1.0E+06	7.7E-05
156	0.07226	3.78E-03	2.7E-04	2.50E-04	6.84E-08	0.10	1.15E-02	7.95E-11	1.0E+06	7.9E-05
157	0.07615	3.78E-03	2.9E-04	2.50E-04	7.20E-08	0.10	1.15E-02	8.38E-11	1.0E+06	8.4E-05
158	0.08028	3.78E-03	3.0E-04	2.50E-04	7.59E-08	0.10	1.15E-02	8.83E-11	1.0E+06	8.8E-05
159	0.08463	3.78E-03	3.2E-04	2.50E-04	8.01E-08	0.10	1.15E-02	9.31E-11	1.0E+06	9.3E-05
160	0.08914	3.78E-03	3.4E-04	2.50E-04	8.43E-08	0.10	1.15E-02	9.81E-11	1.0E+06	9.8E-05
161	0.09856	3.78E-03	3.7E-04	2.50E-04	9.32E-08	0.10	1.15E-02	1.08E-10	1.0E+06	1.1E-04
162	0.1033	3.78E-03	3.9E-04	2.50E-04	9.77E-08	0.10	1.15E-02	1.14E-10	1.0E+06	1.1E-04
163	0.10789	3.78E-03	4.1E-04	2.50E-04	1.02E-07	0.10	1.15E-02	1.19E-10	1.0E+06	1.2E-04
167	0.08318	3.78E-03	3.1E-04	2.50E-04	7.87E-08	0.10	1.15E-02	9.15E-11	1.0E+06	9.2E-05
168	0.08819	3.78E-03	3.3E-04	2.50E-04	8.34E-08	0.10	1.15E-02	9.70E-11	1.0E+06	9.7E-05
169	0.09344	3.78E-03	3.5E-04	2.50E-04	8.84E-08	0.10	1.15E-02	1.03E-10	1.0E+06	1.0E-04
170	0.09896	3.78E-03	3.7E-04	2.50E-04	9.36E-08	0.10	1.15E-02	1.09E-10	1.0E+06	1.1E-04
171	0.10472	3.78E-03	4.0E-04	2.50E-04	9.91E-08	0.10	1.15E-02	1.15E-10	1.0E+06	1.2E-04
172	0.11064	3.78E-03	4.2E-04	2.50E-04	1.05E-07	0.10	1.15E-02	1.22E-10	1.0E+06	1.2E-04
173	0.1165	3.78E-03	4.4E-04	2.50E-04	1.10E-07	0.10	1.15E-02	1.28E-10	1.0E+06	1.3E-04
174	0.12232	3.78E-03	4.6E-04	2.50E-04	1.16E-07	0.10	1.15E-02	1.35E-10	1.0E+06	1.3E-04
175	0.12783	3.78E-03	4.8E-04	2.50E-04	1.21E-07	0.10	1.15E-02	1.41E-10	1.0E+06	1.4E-04
176	0.13281	3.78E-03	5.0E-04	2.50E-04	1.26E-07	0.10	1.15E-02	1.46E-10	1.0E+06	1.5E-04
177	0.13698	3.78E-03	5.2E-04	2.50E-04	1.30E-07	0.10	1.15E-02	1.51E-10	1.0E+06	1.5E-04
181	0.09734	3.78E-03	3.7E-04	2.50E-04	9.21E-08	0.10	1.15E-02	1.07E-10	1.0E+06	1.1E-04
182	0.10374	3.78E-03	3.9E-04	2.50E-04	9.81E-08	0.10	1.15E-02	1.14E-10	1.0E+06	1.1E-04
183	0.11063	3.78E-03	4.2E-04	2.50E-04	1.05E-07	0.10	1.15E-02	1.22E-10	1.0E+06	1.2E-04
184	0.11783	3.78E-03	4.5E-04	2.50E-04	1.11E-07	0.10	1.15E-02	1.30E-10	1.0E+06	1.3E-04
185	0.12533	3.78E-03	4.7E-04	2.50E-04	1.19E-07	0.10	1.15E-02	1.38E-10	1.0E+06	1.4E-04
186	0.13292	3.78E-03	5.0E-04	2.50E-04	1.26E-07	0.10	1.15E-02	1.46E-10	1.0E+06	1.5E-04
187	0.14025	3.78E-03	5.3E-04	2.50E-04	1.33E-07	0.10	1.15E-02	1.54E-10	1.0E+06	1.5E-04
188	0.14744	3.78E-03	5.6E-04	2.50E-04	1.39E-07	0.10	1.15E-02	1.62E-10	1.0E+06	1.6E-04
189	0.15394	3.78E-03	5.8E-04	2.50E-04	1.46E-07	0.10	1.15E-02	1.69E-10	1.0E+06	1.7E-04
190	0.15931	3.78E-03	6.0E-04	2.50E-04	1.51E-07	0.10	1.15E-02	1.75E-10	1.0E+06	1.8E-04

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	0.16338	3.78E-03	6.2E-04	2.50E-04	1.55E-07	0.10	1.15E-02	1.80E-10	1.0E+06	1.8E-04
195	0.10798	3.78E-03	4.1E-04	2.50E-04	1.02E-07	0.10	1.15E-02	1.19E-10	1.0E+06	1.2E-04
196	0.11595	3.78E-03	4.4E-04	2.50E-04	1.10E-07	0.10	1.15E-02	1.28E-10	1.0E+06	1.3E-04
197	0.12453	3.78E-03	4.7E-04	2.50E-04	1.18E-07	0.10	1.15E-02	1.37E-10	1.0E+06	1.4E-04
198	0.13377	3.78E-03	5.1E-04	2.50E-04	1.27E-07	0.10	1.15E-02	1.47E-10	1.0E+06	1.5E-04
199	0.14344	3.78E-03	5.4E-04	2.50E-04	1.36E-07	0.10	1.15E-02	1.58E-10	1.0E+06	1.6E-04
200	0.15338	3.78E-03	5.8E-04	2.50E-04	1.45E-07	0.10	1.15E-02	1.69E-10	1.0E+06	1.7E-04
201	0.16329	3.78E-03	6.2E-04	2.50E-04	1.54E-07	0.10	1.15E-02	1.80E-10	1.0E+06	1.8E-04
202	0.17275	3.78E-03	6.5E-04	2.50E-04	1.63E-07	0.10	1.15E-02	1.90E-10	1.0E+06	1.9E-04
203	0.18125	3.78E-03	6.9E-04	2.50E-04	1.71E-07	0.10	1.15E-02	1.99E-10	1.0E+06	2.0E-04
204	0.18831	3.78E-03	7.1E-04	2.50E-04	1.78E-07	0.10	1.15E-02	2.07E-10	1.0E+06	2.1E-04
205	0.19357	3.78E-03	7.3E-04	2.50E-04	1.83E-07	0.10	1.15E-02	2.13E-10	1.0E+06	2.1E-04
206	0.19682	3.78E-03	7.4E-04	2.50E-04	1.86E-07	0.10	1.15E-02	2.17E-10	1.0E+06	2.2E-04
210	0.11099	3.78E-03	4.2E-04	2.50E-04	1.05E-07	0.10	1.15E-02	1.22E-10	1.0E+06	1.2E-04
211	0.1203	3.78E-03	4.5E-04	2.50E-04	1.14E-07	0.10	1.15E-02	1.32E-10	1.0E+06	1.3E-04
212	0.13032	3.78E-03	4.9E-04	2.50E-04	1.23E-07	0.10	1.15E-02	1.43E-10	1.0E+06	1.4E-04
213	0.14139	3.78E-03	5.3E-04	2.50E-04	1.34E-07	0.10	1.15E-02	1.56E-10	1.0E+06	1.6E-04
214	0.16613	3.78E-03	6.3E-04	2.50E-04	1.57E-07	0.10	1.15E-02	1.83E-10	1.0E+06	1.8E-04
215	0.17946	3.78E-03	6.8E-04	2.50E-04	1.70E-07	0.10	1.15E-02	1.97E-10	1.0E+06	2.0E-04
216	0.19292	3.78E-03	7.3E-04	2.50E-04	1.83E-07	0.10	1.15E-02	2.12E-10	1.0E+06	2.1E-04
217	0.20586	3.78E-03	7.8E-04	2.50E-04	1.95E-07	0.10	1.15E-02	2.26E-10	1.0E+06	2.3E-04
218	0.21751	3.78E-03	8.2E-04	2.50E-04	2.06E-07	0.10	1.15E-02	2.39E-10	1.0E+06	2.4E-04
219	0.22711	3.78E-03	8.6E-04	2.50E-04	2.15E-07	0.10	1.15E-02	2.50E-10	1.0E+06	2.5E-04
220	0.23407	3.78E-03	8.8E-04	2.50E-04	2.21E-07	0.10	1.15E-02	2.57E-10	1.0E+06	2.6E-04
221	0.23807	3.78E-03	9.0E-04	2.50E-04	2.25E-07	0.10	1.15E-02	2.62E-10	1.0E+06	2.6E-04
222	0.23886	3.78E-03	9.0E-04	2.50E-04	2.26E-07	0.10	1.15E-02	2.63E-10	1.0E+06	2.6E-04
226	0.12301	3.78E-03	4.6E-04	2.50E-04	1.16E-07	0.10	1.15E-02	1.35E-10	1.0E+06	1.4E-04
227	0.13462	3.78E-03	5.1E-04	2.50E-04	1.27E-07	0.10	1.15E-02	1.48E-10	1.0E+06	1.5E-04
228	0.14745	3.78E-03	5.6E-04	2.50E-04	1.39E-07	0.10	1.15E-02	1.62E-10	1.0E+06	1.6E-04
229	0.16187	3.78E-03	6.1E-04	2.50E-04	1.53E-07	0.10	1.15E-02	1.78E-10	1.0E+06	1.8E-04
230	0.17774	3.78E-03	6.7E-04	2.50E-04	1.68E-07	0.10	1.15E-02	1.96E-10	1.0E+06	2.0E-04

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	0.19457	3.78E-03	7.4E-04	2.50E-04	1.84E-07	0.10	1.15E-02	2.14E-10	1.0E+06	2.1E-04
232	0.21312	3.78E-03	8.1E-04	2.50E-04	2.02E-07	0.10	1.15E-02	2.34E-10	1.0E+06	2.3E-04
233	0.25086	3.78E-03	9.5E-04	2.50E-04	2.37E-07	0.10	1.15E-02	2.76E-10	1.0E+06	2.8E-04
234	0.26744	3.78E-03	1.0E-03	2.50E-04	2.53E-07	0.10	1.15E-02	2.94E-10	1.0E+06	2.9E-04
235	0.28094	3.78E-03	1.1E-03	2.50E-04	2.66E-07	0.10	1.15E-02	3.09E-10	1.0E+06	3.1E-04
236	0.29043	3.78E-03	1.1E-03	2.50E-04	2.75E-07	0.10	1.15E-02	3.19E-10	1.0E+06	3.2E-04
237	0.29538	3.78E-03	1.1E-03	2.50E-04	2.79E-07	0.10	1.15E-02	3.25E-10	1.0E+06	3.2E-04
238	0.29572	3.78E-03	1.1E-03	2.50E-04	2.80E-07	0.10	1.15E-02	3.25E-10	1.0E+06	3.3E-04
242	0.13637	3.78E-03	5.2E-04	2.50E-04	1.29E-07	0.10	1.15E-02	1.50E-10	1.0E+06	1.5E-04
243	0.15096	3.78E-03	5.7E-04	2.50E-04	1.43E-07	0.10	1.15E-02	1.66E-10	1.0E+06	1.7E-04
244	0.16695	3.78E-03	6.3E-04	2.50E-04	1.58E-07	0.10	1.15E-02	1.84E-10	1.0E+06	1.8E-04
245	0.18625	3.78E-03	7.0E-04	2.50E-04	1.76E-07	0.10	1.15E-02	2.05E-10	1.0E+06	2.0E-04
246	0.20805	3.78E-03	7.9E-04	2.50E-04	1.97E-07	0.10	1.15E-02	2.29E-10	1.0E+06	2.3E-04
247	0.2324	3.78E-03	8.8E-04	2.50E-04	2.20E-07	0.10	1.15E-02	2.56E-10	1.0E+06	2.6E-04
248	0.25913	3.78E-03	9.8E-04	2.50E-04	2.45E-07	0.10	1.15E-02	2.85E-10	1.0E+06	2.9E-04
249	0.3142	3.78E-03	1.2E-03	2.50E-04	2.97E-07	0.10	1.15E-02	3.46E-10	1.0E+06	3.5E-04
250	0.3386	3.78E-03	1.3E-03	2.50E-04	3.20E-07	0.10	1.15E-02	3.72E-10	1.0E+06	3.7E-04
251	0.35872	3.78E-03	1.4E-03	2.50E-04	3.39E-07	0.10	1.15E-02	3.95E-10	1.0E+06	3.9E-04
252	0.37263	3.78E-03	1.4E-03	2.50E-04	3.53E-07	0.10	1.15E-02	4.10E-10	1.0E+06	4.1E-04
253	0.37858	3.78E-03	1.4E-03	2.50E-04	3.58E-07	0.10	1.15E-02	4.16E-10	1.0E+06	4.2E-04
254	0.37694	3.78E-03	1.4E-03	2.50E-04	3.57E-07	0.10	1.15E-02	4.15E-10	1.0E+06	4.1E-04
257	0.15097	3.78E-03	5.7E-04	2.50E-04	1.43E-07	0.10	1.15E-02	1.66E-10	1.0E+06	1.7E-04
258	0.16938	3.78E-03	6.4E-04	2.50E-04	1.60E-07	0.10	1.15E-02	1.86E-10	1.0E+06	1.9E-04
259	0.19095	3.78E-03	7.2E-04	2.50E-04	1.81E-07	0.10	1.15E-02	2.10E-10	1.0E+06	2.1E-04
260	0.2154	3.78E-03	8.1E-04	2.50E-04	2.04E-07	0.10	1.15E-02	2.37E-10	1.0E+06	2.4E-04
261	0.24687	3.78E-03	9.3E-04	2.50E-04	2.34E-07	0.10	1.15E-02	2.72E-10	1.0E+06	2.7E-04
262	0.28211	3.78E-03	1.1E-03	2.50E-04	2.67E-07	0.10	1.15E-02	3.10E-10	1.0E+06	3.1E-04
263	0.32228	3.78E-03	1.2E-03	2.50E-04	3.05E-07	0.10	1.15E-02	3.55E-10	1.0E+06	3.5E-04
264	0.4102	3.78E-03	1.6E-03	2.50E-04	3.88E-07	0.10	1.15E-02	4.51E-10	1.0E+06	4.5E-04
265	0.44938	3.78E-03	1.7E-03	2.50E-04	4.25E-07	0.10	1.15E-02	4.94E-10	1.0E+06	4.9E-04
266	0.4806	3.78E-03	1.8E-03	2.50E-04	4.55E-07	0.10	1.15E-02	5.29E-10	1.0E+06	5.3E-04

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	0.50037	3.78E-03	1.9E-03	2.50E-04	4.73E-07	0.10	1.15E-02	5.50E-10	1.0E+06	5.5E-04
268	0.50642	3.78E-03	1.9E-03	2.50E-04	4.79E-07	0.10	1.15E-02	5.57E-10	1.0E+06	5.6E-04
269	0.49919	3.78E-03	1.9E-03	2.50E-04	4.72E-07	0.10	1.15E-02	5.49E-10	1.0E+06	5.5E-04
270	0.42091	3.78E-03	1.6E-03	2.50E-04	3.98E-07	0.10	1.15E-02	4.63E-10	1.0E+06	4.6E-04
271	0.38777	3.78E-03	1.5E-03	2.50E-04	3.67E-07	0.10	1.15E-02	4.27E-10	1.0E+06	4.3E-04
274	0.16649	3.78E-03	6.3E-04	2.50E-04	1.58E-07	0.10	1.15E-02	1.83E-10	1.0E+06	1.8E-04
275	0.18955	3.78E-03	7.2E-04	2.50E-04	1.79E-07	0.10	1.15E-02	2.09E-10	1.0E+06	2.1E-04
276	0.21778	3.78E-03	8.2E-04	2.50E-04	2.06E-07	0.10	1.15E-02	2.40E-10	1.0E+06	2.4E-04
277	0.25135	3.78E-03	9.5E-04	2.50E-04	2.38E-07	0.10	1.15E-02	2.77E-10	1.0E+06	2.8E-04
278	0.29496	3.78E-03	1.1E-03	2.50E-04	2.79E-07	0.10	1.15E-02	3.24E-10	1.0E+06	3.2E-04
279	0.3478	3.78E-03	1.3E-03	2.50E-04	3.29E-07	0.10	1.15E-02	3.83E-10	1.0E+06	3.8E-04
280	0.40927	3.78E-03	1.5E-03	2.50E-04	3.87E-07	0.10	1.15E-02	4.50E-10	1.0E+06	4.5E-04
281	0.56187	3.78E-03	2.1E-03	2.50E-04	5.32E-07	0.10	1.15E-02	6.18E-10	1.0E+06	6.2E-04
282	0.63037	3.78E-03	2.4E-03	2.50E-04	5.96E-07	0.10	1.15E-02	6.93E-10	1.0E+06	6.9E-04
283	0.68234	3.78E-03	2.6E-03	2.50E-04	6.46E-07	0.10	1.15E-02	7.51E-10	1.0E+06	7.5E-04
284	0.71413	3.78E-03	2.7E-03	2.50E-04	6.76E-07	0.10	1.15E-02	7.86E-10	1.0E+06	7.9E-04
285	0.71946	3.78E-03	2.7E-03	2.50E-04	6.81E-07	0.10	1.15E-02	7.91E-10	1.0E+06	7.9E-04
286	0.69443	3.78E-03	2.6E-03	2.50E-04	6.57E-07	0.10	1.15E-02	7.64E-10	1.0E+06	7.6E-04
287	0.53127	3.78E-03	2.0E-03	2.50E-04	5.03E-07	0.10	1.15E-02	5.84E-10	1.0E+06	5.8E-04
288	0.47517	3.78E-03	1.8E-03	2.50E-04	4.50E-07	0.10	1.15E-02	5.23E-10	1.0E+06	5.2E-04
291	0.18229	3.78E-03	6.9E-04	2.50E-04	1.72E-07	0.10	1.15E-02	2.01E-10	1.0E+06	2.0E-04
292	0.21072	3.78E-03	8.0E-04	2.50E-04	1.99E-07	0.10	1.15E-02	2.32E-10	1.0E+06	2.3E-04
293	0.24683	3.78E-03	9.3E-04	2.50E-04	2.34E-07	0.10	1.15E-02	2.72E-10	1.0E+06	2.7E-04
294	0.29273	3.78E-03	1.1E-03	2.50E-04	2.77E-07	0.10	1.15E-02	3.22E-10	1.0E+06	3.2E-04
295	0.35301	3.78E-03	1.3E-03	2.50E-04	3.34E-07	0.10	1.15E-02	3.88E-10	1.0E+06	3.9E-04
296	0.43487	3.78E-03	1.6E-03	2.50E-04	4.11E-07	0.10	1.15E-02	4.78E-10	1.0E+06	4.8E-04
297	0.54585	3.78E-03	2.1E-03	2.50E-04	5.16E-07	0.10	1.15E-02	6.00E-10	1.0E+06	6.0E-04
298	0.84306	3.78E-03	3.2E-03	2.50E-04	7.98E-07	0.10	1.15E-02	9.27E-10	1.0E+06	9.3E-04
299	0.98539	3.78E-03	3.7E-03	2.50E-04	9.32E-07	0.10	1.15E-02	1.08E-09	1.0E+06	1.1E-03
300	1.08037	3.78E-03	4.1E-03	2.50E-04	1.02E-06	0.10	1.15E-02	1.19E-09	1.0E+06	1.2E-03
301	1.13186	3.78E-03	4.3E-03	2.50E-04	1.07E-06	0.10	1.15E-02	1.25E-09	1.0E+06	1.2E-03

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	1.11565	3.78E-03	4.2E-03	2.50E-04	1.06E-06	0.10	1.15E-02	1.23E-09	1.0E+06	1.2E-03
303	1.03156	3.78E-03	3.9E-03	2.50E-04	9.76E-07	0.10	1.15E-02	1.13E-09	1.0E+06	1.1E-03
304	0.67594	3.78E-03	2.6E-03	2.50E-04	6.39E-07	0.10	1.15E-02	7.44E-10	1.0E+06	7.4E-04
305	0.57921	3.78E-03	2.2E-03	2.50E-04	5.48E-07	0.10	1.15E-02	6.37E-10	1.0E+06	6.4E-04
308	0.19741	3.78E-03	7.5E-04	2.50E-04	1.87E-07	0.10	1.15E-02	2.17E-10	1.0E+06	2.2E-04
309	0.23155	3.78E-03	8.8E-04	2.50E-04	2.19E-07	0.10	1.15E-02	2.55E-10	1.0E+06	2.5E-04
310	0.27643	3.78E-03	1.0E-03	2.50E-04	2.62E-07	0.10	1.15E-02	3.04E-10	1.0E+06	3.0E-04
311	0.33665	3.78E-03	1.3E-03	2.50E-04	3.18E-07	0.10	1.15E-02	3.70E-10	1.0E+06	3.7E-04
312	0.42367	3.78E-03	1.6E-03	2.50E-04	4.01E-07	0.10	1.15E-02	4.66E-10	1.0E+06	4.7E-04
313	0.55223	3.78E-03	2.1E-03	2.50E-04	5.22E-07	0.10	1.15E-02	6.08E-10	1.0E+06	6.1E-04
314	0.75782	3.78E-03	2.9E-03	2.50E-04	7.17E-07	0.10	1.15E-02	8.34E-10	1.0E+06	8.3E-04
315	1.52435	3.78E-03	5.8E-03	2.50E-04	1.44E-06	0.10	1.15E-02	1.68E-09	1.0E+06	1.7E-03
316	1.90133	3.78E-03	7.2E-03	2.50E-04	1.80E-06	0.10	1.15E-02	2.09E-09	1.0E+06	2.1E-03
317	2.06836	3.78E-03	7.8E-03	2.50E-04	1.96E-06	0.10	1.15E-02	2.28E-09	1.0E+06	2.3E-03
318	2.14622	3.78E-03	8.1E-03	2.50E-04	2.03E-06	0.10	1.15E-02	2.36E-09	1.0E+06	2.4E-03
319	2.01534	3.78E-03	7.6E-03	2.50E-04	1.91E-06	0.10	1.15E-02	2.22E-09	1.0E+06	2.2E-03
320	1.69212	3.78E-03	6.4E-03	2.50E-04	1.60E-06	0.10	1.15E-02	1.86E-09	1.0E+06	1.9E-03
321	0.85035	3.78E-03	3.2E-03	2.50E-04	8.04E-07	0.10	1.15E-02	9.35E-10	1.0E+06	9.4E-04
322	0.69378	3.78E-03	2.6E-03	2.50E-04	6.56E-07	0.10	1.15E-02	7.63E-10	1.0E+06	7.6E-04
325	0.21067	3.78E-03	8.0E-04	2.50E-04	1.99E-07	0.10	1.15E-02	2.32E-10	1.0E+06	2.3E-04
326	0.25012	3.78E-03	9.5E-04	2.50E-04	2.37E-07	0.10	1.15E-02	2.75E-10	1.0E+06	2.8E-04
327	0.30345	3.78E-03	1.1E-03	2.50E-04	2.87E-07	0.10	1.15E-02	3.34E-10	1.0E+06	3.3E-04
328	0.37903	3.78E-03	1.4E-03	2.50E-04	3.59E-07	0.10	1.15E-02	4.17E-10	1.0E+06	4.2E-04
329	0.4917	3.78E-03	1.9E-03	2.50E-04	4.65E-07	0.10	1.15E-02	5.41E-10	1.0E+06	5.4E-04
330	0.68508	3.78E-03	2.6E-03	2.50E-04	6.48E-07	0.10	1.15E-02	7.54E-10	1.0E+06	7.5E-04
331	1.06798	3.78E-03	4.0E-03	2.50E-04	1.01E-06	0.10	1.15E-02	1.17E-09	1.0E+06	1.2E-03
332	2.12938	3.78E-03	8.0E-03	2.50E-04	2.01E-06	0.10	1.15E-02	2.34E-09	1.0E+06	2.3E-03
333	3.94613	3.78E-03	1.5E-02	2.50E-04	3.73E-06	0.10	1.15E-02	4.34E-09	1.0E+06	4.3E-03
334	4.96563	3.78E-03	1.9E-02	2.50E-04	4.70E-06	0.10	1.15E-02	5.46E-09	1.0E+06	5.5E-03
335	5.08943	3.78E-03	1.9E-02	2.50E-04	4.81E-06	0.10	1.15E-02	5.60E-09	1.0E+06	5.6E-03
336	5.31849	3.78E-03	2.0E-02	2.50E-04	5.03E-06	0.10	1.15E-02	5.85E-09	1.0E+06	5.9E-03

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	5.41289	3.78E-03	2.0E-02	2.50E-04	5.12E-06	0.10	1.15E-02	5.95E-09	1.0E+06	6.0E-03
338	3.23417	3.78E-03	1.2E-02	2.50E-04	3.06E-06	0.10	1.15E-02	3.56E-09	1.0E+06	3.6E-03
339	1.39483	3.78E-03	5.3E-03	2.50E-04	1.32E-06	0.10	1.15E-02	1.53E-09	1.0E+06	1.5E-03
340	1.03756	3.78E-03	3.9E-03	2.50E-04	9.82E-07	0.10	1.15E-02	1.14E-09	1.0E+06	1.1E-03
341	0.80753	3.78E-03	3.1E-03	2.50E-04	7.64E-07	0.10	1.15E-02	8.88E-10	1.0E+06	8.9E-04
349	0.5463	3.78E-03	2.1E-03	2.50E-04	5.17E-07	0.10	1.15E-02	6.01E-10	1.0E+06	6.0E-04
350	0.78754	3.78E-03	3.0E-03	2.50E-04	7.45E-07	0.10	1.15E-02	8.66E-10	1.0E+06	8.7E-04
351	1.32297	3.78E-03	5.0E-03	2.50E-04	1.25E-06	0.10	1.15E-02	1.46E-09	1.0E+06	1.5E-03
352	3.4982	3.78E-03	1.3E-02	2.50E-04	3.31E-06	0.10	1.15E-02	3.85E-09	1.0E+06	3.8E-03
353	1.73674	3.78E-03	6.6E-03	2.50E-04	1.64E-06	0.10	1.15E-02	1.91E-09	1.0E+06	1.9E-03
354	1.21391	3.78E-03	4.6E-03	2.50E-04	1.15E-06	0.10	1.15E-02	1.34E-09	1.0E+06	1.3E-03
355	0.9109	3.78E-03	3.4E-03	2.50E-04	8.62E-07	0.10	1.15E-02	1.00E-09	1.0E+06	1.0E-03
364	0.82561	3.78E-03	3.1E-03	2.50E-04	7.81E-07	0.10	1.15E-02	9.08E-10	1.0E+06	9.1E-04
365	1.3742	3.78E-03	5.2E-03	2.50E-04	1.30E-06	0.10	1.15E-02	1.51E-09	1.0E+06	1.5E-03
366	3.27852	3.78E-03	1.2E-02	2.50E-04	3.10E-06	0.10	1.15E-02	3.61E-09	1.0E+06	3.6E-03
367	2.04934	3.78E-03	7.7E-03	2.50E-04	1.94E-06	0.10	1.15E-02	2.25E-09	1.0E+06	2.3E-03
368	1.36879	3.78E-03	5.2E-03	2.50E-04	1.29E-06	0.10	1.15E-02	1.51E-09	1.0E+06	1.5E-03
369	1.00108	3.78E-03	3.8E-03	2.50E-04	9.47E-07	0.10	1.15E-02	1.10E-09	1.0E+06	1.1E-03
377	0.81225	3.78E-03	3.1E-03	2.50E-04	7.68E-07	0.10	1.15E-02	8.94E-10	1.0E+06	8.9E-04
378	1.28674	3.78E-03	4.9E-03	2.50E-04	1.22E-06	0.10	1.15E-02	1.42E-09	1.0E+06	1.4E-03
379	2.58131	3.78E-03	9.8E-03	2.50E-04	2.44E-06	0.10	1.15E-02	2.84E-09	1.0E+06	2.8E-03
380	2.34425	3.78E-03	8.9E-03	2.50E-04	2.22E-06	0.10	1.15E-02	2.58E-09	1.0E+06	2.6E-03
381	1.50243	3.78E-03	5.7E-03	2.50E-04	1.42E-06	0.10	1.15E-02	1.65E-09	1.0E+06	1.7E-03
382	1.07795	3.78E-03	4.1E-03	2.50E-04	1.02E-06	0.10	1.15E-02	1.19E-09	1.0E+06	1.2E-03
391	1.17529	3.78E-03	4.4E-03	2.50E-04	1.11E-06	0.10	1.15E-02	1.29E-09	1.0E+06	1.3E-03
392	2.07803	3.78E-03	7.9E-03	2.50E-04	1.97E-06	0.10	1.15E-02	2.29E-09	1.0E+06	2.3E-03
393	2.67529	3.78E-03	1.0E-02	2.50E-04	2.53E-06	0.10	1.15E-02	2.94E-09	1.0E+06	2.9E-03
394	1.65168	3.78E-03	6.2E-03	2.50E-04	1.56E-06	0.10	1.15E-02	1.82E-09	1.0E+06	1.8E-03
395	1.15312	3.78E-03	4.4E-03	2.50E-04	1.09E-06	0.10	1.15E-02	1.27E-09	1.0E+06	1.3E-03
405	1.06989	3.78E-03	4.0E-03	2.50E-04	1.01E-06	0.10	1.15E-02	1.18E-09	1.0E+06	1.2E-03
406	1.76567	3.78E-03	6.7E-03	2.50E-04	1.67E-06	0.10	1.15E-02	1.94E-09	1.0E+06	1.9E-03

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	3.66976	3.78E-03	1.4E-02	2.50E-04	3.47E-06	0.10	1.15E-02	4.04E-09	1.0E+06	4.0E-03
408	3.07216	3.78E-03	1.2E-02	2.50E-04	2.91E-06	0.10	1.15E-02	3.38E-09	1.0E+06	3.4E-03
409	1.80807	3.78E-03	6.8E-03	2.50E-04	1.71E-06	0.10	1.15E-02	1.99E-09	1.0E+06	2.0E-03
410	1.22348	3.78E-03	4.6E-03	2.50E-04	1.16E-06	0.10	1.15E-02	1.35E-09	1.0E+06	1.3E-03
421	1.5162	3.78E-03	5.7E-03	2.50E-04	1.43E-06	0.10	1.15E-02	1.67E-09	1.0E+06	1.7E-03
422	2.78863	3.78E-03	1.1E-02	2.50E-04	2.64E-06	0.10	1.15E-02	3.07E-09	1.0E+06	3.1E-03
423	3.58855	3.78E-03	1.4E-02	2.50E-04	3.39E-06	0.10	1.15E-02	3.95E-09	1.0E+06	3.9E-03
424	1.97457	3.78E-03	7.5E-03	2.50E-04	1.87E-06	0.10	1.15E-02	2.17E-09	1.0E+06	2.2E-03
425	1.26667	3.78E-03	4.8E-03	2.50E-04	1.20E-06	0.10	1.15E-02	1.39E-09	1.0E+06	1.4E-03
435	1.30479	3.78E-03	4.9E-03	2.50E-04	1.23E-06	0.10	1.15E-02	1.44E-09	1.0E+06	1.4E-03
436	2.24203	3.78E-03	8.5E-03	2.50E-04	2.12E-06	0.10	1.15E-02	2.47E-09	1.0E+06	2.5E-03
437	2.09235	3.78E-03	7.9E-03	2.50E-04	1.98E-06	0.10	1.15E-02	2.30E-09	1.0E+06	2.3E-03
438	1.23807	3.78E-03	4.7E-03	2.50E-04	1.17E-06	0.10	1.15E-02	1.36E-09	1.0E+06	1.4E-03
449	1.11511	3.78E-03	4.2E-03	2.50E-04	1.05E-06	0.10	1.15E-02	1.23E-09	1.0E+06	1.2E-03
450	1.81429	3.78E-03	6.9E-03	2.50E-04	1.72E-06	0.10	1.15E-02	2.00E-09	1.0E+06	2.0E-03
451	3.64851	3.78E-03	1.4E-02	2.50E-04	3.45E-06	0.10	1.15E-02	4.01E-09	1.0E+06	4.0E-03
452	1.93326	3.78E-03	7.3E-03	2.50E-04	1.83E-06	0.10	1.15E-02	2.13E-09	1.0E+06	2.1E-03
453	1.10895	3.78E-03	4.2E-03	2.50E-04	1.05E-06	0.10	1.15E-02	1.22E-09	1.0E+06	1.2E-03
464	1.42926	3.78E-03	5.4E-03	2.50E-04	1.35E-06	0.10	1.15E-02	1.57E-09	1.0E+06	1.6E-03
465	2.50714	3.78E-03	9.5E-03	2.50E-04	2.37E-06	0.10	1.15E-02	2.76E-09	1.0E+06	2.8E-03
466	6.23424	3.78E-03	2.4E-02	2.50E-04	5.90E-06	0.10	1.15E-02	6.86E-09	1.0E+06	6.9E-03
467	1.5739	3.78E-03	5.9E-03	2.50E-04	1.49E-06	0.10	1.15E-02	1.73E-09	1.0E+06	1.7E-03
468	0.95236	3.78E-03	3.6E-03	2.50E-04	9.01E-07	0.10	1.15E-02	1.05E-09	1.0E+06	1.0E-03
479	1.08776	3.78E-03	4.1E-03	2.50E-04	1.03E-06	0.10	1.15E-02	1.20E-09	1.0E+06	1.2E-03
480	1.69613	3.78E-03	6.4E-03	2.50E-04	1.60E-06	0.10	1.15E-02	1.87E-09	1.0E+06	1.9E-03
481	2.90419	3.78E-03	1.1E-02	2.50E-04	2.75E-06	0.10	1.15E-02	3.19E-09	1.0E+06	3.2E-03
482	4.52603	3.78E-03	1.7E-02	2.50E-04	4.28E-06	0.10	1.15E-02	4.98E-09	1.0E+06	5.0E-03
483	4.62248	3.78E-03	1.7E-02	2.50E-04	4.37E-06	0.10	1.15E-02	5.09E-09	1.0E+06	5.1E-03
484	4.08111	3.78E-03	1.5E-02	2.50E-04	3.86E-06	0.10	1.15E-02	4.49E-09	1.0E+06	4.5E-03
485	3.22412	3.78E-03	1.2E-02	2.50E-04	3.05E-06	0.10	1.15E-02	3.55E-09	1.0E+06	3.5E-03
486	2.16655	3.78E-03	8.2E-03	2.50E-04	2.05E-06	0.10	1.15E-02	2.38E-09	1.0E+06	2.4E-03

Via Oro
Site Prep

Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	1.30879	3.78E-03	4.9E-03	2.50E-04	1.24E-06	0.10	1.15E-02	1.44E-09	1.0E+06	1.4E-03
488	0.83473	3.78E-03	3.2E-03	2.50E-04	7.90E-07	0.10	1.15E-02	9.18E-10	1.0E+06	9.2E-04
501	1.19298	3.78E-03	4.5E-03	2.50E-04	1.13E-06	0.10	1.15E-02	1.31E-09	1.0E+06	1.3E-03
502	1.76423	3.78E-03	6.7E-03	2.50E-04	1.67E-06	0.10	1.15E-02	1.94E-09	1.0E+06	1.9E-03
503	2.37614	3.78E-03	9.0E-03	2.50E-04	2.25E-06	0.10	1.15E-02	2.61E-09	1.0E+06	2.6E-03
504	2.61124	3.78E-03	9.9E-03	2.50E-04	2.47E-06	0.10	1.15E-02	2.87E-09	1.0E+06	2.9E-03
505	2.46778	3.78E-03	9.3E-03	2.50E-04	2.33E-06	0.10	1.15E-02	2.71E-09	1.0E+06	2.7E-03
506	2.09127	3.78E-03	7.9E-03	2.50E-04	1.98E-06	0.10	1.15E-02	2.30E-09	1.0E+06	2.3E-03
507	1.57839	3.78E-03	6.0E-03	2.50E-04	1.49E-06	0.10	1.15E-02	1.74E-09	1.0E+06	1.7E-03
508	0.74345	3.78E-03	2.8E-03	2.50E-04	7.03E-07	0.10	1.15E-02	8.18E-10	1.0E+06	8.2E-04
520	0.90207	3.78E-03	3.4E-03	2.50E-04	8.53E-07	0.10	1.15E-02	9.92E-10	1.0E+06	9.9E-04
521	1.19662	3.78E-03	4.5E-03	2.50E-04	1.13E-06	0.10	1.15E-02	1.32E-09	1.0E+06	1.3E-03
522	1.53238	3.78E-03	5.8E-03	2.50E-04	1.45E-06	0.10	1.15E-02	1.69E-09	1.0E+06	1.7E-03
523	1.7077	3.78E-03	6.5E-03	2.50E-04	1.62E-06	0.10	1.15E-02	1.88E-09	1.0E+06	1.9E-03
524	1.68315	3.78E-03	6.4E-03	2.50E-04	1.59E-06	0.10	1.15E-02	1.85E-09	1.0E+06	1.9E-03
525	1.49749	3.78E-03	5.7E-03	2.50E-04	1.42E-06	0.10	1.15E-02	1.65E-09	1.0E+06	1.6E-03
526	1.21273	3.78E-03	4.6E-03	2.50E-04	1.15E-06	0.10	1.15E-02	1.33E-09	1.0E+06	1.3E-03
527	0.6618	3.78E-03	2.5E-03	2.50E-04	6.26E-07	0.10	1.15E-02	7.28E-10	1.0E+06	7.3E-04
539	0.70811	3.78E-03	2.7E-03	2.50E-04	6.70E-07	0.10	1.15E-02	7.79E-10	1.0E+06	7.8E-04
540	0.89629	3.78E-03	3.4E-03	2.50E-04	8.48E-07	0.10	1.15E-02	9.86E-10	1.0E+06	9.9E-04
541	1.08388	3.78E-03	4.1E-03	2.50E-04	1.03E-06	0.10	1.15E-02	1.19E-09	1.0E+06	1.2E-03
542	1.20837	3.78E-03	4.6E-03	2.50E-04	1.14E-06	0.10	1.15E-02	1.33E-09	1.0E+06	1.3E-03
543	1.22667	3.78E-03	4.6E-03	2.50E-04	1.16E-06	0.10	1.15E-02	1.35E-09	1.0E+06	1.3E-03
544	1.13169	3.78E-03	4.3E-03	2.50E-04	1.07E-06	0.10	1.15E-02	1.24E-09	1.0E+06	1.2E-03
545	0.95945	3.78E-03	3.6E-03	2.50E-04	9.08E-07	0.10	1.15E-02	1.06E-09	1.0E+06	1.1E-03
546	0.58738	3.78E-03	2.2E-03	2.50E-04	5.56E-07	0.10	1.15E-02	6.46E-10	1.0E+06	6.5E-04
560	0.69715	3.78E-03	2.6E-03	2.50E-04	6.60E-07	0.10	1.15E-02	7.67E-10	1.0E+06	7.7E-04
561	0.82393	3.78E-03	3.1E-03	2.50E-04	7.79E-07	0.10	1.15E-02	9.06E-10	1.0E+06	9.1E-04
562	0.91134	3.78E-03	3.4E-03	2.50E-04	8.62E-07	0.10	1.15E-02	1.00E-09	1.0E+06	1.0E-03
563	0.92714	3.78E-03	3.5E-03	2.50E-04	8.77E-07	0.10	1.15E-02	1.02E-09	1.0E+06	1.0E-03
564	0.88387	3.78E-03	3.3E-03	2.50E-04	8.36E-07	0.10	1.15E-02	9.72E-10	1.0E+06	9.7E-04

Via Oro
Site Prep

		Cancer Risk from Birth to 2 years (Res/School); >16 (Worker) - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.78437	3.78E-03	3.0E-03	2.50E-04	7.42E-07	0.10	1.15E-02	8.63E-10	1.0E+06	8.6E-04
566	0.52297	3.78E-03	2.0E-03	2.50E-04	4.95E-07	0.10	1.15E-02	5.75E-10	1.0E+06	5.8E-04
579	0.55925	3.78E-03	2.1E-03	2.50E-04	5.29E-07	0.10	1.15E-02	6.15E-10	1.0E+06	6.2E-04
580	0.64799	3.78E-03	2.4E-03	2.50E-04	6.13E-07	0.10	1.15E-02	7.13E-10	1.0E+06	7.1E-04
581	0.71413	3.78E-03	2.7E-03	2.50E-04	6.76E-07	0.10	1.15E-02	7.86E-10	1.0E+06	7.9E-04
582	0.73792	3.78E-03	2.8E-03	2.50E-04	6.98E-07	0.10	1.15E-02	8.12E-10	1.0E+06	8.1E-04
583	0.71335	3.78E-03	2.7E-03	2.50E-04	6.75E-07	0.10	1.15E-02	7.85E-10	1.0E+06	7.8E-04
584	0.64749	3.78E-03	2.4E-03	2.50E-04	6.13E-07	0.10	1.15E-02	7.12E-10	1.0E+06	7.1E-04
585	0.53044	3.78E-03	2.0E-03	2.50E-04	5.02E-07	0.10	1.15E-02	5.84E-10	1.0E+06	5.8E-04
598	0.46001	3.78E-03	1.7E-03	2.50E-04	4.35E-07	0.10	1.15E-02	5.06E-10	1.0E+06	5.1E-04
599	0.52412	3.78E-03	2.0E-03	2.50E-04	4.96E-07	0.10	1.15E-02	5.77E-10	1.0E+06	5.8E-04
600	0.57421	3.78E-03	2.2E-03	2.50E-04	5.43E-07	0.10	1.15E-02	6.32E-10	1.0E+06	6.3E-04
601	0.5971	3.78E-03	2.3E-03	2.50E-04	5.65E-07	0.10	1.15E-02	6.57E-10	1.0E+06	6.6E-04
602	0.58654	3.78E-03	2.2E-03	2.50E-04	5.55E-07	0.10	1.15E-02	6.45E-10	1.0E+06	6.5E-04
603	0.54583	3.78E-03	2.1E-03	2.50E-04	5.16E-07	0.10	1.15E-02	6.00E-10	1.0E+06	6.0E-04
604	0.48309	3.78E-03	1.8E-03	2.50E-04	4.57E-07	0.10	1.15E-02	5.31E-10	1.0E+06	5.3E-04
0	0	3.78E-03	0.0E+00	2.50E-04	0.00E+00	0.10	1.15E-02	0.00E+00	1.0E+06	0.0E+00

**Via Oro
Site Prep**

Max Cancer Risk Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million
1	1	1.9E-03
2	2	1.9E-03
3	3	2.0E-03
4	4	2.0E-03
5	5	2.1E-03
6	6	2.2E-03
7	7	2.2E-03
8	8	2.3E-03
9	9	2.4E-03
10	10	2.5E-03
11	11	2.6E-03
12	12	2.7E-03
13	13	2.8E-03
14	14	2.8E-03
15	15	2.9E-03
16	16	3.0E-03
17	17	3.1E-03
18	18	3.3E-03
19	19	3.4E-03
20	20	3.5E-03
21	21	3.6E-03
22	22	3.7E-03
23	23	3.8E-03
24	24	3.8E-03
25	25	3.9E-03
26	26	4.0E-03
27	27	4.0E-03
28	28	4.1E-03
29	29	4.1E-03
30	30	4.1E-03
31	31	4.2E-03

Max	Receptor #	
0.043	519	Res
0.061	420	School
0.007	466	Worker

Chronic Non Cancer Risk		
REL	HI Offroad	
5	2.24E-05	
5	2.31E-05	
5	2.38E-05	
5	2.45E-05	
5	2.53E-05	
5	2.62E-05	
5	2.70E-05	
5	2.79E-05	
5	2.89E-05	
5	2.99E-05	
5	3.09E-05	
5	3.19E-05	
5	3.30E-05	
5	3.42E-05	
5	3.54E-05	
5	3.66E-05	
5	3.78E-05	
5	3.91E-05	
5	4.03E-05	
5	4.16E-05	
5	4.28E-05	
5	4.40E-05	
5	4.51E-05	
5	4.62E-05	
5	4.71E-05	
5	4.79E-05	
5	4.86E-05	
5	4.92E-05	
5	4.96E-05	
5	4.98E-05	
5	4.99E-05	

Max	Receptor #	
5.197E-04	519	Res
7.270E-04	420	School
4.713E-03	466	Worker

Via Oro
Site Prep

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
32	32	4.2E-03	5	4.99E-05	
55	55	4.0E-03	5	4.77E-05	
56	56	4.1E-03	5	4.90E-05	
57	57	4.2E-03	5	5.03E-05	
58	58	4.3E-03	5	5.14E-05	
59	59	4.4E-03	5	5.24E-05	
60	60	4.4E-03	5	5.32E-05	
61	61	4.5E-03	5	5.38E-05	
62	62	4.5E-03	5	5.42E-05	
63	63	4.5E-03	5	5.45E-05	
64	64	4.5E-03	5	5.46E-05	
65	65	4.5E-03	5	5.45E-05	
66	66	4.5E-03	5	5.43E-05	
67	67	2.0E-03	5	2.42E-05	
68	68	2.1E-03	5	2.50E-05	
69	69	2.2E-03	5	2.59E-05	
70	70	2.2E-03	5	2.68E-05	
71	71	2.3E-03	5	2.78E-05	
72	72	2.4E-03	5	2.88E-05	
73	73	2.5E-03	5	2.98E-05	
74	74	2.6E-03	5	3.09E-05	
75	75	2.7E-03	5	3.21E-05	
76	76	2.8E-03	5	3.33E-05	
77	77	2.9E-03	5	3.46E-05	
78	78	3.0E-03	5	3.60E-05	
79	79	3.6E-03	5	4.36E-05	
80	80	3.8E-03	5	4.53E-05	
81	81	3.9E-03	5	4.70E-05	
82	82	4.1E-03	5	4.87E-05	
83	83	4.2E-03	5	5.04E-05	
84	84	4.3E-03	5	5.20E-05	

Via Oro
Site Prep

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
85	85	4.5E-03	
86	86	4.6E-03	
87	87	4.7E-03	
88	88	4.8E-03	
89	89	4.9E-03	
90	90	4.9E-03	
91	91	5.0E-03	
92	92	5.0E-03	
93	93	5.0E-03	
96	96	5.0E-03	
97	97	5.0E-03	
98	98	5.3E-03	
99	99	5.4E-03	
100	100	5.5E-03	
101	101	5.5E-03	
102	102	5.5E-03	
106	106	2.1E-03	
107	107	2.2E-03	
108	108	2.3E-03	
109	109	2.3E-03	
110	110	2.4E-03	
111	111	2.5E-03	
112	112	2.6E-03	
113	113	2.8E-03	
114	114	2.9E-03	
115	115	3.0E-03	
116	116	3.1E-03	
117	117	3.3E-03	
118	118	3.4E-03	
124	124	2.2E-03	
125	125	2.3E-03	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	5.36E-05		
5	5.51E-05		
5	5.64E-05		
5	5.75E-05		
5	5.85E-05		
5	5.92E-05		
5	5.97E-05		
5	5.99E-05		
5	6.00E-05		
5	5.95E-05		
5	6.05E-05		
5	6.36E-05		
5	6.47E-05		
5	6.55E-05		
5	6.61E-05		
5	6.63E-05		
5	2.51E-05		
5	2.61E-05		
5	2.71E-05		
5	2.82E-05		
5	2.93E-05		
5	3.05E-05		
5	3.17E-05		
5	3.30E-05		
5	3.44E-05		
5	3.59E-05		
5	3.75E-05		
5	3.91E-05		
5	4.08E-05		
5	2.60E-05		
5	2.71E-05		

**Via Oro
Site Prep**

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
126	126	2.3E-03	
127	127	2.4E-03	
128	128	2.5E-03	
129	129	2.7E-03	
130	130	2.8E-03	
131	131	2.9E-03	
132	132	3.0E-03	
133	133	3.2E-03	
134	134	3.3E-03	
135	135	3.5E-03	
136	136	3.6E-03	
137	137	3.8E-03	
138	138	4.0E-03	
141	141	2.2E-03	
142	142	2.3E-03	
143	143	2.4E-03	
144	144	2.5E-03	
145	145	2.7E-03	
146	146	2.8E-03	
147	147	2.9E-03	
148	148	3.1E-03	
149	149	3.2E-03	
150	150	3.4E-03	
151	151	3.5E-03	
152	152	3.7E-03	
153	153	3.9E-03	
154	154	4.1E-03	
155	155	4.3E-03	
164	164	4.4E-03	
165	165	4.7E-03	
166	166	4.9E-03	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	2.82E-05		
5	2.94E-05		
5	3.06E-05		
5	3.19E-05		
5	3.33E-05		
5	3.48E-05		
5	3.64E-05		
5	3.80E-05		
5	3.98E-05		
5	4.17E-05		
5	4.37E-05		
5	4.58E-05		
5	4.80E-05		
5	2.69E-05		
5	2.81E-05		
5	2.93E-05		
5	3.06E-05		
5	3.19E-05		
5	3.34E-05		
5	3.50E-05		
5	3.66E-05		
5	3.84E-05		
5	4.03E-05		
5	4.23E-05		
5	4.45E-05		
5	4.68E-05		
5	4.92E-05		
5	5.18E-05		
5	5.30E-05		
5	5.61E-05		
5	5.94E-05		

Via Oro
Site Prep

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
178	178	4.8E-03	
179	179	5.1E-03	
180	180	5.4E-03	
192	192	5.1E-03	
193	193	5.5E-03	
194	194	5.9E-03	
207	207	5.6E-03	
208	208	6.0E-03	
209	209	6.5E-03	
223	223	6.0E-03	
224	224	6.5E-03	
225	225	7.1E-03	
239	239	6.5E-03	
240	240	7.1E-03	
241	241	7.8E-03	
255	255	7.0E-03	
256	256	7.7E-03	
272	272	7.4E-03	
273	273	8.3E-03	
289	289	7.9E-03	
290	290	8.9E-03	
306	306	8.3E-03	
307	307	9.4E-03	
323	323	8.7E-03	
324	324	9.9E-03	
342	342	8.9E-03	
343	343	1.0E-02	
344	344	1.2E-02	
356	356	9.1E-03	
357	357	1.0E-02	
358	358	1.2E-02	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	5.73E-05		
5	6.09E-05		
5	6.48E-05		
5	6.19E-05		
5	6.62E-05		
5	7.09E-05		
5	6.68E-05		
5	7.20E-05		
5	7.77E-05		
5	7.22E-05		
5	7.83E-05		
5	8.52E-05		
5	7.78E-05		
5	8.51E-05		
5	9.35E-05		
5	8.36E-05		
5	9.22E-05		
5	8.93E-05		
5	9.95E-05		
5	9.48E-05		
5	1.06E-04		
5	9.99E-05		
5	1.13E-04		
5	1.04E-04		
5	1.19E-04		
5	1.07E-04		
5	1.23E-04		
5	1.42E-04		
5	1.09E-04		
5	1.26E-04		
5	1.46E-04		

**Via Oro
Site Prep**

		<i>Max Cancer Risk</i>	<i>Cancer Risk</i>
Receptor #	Receptor #	Total Risk/ Million	
370	370	9.2E-03	
371	371	1.1E-02	
372	372	1.2E-02	
383	383	9.2E-03	
384	384	1.1E-02	
385	385	1.2E-02	
396	396	9.1E-03	
397	397	1.0E-02	
398	398	1.2E-02	
399	399	1.4E-02	
411	411	8.9E-03	
412	412	1.0E-02	
413	413	1.2E-02	
414	414	1.4E-02	
426	426	8.7E-03	
427	427	9.9E-03	
428	428	1.1E-02	
429	429	1.3E-02	
439	439	8.4E-03	
440	440	9.5E-03	
441	441	1.1E-02	
442	442	1.3E-02	
443	443	1.5E-02	
454	454	8.0E-03	
455	455	9.1E-03	
456	456	1.0E-02	
457	457	1.2E-02	
458	458	1.4E-02	
469	469	7.7E-03	
470	470	8.6E-03	
471	471	9.8E-03	

		<i>Chronic Non Cancer Risk</i>
REL	HI Offroad	
5	1.10E-04	
5	1.27E-04	
5	1.47E-04	
5	1.10E-04	
5	1.27E-04	
5	1.47E-04	
5	1.09E-04	
5	1.25E-04	
5	1.45E-04	
5	1.71E-04	
5	1.07E-04	
5	1.22E-04	
5	1.42E-04	
5	1.66E-04	
5	1.04E-04	
5	1.19E-04	
5	1.37E-04	
5	1.60E-04	
5	1.00E-04	
5	1.14E-04	
5	1.31E-04	
5	1.52E-04	
5	1.79E-04	
5	9.64E-05	
5	1.09E-04	
5	1.25E-04	
5	1.44E-04	
5	1.68E-04	
5	9.21E-05	
5	1.04E-04	
5	1.18E-04	

**Via Oro
Site Prep**

		<i>Max Cancer Risk</i>	<i>Cancer Risk</i>
Receptor #	Receptor #	Total Risk/ Million	
472	472	1.1E-02	
473	473	1.3E-02	
489	489	7.3E-03	
490	490	8.2E-03	
491	491	9.2E-03	
492	492	1.0E-02	
493	493	1.2E-02	
494	494	1.4E-02	
509	509	6.9E-03	
510	510	7.7E-03	
511	511	8.6E-03	
512	512	9.8E-03	
513	513	1.1E-02	
514	514	1.3E-02	
515	515	1.8E-02	
516	516	2.1E-02	
517	517	2.6E-02	
518	518	3.3E-02	
519	519	4.3E-02	
528	528	6.6E-03	
529	529	7.3E-03	
530	530	8.1E-03	
531	531	9.1E-03	
532	532	1.0E-02	
533	533	1.2E-02	
534	534	1.6E-02	
535	535	1.9E-02	
536	536	2.3E-02	
537	537	2.8E-02	
538	538	3.5E-02	
547	547	6.2E-03	

		<i>Chronic Non Cancer Risk</i>
REL	HI Offroad	
5	1.35E-04	
5	1.57E-04	
5	8.76E-05	
5	9.81E-05	
5	1.11E-04	
5	1.26E-04	
5	1.45E-04	
5	1.69E-04	
5	8.32E-05	
5	9.26E-05	
5	1.04E-04	
5	1.17E-04	
5	1.34E-04	
5	1.54E-04	
5	2.14E-04	
5	2.58E-04	
5	3.18E-04	
5	4.01E-04	
5	5.20E-04	
5	7.87E-05	
5	8.72E-05	
5	9.72E-05	
5	1.09E-04	
5	1.24E-04	
5	1.41E-04	
5	1.91E-04	
5	2.26E-04	
5	2.74E-04	
5	3.36E-04	
5	4.21E-04	
5	7.45E-05	

**Via Oro
Site Prep**

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
548	548	6.8E-03	
549	549	7.6E-03	
550	550	8.4E-03	
551	551	9.5E-03	
552	552	1.1E-02	
553	553	1.2E-02	
554	554	1.4E-02	
555	555	1.7E-02	
556	556	2.0E-02	
557	557	2.4E-02	
558	558	2.9E-02	
559	559	3.6E-02	
567	567	5.9E-03	
568	568	6.4E-03	
569	569	7.1E-03	
570	570	7.8E-03	
571	571	8.8E-03	
572	572	9.8E-03	
573	573	1.1E-02	
574	574	1.5E-02	
575	575	1.7E-02	
576	576	2.0E-02	
577	577	2.5E-02	
578	578	3.0E-02	
586	586	5.5E-03	
587	587	6.0E-03	
588	588	6.6E-03	
589	589	7.3E-03	
590	590	8.1E-03	
591	591	9.0E-03	
592	592	1.0E-02	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	8.21E-05		
5	9.10E-05		
5	1.01E-04		
5	1.14E-04		
5	1.29E-04		
5	1.48E-04		
5	1.71E-04		
5	2.00E-04		
5	2.37E-04		
5	2.86E-04		
5	3.50E-04		
5	4.31E-04		
5	7.04E-05		
5	7.72E-05		
5	8.50E-05		
5	9.42E-05		
5	1.05E-04		
5	1.18E-04		
5	1.34E-04		
5	1.77E-04		
5	2.07E-04		
5	2.46E-04		
5	2.95E-04		
5	3.55E-04		
5	6.65E-05		
5	7.26E-05		
5	7.95E-05		
5	8.76E-05		
5	9.70E-05		
5	1.08E-04		
5	1.22E-04		

**Via Oro
Site Prep**

		<i>Max Cancer Risk</i>	<i>Cancer Risk</i>
Receptor #	Receptor #	Total Risk/ Million	
593	593	1.3E-02	
594	594	1.5E-02	
595	595	1.8E-02	
596	596	2.1E-02	
597	597	2.5E-02	
345	345	1.4E-02	
346	346	1.7E-02	
347	347	2.0E-02	
348	348	2.6E-02	
359	359	1.4E-02	
360	360	1.7E-02	
361	361	2.1E-02	
362	362	2.7E-02	
363	363	3.6E-02	
373	373	1.7E-02	
374	374	2.1E-02	
375	375	2.7E-02	
376	376	3.6E-02	
386	386	1.7E-02	
387	387	2.1E-02	
388	388	2.7E-02	
389	389	3.5E-02	
390	390	4.9E-02	
400	400	1.7E-02	
401	401	2.1E-02	
402	402	2.6E-02	
403	403	3.4E-02	
404	404	4.6E-02	
415	415	1.7E-02	
416	416	2.0E-02	
417	417	2.5E-02	

		<i>Chronic Non Cancer Risk</i>
REL	HI Offroad	
5	1.58E-04	
5	1.83E-04	
5	2.13E-04	
5	2.51E-04	
5	2.97E-04	
5	1.67E-04	
5	2.00E-04	
5	2.45E-04	
5	3.11E-04	
5	1.72E-04	
5	2.07E-04	
5	2.55E-04	
5	3.24E-04	
5	4.33E-04	
5	2.10E-04	
5	2.58E-04	
5	3.27E-04	
5	4.33E-04	
5	2.09E-04	
5	2.56E-04	
5	3.23E-04	
5	4.23E-04	
5	5.87E-04	
5	2.05E-04	
5	2.50E-04	
5	3.13E-04	
5	4.05E-04	
5	5.51E-04	
5	1.98E-04	
5	2.41E-04	
5	2.99E-04	

Via Oro
Site Prep

Max Cancer Risk Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million
418	418	3.2E-02
419	419	4.3E-02
420	420	6.1E-02
430	430	1.9E-02
431	431	2.4E-02
432	432	3.0E-02
433	433	3.9E-02
434	434	5.5E-02
444	444	1.8E-02
445	445	2.2E-02
446	446	2.7E-02
447	447	3.6E-02
448	448	4.9E-02
459	459	2.0E-02
460	460	2.5E-02
461	461	3.2E-02
462	462	4.2E-02
463	463	5.9E-02
474	474	1.8E-02
475	475	2.2E-02
476	476	2.8E-02
477	477	3.6E-02
478	478	4.9E-02
495	495	1.7E-02
496	496	2.0E-02
497	497	2.5E-02
498	498	3.1E-02
499	499	4.0E-02
500	500	5.4E-02

Chronic Non Cancer Risk	
REL	HI Offroad
5	3.85E-04
5	5.15E-04
5	7.27E-04
5	2.29E-04
5	2.82E-04
5	3.59E-04
5	4.74E-04
5	6.60E-04
5	2.15E-04
5	2.63E-04
5	3.30E-04
5	4.29E-04
5	5.84E-04
5	2.41E-04
5	2.99E-04
5	3.82E-04
5	5.08E-04
5	7.11E-04
5	2.20E-04
5	2.68E-04
5	3.37E-04
5	4.35E-04
5	5.86E-04
5	1.99E-04
5	2.40E-04
5	2.95E-04
5	3.72E-04
5	4.83E-04
5	6.50E-04

Via Oro
Site Prep

Max Cancer Risk			Chronic Non Cancer Risk	
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad
139	139	7.3E-05	5	5.04E-05
140	140	7.7E-05	5	5.29E-05
156	156	7.9E-05	5	5.46E-05
157	157	8.4E-05	5	5.76E-05
158	158	8.8E-05	5	6.07E-05
159	159	9.3E-05	5	6.40E-05
160	160	9.8E-05	5	6.74E-05
161	161	1.1E-04	5	7.45E-05
162	162	1.1E-04	5	7.81E-05
163	163	1.2E-04	5	8.16E-05
167	167	9.2E-05	5	6.29E-05
168	168	9.7E-05	5	6.67E-05
169	169	1.0E-04	5	7.06E-05
170	170	1.1E-04	5	7.48E-05
171	171	1.2E-04	5	7.92E-05
172	172	1.2E-04	5	8.36E-05
173	173	1.3E-04	5	8.81E-05
174	174	1.3E-04	5	9.25E-05
175	175	1.4E-04	5	9.66E-05
176	176	1.5E-04	5	1.00E-04
177	177	1.5E-04	5	1.04E-04
181	181	1.1E-04	5	7.36E-05
182	182	1.1E-04	5	7.84E-05
183	183	1.2E-04	5	8.36E-05
184	184	1.3E-04	5	8.91E-05
185	185	1.4E-04	5	9.47E-05
186	186	1.5E-04	5	1.00E-04
187	187	1.5E-04	5	1.06E-04
188	188	1.6E-04	5	1.11E-04
189	189	1.7E-04	5	1.16E-04
190	190	1.8E-04	5	1.20E-04

**Via Oro
Site Prep**

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
191	191	1.8E-04	
195	195	1.2E-04	
196	196	1.3E-04	
197	197	1.4E-04	
198	198	1.5E-04	
199	199	1.6E-04	
200	200	1.7E-04	
201	201	1.8E-04	
202	202	1.9E-04	
203	203	2.0E-04	
204	204	2.1E-04	
205	205	2.1E-04	
206	206	2.2E-04	
210	210	1.2E-04	
211	211	1.3E-04	
212	212	1.4E-04	
213	213	1.6E-04	
214	214	1.8E-04	
215	215	2.0E-04	
216	216	2.1E-04	
217	217	2.3E-04	
218	218	2.4E-04	
219	219	2.5E-04	
220	220	2.6E-04	
221	221	2.6E-04	
222	222	2.6E-04	
226	226	1.4E-04	
227	227	1.5E-04	
228	228	1.6E-04	
229	229	1.8E-04	
230	230	2.0E-04	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	1.24E-04		
5	8.16E-05		
5	8.77E-05		
5	9.41E-05		
5	1.01E-04		
5	1.08E-04		
5	1.16E-04		
5	1.23E-04		
5	1.31E-04		
5	1.37E-04		
5	1.42E-04		
5	1.46E-04		
5	1.49E-04		
5	8.39E-05		
5	9.09E-05		
5	9.85E-05		
5	1.07E-04		
5	1.26E-04		
5	1.36E-04		
5	1.46E-04		
5	1.56E-04		
5	1.64E-04		
5	1.72E-04		
5	1.77E-04		
5	1.80E-04		
5	1.81E-04		
5	9.30E-05		
5	1.02E-04		
5	1.11E-04		
5	1.22E-04		
5	1.34E-04		

**Via Oro
Site Prep**

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
231	231	2.1E-04	
232	232	2.3E-04	
233	233	2.8E-04	
234	234	2.9E-04	
235	235	3.1E-04	
236	236	3.2E-04	
237	237	3.2E-04	
238	238	3.3E-04	
242	242	1.5E-04	
243	243	1.7E-04	
244	244	1.8E-04	
245	245	2.0E-04	
246	246	2.3E-04	
247	247	2.6E-04	
248	248	2.9E-04	
249	249	3.5E-04	
250	250	3.7E-04	
251	251	3.9E-04	
252	252	4.1E-04	
253	253	4.2E-04	
254	254	4.1E-04	
257	257	1.7E-04	
258	258	1.9E-04	
259	259	2.1E-04	
260	260	2.4E-04	
261	261	2.7E-04	
262	262	3.1E-04	
263	263	3.5E-04	
264	264	4.5E-04	
265	265	4.9E-04	
266	266	5.3E-04	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	1.47E-04		
5	1.61E-04		
5	1.90E-04		
5	2.02E-04		
5	2.12E-04		
5	2.20E-04		
5	2.23E-04		
5	2.24E-04		
5	1.03E-04		
5	1.14E-04		
5	1.26E-04		
5	1.41E-04		
5	1.57E-04		
5	1.76E-04		
5	1.96E-04		
5	2.38E-04		
5	2.56E-04		
5	2.71E-04		
5	2.82E-04		
5	2.86E-04		
5	2.85E-04		
5	1.14E-04		
5	1.28E-04		
5	1.44E-04		
5	1.63E-04		
5	1.87E-04		
5	2.13E-04		
5	2.44E-04		
5	3.10E-04		
5	3.40E-04		
5	3.63E-04		

**Via Oro
Site Prep**

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
267	267	5.5E-04	
268	268	5.6E-04	
269	269	5.5E-04	
270	270	4.6E-04	
271	271	4.3E-04	
274	274	1.8E-04	
275	275	2.1E-04	
276	276	2.4E-04	
277	277	2.8E-04	
278	278	3.2E-04	
279	279	3.8E-04	
280	280	4.5E-04	
281	281	6.2E-04	
282	282	6.9E-04	
283	283	7.5E-04	
284	284	7.9E-04	
285	285	7.9E-04	
286	286	7.6E-04	
287	287	5.8E-04	
288	288	5.2E-04	
291	291	2.0E-04	
292	292	2.3E-04	
293	293	2.7E-04	
294	294	3.2E-04	
295	295	3.9E-04	
296	296	4.8E-04	
297	297	6.0E-04	
298	298	9.3E-04	
299	299	1.1E-03	
300	300	1.2E-03	
301	301	1.2E-03	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	3.78E-04		
5	3.83E-04		
5	3.77E-04		
5	3.18E-04		
5	2.93E-04		
5	1.26E-04		
5	1.43E-04		
5	1.65E-04		
5	1.90E-04		
5	2.23E-04		
5	2.63E-04		
5	3.09E-04		
5	4.25E-04		
5	4.77E-04		
5	5.16E-04		
5	5.40E-04		
5	5.44E-04		
5	5.25E-04		
5	4.02E-04		
5	3.59E-04		
5	1.38E-04		
5	1.59E-04		
5	1.87E-04		
5	2.21E-04		
5	2.67E-04		
5	3.29E-04		
5	4.13E-04		
5	6.37E-04		
5	7.45E-04		
5	8.17E-04		
5	8.56E-04		

**Via Oro
Site Prep**

		<i>Max Cancer Risk</i>	<i>Cancer Risk</i>
Receptor #	Receptor #	Total Risk/ Million	
302	302	1.2E-03	
303	303	1.1E-03	
304	304	7.4E-04	
305	305	6.4E-04	
308	308	2.2E-04	
309	309	2.5E-04	
310	310	3.0E-04	
311	311	3.7E-04	
312	312	4.7E-04	
313	313	6.1E-04	
314	314	8.3E-04	
315	315	1.7E-03	
316	316	2.1E-03	
317	317	2.3E-03	
318	318	2.4E-03	
319	319	2.2E-03	
320	320	1.9E-03	
321	321	9.4E-04	
322	322	7.6E-04	
325	325	2.3E-04	
326	326	2.8E-04	
327	327	3.3E-04	
328	328	4.2E-04	
329	329	5.4E-04	
330	330	7.5E-04	
331	331	1.2E-03	
332	332	2.3E-03	
333	333	4.3E-03	
334	334	5.5E-03	
335	335	5.6E-03	
336	336	5.9E-03	

		<i>Chronic Non Cancer Risk</i>
REL	HI Offroad	
5	8.43E-04	
5	7.80E-04	
5	5.11E-04	
5	4.38E-04	
5	1.49E-04	
5	1.75E-04	
5	2.09E-04	
5	2.55E-04	
5	3.20E-04	
5	4.17E-04	
5	5.73E-04	
5	1.15E-03	
5	1.44E-03	
5	1.56E-03	
5	1.62E-03	
5	1.52E-03	
5	1.28E-03	
5	6.43E-04	
5	5.24E-04	
5	1.59E-04	
5	1.89E-04	
5	2.29E-04	
5	2.87E-04	
5	3.72E-04	
5	5.18E-04	
5	8.07E-04	
5	1.61E-03	
5	2.98E-03	
5	3.75E-03	
5	3.85E-03	
5	4.02E-03	

**Via Oro
Site Prep**

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
337	337	6.0E-03	
338	338	3.6E-03	
339	339	1.5E-03	
340	340	1.1E-03	
341	341	8.9E-04	
349	349	6.0E-04	
350	350	8.7E-04	
351	351	1.5E-03	
352	352	3.8E-03	
353	353	1.9E-03	
354	354	1.3E-03	
355	355	1.0E-03	
364	364	9.1E-04	
365	365	1.5E-03	
366	366	3.6E-03	
367	367	2.3E-03	
368	368	1.5E-03	
369	369	1.1E-03	
377	377	8.9E-04	
378	378	1.4E-03	
379	379	2.8E-03	
380	380	2.6E-03	
381	381	1.7E-03	
382	382	1.2E-03	
391	391	1.3E-03	
392	392	2.3E-03	
393	393	2.9E-03	
394	394	1.8E-03	
395	395	1.3E-03	
405	405	1.2E-03	
406	406	1.9E-03	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	4.09E-03		
5	2.44E-03		
5	1.05E-03		
5	7.84E-04		
5	6.10E-04		
5	4.13E-04		
5	5.95E-04		
5	1.00E-03		
5	2.64E-03		
5	1.31E-03		
5	9.18E-04		
5	6.89E-04		
5	6.24E-04		
5	1.04E-03		
5	2.48E-03		
5	1.55E-03		
5	1.03E-03		
5	7.57E-04		
5	6.14E-04		
5	9.73E-04		
5	1.95E-03		
5	1.77E-03		
5	1.14E-03		
5	8.15E-04		
5	8.89E-04		
5	1.57E-03		
5	2.02E-03		
5	1.25E-03		
5	8.72E-04		
5	8.09E-04		
5	1.33E-03		

Via Oro
Site Prep

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
407	407	4.0E-03	
408	408	3.4E-03	
409	409	2.0E-03	
410	410	1.3E-03	
421	421	1.7E-03	
422	422	3.1E-03	
423	423	3.9E-03	
424	424	2.2E-03	
425	425	1.4E-03	
435	435	1.4E-03	
436	436	2.5E-03	
437	437	2.3E-03	
438	438	1.4E-03	
449	449	1.2E-03	
450	450	2.0E-03	
451	451	4.0E-03	
452	452	2.1E-03	
453	453	1.2E-03	
464	464	1.6E-03	
465	465	2.8E-03	
466	466	6.9E-03	
467	467	1.7E-03	
468	468	1.0E-03	
479	479	1.2E-03	
480	480	1.9E-03	
481	481	3.2E-03	
482	482	5.0E-03	
483	483	5.1E-03	
484	484	4.5E-03	
485	485	3.5E-03	
486	486	2.4E-03	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	2.77E-03		
5	2.32E-03		
5	1.37E-03		
5	9.25E-04		
5	1.15E-03		
5	2.11E-03		
5	2.71E-03		
5	1.49E-03		
5	9.58E-04		
5	9.86E-04		
5	1.69E-03		
5	1.58E-03		
5	9.36E-04		
5	8.43E-04		
5	1.37E-03		
5	2.76E-03		
5	1.46E-03		
5	8.38E-04		
5	1.08E-03		
5	1.90E-03		
5	4.71E-03		
5	1.19E-03		
5	7.20E-04		
5	8.22E-04		
5	1.28E-03		
5	2.20E-03		
5	3.42E-03		
5	3.49E-03		
5	3.09E-03		
5	2.44E-03		
5	1.64E-03		

**Via Oro
Site Prep**

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
487	487	1.4E-03	
488	488	9.2E-04	
501	501	1.3E-03	
502	502	1.9E-03	
503	503	2.6E-03	
504	504	2.9E-03	
505	505	2.7E-03	
506	506	2.3E-03	
507	507	1.7E-03	
508	508	8.2E-04	
520	520	9.9E-04	
521	521	1.3E-03	
522	522	1.7E-03	
523	523	1.9E-03	
524	524	1.9E-03	
525	525	1.6E-03	
526	526	1.3E-03	
527	527	7.3E-04	
539	539	7.8E-04	
540	540	9.9E-04	
541	541	1.2E-03	
542	542	1.3E-03	
543	543	1.3E-03	
544	544	1.2E-03	
545	545	1.1E-03	
546	546	6.5E-04	
560	560	7.7E-04	
561	561	9.1E-04	
562	562	1.0E-03	
563	563	1.0E-03	
564	564	9.7E-04	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	9.89E-04		
5	6.31E-04		
5	9.02E-04		
5	1.33E-03		
5	1.80E-03		
5	1.97E-03		
5	1.87E-03		
5	1.58E-03		
5	1.19E-03		
5	5.62E-04		
5	6.82E-04		
5	9.05E-04		
5	1.16E-03		
5	1.29E-03		
5	1.27E-03		
5	1.13E-03		
5	9.17E-04		
5	5.00E-04		
5	5.35E-04		
5	6.78E-04		
5	8.19E-04		
5	9.14E-04		
5	9.27E-04		
5	8.56E-04		
5	7.25E-04		
5	4.44E-04		
5	5.27E-04		
5	6.23E-04		
5	6.89E-04		
5	7.01E-04		
5	6.68E-04		

Via Oro
Site Prep

		<i>Max Cancer Risk Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	
565	565	8.6E-04	
566	566	5.8E-04	
579	579	6.2E-04	
580	580	7.1E-04	
581	581	7.9E-04	
582	582	8.1E-04	
583	583	7.8E-04	
584	584	7.1E-04	
585	585	5.8E-04	
598	598	5.1E-04	
599	599	5.8E-04	
600	600	6.3E-04	
601	601	6.6E-04	
602	602	6.5E-04	
603	603	6.0E-04	
604	604	5.3E-04	
0	0	0.0E+00	

		<i>Chronic Non Cancer Risk</i>	
REL	HI Offroad		
5	5.93E-04		
5	3.95E-04		
5	4.23E-04		
5	4.90E-04		
5	5.40E-04		
5	5.58E-04		
5	5.39E-04		
5	4.89E-04		
5	4.01E-04		
5	3.48E-04		
5	3.96E-04		
5	4.34E-04		
5	4.51E-04		
5	4.43E-04		
5	4.13E-04		
5	3.65E-04		
5	0.00E+00		

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	Cancer Risk from 3rd Trimester - Construction								
		g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.15726	3.23E-06	5.1E-07	3.46E-04	1.76E-10	0.25	1.57E-01	6.90E-12	1.0E+06	6.9E-06
2	0.16411	3.23E-06	5.3E-07	3.46E-04	1.83E-10	0.25	1.57E-01	7.20E-12	1.0E+06	7.2E-06
3	0.1713	3.23E-06	5.5E-07	3.46E-04	1.91E-10	0.25	1.57E-01	7.52E-12	1.0E+06	7.5E-06
4	0.1789	3.23E-06	5.8E-07	3.46E-04	2.00E-10	0.25	1.57E-01	7.85E-12	1.0E+06	7.9E-06
5	0.18692	3.23E-06	6.0E-07	3.46E-04	2.09E-10	0.25	1.57E-01	8.20E-12	1.0E+06	8.2E-06
6	0.1955	3.23E-06	6.3E-07	3.46E-04	2.18E-10	0.25	1.57E-01	8.58E-12	1.0E+06	8.6E-06
7	0.20451	3.23E-06	6.6E-07	3.46E-04	2.28E-10	0.25	1.57E-01	8.98E-12	1.0E+06	9.0E-06
8	0.21395	3.23E-06	6.9E-07	3.46E-04	2.39E-10	0.25	1.57E-01	9.39E-12	1.0E+06	9.4E-06
9	0.22386	3.23E-06	7.2E-07	3.46E-04	2.50E-10	0.25	1.57E-01	9.83E-12	1.0E+06	9.8E-06
10	0.23423	3.23E-06	7.6E-07	3.46E-04	2.62E-10	0.25	1.57E-01	1.03E-11	1.0E+06	1.0E-05
11	0.24504	3.23E-06	7.9E-07	3.46E-04	2.74E-10	0.25	1.57E-01	1.08E-11	1.0E+06	1.1E-05
12	0.25626	3.23E-06	8.3E-07	3.46E-04	2.86E-10	0.25	1.57E-01	1.12E-11	1.0E+06	1.1E-05
13	0.26796	3.23E-06	8.6E-07	3.46E-04	2.99E-10	0.25	1.57E-01	1.18E-11	1.0E+06	1.2E-05
14	0.27998	3.23E-06	9.0E-07	3.46E-04	3.13E-10	0.25	1.57E-01	1.23E-11	1.0E+06	1.2E-05
15	0.29234	3.23E-06	9.4E-07	3.46E-04	3.27E-10	0.25	1.57E-01	1.28E-11	1.0E+06	1.3E-05
16	0.30484	3.23E-06	9.8E-07	3.46E-04	3.41E-10	0.25	1.57E-01	1.34E-11	1.0E+06	1.3E-05
17	0.31753	3.23E-06	1.0E-06	3.46E-04	3.55E-10	0.25	1.57E-01	1.39E-11	1.0E+06	1.4E-05
18	0.33006	3.23E-06	1.1E-06	3.46E-04	3.69E-10	0.25	1.57E-01	1.45E-11	1.0E+06	1.4E-05
19	0.34236	3.23E-06	1.1E-06	3.46E-04	3.83E-10	0.25	1.57E-01	1.50E-11	1.0E+06	1.5E-05
20	0.35423	3.23E-06	1.1E-06	3.46E-04	3.96E-10	0.25	1.57E-01	1.55E-11	1.0E+06	1.6E-05
21	0.36541	3.23E-06	1.2E-06	3.46E-04	4.08E-10	0.25	1.57E-01	1.60E-11	1.0E+06	1.6E-05
22	0.37573	3.23E-06	1.2E-06	3.46E-04	4.20E-10	0.25	1.57E-01	1.65E-11	1.0E+06	1.6E-05
23	0.38492	3.23E-06	1.2E-06	3.46E-04	4.30E-10	0.25	1.57E-01	1.69E-11	1.0E+06	1.7E-05
24	0.39282	3.23E-06	1.3E-06	3.46E-04	4.39E-10	0.25	1.57E-01	1.72E-11	1.0E+06	1.7E-05
25	0.39934	3.23E-06	1.3E-06	3.46E-04	4.46E-10	0.25	1.57E-01	1.75E-11	1.0E+06	1.8E-05
26	0.40438	3.23E-06	1.3E-06	3.46E-04	4.52E-10	0.25	1.57E-01	1.77E-11	1.0E+06	1.8E-05
27	0.40796	3.23E-06	1.3E-06	3.46E-04	4.56E-10	0.25	1.57E-01	1.79E-11	1.0E+06	1.8E-05
28	0.41014	3.23E-06	1.3E-06	3.46E-04	4.58E-10	0.25	1.57E-01	1.80E-11	1.0E+06	1.8E-05
29	0.41125	3.23E-06	1.3E-06	3.46E-04	4.59E-10	0.25	1.57E-01	1.81E-11	1.0E+06	1.8E-05
30	0.41163	3.23E-06	1.3E-06	3.46E-04	4.60E-10	0.25	1.57E-01	1.81E-11	1.0E+06	1.8E-05
31	0.41171	3.23E-06	1.3E-06	3.46E-04	4.60E-10	0.25	1.57E-01	1.81E-11	1.0E+06	1.8E-05

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.41201	3.23E-06	1.3E-06	3.46E-04	4.60E-10	0.25	1.57E-01	1.81E-11	1.0E+06	1.8E-05
55	0.41362	3.23E-06	1.3E-06	3.46E-04	4.62E-10	0.25	1.57E-01	1.82E-11	1.0E+06	1.8E-05
56	0.42474	3.23E-06	1.4E-06	3.46E-04	4.75E-10	0.25	1.57E-01	1.86E-11	1.0E+06	1.9E-05
57	0.43445	3.23E-06	1.4E-06	3.46E-04	4.85E-10	0.25	1.57E-01	1.91E-11	1.0E+06	1.9E-05
58	0.44237	3.23E-06	1.4E-06	3.46E-04	4.94E-10	0.25	1.57E-01	1.94E-11	1.0E+06	1.9E-05
59	0.44837	3.23E-06	1.4E-06	3.46E-04	5.01E-10	0.25	1.57E-01	1.97E-11	1.0E+06	2.0E-05
60	0.45252	3.23E-06	1.5E-06	3.46E-04	5.06E-10	0.25	1.57E-01	1.99E-11	1.0E+06	2.0E-05
61	0.45516	3.23E-06	1.5E-06	3.46E-04	5.09E-10	0.25	1.57E-01	2.00E-11	1.0E+06	2.0E-05
62	0.45646	3.23E-06	1.5E-06	3.46E-04	5.10E-10	0.25	1.57E-01	2.00E-11	1.0E+06	2.0E-05
63	0.45705	3.23E-06	1.5E-06	3.46E-04	5.11E-10	0.25	1.57E-01	2.01E-11	1.0E+06	2.0E-05
64	0.45748	3.23E-06	1.5E-06	3.46E-04	5.11E-10	0.25	1.57E-01	2.01E-11	1.0E+06	2.0E-05
65	0.45842	3.23E-06	1.5E-06	3.46E-04	5.12E-10	0.25	1.57E-01	2.01E-11	1.0E+06	2.0E-05
66	0.46069	3.23E-06	1.5E-06	3.46E-04	5.15E-10	0.25	1.57E-01	2.02E-11	1.0E+06	2.0E-05
67	0.16849	3.23E-06	5.4E-07	3.46E-04	1.88E-10	0.25	1.57E-01	7.40E-12	1.0E+06	7.4E-06
68	0.17653	3.23E-06	5.7E-07	3.46E-04	1.97E-10	0.25	1.57E-01	7.75E-12	1.0E+06	7.7E-06
69	0.18507	3.23E-06	6.0E-07	3.46E-04	2.07E-10	0.25	1.57E-01	8.12E-12	1.0E+06	8.1E-06
70	0.19417	3.23E-06	6.3E-07	3.46E-04	2.17E-10	0.25	1.57E-01	8.52E-12	1.0E+06	8.5E-06
71	0.20379	3.23E-06	6.6E-07	3.46E-04	2.28E-10	0.25	1.57E-01	8.95E-12	1.0E+06	8.9E-06
72	0.21419	3.23E-06	6.9E-07	3.46E-04	2.39E-10	0.25	1.57E-01	9.40E-12	1.0E+06	9.4E-06
73	0.22521	3.23E-06	7.3E-07	3.46E-04	2.52E-10	0.25	1.57E-01	9.89E-12	1.0E+06	9.9E-06
74	0.2369	3.23E-06	7.6E-07	3.46E-04	2.65E-10	0.25	1.57E-01	1.04E-11	1.0E+06	1.0E-05
75	0.24928	3.23E-06	8.0E-07	3.46E-04	2.79E-10	0.25	1.57E-01	1.09E-11	1.0E+06	1.1E-05
76	0.26242	3.23E-06	8.5E-07	3.46E-04	2.93E-10	0.25	1.57E-01	1.15E-11	1.0E+06	1.2E-05
77	0.27634	3.23E-06	8.9E-07	3.46E-04	3.09E-10	0.25	1.57E-01	1.21E-11	1.0E+06	1.2E-05
78	0.2911	3.23E-06	9.4E-07	3.46E-04	3.25E-10	0.25	1.57E-01	1.28E-11	1.0E+06	1.3E-05
79	0.37378	3.23E-06	1.2E-06	3.46E-04	4.18E-10	0.25	1.57E-01	1.64E-11	1.0E+06	1.6E-05
80	0.3914	3.23E-06	1.3E-06	3.46E-04	4.37E-10	0.25	1.57E-01	1.72E-11	1.0E+06	1.7E-05
81	0.40913	3.23E-06	1.3E-06	3.46E-04	4.57E-10	0.25	1.57E-01	1.80E-11	1.0E+06	1.8E-05
82	0.42631	3.23E-06	1.4E-06	3.46E-04	4.76E-10	0.25	1.57E-01	1.87E-11	1.0E+06	1.9E-05
83	0.44281	3.23E-06	1.4E-06	3.46E-04	4.95E-10	0.25	1.57E-01	1.94E-11	1.0E+06	1.9E-05
84	0.45801	3.23E-06	1.5E-06	3.46E-04	5.12E-10	0.25	1.57E-01	2.01E-11	1.0E+06	2.0E-05

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	0.47174	3.23E-06	1.5E-06	3.46E-04	5.27E-10	0.25	1.57E-01	2.07E-11	1.0E+06	2.1E-05
86	0.4836	3.23E-06	1.6E-06	3.46E-04	5.40E-10	0.25	1.57E-01	2.12E-11	1.0E+06	2.1E-05
87	0.49324	3.23E-06	1.6E-06	3.46E-04	5.51E-10	0.25	1.57E-01	2.17E-11	1.0E+06	2.2E-05
88	0.50059	3.23E-06	1.6E-06	3.46E-04	5.59E-10	0.25	1.57E-01	2.20E-11	1.0E+06	2.2E-05
89	0.50561	3.23E-06	1.6E-06	3.46E-04	5.65E-10	0.25	1.57E-01	2.22E-11	1.0E+06	2.2E-05
90	0.50865	3.23E-06	1.6E-06	3.46E-04	5.68E-10	0.25	1.57E-01	2.23E-11	1.0E+06	2.2E-05
91	0.51039	3.23E-06	1.6E-06	3.46E-04	5.70E-10	0.25	1.57E-01	2.24E-11	1.0E+06	2.2E-05
92	0.51121	3.23E-06	1.7E-06	3.46E-04	5.71E-10	0.25	1.57E-01	2.24E-11	1.0E+06	2.2E-05
93	0.51236	3.23E-06	1.7E-06	3.46E-04	5.72E-10	0.25	1.57E-01	2.25E-11	1.0E+06	2.2E-05
96	0.5028	3.23E-06	1.6E-06	3.46E-04	5.62E-10	0.25	1.57E-01	2.21E-11	1.0E+06	2.2E-05
97	0.5003	3.23E-06	1.6E-06	3.46E-04	5.59E-10	0.25	1.57E-01	2.20E-11	1.0E+06	2.2E-05
98	0.56317	3.23E-06	1.8E-06	3.46E-04	6.29E-10	0.25	1.57E-01	2.47E-11	1.0E+06	2.5E-05
99	0.56945	3.23E-06	1.8E-06	3.46E-04	6.36E-10	0.25	1.57E-01	2.50E-11	1.0E+06	2.5E-05
100	0.57325	3.23E-06	1.9E-06	3.46E-04	6.40E-10	0.25	1.57E-01	2.52E-11	1.0E+06	2.5E-05
101	0.57531	3.23E-06	1.9E-06	3.46E-04	6.43E-10	0.25	1.57E-01	2.53E-11	1.0E+06	2.5E-05
102	0.57679	3.23E-06	1.9E-06	3.46E-04	6.44E-10	0.25	1.57E-01	2.53E-11	1.0E+06	2.5E-05
106	0.17118	3.23E-06	5.5E-07	3.46E-04	1.91E-10	0.25	1.57E-01	7.51E-12	1.0E+06	7.5E-06
107	0.18002	3.23E-06	5.8E-07	3.46E-04	2.01E-10	0.25	1.57E-01	7.90E-12	1.0E+06	7.9E-06
108	0.18935	3.23E-06	6.1E-07	3.46E-04	2.12E-10	0.25	1.57E-01	8.31E-12	1.0E+06	8.3E-06
109	0.19936	3.23E-06	6.4E-07	3.46E-04	2.23E-10	0.25	1.57E-01	8.75E-12	1.0E+06	8.8E-06
110	0.21016	3.23E-06	6.8E-07	3.46E-04	2.35E-10	0.25	1.57E-01	9.22E-12	1.0E+06	9.2E-06
111	0.22167	3.23E-06	7.2E-07	3.46E-04	2.48E-10	0.25	1.57E-01	9.73E-12	1.0E+06	9.7E-06
112	0.2343	3.23E-06	7.6E-07	3.46E-04	2.62E-10	0.25	1.57E-01	1.03E-11	1.0E+06	1.0E-05
113	0.24776	3.23E-06	8.0E-07	3.46E-04	2.77E-10	0.25	1.57E-01	1.09E-11	1.0E+06	1.1E-05
114	0.26227	3.23E-06	8.5E-07	3.46E-04	2.93E-10	0.25	1.57E-01	1.15E-11	1.0E+06	1.2E-05
115	0.27781	3.23E-06	9.0E-07	3.46E-04	3.10E-10	0.25	1.57E-01	1.22E-11	1.0E+06	1.2E-05
116	0.29438	3.23E-06	9.5E-07	3.46E-04	3.29E-10	0.25	1.57E-01	1.29E-11	1.0E+06	1.3E-05
117	0.31241	3.23E-06	1.0E-06	3.46E-04	3.49E-10	0.25	1.57E-01	1.37E-11	1.0E+06	1.4E-05
118	0.33167	3.23E-06	1.1E-06	3.46E-04	3.71E-10	0.25	1.57E-01	1.46E-11	1.0E+06	1.5E-05
124	0.17644	3.23E-06	5.7E-07	3.46E-04	1.97E-10	0.25	1.57E-01	7.74E-12	1.0E+06	7.7E-06
125	0.18573	3.23E-06	6.0E-07	3.46E-04	2.08E-10	0.25	1.57E-01	8.15E-12	1.0E+06	8.2E-06

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.19574	3.23E-06	6.3E-07	3.46E-04	2.19E-10	0.25	1.57E-01	8.59E-12	1.0E+06	8.6E-06
127	0.20656	3.23E-06	6.7E-07	3.46E-04	2.31E-10	0.25	1.57E-01	9.07E-12	1.0E+06	9.1E-06
128	0.21827	3.23E-06	7.0E-07	3.46E-04	2.44E-10	0.25	1.57E-01	9.58E-12	1.0E+06	9.6E-06
129	0.23086	3.23E-06	7.5E-07	3.46E-04	2.58E-10	0.25	1.57E-01	1.01E-11	1.0E+06	1.0E-05
130	0.24468	3.23E-06	7.9E-07	3.46E-04	2.73E-10	0.25	1.57E-01	1.07E-11	1.0E+06	1.1E-05
131	0.25959	3.23E-06	8.4E-07	3.46E-04	2.90E-10	0.25	1.57E-01	1.14E-11	1.0E+06	1.1E-05
132	0.27576	3.23E-06	8.9E-07	3.46E-04	3.08E-10	0.25	1.57E-01	1.21E-11	1.0E+06	1.2E-05
133	0.2932	3.23E-06	9.5E-07	3.46E-04	3.28E-10	0.25	1.57E-01	1.29E-11	1.0E+06	1.3E-05
134	0.31221	3.23E-06	1.0E-06	3.46E-04	3.49E-10	0.25	1.57E-01	1.37E-11	1.0E+06	1.4E-05
135	0.33265	3.23E-06	1.1E-06	3.46E-04	3.72E-10	0.25	1.57E-01	1.46E-11	1.0E+06	1.5E-05
136	0.35469	3.23E-06	1.1E-06	3.46E-04	3.96E-10	0.25	1.57E-01	1.56E-11	1.0E+06	1.6E-05
137	0.37826	3.23E-06	1.2E-06	3.46E-04	4.23E-10	0.25	1.57E-01	1.66E-11	1.0E+06	1.7E-05
138	0.40388	3.23E-06	1.3E-06	3.46E-04	4.51E-10	0.25	1.57E-01	1.77E-11	1.0E+06	1.8E-05
141	0.1815	3.23E-06	5.9E-07	3.46E-04	2.03E-10	0.25	1.57E-01	7.97E-12	1.0E+06	8.0E-06
142	0.19142	3.23E-06	6.2E-07	3.46E-04	2.14E-10	0.25	1.57E-01	8.40E-12	1.0E+06	8.4E-06
143	0.20215	3.23E-06	6.5E-07	3.46E-04	2.26E-10	0.25	1.57E-01	8.87E-12	1.0E+06	8.9E-06
144	0.2138	3.23E-06	6.9E-07	3.46E-04	2.39E-10	0.25	1.57E-01	9.38E-12	1.0E+06	9.4E-06
145	0.22646	3.23E-06	7.3E-07	3.46E-04	2.53E-10	0.25	1.57E-01	9.94E-12	1.0E+06	9.9E-06
146	0.24016	3.23E-06	7.8E-07	3.46E-04	2.68E-10	0.25	1.57E-01	1.05E-11	1.0E+06	1.1E-05
147	0.25527	3.23E-06	8.2E-07	3.46E-04	2.85E-10	0.25	1.57E-01	1.12E-11	1.0E+06	1.1E-05
148	0.27168	3.23E-06	8.8E-07	3.46E-04	3.04E-10	0.25	1.57E-01	1.19E-11	1.0E+06	1.2E-05
149	0.28961	3.23E-06	9.3E-07	3.46E-04	3.24E-10	0.25	1.57E-01	1.27E-11	1.0E+06	1.3E-05
150	0.30915	3.23E-06	1.0E-06	3.46E-04	3.45E-10	0.25	1.57E-01	1.36E-11	1.0E+06	1.4E-05
151	0.33053	3.23E-06	1.1E-06	3.46E-04	3.69E-10	0.25	1.57E-01	1.45E-11	1.0E+06	1.5E-05
152	0.35386	3.23E-06	1.1E-06	3.46E-04	3.95E-10	0.25	1.57E-01	1.55E-11	1.0E+06	1.6E-05
153	0.37926	3.23E-06	1.2E-06	3.46E-04	4.24E-10	0.25	1.57E-01	1.66E-11	1.0E+06	1.7E-05
154	0.40667	3.23E-06	1.3E-06	3.46E-04	4.54E-10	0.25	1.57E-01	1.79E-11	1.0E+06	1.8E-05
155	0.4365	3.23E-06	1.4E-06	3.46E-04	4.88E-10	0.25	1.57E-01	1.92E-11	1.0E+06	1.9E-05
164	0.4372	3.23E-06	1.4E-06	3.46E-04	4.88E-10	0.25	1.57E-01	1.92E-11	1.0E+06	1.9E-05
165	0.47217	3.23E-06	1.5E-06	3.46E-04	5.28E-10	0.25	1.57E-01	2.07E-11	1.0E+06	2.1E-05
166	0.5108	3.23E-06	1.6E-06	3.46E-04	5.71E-10	0.25	1.57E-01	2.24E-11	1.0E+06	2.2E-05

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	0.46968	3.23E-06	1.5E-06	3.46E-04	5.25E-10	0.25	1.57E-01	2.06E-11	1.0E+06	2.1E-05
179	0.51089	3.23E-06	1.6E-06	3.46E-04	5.71E-10	0.25	1.57E-01	2.24E-11	1.0E+06	2.2E-05
180	0.55694	3.23E-06	1.8E-06	3.46E-04	6.22E-10	0.25	1.57E-01	2.44E-11	1.0E+06	2.4E-05
192	0.50398	3.23E-06	1.6E-06	3.46E-04	5.63E-10	0.25	1.57E-01	2.21E-11	1.0E+06	2.2E-05
193	0.55258	3.23E-06	1.8E-06	3.46E-04	6.17E-10	0.25	1.57E-01	2.43E-11	1.0E+06	2.4E-05
194	0.6073	3.23E-06	2.0E-06	3.46E-04	6.79E-10	0.25	1.57E-01	2.67E-11	1.0E+06	2.7E-05
207	0.5394	3.23E-06	1.7E-06	3.46E-04	6.03E-10	0.25	1.57E-01	2.37E-11	1.0E+06	2.4E-05
208	0.59621	3.23E-06	1.9E-06	3.46E-04	6.66E-10	0.25	1.57E-01	2.62E-11	1.0E+06	2.6E-05
209	0.66151	3.23E-06	2.1E-06	3.46E-04	7.39E-10	0.25	1.57E-01	2.90E-11	1.0E+06	2.9E-05
223	0.57529	3.23E-06	1.9E-06	3.46E-04	6.43E-10	0.25	1.57E-01	2.53E-11	1.0E+06	2.5E-05
224	0.64116	3.23E-06	2.1E-06	3.46E-04	7.16E-10	0.25	1.57E-01	2.81E-11	1.0E+06	2.8E-05
225	0.71797	3.23E-06	2.3E-06	3.46E-04	8.02E-10	0.25	1.57E-01	3.15E-11	1.0E+06	3.2E-05
239	0.61072	3.23E-06	2.0E-06	3.46E-04	6.82E-10	0.25	1.57E-01	2.68E-11	1.0E+06	2.7E-05
240	0.68632	3.23E-06	2.2E-06	3.46E-04	7.67E-10	0.25	1.57E-01	3.01E-11	1.0E+06	3.0E-05
241	0.77659	3.23E-06	2.5E-06	3.46E-04	8.68E-10	0.25	1.57E-01	3.41E-11	1.0E+06	3.4E-05
255	0.64393	3.23E-06	2.1E-06	3.46E-04	7.19E-10	0.25	1.57E-01	2.83E-11	1.0E+06	2.8E-05
256	0.72956	3.23E-06	2.4E-06	3.46E-04	8.15E-10	0.25	1.57E-01	3.20E-11	1.0E+06	3.2E-05
272	0.67285	3.23E-06	2.2E-06	3.46E-04	7.52E-10	0.25	1.57E-01	2.95E-11	1.0E+06	3.0E-05
273	0.76829	3.23E-06	2.5E-06	3.46E-04	8.58E-10	0.25	1.57E-01	3.37E-11	1.0E+06	3.4E-05
289	0.69575	3.23E-06	2.2E-06	3.46E-04	7.77E-10	0.25	1.57E-01	3.05E-11	1.0E+06	3.1E-05
290	0.7993	3.23E-06	2.6E-06	3.46E-04	8.93E-10	0.25	1.57E-01	3.51E-11	1.0E+06	3.5E-05
306	0.71047	3.23E-06	2.3E-06	3.46E-04	7.94E-10	0.25	1.57E-01	3.12E-11	1.0E+06	3.1E-05
307	0.81972	3.23E-06	2.6E-06	3.46E-04	9.16E-10	0.25	1.57E-01	3.60E-11	1.0E+06	3.6E-05
323	0.71607	3.23E-06	2.3E-06	3.46E-04	8.00E-10	0.25	1.57E-01	3.14E-11	1.0E+06	3.1E-05
324	0.82775	3.23E-06	2.7E-06	3.46E-04	9.25E-10	0.25	1.57E-01	3.63E-11	1.0E+06	3.6E-05
342	0.71272	3.23E-06	2.3E-06	3.46E-04	7.96E-10	0.25	1.57E-01	3.13E-11	1.0E+06	3.1E-05
343	0.82348	3.23E-06	2.7E-06	3.46E-04	9.20E-10	0.25	1.57E-01	3.61E-11	1.0E+06	3.6E-05
344	0.96461	3.23E-06	3.1E-06	3.46E-04	1.08E-09	0.25	1.57E-01	4.23E-11	1.0E+06	4.2E-05
356	0.70146	3.23E-06	2.3E-06	3.46E-04	7.84E-10	0.25	1.57E-01	3.08E-11	1.0E+06	3.1E-05
357	0.80837	3.23E-06	2.6E-06	3.46E-04	9.03E-10	0.25	1.57E-01	3.55E-11	1.0E+06	3.5E-05
358	0.94404	3.23E-06	3.0E-06	3.46E-04	1.05E-09	0.25	1.57E-01	4.14E-11	1.0E+06	4.1E-05

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.68414	3.23E-06	2.2E-06	3.46E-04	7.64E-10	0.25	1.57E-01	3.00E-11	1.0E+06	3.0E-05
371	0.78524	3.23E-06	2.5E-06	3.46E-04	8.77E-10	0.25	1.57E-01	3.45E-11	1.0E+06	3.4E-05
372	0.91232	3.23E-06	2.9E-06	3.46E-04	1.02E-09	0.25	1.57E-01	4.00E-11	1.0E+06	4.0E-05
383	0.66238	3.23E-06	2.1E-06	3.46E-04	7.40E-10	0.25	1.57E-01	2.91E-11	1.0E+06	2.9E-05
384	0.75642	3.23E-06	2.4E-06	3.46E-04	8.45E-10	0.25	1.57E-01	3.32E-11	1.0E+06	3.3E-05
385	0.87306	3.23E-06	2.8E-06	3.46E-04	9.75E-10	0.25	1.57E-01	3.83E-11	1.0E+06	3.8E-05
396	0.63756	3.23E-06	2.1E-06	3.46E-04	7.12E-10	0.25	1.57E-01	2.80E-11	1.0E+06	2.8E-05
397	0.72375	3.23E-06	2.3E-06	3.46E-04	8.09E-10	0.25	1.57E-01	3.18E-11	1.0E+06	3.2E-05
398	0.82897	3.23E-06	2.7E-06	3.46E-04	9.26E-10	0.25	1.57E-01	3.64E-11	1.0E+06	3.6E-05
399	0.95895	3.23E-06	3.1E-06	3.46E-04	1.07E-09	0.25	1.57E-01	4.21E-11	1.0E+06	4.2E-05
411	0.61056	3.23E-06	2.0E-06	3.46E-04	6.82E-10	0.25	1.57E-01	2.68E-11	1.0E+06	2.7E-05
412	0.68844	3.23E-06	2.2E-06	3.46E-04	7.69E-10	0.25	1.57E-01	3.02E-11	1.0E+06	3.0E-05
413	0.78204	3.23E-06	2.5E-06	3.46E-04	8.74E-10	0.25	1.57E-01	3.43E-11	1.0E+06	3.4E-05
414	0.89515	3.23E-06	2.9E-06	3.46E-04	1.00E-09	0.25	1.57E-01	3.93E-11	1.0E+06	3.9E-05
426	0.58209	3.23E-06	1.9E-06	3.46E-04	6.50E-10	0.25	1.57E-01	2.56E-11	1.0E+06	2.6E-05
427	0.65166	3.23E-06	2.1E-06	3.46E-04	7.28E-10	0.25	1.57E-01	2.86E-11	1.0E+06	2.9E-05
428	0.73367	3.23E-06	2.4E-06	3.46E-04	8.20E-10	0.25	1.57E-01	3.22E-11	1.0E+06	3.2E-05
429	0.8311	3.23E-06	2.7E-06	3.46E-04	9.29E-10	0.25	1.57E-01	3.65E-11	1.0E+06	3.6E-05
439	0.55267	3.23E-06	1.8E-06	3.46E-04	6.17E-10	0.25	1.57E-01	2.43E-11	1.0E+06	2.4E-05
440	0.61418	3.23E-06	2.0E-06	3.46E-04	6.86E-10	0.25	1.57E-01	2.70E-11	1.0E+06	2.7E-05
441	0.68561	3.23E-06	2.2E-06	3.46E-04	7.66E-10	0.25	1.57E-01	3.01E-11	1.0E+06	3.0E-05
442	0.76898	3.23E-06	2.5E-06	3.46E-04	8.59E-10	0.25	1.57E-01	3.38E-11	1.0E+06	3.4E-05
443	0.86694	3.23E-06	2.8E-06	3.46E-04	9.69E-10	0.25	1.57E-01	3.81E-11	1.0E+06	3.8E-05
454	0.52296	3.23E-06	1.7E-06	3.46E-04	5.84E-10	0.25	1.57E-01	2.30E-11	1.0E+06	2.3E-05
455	0.57698	3.23E-06	1.9E-06	3.46E-04	6.45E-10	0.25	1.57E-01	2.53E-11	1.0E+06	2.5E-05
456	0.63886	3.23E-06	2.1E-06	3.46E-04	7.14E-10	0.25	1.57E-01	2.80E-11	1.0E+06	2.8E-05
457	0.71014	3.23E-06	2.3E-06	3.46E-04	7.93E-10	0.25	1.57E-01	3.12E-11	1.0E+06	3.1E-05
458	0.79275	3.23E-06	2.6E-06	3.46E-04	8.86E-10	0.25	1.57E-01	3.48E-11	1.0E+06	3.5E-05
469	0.4935	3.23E-06	1.6E-06	3.46E-04	5.51E-10	0.25	1.57E-01	2.17E-11	1.0E+06	2.2E-05
470	0.54077	3.23E-06	1.7E-06	3.46E-04	6.04E-10	0.25	1.57E-01	2.37E-11	1.0E+06	2.4E-05
471	0.59441	3.23E-06	1.9E-06	3.46E-04	6.64E-10	0.25	1.57E-01	2.61E-11	1.0E+06	2.6E-05

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.6555	3.23E-06	2.1E-06	3.46E-04	7.32E-10	0.25	1.57E-01	2.88E-11	1.0E+06	2.9E-05
473	0.72554	3.23E-06	2.3E-06	3.46E-04	8.11E-10	0.25	1.57E-01	3.18E-11	1.0E+06	3.2E-05
489	0.4649	3.23E-06	1.5E-06	3.46E-04	5.19E-10	0.25	1.57E-01	2.04E-11	1.0E+06	2.0E-05
490	0.5063	3.23E-06	1.6E-06	3.46E-04	5.66E-10	0.25	1.57E-01	2.22E-11	1.0E+06	2.2E-05
491	0.55285	3.23E-06	1.8E-06	3.46E-04	6.18E-10	0.25	1.57E-01	2.43E-11	1.0E+06	2.4E-05
492	0.60546	3.23E-06	2.0E-06	3.46E-04	6.76E-10	0.25	1.57E-01	2.66E-11	1.0E+06	2.7E-05
493	0.66523	3.23E-06	2.1E-06	3.46E-04	7.43E-10	0.25	1.57E-01	2.92E-11	1.0E+06	2.9E-05
494	0.7334	3.23E-06	2.4E-06	3.46E-04	8.19E-10	0.25	1.57E-01	3.22E-11	1.0E+06	3.2E-05
509	0.43749	3.23E-06	1.4E-06	3.46E-04	4.89E-10	0.25	1.57E-01	1.92E-11	1.0E+06	1.9E-05
510	0.47384	3.23E-06	1.5E-06	3.46E-04	5.29E-10	0.25	1.57E-01	2.08E-11	1.0E+06	2.1E-05
511	0.51445	3.23E-06	1.7E-06	3.46E-04	5.75E-10	0.25	1.57E-01	2.26E-11	1.0E+06	2.3E-05
512	0.56003	3.23E-06	1.8E-06	3.46E-04	6.26E-10	0.25	1.57E-01	2.46E-11	1.0E+06	2.5E-05
513	0.61131	3.23E-06	2.0E-06	3.46E-04	6.83E-10	0.25	1.57E-01	2.68E-11	1.0E+06	2.7E-05
514	0.66929	3.23E-06	2.2E-06	3.46E-04	7.48E-10	0.25	1.57E-01	2.94E-11	1.0E+06	2.9E-05
515	0.80727	3.23E-06	2.6E-06	3.46E-04	9.02E-10	0.25	1.57E-01	3.54E-11	1.0E+06	3.5E-05
516	0.8864	3.23E-06	2.9E-06	3.46E-04	9.90E-10	0.25	1.57E-01	3.89E-11	1.0E+06	3.9E-05
517	0.97166	3.23E-06	3.1E-06	3.46E-04	1.09E-09	0.25	1.57E-01	4.27E-11	1.0E+06	4.3E-05
518	1.05936	3.23E-06	3.4E-06	3.46E-04	1.18E-09	0.25	1.57E-01	4.65E-11	1.0E+06	4.6E-05
519	1.14441	3.23E-06	3.7E-06	3.46E-04	1.28E-09	0.25	1.57E-01	5.02E-11	1.0E+06	5.0E-05
528	0.41158	3.23E-06	1.3E-06	3.46E-04	4.60E-10	0.25	1.57E-01	1.81E-11	1.0E+06	1.8E-05
529	0.44364	3.23E-06	1.4E-06	3.46E-04	4.96E-10	0.25	1.57E-01	1.95E-11	1.0E+06	1.9E-05
530	0.47925	3.23E-06	1.5E-06	3.46E-04	5.35E-10	0.25	1.57E-01	2.10E-11	1.0E+06	2.1E-05
531	0.51896	3.23E-06	1.7E-06	3.46E-04	5.80E-10	0.25	1.57E-01	2.28E-11	1.0E+06	2.3E-05
532	0.56333	3.23E-06	1.8E-06	3.46E-04	6.29E-10	0.25	1.57E-01	2.47E-11	1.0E+06	2.5E-05
533	0.61286	3.23E-06	2.0E-06	3.46E-04	6.85E-10	0.25	1.57E-01	2.69E-11	1.0E+06	2.7E-05
534	0.7279	3.23E-06	2.3E-06	3.46E-04	8.13E-10	0.25	1.57E-01	3.20E-11	1.0E+06	3.2E-05
535	0.79271	3.23E-06	2.6E-06	3.46E-04	8.86E-10	0.25	1.57E-01	3.48E-11	1.0E+06	3.5E-05
536	0.86165	3.23E-06	2.8E-06	3.46E-04	9.63E-10	0.25	1.57E-01	3.78E-11	1.0E+06	3.8E-05
537	0.9306	3.23E-06	3.0E-06	3.46E-04	1.04E-09	0.25	1.57E-01	4.08E-11	1.0E+06	4.1E-05
538	0.99669	3.23E-06	3.2E-06	3.46E-04	1.11E-09	0.25	1.57E-01	4.37E-11	1.0E+06	4.4E-05
547	0.38735	3.23E-06	1.3E-06	3.46E-04	4.33E-10	0.25	1.57E-01	1.70E-11	1.0E+06	1.7E-05

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.41574	3.23E-06	1.3E-06	3.46E-04	4.65E-10	0.25	1.57E-01	1.82E-11	1.0E+06	1.8E-05
549	0.44714	3.23E-06	1.4E-06	3.46E-04	5.00E-10	0.25	1.57E-01	1.96E-11	1.0E+06	2.0E-05
550	0.4819	3.23E-06	1.6E-06	3.46E-04	5.38E-10	0.25	1.57E-01	2.12E-11	1.0E+06	2.1E-05
551	0.52044	3.23E-06	1.7E-06	3.46E-04	5.81E-10	0.25	1.57E-01	2.28E-11	1.0E+06	2.3E-05
552	0.56297	3.23E-06	1.8E-06	3.46E-04	6.29E-10	0.25	1.57E-01	2.47E-11	1.0E+06	2.5E-05
553	0.60962	3.23E-06	2.0E-06	3.46E-04	6.81E-10	0.25	1.57E-01	2.68E-11	1.0E+06	2.7E-05
554	0.65978	3.23E-06	2.1E-06	3.46E-04	7.37E-10	0.25	1.57E-01	2.90E-11	1.0E+06	2.9E-05
555	0.71345	3.23E-06	2.3E-06	3.46E-04	7.97E-10	0.25	1.57E-01	3.13E-11	1.0E+06	3.1E-05
556	0.76977	3.23E-06	2.5E-06	3.46E-04	8.60E-10	0.25	1.57E-01	3.38E-11	1.0E+06	3.4E-05
557	0.82478	3.23E-06	2.7E-06	3.46E-04	9.22E-10	0.25	1.57E-01	3.62E-11	1.0E+06	3.6E-05
558	0.87788	3.23E-06	2.8E-06	3.46E-04	9.81E-10	0.25	1.57E-01	3.85E-11	1.0E+06	3.9E-05
559	0.92358	3.23E-06	3.0E-06	3.46E-04	1.03E-09	0.25	1.57E-01	4.05E-11	1.0E+06	4.1E-05
567	0.36481	3.23E-06	1.2E-06	3.46E-04	4.08E-10	0.25	1.57E-01	1.60E-11	1.0E+06	1.6E-05
568	0.39009	3.23E-06	1.3E-06	3.46E-04	4.36E-10	0.25	1.57E-01	1.71E-11	1.0E+06	1.7E-05
569	0.4179	3.23E-06	1.3E-06	3.46E-04	4.67E-10	0.25	1.57E-01	1.83E-11	1.0E+06	1.8E-05
570	0.44852	3.23E-06	1.4E-06	3.46E-04	5.01E-10	0.25	1.57E-01	1.97E-11	1.0E+06	2.0E-05
571	0.48215	3.23E-06	1.6E-06	3.46E-04	5.39E-10	0.25	1.57E-01	2.12E-11	1.0E+06	2.1E-05
572	0.51891	3.23E-06	1.7E-06	3.46E-04	5.80E-10	0.25	1.57E-01	2.28E-11	1.0E+06	2.3E-05
573	0.55867	3.23E-06	1.8E-06	3.46E-04	6.24E-10	0.25	1.57E-01	2.45E-11	1.0E+06	2.5E-05
574	0.6455	3.23E-06	2.1E-06	3.46E-04	7.21E-10	0.25	1.57E-01	2.83E-11	1.0E+06	2.8E-05
575	0.69164	3.23E-06	2.2E-06	3.46E-04	7.73E-10	0.25	1.57E-01	3.04E-11	1.0E+06	3.0E-05
576	0.73725	3.23E-06	2.4E-06	3.46E-04	8.24E-10	0.25	1.57E-01	3.24E-11	1.0E+06	3.2E-05
577	0.78003	3.23E-06	2.5E-06	3.46E-04	8.72E-10	0.25	1.57E-01	3.42E-11	1.0E+06	3.4E-05
578	0.81702	3.23E-06	2.6E-06	3.46E-04	9.13E-10	0.25	1.57E-01	3.59E-11	1.0E+06	3.6E-05
586	0.34396	3.23E-06	1.1E-06	3.46E-04	3.84E-10	0.25	1.57E-01	1.51E-11	1.0E+06	1.5E-05
587	0.36653	3.23E-06	1.2E-06	3.46E-04	4.10E-10	0.25	1.57E-01	1.61E-11	1.0E+06	1.6E-05
588	0.39127	3.23E-06	1.3E-06	3.46E-04	4.37E-10	0.25	1.57E-01	1.72E-11	1.0E+06	1.7E-05
589	0.41829	3.23E-06	1.4E-06	3.46E-04	4.67E-10	0.25	1.57E-01	1.84E-11	1.0E+06	1.8E-05
590	0.44771	3.23E-06	1.4E-06	3.46E-04	5.00E-10	0.25	1.57E-01	1.97E-11	1.0E+06	2.0E-05
591	0.4795	3.23E-06	1.5E-06	3.46E-04	5.36E-10	0.25	1.57E-01	2.10E-11	1.0E+06	2.1E-05
592	0.51353	3.23E-06	1.7E-06	3.46E-04	5.74E-10	0.25	1.57E-01	2.25E-11	1.0E+06	2.3E-05

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.58669	3.23E-06	1.9E-06	3.46E-04	6.56E-10	0.25	1.57E-01	2.58E-11	1.0E+06	2.6E-05
594	0.62502	3.23E-06	2.0E-06	3.46E-04	6.98E-10	0.25	1.57E-01	2.74E-11	1.0E+06	2.7E-05
595	0.6621	3.23E-06	2.1E-06	3.46E-04	7.40E-10	0.25	1.57E-01	2.91E-11	1.0E+06	2.9E-05
596	0.6969	3.23E-06	2.2E-06	3.46E-04	7.79E-10	0.25	1.57E-01	3.06E-11	1.0E+06	3.1E-05
597	0.72745	3.23E-06	2.3E-06	3.46E-04	8.13E-10	0.25	1.57E-01	3.19E-11	1.0E+06	3.2E-05
345	1.14974	3.23E-06	3.7E-06	3.46E-04	1.28E-09	0.25	1.57E-01	5.05E-11	1.0E+06	5.0E-05
346	1.39977	3.23E-06	4.5E-06	3.46E-04	1.56E-09	0.25	1.57E-01	6.14E-11	1.0E+06	6.1E-05
347	1.75186	3.23E-06	5.7E-06	3.46E-04	1.96E-09	0.25	1.57E-01	7.69E-11	1.0E+06	7.7E-05
348	2.27372	3.23E-06	7.3E-06	3.46E-04	2.54E-09	0.25	1.57E-01	9.98E-11	1.0E+06	1.0E-04
359	1.12034	3.23E-06	3.6E-06	3.46E-04	1.25E-09	0.25	1.57E-01	4.92E-11	1.0E+06	4.9E-05
360	1.35529	3.23E-06	4.4E-06	3.46E-04	1.51E-09	0.25	1.57E-01	5.95E-11	1.0E+06	5.9E-05
361	1.68089	3.23E-06	5.4E-06	3.46E-04	1.88E-09	0.25	1.57E-01	7.38E-11	1.0E+06	7.4E-05
362	2.14647	3.23E-06	6.9E-06	3.46E-04	2.40E-09	0.25	1.57E-01	9.42E-11	1.0E+06	9.4E-05
363	2.86256	3.23E-06	9.2E-06	3.46E-04	3.20E-09	0.25	1.57E-01	1.26E-10	1.0E+06	1.3E-04
373	1.28863	3.23E-06	4.2E-06	3.46E-04	1.44E-09	0.25	1.57E-01	5.66E-11	1.0E+06	5.7E-05
374	1.57491	3.23E-06	5.1E-06	3.46E-04	1.76E-09	0.25	1.57E-01	6.91E-11	1.0E+06	6.9E-05
375	1.9704	3.23E-06	6.4E-06	3.46E-04	2.20E-09	0.25	1.57E-01	8.65E-11	1.0E+06	8.6E-05
376	2.54253	3.23E-06	8.2E-06	3.46E-04	2.84E-09	0.25	1.57E-01	1.12E-10	1.0E+06	1.1E-04
386	1.20826	3.23E-06	3.9E-06	3.46E-04	1.35E-09	0.25	1.57E-01	5.30E-11	1.0E+06	5.3E-05
387	1.45345	3.23E-06	4.7E-06	3.46E-04	1.62E-09	0.25	1.57E-01	6.38E-11	1.0E+06	6.4E-05
388	1.77802	3.23E-06	5.7E-06	3.46E-04	1.99E-09	0.25	1.57E-01	7.80E-11	1.0E+06	7.8E-05
389	2.22339	3.23E-06	7.2E-06	3.46E-04	2.48E-09	0.25	1.57E-01	9.76E-11	1.0E+06	9.8E-05
390	2.85515	3.23E-06	9.2E-06	3.46E-04	3.19E-09	0.25	1.57E-01	1.25E-10	1.0E+06	1.3E-04
400	1.12146	3.23E-06	3.6E-06	3.46E-04	1.25E-09	0.25	1.57E-01	4.92E-11	1.0E+06	4.9E-05
401	1.3257	3.23E-06	4.3E-06	3.46E-04	1.48E-09	0.25	1.57E-01	5.82E-11	1.0E+06	5.8E-05
402	1.58959	3.23E-06	5.1E-06	3.46E-04	1.78E-09	0.25	1.57E-01	6.98E-11	1.0E+06	7.0E-05
403	1.93221	3.23E-06	6.2E-06	3.46E-04	2.16E-09	0.25	1.57E-01	8.48E-11	1.0E+06	8.5E-05
404	2.39059	3.23E-06	7.7E-06	3.46E-04	2.67E-09	0.25	1.57E-01	1.05E-10	1.0E+06	1.0E-04
415	1.03331	3.23E-06	3.3E-06	3.46E-04	1.15E-09	0.25	1.57E-01	4.54E-11	1.0E+06	4.5E-05
416	1.20346	3.23E-06	3.9E-06	3.46E-04	1.34E-09	0.25	1.57E-01	5.28E-11	1.0E+06	5.3E-05
417	1.41368	3.23E-06	4.6E-06	3.46E-04	1.58E-09	0.25	1.57E-01	6.21E-11	1.0E+06	6.2E-05

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	1.6832	3.23E-06	5.4E-06	3.46E-04	1.88E-09	0.25	1.57E-01	7.39E-11	1.0E+06	7.4E-05
419	2.02662	3.23E-06	6.5E-06	3.46E-04	2.26E-09	0.25	1.57E-01	8.90E-11	1.0E+06	8.9E-05
420	2.45362	3.23E-06	7.9E-06	3.46E-04	2.74E-09	0.25	1.57E-01	1.08E-10	1.0E+06	1.1E-04
430	1.08752	3.23E-06	3.5E-06	3.46E-04	1.22E-09	0.25	1.57E-01	4.77E-11	1.0E+06	4.8E-05
431	1.25861	3.23E-06	4.1E-06	3.46E-04	1.41E-09	0.25	1.57E-01	5.52E-11	1.0E+06	5.5E-05
432	1.46851	3.23E-06	4.7E-06	3.46E-04	1.64E-09	0.25	1.57E-01	6.45E-11	1.0E+06	6.4E-05
433	1.72799	3.23E-06	5.6E-06	3.46E-04	1.93E-09	0.25	1.57E-01	7.58E-11	1.0E+06	7.6E-05
434	2.04518	3.23E-06	6.6E-06	3.46E-04	2.29E-09	0.25	1.57E-01	8.98E-11	1.0E+06	9.0E-05
444	0.98289	3.23E-06	3.2E-06	3.46E-04	1.10E-09	0.25	1.57E-01	4.31E-11	1.0E+06	4.3E-05
445	1.12118	3.23E-06	3.6E-06	3.46E-04	1.25E-09	0.25	1.57E-01	4.92E-11	1.0E+06	4.9E-05
446	1.28754	3.23E-06	4.2E-06	3.46E-04	1.44E-09	0.25	1.57E-01	5.65E-11	1.0E+06	5.7E-05
447	1.48711	3.23E-06	4.8E-06	3.46E-04	1.66E-09	0.25	1.57E-01	6.53E-11	1.0E+06	6.5E-05
448	1.72242	3.23E-06	5.6E-06	3.46E-04	1.92E-09	0.25	1.57E-01	7.56E-11	1.0E+06	7.6E-05
459	1.00232	3.23E-06	3.2E-06	3.46E-04	1.12E-09	0.25	1.57E-01	4.40E-11	1.0E+06	4.4E-05
460	1.13556	3.23E-06	3.7E-06	3.46E-04	1.27E-09	0.25	1.57E-01	4.98E-11	1.0E+06	5.0E-05
461	1.29132	3.23E-06	4.2E-06	3.46E-04	1.44E-09	0.25	1.57E-01	5.67E-11	1.0E+06	5.7E-05
462	1.46916	3.23E-06	4.7E-06	3.46E-04	1.64E-09	0.25	1.57E-01	6.45E-11	1.0E+06	6.4E-05
463	1.66171	3.23E-06	5.4E-06	3.46E-04	1.86E-09	0.25	1.57E-01	7.29E-11	1.0E+06	7.3E-05
474	0.89952	3.23E-06	2.9E-06	3.46E-04	1.01E-09	0.25	1.57E-01	3.95E-11	1.0E+06	3.9E-05
475	1.00711	3.23E-06	3.3E-06	3.46E-04	1.13E-09	0.25	1.57E-01	4.42E-11	1.0E+06	4.4E-05
476	1.13086	3.23E-06	3.7E-06	3.46E-04	1.26E-09	0.25	1.57E-01	4.96E-11	1.0E+06	5.0E-05
477	1.26725	3.23E-06	4.1E-06	3.46E-04	1.42E-09	0.25	1.57E-01	5.56E-11	1.0E+06	5.6E-05
478	1.41265	3.23E-06	4.6E-06	3.46E-04	1.58E-09	0.25	1.57E-01	6.20E-11	1.0E+06	6.2E-05
495	0.81116	3.23E-06	2.6E-06	3.46E-04	9.06E-10	0.25	1.57E-01	3.56E-11	1.0E+06	3.6E-05
496	0.89895	3.23E-06	2.9E-06	3.46E-04	1.00E-09	0.25	1.57E-01	3.95E-11	1.0E+06	3.9E-05
497	0.99773	3.23E-06	3.2E-06	3.46E-04	1.11E-09	0.25	1.57E-01	4.38E-11	1.0E+06	4.4E-05
498	1.10504	3.23E-06	3.6E-06	3.46E-04	1.23E-09	0.25	1.57E-01	4.85E-11	1.0E+06	4.9E-05
499	1.2167	3.23E-06	3.9E-06	3.46E-04	1.36E-09	0.25	1.57E-01	5.34E-11	1.0E+06	5.3E-05
500	1.32538	3.23E-06	4.3E-06	3.46E-04	1.48E-09	0.25	1.57E-01	5.82E-11	1.0E+06	5.8E-05

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction							
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
139	0.43085	3.23E-06	1.4E-06	3.46E-04	4.81E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	0.45969	3.23E-06	1.5E-06	3.46E-04	5.14E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	0.46885	3.23E-06	1.5E-06	3.46E-04	5.24E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	0.50328	3.23E-06	1.6E-06	3.46E-04	5.62E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	0.5402	3.23E-06	1.7E-06	3.46E-04	6.04E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	0.57902	3.23E-06	1.9E-06	3.46E-04	6.47E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	0.61896	3.23E-06	2.0E-06	3.46E-04	6.92E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	0.7007	3.23E-06	2.3E-06	3.46E-04	7.83E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	0.73982	3.23E-06	2.4E-06	3.46E-04	8.27E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	0.77556	3.23E-06	2.5E-06	3.46E-04	8.67E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	0.55174	3.23E-06	1.8E-06	3.46E-04	6.16E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	0.5978	3.23E-06	1.9E-06	3.46E-04	6.68E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	0.64588	3.23E-06	2.1E-06	3.46E-04	7.22E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	0.69649	3.23E-06	2.2E-06	3.46E-04	7.78E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	0.74872	3.23E-06	2.4E-06	3.46E-04	8.37E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	0.80186	3.23E-06	2.6E-06	3.46E-04	8.96E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	0.85294	3.23E-06	2.8E-06	3.46E-04	9.53E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	0.90091	3.23E-06	2.9E-06	3.46E-04	1.01E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	0.94316	3.23E-06	3.0E-06	3.46E-04	1.05E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	0.97787	3.23E-06	3.2E-06	3.46E-04	1.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	1.00363	3.23E-06	3.2E-06	3.46E-04	1.12E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	0.66346	3.23E-06	2.1E-06	3.46E-04	7.41E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	0.72358	3.23E-06	2.3E-06	3.46E-04	8.08E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	0.78854	3.23E-06	2.5E-06	3.46E-04	8.81E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	0.85654	3.23E-06	2.8E-06	3.46E-04	9.57E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	0.92676	3.23E-06	3.0E-06	3.46E-04	1.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	0.99616	3.23E-06	3.2E-06	3.46E-04	1.11E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	1.06085	3.23E-06	3.4E-06	3.46E-04	1.19E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	1.11936	3.23E-06	3.6E-06	3.46E-04	1.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	1.16768	3.23E-06	3.8E-06	3.46E-04	1.30E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	1.2036	3.23E-06	3.9E-06	3.46E-04	1.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	1.22864	3.23E-06	4.0E-06	3.46E-04	1.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	0.73818	3.23E-06	2.4E-06	3.46E-04	8.25E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	0.81443	3.23E-06	2.6E-06	3.46E-04	9.10E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	0.89801	3.23E-06	2.9E-06	3.46E-04	1.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	0.98835	3.23E-06	3.2E-06	3.46E-04	1.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	1.08321	3.23E-06	3.5E-06	3.46E-04	1.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	1.17909	3.23E-06	3.8E-06	3.46E-04	1.32E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	1.27138	3.23E-06	4.1E-06	3.46E-04	1.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	1.35433	3.23E-06	4.4E-06	3.46E-04	1.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	1.42286	3.23E-06	4.6E-06	3.46E-04	1.59E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	1.47462	3.23E-06	4.8E-06	3.46E-04	1.65E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	1.51259	3.23E-06	4.9E-06	3.46E-04	1.69E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	1.54285	3.23E-06	5.0E-06	3.46E-04	1.72E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	0.73399	3.23E-06	2.4E-06	3.46E-04	8.20E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	0.82229	3.23E-06	2.7E-06	3.46E-04	9.19E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	0.91941	3.23E-06	3.0E-06	3.46E-04	1.03E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	1.02925	3.23E-06	3.3E-06	3.46E-04	1.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	1.28181	3.23E-06	4.1E-06	3.46E-04	1.43E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	1.41813	3.23E-06	4.6E-06	3.46E-04	1.58E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	1.55222	3.23E-06	5.0E-06	3.46E-04	1.73E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	1.67519	3.23E-06	5.4E-06	3.46E-04	1.87E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	1.7778	3.23E-06	5.7E-06	3.46E-04	1.99E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	1.85682	3.23E-06	6.0E-06	3.46E-04	2.07E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	1.91722	3.23E-06	6.2E-06	3.46E-04	2.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	1.9664	3.23E-06	6.3E-06	3.46E-04	2.20E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	2.01078	3.23E-06	6.5E-06	3.46E-04	2.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	0.80811	3.23E-06	2.6E-06	3.46E-04	9.03E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	0.91607	3.23E-06	3.0E-06	3.46E-04	1.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	1.04047	3.23E-06	3.4E-06	3.46E-04	1.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	1.18555	3.23E-06	3.8E-06	3.46E-04	1.32E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	1.35157	3.23E-06	4.4E-06	3.46E-04	1.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	1.53513	3.23E-06	5.0E-06	3.46E-04	1.72E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	1.73576	3.23E-06	5.6E-06	3.46E-04	1.94E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	2.13241	3.23E-06	6.9E-06	3.46E-04	2.38E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	2.29523	3.23E-06	7.4E-06	3.46E-04	2.56E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	2.42471	3.23E-06	7.8E-06	3.46E-04	2.71E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	2.52645	3.23E-06	8.2E-06	3.46E-04	2.82E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	2.60866	3.23E-06	8.4E-06	3.46E-04	2.91E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	2.67268	3.23E-06	8.6E-06	3.46E-04	2.99E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	0.88491	3.23E-06	2.9E-06	3.46E-04	9.89E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	1.01709	3.23E-06	3.3E-06	3.46E-04	1.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	1.17416	3.23E-06	3.8E-06	3.46E-04	1.31E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	1.36727	3.23E-06	4.4E-06	3.46E-04	1.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	1.59839	3.23E-06	5.2E-06	3.46E-04	1.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	1.86956	3.23E-06	6.0E-06	3.46E-04	2.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	2.17631	3.23E-06	7.0E-06	3.46E-04	2.43E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	2.81438	3.23E-06	9.1E-06	3.46E-04	3.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	3.0883	3.23E-06	1.0E-05	3.46E-04	3.45E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	3.31867	3.23E-06	1.1E-05	3.46E-04	3.71E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	3.50653	3.23E-06	1.1E-05	3.46E-04	3.92E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	3.63905	3.23E-06	1.2E-05	3.46E-04	4.07E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	3.70823	3.23E-06	1.2E-05	3.46E-04	4.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	0.96221	3.23E-06	3.1E-06	3.46E-04	1.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	1.12272	3.23E-06	3.6E-06	3.46E-04	1.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	1.3241	3.23E-06	4.3E-06	3.46E-04	1.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	1.57457	3.23E-06	5.1E-06	3.46E-04	1.76E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	1.90238	3.23E-06	6.1E-06	3.46E-04	2.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	2.30609	3.23E-06	7.4E-06	3.46E-04	2.58E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	2.79492	3.23E-06	9.0E-06	3.46E-04	3.12E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	3.91303	3.23E-06	1.3E-05	3.46E-04	4.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	4.4271	3.23E-06	1.4E-05	3.46E-04	4.95E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	4.87748	3.23E-06	1.6E-05	3.46E-04	5.45E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	5.22296	3.23E-06	1.7E-05	3.46E-04	5.84E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	5.40086	3.23E-06	1.7E-05	3.46E-04	6.03E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	5.39386	3.23E-06	1.7E-05	3.46E-04	6.03E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	4.30458	3.23E-06	1.4E-05	3.46E-04	4.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	3.71926	3.23E-06	1.2E-05	3.46E-04	4.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	1.03514	3.23E-06	3.3E-06	3.46E-04	1.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	1.2257	3.23E-06	4.0E-06	3.46E-04	1.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	1.47655	3.23E-06	4.8E-06	3.46E-04	1.65E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	1.80455	3.23E-06	5.8E-06	3.46E-04	2.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	2.25665	3.23E-06	7.3E-06	3.46E-04	2.52E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	2.86806	3.23E-06	9.3E-06	3.46E-04	3.20E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	3.67156	3.23E-06	1.2E-05	3.46E-04	4.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	5.8227	3.23E-06	1.9E-05	3.46E-04	6.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	6.91729	3.23E-06	2.2E-05	3.46E-04	7.73E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	7.89491	3.23E-06	2.5E-05	3.46E-04	8.82E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	8.53928	3.23E-06	2.8E-05	3.46E-04	9.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	8.65789	3.23E-06	2.8E-05	3.46E-04	9.67E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	8.24756	3.23E-06	2.7E-05	3.46E-04	9.22E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	5.24029	3.23E-06	1.7E-05	3.46E-04	5.85E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	4.19894	3.23E-06	1.4E-05	3.46E-04	4.69E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	1.09671	3.23E-06	3.5E-06	3.46E-04	1.23E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	1.31643	3.23E-06	4.2E-06	3.46E-04	1.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	1.61538	3.23E-06	5.2E-06	3.46E-04	1.80E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	2.03178	3.23E-06	6.6E-06	3.46E-04	2.27E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	2.63575	3.23E-06	8.5E-06	3.46E-04	2.94E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	3.55501	3.23E-06	1.1E-05	3.46E-04	3.97E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	4.98925	3.23E-06	1.6E-05	3.46E-04	5.57E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	9.804	3.23E-06	3.2E-05	3.46E-04	1.10E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	12.6976	3.23E-06	4.1E-05	3.46E-04	1.42E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	14.99651	3.23E-06	4.8E-05	3.46E-04	1.68E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	15.9934	3.23E-06	5.2E-05	3.46E-04	1.79E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	15.32996	3.23E-06	4.9E-05	3.46E-04	1.71E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	13.3397	3.23E-06	4.3E-05	3.46E-04	1.49E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	5.90149	3.23E-06	1.9E-05	3.46E-04	6.59E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	4.35477	3.23E-06	1.4E-05	3.46E-04	4.87E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	1.13938	3.23E-06	3.7E-06	3.46E-04	1.27E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	1.38209	3.23E-06	4.5E-06	3.46E-04	1.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	1.72018	3.23E-06	5.6E-06	3.46E-04	1.92E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	2.21311	3.23E-06	7.1E-06	3.46E-04	2.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	2.98489	3.23E-06	9.6E-06	3.46E-04	3.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	4.28799	3.23E-06	1.4E-05	3.46E-04	4.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	6.79362	3.23E-06	2.2E-05	3.46E-04	7.59E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	21.89608	3.23E-06	7.1E-05	3.46E-04	2.45E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	31.96099	3.23E-06	1.0E-04	3.46E-04	3.57E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	36.62356	3.23E-06	1.2E-04	3.46E-04	4.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	37.23636	3.23E-06	1.2E-04	3.46E-04	4.16E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	32.50911	3.23E-06	1.0E-04	3.46E-04	3.63E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	23.3224	3.23E-06	7.5E-05	3.46E-04	2.61E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	5.82188	3.23E-06	1.9E-05	3.46E-04	6.50E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	4.05076	3.23E-06	1.3E-05	3.46E-04	4.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	1.15727	3.23E-06	3.7E-06	3.46E-04	1.29E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	1.41067	3.23E-06	4.6E-06	3.46E-04	1.58E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	1.76839	3.23E-06	5.7E-06	3.46E-04	1.98E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	2.3034	3.23E-06	7.4E-06	3.46E-04	2.57E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	3.15826	3.23E-06	1.0E-05	3.46E-04	3.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	4.73433	3.23E-06	1.5E-05	3.46E-04	5.29E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	8.29527	3.23E-06	2.7E-05	3.46E-04	9.27E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	21.65325	3.23E-06	7.0E-05	3.46E-04	2.42E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	14.55377	3.23E-06	4.7E-05	3.46E-04	1.63E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	33.98262	3.23E-06	1.1E-04	3.46E-04	3.80E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	41.08412	3.23E-06	1.3E-04	3.46E-04	4.59E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	39.42527	3.23E-06	1.3E-04	3.46E-04	4.40E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	29.16927	3.23E-06	9.4E-05	3.46E-04	3.26E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	39.59032	3.23E-06	1.3E-04	3.46E-04	4.42E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	7.81161	3.23E-06	2.5E-05	3.46E-04	8.73E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	4.93117	3.23E-06	1.6E-05	3.46E-04	5.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	3.43934	3.23E-06	1.1E-05	3.46E-04	3.84E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	3.10451	3.23E-06	1.0E-05	3.46E-04	3.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	4.58659	3.23E-06	1.5E-05	3.46E-04	5.12E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	7.70459	3.23E-06	2.5E-05	3.46E-04	8.61E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	17.11285	3.23E-06	5.5E-05	3.46E-04	1.91E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	5.8574	3.23E-06	1.9E-05	3.46E-04	6.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	3.94703	3.23E-06	1.3E-05	3.46E-04	4.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	2.87257	3.23E-06	9.3E-06	3.46E-04	3.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	4.03691	3.23E-06	1.3E-05	3.46E-04	4.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	6.15762	3.23E-06	2.0E-05	3.46E-04	6.88E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	10.51406	3.23E-06	3.4E-05	3.46E-04	1.17E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	4.70129	3.23E-06	1.5E-05	3.46E-04	5.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	3.2955	3.23E-06	1.1E-05	3.46E-04	3.68E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	2.47484	3.23E-06	8.0E-06	3.46E-04	2.77E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	3.41052	3.23E-06	1.1E-05	3.46E-04	3.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	4.78983	3.23E-06	1.5E-05	3.46E-04	5.35E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	7.03957	3.23E-06	2.3E-05	3.46E-04	7.87E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	3.92537	3.23E-06	1.3E-05	3.46E-04	4.39E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	2.82489	3.23E-06	9.1E-06	3.46E-04	3.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	2.17214	3.23E-06	7.0E-06	3.46E-04	2.43E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	3.7651	3.23E-06	1.2E-05	3.46E-04	4.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	5.04792	3.23E-06	1.6E-05	3.46E-04	5.64E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	3.31793	3.23E-06	1.1E-05	3.46E-04	3.71E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	2.4698	3.23E-06	8.0E-06	3.46E-04	2.76E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	1.93351	3.23E-06	6.2E-06	3.46E-04	2.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	3.01656	3.23E-06	9.7E-06	3.46E-04	3.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	3.82615	3.23E-06	1.2E-05	3.46E-04	4.27E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	4.75445	3.23E-06	1.5E-05	3.46E-04	5.31E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	2.82367	3.23E-06	9.1E-06	3.46E-04	3.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	2.17139	3.23E-06	7.0E-06	3.46E-04	2.43E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	1.73524	3.23E-06	5.6E-06	3.46E-04	1.94E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	2.99613	3.23E-06	9.7E-06	3.46E-04	3.35E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	3.57969	3.23E-06	1.2E-05	3.46E-04	4.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	2.41134	3.23E-06	7.8E-06	3.46E-04	2.69E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	1.91654	3.23E-06	6.2E-06	3.46E-04	2.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	1.55944	3.23E-06	5.0E-06	3.46E-04	1.74E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	2.40825	3.23E-06	7.8E-06	3.46E-04	2.69E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	2.80368	3.23E-06	9.0E-06	3.46E-04	3.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	1.69698	3.23E-06	5.5E-06	3.46E-04	1.90E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	1.40129	3.23E-06	4.5E-06	3.46E-04	1.57E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	1.98041	3.23E-06	6.4E-06	3.46E-04	2.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	2.25913	3.23E-06	7.3E-06	3.46E-04	2.52E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	2.49746	3.23E-06	8.1E-06	3.46E-04	2.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	1.50465	3.23E-06	4.9E-06	3.46E-04	1.68E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	1.26461	3.23E-06	4.1E-06	3.46E-04	1.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	1.85823	3.23E-06	6.0E-06	3.46E-04	2.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	2.0305	3.23E-06	6.6E-06	3.46E-04	2.27E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	1.78808	3.23E-06	5.8E-06	3.46E-04	2.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	1.33914	3.23E-06	4.3E-06	3.46E-04	1.50E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	1.14473	3.23E-06	3.7E-06	3.46E-04	1.28E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	1.55205	3.23E-06	5.0E-06	3.46E-04	1.73E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	1.68359	3.23E-06	5.4E-06	3.46E-04	1.88E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	1.772	3.23E-06	5.7E-06	3.46E-04	1.98E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	1.80664	3.23E-06	5.8E-06	3.46E-04	2.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	1.77207	3.23E-06	5.7E-06	3.46E-04	1.98E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	1.67816	3.23E-06	5.4E-06	3.46E-04	1.88E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	1.53526	3.23E-06	5.0E-06	3.46E-04	1.72E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	1.36792	3.23E-06	4.4E-06	3.46E-04	1.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	1.19657	3.23E-06	3.9E-06	3.46E-04	1.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	1.03819	3.23E-06	3.4E-06	3.46E-04	1.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	1.41642	3.23E-06	4.6E-06	3.46E-04	1.58E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	1.49015	3.23E-06	4.8E-06	3.46E-04	1.66E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	1.51981	3.23E-06	4.9E-06	3.46E-04	1.70E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	1.50051	3.23E-06	4.8E-06	3.46E-04	1.68E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	1.43492	3.23E-06	4.6E-06	3.46E-04	1.60E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	1.33147	3.23E-06	4.3E-06	3.46E-04	1.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	1.20605	3.23E-06	3.9E-06	3.46E-04	1.35E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.94393	3.23E-06	3.0E-06	3.46E-04	1.05E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	1.21467	3.23E-06	3.9E-06	3.46E-04	1.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	1.26524	3.23E-06	4.1E-06	3.46E-04	1.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	1.29592	3.23E-06	4.2E-06	3.46E-04	1.45E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	1.28577	3.23E-06	4.2E-06	3.46E-04	1.44E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	1.24007	3.23E-06	4.0E-06	3.46E-04	1.39E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	1.16437	3.23E-06	3.8E-06	3.46E-04	1.30E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	1.06895	3.23E-06	3.5E-06	3.46E-04	1.19E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.85992	3.23E-06	2.8E-06	3.46E-04	9.61E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	1.05431	3.23E-06	3.4E-06	3.46E-04	1.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	1.09634	3.23E-06	3.5E-06	3.46E-04	1.22E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	1.11604	3.23E-06	3.6E-06	3.46E-04	1.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	1.11128	3.23E-06	3.6E-06	3.46E-04	1.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	1.08186	3.23E-06	3.5E-06	3.46E-04	1.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	1.02575	3.23E-06	3.3E-06	3.46E-04	1.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.95087	3.23E-06	3.1E-06	3.46E-04	1.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.78502	3.23E-06	2.5E-06	3.46E-04	8.77E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.95801	3.23E-06	3.1E-06	3.46E-04	1.07E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.97653	3.23E-06	3.2E-06	3.46E-04	1.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.97425	3.23E-06	3.1E-06	3.46E-04	1.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.94836	3.23E-06	3.1E-06	3.46E-04	1.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.90883	3.23E-06	2.9E-06	3.46E-04	1.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.85424	3.23E-06	2.8E-06	3.46E-04	9.54E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.71947	3.23E-06	2.3E-06	3.46E-04	8.04E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.84461	3.23E-06	2.7E-06	3.46E-04	9.44E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.86055	3.23E-06	2.8E-06	3.46E-04	9.61E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.86141	3.23E-06	2.8E-06	3.46E-04	9.62E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.84509	3.23E-06	2.7E-06	3.46E-04	9.44E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.81304	3.23E-06	2.6E-06	3.46E-04	9.08E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.76826	3.23E-06	2.5E-06	3.46E-04	8.58E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.67642	3.23E-06	2.2E-06	3.46E-04	7.56E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.75104	3.23E-06	2.4E-06	3.46E-04	8.39E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.76432	3.23E-06	2.5E-06	3.46E-04	8.54E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.7662	3.23E-06	2.5E-06	3.46E-04	8.56E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.75499	3.23E-06	2.4E-06	3.46E-04	8.44E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.73094	3.23E-06	2.4E-06	3.46E-04	8.17E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.69647	3.23E-06	2.2E-06	3.46E-04	7.78E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.65369	3.23E-06	2.1E-06	3.46E-04	7.30E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	3.23E-06	0.0E+00	3.46E-04	0.00E+00	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.15726	3.23E-06	5.1E-07	1.05E-03	5.31E-10	2	1.57E-01	1.67E-10	1.0E+06	1.7E-04
2	0.16411	3.23E-06	5.3E-07	1.05E-03	5.54E-10	2	1.57E-01	1.74E-10	1.0E+06	1.7E-04
3	0.1713	3.23E-06	5.5E-07	1.05E-03	5.78E-10	2	1.57E-01	1.82E-10	1.0E+06	1.8E-04
4	0.1789	3.23E-06	5.8E-07	1.05E-03	6.04E-10	2	1.57E-01	1.90E-10	1.0E+06	1.9E-04
5	0.18692	3.23E-06	6.0E-07	1.05E-03	6.31E-10	2	1.57E-01	1.98E-10	1.0E+06	2.0E-04
6	0.1955	3.23E-06	6.3E-07	1.05E-03	6.60E-10	2	1.57E-01	2.07E-10	1.0E+06	2.1E-04
7	0.20451	3.23E-06	6.6E-07	1.05E-03	6.90E-10	2	1.57E-01	2.17E-10	1.0E+06	2.2E-04
8	0.21395	3.23E-06	6.9E-07	1.05E-03	7.22E-10	2	1.57E-01	2.27E-10	1.0E+06	2.3E-04
9	0.22386	3.23E-06	7.2E-07	1.05E-03	7.55E-10	2	1.57E-01	2.37E-10	1.0E+06	2.4E-04
10	0.23423	3.23E-06	7.6E-07	1.05E-03	7.90E-10	2	1.57E-01	2.48E-10	1.0E+06	2.5E-04
11	0.24504	3.23E-06	7.9E-07	1.05E-03	8.27E-10	2	1.57E-01	2.60E-10	1.0E+06	2.6E-04
12	0.25626	3.23E-06	8.3E-07	1.05E-03	8.65E-10	2	1.57E-01	2.72E-10	1.0E+06	2.7E-04
13	0.26796	3.23E-06	8.6E-07	1.05E-03	9.04E-10	2	1.57E-01	2.84E-10	1.0E+06	2.8E-04
14	0.27998	3.23E-06	9.0E-07	1.05E-03	9.45E-10	2	1.57E-01	2.97E-10	1.0E+06	3.0E-04
15	0.29234	3.23E-06	9.4E-07	1.05E-03	9.86E-10	2	1.57E-01	3.10E-10	1.0E+06	3.1E-04
16	0.30484	3.23E-06	9.8E-07	1.05E-03	1.03E-09	2	1.57E-01	3.23E-10	1.0E+06	3.2E-04
17	0.31753	3.23E-06	1.0E-06	1.05E-03	1.07E-09	2	1.57E-01	3.37E-10	1.0E+06	3.4E-04
18	0.33006	3.23E-06	1.1E-06	1.05E-03	1.11E-09	2	1.57E-01	3.50E-10	1.0E+06	3.5E-04
19	0.34236	3.23E-06	1.1E-06	1.05E-03	1.15E-09	2	1.57E-01	3.63E-10	1.0E+06	3.6E-04
20	0.35423	3.23E-06	1.1E-06	1.05E-03	1.20E-09	2	1.57E-01	3.76E-10	1.0E+06	3.8E-04
21	0.36541	3.23E-06	1.2E-06	1.05E-03	1.23E-09	2	1.57E-01	3.87E-10	1.0E+06	3.9E-04
22	0.37573	3.23E-06	1.2E-06	1.05E-03	1.27E-09	2	1.57E-01	3.98E-10	1.0E+06	4.0E-04
23	0.38492	3.23E-06	1.2E-06	1.05E-03	1.30E-09	2	1.57E-01	4.08E-10	1.0E+06	4.1E-04
24	0.39282	3.23E-06	1.3E-06	1.05E-03	1.33E-09	2	1.57E-01	4.16E-10	1.0E+06	4.2E-04
25	0.39934	3.23E-06	1.3E-06	1.05E-03	1.35E-09	2	1.57E-01	4.23E-10	1.0E+06	4.2E-04
26	0.40438	3.23E-06	1.3E-06	1.05E-03	1.36E-09	2	1.57E-01	4.29E-10	1.0E+06	4.3E-04
27	0.40796	3.23E-06	1.3E-06	1.05E-03	1.38E-09	2	1.57E-01	4.33E-10	1.0E+06	4.3E-04
28	0.41014	3.23E-06	1.3E-06	1.05E-03	1.38E-09	2	1.57E-01	4.35E-10	1.0E+06	4.3E-04
29	0.41125	3.23E-06	1.3E-06	1.05E-03	1.39E-09	2	1.57E-01	4.36E-10	1.0E+06	4.4E-04
30	0.41163	3.23E-06	1.3E-06	1.05E-03	1.39E-09	2	1.57E-01	4.36E-10	1.0E+06	4.4E-04
31	0.41171	3.23E-06	1.3E-06	1.05E-03	1.39E-09	2	1.57E-01	4.37E-10	1.0E+06	4.4E-04

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.41201	3.23E-06	1.3E-06	1.05E-03	1.39E-09	2	1.57E-01	4.37E-10	1.0E+06	4.4E-04
55	0.41362	3.23E-06	1.3E-06	1.05E-03	1.40E-09	2	1.57E-01	4.39E-10	1.0E+06	4.4E-04
56	0.42474	3.23E-06	1.4E-06	1.05E-03	1.43E-09	2	1.57E-01	4.50E-10	1.0E+06	4.5E-04
57	0.43445	3.23E-06	1.4E-06	1.05E-03	1.47E-09	2	1.57E-01	4.61E-10	1.0E+06	4.6E-04
58	0.44237	3.23E-06	1.4E-06	1.05E-03	1.49E-09	2	1.57E-01	4.69E-10	1.0E+06	4.7E-04
59	0.44837	3.23E-06	1.4E-06	1.05E-03	1.51E-09	2	1.57E-01	4.75E-10	1.0E+06	4.8E-04
60	0.45252	3.23E-06	1.5E-06	1.05E-03	1.53E-09	2	1.57E-01	4.80E-10	1.0E+06	4.8E-04
61	0.45516	3.23E-06	1.5E-06	1.05E-03	1.54E-09	2	1.57E-01	4.83E-10	1.0E+06	4.8E-04
62	0.45646	3.23E-06	1.5E-06	1.05E-03	1.54E-09	2	1.57E-01	4.84E-10	1.0E+06	4.8E-04
63	0.45705	3.23E-06	1.5E-06	1.05E-03	1.54E-09	2	1.57E-01	4.85E-10	1.0E+06	4.8E-04
64	0.45748	3.23E-06	1.5E-06	1.05E-03	1.54E-09	2	1.57E-01	4.85E-10	1.0E+06	4.9E-04
65	0.45842	3.23E-06	1.5E-06	1.05E-03	1.55E-09	2	1.57E-01	4.86E-10	1.0E+06	4.9E-04
66	0.46069	3.23E-06	1.5E-06	1.05E-03	1.55E-09	2	1.57E-01	4.88E-10	1.0E+06	4.9E-04
67	0.16849	3.23E-06	5.4E-07	1.05E-03	5.68E-10	2	1.57E-01	1.79E-10	1.0E+06	1.8E-04
68	0.17653	3.23E-06	5.7E-07	1.05E-03	5.96E-10	2	1.57E-01	1.87E-10	1.0E+06	1.9E-04
69	0.18507	3.23E-06	6.0E-07	1.05E-03	6.24E-10	2	1.57E-01	1.96E-10	1.0E+06	2.0E-04
70	0.19417	3.23E-06	6.3E-07	1.05E-03	6.55E-10	2	1.57E-01	2.06E-10	1.0E+06	2.1E-04
71	0.20379	3.23E-06	6.6E-07	1.05E-03	6.87E-10	2	1.57E-01	2.16E-10	1.0E+06	2.2E-04
72	0.21419	3.23E-06	6.9E-07	1.05E-03	7.23E-10	2	1.57E-01	2.27E-10	1.0E+06	2.3E-04
73	0.22521	3.23E-06	7.3E-07	1.05E-03	7.60E-10	2	1.57E-01	2.39E-10	1.0E+06	2.4E-04
74	0.2369	3.23E-06	7.6E-07	1.05E-03	7.99E-10	2	1.57E-01	2.51E-10	1.0E+06	2.5E-04
75	0.24928	3.23E-06	8.0E-07	1.05E-03	8.41E-10	2	1.57E-01	2.64E-10	1.0E+06	2.6E-04
76	0.26242	3.23E-06	8.5E-07	1.05E-03	8.85E-10	2	1.57E-01	2.78E-10	1.0E+06	2.8E-04
77	0.27634	3.23E-06	8.9E-07	1.05E-03	9.32E-10	2	1.57E-01	2.93E-10	1.0E+06	2.9E-04
78	0.2911	3.23E-06	9.4E-07	1.05E-03	9.82E-10	2	1.57E-01	3.09E-10	1.0E+06	3.1E-04
79	0.37378	3.23E-06	1.2E-06	1.05E-03	1.26E-09	2	1.57E-01	3.96E-10	1.0E+06	4.0E-04
80	0.3914	3.23E-06	1.3E-06	1.05E-03	1.32E-09	2	1.57E-01	4.15E-10	1.0E+06	4.1E-04
81	0.40913	3.23E-06	1.3E-06	1.05E-03	1.38E-09	2	1.57E-01	4.34E-10	1.0E+06	4.3E-04
82	0.42631	3.23E-06	1.4E-06	1.05E-03	1.44E-09	2	1.57E-01	4.52E-10	1.0E+06	4.5E-04
83	0.44281	3.23E-06	1.4E-06	1.05E-03	1.49E-09	2	1.57E-01	4.69E-10	1.0E+06	4.7E-04
84	0.45801	3.23E-06	1.5E-06	1.05E-03	1.55E-09	2	1.57E-01	4.86E-10	1.0E+06	4.9E-04

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	0.47174	3.23E-06	1.5E-06	1.05E-03	1.59E-09	2	1.57E-01	5.00E-10	1.0E+06	5.0E-04
86	0.4836	3.23E-06	1.6E-06	1.05E-03	1.63E-09	2	1.57E-01	5.13E-10	1.0E+06	5.1E-04
87	0.49324	3.23E-06	1.6E-06	1.05E-03	1.66E-09	2	1.57E-01	5.23E-10	1.0E+06	5.2E-04
88	0.50059	3.23E-06	1.6E-06	1.05E-03	1.69E-09	2	1.57E-01	5.31E-10	1.0E+06	5.3E-04
89	0.50561	3.23E-06	1.6E-06	1.05E-03	1.71E-09	2	1.57E-01	5.36E-10	1.0E+06	5.4E-04
90	0.50865	3.23E-06	1.6E-06	1.05E-03	1.72E-09	2	1.57E-01	5.39E-10	1.0E+06	5.4E-04
91	0.51039	3.23E-06	1.6E-06	1.05E-03	1.72E-09	2	1.57E-01	5.41E-10	1.0E+06	5.4E-04
92	0.51121	3.23E-06	1.7E-06	1.05E-03	1.72E-09	2	1.57E-01	5.42E-10	1.0E+06	5.4E-04
93	0.51236	3.23E-06	1.7E-06	1.05E-03	1.73E-09	2	1.57E-01	5.43E-10	1.0E+06	5.4E-04
96	0.5028	3.23E-06	1.6E-06	1.05E-03	1.70E-09	2	1.57E-01	5.33E-10	1.0E+06	5.3E-04
97	0.5003	3.23E-06	1.6E-06	1.05E-03	1.69E-09	2	1.57E-01	5.30E-10	1.0E+06	5.3E-04
98	0.56317	3.23E-06	1.8E-06	1.05E-03	1.90E-09	2	1.57E-01	5.97E-10	1.0E+06	6.0E-04
99	0.56945	3.23E-06	1.8E-06	1.05E-03	1.92E-09	2	1.57E-01	6.04E-10	1.0E+06	6.0E-04
100	0.57325	3.23E-06	1.9E-06	1.05E-03	1.93E-09	2	1.57E-01	6.08E-10	1.0E+06	6.1E-04
101	0.57531	3.23E-06	1.9E-06	1.05E-03	1.94E-09	2	1.57E-01	6.10E-10	1.0E+06	6.1E-04
102	0.57679	3.23E-06	1.9E-06	1.05E-03	1.95E-09	2	1.57E-01	6.12E-10	1.0E+06	6.1E-04
106	0.17118	3.23E-06	5.5E-07	1.05E-03	5.77E-10	2	1.57E-01	1.81E-10	1.0E+06	1.8E-04
107	0.18002	3.23E-06	5.8E-07	1.05E-03	6.07E-10	2	1.57E-01	1.91E-10	1.0E+06	1.9E-04
108	0.18935	3.23E-06	6.1E-07	1.05E-03	6.39E-10	2	1.57E-01	2.01E-10	1.0E+06	2.0E-04
109	0.19936	3.23E-06	6.4E-07	1.05E-03	6.73E-10	2	1.57E-01	2.11E-10	1.0E+06	2.1E-04
110	0.21016	3.23E-06	6.8E-07	1.05E-03	7.09E-10	2	1.57E-01	2.23E-10	1.0E+06	2.2E-04
111	0.22167	3.23E-06	7.2E-07	1.05E-03	7.48E-10	2	1.57E-01	2.35E-10	1.0E+06	2.4E-04
112	0.2343	3.23E-06	7.6E-07	1.05E-03	7.90E-10	2	1.57E-01	2.48E-10	1.0E+06	2.5E-04
113	0.24776	3.23E-06	8.0E-07	1.05E-03	8.36E-10	2	1.57E-01	2.63E-10	1.0E+06	2.6E-04
114	0.26227	3.23E-06	8.5E-07	1.05E-03	8.85E-10	2	1.57E-01	2.78E-10	1.0E+06	2.8E-04
115	0.27781	3.23E-06	9.0E-07	1.05E-03	9.37E-10	2	1.57E-01	2.95E-10	1.0E+06	2.9E-04
116	0.29438	3.23E-06	9.5E-07	1.05E-03	9.93E-10	2	1.57E-01	3.12E-10	1.0E+06	3.1E-04
117	0.31241	3.23E-06	1.0E-06	1.05E-03	1.05E-09	2	1.57E-01	3.31E-10	1.0E+06	3.3E-04
118	0.33167	3.23E-06	1.1E-06	1.05E-03	1.12E-09	2	1.57E-01	3.52E-10	1.0E+06	3.5E-04
124	0.17644	3.23E-06	5.7E-07	1.05E-03	5.95E-10	2	1.57E-01	1.87E-10	1.0E+06	1.9E-04
125	0.18573	3.23E-06	6.0E-07	1.05E-03	6.27E-10	2	1.57E-01	1.97E-10	1.0E+06	2.0E-04

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.19574	3.23E-06	6.3E-07	1.05E-03	6.60E-10	2	1.57E-01	2.08E-10	1.0E+06	2.1E-04
127	0.20656	3.23E-06	6.7E-07	1.05E-03	6.97E-10	2	1.57E-01	2.19E-10	1.0E+06	2.2E-04
128	0.21827	3.23E-06	7.0E-07	1.05E-03	7.36E-10	2	1.57E-01	2.31E-10	1.0E+06	2.3E-04
129	0.23086	3.23E-06	7.5E-07	1.05E-03	7.79E-10	2	1.57E-01	2.45E-10	1.0E+06	2.4E-04
130	0.24468	3.23E-06	7.9E-07	1.05E-03	8.25E-10	2	1.57E-01	2.59E-10	1.0E+06	2.6E-04
131	0.25959	3.23E-06	8.4E-07	1.05E-03	8.76E-10	2	1.57E-01	2.75E-10	1.0E+06	2.8E-04
132	0.27576	3.23E-06	8.9E-07	1.05E-03	9.30E-10	2	1.57E-01	2.92E-10	1.0E+06	2.9E-04
133	0.2932	3.23E-06	9.5E-07	1.05E-03	9.89E-10	2	1.57E-01	3.11E-10	1.0E+06	3.1E-04
134	0.31221	3.23E-06	1.0E-06	1.05E-03	1.05E-09	2	1.57E-01	3.31E-10	1.0E+06	3.3E-04
135	0.33265	3.23E-06	1.1E-06	1.05E-03	1.12E-09	2	1.57E-01	3.53E-10	1.0E+06	3.5E-04
136	0.35469	3.23E-06	1.1E-06	1.05E-03	1.20E-09	2	1.57E-01	3.76E-10	1.0E+06	3.8E-04
137	0.37826	3.23E-06	1.2E-06	1.05E-03	1.28E-09	2	1.57E-01	4.01E-10	1.0E+06	4.0E-04
138	0.40388	3.23E-06	1.3E-06	1.05E-03	1.36E-09	2	1.57E-01	4.28E-10	1.0E+06	4.3E-04
141	0.1815	3.23E-06	5.9E-07	1.05E-03	6.12E-10	2	1.57E-01	1.92E-10	1.0E+06	1.9E-04
142	0.19142	3.23E-06	6.2E-07	1.05E-03	6.46E-10	2	1.57E-01	2.03E-10	1.0E+06	2.0E-04
143	0.20215	3.23E-06	6.5E-07	1.05E-03	6.82E-10	2	1.57E-01	2.14E-10	1.0E+06	2.1E-04
144	0.2138	3.23E-06	6.9E-07	1.05E-03	7.21E-10	2	1.57E-01	2.27E-10	1.0E+06	2.3E-04
145	0.22646	3.23E-06	7.3E-07	1.05E-03	7.64E-10	2	1.57E-01	2.40E-10	1.0E+06	2.4E-04
146	0.24016	3.23E-06	7.8E-07	1.05E-03	8.10E-10	2	1.57E-01	2.55E-10	1.0E+06	2.5E-04
147	0.25527	3.23E-06	8.2E-07	1.05E-03	8.61E-10	2	1.57E-01	2.71E-10	1.0E+06	2.7E-04
148	0.27168	3.23E-06	8.8E-07	1.05E-03	9.17E-10	2	1.57E-01	2.88E-10	1.0E+06	2.9E-04
149	0.28961	3.23E-06	9.3E-07	1.05E-03	9.77E-10	2	1.57E-01	3.07E-10	1.0E+06	3.1E-04
150	0.30915	3.23E-06	1.0E-06	1.05E-03	1.04E-09	2	1.57E-01	3.28E-10	1.0E+06	3.3E-04
151	0.33053	3.23E-06	1.1E-06	1.05E-03	1.12E-09	2	1.57E-01	3.50E-10	1.0E+06	3.5E-04
152	0.35386	3.23E-06	1.1E-06	1.05E-03	1.19E-09	2	1.57E-01	3.75E-10	1.0E+06	3.8E-04
153	0.37926	3.23E-06	1.2E-06	1.05E-03	1.28E-09	2	1.57E-01	4.02E-10	1.0E+06	4.0E-04
154	0.40667	3.23E-06	1.3E-06	1.05E-03	1.37E-09	2	1.57E-01	4.31E-10	1.0E+06	4.3E-04
155	0.4365	3.23E-06	1.4E-06	1.05E-03	1.47E-09	2	1.57E-01	4.63E-10	1.0E+06	4.6E-04
164	0.4372	3.23E-06	1.4E-06	1.05E-03	1.47E-09	2	1.57E-01	4.64E-10	1.0E+06	4.6E-04
165	0.47217	3.23E-06	1.5E-06	1.05E-03	1.59E-09	2	1.57E-01	5.01E-10	1.0E+06	5.0E-04
166	0.5108	3.23E-06	1.6E-06	1.05E-03	1.72E-09	2	1.57E-01	5.42E-10	1.0E+06	5.4E-04

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	0.46968	3.23E-06	1.5E-06	1.05E-03	1.58E-09	2	1.57E-01	4.98E-10	1.0E+06	5.0E-04
179	0.51089	3.23E-06	1.6E-06	1.05E-03	1.72E-09	2	1.57E-01	5.42E-10	1.0E+06	5.4E-04
180	0.55694	3.23E-06	1.8E-06	1.05E-03	1.88E-09	2	1.57E-01	5.91E-10	1.0E+06	5.9E-04
192	0.50398	3.23E-06	1.6E-06	1.05E-03	1.70E-09	2	1.57E-01	5.34E-10	1.0E+06	5.3E-04
193	0.55258	3.23E-06	1.8E-06	1.05E-03	1.86E-09	2	1.57E-01	5.86E-10	1.0E+06	5.9E-04
194	0.6073	3.23E-06	2.0E-06	1.05E-03	2.05E-09	2	1.57E-01	6.44E-10	1.0E+06	6.4E-04
207	0.5394	3.23E-06	1.7E-06	1.05E-03	1.82E-09	2	1.57E-01	5.72E-10	1.0E+06	5.7E-04
208	0.59621	3.23E-06	1.9E-06	1.05E-03	2.01E-09	2	1.57E-01	6.32E-10	1.0E+06	6.3E-04
209	0.66151	3.23E-06	2.1E-06	1.05E-03	2.23E-09	2	1.57E-01	7.01E-10	1.0E+06	7.0E-04
223	0.57529	3.23E-06	1.9E-06	1.05E-03	1.94E-09	2	1.57E-01	6.10E-10	1.0E+06	6.1E-04
224	0.64116	3.23E-06	2.1E-06	1.05E-03	2.16E-09	2	1.57E-01	6.80E-10	1.0E+06	6.8E-04
225	0.71797	3.23E-06	2.3E-06	1.05E-03	2.42E-09	2	1.57E-01	7.61E-10	1.0E+06	7.6E-04
239	0.61072	3.23E-06	2.0E-06	1.05E-03	2.06E-09	2	1.57E-01	6.48E-10	1.0E+06	6.5E-04
240	0.68632	3.23E-06	2.2E-06	1.05E-03	2.32E-09	2	1.57E-01	7.28E-10	1.0E+06	7.3E-04
241	0.77659	3.23E-06	2.5E-06	1.05E-03	2.62E-09	2	1.57E-01	8.23E-10	1.0E+06	8.2E-04
255	0.64393	3.23E-06	2.1E-06	1.05E-03	2.17E-09	2	1.57E-01	6.83E-10	1.0E+06	6.8E-04
256	0.72956	3.23E-06	2.4E-06	1.05E-03	2.46E-09	2	1.57E-01	7.74E-10	1.0E+06	7.7E-04
272	0.67285	3.23E-06	2.2E-06	1.05E-03	2.27E-09	2	1.57E-01	7.13E-10	1.0E+06	7.1E-04
273	0.76829	3.23E-06	2.5E-06	1.05E-03	2.59E-09	2	1.57E-01	8.15E-10	1.0E+06	8.1E-04
289	0.69575	3.23E-06	2.2E-06	1.05E-03	2.35E-09	2	1.57E-01	7.38E-10	1.0E+06	7.4E-04
290	0.7993	3.23E-06	2.6E-06	1.05E-03	2.70E-09	2	1.57E-01	8.47E-10	1.0E+06	8.5E-04
306	0.71047	3.23E-06	2.3E-06	1.05E-03	2.40E-09	2	1.57E-01	7.53E-10	1.0E+06	7.5E-04
307	0.81972	3.23E-06	2.6E-06	1.05E-03	2.77E-09	2	1.57E-01	8.69E-10	1.0E+06	8.7E-04
323	0.71607	3.23E-06	2.3E-06	1.05E-03	2.42E-09	2	1.57E-01	7.59E-10	1.0E+06	7.6E-04
324	0.82775	3.23E-06	2.7E-06	1.05E-03	2.79E-09	2	1.57E-01	8.78E-10	1.0E+06	8.8E-04
342	0.71272	3.23E-06	2.3E-06	1.05E-03	2.40E-09	2	1.57E-01	7.56E-10	1.0E+06	7.6E-04
343	0.82348	3.23E-06	2.7E-06	1.05E-03	2.78E-09	2	1.57E-01	8.73E-10	1.0E+06	8.7E-04
344	0.96461	3.23E-06	3.1E-06	1.05E-03	3.25E-09	2	1.57E-01	1.02E-09	1.0E+06	1.0E-03
356	0.70146	3.23E-06	2.3E-06	1.05E-03	2.37E-09	2	1.57E-01	7.44E-10	1.0E+06	7.4E-04
357	0.80837	3.23E-06	2.6E-06	1.05E-03	2.73E-09	2	1.57E-01	8.57E-10	1.0E+06	8.6E-04
358	0.94404	3.23E-06	3.0E-06	1.05E-03	3.18E-09	2	1.57E-01	1.00E-09	1.0E+06	1.0E-03

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.68414	3.23E-06	2.2E-06	1.05E-03	2.31E-09	2	1.57E-01	7.25E-10	1.0E+06	7.3E-04
371	0.78524	3.23E-06	2.5E-06	1.05E-03	2.65E-09	2	1.57E-01	8.33E-10	1.0E+06	8.3E-04
372	0.91232	3.23E-06	2.9E-06	1.05E-03	3.08E-09	2	1.57E-01	9.67E-10	1.0E+06	9.7E-04
383	0.66238	3.23E-06	2.1E-06	1.05E-03	2.23E-09	2	1.57E-01	7.02E-10	1.0E+06	7.0E-04
384	0.75642	3.23E-06	2.4E-06	1.05E-03	2.55E-09	2	1.57E-01	8.02E-10	1.0E+06	8.0E-04
385	0.87306	3.23E-06	2.8E-06	1.05E-03	2.95E-09	2	1.57E-01	9.26E-10	1.0E+06	9.3E-04
396	0.63756	3.23E-06	2.1E-06	1.05E-03	2.15E-09	2	1.57E-01	6.76E-10	1.0E+06	6.8E-04
397	0.72375	3.23E-06	2.3E-06	1.05E-03	2.44E-09	2	1.57E-01	7.67E-10	1.0E+06	7.7E-04
398	0.82897	3.23E-06	2.7E-06	1.05E-03	2.80E-09	2	1.57E-01	8.79E-10	1.0E+06	8.8E-04
399	0.95895	3.23E-06	3.1E-06	1.05E-03	3.24E-09	2	1.57E-01	1.02E-09	1.0E+06	1.0E-03
411	0.61056	3.23E-06	2.0E-06	1.05E-03	2.06E-09	2	1.57E-01	6.47E-10	1.0E+06	6.5E-04
412	0.68844	3.23E-06	2.2E-06	1.05E-03	2.32E-09	2	1.57E-01	7.30E-10	1.0E+06	7.3E-04
413	0.78204	3.23E-06	2.5E-06	1.05E-03	2.64E-09	2	1.57E-01	8.29E-10	1.0E+06	8.3E-04
414	0.89515	3.23E-06	2.9E-06	1.05E-03	3.02E-09	2	1.57E-01	9.49E-10	1.0E+06	9.5E-04
426	0.58209	3.23E-06	1.9E-06	1.05E-03	1.96E-09	2	1.57E-01	6.17E-10	1.0E+06	6.2E-04
427	0.65166	3.23E-06	2.1E-06	1.05E-03	2.20E-09	2	1.57E-01	6.91E-10	1.0E+06	6.9E-04
428	0.73367	3.23E-06	2.4E-06	1.05E-03	2.48E-09	2	1.57E-01	7.78E-10	1.0E+06	7.8E-04
429	0.8311	3.23E-06	2.7E-06	1.05E-03	2.80E-09	2	1.57E-01	8.81E-10	1.0E+06	8.8E-04
439	0.55267	3.23E-06	1.8E-06	1.05E-03	1.86E-09	2	1.57E-01	5.86E-10	1.0E+06	5.9E-04
440	0.61418	3.23E-06	2.0E-06	1.05E-03	2.07E-09	2	1.57E-01	6.51E-10	1.0E+06	6.5E-04
441	0.68561	3.23E-06	2.2E-06	1.05E-03	2.31E-09	2	1.57E-01	7.27E-10	1.0E+06	7.3E-04
442	0.76898	3.23E-06	2.5E-06	1.05E-03	2.59E-09	2	1.57E-01	8.15E-10	1.0E+06	8.2E-04
443	0.86694	3.23E-06	2.8E-06	1.05E-03	2.92E-09	2	1.57E-01	9.19E-10	1.0E+06	9.2E-04
454	0.52296	3.23E-06	1.7E-06	1.05E-03	1.76E-09	2	1.57E-01	5.54E-10	1.0E+06	5.5E-04
455	0.57698	3.23E-06	1.9E-06	1.05E-03	1.95E-09	2	1.57E-01	6.12E-10	1.0E+06	6.1E-04
456	0.63886	3.23E-06	2.1E-06	1.05E-03	2.16E-09	2	1.57E-01	6.77E-10	1.0E+06	6.8E-04
457	0.71014	3.23E-06	2.3E-06	1.05E-03	2.40E-09	2	1.57E-01	7.53E-10	1.0E+06	7.5E-04
458	0.79275	3.23E-06	2.6E-06	1.05E-03	2.67E-09	2	1.57E-01	8.41E-10	1.0E+06	8.4E-04
469	0.4935	3.23E-06	1.6E-06	1.05E-03	1.66E-09	2	1.57E-01	5.23E-10	1.0E+06	5.2E-04
470	0.54077	3.23E-06	1.7E-06	1.05E-03	1.82E-09	2	1.57E-01	5.73E-10	1.0E+06	5.7E-04
471	0.59441	3.23E-06	1.9E-06	1.05E-03	2.01E-09	2	1.57E-01	6.30E-10	1.0E+06	6.3E-04

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.6555	3.23E-06	2.1E-06	1.05E-03	2.21E-09	2	1.57E-01	6.95E-10	1.0E+06	7.0E-04
473	0.72554	3.23E-06	2.3E-06	1.05E-03	2.45E-09	2	1.57E-01	7.69E-10	1.0E+06	7.7E-04
489	0.4649	3.23E-06	1.5E-06	1.05E-03	1.57E-09	2	1.57E-01	4.93E-10	1.0E+06	4.9E-04
490	0.5063	3.23E-06	1.6E-06	1.05E-03	1.71E-09	2	1.57E-01	5.37E-10	1.0E+06	5.4E-04
491	0.55285	3.23E-06	1.8E-06	1.05E-03	1.87E-09	2	1.57E-01	5.86E-10	1.0E+06	5.9E-04
492	0.60546	3.23E-06	2.0E-06	1.05E-03	2.04E-09	2	1.57E-01	6.42E-10	1.0E+06	6.4E-04
493	0.66523	3.23E-06	2.1E-06	1.05E-03	2.24E-09	2	1.57E-01	7.05E-10	1.0E+06	7.1E-04
494	0.7334	3.23E-06	2.4E-06	1.05E-03	2.47E-09	2	1.57E-01	7.78E-10	1.0E+06	7.8E-04
509	0.43749	3.23E-06	1.4E-06	1.05E-03	1.48E-09	2	1.57E-01	4.64E-10	1.0E+06	4.6E-04
510	0.47384	3.23E-06	1.5E-06	1.05E-03	1.60E-09	2	1.57E-01	5.02E-10	1.0E+06	5.0E-04
511	0.51445	3.23E-06	1.7E-06	1.05E-03	1.74E-09	2	1.57E-01	5.45E-10	1.0E+06	5.5E-04
512	0.56003	3.23E-06	1.8E-06	1.05E-03	1.89E-09	2	1.57E-01	5.94E-10	1.0E+06	5.9E-04
513	0.61131	3.23E-06	2.0E-06	1.05E-03	2.06E-09	2	1.57E-01	6.48E-10	1.0E+06	6.5E-04
514	0.66929	3.23E-06	2.2E-06	1.05E-03	2.26E-09	2	1.57E-01	7.10E-10	1.0E+06	7.1E-04
515	0.80727	3.23E-06	2.6E-06	1.05E-03	2.72E-09	2	1.57E-01	8.56E-10	1.0E+06	8.6E-04
516	0.8864	3.23E-06	2.9E-06	1.05E-03	2.99E-09	2	1.57E-01	9.40E-10	1.0E+06	9.4E-04
517	0.97166	3.23E-06	3.1E-06	1.05E-03	3.28E-09	2	1.57E-01	1.03E-09	1.0E+06	1.0E-03
518	1.05936	3.23E-06	3.4E-06	1.05E-03	3.57E-09	2	1.57E-01	1.12E-09	1.0E+06	1.1E-03
519	1.14441	3.23E-06	3.7E-06	1.05E-03	3.86E-09	2	1.57E-01	1.21E-09	1.0E+06	1.2E-03
528	0.41158	3.23E-06	1.3E-06	1.05E-03	1.39E-09	2	1.57E-01	4.36E-10	1.0E+06	4.4E-04
529	0.44364	3.23E-06	1.4E-06	1.05E-03	1.50E-09	2	1.57E-01	4.70E-10	1.0E+06	4.7E-04
530	0.47925	3.23E-06	1.5E-06	1.05E-03	1.62E-09	2	1.57E-01	5.08E-10	1.0E+06	5.1E-04
531	0.51896	3.23E-06	1.7E-06	1.05E-03	1.75E-09	2	1.57E-01	5.50E-10	1.0E+06	5.5E-04
532	0.56333	3.23E-06	1.8E-06	1.05E-03	1.90E-09	2	1.57E-01	5.97E-10	1.0E+06	6.0E-04
533	0.61286	3.23E-06	2.0E-06	1.05E-03	2.07E-09	2	1.57E-01	6.50E-10	1.0E+06	6.5E-04
534	0.7279	3.23E-06	2.3E-06	1.05E-03	2.46E-09	2	1.57E-01	7.72E-10	1.0E+06	7.7E-04
535	0.79271	3.23E-06	2.6E-06	1.05E-03	2.67E-09	2	1.57E-01	8.40E-10	1.0E+06	8.4E-04
536	0.86165	3.23E-06	2.8E-06	1.05E-03	2.91E-09	2	1.57E-01	9.14E-10	1.0E+06	9.1E-04
537	0.9306	3.23E-06	3.0E-06	1.05E-03	3.14E-09	2	1.57E-01	9.87E-10	1.0E+06	9.9E-04
538	0.99669	3.23E-06	3.2E-06	1.05E-03	3.36E-09	2	1.57E-01	1.06E-09	1.0E+06	1.1E-03
547	0.38735	3.23E-06	1.3E-06	1.05E-03	1.31E-09	2	1.57E-01	4.11E-10	1.0E+06	4.1E-04

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.41574	3.23E-06	1.3E-06	1.05E-03	1.40E-09	2	1.57E-01	4.41E-10	1.0E+06	4.4E-04
549	0.44714	3.23E-06	1.4E-06	1.05E-03	1.51E-09	2	1.57E-01	4.74E-10	1.0E+06	4.7E-04
550	0.4819	3.23E-06	1.6E-06	1.05E-03	1.63E-09	2	1.57E-01	5.11E-10	1.0E+06	5.1E-04
551	0.52044	3.23E-06	1.7E-06	1.05E-03	1.76E-09	2	1.57E-01	5.52E-10	1.0E+06	5.5E-04
552	0.56297	3.23E-06	1.8E-06	1.05E-03	1.90E-09	2	1.57E-01	5.97E-10	1.0E+06	6.0E-04
553	0.60962	3.23E-06	2.0E-06	1.05E-03	2.06E-09	2	1.57E-01	6.46E-10	1.0E+06	6.5E-04
554	0.65978	3.23E-06	2.1E-06	1.05E-03	2.23E-09	2	1.57E-01	7.00E-10	1.0E+06	7.0E-04
555	0.71345	3.23E-06	2.3E-06	1.05E-03	2.41E-09	2	1.57E-01	7.56E-10	1.0E+06	7.6E-04
556	0.76977	3.23E-06	2.5E-06	1.05E-03	2.60E-09	2	1.57E-01	8.16E-10	1.0E+06	8.2E-04
557	0.82478	3.23E-06	2.7E-06	1.05E-03	2.78E-09	2	1.57E-01	8.74E-10	1.0E+06	8.7E-04
558	0.87788	3.23E-06	2.8E-06	1.05E-03	2.96E-09	2	1.57E-01	9.31E-10	1.0E+06	9.3E-04
559	0.92358	3.23E-06	3.0E-06	1.05E-03	3.12E-09	2	1.57E-01	9.79E-10	1.0E+06	9.8E-04
567	0.36481	3.23E-06	1.2E-06	1.05E-03	1.23E-09	2	1.57E-01	3.87E-10	1.0E+06	3.9E-04
568	0.39009	3.23E-06	1.3E-06	1.05E-03	1.32E-09	2	1.57E-01	4.14E-10	1.0E+06	4.1E-04
569	0.4179	3.23E-06	1.3E-06	1.05E-03	1.41E-09	2	1.57E-01	4.43E-10	1.0E+06	4.4E-04
570	0.44852	3.23E-06	1.4E-06	1.05E-03	1.51E-09	2	1.57E-01	4.76E-10	1.0E+06	4.8E-04
571	0.48215	3.23E-06	1.6E-06	1.05E-03	1.63E-09	2	1.57E-01	5.11E-10	1.0E+06	5.1E-04
572	0.51891	3.23E-06	1.7E-06	1.05E-03	1.75E-09	2	1.57E-01	5.50E-10	1.0E+06	5.5E-04
573	0.55867	3.23E-06	1.8E-06	1.05E-03	1.88E-09	2	1.57E-01	5.92E-10	1.0E+06	5.9E-04
574	0.6455	3.23E-06	2.1E-06	1.05E-03	2.18E-09	2	1.57E-01	6.84E-10	1.0E+06	6.8E-04
575	0.69164	3.23E-06	2.2E-06	1.05E-03	2.33E-09	2	1.57E-01	7.33E-10	1.0E+06	7.3E-04
576	0.73725	3.23E-06	2.4E-06	1.05E-03	2.49E-09	2	1.57E-01	7.82E-10	1.0E+06	7.8E-04
577	0.78003	3.23E-06	2.5E-06	1.05E-03	2.63E-09	2	1.57E-01	8.27E-10	1.0E+06	8.3E-04
578	0.81702	3.23E-06	2.6E-06	1.05E-03	2.76E-09	2	1.57E-01	8.66E-10	1.0E+06	8.7E-04
586	0.34396	3.23E-06	1.1E-06	1.05E-03	1.16E-09	2	1.57E-01	3.65E-10	1.0E+06	3.6E-04
587	0.36653	3.23E-06	1.2E-06	1.05E-03	1.24E-09	2	1.57E-01	3.89E-10	1.0E+06	3.9E-04
588	0.39127	3.23E-06	1.3E-06	1.05E-03	1.32E-09	2	1.57E-01	4.15E-10	1.0E+06	4.1E-04
589	0.41829	3.23E-06	1.4E-06	1.05E-03	1.41E-09	2	1.57E-01	4.43E-10	1.0E+06	4.4E-04
590	0.44771	3.23E-06	1.4E-06	1.05E-03	1.51E-09	2	1.57E-01	4.75E-10	1.0E+06	4.7E-04
591	0.4795	3.23E-06	1.5E-06	1.05E-03	1.62E-09	2	1.57E-01	5.08E-10	1.0E+06	5.1E-04
592	0.51353	3.23E-06	1.7E-06	1.05E-03	1.73E-09	2	1.57E-01	5.44E-10	1.0E+06	5.4E-04

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.58669	3.23E-06	1.9E-06	1.05E-03	1.98E-09	2	1.57E-01	6.22E-10	1.0E+06	6.2E-04
594	0.62502	3.23E-06	2.0E-06	1.05E-03	2.11E-09	2	1.57E-01	6.63E-10	1.0E+06	6.6E-04
595	0.6621	3.23E-06	2.1E-06	1.05E-03	2.23E-09	2	1.57E-01	7.02E-10	1.0E+06	7.0E-04
596	0.6969	3.23E-06	2.2E-06	1.05E-03	2.35E-09	2	1.57E-01	7.39E-10	1.0E+06	7.4E-04
597	0.72745	3.23E-06	2.3E-06	1.05E-03	2.45E-09	2	1.57E-01	7.71E-10	1.0E+06	7.7E-04
345	1.14974	3.23E-06	3.7E-06	1.05E-03	3.88E-09	2	1.57E-01	1.22E-09	1.0E+06	1.2E-03
346	1.39977	3.23E-06	4.5E-06	1.05E-03	4.72E-09	2	1.57E-01	1.48E-09	1.0E+06	1.5E-03
347	1.75186	3.23E-06	5.7E-06	1.05E-03	5.91E-09	2	1.57E-01	1.86E-09	1.0E+06	1.9E-03
348	2.27372	3.23E-06	7.3E-06	1.05E-03	7.67E-09	2	1.57E-01	2.41E-09	1.0E+06	2.4E-03
359	1.12034	3.23E-06	3.6E-06	1.05E-03	3.78E-09	2	1.57E-01	1.19E-09	1.0E+06	1.2E-03
360	1.35529	3.23E-06	4.4E-06	1.05E-03	4.57E-09	2	1.57E-01	1.44E-09	1.0E+06	1.4E-03
361	1.68089	3.23E-06	5.4E-06	1.05E-03	5.67E-09	2	1.57E-01	1.78E-09	1.0E+06	1.8E-03
362	2.14647	3.23E-06	6.9E-06	1.05E-03	7.24E-09	2	1.57E-01	2.28E-09	1.0E+06	2.3E-03
363	2.86256	3.23E-06	9.2E-06	1.05E-03	9.66E-09	2	1.57E-01	3.04E-09	1.0E+06	3.0E-03
373	1.28863	3.23E-06	4.2E-06	1.05E-03	4.35E-09	2	1.57E-01	1.37E-09	1.0E+06	1.4E-03
374	1.57491	3.23E-06	5.1E-06	1.05E-03	5.31E-09	2	1.57E-01	1.67E-09	1.0E+06	1.7E-03
375	1.9704	3.23E-06	6.4E-06	1.05E-03	6.65E-09	2	1.57E-01	2.09E-09	1.0E+06	2.1E-03
376	2.54253	3.23E-06	8.2E-06	1.05E-03	8.58E-09	2	1.57E-01	2.70E-09	1.0E+06	2.7E-03
386	1.20826	3.23E-06	3.9E-06	1.05E-03	4.08E-09	2	1.57E-01	1.28E-09	1.0E+06	1.3E-03
387	1.45345	3.23E-06	4.7E-06	1.05E-03	4.90E-09	2	1.57E-01	1.54E-09	1.0E+06	1.5E-03
388	1.77802	3.23E-06	5.7E-06	1.05E-03	6.00E-09	2	1.57E-01	1.89E-09	1.0E+06	1.9E-03
389	2.22339	3.23E-06	7.2E-06	1.05E-03	7.50E-09	2	1.57E-01	2.36E-09	1.0E+06	2.4E-03
390	2.85515	3.23E-06	9.2E-06	1.05E-03	9.63E-09	2	1.57E-01	3.03E-09	1.0E+06	3.0E-03
400	1.12146	3.23E-06	3.6E-06	1.05E-03	3.78E-09	2	1.57E-01	1.19E-09	1.0E+06	1.2E-03
401	1.3257	3.23E-06	4.3E-06	1.05E-03	4.47E-09	2	1.57E-01	1.41E-09	1.0E+06	1.4E-03
402	1.58959	3.23E-06	5.1E-06	1.05E-03	5.36E-09	2	1.57E-01	1.69E-09	1.0E+06	1.7E-03
403	1.93221	3.23E-06	6.2E-06	1.05E-03	6.52E-09	2	1.57E-01	2.05E-09	1.0E+06	2.0E-03
404	2.39059	3.23E-06	7.7E-06	1.05E-03	8.06E-09	2	1.57E-01	2.53E-09	1.0E+06	2.5E-03
415	1.03331	3.23E-06	3.3E-06	1.05E-03	3.49E-09	2	1.57E-01	1.10E-09	1.0E+06	1.1E-03
416	1.20346	3.23E-06	3.9E-06	1.05E-03	4.06E-09	2	1.57E-01	1.28E-09	1.0E+06	1.3E-03
417	1.41368	3.23E-06	4.6E-06	1.05E-03	4.77E-09	2	1.57E-01	1.50E-09	1.0E+06	1.5E-03

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	1.6832	3.23E-06	5.4E-06	1.05E-03	5.68E-09	2	1.57E-01	1.78E-09	1.0E+06	1.8E-03
419	2.02662	3.23E-06	6.5E-06	1.05E-03	6.84E-09	2	1.57E-01	2.15E-09	1.0E+06	2.1E-03
420	2.45362	3.23E-06	7.9E-06	1.05E-03	8.28E-09	2	1.57E-01	2.60E-09	1.0E+06	2.6E-03
430	1.08752	3.23E-06	3.5E-06	1.05E-03	3.67E-09	2	1.57E-01	1.15E-09	1.0E+06	1.2E-03
431	1.25861	3.23E-06	4.1E-06	1.05E-03	4.25E-09	2	1.57E-01	1.33E-09	1.0E+06	1.3E-03
432	1.46851	3.23E-06	4.7E-06	1.05E-03	4.95E-09	2	1.57E-01	1.56E-09	1.0E+06	1.6E-03
433	1.72799	3.23E-06	5.6E-06	1.05E-03	5.83E-09	2	1.57E-01	1.83E-09	1.0E+06	1.8E-03
434	2.04518	3.23E-06	6.6E-06	1.05E-03	6.90E-09	2	1.57E-01	2.17E-09	1.0E+06	2.2E-03
444	0.98289	3.23E-06	3.2E-06	1.05E-03	3.32E-09	2	1.57E-01	1.04E-09	1.0E+06	1.0E-03
445	1.12118	3.23E-06	3.6E-06	1.05E-03	3.78E-09	2	1.57E-01	1.19E-09	1.0E+06	1.2E-03
446	1.28754	3.23E-06	4.2E-06	1.05E-03	4.34E-09	2	1.57E-01	1.37E-09	1.0E+06	1.4E-03
447	1.48711	3.23E-06	4.8E-06	1.05E-03	5.02E-09	2	1.57E-01	1.58E-09	1.0E+06	1.6E-03
448	1.72242	3.23E-06	5.6E-06	1.05E-03	5.81E-09	2	1.57E-01	1.83E-09	1.0E+06	1.8E-03
459	1.00232	3.23E-06	3.2E-06	1.05E-03	3.38E-09	2	1.57E-01	1.06E-09	1.0E+06	1.1E-03
460	1.13556	3.23E-06	3.7E-06	1.05E-03	3.83E-09	2	1.57E-01	1.20E-09	1.0E+06	1.2E-03
461	1.29132	3.23E-06	4.2E-06	1.05E-03	4.36E-09	2	1.57E-01	1.37E-09	1.0E+06	1.4E-03
462	1.46916	3.23E-06	4.7E-06	1.05E-03	4.96E-09	2	1.57E-01	1.56E-09	1.0E+06	1.6E-03
463	1.66171	3.23E-06	5.4E-06	1.05E-03	5.61E-09	2	1.57E-01	1.76E-09	1.0E+06	1.8E-03
474	0.89952	3.23E-06	2.9E-06	1.05E-03	3.03E-09	2	1.57E-01	9.54E-10	1.0E+06	9.5E-04
475	1.00711	3.23E-06	3.3E-06	1.05E-03	3.40E-09	2	1.57E-01	1.07E-09	1.0E+06	1.1E-03
476	1.13086	3.23E-06	3.7E-06	1.05E-03	3.82E-09	2	1.57E-01	1.20E-09	1.0E+06	1.2E-03
477	1.26725	3.23E-06	4.1E-06	1.05E-03	4.28E-09	2	1.57E-01	1.34E-09	1.0E+06	1.3E-03
478	1.41265	3.23E-06	4.6E-06	1.05E-03	4.77E-09	2	1.57E-01	1.50E-09	1.0E+06	1.5E-03
495	0.81116	3.23E-06	2.6E-06	1.05E-03	2.74E-09	2	1.57E-01	8.60E-10	1.0E+06	8.6E-04
496	0.89895	3.23E-06	2.9E-06	1.05E-03	3.03E-09	2	1.57E-01	9.53E-10	1.0E+06	9.5E-04
497	0.99773	3.23E-06	3.2E-06	1.05E-03	3.37E-09	2	1.57E-01	1.06E-09	1.0E+06	1.1E-03
498	1.10504	3.23E-06	3.6E-06	1.05E-03	3.73E-09	2	1.57E-01	1.17E-09	1.0E+06	1.2E-03
499	1.2167	3.23E-06	3.9E-06	1.05E-03	4.10E-09	2	1.57E-01	1.29E-09	1.0E+06	1.3E-03
500	1.32538	3.23E-06	4.3E-06	1.05E-03	4.47E-09	2	1.57E-01	1.41E-09	1.0E+06	1.4E-03

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction							
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
139	0.43085	3.23E-06	1.4E-06	1.05E-03	1.45E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	0.45969	3.23E-06	1.5E-06	1.05E-03	1.55E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	0.46885	3.23E-06	1.5E-06	1.05E-03	1.58E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	0.50328	3.23E-06	1.6E-06	1.05E-03	1.70E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	0.5402	3.23E-06	1.7E-06	1.05E-03	1.82E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	0.57902	3.23E-06	1.9E-06	1.05E-03	1.95E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	0.61896	3.23E-06	2.0E-06	1.05E-03	2.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	0.7007	3.23E-06	2.3E-06	1.05E-03	2.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	0.73982	3.23E-06	2.4E-06	1.05E-03	2.50E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	0.77556	3.23E-06	2.5E-06	1.05E-03	2.62E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	0.55174	3.23E-06	1.8E-06	1.05E-03	1.86E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	0.5978	3.23E-06	1.9E-06	1.05E-03	2.02E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	0.64588	3.23E-06	2.1E-06	1.05E-03	2.18E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	0.69649	3.23E-06	2.2E-06	1.05E-03	2.35E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	0.74872	3.23E-06	2.4E-06	1.05E-03	2.53E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	0.80186	3.23E-06	2.6E-06	1.05E-03	2.71E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	0.85294	3.23E-06	2.8E-06	1.05E-03	2.88E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	0.90091	3.23E-06	2.9E-06	1.05E-03	3.04E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	0.94316	3.23E-06	3.0E-06	1.05E-03	3.18E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	0.97787	3.23E-06	3.2E-06	1.05E-03	3.30E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	1.00363	3.23E-06	3.2E-06	1.05E-03	3.39E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	0.66346	3.23E-06	2.1E-06	1.05E-03	2.24E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	0.72358	3.23E-06	2.3E-06	1.05E-03	2.44E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	0.78854	3.23E-06	2.5E-06	1.05E-03	2.66E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	0.85654	3.23E-06	2.8E-06	1.05E-03	2.89E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	0.92676	3.23E-06	3.0E-06	1.05E-03	3.13E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	0.99616	3.23E-06	3.2E-06	1.05E-03	3.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	1.06085	3.23E-06	3.4E-06	1.05E-03	3.58E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	1.11936	3.23E-06	3.6E-06	1.05E-03	3.78E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	1.16768	3.23E-06	3.8E-06	1.05E-03	3.94E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	1.2036	3.23E-06	3.9E-06	1.05E-03	4.06E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	1.22864	3.23E-06	4.0E-06	1.05E-03	4.14E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	0.73818	3.23E-06	2.4E-06	1.05E-03	2.49E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	0.81443	3.23E-06	2.6E-06	1.05E-03	2.75E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	0.89801	3.23E-06	2.9E-06	1.05E-03	3.03E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	0.98835	3.23E-06	3.2E-06	1.05E-03	3.33E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	1.08321	3.23E-06	3.5E-06	1.05E-03	3.65E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	1.17909	3.23E-06	3.8E-06	1.05E-03	3.98E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	1.27138	3.23E-06	4.1E-06	1.05E-03	4.29E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	1.35433	3.23E-06	4.4E-06	1.05E-03	4.57E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	1.42286	3.23E-06	4.6E-06	1.05E-03	4.80E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	1.47462	3.23E-06	4.8E-06	1.05E-03	4.97E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	1.51259	3.23E-06	4.9E-06	1.05E-03	5.10E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	1.54285	3.23E-06	5.0E-06	1.05E-03	5.20E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	0.73399	3.23E-06	2.4E-06	1.05E-03	2.48E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	0.82229	3.23E-06	2.7E-06	1.05E-03	2.77E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	0.91941	3.23E-06	3.0E-06	1.05E-03	3.10E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	1.02925	3.23E-06	3.3E-06	1.05E-03	3.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	1.28181	3.23E-06	4.1E-06	1.05E-03	4.32E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	1.41813	3.23E-06	4.6E-06	1.05E-03	4.78E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	1.55222	3.23E-06	5.0E-06	1.05E-03	5.24E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	1.67519	3.23E-06	5.4E-06	1.05E-03	5.65E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	1.7778	3.23E-06	5.7E-06	1.05E-03	6.00E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	1.85682	3.23E-06	6.0E-06	1.05E-03	6.26E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	1.91722	3.23E-06	6.2E-06	1.05E-03	6.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	1.9664	3.23E-06	6.3E-06	1.05E-03	6.63E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	2.01078	3.23E-06	6.5E-06	1.05E-03	6.78E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	0.80811	3.23E-06	2.6E-06	1.05E-03	2.73E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	0.91607	3.23E-06	3.0E-06	1.05E-03	3.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	1.04047	3.23E-06	3.4E-06	1.05E-03	3.51E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	1.18555	3.23E-06	3.8E-06	1.05E-03	4.00E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	1.35157	3.23E-06	4.4E-06	1.05E-03	4.56E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	1.53513	3.23E-06	5.0E-06	1.05E-03	5.18E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	1.73576	3.23E-06	5.6E-06	1.05E-03	5.86E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	2.13241	3.23E-06	6.9E-06	1.05E-03	7.19E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	2.29523	3.23E-06	7.4E-06	1.05E-03	7.74E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	2.42471	3.23E-06	7.8E-06	1.05E-03	8.18E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	2.52645	3.23E-06	8.2E-06	1.05E-03	8.52E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	2.60866	3.23E-06	8.4E-06	1.05E-03	8.80E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	2.67268	3.23E-06	8.6E-06	1.05E-03	9.02E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	0.88491	3.23E-06	2.9E-06	1.05E-03	2.99E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	1.01709	3.23E-06	3.3E-06	1.05E-03	3.43E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	1.17416	3.23E-06	3.8E-06	1.05E-03	3.96E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	1.36727	3.23E-06	4.4E-06	1.05E-03	4.61E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	1.59839	3.23E-06	5.2E-06	1.05E-03	5.39E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	1.86956	3.23E-06	6.0E-06	1.05E-03	6.31E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	2.17631	3.23E-06	7.0E-06	1.05E-03	7.34E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	2.81438	3.23E-06	9.1E-06	1.05E-03	9.49E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	3.0883	3.23E-06	1.0E-05	1.05E-03	1.04E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	3.31867	3.23E-06	1.1E-05	1.05E-03	1.12E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	3.50653	3.23E-06	1.1E-05	1.05E-03	1.18E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	3.63905	3.23E-06	1.2E-05	1.05E-03	1.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	3.70823	3.23E-06	1.2E-05	1.05E-03	1.25E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	0.96221	3.23E-06	3.1E-06	1.05E-03	3.25E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	1.12272	3.23E-06	3.6E-06	1.05E-03	3.79E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	1.3241	3.23E-06	4.3E-06	1.05E-03	4.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	1.57457	3.23E-06	5.1E-06	1.05E-03	5.31E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	1.90238	3.23E-06	6.1E-06	1.05E-03	6.42E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	2.30609	3.23E-06	7.4E-06	1.05E-03	7.78E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	2.79492	3.23E-06	9.0E-06	1.05E-03	9.43E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	3.91303	3.23E-06	1.3E-05	1.05E-03	1.32E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	4.4271	3.23E-06	1.4E-05	1.05E-03	1.49E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	4.87748	3.23E-06	1.6E-05	1.05E-03	1.65E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	5.22296	3.23E-06	1.7E-05	1.05E-03	1.76E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	5.40086	3.23E-06	1.7E-05	1.05E-03	1.82E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	5.39386	3.23E-06	1.7E-05	1.05E-03	1.82E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	4.30458	3.23E-06	1.4E-05	1.05E-03	1.45E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	3.71926	3.23E-06	1.2E-05	1.05E-03	1.25E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	1.03514	3.23E-06	3.3E-06	1.05E-03	3.49E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	1.2257	3.23E-06	4.0E-06	1.05E-03	4.13E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	1.47655	3.23E-06	4.8E-06	1.05E-03	4.98E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	1.80455	3.23E-06	5.8E-06	1.05E-03	6.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	2.25665	3.23E-06	7.3E-06	1.05E-03	7.61E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	2.86806	3.23E-06	9.3E-06	1.05E-03	9.68E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	3.67156	3.23E-06	1.2E-05	1.05E-03	1.24E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	5.8227	3.23E-06	1.9E-05	1.05E-03	1.96E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	6.91729	3.23E-06	2.2E-05	1.05E-03	2.33E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	7.89491	3.23E-06	2.5E-05	1.05E-03	2.66E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	8.53928	3.23E-06	2.8E-05	1.05E-03	2.88E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	8.65789	3.23E-06	2.8E-05	1.05E-03	2.92E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	8.24756	3.23E-06	2.7E-05	1.05E-03	2.78E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	5.24029	3.23E-06	1.7E-05	1.05E-03	1.77E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	4.19894	3.23E-06	1.4E-05	1.05E-03	1.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	1.09671	3.23E-06	3.5E-06	1.05E-03	3.70E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	1.31643	3.23E-06	4.2E-06	1.05E-03	4.44E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	1.61538	3.23E-06	5.2E-06	1.05E-03	5.45E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	2.03178	3.23E-06	6.6E-06	1.05E-03	6.85E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	2.63575	3.23E-06	8.5E-06	1.05E-03	8.89E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	3.55501	3.23E-06	1.1E-05	1.05E-03	1.20E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	4.98925	3.23E-06	1.6E-05	1.05E-03	1.68E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	9.804	3.23E-06	3.2E-05	1.05E-03	3.31E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	12.6976	3.23E-06	4.1E-05	1.05E-03	4.28E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	14.99651	3.23E-06	4.8E-05	1.05E-03	5.06E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	15.9934	3.23E-06	5.2E-05	1.05E-03	5.40E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	15.32996	3.23E-06	4.9E-05	1.05E-03	5.17E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	13.3397	3.23E-06	4.3E-05	1.05E-03	4.50E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	5.90149	3.23E-06	1.9E-05	1.05E-03	1.99E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	4.35477	3.23E-06	1.4E-05	1.05E-03	1.47E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	1.13938	3.23E-06	3.7E-06	1.05E-03	3.84E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	1.38209	3.23E-06	4.5E-06	1.05E-03	4.66E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	1.72018	3.23E-06	5.6E-06	1.05E-03	5.80E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	2.21311	3.23E-06	7.1E-06	1.05E-03	7.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	2.98489	3.23E-06	9.6E-06	1.05E-03	1.01E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	4.28799	3.23E-06	1.4E-05	1.05E-03	1.45E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	6.79362	3.23E-06	2.2E-05	1.05E-03	2.29E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	21.89608	3.23E-06	7.1E-05	1.05E-03	7.39E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	31.96099	3.23E-06	1.0E-04	1.05E-03	1.08E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	36.62356	3.23E-06	1.2E-04	1.05E-03	1.24E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	37.23636	3.23E-06	1.2E-04	1.05E-03	1.26E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	32.50911	3.23E-06	1.0E-04	1.05E-03	1.10E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	23.3224	3.23E-06	7.5E-05	1.05E-03	7.87E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	5.82188	3.23E-06	1.9E-05	1.05E-03	1.96E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	4.05076	3.23E-06	1.3E-05	1.05E-03	1.37E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	1.15727	3.23E-06	3.7E-06	1.05E-03	3.90E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	1.41067	3.23E-06	4.6E-06	1.05E-03	4.76E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	1.76839	3.23E-06	5.7E-06	1.05E-03	5.97E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	2.3034	3.23E-06	7.4E-06	1.05E-03	7.77E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	3.15826	3.23E-06	1.0E-05	1.05E-03	1.07E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	4.73433	3.23E-06	1.5E-05	1.05E-03	1.60E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	8.29527	3.23E-06	2.7E-05	1.05E-03	2.80E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	21.65325	3.23E-06	7.0E-05	1.05E-03	7.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	14.55377	3.23E-06	4.7E-05	1.05E-03	4.91E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	33.98262	3.23E-06	1.1E-04	1.05E-03	1.15E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	41.08412	3.23E-06	1.3E-04	1.05E-03	1.39E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	39.42527	3.23E-06	1.3E-04	1.05E-03	1.33E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	29.16927	3.23E-06	9.4E-05	1.05E-03	9.84E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	39.59032	3.23E-06	1.3E-04	1.05E-03	1.34E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	7.81161	3.23E-06	2.5E-05	1.05E-03	2.64E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	4.93117	3.23E-06	1.6E-05	1.05E-03	1.66E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	3.43934	3.23E-06	1.1E-05	1.05E-03	1.16E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	3.10451	3.23E-06	1.0E-05	1.05E-03	1.05E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	4.58659	3.23E-06	1.5E-05	1.05E-03	1.55E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	7.70459	3.23E-06	2.5E-05	1.05E-03	2.60E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	17.11285	3.23E-06	5.5E-05	1.05E-03	5.77E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	5.8574	3.23E-06	1.9E-05	1.05E-03	1.98E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	3.94703	3.23E-06	1.3E-05	1.05E-03	1.33E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	2.87257	3.23E-06	9.3E-06	1.05E-03	9.69E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	4.03691	3.23E-06	1.3E-05	1.05E-03	1.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	6.15762	3.23E-06	2.0E-05	1.05E-03	2.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	10.51406	3.23E-06	3.4E-05	1.05E-03	3.55E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	4.70129	3.23E-06	1.5E-05	1.05E-03	1.59E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	3.2955	3.23E-06	1.1E-05	1.05E-03	1.11E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	2.47484	3.23E-06	8.0E-06	1.05E-03	8.35E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	3.41052	3.23E-06	1.1E-05	1.05E-03	1.15E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	4.78983	3.23E-06	1.5E-05	1.05E-03	1.62E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	7.03957	3.23E-06	2.3E-05	1.05E-03	2.37E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	3.92537	3.23E-06	1.3E-05	1.05E-03	1.32E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	2.82489	3.23E-06	9.1E-06	1.05E-03	9.53E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	2.17214	3.23E-06	7.0E-06	1.05E-03	7.33E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	3.7651	3.23E-06	1.2E-05	1.05E-03	1.27E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	5.04792	3.23E-06	1.6E-05	1.05E-03	1.70E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	3.31793	3.23E-06	1.1E-05	1.05E-03	1.12E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	2.4698	3.23E-06	8.0E-06	1.05E-03	8.33E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	1.93351	3.23E-06	6.2E-06	1.05E-03	6.52E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	3.01656	3.23E-06	9.7E-06	1.05E-03	1.02E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	3.82615	3.23E-06	1.2E-05	1.05E-03	1.29E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	4.75445	3.23E-06	1.5E-05	1.05E-03	1.60E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	2.82367	3.23E-06	9.1E-06	1.05E-03	9.53E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	2.17139	3.23E-06	7.0E-06	1.05E-03	7.33E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	1.73524	3.23E-06	5.6E-06	1.05E-03	5.85E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	2.99613	3.23E-06	9.7E-06	1.05E-03	1.01E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	3.57969	3.23E-06	1.2E-05	1.05E-03	1.21E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	2.41134	3.23E-06	7.8E-06	1.05E-03	8.13E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	1.91654	3.23E-06	6.2E-06	1.05E-03	6.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	1.55944	3.23E-06	5.0E-06	1.05E-03	5.26E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	2.40825	3.23E-06	7.8E-06	1.05E-03	8.12E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	2.80368	3.23E-06	9.0E-06	1.05E-03	9.46E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	1.69698	3.23E-06	5.5E-06	1.05E-03	5.72E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	1.40129	3.23E-06	4.5E-06	1.05E-03	4.73E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	1.98041	3.23E-06	6.4E-06	1.05E-03	6.68E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	2.25913	3.23E-06	7.3E-06	1.05E-03	7.62E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	2.49746	3.23E-06	8.1E-06	1.05E-03	8.43E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	1.50465	3.23E-06	4.9E-06	1.05E-03	5.08E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	1.26461	3.23E-06	4.1E-06	1.05E-03	4.27E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	1.85823	3.23E-06	6.0E-06	1.05E-03	6.27E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	2.0305	3.23E-06	6.6E-06	1.05E-03	6.85E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	1.78808	3.23E-06	5.8E-06	1.05E-03	6.03E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	1.33914	3.23E-06	4.3E-06	1.05E-03	4.52E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	1.14473	3.23E-06	3.7E-06	1.05E-03	3.86E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	1.55205	3.23E-06	5.0E-06	1.05E-03	5.24E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	1.68359	3.23E-06	5.4E-06	1.05E-03	5.68E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	1.772	3.23E-06	5.7E-06	1.05E-03	5.98E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	1.80664	3.23E-06	5.8E-06	1.05E-03	6.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	1.77207	3.23E-06	5.7E-06	1.05E-03	5.98E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	1.67816	3.23E-06	5.4E-06	1.05E-03	5.66E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	1.53526	3.23E-06	5.0E-06	1.05E-03	5.18E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	1.36792	3.23E-06	4.4E-06	1.05E-03	4.61E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	1.19657	3.23E-06	3.9E-06	1.05E-03	4.04E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	1.03819	3.23E-06	3.4E-06	1.05E-03	3.50E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	1.41642	3.23E-06	4.6E-06	1.05E-03	4.78E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	1.49015	3.23E-06	4.8E-06	1.05E-03	5.03E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	1.51981	3.23E-06	4.9E-06	1.05E-03	5.13E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	1.50051	3.23E-06	4.8E-06	1.05E-03	5.06E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	1.43492	3.23E-06	4.6E-06	1.05E-03	4.84E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	1.33147	3.23E-06	4.3E-06	1.05E-03	4.49E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	1.20605	3.23E-06	3.9E-06	1.05E-03	4.07E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.94393	3.23E-06	3.0E-06	1.05E-03	3.18E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	1.21467	3.23E-06	3.9E-06	1.05E-03	4.10E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	1.26524	3.23E-06	4.1E-06	1.05E-03	4.27E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	1.29592	3.23E-06	4.2E-06	1.05E-03	4.37E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	1.28577	3.23E-06	4.2E-06	1.05E-03	4.34E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	1.24007	3.23E-06	4.0E-06	1.05E-03	4.18E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	1.16437	3.23E-06	3.8E-06	1.05E-03	3.93E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	1.06895	3.23E-06	3.5E-06	1.05E-03	3.61E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.85992	3.23E-06	2.8E-06	1.05E-03	2.90E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	1.05431	3.23E-06	3.4E-06	1.05E-03	3.56E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	1.09634	3.23E-06	3.5E-06	1.05E-03	3.70E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	1.11604	3.23E-06	3.6E-06	1.05E-03	3.77E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	1.11128	3.23E-06	3.6E-06	1.05E-03	3.75E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	1.08186	3.23E-06	3.5E-06	1.05E-03	3.65E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	1.02575	3.23E-06	3.3E-06	1.05E-03	3.46E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.95087	3.23E-06	3.1E-06	1.05E-03	3.21E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.78502	3.23E-06	2.5E-06	1.05E-03	2.65E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.95801	3.23E-06	3.1E-06	1.05E-03	3.23E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.97653	3.23E-06	3.2E-06	1.05E-03	3.29E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.97425	3.23E-06	3.1E-06	1.05E-03	3.29E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.94836	3.23E-06	3.1E-06	1.05E-03	3.20E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.90883	3.23E-06	2.9E-06	1.05E-03	3.07E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.85424	3.23E-06	2.8E-06	1.05E-03	2.88E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.71947	3.23E-06	2.3E-06	1.05E-03	2.43E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.84461	3.23E-06	2.7E-06	1.05E-03	2.85E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.86055	3.23E-06	2.8E-06	1.05E-03	2.90E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.86141	3.23E-06	2.8E-06	1.05E-03	2.91E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.84509	3.23E-06	2.7E-06	1.05E-03	2.85E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.81304	3.23E-06	2.6E-06	1.05E-03	2.74E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.76826	3.23E-06	2.5E-06	1.05E-03	2.59E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.67642	3.23E-06	2.2E-06	1.05E-03	2.28E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.75104	3.23E-06	2.4E-06	1.05E-03	2.53E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.76432	3.23E-06	2.5E-06	1.05E-03	2.58E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.7662	3.23E-06	2.5E-06	1.05E-03	2.58E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.75499	3.23E-06	2.4E-06	1.05E-03	2.55E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.73094	3.23E-06	2.4E-06	1.05E-03	2.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.69647	3.23E-06	2.2E-06	1.05E-03	2.35E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.65369	3.23E-06	2.1E-06	1.05E-03	2.21E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	3.23E-06	0.0E+00	1.05E-03	0.00E+00	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
1	1	0.15726	3.23E-06	5.1E-07	6.05E-04	3.07E-10	14	4.71E-02	2.03E-10	1.0E+06	2.0E-04
2	2	0.16411	3.23E-06	5.3E-07	6.05E-04	3.20E-10	14	4.71E-02	2.12E-10	1.0E+06	2.1E-04
3	3	0.1713	3.23E-06	5.5E-07	6.05E-04	3.35E-10	14	4.71E-02	2.21E-10	1.0E+06	2.2E-04
4	4	0.1789	3.23E-06	5.8E-07	6.05E-04	3.49E-10	14	4.71E-02	2.31E-10	1.0E+06	2.3E-04
5	5	0.18692	3.23E-06	6.0E-07	6.05E-04	3.65E-10	14	4.71E-02	2.41E-10	1.0E+06	2.4E-04
6	6	0.1955	3.23E-06	6.3E-07	6.05E-04	3.82E-10	14	4.71E-02	2.52E-10	1.0E+06	2.5E-04
7	7	0.20451	3.23E-06	6.6E-07	6.05E-04	3.99E-10	14	4.71E-02	2.64E-10	1.0E+06	2.6E-04
8	8	0.21395	3.23E-06	6.9E-07	6.05E-04	4.18E-10	14	4.71E-02	2.76E-10	1.0E+06	2.8E-04
9	9	0.22386	3.23E-06	7.2E-07	6.05E-04	4.37E-10	14	4.71E-02	2.89E-10	1.0E+06	2.9E-04
10	10	0.23423	3.23E-06	7.6E-07	6.05E-04	4.57E-10	14	4.71E-02	3.02E-10	1.0E+06	3.0E-04
11	11	0.24504	3.23E-06	7.9E-07	6.05E-04	4.79E-10	14	4.71E-02	3.16E-10	1.0E+06	3.2E-04
12	12	0.25626	3.23E-06	8.3E-07	6.05E-04	5.00E-10	14	4.71E-02	3.30E-10	1.0E+06	3.3E-04
13	13	0.26796	3.23E-06	8.6E-07	6.05E-04	5.23E-10	14	4.71E-02	3.45E-10	1.0E+06	3.5E-04
14	14	0.27998	3.23E-06	9.0E-07	6.05E-04	5.47E-10	14	4.71E-02	3.61E-10	1.0E+06	3.6E-04
15	15	0.29234	3.23E-06	9.4E-07	6.05E-04	5.71E-10	14	4.71E-02	3.77E-10	1.0E+06	3.8E-04
16	16	0.30484	3.23E-06	9.8E-07	6.05E-04	5.95E-10	14	4.71E-02	3.93E-10	1.0E+06	3.9E-04
17	17	0.31753	3.23E-06	1.0E-06	6.05E-04	6.20E-10	14	4.71E-02	4.09E-10	1.0E+06	4.1E-04
18	18	0.33006	3.23E-06	1.1E-06	6.05E-04	6.45E-10	14	4.71E-02	4.25E-10	1.0E+06	4.3E-04
19	19	0.34236	3.23E-06	1.1E-06	6.05E-04	6.69E-10	14	4.71E-02	4.41E-10	1.0E+06	4.4E-04
20	20	0.35423	3.23E-06	1.1E-06	6.05E-04	6.92E-10	14	4.71E-02	4.57E-10	1.0E+06	4.6E-04
21	21	0.36541	3.23E-06	1.2E-06	6.05E-04	7.14E-10	14	4.71E-02	4.71E-10	1.0E+06	4.7E-04
22	22	0.37573	3.23E-06	1.2E-06	6.05E-04	7.34E-10	14	4.71E-02	4.84E-10	1.0E+06	4.8E-04
23	23	0.38492	3.23E-06	1.2E-06	6.05E-04	7.52E-10	14	4.71E-02	4.96E-10	1.0E+06	5.0E-04
24	24	0.39282	3.23E-06	1.3E-06	6.05E-04	7.67E-10	14	4.71E-02	5.06E-10	1.0E+06	5.1E-04
25	25	0.39934	3.23E-06	1.3E-06	6.05E-04	7.80E-10	14	4.71E-02	5.15E-10	1.0E+06	5.1E-04
26	26	0.40438	3.23E-06	1.3E-06	6.05E-04	7.90E-10	14	4.71E-02	5.21E-10	1.0E+06	5.2E-04
27	27	0.40796	3.23E-06	1.3E-06	6.05E-04	7.97E-10	14	4.71E-02	5.26E-10	1.0E+06	5.3E-04
28	28	0.41014	3.23E-06	1.3E-06	6.05E-04	8.01E-10	14	4.71E-02	5.29E-10	1.0E+06	5.3E-04
29	29	0.41125	3.23E-06	1.3E-06	6.05E-04	8.03E-10	14	4.71E-02	5.30E-10	1.0E+06	5.3E-04
30	30	0.41163	3.23E-06	1.3E-06	6.05E-04	8.04E-10	14	4.71E-02	5.31E-10	1.0E+06	5.3E-04
31	31	0.41171	3.23E-06	1.3E-06	6.05E-04	8.04E-10	14	4.71E-02	5.31E-10	1.0E+06	5.3E-04

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
32	32	0.41201	3.23E-06	1.3E-06	6.05E-04	8.05E-10	14	4.71E-02	5.31E-10	1.0E+06	5.3E-04
55	55	0.41362	3.23E-06	1.3E-06	6.05E-04	8.08E-10	14	4.71E-02	5.33E-10	1.0E+06	5.3E-04
56	56	0.42474	3.23E-06	1.4E-06	6.05E-04	8.29E-10	14	4.71E-02	5.47E-10	1.0E+06	5.5E-04
57	57	0.43445	3.23E-06	1.4E-06	6.05E-04	8.48E-10	14	4.71E-02	5.60E-10	1.0E+06	5.6E-04
58	58	0.44237	3.23E-06	1.4E-06	6.05E-04	8.64E-10	14	4.71E-02	5.70E-10	1.0E+06	5.7E-04
59	59	0.44837	3.23E-06	1.4E-06	6.05E-04	8.76E-10	14	4.71E-02	5.78E-10	1.0E+06	5.8E-04
60	60	0.45252	3.23E-06	1.5E-06	6.05E-04	8.84E-10	14	4.71E-02	5.83E-10	1.0E+06	5.8E-04
61	61	0.45516	3.23E-06	1.5E-06	6.05E-04	8.89E-10	14	4.71E-02	5.87E-10	1.0E+06	5.9E-04
62	62	0.45646	3.23E-06	1.5E-06	6.05E-04	8.91E-10	14	4.71E-02	5.88E-10	1.0E+06	5.9E-04
63	63	0.45705	3.23E-06	1.5E-06	6.05E-04	8.93E-10	14	4.71E-02	5.89E-10	1.0E+06	5.9E-04
64	64	0.45748	3.23E-06	1.5E-06	6.05E-04	8.93E-10	14	4.71E-02	5.90E-10	1.0E+06	5.9E-04
65	65	0.45842	3.23E-06	1.5E-06	6.05E-04	8.95E-10	14	4.71E-02	5.91E-10	1.0E+06	5.9E-04
66	66	0.46069	3.23E-06	1.5E-06	6.05E-04	9.00E-10	14	4.71E-02	5.94E-10	1.0E+06	5.9E-04
67	67	0.16849	3.23E-06	5.4E-07	6.05E-04	3.29E-10	14	4.71E-02	2.17E-10	1.0E+06	2.2E-04
68	68	0.17653	3.23E-06	5.7E-07	6.05E-04	3.45E-10	14	4.71E-02	2.28E-10	1.0E+06	2.3E-04
69	69	0.18507	3.23E-06	6.0E-07	6.05E-04	3.61E-10	14	4.71E-02	2.39E-10	1.0E+06	2.4E-04
70	70	0.19417	3.23E-06	6.3E-07	6.05E-04	3.79E-10	14	4.71E-02	2.50E-10	1.0E+06	2.5E-04
71	71	0.20379	3.23E-06	6.6E-07	6.05E-04	3.98E-10	14	4.71E-02	2.63E-10	1.0E+06	2.6E-04
72	72	0.21419	3.23E-06	6.9E-07	6.05E-04	4.18E-10	14	4.71E-02	2.76E-10	1.0E+06	2.8E-04
73	73	0.22521	3.23E-06	7.3E-07	6.05E-04	4.40E-10	14	4.71E-02	2.90E-10	1.0E+06	2.9E-04
74	74	0.2369	3.23E-06	7.6E-07	6.05E-04	4.63E-10	14	4.71E-02	3.05E-10	1.0E+06	3.1E-04
75	75	0.24928	3.23E-06	8.0E-07	6.05E-04	4.87E-10	14	4.71E-02	3.21E-10	1.0E+06	3.2E-04
76	76	0.26242	3.23E-06	8.5E-07	6.05E-04	5.12E-10	14	4.71E-02	3.38E-10	1.0E+06	3.4E-04
77	77	0.27634	3.23E-06	8.9E-07	6.05E-04	5.40E-10	14	4.71E-02	3.56E-10	1.0E+06	3.6E-04
78	78	0.2911	3.23E-06	9.4E-07	6.05E-04	5.69E-10	14	4.71E-02	3.75E-10	1.0E+06	3.8E-04
79	79	0.37378	3.23E-06	1.2E-06	6.05E-04	7.30E-10	14	4.71E-02	4.82E-10	1.0E+06	4.8E-04
80	80	0.3914	3.23E-06	1.3E-06	6.05E-04	7.64E-10	14	4.71E-02	5.04E-10	1.0E+06	5.0E-04
81	81	0.40913	3.23E-06	1.3E-06	6.05E-04	7.99E-10	14	4.71E-02	5.27E-10	1.0E+06	5.3E-04
82	82	0.42631	3.23E-06	1.4E-06	6.05E-04	8.33E-10	14	4.71E-02	5.49E-10	1.0E+06	5.5E-04
83	83	0.44281	3.23E-06	1.4E-06	6.05E-04	8.65E-10	14	4.71E-02	5.71E-10	1.0E+06	5.7E-04
84	84	0.45801	3.23E-06	1.5E-06	6.05E-04	8.94E-10	14	4.71E-02	5.90E-10	1.0E+06	5.9E-04

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
85	85	0.47174	3.23E-06	1.5E-06	6.05E-04	9.21E-10	14	4.71E-02	6.08E-10	1.0E+06	6.1E-04
86	86	0.4836	3.23E-06	1.6E-06	6.05E-04	9.44E-10	14	4.71E-02	6.23E-10	1.0E+06	6.2E-04
87	87	0.49324	3.23E-06	1.6E-06	6.05E-04	9.63E-10	14	4.71E-02	6.36E-10	1.0E+06	6.4E-04
88	88	0.50059	3.23E-06	1.6E-06	6.05E-04	9.78E-10	14	4.71E-02	6.45E-10	1.0E+06	6.5E-04
89	89	0.50561	3.23E-06	1.6E-06	6.05E-04	9.87E-10	14	4.71E-02	6.52E-10	1.0E+06	6.5E-04
90	90	0.50865	3.23E-06	1.6E-06	6.05E-04	9.93E-10	14	4.71E-02	6.56E-10	1.0E+06	6.6E-04
91	91	0.51039	3.23E-06	1.6E-06	6.05E-04	9.97E-10	14	4.71E-02	6.58E-10	1.0E+06	6.6E-04
92	92	0.51121	3.23E-06	1.7E-06	6.05E-04	9.98E-10	14	4.71E-02	6.59E-10	1.0E+06	6.6E-04
93	93	0.51236	3.23E-06	1.7E-06	6.05E-04	1.00E-09	14	4.71E-02	6.60E-10	1.0E+06	6.6E-04
96	96	0.5028	3.23E-06	1.6E-06	6.05E-04	9.82E-10	14	4.71E-02	6.48E-10	1.0E+06	6.5E-04
97	97	0.5003	3.23E-06	1.6E-06	6.05E-04	9.77E-10	14	4.71E-02	6.45E-10	1.0E+06	6.4E-04
98	98	0.56317	3.23E-06	1.8E-06	6.05E-04	1.10E-09	14	4.71E-02	7.26E-10	1.0E+06	7.3E-04
99	99	0.56945	3.23E-06	1.8E-06	6.05E-04	1.11E-09	14	4.71E-02	7.34E-10	1.0E+06	7.3E-04
100	100	0.57325	3.23E-06	1.9E-06	6.05E-04	1.12E-09	14	4.71E-02	7.39E-10	1.0E+06	7.4E-04
101	101	0.57531	3.23E-06	1.9E-06	6.05E-04	1.12E-09	14	4.71E-02	7.42E-10	1.0E+06	7.4E-04
102	102	0.57679	3.23E-06	1.9E-06	6.05E-04	1.13E-09	14	4.71E-02	7.43E-10	1.0E+06	7.4E-04
106	106	0.17118	3.23E-06	5.5E-07	6.05E-04	3.34E-10	14	4.71E-02	2.21E-10	1.0E+06	2.2E-04
107	107	0.18002	3.23E-06	5.8E-07	6.05E-04	3.52E-10	14	4.71E-02	2.32E-10	1.0E+06	2.3E-04
108	108	0.18935	3.23E-06	6.1E-07	6.05E-04	3.70E-10	14	4.71E-02	2.44E-10	1.0E+06	2.4E-04
109	109	0.19936	3.23E-06	6.4E-07	6.05E-04	3.89E-10	14	4.71E-02	2.57E-10	1.0E+06	2.6E-04
110	110	0.21016	3.23E-06	6.8E-07	6.05E-04	4.10E-10	14	4.71E-02	2.71E-10	1.0E+06	2.7E-04
111	111	0.22167	3.23E-06	7.2E-07	6.05E-04	4.33E-10	14	4.71E-02	2.86E-10	1.0E+06	2.9E-04
112	112	0.2343	3.23E-06	7.6E-07	6.05E-04	4.58E-10	14	4.71E-02	3.02E-10	1.0E+06	3.0E-04
113	113	0.24776	3.23E-06	8.0E-07	6.05E-04	4.84E-10	14	4.71E-02	3.19E-10	1.0E+06	3.2E-04
114	114	0.26227	3.23E-06	8.5E-07	6.05E-04	5.12E-10	14	4.71E-02	3.38E-10	1.0E+06	3.4E-04
115	115	0.27781	3.23E-06	9.0E-07	6.05E-04	5.43E-10	14	4.71E-02	3.58E-10	1.0E+06	3.6E-04
116	116	0.29438	3.23E-06	9.5E-07	6.05E-04	5.75E-10	14	4.71E-02	3.79E-10	1.0E+06	3.8E-04
117	117	0.31241	3.23E-06	1.0E-06	6.05E-04	6.10E-10	14	4.71E-02	4.03E-10	1.0E+06	4.0E-04
118	118	0.33167	3.23E-06	1.1E-06	6.05E-04	6.48E-10	14	4.71E-02	4.28E-10	1.0E+06	4.3E-04
124	124	0.17644	3.23E-06	5.7E-07	6.05E-04	3.45E-10	14	4.71E-02	2.27E-10	1.0E+06	2.3E-04
125	125	0.18573	3.23E-06	6.0E-07	6.05E-04	3.63E-10	14	4.71E-02	2.39E-10	1.0E+06	2.4E-04

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	126	0.19574	3.23E-06	6.3E-07	6.05E-04	3.82E-10	14	4.71E-02	2.52E-10	1.0E+06	2.5E-04
127	127	0.20656	3.23E-06	6.7E-07	6.05E-04	4.03E-10	14	4.71E-02	2.66E-10	1.0E+06	2.7E-04
128	128	0.21827	3.23E-06	7.0E-07	6.05E-04	4.26E-10	14	4.71E-02	2.81E-10	1.0E+06	2.8E-04
129	129	0.23086	3.23E-06	7.5E-07	6.05E-04	4.51E-10	14	4.71E-02	2.98E-10	1.0E+06	3.0E-04
130	130	0.24468	3.23E-06	7.9E-07	6.05E-04	4.78E-10	14	4.71E-02	3.15E-10	1.0E+06	3.2E-04
131	131	0.25959	3.23E-06	8.4E-07	6.05E-04	5.07E-10	14	4.71E-02	3.35E-10	1.0E+06	3.3E-04
132	132	0.27576	3.23E-06	8.9E-07	6.05E-04	5.39E-10	14	4.71E-02	3.55E-10	1.0E+06	3.6E-04
133	133	0.2932	3.23E-06	9.5E-07	6.05E-04	5.73E-10	14	4.71E-02	3.78E-10	1.0E+06	3.8E-04
134	134	0.31221	3.23E-06	1.0E-06	6.05E-04	6.10E-10	14	4.71E-02	4.02E-10	1.0E+06	4.0E-04
135	135	0.33265	3.23E-06	1.1E-06	6.05E-04	6.50E-10	14	4.71E-02	4.29E-10	1.0E+06	4.3E-04
136	136	0.35469	3.23E-06	1.1E-06	6.05E-04	6.93E-10	14	4.71E-02	4.57E-10	1.0E+06	4.6E-04
137	137	0.37826	3.23E-06	1.2E-06	6.05E-04	7.39E-10	14	4.71E-02	4.88E-10	1.0E+06	4.9E-04
138	138	0.40388	3.23E-06	1.3E-06	6.05E-04	7.89E-10	14	4.71E-02	5.21E-10	1.0E+06	5.2E-04
141	141	0.1815	3.23E-06	5.9E-07	6.05E-04	3.54E-10	14	4.71E-02	2.34E-10	1.0E+06	2.3E-04
142	142	0.19142	3.23E-06	6.2E-07	6.05E-04	3.74E-10	14	4.71E-02	2.47E-10	1.0E+06	2.5E-04
143	143	0.20215	3.23E-06	6.5E-07	6.05E-04	3.95E-10	14	4.71E-02	2.61E-10	1.0E+06	2.6E-04
144	144	0.2138	3.23E-06	6.9E-07	6.05E-04	4.18E-10	14	4.71E-02	2.76E-10	1.0E+06	2.8E-04
145	145	0.22646	3.23E-06	7.3E-07	6.05E-04	4.42E-10	14	4.71E-02	2.92E-10	1.0E+06	2.9E-04
146	146	0.24016	3.23E-06	7.8E-07	6.05E-04	4.69E-10	14	4.71E-02	3.10E-10	1.0E+06	3.1E-04
147	147	0.25527	3.23E-06	8.2E-07	6.05E-04	4.99E-10	14	4.71E-02	3.29E-10	1.0E+06	3.3E-04
148	148	0.27168	3.23E-06	8.8E-07	6.05E-04	5.31E-10	14	4.71E-02	3.50E-10	1.0E+06	3.5E-04
149	149	0.28961	3.23E-06	9.3E-07	6.05E-04	5.66E-10	14	4.71E-02	3.73E-10	1.0E+06	3.7E-04
150	150	0.30915	3.23E-06	1.0E-06	6.05E-04	6.04E-10	14	4.71E-02	3.98E-10	1.0E+06	4.0E-04
151	151	0.33053	3.23E-06	1.1E-06	6.05E-04	6.46E-10	14	4.71E-02	4.26E-10	1.0E+06	4.3E-04
152	152	0.35386	3.23E-06	1.1E-06	6.05E-04	6.91E-10	14	4.71E-02	4.56E-10	1.0E+06	4.6E-04
153	153	0.37926	3.23E-06	1.2E-06	6.05E-04	7.41E-10	14	4.71E-02	4.89E-10	1.0E+06	4.9E-04
154	154	0.40667	3.23E-06	1.3E-06	6.05E-04	7.94E-10	14	4.71E-02	5.24E-10	1.0E+06	5.2E-04
155	155	0.4365	3.23E-06	1.4E-06	6.05E-04	8.52E-10	14	4.71E-02	5.63E-10	1.0E+06	5.6E-04
164	164	0.4372	3.23E-06	1.4E-06	6.05E-04	8.54E-10	14	4.71E-02	5.64E-10	1.0E+06	5.6E-04
165	165	0.47217	3.23E-06	1.5E-06	6.05E-04	9.22E-10	14	4.71E-02	6.09E-10	1.0E+06	6.1E-04
166	166	0.5108	3.23E-06	1.6E-06	6.05E-04	9.98E-10	14	4.71E-02	6.58E-10	1.0E+06	6.6E-04

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
178	178	0.46968	3.23E-06	1.5E-06	6.05E-04	9.17E-10	14	4.71E-02	6.05E-10	1.0E+06	6.1E-04
179	179	0.51089	3.23E-06	1.6E-06	6.05E-04	9.98E-10	14	4.71E-02	6.59E-10	1.0E+06	6.6E-04
180	180	0.55694	3.23E-06	1.8E-06	6.05E-04	1.09E-09	14	4.71E-02	7.18E-10	1.0E+06	7.2E-04
192	192	0.50398	3.23E-06	1.6E-06	6.05E-04	9.84E-10	14	4.71E-02	6.50E-10	1.0E+06	6.5E-04
193	193	0.55258	3.23E-06	1.8E-06	6.05E-04	1.08E-09	14	4.71E-02	7.12E-10	1.0E+06	7.1E-04
194	194	0.6073	3.23E-06	2.0E-06	6.05E-04	1.19E-09	14	4.71E-02	7.83E-10	1.0E+06	7.8E-04
207	207	0.5394	3.23E-06	1.7E-06	6.05E-04	1.05E-09	14	4.71E-02	6.95E-10	1.0E+06	7.0E-04
208	208	0.59621	3.23E-06	1.9E-06	6.05E-04	1.16E-09	14	4.71E-02	7.68E-10	1.0E+06	7.7E-04
209	209	0.66151	3.23E-06	2.1E-06	6.05E-04	1.29E-09	14	4.71E-02	8.53E-10	1.0E+06	8.5E-04
223	223	0.57529	3.23E-06	1.9E-06	6.05E-04	1.12E-09	14	4.71E-02	7.42E-10	1.0E+06	7.4E-04
224	224	0.64116	3.23E-06	2.1E-06	6.05E-04	1.25E-09	14	4.71E-02	8.26E-10	1.0E+06	8.3E-04
225	225	0.71797	3.23E-06	2.3E-06	6.05E-04	1.40E-09	14	4.71E-02	9.25E-10	1.0E+06	9.3E-04
239	239	0.61072	3.23E-06	2.0E-06	6.05E-04	1.19E-09	14	4.71E-02	7.87E-10	1.0E+06	7.9E-04
240	240	0.68632	3.23E-06	2.2E-06	6.05E-04	1.34E-09	14	4.71E-02	8.85E-10	1.0E+06	8.8E-04
241	241	0.77659	3.23E-06	2.5E-06	6.05E-04	1.52E-09	14	4.71E-02	1.00E-09	1.0E+06	1.0E-03
255	255	0.64393	3.23E-06	2.1E-06	6.05E-04	1.26E-09	14	4.71E-02	8.30E-10	1.0E+06	8.3E-04
256	256	0.72956	3.23E-06	2.4E-06	6.05E-04	1.42E-09	14	4.71E-02	9.40E-10	1.0E+06	9.4E-04
272	272	0.67285	3.23E-06	2.2E-06	6.05E-04	1.31E-09	14	4.71E-02	8.67E-10	1.0E+06	8.7E-04
273	273	0.76829	3.23E-06	2.5E-06	6.05E-04	1.50E-09	14	4.71E-02	9.90E-10	1.0E+06	9.9E-04
289	289	0.69575	3.23E-06	2.2E-06	6.05E-04	1.36E-09	14	4.71E-02	8.97E-10	1.0E+06	9.0E-04
290	290	0.7993	3.23E-06	2.6E-06	6.05E-04	1.56E-09	14	4.71E-02	1.03E-09	1.0E+06	1.0E-03
306	306	0.71047	3.23E-06	2.3E-06	6.05E-04	1.39E-09	14	4.71E-02	9.16E-10	1.0E+06	9.2E-04
307	307	0.81972	3.23E-06	2.6E-06	6.05E-04	1.60E-09	14	4.71E-02	1.06E-09	1.0E+06	1.1E-03
323	323	0.71607	3.23E-06	2.3E-06	6.05E-04	1.40E-09	14	4.71E-02	9.23E-10	1.0E+06	9.2E-04
324	324	0.82775	3.23E-06	2.7E-06	6.05E-04	1.62E-09	14	4.71E-02	1.07E-09	1.0E+06	1.1E-03
342	342	0.71272	3.23E-06	2.3E-06	6.05E-04	1.39E-09	14	4.71E-02	9.19E-10	1.0E+06	9.2E-04
343	343	0.82348	3.23E-06	2.7E-06	6.05E-04	1.61E-09	14	4.71E-02	1.06E-09	1.0E+06	1.1E-03
344	344	0.96461	3.23E-06	3.1E-06	6.05E-04	1.88E-09	14	4.71E-02	1.24E-09	1.0E+06	1.2E-03
356	356	0.70146	3.23E-06	2.3E-06	6.05E-04	1.37E-09	14	4.71E-02	9.04E-10	1.0E+06	9.0E-04
357	357	0.80837	3.23E-06	2.6E-06	6.05E-04	1.58E-09	14	4.71E-02	1.04E-09	1.0E+06	1.0E-03
358	358	0.94404	3.23E-06	3.0E-06	6.05E-04	1.84E-09	14	4.71E-02	1.22E-09	1.0E+06	1.2E-03

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	0.68414	3.23E-06	2.2E-06	6.05E-04	1.34E-09	14	4.71E-02	8.82E-10	1.0E+06	8.8E-04
371	371	0.78524	3.23E-06	2.5E-06	6.05E-04	1.53E-09	14	4.71E-02	1.01E-09	1.0E+06	1.0E-03
372	372	0.91232	3.23E-06	2.9E-06	6.05E-04	1.78E-09	14	4.71E-02	1.18E-09	1.0E+06	1.2E-03
383	383	0.66238	3.23E-06	2.1E-06	6.05E-04	1.29E-09	14	4.71E-02	8.54E-10	1.0E+06	8.5E-04
384	384	0.75642	3.23E-06	2.4E-06	6.05E-04	1.48E-09	14	4.71E-02	9.75E-10	1.0E+06	9.7E-04
385	385	0.87306	3.23E-06	2.8E-06	6.05E-04	1.71E-09	14	4.71E-02	1.13E-09	1.0E+06	1.1E-03
396	396	0.63756	3.23E-06	2.1E-06	6.05E-04	1.25E-09	14	4.71E-02	8.22E-10	1.0E+06	8.2E-04
397	397	0.72375	3.23E-06	2.3E-06	6.05E-04	1.41E-09	14	4.71E-02	9.33E-10	1.0E+06	9.3E-04
398	398	0.82897	3.23E-06	2.7E-06	6.05E-04	1.62E-09	14	4.71E-02	1.07E-09	1.0E+06	1.1E-03
399	399	0.95895	3.23E-06	3.1E-06	6.05E-04	1.87E-09	14	4.71E-02	1.24E-09	1.0E+06	1.2E-03
411	411	0.61056	3.23E-06	2.0E-06	6.05E-04	1.19E-09	14	4.71E-02	7.87E-10	1.0E+06	7.9E-04
412	412	0.68844	3.23E-06	2.2E-06	6.05E-04	1.34E-09	14	4.71E-02	8.87E-10	1.0E+06	8.9E-04
413	413	0.78204	3.23E-06	2.5E-06	6.05E-04	1.53E-09	14	4.71E-02	1.01E-09	1.0E+06	1.0E-03
414	414	0.89515	3.23E-06	2.9E-06	6.05E-04	1.75E-09	14	4.71E-02	1.15E-09	1.0E+06	1.2E-03
426	426	0.58209	3.23E-06	1.9E-06	6.05E-04	1.14E-09	14	4.71E-02	7.50E-10	1.0E+06	7.5E-04
427	427	0.65166	3.23E-06	2.1E-06	6.05E-04	1.27E-09	14	4.71E-02	8.40E-10	1.0E+06	8.4E-04
428	428	0.73367	3.23E-06	2.4E-06	6.05E-04	1.43E-09	14	4.71E-02	9.46E-10	1.0E+06	9.5E-04
429	429	0.8311	3.23E-06	2.7E-06	6.05E-04	1.62E-09	14	4.71E-02	1.07E-09	1.0E+06	1.1E-03
439	439	0.55267	3.23E-06	1.8E-06	6.05E-04	1.08E-09	14	4.71E-02	7.12E-10	1.0E+06	7.1E-04
440	440	0.61418	3.23E-06	2.0E-06	6.05E-04	1.20E-09	14	4.71E-02	7.92E-10	1.0E+06	7.9E-04
441	441	0.68561	3.23E-06	2.2E-06	6.05E-04	1.34E-09	14	4.71E-02	8.84E-10	1.0E+06	8.8E-04
442	442	0.76898	3.23E-06	2.5E-06	6.05E-04	1.50E-09	14	4.71E-02	9.91E-10	1.0E+06	9.9E-04
443	443	0.86694	3.23E-06	2.8E-06	6.05E-04	1.69E-09	14	4.71E-02	1.12E-09	1.0E+06	1.1E-03
454	454	0.52296	3.23E-06	1.7E-06	6.05E-04	1.02E-09	14	4.71E-02	6.74E-10	1.0E+06	6.7E-04
455	455	0.57698	3.23E-06	1.9E-06	6.05E-04	1.13E-09	14	4.71E-02	7.44E-10	1.0E+06	7.4E-04
456	456	0.63886	3.23E-06	2.1E-06	6.05E-04	1.25E-09	14	4.71E-02	8.23E-10	1.0E+06	8.2E-04
457	457	0.71014	3.23E-06	2.3E-06	6.05E-04	1.39E-09	14	4.71E-02	9.15E-10	1.0E+06	9.2E-04
458	458	0.79275	3.23E-06	2.6E-06	6.05E-04	1.55E-09	14	4.71E-02	1.02E-09	1.0E+06	1.0E-03
469	469	0.4935	3.23E-06	1.6E-06	6.05E-04	9.64E-10	14	4.71E-02	6.36E-10	1.0E+06	6.4E-04
470	470	0.54077	3.23E-06	1.7E-06	6.05E-04	1.06E-09	14	4.71E-02	6.97E-10	1.0E+06	7.0E-04
471	471	0.59441	3.23E-06	1.9E-06	6.05E-04	1.16E-09	14	4.71E-02	7.66E-10	1.0E+06	7.7E-04

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	0.6555	3.23E-06	2.1E-06	6.05E-04	1.28E-09	14	4.71E-02	8.45E-10	1.0E+06	8.4E-04
473	473	0.72554	3.23E-06	2.3E-06	6.05E-04	1.42E-09	14	4.71E-02	9.35E-10	1.0E+06	9.4E-04
489	489	0.4649	3.23E-06	1.5E-06	6.05E-04	9.08E-10	14	4.71E-02	5.99E-10	1.0E+06	6.0E-04
490	490	0.5063	3.23E-06	1.6E-06	6.05E-04	9.89E-10	14	4.71E-02	6.53E-10	1.0E+06	6.5E-04
491	491	0.55285	3.23E-06	1.8E-06	6.05E-04	1.08E-09	14	4.71E-02	7.13E-10	1.0E+06	7.1E-04
492	492	0.60546	3.23E-06	2.0E-06	6.05E-04	1.18E-09	14	4.71E-02	7.80E-10	1.0E+06	7.8E-04
493	493	0.66523	3.23E-06	2.1E-06	6.05E-04	1.30E-09	14	4.71E-02	8.57E-10	1.0E+06	8.6E-04
494	494	0.7334	3.23E-06	2.4E-06	6.05E-04	1.43E-09	14	4.71E-02	9.45E-10	1.0E+06	9.5E-04
509	509	0.43749	3.23E-06	1.4E-06	6.05E-04	8.54E-10	14	4.71E-02	5.64E-10	1.0E+06	5.6E-04
510	510	0.47384	3.23E-06	1.5E-06	6.05E-04	9.25E-10	14	4.71E-02	6.11E-10	1.0E+06	6.1E-04
511	511	0.51445	3.23E-06	1.7E-06	6.05E-04	1.00E-09	14	4.71E-02	6.63E-10	1.0E+06	6.6E-04
512	512	0.56003	3.23E-06	1.8E-06	6.05E-04	1.09E-09	14	4.71E-02	7.22E-10	1.0E+06	7.2E-04
513	513	0.61131	3.23E-06	2.0E-06	6.05E-04	1.19E-09	14	4.71E-02	7.88E-10	1.0E+06	7.9E-04
514	514	0.66929	3.23E-06	2.2E-06	6.05E-04	1.31E-09	14	4.71E-02	8.63E-10	1.0E+06	8.6E-04
515	515	0.80727	3.23E-06	2.6E-06	6.05E-04	1.58E-09	14	4.71E-02	1.04E-09	1.0E+06	1.0E-03
516	516	0.8864	3.23E-06	2.9E-06	6.05E-04	1.73E-09	14	4.71E-02	1.14E-09	1.0E+06	1.1E-03
517	517	0.97166	3.23E-06	3.1E-06	6.05E-04	1.90E-09	14	4.71E-02	1.25E-09	1.0E+06	1.3E-03
518	518	1.05936	3.23E-06	3.4E-06	6.05E-04	2.07E-09	14	4.71E-02	1.37E-09	1.0E+06	1.4E-03
519	519	1.14441	3.23E-06	3.7E-06	6.05E-04	2.23E-09	14	4.71E-02	1.48E-09	1.0E+06	1.5E-03
528	528	0.41158	3.23E-06	1.3E-06	6.05E-04	8.04E-10	14	4.71E-02	5.31E-10	1.0E+06	5.3E-04
529	529	0.44364	3.23E-06	1.4E-06	6.05E-04	8.66E-10	14	4.71E-02	5.72E-10	1.0E+06	5.7E-04
530	530	0.47925	3.23E-06	1.5E-06	6.05E-04	9.36E-10	14	4.71E-02	6.18E-10	1.0E+06	6.2E-04
531	531	0.51896	3.23E-06	1.7E-06	6.05E-04	1.01E-09	14	4.71E-02	6.69E-10	1.0E+06	6.7E-04
532	532	0.56333	3.23E-06	1.8E-06	6.05E-04	1.10E-09	14	4.71E-02	7.26E-10	1.0E+06	7.3E-04
533	533	0.61286	3.23E-06	2.0E-06	6.05E-04	1.20E-09	14	4.71E-02	7.90E-10	1.0E+06	7.9E-04
534	534	0.7279	3.23E-06	2.3E-06	6.05E-04	1.42E-09	14	4.71E-02	9.38E-10	1.0E+06	9.4E-04
535	535	0.79271	3.23E-06	2.6E-06	6.05E-04	1.55E-09	14	4.71E-02	1.02E-09	1.0E+06	1.0E-03
536	536	0.86165	3.23E-06	2.8E-06	6.05E-04	1.68E-09	14	4.71E-02	1.11E-09	1.0E+06	1.1E-03
537	537	0.9306	3.23E-06	3.0E-06	6.05E-04	1.82E-09	14	4.71E-02	1.20E-09	1.0E+06	1.2E-03
538	538	0.99669	3.23E-06	3.2E-06	6.05E-04	1.95E-09	14	4.71E-02	1.28E-09	1.0E+06	1.3E-03
547	547	0.38735	3.23E-06	1.3E-06	6.05E-04	7.56E-10	14	4.71E-02	4.99E-10	1.0E+06	5.0E-04

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
548	548	0.41574	3.23E-06	1.3E-06	6.05E-04	8.12E-10	14	4.71E-02	5.36E-10	1.0E+06	5.4E-04
549	549	0.44714	3.23E-06	1.4E-06	6.05E-04	8.73E-10	14	4.71E-02	5.76E-10	1.0E+06	5.8E-04
550	550	0.4819	3.23E-06	1.6E-06	6.05E-04	9.41E-10	14	4.71E-02	6.21E-10	1.0E+06	6.2E-04
551	551	0.52044	3.23E-06	1.7E-06	6.05E-04	1.02E-09	14	4.71E-02	6.71E-10	1.0E+06	6.7E-04
552	552	0.56297	3.23E-06	1.8E-06	6.05E-04	1.10E-09	14	4.71E-02	7.26E-10	1.0E+06	7.3E-04
553	553	0.60962	3.23E-06	2.0E-06	6.05E-04	1.19E-09	14	4.71E-02	7.86E-10	1.0E+06	7.9E-04
554	554	0.65978	3.23E-06	2.1E-06	6.05E-04	1.29E-09	14	4.71E-02	8.50E-10	1.0E+06	8.5E-04
555	555	0.71345	3.23E-06	2.3E-06	6.05E-04	1.39E-09	14	4.71E-02	9.20E-10	1.0E+06	9.2E-04
556	556	0.76977	3.23E-06	2.5E-06	6.05E-04	1.50E-09	14	4.71E-02	9.92E-10	1.0E+06	9.9E-04
557	557	0.82478	3.23E-06	2.7E-06	6.05E-04	1.61E-09	14	4.71E-02	1.06E-09	1.0E+06	1.1E-03
558	558	0.87788	3.23E-06	2.8E-06	6.05E-04	1.71E-09	14	4.71E-02	1.13E-09	1.0E+06	1.1E-03
559	559	0.92358	3.23E-06	3.0E-06	6.05E-04	1.80E-09	14	4.71E-02	1.19E-09	1.0E+06	1.2E-03
567	567	0.36481	3.23E-06	1.2E-06	6.05E-04	7.12E-10	14	4.71E-02	4.70E-10	1.0E+06	4.7E-04
568	568	0.39009	3.23E-06	1.3E-06	6.05E-04	7.62E-10	14	4.71E-02	5.03E-10	1.0E+06	5.0E-04
569	569	0.4179	3.23E-06	1.3E-06	6.05E-04	8.16E-10	14	4.71E-02	5.39E-10	1.0E+06	5.4E-04
570	570	0.44852	3.23E-06	1.4E-06	6.05E-04	8.76E-10	14	4.71E-02	5.78E-10	1.0E+06	5.8E-04
571	571	0.48215	3.23E-06	1.6E-06	6.05E-04	9.42E-10	14	4.71E-02	6.21E-10	1.0E+06	6.2E-04
572	572	0.51891	3.23E-06	1.7E-06	6.05E-04	1.01E-09	14	4.71E-02	6.69E-10	1.0E+06	6.7E-04
573	573	0.55867	3.23E-06	1.8E-06	6.05E-04	1.09E-09	14	4.71E-02	7.20E-10	1.0E+06	7.2E-04
574	574	0.6455	3.23E-06	2.1E-06	6.05E-04	1.26E-09	14	4.71E-02	8.32E-10	1.0E+06	8.3E-04
575	575	0.69164	3.23E-06	2.2E-06	6.05E-04	1.35E-09	14	4.71E-02	8.91E-10	1.0E+06	8.9E-04
576	576	0.73725	3.23E-06	2.4E-06	6.05E-04	1.44E-09	14	4.71E-02	9.50E-10	1.0E+06	9.5E-04
577	577	0.78003	3.23E-06	2.5E-06	6.05E-04	1.52E-09	14	4.71E-02	1.01E-09	1.0E+06	1.0E-03
578	578	0.81702	3.23E-06	2.6E-06	6.05E-04	1.60E-09	14	4.71E-02	1.05E-09	1.0E+06	1.1E-03
586	586	0.34396	3.23E-06	1.1E-06	6.05E-04	6.72E-10	14	4.71E-02	4.43E-10	1.0E+06	4.4E-04
587	587	0.36653	3.23E-06	1.2E-06	6.05E-04	7.16E-10	14	4.71E-02	4.72E-10	1.0E+06	4.7E-04
588	588	0.39127	3.23E-06	1.3E-06	6.05E-04	7.64E-10	14	4.71E-02	5.04E-10	1.0E+06	5.0E-04
589	589	0.41829	3.23E-06	1.4E-06	6.05E-04	8.17E-10	14	4.71E-02	5.39E-10	1.0E+06	5.4E-04
590	590	0.44771	3.23E-06	1.4E-06	6.05E-04	8.74E-10	14	4.71E-02	5.77E-10	1.0E+06	5.8E-04
591	591	0.4795	3.23E-06	1.5E-06	6.05E-04	9.36E-10	14	4.71E-02	6.18E-10	1.0E+06	6.2E-04
592	592	0.51353	3.23E-06	1.7E-06	6.05E-04	1.00E-09	14	4.71E-02	6.62E-10	1.0E+06	6.6E-04

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
593	593	0.58669	3.23E-06	1.9E-06	6.05E-04	1.15E-09	14	4.71E-02	7.56E-10	1.0E+06	7.6E-04
594	594	0.62502	3.23E-06	2.0E-06	6.05E-04	1.22E-09	14	4.71E-02	8.06E-10	1.0E+06	8.1E-04
595	595	0.6621	3.23E-06	2.1E-06	6.05E-04	1.29E-09	14	4.71E-02	8.53E-10	1.0E+06	8.5E-04
596	596	0.6969	3.23E-06	2.2E-06	6.05E-04	1.36E-09	14	4.71E-02	8.98E-10	1.0E+06	9.0E-04
597	597	0.72745	3.23E-06	2.3E-06	6.05E-04	1.42E-09	14	4.71E-02	9.38E-10	1.0E+06	9.4E-04
345	345	1.14974	3.23E-06	3.7E-06	6.05E-04	2.25E-09	14	4.71E-02	1.48E-09	1.0E+06	1.5E-03
346	346	1.39977	3.23E-06	4.5E-06	6.05E-04	2.73E-09	14	4.71E-02	1.80E-09	1.0E+06	1.8E-03
347	347	1.75186	3.23E-06	5.7E-06	6.05E-04	3.42E-09	14	4.71E-02	2.26E-09	1.0E+06	2.3E-03
348	348	2.27372	3.23E-06	7.3E-06	6.05E-04	4.44E-09	14	4.71E-02	2.93E-09	1.0E+06	2.9E-03
359	359	1.12034	3.23E-06	3.6E-06	6.05E-04	2.19E-09	14	4.71E-02	1.44E-09	1.0E+06	1.4E-03
360	360	1.35529	3.23E-06	4.4E-06	6.05E-04	2.65E-09	14	4.71E-02	1.75E-09	1.0E+06	1.7E-03
361	361	1.68089	3.23E-06	5.4E-06	6.05E-04	3.28E-09	14	4.71E-02	2.17E-09	1.0E+06	2.2E-03
362	362	2.14647	3.23E-06	6.9E-06	6.05E-04	4.19E-09	14	4.71E-02	2.77E-09	1.0E+06	2.8E-03
363	363	2.86256	3.23E-06	9.2E-06	6.05E-04	5.59E-09	14	4.71E-02	3.69E-09	1.0E+06	3.7E-03
373	373	1.28863	3.23E-06	4.2E-06	6.05E-04	2.52E-09	14	4.71E-02	1.66E-09	1.0E+06	1.7E-03
374	374	1.57491	3.23E-06	5.1E-06	6.05E-04	3.08E-09	14	4.71E-02	2.03E-09	1.0E+06	2.0E-03
375	375	1.9704	3.23E-06	6.4E-06	6.05E-04	3.85E-09	14	4.71E-02	2.54E-09	1.0E+06	2.5E-03
376	376	2.54253	3.23E-06	8.2E-06	6.05E-04	4.97E-09	14	4.71E-02	3.28E-09	1.0E+06	3.3E-03
386	386	1.20826	3.23E-06	3.9E-06	6.05E-04	2.36E-09	14	4.71E-02	1.56E-09	1.0E+06	1.6E-03
387	387	1.45345	3.23E-06	4.7E-06	6.05E-04	2.84E-09	14	4.71E-02	1.87E-09	1.0E+06	1.9E-03
388	388	1.77802	3.23E-06	5.7E-06	6.05E-04	3.47E-09	14	4.71E-02	2.29E-09	1.0E+06	2.3E-03
389	389	2.22339	3.23E-06	7.2E-06	6.05E-04	4.34E-09	14	4.71E-02	2.87E-09	1.0E+06	2.9E-03
390	390	2.85515	3.23E-06	9.2E-06	6.05E-04	5.58E-09	14	4.71E-02	3.68E-09	1.0E+06	3.7E-03
400	400	1.12146	3.23E-06	3.6E-06	6.05E-04	2.19E-09	14	4.71E-02	1.45E-09	1.0E+06	1.4E-03
401	401	1.3257	3.23E-06	4.3E-06	6.05E-04	2.59E-09	14	4.71E-02	1.71E-09	1.0E+06	1.7E-03
402	402	1.58959	3.23E-06	5.1E-06	6.05E-04	3.10E-09	14	4.71E-02	2.05E-09	1.0E+06	2.0E-03
403	403	1.93221	3.23E-06	6.2E-06	6.05E-04	3.77E-09	14	4.71E-02	2.49E-09	1.0E+06	2.5E-03
404	404	2.39059	3.23E-06	7.7E-06	6.05E-04	4.67E-09	14	4.71E-02	3.08E-09	1.0E+06	3.1E-03
415	415	1.03331	3.23E-06	3.3E-06	6.05E-04	2.02E-09	14	4.71E-02	1.33E-09	1.0E+06	1.3E-03
416	416	1.20346	3.23E-06	3.9E-06	6.05E-04	2.35E-09	14	4.71E-02	1.55E-09	1.0E+06	1.6E-03
417	417	1.41368	3.23E-06	4.6E-06	6.05E-04	2.76E-09	14	4.71E-02	1.82E-09	1.0E+06	1.8E-03

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	1.6832	3.23E-06	5.4E-06	6.05E-04	3.29E-09	14	4.71E-02	2.17E-09	1.0E+06	2.2E-03
419	419	2.02662	3.23E-06	6.5E-06	6.05E-04	3.96E-09	14	4.71E-02	2.61E-09	1.0E+06	2.6E-03
420	420	2.45362	3.23E-06	7.9E-06	6.05E-04	4.79E-09	14	4.71E-02	3.16E-09	1.0E+06	3.2E-03
430	430	1.08752	3.23E-06	3.5E-06	6.05E-04	2.12E-09	14	4.71E-02	1.40E-09	1.0E+06	1.4E-03
431	431	1.25861	3.23E-06	4.1E-06	6.05E-04	2.46E-09	14	4.71E-02	1.62E-09	1.0E+06	1.6E-03
432	432	1.46851	3.23E-06	4.7E-06	6.05E-04	2.87E-09	14	4.71E-02	1.89E-09	1.0E+06	1.9E-03
433	433	1.72799	3.23E-06	5.6E-06	6.05E-04	3.37E-09	14	4.71E-02	2.23E-09	1.0E+06	2.2E-03
434	434	2.04518	3.23E-06	6.6E-06	6.05E-04	3.99E-09	14	4.71E-02	2.64E-09	1.0E+06	2.6E-03
444	444	0.98289	3.23E-06	3.2E-06	6.05E-04	1.92E-09	14	4.71E-02	1.27E-09	1.0E+06	1.3E-03
445	445	1.12118	3.23E-06	3.6E-06	6.05E-04	2.19E-09	14	4.71E-02	1.45E-09	1.0E+06	1.4E-03
446	446	1.28754	3.23E-06	4.2E-06	6.05E-04	2.51E-09	14	4.71E-02	1.66E-09	1.0E+06	1.7E-03
447	447	1.48711	3.23E-06	4.8E-06	6.05E-04	2.90E-09	14	4.71E-02	1.92E-09	1.0E+06	1.9E-03
448	448	1.72242	3.23E-06	5.6E-06	6.05E-04	3.36E-09	14	4.71E-02	2.22E-09	1.0E+06	2.2E-03
459	459	1.00232	3.23E-06	3.2E-06	6.05E-04	1.96E-09	14	4.71E-02	1.29E-09	1.0E+06	1.3E-03
460	460	1.13556	3.23E-06	3.7E-06	6.05E-04	2.22E-09	14	4.71E-02	1.46E-09	1.0E+06	1.5E-03
461	461	1.29132	3.23E-06	4.2E-06	6.05E-04	2.52E-09	14	4.71E-02	1.66E-09	1.0E+06	1.7E-03
462	462	1.46916	3.23E-06	4.7E-06	6.05E-04	2.87E-09	14	4.71E-02	1.89E-09	1.0E+06	1.9E-03
463	463	1.66171	3.23E-06	5.4E-06	6.05E-04	3.25E-09	14	4.71E-02	2.14E-09	1.0E+06	2.1E-03
474	474	0.89952	3.23E-06	2.9E-06	6.05E-04	1.76E-09	14	4.71E-02	1.16E-09	1.0E+06	1.2E-03
475	475	1.00711	3.23E-06	3.3E-06	6.05E-04	1.97E-09	14	4.71E-02	1.30E-09	1.0E+06	1.3E-03
476	476	1.13086	3.23E-06	3.7E-06	6.05E-04	2.21E-09	14	4.71E-02	1.46E-09	1.0E+06	1.5E-03
477	477	1.26725	3.23E-06	4.1E-06	6.05E-04	2.47E-09	14	4.71E-02	1.63E-09	1.0E+06	1.6E-03
478	478	1.41265	3.23E-06	4.6E-06	6.05E-04	2.76E-09	14	4.71E-02	1.82E-09	1.0E+06	1.8E-03
495	495	0.81116	3.23E-06	2.6E-06	6.05E-04	1.58E-09	14	4.71E-02	1.05E-09	1.0E+06	1.0E-03
496	496	0.89895	3.23E-06	2.9E-06	6.05E-04	1.76E-09	14	4.71E-02	1.16E-09	1.0E+06	1.2E-03
497	497	0.99773	3.23E-06	3.2E-06	6.05E-04	1.95E-09	14	4.71E-02	1.29E-09	1.0E+06	1.3E-03
498	498	1.10504	3.23E-06	3.6E-06	6.05E-04	2.16E-09	14	4.71E-02	1.42E-09	1.0E+06	1.4E-03
499	499	1.2167	3.23E-06	3.9E-06	6.05E-04	2.38E-09	14	4.71E-02	1.57E-09	1.0E+06	1.6E-03
500	500	1.32538	3.23E-06	4.3E-06	6.05E-04	2.59E-09	14	4.71E-02	1.71E-09	1.0E+06	1.7E-03

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	0.43085	3.23E-06	1.4E-06	6.05E-04	8.41E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
140	140	0.45969	3.23E-06	1.5E-06	6.05E-04	8.98E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
156	156	0.46885	3.23E-06	1.5E-06	6.05E-04	9.16E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
157	157	0.50328	3.23E-06	1.6E-06	6.05E-04	9.83E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
158	158	0.5402	3.23E-06	1.7E-06	6.05E-04	1.05E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
159	159	0.57902	3.23E-06	1.9E-06	6.05E-04	1.13E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
160	160	0.61896	3.23E-06	2.0E-06	6.05E-04	1.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
161	161	0.7007	3.23E-06	2.3E-06	6.05E-04	1.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
162	162	0.73982	3.23E-06	2.4E-06	6.05E-04	1.44E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
163	163	0.77556	3.23E-06	2.5E-06	6.05E-04	1.51E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
167	167	0.55174	3.23E-06	1.8E-06	6.05E-04	1.08E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
168	168	0.5978	3.23E-06	1.9E-06	6.05E-04	1.17E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
169	169	0.64588	3.23E-06	2.1E-06	6.05E-04	1.26E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
170	170	0.69649	3.23E-06	2.2E-06	6.05E-04	1.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
171	171	0.74872	3.23E-06	2.4E-06	6.05E-04	1.46E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
172	172	0.80186	3.23E-06	2.6E-06	6.05E-04	1.57E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
173	173	0.85294	3.23E-06	2.8E-06	6.05E-04	1.67E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
174	174	0.90091	3.23E-06	2.9E-06	6.05E-04	1.76E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
175	175	0.94316	3.23E-06	3.0E-06	6.05E-04	1.84E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
176	176	0.97787	3.23E-06	3.2E-06	6.05E-04	1.91E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
177	177	1.00363	3.23E-06	3.2E-06	6.05E-04	1.96E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
181	181	0.66346	3.23E-06	2.1E-06	6.05E-04	1.30E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
182	182	0.72358	3.23E-06	2.3E-06	6.05E-04	1.41E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
183	183	0.78854	3.23E-06	2.5E-06	6.05E-04	1.54E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
184	184	0.85654	3.23E-06	2.8E-06	6.05E-04	1.67E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
185	185	0.92676	3.23E-06	3.0E-06	6.05E-04	1.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
186	186	0.99616	3.23E-06	3.2E-06	6.05E-04	1.95E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
187	187	1.06085	3.23E-06	3.4E-06	6.05E-04	2.07E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
188	188	1.11936	3.23E-06	3.6E-06	6.05E-04	2.19E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
189	189	1.16768	3.23E-06	3.8E-06	6.05E-04	2.28E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
190	190	1.2036	3.23E-06	3.9E-06	6.05E-04	2.35E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	1.22864	3.23E-06	4.0E-06	6.05E-04	2.40E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
195	195	0.73818	3.23E-06	2.4E-06	6.05E-04	1.44E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
196	196	0.81443	3.23E-06	2.6E-06	6.05E-04	1.59E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
197	197	0.89801	3.23E-06	2.9E-06	6.05E-04	1.75E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
198	198	0.98835	3.23E-06	3.2E-06	6.05E-04	1.93E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
199	199	1.08321	3.23E-06	3.5E-06	6.05E-04	2.12E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
200	200	1.17909	3.23E-06	3.8E-06	6.05E-04	2.30E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
201	201	1.27138	3.23E-06	4.1E-06	6.05E-04	2.48E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
202	202	1.35433	3.23E-06	4.4E-06	6.05E-04	2.64E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
203	203	1.42286	3.23E-06	4.6E-06	6.05E-04	2.78E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
204	204	1.47462	3.23E-06	4.8E-06	6.05E-04	2.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
205	205	1.51259	3.23E-06	4.9E-06	6.05E-04	2.95E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
206	206	1.54285	3.23E-06	5.0E-06	6.05E-04	3.01E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
210	210	0.73399	3.23E-06	2.4E-06	6.05E-04	1.43E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
211	211	0.82229	3.23E-06	2.7E-06	6.05E-04	1.61E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
212	212	0.91941	3.23E-06	3.0E-06	6.05E-04	1.80E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
213	213	1.02925	3.23E-06	3.3E-06	6.05E-04	2.01E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
214	214	1.28181	3.23E-06	4.1E-06	6.05E-04	2.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
215	215	1.41813	3.23E-06	4.6E-06	6.05E-04	2.77E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
216	216	1.55222	3.23E-06	5.0E-06	6.05E-04	3.03E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
217	217	1.67519	3.23E-06	5.4E-06	6.05E-04	3.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
218	218	1.7778	3.23E-06	5.7E-06	6.05E-04	3.47E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
219	219	1.85682	3.23E-06	6.0E-06	6.05E-04	3.63E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
220	220	1.91722	3.23E-06	6.2E-06	6.05E-04	3.74E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
221	221	1.9664	3.23E-06	6.3E-06	6.05E-04	3.84E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
222	222	2.01078	3.23E-06	6.5E-06	6.05E-04	3.93E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
226	226	0.80811	3.23E-06	2.6E-06	6.05E-04	1.58E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
227	227	0.91607	3.23E-06	3.0E-06	6.05E-04	1.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
228	228	1.04047	3.23E-06	3.4E-06	6.05E-04	2.03E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
229	229	1.18555	3.23E-06	3.8E-06	6.05E-04	2.32E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
230	230	1.35157	3.23E-06	4.4E-06	6.05E-04	2.64E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	1.53513	3.23E-06	5.0E-06	6.05E-04	3.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
232	232	1.73576	3.23E-06	5.6E-06	6.05E-04	3.39E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
233	233	2.13241	3.23E-06	6.9E-06	6.05E-04	4.16E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
234	234	2.29523	3.23E-06	7.4E-06	6.05E-04	4.48E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
235	235	2.42471	3.23E-06	7.8E-06	6.05E-04	4.74E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
236	236	2.52645	3.23E-06	8.2E-06	6.05E-04	4.93E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
237	237	2.60866	3.23E-06	8.4E-06	6.05E-04	5.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
238	238	2.67268	3.23E-06	8.6E-06	6.05E-04	5.22E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
242	242	0.88491	3.23E-06	2.9E-06	6.05E-04	1.73E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
243	243	1.01709	3.23E-06	3.3E-06	6.05E-04	1.99E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
244	244	1.17416	3.23E-06	3.8E-06	6.05E-04	2.29E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
245	245	1.36727	3.23E-06	4.4E-06	6.05E-04	2.67E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
246	246	1.59839	3.23E-06	5.2E-06	6.05E-04	3.12E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
247	247	1.86956	3.23E-06	6.0E-06	6.05E-04	3.65E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
248	248	2.17631	3.23E-06	7.0E-06	6.05E-04	4.25E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
249	249	2.81438	3.23E-06	9.1E-06	6.05E-04	5.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
250	250	3.0883	3.23E-06	1.0E-05	6.05E-04	6.03E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
251	251	3.31867	3.23E-06	1.1E-05	6.05E-04	6.48E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
252	252	3.50653	3.23E-06	1.1E-05	6.05E-04	6.85E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
253	253	3.63905	3.23E-06	1.2E-05	6.05E-04	7.11E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
254	254	3.70823	3.23E-06	1.2E-05	6.05E-04	7.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
257	257	0.96221	3.23E-06	3.1E-06	6.05E-04	1.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
258	258	1.12272	3.23E-06	3.6E-06	6.05E-04	2.19E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
259	259	1.3241	3.23E-06	4.3E-06	6.05E-04	2.59E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
260	260	1.57457	3.23E-06	5.1E-06	6.05E-04	3.08E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
261	261	1.90238	3.23E-06	6.1E-06	6.05E-04	3.72E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
262	262	2.30609	3.23E-06	7.4E-06	6.05E-04	4.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
263	263	2.79492	3.23E-06	9.0E-06	6.05E-04	5.46E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
264	264	3.91303	3.23E-06	1.3E-05	6.05E-04	7.64E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
265	265	4.4271	3.23E-06	1.4E-05	6.05E-04	8.65E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
266	266	4.87748	3.23E-06	1.6E-05	6.05E-04	9.53E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	5.22296	3.23E-06	1.7E-05	6.05E-04	1.02E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
268	268	5.40086	3.23E-06	1.7E-05	6.05E-04	1.05E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
269	269	5.39386	3.23E-06	1.7E-05	6.05E-04	1.05E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
270	270	4.30458	3.23E-06	1.4E-05	6.05E-04	8.41E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
271	271	3.71926	3.23E-06	1.2E-05	6.05E-04	7.26E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
274	274	1.03514	3.23E-06	3.3E-06	6.05E-04	2.02E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
275	275	1.2257	3.23E-06	4.0E-06	6.05E-04	2.39E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
276	276	1.47655	3.23E-06	4.8E-06	6.05E-04	2.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
277	277	1.80455	3.23E-06	5.8E-06	6.05E-04	3.52E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
278	278	2.25665	3.23E-06	7.3E-06	6.05E-04	4.41E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
279	279	2.86806	3.23E-06	9.3E-06	6.05E-04	5.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
280	280	3.67156	3.23E-06	1.2E-05	6.05E-04	7.17E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
281	281	5.8227	3.23E-06	1.9E-05	6.05E-04	1.14E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
282	282	6.91729	3.23E-06	2.2E-05	6.05E-04	1.35E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
283	283	7.89491	3.23E-06	2.5E-05	6.05E-04	1.54E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
284	284	8.53928	3.23E-06	2.8E-05	6.05E-04	1.67E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
285	285	8.65789	3.23E-06	2.8E-05	6.05E-04	1.69E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
286	286	8.24756	3.23E-06	2.7E-05	6.05E-04	1.61E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
287	287	5.24029	3.23E-06	1.7E-05	6.05E-04	1.02E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
288	288	4.19894	3.23E-06	1.4E-05	6.05E-04	8.20E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
291	291	1.09671	3.23E-06	3.5E-06	6.05E-04	2.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
292	292	1.31643	3.23E-06	4.2E-06	6.05E-04	2.57E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
293	293	1.61538	3.23E-06	5.2E-06	6.05E-04	3.15E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
294	294	2.03178	3.23E-06	6.6E-06	6.05E-04	3.97E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
295	295	2.63575	3.23E-06	8.5E-06	6.05E-04	5.15E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
296	296	3.55501	3.23E-06	1.1E-05	6.05E-04	6.94E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
297	297	4.98925	3.23E-06	1.6E-05	6.05E-04	9.74E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
298	298	9.804	3.23E-06	3.2E-05	6.05E-04	1.91E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
299	299	12.6976	3.23E-06	4.1E-05	6.05E-04	2.48E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
300	300	14.99651	3.23E-06	4.8E-05	6.05E-04	2.93E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
301	301	15.9934	3.23E-06	5.2E-05	6.05E-04	3.12E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
302	302	15.32996	3.23E-06	4.9E-05	6.05E-04	2.99E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
303	303	13.3397	3.23E-06	4.3E-05	6.05E-04	2.61E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
304	304	5.90149	3.23E-06	1.9E-05	6.05E-04	1.15E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
305	305	4.35477	3.23E-06	1.4E-05	6.05E-04	8.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
308	308	1.13938	3.23E-06	3.7E-06	6.05E-04	2.23E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
309	309	1.38209	3.23E-06	4.5E-06	6.05E-04	2.70E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
310	310	1.72018	3.23E-06	5.6E-06	6.05E-04	3.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
311	311	2.21311	3.23E-06	7.1E-06	6.05E-04	4.32E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
312	312	2.98489	3.23E-06	9.6E-06	6.05E-04	5.83E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
313	313	4.28799	3.23E-06	1.4E-05	6.05E-04	8.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
314	314	6.79362	3.23E-06	2.2E-05	6.05E-04	1.33E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
315	315	21.89608	3.23E-06	7.1E-05	6.05E-04	4.28E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
316	316	31.96099	3.23E-06	1.0E-04	6.05E-04	6.24E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
317	317	36.62356	3.23E-06	1.2E-04	6.05E-04	7.15E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
318	318	37.23636	3.23E-06	1.2E-04	6.05E-04	7.27E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
319	319	32.50911	3.23E-06	1.0E-04	6.05E-04	6.35E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
320	320	23.3224	3.23E-06	7.5E-05	6.05E-04	4.55E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
321	321	5.82188	3.23E-06	1.9E-05	6.05E-04	1.14E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
322	322	4.05076	3.23E-06	1.3E-05	6.05E-04	7.91E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
325	325	1.15727	3.23E-06	3.7E-06	6.05E-04	2.26E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
326	326	1.41067	3.23E-06	4.6E-06	6.05E-04	2.75E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
327	327	1.76839	3.23E-06	5.7E-06	6.05E-04	3.45E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
328	328	2.3034	3.23E-06	7.4E-06	6.05E-04	4.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
329	329	3.15826	3.23E-06	1.0E-05	6.05E-04	6.17E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
330	330	4.73433	3.23E-06	1.5E-05	6.05E-04	9.25E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
331	331	8.29527	3.23E-06	2.7E-05	6.05E-04	1.62E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
332	332	21.65325	3.23E-06	7.0E-05	6.05E-04	4.23E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
333	333	14.55377	3.23E-06	4.7E-05	6.05E-04	2.84E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
334	334	33.98262	3.23E-06	1.1E-04	6.05E-04	6.64E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
335	335	41.08412	3.23E-06	1.3E-04	6.05E-04	8.02E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
336	336	39.42527	3.23E-06	1.3E-04	6.05E-04	7.70E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
337	337	29.16927	3.23E-06	9.4E-05	6.05E-04	5.70E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
338	338	39.59032	3.23E-06	1.3E-04	6.05E-04	7.73E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
339	339	7.81161	3.23E-06	2.5E-05	6.05E-04	1.53E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
340	340	4.93117	3.23E-06	1.6E-05	6.05E-04	9.63E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
341	341	3.43934	3.23E-06	1.1E-05	6.05E-04	6.72E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
349	349	3.10451	3.23E-06	1.0E-05	6.05E-04	6.06E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
350	350	4.58659	3.23E-06	1.5E-05	6.05E-04	8.96E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
351	351	7.70459	3.23E-06	2.5E-05	6.05E-04	1.50E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
352	352	17.11285	3.23E-06	5.5E-05	6.05E-04	3.34E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
353	353	5.8574	3.23E-06	1.9E-05	6.05E-04	1.14E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
354	354	3.94703	3.23E-06	1.3E-05	6.05E-04	7.71E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
355	355	2.87257	3.23E-06	9.3E-06	6.05E-04	5.61E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
364	364	4.03691	3.23E-06	1.3E-05	6.05E-04	7.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
365	365	6.15762	3.23E-06	2.0E-05	6.05E-04	1.20E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
366	366	10.51406	3.23E-06	3.4E-05	6.05E-04	2.05E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
367	367	4.70129	3.23E-06	1.5E-05	6.05E-04	9.18E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
368	368	3.2955	3.23E-06	1.1E-05	6.05E-04	6.44E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
369	369	2.47484	3.23E-06	8.0E-06	6.05E-04	4.83E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
377	377	3.41052	3.23E-06	1.1E-05	6.05E-04	6.66E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
378	378	4.78983	3.23E-06	1.5E-05	6.05E-04	9.35E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
379	379	7.03957	3.23E-06	2.3E-05	6.05E-04	1.37E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
380	380	3.92537	3.23E-06	1.3E-05	6.05E-04	7.67E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
381	381	2.82489	3.23E-06	9.1E-06	6.05E-04	5.52E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
382	382	2.17214	3.23E-06	7.0E-06	6.05E-04	4.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
391	391	3.7651	3.23E-06	1.2E-05	6.05E-04	7.35E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
392	392	5.04792	3.23E-06	1.6E-05	6.05E-04	9.86E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
393	393	3.31793	3.23E-06	1.1E-05	6.05E-04	6.48E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
394	394	2.4698	3.23E-06	8.0E-06	6.05E-04	4.82E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
395	395	1.93351	3.23E-06	6.2E-06	6.05E-04	3.78E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
405	405	3.01656	3.23E-06	9.7E-06	6.05E-04	5.89E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
406	406	3.82615	3.23E-06	1.2E-05	6.05E-04	7.47E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	4.75445	3.23E-06	1.5E-05	6.05E-04	9.29E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
408	408	2.82367	3.23E-06	9.1E-06	6.05E-04	5.51E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
409	409	2.17139	3.23E-06	7.0E-06	6.05E-04	4.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
410	410	1.73524	3.23E-06	5.6E-06	6.05E-04	3.39E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
421	421	2.99613	3.23E-06	9.7E-06	6.05E-04	5.85E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
422	422	3.57969	3.23E-06	1.2E-05	6.05E-04	6.99E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
423	423	2.41134	3.23E-06	7.8E-06	6.05E-04	4.71E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
424	424	1.91654	3.23E-06	6.2E-06	6.05E-04	3.74E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
425	425	1.55944	3.23E-06	5.0E-06	6.05E-04	3.05E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
435	435	2.40825	3.23E-06	7.8E-06	6.05E-04	4.70E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
436	436	2.80368	3.23E-06	9.0E-06	6.05E-04	5.48E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
437	437	1.69698	3.23E-06	5.5E-06	6.05E-04	3.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
438	438	1.40129	3.23E-06	4.5E-06	6.05E-04	2.74E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
449	449	1.98041	3.23E-06	6.4E-06	6.05E-04	3.87E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
450	450	2.25913	3.23E-06	7.3E-06	6.05E-04	4.41E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
451	451	2.49746	3.23E-06	8.1E-06	6.05E-04	4.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
452	452	1.50465	3.23E-06	4.9E-06	6.05E-04	2.94E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
453	453	1.26461	3.23E-06	4.1E-06	6.05E-04	2.47E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
464	464	1.85823	3.23E-06	6.0E-06	6.05E-04	3.63E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
465	465	2.0305	3.23E-06	6.6E-06	6.05E-04	3.97E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
466	466	1.78808	3.23E-06	5.8E-06	6.05E-04	3.49E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
467	467	1.33914	3.23E-06	4.3E-06	6.05E-04	2.62E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
468	468	1.14473	3.23E-06	3.7E-06	6.05E-04	2.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
479	479	1.55205	3.23E-06	5.0E-06	6.05E-04	3.03E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
480	480	1.68359	3.23E-06	5.4E-06	6.05E-04	3.29E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
481	481	1.772	3.23E-06	5.7E-06	6.05E-04	3.46E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
482	482	1.80664	3.23E-06	5.8E-06	6.05E-04	3.53E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
483	483	1.77207	3.23E-06	5.7E-06	6.05E-04	3.46E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
484	484	1.67816	3.23E-06	5.4E-06	6.05E-04	3.28E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
485	485	1.53526	3.23E-06	5.0E-06	6.05E-04	3.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
486	486	1.36792	3.23E-06	4.4E-06	6.05E-04	2.67E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	487	1.19657	3.23E-06	3.9E-06	6.05E-04	2.34E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
488	488	1.03819	3.23E-06	3.4E-06	6.05E-04	2.03E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
501	501	1.41642	3.23E-06	4.6E-06	6.05E-04	2.77E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
502	502	1.49015	3.23E-06	4.8E-06	6.05E-04	2.91E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
503	503	1.51981	3.23E-06	4.9E-06	6.05E-04	2.97E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
504	504	1.50051	3.23E-06	4.8E-06	6.05E-04	2.93E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
505	505	1.43492	3.23E-06	4.6E-06	6.05E-04	2.80E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
506	506	1.33147	3.23E-06	4.3E-06	6.05E-04	2.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
507	507	1.20605	3.23E-06	3.9E-06	6.05E-04	2.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
508	508	0.94393	3.23E-06	3.0E-06	6.05E-04	1.84E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
520	520	1.21467	3.23E-06	3.9E-06	6.05E-04	2.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
521	521	1.26524	3.23E-06	4.1E-06	6.05E-04	2.47E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
522	522	1.29592	3.23E-06	4.2E-06	6.05E-04	2.53E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
523	523	1.28577	3.23E-06	4.2E-06	6.05E-04	2.51E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
524	524	1.24007	3.23E-06	4.0E-06	6.05E-04	2.42E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
525	525	1.16437	3.23E-06	3.8E-06	6.05E-04	2.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
526	526	1.06895	3.23E-06	3.5E-06	6.05E-04	2.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
527	527	0.85992	3.23E-06	2.8E-06	6.05E-04	1.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
539	539	1.05431	3.23E-06	3.4E-06	6.05E-04	2.06E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
540	540	1.09634	3.23E-06	3.5E-06	6.05E-04	2.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
541	541	1.11604	3.23E-06	3.6E-06	6.05E-04	2.18E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
542	542	1.11128	3.23E-06	3.6E-06	6.05E-04	2.17E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
543	543	1.08186	3.23E-06	3.5E-06	6.05E-04	2.11E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
544	544	1.02575	3.23E-06	3.3E-06	6.05E-04	2.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
545	545	0.95087	3.23E-06	3.1E-06	6.05E-04	1.86E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
546	546	0.78502	3.23E-06	2.5E-06	6.05E-04	1.53E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
560	560	0.95801	3.23E-06	3.1E-06	6.05E-04	1.87E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
561	561	0.97653	3.23E-06	3.2E-06	6.05E-04	1.91E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
562	562	0.97425	3.23E-06	3.1E-06	6.05E-04	1.90E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
563	563	0.94836	3.23E-06	3.1E-06	6.05E-04	1.85E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
564	564	0.90883	3.23E-06	2.9E-06	6.05E-04	1.77E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.85424	3.23E-06	2.8E-06	6.05E-04	1.67E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
566	566	0.71947	3.23E-06	2.3E-06	6.05E-04	1.41E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
579	579	0.84461	3.23E-06	2.7E-06	6.05E-04	1.65E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
580	580	0.86055	3.23E-06	2.8E-06	6.05E-04	1.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
581	581	0.86141	3.23E-06	2.8E-06	6.05E-04	1.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
582	582	0.84509	3.23E-06	2.7E-06	6.05E-04	1.65E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
583	583	0.81304	3.23E-06	2.6E-06	6.05E-04	1.59E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
584	584	0.76826	3.23E-06	2.5E-06	6.05E-04	1.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
585	585	0.67642	3.23E-06	2.2E-06	6.05E-04	1.32E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
598	598	0.75104	3.23E-06	2.4E-06	6.05E-04	1.47E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
599	599	0.76432	3.23E-06	2.5E-06	6.05E-04	1.49E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
600	600	0.7662	3.23E-06	2.5E-06	6.05E-04	1.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
601	601	0.75499	3.23E-06	2.4E-06	6.05E-04	1.47E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
602	602	0.73094	3.23E-06	2.4E-06	6.05E-04	1.43E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
603	603	0.69647	3.23E-06	2.2E-06	6.05E-04	1.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
604	604	0.65369	3.23E-06	2.1E-06	6.05E-04	1.28E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
0	0	0	3.23E-06	0.0E+00	6.05E-04	0.00E+00	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

<i>Cancer Risk from 16-30 years - Construction</i>											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
1	1	0.15726	3.23E-06	5.1E-07	2.50E-04	1.27E-10	14	1.15E-02	2.04E-11	1.0E+06	2.0E-05
2	2	0.16411	3.23E-06	5.3E-07	2.50E-04	1.33E-10	14	1.15E-02	2.13E-11	1.0E+06	2.1E-05
3	3	0.1713	3.23E-06	5.5E-07	2.50E-04	1.38E-10	14	1.15E-02	2.22E-11	1.0E+06	2.2E-05
4	4	0.1789	3.23E-06	5.8E-07	2.50E-04	1.45E-10	14	1.15E-02	2.32E-11	1.0E+06	2.3E-05
5	5	0.18692	3.23E-06	6.0E-07	2.50E-04	1.51E-10	14	1.15E-02	2.42E-11	1.0E+06	2.4E-05
6	6	0.1955	3.23E-06	6.3E-07	2.50E-04	1.58E-10	14	1.15E-02	2.54E-11	1.0E+06	2.5E-05
7	7	0.20451	3.23E-06	6.6E-07	2.50E-04	1.65E-10	14	1.15E-02	2.65E-11	1.0E+06	2.7E-05
8	8	0.21395	3.23E-06	6.9E-07	2.50E-04	1.73E-10	14	1.15E-02	2.78E-11	1.0E+06	2.8E-05
9	9	0.22386	3.23E-06	7.2E-07	2.50E-04	1.81E-10	14	1.15E-02	2.90E-11	1.0E+06	2.9E-05
10	10	0.23423	3.23E-06	7.6E-07	2.50E-04	1.89E-10	14	1.15E-02	3.04E-11	1.0E+06	3.0E-05
11	11	0.24504	3.23E-06	7.9E-07	2.50E-04	1.98E-10	14	1.15E-02	3.18E-11	1.0E+06	3.2E-05
12	12	0.25626	3.23E-06	8.3E-07	2.50E-04	2.07E-10	14	1.15E-02	3.32E-11	1.0E+06	3.3E-05
13	13	0.26796	3.23E-06	8.6E-07	2.50E-04	2.16E-10	14	1.15E-02	3.48E-11	1.0E+06	3.5E-05
14	14	0.27998	3.23E-06	9.0E-07	2.50E-04	2.26E-10	14	1.15E-02	3.63E-11	1.0E+06	3.6E-05
15	15	0.29234	3.23E-06	9.4E-07	2.50E-04	2.36E-10	14	1.15E-02	3.79E-11	1.0E+06	3.8E-05
16	16	0.30484	3.23E-06	9.8E-07	2.50E-04	2.46E-10	14	1.15E-02	3.95E-11	1.0E+06	4.0E-05
17	17	0.31753	3.23E-06	1.0E-06	2.50E-04	2.57E-10	14	1.15E-02	4.12E-11	1.0E+06	4.1E-05
18	18	0.33006	3.23E-06	1.1E-06	2.50E-04	2.67E-10	14	1.15E-02	4.28E-11	1.0E+06	4.3E-05
19	19	0.34236	3.23E-06	1.1E-06	2.50E-04	2.77E-10	14	1.15E-02	4.44E-11	1.0E+06	4.4E-05
20	20	0.35423	3.23E-06	1.1E-06	2.50E-04	2.86E-10	14	1.15E-02	4.60E-11	1.0E+06	4.6E-05
21	21	0.36541	3.23E-06	1.2E-06	2.50E-04	2.95E-10	14	1.15E-02	4.74E-11	1.0E+06	4.7E-05
22	22	0.37573	3.23E-06	1.2E-06	2.50E-04	3.04E-10	14	1.15E-02	4.87E-11	1.0E+06	4.9E-05
23	23	0.38492	3.23E-06	1.2E-06	2.50E-04	3.11E-10	14	1.15E-02	4.99E-11	1.0E+06	5.0E-05
24	24	0.39282	3.23E-06	1.3E-06	2.50E-04	3.17E-10	14	1.15E-02	5.10E-11	1.0E+06	5.1E-05
25	25	0.39934	3.23E-06	1.3E-06	2.50E-04	3.23E-10	14	1.15E-02	5.18E-11	1.0E+06	5.2E-05
26	26	0.40438	3.23E-06	1.3E-06	2.50E-04	3.27E-10	14	1.15E-02	5.25E-11	1.0E+06	5.2E-05
27	27	0.40796	3.23E-06	1.3E-06	2.50E-04	3.30E-10	14	1.15E-02	5.29E-11	1.0E+06	5.3E-05
28	28	0.41014	3.23E-06	1.3E-06	2.50E-04	3.31E-10	14	1.15E-02	5.32E-11	1.0E+06	5.3E-05
29	29	0.41125	3.23E-06	1.3E-06	2.50E-04	3.32E-10	14	1.15E-02	5.34E-11	1.0E+06	5.3E-05
30	30	0.41163	3.23E-06	1.3E-06	2.50E-04	3.33E-10	14	1.15E-02	5.34E-11	1.0E+06	5.3E-05
31	31	0.41171	3.23E-06	1.3E-06	2.50E-04	3.33E-10	14	1.15E-02	5.34E-11	1.0E+06	5.3E-05

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.41201	3.23E-06	1.3E-06	2.50E-04	3.33E-10	14	1.15E-02	5.35E-11	1.0E+06	5.3E-05
55	55	0.41362	3.23E-06	1.3E-06	2.50E-04	3.34E-10	14	1.15E-02	5.37E-11	1.0E+06	5.4E-05
56	56	0.42474	3.23E-06	1.4E-06	2.50E-04	3.43E-10	14	1.15E-02	5.51E-11	1.0E+06	5.5E-05
57	57	0.43445	3.23E-06	1.4E-06	2.50E-04	3.51E-10	14	1.15E-02	5.64E-11	1.0E+06	5.6E-05
58	58	0.44237	3.23E-06	1.4E-06	2.50E-04	3.57E-10	14	1.15E-02	5.74E-11	1.0E+06	5.7E-05
59	59	0.44837	3.23E-06	1.4E-06	2.50E-04	3.62E-10	14	1.15E-02	5.82E-11	1.0E+06	5.8E-05
60	60	0.45252	3.23E-06	1.5E-06	2.50E-04	3.66E-10	14	1.15E-02	5.87E-11	1.0E+06	5.9E-05
61	61	0.45516	3.23E-06	1.5E-06	2.50E-04	3.68E-10	14	1.15E-02	5.90E-11	1.0E+06	5.9E-05
62	62	0.45646	3.23E-06	1.5E-06	2.50E-04	3.69E-10	14	1.15E-02	5.92E-11	1.0E+06	5.9E-05
63	63	0.45705	3.23E-06	1.5E-06	2.50E-04	3.69E-10	14	1.15E-02	5.93E-11	1.0E+06	5.9E-05
64	64	0.45748	3.23E-06	1.5E-06	2.50E-04	3.70E-10	14	1.15E-02	5.94E-11	1.0E+06	5.9E-05
65	65	0.45842	3.23E-06	1.5E-06	2.50E-04	3.70E-10	14	1.15E-02	5.95E-11	1.0E+06	5.9E-05
66	66	0.46069	3.23E-06	1.5E-06	2.50E-04	3.72E-10	14	1.15E-02	5.98E-11	1.0E+06	6.0E-05
67	67	0.16849	3.23E-06	5.4E-07	2.50E-04	1.36E-10	14	1.15E-02	2.19E-11	1.0E+06	2.2E-05
68	68	0.17653	3.23E-06	5.7E-07	2.50E-04	1.43E-10	14	1.15E-02	2.29E-11	1.0E+06	2.3E-05
69	69	0.18507	3.23E-06	6.0E-07	2.50E-04	1.49E-10	14	1.15E-02	2.40E-11	1.0E+06	2.4E-05
70	70	0.19417	3.23E-06	6.3E-07	2.50E-04	1.57E-10	14	1.15E-02	2.52E-11	1.0E+06	2.5E-05
71	71	0.20379	3.23E-06	6.6E-07	2.50E-04	1.65E-10	14	1.15E-02	2.64E-11	1.0E+06	2.6E-05
72	72	0.21419	3.23E-06	6.9E-07	2.50E-04	1.73E-10	14	1.15E-02	2.78E-11	1.0E+06	2.8E-05
73	73	0.22521	3.23E-06	7.3E-07	2.50E-04	1.82E-10	14	1.15E-02	2.92E-11	1.0E+06	2.9E-05
74	74	0.2369	3.23E-06	7.6E-07	2.50E-04	1.91E-10	14	1.15E-02	3.07E-11	1.0E+06	3.1E-05
75	75	0.24928	3.23E-06	8.0E-07	2.50E-04	2.01E-10	14	1.15E-02	3.23E-11	1.0E+06	3.2E-05
76	76	0.26242	3.23E-06	8.5E-07	2.50E-04	2.12E-10	14	1.15E-02	3.40E-11	1.0E+06	3.4E-05
77	77	0.27634	3.23E-06	8.9E-07	2.50E-04	2.23E-10	14	1.15E-02	3.59E-11	1.0E+06	3.6E-05
78	78	0.2911	3.23E-06	9.4E-07	2.50E-04	2.35E-10	14	1.15E-02	3.78E-11	1.0E+06	3.8E-05
79	79	0.37378	3.23E-06	1.2E-06	2.50E-04	3.02E-10	14	1.15E-02	4.85E-11	1.0E+06	4.8E-05
80	80	0.3914	3.23E-06	1.3E-06	2.50E-04	3.16E-10	14	1.15E-02	5.08E-11	1.0E+06	5.1E-05
81	81	0.40913	3.23E-06	1.3E-06	2.50E-04	3.30E-10	14	1.15E-02	5.31E-11	1.0E+06	5.3E-05
82	82	0.42631	3.23E-06	1.4E-06	2.50E-04	3.44E-10	14	1.15E-02	5.53E-11	1.0E+06	5.5E-05
83	83	0.44281	3.23E-06	1.4E-06	2.50E-04	3.58E-10	14	1.15E-02	5.74E-11	1.0E+06	5.7E-05
84	84	0.45801	3.23E-06	1.5E-06	2.50E-04	3.70E-10	14	1.15E-02	5.94E-11	1.0E+06	5.9E-05

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

<i>Cancer Risk from 16-30 years - Construction</i>											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	85	0.47174	3.23E-06	1.5E-06	2.50E-04	3.81E-10	14	1.15E-02	6.12E-11	1.0E+06	6.1E-05
86	86	0.4836	3.23E-06	1.6E-06	2.50E-04	3.91E-10	14	1.15E-02	6.27E-11	1.0E+06	6.3E-05
87	87	0.49324	3.23E-06	1.6E-06	2.50E-04	3.98E-10	14	1.15E-02	6.40E-11	1.0E+06	6.4E-05
88	88	0.50059	3.23E-06	1.6E-06	2.50E-04	4.04E-10	14	1.15E-02	6.49E-11	1.0E+06	6.5E-05
89	89	0.50561	3.23E-06	1.6E-06	2.50E-04	4.08E-10	14	1.15E-02	6.56E-11	1.0E+06	6.6E-05
90	90	0.50865	3.23E-06	1.6E-06	2.50E-04	4.11E-10	14	1.15E-02	6.60E-11	1.0E+06	6.6E-05
91	91	0.51039	3.23E-06	1.6E-06	2.50E-04	4.12E-10	14	1.15E-02	6.62E-11	1.0E+06	6.6E-05
92	92	0.51121	3.23E-06	1.7E-06	2.50E-04	4.13E-10	14	1.15E-02	6.63E-11	1.0E+06	6.6E-05
93	93	0.51236	3.23E-06	1.7E-06	2.50E-04	4.14E-10	14	1.15E-02	6.65E-11	1.0E+06	6.6E-05
96	96	0.5028	3.23E-06	1.6E-06	2.50E-04	4.06E-10	14	1.15E-02	6.52E-11	1.0E+06	6.5E-05
97	97	0.5003	3.23E-06	1.6E-06	2.50E-04	4.04E-10	14	1.15E-02	6.49E-11	1.0E+06	6.5E-05
98	98	0.56317	3.23E-06	1.8E-06	2.50E-04	4.55E-10	14	1.15E-02	7.31E-11	1.0E+06	7.3E-05
99	99	0.56945	3.23E-06	1.8E-06	2.50E-04	4.60E-10	14	1.15E-02	7.39E-11	1.0E+06	7.4E-05
100	100	0.57325	3.23E-06	1.9E-06	2.50E-04	4.63E-10	14	1.15E-02	7.44E-11	1.0E+06	7.4E-05
101	101	0.57531	3.23E-06	1.9E-06	2.50E-04	4.65E-10	14	1.15E-02	7.46E-11	1.0E+06	7.5E-05
102	102	0.57679	3.23E-06	1.9E-06	2.50E-04	4.66E-10	14	1.15E-02	7.48E-11	1.0E+06	7.5E-05
106	106	0.17118	3.23E-06	5.5E-07	2.50E-04	1.38E-10	14	1.15E-02	2.22E-11	1.0E+06	2.2E-05
107	107	0.18002	3.23E-06	5.8E-07	2.50E-04	1.45E-10	14	1.15E-02	2.34E-11	1.0E+06	2.3E-05
108	108	0.18935	3.23E-06	6.1E-07	2.50E-04	1.53E-10	14	1.15E-02	2.46E-11	1.0E+06	2.5E-05
109	109	0.19936	3.23E-06	6.4E-07	2.50E-04	1.61E-10	14	1.15E-02	2.59E-11	1.0E+06	2.6E-05
110	110	0.21016	3.23E-06	6.8E-07	2.50E-04	1.70E-10	14	1.15E-02	2.73E-11	1.0E+06	2.7E-05
111	111	0.22167	3.23E-06	7.2E-07	2.50E-04	1.79E-10	14	1.15E-02	2.88E-11	1.0E+06	2.9E-05
112	112	0.2343	3.23E-06	7.6E-07	2.50E-04	1.89E-10	14	1.15E-02	3.04E-11	1.0E+06	3.0E-05
113	113	0.24776	3.23E-06	8.0E-07	2.50E-04	2.00E-10	14	1.15E-02	3.21E-11	1.0E+06	3.2E-05
114	114	0.26227	3.23E-06	8.5E-07	2.50E-04	2.12E-10	14	1.15E-02	3.40E-11	1.0E+06	3.4E-05
115	115	0.27781	3.23E-06	9.0E-07	2.50E-04	2.24E-10	14	1.15E-02	3.60E-11	1.0E+06	3.6E-05
116	116	0.29438	3.23E-06	9.5E-07	2.50E-04	2.38E-10	14	1.15E-02	3.82E-11	1.0E+06	3.8E-05
117	117	0.31241	3.23E-06	1.0E-06	2.50E-04	2.52E-10	14	1.15E-02	4.05E-11	1.0E+06	4.1E-05
118	118	0.33167	3.23E-06	1.1E-06	2.50E-04	2.68E-10	14	1.15E-02	4.30E-11	1.0E+06	4.3E-05
124	124	0.17644	3.23E-06	5.7E-07	2.50E-04	1.43E-10	14	1.15E-02	2.29E-11	1.0E+06	2.3E-05
125	125	0.18573	3.23E-06	6.0E-07	2.50E-04	1.50E-10	14	1.15E-02	2.41E-11	1.0E+06	2.4E-05

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	126	0.19574	3.23E-06	6.3E-07	2.50E-04	1.58E-10	14	1.15E-02	2.54E-11	1.0E+06	2.5E-05
127	127	0.20656	3.23E-06	6.7E-07	2.50E-04	1.67E-10	14	1.15E-02	2.68E-11	1.0E+06	2.7E-05
128	128	0.21827	3.23E-06	7.0E-07	2.50E-04	1.76E-10	14	1.15E-02	2.83E-11	1.0E+06	2.8E-05
129	129	0.23086	3.23E-06	7.5E-07	2.50E-04	1.86E-10	14	1.15E-02	3.00E-11	1.0E+06	3.0E-05
130	130	0.24468	3.23E-06	7.9E-07	2.50E-04	1.98E-10	14	1.15E-02	3.17E-11	1.0E+06	3.2E-05
131	131	0.25959	3.23E-06	8.4E-07	2.50E-04	2.10E-10	14	1.15E-02	3.37E-11	1.0E+06	3.4E-05
132	132	0.27576	3.23E-06	8.9E-07	2.50E-04	2.23E-10	14	1.15E-02	3.58E-11	1.0E+06	3.6E-05
133	133	0.2932	3.23E-06	9.5E-07	2.50E-04	2.37E-10	14	1.15E-02	3.80E-11	1.0E+06	3.8E-05
134	134	0.31221	3.23E-06	1.0E-06	2.50E-04	2.52E-10	14	1.15E-02	4.05E-11	1.0E+06	4.1E-05
135	135	0.33265	3.23E-06	1.1E-06	2.50E-04	2.69E-10	14	1.15E-02	4.32E-11	1.0E+06	4.3E-05
136	136	0.35469	3.23E-06	1.1E-06	2.50E-04	2.87E-10	14	1.15E-02	4.60E-11	1.0E+06	4.6E-05
137	137	0.37826	3.23E-06	1.2E-06	2.50E-04	3.06E-10	14	1.15E-02	4.91E-11	1.0E+06	4.9E-05
138	138	0.40388	3.23E-06	1.3E-06	2.50E-04	3.26E-10	14	1.15E-02	5.24E-11	1.0E+06	5.2E-05
141	141	0.1815	3.23E-06	5.9E-07	2.50E-04	1.47E-10	14	1.15E-02	2.35E-11	1.0E+06	2.4E-05
142	142	0.19142	3.23E-06	6.2E-07	2.50E-04	1.55E-10	14	1.15E-02	2.48E-11	1.0E+06	2.5E-05
143	143	0.20215	3.23E-06	6.5E-07	2.50E-04	1.63E-10	14	1.15E-02	2.62E-11	1.0E+06	2.6E-05
144	144	0.2138	3.23E-06	6.9E-07	2.50E-04	1.73E-10	14	1.15E-02	2.77E-11	1.0E+06	2.8E-05
145	145	0.22646	3.23E-06	7.3E-07	2.50E-04	1.83E-10	14	1.15E-02	2.94E-11	1.0E+06	2.9E-05
146	146	0.24016	3.23E-06	7.8E-07	2.50E-04	1.94E-10	14	1.15E-02	3.12E-11	1.0E+06	3.1E-05
147	147	0.25527	3.23E-06	8.2E-07	2.50E-04	2.06E-10	14	1.15E-02	3.31E-11	1.0E+06	3.3E-05
148	148	0.27168	3.23E-06	8.8E-07	2.50E-04	2.19E-10	14	1.15E-02	3.52E-11	1.0E+06	3.5E-05
149	149	0.28961	3.23E-06	9.3E-07	2.50E-04	2.34E-10	14	1.15E-02	3.76E-11	1.0E+06	3.8E-05
150	150	0.30915	3.23E-06	1.0E-06	2.50E-04	2.50E-10	14	1.15E-02	4.01E-11	1.0E+06	4.0E-05
151	151	0.33053	3.23E-06	1.1E-06	2.50E-04	2.67E-10	14	1.15E-02	4.29E-11	1.0E+06	4.3E-05
152	152	0.35386	3.23E-06	1.1E-06	2.50E-04	2.86E-10	14	1.15E-02	4.59E-11	1.0E+06	4.6E-05
153	153	0.37926	3.23E-06	1.2E-06	2.50E-04	3.06E-10	14	1.15E-02	4.92E-11	1.0E+06	4.9E-05
154	154	0.40667	3.23E-06	1.3E-06	2.50E-04	3.29E-10	14	1.15E-02	5.28E-11	1.0E+06	5.3E-05
155	155	0.4365	3.23E-06	1.4E-06	2.50E-04	3.53E-10	14	1.15E-02	5.66E-11	1.0E+06	5.7E-05
164	164	0.4372	3.23E-06	1.4E-06	2.50E-04	3.53E-10	14	1.15E-02	5.67E-11	1.0E+06	5.7E-05
165	165	0.47217	3.23E-06	1.5E-06	2.50E-04	3.81E-10	14	1.15E-02	6.13E-11	1.0E+06	6.1E-05
166	166	0.5108	3.23E-06	1.6E-06	2.50E-04	4.13E-10	14	1.15E-02	6.63E-11	1.0E+06	6.6E-05

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
178	178	0.46968	3.23E-06	1.5E-06	2.50E-04	3.79E-10	14	1.15E-02	6.09E-11	1.0E+06	6.1E-05
179	179	0.51089	3.23E-06	1.6E-06	2.50E-04	4.13E-10	14	1.15E-02	6.63E-11	1.0E+06	6.6E-05
180	180	0.55694	3.23E-06	1.8E-06	2.50E-04	4.50E-10	14	1.15E-02	7.23E-11	1.0E+06	7.2E-05
192	192	0.50398	3.23E-06	1.6E-06	2.50E-04	4.07E-10	14	1.15E-02	6.54E-11	1.0E+06	6.5E-05
193	193	0.55258	3.23E-06	1.8E-06	2.50E-04	4.46E-10	14	1.15E-02	7.17E-11	1.0E+06	7.2E-05
194	194	0.6073	3.23E-06	2.0E-06	2.50E-04	4.91E-10	14	1.15E-02	7.88E-11	1.0E+06	7.9E-05
207	207	0.5394	3.23E-06	1.7E-06	2.50E-04	4.36E-10	14	1.15E-02	7.00E-11	1.0E+06	7.0E-05
208	208	0.59621	3.23E-06	1.9E-06	2.50E-04	4.82E-10	14	1.15E-02	7.73E-11	1.0E+06	7.7E-05
209	209	0.66151	3.23E-06	2.1E-06	2.50E-04	5.34E-10	14	1.15E-02	8.58E-11	1.0E+06	8.6E-05
223	223	0.57529	3.23E-06	1.9E-06	2.50E-04	4.65E-10	14	1.15E-02	7.46E-11	1.0E+06	7.5E-05
224	224	0.64116	3.23E-06	2.1E-06	2.50E-04	5.18E-10	14	1.15E-02	8.32E-11	1.0E+06	8.3E-05
225	225	0.71797	3.23E-06	2.3E-06	2.50E-04	5.80E-10	14	1.15E-02	9.31E-11	1.0E+06	9.3E-05
239	239	0.61072	3.23E-06	2.0E-06	2.50E-04	4.93E-10	14	1.15E-02	7.92E-11	1.0E+06	7.9E-05
240	240	0.68632	3.23E-06	2.2E-06	2.50E-04	5.54E-10	14	1.15E-02	8.90E-11	1.0E+06	8.9E-05
241	241	0.77659	3.23E-06	2.5E-06	2.50E-04	6.27E-10	14	1.15E-02	1.01E-10	1.0E+06	1.0E-04
255	255	0.64393	3.23E-06	2.1E-06	2.50E-04	5.20E-10	14	1.15E-02	8.35E-11	1.0E+06	8.4E-05
256	256	0.72956	3.23E-06	2.4E-06	2.50E-04	5.89E-10	14	1.15E-02	9.46E-11	1.0E+06	9.5E-05
272	272	0.67285	3.23E-06	2.2E-06	2.50E-04	5.44E-10	14	1.15E-02	8.73E-11	1.0E+06	8.7E-05
273	273	0.76829	3.23E-06	2.5E-06	2.50E-04	6.21E-10	14	1.15E-02	9.97E-11	1.0E+06	1.0E-04
289	289	0.69575	3.23E-06	2.2E-06	2.50E-04	5.62E-10	14	1.15E-02	9.03E-11	1.0E+06	9.0E-05
290	290	0.7993	3.23E-06	2.6E-06	2.50E-04	6.46E-10	14	1.15E-02	1.04E-10	1.0E+06	1.0E-04
306	306	0.71047	3.23E-06	2.3E-06	2.50E-04	5.74E-10	14	1.15E-02	9.22E-11	1.0E+06	9.2E-05
307	307	0.81972	3.23E-06	2.6E-06	2.50E-04	6.62E-10	14	1.15E-02	1.06E-10	1.0E+06	1.1E-04
323	323	0.71607	3.23E-06	2.3E-06	2.50E-04	5.78E-10	14	1.15E-02	9.29E-11	1.0E+06	9.3E-05
324	324	0.82775	3.23E-06	2.7E-06	2.50E-04	6.69E-10	14	1.15E-02	1.07E-10	1.0E+06	1.1E-04
342	342	0.71272	3.23E-06	2.3E-06	2.50E-04	5.76E-10	14	1.15E-02	9.25E-11	1.0E+06	9.2E-05
343	343	0.82348	3.23E-06	2.7E-06	2.50E-04	6.65E-10	14	1.15E-02	1.07E-10	1.0E+06	1.1E-04
344	344	0.96461	3.23E-06	3.1E-06	2.50E-04	7.79E-10	14	1.15E-02	1.25E-10	1.0E+06	1.3E-04
356	356	0.70146	3.23E-06	2.3E-06	2.50E-04	5.67E-10	14	1.15E-02	9.10E-11	1.0E+06	9.1E-05
357	357	0.80837	3.23E-06	2.6E-06	2.50E-04	6.53E-10	14	1.15E-02	1.05E-10	1.0E+06	1.0E-04
358	358	0.94404	3.23E-06	3.0E-06	2.50E-04	7.63E-10	14	1.15E-02	1.22E-10	1.0E+06	1.2E-04

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	0.68414	3.23E-06	2.2E-06	2.50E-04	5.53E-10	14	1.15E-02	8.88E-11	1.0E+06	8.9E-05
371	371	0.78524	3.23E-06	2.5E-06	2.50E-04	6.34E-10	14	1.15E-02	1.02E-10	1.0E+06	1.0E-04
372	372	0.91232	3.23E-06	2.9E-06	2.50E-04	7.37E-10	14	1.15E-02	1.18E-10	1.0E+06	1.2E-04
383	383	0.66238	3.23E-06	2.1E-06	2.50E-04	5.35E-10	14	1.15E-02	8.59E-11	1.0E+06	8.6E-05
384	384	0.75642	3.23E-06	2.4E-06	2.50E-04	6.11E-10	14	1.15E-02	9.81E-11	1.0E+06	9.8E-05
385	385	0.87306	3.23E-06	2.8E-06	2.50E-04	7.05E-10	14	1.15E-02	1.13E-10	1.0E+06	1.1E-04
396	396	0.63756	3.23E-06	2.1E-06	2.50E-04	5.15E-10	14	1.15E-02	8.27E-11	1.0E+06	8.3E-05
397	397	0.72375	3.23E-06	2.3E-06	2.50E-04	5.85E-10	14	1.15E-02	9.39E-11	1.0E+06	9.4E-05
398	398	0.82897	3.23E-06	2.7E-06	2.50E-04	6.70E-10	14	1.15E-02	1.08E-10	1.0E+06	1.1E-04
399	399	0.95895	3.23E-06	3.1E-06	2.50E-04	7.75E-10	14	1.15E-02	1.24E-10	1.0E+06	1.2E-04
411	411	0.61056	3.23E-06	2.0E-06	2.50E-04	4.93E-10	14	1.15E-02	7.92E-11	1.0E+06	7.9E-05
412	412	0.68844	3.23E-06	2.2E-06	2.50E-04	5.56E-10	14	1.15E-02	8.93E-11	1.0E+06	8.9E-05
413	413	0.78204	3.23E-06	2.5E-06	2.50E-04	6.32E-10	14	1.15E-02	1.01E-10	1.0E+06	1.0E-04
414	414	0.89515	3.23E-06	2.9E-06	2.50E-04	7.23E-10	14	1.15E-02	1.16E-10	1.0E+06	1.2E-04
426	426	0.58209	3.23E-06	1.9E-06	2.50E-04	4.70E-10	14	1.15E-02	7.55E-11	1.0E+06	7.6E-05
427	427	0.65166	3.23E-06	2.1E-06	2.50E-04	5.26E-10	14	1.15E-02	8.45E-11	1.0E+06	8.5E-05
428	428	0.73367	3.23E-06	2.4E-06	2.50E-04	5.93E-10	14	1.15E-02	9.52E-11	1.0E+06	9.5E-05
429	429	0.8311	3.23E-06	2.7E-06	2.50E-04	6.71E-10	14	1.15E-02	1.08E-10	1.0E+06	1.1E-04
439	439	0.55267	3.23E-06	1.8E-06	2.50E-04	4.46E-10	14	1.15E-02	7.17E-11	1.0E+06	7.2E-05
440	440	0.61418	3.23E-06	2.0E-06	2.50E-04	4.96E-10	14	1.15E-02	7.97E-11	1.0E+06	8.0E-05
441	441	0.68561	3.23E-06	2.2E-06	2.50E-04	5.54E-10	14	1.15E-02	8.89E-11	1.0E+06	8.9E-05
442	442	0.76898	3.23E-06	2.5E-06	2.50E-04	6.21E-10	14	1.15E-02	9.98E-11	1.0E+06	1.0E-04
443	443	0.86694	3.23E-06	2.8E-06	2.50E-04	7.00E-10	14	1.15E-02	1.12E-10	1.0E+06	1.1E-04
454	454	0.52296	3.23E-06	1.7E-06	2.50E-04	4.22E-10	14	1.15E-02	6.78E-11	1.0E+06	6.8E-05
455	455	0.57698	3.23E-06	1.9E-06	2.50E-04	4.66E-10	14	1.15E-02	7.49E-11	1.0E+06	7.5E-05
456	456	0.63886	3.23E-06	2.1E-06	2.50E-04	5.16E-10	14	1.15E-02	8.29E-11	1.0E+06	8.3E-05
457	457	0.71014	3.23E-06	2.3E-06	2.50E-04	5.74E-10	14	1.15E-02	9.21E-11	1.0E+06	9.2E-05
458	458	0.79275	3.23E-06	2.6E-06	2.50E-04	6.40E-10	14	1.15E-02	1.03E-10	1.0E+06	1.0E-04
469	469	0.4935	3.23E-06	1.6E-06	2.50E-04	3.99E-10	14	1.15E-02	6.40E-11	1.0E+06	6.4E-05
470	470	0.54077	3.23E-06	1.7E-06	2.50E-04	4.37E-10	14	1.15E-02	7.02E-11	1.0E+06	7.0E-05
471	471	0.59441	3.23E-06	1.9E-06	2.50E-04	4.80E-10	14	1.15E-02	7.71E-11	1.0E+06	7.7E-05

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	0.6555	3.23E-06	2.1E-06	2.50E-04	5.30E-10	14	1.15E-02	8.50E-11	1.0E+06	8.5E-05
473	473	0.72554	3.23E-06	2.3E-06	2.50E-04	5.86E-10	14	1.15E-02	9.41E-11	1.0E+06	9.4E-05
489	489	0.4649	3.23E-06	1.5E-06	2.50E-04	3.76E-10	14	1.15E-02	6.03E-11	1.0E+06	6.0E-05
490	490	0.5063	3.23E-06	1.6E-06	2.50E-04	4.09E-10	14	1.15E-02	6.57E-11	1.0E+06	6.6E-05
491	491	0.55285	3.23E-06	1.8E-06	2.50E-04	4.47E-10	14	1.15E-02	7.17E-11	1.0E+06	7.2E-05
492	492	0.60546	3.23E-06	2.0E-06	2.50E-04	4.89E-10	14	1.15E-02	7.85E-11	1.0E+06	7.9E-05
493	493	0.66523	3.23E-06	2.1E-06	2.50E-04	5.37E-10	14	1.15E-02	8.63E-11	1.0E+06	8.6E-05
494	494	0.7334	3.23E-06	2.4E-06	2.50E-04	5.92E-10	14	1.15E-02	9.51E-11	1.0E+06	9.5E-05
509	509	0.43749	3.23E-06	1.4E-06	2.50E-04	3.53E-10	14	1.15E-02	5.68E-11	1.0E+06	5.7E-05
510	510	0.47384	3.23E-06	1.5E-06	2.50E-04	3.83E-10	14	1.15E-02	6.15E-11	1.0E+06	6.1E-05
511	511	0.51445	3.23E-06	1.7E-06	2.50E-04	4.16E-10	14	1.15E-02	6.67E-11	1.0E+06	6.7E-05
512	512	0.56003	3.23E-06	1.8E-06	2.50E-04	4.52E-10	14	1.15E-02	7.27E-11	1.0E+06	7.3E-05
513	513	0.61131	3.23E-06	2.0E-06	2.50E-04	4.94E-10	14	1.15E-02	7.93E-11	1.0E+06	7.9E-05
514	514	0.66929	3.23E-06	2.2E-06	2.50E-04	5.41E-10	14	1.15E-02	8.68E-11	1.0E+06	8.7E-05
515	515	0.80727	3.23E-06	2.6E-06	2.50E-04	6.52E-10	14	1.15E-02	1.05E-10	1.0E+06	1.0E-04
516	516	0.8864	3.23E-06	2.9E-06	2.50E-04	7.16E-10	14	1.15E-02	1.15E-10	1.0E+06	1.1E-04
517	517	0.97166	3.23E-06	3.1E-06	2.50E-04	7.85E-10	14	1.15E-02	1.26E-10	1.0E+06	1.3E-04
518	518	1.05936	3.23E-06	3.4E-06	2.50E-04	8.56E-10	14	1.15E-02	1.37E-10	1.0E+06	1.4E-04
519	519	1.14441	3.23E-06	3.7E-06	2.50E-04	9.24E-10	14	1.15E-02	1.48E-10	1.0E+06	1.5E-04
528	528	0.41158	3.23E-06	1.3E-06	2.50E-04	3.32E-10	14	1.15E-02	5.34E-11	1.0E+06	5.3E-05
529	529	0.44364	3.23E-06	1.4E-06	2.50E-04	3.58E-10	14	1.15E-02	5.76E-11	1.0E+06	5.8E-05
530	530	0.47925	3.23E-06	1.5E-06	2.50E-04	3.87E-10	14	1.15E-02	6.22E-11	1.0E+06	6.2E-05
531	531	0.51896	3.23E-06	1.7E-06	2.50E-04	4.19E-10	14	1.15E-02	6.73E-11	1.0E+06	6.7E-05
532	532	0.56333	3.23E-06	1.8E-06	2.50E-04	4.55E-10	14	1.15E-02	7.31E-11	1.0E+06	7.3E-05
533	533	0.61286	3.23E-06	2.0E-06	2.50E-04	4.95E-10	14	1.15E-02	7.95E-11	1.0E+06	8.0E-05
534	534	0.7279	3.23E-06	2.3E-06	2.50E-04	5.88E-10	14	1.15E-02	9.44E-11	1.0E+06	9.4E-05
535	535	0.79271	3.23E-06	2.6E-06	2.50E-04	6.40E-10	14	1.15E-02	1.03E-10	1.0E+06	1.0E-04
536	536	0.86165	3.23E-06	2.8E-06	2.50E-04	6.96E-10	14	1.15E-02	1.12E-10	1.0E+06	1.1E-04
537	537	0.9306	3.23E-06	3.0E-06	2.50E-04	7.52E-10	14	1.15E-02	1.21E-10	1.0E+06	1.2E-04
538	538	0.99669	3.23E-06	3.2E-06	2.50E-04	8.05E-10	14	1.15E-02	1.29E-10	1.0E+06	1.3E-04
547	547	0.38735	3.23E-06	1.3E-06	2.50E-04	3.13E-10	14	1.15E-02	5.03E-11	1.0E+06	5.0E-05

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.41574	3.23E-06	1.3E-06	2.50E-04	3.36E-10	14	1.15E-02	5.39E-11	1.0E+06	5.4E-05
549	549	0.44714	3.23E-06	1.4E-06	2.50E-04	3.61E-10	14	1.15E-02	5.80E-11	1.0E+06	5.8E-05
550	550	0.4819	3.23E-06	1.6E-06	2.50E-04	3.89E-10	14	1.15E-02	6.25E-11	1.0E+06	6.3E-05
551	551	0.52044	3.23E-06	1.7E-06	2.50E-04	4.20E-10	14	1.15E-02	6.75E-11	1.0E+06	6.8E-05
552	552	0.56297	3.23E-06	1.8E-06	2.50E-04	4.55E-10	14	1.15E-02	7.30E-11	1.0E+06	7.3E-05
553	553	0.60962	3.23E-06	2.0E-06	2.50E-04	4.92E-10	14	1.15E-02	7.91E-11	1.0E+06	7.9E-05
554	554	0.65978	3.23E-06	2.1E-06	2.50E-04	5.33E-10	14	1.15E-02	8.56E-11	1.0E+06	8.6E-05
555	555	0.71345	3.23E-06	2.3E-06	2.50E-04	5.76E-10	14	1.15E-02	9.26E-11	1.0E+06	9.3E-05
556	556	0.76977	3.23E-06	2.5E-06	2.50E-04	6.22E-10	14	1.15E-02	9.99E-11	1.0E+06	1.0E-04
557	557	0.82478	3.23E-06	2.7E-06	2.50E-04	6.66E-10	14	1.15E-02	1.07E-10	1.0E+06	1.1E-04
558	558	0.87788	3.23E-06	2.8E-06	2.50E-04	7.09E-10	14	1.15E-02	1.14E-10	1.0E+06	1.1E-04
559	559	0.92358	3.23E-06	3.0E-06	2.50E-04	7.46E-10	14	1.15E-02	1.20E-10	1.0E+06	1.2E-04
567	567	0.36481	3.23E-06	1.2E-06	2.50E-04	2.95E-10	14	1.15E-02	4.73E-11	1.0E+06	4.7E-05
568	568	0.39009	3.23E-06	1.3E-06	2.50E-04	3.15E-10	14	1.15E-02	5.06E-11	1.0E+06	5.1E-05
569	569	0.4179	3.23E-06	1.3E-06	2.50E-04	3.38E-10	14	1.15E-02	5.42E-11	1.0E+06	5.4E-05
570	570	0.44852	3.23E-06	1.4E-06	2.50E-04	3.62E-10	14	1.15E-02	5.82E-11	1.0E+06	5.8E-05
571	571	0.48215	3.23E-06	1.6E-06	2.50E-04	3.89E-10	14	1.15E-02	6.26E-11	1.0E+06	6.3E-05
572	572	0.51891	3.23E-06	1.7E-06	2.50E-04	4.19E-10	14	1.15E-02	6.73E-11	1.0E+06	6.7E-05
573	573	0.55867	3.23E-06	1.8E-06	2.50E-04	4.51E-10	14	1.15E-02	7.25E-11	1.0E+06	7.2E-05
574	574	0.6455	3.23E-06	2.1E-06	2.50E-04	5.21E-10	14	1.15E-02	8.37E-11	1.0E+06	8.4E-05
575	575	0.69164	3.23E-06	2.2E-06	2.50E-04	5.59E-10	14	1.15E-02	8.97E-11	1.0E+06	9.0E-05
576	576	0.73725	3.23E-06	2.4E-06	2.50E-04	5.96E-10	14	1.15E-02	9.56E-11	1.0E+06	9.6E-05
577	577	0.78003	3.23E-06	2.5E-06	2.50E-04	6.30E-10	14	1.15E-02	1.01E-10	1.0E+06	1.0E-04
578	578	0.81702	3.23E-06	2.6E-06	2.50E-04	6.60E-10	14	1.15E-02	1.06E-10	1.0E+06	1.1E-04
586	586	0.34396	3.23E-06	1.1E-06	2.50E-04	2.78E-10	14	1.15E-02	4.46E-11	1.0E+06	4.5E-05
587	587	0.36653	3.23E-06	1.2E-06	2.50E-04	2.96E-10	14	1.15E-02	4.76E-11	1.0E+06	4.8E-05
588	588	0.39127	3.23E-06	1.3E-06	2.50E-04	3.16E-10	14	1.15E-02	5.08E-11	1.0E+06	5.1E-05
589	589	0.41829	3.23E-06	1.4E-06	2.50E-04	3.38E-10	14	1.15E-02	5.43E-11	1.0E+06	5.4E-05
590	590	0.44771	3.23E-06	1.4E-06	2.50E-04	3.62E-10	14	1.15E-02	5.81E-11	1.0E+06	5.8E-05
591	591	0.4795	3.23E-06	1.5E-06	2.50E-04	3.87E-10	14	1.15E-02	6.22E-11	1.0E+06	6.2E-05
592	592	0.51353	3.23E-06	1.7E-06	2.50E-04	4.15E-10	14	1.15E-02	6.66E-11	1.0E+06	6.7E-05

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	0.58669	3.23E-06	1.9E-06	2.50E-04	4.74E-10	14	1.15E-02	7.61E-11	1.0E+06	7.6E-05
594	594	0.62502	3.23E-06	2.0E-06	2.50E-04	5.05E-10	14	1.15E-02	8.11E-11	1.0E+06	8.1E-05
595	595	0.6621	3.23E-06	2.1E-06	2.50E-04	5.35E-10	14	1.15E-02	8.59E-11	1.0E+06	8.6E-05
596	596	0.6969	3.23E-06	2.2E-06	2.50E-04	5.63E-10	14	1.15E-02	9.04E-11	1.0E+06	9.0E-05
597	597	0.72745	3.23E-06	2.3E-06	2.50E-04	5.88E-10	14	1.15E-02	9.44E-11	1.0E+06	9.4E-05
345	345	1.14974	3.23E-06	3.7E-06	2.50E-04	9.29E-10	14	1.15E-02	1.49E-10	1.0E+06	1.5E-04
346	346	1.39977	3.23E-06	4.5E-06	2.50E-04	1.13E-09	14	1.15E-02	1.82E-10	1.0E+06	1.8E-04
347	347	1.75186	3.23E-06	5.7E-06	2.50E-04	1.42E-09	14	1.15E-02	2.27E-10	1.0E+06	2.3E-04
348	348	2.27372	3.23E-06	7.3E-06	2.50E-04	1.84E-09	14	1.15E-02	2.95E-10	1.0E+06	2.9E-04
359	359	1.12034	3.23E-06	3.6E-06	2.50E-04	9.05E-10	14	1.15E-02	1.45E-10	1.0E+06	1.5E-04
360	360	1.35529	3.23E-06	4.4E-06	2.50E-04	1.09E-09	14	1.15E-02	1.76E-10	1.0E+06	1.8E-04
361	361	1.68089	3.23E-06	5.4E-06	2.50E-04	1.36E-09	14	1.15E-02	2.18E-10	1.0E+06	2.2E-04
362	362	2.14647	3.23E-06	6.9E-06	2.50E-04	1.73E-09	14	1.15E-02	2.78E-10	1.0E+06	2.8E-04
363	363	2.86256	3.23E-06	9.2E-06	2.50E-04	2.31E-09	14	1.15E-02	3.71E-10	1.0E+06	3.7E-04
373	373	1.28863	3.23E-06	4.2E-06	2.50E-04	1.04E-09	14	1.15E-02	1.67E-10	1.0E+06	1.7E-04
374	374	1.57491	3.23E-06	5.1E-06	2.50E-04	1.27E-09	14	1.15E-02	2.04E-10	1.0E+06	2.0E-04
375	375	1.9704	3.23E-06	6.4E-06	2.50E-04	1.59E-09	14	1.15E-02	2.56E-10	1.0E+06	2.6E-04
376	376	2.54253	3.23E-06	8.2E-06	2.50E-04	2.05E-09	14	1.15E-02	3.30E-10	1.0E+06	3.3E-04
386	386	1.20826	3.23E-06	3.9E-06	2.50E-04	9.76E-10	14	1.15E-02	1.57E-10	1.0E+06	1.6E-04
387	387	1.45345	3.23E-06	4.7E-06	2.50E-04	1.17E-09	14	1.15E-02	1.89E-10	1.0E+06	1.9E-04
388	388	1.77802	3.23E-06	5.7E-06	2.50E-04	1.44E-09	14	1.15E-02	2.31E-10	1.0E+06	2.3E-04
389	389	2.22339	3.23E-06	7.2E-06	2.50E-04	1.80E-09	14	1.15E-02	2.88E-10	1.0E+06	2.9E-04
390	390	2.85515	3.23E-06	9.2E-06	2.50E-04	2.31E-09	14	1.15E-02	3.70E-10	1.0E+06	3.7E-04
400	400	1.12146	3.23E-06	3.6E-06	2.50E-04	9.06E-10	14	1.15E-02	1.45E-10	1.0E+06	1.5E-04
401	401	1.3257	3.23E-06	4.3E-06	2.50E-04	1.07E-09	14	1.15E-02	1.72E-10	1.0E+06	1.7E-04
402	402	1.58959	3.23E-06	5.1E-06	2.50E-04	1.28E-09	14	1.15E-02	2.06E-10	1.0E+06	2.1E-04
403	403	1.93221	3.23E-06	6.2E-06	2.50E-04	1.56E-09	14	1.15E-02	2.51E-10	1.0E+06	2.5E-04
404	404	2.39059	3.23E-06	7.7E-06	2.50E-04	1.93E-09	14	1.15E-02	3.10E-10	1.0E+06	3.1E-04
415	415	1.03331	3.23E-06	3.3E-06	2.50E-04	8.35E-10	14	1.15E-02	1.34E-10	1.0E+06	1.3E-04
416	416	1.20346	3.23E-06	3.9E-06	2.50E-04	9.72E-10	14	1.15E-02	1.56E-10	1.0E+06	1.6E-04
417	417	1.41368	3.23E-06	4.6E-06	2.50E-04	1.14E-09	14	1.15E-02	1.83E-10	1.0E+06	1.8E-04

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	1.6832	3.23E-06	5.4E-06	2.50E-04	1.36E-09	14	1.15E-02	2.18E-10	1.0E+06	2.2E-04
419	419	2.02662	3.23E-06	6.5E-06	2.50E-04	1.64E-09	14	1.15E-02	2.63E-10	1.0E+06	2.6E-04
420	420	2.45362	3.23E-06	7.9E-06	2.50E-04	1.98E-09	14	1.15E-02	3.18E-10	1.0E+06	3.2E-04
430	430	1.08752	3.23E-06	3.5E-06	2.50E-04	8.78E-10	14	1.15E-02	1.41E-10	1.0E+06	1.4E-04
431	431	1.25861	3.23E-06	4.1E-06	2.50E-04	1.02E-09	14	1.15E-02	1.63E-10	1.0E+06	1.6E-04
432	432	1.46851	3.23E-06	4.7E-06	2.50E-04	1.19E-09	14	1.15E-02	1.91E-10	1.0E+06	1.9E-04
433	433	1.72799	3.23E-06	5.6E-06	2.50E-04	1.40E-09	14	1.15E-02	2.24E-10	1.0E+06	2.2E-04
434	434	2.04518	3.23E-06	6.6E-06	2.50E-04	1.65E-09	14	1.15E-02	2.65E-10	1.0E+06	2.7E-04
444	444	0.98289	3.23E-06	3.2E-06	2.50E-04	7.94E-10	14	1.15E-02	1.28E-10	1.0E+06	1.3E-04
445	445	1.12118	3.23E-06	3.6E-06	2.50E-04	9.06E-10	14	1.15E-02	1.45E-10	1.0E+06	1.5E-04
446	446	1.28754	3.23E-06	4.2E-06	2.50E-04	1.04E-09	14	1.15E-02	1.67E-10	1.0E+06	1.7E-04
447	447	1.48711	3.23E-06	4.8E-06	2.50E-04	1.20E-09	14	1.15E-02	1.93E-10	1.0E+06	1.9E-04
448	448	1.72242	3.23E-06	5.6E-06	2.50E-04	1.39E-09	14	1.15E-02	2.23E-10	1.0E+06	2.2E-04
459	459	1.00232	3.23E-06	3.2E-06	2.50E-04	8.10E-10	14	1.15E-02	1.30E-10	1.0E+06	1.3E-04
460	460	1.13556	3.23E-06	3.7E-06	2.50E-04	9.17E-10	14	1.15E-02	1.47E-10	1.0E+06	1.5E-04
461	461	1.29132	3.23E-06	4.2E-06	2.50E-04	1.04E-09	14	1.15E-02	1.68E-10	1.0E+06	1.7E-04
462	462	1.46916	3.23E-06	4.7E-06	2.50E-04	1.19E-09	14	1.15E-02	1.91E-10	1.0E+06	1.9E-04
463	463	1.66171	3.23E-06	5.4E-06	2.50E-04	1.34E-09	14	1.15E-02	2.16E-10	1.0E+06	2.2E-04
474	474	0.89952	3.23E-06	2.9E-06	2.50E-04	7.27E-10	14	1.15E-02	1.17E-10	1.0E+06	1.2E-04
475	475	1.00711	3.23E-06	3.3E-06	2.50E-04	8.14E-10	14	1.15E-02	1.31E-10	1.0E+06	1.3E-04
476	476	1.13086	3.23E-06	3.7E-06	2.50E-04	9.14E-10	14	1.15E-02	1.47E-10	1.0E+06	1.5E-04
477	477	1.26725	3.23E-06	4.1E-06	2.50E-04	1.02E-09	14	1.15E-02	1.64E-10	1.0E+06	1.6E-04
478	478	1.41265	3.23E-06	4.6E-06	2.50E-04	1.14E-09	14	1.15E-02	1.83E-10	1.0E+06	1.8E-04
495	495	0.81116	3.23E-06	2.6E-06	2.50E-04	6.55E-10	14	1.15E-02	1.05E-10	1.0E+06	1.1E-04
496	496	0.89895	3.23E-06	2.9E-06	2.50E-04	7.26E-10	14	1.15E-02	1.17E-10	1.0E+06	1.2E-04
497	497	0.99773	3.23E-06	3.2E-06	2.50E-04	8.06E-10	14	1.15E-02	1.29E-10	1.0E+06	1.3E-04
498	498	1.10504	3.23E-06	3.6E-06	2.50E-04	8.93E-10	14	1.15E-02	1.43E-10	1.0E+06	1.4E-04
499	499	1.2167	3.23E-06	3.9E-06	2.50E-04	9.83E-10	14	1.15E-02	1.58E-10	1.0E+06	1.6E-04
500	500	1.32538	3.23E-06	4.3E-06	2.50E-04	1.07E-09	14	1.15E-02	1.72E-10	1.0E+06	1.7E-04

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	0.43085	3.23E-06	1.4E-06	2.50E-04	3.48E-10	25	1.15E-02	9.98E-11	1.0E+06	1.0E-04
140	140	0.45969	3.23E-06	1.5E-06	2.50E-04	3.71E-10	25	1.15E-02	1.06E-10	1.0E+06	1.1E-04
156	156	0.46885	3.23E-06	1.5E-06	2.50E-04	3.79E-10	25	1.15E-02	1.09E-10	1.0E+06	1.1E-04
157	157	0.50328	3.23E-06	1.6E-06	2.50E-04	4.07E-10	25	1.15E-02	1.17E-10	1.0E+06	1.2E-04
158	158	0.5402	3.23E-06	1.7E-06	2.50E-04	4.36E-10	25	1.15E-02	1.25E-10	1.0E+06	1.3E-04
159	159	0.57902	3.23E-06	1.9E-06	2.50E-04	4.68E-10	25	1.15E-02	1.34E-10	1.0E+06	1.3E-04
160	160	0.61896	3.23E-06	2.0E-06	2.50E-04	5.00E-10	25	1.15E-02	1.43E-10	1.0E+06	1.4E-04
161	161	0.7007	3.23E-06	2.3E-06	2.50E-04	5.66E-10	25	1.15E-02	1.62E-10	1.0E+06	1.6E-04
162	162	0.73982	3.23E-06	2.4E-06	2.50E-04	5.98E-10	25	1.15E-02	1.71E-10	1.0E+06	1.7E-04
163	163	0.77556	3.23E-06	2.5E-06	2.50E-04	6.26E-10	25	1.15E-02	1.80E-10	1.0E+06	1.8E-04
167	167	0.55174	3.23E-06	1.8E-06	2.50E-04	4.46E-10	25	1.15E-02	1.28E-10	1.0E+06	1.3E-04
168	168	0.5978	3.23E-06	1.9E-06	2.50E-04	4.83E-10	25	1.15E-02	1.38E-10	1.0E+06	1.4E-04
169	169	0.64588	3.23E-06	2.1E-06	2.50E-04	5.22E-10	25	1.15E-02	1.50E-10	1.0E+06	1.5E-04
170	170	0.69649	3.23E-06	2.2E-06	2.50E-04	5.63E-10	25	1.15E-02	1.61E-10	1.0E+06	1.6E-04
171	171	0.74872	3.23E-06	2.4E-06	2.50E-04	6.05E-10	25	1.15E-02	1.73E-10	1.0E+06	1.7E-04
172	172	0.80186	3.23E-06	2.6E-06	2.50E-04	6.48E-10	25	1.15E-02	1.86E-10	1.0E+06	1.9E-04
173	173	0.85294	3.23E-06	2.8E-06	2.50E-04	6.89E-10	25	1.15E-02	1.98E-10	1.0E+06	2.0E-04
174	174	0.90091	3.23E-06	2.9E-06	2.50E-04	7.28E-10	25	1.15E-02	2.09E-10	1.0E+06	2.1E-04
175	175	0.94316	3.23E-06	3.0E-06	2.50E-04	7.62E-10	25	1.15E-02	2.18E-10	1.0E+06	2.2E-04
176	176	0.97787	3.23E-06	3.2E-06	2.50E-04	7.90E-10	25	1.15E-02	2.27E-10	1.0E+06	2.3E-04
177	177	1.00363	3.23E-06	3.2E-06	2.50E-04	8.11E-10	25	1.15E-02	2.33E-10	1.0E+06	2.3E-04
181	181	0.66346	3.23E-06	2.1E-06	2.50E-04	5.36E-10	25	1.15E-02	1.54E-10	1.0E+06	1.5E-04
182	182	0.72358	3.23E-06	2.3E-06	2.50E-04	5.85E-10	25	1.15E-02	1.68E-10	1.0E+06	1.7E-04
183	183	0.78854	3.23E-06	2.5E-06	2.50E-04	6.37E-10	25	1.15E-02	1.83E-10	1.0E+06	1.8E-04
184	184	0.85654	3.23E-06	2.8E-06	2.50E-04	6.92E-10	25	1.15E-02	1.98E-10	1.0E+06	2.0E-04
185	185	0.92676	3.23E-06	3.0E-06	2.50E-04	7.49E-10	25	1.15E-02	2.15E-10	1.0E+06	2.1E-04
186	186	0.99616	3.23E-06	3.2E-06	2.50E-04	8.05E-10	25	1.15E-02	2.31E-10	1.0E+06	2.3E-04
187	187	1.06085	3.23E-06	3.4E-06	2.50E-04	8.57E-10	25	1.15E-02	2.46E-10	1.0E+06	2.5E-04
188	188	1.11936	3.23E-06	3.6E-06	2.50E-04	9.04E-10	25	1.15E-02	2.59E-10	1.0E+06	2.6E-04
189	189	1.16768	3.23E-06	3.8E-06	2.50E-04	9.43E-10	25	1.15E-02	2.71E-10	1.0E+06	2.7E-04
190	190	1.2036	3.23E-06	3.9E-06	2.50E-04	9.72E-10	25	1.15E-02	2.79E-10	1.0E+06	2.8E-04

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	1.22864	3.23E-06	4.0E-06	2.50E-04	9.92E-10	25	1.15E-02	2.85E-10	1.0E+06	2.8E-04
195	195	0.73818	3.23E-06	2.4E-06	2.50E-04	5.96E-10	25	1.15E-02	1.71E-10	1.0E+06	1.7E-04
196	196	0.81443	3.23E-06	2.6E-06	2.50E-04	6.58E-10	25	1.15E-02	1.89E-10	1.0E+06	1.9E-04
197	197	0.89801	3.23E-06	2.9E-06	2.50E-04	7.25E-10	25	1.15E-02	2.08E-10	1.0E+06	2.1E-04
198	198	0.98835	3.23E-06	3.2E-06	2.50E-04	7.98E-10	25	1.15E-02	2.29E-10	1.0E+06	2.3E-04
199	199	1.08321	3.23E-06	3.5E-06	2.50E-04	8.75E-10	25	1.15E-02	2.51E-10	1.0E+06	2.5E-04
200	200	1.17909	3.23E-06	3.8E-06	2.50E-04	9.52E-10	25	1.15E-02	2.73E-10	1.0E+06	2.7E-04
201	201	1.27138	3.23E-06	4.1E-06	2.50E-04	1.03E-09	25	1.15E-02	2.95E-10	1.0E+06	2.9E-04
202	202	1.35433	3.23E-06	4.4E-06	2.50E-04	1.09E-09	25	1.15E-02	3.14E-10	1.0E+06	3.1E-04
203	203	1.42286	3.23E-06	4.6E-06	2.50E-04	1.15E-09	25	1.15E-02	3.30E-10	1.0E+06	3.3E-04
204	204	1.47462	3.23E-06	4.8E-06	2.50E-04	1.19E-09	25	1.15E-02	3.42E-10	1.0E+06	3.4E-04
205	205	1.51259	3.23E-06	4.9E-06	2.50E-04	1.22E-09	25	1.15E-02	3.50E-10	1.0E+06	3.5E-04
206	206	1.54285	3.23E-06	5.0E-06	2.50E-04	1.25E-09	25	1.15E-02	3.57E-10	1.0E+06	3.6E-04
210	210	0.73399	3.23E-06	2.4E-06	2.50E-04	5.93E-10	25	1.15E-02	1.70E-10	1.0E+06	1.7E-04
211	211	0.82229	3.23E-06	2.7E-06	2.50E-04	6.64E-10	25	1.15E-02	1.90E-10	1.0E+06	1.9E-04
212	212	0.91941	3.23E-06	3.0E-06	2.50E-04	7.43E-10	25	1.15E-02	2.13E-10	1.0E+06	2.1E-04
213	213	1.02925	3.23E-06	3.3E-06	2.50E-04	8.31E-10	25	1.15E-02	2.38E-10	1.0E+06	2.4E-04
214	214	1.28181	3.23E-06	4.1E-06	2.50E-04	1.04E-09	25	1.15E-02	2.97E-10	1.0E+06	3.0E-04
215	215	1.41813	3.23E-06	4.6E-06	2.50E-04	1.15E-09	25	1.15E-02	3.29E-10	1.0E+06	3.3E-04
216	216	1.55222	3.23E-06	5.0E-06	2.50E-04	1.25E-09	25	1.15E-02	3.60E-10	1.0E+06	3.6E-04
217	217	1.67519	3.23E-06	5.4E-06	2.50E-04	1.35E-09	25	1.15E-02	3.88E-10	1.0E+06	3.9E-04
218	218	1.7778	3.23E-06	5.7E-06	2.50E-04	1.44E-09	25	1.15E-02	4.12E-10	1.0E+06	4.1E-04
219	219	1.85682	3.23E-06	6.0E-06	2.50E-04	1.50E-09	25	1.15E-02	4.30E-10	1.0E+06	4.3E-04
220	220	1.91722	3.23E-06	6.2E-06	2.50E-04	1.55E-09	25	1.15E-02	4.44E-10	1.0E+06	4.4E-04
221	221	1.9664	3.23E-06	6.3E-06	2.50E-04	1.59E-09	25	1.15E-02	4.56E-10	1.0E+06	4.6E-04
222	222	2.01078	3.23E-06	6.5E-06	2.50E-04	1.62E-09	25	1.15E-02	4.66E-10	1.0E+06	4.7E-04
226	226	0.80811	3.23E-06	2.6E-06	2.50E-04	6.53E-10	25	1.15E-02	1.87E-10	1.0E+06	1.9E-04
227	227	0.91607	3.23E-06	3.0E-06	2.50E-04	7.40E-10	25	1.15E-02	2.12E-10	1.0E+06	2.1E-04
228	228	1.04047	3.23E-06	3.4E-06	2.50E-04	8.40E-10	25	1.15E-02	2.41E-10	1.0E+06	2.4E-04
229	229	1.18555	3.23E-06	3.8E-06	2.50E-04	9.58E-10	25	1.15E-02	2.75E-10	1.0E+06	2.7E-04
230	230	1.35157	3.23E-06	4.4E-06	2.50E-04	1.09E-09	25	1.15E-02	3.13E-10	1.0E+06	3.1E-04

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	1.53513	3.23E-06	5.0E-06	2.50E-04	1.24E-09	25	1.15E-02	3.56E-10	1.0E+06	3.6E-04
232	232	1.73576	3.23E-06	5.6E-06	2.50E-04	1.40E-09	25	1.15E-02	4.02E-10	1.0E+06	4.0E-04
233	233	2.13241	3.23E-06	6.9E-06	2.50E-04	1.72E-09	25	1.15E-02	4.94E-10	1.0E+06	4.9E-04
234	234	2.29523	3.23E-06	7.4E-06	2.50E-04	1.85E-09	25	1.15E-02	5.32E-10	1.0E+06	5.3E-04
235	235	2.42471	3.23E-06	7.8E-06	2.50E-04	1.96E-09	25	1.15E-02	5.62E-10	1.0E+06	5.6E-04
236	236	2.52645	3.23E-06	8.2E-06	2.50E-04	2.04E-09	25	1.15E-02	5.85E-10	1.0E+06	5.9E-04
237	237	2.60866	3.23E-06	8.4E-06	2.50E-04	2.11E-09	25	1.15E-02	6.04E-10	1.0E+06	6.0E-04
238	238	2.67268	3.23E-06	8.6E-06	2.50E-04	2.16E-09	25	1.15E-02	6.19E-10	1.0E+06	6.2E-04
242	242	0.88491	3.23E-06	2.9E-06	2.50E-04	7.15E-10	25	1.15E-02	2.05E-10	1.0E+06	2.1E-04
243	243	1.01709	3.23E-06	3.3E-06	2.50E-04	8.22E-10	25	1.15E-02	2.36E-10	1.0E+06	2.4E-04
244	244	1.17416	3.23E-06	3.8E-06	2.50E-04	9.48E-10	25	1.15E-02	2.72E-10	1.0E+06	2.7E-04
245	245	1.36727	3.23E-06	4.4E-06	2.50E-04	1.10E-09	25	1.15E-02	3.17E-10	1.0E+06	3.2E-04
246	246	1.59839	3.23E-06	5.2E-06	2.50E-04	1.29E-09	25	1.15E-02	3.70E-10	1.0E+06	3.7E-04
247	247	1.86956	3.23E-06	6.0E-06	2.50E-04	1.51E-09	25	1.15E-02	4.33E-10	1.0E+06	4.3E-04
248	248	2.17631	3.23E-06	7.0E-06	2.50E-04	1.76E-09	25	1.15E-02	5.04E-10	1.0E+06	5.0E-04
249	249	2.81438	3.23E-06	9.1E-06	2.50E-04	2.27E-09	25	1.15E-02	6.52E-10	1.0E+06	6.5E-04
250	250	3.0883	3.23E-06	1.0E-05	2.50E-04	2.49E-09	25	1.15E-02	7.15E-10	1.0E+06	7.2E-04
251	251	3.31867	3.23E-06	1.1E-05	2.50E-04	2.68E-09	25	1.15E-02	7.69E-10	1.0E+06	7.7E-04
252	252	3.50653	3.23E-06	1.1E-05	2.50E-04	2.83E-09	25	1.15E-02	8.12E-10	1.0E+06	8.1E-04
253	253	3.63905	3.23E-06	1.2E-05	2.50E-04	2.94E-09	25	1.15E-02	8.43E-10	1.0E+06	8.4E-04
254	254	3.70823	3.23E-06	1.2E-05	2.50E-04	3.00E-09	25	1.15E-02	8.59E-10	1.0E+06	8.6E-04
257	257	0.96221	3.23E-06	3.1E-06	2.50E-04	7.77E-10	25	1.15E-02	2.23E-10	1.0E+06	2.2E-04
258	258	1.12272	3.23E-06	3.6E-06	2.50E-04	9.07E-10	25	1.15E-02	2.60E-10	1.0E+06	2.6E-04
259	259	1.3241	3.23E-06	4.3E-06	2.50E-04	1.07E-09	25	1.15E-02	3.07E-10	1.0E+06	3.1E-04
260	260	1.57457	3.23E-06	5.1E-06	2.50E-04	1.27E-09	25	1.15E-02	3.65E-10	1.0E+06	3.6E-04
261	261	1.90238	3.23E-06	6.1E-06	2.50E-04	1.54E-09	25	1.15E-02	4.41E-10	1.0E+06	4.4E-04
262	262	2.30609	3.23E-06	7.4E-06	2.50E-04	1.86E-09	25	1.15E-02	5.34E-10	1.0E+06	5.3E-04
263	263	2.79492	3.23E-06	9.0E-06	2.50E-04	2.26E-09	25	1.15E-02	6.47E-10	1.0E+06	6.5E-04
264	264	3.91303	3.23E-06	1.3E-05	2.50E-04	3.16E-09	25	1.15E-02	9.07E-10	1.0E+06	9.1E-04
265	265	4.4271	3.23E-06	1.4E-05	2.50E-04	3.58E-09	25	1.15E-02	1.03E-09	1.0E+06	1.0E-03
266	266	4.87748	3.23E-06	1.6E-05	2.50E-04	3.94E-09	25	1.15E-02	1.13E-09	1.0E+06	1.1E-03

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	5.22296	3.23E-06	1.7E-05	2.50E-04	4.22E-09	25	1.15E-02	1.21E-09	1.0E+06	1.2E-03
268	268	5.40086	3.23E-06	1.7E-05	2.50E-04	4.36E-09	25	1.15E-02	1.25E-09	1.0E+06	1.3E-03
269	269	5.39386	3.23E-06	1.7E-05	2.50E-04	4.36E-09	25	1.15E-02	1.25E-09	1.0E+06	1.2E-03
270	270	4.30458	3.23E-06	1.4E-05	2.50E-04	3.48E-09	25	1.15E-02	9.97E-10	1.0E+06	1.0E-03
271	271	3.71926	3.23E-06	1.2E-05	2.50E-04	3.00E-09	25	1.15E-02	8.62E-10	1.0E+06	8.6E-04
274	274	1.03514	3.23E-06	3.3E-06	2.50E-04	8.36E-10	25	1.15E-02	2.40E-10	1.0E+06	2.4E-04
275	275	1.2257	3.23E-06	4.0E-06	2.50E-04	9.90E-10	25	1.15E-02	2.84E-10	1.0E+06	2.8E-04
276	276	1.47655	3.23E-06	4.8E-06	2.50E-04	1.19E-09	25	1.15E-02	3.42E-10	1.0E+06	3.4E-04
277	277	1.80455	3.23E-06	5.8E-06	2.50E-04	1.46E-09	25	1.15E-02	4.18E-10	1.0E+06	4.2E-04
278	278	2.25665	3.23E-06	7.3E-06	2.50E-04	1.82E-09	25	1.15E-02	5.23E-10	1.0E+06	5.2E-04
279	279	2.86806	3.23E-06	9.3E-06	2.50E-04	2.32E-09	25	1.15E-02	6.64E-10	1.0E+06	6.6E-04
280	280	3.67156	3.23E-06	1.2E-05	2.50E-04	2.97E-09	25	1.15E-02	8.51E-10	1.0E+06	8.5E-04
281	281	5.8227	3.23E-06	1.9E-05	2.50E-04	4.70E-09	25	1.15E-02	1.35E-09	1.0E+06	1.3E-03
282	282	6.91729	3.23E-06	2.2E-05	2.50E-04	5.59E-09	25	1.15E-02	1.60E-09	1.0E+06	1.6E-03
283	283	7.89491	3.23E-06	2.5E-05	2.50E-04	6.38E-09	25	1.15E-02	1.83E-09	1.0E+06	1.8E-03
284	284	8.53928	3.23E-06	2.8E-05	2.50E-04	6.90E-09	25	1.15E-02	1.98E-09	1.0E+06	2.0E-03
285	285	8.65789	3.23E-06	2.8E-05	2.50E-04	6.99E-09	25	1.15E-02	2.01E-09	1.0E+06	2.0E-03
286	286	8.24756	3.23E-06	2.7E-05	2.50E-04	6.66E-09	25	1.15E-02	1.91E-09	1.0E+06	1.9E-03
287	287	5.24029	3.23E-06	1.7E-05	2.50E-04	4.23E-09	25	1.15E-02	1.21E-09	1.0E+06	1.2E-03
288	288	4.19894	3.23E-06	1.4E-05	2.50E-04	3.39E-09	25	1.15E-02	9.73E-10	1.0E+06	9.7E-04
291	291	1.09671	3.23E-06	3.5E-06	2.50E-04	8.86E-10	25	1.15E-02	2.54E-10	1.0E+06	2.5E-04
292	292	1.31643	3.23E-06	4.2E-06	2.50E-04	1.06E-09	25	1.15E-02	3.05E-10	1.0E+06	3.0E-04
293	293	1.61538	3.23E-06	5.2E-06	2.50E-04	1.30E-09	25	1.15E-02	3.74E-10	1.0E+06	3.7E-04
294	294	2.03178	3.23E-06	6.6E-06	2.50E-04	1.64E-09	25	1.15E-02	4.71E-10	1.0E+06	4.7E-04
295	295	2.63575	3.23E-06	8.5E-06	2.50E-04	2.13E-09	25	1.15E-02	6.11E-10	1.0E+06	6.1E-04
296	296	3.55501	3.23E-06	1.1E-05	2.50E-04	2.87E-09	25	1.15E-02	8.24E-10	1.0E+06	8.2E-04
297	297	4.98925	3.23E-06	1.6E-05	2.50E-04	4.03E-09	25	1.15E-02	1.16E-09	1.0E+06	1.2E-03
298	298	9.804	3.23E-06	3.2E-05	2.50E-04	7.92E-09	25	1.15E-02	2.27E-09	1.0E+06	2.3E-03
299	299	12.6976	3.23E-06	4.1E-05	2.50E-04	1.03E-08	25	1.15E-02	2.94E-09	1.0E+06	2.9E-03
300	300	14.99651	3.23E-06	4.8E-05	2.50E-04	1.21E-08	25	1.15E-02	3.47E-09	1.0E+06	3.5E-03
301	301	15.9934	3.23E-06	5.2E-05	2.50E-04	1.29E-08	25	1.15E-02	3.71E-09	1.0E+06	3.7E-03

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	302	15.32996	3.23E-06	4.9E-05	2.50E-04	1.24E-08	25	1.15E-02	3.55E-09	1.0E+06	3.6E-03
303	303	13.3397	3.23E-06	4.3E-05	2.50E-04	1.08E-08	25	1.15E-02	3.09E-09	1.0E+06	3.1E-03
304	304	5.90149	3.23E-06	1.9E-05	2.50E-04	4.77E-09	25	1.15E-02	1.37E-09	1.0E+06	1.4E-03
305	305	4.35477	3.23E-06	1.4E-05	2.50E-04	3.52E-09	25	1.15E-02	1.01E-09	1.0E+06	1.0E-03
308	308	1.13938	3.23E-06	3.7E-06	2.50E-04	9.20E-10	25	1.15E-02	2.64E-10	1.0E+06	2.6E-04
309	309	1.38209	3.23E-06	4.5E-06	2.50E-04	1.12E-09	25	1.15E-02	3.20E-10	1.0E+06	3.2E-04
310	310	1.72018	3.23E-06	5.6E-06	2.50E-04	1.39E-09	25	1.15E-02	3.99E-10	1.0E+06	4.0E-04
311	311	2.21311	3.23E-06	7.1E-06	2.50E-04	1.79E-09	25	1.15E-02	5.13E-10	1.0E+06	5.1E-04
312	312	2.98489	3.23E-06	9.6E-06	2.50E-04	2.41E-09	25	1.15E-02	6.91E-10	1.0E+06	6.9E-04
313	313	4.28799	3.23E-06	1.4E-05	2.50E-04	3.46E-09	25	1.15E-02	9.93E-10	1.0E+06	9.9E-04
314	314	6.79362	3.23E-06	2.2E-05	2.50E-04	5.49E-09	25	1.15E-02	1.57E-09	1.0E+06	1.6E-03
315	315	21.89608	3.23E-06	7.1E-05	2.50E-04	1.77E-08	25	1.15E-02	5.07E-09	1.0E+06	5.1E-03
316	316	31.96099	3.23E-06	1.0E-04	2.50E-04	2.58E-08	25	1.15E-02	7.40E-09	1.0E+06	7.4E-03
317	317	36.62356	3.23E-06	1.2E-04	2.50E-04	2.96E-08	25	1.15E-02	8.48E-09	1.0E+06	8.5E-03
318	318	37.23636	3.23E-06	1.2E-04	2.50E-04	3.01E-08	25	1.15E-02	8.63E-09	1.0E+06	8.6E-03
319	319	32.50911	3.23E-06	1.0E-04	2.50E-04	2.63E-08	25	1.15E-02	7.53E-09	1.0E+06	7.5E-03
320	320	23.3224	3.23E-06	7.5E-05	2.50E-04	1.88E-08	25	1.15E-02	5.40E-09	1.0E+06	5.4E-03
321	321	5.82188	3.23E-06	1.9E-05	2.50E-04	4.70E-09	25	1.15E-02	1.35E-09	1.0E+06	1.3E-03
322	322	4.05076	3.23E-06	1.3E-05	2.50E-04	3.27E-09	25	1.15E-02	9.38E-10	1.0E+06	9.4E-04
325	325	1.15727	3.23E-06	3.7E-06	2.50E-04	9.35E-10	25	1.15E-02	2.68E-10	1.0E+06	2.7E-04
326	326	1.41067	3.23E-06	4.6E-06	2.50E-04	1.14E-09	25	1.15E-02	3.27E-10	1.0E+06	3.3E-04
327	327	1.76839	3.23E-06	5.7E-06	2.50E-04	1.43E-09	25	1.15E-02	4.10E-10	1.0E+06	4.1E-04
328	328	2.3034	3.23E-06	7.4E-06	2.50E-04	1.86E-09	25	1.15E-02	5.34E-10	1.0E+06	5.3E-04
329	329	3.15826	3.23E-06	1.0E-05	2.50E-04	2.55E-09	25	1.15E-02	7.32E-10	1.0E+06	7.3E-04
330	330	4.73433	3.23E-06	1.5E-05	2.50E-04	3.82E-09	25	1.15E-02	1.10E-09	1.0E+06	1.1E-03
331	331	8.29527	3.23E-06	2.7E-05	2.50E-04	6.70E-09	25	1.15E-02	1.92E-09	1.0E+06	1.9E-03
332	332	21.65325	3.23E-06	7.0E-05	2.50E-04	1.75E-08	25	1.15E-02	5.02E-09	1.0E+06	5.0E-03
333	333	14.55377	3.23E-06	4.7E-05	2.50E-04	1.18E-08	25	1.15E-02	3.37E-09	1.0E+06	3.4E-03
334	334	33.98262	3.23E-06	1.1E-04	2.50E-04	2.75E-08	25	1.15E-02	7.87E-09	1.0E+06	7.9E-03
335	335	41.08412	3.23E-06	1.3E-04	2.50E-04	3.32E-08	25	1.15E-02	9.52E-09	1.0E+06	9.5E-03
336	336	39.42527	3.23E-06	1.3E-04	2.50E-04	3.18E-08	25	1.15E-02	9.13E-09	1.0E+06	9.1E-03

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	29.16927	3.23E-06	9.4E-05	2.50E-04	2.36E-08	25	1.15E-02	6.76E-09	1.0E+06	6.8E-03
338	338	39.59032	3.23E-06	1.3E-04	2.50E-04	3.20E-08	25	1.15E-02	9.17E-09	1.0E+06	9.2E-03
339	339	7.81161	3.23E-06	2.5E-05	2.50E-04	6.31E-09	25	1.15E-02	1.81E-09	1.0E+06	1.8E-03
340	340	4.93117	3.23E-06	1.6E-05	2.50E-04	3.98E-09	25	1.15E-02	1.14E-09	1.0E+06	1.1E-03
341	341	3.43934	3.23E-06	1.1E-05	2.50E-04	2.78E-09	25	1.15E-02	7.97E-10	1.0E+06	8.0E-04
349	349	3.10451	3.23E-06	1.0E-05	2.50E-04	2.51E-09	25	1.15E-02	7.19E-10	1.0E+06	7.2E-04
350	350	4.58659	3.23E-06	1.5E-05	2.50E-04	3.71E-09	25	1.15E-02	1.06E-09	1.0E+06	1.1E-03
351	351	7.70459	3.23E-06	2.5E-05	2.50E-04	6.22E-09	25	1.15E-02	1.78E-09	1.0E+06	1.8E-03
352	352	17.11285	3.23E-06	5.5E-05	2.50E-04	1.38E-08	25	1.15E-02	3.96E-09	1.0E+06	4.0E-03
353	353	5.8574	3.23E-06	1.9E-05	2.50E-04	4.73E-09	25	1.15E-02	1.36E-09	1.0E+06	1.4E-03
354	354	3.94703	3.23E-06	1.3E-05	2.50E-04	3.19E-09	25	1.15E-02	9.14E-10	1.0E+06	9.1E-04
355	355	2.87257	3.23E-06	9.3E-06	2.50E-04	2.32E-09	25	1.15E-02	6.65E-10	1.0E+06	6.7E-04
364	364	4.03691	3.23E-06	1.3E-05	2.50E-04	3.26E-09	25	1.15E-02	9.35E-10	1.0E+06	9.4E-04
365	365	6.15762	3.23E-06	2.0E-05	2.50E-04	4.97E-09	25	1.15E-02	1.43E-09	1.0E+06	1.4E-03
366	366	10.51406	3.23E-06	3.4E-05	2.50E-04	8.49E-09	25	1.15E-02	2.44E-09	1.0E+06	2.4E-03
367	367	4.70129	3.23E-06	1.5E-05	2.50E-04	3.80E-09	25	1.15E-02	1.09E-09	1.0E+06	1.1E-03
368	368	3.2955	3.23E-06	1.1E-05	2.50E-04	2.66E-09	25	1.15E-02	7.63E-10	1.0E+06	7.6E-04
369	369	2.47484	3.23E-06	8.0E-06	2.50E-04	2.00E-09	25	1.15E-02	5.73E-10	1.0E+06	5.7E-04
377	377	3.41052	3.23E-06	1.1E-05	2.50E-04	2.76E-09	25	1.15E-02	7.90E-10	1.0E+06	7.9E-04
378	378	4.78983	3.23E-06	1.5E-05	2.50E-04	3.87E-09	25	1.15E-02	1.11E-09	1.0E+06	1.1E-03
379	379	7.03957	3.23E-06	2.3E-05	2.50E-04	5.69E-09	25	1.15E-02	1.63E-09	1.0E+06	1.6E-03
380	380	3.92537	3.23E-06	1.3E-05	2.50E-04	3.17E-09	25	1.15E-02	9.09E-10	1.0E+06	9.1E-04
381	381	2.82489	3.23E-06	9.1E-06	2.50E-04	2.28E-09	25	1.15E-02	6.54E-10	1.0E+06	6.5E-04
382	382	2.17214	3.23E-06	7.0E-06	2.50E-04	1.75E-09	25	1.15E-02	5.03E-10	1.0E+06	5.0E-04
391	391	3.7651	3.23E-06	1.2E-05	2.50E-04	3.04E-09	25	1.15E-02	8.72E-10	1.0E+06	8.7E-04
392	392	5.04792	3.23E-06	1.6E-05	2.50E-04	4.08E-09	25	1.15E-02	1.17E-09	1.0E+06	1.2E-03
393	393	3.31793	3.23E-06	1.1E-05	2.50E-04	2.68E-09	25	1.15E-02	7.69E-10	1.0E+06	7.7E-04
394	394	2.4698	3.23E-06	8.0E-06	2.50E-04	2.00E-09	25	1.15E-02	5.72E-10	1.0E+06	5.7E-04
395	395	1.93351	3.23E-06	6.2E-06	2.50E-04	1.56E-09	25	1.15E-02	4.48E-10	1.0E+06	4.5E-04
405	405	3.01656	3.23E-06	9.7E-06	2.50E-04	2.44E-09	25	1.15E-02	6.99E-10	1.0E+06	7.0E-04
406	406	3.82615	3.23E-06	1.2E-05	2.50E-04	3.09E-09	25	1.15E-02	8.86E-10	1.0E+06	8.9E-04

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	4.75445	3.23E-06	1.5E-05	2.50E-04	3.84E-09	25	1.15E-02	1.10E-09	1.0E+06	1.1E-03
408	408	2.82367	3.23E-06	9.1E-06	2.50E-04	2.28E-09	25	1.15E-02	6.54E-10	1.0E+06	6.5E-04
409	409	2.17139	3.23E-06	7.0E-06	2.50E-04	1.75E-09	25	1.15E-02	5.03E-10	1.0E+06	5.0E-04
410	410	1.73524	3.23E-06	5.6E-06	2.50E-04	1.40E-09	25	1.15E-02	4.02E-10	1.0E+06	4.0E-04
421	421	2.99613	3.23E-06	9.7E-06	2.50E-04	2.42E-09	25	1.15E-02	6.94E-10	1.0E+06	6.9E-04
422	422	3.57969	3.23E-06	1.2E-05	2.50E-04	2.89E-09	25	1.15E-02	8.29E-10	1.0E+06	8.3E-04
423	423	2.41134	3.23E-06	7.8E-06	2.50E-04	1.95E-09	25	1.15E-02	5.59E-10	1.0E+06	5.6E-04
424	424	1.91654	3.23E-06	6.2E-06	2.50E-04	1.55E-09	25	1.15E-02	4.44E-10	1.0E+06	4.4E-04
425	425	1.55944	3.23E-06	5.0E-06	2.50E-04	1.26E-09	25	1.15E-02	3.61E-10	1.0E+06	3.6E-04
435	435	2.40825	3.23E-06	7.8E-06	2.50E-04	1.95E-09	25	1.15E-02	5.58E-10	1.0E+06	5.6E-04
436	436	2.80368	3.23E-06	9.0E-06	2.50E-04	2.26E-09	25	1.15E-02	6.50E-10	1.0E+06	6.5E-04
437	437	1.69698	3.23E-06	5.5E-06	2.50E-04	1.37E-09	25	1.15E-02	3.93E-10	1.0E+06	3.9E-04
438	438	1.40129	3.23E-06	4.5E-06	2.50E-04	1.13E-09	25	1.15E-02	3.25E-10	1.0E+06	3.2E-04
449	449	1.98041	3.23E-06	6.4E-06	2.50E-04	1.60E-09	25	1.15E-02	4.59E-10	1.0E+06	4.6E-04
450	450	2.25913	3.23E-06	7.3E-06	2.50E-04	1.82E-09	25	1.15E-02	5.23E-10	1.0E+06	5.2E-04
451	451	2.49746	3.23E-06	8.1E-06	2.50E-04	2.02E-09	25	1.15E-02	5.79E-10	1.0E+06	5.8E-04
452	452	1.50465	3.23E-06	4.9E-06	2.50E-04	1.22E-09	25	1.15E-02	3.49E-10	1.0E+06	3.5E-04
453	453	1.26461	3.23E-06	4.1E-06	2.50E-04	1.02E-09	25	1.15E-02	2.93E-10	1.0E+06	2.9E-04
464	464	1.85823	3.23E-06	6.0E-06	2.50E-04	1.50E-09	25	1.15E-02	4.30E-10	1.0E+06	4.3E-04
465	465	2.0305	3.23E-06	6.6E-06	2.50E-04	1.64E-09	25	1.15E-02	4.70E-10	1.0E+06	4.7E-04
466	466	1.78808	3.23E-06	5.8E-06	2.50E-04	1.44E-09	25	1.15E-02	4.14E-10	1.0E+06	4.1E-04
467	467	1.33914	3.23E-06	4.3E-06	2.50E-04	1.08E-09	25	1.15E-02	3.10E-10	1.0E+06	3.1E-04
468	468	1.14473	3.23E-06	3.7E-06	2.50E-04	9.25E-10	25	1.15E-02	2.65E-10	1.0E+06	2.7E-04
479	479	1.55205	3.23E-06	5.0E-06	2.50E-04	1.25E-09	25	1.15E-02	3.60E-10	1.0E+06	3.6E-04
480	480	1.68359	3.23E-06	5.4E-06	2.50E-04	1.36E-09	25	1.15E-02	3.90E-10	1.0E+06	3.9E-04
481	481	1.772	3.23E-06	5.7E-06	2.50E-04	1.43E-09	25	1.15E-02	4.11E-10	1.0E+06	4.1E-04
482	482	1.80664	3.23E-06	5.8E-06	2.50E-04	1.46E-09	25	1.15E-02	4.19E-10	1.0E+06	4.2E-04
483	483	1.77207	3.23E-06	5.7E-06	2.50E-04	1.43E-09	25	1.15E-02	4.11E-10	1.0E+06	4.1E-04
484	484	1.67816	3.23E-06	5.4E-06	2.50E-04	1.36E-09	25	1.15E-02	3.89E-10	1.0E+06	3.9E-04
485	485	1.53526	3.23E-06	5.0E-06	2.50E-04	1.24E-09	25	1.15E-02	3.56E-10	1.0E+06	3.6E-04
486	486	1.36792	3.23E-06	4.4E-06	2.50E-04	1.11E-09	25	1.15E-02	3.17E-10	1.0E+06	3.2E-04

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	487	1.19657	3.23E-06	3.9E-06	2.50E-04	9.67E-10	25	1.15E-02	2.77E-10	1.0E+06	2.8E-04
488	488	1.03819	3.23E-06	3.4E-06	2.50E-04	8.39E-10	25	1.15E-02	2.41E-10	1.0E+06	2.4E-04
501	501	1.41642	3.23E-06	4.6E-06	2.50E-04	1.14E-09	25	1.15E-02	3.28E-10	1.0E+06	3.3E-04
502	502	1.49015	3.23E-06	4.8E-06	2.50E-04	1.20E-09	25	1.15E-02	3.45E-10	1.0E+06	3.5E-04
503	503	1.51981	3.23E-06	4.9E-06	2.50E-04	1.23E-09	25	1.15E-02	3.52E-10	1.0E+06	3.5E-04
504	504	1.50051	3.23E-06	4.8E-06	2.50E-04	1.21E-09	25	1.15E-02	3.48E-10	1.0E+06	3.5E-04
505	505	1.43492	3.23E-06	4.6E-06	2.50E-04	1.16E-09	25	1.15E-02	3.32E-10	1.0E+06	3.3E-04
506	506	1.33147	3.23E-06	4.3E-06	2.50E-04	1.08E-09	25	1.15E-02	3.08E-10	1.0E+06	3.1E-04
507	507	1.20605	3.23E-06	3.9E-06	2.50E-04	9.74E-10	25	1.15E-02	2.79E-10	1.0E+06	2.8E-04
508	508	0.94393	3.23E-06	3.0E-06	2.50E-04	7.63E-10	25	1.15E-02	2.19E-10	1.0E+06	2.2E-04
520	520	1.21467	3.23E-06	3.9E-06	2.50E-04	9.81E-10	25	1.15E-02	2.81E-10	1.0E+06	2.8E-04
521	521	1.26524	3.23E-06	4.1E-06	2.50E-04	1.02E-09	25	1.15E-02	2.93E-10	1.0E+06	2.9E-04
522	522	1.29592	3.23E-06	4.2E-06	2.50E-04	1.05E-09	25	1.15E-02	3.00E-10	1.0E+06	3.0E-04
523	523	1.28577	3.23E-06	4.2E-06	2.50E-04	1.04E-09	25	1.15E-02	2.98E-10	1.0E+06	3.0E-04
524	524	1.24007	3.23E-06	4.0E-06	2.50E-04	1.00E-09	25	1.15E-02	2.87E-10	1.0E+06	2.9E-04
525	525	1.16437	3.23E-06	3.8E-06	2.50E-04	9.41E-10	25	1.15E-02	2.70E-10	1.0E+06	2.7E-04
526	526	1.06895	3.23E-06	3.5E-06	2.50E-04	8.63E-10	25	1.15E-02	2.48E-10	1.0E+06	2.5E-04
527	527	0.85992	3.23E-06	2.8E-06	2.50E-04	6.95E-10	25	1.15E-02	1.99E-10	1.0E+06	2.0E-04
539	539	1.05431	3.23E-06	3.4E-06	2.50E-04	8.52E-10	25	1.15E-02	2.44E-10	1.0E+06	2.4E-04
540	540	1.09634	3.23E-06	3.5E-06	2.50E-04	8.86E-10	25	1.15E-02	2.54E-10	1.0E+06	2.5E-04
541	541	1.11604	3.23E-06	3.6E-06	2.50E-04	9.02E-10	25	1.15E-02	2.59E-10	1.0E+06	2.6E-04
542	542	1.11128	3.23E-06	3.6E-06	2.50E-04	8.98E-10	25	1.15E-02	2.57E-10	1.0E+06	2.6E-04
543	543	1.08186	3.23E-06	3.5E-06	2.50E-04	8.74E-10	25	1.15E-02	2.51E-10	1.0E+06	2.5E-04
544	544	1.02575	3.23E-06	3.3E-06	2.50E-04	8.29E-10	25	1.15E-02	2.38E-10	1.0E+06	2.4E-04
545	545	0.95087	3.23E-06	3.1E-06	2.50E-04	7.68E-10	25	1.15E-02	2.20E-10	1.0E+06	2.2E-04
546	546	0.78502	3.23E-06	2.5E-06	2.50E-04	6.34E-10	25	1.15E-02	1.82E-10	1.0E+06	1.8E-04
560	560	0.95801	3.23E-06	3.1E-06	2.50E-04	7.74E-10	25	1.15E-02	2.22E-10	1.0E+06	2.2E-04
561	561	0.97653	3.23E-06	3.2E-06	2.50E-04	7.89E-10	25	1.15E-02	2.26E-10	1.0E+06	2.3E-04
562	562	0.97425	3.23E-06	3.1E-06	2.50E-04	7.87E-10	25	1.15E-02	2.26E-10	1.0E+06	2.3E-04
563	563	0.94836	3.23E-06	3.1E-06	2.50E-04	7.66E-10	25	1.15E-02	2.20E-10	1.0E+06	2.2E-04
564	564	0.90883	3.23E-06	2.9E-06	2.50E-04	7.34E-10	25	1.15E-02	2.11E-10	1.0E+06	2.1E-04

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

<i>Cancer Risk from 16-30 years - Construction</i>											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
565	565	0.85424	3.23E-06	2.8E-06	2.50E-04	6.90E-10	25	1.15E-02	1.98E-10	1.0E+06	2.0E-04
566	566	0.71947	3.23E-06	2.3E-06	2.50E-04	5.81E-10	25	1.15E-02	1.67E-10	1.0E+06	1.7E-04
579	579	0.84461	3.23E-06	2.7E-06	2.50E-04	6.82E-10	25	1.15E-02	1.96E-10	1.0E+06	2.0E-04
580	580	0.86055	3.23E-06	2.8E-06	2.50E-04	6.95E-10	25	1.15E-02	1.99E-10	1.0E+06	2.0E-04
581	581	0.86141	3.23E-06	2.8E-06	2.50E-04	6.96E-10	25	1.15E-02	2.00E-10	1.0E+06	2.0E-04
582	582	0.84509	3.23E-06	2.7E-06	2.50E-04	6.83E-10	25	1.15E-02	1.96E-10	1.0E+06	2.0E-04
583	583	0.81304	3.23E-06	2.6E-06	2.50E-04	6.57E-10	25	1.15E-02	1.88E-10	1.0E+06	1.9E-04
584	584	0.76826	3.23E-06	2.5E-06	2.50E-04	6.21E-10	25	1.15E-02	1.78E-10	1.0E+06	1.8E-04
585	585	0.67642	3.23E-06	2.2E-06	2.50E-04	5.46E-10	25	1.15E-02	1.57E-10	1.0E+06	1.6E-04
598	598	0.75104	3.23E-06	2.4E-06	2.50E-04	6.07E-10	25	1.15E-02	1.74E-10	1.0E+06	1.7E-04
599	599	0.76432	3.23E-06	2.5E-06	2.50E-04	6.17E-10	25	1.15E-02	1.77E-10	1.0E+06	1.8E-04
600	600	0.7662	3.23E-06	2.5E-06	2.50E-04	6.19E-10	25	1.15E-02	1.78E-10	1.0E+06	1.8E-04
601	601	0.75499	3.23E-06	2.4E-06	2.50E-04	6.10E-10	25	1.15E-02	1.75E-10	1.0E+06	1.7E-04
602	602	0.73094	3.23E-06	2.4E-06	2.50E-04	5.90E-10	25	1.15E-02	1.69E-10	1.0E+06	1.7E-04
603	603	0.69647	3.23E-06	2.2E-06	2.50E-04	5.63E-10	25	1.15E-02	1.61E-10	1.0E+06	1.6E-04
604	604	0.65369	3.23E-06	2.1E-06	2.50E-04	5.28E-10	25	1.15E-02	1.51E-10	1.0E+06	1.5E-04
0	0	0	0	0.0E+00	2.50E-04	0.00E+00	25	1.15E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
1	1	4.0E-04	5	1.02E-07	
2	2	4.1E-04	5	1.06E-07	
3	3	4.3E-04	5	1.11E-07	
4	4	4.5E-04	5	1.15E-07	
5	5	4.7E-04	5	1.21E-07	
6	6	4.9E-04	5	1.26E-07	
7	7	5.2E-04	5	1.32E-07	
8	8	5.4E-04	5	1.38E-07	
9	9	5.6E-04	5	1.45E-07	
10	10	5.9E-04	5	1.51E-07	
11	11	6.2E-04	5	1.58E-07	
12	12	6.5E-04	5	1.65E-07	
13	13	6.8E-04	5	1.73E-07	
14	14	7.1E-04	5	1.81E-07	
15	15	7.4E-04	5	1.89E-07	
16	16	7.7E-04	5	1.97E-07	
17	17	8.0E-04	5	2.05E-07	
18	18	8.3E-04	5	2.13E-07	
19	19	8.6E-04	5	2.21E-07	
20	20	8.9E-04	5	2.29E-07	
21	21	9.2E-04	5	2.36E-07	
22	22	9.5E-04	5	2.43E-07	
23	23	9.7E-04	5	2.48E-07	
24	24	9.9E-04	5	2.54E-07	
25	25	1.0E-03	5	2.58E-07	
26	26	1.0E-03	5	2.61E-07	
27	27	1.0E-03	5	2.63E-07	
28	28	1.0E-03	5	2.65E-07	
29	29	1.0E-03	5	2.65E-07	
30	30	1.0E-03	5	2.66E-07	
31	31	1.0E-03	5	2.66E-07	

Max	Receptor #	
0.003	519	Res
0.007	363	School
0.010	335	Worker

Max	Receptor #	
7.388E-07	519	Res
1.848E-06	363	School
2.652E-05	335	Worker

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
32	32	1.0E-03	5	2.66E-07	
55	55	1.0E-03	5	2.67E-07	
56	56	1.1E-03	5	2.74E-07	
57	57	1.1E-03	5	2.80E-07	
58	58	1.1E-03	5	2.86E-07	
59	59	1.1E-03	5	2.89E-07	
60	60	1.1E-03	5	2.92E-07	
61	61	1.1E-03	5	2.94E-07	
62	62	1.2E-03	5	2.95E-07	
63	63	1.2E-03	5	2.95E-07	
64	64	1.2E-03	5	2.95E-07	
65	65	1.2E-03	5	2.96E-07	
66	66	1.2E-03	5	2.97E-07	
67	67	4.3E-04	5	1.09E-07	
68	68	4.5E-04	5	1.14E-07	
69	69	4.7E-04	5	1.19E-07	
70	70	4.9E-04	5	1.25E-07	
71	71	5.1E-04	5	1.32E-07	
72	72	5.4E-04	5	1.38E-07	
73	73	5.7E-04	5	1.45E-07	
74	74	6.0E-04	5	1.53E-07	
75	75	6.3E-04	5	1.61E-07	
76	76	6.6E-04	5	1.69E-07	
77	77	7.0E-04	5	1.78E-07	
78	78	7.3E-04	5	1.88E-07	
79	79	9.4E-04	5	2.41E-07	
80	80	9.9E-04	5	2.53E-07	
81	81	1.0E-03	5	2.64E-07	
82	82	1.1E-03	5	2.75E-07	
83	83	1.1E-03	5	2.86E-07	
84	84	1.2E-03	5	2.96E-07	

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
85	85	1.2E-03	5	3.05E-07	
86	86	1.2E-03	5	3.12E-07	
87	87	1.2E-03	5	3.18E-07	
88	88	1.3E-03	5	3.23E-07	
89	89	1.3E-03	5	3.26E-07	
90	90	1.3E-03	5	3.28E-07	
91	91	1.3E-03	5	3.29E-07	
92	92	1.3E-03	5	3.30E-07	
93	93	1.3E-03	5	3.31E-07	
96	96	1.3E-03	5	3.25E-07	
97	97	1.3E-03	5	3.23E-07	
98	98	1.4E-03	5	3.64E-07	
99	99	1.4E-03	5	3.68E-07	
100	100	1.4E-03	5	3.70E-07	
101	101	1.5E-03	5	3.71E-07	
102	102	1.5E-03	5	3.72E-07	
106	106	4.3E-04	5	1.11E-07	
107	107	4.5E-04	5	1.16E-07	
108	108	4.8E-04	5	1.22E-07	
109	109	5.0E-04	5	1.29E-07	
110	110	5.3E-04	5	1.36E-07	
111	111	5.6E-04	5	1.43E-07	
112	112	5.9E-04	5	1.51E-07	
113	113	6.3E-04	5	1.60E-07	
114	114	6.6E-04	5	1.69E-07	
115	115	7.0E-04	5	1.79E-07	
116	116	7.4E-04	5	1.90E-07	
117	117	7.9E-04	5	2.02E-07	
118	118	8.4E-04	5	2.14E-07	
124	124	4.5E-04	5	1.14E-07	
125	125	4.7E-04	5	1.20E-07	

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
126	126	4.9E-04	5	1.26E-07	
127	127	5.2E-04	5	1.33E-07	
128	128	5.5E-04	5	1.41E-07	
129	129	5.8E-04	5	1.49E-07	
130	130	6.2E-04	5	1.58E-07	
131	131	6.5E-04	5	1.68E-07	
132	132	7.0E-04	5	1.78E-07	
133	133	7.4E-04	5	1.89E-07	
134	134	7.9E-04	5	2.02E-07	
135	135	8.4E-04	5	2.15E-07	
136	136	8.9E-04	5	2.29E-07	
137	137	9.5E-04	5	2.44E-07	
138	138	1.0E-03	5	2.61E-07	
141	141	4.6E-04	5	1.17E-07	
142	142	4.8E-04	5	1.24E-07	
143	143	5.1E-04	5	1.30E-07	
144	144	5.4E-04	5	1.38E-07	
145	145	5.7E-04	5	1.46E-07	
146	146	6.1E-04	5	1.55E-07	
147	147	6.4E-04	5	1.65E-07	
148	148	6.9E-04	5	1.75E-07	
149	149	7.3E-04	5	1.87E-07	
150	150	7.8E-04	5	2.00E-07	
151	151	8.3E-04	5	2.13E-07	
152	152	8.9E-04	5	2.28E-07	
153	153	9.6E-04	5	2.45E-07	
154	154	1.0E-03	5	2.63E-07	
155	155	1.1E-03	5	2.82E-07	
164	164	1.1E-03	5	2.82E-07	
165	165	1.2E-03	5	3.05E-07	
166	166	1.3E-03	5	3.30E-07	

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
178	178	1.2E-03	5	3.03E-07	
179	179	1.3E-03	5	3.30E-07	
180	180	1.4E-03	5	3.60E-07	
192	192	1.3E-03	5	3.25E-07	
193	193	1.4E-03	5	3.57E-07	
194	194	1.5E-03	5	3.92E-07	
207	207	1.4E-03	5	3.48E-07	
208	208	1.5E-03	5	3.85E-07	
209	209	1.7E-03	5	4.27E-07	
223	223	1.5E-03	5	3.71E-07	
224	224	1.6E-03	5	4.14E-07	
225	225	1.8E-03	5	4.63E-07	
239	239	1.5E-03	5	3.94E-07	
240	240	1.7E-03	5	4.43E-07	
241	241	2.0E-03	5	5.01E-07	
255	255	1.6E-03	5	4.16E-07	
256	256	1.8E-03	5	4.71E-07	
272	272	1.7E-03	5	4.34E-07	
273	273	1.9E-03	5	4.96E-07	
289	289	1.8E-03	5	4.49E-07	
290	290	2.0E-03	5	5.16E-07	
306	306	1.8E-03	5	4.59E-07	
307	307	2.1E-03	5	5.29E-07	
323	323	1.8E-03	5	4.62E-07	
324	324	2.1E-03	5	5.34E-07	
342	342	1.8E-03	5	4.60E-07	
343	343	2.1E-03	5	5.32E-07	
344	344	2.4E-03	5	6.23E-07	
356	356	1.8E-03	5	4.53E-07	
357	357	2.0E-03	5	5.22E-07	
358	358	2.4E-03	5	6.09E-07	

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
370	370	1.7E-03	5	4.42E-07	
371	371	2.0E-03	5	5.07E-07	
372	372	2.3E-03	5	5.89E-07	
383	383	1.7E-03	5	4.28E-07	
384	384	1.9E-03	5	4.88E-07	
385	385	2.2E-03	5	5.64E-07	
396	396	1.6E-03	5	4.12E-07	
397	397	1.8E-03	5	4.67E-07	
398	398	2.1E-03	5	5.35E-07	
399	399	2.4E-03	5	6.19E-07	
411	411	1.5E-03	5	3.94E-07	
412	412	1.7E-03	5	4.44E-07	
413	413	2.0E-03	5	5.05E-07	
414	414	2.3E-03	5	5.78E-07	
426	426	1.5E-03	5	3.76E-07	
427	427	1.6E-03	5	4.21E-07	
428	428	1.9E-03	5	4.74E-07	
429	429	2.1E-03	5	5.37E-07	
439	439	1.4E-03	5	3.57E-07	
440	440	1.5E-03	5	3.96E-07	
441	441	1.7E-03	5	4.43E-07	
442	442	1.9E-03	5	4.96E-07	
443	443	2.2E-03	5	5.60E-07	
454	454	1.3E-03	5	3.38E-07	
455	455	1.5E-03	5	3.72E-07	
456	456	1.6E-03	5	4.12E-07	
457	457	1.8E-03	5	4.58E-07	
458	458	2.0E-03	5	5.12E-07	
469	469	1.2E-03	5	3.19E-07	
470	470	1.4E-03	5	3.49E-07	
471	471	1.5E-03	5	3.84E-07	

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
472	472	1.7E-03	5	4.23E-07	
473	473	1.8E-03	5	4.68E-07	
489	489	1.2E-03	5	3.00E-07	
490	490	1.3E-03	5	3.27E-07	
491	491	1.4E-03	5	3.57E-07	
492	492	1.5E-03	5	3.91E-07	
493	493	1.7E-03	5	4.29E-07	
494	494	1.9E-03	5	4.73E-07	
509	509	1.1E-03	5	2.82E-07	
510	510	1.2E-03	5	3.06E-07	
511	511	1.3E-03	5	3.32E-07	
512	512	1.4E-03	5	3.62E-07	
513	513	1.5E-03	5	3.95E-07	
514	514	1.7E-03	5	4.32E-07	
515	515	2.0E-03	5	5.21E-07	
516	516	2.2E-03	5	5.72E-07	
517	517	2.5E-03	5	6.27E-07	
518	518	2.7E-03	5	6.84E-07	
519	519	2.9E-03	5	7.39E-07	
528	528	1.0E-03	5	2.66E-07	
529	529	1.1E-03	5	2.86E-07	
530	530	1.2E-03	5	3.09E-07	
531	531	1.3E-03	5	3.35E-07	
532	532	1.4E-03	5	3.64E-07	
533	533	1.5E-03	5	3.96E-07	
534	534	1.8E-03	5	4.70E-07	
535	535	2.0E-03	5	5.12E-07	
536	536	2.2E-03	5	5.56E-07	
537	537	2.3E-03	5	6.01E-07	
538	538	2.5E-03	5	6.43E-07	
547	547	9.8E-04	5	2.50E-07	

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
548	548	1.0E-03	5	2.68E-07	
549	549	1.1E-03	5	2.89E-07	
550	550	1.2E-03	5	3.11E-07	
551	551	1.3E-03	5	3.36E-07	
552	552	1.4E-03	5	3.63E-07	
553	553	1.5E-03	5	3.94E-07	
554	554	1.7E-03	5	4.26E-07	
555	555	1.8E-03	5	4.61E-07	
556	556	1.9E-03	5	4.97E-07	
557	557	2.1E-03	5	5.32E-07	
558	558	2.2E-03	5	5.67E-07	
559	559	2.3E-03	5	5.96E-07	
567	567	9.2E-04	5	2.35E-07	
568	568	9.8E-04	5	2.52E-07	
569	569	1.1E-03	5	2.70E-07	
570	570	1.1E-03	5	2.90E-07	
571	571	1.2E-03	5	3.11E-07	
572	572	1.3E-03	5	3.35E-07	
573	573	1.4E-03	5	3.61E-07	
574	574	1.6E-03	5	4.17E-07	
575	575	1.7E-03	5	4.46E-07	
576	576	1.9E-03	5	4.76E-07	
577	577	2.0E-03	5	5.04E-07	
578	578	2.1E-03	5	5.27E-07	
586	586	8.7E-04	5	2.22E-07	
587	587	9.2E-04	5	2.37E-07	
588	588	9.9E-04	5	2.53E-07	
589	589	1.1E-03	5	2.70E-07	
590	590	1.1E-03	5	2.89E-07	
591	591	1.2E-03	5	3.10E-07	
592	592	1.3E-03	5	3.32E-07	

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
593	593	1.5E-03	5	3.79E-07	
594	594	1.6E-03	5	4.03E-07	
595	595	1.7E-03	5	4.27E-07	
596	596	1.8E-03	5	4.50E-07	
597	597	1.8E-03	5	4.70E-07	
345	345	2.9E-03	5	7.42E-07	
346	346	3.5E-03	5	9.04E-07	
347	347	4.4E-03	5	1.13E-06	
348	348	5.7E-03	5	1.47E-06	
359	359	2.8E-03	5	7.23E-07	
360	360	3.4E-03	5	8.75E-07	
361	361	4.2E-03	5	1.09E-06	
362	362	5.4E-03	5	1.39E-06	
363	363	7.2E-03	5	1.85E-06	
373	373	3.3E-03	5	8.32E-07	
374	374	4.0E-03	5	1.02E-06	
375	375	5.0E-03	5	1.27E-06	
376	376	6.4E-03	5	1.64E-06	
386	386	3.0E-03	5	7.80E-07	
387	387	3.7E-03	5	9.38E-07	
388	388	4.5E-03	5	1.15E-06	
389	389	5.6E-03	5	1.44E-06	
390	390	7.2E-03	5	1.84E-06	
400	400	2.8E-03	5	7.24E-07	
401	401	3.3E-03	5	8.56E-07	
402	402	4.0E-03	5	1.03E-06	
403	403	4.9E-03	5	1.25E-06	
404	404	6.0E-03	5	1.54E-06	
415	415	2.6E-03	5	6.67E-07	
416	416	3.0E-03	5	7.77E-07	
417	417	3.6E-03	5	9.13E-07	

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
418	418	4.2E-03	5	1.09E-06	
419	419	5.1E-03	5	1.31E-06	
420	420	6.2E-03	5	1.58E-06	
430	430	2.7E-03	5	7.02E-07	
431	431	3.2E-03	5	8.12E-07	
432	432	3.7E-03	5	9.48E-07	
433	433	4.4E-03	5	1.12E-06	
434	434	5.2E-03	5	1.32E-06	
444	444	2.5E-03	5	6.34E-07	
445	445	2.8E-03	5	7.24E-07	
446	446	3.2E-03	5	8.31E-07	
447	447	3.8E-03	5	9.60E-07	
448	448	4.3E-03	5	1.11E-06	
459	459	2.5E-03	5	6.47E-07	
460	460	2.9E-03	5	7.33E-07	
461	461	3.3E-03	5	8.34E-07	
462	462	3.7E-03	5	9.48E-07	
463	463	4.2E-03	5	1.07E-06	
474	474	2.3E-03	5	5.81E-07	
475	475	2.5E-03	5	6.50E-07	
476	476	2.9E-03	5	7.30E-07	
477	477	3.2E-03	5	8.18E-07	
478	478	3.6E-03	5	9.12E-07	
495	495	2.0E-03	5	5.24E-07	
496	496	2.3E-03	5	5.80E-07	
497	497	2.5E-03	5	6.44E-07	
498	498	2.8E-03	5	7.13E-07	
499	499	3.1E-03	5	7.85E-07	
500	500	3.3E-03	5	8.56E-07	

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

		<i>Max Cancer Risk</i>		<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million		REL	HI Offroad
139	139	1.0E-04		5	2.78E-07
140	140	1.1E-04		5	2.97E-07
156	156	1.1E-04		5	3.03E-07
157	157	1.2E-04		5	3.25E-07
158	158	1.3E-04		5	3.49E-07
159	159	1.3E-04		5	3.74E-07
160	160	1.4E-04		5	4.00E-07
161	161	1.6E-04		5	4.52E-07
162	162	1.7E-04		5	4.78E-07
163	163	1.8E-04		5	5.01E-07
167	167	1.3E-04		5	3.56E-07
168	168	1.4E-04		5	3.86E-07
169	169	1.5E-04		5	4.17E-07
170	170	1.6E-04		5	4.50E-07
171	171	1.7E-04		5	4.83E-07
172	172	1.9E-04		5	5.18E-07
173	173	2.0E-04		5	5.51E-07
174	174	2.1E-04		5	5.82E-07
175	175	2.2E-04		5	6.09E-07
176	176	2.3E-04		5	6.31E-07
177	177	2.3E-04		5	6.48E-07
181	181	1.5E-04		5	4.28E-07
182	182	1.7E-04		5	4.67E-07
183	183	1.8E-04		5	5.09E-07
184	184	2.0E-04		5	5.53E-07
185	185	2.1E-04		5	5.98E-07
186	186	2.3E-04		5	6.43E-07
187	187	2.5E-04		5	6.85E-07
188	188	2.6E-04		5	7.23E-07
189	189	2.7E-04		5	7.54E-07
190	190	2.8E-04		5	7.77E-07

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
191	191	2.8E-04	5	7.93E-07	
195	195	1.7E-04	5	4.77E-07	
196	196	1.9E-04	5	5.26E-07	
197	197	2.1E-04	5	5.80E-07	
198	198	2.3E-04	5	6.38E-07	
199	199	2.5E-04	5	6.99E-07	
200	200	2.7E-04	5	7.61E-07	
201	201	2.9E-04	5	8.21E-07	
202	202	3.1E-04	5	8.74E-07	
203	203	3.3E-04	5	9.19E-07	
204	204	3.4E-04	5	9.52E-07	
205	205	3.5E-04	5	9.76E-07	
206	206	3.6E-04	5	9.96E-07	
210	210	1.7E-04	5	4.74E-07	
211	211	1.9E-04	5	5.31E-07	
212	212	2.1E-04	5	5.94E-07	
213	213	2.4E-04	5	6.64E-07	
214	214	3.0E-04	5	8.27E-07	
215	215	3.3E-04	5	9.15E-07	
216	216	3.6E-04	5	1.00E-06	
217	217	3.9E-04	5	1.08E-06	
218	218	4.1E-04	5	1.15E-06	
219	219	4.3E-04	5	1.20E-06	
220	220	4.4E-04	5	1.24E-06	
221	221	4.6E-04	5	1.27E-06	
222	222	4.7E-04	5	1.30E-06	
226	226	1.9E-04	5	5.22E-07	
227	227	2.1E-04	5	5.91E-07	
228	228	2.4E-04	5	6.72E-07	
229	229	2.7E-04	5	7.65E-07	
230	230	3.1E-04	5	8.72E-07	

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

		<i>Max Cancer Risk</i>		<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million		REL	HI Offroad
231	231	3.6E-04		5	9.91E-07
232	232	4.0E-04		5	1.12E-06
233	233	4.9E-04		5	1.38E-06
234	234	5.3E-04		5	1.48E-06
235	235	5.6E-04		5	1.57E-06
236	236	5.9E-04		5	1.63E-06
237	237	6.0E-04		5	1.68E-06
238	238	6.2E-04		5	1.73E-06
242	242	2.1E-04		5	5.71E-07
243	243	2.4E-04		5	6.57E-07
244	244	2.7E-04		5	7.58E-07
245	245	3.2E-04		5	8.83E-07
246	246	3.7E-04		5	1.03E-06
247	247	4.3E-04		5	1.21E-06
248	248	5.0E-04		5	1.40E-06
249	249	6.5E-04		5	1.82E-06
250	250	7.2E-04		5	1.99E-06
251	251	7.7E-04		5	2.14E-06
252	252	8.1E-04		5	2.26E-06
253	253	8.4E-04		5	2.35E-06
254	254	8.6E-04		5	2.39E-06
257	257	2.2E-04		5	6.21E-07
258	258	2.6E-04		5	7.25E-07
259	259	3.1E-04		5	8.55E-07
260	260	3.6E-04		5	1.02E-06
261	261	4.4E-04		5	1.23E-06
262	262	5.3E-04		5	1.49E-06
263	263	6.5E-04		5	1.80E-06
264	264	9.1E-04		5	2.53E-06
265	265	1.0E-03		5	2.86E-06
266	266	1.1E-03		5	3.15E-06

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
267	267	1.2E-03	5	3.37E-06	
268	268	1.3E-03	5	3.49E-06	
269	269	1.2E-03	5	3.48E-06	
270	270	1.0E-03	5	2.78E-06	
271	271	8.6E-04	5	2.40E-06	
274	274	2.4E-04	5	6.68E-07	
275	275	2.8E-04	5	7.91E-07	
276	276	3.4E-04	5	9.53E-07	
277	277	4.2E-04	5	1.16E-06	
278	278	5.2E-04	5	1.46E-06	
279	279	6.6E-04	5	1.85E-06	
280	280	8.5E-04	5	2.37E-06	
281	281	1.3E-03	5	3.76E-06	
282	282	1.6E-03	5	4.47E-06	
283	283	1.8E-03	5	5.10E-06	
284	284	2.0E-03	5	5.51E-06	
285	285	2.0E-03	5	5.59E-06	
286	286	1.9E-03	5	5.32E-06	
287	287	1.2E-03	5	3.38E-06	
288	288	9.7E-04	5	2.71E-06	
291	291	2.5E-04	5	7.08E-07	
292	292	3.0E-04	5	8.50E-07	
293	293	3.7E-04	5	1.04E-06	
294	294	4.7E-04	5	1.31E-06	
295	295	6.1E-04	5	1.70E-06	
296	296	8.2E-04	5	2.29E-06	
297	297	1.2E-03	5	3.22E-06	
298	298	2.3E-03	5	6.33E-06	
299	299	2.9E-03	5	8.20E-06	
300	300	3.5E-03	5	9.68E-06	
301	301	3.7E-03	5	1.03E-05	

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
302	302	3.6E-03	5	9.90E-06	
303	303	3.1E-03	5	8.61E-06	
304	304	1.4E-03	5	3.81E-06	
305	305	1.0E-03	5	2.81E-06	
308	308	2.6E-04	5	7.36E-07	
309	309	3.2E-04	5	8.92E-07	
310	310	4.0E-04	5	1.11E-06	
311	311	5.1E-04	5	1.43E-06	
312	312	6.9E-04	5	1.93E-06	
313	313	9.9E-04	5	2.77E-06	
314	314	1.6E-03	5	4.39E-06	
315	315	5.1E-03	5	1.41E-05	
316	316	7.4E-03	5	2.06E-05	
317	317	8.5E-03	5	2.36E-05	
318	318	8.6E-03	5	2.40E-05	
319	319	7.5E-03	5	2.10E-05	
320	320	5.4E-03	5	1.51E-05	
321	321	1.3E-03	5	3.76E-06	
322	322	9.4E-04	5	2.61E-06	
325	325	2.7E-04	5	7.47E-07	
326	326	3.3E-04	5	9.11E-07	
327	327	4.1E-04	5	1.14E-06	
328	328	5.3E-04	5	1.49E-06	
329	329	7.3E-04	5	2.04E-06	
330	330	1.1E-03	5	3.06E-06	
331	331	1.9E-03	5	5.35E-06	
332	332	5.0E-03	5	1.40E-05	
333	333	3.4E-03	5	9.39E-06	
334	334	7.9E-03	5	2.19E-05	
335	335	9.5E-03	5	2.65E-05	
336	336	9.1E-03	5	2.55E-05	

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
337	337	6.8E-03	5	1.88E-05	
338	338	9.2E-03	5	2.56E-05	
339	339	1.8E-03	5	5.04E-06	
340	340	1.1E-03	5	3.18E-06	
341	341	8.0E-04	5	2.22E-06	
349	349	7.2E-04	5	2.00E-06	
350	350	1.1E-03	5	2.96E-06	
351	351	1.8E-03	5	4.97E-06	
352	352	4.0E-03	5	1.10E-05	
353	353	1.4E-03	5	3.78E-06	
354	354	9.1E-04	5	2.55E-06	
355	355	6.7E-04	5	1.85E-06	
364	364	9.4E-04	5	2.61E-06	
365	365	1.4E-03	5	3.97E-06	
366	366	2.4E-03	5	6.79E-06	
367	367	1.1E-03	5	3.03E-06	
368	368	7.6E-04	5	2.13E-06	
369	369	5.7E-04	5	1.60E-06	
377	377	7.9E-04	5	2.20E-06	
378	378	1.1E-03	5	3.09E-06	
379	379	1.6E-03	5	4.54E-06	
380	380	9.1E-04	5	2.53E-06	
381	381	6.5E-04	5	1.82E-06	
382	382	5.0E-04	5	1.40E-06	
391	391	8.7E-04	5	2.43E-06	
392	392	1.2E-03	5	3.26E-06	
393	393	7.7E-04	5	2.14E-06	
394	394	5.7E-04	5	1.59E-06	
395	395	4.5E-04	5	1.25E-06	
405	405	7.0E-04	5	1.95E-06	
406	406	8.9E-04	5	2.47E-06	

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million		REL	HI Offroad
407	407	1.1E-03		5	3.07E-06
408	408	6.5E-04		5	1.82E-06
409	409	5.0E-04		5	1.40E-06
410	410	4.0E-04		5	1.12E-06
421	421	6.9E-04		5	1.93E-06
422	422	8.3E-04		5	2.31E-06
423	423	5.6E-04		5	1.56E-06
424	424	4.4E-04		5	1.24E-06
425	425	3.6E-04		5	1.01E-06
435	435	5.6E-04		5	1.55E-06
436	436	6.5E-04		5	1.81E-06
437	437	3.9E-04		5	1.10E-06
438	438	3.2E-04		5	9.05E-07
449	449	4.6E-04		5	1.28E-06
450	450	5.2E-04		5	1.46E-06
451	451	5.8E-04		5	1.61E-06
452	452	3.5E-04		5	9.71E-07
453	453	2.9E-04		5	8.16E-07
464	464	4.3E-04		5	1.20E-06
465	465	4.7E-04		5	1.31E-06
466	466	4.1E-04		5	1.15E-06
467	467	3.1E-04		5	8.64E-07
468	468	2.7E-04		5	7.39E-07
479	479	3.6E-04		5	1.00E-06
480	480	3.9E-04		5	1.09E-06
481	481	4.1E-04		5	1.14E-06
482	482	4.2E-04		5	1.17E-06
483	483	4.1E-04		5	1.14E-06
484	484	3.9E-04		5	1.08E-06
485	485	3.6E-04		5	9.91E-07
486	486	3.2E-04		5	8.83E-07

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
487	487	2.8E-04	5	7.72E-07	
488	488	2.4E-04	5	6.70E-07	
501	501	3.3E-04	5	9.14E-07	
502	502	3.5E-04	5	9.62E-07	
503	503	3.5E-04	5	9.81E-07	
504	504	3.5E-04	5	9.69E-07	
505	505	3.3E-04	5	9.26E-07	
506	506	3.1E-04	5	8.60E-07	
507	507	2.8E-04	5	7.79E-07	
508	508	2.2E-04	5	6.09E-07	
520	520	2.8E-04	5	7.84E-07	
521	521	2.9E-04	5	8.17E-07	
522	522	3.0E-04	5	8.37E-07	
523	523	3.0E-04	5	8.30E-07	
524	524	2.9E-04	5	8.01E-07	
525	525	2.7E-04	5	7.52E-07	
526	526	2.5E-04	5	6.90E-07	
527	527	2.0E-04	5	5.55E-07	
539	539	2.4E-04	5	6.81E-07	
540	540	2.5E-04	5	7.08E-07	
541	541	2.6E-04	5	7.20E-07	
542	542	2.6E-04	5	7.17E-07	
543	543	2.5E-04	5	6.98E-07	
544	544	2.4E-04	5	6.62E-07	
545	545	2.2E-04	5	6.14E-07	
546	546	1.8E-04	5	5.07E-07	
560	560	2.2E-04	5	6.18E-07	
561	561	2.3E-04	5	6.30E-07	
562	562	2.3E-04	5	6.29E-07	
563	563	2.2E-04	5	6.12E-07	
564	564	2.1E-04	5	5.87E-07	

Via Oro
Risk From Carson Street (Via Oro to Site) [TKA]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
565	565	2.0E-04	5	5.51E-07	
566	566	1.7E-04	5	4.64E-07	
579	579	2.0E-04	5	5.45E-07	
580	580	2.0E-04	5	5.56E-07	
581	581	2.0E-04	5	5.56E-07	
582	582	2.0E-04	5	5.46E-07	
583	583	1.9E-04	5	5.25E-07	
584	584	1.8E-04	5	4.96E-07	
585	585	1.6E-04	5	4.37E-07	
598	598	1.7E-04	5	4.85E-07	
599	599	1.8E-04	5	4.93E-07	
600	600	1.8E-04	5	4.95E-07	
601	601	1.7E-04	5	4.87E-07	
602	602	1.7E-04	5	4.72E-07	
603	603	1.6E-04	5	4.50E-07	
604	604	1.5E-04	5	4.22E-07	
0	0	0.0E+00	5	0.00E+00	

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	Cancer Risk from 3rd Trimester - Construction								
		g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.21235	5.02E-06	1.1E-06	3.46E-04	3.69E-10	0.25	1.57E-01	1.45E-11	1.0E+06	1.4E-05
2	0.22215	5.02E-06	1.1E-06	3.46E-04	3.86E-10	0.25	1.57E-01	1.52E-11	1.0E+06	1.5E-05
3	0.23232	5.02E-06	1.2E-06	3.46E-04	4.04E-10	0.25	1.57E-01	1.59E-11	1.0E+06	1.6E-05
4	0.24292	5.02E-06	1.2E-06	3.46E-04	4.22E-10	0.25	1.57E-01	1.66E-11	1.0E+06	1.7E-05
5	0.25396	5.02E-06	1.3E-06	3.46E-04	4.41E-10	0.25	1.57E-01	1.73E-11	1.0E+06	1.7E-05
6	0.26561	5.02E-06	1.3E-06	3.46E-04	4.62E-10	0.25	1.57E-01	1.81E-11	1.0E+06	1.8E-05
7	0.2776	5.02E-06	1.4E-06	3.46E-04	4.82E-10	0.25	1.57E-01	1.90E-11	1.0E+06	1.9E-05
8	0.28981	5.02E-06	1.5E-06	3.46E-04	5.04E-10	0.25	1.57E-01	1.98E-11	1.0E+06	2.0E-05
9	0.30224	5.02E-06	1.5E-06	3.46E-04	5.25E-10	0.25	1.57E-01	2.06E-11	1.0E+06	2.1E-05
10	0.31475	5.02E-06	1.6E-06	3.46E-04	5.47E-10	0.25	1.57E-01	2.15E-11	1.0E+06	2.1E-05
11	0.32716	5.02E-06	1.6E-06	3.46E-04	5.69E-10	0.25	1.57E-01	2.23E-11	1.0E+06	2.2E-05
12	0.3393	5.02E-06	1.7E-06	3.46E-04	5.90E-10	0.25	1.57E-01	2.32E-11	1.0E+06	2.3E-05
13	0.35114	5.02E-06	1.8E-06	3.46E-04	6.10E-10	0.25	1.57E-01	2.40E-11	1.0E+06	2.4E-05
14	0.36232	5.02E-06	1.8E-06	3.46E-04	6.30E-10	0.25	1.57E-01	2.47E-11	1.0E+06	2.5E-05
15	0.37271	5.02E-06	1.9E-06	3.46E-04	6.48E-10	0.25	1.57E-01	2.54E-11	1.0E+06	2.5E-05
16	0.38202	5.02E-06	1.9E-06	3.46E-04	6.64E-10	0.25	1.57E-01	2.61E-11	1.0E+06	2.6E-05
17	0.39029	5.02E-06	2.0E-06	3.46E-04	6.78E-10	0.25	1.57E-01	2.66E-11	1.0E+06	2.7E-05
18	0.39713	5.02E-06	2.0E-06	3.46E-04	6.90E-10	0.25	1.57E-01	2.71E-11	1.0E+06	2.7E-05
19	0.40265	5.02E-06	2.0E-06	3.46E-04	7.00E-10	0.25	1.57E-01	2.75E-11	1.0E+06	2.7E-05
20	0.40685	5.02E-06	2.0E-06	3.46E-04	7.07E-10	0.25	1.57E-01	2.78E-11	1.0E+06	2.8E-05
21	0.40979	5.02E-06	2.1E-06	3.46E-04	7.12E-10	0.25	1.57E-01	2.80E-11	1.0E+06	2.8E-05
22	0.41178	5.02E-06	2.1E-06	3.46E-04	7.16E-10	0.25	1.57E-01	2.81E-11	1.0E+06	2.8E-05
23	0.41303	5.02E-06	2.1E-06	3.46E-04	7.18E-10	0.25	1.57E-01	2.82E-11	1.0E+06	2.8E-05
24	0.41399	5.02E-06	2.1E-06	3.46E-04	7.19E-10	0.25	1.57E-01	2.83E-11	1.0E+06	2.8E-05
25	0.4151	5.02E-06	2.1E-06	3.46E-04	7.21E-10	0.25	1.57E-01	2.83E-11	1.0E+06	2.8E-05
26	0.41674	5.02E-06	2.1E-06	3.46E-04	7.24E-10	0.25	1.57E-01	2.85E-11	1.0E+06	2.8E-05
27	0.41922	5.02E-06	2.1E-06	3.46E-04	7.29E-10	0.25	1.57E-01	2.86E-11	1.0E+06	2.9E-05
28	0.42266	5.02E-06	2.1E-06	3.46E-04	7.35E-10	0.25	1.57E-01	2.89E-11	1.0E+06	2.9E-05
29	0.42715	5.02E-06	2.1E-06	3.46E-04	7.42E-10	0.25	1.57E-01	2.92E-11	1.0E+06	2.9E-05
30	0.4325	5.02E-06	2.2E-06	3.46E-04	7.52E-10	0.25	1.57E-01	2.95E-11	1.0E+06	3.0E-05
31	0.43837	5.02E-06	2.2E-06	3.46E-04	7.62E-10	0.25	1.57E-01	2.99E-11	1.0E+06	3.0E-05

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.44428	5.02E-06	2.2E-06	3.46E-04	7.72E-10	0.25	1.57E-01	3.03E-11	1.0E+06	3.0E-05
55	0.4572	5.02E-06	2.3E-06	3.46E-04	7.95E-10	0.25	1.57E-01	3.12E-11	1.0E+06	3.1E-05
56	0.4589	5.02E-06	2.3E-06	3.46E-04	7.98E-10	0.25	1.57E-01	3.13E-11	1.0E+06	3.1E-05
57	0.46054	5.02E-06	2.3E-06	3.46E-04	8.00E-10	0.25	1.57E-01	3.14E-11	1.0E+06	3.1E-05
58	0.46242	5.02E-06	2.3E-06	3.46E-04	8.04E-10	0.25	1.57E-01	3.16E-11	1.0E+06	3.2E-05
59	0.46497	5.02E-06	2.3E-06	3.46E-04	8.08E-10	0.25	1.57E-01	3.17E-11	1.0E+06	3.2E-05
60	0.46851	5.02E-06	2.4E-06	3.46E-04	8.14E-10	0.25	1.57E-01	3.20E-11	1.0E+06	3.2E-05
61	0.47332	5.02E-06	2.4E-06	3.46E-04	8.23E-10	0.25	1.57E-01	3.23E-11	1.0E+06	3.2E-05
62	0.4791	5.02E-06	2.4E-06	3.46E-04	8.33E-10	0.25	1.57E-01	3.27E-11	1.0E+06	3.3E-05
63	0.48559	5.02E-06	2.4E-06	3.46E-04	8.44E-10	0.25	1.57E-01	3.32E-11	1.0E+06	3.3E-05
64	0.49224	5.02E-06	2.5E-06	3.46E-04	8.55E-10	0.25	1.57E-01	3.36E-11	1.0E+06	3.4E-05
65	0.49838	5.02E-06	2.5E-06	3.46E-04	8.66E-10	0.25	1.57E-01	3.40E-11	1.0E+06	3.4E-05
66	0.50355	5.02E-06	2.5E-06	3.46E-04	8.75E-10	0.25	1.57E-01	3.44E-11	1.0E+06	3.4E-05
67	0.23502	5.02E-06	1.2E-06	3.46E-04	4.08E-10	0.25	1.57E-01	1.60E-11	1.0E+06	1.6E-05
68	0.24733	5.02E-06	1.2E-06	3.46E-04	4.30E-10	0.25	1.57E-01	1.69E-11	1.0E+06	1.7E-05
69	0.26031	5.02E-06	1.3E-06	3.46E-04	4.52E-10	0.25	1.57E-01	1.78E-11	1.0E+06	1.8E-05
70	0.27402	5.02E-06	1.4E-06	3.46E-04	4.76E-10	0.25	1.57E-01	1.87E-11	1.0E+06	1.9E-05
71	0.28829	5.02E-06	1.4E-06	3.46E-04	5.01E-10	0.25	1.57E-01	1.97E-11	1.0E+06	2.0E-05
72	0.30356	5.02E-06	1.5E-06	3.46E-04	5.28E-10	0.25	1.57E-01	2.07E-11	1.0E+06	2.1E-05
73	0.31942	5.02E-06	1.6E-06	3.46E-04	5.55E-10	0.25	1.57E-01	2.18E-11	1.0E+06	2.2E-05
74	0.33583	5.02E-06	1.7E-06	3.46E-04	5.84E-10	0.25	1.57E-01	2.29E-11	1.0E+06	2.3E-05
75	0.35271	5.02E-06	1.8E-06	3.46E-04	6.13E-10	0.25	1.57E-01	2.41E-11	1.0E+06	2.4E-05
76	0.36999	5.02E-06	1.9E-06	3.46E-04	6.43E-10	0.25	1.57E-01	2.53E-11	1.0E+06	2.5E-05
77	0.3875	5.02E-06	1.9E-06	3.46E-04	6.73E-10	0.25	1.57E-01	2.65E-11	1.0E+06	2.6E-05
78	0.4051	5.02E-06	2.0E-06	3.46E-04	7.04E-10	0.25	1.57E-01	2.77E-11	1.0E+06	2.8E-05
79	0.47935	5.02E-06	2.4E-06	3.46E-04	8.33E-10	0.25	1.57E-01	3.27E-11	1.0E+06	3.3E-05
80	0.4894	5.02E-06	2.5E-06	3.46E-04	8.51E-10	0.25	1.57E-01	3.34E-11	1.0E+06	3.3E-05
81	0.4977	5.02E-06	2.5E-06	3.46E-04	8.65E-10	0.25	1.57E-01	3.40E-11	1.0E+06	3.4E-05
82	0.50384	5.02E-06	2.5E-06	3.46E-04	8.76E-10	0.25	1.57E-01	3.44E-11	1.0E+06	3.4E-05
83	0.50839	5.02E-06	2.6E-06	3.46E-04	8.84E-10	0.25	1.57E-01	3.47E-11	1.0E+06	3.5E-05
84	0.51149	5.02E-06	2.6E-06	3.46E-04	8.89E-10	0.25	1.57E-01	3.49E-11	1.0E+06	3.5E-05

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	0.51398	5.02E-06	2.6E-06	3.46E-04	8.93E-10	0.25	1.57E-01	3.51E-11	1.0E+06	3.5E-05
86	0.51641	5.02E-06	2.6E-06	3.46E-04	8.97E-10	0.25	1.57E-01	3.53E-11	1.0E+06	3.5E-05
87	0.51931	5.02E-06	2.6E-06	3.46E-04	9.02E-10	0.25	1.57E-01	3.55E-11	1.0E+06	3.5E-05
88	0.5232	5.02E-06	2.6E-06	3.46E-04	9.09E-10	0.25	1.57E-01	3.57E-11	1.0E+06	3.6E-05
89	0.52825	5.02E-06	2.7E-06	3.46E-04	9.18E-10	0.25	1.57E-01	3.61E-11	1.0E+06	3.6E-05
90	0.53447	5.02E-06	2.7E-06	3.46E-04	9.29E-10	0.25	1.57E-01	3.65E-11	1.0E+06	3.6E-05
91	0.54169	5.02E-06	2.7E-06	3.46E-04	9.41E-10	0.25	1.57E-01	3.70E-11	1.0E+06	3.7E-05
92	0.54904	5.02E-06	2.8E-06	3.46E-04	9.54E-10	0.25	1.57E-01	3.75E-11	1.0E+06	3.7E-05
93	0.55607	5.02E-06	2.8E-06	3.46E-04	9.66E-10	0.25	1.57E-01	3.80E-11	1.0E+06	3.8E-05
96	0.5856	5.02E-06	2.9E-06	3.46E-04	1.02E-09	0.25	1.57E-01	4.00E-11	1.0E+06	4.0E-05
97	0.59453	5.02E-06	3.0E-06	3.46E-04	1.03E-09	0.25	1.57E-01	4.06E-11	1.0E+06	4.1E-05
98	0.59433	5.02E-06	3.0E-06	3.46E-04	1.03E-09	0.25	1.57E-01	4.06E-11	1.0E+06	4.1E-05
99	0.60125	5.02E-06	3.0E-06	3.46E-04	1.04E-09	0.25	1.57E-01	4.10E-11	1.0E+06	4.1E-05
100	0.60913	5.02E-06	3.1E-06	3.46E-04	1.06E-09	0.25	1.57E-01	4.16E-11	1.0E+06	4.2E-05
101	0.61736	5.02E-06	3.1E-06	3.46E-04	1.07E-09	0.25	1.57E-01	4.21E-11	1.0E+06	4.2E-05
102	0.62512	5.02E-06	3.1E-06	3.46E-04	1.09E-09	0.25	1.57E-01	4.27E-11	1.0E+06	4.3E-05
106	0.24548	5.02E-06	1.2E-06	3.46E-04	4.27E-10	0.25	1.57E-01	1.68E-11	1.0E+06	1.7E-05
107	0.26016	5.02E-06	1.3E-06	3.46E-04	4.52E-10	0.25	1.57E-01	1.78E-11	1.0E+06	1.8E-05
108	0.27562	5.02E-06	1.4E-06	3.46E-04	4.79E-10	0.25	1.57E-01	1.88E-11	1.0E+06	1.9E-05
109	0.29216	5.02E-06	1.5E-06	3.46E-04	5.08E-10	0.25	1.57E-01	1.99E-11	1.0E+06	2.0E-05
110	0.30991	5.02E-06	1.6E-06	3.46E-04	5.39E-10	0.25	1.57E-01	2.12E-11	1.0E+06	2.1E-05
111	0.32866	5.02E-06	1.7E-06	3.46E-04	5.71E-10	0.25	1.57E-01	2.24E-11	1.0E+06	2.2E-05
112	0.34907	5.02E-06	1.8E-06	3.46E-04	6.07E-10	0.25	1.57E-01	2.38E-11	1.0E+06	2.4E-05
113	0.37045	5.02E-06	1.9E-06	3.46E-04	6.44E-10	0.25	1.57E-01	2.53E-11	1.0E+06	2.5E-05
114	0.39304	5.02E-06	2.0E-06	3.46E-04	6.83E-10	0.25	1.57E-01	2.68E-11	1.0E+06	2.7E-05
115	0.41656	5.02E-06	2.1E-06	3.46E-04	7.24E-10	0.25	1.57E-01	2.84E-11	1.0E+06	2.8E-05
116	0.44075	5.02E-06	2.2E-06	3.46E-04	7.66E-10	0.25	1.57E-01	3.01E-11	1.0E+06	3.0E-05
117	0.46611	5.02E-06	2.3E-06	3.46E-04	8.10E-10	0.25	1.57E-01	3.18E-11	1.0E+06	3.2E-05
118	0.49176	5.02E-06	2.5E-06	3.46E-04	8.55E-10	0.25	1.57E-01	3.36E-11	1.0E+06	3.4E-05
124	0.25743	5.02E-06	1.3E-06	3.46E-04	4.47E-10	0.25	1.57E-01	1.76E-11	1.0E+06	1.8E-05
125	0.27343	5.02E-06	1.4E-06	3.46E-04	4.75E-10	0.25	1.57E-01	1.87E-11	1.0E+06	1.9E-05

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.29073	5.02E-06	1.5E-06	3.46E-04	5.05E-10	0.25	1.57E-01	1.98E-11	1.0E+06	2.0E-05
127	0.30943	5.02E-06	1.6E-06	3.46E-04	5.38E-10	0.25	1.57E-01	2.11E-11	1.0E+06	2.1E-05
128	0.32965	5.02E-06	1.7E-06	3.46E-04	5.73E-10	0.25	1.57E-01	2.25E-11	1.0E+06	2.3E-05
129	0.35125	5.02E-06	1.8E-06	3.46E-04	6.10E-10	0.25	1.57E-01	2.40E-11	1.0E+06	2.4E-05
130	0.37485	5.02E-06	1.9E-06	3.46E-04	6.51E-10	0.25	1.57E-01	2.56E-11	1.0E+06	2.6E-05
131	0.39996	5.02E-06	2.0E-06	3.46E-04	6.95E-10	0.25	1.57E-01	2.73E-11	1.0E+06	2.7E-05
132	0.42674	5.02E-06	2.1E-06	3.46E-04	7.42E-10	0.25	1.57E-01	2.91E-11	1.0E+06	2.9E-05
133	0.45488	5.02E-06	2.3E-06	3.46E-04	7.91E-10	0.25	1.57E-01	3.11E-11	1.0E+06	3.1E-05
134	0.4847	5.02E-06	2.4E-06	3.46E-04	8.42E-10	0.25	1.57E-01	3.31E-11	1.0E+06	3.3E-05
135	0.51539	5.02E-06	2.6E-06	3.46E-04	8.96E-10	0.25	1.57E-01	3.52E-11	1.0E+06	3.5E-05
136	0.54675	5.02E-06	2.7E-06	3.46E-04	9.50E-10	0.25	1.57E-01	3.73E-11	1.0E+06	3.7E-05
137	0.57792	5.02E-06	2.9E-06	3.46E-04	1.00E-09	0.25	1.57E-01	3.95E-11	1.0E+06	3.9E-05
138	0.60925	5.02E-06	3.1E-06	3.46E-04	1.06E-09	0.25	1.57E-01	4.16E-11	1.0E+06	4.2E-05
141	0.26942	5.02E-06	1.4E-06	3.46E-04	4.68E-10	0.25	1.57E-01	1.84E-11	1.0E+06	1.8E-05
142	0.28719	5.02E-06	1.4E-06	3.46E-04	4.99E-10	0.25	1.57E-01	1.96E-11	1.0E+06	2.0E-05
143	0.30655	5.02E-06	1.5E-06	3.46E-04	5.33E-10	0.25	1.57E-01	2.09E-11	1.0E+06	2.1E-05
144	0.32767	5.02E-06	1.6E-06	3.46E-04	5.69E-10	0.25	1.57E-01	2.24E-11	1.0E+06	2.2E-05
145	0.35068	5.02E-06	1.8E-06	3.46E-04	6.09E-10	0.25	1.57E-01	2.39E-11	1.0E+06	2.4E-05
146	0.37556	5.02E-06	1.9E-06	3.46E-04	6.53E-10	0.25	1.57E-01	2.56E-11	1.0E+06	2.6E-05
147	0.40295	5.02E-06	2.0E-06	3.46E-04	7.00E-10	0.25	1.57E-01	2.75E-11	1.0E+06	2.8E-05
148	0.4324	5.02E-06	2.2E-06	3.46E-04	7.51E-10	0.25	1.57E-01	2.95E-11	1.0E+06	3.0E-05
149	0.46417	5.02E-06	2.3E-06	3.46E-04	8.07E-10	0.25	1.57E-01	3.17E-11	1.0E+06	3.2E-05
150	0.49807	5.02E-06	2.5E-06	3.46E-04	8.66E-10	0.25	1.57E-01	3.40E-11	1.0E+06	3.4E-05
151	0.53416	5.02E-06	2.7E-06	3.46E-04	9.28E-10	0.25	1.57E-01	3.65E-11	1.0E+06	3.6E-05
152	0.57204	5.02E-06	2.9E-06	3.46E-04	9.94E-10	0.25	1.57E-01	3.91E-11	1.0E+06	3.9E-05
153	0.61122	5.02E-06	3.1E-06	3.46E-04	1.06E-09	0.25	1.57E-01	4.17E-11	1.0E+06	4.2E-05
154	0.65051	5.02E-06	3.3E-06	3.46E-04	1.13E-09	0.25	1.57E-01	4.44E-11	1.0E+06	4.4E-05
155	0.68979	5.02E-06	3.5E-06	3.46E-04	1.20E-09	0.25	1.57E-01	4.71E-11	1.0E+06	4.7E-05
164	0.73768	5.02E-06	3.7E-06	3.46E-04	1.28E-09	0.25	1.57E-01	5.04E-11	1.0E+06	5.0E-05
165	0.78812	5.02E-06	4.0E-06	3.46E-04	1.37E-09	0.25	1.57E-01	5.38E-11	1.0E+06	5.4E-05
166	0.83822	5.02E-06	4.2E-06	3.46E-04	1.46E-09	0.25	1.57E-01	5.72E-11	1.0E+06	5.7E-05

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	0.84333	5.02E-06	4.2E-06	3.46E-04	1.47E-09	0.25	1.57E-01	5.76E-11	1.0E+06	5.8E-05
179	0.90992	5.02E-06	4.6E-06	3.46E-04	1.58E-09	0.25	1.57E-01	6.21E-11	1.0E+06	6.2E-05
180	0.97651	5.02E-06	4.9E-06	3.46E-04	1.70E-09	0.25	1.57E-01	6.67E-11	1.0E+06	6.7E-05
192	0.97331	5.02E-06	4.9E-06	3.46E-04	1.69E-09	0.25	1.57E-01	6.65E-11	1.0E+06	6.6E-05
193	1.06353	5.02E-06	5.3E-06	3.46E-04	1.85E-09	0.25	1.57E-01	7.26E-11	1.0E+06	7.3E-05
194	1.15367	5.02E-06	5.8E-06	3.46E-04	2.00E-09	0.25	1.57E-01	7.88E-11	1.0E+06	7.9E-05
207	1.13431	5.02E-06	5.7E-06	3.46E-04	1.97E-09	0.25	1.57E-01	7.74E-11	1.0E+06	7.7E-05
208	1.25856	5.02E-06	6.3E-06	3.46E-04	2.19E-09	0.25	1.57E-01	8.59E-11	1.0E+06	8.6E-05
209	1.38591	5.02E-06	7.0E-06	3.46E-04	2.41E-09	0.25	1.57E-01	9.46E-11	1.0E+06	9.5E-05
223	1.33665	5.02E-06	6.7E-06	3.46E-04	2.32E-09	0.25	1.57E-01	9.13E-11	1.0E+06	9.1E-05
224	1.51234	5.02E-06	7.6E-06	3.46E-04	2.63E-09	0.25	1.57E-01	1.03E-10	1.0E+06	1.0E-04
225	1.6956	5.02E-06	8.5E-06	3.46E-04	2.95E-09	0.25	1.57E-01	1.16E-10	1.0E+06	1.2E-04
239	1.59464	5.02E-06	8.0E-06	3.46E-04	2.77E-09	0.25	1.57E-01	1.09E-10	1.0E+06	1.1E-04
240	1.85174	5.02E-06	9.3E-06	3.46E-04	3.22E-09	0.25	1.57E-01	1.26E-10	1.0E+06	1.3E-04
241	2.1319	5.02E-06	1.1E-05	3.46E-04	3.70E-09	0.25	1.57E-01	1.46E-10	1.0E+06	1.5E-04
255	1.92495	5.02E-06	9.7E-06	3.46E-04	3.35E-09	0.25	1.57E-01	1.31E-10	1.0E+06	1.3E-04
256	2.31762	5.02E-06	1.2E-05	3.46E-04	4.03E-09	0.25	1.57E-01	1.58E-10	1.0E+06	1.6E-04
272	2.34497	5.02E-06	1.2E-05	3.46E-04	4.08E-09	0.25	1.57E-01	1.60E-10	1.0E+06	1.6E-04
273	2.9793	5.02E-06	1.5E-05	3.46E-04	5.18E-09	0.25	1.57E-01	2.03E-10	1.0E+06	2.0E-04
289	2.86239	5.02E-06	1.4E-05	3.46E-04	4.97E-09	0.25	1.57E-01	1.95E-10	1.0E+06	2.0E-04
290	3.94506	5.02E-06	2.0E-05	3.46E-04	6.86E-09	0.25	1.57E-01	2.69E-10	1.0E+06	2.7E-04
306	3.40677	5.02E-06	1.7E-05	3.46E-04	5.92E-09	0.25	1.57E-01	2.33E-10	1.0E+06	2.3E-04
307	5.30109	5.02E-06	2.7E-05	3.46E-04	9.21E-09	0.25	1.57E-01	3.62E-10	1.0E+06	3.6E-04
323	3.74366	5.02E-06	1.9E-05	3.46E-04	6.51E-09	0.25	1.57E-01	2.56E-10	1.0E+06	2.6E-04
324	6.49247	5.02E-06	3.3E-05	3.46E-04	1.13E-08	0.25	1.57E-01	4.43E-10	1.0E+06	4.4E-04
342	3.63622	5.02E-06	1.8E-05	3.46E-04	6.32E-09	0.25	1.57E-01	2.48E-10	1.0E+06	2.5E-04
343	6.07955	5.02E-06	3.1E-05	3.46E-04	1.06E-08	0.25	1.57E-01	4.15E-10	1.0E+06	4.2E-04
344	14.01577	5.02E-06	7.0E-05	3.46E-04	2.44E-08	0.25	1.57E-01	9.57E-10	1.0E+06	9.6E-04
356	3.21954	5.02E-06	1.6E-05	3.46E-04	5.60E-09	0.25	1.57E-01	2.20E-10	1.0E+06	2.2E-04
357	4.84764	5.02E-06	2.4E-05	3.46E-04	8.42E-09	0.25	1.57E-01	3.31E-10	1.0E+06	3.3E-04
358	8.18	5.02E-06	4.1E-05	3.46E-04	1.42E-08	0.25	1.57E-01	5.58E-10	1.0E+06	5.6E-04

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	2.75083	5.02E-06	1.4E-05	3.46E-04	4.78E-09	0.25	1.57E-01	1.88E-10	1.0E+06	1.9E-04
371	3.80691	5.02E-06	1.9E-05	3.46E-04	6.62E-09	0.25	1.57E-01	2.60E-10	1.0E+06	2.6E-04
372	5.50099	5.02E-06	2.8E-05	3.46E-04	9.56E-09	0.25	1.57E-01	3.76E-10	1.0E+06	3.8E-04
383	2.33392	5.02E-06	1.2E-05	3.46E-04	4.06E-09	0.25	1.57E-01	1.59E-10	1.0E+06	1.6E-04
384	3.04001	5.02E-06	1.5E-05	3.46E-04	5.28E-09	0.25	1.57E-01	2.08E-10	1.0E+06	2.1E-04
385	4.02714	5.02E-06	2.0E-05	3.46E-04	7.00E-09	0.25	1.57E-01	2.75E-10	1.0E+06	2.7E-04
396	1.98702	5.02E-06	1.0E-05	3.46E-04	3.45E-09	0.25	1.57E-01	1.36E-10	1.0E+06	1.4E-04
397	2.47633	5.02E-06	1.2E-05	3.46E-04	4.30E-09	0.25	1.57E-01	1.69E-10	1.0E+06	1.7E-04
398	3.1043	5.02E-06	1.6E-05	3.46E-04	5.39E-09	0.25	1.57E-01	2.12E-10	1.0E+06	2.1E-04
399	3.81123	5.02E-06	1.9E-05	3.46E-04	6.62E-09	0.25	1.57E-01	2.60E-10	1.0E+06	2.6E-04
411	1.70341	5.02E-06	8.6E-06	3.46E-04	2.96E-09	0.25	1.57E-01	1.16E-10	1.0E+06	1.2E-04
412	2.05369	5.02E-06	1.0E-05	3.46E-04	3.57E-09	0.25	1.57E-01	1.40E-10	1.0E+06	1.4E-04
413	2.4783	5.02E-06	1.2E-05	3.46E-04	4.31E-09	0.25	1.57E-01	1.69E-10	1.0E+06	1.7E-04
414	2.94148	5.02E-06	1.5E-05	3.46E-04	5.11E-09	0.25	1.57E-01	2.01E-10	1.0E+06	2.0E-04
426	1.47206	5.02E-06	7.4E-06	3.46E-04	2.56E-09	0.25	1.57E-01	1.01E-10	1.0E+06	1.0E-04
427	1.73008	5.02E-06	8.7E-06	3.46E-04	3.01E-09	0.25	1.57E-01	1.18E-10	1.0E+06	1.2E-04
428	2.02999	5.02E-06	1.0E-05	3.46E-04	3.53E-09	0.25	1.57E-01	1.39E-10	1.0E+06	1.4E-04
429	2.35005	5.02E-06	1.2E-05	3.46E-04	4.08E-09	0.25	1.57E-01	1.60E-10	1.0E+06	1.6E-04
439	1.28233	5.02E-06	6.4E-06	3.46E-04	2.23E-09	0.25	1.57E-01	8.75E-11	1.0E+06	8.8E-05
440	1.47703	5.02E-06	7.4E-06	3.46E-04	2.57E-09	0.25	1.57E-01	1.01E-10	1.0E+06	1.0E-04
441	1.6966	5.02E-06	8.5E-06	3.46E-04	2.95E-09	0.25	1.57E-01	1.16E-10	1.0E+06	1.2E-04
442	1.92667	5.02E-06	9.7E-06	3.46E-04	3.35E-09	0.25	1.57E-01	1.32E-10	1.0E+06	1.3E-04
443	2.14228	5.02E-06	1.1E-05	3.46E-04	3.72E-09	0.25	1.57E-01	1.46E-10	1.0E+06	1.5E-04
454	1.12582	5.02E-06	5.7E-06	3.46E-04	1.96E-09	0.25	1.57E-01	7.69E-11	1.0E+06	7.7E-05
455	1.27583	5.02E-06	6.4E-06	3.46E-04	2.22E-09	0.25	1.57E-01	8.71E-11	1.0E+06	8.7E-05
456	1.44092	5.02E-06	7.2E-06	3.46E-04	2.50E-09	0.25	1.57E-01	9.84E-11	1.0E+06	9.8E-05
457	1.61156	5.02E-06	8.1E-06	3.46E-04	2.80E-09	0.25	1.57E-01	1.10E-10	1.0E+06	1.1E-04
458	1.77164	5.02E-06	8.9E-06	3.46E-04	3.08E-09	0.25	1.57E-01	1.21E-10	1.0E+06	1.2E-04
469	0.99565	5.02E-06	5.0E-06	3.46E-04	1.73E-09	0.25	1.57E-01	6.80E-11	1.0E+06	6.8E-05
470	1.11329	5.02E-06	5.6E-06	3.46E-04	1.93E-09	0.25	1.57E-01	7.60E-11	1.0E+06	7.6E-05
471	1.24043	5.02E-06	6.2E-06	3.46E-04	2.16E-09	0.25	1.57E-01	8.47E-11	1.0E+06	8.5E-05

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	1.37014	5.02E-06	6.9E-06	3.46E-04	2.38E-09	0.25	1.57E-01	9.35E-11	1.0E+06	9.4E-05
473	1.49168	5.02E-06	7.5E-06	3.46E-04	2.59E-09	0.25	1.57E-01	1.02E-10	1.0E+06	1.0E-04
489	0.88663	5.02E-06	4.5E-06	3.46E-04	1.54E-09	0.25	1.57E-01	6.05E-11	1.0E+06	6.1E-05
490	0.98028	5.02E-06	4.9E-06	3.46E-04	1.70E-09	0.25	1.57E-01	6.69E-11	1.0E+06	6.7E-05
491	1.07984	5.02E-06	5.4E-06	3.46E-04	1.88E-09	0.25	1.57E-01	7.37E-11	1.0E+06	7.4E-05
492	1.18042	5.02E-06	5.9E-06	3.46E-04	2.05E-09	0.25	1.57E-01	8.06E-11	1.0E+06	8.1E-05
493	1.27451	5.02E-06	6.4E-06	3.46E-04	2.21E-09	0.25	1.57E-01	8.70E-11	1.0E+06	8.7E-05
494	1.35313	5.02E-06	6.8E-06	3.46E-04	2.35E-09	0.25	1.57E-01	9.24E-11	1.0E+06	9.2E-05
509	0.79446	5.02E-06	4.0E-06	3.46E-04	1.38E-09	0.25	1.57E-01	5.42E-11	1.0E+06	5.4E-05
510	0.87005	5.02E-06	4.4E-06	3.46E-04	1.51E-09	0.25	1.57E-01	5.94E-11	1.0E+06	5.9E-05
511	0.94946	5.02E-06	4.8E-06	3.46E-04	1.65E-09	0.25	1.57E-01	6.48E-11	1.0E+06	6.5E-05
512	1.02882	5.02E-06	5.2E-06	3.46E-04	1.79E-09	0.25	1.57E-01	7.02E-11	1.0E+06	7.0E-05
513	1.10267	5.02E-06	5.5E-06	3.46E-04	1.92E-09	0.25	1.57E-01	7.53E-11	1.0E+06	7.5E-05
514	1.16507	5.02E-06	5.8E-06	3.46E-04	2.02E-09	0.25	1.57E-01	7.95E-11	1.0E+06	8.0E-05
515	1.23028	5.02E-06	6.2E-06	3.46E-04	2.14E-09	0.25	1.57E-01	8.40E-11	1.0E+06	8.4E-05
516	1.22504	5.02E-06	6.2E-06	3.46E-04	2.13E-09	0.25	1.57E-01	8.36E-11	1.0E+06	8.4E-05
517	1.19469	5.02E-06	6.0E-06	3.46E-04	2.08E-09	0.25	1.57E-01	8.16E-11	1.0E+06	8.2E-05
518	1.1412	5.02E-06	5.7E-06	3.46E-04	1.98E-09	0.25	1.57E-01	7.79E-11	1.0E+06	7.8E-05
519	1.0692	5.02E-06	5.4E-06	3.46E-04	1.86E-09	0.25	1.57E-01	7.30E-11	1.0E+06	7.3E-05
528	0.71599	5.02E-06	3.6E-06	3.46E-04	1.24E-09	0.25	1.57E-01	4.89E-11	1.0E+06	4.9E-05
529	0.77776	5.02E-06	3.9E-06	3.46E-04	1.35E-09	0.25	1.57E-01	5.31E-11	1.0E+06	5.3E-05
530	0.84178	5.02E-06	4.2E-06	3.46E-04	1.46E-09	0.25	1.57E-01	5.75E-11	1.0E+06	5.7E-05
531	0.90536	5.02E-06	4.5E-06	3.46E-04	1.57E-09	0.25	1.57E-01	6.18E-11	1.0E+06	6.2E-05
532	0.96443	5.02E-06	4.8E-06	3.46E-04	1.68E-09	0.25	1.57E-01	6.58E-11	1.0E+06	6.6E-05
533	1.01444	5.02E-06	5.1E-06	3.46E-04	1.76E-09	0.25	1.57E-01	6.93E-11	1.0E+06	6.9E-05
534	1.06877	5.02E-06	5.4E-06	3.46E-04	1.86E-09	0.25	1.57E-01	7.30E-11	1.0E+06	7.3E-05
535	1.06698	5.02E-06	5.4E-06	3.46E-04	1.85E-09	0.25	1.57E-01	7.28E-11	1.0E+06	7.3E-05
536	1.04561	5.02E-06	5.2E-06	3.46E-04	1.82E-09	0.25	1.57E-01	7.14E-11	1.0E+06	7.1E-05
537	1.00475	5.02E-06	5.0E-06	3.46E-04	1.75E-09	0.25	1.57E-01	6.86E-11	1.0E+06	6.9E-05
538	0.94849	5.02E-06	4.8E-06	3.46E-04	1.65E-09	0.25	1.57E-01	6.48E-11	1.0E+06	6.5E-05
547	0.64867	5.02E-06	3.3E-06	3.46E-04	1.13E-09	0.25	1.57E-01	4.43E-11	1.0E+06	4.4E-05

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.69959	5.02E-06	3.5E-06	3.46E-04	1.22E-09	0.25	1.57E-01	4.78E-11	1.0E+06	4.8E-05
549	0.75196	5.02E-06	3.8E-06	3.46E-04	1.31E-09	0.25	1.57E-01	5.13E-11	1.0E+06	5.1E-05
550	0.80331	5.02E-06	4.0E-06	3.46E-04	1.40E-09	0.25	1.57E-01	5.48E-11	1.0E+06	5.5E-05
551	0.85116	5.02E-06	4.3E-06	3.46E-04	1.48E-09	0.25	1.57E-01	5.81E-11	1.0E+06	5.8E-05
552	0.89179	5.02E-06	4.5E-06	3.46E-04	1.55E-09	0.25	1.57E-01	6.09E-11	1.0E+06	6.1E-05
553	0.92174	5.02E-06	4.6E-06	3.46E-04	1.60E-09	0.25	1.57E-01	6.29E-11	1.0E+06	6.3E-05
554	0.93763	5.02E-06	4.7E-06	3.46E-04	1.63E-09	0.25	1.57E-01	6.40E-11	1.0E+06	6.4E-05
555	0.93822	5.02E-06	4.7E-06	3.46E-04	1.63E-09	0.25	1.57E-01	6.41E-11	1.0E+06	6.4E-05
556	0.92314	5.02E-06	4.6E-06	3.46E-04	1.60E-09	0.25	1.57E-01	6.30E-11	1.0E+06	6.3E-05
557	0.89177	5.02E-06	4.5E-06	3.46E-04	1.55E-09	0.25	1.57E-01	6.09E-11	1.0E+06	6.1E-05
558	0.84807	5.02E-06	4.3E-06	3.46E-04	1.47E-09	0.25	1.57E-01	5.79E-11	1.0E+06	5.8E-05
559	0.79416	5.02E-06	4.0E-06	3.46E-04	1.38E-09	0.25	1.57E-01	5.42E-11	1.0E+06	5.4E-05
567	0.59049	5.02E-06	3.0E-06	3.46E-04	1.03E-09	0.25	1.57E-01	4.03E-11	1.0E+06	4.0E-05
568	0.63297	5.02E-06	3.2E-06	3.46E-04	1.10E-09	0.25	1.57E-01	4.32E-11	1.0E+06	4.3E-05
569	0.6761	5.02E-06	3.4E-06	3.46E-04	1.17E-09	0.25	1.57E-01	4.62E-11	1.0E+06	4.6E-05
570	0.71832	5.02E-06	3.6E-06	3.46E-04	1.25E-09	0.25	1.57E-01	4.90E-11	1.0E+06	4.9E-05
571	0.75738	5.02E-06	3.8E-06	3.46E-04	1.32E-09	0.25	1.57E-01	5.17E-11	1.0E+06	5.2E-05
572	0.79079	5.02E-06	4.0E-06	3.46E-04	1.37E-09	0.25	1.57E-01	5.40E-11	1.0E+06	5.4E-05
573	0.81576	5.02E-06	4.1E-06	3.46E-04	1.42E-09	0.25	1.57E-01	5.57E-11	1.0E+06	5.6E-05
574	0.83165	5.02E-06	4.2E-06	3.46E-04	1.45E-09	0.25	1.57E-01	5.68E-11	1.0E+06	5.7E-05
575	0.82088	5.02E-06	4.1E-06	3.46E-04	1.43E-09	0.25	1.57E-01	5.60E-11	1.0E+06	5.6E-05
576	0.79747	5.02E-06	4.0E-06	3.46E-04	1.39E-09	0.25	1.57E-01	5.44E-11	1.0E+06	5.4E-05
577	0.76292	5.02E-06	3.8E-06	3.46E-04	1.33E-09	0.25	1.57E-01	5.21E-11	1.0E+06	5.2E-05
578	0.71964	5.02E-06	3.6E-06	3.46E-04	1.25E-09	0.25	1.57E-01	4.91E-11	1.0E+06	4.9E-05
586	0.53986	5.02E-06	2.7E-06	3.46E-04	9.38E-10	0.25	1.57E-01	3.69E-11	1.0E+06	3.7E-05
587	0.5754	5.02E-06	2.9E-06	3.46E-04	1.00E-09	0.25	1.57E-01	3.93E-11	1.0E+06	3.9E-05
588	0.61134	5.02E-06	3.1E-06	3.46E-04	1.06E-09	0.25	1.57E-01	4.17E-11	1.0E+06	4.2E-05
589	0.64627	5.02E-06	3.2E-06	3.46E-04	1.12E-09	0.25	1.57E-01	4.41E-11	1.0E+06	4.4E-05
590	0.67856	5.02E-06	3.4E-06	3.46E-04	1.18E-09	0.25	1.57E-01	4.63E-11	1.0E+06	4.6E-05
591	0.70623	5.02E-06	3.5E-06	3.46E-04	1.23E-09	0.25	1.57E-01	4.82E-11	1.0E+06	4.8E-05
592	0.72724	5.02E-06	3.7E-06	3.46E-04	1.26E-09	0.25	1.57E-01	4.97E-11	1.0E+06	5.0E-05

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.74236	5.02E-06	3.7E-06	3.46E-04	1.29E-09	0.25	1.57E-01	5.07E-11	1.0E+06	5.1E-05
594	0.73491	5.02E-06	3.7E-06	3.46E-04	1.28E-09	0.25	1.57E-01	5.02E-11	1.0E+06	5.0E-05
595	0.71668	5.02E-06	3.6E-06	3.46E-04	1.25E-09	0.25	1.57E-01	4.89E-11	1.0E+06	4.9E-05
596	0.6892	5.02E-06	3.5E-06	3.46E-04	1.20E-09	0.25	1.57E-01	4.71E-11	1.0E+06	4.7E-05
597	0.65433	5.02E-06	3.3E-06	3.46E-04	1.14E-09	0.25	1.57E-01	4.47E-11	1.0E+06	4.5E-05
345	31.6436	5.02E-06	1.6E-04	3.46E-04	5.50E-08	0.25	1.57E-01	2.16E-09	1.0E+06	2.2E-03
346	37.70403	5.02E-06	1.9E-04	3.46E-04	6.55E-08	0.25	1.57E-01	2.57E-09	1.0E+06	2.6E-03
347	39.2332	5.02E-06	2.0E-04	3.46E-04	6.82E-08	0.25	1.57E-01	2.68E-09	1.0E+06	2.7E-03
348	39.19156	5.02E-06	2.0E-04	3.46E-04	6.81E-08	0.25	1.57E-01	2.68E-09	1.0E+06	2.7E-03
359	13.08024	5.02E-06	6.6E-05	3.46E-04	2.27E-08	0.25	1.57E-01	8.93E-10	1.0E+06	8.9E-04
360	16.22102	5.02E-06	8.1E-05	3.46E-04	2.82E-08	0.25	1.57E-01	1.11E-09	1.0E+06	1.1E-03
361	17.48734	5.02E-06	8.8E-05	3.46E-04	3.04E-08	0.25	1.57E-01	1.19E-09	1.0E+06	1.2E-03
362	17.83663	5.02E-06	9.0E-05	3.46E-04	3.10E-08	0.25	1.57E-01	1.22E-09	1.0E+06	1.2E-03
363	17.69177	5.02E-06	8.9E-05	3.46E-04	3.07E-08	0.25	1.57E-01	1.21E-09	1.0E+06	1.2E-03
373	9.3724	5.02E-06	4.7E-05	3.46E-04	1.63E-08	0.25	1.57E-01	6.40E-10	1.0E+06	6.4E-04
374	10.28804	5.02E-06	5.2E-05	3.46E-04	1.79E-08	0.25	1.57E-01	7.02E-10	1.0E+06	7.0E-04
375	10.60684	5.02E-06	5.3E-05	3.46E-04	1.84E-08	0.25	1.57E-01	7.24E-10	1.0E+06	7.2E-04
376	10.53579	5.02E-06	5.3E-05	3.46E-04	1.83E-08	0.25	1.57E-01	7.19E-10	1.0E+06	7.2E-04
386	6.20684	5.02E-06	3.1E-05	3.46E-04	1.08E-08	0.25	1.57E-01	4.24E-10	1.0E+06	4.2E-04
387	6.84873	5.02E-06	3.4E-05	3.46E-04	1.19E-08	0.25	1.57E-01	4.68E-10	1.0E+06	4.7E-04
388	7.11549	5.02E-06	3.6E-05	3.46E-04	1.24E-08	0.25	1.57E-01	4.86E-10	1.0E+06	4.9E-04
389	7.09486	5.02E-06	3.6E-05	3.46E-04	1.23E-08	0.25	1.57E-01	4.84E-10	1.0E+06	4.8E-04
390	6.82497	5.02E-06	3.4E-05	3.46E-04	1.19E-08	0.25	1.57E-01	4.66E-10	1.0E+06	4.7E-04
400	4.45344	5.02E-06	2.2E-05	3.46E-04	7.74E-09	0.25	1.57E-01	3.04E-10	1.0E+06	3.0E-04
401	4.90114	5.02E-06	2.5E-05	3.46E-04	8.52E-09	0.25	1.57E-01	3.35E-10	1.0E+06	3.3E-04
402	5.12058	5.02E-06	2.6E-05	3.46E-04	8.90E-09	0.25	1.57E-01	3.50E-10	1.0E+06	3.5E-04
403	5.12602	5.02E-06	2.6E-05	3.46E-04	8.91E-09	0.25	1.57E-01	3.50E-10	1.0E+06	3.5E-04
404	4.94528	5.02E-06	2.5E-05	3.46E-04	8.59E-09	0.25	1.57E-01	3.38E-10	1.0E+06	3.4E-04
415	3.37031	5.02E-06	1.7E-05	3.46E-04	5.86E-09	0.25	1.57E-01	2.30E-10	1.0E+06	2.3E-04
416	3.69022	5.02E-06	1.9E-05	3.46E-04	6.41E-09	0.25	1.57E-01	2.52E-10	1.0E+06	2.5E-04
417	3.86092	5.02E-06	1.9E-05	3.46E-04	6.71E-09	0.25	1.57E-01	2.64E-10	1.0E+06	2.6E-04

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	3.88783	5.02E-06	2.0E-05	3.46E-04	6.76E-09	0.25	1.57E-01	2.65E-10	1.0E+06	2.7E-04
419	3.7737	5.02E-06	1.9E-05	3.46E-04	6.56E-09	0.25	1.57E-01	2.58E-10	1.0E+06	2.6E-04
420	3.51293	5.02E-06	1.8E-05	3.46E-04	6.11E-09	0.25	1.57E-01	2.40E-10	1.0E+06	2.4E-04
430	2.88099	5.02E-06	1.4E-05	3.46E-04	5.01E-09	0.25	1.57E-01	1.97E-10	1.0E+06	2.0E-04
431	3.0175	5.02E-06	1.5E-05	3.46E-04	5.24E-09	0.25	1.57E-01	2.06E-10	1.0E+06	2.1E-04
432	3.04782	5.02E-06	1.5E-05	3.46E-04	5.30E-09	0.25	1.57E-01	2.08E-10	1.0E+06	2.1E-04
433	2.97421	5.02E-06	1.5E-05	3.46E-04	5.17E-09	0.25	1.57E-01	2.03E-10	1.0E+06	2.0E-04
434	2.80201	5.02E-06	1.4E-05	3.46E-04	4.87E-09	0.25	1.57E-01	1.91E-10	1.0E+06	1.9E-04
444	2.31474	5.02E-06	1.2E-05	3.46E-04	4.02E-09	0.25	1.57E-01	1.58E-10	1.0E+06	1.6E-04
445	2.4215	5.02E-06	1.2E-05	3.46E-04	4.21E-09	0.25	1.57E-01	1.65E-10	1.0E+06	1.7E-04
446	2.4525	5.02E-06	1.2E-05	3.46E-04	4.26E-09	0.25	1.57E-01	1.67E-10	1.0E+06	1.7E-04
447	2.40625	5.02E-06	1.2E-05	3.46E-04	4.18E-09	0.25	1.57E-01	1.64E-10	1.0E+06	1.6E-04
448	2.28683	5.02E-06	1.1E-05	3.46E-04	3.97E-09	0.25	1.57E-01	1.56E-10	1.0E+06	1.6E-04
459	1.98654	5.02E-06	1.0E-05	3.46E-04	3.45E-09	0.25	1.57E-01	1.36E-10	1.0E+06	1.4E-04
460	2.0157	5.02E-06	1.0E-05	3.46E-04	3.50E-09	0.25	1.57E-01	1.38E-10	1.0E+06	1.4E-04
461	1.98679	5.02E-06	1.0E-05	3.46E-04	3.45E-09	0.25	1.57E-01	1.36E-10	1.0E+06	1.4E-04
462	1.90271	5.02E-06	9.6E-06	3.46E-04	3.31E-09	0.25	1.57E-01	1.30E-10	1.0E+06	1.3E-04
463	1.7704	5.02E-06	8.9E-06	3.46E-04	3.08E-09	0.25	1.57E-01	1.21E-10	1.0E+06	1.2E-04
474	1.65924	5.02E-06	8.3E-06	3.46E-04	2.88E-09	0.25	1.57E-01	1.13E-10	1.0E+06	1.1E-04
475	1.68558	5.02E-06	8.5E-06	3.46E-04	2.93E-09	0.25	1.57E-01	1.15E-10	1.0E+06	1.2E-04
476	1.66881	5.02E-06	8.4E-06	3.46E-04	2.90E-09	0.25	1.57E-01	1.14E-10	1.0E+06	1.1E-04
477	1.60874	5.02E-06	8.1E-06	3.46E-04	2.80E-09	0.25	1.57E-01	1.10E-10	1.0E+06	1.1E-04
478	1.51197	5.02E-06	7.6E-06	3.46E-04	2.63E-09	0.25	1.57E-01	1.03E-10	1.0E+06	1.0E-04
495	1.40744	5.02E-06	7.1E-06	3.46E-04	2.45E-09	0.25	1.57E-01	9.61E-11	1.0E+06	9.6E-05
496	1.43081	5.02E-06	7.2E-06	3.46E-04	2.49E-09	0.25	1.57E-01	9.77E-11	1.0E+06	9.8E-05
497	1.42133	5.02E-06	7.1E-06	3.46E-04	2.47E-09	0.25	1.57E-01	9.70E-11	1.0E+06	9.7E-05
498	1.37883	5.02E-06	6.9E-06	3.46E-04	2.40E-09	0.25	1.57E-01	9.41E-11	1.0E+06	9.4E-05
499	1.30699	5.02E-06	6.6E-06	3.46E-04	2.27E-09	0.25	1.57E-01	8.92E-11	1.0E+06	8.9E-05
500	1.21222	5.02E-06	6.1E-06	3.46E-04	2.11E-09	0.25	1.57E-01	8.28E-11	1.0E+06	8.3E-05

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

		Cancer Risk from 3rd Trimester - Construction									
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
139	0.63846	5.02E-06	3.2E-06	3.46E-04	1.11E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	0.66587	5.02E-06	3.3E-06	3.46E-04	1.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	0.72799	5.02E-06	3.7E-06	3.46E-04	1.27E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	0.76295	5.02E-06	3.8E-06	3.46E-04	1.33E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	0.79463	5.02E-06	4.0E-06	3.46E-04	1.38E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	0.82138	5.02E-06	4.1E-06	3.46E-04	1.43E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	0.84283	5.02E-06	4.2E-06	3.46E-04	1.46E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	0.87417	5.02E-06	4.4E-06	3.46E-04	1.52E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	0.88615	5.02E-06	4.4E-06	3.46E-04	1.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	0.89723	5.02E-06	4.5E-06	3.46E-04	1.56E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	0.88282	5.02E-06	4.4E-06	3.46E-04	1.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	0.92656	5.02E-06	4.7E-06	3.46E-04	1.61E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	0.96226	5.02E-06	4.8E-06	3.46E-04	1.67E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	0.99157	5.02E-06	5.0E-06	3.46E-04	1.72E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	1.01526	5.02E-06	5.1E-06	3.46E-04	1.76E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	1.03555	5.02E-06	5.2E-06	3.46E-04	1.80E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	1.05272	5.02E-06	5.3E-06	3.46E-04	1.83E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	1.06904	5.02E-06	5.4E-06	3.46E-04	1.86E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	1.08478	5.02E-06	5.4E-06	3.46E-04	1.89E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	1.09977	5.02E-06	5.5E-06	3.46E-04	1.91E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	1.1128	5.02E-06	5.6E-06	3.46E-04	1.93E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	1.09622	5.02E-06	5.5E-06	3.46E-04	1.91E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	1.14493	5.02E-06	5.7E-06	3.46E-04	1.99E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	1.18654	5.02E-06	6.0E-06	3.46E-04	2.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	1.22089	5.02E-06	6.1E-06	3.46E-04	2.12E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	1.25066	5.02E-06	6.3E-06	3.46E-04	2.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	1.27643	5.02E-06	6.4E-06	3.46E-04	2.22E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	1.29872	5.02E-06	6.5E-06	3.46E-04	2.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	1.31865	5.02E-06	6.6E-06	3.46E-04	2.29E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	1.33468	5.02E-06	6.7E-06	3.46E-04	2.32E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	1.34479	5.02E-06	6.8E-06	3.46E-04	2.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	1.34615	5.02E-06	6.8E-06	3.46E-04	2.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	1.32044	5.02E-06	6.6E-06	3.46E-04	2.29E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	1.38978	5.02E-06	7.0E-06	3.46E-04	2.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	1.44973	5.02E-06	7.3E-06	3.46E-04	2.52E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	1.50194	5.02E-06	7.5E-06	3.46E-04	2.61E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	1.54696	5.02E-06	7.8E-06	3.46E-04	2.69E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	1.58464	5.02E-06	8.0E-06	3.46E-04	2.75E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	1.61481	5.02E-06	8.1E-06	3.46E-04	2.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	1.63595	5.02E-06	8.2E-06	3.46E-04	2.84E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	1.64682	5.02E-06	8.3E-06	3.46E-04	2.86E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	1.64523	5.02E-06	8.3E-06	3.46E-04	2.86E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	1.6283	5.02E-06	8.2E-06	3.46E-04	2.83E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	1.59281	5.02E-06	8.0E-06	3.46E-04	2.77E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	1.50141	5.02E-06	7.5E-06	3.46E-04	2.61E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	1.62516	5.02E-06	8.2E-06	3.46E-04	2.82E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	1.72796	5.02E-06	8.7E-06	3.46E-04	3.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	1.82015	5.02E-06	9.1E-06	3.46E-04	3.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	1.9703	5.02E-06	9.9E-06	3.46E-04	3.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	2.02343	5.02E-06	1.0E-05	3.46E-04	3.52E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	2.0576	5.02E-06	1.0E-05	3.46E-04	3.58E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	2.0718	5.02E-06	1.0E-05	3.46E-04	3.60E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	2.06486	5.02E-06	1.0E-05	3.46E-04	3.59E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	2.03499	5.02E-06	1.0E-05	3.46E-04	3.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	1.97932	5.02E-06	9.9E-06	3.46E-04	3.44E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	1.89547	5.02E-06	9.5E-06	3.46E-04	3.29E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	1.78696	5.02E-06	9.0E-06	3.46E-04	3.11E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	1.87782	5.02E-06	9.4E-06	3.46E-04	3.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	2.05838	5.02E-06	1.0E-05	3.46E-04	3.58E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	2.21805	5.02E-06	1.1E-05	3.46E-04	3.85E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	2.36622	5.02E-06	1.2E-05	3.46E-04	4.11E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	2.49683	5.02E-06	1.3E-05	3.46E-04	4.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	2.59813	5.02E-06	1.3E-05	3.46E-04	4.52E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	2.66763	5.02E-06	1.3E-05	3.46E-04	4.64E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	2.682	5.02E-06	1.3E-05	3.46E-04	4.66E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	2.63012	5.02E-06	1.3E-05	3.46E-04	4.57E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	2.53933	5.02E-06	1.3E-05	3.46E-04	4.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	2.408	5.02E-06	1.2E-05	3.46E-04	4.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	2.24018	5.02E-06	1.1E-05	3.46E-04	3.89E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	2.04693	5.02E-06	1.0E-05	3.46E-04	3.56E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	2.4174	5.02E-06	1.2E-05	3.46E-04	4.20E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	2.70157	5.02E-06	1.4E-05	3.46E-04	4.70E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	2.9599	5.02E-06	1.5E-05	3.46E-04	5.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	3.21486	5.02E-06	1.6E-05	3.46E-04	5.59E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	3.43153	5.02E-06	1.7E-05	3.46E-04	5.96E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	3.58556	5.02E-06	1.8E-05	3.46E-04	6.23E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	3.65764	5.02E-06	1.8E-05	3.46E-04	6.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	3.55087	5.02E-06	1.8E-05	3.46E-04	6.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	3.39598	5.02E-06	1.7E-05	3.46E-04	5.90E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	3.18149	5.02E-06	1.6E-05	3.46E-04	5.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	2.91082	5.02E-06	1.5E-05	3.46E-04	5.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	2.6041	5.02E-06	1.3E-05	3.46E-04	4.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	2.28826	5.02E-06	1.1E-05	3.46E-04	3.98E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	3.24779	5.02E-06	1.6E-05	3.46E-04	5.64E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	3.73534	5.02E-06	1.9E-05	3.46E-04	6.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	4.2141	5.02E-06	2.1E-05	3.46E-04	7.32E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	4.63866	5.02E-06	2.3E-05	3.46E-04	8.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	5.01032	5.02E-06	2.5E-05	3.46E-04	8.71E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	5.21183	5.02E-06	2.6E-05	3.46E-04	9.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	5.23746	5.02E-06	2.6E-05	3.46E-04	9.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	4.82094	5.02E-06	2.4E-05	3.46E-04	8.38E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	4.44447	5.02E-06	2.2E-05	3.46E-04	7.72E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	3.97726	5.02E-06	2.0E-05	3.46E-04	6.91E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	3.45444	5.02E-06	1.7E-05	3.46E-04	6.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	2.93428	5.02E-06	1.5E-05	3.46E-04	5.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	2.46163	5.02E-06	1.2E-05	3.46E-04	4.28E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	1.45221	5.02E-06	7.3E-06	3.46E-04	2.52E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	1.23289	5.02E-06	6.2E-06	3.46E-04	2.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	4.65784	5.02E-06	2.3E-05	3.46E-04	8.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	5.59237	5.02E-06	2.8E-05	3.46E-04	9.72E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	6.54527	5.02E-06	3.3E-05	3.46E-04	1.14E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	7.3131	5.02E-06	3.7E-05	3.46E-04	1.27E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	7.8709	5.02E-06	4.0E-05	3.46E-04	1.37E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	8.08193	5.02E-06	4.1E-05	3.46E-04	1.40E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	7.92368	5.02E-06	4.0E-05	3.46E-04	1.38E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	6.75703	5.02E-06	3.4E-05	3.46E-04	1.17E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	5.87143	5.02E-06	2.9E-05	3.46E-04	1.02E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	4.88351	5.02E-06	2.5E-05	3.46E-04	8.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	3.93896	5.02E-06	2.0E-05	3.46E-04	6.85E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	3.13988	5.02E-06	1.6E-05	3.46E-04	5.46E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	2.50859	5.02E-06	1.3E-05	3.46E-04	4.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	1.37471	5.02E-06	6.9E-06	3.46E-04	2.39E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	1.15701	5.02E-06	5.8E-06	3.46E-04	2.01E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	7.52043	5.02E-06	3.8E-05	3.46E-04	1.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	9.68706	5.02E-06	4.9E-05	3.46E-04	1.68E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	11.63073	5.02E-06	5.8E-05	3.46E-04	2.02E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	12.97178	5.02E-06	6.5E-05	3.46E-04	2.25E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	13.67129	5.02E-06	6.9E-05	3.46E-04	2.38E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	13.795	5.02E-06	6.9E-05	3.46E-04	2.40E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	13.25751	5.02E-06	6.7E-05	3.46E-04	2.30E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	9.99981	5.02E-06	5.0E-05	3.46E-04	1.74E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	7.73637	5.02E-06	3.9E-05	3.46E-04	1.34E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	5.68333	5.02E-06	2.9E-05	3.46E-04	9.88E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	4.16271	5.02E-06	2.1E-05	3.46E-04	7.23E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	3.11324	5.02E-06	1.6E-05	3.46E-04	5.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	2.3932	5.02E-06	1.2E-05	3.46E-04	4.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	1.26431	5.02E-06	6.3E-06	3.46E-04	2.20E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	1.06376	5.02E-06	5.3E-06	3.46E-04	1.85E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	16.35316	5.02E-06	8.2E-05	3.46E-04	2.84E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	22.5698	5.02E-06	1.1E-04	3.46E-04	3.92E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	26.07239	5.02E-06	1.3E-04	3.46E-04	4.53E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	28.12116	5.02E-06	1.4E-04	3.46E-04	4.89E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	29.01248	5.02E-06	1.5E-04	3.46E-04	5.04E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	29.04454	5.02E-06	1.5E-04	3.46E-04	5.05E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	27.80887	5.02E-06	1.4E-04	3.46E-04	4.83E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	15.97383	5.02E-06	8.0E-05	3.46E-04	2.78E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	9.34896	5.02E-06	4.7E-05	3.46E-04	1.62E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	5.79472	5.02E-06	2.9E-05	3.46E-04	1.01E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	3.91326	5.02E-06	2.0E-05	3.46E-04	6.80E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	2.82757	5.02E-06	1.4E-05	3.46E-04	4.91E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	2.14863	5.02E-06	1.1E-05	3.46E-04	3.73E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	1.14559	5.02E-06	5.8E-06	3.46E-04	1.99E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	0.97022	5.02E-06	4.9E-06	3.46E-04	1.69E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	8.56935	5.02E-06	4.3E-05	3.46E-04	1.49E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	18.24856	5.02E-06	9.2E-05	3.46E-04	3.17E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	21.42517	5.02E-06	1.1E-04	3.46E-04	3.72E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	29.52334	5.02E-06	1.5E-04	3.46E-04	5.13E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	25.22722	5.02E-06	1.3E-04	3.46E-04	4.38E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	22.34156	5.02E-06	1.1E-04	3.46E-04	3.88E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	20.01559	5.02E-06	1.0E-04	3.46E-04	3.48E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	25.6862	5.02E-06	1.3E-04	3.46E-04	4.46E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	20.15965	5.02E-06	1.0E-04	3.46E-04	3.50E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	8.3698	5.02E-06	4.2E-05	3.46E-04	1.45E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	4.88057	5.02E-06	2.5E-05	3.46E-04	8.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	3.29979	5.02E-06	1.7E-05	3.46E-04	5.73E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	2.42096	5.02E-06	1.2E-05	3.46E-04	4.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	1.87013	5.02E-06	9.4E-06	3.46E-04	3.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	1.23427	5.02E-06	6.2E-06	3.46E-04	2.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	1.03901	5.02E-06	5.2E-06	3.46E-04	1.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.88875	5.02E-06	4.5E-06	3.46E-04	1.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	38.67467	5.02E-06	1.9E-04	3.46E-04	6.72E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	37.59395	5.02E-06	1.9E-04	3.46E-04	6.53E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	34.97104	5.02E-06	1.8E-04	3.46E-04	6.08E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	27.36317	5.02E-06	1.4E-04	3.46E-04	4.76E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	1.11946	5.02E-06	5.6E-06	3.46E-04	1.95E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	0.95315	5.02E-06	4.8E-06	3.46E-04	1.66E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.82285	5.02E-06	4.1E-06	3.46E-04	1.43E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	17.02896	5.02E-06	8.5E-05	3.46E-04	2.96E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	15.53378	5.02E-06	7.8E-05	3.46E-04	2.70E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	12.42997	5.02E-06	6.2E-05	3.46E-04	2.16E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	1.02973	5.02E-06	5.2E-06	3.46E-04	1.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	0.88398	5.02E-06	4.4E-06	3.46E-04	1.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.76895	5.02E-06	3.9E-06	3.46E-04	1.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	10.12106	5.02E-06	5.1E-05	3.46E-04	1.76E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	9.22071	5.02E-06	4.6E-05	3.46E-04	1.60E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	7.64992	5.02E-06	3.8E-05	3.46E-04	1.33E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	0.95345	5.02E-06	4.8E-06	3.46E-04	1.66E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	0.82373	5.02E-06	4.1E-06	3.46E-04	1.43E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.7218	5.02E-06	3.6E-06	3.46E-04	1.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	6.25349	5.02E-06	3.1E-05	3.46E-04	1.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	5.34478	5.02E-06	2.7E-05	3.46E-04	9.29E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	0.88592	5.02E-06	4.4E-06	3.46E-04	1.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.77134	5.02E-06	3.9E-06	3.46E-04	1.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.67996	5.02E-06	3.4E-06	3.46E-04	1.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	4.57746	5.02E-06	2.3E-05	3.46E-04	7.96E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	4.01145	5.02E-06	2.0E-05	3.46E-04	6.97E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	3.31597	5.02E-06	1.7E-05	3.46E-04	5.76E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	0.82547	5.02E-06	4.1E-06	3.46E-04	1.43E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.72296	5.02E-06	3.6E-06	3.46E-04	1.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.64145	5.02E-06	3.2E-06	3.46E-04	1.11E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	3.1445	5.02E-06	1.6E-05	3.46E-04	5.46E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	2.68562	5.02E-06	1.3E-05	3.46E-04	4.67E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.76983	5.02E-06	3.9E-06	3.46E-04	1.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.67845	5.02E-06	3.4E-06	3.46E-04	1.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.60496	5.02E-06	3.0E-06	3.46E-04	1.05E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	2.54039	5.02E-06	1.3E-05	3.46E-04	4.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	2.22582	5.02E-06	1.1E-05	3.46E-04	3.87E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.63747	5.02E-06	3.2E-06	3.46E-04	1.11E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.57026	5.02E-06	2.9E-06	3.46E-04	9.91E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	2.10044	5.02E-06	1.1E-05	3.46E-04	3.65E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	1.87753	5.02E-06	9.4E-06	3.46E-04	3.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	1.63131	5.02E-06	8.2E-06	3.46E-04	2.84E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.59909	5.02E-06	3.0E-06	3.46E-04	1.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.53822	5.02E-06	2.7E-06	3.46E-04	9.35E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	1.60474	5.02E-06	8.1E-06	3.46E-04	2.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	1.42093	5.02E-06	7.1E-06	3.46E-04	2.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.7097	5.02E-06	3.6E-06	3.46E-04	1.23E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.56375	5.02E-06	2.8E-06	3.46E-04	9.80E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.50858	5.02E-06	2.6E-06	3.46E-04	8.84E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	1.38395	5.02E-06	6.9E-06	3.46E-04	2.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	1.24722	5.02E-06	6.3E-06	3.46E-04	2.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	1.10368	5.02E-06	5.5E-06	3.46E-04	1.92E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	0.96958	5.02E-06	4.9E-06	3.46E-04	1.69E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	0.84846	5.02E-06	4.3E-06	3.46E-04	1.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.7468	5.02E-06	3.7E-06	3.46E-04	1.30E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.66126	5.02E-06	3.3E-06	3.46E-04	1.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.5906	5.02E-06	3.0E-06	3.46E-04	1.03E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.5312	5.02E-06	2.7E-06	3.46E-04	9.23E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.48089	5.02E-06	2.4E-06	3.46E-04	8.36E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	1.10045	5.02E-06	5.5E-06	3.46E-04	1.91E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	0.99063	5.02E-06	5.0E-06	3.46E-04	1.72E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	0.88128	5.02E-06	4.4E-06	3.46E-04	1.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	0.78052	5.02E-06	3.9E-06	3.46E-04	1.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	0.69245	5.02E-06	3.5E-06	3.46E-04	1.20E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.6173	5.02E-06	3.1E-06	3.46E-04	1.07E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.55438	5.02E-06	2.8E-06	3.46E-04	9.63E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.45516	5.02E-06	2.3E-06	3.46E-04	7.91E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.9818	5.02E-06	4.9E-06	3.46E-04	1.71E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	0.88906	5.02E-06	4.5E-06	3.46E-04	1.55E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	0.80296	5.02E-06	4.0E-06	3.46E-04	1.40E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	0.71858	5.02E-06	3.6E-06	3.46E-04	1.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	0.64282	5.02E-06	3.2E-06	3.46E-04	1.12E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.57692	5.02E-06	2.9E-06	3.46E-04	1.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.52072	5.02E-06	2.6E-06	3.46E-04	9.05E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.4311	5.02E-06	2.2E-06	3.46E-04	7.49E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.88113	5.02E-06	4.4E-06	3.46E-04	1.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.80738	5.02E-06	4.1E-06	3.46E-04	1.40E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	0.73212	5.02E-06	3.7E-06	3.46E-04	1.27E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	0.66114	5.02E-06	3.3E-06	3.46E-04	1.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	0.59757	5.02E-06	3.0E-06	3.46E-04	1.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.53971	5.02E-06	2.7E-06	3.46E-04	9.38E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.48882	5.02E-06	2.5E-06	3.46E-04	8.50E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.40858	5.02E-06	2.1E-06	3.46E-04	7.10E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.7345	5.02E-06	3.7E-06	3.46E-04	1.28E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.67306	5.02E-06	3.4E-06	3.46E-04	1.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.61239	5.02E-06	3.1E-06	3.46E-04	1.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.55431	5.02E-06	2.8E-06	3.46E-04	9.63E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.50494	5.02E-06	2.5E-06	3.46E-04	8.78E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.46129	5.02E-06	2.3E-06	3.46E-04	8.02E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.388	5.02E-06	1.9E-06	3.46E-04	6.74E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.67042	5.02E-06	3.4E-06	3.46E-04	1.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.61916	5.02E-06	3.1E-06	3.46E-04	1.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.56831	5.02E-06	2.9E-06	3.46E-04	9.88E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.51949	5.02E-06	2.6E-06	3.46E-04	9.03E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.47455	5.02E-06	2.4E-06	3.46E-04	8.25E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.43428	5.02E-06	2.2E-06	3.46E-04	7.55E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.36005	5.02E-06	1.8E-06	3.46E-04	6.26E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.61426	5.02E-06	3.1E-06	3.46E-04	1.07E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.57098	5.02E-06	2.9E-06	3.46E-04	9.92E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.52755	5.02E-06	2.6E-06	3.46E-04	9.17E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.48552	5.02E-06	2.4E-06	3.46E-04	8.44E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.44618	5.02E-06	2.2E-06	3.46E-04	7.75E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.4106	5.02E-06	2.1E-06	3.46E-04	7.14E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.37846	5.02E-06	1.9E-06	3.46E-04	6.58E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.21235	5.02E-06	1.1E-06	1.05E-03	1.11E-09	2	1.57E-01	3.50E-10	1.0E+06	3.5E-04
2	0.22215	5.02E-06	1.1E-06	1.05E-03	1.17E-09	2	1.57E-01	3.66E-10	1.0E+06	3.7E-04
3	0.23232	5.02E-06	1.2E-06	1.05E-03	1.22E-09	2	1.57E-01	3.83E-10	1.0E+06	3.8E-04
4	0.24292	5.02E-06	1.2E-06	1.05E-03	1.27E-09	2	1.57E-01	4.01E-10	1.0E+06	4.0E-04
5	0.25396	5.02E-06	1.3E-06	1.05E-03	1.33E-09	2	1.57E-01	4.19E-10	1.0E+06	4.2E-04
6	0.26561	5.02E-06	1.3E-06	1.05E-03	1.39E-09	2	1.57E-01	4.38E-10	1.0E+06	4.4E-04
7	0.2776	5.02E-06	1.4E-06	1.05E-03	1.46E-09	2	1.57E-01	4.58E-10	1.0E+06	4.6E-04
8	0.28981	5.02E-06	1.5E-06	1.05E-03	1.52E-09	2	1.57E-01	4.78E-10	1.0E+06	4.8E-04
9	0.30224	5.02E-06	1.5E-06	1.05E-03	1.59E-09	2	1.57E-01	4.98E-10	1.0E+06	5.0E-04
10	0.31475	5.02E-06	1.6E-06	1.05E-03	1.65E-09	2	1.57E-01	5.19E-10	1.0E+06	5.2E-04
11	0.32716	5.02E-06	1.6E-06	1.05E-03	1.72E-09	2	1.57E-01	5.40E-10	1.0E+06	5.4E-04
12	0.3393	5.02E-06	1.7E-06	1.05E-03	1.78E-09	2	1.57E-01	5.60E-10	1.0E+06	5.6E-04
13	0.35114	5.02E-06	1.8E-06	1.05E-03	1.84E-09	2	1.57E-01	5.79E-10	1.0E+06	5.8E-04
14	0.36232	5.02E-06	1.8E-06	1.05E-03	1.90E-09	2	1.57E-01	5.98E-10	1.0E+06	6.0E-04
15	0.37271	5.02E-06	1.9E-06	1.05E-03	1.96E-09	2	1.57E-01	6.15E-10	1.0E+06	6.1E-04
16	0.38202	5.02E-06	1.9E-06	1.05E-03	2.00E-09	2	1.57E-01	6.30E-10	1.0E+06	6.3E-04
17	0.39029	5.02E-06	2.0E-06	1.05E-03	2.05E-09	2	1.57E-01	6.44E-10	1.0E+06	6.4E-04
18	0.39713	5.02E-06	2.0E-06	1.05E-03	2.08E-09	2	1.57E-01	6.55E-10	1.0E+06	6.5E-04
19	0.40265	5.02E-06	2.0E-06	1.05E-03	2.11E-09	2	1.57E-01	6.64E-10	1.0E+06	6.6E-04
20	0.40685	5.02E-06	2.0E-06	1.05E-03	2.13E-09	2	1.57E-01	6.71E-10	1.0E+06	6.7E-04
21	0.40979	5.02E-06	2.1E-06	1.05E-03	2.15E-09	2	1.57E-01	6.76E-10	1.0E+06	6.8E-04
22	0.41178	5.02E-06	2.1E-06	1.05E-03	2.16E-09	2	1.57E-01	6.79E-10	1.0E+06	6.8E-04
23	0.41303	5.02E-06	2.1E-06	1.05E-03	2.17E-09	2	1.57E-01	6.81E-10	1.0E+06	6.8E-04
24	0.41399	5.02E-06	2.1E-06	1.05E-03	2.17E-09	2	1.57E-01	6.83E-10	1.0E+06	6.8E-04
25	0.4151	5.02E-06	2.1E-06	1.05E-03	2.18E-09	2	1.57E-01	6.85E-10	1.0E+06	6.8E-04
26	0.41674	5.02E-06	2.1E-06	1.05E-03	2.19E-09	2	1.57E-01	6.87E-10	1.0E+06	6.9E-04
27	0.41922	5.02E-06	2.1E-06	1.05E-03	2.20E-09	2	1.57E-01	6.91E-10	1.0E+06	6.9E-04
28	0.42266	5.02E-06	2.1E-06	1.05E-03	2.22E-09	2	1.57E-01	6.97E-10	1.0E+06	7.0E-04
29	0.42715	5.02E-06	2.1E-06	1.05E-03	2.24E-09	2	1.57E-01	7.04E-10	1.0E+06	7.0E-04
30	0.4325	5.02E-06	2.2E-06	1.05E-03	2.27E-09	2	1.57E-01	7.13E-10	1.0E+06	7.1E-04
31	0.43837	5.02E-06	2.2E-06	1.05E-03	2.30E-09	2	1.57E-01	7.23E-10	1.0E+06	7.2E-04

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.44428	5.02E-06	2.2E-06	1.05E-03	2.33E-09	2	1.57E-01	7.33E-10	1.0E+06	7.3E-04
55	0.4572	5.02E-06	2.3E-06	1.05E-03	2.40E-09	2	1.57E-01	7.54E-10	1.0E+06	7.5E-04
56	0.4589	5.02E-06	2.3E-06	1.05E-03	2.41E-09	2	1.57E-01	7.57E-10	1.0E+06	7.6E-04
57	0.46054	5.02E-06	2.3E-06	1.05E-03	2.42E-09	2	1.57E-01	7.60E-10	1.0E+06	7.6E-04
58	0.46242	5.02E-06	2.3E-06	1.05E-03	2.43E-09	2	1.57E-01	7.63E-10	1.0E+06	7.6E-04
59	0.46497	5.02E-06	2.3E-06	1.05E-03	2.44E-09	2	1.57E-01	7.67E-10	1.0E+06	7.7E-04
60	0.46851	5.02E-06	2.4E-06	1.05E-03	2.46E-09	2	1.57E-01	7.73E-10	1.0E+06	7.7E-04
61	0.47332	5.02E-06	2.4E-06	1.05E-03	2.48E-09	2	1.57E-01	7.81E-10	1.0E+06	7.8E-04
62	0.4791	5.02E-06	2.4E-06	1.05E-03	2.51E-09	2	1.57E-01	7.90E-10	1.0E+06	7.9E-04
63	0.48559	5.02E-06	2.4E-06	1.05E-03	2.55E-09	2	1.57E-01	8.01E-10	1.0E+06	8.0E-04
64	0.49224	5.02E-06	2.5E-06	1.05E-03	2.58E-09	2	1.57E-01	8.12E-10	1.0E+06	8.1E-04
65	0.49838	5.02E-06	2.5E-06	1.05E-03	2.62E-09	2	1.57E-01	8.22E-10	1.0E+06	8.2E-04
66	0.50355	5.02E-06	2.5E-06	1.05E-03	2.64E-09	2	1.57E-01	8.30E-10	1.0E+06	8.3E-04
67	0.23502	5.02E-06	1.2E-06	1.05E-03	1.23E-09	2	1.57E-01	3.88E-10	1.0E+06	3.9E-04
68	0.24733	5.02E-06	1.2E-06	1.05E-03	1.30E-09	2	1.57E-01	4.08E-10	1.0E+06	4.1E-04
69	0.26031	5.02E-06	1.3E-06	1.05E-03	1.37E-09	2	1.57E-01	4.29E-10	1.0E+06	4.3E-04
70	0.27402	5.02E-06	1.4E-06	1.05E-03	1.44E-09	2	1.57E-01	4.52E-10	1.0E+06	4.5E-04
71	0.28829	5.02E-06	1.4E-06	1.05E-03	1.51E-09	2	1.57E-01	4.75E-10	1.0E+06	4.8E-04
72	0.30356	5.02E-06	1.5E-06	1.05E-03	1.59E-09	2	1.57E-01	5.01E-10	1.0E+06	5.0E-04
73	0.31942	5.02E-06	1.6E-06	1.05E-03	1.68E-09	2	1.57E-01	5.27E-10	1.0E+06	5.3E-04
74	0.33583	5.02E-06	1.7E-06	1.05E-03	1.76E-09	2	1.57E-01	5.54E-10	1.0E+06	5.5E-04
75	0.35271	5.02E-06	1.8E-06	1.05E-03	1.85E-09	2	1.57E-01	5.82E-10	1.0E+06	5.8E-04
76	0.36999	5.02E-06	1.9E-06	1.05E-03	1.94E-09	2	1.57E-01	6.10E-10	1.0E+06	6.1E-04
77	0.3875	5.02E-06	1.9E-06	1.05E-03	2.03E-09	2	1.57E-01	6.39E-10	1.0E+06	6.4E-04
78	0.4051	5.02E-06	2.0E-06	1.05E-03	2.13E-09	2	1.57E-01	6.68E-10	1.0E+06	6.7E-04
79	0.47935	5.02E-06	2.4E-06	1.05E-03	2.52E-09	2	1.57E-01	7.91E-10	1.0E+06	7.9E-04
80	0.4894	5.02E-06	2.5E-06	1.05E-03	2.57E-09	2	1.57E-01	8.07E-10	1.0E+06	8.1E-04
81	0.4977	5.02E-06	2.5E-06	1.05E-03	2.61E-09	2	1.57E-01	8.21E-10	1.0E+06	8.2E-04
82	0.50384	5.02E-06	2.5E-06	1.05E-03	2.64E-09	2	1.57E-01	8.31E-10	1.0E+06	8.3E-04
83	0.50839	5.02E-06	2.6E-06	1.05E-03	2.67E-09	2	1.57E-01	8.38E-10	1.0E+06	8.4E-04
84	0.51149	5.02E-06	2.6E-06	1.05E-03	2.68E-09	2	1.57E-01	8.44E-10	1.0E+06	8.4E-04

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	0.51398	5.02E-06	2.6E-06	1.05E-03	2.70E-09	2	1.57E-01	8.48E-10	1.0E+06	8.5E-04
86	0.51641	5.02E-06	2.6E-06	1.05E-03	2.71E-09	2	1.57E-01	8.52E-10	1.0E+06	8.5E-04
87	0.51931	5.02E-06	2.6E-06	1.05E-03	2.72E-09	2	1.57E-01	8.56E-10	1.0E+06	8.6E-04
88	0.5232	5.02E-06	2.6E-06	1.05E-03	2.75E-09	2	1.57E-01	8.63E-10	1.0E+06	8.6E-04
89	0.52825	5.02E-06	2.7E-06	1.05E-03	2.77E-09	2	1.57E-01	8.71E-10	1.0E+06	8.7E-04
90	0.53447	5.02E-06	2.7E-06	1.05E-03	2.80E-09	2	1.57E-01	8.81E-10	1.0E+06	8.8E-04
91	0.54169	5.02E-06	2.7E-06	1.05E-03	2.84E-09	2	1.57E-01	8.93E-10	1.0E+06	8.9E-04
92	0.54904	5.02E-06	2.8E-06	1.05E-03	2.88E-09	2	1.57E-01	9.05E-10	1.0E+06	9.1E-04
93	0.55607	5.02E-06	2.8E-06	1.05E-03	2.92E-09	2	1.57E-01	9.17E-10	1.0E+06	9.2E-04
96	0.5856	5.02E-06	2.9E-06	1.05E-03	3.07E-09	2	1.57E-01	9.66E-10	1.0E+06	9.7E-04
97	0.59453	5.02E-06	3.0E-06	1.05E-03	3.12E-09	2	1.57E-01	9.80E-10	1.0E+06	9.8E-04
98	0.59433	5.02E-06	3.0E-06	1.05E-03	3.12E-09	2	1.57E-01	9.80E-10	1.0E+06	9.8E-04
99	0.60125	5.02E-06	3.0E-06	1.05E-03	3.15E-09	2	1.57E-01	9.92E-10	1.0E+06	9.9E-04
100	0.60913	5.02E-06	3.1E-06	1.05E-03	3.20E-09	2	1.57E-01	1.00E-09	1.0E+06	1.0E-03
101	0.61736	5.02E-06	3.1E-06	1.05E-03	3.24E-09	2	1.57E-01	1.02E-09	1.0E+06	1.0E-03
102	0.62512	5.02E-06	3.1E-06	1.05E-03	3.28E-09	2	1.57E-01	1.03E-09	1.0E+06	1.0E-03
106	0.24548	5.02E-06	1.2E-06	1.05E-03	1.29E-09	2	1.57E-01	4.05E-10	1.0E+06	4.0E-04
107	0.26016	5.02E-06	1.3E-06	1.05E-03	1.37E-09	2	1.57E-01	4.29E-10	1.0E+06	4.3E-04
108	0.27562	5.02E-06	1.4E-06	1.05E-03	1.45E-09	2	1.57E-01	4.55E-10	1.0E+06	4.5E-04
109	0.29216	5.02E-06	1.5E-06	1.05E-03	1.53E-09	2	1.57E-01	4.82E-10	1.0E+06	4.8E-04
110	0.30991	5.02E-06	1.6E-06	1.05E-03	1.63E-09	2	1.57E-01	5.11E-10	1.0E+06	5.1E-04
111	0.32866	5.02E-06	1.7E-06	1.05E-03	1.72E-09	2	1.57E-01	5.42E-10	1.0E+06	5.4E-04
112	0.34907	5.02E-06	1.8E-06	1.05E-03	1.83E-09	2	1.57E-01	5.76E-10	1.0E+06	5.8E-04
113	0.37045	5.02E-06	1.9E-06	1.05E-03	1.94E-09	2	1.57E-01	6.11E-10	1.0E+06	6.1E-04
114	0.39304	5.02E-06	2.0E-06	1.05E-03	2.06E-09	2	1.57E-01	6.48E-10	1.0E+06	6.5E-04
115	0.41656	5.02E-06	2.1E-06	1.05E-03	2.19E-09	2	1.57E-01	6.87E-10	1.0E+06	6.9E-04
116	0.44075	5.02E-06	2.2E-06	1.05E-03	2.31E-09	2	1.57E-01	7.27E-10	1.0E+06	7.3E-04
117	0.46611	5.02E-06	2.3E-06	1.05E-03	2.45E-09	2	1.57E-01	7.69E-10	1.0E+06	7.7E-04
118	0.49176	5.02E-06	2.5E-06	1.05E-03	2.58E-09	2	1.57E-01	8.11E-10	1.0E+06	8.1E-04
124	0.25743	5.02E-06	1.3E-06	1.05E-03	1.35E-09	2	1.57E-01	4.25E-10	1.0E+06	4.2E-04
125	0.27343	5.02E-06	1.4E-06	1.05E-03	1.43E-09	2	1.57E-01	4.51E-10	1.0E+06	4.5E-04

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.29073	5.02E-06	1.5E-06	1.05E-03	1.53E-09	2	1.57E-01	4.79E-10	1.0E+06	4.8E-04
127	0.30943	5.02E-06	1.6E-06	1.05E-03	1.62E-09	2	1.57E-01	5.10E-10	1.0E+06	5.1E-04
128	0.32965	5.02E-06	1.7E-06	1.05E-03	1.73E-09	2	1.57E-01	5.44E-10	1.0E+06	5.4E-04
129	0.35125	5.02E-06	1.8E-06	1.05E-03	1.84E-09	2	1.57E-01	5.79E-10	1.0E+06	5.8E-04
130	0.37485	5.02E-06	1.9E-06	1.05E-03	1.97E-09	2	1.57E-01	6.18E-10	1.0E+06	6.2E-04
131	0.39996	5.02E-06	2.0E-06	1.05E-03	2.10E-09	2	1.57E-01	6.60E-10	1.0E+06	6.6E-04
132	0.42674	5.02E-06	2.1E-06	1.05E-03	2.24E-09	2	1.57E-01	7.04E-10	1.0E+06	7.0E-04
133	0.45488	5.02E-06	2.3E-06	1.05E-03	2.39E-09	2	1.57E-01	7.50E-10	1.0E+06	7.5E-04
134	0.4847	5.02E-06	2.4E-06	1.05E-03	2.54E-09	2	1.57E-01	7.99E-10	1.0E+06	8.0E-04
135	0.51539	5.02E-06	2.6E-06	1.05E-03	2.70E-09	2	1.57E-01	8.50E-10	1.0E+06	8.5E-04
136	0.54675	5.02E-06	2.7E-06	1.05E-03	2.87E-09	2	1.57E-01	9.02E-10	1.0E+06	9.0E-04
137	0.57792	5.02E-06	2.9E-06	1.05E-03	3.03E-09	2	1.57E-01	9.53E-10	1.0E+06	9.5E-04
138	0.60925	5.02E-06	3.1E-06	1.05E-03	3.20E-09	2	1.57E-01	1.00E-09	1.0E+06	1.0E-03
141	0.26942	5.02E-06	1.4E-06	1.05E-03	1.41E-09	2	1.57E-01	4.44E-10	1.0E+06	4.4E-04
142	0.28719	5.02E-06	1.4E-06	1.05E-03	1.51E-09	2	1.57E-01	4.74E-10	1.0E+06	4.7E-04
143	0.30655	5.02E-06	1.5E-06	1.05E-03	1.61E-09	2	1.57E-01	5.06E-10	1.0E+06	5.1E-04
144	0.32767	5.02E-06	1.6E-06	1.05E-03	1.72E-09	2	1.57E-01	5.40E-10	1.0E+06	5.4E-04
145	0.35068	5.02E-06	1.8E-06	1.05E-03	1.84E-09	2	1.57E-01	5.78E-10	1.0E+06	5.8E-04
146	0.37556	5.02E-06	1.9E-06	1.05E-03	1.97E-09	2	1.57E-01	6.19E-10	1.0E+06	6.2E-04
147	0.40295	5.02E-06	2.0E-06	1.05E-03	2.11E-09	2	1.57E-01	6.65E-10	1.0E+06	6.6E-04
148	0.4324	5.02E-06	2.2E-06	1.05E-03	2.27E-09	2	1.57E-01	7.13E-10	1.0E+06	7.1E-04
149	0.46417	5.02E-06	2.3E-06	1.05E-03	2.44E-09	2	1.57E-01	7.65E-10	1.0E+06	7.7E-04
150	0.49807	5.02E-06	2.5E-06	1.05E-03	2.61E-09	2	1.57E-01	8.21E-10	1.0E+06	8.2E-04
151	0.53416	5.02E-06	2.7E-06	1.05E-03	2.80E-09	2	1.57E-01	8.81E-10	1.0E+06	8.8E-04
152	0.57204	5.02E-06	2.9E-06	1.05E-03	3.00E-09	2	1.57E-01	9.43E-10	1.0E+06	9.4E-04
153	0.61122	5.02E-06	3.1E-06	1.05E-03	3.21E-09	2	1.57E-01	1.01E-09	1.0E+06	1.0E-03
154	0.65051	5.02E-06	3.3E-06	1.05E-03	3.41E-09	2	1.57E-01	1.07E-09	1.0E+06	1.1E-03
155	0.68979	5.02E-06	3.5E-06	1.05E-03	3.62E-09	2	1.57E-01	1.14E-09	1.0E+06	1.1E-03
164	0.73768	5.02E-06	3.7E-06	1.05E-03	3.87E-09	2	1.57E-01	1.22E-09	1.0E+06	1.2E-03
165	0.78812	5.02E-06	4.0E-06	1.05E-03	4.14E-09	2	1.57E-01	1.30E-09	1.0E+06	1.3E-03
166	0.83822	5.02E-06	4.2E-06	1.05E-03	4.40E-09	2	1.57E-01	1.38E-09	1.0E+06	1.4E-03

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	0.84333	5.02E-06	4.2E-06	1.05E-03	4.43E-09	2	1.57E-01	1.39E-09	1.0E+06	1.4E-03
179	0.90992	5.02E-06	4.6E-06	1.05E-03	4.77E-09	2	1.57E-01	1.50E-09	1.0E+06	1.5E-03
180	0.97651	5.02E-06	4.9E-06	1.05E-03	5.12E-09	2	1.57E-01	1.61E-09	1.0E+06	1.6E-03
192	0.97331	5.02E-06	4.9E-06	1.05E-03	5.11E-09	2	1.57E-01	1.61E-09	1.0E+06	1.6E-03
193	1.06353	5.02E-06	5.3E-06	1.05E-03	5.58E-09	2	1.57E-01	1.75E-09	1.0E+06	1.8E-03
194	1.15367	5.02E-06	5.8E-06	1.05E-03	6.05E-09	2	1.57E-01	1.90E-09	1.0E+06	1.9E-03
207	1.13431	5.02E-06	5.7E-06	1.05E-03	5.95E-09	2	1.57E-01	1.87E-09	1.0E+06	1.9E-03
208	1.25856	5.02E-06	6.3E-06	1.05E-03	6.60E-09	2	1.57E-01	2.08E-09	1.0E+06	2.1E-03
209	1.38591	5.02E-06	7.0E-06	1.05E-03	7.27E-09	2	1.57E-01	2.29E-09	1.0E+06	2.3E-03
223	1.33665	5.02E-06	6.7E-06	1.05E-03	7.01E-09	2	1.57E-01	2.20E-09	1.0E+06	2.2E-03
224	1.51234	5.02E-06	7.6E-06	1.05E-03	7.94E-09	2	1.57E-01	2.49E-09	1.0E+06	2.5E-03
225	1.6956	5.02E-06	8.5E-06	1.05E-03	8.90E-09	2	1.57E-01	2.80E-09	1.0E+06	2.8E-03
239	1.59464	5.02E-06	8.0E-06	1.05E-03	8.37E-09	2	1.57E-01	2.63E-09	1.0E+06	2.6E-03
240	1.85174	5.02E-06	9.3E-06	1.05E-03	9.72E-09	2	1.57E-01	3.05E-09	1.0E+06	3.1E-03
241	2.1319	5.02E-06	1.1E-05	1.05E-03	1.12E-08	2	1.57E-01	3.52E-09	1.0E+06	3.5E-03
255	1.92495	5.02E-06	9.7E-06	1.05E-03	1.01E-08	2	1.57E-01	3.17E-09	1.0E+06	3.2E-03
256	2.31762	5.02E-06	1.2E-05	1.05E-03	1.22E-08	2	1.57E-01	3.82E-09	1.0E+06	3.8E-03
272	2.34497	5.02E-06	1.2E-05	1.05E-03	1.23E-08	2	1.57E-01	3.87E-09	1.0E+06	3.9E-03
273	2.9793	5.02E-06	1.5E-05	1.05E-03	1.56E-08	2	1.57E-01	4.91E-09	1.0E+06	4.9E-03
289	2.86239	5.02E-06	1.4E-05	1.05E-03	1.50E-08	2	1.57E-01	4.72E-09	1.0E+06	4.7E-03
290	3.94506	5.02E-06	2.0E-05	1.05E-03	2.07E-08	2	1.57E-01	6.51E-09	1.0E+06	6.5E-03
306	3.40677	5.02E-06	1.7E-05	1.05E-03	1.79E-08	2	1.57E-01	5.62E-09	1.0E+06	5.6E-03
307	5.30109	5.02E-06	2.7E-05	1.05E-03	2.78E-08	2	1.57E-01	8.74E-09	1.0E+06	8.7E-03
323	3.74366	5.02E-06	1.9E-05	1.05E-03	1.96E-08	2	1.57E-01	6.17E-09	1.0E+06	6.2E-03
324	6.49247	5.02E-06	3.3E-05	1.05E-03	3.41E-08	2	1.57E-01	1.07E-08	1.0E+06	1.1E-02
342	3.63622	5.02E-06	1.8E-05	1.05E-03	1.91E-08	2	1.57E-01	6.00E-09	1.0E+06	6.0E-03
343	6.07955	5.02E-06	3.1E-05	1.05E-03	3.19E-08	2	1.57E-01	1.00E-08	1.0E+06	1.0E-02
344	14.01577	5.02E-06	7.0E-05	1.05E-03	7.35E-08	2	1.57E-01	2.31E-08	1.0E+06	2.3E-02
356	3.21954	5.02E-06	1.6E-05	1.05E-03	1.69E-08	2	1.57E-01	5.31E-09	1.0E+06	5.3E-03
357	4.84764	5.02E-06	2.4E-05	1.05E-03	2.54E-08	2	1.57E-01	7.99E-09	1.0E+06	8.0E-03
358	8.18	5.02E-06	4.1E-05	1.05E-03	4.29E-08	2	1.57E-01	1.35E-08	1.0E+06	1.3E-02

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	2.75083	5.02E-06	1.4E-05	1.05E-03	1.44E-08	2	1.57E-01	4.54E-09	1.0E+06	4.5E-03
371	3.80691	5.02E-06	1.9E-05	1.05E-03	2.00E-08	2	1.57E-01	6.28E-09	1.0E+06	6.3E-03
372	5.50099	5.02E-06	2.8E-05	1.05E-03	2.89E-08	2	1.57E-01	9.07E-09	1.0E+06	9.1E-03
383	2.33392	5.02E-06	1.2E-05	1.05E-03	1.22E-08	2	1.57E-01	3.85E-09	1.0E+06	3.8E-03
384	3.04001	5.02E-06	1.5E-05	1.05E-03	1.60E-08	2	1.57E-01	5.01E-09	1.0E+06	5.0E-03
385	4.02714	5.02E-06	2.0E-05	1.05E-03	2.11E-08	2	1.57E-01	6.64E-09	1.0E+06	6.6E-03
396	1.98702	5.02E-06	1.0E-05	1.05E-03	1.04E-08	2	1.57E-01	3.28E-09	1.0E+06	3.3E-03
397	2.47633	5.02E-06	1.2E-05	1.05E-03	1.30E-08	2	1.57E-01	4.08E-09	1.0E+06	4.1E-03
398	3.1043	5.02E-06	1.6E-05	1.05E-03	1.63E-08	2	1.57E-01	5.12E-09	1.0E+06	5.1E-03
399	3.81123	5.02E-06	1.9E-05	1.05E-03	2.00E-08	2	1.57E-01	6.29E-09	1.0E+06	6.3E-03
411	1.70341	5.02E-06	8.6E-06	1.05E-03	8.94E-09	2	1.57E-01	2.81E-09	1.0E+06	2.8E-03
412	2.05369	5.02E-06	1.0E-05	1.05E-03	1.08E-08	2	1.57E-01	3.39E-09	1.0E+06	3.4E-03
413	2.4783	5.02E-06	1.2E-05	1.05E-03	1.30E-08	2	1.57E-01	4.09E-09	1.0E+06	4.1E-03
414	2.94148	5.02E-06	1.5E-05	1.05E-03	1.54E-08	2	1.57E-01	4.85E-09	1.0E+06	4.9E-03
426	1.47206	5.02E-06	7.4E-06	1.05E-03	7.72E-09	2	1.57E-01	2.43E-09	1.0E+06	2.4E-03
427	1.73008	5.02E-06	8.7E-06	1.05E-03	9.08E-09	2	1.57E-01	2.85E-09	1.0E+06	2.9E-03
428	2.02999	5.02E-06	1.0E-05	1.05E-03	1.07E-08	2	1.57E-01	3.35E-09	1.0E+06	3.3E-03
429	2.35005	5.02E-06	1.2E-05	1.05E-03	1.23E-08	2	1.57E-01	3.88E-09	1.0E+06	3.9E-03
439	1.28233	5.02E-06	6.4E-06	1.05E-03	6.73E-09	2	1.57E-01	2.11E-09	1.0E+06	2.1E-03
440	1.47703	5.02E-06	7.4E-06	1.05E-03	7.75E-09	2	1.57E-01	2.44E-09	1.0E+06	2.4E-03
441	1.6966	5.02E-06	8.5E-06	1.05E-03	8.90E-09	2	1.57E-01	2.80E-09	1.0E+06	2.8E-03
442	1.92667	5.02E-06	9.7E-06	1.05E-03	1.01E-08	2	1.57E-01	3.18E-09	1.0E+06	3.2E-03
443	2.14228	5.02E-06	1.1E-05	1.05E-03	1.12E-08	2	1.57E-01	3.53E-09	1.0E+06	3.5E-03
454	1.12582	5.02E-06	5.7E-06	1.05E-03	5.91E-09	2	1.57E-01	1.86E-09	1.0E+06	1.9E-03
455	1.27583	5.02E-06	6.4E-06	1.05E-03	6.69E-09	2	1.57E-01	2.10E-09	1.0E+06	2.1E-03
456	1.44092	5.02E-06	7.2E-06	1.05E-03	7.56E-09	2	1.57E-01	2.38E-09	1.0E+06	2.4E-03
457	1.61156	5.02E-06	8.1E-06	1.05E-03	8.46E-09	2	1.57E-01	2.66E-09	1.0E+06	2.7E-03
458	1.77164	5.02E-06	8.9E-06	1.05E-03	9.30E-09	2	1.57E-01	2.92E-09	1.0E+06	2.9E-03
469	0.99565	5.02E-06	5.0E-06	1.05E-03	5.22E-09	2	1.57E-01	1.64E-09	1.0E+06	1.6E-03
470	1.11329	5.02E-06	5.6E-06	1.05E-03	5.84E-09	2	1.57E-01	1.84E-09	1.0E+06	1.8E-03
471	1.24043	5.02E-06	6.2E-06	1.05E-03	6.51E-09	2	1.57E-01	2.05E-09	1.0E+06	2.0E-03

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	1.37014	5.02E-06	6.9E-06	1.05E-03	7.19E-09	2	1.57E-01	2.26E-09	1.0E+06	2.3E-03
473	1.49168	5.02E-06	7.5E-06	1.05E-03	7.83E-09	2	1.57E-01	2.46E-09	1.0E+06	2.5E-03
489	0.88663	5.02E-06	4.5E-06	1.05E-03	4.65E-09	2	1.57E-01	1.46E-09	1.0E+06	1.5E-03
490	0.98028	5.02E-06	4.9E-06	1.05E-03	5.14E-09	2	1.57E-01	1.62E-09	1.0E+06	1.6E-03
491	1.07984	5.02E-06	5.4E-06	1.05E-03	5.67E-09	2	1.57E-01	1.78E-09	1.0E+06	1.8E-03
492	1.18042	5.02E-06	5.9E-06	1.05E-03	6.19E-09	2	1.57E-01	1.95E-09	1.0E+06	1.9E-03
493	1.27451	5.02E-06	6.4E-06	1.05E-03	6.69E-09	2	1.57E-01	2.10E-09	1.0E+06	2.1E-03
494	1.35313	5.02E-06	6.8E-06	1.05E-03	7.10E-09	2	1.57E-01	2.23E-09	1.0E+06	2.2E-03
509	0.79446	5.02E-06	4.0E-06	1.05E-03	4.17E-09	2	1.57E-01	1.31E-09	1.0E+06	1.3E-03
510	0.87005	5.02E-06	4.4E-06	1.05E-03	4.57E-09	2	1.57E-01	1.43E-09	1.0E+06	1.4E-03
511	0.94946	5.02E-06	4.8E-06	1.05E-03	4.98E-09	2	1.57E-01	1.57E-09	1.0E+06	1.6E-03
512	1.02882	5.02E-06	5.2E-06	1.05E-03	5.40E-09	2	1.57E-01	1.70E-09	1.0E+06	1.7E-03
513	1.10267	5.02E-06	5.5E-06	1.05E-03	5.79E-09	2	1.57E-01	1.82E-09	1.0E+06	1.8E-03
514	1.16507	5.02E-06	5.8E-06	1.05E-03	6.11E-09	2	1.57E-01	1.92E-09	1.0E+06	1.9E-03
515	1.23028	5.02E-06	6.2E-06	1.05E-03	6.46E-09	2	1.57E-01	2.03E-09	1.0E+06	2.0E-03
516	1.22504	5.02E-06	6.2E-06	1.05E-03	6.43E-09	2	1.57E-01	2.02E-09	1.0E+06	2.0E-03
517	1.19469	5.02E-06	6.0E-06	1.05E-03	6.27E-09	2	1.57E-01	1.97E-09	1.0E+06	2.0E-03
518	1.1412	5.02E-06	5.7E-06	1.05E-03	5.99E-09	2	1.57E-01	1.88E-09	1.0E+06	1.9E-03
519	1.0692	5.02E-06	5.4E-06	1.05E-03	5.61E-09	2	1.57E-01	1.76E-09	1.0E+06	1.8E-03
528	0.71599	5.02E-06	3.6E-06	1.05E-03	3.76E-09	2	1.57E-01	1.18E-09	1.0E+06	1.2E-03
529	0.77776	5.02E-06	3.9E-06	1.05E-03	4.08E-09	2	1.57E-01	1.28E-09	1.0E+06	1.3E-03
530	0.84178	5.02E-06	4.2E-06	1.05E-03	4.42E-09	2	1.57E-01	1.39E-09	1.0E+06	1.4E-03
531	0.90536	5.02E-06	4.5E-06	1.05E-03	4.75E-09	2	1.57E-01	1.49E-09	1.0E+06	1.5E-03
532	0.96443	5.02E-06	4.8E-06	1.05E-03	5.06E-09	2	1.57E-01	1.59E-09	1.0E+06	1.6E-03
533	1.01444	5.02E-06	5.1E-06	1.05E-03	5.32E-09	2	1.57E-01	1.67E-09	1.0E+06	1.7E-03
534	1.06877	5.02E-06	5.4E-06	1.05E-03	5.61E-09	2	1.57E-01	1.76E-09	1.0E+06	1.8E-03
535	1.06698	5.02E-06	5.4E-06	1.05E-03	5.60E-09	2	1.57E-01	1.76E-09	1.0E+06	1.8E-03
536	1.04561	5.02E-06	5.2E-06	1.05E-03	5.49E-09	2	1.57E-01	1.72E-09	1.0E+06	1.7E-03
537	1.00475	5.02E-06	5.0E-06	1.05E-03	5.27E-09	2	1.57E-01	1.66E-09	1.0E+06	1.7E-03
538	0.94849	5.02E-06	4.8E-06	1.05E-03	4.98E-09	2	1.57E-01	1.56E-09	1.0E+06	1.6E-03
547	0.64867	5.02E-06	3.3E-06	1.05E-03	3.40E-09	2	1.57E-01	1.07E-09	1.0E+06	1.1E-03

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.69959	5.02E-06	3.5E-06	1.05E-03	3.67E-09	2	1.57E-01	1.15E-09	1.0E+06	1.2E-03
549	0.75196	5.02E-06	3.8E-06	1.05E-03	3.95E-09	2	1.57E-01	1.24E-09	1.0E+06	1.2E-03
550	0.80331	5.02E-06	4.0E-06	1.05E-03	4.22E-09	2	1.57E-01	1.32E-09	1.0E+06	1.3E-03
551	0.85116	5.02E-06	4.3E-06	1.05E-03	4.47E-09	2	1.57E-01	1.40E-09	1.0E+06	1.4E-03
552	0.89179	5.02E-06	4.5E-06	1.05E-03	4.68E-09	2	1.57E-01	1.47E-09	1.0E+06	1.5E-03
553	0.92174	5.02E-06	4.6E-06	1.05E-03	4.84E-09	2	1.57E-01	1.52E-09	1.0E+06	1.5E-03
554	0.93763	5.02E-06	4.7E-06	1.05E-03	4.92E-09	2	1.57E-01	1.55E-09	1.0E+06	1.5E-03
555	0.93822	5.02E-06	4.7E-06	1.05E-03	4.92E-09	2	1.57E-01	1.55E-09	1.0E+06	1.5E-03
556	0.92314	5.02E-06	4.6E-06	1.05E-03	4.84E-09	2	1.57E-01	1.52E-09	1.0E+06	1.5E-03
557	0.89177	5.02E-06	4.5E-06	1.05E-03	4.68E-09	2	1.57E-01	1.47E-09	1.0E+06	1.5E-03
558	0.84807	5.02E-06	4.3E-06	1.05E-03	4.45E-09	2	1.57E-01	1.40E-09	1.0E+06	1.4E-03
559	0.79416	5.02E-06	4.0E-06	1.05E-03	4.17E-09	2	1.57E-01	1.31E-09	1.0E+06	1.3E-03
567	0.59049	5.02E-06	3.0E-06	1.05E-03	3.10E-09	2	1.57E-01	9.74E-10	1.0E+06	9.7E-04
568	0.63297	5.02E-06	3.2E-06	1.05E-03	3.32E-09	2	1.57E-01	1.04E-09	1.0E+06	1.0E-03
569	0.6761	5.02E-06	3.4E-06	1.05E-03	3.55E-09	2	1.57E-01	1.12E-09	1.0E+06	1.1E-03
570	0.71832	5.02E-06	3.6E-06	1.05E-03	3.77E-09	2	1.57E-01	1.18E-09	1.0E+06	1.2E-03
571	0.75738	5.02E-06	3.8E-06	1.05E-03	3.97E-09	2	1.57E-01	1.25E-09	1.0E+06	1.2E-03
572	0.79079	5.02E-06	4.0E-06	1.05E-03	4.15E-09	2	1.57E-01	1.30E-09	1.0E+06	1.3E-03
573	0.81576	5.02E-06	4.1E-06	1.05E-03	4.28E-09	2	1.57E-01	1.35E-09	1.0E+06	1.3E-03
574	0.83165	5.02E-06	4.2E-06	1.05E-03	4.36E-09	2	1.57E-01	1.37E-09	1.0E+06	1.4E-03
575	0.82088	5.02E-06	4.1E-06	1.05E-03	4.31E-09	2	1.57E-01	1.35E-09	1.0E+06	1.4E-03
576	0.79747	5.02E-06	4.0E-06	1.05E-03	4.18E-09	2	1.57E-01	1.32E-09	1.0E+06	1.3E-03
577	0.76292	5.02E-06	3.8E-06	1.05E-03	4.00E-09	2	1.57E-01	1.26E-09	1.0E+06	1.3E-03
578	0.71964	5.02E-06	3.6E-06	1.05E-03	3.78E-09	2	1.57E-01	1.19E-09	1.0E+06	1.2E-03
586	0.53986	5.02E-06	2.7E-06	1.05E-03	2.83E-09	2	1.57E-01	8.90E-10	1.0E+06	8.9E-04
587	0.5754	5.02E-06	2.9E-06	1.05E-03	3.02E-09	2	1.57E-01	9.49E-10	1.0E+06	9.5E-04
588	0.61134	5.02E-06	3.1E-06	1.05E-03	3.21E-09	2	1.57E-01	1.01E-09	1.0E+06	1.0E-03
589	0.64627	5.02E-06	3.2E-06	1.05E-03	3.39E-09	2	1.57E-01	1.07E-09	1.0E+06	1.1E-03
590	0.67856	5.02E-06	3.4E-06	1.05E-03	3.56E-09	2	1.57E-01	1.12E-09	1.0E+06	1.1E-03
591	0.70623	5.02E-06	3.5E-06	1.05E-03	3.71E-09	2	1.57E-01	1.16E-09	1.0E+06	1.2E-03
592	0.72724	5.02E-06	3.7E-06	1.05E-03	3.82E-09	2	1.57E-01	1.20E-09	1.0E+06	1.2E-03

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.74236	5.02E-06	3.7E-06	1.05E-03	3.90E-09	2	1.57E-01	1.22E-09	1.0E+06	1.2E-03
594	0.73491	5.02E-06	3.7E-06	1.05E-03	3.86E-09	2	1.57E-01	1.21E-09	1.0E+06	1.2E-03
595	0.71668	5.02E-06	3.6E-06	1.05E-03	3.76E-09	2	1.57E-01	1.18E-09	1.0E+06	1.2E-03
596	0.6892	5.02E-06	3.5E-06	1.05E-03	3.62E-09	2	1.57E-01	1.14E-09	1.0E+06	1.1E-03
597	0.65433	5.02E-06	3.3E-06	1.05E-03	3.43E-09	2	1.57E-01	1.08E-09	1.0E+06	1.1E-03
345	31.6436	5.02E-06	1.6E-04	1.05E-03	1.66E-07	2	1.57E-01	5.22E-08	1.0E+06	5.2E-02
346	37.70403	5.02E-06	1.9E-04	1.05E-03	1.98E-07	2	1.57E-01	6.22E-08	1.0E+06	6.2E-02
347	39.2332	5.02E-06	2.0E-04	1.05E-03	2.06E-07	2	1.57E-01	6.47E-08	1.0E+06	6.5E-02
348	39.19156	5.02E-06	2.0E-04	1.05E-03	2.06E-07	2	1.57E-01	6.46E-08	1.0E+06	6.5E-02
359	13.08024	5.02E-06	6.6E-05	1.05E-03	6.86E-08	2	1.57E-01	2.16E-08	1.0E+06	2.2E-02
360	16.22102	5.02E-06	8.1E-05	1.05E-03	8.51E-08	2	1.57E-01	2.68E-08	1.0E+06	2.7E-02
361	17.48734	5.02E-06	8.8E-05	1.05E-03	9.18E-08	2	1.57E-01	2.88E-08	1.0E+06	2.9E-02
362	17.83663	5.02E-06	9.0E-05	1.05E-03	9.36E-08	2	1.57E-01	2.94E-08	1.0E+06	2.9E-02
363	17.69177	5.02E-06	8.9E-05	1.05E-03	9.28E-08	2	1.57E-01	2.92E-08	1.0E+06	2.9E-02
373	9.3724	5.02E-06	4.7E-05	1.05E-03	4.92E-08	2	1.57E-01	1.55E-08	1.0E+06	1.5E-02
374	10.28804	5.02E-06	5.2E-05	1.05E-03	5.40E-08	2	1.57E-01	1.70E-08	1.0E+06	1.7E-02
375	10.60684	5.02E-06	5.3E-05	1.05E-03	5.57E-08	2	1.57E-01	1.75E-08	1.0E+06	1.7E-02
376	10.53579	5.02E-06	5.3E-05	1.05E-03	5.53E-08	2	1.57E-01	1.74E-08	1.0E+06	1.7E-02
386	6.20684	5.02E-06	3.1E-05	1.05E-03	3.26E-08	2	1.57E-01	1.02E-08	1.0E+06	1.0E-02
387	6.84873	5.02E-06	3.4E-05	1.05E-03	3.59E-08	2	1.57E-01	1.13E-08	1.0E+06	1.1E-02
388	7.11549	5.02E-06	3.6E-05	1.05E-03	3.73E-08	2	1.57E-01	1.17E-08	1.0E+06	1.2E-02
389	7.09486	5.02E-06	3.6E-05	1.05E-03	3.72E-08	2	1.57E-01	1.17E-08	1.0E+06	1.2E-02
390	6.82497	5.02E-06	3.4E-05	1.05E-03	3.58E-08	2	1.57E-01	1.13E-08	1.0E+06	1.1E-02
400	4.45344	5.02E-06	2.2E-05	1.05E-03	2.34E-08	2	1.57E-01	7.34E-09	1.0E+06	7.3E-03
401	4.90114	5.02E-06	2.5E-05	1.05E-03	2.57E-08	2	1.57E-01	8.08E-09	1.0E+06	8.1E-03
402	5.12058	5.02E-06	2.6E-05	1.05E-03	2.69E-08	2	1.57E-01	8.44E-09	1.0E+06	8.4E-03
403	5.12602	5.02E-06	2.6E-05	1.05E-03	2.69E-08	2	1.57E-01	8.45E-09	1.0E+06	8.5E-03
404	4.94528	5.02E-06	2.5E-05	1.05E-03	2.59E-08	2	1.57E-01	8.16E-09	1.0E+06	8.2E-03
415	3.37031	5.02E-06	1.7E-05	1.05E-03	1.77E-08	2	1.57E-01	5.56E-09	1.0E+06	5.6E-03
416	3.69022	5.02E-06	1.9E-05	1.05E-03	1.94E-08	2	1.57E-01	6.09E-09	1.0E+06	6.1E-03
417	3.86092	5.02E-06	1.9E-05	1.05E-03	2.03E-08	2	1.57E-01	6.37E-09	1.0E+06	6.4E-03

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	3.88783	5.02E-06	2.0E-05	1.05E-03	2.04E-08	2	1.57E-01	6.41E-09	1.0E+06	6.4E-03
419	3.7737	5.02E-06	1.9E-05	1.05E-03	1.98E-08	2	1.57E-01	6.22E-09	1.0E+06	6.2E-03
420	3.51293	5.02E-06	1.8E-05	1.05E-03	1.84E-08	2	1.57E-01	5.79E-09	1.0E+06	5.8E-03
430	2.88099	5.02E-06	1.4E-05	1.05E-03	1.51E-08	2	1.57E-01	4.75E-09	1.0E+06	4.8E-03
431	3.0175	5.02E-06	1.5E-05	1.05E-03	1.58E-08	2	1.57E-01	4.98E-09	1.0E+06	5.0E-03
432	3.04782	5.02E-06	1.5E-05	1.05E-03	1.60E-08	2	1.57E-01	5.03E-09	1.0E+06	5.0E-03
433	2.97421	5.02E-06	1.5E-05	1.05E-03	1.56E-08	2	1.57E-01	4.90E-09	1.0E+06	4.9E-03
434	2.80201	5.02E-06	1.4E-05	1.05E-03	1.47E-08	2	1.57E-01	4.62E-09	1.0E+06	4.6E-03
444	2.31474	5.02E-06	1.2E-05	1.05E-03	1.21E-08	2	1.57E-01	3.82E-09	1.0E+06	3.8E-03
445	2.4215	5.02E-06	1.2E-05	1.05E-03	1.27E-08	2	1.57E-01	3.99E-09	1.0E+06	4.0E-03
446	2.4525	5.02E-06	1.2E-05	1.05E-03	1.29E-08	2	1.57E-01	4.04E-09	1.0E+06	4.0E-03
447	2.40625	5.02E-06	1.2E-05	1.05E-03	1.26E-08	2	1.57E-01	3.97E-09	1.0E+06	4.0E-03
448	2.28683	5.02E-06	1.1E-05	1.05E-03	1.20E-08	2	1.57E-01	3.77E-09	1.0E+06	3.8E-03
459	1.98654	5.02E-06	1.0E-05	1.05E-03	1.04E-08	2	1.57E-01	3.28E-09	1.0E+06	3.3E-03
460	2.0157	5.02E-06	1.0E-05	1.05E-03	1.06E-08	2	1.57E-01	3.32E-09	1.0E+06	3.3E-03
461	1.98679	5.02E-06	1.0E-05	1.05E-03	1.04E-08	2	1.57E-01	3.28E-09	1.0E+06	3.3E-03
462	1.90271	5.02E-06	9.6E-06	1.05E-03	9.98E-09	2	1.57E-01	3.14E-09	1.0E+06	3.1E-03
463	1.7704	5.02E-06	8.9E-06	1.05E-03	9.29E-09	2	1.57E-01	2.92E-09	1.0E+06	2.9E-03
474	1.65924	5.02E-06	8.3E-06	1.05E-03	8.71E-09	2	1.57E-01	2.74E-09	1.0E+06	2.7E-03
475	1.68558	5.02E-06	8.5E-06	1.05E-03	8.84E-09	2	1.57E-01	2.78E-09	1.0E+06	2.8E-03
476	1.66881	5.02E-06	8.4E-06	1.05E-03	8.76E-09	2	1.57E-01	2.75E-09	1.0E+06	2.8E-03
477	1.60874	5.02E-06	8.1E-06	1.05E-03	8.44E-09	2	1.57E-01	2.65E-09	1.0E+06	2.7E-03
478	1.51197	5.02E-06	7.6E-06	1.05E-03	7.93E-09	2	1.57E-01	2.49E-09	1.0E+06	2.5E-03
495	1.40744	5.02E-06	7.1E-06	1.05E-03	7.39E-09	2	1.57E-01	2.32E-09	1.0E+06	2.3E-03
496	1.43081	5.02E-06	7.2E-06	1.05E-03	7.51E-09	2	1.57E-01	2.36E-09	1.0E+06	2.4E-03
497	1.42133	5.02E-06	7.1E-06	1.05E-03	7.46E-09	2	1.57E-01	2.34E-09	1.0E+06	2.3E-03
498	1.37883	5.02E-06	6.9E-06	1.05E-03	7.24E-09	2	1.57E-01	2.27E-09	1.0E+06	2.3E-03
499	1.30699	5.02E-06	6.6E-06	1.05E-03	6.86E-09	2	1.57E-01	2.16E-09	1.0E+06	2.2E-03
500	1.21222	5.02E-06	6.1E-06	1.05E-03	6.36E-09	2	1.57E-01	2.00E-09	1.0E+06	2.0E-03

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction							
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
139	0.63846	5.02E-06	3.2E-06	1.05E-03	3.35E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	0.66587	5.02E-06	3.3E-06	1.05E-03	3.49E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	0.72799	5.02E-06	3.7E-06	1.05E-03	3.82E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	0.76295	5.02E-06	3.8E-06	1.05E-03	4.00E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	0.79463	5.02E-06	4.0E-06	1.05E-03	4.17E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	0.82138	5.02E-06	4.1E-06	1.05E-03	4.31E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	0.84283	5.02E-06	4.2E-06	1.05E-03	4.42E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	0.87417	5.02E-06	4.4E-06	1.05E-03	4.59E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	0.88615	5.02E-06	4.4E-06	1.05E-03	4.65E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	0.89723	5.02E-06	4.5E-06	1.05E-03	4.71E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	0.88282	5.02E-06	4.4E-06	1.05E-03	4.63E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	0.92656	5.02E-06	4.7E-06	1.05E-03	4.86E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	0.96226	5.02E-06	4.8E-06	1.05E-03	5.05E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	0.99157	5.02E-06	5.0E-06	1.05E-03	5.20E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	1.01526	5.02E-06	5.1E-06	1.05E-03	5.33E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	1.03555	5.02E-06	5.2E-06	1.05E-03	5.43E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	1.05272	5.02E-06	5.3E-06	1.05E-03	5.52E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	1.06904	5.02E-06	5.4E-06	1.05E-03	5.61E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	1.08478	5.02E-06	5.4E-06	1.05E-03	5.69E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	1.09977	5.02E-06	5.5E-06	1.05E-03	5.77E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	1.1128	5.02E-06	5.6E-06	1.05E-03	5.84E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	1.09622	5.02E-06	5.5E-06	1.05E-03	5.75E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	1.14493	5.02E-06	5.7E-06	1.05E-03	6.01E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	1.18654	5.02E-06	6.0E-06	1.05E-03	6.23E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	1.22089	5.02E-06	6.1E-06	1.05E-03	6.41E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	1.25066	5.02E-06	6.3E-06	1.05E-03	6.56E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	1.27643	5.02E-06	6.4E-06	1.05E-03	6.70E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	1.29872	5.02E-06	6.5E-06	1.05E-03	6.81E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	1.31865	5.02E-06	6.6E-06	1.05E-03	6.92E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	1.33468	5.02E-06	6.7E-06	1.05E-03	7.00E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	1.34479	5.02E-06	6.8E-06	1.05E-03	7.06E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	1.34615	5.02E-06	6.8E-06	1.05E-03	7.06E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	1.32044	5.02E-06	6.6E-06	1.05E-03	6.93E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	1.38978	5.02E-06	7.0E-06	1.05E-03	7.29E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	1.44973	5.02E-06	7.3E-06	1.05E-03	7.61E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	1.50194	5.02E-06	7.5E-06	1.05E-03	7.88E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	1.54696	5.02E-06	7.8E-06	1.05E-03	8.12E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	1.58464	5.02E-06	8.0E-06	1.05E-03	8.32E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	1.61481	5.02E-06	8.1E-06	1.05E-03	8.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	1.63595	5.02E-06	8.2E-06	1.05E-03	8.58E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	1.64682	5.02E-06	8.3E-06	1.05E-03	8.64E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	1.64523	5.02E-06	8.3E-06	1.05E-03	8.63E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	1.6283	5.02E-06	8.2E-06	1.05E-03	8.54E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	1.59281	5.02E-06	8.0E-06	1.05E-03	8.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	1.50141	5.02E-06	7.5E-06	1.05E-03	7.88E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	1.62516	5.02E-06	8.2E-06	1.05E-03	8.53E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	1.72796	5.02E-06	8.7E-06	1.05E-03	9.07E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	1.82015	5.02E-06	9.1E-06	1.05E-03	9.55E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	1.9703	5.02E-06	9.9E-06	1.05E-03	1.03E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	2.02343	5.02E-06	1.0E-05	1.05E-03	1.06E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	2.0576	5.02E-06	1.0E-05	1.05E-03	1.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	2.0718	5.02E-06	1.0E-05	1.05E-03	1.09E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	2.06486	5.02E-06	1.0E-05	1.05E-03	1.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	2.03499	5.02E-06	1.0E-05	1.05E-03	1.07E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	1.97932	5.02E-06	9.9E-06	1.05E-03	1.04E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	1.89547	5.02E-06	9.5E-06	1.05E-03	9.95E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	1.78696	5.02E-06	9.0E-06	1.05E-03	9.38E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	1.87782	5.02E-06	9.4E-06	1.05E-03	9.85E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	2.05838	5.02E-06	1.0E-05	1.05E-03	1.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	2.21805	5.02E-06	1.1E-05	1.05E-03	1.16E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	2.36622	5.02E-06	1.2E-05	1.05E-03	1.24E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	2.49683	5.02E-06	1.3E-05	1.05E-03	1.31E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	2.59813	5.02E-06	1.3E-05	1.05E-03	1.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	2.66763	5.02E-06	1.3E-05	1.05E-03	1.40E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	2.682	5.02E-06	1.3E-05	1.05E-03	1.41E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	2.63012	5.02E-06	1.3E-05	1.05E-03	1.38E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	2.53933	5.02E-06	1.3E-05	1.05E-03	1.33E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	2.408	5.02E-06	1.2E-05	1.05E-03	1.26E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	2.24018	5.02E-06	1.1E-05	1.05E-03	1.18E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	2.04693	5.02E-06	1.0E-05	1.05E-03	1.07E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	2.4174	5.02E-06	1.2E-05	1.05E-03	1.27E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	2.70157	5.02E-06	1.4E-05	1.05E-03	1.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	2.9599	5.02E-06	1.5E-05	1.05E-03	1.55E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	3.21486	5.02E-06	1.6E-05	1.05E-03	1.69E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	3.43153	5.02E-06	1.7E-05	1.05E-03	1.80E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	3.58556	5.02E-06	1.8E-05	1.05E-03	1.88E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	3.65764	5.02E-06	1.8E-05	1.05E-03	1.92E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	3.55087	5.02E-06	1.8E-05	1.05E-03	1.86E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	3.39598	5.02E-06	1.7E-05	1.05E-03	1.78E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	3.18149	5.02E-06	1.6E-05	1.05E-03	1.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	2.91082	5.02E-06	1.5E-05	1.05E-03	1.53E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	2.6041	5.02E-06	1.3E-05	1.05E-03	1.37E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	2.28826	5.02E-06	1.1E-05	1.05E-03	1.20E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	3.24779	5.02E-06	1.6E-05	1.05E-03	1.70E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	3.73534	5.02E-06	1.9E-05	1.05E-03	1.96E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	4.2141	5.02E-06	2.1E-05	1.05E-03	2.21E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	4.63866	5.02E-06	2.3E-05	1.05E-03	2.43E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	5.01032	5.02E-06	2.5E-05	1.05E-03	2.63E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	5.21183	5.02E-06	2.6E-05	1.05E-03	2.73E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	5.23746	5.02E-06	2.6E-05	1.05E-03	2.75E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	4.82094	5.02E-06	2.4E-05	1.05E-03	2.53E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	4.44447	5.02E-06	2.2E-05	1.05E-03	2.33E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	3.97726	5.02E-06	2.0E-05	1.05E-03	2.09E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	3.45444	5.02E-06	1.7E-05	1.05E-03	1.81E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	2.93428	5.02E-06	1.5E-05	1.05E-03	1.54E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	2.46163	5.02E-06	1.2E-05	1.05E-03	1.29E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	1.45221	5.02E-06	7.3E-06	1.05E-03	7.62E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	1.23289	5.02E-06	6.2E-06	1.05E-03	6.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	4.65784	5.02E-06	2.3E-05	1.05E-03	2.44E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	5.59237	5.02E-06	2.8E-05	1.05E-03	2.93E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	6.54527	5.02E-06	3.3E-05	1.05E-03	3.43E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	7.3131	5.02E-06	3.7E-05	1.05E-03	3.84E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	7.8709	5.02E-06	4.0E-05	1.05E-03	4.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	8.08193	5.02E-06	4.1E-05	1.05E-03	4.24E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	7.92368	5.02E-06	4.0E-05	1.05E-03	4.16E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	6.75703	5.02E-06	3.4E-05	1.05E-03	3.55E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	5.87143	5.02E-06	2.9E-05	1.05E-03	3.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	4.88351	5.02E-06	2.5E-05	1.05E-03	2.56E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	3.93896	5.02E-06	2.0E-05	1.05E-03	2.07E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	3.13988	5.02E-06	1.6E-05	1.05E-03	1.65E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	2.50859	5.02E-06	1.3E-05	1.05E-03	1.32E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	1.37471	5.02E-06	6.9E-06	1.05E-03	7.21E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	1.15701	5.02E-06	5.8E-06	1.05E-03	6.07E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	7.52043	5.02E-06	3.8E-05	1.05E-03	3.95E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	9.68706	5.02E-06	4.9E-05	1.05E-03	5.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	11.63073	5.02E-06	5.8E-05	1.05E-03	6.10E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	12.97178	5.02E-06	6.5E-05	1.05E-03	6.81E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	13.67129	5.02E-06	6.9E-05	1.05E-03	7.17E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	13.795	5.02E-06	6.9E-05	1.05E-03	7.24E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	13.25751	5.02E-06	6.7E-05	1.05E-03	6.96E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	9.99981	5.02E-06	5.0E-05	1.05E-03	5.25E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	7.73637	5.02E-06	3.9E-05	1.05E-03	4.06E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	5.68333	5.02E-06	2.9E-05	1.05E-03	2.98E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	4.16271	5.02E-06	2.1E-05	1.05E-03	2.18E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	3.11324	5.02E-06	1.6E-05	1.05E-03	1.63E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	2.3932	5.02E-06	1.2E-05	1.05E-03	1.26E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	1.26431	5.02E-06	6.3E-06	1.05E-03	6.63E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	1.06376	5.02E-06	5.3E-06	1.05E-03	5.58E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	16.35316	5.02E-06	8.2E-05	1.05E-03	8.58E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	22.5698	5.02E-06	1.1E-04	1.05E-03	1.18E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	26.07239	5.02E-06	1.3E-04	1.05E-03	1.37E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	28.12116	5.02E-06	1.4E-04	1.05E-03	1.48E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	29.01248	5.02E-06	1.5E-04	1.05E-03	1.52E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	29.04454	5.02E-06	1.5E-04	1.05E-03	1.52E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	27.80887	5.02E-06	1.4E-04	1.05E-03	1.46E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	15.97383	5.02E-06	8.0E-05	1.05E-03	8.38E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	9.34896	5.02E-06	4.7E-05	1.05E-03	4.91E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	5.79472	5.02E-06	2.9E-05	1.05E-03	3.04E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	3.91326	5.02E-06	2.0E-05	1.05E-03	2.05E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	2.82757	5.02E-06	1.4E-05	1.05E-03	1.48E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	2.14863	5.02E-06	1.1E-05	1.05E-03	1.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	1.14559	5.02E-06	5.8E-06	1.05E-03	6.01E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	0.97022	5.02E-06	4.9E-06	1.05E-03	5.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	8.56935	5.02E-06	4.3E-05	1.05E-03	4.50E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	18.24856	5.02E-06	9.2E-05	1.05E-03	9.58E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	21.42517	5.02E-06	1.1E-04	1.05E-03	1.12E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	29.52334	5.02E-06	1.5E-04	1.05E-03	1.55E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	25.22722	5.02E-06	1.3E-04	1.05E-03	1.32E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	22.34156	5.02E-06	1.1E-04	1.05E-03	1.17E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	20.01559	5.02E-06	1.0E-04	1.05E-03	1.05E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	25.6862	5.02E-06	1.3E-04	1.05E-03	1.35E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	20.15965	5.02E-06	1.0E-04	1.05E-03	1.06E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	8.3698	5.02E-06	4.2E-05	1.05E-03	4.39E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	4.88057	5.02E-06	2.5E-05	1.05E-03	2.56E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	3.29979	5.02E-06	1.7E-05	1.05E-03	1.73E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	2.42096	5.02E-06	1.2E-05	1.05E-03	1.27E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	1.87013	5.02E-06	9.4E-06	1.05E-03	9.81E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	1.23427	5.02E-06	6.2E-06	1.05E-03	6.48E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	1.03901	5.02E-06	5.2E-06	1.05E-03	5.45E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.88875	5.02E-06	4.5E-06	1.05E-03	4.66E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	38.67467	5.02E-06	1.9E-04	1.05E-03	2.03E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	37.59395	5.02E-06	1.9E-04	1.05E-03	1.97E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	34.97104	5.02E-06	1.8E-04	1.05E-03	1.84E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	27.36317	5.02E-06	1.4E-04	1.05E-03	1.44E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	1.11946	5.02E-06	5.6E-06	1.05E-03	5.87E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	0.95315	5.02E-06	4.8E-06	1.05E-03	5.00E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.82285	5.02E-06	4.1E-06	1.05E-03	4.32E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	17.02896	5.02E-06	8.5E-05	1.05E-03	8.94E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	15.53378	5.02E-06	7.8E-05	1.05E-03	8.15E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	12.42997	5.02E-06	6.2E-05	1.05E-03	6.52E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	1.02973	5.02E-06	5.2E-06	1.05E-03	5.40E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	0.88398	5.02E-06	4.4E-06	1.05E-03	4.64E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.76895	5.02E-06	3.9E-06	1.05E-03	4.03E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	10.12106	5.02E-06	5.1E-05	1.05E-03	5.31E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	9.22071	5.02E-06	4.6E-05	1.05E-03	4.84E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	7.64992	5.02E-06	3.8E-05	1.05E-03	4.01E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	0.95345	5.02E-06	4.8E-06	1.05E-03	5.00E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	0.82373	5.02E-06	4.1E-06	1.05E-03	4.32E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.7218	5.02E-06	3.6E-06	1.05E-03	3.79E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	6.25349	5.02E-06	3.1E-05	1.05E-03	3.28E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	5.34478	5.02E-06	2.7E-05	1.05E-03	2.80E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	0.88592	5.02E-06	4.4E-06	1.05E-03	4.65E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.77134	5.02E-06	3.9E-06	1.05E-03	4.05E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.67996	5.02E-06	3.4E-06	1.05E-03	3.57E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	4.57746	5.02E-06	2.3E-05	1.05E-03	2.40E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	4.01145	5.02E-06	2.0E-05	1.05E-03	2.10E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	3.31597	5.02E-06	1.7E-05	1.05E-03	1.74E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	0.82547	5.02E-06	4.1E-06	1.05E-03	4.33E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.72296	5.02E-06	3.6E-06	1.05E-03	3.79E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.64145	5.02E-06	3.2E-06	1.05E-03	3.37E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	3.1445	5.02E-06	1.6E-05	1.05E-03	1.65E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	2.68562	5.02E-06	1.3E-05	1.05E-03	1.41E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.76983	5.02E-06	3.9E-06	1.05E-03	4.04E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.67845	5.02E-06	3.4E-06	1.05E-03	3.56E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.60496	5.02E-06	3.0E-06	1.05E-03	3.17E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	2.54039	5.02E-06	1.3E-05	1.05E-03	1.33E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	2.22582	5.02E-06	1.1E-05	1.05E-03	1.17E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.63747	5.02E-06	3.2E-06	1.05E-03	3.35E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.57026	5.02E-06	2.9E-06	1.05E-03	2.99E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	2.10044	5.02E-06	1.1E-05	1.05E-03	1.10E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	1.87753	5.02E-06	9.4E-06	1.05E-03	9.85E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	1.63131	5.02E-06	8.2E-06	1.05E-03	8.56E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.59909	5.02E-06	3.0E-06	1.05E-03	3.14E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.53822	5.02E-06	2.7E-06	1.05E-03	2.82E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	1.60474	5.02E-06	8.1E-06	1.05E-03	8.42E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	1.42093	5.02E-06	7.1E-06	1.05E-03	7.46E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.7097	5.02E-06	3.6E-06	1.05E-03	3.72E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.56375	5.02E-06	2.8E-06	1.05E-03	2.96E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.50858	5.02E-06	2.6E-06	1.05E-03	2.67E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	1.38395	5.02E-06	6.9E-06	1.05E-03	7.26E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	1.24722	5.02E-06	6.3E-06	1.05E-03	6.54E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	1.10368	5.02E-06	5.5E-06	1.05E-03	5.79E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	0.96958	5.02E-06	4.9E-06	1.05E-03	5.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	0.84846	5.02E-06	4.3E-06	1.05E-03	4.45E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.7468	5.02E-06	3.7E-06	1.05E-03	3.92E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.66126	5.02E-06	3.3E-06	1.05E-03	3.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.5906	5.02E-06	3.0E-06	1.05E-03	3.10E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.5312	5.02E-06	2.7E-06	1.05E-03	2.79E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.48089	5.02E-06	2.4E-06	1.05E-03	2.52E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	1.10045	5.02E-06	5.5E-06	1.05E-03	5.77E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	0.99063	5.02E-06	5.0E-06	1.05E-03	5.20E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	0.88128	5.02E-06	4.4E-06	1.05E-03	4.62E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	0.78052	5.02E-06	3.9E-06	1.05E-03	4.10E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	0.69245	5.02E-06	3.5E-06	1.05E-03	3.63E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.6173	5.02E-06	3.1E-06	1.05E-03	3.24E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.55438	5.02E-06	2.8E-06	1.05E-03	2.91E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.45516	5.02E-06	2.3E-06	1.05E-03	2.39E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.9818	5.02E-06	4.9E-06	1.05E-03	5.15E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	0.88906	5.02E-06	4.5E-06	1.05E-03	4.67E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	0.80296	5.02E-06	4.0E-06	1.05E-03	4.21E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	0.71858	5.02E-06	3.6E-06	1.05E-03	3.77E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	0.64282	5.02E-06	3.2E-06	1.05E-03	3.37E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.57692	5.02E-06	2.9E-06	1.05E-03	3.03E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.52072	5.02E-06	2.6E-06	1.05E-03	2.73E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.4311	5.02E-06	2.2E-06	1.05E-03	2.26E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.88113	5.02E-06	4.4E-06	1.05E-03	4.62E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.80738	5.02E-06	4.1E-06	1.05E-03	4.24E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	0.73212	5.02E-06	3.7E-06	1.05E-03	3.84E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	0.66114	5.02E-06	3.3E-06	1.05E-03	3.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	0.59757	5.02E-06	3.0E-06	1.05E-03	3.14E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.53971	5.02E-06	2.7E-06	1.05E-03	2.83E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.48882	5.02E-06	2.5E-06	1.05E-03	2.57E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.40858	5.02E-06	2.1E-06	1.05E-03	2.14E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.7345	5.02E-06	3.7E-06	1.05E-03	3.85E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.67306	5.02E-06	3.4E-06	1.05E-03	3.53E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.61239	5.02E-06	3.1E-06	1.05E-03	3.21E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.55431	5.02E-06	2.8E-06	1.05E-03	2.91E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.50494	5.02E-06	2.5E-06	1.05E-03	2.65E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.46129	5.02E-06	2.3E-06	1.05E-03	2.42E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.388	5.02E-06	1.9E-06	1.05E-03	2.04E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.67042	5.02E-06	3.4E-06	1.05E-03	3.52E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.61916	5.02E-06	3.1E-06	1.05E-03	3.25E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.56831	5.02E-06	2.9E-06	1.05E-03	2.98E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.51949	5.02E-06	2.6E-06	1.05E-03	2.73E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.47455	5.02E-06	2.4E-06	1.05E-03	2.49E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.43428	5.02E-06	2.2E-06	1.05E-03	2.28E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.36005	5.02E-06	1.8E-06	1.05E-03	1.89E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.61426	5.02E-06	3.1E-06	1.05E-03	3.22E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.57098	5.02E-06	2.9E-06	1.05E-03	3.00E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.52755	5.02E-06	2.6E-06	1.05E-03	2.77E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.48552	5.02E-06	2.4E-06	1.05E-03	2.55E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.44618	5.02E-06	2.2E-06	1.05E-03	2.34E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.4106	5.02E-06	2.1E-06	1.05E-03	2.15E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.37846	5.02E-06	1.9E-06	1.05E-03	1.99E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
1	1	0.21235	5.02E-06	1.1E-06	6.05E-04	6.45E-10	14	4.71E-02	4.26E-10	1.0E+06	4.3E-04
2	2	0.22215	5.02E-06	1.1E-06	6.05E-04	6.75E-10	14	4.71E-02	4.45E-10	1.0E+06	4.5E-04
3	3	0.23232	5.02E-06	1.2E-06	6.05E-04	7.06E-10	14	4.71E-02	4.66E-10	1.0E+06	4.7E-04
4	4	0.24292	5.02E-06	1.2E-06	6.05E-04	7.38E-10	14	4.71E-02	4.87E-10	1.0E+06	4.9E-04
5	5	0.25396	5.02E-06	1.3E-06	6.05E-04	7.71E-10	14	4.71E-02	5.09E-10	1.0E+06	5.1E-04
6	6	0.26561	5.02E-06	1.3E-06	6.05E-04	8.07E-10	14	4.71E-02	5.33E-10	1.0E+06	5.3E-04
7	7	0.2776	5.02E-06	1.4E-06	6.05E-04	8.43E-10	14	4.71E-02	5.57E-10	1.0E+06	5.6E-04
8	8	0.28981	5.02E-06	1.5E-06	6.05E-04	8.80E-10	14	4.71E-02	5.81E-10	1.0E+06	5.8E-04
9	9	0.30224	5.02E-06	1.5E-06	6.05E-04	9.18E-10	14	4.71E-02	6.06E-10	1.0E+06	6.1E-04
10	10	0.31475	5.02E-06	1.6E-06	6.05E-04	9.56E-10	14	4.71E-02	6.31E-10	1.0E+06	6.3E-04
11	11	0.32716	5.02E-06	1.6E-06	6.05E-04	9.94E-10	14	4.71E-02	6.56E-10	1.0E+06	6.6E-04
12	12	0.3393	5.02E-06	1.7E-06	6.05E-04	1.03E-09	14	4.71E-02	6.80E-10	1.0E+06	6.8E-04
13	13	0.35114	5.02E-06	1.8E-06	6.05E-04	1.07E-09	14	4.71E-02	7.04E-10	1.0E+06	7.0E-04
14	14	0.36232	5.02E-06	1.8E-06	6.05E-04	1.10E-09	14	4.71E-02	7.26E-10	1.0E+06	7.3E-04
15	15	0.37271	5.02E-06	1.9E-06	6.05E-04	1.13E-09	14	4.71E-02	7.47E-10	1.0E+06	7.5E-04
16	16	0.38202	5.02E-06	1.9E-06	6.05E-04	1.16E-09	14	4.71E-02	7.66E-10	1.0E+06	7.7E-04
17	17	0.39029	5.02E-06	2.0E-06	6.05E-04	1.19E-09	14	4.71E-02	7.82E-10	1.0E+06	7.8E-04
18	18	0.39713	5.02E-06	2.0E-06	6.05E-04	1.21E-09	14	4.71E-02	7.96E-10	1.0E+06	8.0E-04
19	19	0.40265	5.02E-06	2.0E-06	6.05E-04	1.22E-09	14	4.71E-02	8.07E-10	1.0E+06	8.1E-04
20	20	0.40685	5.02E-06	2.0E-06	6.05E-04	1.24E-09	14	4.71E-02	8.16E-10	1.0E+06	8.2E-04
21	21	0.40979	5.02E-06	2.1E-06	6.05E-04	1.24E-09	14	4.71E-02	8.22E-10	1.0E+06	8.2E-04
22	22	0.41178	5.02E-06	2.1E-06	6.05E-04	1.25E-09	14	4.71E-02	8.26E-10	1.0E+06	8.3E-04
23	23	0.41303	5.02E-06	2.1E-06	6.05E-04	1.25E-09	14	4.71E-02	8.28E-10	1.0E+06	8.3E-04
24	24	0.41399	5.02E-06	2.1E-06	6.05E-04	1.26E-09	14	4.71E-02	8.30E-10	1.0E+06	8.3E-04
25	25	0.4151	5.02E-06	2.1E-06	6.05E-04	1.26E-09	14	4.71E-02	8.32E-10	1.0E+06	8.3E-04
26	26	0.41674	5.02E-06	2.1E-06	6.05E-04	1.27E-09	14	4.71E-02	8.36E-10	1.0E+06	8.4E-04
27	27	0.41922	5.02E-06	2.1E-06	6.05E-04	1.27E-09	14	4.71E-02	8.40E-10	1.0E+06	8.4E-04
28	28	0.42266	5.02E-06	2.1E-06	6.05E-04	1.28E-09	14	4.71E-02	8.47E-10	1.0E+06	8.5E-04
29	29	0.42715	5.02E-06	2.1E-06	6.05E-04	1.30E-09	14	4.71E-02	8.56E-10	1.0E+06	8.6E-04
30	30	0.4325	5.02E-06	2.2E-06	6.05E-04	1.31E-09	14	4.71E-02	8.67E-10	1.0E+06	8.7E-04
31	31	0.43837	5.02E-06	2.2E-06	6.05E-04	1.33E-09	14	4.71E-02	8.79E-10	1.0E+06	8.8E-04

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
32	32	0.44428	5.02E-06	2.2E-06	6.05E-04	1.35E-09	14	4.71E-02	8.91E-10	1.0E+06	8.9E-04
55	55	0.4572	5.02E-06	2.3E-06	6.05E-04	1.39E-09	14	4.71E-02	9.17E-10	1.0E+06	9.2E-04
56	56	0.4589	5.02E-06	2.3E-06	6.05E-04	1.39E-09	14	4.71E-02	9.20E-10	1.0E+06	9.2E-04
57	57	0.46054	5.02E-06	2.3E-06	6.05E-04	1.40E-09	14	4.71E-02	9.23E-10	1.0E+06	9.2E-04
58	58	0.46242	5.02E-06	2.3E-06	6.05E-04	1.40E-09	14	4.71E-02	9.27E-10	1.0E+06	9.3E-04
59	59	0.46497	5.02E-06	2.3E-06	6.05E-04	1.41E-09	14	4.71E-02	9.32E-10	1.0E+06	9.3E-04
60	60	0.46851	5.02E-06	2.4E-06	6.05E-04	1.42E-09	14	4.71E-02	9.39E-10	1.0E+06	9.4E-04
61	61	0.47332	5.02E-06	2.4E-06	6.05E-04	1.44E-09	14	4.71E-02	9.49E-10	1.0E+06	9.5E-04
62	62	0.4791	5.02E-06	2.4E-06	6.05E-04	1.46E-09	14	4.71E-02	9.61E-10	1.0E+06	9.6E-04
63	63	0.48559	5.02E-06	2.4E-06	6.05E-04	1.48E-09	14	4.71E-02	9.74E-10	1.0E+06	9.7E-04
64	64	0.49224	5.02E-06	2.5E-06	6.05E-04	1.50E-09	14	4.71E-02	9.87E-10	1.0E+06	9.9E-04
65	65	0.49838	5.02E-06	2.5E-06	6.05E-04	1.51E-09	14	4.71E-02	9.99E-10	1.0E+06	1.0E-03
66	66	0.50355	5.02E-06	2.5E-06	6.05E-04	1.53E-09	14	4.71E-02	1.01E-09	1.0E+06	1.0E-03
67	67	0.23502	5.02E-06	1.2E-06	6.05E-04	7.14E-10	14	4.71E-02	4.71E-10	1.0E+06	4.7E-04
68	68	0.24733	5.02E-06	1.2E-06	6.05E-04	7.51E-10	14	4.71E-02	4.96E-10	1.0E+06	5.0E-04
69	69	0.26031	5.02E-06	1.3E-06	6.05E-04	7.91E-10	14	4.71E-02	5.22E-10	1.0E+06	5.2E-04
70	70	0.27402	5.02E-06	1.4E-06	6.05E-04	8.32E-10	14	4.71E-02	5.49E-10	1.0E+06	5.5E-04
71	71	0.28829	5.02E-06	1.4E-06	6.05E-04	8.76E-10	14	4.71E-02	5.78E-10	1.0E+06	5.8E-04
72	72	0.30356	5.02E-06	1.5E-06	6.05E-04	9.22E-10	14	4.71E-02	6.09E-10	1.0E+06	6.1E-04
73	73	0.31942	5.02E-06	1.6E-06	6.05E-04	9.70E-10	14	4.71E-02	6.40E-10	1.0E+06	6.4E-04
74	74	0.33583	5.02E-06	1.7E-06	6.05E-04	1.02E-09	14	4.71E-02	6.73E-10	1.0E+06	6.7E-04
75	75	0.35271	5.02E-06	1.8E-06	6.05E-04	1.07E-09	14	4.71E-02	7.07E-10	1.0E+06	7.1E-04
76	76	0.36999	5.02E-06	1.9E-06	6.05E-04	1.12E-09	14	4.71E-02	7.42E-10	1.0E+06	7.4E-04
77	77	0.3875	5.02E-06	1.9E-06	6.05E-04	1.18E-09	14	4.71E-02	7.77E-10	1.0E+06	7.8E-04
78	78	0.4051	5.02E-06	2.0E-06	6.05E-04	1.23E-09	14	4.71E-02	8.12E-10	1.0E+06	8.1E-04
79	79	0.47935	5.02E-06	2.4E-06	6.05E-04	1.46E-09	14	4.71E-02	9.61E-10	1.0E+06	9.6E-04
80	80	0.4894	5.02E-06	2.5E-06	6.05E-04	1.49E-09	14	4.71E-02	9.81E-10	1.0E+06	9.8E-04
81	81	0.4977	5.02E-06	2.5E-06	6.05E-04	1.51E-09	14	4.71E-02	9.98E-10	1.0E+06	1.0E-03
82	82	0.50384	5.02E-06	2.5E-06	6.05E-04	1.53E-09	14	4.71E-02	1.01E-09	1.0E+06	1.0E-03
83	83	0.50839	5.02E-06	2.6E-06	6.05E-04	1.54E-09	14	4.71E-02	1.02E-09	1.0E+06	1.0E-03
84	84	0.51149	5.02E-06	2.6E-06	6.05E-04	1.55E-09	14	4.71E-02	1.03E-09	1.0E+06	1.0E-03

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
85	85	0.51398	5.02E-06	2.6E-06	6.05E-04	1.56E-09	14	4.71E-02	1.03E-09	1.0E+06	1.0E-03
86	86	0.51641	5.02E-06	2.6E-06	6.05E-04	1.57E-09	14	4.71E-02	1.04E-09	1.0E+06	1.0E-03
87	87	0.51931	5.02E-06	2.6E-06	6.05E-04	1.58E-09	14	4.71E-02	1.04E-09	1.0E+06	1.0E-03
88	88	0.5232	5.02E-06	2.6E-06	6.05E-04	1.59E-09	14	4.71E-02	1.05E-09	1.0E+06	1.0E-03
89	89	0.52825	5.02E-06	2.7E-06	6.05E-04	1.60E-09	14	4.71E-02	1.06E-09	1.0E+06	1.1E-03
90	90	0.53447	5.02E-06	2.7E-06	6.05E-04	1.62E-09	14	4.71E-02	1.07E-09	1.0E+06	1.1E-03
91	91	0.54169	5.02E-06	2.7E-06	6.05E-04	1.65E-09	14	4.71E-02	1.09E-09	1.0E+06	1.1E-03
92	92	0.54904	5.02E-06	2.8E-06	6.05E-04	1.67E-09	14	4.71E-02	1.10E-09	1.0E+06	1.1E-03
93	93	0.55607	5.02E-06	2.8E-06	6.05E-04	1.69E-09	14	4.71E-02	1.11E-09	1.0E+06	1.1E-03
96	96	0.5856	5.02E-06	2.9E-06	6.05E-04	1.78E-09	14	4.71E-02	1.17E-09	1.0E+06	1.2E-03
97	97	0.59453	5.02E-06	3.0E-06	6.05E-04	1.81E-09	14	4.71E-02	1.19E-09	1.0E+06	1.2E-03
98	98	0.59433	5.02E-06	3.0E-06	6.05E-04	1.81E-09	14	4.71E-02	1.19E-09	1.0E+06	1.2E-03
99	99	0.60125	5.02E-06	3.0E-06	6.05E-04	1.83E-09	14	4.71E-02	1.21E-09	1.0E+06	1.2E-03
100	100	0.60913	5.02E-06	3.1E-06	6.05E-04	1.85E-09	14	4.71E-02	1.22E-09	1.0E+06	1.2E-03
101	101	0.61736	5.02E-06	3.1E-06	6.05E-04	1.88E-09	14	4.71E-02	1.24E-09	1.0E+06	1.2E-03
102	102	0.62512	5.02E-06	3.1E-06	6.05E-04	1.90E-09	14	4.71E-02	1.25E-09	1.0E+06	1.3E-03
106	106	0.24548	5.02E-06	1.2E-06	6.05E-04	7.46E-10	14	4.71E-02	4.92E-10	1.0E+06	4.9E-04
107	107	0.26016	5.02E-06	1.3E-06	6.05E-04	7.90E-10	14	4.71E-02	5.22E-10	1.0E+06	5.2E-04
108	108	0.27562	5.02E-06	1.4E-06	6.05E-04	8.37E-10	14	4.71E-02	5.53E-10	1.0E+06	5.5E-04
109	109	0.29216	5.02E-06	1.5E-06	6.05E-04	8.87E-10	14	4.71E-02	5.86E-10	1.0E+06	5.9E-04
110	110	0.30991	5.02E-06	1.6E-06	6.05E-04	9.41E-10	14	4.71E-02	6.21E-10	1.0E+06	6.2E-04
111	111	0.32866	5.02E-06	1.7E-06	6.05E-04	9.98E-10	14	4.71E-02	6.59E-10	1.0E+06	6.6E-04
112	112	0.34907	5.02E-06	1.8E-06	6.05E-04	1.06E-09	14	4.71E-02	7.00E-10	1.0E+06	7.0E-04
113	113	0.37045	5.02E-06	1.9E-06	6.05E-04	1.13E-09	14	4.71E-02	7.43E-10	1.0E+06	7.4E-04
114	114	0.39304	5.02E-06	2.0E-06	6.05E-04	1.19E-09	14	4.71E-02	7.88E-10	1.0E+06	7.9E-04
115	115	0.41656	5.02E-06	2.1E-06	6.05E-04	1.27E-09	14	4.71E-02	8.35E-10	1.0E+06	8.4E-04
116	116	0.44075	5.02E-06	2.2E-06	6.05E-04	1.34E-09	14	4.71E-02	8.84E-10	1.0E+06	8.8E-04
117	117	0.46611	5.02E-06	2.3E-06	6.05E-04	1.42E-09	14	4.71E-02	9.34E-10	1.0E+06	9.3E-04
118	118	0.49176	5.02E-06	2.5E-06	6.05E-04	1.49E-09	14	4.71E-02	9.86E-10	1.0E+06	9.9E-04
124	124	0.25743	5.02E-06	1.3E-06	6.05E-04	7.82E-10	14	4.71E-02	5.16E-10	1.0E+06	5.2E-04
125	125	0.27343	5.02E-06	1.4E-06	6.05E-04	8.31E-10	14	4.71E-02	5.48E-10	1.0E+06	5.5E-04

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
126	126	0.29073	5.02E-06	1.5E-06	6.05E-04	8.83E-10	14	4.71E-02	5.83E-10	1.0E+06	5.8E-04
127	127	0.30943	5.02E-06	1.6E-06	6.05E-04	9.40E-10	14	4.71E-02	6.20E-10	1.0E+06	6.2E-04
128	128	0.32965	5.02E-06	1.7E-06	6.05E-04	1.00E-09	14	4.71E-02	6.61E-10	1.0E+06	6.6E-04
129	129	0.35125	5.02E-06	1.8E-06	6.05E-04	1.07E-09	14	4.71E-02	7.04E-10	1.0E+06	7.0E-04
130	130	0.37485	5.02E-06	1.9E-06	6.05E-04	1.14E-09	14	4.71E-02	7.52E-10	1.0E+06	7.5E-04
131	131	0.39996	5.02E-06	2.0E-06	6.05E-04	1.21E-09	14	4.71E-02	8.02E-10	1.0E+06	8.0E-04
132	132	0.42674	5.02E-06	2.1E-06	6.05E-04	1.30E-09	14	4.71E-02	8.56E-10	1.0E+06	8.6E-04
133	133	0.45488	5.02E-06	2.3E-06	6.05E-04	1.38E-09	14	4.71E-02	9.12E-10	1.0E+06	9.1E-04
134	134	0.4847	5.02E-06	2.4E-06	6.05E-04	1.47E-09	14	4.71E-02	9.72E-10	1.0E+06	9.7E-04
135	135	0.51539	5.02E-06	2.6E-06	6.05E-04	1.57E-09	14	4.71E-02	1.03E-09	1.0E+06	1.0E-03
136	136	0.54675	5.02E-06	2.7E-06	6.05E-04	1.66E-09	14	4.71E-02	1.10E-09	1.0E+06	1.1E-03
137	137	0.57792	5.02E-06	2.9E-06	6.05E-04	1.76E-09	14	4.71E-02	1.16E-09	1.0E+06	1.2E-03
138	138	0.60925	5.02E-06	3.1E-06	6.05E-04	1.85E-09	14	4.71E-02	1.22E-09	1.0E+06	1.2E-03
141	141	0.26942	5.02E-06	1.4E-06	6.05E-04	8.18E-10	14	4.71E-02	5.40E-10	1.0E+06	5.4E-04
142	142	0.28719	5.02E-06	1.4E-06	6.05E-04	8.72E-10	14	4.71E-02	5.76E-10	1.0E+06	5.8E-04
143	143	0.30655	5.02E-06	1.5E-06	6.05E-04	9.31E-10	14	4.71E-02	6.15E-10	1.0E+06	6.1E-04
144	144	0.32767	5.02E-06	1.6E-06	6.05E-04	9.95E-10	14	4.71E-02	6.57E-10	1.0E+06	6.6E-04
145	145	0.35068	5.02E-06	1.8E-06	6.05E-04	1.07E-09	14	4.71E-02	7.03E-10	1.0E+06	7.0E-04
146	146	0.37556	5.02E-06	1.9E-06	6.05E-04	1.14E-09	14	4.71E-02	7.53E-10	1.0E+06	7.5E-04
147	147	0.40295	5.02E-06	2.0E-06	6.05E-04	1.22E-09	14	4.71E-02	8.08E-10	1.0E+06	8.1E-04
148	148	0.4324	5.02E-06	2.2E-06	6.05E-04	1.31E-09	14	4.71E-02	8.67E-10	1.0E+06	8.7E-04
149	149	0.46417	5.02E-06	2.3E-06	6.05E-04	1.41E-09	14	4.71E-02	9.31E-10	1.0E+06	9.3E-04
150	150	0.49807	5.02E-06	2.5E-06	6.05E-04	1.51E-09	14	4.71E-02	9.99E-10	1.0E+06	1.0E-03
151	151	0.53416	5.02E-06	2.7E-06	6.05E-04	1.62E-09	14	4.71E-02	1.07E-09	1.0E+06	1.1E-03
152	152	0.57204	5.02E-06	2.9E-06	6.05E-04	1.74E-09	14	4.71E-02	1.15E-09	1.0E+06	1.1E-03
153	153	0.61122	5.02E-06	3.1E-06	6.05E-04	1.86E-09	14	4.71E-02	1.23E-09	1.0E+06	1.2E-03
154	154	0.65051	5.02E-06	3.3E-06	6.05E-04	1.98E-09	14	4.71E-02	1.30E-09	1.0E+06	1.3E-03
155	155	0.68979	5.02E-06	3.5E-06	6.05E-04	2.10E-09	14	4.71E-02	1.38E-09	1.0E+06	1.4E-03
164	164	0.73768	5.02E-06	3.7E-06	6.05E-04	2.24E-09	14	4.71E-02	1.48E-09	1.0E+06	1.5E-03
165	165	0.78812	5.02E-06	4.0E-06	6.05E-04	2.39E-09	14	4.71E-02	1.58E-09	1.0E+06	1.6E-03
166	166	0.83822	5.02E-06	4.2E-06	6.05E-04	2.55E-09	14	4.71E-02	1.68E-09	1.0E+06	1.7E-03

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
178	178	0.84333	5.02E-06	4.2E-06	6.05E-04	2.56E-09	14	4.71E-02	1.69E-09	1.0E+06	1.7E-03
179	179	0.90992	5.02E-06	4.6E-06	6.05E-04	2.76E-09	14	4.71E-02	1.82E-09	1.0E+06	1.8E-03
180	180	0.97651	5.02E-06	4.9E-06	6.05E-04	2.97E-09	14	4.71E-02	1.96E-09	1.0E+06	2.0E-03
192	192	0.97331	5.02E-06	4.9E-06	6.05E-04	2.96E-09	14	4.71E-02	1.95E-09	1.0E+06	2.0E-03
193	193	1.06353	5.02E-06	5.3E-06	6.05E-04	3.23E-09	14	4.71E-02	2.13E-09	1.0E+06	2.1E-03
194	194	1.15367	5.02E-06	5.8E-06	6.05E-04	3.50E-09	14	4.71E-02	2.31E-09	1.0E+06	2.3E-03
207	207	1.13431	5.02E-06	5.7E-06	6.05E-04	3.45E-09	14	4.71E-02	2.27E-09	1.0E+06	2.3E-03
208	208	1.25856	5.02E-06	6.3E-06	6.05E-04	3.82E-09	14	4.71E-02	2.52E-09	1.0E+06	2.5E-03
209	209	1.38591	5.02E-06	7.0E-06	6.05E-04	4.21E-09	14	4.71E-02	2.78E-09	1.0E+06	2.8E-03
223	223	1.33665	5.02E-06	6.7E-06	6.05E-04	4.06E-09	14	4.71E-02	2.68E-09	1.0E+06	2.7E-03
224	224	1.51234	5.02E-06	7.6E-06	6.05E-04	4.59E-09	14	4.71E-02	3.03E-09	1.0E+06	3.0E-03
225	225	1.6956	5.02E-06	8.5E-06	6.05E-04	5.15E-09	14	4.71E-02	3.40E-09	1.0E+06	3.4E-03
239	239	1.59464	5.02E-06	8.0E-06	6.05E-04	4.84E-09	14	4.71E-02	3.20E-09	1.0E+06	3.2E-03
240	240	1.85174	5.02E-06	9.3E-06	6.05E-04	5.62E-09	14	4.71E-02	3.71E-09	1.0E+06	3.7E-03
241	241	2.1319	5.02E-06	1.1E-05	6.05E-04	6.48E-09	14	4.71E-02	4.27E-09	1.0E+06	4.3E-03
255	255	1.92495	5.02E-06	9.7E-06	6.05E-04	5.85E-09	14	4.71E-02	3.86E-09	1.0E+06	3.9E-03
256	256	2.31762	5.02E-06	1.2E-05	6.05E-04	7.04E-09	14	4.71E-02	4.65E-09	1.0E+06	4.6E-03
272	272	2.34497	5.02E-06	1.2E-05	6.05E-04	7.12E-09	14	4.71E-02	4.70E-09	1.0E+06	4.7E-03
273	273	2.9793	5.02E-06	1.5E-05	6.05E-04	9.05E-09	14	4.71E-02	5.97E-09	1.0E+06	6.0E-03
289	289	2.86239	5.02E-06	1.4E-05	6.05E-04	8.70E-09	14	4.71E-02	5.74E-09	1.0E+06	5.7E-03
290	290	3.94506	5.02E-06	2.0E-05	6.05E-04	1.20E-08	14	4.71E-02	7.91E-09	1.0E+06	7.9E-03
306	306	3.40677	5.02E-06	1.7E-05	6.05E-04	1.03E-08	14	4.71E-02	6.83E-09	1.0E+06	6.8E-03
307	307	5.30109	5.02E-06	2.7E-05	6.05E-04	1.61E-08	14	4.71E-02	1.06E-08	1.0E+06	1.1E-02
323	323	3.74366	5.02E-06	1.9E-05	6.05E-04	1.14E-08	14	4.71E-02	7.51E-09	1.0E+06	7.5E-03
324	324	6.49247	5.02E-06	3.3E-05	6.05E-04	1.97E-08	14	4.71E-02	1.30E-08	1.0E+06	1.3E-02
342	342	3.63622	5.02E-06	1.8E-05	6.05E-04	1.10E-08	14	4.71E-02	7.29E-09	1.0E+06	7.3E-03
343	343	6.07955	5.02E-06	3.1E-05	6.05E-04	1.85E-08	14	4.71E-02	1.22E-08	1.0E+06	1.2E-02
344	344	14.01577	5.02E-06	7.0E-05	6.05E-04	4.26E-08	14	4.71E-02	2.81E-08	1.0E+06	2.8E-02
356	356	3.21954	5.02E-06	1.6E-05	6.05E-04	9.78E-09	14	4.71E-02	6.45E-09	1.0E+06	6.5E-03
357	357	4.84764	5.02E-06	2.4E-05	6.05E-04	1.47E-08	14	4.71E-02	9.72E-09	1.0E+06	9.7E-03
358	358	8.18	5.02E-06	4.1E-05	6.05E-04	2.48E-08	14	4.71E-02	1.64E-08	1.0E+06	1.6E-02

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
370	370	2.75083	5.02E-06	1.4E-05	6.05E-04	8.36E-09	14	4.71E-02	5.52E-09	1.0E+06	5.5E-03
371	371	3.80691	5.02E-06	1.9E-05	6.05E-04	1.16E-08	14	4.71E-02	7.63E-09	1.0E+06	7.6E-03
372	372	5.50099	5.02E-06	2.8E-05	6.05E-04	1.67E-08	14	4.71E-02	1.10E-08	1.0E+06	1.1E-02
383	383	2.33392	5.02E-06	1.2E-05	6.05E-04	7.09E-09	14	4.71E-02	4.68E-09	1.0E+06	4.7E-03
384	384	3.04001	5.02E-06	1.5E-05	6.05E-04	9.23E-09	14	4.71E-02	6.09E-09	1.0E+06	6.1E-03
385	385	4.02714	5.02E-06	2.0E-05	6.05E-04	1.22E-08	14	4.71E-02	8.07E-09	1.0E+06	8.1E-03
396	396	1.98702	5.02E-06	1.0E-05	6.05E-04	6.04E-09	14	4.71E-02	3.98E-09	1.0E+06	4.0E-03
397	397	2.47633	5.02E-06	1.2E-05	6.05E-04	7.52E-09	14	4.71E-02	4.96E-09	1.0E+06	5.0E-03
398	398	3.1043	5.02E-06	1.6E-05	6.05E-04	9.43E-09	14	4.71E-02	6.22E-09	1.0E+06	6.2E-03
399	399	3.81123	5.02E-06	1.9E-05	6.05E-04	1.16E-08	14	4.71E-02	7.64E-09	1.0E+06	7.6E-03
411	411	1.70341	5.02E-06	8.6E-06	6.05E-04	5.17E-09	14	4.71E-02	3.42E-09	1.0E+06	3.4E-03
412	412	2.05369	5.02E-06	1.0E-05	6.05E-04	6.24E-09	14	4.71E-02	4.12E-09	1.0E+06	4.1E-03
413	413	2.4783	5.02E-06	1.2E-05	6.05E-04	7.53E-09	14	4.71E-02	4.97E-09	1.0E+06	5.0E-03
414	414	2.94148	5.02E-06	1.5E-05	6.05E-04	8.94E-09	14	4.71E-02	5.90E-09	1.0E+06	5.9E-03
426	426	1.47206	5.02E-06	7.4E-06	6.05E-04	4.47E-09	14	4.71E-02	2.95E-09	1.0E+06	3.0E-03
427	427	1.73008	5.02E-06	8.7E-06	6.05E-04	5.26E-09	14	4.71E-02	3.47E-09	1.0E+06	3.5E-03
428	428	2.02999	5.02E-06	1.0E-05	6.05E-04	6.17E-09	14	4.71E-02	4.07E-09	1.0E+06	4.1E-03
429	429	2.35005	5.02E-06	1.2E-05	6.05E-04	7.14E-09	14	4.71E-02	4.71E-09	1.0E+06	4.7E-03
439	439	1.28233	5.02E-06	6.4E-06	6.05E-04	3.90E-09	14	4.71E-02	2.57E-09	1.0E+06	2.6E-03
440	440	1.47703	5.02E-06	7.4E-06	6.05E-04	4.49E-09	14	4.71E-02	2.96E-09	1.0E+06	3.0E-03
441	441	1.6966	5.02E-06	8.5E-06	6.05E-04	5.15E-09	14	4.71E-02	3.40E-09	1.0E+06	3.4E-03
442	442	1.92667	5.02E-06	9.7E-06	6.05E-04	5.85E-09	14	4.71E-02	3.86E-09	1.0E+06	3.9E-03
443	443	2.14228	5.02E-06	1.1E-05	6.05E-04	6.51E-09	14	4.71E-02	4.29E-09	1.0E+06	4.3E-03
454	454	1.12582	5.02E-06	5.7E-06	6.05E-04	3.42E-09	14	4.71E-02	2.26E-09	1.0E+06	2.3E-03
455	455	1.27583	5.02E-06	6.4E-06	6.05E-04	3.88E-09	14	4.71E-02	2.56E-09	1.0E+06	2.6E-03
456	456	1.44092	5.02E-06	7.2E-06	6.05E-04	4.38E-09	14	4.71E-02	2.89E-09	1.0E+06	2.9E-03
457	457	1.61156	5.02E-06	8.1E-06	6.05E-04	4.90E-09	14	4.71E-02	3.23E-09	1.0E+06	3.2E-03
458	458	1.77164	5.02E-06	8.9E-06	6.05E-04	5.38E-09	14	4.71E-02	3.55E-09	1.0E+06	3.6E-03
469	469	0.99565	5.02E-06	5.0E-06	6.05E-04	3.02E-09	14	4.71E-02	2.00E-09	1.0E+06	2.0E-03
470	470	1.11329	5.02E-06	5.6E-06	6.05E-04	3.38E-09	14	4.71E-02	2.23E-09	1.0E+06	2.2E-03
471	471	1.24043	5.02E-06	6.2E-06	6.05E-04	3.77E-09	14	4.71E-02	2.49E-09	1.0E+06	2.5E-03

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
472	472	1.37014	5.02E-06	6.9E-06	6.05E-04	4.16E-09	14	4.71E-02	2.75E-09	1.0E+06	2.7E-03
473	473	1.49168	5.02E-06	7.5E-06	6.05E-04	4.53E-09	14	4.71E-02	2.99E-09	1.0E+06	3.0E-03
489	489	0.88663	5.02E-06	4.5E-06	6.05E-04	2.69E-09	14	4.71E-02	1.78E-09	1.0E+06	1.8E-03
490	490	0.98028	5.02E-06	4.9E-06	6.05E-04	2.98E-09	14	4.71E-02	1.97E-09	1.0E+06	2.0E-03
491	491	1.07984	5.02E-06	5.4E-06	6.05E-04	3.28E-09	14	4.71E-02	2.16E-09	1.0E+06	2.2E-03
492	492	1.18042	5.02E-06	5.9E-06	6.05E-04	3.59E-09	14	4.71E-02	2.37E-09	1.0E+06	2.4E-03
493	493	1.27451	5.02E-06	6.4E-06	6.05E-04	3.87E-09	14	4.71E-02	2.56E-09	1.0E+06	2.6E-03
494	494	1.35313	5.02E-06	6.8E-06	6.05E-04	4.11E-09	14	4.71E-02	2.71E-09	1.0E+06	2.7E-03
509	509	0.79446	5.02E-06	4.0E-06	6.05E-04	2.41E-09	14	4.71E-02	1.59E-09	1.0E+06	1.6E-03
510	510	0.87005	5.02E-06	4.4E-06	6.05E-04	2.64E-09	14	4.71E-02	1.74E-09	1.0E+06	1.7E-03
511	511	0.94946	5.02E-06	4.8E-06	6.05E-04	2.88E-09	14	4.71E-02	1.90E-09	1.0E+06	1.9E-03
512	512	1.02882	5.02E-06	5.2E-06	6.05E-04	3.13E-09	14	4.71E-02	2.06E-09	1.0E+06	2.1E-03
513	513	1.10267	5.02E-06	5.5E-06	6.05E-04	3.35E-09	14	4.71E-02	2.21E-09	1.0E+06	2.2E-03
514	514	1.16507	5.02E-06	5.8E-06	6.05E-04	3.54E-09	14	4.71E-02	2.34E-09	1.0E+06	2.3E-03
515	515	1.23028	5.02E-06	6.2E-06	6.05E-04	3.74E-09	14	4.71E-02	2.47E-09	1.0E+06	2.5E-03
516	516	1.22504	5.02E-06	6.2E-06	6.05E-04	3.72E-09	14	4.71E-02	2.46E-09	1.0E+06	2.5E-03
517	517	1.19469	5.02E-06	6.0E-06	6.05E-04	3.63E-09	14	4.71E-02	2.40E-09	1.0E+06	2.4E-03
518	518	1.1412	5.02E-06	5.7E-06	6.05E-04	3.47E-09	14	4.71E-02	2.29E-09	1.0E+06	2.3E-03
519	519	1.0692	5.02E-06	5.4E-06	6.05E-04	3.25E-09	14	4.71E-02	2.14E-09	1.0E+06	2.1E-03
528	528	0.71599	5.02E-06	3.6E-06	6.05E-04	2.17E-09	14	4.71E-02	1.44E-09	1.0E+06	1.4E-03
529	529	0.77776	5.02E-06	3.9E-06	6.05E-04	2.36E-09	14	4.71E-02	1.56E-09	1.0E+06	1.6E-03
530	530	0.84178	5.02E-06	4.2E-06	6.05E-04	2.56E-09	14	4.71E-02	1.69E-09	1.0E+06	1.7E-03
531	531	0.90536	5.02E-06	4.5E-06	6.05E-04	2.75E-09	14	4.71E-02	1.82E-09	1.0E+06	1.8E-03
532	532	0.96443	5.02E-06	4.8E-06	6.05E-04	2.93E-09	14	4.71E-02	1.93E-09	1.0E+06	1.9E-03
533	533	1.01444	5.02E-06	5.1E-06	6.05E-04	3.08E-09	14	4.71E-02	2.03E-09	1.0E+06	2.0E-03
534	534	1.06877	5.02E-06	5.4E-06	6.05E-04	3.25E-09	14	4.71E-02	2.14E-09	1.0E+06	2.1E-03
535	535	1.06698	5.02E-06	5.4E-06	6.05E-04	3.24E-09	14	4.71E-02	2.14E-09	1.0E+06	2.1E-03
536	536	1.04561	5.02E-06	5.2E-06	6.05E-04	3.18E-09	14	4.71E-02	2.10E-09	1.0E+06	2.1E-03
537	537	1.00475	5.02E-06	5.0E-06	6.05E-04	3.05E-09	14	4.71E-02	2.01E-09	1.0E+06	2.0E-03
538	538	0.94849	5.02E-06	4.8E-06	6.05E-04	2.88E-09	14	4.71E-02	1.90E-09	1.0E+06	1.9E-03
547	547	0.64867	5.02E-06	3.3E-06	6.05E-04	1.97E-09	14	4.71E-02	1.30E-09	1.0E+06	1.3E-03

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
548	548	0.69959	5.02E-06	3.5E-06	6.05E-04	2.13E-09	14	4.71E-02	1.40E-09	1.0E+06	1.4E-03
549	549	0.75196	5.02E-06	3.8E-06	6.05E-04	2.28E-09	14	4.71E-02	1.51E-09	1.0E+06	1.5E-03
550	550	0.80331	5.02E-06	4.0E-06	6.05E-04	2.44E-09	14	4.71E-02	1.61E-09	1.0E+06	1.6E-03
551	551	0.85116	5.02E-06	4.3E-06	6.05E-04	2.59E-09	14	4.71E-02	1.71E-09	1.0E+06	1.7E-03
552	552	0.89179	5.02E-06	4.5E-06	6.05E-04	2.71E-09	14	4.71E-02	1.79E-09	1.0E+06	1.8E-03
553	553	0.92174	5.02E-06	4.6E-06	6.05E-04	2.80E-09	14	4.71E-02	1.85E-09	1.0E+06	1.8E-03
554	554	0.93763	5.02E-06	4.7E-06	6.05E-04	2.85E-09	14	4.71E-02	1.88E-09	1.0E+06	1.9E-03
555	555	0.93822	5.02E-06	4.7E-06	6.05E-04	2.85E-09	14	4.71E-02	1.88E-09	1.0E+06	1.9E-03
556	556	0.92314	5.02E-06	4.6E-06	6.05E-04	2.80E-09	14	4.71E-02	1.85E-09	1.0E+06	1.9E-03
557	557	0.89177	5.02E-06	4.5E-06	6.05E-04	2.71E-09	14	4.71E-02	1.79E-09	1.0E+06	1.8E-03
558	558	0.84807	5.02E-06	4.3E-06	6.05E-04	2.58E-09	14	4.71E-02	1.70E-09	1.0E+06	1.7E-03
559	559	0.79416	5.02E-06	4.0E-06	6.05E-04	2.41E-09	14	4.71E-02	1.59E-09	1.0E+06	1.6E-03
567	567	0.59049	5.02E-06	3.0E-06	6.05E-04	1.79E-09	14	4.71E-02	1.18E-09	1.0E+06	1.2E-03
568	568	0.63297	5.02E-06	3.2E-06	6.05E-04	1.92E-09	14	4.71E-02	1.27E-09	1.0E+06	1.3E-03
569	569	0.6761	5.02E-06	3.4E-06	6.05E-04	2.05E-09	14	4.71E-02	1.36E-09	1.0E+06	1.4E-03
570	570	0.71832	5.02E-06	3.6E-06	6.05E-04	2.18E-09	14	4.71E-02	1.44E-09	1.0E+06	1.4E-03
571	571	0.75738	5.02E-06	3.8E-06	6.05E-04	2.30E-09	14	4.71E-02	1.52E-09	1.0E+06	1.5E-03
572	572	0.79079	5.02E-06	4.0E-06	6.05E-04	2.40E-09	14	4.71E-02	1.59E-09	1.0E+06	1.6E-03
573	573	0.81576	5.02E-06	4.1E-06	6.05E-04	2.48E-09	14	4.71E-02	1.64E-09	1.0E+06	1.6E-03
574	574	0.83165	5.02E-06	4.2E-06	6.05E-04	2.53E-09	14	4.71E-02	1.67E-09	1.0E+06	1.7E-03
575	575	0.82088	5.02E-06	4.1E-06	6.05E-04	2.49E-09	14	4.71E-02	1.65E-09	1.0E+06	1.6E-03
576	576	0.79747	5.02E-06	4.0E-06	6.05E-04	2.42E-09	14	4.71E-02	1.60E-09	1.0E+06	1.6E-03
577	577	0.76292	5.02E-06	3.8E-06	6.05E-04	2.32E-09	14	4.71E-02	1.53E-09	1.0E+06	1.5E-03
578	578	0.71964	5.02E-06	3.6E-06	6.05E-04	2.19E-09	14	4.71E-02	1.44E-09	1.0E+06	1.4E-03
586	586	0.53986	5.02E-06	2.7E-06	6.05E-04	1.64E-09	14	4.71E-02	1.08E-09	1.0E+06	1.1E-03
587	587	0.5754	5.02E-06	2.9E-06	6.05E-04	1.75E-09	14	4.71E-02	1.15E-09	1.0E+06	1.2E-03
588	588	0.61134	5.02E-06	3.1E-06	6.05E-04	1.86E-09	14	4.71E-02	1.23E-09	1.0E+06	1.2E-03
589	589	0.64627	5.02E-06	3.2E-06	6.05E-04	1.96E-09	14	4.71E-02	1.30E-09	1.0E+06	1.3E-03
590	590	0.67856	5.02E-06	3.4E-06	6.05E-04	2.06E-09	14	4.71E-02	1.36E-09	1.0E+06	1.4E-03
591	591	0.70623	5.02E-06	3.5E-06	6.05E-04	2.15E-09	14	4.71E-02	1.42E-09	1.0E+06	1.4E-03
592	592	0.72724	5.02E-06	3.7E-06	6.05E-04	2.21E-09	14	4.71E-02	1.46E-09	1.0E+06	1.5E-03

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
593	593	0.74236	5.02E-06	3.7E-06	6.05E-04	2.26E-09	14	4.71E-02	1.49E-09	1.0E+06	1.5E-03
594	594	0.73491	5.02E-06	3.7E-06	6.05E-04	2.23E-09	14	4.71E-02	1.47E-09	1.0E+06	1.5E-03
595	595	0.71668	5.02E-06	3.6E-06	6.05E-04	2.18E-09	14	4.71E-02	1.44E-09	1.0E+06	1.4E-03
596	596	0.6892	5.02E-06	3.5E-06	6.05E-04	2.09E-09	14	4.71E-02	1.38E-09	1.0E+06	1.4E-03
597	597	0.65433	5.02E-06	3.3E-06	6.05E-04	1.99E-09	14	4.71E-02	1.31E-09	1.0E+06	1.3E-03
345	345	31.6436	5.02E-06	1.6E-04	6.05E-04	9.61E-08	14	4.71E-02	6.34E-08	1.0E+06	6.3E-02
346	346	37.70403	5.02E-06	1.9E-04	6.05E-04	1.15E-07	14	4.71E-02	7.56E-08	1.0E+06	7.6E-02
347	347	39.2332	5.02E-06	2.0E-04	6.05E-04	1.19E-07	14	4.71E-02	7.87E-08	1.0E+06	7.9E-02
348	348	39.19156	5.02E-06	2.0E-04	6.05E-04	1.19E-07	14	4.71E-02	7.86E-08	1.0E+06	7.9E-02
359	359	13.08024	5.02E-06	6.6E-05	6.05E-04	3.97E-08	14	4.71E-02	2.62E-08	1.0E+06	2.6E-02
360	360	16.22102	5.02E-06	8.1E-05	6.05E-04	4.93E-08	14	4.71E-02	3.25E-08	1.0E+06	3.3E-02
361	361	17.48734	5.02E-06	8.8E-05	6.05E-04	5.31E-08	14	4.71E-02	3.51E-08	1.0E+06	3.5E-02
362	362	17.83663	5.02E-06	9.0E-05	6.05E-04	5.42E-08	14	4.71E-02	3.58E-08	1.0E+06	3.6E-02
363	363	17.69177	5.02E-06	8.9E-05	6.05E-04	5.37E-08	14	4.71E-02	3.55E-08	1.0E+06	3.5E-02
373	373	9.3724	5.02E-06	4.7E-05	6.05E-04	2.85E-08	14	4.71E-02	1.88E-08	1.0E+06	1.9E-02
374	374	10.28804	5.02E-06	5.2E-05	6.05E-04	3.13E-08	14	4.71E-02	2.06E-08	1.0E+06	2.1E-02
375	375	10.60684	5.02E-06	5.3E-05	6.05E-04	3.22E-08	14	4.71E-02	2.13E-08	1.0E+06	2.1E-02
376	376	10.53579	5.02E-06	5.3E-05	6.05E-04	3.20E-08	14	4.71E-02	2.11E-08	1.0E+06	2.1E-02
386	386	6.20684	5.02E-06	3.1E-05	6.05E-04	1.89E-08	14	4.71E-02	1.24E-08	1.0E+06	1.2E-02
387	387	6.84873	5.02E-06	3.4E-05	6.05E-04	2.08E-08	14	4.71E-02	1.37E-08	1.0E+06	1.4E-02
388	388	7.11549	5.02E-06	3.6E-05	6.05E-04	2.16E-08	14	4.71E-02	1.43E-08	1.0E+06	1.4E-02
389	389	7.09486	5.02E-06	3.6E-05	6.05E-04	2.16E-08	14	4.71E-02	1.42E-08	1.0E+06	1.4E-02
390	390	6.82497	5.02E-06	3.4E-05	6.05E-04	2.07E-08	14	4.71E-02	1.37E-08	1.0E+06	1.4E-02
400	400	4.45344	5.02E-06	2.2E-05	6.05E-04	1.35E-08	14	4.71E-02	8.93E-09	1.0E+06	8.9E-03
401	401	4.90114	5.02E-06	2.5E-05	6.05E-04	1.49E-08	14	4.71E-02	9.83E-09	1.0E+06	9.8E-03
402	402	5.12058	5.02E-06	2.6E-05	6.05E-04	1.56E-08	14	4.71E-02	1.03E-08	1.0E+06	1.0E-02
403	403	5.12602	5.02E-06	2.6E-05	6.05E-04	1.56E-08	14	4.71E-02	1.03E-08	1.0E+06	1.0E-02
404	404	4.94528	5.02E-06	2.5E-05	6.05E-04	1.50E-08	14	4.71E-02	9.91E-09	1.0E+06	9.9E-03
415	415	3.37031	5.02E-06	1.7E-05	6.05E-04	1.02E-08	14	4.71E-02	6.76E-09	1.0E+06	6.8E-03
416	416	3.69022	5.02E-06	1.9E-05	6.05E-04	1.12E-08	14	4.71E-02	7.40E-09	1.0E+06	7.4E-03
417	417	3.86092	5.02E-06	1.9E-05	6.05E-04	1.17E-08	14	4.71E-02	7.74E-09	1.0E+06	7.7E-03

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	3.88783	5.02E-06	2.0E-05	6.05E-04	1.18E-08	14	4.71E-02	7.79E-09	1.0E+06	7.8E-03
419	419	3.7737	5.02E-06	1.9E-05	6.05E-04	1.15E-08	14	4.71E-02	7.57E-09	1.0E+06	7.6E-03
420	420	3.51293	5.02E-06	1.8E-05	6.05E-04	1.07E-08	14	4.71E-02	7.04E-09	1.0E+06	7.0E-03
430	430	2.88099	5.02E-06	1.4E-05	6.05E-04	8.75E-09	14	4.71E-02	5.78E-09	1.0E+06	5.8E-03
431	431	3.0175	5.02E-06	1.5E-05	6.05E-04	9.17E-09	14	4.71E-02	6.05E-09	1.0E+06	6.0E-03
432	432	3.04782	5.02E-06	1.5E-05	6.05E-04	9.26E-09	14	4.71E-02	6.11E-09	1.0E+06	6.1E-03
433	433	2.97421	5.02E-06	1.5E-05	6.05E-04	9.03E-09	14	4.71E-02	5.96E-09	1.0E+06	6.0E-03
434	434	2.80201	5.02E-06	1.4E-05	6.05E-04	8.51E-09	14	4.71E-02	5.62E-09	1.0E+06	5.6E-03
444	444	2.31474	5.02E-06	1.2E-05	6.05E-04	7.03E-09	14	4.71E-02	4.64E-09	1.0E+06	4.6E-03
445	445	2.4215	5.02E-06	1.2E-05	6.05E-04	7.36E-09	14	4.71E-02	4.85E-09	1.0E+06	4.9E-03
446	446	2.4525	5.02E-06	1.2E-05	6.05E-04	7.45E-09	14	4.71E-02	4.92E-09	1.0E+06	4.9E-03
447	447	2.40625	5.02E-06	1.2E-05	6.05E-04	7.31E-09	14	4.71E-02	4.82E-09	1.0E+06	4.8E-03
448	448	2.28683	5.02E-06	1.1E-05	6.05E-04	6.95E-09	14	4.71E-02	4.58E-09	1.0E+06	4.6E-03
459	459	1.98654	5.02E-06	1.0E-05	6.05E-04	6.03E-09	14	4.71E-02	3.98E-09	1.0E+06	4.0E-03
460	460	2.0157	5.02E-06	1.0E-05	6.05E-04	6.12E-09	14	4.71E-02	4.04E-09	1.0E+06	4.0E-03
461	461	1.98679	5.02E-06	1.0E-05	6.05E-04	6.04E-09	14	4.71E-02	3.98E-09	1.0E+06	4.0E-03
462	462	1.90271	5.02E-06	9.6E-06	6.05E-04	5.78E-09	14	4.71E-02	3.81E-09	1.0E+06	3.8E-03
463	463	1.7704	5.02E-06	8.9E-06	6.05E-04	5.38E-09	14	4.71E-02	3.55E-09	1.0E+06	3.5E-03
474	474	1.65924	5.02E-06	8.3E-06	6.05E-04	5.04E-09	14	4.71E-02	3.33E-09	1.0E+06	3.3E-03
475	475	1.68558	5.02E-06	8.5E-06	6.05E-04	5.12E-09	14	4.71E-02	3.38E-09	1.0E+06	3.4E-03
476	476	1.66881	5.02E-06	8.4E-06	6.05E-04	5.07E-09	14	4.71E-02	3.35E-09	1.0E+06	3.3E-03
477	477	1.60874	5.02E-06	8.1E-06	6.05E-04	4.89E-09	14	4.71E-02	3.23E-09	1.0E+06	3.2E-03
478	478	1.51197	5.02E-06	7.6E-06	6.05E-04	4.59E-09	14	4.71E-02	3.03E-09	1.0E+06	3.0E-03
495	495	1.40744	5.02E-06	7.1E-06	6.05E-04	4.28E-09	14	4.71E-02	2.82E-09	1.0E+06	2.8E-03
496	496	1.43081	5.02E-06	7.2E-06	6.05E-04	4.35E-09	14	4.71E-02	2.87E-09	1.0E+06	2.9E-03
497	497	1.42133	5.02E-06	7.1E-06	6.05E-04	4.32E-09	14	4.71E-02	2.85E-09	1.0E+06	2.8E-03
498	498	1.37883	5.02E-06	6.9E-06	6.05E-04	4.19E-09	14	4.71E-02	2.76E-09	1.0E+06	2.8E-03
499	499	1.30699	5.02E-06	6.6E-06	6.05E-04	3.97E-09	14	4.71E-02	2.62E-09	1.0E+06	2.6E-03
500	500	1.21222	5.02E-06	6.1E-06	6.05E-04	3.68E-09	14	4.71E-02	2.43E-09	1.0E+06	2.4E-03

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	0.63846	5.02E-06	3.2E-06	6.05E-04	1.94E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
140	140	0.66587	5.02E-06	3.3E-06	6.05E-04	2.02E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
156	156	0.72799	5.02E-06	3.7E-06	6.05E-04	2.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
157	157	0.76295	5.02E-06	3.8E-06	6.05E-04	2.32E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
158	158	0.79463	5.02E-06	4.0E-06	6.05E-04	2.41E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
159	159	0.82138	5.02E-06	4.1E-06	6.05E-04	2.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
160	160	0.84283	5.02E-06	4.2E-06	6.05E-04	2.56E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
161	161	0.87417	5.02E-06	4.4E-06	6.05E-04	2.66E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
162	162	0.88615	5.02E-06	4.4E-06	6.05E-04	2.69E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
163	163	0.89723	5.02E-06	4.5E-06	6.05E-04	2.73E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
167	167	0.88282	5.02E-06	4.4E-06	6.05E-04	2.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
168	168	0.92656	5.02E-06	4.7E-06	6.05E-04	2.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
169	169	0.96226	5.02E-06	4.8E-06	6.05E-04	2.92E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
170	170	0.99157	5.02E-06	5.0E-06	6.05E-04	3.01E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
171	171	1.01526	5.02E-06	5.1E-06	6.05E-04	3.08E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
172	172	1.03555	5.02E-06	5.2E-06	6.05E-04	3.15E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
173	173	1.05272	5.02E-06	5.3E-06	6.05E-04	3.20E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
174	174	1.06904	5.02E-06	5.4E-06	6.05E-04	3.25E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
175	175	1.08478	5.02E-06	5.4E-06	6.05E-04	3.30E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
176	176	1.09977	5.02E-06	5.5E-06	6.05E-04	3.34E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
177	177	1.1128	5.02E-06	5.6E-06	6.05E-04	3.38E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
181	181	1.09622	5.02E-06	5.5E-06	6.05E-04	3.33E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
182	182	1.14493	5.02E-06	5.7E-06	6.05E-04	3.48E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
183	183	1.18654	5.02E-06	6.0E-06	6.05E-04	3.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
184	184	1.22089	5.02E-06	6.1E-06	6.05E-04	3.71E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
185	185	1.25066	5.02E-06	6.3E-06	6.05E-04	3.80E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
186	186	1.27643	5.02E-06	6.4E-06	6.05E-04	3.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
187	187	1.29872	5.02E-06	6.5E-06	6.05E-04	3.95E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
188	188	1.31865	5.02E-06	6.6E-06	6.05E-04	4.01E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
189	189	1.33468	5.02E-06	6.7E-06	6.05E-04	4.05E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
190	190	1.34479	5.02E-06	6.8E-06	6.05E-04	4.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	1.34615	5.02E-06	6.8E-06	6.05E-04	4.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
195	195	1.32044	5.02E-06	6.6E-06	6.05E-04	4.01E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
196	196	1.38978	5.02E-06	7.0E-06	6.05E-04	4.22E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
197	197	1.44973	5.02E-06	7.3E-06	6.05E-04	4.40E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
198	198	1.50194	5.02E-06	7.5E-06	6.05E-04	4.56E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
199	199	1.54696	5.02E-06	7.8E-06	6.05E-04	4.70E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
200	200	1.58464	5.02E-06	8.0E-06	6.05E-04	4.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
201	201	1.61481	5.02E-06	8.1E-06	6.05E-04	4.91E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
202	202	1.63595	5.02E-06	8.2E-06	6.05E-04	4.97E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
203	203	1.64682	5.02E-06	8.3E-06	6.05E-04	5.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
204	204	1.64523	5.02E-06	8.3E-06	6.05E-04	5.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
205	205	1.6283	5.02E-06	8.2E-06	6.05E-04	4.95E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
206	206	1.59281	5.02E-06	8.0E-06	6.05E-04	4.84E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
210	210	1.50141	5.02E-06	7.5E-06	6.05E-04	4.56E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
211	211	1.62516	5.02E-06	8.2E-06	6.05E-04	4.94E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
212	212	1.72796	5.02E-06	8.7E-06	6.05E-04	5.25E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
213	213	1.82015	5.02E-06	9.1E-06	6.05E-04	5.53E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
214	214	1.9703	5.02E-06	9.9E-06	6.05E-04	5.99E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
215	215	2.02343	5.02E-06	1.0E-05	6.05E-04	6.15E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
216	216	2.0576	5.02E-06	1.0E-05	6.05E-04	6.25E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
217	217	2.0718	5.02E-06	1.0E-05	6.05E-04	6.29E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
218	218	2.06486	5.02E-06	1.0E-05	6.05E-04	6.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
219	219	2.03499	5.02E-06	1.0E-05	6.05E-04	6.18E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
220	220	1.97932	5.02E-06	9.9E-06	6.05E-04	6.01E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
221	221	1.89547	5.02E-06	9.5E-06	6.05E-04	5.76E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
222	222	1.78696	5.02E-06	9.0E-06	6.05E-04	5.43E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
226	226	1.87782	5.02E-06	9.4E-06	6.05E-04	5.70E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
227	227	2.05838	5.02E-06	1.0E-05	6.05E-04	6.25E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
228	228	2.21805	5.02E-06	1.1E-05	6.05E-04	6.74E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
229	229	2.36622	5.02E-06	1.2E-05	6.05E-04	7.19E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
230	230	2.49683	5.02E-06	1.3E-05	6.05E-04	7.58E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
231	231	2.59813	5.02E-06	1.3E-05	6.05E-04	7.89E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
232	232	2.66763	5.02E-06	1.3E-05	6.05E-04	8.10E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
233	233	2.682	5.02E-06	1.3E-05	6.05E-04	8.15E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
234	234	2.63012	5.02E-06	1.3E-05	6.05E-04	7.99E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
235	235	2.53933	5.02E-06	1.3E-05	6.05E-04	7.71E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
236	236	2.408	5.02E-06	1.2E-05	6.05E-04	7.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
237	237	2.24018	5.02E-06	1.1E-05	6.05E-04	6.80E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
238	238	2.04693	5.02E-06	1.0E-05	6.05E-04	6.22E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
242	242	2.4174	5.02E-06	1.2E-05	6.05E-04	7.34E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
243	243	2.70157	5.02E-06	1.4E-05	6.05E-04	8.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
244	244	2.9599	5.02E-06	1.5E-05	6.05E-04	8.99E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
245	245	3.21486	5.02E-06	1.6E-05	6.05E-04	9.77E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
246	246	3.43153	5.02E-06	1.7E-05	6.05E-04	1.04E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
247	247	3.58556	5.02E-06	1.8E-05	6.05E-04	1.09E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
248	248	3.65764	5.02E-06	1.8E-05	6.05E-04	1.11E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
249	249	3.55087	5.02E-06	1.8E-05	6.05E-04	1.08E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
250	250	3.39598	5.02E-06	1.7E-05	6.05E-04	1.03E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
251	251	3.18149	5.02E-06	1.6E-05	6.05E-04	9.66E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
252	252	2.91082	5.02E-06	1.5E-05	6.05E-04	8.84E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
253	253	2.6041	5.02E-06	1.3E-05	6.05E-04	7.91E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
254	254	2.28826	5.02E-06	1.1E-05	6.05E-04	6.95E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
257	257	3.24779	5.02E-06	1.6E-05	6.05E-04	9.87E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
258	258	3.73534	5.02E-06	1.9E-05	6.05E-04	1.13E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
259	259	4.2141	5.02E-06	2.1E-05	6.05E-04	1.28E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
260	260	4.63866	5.02E-06	2.3E-05	6.05E-04	1.41E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
261	261	5.01032	5.02E-06	2.5E-05	6.05E-04	1.52E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
262	262	5.21183	5.02E-06	2.6E-05	6.05E-04	1.58E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
263	263	5.23746	5.02E-06	2.6E-05	6.05E-04	1.59E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
264	264	4.82094	5.02E-06	2.4E-05	6.05E-04	1.46E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
265	265	4.44447	5.02E-06	2.2E-05	6.05E-04	1.35E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
266	266	3.97726	5.02E-06	2.0E-05	6.05E-04	1.21E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	3.45444	5.02E-06	1.7E-05	6.05E-04	1.05E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
268	268	2.93428	5.02E-06	1.5E-05	6.05E-04	8.91E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
269	269	2.46163	5.02E-06	1.2E-05	6.05E-04	7.48E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
270	270	1.45221	5.02E-06	7.3E-06	6.05E-04	4.41E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
271	271	1.23289	5.02E-06	6.2E-06	6.05E-04	3.75E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
274	274	4.65784	5.02E-06	2.3E-05	6.05E-04	1.41E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
275	275	5.59237	5.02E-06	2.8E-05	6.05E-04	1.70E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
276	276	6.54527	5.02E-06	3.3E-05	6.05E-04	1.99E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
277	277	7.3131	5.02E-06	3.7E-05	6.05E-04	2.22E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
278	278	7.8709	5.02E-06	4.0E-05	6.05E-04	2.39E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
279	279	8.08193	5.02E-06	4.1E-05	6.05E-04	2.46E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
280	280	7.92368	5.02E-06	4.0E-05	6.05E-04	2.41E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
281	281	6.75703	5.02E-06	3.4E-05	6.05E-04	2.05E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
282	282	5.87143	5.02E-06	2.9E-05	6.05E-04	1.78E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
283	283	4.88351	5.02E-06	2.5E-05	6.05E-04	1.48E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
284	284	3.93896	5.02E-06	2.0E-05	6.05E-04	1.20E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
285	285	3.13988	5.02E-06	1.6E-05	6.05E-04	9.54E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
286	286	2.50859	5.02E-06	1.3E-05	6.05E-04	7.62E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
287	287	1.37471	5.02E-06	6.9E-06	6.05E-04	4.18E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
288	288	1.15701	5.02E-06	5.8E-06	6.05E-04	3.51E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
291	291	7.52043	5.02E-06	3.8E-05	6.05E-04	2.28E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
292	292	9.68706	5.02E-06	4.9E-05	6.05E-04	2.94E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
293	293	11.63073	5.02E-06	5.8E-05	6.05E-04	3.53E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
294	294	12.97178	5.02E-06	6.5E-05	6.05E-04	3.94E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
295	295	13.67129	5.02E-06	6.9E-05	6.05E-04	4.15E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
296	296	13.795	5.02E-06	6.9E-05	6.05E-04	4.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
297	297	13.25751	5.02E-06	6.7E-05	6.05E-04	4.03E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
298	298	9.99981	5.02E-06	5.0E-05	6.05E-04	3.04E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
299	299	7.73637	5.02E-06	3.9E-05	6.05E-04	2.35E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
300	300	5.68333	5.02E-06	2.9E-05	6.05E-04	1.73E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
301	301	4.16271	5.02E-06	2.1E-05	6.05E-04	1.26E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
302	302	3.11324	5.02E-06	1.6E-05	6.05E-04	9.46E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
303	303	2.3932	5.02E-06	1.2E-05	6.05E-04	7.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
304	304	1.26431	5.02E-06	6.3E-06	6.05E-04	3.84E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
305	305	1.06376	5.02E-06	5.3E-06	6.05E-04	3.23E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
308	308	16.35316	5.02E-06	8.2E-05	6.05E-04	4.97E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
309	309	22.5698	5.02E-06	1.1E-04	6.05E-04	6.86E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
310	310	26.07239	5.02E-06	1.3E-04	6.05E-04	7.92E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
311	311	28.12116	5.02E-06	1.4E-04	6.05E-04	8.54E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
312	312	29.01248	5.02E-06	1.5E-04	6.05E-04	8.81E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
313	313	29.04454	5.02E-06	1.5E-04	6.05E-04	8.82E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
314	314	27.80887	5.02E-06	1.4E-04	6.05E-04	8.45E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
315	315	15.97383	5.02E-06	8.0E-05	6.05E-04	4.85E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
316	316	9.34896	5.02E-06	4.7E-05	6.05E-04	2.84E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
317	317	5.79472	5.02E-06	2.9E-05	6.05E-04	1.76E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
318	318	3.91326	5.02E-06	2.0E-05	6.05E-04	1.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
319	319	2.82757	5.02E-06	1.4E-05	6.05E-04	8.59E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
320	320	2.14863	5.02E-06	1.1E-05	6.05E-04	6.53E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
321	321	1.14559	5.02E-06	5.8E-06	6.05E-04	3.48E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
322	322	0.97022	5.02E-06	4.9E-06	6.05E-04	2.95E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
325	325	8.56935	5.02E-06	4.3E-05	6.05E-04	2.60E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
326	326	18.24856	5.02E-06	9.2E-05	6.05E-04	5.54E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
327	327	21.42517	5.02E-06	1.1E-04	6.05E-04	6.51E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
328	328	29.52334	5.02E-06	1.5E-04	6.05E-04	8.97E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
329	329	25.22722	5.02E-06	1.3E-04	6.05E-04	7.66E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
330	330	22.34156	5.02E-06	1.1E-04	6.05E-04	6.79E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
331	331	20.01559	5.02E-06	1.0E-04	6.05E-04	6.08E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
332	332	25.6862	5.02E-06	1.3E-04	6.05E-04	7.80E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
333	333	20.15965	5.02E-06	1.0E-04	6.05E-04	6.12E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
334	334	8.3698	5.02E-06	4.2E-05	6.05E-04	2.54E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
335	335	4.88057	5.02E-06	2.5E-05	6.05E-04	1.48E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
336	336	3.29979	5.02E-06	1.7E-05	6.05E-04	1.00E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	2.42096	5.02E-06	1.2E-05	6.05E-04	7.35E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
338	338	1.87013	5.02E-06	9.4E-06	6.05E-04	5.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
339	339	1.23427	5.02E-06	6.2E-06	6.05E-04	3.75E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
340	340	1.03901	5.02E-06	5.2E-06	6.05E-04	3.16E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
341	341	0.88875	5.02E-06	4.5E-06	6.05E-04	2.70E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
349	349	38.67467	5.02E-06	1.9E-04	6.05E-04	1.17E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
350	350	37.59395	5.02E-06	1.9E-04	6.05E-04	1.14E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
351	351	34.97104	5.02E-06	1.8E-04	6.05E-04	1.06E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
352	352	27.36317	5.02E-06	1.4E-04	6.05E-04	8.31E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
353	353	1.11946	5.02E-06	5.6E-06	6.05E-04	3.40E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
354	354	0.95315	5.02E-06	4.8E-06	6.05E-04	2.90E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
355	355	0.82285	5.02E-06	4.1E-06	6.05E-04	2.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
364	364	17.02896	5.02E-06	8.5E-05	6.05E-04	5.17E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
365	365	15.53378	5.02E-06	7.8E-05	6.05E-04	4.72E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
366	366	12.42997	5.02E-06	6.2E-05	6.05E-04	3.78E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
367	367	1.02973	5.02E-06	5.2E-06	6.05E-04	3.13E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
368	368	0.88398	5.02E-06	4.4E-06	6.05E-04	2.69E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
369	369	0.76895	5.02E-06	3.9E-06	6.05E-04	2.34E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
377	377	10.12106	5.02E-06	5.1E-05	6.05E-04	3.07E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
378	378	9.22071	5.02E-06	4.6E-05	6.05E-04	2.80E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
379	379	7.64992	5.02E-06	3.8E-05	6.05E-04	2.32E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
380	380	0.95345	5.02E-06	4.8E-06	6.05E-04	2.90E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
381	381	0.82373	5.02E-06	4.1E-06	6.05E-04	2.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
382	382	0.7218	5.02E-06	3.6E-06	6.05E-04	2.19E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
391	391	6.25349	5.02E-06	3.1E-05	6.05E-04	1.90E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
392	392	5.34478	5.02E-06	2.7E-05	6.05E-04	1.62E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
393	393	0.88592	5.02E-06	4.4E-06	6.05E-04	2.69E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
394	394	0.77134	5.02E-06	3.9E-06	6.05E-04	2.34E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
395	395	0.67996	5.02E-06	3.4E-06	6.05E-04	2.07E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
405	405	4.57746	5.02E-06	2.3E-05	6.05E-04	1.39E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
406	406	4.01145	5.02E-06	2.0E-05	6.05E-04	1.22E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
407	407	3.31597	5.02E-06	1.7E-05	6.05E-04	1.01E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
408	408	0.82547	5.02E-06	4.1E-06	6.05E-04	2.51E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
409	409	0.72296	5.02E-06	3.6E-06	6.05E-04	2.20E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
410	410	0.64145	5.02E-06	3.2E-06	6.05E-04	1.95E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
421	421	3.1445	5.02E-06	1.6E-05	6.05E-04	9.55E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
422	422	2.68562	5.02E-06	1.3E-05	6.05E-04	8.16E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
423	423	0.76983	5.02E-06	3.9E-06	6.05E-04	2.34E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
424	424	0.67845	5.02E-06	3.4E-06	6.05E-04	2.06E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
425	425	0.60496	5.02E-06	3.0E-06	6.05E-04	1.84E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
435	435	2.54039	5.02E-06	1.3E-05	6.05E-04	7.72E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
436	436	2.22582	5.02E-06	1.1E-05	6.05E-04	6.76E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
437	437	0.63747	5.02E-06	3.2E-06	6.05E-04	1.94E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
438	438	0.57026	5.02E-06	2.9E-06	6.05E-04	1.73E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
449	449	2.10044	5.02E-06	1.1E-05	6.05E-04	6.38E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
450	450	1.87753	5.02E-06	9.4E-06	6.05E-04	5.70E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
451	451	1.63131	5.02E-06	8.2E-06	6.05E-04	4.96E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
452	452	0.59909	5.02E-06	3.0E-06	6.05E-04	1.82E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
453	453	0.53822	5.02E-06	2.7E-06	6.05E-04	1.63E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
464	464	1.60474	5.02E-06	8.1E-06	6.05E-04	4.87E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
465	465	1.42093	5.02E-06	7.1E-06	6.05E-04	4.32E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
466	466	0.7097	5.02E-06	3.6E-06	6.05E-04	2.16E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
467	467	0.56375	5.02E-06	2.8E-06	6.05E-04	1.71E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
468	468	0.50858	5.02E-06	2.6E-06	6.05E-04	1.54E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
479	479	1.38395	5.02E-06	6.9E-06	6.05E-04	4.20E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
480	480	1.24722	5.02E-06	6.3E-06	6.05E-04	3.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
481	481	1.10368	5.02E-06	5.5E-06	6.05E-04	3.35E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
482	482	0.96958	5.02E-06	4.9E-06	6.05E-04	2.95E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
483	483	0.84846	5.02E-06	4.3E-06	6.05E-04	2.58E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
484	484	0.7468	5.02E-06	3.7E-06	6.05E-04	2.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
485	485	0.66126	5.02E-06	3.3E-06	6.05E-04	2.01E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
486	486	0.5906	5.02E-06	3.0E-06	6.05E-04	1.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
487	487	0.5312	5.02E-06	2.7E-06	6.05E-04	1.61E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
488	488	0.48089	5.02E-06	2.4E-06	6.05E-04	1.46E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
501	501	1.10045	5.02E-06	5.5E-06	6.05E-04	3.34E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
502	502	0.99063	5.02E-06	5.0E-06	6.05E-04	3.01E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
503	503	0.88128	5.02E-06	4.4E-06	6.05E-04	2.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
504	504	0.78052	5.02E-06	3.9E-06	6.05E-04	2.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
505	505	0.69245	5.02E-06	3.5E-06	6.05E-04	2.10E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
506	506	0.6173	5.02E-06	3.1E-06	6.05E-04	1.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
507	507	0.55438	5.02E-06	2.8E-06	6.05E-04	1.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
508	508	0.45516	5.02E-06	2.3E-06	6.05E-04	1.38E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
520	520	0.9818	5.02E-06	4.9E-06	6.05E-04	2.98E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
521	521	0.88906	5.02E-06	4.5E-06	6.05E-04	2.70E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
522	522	0.80296	5.02E-06	4.0E-06	6.05E-04	2.44E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
523	523	0.71858	5.02E-06	3.6E-06	6.05E-04	2.18E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
524	524	0.64282	5.02E-06	3.2E-06	6.05E-04	1.95E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
525	525	0.57692	5.02E-06	2.9E-06	6.05E-04	1.75E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
526	526	0.52072	5.02E-06	2.6E-06	6.05E-04	1.58E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
527	527	0.4311	5.02E-06	2.2E-06	6.05E-04	1.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
539	539	0.88113	5.02E-06	4.4E-06	6.05E-04	2.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
540	540	0.80738	5.02E-06	4.1E-06	6.05E-04	2.45E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
541	541	0.73212	5.02E-06	3.7E-06	6.05E-04	2.22E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
542	542	0.66114	5.02E-06	3.3E-06	6.05E-04	2.01E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
543	543	0.59757	5.02E-06	3.0E-06	6.05E-04	1.82E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
544	544	0.53971	5.02E-06	2.7E-06	6.05E-04	1.64E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
545	545	0.48882	5.02E-06	2.5E-06	6.05E-04	1.48E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
546	546	0.40858	5.02E-06	2.1E-06	6.05E-04	1.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
560	560	0.7345	5.02E-06	3.7E-06	6.05E-04	2.23E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
561	561	0.67306	5.02E-06	3.4E-06	6.05E-04	2.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
562	562	0.61239	5.02E-06	3.1E-06	6.05E-04	1.86E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
563	563	0.55431	5.02E-06	2.8E-06	6.05E-04	1.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
564	564	0.50494	5.02E-06	2.5E-06	6.05E-04	1.53E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.46129	5.02E-06	2.3E-06	6.05E-04	1.40E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
566	566	0.388	5.02E-06	1.9E-06	6.05E-04	1.18E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
579	579	0.67042	5.02E-06	3.4E-06	6.05E-04	2.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
580	580	0.61916	5.02E-06	3.1E-06	6.05E-04	1.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
581	581	0.56831	5.02E-06	2.9E-06	6.05E-04	1.73E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
582	582	0.51949	5.02E-06	2.6E-06	6.05E-04	1.58E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
583	583	0.47455	5.02E-06	2.4E-06	6.05E-04	1.44E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
584	584	0.43428	5.02E-06	2.2E-06	6.05E-04	1.32E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
585	585	0.36005	5.02E-06	1.8E-06	6.05E-04	1.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
598	598	0.61426	5.02E-06	3.1E-06	6.05E-04	1.87E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
599	599	0.57098	5.02E-06	2.9E-06	6.05E-04	1.73E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
600	600	0.52755	5.02E-06	2.6E-06	6.05E-04	1.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
601	601	0.48552	5.02E-06	2.4E-06	6.05E-04	1.47E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
602	602	0.44618	5.02E-06	2.2E-06	6.05E-04	1.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
603	603	0.4106	5.02E-06	2.1E-06	6.05E-04	1.25E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
604	604	0.37846	5.02E-06	1.9E-06	6.05E-04	1.15E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
1	1	0.21235	5.02E-06	1.1E-06	2.50E-04	2.67E-10	14	1.15E-02	4.29E-11	1.0E+06	4.3E-05
2	2	0.22215	5.02E-06	1.1E-06	2.50E-04	2.79E-10	14	1.15E-02	4.48E-11	1.0E+06	4.5E-05
3	3	0.23232	5.02E-06	1.2E-06	2.50E-04	2.92E-10	14	1.15E-02	4.69E-11	1.0E+06	4.7E-05
4	4	0.24292	5.02E-06	1.2E-06	2.50E-04	3.05E-10	14	1.15E-02	4.90E-11	1.0E+06	4.9E-05
5	5	0.25396	5.02E-06	1.3E-06	2.50E-04	3.19E-10	14	1.15E-02	5.12E-11	1.0E+06	5.1E-05
6	6	0.26561	5.02E-06	1.3E-06	2.50E-04	3.34E-10	14	1.15E-02	5.36E-11	1.0E+06	5.4E-05
7	7	0.2776	5.02E-06	1.4E-06	2.50E-04	3.49E-10	14	1.15E-02	5.60E-11	1.0E+06	5.6E-05
8	8	0.28981	5.02E-06	1.5E-06	2.50E-04	3.64E-10	14	1.15E-02	5.85E-11	1.0E+06	5.8E-05
9	9	0.30224	5.02E-06	1.5E-06	2.50E-04	3.80E-10	14	1.15E-02	6.10E-11	1.0E+06	6.1E-05
10	10	0.31475	5.02E-06	1.6E-06	2.50E-04	3.95E-10	14	1.15E-02	6.35E-11	1.0E+06	6.4E-05
11	11	0.32716	5.02E-06	1.6E-06	2.50E-04	4.11E-10	14	1.15E-02	6.60E-11	1.0E+06	6.6E-05
12	12	0.3393	5.02E-06	1.7E-06	2.50E-04	4.26E-10	14	1.15E-02	6.85E-11	1.0E+06	6.8E-05
13	13	0.35114	5.02E-06	1.8E-06	2.50E-04	4.41E-10	14	1.15E-02	7.09E-11	1.0E+06	7.1E-05
14	14	0.36232	5.02E-06	1.8E-06	2.50E-04	4.55E-10	14	1.15E-02	7.31E-11	1.0E+06	7.3E-05
15	15	0.37271	5.02E-06	1.9E-06	2.50E-04	4.68E-10	14	1.15E-02	7.52E-11	1.0E+06	7.5E-05
16	16	0.38202	5.02E-06	1.9E-06	2.50E-04	4.80E-10	14	1.15E-02	7.71E-11	1.0E+06	7.7E-05
17	17	0.39029	5.02E-06	2.0E-06	2.50E-04	4.90E-10	14	1.15E-02	7.88E-11	1.0E+06	7.9E-05
18	18	0.39713	5.02E-06	2.0E-06	2.50E-04	4.99E-10	14	1.15E-02	8.01E-11	1.0E+06	8.0E-05
19	19	0.40265	5.02E-06	2.0E-06	2.50E-04	5.06E-10	14	1.15E-02	8.13E-11	1.0E+06	8.1E-05
20	20	0.40685	5.02E-06	2.0E-06	2.50E-04	5.11E-10	14	1.15E-02	8.21E-11	1.0E+06	8.2E-05
21	21	0.40979	5.02E-06	2.1E-06	2.50E-04	5.15E-10	14	1.15E-02	8.27E-11	1.0E+06	8.3E-05
22	22	0.41178	5.02E-06	2.1E-06	2.50E-04	5.17E-10	14	1.15E-02	8.31E-11	1.0E+06	8.3E-05
23	23	0.41303	5.02E-06	2.1E-06	2.50E-04	5.19E-10	14	1.15E-02	8.33E-11	1.0E+06	8.3E-05
24	24	0.41399	5.02E-06	2.1E-06	2.50E-04	5.20E-10	14	1.15E-02	8.35E-11	1.0E+06	8.4E-05
25	25	0.4151	5.02E-06	2.1E-06	2.50E-04	5.22E-10	14	1.15E-02	8.38E-11	1.0E+06	8.4E-05
26	26	0.41674	5.02E-06	2.1E-06	2.50E-04	5.24E-10	14	1.15E-02	8.41E-11	1.0E+06	8.4E-05
27	27	0.41922	5.02E-06	2.1E-06	2.50E-04	5.27E-10	14	1.15E-02	8.46E-11	1.0E+06	8.5E-05
28	28	0.42266	5.02E-06	2.1E-06	2.50E-04	5.31E-10	14	1.15E-02	8.53E-11	1.0E+06	8.5E-05
29	29	0.42715	5.02E-06	2.1E-06	2.50E-04	5.37E-10	14	1.15E-02	8.62E-11	1.0E+06	8.6E-05
30	30	0.4325	5.02E-06	2.2E-06	2.50E-04	5.43E-10	14	1.15E-02	8.73E-11	1.0E+06	8.7E-05
31	31	0.43837	5.02E-06	2.2E-06	2.50E-04	5.51E-10	14	1.15E-02	8.85E-11	1.0E+06	8.8E-05

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.44428	5.02E-06	2.2E-06	2.50E-04	5.58E-10	14	1.15E-02	8.97E-11	1.0E+06	9.0E-05
55	55	0.4572	5.02E-06	2.3E-06	2.50E-04	5.74E-10	14	1.15E-02	9.23E-11	1.0E+06	9.2E-05
56	56	0.4589	5.02E-06	2.3E-06	2.50E-04	5.77E-10	14	1.15E-02	9.26E-11	1.0E+06	9.3E-05
57	57	0.46054	5.02E-06	2.3E-06	2.50E-04	5.79E-10	14	1.15E-02	9.29E-11	1.0E+06	9.3E-05
58	58	0.46242	5.02E-06	2.3E-06	2.50E-04	5.81E-10	14	1.15E-02	9.33E-11	1.0E+06	9.3E-05
59	59	0.46497	5.02E-06	2.3E-06	2.50E-04	5.84E-10	14	1.15E-02	9.38E-11	1.0E+06	9.4E-05
60	60	0.46851	5.02E-06	2.4E-06	2.50E-04	5.89E-10	14	1.15E-02	9.45E-11	1.0E+06	9.5E-05
61	61	0.47332	5.02E-06	2.4E-06	2.50E-04	5.95E-10	14	1.15E-02	9.55E-11	1.0E+06	9.6E-05
62	62	0.4791	5.02E-06	2.4E-06	2.50E-04	6.02E-10	14	1.15E-02	9.67E-11	1.0E+06	9.7E-05
63	63	0.48559	5.02E-06	2.4E-06	2.50E-04	6.10E-10	14	1.15E-02	9.80E-11	1.0E+06	9.8E-05
64	64	0.49224	5.02E-06	2.5E-06	2.50E-04	6.18E-10	14	1.15E-02	9.93E-11	1.0E+06	9.9E-05
65	65	0.49838	5.02E-06	2.5E-06	2.50E-04	6.26E-10	14	1.15E-02	1.01E-10	1.0E+06	1.0E-04
66	66	0.50355	5.02E-06	2.5E-06	2.50E-04	6.33E-10	14	1.15E-02	1.02E-10	1.0E+06	1.0E-04
67	67	0.23502	5.02E-06	1.2E-06	2.50E-04	2.95E-10	14	1.15E-02	4.74E-11	1.0E+06	4.7E-05
68	68	0.24733	5.02E-06	1.2E-06	2.50E-04	3.11E-10	14	1.15E-02	4.99E-11	1.0E+06	5.0E-05
69	69	0.26031	5.02E-06	1.3E-06	2.50E-04	3.27E-10	14	1.15E-02	5.25E-11	1.0E+06	5.3E-05
70	70	0.27402	5.02E-06	1.4E-06	2.50E-04	3.44E-10	14	1.15E-02	5.53E-11	1.0E+06	5.5E-05
71	71	0.28829	5.02E-06	1.4E-06	2.50E-04	3.62E-10	14	1.15E-02	5.82E-11	1.0E+06	5.8E-05
72	72	0.30356	5.02E-06	1.5E-06	2.50E-04	3.81E-10	14	1.15E-02	6.13E-11	1.0E+06	6.1E-05
73	73	0.31942	5.02E-06	1.6E-06	2.50E-04	4.01E-10	14	1.15E-02	6.45E-11	1.0E+06	6.4E-05
74	74	0.33583	5.02E-06	1.7E-06	2.50E-04	4.22E-10	14	1.15E-02	6.78E-11	1.0E+06	6.8E-05
75	75	0.35271	5.02E-06	1.8E-06	2.50E-04	4.43E-10	14	1.15E-02	7.12E-11	1.0E+06	7.1E-05
76	76	0.36999	5.02E-06	1.9E-06	2.50E-04	4.65E-10	14	1.15E-02	7.47E-11	1.0E+06	7.5E-05
77	77	0.3875	5.02E-06	1.9E-06	2.50E-04	4.87E-10	14	1.15E-02	7.82E-11	1.0E+06	7.8E-05
78	78	0.4051	5.02E-06	2.0E-06	2.50E-04	5.09E-10	14	1.15E-02	8.17E-11	1.0E+06	8.2E-05
79	79	0.47935	5.02E-06	2.4E-06	2.50E-04	6.02E-10	14	1.15E-02	9.67E-11	1.0E+06	9.7E-05
80	80	0.4894	5.02E-06	2.5E-06	2.50E-04	6.15E-10	14	1.15E-02	9.88E-11	1.0E+06	9.9E-05
81	81	0.4977	5.02E-06	2.5E-06	2.50E-04	6.25E-10	14	1.15E-02	1.00E-10	1.0E+06	1.0E-04
82	82	0.50384	5.02E-06	2.5E-06	2.50E-04	6.33E-10	14	1.15E-02	1.02E-10	1.0E+06	1.0E-04
83	83	0.50839	5.02E-06	2.6E-06	2.50E-04	6.39E-10	14	1.15E-02	1.03E-10	1.0E+06	1.0E-04
84	84	0.51149	5.02E-06	2.6E-06	2.50E-04	6.43E-10	14	1.15E-02	1.03E-10	1.0E+06	1.0E-04

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	85	0.51398	5.02E-06	2.6E-06	2.50E-04	6.46E-10	14	1.15E-02	1.04E-10	1.0E+06	1.0E-04
86	86	0.51641	5.02E-06	2.6E-06	2.50E-04	6.49E-10	14	1.15E-02	1.04E-10	1.0E+06	1.0E-04
87	87	0.51931	5.02E-06	2.6E-06	2.50E-04	6.52E-10	14	1.15E-02	1.05E-10	1.0E+06	1.0E-04
88	88	0.5232	5.02E-06	2.6E-06	2.50E-04	6.57E-10	14	1.15E-02	1.06E-10	1.0E+06	1.1E-04
89	89	0.52825	5.02E-06	2.7E-06	2.50E-04	6.64E-10	14	1.15E-02	1.07E-10	1.0E+06	1.1E-04
90	90	0.53447	5.02E-06	2.7E-06	2.50E-04	6.72E-10	14	1.15E-02	1.08E-10	1.0E+06	1.1E-04
91	91	0.54169	5.02E-06	2.7E-06	2.50E-04	6.81E-10	14	1.15E-02	1.09E-10	1.0E+06	1.1E-04
92	92	0.54904	5.02E-06	2.8E-06	2.50E-04	6.90E-10	14	1.15E-02	1.11E-10	1.0E+06	1.1E-04
93	93	0.55607	5.02E-06	2.8E-06	2.50E-04	6.99E-10	14	1.15E-02	1.12E-10	1.0E+06	1.1E-04
96	96	0.5856	5.02E-06	2.9E-06	2.50E-04	7.36E-10	14	1.15E-02	1.18E-10	1.0E+06	1.2E-04
97	97	0.59453	5.02E-06	3.0E-06	2.50E-04	7.47E-10	14	1.15E-02	1.20E-10	1.0E+06	1.2E-04
98	98	0.59433	5.02E-06	3.0E-06	2.50E-04	7.47E-10	14	1.15E-02	1.20E-10	1.0E+06	1.2E-04
99	99	0.60125	5.02E-06	3.0E-06	2.50E-04	7.55E-10	14	1.15E-02	1.21E-10	1.0E+06	1.2E-04
100	100	0.60913	5.02E-06	3.1E-06	2.50E-04	7.65E-10	14	1.15E-02	1.23E-10	1.0E+06	1.2E-04
101	101	0.61736	5.02E-06	3.1E-06	2.50E-04	7.76E-10	14	1.15E-02	1.25E-10	1.0E+06	1.2E-04
102	102	0.62512	5.02E-06	3.1E-06	2.50E-04	7.85E-10	14	1.15E-02	1.26E-10	1.0E+06	1.3E-04
106	106	0.24548	5.02E-06	1.2E-06	2.50E-04	3.08E-10	14	1.15E-02	4.95E-11	1.0E+06	5.0E-05
107	107	0.26016	5.02E-06	1.3E-06	2.50E-04	3.27E-10	14	1.15E-02	5.25E-11	1.0E+06	5.2E-05
108	108	0.27562	5.02E-06	1.4E-06	2.50E-04	3.46E-10	14	1.15E-02	5.56E-11	1.0E+06	5.6E-05
109	109	0.29216	5.02E-06	1.5E-06	2.50E-04	3.67E-10	14	1.15E-02	5.90E-11	1.0E+06	5.9E-05
110	110	0.30991	5.02E-06	1.6E-06	2.50E-04	3.89E-10	14	1.15E-02	6.25E-11	1.0E+06	6.3E-05
111	111	0.32866	5.02E-06	1.7E-06	2.50E-04	4.13E-10	14	1.15E-02	6.63E-11	1.0E+06	6.6E-05
112	112	0.34907	5.02E-06	1.8E-06	2.50E-04	4.39E-10	14	1.15E-02	7.04E-11	1.0E+06	7.0E-05
113	113	0.37045	5.02E-06	1.9E-06	2.50E-04	4.65E-10	14	1.15E-02	7.48E-11	1.0E+06	7.5E-05
114	114	0.39304	5.02E-06	2.0E-06	2.50E-04	4.94E-10	14	1.15E-02	7.93E-11	1.0E+06	7.9E-05
115	115	0.41656	5.02E-06	2.1E-06	2.50E-04	5.23E-10	14	1.15E-02	8.41E-11	1.0E+06	8.4E-05
116	116	0.44075	5.02E-06	2.2E-06	2.50E-04	5.54E-10	14	1.15E-02	8.89E-11	1.0E+06	8.9E-05
117	117	0.46611	5.02E-06	2.3E-06	2.50E-04	5.86E-10	14	1.15E-02	9.41E-11	1.0E+06	9.4E-05
118	118	0.49176	5.02E-06	2.5E-06	2.50E-04	6.18E-10	14	1.15E-02	9.92E-11	1.0E+06	9.9E-05
124	124	0.25743	5.02E-06	1.3E-06	2.50E-04	3.23E-10	14	1.15E-02	5.19E-11	1.0E+06	5.2E-05
125	125	0.27343	5.02E-06	1.4E-06	2.50E-04	3.44E-10	14	1.15E-02	5.52E-11	1.0E+06	5.5E-05

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	126	0.29073	5.02E-06	1.5E-06	2.50E-04	3.65E-10	14	1.15E-02	5.87E-11	1.0E+06	5.9E-05
127	127	0.30943	5.02E-06	1.6E-06	2.50E-04	3.89E-10	14	1.15E-02	6.24E-11	1.0E+06	6.2E-05
128	128	0.32965	5.02E-06	1.7E-06	2.50E-04	4.14E-10	14	1.15E-02	6.65E-11	1.0E+06	6.7E-05
129	129	0.35125	5.02E-06	1.8E-06	2.50E-04	4.41E-10	14	1.15E-02	7.09E-11	1.0E+06	7.1E-05
130	130	0.37485	5.02E-06	1.9E-06	2.50E-04	4.71E-10	14	1.15E-02	7.56E-11	1.0E+06	7.6E-05
131	131	0.39996	5.02E-06	2.0E-06	2.50E-04	5.03E-10	14	1.15E-02	8.07E-11	1.0E+06	8.1E-05
132	132	0.42674	5.02E-06	2.1E-06	2.50E-04	5.36E-10	14	1.15E-02	8.61E-11	1.0E+06	8.6E-05
133	133	0.45488	5.02E-06	2.3E-06	2.50E-04	5.72E-10	14	1.15E-02	9.18E-11	1.0E+06	9.2E-05
134	134	0.4847	5.02E-06	2.4E-06	2.50E-04	6.09E-10	14	1.15E-02	9.78E-11	1.0E+06	9.8E-05
135	135	0.51539	5.02E-06	2.6E-06	2.50E-04	6.48E-10	14	1.15E-02	1.04E-10	1.0E+06	1.0E-04
136	136	0.54675	5.02E-06	2.7E-06	2.50E-04	6.87E-10	14	1.15E-02	1.10E-10	1.0E+06	1.1E-04
137	137	0.57792	5.02E-06	2.9E-06	2.50E-04	7.26E-10	14	1.15E-02	1.17E-10	1.0E+06	1.2E-04
138	138	0.60925	5.02E-06	3.1E-06	2.50E-04	7.66E-10	14	1.15E-02	1.23E-10	1.0E+06	1.2E-04
141	141	0.26942	5.02E-06	1.4E-06	2.50E-04	3.39E-10	14	1.15E-02	5.44E-11	1.0E+06	5.4E-05
142	142	0.28719	5.02E-06	1.4E-06	2.50E-04	3.61E-10	14	1.15E-02	5.80E-11	1.0E+06	5.8E-05
143	143	0.30655	5.02E-06	1.5E-06	2.50E-04	3.85E-10	14	1.15E-02	6.19E-11	1.0E+06	6.2E-05
144	144	0.32767	5.02E-06	1.6E-06	2.50E-04	4.12E-10	14	1.15E-02	6.61E-11	1.0E+06	6.6E-05
145	145	0.35068	5.02E-06	1.8E-06	2.50E-04	4.41E-10	14	1.15E-02	7.08E-11	1.0E+06	7.1E-05
146	146	0.37556	5.02E-06	1.9E-06	2.50E-04	4.72E-10	14	1.15E-02	7.58E-11	1.0E+06	7.6E-05
147	147	0.40295	5.02E-06	2.0E-06	2.50E-04	5.06E-10	14	1.15E-02	8.13E-11	1.0E+06	8.1E-05
148	148	0.4324	5.02E-06	2.2E-06	2.50E-04	5.43E-10	14	1.15E-02	8.73E-11	1.0E+06	8.7E-05
149	149	0.46417	5.02E-06	2.3E-06	2.50E-04	5.83E-10	14	1.15E-02	9.37E-11	1.0E+06	9.4E-05
150	150	0.49807	5.02E-06	2.5E-06	2.50E-04	6.26E-10	14	1.15E-02	1.01E-10	1.0E+06	1.0E-04
151	151	0.53416	5.02E-06	2.7E-06	2.50E-04	6.71E-10	14	1.15E-02	1.08E-10	1.0E+06	1.1E-04
152	152	0.57204	5.02E-06	2.9E-06	2.50E-04	7.19E-10	14	1.15E-02	1.15E-10	1.0E+06	1.2E-04
153	153	0.61122	5.02E-06	3.1E-06	2.50E-04	7.68E-10	14	1.15E-02	1.23E-10	1.0E+06	1.2E-04
154	154	0.65051	5.02E-06	3.3E-06	2.50E-04	8.17E-10	14	1.15E-02	1.31E-10	1.0E+06	1.3E-04
155	155	0.68979	5.02E-06	3.5E-06	2.50E-04	8.67E-10	14	1.15E-02	1.39E-10	1.0E+06	1.4E-04
164	164	0.73768	5.02E-06	3.7E-06	2.50E-04	9.27E-10	14	1.15E-02	1.49E-10	1.0E+06	1.5E-04
165	165	0.78812	5.02E-06	4.0E-06	2.50E-04	9.90E-10	14	1.15E-02	1.59E-10	1.0E+06	1.6E-04
166	166	0.83822	5.02E-06	4.2E-06	2.50E-04	1.05E-09	14	1.15E-02	1.69E-10	1.0E+06	1.7E-04

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	0.84333	5.02E-06	4.2E-06	2.50E-04	1.06E-09	14	1.15E-02	1.70E-10	1.0E+06	1.7E-04
179	179	0.90992	5.02E-06	4.6E-06	2.50E-04	1.14E-09	14	1.15E-02	1.84E-10	1.0E+06	1.8E-04
180	180	0.97651	5.02E-06	4.9E-06	2.50E-04	1.23E-09	14	1.15E-02	1.97E-10	1.0E+06	2.0E-04
192	192	0.97331	5.02E-06	4.9E-06	2.50E-04	1.22E-09	14	1.15E-02	1.96E-10	1.0E+06	2.0E-04
193	193	1.06353	5.02E-06	5.3E-06	2.50E-04	1.34E-09	14	1.15E-02	2.15E-10	1.0E+06	2.1E-04
194	194	1.15367	5.02E-06	5.8E-06	2.50E-04	1.45E-09	14	1.15E-02	2.33E-10	1.0E+06	2.3E-04
207	207	1.13431	5.02E-06	5.7E-06	2.50E-04	1.43E-09	14	1.15E-02	2.29E-10	1.0E+06	2.3E-04
208	208	1.25856	5.02E-06	6.3E-06	2.50E-04	1.58E-09	14	1.15E-02	2.54E-10	1.0E+06	2.5E-04
209	209	1.38591	5.02E-06	7.0E-06	2.50E-04	1.74E-09	14	1.15E-02	2.80E-10	1.0E+06	2.8E-04
223	223	1.33665	5.02E-06	6.7E-06	2.50E-04	1.68E-09	14	1.15E-02	2.70E-10	1.0E+06	2.7E-04
224	224	1.51234	5.02E-06	7.6E-06	2.50E-04	1.90E-09	14	1.15E-02	3.05E-10	1.0E+06	3.1E-04
225	225	1.6956	5.02E-06	8.5E-06	2.50E-04	2.13E-09	14	1.15E-02	3.42E-10	1.0E+06	3.4E-04
239	239	1.59464	5.02E-06	8.0E-06	2.50E-04	2.00E-09	14	1.15E-02	3.22E-10	1.0E+06	3.2E-04
240	240	1.85174	5.02E-06	9.3E-06	2.50E-04	2.33E-09	14	1.15E-02	3.74E-10	1.0E+06	3.7E-04
241	241	2.1319	5.02E-06	1.1E-05	2.50E-04	2.68E-09	14	1.15E-02	4.30E-10	1.0E+06	4.3E-04
255	255	1.92495	5.02E-06	9.7E-06	2.50E-04	2.42E-09	14	1.15E-02	3.88E-10	1.0E+06	3.9E-04
256	256	2.31762	5.02E-06	1.2E-05	2.50E-04	2.91E-09	14	1.15E-02	4.68E-10	1.0E+06	4.7E-04
272	272	2.34497	5.02E-06	1.2E-05	2.50E-04	2.95E-09	14	1.15E-02	4.73E-10	1.0E+06	4.7E-04
273	273	2.9793	5.02E-06	1.5E-05	2.50E-04	3.74E-09	14	1.15E-02	6.01E-10	1.0E+06	6.0E-04
289	289	2.86239	5.02E-06	1.4E-05	2.50E-04	3.60E-09	14	1.15E-02	5.78E-10	1.0E+06	5.8E-04
290	290	3.94506	5.02E-06	2.0E-05	2.50E-04	4.96E-09	14	1.15E-02	7.96E-10	1.0E+06	8.0E-04
306	306	3.40677	5.02E-06	1.7E-05	2.50E-04	4.28E-09	14	1.15E-02	6.87E-10	1.0E+06	6.9E-04
307	307	5.30109	5.02E-06	2.7E-05	2.50E-04	6.66E-09	14	1.15E-02	1.07E-09	1.0E+06	1.1E-03
323	323	3.74366	5.02E-06	1.9E-05	2.50E-04	4.70E-09	14	1.15E-02	7.55E-10	1.0E+06	7.6E-04
324	324	6.49247	5.02E-06	3.3E-05	2.50E-04	8.16E-09	14	1.15E-02	1.31E-09	1.0E+06	1.3E-03
342	342	3.63622	5.02E-06	1.8E-05	2.50E-04	4.57E-09	14	1.15E-02	7.34E-10	1.0E+06	7.3E-04
343	343	6.07955	5.02E-06	3.1E-05	2.50E-04	7.64E-09	14	1.15E-02	1.23E-09	1.0E+06	1.2E-03
344	344	14.01577	5.02E-06	7.0E-05	2.50E-04	1.76E-08	14	1.15E-02	2.83E-09	1.0E+06	2.8E-03
356	356	3.21954	5.02E-06	1.6E-05	2.50E-04	4.05E-09	14	1.15E-02	6.50E-10	1.0E+06	6.5E-04
357	357	4.84764	5.02E-06	2.4E-05	2.50E-04	6.09E-09	14	1.15E-02	9.78E-10	1.0E+06	9.8E-04
358	358	8.18	5.02E-06	4.1E-05	2.50E-04	1.03E-08	14	1.15E-02	1.65E-09	1.0E+06	1.7E-03

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	2.75083	5.02E-06	1.4E-05	2.50E-04	3.46E-09	14	1.15E-02	5.55E-10	1.0E+06	5.6E-04
371	371	3.80691	5.02E-06	1.9E-05	2.50E-04	4.78E-09	14	1.15E-02	7.68E-10	1.0E+06	7.7E-04
372	372	5.50099	5.02E-06	2.8E-05	2.50E-04	6.91E-09	14	1.15E-02	1.11E-09	1.0E+06	1.1E-03
383	383	2.33392	5.02E-06	1.2E-05	2.50E-04	2.93E-09	14	1.15E-02	4.71E-10	1.0E+06	4.7E-04
384	384	3.04001	5.02E-06	1.5E-05	2.50E-04	3.82E-09	14	1.15E-02	6.13E-10	1.0E+06	6.1E-04
385	385	4.02714	5.02E-06	2.0E-05	2.50E-04	5.06E-09	14	1.15E-02	8.13E-10	1.0E+06	8.1E-04
396	396	1.98702	5.02E-06	1.0E-05	2.50E-04	2.50E-09	14	1.15E-02	4.01E-10	1.0E+06	4.0E-04
397	397	2.47633	5.02E-06	1.2E-05	2.50E-04	3.11E-09	14	1.15E-02	5.00E-10	1.0E+06	5.0E-04
398	398	3.1043	5.02E-06	1.6E-05	2.50E-04	3.90E-09	14	1.15E-02	6.26E-10	1.0E+06	6.3E-04
399	399	3.81123	5.02E-06	1.9E-05	2.50E-04	4.79E-09	14	1.15E-02	7.69E-10	1.0E+06	7.7E-04
411	411	1.70341	5.02E-06	8.6E-06	2.50E-04	2.14E-09	14	1.15E-02	3.44E-10	1.0E+06	3.4E-04
412	412	2.05369	5.02E-06	1.0E-05	2.50E-04	2.58E-09	14	1.15E-02	4.14E-10	1.0E+06	4.1E-04
413	413	2.4783	5.02E-06	1.2E-05	2.50E-04	3.11E-09	14	1.15E-02	5.00E-10	1.0E+06	5.0E-04
414	414	2.94148	5.02E-06	1.5E-05	2.50E-04	3.70E-09	14	1.15E-02	5.94E-10	1.0E+06	5.9E-04
426	426	1.47206	5.02E-06	7.4E-06	2.50E-04	1.85E-09	14	1.15E-02	2.97E-10	1.0E+06	3.0E-04
427	427	1.73008	5.02E-06	8.7E-06	2.50E-04	2.17E-09	14	1.15E-02	3.49E-10	1.0E+06	3.5E-04
428	428	2.02999	5.02E-06	1.0E-05	2.50E-04	2.55E-09	14	1.15E-02	4.10E-10	1.0E+06	4.1E-04
429	429	2.35005	5.02E-06	1.2E-05	2.50E-04	2.95E-09	14	1.15E-02	4.74E-10	1.0E+06	4.7E-04
439	439	1.28233	5.02E-06	6.4E-06	2.50E-04	1.61E-09	14	1.15E-02	2.59E-10	1.0E+06	2.6E-04
440	440	1.47703	5.02E-06	7.4E-06	2.50E-04	1.86E-09	14	1.15E-02	2.98E-10	1.0E+06	3.0E-04
441	441	1.6966	5.02E-06	8.5E-06	2.50E-04	2.13E-09	14	1.15E-02	3.42E-10	1.0E+06	3.4E-04
442	442	1.92667	5.02E-06	9.7E-06	2.50E-04	2.42E-09	14	1.15E-02	3.89E-10	1.0E+06	3.9E-04
443	443	2.14228	5.02E-06	1.1E-05	2.50E-04	2.69E-09	14	1.15E-02	4.32E-10	1.0E+06	4.3E-04
454	454	1.12582	5.02E-06	5.7E-06	2.50E-04	1.41E-09	14	1.15E-02	2.27E-10	1.0E+06	2.3E-04
455	455	1.27583	5.02E-06	6.4E-06	2.50E-04	1.60E-09	14	1.15E-02	2.57E-10	1.0E+06	2.6E-04
456	456	1.44092	5.02E-06	7.2E-06	2.50E-04	1.81E-09	14	1.15E-02	2.91E-10	1.0E+06	2.9E-04
457	457	1.61156	5.02E-06	8.1E-06	2.50E-04	2.02E-09	14	1.15E-02	3.25E-10	1.0E+06	3.3E-04
458	458	1.77164	5.02E-06	8.9E-06	2.50E-04	2.23E-09	14	1.15E-02	3.57E-10	1.0E+06	3.6E-04
469	469	0.99565	5.02E-06	5.0E-06	2.50E-04	1.25E-09	14	1.15E-02	2.01E-10	1.0E+06	2.0E-04
470	470	1.11329	5.02E-06	5.6E-06	2.50E-04	1.40E-09	14	1.15E-02	2.25E-10	1.0E+06	2.2E-04
471	471	1.24043	5.02E-06	6.2E-06	2.50E-04	1.56E-09	14	1.15E-02	2.50E-10	1.0E+06	2.5E-04

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	1.37014	5.02E-06	6.9E-06	2.50E-04	1.72E-09	14	1.15E-02	2.76E-10	1.0E+06	2.8E-04
473	473	1.49168	5.02E-06	7.5E-06	2.50E-04	1.87E-09	14	1.15E-02	3.01E-10	1.0E+06	3.0E-04
489	489	0.88663	5.02E-06	4.5E-06	2.50E-04	1.11E-09	14	1.15E-02	1.79E-10	1.0E+06	1.8E-04
490	490	0.98028	5.02E-06	4.9E-06	2.50E-04	1.23E-09	14	1.15E-02	1.98E-10	1.0E+06	2.0E-04
491	491	1.07984	5.02E-06	5.4E-06	2.50E-04	1.36E-09	14	1.15E-02	2.18E-10	1.0E+06	2.2E-04
492	492	1.18042	5.02E-06	5.9E-06	2.50E-04	1.48E-09	14	1.15E-02	2.38E-10	1.0E+06	2.4E-04
493	493	1.27451	5.02E-06	6.4E-06	2.50E-04	1.60E-09	14	1.15E-02	2.57E-10	1.0E+06	2.6E-04
494	494	1.35313	5.02E-06	6.8E-06	2.50E-04	1.70E-09	14	1.15E-02	2.73E-10	1.0E+06	2.7E-04
509	509	0.79446	5.02E-06	4.0E-06	2.50E-04	9.98E-10	14	1.15E-02	1.60E-10	1.0E+06	1.6E-04
510	510	0.87005	5.02E-06	4.4E-06	2.50E-04	1.09E-09	14	1.15E-02	1.76E-10	1.0E+06	1.8E-04
511	511	0.94946	5.02E-06	4.8E-06	2.50E-04	1.19E-09	14	1.15E-02	1.92E-10	1.0E+06	1.9E-04
512	512	1.02882	5.02E-06	5.2E-06	2.50E-04	1.29E-09	14	1.15E-02	2.08E-10	1.0E+06	2.1E-04
513	513	1.10267	5.02E-06	5.5E-06	2.50E-04	1.39E-09	14	1.15E-02	2.23E-10	1.0E+06	2.2E-04
514	514	1.16507	5.02E-06	5.8E-06	2.50E-04	1.46E-09	14	1.15E-02	2.35E-10	1.0E+06	2.4E-04
515	515	1.23028	5.02E-06	6.2E-06	2.50E-04	1.55E-09	14	1.15E-02	2.48E-10	1.0E+06	2.5E-04
516	516	1.22504	5.02E-06	6.2E-06	2.50E-04	1.54E-09	14	1.15E-02	2.47E-10	1.0E+06	2.5E-04
517	517	1.19469	5.02E-06	6.0E-06	2.50E-04	1.50E-09	14	1.15E-02	2.41E-10	1.0E+06	2.4E-04
518	518	1.1412	5.02E-06	5.7E-06	2.50E-04	1.43E-09	14	1.15E-02	2.30E-10	1.0E+06	2.3E-04
519	519	1.0692	5.02E-06	5.4E-06	2.50E-04	1.34E-09	14	1.15E-02	2.16E-10	1.0E+06	2.2E-04
528	528	0.71599	5.02E-06	3.6E-06	2.50E-04	9.00E-10	14	1.15E-02	1.44E-10	1.0E+06	1.4E-04
529	529	0.77776	5.02E-06	3.9E-06	2.50E-04	9.77E-10	14	1.15E-02	1.57E-10	1.0E+06	1.6E-04
530	530	0.84178	5.02E-06	4.2E-06	2.50E-04	1.06E-09	14	1.15E-02	1.70E-10	1.0E+06	1.7E-04
531	531	0.90536	5.02E-06	4.5E-06	2.50E-04	1.14E-09	14	1.15E-02	1.83E-10	1.0E+06	1.8E-04
532	532	0.96443	5.02E-06	4.8E-06	2.50E-04	1.21E-09	14	1.15E-02	1.95E-10	1.0E+06	1.9E-04
533	533	1.01444	5.02E-06	5.1E-06	2.50E-04	1.27E-09	14	1.15E-02	2.05E-10	1.0E+06	2.0E-04
534	534	1.06877	5.02E-06	5.4E-06	2.50E-04	1.34E-09	14	1.15E-02	2.16E-10	1.0E+06	2.2E-04
535	535	1.06698	5.02E-06	5.4E-06	2.50E-04	1.34E-09	14	1.15E-02	2.15E-10	1.0E+06	2.2E-04
536	536	1.04561	5.02E-06	5.2E-06	2.50E-04	1.31E-09	14	1.15E-02	2.11E-10	1.0E+06	2.1E-04
537	537	1.00475	5.02E-06	5.0E-06	2.50E-04	1.26E-09	14	1.15E-02	2.03E-10	1.0E+06	2.0E-04
538	538	0.94849	5.02E-06	4.8E-06	2.50E-04	1.19E-09	14	1.15E-02	1.91E-10	1.0E+06	1.9E-04
547	547	0.64867	5.02E-06	3.3E-06	2.50E-04	8.15E-10	14	1.15E-02	1.31E-10	1.0E+06	1.3E-04

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.69959	5.02E-06	3.5E-06	2.50E-04	8.79E-10	14	1.15E-02	1.41E-10	1.0E+06	1.4E-04
549	549	0.75196	5.02E-06	3.8E-06	2.50E-04	9.45E-10	14	1.15E-02	1.52E-10	1.0E+06	1.5E-04
550	550	0.80331	5.02E-06	4.0E-06	2.50E-04	1.01E-09	14	1.15E-02	1.62E-10	1.0E+06	1.6E-04
551	551	0.85116	5.02E-06	4.3E-06	2.50E-04	1.07E-09	14	1.15E-02	1.72E-10	1.0E+06	1.7E-04
552	552	0.89179	5.02E-06	4.5E-06	2.50E-04	1.12E-09	14	1.15E-02	1.80E-10	1.0E+06	1.8E-04
553	553	0.92174	5.02E-06	4.6E-06	2.50E-04	1.16E-09	14	1.15E-02	1.86E-10	1.0E+06	1.9E-04
554	554	0.93763	5.02E-06	4.7E-06	2.50E-04	1.18E-09	14	1.15E-02	1.89E-10	1.0E+06	1.9E-04
555	555	0.93822	5.02E-06	4.7E-06	2.50E-04	1.18E-09	14	1.15E-02	1.89E-10	1.0E+06	1.9E-04
556	556	0.92314	5.02E-06	4.6E-06	2.50E-04	1.16E-09	14	1.15E-02	1.86E-10	1.0E+06	1.9E-04
557	557	0.89177	5.02E-06	4.5E-06	2.50E-04	1.12E-09	14	1.15E-02	1.80E-10	1.0E+06	1.8E-04
558	558	0.84807	5.02E-06	4.3E-06	2.50E-04	1.07E-09	14	1.15E-02	1.71E-10	1.0E+06	1.7E-04
559	559	0.79416	5.02E-06	4.0E-06	2.50E-04	9.98E-10	14	1.15E-02	1.60E-10	1.0E+06	1.6E-04
567	567	0.59049	5.02E-06	3.0E-06	2.50E-04	7.42E-10	14	1.15E-02	1.19E-10	1.0E+06	1.2E-04
568	568	0.63297	5.02E-06	3.2E-06	2.50E-04	7.95E-10	14	1.15E-02	1.28E-10	1.0E+06	1.3E-04
569	569	0.6761	5.02E-06	3.4E-06	2.50E-04	8.50E-10	14	1.15E-02	1.36E-10	1.0E+06	1.4E-04
570	570	0.71832	5.02E-06	3.6E-06	2.50E-04	9.03E-10	14	1.15E-02	1.45E-10	1.0E+06	1.4E-04
571	571	0.75738	5.02E-06	3.8E-06	2.50E-04	9.52E-10	14	1.15E-02	1.53E-10	1.0E+06	1.5E-04
572	572	0.79079	5.02E-06	4.0E-06	2.50E-04	9.94E-10	14	1.15E-02	1.60E-10	1.0E+06	1.6E-04
573	573	0.81576	5.02E-06	4.1E-06	2.50E-04	1.02E-09	14	1.15E-02	1.65E-10	1.0E+06	1.6E-04
574	574	0.83165	5.02E-06	4.2E-06	2.50E-04	1.04E-09	14	1.15E-02	1.68E-10	1.0E+06	1.7E-04
575	575	0.82088	5.02E-06	4.1E-06	2.50E-04	1.03E-09	14	1.15E-02	1.66E-10	1.0E+06	1.7E-04
576	576	0.79747	5.02E-06	4.0E-06	2.50E-04	1.00E-09	14	1.15E-02	1.61E-10	1.0E+06	1.6E-04
577	577	0.76292	5.02E-06	3.8E-06	2.50E-04	9.59E-10	14	1.15E-02	1.54E-10	1.0E+06	1.5E-04
578	578	0.71964	5.02E-06	3.6E-06	2.50E-04	9.04E-10	14	1.15E-02	1.45E-10	1.0E+06	1.5E-04
586	586	0.53986	5.02E-06	2.7E-06	2.50E-04	6.78E-10	14	1.15E-02	1.09E-10	1.0E+06	1.1E-04
587	587	0.5754	5.02E-06	2.9E-06	2.50E-04	7.23E-10	14	1.15E-02	1.16E-10	1.0E+06	1.2E-04
588	588	0.61134	5.02E-06	3.1E-06	2.50E-04	7.68E-10	14	1.15E-02	1.23E-10	1.0E+06	1.2E-04
589	589	0.64627	5.02E-06	3.2E-06	2.50E-04	8.12E-10	14	1.15E-02	1.30E-10	1.0E+06	1.3E-04
590	590	0.67856	5.02E-06	3.4E-06	2.50E-04	8.53E-10	14	1.15E-02	1.37E-10	1.0E+06	1.4E-04
591	591	0.70623	5.02E-06	3.5E-06	2.50E-04	8.87E-10	14	1.15E-02	1.43E-10	1.0E+06	1.4E-04
592	592	0.72724	5.02E-06	3.7E-06	2.50E-04	9.14E-10	14	1.15E-02	1.47E-10	1.0E+06	1.5E-04

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	0.74236	5.02E-06	3.7E-06	2.50E-04	9.33E-10	14	1.15E-02	1.50E-10	1.0E+06	1.5E-04
594	594	0.73491	5.02E-06	3.7E-06	2.50E-04	9.23E-10	14	1.15E-02	1.48E-10	1.0E+06	1.5E-04
595	595	0.71668	5.02E-06	3.6E-06	2.50E-04	9.00E-10	14	1.15E-02	1.45E-10	1.0E+06	1.4E-04
596	596	0.6892	5.02E-06	3.5E-06	2.50E-04	8.66E-10	14	1.15E-02	1.39E-10	1.0E+06	1.4E-04
597	597	0.65433	5.02E-06	3.3E-06	2.50E-04	8.22E-10	14	1.15E-02	1.32E-10	1.0E+06	1.3E-04
345	345	31.6436	5.02E-06	1.6E-04	2.50E-04	3.98E-08	14	1.15E-02	6.39E-09	1.0E+06	6.4E-03
346	346	37.70403	5.02E-06	1.9E-04	2.50E-04	4.74E-08	14	1.15E-02	7.61E-09	1.0E+06	7.6E-03
347	347	39.2332	5.02E-06	2.0E-04	2.50E-04	4.93E-08	14	1.15E-02	7.92E-09	1.0E+06	7.9E-03
348	348	39.19156	5.02E-06	2.0E-04	2.50E-04	4.92E-08	14	1.15E-02	7.91E-09	1.0E+06	7.9E-03
359	359	13.08024	5.02E-06	6.6E-05	2.50E-04	1.64E-08	14	1.15E-02	2.64E-09	1.0E+06	2.6E-03
360	360	16.22102	5.02E-06	8.1E-05	2.50E-04	2.04E-08	14	1.15E-02	3.27E-09	1.0E+06	3.3E-03
361	361	17.48734	5.02E-06	8.8E-05	2.50E-04	2.20E-08	14	1.15E-02	3.53E-09	1.0E+06	3.5E-03
362	362	17.83663	5.02E-06	9.0E-05	2.50E-04	2.24E-08	14	1.15E-02	3.60E-09	1.0E+06	3.6E-03
363	363	17.69177	5.02E-06	8.9E-05	2.50E-04	2.22E-08	14	1.15E-02	3.57E-09	1.0E+06	3.6E-03
373	373	9.3724	5.02E-06	4.7E-05	2.50E-04	1.18E-08	14	1.15E-02	1.89E-09	1.0E+06	1.9E-03
374	374	10.28804	5.02E-06	5.2E-05	2.50E-04	1.29E-08	14	1.15E-02	2.08E-09	1.0E+06	2.1E-03
375	375	10.60684	5.02E-06	5.3E-05	2.50E-04	1.33E-08	14	1.15E-02	2.14E-09	1.0E+06	2.1E-03
376	376	10.53579	5.02E-06	5.3E-05	2.50E-04	1.32E-08	14	1.15E-02	2.13E-09	1.0E+06	2.1E-03
386	386	6.20684	5.02E-06	3.1E-05	2.50E-04	7.80E-09	14	1.15E-02	1.25E-09	1.0E+06	1.3E-03
387	387	6.84873	5.02E-06	3.4E-05	2.50E-04	8.61E-09	14	1.15E-02	1.38E-09	1.0E+06	1.4E-03
388	388	7.11549	5.02E-06	3.6E-05	2.50E-04	8.94E-09	14	1.15E-02	1.44E-09	1.0E+06	1.4E-03
389	389	7.09486	5.02E-06	3.6E-05	2.50E-04	8.91E-09	14	1.15E-02	1.43E-09	1.0E+06	1.4E-03
390	390	6.82497	5.02E-06	3.4E-05	2.50E-04	8.58E-09	14	1.15E-02	1.38E-09	1.0E+06	1.4E-03
400	400	4.45344	5.02E-06	2.2E-05	2.50E-04	5.60E-09	14	1.15E-02	8.99E-10	1.0E+06	9.0E-04
401	401	4.90114	5.02E-06	2.5E-05	2.50E-04	6.16E-09	14	1.15E-02	9.89E-10	1.0E+06	9.9E-04
402	402	5.12058	5.02E-06	2.6E-05	2.50E-04	6.43E-09	14	1.15E-02	1.03E-09	1.0E+06	1.0E-03
403	403	5.12602	5.02E-06	2.6E-05	2.50E-04	6.44E-09	14	1.15E-02	1.03E-09	1.0E+06	1.0E-03
404	404	4.94528	5.02E-06	2.5E-05	2.50E-04	6.21E-09	14	1.15E-02	9.98E-10	1.0E+06	1.0E-03
415	415	3.37031	5.02E-06	1.7E-05	2.50E-04	4.23E-09	14	1.15E-02	6.80E-10	1.0E+06	6.8E-04
416	416	3.69022	5.02E-06	1.9E-05	2.50E-04	4.64E-09	14	1.15E-02	7.45E-10	1.0E+06	7.4E-04
417	417	3.86092	5.02E-06	1.9E-05	2.50E-04	4.85E-09	14	1.15E-02	7.79E-10	1.0E+06	7.8E-04

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	3.88783	5.02E-06	2.0E-05	2.50E-04	4.88E-09	14	1.15E-02	7.85E-10	1.0E+06	7.8E-04
419	419	3.7737	5.02E-06	1.9E-05	2.50E-04	4.74E-09	14	1.15E-02	7.61E-10	1.0E+06	7.6E-04
420	420	3.51293	5.02E-06	1.8E-05	2.50E-04	4.41E-09	14	1.15E-02	7.09E-10	1.0E+06	7.1E-04
430	430	2.88099	5.02E-06	1.4E-05	2.50E-04	3.62E-09	14	1.15E-02	5.81E-10	1.0E+06	5.8E-04
431	431	3.0175	5.02E-06	1.5E-05	2.50E-04	3.79E-09	14	1.15E-02	6.09E-10	1.0E+06	6.1E-04
432	432	3.04782	5.02E-06	1.5E-05	2.50E-04	3.83E-09	14	1.15E-02	6.15E-10	1.0E+06	6.2E-04
433	433	2.97421	5.02E-06	1.5E-05	2.50E-04	3.74E-09	14	1.15E-02	6.00E-10	1.0E+06	6.0E-04
434	434	2.80201	5.02E-06	1.4E-05	2.50E-04	3.52E-09	14	1.15E-02	5.65E-10	1.0E+06	5.7E-04
444	444	2.31474	5.02E-06	1.2E-05	2.50E-04	2.91E-09	14	1.15E-02	4.67E-10	1.0E+06	4.7E-04
445	445	2.4215	5.02E-06	1.2E-05	2.50E-04	3.04E-09	14	1.15E-02	4.89E-10	1.0E+06	4.9E-04
446	446	2.4525	5.02E-06	1.2E-05	2.50E-04	3.08E-09	14	1.15E-02	4.95E-10	1.0E+06	4.9E-04
447	447	2.40625	5.02E-06	1.2E-05	2.50E-04	3.02E-09	14	1.15E-02	4.86E-10	1.0E+06	4.9E-04
448	448	2.28683	5.02E-06	1.1E-05	2.50E-04	2.87E-09	14	1.15E-02	4.61E-10	1.0E+06	4.6E-04
459	459	1.98654	5.02E-06	1.0E-05	2.50E-04	2.50E-09	14	1.15E-02	4.01E-10	1.0E+06	4.0E-04
460	460	2.0157	5.02E-06	1.0E-05	2.50E-04	2.53E-09	14	1.15E-02	4.07E-10	1.0E+06	4.1E-04
461	461	1.98679	5.02E-06	1.0E-05	2.50E-04	2.50E-09	14	1.15E-02	4.01E-10	1.0E+06	4.0E-04
462	462	1.90271	5.02E-06	9.6E-06	2.50E-04	2.39E-09	14	1.15E-02	3.84E-10	1.0E+06	3.8E-04
463	463	1.7704	5.02E-06	8.9E-06	2.50E-04	2.22E-09	14	1.15E-02	3.57E-10	1.0E+06	3.6E-04
474	474	1.65924	5.02E-06	8.3E-06	2.50E-04	2.08E-09	14	1.15E-02	3.35E-10	1.0E+06	3.3E-04
475	475	1.68558	5.02E-06	8.5E-06	2.50E-04	2.12E-09	14	1.15E-02	3.40E-10	1.0E+06	3.4E-04
476	476	1.66881	5.02E-06	8.4E-06	2.50E-04	2.10E-09	14	1.15E-02	3.37E-10	1.0E+06	3.4E-04
477	477	1.60874	5.02E-06	8.1E-06	2.50E-04	2.02E-09	14	1.15E-02	3.25E-10	1.0E+06	3.2E-04
478	478	1.51197	5.02E-06	7.6E-06	2.50E-04	1.90E-09	14	1.15E-02	3.05E-10	1.0E+06	3.1E-04
495	495	1.40744	5.02E-06	7.1E-06	2.50E-04	1.77E-09	14	1.15E-02	2.84E-10	1.0E+06	2.8E-04
496	496	1.43081	5.02E-06	7.2E-06	2.50E-04	1.80E-09	14	1.15E-02	2.89E-10	1.0E+06	2.9E-04
497	497	1.42133	5.02E-06	7.1E-06	2.50E-04	1.79E-09	14	1.15E-02	2.87E-10	1.0E+06	2.9E-04
498	498	1.37883	5.02E-06	6.9E-06	2.50E-04	1.73E-09	14	1.15E-02	2.78E-10	1.0E+06	2.8E-04
499	499	1.30699	5.02E-06	6.6E-06	2.50E-04	1.64E-09	14	1.15E-02	2.64E-10	1.0E+06	2.6E-04
500	500	1.21222	5.02E-06	6.1E-06	2.50E-04	1.52E-09	14	1.15E-02	2.45E-10	1.0E+06	2.4E-04

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	0.63846	5.02E-06	3.2E-06	2.50E-04	8.02E-10	25	1.15E-02	2.30E-10	1.0E+06	2.3E-04
140	140	0.66587	5.02E-06	3.3E-06	2.50E-04	8.37E-10	25	1.15E-02	2.40E-10	1.0E+06	2.4E-04
156	156	0.72799	5.02E-06	3.7E-06	2.50E-04	9.15E-10	25	1.15E-02	2.62E-10	1.0E+06	2.6E-04
157	157	0.76295	5.02E-06	3.8E-06	2.50E-04	9.59E-10	25	1.15E-02	2.75E-10	1.0E+06	2.7E-04
158	158	0.79463	5.02E-06	4.0E-06	2.50E-04	9.98E-10	25	1.15E-02	2.86E-10	1.0E+06	2.9E-04
159	159	0.82138	5.02E-06	4.1E-06	2.50E-04	1.03E-09	25	1.15E-02	2.96E-10	1.0E+06	3.0E-04
160	160	0.84283	5.02E-06	4.2E-06	2.50E-04	1.06E-09	25	1.15E-02	3.04E-10	1.0E+06	3.0E-04
161	161	0.87417	5.02E-06	4.4E-06	2.50E-04	1.10E-09	25	1.15E-02	3.15E-10	1.0E+06	3.1E-04
162	162	0.88615	5.02E-06	4.4E-06	2.50E-04	1.11E-09	25	1.15E-02	3.19E-10	1.0E+06	3.2E-04
163	163	0.89723	5.02E-06	4.5E-06	2.50E-04	1.13E-09	25	1.15E-02	3.23E-10	1.0E+06	3.2E-04
167	167	0.88282	5.02E-06	4.4E-06	2.50E-04	1.11E-09	25	1.15E-02	3.18E-10	1.0E+06	3.2E-04
168	168	0.92656	5.02E-06	4.7E-06	2.50E-04	1.16E-09	25	1.15E-02	3.34E-10	1.0E+06	3.3E-04
169	169	0.96226	5.02E-06	4.8E-06	2.50E-04	1.21E-09	25	1.15E-02	3.47E-10	1.0E+06	3.5E-04
170	170	0.99157	5.02E-06	5.0E-06	2.50E-04	1.25E-09	25	1.15E-02	3.57E-10	1.0E+06	3.6E-04
171	171	1.01526	5.02E-06	5.1E-06	2.50E-04	1.28E-09	25	1.15E-02	3.66E-10	1.0E+06	3.7E-04
172	172	1.03555	5.02E-06	5.2E-06	2.50E-04	1.30E-09	25	1.15E-02	3.73E-10	1.0E+06	3.7E-04
173	173	1.05272	5.02E-06	5.3E-06	2.50E-04	1.32E-09	25	1.15E-02	3.79E-10	1.0E+06	3.8E-04
174	174	1.06904	5.02E-06	5.4E-06	2.50E-04	1.34E-09	25	1.15E-02	3.85E-10	1.0E+06	3.9E-04
175	175	1.08478	5.02E-06	5.4E-06	2.50E-04	1.36E-09	25	1.15E-02	3.91E-10	1.0E+06	3.9E-04
176	176	1.09977	5.02E-06	5.5E-06	2.50E-04	1.38E-09	25	1.15E-02	3.96E-10	1.0E+06	4.0E-04
177	177	1.1128	5.02E-06	5.6E-06	2.50E-04	1.40E-09	25	1.15E-02	4.01E-10	1.0E+06	4.0E-04
181	181	1.09622	5.02E-06	5.5E-06	2.50E-04	1.38E-09	25	1.15E-02	3.95E-10	1.0E+06	4.0E-04
182	182	1.14493	5.02E-06	5.7E-06	2.50E-04	1.44E-09	25	1.15E-02	4.13E-10	1.0E+06	4.1E-04
183	183	1.18654	5.02E-06	6.0E-06	2.50E-04	1.49E-09	25	1.15E-02	4.28E-10	1.0E+06	4.3E-04
184	184	1.22089	5.02E-06	6.1E-06	2.50E-04	1.53E-09	25	1.15E-02	4.40E-10	1.0E+06	4.4E-04
185	185	1.25066	5.02E-06	6.3E-06	2.50E-04	1.57E-09	25	1.15E-02	4.51E-10	1.0E+06	4.5E-04
186	186	1.27643	5.02E-06	6.4E-06	2.50E-04	1.60E-09	25	1.15E-02	4.60E-10	1.0E+06	4.6E-04
187	187	1.29872	5.02E-06	6.5E-06	2.50E-04	1.63E-09	25	1.15E-02	4.68E-10	1.0E+06	4.7E-04
188	188	1.31865	5.02E-06	6.6E-06	2.50E-04	1.66E-09	25	1.15E-02	4.75E-10	1.0E+06	4.8E-04
189	189	1.33468	5.02E-06	6.7E-06	2.50E-04	1.68E-09	25	1.15E-02	4.81E-10	1.0E+06	4.8E-04
190	190	1.34479	5.02E-06	6.8E-06	2.50E-04	1.69E-09	25	1.15E-02	4.85E-10	1.0E+06	4.8E-04

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	1.34615	5.02E-06	6.8E-06	2.50E-04	1.69E-09	25	1.15E-02	4.85E-10	1.0E+06	4.9E-04
195	195	1.32044	5.02E-06	6.6E-06	2.50E-04	1.66E-09	25	1.15E-02	4.76E-10	1.0E+06	4.8E-04
196	196	1.38978	5.02E-06	7.0E-06	2.50E-04	1.75E-09	25	1.15E-02	5.01E-10	1.0E+06	5.0E-04
197	197	1.44973	5.02E-06	7.3E-06	2.50E-04	1.82E-09	25	1.15E-02	5.22E-10	1.0E+06	5.2E-04
198	198	1.50194	5.02E-06	7.5E-06	2.50E-04	1.89E-09	25	1.15E-02	5.41E-10	1.0E+06	5.4E-04
199	199	1.54696	5.02E-06	7.8E-06	2.50E-04	1.94E-09	25	1.15E-02	5.57E-10	1.0E+06	5.6E-04
200	200	1.58464	5.02E-06	8.0E-06	2.50E-04	1.99E-09	25	1.15E-02	5.71E-10	1.0E+06	5.7E-04
201	201	1.61481	5.02E-06	8.1E-06	2.50E-04	2.03E-09	25	1.15E-02	5.82E-10	1.0E+06	5.8E-04
202	202	1.63595	5.02E-06	8.2E-06	2.50E-04	2.06E-09	25	1.15E-02	5.89E-10	1.0E+06	5.9E-04
203	203	1.64682	5.02E-06	8.3E-06	2.50E-04	2.07E-09	25	1.15E-02	5.93E-10	1.0E+06	5.9E-04
204	204	1.64523	5.02E-06	8.3E-06	2.50E-04	2.07E-09	25	1.15E-02	5.93E-10	1.0E+06	5.9E-04
205	205	1.6283	5.02E-06	8.2E-06	2.50E-04	2.05E-09	25	1.15E-02	5.87E-10	1.0E+06	5.9E-04
206	206	1.59281	5.02E-06	8.0E-06	2.50E-04	2.00E-09	25	1.15E-02	5.74E-10	1.0E+06	5.7E-04
210	210	1.50141	5.02E-06	7.5E-06	2.50E-04	1.89E-09	25	1.15E-02	5.41E-10	1.0E+06	5.4E-04
211	211	1.62516	5.02E-06	8.2E-06	2.50E-04	2.04E-09	25	1.15E-02	5.86E-10	1.0E+06	5.9E-04
212	212	1.72796	5.02E-06	8.7E-06	2.50E-04	2.17E-09	25	1.15E-02	6.23E-10	1.0E+06	6.2E-04
213	213	1.82015	5.02E-06	9.1E-06	2.50E-04	2.29E-09	25	1.15E-02	6.56E-10	1.0E+06	6.6E-04
214	214	1.9703	5.02E-06	9.9E-06	2.50E-04	2.48E-09	25	1.15E-02	7.10E-10	1.0E+06	7.1E-04
215	215	2.02343	5.02E-06	1.0E-05	2.50E-04	2.54E-09	25	1.15E-02	7.29E-10	1.0E+06	7.3E-04
216	216	2.0576	5.02E-06	1.0E-05	2.50E-04	2.59E-09	25	1.15E-02	7.41E-10	1.0E+06	7.4E-04
217	217	2.0718	5.02E-06	1.0E-05	2.50E-04	2.60E-09	25	1.15E-02	7.47E-10	1.0E+06	7.5E-04
218	218	2.06486	5.02E-06	1.0E-05	2.50E-04	2.59E-09	25	1.15E-02	7.44E-10	1.0E+06	7.4E-04
219	219	2.03499	5.02E-06	1.0E-05	2.50E-04	2.56E-09	25	1.15E-02	7.33E-10	1.0E+06	7.3E-04
220	220	1.97932	5.02E-06	9.9E-06	2.50E-04	2.49E-09	25	1.15E-02	7.13E-10	1.0E+06	7.1E-04
221	221	1.89547	5.02E-06	9.5E-06	2.50E-04	2.38E-09	25	1.15E-02	6.83E-10	1.0E+06	6.8E-04
222	222	1.78696	5.02E-06	9.0E-06	2.50E-04	2.25E-09	25	1.15E-02	6.44E-10	1.0E+06	6.4E-04
226	226	1.87782	5.02E-06	9.4E-06	2.50E-04	2.36E-09	25	1.15E-02	6.77E-10	1.0E+06	6.8E-04
227	227	2.05838	5.02E-06	1.0E-05	2.50E-04	2.59E-09	25	1.15E-02	7.42E-10	1.0E+06	7.4E-04
228	228	2.21805	5.02E-06	1.1E-05	2.50E-04	2.79E-09	25	1.15E-02	7.99E-10	1.0E+06	8.0E-04
229	229	2.36622	5.02E-06	1.2E-05	2.50E-04	2.97E-09	25	1.15E-02	8.53E-10	1.0E+06	8.5E-04
230	230	2.49683	5.02E-06	1.3E-05	2.50E-04	3.14E-09	25	1.15E-02	9.00E-10	1.0E+06	9.0E-04

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	2.59813	5.02E-06	1.3E-05	2.50E-04	3.26E-09	25	1.15E-02	9.36E-10	1.0E+06	9.4E-04
232	232	2.66763	5.02E-06	1.3E-05	2.50E-04	3.35E-09	25	1.15E-02	9.61E-10	1.0E+06	9.6E-04
233	233	2.682	5.02E-06	1.3E-05	2.50E-04	3.37E-09	25	1.15E-02	9.66E-10	1.0E+06	9.7E-04
234	234	2.63012	5.02E-06	1.3E-05	2.50E-04	3.30E-09	25	1.15E-02	9.48E-10	1.0E+06	9.5E-04
235	235	2.53933	5.02E-06	1.3E-05	2.50E-04	3.19E-09	25	1.15E-02	9.15E-10	1.0E+06	9.2E-04
236	236	2.408	5.02E-06	1.2E-05	2.50E-04	3.03E-09	25	1.15E-02	8.68E-10	1.0E+06	8.7E-04
237	237	2.24018	5.02E-06	1.1E-05	2.50E-04	2.81E-09	25	1.15E-02	8.07E-10	1.0E+06	8.1E-04
238	238	2.04693	5.02E-06	1.0E-05	2.50E-04	2.57E-09	25	1.15E-02	7.38E-10	1.0E+06	7.4E-04
242	242	2.4174	5.02E-06	1.2E-05	2.50E-04	3.04E-09	25	1.15E-02	8.71E-10	1.0E+06	8.7E-04
243	243	2.70157	5.02E-06	1.4E-05	2.50E-04	3.39E-09	25	1.15E-02	9.73E-10	1.0E+06	9.7E-04
244	244	2.9599	5.02E-06	1.5E-05	2.50E-04	3.72E-09	25	1.15E-02	1.07E-09	1.0E+06	1.1E-03
245	245	3.21486	5.02E-06	1.6E-05	2.50E-04	4.04E-09	25	1.15E-02	1.16E-09	1.0E+06	1.2E-03
246	246	3.43153	5.02E-06	1.7E-05	2.50E-04	4.31E-09	25	1.15E-02	1.24E-09	1.0E+06	1.2E-03
247	247	3.58556	5.02E-06	1.8E-05	2.50E-04	4.51E-09	25	1.15E-02	1.29E-09	1.0E+06	1.3E-03
248	248	3.65764	5.02E-06	1.8E-05	2.50E-04	4.60E-09	25	1.15E-02	1.32E-09	1.0E+06	1.3E-03
249	249	3.55087	5.02E-06	1.8E-05	2.50E-04	4.46E-09	25	1.15E-02	1.28E-09	1.0E+06	1.3E-03
250	250	3.39598	5.02E-06	1.7E-05	2.50E-04	4.27E-09	25	1.15E-02	1.22E-09	1.0E+06	1.2E-03
251	251	3.18149	5.02E-06	1.6E-05	2.50E-04	4.00E-09	25	1.15E-02	1.15E-09	1.0E+06	1.1E-03
252	252	2.91082	5.02E-06	1.5E-05	2.50E-04	3.66E-09	25	1.15E-02	1.05E-09	1.0E+06	1.0E-03
253	253	2.6041	5.02E-06	1.3E-05	2.50E-04	3.27E-09	25	1.15E-02	9.38E-10	1.0E+06	9.4E-04
254	254	2.28826	5.02E-06	1.1E-05	2.50E-04	2.88E-09	25	1.15E-02	8.25E-10	1.0E+06	8.2E-04
257	257	3.24779	5.02E-06	1.6E-05	2.50E-04	4.08E-09	25	1.15E-02	1.17E-09	1.0E+06	1.2E-03
258	258	3.73534	5.02E-06	1.9E-05	2.50E-04	4.69E-09	25	1.15E-02	1.35E-09	1.0E+06	1.3E-03
259	259	4.2141	5.02E-06	2.1E-05	2.50E-04	5.29E-09	25	1.15E-02	1.52E-09	1.0E+06	1.5E-03
260	260	4.63866	5.02E-06	2.3E-05	2.50E-04	5.83E-09	25	1.15E-02	1.67E-09	1.0E+06	1.7E-03
261	261	5.01032	5.02E-06	2.5E-05	2.50E-04	6.30E-09	25	1.15E-02	1.81E-09	1.0E+06	1.8E-03
262	262	5.21183	5.02E-06	2.6E-05	2.50E-04	6.55E-09	25	1.15E-02	1.88E-09	1.0E+06	1.9E-03
263	263	5.23746	5.02E-06	2.6E-05	2.50E-04	6.58E-09	25	1.15E-02	1.89E-09	1.0E+06	1.9E-03
264	264	4.82094	5.02E-06	2.4E-05	2.50E-04	6.06E-09	25	1.15E-02	1.74E-09	1.0E+06	1.7E-03
265	265	4.44447	5.02E-06	2.2E-05	2.50E-04	5.58E-09	25	1.15E-02	1.60E-09	1.0E+06	1.6E-03
266	266	3.97726	5.02E-06	2.0E-05	2.50E-04	5.00E-09	25	1.15E-02	1.43E-09	1.0E+06	1.4E-03

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	3.45444	5.02E-06	1.7E-05	2.50E-04	4.34E-09	25	1.15E-02	1.24E-09	1.0E+06	1.2E-03
268	268	2.93428	5.02E-06	1.5E-05	2.50E-04	3.69E-09	25	1.15E-02	1.06E-09	1.0E+06	1.1E-03
269	269	2.46163	5.02E-06	1.2E-05	2.50E-04	3.09E-09	25	1.15E-02	8.87E-10	1.0E+06	8.9E-04
270	270	1.45221	5.02E-06	7.3E-06	2.50E-04	1.82E-09	25	1.15E-02	5.23E-10	1.0E+06	5.2E-04
271	271	1.23289	5.02E-06	6.2E-06	2.50E-04	1.55E-09	25	1.15E-02	4.44E-10	1.0E+06	4.4E-04
274	274	4.65784	5.02E-06	2.3E-05	2.50E-04	5.85E-09	25	1.15E-02	1.68E-09	1.0E+06	1.7E-03
275	275	5.59237	5.02E-06	2.8E-05	2.50E-04	7.03E-09	25	1.15E-02	2.02E-09	1.0E+06	2.0E-03
276	276	6.54527	5.02E-06	3.3E-05	2.50E-04	8.22E-09	25	1.15E-02	2.36E-09	1.0E+06	2.4E-03
277	277	7.3131	5.02E-06	3.7E-05	2.50E-04	9.19E-09	25	1.15E-02	2.64E-09	1.0E+06	2.6E-03
278	278	7.8709	5.02E-06	4.0E-05	2.50E-04	9.89E-09	25	1.15E-02	2.84E-09	1.0E+06	2.8E-03
279	279	8.08193	5.02E-06	4.1E-05	2.50E-04	1.02E-08	25	1.15E-02	2.91E-09	1.0E+06	2.9E-03
280	280	7.92368	5.02E-06	4.0E-05	2.50E-04	9.96E-09	25	1.15E-02	2.86E-09	1.0E+06	2.9E-03
281	281	6.75703	5.02E-06	3.4E-05	2.50E-04	8.49E-09	25	1.15E-02	2.43E-09	1.0E+06	2.4E-03
282	282	5.87143	5.02E-06	2.9E-05	2.50E-04	7.38E-09	25	1.15E-02	2.12E-09	1.0E+06	2.1E-03
283	283	4.88351	5.02E-06	2.5E-05	2.50E-04	6.14E-09	25	1.15E-02	1.76E-09	1.0E+06	1.8E-03
284	284	3.93896	5.02E-06	2.0E-05	2.50E-04	4.95E-09	25	1.15E-02	1.42E-09	1.0E+06	1.4E-03
285	285	3.13988	5.02E-06	1.6E-05	2.50E-04	3.95E-09	25	1.15E-02	1.13E-09	1.0E+06	1.1E-03
286	286	2.50859	5.02E-06	1.3E-05	2.50E-04	3.15E-09	25	1.15E-02	9.04E-10	1.0E+06	9.0E-04
287	287	1.37471	5.02E-06	6.9E-06	2.50E-04	1.73E-09	25	1.15E-02	4.95E-10	1.0E+06	5.0E-04
288	288	1.15701	5.02E-06	5.8E-06	2.50E-04	1.45E-09	25	1.15E-02	4.17E-10	1.0E+06	4.2E-04
291	291	7.52043	5.02E-06	3.8E-05	2.50E-04	9.45E-09	25	1.15E-02	2.71E-09	1.0E+06	2.7E-03
292	292	9.68706	5.02E-06	4.9E-05	2.50E-04	1.22E-08	25	1.15E-02	3.49E-09	1.0E+06	3.5E-03
293	293	11.63073	5.02E-06	5.8E-05	2.50E-04	1.46E-08	25	1.15E-02	4.19E-09	1.0E+06	4.2E-03
294	294	12.97178	5.02E-06	6.5E-05	2.50E-04	1.63E-08	25	1.15E-02	4.67E-09	1.0E+06	4.7E-03
295	295	13.67129	5.02E-06	6.9E-05	2.50E-04	1.72E-08	25	1.15E-02	4.93E-09	1.0E+06	4.9E-03
296	296	13.795	5.02E-06	6.9E-05	2.50E-04	1.73E-08	25	1.15E-02	4.97E-09	1.0E+06	5.0E-03
297	297	13.25751	5.02E-06	6.7E-05	2.50E-04	1.67E-08	25	1.15E-02	4.78E-09	1.0E+06	4.8E-03
298	298	9.99981	5.02E-06	5.0E-05	2.50E-04	1.26E-08	25	1.15E-02	3.60E-09	1.0E+06	3.6E-03
299	299	7.73637	5.02E-06	3.9E-05	2.50E-04	9.72E-09	25	1.15E-02	2.79E-09	1.0E+06	2.8E-03
300	300	5.68333	5.02E-06	2.9E-05	2.50E-04	7.14E-09	25	1.15E-02	2.05E-09	1.0E+06	2.0E-03
301	301	4.16271	5.02E-06	2.1E-05	2.50E-04	5.23E-09	25	1.15E-02	1.50E-09	1.0E+06	1.5E-03

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	302	3.11324	5.02E-06	1.6E-05	2.50E-04	3.91E-09	25	1.15E-02	1.12E-09	1.0E+06	1.1E-03
303	303	2.3932	5.02E-06	1.2E-05	2.50E-04	3.01E-09	25	1.15E-02	8.62E-10	1.0E+06	8.6E-04
304	304	1.26431	5.02E-06	6.3E-06	2.50E-04	1.59E-09	25	1.15E-02	4.56E-10	1.0E+06	4.6E-04
305	305	1.06376	5.02E-06	5.3E-06	2.50E-04	1.34E-09	25	1.15E-02	3.83E-10	1.0E+06	3.8E-04
308	308	16.35316	5.02E-06	8.2E-05	2.50E-04	2.05E-08	25	1.15E-02	5.89E-09	1.0E+06	5.9E-03
309	309	22.5698	5.02E-06	1.1E-04	2.50E-04	2.84E-08	25	1.15E-02	8.13E-09	1.0E+06	8.1E-03
310	310	26.07239	5.02E-06	1.3E-04	2.50E-04	3.28E-08	25	1.15E-02	9.39E-09	1.0E+06	9.4E-03
311	311	28.12116	5.02E-06	1.4E-04	2.50E-04	3.53E-08	25	1.15E-02	1.01E-08	1.0E+06	1.0E-02
312	312	29.01248	5.02E-06	1.5E-04	2.50E-04	3.65E-08	25	1.15E-02	1.05E-08	1.0E+06	1.0E-02
313	313	29.04454	5.02E-06	1.5E-04	2.50E-04	3.65E-08	25	1.15E-02	1.05E-08	1.0E+06	1.0E-02
314	314	27.80887	5.02E-06	1.4E-04	2.50E-04	3.49E-08	25	1.15E-02	1.00E-08	1.0E+06	1.0E-02
315	315	15.97383	5.02E-06	8.0E-05	2.50E-04	2.01E-08	25	1.15E-02	5.76E-09	1.0E+06	5.8E-03
316	316	9.34896	5.02E-06	4.7E-05	2.50E-04	1.17E-08	25	1.15E-02	3.37E-09	1.0E+06	3.4E-03
317	317	5.79472	5.02E-06	2.9E-05	2.50E-04	7.28E-09	25	1.15E-02	2.09E-09	1.0E+06	2.1E-03
318	318	3.91326	5.02E-06	2.0E-05	2.50E-04	4.92E-09	25	1.15E-02	1.41E-09	1.0E+06	1.4E-03
319	319	2.82757	5.02E-06	1.4E-05	2.50E-04	3.55E-09	25	1.15E-02	1.02E-09	1.0E+06	1.0E-03
320	320	2.14863	5.02E-06	1.1E-05	2.50E-04	2.70E-09	25	1.15E-02	7.74E-10	1.0E+06	7.7E-04
321	321	1.14559	5.02E-06	5.8E-06	2.50E-04	1.44E-09	25	1.15E-02	4.13E-10	1.0E+06	4.1E-04
322	322	0.97022	5.02E-06	4.9E-06	2.50E-04	1.22E-09	25	1.15E-02	3.50E-10	1.0E+06	3.5E-04
325	325	8.56935	5.02E-06	4.3E-05	2.50E-04	1.08E-08	25	1.15E-02	3.09E-09	1.0E+06	3.1E-03
326	326	18.24856	5.02E-06	9.2E-05	2.50E-04	2.29E-08	25	1.15E-02	6.58E-09	1.0E+06	6.6E-03
327	327	21.42517	5.02E-06	1.1E-04	2.50E-04	2.69E-08	25	1.15E-02	7.72E-09	1.0E+06	7.7E-03
328	328	29.52334	5.02E-06	1.5E-04	2.50E-04	3.71E-08	25	1.15E-02	1.06E-08	1.0E+06	1.1E-02
329	329	25.22722	5.02E-06	1.3E-04	2.50E-04	3.17E-08	25	1.15E-02	9.09E-09	1.0E+06	9.1E-03
330	330	22.34156	5.02E-06	1.1E-04	2.50E-04	2.81E-08	25	1.15E-02	8.05E-09	1.0E+06	8.1E-03
331	331	20.01559	5.02E-06	1.0E-04	2.50E-04	2.51E-08	25	1.15E-02	7.21E-09	1.0E+06	7.2E-03
332	332	25.6862	5.02E-06	1.3E-04	2.50E-04	3.23E-08	25	1.15E-02	9.26E-09	1.0E+06	9.3E-03
333	333	20.15965	5.02E-06	1.0E-04	2.50E-04	2.53E-08	25	1.15E-02	7.26E-09	1.0E+06	7.3E-03
334	334	8.3698	5.02E-06	4.2E-05	2.50E-04	1.05E-08	25	1.15E-02	3.02E-09	1.0E+06	3.0E-03
335	335	4.88057	5.02E-06	2.5E-05	2.50E-04	6.13E-09	25	1.15E-02	1.76E-09	1.0E+06	1.8E-03
336	336	3.29979	5.02E-06	1.7E-05	2.50E-04	4.15E-09	25	1.15E-02	1.19E-09	1.0E+06	1.2E-03

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	2.42096	5.02E-06	1.2E-05	2.50E-04	3.04E-09	25	1.15E-02	8.72E-10	1.0E+06	8.7E-04
338	338	1.87013	5.02E-06	9.4E-06	2.50E-04	2.35E-09	25	1.15E-02	6.74E-10	1.0E+06	6.7E-04
339	339	1.23427	5.02E-06	6.2E-06	2.50E-04	1.55E-09	25	1.15E-02	4.45E-10	1.0E+06	4.4E-04
340	340	1.03901	5.02E-06	5.2E-06	2.50E-04	1.31E-09	25	1.15E-02	3.74E-10	1.0E+06	3.7E-04
341	341	0.88875	5.02E-06	4.5E-06	2.50E-04	1.12E-09	25	1.15E-02	3.20E-10	1.0E+06	3.2E-04
349	349	38.67467	5.02E-06	1.9E-04	2.50E-04	4.86E-08	25	1.15E-02	1.39E-08	1.0E+06	1.4E-02
350	350	37.59395	5.02E-06	1.9E-04	2.50E-04	4.72E-08	25	1.15E-02	1.35E-08	1.0E+06	1.4E-02
351	351	34.97104	5.02E-06	1.8E-04	2.50E-04	4.39E-08	25	1.15E-02	1.26E-08	1.0E+06	1.3E-02
352	352	27.36317	5.02E-06	1.4E-04	2.50E-04	3.44E-08	25	1.15E-02	9.86E-09	1.0E+06	9.9E-03
353	353	1.11946	5.02E-06	5.6E-06	2.50E-04	1.41E-09	25	1.15E-02	4.03E-10	1.0E+06	4.0E-04
354	354	0.95315	5.02E-06	4.8E-06	2.50E-04	1.20E-09	25	1.15E-02	3.43E-10	1.0E+06	3.4E-04
355	355	0.82285	5.02E-06	4.1E-06	2.50E-04	1.03E-09	25	1.15E-02	2.97E-10	1.0E+06	3.0E-04
364	364	17.02896	5.02E-06	8.5E-05	2.50E-04	2.14E-08	25	1.15E-02	6.14E-09	1.0E+06	6.1E-03
365	365	15.53378	5.02E-06	7.8E-05	2.50E-04	1.95E-08	25	1.15E-02	5.60E-09	1.0E+06	5.6E-03
366	366	12.42997	5.02E-06	6.2E-05	2.50E-04	1.56E-08	25	1.15E-02	4.48E-09	1.0E+06	4.5E-03
367	367	1.02973	5.02E-06	5.2E-06	2.50E-04	1.29E-09	25	1.15E-02	3.71E-10	1.0E+06	3.7E-04
368	368	0.88398	5.02E-06	4.4E-06	2.50E-04	1.11E-09	25	1.15E-02	3.19E-10	1.0E+06	3.2E-04
369	369	0.76895	5.02E-06	3.9E-06	2.50E-04	9.66E-10	25	1.15E-02	2.77E-10	1.0E+06	2.8E-04
377	377	10.12106	5.02E-06	5.1E-05	2.50E-04	1.27E-08	25	1.15E-02	3.65E-09	1.0E+06	3.6E-03
378	378	9.22071	5.02E-06	4.6E-05	2.50E-04	1.16E-08	25	1.15E-02	3.32E-09	1.0E+06	3.3E-03
379	379	7.64992	5.02E-06	3.8E-05	2.50E-04	9.61E-09	25	1.15E-02	2.76E-09	1.0E+06	2.8E-03
380	380	0.95345	5.02E-06	4.8E-06	2.50E-04	1.20E-09	25	1.15E-02	3.44E-10	1.0E+06	3.4E-04
381	381	0.82373	5.02E-06	4.1E-06	2.50E-04	1.03E-09	25	1.15E-02	2.97E-10	1.0E+06	3.0E-04
382	382	0.7218	5.02E-06	3.6E-06	2.50E-04	9.07E-10	25	1.15E-02	2.60E-10	1.0E+06	2.6E-04
391	391	6.25349	5.02E-06	3.1E-05	2.50E-04	7.86E-09	25	1.15E-02	2.25E-09	1.0E+06	2.3E-03
392	392	5.34478	5.02E-06	2.7E-05	2.50E-04	6.72E-09	25	1.15E-02	1.93E-09	1.0E+06	1.9E-03
393	393	0.88592	5.02E-06	4.4E-06	2.50E-04	1.11E-09	25	1.15E-02	3.19E-10	1.0E+06	3.2E-04
394	394	0.77134	5.02E-06	3.9E-06	2.50E-04	9.69E-10	25	1.15E-02	2.78E-10	1.0E+06	2.8E-04
395	395	0.67996	5.02E-06	3.4E-06	2.50E-04	8.54E-10	25	1.15E-02	2.45E-10	1.0E+06	2.5E-04
405	405	4.57746	5.02E-06	2.3E-05	2.50E-04	5.75E-09	25	1.15E-02	1.65E-09	1.0E+06	1.6E-03
406	406	4.01145	5.02E-06	2.0E-05	2.50E-04	5.04E-09	25	1.15E-02	1.45E-09	1.0E+06	1.4E-03

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	3.31597	5.02E-06	1.7E-05	2.50E-04	4.17E-09	25	1.15E-02	1.19E-09	1.0E+06	1.2E-03
408	408	0.82547	5.02E-06	4.1E-06	2.50E-04	1.04E-09	25	1.15E-02	2.97E-10	1.0E+06	3.0E-04
409	409	0.72296	5.02E-06	3.6E-06	2.50E-04	9.08E-10	25	1.15E-02	2.61E-10	1.0E+06	2.6E-04
410	410	0.64145	5.02E-06	3.2E-06	2.50E-04	8.06E-10	25	1.15E-02	2.31E-10	1.0E+06	2.3E-04
421	421	3.1445	5.02E-06	1.6E-05	2.50E-04	3.95E-09	25	1.15E-02	1.13E-09	1.0E+06	1.1E-03
422	422	2.68562	5.02E-06	1.3E-05	2.50E-04	3.37E-09	25	1.15E-02	9.68E-10	1.0E+06	9.7E-04
423	423	0.76983	5.02E-06	3.9E-06	2.50E-04	9.67E-10	25	1.15E-02	2.77E-10	1.0E+06	2.8E-04
424	424	0.67845	5.02E-06	3.4E-06	2.50E-04	8.52E-10	25	1.15E-02	2.44E-10	1.0E+06	2.4E-04
425	425	0.60496	5.02E-06	3.0E-06	2.50E-04	7.60E-10	25	1.15E-02	2.18E-10	1.0E+06	2.2E-04
435	435	2.54039	5.02E-06	1.3E-05	2.50E-04	3.19E-09	25	1.15E-02	9.15E-10	1.0E+06	9.2E-04
436	436	2.22582	5.02E-06	1.1E-05	2.50E-04	2.80E-09	25	1.15E-02	8.02E-10	1.0E+06	8.0E-04
437	437	0.63747	5.02E-06	3.2E-06	2.50E-04	8.01E-10	25	1.15E-02	2.30E-10	1.0E+06	2.3E-04
438	438	0.57026	5.02E-06	2.9E-06	2.50E-04	7.17E-10	25	1.15E-02	2.05E-10	1.0E+06	2.1E-04
449	449	2.10044	5.02E-06	1.1E-05	2.50E-04	2.64E-09	25	1.15E-02	7.57E-10	1.0E+06	7.6E-04
450	450	1.87753	5.02E-06	9.4E-06	2.50E-04	2.36E-09	25	1.15E-02	6.77E-10	1.0E+06	6.8E-04
451	451	1.63131	5.02E-06	8.2E-06	2.50E-04	2.05E-09	25	1.15E-02	5.88E-10	1.0E+06	5.9E-04
452	452	0.59909	5.02E-06	3.0E-06	2.50E-04	7.53E-10	25	1.15E-02	2.16E-10	1.0E+06	2.2E-04
453	453	0.53822	5.02E-06	2.7E-06	2.50E-04	6.76E-10	25	1.15E-02	1.94E-10	1.0E+06	1.9E-04
464	464	1.60474	5.02E-06	8.1E-06	2.50E-04	2.02E-09	25	1.15E-02	5.78E-10	1.0E+06	5.8E-04
465	465	1.42093	5.02E-06	7.1E-06	2.50E-04	1.79E-09	25	1.15E-02	5.12E-10	1.0E+06	5.1E-04
466	466	0.7097	5.02E-06	3.6E-06	2.50E-04	8.92E-10	25	1.15E-02	2.56E-10	1.0E+06	2.6E-04
467	467	0.56375	5.02E-06	2.8E-06	2.50E-04	7.08E-10	25	1.15E-02	2.03E-10	1.0E+06	2.0E-04
468	468	0.50858	5.02E-06	2.6E-06	2.50E-04	6.39E-10	25	1.15E-02	1.83E-10	1.0E+06	1.8E-04
479	479	1.38395	5.02E-06	6.9E-06	2.50E-04	1.74E-09	25	1.15E-02	4.99E-10	1.0E+06	5.0E-04
480	480	1.24722	5.02E-06	6.3E-06	2.50E-04	1.57E-09	25	1.15E-02	4.49E-10	1.0E+06	4.5E-04
481	481	1.10368	5.02E-06	5.5E-06	2.50E-04	1.39E-09	25	1.15E-02	3.98E-10	1.0E+06	4.0E-04
482	482	0.96958	5.02E-06	4.9E-06	2.50E-04	1.22E-09	25	1.15E-02	3.49E-10	1.0E+06	3.5E-04
483	483	0.84846	5.02E-06	4.3E-06	2.50E-04	1.07E-09	25	1.15E-02	3.06E-10	1.0E+06	3.1E-04
484	484	0.7468	5.02E-06	3.7E-06	2.50E-04	9.38E-10	25	1.15E-02	2.69E-10	1.0E+06	2.7E-04
485	485	0.66126	5.02E-06	3.3E-06	2.50E-04	8.31E-10	25	1.15E-02	2.38E-10	1.0E+06	2.4E-04
486	486	0.5906	5.02E-06	3.0E-06	2.50E-04	7.42E-10	25	1.15E-02	2.13E-10	1.0E+06	2.1E-04

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	487	0.5312	5.02E-06	2.7E-06	2.50E-04	6.67E-10	25	1.15E-02	1.91E-10	1.0E+06	1.9E-04
488	488	0.48089	5.02E-06	2.4E-06	2.50E-04	6.04E-10	25	1.15E-02	1.73E-10	1.0E+06	1.7E-04
501	501	1.10045	5.02E-06	5.5E-06	2.50E-04	1.38E-09	25	1.15E-02	3.97E-10	1.0E+06	4.0E-04
502	502	0.99063	5.02E-06	5.0E-06	2.50E-04	1.24E-09	25	1.15E-02	3.57E-10	1.0E+06	3.6E-04
503	503	0.88128	5.02E-06	4.4E-06	2.50E-04	1.11E-09	25	1.15E-02	3.18E-10	1.0E+06	3.2E-04
504	504	0.78052	5.02E-06	3.9E-06	2.50E-04	9.81E-10	25	1.15E-02	2.81E-10	1.0E+06	2.8E-04
505	505	0.69245	5.02E-06	3.5E-06	2.50E-04	8.70E-10	25	1.15E-02	2.50E-10	1.0E+06	2.5E-04
506	506	0.6173	5.02E-06	3.1E-06	2.50E-04	7.76E-10	25	1.15E-02	2.22E-10	1.0E+06	2.2E-04
507	507	0.55438	5.02E-06	2.8E-06	2.50E-04	6.97E-10	25	1.15E-02	2.00E-10	1.0E+06	2.0E-04
508	508	0.45516	5.02E-06	2.3E-06	2.50E-04	5.72E-10	25	1.15E-02	1.64E-10	1.0E+06	1.6E-04
520	520	0.9818	5.02E-06	4.9E-06	2.50E-04	1.23E-09	25	1.15E-02	3.54E-10	1.0E+06	3.5E-04
521	521	0.88906	5.02E-06	4.5E-06	2.50E-04	1.12E-09	25	1.15E-02	3.20E-10	1.0E+06	3.2E-04
522	522	0.80296	5.02E-06	4.0E-06	2.50E-04	1.01E-09	25	1.15E-02	2.89E-10	1.0E+06	2.9E-04
523	523	0.71858	5.02E-06	3.6E-06	2.50E-04	9.03E-10	25	1.15E-02	2.59E-10	1.0E+06	2.6E-04
524	524	0.64282	5.02E-06	3.2E-06	2.50E-04	8.08E-10	25	1.15E-02	2.32E-10	1.0E+06	2.3E-04
525	525	0.57692	5.02E-06	2.9E-06	2.50E-04	7.25E-10	25	1.15E-02	2.08E-10	1.0E+06	2.1E-04
526	526	0.52072	5.02E-06	2.6E-06	2.50E-04	6.54E-10	25	1.15E-02	1.88E-10	1.0E+06	1.9E-04
527	527	0.4311	5.02E-06	2.2E-06	2.50E-04	5.42E-10	25	1.15E-02	1.55E-10	1.0E+06	1.6E-04
539	539	0.88113	5.02E-06	4.4E-06	2.50E-04	1.11E-09	25	1.15E-02	3.18E-10	1.0E+06	3.2E-04
540	540	0.80738	5.02E-06	4.1E-06	2.50E-04	1.01E-09	25	1.15E-02	2.91E-10	1.0E+06	2.9E-04
541	541	0.73212	5.02E-06	3.7E-06	2.50E-04	9.20E-10	25	1.15E-02	2.64E-10	1.0E+06	2.6E-04
542	542	0.66114	5.02E-06	3.3E-06	2.50E-04	8.31E-10	25	1.15E-02	2.38E-10	1.0E+06	2.4E-04
543	543	0.59757	5.02E-06	3.0E-06	2.50E-04	7.51E-10	25	1.15E-02	2.15E-10	1.0E+06	2.2E-04
544	544	0.53971	5.02E-06	2.7E-06	2.50E-04	6.78E-10	25	1.15E-02	1.94E-10	1.0E+06	1.9E-04
545	545	0.48882	5.02E-06	2.5E-06	2.50E-04	6.14E-10	25	1.15E-02	1.76E-10	1.0E+06	1.8E-04
546	546	0.40858	5.02E-06	2.1E-06	2.50E-04	5.13E-10	25	1.15E-02	1.47E-10	1.0E+06	1.5E-04
560	560	0.7345	5.02E-06	3.7E-06	2.50E-04	9.23E-10	25	1.15E-02	2.65E-10	1.0E+06	2.6E-04
561	561	0.67306	5.02E-06	3.4E-06	2.50E-04	8.46E-10	25	1.15E-02	2.43E-10	1.0E+06	2.4E-04
562	562	0.61239	5.02E-06	3.1E-06	2.50E-04	7.69E-10	25	1.15E-02	2.21E-10	1.0E+06	2.2E-04
563	563	0.55431	5.02E-06	2.8E-06	2.50E-04	6.96E-10	25	1.15E-02	2.00E-10	1.0E+06	2.0E-04
564	564	0.50494	5.02E-06	2.5E-06	2.50E-04	6.34E-10	25	1.15E-02	1.82E-10	1.0E+06	1.8E-04

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

<i>Cancer Risk from 16-30 years - Construction</i>											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.46129	5.02E-06	2.3E-06	2.50E-04	5.80E-10	25	1.15E-02	1.66E-10	1.0E+06	1.7E-04
566	566	0.388	5.02E-06	1.9E-06	2.50E-04	4.88E-10	25	1.15E-02	1.40E-10	1.0E+06	1.4E-04
579	579	0.67042	5.02E-06	3.4E-06	2.50E-04	8.42E-10	25	1.15E-02	2.42E-10	1.0E+06	2.4E-04
580	580	0.61916	5.02E-06	3.1E-06	2.50E-04	7.78E-10	25	1.15E-02	2.23E-10	1.0E+06	2.2E-04
581	581	0.56831	5.02E-06	2.9E-06	2.50E-04	7.14E-10	25	1.15E-02	2.05E-10	1.0E+06	2.0E-04
582	582	0.51949	5.02E-06	2.6E-06	2.50E-04	6.53E-10	25	1.15E-02	1.87E-10	1.0E+06	1.9E-04
583	583	0.47455	5.02E-06	2.4E-06	2.50E-04	5.96E-10	25	1.15E-02	1.71E-10	1.0E+06	1.7E-04
584	584	0.43428	5.02E-06	2.2E-06	2.50E-04	5.46E-10	25	1.15E-02	1.56E-10	1.0E+06	1.6E-04
585	585	0.36005	5.02E-06	1.8E-06	2.50E-04	4.52E-10	25	1.15E-02	1.30E-10	1.0E+06	1.3E-04
598	598	0.61426	5.02E-06	3.1E-06	2.50E-04	7.72E-10	25	1.15E-02	2.21E-10	1.0E+06	2.2E-04
599	599	0.57098	5.02E-06	2.9E-06	2.50E-04	7.17E-10	25	1.15E-02	2.06E-10	1.0E+06	2.1E-04
600	600	0.52755	5.02E-06	2.6E-06	2.50E-04	6.63E-10	25	1.15E-02	1.90E-10	1.0E+06	1.9E-04
601	601	0.48552	5.02E-06	2.4E-06	2.50E-04	6.10E-10	25	1.15E-02	1.75E-10	1.0E+06	1.7E-04
602	602	0.44618	5.02E-06	2.2E-06	2.50E-04	5.61E-10	25	1.15E-02	1.61E-10	1.0E+06	1.6E-04
603	603	0.4106	5.02E-06	2.1E-06	2.50E-04	5.16E-10	25	1.15E-02	1.48E-10	1.0E+06	1.5E-04
604	604	0.37846	5.02E-06	1.9E-06	2.50E-04	4.76E-10	25	1.15E-02	1.36E-10	1.0E+06	1.4E-04

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
1	1	8.3E-04	5	2.13E-07	
2	2	8.7E-04	5	2.23E-07	
3	3	9.1E-04	5	2.33E-07	
4	4	9.5E-04	5	2.44E-07	
5	5	1.0E-03	5	2.55E-07	
6	6	1.0E-03	5	2.67E-07	
7	7	1.1E-03	5	2.79E-07	
8	8	1.1E-03	5	2.91E-07	
9	9	1.2E-03	5	3.03E-07	
10	10	1.2E-03	5	3.16E-07	
11	11	1.3E-03	5	3.28E-07	
12	12	1.3E-03	5	3.41E-07	
13	13	1.4E-03	5	3.53E-07	
14	14	1.4E-03	5	3.64E-07	
15	15	1.5E-03	5	3.74E-07	
16	16	1.5E-03	5	3.84E-07	
17	17	1.5E-03	5	3.92E-07	
18	18	1.6E-03	5	3.99E-07	
19	19	1.6E-03	5	4.04E-07	
20	20	1.6E-03	5	4.09E-07	
21	21	1.6E-03	5	4.11E-07	
22	22	1.6E-03	5	4.13E-07	
23	23	1.6E-03	5	4.15E-07	
24	24	1.6E-03	5	4.16E-07	
25	25	1.6E-03	5	4.17E-07	
26	26	1.6E-03	5	4.18E-07	
27	27	1.6E-03	5	4.21E-07	
28	28	1.7E-03	5	4.24E-07	
29	29	1.7E-03	5	4.29E-07	
30	30	1.7E-03	5	4.34E-07	
31	31	1.7E-03	5	4.40E-07	

Max	Receptor #	
0.055	344	Res
0.154	347	School
0.014	349	Worker

Max	Receptor #	
1.407E-05	344	Res
3.939E-05	347	School
3.883E-05	349	Worker

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
32	32	1.7E-03	5	4.46E-07	
55	55	1.8E-03	5	4.59E-07	
56	56	1.8E-03	5	4.61E-07	
57	57	1.8E-03	5	4.62E-07	
58	58	1.8E-03	5	4.64E-07	
59	59	1.8E-03	5	4.67E-07	
60	60	1.8E-03	5	4.70E-07	
61	61	1.9E-03	5	4.75E-07	
62	62	1.9E-03	5	4.81E-07	
63	63	1.9E-03	5	4.88E-07	
64	64	1.9E-03	5	4.94E-07	
65	65	2.0E-03	5	5.00E-07	
66	66	2.0E-03	5	5.06E-07	
67	67	9.2E-04	5	2.36E-07	
68	68	9.7E-04	5	2.48E-07	
69	69	1.0E-03	5	2.61E-07	
70	70	1.1E-03	5	2.75E-07	
71	71	1.1E-03	5	2.89E-07	
72	72	1.2E-03	5	3.05E-07	
73	73	1.3E-03	5	3.21E-07	
74	74	1.3E-03	5	3.37E-07	
75	75	1.4E-03	5	3.54E-07	
76	76	1.5E-03	5	3.71E-07	
77	77	1.5E-03	5	3.89E-07	
78	78	1.6E-03	5	4.07E-07	
79	79	1.9E-03	5	4.81E-07	
80	80	1.9E-03	5	4.91E-07	
81	81	2.0E-03	5	5.00E-07	
82	82	2.0E-03	5	5.06E-07	
83	83	2.0E-03	5	5.10E-07	
84	84	2.0E-03	5	5.14E-07	

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
85	85	2.0E-03	5	5.16E-07	
86	86	2.0E-03	5	5.19E-07	
87	87	2.0E-03	5	5.21E-07	
88	88	2.1E-03	5	5.25E-07	
89	89	2.1E-03	5	5.30E-07	
90	90	2.1E-03	5	5.37E-07	
91	91	2.1E-03	5	5.44E-07	
92	92	2.2E-03	5	5.51E-07	
93	93	2.2E-03	5	5.58E-07	
96	96	2.3E-03	5	5.88E-07	
97	97	2.3E-03	5	5.97E-07	
98	98	2.3E-03	5	5.97E-07	
99	99	2.4E-03	5	6.04E-07	
100	100	2.4E-03	5	6.12E-07	
101	101	2.4E-03	5	6.20E-07	
102	102	2.5E-03	5	6.28E-07	
106	106	9.6E-04	5	2.46E-07	
107	107	1.0E-03	5	2.61E-07	
108	108	1.1E-03	5	2.77E-07	
109	109	1.1E-03	5	2.93E-07	
110	110	1.2E-03	5	3.11E-07	
111	111	1.3E-03	5	3.30E-07	
112	112	1.4E-03	5	3.50E-07	
113	113	1.5E-03	5	3.72E-07	
114	114	1.5E-03	5	3.95E-07	
115	115	1.6E-03	5	4.18E-07	
116	116	1.7E-03	5	4.43E-07	
117	117	1.8E-03	5	4.68E-07	
118	118	1.9E-03	5	4.94E-07	
124	124	1.0E-03	5	2.58E-07	
125	125	1.1E-03	5	2.75E-07	

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
126	126	1.1E-03	5	2.92E-07	
127	127	1.2E-03	5	3.11E-07	
128	128	1.3E-03	5	3.31E-07	
129	129	1.4E-03	5	3.53E-07	
130	130	1.5E-03	5	3.76E-07	
131	131	1.6E-03	5	4.02E-07	
132	132	1.7E-03	5	4.28E-07	
133	133	1.8E-03	5	4.57E-07	
134	134	1.9E-03	5	4.87E-07	
135	135	2.0E-03	5	5.17E-07	
136	136	2.1E-03	5	5.49E-07	
137	137	2.3E-03	5	5.80E-07	
138	138	2.4E-03	5	6.12E-07	
141	141	1.1E-03	5	2.71E-07	
142	142	1.1E-03	5	2.88E-07	
143	143	1.2E-03	5	3.08E-07	
144	144	1.3E-03	5	3.29E-07	
145	145	1.4E-03	5	3.52E-07	
146	146	1.5E-03	5	3.77E-07	
147	147	1.6E-03	5	4.05E-07	
148	148	1.7E-03	5	4.34E-07	
149	149	1.8E-03	5	4.66E-07	
150	150	2.0E-03	5	5.00E-07	
151	151	2.1E-03	5	5.36E-07	
152	152	2.2E-03	5	5.74E-07	
153	153	2.4E-03	5	6.14E-07	
154	154	2.6E-03	5	6.53E-07	
155	155	2.7E-03	5	6.93E-07	
164	164	2.9E-03	5	7.41E-07	
165	165	3.1E-03	5	7.91E-07	
166	166	3.3E-03	5	8.42E-07	

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
178	178	3.3E-03	5	8.47E-07	
179	179	3.6E-03	5	9.14E-07	
180	180	3.8E-03	5	9.80E-07	
192	192	3.8E-03	5	9.77E-07	
193	193	4.2E-03	5	1.07E-06	
194	194	4.5E-03	5	1.16E-06	
207	207	4.5E-03	5	1.14E-06	
208	208	4.9E-03	5	1.26E-06	
209	209	5.4E-03	5	1.39E-06	
223	223	5.2E-03	5	1.34E-06	
224	224	5.9E-03	5	1.52E-06	
225	225	6.7E-03	5	1.70E-06	
239	239	6.3E-03	5	1.60E-06	
240	240	7.3E-03	5	1.86E-06	
241	241	8.4E-03	5	2.14E-06	
255	255	7.6E-03	5	1.93E-06	
256	256	9.1E-03	5	2.33E-06	
272	272	9.2E-03	5	2.35E-06	
273	273	1.2E-02	5	2.99E-06	
289	289	1.1E-02	5	2.87E-06	
290	290	1.5E-02	5	3.96E-06	
306	306	1.3E-02	5	3.42E-06	
307	307	2.1E-02	5	5.32E-06	
323	323	1.5E-02	5	3.76E-06	
324	324	2.5E-02	5	6.52E-06	
342	342	1.4E-02	5	3.65E-06	
343	343	2.4E-02	5	6.10E-06	
344	344	5.5E-02	5	1.41E-05	
356	356	1.3E-02	5	3.23E-06	
357	357	1.9E-02	5	4.87E-06	
358	358	3.2E-02	5	8.21E-06	

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
370	370	1.1E-02	5	2.76E-06	
371	371	1.5E-02	5	3.82E-06	
372	372	2.2E-02	5	5.52E-06	
383	383	9.2E-03	5	2.34E-06	
384	384	1.2E-02	5	3.05E-06	
385	385	1.6E-02	5	4.04E-06	
396	396	7.8E-03	5	2.00E-06	
397	397	9.7E-03	5	2.49E-06	
398	398	1.2E-02	5	3.12E-06	
399	399	1.5E-02	5	3.83E-06	
411	411	6.7E-03	5	1.71E-06	
412	412	8.1E-03	5	2.06E-06	
413	413	9.7E-03	5	2.49E-06	
414	414	1.2E-02	5	2.95E-06	
426	426	5.8E-03	5	1.48E-06	
427	427	6.8E-03	5	1.74E-06	
428	428	8.0E-03	5	2.04E-06	
429	429	9.2E-03	5	2.36E-06	
439	439	5.0E-03	5	1.29E-06	
440	440	5.8E-03	5	1.48E-06	
441	441	6.7E-03	5	1.70E-06	
442	442	7.6E-03	5	1.93E-06	
443	443	8.4E-03	5	2.15E-06	
454	454	4.4E-03	5	1.13E-06	
455	455	5.0E-03	5	1.28E-06	
456	456	5.7E-03	5	1.45E-06	
457	457	6.3E-03	5	1.62E-06	
458	458	7.0E-03	5	1.78E-06	
469	469	3.9E-03	5	1.00E-06	
470	470	4.4E-03	5	1.12E-06	
471	471	4.9E-03	5	1.25E-06	

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
472	472	5.4E-03	5	1.38E-06	
473	473	5.9E-03	5	1.50E-06	
489	489	3.5E-03	5	8.90E-07	
490	490	3.8E-03	5	9.84E-07	
491	491	4.2E-03	5	1.08E-06	
492	492	4.6E-03	5	1.19E-06	
493	493	5.0E-03	5	1.28E-06	
494	494	5.3E-03	5	1.36E-06	
509	509	3.1E-03	5	7.98E-07	
510	510	3.4E-03	5	8.74E-07	
511	511	3.7E-03	5	9.53E-07	
512	512	4.0E-03	5	1.03E-06	
513	513	4.3E-03	5	1.11E-06	
514	514	4.6E-03	5	1.17E-06	
515	515	4.8E-03	5	1.24E-06	
516	516	4.8E-03	5	1.23E-06	
517	517	4.7E-03	5	1.20E-06	
518	518	4.5E-03	5	1.15E-06	
519	519	4.2E-03	5	1.07E-06	
528	528	2.8E-03	5	7.19E-07	
529	529	3.1E-03	5	7.81E-07	
530	530	3.3E-03	5	8.45E-07	
531	531	3.6E-03	5	9.09E-07	
532	532	3.8E-03	5	9.68E-07	
533	533	4.0E-03	5	1.02E-06	
534	534	4.2E-03	5	1.07E-06	
535	535	4.2E-03	5	1.07E-06	
536	536	4.1E-03	5	1.05E-06	
537	537	3.9E-03	5	1.01E-06	
538	538	3.7E-03	5	9.52E-07	
547	547	2.5E-03	5	6.51E-07	

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
548	548	2.7E-03	5	7.02E-07	
549	549	3.0E-03	5	7.55E-07	
550	550	3.2E-03	5	8.07E-07	
551	551	3.3E-03	5	8.55E-07	
552	552	3.5E-03	5	8.95E-07	
553	553	3.6E-03	5	9.25E-07	
554	554	3.7E-03	5	9.41E-07	
555	555	3.7E-03	5	9.42E-07	
556	556	3.6E-03	5	9.27E-07	
557	557	3.5E-03	5	8.95E-07	
558	558	3.3E-03	5	8.52E-07	
559	559	3.1E-03	5	7.97E-07	
567	567	2.3E-03	5	5.93E-07	
568	568	2.5E-03	5	6.36E-07	
569	569	2.7E-03	5	6.79E-07	
570	570	2.8E-03	5	7.21E-07	
571	571	3.0E-03	5	7.60E-07	
572	572	3.1E-03	5	7.94E-07	
573	573	3.2E-03	5	8.19E-07	
574	574	3.3E-03	5	8.35E-07	
575	575	3.2E-03	5	8.24E-07	
576	576	3.1E-03	5	8.01E-07	
577	577	3.0E-03	5	7.66E-07	
578	578	2.8E-03	5	7.23E-07	
586	586	2.1E-03	5	5.42E-07	
587	587	2.3E-03	5	5.78E-07	
588	588	2.4E-03	5	6.14E-07	
589	589	2.5E-03	5	6.49E-07	
590	590	2.7E-03	5	6.81E-07	
591	591	2.8E-03	5	7.09E-07	
592	592	2.9E-03	5	7.30E-07	

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
593	593	2.9E-03	5	7.45E-07	
594	594	2.9E-03	5	7.38E-07	
595	595	2.8E-03	5	7.20E-07	
596	596	2.7E-03	5	6.92E-07	
597	597	2.6E-03	5	6.57E-07	
345	345	1.2E-01	5	3.18E-05	
346	346	1.5E-01	5	3.79E-05	
347	347	1.5E-01	5	3.94E-05	
348	348	1.5E-01	5	3.94E-05	
359	359	5.1E-02	5	1.31E-05	
360	360	6.4E-02	5	1.63E-05	
361	361	6.9E-02	5	1.76E-05	
362	362	7.0E-02	5	1.79E-05	
363	363	6.9E-02	5	1.78E-05	
373	373	3.7E-02	5	9.41E-06	
374	374	4.0E-02	5	1.03E-05	
375	375	4.2E-02	5	1.07E-05	
376	376	4.1E-02	5	1.06E-05	
386	386	2.4E-02	5	6.23E-06	
387	387	2.7E-02	5	6.88E-06	
388	388	2.8E-02	5	7.14E-06	
389	389	2.8E-02	5	7.12E-06	
390	390	2.7E-02	5	6.85E-06	
400	400	1.7E-02	5	4.47E-06	
401	401	1.9E-02	5	4.92E-06	
402	402	2.0E-02	5	5.14E-06	
403	403	2.0E-02	5	5.15E-06	
404	404	1.9E-02	5	4.97E-06	
415	415	1.3E-02	5	3.38E-06	
416	416	1.4E-02	5	3.71E-06	
417	417	1.5E-02	5	3.88E-06	

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
418	418	1.5E-02	5	3.90E-06	
419	419	1.5E-02	5	3.79E-06	
420	420	1.4E-02	5	3.53E-06	
430	430	1.1E-02	5	2.89E-06	
431	431	1.2E-02	5	3.03E-06	
432	432	1.2E-02	5	3.06E-06	
433	433	1.2E-02	5	2.99E-06	
434	434	1.1E-02	5	2.81E-06	
444	444	9.1E-03	5	2.32E-06	
445	445	9.5E-03	5	2.43E-06	
446	446	9.6E-03	5	2.46E-06	
447	447	9.4E-03	5	2.42E-06	
448	448	9.0E-03	5	2.30E-06	
459	459	7.8E-03	5	1.99E-06	
460	460	7.9E-03	5	2.02E-06	
461	461	7.8E-03	5	1.99E-06	
462	462	7.5E-03	5	1.91E-06	
463	463	6.9E-03	5	1.78E-06	
474	474	6.5E-03	5	1.67E-06	
475	475	6.6E-03	5	1.69E-06	
476	476	6.5E-03	5	1.68E-06	
477	477	6.3E-03	5	1.62E-06	
478	478	5.9E-03	5	1.52E-06	
495	495	5.5E-03	5	1.41E-06	
496	496	5.6E-03	5	1.44E-06	
497	497	5.6E-03	5	1.43E-06	
498	498	5.4E-03	5	1.38E-06	
499	499	5.1E-03	5	1.31E-06	
500	500	4.8E-03	5	1.22E-06	

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Receptor #	Receptor #	Max Cancer Risk		Chronic Non Cancer Risk	
		Total Risk/ Million	Cancer Risk	REL	HI Offroad
139	139	2.3E-04		5	6.41E-07
140	140	2.4E-04		5	6.69E-07
156	156	2.6E-04		5	7.31E-07
157	157	2.7E-04		5	7.66E-07
158	158	2.9E-04		5	7.98E-07
159	159	3.0E-04		5	8.25E-07
160	160	3.0E-04		5	8.46E-07
161	161	3.1E-04		5	8.78E-07
162	162	3.2E-04		5	8.90E-07
163	163	3.2E-04		5	9.01E-07
167	167	3.2E-04		5	8.86E-07
168	168	3.3E-04		5	9.30E-07
169	169	3.5E-04		5	9.66E-07
170	170	3.6E-04		5	9.96E-07
171	171	3.7E-04		5	1.02E-06
172	172	3.7E-04		5	1.04E-06
173	173	3.8E-04		5	1.06E-06
174	174	3.9E-04		5	1.07E-06
175	175	3.9E-04		5	1.09E-06
176	176	4.0E-04		5	1.10E-06
177	177	4.0E-04		5	1.12E-06
181	181	4.0E-04		5	1.10E-06
182	182	4.1E-04		5	1.15E-06
183	183	4.3E-04		5	1.19E-06
184	184	4.4E-04		5	1.23E-06
185	185	4.5E-04		5	1.26E-06
186	186	4.6E-04		5	1.28E-06
187	187	4.7E-04		5	1.30E-06
188	188	4.8E-04		5	1.32E-06
189	189	4.8E-04		5	1.34E-06
190	190	4.8E-04		5	1.35E-06

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
191	191	4.9E-04	5	1.35E-06	
195	195	4.8E-04	5	1.33E-06	
196	196	5.0E-04	5	1.40E-06	
197	197	5.2E-04	5	1.46E-06	
198	198	5.4E-04	5	1.51E-06	
199	199	5.6E-04	5	1.55E-06	
200	200	5.7E-04	5	1.59E-06	
201	201	5.8E-04	5	1.62E-06	
202	202	5.9E-04	5	1.64E-06	
203	203	5.9E-04	5	1.65E-06	
204	204	5.9E-04	5	1.65E-06	
205	205	5.9E-04	5	1.63E-06	
206	206	5.7E-04	5	1.60E-06	
210	210	5.4E-04	5	1.51E-06	
211	211	5.9E-04	5	1.63E-06	
212	212	6.2E-04	5	1.74E-06	
213	213	6.6E-04	5	1.83E-06	
214	214	7.1E-04	5	1.98E-06	
215	215	7.3E-04	5	2.03E-06	
216	216	7.4E-04	5	2.07E-06	
217	217	7.5E-04	5	2.08E-06	
218	218	7.4E-04	5	2.07E-06	
219	219	7.3E-04	5	2.04E-06	
220	220	7.1E-04	5	1.99E-06	
221	221	6.8E-04	5	1.90E-06	
222	222	6.4E-04	5	1.79E-06	
226	226	6.8E-04	5	1.89E-06	
227	227	7.4E-04	5	2.07E-06	
228	228	8.0E-04	5	2.23E-06	
229	229	8.5E-04	5	2.38E-06	
230	230	9.0E-04	5	2.51E-06	

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
231	231	9.4E-04	5	2.61E-06	
232	232	9.6E-04	5	2.68E-06	
233	233	9.7E-04	5	2.69E-06	
234	234	9.5E-04	5	2.64E-06	
235	235	9.2E-04	5	2.55E-06	
236	236	8.7E-04	5	2.42E-06	
237	237	8.1E-04	5	2.25E-06	
238	238	7.4E-04	5	2.06E-06	
242	242	8.7E-04	5	2.43E-06	
243	243	9.7E-04	5	2.71E-06	
244	244	1.1E-03	5	2.97E-06	
245	245	1.2E-03	5	3.23E-06	
246	246	1.2E-03	5	3.45E-06	
247	247	1.3E-03	5	3.60E-06	
248	248	1.3E-03	5	3.67E-06	
249	249	1.3E-03	5	3.57E-06	
250	250	1.2E-03	5	3.41E-06	
251	251	1.1E-03	5	3.19E-06	
252	252	1.0E-03	5	2.92E-06	
253	253	9.4E-04	5	2.61E-06	
254	254	8.2E-04	5	2.30E-06	
257	257	1.2E-03	5	3.26E-06	
258	258	1.3E-03	5	3.75E-06	
259	259	1.5E-03	5	4.23E-06	
260	260	1.7E-03	5	4.66E-06	
261	261	1.8E-03	5	5.03E-06	
262	262	1.9E-03	5	5.23E-06	
263	263	1.9E-03	5	5.26E-06	
264	264	1.7E-03	5	4.84E-06	
265	265	1.6E-03	5	4.46E-06	
266	266	1.4E-03	5	3.99E-06	

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
267	267	1.2E-03	5	3.47E-06	
268	268	1.1E-03	5	2.95E-06	
269	269	8.9E-04	5	2.47E-06	
270	270	5.2E-04	5	1.46E-06	
271	271	4.4E-04	5	1.24E-06	
274	274	1.7E-03	5	4.68E-06	
275	275	2.0E-03	5	5.62E-06	
276	276	2.4E-03	5	6.57E-06	
277	277	2.6E-03	5	7.34E-06	
278	278	2.8E-03	5	7.90E-06	
279	279	2.9E-03	5	8.11E-06	
280	280	2.9E-03	5	7.96E-06	
281	281	2.4E-03	5	6.78E-06	
282	282	2.1E-03	5	5.90E-06	
283	283	1.8E-03	5	4.90E-06	
284	284	1.4E-03	5	3.96E-06	
285	285	1.1E-03	5	3.15E-06	
286	286	9.0E-04	5	2.52E-06	
287	287	5.0E-04	5	1.38E-06	
288	288	4.2E-04	5	1.16E-06	
291	291	2.7E-03	5	7.55E-06	
292	292	3.5E-03	5	9.73E-06	
293	293	4.2E-03	5	1.17E-05	
294	294	4.7E-03	5	1.30E-05	
295	295	4.9E-03	5	1.37E-05	
296	296	5.0E-03	5	1.39E-05	
297	297	4.8E-03	5	1.33E-05	
298	298	3.6E-03	5	1.00E-05	
299	299	2.8E-03	5	7.77E-06	
300	300	2.0E-03	5	5.71E-06	
301	301	1.5E-03	5	4.18E-06	

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
302	302	1.1E-03	5	3.13E-06	
303	303	8.6E-04	5	2.40E-06	
304	304	4.6E-04	5	1.27E-06	
305	305	3.8E-04	5	1.07E-06	
308	308	5.9E-03	5	1.64E-05	
309	309	8.1E-03	5	2.27E-05	
310	310	9.4E-03	5	2.62E-05	
311	311	1.0E-02	5	2.82E-05	
312	312	1.0E-02	5	2.91E-05	
313	313	1.0E-02	5	2.92E-05	
314	314	1.0E-02	5	2.79E-05	
315	315	5.8E-03	5	1.60E-05	
316	316	3.4E-03	5	9.39E-06	
317	317	2.1E-03	5	5.82E-06	
318	318	1.4E-03	5	3.93E-06	
319	319	1.0E-03	5	2.84E-06	
320	320	7.7E-04	5	2.16E-06	
321	321	4.1E-04	5	1.15E-06	
322	322	3.5E-04	5	9.74E-07	
325	325	3.1E-03	5	8.60E-06	
326	326	6.6E-03	5	1.83E-05	
327	327	7.7E-03	5	2.15E-05	
328	328	1.1E-02	5	2.96E-05	
329	329	9.1E-03	5	2.53E-05	
330	330	8.1E-03	5	2.24E-05	
331	331	7.2E-03	5	2.01E-05	
332	332	9.3E-03	5	2.58E-05	
333	333	7.3E-03	5	2.02E-05	
334	334	3.0E-03	5	8.40E-06	
335	335	1.8E-03	5	4.90E-06	
336	336	1.2E-03	5	3.31E-06	

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
337	337	8.7E-04	5	2.43E-06	
338	338	6.7E-04	5	1.88E-06	
339	339	4.4E-04	5	1.24E-06	
340	340	3.7E-04	5	1.04E-06	
341	341	3.2E-04	5	8.92E-07	
349	349	1.4E-02	5	3.88E-05	
350	350	1.4E-02	5	3.77E-05	
351	351	1.3E-02	5	3.51E-05	
352	352	9.9E-03	5	2.75E-05	
353	353	4.0E-04	5	1.12E-06	
354	354	3.4E-04	5	9.57E-07	
355	355	3.0E-04	5	8.26E-07	
364	364	6.1E-03	5	1.71E-05	
365	365	5.6E-03	5	1.56E-05	
366	366	4.5E-03	5	1.25E-05	
367	367	3.7E-04	5	1.03E-06	
368	368	3.2E-04	5	8.88E-07	
369	369	2.8E-04	5	7.72E-07	
377	377	3.6E-03	5	1.02E-05	
378	378	3.3E-03	5	9.26E-06	
379	379	2.8E-03	5	7.68E-06	
380	380	3.4E-04	5	9.57E-07	
381	381	3.0E-04	5	8.27E-07	
382	382	2.6E-04	5	7.25E-07	
391	391	2.3E-03	5	6.28E-06	
392	392	1.9E-03	5	5.37E-06	
393	393	3.2E-04	5	8.90E-07	
394	394	2.8E-04	5	7.74E-07	
395	395	2.5E-04	5	6.83E-07	
405	405	1.6E-03	5	4.60E-06	
406	406	1.4E-03	5	4.03E-06	

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
407	407	1.2E-03	5	3.33E-06	
408	408	3.0E-04	5	8.29E-07	
409	409	2.6E-04	5	7.26E-07	
410	410	2.3E-04	5	6.44E-07	
421	421	1.1E-03	5	3.16E-06	
422	422	9.7E-04	5	2.70E-06	
423	423	2.8E-04	5	7.73E-07	
424	424	2.4E-04	5	6.81E-07	
425	425	2.2E-04	5	6.07E-07	
435	435	9.2E-04	5	2.55E-06	
436	436	8.0E-04	5	2.23E-06	
437	437	2.3E-04	5	6.40E-07	
438	438	2.1E-04	5	5.73E-07	
449	449	7.6E-04	5	2.11E-06	
450	450	6.8E-04	5	1.89E-06	
451	451	5.9E-04	5	1.64E-06	
452	452	2.2E-04	5	6.02E-07	
453	453	1.9E-04	5	5.40E-07	
464	464	5.8E-04	5	1.61E-06	
465	465	5.1E-04	5	1.43E-06	
466	466	2.6E-04	5	7.13E-07	
467	467	2.0E-04	5	5.66E-07	
468	468	1.8E-04	5	5.11E-07	
479	479	5.0E-04	5	1.39E-06	
480	480	4.5E-04	5	1.25E-06	
481	481	4.0E-04	5	1.11E-06	
482	482	3.5E-04	5	9.74E-07	
483	483	3.1E-04	5	8.52E-07	
484	484	2.7E-04	5	7.50E-07	
485	485	2.4E-04	5	6.64E-07	
486	486	2.1E-04	5	5.93E-07	

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
487	487	1.9E-04	5	5.33E-07	
488	488	1.7E-04	5	4.83E-07	
501	501	4.0E-04	5	1.10E-06	
502	502	3.6E-04	5	9.95E-07	
503	503	3.2E-04	5	8.85E-07	
504	504	2.8E-04	5	7.84E-07	
505	505	2.5E-04	5	6.95E-07	
506	506	2.2E-04	5	6.20E-07	
507	507	2.0E-04	5	5.57E-07	
508	508	1.6E-04	5	4.57E-07	
520	520	3.5E-04	5	9.86E-07	
521	521	3.2E-04	5	8.93E-07	
522	522	2.9E-04	5	8.06E-07	
523	523	2.6E-04	5	7.22E-07	
524	524	2.3E-04	5	6.45E-07	
525	525	2.1E-04	5	5.79E-07	
526	526	1.9E-04	5	5.23E-07	
527	527	1.6E-04	5	4.33E-07	
539	539	3.2E-04	5	8.85E-07	
540	540	2.9E-04	5	8.11E-07	
541	541	2.6E-04	5	7.35E-07	
542	542	2.4E-04	5	6.64E-07	
543	543	2.2E-04	5	6.00E-07	
544	544	1.9E-04	5	5.42E-07	
545	545	1.8E-04	5	4.91E-07	
546	546	1.5E-04	5	4.10E-07	
560	560	2.6E-04	5	7.37E-07	
561	561	2.4E-04	5	6.76E-07	
562	562	2.2E-04	5	6.15E-07	
563	563	2.0E-04	5	5.57E-07	
564	564	1.8E-04	5	5.07E-07	

Via Oro
Risk From Carson (Via Oro - Santa Fe) [TKB]

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
565	565	1.7E-04				5	4.63E-07	
566	566	1.4E-04				5	3.90E-07	
579	579	2.4E-04				5	6.73E-07	
580	580	2.2E-04				5	6.22E-07	
581	581	2.0E-04				5	5.71E-07	
582	582	1.9E-04				5	5.22E-07	
583	583	1.7E-04				5	4.76E-07	
584	584	1.6E-04				5	4.36E-07	
585	585	1.3E-04				5	3.62E-07	
598	598	2.2E-04				5	6.17E-07	
599	599	2.1E-04				5	5.73E-07	
600	600	1.9E-04				5	5.30E-07	
601	601	1.7E-04				5	4.88E-07	
602	602	1.6E-04				5	4.48E-07	
603	603	1.5E-04				5	4.12E-07	
604	604	1.4E-04				5	3.80E-07	

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	Cancer Risk from 3rd Trimester - Construction								
		g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.20389	4.28E-06	8.7E-07	3.46E-04	3.02E-10	0.25	1.57E-01	1.19E-11	1.0E+06	1.2E-05
2	0.21492	4.28E-06	9.2E-07	3.46E-04	3.18E-10	0.25	1.57E-01	1.25E-11	1.0E+06	1.2E-05
3	0.2267	4.28E-06	9.7E-07	3.46E-04	3.36E-10	0.25	1.57E-01	1.32E-11	1.0E+06	1.3E-05
4	0.23938	4.28E-06	1.0E-06	3.46E-04	3.54E-10	0.25	1.57E-01	1.39E-11	1.0E+06	1.4E-05
5	0.25304	4.28E-06	1.1E-06	3.46E-04	3.75E-10	0.25	1.57E-01	1.47E-11	1.0E+06	1.5E-05
6	0.26793	4.28E-06	1.1E-06	3.46E-04	3.97E-10	0.25	1.57E-01	1.56E-11	1.0E+06	1.6E-05
7	0.28393	4.28E-06	1.2E-06	3.46E-04	4.20E-10	0.25	1.57E-01	1.65E-11	1.0E+06	1.7E-05
8	0.30103	4.28E-06	1.3E-06	3.46E-04	4.46E-10	0.25	1.57E-01	1.75E-11	1.0E+06	1.8E-05
9	0.31938	4.28E-06	1.4E-06	3.46E-04	4.73E-10	0.25	1.57E-01	1.86E-11	1.0E+06	1.9E-05
10	0.339	4.28E-06	1.4E-06	3.46E-04	5.02E-10	0.25	1.57E-01	1.97E-11	1.0E+06	2.0E-05
11	0.35986	4.28E-06	1.5E-06	3.46E-04	5.33E-10	0.25	1.57E-01	2.09E-11	1.0E+06	2.1E-05
12	0.38195	4.28E-06	1.6E-06	3.46E-04	5.65E-10	0.25	1.57E-01	2.22E-11	1.0E+06	2.2E-05
13	0.4054	4.28E-06	1.7E-06	3.46E-04	6.00E-10	0.25	1.57E-01	2.36E-11	1.0E+06	2.4E-05
14	0.42989	4.28E-06	1.8E-06	3.46E-04	6.36E-10	0.25	1.57E-01	2.50E-11	1.0E+06	2.5E-05
15	0.45538	4.28E-06	1.9E-06	3.46E-04	6.74E-10	0.25	1.57E-01	2.65E-11	1.0E+06	2.6E-05
16	0.48138	4.28E-06	2.1E-06	3.46E-04	7.13E-10	0.25	1.57E-01	2.80E-11	1.0E+06	2.8E-05
17	0.5078	4.28E-06	2.2E-06	3.46E-04	7.52E-10	0.25	1.57E-01	2.95E-11	1.0E+06	3.0E-05
18	0.53362	4.28E-06	2.3E-06	3.46E-04	7.90E-10	0.25	1.57E-01	3.10E-11	1.0E+06	3.1E-05
19	0.55833	4.28E-06	2.4E-06	3.46E-04	8.27E-10	0.25	1.57E-01	3.25E-11	1.0E+06	3.2E-05
20	0.58107	4.28E-06	2.5E-06	3.46E-04	8.60E-10	0.25	1.57E-01	3.38E-11	1.0E+06	3.4E-05
21	0.60082	4.28E-06	2.6E-06	3.46E-04	8.89E-10	0.25	1.57E-01	3.49E-11	1.0E+06	3.5E-05
22	0.61695	4.28E-06	2.6E-06	3.46E-04	9.13E-10	0.25	1.57E-01	3.59E-11	1.0E+06	3.6E-05
23	0.62878	4.28E-06	2.7E-06	3.46E-04	9.31E-10	0.25	1.57E-01	3.66E-11	1.0E+06	3.7E-05
24	0.63627	4.28E-06	2.7E-06	3.46E-04	9.42E-10	0.25	1.57E-01	3.70E-11	1.0E+06	3.7E-05
25	0.64015	4.28E-06	2.7E-06	3.46E-04	9.48E-10	0.25	1.57E-01	3.72E-11	1.0E+06	3.7E-05
26	0.64185	4.28E-06	2.7E-06	3.46E-04	9.50E-10	0.25	1.57E-01	3.73E-11	1.0E+06	3.7E-05
27	0.64337	4.28E-06	2.8E-06	3.46E-04	9.52E-10	0.25	1.57E-01	3.74E-11	1.0E+06	3.7E-05
28	0.64658	4.28E-06	2.8E-06	3.46E-04	9.57E-10	0.25	1.57E-01	3.76E-11	1.0E+06	3.8E-05
29	0.65279	4.28E-06	2.8E-06	3.46E-04	9.66E-10	0.25	1.57E-01	3.80E-11	1.0E+06	3.8E-05
30	0.66194	4.28E-06	2.8E-06	3.46E-04	9.80E-10	0.25	1.57E-01	3.85E-11	1.0E+06	3.8E-05
31	0.67286	4.28E-06	2.9E-06	3.46E-04	9.96E-10	0.25	1.57E-01	3.91E-11	1.0E+06	3.9E-05

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.68379	4.28E-06	2.9E-06	3.46E-04	1.01E-09	0.25	1.57E-01	3.98E-11	1.0E+06	4.0E-05
55	0.70895	4.28E-06	3.0E-06	3.46E-04	1.05E-09	0.25	1.57E-01	4.12E-11	1.0E+06	4.1E-05
56	0.72426	4.28E-06	3.1E-06	3.46E-04	1.07E-09	0.25	1.57E-01	4.21E-11	1.0E+06	4.2E-05
57	0.73408	4.28E-06	3.1E-06	3.46E-04	1.09E-09	0.25	1.57E-01	4.27E-11	1.0E+06	4.3E-05
58	0.73904	4.28E-06	3.2E-06	3.46E-04	1.09E-09	0.25	1.57E-01	4.30E-11	1.0E+06	4.3E-05
59	0.74151	4.28E-06	3.2E-06	3.46E-04	1.10E-09	0.25	1.57E-01	4.31E-11	1.0E+06	4.3E-05
60	0.74458	4.28E-06	3.2E-06	3.46E-04	1.10E-09	0.25	1.57E-01	4.33E-11	1.0E+06	4.3E-05
61	0.75105	4.28E-06	3.2E-06	3.46E-04	1.11E-09	0.25	1.57E-01	4.37E-11	1.0E+06	4.4E-05
62	0.76114	4.28E-06	3.3E-06	3.46E-04	1.13E-09	0.25	1.57E-01	4.43E-11	1.0E+06	4.4E-05
63	0.77394	4.28E-06	3.3E-06	3.46E-04	1.15E-09	0.25	1.57E-01	4.50E-11	1.0E+06	4.5E-05
64	0.78702	4.28E-06	3.4E-06	3.46E-04	1.17E-09	0.25	1.57E-01	4.58E-11	1.0E+06	4.6E-05
65	0.79774	4.28E-06	3.4E-06	3.46E-04	1.18E-09	0.25	1.57E-01	4.64E-11	1.0E+06	4.6E-05
66	0.8043	4.28E-06	3.4E-06	3.46E-04	1.19E-09	0.25	1.57E-01	4.68E-11	1.0E+06	4.7E-05
67	0.21945	4.28E-06	9.4E-07	3.46E-04	3.25E-10	0.25	1.57E-01	1.28E-11	1.0E+06	1.3E-05
68	0.23249	4.28E-06	9.9E-07	3.46E-04	3.44E-10	0.25	1.57E-01	1.35E-11	1.0E+06	1.4E-05
69	0.24665	4.28E-06	1.1E-06	3.46E-04	3.65E-10	0.25	1.57E-01	1.43E-11	1.0E+06	1.4E-05
70	0.26207	4.28E-06	1.1E-06	3.46E-04	3.88E-10	0.25	1.57E-01	1.52E-11	1.0E+06	1.5E-05
71	0.27874	4.28E-06	1.2E-06	3.46E-04	4.13E-10	0.25	1.57E-01	1.62E-11	1.0E+06	1.6E-05
72	0.29722	4.28E-06	1.3E-06	3.46E-04	4.40E-10	0.25	1.57E-01	1.73E-11	1.0E+06	1.7E-05
73	0.31733	4.28E-06	1.4E-06	3.46E-04	4.70E-10	0.25	1.57E-01	1.85E-11	1.0E+06	1.8E-05
74	0.33924	4.28E-06	1.5E-06	3.46E-04	5.02E-10	0.25	1.57E-01	1.97E-11	1.0E+06	2.0E-05
75	0.36312	4.28E-06	1.6E-06	3.46E-04	5.38E-10	0.25	1.57E-01	2.11E-11	1.0E+06	2.1E-05
76	0.38924	4.28E-06	1.7E-06	3.46E-04	5.76E-10	0.25	1.57E-01	2.26E-11	1.0E+06	2.3E-05
77	0.41774	4.28E-06	1.8E-06	3.46E-04	6.18E-10	0.25	1.57E-01	2.43E-11	1.0E+06	2.4E-05
78	0.44888	4.28E-06	1.9E-06	3.46E-04	6.65E-10	0.25	1.57E-01	2.61E-11	1.0E+06	2.6E-05
79	0.63835	4.28E-06	2.7E-06	3.46E-04	9.45E-10	0.25	1.57E-01	3.71E-11	1.0E+06	3.7E-05
80	0.68063	4.28E-06	2.9E-06	3.46E-04	1.01E-09	0.25	1.57E-01	3.96E-11	1.0E+06	4.0E-05
81	0.72279	4.28E-06	3.1E-06	3.46E-04	1.07E-09	0.25	1.57E-01	4.20E-11	1.0E+06	4.2E-05
82	0.76221	4.28E-06	3.3E-06	3.46E-04	1.13E-09	0.25	1.57E-01	4.43E-11	1.0E+06	4.4E-05
83	0.79747	4.28E-06	3.4E-06	3.46E-04	1.18E-09	0.25	1.57E-01	4.64E-11	1.0E+06	4.6E-05
84	0.82587	4.28E-06	3.5E-06	3.46E-04	1.22E-09	0.25	1.57E-01	4.80E-11	1.0E+06	4.8E-05

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	0.84655	4.28E-06	3.6E-06	3.46E-04	1.25E-09	0.25	1.57E-01	4.92E-11	1.0E+06	4.9E-05
86	0.85917	4.28E-06	3.7E-06	3.46E-04	1.27E-09	0.25	1.57E-01	5.00E-11	1.0E+06	5.0E-05
87	0.86555	4.28E-06	3.7E-06	3.46E-04	1.28E-09	0.25	1.57E-01	5.03E-11	1.0E+06	5.0E-05
88	0.86989	4.28E-06	3.7E-06	3.46E-04	1.29E-09	0.25	1.57E-01	5.06E-11	1.0E+06	5.1E-05
89	0.87644	4.28E-06	3.7E-06	3.46E-04	1.30E-09	0.25	1.57E-01	5.10E-11	1.0E+06	5.1E-05
90	0.88754	4.28E-06	3.8E-06	3.46E-04	1.31E-09	0.25	1.57E-01	5.16E-11	1.0E+06	5.2E-05
91	0.90281	4.28E-06	3.9E-06	3.46E-04	1.34E-09	0.25	1.57E-01	5.25E-11	1.0E+06	5.3E-05
92	0.91845	4.28E-06	3.9E-06	3.46E-04	1.36E-09	0.25	1.57E-01	5.34E-11	1.0E+06	5.3E-05
93	0.93141	4.28E-06	4.0E-06	3.46E-04	1.38E-09	0.25	1.57E-01	5.42E-11	1.0E+06	5.4E-05
96	0.95435	4.28E-06	4.1E-06	3.46E-04	1.41E-09	0.25	1.57E-01	5.55E-11	1.0E+06	5.6E-05
97	0.98106	4.28E-06	4.2E-06	3.46E-04	1.45E-09	0.25	1.57E-01	5.71E-11	1.0E+06	5.7E-05
98	1.04045	4.28E-06	4.4E-06	3.46E-04	1.54E-09	0.25	1.57E-01	6.05E-11	1.0E+06	6.1E-05
99	1.05332	4.28E-06	4.5E-06	3.46E-04	1.56E-09	0.25	1.57E-01	6.13E-11	1.0E+06	6.1E-05
100	1.07146	4.28E-06	4.6E-06	3.46E-04	1.59E-09	0.25	1.57E-01	6.23E-11	1.0E+06	6.2E-05
101	1.09088	4.28E-06	4.7E-06	3.46E-04	1.61E-09	0.25	1.57E-01	6.34E-11	1.0E+06	6.3E-05
102	1.1058	4.28E-06	4.7E-06	3.46E-04	1.64E-09	0.25	1.57E-01	6.43E-11	1.0E+06	6.4E-05
106	0.2208	4.28E-06	9.4E-07	3.46E-04	3.27E-10	0.25	1.57E-01	1.28E-11	1.0E+06	1.3E-05
107	0.23488	4.28E-06	1.0E-06	3.46E-04	3.48E-10	0.25	1.57E-01	1.37E-11	1.0E+06	1.4E-05
108	0.25006	4.28E-06	1.1E-06	3.46E-04	3.70E-10	0.25	1.57E-01	1.45E-11	1.0E+06	1.5E-05
109	0.26674	4.28E-06	1.1E-06	3.46E-04	3.95E-10	0.25	1.57E-01	1.55E-11	1.0E+06	1.6E-05
110	0.28515	4.28E-06	1.2E-06	3.46E-04	4.22E-10	0.25	1.57E-01	1.66E-11	1.0E+06	1.7E-05
111	0.30533	4.28E-06	1.3E-06	3.46E-04	4.52E-10	0.25	1.57E-01	1.78E-11	1.0E+06	1.8E-05
112	0.32807	4.28E-06	1.4E-06	3.46E-04	4.86E-10	0.25	1.57E-01	1.91E-11	1.0E+06	1.9E-05
113	0.35308	4.28E-06	1.5E-06	3.46E-04	5.23E-10	0.25	1.57E-01	2.05E-11	1.0E+06	2.1E-05
114	0.38096	4.28E-06	1.6E-06	3.46E-04	5.64E-10	0.25	1.57E-01	2.22E-11	1.0E+06	2.2E-05
115	0.41187	4.28E-06	1.8E-06	3.46E-04	6.10E-10	0.25	1.57E-01	2.40E-11	1.0E+06	2.4E-05
116	0.44614	4.28E-06	1.9E-06	3.46E-04	6.60E-10	0.25	1.57E-01	2.59E-11	1.0E+06	2.6E-05
117	0.48492	4.28E-06	2.1E-06	3.46E-04	7.18E-10	0.25	1.57E-01	2.82E-11	1.0E+06	2.8E-05
118	0.52822	4.28E-06	2.3E-06	3.46E-04	7.82E-10	0.25	1.57E-01	3.07E-11	1.0E+06	3.1E-05
124	0.22743	4.28E-06	9.7E-07	3.46E-04	3.37E-10	0.25	1.57E-01	1.32E-11	1.0E+06	1.3E-05
125	0.2422	4.28E-06	1.0E-06	3.46E-04	3.59E-10	0.25	1.57E-01	1.41E-11	1.0E+06	1.4E-05

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.25847	4.28E-06	1.1E-06	3.46E-04	3.83E-10	0.25	1.57E-01	1.50E-11	1.0E+06	1.5E-05
127	0.27647	4.28E-06	1.2E-06	3.46E-04	4.09E-10	0.25	1.57E-01	1.61E-11	1.0E+06	1.6E-05
128	0.29644	4.28E-06	1.3E-06	3.46E-04	4.39E-10	0.25	1.57E-01	1.72E-11	1.0E+06	1.7E-05
129	0.31852	4.28E-06	1.4E-06	3.46E-04	4.72E-10	0.25	1.57E-01	1.85E-11	1.0E+06	1.9E-05
130	0.34349	4.28E-06	1.5E-06	3.46E-04	5.09E-10	0.25	1.57E-01	2.00E-11	1.0E+06	2.0E-05
131	0.37131	4.28E-06	1.6E-06	3.46E-04	5.50E-10	0.25	1.57E-01	2.16E-11	1.0E+06	2.2E-05
132	0.4026	4.28E-06	1.7E-06	3.46E-04	5.96E-10	0.25	1.57E-01	2.34E-11	1.0E+06	2.3E-05
133	0.43765	4.28E-06	1.9E-06	3.46E-04	6.48E-10	0.25	1.57E-01	2.55E-11	1.0E+06	2.5E-05
134	0.4775	4.28E-06	2.0E-06	3.46E-04	7.07E-10	0.25	1.57E-01	2.78E-11	1.0E+06	2.8E-05
135	0.52237	4.28E-06	2.2E-06	3.46E-04	7.73E-10	0.25	1.57E-01	3.04E-11	1.0E+06	3.0E-05
136	0.57322	4.28E-06	2.5E-06	3.46E-04	8.49E-10	0.25	1.57E-01	3.33E-11	1.0E+06	3.3E-05
137	0.63056	4.28E-06	2.7E-06	3.46E-04	9.33E-10	0.25	1.57E-01	3.67E-11	1.0E+06	3.7E-05
138	0.69649	4.28E-06	3.0E-06	3.46E-04	1.03E-09	0.25	1.57E-01	4.05E-11	1.0E+06	4.1E-05
141	0.23351	4.28E-06	1.0E-06	3.46E-04	3.46E-10	0.25	1.57E-01	1.36E-11	1.0E+06	1.4E-05
142	0.24921	4.28E-06	1.1E-06	3.46E-04	3.69E-10	0.25	1.57E-01	1.45E-11	1.0E+06	1.4E-05
143	0.26658	4.28E-06	1.1E-06	3.46E-04	3.95E-10	0.25	1.57E-01	1.55E-11	1.0E+06	1.6E-05
144	0.28589	4.28E-06	1.2E-06	3.46E-04	4.23E-10	0.25	1.57E-01	1.66E-11	1.0E+06	1.7E-05
145	0.30743	4.28E-06	1.3E-06	3.46E-04	4.55E-10	0.25	1.57E-01	1.79E-11	1.0E+06	1.8E-05
146	0.33143	4.28E-06	1.4E-06	3.46E-04	4.91E-10	0.25	1.57E-01	1.93E-11	1.0E+06	1.9E-05
147	0.35872	4.28E-06	1.5E-06	3.46E-04	5.31E-10	0.25	1.57E-01	2.09E-11	1.0E+06	2.1E-05
148	0.38937	4.28E-06	1.7E-06	3.46E-04	5.76E-10	0.25	1.57E-01	2.26E-11	1.0E+06	2.3E-05
149	0.42415	4.28E-06	1.8E-06	3.46E-04	6.28E-10	0.25	1.57E-01	2.47E-11	1.0E+06	2.5E-05
150	0.46365	4.28E-06	2.0E-06	3.46E-04	6.86E-10	0.25	1.57E-01	2.70E-11	1.0E+06	2.7E-05
151	0.50889	4.28E-06	2.2E-06	3.46E-04	7.53E-10	0.25	1.57E-01	2.96E-11	1.0E+06	3.0E-05
152	0.56078	4.28E-06	2.4E-06	3.46E-04	8.30E-10	0.25	1.57E-01	3.26E-11	1.0E+06	3.3E-05
153	0.62054	4.28E-06	2.7E-06	3.46E-04	9.19E-10	0.25	1.57E-01	3.61E-11	1.0E+06	3.6E-05
154	0.68909	4.28E-06	2.9E-06	3.46E-04	1.02E-09	0.25	1.57E-01	4.01E-11	1.0E+06	4.0E-05
155	0.76884	4.28E-06	3.3E-06	3.46E-04	1.14E-09	0.25	1.57E-01	4.47E-11	1.0E+06	4.5E-05
164	0.75051	4.28E-06	3.2E-06	3.46E-04	1.11E-09	0.25	1.57E-01	4.36E-11	1.0E+06	4.4E-05
165	0.84671	4.28E-06	3.6E-06	3.46E-04	1.25E-09	0.25	1.57E-01	4.92E-11	1.0E+06	4.9E-05
166	0.96252	4.28E-06	4.1E-06	3.46E-04	1.42E-09	0.25	1.57E-01	5.60E-11	1.0E+06	5.6E-05

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	0.81289	4.28E-06	3.5E-06	3.46E-04	1.20E-09	0.25	1.57E-01	4.73E-11	1.0E+06	4.7E-05
179	0.92806	4.28E-06	4.0E-06	3.46E-04	1.37E-09	0.25	1.57E-01	5.40E-11	1.0E+06	5.4E-05
180	1.07	4.28E-06	4.6E-06	3.46E-04	1.58E-09	0.25	1.57E-01	6.22E-11	1.0E+06	6.2E-05
192	0.87396	4.28E-06	3.7E-06	3.46E-04	1.29E-09	0.25	1.57E-01	5.08E-11	1.0E+06	5.1E-05
193	1.00978	4.28E-06	4.3E-06	3.46E-04	1.49E-09	0.25	1.57E-01	5.87E-11	1.0E+06	5.9E-05
194	1.17994	4.28E-06	5.0E-06	3.46E-04	1.75E-09	0.25	1.57E-01	6.86E-11	1.0E+06	6.9E-05
207	0.92987	4.28E-06	4.0E-06	3.46E-04	1.38E-09	0.25	1.57E-01	5.41E-11	1.0E+06	5.4E-05
208	1.08556	4.28E-06	4.6E-06	3.46E-04	1.61E-09	0.25	1.57E-01	6.31E-11	1.0E+06	6.3E-05
209	1.28546	4.28E-06	5.5E-06	3.46E-04	1.90E-09	0.25	1.57E-01	7.48E-11	1.0E+06	7.5E-05
223	0.97741	4.28E-06	4.2E-06	3.46E-04	1.45E-09	0.25	1.57E-01	5.68E-11	1.0E+06	5.7E-05
224	1.15079	4.28E-06	4.9E-06	3.46E-04	1.70E-09	0.25	1.57E-01	6.69E-11	1.0E+06	6.7E-05
225	1.37623	4.28E-06	5.9E-06	3.46E-04	2.04E-09	0.25	1.57E-01	8.00E-11	1.0E+06	8.0E-05
239	1.01377	4.28E-06	4.3E-06	3.46E-04	1.50E-09	0.25	1.57E-01	5.90E-11	1.0E+06	5.9E-05
240	1.20121	4.28E-06	5.1E-06	3.46E-04	1.78E-09	0.25	1.57E-01	6.99E-11	1.0E+06	7.0E-05
241	1.44897	4.28E-06	6.2E-06	3.46E-04	2.15E-09	0.25	1.57E-01	8.43E-11	1.0E+06	8.4E-05
255	1.03615	4.28E-06	4.4E-06	3.46E-04	1.53E-09	0.25	1.57E-01	6.03E-11	1.0E+06	6.0E-05
256	1.23272	4.28E-06	5.3E-06	3.46E-04	1.82E-09	0.25	1.57E-01	7.17E-11	1.0E+06	7.2E-05
272	1.04307	4.28E-06	4.5E-06	3.46E-04	1.54E-09	0.25	1.57E-01	6.07E-11	1.0E+06	6.1E-05
273	1.24349	4.28E-06	5.3E-06	3.46E-04	1.84E-09	0.25	1.57E-01	7.23E-11	1.0E+06	7.2E-05
289	1.0354	4.28E-06	4.4E-06	3.46E-04	1.53E-09	0.25	1.57E-01	6.02E-11	1.0E+06	6.0E-05
290	1.23302	4.28E-06	5.3E-06	3.46E-04	1.83E-09	0.25	1.57E-01	7.17E-11	1.0E+06	7.2E-05
306	1.01363	4.28E-06	4.3E-06	3.46E-04	1.50E-09	0.25	1.57E-01	5.90E-11	1.0E+06	5.9E-05
307	1.2029	4.28E-06	5.1E-06	3.46E-04	1.78E-09	0.25	1.57E-01	7.00E-11	1.0E+06	7.0E-05
323	0.98003	4.28E-06	4.2E-06	3.46E-04	1.45E-09	0.25	1.57E-01	5.70E-11	1.0E+06	5.7E-05
324	1.15627	4.28E-06	4.9E-06	3.46E-04	1.71E-09	0.25	1.57E-01	6.72E-11	1.0E+06	6.7E-05
342	0.9375	4.28E-06	4.0E-06	3.46E-04	1.39E-09	0.25	1.57E-01	5.45E-11	1.0E+06	5.5E-05
343	1.09759	4.28E-06	4.7E-06	3.46E-04	1.62E-09	0.25	1.57E-01	6.38E-11	1.0E+06	6.4E-05
344	1.30327	4.28E-06	5.6E-06	3.46E-04	1.93E-09	0.25	1.57E-01	7.58E-11	1.0E+06	7.6E-05
356	0.88881	4.28E-06	3.8E-06	3.46E-04	1.32E-09	0.25	1.57E-01	5.17E-11	1.0E+06	5.2E-05
357	1.03119	4.28E-06	4.4E-06	3.46E-04	1.53E-09	0.25	1.57E-01	6.00E-11	1.0E+06	6.0E-05
358	1.21112	4.28E-06	5.2E-06	3.46E-04	1.79E-09	0.25	1.57E-01	7.04E-11	1.0E+06	7.0E-05

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.83678	4.28E-06	3.6E-06	3.46E-04	1.24E-09	0.25	1.57E-01	4.87E-11	1.0E+06	4.9E-05
371	0.96146	4.28E-06	4.1E-06	3.46E-04	1.42E-09	0.25	1.57E-01	5.59E-11	1.0E+06	5.6E-05
372	1.11599	4.28E-06	4.8E-06	3.46E-04	1.65E-09	0.25	1.57E-01	6.49E-11	1.0E+06	6.5E-05
383	0.78343	4.28E-06	3.4E-06	3.46E-04	1.16E-09	0.25	1.57E-01	4.56E-11	1.0E+06	4.6E-05
384	0.89136	4.28E-06	3.8E-06	3.46E-04	1.32E-09	0.25	1.57E-01	5.18E-11	1.0E+06	5.2E-05
385	1.02245	4.28E-06	4.4E-06	3.46E-04	1.51E-09	0.25	1.57E-01	5.95E-11	1.0E+06	5.9E-05
396	0.73047	4.28E-06	3.1E-06	3.46E-04	1.08E-09	0.25	1.57E-01	4.25E-11	1.0E+06	4.2E-05
397	0.82311	4.28E-06	3.5E-06	3.46E-04	1.22E-09	0.25	1.57E-01	4.79E-11	1.0E+06	4.8E-05
398	0.93355	4.28E-06	4.0E-06	3.46E-04	1.38E-09	0.25	1.57E-01	5.43E-11	1.0E+06	5.4E-05
399	1.06654	4.28E-06	4.6E-06	3.46E-04	1.58E-09	0.25	1.57E-01	6.20E-11	1.0E+06	6.2E-05
411	0.6791	4.28E-06	2.9E-06	3.46E-04	1.01E-09	0.25	1.57E-01	3.95E-11	1.0E+06	3.9E-05
412	0.75827	4.28E-06	3.2E-06	3.46E-04	1.12E-09	0.25	1.57E-01	4.41E-11	1.0E+06	4.4E-05
413	0.85125	4.28E-06	3.6E-06	3.46E-04	1.26E-09	0.25	1.57E-01	4.95E-11	1.0E+06	5.0E-05
414	0.96101	4.28E-06	4.1E-06	3.46E-04	1.42E-09	0.25	1.57E-01	5.59E-11	1.0E+06	5.6E-05
426	0.63034	4.28E-06	2.7E-06	3.46E-04	9.33E-10	0.25	1.57E-01	3.67E-11	1.0E+06	3.7E-05
427	0.698	4.28E-06	3.0E-06	3.46E-04	1.03E-09	0.25	1.57E-01	4.06E-11	1.0E+06	4.1E-05
428	0.77625	4.28E-06	3.3E-06	3.46E-04	1.15E-09	0.25	1.57E-01	4.51E-11	1.0E+06	4.5E-05
429	0.86745	4.28E-06	3.7E-06	3.46E-04	1.28E-09	0.25	1.57E-01	5.04E-11	1.0E+06	5.0E-05
439	0.58471	4.28E-06	2.5E-06	3.46E-04	8.66E-10	0.25	1.57E-01	3.40E-11	1.0E+06	3.4E-05
440	0.64271	4.28E-06	2.7E-06	3.46E-04	9.51E-10	0.25	1.57E-01	3.74E-11	1.0E+06	3.7E-05
441	0.70905	4.28E-06	3.0E-06	3.46E-04	1.05E-09	0.25	1.57E-01	4.12E-11	1.0E+06	4.1E-05
442	0.7853	4.28E-06	3.4E-06	3.46E-04	1.16E-09	0.25	1.57E-01	4.57E-11	1.0E+06	4.6E-05
443	0.87312	4.28E-06	3.7E-06	3.46E-04	1.29E-09	0.25	1.57E-01	5.08E-11	1.0E+06	5.1E-05
454	0.54262	4.28E-06	2.3E-06	3.46E-04	8.03E-10	0.25	1.57E-01	3.16E-11	1.0E+06	3.2E-05
455	0.59257	4.28E-06	2.5E-06	3.46E-04	8.77E-10	0.25	1.57E-01	3.45E-11	1.0E+06	3.4E-05
456	0.64914	4.28E-06	2.8E-06	3.46E-04	9.61E-10	0.25	1.57E-01	3.78E-11	1.0E+06	3.8E-05
457	0.71336	4.28E-06	3.1E-06	3.46E-04	1.06E-09	0.25	1.57E-01	4.15E-11	1.0E+06	4.1E-05
458	0.78619	4.28E-06	3.4E-06	3.46E-04	1.16E-09	0.25	1.57E-01	4.57E-11	1.0E+06	4.6E-05
469	0.5041	4.28E-06	2.2E-06	3.46E-04	7.46E-10	0.25	1.57E-01	2.93E-11	1.0E+06	2.9E-05
470	0.54734	4.28E-06	2.3E-06	3.46E-04	8.10E-10	0.25	1.57E-01	3.18E-11	1.0E+06	3.2E-05
471	0.59589	4.28E-06	2.5E-06	3.46E-04	8.82E-10	0.25	1.57E-01	3.47E-11	1.0E+06	3.5E-05

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.65032	4.28E-06	2.8E-06	3.46E-04	9.63E-10	0.25	1.57E-01	3.78E-11	1.0E+06	3.8E-05
473	0.7111	4.28E-06	3.0E-06	3.46E-04	1.05E-09	0.25	1.57E-01	4.14E-11	1.0E+06	4.1E-05
489	0.46908	4.28E-06	2.0E-06	3.46E-04	6.94E-10	0.25	1.57E-01	2.73E-11	1.0E+06	2.7E-05
490	0.50674	4.28E-06	2.2E-06	3.46E-04	7.50E-10	0.25	1.57E-01	2.95E-11	1.0E+06	2.9E-05
491	0.54859	4.28E-06	2.3E-06	3.46E-04	8.12E-10	0.25	1.57E-01	3.19E-11	1.0E+06	3.2E-05
492	0.59495	4.28E-06	2.5E-06	3.46E-04	8.81E-10	0.25	1.57E-01	3.46E-11	1.0E+06	3.5E-05
493	0.64595	4.28E-06	2.8E-06	3.46E-04	9.56E-10	0.25	1.57E-01	3.76E-11	1.0E+06	3.8E-05
494	0.70138	4.28E-06	3.0E-06	3.46E-04	1.04E-09	0.25	1.57E-01	4.08E-11	1.0E+06	4.1E-05
509	0.43728	4.28E-06	1.9E-06	3.46E-04	6.47E-10	0.25	1.57E-01	2.54E-11	1.0E+06	2.5E-05
510	0.47023	4.28E-06	2.0E-06	3.46E-04	6.96E-10	0.25	1.57E-01	2.73E-11	1.0E+06	2.7E-05
511	0.5065	4.28E-06	2.2E-06	3.46E-04	7.50E-10	0.25	1.57E-01	2.95E-11	1.0E+06	2.9E-05
512	0.5462	4.28E-06	2.3E-06	3.46E-04	8.09E-10	0.25	1.57E-01	3.18E-11	1.0E+06	3.2E-05
513	0.58913	4.28E-06	2.5E-06	3.46E-04	8.72E-10	0.25	1.57E-01	3.43E-11	1.0E+06	3.4E-05
514	0.63517	4.28E-06	2.7E-06	3.46E-04	9.40E-10	0.25	1.57E-01	3.69E-11	1.0E+06	3.7E-05
515	0.7324	4.28E-06	3.1E-06	3.46E-04	1.08E-09	0.25	1.57E-01	4.26E-11	1.0E+06	4.3E-05
516	0.77984	4.28E-06	3.3E-06	3.46E-04	1.15E-09	0.25	1.57E-01	4.54E-11	1.0E+06	4.5E-05
517	0.8235	4.28E-06	3.5E-06	3.46E-04	1.22E-09	0.25	1.57E-01	4.79E-11	1.0E+06	4.8E-05
518	0.85859	4.28E-06	3.7E-06	3.46E-04	1.27E-09	0.25	1.57E-01	4.99E-11	1.0E+06	5.0E-05
519	0.88001	4.28E-06	3.8E-06	3.46E-04	1.30E-09	0.25	1.57E-01	5.12E-11	1.0E+06	5.1E-05
528	0.40845	4.28E-06	1.7E-06	3.46E-04	6.05E-10	0.25	1.57E-01	2.38E-11	1.0E+06	2.4E-05
529	0.43739	4.28E-06	1.9E-06	3.46E-04	6.48E-10	0.25	1.57E-01	2.54E-11	1.0E+06	2.5E-05
530	0.46892	4.28E-06	2.0E-06	3.46E-04	6.94E-10	0.25	1.57E-01	2.73E-11	1.0E+06	2.7E-05
531	0.50304	4.28E-06	2.2E-06	3.46E-04	7.45E-10	0.25	1.57E-01	2.93E-11	1.0E+06	2.9E-05
532	0.53949	4.28E-06	2.3E-06	3.46E-04	7.99E-10	0.25	1.57E-01	3.14E-11	1.0E+06	3.1E-05
533	0.57786	4.28E-06	2.5E-06	3.46E-04	8.55E-10	0.25	1.57E-01	3.36E-11	1.0E+06	3.4E-05
534	0.6571	4.28E-06	2.8E-06	3.46E-04	9.73E-10	0.25	1.57E-01	3.82E-11	1.0E+06	3.8E-05
535	0.69542	4.28E-06	3.0E-06	3.46E-04	1.03E-09	0.25	1.57E-01	4.04E-11	1.0E+06	4.0E-05
536	0.73077	4.28E-06	3.1E-06	3.46E-04	1.08E-09	0.25	1.57E-01	4.25E-11	1.0E+06	4.3E-05
537	0.7588	4.28E-06	3.2E-06	3.46E-04	1.12E-09	0.25	1.57E-01	4.41E-11	1.0E+06	4.4E-05
538	0.77648	4.28E-06	3.3E-06	3.46E-04	1.15E-09	0.25	1.57E-01	4.52E-11	1.0E+06	4.5E-05
547	0.38228	4.28E-06	1.6E-06	3.46E-04	5.66E-10	0.25	1.57E-01	2.22E-11	1.0E+06	2.2E-05

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.40777	4.28E-06	1.7E-06	3.46E-04	6.04E-10	0.25	1.57E-01	2.37E-11	1.0E+06	2.4E-05
549	0.43529	4.28E-06	1.9E-06	3.46E-04	6.44E-10	0.25	1.57E-01	2.53E-11	1.0E+06	2.5E-05
550	0.46464	4.28E-06	2.0E-06	3.46E-04	6.88E-10	0.25	1.57E-01	2.70E-11	1.0E+06	2.7E-05
551	0.49569	4.28E-06	2.1E-06	3.46E-04	7.34E-10	0.25	1.57E-01	2.88E-11	1.0E+06	2.9E-05
552	0.52791	4.28E-06	2.3E-06	3.46E-04	7.82E-10	0.25	1.57E-01	3.07E-11	1.0E+06	3.1E-05
553	0.56081	4.28E-06	2.4E-06	3.46E-04	8.30E-10	0.25	1.57E-01	3.26E-11	1.0E+06	3.3E-05
554	0.59331	4.28E-06	2.5E-06	3.46E-04	8.78E-10	0.25	1.57E-01	3.45E-11	1.0E+06	3.5E-05
555	0.6248	4.28E-06	2.7E-06	3.46E-04	9.25E-10	0.25	1.57E-01	3.63E-11	1.0E+06	3.6E-05
556	0.65378	4.28E-06	2.8E-06	3.46E-04	9.68E-10	0.25	1.57E-01	3.80E-11	1.0E+06	3.8E-05
557	0.67658	4.28E-06	2.9E-06	3.46E-04	1.00E-09	0.25	1.57E-01	3.93E-11	1.0E+06	3.9E-05
558	0.69187	4.28E-06	3.0E-06	3.46E-04	1.02E-09	0.25	1.57E-01	4.02E-11	1.0E+06	4.0E-05
559	0.69604	4.28E-06	3.0E-06	3.46E-04	1.03E-09	0.25	1.57E-01	4.05E-11	1.0E+06	4.0E-05
567	0.35848	4.28E-06	1.5E-06	3.46E-04	5.31E-10	0.25	1.57E-01	2.08E-11	1.0E+06	2.1E-05
568	0.38101	4.28E-06	1.6E-06	3.46E-04	5.64E-10	0.25	1.57E-01	2.22E-11	1.0E+06	2.2E-05
569	0.40507	4.28E-06	1.7E-06	3.46E-04	6.00E-10	0.25	1.57E-01	2.36E-11	1.0E+06	2.4E-05
570	0.4305	4.28E-06	1.8E-06	3.46E-04	6.37E-10	0.25	1.57E-01	2.50E-11	1.0E+06	2.5E-05
571	0.45703	4.28E-06	2.0E-06	3.46E-04	6.77E-10	0.25	1.57E-01	2.66E-11	1.0E+06	2.7E-05
572	0.48429	4.28E-06	2.1E-06	3.46E-04	7.17E-10	0.25	1.57E-01	2.82E-11	1.0E+06	2.8E-05
573	0.5118	4.28E-06	2.2E-06	3.46E-04	7.58E-10	0.25	1.57E-01	2.98E-11	1.0E+06	3.0E-05
574	0.56483	4.28E-06	2.4E-06	3.46E-04	8.36E-10	0.25	1.57E-01	3.28E-11	1.0E+06	3.3E-05
575	0.58871	4.28E-06	2.5E-06	3.46E-04	8.72E-10	0.25	1.57E-01	3.42E-11	1.0E+06	3.4E-05
576	0.60822	4.28E-06	2.6E-06	3.46E-04	9.00E-10	0.25	1.57E-01	3.54E-11	1.0E+06	3.5E-05
577	0.6212	4.28E-06	2.7E-06	3.46E-04	9.20E-10	0.25	1.57E-01	3.61E-11	1.0E+06	3.6E-05
578	0.62564	4.28E-06	2.7E-06	3.46E-04	9.26E-10	0.25	1.57E-01	3.64E-11	1.0E+06	3.6E-05
586	0.3368	4.28E-06	1.4E-06	3.46E-04	4.99E-10	0.25	1.57E-01	1.96E-11	1.0E+06	2.0E-05
587	0.35669	4.28E-06	1.5E-06	3.46E-04	5.28E-10	0.25	1.57E-01	2.07E-11	1.0E+06	2.1E-05
588	0.37779	4.28E-06	1.6E-06	3.46E-04	5.59E-10	0.25	1.57E-01	2.20E-11	1.0E+06	2.2E-05
589	0.39984	4.28E-06	1.7E-06	3.46E-04	5.92E-10	0.25	1.57E-01	2.33E-11	1.0E+06	2.3E-05
590	0.4226	4.28E-06	1.8E-06	3.46E-04	6.26E-10	0.25	1.57E-01	2.46E-11	1.0E+06	2.5E-05
591	0.44574	4.28E-06	1.9E-06	3.46E-04	6.60E-10	0.25	1.57E-01	2.59E-11	1.0E+06	2.6E-05
592	0.46891	4.28E-06	2.0E-06	3.46E-04	6.94E-10	0.25	1.57E-01	2.73E-11	1.0E+06	2.7E-05

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.51336	4.28E-06	2.2E-06	3.46E-04	7.60E-10	0.25	1.57E-01	2.99E-11	1.0E+06	3.0E-05
594	0.5334	4.28E-06	2.3E-06	3.46E-04	7.90E-10	0.25	1.57E-01	3.10E-11	1.0E+06	3.1E-05
595	0.54961	4.28E-06	2.4E-06	3.46E-04	8.14E-10	0.25	1.57E-01	3.20E-11	1.0E+06	3.2E-05
596	0.56074	4.28E-06	2.4E-06	3.46E-04	8.30E-10	0.25	1.57E-01	3.26E-11	1.0E+06	3.3E-05
597	0.56531	4.28E-06	2.4E-06	3.46E-04	8.37E-10	0.25	1.57E-01	3.29E-11	1.0E+06	3.3E-05
345	1.57495	4.28E-06	6.7E-06	3.46E-04	2.33E-09	0.25	1.57E-01	9.16E-11	1.0E+06	9.2E-05
346	1.94419	4.28E-06	8.3E-06	3.46E-04	2.88E-09	0.25	1.57E-01	1.13E-10	1.0E+06	1.1E-04
347	2.46715	4.28E-06	1.1E-05	3.46E-04	3.65E-09	0.25	1.57E-01	1.43E-10	1.0E+06	1.4E-04
348	3.24776	4.28E-06	1.4E-05	3.46E-04	4.81E-09	0.25	1.57E-01	1.89E-10	1.0E+06	1.9E-04
359	1.44326	4.28E-06	6.2E-06	3.46E-04	2.14E-09	0.25	1.57E-01	8.39E-11	1.0E+06	8.4E-05
360	1.74919	4.28E-06	7.5E-06	3.46E-04	2.59E-09	0.25	1.57E-01	1.02E-10	1.0E+06	1.0E-04
361	2.16727	4.28E-06	9.3E-06	3.46E-04	3.21E-09	0.25	1.57E-01	1.26E-10	1.0E+06	1.3E-04
362	2.75344	4.28E-06	1.2E-05	3.46E-04	4.08E-09	0.25	1.57E-01	1.60E-10	1.0E+06	1.6E-04
363	3.63329	4.28E-06	1.6E-05	3.46E-04	5.38E-09	0.25	1.57E-01	2.11E-10	1.0E+06	2.1E-04
373	1.56008	4.28E-06	6.7E-06	3.46E-04	2.31E-09	0.25	1.57E-01	9.07E-11	1.0E+06	9.1E-05
374	1.88564	4.28E-06	8.1E-06	3.46E-04	2.79E-09	0.25	1.57E-01	1.10E-10	1.0E+06	1.1E-04
375	2.32071	4.28E-06	9.9E-06	3.46E-04	3.44E-09	0.25	1.57E-01	1.35E-10	1.0E+06	1.3E-04
376	2.92594	4.28E-06	1.3E-05	3.46E-04	4.33E-09	0.25	1.57E-01	1.70E-10	1.0E+06	1.7E-04
386	1.38473	4.28E-06	5.9E-06	3.46E-04	2.05E-09	0.25	1.57E-01	8.05E-11	1.0E+06	8.1E-05
387	1.63827	4.28E-06	7.0E-06	3.46E-04	2.43E-09	0.25	1.57E-01	9.53E-11	1.0E+06	9.5E-05
388	1.96199	4.28E-06	8.4E-06	3.46E-04	2.90E-09	0.25	1.57E-01	1.14E-10	1.0E+06	1.1E-04
389	2.38686	4.28E-06	1.0E-05	3.46E-04	3.53E-09	0.25	1.57E-01	1.39E-10	1.0E+06	1.4E-04
390	2.94578	4.28E-06	1.3E-05	3.46E-04	4.36E-09	0.25	1.57E-01	1.71E-10	1.0E+06	1.7E-04
400	1.22836	4.28E-06	5.3E-06	3.46E-04	1.82E-09	0.25	1.57E-01	7.14E-11	1.0E+06	7.1E-05
401	1.42547	4.28E-06	6.1E-06	3.46E-04	2.11E-09	0.25	1.57E-01	8.29E-11	1.0E+06	8.3E-05
402	1.67161	4.28E-06	7.1E-06	3.46E-04	2.47E-09	0.25	1.57E-01	9.72E-11	1.0E+06	9.7E-05
403	1.97512	4.28E-06	8.4E-06	3.46E-04	2.92E-09	0.25	1.57E-01	1.15E-10	1.0E+06	1.1E-04
404	2.34508	4.28E-06	1.0E-05	3.46E-04	3.47E-09	0.25	1.57E-01	1.36E-10	1.0E+06	1.4E-04
415	1.09193	4.28E-06	4.7E-06	3.46E-04	1.62E-09	0.25	1.57E-01	6.35E-11	1.0E+06	6.4E-05
416	1.24865	4.28E-06	5.3E-06	3.46E-04	1.85E-09	0.25	1.57E-01	7.26E-11	1.0E+06	7.3E-05
417	1.43544	4.28E-06	6.1E-06	3.46E-04	2.13E-09	0.25	1.57E-01	8.35E-11	1.0E+06	8.3E-05

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	1.66131	4.28E-06	7.1E-06	3.46E-04	2.46E-09	0.25	1.57E-01	9.66E-11	1.0E+06	9.7E-05
419	1.91911	4.28E-06	8.2E-06	3.46E-04	2.84E-09	0.25	1.57E-01	1.12E-10	1.0E+06	1.1E-04
420	2.17594	4.28E-06	9.3E-06	3.46E-04	3.22E-09	0.25	1.57E-01	1.27E-10	1.0E+06	1.3E-04
430	1.09897	4.28E-06	4.7E-06	3.46E-04	1.63E-09	0.25	1.57E-01	6.39E-11	1.0E+06	6.4E-05
431	1.24567	4.28E-06	5.3E-06	3.46E-04	1.84E-09	0.25	1.57E-01	7.24E-11	1.0E+06	7.2E-05
432	1.41345	4.28E-06	6.0E-06	3.46E-04	2.09E-09	0.25	1.57E-01	8.22E-11	1.0E+06	8.2E-05
433	1.59687	4.28E-06	6.8E-06	3.46E-04	2.36E-09	0.25	1.57E-01	9.29E-11	1.0E+06	9.3E-05
434	1.77747	4.28E-06	7.6E-06	3.46E-04	2.63E-09	0.25	1.57E-01	1.03E-10	1.0E+06	1.0E-04
444	0.97405	4.28E-06	4.2E-06	3.46E-04	1.44E-09	0.25	1.57E-01	5.66E-11	1.0E+06	5.7E-05
445	1.08859	4.28E-06	4.7E-06	3.46E-04	1.61E-09	0.25	1.57E-01	6.33E-11	1.0E+06	6.3E-05
446	1.21622	4.28E-06	5.2E-06	3.46E-04	1.80E-09	0.25	1.57E-01	7.07E-11	1.0E+06	7.1E-05
447	1.3507	4.28E-06	5.8E-06	3.46E-04	2.00E-09	0.25	1.57E-01	7.86E-11	1.0E+06	7.9E-05
448	1.47938	4.28E-06	6.3E-06	3.46E-04	2.19E-09	0.25	1.57E-01	8.60E-11	1.0E+06	8.6E-05
459	0.95916	4.28E-06	4.1E-06	3.46E-04	1.42E-09	0.25	1.57E-01	5.58E-11	1.0E+06	5.6E-05
460	1.05744	4.28E-06	4.5E-06	3.46E-04	1.57E-09	0.25	1.57E-01	6.15E-11	1.0E+06	6.1E-05
461	1.15829	4.28E-06	5.0E-06	3.46E-04	1.71E-09	0.25	1.57E-01	6.74E-11	1.0E+06	6.7E-05
462	1.25278	4.28E-06	5.4E-06	3.46E-04	1.85E-09	0.25	1.57E-01	7.29E-11	1.0E+06	7.3E-05
463	1.32636	4.28E-06	5.7E-06	3.46E-04	1.96E-09	0.25	1.57E-01	7.71E-11	1.0E+06	7.7E-05
474	0.85099	4.28E-06	3.6E-06	3.46E-04	1.26E-09	0.25	1.57E-01	4.95E-11	1.0E+06	4.9E-05
475	0.92773	4.28E-06	4.0E-06	3.46E-04	1.37E-09	0.25	1.57E-01	5.40E-11	1.0E+06	5.4E-05
476	1.00541	4.28E-06	4.3E-06	3.46E-04	1.49E-09	0.25	1.57E-01	5.85E-11	1.0E+06	5.8E-05
477	1.07646	4.28E-06	4.6E-06	3.46E-04	1.59E-09	0.25	1.57E-01	6.26E-11	1.0E+06	6.3E-05
478	1.13259	4.28E-06	4.8E-06	3.46E-04	1.68E-09	0.25	1.57E-01	6.59E-11	1.0E+06	6.6E-05
495	0.76038	4.28E-06	3.3E-06	3.46E-04	1.13E-09	0.25	1.57E-01	4.42E-11	1.0E+06	4.4E-05
496	0.82109	4.28E-06	3.5E-06	3.46E-04	1.22E-09	0.25	1.57E-01	4.78E-11	1.0E+06	4.8E-05
497	0.88156	4.28E-06	3.8E-06	3.46E-04	1.31E-09	0.25	1.57E-01	5.13E-11	1.0E+06	5.1E-05
498	0.93682	4.28E-06	4.0E-06	3.46E-04	1.39E-09	0.25	1.57E-01	5.45E-11	1.0E+06	5.4E-05
499	0.98055	4.28E-06	4.2E-06	3.46E-04	1.45E-09	0.25	1.57E-01	5.70E-11	1.0E+06	5.7E-05
500	1.00545	4.28E-06	4.3E-06	3.46E-04	1.49E-09	0.25	1.57E-01	5.85E-11	1.0E+06	5.8E-05

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
139	0.77015	4.28E-06	3.3E-06	3.46E-04	1.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
140	0.85373	4.28E-06	3.7E-06	3.46E-04	1.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
156	0.86185	4.28E-06	3.7E-06	3.46E-04	1.28E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
157	0.96886	4.28E-06	4.1E-06	3.46E-04	1.43E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
158	1.09321	4.28E-06	4.7E-06	3.46E-04	1.62E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
159	1.23469	4.28E-06	5.3E-06	3.46E-04	1.83E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
160	1.39217	4.28E-06	6.0E-06	3.46E-04	2.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
161	1.73328	4.28E-06	7.4E-06	3.46E-04	2.57E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
162	1.8836	4.28E-06	8.1E-06	3.46E-04	2.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
163	1.98896	4.28E-06	8.5E-06	3.46E-04	2.94E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
167	1.09775	4.28E-06	4.7E-06	3.46E-04	1.63E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
168	1.26633	4.28E-06	5.4E-06	3.46E-04	1.87E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
169	1.46462	4.28E-06	6.3E-06	3.46E-04	2.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
170	1.69944	4.28E-06	7.3E-06	3.46E-04	2.52E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
171	1.96982	4.28E-06	8.4E-06	3.46E-04	2.92E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
172	2.26494	4.28E-06	9.7E-06	3.46E-04	3.35E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
173	2.53849	4.28E-06	1.1E-05	3.46E-04	3.76E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
174	2.73932	4.28E-06	1.2E-05	3.46E-04	4.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
175	2.85624	4.28E-06	1.2E-05	3.46E-04	4.23E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
176	2.95865	4.28E-06	1.3E-05	3.46E-04	4.38E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
177	3.01946	4.28E-06	1.3E-05	3.46E-04	4.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
181	1.46485	4.28E-06	6.3E-06	3.46E-04	2.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
182	1.74095	4.28E-06	7.4E-06	3.46E-04	2.58E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
183	2.09592	4.28E-06	9.0E-06	3.46E-04	3.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
184	2.54568	4.28E-06	1.1E-05	3.46E-04	3.77E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
185	3.10057	4.28E-06	1.3E-05	3.46E-04	4.59E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
186	3.69985	4.28E-06	1.6E-05	3.46E-04	5.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
187	4.16167	4.28E-06	1.8E-05	3.46E-04	6.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
188	4.44986	4.28E-06	1.9E-05	3.46E-04	6.59E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
189	4.60315	4.28E-06	2.0E-05	3.46E-04	6.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
190	4.45777	4.28E-06	1.9E-05	3.46E-04	6.60E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	4.09102	4.28E-06	1.7E-05	3.46E-04	6.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	1.68265	4.28E-06	7.2E-06	3.46E-04	2.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	2.06154	4.28E-06	8.8E-06	3.46E-04	3.05E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	2.58496	4.28E-06	1.1E-05	3.46E-04	3.83E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	3.34037	4.28E-06	1.4E-05	3.46E-04	4.95E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	4.46171	4.28E-06	1.9E-05	3.46E-04	6.61E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	6.09633	4.28E-06	2.6E-05	3.46E-04	9.03E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	7.82306	4.28E-06	3.3E-05	3.46E-04	1.16E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	8.64887	4.28E-06	3.7E-05	3.46E-04	1.28E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	7.9084	4.28E-06	3.4E-05	3.46E-04	1.17E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	6.59578	4.28E-06	2.8E-05	3.46E-04	9.76E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	5.42084	4.28E-06	2.3E-05	3.46E-04	8.03E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	4.48301	4.28E-06	1.9E-05	3.46E-04	6.64E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	1.53935	4.28E-06	6.6E-06	3.46E-04	2.28E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	1.90312	4.28E-06	8.1E-06	3.46E-04	2.82E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	2.40073	4.28E-06	1.0E-05	3.46E-04	3.55E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	3.14059	4.28E-06	1.3E-05	3.46E-04	4.65E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	6.51783	4.28E-06	2.8E-05	3.46E-04	9.65E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	11.7359	4.28E-06	5.0E-05	3.46E-04	1.74E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	9.13055	4.28E-06	3.9E-05	3.46E-04	1.35E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	21.76746	4.28E-06	9.3E-05	3.46E-04	3.22E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	12.99165	4.28E-06	5.6E-05	3.46E-04	1.92E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	8.91151	4.28E-06	3.8E-05	3.46E-04	1.32E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	6.62629	4.28E-06	2.8E-05	3.46E-04	9.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	5.15461	4.28E-06	2.2E-05	3.46E-04	7.63E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	4.1243	4.28E-06	1.8E-05	3.46E-04	6.11E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	1.67862	4.28E-06	7.2E-06	3.46E-04	2.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	2.10703	4.28E-06	9.0E-06	3.46E-04	3.12E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	2.72217	4.28E-06	1.2E-05	3.46E-04	4.03E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	3.68368	4.28E-06	1.6E-05	3.46E-04	5.45E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	5.33895	4.28E-06	2.3E-05	3.46E-04	7.90E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	8.71013	4.28E-06	3.7E-05	3.46E-04	1.29E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	19.12937	4.28E-06	8.2E-05	3.46E-04	2.83E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	37.43557	4.28E-06	1.6E-04	3.46E-04	5.54E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	16.95043	4.28E-06	7.2E-05	3.46E-04	2.51E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	10.5792	4.28E-06	4.5E-05	3.46E-04	1.57E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	7.45665	4.28E-06	3.2E-05	3.46E-04	1.10E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	5.5857	4.28E-06	2.4E-05	3.46E-04	8.27E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	4.33411	4.28E-06	1.9E-05	3.46E-04	6.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	1.78599	4.28E-06	7.6E-06	3.46E-04	2.64E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	2.26785	4.28E-06	9.7E-06	3.46E-04	3.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	2.97225	4.28E-06	1.3E-05	3.46E-04	4.40E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	4.11132	4.28E-06	1.8E-05	3.46E-04	6.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	6.12343	4.28E-06	2.6E-05	3.46E-04	9.07E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	10.35873	4.28E-06	4.4E-05	3.46E-04	1.53E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	23.253	4.28E-06	9.9E-05	3.46E-04	3.44E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	44.27674	4.28E-06	1.9E-04	3.46E-04	6.55E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	19.32476	4.28E-06	8.3E-05	3.46E-04	2.86E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	11.59906	4.28E-06	5.0E-05	3.46E-04	1.72E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	7.93225	4.28E-06	3.4E-05	3.46E-04	1.17E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	5.77719	4.28E-06	2.5E-05	3.46E-04	8.55E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	4.37196	4.28E-06	1.9E-05	3.46E-04	6.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	1.85474	4.28E-06	7.9E-06	3.46E-04	2.75E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	2.37204	4.28E-06	1.0E-05	3.46E-04	3.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	3.14863	4.28E-06	1.3E-05	3.46E-04	4.66E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	4.37781	4.28E-06	1.9E-05	3.46E-04	6.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	6.62452	4.28E-06	2.8E-05	3.46E-04	9.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	11.28156	4.28E-06	4.8E-05	3.46E-04	1.67E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	24.87597	4.28E-06	1.1E-04	3.46E-04	3.68E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	48.20937	4.28E-06	2.1E-04	3.46E-04	7.14E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	20.891	4.28E-06	8.9E-05	3.46E-04	3.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	12.19131	4.28E-06	5.2E-05	3.46E-04	1.80E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	8.08551	4.28E-06	3.5E-05	3.46E-04	1.20E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	5.72719	4.28E-06	2.4E-05	3.46E-04	8.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	4.23615	4.28E-06	1.8E-05	3.46E-04	6.27E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	2.02939	4.28E-06	8.7E-06	3.46E-04	3.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	1.65796	4.28E-06	7.1E-06	3.46E-04	2.45E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	1.87933	4.28E-06	8.0E-06	3.46E-04	2.78E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	2.40765	4.28E-06	1.0E-05	3.46E-04	3.56E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	3.2114	4.28E-06	1.4E-05	3.46E-04	4.75E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	4.48652	4.28E-06	1.9E-05	3.46E-04	6.64E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	6.79205	4.28E-06	2.9E-05	3.46E-04	1.01E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	11.56744	4.28E-06	4.9E-05	3.46E-04	1.71E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	24.93802	4.28E-06	1.1E-04	3.46E-04	3.69E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	49.77326	4.28E-06	2.1E-04	3.46E-04	7.37E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	21.49075	4.28E-06	9.2E-05	3.46E-04	3.18E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	12.21367	4.28E-06	5.2E-05	3.46E-04	1.81E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	7.85042	4.28E-06	3.4E-05	3.46E-04	1.16E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	5.42064	4.28E-06	2.3E-05	3.46E-04	8.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	3.93292	4.28E-06	1.7E-05	3.46E-04	5.82E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	1.85002	4.28E-06	7.9E-06	3.46E-04	2.74E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	1.51589	4.28E-06	6.5E-06	3.46E-04	2.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	1.85792	4.28E-06	7.9E-06	3.46E-04	2.75E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	2.37442	4.28E-06	1.0E-05	3.46E-04	3.52E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	3.15574	4.28E-06	1.3E-05	3.46E-04	4.67E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	4.40911	4.28E-06	1.9E-05	3.46E-04	6.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	6.62766	4.28E-06	2.8E-05	3.46E-04	9.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	11.27917	4.28E-06	4.8E-05	3.46E-04	1.67E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	24.59712	4.28E-06	1.1E-04	3.46E-04	3.64E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	50.07272	4.28E-06	2.1E-04	3.46E-04	7.41E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	21.15449	4.28E-06	9.0E-05	3.46E-04	3.13E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	11.54567	4.28E-06	4.9E-05	3.46E-04	1.71E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	7.18531	4.28E-06	3.1E-05	3.46E-04	1.06E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	4.86554	4.28E-06	2.1E-05	3.46E-04	7.20E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	3.503	4.28E-06	1.5E-05	3.46E-04	5.19E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	1.66857	4.28E-06	7.1E-06	3.46E-04	2.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	1.37659	4.28E-06	5.9E-06	3.46E-04	2.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	1.79413	4.28E-06	7.7E-06	3.46E-04	2.66E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	2.27729	4.28E-06	9.7E-06	3.46E-04	3.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	2.99718	4.28E-06	1.3E-05	3.46E-04	4.44E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	4.14529	4.28E-06	1.8E-05	3.46E-04	6.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	6.18893	4.28E-06	2.6E-05	3.46E-04	9.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	10.44421	4.28E-06	4.5E-05	3.46E-04	1.55E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	22.83291	4.28E-06	9.8E-05	3.46E-04	3.38E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	48.25536	4.28E-06	2.1E-04	3.46E-04	7.14E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	19.00365	4.28E-06	8.1E-05	3.46E-04	2.81E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	9.94072	4.28E-06	4.3E-05	3.46E-04	1.47E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	6.12238	4.28E-06	2.6E-05	3.46E-04	9.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	4.16398	4.28E-06	1.8E-05	3.46E-04	6.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	3.03351	4.28E-06	1.3E-05	3.46E-04	4.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	1.50137	4.28E-06	6.4E-06	3.46E-04	2.22E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	1.25111	4.28E-06	5.4E-06	3.46E-04	1.85E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	1.69574	4.28E-06	7.3E-06	3.46E-04	2.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	2.12688	4.28E-06	9.1E-06	3.46E-04	3.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	2.75624	4.28E-06	1.2E-05	3.46E-04	4.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	3.73993	4.28E-06	1.6E-05	3.46E-04	5.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	5.40989	4.28E-06	2.3E-05	3.46E-04	8.01E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	8.83729	4.28E-06	3.8E-05	3.46E-04	1.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	18.59129	4.28E-06	8.0E-05	3.46E-04	2.75E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	28.63099	4.28E-06	1.2E-04	3.46E-04	4.24E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	20.57544	4.28E-06	8.8E-05	3.46E-04	3.05E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	14.23375	4.28E-06	6.1E-05	3.46E-04	2.11E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	7.7589	4.28E-06	3.3E-05	3.46E-04	1.15E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	4.97426	4.28E-06	2.1E-05	3.46E-04	7.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	3.49658	4.28E-06	1.5E-05	3.46E-04	5.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	2.61095	4.28E-06	1.1E-05	3.46E-04	3.87E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	1.64148	4.28E-06	7.0E-06	3.46E-04	2.43E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	1.35791	4.28E-06	5.8E-06	3.46E-04	2.01E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	1.14392	4.28E-06	4.9E-06	3.46E-04	1.69E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	4.49967	4.28E-06	1.9E-05	3.46E-04	6.66E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	6.77399	4.28E-06	2.9E-05	3.46E-04	1.00E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	11.75491	4.28E-06	5.0E-05	3.46E-04	1.74E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	22.81215	4.28E-06	9.8E-05	3.46E-04	3.38E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	1.47982	4.28E-06	6.3E-06	3.46E-04	2.19E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	1.23852	4.28E-06	5.3E-06	3.46E-04	1.83E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	1.05345	4.28E-06	4.5E-06	3.46E-04	1.56E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	5.02682	4.28E-06	2.1E-05	3.46E-04	7.44E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	7.35731	4.28E-06	3.1E-05	3.46E-04	1.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	10.17878	4.28E-06	4.4E-05	3.46E-04	1.51E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	1.34556	4.28E-06	5.8E-06	3.46E-04	1.99E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	1.13595	4.28E-06	4.9E-06	3.46E-04	1.68E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.97442	4.28E-06	4.2E-06	3.46E-04	1.44E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	3.79307	4.28E-06	1.6E-05	3.46E-04	5.62E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	4.97819	4.28E-06	2.1E-05	3.46E-04	7.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	6.10344	4.28E-06	2.6E-05	3.46E-04	9.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	1.22664	4.28E-06	5.2E-06	3.46E-04	1.82E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	1.04288	4.28E-06	4.5E-06	3.46E-04	1.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.90242	4.28E-06	3.9E-06	3.46E-04	1.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	3.6103	4.28E-06	1.5E-05	3.46E-04	5.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	4.17442	4.28E-06	1.8E-05	3.46E-04	6.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	1.12191	4.28E-06	4.8E-06	3.46E-04	1.66E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.96255	4.28E-06	4.1E-06	3.46E-04	1.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.83874	4.28E-06	3.6E-06	3.46E-04	1.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	2.75489	4.28E-06	1.2E-05	3.46E-04	4.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	3.08427	4.28E-06	1.3E-05	3.46E-04	4.57E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	3.17387	4.28E-06	1.4E-05	3.46E-04	4.70E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	1.03028	4.28E-06	4.4E-06	3.46E-04	1.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.88989	4.28E-06	3.8E-06	3.46E-04	1.32E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.78135	4.28E-06	3.3E-06	3.46E-04	1.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	2.3903	4.28E-06	1.0E-05	3.46E-04	3.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	2.46336	4.28E-06	1.1E-05	3.46E-04	3.65E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.94758	4.28E-06	4.1E-06	3.46E-04	1.40E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.82463	4.28E-06	3.5E-06	3.46E-04	1.22E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.72814	4.28E-06	3.1E-06	3.46E-04	1.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	1.9161	4.28E-06	8.2E-06	3.46E-04	2.84E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	1.97656	4.28E-06	8.5E-06	3.46E-04	2.93E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.76586	4.28E-06	3.3E-06	3.46E-04	1.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.67851	4.28E-06	2.9E-06	3.46E-04	1.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	1.57686	4.28E-06	6.7E-06	3.46E-04	2.33E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	1.62656	4.28E-06	7.0E-06	3.46E-04	2.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	1.60061	4.28E-06	6.8E-06	3.46E-04	2.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.71176	4.28E-06	3.0E-06	3.46E-04	1.05E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.63379	4.28E-06	2.7E-06	3.46E-04	9.38E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	1.36447	4.28E-06	5.8E-06	3.46E-04	2.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	1.35315	4.28E-06	5.8E-06	3.46E-04	2.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.84332	4.28E-06	3.6E-06	3.46E-04	1.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.66276	4.28E-06	2.8E-06	3.46E-04	9.81E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.59326	4.28E-06	2.5E-06	3.46E-04	8.78E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	1.16046	4.28E-06	5.0E-06	3.46E-04	1.72E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	1.15941	4.28E-06	5.0E-06	3.46E-04	1.72E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	1.11897	4.28E-06	4.8E-06	3.46E-04	1.66E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	1.04921	4.28E-06	4.5E-06	3.46E-04	1.55E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	0.95913	4.28E-06	4.1E-06	3.46E-04	1.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.86467	4.28E-06	3.7E-06	3.46E-04	1.28E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.77297	4.28E-06	3.3E-06	3.46E-04	1.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.69058	4.28E-06	3.0E-06	3.46E-04	1.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.61827	4.28E-06	2.6E-06	3.46E-04	9.15E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.556	4.28E-06	2.4E-06	3.46E-04	8.23E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	1.00349	4.28E-06	4.3E-06	3.46E-04	1.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	0.97949	4.28E-06	4.2E-06	3.46E-04	1.45E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	0.92906	4.28E-06	4.0E-06	3.46E-04	1.38E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	0.86117	4.28E-06	3.7E-06	3.46E-04	1.27E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	0.78566	4.28E-06	3.4E-06	3.46E-04	1.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.71006	4.28E-06	3.0E-06	3.46E-04	1.05E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.64018	4.28E-06	2.7E-06	3.46E-04	9.48E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.52189	4.28E-06	2.2E-06	3.46E-04	7.73E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.88084	4.28E-06	3.8E-06	3.46E-04	1.30E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	0.86137	4.28E-06	3.7E-06	3.46E-04	1.28E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	0.82733	4.28E-06	3.5E-06	3.46E-04	1.22E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	0.77559	4.28E-06	3.3E-06	3.46E-04	1.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	0.71548	4.28E-06	3.1E-06	3.46E-04	1.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.65328	4.28E-06	2.8E-06	3.46E-04	9.67E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.59386	4.28E-06	2.5E-06	3.46E-04	8.79E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.49032	4.28E-06	2.1E-06	3.46E-04	7.26E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.78025	4.28E-06	3.3E-06	3.46E-04	1.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.76789	4.28E-06	3.3E-06	3.46E-04	1.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	0.73968	4.28E-06	3.2E-06	3.46E-04	1.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	0.6998	4.28E-06	3.0E-06	3.46E-04	1.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	0.65324	4.28E-06	2.8E-06	3.46E-04	9.67E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.60195	4.28E-06	2.6E-06	3.46E-04	8.91E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.55064	4.28E-06	2.4E-06	3.46E-04	8.15E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.46105	4.28E-06	2.0E-06	3.46E-04	6.83E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.688	4.28E-06	2.9E-06	3.46E-04	1.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.66777	4.28E-06	2.9E-06	3.46E-04	9.89E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.6364	4.28E-06	2.7E-06	3.46E-04	9.42E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.59613	4.28E-06	2.5E-06	3.46E-04	8.83E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.55512	4.28E-06	2.4E-06	3.46E-04	8.22E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.51352	4.28E-06	2.2E-06	3.46E-04	7.60E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.43455	4.28E-06	1.9E-06	3.46E-04	6.43E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.62005	4.28E-06	2.7E-06	3.46E-04	9.18E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.60489	4.28E-06	2.6E-06	3.46E-04	8.95E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.58091	4.28E-06	2.5E-06	3.46E-04	8.60E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.54977	4.28E-06	2.4E-06	3.46E-04	8.14E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.51451	4.28E-06	2.2E-06	3.46E-04	7.62E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.47788	4.28E-06	2.0E-06	3.46E-04	7.07E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.40919	4.28E-06	1.7E-06	3.46E-04	6.06E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.56209	4.28E-06	2.4E-06	3.46E-04	8.32E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.55041	4.28E-06	2.4E-06	3.46E-04	8.15E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.53147	4.28E-06	2.3E-06	3.46E-04	7.87E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.5065	4.28E-06	2.2E-06	3.46E-04	7.50E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.47745	4.28E-06	2.0E-06	3.46E-04	7.07E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.44677	4.28E-06	1.9E-06	3.46E-04	6.61E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.41574	4.28E-06	1.8E-06	3.46E-04	6.15E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	4.28E-06	0.0E+00	3.46E-04	0.00E+00	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.20389	4.28E-06	8.7E-07	1.05E-03	9.11E-10	2	1.57E-01	2.86E-10	1.0E+06	2.9E-04
2	0.21492	4.28E-06	9.2E-07	1.05E-03	9.61E-10	2	1.57E-01	3.02E-10	1.0E+06	3.0E-04
3	0.2267	4.28E-06	9.7E-07	1.05E-03	1.01E-09	2	1.57E-01	3.18E-10	1.0E+06	3.2E-04
4	0.23938	4.28E-06	1.0E-06	1.05E-03	1.07E-09	2	1.57E-01	3.36E-10	1.0E+06	3.4E-04
5	0.25304	4.28E-06	1.1E-06	1.05E-03	1.13E-09	2	1.57E-01	3.55E-10	1.0E+06	3.6E-04
6	0.26793	4.28E-06	1.1E-06	1.05E-03	1.20E-09	2	1.57E-01	3.76E-10	1.0E+06	3.8E-04
7	0.28393	4.28E-06	1.2E-06	1.05E-03	1.27E-09	2	1.57E-01	3.99E-10	1.0E+06	4.0E-04
8	0.30103	4.28E-06	1.3E-06	1.05E-03	1.35E-09	2	1.57E-01	4.23E-10	1.0E+06	4.2E-04
9	0.31938	4.28E-06	1.4E-06	1.05E-03	1.43E-09	2	1.57E-01	4.49E-10	1.0E+06	4.5E-04
10	0.339	4.28E-06	1.4E-06	1.05E-03	1.52E-09	2	1.57E-01	4.76E-10	1.0E+06	4.8E-04
11	0.35986	4.28E-06	1.5E-06	1.05E-03	1.61E-09	2	1.57E-01	5.06E-10	1.0E+06	5.1E-04
12	0.38195	4.28E-06	1.6E-06	1.05E-03	1.71E-09	2	1.57E-01	5.37E-10	1.0E+06	5.4E-04
13	0.4054	4.28E-06	1.7E-06	1.05E-03	1.81E-09	2	1.57E-01	5.70E-10	1.0E+06	5.7E-04
14	0.42989	4.28E-06	1.8E-06	1.05E-03	1.92E-09	2	1.57E-01	6.04E-10	1.0E+06	6.0E-04
15	0.45538	4.28E-06	1.9E-06	1.05E-03	2.04E-09	2	1.57E-01	6.40E-10	1.0E+06	6.4E-04
16	0.48138	4.28E-06	2.1E-06	1.05E-03	2.15E-09	2	1.57E-01	6.76E-10	1.0E+06	6.8E-04
17	0.5078	4.28E-06	2.2E-06	1.05E-03	2.27E-09	2	1.57E-01	7.13E-10	1.0E+06	7.1E-04
18	0.53362	4.28E-06	2.3E-06	1.05E-03	2.39E-09	2	1.57E-01	7.50E-10	1.0E+06	7.5E-04
19	0.55833	4.28E-06	2.4E-06	1.05E-03	2.50E-09	2	1.57E-01	7.84E-10	1.0E+06	7.8E-04
20	0.58107	4.28E-06	2.5E-06	1.05E-03	2.60E-09	2	1.57E-01	8.16E-10	1.0E+06	8.2E-04
21	0.60082	4.28E-06	2.6E-06	1.05E-03	2.69E-09	2	1.57E-01	8.44E-10	1.0E+06	8.4E-04
22	0.61695	4.28E-06	2.6E-06	1.05E-03	2.76E-09	2	1.57E-01	8.67E-10	1.0E+06	8.7E-04
23	0.62878	4.28E-06	2.7E-06	1.05E-03	2.81E-09	2	1.57E-01	8.83E-10	1.0E+06	8.8E-04
24	0.63627	4.28E-06	2.7E-06	1.05E-03	2.84E-09	2	1.57E-01	8.94E-10	1.0E+06	8.9E-04
25	0.64015	4.28E-06	2.7E-06	1.05E-03	2.86E-09	2	1.57E-01	8.99E-10	1.0E+06	9.0E-04
26	0.64185	4.28E-06	2.7E-06	1.05E-03	2.87E-09	2	1.57E-01	9.02E-10	1.0E+06	9.0E-04
27	0.64337	4.28E-06	2.8E-06	1.05E-03	2.88E-09	2	1.57E-01	9.04E-10	1.0E+06	9.0E-04
28	0.64658	4.28E-06	2.8E-06	1.05E-03	2.89E-09	2	1.57E-01	9.08E-10	1.0E+06	9.1E-04
29	0.65279	4.28E-06	2.8E-06	1.05E-03	2.92E-09	2	1.57E-01	9.17E-10	1.0E+06	9.2E-04
30	0.66194	4.28E-06	2.8E-06	1.05E-03	2.96E-09	2	1.57E-01	9.30E-10	1.0E+06	9.3E-04
31	0.67286	4.28E-06	2.9E-06	1.05E-03	3.01E-09	2	1.57E-01	9.45E-10	1.0E+06	9.5E-04

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.68379	4.28E-06	2.9E-06	1.05E-03	3.06E-09	2	1.57E-01	9.61E-10	1.0E+06	9.6E-04
55	0.70895	4.28E-06	3.0E-06	1.05E-03	3.17E-09	2	1.57E-01	9.96E-10	1.0E+06	1.0E-03
56	0.72426	4.28E-06	3.1E-06	1.05E-03	3.24E-09	2	1.57E-01	1.02E-09	1.0E+06	1.0E-03
57	0.73408	4.28E-06	3.1E-06	1.05E-03	3.28E-09	2	1.57E-01	1.03E-09	1.0E+06	1.0E-03
58	0.73904	4.28E-06	3.2E-06	1.05E-03	3.30E-09	2	1.57E-01	1.04E-09	1.0E+06	1.0E-03
59	0.74151	4.28E-06	3.2E-06	1.05E-03	3.31E-09	2	1.57E-01	1.04E-09	1.0E+06	1.0E-03
60	0.74458	4.28E-06	3.2E-06	1.05E-03	3.33E-09	2	1.57E-01	1.05E-09	1.0E+06	1.0E-03
61	0.75105	4.28E-06	3.2E-06	1.05E-03	3.36E-09	2	1.57E-01	1.06E-09	1.0E+06	1.1E-03
62	0.76114	4.28E-06	3.3E-06	1.05E-03	3.40E-09	2	1.57E-01	1.07E-09	1.0E+06	1.1E-03
63	0.77394	4.28E-06	3.3E-06	1.05E-03	3.46E-09	2	1.57E-01	1.09E-09	1.0E+06	1.1E-03
64	0.78702	4.28E-06	3.4E-06	1.05E-03	3.52E-09	2	1.57E-01	1.11E-09	1.0E+06	1.1E-03
65	0.79774	4.28E-06	3.4E-06	1.05E-03	3.57E-09	2	1.57E-01	1.12E-09	1.0E+06	1.1E-03
66	0.8043	4.28E-06	3.4E-06	1.05E-03	3.60E-09	2	1.57E-01	1.13E-09	1.0E+06	1.1E-03
67	0.21945	4.28E-06	9.4E-07	1.05E-03	9.81E-10	2	1.57E-01	3.08E-10	1.0E+06	3.1E-04
68	0.23249	4.28E-06	9.9E-07	1.05E-03	1.04E-09	2	1.57E-01	3.27E-10	1.0E+06	3.3E-04
69	0.24665	4.28E-06	1.1E-06	1.05E-03	1.10E-09	2	1.57E-01	3.47E-10	1.0E+06	3.5E-04
70	0.26207	4.28E-06	1.1E-06	1.05E-03	1.17E-09	2	1.57E-01	3.68E-10	1.0E+06	3.7E-04
71	0.27874	4.28E-06	1.2E-06	1.05E-03	1.25E-09	2	1.57E-01	3.92E-10	1.0E+06	3.9E-04
72	0.29722	4.28E-06	1.3E-06	1.05E-03	1.33E-09	2	1.57E-01	4.18E-10	1.0E+06	4.2E-04
73	0.31733	4.28E-06	1.4E-06	1.05E-03	1.42E-09	2	1.57E-01	4.46E-10	1.0E+06	4.5E-04
74	0.33924	4.28E-06	1.5E-06	1.05E-03	1.52E-09	2	1.57E-01	4.77E-10	1.0E+06	4.8E-04
75	0.36312	4.28E-06	1.6E-06	1.05E-03	1.62E-09	2	1.57E-01	5.10E-10	1.0E+06	5.1E-04
76	0.38924	4.28E-06	1.7E-06	1.05E-03	1.74E-09	2	1.57E-01	5.47E-10	1.0E+06	5.5E-04
77	0.41774	4.28E-06	1.8E-06	1.05E-03	1.87E-09	2	1.57E-01	5.87E-10	1.0E+06	5.9E-04
78	0.44888	4.28E-06	1.9E-06	1.05E-03	2.01E-09	2	1.57E-01	6.31E-10	1.0E+06	6.3E-04
79	0.63835	4.28E-06	2.7E-06	1.05E-03	2.85E-09	2	1.57E-01	8.97E-10	1.0E+06	9.0E-04
80	0.68063	4.28E-06	2.9E-06	1.05E-03	3.04E-09	2	1.57E-01	9.56E-10	1.0E+06	9.6E-04
81	0.72279	4.28E-06	3.1E-06	1.05E-03	3.23E-09	2	1.57E-01	1.02E-09	1.0E+06	1.0E-03
82	0.76221	4.28E-06	3.3E-06	1.05E-03	3.41E-09	2	1.57E-01	1.07E-09	1.0E+06	1.1E-03
83	0.79747	4.28E-06	3.4E-06	1.05E-03	3.56E-09	2	1.57E-01	1.12E-09	1.0E+06	1.1E-03
84	0.82587	4.28E-06	3.5E-06	1.05E-03	3.69E-09	2	1.57E-01	1.16E-09	1.0E+06	1.2E-03

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	0.84655	4.28E-06	3.6E-06	1.05E-03	3.78E-09	2	1.57E-01	1.19E-09	1.0E+06	1.2E-03
86	0.85917	4.28E-06	3.7E-06	1.05E-03	3.84E-09	2	1.57E-01	1.21E-09	1.0E+06	1.2E-03
87	0.86555	4.28E-06	3.7E-06	1.05E-03	3.87E-09	2	1.57E-01	1.22E-09	1.0E+06	1.2E-03
88	0.86989	4.28E-06	3.7E-06	1.05E-03	3.89E-09	2	1.57E-01	1.22E-09	1.0E+06	1.2E-03
89	0.87644	4.28E-06	3.7E-06	1.05E-03	3.92E-09	2	1.57E-01	1.23E-09	1.0E+06	1.2E-03
90	0.88754	4.28E-06	3.8E-06	1.05E-03	3.97E-09	2	1.57E-01	1.25E-09	1.0E+06	1.2E-03
91	0.90281	4.28E-06	3.9E-06	1.05E-03	4.04E-09	2	1.57E-01	1.27E-09	1.0E+06	1.3E-03
92	0.91845	4.28E-06	3.9E-06	1.05E-03	4.11E-09	2	1.57E-01	1.29E-09	1.0E+06	1.3E-03
93	0.93141	4.28E-06	4.0E-06	1.05E-03	4.16E-09	2	1.57E-01	1.31E-09	1.0E+06	1.3E-03
96	0.95435	4.28E-06	4.1E-06	1.05E-03	4.27E-09	2	1.57E-01	1.34E-09	1.0E+06	1.3E-03
97	0.98106	4.28E-06	4.2E-06	1.05E-03	4.39E-09	2	1.57E-01	1.38E-09	1.0E+06	1.4E-03
98	1.04045	4.28E-06	4.4E-06	1.05E-03	4.65E-09	2	1.57E-01	1.46E-09	1.0E+06	1.5E-03
99	1.05332	4.28E-06	4.5E-06	1.05E-03	4.71E-09	2	1.57E-01	1.48E-09	1.0E+06	1.5E-03
100	1.07146	4.28E-06	4.6E-06	1.05E-03	4.79E-09	2	1.57E-01	1.51E-09	1.0E+06	1.5E-03
101	1.09088	4.28E-06	4.7E-06	1.05E-03	4.88E-09	2	1.57E-01	1.53E-09	1.0E+06	1.5E-03
102	1.1058	4.28E-06	4.7E-06	1.05E-03	4.94E-09	2	1.57E-01	1.55E-09	1.0E+06	1.6E-03
106	0.2208	4.28E-06	9.4E-07	1.05E-03	9.87E-10	2	1.57E-01	3.10E-10	1.0E+06	3.1E-04
107	0.23488	4.28E-06	1.0E-06	1.05E-03	1.05E-09	2	1.57E-01	3.30E-10	1.0E+06	3.3E-04
108	0.25006	4.28E-06	1.1E-06	1.05E-03	1.12E-09	2	1.57E-01	3.51E-10	1.0E+06	3.5E-04
109	0.26674	4.28E-06	1.1E-06	1.05E-03	1.19E-09	2	1.57E-01	3.75E-10	1.0E+06	3.7E-04
110	0.28515	4.28E-06	1.2E-06	1.05E-03	1.27E-09	2	1.57E-01	4.01E-10	1.0E+06	4.0E-04
111	0.30533	4.28E-06	1.3E-06	1.05E-03	1.36E-09	2	1.57E-01	4.29E-10	1.0E+06	4.3E-04
112	0.32807	4.28E-06	1.4E-06	1.05E-03	1.47E-09	2	1.57E-01	4.61E-10	1.0E+06	4.6E-04
113	0.35308	4.28E-06	1.5E-06	1.05E-03	1.58E-09	2	1.57E-01	4.96E-10	1.0E+06	5.0E-04
114	0.38096	4.28E-06	1.6E-06	1.05E-03	1.70E-09	2	1.57E-01	5.35E-10	1.0E+06	5.4E-04
115	0.41187	4.28E-06	1.8E-06	1.05E-03	1.84E-09	2	1.57E-01	5.79E-10	1.0E+06	5.8E-04
116	0.44614	4.28E-06	1.9E-06	1.05E-03	1.99E-09	2	1.57E-01	6.27E-10	1.0E+06	6.3E-04
117	0.48492	4.28E-06	2.1E-06	1.05E-03	2.17E-09	2	1.57E-01	6.81E-10	1.0E+06	6.8E-04
118	0.52822	4.28E-06	2.3E-06	1.05E-03	2.36E-09	2	1.57E-01	7.42E-10	1.0E+06	7.4E-04
124	0.22743	4.28E-06	9.7E-07	1.05E-03	1.02E-09	2	1.57E-01	3.20E-10	1.0E+06	3.2E-04
125	0.2422	4.28E-06	1.0E-06	1.05E-03	1.08E-09	2	1.57E-01	3.40E-10	1.0E+06	3.4E-04

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.25847	4.28E-06	1.1E-06	1.05E-03	1.16E-09	2	1.57E-01	3.63E-10	1.0E+06	3.6E-04
127	0.27647	4.28E-06	1.2E-06	1.05E-03	1.24E-09	2	1.57E-01	3.88E-10	1.0E+06	3.9E-04
128	0.29644	4.28E-06	1.3E-06	1.05E-03	1.33E-09	2	1.57E-01	4.16E-10	1.0E+06	4.2E-04
129	0.31852	4.28E-06	1.4E-06	1.05E-03	1.42E-09	2	1.57E-01	4.47E-10	1.0E+06	4.5E-04
130	0.34349	4.28E-06	1.5E-06	1.05E-03	1.54E-09	2	1.57E-01	4.83E-10	1.0E+06	4.8E-04
131	0.37131	4.28E-06	1.6E-06	1.05E-03	1.66E-09	2	1.57E-01	5.22E-10	1.0E+06	5.2E-04
132	0.4026	4.28E-06	1.7E-06	1.05E-03	1.80E-09	2	1.57E-01	5.66E-10	1.0E+06	5.7E-04
133	0.43765	4.28E-06	1.9E-06	1.05E-03	1.96E-09	2	1.57E-01	6.15E-10	1.0E+06	6.1E-04
134	0.4775	4.28E-06	2.0E-06	1.05E-03	2.13E-09	2	1.57E-01	6.71E-10	1.0E+06	6.7E-04
135	0.52237	4.28E-06	2.2E-06	1.05E-03	2.33E-09	2	1.57E-01	7.34E-10	1.0E+06	7.3E-04
136	0.57322	4.28E-06	2.5E-06	1.05E-03	2.56E-09	2	1.57E-01	8.05E-10	1.0E+06	8.1E-04
137	0.63056	4.28E-06	2.7E-06	1.05E-03	2.82E-09	2	1.57E-01	8.86E-10	1.0E+06	8.9E-04
138	0.69649	4.28E-06	3.0E-06	1.05E-03	3.11E-09	2	1.57E-01	9.78E-10	1.0E+06	9.8E-04
141	0.23351	4.28E-06	1.0E-06	1.05E-03	1.04E-09	2	1.57E-01	3.28E-10	1.0E+06	3.3E-04
142	0.24921	4.28E-06	1.1E-06	1.05E-03	1.11E-09	2	1.57E-01	3.50E-10	1.0E+06	3.5E-04
143	0.26658	4.28E-06	1.1E-06	1.05E-03	1.19E-09	2	1.57E-01	3.74E-10	1.0E+06	3.7E-04
144	0.28589	4.28E-06	1.2E-06	1.05E-03	1.28E-09	2	1.57E-01	4.02E-10	1.0E+06	4.0E-04
145	0.30743	4.28E-06	1.3E-06	1.05E-03	1.37E-09	2	1.57E-01	4.32E-10	1.0E+06	4.3E-04
146	0.33143	4.28E-06	1.4E-06	1.05E-03	1.48E-09	2	1.57E-01	4.66E-10	1.0E+06	4.7E-04
147	0.35872	4.28E-06	1.5E-06	1.05E-03	1.60E-09	2	1.57E-01	5.04E-10	1.0E+06	5.0E-04
148	0.38937	4.28E-06	1.7E-06	1.05E-03	1.74E-09	2	1.57E-01	5.47E-10	1.0E+06	5.5E-04
149	0.42415	4.28E-06	1.8E-06	1.05E-03	1.90E-09	2	1.57E-01	5.96E-10	1.0E+06	6.0E-04
150	0.46365	4.28E-06	2.0E-06	1.05E-03	2.07E-09	2	1.57E-01	6.51E-10	1.0E+06	6.5E-04
151	0.50889	4.28E-06	2.2E-06	1.05E-03	2.27E-09	2	1.57E-01	7.15E-10	1.0E+06	7.1E-04
152	0.56078	4.28E-06	2.4E-06	1.05E-03	2.51E-09	2	1.57E-01	7.88E-10	1.0E+06	7.9E-04
153	0.62054	4.28E-06	2.7E-06	1.05E-03	2.77E-09	2	1.57E-01	8.72E-10	1.0E+06	8.7E-04
154	0.68909	4.28E-06	2.9E-06	1.05E-03	3.08E-09	2	1.57E-01	9.68E-10	1.0E+06	9.7E-04
155	0.76884	4.28E-06	3.3E-06	1.05E-03	3.44E-09	2	1.57E-01	1.08E-09	1.0E+06	1.1E-03
164	0.75051	4.28E-06	3.2E-06	1.05E-03	3.35E-09	2	1.57E-01	1.05E-09	1.0E+06	1.1E-03
165	0.84671	4.28E-06	3.6E-06	1.05E-03	3.78E-09	2	1.57E-01	1.19E-09	1.0E+06	1.2E-03
166	0.96252	4.28E-06	4.1E-06	1.05E-03	4.30E-09	2	1.57E-01	1.35E-09	1.0E+06	1.4E-03

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	0.81289	4.28E-06	3.5E-06	1.05E-03	3.63E-09	2	1.57E-01	1.14E-09	1.0E+06	1.1E-03
179	0.92806	4.28E-06	4.0E-06	1.05E-03	4.15E-09	2	1.57E-01	1.30E-09	1.0E+06	1.3E-03
180	1.07	4.28E-06	4.6E-06	1.05E-03	4.78E-09	2	1.57E-01	1.50E-09	1.0E+06	1.5E-03
192	0.87396	4.28E-06	3.7E-06	1.05E-03	3.91E-09	2	1.57E-01	1.23E-09	1.0E+06	1.2E-03
193	1.00978	4.28E-06	4.3E-06	1.05E-03	4.51E-09	2	1.57E-01	1.42E-09	1.0E+06	1.4E-03
194	1.17994	4.28E-06	5.0E-06	1.05E-03	5.27E-09	2	1.57E-01	1.66E-09	1.0E+06	1.7E-03
207	0.92987	4.28E-06	4.0E-06	1.05E-03	4.16E-09	2	1.57E-01	1.31E-09	1.0E+06	1.3E-03
208	1.08556	4.28E-06	4.6E-06	1.05E-03	4.85E-09	2	1.57E-01	1.53E-09	1.0E+06	1.5E-03
209	1.28546	4.28E-06	5.5E-06	1.05E-03	5.75E-09	2	1.57E-01	1.81E-09	1.0E+06	1.8E-03
223	0.97741	4.28E-06	4.2E-06	1.05E-03	4.37E-09	2	1.57E-01	1.37E-09	1.0E+06	1.4E-03
224	1.15079	4.28E-06	4.9E-06	1.05E-03	5.14E-09	2	1.57E-01	1.62E-09	1.0E+06	1.6E-03
225	1.37623	4.28E-06	5.9E-06	1.05E-03	6.15E-09	2	1.57E-01	1.93E-09	1.0E+06	1.9E-03
239	1.01377	4.28E-06	4.3E-06	1.05E-03	4.53E-09	2	1.57E-01	1.42E-09	1.0E+06	1.4E-03
240	1.20121	4.28E-06	5.1E-06	1.05E-03	5.37E-09	2	1.57E-01	1.69E-09	1.0E+06	1.7E-03
241	1.44897	4.28E-06	6.2E-06	1.05E-03	6.48E-09	2	1.57E-01	2.04E-09	1.0E+06	2.0E-03
255	1.03615	4.28E-06	4.4E-06	1.05E-03	4.63E-09	2	1.57E-01	1.46E-09	1.0E+06	1.5E-03
256	1.23272	4.28E-06	5.3E-06	1.05E-03	5.51E-09	2	1.57E-01	1.73E-09	1.0E+06	1.7E-03
272	1.04307	4.28E-06	4.5E-06	1.05E-03	4.66E-09	2	1.57E-01	1.47E-09	1.0E+06	1.5E-03
273	1.24349	4.28E-06	5.3E-06	1.05E-03	5.56E-09	2	1.57E-01	1.75E-09	1.0E+06	1.7E-03
289	1.0354	4.28E-06	4.4E-06	1.05E-03	4.63E-09	2	1.57E-01	1.45E-09	1.0E+06	1.5E-03
290	1.23302	4.28E-06	5.3E-06	1.05E-03	5.51E-09	2	1.57E-01	1.73E-09	1.0E+06	1.7E-03
306	1.01363	4.28E-06	4.3E-06	1.05E-03	4.53E-09	2	1.57E-01	1.42E-09	1.0E+06	1.4E-03
307	1.2029	4.28E-06	5.1E-06	1.05E-03	5.38E-09	2	1.57E-01	1.69E-09	1.0E+06	1.7E-03
323	0.98003	4.28E-06	4.2E-06	1.05E-03	4.38E-09	2	1.57E-01	1.38E-09	1.0E+06	1.4E-03
324	1.15627	4.28E-06	4.9E-06	1.05E-03	5.17E-09	2	1.57E-01	1.62E-09	1.0E+06	1.6E-03
342	0.9375	4.28E-06	4.0E-06	1.05E-03	4.19E-09	2	1.57E-01	1.32E-09	1.0E+06	1.3E-03
343	1.09759	4.28E-06	4.7E-06	1.05E-03	4.91E-09	2	1.57E-01	1.54E-09	1.0E+06	1.5E-03
344	1.30327	4.28E-06	5.6E-06	1.05E-03	5.83E-09	2	1.57E-01	1.83E-09	1.0E+06	1.8E-03
356	0.88881	4.28E-06	3.8E-06	1.05E-03	3.97E-09	2	1.57E-01	1.25E-09	1.0E+06	1.2E-03
357	1.03119	4.28E-06	4.4E-06	1.05E-03	4.61E-09	2	1.57E-01	1.45E-09	1.0E+06	1.4E-03
358	1.21112	4.28E-06	5.2E-06	1.05E-03	5.41E-09	2	1.57E-01	1.70E-09	1.0E+06	1.7E-03

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.83678	4.28E-06	3.6E-06	1.05E-03	3.74E-09	2	1.57E-01	1.18E-09	1.0E+06	1.2E-03
371	0.96146	4.28E-06	4.1E-06	1.05E-03	4.30E-09	2	1.57E-01	1.35E-09	1.0E+06	1.4E-03
372	1.11599	4.28E-06	4.8E-06	1.05E-03	4.99E-09	2	1.57E-01	1.57E-09	1.0E+06	1.6E-03
383	0.78343	4.28E-06	3.4E-06	1.05E-03	3.50E-09	2	1.57E-01	1.10E-09	1.0E+06	1.1E-03
384	0.89136	4.28E-06	3.8E-06	1.05E-03	3.98E-09	2	1.57E-01	1.25E-09	1.0E+06	1.3E-03
385	1.02245	4.28E-06	4.4E-06	1.05E-03	4.57E-09	2	1.57E-01	1.44E-09	1.0E+06	1.4E-03
396	0.73047	4.28E-06	3.1E-06	1.05E-03	3.27E-09	2	1.57E-01	1.03E-09	1.0E+06	1.0E-03
397	0.82311	4.28E-06	3.5E-06	1.05E-03	3.68E-09	2	1.57E-01	1.16E-09	1.0E+06	1.2E-03
398	0.93355	4.28E-06	4.0E-06	1.05E-03	4.17E-09	2	1.57E-01	1.31E-09	1.0E+06	1.3E-03
399	1.06654	4.28E-06	4.6E-06	1.05E-03	4.77E-09	2	1.57E-01	1.50E-09	1.0E+06	1.5E-03
411	0.6791	4.28E-06	2.9E-06	1.05E-03	3.04E-09	2	1.57E-01	9.54E-10	1.0E+06	9.5E-04
412	0.75827	4.28E-06	3.2E-06	1.05E-03	3.39E-09	2	1.57E-01	1.07E-09	1.0E+06	1.1E-03
413	0.85125	4.28E-06	3.6E-06	1.05E-03	3.81E-09	2	1.57E-01	1.20E-09	1.0E+06	1.2E-03
414	0.96101	4.28E-06	4.1E-06	1.05E-03	4.30E-09	2	1.57E-01	1.35E-09	1.0E+06	1.4E-03
426	0.63034	4.28E-06	2.7E-06	1.05E-03	2.82E-09	2	1.57E-01	8.86E-10	1.0E+06	8.9E-04
427	0.698	4.28E-06	3.0E-06	1.05E-03	3.12E-09	2	1.57E-01	9.81E-10	1.0E+06	9.8E-04
428	0.77625	4.28E-06	3.3E-06	1.05E-03	3.47E-09	2	1.57E-01	1.09E-09	1.0E+06	1.1E-03
429	0.86745	4.28E-06	3.7E-06	1.05E-03	3.88E-09	2	1.57E-01	1.22E-09	1.0E+06	1.2E-03
439	0.58471	4.28E-06	2.5E-06	1.05E-03	2.61E-09	2	1.57E-01	8.21E-10	1.0E+06	8.2E-04
440	0.64271	4.28E-06	2.7E-06	1.05E-03	2.87E-09	2	1.57E-01	9.03E-10	1.0E+06	9.0E-04
441	0.70905	4.28E-06	3.0E-06	1.05E-03	3.17E-09	2	1.57E-01	9.96E-10	1.0E+06	1.0E-03
442	0.7853	4.28E-06	3.4E-06	1.05E-03	3.51E-09	2	1.57E-01	1.10E-09	1.0E+06	1.1E-03
443	0.87312	4.28E-06	3.7E-06	1.05E-03	3.90E-09	2	1.57E-01	1.23E-09	1.0E+06	1.2E-03
454	0.54262	4.28E-06	2.3E-06	1.05E-03	2.43E-09	2	1.57E-01	7.62E-10	1.0E+06	7.6E-04
455	0.59257	4.28E-06	2.5E-06	1.05E-03	2.65E-09	2	1.57E-01	8.32E-10	1.0E+06	8.3E-04
456	0.64914	4.28E-06	2.8E-06	1.05E-03	2.90E-09	2	1.57E-01	9.12E-10	1.0E+06	9.1E-04
457	0.71336	4.28E-06	3.1E-06	1.05E-03	3.19E-09	2	1.57E-01	1.00E-09	1.0E+06	1.0E-03
458	0.78619	4.28E-06	3.4E-06	1.05E-03	3.51E-09	2	1.57E-01	1.10E-09	1.0E+06	1.1E-03
469	0.5041	4.28E-06	2.2E-06	1.05E-03	2.25E-09	2	1.57E-01	7.08E-10	1.0E+06	7.1E-04
470	0.54734	4.28E-06	2.3E-06	1.05E-03	2.45E-09	2	1.57E-01	7.69E-10	1.0E+06	7.7E-04
471	0.59589	4.28E-06	2.5E-06	1.05E-03	2.66E-09	2	1.57E-01	8.37E-10	1.0E+06	8.4E-04

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.65032	4.28E-06	2.8E-06	1.05E-03	2.91E-09	2	1.57E-01	9.14E-10	1.0E+06	9.1E-04
473	0.7111	4.28E-06	3.0E-06	1.05E-03	3.18E-09	2	1.57E-01	9.99E-10	1.0E+06	1.0E-03
489	0.46908	4.28E-06	2.0E-06	1.05E-03	2.10E-09	2	1.57E-01	6.59E-10	1.0E+06	6.6E-04
490	0.50674	4.28E-06	2.2E-06	1.05E-03	2.27E-09	2	1.57E-01	7.12E-10	1.0E+06	7.1E-04
491	0.54859	4.28E-06	2.3E-06	1.05E-03	2.45E-09	2	1.57E-01	7.71E-10	1.0E+06	7.7E-04
492	0.59495	4.28E-06	2.5E-06	1.05E-03	2.66E-09	2	1.57E-01	8.36E-10	1.0E+06	8.4E-04
493	0.64595	4.28E-06	2.8E-06	1.05E-03	2.89E-09	2	1.57E-01	9.07E-10	1.0E+06	9.1E-04
494	0.70138	4.28E-06	3.0E-06	1.05E-03	3.14E-09	2	1.57E-01	9.85E-10	1.0E+06	9.9E-04
509	0.43728	4.28E-06	1.9E-06	1.05E-03	1.95E-09	2	1.57E-01	6.14E-10	1.0E+06	6.1E-04
510	0.47023	4.28E-06	2.0E-06	1.05E-03	2.10E-09	2	1.57E-01	6.61E-10	1.0E+06	6.6E-04
511	0.5065	4.28E-06	2.2E-06	1.05E-03	2.26E-09	2	1.57E-01	7.12E-10	1.0E+06	7.1E-04
512	0.5462	4.28E-06	2.3E-06	1.05E-03	2.44E-09	2	1.57E-01	7.67E-10	1.0E+06	7.7E-04
513	0.58913	4.28E-06	2.5E-06	1.05E-03	2.63E-09	2	1.57E-01	8.28E-10	1.0E+06	8.3E-04
514	0.63517	4.28E-06	2.7E-06	1.05E-03	2.84E-09	2	1.57E-01	8.92E-10	1.0E+06	8.9E-04
515	0.7324	4.28E-06	3.1E-06	1.05E-03	3.27E-09	2	1.57E-01	1.03E-09	1.0E+06	1.0E-03
516	0.77984	4.28E-06	3.3E-06	1.05E-03	3.49E-09	2	1.57E-01	1.10E-09	1.0E+06	1.1E-03
517	0.8235	4.28E-06	3.5E-06	1.05E-03	3.68E-09	2	1.57E-01	1.16E-09	1.0E+06	1.2E-03
518	0.85859	4.28E-06	3.7E-06	1.05E-03	3.84E-09	2	1.57E-01	1.21E-09	1.0E+06	1.2E-03
519	0.88001	4.28E-06	3.8E-06	1.05E-03	3.93E-09	2	1.57E-01	1.24E-09	1.0E+06	1.2E-03
528	0.40845	4.28E-06	1.7E-06	1.05E-03	1.83E-09	2	1.57E-01	5.74E-10	1.0E+06	5.7E-04
529	0.43739	4.28E-06	1.9E-06	1.05E-03	1.96E-09	2	1.57E-01	6.14E-10	1.0E+06	6.1E-04
530	0.46892	4.28E-06	2.0E-06	1.05E-03	2.10E-09	2	1.57E-01	6.59E-10	1.0E+06	6.6E-04
531	0.50304	4.28E-06	2.2E-06	1.05E-03	2.25E-09	2	1.57E-01	7.07E-10	1.0E+06	7.1E-04
532	0.53949	4.28E-06	2.3E-06	1.05E-03	2.41E-09	2	1.57E-01	7.58E-10	1.0E+06	7.6E-04
533	0.57786	4.28E-06	2.5E-06	1.05E-03	2.58E-09	2	1.57E-01	8.12E-10	1.0E+06	8.1E-04
534	0.6571	4.28E-06	2.8E-06	1.05E-03	2.94E-09	2	1.57E-01	9.23E-10	1.0E+06	9.2E-04
535	0.69542	4.28E-06	3.0E-06	1.05E-03	3.11E-09	2	1.57E-01	9.77E-10	1.0E+06	9.8E-04
536	0.73077	4.28E-06	3.1E-06	1.05E-03	3.27E-09	2	1.57E-01	1.03E-09	1.0E+06	1.0E-03
537	0.7588	4.28E-06	3.2E-06	1.05E-03	3.39E-09	2	1.57E-01	1.07E-09	1.0E+06	1.1E-03
538	0.77648	4.28E-06	3.3E-06	1.05E-03	3.47E-09	2	1.57E-01	1.09E-09	1.0E+06	1.1E-03
547	0.38228	4.28E-06	1.6E-06	1.05E-03	1.71E-09	2	1.57E-01	5.37E-10	1.0E+06	5.4E-04

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.40777	4.28E-06	1.7E-06	1.05E-03	1.82E-09	2	1.57E-01	5.73E-10	1.0E+06	5.7E-04
549	0.43529	4.28E-06	1.9E-06	1.05E-03	1.95E-09	2	1.57E-01	6.12E-10	1.0E+06	6.1E-04
550	0.46464	4.28E-06	2.0E-06	1.05E-03	2.08E-09	2	1.57E-01	6.53E-10	1.0E+06	6.5E-04
551	0.49569	4.28E-06	2.1E-06	1.05E-03	2.22E-09	2	1.57E-01	6.96E-10	1.0E+06	7.0E-04
552	0.52791	4.28E-06	2.3E-06	1.05E-03	2.36E-09	2	1.57E-01	7.42E-10	1.0E+06	7.4E-04
553	0.56081	4.28E-06	2.4E-06	1.05E-03	2.51E-09	2	1.57E-01	7.88E-10	1.0E+06	7.9E-04
554	0.59331	4.28E-06	2.5E-06	1.05E-03	2.65E-09	2	1.57E-01	8.33E-10	1.0E+06	8.3E-04
555	0.6248	4.28E-06	2.7E-06	1.05E-03	2.79E-09	2	1.57E-01	8.78E-10	1.0E+06	8.8E-04
556	0.65378	4.28E-06	2.8E-06	1.05E-03	2.92E-09	2	1.57E-01	9.18E-10	1.0E+06	9.2E-04
557	0.67658	4.28E-06	2.9E-06	1.05E-03	3.02E-09	2	1.57E-01	9.50E-10	1.0E+06	9.5E-04
558	0.69187	4.28E-06	3.0E-06	1.05E-03	3.09E-09	2	1.57E-01	9.72E-10	1.0E+06	9.7E-04
559	0.69604	4.28E-06	3.0E-06	1.05E-03	3.11E-09	2	1.57E-01	9.78E-10	1.0E+06	9.8E-04
567	0.35848	4.28E-06	1.5E-06	1.05E-03	1.60E-09	2	1.57E-01	5.04E-10	1.0E+06	5.0E-04
568	0.38101	4.28E-06	1.6E-06	1.05E-03	1.70E-09	2	1.57E-01	5.35E-10	1.0E+06	5.4E-04
569	0.40507	4.28E-06	1.7E-06	1.05E-03	1.81E-09	2	1.57E-01	5.69E-10	1.0E+06	5.7E-04
570	0.4305	4.28E-06	1.8E-06	1.05E-03	1.92E-09	2	1.57E-01	6.05E-10	1.0E+06	6.0E-04
571	0.45703	4.28E-06	2.0E-06	1.05E-03	2.04E-09	2	1.57E-01	6.42E-10	1.0E+06	6.4E-04
572	0.48429	4.28E-06	2.1E-06	1.05E-03	2.16E-09	2	1.57E-01	6.80E-10	1.0E+06	6.8E-04
573	0.5118	4.28E-06	2.2E-06	1.05E-03	2.29E-09	2	1.57E-01	7.19E-10	1.0E+06	7.2E-04
574	0.56483	4.28E-06	2.4E-06	1.05E-03	2.52E-09	2	1.57E-01	7.93E-10	1.0E+06	7.9E-04
575	0.58871	4.28E-06	2.5E-06	1.05E-03	2.63E-09	2	1.57E-01	8.27E-10	1.0E+06	8.3E-04
576	0.60822	4.28E-06	2.6E-06	1.05E-03	2.72E-09	2	1.57E-01	8.54E-10	1.0E+06	8.5E-04
577	0.6212	4.28E-06	2.7E-06	1.05E-03	2.78E-09	2	1.57E-01	8.73E-10	1.0E+06	8.7E-04
578	0.62564	4.28E-06	2.7E-06	1.05E-03	2.80E-09	2	1.57E-01	8.79E-10	1.0E+06	8.8E-04
586	0.3368	4.28E-06	1.4E-06	1.05E-03	1.51E-09	2	1.57E-01	4.73E-10	1.0E+06	4.7E-04
587	0.35669	4.28E-06	1.5E-06	1.05E-03	1.59E-09	2	1.57E-01	5.01E-10	1.0E+06	5.0E-04
588	0.37779	4.28E-06	1.6E-06	1.05E-03	1.69E-09	2	1.57E-01	5.31E-10	1.0E+06	5.3E-04
589	0.39984	4.28E-06	1.7E-06	1.05E-03	1.79E-09	2	1.57E-01	5.62E-10	1.0E+06	5.6E-04
590	0.4226	4.28E-06	1.8E-06	1.05E-03	1.89E-09	2	1.57E-01	5.94E-10	1.0E+06	5.9E-04
591	0.44574	4.28E-06	1.9E-06	1.05E-03	1.99E-09	2	1.57E-01	6.26E-10	1.0E+06	6.3E-04
592	0.46891	4.28E-06	2.0E-06	1.05E-03	2.10E-09	2	1.57E-01	6.59E-10	1.0E+06	6.6E-04

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.51336	4.28E-06	2.2E-06	1.05E-03	2.29E-09	2	1.57E-01	7.21E-10	1.0E+06	7.2E-04
594	0.5334	4.28E-06	2.3E-06	1.05E-03	2.38E-09	2	1.57E-01	7.49E-10	1.0E+06	7.5E-04
595	0.54961	4.28E-06	2.4E-06	1.05E-03	2.46E-09	2	1.57E-01	7.72E-10	1.0E+06	7.7E-04
596	0.56074	4.28E-06	2.4E-06	1.05E-03	2.51E-09	2	1.57E-01	7.88E-10	1.0E+06	7.9E-04
597	0.56531	4.28E-06	2.4E-06	1.05E-03	2.53E-09	2	1.57E-01	7.94E-10	1.0E+06	7.9E-04
345	1.57495	4.28E-06	6.7E-06	1.05E-03	7.04E-09	2	1.57E-01	2.21E-09	1.0E+06	2.2E-03
346	1.94419	4.28E-06	8.3E-06	1.05E-03	8.69E-09	2	1.57E-01	2.73E-09	1.0E+06	2.7E-03
347	2.46715	4.28E-06	1.1E-05	1.05E-03	1.10E-08	2	1.57E-01	3.47E-09	1.0E+06	3.5E-03
348	3.24776	4.28E-06	1.4E-05	1.05E-03	1.45E-08	2	1.57E-01	4.56E-09	1.0E+06	4.6E-03
359	1.44326	4.28E-06	6.2E-06	1.05E-03	6.45E-09	2	1.57E-01	2.03E-09	1.0E+06	2.0E-03
360	1.74919	4.28E-06	7.5E-06	1.05E-03	7.82E-09	2	1.57E-01	2.46E-09	1.0E+06	2.5E-03
361	2.16727	4.28E-06	9.3E-06	1.05E-03	9.69E-09	2	1.57E-01	3.04E-09	1.0E+06	3.0E-03
362	2.75344	4.28E-06	1.2E-05	1.05E-03	1.23E-08	2	1.57E-01	3.87E-09	1.0E+06	3.9E-03
363	3.63329	4.28E-06	1.6E-05	1.05E-03	1.62E-08	2	1.57E-01	5.10E-09	1.0E+06	5.1E-03
373	1.56008	4.28E-06	6.7E-06	1.05E-03	6.97E-09	2	1.57E-01	2.19E-09	1.0E+06	2.2E-03
374	1.88564	4.28E-06	8.1E-06	1.05E-03	8.43E-09	2	1.57E-01	2.65E-09	1.0E+06	2.6E-03
375	2.32071	4.28E-06	9.9E-06	1.05E-03	1.04E-08	2	1.57E-01	3.26E-09	1.0E+06	3.3E-03
376	2.92594	4.28E-06	1.3E-05	1.05E-03	1.31E-08	2	1.57E-01	4.11E-09	1.0E+06	4.1E-03
386	1.38473	4.28E-06	5.9E-06	1.05E-03	6.19E-09	2	1.57E-01	1.95E-09	1.0E+06	1.9E-03
387	1.63827	4.28E-06	7.0E-06	1.05E-03	7.32E-09	2	1.57E-01	2.30E-09	1.0E+06	2.3E-03
388	1.96199	4.28E-06	8.4E-06	1.05E-03	8.77E-09	2	1.57E-01	2.76E-09	1.0E+06	2.8E-03
389	2.38686	4.28E-06	1.0E-05	1.05E-03	1.07E-08	2	1.57E-01	3.35E-09	1.0E+06	3.4E-03
390	2.94578	4.28E-06	1.3E-05	1.05E-03	1.32E-08	2	1.57E-01	4.14E-09	1.0E+06	4.1E-03
400	1.22836	4.28E-06	5.3E-06	1.05E-03	5.49E-09	2	1.57E-01	1.73E-09	1.0E+06	1.7E-03
401	1.42547	4.28E-06	6.1E-06	1.05E-03	6.37E-09	2	1.57E-01	2.00E-09	1.0E+06	2.0E-03
402	1.67161	4.28E-06	7.1E-06	1.05E-03	7.47E-09	2	1.57E-01	2.35E-09	1.0E+06	2.3E-03
403	1.97512	4.28E-06	8.4E-06	1.05E-03	8.83E-09	2	1.57E-01	2.77E-09	1.0E+06	2.8E-03
404	2.34508	4.28E-06	1.0E-05	1.05E-03	1.05E-08	2	1.57E-01	3.29E-09	1.0E+06	3.3E-03
415	1.09193	4.28E-06	4.7E-06	1.05E-03	4.88E-09	2	1.57E-01	1.53E-09	1.0E+06	1.5E-03
416	1.24865	4.28E-06	5.3E-06	1.05E-03	5.58E-09	2	1.57E-01	1.75E-09	1.0E+06	1.8E-03
417	1.43544	4.28E-06	6.1E-06	1.05E-03	6.42E-09	2	1.57E-01	2.02E-09	1.0E+06	2.0E-03

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	1.66131	4.28E-06	7.1E-06	1.05E-03	7.43E-09	2	1.57E-01	2.33E-09	1.0E+06	2.3E-03
419	1.91911	4.28E-06	8.2E-06	1.05E-03	8.58E-09	2	1.57E-01	2.70E-09	1.0E+06	2.7E-03
420	2.17594	4.28E-06	9.3E-06	1.05E-03	9.73E-09	2	1.57E-01	3.06E-09	1.0E+06	3.1E-03
430	1.09897	4.28E-06	4.7E-06	1.05E-03	4.91E-09	2	1.57E-01	1.54E-09	1.0E+06	1.5E-03
431	1.24567	4.28E-06	5.3E-06	1.05E-03	5.57E-09	2	1.57E-01	1.75E-09	1.0E+06	1.7E-03
432	1.41345	4.28E-06	6.0E-06	1.05E-03	6.32E-09	2	1.57E-01	1.99E-09	1.0E+06	2.0E-03
433	1.59687	4.28E-06	6.8E-06	1.05E-03	7.14E-09	2	1.57E-01	2.24E-09	1.0E+06	2.2E-03
434	1.77747	4.28E-06	7.6E-06	1.05E-03	7.95E-09	2	1.57E-01	2.50E-09	1.0E+06	2.5E-03
444	0.97405	4.28E-06	4.2E-06	1.05E-03	4.35E-09	2	1.57E-01	1.37E-09	1.0E+06	1.4E-03
445	1.08859	4.28E-06	4.7E-06	1.05E-03	4.87E-09	2	1.57E-01	1.53E-09	1.0E+06	1.5E-03
446	1.21622	4.28E-06	5.2E-06	1.05E-03	5.44E-09	2	1.57E-01	1.71E-09	1.0E+06	1.7E-03
447	1.3507	4.28E-06	5.8E-06	1.05E-03	6.04E-09	2	1.57E-01	1.90E-09	1.0E+06	1.9E-03
448	1.47938	4.28E-06	6.3E-06	1.05E-03	6.61E-09	2	1.57E-01	2.08E-09	1.0E+06	2.1E-03
459	0.95916	4.28E-06	4.1E-06	1.05E-03	4.29E-09	2	1.57E-01	1.35E-09	1.0E+06	1.3E-03
460	1.05744	4.28E-06	4.5E-06	1.05E-03	4.73E-09	2	1.57E-01	1.49E-09	1.0E+06	1.5E-03
461	1.15829	4.28E-06	5.0E-06	1.05E-03	5.18E-09	2	1.57E-01	1.63E-09	1.0E+06	1.6E-03
462	1.25278	4.28E-06	5.4E-06	1.05E-03	5.60E-09	2	1.57E-01	1.76E-09	1.0E+06	1.8E-03
463	1.32636	4.28E-06	5.7E-06	1.05E-03	5.93E-09	2	1.57E-01	1.86E-09	1.0E+06	1.9E-03
474	0.85099	4.28E-06	3.6E-06	1.05E-03	3.80E-09	2	1.57E-01	1.20E-09	1.0E+06	1.2E-03
475	0.92773	4.28E-06	4.0E-06	1.05E-03	4.15E-09	2	1.57E-01	1.30E-09	1.0E+06	1.3E-03
476	1.00541	4.28E-06	4.3E-06	1.05E-03	4.49E-09	2	1.57E-01	1.41E-09	1.0E+06	1.4E-03
477	1.07646	4.28E-06	4.6E-06	1.05E-03	4.81E-09	2	1.57E-01	1.51E-09	1.0E+06	1.5E-03
478	1.13259	4.28E-06	4.8E-06	1.05E-03	5.06E-09	2	1.57E-01	1.59E-09	1.0E+06	1.6E-03
495	0.76038	4.28E-06	3.3E-06	1.05E-03	3.40E-09	2	1.57E-01	1.07E-09	1.0E+06	1.1E-03
496	0.82109	4.28E-06	3.5E-06	1.05E-03	3.67E-09	2	1.57E-01	1.15E-09	1.0E+06	1.2E-03
497	0.88156	4.28E-06	3.8E-06	1.05E-03	3.94E-09	2	1.57E-01	1.24E-09	1.0E+06	1.2E-03
498	0.93682	4.28E-06	4.0E-06	1.05E-03	4.19E-09	2	1.57E-01	1.32E-09	1.0E+06	1.3E-03
499	0.98055	4.28E-06	4.2E-06	1.05E-03	4.38E-09	2	1.57E-01	1.38E-09	1.0E+06	1.4E-03
500	1.00545	4.28E-06	4.3E-06	1.05E-03	4.49E-09	2	1.57E-01	1.41E-09	1.0E+06	1.4E-03

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction							
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
139	0.77015	4.28E-06	3.3E-06	1.05E-03	3.44E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	0.85373	4.28E-06	3.7E-06	1.05E-03	3.82E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	0.86185	4.28E-06	3.7E-06	1.05E-03	3.85E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	0.96886	4.28E-06	4.1E-06	1.05E-03	4.33E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	1.09321	4.28E-06	4.7E-06	1.05E-03	4.89E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	1.23469	4.28E-06	5.3E-06	1.05E-03	5.52E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	1.39217	4.28E-06	6.0E-06	1.05E-03	6.22E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	1.73328	4.28E-06	7.4E-06	1.05E-03	7.75E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	1.8836	4.28E-06	8.1E-06	1.05E-03	8.42E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	1.98896	4.28E-06	8.5E-06	1.05E-03	8.89E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	1.09775	4.28E-06	4.7E-06	1.05E-03	4.91E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	1.26633	4.28E-06	5.4E-06	1.05E-03	5.66E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	1.46462	4.28E-06	6.3E-06	1.05E-03	6.55E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	1.69944	4.28E-06	7.3E-06	1.05E-03	7.60E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	1.96982	4.28E-06	8.4E-06	1.05E-03	8.80E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	2.26494	4.28E-06	9.7E-06	1.05E-03	1.01E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	2.53849	4.28E-06	1.1E-05	1.05E-03	1.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	2.73932	4.28E-06	1.2E-05	1.05E-03	1.22E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	2.85624	4.28E-06	1.2E-05	1.05E-03	1.28E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	2.95865	4.28E-06	1.3E-05	1.05E-03	1.32E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	3.01946	4.28E-06	1.3E-05	1.05E-03	1.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	1.46485	4.28E-06	6.3E-06	1.05E-03	6.55E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	1.74095	4.28E-06	7.4E-06	1.05E-03	7.78E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	2.09592	4.28E-06	9.0E-06	1.05E-03	9.37E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	2.54568	4.28E-06	1.1E-05	1.05E-03	1.14E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	3.10057	4.28E-06	1.3E-05	1.05E-03	1.39E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	3.69985	4.28E-06	1.6E-05	1.05E-03	1.65E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	4.16167	4.28E-06	1.8E-05	1.05E-03	1.86E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	4.44986	4.28E-06	1.9E-05	1.05E-03	1.99E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	4.60315	4.28E-06	2.0E-05	1.05E-03	2.06E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	4.45777	4.28E-06	1.9E-05	1.05E-03	1.99E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	4.09102	4.28E-06	1.7E-05	1.05E-03	1.83E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	1.68265	4.28E-06	7.2E-06	1.05E-03	7.52E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	2.06154	4.28E-06	8.8E-06	1.05E-03	9.21E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	2.58496	4.28E-06	1.1E-05	1.05E-03	1.16E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	3.34037	4.28E-06	1.4E-05	1.05E-03	1.49E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	4.46171	4.28E-06	1.9E-05	1.05E-03	1.99E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	6.09633	4.28E-06	2.6E-05	1.05E-03	2.73E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	7.82306	4.28E-06	3.3E-05	1.05E-03	3.50E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	8.64887	4.28E-06	3.7E-05	1.05E-03	3.87E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	7.9084	4.28E-06	3.4E-05	1.05E-03	3.53E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	6.59578	4.28E-06	2.8E-05	1.05E-03	2.95E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	5.42084	4.28E-06	2.3E-05	1.05E-03	2.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	4.48301	4.28E-06	1.9E-05	1.05E-03	2.00E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	1.53935	4.28E-06	6.6E-06	1.05E-03	6.88E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	1.90312	4.28E-06	8.1E-06	1.05E-03	8.51E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	2.40073	4.28E-06	1.0E-05	1.05E-03	1.07E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	3.14059	4.28E-06	1.3E-05	1.05E-03	1.40E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	6.51783	4.28E-06	2.8E-05	1.05E-03	2.91E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	11.7359	4.28E-06	5.0E-05	1.05E-03	5.25E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	9.13055	4.28E-06	3.9E-05	1.05E-03	4.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	21.76746	4.28E-06	9.3E-05	1.05E-03	9.73E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	12.99165	4.28E-06	5.6E-05	1.05E-03	5.81E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	8.91151	4.28E-06	3.8E-05	1.05E-03	3.98E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	6.62629	4.28E-06	2.8E-05	1.05E-03	2.96E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	5.15461	4.28E-06	2.2E-05	1.05E-03	2.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	4.1243	4.28E-06	1.8E-05	1.05E-03	1.84E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	1.67862	4.28E-06	7.2E-06	1.05E-03	7.50E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	2.10703	4.28E-06	9.0E-06	1.05E-03	9.42E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	2.72217	4.28E-06	1.2E-05	1.05E-03	1.22E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	3.68368	4.28E-06	1.6E-05	1.05E-03	1.65E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	5.33895	4.28E-06	2.3E-05	1.05E-03	2.39E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	8.71013	4.28E-06	3.7E-05	1.05E-03	3.89E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	19.12937	4.28E-06	8.2E-05	1.05E-03	8.55E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	37.43557	4.28E-06	1.6E-04	1.05E-03	1.67E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	16.95043	4.28E-06	7.2E-05	1.05E-03	7.58E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	10.5792	4.28E-06	4.5E-05	1.05E-03	4.73E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	7.45665	4.28E-06	3.2E-05	1.05E-03	3.33E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	5.5857	4.28E-06	2.4E-05	1.05E-03	2.50E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	4.33411	4.28E-06	1.9E-05	1.05E-03	1.94E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	1.78599	4.28E-06	7.6E-06	1.05E-03	7.98E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	2.26785	4.28E-06	9.7E-06	1.05E-03	1.01E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	2.97225	4.28E-06	1.3E-05	1.05E-03	1.33E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	4.11132	4.28E-06	1.8E-05	1.05E-03	1.84E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	6.12343	4.28E-06	2.6E-05	1.05E-03	2.74E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	10.35873	4.28E-06	4.4E-05	1.05E-03	4.63E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	23.253	4.28E-06	9.9E-05	1.05E-03	1.04E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	44.27674	4.28E-06	1.9E-04	1.05E-03	1.98E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	19.32476	4.28E-06	8.3E-05	1.05E-03	8.64E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	11.59906	4.28E-06	5.0E-05	1.05E-03	5.18E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	7.93225	4.28E-06	3.4E-05	1.05E-03	3.55E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	5.77719	4.28E-06	2.5E-05	1.05E-03	2.58E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	4.37196	4.28E-06	1.9E-05	1.05E-03	1.95E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	1.85474	4.28E-06	7.9E-06	1.05E-03	8.29E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	2.37204	4.28E-06	1.0E-05	1.05E-03	1.06E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	3.14863	4.28E-06	1.3E-05	1.05E-03	1.41E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	4.37781	4.28E-06	1.9E-05	1.05E-03	1.96E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	6.62452	4.28E-06	2.8E-05	1.05E-03	2.96E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	11.28156	4.28E-06	4.8E-05	1.05E-03	5.04E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	24.87597	4.28E-06	1.1E-04	1.05E-03	1.11E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	48.20937	4.28E-06	2.1E-04	1.05E-03	2.15E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	20.891	4.28E-06	8.9E-05	1.05E-03	9.34E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	12.19131	4.28E-06	5.2E-05	1.05E-03	5.45E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	8.08551	4.28E-06	3.5E-05	1.05E-03	3.61E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	5.72719	4.28E-06	2.4E-05	1.05E-03	2.56E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	4.23615	4.28E-06	1.8E-05	1.05E-03	1.89E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	2.02939	4.28E-06	8.7E-06	1.05E-03	9.07E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	1.65796	4.28E-06	7.1E-06	1.05E-03	7.41E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	1.87933	4.28E-06	8.0E-06	1.05E-03	8.40E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	2.40765	4.28E-06	1.0E-05	1.05E-03	1.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	3.2114	4.28E-06	1.4E-05	1.05E-03	1.44E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	4.48652	4.28E-06	1.9E-05	1.05E-03	2.01E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	6.79205	4.28E-06	2.9E-05	1.05E-03	3.04E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	11.56744	4.28E-06	4.9E-05	1.05E-03	5.17E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	24.93802	4.28E-06	1.1E-04	1.05E-03	1.11E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	49.77326	4.28E-06	2.1E-04	1.05E-03	2.22E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	21.49075	4.28E-06	9.2E-05	1.05E-03	9.61E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	12.21367	4.28E-06	5.2E-05	1.05E-03	5.46E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	7.85042	4.28E-06	3.4E-05	1.05E-03	3.51E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	5.42064	4.28E-06	2.3E-05	1.05E-03	2.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	3.93292	4.28E-06	1.7E-05	1.05E-03	1.76E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	1.85002	4.28E-06	7.9E-06	1.05E-03	8.27E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	1.51589	4.28E-06	6.5E-06	1.05E-03	6.78E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	1.85792	4.28E-06	7.9E-06	1.05E-03	8.30E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	2.37442	4.28E-06	1.0E-05	1.05E-03	1.06E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	3.15574	4.28E-06	1.3E-05	1.05E-03	1.41E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	4.40911	4.28E-06	1.9E-05	1.05E-03	1.97E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	6.62766	4.28E-06	2.8E-05	1.05E-03	2.96E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	11.27917	4.28E-06	4.8E-05	1.05E-03	5.04E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	24.59712	4.28E-06	1.1E-04	1.05E-03	1.10E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	50.07272	4.28E-06	2.1E-04	1.05E-03	2.24E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	21.15449	4.28E-06	9.0E-05	1.05E-03	9.46E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	11.54567	4.28E-06	4.9E-05	1.05E-03	5.16E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	7.18531	4.28E-06	3.1E-05	1.05E-03	3.21E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	4.86554	4.28E-06	2.1E-05	1.05E-03	2.17E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	3.503	4.28E-06	1.5E-05	1.05E-03	1.57E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	1.66857	4.28E-06	7.1E-06	1.05E-03	7.46E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	1.37659	4.28E-06	5.9E-06	1.05E-03	6.15E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	1.79413	4.28E-06	7.7E-06	1.05E-03	8.02E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	2.27729	4.28E-06	9.7E-06	1.05E-03	1.02E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	2.99718	4.28E-06	1.3E-05	1.05E-03	1.34E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	4.14529	4.28E-06	1.8E-05	1.05E-03	1.85E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	6.18893	4.28E-06	2.6E-05	1.05E-03	2.77E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	10.44421	4.28E-06	4.5E-05	1.05E-03	4.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	22.83291	4.28E-06	9.8E-05	1.05E-03	1.02E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	48.25536	4.28E-06	2.1E-04	1.05E-03	2.16E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	19.00365	4.28E-06	8.1E-05	1.05E-03	8.49E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	9.94072	4.28E-06	4.3E-05	1.05E-03	4.44E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	6.12238	4.28E-06	2.6E-05	1.05E-03	2.74E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	4.16398	4.28E-06	1.8E-05	1.05E-03	1.86E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	3.03351	4.28E-06	1.3E-05	1.05E-03	1.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	1.50137	4.28E-06	6.4E-06	1.05E-03	6.71E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	1.25111	4.28E-06	5.4E-06	1.05E-03	5.59E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	1.69574	4.28E-06	7.3E-06	1.05E-03	7.58E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	2.12688	4.28E-06	9.1E-06	1.05E-03	9.51E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	2.75624	4.28E-06	1.2E-05	1.05E-03	1.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	3.73993	4.28E-06	1.6E-05	1.05E-03	1.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	5.40989	4.28E-06	2.3E-05	1.05E-03	2.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	8.83729	4.28E-06	3.8E-05	1.05E-03	3.95E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	18.59129	4.28E-06	8.0E-05	1.05E-03	8.31E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	28.63099	4.28E-06	1.2E-04	1.05E-03	1.28E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	20.57544	4.28E-06	8.8E-05	1.05E-03	9.20E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	14.23375	4.28E-06	6.1E-05	1.05E-03	6.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	7.7589	4.28E-06	3.3E-05	1.05E-03	3.47E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	4.97426	4.28E-06	2.1E-05	1.05E-03	2.22E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	3.49658	4.28E-06	1.5E-05	1.05E-03	1.56E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	2.61095	4.28E-06	1.1E-05	1.05E-03	1.17E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	1.64148	4.28E-06	7.0E-06	1.05E-03	7.34E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	1.35791	4.28E-06	5.8E-06	1.05E-03	6.07E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	1.14392	4.28E-06	4.9E-06	1.05E-03	5.11E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	4.49967	4.28E-06	1.9E-05	1.05E-03	2.01E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	6.77399	4.28E-06	2.9E-05	1.05E-03	3.03E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	11.75491	4.28E-06	5.0E-05	1.05E-03	5.25E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	22.81215	4.28E-06	9.8E-05	1.05E-03	1.02E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	1.47982	4.28E-06	6.3E-06	1.05E-03	6.61E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	1.23852	4.28E-06	5.3E-06	1.05E-03	5.54E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	1.05345	4.28E-06	4.5E-06	1.05E-03	4.71E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	5.02682	4.28E-06	2.1E-05	1.05E-03	2.25E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	7.35731	4.28E-06	3.1E-05	1.05E-03	3.29E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	10.17878	4.28E-06	4.4E-05	1.05E-03	4.55E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	1.34556	4.28E-06	5.8E-06	1.05E-03	6.01E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	1.13595	4.28E-06	4.9E-06	1.05E-03	5.08E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.97442	4.28E-06	4.2E-06	1.05E-03	4.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	3.79307	4.28E-06	1.6E-05	1.05E-03	1.70E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	4.97819	4.28E-06	2.1E-05	1.05E-03	2.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	6.10344	4.28E-06	2.6E-05	1.05E-03	2.73E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	1.22664	4.28E-06	5.2E-06	1.05E-03	5.48E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	1.04288	4.28E-06	4.5E-06	1.05E-03	4.66E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.90242	4.28E-06	3.9E-06	1.05E-03	4.03E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	3.6103	4.28E-06	1.5E-05	1.05E-03	1.61E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	4.17442	4.28E-06	1.8E-05	1.05E-03	1.87E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	1.12191	4.28E-06	4.8E-06	1.05E-03	5.01E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.96255	4.28E-06	4.1E-06	1.05E-03	4.30E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.83874	4.28E-06	3.6E-06	1.05E-03	3.75E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	2.75489	4.28E-06	1.2E-05	1.05E-03	1.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	3.08427	4.28E-06	1.3E-05	1.05E-03	1.38E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	3.17387	4.28E-06	1.4E-05	1.05E-03	1.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	1.03028	4.28E-06	4.4E-06	1.05E-03	4.61E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.88989	4.28E-06	3.8E-06	1.05E-03	3.98E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.78135	4.28E-06	3.3E-06	1.05E-03	3.49E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	2.3903	4.28E-06	1.0E-05	1.05E-03	1.07E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	2.46336	4.28E-06	1.1E-05	1.05E-03	1.10E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.94758	4.28E-06	4.1E-06	1.05E-03	4.24E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.82463	4.28E-06	3.5E-06	1.05E-03	3.69E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.72814	4.28E-06	3.1E-06	1.05E-03	3.25E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	1.9161	4.28E-06	8.2E-06	1.05E-03	8.56E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	1.97656	4.28E-06	8.5E-06	1.05E-03	8.84E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.76586	4.28E-06	3.3E-06	1.05E-03	3.42E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.67851	4.28E-06	2.9E-06	1.05E-03	3.03E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	1.57686	4.28E-06	6.7E-06	1.05E-03	7.05E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	1.62656	4.28E-06	7.0E-06	1.05E-03	7.27E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	1.60061	4.28E-06	6.8E-06	1.05E-03	7.15E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.71176	4.28E-06	3.0E-06	1.05E-03	3.18E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.63379	4.28E-06	2.7E-06	1.05E-03	2.83E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	1.36447	4.28E-06	5.8E-06	1.05E-03	6.10E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	1.35315	4.28E-06	5.8E-06	1.05E-03	6.05E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.84332	4.28E-06	3.6E-06	1.05E-03	3.77E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.66276	4.28E-06	2.8E-06	1.05E-03	2.96E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.59326	4.28E-06	2.5E-06	1.05E-03	2.65E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	1.16046	4.28E-06	5.0E-06	1.05E-03	5.19E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	1.15941	4.28E-06	5.0E-06	1.05E-03	5.18E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	1.11897	4.28E-06	4.8E-06	1.05E-03	5.00E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	1.04921	4.28E-06	4.5E-06	1.05E-03	4.69E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	0.95913	4.28E-06	4.1E-06	1.05E-03	4.29E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.86467	4.28E-06	3.7E-06	1.05E-03	3.86E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.77297	4.28E-06	3.3E-06	1.05E-03	3.46E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.69058	4.28E-06	3.0E-06	1.05E-03	3.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.61827	4.28E-06	2.6E-06	1.05E-03	2.76E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.556	4.28E-06	2.4E-06	1.05E-03	2.49E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	1.00349	4.28E-06	4.3E-06	1.05E-03	4.49E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	0.97949	4.28E-06	4.2E-06	1.05E-03	4.38E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	0.92906	4.28E-06	4.0E-06	1.05E-03	4.15E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	0.86117	4.28E-06	3.7E-06	1.05E-03	3.85E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	0.78566	4.28E-06	3.4E-06	1.05E-03	3.51E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.71006	4.28E-06	3.0E-06	1.05E-03	3.17E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.64018	4.28E-06	2.7E-06	1.05E-03	2.86E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.52189	4.28E-06	2.2E-06	1.05E-03	2.33E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.88084	4.28E-06	3.8E-06	1.05E-03	3.94E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	0.86137	4.28E-06	3.7E-06	1.05E-03	3.85E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	0.82733	4.28E-06	3.5E-06	1.05E-03	3.70E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	0.77559	4.28E-06	3.3E-06	1.05E-03	3.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	0.71548	4.28E-06	3.1E-06	1.05E-03	3.20E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.65328	4.28E-06	2.8E-06	1.05E-03	2.92E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.59386	4.28E-06	2.5E-06	1.05E-03	2.65E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.49032	4.28E-06	2.1E-06	1.05E-03	2.19E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.78025	4.28E-06	3.3E-06	1.05E-03	3.49E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.76789	4.28E-06	3.3E-06	1.05E-03	3.43E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	0.73968	4.28E-06	3.2E-06	1.05E-03	3.31E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	0.6998	4.28E-06	3.0E-06	1.05E-03	3.13E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	0.65324	4.28E-06	2.8E-06	1.05E-03	2.92E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.60195	4.28E-06	2.6E-06	1.05E-03	2.69E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.55064	4.28E-06	2.4E-06	1.05E-03	2.46E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.46105	4.28E-06	2.0E-06	1.05E-03	2.06E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.688	4.28E-06	2.9E-06	1.05E-03	3.08E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.66777	4.28E-06	2.9E-06	1.05E-03	2.98E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.6364	4.28E-06	2.7E-06	1.05E-03	2.84E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.59613	4.28E-06	2.5E-06	1.05E-03	2.66E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.55512	4.28E-06	2.4E-06	1.05E-03	2.48E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.51352	4.28E-06	2.2E-06	1.05E-03	2.30E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.43455	4.28E-06	1.9E-06	1.05E-03	1.94E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.62005	4.28E-06	2.7E-06	1.05E-03	2.77E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.60489	4.28E-06	2.6E-06	1.05E-03	2.70E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.58091	4.28E-06	2.5E-06	1.05E-03	2.60E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.54977	4.28E-06	2.4E-06	1.05E-03	2.46E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.51451	4.28E-06	2.2E-06	1.05E-03	2.30E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.47788	4.28E-06	2.0E-06	1.05E-03	2.14E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.40919	4.28E-06	1.7E-06	1.05E-03	1.83E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.56209	4.28E-06	2.4E-06	1.05E-03	2.51E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.55041	4.28E-06	2.4E-06	1.05E-03	2.46E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.53147	4.28E-06	2.3E-06	1.05E-03	2.38E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.5065	4.28E-06	2.2E-06	1.05E-03	2.26E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.47745	4.28E-06	2.0E-06	1.05E-03	2.13E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.44677	4.28E-06	1.9E-06	1.05E-03	2.00E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.41574	4.28E-06	1.8E-06	1.05E-03	1.86E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	4.28E-06	0.0E+00	1.05E-03	0.00E+00	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
1	1	0.20389	4.28E-06	8.7E-07	6.05E-04	5.28E-10	14	4.71E-02	3.48E-10	1.0E+06	3.5E-04
2	2	0.21492	4.28E-06	9.2E-07	6.05E-04	5.56E-10	14	4.71E-02	3.67E-10	1.0E+06	3.7E-04
3	3	0.2267	4.28E-06	9.7E-07	6.05E-04	5.87E-10	14	4.71E-02	3.87E-10	1.0E+06	3.9E-04
4	4	0.23938	4.28E-06	1.0E-06	6.05E-04	6.19E-10	14	4.71E-02	4.09E-10	1.0E+06	4.1E-04
5	5	0.25304	4.28E-06	1.1E-06	6.05E-04	6.55E-10	14	4.71E-02	4.32E-10	1.0E+06	4.3E-04
6	6	0.26793	4.28E-06	1.1E-06	6.05E-04	6.93E-10	14	4.71E-02	4.58E-10	1.0E+06	4.6E-04
7	7	0.28393	4.28E-06	1.2E-06	6.05E-04	7.35E-10	14	4.71E-02	4.85E-10	1.0E+06	4.8E-04
8	8	0.30103	4.28E-06	1.3E-06	6.05E-04	7.79E-10	14	4.71E-02	5.14E-10	1.0E+06	5.1E-04
9	9	0.31938	4.28E-06	1.4E-06	6.05E-04	8.26E-10	14	4.71E-02	5.45E-10	1.0E+06	5.5E-04
10	10	0.339	4.28E-06	1.4E-06	6.05E-04	8.77E-10	14	4.71E-02	5.79E-10	1.0E+06	5.8E-04
11	11	0.35986	4.28E-06	1.5E-06	6.05E-04	9.31E-10	14	4.71E-02	6.15E-10	1.0E+06	6.1E-04
12	12	0.38195	4.28E-06	1.6E-06	6.05E-04	9.88E-10	14	4.71E-02	6.52E-10	1.0E+06	6.5E-04
13	13	0.4054	4.28E-06	1.7E-06	6.05E-04	1.05E-09	14	4.71E-02	6.92E-10	1.0E+06	6.9E-04
14	14	0.42989	4.28E-06	1.8E-06	6.05E-04	1.11E-09	14	4.71E-02	7.34E-10	1.0E+06	7.3E-04
15	15	0.45538	4.28E-06	1.9E-06	6.05E-04	1.18E-09	14	4.71E-02	7.78E-10	1.0E+06	7.8E-04
16	16	0.48138	4.28E-06	2.1E-06	6.05E-04	1.25E-09	14	4.71E-02	8.22E-10	1.0E+06	8.2E-04
17	17	0.5078	4.28E-06	2.2E-06	6.05E-04	1.31E-09	14	4.71E-02	8.67E-10	1.0E+06	8.7E-04
18	18	0.53362	4.28E-06	2.3E-06	6.05E-04	1.38E-09	14	4.71E-02	9.11E-10	1.0E+06	9.1E-04
19	19	0.55833	4.28E-06	2.4E-06	6.05E-04	1.44E-09	14	4.71E-02	9.54E-10	1.0E+06	9.5E-04
20	20	0.58107	4.28E-06	2.5E-06	6.05E-04	1.50E-09	14	4.71E-02	9.92E-10	1.0E+06	9.9E-04
21	21	0.60082	4.28E-06	2.6E-06	6.05E-04	1.55E-09	14	4.71E-02	1.03E-09	1.0E+06	1.0E-03
22	22	0.61695	4.28E-06	2.6E-06	6.05E-04	1.60E-09	14	4.71E-02	1.05E-09	1.0E+06	1.1E-03
23	23	0.62878	4.28E-06	2.7E-06	6.05E-04	1.63E-09	14	4.71E-02	1.07E-09	1.0E+06	1.1E-03
24	24	0.63627	4.28E-06	2.7E-06	6.05E-04	1.65E-09	14	4.71E-02	1.09E-09	1.0E+06	1.1E-03
25	25	0.64015	4.28E-06	2.7E-06	6.05E-04	1.66E-09	14	4.71E-02	1.09E-09	1.0E+06	1.1E-03
26	26	0.64185	4.28E-06	2.7E-06	6.05E-04	1.66E-09	14	4.71E-02	1.10E-09	1.0E+06	1.1E-03
27	27	0.64337	4.28E-06	2.8E-06	6.05E-04	1.66E-09	14	4.71E-02	1.10E-09	1.0E+06	1.1E-03
28	28	0.64658	4.28E-06	2.8E-06	6.05E-04	1.67E-09	14	4.71E-02	1.10E-09	1.0E+06	1.1E-03
29	29	0.65279	4.28E-06	2.8E-06	6.05E-04	1.69E-09	14	4.71E-02	1.11E-09	1.0E+06	1.1E-03
30	30	0.66194	4.28E-06	2.8E-06	6.05E-04	1.71E-09	14	4.71E-02	1.13E-09	1.0E+06	1.1E-03
31	31	0.67286	4.28E-06	2.9E-06	6.05E-04	1.74E-09	14	4.71E-02	1.15E-09	1.0E+06	1.1E-03

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
32	32	0.68379	4.28E-06	2.9E-06	6.05E-04	1.77E-09	14	4.71E-02	1.17E-09	1.0E+06	1.2E-03
55	55	0.70895	4.28E-06	3.0E-06	6.05E-04	1.83E-09	14	4.71E-02	1.21E-09	1.0E+06	1.2E-03
56	56	0.72426	4.28E-06	3.1E-06	6.05E-04	1.87E-09	14	4.71E-02	1.24E-09	1.0E+06	1.2E-03
57	57	0.73408	4.28E-06	3.1E-06	6.05E-04	1.90E-09	14	4.71E-02	1.25E-09	1.0E+06	1.3E-03
58	58	0.73904	4.28E-06	3.2E-06	6.05E-04	1.91E-09	14	4.71E-02	1.26E-09	1.0E+06	1.3E-03
59	59	0.74151	4.28E-06	3.2E-06	6.05E-04	1.92E-09	14	4.71E-02	1.27E-09	1.0E+06	1.3E-03
60	60	0.74458	4.28E-06	3.2E-06	6.05E-04	1.93E-09	14	4.71E-02	1.27E-09	1.0E+06	1.3E-03
61	61	0.75105	4.28E-06	3.2E-06	6.05E-04	1.94E-09	14	4.71E-02	1.28E-09	1.0E+06	1.3E-03
62	62	0.76114	4.28E-06	3.3E-06	6.05E-04	1.97E-09	14	4.71E-02	1.30E-09	1.0E+06	1.3E-03
63	63	0.77394	4.28E-06	3.3E-06	6.05E-04	2.00E-09	14	4.71E-02	1.32E-09	1.0E+06	1.3E-03
64	64	0.78702	4.28E-06	3.4E-06	6.05E-04	2.04E-09	14	4.71E-02	1.34E-09	1.0E+06	1.3E-03
65	65	0.79774	4.28E-06	3.4E-06	6.05E-04	2.06E-09	14	4.71E-02	1.36E-09	1.0E+06	1.4E-03
66	66	0.8043	4.28E-06	3.4E-06	6.05E-04	2.08E-09	14	4.71E-02	1.37E-09	1.0E+06	1.4E-03
67	67	0.21945	4.28E-06	9.4E-07	6.05E-04	5.68E-10	14	4.71E-02	3.75E-10	1.0E+06	3.7E-04
68	68	0.23249	4.28E-06	9.9E-07	6.05E-04	6.02E-10	14	4.71E-02	3.97E-10	1.0E+06	4.0E-04
69	69	0.24665	4.28E-06	1.1E-06	6.05E-04	6.38E-10	14	4.71E-02	4.21E-10	1.0E+06	4.2E-04
70	70	0.26207	4.28E-06	1.1E-06	6.05E-04	6.78E-10	14	4.71E-02	4.48E-10	1.0E+06	4.5E-04
71	71	0.27874	4.28E-06	1.2E-06	6.05E-04	7.21E-10	14	4.71E-02	4.76E-10	1.0E+06	4.8E-04
72	72	0.29722	4.28E-06	1.3E-06	6.05E-04	7.69E-10	14	4.71E-02	5.08E-10	1.0E+06	5.1E-04
73	73	0.31733	4.28E-06	1.4E-06	6.05E-04	8.21E-10	14	4.71E-02	5.42E-10	1.0E+06	5.4E-04
74	74	0.33924	4.28E-06	1.5E-06	6.05E-04	8.78E-10	14	4.71E-02	5.79E-10	1.0E+06	5.8E-04
75	75	0.36312	4.28E-06	1.6E-06	6.05E-04	9.40E-10	14	4.71E-02	6.20E-10	1.0E+06	6.2E-04
76	76	0.38924	4.28E-06	1.7E-06	6.05E-04	1.01E-09	14	4.71E-02	6.65E-10	1.0E+06	6.6E-04
77	77	0.41774	4.28E-06	1.8E-06	6.05E-04	1.08E-09	14	4.71E-02	7.13E-10	1.0E+06	7.1E-04
78	78	0.44888	4.28E-06	1.9E-06	6.05E-04	1.16E-09	14	4.71E-02	7.67E-10	1.0E+06	7.7E-04
79	79	0.63835	4.28E-06	2.7E-06	6.05E-04	1.65E-09	14	4.71E-02	1.09E-09	1.0E+06	1.1E-03
80	80	0.68063	4.28E-06	2.9E-06	6.05E-04	1.76E-09	14	4.71E-02	1.16E-09	1.0E+06	1.2E-03
81	81	0.72279	4.28E-06	3.1E-06	6.05E-04	1.87E-09	14	4.71E-02	1.23E-09	1.0E+06	1.2E-03
82	82	0.76221	4.28E-06	3.3E-06	6.05E-04	1.97E-09	14	4.71E-02	1.30E-09	1.0E+06	1.3E-03
83	83	0.79747	4.28E-06	3.4E-06	6.05E-04	2.06E-09	14	4.71E-02	1.36E-09	1.0E+06	1.4E-03
84	84	0.82587	4.28E-06	3.5E-06	6.05E-04	2.14E-09	14	4.71E-02	1.41E-09	1.0E+06	1.4E-03

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
85	85	0.84655	4.28E-06	3.6E-06	6.05E-04	2.19E-09	14	4.71E-02	1.45E-09	1.0E+06	1.4E-03
86	86	0.85917	4.28E-06	3.7E-06	6.05E-04	2.22E-09	14	4.71E-02	1.47E-09	1.0E+06	1.5E-03
87	87	0.86555	4.28E-06	3.7E-06	6.05E-04	2.24E-09	14	4.71E-02	1.48E-09	1.0E+06	1.5E-03
88	88	0.86989	4.28E-06	3.7E-06	6.05E-04	2.25E-09	14	4.71E-02	1.49E-09	1.0E+06	1.5E-03
89	89	0.87644	4.28E-06	3.7E-06	6.05E-04	2.27E-09	14	4.71E-02	1.50E-09	1.0E+06	1.5E-03
90	90	0.88754	4.28E-06	3.8E-06	6.05E-04	2.30E-09	14	4.71E-02	1.52E-09	1.0E+06	1.5E-03
91	91	0.90281	4.28E-06	3.9E-06	6.05E-04	2.34E-09	14	4.71E-02	1.54E-09	1.0E+06	1.5E-03
92	92	0.91845	4.28E-06	3.9E-06	6.05E-04	2.38E-09	14	4.71E-02	1.57E-09	1.0E+06	1.6E-03
93	93	0.93141	4.28E-06	4.0E-06	6.05E-04	2.41E-09	14	4.71E-02	1.59E-09	1.0E+06	1.6E-03
96	96	0.95435	4.28E-06	4.1E-06	6.05E-04	2.47E-09	14	4.71E-02	1.63E-09	1.0E+06	1.6E-03
97	97	0.98106	4.28E-06	4.2E-06	6.05E-04	2.54E-09	14	4.71E-02	1.68E-09	1.0E+06	1.7E-03
98	98	1.04045	4.28E-06	4.4E-06	6.05E-04	2.69E-09	14	4.71E-02	1.78E-09	1.0E+06	1.8E-03
99	99	1.05332	4.28E-06	4.5E-06	6.05E-04	2.73E-09	14	4.71E-02	1.80E-09	1.0E+06	1.8E-03
100	100	1.07146	4.28E-06	4.6E-06	6.05E-04	2.77E-09	14	4.71E-02	1.83E-09	1.0E+06	1.8E-03
101	101	1.09088	4.28E-06	4.7E-06	6.05E-04	2.82E-09	14	4.71E-02	1.86E-09	1.0E+06	1.9E-03
102	102	1.1058	4.28E-06	4.7E-06	6.05E-04	2.86E-09	14	4.71E-02	1.89E-09	1.0E+06	1.9E-03
106	106	0.2208	4.28E-06	9.4E-07	6.05E-04	5.71E-10	14	4.71E-02	3.77E-10	1.0E+06	3.8E-04
107	107	0.23488	4.28E-06	1.0E-06	6.05E-04	6.08E-10	14	4.71E-02	4.01E-10	1.0E+06	4.0E-04
108	108	0.25006	4.28E-06	1.1E-06	6.05E-04	6.47E-10	14	4.71E-02	4.27E-10	1.0E+06	4.3E-04
109	109	0.26674	4.28E-06	1.1E-06	6.05E-04	6.90E-10	14	4.71E-02	4.56E-10	1.0E+06	4.6E-04
110	110	0.28515	4.28E-06	1.2E-06	6.05E-04	7.38E-10	14	4.71E-02	4.87E-10	1.0E+06	4.9E-04
111	111	0.30533	4.28E-06	1.3E-06	6.05E-04	7.90E-10	14	4.71E-02	5.21E-10	1.0E+06	5.2E-04
112	112	0.32807	4.28E-06	1.4E-06	6.05E-04	8.49E-10	14	4.71E-02	5.60E-10	1.0E+06	5.6E-04
113	113	0.35308	4.28E-06	1.5E-06	6.05E-04	9.14E-10	14	4.71E-02	6.03E-10	1.0E+06	6.0E-04
114	114	0.38096	4.28E-06	1.6E-06	6.05E-04	9.86E-10	14	4.71E-02	6.51E-10	1.0E+06	6.5E-04
115	115	0.41187	4.28E-06	1.8E-06	6.05E-04	1.07E-09	14	4.71E-02	7.03E-10	1.0E+06	7.0E-04
116	116	0.44614	4.28E-06	1.9E-06	6.05E-04	1.15E-09	14	4.71E-02	7.62E-10	1.0E+06	7.6E-04
117	117	0.48492	4.28E-06	2.1E-06	6.05E-04	1.25E-09	14	4.71E-02	8.28E-10	1.0E+06	8.3E-04
118	118	0.52822	4.28E-06	2.3E-06	6.05E-04	1.37E-09	14	4.71E-02	9.02E-10	1.0E+06	9.0E-04
124	124	0.22743	4.28E-06	9.7E-07	6.05E-04	5.89E-10	14	4.71E-02	3.88E-10	1.0E+06	3.9E-04
125	125	0.2422	4.28E-06	1.0E-06	6.05E-04	6.27E-10	14	4.71E-02	4.14E-10	1.0E+06	4.1E-04

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
126	126	0.25847	4.28E-06	1.1E-06	6.05E-04	6.69E-10	14	4.71E-02	4.41E-10	1.0E+06	4.4E-04
127	127	0.27647	4.28E-06	1.2E-06	6.05E-04	7.15E-10	14	4.71E-02	4.72E-10	1.0E+06	4.7E-04
128	128	0.29644	4.28E-06	1.3E-06	6.05E-04	7.67E-10	14	4.71E-02	5.06E-10	1.0E+06	5.1E-04
129	129	0.31852	4.28E-06	1.4E-06	6.05E-04	8.24E-10	14	4.71E-02	5.44E-10	1.0E+06	5.4E-04
130	130	0.34349	4.28E-06	1.5E-06	6.05E-04	8.89E-10	14	4.71E-02	5.87E-10	1.0E+06	5.9E-04
131	131	0.37131	4.28E-06	1.6E-06	6.05E-04	9.61E-10	14	4.71E-02	6.34E-10	1.0E+06	6.3E-04
132	132	0.4026	4.28E-06	1.7E-06	6.05E-04	1.04E-09	14	4.71E-02	6.88E-10	1.0E+06	6.9E-04
133	133	0.43765	4.28E-06	1.9E-06	6.05E-04	1.13E-09	14	4.71E-02	7.47E-10	1.0E+06	7.5E-04
134	134	0.4775	4.28E-06	2.0E-06	6.05E-04	1.24E-09	14	4.71E-02	8.15E-10	1.0E+06	8.2E-04
135	135	0.52237	4.28E-06	2.2E-06	6.05E-04	1.35E-09	14	4.71E-02	8.92E-10	1.0E+06	8.9E-04
136	136	0.57322	4.28E-06	2.5E-06	6.05E-04	1.48E-09	14	4.71E-02	9.79E-10	1.0E+06	9.8E-04
137	137	0.63056	4.28E-06	2.7E-06	6.05E-04	1.63E-09	14	4.71E-02	1.08E-09	1.0E+06	1.1E-03
138	138	0.69649	4.28E-06	3.0E-06	6.05E-04	1.80E-09	14	4.71E-02	1.19E-09	1.0E+06	1.2E-03
141	141	0.23351	4.28E-06	1.0E-06	6.05E-04	6.04E-10	14	4.71E-02	3.99E-10	1.0E+06	4.0E-04
142	142	0.24921	4.28E-06	1.1E-06	6.05E-04	6.45E-10	14	4.71E-02	4.26E-10	1.0E+06	4.3E-04
143	143	0.26658	4.28E-06	1.1E-06	6.05E-04	6.90E-10	14	4.71E-02	4.55E-10	1.0E+06	4.6E-04
144	144	0.28589	4.28E-06	1.2E-06	6.05E-04	7.40E-10	14	4.71E-02	4.88E-10	1.0E+06	4.9E-04
145	145	0.30743	4.28E-06	1.3E-06	6.05E-04	7.96E-10	14	4.71E-02	5.25E-10	1.0E+06	5.3E-04
146	146	0.33143	4.28E-06	1.4E-06	6.05E-04	8.58E-10	14	4.71E-02	5.66E-10	1.0E+06	5.7E-04
147	147	0.35872	4.28E-06	1.5E-06	6.05E-04	9.28E-10	14	4.71E-02	6.13E-10	1.0E+06	6.1E-04
148	148	0.38937	4.28E-06	1.7E-06	6.05E-04	1.01E-09	14	4.71E-02	6.65E-10	1.0E+06	6.6E-04
149	149	0.42415	4.28E-06	1.8E-06	6.05E-04	1.10E-09	14	4.71E-02	7.24E-10	1.0E+06	7.2E-04
150	150	0.46365	4.28E-06	2.0E-06	6.05E-04	1.20E-09	14	4.71E-02	7.92E-10	1.0E+06	7.9E-04
151	151	0.50889	4.28E-06	2.2E-06	6.05E-04	1.32E-09	14	4.71E-02	8.69E-10	1.0E+06	8.7E-04
152	152	0.56078	4.28E-06	2.4E-06	6.05E-04	1.45E-09	14	4.71E-02	9.58E-10	1.0E+06	9.6E-04
153	153	0.62054	4.28E-06	2.7E-06	6.05E-04	1.61E-09	14	4.71E-02	1.06E-09	1.0E+06	1.1E-03
154	154	0.68909	4.28E-06	2.9E-06	6.05E-04	1.78E-09	14	4.71E-02	1.18E-09	1.0E+06	1.2E-03
155	155	0.76884	4.28E-06	3.3E-06	6.05E-04	1.99E-09	14	4.71E-02	1.31E-09	1.0E+06	1.3E-03
164	164	0.75051	4.28E-06	3.2E-06	6.05E-04	1.94E-09	14	4.71E-02	1.28E-09	1.0E+06	1.3E-03
165	165	0.84671	4.28E-06	3.6E-06	6.05E-04	2.19E-09	14	4.71E-02	1.45E-09	1.0E+06	1.4E-03
166	166	0.96252	4.28E-06	4.1E-06	6.05E-04	2.49E-09	14	4.71E-02	1.64E-09	1.0E+06	1.6E-03

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
178	178	0.81289	4.28E-06	3.5E-06	6.05E-04	2.10E-09	14	4.71E-02	1.39E-09	1.0E+06	1.4E-03
179	179	0.92806	4.28E-06	4.0E-06	6.05E-04	2.40E-09	14	4.71E-02	1.58E-09	1.0E+06	1.6E-03
180	180	1.07	4.28E-06	4.6E-06	6.05E-04	2.77E-09	14	4.71E-02	1.83E-09	1.0E+06	1.8E-03
192	192	0.87396	4.28E-06	3.7E-06	6.05E-04	2.26E-09	14	4.71E-02	1.49E-09	1.0E+06	1.5E-03
193	193	1.00978	4.28E-06	4.3E-06	6.05E-04	2.61E-09	14	4.71E-02	1.72E-09	1.0E+06	1.7E-03
194	194	1.17994	4.28E-06	5.0E-06	6.05E-04	3.05E-09	14	4.71E-02	2.02E-09	1.0E+06	2.0E-03
207	207	0.92987	4.28E-06	4.0E-06	6.05E-04	2.41E-09	14	4.71E-02	1.59E-09	1.0E+06	1.6E-03
208	208	1.08556	4.28E-06	4.6E-06	6.05E-04	2.81E-09	14	4.71E-02	1.85E-09	1.0E+06	1.9E-03
209	209	1.28546	4.28E-06	5.5E-06	6.05E-04	3.33E-09	14	4.71E-02	2.20E-09	1.0E+06	2.2E-03
223	223	0.97741	4.28E-06	4.2E-06	6.05E-04	2.53E-09	14	4.71E-02	1.67E-09	1.0E+06	1.7E-03
224	224	1.15079	4.28E-06	4.9E-06	6.05E-04	2.98E-09	14	4.71E-02	1.97E-09	1.0E+06	2.0E-03
225	225	1.37623	4.28E-06	5.9E-06	6.05E-04	3.56E-09	14	4.71E-02	2.35E-09	1.0E+06	2.4E-03
239	239	1.01377	4.28E-06	4.3E-06	6.05E-04	2.62E-09	14	4.71E-02	1.73E-09	1.0E+06	1.7E-03
240	240	1.20121	4.28E-06	5.1E-06	6.05E-04	3.11E-09	14	4.71E-02	2.05E-09	1.0E+06	2.1E-03
241	241	1.44897	4.28E-06	6.2E-06	6.05E-04	3.75E-09	14	4.71E-02	2.47E-09	1.0E+06	2.5E-03
255	255	1.03615	4.28E-06	4.4E-06	6.05E-04	2.68E-09	14	4.71E-02	1.77E-09	1.0E+06	1.8E-03
256	256	1.23272	4.28E-06	5.3E-06	6.05E-04	3.19E-09	14	4.71E-02	2.11E-09	1.0E+06	2.1E-03
272	272	1.04307	4.28E-06	4.5E-06	6.05E-04	2.70E-09	14	4.71E-02	1.78E-09	1.0E+06	1.8E-03
273	273	1.24349	4.28E-06	5.3E-06	6.05E-04	3.22E-09	14	4.71E-02	2.12E-09	1.0E+06	2.1E-03
289	289	1.0354	4.28E-06	4.4E-06	6.05E-04	2.68E-09	14	4.71E-02	1.77E-09	1.0E+06	1.8E-03
290	290	1.23302	4.28E-06	5.3E-06	6.05E-04	3.19E-09	14	4.71E-02	2.11E-09	1.0E+06	2.1E-03
306	306	1.01363	4.28E-06	4.3E-06	6.05E-04	2.62E-09	14	4.71E-02	1.73E-09	1.0E+06	1.7E-03
307	307	1.2029	4.28E-06	5.1E-06	6.05E-04	3.11E-09	14	4.71E-02	2.05E-09	1.0E+06	2.1E-03
323	323	0.98003	4.28E-06	4.2E-06	6.05E-04	2.54E-09	14	4.71E-02	1.67E-09	1.0E+06	1.7E-03
324	324	1.15627	4.28E-06	4.9E-06	6.05E-04	2.99E-09	14	4.71E-02	1.97E-09	1.0E+06	2.0E-03
342	342	0.9375	4.28E-06	4.0E-06	6.05E-04	2.43E-09	14	4.71E-02	1.60E-09	1.0E+06	1.6E-03
343	343	1.09759	4.28E-06	4.7E-06	6.05E-04	2.84E-09	14	4.71E-02	1.87E-09	1.0E+06	1.9E-03
344	344	1.30327	4.28E-06	5.6E-06	6.05E-04	3.37E-09	14	4.71E-02	2.23E-09	1.0E+06	2.2E-03
356	356	0.88881	4.28E-06	3.8E-06	6.05E-04	2.30E-09	14	4.71E-02	1.52E-09	1.0E+06	1.5E-03
357	357	1.03119	4.28E-06	4.4E-06	6.05E-04	2.67E-09	14	4.71E-02	1.76E-09	1.0E+06	1.8E-03
358	358	1.21112	4.28E-06	5.2E-06	6.05E-04	3.13E-09	14	4.71E-02	2.07E-09	1.0E+06	2.1E-03

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	0.83678	4.28E-06	3.6E-06	6.05E-04	2.17E-09	14	4.71E-02	1.43E-09	1.0E+06	1.4E-03
371	371	0.96146	4.28E-06	4.1E-06	6.05E-04	2.49E-09	14	4.71E-02	1.64E-09	1.0E+06	1.6E-03
372	372	1.11599	4.28E-06	4.8E-06	6.05E-04	2.89E-09	14	4.71E-02	1.91E-09	1.0E+06	1.9E-03
383	383	0.78343	4.28E-06	3.4E-06	6.05E-04	2.03E-09	14	4.71E-02	1.34E-09	1.0E+06	1.3E-03
384	384	0.89136	4.28E-06	3.8E-06	6.05E-04	2.31E-09	14	4.71E-02	1.52E-09	1.0E+06	1.5E-03
385	385	1.02245	4.28E-06	4.4E-06	6.05E-04	2.65E-09	14	4.71E-02	1.75E-09	1.0E+06	1.7E-03
396	396	0.73047	4.28E-06	3.1E-06	6.05E-04	1.89E-09	14	4.71E-02	1.25E-09	1.0E+06	1.2E-03
397	397	0.82311	4.28E-06	3.5E-06	6.05E-04	2.13E-09	14	4.71E-02	1.41E-09	1.0E+06	1.4E-03
398	398	0.93355	4.28E-06	4.0E-06	6.05E-04	2.42E-09	14	4.71E-02	1.59E-09	1.0E+06	1.6E-03
399	399	1.06654	4.28E-06	4.6E-06	6.05E-04	2.76E-09	14	4.71E-02	1.82E-09	1.0E+06	1.8E-03
411	411	0.6791	4.28E-06	2.9E-06	6.05E-04	1.76E-09	14	4.71E-02	1.16E-09	1.0E+06	1.2E-03
412	412	0.75827	4.28E-06	3.2E-06	6.05E-04	1.96E-09	14	4.71E-02	1.29E-09	1.0E+06	1.3E-03
413	413	0.85125	4.28E-06	3.6E-06	6.05E-04	2.20E-09	14	4.71E-02	1.45E-09	1.0E+06	1.5E-03
414	414	0.96101	4.28E-06	4.1E-06	6.05E-04	2.49E-09	14	4.71E-02	1.64E-09	1.0E+06	1.6E-03
426	426	0.63034	4.28E-06	2.7E-06	6.05E-04	1.63E-09	14	4.71E-02	1.08E-09	1.0E+06	1.1E-03
427	427	0.698	4.28E-06	3.0E-06	6.05E-04	1.81E-09	14	4.71E-02	1.19E-09	1.0E+06	1.2E-03
428	428	0.77625	4.28E-06	3.3E-06	6.05E-04	2.01E-09	14	4.71E-02	1.33E-09	1.0E+06	1.3E-03
429	429	0.86745	4.28E-06	3.7E-06	6.05E-04	2.24E-09	14	4.71E-02	1.48E-09	1.0E+06	1.5E-03
439	439	0.58471	4.28E-06	2.5E-06	6.05E-04	1.51E-09	14	4.71E-02	9.99E-10	1.0E+06	1.0E-03
440	440	0.64271	4.28E-06	2.7E-06	6.05E-04	1.66E-09	14	4.71E-02	1.10E-09	1.0E+06	1.1E-03
441	441	0.70905	4.28E-06	3.0E-06	6.05E-04	1.83E-09	14	4.71E-02	1.21E-09	1.0E+06	1.2E-03
442	442	0.7853	4.28E-06	3.4E-06	6.05E-04	2.03E-09	14	4.71E-02	1.34E-09	1.0E+06	1.3E-03
443	443	0.87312	4.28E-06	3.7E-06	6.05E-04	2.26E-09	14	4.71E-02	1.49E-09	1.0E+06	1.5E-03
454	454	0.54262	4.28E-06	2.3E-06	6.05E-04	1.40E-09	14	4.71E-02	9.27E-10	1.0E+06	9.3E-04
455	455	0.59257	4.28E-06	2.5E-06	6.05E-04	1.53E-09	14	4.71E-02	1.01E-09	1.0E+06	1.0E-03
456	456	0.64914	4.28E-06	2.8E-06	6.05E-04	1.68E-09	14	4.71E-02	1.11E-09	1.0E+06	1.1E-03
457	457	0.71336	4.28E-06	3.1E-06	6.05E-04	1.85E-09	14	4.71E-02	1.22E-09	1.0E+06	1.2E-03
458	458	0.78619	4.28E-06	3.4E-06	6.05E-04	2.03E-09	14	4.71E-02	1.34E-09	1.0E+06	1.3E-03
469	469	0.5041	4.28E-06	2.2E-06	6.05E-04	1.30E-09	14	4.71E-02	8.61E-10	1.0E+06	8.6E-04
470	470	0.54734	4.28E-06	2.3E-06	6.05E-04	1.42E-09	14	4.71E-02	9.35E-10	1.0E+06	9.3E-04
471	471	0.59589	4.28E-06	2.5E-06	6.05E-04	1.54E-09	14	4.71E-02	1.02E-09	1.0E+06	1.0E-03

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	0.65032	4.28E-06	2.8E-06	6.05E-04	1.68E-09	14	4.71E-02	1.11E-09	1.0E+06	1.1E-03
473	473	0.7111	4.28E-06	3.0E-06	6.05E-04	1.84E-09	14	4.71E-02	1.21E-09	1.0E+06	1.2E-03
489	489	0.46908	4.28E-06	2.0E-06	6.05E-04	1.21E-09	14	4.71E-02	8.01E-10	1.0E+06	8.0E-04
490	490	0.50674	4.28E-06	2.2E-06	6.05E-04	1.31E-09	14	4.71E-02	8.65E-10	1.0E+06	8.7E-04
491	491	0.54859	4.28E-06	2.3E-06	6.05E-04	1.42E-09	14	4.71E-02	9.37E-10	1.0E+06	9.4E-04
492	492	0.59495	4.28E-06	2.5E-06	6.05E-04	1.54E-09	14	4.71E-02	1.02E-09	1.0E+06	1.0E-03
493	493	0.64595	4.28E-06	2.8E-06	6.05E-04	1.67E-09	14	4.71E-02	1.10E-09	1.0E+06	1.1E-03
494	494	0.70138	4.28E-06	3.0E-06	6.05E-04	1.81E-09	14	4.71E-02	1.20E-09	1.0E+06	1.2E-03
509	509	0.43728	4.28E-06	1.9E-06	6.05E-04	1.13E-09	14	4.71E-02	7.47E-10	1.0E+06	7.5E-04
510	510	0.47023	4.28E-06	2.0E-06	6.05E-04	1.22E-09	14	4.71E-02	8.03E-10	1.0E+06	8.0E-04
511	511	0.5065	4.28E-06	2.2E-06	6.05E-04	1.31E-09	14	4.71E-02	8.65E-10	1.0E+06	8.7E-04
512	512	0.5462	4.28E-06	2.3E-06	6.05E-04	1.41E-09	14	4.71E-02	9.33E-10	1.0E+06	9.3E-04
513	513	0.58913	4.28E-06	2.5E-06	6.05E-04	1.52E-09	14	4.71E-02	1.01E-09	1.0E+06	1.0E-03
514	514	0.63517	4.28E-06	2.7E-06	6.05E-04	1.64E-09	14	4.71E-02	1.08E-09	1.0E+06	1.1E-03
515	515	0.7324	4.28E-06	3.1E-06	6.05E-04	1.90E-09	14	4.71E-02	1.25E-09	1.0E+06	1.3E-03
516	516	0.77984	4.28E-06	3.3E-06	6.05E-04	2.02E-09	14	4.71E-02	1.33E-09	1.0E+06	1.3E-03
517	517	0.8235	4.28E-06	3.5E-06	6.05E-04	2.13E-09	14	4.71E-02	1.41E-09	1.0E+06	1.4E-03
518	518	0.85859	4.28E-06	3.7E-06	6.05E-04	2.22E-09	14	4.71E-02	1.47E-09	1.0E+06	1.5E-03
519	519	0.88001	4.28E-06	3.8E-06	6.05E-04	2.28E-09	14	4.71E-02	1.50E-09	1.0E+06	1.5E-03
528	528	0.40845	4.28E-06	1.7E-06	6.05E-04	1.06E-09	14	4.71E-02	6.98E-10	1.0E+06	7.0E-04
529	529	0.43739	4.28E-06	1.9E-06	6.05E-04	1.13E-09	14	4.71E-02	7.47E-10	1.0E+06	7.5E-04
530	530	0.46892	4.28E-06	2.0E-06	6.05E-04	1.21E-09	14	4.71E-02	8.01E-10	1.0E+06	8.0E-04
531	531	0.50304	4.28E-06	2.2E-06	6.05E-04	1.30E-09	14	4.71E-02	8.59E-10	1.0E+06	8.6E-04
532	532	0.53949	4.28E-06	2.3E-06	6.05E-04	1.40E-09	14	4.71E-02	9.21E-10	1.0E+06	9.2E-04
533	533	0.57786	4.28E-06	2.5E-06	6.05E-04	1.50E-09	14	4.71E-02	9.87E-10	1.0E+06	9.9E-04
534	534	0.6571	4.28E-06	2.8E-06	6.05E-04	1.70E-09	14	4.71E-02	1.12E-09	1.0E+06	1.1E-03
535	535	0.69542	4.28E-06	3.0E-06	6.05E-04	1.80E-09	14	4.71E-02	1.19E-09	1.0E+06	1.2E-03
536	536	0.73077	4.28E-06	3.1E-06	6.05E-04	1.89E-09	14	4.71E-02	1.25E-09	1.0E+06	1.2E-03
537	537	0.7588	4.28E-06	3.2E-06	6.05E-04	1.96E-09	14	4.71E-02	1.30E-09	1.0E+06	1.3E-03
538	538	0.77648	4.28E-06	3.3E-06	6.05E-04	2.01E-09	14	4.71E-02	1.33E-09	1.0E+06	1.3E-03
547	547	0.38228	4.28E-06	1.6E-06	6.05E-04	9.89E-10	14	4.71E-02	6.53E-10	1.0E+06	6.5E-04

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.40777	4.28E-06	1.7E-06	6.05E-04	1.06E-09	14	4.71E-02	6.96E-10	1.0E+06	7.0E-04
549	549	0.43529	4.28E-06	1.9E-06	6.05E-04	1.13E-09	14	4.71E-02	7.43E-10	1.0E+06	7.4E-04
550	550	0.46464	4.28E-06	2.0E-06	6.05E-04	1.20E-09	14	4.71E-02	7.94E-10	1.0E+06	7.9E-04
551	551	0.49569	4.28E-06	2.1E-06	6.05E-04	1.28E-09	14	4.71E-02	8.47E-10	1.0E+06	8.5E-04
552	552	0.52791	4.28E-06	2.3E-06	6.05E-04	1.37E-09	14	4.71E-02	9.02E-10	1.0E+06	9.0E-04
553	553	0.56081	4.28E-06	2.4E-06	6.05E-04	1.45E-09	14	4.71E-02	9.58E-10	1.0E+06	9.6E-04
554	554	0.59331	4.28E-06	2.5E-06	6.05E-04	1.54E-09	14	4.71E-02	1.01E-09	1.0E+06	1.0E-03
555	555	0.6248	4.28E-06	2.7E-06	6.05E-04	1.62E-09	14	4.71E-02	1.07E-09	1.0E+06	1.1E-03
556	556	0.65378	4.28E-06	2.8E-06	6.05E-04	1.69E-09	14	4.71E-02	1.12E-09	1.0E+06	1.1E-03
557	557	0.67658	4.28E-06	2.9E-06	6.05E-04	1.75E-09	14	4.71E-02	1.16E-09	1.0E+06	1.2E-03
558	558	0.69187	4.28E-06	3.0E-06	6.05E-04	1.79E-09	14	4.71E-02	1.18E-09	1.0E+06	1.2E-03
559	559	0.69604	4.28E-06	3.0E-06	6.05E-04	1.80E-09	14	4.71E-02	1.19E-09	1.0E+06	1.2E-03
567	567	0.35848	4.28E-06	1.5E-06	6.05E-04	9.28E-10	14	4.71E-02	6.12E-10	1.0E+06	6.1E-04
568	568	0.38101	4.28E-06	1.6E-06	6.05E-04	9.86E-10	14	4.71E-02	6.51E-10	1.0E+06	6.5E-04
569	569	0.40507	4.28E-06	1.7E-06	6.05E-04	1.05E-09	14	4.71E-02	6.92E-10	1.0E+06	6.9E-04
570	570	0.4305	4.28E-06	1.8E-06	6.05E-04	1.11E-09	14	4.71E-02	7.35E-10	1.0E+06	7.4E-04
571	571	0.45703	4.28E-06	2.0E-06	6.05E-04	1.18E-09	14	4.71E-02	7.81E-10	1.0E+06	7.8E-04
572	572	0.48429	4.28E-06	2.1E-06	6.05E-04	1.25E-09	14	4.71E-02	8.27E-10	1.0E+06	8.3E-04
573	573	0.5118	4.28E-06	2.2E-06	6.05E-04	1.32E-09	14	4.71E-02	8.74E-10	1.0E+06	8.7E-04
574	574	0.56483	4.28E-06	2.4E-06	6.05E-04	1.46E-09	14	4.71E-02	9.65E-10	1.0E+06	9.6E-04
575	575	0.58871	4.28E-06	2.5E-06	6.05E-04	1.52E-09	14	4.71E-02	1.01E-09	1.0E+06	1.0E-03
576	576	0.60822	4.28E-06	2.6E-06	6.05E-04	1.57E-09	14	4.71E-02	1.04E-09	1.0E+06	1.0E-03
577	577	0.6212	4.28E-06	2.7E-06	6.05E-04	1.61E-09	14	4.71E-02	1.06E-09	1.0E+06	1.1E-03
578	578	0.62564	4.28E-06	2.7E-06	6.05E-04	1.62E-09	14	4.71E-02	1.07E-09	1.0E+06	1.1E-03
586	586	0.3368	4.28E-06	1.4E-06	6.05E-04	8.72E-10	14	4.71E-02	5.75E-10	1.0E+06	5.8E-04
587	587	0.35669	4.28E-06	1.5E-06	6.05E-04	9.23E-10	14	4.71E-02	6.09E-10	1.0E+06	6.1E-04
588	588	0.37779	4.28E-06	1.6E-06	6.05E-04	9.78E-10	14	4.71E-02	6.45E-10	1.0E+06	6.5E-04
589	589	0.39984	4.28E-06	1.7E-06	6.05E-04	1.03E-09	14	4.71E-02	6.83E-10	1.0E+06	6.8E-04
590	590	0.4226	4.28E-06	1.8E-06	6.05E-04	1.09E-09	14	4.71E-02	7.22E-10	1.0E+06	7.2E-04
591	591	0.44574	4.28E-06	1.9E-06	6.05E-04	1.15E-09	14	4.71E-02	7.61E-10	1.0E+06	7.6E-04
592	592	0.46891	4.28E-06	2.0E-06	6.05E-04	1.21E-09	14	4.71E-02	8.01E-10	1.0E+06	8.0E-04

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	0.51336	4.28E-06	2.2E-06	6.05E-04	1.33E-09	14	4.71E-02	8.77E-10	1.0E+06	8.8E-04
594	594	0.5334	4.28E-06	2.3E-06	6.05E-04	1.38E-09	14	4.71E-02	9.11E-10	1.0E+06	9.1E-04
595	595	0.54961	4.28E-06	2.4E-06	6.05E-04	1.42E-09	14	4.71E-02	9.39E-10	1.0E+06	9.4E-04
596	596	0.56074	4.28E-06	2.4E-06	6.05E-04	1.45E-09	14	4.71E-02	9.58E-10	1.0E+06	9.6E-04
597	597	0.56531	4.28E-06	2.4E-06	6.05E-04	1.46E-09	14	4.71E-02	9.65E-10	1.0E+06	9.7E-04
345	345	1.57495	4.28E-06	6.7E-06	6.05E-04	4.08E-09	14	4.71E-02	2.69E-09	1.0E+06	2.7E-03
346	346	1.94419	4.28E-06	8.3E-06	6.05E-04	5.03E-09	14	4.71E-02	3.32E-09	1.0E+06	3.3E-03
347	347	2.46715	4.28E-06	1.1E-05	6.05E-04	6.38E-09	14	4.71E-02	4.21E-09	1.0E+06	4.2E-03
348	348	3.24776	4.28E-06	1.4E-05	6.05E-04	8.40E-09	14	4.71E-02	5.55E-09	1.0E+06	5.5E-03
359	359	1.44326	4.28E-06	6.2E-06	6.05E-04	3.73E-09	14	4.71E-02	2.46E-09	1.0E+06	2.5E-03
360	360	1.74919	4.28E-06	7.5E-06	6.05E-04	4.53E-09	14	4.71E-02	2.99E-09	1.0E+06	3.0E-03
361	361	2.16727	4.28E-06	9.3E-06	6.05E-04	5.61E-09	14	4.71E-02	3.70E-09	1.0E+06	3.7E-03
362	362	2.75344	4.28E-06	1.2E-05	6.05E-04	7.12E-09	14	4.71E-02	4.70E-09	1.0E+06	4.7E-03
363	363	3.63329	4.28E-06	1.6E-05	6.05E-04	9.40E-09	14	4.71E-02	6.21E-09	1.0E+06	6.2E-03
373	373	1.56008	4.28E-06	6.7E-06	6.05E-04	4.04E-09	14	4.71E-02	2.66E-09	1.0E+06	2.7E-03
374	374	1.88564	4.28E-06	8.1E-06	6.05E-04	4.88E-09	14	4.71E-02	3.22E-09	1.0E+06	3.2E-03
375	375	2.32071	4.28E-06	9.9E-06	6.05E-04	6.01E-09	14	4.71E-02	3.96E-09	1.0E+06	4.0E-03
376	376	2.92594	4.28E-06	1.3E-05	6.05E-04	7.57E-09	14	4.71E-02	5.00E-09	1.0E+06	5.0E-03
386	386	1.38473	4.28E-06	5.9E-06	6.05E-04	3.58E-09	14	4.71E-02	2.36E-09	1.0E+06	2.4E-03
387	387	1.63827	4.28E-06	7.0E-06	6.05E-04	4.24E-09	14	4.71E-02	2.80E-09	1.0E+06	2.8E-03
388	388	1.96199	4.28E-06	8.4E-06	6.05E-04	5.08E-09	14	4.71E-02	3.35E-09	1.0E+06	3.4E-03
389	389	2.38686	4.28E-06	1.0E-05	6.05E-04	6.18E-09	14	4.71E-02	4.08E-09	1.0E+06	4.1E-03
390	390	2.94578	4.28E-06	1.3E-05	6.05E-04	7.62E-09	14	4.71E-02	5.03E-09	1.0E+06	5.0E-03
400	400	1.22836	4.28E-06	5.3E-06	6.05E-04	3.18E-09	14	4.71E-02	2.10E-09	1.0E+06	2.1E-03
401	401	1.42547	4.28E-06	6.1E-06	6.05E-04	3.69E-09	14	4.71E-02	2.43E-09	1.0E+06	2.4E-03
402	402	1.67161	4.28E-06	7.1E-06	6.05E-04	4.33E-09	14	4.71E-02	2.85E-09	1.0E+06	2.9E-03
403	403	1.97512	4.28E-06	8.4E-06	6.05E-04	5.11E-09	14	4.71E-02	3.37E-09	1.0E+06	3.4E-03
404	404	2.34508	4.28E-06	1.0E-05	6.05E-04	6.07E-09	14	4.71E-02	4.01E-09	1.0E+06	4.0E-03
415	415	1.09193	4.28E-06	4.7E-06	6.05E-04	2.83E-09	14	4.71E-02	1.86E-09	1.0E+06	1.9E-03
416	416	1.24865	4.28E-06	5.3E-06	6.05E-04	3.23E-09	14	4.71E-02	2.13E-09	1.0E+06	2.1E-03
417	417	1.43544	4.28E-06	6.1E-06	6.05E-04	3.71E-09	14	4.71E-02	2.45E-09	1.0E+06	2.5E-03

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	1.66131	4.28E-06	7.1E-06	6.05E-04	4.30E-09	14	4.71E-02	2.84E-09	1.0E+06	2.8E-03
419	419	1.91911	4.28E-06	8.2E-06	6.05E-04	4.97E-09	14	4.71E-02	3.28E-09	1.0E+06	3.3E-03
420	420	2.17594	4.28E-06	9.3E-06	6.05E-04	5.63E-09	14	4.71E-02	3.72E-09	1.0E+06	3.7E-03
430	430	1.09897	4.28E-06	4.7E-06	6.05E-04	2.84E-09	14	4.71E-02	1.88E-09	1.0E+06	1.9E-03
431	431	1.24567	4.28E-06	5.3E-06	6.05E-04	3.22E-09	14	4.71E-02	2.13E-09	1.0E+06	2.1E-03
432	432	1.41345	4.28E-06	6.0E-06	6.05E-04	3.66E-09	14	4.71E-02	2.41E-09	1.0E+06	2.4E-03
433	433	1.59687	4.28E-06	6.8E-06	6.05E-04	4.13E-09	14	4.71E-02	2.73E-09	1.0E+06	2.7E-03
434	434	1.77747	4.28E-06	7.6E-06	6.05E-04	4.60E-09	14	4.71E-02	3.04E-09	1.0E+06	3.0E-03
444	444	0.97405	4.28E-06	4.2E-06	6.05E-04	2.52E-09	14	4.71E-02	1.66E-09	1.0E+06	1.7E-03
445	445	1.08859	4.28E-06	4.7E-06	6.05E-04	2.82E-09	14	4.71E-02	1.86E-09	1.0E+06	1.9E-03
446	446	1.21622	4.28E-06	5.2E-06	6.05E-04	3.15E-09	14	4.71E-02	2.08E-09	1.0E+06	2.1E-03
447	447	1.3507	4.28E-06	5.8E-06	6.05E-04	3.50E-09	14	4.71E-02	2.31E-09	1.0E+06	2.3E-03
448	448	1.47938	4.28E-06	6.3E-06	6.05E-04	3.83E-09	14	4.71E-02	2.53E-09	1.0E+06	2.5E-03
459	459	0.95916	4.28E-06	4.1E-06	6.05E-04	2.48E-09	14	4.71E-02	1.64E-09	1.0E+06	1.6E-03
460	460	1.05744	4.28E-06	4.5E-06	6.05E-04	2.74E-09	14	4.71E-02	1.81E-09	1.0E+06	1.8E-03
461	461	1.15829	4.28E-06	5.0E-06	6.05E-04	3.00E-09	14	4.71E-02	1.98E-09	1.0E+06	2.0E-03
462	462	1.25278	4.28E-06	5.4E-06	6.05E-04	3.24E-09	14	4.71E-02	2.14E-09	1.0E+06	2.1E-03
463	463	1.32636	4.28E-06	5.7E-06	6.05E-04	3.43E-09	14	4.71E-02	2.27E-09	1.0E+06	2.3E-03
474	474	0.85099	4.28E-06	3.6E-06	6.05E-04	2.20E-09	14	4.71E-02	1.45E-09	1.0E+06	1.5E-03
475	475	0.92773	4.28E-06	4.0E-06	6.05E-04	2.40E-09	14	4.71E-02	1.58E-09	1.0E+06	1.6E-03
476	476	1.00541	4.28E-06	4.3E-06	6.05E-04	2.60E-09	14	4.71E-02	1.72E-09	1.0E+06	1.7E-03
477	477	1.07646	4.28E-06	4.6E-06	6.05E-04	2.79E-09	14	4.71E-02	1.84E-09	1.0E+06	1.8E-03
478	478	1.13259	4.28E-06	4.8E-06	6.05E-04	2.93E-09	14	4.71E-02	1.93E-09	1.0E+06	1.9E-03
495	495	0.76038	4.28E-06	3.3E-06	6.05E-04	1.97E-09	14	4.71E-02	1.30E-09	1.0E+06	1.3E-03
496	496	0.82109	4.28E-06	3.5E-06	6.05E-04	2.12E-09	14	4.71E-02	1.40E-09	1.0E+06	1.4E-03
497	497	0.88156	4.28E-06	3.8E-06	6.05E-04	2.28E-09	14	4.71E-02	1.51E-09	1.0E+06	1.5E-03
498	498	0.93682	4.28E-06	4.0E-06	6.05E-04	2.42E-09	14	4.71E-02	1.60E-09	1.0E+06	1.6E-03
499	499	0.98055	4.28E-06	4.2E-06	6.05E-04	2.54E-09	14	4.71E-02	1.67E-09	1.0E+06	1.7E-03
500	500	1.00545	4.28E-06	4.3E-06	6.05E-04	2.60E-09	14	4.71E-02	1.72E-09	1.0E+06	1.7E-03

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	0.77015	4.28E-06	3.3E-06	6.05E-04	1.99E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
140	140	0.85373	4.28E-06	3.7E-06	6.05E-04	2.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
156	156	0.86185	4.28E-06	3.7E-06	6.05E-04	2.23E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
157	157	0.96886	4.28E-06	4.1E-06	6.05E-04	2.51E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
158	158	1.09321	4.28E-06	4.7E-06	6.05E-04	2.83E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
159	159	1.23469	4.28E-06	5.3E-06	6.05E-04	3.19E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
160	160	1.39217	4.28E-06	6.0E-06	6.05E-04	3.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
161	161	1.73328	4.28E-06	7.4E-06	6.05E-04	4.49E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
162	162	1.8836	4.28E-06	8.1E-06	6.05E-04	4.87E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
163	163	1.98896	4.28E-06	8.5E-06	6.05E-04	5.15E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
167	167	1.09775	4.28E-06	4.7E-06	6.05E-04	2.84E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
168	168	1.26633	4.28E-06	5.4E-06	6.05E-04	3.28E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
169	169	1.46462	4.28E-06	6.3E-06	6.05E-04	3.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
170	170	1.69944	4.28E-06	7.3E-06	6.05E-04	4.40E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
171	171	1.96982	4.28E-06	8.4E-06	6.05E-04	5.10E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
172	172	2.26494	4.28E-06	9.7E-06	6.05E-04	5.86E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
173	173	2.53849	4.28E-06	1.1E-05	6.05E-04	6.57E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
174	174	2.73932	4.28E-06	1.2E-05	6.05E-04	7.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
175	175	2.85624	4.28E-06	1.2E-05	6.05E-04	7.39E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
176	176	2.95865	4.28E-06	1.3E-05	6.05E-04	7.66E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
177	177	3.01946	4.28E-06	1.3E-05	6.05E-04	7.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
181	181	1.46485	4.28E-06	6.3E-06	6.05E-04	3.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
182	182	1.74095	4.28E-06	7.4E-06	6.05E-04	4.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
183	183	2.09592	4.28E-06	9.0E-06	6.05E-04	5.42E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
184	184	2.54568	4.28E-06	1.1E-05	6.05E-04	6.59E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
185	185	3.10057	4.28E-06	1.3E-05	6.05E-04	8.02E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
186	186	3.69985	4.28E-06	1.6E-05	6.05E-04	9.57E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
187	187	4.16167	4.28E-06	1.8E-05	6.05E-04	1.08E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
188	188	4.44986	4.28E-06	1.9E-05	6.05E-04	1.15E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
189	189	4.60315	4.28E-06	2.0E-05	6.05E-04	1.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
190	190	4.45777	4.28E-06	1.9E-05	6.05E-04	1.15E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	4.09102	4.28E-06	1.7E-05	6.05E-04	1.06E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
195	195	1.68265	4.28E-06	7.2E-06	6.05E-04	4.35E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
196	196	2.06154	4.28E-06	8.8E-06	6.05E-04	5.33E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
197	197	2.58496	4.28E-06	1.1E-05	6.05E-04	6.69E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
198	198	3.34037	4.28E-06	1.4E-05	6.05E-04	8.64E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
199	199	4.46171	4.28E-06	1.9E-05	6.05E-04	1.15E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
200	200	6.09633	4.28E-06	2.6E-05	6.05E-04	1.58E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
201	201	7.82306	4.28E-06	3.3E-05	6.05E-04	2.02E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
202	202	8.64887	4.28E-06	3.7E-05	6.05E-04	2.24E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
203	203	7.9084	4.28E-06	3.4E-05	6.05E-04	2.05E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
204	204	6.59578	4.28E-06	2.8E-05	6.05E-04	1.71E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
205	205	5.42084	4.28E-06	2.3E-05	6.05E-04	1.40E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
206	206	4.48301	4.28E-06	1.9E-05	6.05E-04	1.16E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
210	210	1.53935	4.28E-06	6.6E-06	6.05E-04	3.98E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
211	211	1.90312	4.28E-06	8.1E-06	6.05E-04	4.92E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
212	212	2.40073	4.28E-06	1.0E-05	6.05E-04	6.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
213	213	3.14059	4.28E-06	1.3E-05	6.05E-04	8.13E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
214	214	6.51783	4.28E-06	2.8E-05	6.05E-04	1.69E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
215	215	11.7359	4.28E-06	5.0E-05	6.05E-04	3.04E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
216	216	9.13055	4.28E-06	3.9E-05	6.05E-04	2.36E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
217	217	21.76746	4.28E-06	9.3E-05	6.05E-04	5.63E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
218	218	12.99165	4.28E-06	5.6E-05	6.05E-04	3.36E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
219	219	8.91151	4.28E-06	3.8E-05	6.05E-04	2.31E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
220	220	6.62629	4.28E-06	2.8E-05	6.05E-04	1.71E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
221	221	5.15461	4.28E-06	2.2E-05	6.05E-04	1.33E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
222	222	4.1243	4.28E-06	1.8E-05	6.05E-04	1.07E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
226	226	1.67862	4.28E-06	7.2E-06	6.05E-04	4.34E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
227	227	2.10703	4.28E-06	9.0E-06	6.05E-04	5.45E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
228	228	2.72217	4.28E-06	1.2E-05	6.05E-04	7.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
229	229	3.68368	4.28E-06	1.6E-05	6.05E-04	9.53E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
230	230	5.33895	4.28E-06	2.3E-05	6.05E-04	1.38E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	8.71013	4.28E-06	3.7E-05	6.05E-04	2.25E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
232	232	19.12937	4.28E-06	8.2E-05	6.05E-04	4.95E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
233	233	37.43557	4.28E-06	1.6E-04	6.05E-04	9.69E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
234	234	16.95043	4.28E-06	7.2E-05	6.05E-04	4.39E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
235	235	10.5792	4.28E-06	4.5E-05	6.05E-04	2.74E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
236	236	7.45665	4.28E-06	3.2E-05	6.05E-04	1.93E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
237	237	5.5857	4.28E-06	2.4E-05	6.05E-04	1.45E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
238	238	4.33411	4.28E-06	1.9E-05	6.05E-04	1.12E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
242	242	1.78599	4.28E-06	7.6E-06	6.05E-04	4.62E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
243	243	2.26785	4.28E-06	9.7E-06	6.05E-04	5.87E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
244	244	2.97225	4.28E-06	1.3E-05	6.05E-04	7.69E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
245	245	4.11132	4.28E-06	1.8E-05	6.05E-04	1.06E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
246	246	6.12343	4.28E-06	2.6E-05	6.05E-04	1.58E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
247	247	10.35873	4.28E-06	4.4E-05	6.05E-04	2.68E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
248	248	23.253	4.28E-06	9.9E-05	6.05E-04	6.02E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
249	249	44.27674	4.28E-06	1.9E-04	6.05E-04	1.15E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
250	250	19.32476	4.28E-06	8.3E-05	6.05E-04	5.00E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
251	251	11.59906	4.28E-06	5.0E-05	6.05E-04	3.00E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
252	252	7.93225	4.28E-06	3.4E-05	6.05E-04	2.05E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
253	253	5.77719	4.28E-06	2.5E-05	6.05E-04	1.49E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
254	254	4.37196	4.28E-06	1.9E-05	6.05E-04	1.13E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
257	257	1.85474	4.28E-06	7.9E-06	6.05E-04	4.80E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
258	258	2.37204	4.28E-06	1.0E-05	6.05E-04	6.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
259	259	3.14863	4.28E-06	1.3E-05	6.05E-04	8.15E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
260	260	4.37781	4.28E-06	1.9E-05	6.05E-04	1.13E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
261	261	6.62452	4.28E-06	2.8E-05	6.05E-04	1.71E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
262	262	11.28156	4.28E-06	4.8E-05	6.05E-04	2.92E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
263	263	24.87597	4.28E-06	1.1E-04	6.05E-04	6.44E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
264	264	48.20937	4.28E-06	2.1E-04	6.05E-04	1.25E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
265	265	20.891	4.28E-06	8.9E-05	6.05E-04	5.41E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
266	266	12.19131	4.28E-06	5.2E-05	6.05E-04	3.15E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	8.08551	4.28E-06	3.5E-05	6.05E-04	2.09E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
268	268	5.72719	4.28E-06	2.4E-05	6.05E-04	1.48E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
269	269	4.23615	4.28E-06	1.8E-05	6.05E-04	1.10E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
270	270	2.02939	4.28E-06	8.7E-06	6.05E-04	5.25E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
271	271	1.65796	4.28E-06	7.1E-06	6.05E-04	4.29E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
274	274	1.87933	4.28E-06	8.0E-06	6.05E-04	4.86E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
275	275	2.40765	4.28E-06	1.0E-05	6.05E-04	6.23E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
276	276	3.2114	4.28E-06	1.4E-05	6.05E-04	8.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
277	277	4.48652	4.28E-06	1.9E-05	6.05E-04	1.16E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
278	278	6.79205	4.28E-06	2.9E-05	6.05E-04	1.76E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
279	279	11.56744	4.28E-06	4.9E-05	6.05E-04	2.99E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
280	280	24.93802	4.28E-06	1.1E-04	6.05E-04	6.45E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
281	281	49.77326	4.28E-06	2.1E-04	6.05E-04	1.29E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
282	282	21.49075	4.28E-06	9.2E-05	6.05E-04	5.56E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
283	283	12.21367	4.28E-06	5.2E-05	6.05E-04	3.16E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
284	284	7.85042	4.28E-06	3.4E-05	6.05E-04	2.03E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
285	285	5.42064	4.28E-06	2.3E-05	6.05E-04	1.40E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
286	286	3.93292	4.28E-06	1.7E-05	6.05E-04	1.02E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
287	287	1.85002	4.28E-06	7.9E-06	6.05E-04	4.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
288	288	1.51589	4.28E-06	6.5E-06	6.05E-04	3.92E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
291	291	1.85792	4.28E-06	7.9E-06	6.05E-04	4.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
292	292	2.37442	4.28E-06	1.0E-05	6.05E-04	6.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
293	293	3.15574	4.28E-06	1.3E-05	6.05E-04	8.17E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
294	294	4.40911	4.28E-06	1.9E-05	6.05E-04	1.14E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
295	295	6.62766	4.28E-06	2.8E-05	6.05E-04	1.71E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
296	296	11.27917	4.28E-06	4.8E-05	6.05E-04	2.92E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
297	297	24.59712	4.28E-06	1.1E-04	6.05E-04	6.36E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
298	298	50.07272	4.28E-06	2.1E-04	6.05E-04	1.30E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
299	299	21.15449	4.28E-06	9.0E-05	6.05E-04	5.47E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
300	300	11.54567	4.28E-06	4.9E-05	6.05E-04	2.99E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
301	301	7.18531	4.28E-06	3.1E-05	6.05E-04	1.86E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	302	4.86554	4.28E-06	2.1E-05	6.05E-04	1.26E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
303	303	3.503	4.28E-06	1.5E-05	6.05E-04	9.06E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
304	304	1.66857	4.28E-06	7.1E-06	6.05E-04	4.32E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
305	305	1.37659	4.28E-06	5.9E-06	6.05E-04	3.56E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
308	308	1.79413	4.28E-06	7.7E-06	6.05E-04	4.64E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
309	309	2.27729	4.28E-06	9.7E-06	6.05E-04	5.89E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
310	310	2.99718	4.28E-06	1.3E-05	6.05E-04	7.76E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
311	311	4.14529	4.28E-06	1.8E-05	6.05E-04	1.07E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
312	312	6.18893	4.28E-06	2.6E-05	6.05E-04	1.60E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
313	313	10.44421	4.28E-06	4.5E-05	6.05E-04	2.70E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
314	314	22.83291	4.28E-06	9.8E-05	6.05E-04	5.91E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
315	315	48.25536	4.28E-06	2.1E-04	6.05E-04	1.25E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
316	316	19.00365	4.28E-06	8.1E-05	6.05E-04	4.92E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
317	317	9.94072	4.28E-06	4.3E-05	6.05E-04	2.57E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
318	318	6.12238	4.28E-06	2.6E-05	6.05E-04	1.58E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
319	319	4.16398	4.28E-06	1.8E-05	6.05E-04	1.08E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
320	320	3.03351	4.28E-06	1.3E-05	6.05E-04	7.85E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
321	321	1.50137	4.28E-06	6.4E-06	6.05E-04	3.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
322	322	1.25111	4.28E-06	5.4E-06	6.05E-04	3.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
325	325	1.69574	4.28E-06	7.3E-06	6.05E-04	4.39E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
326	326	2.12688	4.28E-06	9.1E-06	6.05E-04	5.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
327	327	2.75624	4.28E-06	1.2E-05	6.05E-04	7.13E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
328	328	3.73993	4.28E-06	1.6E-05	6.05E-04	9.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
329	329	5.40989	4.28E-06	2.3E-05	6.05E-04	1.40E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
330	330	8.83729	4.28E-06	3.8E-05	6.05E-04	2.29E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
331	331	18.59129	4.28E-06	8.0E-05	6.05E-04	4.81E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
332	332	28.63099	4.28E-06	1.2E-04	6.05E-04	7.41E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
333	333	20.57544	4.28E-06	8.8E-05	6.05E-04	5.32E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
334	334	14.23375	4.28E-06	6.1E-05	6.05E-04	3.68E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
335	335	7.7589	4.28E-06	3.3E-05	6.05E-04	2.01E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
336	336	4.97426	4.28E-06	2.1E-05	6.05E-04	1.29E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
337	337	3.49658	4.28E-06	1.5E-05	6.05E-04	9.05E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
338	338	2.61095	4.28E-06	1.1E-05	6.05E-04	6.76E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
339	339	1.64148	4.28E-06	7.0E-06	6.05E-04	4.25E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
340	340	1.35791	4.28E-06	5.8E-06	6.05E-04	3.51E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
341	341	1.14392	4.28E-06	4.9E-06	6.05E-04	2.96E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
349	349	4.49967	4.28E-06	1.9E-05	6.05E-04	1.16E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
350	350	6.77399	4.28E-06	2.9E-05	6.05E-04	1.75E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
351	351	11.75491	4.28E-06	5.0E-05	6.05E-04	3.04E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
352	352	22.81215	4.28E-06	9.8E-05	6.05E-04	5.90E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
353	353	1.47982	4.28E-06	6.3E-06	6.05E-04	3.83E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
354	354	1.23852	4.28E-06	5.3E-06	6.05E-04	3.20E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
355	355	1.05345	4.28E-06	4.5E-06	6.05E-04	2.73E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
364	364	5.02682	4.28E-06	2.1E-05	6.05E-04	1.30E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
365	365	7.35731	4.28E-06	3.1E-05	6.05E-04	1.90E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
366	366	10.17878	4.28E-06	4.4E-05	6.05E-04	2.63E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
367	367	1.34556	4.28E-06	5.8E-06	6.05E-04	3.48E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
368	368	1.13595	4.28E-06	4.9E-06	6.05E-04	2.94E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
369	369	0.97442	4.28E-06	4.2E-06	6.05E-04	2.52E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
377	377	3.79307	4.28E-06	1.6E-05	6.05E-04	9.82E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
378	378	4.97819	4.28E-06	2.1E-05	6.05E-04	1.29E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
379	379	6.10344	4.28E-06	2.6E-05	6.05E-04	1.58E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
380	380	1.22664	4.28E-06	5.2E-06	6.05E-04	3.17E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
381	381	1.04288	4.28E-06	4.5E-06	6.05E-04	2.70E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
382	382	0.90242	4.28E-06	3.9E-06	6.05E-04	2.34E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
391	391	3.6103	4.28E-06	1.5E-05	6.05E-04	9.34E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
392	392	4.17442	4.28E-06	1.8E-05	6.05E-04	1.08E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
393	393	1.12191	4.28E-06	4.8E-06	6.05E-04	2.90E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
394	394	0.96255	4.28E-06	4.1E-06	6.05E-04	2.49E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
395	395	0.83874	4.28E-06	3.6E-06	6.05E-04	2.17E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
405	405	2.75489	4.28E-06	1.2E-05	6.05E-04	7.13E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
406	406	3.08427	4.28E-06	1.3E-05	6.05E-04	7.98E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
407	407	3.17387	4.28E-06	1.4E-05	6.05E-04	8.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
408	408	1.03028	4.28E-06	4.4E-06	6.05E-04	2.67E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
409	409	0.88989	4.28E-06	3.8E-06	6.05E-04	2.30E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
410	410	0.78135	4.28E-06	3.3E-06	6.05E-04	2.02E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
421	421	2.3903	4.28E-06	1.0E-05	6.05E-04	6.19E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
422	422	2.46336	4.28E-06	1.1E-05	6.05E-04	6.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
423	423	0.94758	4.28E-06	4.1E-06	6.05E-04	2.45E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
424	424	0.82463	4.28E-06	3.5E-06	6.05E-04	2.13E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
425	425	0.72814	4.28E-06	3.1E-06	6.05E-04	1.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
435	435	1.9161	4.28E-06	8.2E-06	6.05E-04	4.96E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
436	436	1.97656	4.28E-06	8.5E-06	6.05E-04	5.11E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
437	437	0.76586	4.28E-06	3.3E-06	6.05E-04	1.98E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
438	438	0.67851	4.28E-06	2.9E-06	6.05E-04	1.76E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
449	449	1.57686	4.28E-06	6.7E-06	6.05E-04	4.08E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
450	450	1.62656	4.28E-06	7.0E-06	6.05E-04	4.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
451	451	1.60061	4.28E-06	6.8E-06	6.05E-04	4.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
452	452	0.71176	4.28E-06	3.0E-06	6.05E-04	1.84E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
453	453	0.63379	4.28E-06	2.7E-06	6.05E-04	1.64E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
464	464	1.36447	4.28E-06	5.8E-06	6.05E-04	3.53E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
465	465	1.35315	4.28E-06	5.8E-06	6.05E-04	3.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
466	466	0.84332	4.28E-06	3.6E-06	6.05E-04	2.18E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
467	467	0.66276	4.28E-06	2.8E-06	6.05E-04	1.71E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
468	468	0.59326	4.28E-06	2.5E-06	6.05E-04	1.54E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
479	479	1.16046	4.28E-06	5.0E-06	6.05E-04	3.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
480	480	1.15941	4.28E-06	5.0E-06	6.05E-04	3.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
481	481	1.11897	4.28E-06	4.8E-06	6.05E-04	2.90E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
482	482	1.04921	4.28E-06	4.5E-06	6.05E-04	2.71E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
483	483	0.95913	4.28E-06	4.1E-06	6.05E-04	2.48E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
484	484	0.86467	4.28E-06	3.7E-06	6.05E-04	2.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
485	485	0.77297	4.28E-06	3.3E-06	6.05E-04	2.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
486	486	0.69058	4.28E-06	3.0E-06	6.05E-04	1.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	487	0.61827	4.28E-06	2.6E-06	6.05E-04	1.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
488	488	0.556	4.28E-06	2.4E-06	6.05E-04	1.44E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
501	501	1.00349	4.28E-06	4.3E-06	6.05E-04	2.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
502	502	0.97949	4.28E-06	4.2E-06	6.05E-04	2.53E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
503	503	0.92906	4.28E-06	4.0E-06	6.05E-04	2.40E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
504	504	0.86117	4.28E-06	3.7E-06	6.05E-04	2.23E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
505	505	0.78566	4.28E-06	3.4E-06	6.05E-04	2.03E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
506	506	0.71006	4.28E-06	3.0E-06	6.05E-04	1.84E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
507	507	0.64018	4.28E-06	2.7E-06	6.05E-04	1.66E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
508	508	0.52189	4.28E-06	2.2E-06	6.05E-04	1.35E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
520	520	0.88084	4.28E-06	3.8E-06	6.05E-04	2.28E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
521	521	0.86137	4.28E-06	3.7E-06	6.05E-04	2.23E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
522	522	0.82733	4.28E-06	3.5E-06	6.05E-04	2.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
523	523	0.77559	4.28E-06	3.3E-06	6.05E-04	2.01E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
524	524	0.71548	4.28E-06	3.1E-06	6.05E-04	1.85E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
525	525	0.65328	4.28E-06	2.8E-06	6.05E-04	1.69E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
526	526	0.59386	4.28E-06	2.5E-06	6.05E-04	1.54E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
527	527	0.49032	4.28E-06	2.1E-06	6.05E-04	1.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
539	539	0.78025	4.28E-06	3.3E-06	6.05E-04	2.02E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
540	540	0.76789	4.28E-06	3.3E-06	6.05E-04	1.99E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
541	541	0.73968	4.28E-06	3.2E-06	6.05E-04	1.91E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
542	542	0.6998	4.28E-06	3.0E-06	6.05E-04	1.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
543	543	0.65324	4.28E-06	2.8E-06	6.05E-04	1.69E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
544	544	0.60195	4.28E-06	2.6E-06	6.05E-04	1.56E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
545	545	0.55064	4.28E-06	2.4E-06	6.05E-04	1.42E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
546	546	0.46105	4.28E-06	2.0E-06	6.05E-04	1.19E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
560	560	0.688	4.28E-06	2.9E-06	6.05E-04	1.78E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
561	561	0.66777	4.28E-06	2.9E-06	6.05E-04	1.73E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
562	562	0.6364	4.28E-06	2.7E-06	6.05E-04	1.65E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
563	563	0.59613	4.28E-06	2.5E-06	6.05E-04	1.54E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
564	564	0.55512	4.28E-06	2.4E-06	6.05E-04	1.44E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.51352	4.28E-06	2.2E-06	6.05E-04	1.33E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
566	566	0.43455	4.28E-06	1.9E-06	6.05E-04	1.12E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
579	579	0.62005	4.28E-06	2.7E-06	6.05E-04	1.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
580	580	0.60489	4.28E-06	2.6E-06	6.05E-04	1.57E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
581	581	0.58091	4.28E-06	2.5E-06	6.05E-04	1.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
582	582	0.54977	4.28E-06	2.4E-06	6.05E-04	1.42E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
583	583	0.51451	4.28E-06	2.2E-06	6.05E-04	1.33E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
584	584	0.47788	4.28E-06	2.0E-06	6.05E-04	1.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
585	585	0.40919	4.28E-06	1.7E-06	6.05E-04	1.06E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
598	598	0.56209	4.28E-06	2.4E-06	6.05E-04	1.45E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
599	599	0.55041	4.28E-06	2.4E-06	6.05E-04	1.42E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
600	600	0.53147	4.28E-06	2.3E-06	6.05E-04	1.38E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
601	601	0.5065	4.28E-06	2.2E-06	6.05E-04	1.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
602	602	0.47745	4.28E-06	2.0E-06	6.05E-04	1.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
603	603	0.44677	4.28E-06	1.9E-06	6.05E-04	1.16E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
604	604	0.41574	4.28E-06	1.8E-06	6.05E-04	1.08E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
0	0	0	4.28E-06	0.0E+00	6.05E-04	0.00E+00	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to Hughes) [TKC]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.20389	4.28E-06	8.7E-07	2.50E-04	2.18E-10	14	1.15E-02	3.50E-11	1.0E+06	3.5E-05
2	2	0.21492	4.28E-06	9.2E-07	2.50E-04	2.30E-10	14	1.15E-02	3.69E-11	1.0E+06	3.7E-05
3	3	0.2267	4.28E-06	9.7E-07	2.50E-04	2.43E-10	14	1.15E-02	3.90E-11	1.0E+06	3.9E-05
4	4	0.23938	4.28E-06	1.0E-06	2.50E-04	2.56E-10	14	1.15E-02	4.11E-11	1.0E+06	4.1E-05
5	5	0.25304	4.28E-06	1.1E-06	2.50E-04	2.71E-10	14	1.15E-02	4.35E-11	1.0E+06	4.3E-05
6	6	0.26793	4.28E-06	1.1E-06	2.50E-04	2.87E-10	14	1.15E-02	4.61E-11	1.0E+06	4.6E-05
7	7	0.28393	4.28E-06	1.2E-06	2.50E-04	3.04E-10	14	1.15E-02	4.88E-11	1.0E+06	4.9E-05
8	8	0.30103	4.28E-06	1.3E-06	2.50E-04	3.22E-10	14	1.15E-02	5.17E-11	1.0E+06	5.2E-05
9	9	0.31938	4.28E-06	1.4E-06	2.50E-04	3.42E-10	14	1.15E-02	5.49E-11	1.0E+06	5.5E-05
10	10	0.339	4.28E-06	1.4E-06	2.50E-04	3.63E-10	14	1.15E-02	5.83E-11	1.0E+06	5.8E-05
11	11	0.35986	4.28E-06	1.5E-06	2.50E-04	3.85E-10	14	1.15E-02	6.19E-11	1.0E+06	6.2E-05
12	12	0.38195	4.28E-06	1.6E-06	2.50E-04	4.09E-10	14	1.15E-02	6.57E-11	1.0E+06	6.6E-05
13	13	0.4054	4.28E-06	1.7E-06	2.50E-04	4.34E-10	14	1.15E-02	6.97E-11	1.0E+06	7.0E-05
14	14	0.42989	4.28E-06	1.8E-06	2.50E-04	4.60E-10	14	1.15E-02	7.39E-11	1.0E+06	7.4E-05
15	15	0.45538	4.28E-06	1.9E-06	2.50E-04	4.87E-10	14	1.15E-02	7.83E-11	1.0E+06	7.8E-05
16	16	0.48138	4.28E-06	2.1E-06	2.50E-04	5.15E-10	14	1.15E-02	8.27E-11	1.0E+06	8.3E-05
17	17	0.5078	4.28E-06	2.2E-06	2.50E-04	5.44E-10	14	1.15E-02	8.73E-11	1.0E+06	8.7E-05
18	18	0.53362	4.28E-06	2.3E-06	2.50E-04	5.71E-10	14	1.15E-02	9.17E-11	1.0E+06	9.2E-05
19	19	0.55833	4.28E-06	2.4E-06	2.50E-04	5.98E-10	14	1.15E-02	9.60E-11	1.0E+06	9.6E-05
20	20	0.58107	4.28E-06	2.5E-06	2.50E-04	6.22E-10	14	1.15E-02	9.99E-11	1.0E+06	1.0E-04
21	21	0.60082	4.28E-06	2.6E-06	2.50E-04	6.43E-10	14	1.15E-02	1.03E-10	1.0E+06	1.0E-04
22	22	0.61695	4.28E-06	2.6E-06	2.50E-04	6.60E-10	14	1.15E-02	1.06E-10	1.0E+06	1.1E-04
23	23	0.62878	4.28E-06	2.7E-06	2.50E-04	6.73E-10	14	1.15E-02	1.08E-10	1.0E+06	1.1E-04
24	24	0.63627	4.28E-06	2.7E-06	2.50E-04	6.81E-10	14	1.15E-02	1.09E-10	1.0E+06	1.1E-04
25	25	0.64015	4.28E-06	2.7E-06	2.50E-04	6.85E-10	14	1.15E-02	1.10E-10	1.0E+06	1.1E-04
26	26	0.64185	4.28E-06	2.7E-06	2.50E-04	6.87E-10	14	1.15E-02	1.10E-10	1.0E+06	1.1E-04
27	27	0.64337	4.28E-06	2.8E-06	2.50E-04	6.89E-10	14	1.15E-02	1.11E-10	1.0E+06	1.1E-04
28	28	0.64658	4.28E-06	2.8E-06	2.50E-04	6.92E-10	14	1.15E-02	1.11E-10	1.0E+06	1.1E-04
29	29	0.65279	4.28E-06	2.8E-06	2.50E-04	6.99E-10	14	1.15E-02	1.12E-10	1.0E+06	1.1E-04
30	30	0.66194	4.28E-06	2.8E-06	2.50E-04	7.08E-10	14	1.15E-02	1.14E-10	1.0E+06	1.1E-04
31	31	0.67286	4.28E-06	2.9E-06	2.50E-04	7.20E-10	14	1.15E-02	1.16E-10	1.0E+06	1.2E-04

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.68379	4.28E-06	2.9E-06	2.50E-04	7.32E-10	14	1.15E-02	1.18E-10	1.0E+06	1.2E-04
55	55	0.70895	4.28E-06	3.0E-06	2.50E-04	7.59E-10	14	1.15E-02	1.22E-10	1.0E+06	1.2E-04
56	56	0.72426	4.28E-06	3.1E-06	2.50E-04	7.75E-10	14	1.15E-02	1.24E-10	1.0E+06	1.2E-04
57	57	0.73408	4.28E-06	3.1E-06	2.50E-04	7.86E-10	14	1.15E-02	1.26E-10	1.0E+06	1.3E-04
58	58	0.73904	4.28E-06	3.2E-06	2.50E-04	7.91E-10	14	1.15E-02	1.27E-10	1.0E+06	1.3E-04
59	59	0.74151	4.28E-06	3.2E-06	2.50E-04	7.94E-10	14	1.15E-02	1.27E-10	1.0E+06	1.3E-04
60	60	0.74458	4.28E-06	3.2E-06	2.50E-04	7.97E-10	14	1.15E-02	1.28E-10	1.0E+06	1.3E-04
61	61	0.75105	4.28E-06	3.2E-06	2.50E-04	8.04E-10	14	1.15E-02	1.29E-10	1.0E+06	1.3E-04
62	62	0.76114	4.28E-06	3.3E-06	2.50E-04	8.15E-10	14	1.15E-02	1.31E-10	1.0E+06	1.3E-04
63	63	0.77394	4.28E-06	3.3E-06	2.50E-04	8.28E-10	14	1.15E-02	1.33E-10	1.0E+06	1.3E-04
64	64	0.78702	4.28E-06	3.4E-06	2.50E-04	8.42E-10	14	1.15E-02	1.35E-10	1.0E+06	1.4E-04
65	65	0.79774	4.28E-06	3.4E-06	2.50E-04	8.54E-10	14	1.15E-02	1.37E-10	1.0E+06	1.4E-04
66	66	0.8043	4.28E-06	3.4E-06	2.50E-04	8.61E-10	14	1.15E-02	1.38E-10	1.0E+06	1.4E-04
67	67	0.21945	4.28E-06	9.4E-07	2.50E-04	2.35E-10	14	1.15E-02	3.77E-11	1.0E+06	3.8E-05
68	68	0.23249	4.28E-06	9.9E-07	2.50E-04	2.49E-10	14	1.15E-02	4.00E-11	1.0E+06	4.0E-05
69	69	0.24665	4.28E-06	1.1E-06	2.50E-04	2.64E-10	14	1.15E-02	4.24E-11	1.0E+06	4.2E-05
70	70	0.26207	4.28E-06	1.1E-06	2.50E-04	2.80E-10	14	1.15E-02	4.50E-11	1.0E+06	4.5E-05
71	71	0.27874	4.28E-06	1.2E-06	2.50E-04	2.98E-10	14	1.15E-02	4.79E-11	1.0E+06	4.8E-05
72	72	0.29722	4.28E-06	1.3E-06	2.50E-04	3.18E-10	14	1.15E-02	5.11E-11	1.0E+06	5.1E-05
73	73	0.31733	4.28E-06	1.4E-06	2.50E-04	3.40E-10	14	1.15E-02	5.45E-11	1.0E+06	5.5E-05
74	74	0.33924	4.28E-06	1.5E-06	2.50E-04	3.63E-10	14	1.15E-02	5.83E-11	1.0E+06	5.8E-05
75	75	0.36312	4.28E-06	1.6E-06	2.50E-04	3.89E-10	14	1.15E-02	6.24E-11	1.0E+06	6.2E-05
76	76	0.38924	4.28E-06	1.7E-06	2.50E-04	4.17E-10	14	1.15E-02	6.69E-11	1.0E+06	6.7E-05
77	77	0.41774	4.28E-06	1.8E-06	2.50E-04	4.47E-10	14	1.15E-02	7.18E-11	1.0E+06	7.2E-05
78	78	0.44888	4.28E-06	1.9E-06	2.50E-04	4.80E-10	14	1.15E-02	7.72E-11	1.0E+06	7.7E-05
79	79	0.63835	4.28E-06	2.7E-06	2.50E-04	6.83E-10	14	1.15E-02	1.10E-10	1.0E+06	1.1E-04
80	80	0.68063	4.28E-06	2.9E-06	2.50E-04	7.28E-10	14	1.15E-02	1.17E-10	1.0E+06	1.2E-04
81	81	0.72279	4.28E-06	3.1E-06	2.50E-04	7.74E-10	14	1.15E-02	1.24E-10	1.0E+06	1.2E-04
82	82	0.76221	4.28E-06	3.3E-06	2.50E-04	8.16E-10	14	1.15E-02	1.31E-10	1.0E+06	1.3E-04
83	83	0.79747	4.28E-06	3.4E-06	2.50E-04	8.54E-10	14	1.15E-02	1.37E-10	1.0E+06	1.4E-04
84	84	0.82587	4.28E-06	3.5E-06	2.50E-04	8.84E-10	14	1.15E-02	1.42E-10	1.0E+06	1.4E-04

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	85	0.84655	4.28E-06	3.6E-06	2.50E-04	9.06E-10	14	1.15E-02	1.46E-10	1.0E+06	1.5E-04
86	86	0.85917	4.28E-06	3.7E-06	2.50E-04	9.20E-10	14	1.15E-02	1.48E-10	1.0E+06	1.5E-04
87	87	0.86555	4.28E-06	3.7E-06	2.50E-04	9.26E-10	14	1.15E-02	1.49E-10	1.0E+06	1.5E-04
88	88	0.86989	4.28E-06	3.7E-06	2.50E-04	9.31E-10	14	1.15E-02	1.50E-10	1.0E+06	1.5E-04
89	89	0.87644	4.28E-06	3.7E-06	2.50E-04	9.38E-10	14	1.15E-02	1.51E-10	1.0E+06	1.5E-04
90	90	0.88754	4.28E-06	3.8E-06	2.50E-04	9.50E-10	14	1.15E-02	1.53E-10	1.0E+06	1.5E-04
91	91	0.90281	4.28E-06	3.9E-06	2.50E-04	9.66E-10	14	1.15E-02	1.55E-10	1.0E+06	1.6E-04
92	92	0.91845	4.28E-06	3.9E-06	2.50E-04	9.83E-10	14	1.15E-02	1.58E-10	1.0E+06	1.6E-04
93	93	0.93141	4.28E-06	4.0E-06	2.50E-04	9.97E-10	14	1.15E-02	1.60E-10	1.0E+06	1.6E-04
96	96	0.95435	4.28E-06	4.1E-06	2.50E-04	1.02E-09	14	1.15E-02	1.64E-10	1.0E+06	1.6E-04
97	97	0.98106	4.28E-06	4.2E-06	2.50E-04	1.05E-09	14	1.15E-02	1.69E-10	1.0E+06	1.7E-04
98	98	1.04045	4.28E-06	4.4E-06	2.50E-04	1.11E-09	14	1.15E-02	1.79E-10	1.0E+06	1.8E-04
99	99	1.05332	4.28E-06	4.5E-06	2.50E-04	1.13E-09	14	1.15E-02	1.81E-10	1.0E+06	1.8E-04
100	100	1.07146	4.28E-06	4.6E-06	2.50E-04	1.15E-09	14	1.15E-02	1.84E-10	1.0E+06	1.8E-04
101	101	1.09088	4.28E-06	4.7E-06	2.50E-04	1.17E-09	14	1.15E-02	1.88E-10	1.0E+06	1.9E-04
102	102	1.1058	4.28E-06	4.7E-06	2.50E-04	1.18E-09	14	1.15E-02	1.90E-10	1.0E+06	1.9E-04
106	106	0.2208	4.28E-06	9.4E-07	2.50E-04	2.36E-10	14	1.15E-02	3.80E-11	1.0E+06	3.8E-05
107	107	0.23488	4.28E-06	1.0E-06	2.50E-04	2.51E-10	14	1.15E-02	4.04E-11	1.0E+06	4.0E-05
108	108	0.25006	4.28E-06	1.1E-06	2.50E-04	2.68E-10	14	1.15E-02	4.30E-11	1.0E+06	4.3E-05
109	109	0.26674	4.28E-06	1.1E-06	2.50E-04	2.85E-10	14	1.15E-02	4.59E-11	1.0E+06	4.6E-05
110	110	0.28515	4.28E-06	1.2E-06	2.50E-04	3.05E-10	14	1.15E-02	4.90E-11	1.0E+06	4.9E-05
111	111	0.30533	4.28E-06	1.3E-06	2.50E-04	3.27E-10	14	1.15E-02	5.25E-11	1.0E+06	5.2E-05
112	112	0.32807	4.28E-06	1.4E-06	2.50E-04	3.51E-10	14	1.15E-02	5.64E-11	1.0E+06	5.6E-05
113	113	0.35308	4.28E-06	1.5E-06	2.50E-04	3.78E-10	14	1.15E-02	6.07E-11	1.0E+06	6.1E-05
114	114	0.38096	4.28E-06	1.6E-06	2.50E-04	4.08E-10	14	1.15E-02	6.55E-11	1.0E+06	6.5E-05
115	115	0.41187	4.28E-06	1.8E-06	2.50E-04	4.41E-10	14	1.15E-02	7.08E-11	1.0E+06	7.1E-05
116	116	0.44614	4.28E-06	1.9E-06	2.50E-04	4.78E-10	14	1.15E-02	7.67E-11	1.0E+06	7.7E-05
117	117	0.48492	4.28E-06	2.1E-06	2.50E-04	5.19E-10	14	1.15E-02	8.34E-11	1.0E+06	8.3E-05
118	118	0.52822	4.28E-06	2.3E-06	2.50E-04	5.65E-10	14	1.15E-02	9.08E-11	1.0E+06	9.1E-05
124	124	0.22743	4.28E-06	9.7E-07	2.50E-04	2.43E-10	14	1.15E-02	3.91E-11	1.0E+06	3.9E-05
125	125	0.2422	4.28E-06	1.0E-06	2.50E-04	2.59E-10	14	1.15E-02	4.16E-11	1.0E+06	4.2E-05

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	126	0.25847	4.28E-06	1.1E-06	2.50E-04	2.77E-10	14	1.15E-02	4.44E-11	1.0E+06	4.4E-05
127	127	0.27647	4.28E-06	1.2E-06	2.50E-04	2.96E-10	14	1.15E-02	4.75E-11	1.0E+06	4.8E-05
128	128	0.29644	4.28E-06	1.3E-06	2.50E-04	3.17E-10	14	1.15E-02	5.10E-11	1.0E+06	5.1E-05
129	129	0.31852	4.28E-06	1.4E-06	2.50E-04	3.41E-10	14	1.15E-02	5.48E-11	1.0E+06	5.5E-05
130	130	0.34349	4.28E-06	1.5E-06	2.50E-04	3.68E-10	14	1.15E-02	5.90E-11	1.0E+06	5.9E-05
131	131	0.37131	4.28E-06	1.6E-06	2.50E-04	3.97E-10	14	1.15E-02	6.38E-11	1.0E+06	6.4E-05
132	132	0.4026	4.28E-06	1.7E-06	2.50E-04	4.31E-10	14	1.15E-02	6.92E-11	1.0E+06	6.9E-05
133	133	0.43765	4.28E-06	1.9E-06	2.50E-04	4.68E-10	14	1.15E-02	7.52E-11	1.0E+06	7.5E-05
134	134	0.4775	4.28E-06	2.0E-06	2.50E-04	5.11E-10	14	1.15E-02	8.21E-11	1.0E+06	8.2E-05
135	135	0.52237	4.28E-06	2.2E-06	2.50E-04	5.59E-10	14	1.15E-02	8.98E-11	1.0E+06	9.0E-05
136	136	0.57322	4.28E-06	2.5E-06	2.50E-04	6.14E-10	14	1.15E-02	9.85E-11	1.0E+06	9.9E-05
137	137	0.63056	4.28E-06	2.7E-06	2.50E-04	6.75E-10	14	1.15E-02	1.08E-10	1.0E+06	1.1E-04
138	138	0.69649	4.28E-06	3.0E-06	2.50E-04	7.45E-10	14	1.15E-02	1.20E-10	1.0E+06	1.2E-04
141	141	0.23351	4.28E-06	1.0E-06	2.50E-04	2.50E-10	14	1.15E-02	4.01E-11	1.0E+06	4.0E-05
142	142	0.24921	4.28E-06	1.1E-06	2.50E-04	2.67E-10	14	1.15E-02	4.28E-11	1.0E+06	4.3E-05
143	143	0.26658	4.28E-06	1.1E-06	2.50E-04	2.85E-10	14	1.15E-02	4.58E-11	1.0E+06	4.6E-05
144	144	0.28589	4.28E-06	1.2E-06	2.50E-04	3.06E-10	14	1.15E-02	4.91E-11	1.0E+06	4.9E-05
145	145	0.30743	4.28E-06	1.3E-06	2.50E-04	3.29E-10	14	1.15E-02	5.28E-11	1.0E+06	5.3E-05
146	146	0.33143	4.28E-06	1.4E-06	2.50E-04	3.55E-10	14	1.15E-02	5.70E-11	1.0E+06	5.7E-05
147	147	0.35872	4.28E-06	1.5E-06	2.50E-04	3.84E-10	14	1.15E-02	6.17E-11	1.0E+06	6.2E-05
148	148	0.38937	4.28E-06	1.7E-06	2.50E-04	4.17E-10	14	1.15E-02	6.69E-11	1.0E+06	6.7E-05
149	149	0.42415	4.28E-06	1.8E-06	2.50E-04	4.54E-10	14	1.15E-02	7.29E-11	1.0E+06	7.3E-05
150	150	0.46365	4.28E-06	2.0E-06	2.50E-04	4.96E-10	14	1.15E-02	7.97E-11	1.0E+06	8.0E-05
151	151	0.50889	4.28E-06	2.2E-06	2.50E-04	5.45E-10	14	1.15E-02	8.75E-11	1.0E+06	8.7E-05
152	152	0.56078	4.28E-06	2.4E-06	2.50E-04	6.00E-10	14	1.15E-02	9.64E-11	1.0E+06	9.6E-05
153	153	0.62054	4.28E-06	2.7E-06	2.50E-04	6.64E-10	14	1.15E-02	1.07E-10	1.0E+06	1.1E-04
154	154	0.68909	4.28E-06	2.9E-06	2.50E-04	7.38E-10	14	1.15E-02	1.18E-10	1.0E+06	1.2E-04
155	155	0.76884	4.28E-06	3.3E-06	2.50E-04	8.23E-10	14	1.15E-02	1.32E-10	1.0E+06	1.3E-04
164	164	0.75051	4.28E-06	3.2E-06	2.50E-04	8.03E-10	14	1.15E-02	1.29E-10	1.0E+06	1.3E-04
165	165	0.84671	4.28E-06	3.6E-06	2.50E-04	9.06E-10	14	1.15E-02	1.46E-10	1.0E+06	1.5E-04
166	166	0.96252	4.28E-06	4.1E-06	2.50E-04	1.03E-09	14	1.15E-02	1.65E-10	1.0E+06	1.7E-04

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	0.81289	4.28E-06	3.5E-06	2.50E-04	8.70E-10	14	1.15E-02	1.40E-10	1.0E+06	1.4E-04
179	179	0.92806	4.28E-06	4.0E-06	2.50E-04	9.93E-10	14	1.15E-02	1.60E-10	1.0E+06	1.6E-04
180	180	1.07	4.28E-06	4.6E-06	2.50E-04	1.15E-09	14	1.15E-02	1.84E-10	1.0E+06	1.8E-04
192	192	0.87396	4.28E-06	3.7E-06	2.50E-04	9.35E-10	14	1.15E-02	1.50E-10	1.0E+06	1.5E-04
193	193	1.00978	4.28E-06	4.3E-06	2.50E-04	1.08E-09	14	1.15E-02	1.74E-10	1.0E+06	1.7E-04
194	194	1.17994	4.28E-06	5.0E-06	2.50E-04	1.26E-09	14	1.15E-02	2.03E-10	1.0E+06	2.0E-04
207	207	0.92987	4.28E-06	4.0E-06	2.50E-04	9.95E-10	14	1.15E-02	1.60E-10	1.0E+06	1.6E-04
208	208	1.08556	4.28E-06	4.6E-06	2.50E-04	1.16E-09	14	1.15E-02	1.87E-10	1.0E+06	1.9E-04
209	209	1.28546	4.28E-06	5.5E-06	2.50E-04	1.38E-09	14	1.15E-02	2.21E-10	1.0E+06	2.2E-04
223	223	0.97741	4.28E-06	4.2E-06	2.50E-04	1.05E-09	14	1.15E-02	1.68E-10	1.0E+06	1.7E-04
224	224	1.15079	4.28E-06	4.9E-06	2.50E-04	1.23E-09	14	1.15E-02	1.98E-10	1.0E+06	2.0E-04
225	225	1.37623	4.28E-06	5.9E-06	2.50E-04	1.47E-09	14	1.15E-02	2.37E-10	1.0E+06	2.4E-04
239	239	1.01377	4.28E-06	4.3E-06	2.50E-04	1.09E-09	14	1.15E-02	1.74E-10	1.0E+06	1.7E-04
240	240	1.20121	4.28E-06	5.1E-06	2.50E-04	1.29E-09	14	1.15E-02	2.06E-10	1.0E+06	2.1E-04
241	241	1.44897	4.28E-06	6.2E-06	2.50E-04	1.55E-09	14	1.15E-02	2.49E-10	1.0E+06	2.5E-04
255	255	1.03615	4.28E-06	4.4E-06	2.50E-04	1.11E-09	14	1.15E-02	1.78E-10	1.0E+06	1.8E-04
256	256	1.23272	4.28E-06	5.3E-06	2.50E-04	1.32E-09	14	1.15E-02	2.12E-10	1.0E+06	2.1E-04
272	272	1.04307	4.28E-06	4.5E-06	2.50E-04	1.12E-09	14	1.15E-02	1.79E-10	1.0E+06	1.8E-04
273	273	1.24349	4.28E-06	5.3E-06	2.50E-04	1.33E-09	14	1.15E-02	2.14E-10	1.0E+06	2.1E-04
289	289	1.0354	4.28E-06	4.4E-06	2.50E-04	1.11E-09	14	1.15E-02	1.78E-10	1.0E+06	1.8E-04
290	290	1.23302	4.28E-06	5.3E-06	2.50E-04	1.32E-09	14	1.15E-02	2.12E-10	1.0E+06	2.1E-04
306	306	1.01363	4.28E-06	4.3E-06	2.50E-04	1.08E-09	14	1.15E-02	1.74E-10	1.0E+06	1.7E-04
307	307	1.2029	4.28E-06	5.1E-06	2.50E-04	1.29E-09	14	1.15E-02	2.07E-10	1.0E+06	2.1E-04
323	323	0.98003	4.28E-06	4.2E-06	2.50E-04	1.05E-09	14	1.15E-02	1.68E-10	1.0E+06	1.7E-04
324	324	1.15627	4.28E-06	4.9E-06	2.50E-04	1.24E-09	14	1.15E-02	1.99E-10	1.0E+06	2.0E-04
342	342	0.9375	4.28E-06	4.0E-06	2.50E-04	1.00E-09	14	1.15E-02	1.61E-10	1.0E+06	1.6E-04
343	343	1.09759	4.28E-06	4.7E-06	2.50E-04	1.17E-09	14	1.15E-02	1.89E-10	1.0E+06	1.9E-04
344	344	1.30327	4.28E-06	5.6E-06	2.50E-04	1.39E-09	14	1.15E-02	2.24E-10	1.0E+06	2.2E-04
356	356	0.88881	4.28E-06	3.8E-06	2.50E-04	9.51E-10	14	1.15E-02	1.53E-10	1.0E+06	1.5E-04
357	357	1.03119	4.28E-06	4.4E-06	2.50E-04	1.10E-09	14	1.15E-02	1.77E-10	1.0E+06	1.8E-04
358	358	1.21112	4.28E-06	5.2E-06	2.50E-04	1.30E-09	14	1.15E-02	2.08E-10	1.0E+06	2.1E-04

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	0.83678	4.28E-06	3.6E-06	2.50E-04	8.96E-10	14	1.15E-02	1.44E-10	1.0E+06	1.4E-04
371	371	0.96146	4.28E-06	4.1E-06	2.50E-04	1.03E-09	14	1.15E-02	1.65E-10	1.0E+06	1.7E-04
372	372	1.11599	4.28E-06	4.8E-06	2.50E-04	1.19E-09	14	1.15E-02	1.92E-10	1.0E+06	1.9E-04
383	383	0.78343	4.28E-06	3.4E-06	2.50E-04	8.39E-10	14	1.15E-02	1.35E-10	1.0E+06	1.3E-04
384	384	0.89136	4.28E-06	3.8E-06	2.50E-04	9.54E-10	14	1.15E-02	1.53E-10	1.0E+06	1.5E-04
385	385	1.02245	4.28E-06	4.4E-06	2.50E-04	1.09E-09	14	1.15E-02	1.76E-10	1.0E+06	1.8E-04
396	396	0.73047	4.28E-06	3.1E-06	2.50E-04	7.82E-10	14	1.15E-02	1.26E-10	1.0E+06	1.3E-04
397	397	0.82311	4.28E-06	3.5E-06	2.50E-04	8.81E-10	14	1.15E-02	1.41E-10	1.0E+06	1.4E-04
398	398	0.93355	4.28E-06	4.0E-06	2.50E-04	9.99E-10	14	1.15E-02	1.60E-10	1.0E+06	1.6E-04
399	399	1.06654	4.28E-06	4.6E-06	2.50E-04	1.14E-09	14	1.15E-02	1.83E-10	1.0E+06	1.8E-04
411	411	0.6791	4.28E-06	2.9E-06	2.50E-04	7.27E-10	14	1.15E-02	1.17E-10	1.0E+06	1.2E-04
412	412	0.75827	4.28E-06	3.2E-06	2.50E-04	8.12E-10	14	1.15E-02	1.30E-10	1.0E+06	1.3E-04
413	413	0.85125	4.28E-06	3.6E-06	2.50E-04	9.11E-10	14	1.15E-02	1.46E-10	1.0E+06	1.5E-04
414	414	0.96101	4.28E-06	4.1E-06	2.50E-04	1.03E-09	14	1.15E-02	1.65E-10	1.0E+06	1.7E-04
426	426	0.63034	4.28E-06	2.7E-06	2.50E-04	6.75E-10	14	1.15E-02	1.08E-10	1.0E+06	1.1E-04
427	427	0.698	4.28E-06	3.0E-06	2.50E-04	7.47E-10	14	1.15E-02	1.20E-10	1.0E+06	1.2E-04
428	428	0.77625	4.28E-06	3.3E-06	2.50E-04	8.31E-10	14	1.15E-02	1.33E-10	1.0E+06	1.3E-04
429	429	0.86745	4.28E-06	3.7E-06	2.50E-04	9.28E-10	14	1.15E-02	1.49E-10	1.0E+06	1.5E-04
439	439	0.58471	4.28E-06	2.5E-06	2.50E-04	6.26E-10	14	1.15E-02	1.01E-10	1.0E+06	1.0E-04
440	440	0.64271	4.28E-06	2.7E-06	2.50E-04	6.88E-10	14	1.15E-02	1.10E-10	1.0E+06	1.1E-04
441	441	0.70905	4.28E-06	3.0E-06	2.50E-04	7.59E-10	14	1.15E-02	1.22E-10	1.0E+06	1.2E-04
442	442	0.7853	4.28E-06	3.4E-06	2.50E-04	8.41E-10	14	1.15E-02	1.35E-10	1.0E+06	1.3E-04
443	443	0.87312	4.28E-06	3.7E-06	2.50E-04	9.35E-10	14	1.15E-02	1.50E-10	1.0E+06	1.5E-04
454	454	0.54262	4.28E-06	2.3E-06	2.50E-04	5.81E-10	14	1.15E-02	9.33E-11	1.0E+06	9.3E-05
455	455	0.59257	4.28E-06	2.5E-06	2.50E-04	6.34E-10	14	1.15E-02	1.02E-10	1.0E+06	1.0E-04
456	456	0.64914	4.28E-06	2.8E-06	2.50E-04	6.95E-10	14	1.15E-02	1.12E-10	1.0E+06	1.1E-04
457	457	0.71336	4.28E-06	3.1E-06	2.50E-04	7.64E-10	14	1.15E-02	1.23E-10	1.0E+06	1.2E-04
458	458	0.78619	4.28E-06	3.4E-06	2.50E-04	8.41E-10	14	1.15E-02	1.35E-10	1.0E+06	1.4E-04
469	469	0.5041	4.28E-06	2.2E-06	2.50E-04	5.40E-10	14	1.15E-02	8.67E-11	1.0E+06	8.7E-05
470	470	0.54734	4.28E-06	2.3E-06	2.50E-04	5.86E-10	14	1.15E-02	9.41E-11	1.0E+06	9.4E-05
471	471	0.59589	4.28E-06	2.5E-06	2.50E-04	6.38E-10	14	1.15E-02	1.02E-10	1.0E+06	1.0E-04

Via Oro
Risk From Via Oro (Carson to Hughes) [TKC]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	0.65032	4.28E-06	2.8E-06	2.50E-04	6.96E-10	14	1.15E-02	1.12E-10	1.0E+06	1.1E-04
473	473	0.7111	4.28E-06	3.0E-06	2.50E-04	7.61E-10	14	1.15E-02	1.22E-10	1.0E+06	1.2E-04
489	489	0.46908	4.28E-06	2.0E-06	2.50E-04	5.02E-10	14	1.15E-02	8.06E-11	1.0E+06	8.1E-05
490	490	0.50674	4.28E-06	2.2E-06	2.50E-04	5.42E-10	14	1.15E-02	8.71E-11	1.0E+06	8.7E-05
491	491	0.54859	4.28E-06	2.3E-06	2.50E-04	5.87E-10	14	1.15E-02	9.43E-11	1.0E+06	9.4E-05
492	492	0.59495	4.28E-06	2.5E-06	2.50E-04	6.37E-10	14	1.15E-02	1.02E-10	1.0E+06	1.0E-04
493	493	0.64595	4.28E-06	2.8E-06	2.50E-04	6.91E-10	14	1.15E-02	1.11E-10	1.0E+06	1.1E-04
494	494	0.70138	4.28E-06	3.0E-06	2.50E-04	7.51E-10	14	1.15E-02	1.21E-10	1.0E+06	1.2E-04
509	509	0.43728	4.28E-06	1.9E-06	2.50E-04	4.68E-10	14	1.15E-02	7.52E-11	1.0E+06	7.5E-05
510	510	0.47023	4.28E-06	2.0E-06	2.50E-04	5.03E-10	14	1.15E-02	8.08E-11	1.0E+06	8.1E-05
511	511	0.5065	4.28E-06	2.2E-06	2.50E-04	5.42E-10	14	1.15E-02	8.71E-11	1.0E+06	8.7E-05
512	512	0.5462	4.28E-06	2.3E-06	2.50E-04	5.85E-10	14	1.15E-02	9.39E-11	1.0E+06	9.4E-05
513	513	0.58913	4.28E-06	2.5E-06	2.50E-04	6.31E-10	14	1.15E-02	1.01E-10	1.0E+06	1.0E-04
514	514	0.63517	4.28E-06	2.7E-06	2.50E-04	6.80E-10	14	1.15E-02	1.09E-10	1.0E+06	1.1E-04
515	515	0.7324	4.28E-06	3.1E-06	2.50E-04	7.84E-10	14	1.15E-02	1.26E-10	1.0E+06	1.3E-04
516	516	0.77984	4.28E-06	3.3E-06	2.50E-04	8.35E-10	14	1.15E-02	1.34E-10	1.0E+06	1.3E-04
517	517	0.8235	4.28E-06	3.5E-06	2.50E-04	8.81E-10	14	1.15E-02	1.42E-10	1.0E+06	1.4E-04
518	518	0.85859	4.28E-06	3.7E-06	2.50E-04	9.19E-10	14	1.15E-02	1.48E-10	1.0E+06	1.5E-04
519	519	0.88001	4.28E-06	3.8E-06	2.50E-04	9.42E-10	14	1.15E-02	1.51E-10	1.0E+06	1.5E-04
528	528	0.40845	4.28E-06	1.7E-06	2.50E-04	4.37E-10	14	1.15E-02	7.02E-11	1.0E+06	7.0E-05
529	529	0.43739	4.28E-06	1.9E-06	2.50E-04	4.68E-10	14	1.15E-02	7.52E-11	1.0E+06	7.5E-05
530	530	0.46892	4.28E-06	2.0E-06	2.50E-04	5.02E-10	14	1.15E-02	8.06E-11	1.0E+06	8.1E-05
531	531	0.50304	4.28E-06	2.2E-06	2.50E-04	5.38E-10	14	1.15E-02	8.65E-11	1.0E+06	8.6E-05
532	532	0.53949	4.28E-06	2.3E-06	2.50E-04	5.77E-10	14	1.15E-02	9.27E-11	1.0E+06	9.3E-05
533	533	0.57786	4.28E-06	2.5E-06	2.50E-04	6.18E-10	14	1.15E-02	9.93E-11	1.0E+06	9.9E-05
534	534	0.6571	4.28E-06	2.8E-06	2.50E-04	7.03E-10	14	1.15E-02	1.13E-10	1.0E+06	1.1E-04
535	535	0.69542	4.28E-06	3.0E-06	2.50E-04	7.44E-10	14	1.15E-02	1.20E-10	1.0E+06	1.2E-04
536	536	0.73077	4.28E-06	3.1E-06	2.50E-04	7.82E-10	14	1.15E-02	1.26E-10	1.0E+06	1.3E-04
537	537	0.7588	4.28E-06	3.2E-06	2.50E-04	8.12E-10	14	1.15E-02	1.30E-10	1.0E+06	1.3E-04
538	538	0.77648	4.28E-06	3.3E-06	2.50E-04	8.31E-10	14	1.15E-02	1.33E-10	1.0E+06	1.3E-04
547	547	0.38228	4.28E-06	1.6E-06	2.50E-04	4.09E-10	14	1.15E-02	6.57E-11	1.0E+06	6.6E-05

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.40777	4.28E-06	1.7E-06	2.50E-04	4.36E-10	14	1.15E-02	7.01E-11	1.0E+06	7.0E-05
549	549	0.43529	4.28E-06	1.9E-06	2.50E-04	4.66E-10	14	1.15E-02	7.48E-11	1.0E+06	7.5E-05
550	550	0.46464	4.28E-06	2.0E-06	2.50E-04	4.97E-10	14	1.15E-02	7.99E-11	1.0E+06	8.0E-05
551	551	0.49569	4.28E-06	2.1E-06	2.50E-04	5.31E-10	14	1.15E-02	8.52E-11	1.0E+06	8.5E-05
552	552	0.52791	4.28E-06	2.3E-06	2.50E-04	5.65E-10	14	1.15E-02	9.07E-11	1.0E+06	9.1E-05
553	553	0.56081	4.28E-06	2.4E-06	2.50E-04	6.00E-10	14	1.15E-02	9.64E-11	1.0E+06	9.6E-05
554	554	0.59331	4.28E-06	2.5E-06	2.50E-04	6.35E-10	14	1.15E-02	1.02E-10	1.0E+06	1.0E-04
555	555	0.6248	4.28E-06	2.7E-06	2.50E-04	6.69E-10	14	1.15E-02	1.07E-10	1.0E+06	1.1E-04
556	556	0.65378	4.28E-06	2.8E-06	2.50E-04	7.00E-10	14	1.15E-02	1.12E-10	1.0E+06	1.1E-04
557	557	0.67658	4.28E-06	2.9E-06	2.50E-04	7.24E-10	14	1.15E-02	1.16E-10	1.0E+06	1.2E-04
558	558	0.69187	4.28E-06	3.0E-06	2.50E-04	7.41E-10	14	1.15E-02	1.19E-10	1.0E+06	1.2E-04
559	559	0.69604	4.28E-06	3.0E-06	2.50E-04	7.45E-10	14	1.15E-02	1.20E-10	1.0E+06	1.2E-04
567	567	0.35848	4.28E-06	1.5E-06	2.50E-04	3.84E-10	14	1.15E-02	6.16E-11	1.0E+06	6.2E-05
568	568	0.38101	4.28E-06	1.6E-06	2.50E-04	4.08E-10	14	1.15E-02	6.55E-11	1.0E+06	6.5E-05
569	569	0.40507	4.28E-06	1.7E-06	2.50E-04	4.34E-10	14	1.15E-02	6.96E-11	1.0E+06	7.0E-05
570	570	0.4305	4.28E-06	1.8E-06	2.50E-04	4.61E-10	14	1.15E-02	7.40E-11	1.0E+06	7.4E-05
571	571	0.45703	4.28E-06	2.0E-06	2.50E-04	4.89E-10	14	1.15E-02	7.86E-11	1.0E+06	7.9E-05
572	572	0.48429	4.28E-06	2.1E-06	2.50E-04	5.18E-10	14	1.15E-02	8.32E-11	1.0E+06	8.3E-05
573	573	0.5118	4.28E-06	2.2E-06	2.50E-04	5.48E-10	14	1.15E-02	8.80E-11	1.0E+06	8.8E-05
574	574	0.56483	4.28E-06	2.4E-06	2.50E-04	6.05E-10	14	1.15E-02	9.71E-11	1.0E+06	9.7E-05
575	575	0.58871	4.28E-06	2.5E-06	2.50E-04	6.30E-10	14	1.15E-02	1.01E-10	1.0E+06	1.0E-04
576	576	0.60822	4.28E-06	2.6E-06	2.50E-04	6.51E-10	14	1.15E-02	1.05E-10	1.0E+06	1.0E-04
577	577	0.6212	4.28E-06	2.7E-06	2.50E-04	6.65E-10	14	1.15E-02	1.07E-10	1.0E+06	1.1E-04
578	578	0.62564	4.28E-06	2.7E-06	2.50E-04	6.70E-10	14	1.15E-02	1.08E-10	1.0E+06	1.1E-04
586	586	0.3368	4.28E-06	1.4E-06	2.50E-04	3.60E-10	14	1.15E-02	5.79E-11	1.0E+06	5.8E-05
587	587	0.35669	4.28E-06	1.5E-06	2.50E-04	3.82E-10	14	1.15E-02	6.13E-11	1.0E+06	6.1E-05
588	588	0.37779	4.28E-06	1.6E-06	2.50E-04	4.04E-10	14	1.15E-02	6.49E-11	1.0E+06	6.5E-05
589	589	0.39984	4.28E-06	1.7E-06	2.50E-04	4.28E-10	14	1.15E-02	6.87E-11	1.0E+06	6.9E-05
590	590	0.4226	4.28E-06	1.8E-06	2.50E-04	4.52E-10	14	1.15E-02	7.26E-11	1.0E+06	7.3E-05
591	591	0.44574	4.28E-06	1.9E-06	2.50E-04	4.77E-10	14	1.15E-02	7.66E-11	1.0E+06	7.7E-05
592	592	0.46891	4.28E-06	2.0E-06	2.50E-04	5.02E-10	14	1.15E-02	8.06E-11	1.0E+06	8.1E-05

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	0.51336	4.28E-06	2.2E-06	2.50E-04	5.49E-10	14	1.15E-02	8.82E-11	1.0E+06	8.8E-05
594	594	0.5334	4.28E-06	2.3E-06	2.50E-04	5.71E-10	14	1.15E-02	9.17E-11	1.0E+06	9.2E-05
595	595	0.54961	4.28E-06	2.4E-06	2.50E-04	5.88E-10	14	1.15E-02	9.45E-11	1.0E+06	9.4E-05
596	596	0.56074	4.28E-06	2.4E-06	2.50E-04	6.00E-10	14	1.15E-02	9.64E-11	1.0E+06	9.6E-05
597	597	0.56531	4.28E-06	2.4E-06	2.50E-04	6.05E-10	14	1.15E-02	9.72E-11	1.0E+06	9.7E-05
345	345	1.57495	4.28E-06	6.7E-06	2.50E-04	1.69E-09	14	1.15E-02	2.71E-10	1.0E+06	2.7E-04
346	346	1.94419	4.28E-06	8.3E-06	2.50E-04	2.08E-09	14	1.15E-02	3.34E-10	1.0E+06	3.3E-04
347	347	2.46715	4.28E-06	1.1E-05	2.50E-04	2.64E-09	14	1.15E-02	4.24E-10	1.0E+06	4.2E-04
348	348	3.24776	4.28E-06	1.4E-05	2.50E-04	3.48E-09	14	1.15E-02	5.58E-10	1.0E+06	5.6E-04
359	359	1.44326	4.28E-06	6.2E-06	2.50E-04	1.54E-09	14	1.15E-02	2.48E-10	1.0E+06	2.5E-04
360	360	1.74919	4.28E-06	7.5E-06	2.50E-04	1.87E-09	14	1.15E-02	3.01E-10	1.0E+06	3.0E-04
361	361	2.16727	4.28E-06	9.3E-06	2.50E-04	2.32E-09	14	1.15E-02	3.73E-10	1.0E+06	3.7E-04
362	362	2.75344	4.28E-06	1.2E-05	2.50E-04	2.95E-09	14	1.15E-02	4.73E-10	1.0E+06	4.7E-04
363	363	3.63329	4.28E-06	1.6E-05	2.50E-04	3.89E-09	14	1.15E-02	6.25E-10	1.0E+06	6.2E-04
373	373	1.56008	4.28E-06	6.7E-06	2.50E-04	1.67E-09	14	1.15E-02	2.68E-10	1.0E+06	2.7E-04
374	374	1.88564	4.28E-06	8.1E-06	2.50E-04	2.02E-09	14	1.15E-02	3.24E-10	1.0E+06	3.2E-04
375	375	2.32071	4.28E-06	9.9E-06	2.50E-04	2.48E-09	14	1.15E-02	3.99E-10	1.0E+06	4.0E-04
376	376	2.92594	4.28E-06	1.3E-05	2.50E-04	3.13E-09	14	1.15E-02	5.03E-10	1.0E+06	5.0E-04
386	386	1.38473	4.28E-06	5.9E-06	2.50E-04	1.48E-09	14	1.15E-02	2.38E-10	1.0E+06	2.4E-04
387	387	1.63827	4.28E-06	7.0E-06	2.50E-04	1.75E-09	14	1.15E-02	2.82E-10	1.0E+06	2.8E-04
388	388	1.96199	4.28E-06	8.4E-06	2.50E-04	2.10E-09	14	1.15E-02	3.37E-10	1.0E+06	3.4E-04
389	389	2.38686	4.28E-06	1.0E-05	2.50E-04	2.55E-09	14	1.15E-02	4.10E-10	1.0E+06	4.1E-04
390	390	2.94578	4.28E-06	1.3E-05	2.50E-04	3.15E-09	14	1.15E-02	5.06E-10	1.0E+06	5.1E-04
400	400	1.22836	4.28E-06	5.3E-06	2.50E-04	1.31E-09	14	1.15E-02	2.11E-10	1.0E+06	2.1E-04
401	401	1.42547	4.28E-06	6.1E-06	2.50E-04	1.53E-09	14	1.15E-02	2.45E-10	1.0E+06	2.5E-04
402	402	1.67161	4.28E-06	7.1E-06	2.50E-04	1.79E-09	14	1.15E-02	2.87E-10	1.0E+06	2.9E-04
403	403	1.97512	4.28E-06	8.4E-06	2.50E-04	2.11E-09	14	1.15E-02	3.40E-10	1.0E+06	3.4E-04
404	404	2.34508	4.28E-06	1.0E-05	2.50E-04	2.51E-09	14	1.15E-02	4.03E-10	1.0E+06	4.0E-04
415	415	1.09193	4.28E-06	4.7E-06	2.50E-04	1.17E-09	14	1.15E-02	1.88E-10	1.0E+06	1.9E-04
416	416	1.24865	4.28E-06	5.3E-06	2.50E-04	1.34E-09	14	1.15E-02	2.15E-10	1.0E+06	2.1E-04
417	417	1.43544	4.28E-06	6.1E-06	2.50E-04	1.54E-09	14	1.15E-02	2.47E-10	1.0E+06	2.5E-04

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	1.66131	4.28E-06	7.1E-06	2.50E-04	1.78E-09	14	1.15E-02	2.86E-10	1.0E+06	2.9E-04
419	419	1.91911	4.28E-06	8.2E-06	2.50E-04	2.05E-09	14	1.15E-02	3.30E-10	1.0E+06	3.3E-04
420	420	2.17594	4.28E-06	9.3E-06	2.50E-04	2.33E-09	14	1.15E-02	3.74E-10	1.0E+06	3.7E-04
430	430	1.09897	4.28E-06	4.7E-06	2.50E-04	1.18E-09	14	1.15E-02	1.89E-10	1.0E+06	1.9E-04
431	431	1.24567	4.28E-06	5.3E-06	2.50E-04	1.33E-09	14	1.15E-02	2.14E-10	1.0E+06	2.1E-04
432	432	1.41345	4.28E-06	6.0E-06	2.50E-04	1.51E-09	14	1.15E-02	2.43E-10	1.0E+06	2.4E-04
433	433	1.59687	4.28E-06	6.8E-06	2.50E-04	1.71E-09	14	1.15E-02	2.74E-10	1.0E+06	2.7E-04
434	434	1.77747	4.28E-06	7.6E-06	2.50E-04	1.90E-09	14	1.15E-02	3.06E-10	1.0E+06	3.1E-04
444	444	0.97405	4.28E-06	4.2E-06	2.50E-04	1.04E-09	14	1.15E-02	1.67E-10	1.0E+06	1.7E-04
445	445	1.08859	4.28E-06	4.7E-06	2.50E-04	1.17E-09	14	1.15E-02	1.87E-10	1.0E+06	1.9E-04
446	446	1.21622	4.28E-06	5.2E-06	2.50E-04	1.30E-09	14	1.15E-02	2.09E-10	1.0E+06	2.1E-04
447	447	1.3507	4.28E-06	5.8E-06	2.50E-04	1.45E-09	14	1.15E-02	2.32E-10	1.0E+06	2.3E-04
448	448	1.47938	4.28E-06	6.3E-06	2.50E-04	1.58E-09	14	1.15E-02	2.54E-10	1.0E+06	2.5E-04
459	459	0.95916	4.28E-06	4.1E-06	2.50E-04	1.03E-09	14	1.15E-02	1.65E-10	1.0E+06	1.6E-04
460	460	1.05744	4.28E-06	4.5E-06	2.50E-04	1.13E-09	14	1.15E-02	1.82E-10	1.0E+06	1.8E-04
461	461	1.15829	4.28E-06	5.0E-06	2.50E-04	1.24E-09	14	1.15E-02	1.99E-10	1.0E+06	2.0E-04
462	462	1.25278	4.28E-06	5.4E-06	2.50E-04	1.34E-09	14	1.15E-02	2.15E-10	1.0E+06	2.2E-04
463	463	1.32636	4.28E-06	5.7E-06	2.50E-04	1.42E-09	14	1.15E-02	2.28E-10	1.0E+06	2.3E-04
474	474	0.85099	4.28E-06	3.6E-06	2.50E-04	9.11E-10	14	1.15E-02	1.46E-10	1.0E+06	1.5E-04
475	475	0.92773	4.28E-06	4.0E-06	2.50E-04	9.93E-10	14	1.15E-02	1.59E-10	1.0E+06	1.6E-04
476	476	1.00541	4.28E-06	4.3E-06	2.50E-04	1.08E-09	14	1.15E-02	1.73E-10	1.0E+06	1.7E-04
477	477	1.07646	4.28E-06	4.6E-06	2.50E-04	1.15E-09	14	1.15E-02	1.85E-10	1.0E+06	1.9E-04
478	478	1.13259	4.28E-06	4.8E-06	2.50E-04	1.21E-09	14	1.15E-02	1.95E-10	1.0E+06	1.9E-04
495	495	0.76038	4.28E-06	3.3E-06	2.50E-04	8.14E-10	14	1.15E-02	1.31E-10	1.0E+06	1.3E-04
496	496	0.82109	4.28E-06	3.5E-06	2.50E-04	8.79E-10	14	1.15E-02	1.41E-10	1.0E+06	1.4E-04
497	497	0.88156	4.28E-06	3.8E-06	2.50E-04	9.44E-10	14	1.15E-02	1.52E-10	1.0E+06	1.5E-04
498	498	0.93682	4.28E-06	4.0E-06	2.50E-04	1.00E-09	14	1.15E-02	1.61E-10	1.0E+06	1.6E-04
499	499	0.98055	4.28E-06	4.2E-06	2.50E-04	1.05E-09	14	1.15E-02	1.69E-10	1.0E+06	1.7E-04
500	500	1.00545	4.28E-06	4.3E-06	2.50E-04	1.08E-09	14	1.15E-02	1.73E-10	1.0E+06	1.7E-04

Via Oro
Risk From Via Oro (Carson to Hughes) [TKC]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	0.77015	4.28E-06	3.3E-06	2.50E-04	8.24E-10	25	1.15E-02	2.36E-10	1.0E+06	2.4E-04
140	140	0.85373	4.28E-06	3.7E-06	2.50E-04	9.14E-10	25	1.15E-02	2.62E-10	1.0E+06	2.6E-04
156	156	0.86185	4.28E-06	3.7E-06	2.50E-04	9.22E-10	25	1.15E-02	2.65E-10	1.0E+06	2.6E-04
157	157	0.96886	4.28E-06	4.1E-06	2.50E-04	1.04E-09	25	1.15E-02	2.97E-10	1.0E+06	3.0E-04
158	158	1.09321	4.28E-06	4.7E-06	2.50E-04	1.17E-09	25	1.15E-02	3.36E-10	1.0E+06	3.4E-04
159	159	1.23469	4.28E-06	5.3E-06	2.50E-04	1.32E-09	25	1.15E-02	3.79E-10	1.0E+06	3.8E-04
160	160	1.39217	4.28E-06	6.0E-06	2.50E-04	1.49E-09	25	1.15E-02	4.27E-10	1.0E+06	4.3E-04
161	161	1.73328	4.28E-06	7.4E-06	2.50E-04	1.86E-09	25	1.15E-02	5.32E-10	1.0E+06	5.3E-04
162	162	1.8836	4.28E-06	8.1E-06	2.50E-04	2.02E-09	25	1.15E-02	5.78E-10	1.0E+06	5.8E-04
163	163	1.98896	4.28E-06	8.5E-06	2.50E-04	2.13E-09	25	1.15E-02	6.11E-10	1.0E+06	6.1E-04
167	167	1.09775	4.28E-06	4.7E-06	2.50E-04	1.17E-09	25	1.15E-02	3.37E-10	1.0E+06	3.4E-04
168	168	1.26633	4.28E-06	5.4E-06	2.50E-04	1.36E-09	25	1.15E-02	3.89E-10	1.0E+06	3.9E-04
169	169	1.46462	4.28E-06	6.3E-06	2.50E-04	1.57E-09	25	1.15E-02	4.50E-10	1.0E+06	4.5E-04
170	170	1.69944	4.28E-06	7.3E-06	2.50E-04	1.82E-09	25	1.15E-02	5.22E-10	1.0E+06	5.2E-04
171	171	1.96982	4.28E-06	8.4E-06	2.50E-04	2.11E-09	25	1.15E-02	6.05E-10	1.0E+06	6.0E-04
172	172	2.26494	4.28E-06	9.7E-06	2.50E-04	2.42E-09	25	1.15E-02	6.95E-10	1.0E+06	7.0E-04
173	173	2.53849	4.28E-06	1.1E-05	2.50E-04	2.72E-09	25	1.15E-02	7.79E-10	1.0E+06	7.8E-04
174	174	2.73932	4.28E-06	1.2E-05	2.50E-04	2.93E-09	25	1.15E-02	8.41E-10	1.0E+06	8.4E-04
175	175	2.85624	4.28E-06	1.2E-05	2.50E-04	3.06E-09	25	1.15E-02	8.77E-10	1.0E+06	8.8E-04
176	176	2.95865	4.28E-06	1.3E-05	2.50E-04	3.17E-09	25	1.15E-02	9.08E-10	1.0E+06	9.1E-04
177	177	3.01946	4.28E-06	1.3E-05	2.50E-04	3.23E-09	25	1.15E-02	9.27E-10	1.0E+06	9.3E-04
181	181	1.46485	4.28E-06	6.3E-06	2.50E-04	1.57E-09	25	1.15E-02	4.50E-10	1.0E+06	4.5E-04
182	182	1.74095	4.28E-06	7.4E-06	2.50E-04	1.86E-09	25	1.15E-02	5.34E-10	1.0E+06	5.3E-04
183	183	2.09592	4.28E-06	9.0E-06	2.50E-04	2.24E-09	25	1.15E-02	6.43E-10	1.0E+06	6.4E-04
184	184	2.54568	4.28E-06	1.1E-05	2.50E-04	2.72E-09	25	1.15E-02	7.81E-10	1.0E+06	7.8E-04
185	185	3.10057	4.28E-06	1.3E-05	2.50E-04	3.32E-09	25	1.15E-02	9.52E-10	1.0E+06	9.5E-04
186	186	3.69985	4.28E-06	1.6E-05	2.50E-04	3.96E-09	25	1.15E-02	1.14E-09	1.0E+06	1.1E-03
187	187	4.16167	4.28E-06	1.8E-05	2.50E-04	4.45E-09	25	1.15E-02	1.28E-09	1.0E+06	1.3E-03
188	188	4.44986	4.28E-06	1.9E-05	2.50E-04	4.76E-09	25	1.15E-02	1.37E-09	1.0E+06	1.4E-03
189	189	4.60315	4.28E-06	2.0E-05	2.50E-04	4.93E-09	25	1.15E-02	1.41E-09	1.0E+06	1.4E-03
190	190	4.45777	4.28E-06	1.9E-05	2.50E-04	4.77E-09	25	1.15E-02	1.37E-09	1.0E+06	1.4E-03

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	4.09102	4.28E-06	1.7E-05	2.50E-04	4.38E-09	25	1.15E-02	1.26E-09	1.0E+06	1.3E-03
195	195	1.68265	4.28E-06	7.2E-06	2.50E-04	1.80E-09	25	1.15E-02	5.16E-10	1.0E+06	5.2E-04
196	196	2.06154	4.28E-06	8.8E-06	2.50E-04	2.21E-09	25	1.15E-02	6.33E-10	1.0E+06	6.3E-04
197	197	2.58496	4.28E-06	1.1E-05	2.50E-04	2.77E-09	25	1.15E-02	7.93E-10	1.0E+06	7.9E-04
198	198	3.34037	4.28E-06	1.4E-05	2.50E-04	3.58E-09	25	1.15E-02	1.03E-09	1.0E+06	1.0E-03
199	199	4.46171	4.28E-06	1.9E-05	2.50E-04	4.78E-09	25	1.15E-02	1.37E-09	1.0E+06	1.4E-03
200	200	6.09633	4.28E-06	2.6E-05	2.50E-04	6.53E-09	25	1.15E-02	1.87E-09	1.0E+06	1.9E-03
201	201	7.82306	4.28E-06	3.3E-05	2.50E-04	8.37E-09	25	1.15E-02	2.40E-09	1.0E+06	2.4E-03
202	202	8.64887	4.28E-06	3.7E-05	2.50E-04	9.26E-09	25	1.15E-02	2.65E-09	1.0E+06	2.7E-03
203	203	7.9084	4.28E-06	3.4E-05	2.50E-04	8.46E-09	25	1.15E-02	2.43E-09	1.0E+06	2.4E-03
204	204	6.59578	4.28E-06	2.8E-05	2.50E-04	7.06E-09	25	1.15E-02	2.02E-09	1.0E+06	2.0E-03
205	205	5.42084	4.28E-06	2.3E-05	2.50E-04	5.80E-09	25	1.15E-02	1.66E-09	1.0E+06	1.7E-03
206	206	4.48301	4.28E-06	1.9E-05	2.50E-04	4.80E-09	25	1.15E-02	1.38E-09	1.0E+06	1.4E-03
210	210	1.53935	4.28E-06	6.6E-06	2.50E-04	1.65E-09	25	1.15E-02	4.73E-10	1.0E+06	4.7E-04
211	211	1.90312	4.28E-06	8.1E-06	2.50E-04	2.04E-09	25	1.15E-02	5.84E-10	1.0E+06	5.8E-04
212	212	2.40073	4.28E-06	1.0E-05	2.50E-04	2.57E-09	25	1.15E-02	7.37E-10	1.0E+06	7.4E-04
213	213	3.14059	4.28E-06	1.3E-05	2.50E-04	3.36E-09	25	1.15E-02	9.64E-10	1.0E+06	9.6E-04
214	214	6.51783	4.28E-06	2.8E-05	2.50E-04	6.98E-09	25	1.15E-02	2.00E-09	1.0E+06	2.0E-03
215	215	11.7359	4.28E-06	5.0E-05	2.50E-04	1.26E-08	25	1.15E-02	3.60E-09	1.0E+06	3.6E-03
216	216	9.13055	4.28E-06	3.9E-05	2.50E-04	9.77E-09	25	1.15E-02	2.80E-09	1.0E+06	2.8E-03
217	217	21.76746	4.28E-06	9.3E-05	2.50E-04	2.33E-08	25	1.15E-02	6.68E-09	1.0E+06	6.7E-03
218	218	12.99165	4.28E-06	5.6E-05	2.50E-04	1.39E-08	25	1.15E-02	3.99E-09	1.0E+06	4.0E-03
219	219	8.91151	4.28E-06	3.8E-05	2.50E-04	9.54E-09	25	1.15E-02	2.74E-09	1.0E+06	2.7E-03
220	220	6.62629	4.28E-06	2.8E-05	2.50E-04	7.09E-09	25	1.15E-02	2.03E-09	1.0E+06	2.0E-03
221	221	5.15461	4.28E-06	2.2E-05	2.50E-04	5.52E-09	25	1.15E-02	1.58E-09	1.0E+06	1.6E-03
222	222	4.1243	4.28E-06	1.8E-05	2.50E-04	4.41E-09	25	1.15E-02	1.27E-09	1.0E+06	1.3E-03
226	226	1.67862	4.28E-06	7.2E-06	2.50E-04	1.80E-09	25	1.15E-02	5.15E-10	1.0E+06	5.2E-04
227	227	2.10703	4.28E-06	9.0E-06	2.50E-04	2.26E-09	25	1.15E-02	6.47E-10	1.0E+06	6.5E-04
228	228	2.72217	4.28E-06	1.2E-05	2.50E-04	2.91E-09	25	1.15E-02	8.36E-10	1.0E+06	8.4E-04
229	229	3.68368	4.28E-06	1.6E-05	2.50E-04	3.94E-09	25	1.15E-02	1.13E-09	1.0E+06	1.1E-03
230	230	5.33895	4.28E-06	2.3E-05	2.50E-04	5.71E-09	25	1.15E-02	1.64E-09	1.0E+06	1.6E-03

Via Oro
Risk From Via Oro (Carson to Hughes) [TKC]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	8.71013	4.28E-06	3.7E-05	2.50E-04	9.32E-09	25	1.15E-02	2.67E-09	1.0E+06	2.7E-03
232	232	19.12937	4.28E-06	8.2E-05	2.50E-04	2.05E-08	25	1.15E-02	5.87E-09	1.0E+06	5.9E-03
233	233	37.43557	4.28E-06	1.6E-04	2.50E-04	4.01E-08	25	1.15E-02	1.15E-08	1.0E+06	1.1E-02
234	234	16.95043	4.28E-06	7.2E-05	2.50E-04	1.81E-08	25	1.15E-02	5.20E-09	1.0E+06	5.2E-03
235	235	10.5792	4.28E-06	4.5E-05	2.50E-04	1.13E-08	25	1.15E-02	3.25E-09	1.0E+06	3.2E-03
236	236	7.45665	4.28E-06	3.2E-05	2.50E-04	7.98E-09	25	1.15E-02	2.29E-09	1.0E+06	2.3E-03
237	237	5.5857	4.28E-06	2.4E-05	2.50E-04	5.98E-09	25	1.15E-02	1.71E-09	1.0E+06	1.7E-03
238	238	4.33411	4.28E-06	1.9E-05	2.50E-04	4.64E-09	25	1.15E-02	1.33E-09	1.0E+06	1.3E-03
242	242	1.78599	4.28E-06	7.6E-06	2.50E-04	1.91E-09	25	1.15E-02	5.48E-10	1.0E+06	5.5E-04
243	243	2.26785	4.28E-06	9.7E-06	2.50E-04	2.43E-09	25	1.15E-02	6.96E-10	1.0E+06	7.0E-04
244	244	2.97225	4.28E-06	1.3E-05	2.50E-04	3.18E-09	25	1.15E-02	9.12E-10	1.0E+06	9.1E-04
245	245	4.11132	4.28E-06	1.8E-05	2.50E-04	4.40E-09	25	1.15E-02	1.26E-09	1.0E+06	1.3E-03
246	246	6.12343	4.28E-06	2.6E-05	2.50E-04	6.55E-09	25	1.15E-02	1.88E-09	1.0E+06	1.9E-03
247	247	10.35873	4.28E-06	4.4E-05	2.50E-04	1.11E-08	25	1.15E-02	3.18E-09	1.0E+06	3.2E-03
248	248	23.253	4.28E-06	9.9E-05	2.50E-04	2.49E-08	25	1.15E-02	7.14E-09	1.0E+06	7.1E-03
249	249	44.27674	4.28E-06	1.9E-04	2.50E-04	4.74E-08	25	1.15E-02	1.36E-08	1.0E+06	1.4E-02
250	250	19.32476	4.28E-06	8.3E-05	2.50E-04	2.07E-08	25	1.15E-02	5.93E-09	1.0E+06	5.9E-03
251	251	11.59906	4.28E-06	5.0E-05	2.50E-04	1.24E-08	25	1.15E-02	3.56E-09	1.0E+06	3.6E-03
252	252	7.93225	4.28E-06	3.4E-05	2.50E-04	8.49E-09	25	1.15E-02	2.43E-09	1.0E+06	2.4E-03
253	253	5.77719	4.28E-06	2.5E-05	2.50E-04	6.18E-09	25	1.15E-02	1.77E-09	1.0E+06	1.8E-03
254	254	4.37196	4.28E-06	1.9E-05	2.50E-04	4.68E-09	25	1.15E-02	1.34E-09	1.0E+06	1.3E-03
257	257	1.85474	4.28E-06	7.9E-06	2.50E-04	1.99E-09	25	1.15E-02	5.69E-10	1.0E+06	5.7E-04
258	258	2.37204	4.28E-06	1.0E-05	2.50E-04	2.54E-09	25	1.15E-02	7.28E-10	1.0E+06	7.3E-04
259	259	3.14863	4.28E-06	1.3E-05	2.50E-04	3.37E-09	25	1.15E-02	9.66E-10	1.0E+06	9.7E-04
260	260	4.37781	4.28E-06	1.9E-05	2.50E-04	4.69E-09	25	1.15E-02	1.34E-09	1.0E+06	1.3E-03
261	261	6.62452	4.28E-06	2.8E-05	2.50E-04	7.09E-09	25	1.15E-02	2.03E-09	1.0E+06	2.0E-03
262	262	11.28156	4.28E-06	4.8E-05	2.50E-04	1.21E-08	25	1.15E-02	3.46E-09	1.0E+06	3.5E-03
263	263	24.87597	4.28E-06	1.1E-04	2.50E-04	2.66E-08	25	1.15E-02	7.64E-09	1.0E+06	7.6E-03
264	264	48.20937	4.28E-06	2.1E-04	2.50E-04	5.16E-08	25	1.15E-02	1.48E-08	1.0E+06	1.5E-02
265	265	20.891	4.28E-06	8.9E-05	2.50E-04	2.24E-08	25	1.15E-02	6.41E-09	1.0E+06	6.4E-03
266	266	12.19131	4.28E-06	5.2E-05	2.50E-04	1.30E-08	25	1.15E-02	3.74E-09	1.0E+06	3.7E-03

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	8.08551	4.28E-06	3.5E-05	2.50E-04	8.65E-09	25	1.15E-02	2.48E-09	1.0E+06	2.5E-03
268	268	5.72719	4.28E-06	2.4E-05	2.50E-04	6.13E-09	25	1.15E-02	1.76E-09	1.0E+06	1.8E-03
269	269	4.23615	4.28E-06	1.8E-05	2.50E-04	4.53E-09	25	1.15E-02	1.30E-09	1.0E+06	1.3E-03
270	270	2.02939	4.28E-06	8.7E-06	2.50E-04	2.17E-09	25	1.15E-02	6.23E-10	1.0E+06	6.2E-04
271	271	1.65796	4.28E-06	7.1E-06	2.50E-04	1.77E-09	25	1.15E-02	5.09E-10	1.0E+06	5.1E-04
274	274	1.87933	4.28E-06	8.0E-06	2.50E-04	2.01E-09	25	1.15E-02	5.77E-10	1.0E+06	5.8E-04
275	275	2.40765	4.28E-06	1.0E-05	2.50E-04	2.58E-09	25	1.15E-02	7.39E-10	1.0E+06	7.4E-04
276	276	3.2114	4.28E-06	1.4E-05	2.50E-04	3.44E-09	25	1.15E-02	9.86E-10	1.0E+06	9.9E-04
277	277	4.48652	4.28E-06	1.9E-05	2.50E-04	4.80E-09	25	1.15E-02	1.38E-09	1.0E+06	1.4E-03
278	278	6.79205	4.28E-06	2.9E-05	2.50E-04	7.27E-09	25	1.15E-02	2.08E-09	1.0E+06	2.1E-03
279	279	11.56744	4.28E-06	4.9E-05	2.50E-04	1.24E-08	25	1.15E-02	3.55E-09	1.0E+06	3.6E-03
280	280	24.93802	4.28E-06	1.1E-04	2.50E-04	2.67E-08	25	1.15E-02	7.65E-09	1.0E+06	7.7E-03
281	281	49.77326	4.28E-06	2.1E-04	2.50E-04	5.33E-08	25	1.15E-02	1.53E-08	1.0E+06	1.5E-02
282	282	21.49075	4.28E-06	9.2E-05	2.50E-04	2.30E-08	25	1.15E-02	6.60E-09	1.0E+06	6.6E-03
283	283	12.21367	4.28E-06	5.2E-05	2.50E-04	1.31E-08	25	1.15E-02	3.75E-09	1.0E+06	3.7E-03
284	284	7.85042	4.28E-06	3.4E-05	2.50E-04	8.40E-09	25	1.15E-02	2.41E-09	1.0E+06	2.4E-03
285	285	5.42064	4.28E-06	2.3E-05	2.50E-04	5.80E-09	25	1.15E-02	1.66E-09	1.0E+06	1.7E-03
286	286	3.93292	4.28E-06	1.7E-05	2.50E-04	4.21E-09	25	1.15E-02	1.21E-09	1.0E+06	1.2E-03
287	287	1.85002	4.28E-06	7.9E-06	2.50E-04	1.98E-09	25	1.15E-02	5.68E-10	1.0E+06	5.7E-04
288	288	1.51589	4.28E-06	6.5E-06	2.50E-04	1.62E-09	25	1.15E-02	4.65E-10	1.0E+06	4.7E-04
291	291	1.85792	4.28E-06	7.9E-06	2.50E-04	1.99E-09	25	1.15E-02	5.70E-10	1.0E+06	5.7E-04
292	292	2.37442	4.28E-06	1.0E-05	2.50E-04	2.54E-09	25	1.15E-02	7.29E-10	1.0E+06	7.3E-04
293	293	3.15574	4.28E-06	1.3E-05	2.50E-04	3.38E-09	25	1.15E-02	9.69E-10	1.0E+06	9.7E-04
294	294	4.40911	4.28E-06	1.9E-05	2.50E-04	4.72E-09	25	1.15E-02	1.35E-09	1.0E+06	1.4E-03
295	295	6.62766	4.28E-06	2.8E-05	2.50E-04	7.09E-09	25	1.15E-02	2.03E-09	1.0E+06	2.0E-03
296	296	11.27917	4.28E-06	4.8E-05	2.50E-04	1.21E-08	25	1.15E-02	3.46E-09	1.0E+06	3.5E-03
297	297	24.59712	4.28E-06	1.1E-04	2.50E-04	2.63E-08	25	1.15E-02	7.55E-09	1.0E+06	7.6E-03
298	298	50.07272	4.28E-06	2.1E-04	2.50E-04	5.36E-08	25	1.15E-02	1.54E-08	1.0E+06	1.5E-02
299	299	21.15449	4.28E-06	9.0E-05	2.50E-04	2.26E-08	25	1.15E-02	6.49E-09	1.0E+06	6.5E-03
300	300	11.54567	4.28E-06	4.9E-05	2.50E-04	1.24E-08	25	1.15E-02	3.54E-09	1.0E+06	3.5E-03
301	301	7.18531	4.28E-06	3.1E-05	2.50E-04	7.69E-09	25	1.15E-02	2.21E-09	1.0E+06	2.2E-03

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	302	4.86554	4.28E-06	2.1E-05	2.50E-04	5.21E-09	25	1.15E-02	1.49E-09	1.0E+06	1.5E-03
303	303	3.503	4.28E-06	1.5E-05	2.50E-04	3.75E-09	25	1.15E-02	1.08E-09	1.0E+06	1.1E-03
304	304	1.66857	4.28E-06	7.1E-06	2.50E-04	1.79E-09	25	1.15E-02	5.12E-10	1.0E+06	5.1E-04
305	305	1.37659	4.28E-06	5.9E-06	2.50E-04	1.47E-09	25	1.15E-02	4.23E-10	1.0E+06	4.2E-04
308	308	1.79413	4.28E-06	7.7E-06	2.50E-04	1.92E-09	25	1.15E-02	5.51E-10	1.0E+06	5.5E-04
309	309	2.27729	4.28E-06	9.7E-06	2.50E-04	2.44E-09	25	1.15E-02	6.99E-10	1.0E+06	7.0E-04
310	310	2.99718	4.28E-06	1.3E-05	2.50E-04	3.21E-09	25	1.15E-02	9.20E-10	1.0E+06	9.2E-04
311	311	4.14529	4.28E-06	1.8E-05	2.50E-04	4.44E-09	25	1.15E-02	1.27E-09	1.0E+06	1.3E-03
312	312	6.18893	4.28E-06	2.6E-05	2.50E-04	6.62E-09	25	1.15E-02	1.90E-09	1.0E+06	1.9E-03
313	313	10.44421	4.28E-06	4.5E-05	2.50E-04	1.12E-08	25	1.15E-02	3.21E-09	1.0E+06	3.2E-03
314	314	22.83291	4.28E-06	9.8E-05	2.50E-04	2.44E-08	25	1.15E-02	7.01E-09	1.0E+06	7.0E-03
315	315	48.25536	4.28E-06	2.1E-04	2.50E-04	5.16E-08	25	1.15E-02	1.48E-08	1.0E+06	1.5E-02
316	316	19.00365	4.28E-06	8.1E-05	2.50E-04	2.03E-08	25	1.15E-02	5.83E-09	1.0E+06	5.8E-03
317	317	9.94072	4.28E-06	4.3E-05	2.50E-04	1.06E-08	25	1.15E-02	3.05E-09	1.0E+06	3.1E-03
318	318	6.12238	4.28E-06	2.6E-05	2.50E-04	6.55E-09	25	1.15E-02	1.88E-09	1.0E+06	1.9E-03
319	319	4.16398	4.28E-06	1.8E-05	2.50E-04	4.46E-09	25	1.15E-02	1.28E-09	1.0E+06	1.3E-03
320	320	3.03351	4.28E-06	1.3E-05	2.50E-04	3.25E-09	25	1.15E-02	9.31E-10	1.0E+06	9.3E-04
321	321	1.50137	4.28E-06	6.4E-06	2.50E-04	1.61E-09	25	1.15E-02	4.61E-10	1.0E+06	4.6E-04
322	322	1.25111	4.28E-06	5.4E-06	2.50E-04	1.34E-09	25	1.15E-02	3.84E-10	1.0E+06	3.8E-04
325	325	1.69574	4.28E-06	7.3E-06	2.50E-04	1.81E-09	25	1.15E-02	5.21E-10	1.0E+06	5.2E-04
326	326	2.12688	4.28E-06	9.1E-06	2.50E-04	2.28E-09	25	1.15E-02	6.53E-10	1.0E+06	6.5E-04
327	327	2.75624	4.28E-06	1.2E-05	2.50E-04	2.95E-09	25	1.15E-02	8.46E-10	1.0E+06	8.5E-04
328	328	3.73993	4.28E-06	1.6E-05	2.50E-04	4.00E-09	25	1.15E-02	1.15E-09	1.0E+06	1.1E-03
329	329	5.40989	4.28E-06	2.3E-05	2.50E-04	5.79E-09	25	1.15E-02	1.66E-09	1.0E+06	1.7E-03
330	330	8.83729	4.28E-06	3.8E-05	2.50E-04	9.46E-09	25	1.15E-02	2.71E-09	1.0E+06	2.7E-03
331	331	18.59129	4.28E-06	8.0E-05	2.50E-04	1.99E-08	25	1.15E-02	5.71E-09	1.0E+06	5.7E-03
332	332	28.63099	4.28E-06	1.2E-04	2.50E-04	3.06E-08	25	1.15E-02	8.79E-09	1.0E+06	8.8E-03
333	333	20.57544	4.28E-06	8.8E-05	2.50E-04	2.20E-08	25	1.15E-02	6.32E-09	1.0E+06	6.3E-03
334	334	14.23375	4.28E-06	6.1E-05	2.50E-04	1.52E-08	25	1.15E-02	4.37E-09	1.0E+06	4.4E-03
335	335	7.7589	4.28E-06	3.3E-05	2.50E-04	8.30E-09	25	1.15E-02	2.38E-09	1.0E+06	2.4E-03
336	336	4.97426	4.28E-06	2.1E-05	2.50E-04	5.32E-09	25	1.15E-02	1.53E-09	1.0E+06	1.5E-03

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	3.49658	4.28E-06	1.5E-05	2.50E-04	3.74E-09	25	1.15E-02	1.07E-09	1.0E+06	1.1E-03
338	338	2.61095	4.28E-06	1.1E-05	2.50E-04	2.79E-09	25	1.15E-02	8.01E-10	1.0E+06	8.0E-04
339	339	1.64148	4.28E-06	7.0E-06	2.50E-04	1.76E-09	25	1.15E-02	5.04E-10	1.0E+06	5.0E-04
340	340	1.35791	4.28E-06	5.8E-06	2.50E-04	1.45E-09	25	1.15E-02	4.17E-10	1.0E+06	4.2E-04
341	341	1.14392	4.28E-06	4.9E-06	2.50E-04	1.22E-09	25	1.15E-02	3.51E-10	1.0E+06	3.5E-04
349	349	4.49967	4.28E-06	1.9E-05	2.50E-04	4.82E-09	25	1.15E-02	1.38E-09	1.0E+06	1.4E-03
350	350	6.77399	4.28E-06	2.9E-05	2.50E-04	7.25E-09	25	1.15E-02	2.08E-09	1.0E+06	2.1E-03
351	351	11.75491	4.28E-06	5.0E-05	2.50E-04	1.26E-08	25	1.15E-02	3.61E-09	1.0E+06	3.6E-03
352	352	22.81215	4.28E-06	9.8E-05	2.50E-04	2.44E-08	25	1.15E-02	7.00E-09	1.0E+06	7.0E-03
353	353	1.47982	4.28E-06	6.3E-06	2.50E-04	1.58E-09	25	1.15E-02	4.54E-10	1.0E+06	4.5E-04
354	354	1.23852	4.28E-06	5.3E-06	2.50E-04	1.33E-09	25	1.15E-02	3.80E-10	1.0E+06	3.8E-04
355	355	1.05345	4.28E-06	4.5E-06	2.50E-04	1.13E-09	25	1.15E-02	3.23E-10	1.0E+06	3.2E-04
364	364	5.02682	4.28E-06	2.1E-05	2.50E-04	5.38E-09	25	1.15E-02	1.54E-09	1.0E+06	1.5E-03
365	365	7.35731	4.28E-06	3.1E-05	2.50E-04	7.87E-09	25	1.15E-02	2.26E-09	1.0E+06	2.3E-03
366	366	10.17878	4.28E-06	4.4E-05	2.50E-04	1.09E-08	25	1.15E-02	3.12E-09	1.0E+06	3.1E-03
367	367	1.34556	4.28E-06	5.8E-06	2.50E-04	1.44E-09	25	1.15E-02	4.13E-10	1.0E+06	4.1E-04
368	368	1.13595	4.28E-06	4.9E-06	2.50E-04	1.22E-09	25	1.15E-02	3.49E-10	1.0E+06	3.5E-04
369	369	0.97442	4.28E-06	4.2E-06	2.50E-04	1.04E-09	25	1.15E-02	2.99E-10	1.0E+06	3.0E-04
377	377	3.79307	4.28E-06	1.6E-05	2.50E-04	4.06E-09	25	1.15E-02	1.16E-09	1.0E+06	1.2E-03
378	378	4.97819	4.28E-06	2.1E-05	2.50E-04	5.33E-09	25	1.15E-02	1.53E-09	1.0E+06	1.5E-03
379	379	6.10344	4.28E-06	2.6E-05	2.50E-04	6.53E-09	25	1.15E-02	1.87E-09	1.0E+06	1.9E-03
380	380	1.22664	4.28E-06	5.2E-06	2.50E-04	1.31E-09	25	1.15E-02	3.77E-10	1.0E+06	3.8E-04
381	381	1.04288	4.28E-06	4.5E-06	2.50E-04	1.12E-09	25	1.15E-02	3.20E-10	1.0E+06	3.2E-04
382	382	0.90242	4.28E-06	3.9E-06	2.50E-04	9.66E-10	25	1.15E-02	2.77E-10	1.0E+06	2.8E-04
391	391	3.6103	4.28E-06	1.5E-05	2.50E-04	3.86E-09	25	1.15E-02	1.11E-09	1.0E+06	1.1E-03
392	392	4.17442	4.28E-06	1.8E-05	2.50E-04	4.47E-09	25	1.15E-02	1.28E-09	1.0E+06	1.3E-03
393	393	1.12191	4.28E-06	4.8E-06	2.50E-04	1.20E-09	25	1.15E-02	3.44E-10	1.0E+06	3.4E-04
394	394	0.96255	4.28E-06	4.1E-06	2.50E-04	1.03E-09	25	1.15E-02	2.95E-10	1.0E+06	3.0E-04
395	395	0.83874	4.28E-06	3.6E-06	2.50E-04	8.98E-10	25	1.15E-02	2.57E-10	1.0E+06	2.6E-04
405	405	2.75489	4.28E-06	1.2E-05	2.50E-04	2.95E-09	25	1.15E-02	8.46E-10	1.0E+06	8.5E-04
406	406	3.08427	4.28E-06	1.3E-05	2.50E-04	3.30E-09	25	1.15E-02	9.47E-10	1.0E+06	9.5E-04

Via Oro
Risk From Via Oro (Carson to Hughes) [TKC]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	3.17387	4.28E-06	1.4E-05	2.50E-04	3.40E-09	25	1.15E-02	9.74E-10	1.0E+06	9.7E-04
408	408	1.03028	4.28E-06	4.4E-06	2.50E-04	1.10E-09	25	1.15E-02	3.16E-10	1.0E+06	3.2E-04
409	409	0.88989	4.28E-06	3.8E-06	2.50E-04	9.52E-10	25	1.15E-02	2.73E-10	1.0E+06	2.7E-04
410	410	0.78135	4.28E-06	3.3E-06	2.50E-04	8.36E-10	25	1.15E-02	2.40E-10	1.0E+06	2.4E-04
421	421	2.3903	4.28E-06	1.0E-05	2.50E-04	2.56E-09	25	1.15E-02	7.34E-10	1.0E+06	7.3E-04
422	422	2.46336	4.28E-06	1.1E-05	2.50E-04	2.64E-09	25	1.15E-02	7.56E-10	1.0E+06	7.6E-04
423	423	0.94758	4.28E-06	4.1E-06	2.50E-04	1.01E-09	25	1.15E-02	2.91E-10	1.0E+06	2.9E-04
424	424	0.82463	4.28E-06	3.5E-06	2.50E-04	8.83E-10	25	1.15E-02	2.53E-10	1.0E+06	2.5E-04
425	425	0.72814	4.28E-06	3.1E-06	2.50E-04	7.79E-10	25	1.15E-02	2.24E-10	1.0E+06	2.2E-04
435	435	1.9161	4.28E-06	8.2E-06	2.50E-04	2.05E-09	25	1.15E-02	5.88E-10	1.0E+06	5.9E-04
436	436	1.97656	4.28E-06	8.5E-06	2.50E-04	2.12E-09	25	1.15E-02	6.07E-10	1.0E+06	6.1E-04
437	437	0.76586	4.28E-06	3.3E-06	2.50E-04	8.20E-10	25	1.15E-02	2.35E-10	1.0E+06	2.4E-04
438	438	0.67851	4.28E-06	2.9E-06	2.50E-04	7.26E-10	25	1.15E-02	2.08E-10	1.0E+06	2.1E-04
449	449	1.57686	4.28E-06	6.7E-06	2.50E-04	1.69E-09	25	1.15E-02	4.84E-10	1.0E+06	4.8E-04
450	450	1.62656	4.28E-06	7.0E-06	2.50E-04	1.74E-09	25	1.15E-02	4.99E-10	1.0E+06	5.0E-04
451	451	1.60061	4.28E-06	6.8E-06	2.50E-04	1.71E-09	25	1.15E-02	4.91E-10	1.0E+06	4.9E-04
452	452	0.71176	4.28E-06	3.0E-06	2.50E-04	7.62E-10	25	1.15E-02	2.18E-10	1.0E+06	2.2E-04
453	453	0.63379	4.28E-06	2.7E-06	2.50E-04	6.78E-10	25	1.15E-02	1.95E-10	1.0E+06	1.9E-04
464	464	1.36447	4.28E-06	5.8E-06	2.50E-04	1.46E-09	25	1.15E-02	4.19E-10	1.0E+06	4.2E-04
465	465	1.35315	4.28E-06	5.8E-06	2.50E-04	1.45E-09	25	1.15E-02	4.15E-10	1.0E+06	4.2E-04
466	466	0.84332	4.28E-06	3.6E-06	2.50E-04	9.03E-10	25	1.15E-02	2.59E-10	1.0E+06	2.6E-04
467	467	0.66276	4.28E-06	2.8E-06	2.50E-04	7.09E-10	25	1.15E-02	2.03E-10	1.0E+06	2.0E-04
468	468	0.59326	4.28E-06	2.5E-06	2.50E-04	6.35E-10	25	1.15E-02	1.82E-10	1.0E+06	1.8E-04
479	479	1.16046	4.28E-06	5.0E-06	2.50E-04	1.24E-09	25	1.15E-02	3.56E-10	1.0E+06	3.6E-04
480	480	1.15941	4.28E-06	5.0E-06	2.50E-04	1.24E-09	25	1.15E-02	3.56E-10	1.0E+06	3.6E-04
481	481	1.11897	4.28E-06	4.8E-06	2.50E-04	1.20E-09	25	1.15E-02	3.43E-10	1.0E+06	3.4E-04
482	482	1.04921	4.28E-06	4.5E-06	2.50E-04	1.12E-09	25	1.15E-02	3.22E-10	1.0E+06	3.2E-04
483	483	0.95913	4.28E-06	4.1E-06	2.50E-04	1.03E-09	25	1.15E-02	2.94E-10	1.0E+06	2.9E-04
484	484	0.86467	4.28E-06	3.7E-06	2.50E-04	9.25E-10	25	1.15E-02	2.65E-10	1.0E+06	2.7E-04
485	485	0.77297	4.28E-06	3.3E-06	2.50E-04	8.27E-10	25	1.15E-02	2.37E-10	1.0E+06	2.4E-04
486	486	0.69058	4.28E-06	3.0E-06	2.50E-04	7.39E-10	25	1.15E-02	2.12E-10	1.0E+06	2.1E-04

Via Oro
Risk From Via Oro (Carson to Hughes) [TKC]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	487	0.61827	4.28E-06	2.6E-06	2.50E-04	6.62E-10	25	1.15E-02	1.90E-10	1.0E+06	1.9E-04
488	488	0.556	4.28E-06	2.4E-06	2.50E-04	5.95E-10	25	1.15E-02	1.71E-10	1.0E+06	1.7E-04
501	501	1.00349	4.28E-06	4.3E-06	2.50E-04	1.07E-09	25	1.15E-02	3.08E-10	1.0E+06	3.1E-04
502	502	0.97949	4.28E-06	4.2E-06	2.50E-04	1.05E-09	25	1.15E-02	3.01E-10	1.0E+06	3.0E-04
503	503	0.92906	4.28E-06	4.0E-06	2.50E-04	9.94E-10	25	1.15E-02	2.85E-10	1.0E+06	2.9E-04
504	504	0.86117	4.28E-06	3.7E-06	2.50E-04	9.22E-10	25	1.15E-02	2.64E-10	1.0E+06	2.6E-04
505	505	0.78566	4.28E-06	3.4E-06	2.50E-04	8.41E-10	25	1.15E-02	2.41E-10	1.0E+06	2.4E-04
506	506	0.71006	4.28E-06	3.0E-06	2.50E-04	7.60E-10	25	1.15E-02	2.18E-10	1.0E+06	2.2E-04
507	507	0.64018	4.28E-06	2.7E-06	2.50E-04	6.85E-10	25	1.15E-02	1.97E-10	1.0E+06	2.0E-04
508	508	0.52189	4.28E-06	2.2E-06	2.50E-04	5.59E-10	25	1.15E-02	1.60E-10	1.0E+06	1.6E-04
520	520	0.88084	4.28E-06	3.8E-06	2.50E-04	9.43E-10	25	1.15E-02	2.70E-10	1.0E+06	2.7E-04
521	521	0.86137	4.28E-06	3.7E-06	2.50E-04	9.22E-10	25	1.15E-02	2.64E-10	1.0E+06	2.6E-04
522	522	0.82733	4.28E-06	3.5E-06	2.50E-04	8.86E-10	25	1.15E-02	2.54E-10	1.0E+06	2.5E-04
523	523	0.77559	4.28E-06	3.3E-06	2.50E-04	8.30E-10	25	1.15E-02	2.38E-10	1.0E+06	2.4E-04
524	524	0.71548	4.28E-06	3.1E-06	2.50E-04	7.66E-10	25	1.15E-02	2.20E-10	1.0E+06	2.2E-04
525	525	0.65328	4.28E-06	2.8E-06	2.50E-04	6.99E-10	25	1.15E-02	2.01E-10	1.0E+06	2.0E-04
526	526	0.59386	4.28E-06	2.5E-06	2.50E-04	6.36E-10	25	1.15E-02	1.82E-10	1.0E+06	1.8E-04
527	527	0.49032	4.28E-06	2.1E-06	2.50E-04	5.25E-10	25	1.15E-02	1.51E-10	1.0E+06	1.5E-04
539	539	0.78025	4.28E-06	3.3E-06	2.50E-04	8.35E-10	25	1.15E-02	2.39E-10	1.0E+06	2.4E-04
540	540	0.76789	4.28E-06	3.3E-06	2.50E-04	8.22E-10	25	1.15E-02	2.36E-10	1.0E+06	2.4E-04
541	541	0.73968	4.28E-06	3.2E-06	2.50E-04	7.92E-10	25	1.15E-02	2.27E-10	1.0E+06	2.3E-04
542	542	0.6998	4.28E-06	3.0E-06	2.50E-04	7.49E-10	25	1.15E-02	2.15E-10	1.0E+06	2.1E-04
543	543	0.65324	4.28E-06	2.8E-06	2.50E-04	6.99E-10	25	1.15E-02	2.01E-10	1.0E+06	2.0E-04
544	544	0.60195	4.28E-06	2.6E-06	2.50E-04	6.44E-10	25	1.15E-02	1.85E-10	1.0E+06	1.8E-04
545	545	0.55064	4.28E-06	2.4E-06	2.50E-04	5.89E-10	25	1.15E-02	1.69E-10	1.0E+06	1.7E-04
546	546	0.46105	4.28E-06	2.0E-06	2.50E-04	4.93E-10	25	1.15E-02	1.42E-10	1.0E+06	1.4E-04
560	560	0.688	4.28E-06	2.9E-06	2.50E-04	7.36E-10	25	1.15E-02	2.11E-10	1.0E+06	2.1E-04
561	561	0.66777	4.28E-06	2.9E-06	2.50E-04	7.15E-10	25	1.15E-02	2.05E-10	1.0E+06	2.0E-04
562	562	0.6364	4.28E-06	2.7E-06	2.50E-04	6.81E-10	25	1.15E-02	1.95E-10	1.0E+06	2.0E-04
563	563	0.59613	4.28E-06	2.5E-06	2.50E-04	6.38E-10	25	1.15E-02	1.83E-10	1.0E+06	1.8E-04
564	564	0.55512	4.28E-06	2.4E-06	2.50E-04	5.94E-10	25	1.15E-02	1.70E-10	1.0E+06	1.7E-04

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

<i>Cancer Risk from 16-30 years - Construction</i>											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.51352	4.28E-06	2.2E-06	2.50E-04	5.50E-10	25	1.15E-02	1.58E-10	1.0E+06	1.6E-04
566	566	0.43455	4.28E-06	1.9E-06	2.50E-04	4.65E-10	25	1.15E-02	1.33E-10	1.0E+06	1.3E-04
579	579	0.62005	4.28E-06	2.7E-06	2.50E-04	6.64E-10	25	1.15E-02	1.90E-10	1.0E+06	1.9E-04
580	580	0.60489	4.28E-06	2.6E-06	2.50E-04	6.47E-10	25	1.15E-02	1.86E-10	1.0E+06	1.9E-04
581	581	0.58091	4.28E-06	2.5E-06	2.50E-04	6.22E-10	25	1.15E-02	1.78E-10	1.0E+06	1.8E-04
582	582	0.54977	4.28E-06	2.4E-06	2.50E-04	5.88E-10	25	1.15E-02	1.69E-10	1.0E+06	1.7E-04
583	583	0.51451	4.28E-06	2.2E-06	2.50E-04	5.51E-10	25	1.15E-02	1.58E-10	1.0E+06	1.6E-04
584	584	0.47788	4.28E-06	2.0E-06	2.50E-04	5.11E-10	25	1.15E-02	1.47E-10	1.0E+06	1.5E-04
585	585	0.40919	4.28E-06	1.7E-06	2.50E-04	4.38E-10	25	1.15E-02	1.26E-10	1.0E+06	1.3E-04
598	598	0.56209	4.28E-06	2.4E-06	2.50E-04	6.02E-10	25	1.15E-02	1.73E-10	1.0E+06	1.7E-04
599	599	0.55041	4.28E-06	2.4E-06	2.50E-04	5.89E-10	25	1.15E-02	1.69E-10	1.0E+06	1.7E-04
600	600	0.53147	4.28E-06	2.3E-06	2.50E-04	5.69E-10	25	1.15E-02	1.63E-10	1.0E+06	1.6E-04
601	601	0.5065	4.28E-06	2.2E-06	2.50E-04	5.42E-10	25	1.15E-02	1.55E-10	1.0E+06	1.6E-04
602	602	0.47745	4.28E-06	2.0E-06	2.50E-04	5.11E-10	25	1.15E-02	1.47E-10	1.0E+06	1.5E-04
603	603	0.44677	4.28E-06	1.9E-06	2.50E-04	4.78E-10	25	1.15E-02	1.37E-10	1.0E+06	1.4E-04
604	604	0.41574	4.28E-06	1.8E-06	2.50E-04	4.45E-10	25	1.15E-02	1.28E-10	1.0E+06	1.3E-04
0	0	0	4.28E-06	0.0E+00	2.50E-04	0.00E+00	25	1.15E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
1	1	6.8E-04	5	1.74E-07	
2	2	7.2E-04	5	1.84E-07	
3	3	7.6E-04	5	1.94E-07	
4	4	8.0E-04	5	2.05E-07	
5	5	8.5E-04	5	2.16E-07	
6	6	9.0E-04	5	2.29E-07	
7	7	9.5E-04	5	2.43E-07	
8	8	1.0E-03	5	2.57E-07	
9	9	1.1E-03	5	2.73E-07	
10	10	1.1E-03	5	2.90E-07	
11	11	1.2E-03	5	3.08E-07	
12	12	1.3E-03	5	3.27E-07	
13	13	1.4E-03	5	3.47E-07	
14	14	1.4E-03	5	3.68E-07	
15	15	1.5E-03	5	3.89E-07	
16	16	1.6E-03	5	4.12E-07	
17	17	1.7E-03	5	4.34E-07	
18	18	1.8E-03	5	4.56E-07	
19	19	1.9E-03	5	4.78E-07	
20	20	1.9E-03	5	4.97E-07	
21	21	2.0E-03	5	5.14E-07	
22	22	2.1E-03	5	5.28E-07	
23	23	2.1E-03	5	5.38E-07	
24	24	2.1E-03	5	5.44E-07	
25	25	2.1E-03	5	5.48E-07	
26	26	2.1E-03	5	5.49E-07	
27	27	2.2E-03	5	5.50E-07	
28	28	2.2E-03	5	5.53E-07	
29	29	2.2E-03	5	5.58E-07	
30	30	2.2E-03	5	5.66E-07	
31	31	2.2E-03	5	5.76E-07	

Max	Receptor #	
0.005	241	Res
0.012	363	School
0.015	298	Worker

Max	Receptor #	
1.239E-06	241	Res
3.108E-06	363	School
4.283E-05	298	Worker

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
32	32	2.3E-03	5	5.85E-07	
55	55	2.4E-03	5	6.06E-07	
56	56	2.4E-03	5	6.19E-07	
57	57	2.5E-03	5	6.28E-07	
58	58	2.5E-03	5	6.32E-07	
59	59	2.5E-03	5	6.34E-07	
60	60	2.5E-03	5	6.37E-07	
61	61	2.5E-03	5	6.42E-07	
62	62	2.5E-03	5	6.51E-07	
63	63	2.6E-03	5	6.62E-07	
64	64	2.6E-03	5	6.73E-07	
65	65	2.7E-03	5	6.82E-07	
66	66	2.7E-03	5	6.88E-07	
67	67	7.3E-04	5	1.88E-07	
68	68	7.8E-04	5	1.99E-07	
69	69	8.2E-04	5	2.11E-07	
70	70	8.8E-04	5	2.24E-07	
71	71	9.3E-04	5	2.38E-07	
72	72	9.9E-04	5	2.54E-07	
73	73	1.1E-03	5	2.71E-07	
74	74	1.1E-03	5	2.90E-07	
75	75	1.2E-03	5	3.11E-07	
76	76	1.3E-03	5	3.33E-07	
77	77	1.4E-03	5	3.57E-07	
78	78	1.5E-03	5	3.84E-07	
79	79	2.1E-03	5	5.46E-07	
80	80	2.3E-03	5	5.82E-07	
81	81	2.4E-03	5	6.18E-07	
82	82	2.5E-03	5	6.52E-07	
83	83	2.7E-03	5	6.82E-07	
84	84	2.8E-03	5	7.06E-07	

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
85	85	2.8E-03	5	7.24E-07	
86	86	2.9E-03	5	7.35E-07	
87	87	2.9E-03	5	7.40E-07	
88	88	2.9E-03	5	7.44E-07	
89	89	2.9E-03	5	7.50E-07	
90	90	3.0E-03	5	7.59E-07	
91	91	3.0E-03	5	7.72E-07	
92	92	3.1E-03	5	7.86E-07	
93	93	3.1E-03	5	7.97E-07	
96	96	3.2E-03	5	8.16E-07	
97	97	3.3E-03	5	8.39E-07	
98	98	3.5E-03	5	8.90E-07	
99	99	3.5E-03	5	9.01E-07	
100	100	3.6E-03	5	9.16E-07	
101	101	3.6E-03	5	9.33E-07	
102	102	3.7E-03	5	9.46E-07	
106	106	7.4E-04	5	1.89E-07	
107	107	7.9E-04	5	2.01E-07	
108	108	8.4E-04	5	2.14E-07	
109	109	8.9E-04	5	2.28E-07	
110	110	9.5E-04	5	2.44E-07	
111	111	1.0E-03	5	2.61E-07	
112	112	1.1E-03	5	2.81E-07	
113	113	1.2E-03	5	3.02E-07	
114	114	1.3E-03	5	3.26E-07	
115	115	1.4E-03	5	3.52E-07	
116	116	1.5E-03	5	3.82E-07	
117	117	1.6E-03	5	4.15E-07	
118	118	1.8E-03	5	4.52E-07	
124	124	7.6E-04	5	1.95E-07	
125	125	8.1E-04	5	2.07E-07	

Via Oro
Risk From Via Oro (Carson to Hughes) [TKC]

		<i>Max Cancer Risk</i>		<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million		REL	HI Offroad
126	126	8.6E-04		5	2.21E-07
127	127	9.2E-04		5	2.36E-07
128	128	9.9E-04		5	2.54E-07
129	129	1.1E-03		5	2.72E-07
130	130	1.1E-03		5	2.94E-07
131	131	1.2E-03		5	3.18E-07
132	132	1.3E-03		5	3.44E-07
133	133	1.5E-03		5	3.74E-07
134	134	1.6E-03		5	4.08E-07
135	135	1.7E-03		5	4.47E-07
136	136	1.9E-03		5	4.90E-07
137	137	2.1E-03		5	5.39E-07
138	138	2.3E-03		5	5.96E-07
141	141	7.8E-04		5	2.00E-07
142	142	8.3E-04		5	2.13E-07
143	143	8.9E-04		5	2.28E-07
144	144	9.6E-04		5	2.45E-07
145	145	1.0E-03		5	2.63E-07
146	146	1.1E-03		5	2.83E-07
147	147	1.2E-03		5	3.07E-07
148	148	1.3E-03		5	3.33E-07
149	149	1.4E-03		5	3.63E-07
150	150	1.5E-03		5	3.97E-07
151	151	1.7E-03		5	4.35E-07
152	152	1.9E-03		5	4.80E-07
153	153	2.1E-03		5	5.31E-07
154	154	2.3E-03		5	5.89E-07
155	155	2.6E-03		5	6.58E-07
164	164	2.5E-03		5	6.42E-07
165	165	2.8E-03		5	7.24E-07
166	166	3.2E-03		5	8.23E-07

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
178	178	2.7E-03	5	6.95E-07	
179	179	3.1E-03	5	7.94E-07	
180	180	3.6E-03	5	9.15E-07	
192	192	2.9E-03	5	7.48E-07	
193	193	3.4E-03	5	8.64E-07	
194	194	3.9E-03	5	1.01E-06	
207	207	3.1E-03	5	7.95E-07	
208	208	3.6E-03	5	9.28E-07	
209	209	4.3E-03	5	1.10E-06	
223	223	3.3E-03	5	8.36E-07	
224	224	3.8E-03	5	9.84E-07	
225	225	4.6E-03	5	1.18E-06	
239	239	3.4E-03	5	8.67E-07	
240	240	4.0E-03	5	1.03E-06	
241	241	4.8E-03	5	1.24E-06	
255	255	3.5E-03	5	8.86E-07	
256	256	4.1E-03	5	1.05E-06	
272	272	3.5E-03	5	8.92E-07	
273	273	4.2E-03	5	1.06E-06	
289	289	3.5E-03	5	8.86E-07	
290	290	4.1E-03	5	1.05E-06	
306	306	3.4E-03	5	8.67E-07	
307	307	4.0E-03	5	1.03E-06	
323	323	3.3E-03	5	8.38E-07	
324	324	3.9E-03	5	9.89E-07	
342	342	3.1E-03	5	8.02E-07	
343	343	3.7E-03	5	9.39E-07	
344	344	4.4E-03	5	1.11E-06	
356	356	3.0E-03	5	7.60E-07	
357	357	3.4E-03	5	8.82E-07	
358	358	4.0E-03	5	1.04E-06	

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
370	370	2.8E-03	5	7.16E-07	
371	371	3.2E-03	5	8.22E-07	
372	372	3.7E-03	5	9.55E-07	
383	383	2.6E-03	5	6.70E-07	
384	384	3.0E-03	5	7.62E-07	
385	385	3.4E-03	5	8.75E-07	
396	396	2.4E-03	5	6.25E-07	
397	397	2.8E-03	5	7.04E-07	
398	398	3.1E-03	5	7.98E-07	
399	399	3.6E-03	5	9.12E-07	
411	411	2.3E-03	5	5.81E-07	
412	412	2.5E-03	5	6.49E-07	
413	413	2.8E-03	5	7.28E-07	
414	414	3.2E-03	5	8.22E-07	
426	426	2.1E-03	5	5.39E-07	
427	427	2.3E-03	5	5.97E-07	
428	428	2.6E-03	5	6.64E-07	
429	429	2.9E-03	5	7.42E-07	
439	439	2.0E-03	5	5.00E-07	
440	440	2.1E-03	5	5.50E-07	
441	441	2.4E-03	5	6.06E-07	
442	442	2.6E-03	5	6.72E-07	
443	443	2.9E-03	5	7.47E-07	
454	454	1.8E-03	5	4.64E-07	
455	455	2.0E-03	5	5.07E-07	
456	456	2.2E-03	5	5.55E-07	
457	457	2.4E-03	5	6.10E-07	
458	458	2.6E-03	5	6.72E-07	
469	469	1.7E-03	5	4.31E-07	
470	470	1.8E-03	5	4.68E-07	
471	471	2.0E-03	5	5.10E-07	

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
472	472	2.2E-03	5	5.56E-07	
473	473	2.4E-03	5	6.08E-07	
489	489	1.6E-03	5	4.01E-07	
490	490	1.7E-03	5	4.33E-07	
491	491	1.8E-03	5	4.69E-07	
492	492	2.0E-03	5	5.09E-07	
493	493	2.2E-03	5	5.52E-07	
494	494	2.3E-03	5	6.00E-07	
509	509	1.5E-03	5	3.74E-07	
510	510	1.6E-03	5	4.02E-07	
511	511	1.7E-03	5	4.33E-07	
512	512	1.8E-03	5	4.67E-07	
513	513	2.0E-03	5	5.04E-07	
514	514	2.1E-03	5	5.43E-07	
515	515	2.4E-03	5	6.26E-07	
516	516	2.6E-03	5	6.67E-07	
517	517	2.8E-03	5	7.04E-07	
518	518	2.9E-03	5	7.34E-07	
519	519	2.9E-03	5	7.53E-07	
528	528	1.4E-03	5	3.49E-07	
529	529	1.5E-03	5	3.74E-07	
530	530	1.6E-03	5	4.01E-07	
531	531	1.7E-03	5	4.30E-07	
532	532	1.8E-03	5	4.61E-07	
533	533	1.9E-03	5	4.94E-07	
534	534	2.2E-03	5	5.62E-07	
535	535	2.3E-03	5	5.95E-07	
536	536	2.4E-03	5	6.25E-07	
537	537	2.5E-03	5	6.49E-07	
538	538	2.6E-03	5	6.64E-07	
547	547	1.3E-03	5	3.27E-07	

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
548	548	1.4E-03	5	3.49E-07	
549	549	1.5E-03	5	3.72E-07	
550	550	1.6E-03	5	3.97E-07	
551	551	1.7E-03	5	4.24E-07	
552	552	1.8E-03	5	4.52E-07	
553	553	1.9E-03	5	4.80E-07	
554	554	2.0E-03	5	5.07E-07	
555	555	2.1E-03	5	5.34E-07	
556	556	2.2E-03	5	5.59E-07	
557	557	2.3E-03	5	5.79E-07	
558	558	2.3E-03	5	5.92E-07	
559	559	2.3E-03	5	5.95E-07	
567	567	1.2E-03	5	3.07E-07	
568	568	1.3E-03	5	3.26E-07	
569	569	1.4E-03	5	3.46E-07	
570	570	1.4E-03	5	3.68E-07	
571	571	1.5E-03	5	3.91E-07	
572	572	1.6E-03	5	4.14E-07	
573	573	1.7E-03	5	4.38E-07	
574	574	1.9E-03	5	4.83E-07	
575	575	2.0E-03	5	5.04E-07	
576	576	2.0E-03	5	5.20E-07	
577	577	2.1E-03	5	5.31E-07	
578	578	2.1E-03	5	5.35E-07	
586	586	1.1E-03	5	2.88E-07	
587	587	1.2E-03	5	3.05E-07	
588	588	1.3E-03	5	3.23E-07	
589	589	1.3E-03	5	3.42E-07	
590	590	1.4E-03	5	3.61E-07	
591	591	1.5E-03	5	3.81E-07	
592	592	1.6E-03	5	4.01E-07	

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
593	593	1.7E-03	5	4.39E-07	
594	594	1.8E-03	5	4.56E-07	
595	595	1.8E-03	5	4.70E-07	
596	596	1.9E-03	5	4.80E-07	
597	597	1.9E-03	5	4.84E-07	
345	345	5.3E-03	5	1.35E-06	
346	346	6.5E-03	5	1.66E-06	
347	347	8.2E-03	5	2.11E-06	
348	348	1.1E-02	5	2.78E-06	
359	359	4.8E-03	5	1.23E-06	
360	360	5.8E-03	5	1.50E-06	
361	361	7.2E-03	5	1.85E-06	
362	362	9.2E-03	5	2.36E-06	
363	363	1.2E-02	5	3.11E-06	
373	373	5.2E-03	5	1.33E-06	
374	374	6.3E-03	5	1.61E-06	
375	375	7.8E-03	5	1.98E-06	
376	376	9.8E-03	5	2.50E-06	
386	386	4.6E-03	5	1.18E-06	
387	387	5.5E-03	5	1.40E-06	
388	388	6.6E-03	5	1.68E-06	
389	389	8.0E-03	5	2.04E-06	
390	390	9.8E-03	5	2.52E-06	
400	400	4.1E-03	5	1.05E-06	
401	401	4.8E-03	5	1.22E-06	
402	402	5.6E-03	5	1.43E-06	
403	403	6.6E-03	5	1.69E-06	
404	404	7.8E-03	5	2.01E-06	
415	415	3.7E-03	5	9.34E-07	
416	416	4.2E-03	5	1.07E-06	
417	417	4.8E-03	5	1.23E-06	

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
418	418	5.6E-03	5	1.42E-06	
419	419	6.4E-03	5	1.64E-06	
420	420	7.3E-03	5	1.86E-06	
430	430	3.7E-03	5	9.40E-07	
431	431	4.2E-03	5	1.07E-06	
432	432	4.7E-03	5	1.21E-06	
433	433	5.3E-03	5	1.37E-06	
434	434	5.9E-03	5	1.52E-06	
444	444	3.3E-03	5	8.33E-07	
445	445	3.6E-03	5	9.31E-07	
446	446	4.1E-03	5	1.04E-06	
447	447	4.5E-03	5	1.16E-06	
448	448	4.9E-03	5	1.27E-06	
459	459	3.2E-03	5	8.20E-07	
460	460	3.5E-03	5	9.04E-07	
461	461	3.9E-03	5	9.91E-07	
462	462	4.2E-03	5	1.07E-06	
463	463	4.4E-03	5	1.13E-06	
474	474	2.8E-03	5	7.28E-07	
475	475	3.1E-03	5	7.94E-07	
476	476	3.4E-03	5	8.60E-07	
477	477	3.6E-03	5	9.21E-07	
478	478	3.8E-03	5	9.69E-07	
495	495	2.5E-03	5	6.50E-07	
496	496	2.7E-03	5	7.02E-07	
497	497	2.9E-03	5	7.54E-07	
498	498	3.1E-03	5	8.01E-07	
499	499	3.3E-03	5	8.39E-07	
500	500	3.4E-03	5	8.60E-07	

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Receptor #	Receptor #	Max Cancer Risk		Chronic Non Cancer Risk	
		Total Risk/ Million	Cancer Risk	REL	HI Offroad
139	139	2.4E-04		5	6.59E-07
140	140	2.6E-04		5	7.30E-07
156	156	2.6E-04		5	7.37E-07
157	157	3.0E-04		5	8.29E-07
158	158	3.4E-04		5	9.35E-07
159	159	3.8E-04		5	1.06E-06
160	160	4.3E-04		5	1.19E-06
161	161	5.3E-04		5	1.48E-06
162	162	5.8E-04		5	1.61E-06
163	163	6.1E-04		5	1.70E-06
167	167	3.4E-04		5	9.39E-07
168	168	3.9E-04		5	1.08E-06
169	169	4.5E-04		5	1.25E-06
170	170	5.2E-04		5	1.45E-06
171	171	6.0E-04		5	1.68E-06
172	172	7.0E-04		5	1.94E-06
173	173	7.8E-04		5	2.17E-06
174	174	8.4E-04		5	2.34E-06
175	175	8.8E-04		5	2.44E-06
176	176	9.1E-04		5	2.53E-06
177	177	9.3E-04		5	2.58E-06
181	181	4.5E-04		5	1.25E-06
182	182	5.3E-04		5	1.49E-06
183	183	6.4E-04		5	1.79E-06
184	184	7.8E-04		5	2.18E-06
185	185	9.5E-04		5	2.65E-06
186	186	1.1E-03		5	3.16E-06
187	187	1.3E-03		5	3.56E-06
188	188	1.4E-03		5	3.81E-06
189	189	1.4E-03		5	3.94E-06
190	190	1.4E-03		5	3.81E-06

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
191	191	1.3E-03	5	3.50E-06	
195	195	5.2E-04	5	1.44E-06	
196	196	6.3E-04	5	1.76E-06	
197	197	7.9E-04	5	2.21E-06	
198	198	1.0E-03	5	2.86E-06	
199	199	1.4E-03	5	3.82E-06	
200	200	1.9E-03	5	5.21E-06	
201	201	2.4E-03	5	6.69E-06	
202	202	2.7E-03	5	7.40E-06	
203	203	2.4E-03	5	6.76E-06	
204	204	2.0E-03	5	5.64E-06	
205	205	1.7E-03	5	4.64E-06	
206	206	1.4E-03	5	3.83E-06	
210	210	4.7E-04	5	1.32E-06	
211	211	5.8E-04	5	1.63E-06	
212	212	7.4E-04	5	2.05E-06	
213	213	9.6E-04	5	2.69E-06	
214	214	2.0E-03	5	5.57E-06	
215	215	3.6E-03	5	1.00E-05	
216	216	2.8E-03	5	7.81E-06	
217	217	6.7E-03	5	1.86E-05	
218	218	4.0E-03	5	1.11E-05	
219	219	2.7E-03	5	7.62E-06	
220	220	2.0E-03	5	5.67E-06	
221	221	1.6E-03	5	4.41E-06	
222	222	1.3E-03	5	3.53E-06	
226	226	5.2E-04	5	1.44E-06	
227	227	6.5E-04	5	1.80E-06	
228	228	8.4E-04	5	2.33E-06	
229	229	1.1E-03	5	3.15E-06	
230	230	1.6E-03	5	4.57E-06	

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

		<i>Max Cancer Risk</i>		<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million		REL	HI Offroad
231	231	2.7E-03		5	7.45E-06
232	232	5.9E-03		5	1.64E-05
233	233	1.1E-02		5	3.20E-05
234	234	5.2E-03		5	1.45E-05
235	235	3.2E-03		5	9.05E-06
236	236	2.3E-03		5	6.38E-06
237	237	1.7E-03		5	4.78E-06
238	238	1.3E-03		5	3.71E-06
242	242	5.5E-04		5	1.53E-06
243	243	7.0E-04		5	1.94E-06
244	244	9.1E-04		5	2.54E-06
245	245	1.3E-03		5	3.52E-06
246	246	1.9E-03		5	5.24E-06
247	247	3.2E-03		5	8.86E-06
248	248	7.1E-03		5	1.99E-05
249	249	1.4E-02		5	3.79E-05
250	250	5.9E-03		5	1.65E-05
251	251	3.6E-03		5	9.92E-06
252	252	2.4E-03		5	6.78E-06
253	253	1.8E-03		5	4.94E-06
254	254	1.3E-03		5	3.74E-06
257	257	5.7E-04		5	1.59E-06
258	258	7.3E-04		5	2.03E-06
259	259	9.7E-04		5	2.69E-06
260	260	1.3E-03		5	3.74E-06
261	261	2.0E-03		5	5.67E-06
262	262	3.5E-03		5	9.65E-06
263	263	7.6E-03		5	2.13E-05
264	264	1.5E-02		5	4.12E-05
265	265	6.4E-03		5	1.79E-05
266	266	3.7E-03		5	1.04E-05

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
267	267	2.5E-03	5	6.92E-06	
268	268	1.8E-03	5	4.90E-06	
269	269	1.3E-03	5	3.62E-06	
270	270	6.2E-04	5	1.74E-06	
271	271	5.1E-04	5	1.42E-06	
274	274	5.8E-04	5	1.61E-06	
275	275	7.4E-04	5	2.06E-06	
276	276	9.9E-04	5	2.75E-06	
277	277	1.4E-03	5	3.84E-06	
278	278	2.1E-03	5	5.81E-06	
279	279	3.6E-03	5	9.89E-06	
280	280	7.7E-03	5	2.13E-05	
281	281	1.5E-02	5	4.26E-05	
282	282	6.6E-03	5	1.84E-05	
283	283	3.7E-03	5	1.04E-05	
284	284	2.4E-03	5	6.71E-06	
285	285	1.7E-03	5	4.64E-06	
286	286	1.2E-03	5	3.36E-06	
287	287	5.7E-04	5	1.58E-06	
288	288	4.7E-04	5	1.30E-06	
291	291	5.7E-04	5	1.59E-06	
292	292	7.3E-04	5	2.03E-06	
293	293	9.7E-04	5	2.70E-06	
294	294	1.4E-03	5	3.77E-06	
295	295	2.0E-03	5	5.67E-06	
296	296	3.5E-03	5	9.65E-06	
297	297	7.6E-03	5	2.10E-05	
298	298	1.5E-02	5	4.28E-05	
299	299	6.5E-03	5	1.81E-05	
300	300	3.5E-03	5	9.88E-06	
301	301	2.2E-03	5	6.15E-06	

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
302	302	1.5E-03	5	4.16E-06	
303	303	1.1E-03	5	3.00E-06	
304	304	5.1E-04	5	1.43E-06	
305	305	4.2E-04	5	1.18E-06	
308	308	5.5E-04	5	1.53E-06	
309	309	7.0E-04	5	1.95E-06	
310	310	9.2E-04	5	2.56E-06	
311	311	1.3E-03	5	3.55E-06	
312	312	1.9E-03	5	5.29E-06	
313	313	3.2E-03	5	8.93E-06	
314	314	7.0E-03	5	1.95E-05	
315	315	1.5E-02	5	4.13E-05	
316	316	5.8E-03	5	1.63E-05	
317	317	3.1E-03	5	8.50E-06	
318	318	1.9E-03	5	5.24E-06	
319	319	1.3E-03	5	3.56E-06	
320	320	9.3E-04	5	2.59E-06	
321	321	4.6E-04	5	1.28E-06	
322	322	3.8E-04	5	1.07E-06	
325	325	5.2E-04	5	1.45E-06	
326	326	6.5E-04	5	1.82E-06	
327	327	8.5E-04	5	2.36E-06	
328	328	1.1E-03	5	3.20E-06	
329	329	1.7E-03	5	4.63E-06	
330	330	2.7E-03	5	7.56E-06	
331	331	5.7E-03	5	1.59E-05	
332	332	8.8E-03	5	2.45E-05	
333	333	6.3E-03	5	1.76E-05	
334	334	4.4E-03	5	1.22E-05	
335	335	2.4E-03	5	6.64E-06	
336	336	1.5E-03	5	4.25E-06	

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
337	337	1.1E-03	5	2.99E-06	
338	338	8.0E-04	5	2.23E-06	
339	339	5.0E-04	5	1.40E-06	
340	340	4.2E-04	5	1.16E-06	
341	341	3.5E-04	5	9.78E-07	
349	349	1.4E-03	5	3.85E-06	
350	350	2.1E-03	5	5.79E-06	
351	351	3.6E-03	5	1.01E-05	
352	352	7.0E-03	5	1.95E-05	
353	353	4.5E-04	5	1.27E-06	
354	354	3.8E-04	5	1.06E-06	
355	355	3.2E-04	5	9.01E-07	
364	364	1.5E-03	5	4.30E-06	
365	365	2.3E-03	5	6.29E-06	
366	366	3.1E-03	5	8.71E-06	
367	367	4.1E-04	5	1.15E-06	
368	368	3.5E-04	5	9.72E-07	
369	369	3.0E-04	5	8.33E-07	
377	377	1.2E-03	5	3.24E-06	
378	378	1.5E-03	5	4.26E-06	
379	379	1.9E-03	5	5.22E-06	
380	380	3.8E-04	5	1.05E-06	
381	381	3.2E-04	5	8.92E-07	
382	382	2.8E-04	5	7.72E-07	
391	391	1.1E-03	5	3.09E-06	
392	392	1.3E-03	5	3.57E-06	
393	393	3.4E-04	5	9.60E-07	
394	394	3.0E-04	5	8.23E-07	
395	395	2.6E-04	5	7.17E-07	
405	405	8.5E-04	5	2.36E-06	
406	406	9.5E-04	5	2.64E-06	

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
407	407	9.7E-04	5	2.71E-06	
408	408	3.2E-04	5	8.81E-07	
409	409	2.7E-04	5	7.61E-07	
410	410	2.4E-04	5	6.68E-07	
421	421	7.3E-04	5	2.04E-06	
422	422	7.6E-04	5	2.11E-06	
423	423	2.9E-04	5	8.10E-07	
424	424	2.5E-04	5	7.05E-07	
425	425	2.2E-04	5	6.23E-07	
435	435	5.9E-04	5	1.64E-06	
436	436	6.1E-04	5	1.69E-06	
437	437	2.4E-04	5	6.55E-07	
438	438	2.1E-04	5	5.80E-07	
449	449	4.8E-04	5	1.35E-06	
450	450	5.0E-04	5	1.39E-06	
451	451	4.9E-04	5	1.37E-06	
452	452	2.2E-04	5	6.09E-07	
453	453	1.9E-04	5	5.42E-07	
464	464	4.2E-04	5	1.17E-06	
465	465	4.2E-04	5	1.16E-06	
466	466	2.6E-04	5	7.21E-07	
467	467	2.0E-04	5	5.67E-07	
468	468	1.8E-04	5	5.07E-07	
479	479	3.6E-04	5	9.93E-07	
480	480	3.6E-04	5	9.92E-07	
481	481	3.4E-04	5	9.57E-07	
482	482	3.2E-04	5	8.97E-07	
483	483	2.9E-04	5	8.20E-07	
484	484	2.7E-04	5	7.40E-07	
485	485	2.4E-04	5	6.61E-07	
486	486	2.1E-04	5	5.91E-07	

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
487	487	1.9E-04	5	5.29E-07	
488	488	1.7E-04	5	4.76E-07	
501	501	3.1E-04	5	8.58E-07	
502	502	3.0E-04	5	8.38E-07	
503	503	2.9E-04	5	7.95E-07	
504	504	2.6E-04	5	7.37E-07	
505	505	2.4E-04	5	6.72E-07	
506	506	2.2E-04	5	6.07E-07	
507	507	2.0E-04	5	5.48E-07	
508	508	1.6E-04	5	4.46E-07	
520	520	2.7E-04	5	7.53E-07	
521	521	2.6E-04	5	7.37E-07	
522	522	2.5E-04	5	7.08E-07	
523	523	2.4E-04	5	6.63E-07	
524	524	2.2E-04	5	6.12E-07	
525	525	2.0E-04	5	5.59E-07	
526	526	1.8E-04	5	5.08E-07	
527	527	1.5E-04	5	4.19E-07	
539	539	2.4E-04	5	6.67E-07	
540	540	2.4E-04	5	6.57E-07	
541	541	2.3E-04	5	6.33E-07	
542	542	2.1E-04	5	5.99E-07	
543	543	2.0E-04	5	5.59E-07	
544	544	1.8E-04	5	5.15E-07	
545	545	1.7E-04	5	4.71E-07	
546	546	1.4E-04	5	3.94E-07	
560	560	2.1E-04	5	5.88E-07	
561	561	2.0E-04	5	5.71E-07	
562	562	2.0E-04	5	5.44E-07	
563	563	1.8E-04	5	5.10E-07	
564	564	1.7E-04	5	4.75E-07	

Via Oro
Risk From Via Oro (Carson to hughes) [TKC]

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
565	565	1.6E-04	5	4.39E-07	
566	566	1.3E-04	5	3.72E-07	
579	579	1.9E-04	5	5.30E-07	
580	580	1.9E-04	5	5.17E-07	
581	581	1.8E-04	5	4.97E-07	
582	582	1.7E-04	5	4.70E-07	
583	583	1.6E-04	5	4.40E-07	
584	584	1.5E-04	5	4.09E-07	
585	585	1.3E-04	5	3.50E-07	
598	598	1.7E-04	5	4.81E-07	
599	599	1.7E-04	5	4.71E-07	
600	600	1.6E-04	5	4.55E-07	
601	601	1.6E-04	5	4.33E-07	
602	602	1.5E-04	5	4.08E-07	
603	603	1.4E-04	5	3.82E-07	
604	604	1.3E-04	5	3.56E-07	
0	0	0.0E+00	5	0.00E+00	

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	Cancer Risk from 3rd Trimester - Construction								
		g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.29389	4.01E-06	1.2E-06	3.46E-04	4.08E-10	0.25	1.57E-01	1.60E-11	1.0E+06	1.6E-05
2	0.31598	4.01E-06	1.3E-06	3.46E-04	4.39E-10	0.25	1.57E-01	1.73E-11	1.0E+06	1.7E-05
3	0.34048	4.01E-06	1.4E-06	3.46E-04	4.73E-10	0.25	1.57E-01	1.86E-11	1.0E+06	1.9E-05
4	0.3679	4.01E-06	1.5E-06	3.46E-04	5.11E-10	0.25	1.57E-01	2.01E-11	1.0E+06	2.0E-05
5	0.39872	4.01E-06	1.6E-06	3.46E-04	5.54E-10	0.25	1.57E-01	2.18E-11	1.0E+06	2.2E-05
6	0.43386	4.01E-06	1.7E-06	3.46E-04	6.03E-10	0.25	1.57E-01	2.37E-11	1.0E+06	2.4E-05
7	0.47351	4.01E-06	1.9E-06	3.46E-04	6.58E-10	0.25	1.57E-01	2.59E-11	1.0E+06	2.6E-05
8	0.51814	4.01E-06	2.1E-06	3.46E-04	7.20E-10	0.25	1.57E-01	2.83E-11	1.0E+06	2.8E-05
9	0.56872	4.01E-06	2.3E-06	3.46E-04	7.90E-10	0.25	1.57E-01	3.10E-11	1.0E+06	3.1E-05
10	0.62592	4.01E-06	2.5E-06	3.46E-04	8.70E-10	0.25	1.57E-01	3.42E-11	1.0E+06	3.4E-05
11	0.69036	4.01E-06	2.8E-06	3.46E-04	9.59E-10	0.25	1.57E-01	3.77E-11	1.0E+06	3.8E-05
12	0.7626	4.01E-06	3.1E-06	3.46E-04	1.06E-09	0.25	1.57E-01	4.16E-11	1.0E+06	4.2E-05
13	0.84361	4.01E-06	3.4E-06	3.46E-04	1.17E-09	0.25	1.57E-01	4.61E-11	1.0E+06	4.6E-05
14	0.93267	4.01E-06	3.7E-06	3.46E-04	1.30E-09	0.25	1.57E-01	5.09E-11	1.0E+06	5.1E-05
15	1.02919	4.01E-06	4.1E-06	3.46E-04	1.43E-09	0.25	1.57E-01	5.62E-11	1.0E+06	5.6E-05
16	1.12994	4.01E-06	4.5E-06	3.46E-04	1.57E-09	0.25	1.57E-01	6.17E-11	1.0E+06	6.2E-05
17	1.2315	4.01E-06	4.9E-06	3.46E-04	1.71E-09	0.25	1.57E-01	6.72E-11	1.0E+06	6.7E-05
18	1.32448	4.01E-06	5.3E-06	3.46E-04	1.84E-09	0.25	1.57E-01	7.23E-11	1.0E+06	7.2E-05
19	1.40082	4.01E-06	5.6E-06	3.46E-04	1.95E-09	0.25	1.57E-01	7.65E-11	1.0E+06	7.6E-05
20	1.45386	4.01E-06	5.8E-06	3.46E-04	2.02E-09	0.25	1.57E-01	7.94E-11	1.0E+06	7.9E-05
21	1.48639	4.01E-06	6.0E-06	3.46E-04	2.07E-09	0.25	1.57E-01	8.11E-11	1.0E+06	8.1E-05
22	1.51372	4.01E-06	6.1E-06	3.46E-04	2.10E-09	0.25	1.57E-01	8.26E-11	1.0E+06	8.3E-05
23	1.5459	4.01E-06	6.2E-06	3.46E-04	2.15E-09	0.25	1.57E-01	8.44E-11	1.0E+06	8.4E-05
24	1.57817	4.01E-06	6.3E-06	3.46E-04	2.19E-09	0.25	1.57E-01	8.62E-11	1.0E+06	8.6E-05
25	1.59845	4.01E-06	6.4E-06	3.46E-04	2.22E-09	0.25	1.57E-01	8.73E-11	1.0E+06	8.7E-05
26	1.59795	4.01E-06	6.4E-06	3.46E-04	2.22E-09	0.25	1.57E-01	8.72E-11	1.0E+06	8.7E-05
27	1.57495	4.01E-06	6.3E-06	3.46E-04	2.19E-09	0.25	1.57E-01	8.60E-11	1.0E+06	8.6E-05
28	1.53194	4.01E-06	6.1E-06	3.46E-04	2.13E-09	0.25	1.57E-01	8.36E-11	1.0E+06	8.4E-05
29	1.47351	4.01E-06	5.9E-06	3.46E-04	2.05E-09	0.25	1.57E-01	8.04E-11	1.0E+06	8.0E-05
30	1.40367	4.01E-06	5.6E-06	3.46E-04	1.95E-09	0.25	1.57E-01	7.66E-11	1.0E+06	7.7E-05
31	1.32583	4.01E-06	5.3E-06	3.46E-04	1.84E-09	0.25	1.57E-01	7.24E-11	1.0E+06	7.2E-05

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	1.24299	4.01E-06	5.0E-06	3.46E-04	1.73E-09	0.25	1.57E-01	6.79E-11	1.0E+06	6.8E-05
55	1.96841	4.01E-06	7.9E-06	3.46E-04	2.74E-09	0.25	1.57E-01	1.07E-10	1.0E+06	1.1E-04
56	2.02002	4.01E-06	8.1E-06	3.46E-04	2.81E-09	0.25	1.57E-01	1.10E-10	1.0E+06	1.1E-04
57	2.05097	4.01E-06	8.2E-06	3.46E-04	2.85E-09	0.25	1.57E-01	1.12E-10	1.0E+06	1.1E-04
58	2.04148	4.01E-06	8.2E-06	3.46E-04	2.84E-09	0.25	1.57E-01	1.11E-10	1.0E+06	1.1E-04
59	1.99197	4.01E-06	8.0E-06	3.46E-04	2.77E-09	0.25	1.57E-01	1.09E-10	1.0E+06	1.1E-04
60	1.91229	4.01E-06	7.7E-06	3.46E-04	2.66E-09	0.25	1.57E-01	1.04E-10	1.0E+06	1.0E-04
61	1.81404	4.01E-06	7.3E-06	3.46E-04	2.52E-09	0.25	1.57E-01	9.90E-11	1.0E+06	9.9E-05
62	1.70412	4.01E-06	6.8E-06	3.46E-04	2.37E-09	0.25	1.57E-01	9.30E-11	1.0E+06	9.3E-05
63	1.58848	4.01E-06	6.4E-06	3.46E-04	2.21E-09	0.25	1.57E-01	8.67E-11	1.0E+06	8.7E-05
64	1.47053	4.01E-06	5.9E-06	3.46E-04	2.04E-09	0.25	1.57E-01	8.03E-11	1.0E+06	8.0E-05
65	1.3532	4.01E-06	5.4E-06	3.46E-04	1.88E-09	0.25	1.57E-01	7.39E-11	1.0E+06	7.4E-05
66	1.23958	4.01E-06	5.0E-06	3.46E-04	1.72E-09	0.25	1.57E-01	6.77E-11	1.0E+06	6.8E-05
67	0.31497	4.01E-06	1.3E-06	3.46E-04	4.38E-10	0.25	1.57E-01	1.72E-11	1.0E+06	1.7E-05
68	0.34088	4.01E-06	1.4E-06	3.46E-04	4.74E-10	0.25	1.57E-01	1.86E-11	1.0E+06	1.9E-05
69	0.37017	4.01E-06	1.5E-06	3.46E-04	5.14E-10	0.25	1.57E-01	2.02E-11	1.0E+06	2.0E-05
70	0.40351	4.01E-06	1.6E-06	3.46E-04	5.61E-10	0.25	1.57E-01	2.20E-11	1.0E+06	2.2E-05
71	0.44137	4.01E-06	1.8E-06	3.46E-04	6.13E-10	0.25	1.57E-01	2.41E-11	1.0E+06	2.4E-05
72	0.48554	4.01E-06	1.9E-06	3.46E-04	6.75E-10	0.25	1.57E-01	2.65E-11	1.0E+06	2.7E-05
73	0.53652	4.01E-06	2.2E-06	3.46E-04	7.46E-10	0.25	1.57E-01	2.93E-11	1.0E+06	2.9E-05
74	0.59574	4.01E-06	2.4E-06	3.46E-04	8.28E-10	0.25	1.57E-01	3.25E-11	1.0E+06	3.3E-05
75	0.66496	4.01E-06	2.7E-06	3.46E-04	9.24E-10	0.25	1.57E-01	3.63E-11	1.0E+06	3.6E-05
76	0.74661	4.01E-06	3.0E-06	3.46E-04	1.04E-09	0.25	1.57E-01	4.08E-11	1.0E+06	4.1E-05
77	0.84339	4.01E-06	3.4E-06	3.46E-04	1.17E-09	0.25	1.57E-01	4.60E-11	1.0E+06	4.6E-05
78	0.95889	4.01E-06	3.8E-06	3.46E-04	1.33E-09	0.25	1.57E-01	5.23E-11	1.0E+06	5.2E-05
79	1.90831	4.01E-06	7.7E-06	3.46E-04	2.65E-09	0.25	1.57E-01	1.04E-10	1.0E+06	1.0E-04
80	2.15537	4.01E-06	8.7E-06	3.46E-04	3.00E-09	0.25	1.57E-01	1.18E-10	1.0E+06	1.2E-04
81	2.37429	4.01E-06	9.5E-06	3.46E-04	3.30E-09	0.25	1.57E-01	1.30E-10	1.0E+06	1.3E-04
82	2.52078	4.01E-06	1.0E-05	3.46E-04	3.50E-09	0.25	1.57E-01	1.38E-10	1.0E+06	1.4E-04
83	2.61877	4.01E-06	1.1E-05	3.46E-04	3.64E-09	0.25	1.57E-01	1.43E-10	1.0E+06	1.4E-04
84	2.71316	4.01E-06	1.1E-05	3.46E-04	3.77E-09	0.25	1.57E-01	1.48E-10	1.0E+06	1.5E-04

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	2.7673	4.01E-06	1.1E-05	3.46E-04	3.85E-09	0.25	1.57E-01	1.51E-10	1.0E+06	1.5E-04
86	2.73549	4.01E-06	1.1E-05	3.46E-04	3.80E-09	0.25	1.57E-01	1.49E-10	1.0E+06	1.5E-04
87	2.62596	4.01E-06	1.1E-05	3.46E-04	3.65E-09	0.25	1.57E-01	1.43E-10	1.0E+06	1.4E-04
88	2.47032	4.01E-06	9.9E-06	3.46E-04	3.43E-09	0.25	1.57E-01	1.35E-10	1.0E+06	1.3E-04
89	2.29455	4.01E-06	9.2E-06	3.46E-04	3.19E-09	0.25	1.57E-01	1.25E-10	1.0E+06	1.3E-04
90	2.11444	4.01E-06	8.5E-06	3.46E-04	2.94E-09	0.25	1.57E-01	1.15E-10	1.0E+06	1.2E-04
91	1.93759	4.01E-06	7.8E-06	3.46E-04	2.69E-09	0.25	1.57E-01	1.06E-10	1.0E+06	1.1E-04
92	1.76529	4.01E-06	7.1E-06	3.46E-04	2.45E-09	0.25	1.57E-01	9.64E-11	1.0E+06	9.6E-05
93	1.60122	4.01E-06	6.4E-06	3.46E-04	2.23E-09	0.25	1.57E-01	8.74E-11	1.0E+06	8.7E-05
96	4.03245	4.01E-06	1.6E-05	3.46E-04	5.60E-09	0.25	1.57E-01	2.20E-10	1.0E+06	2.2E-04
97	3.67271	4.01E-06	1.5E-05	3.46E-04	5.10E-09	0.25	1.57E-01	2.01E-10	1.0E+06	2.0E-04
98	3.00211	4.01E-06	1.2E-05	3.46E-04	4.17E-09	0.25	1.57E-01	1.64E-10	1.0E+06	1.6E-04
99	2.69414	4.01E-06	1.1E-05	3.46E-04	3.74E-09	0.25	1.57E-01	1.47E-10	1.0E+06	1.5E-04
100	2.41321	4.01E-06	9.7E-06	3.46E-04	3.35E-09	0.25	1.57E-01	1.32E-10	1.0E+06	1.3E-04
101	2.15654	4.01E-06	8.7E-06	3.46E-04	3.00E-09	0.25	1.57E-01	1.18E-10	1.0E+06	1.2E-04
102	1.9218	4.01E-06	7.7E-06	3.46E-04	2.67E-09	0.25	1.57E-01	1.05E-10	1.0E+06	1.0E-04
106	0.30649	4.01E-06	1.2E-06	3.46E-04	4.26E-10	0.25	1.57E-01	1.67E-11	1.0E+06	1.7E-05
107	0.3327	4.01E-06	1.3E-06	3.46E-04	4.62E-10	0.25	1.57E-01	1.82E-11	1.0E+06	1.8E-05
108	0.36207	4.01E-06	1.5E-06	3.46E-04	5.03E-10	0.25	1.57E-01	1.98E-11	1.0E+06	2.0E-05
109	0.3957	4.01E-06	1.6E-06	3.46E-04	5.50E-10	0.25	1.57E-01	2.16E-11	1.0E+06	2.2E-05
110	0.43459	4.01E-06	1.7E-06	3.46E-04	6.04E-10	0.25	1.57E-01	2.37E-11	1.0E+06	2.4E-05
111	0.47947	4.01E-06	1.9E-06	3.46E-04	6.66E-10	0.25	1.57E-01	2.62E-11	1.0E+06	2.6E-05
112	0.53297	4.01E-06	2.1E-06	3.46E-04	7.41E-10	0.25	1.57E-01	2.91E-11	1.0E+06	2.9E-05
113	0.59578	4.01E-06	2.4E-06	3.46E-04	8.28E-10	0.25	1.57E-01	3.25E-11	1.0E+06	3.3E-05
114	0.67099	4.01E-06	2.7E-06	3.46E-04	9.32E-10	0.25	1.57E-01	3.66E-11	1.0E+06	3.7E-05
115	0.76154	4.01E-06	3.1E-06	3.46E-04	1.06E-09	0.25	1.57E-01	4.16E-11	1.0E+06	4.2E-05
116	0.8716	4.01E-06	3.5E-06	3.46E-04	1.21E-09	0.25	1.57E-01	4.76E-11	1.0E+06	4.8E-05
117	1.00979	4.01E-06	4.1E-06	3.46E-04	1.40E-09	0.25	1.57E-01	5.51E-11	1.0E+06	5.5E-05
118	1.18376	4.01E-06	4.8E-06	3.46E-04	1.64E-09	0.25	1.57E-01	6.46E-11	1.0E+06	6.5E-05
124	0.31256	4.01E-06	1.3E-06	3.46E-04	4.34E-10	0.25	1.57E-01	1.71E-11	1.0E+06	1.7E-05
125	0.33946	4.01E-06	1.4E-06	3.46E-04	4.72E-10	0.25	1.57E-01	1.85E-11	1.0E+06	1.9E-05

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.37023	4.01E-06	1.5E-06	3.46E-04	5.14E-10	0.25	1.57E-01	2.02E-11	1.0E+06	2.0E-05
127	0.4057	4.01E-06	1.6E-06	3.46E-04	5.64E-10	0.25	1.57E-01	2.21E-11	1.0E+06	2.2E-05
128	0.44693	4.01E-06	1.8E-06	3.46E-04	6.21E-10	0.25	1.57E-01	2.44E-11	1.0E+06	2.4E-05
129	0.49492	4.01E-06	2.0E-06	3.46E-04	6.88E-10	0.25	1.57E-01	2.70E-11	1.0E+06	2.7E-05
130	0.55237	4.01E-06	2.2E-06	3.46E-04	7.68E-10	0.25	1.57E-01	3.02E-11	1.0E+06	3.0E-05
131	0.62077	4.01E-06	2.5E-06	3.46E-04	8.63E-10	0.25	1.57E-01	3.39E-11	1.0E+06	3.4E-05
132	0.70357	4.01E-06	2.8E-06	3.46E-04	9.78E-10	0.25	1.57E-01	3.84E-11	1.0E+06	3.8E-05
133	0.80458	4.01E-06	3.2E-06	3.46E-04	1.12E-09	0.25	1.57E-01	4.39E-11	1.0E+06	4.4E-05
134	0.93109	4.01E-06	3.7E-06	3.46E-04	1.29E-09	0.25	1.57E-01	5.08E-11	1.0E+06	5.1E-05
135	1.09058	4.01E-06	4.4E-06	3.46E-04	1.52E-09	0.25	1.57E-01	5.95E-11	1.0E+06	6.0E-05
136	1.29666	4.01E-06	5.2E-06	3.46E-04	1.80E-09	0.25	1.57E-01	7.08E-11	1.0E+06	7.1E-05
137	1.56789	4.01E-06	6.3E-06	3.46E-04	2.18E-09	0.25	1.57E-01	8.56E-11	1.0E+06	8.6E-05
138	1.94213	4.01E-06	7.8E-06	3.46E-04	2.70E-09	0.25	1.57E-01	1.06E-10	1.0E+06	1.1E-04
141	0.31685	4.01E-06	1.3E-06	3.46E-04	4.40E-10	0.25	1.57E-01	1.73E-11	1.0E+06	1.7E-05
142	0.34467	4.01E-06	1.4E-06	3.46E-04	4.79E-10	0.25	1.57E-01	1.88E-11	1.0E+06	1.9E-05
143	0.37658	4.01E-06	1.5E-06	3.46E-04	5.23E-10	0.25	1.57E-01	2.06E-11	1.0E+06	2.1E-05
144	0.41354	4.01E-06	1.7E-06	3.46E-04	5.75E-10	0.25	1.57E-01	2.26E-11	1.0E+06	2.3E-05
145	0.45664	4.01E-06	1.8E-06	3.46E-04	6.35E-10	0.25	1.57E-01	2.49E-11	1.0E+06	2.5E-05
146	0.50717	4.01E-06	2.0E-06	3.46E-04	7.05E-10	0.25	1.57E-01	2.77E-11	1.0E+06	2.8E-05
147	0.56793	4.01E-06	2.3E-06	3.46E-04	7.89E-10	0.25	1.57E-01	3.10E-11	1.0E+06	3.1E-05
148	0.64079	4.01E-06	2.6E-06	3.46E-04	8.90E-10	0.25	1.57E-01	3.50E-11	1.0E+06	3.5E-05
149	0.7298	4.01E-06	2.9E-06	3.46E-04	1.01E-09	0.25	1.57E-01	3.98E-11	1.0E+06	4.0E-05
150	0.8399	4.01E-06	3.4E-06	3.46E-04	1.17E-09	0.25	1.57E-01	4.59E-11	1.0E+06	4.6E-05
151	0.97901	4.01E-06	3.9E-06	3.46E-04	1.36E-09	0.25	1.57E-01	5.34E-11	1.0E+06	5.3E-05
152	1.15821	4.01E-06	4.6E-06	3.46E-04	1.61E-09	0.25	1.57E-01	6.32E-11	1.0E+06	6.3E-05
153	1.39491	4.01E-06	5.6E-06	3.46E-04	1.94E-09	0.25	1.57E-01	7.62E-11	1.0E+06	7.6E-05
154	1.71511	4.01E-06	6.9E-06	3.46E-04	2.38E-09	0.25	1.57E-01	9.36E-11	1.0E+06	9.4E-05
155	2.1698	4.01E-06	8.7E-06	3.46E-04	3.02E-09	0.25	1.57E-01	1.18E-10	1.0E+06	1.2E-04
164	1.82723	4.01E-06	7.3E-06	3.46E-04	2.54E-09	0.25	1.57E-01	9.98E-11	1.0E+06	1.0E-04
165	2.34863	4.01E-06	9.4E-06	3.46E-04	3.26E-09	0.25	1.57E-01	1.28E-10	1.0E+06	1.3E-04
166	3.16177	4.01E-06	1.3E-05	3.46E-04	4.39E-09	0.25	1.57E-01	1.73E-10	1.0E+06	1.7E-04

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	1.88802	4.01E-06	7.6E-06	3.46E-04	2.62E-09	0.25	1.57E-01	1.03E-10	1.0E+06	1.0E-04
179	2.44868	4.01E-06	9.8E-06	3.46E-04	3.40E-09	0.25	1.57E-01	1.34E-10	1.0E+06	1.3E-04
180	3.33572	4.01E-06	1.3E-05	3.46E-04	4.64E-09	0.25	1.57E-01	1.82E-10	1.0E+06	1.8E-04
192	1.89121	4.01E-06	7.6E-06	3.46E-04	2.63E-09	0.25	1.57E-01	1.03E-10	1.0E+06	1.0E-04
193	2.45444	4.01E-06	9.9E-06	3.46E-04	3.41E-09	0.25	1.57E-01	1.34E-10	1.0E+06	1.3E-04
194	3.3349	4.01E-06	1.3E-05	3.46E-04	4.63E-09	0.25	1.57E-01	1.82E-10	1.0E+06	1.8E-04
207	1.83773	4.01E-06	7.4E-06	3.46E-04	2.55E-09	0.25	1.57E-01	1.00E-10	1.0E+06	1.0E-04
208	2.36329	4.01E-06	9.5E-06	3.46E-04	3.28E-09	0.25	1.57E-01	1.29E-10	1.0E+06	1.3E-04
209	3.16848	4.01E-06	1.3E-05	3.46E-04	4.40E-09	0.25	1.57E-01	1.73E-10	1.0E+06	1.7E-04
223	1.74139	4.01E-06	7.0E-06	3.46E-04	2.42E-09	0.25	1.57E-01	9.51E-11	1.0E+06	9.5E-05
224	2.20418	4.01E-06	8.8E-06	3.46E-04	3.06E-09	0.25	1.57E-01	1.20E-10	1.0E+06	1.2E-04
225	2.88323	4.01E-06	1.2E-05	3.46E-04	4.01E-09	0.25	1.57E-01	1.57E-10	1.0E+06	1.6E-04
239	1.61959	4.01E-06	6.5E-06	3.46E-04	2.25E-09	0.25	1.57E-01	8.84E-11	1.0E+06	8.8E-05
240	2.01099	4.01E-06	8.1E-06	3.46E-04	2.79E-09	0.25	1.57E-01	1.10E-10	1.0E+06	1.1E-04
241	2.56397	4.01E-06	1.0E-05	3.46E-04	3.56E-09	0.25	1.57E-01	1.40E-10	1.0E+06	1.4E-04
255	1.48591	4.01E-06	6.0E-06	3.46E-04	2.06E-09	0.25	1.57E-01	8.11E-11	1.0E+06	8.1E-05
256	1.80857	4.01E-06	7.3E-06	3.46E-04	2.51E-09	0.25	1.57E-01	9.87E-11	1.0E+06	9.9E-05
272	1.35095	4.01E-06	5.4E-06	3.46E-04	1.88E-09	0.25	1.57E-01	7.38E-11	1.0E+06	7.4E-05
273	1.61398	4.01E-06	6.5E-06	3.46E-04	2.24E-09	0.25	1.57E-01	8.81E-11	1.0E+06	8.8E-05
289	1.22279	4.01E-06	4.9E-06	3.46E-04	1.70E-09	0.25	1.57E-01	6.68E-11	1.0E+06	6.7E-05
290	1.43527	4.01E-06	5.8E-06	3.46E-04	1.99E-09	0.25	1.57E-01	7.84E-11	1.0E+06	7.8E-05
306	1.10407	4.01E-06	4.4E-06	3.46E-04	1.53E-09	0.25	1.57E-01	6.03E-11	1.0E+06	6.0E-05
307	1.27591	4.01E-06	5.1E-06	3.46E-04	1.77E-09	0.25	1.57E-01	6.97E-11	1.0E+06	7.0E-05
323	0.99664	4.01E-06	4.0E-06	3.46E-04	1.38E-09	0.25	1.57E-01	5.44E-11	1.0E+06	5.4E-05
324	1.13616	4.01E-06	4.6E-06	3.46E-04	1.58E-09	0.25	1.57E-01	6.20E-11	1.0E+06	6.2E-05
342	0.90088	4.01E-06	3.6E-06	3.46E-04	1.25E-09	0.25	1.57E-01	4.92E-11	1.0E+06	4.9E-05
343	1.01486	4.01E-06	4.1E-06	3.46E-04	1.41E-09	0.25	1.57E-01	5.54E-11	1.0E+06	5.5E-05
344	1.14827	4.01E-06	4.6E-06	3.46E-04	1.60E-09	0.25	1.57E-01	6.27E-11	1.0E+06	6.3E-05
356	0.81616	4.01E-06	3.3E-06	3.46E-04	1.13E-09	0.25	1.57E-01	4.46E-11	1.0E+06	4.5E-05
357	0.90997	4.01E-06	3.7E-06	3.46E-04	1.26E-09	0.25	1.57E-01	4.97E-11	1.0E+06	5.0E-05
358	1.01777	4.01E-06	4.1E-06	3.46E-04	1.41E-09	0.25	1.57E-01	5.56E-11	1.0E+06	5.6E-05

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.74164	4.01E-06	3.0E-06	3.46E-04	1.03E-09	0.25	1.57E-01	4.05E-11	1.0E+06	4.0E-05
371	0.81945	4.01E-06	3.3E-06	3.46E-04	1.14E-09	0.25	1.57E-01	4.47E-11	1.0E+06	4.5E-05
372	0.90727	4.01E-06	3.6E-06	3.46E-04	1.26E-09	0.25	1.57E-01	4.95E-11	1.0E+06	5.0E-05
383	0.6761	4.01E-06	2.7E-06	3.46E-04	9.40E-10	0.25	1.57E-01	3.69E-11	1.0E+06	3.7E-05
384	0.74112	4.01E-06	3.0E-06	3.46E-04	1.03E-09	0.25	1.57E-01	4.05E-11	1.0E+06	4.0E-05
385	0.81326	4.01E-06	3.3E-06	3.46E-04	1.13E-09	0.25	1.57E-01	4.44E-11	1.0E+06	4.4E-05
396	0.61843	4.01E-06	2.5E-06	3.46E-04	8.59E-10	0.25	1.57E-01	3.38E-11	1.0E+06	3.4E-05
397	0.67309	4.01E-06	2.7E-06	3.46E-04	9.35E-10	0.25	1.57E-01	3.67E-11	1.0E+06	3.7E-05
398	0.73279	4.01E-06	2.9E-06	3.46E-04	1.02E-09	0.25	1.57E-01	4.00E-11	1.0E+06	4.0E-05
399	0.79693	4.01E-06	3.2E-06	3.46E-04	1.11E-09	0.25	1.57E-01	4.35E-11	1.0E+06	4.4E-05
411	0.56753	4.01E-06	2.3E-06	3.46E-04	7.89E-10	0.25	1.57E-01	3.10E-11	1.0E+06	3.1E-05
412	0.61374	4.01E-06	2.5E-06	3.46E-04	8.53E-10	0.25	1.57E-01	3.35E-11	1.0E+06	3.4E-05
413	0.66349	4.01E-06	2.7E-06	3.46E-04	9.22E-10	0.25	1.57E-01	3.62E-11	1.0E+06	3.6E-05
414	0.71615	4.01E-06	2.9E-06	3.46E-04	9.95E-10	0.25	1.57E-01	3.91E-11	1.0E+06	3.9E-05
426	0.5225	4.01E-06	2.1E-06	3.46E-04	7.26E-10	0.25	1.57E-01	2.85E-11	1.0E+06	2.9E-05
427	0.56177	4.01E-06	2.3E-06	3.46E-04	7.81E-10	0.25	1.57E-01	3.07E-11	1.0E+06	3.1E-05
428	0.60347	4.01E-06	2.4E-06	3.46E-04	8.39E-10	0.25	1.57E-01	3.29E-11	1.0E+06	3.3E-05
429	0.64705	4.01E-06	2.6E-06	3.46E-04	8.99E-10	0.25	1.57E-01	3.53E-11	1.0E+06	3.5E-05
439	0.48248	4.01E-06	1.9E-06	3.46E-04	6.70E-10	0.25	1.57E-01	2.63E-11	1.0E+06	2.6E-05
440	0.51601	4.01E-06	2.1E-06	3.46E-04	7.17E-10	0.25	1.57E-01	2.82E-11	1.0E+06	2.8E-05
441	0.55119	4.01E-06	2.2E-06	3.46E-04	7.66E-10	0.25	1.57E-01	3.01E-11	1.0E+06	3.0E-05
442	0.58752	4.01E-06	2.4E-06	3.46E-04	8.16E-10	0.25	1.57E-01	3.21E-11	1.0E+06	3.2E-05
443	0.62421	4.01E-06	2.5E-06	3.46E-04	8.67E-10	0.25	1.57E-01	3.41E-11	1.0E+06	3.4E-05
454	0.44681	4.01E-06	1.8E-06	3.46E-04	6.21E-10	0.25	1.57E-01	2.44E-11	1.0E+06	2.4E-05
455	0.47555	4.01E-06	1.9E-06	3.46E-04	6.61E-10	0.25	1.57E-01	2.60E-11	1.0E+06	2.6E-05
456	0.5054	4.01E-06	2.0E-06	3.46E-04	7.02E-10	0.25	1.57E-01	2.76E-11	1.0E+06	2.8E-05
457	0.5359	4.01E-06	2.2E-06	3.46E-04	7.45E-10	0.25	1.57E-01	2.93E-11	1.0E+06	2.9E-05
458	0.56644	4.01E-06	2.3E-06	3.46E-04	7.87E-10	0.25	1.57E-01	3.09E-11	1.0E+06	3.1E-05
469	0.41489	4.01E-06	1.7E-06	3.46E-04	5.77E-10	0.25	1.57E-01	2.26E-11	1.0E+06	2.3E-05
470	0.43965	4.01E-06	1.8E-06	3.46E-04	6.11E-10	0.25	1.57E-01	2.40E-11	1.0E+06	2.4E-05
471	0.46511	4.01E-06	1.9E-06	3.46E-04	6.46E-10	0.25	1.57E-01	2.54E-11	1.0E+06	2.5E-05

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.49091	4.01E-06	2.0E-06	3.46E-04	6.82E-10	0.25	1.57E-01	2.68E-11	1.0E+06	2.7E-05
473	0.51655	4.01E-06	2.1E-06	3.46E-04	7.18E-10	0.25	1.57E-01	2.82E-11	1.0E+06	2.8E-05
489	0.38625	4.01E-06	1.6E-06	3.46E-04	5.37E-10	0.25	1.57E-01	2.11E-11	1.0E+06	2.1E-05
490	0.40764	4.01E-06	1.6E-06	3.46E-04	5.66E-10	0.25	1.57E-01	2.23E-11	1.0E+06	2.2E-05
491	0.42946	4.01E-06	1.7E-06	3.46E-04	5.97E-10	0.25	1.57E-01	2.34E-11	1.0E+06	2.3E-05
492	0.4514	4.01E-06	1.8E-06	3.46E-04	6.27E-10	0.25	1.57E-01	2.46E-11	1.0E+06	2.5E-05
493	0.47307	4.01E-06	1.9E-06	3.46E-04	6.57E-10	0.25	1.57E-01	2.58E-11	1.0E+06	2.6E-05
494	0.49393	4.01E-06	2.0E-06	3.46E-04	6.86E-10	0.25	1.57E-01	2.70E-11	1.0E+06	2.7E-05
509	0.36044	4.01E-06	1.4E-06	3.46E-04	5.01E-10	0.25	1.57E-01	1.97E-11	1.0E+06	2.0E-05
510	0.37901	4.01E-06	1.5E-06	3.46E-04	5.27E-10	0.25	1.57E-01	2.07E-11	1.0E+06	2.1E-05
511	0.39783	4.01E-06	1.6E-06	3.46E-04	5.53E-10	0.25	1.57E-01	2.17E-11	1.0E+06	2.2E-05
512	0.41662	4.01E-06	1.7E-06	3.46E-04	5.79E-10	0.25	1.57E-01	2.27E-11	1.0E+06	2.3E-05
513	0.43504	4.01E-06	1.7E-06	3.46E-04	6.05E-10	0.25	1.57E-01	2.37E-11	1.0E+06	2.4E-05
514	0.45277	4.01E-06	1.8E-06	3.46E-04	6.29E-10	0.25	1.57E-01	2.47E-11	1.0E+06	2.5E-05
515	0.48314	4.01E-06	1.9E-06	3.46E-04	6.71E-10	0.25	1.57E-01	2.64E-11	1.0E+06	2.6E-05
516	0.49372	4.01E-06	2.0E-06	3.46E-04	6.86E-10	0.25	1.57E-01	2.70E-11	1.0E+06	2.7E-05
517	0.50009	4.01E-06	2.0E-06	3.46E-04	6.95E-10	0.25	1.57E-01	2.73E-11	1.0E+06	2.7E-05
518	0.50118	4.01E-06	2.0E-06	3.46E-04	6.96E-10	0.25	1.57E-01	2.74E-11	1.0E+06	2.7E-05
519	0.49649	4.01E-06	2.0E-06	3.46E-04	6.90E-10	0.25	1.57E-01	2.71E-11	1.0E+06	2.7E-05
528	0.33714	4.01E-06	1.4E-06	3.46E-04	4.68E-10	0.25	1.57E-01	1.84E-11	1.0E+06	1.8E-05
529	0.35332	4.01E-06	1.4E-06	3.46E-04	4.91E-10	0.25	1.57E-01	1.93E-11	1.0E+06	1.9E-05
530	0.3696	4.01E-06	1.5E-06	3.46E-04	5.14E-10	0.25	1.57E-01	2.02E-11	1.0E+06	2.0E-05
531	0.3858	4.01E-06	1.5E-06	3.46E-04	5.36E-10	0.25	1.57E-01	2.11E-11	1.0E+06	2.1E-05
532	0.40163	4.01E-06	1.6E-06	3.46E-04	5.58E-10	0.25	1.57E-01	2.19E-11	1.0E+06	2.2E-05
533	0.41678	4.01E-06	1.7E-06	3.46E-04	5.79E-10	0.25	1.57E-01	2.28E-11	1.0E+06	2.3E-05
534	0.44269	4.01E-06	1.8E-06	3.46E-04	6.15E-10	0.25	1.57E-01	2.42E-11	1.0E+06	2.4E-05
535	0.45191	4.01E-06	1.8E-06	3.46E-04	6.28E-10	0.25	1.57E-01	2.47E-11	1.0E+06	2.5E-05
536	0.45779	4.01E-06	1.8E-06	3.46E-04	6.36E-10	0.25	1.57E-01	2.50E-11	1.0E+06	2.5E-05
537	0.45905	4.01E-06	1.8E-06	3.46E-04	6.38E-10	0.25	1.57E-01	2.51E-11	1.0E+06	2.5E-05
538	0.45551	4.01E-06	1.8E-06	3.46E-04	6.33E-10	0.25	1.57E-01	2.49E-11	1.0E+06	2.5E-05
547	0.31602	4.01E-06	1.3E-06	3.46E-04	4.39E-10	0.25	1.57E-01	1.73E-11	1.0E+06	1.7E-05

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.33017	4.01E-06	1.3E-06	3.46E-04	4.59E-10	0.25	1.57E-01	1.80E-11	1.0E+06	1.8E-05
549	0.34435	4.01E-06	1.4E-06	3.46E-04	4.79E-10	0.25	1.57E-01	1.88E-11	1.0E+06	1.9E-05
550	0.35834	4.01E-06	1.4E-06	3.46E-04	4.98E-10	0.25	1.57E-01	1.96E-11	1.0E+06	2.0E-05
551	0.37203	4.01E-06	1.5E-06	3.46E-04	5.17E-10	0.25	1.57E-01	2.03E-11	1.0E+06	2.0E-05
552	0.38508	4.01E-06	1.5E-06	3.46E-04	5.35E-10	0.25	1.57E-01	2.10E-11	1.0E+06	2.1E-05
553	0.39712	4.01E-06	1.6E-06	3.46E-04	5.52E-10	0.25	1.57E-01	2.17E-11	1.0E+06	2.2E-05
554	0.40744	4.01E-06	1.6E-06	3.46E-04	5.66E-10	0.25	1.57E-01	2.22E-11	1.0E+06	2.2E-05
555	0.41562	4.01E-06	1.7E-06	3.46E-04	5.78E-10	0.25	1.57E-01	2.27E-11	1.0E+06	2.3E-05
556	0.42099	4.01E-06	1.7E-06	3.46E-04	5.85E-10	0.25	1.57E-01	2.30E-11	1.0E+06	2.3E-05
557	0.42238	4.01E-06	1.7E-06	3.46E-04	5.87E-10	0.25	1.57E-01	2.31E-11	1.0E+06	2.3E-05
558	0.41997	4.01E-06	1.7E-06	3.46E-04	5.84E-10	0.25	1.57E-01	2.29E-11	1.0E+06	2.3E-05
559	0.41318	4.01E-06	1.7E-06	3.46E-04	5.74E-10	0.25	1.57E-01	2.26E-11	1.0E+06	2.3E-05
567	0.29684	4.01E-06	1.2E-06	3.46E-04	4.12E-10	0.25	1.57E-01	1.62E-11	1.0E+06	1.6E-05
568	0.30928	4.01E-06	1.2E-06	3.46E-04	4.30E-10	0.25	1.57E-01	1.69E-11	1.0E+06	1.7E-05
569	0.32166	4.01E-06	1.3E-06	3.46E-04	4.47E-10	0.25	1.57E-01	1.76E-11	1.0E+06	1.8E-05
570	0.33388	4.01E-06	1.3E-06	3.46E-04	4.64E-10	0.25	1.57E-01	1.82E-11	1.0E+06	1.8E-05
571	0.34576	4.01E-06	1.4E-06	3.46E-04	4.80E-10	0.25	1.57E-01	1.89E-11	1.0E+06	1.9E-05
572	0.3571	4.01E-06	1.4E-06	3.46E-04	4.96E-10	0.25	1.57E-01	1.95E-11	1.0E+06	1.9E-05
573	0.36753	4.01E-06	1.5E-06	3.46E-04	5.11E-10	0.25	1.57E-01	2.01E-11	1.0E+06	2.0E-05
574	0.38375	4.01E-06	1.5E-06	3.46E-04	5.33E-10	0.25	1.57E-01	2.09E-11	1.0E+06	2.1E-05
575	0.38859	4.01E-06	1.6E-06	3.46E-04	5.40E-10	0.25	1.57E-01	2.12E-11	1.0E+06	2.1E-05
576	0.39035	4.01E-06	1.6E-06	3.46E-04	5.42E-10	0.25	1.57E-01	2.13E-11	1.0E+06	2.1E-05
577	0.38865	4.01E-06	1.6E-06	3.46E-04	5.40E-10	0.25	1.57E-01	2.12E-11	1.0E+06	2.1E-05
578	0.3833	4.01E-06	1.5E-06	3.46E-04	5.33E-10	0.25	1.57E-01	2.09E-11	1.0E+06	2.1E-05
586	0.27937	4.01E-06	1.1E-06	3.46E-04	3.88E-10	0.25	1.57E-01	1.53E-11	1.0E+06	1.5E-05
587	0.2903	4.01E-06	1.2E-06	3.46E-04	4.03E-10	0.25	1.57E-01	1.58E-11	1.0E+06	1.6E-05
588	0.30118	4.01E-06	1.2E-06	3.46E-04	4.19E-10	0.25	1.57E-01	1.64E-11	1.0E+06	1.6E-05
589	0.31186	4.01E-06	1.3E-06	3.46E-04	4.33E-10	0.25	1.57E-01	1.70E-11	1.0E+06	1.7E-05
590	0.32225	4.01E-06	1.3E-06	3.46E-04	4.48E-10	0.25	1.57E-01	1.76E-11	1.0E+06	1.8E-05
591	0.33213	4.01E-06	1.3E-06	3.46E-04	4.62E-10	0.25	1.57E-01	1.81E-11	1.0E+06	1.8E-05
592	0.34124	4.01E-06	1.4E-06	3.46E-04	4.74E-10	0.25	1.57E-01	1.86E-11	1.0E+06	1.9E-05

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.35557	4.01E-06	1.4E-06	3.46E-04	4.94E-10	0.25	1.57E-01	1.94E-11	1.0E+06	1.9E-05
594	0.36002	4.01E-06	1.4E-06	3.46E-04	5.00E-10	0.25	1.57E-01	1.97E-11	1.0E+06	2.0E-05
595	0.36174	4.01E-06	1.5E-06	3.46E-04	5.03E-10	0.25	1.57E-01	1.97E-11	1.0E+06	2.0E-05
596	0.36057	4.01E-06	1.4E-06	3.46E-04	5.01E-10	0.25	1.57E-01	1.97E-11	1.0E+06	2.0E-05
597	0.35639	4.01E-06	1.4E-06	3.46E-04	4.95E-10	0.25	1.57E-01	1.95E-11	1.0E+06	1.9E-05
345	1.30379	4.01E-06	5.2E-06	3.46E-04	1.81E-09	0.25	1.57E-01	7.12E-11	1.0E+06	7.1E-05
346	1.48145	4.01E-06	5.9E-06	3.46E-04	2.06E-09	0.25	1.57E-01	8.09E-11	1.0E+06	8.1E-05
347	1.67644	4.01E-06	6.7E-06	3.46E-04	2.33E-09	0.25	1.57E-01	9.15E-11	1.0E+06	9.2E-05
348	1.87384	4.01E-06	7.5E-06	3.46E-04	2.60E-09	0.25	1.57E-01	1.02E-10	1.0E+06	1.0E-04
359	1.14039	4.01E-06	4.6E-06	3.46E-04	1.58E-09	0.25	1.57E-01	6.23E-11	1.0E+06	6.2E-05
360	1.27639	4.01E-06	5.1E-06	3.46E-04	1.77E-09	0.25	1.57E-01	6.97E-11	1.0E+06	7.0E-05
361	1.42218	4.01E-06	5.7E-06	3.46E-04	1.98E-09	0.25	1.57E-01	7.76E-11	1.0E+06	7.8E-05
362	1.56496	4.01E-06	6.3E-06	3.46E-04	2.17E-09	0.25	1.57E-01	8.54E-11	1.0E+06	8.5E-05
363	1.68997	4.01E-06	6.8E-06	3.46E-04	2.35E-09	0.25	1.57E-01	9.23E-11	1.0E+06	9.2E-05
373	1.11135	4.01E-06	4.5E-06	3.46E-04	1.54E-09	0.25	1.57E-01	6.07E-11	1.0E+06	6.1E-05
374	1.22183	4.01E-06	4.9E-06	3.46E-04	1.70E-09	0.25	1.57E-01	6.67E-11	1.0E+06	6.7E-05
375	1.32838	4.01E-06	5.3E-06	3.46E-04	1.85E-09	0.25	1.57E-01	7.25E-11	1.0E+06	7.3E-05
376	1.42078	4.01E-06	5.7E-06	3.46E-04	1.97E-09	0.25	1.57E-01	7.76E-11	1.0E+06	7.8E-05
386	0.97606	4.01E-06	3.9E-06	3.46E-04	1.36E-09	0.25	1.57E-01	5.33E-11	1.0E+06	5.3E-05
387	1.06185	4.01E-06	4.3E-06	3.46E-04	1.48E-09	0.25	1.57E-01	5.80E-11	1.0E+06	5.8E-05
388	1.1432	4.01E-06	4.6E-06	3.46E-04	1.59E-09	0.25	1.57E-01	6.24E-11	1.0E+06	6.2E-05
389	1.21339	4.01E-06	4.9E-06	3.46E-04	1.69E-09	0.25	1.57E-01	6.62E-11	1.0E+06	6.6E-05
390	1.26178	4.01E-06	5.1E-06	3.46E-04	1.75E-09	0.25	1.57E-01	6.89E-11	1.0E+06	6.9E-05
400	0.86416	4.01E-06	3.5E-06	3.46E-04	1.20E-09	0.25	1.57E-01	4.72E-11	1.0E+06	4.7E-05
401	0.93124	4.01E-06	3.7E-06	3.46E-04	1.29E-09	0.25	1.57E-01	5.08E-11	1.0E+06	5.1E-05
402	0.99549	4.01E-06	4.0E-06	3.46E-04	1.38E-09	0.25	1.57E-01	5.43E-11	1.0E+06	5.4E-05
403	1.04942	4.01E-06	4.2E-06	3.46E-04	1.46E-09	0.25	1.57E-01	5.73E-11	1.0E+06	5.7E-05
404	1.087	4.01E-06	4.4E-06	3.46E-04	1.51E-09	0.25	1.57E-01	5.93E-11	1.0E+06	5.9E-05
415	0.77053	4.01E-06	3.1E-06	3.46E-04	1.07E-09	0.25	1.57E-01	4.21E-11	1.0E+06	4.2E-05
416	0.82458	4.01E-06	3.3E-06	3.46E-04	1.15E-09	0.25	1.57E-01	4.50E-11	1.0E+06	4.5E-05
417	0.87486	4.01E-06	3.5E-06	3.46E-04	1.22E-09	0.25	1.57E-01	4.78E-11	1.0E+06	4.8E-05

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.91852	4.01E-06	3.7E-06	3.46E-04	1.28E-09	0.25	1.57E-01	5.01E-11	1.0E+06	5.0E-05
419	0.949	4.01E-06	3.8E-06	3.46E-04	1.32E-09	0.25	1.57E-01	5.18E-11	1.0E+06	5.2E-05
420	0.95965	4.01E-06	3.9E-06	3.46E-04	1.33E-09	0.25	1.57E-01	5.24E-11	1.0E+06	5.2E-05
430	0.73509	4.01E-06	3.0E-06	3.46E-04	1.02E-09	0.25	1.57E-01	4.01E-11	1.0E+06	4.0E-05
431	0.77613	4.01E-06	3.1E-06	3.46E-04	1.08E-09	0.25	1.57E-01	4.24E-11	1.0E+06	4.2E-05
432	0.81088	4.01E-06	3.3E-06	3.46E-04	1.13E-09	0.25	1.57E-01	4.43E-11	1.0E+06	4.4E-05
433	0.83566	4.01E-06	3.4E-06	3.46E-04	1.16E-09	0.25	1.57E-01	4.56E-11	1.0E+06	4.6E-05
434	0.84668	4.01E-06	3.4E-06	3.46E-04	1.18E-09	0.25	1.57E-01	4.62E-11	1.0E+06	4.6E-05
444	0.66006	4.01E-06	2.6E-06	3.46E-04	9.17E-10	0.25	1.57E-01	3.60E-11	1.0E+06	3.6E-05
445	0.69322	4.01E-06	2.8E-06	3.46E-04	9.63E-10	0.25	1.57E-01	3.78E-11	1.0E+06	3.8E-05
446	0.72162	4.01E-06	2.9E-06	3.46E-04	1.00E-09	0.25	1.57E-01	3.94E-11	1.0E+06	3.9E-05
447	0.74219	4.01E-06	3.0E-06	3.46E-04	1.03E-09	0.25	1.57E-01	4.05E-11	1.0E+06	4.1E-05
448	0.75207	4.01E-06	3.0E-06	3.46E-04	1.05E-09	0.25	1.57E-01	4.11E-11	1.0E+06	4.1E-05
459	0.62345	4.01E-06	2.5E-06	3.46E-04	8.66E-10	0.25	1.57E-01	3.40E-11	1.0E+06	3.4E-05
460	0.64685	4.01E-06	2.6E-06	3.46E-04	8.99E-10	0.25	1.57E-01	3.53E-11	1.0E+06	3.5E-05
461	0.66404	4.01E-06	2.7E-06	3.46E-04	9.23E-10	0.25	1.57E-01	3.63E-11	1.0E+06	3.6E-05
462	0.67285	4.01E-06	2.7E-06	3.46E-04	9.35E-10	0.25	1.57E-01	3.67E-11	1.0E+06	3.7E-05
463	0.67132	4.01E-06	2.7E-06	3.46E-04	9.33E-10	0.25	1.57E-01	3.66E-11	1.0E+06	3.7E-05
474	0.56401	4.01E-06	2.3E-06	3.46E-04	7.84E-10	0.25	1.57E-01	3.08E-11	1.0E+06	3.1E-05
475	0.5835	4.01E-06	2.3E-06	3.46E-04	8.11E-10	0.25	1.57E-01	3.19E-11	1.0E+06	3.2E-05
476	0.59819	4.01E-06	2.4E-06	3.46E-04	8.31E-10	0.25	1.57E-01	3.27E-11	1.0E+06	3.3E-05
477	0.60595	4.01E-06	2.4E-06	3.46E-04	8.42E-10	0.25	1.57E-01	3.31E-11	1.0E+06	3.3E-05
478	0.60562	4.01E-06	2.4E-06	3.46E-04	8.42E-10	0.25	1.57E-01	3.31E-11	1.0E+06	3.3E-05
495	0.51314	4.01E-06	2.1E-06	3.46E-04	7.13E-10	0.25	1.57E-01	2.80E-11	1.0E+06	2.8E-05
496	0.52952	4.01E-06	2.1E-06	3.46E-04	7.36E-10	0.25	1.57E-01	2.89E-11	1.0E+06	2.9E-05
497	0.54202	4.01E-06	2.2E-06	3.46E-04	7.53E-10	0.25	1.57E-01	2.96E-11	1.0E+06	3.0E-05
498	0.54908	4.01E-06	2.2E-06	3.46E-04	7.63E-10	0.25	1.57E-01	3.00E-11	1.0E+06	3.0E-05
499	0.54953	4.01E-06	2.2E-06	3.46E-04	7.64E-10	0.25	1.57E-01	3.00E-11	1.0E+06	3.0E-05
500	0.54278	4.01E-06	2.2E-06	3.46E-04	7.54E-10	0.25	1.57E-01	2.96E-11	1.0E+06	3.0E-05

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

		Cancer Risk from 3rd Trimester - Construction									
Receptor #	Conc	g/sec	Cair	Dose		Risk		Constant 2	Risk/ Million		
				Constant	Dose	ED	Constant				
139	2.46483	4.01E-06	9.9E-06	3.46E-04	3.43E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	3.24383	4.01E-06	1.3E-05	3.46E-04	4.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	2.85011	4.01E-06	1.1E-05	3.46E-04	3.96E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	3.92834	4.01E-06	1.6E-05	3.46E-04	5.46E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	5.85299	4.01E-06	2.3E-05	3.46E-04	8.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	9.94451	4.01E-06	4.0E-05	3.46E-04	1.38E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	24.05094	4.01E-06	9.7E-05	3.46E-04	3.34E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	24.43475	4.01E-06	9.8E-05	3.46E-04	3.40E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	12.96517	4.01E-06	5.2E-05	3.46E-04	1.80E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	8.92932	4.01E-06	3.6E-05	3.46E-04	1.24E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	4.49156	4.01E-06	1.8E-05	3.46E-04	6.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	7.12194	4.01E-06	2.9E-05	3.46E-04	9.90E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	13.39987	4.01E-06	5.4E-05	3.46E-04	1.86E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	13.9749	4.01E-06	5.6E-05	3.46E-04	1.94E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	20.81454	4.01E-06	8.4E-05	3.46E-04	2.89E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	26.28054	4.01E-06	1.1E-04	3.46E-04	3.65E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	14.65331	4.01E-06	5.9E-05	3.46E-04	2.04E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	10.37492	4.01E-06	4.2E-05	3.46E-04	1.44E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	8.06011	4.01E-06	3.2E-05	3.46E-04	1.12E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	6.46126	4.01E-06	2.6E-05	3.46E-04	8.98E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	5.16324	4.01E-06	2.1E-05	3.46E-04	7.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	7.89915	4.01E-06	3.2E-05	3.46E-04	1.10E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	15.76044	4.01E-06	6.3E-05	3.46E-04	2.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	17.90575	4.01E-06	7.2E-05	3.46E-04	2.49E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	25.12076	4.01E-06	1.0E-04	3.46E-04	3.49E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	28.05172	4.01E-06	1.1E-04	3.46E-04	3.90E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	17.78974	4.01E-06	7.1E-05	3.46E-04	2.47E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	13.2597	4.01E-06	5.3E-05	3.46E-04	1.84E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	10.28499	4.01E-06	4.1E-05	3.46E-04	1.43E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	7.77889	4.01E-06	3.1E-05	3.46E-04	1.08E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	5.71622	4.01E-06	2.3E-05	3.46E-04	7.94E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	4.20628	4.01E-06	1.7E-05	3.46E-04	5.85E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	7.85266	4.01E-06	3.2E-05	3.46E-04	1.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	15.64437	4.01E-06	6.3E-05	3.46E-04	2.17E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	30.43606	4.01E-06	1.2E-04	3.46E-04	4.23E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	29.18489	4.01E-06	1.2E-04	3.46E-04	4.06E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	37.73488	4.01E-06	1.5E-04	3.46E-04	5.24E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	27.99209	4.01E-06	1.1E-04	3.46E-04	3.89E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	21.83658	4.01E-06	8.8E-05	3.46E-04	3.03E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	14.81121	4.01E-06	5.9E-05	3.46E-04	2.06E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	9.07537	4.01E-06	3.6E-05	3.46E-04	1.26E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	5.7861	4.01E-06	2.3E-05	3.46E-04	8.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	3.9607	4.01E-06	1.6E-05	3.46E-04	5.50E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	2.88232	4.01E-06	1.2E-05	3.46E-04	4.01E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	4.4454	4.01E-06	1.8E-05	3.46E-04	6.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	6.99412	4.01E-06	2.8E-05	3.46E-04	9.72E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	12.70821	4.01E-06	5.1E-05	3.46E-04	1.77E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	31.2107	4.01E-06	1.3E-04	3.46E-04	4.34E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	23.8025	4.01E-06	9.6E-05	3.46E-04	3.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	20.55655	4.01E-06	8.3E-05	3.46E-04	2.86E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	23.436	4.01E-06	9.4E-05	3.46E-04	3.26E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	19.01356	4.01E-06	7.6E-05	3.46E-04	2.64E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	8.41511	4.01E-06	3.4E-05	3.46E-04	1.17E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	4.97519	4.01E-06	2.0E-05	3.46E-04	6.91E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	3.38314	4.01E-06	1.4E-05	3.46E-04	4.70E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	2.48918	4.01E-06	1.0E-05	3.46E-04	3.46E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	1.92694	4.01E-06	7.7E-06	3.46E-04	2.68E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	3.94527	4.01E-06	1.6E-05	3.46E-04	5.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	5.80339	4.01E-06	2.3E-05	3.46E-04	8.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	9.33877	4.01E-06	3.7E-05	3.46E-04	1.30E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	16.86266	4.01E-06	6.8E-05	3.46E-04	2.34E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	30.35765	4.01E-06	1.2E-04	3.46E-04	4.22E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	39.80131	4.01E-06	1.6E-04	3.46E-04	5.53E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	24.13355	4.01E-06	9.7E-05	3.46E-04	3.35E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	12.48824	4.01E-06	5.0E-05	3.46E-04	1.74E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	6.15271	4.01E-06	2.5E-05	3.46E-04	8.55E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	3.93918	4.01E-06	1.6E-05	3.46E-04	5.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	2.81542	4.01E-06	1.1E-05	3.46E-04	3.91E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	2.14186	4.01E-06	8.6E-06	3.46E-04	2.98E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	1.6983	4.01E-06	6.8E-06	3.46E-04	2.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	3.37872	4.01E-06	1.4E-05	3.46E-04	4.70E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	4.6661	4.01E-06	1.9E-05	3.46E-04	6.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	6.74397	4.01E-06	2.7E-05	3.46E-04	9.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	10.19518	4.01E-06	4.1E-05	3.46E-04	1.42E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	14.5819	4.01E-06	5.9E-05	3.46E-04	2.03E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	17.29797	4.01E-06	6.9E-05	3.46E-04	2.40E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	16.84674	4.01E-06	6.8E-05	3.46E-04	2.34E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	8.19032	4.01E-06	3.3E-05	3.46E-04	1.14E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	4.83136	4.01E-06	1.9E-05	3.46E-04	6.71E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	3.2657	4.01E-06	1.3E-05	3.46E-04	4.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	2.41833	4.01E-06	9.7E-06	3.46E-04	3.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	1.88507	4.01E-06	7.6E-06	3.46E-04	2.62E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	1.5221	4.01E-06	6.1E-06	3.46E-04	2.12E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	2.85743	4.01E-06	1.1E-05	3.46E-04	3.97E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	3.74424	4.01E-06	1.5E-05	3.46E-04	5.20E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	5.03996	4.01E-06	2.0E-05	3.46E-04	7.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	6.78429	4.01E-06	2.7E-05	3.46E-04	9.43E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	8.74606	4.01E-06	3.5E-05	3.46E-04	1.22E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	9.91	4.01E-06	4.0E-05	3.46E-04	1.38E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	9.67904	4.01E-06	3.9E-05	3.46E-04	1.35E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	5.83763	4.01E-06	2.3E-05	3.46E-04	8.11E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	3.95027	4.01E-06	1.6E-05	3.46E-04	5.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	2.80293	4.01E-06	1.1E-05	3.46E-04	3.90E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	2.12324	4.01E-06	8.5E-06	3.46E-04	2.95E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	1.6836	4.01E-06	6.8E-06	3.46E-04	2.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	1.37904	4.01E-06	5.5E-06	3.46E-04	1.92E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	0.85165	4.01E-06	3.4E-06	3.46E-04	1.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	0.7452	4.01E-06	3.0E-06	3.46E-04	1.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	2.41289	4.01E-06	9.7E-06	3.46E-04	3.35E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	3.02859	4.01E-06	1.2E-05	3.46E-04	4.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	3.85736	4.01E-06	1.5E-05	3.46E-04	5.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	4.8595	4.01E-06	2.0E-05	3.46E-04	6.75E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	5.87989	4.01E-06	2.4E-05	3.46E-04	8.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	6.48815	4.01E-06	2.6E-05	3.46E-04	9.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	6.38339	4.01E-06	2.6E-05	3.46E-04	8.87E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	4.38936	4.01E-06	1.8E-05	3.46E-04	6.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	3.24855	4.01E-06	1.3E-05	3.46E-04	4.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	2.42149	4.01E-06	9.7E-06	3.46E-04	3.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	1.87964	4.01E-06	7.5E-06	3.46E-04	2.61E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	1.51538	4.01E-06	6.1E-06	3.46E-04	2.11E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	1.25583	4.01E-06	5.0E-06	3.46E-04	1.75E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	0.79451	4.01E-06	3.2E-06	3.46E-04	1.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	0.70016	4.01E-06	2.8E-06	3.46E-04	9.73E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	2.04553	4.01E-06	8.2E-06	3.46E-04	2.84E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	2.48253	4.01E-06	1.0E-05	3.46E-04	3.45E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	3.03027	4.01E-06	1.2E-05	3.46E-04	4.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	3.65293	4.01E-06	1.5E-05	3.46E-04	5.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	4.23822	4.01E-06	1.7E-05	3.46E-04	5.89E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	4.59925	4.01E-06	1.8E-05	3.46E-04	6.39E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	4.56713	4.01E-06	1.8E-05	3.46E-04	6.35E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	3.43074	4.01E-06	1.4E-05	3.46E-04	4.77E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	2.70583	4.01E-06	1.1E-05	3.46E-04	3.76E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	2.1073	4.01E-06	8.5E-06	3.46E-04	2.93E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	1.67702	4.01E-06	6.7E-06	3.46E-04	2.33E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	1.3711	4.01E-06	5.5E-06	3.46E-04	1.91E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	1.14779	4.01E-06	4.6E-06	3.46E-04	1.60E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	0.74338	4.01E-06	3.0E-06	3.46E-04	1.03E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	0.65835	4.01E-06	2.6E-06	3.46E-04	9.15E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	1.74616	4.01E-06	7.0E-06	3.46E-04	2.43E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	2.06378	4.01E-06	8.3E-06	3.46E-04	2.87E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	2.43957	4.01E-06	9.8E-06	3.46E-04	3.39E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	2.8459	4.01E-06	1.1E-05	3.46E-04	3.95E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	3.21893	4.01E-06	1.3E-05	3.46E-04	4.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	3.44647	4.01E-06	1.4E-05	3.46E-04	4.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	3.442	4.01E-06	1.4E-05	3.46E-04	4.78E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	2.75976	4.01E-06	1.1E-05	3.46E-04	3.84E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	2.27989	4.01E-06	9.2E-06	3.46E-04	3.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	1.84274	4.01E-06	7.4E-06	3.46E-04	2.56E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	1.50179	4.01E-06	6.0E-06	3.46E-04	2.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	1.24496	4.01E-06	5.0E-06	3.46E-04	1.73E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	1.05248	4.01E-06	4.2E-06	3.46E-04	1.46E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	0.6959	4.01E-06	2.8E-06	3.46E-04	9.67E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	0.61931	4.01E-06	2.5E-06	3.46E-04	8.61E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	1.50251	4.01E-06	6.0E-06	3.46E-04	2.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	1.73788	4.01E-06	7.0E-06	3.46E-04	2.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	2.00495	4.01E-06	8.0E-06	3.46E-04	2.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	2.28401	4.01E-06	9.2E-06	3.46E-04	3.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	2.52913	4.01E-06	1.0E-05	3.46E-04	3.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	2.68562	4.01E-06	1.1E-05	3.46E-04	3.73E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	2.6942	4.01E-06	1.1E-05	3.46E-04	3.74E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	2.54303	4.01E-06	1.0E-05	3.46E-04	3.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	2.26806	4.01E-06	9.1E-06	3.46E-04	3.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	1.9381	4.01E-06	7.8E-06	3.46E-04	2.69E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	1.61851	4.01E-06	6.5E-06	3.46E-04	2.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	1.34754	4.01E-06	5.4E-06	3.46E-04	1.87E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	1.13323	4.01E-06	4.5E-06	3.46E-04	1.57E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	0.96716	4.01E-06	3.9E-06	3.46E-04	1.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	0.73465	4.01E-06	2.9E-06	3.46E-04	1.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	0.65187	4.01E-06	2.6E-06	3.46E-04	9.06E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.58299	4.01E-06	2.3E-06	3.46E-04	8.10E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	2.04544	4.01E-06	8.2E-06	3.46E-04	2.84E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	2.15527	4.01E-06	8.7E-06	3.46E-04	3.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	2.16833	4.01E-06	8.7E-06	3.46E-04	3.01E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	2.07662	4.01E-06	8.3E-06	3.46E-04	2.89E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	0.68554	4.01E-06	2.8E-06	3.46E-04	9.53E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	0.61145	4.01E-06	2.5E-06	3.46E-04	8.50E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.54936	4.01E-06	2.2E-06	3.46E-04	7.63E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	1.77099	4.01E-06	7.1E-06	3.46E-04	2.46E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	1.787	4.01E-06	7.2E-06	3.46E-04	2.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	1.72879	4.01E-06	6.9E-06	3.46E-04	2.40E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	0.64105	4.01E-06	2.6E-06	3.46E-04	8.91E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	0.57407	4.01E-06	2.3E-06	3.46E-04	7.98E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.51804	4.01E-06	2.1E-06	3.46E-04	7.20E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	1.48302	4.01E-06	6.0E-06	3.46E-04	2.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	1.49899	4.01E-06	6.0E-06	3.46E-04	2.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	1.46197	4.01E-06	5.9E-06	3.46E-04	2.03E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	0.59955	4.01E-06	2.4E-06	3.46E-04	8.33E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	0.53868	4.01E-06	2.2E-06	3.46E-04	7.49E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.48848	4.01E-06	2.0E-06	3.46E-04	6.79E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	1.27658	4.01E-06	5.1E-06	3.46E-04	1.77E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	1.25225	4.01E-06	5.0E-06	3.46E-04	1.74E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	0.56162	4.01E-06	2.3E-06	3.46E-04	7.80E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.50714	4.01E-06	2.0E-06	3.46E-04	7.05E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.46163	4.01E-06	1.9E-06	3.46E-04	6.41E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	1.10142	4.01E-06	4.4E-06	3.46E-04	1.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	1.08665	4.01E-06	4.4E-06	3.46E-04	1.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	1.0441	4.01E-06	4.2E-06	3.46E-04	1.45E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	0.52733	4.01E-06	2.1E-06	3.46E-04	7.33E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.47792	4.01E-06	1.9E-06	3.46E-04	6.64E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.43695	4.01E-06	1.8E-06	3.46E-04	6.07E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	0.95173	4.01E-06	3.8E-06	3.46E-04	1.32E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	0.92084	4.01E-06	3.7E-06	3.46E-04	1.28E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.49553	4.01E-06	2.0E-06	3.46E-04	6.89E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.45107	4.01E-06	1.8E-06	3.46E-04	6.27E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.41372	4.01E-06	1.7E-06	3.46E-04	5.75E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	0.84044	4.01E-06	3.4E-06	3.46E-04	1.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	0.81865	4.01E-06	3.3E-06	3.46E-04	1.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.42636	4.01E-06	1.7E-06	3.46E-04	5.92E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.39173	4.01E-06	1.6E-06	3.46E-04	5.44E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	0.74813	4.01E-06	3.0E-06	3.46E-04	1.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	0.7327	4.01E-06	2.9E-06	3.46E-04	1.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	0.70359	4.01E-06	2.8E-06	3.46E-04	9.78E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.40317	4.01E-06	1.6E-06	3.46E-04	5.60E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.37154	4.01E-06	1.5E-06	3.46E-04	5.16E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	0.65936	4.01E-06	2.6E-06	3.46E-04	9.16E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	0.63701	4.01E-06	2.6E-06	3.46E-04	8.85E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.4502	4.01E-06	1.8E-06	3.46E-04	6.26E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.38175	4.01E-06	1.5E-06	3.46E-04	5.30E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.35291	4.01E-06	1.4E-06	3.46E-04	4.90E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	0.59558	4.01E-06	2.4E-06	3.46E-04	8.28E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	0.57916	4.01E-06	2.3E-06	3.46E-04	8.05E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	0.55432	4.01E-06	2.2E-06	3.46E-04	7.70E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	0.52449	4.01E-06	2.1E-06	3.46E-04	7.29E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	0.49063	4.01E-06	2.0E-06	3.46E-04	6.82E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.45643	4.01E-06	1.8E-06	3.46E-04	6.34E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.42266	4.01E-06	1.7E-06	3.46E-04	5.87E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.3911	4.01E-06	1.6E-06	3.46E-04	5.43E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.36194	4.01E-06	1.5E-06	3.46E-04	5.03E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.33551	4.01E-06	1.3E-06	3.46E-04	4.66E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	0.52814	4.01E-06	2.1E-06	3.46E-04	7.34E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	0.50935	4.01E-06	2.0E-06	3.46E-04	7.08E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	0.48472	4.01E-06	1.9E-06	3.46E-04	6.74E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	0.45652	4.01E-06	1.8E-06	3.46E-04	6.34E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	0.42694	4.01E-06	1.7E-06	3.46E-04	5.93E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.39747	4.01E-06	1.6E-06	3.46E-04	5.52E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.36956	4.01E-06	1.5E-06	3.46E-04	5.14E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.31932	4.01E-06	1.3E-06	3.46E-04	4.44E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.48497	4.01E-06	1.9E-06	3.46E-04	6.74E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	0.46815	4.01E-06	1.9E-06	3.46E-04	6.51E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	0.44895	4.01E-06	1.8E-06	3.46E-04	6.24E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	0.42528	4.01E-06	1.7E-06	3.46E-04	5.91E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	0.39988	4.01E-06	1.6E-06	3.46E-04	5.56E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.37419	4.01E-06	1.5E-06	3.46E-04	5.20E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.34939	4.01E-06	1.4E-06	3.46E-04	4.86E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.30413	4.01E-06	1.2E-06	3.46E-04	4.23E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.44701	4.01E-06	1.8E-06	3.46E-04	6.21E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.43372	4.01E-06	1.7E-06	3.46E-04	6.03E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	0.41626	4.01E-06	1.7E-06	3.46E-04	5.78E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	0.39625	4.01E-06	1.6E-06	3.46E-04	5.51E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	0.37508	4.01E-06	1.5E-06	3.46E-04	5.21E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.35263	4.01E-06	1.4E-06	3.46E-04	4.90E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.33022	4.01E-06	1.3E-06	3.46E-04	4.59E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.28985	4.01E-06	1.2E-06	3.46E-04	4.03E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.40243	4.01E-06	1.6E-06	3.46E-04	5.59E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.38825	4.01E-06	1.6E-06	3.46E-04	5.40E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.37107	4.01E-06	1.5E-06	3.46E-04	5.16E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.35146	4.01E-06	1.4E-06	3.46E-04	4.88E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.33244	4.01E-06	1.3E-06	3.46E-04	4.62E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.31345	4.01E-06	1.3E-06	3.46E-04	4.36E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.27673	4.01E-06	1.1E-06	3.46E-04	3.85E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.37434	4.01E-06	1.5E-06	3.46E-04	5.20E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.36246	4.01E-06	1.5E-06	3.46E-04	5.04E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.34812	4.01E-06	1.4E-06	3.46E-04	4.84E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.33182	4.01E-06	1.3E-06	3.46E-04	4.61E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.31453	4.01E-06	1.3E-06	3.46E-04	4.37E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.29703	4.01E-06	1.2E-06	3.46E-04	4.13E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.25873	4.01E-06	1.0E-06	3.46E-04	3.60E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.3492	4.01E-06	1.4E-06	3.46E-04	4.85E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.33908	4.01E-06	1.4E-06	3.46E-04	4.71E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.32681	4.01E-06	1.3E-06	3.46E-04	4.54E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.31283	4.01E-06	1.3E-06	3.46E-04	4.35E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.29777	4.01E-06	1.2E-06	3.46E-04	4.14E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.28243	4.01E-06	1.1E-06	3.46E-04	3.92E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.26707	4.01E-06	1.1E-06	3.46E-04	3.71E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	4.01E-06	0.0E+00	3.46E-04	0.00E+00	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.29389	4.01E-06	1.2E-06	1.05E-03	1.23E-09	2	1.57E-01	3.88E-10	1.0E+06	3.9E-04
2	0.31598	4.01E-06	1.3E-06	1.05E-03	1.33E-09	2	1.57E-01	4.17E-10	1.0E+06	4.2E-04
3	0.34048	4.01E-06	1.4E-06	1.05E-03	1.43E-09	2	1.57E-01	4.49E-10	1.0E+06	4.5E-04
4	0.3679	4.01E-06	1.5E-06	1.05E-03	1.54E-09	2	1.57E-01	4.85E-10	1.0E+06	4.9E-04
5	0.39872	4.01E-06	1.6E-06	1.05E-03	1.67E-09	2	1.57E-01	5.26E-10	1.0E+06	5.3E-04
6	0.43386	4.01E-06	1.7E-06	1.05E-03	1.82E-09	2	1.57E-01	5.72E-10	1.0E+06	5.7E-04
7	0.47351	4.01E-06	1.9E-06	1.05E-03	1.99E-09	2	1.57E-01	6.24E-10	1.0E+06	6.2E-04
8	0.51814	4.01E-06	2.1E-06	1.05E-03	2.17E-09	2	1.57E-01	6.83E-10	1.0E+06	6.8E-04
9	0.56872	4.01E-06	2.3E-06	1.05E-03	2.39E-09	2	1.57E-01	7.50E-10	1.0E+06	7.5E-04
10	0.62592	4.01E-06	2.5E-06	1.05E-03	2.63E-09	2	1.57E-01	8.25E-10	1.0E+06	8.3E-04
11	0.69036	4.01E-06	2.8E-06	1.05E-03	2.90E-09	2	1.57E-01	9.10E-10	1.0E+06	9.1E-04
12	0.7626	4.01E-06	3.1E-06	1.05E-03	3.20E-09	2	1.57E-01	1.01E-09	1.0E+06	1.0E-03
13	0.84361	4.01E-06	3.4E-06	1.05E-03	3.54E-09	2	1.57E-01	1.11E-09	1.0E+06	1.1E-03
14	0.93267	4.01E-06	3.7E-06	1.05E-03	3.91E-09	2	1.57E-01	1.23E-09	1.0E+06	1.2E-03
15	1.02919	4.01E-06	4.1E-06	1.05E-03	4.32E-09	2	1.57E-01	1.36E-09	1.0E+06	1.4E-03
16	1.12994	4.01E-06	4.5E-06	1.05E-03	4.74E-09	2	1.57E-01	1.49E-09	1.0E+06	1.5E-03
17	1.2315	4.01E-06	4.9E-06	1.05E-03	5.17E-09	2	1.57E-01	1.62E-09	1.0E+06	1.6E-03
18	1.32448	4.01E-06	5.3E-06	1.05E-03	5.56E-09	2	1.57E-01	1.75E-09	1.0E+06	1.7E-03
19	1.40082	4.01E-06	5.6E-06	1.05E-03	5.88E-09	2	1.57E-01	1.85E-09	1.0E+06	1.8E-03
20	1.45386	4.01E-06	5.8E-06	1.05E-03	6.10E-09	2	1.57E-01	1.92E-09	1.0E+06	1.9E-03
21	1.48639	4.01E-06	6.0E-06	1.05E-03	6.24E-09	2	1.57E-01	1.96E-09	1.0E+06	2.0E-03
22	1.51372	4.01E-06	6.1E-06	1.05E-03	6.35E-09	2	1.57E-01	2.00E-09	1.0E+06	2.0E-03
23	1.5459	4.01E-06	6.2E-06	1.05E-03	6.49E-09	2	1.57E-01	2.04E-09	1.0E+06	2.0E-03
24	1.57817	4.01E-06	6.3E-06	1.05E-03	6.62E-09	2	1.57E-01	2.08E-09	1.0E+06	2.1E-03
25	1.59845	4.01E-06	6.4E-06	1.05E-03	6.71E-09	2	1.57E-01	2.11E-09	1.0E+06	2.1E-03
26	1.59795	4.01E-06	6.4E-06	1.05E-03	6.70E-09	2	1.57E-01	2.11E-09	1.0E+06	2.1E-03
27	1.57495	4.01E-06	6.3E-06	1.05E-03	6.61E-09	2	1.57E-01	2.08E-09	1.0E+06	2.1E-03
28	1.53194	4.01E-06	6.1E-06	1.05E-03	6.43E-09	2	1.57E-01	2.02E-09	1.0E+06	2.0E-03
29	1.47351	4.01E-06	5.9E-06	1.05E-03	6.18E-09	2	1.57E-01	1.94E-09	1.0E+06	1.9E-03
30	1.40367	4.01E-06	5.6E-06	1.05E-03	5.89E-09	2	1.57E-01	1.85E-09	1.0E+06	1.9E-03
31	1.32583	4.01E-06	5.3E-06	1.05E-03	5.56E-09	2	1.57E-01	1.75E-09	1.0E+06	1.7E-03

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	1.24299	4.01E-06	5.0E-06	1.05E-03	5.22E-09	2	1.57E-01	1.64E-09	1.0E+06	1.6E-03
55	1.96841	4.01E-06	7.9E-06	1.05E-03	8.26E-09	2	1.57E-01	2.60E-09	1.0E+06	2.6E-03
56	2.02002	4.01E-06	8.1E-06	1.05E-03	8.48E-09	2	1.57E-01	2.66E-09	1.0E+06	2.7E-03
57	2.05097	4.01E-06	8.2E-06	1.05E-03	8.61E-09	2	1.57E-01	2.70E-09	1.0E+06	2.7E-03
58	2.04148	4.01E-06	8.2E-06	1.05E-03	8.57E-09	2	1.57E-01	2.69E-09	1.0E+06	2.7E-03
59	1.99197	4.01E-06	8.0E-06	1.05E-03	8.36E-09	2	1.57E-01	2.63E-09	1.0E+06	2.6E-03
60	1.91229	4.01E-06	7.7E-06	1.05E-03	8.02E-09	2	1.57E-01	2.52E-09	1.0E+06	2.5E-03
61	1.81404	4.01E-06	7.3E-06	1.05E-03	7.61E-09	2	1.57E-01	2.39E-09	1.0E+06	2.4E-03
62	1.70412	4.01E-06	6.8E-06	1.05E-03	7.15E-09	2	1.57E-01	2.25E-09	1.0E+06	2.2E-03
63	1.58848	4.01E-06	6.4E-06	1.05E-03	6.66E-09	2	1.57E-01	2.09E-09	1.0E+06	2.1E-03
64	1.47053	4.01E-06	5.9E-06	1.05E-03	6.17E-09	2	1.57E-01	1.94E-09	1.0E+06	1.9E-03
65	1.3532	4.01E-06	5.4E-06	1.05E-03	5.68E-09	2	1.57E-01	1.78E-09	1.0E+06	1.8E-03
66	1.23958	4.01E-06	5.0E-06	1.05E-03	5.20E-09	2	1.57E-01	1.63E-09	1.0E+06	1.6E-03
67	0.31497	4.01E-06	1.3E-06	1.05E-03	1.32E-09	2	1.57E-01	4.15E-10	1.0E+06	4.2E-04
68	0.34088	4.01E-06	1.4E-06	1.05E-03	1.43E-09	2	1.57E-01	4.50E-10	1.0E+06	4.5E-04
69	0.37017	4.01E-06	1.5E-06	1.05E-03	1.55E-09	2	1.57E-01	4.88E-10	1.0E+06	4.9E-04
70	0.40351	4.01E-06	1.6E-06	1.05E-03	1.69E-09	2	1.57E-01	5.32E-10	1.0E+06	5.3E-04
71	0.44137	4.01E-06	1.8E-06	1.05E-03	1.85E-09	2	1.57E-01	5.82E-10	1.0E+06	5.8E-04
72	0.48554	4.01E-06	1.9E-06	1.05E-03	2.04E-09	2	1.57E-01	6.40E-10	1.0E+06	6.4E-04
73	0.53652	4.01E-06	2.2E-06	1.05E-03	2.25E-09	2	1.57E-01	7.08E-10	1.0E+06	7.1E-04
74	0.59574	4.01E-06	2.4E-06	1.05E-03	2.50E-09	2	1.57E-01	7.86E-10	1.0E+06	7.9E-04
75	0.66496	4.01E-06	2.7E-06	1.05E-03	2.79E-09	2	1.57E-01	8.77E-10	1.0E+06	8.8E-04
76	0.74661	4.01E-06	3.0E-06	1.05E-03	3.13E-09	2	1.57E-01	9.85E-10	1.0E+06	9.8E-04
77	0.84339	4.01E-06	3.4E-06	1.05E-03	3.54E-09	2	1.57E-01	1.11E-09	1.0E+06	1.1E-03
78	0.95889	4.01E-06	3.8E-06	1.05E-03	4.02E-09	2	1.57E-01	1.26E-09	1.0E+06	1.3E-03
79	1.90831	4.01E-06	7.7E-06	1.05E-03	8.01E-09	2	1.57E-01	2.52E-09	1.0E+06	2.5E-03
80	2.15537	4.01E-06	8.7E-06	1.05E-03	9.04E-09	2	1.57E-01	2.84E-09	1.0E+06	2.8E-03
81	2.37429	4.01E-06	9.5E-06	1.05E-03	9.96E-09	2	1.57E-01	3.13E-09	1.0E+06	3.1E-03
82	2.52078	4.01E-06	1.0E-05	1.05E-03	1.06E-08	2	1.57E-01	3.32E-09	1.0E+06	3.3E-03
83	2.61877	4.01E-06	1.1E-05	1.05E-03	1.10E-08	2	1.57E-01	3.45E-09	1.0E+06	3.5E-03
84	2.71316	4.01E-06	1.1E-05	1.05E-03	1.14E-08	2	1.57E-01	3.58E-09	1.0E+06	3.6E-03

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	2.7673	4.01E-06	1.1E-05	1.05E-03	1.16E-08	2	1.57E-01	3.65E-09	1.0E+06	3.6E-03
86	2.73549	4.01E-06	1.1E-05	1.05E-03	1.15E-08	2	1.57E-01	3.61E-09	1.0E+06	3.6E-03
87	2.62596	4.01E-06	1.1E-05	1.05E-03	1.10E-08	2	1.57E-01	3.46E-09	1.0E+06	3.5E-03
88	2.47032	4.01E-06	9.9E-06	1.05E-03	1.04E-08	2	1.57E-01	3.26E-09	1.0E+06	3.3E-03
89	2.29455	4.01E-06	9.2E-06	1.05E-03	9.63E-09	2	1.57E-01	3.03E-09	1.0E+06	3.0E-03
90	2.11444	4.01E-06	8.5E-06	1.05E-03	8.87E-09	2	1.57E-01	2.79E-09	1.0E+06	2.8E-03
91	1.93759	4.01E-06	7.8E-06	1.05E-03	8.13E-09	2	1.57E-01	2.56E-09	1.0E+06	2.6E-03
92	1.76529	4.01E-06	7.1E-06	1.05E-03	7.41E-09	2	1.57E-01	2.33E-09	1.0E+06	2.3E-03
93	1.60122	4.01E-06	6.4E-06	1.05E-03	6.72E-09	2	1.57E-01	2.11E-09	1.0E+06	2.1E-03
96	4.03245	4.01E-06	1.6E-05	1.05E-03	1.69E-08	2	1.57E-01	5.32E-09	1.0E+06	5.3E-03
97	3.67271	4.01E-06	1.5E-05	1.05E-03	1.54E-08	2	1.57E-01	4.84E-09	1.0E+06	4.8E-03
98	3.00211	4.01E-06	1.2E-05	1.05E-03	1.26E-08	2	1.57E-01	3.96E-09	1.0E+06	4.0E-03
99	2.69414	4.01E-06	1.1E-05	1.05E-03	1.13E-08	2	1.57E-01	3.55E-09	1.0E+06	3.6E-03
100	2.41321	4.01E-06	9.7E-06	1.05E-03	1.01E-08	2	1.57E-01	3.18E-09	1.0E+06	3.2E-03
101	2.15654	4.01E-06	8.7E-06	1.05E-03	9.05E-09	2	1.57E-01	2.84E-09	1.0E+06	2.8E-03
102	1.9218	4.01E-06	7.7E-06	1.05E-03	8.06E-09	2	1.57E-01	2.53E-09	1.0E+06	2.5E-03
106	0.30649	4.01E-06	1.2E-06	1.05E-03	1.29E-09	2	1.57E-01	4.04E-10	1.0E+06	4.0E-04
107	0.3327	4.01E-06	1.3E-06	1.05E-03	1.40E-09	2	1.57E-01	4.39E-10	1.0E+06	4.4E-04
108	0.36207	4.01E-06	1.5E-06	1.05E-03	1.52E-09	2	1.57E-01	4.77E-10	1.0E+06	4.8E-04
109	0.3957	4.01E-06	1.6E-06	1.05E-03	1.66E-09	2	1.57E-01	5.22E-10	1.0E+06	5.2E-04
110	0.43459	4.01E-06	1.7E-06	1.05E-03	1.82E-09	2	1.57E-01	5.73E-10	1.0E+06	5.7E-04
111	0.47947	4.01E-06	1.9E-06	1.05E-03	2.01E-09	2	1.57E-01	6.32E-10	1.0E+06	6.3E-04
112	0.53297	4.01E-06	2.1E-06	1.05E-03	2.24E-09	2	1.57E-01	7.03E-10	1.0E+06	7.0E-04
113	0.59578	4.01E-06	2.4E-06	1.05E-03	2.50E-09	2	1.57E-01	7.86E-10	1.0E+06	7.9E-04
114	0.67099	4.01E-06	2.7E-06	1.05E-03	2.82E-09	2	1.57E-01	8.85E-10	1.0E+06	8.8E-04
115	0.76154	4.01E-06	3.1E-06	1.05E-03	3.20E-09	2	1.57E-01	1.00E-09	1.0E+06	1.0E-03
116	0.8716	4.01E-06	3.5E-06	1.05E-03	3.66E-09	2	1.57E-01	1.15E-09	1.0E+06	1.1E-03
117	1.00979	4.01E-06	4.1E-06	1.05E-03	4.24E-09	2	1.57E-01	1.33E-09	1.0E+06	1.3E-03
118	1.18376	4.01E-06	4.8E-06	1.05E-03	4.97E-09	2	1.57E-01	1.56E-09	1.0E+06	1.6E-03
124	0.31256	4.01E-06	1.3E-06	1.05E-03	1.31E-09	2	1.57E-01	4.12E-10	1.0E+06	4.1E-04
125	0.33946	4.01E-06	1.4E-06	1.05E-03	1.42E-09	2	1.57E-01	4.48E-10	1.0E+06	4.5E-04

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.37023	4.01E-06	1.5E-06	1.05E-03	1.55E-09	2	1.57E-01	4.88E-10	1.0E+06	4.9E-04
127	0.4057	4.01E-06	1.6E-06	1.05E-03	1.70E-09	2	1.57E-01	5.35E-10	1.0E+06	5.3E-04
128	0.44693	4.01E-06	1.8E-06	1.05E-03	1.88E-09	2	1.57E-01	5.89E-10	1.0E+06	5.9E-04
129	0.49492	4.01E-06	2.0E-06	1.05E-03	2.08E-09	2	1.57E-01	6.53E-10	1.0E+06	6.5E-04
130	0.55237	4.01E-06	2.2E-06	1.05E-03	2.32E-09	2	1.57E-01	7.28E-10	1.0E+06	7.3E-04
131	0.62077	4.01E-06	2.5E-06	1.05E-03	2.60E-09	2	1.57E-01	8.19E-10	1.0E+06	8.2E-04
132	0.70357	4.01E-06	2.8E-06	1.05E-03	2.95E-09	2	1.57E-01	9.28E-10	1.0E+06	9.3E-04
133	0.80458	4.01E-06	3.2E-06	1.05E-03	3.38E-09	2	1.57E-01	1.06E-09	1.0E+06	1.1E-03
134	0.93109	4.01E-06	3.7E-06	1.05E-03	3.91E-09	2	1.57E-01	1.23E-09	1.0E+06	1.2E-03
135	1.09058	4.01E-06	4.4E-06	1.05E-03	4.58E-09	2	1.57E-01	1.44E-09	1.0E+06	1.4E-03
136	1.29666	4.01E-06	5.2E-06	1.05E-03	5.44E-09	2	1.57E-01	1.71E-09	1.0E+06	1.7E-03
137	1.56789	4.01E-06	6.3E-06	1.05E-03	6.58E-09	2	1.57E-01	2.07E-09	1.0E+06	2.1E-03
138	1.94213	4.01E-06	7.8E-06	1.05E-03	8.15E-09	2	1.57E-01	2.56E-09	1.0E+06	2.6E-03
141	0.31685	4.01E-06	1.3E-06	1.05E-03	1.33E-09	2	1.57E-01	4.18E-10	1.0E+06	4.2E-04
142	0.34467	4.01E-06	1.4E-06	1.05E-03	1.45E-09	2	1.57E-01	4.55E-10	1.0E+06	4.5E-04
143	0.37658	4.01E-06	1.5E-06	1.05E-03	1.58E-09	2	1.57E-01	4.97E-10	1.0E+06	5.0E-04
144	0.41354	4.01E-06	1.7E-06	1.05E-03	1.74E-09	2	1.57E-01	5.45E-10	1.0E+06	5.5E-04
145	0.45664	4.01E-06	1.8E-06	1.05E-03	1.92E-09	2	1.57E-01	6.02E-10	1.0E+06	6.0E-04
146	0.50717	4.01E-06	2.0E-06	1.05E-03	2.13E-09	2	1.57E-01	6.69E-10	1.0E+06	6.7E-04
147	0.56793	4.01E-06	2.3E-06	1.05E-03	2.38E-09	2	1.57E-01	7.49E-10	1.0E+06	7.5E-04
148	0.64079	4.01E-06	2.6E-06	1.05E-03	2.69E-09	2	1.57E-01	8.45E-10	1.0E+06	8.5E-04
149	0.7298	4.01E-06	2.9E-06	1.05E-03	3.06E-09	2	1.57E-01	9.62E-10	1.0E+06	9.6E-04
150	0.8399	4.01E-06	3.4E-06	1.05E-03	3.52E-09	2	1.57E-01	1.11E-09	1.0E+06	1.1E-03
151	0.97901	4.01E-06	3.9E-06	1.05E-03	4.11E-09	2	1.57E-01	1.29E-09	1.0E+06	1.3E-03
152	1.15821	4.01E-06	4.6E-06	1.05E-03	4.86E-09	2	1.57E-01	1.53E-09	1.0E+06	1.5E-03
153	1.39491	4.01E-06	5.6E-06	1.05E-03	5.85E-09	2	1.57E-01	1.84E-09	1.0E+06	1.8E-03
154	1.71511	4.01E-06	6.9E-06	1.05E-03	7.20E-09	2	1.57E-01	2.26E-09	1.0E+06	2.3E-03
155	2.1698	4.01E-06	8.7E-06	1.05E-03	9.10E-09	2	1.57E-01	2.86E-09	1.0E+06	2.9E-03
164	1.82723	4.01E-06	7.3E-06	1.05E-03	7.67E-09	2	1.57E-01	2.41E-09	1.0E+06	2.4E-03
165	2.34863	4.01E-06	9.4E-06	1.05E-03	9.85E-09	2	1.57E-01	3.10E-09	1.0E+06	3.1E-03
166	3.16177	4.01E-06	1.3E-05	1.05E-03	1.33E-08	2	1.57E-01	4.17E-09	1.0E+06	4.2E-03

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	1.88802	4.01E-06	7.6E-06	1.05E-03	7.92E-09	2	1.57E-01	2.49E-09	1.0E+06	2.5E-03
179	2.44868	4.01E-06	9.8E-06	1.05E-03	1.03E-08	2	1.57E-01	3.23E-09	1.0E+06	3.2E-03
180	3.33572	4.01E-06	1.3E-05	1.05E-03	1.40E-08	2	1.57E-01	4.40E-09	1.0E+06	4.4E-03
192	1.89121	4.01E-06	7.6E-06	1.05E-03	7.94E-09	2	1.57E-01	2.49E-09	1.0E+06	2.5E-03
193	2.45444	4.01E-06	9.9E-06	1.05E-03	1.03E-08	2	1.57E-01	3.24E-09	1.0E+06	3.2E-03
194	3.3349	4.01E-06	1.3E-05	1.05E-03	1.40E-08	2	1.57E-01	4.40E-09	1.0E+06	4.4E-03
207	1.83773	4.01E-06	7.4E-06	1.05E-03	7.71E-09	2	1.57E-01	2.42E-09	1.0E+06	2.4E-03
208	2.36329	4.01E-06	9.5E-06	1.05E-03	9.92E-09	2	1.57E-01	3.12E-09	1.0E+06	3.1E-03
209	3.16848	4.01E-06	1.3E-05	1.05E-03	1.33E-08	2	1.57E-01	4.18E-09	1.0E+06	4.2E-03
223	1.74139	4.01E-06	7.0E-06	1.05E-03	7.31E-09	2	1.57E-01	2.30E-09	1.0E+06	2.3E-03
224	2.20418	4.01E-06	8.8E-06	1.05E-03	9.25E-09	2	1.57E-01	2.91E-09	1.0E+06	2.9E-03
225	2.88323	4.01E-06	1.2E-05	1.05E-03	1.21E-08	2	1.57E-01	3.80E-09	1.0E+06	3.8E-03
239	1.61959	4.01E-06	6.5E-06	1.05E-03	6.80E-09	2	1.57E-01	2.14E-09	1.0E+06	2.1E-03
240	2.01099	4.01E-06	8.1E-06	1.05E-03	8.44E-09	2	1.57E-01	2.65E-09	1.0E+06	2.7E-03
241	2.56397	4.01E-06	1.0E-05	1.05E-03	1.08E-08	2	1.57E-01	3.38E-09	1.0E+06	3.4E-03
255	1.48591	4.01E-06	6.0E-06	1.05E-03	6.23E-09	2	1.57E-01	1.96E-09	1.0E+06	2.0E-03
256	1.80857	4.01E-06	7.3E-06	1.05E-03	7.59E-09	2	1.57E-01	2.38E-09	1.0E+06	2.4E-03
272	1.35095	4.01E-06	5.4E-06	1.05E-03	5.67E-09	2	1.57E-01	1.78E-09	1.0E+06	1.8E-03
273	1.61398	4.01E-06	6.5E-06	1.05E-03	6.77E-09	2	1.57E-01	2.13E-09	1.0E+06	2.1E-03
289	1.22279	4.01E-06	4.9E-06	1.05E-03	5.13E-09	2	1.57E-01	1.61E-09	1.0E+06	1.6E-03
290	1.43527	4.01E-06	5.8E-06	1.05E-03	6.02E-09	2	1.57E-01	1.89E-09	1.0E+06	1.9E-03
306	1.10407	4.01E-06	4.4E-06	1.05E-03	4.63E-09	2	1.57E-01	1.46E-09	1.0E+06	1.5E-03
307	1.27591	4.01E-06	5.1E-06	1.05E-03	5.35E-09	2	1.57E-01	1.68E-09	1.0E+06	1.7E-03
323	0.99664	4.01E-06	4.0E-06	1.05E-03	4.18E-09	2	1.57E-01	1.31E-09	1.0E+06	1.3E-03
324	1.13616	4.01E-06	4.6E-06	1.05E-03	4.77E-09	2	1.57E-01	1.50E-09	1.0E+06	1.5E-03
342	0.90088	4.01E-06	3.6E-06	1.05E-03	3.78E-09	2	1.57E-01	1.19E-09	1.0E+06	1.2E-03
343	1.01486	4.01E-06	4.1E-06	1.05E-03	4.26E-09	2	1.57E-01	1.34E-09	1.0E+06	1.3E-03
344	1.14827	4.01E-06	4.6E-06	1.05E-03	4.82E-09	2	1.57E-01	1.51E-09	1.0E+06	1.5E-03
356	0.81616	4.01E-06	3.3E-06	1.05E-03	3.42E-09	2	1.57E-01	1.08E-09	1.0E+06	1.1E-03
357	0.90997	4.01E-06	3.7E-06	1.05E-03	3.82E-09	2	1.57E-01	1.20E-09	1.0E+06	1.2E-03
358	1.01777	4.01E-06	4.1E-06	1.05E-03	4.27E-09	2	1.57E-01	1.34E-09	1.0E+06	1.3E-03

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.74164	4.01E-06	3.0E-06	1.05E-03	3.11E-09	2	1.57E-01	9.78E-10	1.0E+06	9.8E-04
371	0.81945	4.01E-06	3.3E-06	1.05E-03	3.44E-09	2	1.57E-01	1.08E-09	1.0E+06	1.1E-03
372	0.90727	4.01E-06	3.6E-06	1.05E-03	3.81E-09	2	1.57E-01	1.20E-09	1.0E+06	1.2E-03
383	0.6761	4.01E-06	2.7E-06	1.05E-03	2.84E-09	2	1.57E-01	8.92E-10	1.0E+06	8.9E-04
384	0.74112	4.01E-06	3.0E-06	1.05E-03	3.11E-09	2	1.57E-01	9.77E-10	1.0E+06	9.8E-04
385	0.81326	4.01E-06	3.3E-06	1.05E-03	3.41E-09	2	1.57E-01	1.07E-09	1.0E+06	1.1E-03
396	0.61843	4.01E-06	2.5E-06	1.05E-03	2.59E-09	2	1.57E-01	8.16E-10	1.0E+06	8.2E-04
397	0.67309	4.01E-06	2.7E-06	1.05E-03	2.82E-09	2	1.57E-01	8.88E-10	1.0E+06	8.9E-04
398	0.73279	4.01E-06	2.9E-06	1.05E-03	3.07E-09	2	1.57E-01	9.66E-10	1.0E+06	9.7E-04
399	0.79693	4.01E-06	3.2E-06	1.05E-03	3.34E-09	2	1.57E-01	1.05E-09	1.0E+06	1.1E-03
411	0.56753	4.01E-06	2.3E-06	1.05E-03	2.38E-09	2	1.57E-01	7.48E-10	1.0E+06	7.5E-04
412	0.61374	4.01E-06	2.5E-06	1.05E-03	2.58E-09	2	1.57E-01	8.09E-10	1.0E+06	8.1E-04
413	0.66349	4.01E-06	2.7E-06	1.05E-03	2.78E-09	2	1.57E-01	8.75E-10	1.0E+06	8.7E-04
414	0.71615	4.01E-06	2.9E-06	1.05E-03	3.00E-09	2	1.57E-01	9.44E-10	1.0E+06	9.4E-04
426	0.5225	4.01E-06	2.1E-06	1.05E-03	2.19E-09	2	1.57E-01	6.89E-10	1.0E+06	6.9E-04
427	0.56177	4.01E-06	2.3E-06	1.05E-03	2.36E-09	2	1.57E-01	7.41E-10	1.0E+06	7.4E-04
428	0.60347	4.01E-06	2.4E-06	1.05E-03	2.53E-09	2	1.57E-01	7.96E-10	1.0E+06	8.0E-04
429	0.64705	4.01E-06	2.6E-06	1.05E-03	2.71E-09	2	1.57E-01	8.53E-10	1.0E+06	8.5E-04
439	0.48248	4.01E-06	1.9E-06	1.05E-03	2.02E-09	2	1.57E-01	6.36E-10	1.0E+06	6.4E-04
440	0.51601	4.01E-06	2.1E-06	1.05E-03	2.17E-09	2	1.57E-01	6.80E-10	1.0E+06	6.8E-04
441	0.55119	4.01E-06	2.2E-06	1.05E-03	2.31E-09	2	1.57E-01	7.27E-10	1.0E+06	7.3E-04
442	0.58752	4.01E-06	2.4E-06	1.05E-03	2.47E-09	2	1.57E-01	7.75E-10	1.0E+06	7.7E-04
443	0.62421	4.01E-06	2.5E-06	1.05E-03	2.62E-09	2	1.57E-01	8.23E-10	1.0E+06	8.2E-04
454	0.44681	4.01E-06	1.8E-06	1.05E-03	1.87E-09	2	1.57E-01	5.89E-10	1.0E+06	5.9E-04
455	0.47555	4.01E-06	1.9E-06	1.05E-03	2.00E-09	2	1.57E-01	6.27E-10	1.0E+06	6.3E-04
456	0.5054	4.01E-06	2.0E-06	1.05E-03	2.12E-09	2	1.57E-01	6.66E-10	1.0E+06	6.7E-04
457	0.5359	4.01E-06	2.2E-06	1.05E-03	2.25E-09	2	1.57E-01	7.07E-10	1.0E+06	7.1E-04
458	0.56644	4.01E-06	2.3E-06	1.05E-03	2.38E-09	2	1.57E-01	7.47E-10	1.0E+06	7.5E-04
469	0.41489	4.01E-06	1.7E-06	1.05E-03	1.74E-09	2	1.57E-01	5.47E-10	1.0E+06	5.5E-04
470	0.43965	4.01E-06	1.8E-06	1.05E-03	1.84E-09	2	1.57E-01	5.80E-10	1.0E+06	5.8E-04
471	0.46511	4.01E-06	1.9E-06	1.05E-03	1.95E-09	2	1.57E-01	6.13E-10	1.0E+06	6.1E-04

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.49091	4.01E-06	2.0E-06	1.05E-03	2.06E-09	2	1.57E-01	6.47E-10	1.0E+06	6.5E-04
473	0.51655	4.01E-06	2.1E-06	1.05E-03	2.17E-09	2	1.57E-01	6.81E-10	1.0E+06	6.8E-04
489	0.38625	4.01E-06	1.6E-06	1.05E-03	1.62E-09	2	1.57E-01	5.09E-10	1.0E+06	5.1E-04
490	0.40764	4.01E-06	1.6E-06	1.05E-03	1.71E-09	2	1.57E-01	5.38E-10	1.0E+06	5.4E-04
491	0.42946	4.01E-06	1.7E-06	1.05E-03	1.80E-09	2	1.57E-01	5.66E-10	1.0E+06	5.7E-04
492	0.4514	4.01E-06	1.8E-06	1.05E-03	1.89E-09	2	1.57E-01	5.95E-10	1.0E+06	6.0E-04
493	0.47307	4.01E-06	1.9E-06	1.05E-03	1.98E-09	2	1.57E-01	6.24E-10	1.0E+06	6.2E-04
494	0.49393	4.01E-06	2.0E-06	1.05E-03	2.07E-09	2	1.57E-01	6.51E-10	1.0E+06	6.5E-04
509	0.36044	4.01E-06	1.4E-06	1.05E-03	1.51E-09	2	1.57E-01	4.75E-10	1.0E+06	4.8E-04
510	0.37901	4.01E-06	1.5E-06	1.05E-03	1.59E-09	2	1.57E-01	5.00E-10	1.0E+06	5.0E-04
511	0.39783	4.01E-06	1.6E-06	1.05E-03	1.67E-09	2	1.57E-01	5.25E-10	1.0E+06	5.2E-04
512	0.41662	4.01E-06	1.7E-06	1.05E-03	1.75E-09	2	1.57E-01	5.49E-10	1.0E+06	5.5E-04
513	0.43504	4.01E-06	1.7E-06	1.05E-03	1.83E-09	2	1.57E-01	5.74E-10	1.0E+06	5.7E-04
514	0.45277	4.01E-06	1.8E-06	1.05E-03	1.90E-09	2	1.57E-01	5.97E-10	1.0E+06	6.0E-04
515	0.48314	4.01E-06	1.9E-06	1.05E-03	2.03E-09	2	1.57E-01	6.37E-10	1.0E+06	6.4E-04
516	0.49372	4.01E-06	2.0E-06	1.05E-03	2.07E-09	2	1.57E-01	6.51E-10	1.0E+06	6.5E-04
517	0.50009	4.01E-06	2.0E-06	1.05E-03	2.10E-09	2	1.57E-01	6.59E-10	1.0E+06	6.6E-04
518	0.50118	4.01E-06	2.0E-06	1.05E-03	2.10E-09	2	1.57E-01	6.61E-10	1.0E+06	6.6E-04
519	0.49649	4.01E-06	2.0E-06	1.05E-03	2.08E-09	2	1.57E-01	6.55E-10	1.0E+06	6.5E-04
528	0.33714	4.01E-06	1.4E-06	1.05E-03	1.41E-09	2	1.57E-01	4.45E-10	1.0E+06	4.4E-04
529	0.35332	4.01E-06	1.4E-06	1.05E-03	1.48E-09	2	1.57E-01	4.66E-10	1.0E+06	4.7E-04
530	0.3696	4.01E-06	1.5E-06	1.05E-03	1.55E-09	2	1.57E-01	4.87E-10	1.0E+06	4.9E-04
531	0.3858	4.01E-06	1.5E-06	1.05E-03	1.62E-09	2	1.57E-01	5.09E-10	1.0E+06	5.1E-04
532	0.40163	4.01E-06	1.6E-06	1.05E-03	1.69E-09	2	1.57E-01	5.30E-10	1.0E+06	5.3E-04
533	0.41678	4.01E-06	1.7E-06	1.05E-03	1.75E-09	2	1.57E-01	5.50E-10	1.0E+06	5.5E-04
534	0.44269	4.01E-06	1.8E-06	1.05E-03	1.86E-09	2	1.57E-01	5.84E-10	1.0E+06	5.8E-04
535	0.45191	4.01E-06	1.8E-06	1.05E-03	1.90E-09	2	1.57E-01	5.96E-10	1.0E+06	6.0E-04
536	0.45779	4.01E-06	1.8E-06	1.05E-03	1.92E-09	2	1.57E-01	6.04E-10	1.0E+06	6.0E-04
537	0.45905	4.01E-06	1.8E-06	1.05E-03	1.93E-09	2	1.57E-01	6.05E-10	1.0E+06	6.1E-04
538	0.45551	4.01E-06	1.8E-06	1.05E-03	1.91E-09	2	1.57E-01	6.01E-10	1.0E+06	6.0E-04
547	0.31602	4.01E-06	1.3E-06	1.05E-03	1.33E-09	2	1.57E-01	4.17E-10	1.0E+06	4.2E-04

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.33017	4.01E-06	1.3E-06	1.05E-03	1.39E-09	2	1.57E-01	4.35E-10	1.0E+06	4.4E-04
549	0.34435	4.01E-06	1.4E-06	1.05E-03	1.44E-09	2	1.57E-01	4.54E-10	1.0E+06	4.5E-04
550	0.35834	4.01E-06	1.4E-06	1.05E-03	1.50E-09	2	1.57E-01	4.73E-10	1.0E+06	4.7E-04
551	0.37203	4.01E-06	1.5E-06	1.05E-03	1.56E-09	2	1.57E-01	4.91E-10	1.0E+06	4.9E-04
552	0.38508	4.01E-06	1.5E-06	1.05E-03	1.62E-09	2	1.57E-01	5.08E-10	1.0E+06	5.1E-04
553	0.39712	4.01E-06	1.6E-06	1.05E-03	1.67E-09	2	1.57E-01	5.24E-10	1.0E+06	5.2E-04
554	0.40744	4.01E-06	1.6E-06	1.05E-03	1.71E-09	2	1.57E-01	5.37E-10	1.0E+06	5.4E-04
555	0.41562	4.01E-06	1.7E-06	1.05E-03	1.74E-09	2	1.57E-01	5.48E-10	1.0E+06	5.5E-04
556	0.42099	4.01E-06	1.7E-06	1.05E-03	1.77E-09	2	1.57E-01	5.55E-10	1.0E+06	5.6E-04
557	0.42238	4.01E-06	1.7E-06	1.05E-03	1.77E-09	2	1.57E-01	5.57E-10	1.0E+06	5.6E-04
558	0.41997	4.01E-06	1.7E-06	1.05E-03	1.76E-09	2	1.57E-01	5.54E-10	1.0E+06	5.5E-04
559	0.41318	4.01E-06	1.7E-06	1.05E-03	1.73E-09	2	1.57E-01	5.45E-10	1.0E+06	5.4E-04
567	0.29684	4.01E-06	1.2E-06	1.05E-03	1.25E-09	2	1.57E-01	3.91E-10	1.0E+06	3.9E-04
568	0.30928	4.01E-06	1.2E-06	1.05E-03	1.30E-09	2	1.57E-01	4.08E-10	1.0E+06	4.1E-04
569	0.32166	4.01E-06	1.3E-06	1.05E-03	1.35E-09	2	1.57E-01	4.24E-10	1.0E+06	4.2E-04
570	0.33388	4.01E-06	1.3E-06	1.05E-03	1.40E-09	2	1.57E-01	4.40E-10	1.0E+06	4.4E-04
571	0.34576	4.01E-06	1.4E-06	1.05E-03	1.45E-09	2	1.57E-01	4.56E-10	1.0E+06	4.6E-04
572	0.3571	4.01E-06	1.4E-06	1.05E-03	1.50E-09	2	1.57E-01	4.71E-10	1.0E+06	4.7E-04
573	0.36753	4.01E-06	1.5E-06	1.05E-03	1.54E-09	2	1.57E-01	4.85E-10	1.0E+06	4.8E-04
574	0.38375	4.01E-06	1.5E-06	1.05E-03	1.61E-09	2	1.57E-01	5.06E-10	1.0E+06	5.1E-04
575	0.38859	4.01E-06	1.6E-06	1.05E-03	1.63E-09	2	1.57E-01	5.12E-10	1.0E+06	5.1E-04
576	0.39035	4.01E-06	1.6E-06	1.05E-03	1.64E-09	2	1.57E-01	5.15E-10	1.0E+06	5.1E-04
577	0.38865	4.01E-06	1.6E-06	1.05E-03	1.63E-09	2	1.57E-01	5.13E-10	1.0E+06	5.1E-04
578	0.3833	4.01E-06	1.5E-06	1.05E-03	1.61E-09	2	1.57E-01	5.05E-10	1.0E+06	5.1E-04
586	0.27937	4.01E-06	1.1E-06	1.05E-03	1.17E-09	2	1.57E-01	3.68E-10	1.0E+06	3.7E-04
587	0.2903	4.01E-06	1.2E-06	1.05E-03	1.22E-09	2	1.57E-01	3.83E-10	1.0E+06	3.8E-04
588	0.30118	4.01E-06	1.2E-06	1.05E-03	1.26E-09	2	1.57E-01	3.97E-10	1.0E+06	4.0E-04
589	0.31186	4.01E-06	1.3E-06	1.05E-03	1.31E-09	2	1.57E-01	4.11E-10	1.0E+06	4.1E-04
590	0.32225	4.01E-06	1.3E-06	1.05E-03	1.35E-09	2	1.57E-01	4.25E-10	1.0E+06	4.2E-04
591	0.33213	4.01E-06	1.3E-06	1.05E-03	1.39E-09	2	1.57E-01	4.38E-10	1.0E+06	4.4E-04
592	0.34124	4.01E-06	1.4E-06	1.05E-03	1.43E-09	2	1.57E-01	4.50E-10	1.0E+06	4.5E-04

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.35557	4.01E-06	1.4E-06	1.05E-03	1.49E-09	2	1.57E-01	4.69E-10	1.0E+06	4.7E-04
594	0.36002	4.01E-06	1.4E-06	1.05E-03	1.51E-09	2	1.57E-01	4.75E-10	1.0E+06	4.7E-04
595	0.36174	4.01E-06	1.5E-06	1.05E-03	1.52E-09	2	1.57E-01	4.77E-10	1.0E+06	4.8E-04
596	0.36057	4.01E-06	1.4E-06	1.05E-03	1.51E-09	2	1.57E-01	4.75E-10	1.0E+06	4.8E-04
597	0.35639	4.01E-06	1.4E-06	1.05E-03	1.50E-09	2	1.57E-01	4.70E-10	1.0E+06	4.7E-04
345	1.30379	4.01E-06	5.2E-06	1.05E-03	5.47E-09	2	1.57E-01	1.72E-09	1.0E+06	1.7E-03
346	1.48145	4.01E-06	5.9E-06	1.05E-03	6.22E-09	2	1.57E-01	1.95E-09	1.0E+06	2.0E-03
347	1.67644	4.01E-06	6.7E-06	1.05E-03	7.03E-09	2	1.57E-01	2.21E-09	1.0E+06	2.2E-03
348	1.87384	4.01E-06	7.5E-06	1.05E-03	7.86E-09	2	1.57E-01	2.47E-09	1.0E+06	2.5E-03
359	1.14039	4.01E-06	4.6E-06	1.05E-03	4.78E-09	2	1.57E-01	1.50E-09	1.0E+06	1.5E-03
360	1.27639	4.01E-06	5.1E-06	1.05E-03	5.36E-09	2	1.57E-01	1.68E-09	1.0E+06	1.7E-03
361	1.42218	4.01E-06	5.7E-06	1.05E-03	5.97E-09	2	1.57E-01	1.88E-09	1.0E+06	1.9E-03
362	1.56496	4.01E-06	6.3E-06	1.05E-03	6.57E-09	2	1.57E-01	2.06E-09	1.0E+06	2.1E-03
363	1.68997	4.01E-06	6.8E-06	1.05E-03	7.09E-09	2	1.57E-01	2.23E-09	1.0E+06	2.2E-03
373	1.11135	4.01E-06	4.5E-06	1.05E-03	4.66E-09	2	1.57E-01	1.47E-09	1.0E+06	1.5E-03
374	1.22183	4.01E-06	4.9E-06	1.05E-03	5.13E-09	2	1.57E-01	1.61E-09	1.0E+06	1.6E-03
375	1.32838	4.01E-06	5.3E-06	1.05E-03	5.57E-09	2	1.57E-01	1.75E-09	1.0E+06	1.8E-03
376	1.42078	4.01E-06	5.7E-06	1.05E-03	5.96E-09	2	1.57E-01	1.87E-09	1.0E+06	1.9E-03
386	0.97606	4.01E-06	3.9E-06	1.05E-03	4.10E-09	2	1.57E-01	1.29E-09	1.0E+06	1.3E-03
387	1.06185	4.01E-06	4.3E-06	1.05E-03	4.46E-09	2	1.57E-01	1.40E-09	1.0E+06	1.4E-03
388	1.1432	4.01E-06	4.6E-06	1.05E-03	4.80E-09	2	1.57E-01	1.51E-09	1.0E+06	1.5E-03
389	1.21339	4.01E-06	4.9E-06	1.05E-03	5.09E-09	2	1.57E-01	1.60E-09	1.0E+06	1.6E-03
390	1.26178	4.01E-06	5.1E-06	1.05E-03	5.29E-09	2	1.57E-01	1.66E-09	1.0E+06	1.7E-03
400	0.86416	4.01E-06	3.5E-06	1.05E-03	3.63E-09	2	1.57E-01	1.14E-09	1.0E+06	1.1E-03
401	0.93124	4.01E-06	3.7E-06	1.05E-03	3.91E-09	2	1.57E-01	1.23E-09	1.0E+06	1.2E-03
402	0.99549	4.01E-06	4.0E-06	1.05E-03	4.18E-09	2	1.57E-01	1.31E-09	1.0E+06	1.3E-03
403	1.04942	4.01E-06	4.2E-06	1.05E-03	4.40E-09	2	1.57E-01	1.38E-09	1.0E+06	1.4E-03
404	1.087	4.01E-06	4.4E-06	1.05E-03	4.56E-09	2	1.57E-01	1.43E-09	1.0E+06	1.4E-03
415	0.77053	4.01E-06	3.1E-06	1.05E-03	3.23E-09	2	1.57E-01	1.02E-09	1.0E+06	1.0E-03
416	0.82458	4.01E-06	3.3E-06	1.05E-03	3.46E-09	2	1.57E-01	1.09E-09	1.0E+06	1.1E-03
417	0.87486	4.01E-06	3.5E-06	1.05E-03	3.67E-09	2	1.57E-01	1.15E-09	1.0E+06	1.2E-03

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.91852	4.01E-06	3.7E-06	1.05E-03	3.85E-09	2	1.57E-01	1.21E-09	1.0E+06	1.2E-03
419	0.949	4.01E-06	3.8E-06	1.05E-03	3.98E-09	2	1.57E-01	1.25E-09	1.0E+06	1.3E-03
420	0.95965	4.01E-06	3.9E-06	1.05E-03	4.03E-09	2	1.57E-01	1.27E-09	1.0E+06	1.3E-03
430	0.73509	4.01E-06	3.0E-06	1.05E-03	3.08E-09	2	1.57E-01	9.69E-10	1.0E+06	9.7E-04
431	0.77613	4.01E-06	3.1E-06	1.05E-03	3.26E-09	2	1.57E-01	1.02E-09	1.0E+06	1.0E-03
432	0.81088	4.01E-06	3.3E-06	1.05E-03	3.40E-09	2	1.57E-01	1.07E-09	1.0E+06	1.1E-03
433	0.83566	4.01E-06	3.4E-06	1.05E-03	3.51E-09	2	1.57E-01	1.10E-09	1.0E+06	1.1E-03
434	0.84668	4.01E-06	3.4E-06	1.05E-03	3.55E-09	2	1.57E-01	1.12E-09	1.0E+06	1.1E-03
444	0.66006	4.01E-06	2.6E-06	1.05E-03	2.77E-09	2	1.57E-01	8.70E-10	1.0E+06	8.7E-04
445	0.69322	4.01E-06	2.8E-06	1.05E-03	2.91E-09	2	1.57E-01	9.14E-10	1.0E+06	9.1E-04
446	0.72162	4.01E-06	2.9E-06	1.05E-03	3.03E-09	2	1.57E-01	9.52E-10	1.0E+06	9.5E-04
447	0.74219	4.01E-06	3.0E-06	1.05E-03	3.11E-09	2	1.57E-01	9.79E-10	1.0E+06	9.8E-04
448	0.75207	4.01E-06	3.0E-06	1.05E-03	3.16E-09	2	1.57E-01	9.92E-10	1.0E+06	9.9E-04
459	0.62345	4.01E-06	2.5E-06	1.05E-03	2.62E-09	2	1.57E-01	8.22E-10	1.0E+06	8.2E-04
460	0.64685	4.01E-06	2.6E-06	1.05E-03	2.71E-09	2	1.57E-01	8.53E-10	1.0E+06	8.5E-04
461	0.66404	4.01E-06	2.7E-06	1.05E-03	2.79E-09	2	1.57E-01	8.76E-10	1.0E+06	8.8E-04
462	0.67285	4.01E-06	2.7E-06	1.05E-03	2.82E-09	2	1.57E-01	8.87E-10	1.0E+06	8.9E-04
463	0.67132	4.01E-06	2.7E-06	1.05E-03	2.82E-09	2	1.57E-01	8.85E-10	1.0E+06	8.9E-04
474	0.56401	4.01E-06	2.3E-06	1.05E-03	2.37E-09	2	1.57E-01	7.44E-10	1.0E+06	7.4E-04
475	0.5835	4.01E-06	2.3E-06	1.05E-03	2.45E-09	2	1.57E-01	7.69E-10	1.0E+06	7.7E-04
476	0.59819	4.01E-06	2.4E-06	1.05E-03	2.51E-09	2	1.57E-01	7.89E-10	1.0E+06	7.9E-04
477	0.60595	4.01E-06	2.4E-06	1.05E-03	2.54E-09	2	1.57E-01	7.99E-10	1.0E+06	8.0E-04
478	0.60562	4.01E-06	2.4E-06	1.05E-03	2.54E-09	2	1.57E-01	7.99E-10	1.0E+06	8.0E-04
495	0.51314	4.01E-06	2.1E-06	1.05E-03	2.15E-09	2	1.57E-01	6.77E-10	1.0E+06	6.8E-04
496	0.52952	4.01E-06	2.1E-06	1.05E-03	2.22E-09	2	1.57E-01	6.98E-10	1.0E+06	7.0E-04
497	0.54202	4.01E-06	2.2E-06	1.05E-03	2.27E-09	2	1.57E-01	7.15E-10	1.0E+06	7.1E-04
498	0.54908	4.01E-06	2.2E-06	1.05E-03	2.30E-09	2	1.57E-01	7.24E-10	1.0E+06	7.2E-04
499	0.54953	4.01E-06	2.2E-06	1.05E-03	2.31E-09	2	1.57E-01	7.25E-10	1.0E+06	7.2E-04
500	0.54278	4.01E-06	2.2E-06	1.05E-03	2.28E-09	2	1.57E-01	7.16E-10	1.0E+06	7.2E-04

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from Birth to 2 years - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	2.46483	4.01E-06	9.9E-06	1.05E-03	1.03E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
140	3.24383	4.01E-06	1.3E-05	1.05E-03	1.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
156	2.85011	4.01E-06	1.1E-05	1.05E-03	1.20E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
157	3.92834	4.01E-06	1.6E-05	1.05E-03	1.65E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
158	5.85299	4.01E-06	2.3E-05	1.05E-03	2.46E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
159	9.94451	4.01E-06	4.0E-05	1.05E-03	4.17E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
160	24.05094	4.01E-06	9.7E-05	1.05E-03	1.01E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
161	24.43475	4.01E-06	9.8E-05	1.05E-03	1.03E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
162	12.96517	4.01E-06	5.2E-05	1.05E-03	5.44E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
163	8.92932	4.01E-06	3.6E-05	1.05E-03	3.75E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
167	4.49156	4.01E-06	1.8E-05	1.05E-03	1.88E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
168	7.12194	4.01E-06	2.9E-05	1.05E-03	2.99E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
169	13.39987	4.01E-06	5.4E-05	1.05E-03	5.62E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
170	13.9749	4.01E-06	5.6E-05	1.05E-03	5.86E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
171	20.81454	4.01E-06	8.4E-05	1.05E-03	8.73E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
172	26.28054	4.01E-06	1.1E-04	1.05E-03	1.10E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
173	14.65331	4.01E-06	5.9E-05	1.05E-03	6.15E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
174	10.37492	4.01E-06	4.2E-05	1.05E-03	4.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
175	8.06011	4.01E-06	3.2E-05	1.05E-03	3.38E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
176	6.46126	4.01E-06	2.6E-05	1.05E-03	2.71E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
177	5.16324	4.01E-06	2.1E-05	1.05E-03	2.17E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
181	7.89915	4.01E-06	3.2E-05	1.05E-03	3.31E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
182	15.76044	4.01E-06	6.3E-05	1.05E-03	6.61E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
183	17.90575	4.01E-06	7.2E-05	1.05E-03	7.51E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
184	25.12076	4.01E-06	1.0E-04	1.05E-03	1.05E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
185	28.05172	4.01E-06	1.1E-04	1.05E-03	1.18E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
186	17.78974	4.01E-06	7.1E-05	1.05E-03	7.46E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
187	13.2597	4.01E-06	5.3E-05	1.05E-03	5.56E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
188	10.28499	4.01E-06	4.1E-05	1.05E-03	4.32E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
189	7.77889	4.01E-06	3.1E-05	1.05E-03	3.26E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
190	5.71622	4.01E-06	2.3E-05	1.05E-03	2.40E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	4.20628	4.01E-06	1.7E-05	1.05E-03	1.76E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	7.85266	4.01E-06	3.2E-05	1.05E-03	3.29E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	15.64437	4.01E-06	6.3E-05	1.05E-03	6.56E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	30.43606	4.01E-06	1.2E-04	1.05E-03	1.28E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	29.18489	4.01E-06	1.2E-04	1.05E-03	1.22E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	37.73488	4.01E-06	1.5E-04	1.05E-03	1.58E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	27.99209	4.01E-06	1.1E-04	1.05E-03	1.17E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	21.83658	4.01E-06	8.8E-05	1.05E-03	9.16E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	14.81121	4.01E-06	5.9E-05	1.05E-03	6.21E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	9.07537	4.01E-06	3.6E-05	1.05E-03	3.81E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	5.7861	4.01E-06	2.3E-05	1.05E-03	2.43E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	3.9607	4.01E-06	1.6E-05	1.05E-03	1.66E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	2.88232	4.01E-06	1.2E-05	1.05E-03	1.21E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	4.4454	4.01E-06	1.8E-05	1.05E-03	1.87E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	6.99412	4.01E-06	2.8E-05	1.05E-03	2.93E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	12.70821	4.01E-06	5.1E-05	1.05E-03	5.33E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	31.2107	4.01E-06	1.3E-04	1.05E-03	1.31E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	23.8025	4.01E-06	9.6E-05	1.05E-03	9.99E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	20.55655	4.01E-06	8.3E-05	1.05E-03	8.63E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	23.436	4.01E-06	9.4E-05	1.05E-03	9.83E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	19.01356	4.01E-06	7.6E-05	1.05E-03	7.98E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	8.41511	4.01E-06	3.4E-05	1.05E-03	3.53E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	4.97519	4.01E-06	2.0E-05	1.05E-03	2.09E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	3.38314	4.01E-06	1.4E-05	1.05E-03	1.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	2.48918	4.01E-06	1.0E-05	1.05E-03	1.04E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	1.92694	4.01E-06	7.7E-06	1.05E-03	8.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	3.94527	4.01E-06	1.6E-05	1.05E-03	1.66E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	5.80339	4.01E-06	2.3E-05	1.05E-03	2.44E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	9.33877	4.01E-06	3.7E-05	1.05E-03	3.92E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	16.86266	4.01E-06	6.8E-05	1.05E-03	7.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	30.35765	4.01E-06	1.2E-04	1.05E-03	1.27E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	39.80131	4.01E-06	1.6E-04	1.05E-03	1.67E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	24.13355	4.01E-06	9.7E-05	1.05E-03	1.01E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	12.48824	4.01E-06	5.0E-05	1.05E-03	5.24E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	6.15271	4.01E-06	2.5E-05	1.05E-03	2.58E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	3.93918	4.01E-06	1.6E-05	1.05E-03	1.65E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	2.81542	4.01E-06	1.1E-05	1.05E-03	1.18E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	2.14186	4.01E-06	8.6E-06	1.05E-03	8.99E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	1.6983	4.01E-06	6.8E-06	1.05E-03	7.13E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	3.37872	4.01E-06	1.4E-05	1.05E-03	1.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	4.6661	4.01E-06	1.9E-05	1.05E-03	1.96E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	6.74397	4.01E-06	2.7E-05	1.05E-03	2.83E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	10.19518	4.01E-06	4.1E-05	1.05E-03	4.28E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	14.5819	4.01E-06	5.9E-05	1.05E-03	6.12E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	17.29797	4.01E-06	6.9E-05	1.05E-03	7.26E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	16.84674	4.01E-06	6.8E-05	1.05E-03	7.07E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	8.19032	4.01E-06	3.3E-05	1.05E-03	3.44E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	4.83136	4.01E-06	1.9E-05	1.05E-03	2.03E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	3.2657	4.01E-06	1.3E-05	1.05E-03	1.37E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	2.41833	4.01E-06	9.7E-06	1.05E-03	1.01E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	1.88507	4.01E-06	7.6E-06	1.05E-03	7.91E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	1.5221	4.01E-06	6.1E-06	1.05E-03	6.39E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	2.85743	4.01E-06	1.1E-05	1.05E-03	1.20E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	3.74424	4.01E-06	1.5E-05	1.05E-03	1.57E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	5.03996	4.01E-06	2.0E-05	1.05E-03	2.11E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	6.78429	4.01E-06	2.7E-05	1.05E-03	2.85E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	8.74606	4.01E-06	3.5E-05	1.05E-03	3.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	9.91	4.01E-06	4.0E-05	1.05E-03	4.16E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	9.67904	4.01E-06	3.9E-05	1.05E-03	4.06E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	5.83763	4.01E-06	2.3E-05	1.05E-03	2.45E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	3.95027	4.01E-06	1.6E-05	1.05E-03	1.66E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	2.80293	4.01E-06	1.1E-05	1.05E-03	1.18E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	2.12324	4.01E-06	8.5E-06	1.05E-03	8.91E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	1.6836	4.01E-06	6.8E-06	1.05E-03	7.06E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	1.37904	4.01E-06	5.5E-06	1.05E-03	5.79E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	0.85165	4.01E-06	3.4E-06	1.05E-03	3.57E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	0.7452	4.01E-06	3.0E-06	1.05E-03	3.13E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	2.41289	4.01E-06	9.7E-06	1.05E-03	1.01E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	3.02859	4.01E-06	1.2E-05	1.05E-03	1.27E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	3.85736	4.01E-06	1.5E-05	1.05E-03	1.62E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	4.8595	4.01E-06	2.0E-05	1.05E-03	2.04E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	5.87989	4.01E-06	2.4E-05	1.05E-03	2.47E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	6.48815	4.01E-06	2.6E-05	1.05E-03	2.72E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	6.38339	4.01E-06	2.6E-05	1.05E-03	2.68E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	4.38936	4.01E-06	1.8E-05	1.05E-03	1.84E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	3.24855	4.01E-06	1.3E-05	1.05E-03	1.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	2.42149	4.01E-06	9.7E-06	1.05E-03	1.02E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	1.87964	4.01E-06	7.5E-06	1.05E-03	7.89E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	1.51538	4.01E-06	6.1E-06	1.05E-03	6.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	1.25583	4.01E-06	5.0E-06	1.05E-03	5.27E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	0.79451	4.01E-06	3.2E-06	1.05E-03	3.33E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	0.70016	4.01E-06	2.8E-06	1.05E-03	2.94E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	2.04553	4.01E-06	8.2E-06	1.05E-03	8.58E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	2.48253	4.01E-06	1.0E-05	1.05E-03	1.04E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	3.03027	4.01E-06	1.2E-05	1.05E-03	1.27E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	3.65293	4.01E-06	1.5E-05	1.05E-03	1.53E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	4.23822	4.01E-06	1.7E-05	1.05E-03	1.78E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	4.59925	4.01E-06	1.8E-05	1.05E-03	1.93E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	4.56713	4.01E-06	1.8E-05	1.05E-03	1.92E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	3.43074	4.01E-06	1.4E-05	1.05E-03	1.44E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	2.70583	4.01E-06	1.1E-05	1.05E-03	1.14E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	2.1073	4.01E-06	8.5E-06	1.05E-03	8.84E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	1.67702	4.01E-06	6.7E-06	1.05E-03	7.04E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	1.3711	4.01E-06	5.5E-06	1.05E-03	5.75E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	1.14779	4.01E-06	4.6E-06	1.05E-03	4.82E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	0.74338	4.01E-06	3.0E-06	1.05E-03	3.12E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	0.65835	4.01E-06	2.6E-06	1.05E-03	2.76E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	1.74616	4.01E-06	7.0E-06	1.05E-03	7.33E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	2.06378	4.01E-06	8.3E-06	1.05E-03	8.66E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	2.43957	4.01E-06	9.8E-06	1.05E-03	1.02E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	2.8459	4.01E-06	1.1E-05	1.05E-03	1.19E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	3.21893	4.01E-06	1.3E-05	1.05E-03	1.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	3.44647	4.01E-06	1.4E-05	1.05E-03	1.45E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	3.442	4.01E-06	1.4E-05	1.05E-03	1.44E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	2.75976	4.01E-06	1.1E-05	1.05E-03	1.16E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	2.27989	4.01E-06	9.2E-06	1.05E-03	9.57E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	1.84274	4.01E-06	7.4E-06	1.05E-03	7.73E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	1.50179	4.01E-06	6.0E-06	1.05E-03	6.30E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	1.24496	4.01E-06	5.0E-06	1.05E-03	5.22E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	1.05248	4.01E-06	4.2E-06	1.05E-03	4.42E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	0.6959	4.01E-06	2.8E-06	1.05E-03	2.92E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	0.61931	4.01E-06	2.5E-06	1.05E-03	2.60E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	1.50251	4.01E-06	6.0E-06	1.05E-03	6.30E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	1.73788	4.01E-06	7.0E-06	1.05E-03	7.29E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	2.00495	4.01E-06	8.0E-06	1.05E-03	8.41E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	2.28401	4.01E-06	9.2E-06	1.05E-03	9.58E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	2.52913	4.01E-06	1.0E-05	1.05E-03	1.06E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	2.68562	4.01E-06	1.1E-05	1.05E-03	1.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	2.6942	4.01E-06	1.1E-05	1.05E-03	1.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	2.54303	4.01E-06	1.0E-05	1.05E-03	1.07E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	2.26806	4.01E-06	9.1E-06	1.05E-03	9.52E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	1.9381	4.01E-06	7.8E-06	1.05E-03	8.13E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	1.61851	4.01E-06	6.5E-06	1.05E-03	6.79E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	1.34754	4.01E-06	5.4E-06	1.05E-03	5.65E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	1.13323	4.01E-06	4.5E-06	1.05E-03	4.75E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	0.96716	4.01E-06	3.9E-06	1.05E-03	4.06E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	0.73465	4.01E-06	2.9E-06	1.05E-03	3.08E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	0.65187	4.01E-06	2.6E-06	1.05E-03	2.74E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.58299	4.01E-06	2.3E-06	1.05E-03	2.45E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	2.04544	4.01E-06	8.2E-06	1.05E-03	8.58E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	2.15527	4.01E-06	8.7E-06	1.05E-03	9.04E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	2.16833	4.01E-06	8.7E-06	1.05E-03	9.10E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	2.07662	4.01E-06	8.3E-06	1.05E-03	8.71E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	0.68554	4.01E-06	2.8E-06	1.05E-03	2.88E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	0.61145	4.01E-06	2.5E-06	1.05E-03	2.57E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.54936	4.01E-06	2.2E-06	1.05E-03	2.31E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	1.77099	4.01E-06	7.1E-06	1.05E-03	7.43E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	1.787	4.01E-06	7.2E-06	1.05E-03	7.50E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	1.72879	4.01E-06	6.9E-06	1.05E-03	7.25E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	0.64105	4.01E-06	2.6E-06	1.05E-03	2.69E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	0.57407	4.01E-06	2.3E-06	1.05E-03	2.41E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.51804	4.01E-06	2.1E-06	1.05E-03	2.17E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	1.48302	4.01E-06	6.0E-06	1.05E-03	6.22E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	1.49899	4.01E-06	6.0E-06	1.05E-03	6.29E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	1.46197	4.01E-06	5.9E-06	1.05E-03	6.13E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	0.59955	4.01E-06	2.4E-06	1.05E-03	2.52E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	0.53868	4.01E-06	2.2E-06	1.05E-03	2.26E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.48848	4.01E-06	2.0E-06	1.05E-03	2.05E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	1.27658	4.01E-06	5.1E-06	1.05E-03	5.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	1.25225	4.01E-06	5.0E-06	1.05E-03	5.25E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	0.56162	4.01E-06	2.3E-06	1.05E-03	2.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.50714	4.01E-06	2.0E-06	1.05E-03	2.13E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.46163	4.01E-06	1.9E-06	1.05E-03	1.94E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	1.10142	4.01E-06	4.4E-06	1.05E-03	4.62E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	1.08665	4.01E-06	4.4E-06	1.05E-03	4.56E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	1.0441	4.01E-06	4.2E-06	1.05E-03	4.38E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	0.52733	4.01E-06	2.1E-06	1.05E-03	2.21E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.47792	4.01E-06	1.9E-06	1.05E-03	2.01E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.43695	4.01E-06	1.8E-06	1.05E-03	1.83E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	0.95173	4.01E-06	3.8E-06	1.05E-03	3.99E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	0.92084	4.01E-06	3.7E-06	1.05E-03	3.86E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.49553	4.01E-06	2.0E-06	1.05E-03	2.08E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.45107	4.01E-06	1.8E-06	1.05E-03	1.89E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.41372	4.01E-06	1.7E-06	1.05E-03	1.74E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	0.84044	4.01E-06	3.4E-06	1.05E-03	3.53E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	0.81865	4.01E-06	3.3E-06	1.05E-03	3.43E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.42636	4.01E-06	1.7E-06	1.05E-03	1.79E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.39173	4.01E-06	1.6E-06	1.05E-03	1.64E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	0.74813	4.01E-06	3.0E-06	1.05E-03	3.14E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	0.7327	4.01E-06	2.9E-06	1.05E-03	3.07E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	0.70359	4.01E-06	2.8E-06	1.05E-03	2.95E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.40317	4.01E-06	1.6E-06	1.05E-03	1.69E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.37154	4.01E-06	1.5E-06	1.05E-03	1.56E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	0.65936	4.01E-06	2.6E-06	1.05E-03	2.77E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	0.63701	4.01E-06	2.6E-06	1.05E-03	2.67E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.4502	4.01E-06	1.8E-06	1.05E-03	1.89E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.38175	4.01E-06	1.5E-06	1.05E-03	1.60E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.35291	4.01E-06	1.4E-06	1.05E-03	1.48E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	0.59558	4.01E-06	2.4E-06	1.05E-03	2.50E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	0.57916	4.01E-06	2.3E-06	1.05E-03	2.43E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	0.55432	4.01E-06	2.2E-06	1.05E-03	2.33E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	0.52449	4.01E-06	2.1E-06	1.05E-03	2.20E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	0.49063	4.01E-06	2.0E-06	1.05E-03	2.06E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.45643	4.01E-06	1.8E-06	1.05E-03	1.92E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.42266	4.01E-06	1.7E-06	1.05E-03	1.77E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.3911	4.01E-06	1.6E-06	1.05E-03	1.64E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.36194	4.01E-06	1.5E-06	1.05E-03	1.52E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.33551	4.01E-06	1.3E-06	1.05E-03	1.41E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	0.52814	4.01E-06	2.1E-06	1.05E-03	2.22E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	0.50935	4.01E-06	2.0E-06	1.05E-03	2.14E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	0.48472	4.01E-06	1.9E-06	1.05E-03	2.03E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	0.45652	4.01E-06	1.8E-06	1.05E-03	1.92E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	0.42694	4.01E-06	1.7E-06	1.05E-03	1.79E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.39747	4.01E-06	1.6E-06	1.05E-03	1.67E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.36956	4.01E-06	1.5E-06	1.05E-03	1.55E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.31932	4.01E-06	1.3E-06	1.05E-03	1.34E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.48497	4.01E-06	1.9E-06	1.05E-03	2.03E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	0.46815	4.01E-06	1.9E-06	1.05E-03	1.96E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	0.44895	4.01E-06	1.8E-06	1.05E-03	1.88E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	0.42528	4.01E-06	1.7E-06	1.05E-03	1.78E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	0.39988	4.01E-06	1.6E-06	1.05E-03	1.68E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.37419	4.01E-06	1.5E-06	1.05E-03	1.57E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.34939	4.01E-06	1.4E-06	1.05E-03	1.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.30413	4.01E-06	1.2E-06	1.05E-03	1.28E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.44701	4.01E-06	1.8E-06	1.05E-03	1.88E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.43372	4.01E-06	1.7E-06	1.05E-03	1.82E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	0.41626	4.01E-06	1.7E-06	1.05E-03	1.75E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	0.39625	4.01E-06	1.6E-06	1.05E-03	1.66E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	0.37508	4.01E-06	1.5E-06	1.05E-03	1.57E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.35263	4.01E-06	1.4E-06	1.05E-03	1.48E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.33022	4.01E-06	1.3E-06	1.05E-03	1.39E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.28985	4.01E-06	1.2E-06	1.05E-03	1.22E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.40243	4.01E-06	1.6E-06	1.05E-03	1.69E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.38825	4.01E-06	1.6E-06	1.05E-03	1.63E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.37107	4.01E-06	1.5E-06	1.05E-03	1.56E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.35146	4.01E-06	1.4E-06	1.05E-03	1.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.33244	4.01E-06	1.3E-06	1.05E-03	1.39E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.31345	4.01E-06	1.3E-06	1.05E-03	1.32E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.27673	4.01E-06	1.1E-06	1.05E-03	1.16E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.37434	4.01E-06	1.5E-06	1.05E-03	1.57E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.36246	4.01E-06	1.5E-06	1.05E-03	1.52E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.34812	4.01E-06	1.4E-06	1.05E-03	1.46E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.33182	4.01E-06	1.3E-06	1.05E-03	1.39E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.31453	4.01E-06	1.3E-06	1.05E-03	1.32E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.29703	4.01E-06	1.2E-06	1.05E-03	1.25E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.25873	4.01E-06	1.0E-06	1.05E-03	1.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.3492	4.01E-06	1.4E-06	1.05E-03	1.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.33908	4.01E-06	1.4E-06	1.05E-03	1.42E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.32681	4.01E-06	1.3E-06	1.05E-03	1.37E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.31283	4.01E-06	1.3E-06	1.05E-03	1.31E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.29777	4.01E-06	1.2E-06	1.05E-03	1.25E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.28243	4.01E-06	1.1E-06	1.05E-03	1.19E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.26707	4.01E-06	1.1E-06	1.05E-03	1.12E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	4.01E-06	0.0E+00	1.05E-03	0.00E+00	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
1	1	0.29389	4.01E-06	1.2E-06	6.05E-04	7.14E-10	14	4.71E-02	4.71E-10	1.0E+06	4.7E-04
2	2	0.31598	4.01E-06	1.3E-06	6.05E-04	7.68E-10	14	4.71E-02	5.07E-10	1.0E+06	5.1E-04
3	3	0.34048	4.01E-06	1.4E-06	6.05E-04	8.27E-10	14	4.71E-02	5.46E-10	1.0E+06	5.5E-04
4	4	0.3679	4.01E-06	1.5E-06	6.05E-04	8.94E-10	14	4.71E-02	5.90E-10	1.0E+06	5.9E-04
5	5	0.39872	4.01E-06	1.6E-06	6.05E-04	9.68E-10	14	4.71E-02	6.39E-10	1.0E+06	6.4E-04
6	6	0.43386	4.01E-06	1.7E-06	6.05E-04	1.05E-09	14	4.71E-02	6.96E-10	1.0E+06	7.0E-04
7	7	0.47351	4.01E-06	1.9E-06	6.05E-04	1.15E-09	14	4.71E-02	7.59E-10	1.0E+06	7.6E-04
8	8	0.51814	4.01E-06	2.1E-06	6.05E-04	1.26E-09	14	4.71E-02	8.31E-10	1.0E+06	8.3E-04
9	9	0.56872	4.01E-06	2.3E-06	6.05E-04	1.38E-09	14	4.71E-02	9.12E-10	1.0E+06	9.1E-04
10	10	0.62592	4.01E-06	2.5E-06	6.05E-04	1.52E-09	14	4.71E-02	1.00E-09	1.0E+06	1.0E-03
11	11	0.69036	4.01E-06	2.8E-06	6.05E-04	1.68E-09	14	4.71E-02	1.11E-09	1.0E+06	1.1E-03
12	12	0.7626	4.01E-06	3.1E-06	6.05E-04	1.85E-09	14	4.71E-02	1.22E-09	1.0E+06	1.2E-03
13	13	0.84361	4.01E-06	3.4E-06	6.05E-04	2.05E-09	14	4.71E-02	1.35E-09	1.0E+06	1.4E-03
14	14	0.93267	4.01E-06	3.7E-06	6.05E-04	2.27E-09	14	4.71E-02	1.50E-09	1.0E+06	1.5E-03
15	15	1.02919	4.01E-06	4.1E-06	6.05E-04	2.50E-09	14	4.71E-02	1.65E-09	1.0E+06	1.6E-03
16	16	1.12994	4.01E-06	4.5E-06	6.05E-04	2.74E-09	14	4.71E-02	1.81E-09	1.0E+06	1.8E-03
17	17	1.2315	4.01E-06	4.9E-06	6.05E-04	2.99E-09	14	4.71E-02	1.97E-09	1.0E+06	2.0E-03
18	18	1.32448	4.01E-06	5.3E-06	6.05E-04	3.22E-09	14	4.71E-02	2.12E-09	1.0E+06	2.1E-03
19	19	1.40082	4.01E-06	5.6E-06	6.05E-04	3.40E-09	14	4.71E-02	2.25E-09	1.0E+06	2.2E-03
20	20	1.45386	4.01E-06	5.8E-06	6.05E-04	3.53E-09	14	4.71E-02	2.33E-09	1.0E+06	2.3E-03
21	21	1.48639	4.01E-06	6.0E-06	6.05E-04	3.61E-09	14	4.71E-02	2.38E-09	1.0E+06	2.4E-03
22	22	1.51372	4.01E-06	6.1E-06	6.05E-04	3.68E-09	14	4.71E-02	2.43E-09	1.0E+06	2.4E-03
23	23	1.5459	4.01E-06	6.2E-06	6.05E-04	3.75E-09	14	4.71E-02	2.48E-09	1.0E+06	2.5E-03
24	24	1.57817	4.01E-06	6.3E-06	6.05E-04	3.83E-09	14	4.71E-02	2.53E-09	1.0E+06	2.5E-03
25	25	1.59845	4.01E-06	6.4E-06	6.05E-04	3.88E-09	14	4.71E-02	2.56E-09	1.0E+06	2.6E-03
26	26	1.59795	4.01E-06	6.4E-06	6.05E-04	3.88E-09	14	4.71E-02	2.56E-09	1.0E+06	2.6E-03
27	27	1.57495	4.01E-06	6.3E-06	6.05E-04	3.83E-09	14	4.71E-02	2.52E-09	1.0E+06	2.5E-03
28	28	1.53194	4.01E-06	6.1E-06	6.05E-04	3.72E-09	14	4.71E-02	2.46E-09	1.0E+06	2.5E-03
29	29	1.47351	4.01E-06	5.9E-06	6.05E-04	3.58E-09	14	4.71E-02	2.36E-09	1.0E+06	2.4E-03
30	30	1.40367	4.01E-06	5.6E-06	6.05E-04	3.41E-09	14	4.71E-02	2.25E-09	1.0E+06	2.3E-03
31	31	1.32583	4.01E-06	5.3E-06	6.05E-04	3.22E-09	14	4.71E-02	2.13E-09	1.0E+06	2.1E-03

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
32	32	1.24299	4.01E-06	5.0E-06	6.05E-04	3.02E-09	14	4.71E-02	1.99E-09	1.0E+06	2.0E-03
55	55	1.96841	4.01E-06	7.9E-06	6.05E-04	4.78E-09	14	4.71E-02	3.16E-09	1.0E+06	3.2E-03
56	56	2.02002	4.01E-06	8.1E-06	6.05E-04	4.91E-09	14	4.71E-02	3.24E-09	1.0E+06	3.2E-03
57	57	2.05097	4.01E-06	8.2E-06	6.05E-04	4.98E-09	14	4.71E-02	3.29E-09	1.0E+06	3.3E-03
58	58	2.04148	4.01E-06	8.2E-06	6.05E-04	4.96E-09	14	4.71E-02	3.27E-09	1.0E+06	3.3E-03
59	59	1.99197	4.01E-06	8.0E-06	6.05E-04	4.84E-09	14	4.71E-02	3.19E-09	1.0E+06	3.2E-03
60	60	1.91229	4.01E-06	7.7E-06	6.05E-04	4.64E-09	14	4.71E-02	3.07E-09	1.0E+06	3.1E-03
61	61	1.81404	4.01E-06	7.3E-06	6.05E-04	4.41E-09	14	4.71E-02	2.91E-09	1.0E+06	2.9E-03
62	62	1.70412	4.01E-06	6.8E-06	6.05E-04	4.14E-09	14	4.71E-02	2.73E-09	1.0E+06	2.7E-03
63	63	1.58848	4.01E-06	6.4E-06	6.05E-04	3.86E-09	14	4.71E-02	2.55E-09	1.0E+06	2.5E-03
64	64	1.47053	4.01E-06	5.9E-06	6.05E-04	3.57E-09	14	4.71E-02	2.36E-09	1.0E+06	2.4E-03
65	65	1.3532	4.01E-06	5.4E-06	6.05E-04	3.29E-09	14	4.71E-02	2.17E-09	1.0E+06	2.2E-03
66	66	1.23958	4.01E-06	5.0E-06	6.05E-04	3.01E-09	14	4.71E-02	1.99E-09	1.0E+06	2.0E-03
67	67	0.31497	4.01E-06	1.3E-06	6.05E-04	7.65E-10	14	4.71E-02	5.05E-10	1.0E+06	5.0E-04
68	68	0.34088	4.01E-06	1.4E-06	6.05E-04	8.28E-10	14	4.71E-02	5.46E-10	1.0E+06	5.5E-04
69	69	0.37017	4.01E-06	1.5E-06	6.05E-04	8.99E-10	14	4.71E-02	5.93E-10	1.0E+06	5.9E-04
70	70	0.40351	4.01E-06	1.6E-06	6.05E-04	9.80E-10	14	4.71E-02	6.47E-10	1.0E+06	6.5E-04
71	71	0.44137	4.01E-06	1.8E-06	6.05E-04	1.07E-09	14	4.71E-02	7.08E-10	1.0E+06	7.1E-04
72	72	0.48554	4.01E-06	1.9E-06	6.05E-04	1.18E-09	14	4.71E-02	7.78E-10	1.0E+06	7.8E-04
73	73	0.53652	4.01E-06	2.2E-06	6.05E-04	1.30E-09	14	4.71E-02	8.60E-10	1.0E+06	8.6E-04
74	74	0.59574	4.01E-06	2.4E-06	6.05E-04	1.45E-09	14	4.71E-02	9.55E-10	1.0E+06	9.6E-04
75	75	0.66496	4.01E-06	2.7E-06	6.05E-04	1.62E-09	14	4.71E-02	1.07E-09	1.0E+06	1.1E-03
76	76	0.74661	4.01E-06	3.0E-06	6.05E-04	1.81E-09	14	4.71E-02	1.20E-09	1.0E+06	1.2E-03
77	77	0.84339	4.01E-06	3.4E-06	6.05E-04	2.05E-09	14	4.71E-02	1.35E-09	1.0E+06	1.4E-03
78	78	0.95889	4.01E-06	3.8E-06	6.05E-04	2.33E-09	14	4.71E-02	1.54E-09	1.0E+06	1.5E-03
79	79	1.90831	4.01E-06	7.7E-06	6.05E-04	4.64E-09	14	4.71E-02	3.06E-09	1.0E+06	3.1E-03
80	80	2.15537	4.01E-06	8.7E-06	6.05E-04	5.24E-09	14	4.71E-02	3.46E-09	1.0E+06	3.5E-03
81	81	2.37429	4.01E-06	9.5E-06	6.05E-04	5.77E-09	14	4.71E-02	3.81E-09	1.0E+06	3.8E-03
82	82	2.52078	4.01E-06	1.0E-05	6.05E-04	6.12E-09	14	4.71E-02	4.04E-09	1.0E+06	4.0E-03
83	83	2.61877	4.01E-06	1.1E-05	6.05E-04	6.36E-09	14	4.71E-02	4.20E-09	1.0E+06	4.2E-03
84	84	2.71316	4.01E-06	1.1E-05	6.05E-04	6.59E-09	14	4.71E-02	4.35E-09	1.0E+06	4.3E-03

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
85	85	2.7673	4.01E-06	1.1E-05	6.05E-04	6.72E-09	14	4.71E-02	4.44E-09	1.0E+06	4.4E-03
86	86	2.73549	4.01E-06	1.1E-05	6.05E-04	6.64E-09	14	4.71E-02	4.39E-09	1.0E+06	4.4E-03
87	87	2.62596	4.01E-06	1.1E-05	6.05E-04	6.38E-09	14	4.71E-02	4.21E-09	1.0E+06	4.2E-03
88	88	2.47032	4.01E-06	9.9E-06	6.05E-04	6.00E-09	14	4.71E-02	3.96E-09	1.0E+06	4.0E-03
89	89	2.29455	4.01E-06	9.2E-06	6.05E-04	5.57E-09	14	4.71E-02	3.68E-09	1.0E+06	3.7E-03
90	90	2.11444	4.01E-06	8.5E-06	6.05E-04	5.14E-09	14	4.71E-02	3.39E-09	1.0E+06	3.4E-03
91	91	1.93759	4.01E-06	7.8E-06	6.05E-04	4.71E-09	14	4.71E-02	3.11E-09	1.0E+06	3.1E-03
92	92	1.76529	4.01E-06	7.1E-06	6.05E-04	4.29E-09	14	4.71E-02	2.83E-09	1.0E+06	2.8E-03
93	93	1.60122	4.01E-06	6.4E-06	6.05E-04	3.89E-09	14	4.71E-02	2.57E-09	1.0E+06	2.6E-03
96	96	4.03245	4.01E-06	1.6E-05	6.05E-04	9.79E-09	14	4.71E-02	6.46E-09	1.0E+06	6.5E-03
97	97	3.67271	4.01E-06	1.5E-05	6.05E-04	8.92E-09	14	4.71E-02	5.89E-09	1.0E+06	5.9E-03
98	98	3.00211	4.01E-06	1.2E-05	6.05E-04	7.29E-09	14	4.71E-02	4.81E-09	1.0E+06	4.8E-03
99	99	2.69414	4.01E-06	1.1E-05	6.05E-04	6.54E-09	14	4.71E-02	4.32E-09	1.0E+06	4.3E-03
100	100	2.41321	4.01E-06	9.7E-06	6.05E-04	5.86E-09	14	4.71E-02	3.87E-09	1.0E+06	3.9E-03
101	101	2.15654	4.01E-06	8.7E-06	6.05E-04	5.24E-09	14	4.71E-02	3.46E-09	1.0E+06	3.5E-03
102	102	1.9218	4.01E-06	7.7E-06	6.05E-04	4.67E-09	14	4.71E-02	3.08E-09	1.0E+06	3.1E-03
106	106	0.30649	4.01E-06	1.2E-06	6.05E-04	7.44E-10	14	4.71E-02	4.91E-10	1.0E+06	4.9E-04
107	107	0.3327	4.01E-06	1.3E-06	6.05E-04	8.08E-10	14	4.71E-02	5.33E-10	1.0E+06	5.3E-04
108	108	0.36207	4.01E-06	1.5E-06	6.05E-04	8.79E-10	14	4.71E-02	5.80E-10	1.0E+06	5.8E-04
109	109	0.3957	4.01E-06	1.6E-06	6.05E-04	9.61E-10	14	4.71E-02	6.34E-10	1.0E+06	6.3E-04
110	110	0.43459	4.01E-06	1.7E-06	6.05E-04	1.06E-09	14	4.71E-02	6.97E-10	1.0E+06	7.0E-04
111	111	0.47947	4.01E-06	1.9E-06	6.05E-04	1.16E-09	14	4.71E-02	7.69E-10	1.0E+06	7.7E-04
112	112	0.53297	4.01E-06	2.1E-06	6.05E-04	1.29E-09	14	4.71E-02	8.54E-10	1.0E+06	8.5E-04
113	113	0.59578	4.01E-06	2.4E-06	6.05E-04	1.45E-09	14	4.71E-02	9.55E-10	1.0E+06	9.6E-04
114	114	0.67099	4.01E-06	2.7E-06	6.05E-04	1.63E-09	14	4.71E-02	1.08E-09	1.0E+06	1.1E-03
115	115	0.76154	4.01E-06	3.1E-06	6.05E-04	1.85E-09	14	4.71E-02	1.22E-09	1.0E+06	1.2E-03
116	116	0.8716	4.01E-06	3.5E-06	6.05E-04	2.12E-09	14	4.71E-02	1.40E-09	1.0E+06	1.4E-03
117	117	1.00979	4.01E-06	4.1E-06	6.05E-04	2.45E-09	14	4.71E-02	1.62E-09	1.0E+06	1.6E-03
118	118	1.18376	4.01E-06	4.8E-06	6.05E-04	2.88E-09	14	4.71E-02	1.90E-09	1.0E+06	1.9E-03
124	124	0.31256	4.01E-06	1.3E-06	6.05E-04	7.59E-10	14	4.71E-02	5.01E-10	1.0E+06	5.0E-04
125	125	0.33946	4.01E-06	1.4E-06	6.05E-04	8.25E-10	14	4.71E-02	5.44E-10	1.0E+06	5.4E-04

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
126	126	0.37023	4.01E-06	1.5E-06	6.05E-04	8.99E-10	14	4.71E-02	5.94E-10	1.0E+06	5.9E-04
127	127	0.4057	4.01E-06	1.6E-06	6.05E-04	9.85E-10	14	4.71E-02	6.50E-10	1.0E+06	6.5E-04
128	128	0.44693	4.01E-06	1.8E-06	6.05E-04	1.09E-09	14	4.71E-02	7.16E-10	1.0E+06	7.2E-04
129	129	0.49492	4.01E-06	2.0E-06	6.05E-04	1.20E-09	14	4.71E-02	7.93E-10	1.0E+06	7.9E-04
130	130	0.55237	4.01E-06	2.2E-06	6.05E-04	1.34E-09	14	4.71E-02	8.86E-10	1.0E+06	8.9E-04
131	131	0.62077	4.01E-06	2.5E-06	6.05E-04	1.51E-09	14	4.71E-02	9.95E-10	1.0E+06	1.0E-03
132	132	0.70357	4.01E-06	2.8E-06	6.05E-04	1.71E-09	14	4.71E-02	1.13E-09	1.0E+06	1.1E-03
133	133	0.80458	4.01E-06	3.2E-06	6.05E-04	1.95E-09	14	4.71E-02	1.29E-09	1.0E+06	1.3E-03
134	134	0.93109	4.01E-06	3.7E-06	6.05E-04	2.26E-09	14	4.71E-02	1.49E-09	1.0E+06	1.5E-03
135	135	1.09058	4.01E-06	4.4E-06	6.05E-04	2.65E-09	14	4.71E-02	1.75E-09	1.0E+06	1.7E-03
136	136	1.29666	4.01E-06	5.2E-06	6.05E-04	3.15E-09	14	4.71E-02	2.08E-09	1.0E+06	2.1E-03
137	137	1.56789	4.01E-06	6.3E-06	6.05E-04	3.81E-09	14	4.71E-02	2.51E-09	1.0E+06	2.5E-03
138	138	1.94213	4.01E-06	7.8E-06	6.05E-04	4.72E-09	14	4.71E-02	3.11E-09	1.0E+06	3.1E-03
141	141	0.31685	4.01E-06	1.3E-06	6.05E-04	7.70E-10	14	4.71E-02	5.08E-10	1.0E+06	5.1E-04
142	142	0.34467	4.01E-06	1.4E-06	6.05E-04	8.37E-10	14	4.71E-02	5.53E-10	1.0E+06	5.5E-04
143	143	0.37658	4.01E-06	1.5E-06	6.05E-04	9.15E-10	14	4.71E-02	6.04E-10	1.0E+06	6.0E-04
144	144	0.41354	4.01E-06	1.7E-06	6.05E-04	1.00E-09	14	4.71E-02	6.63E-10	1.0E+06	6.6E-04
145	145	0.45664	4.01E-06	1.8E-06	6.05E-04	1.11E-09	14	4.71E-02	7.32E-10	1.0E+06	7.3E-04
146	146	0.50717	4.01E-06	2.0E-06	6.05E-04	1.23E-09	14	4.71E-02	8.13E-10	1.0E+06	8.1E-04
147	147	0.56793	4.01E-06	2.3E-06	6.05E-04	1.38E-09	14	4.71E-02	9.10E-10	1.0E+06	9.1E-04
148	148	0.64079	4.01E-06	2.6E-06	6.05E-04	1.56E-09	14	4.71E-02	1.03E-09	1.0E+06	1.0E-03
149	149	0.7298	4.01E-06	2.9E-06	6.05E-04	1.77E-09	14	4.71E-02	1.17E-09	1.0E+06	1.2E-03
150	150	0.8399	4.01E-06	3.4E-06	6.05E-04	2.04E-09	14	4.71E-02	1.35E-09	1.0E+06	1.3E-03
151	151	0.97901	4.01E-06	3.9E-06	6.05E-04	2.38E-09	14	4.71E-02	1.57E-09	1.0E+06	1.6E-03
152	152	1.15821	4.01E-06	4.6E-06	6.05E-04	2.81E-09	14	4.71E-02	1.86E-09	1.0E+06	1.9E-03
153	153	1.39491	4.01E-06	5.6E-06	6.05E-04	3.39E-09	14	4.71E-02	2.24E-09	1.0E+06	2.2E-03
154	154	1.71511	4.01E-06	6.9E-06	6.05E-04	4.17E-09	14	4.71E-02	2.75E-09	1.0E+06	2.7E-03
155	155	2.1698	4.01E-06	8.7E-06	6.05E-04	5.27E-09	14	4.71E-02	3.48E-09	1.0E+06	3.5E-03
164	164	1.82723	4.01E-06	7.3E-06	6.05E-04	4.44E-09	14	4.71E-02	2.93E-09	1.0E+06	2.9E-03
165	165	2.34863	4.01E-06	9.4E-06	6.05E-04	5.70E-09	14	4.71E-02	3.77E-09	1.0E+06	3.8E-03
166	166	3.16177	4.01E-06	1.3E-05	6.05E-04	7.68E-09	14	4.71E-02	5.07E-09	1.0E+06	5.1E-03

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
178	178	1.88802	4.01E-06	7.6E-06	6.05E-04	4.59E-09	14	4.71E-02	3.03E-09	1.0E+06	3.0E-03
179	179	2.44868	4.01E-06	9.8E-06	6.05E-04	5.95E-09	14	4.71E-02	3.93E-09	1.0E+06	3.9E-03
180	180	3.33572	4.01E-06	1.3E-05	6.05E-04	8.10E-09	14	4.71E-02	5.35E-09	1.0E+06	5.3E-03
192	192	1.89121	4.01E-06	7.6E-06	6.05E-04	4.59E-09	14	4.71E-02	3.03E-09	1.0E+06	3.0E-03
193	193	2.45444	4.01E-06	9.9E-06	6.05E-04	5.96E-09	14	4.71E-02	3.93E-09	1.0E+06	3.9E-03
194	194	3.3349	4.01E-06	1.3E-05	6.05E-04	8.10E-09	14	4.71E-02	5.35E-09	1.0E+06	5.3E-03
207	207	1.83773	4.01E-06	7.4E-06	6.05E-04	4.46E-09	14	4.71E-02	2.95E-09	1.0E+06	2.9E-03
208	208	2.36329	4.01E-06	9.5E-06	6.05E-04	5.74E-09	14	4.71E-02	3.79E-09	1.0E+06	3.8E-03
209	209	3.16848	4.01E-06	1.3E-05	6.05E-04	7.70E-09	14	4.71E-02	5.08E-09	1.0E+06	5.1E-03
223	223	1.74139	4.01E-06	7.0E-06	6.05E-04	4.23E-09	14	4.71E-02	2.79E-09	1.0E+06	2.8E-03
224	224	2.20418	4.01E-06	8.8E-06	6.05E-04	5.35E-09	14	4.71E-02	3.53E-09	1.0E+06	3.5E-03
225	225	2.88323	4.01E-06	1.2E-05	6.05E-04	7.00E-09	14	4.71E-02	4.62E-09	1.0E+06	4.6E-03
239	239	1.61959	4.01E-06	6.5E-06	6.05E-04	3.93E-09	14	4.71E-02	2.60E-09	1.0E+06	2.6E-03
240	240	2.01099	4.01E-06	8.1E-06	6.05E-04	4.88E-09	14	4.71E-02	3.22E-09	1.0E+06	3.2E-03
241	241	2.56397	4.01E-06	1.0E-05	6.05E-04	6.23E-09	14	4.71E-02	4.11E-09	1.0E+06	4.1E-03
255	255	1.48591	4.01E-06	6.0E-06	6.05E-04	3.61E-09	14	4.71E-02	2.38E-09	1.0E+06	2.4E-03
256	256	1.80857	4.01E-06	7.3E-06	6.05E-04	4.39E-09	14	4.71E-02	2.90E-09	1.0E+06	2.9E-03
272	272	1.35095	4.01E-06	5.4E-06	6.05E-04	3.28E-09	14	4.71E-02	2.17E-09	1.0E+06	2.2E-03
273	273	1.61398	4.01E-06	6.5E-06	6.05E-04	3.92E-09	14	4.71E-02	2.59E-09	1.0E+06	2.6E-03
289	289	1.22279	4.01E-06	4.9E-06	6.05E-04	2.97E-09	14	4.71E-02	1.96E-09	1.0E+06	2.0E-03
290	290	1.43527	4.01E-06	5.8E-06	6.05E-04	3.49E-09	14	4.71E-02	2.30E-09	1.0E+06	2.3E-03
306	306	1.10407	4.01E-06	4.4E-06	6.05E-04	2.68E-09	14	4.71E-02	1.77E-09	1.0E+06	1.8E-03
307	307	1.27591	4.01E-06	5.1E-06	6.05E-04	3.10E-09	14	4.71E-02	2.05E-09	1.0E+06	2.0E-03
323	323	0.99664	4.01E-06	4.0E-06	6.05E-04	2.42E-09	14	4.71E-02	1.60E-09	1.0E+06	1.6E-03
324	324	1.13616	4.01E-06	4.6E-06	6.05E-04	2.76E-09	14	4.71E-02	1.82E-09	1.0E+06	1.8E-03
342	342	0.90088	4.01E-06	3.6E-06	6.05E-04	2.19E-09	14	4.71E-02	1.44E-09	1.0E+06	1.4E-03
343	343	1.01486	4.01E-06	4.1E-06	6.05E-04	2.47E-09	14	4.71E-02	1.63E-09	1.0E+06	1.6E-03
344	344	1.14827	4.01E-06	4.6E-06	6.05E-04	2.79E-09	14	4.71E-02	1.84E-09	1.0E+06	1.8E-03
356	356	0.81616	4.01E-06	3.3E-06	6.05E-04	1.98E-09	14	4.71E-02	1.31E-09	1.0E+06	1.3E-03
357	357	0.90997	4.01E-06	3.7E-06	6.05E-04	2.21E-09	14	4.71E-02	1.46E-09	1.0E+06	1.5E-03
358	358	1.01777	4.01E-06	4.1E-06	6.05E-04	2.47E-09	14	4.71E-02	1.63E-09	1.0E+06	1.6E-03

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
370	370	0.74164	4.01E-06	3.0E-06	6.05E-04	1.80E-09	14	4.71E-02	1.19E-09	1.0E+06	1.2E-03
371	371	0.81945	4.01E-06	3.3E-06	6.05E-04	1.99E-09	14	4.71E-02	1.31E-09	1.0E+06	1.3E-03
372	372	0.90727	4.01E-06	3.6E-06	6.05E-04	2.20E-09	14	4.71E-02	1.45E-09	1.0E+06	1.5E-03
383	383	0.6761	4.01E-06	2.7E-06	6.05E-04	1.64E-09	14	4.71E-02	1.08E-09	1.0E+06	1.1E-03
384	384	0.74112	4.01E-06	3.0E-06	6.05E-04	1.80E-09	14	4.71E-02	1.19E-09	1.0E+06	1.2E-03
385	385	0.81326	4.01E-06	3.3E-06	6.05E-04	1.98E-09	14	4.71E-02	1.30E-09	1.0E+06	1.3E-03
396	396	0.61843	4.01E-06	2.5E-06	6.05E-04	1.50E-09	14	4.71E-02	9.91E-10	1.0E+06	9.9E-04
397	397	0.67309	4.01E-06	2.7E-06	6.05E-04	1.63E-09	14	4.71E-02	1.08E-09	1.0E+06	1.1E-03
398	398	0.73279	4.01E-06	2.9E-06	6.05E-04	1.78E-09	14	4.71E-02	1.17E-09	1.0E+06	1.2E-03
399	399	0.79693	4.01E-06	3.2E-06	6.05E-04	1.94E-09	14	4.71E-02	1.28E-09	1.0E+06	1.3E-03
411	411	0.56753	4.01E-06	2.3E-06	6.05E-04	1.38E-09	14	4.71E-02	9.10E-10	1.0E+06	9.1E-04
412	412	0.61374	4.01E-06	2.5E-06	6.05E-04	1.49E-09	14	4.71E-02	9.84E-10	1.0E+06	9.8E-04
413	413	0.66349	4.01E-06	2.7E-06	6.05E-04	1.61E-09	14	4.71E-02	1.06E-09	1.0E+06	1.1E-03
414	414	0.71615	4.01E-06	2.9E-06	6.05E-04	1.74E-09	14	4.71E-02	1.15E-09	1.0E+06	1.1E-03
426	426	0.5225	4.01E-06	2.1E-06	6.05E-04	1.27E-09	14	4.71E-02	8.38E-10	1.0E+06	8.4E-04
427	427	0.56177	4.01E-06	2.3E-06	6.05E-04	1.36E-09	14	4.71E-02	9.01E-10	1.0E+06	9.0E-04
428	428	0.60347	4.01E-06	2.4E-06	6.05E-04	1.47E-09	14	4.71E-02	9.67E-10	1.0E+06	9.7E-04
429	429	0.64705	4.01E-06	2.6E-06	6.05E-04	1.57E-09	14	4.71E-02	1.04E-09	1.0E+06	1.0E-03
439	439	0.48248	4.01E-06	1.9E-06	6.05E-04	1.17E-09	14	4.71E-02	7.73E-10	1.0E+06	7.7E-04
440	440	0.51601	4.01E-06	2.1E-06	6.05E-04	1.25E-09	14	4.71E-02	8.27E-10	1.0E+06	8.3E-04
441	441	0.55119	4.01E-06	2.2E-06	6.05E-04	1.34E-09	14	4.71E-02	8.84E-10	1.0E+06	8.8E-04
442	442	0.58752	4.01E-06	2.4E-06	6.05E-04	1.43E-09	14	4.71E-02	9.42E-10	1.0E+06	9.4E-04
443	443	0.62421	4.01E-06	2.5E-06	6.05E-04	1.52E-09	14	4.71E-02	1.00E-09	1.0E+06	1.0E-03
454	454	0.44681	4.01E-06	1.8E-06	6.05E-04	1.09E-09	14	4.71E-02	7.16E-10	1.0E+06	7.2E-04
455	455	0.47555	4.01E-06	1.9E-06	6.05E-04	1.16E-09	14	4.71E-02	7.62E-10	1.0E+06	7.6E-04
456	456	0.5054	4.01E-06	2.0E-06	6.05E-04	1.23E-09	14	4.71E-02	8.10E-10	1.0E+06	8.1E-04
457	457	0.5359	4.01E-06	2.2E-06	6.05E-04	1.30E-09	14	4.71E-02	8.59E-10	1.0E+06	8.6E-04
458	458	0.56644	4.01E-06	2.3E-06	6.05E-04	1.38E-09	14	4.71E-02	9.08E-10	1.0E+06	9.1E-04
469	469	0.41489	4.01E-06	1.7E-06	6.05E-04	1.01E-09	14	4.71E-02	6.65E-10	1.0E+06	6.7E-04
470	470	0.43965	4.01E-06	1.8E-06	6.05E-04	1.07E-09	14	4.71E-02	7.05E-10	1.0E+06	7.0E-04
471	471	0.46511	4.01E-06	1.9E-06	6.05E-04	1.13E-09	14	4.71E-02	7.46E-10	1.0E+06	7.5E-04

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	0.49091	4.01E-06	2.0E-06	6.05E-04	1.19E-09	14	4.71E-02	7.87E-10	1.0E+06	7.9E-04
473	473	0.51655	4.01E-06	2.1E-06	6.05E-04	1.25E-09	14	4.71E-02	8.28E-10	1.0E+06	8.3E-04
489	489	0.38625	4.01E-06	1.6E-06	6.05E-04	9.38E-10	14	4.71E-02	6.19E-10	1.0E+06	6.2E-04
490	490	0.40764	4.01E-06	1.6E-06	6.05E-04	9.90E-10	14	4.71E-02	6.53E-10	1.0E+06	6.5E-04
491	491	0.42946	4.01E-06	1.7E-06	6.05E-04	1.04E-09	14	4.71E-02	6.88E-10	1.0E+06	6.9E-04
492	492	0.4514	4.01E-06	1.8E-06	6.05E-04	1.10E-09	14	4.71E-02	7.24E-10	1.0E+06	7.2E-04
493	493	0.47307	4.01E-06	1.9E-06	6.05E-04	1.15E-09	14	4.71E-02	7.58E-10	1.0E+06	7.6E-04
494	494	0.49393	4.01E-06	2.0E-06	6.05E-04	1.20E-09	14	4.71E-02	7.92E-10	1.0E+06	7.9E-04
509	509	0.36044	4.01E-06	1.4E-06	6.05E-04	8.75E-10	14	4.71E-02	5.78E-10	1.0E+06	5.8E-04
510	510	0.37901	4.01E-06	1.5E-06	6.05E-04	9.21E-10	14	4.71E-02	6.08E-10	1.0E+06	6.1E-04
511	511	0.39783	4.01E-06	1.6E-06	6.05E-04	9.66E-10	14	4.71E-02	6.38E-10	1.0E+06	6.4E-04
512	512	0.41662	4.01E-06	1.7E-06	6.05E-04	1.01E-09	14	4.71E-02	6.68E-10	1.0E+06	6.7E-04
513	513	0.43504	4.01E-06	1.7E-06	6.05E-04	1.06E-09	14	4.71E-02	6.97E-10	1.0E+06	7.0E-04
514	514	0.45277	4.01E-06	1.8E-06	6.05E-04	1.10E-09	14	4.71E-02	7.26E-10	1.0E+06	7.3E-04
515	515	0.48314	4.01E-06	1.9E-06	6.05E-04	1.17E-09	14	4.71E-02	7.75E-10	1.0E+06	7.7E-04
516	516	0.49372	4.01E-06	2.0E-06	6.05E-04	1.20E-09	14	4.71E-02	7.91E-10	1.0E+06	7.9E-04
517	517	0.50009	4.01E-06	2.0E-06	6.05E-04	1.21E-09	14	4.71E-02	8.02E-10	1.0E+06	8.0E-04
518	518	0.50118	4.01E-06	2.0E-06	6.05E-04	1.22E-09	14	4.71E-02	8.03E-10	1.0E+06	8.0E-04
519	519	0.49649	4.01E-06	2.0E-06	6.05E-04	1.21E-09	14	4.71E-02	7.96E-10	1.0E+06	8.0E-04
528	528	0.33714	4.01E-06	1.4E-06	6.05E-04	8.19E-10	14	4.71E-02	5.40E-10	1.0E+06	5.4E-04
529	529	0.35332	4.01E-06	1.4E-06	6.05E-04	8.58E-10	14	4.71E-02	5.66E-10	1.0E+06	5.7E-04
530	530	0.3696	4.01E-06	1.5E-06	6.05E-04	8.98E-10	14	4.71E-02	5.93E-10	1.0E+06	5.9E-04
531	531	0.3858	4.01E-06	1.5E-06	6.05E-04	9.37E-10	14	4.71E-02	6.18E-10	1.0E+06	6.2E-04
532	532	0.40163	4.01E-06	1.6E-06	6.05E-04	9.76E-10	14	4.71E-02	6.44E-10	1.0E+06	6.4E-04
533	533	0.41678	4.01E-06	1.7E-06	6.05E-04	1.01E-09	14	4.71E-02	6.68E-10	1.0E+06	6.7E-04
534	534	0.44269	4.01E-06	1.8E-06	6.05E-04	1.08E-09	14	4.71E-02	7.10E-10	1.0E+06	7.1E-04
535	535	0.45191	4.01E-06	1.8E-06	6.05E-04	1.10E-09	14	4.71E-02	7.24E-10	1.0E+06	7.2E-04
536	536	0.45779	4.01E-06	1.8E-06	6.05E-04	1.11E-09	14	4.71E-02	7.34E-10	1.0E+06	7.3E-04
537	537	0.45905	4.01E-06	1.8E-06	6.05E-04	1.12E-09	14	4.71E-02	7.36E-10	1.0E+06	7.4E-04
538	538	0.45551	4.01E-06	1.8E-06	6.05E-04	1.11E-09	14	4.71E-02	7.30E-10	1.0E+06	7.3E-04
547	547	0.31602	4.01E-06	1.3E-06	6.05E-04	7.68E-10	14	4.71E-02	5.07E-10	1.0E+06	5.1E-04

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
548	548	0.33017	4.01E-06	1.3E-06	6.05E-04	8.02E-10	14	4.71E-02	5.29E-10	1.0E+06	5.3E-04
549	549	0.34435	4.01E-06	1.4E-06	6.05E-04	8.36E-10	14	4.71E-02	5.52E-10	1.0E+06	5.5E-04
550	550	0.35834	4.01E-06	1.4E-06	6.05E-04	8.70E-10	14	4.71E-02	5.74E-10	1.0E+06	5.7E-04
551	551	0.37203	4.01E-06	1.5E-06	6.05E-04	9.04E-10	14	4.71E-02	5.96E-10	1.0E+06	6.0E-04
552	552	0.38508	4.01E-06	1.5E-06	6.05E-04	9.35E-10	14	4.71E-02	6.17E-10	1.0E+06	6.2E-04
553	553	0.39712	4.01E-06	1.6E-06	6.05E-04	9.65E-10	14	4.71E-02	6.37E-10	1.0E+06	6.4E-04
554	554	0.40744	4.01E-06	1.6E-06	6.05E-04	9.90E-10	14	4.71E-02	6.53E-10	1.0E+06	6.5E-04
555	555	0.41562	4.01E-06	1.7E-06	6.05E-04	1.01E-09	14	4.71E-02	6.66E-10	1.0E+06	6.7E-04
556	556	0.42099	4.01E-06	1.7E-06	6.05E-04	1.02E-09	14	4.71E-02	6.75E-10	1.0E+06	6.7E-04
557	557	0.42238	4.01E-06	1.7E-06	6.05E-04	1.03E-09	14	4.71E-02	6.77E-10	1.0E+06	6.8E-04
558	558	0.41997	4.01E-06	1.7E-06	6.05E-04	1.02E-09	14	4.71E-02	6.73E-10	1.0E+06	6.7E-04
559	559	0.41318	4.01E-06	1.7E-06	6.05E-04	1.00E-09	14	4.71E-02	6.62E-10	1.0E+06	6.6E-04
567	567	0.29684	4.01E-06	1.2E-06	6.05E-04	7.21E-10	14	4.71E-02	4.76E-10	1.0E+06	4.8E-04
568	568	0.30928	4.01E-06	1.2E-06	6.05E-04	7.51E-10	14	4.71E-02	4.96E-10	1.0E+06	5.0E-04
569	569	0.32166	4.01E-06	1.3E-06	6.05E-04	7.81E-10	14	4.71E-02	5.16E-10	1.0E+06	5.2E-04
570	570	0.33388	4.01E-06	1.3E-06	6.05E-04	8.11E-10	14	4.71E-02	5.35E-10	1.0E+06	5.4E-04
571	571	0.34576	4.01E-06	1.4E-06	6.05E-04	8.40E-10	14	4.71E-02	5.54E-10	1.0E+06	5.5E-04
572	572	0.3571	4.01E-06	1.4E-06	6.05E-04	8.67E-10	14	4.71E-02	5.72E-10	1.0E+06	5.7E-04
573	573	0.36753	4.01E-06	1.5E-06	6.05E-04	8.93E-10	14	4.71E-02	5.89E-10	1.0E+06	5.9E-04
574	574	0.38375	4.01E-06	1.5E-06	6.05E-04	9.32E-10	14	4.71E-02	6.15E-10	1.0E+06	6.2E-04
575	575	0.38859	4.01E-06	1.6E-06	6.05E-04	9.44E-10	14	4.71E-02	6.23E-10	1.0E+06	6.2E-04
576	576	0.39035	4.01E-06	1.6E-06	6.05E-04	9.48E-10	14	4.71E-02	6.26E-10	1.0E+06	6.3E-04
577	577	0.38865	4.01E-06	1.6E-06	6.05E-04	9.44E-10	14	4.71E-02	6.23E-10	1.0E+06	6.2E-04
578	578	0.3833	4.01E-06	1.5E-06	6.05E-04	9.31E-10	14	4.71E-02	6.14E-10	1.0E+06	6.1E-04
586	586	0.27937	4.01E-06	1.1E-06	6.05E-04	6.79E-10	14	4.71E-02	4.48E-10	1.0E+06	4.5E-04
587	587	0.2903	4.01E-06	1.2E-06	6.05E-04	7.05E-10	14	4.71E-02	4.65E-10	1.0E+06	4.7E-04
588	588	0.30118	4.01E-06	1.2E-06	6.05E-04	7.32E-10	14	4.71E-02	4.83E-10	1.0E+06	4.8E-04
589	589	0.31186	4.01E-06	1.3E-06	6.05E-04	7.57E-10	14	4.71E-02	5.00E-10	1.0E+06	5.0E-04
590	590	0.32225	4.01E-06	1.3E-06	6.05E-04	7.83E-10	14	4.71E-02	5.17E-10	1.0E+06	5.2E-04
591	591	0.33213	4.01E-06	1.3E-06	6.05E-04	8.07E-10	14	4.71E-02	5.32E-10	1.0E+06	5.3E-04
592	592	0.34124	4.01E-06	1.4E-06	6.05E-04	8.29E-10	14	4.71E-02	5.47E-10	1.0E+06	5.5E-04

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	0.35557	4.01E-06	1.4E-06	6.05E-04	8.64E-10	14	4.71E-02	5.70E-10	1.0E+06	5.7E-04
594	594	0.36002	4.01E-06	1.4E-06	6.05E-04	8.74E-10	14	4.71E-02	5.77E-10	1.0E+06	5.8E-04
595	595	0.36174	4.01E-06	1.5E-06	6.05E-04	8.79E-10	14	4.71E-02	5.80E-10	1.0E+06	5.8E-04
596	596	0.36057	4.01E-06	1.4E-06	6.05E-04	8.76E-10	14	4.71E-02	5.78E-10	1.0E+06	5.8E-04
597	597	0.35639	4.01E-06	1.4E-06	6.05E-04	8.66E-10	14	4.71E-02	5.71E-10	1.0E+06	5.7E-04
345	345	1.30379	4.01E-06	5.2E-06	6.05E-04	3.17E-09	14	4.71E-02	2.09E-09	1.0E+06	2.1E-03
346	346	1.48145	4.01E-06	5.9E-06	6.05E-04	3.60E-09	14	4.71E-02	2.37E-09	1.0E+06	2.4E-03
347	347	1.67644	4.01E-06	6.7E-06	6.05E-04	4.07E-09	14	4.71E-02	2.69E-09	1.0E+06	2.7E-03
348	348	1.87384	4.01E-06	7.5E-06	6.05E-04	4.55E-09	14	4.71E-02	3.00E-09	1.0E+06	3.0E-03
359	359	1.14039	4.01E-06	4.6E-06	6.05E-04	2.77E-09	14	4.71E-02	1.83E-09	1.0E+06	1.8E-03
360	360	1.27639	4.01E-06	5.1E-06	6.05E-04	3.10E-09	14	4.71E-02	2.05E-09	1.0E+06	2.0E-03
361	361	1.42218	4.01E-06	5.7E-06	6.05E-04	3.45E-09	14	4.71E-02	2.28E-09	1.0E+06	2.3E-03
362	362	1.56496	4.01E-06	6.3E-06	6.05E-04	3.80E-09	14	4.71E-02	2.51E-09	1.0E+06	2.5E-03
363	363	1.68997	4.01E-06	6.8E-06	6.05E-04	4.10E-09	14	4.71E-02	2.71E-09	1.0E+06	2.7E-03
373	373	1.11135	4.01E-06	4.5E-06	6.05E-04	2.70E-09	14	4.71E-02	1.78E-09	1.0E+06	1.8E-03
374	374	1.22183	4.01E-06	4.9E-06	6.05E-04	2.97E-09	14	4.71E-02	1.96E-09	1.0E+06	2.0E-03
375	375	1.32838	4.01E-06	5.3E-06	6.05E-04	3.23E-09	14	4.71E-02	2.13E-09	1.0E+06	2.1E-03
376	376	1.42078	4.01E-06	5.7E-06	6.05E-04	3.45E-09	14	4.71E-02	2.28E-09	1.0E+06	2.3E-03
386	386	0.97606	4.01E-06	3.9E-06	6.05E-04	2.37E-09	14	4.71E-02	1.56E-09	1.0E+06	1.6E-03
387	387	1.06185	4.01E-06	4.3E-06	6.05E-04	2.58E-09	14	4.71E-02	1.70E-09	1.0E+06	1.7E-03
388	388	1.1432	4.01E-06	4.6E-06	6.05E-04	2.78E-09	14	4.71E-02	1.83E-09	1.0E+06	1.8E-03
389	389	1.21339	4.01E-06	4.9E-06	6.05E-04	2.95E-09	14	4.71E-02	1.95E-09	1.0E+06	1.9E-03
390	390	1.26178	4.01E-06	5.1E-06	6.05E-04	3.06E-09	14	4.71E-02	2.02E-09	1.0E+06	2.0E-03
400	400	0.86416	4.01E-06	3.5E-06	6.05E-04	2.10E-09	14	4.71E-02	1.39E-09	1.0E+06	1.4E-03
401	401	0.93124	4.01E-06	3.7E-06	6.05E-04	2.26E-09	14	4.71E-02	1.49E-09	1.0E+06	1.5E-03
402	402	0.99549	4.01E-06	4.0E-06	6.05E-04	2.42E-09	14	4.71E-02	1.60E-09	1.0E+06	1.6E-03
403	403	1.04942	4.01E-06	4.2E-06	6.05E-04	2.55E-09	14	4.71E-02	1.68E-09	1.0E+06	1.7E-03
404	404	1.087	4.01E-06	4.4E-06	6.05E-04	2.64E-09	14	4.71E-02	1.74E-09	1.0E+06	1.7E-03
415	415	0.77053	4.01E-06	3.1E-06	6.05E-04	1.87E-09	14	4.71E-02	1.24E-09	1.0E+06	1.2E-03
416	416	0.82458	4.01E-06	3.3E-06	6.05E-04	2.00E-09	14	4.71E-02	1.32E-09	1.0E+06	1.3E-03
417	417	0.87486	4.01E-06	3.5E-06	6.05E-04	2.13E-09	14	4.71E-02	1.40E-09	1.0E+06	1.4E-03

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	0.91852	4.01E-06	3.7E-06	6.05E-04	2.23E-09	14	4.71E-02	1.47E-09	1.0E+06	1.5E-03
419	419	0.949	4.01E-06	3.8E-06	6.05E-04	2.31E-09	14	4.71E-02	1.52E-09	1.0E+06	1.5E-03
420	420	0.95965	4.01E-06	3.9E-06	6.05E-04	2.33E-09	14	4.71E-02	1.54E-09	1.0E+06	1.5E-03
430	430	0.73509	4.01E-06	3.0E-06	6.05E-04	1.79E-09	14	4.71E-02	1.18E-09	1.0E+06	1.2E-03
431	431	0.77613	4.01E-06	3.1E-06	6.05E-04	1.89E-09	14	4.71E-02	1.24E-09	1.0E+06	1.2E-03
432	432	0.81088	4.01E-06	3.3E-06	6.05E-04	1.97E-09	14	4.71E-02	1.30E-09	1.0E+06	1.3E-03
433	433	0.83566	4.01E-06	3.4E-06	6.05E-04	2.03E-09	14	4.71E-02	1.34E-09	1.0E+06	1.3E-03
434	434	0.84668	4.01E-06	3.4E-06	6.05E-04	2.06E-09	14	4.71E-02	1.36E-09	1.0E+06	1.4E-03
444	444	0.66006	4.01E-06	2.6E-06	6.05E-04	1.60E-09	14	4.71E-02	1.06E-09	1.0E+06	1.1E-03
445	445	0.69322	4.01E-06	2.8E-06	6.05E-04	1.68E-09	14	4.71E-02	1.11E-09	1.0E+06	1.1E-03
446	446	0.72162	4.01E-06	2.9E-06	6.05E-04	1.75E-09	14	4.71E-02	1.16E-09	1.0E+06	1.2E-03
447	447	0.74219	4.01E-06	3.0E-06	6.05E-04	1.80E-09	14	4.71E-02	1.19E-09	1.0E+06	1.2E-03
448	448	0.75207	4.01E-06	3.0E-06	6.05E-04	1.83E-09	14	4.71E-02	1.21E-09	1.0E+06	1.2E-03
459	459	0.62345	4.01E-06	2.5E-06	6.05E-04	1.51E-09	14	4.71E-02	9.99E-10	1.0E+06	1.0E-03
460	460	0.64685	4.01E-06	2.6E-06	6.05E-04	1.57E-09	14	4.71E-02	1.04E-09	1.0E+06	1.0E-03
461	461	0.66404	4.01E-06	2.7E-06	6.05E-04	1.61E-09	14	4.71E-02	1.06E-09	1.0E+06	1.1E-03
462	462	0.67285	4.01E-06	2.7E-06	6.05E-04	1.63E-09	14	4.71E-02	1.08E-09	1.0E+06	1.1E-03
463	463	0.67132	4.01E-06	2.7E-06	6.05E-04	1.63E-09	14	4.71E-02	1.08E-09	1.0E+06	1.1E-03
474	474	0.56401	4.01E-06	2.3E-06	6.05E-04	1.37E-09	14	4.71E-02	9.04E-10	1.0E+06	9.0E-04
475	475	0.5835	4.01E-06	2.3E-06	6.05E-04	1.42E-09	14	4.71E-02	9.35E-10	1.0E+06	9.4E-04
476	476	0.59819	4.01E-06	2.4E-06	6.05E-04	1.45E-09	14	4.71E-02	9.59E-10	1.0E+06	9.6E-04
477	477	0.60595	4.01E-06	2.4E-06	6.05E-04	1.47E-09	14	4.71E-02	9.71E-10	1.0E+06	9.7E-04
478	478	0.60562	4.01E-06	2.4E-06	6.05E-04	1.47E-09	14	4.71E-02	9.71E-10	1.0E+06	9.7E-04
495	495	0.51314	4.01E-06	2.1E-06	6.05E-04	1.25E-09	14	4.71E-02	8.23E-10	1.0E+06	8.2E-04
496	496	0.52952	4.01E-06	2.1E-06	6.05E-04	1.29E-09	14	4.71E-02	8.49E-10	1.0E+06	8.5E-04
497	497	0.54202	4.01E-06	2.2E-06	6.05E-04	1.32E-09	14	4.71E-02	8.69E-10	1.0E+06	8.7E-04
498	498	0.54908	4.01E-06	2.2E-06	6.05E-04	1.33E-09	14	4.71E-02	8.80E-10	1.0E+06	8.8E-04
499	499	0.54953	4.01E-06	2.2E-06	6.05E-04	1.33E-09	14	4.71E-02	8.81E-10	1.0E+06	8.8E-04
500	500	0.54278	4.01E-06	2.2E-06	6.05E-04	1.32E-09	14	4.71E-02	8.70E-10	1.0E+06	8.7E-04

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	2.46483	4.01E-06	9.9E-06	6.05E-04	5.99E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
140	140	3.24383	4.01E-06	1.3E-05	6.05E-04	7.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
156	156	2.85011	4.01E-06	1.1E-05	6.05E-04	6.92E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
157	157	3.92834	4.01E-06	1.6E-05	6.05E-04	9.54E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
158	158	5.85299	4.01E-06	2.3E-05	6.05E-04	1.42E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
159	159	9.94451	4.01E-06	4.0E-05	6.05E-04	2.42E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
160	160	24.05094	4.01E-06	9.7E-05	6.05E-04	5.84E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
161	161	24.43475	4.01E-06	9.8E-05	6.05E-04	5.94E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
162	162	12.96517	4.01E-06	5.2E-05	6.05E-04	3.15E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
163	163	8.92932	4.01E-06	3.6E-05	6.05E-04	2.17E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
167	167	4.49156	4.01E-06	1.8E-05	6.05E-04	1.09E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
168	168	7.12194	4.01E-06	2.9E-05	6.05E-04	1.73E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
169	169	13.39987	4.01E-06	5.4E-05	6.05E-04	3.25E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
170	170	13.9749	4.01E-06	5.6E-05	6.05E-04	3.39E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
171	171	20.81454	4.01E-06	8.4E-05	6.05E-04	5.06E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
172	172	26.28054	4.01E-06	1.1E-04	6.05E-04	6.38E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
173	173	14.65331	4.01E-06	5.9E-05	6.05E-04	3.56E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
174	174	10.37492	4.01E-06	4.2E-05	6.05E-04	2.52E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
175	175	8.06011	4.01E-06	3.2E-05	6.05E-04	1.96E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
176	176	6.46126	4.01E-06	2.6E-05	6.05E-04	1.57E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
177	177	5.16324	4.01E-06	2.1E-05	6.05E-04	1.25E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
181	181	7.89915	4.01E-06	3.2E-05	6.05E-04	1.92E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
182	182	15.76044	4.01E-06	6.3E-05	6.05E-04	3.83E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
183	183	17.90575	4.01E-06	7.2E-05	6.05E-04	4.35E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
184	184	25.12076	4.01E-06	1.0E-04	6.05E-04	6.10E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
185	185	28.05172	4.01E-06	1.1E-04	6.05E-04	6.81E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
186	186	17.78974	4.01E-06	7.1E-05	6.05E-04	4.32E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
187	187	13.2597	4.01E-06	5.3E-05	6.05E-04	3.22E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
188	188	10.28499	4.01E-06	4.1E-05	6.05E-04	2.50E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
189	189	7.77889	4.01E-06	3.1E-05	6.05E-04	1.89E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
190	190	5.71622	4.01E-06	2.3E-05	6.05E-04	1.39E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	4.20628	4.01E-06	1.7E-05	6.05E-04	1.02E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
195	195	7.85266	4.01E-06	3.2E-05	6.05E-04	1.91E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
196	196	15.64437	4.01E-06	6.3E-05	6.05E-04	3.80E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
197	197	30.43606	4.01E-06	1.2E-04	6.05E-04	7.39E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
198	198	29.18489	4.01E-06	1.2E-04	6.05E-04	7.09E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
199	199	37.73488	4.01E-06	1.5E-04	6.05E-04	9.17E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
200	200	27.99209	4.01E-06	1.1E-04	6.05E-04	6.80E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
201	201	21.83658	4.01E-06	8.8E-05	6.05E-04	5.30E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
202	202	14.81121	4.01E-06	5.9E-05	6.05E-04	3.60E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
203	203	9.07537	4.01E-06	3.6E-05	6.05E-04	2.20E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
204	204	5.7861	4.01E-06	2.3E-05	6.05E-04	1.41E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
205	205	3.9607	4.01E-06	1.6E-05	6.05E-04	9.62E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
206	206	2.88232	4.01E-06	1.2E-05	6.05E-04	7.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
210	210	4.4454	4.01E-06	1.8E-05	6.05E-04	1.08E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
211	211	6.99412	4.01E-06	2.8E-05	6.05E-04	1.70E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
212	212	12.70821	4.01E-06	5.1E-05	6.05E-04	3.09E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
213	213	31.2107	4.01E-06	1.3E-04	6.05E-04	7.58E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
214	214	23.8025	4.01E-06	9.6E-05	6.05E-04	5.78E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
215	215	20.55655	4.01E-06	8.3E-05	6.05E-04	4.99E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
216	216	23.436	4.01E-06	9.4E-05	6.05E-04	5.69E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
217	217	19.01356	4.01E-06	7.6E-05	6.05E-04	4.62E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
218	218	8.41511	4.01E-06	3.4E-05	6.05E-04	2.04E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
219	219	4.97519	4.01E-06	2.0E-05	6.05E-04	1.21E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
220	220	3.38314	4.01E-06	1.4E-05	6.05E-04	8.22E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
221	221	2.48918	4.01E-06	1.0E-05	6.05E-04	6.05E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
222	222	1.92694	4.01E-06	7.7E-06	6.05E-04	4.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
226	226	3.94527	4.01E-06	1.6E-05	6.05E-04	9.58E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
227	227	5.80339	4.01E-06	2.3E-05	6.05E-04	1.41E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
228	228	9.33877	4.01E-06	3.7E-05	6.05E-04	2.27E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
229	229	16.86266	4.01E-06	6.8E-05	6.05E-04	4.10E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
230	230	30.35765	4.01E-06	1.2E-04	6.05E-04	7.37E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
231	231	39.80131	4.01E-06	1.6E-04	6.05E-04	9.67E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
232	232	24.13355	4.01E-06	9.7E-05	6.05E-04	5.86E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
233	233	12.48824	4.01E-06	5.0E-05	6.05E-04	3.03E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
234	234	6.15271	4.01E-06	2.5E-05	6.05E-04	1.49E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
235	235	3.93918	4.01E-06	1.6E-05	6.05E-04	9.57E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
236	236	2.81542	4.01E-06	1.1E-05	6.05E-04	6.84E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
237	237	2.14186	4.01E-06	8.6E-06	6.05E-04	5.20E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
238	238	1.6983	4.01E-06	6.8E-06	6.05E-04	4.13E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
242	242	3.37872	4.01E-06	1.4E-05	6.05E-04	8.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
243	243	4.6661	4.01E-06	1.9E-05	6.05E-04	1.13E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
244	244	6.74397	4.01E-06	2.7E-05	6.05E-04	1.64E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
245	245	10.19518	4.01E-06	4.1E-05	6.05E-04	2.48E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
246	246	14.5819	4.01E-06	5.9E-05	6.05E-04	3.54E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
247	247	17.29797	4.01E-06	6.9E-05	6.05E-04	4.20E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
248	248	16.84674	4.01E-06	6.8E-05	6.05E-04	4.09E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
249	249	8.19032	4.01E-06	3.3E-05	6.05E-04	1.99E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
250	250	4.83136	4.01E-06	1.9E-05	6.05E-04	1.17E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
251	251	3.2657	4.01E-06	1.3E-05	6.05E-04	7.93E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
252	252	2.41833	4.01E-06	9.7E-06	6.05E-04	5.87E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
253	253	1.88507	4.01E-06	7.6E-06	6.05E-04	4.58E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
254	254	1.5221	4.01E-06	6.1E-06	6.05E-04	3.70E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
257	257	2.85743	4.01E-06	1.1E-05	6.05E-04	6.94E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
258	258	3.74424	4.01E-06	1.5E-05	6.05E-04	9.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
259	259	5.03996	4.01E-06	2.0E-05	6.05E-04	1.22E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
260	260	6.78429	4.01E-06	2.7E-05	6.05E-04	1.65E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
261	261	8.74606	4.01E-06	3.5E-05	6.05E-04	2.12E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
262	262	9.91	4.01E-06	4.0E-05	6.05E-04	2.41E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
263	263	9.67904	4.01E-06	3.9E-05	6.05E-04	2.35E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
264	264	5.83763	4.01E-06	2.3E-05	6.05E-04	1.42E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
265	265	3.95027	4.01E-06	1.6E-05	6.05E-04	9.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
266	266	2.80293	4.01E-06	1.1E-05	6.05E-04	6.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
267	267	2.12324	4.01E-06	8.5E-06	6.05E-04	5.16E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
268	268	1.6836	4.01E-06	6.8E-06	6.05E-04	4.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
269	269	1.37904	4.01E-06	5.5E-06	6.05E-04	3.35E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
270	270	0.85165	4.01E-06	3.4E-06	6.05E-04	2.07E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
271	271	0.7452	4.01E-06	3.0E-06	6.05E-04	1.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
274	274	2.41289	4.01E-06	9.7E-06	6.05E-04	5.86E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
275	275	3.02859	4.01E-06	1.2E-05	6.05E-04	7.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
276	276	3.85736	4.01E-06	1.5E-05	6.05E-04	9.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
277	277	4.8595	4.01E-06	2.0E-05	6.05E-04	1.18E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
278	278	5.87989	4.01E-06	2.4E-05	6.05E-04	1.43E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
279	279	6.48815	4.01E-06	2.6E-05	6.05E-04	1.58E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
280	280	6.38339	4.01E-06	2.6E-05	6.05E-04	1.55E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
281	281	4.38936	4.01E-06	1.8E-05	6.05E-04	1.07E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
282	282	3.24855	4.01E-06	1.3E-05	6.05E-04	7.89E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
283	283	2.42149	4.01E-06	9.7E-06	6.05E-04	5.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
284	284	1.87964	4.01E-06	7.5E-06	6.05E-04	4.57E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
285	285	1.51538	4.01E-06	6.1E-06	6.05E-04	3.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
286	286	1.25583	4.01E-06	5.0E-06	6.05E-04	3.05E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
287	287	0.79451	4.01E-06	3.2E-06	6.05E-04	1.93E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
288	288	0.70016	4.01E-06	2.8E-06	6.05E-04	1.70E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
291	291	2.04553	4.01E-06	8.2E-06	6.05E-04	4.97E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
292	292	2.48253	4.01E-06	1.0E-05	6.05E-04	6.03E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
293	293	3.03027	4.01E-06	1.2E-05	6.05E-04	7.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
294	294	3.65293	4.01E-06	1.5E-05	6.05E-04	8.87E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
295	295	4.23822	4.01E-06	1.7E-05	6.05E-04	1.03E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
296	296	4.59925	4.01E-06	1.8E-05	6.05E-04	1.12E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
297	297	4.56713	4.01E-06	1.8E-05	6.05E-04	1.11E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
298	298	3.43074	4.01E-06	1.4E-05	6.05E-04	8.33E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
299	299	2.70583	4.01E-06	1.1E-05	6.05E-04	6.57E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
300	300	2.1073	4.01E-06	8.5E-06	6.05E-04	5.12E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
301	301	1.67702	4.01E-06	6.7E-06	6.05E-04	4.07E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
302	302	1.3711	4.01E-06	5.5E-06	6.05E-04	3.33E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
303	303	1.14779	4.01E-06	4.6E-06	6.05E-04	2.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
304	304	0.74338	4.01E-06	3.0E-06	6.05E-04	1.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
305	305	0.65835	4.01E-06	2.6E-06	6.05E-04	1.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
308	308	1.74616	4.01E-06	7.0E-06	6.05E-04	4.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
309	309	2.06378	4.01E-06	8.3E-06	6.05E-04	5.01E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
310	310	2.43957	4.01E-06	9.8E-06	6.05E-04	5.93E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
311	311	2.8459	4.01E-06	1.1E-05	6.05E-04	6.91E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
312	312	3.21893	4.01E-06	1.3E-05	6.05E-04	7.82E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
313	313	3.44647	4.01E-06	1.4E-05	6.05E-04	8.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
314	314	3.442	4.01E-06	1.4E-05	6.05E-04	8.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
315	315	2.75976	4.01E-06	1.1E-05	6.05E-04	6.70E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
316	316	2.27989	4.01E-06	9.2E-06	6.05E-04	5.54E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
317	317	1.84274	4.01E-06	7.4E-06	6.05E-04	4.48E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
318	318	1.50179	4.01E-06	6.0E-06	6.05E-04	3.65E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
319	319	1.24496	4.01E-06	5.0E-06	6.05E-04	3.02E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
320	320	1.05248	4.01E-06	4.2E-06	6.05E-04	2.56E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
321	321	0.6959	4.01E-06	2.8E-06	6.05E-04	1.69E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
322	322	0.61931	4.01E-06	2.5E-06	6.05E-04	1.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
325	325	1.50251	4.01E-06	6.0E-06	6.05E-04	3.65E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
326	326	1.73788	4.01E-06	7.0E-06	6.05E-04	4.22E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
327	327	2.00495	4.01E-06	8.0E-06	6.05E-04	4.87E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
328	328	2.28401	4.01E-06	9.2E-06	6.05E-04	5.55E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
329	329	2.52913	4.01E-06	1.0E-05	6.05E-04	6.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
330	330	2.68562	4.01E-06	1.1E-05	6.05E-04	6.52E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
331	331	2.6942	4.01E-06	1.1E-05	6.05E-04	6.54E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
332	332	2.54303	4.01E-06	1.0E-05	6.05E-04	6.18E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
333	333	2.26806	4.01E-06	9.1E-06	6.05E-04	5.51E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
334	334	1.9381	4.01E-06	7.8E-06	6.05E-04	4.71E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
335	335	1.61851	4.01E-06	6.5E-06	6.05E-04	3.93E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
336	336	1.34754	4.01E-06	5.4E-06	6.05E-04	3.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
337	337	1.13323	4.01E-06	4.5E-06	6.05E-04	2.75E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
338	338	0.96716	4.01E-06	3.9E-06	6.05E-04	2.35E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
339	339	0.73465	4.01E-06	2.9E-06	6.05E-04	1.78E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
340	340	0.65187	4.01E-06	2.6E-06	6.05E-04	1.58E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
341	341	0.58299	4.01E-06	2.3E-06	6.05E-04	1.42E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
349	349	2.04544	4.01E-06	8.2E-06	6.05E-04	4.97E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
350	350	2.15527	4.01E-06	8.7E-06	6.05E-04	5.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
351	351	2.16833	4.01E-06	8.7E-06	6.05E-04	5.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
352	352	2.07662	4.01E-06	8.3E-06	6.05E-04	5.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
353	353	0.68554	4.01E-06	2.8E-06	6.05E-04	1.67E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
354	354	0.61145	4.01E-06	2.5E-06	6.05E-04	1.49E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
355	355	0.54936	4.01E-06	2.2E-06	6.05E-04	1.33E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
364	364	1.77099	4.01E-06	7.1E-06	6.05E-04	4.30E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
365	365	1.787	4.01E-06	7.2E-06	6.05E-04	4.34E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
366	366	1.72879	4.01E-06	6.9E-06	6.05E-04	4.20E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
367	367	0.64105	4.01E-06	2.6E-06	6.05E-04	1.56E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
368	368	0.57407	4.01E-06	2.3E-06	6.05E-04	1.39E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
369	369	0.51804	4.01E-06	2.1E-06	6.05E-04	1.26E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
377	377	1.48302	4.01E-06	6.0E-06	6.05E-04	3.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
378	378	1.49899	4.01E-06	6.0E-06	6.05E-04	3.64E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
379	379	1.46197	4.01E-06	5.9E-06	6.05E-04	3.55E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
380	380	0.59955	4.01E-06	2.4E-06	6.05E-04	1.46E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
381	381	0.53868	4.01E-06	2.2E-06	6.05E-04	1.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
382	382	0.48848	4.01E-06	2.0E-06	6.05E-04	1.19E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
391	391	1.27658	4.01E-06	5.1E-06	6.05E-04	3.10E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
392	392	1.25225	4.01E-06	5.0E-06	6.05E-04	3.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
393	393	0.56162	4.01E-06	2.3E-06	6.05E-04	1.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
394	394	0.50714	4.01E-06	2.0E-06	6.05E-04	1.23E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
395	395	0.46163	4.01E-06	1.9E-06	6.05E-04	1.12E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
405	405	1.10142	4.01E-06	4.4E-06	6.05E-04	2.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
406	406	1.08665	4.01E-06	4.4E-06	6.05E-04	2.64E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	1.0441	4.01E-06	4.2E-06	6.05E-04	2.54E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
408	408	0.52733	4.01E-06	2.1E-06	6.05E-04	1.28E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
409	409	0.47792	4.01E-06	1.9E-06	6.05E-04	1.16E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
410	410	0.43695	4.01E-06	1.8E-06	6.05E-04	1.06E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
421	421	0.95173	4.01E-06	3.8E-06	6.05E-04	2.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
422	422	0.92084	4.01E-06	3.7E-06	6.05E-04	2.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
423	423	0.49553	4.01E-06	2.0E-06	6.05E-04	1.20E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
424	424	0.45107	4.01E-06	1.8E-06	6.05E-04	1.10E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
425	425	0.41372	4.01E-06	1.7E-06	6.05E-04	1.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
435	435	0.84044	4.01E-06	3.4E-06	6.05E-04	2.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
436	436	0.81865	4.01E-06	3.3E-06	6.05E-04	1.99E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
437	437	0.42636	4.01E-06	1.7E-06	6.05E-04	1.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
438	438	0.39173	4.01E-06	1.6E-06	6.05E-04	9.51E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
449	449	0.74813	4.01E-06	3.0E-06	6.05E-04	1.82E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
450	450	0.7327	4.01E-06	2.9E-06	6.05E-04	1.78E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
451	451	0.70359	4.01E-06	2.8E-06	6.05E-04	1.71E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
452	452	0.40317	4.01E-06	1.6E-06	6.05E-04	9.79E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
453	453	0.37154	4.01E-06	1.5E-06	6.05E-04	9.02E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
464	464	0.65936	4.01E-06	2.6E-06	6.05E-04	1.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
465	465	0.63701	4.01E-06	2.6E-06	6.05E-04	1.55E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
466	466	0.4502	4.01E-06	1.8E-06	6.05E-04	1.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
467	467	0.38175	4.01E-06	1.5E-06	6.05E-04	9.27E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
468	468	0.35291	4.01E-06	1.4E-06	6.05E-04	8.57E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
479	479	0.59558	4.01E-06	2.4E-06	6.05E-04	1.45E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
480	480	0.57916	4.01E-06	2.3E-06	6.05E-04	1.41E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
481	481	0.55432	4.01E-06	2.2E-06	6.05E-04	1.35E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
482	482	0.52449	4.01E-06	2.1E-06	6.05E-04	1.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
483	483	0.49063	4.01E-06	2.0E-06	6.05E-04	1.19E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
484	484	0.45643	4.01E-06	1.8E-06	6.05E-04	1.11E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
485	485	0.42266	4.01E-06	1.7E-06	6.05E-04	1.03E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
486	486	0.3911	4.01E-06	1.6E-06	6.05E-04	9.50E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
487	487	0.36194	4.01E-06	1.5E-06	6.05E-04	8.79E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
488	488	0.33551	4.01E-06	1.3E-06	6.05E-04	8.15E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
501	501	0.52814	4.01E-06	2.1E-06	6.05E-04	1.28E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
502	502	0.50935	4.01E-06	2.0E-06	6.05E-04	1.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
503	503	0.48472	4.01E-06	1.9E-06	6.05E-04	1.18E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
504	504	0.45652	4.01E-06	1.8E-06	6.05E-04	1.11E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
505	505	0.42694	4.01E-06	1.7E-06	6.05E-04	1.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
506	506	0.39747	4.01E-06	1.6E-06	6.05E-04	9.65E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
507	507	0.36956	4.01E-06	1.5E-06	6.05E-04	8.98E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
508	508	0.31932	4.01E-06	1.3E-06	6.05E-04	7.76E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
520	520	0.48497	4.01E-06	1.9E-06	6.05E-04	1.18E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
521	521	0.46815	4.01E-06	1.9E-06	6.05E-04	1.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
522	522	0.44895	4.01E-06	1.8E-06	6.05E-04	1.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
523	523	0.42528	4.01E-06	1.7E-06	6.05E-04	1.03E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
524	524	0.39988	4.01E-06	1.6E-06	6.05E-04	9.71E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
525	525	0.37419	4.01E-06	1.5E-06	6.05E-04	9.09E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
526	526	0.34939	4.01E-06	1.4E-06	6.05E-04	8.49E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
527	527	0.30413	4.01E-06	1.2E-06	6.05E-04	7.39E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
539	539	0.44701	4.01E-06	1.8E-06	6.05E-04	1.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
540	540	0.43372	4.01E-06	1.7E-06	6.05E-04	1.05E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
541	541	0.41626	4.01E-06	1.7E-06	6.05E-04	1.01E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
542	542	0.39625	4.01E-06	1.6E-06	6.05E-04	9.62E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
543	543	0.37508	4.01E-06	1.5E-06	6.05E-04	9.11E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
544	544	0.35263	4.01E-06	1.4E-06	6.05E-04	8.57E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
545	545	0.33022	4.01E-06	1.3E-06	6.05E-04	8.02E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
546	546	0.28985	4.01E-06	1.2E-06	6.05E-04	7.04E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
560	560	0.40243	4.01E-06	1.6E-06	6.05E-04	9.77E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
561	561	0.38825	4.01E-06	1.6E-06	6.05E-04	9.43E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
562	562	0.37107	4.01E-06	1.5E-06	6.05E-04	9.01E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
563	563	0.35146	4.01E-06	1.4E-06	6.05E-04	8.54E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
564	564	0.33244	4.01E-06	1.3E-06	6.05E-04	8.07E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
565	565	0.31345	4.01E-06	1.3E-06	6.05E-04	7.61E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
566	566	0.27673	4.01E-06	1.1E-06	6.05E-04	6.72E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
579	579	0.37434	4.01E-06	1.5E-06	6.05E-04	9.09E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
580	580	0.36246	4.01E-06	1.5E-06	6.05E-04	8.80E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
581	581	0.34812	4.01E-06	1.4E-06	6.05E-04	8.46E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
582	582	0.33182	4.01E-06	1.3E-06	6.05E-04	8.06E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
583	583	0.31453	4.01E-06	1.3E-06	6.05E-04	7.64E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
584	584	0.29703	4.01E-06	1.2E-06	6.05E-04	7.21E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
585	585	0.25873	4.01E-06	1.0E-06	6.05E-04	6.28E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
598	598	0.3492	4.01E-06	1.4E-06	6.05E-04	8.48E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
599	599	0.33908	4.01E-06	1.4E-06	6.05E-04	8.24E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
600	600	0.32681	4.01E-06	1.3E-06	6.05E-04	7.94E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
601	601	0.31283	4.01E-06	1.3E-06	6.05E-04	7.60E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
602	602	0.29777	4.01E-06	1.2E-06	6.05E-04	7.23E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
603	603	0.28243	4.01E-06	1.1E-06	6.05E-04	6.86E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
604	604	0.26707	4.01E-06	1.1E-06	6.05E-04	6.49E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
0	0	0	4.01E-06	0.0E+00	6.05E-04	0.00E+00	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.29389	4.01E-06	1.2E-06	2.50E-04	2.95E-10	14	1.15E-02	4.74E-11	1.0E+06	4.7E-05
2	2	0.31598	4.01E-06	1.3E-06	2.50E-04	3.17E-10	14	1.15E-02	5.10E-11	1.0E+06	5.1E-05
3	3	0.34048	4.01E-06	1.4E-06	2.50E-04	3.42E-10	14	1.15E-02	5.49E-11	1.0E+06	5.5E-05
4	4	0.3679	4.01E-06	1.5E-06	2.50E-04	3.70E-10	14	1.15E-02	5.94E-11	1.0E+06	5.9E-05
5	5	0.39872	4.01E-06	1.6E-06	2.50E-04	4.01E-10	14	1.15E-02	6.43E-11	1.0E+06	6.4E-05
6	6	0.43386	4.01E-06	1.7E-06	2.50E-04	4.36E-10	14	1.15E-02	7.00E-11	1.0E+06	7.0E-05
7	7	0.47351	4.01E-06	1.9E-06	2.50E-04	4.76E-10	14	1.15E-02	7.64E-11	1.0E+06	7.6E-05
8	8	0.51814	4.01E-06	2.1E-06	2.50E-04	5.21E-10	14	1.15E-02	8.36E-11	1.0E+06	8.4E-05
9	9	0.56872	4.01E-06	2.3E-06	2.50E-04	5.71E-10	14	1.15E-02	9.18E-11	1.0E+06	9.2E-05
10	10	0.62592	4.01E-06	2.5E-06	2.50E-04	6.29E-10	14	1.15E-02	1.01E-10	1.0E+06	1.0E-04
11	11	0.69036	4.01E-06	2.8E-06	2.50E-04	6.94E-10	14	1.15E-02	1.11E-10	1.0E+06	1.1E-04
12	12	0.7626	4.01E-06	3.1E-06	2.50E-04	7.66E-10	14	1.15E-02	1.23E-10	1.0E+06	1.2E-04
13	13	0.84361	4.01E-06	3.4E-06	2.50E-04	8.48E-10	14	1.15E-02	1.36E-10	1.0E+06	1.4E-04
14	14	0.93267	4.01E-06	3.7E-06	2.50E-04	9.37E-10	14	1.15E-02	1.50E-10	1.0E+06	1.5E-04
15	15	1.02919	4.01E-06	4.1E-06	2.50E-04	1.03E-09	14	1.15E-02	1.66E-10	1.0E+06	1.7E-04
16	16	1.12994	4.01E-06	4.5E-06	2.50E-04	1.14E-09	14	1.15E-02	1.82E-10	1.0E+06	1.8E-04
17	17	1.2315	4.01E-06	4.9E-06	2.50E-04	1.24E-09	14	1.15E-02	1.99E-10	1.0E+06	2.0E-04
18	18	1.32448	4.01E-06	5.3E-06	2.50E-04	1.33E-09	14	1.15E-02	2.14E-10	1.0E+06	2.1E-04
19	19	1.40082	4.01E-06	5.6E-06	2.50E-04	1.41E-09	14	1.15E-02	2.26E-10	1.0E+06	2.3E-04
20	20	1.45386	4.01E-06	5.8E-06	2.50E-04	1.46E-09	14	1.15E-02	2.35E-10	1.0E+06	2.3E-04
21	21	1.48639	4.01E-06	6.0E-06	2.50E-04	1.49E-09	14	1.15E-02	2.40E-10	1.0E+06	2.4E-04
22	22	1.51372	4.01E-06	6.1E-06	2.50E-04	1.52E-09	14	1.15E-02	2.44E-10	1.0E+06	2.4E-04
23	23	1.5459	4.01E-06	6.2E-06	2.50E-04	1.55E-09	14	1.15E-02	2.49E-10	1.0E+06	2.5E-04
24	24	1.57817	4.01E-06	6.3E-06	2.50E-04	1.59E-09	14	1.15E-02	2.55E-10	1.0E+06	2.5E-04
25	25	1.59845	4.01E-06	6.4E-06	2.50E-04	1.61E-09	14	1.15E-02	2.58E-10	1.0E+06	2.6E-04
26	26	1.59795	4.01E-06	6.4E-06	2.50E-04	1.61E-09	14	1.15E-02	2.58E-10	1.0E+06	2.6E-04
27	27	1.57495	4.01E-06	6.3E-06	2.50E-04	1.58E-09	14	1.15E-02	2.54E-10	1.0E+06	2.5E-04
28	28	1.53194	4.01E-06	6.1E-06	2.50E-04	1.54E-09	14	1.15E-02	2.47E-10	1.0E+06	2.5E-04
29	29	1.47351	4.01E-06	5.9E-06	2.50E-04	1.48E-09	14	1.15E-02	2.38E-10	1.0E+06	2.4E-04
30	30	1.40367	4.01E-06	5.6E-06	2.50E-04	1.41E-09	14	1.15E-02	2.26E-10	1.0E+06	2.3E-04
31	31	1.32583	4.01E-06	5.3E-06	2.50E-04	1.33E-09	14	1.15E-02	2.14E-10	1.0E+06	2.1E-04

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	1.24299	4.01E-06	5.0E-06	2.50E-04	1.25E-09	14	1.15E-02	2.01E-10	1.0E+06	2.0E-04
55	55	1.96841	4.01E-06	7.9E-06	2.50E-04	1.98E-09	14	1.15E-02	3.18E-10	1.0E+06	3.2E-04
56	56	2.02002	4.01E-06	8.1E-06	2.50E-04	2.03E-09	14	1.15E-02	3.26E-10	1.0E+06	3.3E-04
57	57	2.05097	4.01E-06	8.2E-06	2.50E-04	2.06E-09	14	1.15E-02	3.31E-10	1.0E+06	3.3E-04
58	58	2.04148	4.01E-06	8.2E-06	2.50E-04	2.05E-09	14	1.15E-02	3.29E-10	1.0E+06	3.3E-04
59	59	1.99197	4.01E-06	8.0E-06	2.50E-04	2.00E-09	14	1.15E-02	3.21E-10	1.0E+06	3.2E-04
60	60	1.91229	4.01E-06	7.7E-06	2.50E-04	1.92E-09	14	1.15E-02	3.09E-10	1.0E+06	3.1E-04
61	61	1.81404	4.01E-06	7.3E-06	2.50E-04	1.82E-09	14	1.15E-02	2.93E-10	1.0E+06	2.9E-04
62	62	1.70412	4.01E-06	6.8E-06	2.50E-04	1.71E-09	14	1.15E-02	2.75E-10	1.0E+06	2.7E-04
63	63	1.58848	4.01E-06	6.4E-06	2.50E-04	1.60E-09	14	1.15E-02	2.56E-10	1.0E+06	2.6E-04
64	64	1.47053	4.01E-06	5.9E-06	2.50E-04	1.48E-09	14	1.15E-02	2.37E-10	1.0E+06	2.4E-04
65	65	1.3532	4.01E-06	5.4E-06	2.50E-04	1.36E-09	14	1.15E-02	2.18E-10	1.0E+06	2.2E-04
66	66	1.23958	4.01E-06	5.0E-06	2.50E-04	1.25E-09	14	1.15E-02	2.00E-10	1.0E+06	2.0E-04
67	67	0.31497	4.01E-06	1.3E-06	2.50E-04	3.16E-10	14	1.15E-02	5.08E-11	1.0E+06	5.1E-05
68	68	0.34088	4.01E-06	1.4E-06	2.50E-04	3.42E-10	14	1.15E-02	5.50E-11	1.0E+06	5.5E-05
69	69	0.37017	4.01E-06	1.5E-06	2.50E-04	3.72E-10	14	1.15E-02	5.97E-11	1.0E+06	6.0E-05
70	70	0.40351	4.01E-06	1.6E-06	2.50E-04	4.05E-10	14	1.15E-02	6.51E-11	1.0E+06	6.5E-05
71	71	0.44137	4.01E-06	1.8E-06	2.50E-04	4.43E-10	14	1.15E-02	7.12E-11	1.0E+06	7.1E-05
72	72	0.48554	4.01E-06	1.9E-06	2.50E-04	4.88E-10	14	1.15E-02	7.83E-11	1.0E+06	7.8E-05
73	73	0.53652	4.01E-06	2.2E-06	2.50E-04	5.39E-10	14	1.15E-02	8.66E-11	1.0E+06	8.7E-05
74	74	0.59574	4.01E-06	2.4E-06	2.50E-04	5.99E-10	14	1.15E-02	9.61E-11	1.0E+06	9.6E-05
75	75	0.66496	4.01E-06	2.7E-06	2.50E-04	6.68E-10	14	1.15E-02	1.07E-10	1.0E+06	1.1E-04
76	76	0.74661	4.01E-06	3.0E-06	2.50E-04	7.50E-10	14	1.15E-02	1.20E-10	1.0E+06	1.2E-04
77	77	0.84339	4.01E-06	3.4E-06	2.50E-04	8.47E-10	14	1.15E-02	1.36E-10	1.0E+06	1.4E-04
78	78	0.95889	4.01E-06	3.8E-06	2.50E-04	9.63E-10	14	1.15E-02	1.55E-10	1.0E+06	1.5E-04
79	79	1.90831	4.01E-06	7.7E-06	2.50E-04	1.92E-09	14	1.15E-02	3.08E-10	1.0E+06	3.1E-04
80	80	2.15537	4.01E-06	8.7E-06	2.50E-04	2.17E-09	14	1.15E-02	3.48E-10	1.0E+06	3.5E-04
81	81	2.37429	4.01E-06	9.5E-06	2.50E-04	2.39E-09	14	1.15E-02	3.83E-10	1.0E+06	3.8E-04
82	82	2.52078	4.01E-06	1.0E-05	2.50E-04	2.53E-09	14	1.15E-02	4.07E-10	1.0E+06	4.1E-04
83	83	2.61877	4.01E-06	1.1E-05	2.50E-04	2.63E-09	14	1.15E-02	4.23E-10	1.0E+06	4.2E-04
84	84	2.71316	4.01E-06	1.1E-05	2.50E-04	2.73E-09	14	1.15E-02	4.38E-10	1.0E+06	4.4E-04

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	85	2.7673	4.01E-06	1.1E-05	2.50E-04	2.78E-09	14	1.15E-02	4.47E-10	1.0E+06	4.5E-04
86	86	2.73549	4.01E-06	1.1E-05	2.50E-04	2.75E-09	14	1.15E-02	4.41E-10	1.0E+06	4.4E-04
87	87	2.62596	4.01E-06	1.1E-05	2.50E-04	2.64E-09	14	1.15E-02	4.24E-10	1.0E+06	4.2E-04
88	88	2.47032	4.01E-06	9.9E-06	2.50E-04	2.48E-09	14	1.15E-02	3.99E-10	1.0E+06	4.0E-04
89	89	2.29455	4.01E-06	9.2E-06	2.50E-04	2.31E-09	14	1.15E-02	3.70E-10	1.0E+06	3.7E-04
90	90	2.11444	4.01E-06	8.5E-06	2.50E-04	2.12E-09	14	1.15E-02	3.41E-10	1.0E+06	3.4E-04
91	91	1.93759	4.01E-06	7.8E-06	2.50E-04	1.95E-09	14	1.15E-02	3.13E-10	1.0E+06	3.1E-04
92	92	1.76529	4.01E-06	7.1E-06	2.50E-04	1.77E-09	14	1.15E-02	2.85E-10	1.0E+06	2.8E-04
93	93	1.60122	4.01E-06	6.4E-06	2.50E-04	1.61E-09	14	1.15E-02	2.58E-10	1.0E+06	2.6E-04
96	96	4.03245	4.01E-06	1.6E-05	2.50E-04	4.05E-09	14	1.15E-02	6.51E-10	1.0E+06	6.5E-04
97	97	3.67271	4.01E-06	1.5E-05	2.50E-04	3.69E-09	14	1.15E-02	5.93E-10	1.0E+06	5.9E-04
98	98	3.00211	4.01E-06	1.2E-05	2.50E-04	3.02E-09	14	1.15E-02	4.84E-10	1.0E+06	4.8E-04
99	99	2.69414	4.01E-06	1.1E-05	2.50E-04	2.71E-09	14	1.15E-02	4.35E-10	1.0E+06	4.3E-04
100	100	2.41321	4.01E-06	9.7E-06	2.50E-04	2.42E-09	14	1.15E-02	3.89E-10	1.0E+06	3.9E-04
101	101	2.15654	4.01E-06	8.7E-06	2.50E-04	2.17E-09	14	1.15E-02	3.48E-10	1.0E+06	3.5E-04
102	102	1.9218	4.01E-06	7.7E-06	2.50E-04	1.93E-09	14	1.15E-02	3.10E-10	1.0E+06	3.1E-04
106	106	0.30649	4.01E-06	1.2E-06	2.50E-04	3.08E-10	14	1.15E-02	4.95E-11	1.0E+06	4.9E-05
107	107	0.3327	4.01E-06	1.3E-06	2.50E-04	3.34E-10	14	1.15E-02	5.37E-11	1.0E+06	5.4E-05
108	108	0.36207	4.01E-06	1.5E-06	2.50E-04	3.64E-10	14	1.15E-02	5.84E-11	1.0E+06	5.8E-05
109	109	0.3957	4.01E-06	1.6E-06	2.50E-04	3.98E-10	14	1.15E-02	6.38E-11	1.0E+06	6.4E-05
110	110	0.43459	4.01E-06	1.7E-06	2.50E-04	4.37E-10	14	1.15E-02	7.01E-11	1.0E+06	7.0E-05
111	111	0.47947	4.01E-06	1.9E-06	2.50E-04	4.82E-10	14	1.15E-02	7.74E-11	1.0E+06	7.7E-05
112	112	0.53297	4.01E-06	2.1E-06	2.50E-04	5.35E-10	14	1.15E-02	8.60E-11	1.0E+06	8.6E-05
113	113	0.59578	4.01E-06	2.4E-06	2.50E-04	5.99E-10	14	1.15E-02	9.61E-11	1.0E+06	9.6E-05
114	114	0.67099	4.01E-06	2.7E-06	2.50E-04	6.74E-10	14	1.15E-02	1.08E-10	1.0E+06	1.1E-04
115	115	0.76154	4.01E-06	3.1E-06	2.50E-04	7.65E-10	14	1.15E-02	1.23E-10	1.0E+06	1.2E-04
116	116	0.8716	4.01E-06	3.5E-06	2.50E-04	8.76E-10	14	1.15E-02	1.41E-10	1.0E+06	1.4E-04
117	117	1.00979	4.01E-06	4.1E-06	2.50E-04	1.01E-09	14	1.15E-02	1.63E-10	1.0E+06	1.6E-04
118	118	1.18376	4.01E-06	4.8E-06	2.50E-04	1.19E-09	14	1.15E-02	1.91E-10	1.0E+06	1.9E-04
124	124	0.31256	4.01E-06	1.3E-06	2.50E-04	3.14E-10	14	1.15E-02	5.04E-11	1.0E+06	5.0E-05
125	125	0.33946	4.01E-06	1.4E-06	2.50E-04	3.41E-10	14	1.15E-02	5.48E-11	1.0E+06	5.5E-05

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	126	0.37023	4.01E-06	1.5E-06	2.50E-04	3.72E-10	14	1.15E-02	5.97E-11	1.0E+06	6.0E-05
127	127	0.4057	4.01E-06	1.6E-06	2.50E-04	4.08E-10	14	1.15E-02	6.55E-11	1.0E+06	6.5E-05
128	128	0.44693	4.01E-06	1.8E-06	2.50E-04	4.49E-10	14	1.15E-02	7.21E-11	1.0E+06	7.2E-05
129	129	0.49492	4.01E-06	2.0E-06	2.50E-04	4.97E-10	14	1.15E-02	7.99E-11	1.0E+06	8.0E-05
130	130	0.55237	4.01E-06	2.2E-06	2.50E-04	5.55E-10	14	1.15E-02	8.91E-11	1.0E+06	8.9E-05
131	131	0.62077	4.01E-06	2.5E-06	2.50E-04	6.24E-10	14	1.15E-02	1.00E-10	1.0E+06	1.0E-04
132	132	0.70357	4.01E-06	2.8E-06	2.50E-04	7.07E-10	14	1.15E-02	1.14E-10	1.0E+06	1.1E-04
133	133	0.80458	4.01E-06	3.2E-06	2.50E-04	8.08E-10	14	1.15E-02	1.30E-10	1.0E+06	1.3E-04
134	134	0.93109	4.01E-06	3.7E-06	2.50E-04	9.35E-10	14	1.15E-02	1.50E-10	1.0E+06	1.5E-04
135	135	1.09058	4.01E-06	4.4E-06	2.50E-04	1.10E-09	14	1.15E-02	1.76E-10	1.0E+06	1.8E-04
136	136	1.29666	4.01E-06	5.2E-06	2.50E-04	1.30E-09	14	1.15E-02	2.09E-10	1.0E+06	2.1E-04
137	137	1.56789	4.01E-06	6.3E-06	2.50E-04	1.58E-09	14	1.15E-02	2.53E-10	1.0E+06	2.5E-04
138	138	1.94213	4.01E-06	7.8E-06	2.50E-04	1.95E-09	14	1.15E-02	3.13E-10	1.0E+06	3.1E-04
141	141	0.31685	4.01E-06	1.3E-06	2.50E-04	3.18E-10	14	1.15E-02	5.11E-11	1.0E+06	5.1E-05
142	142	0.34467	4.01E-06	1.4E-06	2.50E-04	3.46E-10	14	1.15E-02	5.56E-11	1.0E+06	5.6E-05
143	143	0.37658	4.01E-06	1.5E-06	2.50E-04	3.78E-10	14	1.15E-02	6.08E-11	1.0E+06	6.1E-05
144	144	0.41354	4.01E-06	1.7E-06	2.50E-04	4.15E-10	14	1.15E-02	6.67E-11	1.0E+06	6.7E-05
145	145	0.45664	4.01E-06	1.8E-06	2.50E-04	4.59E-10	14	1.15E-02	7.37E-11	1.0E+06	7.4E-05
146	146	0.50717	4.01E-06	2.0E-06	2.50E-04	5.10E-10	14	1.15E-02	8.18E-11	1.0E+06	8.2E-05
147	147	0.56793	4.01E-06	2.3E-06	2.50E-04	5.71E-10	14	1.15E-02	9.16E-11	1.0E+06	9.2E-05
148	148	0.64079	4.01E-06	2.6E-06	2.50E-04	6.44E-10	14	1.15E-02	1.03E-10	1.0E+06	1.0E-04
149	149	0.7298	4.01E-06	2.9E-06	2.50E-04	7.33E-10	14	1.15E-02	1.18E-10	1.0E+06	1.2E-04
150	150	0.8399	4.01E-06	3.4E-06	2.50E-04	8.44E-10	14	1.15E-02	1.36E-10	1.0E+06	1.4E-04
151	151	0.97901	4.01E-06	3.9E-06	2.50E-04	9.84E-10	14	1.15E-02	1.58E-10	1.0E+06	1.6E-04
152	152	1.15821	4.01E-06	4.6E-06	2.50E-04	1.16E-09	14	1.15E-02	1.87E-10	1.0E+06	1.9E-04
153	153	1.39491	4.01E-06	5.6E-06	2.50E-04	1.40E-09	14	1.15E-02	2.25E-10	1.0E+06	2.3E-04
154	154	1.71511	4.01E-06	6.9E-06	2.50E-04	1.72E-09	14	1.15E-02	2.77E-10	1.0E+06	2.8E-04
155	155	2.1698	4.01E-06	8.7E-06	2.50E-04	2.18E-09	14	1.15E-02	3.50E-10	1.0E+06	3.5E-04
164	164	1.82723	4.01E-06	7.3E-06	2.50E-04	1.84E-09	14	1.15E-02	2.95E-10	1.0E+06	2.9E-04
165	165	2.34863	4.01E-06	9.4E-06	2.50E-04	2.36E-09	14	1.15E-02	3.79E-10	1.0E+06	3.8E-04
166	166	3.16177	4.01E-06	1.3E-05	2.50E-04	3.18E-09	14	1.15E-02	5.10E-10	1.0E+06	5.1E-04

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	1.88802	4.01E-06	7.6E-06	2.50E-04	1.90E-09	14	1.15E-02	3.05E-10	1.0E+06	3.0E-04
179	179	2.44868	4.01E-06	9.8E-06	2.50E-04	2.46E-09	14	1.15E-02	3.95E-10	1.0E+06	4.0E-04
180	180	3.33572	4.01E-06	1.3E-05	2.50E-04	3.35E-09	14	1.15E-02	5.38E-10	1.0E+06	5.4E-04
192	192	1.89121	4.01E-06	7.6E-06	2.50E-04	1.90E-09	14	1.15E-02	3.05E-10	1.0E+06	3.1E-04
193	193	2.45444	4.01E-06	9.9E-06	2.50E-04	2.47E-09	14	1.15E-02	3.96E-10	1.0E+06	4.0E-04
194	194	3.3349	4.01E-06	1.3E-05	2.50E-04	3.35E-09	14	1.15E-02	5.38E-10	1.0E+06	5.4E-04
207	207	1.83773	4.01E-06	7.4E-06	2.50E-04	1.85E-09	14	1.15E-02	2.97E-10	1.0E+06	3.0E-04
208	208	2.36329	4.01E-06	9.5E-06	2.50E-04	2.37E-09	14	1.15E-02	3.81E-10	1.0E+06	3.8E-04
209	209	3.16848	4.01E-06	1.3E-05	2.50E-04	3.18E-09	14	1.15E-02	5.11E-10	1.0E+06	5.1E-04
223	223	1.74139	4.01E-06	7.0E-06	2.50E-04	1.75E-09	14	1.15E-02	2.81E-10	1.0E+06	2.8E-04
224	224	2.20418	4.01E-06	8.8E-06	2.50E-04	2.21E-09	14	1.15E-02	3.56E-10	1.0E+06	3.6E-04
225	225	2.88323	4.01E-06	1.2E-05	2.50E-04	2.90E-09	14	1.15E-02	4.65E-10	1.0E+06	4.7E-04
239	239	1.61959	4.01E-06	6.5E-06	2.50E-04	1.63E-09	14	1.15E-02	2.61E-10	1.0E+06	2.6E-04
240	240	2.01099	4.01E-06	8.1E-06	2.50E-04	2.02E-09	14	1.15E-02	3.24E-10	1.0E+06	3.2E-04
241	241	2.56397	4.01E-06	1.0E-05	2.50E-04	2.58E-09	14	1.15E-02	4.14E-10	1.0E+06	4.1E-04
255	255	1.48591	4.01E-06	6.0E-06	2.50E-04	1.49E-09	14	1.15E-02	2.40E-10	1.0E+06	2.4E-04
256	256	1.80857	4.01E-06	7.3E-06	2.50E-04	1.82E-09	14	1.15E-02	2.92E-10	1.0E+06	2.9E-04
272	272	1.35095	4.01E-06	5.4E-06	2.50E-04	1.36E-09	14	1.15E-02	2.18E-10	1.0E+06	2.2E-04
273	273	1.61398	4.01E-06	6.5E-06	2.50E-04	1.62E-09	14	1.15E-02	2.60E-10	1.0E+06	2.6E-04
289	289	1.22279	4.01E-06	4.9E-06	2.50E-04	1.23E-09	14	1.15E-02	1.97E-10	1.0E+06	2.0E-04
290	290	1.43527	4.01E-06	5.8E-06	2.50E-04	1.44E-09	14	1.15E-02	2.32E-10	1.0E+06	2.3E-04
306	306	1.10407	4.01E-06	4.4E-06	2.50E-04	1.11E-09	14	1.15E-02	1.78E-10	1.0E+06	1.8E-04
307	307	1.27591	4.01E-06	5.1E-06	2.50E-04	1.28E-09	14	1.15E-02	2.06E-10	1.0E+06	2.1E-04
323	323	0.99664	4.01E-06	4.0E-06	2.50E-04	1.00E-09	14	1.15E-02	1.61E-10	1.0E+06	1.6E-04
324	324	1.13616	4.01E-06	4.6E-06	2.50E-04	1.14E-09	14	1.15E-02	1.83E-10	1.0E+06	1.8E-04
342	342	0.90088	4.01E-06	3.6E-06	2.50E-04	9.05E-10	14	1.15E-02	1.45E-10	1.0E+06	1.5E-04
343	343	1.01486	4.01E-06	4.1E-06	2.50E-04	1.02E-09	14	1.15E-02	1.64E-10	1.0E+06	1.6E-04
344	344	1.14827	4.01E-06	4.6E-06	2.50E-04	1.15E-09	14	1.15E-02	1.85E-10	1.0E+06	1.9E-04
356	356	0.81616	4.01E-06	3.3E-06	2.50E-04	8.20E-10	14	1.15E-02	1.32E-10	1.0E+06	1.3E-04
357	357	0.90997	4.01E-06	3.7E-06	2.50E-04	9.14E-10	14	1.15E-02	1.47E-10	1.0E+06	1.5E-04
358	358	1.01777	4.01E-06	4.1E-06	2.50E-04	1.02E-09	14	1.15E-02	1.64E-10	1.0E+06	1.6E-04

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	0.74164	4.01E-06	3.0E-06	2.50E-04	7.45E-10	14	1.15E-02	1.20E-10	1.0E+06	1.2E-04
371	371	0.81945	4.01E-06	3.3E-06	2.50E-04	8.23E-10	14	1.15E-02	1.32E-10	1.0E+06	1.3E-04
372	372	0.90727	4.01E-06	3.6E-06	2.50E-04	9.12E-10	14	1.15E-02	1.46E-10	1.0E+06	1.5E-04
383	383	0.6761	4.01E-06	2.7E-06	2.50E-04	6.79E-10	14	1.15E-02	1.09E-10	1.0E+06	1.1E-04
384	384	0.74112	4.01E-06	3.0E-06	2.50E-04	7.45E-10	14	1.15E-02	1.20E-10	1.0E+06	1.2E-04
385	385	0.81326	4.01E-06	3.3E-06	2.50E-04	8.17E-10	14	1.15E-02	1.31E-10	1.0E+06	1.3E-04
396	396	0.61843	4.01E-06	2.5E-06	2.50E-04	6.21E-10	14	1.15E-02	9.98E-11	1.0E+06	1.0E-04
397	397	0.67309	4.01E-06	2.7E-06	2.50E-04	6.76E-10	14	1.15E-02	1.09E-10	1.0E+06	1.1E-04
398	398	0.73279	4.01E-06	2.9E-06	2.50E-04	7.36E-10	14	1.15E-02	1.18E-10	1.0E+06	1.2E-04
399	399	0.79693	4.01E-06	3.2E-06	2.50E-04	8.01E-10	14	1.15E-02	1.29E-10	1.0E+06	1.3E-04
411	411	0.56753	4.01E-06	2.3E-06	2.50E-04	5.70E-10	14	1.15E-02	9.16E-11	1.0E+06	9.2E-05
412	412	0.61374	4.01E-06	2.5E-06	2.50E-04	6.17E-10	14	1.15E-02	9.90E-11	1.0E+06	9.9E-05
413	413	0.66349	4.01E-06	2.7E-06	2.50E-04	6.67E-10	14	1.15E-02	1.07E-10	1.0E+06	1.1E-04
414	414	0.71615	4.01E-06	2.9E-06	2.50E-04	7.20E-10	14	1.15E-02	1.16E-10	1.0E+06	1.2E-04
426	426	0.5225	4.01E-06	2.1E-06	2.50E-04	5.25E-10	14	1.15E-02	8.43E-11	1.0E+06	8.4E-05
427	427	0.56177	4.01E-06	2.3E-06	2.50E-04	5.64E-10	14	1.15E-02	9.06E-11	1.0E+06	9.1E-05
428	428	0.60347	4.01E-06	2.4E-06	2.50E-04	6.06E-10	14	1.15E-02	9.74E-11	1.0E+06	9.7E-05
429	429	0.64705	4.01E-06	2.6E-06	2.50E-04	6.50E-10	14	1.15E-02	1.04E-10	1.0E+06	1.0E-04
439	439	0.48248	4.01E-06	1.9E-06	2.50E-04	4.85E-10	14	1.15E-02	7.78E-11	1.0E+06	7.8E-05
440	440	0.51601	4.01E-06	2.1E-06	2.50E-04	5.18E-10	14	1.15E-02	8.33E-11	1.0E+06	8.3E-05
441	441	0.55119	4.01E-06	2.2E-06	2.50E-04	5.54E-10	14	1.15E-02	8.89E-11	1.0E+06	8.9E-05
442	442	0.58752	4.01E-06	2.4E-06	2.50E-04	5.90E-10	14	1.15E-02	9.48E-11	1.0E+06	9.5E-05
443	443	0.62421	4.01E-06	2.5E-06	2.50E-04	6.27E-10	14	1.15E-02	1.01E-10	1.0E+06	1.0E-04
454	454	0.44681	4.01E-06	1.8E-06	2.50E-04	4.49E-10	14	1.15E-02	7.21E-11	1.0E+06	7.2E-05
455	455	0.47555	4.01E-06	1.9E-06	2.50E-04	4.78E-10	14	1.15E-02	7.67E-11	1.0E+06	7.7E-05
456	456	0.5054	4.01E-06	2.0E-06	2.50E-04	5.08E-10	14	1.15E-02	8.15E-11	1.0E+06	8.2E-05
457	457	0.5359	4.01E-06	2.2E-06	2.50E-04	5.38E-10	14	1.15E-02	8.65E-11	1.0E+06	8.6E-05
458	458	0.56644	4.01E-06	2.3E-06	2.50E-04	5.69E-10	14	1.15E-02	9.14E-11	1.0E+06	9.1E-05
469	469	0.41489	4.01E-06	1.7E-06	2.50E-04	4.17E-10	14	1.15E-02	6.69E-11	1.0E+06	6.7E-05
470	470	0.43965	4.01E-06	1.8E-06	2.50E-04	4.42E-10	14	1.15E-02	7.09E-11	1.0E+06	7.1E-05
471	471	0.46511	4.01E-06	1.9E-06	2.50E-04	4.67E-10	14	1.15E-02	7.50E-11	1.0E+06	7.5E-05

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	0.49091	4.01E-06	2.0E-06	2.50E-04	4.93E-10	14	1.15E-02	7.92E-11	1.0E+06	7.9E-05
473	473	0.51655	4.01E-06	2.1E-06	2.50E-04	5.19E-10	14	1.15E-02	8.33E-11	1.0E+06	8.3E-05
489	489	0.38625	4.01E-06	1.6E-06	2.50E-04	3.88E-10	14	1.15E-02	6.23E-11	1.0E+06	6.2E-05
490	490	0.40764	4.01E-06	1.6E-06	2.50E-04	4.10E-10	14	1.15E-02	6.58E-11	1.0E+06	6.6E-05
491	491	0.42946	4.01E-06	1.7E-06	2.50E-04	4.31E-10	14	1.15E-02	6.93E-11	1.0E+06	6.9E-05
492	492	0.4514	4.01E-06	1.8E-06	2.50E-04	4.54E-10	14	1.15E-02	7.28E-11	1.0E+06	7.3E-05
493	493	0.47307	4.01E-06	1.9E-06	2.50E-04	4.75E-10	14	1.15E-02	7.63E-11	1.0E+06	7.6E-05
494	494	0.49393	4.01E-06	2.0E-06	2.50E-04	4.96E-10	14	1.15E-02	7.97E-11	1.0E+06	8.0E-05
509	509	0.36044	4.01E-06	1.4E-06	2.50E-04	3.62E-10	14	1.15E-02	5.82E-11	1.0E+06	5.8E-05
510	510	0.37901	4.01E-06	1.5E-06	2.50E-04	3.81E-10	14	1.15E-02	6.12E-11	1.0E+06	6.1E-05
511	511	0.39783	4.01E-06	1.6E-06	2.50E-04	4.00E-10	14	1.15E-02	6.42E-11	1.0E+06	6.4E-05
512	512	0.41662	4.01E-06	1.7E-06	2.50E-04	4.19E-10	14	1.15E-02	6.72E-11	1.0E+06	6.7E-05
513	513	0.43504	4.01E-06	1.7E-06	2.50E-04	4.37E-10	14	1.15E-02	7.02E-11	1.0E+06	7.0E-05
514	514	0.45277	4.01E-06	1.8E-06	2.50E-04	4.55E-10	14	1.15E-02	7.31E-11	1.0E+06	7.3E-05
515	515	0.48314	4.01E-06	1.9E-06	2.50E-04	4.85E-10	14	1.15E-02	7.80E-11	1.0E+06	7.8E-05
516	516	0.49372	4.01E-06	2.0E-06	2.50E-04	4.96E-10	14	1.15E-02	7.97E-11	1.0E+06	8.0E-05
517	517	0.50009	4.01E-06	2.0E-06	2.50E-04	5.02E-10	14	1.15E-02	8.07E-11	1.0E+06	8.1E-05
518	518	0.50118	4.01E-06	2.0E-06	2.50E-04	5.04E-10	14	1.15E-02	8.09E-11	1.0E+06	8.1E-05
519	519	0.49649	4.01E-06	2.0E-06	2.50E-04	4.99E-10	14	1.15E-02	8.01E-11	1.0E+06	8.0E-05
528	528	0.33714	4.01E-06	1.4E-06	2.50E-04	3.39E-10	14	1.15E-02	5.44E-11	1.0E+06	5.4E-05
529	529	0.35332	4.01E-06	1.4E-06	2.50E-04	3.55E-10	14	1.15E-02	5.70E-11	1.0E+06	5.7E-05
530	530	0.3696	4.01E-06	1.5E-06	2.50E-04	3.71E-10	14	1.15E-02	5.96E-11	1.0E+06	6.0E-05
531	531	0.3858	4.01E-06	1.5E-06	2.50E-04	3.88E-10	14	1.15E-02	6.22E-11	1.0E+06	6.2E-05
532	532	0.40163	4.01E-06	1.6E-06	2.50E-04	4.04E-10	14	1.15E-02	6.48E-11	1.0E+06	6.5E-05
533	533	0.41678	4.01E-06	1.7E-06	2.50E-04	4.19E-10	14	1.15E-02	6.72E-11	1.0E+06	6.7E-05
534	534	0.44269	4.01E-06	1.8E-06	2.50E-04	4.45E-10	14	1.15E-02	7.14E-11	1.0E+06	7.1E-05
535	535	0.45191	4.01E-06	1.8E-06	2.50E-04	4.54E-10	14	1.15E-02	7.29E-11	1.0E+06	7.3E-05
536	536	0.45779	4.01E-06	1.8E-06	2.50E-04	4.60E-10	14	1.15E-02	7.39E-11	1.0E+06	7.4E-05
537	537	0.45905	4.01E-06	1.8E-06	2.50E-04	4.61E-10	14	1.15E-02	7.41E-11	1.0E+06	7.4E-05
538	538	0.45551	4.01E-06	1.8E-06	2.50E-04	4.58E-10	14	1.15E-02	7.35E-11	1.0E+06	7.3E-05
547	547	0.31602	4.01E-06	1.3E-06	2.50E-04	3.18E-10	14	1.15E-02	5.10E-11	1.0E+06	5.1E-05

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.33017	4.01E-06	1.3E-06	2.50E-04	3.32E-10	14	1.15E-02	5.33E-11	1.0E+06	5.3E-05
549	549	0.34435	4.01E-06	1.4E-06	2.50E-04	3.46E-10	14	1.15E-02	5.56E-11	1.0E+06	5.6E-05
550	550	0.35834	4.01E-06	1.4E-06	2.50E-04	3.60E-10	14	1.15E-02	5.78E-11	1.0E+06	5.8E-05
551	551	0.37203	4.01E-06	1.5E-06	2.50E-04	3.74E-10	14	1.15E-02	6.00E-11	1.0E+06	6.0E-05
552	552	0.38508	4.01E-06	1.5E-06	2.50E-04	3.87E-10	14	1.15E-02	6.21E-11	1.0E+06	6.2E-05
553	553	0.39712	4.01E-06	1.6E-06	2.50E-04	3.99E-10	14	1.15E-02	6.41E-11	1.0E+06	6.4E-05
554	554	0.40744	4.01E-06	1.6E-06	2.50E-04	4.09E-10	14	1.15E-02	6.57E-11	1.0E+06	6.6E-05
555	555	0.41562	4.01E-06	1.7E-06	2.50E-04	4.18E-10	14	1.15E-02	6.71E-11	1.0E+06	6.7E-05
556	556	0.42099	4.01E-06	1.7E-06	2.50E-04	4.23E-10	14	1.15E-02	6.79E-11	1.0E+06	6.8E-05
557	557	0.42238	4.01E-06	1.7E-06	2.50E-04	4.24E-10	14	1.15E-02	6.82E-11	1.0E+06	6.8E-05
558	558	0.41997	4.01E-06	1.7E-06	2.50E-04	4.22E-10	14	1.15E-02	6.78E-11	1.0E+06	6.8E-05
559	559	0.41318	4.01E-06	1.7E-06	2.50E-04	4.15E-10	14	1.15E-02	6.67E-11	1.0E+06	6.7E-05
567	567	0.29684	4.01E-06	1.2E-06	2.50E-04	2.98E-10	14	1.15E-02	4.79E-11	1.0E+06	4.8E-05
568	568	0.30928	4.01E-06	1.2E-06	2.50E-04	3.11E-10	14	1.15E-02	4.99E-11	1.0E+06	5.0E-05
569	569	0.32166	4.01E-06	1.3E-06	2.50E-04	3.23E-10	14	1.15E-02	5.19E-11	1.0E+06	5.2E-05
570	570	0.33388	4.01E-06	1.3E-06	2.50E-04	3.35E-10	14	1.15E-02	5.39E-11	1.0E+06	5.4E-05
571	571	0.34576	4.01E-06	1.4E-06	2.50E-04	3.47E-10	14	1.15E-02	5.58E-11	1.0E+06	5.6E-05
572	572	0.3571	4.01E-06	1.4E-06	2.50E-04	3.59E-10	14	1.15E-02	5.76E-11	1.0E+06	5.8E-05
573	573	0.36753	4.01E-06	1.5E-06	2.50E-04	3.69E-10	14	1.15E-02	5.93E-11	1.0E+06	5.9E-05
574	574	0.38375	4.01E-06	1.5E-06	2.50E-04	3.86E-10	14	1.15E-02	6.19E-11	1.0E+06	6.2E-05
575	575	0.38859	4.01E-06	1.6E-06	2.50E-04	3.90E-10	14	1.15E-02	6.27E-11	1.0E+06	6.3E-05
576	576	0.39035	4.01E-06	1.6E-06	2.50E-04	3.92E-10	14	1.15E-02	6.30E-11	1.0E+06	6.3E-05
577	577	0.38865	4.01E-06	1.6E-06	2.50E-04	3.90E-10	14	1.15E-02	6.27E-11	1.0E+06	6.3E-05
578	578	0.3833	4.01E-06	1.5E-06	2.50E-04	3.85E-10	14	1.15E-02	6.18E-11	1.0E+06	6.2E-05
586	586	0.27937	4.01E-06	1.1E-06	2.50E-04	2.81E-10	14	1.15E-02	4.51E-11	1.0E+06	4.5E-05
587	587	0.2903	4.01E-06	1.2E-06	2.50E-04	2.92E-10	14	1.15E-02	4.68E-11	1.0E+06	4.7E-05
588	588	0.30118	4.01E-06	1.2E-06	2.50E-04	3.03E-10	14	1.15E-02	4.86E-11	1.0E+06	4.9E-05
589	589	0.31186	4.01E-06	1.3E-06	2.50E-04	3.13E-10	14	1.15E-02	5.03E-11	1.0E+06	5.0E-05
590	590	0.32225	4.01E-06	1.3E-06	2.50E-04	3.24E-10	14	1.15E-02	5.20E-11	1.0E+06	5.2E-05
591	591	0.33213	4.01E-06	1.3E-06	2.50E-04	3.34E-10	14	1.15E-02	5.36E-11	1.0E+06	5.4E-05
592	592	0.34124	4.01E-06	1.4E-06	2.50E-04	3.43E-10	14	1.15E-02	5.51E-11	1.0E+06	5.5E-05

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	0.35557	4.01E-06	1.4E-06	2.50E-04	3.57E-10	14	1.15E-02	5.74E-11	1.0E+06	5.7E-05
594	594	0.36002	4.01E-06	1.4E-06	2.50E-04	3.62E-10	14	1.15E-02	5.81E-11	1.0E+06	5.8E-05
595	595	0.36174	4.01E-06	1.5E-06	2.50E-04	3.63E-10	14	1.15E-02	5.84E-11	1.0E+06	5.8E-05
596	596	0.36057	4.01E-06	1.4E-06	2.50E-04	3.62E-10	14	1.15E-02	5.82E-11	1.0E+06	5.8E-05
597	597	0.35639	4.01E-06	1.4E-06	2.50E-04	3.58E-10	14	1.15E-02	5.75E-11	1.0E+06	5.8E-05
345	345	1.30379	4.01E-06	5.2E-06	2.50E-04	1.31E-09	14	1.15E-02	2.10E-10	1.0E+06	2.1E-04
346	346	1.48145	4.01E-06	5.9E-06	2.50E-04	1.49E-09	14	1.15E-02	2.39E-10	1.0E+06	2.4E-04
347	347	1.67644	4.01E-06	6.7E-06	2.50E-04	1.68E-09	14	1.15E-02	2.70E-10	1.0E+06	2.7E-04
348	348	1.87384	4.01E-06	7.5E-06	2.50E-04	1.88E-09	14	1.15E-02	3.02E-10	1.0E+06	3.0E-04
359	359	1.14039	4.01E-06	4.6E-06	2.50E-04	1.15E-09	14	1.15E-02	1.84E-10	1.0E+06	1.8E-04
360	360	1.27639	4.01E-06	5.1E-06	2.50E-04	1.28E-09	14	1.15E-02	2.06E-10	1.0E+06	2.1E-04
361	361	1.42218	4.01E-06	5.7E-06	2.50E-04	1.43E-09	14	1.15E-02	2.29E-10	1.0E+06	2.3E-04
362	362	1.56496	4.01E-06	6.3E-06	2.50E-04	1.57E-09	14	1.15E-02	2.53E-10	1.0E+06	2.5E-04
363	363	1.68997	4.01E-06	6.8E-06	2.50E-04	1.70E-09	14	1.15E-02	2.73E-10	1.0E+06	2.7E-04
373	373	1.11135	4.01E-06	4.5E-06	2.50E-04	1.12E-09	14	1.15E-02	1.79E-10	1.0E+06	1.8E-04
374	374	1.22183	4.01E-06	4.9E-06	2.50E-04	1.23E-09	14	1.15E-02	1.97E-10	1.0E+06	2.0E-04
375	375	1.32838	4.01E-06	5.3E-06	2.50E-04	1.33E-09	14	1.15E-02	2.14E-10	1.0E+06	2.1E-04
376	376	1.42078	4.01E-06	5.7E-06	2.50E-04	1.43E-09	14	1.15E-02	2.29E-10	1.0E+06	2.3E-04
386	386	0.97606	4.01E-06	3.9E-06	2.50E-04	9.81E-10	14	1.15E-02	1.57E-10	1.0E+06	1.6E-04
387	387	1.06185	4.01E-06	4.3E-06	2.50E-04	1.07E-09	14	1.15E-02	1.71E-10	1.0E+06	1.7E-04
388	388	1.1432	4.01E-06	4.6E-06	2.50E-04	1.15E-09	14	1.15E-02	1.84E-10	1.0E+06	1.8E-04
389	389	1.21339	4.01E-06	4.9E-06	2.50E-04	1.22E-09	14	1.15E-02	1.96E-10	1.0E+06	2.0E-04
390	390	1.26178	4.01E-06	5.1E-06	2.50E-04	1.27E-09	14	1.15E-02	2.04E-10	1.0E+06	2.0E-04
400	400	0.86416	4.01E-06	3.5E-06	2.50E-04	8.68E-10	14	1.15E-02	1.39E-10	1.0E+06	1.4E-04
401	401	0.93124	4.01E-06	3.7E-06	2.50E-04	9.36E-10	14	1.15E-02	1.50E-10	1.0E+06	1.5E-04
402	402	0.99549	4.01E-06	4.0E-06	2.50E-04	1.00E-09	14	1.15E-02	1.61E-10	1.0E+06	1.6E-04
403	403	1.04942	4.01E-06	4.2E-06	2.50E-04	1.05E-09	14	1.15E-02	1.69E-10	1.0E+06	1.7E-04
404	404	1.087	4.01E-06	4.4E-06	2.50E-04	1.09E-09	14	1.15E-02	1.75E-10	1.0E+06	1.8E-04
415	415	0.77053	4.01E-06	3.1E-06	2.50E-04	7.74E-10	14	1.15E-02	1.24E-10	1.0E+06	1.2E-04
416	416	0.82458	4.01E-06	3.3E-06	2.50E-04	8.28E-10	14	1.15E-02	1.33E-10	1.0E+06	1.3E-04
417	417	0.87486	4.01E-06	3.5E-06	2.50E-04	8.79E-10	14	1.15E-02	1.41E-10	1.0E+06	1.4E-04

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	0.91852	4.01E-06	3.7E-06	2.50E-04	9.23E-10	14	1.15E-02	1.48E-10	1.0E+06	1.5E-04
419	419	0.949	4.01E-06	3.8E-06	2.50E-04	9.53E-10	14	1.15E-02	1.53E-10	1.0E+06	1.5E-04
420	420	0.95965	4.01E-06	3.9E-06	2.50E-04	9.64E-10	14	1.15E-02	1.55E-10	1.0E+06	1.5E-04
430	430	0.73509	4.01E-06	3.0E-06	2.50E-04	7.39E-10	14	1.15E-02	1.19E-10	1.0E+06	1.2E-04
431	431	0.77613	4.01E-06	3.1E-06	2.50E-04	7.80E-10	14	1.15E-02	1.25E-10	1.0E+06	1.3E-04
432	432	0.81088	4.01E-06	3.3E-06	2.50E-04	8.15E-10	14	1.15E-02	1.31E-10	1.0E+06	1.3E-04
433	433	0.83566	4.01E-06	3.4E-06	2.50E-04	8.40E-10	14	1.15E-02	1.35E-10	1.0E+06	1.3E-04
434	434	0.84668	4.01E-06	3.4E-06	2.50E-04	8.51E-10	14	1.15E-02	1.37E-10	1.0E+06	1.4E-04
444	444	0.66006	4.01E-06	2.6E-06	2.50E-04	6.63E-10	14	1.15E-02	1.07E-10	1.0E+06	1.1E-04
445	445	0.69322	4.01E-06	2.8E-06	2.50E-04	6.96E-10	14	1.15E-02	1.12E-10	1.0E+06	1.1E-04
446	446	0.72162	4.01E-06	2.9E-06	2.50E-04	7.25E-10	14	1.15E-02	1.16E-10	1.0E+06	1.2E-04
447	447	0.74219	4.01E-06	3.0E-06	2.50E-04	7.46E-10	14	1.15E-02	1.20E-10	1.0E+06	1.2E-04
448	448	0.75207	4.01E-06	3.0E-06	2.50E-04	7.56E-10	14	1.15E-02	1.21E-10	1.0E+06	1.2E-04
459	459	0.62345	4.01E-06	2.5E-06	2.50E-04	6.26E-10	14	1.15E-02	1.01E-10	1.0E+06	1.0E-04
460	460	0.64685	4.01E-06	2.6E-06	2.50E-04	6.50E-10	14	1.15E-02	1.04E-10	1.0E+06	1.0E-04
461	461	0.66404	4.01E-06	2.7E-06	2.50E-04	6.67E-10	14	1.15E-02	1.07E-10	1.0E+06	1.1E-04
462	462	0.67285	4.01E-06	2.7E-06	2.50E-04	6.76E-10	14	1.15E-02	1.09E-10	1.0E+06	1.1E-04
463	463	0.67132	4.01E-06	2.7E-06	2.50E-04	6.74E-10	14	1.15E-02	1.08E-10	1.0E+06	1.1E-04
474	474	0.56401	4.01E-06	2.3E-06	2.50E-04	5.67E-10	14	1.15E-02	9.10E-11	1.0E+06	9.1E-05
475	475	0.5835	4.01E-06	2.3E-06	2.50E-04	5.86E-10	14	1.15E-02	9.41E-11	1.0E+06	9.4E-05
476	476	0.59819	4.01E-06	2.4E-06	2.50E-04	6.01E-10	14	1.15E-02	9.65E-11	1.0E+06	9.7E-05
477	477	0.60595	4.01E-06	2.4E-06	2.50E-04	6.09E-10	14	1.15E-02	9.78E-11	1.0E+06	9.8E-05
478	478	0.60562	4.01E-06	2.4E-06	2.50E-04	6.08E-10	14	1.15E-02	9.77E-11	1.0E+06	9.8E-05
495	495	0.51314	4.01E-06	2.1E-06	2.50E-04	5.16E-10	14	1.15E-02	8.28E-11	1.0E+06	8.3E-05
496	496	0.52952	4.01E-06	2.1E-06	2.50E-04	5.32E-10	14	1.15E-02	8.54E-11	1.0E+06	8.5E-05
497	497	0.54202	4.01E-06	2.2E-06	2.50E-04	5.45E-10	14	1.15E-02	8.75E-11	1.0E+06	8.7E-05
498	498	0.54908	4.01E-06	2.2E-06	2.50E-04	5.52E-10	14	1.15E-02	8.86E-11	1.0E+06	8.9E-05
499	499	0.54953	4.01E-06	2.2E-06	2.50E-04	5.52E-10	14	1.15E-02	8.87E-11	1.0E+06	8.9E-05
500	500	0.54278	4.01E-06	2.2E-06	2.50E-04	5.45E-10	14	1.15E-02	8.76E-11	1.0E+06	8.8E-05

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	2.46483	4.01E-06	9.9E-06	2.50E-04	2.48E-09	25	1.15E-02	7.10E-10	1.0E+06	7.1E-04
140	140	3.24383	4.01E-06	1.3E-05	2.50E-04	3.26E-09	25	1.15E-02	9.35E-10	1.0E+06	9.3E-04
156	156	2.85011	4.01E-06	1.1E-05	2.50E-04	2.86E-09	25	1.15E-02	8.21E-10	1.0E+06	8.2E-04
157	157	3.92834	4.01E-06	1.6E-05	2.50E-04	3.95E-09	25	1.15E-02	1.13E-09	1.0E+06	1.1E-03
158	158	5.85299	4.01E-06	2.3E-05	2.50E-04	5.88E-09	25	1.15E-02	1.69E-09	1.0E+06	1.7E-03
159	159	9.94451	4.01E-06	4.0E-05	2.50E-04	9.99E-09	25	1.15E-02	2.87E-09	1.0E+06	2.9E-03
160	160	24.05094	4.01E-06	9.7E-05	2.50E-04	2.42E-08	25	1.15E-02	6.93E-09	1.0E+06	6.9E-03
161	161	24.43475	4.01E-06	9.8E-05	2.50E-04	2.45E-08	25	1.15E-02	7.04E-09	1.0E+06	7.0E-03
162	162	12.96517	4.01E-06	5.2E-05	2.50E-04	1.30E-08	25	1.15E-02	3.74E-09	1.0E+06	3.7E-03
163	163	8.92932	4.01E-06	3.6E-05	2.50E-04	8.97E-09	25	1.15E-02	2.57E-09	1.0E+06	2.6E-03
167	167	4.49156	4.01E-06	1.8E-05	2.50E-04	4.51E-09	25	1.15E-02	1.29E-09	1.0E+06	1.3E-03
168	168	7.12194	4.01E-06	2.9E-05	2.50E-04	7.16E-09	25	1.15E-02	2.05E-09	1.0E+06	2.1E-03
169	169	13.39987	4.01E-06	5.4E-05	2.50E-04	1.35E-08	25	1.15E-02	3.86E-09	1.0E+06	3.9E-03
170	170	13.9749	4.01E-06	5.6E-05	2.50E-04	1.40E-08	25	1.15E-02	4.03E-09	1.0E+06	4.0E-03
171	171	20.81454	4.01E-06	8.4E-05	2.50E-04	2.09E-08	25	1.15E-02	6.00E-09	1.0E+06	6.0E-03
172	172	26.28054	4.01E-06	1.1E-04	2.50E-04	2.64E-08	25	1.15E-02	7.57E-09	1.0E+06	7.6E-03
173	173	14.65331	4.01E-06	5.9E-05	2.50E-04	1.47E-08	25	1.15E-02	4.22E-09	1.0E+06	4.2E-03
174	174	10.37492	4.01E-06	4.2E-05	2.50E-04	1.04E-08	25	1.15E-02	2.99E-09	1.0E+06	3.0E-03
175	175	8.06011	4.01E-06	3.2E-05	2.50E-04	8.10E-09	25	1.15E-02	2.32E-09	1.0E+06	2.3E-03
176	176	6.46126	4.01E-06	2.6E-05	2.50E-04	6.49E-09	25	1.15E-02	1.86E-09	1.0E+06	1.9E-03
177	177	5.16324	4.01E-06	2.1E-05	2.50E-04	5.19E-09	25	1.15E-02	1.49E-09	1.0E+06	1.5E-03
181	181	7.89915	4.01E-06	3.2E-05	2.50E-04	7.94E-09	25	1.15E-02	2.28E-09	1.0E+06	2.3E-03
182	182	15.76044	4.01E-06	6.3E-05	2.50E-04	1.58E-08	25	1.15E-02	4.54E-09	1.0E+06	4.5E-03
183	183	17.90575	4.01E-06	7.2E-05	2.50E-04	1.80E-08	25	1.15E-02	5.16E-09	1.0E+06	5.2E-03
184	184	25.12076	4.01E-06	1.0E-04	2.50E-04	2.52E-08	25	1.15E-02	7.24E-09	1.0E+06	7.2E-03
185	185	28.05172	4.01E-06	1.1E-04	2.50E-04	2.82E-08	25	1.15E-02	8.08E-09	1.0E+06	8.1E-03
186	186	17.78974	4.01E-06	7.1E-05	2.50E-04	1.79E-08	25	1.15E-02	5.13E-09	1.0E+06	5.1E-03
187	187	13.2597	4.01E-06	5.3E-05	2.50E-04	1.33E-08	25	1.15E-02	3.82E-09	1.0E+06	3.8E-03
188	188	10.28499	4.01E-06	4.1E-05	2.50E-04	1.03E-08	25	1.15E-02	2.96E-09	1.0E+06	3.0E-03
189	189	7.77889	4.01E-06	3.1E-05	2.50E-04	7.82E-09	25	1.15E-02	2.24E-09	1.0E+06	2.2E-03
190	190	5.71622	4.01E-06	2.3E-05	2.50E-04	5.74E-09	25	1.15E-02	1.65E-09	1.0E+06	1.6E-03

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	4.20628	4.01E-06	1.7E-05	2.50E-04	4.23E-09	25	1.15E-02	1.21E-09	1.0E+06	1.2E-03
195	195	7.85266	4.01E-06	3.2E-05	2.50E-04	7.89E-09	25	1.15E-02	2.26E-09	1.0E+06	2.3E-03
196	196	15.64437	4.01E-06	6.3E-05	2.50E-04	1.57E-08	25	1.15E-02	4.51E-09	1.0E+06	4.5E-03
197	197	30.43606	4.01E-06	1.2E-04	2.50E-04	3.06E-08	25	1.15E-02	8.77E-09	1.0E+06	8.8E-03
198	198	29.18489	4.01E-06	1.2E-04	2.50E-04	2.93E-08	25	1.15E-02	8.41E-09	1.0E+06	8.4E-03
199	199	37.73488	4.01E-06	1.5E-04	2.50E-04	3.79E-08	25	1.15E-02	1.09E-08	1.0E+06	1.1E-02
200	200	27.99209	4.01E-06	1.1E-04	2.50E-04	2.81E-08	25	1.15E-02	8.07E-09	1.0E+06	8.1E-03
201	201	21.83658	4.01E-06	8.8E-05	2.50E-04	2.19E-08	25	1.15E-02	6.29E-09	1.0E+06	6.3E-03
202	202	14.81121	4.01E-06	5.9E-05	2.50E-04	1.49E-08	25	1.15E-02	4.27E-09	1.0E+06	4.3E-03
203	203	9.07537	4.01E-06	3.6E-05	2.50E-04	9.12E-09	25	1.15E-02	2.61E-09	1.0E+06	2.6E-03
204	204	5.7861	4.01E-06	2.3E-05	2.50E-04	5.81E-09	25	1.15E-02	1.67E-09	1.0E+06	1.7E-03
205	205	3.9607	4.01E-06	1.6E-05	2.50E-04	3.98E-09	25	1.15E-02	1.14E-09	1.0E+06	1.1E-03
206	206	2.88232	4.01E-06	1.2E-05	2.50E-04	2.90E-09	25	1.15E-02	8.30E-10	1.0E+06	8.3E-04
210	210	4.4454	4.01E-06	1.8E-05	2.50E-04	4.47E-09	25	1.15E-02	1.28E-09	1.0E+06	1.3E-03
211	211	6.99412	4.01E-06	2.8E-05	2.50E-04	7.03E-09	25	1.15E-02	2.02E-09	1.0E+06	2.0E-03
212	212	12.70821	4.01E-06	5.1E-05	2.50E-04	1.28E-08	25	1.15E-02	3.66E-09	1.0E+06	3.7E-03
213	213	31.2107	4.01E-06	1.3E-04	2.50E-04	3.14E-08	25	1.15E-02	8.99E-09	1.0E+06	9.0E-03
214	214	23.8025	4.01E-06	9.6E-05	2.50E-04	2.39E-08	25	1.15E-02	6.86E-09	1.0E+06	6.9E-03
215	215	20.55655	4.01E-06	8.3E-05	2.50E-04	2.07E-08	25	1.15E-02	5.92E-09	1.0E+06	5.9E-03
216	216	23.436	4.01E-06	9.4E-05	2.50E-04	2.35E-08	25	1.15E-02	6.75E-09	1.0E+06	6.8E-03
217	217	19.01356	4.01E-06	7.6E-05	2.50E-04	1.91E-08	25	1.15E-02	5.48E-09	1.0E+06	5.5E-03
218	218	8.41511	4.01E-06	3.4E-05	2.50E-04	8.45E-09	25	1.15E-02	2.42E-09	1.0E+06	2.4E-03
219	219	4.97519	4.01E-06	2.0E-05	2.50E-04	5.00E-09	25	1.15E-02	1.43E-09	1.0E+06	1.4E-03
220	220	3.38314	4.01E-06	1.4E-05	2.50E-04	3.40E-09	25	1.15E-02	9.75E-10	1.0E+06	9.7E-04
221	221	2.48918	4.01E-06	1.0E-05	2.50E-04	2.50E-09	25	1.15E-02	7.17E-10	1.0E+06	7.2E-04
222	222	1.92694	4.01E-06	7.7E-06	2.50E-04	1.94E-09	25	1.15E-02	5.55E-10	1.0E+06	5.6E-04
226	226	3.94527	4.01E-06	1.6E-05	2.50E-04	3.96E-09	25	1.15E-02	1.14E-09	1.0E+06	1.1E-03
227	227	5.80339	4.01E-06	2.3E-05	2.50E-04	5.83E-09	25	1.15E-02	1.67E-09	1.0E+06	1.7E-03
228	228	9.33877	4.01E-06	3.7E-05	2.50E-04	9.38E-09	25	1.15E-02	2.69E-09	1.0E+06	2.7E-03
229	229	16.86266	4.01E-06	6.8E-05	2.50E-04	1.69E-08	25	1.15E-02	4.86E-09	1.0E+06	4.9E-03
230	230	30.35765	4.01E-06	1.2E-04	2.50E-04	3.05E-08	25	1.15E-02	8.75E-09	1.0E+06	8.7E-03

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	39.80131	4.01E-06	1.6E-04	2.50E-04	4.00E-08	25	1.15E-02	1.15E-08	1.0E+06	1.1E-02
232	232	24.13355	4.01E-06	9.7E-05	2.50E-04	2.42E-08	25	1.15E-02	6.95E-09	1.0E+06	7.0E-03
233	233	12.48824	4.01E-06	5.0E-05	2.50E-04	1.25E-08	25	1.15E-02	3.60E-09	1.0E+06	3.6E-03
234	234	6.15271	4.01E-06	2.5E-05	2.50E-04	6.18E-09	25	1.15E-02	1.77E-09	1.0E+06	1.8E-03
235	235	3.93918	4.01E-06	1.6E-05	2.50E-04	3.96E-09	25	1.15E-02	1.13E-09	1.0E+06	1.1E-03
236	236	2.81542	4.01E-06	1.1E-05	2.50E-04	2.83E-09	25	1.15E-02	8.11E-10	1.0E+06	8.1E-04
237	237	2.14186	4.01E-06	8.6E-06	2.50E-04	2.15E-09	25	1.15E-02	6.17E-10	1.0E+06	6.2E-04
238	238	1.6983	4.01E-06	6.8E-06	2.50E-04	1.71E-09	25	1.15E-02	4.89E-10	1.0E+06	4.9E-04
242	242	3.37872	4.01E-06	1.4E-05	2.50E-04	3.39E-09	25	1.15E-02	9.74E-10	1.0E+06	9.7E-04
243	243	4.6661	4.01E-06	1.9E-05	2.50E-04	4.69E-09	25	1.15E-02	1.34E-09	1.0E+06	1.3E-03
244	244	6.74397	4.01E-06	2.7E-05	2.50E-04	6.78E-09	25	1.15E-02	1.94E-09	1.0E+06	1.9E-03
245	245	10.19518	4.01E-06	4.1E-05	2.50E-04	1.02E-08	25	1.15E-02	2.94E-09	1.0E+06	2.9E-03
246	246	14.5819	4.01E-06	5.9E-05	2.50E-04	1.47E-08	25	1.15E-02	4.20E-09	1.0E+06	4.2E-03
247	247	17.29797	4.01E-06	6.9E-05	2.50E-04	1.74E-08	25	1.15E-02	4.98E-09	1.0E+06	5.0E-03
248	248	16.84674	4.01E-06	6.8E-05	2.50E-04	1.69E-08	25	1.15E-02	4.85E-09	1.0E+06	4.9E-03
249	249	8.19032	4.01E-06	3.3E-05	2.50E-04	8.23E-09	25	1.15E-02	2.36E-09	1.0E+06	2.4E-03
250	250	4.83136	4.01E-06	1.9E-05	2.50E-04	4.85E-09	25	1.15E-02	1.39E-09	1.0E+06	1.4E-03
251	251	3.2657	4.01E-06	1.3E-05	2.50E-04	3.28E-09	25	1.15E-02	9.41E-10	1.0E+06	9.4E-04
252	252	2.41833	4.01E-06	9.7E-06	2.50E-04	2.43E-09	25	1.15E-02	6.97E-10	1.0E+06	7.0E-04
253	253	1.88507	4.01E-06	7.6E-06	2.50E-04	1.89E-09	25	1.15E-02	5.43E-10	1.0E+06	5.4E-04
254	254	1.5221	4.01E-06	6.1E-06	2.50E-04	1.53E-09	25	1.15E-02	4.39E-10	1.0E+06	4.4E-04
257	257	2.85743	4.01E-06	1.1E-05	2.50E-04	2.87E-09	25	1.15E-02	8.23E-10	1.0E+06	8.2E-04
258	258	3.74424	4.01E-06	1.5E-05	2.50E-04	3.76E-09	25	1.15E-02	1.08E-09	1.0E+06	1.1E-03
259	259	5.03996	4.01E-06	2.0E-05	2.50E-04	5.06E-09	25	1.15E-02	1.45E-09	1.0E+06	1.5E-03
260	260	6.78429	4.01E-06	2.7E-05	2.50E-04	6.82E-09	25	1.15E-02	1.95E-09	1.0E+06	2.0E-03
261	261	8.74606	4.01E-06	3.5E-05	2.50E-04	8.79E-09	25	1.15E-02	2.52E-09	1.0E+06	2.5E-03
262	262	9.91	4.01E-06	4.0E-05	2.50E-04	9.96E-09	25	1.15E-02	2.86E-09	1.0E+06	2.9E-03
263	263	9.67904	4.01E-06	3.9E-05	2.50E-04	9.72E-09	25	1.15E-02	2.79E-09	1.0E+06	2.8E-03
264	264	5.83763	4.01E-06	2.3E-05	2.50E-04	5.87E-09	25	1.15E-02	1.68E-09	1.0E+06	1.7E-03
265	265	3.95027	4.01E-06	1.6E-05	2.50E-04	3.97E-09	25	1.15E-02	1.14E-09	1.0E+06	1.1E-03
266	266	2.80293	4.01E-06	1.1E-05	2.50E-04	2.82E-09	25	1.15E-02	8.08E-10	1.0E+06	8.1E-04

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	2.12324	4.01E-06	8.5E-06	2.50E-04	2.13E-09	25	1.15E-02	6.12E-10	1.0E+06	6.1E-04
268	268	1.6836	4.01E-06	6.8E-06	2.50E-04	1.69E-09	25	1.15E-02	4.85E-10	1.0E+06	4.9E-04
269	269	1.37904	4.01E-06	5.5E-06	2.50E-04	1.39E-09	25	1.15E-02	3.97E-10	1.0E+06	4.0E-04
270	270	0.85165	4.01E-06	3.4E-06	2.50E-04	8.56E-10	25	1.15E-02	2.45E-10	1.0E+06	2.5E-04
271	271	0.7452	4.01E-06	3.0E-06	2.50E-04	7.49E-10	25	1.15E-02	2.15E-10	1.0E+06	2.1E-04
274	274	2.41289	4.01E-06	9.7E-06	2.50E-04	2.42E-09	25	1.15E-02	6.95E-10	1.0E+06	7.0E-04
275	275	3.02859	4.01E-06	1.2E-05	2.50E-04	3.04E-09	25	1.15E-02	8.73E-10	1.0E+06	8.7E-04
276	276	3.85736	4.01E-06	1.5E-05	2.50E-04	3.88E-09	25	1.15E-02	1.11E-09	1.0E+06	1.1E-03
277	277	4.8595	4.01E-06	2.0E-05	2.50E-04	4.88E-09	25	1.15E-02	1.40E-09	1.0E+06	1.4E-03
278	278	5.87989	4.01E-06	2.4E-05	2.50E-04	5.91E-09	25	1.15E-02	1.69E-09	1.0E+06	1.7E-03
279	279	6.48815	4.01E-06	2.6E-05	2.50E-04	6.52E-09	25	1.15E-02	1.87E-09	1.0E+06	1.9E-03
280	280	6.38339	4.01E-06	2.6E-05	2.50E-04	6.41E-09	25	1.15E-02	1.84E-09	1.0E+06	1.8E-03
281	281	4.38936	4.01E-06	1.8E-05	2.50E-04	4.41E-09	25	1.15E-02	1.26E-09	1.0E+06	1.3E-03
282	282	3.24855	4.01E-06	1.3E-05	2.50E-04	3.26E-09	25	1.15E-02	9.36E-10	1.0E+06	9.4E-04
283	283	2.42149	4.01E-06	9.7E-06	2.50E-04	2.43E-09	25	1.15E-02	6.98E-10	1.0E+06	7.0E-04
284	284	1.87964	4.01E-06	7.5E-06	2.50E-04	1.89E-09	25	1.15E-02	5.42E-10	1.0E+06	5.4E-04
285	285	1.51538	4.01E-06	6.1E-06	2.50E-04	1.52E-09	25	1.15E-02	4.37E-10	1.0E+06	4.4E-04
286	286	1.25583	4.01E-06	5.0E-06	2.50E-04	1.26E-09	25	1.15E-02	3.62E-10	1.0E+06	3.6E-04
287	287	0.79451	4.01E-06	3.2E-06	2.50E-04	7.98E-10	25	1.15E-02	2.29E-10	1.0E+06	2.3E-04
288	288	0.70016	4.01E-06	2.8E-06	2.50E-04	7.03E-10	25	1.15E-02	2.02E-10	1.0E+06	2.0E-04
291	291	2.04553	4.01E-06	8.2E-06	2.50E-04	2.06E-09	25	1.15E-02	5.89E-10	1.0E+06	5.9E-04
292	292	2.48253	4.01E-06	1.0E-05	2.50E-04	2.49E-09	25	1.15E-02	7.15E-10	1.0E+06	7.2E-04
293	293	3.03027	4.01E-06	1.2E-05	2.50E-04	3.04E-09	25	1.15E-02	8.73E-10	1.0E+06	8.7E-04
294	294	3.65293	4.01E-06	1.5E-05	2.50E-04	3.67E-09	25	1.15E-02	1.05E-09	1.0E+06	1.1E-03
295	295	4.23822	4.01E-06	1.7E-05	2.50E-04	4.26E-09	25	1.15E-02	1.22E-09	1.0E+06	1.2E-03
296	296	4.59925	4.01E-06	1.8E-05	2.50E-04	4.62E-09	25	1.15E-02	1.33E-09	1.0E+06	1.3E-03
297	297	4.56713	4.01E-06	1.8E-05	2.50E-04	4.59E-09	25	1.15E-02	1.32E-09	1.0E+06	1.3E-03
298	298	3.43074	4.01E-06	1.4E-05	2.50E-04	3.45E-09	25	1.15E-02	9.89E-10	1.0E+06	9.9E-04
299	299	2.70583	4.01E-06	1.1E-05	2.50E-04	2.72E-09	25	1.15E-02	7.80E-10	1.0E+06	7.8E-04
300	300	2.1073	4.01E-06	8.5E-06	2.50E-04	2.12E-09	25	1.15E-02	6.07E-10	1.0E+06	6.1E-04
301	301	1.67702	4.01E-06	6.7E-06	2.50E-04	1.68E-09	25	1.15E-02	4.83E-10	1.0E+06	4.8E-04

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	302	1.3711	4.01E-06	5.5E-06	2.50E-04	1.38E-09	25	1.15E-02	3.95E-10	1.0E+06	4.0E-04
303	303	1.14779	4.01E-06	4.6E-06	2.50E-04	1.15E-09	25	1.15E-02	3.31E-10	1.0E+06	3.3E-04
304	304	0.74338	4.01E-06	3.0E-06	2.50E-04	7.47E-10	25	1.15E-02	2.14E-10	1.0E+06	2.1E-04
305	305	0.65835	4.01E-06	2.6E-06	2.50E-04	6.61E-10	25	1.15E-02	1.90E-10	1.0E+06	1.9E-04
308	308	1.74616	4.01E-06	7.0E-06	2.50E-04	1.75E-09	25	1.15E-02	5.03E-10	1.0E+06	5.0E-04
309	309	2.06378	4.01E-06	8.3E-06	2.50E-04	2.07E-09	25	1.15E-02	5.95E-10	1.0E+06	5.9E-04
310	310	2.43957	4.01E-06	9.8E-06	2.50E-04	2.45E-09	25	1.15E-02	7.03E-10	1.0E+06	7.0E-04
311	311	2.8459	4.01E-06	1.1E-05	2.50E-04	2.86E-09	25	1.15E-02	8.20E-10	1.0E+06	8.2E-04
312	312	3.21893	4.01E-06	1.3E-05	2.50E-04	3.23E-09	25	1.15E-02	9.27E-10	1.0E+06	9.3E-04
313	313	3.44647	4.01E-06	1.4E-05	2.50E-04	3.46E-09	25	1.15E-02	9.93E-10	1.0E+06	9.9E-04
314	314	3.442	4.01E-06	1.4E-05	2.50E-04	3.46E-09	25	1.15E-02	9.92E-10	1.0E+06	9.9E-04
315	315	2.75976	4.01E-06	1.1E-05	2.50E-04	2.77E-09	25	1.15E-02	7.95E-10	1.0E+06	8.0E-04
316	316	2.27989	4.01E-06	9.2E-06	2.50E-04	2.29E-09	25	1.15E-02	6.57E-10	1.0E+06	6.6E-04
317	317	1.84274	4.01E-06	7.4E-06	2.50E-04	1.85E-09	25	1.15E-02	5.31E-10	1.0E+06	5.3E-04
318	318	1.50179	4.01E-06	6.0E-06	2.50E-04	1.51E-09	25	1.15E-02	4.33E-10	1.0E+06	4.3E-04
319	319	1.24496	4.01E-06	5.0E-06	2.50E-04	1.25E-09	25	1.15E-02	3.59E-10	1.0E+06	3.6E-04
320	320	1.05248	4.01E-06	4.2E-06	2.50E-04	1.06E-09	25	1.15E-02	3.03E-10	1.0E+06	3.0E-04
321	321	0.6959	4.01E-06	2.8E-06	2.50E-04	6.99E-10	25	1.15E-02	2.01E-10	1.0E+06	2.0E-04
322	322	0.61931	4.01E-06	2.5E-06	2.50E-04	6.22E-10	25	1.15E-02	1.78E-10	1.0E+06	1.8E-04
325	325	1.50251	4.01E-06	6.0E-06	2.50E-04	1.51E-09	25	1.15E-02	4.33E-10	1.0E+06	4.3E-04
326	326	1.73788	4.01E-06	7.0E-06	2.50E-04	1.75E-09	25	1.15E-02	5.01E-10	1.0E+06	5.0E-04
327	327	2.00495	4.01E-06	8.0E-06	2.50E-04	2.01E-09	25	1.15E-02	5.78E-10	1.0E+06	5.8E-04
328	328	2.28401	4.01E-06	9.2E-06	2.50E-04	2.29E-09	25	1.15E-02	6.58E-10	1.0E+06	6.6E-04
329	329	2.52913	4.01E-06	1.0E-05	2.50E-04	2.54E-09	25	1.15E-02	7.29E-10	1.0E+06	7.3E-04
330	330	2.68562	4.01E-06	1.1E-05	2.50E-04	2.70E-09	25	1.15E-02	7.74E-10	1.0E+06	7.7E-04
331	331	2.6942	4.01E-06	1.1E-05	2.50E-04	2.71E-09	25	1.15E-02	7.76E-10	1.0E+06	7.8E-04
332	332	2.54303	4.01E-06	1.0E-05	2.50E-04	2.55E-09	25	1.15E-02	7.33E-10	1.0E+06	7.3E-04
333	333	2.26806	4.01E-06	9.1E-06	2.50E-04	2.28E-09	25	1.15E-02	6.53E-10	1.0E+06	6.5E-04
334	334	1.9381	4.01E-06	7.8E-06	2.50E-04	1.95E-09	25	1.15E-02	5.58E-10	1.0E+06	5.6E-04
335	335	1.61851	4.01E-06	6.5E-06	2.50E-04	1.63E-09	25	1.15E-02	4.66E-10	1.0E+06	4.7E-04
336	336	1.34754	4.01E-06	5.4E-06	2.50E-04	1.35E-09	25	1.15E-02	3.88E-10	1.0E+06	3.9E-04

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	1.13323	4.01E-06	4.5E-06	2.50E-04	1.14E-09	25	1.15E-02	3.27E-10	1.0E+06	3.3E-04
338	338	0.96716	4.01E-06	3.9E-06	2.50E-04	9.72E-10	25	1.15E-02	2.79E-10	1.0E+06	2.8E-04
339	339	0.73465	4.01E-06	2.9E-06	2.50E-04	7.38E-10	25	1.15E-02	2.12E-10	1.0E+06	2.1E-04
340	340	0.65187	4.01E-06	2.6E-06	2.50E-04	6.55E-10	25	1.15E-02	1.88E-10	1.0E+06	1.9E-04
341	341	0.58299	4.01E-06	2.3E-06	2.50E-04	5.86E-10	25	1.15E-02	1.68E-10	1.0E+06	1.7E-04
349	349	2.04544	4.01E-06	8.2E-06	2.50E-04	2.06E-09	25	1.15E-02	5.89E-10	1.0E+06	5.9E-04
350	350	2.15527	4.01E-06	8.7E-06	2.50E-04	2.17E-09	25	1.15E-02	6.21E-10	1.0E+06	6.2E-04
351	351	2.16833	4.01E-06	8.7E-06	2.50E-04	2.18E-09	25	1.15E-02	6.25E-10	1.0E+06	6.2E-04
352	352	2.07662	4.01E-06	8.3E-06	2.50E-04	2.09E-09	25	1.15E-02	5.98E-10	1.0E+06	6.0E-04
353	353	0.68554	4.01E-06	2.8E-06	2.50E-04	6.89E-10	25	1.15E-02	1.98E-10	1.0E+06	2.0E-04
354	354	0.61145	4.01E-06	2.5E-06	2.50E-04	6.14E-10	25	1.15E-02	1.76E-10	1.0E+06	1.8E-04
355	355	0.54936	4.01E-06	2.2E-06	2.50E-04	5.52E-10	25	1.15E-02	1.58E-10	1.0E+06	1.6E-04
364	364	1.77099	4.01E-06	7.1E-06	2.50E-04	1.78E-09	25	1.15E-02	5.10E-10	1.0E+06	5.1E-04
365	365	1.787	4.01E-06	7.2E-06	2.50E-04	1.80E-09	25	1.15E-02	5.15E-10	1.0E+06	5.1E-04
366	366	1.72879	4.01E-06	6.9E-06	2.50E-04	1.74E-09	25	1.15E-02	4.98E-10	1.0E+06	5.0E-04
367	367	0.64105	4.01E-06	2.6E-06	2.50E-04	6.44E-10	25	1.15E-02	1.85E-10	1.0E+06	1.8E-04
368	368	0.57407	4.01E-06	2.3E-06	2.50E-04	5.77E-10	25	1.15E-02	1.65E-10	1.0E+06	1.7E-04
369	369	0.51804	4.01E-06	2.1E-06	2.50E-04	5.20E-10	25	1.15E-02	1.49E-10	1.0E+06	1.5E-04
377	377	1.48302	4.01E-06	6.0E-06	2.50E-04	1.49E-09	25	1.15E-02	4.27E-10	1.0E+06	4.3E-04
378	378	1.49899	4.01E-06	6.0E-06	2.50E-04	1.51E-09	25	1.15E-02	4.32E-10	1.0E+06	4.3E-04
379	379	1.46197	4.01E-06	5.9E-06	2.50E-04	1.47E-09	25	1.15E-02	4.21E-10	1.0E+06	4.2E-04
380	380	0.59955	4.01E-06	2.4E-06	2.50E-04	6.02E-10	25	1.15E-02	1.73E-10	1.0E+06	1.7E-04
381	381	0.53868	4.01E-06	2.2E-06	2.50E-04	5.41E-10	25	1.15E-02	1.55E-10	1.0E+06	1.6E-04
382	382	0.48848	4.01E-06	2.0E-06	2.50E-04	4.91E-10	25	1.15E-02	1.41E-10	1.0E+06	1.4E-04
391	391	1.27658	4.01E-06	5.1E-06	2.50E-04	1.28E-09	25	1.15E-02	3.68E-10	1.0E+06	3.7E-04
392	392	1.25225	4.01E-06	5.0E-06	2.50E-04	1.26E-09	25	1.15E-02	3.61E-10	1.0E+06	3.6E-04
393	393	0.56162	4.01E-06	2.3E-06	2.50E-04	5.64E-10	25	1.15E-02	1.62E-10	1.0E+06	1.6E-04
394	394	0.50714	4.01E-06	2.0E-06	2.50E-04	5.10E-10	25	1.15E-02	1.46E-10	1.0E+06	1.5E-04
395	395	0.46163	4.01E-06	1.9E-06	2.50E-04	4.64E-10	25	1.15E-02	1.33E-10	1.0E+06	1.3E-04
405	405	1.10142	4.01E-06	4.4E-06	2.50E-04	1.11E-09	25	1.15E-02	3.17E-10	1.0E+06	3.2E-04
406	406	1.08665	4.01E-06	4.4E-06	2.50E-04	1.09E-09	25	1.15E-02	3.13E-10	1.0E+06	3.1E-04

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	1.0441	4.01E-06	4.2E-06	2.50E-04	1.05E-09	25	1.15E-02	3.01E-10	1.0E+06	3.0E-04
408	408	0.52733	4.01E-06	2.1E-06	2.50E-04	5.30E-10	25	1.15E-02	1.52E-10	1.0E+06	1.5E-04
409	409	0.47792	4.01E-06	1.9E-06	2.50E-04	4.80E-10	25	1.15E-02	1.38E-10	1.0E+06	1.4E-04
410	410	0.43695	4.01E-06	1.8E-06	2.50E-04	4.39E-10	25	1.15E-02	1.26E-10	1.0E+06	1.3E-04
421	421	0.95173	4.01E-06	3.8E-06	2.50E-04	9.56E-10	25	1.15E-02	2.74E-10	1.0E+06	2.7E-04
422	422	0.92084	4.01E-06	3.7E-06	2.50E-04	9.25E-10	25	1.15E-02	2.65E-10	1.0E+06	2.7E-04
423	423	0.49553	4.01E-06	2.0E-06	2.50E-04	4.98E-10	25	1.15E-02	1.43E-10	1.0E+06	1.4E-04
424	424	0.45107	4.01E-06	1.8E-06	2.50E-04	4.53E-10	25	1.15E-02	1.30E-10	1.0E+06	1.3E-04
425	425	0.41372	4.01E-06	1.7E-06	2.50E-04	4.16E-10	25	1.15E-02	1.19E-10	1.0E+06	1.2E-04
435	435	0.84044	4.01E-06	3.4E-06	2.50E-04	8.44E-10	25	1.15E-02	2.42E-10	1.0E+06	2.4E-04
436	436	0.81865	4.01E-06	3.3E-06	2.50E-04	8.22E-10	25	1.15E-02	2.36E-10	1.0E+06	2.4E-04
437	437	0.42636	4.01E-06	1.7E-06	2.50E-04	4.28E-10	25	1.15E-02	1.23E-10	1.0E+06	1.2E-04
438	438	0.39173	4.01E-06	1.6E-06	2.50E-04	3.94E-10	25	1.15E-02	1.13E-10	1.0E+06	1.1E-04
449	449	0.74813	4.01E-06	3.0E-06	2.50E-04	7.52E-10	25	1.15E-02	2.16E-10	1.0E+06	2.2E-04
450	450	0.7327	4.01E-06	2.9E-06	2.50E-04	7.36E-10	25	1.15E-02	2.11E-10	1.0E+06	2.1E-04
451	451	0.70359	4.01E-06	2.8E-06	2.50E-04	7.07E-10	25	1.15E-02	2.03E-10	1.0E+06	2.0E-04
452	452	0.40317	4.01E-06	1.6E-06	2.50E-04	4.05E-10	25	1.15E-02	1.16E-10	1.0E+06	1.2E-04
453	453	0.37154	4.01E-06	1.5E-06	2.50E-04	3.73E-10	25	1.15E-02	1.07E-10	1.0E+06	1.1E-04
464	464	0.65936	4.01E-06	2.6E-06	2.50E-04	6.62E-10	25	1.15E-02	1.90E-10	1.0E+06	1.9E-04
465	465	0.63701	4.01E-06	2.6E-06	2.50E-04	6.40E-10	25	1.15E-02	1.84E-10	1.0E+06	1.8E-04
466	466	0.4502	4.01E-06	1.8E-06	2.50E-04	4.52E-10	25	1.15E-02	1.30E-10	1.0E+06	1.3E-04
467	467	0.38175	4.01E-06	1.5E-06	2.50E-04	3.84E-10	25	1.15E-02	1.10E-10	1.0E+06	1.1E-04
468	468	0.35291	4.01E-06	1.4E-06	2.50E-04	3.55E-10	25	1.15E-02	1.02E-10	1.0E+06	1.0E-04
479	479	0.59558	4.01E-06	2.4E-06	2.50E-04	5.98E-10	25	1.15E-02	1.72E-10	1.0E+06	1.7E-04
480	480	0.57916	4.01E-06	2.3E-06	2.50E-04	5.82E-10	25	1.15E-02	1.67E-10	1.0E+06	1.7E-04
481	481	0.55432	4.01E-06	2.2E-06	2.50E-04	5.57E-10	25	1.15E-02	1.60E-10	1.0E+06	1.6E-04
482	482	0.52449	4.01E-06	2.1E-06	2.50E-04	5.27E-10	25	1.15E-02	1.51E-10	1.0E+06	1.5E-04
483	483	0.49063	4.01E-06	2.0E-06	2.50E-04	4.93E-10	25	1.15E-02	1.41E-10	1.0E+06	1.4E-04
484	484	0.45643	4.01E-06	1.8E-06	2.50E-04	4.59E-10	25	1.15E-02	1.32E-10	1.0E+06	1.3E-04
485	485	0.42266	4.01E-06	1.7E-06	2.50E-04	4.25E-10	25	1.15E-02	1.22E-10	1.0E+06	1.2E-04
486	486	0.3911	4.01E-06	1.6E-06	2.50E-04	3.93E-10	25	1.15E-02	1.13E-10	1.0E+06	1.1E-04

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
487	487	0.36194	4.01E-06	1.5E-06	2.50E-04	3.64E-10	25	1.15E-02	1.04E-10	1.0E+06	1.0E-04
488	488	0.33551	4.01E-06	1.3E-06	2.50E-04	3.37E-10	25	1.15E-02	9.67E-11	1.0E+06	9.7E-05
501	501	0.52814	4.01E-06	2.1E-06	2.50E-04	5.31E-10	25	1.15E-02	1.52E-10	1.0E+06	1.5E-04
502	502	0.50935	4.01E-06	2.0E-06	2.50E-04	5.12E-10	25	1.15E-02	1.47E-10	1.0E+06	1.5E-04
503	503	0.48472	4.01E-06	1.9E-06	2.50E-04	4.87E-10	25	1.15E-02	1.40E-10	1.0E+06	1.4E-04
504	504	0.45652	4.01E-06	1.8E-06	2.50E-04	4.59E-10	25	1.15E-02	1.32E-10	1.0E+06	1.3E-04
505	505	0.42694	4.01E-06	1.7E-06	2.50E-04	4.29E-10	25	1.15E-02	1.23E-10	1.0E+06	1.2E-04
506	506	0.39747	4.01E-06	1.6E-06	2.50E-04	3.99E-10	25	1.15E-02	1.15E-10	1.0E+06	1.1E-04
507	507	0.36956	4.01E-06	1.5E-06	2.50E-04	3.71E-10	25	1.15E-02	1.06E-10	1.0E+06	1.1E-04
508	508	0.31932	4.01E-06	1.3E-06	2.50E-04	3.21E-10	25	1.15E-02	9.20E-11	1.0E+06	9.2E-05
520	520	0.48497	4.01E-06	1.9E-06	2.50E-04	4.87E-10	25	1.15E-02	1.40E-10	1.0E+06	1.4E-04
521	521	0.46815	4.01E-06	1.9E-06	2.50E-04	4.70E-10	25	1.15E-02	1.35E-10	1.0E+06	1.3E-04
522	522	0.44895	4.01E-06	1.8E-06	2.50E-04	4.51E-10	25	1.15E-02	1.29E-10	1.0E+06	1.3E-04
523	523	0.42528	4.01E-06	1.7E-06	2.50E-04	4.27E-10	25	1.15E-02	1.23E-10	1.0E+06	1.2E-04
524	524	0.39988	4.01E-06	1.6E-06	2.50E-04	4.02E-10	25	1.15E-02	1.15E-10	1.0E+06	1.2E-04
525	525	0.37419	4.01E-06	1.5E-06	2.50E-04	3.76E-10	25	1.15E-02	1.08E-10	1.0E+06	1.1E-04
526	526	0.34939	4.01E-06	1.4E-06	2.50E-04	3.51E-10	25	1.15E-02	1.01E-10	1.0E+06	1.0E-04
527	527	0.30413	4.01E-06	1.2E-06	2.50E-04	3.06E-10	25	1.15E-02	8.76E-11	1.0E+06	8.8E-05
539	539	0.44701	4.01E-06	1.8E-06	2.50E-04	4.49E-10	25	1.15E-02	1.29E-10	1.0E+06	1.3E-04
540	540	0.43372	4.01E-06	1.7E-06	2.50E-04	4.36E-10	25	1.15E-02	1.25E-10	1.0E+06	1.2E-04
541	541	0.41626	4.01E-06	1.7E-06	2.50E-04	4.18E-10	25	1.15E-02	1.20E-10	1.0E+06	1.2E-04
542	542	0.39625	4.01E-06	1.6E-06	2.50E-04	3.98E-10	25	1.15E-02	1.14E-10	1.0E+06	1.1E-04
543	543	0.37508	4.01E-06	1.5E-06	2.50E-04	3.77E-10	25	1.15E-02	1.08E-10	1.0E+06	1.1E-04
544	544	0.35263	4.01E-06	1.4E-06	2.50E-04	3.54E-10	25	1.15E-02	1.02E-10	1.0E+06	1.0E-04
545	545	0.33022	4.01E-06	1.3E-06	2.50E-04	3.32E-10	25	1.15E-02	9.51E-11	1.0E+06	9.5E-05
546	546	0.28985	4.01E-06	1.2E-06	2.50E-04	2.91E-10	25	1.15E-02	8.35E-11	1.0E+06	8.4E-05
560	560	0.40243	4.01E-06	1.6E-06	2.50E-04	4.04E-10	25	1.15E-02	1.16E-10	1.0E+06	1.2E-04
561	561	0.38825	4.01E-06	1.6E-06	2.50E-04	3.90E-10	25	1.15E-02	1.12E-10	1.0E+06	1.1E-04
562	562	0.37107	4.01E-06	1.5E-06	2.50E-04	3.73E-10	25	1.15E-02	1.07E-10	1.0E+06	1.1E-04
563	563	0.35146	4.01E-06	1.4E-06	2.50E-04	3.53E-10	25	1.15E-02	1.01E-10	1.0E+06	1.0E-04
564	564	0.33244	4.01E-06	1.3E-06	2.50E-04	3.34E-10	25	1.15E-02	9.58E-11	1.0E+06	9.6E-05

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

<i>Cancer Risk from 16-30 years - Construction</i>											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.31345	4.01E-06	1.3E-06	2.50E-04	3.15E-10	25	1.15E-02	9.03E-11	1.0E+06	9.0E-05
566	566	0.27673	4.01E-06	1.1E-06	2.50E-04	2.78E-10	25	1.15E-02	7.97E-11	1.0E+06	8.0E-05
579	579	0.37434	4.01E-06	1.5E-06	2.50E-04	3.76E-10	25	1.15E-02	1.08E-10	1.0E+06	1.1E-04
580	580	0.36246	4.01E-06	1.5E-06	2.50E-04	3.64E-10	25	1.15E-02	1.04E-10	1.0E+06	1.0E-04
581	581	0.34812	4.01E-06	1.4E-06	2.50E-04	3.50E-10	25	1.15E-02	1.00E-10	1.0E+06	1.0E-04
582	582	0.33182	4.01E-06	1.3E-06	2.50E-04	3.33E-10	25	1.15E-02	9.56E-11	1.0E+06	9.6E-05
583	583	0.31453	4.01E-06	1.3E-06	2.50E-04	3.16E-10	25	1.15E-02	9.06E-11	1.0E+06	9.1E-05
584	584	0.29703	4.01E-06	1.2E-06	2.50E-04	2.98E-10	25	1.15E-02	8.56E-11	1.0E+06	8.6E-05
585	585	0.25873	4.01E-06	1.0E-06	2.50E-04	2.60E-10	25	1.15E-02	7.45E-11	1.0E+06	7.5E-05
598	598	0.3492	4.01E-06	1.4E-06	2.50E-04	3.51E-10	25	1.15E-02	1.01E-10	1.0E+06	1.0E-04
599	599	0.33908	4.01E-06	1.4E-06	2.50E-04	3.41E-10	25	1.15E-02	9.77E-11	1.0E+06	9.8E-05
600	600	0.32681	4.01E-06	1.3E-06	2.50E-04	3.28E-10	25	1.15E-02	9.42E-11	1.0E+06	9.4E-05
601	601	0.31283	4.01E-06	1.3E-06	2.50E-04	3.14E-10	25	1.15E-02	9.01E-11	1.0E+06	9.0E-05
602	602	0.29777	4.01E-06	1.2E-06	2.50E-04	2.99E-10	25	1.15E-02	8.58E-11	1.0E+06	8.6E-05
603	603	0.28243	4.01E-06	1.1E-06	2.50E-04	2.84E-10	25	1.15E-02	8.14E-11	1.0E+06	8.1E-05
604	604	0.26707	4.01E-06	1.1E-06	2.50E-04	2.68E-10	25	1.15E-02	7.70E-11	1.0E+06	7.7E-05
0	0	0	4.01E-06	0.0E+00	2.50E-04	0.00E+00	25	1.15E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
1	1	9.2E-04	5	2.36E-07	
2	2	9.9E-04	5	2.54E-07	
3	3	1.1E-03	5	2.73E-07	
4	4	1.2E-03	5	2.95E-07	
5	5	1.3E-03	5	3.20E-07	
6	6	1.4E-03	5	3.48E-07	
7	7	1.5E-03	5	3.80E-07	
8	8	1.6E-03	5	4.16E-07	
9	9	1.8E-03	5	4.57E-07	
10	10	2.0E-03	5	5.03E-07	
11	11	2.2E-03	5	5.54E-07	
12	12	2.4E-03	5	6.12E-07	
13	13	2.6E-03	5	6.77E-07	
14	14	2.9E-03	5	7.49E-07	
15	15	3.2E-03	5	8.26E-07	
16	16	3.5E-03	5	9.07E-07	
17	17	3.9E-03	5	9.89E-07	
18	18	4.2E-03	5	1.06E-06	
19	19	4.4E-03	5	1.12E-06	
20	20	4.6E-03	5	1.17E-06	
21	21	4.7E-03	5	1.19E-06	
22	22	4.7E-03	5	1.22E-06	
23	23	4.9E-03	5	1.24E-06	
24	24	5.0E-03	5	1.27E-06	
25	25	5.0E-03	5	1.28E-06	
26	26	5.0E-03	5	1.28E-06	
27	27	4.9E-03	5	1.26E-06	
28	28	4.8E-03	5	1.23E-06	
29	29	4.6E-03	5	1.18E-06	
30	30	4.4E-03	5	1.13E-06	
31	31	4.2E-03	5	1.06E-06	

Max	Receptor #	
0.013	96	Res
0.006	348	School
0.011	231	Worker

Max	Receptor #	
3.238E-06	96	Res
1.504E-06	348	School
3.196E-05	231	Worker

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
32	32	3.9E-03	5	9.98E-07	
55	55	6.2E-03	5	1.58E-06	
56	56	6.3E-03	5	1.62E-06	
57	57	6.4E-03	5	1.65E-06	
58	58	6.4E-03	5	1.64E-06	
59	59	6.3E-03	5	1.60E-06	
60	60	6.0E-03	5	1.54E-06	
61	61	5.7E-03	5	1.46E-06	
62	62	5.3E-03	5	1.37E-06	
63	63	5.0E-03	5	1.28E-06	
64	64	4.6E-03	5	1.18E-06	
65	65	4.2E-03	5	1.09E-06	
66	66	3.9E-03	5	9.95E-07	
67	67	9.9E-04	5	2.53E-07	
68	68	1.1E-03	5	2.74E-07	
69	69	1.2E-03	5	2.97E-07	
70	70	1.3E-03	5	3.24E-07	
71	71	1.4E-03	5	3.54E-07	
72	72	1.5E-03	5	3.90E-07	
73	73	1.7E-03	5	4.31E-07	
74	74	1.9E-03	5	4.78E-07	
75	75	2.1E-03	5	5.34E-07	
76	76	2.3E-03	5	5.99E-07	
77	77	2.6E-03	5	6.77E-07	
78	78	3.0E-03	5	7.70E-07	
79	79	6.0E-03	5	1.53E-06	
80	80	6.8E-03	5	1.73E-06	
81	81	7.4E-03	5	1.91E-06	
82	82	7.9E-03	5	2.02E-06	
83	83	8.2E-03	5	2.10E-06	
84	84	8.5E-03	5	2.18E-06	

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
85	85	8.7E-03	5	2.22E-06	
86	86	8.6E-03	5	2.20E-06	
87	87	8.2E-03	5	2.11E-06	
88	88	7.8E-03	5	1.98E-06	
89	89	7.2E-03	5	1.84E-06	
90	90	6.6E-03	5	1.70E-06	
91	91	6.1E-03	5	1.56E-06	
92	92	5.5E-03	5	1.42E-06	
93	93	5.0E-03	5	1.29E-06	
96	96	1.3E-02	5	3.24E-06	
97	97	1.2E-02	5	2.95E-06	
98	98	9.4E-03	5	2.41E-06	
99	99	8.5E-03	5	2.16E-06	
100	100	7.6E-03	5	1.94E-06	
101	101	6.8E-03	5	1.73E-06	
102	102	6.0E-03	5	1.54E-06	
106	106	9.6E-04	5	2.46E-07	
107	107	1.0E-03	5	2.67E-07	
108	108	1.1E-03	5	2.91E-07	
109	109	1.2E-03	5	3.18E-07	
110	110	1.4E-03	5	3.49E-07	
111	111	1.5E-03	5	3.85E-07	
112	112	1.7E-03	5	4.28E-07	
113	113	1.9E-03	5	4.78E-07	
114	114	2.1E-03	5	5.39E-07	
115	115	2.4E-03	5	6.11E-07	
116	116	2.7E-03	5	7.00E-07	
117	117	3.2E-03	5	8.11E-07	
118	118	3.7E-03	5	9.50E-07	
124	124	9.8E-04	5	2.51E-07	
125	125	1.1E-03	5	2.73E-07	

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
126	126	1.2E-03	5	2.97E-07	
127	127	1.3E-03	5	3.26E-07	
128	128	1.4E-03	5	3.59E-07	
129	129	1.6E-03	5	3.97E-07	
130	130	1.7E-03	5	4.43E-07	
131	131	1.9E-03	5	4.98E-07	
132	132	2.2E-03	5	5.65E-07	
133	133	2.5E-03	5	6.46E-07	
134	134	2.9E-03	5	7.48E-07	
135	135	3.4E-03	5	8.76E-07	
136	136	4.1E-03	5	1.04E-06	
137	137	4.9E-03	5	1.26E-06	
138	138	6.1E-03	5	1.56E-06	
141	141	9.9E-04	5	2.54E-07	
142	142	1.1E-03	5	2.77E-07	
143	143	1.2E-03	5	3.02E-07	
144	144	1.3E-03	5	3.32E-07	
145	145	1.4E-03	5	3.67E-07	
146	146	1.6E-03	5	4.07E-07	
147	147	1.8E-03	5	4.56E-07	
148	148	2.0E-03	5	5.14E-07	
149	149	2.3E-03	5	5.86E-07	
150	150	2.6E-03	5	6.74E-07	
151	151	3.1E-03	5	7.86E-07	
152	152	3.6E-03	5	9.30E-07	
153	153	4.4E-03	5	1.12E-06	
154	154	5.4E-03	5	1.38E-06	
155	155	6.8E-03	5	1.74E-06	
164	164	5.7E-03	5	1.47E-06	
165	165	7.4E-03	5	1.89E-06	
166	166	9.9E-03	5	2.54E-06	

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
178	178	5.9E-03	5	1.52E-06	
179	179	7.7E-03	5	1.97E-06	
180	180	1.0E-02	5	2.68E-06	
192	192	5.9E-03	5	1.52E-06	
193	193	7.7E-03	5	1.97E-06	
194	194	1.0E-02	5	2.68E-06	
207	207	5.8E-03	5	1.48E-06	
208	208	7.4E-03	5	1.90E-06	
209	209	9.9E-03	5	2.54E-06	
223	223	5.5E-03	5	1.40E-06	
224	224	6.9E-03	5	1.77E-06	
225	225	9.0E-03	5	2.31E-06	
239	239	5.1E-03	5	1.30E-06	
240	240	6.3E-03	5	1.61E-06	
241	241	8.0E-03	5	2.06E-06	
255	255	4.7E-03	5	1.19E-06	
256	256	5.7E-03	5	1.45E-06	
272	272	4.2E-03	5	1.08E-06	
273	273	5.1E-03	5	1.30E-06	
289	289	3.8E-03	5	9.82E-07	
290	290	4.5E-03	5	1.15E-06	
306	306	3.5E-03	5	8.86E-07	
307	307	4.0E-03	5	1.02E-06	
323	323	3.1E-03	5	8.00E-07	
324	324	3.6E-03	5	9.12E-07	
342	342	2.8E-03	5	7.23E-07	
343	343	3.2E-03	5	8.15E-07	
344	344	3.6E-03	5	9.22E-07	
356	356	2.6E-03	5	6.55E-07	
357	357	2.9E-03	5	7.31E-07	
358	358	3.2E-03	5	8.17E-07	

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
370	370	2.3E-03	5	5.95E-07	
371	371	2.6E-03	5	6.58E-07	
372	372	2.8E-03	5	7.28E-07	
383	383	2.1E-03	5	5.43E-07	
384	384	2.3E-03	5	5.95E-07	
385	385	2.6E-03	5	6.53E-07	
396	396	1.9E-03	5	4.97E-07	
397	397	2.1E-03	5	5.40E-07	
398	398	2.3E-03	5	5.88E-07	
399	399	2.5E-03	5	6.40E-07	
411	411	1.8E-03	5	4.56E-07	
412	412	1.9E-03	5	4.93E-07	
413	413	2.1E-03	5	5.33E-07	
414	414	2.2E-03	5	5.75E-07	
426	426	1.6E-03	5	4.20E-07	
427	427	1.8E-03	5	4.51E-07	
428	428	1.9E-03	5	4.85E-07	
429	429	2.0E-03	5	5.19E-07	
439	439	1.5E-03	5	3.87E-07	
440	440	1.6E-03	5	4.14E-07	
441	441	1.7E-03	5	4.43E-07	
442	442	1.8E-03	5	4.72E-07	
443	443	2.0E-03	5	5.01E-07	
454	454	1.4E-03	5	3.59E-07	
455	455	1.5E-03	5	3.82E-07	
456	456	1.6E-03	5	4.06E-07	
457	457	1.7E-03	5	4.30E-07	
458	458	1.8E-03	5	4.55E-07	
469	469	1.3E-03	5	3.33E-07	
470	470	1.4E-03	5	3.53E-07	
471	471	1.5E-03	5	3.73E-07	

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
472	472	1.5E-03	5	3.94E-07	
473	473	1.6E-03	5	4.15E-07	
489	489	1.2E-03	5	3.10E-07	
490	490	1.3E-03	5	3.27E-07	
491	491	1.3E-03	5	3.45E-07	
492	492	1.4E-03	5	3.62E-07	
493	493	1.5E-03	5	3.80E-07	
494	494	1.5E-03	5	3.97E-07	
509	509	1.1E-03	5	2.89E-07	
510	510	1.2E-03	5	3.04E-07	
511	511	1.2E-03	5	3.19E-07	
512	512	1.3E-03	5	3.34E-07	
513	513	1.4E-03	5	3.49E-07	
514	514	1.4E-03	5	3.64E-07	
515	515	1.5E-03	5	3.88E-07	
516	516	1.5E-03	5	3.96E-07	
517	517	1.6E-03	5	4.02E-07	
518	518	1.6E-03	5	4.02E-07	
519	519	1.6E-03	5	3.99E-07	
528	528	1.1E-03	5	2.71E-07	
529	529	1.1E-03	5	2.84E-07	
530	530	1.2E-03	5	2.97E-07	
531	531	1.2E-03	5	3.10E-07	
532	532	1.3E-03	5	3.22E-07	
533	533	1.3E-03	5	3.35E-07	
534	534	1.4E-03	5	3.55E-07	
535	535	1.4E-03	5	3.63E-07	
536	536	1.4E-03	5	3.68E-07	
537	537	1.4E-03	5	3.69E-07	
538	538	1.4E-03	5	3.66E-07	
547	547	9.9E-04	5	2.54E-07	

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
548	548	1.0E-03	5	2.65E-07	
549	549	1.1E-03	5	2.76E-07	
550	550	1.1E-03	5	2.88E-07	
551	551	1.2E-03	5	2.99E-07	
552	552	1.2E-03	5	3.09E-07	
553	553	1.2E-03	5	3.19E-07	
554	554	1.3E-03	5	3.27E-07	
555	555	1.3E-03	5	3.34E-07	
556	556	1.3E-03	5	3.38E-07	
557	557	1.3E-03	5	3.39E-07	
558	558	1.3E-03	5	3.37E-07	
559	559	1.3E-03	5	3.32E-07	
567	567	9.3E-04	5	2.38E-07	
568	568	9.7E-04	5	2.48E-07	
569	569	1.0E-03	5	2.58E-07	
570	570	1.0E-03	5	2.68E-07	
571	571	1.1E-03	5	2.78E-07	
572	572	1.1E-03	5	2.87E-07	
573	573	1.2E-03	5	2.95E-07	
574	574	1.2E-03	5	3.08E-07	
575	575	1.2E-03	5	3.12E-07	
576	576	1.2E-03	5	3.13E-07	
577	577	1.2E-03	5	3.12E-07	
578	578	1.2E-03	5	3.08E-07	
586	586	8.8E-04	5	2.24E-07	
587	587	9.1E-04	5	2.33E-07	
588	588	9.5E-04	5	2.42E-07	
589	589	9.8E-04	5	2.50E-07	
590	590	1.0E-03	5	2.59E-07	
591	591	1.0E-03	5	2.67E-07	
592	592	1.1E-03	5	2.74E-07	

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
593	593	1.1E-03	5	2.85E-07	
594	594	1.1E-03	5	2.89E-07	
595	595	1.1E-03	5	2.90E-07	
596	596	1.1E-03	5	2.89E-07	
597	597	1.1E-03	5	2.86E-07	
345	345	4.1E-03	5	1.05E-06	
346	346	4.6E-03	5	1.19E-06	
347	347	5.3E-03	5	1.35E-06	
348	348	5.9E-03	5	1.50E-06	
359	359	3.6E-03	5	9.16E-07	
360	360	4.0E-03	5	1.02E-06	
361	361	4.5E-03	5	1.14E-06	
362	362	4.9E-03	5	1.26E-06	
363	363	5.3E-03	5	1.36E-06	
373	373	3.5E-03	5	8.92E-07	
374	374	3.8E-03	5	9.81E-07	
375	375	4.2E-03	5	1.07E-06	
376	376	4.5E-03	5	1.14E-06	
386	386	3.1E-03	5	7.84E-07	
387	387	3.3E-03	5	8.53E-07	
388	388	3.6E-03	5	9.18E-07	
389	389	3.8E-03	5	9.74E-07	
390	390	4.0E-03	5	1.01E-06	
400	400	2.7E-03	5	6.94E-07	
401	401	2.9E-03	5	7.48E-07	
402	402	3.1E-03	5	7.99E-07	
403	403	3.3E-03	5	8.43E-07	
404	404	3.4E-03	5	8.73E-07	
415	415	2.4E-03	5	6.19E-07	
416	416	2.6E-03	5	6.62E-07	
417	417	2.7E-03	5	7.02E-07	

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
418	418	2.9E-03	5	7.37E-07	
419	419	3.0E-03	5	7.62E-07	
420	420	3.0E-03	5	7.70E-07	
430	430	2.3E-03	5	5.90E-07	
431	431	2.4E-03	5	6.23E-07	
432	432	2.5E-03	5	6.51E-07	
433	433	2.6E-03	5	6.71E-07	
434	434	2.7E-03	5	6.80E-07	
444	444	2.1E-03	5	5.30E-07	
445	445	2.2E-03	5	5.57E-07	
446	446	2.3E-03	5	5.79E-07	
447	447	2.3E-03	5	5.96E-07	
448	448	2.4E-03	5	6.04E-07	
459	459	2.0E-03	5	5.01E-07	
460	460	2.0E-03	5	5.19E-07	
461	461	2.1E-03	5	5.33E-07	
462	462	2.1E-03	5	5.40E-07	
463	463	2.1E-03	5	5.39E-07	
474	474	1.8E-03	5	4.53E-07	
475	475	1.8E-03	5	4.68E-07	
476	476	1.9E-03	5	4.80E-07	
477	477	1.9E-03	5	4.86E-07	
478	478	1.9E-03	5	4.86E-07	
495	495	1.6E-03	5	4.12E-07	
496	496	1.7E-03	5	4.25E-07	
497	497	1.7E-03	5	4.35E-07	
498	498	1.7E-03	5	4.41E-07	
499	499	1.7E-03	5	4.41E-07	
500	500	1.7E-03	5	4.36E-07	

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

		<i>Max Cancer Risk Cancer Risk</i>		<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million		REL	HI Offroad
139	139	7.1E-04		5	1.98E-06
140	140	9.3E-04		5	2.60E-06
156	156	8.2E-04		5	2.29E-06
157	157	1.1E-03		5	3.15E-06
158	158	1.7E-03		5	4.70E-06
159	159	2.9E-03		5	7.98E-06
160	160	6.9E-03		5	1.93E-05
161	161	7.0E-03		5	1.96E-05
162	162	3.7E-03		5	1.04E-05
163	163	2.6E-03		5	7.17E-06
167	167	1.3E-03		5	3.61E-06
168	168	2.1E-03		5	5.72E-06
169	169	3.9E-03		5	1.08E-05
170	170	4.0E-03		5	1.12E-05
171	171	6.0E-03		5	1.67E-05
172	172	7.6E-03		5	2.11E-05
173	173	4.2E-03		5	1.18E-05
174	174	3.0E-03		5	8.33E-06
175	175	2.3E-03		5	6.47E-06
176	176	1.9E-03		5	5.19E-06
177	177	1.5E-03		5	4.15E-06
181	181	2.3E-03		5	6.34E-06
182	182	4.5E-03		5	1.27E-05
183	183	5.2E-03		5	1.44E-05
184	184	7.2E-03		5	2.02E-05
185	185	8.1E-03		5	2.25E-05
186	186	5.1E-03		5	1.43E-05
187	187	3.8E-03		5	1.06E-05
188	188	3.0E-03		5	8.26E-06
189	189	2.2E-03		5	6.25E-06
190	190	1.6E-03		5	4.59E-06

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
191	191	1.2E-03	5	3.38E-06	
195	195	2.3E-03	5	6.30E-06	
196	196	4.5E-03	5	1.26E-05	
197	197	8.8E-03	5	2.44E-05	
198	198	8.4E-03	5	2.34E-05	
199	199	1.1E-02	5	3.03E-05	
200	200	8.1E-03	5	2.25E-05	
201	201	6.3E-03	5	1.75E-05	
202	202	4.3E-03	5	1.19E-05	
203	203	2.6E-03	5	7.29E-06	
204	204	1.7E-03	5	4.65E-06	
205	205	1.1E-03	5	3.18E-06	
206	206	8.3E-04	5	2.31E-06	
210	210	1.3E-03	5	3.57E-06	
211	211	2.0E-03	5	5.62E-06	
212	212	3.7E-03	5	1.02E-05	
213	213	9.0E-03	5	2.51E-05	
214	214	6.9E-03	5	1.91E-05	
215	215	5.9E-03	5	1.65E-05	
216	216	6.8E-03	5	1.88E-05	
217	217	5.5E-03	5	1.53E-05	
218	218	2.4E-03	5	6.76E-06	
219	219	1.4E-03	5	3.99E-06	
220	220	9.7E-04	5	2.72E-06	
221	221	7.2E-04	5	2.00E-06	
222	222	5.6E-04	5	1.55E-06	
226	226	1.1E-03	5	3.17E-06	
227	227	1.7E-03	5	4.66E-06	
228	228	2.7E-03	5	7.50E-06	
229	229	4.9E-03	5	1.35E-05	
230	230	8.7E-03	5	2.44E-05	

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
231	231	1.1E-02	5	3.20E-05	
232	232	7.0E-03	5	1.94E-05	
233	233	3.6E-03	5	1.00E-05	
234	234	1.8E-03	5	4.94E-06	
235	235	1.1E-03	5	3.16E-06	
236	236	8.1E-04	5	2.26E-06	
237	237	6.2E-04	5	1.72E-06	
238	238	4.9E-04	5	1.36E-06	
242	242	9.7E-04	5	2.71E-06	
243	243	1.3E-03	5	3.75E-06	
244	244	1.9E-03	5	5.41E-06	
245	245	2.9E-03	5	8.19E-06	
246	246	4.2E-03	5	1.17E-05	
247	247	5.0E-03	5	1.39E-05	
248	248	4.9E-03	5	1.35E-05	
249	249	2.4E-03	5	6.58E-06	
250	250	1.4E-03	5	3.88E-06	
251	251	9.4E-04	5	2.62E-06	
252	252	7.0E-04	5	1.94E-06	
253	253	5.4E-04	5	1.51E-06	
254	254	4.4E-04	5	1.22E-06	
257	257	8.2E-04	5	2.29E-06	
258	258	1.1E-03	5	3.01E-06	
259	259	1.5E-03	5	4.05E-06	
260	260	2.0E-03	5	5.45E-06	
261	261	2.5E-03	5	7.02E-06	
262	262	2.9E-03	5	7.96E-06	
263	263	2.8E-03	5	7.77E-06	
264	264	1.7E-03	5	4.69E-06	
265	265	1.1E-03	5	3.17E-06	
266	266	8.1E-04	5	2.25E-06	

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
267	267	6.1E-04	5	1.70E-06	
268	268	4.9E-04	5	1.35E-06	
269	269	4.0E-04	5	1.11E-06	
270	270	2.5E-04	5	6.84E-07	
271	271	2.1E-04	5	5.98E-07	
274	274	7.0E-04	5	1.94E-06	
275	275	8.7E-04	5	2.43E-06	
276	276	1.1E-03	5	3.10E-06	
277	277	1.4E-03	5	3.90E-06	
278	278	1.7E-03	5	4.72E-06	
279	279	1.9E-03	5	5.21E-06	
280	280	1.8E-03	5	5.13E-06	
281	281	1.3E-03	5	3.52E-06	
282	282	9.4E-04	5	2.61E-06	
283	283	7.0E-04	5	1.94E-06	
284	284	5.4E-04	5	1.51E-06	
285	285	4.4E-04	5	1.22E-06	
286	286	3.6E-04	5	1.01E-06	
287	287	2.3E-04	5	6.38E-07	
288	288	2.0E-04	5	5.62E-07	
291	291	5.9E-04	5	1.64E-06	
292	292	7.2E-04	5	1.99E-06	
293	293	8.7E-04	5	2.43E-06	
294	294	1.1E-03	5	2.93E-06	
295	295	1.2E-03	5	3.40E-06	
296	296	1.3E-03	5	3.69E-06	
297	297	1.3E-03	5	3.67E-06	
298	298	9.9E-04	5	2.75E-06	
299	299	7.8E-04	5	2.17E-06	
300	300	6.1E-04	5	1.69E-06	
301	301	4.8E-04	5	1.35E-06	

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
302	302	4.0E-04	5	1.10E-06	
303	303	3.3E-04	5	9.22E-07	
304	304	2.1E-04	5	5.97E-07	
305	305	1.9E-04	5	5.29E-07	
308	308	5.0E-04	5	1.40E-06	
309	309	5.9E-04	5	1.66E-06	
310	310	7.0E-04	5	1.96E-06	
311	311	8.2E-04	5	2.28E-06	
312	312	9.3E-04	5	2.58E-06	
313	313	9.9E-04	5	2.77E-06	
314	314	9.9E-04	5	2.76E-06	
315	315	8.0E-04	5	2.22E-06	
316	316	6.6E-04	5	1.83E-06	
317	317	5.3E-04	5	1.48E-06	
318	318	4.3E-04	5	1.21E-06	
319	319	3.6E-04	5	1.00E-06	
320	320	3.0E-04	5	8.45E-07	
321	321	2.0E-04	5	5.59E-07	
322	322	1.8E-04	5	4.97E-07	
325	325	4.3E-04	5	1.21E-06	
326	326	5.0E-04	5	1.40E-06	
327	327	5.8E-04	5	1.61E-06	
328	328	6.6E-04	5	1.83E-06	
329	329	7.3E-04	5	2.03E-06	
330	330	7.7E-04	5	2.16E-06	
331	331	7.8E-04	5	2.16E-06	
332	332	7.3E-04	5	2.04E-06	
333	333	6.5E-04	5	1.82E-06	
334	334	5.6E-04	5	1.56E-06	
335	335	4.7E-04	5	1.30E-06	
336	336	3.9E-04	5	1.08E-06	

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Cancer Risk Million	REL	HI Offroad	
337	337	3.3E-04	5	9.10E-07	
338	338	2.8E-04	5	7.77E-07	
339	339	2.1E-04	5	5.90E-07	
340	340	1.9E-04	5	5.23E-07	
341	341	1.7E-04	5	4.68E-07	
349	349	5.9E-04	5	1.64E-06	
350	350	6.2E-04	5	1.73E-06	
351	351	6.2E-04	5	1.74E-06	
352	352	6.0E-04	5	1.67E-06	
353	353	2.0E-04	5	5.50E-07	
354	354	1.8E-04	5	4.91E-07	
355	355	1.6E-04	5	4.41E-07	
364	364	5.1E-04	5	1.42E-06	
365	365	5.1E-04	5	1.43E-06	
366	366	5.0E-04	5	1.39E-06	
367	367	1.8E-04	5	5.15E-07	
368	368	1.7E-04	5	4.61E-07	
369	369	1.5E-04	5	4.16E-07	
377	377	4.3E-04	5	1.19E-06	
378	378	4.3E-04	5	1.20E-06	
379	379	4.2E-04	5	1.17E-06	
380	380	1.7E-04	5	4.81E-07	
381	381	1.6E-04	5	4.32E-07	
382	382	1.4E-04	5	3.92E-07	
391	391	3.7E-04	5	1.02E-06	
392	392	3.6E-04	5	1.01E-06	
393	393	1.6E-04	5	4.51E-07	
394	394	1.5E-04	5	4.07E-07	
395	395	1.3E-04	5	3.71E-07	
405	405	3.2E-04	5	8.84E-07	
406	406	3.1E-04	5	8.72E-07	

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
407	407	3.0E-04	5	8.38E-07	
408	408	1.5E-04	5	4.23E-07	
409	409	1.4E-04	5	3.84E-07	
410	410	1.3E-04	5	3.51E-07	
421	421	2.7E-04	5	7.64E-07	
422	422	2.7E-04	5	7.39E-07	
423	423	1.4E-04	5	3.98E-07	
424	424	1.3E-04	5	3.62E-07	
425	425	1.2E-04	5	3.32E-07	
435	435	2.4E-04	5	6.75E-07	
436	436	2.4E-04	5	6.57E-07	
437	437	1.2E-04	5	3.42E-07	
438	438	1.1E-04	5	3.15E-07	
449	449	2.2E-04	5	6.01E-07	
450	450	2.1E-04	5	5.88E-07	
451	451	2.0E-04	5	5.65E-07	
452	452	1.2E-04	5	3.24E-07	
453	453	1.1E-04	5	2.98E-07	
464	464	1.9E-04	5	5.29E-07	
465	465	1.8E-04	5	5.11E-07	
466	466	1.3E-04	5	3.61E-07	
467	467	1.1E-04	5	3.06E-07	
468	468	1.0E-04	5	2.83E-07	
479	479	1.7E-04	5	4.78E-07	
480	480	1.7E-04	5	4.65E-07	
481	481	1.6E-04	5	4.45E-07	
482	482	1.5E-04	5	4.21E-07	
483	483	1.4E-04	5	3.94E-07	
484	484	1.3E-04	5	3.66E-07	
485	485	1.2E-04	5	3.39E-07	
486	486	1.1E-04	5	3.14E-07	

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
487	487	1.0E-04	5	2.91E-07	
488	488	9.7E-05	5	2.69E-07	
501	501	1.5E-04	5	4.24E-07	
502	502	1.5E-04	5	4.09E-07	
503	503	1.4E-04	5	3.89E-07	
504	504	1.3E-04	5	3.67E-07	
505	505	1.2E-04	5	3.43E-07	
506	506	1.1E-04	5	3.19E-07	
507	507	1.1E-04	5	2.97E-07	
508	508	9.2E-05	5	2.56E-07	
520	520	1.4E-04	5	3.89E-07	
521	521	1.3E-04	5	3.76E-07	
522	522	1.3E-04	5	3.60E-07	
523	523	1.2E-04	5	3.41E-07	
524	524	1.2E-04	5	3.21E-07	
525	525	1.1E-04	5	3.00E-07	
526	526	1.0E-04	5	2.81E-07	
527	527	8.8E-05	5	2.44E-07	
539	539	1.3E-04	5	3.59E-07	
540	540	1.2E-04	5	3.48E-07	
541	541	1.2E-04	5	3.34E-07	
542	542	1.1E-04	5	3.18E-07	
543	543	1.1E-04	5	3.01E-07	
544	544	1.0E-04	5	2.83E-07	
545	545	9.5E-05	5	2.65E-07	
546	546	8.4E-05	5	2.33E-07	
560	560	1.2E-04	5	3.23E-07	
561	561	1.1E-04	5	3.12E-07	
562	562	1.1E-04	5	2.98E-07	
563	563	1.0E-04	5	2.82E-07	
564	564	9.6E-05	5	2.67E-07	

Via Oro
Risk From Hughes (Via Oro to 405/Warnock way) [TKD]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Cancer Risk Million	REL	HI Offroad	
565	565	9.0E-05	5	2.52E-07	
566	566	8.0E-05	5	2.22E-07	
579	579	1.1E-04	5	3.01E-07	
580	580	1.0E-04	5	2.91E-07	
581	581	1.0E-04	5	2.79E-07	
582	582	9.6E-05	5	2.66E-07	
583	583	9.1E-05	5	2.53E-07	
584	584	8.6E-05	5	2.38E-07	
585	585	7.5E-05	5	2.08E-07	
598	598	1.0E-04	5	2.80E-07	
599	599	9.8E-05	5	2.72E-07	
600	600	9.4E-05	5	2.62E-07	
601	601	9.0E-05	5	2.51E-07	
602	602	8.6E-05	5	2.39E-07	
603	603	8.1E-05	5	2.27E-07	
604	604	7.7E-05	5	2.14E-07	
0	0	0.0E+00	5	0.00E+00	

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	Cancer Risk from 3rd Trimester - Construction								
		g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.39631	1.86E-06	7.4E-07	3.46E-04	2.55E-10	0.25	1.57E-01	1.00E-11	1.0E+06	1.0E-05
2	0.43464	1.86E-06	8.1E-07	3.46E-04	2.79E-10	0.25	1.57E-01	1.10E-11	1.0E+06	1.1E-05
3	0.47879	1.86E-06	8.9E-07	3.46E-04	3.08E-10	0.25	1.57E-01	1.21E-11	1.0E+06	1.2E-05
4	0.53022	1.86E-06	9.8E-07	3.46E-04	3.41E-10	0.25	1.57E-01	1.34E-11	1.0E+06	1.3E-05
5	0.59063	1.86E-06	1.1E-06	3.46E-04	3.80E-10	0.25	1.57E-01	1.49E-11	1.0E+06	1.5E-05
6	0.66284	1.86E-06	1.2E-06	3.46E-04	4.26E-10	0.25	1.57E-01	1.67E-11	1.0E+06	1.7E-05
7	0.74891	1.86E-06	1.4E-06	3.46E-04	4.81E-10	0.25	1.57E-01	1.89E-11	1.0E+06	1.9E-05
8	0.85203	1.86E-06	1.6E-06	3.46E-04	5.48E-10	0.25	1.57E-01	2.15E-11	1.0E+06	2.2E-05
9	0.97695	1.86E-06	1.8E-06	3.46E-04	6.28E-10	0.25	1.57E-01	2.47E-11	1.0E+06	2.5E-05
10	1.12894	1.86E-06	2.1E-06	3.46E-04	7.26E-10	0.25	1.57E-01	2.85E-11	1.0E+06	2.9E-05
11	1.31399	1.86E-06	2.4E-06	3.46E-04	8.44E-10	0.25	1.57E-01	3.32E-11	1.0E+06	3.3E-05
12	1.53825	1.86E-06	2.9E-06	3.46E-04	9.89E-10	0.25	1.57E-01	3.88E-11	1.0E+06	3.9E-05
13	1.80823	1.86E-06	3.4E-06	3.46E-04	1.16E-09	0.25	1.57E-01	4.57E-11	1.0E+06	4.6E-05
14	2.12258	1.86E-06	3.9E-06	3.46E-04	1.36E-09	0.25	1.57E-01	5.36E-11	1.0E+06	5.4E-05
15	2.47141	1.86E-06	4.6E-06	3.46E-04	1.59E-09	0.25	1.57E-01	6.24E-11	1.0E+06	6.2E-05
16	2.82197	1.86E-06	5.2E-06	3.46E-04	1.81E-09	0.25	1.57E-01	7.12E-11	1.0E+06	7.1E-05
17	3.12792	1.86E-06	5.8E-06	3.46E-04	2.01E-09	0.25	1.57E-01	7.90E-11	1.0E+06	7.9E-05
18	3.35132	1.86E-06	6.2E-06	3.46E-04	2.15E-09	0.25	1.57E-01	8.46E-11	1.0E+06	8.5E-05
19	3.5147	1.86E-06	6.5E-06	3.46E-04	2.26E-09	0.25	1.57E-01	8.87E-11	1.0E+06	8.9E-05
20	3.64395	1.86E-06	6.8E-06	3.46E-04	2.34E-09	0.25	1.57E-01	9.20E-11	1.0E+06	9.2E-05
21	3.72415	1.86E-06	6.9E-06	3.46E-04	2.39E-09	0.25	1.57E-01	9.40E-11	1.0E+06	9.4E-05
22	3.7229	1.86E-06	6.9E-06	3.46E-04	2.39E-09	0.25	1.57E-01	9.40E-11	1.0E+06	9.4E-05
23	3.61363	1.86E-06	6.7E-06	3.46E-04	2.32E-09	0.25	1.57E-01	9.12E-11	1.0E+06	9.1E-05
24	3.39793	1.86E-06	6.3E-06	3.46E-04	2.18E-09	0.25	1.57E-01	8.58E-11	1.0E+06	8.6E-05
25	3.10425	1.86E-06	5.8E-06	3.46E-04	1.99E-09	0.25	1.57E-01	7.84E-11	1.0E+06	7.8E-05
26	2.77138	1.86E-06	5.1E-06	3.46E-04	1.78E-09	0.25	1.57E-01	7.00E-11	1.0E+06	7.0E-05
27	2.43404	1.86E-06	4.5E-06	3.46E-04	1.56E-09	0.25	1.57E-01	6.15E-11	1.0E+06	6.1E-05
28	2.11598	1.86E-06	3.9E-06	3.46E-04	1.36E-09	0.25	1.57E-01	5.34E-11	1.0E+06	5.3E-05
29	1.82984	1.86E-06	3.4E-06	3.46E-04	1.18E-09	0.25	1.57E-01	4.62E-11	1.0E+06	4.6E-05
30	1.58007	1.86E-06	2.9E-06	3.46E-04	1.02E-09	0.25	1.57E-01	3.99E-11	1.0E+06	4.0E-05
31	1.36609	1.86E-06	2.5E-06	3.46E-04	8.78E-10	0.25	1.57E-01	3.45E-11	1.0E+06	3.4E-05

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	1.18486	1.86E-06	2.2E-06	3.46E-04	7.61E-10	0.25	1.57E-01	2.99E-11	1.0E+06	3.0E-05
55	5.22556	1.86E-06	9.7E-06	3.46E-04	3.36E-09	0.25	1.57E-01	1.32E-10	1.0E+06	1.3E-04
56	4.79792	1.86E-06	8.9E-06	3.46E-04	3.08E-09	0.25	1.57E-01	1.21E-10	1.0E+06	1.2E-04
57	4.25044	1.86E-06	7.9E-06	3.46E-04	2.73E-09	0.25	1.57E-01	1.07E-10	1.0E+06	1.1E-04
58	3.66474	1.86E-06	6.8E-06	3.46E-04	2.36E-09	0.25	1.57E-01	9.25E-11	1.0E+06	9.3E-05
59	3.10641	1.86E-06	5.8E-06	3.46E-04	2.00E-09	0.25	1.57E-01	7.84E-11	1.0E+06	7.8E-05
60	2.61117	1.86E-06	4.8E-06	3.46E-04	1.68E-09	0.25	1.57E-01	6.59E-11	1.0E+06	6.6E-05
61	2.1904	1.86E-06	4.1E-06	3.46E-04	1.41E-09	0.25	1.57E-01	5.53E-11	1.0E+06	5.5E-05
62	1.84179	1.86E-06	3.4E-06	3.46E-04	1.18E-09	0.25	1.57E-01	4.65E-11	1.0E+06	4.6E-05
63	1.55659	1.86E-06	2.9E-06	3.46E-04	1.00E-09	0.25	1.57E-01	3.93E-11	1.0E+06	3.9E-05
64	1.3245	1.86E-06	2.5E-06	3.46E-04	8.51E-10	0.25	1.57E-01	3.34E-11	1.0E+06	3.3E-05
65	1.1358	1.86E-06	2.1E-06	3.46E-04	7.30E-10	0.25	1.57E-01	2.87E-11	1.0E+06	2.9E-05
66	0.98113	1.86E-06	1.8E-06	3.46E-04	6.31E-10	0.25	1.57E-01	2.48E-11	1.0E+06	2.5E-05
67	0.41851	1.86E-06	7.8E-07	3.46E-04	2.69E-10	0.25	1.57E-01	1.06E-11	1.0E+06	1.1E-05
68	0.46218	1.86E-06	8.6E-07	3.46E-04	2.97E-10	0.25	1.57E-01	1.17E-11	1.0E+06	1.2E-05
69	0.51346	1.86E-06	9.5E-07	3.46E-04	3.30E-10	0.25	1.57E-01	1.30E-11	1.0E+06	1.3E-05
70	0.57436	1.86E-06	1.1E-06	3.46E-04	3.69E-10	0.25	1.57E-01	1.45E-11	1.0E+06	1.5E-05
71	0.64702	1.86E-06	1.2E-06	3.46E-04	4.16E-10	0.25	1.57E-01	1.63E-11	1.0E+06	1.6E-05
72	0.73628	1.86E-06	1.4E-06	3.46E-04	4.73E-10	0.25	1.57E-01	1.86E-11	1.0E+06	1.9E-05
73	0.84601	1.86E-06	1.6E-06	3.46E-04	5.44E-10	0.25	1.57E-01	2.14E-11	1.0E+06	2.1E-05
74	0.98312	1.86E-06	1.8E-06	3.46E-04	6.32E-10	0.25	1.57E-01	2.48E-11	1.0E+06	2.5E-05
75	1.15752	1.86E-06	2.1E-06	3.46E-04	7.44E-10	0.25	1.57E-01	2.92E-11	1.0E+06	2.9E-05
76	1.38434	1.86E-06	2.6E-06	3.46E-04	8.90E-10	0.25	1.57E-01	3.49E-11	1.0E+06	3.5E-05
77	1.68591	1.86E-06	3.1E-06	3.46E-04	1.08E-09	0.25	1.57E-01	4.26E-11	1.0E+06	4.3E-05
78	2.096	1.86E-06	3.9E-06	3.46E-04	1.35E-09	0.25	1.57E-01	5.29E-11	1.0E+06	5.3E-05
79	7.26509	1.86E-06	1.3E-05	3.46E-04	4.67E-09	0.25	1.57E-01	1.83E-10	1.0E+06	1.8E-04
80	8.33716	1.86E-06	1.5E-05	3.46E-04	5.36E-09	0.25	1.57E-01	2.10E-10	1.0E+06	2.1E-04
81	8.96787	1.86E-06	1.7E-05	3.46E-04	5.76E-09	0.25	1.57E-01	2.26E-10	1.0E+06	2.3E-04
82	8.9246	1.86E-06	1.7E-05	3.46E-04	5.74E-09	0.25	1.57E-01	2.25E-10	1.0E+06	2.3E-04
83	8.31648	1.86E-06	1.5E-05	3.46E-04	5.34E-09	0.25	1.57E-01	2.10E-10	1.0E+06	2.1E-04
84	7.34765	1.86E-06	1.4E-05	3.46E-04	4.72E-09	0.25	1.57E-01	1.86E-10	1.0E+06	1.9E-04

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	6.20569	1.86E-06	1.2E-05	3.46E-04	3.99E-09	0.25	1.57E-01	1.57E-10	1.0E+06	1.6E-04
86	5.08015	1.86E-06	9.4E-06	3.46E-04	3.26E-09	0.25	1.57E-01	1.28E-10	1.0E+06	1.3E-04
87	4.09355	1.86E-06	7.6E-06	3.46E-04	2.63E-09	0.25	1.57E-01	1.03E-10	1.0E+06	1.0E-04
88	3.2869	1.86E-06	6.1E-06	3.46E-04	2.11E-09	0.25	1.57E-01	8.30E-11	1.0E+06	8.3E-05
89	2.65085	1.86E-06	4.9E-06	3.46E-04	1.70E-09	0.25	1.57E-01	6.69E-11	1.0E+06	6.7E-05
90	2.15768	1.86E-06	4.0E-06	3.46E-04	1.39E-09	0.25	1.57E-01	5.45E-11	1.0E+06	5.4E-05
91	1.77573	1.86E-06	3.3E-06	3.46E-04	1.14E-09	0.25	1.57E-01	4.48E-11	1.0E+06	4.5E-05
92	1.47965	1.86E-06	2.7E-06	3.46E-04	9.51E-10	0.25	1.57E-01	3.74E-11	1.0E+06	3.7E-05
93	1.2471	1.86E-06	2.3E-06	3.46E-04	8.01E-10	0.25	1.57E-01	3.15E-11	1.0E+06	3.1E-05
96	6.19055	1.86E-06	1.1E-05	3.46E-04	3.98E-09	0.25	1.57E-01	1.56E-10	1.0E+06	1.6E-04
97	4.55601	1.86E-06	8.5E-06	3.46E-04	2.93E-09	0.25	1.57E-01	1.15E-10	1.0E+06	1.2E-04
98	3.23801	1.86E-06	6.0E-06	3.46E-04	2.08E-09	0.25	1.57E-01	8.17E-11	1.0E+06	8.2E-05
99	2.5324	1.86E-06	4.7E-06	3.46E-04	1.63E-09	0.25	1.57E-01	6.39E-11	1.0E+06	6.4E-05
100	2.02317	1.86E-06	3.8E-06	3.46E-04	1.30E-09	0.25	1.57E-01	5.11E-11	1.0E+06	5.1E-05
101	1.64837	1.86E-06	3.1E-06	3.46E-04	1.06E-09	0.25	1.57E-01	4.16E-11	1.0E+06	4.2E-05
102	1.36421	1.86E-06	2.5E-06	3.46E-04	8.77E-10	0.25	1.57E-01	3.44E-11	1.0E+06	3.4E-05
106	0.3895	1.86E-06	7.2E-07	3.46E-04	2.50E-10	0.25	1.57E-01	9.83E-12	1.0E+06	9.8E-06
107	0.43048	1.86E-06	8.0E-07	3.46E-04	2.77E-10	0.25	1.57E-01	1.09E-11	1.0E+06	1.1E-05
108	0.47724	1.86E-06	8.9E-07	3.46E-04	3.07E-10	0.25	1.57E-01	1.20E-11	1.0E+06	1.2E-05
109	0.5327	1.86E-06	9.9E-07	3.46E-04	3.42E-10	0.25	1.57E-01	1.34E-11	1.0E+06	1.3E-05
110	0.59938	1.86E-06	1.1E-06	3.46E-04	3.85E-10	0.25	1.57E-01	1.51E-11	1.0E+06	1.5E-05
111	0.68001	1.86E-06	1.3E-06	3.46E-04	4.37E-10	0.25	1.57E-01	1.72E-11	1.0E+06	1.7E-05
112	0.78086	1.86E-06	1.4E-06	3.46E-04	5.02E-10	0.25	1.57E-01	1.97E-11	1.0E+06	2.0E-05
113	0.907	1.86E-06	1.7E-06	3.46E-04	5.83E-10	0.25	1.57E-01	2.29E-11	1.0E+06	2.3E-05
114	1.06929	1.86E-06	2.0E-06	3.46E-04	6.87E-10	0.25	1.57E-01	2.70E-11	1.0E+06	2.7E-05
115	1.28266	1.86E-06	2.4E-06	3.46E-04	8.24E-10	0.25	1.57E-01	3.24E-11	1.0E+06	3.2E-05
116	1.57133	1.86E-06	2.9E-06	3.46E-04	1.01E-09	0.25	1.57E-01	3.97E-11	1.0E+06	4.0E-05
117	1.98388	1.86E-06	3.7E-06	3.46E-04	1.27E-09	0.25	1.57E-01	5.01E-11	1.0E+06	5.0E-05
118	2.59948	1.86E-06	4.8E-06	3.46E-04	1.67E-09	0.25	1.57E-01	6.56E-11	1.0E+06	6.6E-05
124	0.39167	1.86E-06	7.3E-07	3.46E-04	2.52E-10	0.25	1.57E-01	9.89E-12	1.0E+06	9.9E-06
125	0.43181	1.86E-06	8.0E-07	3.46E-04	2.77E-10	0.25	1.57E-01	1.09E-11	1.0E+06	1.1E-05

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.479	1.86E-06	8.9E-07	3.46E-04	3.08E-10	0.25	1.57E-01	1.21E-11	1.0E+06	1.2E-05
127	0.5351	1.86E-06	9.9E-07	3.46E-04	3.44E-10	0.25	1.57E-01	1.35E-11	1.0E+06	1.4E-05
128	0.60264	1.86E-06	1.1E-06	3.46E-04	3.87E-10	0.25	1.57E-01	1.52E-11	1.0E+06	1.5E-05
129	0.68462	1.86E-06	1.3E-06	3.46E-04	4.40E-10	0.25	1.57E-01	1.73E-11	1.0E+06	1.7E-05
130	0.78716	1.86E-06	1.5E-06	3.46E-04	5.06E-10	0.25	1.57E-01	1.99E-11	1.0E+06	2.0E-05
131	0.91626	1.86E-06	1.7E-06	3.46E-04	5.89E-10	0.25	1.57E-01	2.31E-11	1.0E+06	2.3E-05
132	1.08306	1.86E-06	2.0E-06	3.46E-04	6.96E-10	0.25	1.57E-01	2.73E-11	1.0E+06	2.7E-05
133	1.30363	1.86E-06	2.4E-06	3.46E-04	8.38E-10	0.25	1.57E-01	3.29E-11	1.0E+06	3.3E-05
134	1.60732	1.86E-06	3.0E-06	3.46E-04	1.03E-09	0.25	1.57E-01	4.06E-11	1.0E+06	4.1E-05
135	2.04097	1.86E-06	3.8E-06	3.46E-04	1.31E-09	0.25	1.57E-01	5.15E-11	1.0E+06	5.2E-05
136	2.69772	1.86E-06	5.0E-06	3.46E-04	1.73E-09	0.25	1.57E-01	6.81E-11	1.0E+06	6.8E-05
137	3.76938	1.86E-06	7.0E-06	3.46E-04	2.42E-09	0.25	1.57E-01	9.52E-11	1.0E+06	9.5E-05
138	5.76874	1.86E-06	1.1E-05	3.46E-04	3.71E-09	0.25	1.57E-01	1.46E-10	1.0E+06	1.5E-04
141	0.39037	1.86E-06	7.2E-07	3.46E-04	2.51E-10	0.25	1.57E-01	9.86E-12	1.0E+06	9.9E-06
142	0.43032	1.86E-06	8.0E-07	3.46E-04	2.77E-10	0.25	1.57E-01	1.09E-11	1.0E+06	1.1E-05
143	0.47725	1.86E-06	8.9E-07	3.46E-04	3.07E-10	0.25	1.57E-01	1.20E-11	1.0E+06	1.2E-05
144	0.53303	1.86E-06	9.9E-07	3.46E-04	3.43E-10	0.25	1.57E-01	1.35E-11	1.0E+06	1.3E-05
145	0.60008	1.86E-06	1.1E-06	3.46E-04	3.86E-10	0.25	1.57E-01	1.51E-11	1.0E+06	1.5E-05
146	0.68151	1.86E-06	1.3E-06	3.46E-04	4.38E-10	0.25	1.57E-01	1.72E-11	1.0E+06	1.7E-05
147	0.78311	1.86E-06	1.5E-06	3.46E-04	5.03E-10	0.25	1.57E-01	1.98E-11	1.0E+06	2.0E-05
148	0.91083	1.86E-06	1.7E-06	3.46E-04	5.85E-10	0.25	1.57E-01	2.30E-11	1.0E+06	2.3E-05
149	1.07555	1.86E-06	2.0E-06	3.46E-04	6.91E-10	0.25	1.57E-01	2.72E-11	1.0E+06	2.7E-05
150	1.29316	1.86E-06	2.4E-06	3.46E-04	8.31E-10	0.25	1.57E-01	3.26E-11	1.0E+06	3.3E-05
151	1.59067	1.86E-06	3.0E-06	3.46E-04	1.02E-09	0.25	1.57E-01	4.02E-11	1.0E+06	4.0E-05
152	2.01363	1.86E-06	3.7E-06	3.46E-04	1.29E-09	0.25	1.57E-01	5.08E-11	1.0E+06	5.1E-05
153	2.64693	1.86E-06	4.9E-06	3.46E-04	1.70E-09	0.25	1.57E-01	6.68E-11	1.0E+06	6.7E-05
154	3.66067	1.86E-06	6.8E-06	3.46E-04	2.35E-09	0.25	1.57E-01	9.24E-11	1.0E+06	9.2E-05
155	5.4575	1.86E-06	1.0E-05	3.46E-04	3.51E-09	0.25	1.57E-01	1.38E-10	1.0E+06	1.4E-04
164	3.34375	1.86E-06	6.2E-06	3.46E-04	2.15E-09	0.25	1.57E-01	8.44E-11	1.0E+06	8.4E-05
165	4.74343	1.86E-06	8.8E-06	3.46E-04	3.05E-09	0.25	1.57E-01	1.20E-10	1.0E+06	1.2E-04
166	7.26315	1.86E-06	1.3E-05	3.46E-04	4.67E-09	0.25	1.57E-01	1.83E-10	1.0E+06	1.8E-04

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	2.94641	1.86E-06	5.5E-06	3.46E-04	1.89E-09	0.25	1.57E-01	7.44E-11	1.0E+06	7.4E-05
179	3.97722	1.86E-06	7.4E-06	3.46E-04	2.56E-09	0.25	1.57E-01	1.00E-10	1.0E+06	1.0E-04
180	5.62883	1.86E-06	1.0E-05	3.46E-04	3.62E-09	0.25	1.57E-01	1.42E-10	1.0E+06	1.4E-04
192	2.55259	1.86E-06	4.7E-06	3.46E-04	1.64E-09	0.25	1.57E-01	6.44E-11	1.0E+06	6.4E-05
193	3.30114	1.86E-06	6.1E-06	3.46E-04	2.12E-09	0.25	1.57E-01	8.33E-11	1.0E+06	8.3E-05
194	4.39057	1.86E-06	8.2E-06	3.46E-04	2.82E-09	0.25	1.57E-01	1.11E-10	1.0E+06	1.1E-04
207	2.19692	1.86E-06	4.1E-06	3.46E-04	1.41E-09	0.25	1.57E-01	5.55E-11	1.0E+06	5.5E-05
208	2.74044	1.86E-06	5.1E-06	3.46E-04	1.76E-09	0.25	1.57E-01	6.92E-11	1.0E+06	6.9E-05
209	3.47844	1.86E-06	6.5E-06	3.46E-04	2.24E-09	0.25	1.57E-01	8.78E-11	1.0E+06	8.8E-05
223	1.89153	1.86E-06	3.5E-06	3.46E-04	1.22E-09	0.25	1.57E-01	4.78E-11	1.0E+06	4.8E-05
224	2.29123	1.86E-06	4.3E-06	3.46E-04	1.47E-09	0.25	1.57E-01	5.78E-11	1.0E+06	5.8E-05
225	2.80265	1.86E-06	5.2E-06	3.46E-04	1.80E-09	0.25	1.57E-01	7.08E-11	1.0E+06	7.1E-05
239	1.6357	1.86E-06	3.0E-06	3.46E-04	1.05E-09	0.25	1.57E-01	4.13E-11	1.0E+06	4.1E-05
240	1.93453	1.86E-06	3.6E-06	3.46E-04	1.24E-09	0.25	1.57E-01	4.88E-11	1.0E+06	4.9E-05
241	2.30071	1.86E-06	4.3E-06	3.46E-04	1.48E-09	0.25	1.57E-01	5.81E-11	1.0E+06	5.8E-05
255	1.42268	1.86E-06	2.6E-06	3.46E-04	9.14E-10	0.25	1.57E-01	3.59E-11	1.0E+06	3.6E-05
256	1.64994	1.86E-06	3.1E-06	3.46E-04	1.06E-09	0.25	1.57E-01	4.17E-11	1.0E+06	4.2E-05
272	1.24557	1.86E-06	2.3E-06	3.46E-04	8.00E-10	0.25	1.57E-01	3.14E-11	1.0E+06	3.1E-05
273	1.42109	1.86E-06	2.6E-06	3.46E-04	9.13E-10	0.25	1.57E-01	3.59E-11	1.0E+06	3.6E-05
289	1.09791	1.86E-06	2.0E-06	3.46E-04	7.06E-10	0.25	1.57E-01	2.77E-11	1.0E+06	2.8E-05
290	1.23505	1.86E-06	2.3E-06	3.46E-04	7.94E-10	0.25	1.57E-01	3.12E-11	1.0E+06	3.1E-05
306	0.97399	1.86E-06	1.8E-06	3.46E-04	6.26E-10	0.25	1.57E-01	2.46E-11	1.0E+06	2.5E-05
307	1.08238	1.86E-06	2.0E-06	3.46E-04	6.96E-10	0.25	1.57E-01	2.73E-11	1.0E+06	2.7E-05
323	0.86936	1.86E-06	1.6E-06	3.46E-04	5.59E-10	0.25	1.57E-01	2.19E-11	1.0E+06	2.2E-05
324	0.95589	1.86E-06	1.8E-06	3.46E-04	6.14E-10	0.25	1.57E-01	2.41E-11	1.0E+06	2.4E-05
342	0.78031	1.86E-06	1.4E-06	3.46E-04	5.01E-10	0.25	1.57E-01	1.97E-11	1.0E+06	2.0E-05
343	0.84994	1.86E-06	1.6E-06	3.46E-04	5.46E-10	0.25	1.57E-01	2.15E-11	1.0E+06	2.1E-05
344	0.92327	1.86E-06	1.7E-06	3.46E-04	5.93E-10	0.25	1.57E-01	2.33E-11	1.0E+06	2.3E-05
356	0.70411	1.86E-06	1.3E-06	3.46E-04	4.52E-10	0.25	1.57E-01	1.78E-11	1.0E+06	1.8E-05
357	0.7612	1.86E-06	1.4E-06	3.46E-04	4.89E-10	0.25	1.57E-01	1.92E-11	1.0E+06	1.9E-05
358	0.81958	1.86E-06	1.5E-06	3.46E-04	5.27E-10	0.25	1.57E-01	2.07E-11	1.0E+06	2.1E-05

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.63836	1.86E-06	1.2E-06	3.46E-04	4.10E-10	0.25	1.57E-01	1.61E-11	1.0E+06	1.6E-05
371	0.68532	1.86E-06	1.3E-06	3.46E-04	4.40E-10	0.25	1.57E-01	1.73E-11	1.0E+06	1.7E-05
372	0.73267	1.86E-06	1.4E-06	3.46E-04	4.71E-10	0.25	1.57E-01	1.85E-11	1.0E+06	1.8E-05
383	0.58136	1.86E-06	1.1E-06	3.46E-04	3.74E-10	0.25	1.57E-01	1.47E-11	1.0E+06	1.5E-05
384	0.62024	1.86E-06	1.2E-06	3.46E-04	3.99E-10	0.25	1.57E-01	1.57E-11	1.0E+06	1.6E-05
385	0.6591	1.86E-06	1.2E-06	3.46E-04	4.24E-10	0.25	1.57E-01	1.66E-11	1.0E+06	1.7E-05
396	0.53161	1.86E-06	9.9E-07	3.46E-04	3.42E-10	0.25	1.57E-01	1.34E-11	1.0E+06	1.3E-05
397	0.56406	1.86E-06	1.0E-06	3.46E-04	3.62E-10	0.25	1.57E-01	1.42E-11	1.0E+06	1.4E-05
398	0.59628	1.86E-06	1.1E-06	3.46E-04	3.83E-10	0.25	1.57E-01	1.51E-11	1.0E+06	1.5E-05
399	0.62715	1.86E-06	1.2E-06	3.46E-04	4.03E-10	0.25	1.57E-01	1.58E-11	1.0E+06	1.6E-05
411	0.48802	1.86E-06	9.1E-07	3.46E-04	3.14E-10	0.25	1.57E-01	1.23E-11	1.0E+06	1.2E-05
412	0.51535	1.86E-06	9.6E-07	3.46E-04	3.31E-10	0.25	1.57E-01	1.30E-11	1.0E+06	1.3E-05
413	0.54198	1.86E-06	1.0E-06	3.46E-04	3.48E-10	0.25	1.57E-01	1.37E-11	1.0E+06	1.4E-05
414	0.56792	1.86E-06	1.1E-06	3.46E-04	3.65E-10	0.25	1.57E-01	1.43E-11	1.0E+06	1.4E-05
426	0.44956	1.86E-06	8.3E-07	3.46E-04	2.89E-10	0.25	1.57E-01	1.13E-11	1.0E+06	1.1E-05
427	0.47264	1.86E-06	8.8E-07	3.46E-04	3.04E-10	0.25	1.57E-01	1.19E-11	1.0E+06	1.2E-05
428	0.49544	1.86E-06	9.2E-07	3.46E-04	3.18E-10	0.25	1.57E-01	1.25E-11	1.0E+06	1.3E-05
429	0.51702	1.86E-06	9.6E-07	3.46E-04	3.32E-10	0.25	1.57E-01	1.31E-11	1.0E+06	1.3E-05
439	0.41554	1.86E-06	7.7E-07	3.46E-04	2.67E-10	0.25	1.57E-01	1.05E-11	1.0E+06	1.0E-05
440	0.43522	1.86E-06	8.1E-07	3.46E-04	2.80E-10	0.25	1.57E-01	1.10E-11	1.0E+06	1.1E-05
441	0.45446	1.86E-06	8.4E-07	3.46E-04	2.92E-10	0.25	1.57E-01	1.15E-11	1.0E+06	1.1E-05
442	0.47278	1.86E-06	8.8E-07	3.46E-04	3.04E-10	0.25	1.57E-01	1.19E-11	1.0E+06	1.2E-05
443	0.48939	1.86E-06	9.1E-07	3.46E-04	3.15E-10	0.25	1.57E-01	1.24E-11	1.0E+06	1.2E-05
454	0.38527	1.86E-06	7.2E-07	3.46E-04	2.48E-10	0.25	1.57E-01	9.73E-12	1.0E+06	9.7E-06
455	0.40213	1.86E-06	7.5E-07	3.46E-04	2.58E-10	0.25	1.57E-01	1.02E-11	1.0E+06	1.0E-05
456	0.41855	1.86E-06	7.8E-07	3.46E-04	2.69E-10	0.25	1.57E-01	1.06E-11	1.0E+06	1.1E-05
457	0.43417	1.86E-06	8.1E-07	3.46E-04	2.79E-10	0.25	1.57E-01	1.10E-11	1.0E+06	1.1E-05
458	0.4484	1.86E-06	8.3E-07	3.46E-04	2.88E-10	0.25	1.57E-01	1.13E-11	1.0E+06	1.1E-05
469	0.3583	1.86E-06	6.7E-07	3.46E-04	2.30E-10	0.25	1.57E-01	9.05E-12	1.0E+06	9.0E-06
470	0.37293	1.86E-06	6.9E-07	3.46E-04	2.40E-10	0.25	1.57E-01	9.42E-12	1.0E+06	9.4E-06
471	0.38704	1.86E-06	7.2E-07	3.46E-04	2.49E-10	0.25	1.57E-01	9.77E-12	1.0E+06	9.8E-06

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.40049	1.86E-06	7.4E-07	3.46E-04	2.57E-10	0.25	1.57E-01	1.01E-11	1.0E+06	1.0E-05
473	0.41278	1.86E-06	7.7E-07	3.46E-04	2.65E-10	0.25	1.57E-01	1.04E-11	1.0E+06	1.0E-05
489	0.33403	1.86E-06	6.2E-07	3.46E-04	2.15E-10	0.25	1.57E-01	8.43E-12	1.0E+06	8.4E-06
490	0.34668	1.86E-06	6.4E-07	3.46E-04	2.23E-10	0.25	1.57E-01	8.75E-12	1.0E+06	8.8E-06
491	0.35895	1.86E-06	6.7E-07	3.46E-04	2.31E-10	0.25	1.57E-01	9.06E-12	1.0E+06	9.1E-06
492	0.37059	1.86E-06	6.9E-07	3.46E-04	2.38E-10	0.25	1.57E-01	9.36E-12	1.0E+06	9.4E-06
493	0.3812	1.86E-06	7.1E-07	3.46E-04	2.45E-10	0.25	1.57E-01	9.62E-12	1.0E+06	9.6E-06
494	0.39031	1.86E-06	7.2E-07	3.46E-04	2.51E-10	0.25	1.57E-01	9.85E-12	1.0E+06	9.9E-06
509	0.3123	1.86E-06	5.8E-07	3.46E-04	2.01E-10	0.25	1.57E-01	7.88E-12	1.0E+06	7.9E-06
510	0.32332	1.86E-06	6.0E-07	3.46E-04	2.08E-10	0.25	1.57E-01	8.16E-12	1.0E+06	8.2E-06
511	0.33409	1.86E-06	6.2E-07	3.46E-04	2.15E-10	0.25	1.57E-01	8.43E-12	1.0E+06	8.4E-06
512	0.34424	1.86E-06	6.4E-07	3.46E-04	2.21E-10	0.25	1.57E-01	8.69E-12	1.0E+06	8.7E-06
513	0.35342	1.86E-06	6.6E-07	3.46E-04	2.27E-10	0.25	1.57E-01	8.92E-12	1.0E+06	8.9E-06
514	0.36144	1.86E-06	6.7E-07	3.46E-04	2.32E-10	0.25	1.57E-01	9.13E-12	1.0E+06	9.1E-06
515	0.3714	1.86E-06	6.9E-07	3.46E-04	2.39E-10	0.25	1.57E-01	9.38E-12	1.0E+06	9.4E-06
516	0.37217	1.86E-06	6.9E-07	3.46E-04	2.39E-10	0.25	1.57E-01	9.40E-12	1.0E+06	9.4E-06
517	0.36994	1.86E-06	6.9E-07	3.46E-04	2.38E-10	0.25	1.57E-01	9.34E-12	1.0E+06	9.3E-06
518	0.36446	1.86E-06	6.8E-07	3.46E-04	2.34E-10	0.25	1.57E-01	9.20E-12	1.0E+06	9.2E-06
519	0.35589	1.86E-06	6.6E-07	3.46E-04	2.29E-10	0.25	1.57E-01	8.98E-12	1.0E+06	9.0E-06
528	0.2927	1.86E-06	5.4E-07	3.46E-04	1.88E-10	0.25	1.57E-01	7.39E-12	1.0E+06	7.4E-06
529	0.30238	1.86E-06	5.6E-07	3.46E-04	1.94E-10	0.25	1.57E-01	7.63E-12	1.0E+06	7.6E-06
530	0.31178	1.86E-06	5.8E-07	3.46E-04	2.00E-10	0.25	1.57E-01	7.87E-12	1.0E+06	7.9E-06
531	0.32072	1.86E-06	6.0E-07	3.46E-04	2.06E-10	0.25	1.57E-01	8.10E-12	1.0E+06	8.1E-06
532	0.32884	1.86E-06	6.1E-07	3.46E-04	2.11E-10	0.25	1.57E-01	8.30E-12	1.0E+06	8.3E-06
533	0.33587	1.86E-06	6.2E-07	3.46E-04	2.16E-10	0.25	1.57E-01	8.48E-12	1.0E+06	8.5E-06
534	0.34476	1.86E-06	6.4E-07	3.46E-04	2.22E-10	0.25	1.57E-01	8.70E-12	1.0E+06	8.7E-06
535	0.34577	1.86E-06	6.4E-07	3.46E-04	2.22E-10	0.25	1.57E-01	8.73E-12	1.0E+06	8.7E-06
536	0.34427	1.86E-06	6.4E-07	3.46E-04	2.21E-10	0.25	1.57E-01	8.69E-12	1.0E+06	8.7E-06
537	0.33977	1.86E-06	6.3E-07	3.46E-04	2.18E-10	0.25	1.57E-01	8.58E-12	1.0E+06	8.6E-06
538	0.33257	1.86E-06	6.2E-07	3.46E-04	2.14E-10	0.25	1.57E-01	8.40E-12	1.0E+06	8.4E-06
547	0.27493	1.86E-06	5.1E-07	3.46E-04	1.77E-10	0.25	1.57E-01	6.94E-12	1.0E+06	6.9E-06

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.28346	1.86E-06	5.3E-07	3.46E-04	1.82E-10	0.25	1.57E-01	7.16E-12	1.0E+06	7.2E-06
549	0.2918	1.86E-06	5.4E-07	3.46E-04	1.88E-10	0.25	1.57E-01	7.37E-12	1.0E+06	7.4E-06
550	0.2996	1.86E-06	5.6E-07	3.46E-04	1.93E-10	0.25	1.57E-01	7.56E-12	1.0E+06	7.6E-06
551	0.30682	1.86E-06	5.7E-07	3.46E-04	1.97E-10	0.25	1.57E-01	7.75E-12	1.0E+06	7.7E-06
552	0.31306	1.86E-06	5.8E-07	3.46E-04	2.01E-10	0.25	1.57E-01	7.90E-12	1.0E+06	7.9E-06
553	0.318	1.86E-06	5.9E-07	3.46E-04	2.04E-10	0.25	1.57E-01	8.03E-12	1.0E+06	8.0E-06
554	0.32114	1.86E-06	6.0E-07	3.46E-04	2.06E-10	0.25	1.57E-01	8.11E-12	1.0E+06	8.1E-06
555	0.32233	1.86E-06	6.0E-07	3.46E-04	2.07E-10	0.25	1.57E-01	8.14E-12	1.0E+06	8.1E-06
556	0.32137	1.86E-06	6.0E-07	3.46E-04	2.07E-10	0.25	1.57E-01	8.11E-12	1.0E+06	8.1E-06
557	0.31767	1.86E-06	5.9E-07	3.46E-04	2.04E-10	0.25	1.57E-01	8.02E-12	1.0E+06	8.0E-06
558	0.31178	1.86E-06	5.8E-07	3.46E-04	2.00E-10	0.25	1.57E-01	7.87E-12	1.0E+06	7.9E-06
559	0.30357	1.86E-06	5.6E-07	3.46E-04	1.95E-10	0.25	1.57E-01	7.66E-12	1.0E+06	7.7E-06
567	0.25883	1.86E-06	4.8E-07	3.46E-04	1.66E-10	0.25	1.57E-01	6.53E-12	1.0E+06	6.5E-06
568	0.26642	1.86E-06	4.9E-07	3.46E-04	1.71E-10	0.25	1.57E-01	6.73E-12	1.0E+06	6.7E-06
569	0.27377	1.86E-06	5.1E-07	3.46E-04	1.76E-10	0.25	1.57E-01	6.91E-12	1.0E+06	6.9E-06
570	0.28075	1.86E-06	5.2E-07	3.46E-04	1.80E-10	0.25	1.57E-01	7.09E-12	1.0E+06	7.1E-06
571	0.28714	1.86E-06	5.3E-07	3.46E-04	1.85E-10	0.25	1.57E-01	7.25E-12	1.0E+06	7.2E-06
572	0.29272	1.86E-06	5.4E-07	3.46E-04	1.88E-10	0.25	1.57E-01	7.39E-12	1.0E+06	7.4E-06
573	0.29716	1.86E-06	5.5E-07	3.46E-04	1.91E-10	0.25	1.57E-01	7.50E-12	1.0E+06	7.5E-06
574	0.30133	1.86E-06	5.6E-07	3.46E-04	1.94E-10	0.25	1.57E-01	7.61E-12	1.0E+06	7.6E-06
575	0.30071	1.86E-06	5.6E-07	3.46E-04	1.93E-10	0.25	1.57E-01	7.59E-12	1.0E+06	7.6E-06
576	0.29794	1.86E-06	5.5E-07	3.46E-04	1.91E-10	0.25	1.57E-01	7.52E-12	1.0E+06	7.5E-06
577	0.293	1.86E-06	5.4E-07	3.46E-04	1.88E-10	0.25	1.57E-01	7.40E-12	1.0E+06	7.4E-06
578	0.28603	1.86E-06	5.3E-07	3.46E-04	1.84E-10	0.25	1.57E-01	7.22E-12	1.0E+06	7.2E-06
586	0.2441	1.86E-06	4.5E-07	3.46E-04	1.57E-10	0.25	1.57E-01	6.16E-12	1.0E+06	6.2E-06
587	0.25082	1.86E-06	4.7E-07	3.46E-04	1.61E-10	0.25	1.57E-01	6.33E-12	1.0E+06	6.3E-06
588	0.25739	1.86E-06	4.8E-07	3.46E-04	1.65E-10	0.25	1.57E-01	6.50E-12	1.0E+06	6.5E-06
589	0.26361	1.86E-06	4.9E-07	3.46E-04	1.69E-10	0.25	1.57E-01	6.66E-12	1.0E+06	6.7E-06
590	0.26933	1.86E-06	5.0E-07	3.46E-04	1.73E-10	0.25	1.57E-01	6.80E-12	1.0E+06	6.8E-06
591	0.27432	1.86E-06	5.1E-07	3.46E-04	1.76E-10	0.25	1.57E-01	6.93E-12	1.0E+06	6.9E-06
592	0.27835	1.86E-06	5.2E-07	3.46E-04	1.79E-10	0.25	1.57E-01	7.03E-12	1.0E+06	7.0E-06

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.28238	1.86E-06	5.2E-07	3.46E-04	1.81E-10	0.25	1.57E-01	7.13E-12	1.0E+06	7.1E-06
594	0.28209	1.86E-06	5.2E-07	3.46E-04	1.81E-10	0.25	1.57E-01	7.12E-12	1.0E+06	7.1E-06
595	0.27979	1.86E-06	5.2E-07	3.46E-04	1.80E-10	0.25	1.57E-01	7.06E-12	1.0E+06	7.1E-06
596	0.27564	1.86E-06	5.1E-07	3.46E-04	1.77E-10	0.25	1.57E-01	6.96E-12	1.0E+06	7.0E-06
597	0.26978	1.86E-06	5.0E-07	3.46E-04	1.73E-10	0.25	1.57E-01	6.81E-12	1.0E+06	6.8E-06
345	0.9954	1.86E-06	1.8E-06	3.46E-04	6.40E-10	0.25	1.57E-01	2.51E-11	1.0E+06	2.5E-05
346	1.06206	1.86E-06	2.0E-06	3.46E-04	6.83E-10	0.25	1.57E-01	2.68E-11	1.0E+06	2.7E-05
347	1.11535	1.86E-06	2.1E-06	3.46E-04	7.17E-10	0.25	1.57E-01	2.82E-11	1.0E+06	2.8E-05
348	1.14733	1.86E-06	2.1E-06	3.46E-04	7.37E-10	0.25	1.57E-01	2.90E-11	1.0E+06	2.9E-05
359	0.87655	1.86E-06	1.6E-06	3.46E-04	5.63E-10	0.25	1.57E-01	2.21E-11	1.0E+06	2.2E-05
360	0.92801	1.86E-06	1.7E-06	3.46E-04	5.96E-10	0.25	1.57E-01	2.34E-11	1.0E+06	2.3E-05
361	0.97081	1.86E-06	1.8E-06	3.46E-04	6.24E-10	0.25	1.57E-01	2.45E-11	1.0E+06	2.5E-05
362	0.9965	1.86E-06	1.8E-06	3.46E-04	6.40E-10	0.25	1.57E-01	2.52E-11	1.0E+06	2.5E-05
363	1.00265	1.86E-06	1.9E-06	3.46E-04	6.44E-10	0.25	1.57E-01	2.53E-11	1.0E+06	2.5E-05
373	0.82014	1.86E-06	1.5E-06	3.46E-04	5.27E-10	0.25	1.57E-01	2.07E-11	1.0E+06	2.1E-05
374	0.85373	1.86E-06	1.6E-06	3.46E-04	5.49E-10	0.25	1.57E-01	2.16E-11	1.0E+06	2.2E-05
375	0.87519	1.86E-06	1.6E-06	3.46E-04	5.62E-10	0.25	1.57E-01	2.21E-11	1.0E+06	2.2E-05
376	0.88146	1.86E-06	1.6E-06	3.46E-04	5.66E-10	0.25	1.57E-01	2.23E-11	1.0E+06	2.2E-05
386	0.73023	1.86E-06	1.4E-06	3.46E-04	4.69E-10	0.25	1.57E-01	1.84E-11	1.0E+06	1.8E-05
387	0.75776	1.86E-06	1.4E-06	3.46E-04	4.87E-10	0.25	1.57E-01	1.91E-11	1.0E+06	1.9E-05
388	0.77569	1.86E-06	1.4E-06	3.46E-04	4.98E-10	0.25	1.57E-01	1.96E-11	1.0E+06	2.0E-05
389	0.78198	1.86E-06	1.5E-06	3.46E-04	5.03E-10	0.25	1.57E-01	1.97E-11	1.0E+06	2.0E-05
390	0.77454	1.86E-06	1.4E-06	3.46E-04	4.98E-10	0.25	1.57E-01	1.96E-11	1.0E+06	2.0E-05
400	0.65502	1.86E-06	1.2E-06	3.46E-04	4.21E-10	0.25	1.57E-01	1.65E-11	1.0E+06	1.7E-05
401	0.6772	1.86E-06	1.3E-06	3.46E-04	4.35E-10	0.25	1.57E-01	1.71E-11	1.0E+06	1.7E-05
402	0.69307	1.86E-06	1.3E-06	3.46E-04	4.45E-10	0.25	1.57E-01	1.75E-11	1.0E+06	1.7E-05
403	0.69885	1.86E-06	1.3E-06	3.46E-04	4.49E-10	0.25	1.57E-01	1.76E-11	1.0E+06	1.8E-05
404	0.69365	1.86E-06	1.3E-06	3.46E-04	4.46E-10	0.25	1.57E-01	1.75E-11	1.0E+06	1.8E-05
415	0.59107	1.86E-06	1.1E-06	3.46E-04	3.80E-10	0.25	1.57E-01	1.49E-11	1.0E+06	1.5E-05
416	0.61011	1.86E-06	1.1E-06	3.46E-04	3.92E-10	0.25	1.57E-01	1.54E-11	1.0E+06	1.5E-05
417	0.62311	1.86E-06	1.2E-06	3.46E-04	4.00E-10	0.25	1.57E-01	1.57E-11	1.0E+06	1.6E-05

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.6294	1.86E-06	1.2E-06	3.46E-04	4.04E-10	0.25	1.57E-01	1.59E-11	1.0E+06	1.6E-05
419	0.62667	1.86E-06	1.2E-06	3.46E-04	4.03E-10	0.25	1.57E-01	1.58E-11	1.0E+06	1.6E-05
420	0.61253	1.86E-06	1.1E-06	3.46E-04	3.94E-10	0.25	1.57E-01	1.55E-11	1.0E+06	1.5E-05
430	0.55234	1.86E-06	1.0E-06	3.46E-04	3.55E-10	0.25	1.57E-01	1.39E-11	1.0E+06	1.4E-05
431	0.56428	1.86E-06	1.0E-06	3.46E-04	3.63E-10	0.25	1.57E-01	1.42E-11	1.0E+06	1.4E-05
432	0.56988	1.86E-06	1.1E-06	3.46E-04	3.66E-10	0.25	1.57E-01	1.44E-11	1.0E+06	1.4E-05
433	0.56818	1.86E-06	1.1E-06	3.46E-04	3.65E-10	0.25	1.57E-01	1.43E-11	1.0E+06	1.4E-05
434	0.55854	1.86E-06	1.0E-06	3.46E-04	3.59E-10	0.25	1.57E-01	1.41E-11	1.0E+06	1.4E-05
444	0.50331	1.86E-06	9.3E-07	3.46E-04	3.23E-10	0.25	1.57E-01	1.27E-11	1.0E+06	1.3E-05
445	0.51316	1.86E-06	9.5E-07	3.46E-04	3.30E-10	0.25	1.57E-01	1.30E-11	1.0E+06	1.3E-05
446	0.51846	1.86E-06	9.6E-07	3.46E-04	3.33E-10	0.25	1.57E-01	1.31E-11	1.0E+06	1.3E-05
447	0.51781	1.86E-06	9.6E-07	3.46E-04	3.33E-10	0.25	1.57E-01	1.31E-11	1.0E+06	1.3E-05
448	0.51055	1.86E-06	9.5E-07	3.46E-04	3.28E-10	0.25	1.57E-01	1.29E-11	1.0E+06	1.3E-05
459	0.46914	1.86E-06	8.7E-07	3.46E-04	3.01E-10	0.25	1.57E-01	1.18E-11	1.0E+06	1.2E-05
460	0.47394	1.86E-06	8.8E-07	3.46E-04	3.05E-10	0.25	1.57E-01	1.20E-11	1.0E+06	1.2E-05
461	0.47383	1.86E-06	8.8E-07	3.46E-04	3.05E-10	0.25	1.57E-01	1.20E-11	1.0E+06	1.2E-05
462	0.46835	1.86E-06	8.7E-07	3.46E-04	3.01E-10	0.25	1.57E-01	1.18E-11	1.0E+06	1.2E-05
463	0.45737	1.86E-06	8.5E-07	3.46E-04	2.94E-10	0.25	1.57E-01	1.15E-11	1.0E+06	1.2E-05
474	0.4307	1.86E-06	8.0E-07	3.46E-04	2.77E-10	0.25	1.57E-01	1.09E-11	1.0E+06	1.1E-05
475	0.43507	1.86E-06	8.1E-07	3.46E-04	2.80E-10	0.25	1.57E-01	1.10E-11	1.0E+06	1.1E-05
476	0.4356	1.86E-06	8.1E-07	3.46E-04	2.80E-10	0.25	1.57E-01	1.10E-11	1.0E+06	1.1E-05
477	0.43137	1.86E-06	8.0E-07	3.46E-04	2.77E-10	0.25	1.57E-01	1.09E-11	1.0E+06	1.1E-05
478	0.42267	1.86E-06	7.8E-07	3.46E-04	2.72E-10	0.25	1.57E-01	1.07E-11	1.0E+06	1.1E-05
495	0.39722	1.86E-06	7.4E-07	3.46E-04	2.55E-10	0.25	1.57E-01	1.00E-11	1.0E+06	1.0E-05
496	0.40117	1.86E-06	7.4E-07	3.46E-04	2.58E-10	0.25	1.57E-01	1.01E-11	1.0E+06	1.0E-05
497	0.40193	1.86E-06	7.5E-07	3.46E-04	2.58E-10	0.25	1.57E-01	1.01E-11	1.0E+06	1.0E-05
498	0.39888	1.86E-06	7.4E-07	3.46E-04	2.56E-10	0.25	1.57E-01	1.01E-11	1.0E+06	1.0E-05
499	0.39191	1.86E-06	7.3E-07	3.46E-04	2.52E-10	0.25	1.57E-01	9.89E-12	1.0E+06	9.9E-06
500	0.38132	1.86E-06	7.1E-07	3.46E-04	2.45E-10	0.25	1.57E-01	9.63E-12	1.0E+06	9.6E-06

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

		Cancer Risk from 3rd Trimester - Construction									
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
139	10.29733	1.86E-06	1.9E-05	3.46E-04	6.62E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	27.08521	1.86E-06	5.0E-05	3.46E-04	1.74E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	9.16114	1.86E-06	1.7E-05	3.46E-04	5.89E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	18.90263	1.86E-06	3.5E-05	3.46E-04	1.21E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	43.93117	1.86E-06	8.2E-05	3.46E-04	2.82E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	51.30754	1.86E-06	9.5E-05	3.46E-04	3.30E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	17.05985	1.86E-06	3.2E-05	3.46E-04	1.10E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	20.23694	1.86E-06	3.8E-05	3.46E-04	1.30E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	9.56157	1.86E-06	1.8E-05	3.46E-04	6.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	5.82335	1.86E-06	1.1E-05	3.46E-04	3.74E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	12.12227	1.86E-06	2.3E-05	3.46E-04	7.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	20.8188	1.86E-06	3.9E-05	3.46E-04	1.34E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	31.10233	1.86E-06	5.8E-05	3.46E-04	2.00E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	38.5138	1.86E-06	7.1E-05	3.46E-04	2.48E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	29.15419	1.86E-06	5.4E-05	3.46E-04	1.87E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	13.21084	1.86E-06	2.5E-05	3.46E-04	8.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	7.083	1.86E-06	1.3E-05	3.46E-04	4.55E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	4.6065	1.86E-06	8.6E-06	3.46E-04	2.96E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	3.29227	1.86E-06	6.1E-06	3.46E-04	2.12E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	2.49186	1.86E-06	4.6E-06	3.46E-04	1.60E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	1.96457	1.86E-06	3.6E-06	3.46E-04	1.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	12.14283	1.86E-06	2.3E-05	3.46E-04	7.80E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	16.11501	1.86E-06	3.0E-05	3.46E-04	1.04E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	18.01891	1.86E-06	3.3E-05	3.46E-04	1.16E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	15.0364	1.86E-06	2.8E-05	3.46E-04	9.66E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	9.44698	1.86E-06	1.8E-05	3.46E-04	6.07E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	5.73349	1.86E-06	1.1E-05	3.46E-04	3.68E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	3.8619	1.86E-06	7.2E-06	3.46E-04	2.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	2.83606	1.86E-06	5.3E-06	3.46E-04	1.82E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	2.19348	1.86E-06	4.1E-06	3.46E-04	1.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	1.75704	1.86E-06	3.3E-06	3.46E-04	1.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	1.44394	1.86E-06	2.7E-06	3.46E-04	9.28E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	7.92432	1.86E-06	1.5E-05	3.46E-04	5.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	9.78779	1.86E-06	1.8E-05	3.46E-04	6.29E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	10.5415	1.86E-06	2.0E-05	3.46E-04	6.77E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	9.35103	1.86E-06	1.7E-05	3.46E-04	6.01E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	6.88129	1.86E-06	1.3E-05	3.46E-04	4.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	4.69995	1.86E-06	8.7E-06	3.46E-04	3.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	3.32246	1.86E-06	6.2E-06	3.46E-04	2.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	2.49027	1.86E-06	4.6E-06	3.46E-04	1.60E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	1.9559	1.86E-06	3.6E-06	3.46E-04	1.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	1.58723	1.86E-06	2.9E-06	3.46E-04	1.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	1.31792	1.86E-06	2.4E-06	3.46E-04	8.47E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	1.11452	1.86E-06	2.1E-06	3.46E-04	7.16E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	4.42461	1.86E-06	8.2E-06	3.46E-04	2.84E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	5.55569	1.86E-06	1.0E-05	3.46E-04	3.57E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	6.55126	1.86E-06	1.2E-05	3.46E-04	4.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	6.9513	1.86E-06	1.3E-05	3.46E-04	4.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	5.17082	1.86E-06	9.6E-06	3.46E-04	3.32E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	3.8595	1.86E-06	7.2E-06	3.46E-04	2.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	2.87063	1.86E-06	5.3E-06	3.46E-04	1.84E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	2.20158	1.86E-06	4.1E-06	3.46E-04	1.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	1.75388	1.86E-06	3.3E-06	3.46E-04	1.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	1.43923	1.86E-06	2.7E-06	3.46E-04	9.25E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	1.207	1.86E-06	2.2E-06	3.46E-04	7.76E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	1.02974	1.86E-06	1.9E-06	3.46E-04	6.62E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	0.88823	1.86E-06	1.6E-06	3.46E-04	5.71E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	3.43146	1.86E-06	6.4E-06	3.46E-04	2.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	4.11826	1.86E-06	7.6E-06	3.46E-04	2.65E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	4.69472	1.86E-06	8.7E-06	3.46E-04	3.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	4.93943	1.86E-06	9.2E-06	3.46E-04	3.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	4.67814	1.86E-06	8.7E-06	3.46E-04	3.01E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	3.99107	1.86E-06	7.4E-06	3.46E-04	2.56E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	3.17742	1.86E-06	5.9E-06	3.46E-04	2.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	1.95226	1.86E-06	3.6E-06	3.46E-04	1.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	1.57688	1.86E-06	2.9E-06	3.46E-04	1.01E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	1.30824	1.86E-06	2.4E-06	3.46E-04	8.41E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	1.10784	1.86E-06	2.1E-06	3.46E-04	7.12E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	0.95266	1.86E-06	1.8E-06	3.46E-04	6.12E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	0.82956	1.86E-06	1.5E-06	3.46E-04	5.33E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	2.72732	1.86E-06	5.1E-06	3.46E-04	1.75E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	3.17243	1.86E-06	5.9E-06	3.46E-04	2.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	3.52077	1.86E-06	6.5E-06	3.46E-04	2.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	3.68897	1.86E-06	6.8E-06	3.46E-04	2.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	3.56096	1.86E-06	6.6E-06	3.46E-04	2.29E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	3.16737	1.86E-06	5.9E-06	3.46E-04	2.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	2.64755	1.86E-06	4.9E-06	3.46E-04	1.70E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	1.73175	1.86E-06	3.2E-06	3.46E-04	1.11E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	1.42158	1.86E-06	2.6E-06	3.46E-04	9.14E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	1.19177	1.86E-06	2.2E-06	3.46E-04	7.66E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	1.01903	1.86E-06	1.9E-06	3.46E-04	6.55E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	0.88159	1.86E-06	1.6E-06	3.46E-04	5.67E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	0.7733	1.86E-06	1.4E-06	3.46E-04	4.97E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	2.2171	1.86E-06	4.1E-06	3.46E-04	1.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	2.51736	1.86E-06	4.7E-06	3.46E-04	1.62E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	2.75377	1.86E-06	5.1E-06	3.46E-04	1.77E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	2.86176	1.86E-06	5.3E-06	3.46E-04	1.84E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	2.80471	1.86E-06	5.2E-06	3.46E-04	1.80E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	2.56673	1.86E-06	4.8E-06	3.46E-04	1.65E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	2.2241	1.86E-06	4.1E-06	3.46E-04	1.43E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	1.5449	1.86E-06	2.9E-06	3.46E-04	9.93E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	1.28883	1.86E-06	2.4E-06	3.46E-04	8.28E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	1.09188	1.86E-06	2.0E-06	3.46E-04	7.02E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	0.93971	1.86E-06	1.7E-06	3.46E-04	6.04E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	0.81822	1.86E-06	1.5E-06	3.46E-04	5.26E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	0.72228	1.86E-06	1.3E-06	3.46E-04	4.64E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	0.51952	1.86E-06	9.6E-07	3.46E-04	3.34E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	0.47161	1.86E-06	8.8E-07	3.46E-04	3.03E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	1.83695	1.86E-06	3.4E-06	3.46E-04	1.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	2.04723	1.86E-06	3.8E-06	3.46E-04	1.32E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	2.21505	1.86E-06	4.1E-06	3.46E-04	1.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	2.29257	1.86E-06	4.3E-06	3.46E-04	1.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	2.26408	1.86E-06	4.2E-06	3.46E-04	1.45E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	2.11489	1.86E-06	3.9E-06	3.46E-04	1.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	1.88028	1.86E-06	3.5E-06	3.46E-04	1.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	1.37605	1.86E-06	2.6E-06	3.46E-04	8.84E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	1.16733	1.86E-06	2.2E-06	3.46E-04	7.50E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	0.99949	1.86E-06	1.9E-06	3.46E-04	6.42E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	0.86686	1.86E-06	1.6E-06	3.46E-04	5.57E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	0.76107	1.86E-06	1.4E-06	3.46E-04	4.89E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	0.6756	1.86E-06	1.3E-06	3.46E-04	4.34E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	0.49153	1.86E-06	9.1E-07	3.46E-04	3.16E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	0.44857	1.86E-06	8.3E-07	3.46E-04	2.88E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	1.54671	1.86E-06	2.9E-06	3.46E-04	9.94E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	1.69876	1.86E-06	3.2E-06	3.46E-04	1.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	1.82041	1.86E-06	3.4E-06	3.46E-04	1.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	1.87984	1.86E-06	3.5E-06	3.46E-04	1.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	1.86484	1.86E-06	3.5E-06	3.46E-04	1.20E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	1.76977	1.86E-06	3.3E-06	3.46E-04	1.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	1.61172	1.86E-06	3.0E-06	3.46E-04	1.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	1.23047	1.86E-06	2.3E-06	3.46E-04	7.91E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	1.06126	1.86E-06	2.0E-06	3.46E-04	6.82E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	0.91833	1.86E-06	1.7E-06	3.46E-04	5.90E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	0.80309	1.86E-06	1.5E-06	3.46E-04	5.16E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	0.70929	1.86E-06	1.3E-06	3.46E-04	4.56E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	0.63261	1.86E-06	1.2E-06	3.46E-04	4.07E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	0.46614	1.86E-06	8.7E-07	3.46E-04	3.00E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	0.42648	1.86E-06	7.9E-07	3.46E-04	2.74E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	1.32032	1.86E-06	2.5E-06	3.46E-04	8.48E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	1.43337	1.86E-06	2.7E-06	3.46E-04	9.21E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	1.52372	1.86E-06	2.8E-06	3.46E-04	9.79E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	1.57006	1.86E-06	2.9E-06	3.46E-04	1.01E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	1.56732	1.86E-06	2.9E-06	3.46E-04	1.01E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	1.50429	1.86E-06	2.8E-06	3.46E-04	9.67E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	1.39305	1.86E-06	2.6E-06	3.46E-04	8.95E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	1.10442	1.86E-06	2.1E-06	3.46E-04	7.10E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	0.96804	1.86E-06	1.8E-06	3.46E-04	6.22E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	0.84574	1.86E-06	1.6E-06	3.46E-04	5.44E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	0.74561	1.86E-06	1.4E-06	3.46E-04	4.79E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	0.66229	1.86E-06	1.2E-06	3.46E-04	4.26E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	0.59282	1.86E-06	1.1E-06	3.46E-04	3.81E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	0.44218	1.86E-06	8.2E-07	3.46E-04	2.84E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	0.40554	1.86E-06	7.5E-07	3.46E-04	2.61E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	1.14063	1.86E-06	2.1E-06	3.46E-04	7.33E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	1.22648	1.86E-06	2.3E-06	3.46E-04	7.88E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	1.29532	1.86E-06	2.4E-06	3.46E-04	8.32E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	1.33394	1.86E-06	2.5E-06	3.46E-04	8.57E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	1.33362	1.86E-06	2.5E-06	3.46E-04	8.57E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	1.29408	1.86E-06	2.4E-06	3.46E-04	8.32E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	1.21488	1.86E-06	2.3E-06	3.46E-04	7.81E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	1.11111	1.86E-06	2.1E-06	3.46E-04	7.14E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	0.99512	1.86E-06	1.8E-06	3.46E-04	6.40E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	0.88319	1.86E-06	1.6E-06	3.46E-04	5.68E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	0.78118	1.86E-06	1.5E-06	3.46E-04	5.02E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	0.69335	1.86E-06	1.3E-06	3.46E-04	4.46E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	0.61908	1.86E-06	1.1E-06	3.46E-04	3.98E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	0.55685	1.86E-06	1.0E-06	3.46E-04	3.58E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	0.45782	1.86E-06	8.5E-07	3.46E-04	2.94E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	0.41948	1.86E-06	7.8E-07	3.46E-04	2.70E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.38589	1.86E-06	7.2E-07	3.46E-04	2.48E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	1.1507	1.86E-06	2.1E-06	3.46E-04	7.39E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	1.12342	1.86E-06	2.1E-06	3.46E-04	7.22E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	1.06532	1.86E-06	2.0E-06	3.46E-04	6.85E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	0.98868	1.86E-06	1.8E-06	3.46E-04	6.35E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	0.43341	1.86E-06	8.0E-07	3.46E-04	2.79E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	0.39835	1.86E-06	7.4E-07	3.46E-04	2.56E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.36753	1.86E-06	6.8E-07	3.46E-04	2.36E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	0.98463	1.86E-06	1.8E-06	3.46E-04	6.33E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	0.94371	1.86E-06	1.8E-06	3.46E-04	6.06E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	0.88369	1.86E-06	1.6E-06	3.46E-04	5.68E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	0.41091	1.86E-06	7.6E-07	3.46E-04	2.64E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	0.3785	1.86E-06	7.0E-07	3.46E-04	2.43E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.35019	1.86E-06	6.5E-07	3.46E-04	2.25E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	0.86993	1.86E-06	1.6E-06	3.46E-04	5.59E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	0.83967	1.86E-06	1.6E-06	3.46E-04	5.40E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	0.79349	1.86E-06	1.5E-06	3.46E-04	5.10E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	0.38958	1.86E-06	7.2E-07	3.46E-04	2.50E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	0.35949	1.86E-06	6.7E-07	3.46E-04	2.31E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.3336	1.86E-06	6.2E-07	3.46E-04	2.14E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	0.75184	1.86E-06	1.4E-06	3.46E-04	4.83E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	0.71564	1.86E-06	1.3E-06	3.46E-04	4.60E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	0.36979	1.86E-06	6.9E-07	3.46E-04	2.38E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.34229	1.86E-06	6.4E-07	3.46E-04	2.20E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.3184	1.86E-06	5.9E-07	3.46E-04	2.05E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	0.67726	1.86E-06	1.3E-06	3.46E-04	4.35E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	0.64963	1.86E-06	1.2E-06	3.46E-04	4.17E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	0.61417	1.86E-06	1.1E-06	3.46E-04	3.95E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	0.35162	1.86E-06	6.5E-07	3.46E-04	2.26E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.32616	1.86E-06	6.1E-07	3.46E-04	2.10E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.30433	1.86E-06	5.6E-07	3.46E-04	1.96E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	0.59165	1.86E-06	1.1E-06	3.46E-04	3.80E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	0.5628	1.86E-06	1.0E-06	3.46E-04	3.62E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.33455	1.86E-06	6.2E-07	3.46E-04	2.15E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.31114	1.86E-06	5.8E-07	3.46E-04	2.00E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.2909	1.86E-06	5.4E-07	3.46E-04	1.87E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	0.5407	1.86E-06	1.0E-06	3.46E-04	3.47E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	0.51785	1.86E-06	9.6E-07	3.46E-04	3.33E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.29716	1.86E-06	5.5E-07	3.46E-04	1.91E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.27801	1.86E-06	5.2E-07	3.46E-04	1.79E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	0.49616	1.86E-06	9.2E-07	3.46E-04	3.19E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	0.47799	1.86E-06	8.9E-07	3.46E-04	3.07E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	0.45465	1.86E-06	8.4E-07	3.46E-04	2.92E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.2839	1.86E-06	5.3E-07	3.46E-04	1.82E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.26609	1.86E-06	4.9E-07	3.46E-04	1.71E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	0.44197	1.86E-06	8.2E-07	3.46E-04	2.84E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	0.4227	1.86E-06	7.8E-07	3.46E-04	2.72E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.30982	1.86E-06	5.8E-07	3.46E-04	1.99E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.27151	1.86E-06	5.0E-07	3.46E-04	1.74E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.25498	1.86E-06	4.7E-07	3.46E-04	1.64E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	0.40926	1.86E-06	7.6E-07	3.46E-04	2.63E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	0.39374	1.86E-06	7.3E-07	3.46E-04	2.53E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	0.37507	1.86E-06	7.0E-07	3.46E-04	2.41E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	0.35526	1.86E-06	6.6E-07	3.46E-04	2.28E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	0.33439	1.86E-06	6.2E-07	3.46E-04	2.15E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.31425	1.86E-06	5.8E-07	3.46E-04	2.02E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.29481	1.86E-06	5.5E-07	3.46E-04	1.89E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.27673	1.86E-06	5.1E-07	3.46E-04	1.78E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.25994	1.86E-06	4.8E-07	3.46E-04	1.67E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.2445	1.86E-06	4.5E-07	3.46E-04	1.57E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	0.36715	1.86E-06	6.8E-07	3.46E-04	2.36E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	0.35199	1.86E-06	6.5E-07	3.46E-04	2.26E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	0.33477	1.86E-06	6.2E-07	3.46E-04	2.15E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	0.31657	1.86E-06	5.9E-07	3.46E-04	2.03E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	0.29843	1.86E-06	5.5E-07	3.46E-04	1.92E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.28087	1.86E-06	5.2E-07	3.46E-04	1.80E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.26442	1.86E-06	4.9E-07	3.46E-04	1.70E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.23466	1.86E-06	4.4E-07	3.46E-04	1.51E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.34397	1.86E-06	6.4E-07	3.46E-04	2.21E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	0.32996	1.86E-06	6.1E-07	3.46E-04	2.12E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	0.31573	1.86E-06	5.9E-07	3.46E-04	2.03E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	0.29979	1.86E-06	5.6E-07	3.46E-04	1.93E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	0.28361	1.86E-06	5.3E-07	3.46E-04	1.82E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.26778	1.86E-06	5.0E-07	3.46E-04	1.72E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.25274	1.86E-06	4.7E-07	3.46E-04	1.62E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.22534	1.86E-06	4.2E-07	3.46E-04	1.45E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.32292	1.86E-06	6.0E-07	3.46E-04	2.08E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.31117	1.86E-06	5.8E-07	3.46E-04	2.00E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	0.2978	1.86E-06	5.5E-07	3.46E-04	1.91E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	0.28376	1.86E-06	5.3E-07	3.46E-04	1.82E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	0.26974	1.86E-06	5.0E-07	3.46E-04	1.73E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.25545	1.86E-06	4.7E-07	3.46E-04	1.64E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.24149	1.86E-06	4.5E-07	3.46E-04	1.55E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.2165	1.86E-06	4.0E-07	3.46E-04	1.39E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.29354	1.86E-06	5.4E-07	3.46E-04	1.89E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.28214	1.86E-06	5.2E-07	3.46E-04	1.81E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.26961	1.86E-06	5.0E-07	3.46E-04	1.73E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.25298	1.86E-06	4.7E-07	3.46E-04	1.63E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.24372	1.86E-06	4.5E-07	3.46E-04	1.57E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.23154	1.86E-06	4.3E-07	3.46E-04	1.49E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.20832	1.86E-06	3.9E-07	3.46E-04	1.34E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.27728	1.86E-06	5.1E-07	3.46E-04	1.78E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.26732	1.86E-06	5.0E-07	3.46E-04	1.72E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.25644	1.86E-06	4.8E-07	3.46E-04	1.65E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.24489	1.86E-06	4.5E-07	3.46E-04	1.57E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.23317	1.86E-06	4.3E-07	3.46E-04	1.50E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.22165	1.86E-06	4.1E-07	3.46E-04	1.42E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.19105	1.86E-06	3.5E-07	3.46E-04	1.23E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.26237	1.86E-06	4.9E-07	3.46E-04	1.69E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.25355	1.86E-06	4.7E-07	3.46E-04	1.63E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.2439	1.86E-06	4.5E-07	3.46E-04	1.57E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.23365	1.86E-06	4.3E-07	3.46E-04	1.50E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.22314	1.86E-06	4.1E-07	3.46E-04	1.43E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.21277	1.86E-06	3.9E-07	3.46E-04	1.37E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.20259	1.86E-06	3.8E-07	3.46E-04	1.30E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	1.86E-06	0.0E+00	3.46E-04	0.00E+00	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.39631	1.86E-06	7.4E-07	1.05E-03	7.69E-10	2	1.57E-01	2.42E-10	1.0E+06	2.4E-04
2	0.43464	1.86E-06	8.1E-07	1.05E-03	8.43E-10	2	1.57E-01	2.65E-10	1.0E+06	2.7E-04
3	0.47879	1.86E-06	8.9E-07	1.05E-03	9.29E-10	2	1.57E-01	2.92E-10	1.0E+06	2.9E-04
4	0.53022	1.86E-06	9.8E-07	1.05E-03	1.03E-09	2	1.57E-01	3.23E-10	1.0E+06	3.2E-04
5	0.59063	1.86E-06	1.1E-06	1.05E-03	1.15E-09	2	1.57E-01	3.60E-10	1.0E+06	3.6E-04
6	0.66284	1.86E-06	1.2E-06	1.05E-03	1.29E-09	2	1.57E-01	4.04E-10	1.0E+06	4.0E-04
7	0.74891	1.86E-06	1.4E-06	1.05E-03	1.45E-09	2	1.57E-01	4.57E-10	1.0E+06	4.6E-04
8	0.85203	1.86E-06	1.6E-06	1.05E-03	1.65E-09	2	1.57E-01	5.20E-10	1.0E+06	5.2E-04
9	0.97695	1.86E-06	1.8E-06	1.05E-03	1.90E-09	2	1.57E-01	5.96E-10	1.0E+06	6.0E-04
10	1.12894	1.86E-06	2.1E-06	1.05E-03	2.19E-09	2	1.57E-01	6.88E-10	1.0E+06	6.9E-04
11	1.31399	1.86E-06	2.4E-06	1.05E-03	2.55E-09	2	1.57E-01	8.01E-10	1.0E+06	8.0E-04
12	1.53825	1.86E-06	2.9E-06	1.05E-03	2.98E-09	2	1.57E-01	9.38E-10	1.0E+06	9.4E-04
13	1.80823	1.86E-06	3.4E-06	1.05E-03	3.51E-09	2	1.57E-01	1.10E-09	1.0E+06	1.1E-03
14	2.12258	1.86E-06	3.9E-06	1.05E-03	4.12E-09	2	1.57E-01	1.29E-09	1.0E+06	1.3E-03
15	2.47141	1.86E-06	4.6E-06	1.05E-03	4.80E-09	2	1.57E-01	1.51E-09	1.0E+06	1.5E-03
16	2.82197	1.86E-06	5.2E-06	1.05E-03	5.48E-09	2	1.57E-01	1.72E-09	1.0E+06	1.7E-03
17	3.12792	1.86E-06	5.8E-06	1.05E-03	6.07E-09	2	1.57E-01	1.91E-09	1.0E+06	1.9E-03
18	3.35132	1.86E-06	6.2E-06	1.05E-03	6.50E-09	2	1.57E-01	2.04E-09	1.0E+06	2.0E-03
19	3.5147	1.86E-06	6.5E-06	1.05E-03	6.82E-09	2	1.57E-01	2.14E-09	1.0E+06	2.1E-03
20	3.64395	1.86E-06	6.8E-06	1.05E-03	7.07E-09	2	1.57E-01	2.22E-09	1.0E+06	2.2E-03
21	3.72415	1.86E-06	6.9E-06	1.05E-03	7.23E-09	2	1.57E-01	2.27E-09	1.0E+06	2.3E-03
22	3.7229	1.86E-06	6.9E-06	1.05E-03	7.22E-09	2	1.57E-01	2.27E-09	1.0E+06	2.3E-03
23	3.61363	1.86E-06	6.7E-06	1.05E-03	7.01E-09	2	1.57E-01	2.20E-09	1.0E+06	2.2E-03
24	3.39793	1.86E-06	6.3E-06	1.05E-03	6.59E-09	2	1.57E-01	2.07E-09	1.0E+06	2.1E-03
25	3.10425	1.86E-06	5.8E-06	1.05E-03	6.02E-09	2	1.57E-01	1.89E-09	1.0E+06	1.9E-03
26	2.77138	1.86E-06	5.1E-06	1.05E-03	5.38E-09	2	1.57E-01	1.69E-09	1.0E+06	1.7E-03
27	2.43404	1.86E-06	4.5E-06	1.05E-03	4.72E-09	2	1.57E-01	1.48E-09	1.0E+06	1.5E-03
28	2.11598	1.86E-06	3.9E-06	1.05E-03	4.11E-09	2	1.57E-01	1.29E-09	1.0E+06	1.3E-03
29	1.82984	1.86E-06	3.4E-06	1.05E-03	3.55E-09	2	1.57E-01	1.12E-09	1.0E+06	1.1E-03
30	1.58007	1.86E-06	2.9E-06	1.05E-03	3.07E-09	2	1.57E-01	9.64E-10	1.0E+06	9.6E-04
31	1.36609	1.86E-06	2.5E-06	1.05E-03	2.65E-09	2	1.57E-01	8.33E-10	1.0E+06	8.3E-04

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	1.18486	1.86E-06	2.2E-06	1.05E-03	2.30E-09	2	1.57E-01	7.23E-10	1.0E+06	7.2E-04
55	5.22556	1.86E-06	9.7E-06	1.05E-03	1.01E-08	2	1.57E-01	3.19E-09	1.0E+06	3.2E-03
56	4.79792	1.86E-06	8.9E-06	1.05E-03	9.31E-09	2	1.57E-01	2.93E-09	1.0E+06	2.9E-03
57	4.25044	1.86E-06	7.9E-06	1.05E-03	8.25E-09	2	1.57E-01	2.59E-09	1.0E+06	2.6E-03
58	3.66474	1.86E-06	6.8E-06	1.05E-03	7.11E-09	2	1.57E-01	2.23E-09	1.0E+06	2.2E-03
59	3.10641	1.86E-06	5.8E-06	1.05E-03	6.03E-09	2	1.57E-01	1.89E-09	1.0E+06	1.9E-03
60	2.61117	1.86E-06	4.8E-06	1.05E-03	5.07E-09	2	1.57E-01	1.59E-09	1.0E+06	1.6E-03
61	2.1904	1.86E-06	4.1E-06	1.05E-03	4.25E-09	2	1.57E-01	1.34E-09	1.0E+06	1.3E-03
62	1.84179	1.86E-06	3.4E-06	1.05E-03	3.57E-09	2	1.57E-01	1.12E-09	1.0E+06	1.1E-03
63	1.55659	1.86E-06	2.9E-06	1.05E-03	3.02E-09	2	1.57E-01	9.49E-10	1.0E+06	9.5E-04
64	1.3245	1.86E-06	2.5E-06	1.05E-03	2.57E-09	2	1.57E-01	8.08E-10	1.0E+06	8.1E-04
65	1.1358	1.86E-06	2.1E-06	1.05E-03	2.20E-09	2	1.57E-01	6.93E-10	1.0E+06	6.9E-04
66	0.98113	1.86E-06	1.8E-06	1.05E-03	1.90E-09	2	1.57E-01	5.98E-10	1.0E+06	6.0E-04
67	0.41851	1.86E-06	7.8E-07	1.05E-03	8.12E-10	2	1.57E-01	2.55E-10	1.0E+06	2.6E-04
68	0.46218	1.86E-06	8.6E-07	1.05E-03	8.97E-10	2	1.57E-01	2.82E-10	1.0E+06	2.8E-04
69	0.51346	1.86E-06	9.5E-07	1.05E-03	9.96E-10	2	1.57E-01	3.13E-10	1.0E+06	3.1E-04
70	0.57436	1.86E-06	1.1E-06	1.05E-03	1.11E-09	2	1.57E-01	3.50E-10	1.0E+06	3.5E-04
71	0.64702	1.86E-06	1.2E-06	1.05E-03	1.26E-09	2	1.57E-01	3.95E-10	1.0E+06	3.9E-04
72	0.73628	1.86E-06	1.4E-06	1.05E-03	1.43E-09	2	1.57E-01	4.49E-10	1.0E+06	4.5E-04
73	0.84601	1.86E-06	1.6E-06	1.05E-03	1.64E-09	2	1.57E-01	5.16E-10	1.0E+06	5.2E-04
74	0.98312	1.86E-06	1.8E-06	1.05E-03	1.91E-09	2	1.57E-01	6.00E-10	1.0E+06	6.0E-04
75	1.15752	1.86E-06	2.1E-06	1.05E-03	2.25E-09	2	1.57E-01	7.06E-10	1.0E+06	7.1E-04
76	1.38434	1.86E-06	2.6E-06	1.05E-03	2.69E-09	2	1.57E-01	8.44E-10	1.0E+06	8.4E-04
77	1.68591	1.86E-06	3.1E-06	1.05E-03	3.27E-09	2	1.57E-01	1.03E-09	1.0E+06	1.0E-03
78	2.096	1.86E-06	3.9E-06	1.05E-03	4.07E-09	2	1.57E-01	1.28E-09	1.0E+06	1.3E-03
79	7.26509	1.86E-06	1.3E-05	1.05E-03	1.41E-08	2	1.57E-01	4.43E-09	1.0E+06	4.4E-03
80	8.33716	1.86E-06	1.5E-05	1.05E-03	1.62E-08	2	1.57E-01	5.08E-09	1.0E+06	5.1E-03
81	8.96787	1.86E-06	1.7E-05	1.05E-03	1.74E-08	2	1.57E-01	5.47E-09	1.0E+06	5.5E-03
82	8.9246	1.86E-06	1.7E-05	1.05E-03	1.73E-08	2	1.57E-01	5.44E-09	1.0E+06	5.4E-03
83	8.31648	1.86E-06	1.5E-05	1.05E-03	1.61E-08	2	1.57E-01	5.07E-09	1.0E+06	5.1E-03
84	7.34765	1.86E-06	1.4E-05	1.05E-03	1.43E-08	2	1.57E-01	4.48E-09	1.0E+06	4.5E-03

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	6.20569	1.86E-06	1.2E-05	1.05E-03	1.20E-08	2	1.57E-01	3.78E-09	1.0E+06	3.8E-03
86	5.08015	1.86E-06	9.4E-06	1.05E-03	9.86E-09	2	1.57E-01	3.10E-09	1.0E+06	3.1E-03
87	4.09355	1.86E-06	7.6E-06	1.05E-03	7.94E-09	2	1.57E-01	2.50E-09	1.0E+06	2.5E-03
88	3.2869	1.86E-06	6.1E-06	1.05E-03	6.38E-09	2	1.57E-01	2.00E-09	1.0E+06	2.0E-03
89	2.65085	1.86E-06	4.9E-06	1.05E-03	5.14E-09	2	1.57E-01	1.62E-09	1.0E+06	1.6E-03
90	2.15768	1.86E-06	4.0E-06	1.05E-03	4.19E-09	2	1.57E-01	1.32E-09	1.0E+06	1.3E-03
91	1.77573	1.86E-06	3.3E-06	1.05E-03	3.45E-09	2	1.57E-01	1.08E-09	1.0E+06	1.1E-03
92	1.47965	1.86E-06	2.7E-06	1.05E-03	2.87E-09	2	1.57E-01	9.02E-10	1.0E+06	9.0E-04
93	1.2471	1.86E-06	2.3E-06	1.05E-03	2.42E-09	2	1.57E-01	7.61E-10	1.0E+06	7.6E-04
96	6.19055	1.86E-06	1.1E-05	1.05E-03	1.20E-08	2	1.57E-01	3.78E-09	1.0E+06	3.8E-03
97	4.55601	1.86E-06	8.5E-06	1.05E-03	8.84E-09	2	1.57E-01	2.78E-09	1.0E+06	2.8E-03
98	3.23801	1.86E-06	6.0E-06	1.05E-03	6.28E-09	2	1.57E-01	1.97E-09	1.0E+06	2.0E-03
99	2.5324	1.86E-06	4.7E-06	1.05E-03	4.91E-09	2	1.57E-01	1.54E-09	1.0E+06	1.5E-03
100	2.02317	1.86E-06	3.8E-06	1.05E-03	3.93E-09	2	1.57E-01	1.23E-09	1.0E+06	1.2E-03
101	1.64837	1.86E-06	3.1E-06	1.05E-03	3.20E-09	2	1.57E-01	1.01E-09	1.0E+06	1.0E-03
102	1.36421	1.86E-06	2.5E-06	1.05E-03	2.65E-09	2	1.57E-01	8.32E-10	1.0E+06	8.3E-04
106	0.3895	1.86E-06	7.2E-07	1.05E-03	7.56E-10	2	1.57E-01	2.38E-10	1.0E+06	2.4E-04
107	0.43048	1.86E-06	8.0E-07	1.05E-03	8.35E-10	2	1.57E-01	2.63E-10	1.0E+06	2.6E-04
108	0.47724	1.86E-06	8.9E-07	1.05E-03	9.26E-10	2	1.57E-01	2.91E-10	1.0E+06	2.9E-04
109	0.5327	1.86E-06	9.9E-07	1.05E-03	1.03E-09	2	1.57E-01	3.25E-10	1.0E+06	3.2E-04
110	0.59938	1.86E-06	1.1E-06	1.05E-03	1.16E-09	2	1.57E-01	3.66E-10	1.0E+06	3.7E-04
111	0.68001	1.86E-06	1.3E-06	1.05E-03	1.32E-09	2	1.57E-01	4.15E-10	1.0E+06	4.1E-04
112	0.78086	1.86E-06	1.4E-06	1.05E-03	1.52E-09	2	1.57E-01	4.76E-10	1.0E+06	4.8E-04
113	0.907	1.86E-06	1.7E-06	1.05E-03	1.76E-09	2	1.57E-01	5.53E-10	1.0E+06	5.5E-04
114	1.06929	1.86E-06	2.0E-06	1.05E-03	2.07E-09	2	1.57E-01	6.52E-10	1.0E+06	6.5E-04
115	1.28266	1.86E-06	2.4E-06	1.05E-03	2.49E-09	2	1.57E-01	7.82E-10	1.0E+06	7.8E-04
116	1.57133	1.86E-06	2.9E-06	1.05E-03	3.05E-09	2	1.57E-01	9.58E-10	1.0E+06	9.6E-04
117	1.98388	1.86E-06	3.7E-06	1.05E-03	3.85E-09	2	1.57E-01	1.21E-09	1.0E+06	1.2E-03
118	2.59948	1.86E-06	4.8E-06	1.05E-03	5.04E-09	2	1.57E-01	1.59E-09	1.0E+06	1.6E-03
124	0.39167	1.86E-06	7.3E-07	1.05E-03	7.60E-10	2	1.57E-01	2.39E-10	1.0E+06	2.4E-04
125	0.43181	1.86E-06	8.0E-07	1.05E-03	8.38E-10	2	1.57E-01	2.63E-10	1.0E+06	2.6E-04

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.479	1.86E-06	8.9E-07	1.05E-03	9.29E-10	2	1.57E-01	2.92E-10	1.0E+06	2.9E-04
127	0.5351	1.86E-06	9.9E-07	1.05E-03	1.04E-09	2	1.57E-01	3.26E-10	1.0E+06	3.3E-04
128	0.60264	1.86E-06	1.1E-06	1.05E-03	1.17E-09	2	1.57E-01	3.68E-10	1.0E+06	3.7E-04
129	0.68462	1.86E-06	1.3E-06	1.05E-03	1.33E-09	2	1.57E-01	4.18E-10	1.0E+06	4.2E-04
130	0.78716	1.86E-06	1.5E-06	1.05E-03	1.53E-09	2	1.57E-01	4.80E-10	1.0E+06	4.8E-04
131	0.91626	1.86E-06	1.7E-06	1.05E-03	1.78E-09	2	1.57E-01	5.59E-10	1.0E+06	5.6E-04
132	1.08306	1.86E-06	2.0E-06	1.05E-03	2.10E-09	2	1.57E-01	6.60E-10	1.0E+06	6.6E-04
133	1.30363	1.86E-06	2.4E-06	1.05E-03	2.53E-09	2	1.57E-01	7.95E-10	1.0E+06	7.9E-04
134	1.60732	1.86E-06	3.0E-06	1.05E-03	3.12E-09	2	1.57E-01	9.80E-10	1.0E+06	9.8E-04
135	2.04097	1.86E-06	3.8E-06	1.05E-03	3.96E-09	2	1.57E-01	1.24E-09	1.0E+06	1.2E-03
136	2.69772	1.86E-06	5.0E-06	1.05E-03	5.23E-09	2	1.57E-01	1.65E-09	1.0E+06	1.6E-03
137	3.76938	1.86E-06	7.0E-06	1.05E-03	7.31E-09	2	1.57E-01	2.30E-09	1.0E+06	2.3E-03
138	5.76874	1.86E-06	1.1E-05	1.05E-03	1.12E-08	2	1.57E-01	3.52E-09	1.0E+06	3.5E-03
141	0.39037	1.86E-06	7.2E-07	1.05E-03	7.57E-10	2	1.57E-01	2.38E-10	1.0E+06	2.4E-04
142	0.43032	1.86E-06	8.0E-07	1.05E-03	8.35E-10	2	1.57E-01	2.62E-10	1.0E+06	2.6E-04
143	0.47725	1.86E-06	8.9E-07	1.05E-03	9.26E-10	2	1.57E-01	2.91E-10	1.0E+06	2.9E-04
144	0.53303	1.86E-06	9.9E-07	1.05E-03	1.03E-09	2	1.57E-01	3.25E-10	1.0E+06	3.3E-04
145	0.60008	1.86E-06	1.1E-06	1.05E-03	1.16E-09	2	1.57E-01	3.66E-10	1.0E+06	3.7E-04
146	0.68151	1.86E-06	1.3E-06	1.05E-03	1.32E-09	2	1.57E-01	4.16E-10	1.0E+06	4.2E-04
147	0.78311	1.86E-06	1.5E-06	1.05E-03	1.52E-09	2	1.57E-01	4.78E-10	1.0E+06	4.8E-04
148	0.91083	1.86E-06	1.7E-06	1.05E-03	1.77E-09	2	1.57E-01	5.55E-10	1.0E+06	5.6E-04
149	1.07555	1.86E-06	2.0E-06	1.05E-03	2.09E-09	2	1.57E-01	6.56E-10	1.0E+06	6.6E-04
150	1.29316	1.86E-06	2.4E-06	1.05E-03	2.51E-09	2	1.57E-01	7.89E-10	1.0E+06	7.9E-04
151	1.59067	1.86E-06	3.0E-06	1.05E-03	3.09E-09	2	1.57E-01	9.70E-10	1.0E+06	9.7E-04
152	2.01363	1.86E-06	3.7E-06	1.05E-03	3.91E-09	2	1.57E-01	1.23E-09	1.0E+06	1.2E-03
153	2.64693	1.86E-06	4.9E-06	1.05E-03	5.14E-09	2	1.57E-01	1.61E-09	1.0E+06	1.6E-03
154	3.66067	1.86E-06	6.8E-06	1.05E-03	7.10E-09	2	1.57E-01	2.23E-09	1.0E+06	2.2E-03
155	5.4575	1.86E-06	1.0E-05	1.05E-03	1.06E-08	2	1.57E-01	3.33E-09	1.0E+06	3.3E-03
164	3.34375	1.86E-06	6.2E-06	1.05E-03	6.49E-09	2	1.57E-01	2.04E-09	1.0E+06	2.0E-03
165	4.74343	1.86E-06	8.8E-06	1.05E-03	9.20E-09	2	1.57E-01	2.89E-09	1.0E+06	2.9E-03
166	7.26315	1.86E-06	1.3E-05	1.05E-03	1.41E-08	2	1.57E-01	4.43E-09	1.0E+06	4.4E-03

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	2.94641	1.86E-06	5.5E-06	1.05E-03	5.72E-09	2	1.57E-01	1.80E-09	1.0E+06	1.8E-03
179	3.97722	1.86E-06	7.4E-06	1.05E-03	7.72E-09	2	1.57E-01	2.43E-09	1.0E+06	2.4E-03
180	5.62883	1.86E-06	1.0E-05	1.05E-03	1.09E-08	2	1.57E-01	3.43E-09	1.0E+06	3.4E-03
192	2.55259	1.86E-06	4.7E-06	1.05E-03	4.95E-09	2	1.57E-01	1.56E-09	1.0E+06	1.6E-03
193	3.30114	1.86E-06	6.1E-06	1.05E-03	6.41E-09	2	1.57E-01	2.01E-09	1.0E+06	2.0E-03
194	4.39057	1.86E-06	8.2E-06	1.05E-03	8.52E-09	2	1.57E-01	2.68E-09	1.0E+06	2.7E-03
207	2.19692	1.86E-06	4.1E-06	1.05E-03	4.26E-09	2	1.57E-01	1.34E-09	1.0E+06	1.3E-03
208	2.74044	1.86E-06	5.1E-06	1.05E-03	5.32E-09	2	1.57E-01	1.67E-09	1.0E+06	1.7E-03
209	3.47844	1.86E-06	6.5E-06	1.05E-03	6.75E-09	2	1.57E-01	2.12E-09	1.0E+06	2.1E-03
223	1.89153	1.86E-06	3.5E-06	1.05E-03	3.67E-09	2	1.57E-01	1.15E-09	1.0E+06	1.2E-03
224	2.29123	1.86E-06	4.3E-06	1.05E-03	4.45E-09	2	1.57E-01	1.40E-09	1.0E+06	1.4E-03
225	2.80265	1.86E-06	5.2E-06	1.05E-03	5.44E-09	2	1.57E-01	1.71E-09	1.0E+06	1.7E-03
239	1.6357	1.86E-06	3.0E-06	1.05E-03	3.17E-09	2	1.57E-01	9.98E-10	1.0E+06	1.0E-03
240	1.93453	1.86E-06	3.6E-06	1.05E-03	3.75E-09	2	1.57E-01	1.18E-09	1.0E+06	1.2E-03
241	2.30071	1.86E-06	4.3E-06	1.05E-03	4.46E-09	2	1.57E-01	1.40E-09	1.0E+06	1.4E-03
255	1.42268	1.86E-06	2.6E-06	1.05E-03	2.76E-09	2	1.57E-01	8.68E-10	1.0E+06	8.7E-04
256	1.64994	1.86E-06	3.1E-06	1.05E-03	3.20E-09	2	1.57E-01	1.01E-09	1.0E+06	1.0E-03
272	1.24557	1.86E-06	2.3E-06	1.05E-03	2.42E-09	2	1.57E-01	7.60E-10	1.0E+06	7.6E-04
273	1.42109	1.86E-06	2.6E-06	1.05E-03	2.76E-09	2	1.57E-01	8.67E-10	1.0E+06	8.7E-04
289	1.09791	1.86E-06	2.0E-06	1.05E-03	2.13E-09	2	1.57E-01	6.70E-10	1.0E+06	6.7E-04
290	1.23505	1.86E-06	2.3E-06	1.05E-03	2.40E-09	2	1.57E-01	7.53E-10	1.0E+06	7.5E-04
306	0.97399	1.86E-06	1.8E-06	1.05E-03	1.89E-09	2	1.57E-01	5.94E-10	1.0E+06	5.9E-04
307	1.08238	1.86E-06	2.0E-06	1.05E-03	2.10E-09	2	1.57E-01	6.60E-10	1.0E+06	6.6E-04
323	0.86936	1.86E-06	1.6E-06	1.05E-03	1.69E-09	2	1.57E-01	5.30E-10	1.0E+06	5.3E-04
324	0.95589	1.86E-06	1.8E-06	1.05E-03	1.85E-09	2	1.57E-01	5.83E-10	1.0E+06	5.8E-04
342	0.78031	1.86E-06	1.4E-06	1.05E-03	1.51E-09	2	1.57E-01	4.76E-10	1.0E+06	4.8E-04
343	0.84994	1.86E-06	1.6E-06	1.05E-03	1.65E-09	2	1.57E-01	5.18E-10	1.0E+06	5.2E-04
344	0.92327	1.86E-06	1.7E-06	1.05E-03	1.79E-09	2	1.57E-01	5.63E-10	1.0E+06	5.6E-04
356	0.70411	1.86E-06	1.3E-06	1.05E-03	1.37E-09	2	1.57E-01	4.29E-10	1.0E+06	4.3E-04
357	0.7612	1.86E-06	1.4E-06	1.05E-03	1.48E-09	2	1.57E-01	4.64E-10	1.0E+06	4.6E-04
358	0.81958	1.86E-06	1.5E-06	1.05E-03	1.59E-09	2	1.57E-01	5.00E-10	1.0E+06	5.0E-04

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.63836	1.86E-06	1.2E-06	1.05E-03	1.24E-09	2	1.57E-01	3.89E-10	1.0E+06	3.9E-04
371	0.68532	1.86E-06	1.3E-06	1.05E-03	1.33E-09	2	1.57E-01	4.18E-10	1.0E+06	4.2E-04
372	0.73267	1.86E-06	1.4E-06	1.05E-03	1.42E-09	2	1.57E-01	4.47E-10	1.0E+06	4.5E-04
383	0.58136	1.86E-06	1.1E-06	1.05E-03	1.13E-09	2	1.57E-01	3.55E-10	1.0E+06	3.5E-04
384	0.62024	1.86E-06	1.2E-06	1.05E-03	1.20E-09	2	1.57E-01	3.78E-10	1.0E+06	3.8E-04
385	0.6591	1.86E-06	1.2E-06	1.05E-03	1.28E-09	2	1.57E-01	4.02E-10	1.0E+06	4.0E-04
396	0.53161	1.86E-06	9.9E-07	1.05E-03	1.03E-09	2	1.57E-01	3.24E-10	1.0E+06	3.2E-04
397	0.56406	1.86E-06	1.0E-06	1.05E-03	1.09E-09	2	1.57E-01	3.44E-10	1.0E+06	3.4E-04
398	0.59628	1.86E-06	1.1E-06	1.05E-03	1.16E-09	2	1.57E-01	3.64E-10	1.0E+06	3.6E-04
399	0.62715	1.86E-06	1.2E-06	1.05E-03	1.22E-09	2	1.57E-01	3.82E-10	1.0E+06	3.8E-04
411	0.48802	1.86E-06	9.1E-07	1.05E-03	9.47E-10	2	1.57E-01	2.98E-10	1.0E+06	3.0E-04
412	0.51535	1.86E-06	9.6E-07	1.05E-03	1.00E-09	2	1.57E-01	3.14E-10	1.0E+06	3.1E-04
413	0.54198	1.86E-06	1.0E-06	1.05E-03	1.05E-09	2	1.57E-01	3.31E-10	1.0E+06	3.3E-04
414	0.56792	1.86E-06	1.1E-06	1.05E-03	1.10E-09	2	1.57E-01	3.46E-10	1.0E+06	3.5E-04
426	0.44956	1.86E-06	8.3E-07	1.05E-03	8.72E-10	2	1.57E-01	2.74E-10	1.0E+06	2.7E-04
427	0.47264	1.86E-06	8.8E-07	1.05E-03	9.17E-10	2	1.57E-01	2.88E-10	1.0E+06	2.9E-04
428	0.49544	1.86E-06	9.2E-07	1.05E-03	9.61E-10	2	1.57E-01	3.02E-10	1.0E+06	3.0E-04
429	0.51702	1.86E-06	9.6E-07	1.05E-03	1.00E-09	2	1.57E-01	3.15E-10	1.0E+06	3.2E-04
439	0.41554	1.86E-06	7.7E-07	1.05E-03	8.06E-10	2	1.57E-01	2.53E-10	1.0E+06	2.5E-04
440	0.43522	1.86E-06	8.1E-07	1.05E-03	8.44E-10	2	1.57E-01	2.65E-10	1.0E+06	2.7E-04
441	0.45446	1.86E-06	8.4E-07	1.05E-03	8.82E-10	2	1.57E-01	2.77E-10	1.0E+06	2.8E-04
442	0.47278	1.86E-06	8.8E-07	1.05E-03	9.17E-10	2	1.57E-01	2.88E-10	1.0E+06	2.9E-04
443	0.48939	1.86E-06	9.1E-07	1.05E-03	9.50E-10	2	1.57E-01	2.98E-10	1.0E+06	3.0E-04
454	0.38527	1.86E-06	7.2E-07	1.05E-03	7.48E-10	2	1.57E-01	2.35E-10	1.0E+06	2.3E-04
455	0.40213	1.86E-06	7.5E-07	1.05E-03	7.80E-10	2	1.57E-01	2.45E-10	1.0E+06	2.5E-04
456	0.41855	1.86E-06	7.8E-07	1.05E-03	8.12E-10	2	1.57E-01	2.55E-10	1.0E+06	2.6E-04
457	0.43417	1.86E-06	8.1E-07	1.05E-03	8.42E-10	2	1.57E-01	2.65E-10	1.0E+06	2.6E-04
458	0.4484	1.86E-06	8.3E-07	1.05E-03	8.70E-10	2	1.57E-01	2.73E-10	1.0E+06	2.7E-04
469	0.3583	1.86E-06	6.7E-07	1.05E-03	6.95E-10	2	1.57E-01	2.19E-10	1.0E+06	2.2E-04
470	0.37293	1.86E-06	6.9E-07	1.05E-03	7.24E-10	2	1.57E-01	2.27E-10	1.0E+06	2.3E-04
471	0.38704	1.86E-06	7.2E-07	1.05E-03	7.51E-10	2	1.57E-01	2.36E-10	1.0E+06	2.4E-04

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.40049	1.86E-06	7.4E-07	1.05E-03	7.77E-10	2	1.57E-01	2.44E-10	1.0E+06	2.4E-04
473	0.41278	1.86E-06	7.7E-07	1.05E-03	8.01E-10	2	1.57E-01	2.52E-10	1.0E+06	2.5E-04
489	0.33403	1.86E-06	6.2E-07	1.05E-03	6.48E-10	2	1.57E-01	2.04E-10	1.0E+06	2.0E-04
490	0.34668	1.86E-06	6.4E-07	1.05E-03	6.73E-10	2	1.57E-01	2.11E-10	1.0E+06	2.1E-04
491	0.35895	1.86E-06	6.7E-07	1.05E-03	6.96E-10	2	1.57E-01	2.19E-10	1.0E+06	2.2E-04
492	0.37059	1.86E-06	6.9E-07	1.05E-03	7.19E-10	2	1.57E-01	2.26E-10	1.0E+06	2.3E-04
493	0.3812	1.86E-06	7.1E-07	1.05E-03	7.40E-10	2	1.57E-01	2.32E-10	1.0E+06	2.3E-04
494	0.39031	1.86E-06	7.2E-07	1.05E-03	7.57E-10	2	1.57E-01	2.38E-10	1.0E+06	2.4E-04
509	0.3123	1.86E-06	5.8E-07	1.05E-03	6.06E-10	2	1.57E-01	1.90E-10	1.0E+06	1.9E-04
510	0.32332	1.86E-06	6.0E-07	1.05E-03	6.27E-10	2	1.57E-01	1.97E-10	1.0E+06	2.0E-04
511	0.33409	1.86E-06	6.2E-07	1.05E-03	6.48E-10	2	1.57E-01	2.04E-10	1.0E+06	2.0E-04
512	0.34424	1.86E-06	6.4E-07	1.05E-03	6.68E-10	2	1.57E-01	2.10E-10	1.0E+06	2.1E-04
513	0.35342	1.86E-06	6.6E-07	1.05E-03	6.86E-10	2	1.57E-01	2.16E-10	1.0E+06	2.2E-04
514	0.36144	1.86E-06	6.7E-07	1.05E-03	7.01E-10	2	1.57E-01	2.20E-10	1.0E+06	2.2E-04
515	0.3714	1.86E-06	6.9E-07	1.05E-03	7.21E-10	2	1.57E-01	2.26E-10	1.0E+06	2.3E-04
516	0.37217	1.86E-06	6.9E-07	1.05E-03	7.22E-10	2	1.57E-01	2.27E-10	1.0E+06	2.3E-04
517	0.36994	1.86E-06	6.9E-07	1.05E-03	7.18E-10	2	1.57E-01	2.26E-10	1.0E+06	2.3E-04
518	0.36446	1.86E-06	6.8E-07	1.05E-03	7.07E-10	2	1.57E-01	2.22E-10	1.0E+06	2.2E-04
519	0.35589	1.86E-06	6.6E-07	1.05E-03	6.91E-10	2	1.57E-01	2.17E-10	1.0E+06	2.2E-04
528	0.2927	1.86E-06	5.4E-07	1.05E-03	5.68E-10	2	1.57E-01	1.78E-10	1.0E+06	1.8E-04
529	0.30238	1.86E-06	5.6E-07	1.05E-03	5.87E-10	2	1.57E-01	1.84E-10	1.0E+06	1.8E-04
530	0.31178	1.86E-06	5.8E-07	1.05E-03	6.05E-10	2	1.57E-01	1.90E-10	1.0E+06	1.9E-04
531	0.32072	1.86E-06	6.0E-07	1.05E-03	6.22E-10	2	1.57E-01	1.96E-10	1.0E+06	2.0E-04
532	0.32884	1.86E-06	6.1E-07	1.05E-03	6.38E-10	2	1.57E-01	2.01E-10	1.0E+06	2.0E-04
533	0.33587	1.86E-06	6.2E-07	1.05E-03	6.52E-10	2	1.57E-01	2.05E-10	1.0E+06	2.0E-04
534	0.34476	1.86E-06	6.4E-07	1.05E-03	6.69E-10	2	1.57E-01	2.10E-10	1.0E+06	2.1E-04
535	0.34577	1.86E-06	6.4E-07	1.05E-03	6.71E-10	2	1.57E-01	2.11E-10	1.0E+06	2.1E-04
536	0.34427	1.86E-06	6.4E-07	1.05E-03	6.68E-10	2	1.57E-01	2.10E-10	1.0E+06	2.1E-04
537	0.33977	1.86E-06	6.3E-07	1.05E-03	6.59E-10	2	1.57E-01	2.07E-10	1.0E+06	2.1E-04
538	0.33257	1.86E-06	6.2E-07	1.05E-03	6.45E-10	2	1.57E-01	2.03E-10	1.0E+06	2.0E-04
547	0.27493	1.86E-06	5.1E-07	1.05E-03	5.33E-10	2	1.57E-01	1.68E-10	1.0E+06	1.7E-04

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.28346	1.86E-06	5.3E-07	1.05E-03	5.50E-10	2	1.57E-01	1.73E-10	1.0E+06	1.7E-04
549	0.2918	1.86E-06	5.4E-07	1.05E-03	5.66E-10	2	1.57E-01	1.78E-10	1.0E+06	1.8E-04
550	0.2996	1.86E-06	5.6E-07	1.05E-03	5.81E-10	2	1.57E-01	1.83E-10	1.0E+06	1.8E-04
551	0.30682	1.86E-06	5.7E-07	1.05E-03	5.95E-10	2	1.57E-01	1.87E-10	1.0E+06	1.9E-04
552	0.31306	1.86E-06	5.8E-07	1.05E-03	6.07E-10	2	1.57E-01	1.91E-10	1.0E+06	1.9E-04
553	0.318	1.86E-06	5.9E-07	1.05E-03	6.17E-10	2	1.57E-01	1.94E-10	1.0E+06	1.9E-04
554	0.32114	1.86E-06	6.0E-07	1.05E-03	6.23E-10	2	1.57E-01	1.96E-10	1.0E+06	2.0E-04
555	0.32233	1.86E-06	6.0E-07	1.05E-03	6.25E-10	2	1.57E-01	1.97E-10	1.0E+06	2.0E-04
556	0.32137	1.86E-06	6.0E-07	1.05E-03	6.24E-10	2	1.57E-01	1.96E-10	1.0E+06	2.0E-04
557	0.31767	1.86E-06	5.9E-07	1.05E-03	6.16E-10	2	1.57E-01	1.94E-10	1.0E+06	1.9E-04
558	0.31178	1.86E-06	5.8E-07	1.05E-03	6.05E-10	2	1.57E-01	1.90E-10	1.0E+06	1.9E-04
559	0.30357	1.86E-06	5.6E-07	1.05E-03	5.89E-10	2	1.57E-01	1.85E-10	1.0E+06	1.9E-04
567	0.25883	1.86E-06	4.8E-07	1.05E-03	5.02E-10	2	1.57E-01	1.58E-10	1.0E+06	1.6E-04
568	0.26642	1.86E-06	4.9E-07	1.05E-03	5.17E-10	2	1.57E-01	1.62E-10	1.0E+06	1.6E-04
569	0.27377	1.86E-06	5.1E-07	1.05E-03	5.31E-10	2	1.57E-01	1.67E-10	1.0E+06	1.7E-04
570	0.28075	1.86E-06	5.2E-07	1.05E-03	5.45E-10	2	1.57E-01	1.71E-10	1.0E+06	1.7E-04
571	0.28714	1.86E-06	5.3E-07	1.05E-03	5.57E-10	2	1.57E-01	1.75E-10	1.0E+06	1.8E-04
572	0.29272	1.86E-06	5.4E-07	1.05E-03	5.68E-10	2	1.57E-01	1.79E-10	1.0E+06	1.8E-04
573	0.29716	1.86E-06	5.5E-07	1.05E-03	5.77E-10	2	1.57E-01	1.81E-10	1.0E+06	1.8E-04
574	0.30133	1.86E-06	5.6E-07	1.05E-03	5.85E-10	2	1.57E-01	1.84E-10	1.0E+06	1.8E-04
575	0.30071	1.86E-06	5.6E-07	1.05E-03	5.83E-10	2	1.57E-01	1.83E-10	1.0E+06	1.8E-04
576	0.29794	1.86E-06	5.5E-07	1.05E-03	5.78E-10	2	1.57E-01	1.82E-10	1.0E+06	1.8E-04
577	0.293	1.86E-06	5.4E-07	1.05E-03	5.69E-10	2	1.57E-01	1.79E-10	1.0E+06	1.8E-04
578	0.28603	1.86E-06	5.3E-07	1.05E-03	5.55E-10	2	1.57E-01	1.74E-10	1.0E+06	1.7E-04
586	0.2441	1.86E-06	4.5E-07	1.05E-03	4.74E-10	2	1.57E-01	1.49E-10	1.0E+06	1.5E-04
587	0.25082	1.86E-06	4.7E-07	1.05E-03	4.87E-10	2	1.57E-01	1.53E-10	1.0E+06	1.5E-04
588	0.25739	1.86E-06	4.8E-07	1.05E-03	4.99E-10	2	1.57E-01	1.57E-10	1.0E+06	1.6E-04
589	0.26361	1.86E-06	4.9E-07	1.05E-03	5.12E-10	2	1.57E-01	1.61E-10	1.0E+06	1.6E-04
590	0.26933	1.86E-06	5.0E-07	1.05E-03	5.23E-10	2	1.57E-01	1.64E-10	1.0E+06	1.6E-04
591	0.27432	1.86E-06	5.1E-07	1.05E-03	5.32E-10	2	1.57E-01	1.67E-10	1.0E+06	1.7E-04
592	0.27835	1.86E-06	5.2E-07	1.05E-03	5.40E-10	2	1.57E-01	1.70E-10	1.0E+06	1.7E-04

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.28238	1.86E-06	5.2E-07	1.05E-03	5.48E-10	2	1.57E-01	1.72E-10	1.0E+06	1.7E-04
594	0.28209	1.86E-06	5.2E-07	1.05E-03	5.47E-10	2	1.57E-01	1.72E-10	1.0E+06	1.7E-04
595	0.27979	1.86E-06	5.2E-07	1.05E-03	5.43E-10	2	1.57E-01	1.71E-10	1.0E+06	1.7E-04
596	0.27564	1.86E-06	5.1E-07	1.05E-03	5.35E-10	2	1.57E-01	1.68E-10	1.0E+06	1.7E-04
597	0.26978	1.86E-06	5.0E-07	1.05E-03	5.23E-10	2	1.57E-01	1.65E-10	1.0E+06	1.6E-04
345	0.9954	1.86E-06	1.8E-06	1.05E-03	1.93E-09	2	1.57E-01	6.07E-10	1.0E+06	6.1E-04
346	1.06206	1.86E-06	2.0E-06	1.05E-03	2.06E-09	2	1.57E-01	6.48E-10	1.0E+06	6.5E-04
347	1.11535	1.86E-06	2.1E-06	1.05E-03	2.16E-09	2	1.57E-01	6.80E-10	1.0E+06	6.8E-04
348	1.14733	1.86E-06	2.1E-06	1.05E-03	2.23E-09	2	1.57E-01	7.00E-10	1.0E+06	7.0E-04
359	0.87655	1.86E-06	1.6E-06	1.05E-03	1.70E-09	2	1.57E-01	5.35E-10	1.0E+06	5.3E-04
360	0.92801	1.86E-06	1.7E-06	1.05E-03	1.80E-09	2	1.57E-01	5.66E-10	1.0E+06	5.7E-04
361	0.97081	1.86E-06	1.8E-06	1.05E-03	1.88E-09	2	1.57E-01	5.92E-10	1.0E+06	5.9E-04
362	0.9965	1.86E-06	1.8E-06	1.05E-03	1.93E-09	2	1.57E-01	6.08E-10	1.0E+06	6.1E-04
363	1.00265	1.86E-06	1.9E-06	1.05E-03	1.95E-09	2	1.57E-01	6.11E-10	1.0E+06	6.1E-04
373	0.82014	1.86E-06	1.5E-06	1.05E-03	1.59E-09	2	1.57E-01	5.00E-10	1.0E+06	5.0E-04
374	0.85373	1.86E-06	1.6E-06	1.05E-03	1.66E-09	2	1.57E-01	5.21E-10	1.0E+06	5.2E-04
375	0.87519	1.86E-06	1.6E-06	1.05E-03	1.70E-09	2	1.57E-01	5.34E-10	1.0E+06	5.3E-04
376	0.88146	1.86E-06	1.6E-06	1.05E-03	1.71E-09	2	1.57E-01	5.38E-10	1.0E+06	5.4E-04
386	0.73023	1.86E-06	1.4E-06	1.05E-03	1.42E-09	2	1.57E-01	4.45E-10	1.0E+06	4.5E-04
387	0.75776	1.86E-06	1.4E-06	1.05E-03	1.47E-09	2	1.57E-01	4.62E-10	1.0E+06	4.6E-04
388	0.77569	1.86E-06	1.4E-06	1.05E-03	1.51E-09	2	1.57E-01	4.73E-10	1.0E+06	4.7E-04
389	0.78198	1.86E-06	1.5E-06	1.05E-03	1.52E-09	2	1.57E-01	4.77E-10	1.0E+06	4.8E-04
390	0.77454	1.86E-06	1.4E-06	1.05E-03	1.50E-09	2	1.57E-01	4.72E-10	1.0E+06	4.7E-04
400	0.65502	1.86E-06	1.2E-06	1.05E-03	1.27E-09	2	1.57E-01	3.99E-10	1.0E+06	4.0E-04
401	0.6772	1.86E-06	1.3E-06	1.05E-03	1.31E-09	2	1.57E-01	4.13E-10	1.0E+06	4.1E-04
402	0.69307	1.86E-06	1.3E-06	1.05E-03	1.34E-09	2	1.57E-01	4.23E-10	1.0E+06	4.2E-04
403	0.69885	1.86E-06	1.3E-06	1.05E-03	1.36E-09	2	1.57E-01	4.26E-10	1.0E+06	4.3E-04
404	0.69365	1.86E-06	1.3E-06	1.05E-03	1.35E-09	2	1.57E-01	4.23E-10	1.0E+06	4.2E-04
415	0.59107	1.86E-06	1.1E-06	1.05E-03	1.15E-09	2	1.57E-01	3.60E-10	1.0E+06	3.6E-04
416	0.61011	1.86E-06	1.1E-06	1.05E-03	1.18E-09	2	1.57E-01	3.72E-10	1.0E+06	3.7E-04
417	0.62311	1.86E-06	1.2E-06	1.05E-03	1.21E-09	2	1.57E-01	3.80E-10	1.0E+06	3.8E-04

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.6294	1.86E-06	1.2E-06	1.05E-03	1.22E-09	2	1.57E-01	3.84E-10	1.0E+06	3.8E-04
419	0.62667	1.86E-06	1.2E-06	1.05E-03	1.22E-09	2	1.57E-01	3.82E-10	1.0E+06	3.8E-04
420	0.61253	1.86E-06	1.1E-06	1.05E-03	1.19E-09	2	1.57E-01	3.74E-10	1.0E+06	3.7E-04
430	0.55234	1.86E-06	1.0E-06	1.05E-03	1.07E-09	2	1.57E-01	3.37E-10	1.0E+06	3.4E-04
431	0.56428	1.86E-06	1.0E-06	1.05E-03	1.09E-09	2	1.57E-01	3.44E-10	1.0E+06	3.4E-04
432	0.56988	1.86E-06	1.1E-06	1.05E-03	1.11E-09	2	1.57E-01	3.48E-10	1.0E+06	3.5E-04
433	0.56818	1.86E-06	1.1E-06	1.05E-03	1.10E-09	2	1.57E-01	3.46E-10	1.0E+06	3.5E-04
434	0.55854	1.86E-06	1.0E-06	1.05E-03	1.08E-09	2	1.57E-01	3.41E-10	1.0E+06	3.4E-04
444	0.50331	1.86E-06	9.3E-07	1.05E-03	9.77E-10	2	1.57E-01	3.07E-10	1.0E+06	3.1E-04
445	0.51316	1.86E-06	9.5E-07	1.05E-03	9.96E-10	2	1.57E-01	3.13E-10	1.0E+06	3.1E-04
446	0.51846	1.86E-06	9.6E-07	1.05E-03	1.01E-09	2	1.57E-01	3.16E-10	1.0E+06	3.2E-04
447	0.51781	1.86E-06	9.6E-07	1.05E-03	1.00E-09	2	1.57E-01	3.16E-10	1.0E+06	3.2E-04
448	0.51055	1.86E-06	9.5E-07	1.05E-03	9.91E-10	2	1.57E-01	3.11E-10	1.0E+06	3.1E-04
459	0.46914	1.86E-06	8.7E-07	1.05E-03	9.10E-10	2	1.57E-01	2.86E-10	1.0E+06	2.9E-04
460	0.47394	1.86E-06	8.8E-07	1.05E-03	9.20E-10	2	1.57E-01	2.89E-10	1.0E+06	2.9E-04
461	0.47383	1.86E-06	8.8E-07	1.05E-03	9.19E-10	2	1.57E-01	2.89E-10	1.0E+06	2.9E-04
462	0.46835	1.86E-06	8.7E-07	1.05E-03	9.09E-10	2	1.57E-01	2.86E-10	1.0E+06	2.9E-04
463	0.45737	1.86E-06	8.5E-07	1.05E-03	8.87E-10	2	1.57E-01	2.79E-10	1.0E+06	2.8E-04
474	0.4307	1.86E-06	8.0E-07	1.05E-03	8.36E-10	2	1.57E-01	2.63E-10	1.0E+06	2.6E-04
475	0.43507	1.86E-06	8.1E-07	1.05E-03	8.44E-10	2	1.57E-01	2.65E-10	1.0E+06	2.7E-04
476	0.4356	1.86E-06	8.1E-07	1.05E-03	8.45E-10	2	1.57E-01	2.66E-10	1.0E+06	2.7E-04
477	0.43137	1.86E-06	8.0E-07	1.05E-03	8.37E-10	2	1.57E-01	2.63E-10	1.0E+06	2.6E-04
478	0.42267	1.86E-06	7.8E-07	1.05E-03	8.20E-10	2	1.57E-01	2.58E-10	1.0E+06	2.6E-04
495	0.39722	1.86E-06	7.4E-07	1.05E-03	7.71E-10	2	1.57E-01	2.42E-10	1.0E+06	2.4E-04
496	0.40117	1.86E-06	7.4E-07	1.05E-03	7.78E-10	2	1.57E-01	2.45E-10	1.0E+06	2.4E-04
497	0.40193	1.86E-06	7.5E-07	1.05E-03	7.80E-10	2	1.57E-01	2.45E-10	1.0E+06	2.5E-04
498	0.39888	1.86E-06	7.4E-07	1.05E-03	7.74E-10	2	1.57E-01	2.43E-10	1.0E+06	2.4E-04
499	0.39191	1.86E-06	7.3E-07	1.05E-03	7.60E-10	2	1.57E-01	2.39E-10	1.0E+06	2.4E-04
500	0.38132	1.86E-06	7.1E-07	1.05E-03	7.40E-10	2	1.57E-01	2.33E-10	1.0E+06	2.3E-04

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

		Cancer Risk from Birth to 2 years - Construction									
Receptor #	Conc	g/sec	Cair	Dose		Risk		Constant	Risk	Constant 2	Risk/ Million
				Constant	Dose	ED	Constant				
139	10.29733	1.86E-06	1.9E-05	1.05E-03	2.00E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	27.08521	1.86E-06	5.0E-05	1.05E-03	5.26E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	9.16114	1.86E-06	1.7E-05	1.05E-03	1.78E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	18.90263	1.86E-06	3.5E-05	1.05E-03	3.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	43.93117	1.86E-06	8.2E-05	1.05E-03	8.52E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	51.30754	1.86E-06	9.5E-05	1.05E-03	9.96E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	17.05985	1.86E-06	3.2E-05	1.05E-03	3.31E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	20.23694	1.86E-06	3.8E-05	1.05E-03	3.93E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	9.56157	1.86E-06	1.8E-05	1.05E-03	1.86E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	5.82335	1.86E-06	1.1E-05	1.05E-03	1.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	12.12227	1.86E-06	2.3E-05	1.05E-03	2.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	20.8188	1.86E-06	3.9E-05	1.05E-03	4.04E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	31.10233	1.86E-06	5.8E-05	1.05E-03	6.04E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	38.5138	1.86E-06	7.1E-05	1.05E-03	7.47E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	29.15419	1.86E-06	5.4E-05	1.05E-03	5.66E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	13.21084	1.86E-06	2.5E-05	1.05E-03	2.56E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	7.083	1.86E-06	1.3E-05	1.05E-03	1.37E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	4.6065	1.86E-06	8.6E-06	1.05E-03	8.94E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	3.29227	1.86E-06	6.1E-06	1.05E-03	6.39E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	2.49186	1.86E-06	4.6E-06	1.05E-03	4.84E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	1.96457	1.86E-06	3.6E-06	1.05E-03	3.81E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	12.14283	1.86E-06	2.3E-05	1.05E-03	2.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	16.11501	1.86E-06	3.0E-05	1.05E-03	3.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	18.01891	1.86E-06	3.3E-05	1.05E-03	3.50E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	15.0364	1.86E-06	2.8E-05	1.05E-03	2.92E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	9.44698	1.86E-06	1.8E-05	1.05E-03	1.83E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	5.73349	1.86E-06	1.1E-05	1.05E-03	1.11E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	3.8619	1.86E-06	7.2E-06	1.05E-03	7.49E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	2.83606	1.86E-06	5.3E-06	1.05E-03	5.50E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	2.19348	1.86E-06	4.1E-06	1.05E-03	4.26E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	1.75704	1.86E-06	3.3E-06	1.05E-03	3.41E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	1.44394	1.86E-06	2.7E-06	1.05E-03	2.80E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	7.92432	1.86E-06	1.5E-05	1.05E-03	1.54E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	9.78779	1.86E-06	1.8E-05	1.05E-03	1.90E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	10.5415	1.86E-06	2.0E-05	1.05E-03	2.05E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	9.35103	1.86E-06	1.7E-05	1.05E-03	1.81E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	6.88129	1.86E-06	1.3E-05	1.05E-03	1.34E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	4.69995	1.86E-06	8.7E-06	1.05E-03	9.12E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	3.32246	1.86E-06	6.2E-06	1.05E-03	6.45E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	2.49027	1.86E-06	4.6E-06	1.05E-03	4.83E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	1.9559	1.86E-06	3.6E-06	1.05E-03	3.80E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	1.58723	1.86E-06	2.9E-06	1.05E-03	3.08E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	1.31792	1.86E-06	2.4E-06	1.05E-03	2.56E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	1.11452	1.86E-06	2.1E-06	1.05E-03	2.16E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	4.42461	1.86E-06	8.2E-06	1.05E-03	8.59E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	5.55569	1.86E-06	1.0E-05	1.05E-03	1.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	6.55126	1.86E-06	1.2E-05	1.05E-03	1.27E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	6.9513	1.86E-06	1.3E-05	1.05E-03	1.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	5.17082	1.86E-06	9.6E-06	1.05E-03	1.00E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	3.8595	1.86E-06	7.2E-06	1.05E-03	7.49E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	2.87063	1.86E-06	5.3E-06	1.05E-03	5.57E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	2.20158	1.86E-06	4.1E-06	1.05E-03	4.27E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	1.75388	1.86E-06	3.3E-06	1.05E-03	3.40E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	1.43923	1.86E-06	2.7E-06	1.05E-03	2.79E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	1.207	1.86E-06	2.2E-06	1.05E-03	2.34E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	1.02974	1.86E-06	1.9E-06	1.05E-03	2.00E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	0.88823	1.86E-06	1.6E-06	1.05E-03	1.72E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	3.43146	1.86E-06	6.4E-06	1.05E-03	6.66E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	4.11826	1.86E-06	7.6E-06	1.05E-03	7.99E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	4.69472	1.86E-06	8.7E-06	1.05E-03	9.11E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	4.93943	1.86E-06	9.2E-06	1.05E-03	9.58E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	4.67814	1.86E-06	8.7E-06	1.05E-03	9.08E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	3.99107	1.86E-06	7.4E-06	1.05E-03	7.74E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	3.17742	1.86E-06	5.9E-06	1.05E-03	6.17E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	1.95226	1.86E-06	3.6E-06	1.05E-03	3.79E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	1.57688	1.86E-06	2.9E-06	1.05E-03	3.06E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	1.30824	1.86E-06	2.4E-06	1.05E-03	2.54E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	1.10784	1.86E-06	2.1E-06	1.05E-03	2.15E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	0.95266	1.86E-06	1.8E-06	1.05E-03	1.85E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	0.82956	1.86E-06	1.5E-06	1.05E-03	1.61E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	2.72732	1.86E-06	5.1E-06	1.05E-03	5.29E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	3.17243	1.86E-06	5.9E-06	1.05E-03	6.16E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	3.52077	1.86E-06	6.5E-06	1.05E-03	6.83E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	3.68897	1.86E-06	6.8E-06	1.05E-03	7.16E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	3.56096	1.86E-06	6.6E-06	1.05E-03	6.91E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	3.16737	1.86E-06	5.9E-06	1.05E-03	6.15E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	2.64755	1.86E-06	4.9E-06	1.05E-03	5.14E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	1.73175	1.86E-06	3.2E-06	1.05E-03	3.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	1.42158	1.86E-06	2.6E-06	1.05E-03	2.76E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	1.19177	1.86E-06	2.2E-06	1.05E-03	2.31E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	1.01903	1.86E-06	1.9E-06	1.05E-03	1.98E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	0.88159	1.86E-06	1.6E-06	1.05E-03	1.71E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	0.7733	1.86E-06	1.4E-06	1.05E-03	1.50E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	2.2171	1.86E-06	4.1E-06	1.05E-03	4.30E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	2.51736	1.86E-06	4.7E-06	1.05E-03	4.88E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	2.75377	1.86E-06	5.1E-06	1.05E-03	5.34E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	2.86176	1.86E-06	5.3E-06	1.05E-03	5.55E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	2.80471	1.86E-06	5.2E-06	1.05E-03	5.44E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	2.56673	1.86E-06	4.8E-06	1.05E-03	4.98E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	2.2241	1.86E-06	4.1E-06	1.05E-03	4.32E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	1.5449	1.86E-06	2.9E-06	1.05E-03	3.00E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	1.28883	1.86E-06	2.4E-06	1.05E-03	2.50E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	1.09188	1.86E-06	2.0E-06	1.05E-03	2.12E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	0.93971	1.86E-06	1.7E-06	1.05E-03	1.82E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	0.81822	1.86E-06	1.5E-06	1.05E-03	1.59E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	0.72228	1.86E-06	1.3E-06	1.05E-03	1.40E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	0.51952	1.86E-06	9.6E-07	1.05E-03	1.01E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	0.47161	1.86E-06	8.8E-07	1.05E-03	9.15E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	1.83695	1.86E-06	3.4E-06	1.05E-03	3.56E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	2.04723	1.86E-06	3.8E-06	1.05E-03	3.97E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	2.21505	1.86E-06	4.1E-06	1.05E-03	4.30E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	2.29257	1.86E-06	4.3E-06	1.05E-03	4.45E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	2.26408	1.86E-06	4.2E-06	1.05E-03	4.39E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	2.11489	1.86E-06	3.9E-06	1.05E-03	4.10E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	1.88028	1.86E-06	3.5E-06	1.05E-03	3.65E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	1.37605	1.86E-06	2.6E-06	1.05E-03	2.67E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	1.16733	1.86E-06	2.2E-06	1.05E-03	2.27E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	0.99949	1.86E-06	1.9E-06	1.05E-03	1.94E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	0.86686	1.86E-06	1.6E-06	1.05E-03	1.68E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	0.76107	1.86E-06	1.4E-06	1.05E-03	1.48E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	0.6756	1.86E-06	1.3E-06	1.05E-03	1.31E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	0.49153	1.86E-06	9.1E-07	1.05E-03	9.54E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	0.44857	1.86E-06	8.3E-07	1.05E-03	8.70E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	1.54671	1.86E-06	2.9E-06	1.05E-03	3.00E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	1.69876	1.86E-06	3.2E-06	1.05E-03	3.30E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	1.82041	1.86E-06	3.4E-06	1.05E-03	3.53E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	1.87984	1.86E-06	3.5E-06	1.05E-03	3.65E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	1.86484	1.86E-06	3.5E-06	1.05E-03	3.62E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	1.76977	1.86E-06	3.3E-06	1.05E-03	3.43E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	1.61172	1.86E-06	3.0E-06	1.05E-03	3.13E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	1.23047	1.86E-06	2.3E-06	1.05E-03	2.39E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	1.06126	1.86E-06	2.0E-06	1.05E-03	2.06E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	0.91833	1.86E-06	1.7E-06	1.05E-03	1.78E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	0.80309	1.86E-06	1.5E-06	1.05E-03	1.56E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	0.70929	1.86E-06	1.3E-06	1.05E-03	1.38E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	0.63261	1.86E-06	1.2E-06	1.05E-03	1.23E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	0.46614	1.86E-06	8.7E-07	1.05E-03	9.04E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	0.42648	1.86E-06	7.9E-07	1.05E-03	8.28E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	1.32032	1.86E-06	2.5E-06	1.05E-03	2.56E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	1.43337	1.86E-06	2.7E-06	1.05E-03	2.78E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	1.52372	1.86E-06	2.8E-06	1.05E-03	2.96E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	1.57006	1.86E-06	2.9E-06	1.05E-03	3.05E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	1.56732	1.86E-06	2.9E-06	1.05E-03	3.04E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	1.50429	1.86E-06	2.8E-06	1.05E-03	2.92E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	1.39305	1.86E-06	2.6E-06	1.05E-03	2.70E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	1.10442	1.86E-06	2.1E-06	1.05E-03	2.14E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	0.96804	1.86E-06	1.8E-06	1.05E-03	1.88E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	0.84574	1.86E-06	1.6E-06	1.05E-03	1.64E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	0.74561	1.86E-06	1.4E-06	1.05E-03	1.45E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	0.66229	1.86E-06	1.2E-06	1.05E-03	1.29E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	0.59282	1.86E-06	1.1E-06	1.05E-03	1.15E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	0.44218	1.86E-06	8.2E-07	1.05E-03	8.58E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	0.40554	1.86E-06	7.5E-07	1.05E-03	7.87E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	1.14063	1.86E-06	2.1E-06	1.05E-03	2.21E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	1.22648	1.86E-06	2.3E-06	1.05E-03	2.38E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	1.29532	1.86E-06	2.4E-06	1.05E-03	2.51E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	1.33394	1.86E-06	2.5E-06	1.05E-03	2.59E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	1.33362	1.86E-06	2.5E-06	1.05E-03	2.59E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	1.29408	1.86E-06	2.4E-06	1.05E-03	2.51E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	1.21488	1.86E-06	2.3E-06	1.05E-03	2.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	1.11111	1.86E-06	2.1E-06	1.05E-03	2.16E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	0.99512	1.86E-06	1.8E-06	1.05E-03	1.93E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	0.88319	1.86E-06	1.6E-06	1.05E-03	1.71E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	0.78118	1.86E-06	1.5E-06	1.05E-03	1.52E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	0.69335	1.86E-06	1.3E-06	1.05E-03	1.35E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	0.61908	1.86E-06	1.1E-06	1.05E-03	1.20E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	0.55685	1.86E-06	1.0E-06	1.05E-03	1.08E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	0.45782	1.86E-06	8.5E-07	1.05E-03	8.88E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	0.41948	1.86E-06	7.8E-07	1.05E-03	8.14E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.38589	1.86E-06	7.2E-07	1.05E-03	7.49E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	1.1507	1.86E-06	2.1E-06	1.05E-03	2.23E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	1.12342	1.86E-06	2.1E-06	1.05E-03	2.18E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	1.06532	1.86E-06	2.0E-06	1.05E-03	2.07E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	0.98868	1.86E-06	1.8E-06	1.05E-03	1.92E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	0.43341	1.86E-06	8.0E-07	1.05E-03	8.41E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	0.39835	1.86E-06	7.4E-07	1.05E-03	7.73E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.36753	1.86E-06	6.8E-07	1.05E-03	7.13E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	0.98463	1.86E-06	1.8E-06	1.05E-03	1.91E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	0.94371	1.86E-06	1.8E-06	1.05E-03	1.83E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	0.88369	1.86E-06	1.6E-06	1.05E-03	1.71E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	0.41091	1.86E-06	7.6E-07	1.05E-03	7.97E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	0.3785	1.86E-06	7.0E-07	1.05E-03	7.34E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.35019	1.86E-06	6.5E-07	1.05E-03	6.80E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	0.86993	1.86E-06	1.6E-06	1.05E-03	1.69E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	0.83967	1.86E-06	1.6E-06	1.05E-03	1.63E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	0.79349	1.86E-06	1.5E-06	1.05E-03	1.54E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	0.38958	1.86E-06	7.2E-07	1.05E-03	7.56E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	0.35949	1.86E-06	6.7E-07	1.05E-03	6.98E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.3336	1.86E-06	6.2E-07	1.05E-03	6.47E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	0.75184	1.86E-06	1.4E-06	1.05E-03	1.46E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	0.71564	1.86E-06	1.3E-06	1.05E-03	1.39E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	0.36979	1.86E-06	6.9E-07	1.05E-03	7.18E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.34229	1.86E-06	6.4E-07	1.05E-03	6.64E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.3184	1.86E-06	5.9E-07	1.05E-03	6.18E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	0.67726	1.86E-06	1.3E-06	1.05E-03	1.31E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	0.64963	1.86E-06	1.2E-06	1.05E-03	1.26E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	0.61417	1.86E-06	1.1E-06	1.05E-03	1.19E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	0.35162	1.86E-06	6.5E-07	1.05E-03	6.82E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.32616	1.86E-06	6.1E-07	1.05E-03	6.33E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.30433	1.86E-06	5.6E-07	1.05E-03	5.91E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	0.59165	1.86E-06	1.1E-06	1.05E-03	1.15E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	0.5628	1.86E-06	1.0E-06	1.05E-03	1.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.33455	1.86E-06	6.2E-07	1.05E-03	6.49E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.31114	1.86E-06	5.8E-07	1.05E-03	6.04E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.2909	1.86E-06	5.4E-07	1.05E-03	5.64E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	0.5407	1.86E-06	1.0E-06	1.05E-03	1.05E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	0.51785	1.86E-06	9.6E-07	1.05E-03	1.00E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.29716	1.86E-06	5.5E-07	1.05E-03	5.77E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.27801	1.86E-06	5.2E-07	1.05E-03	5.39E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	0.49616	1.86E-06	9.2E-07	1.05E-03	9.63E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	0.47799	1.86E-06	8.9E-07	1.05E-03	9.27E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	0.45465	1.86E-06	8.4E-07	1.05E-03	8.82E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.2839	1.86E-06	5.3E-07	1.05E-03	5.51E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.26609	1.86E-06	4.9E-07	1.05E-03	5.16E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	0.44197	1.86E-06	8.2E-07	1.05E-03	8.58E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	0.4227	1.86E-06	7.8E-07	1.05E-03	8.20E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.30982	1.86E-06	5.8E-07	1.05E-03	6.01E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.27151	1.86E-06	5.0E-07	1.05E-03	5.27E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.25498	1.86E-06	4.7E-07	1.05E-03	4.95E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	0.40926	1.86E-06	7.6E-07	1.05E-03	7.94E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	0.39374	1.86E-06	7.3E-07	1.05E-03	7.64E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	0.37507	1.86E-06	7.0E-07	1.05E-03	7.28E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	0.35526	1.86E-06	6.6E-07	1.05E-03	6.89E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	0.33439	1.86E-06	6.2E-07	1.05E-03	6.49E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.31425	1.86E-06	5.8E-07	1.05E-03	6.10E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.29481	1.86E-06	5.5E-07	1.05E-03	5.72E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.27673	1.86E-06	5.1E-07	1.05E-03	5.37E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.25994	1.86E-06	4.8E-07	1.05E-03	5.04E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.2445	1.86E-06	4.5E-07	1.05E-03	4.74E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	0.36715	1.86E-06	6.8E-07	1.05E-03	7.12E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	0.35199	1.86E-06	6.5E-07	1.05E-03	6.83E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	0.33477	1.86E-06	6.2E-07	1.05E-03	6.50E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	0.31657	1.86E-06	5.9E-07	1.05E-03	6.14E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	0.29843	1.86E-06	5.5E-07	1.05E-03	5.79E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.28087	1.86E-06	5.2E-07	1.05E-03	5.45E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.26442	1.86E-06	4.9E-07	1.05E-03	5.13E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.23466	1.86E-06	4.4E-07	1.05E-03	4.55E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.34397	1.86E-06	6.4E-07	1.05E-03	6.67E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	0.32996	1.86E-06	6.1E-07	1.05E-03	6.40E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	0.31573	1.86E-06	5.9E-07	1.05E-03	6.13E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	0.29979	1.86E-06	5.6E-07	1.05E-03	5.82E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	0.28361	1.86E-06	5.3E-07	1.05E-03	5.50E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.26778	1.86E-06	5.0E-07	1.05E-03	5.20E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.25274	1.86E-06	4.7E-07	1.05E-03	4.90E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.22534	1.86E-06	4.2E-07	1.05E-03	4.37E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.32292	1.86E-06	6.0E-07	1.05E-03	6.27E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.31117	1.86E-06	5.8E-07	1.05E-03	6.04E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	0.2978	1.86E-06	5.5E-07	1.05E-03	5.78E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	0.28376	1.86E-06	5.3E-07	1.05E-03	5.51E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	0.26974	1.86E-06	5.0E-07	1.05E-03	5.23E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.25545	1.86E-06	4.7E-07	1.05E-03	4.96E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.24149	1.86E-06	4.5E-07	1.05E-03	4.69E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.2165	1.86E-06	4.0E-07	1.05E-03	4.20E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.29354	1.86E-06	5.4E-07	1.05E-03	5.70E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.28214	1.86E-06	5.2E-07	1.05E-03	5.47E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.26961	1.86E-06	5.0E-07	1.05E-03	5.23E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.25298	1.86E-06	4.7E-07	1.05E-03	4.91E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.24372	1.86E-06	4.5E-07	1.05E-03	4.73E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.23154	1.86E-06	4.3E-07	1.05E-03	4.49E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.20832	1.86E-06	3.9E-07	1.05E-03	4.04E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.27728	1.86E-06	5.1E-07	1.05E-03	5.38E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.26732	1.86E-06	5.0E-07	1.05E-03	5.19E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.25644	1.86E-06	4.8E-07	1.05E-03	4.98E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.24489	1.86E-06	4.5E-07	1.05E-03	4.75E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.23317	1.86E-06	4.3E-07	1.05E-03	4.52E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.22165	1.86E-06	4.1E-07	1.05E-03	4.30E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.19105	1.86E-06	3.5E-07	1.05E-03	3.71E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.26237	1.86E-06	4.9E-07	1.05E-03	5.09E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.25355	1.86E-06	4.7E-07	1.05E-03	4.92E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.2439	1.86E-06	4.5E-07	1.05E-03	4.73E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.23365	1.86E-06	4.3E-07	1.05E-03	4.53E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.22314	1.86E-06	4.1E-07	1.05E-03	4.33E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.21277	1.86E-06	3.9E-07	1.05E-03	4.13E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.20259	1.86E-06	3.8E-07	1.05E-03	3.93E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	1.86E-06	0.0E+00	1.05E-03	0.00E+00	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.39631	1.86E-06	7.4E-07	6.05E-04	4.45E-10	14	4.71E-02	2.94E-10	1.0E+06	2.9E-04
2	2	0.43464	1.86E-06	8.1E-07	6.05E-04	4.88E-10	14	4.71E-02	3.22E-10	1.0E+06	3.2E-04
3	3	0.47879	1.86E-06	8.9E-07	6.05E-04	5.38E-10	14	4.71E-02	3.55E-10	1.0E+06	3.5E-04
4	4	0.53022	1.86E-06	9.8E-07	6.05E-04	5.96E-10	14	4.71E-02	3.93E-10	1.0E+06	3.9E-04
5	5	0.59063	1.86E-06	1.1E-06	6.05E-04	6.63E-10	14	4.71E-02	4.38E-10	1.0E+06	4.4E-04
6	6	0.66284	1.86E-06	1.2E-06	6.05E-04	7.45E-10	14	4.71E-02	4.91E-10	1.0E+06	4.9E-04
7	7	0.74891	1.86E-06	1.4E-06	6.05E-04	8.41E-10	14	4.71E-02	5.55E-10	1.0E+06	5.6E-04
8	8	0.85203	1.86E-06	1.6E-06	6.05E-04	9.57E-10	14	4.71E-02	6.32E-10	1.0E+06	6.3E-04
9	9	0.97695	1.86E-06	1.8E-06	6.05E-04	1.10E-09	14	4.71E-02	7.24E-10	1.0E+06	7.2E-04
10	10	1.12894	1.86E-06	2.1E-06	6.05E-04	1.27E-09	14	4.71E-02	8.37E-10	1.0E+06	8.4E-04
11	11	1.31399	1.86E-06	2.4E-06	6.05E-04	1.48E-09	14	4.71E-02	9.74E-10	1.0E+06	9.7E-04
12	12	1.53825	1.86E-06	2.9E-06	6.05E-04	1.73E-09	14	4.71E-02	1.14E-09	1.0E+06	1.1E-03
13	13	1.80823	1.86E-06	3.4E-06	6.05E-04	2.03E-09	14	4.71E-02	1.34E-09	1.0E+06	1.3E-03
14	14	2.12258	1.86E-06	3.9E-06	6.05E-04	2.38E-09	14	4.71E-02	1.57E-09	1.0E+06	1.6E-03
15	15	2.47141	1.86E-06	4.6E-06	6.05E-04	2.78E-09	14	4.71E-02	1.83E-09	1.0E+06	1.8E-03
16	16	2.82197	1.86E-06	5.2E-06	6.05E-04	3.17E-09	14	4.71E-02	2.09E-09	1.0E+06	2.1E-03
17	17	3.12792	1.86E-06	5.8E-06	6.05E-04	3.51E-09	14	4.71E-02	2.32E-09	1.0E+06	2.3E-03
18	18	3.35132	1.86E-06	6.2E-06	6.05E-04	3.76E-09	14	4.71E-02	2.48E-09	1.0E+06	2.5E-03
19	19	3.5147	1.86E-06	6.5E-06	6.05E-04	3.95E-09	14	4.71E-02	2.61E-09	1.0E+06	2.6E-03
20	20	3.64395	1.86E-06	6.8E-06	6.05E-04	4.09E-09	14	4.71E-02	2.70E-09	1.0E+06	2.7E-03
21	21	3.72415	1.86E-06	6.9E-06	6.05E-04	4.18E-09	14	4.71E-02	2.76E-09	1.0E+06	2.8E-03
22	22	3.7229	1.86E-06	6.9E-06	6.05E-04	4.18E-09	14	4.71E-02	2.76E-09	1.0E+06	2.8E-03
23	23	3.61363	1.86E-06	6.7E-06	6.05E-04	4.06E-09	14	4.71E-02	2.68E-09	1.0E+06	2.7E-03
24	24	3.39793	1.86E-06	6.3E-06	6.05E-04	3.82E-09	14	4.71E-02	2.52E-09	1.0E+06	2.5E-03
25	25	3.10425	1.86E-06	5.8E-06	6.05E-04	3.49E-09	14	4.71E-02	2.30E-09	1.0E+06	2.3E-03
26	26	2.77138	1.86E-06	5.1E-06	6.05E-04	3.11E-09	14	4.71E-02	2.05E-09	1.0E+06	2.1E-03
27	27	2.43404	1.86E-06	4.5E-06	6.05E-04	2.73E-09	14	4.71E-02	1.80E-09	1.0E+06	1.8E-03
28	28	2.11598	1.86E-06	3.9E-06	6.05E-04	2.38E-09	14	4.71E-02	1.57E-09	1.0E+06	1.6E-03
29	29	1.82984	1.86E-06	3.4E-06	6.05E-04	2.06E-09	14	4.71E-02	1.36E-09	1.0E+06	1.4E-03
30	30	1.58007	1.86E-06	2.9E-06	6.05E-04	1.77E-09	14	4.71E-02	1.17E-09	1.0E+06	1.2E-03
31	31	1.36609	1.86E-06	2.5E-06	6.05E-04	1.53E-09	14	4.71E-02	1.01E-09	1.0E+06	1.0E-03

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	1.18486	1.86E-06	2.2E-06	6.05E-04	1.33E-09	14	4.71E-02	8.78E-10	1.0E+06	8.8E-04
55	55	5.22556	1.86E-06	9.7E-06	6.05E-04	5.87E-09	14	4.71E-02	3.87E-09	1.0E+06	3.9E-03
56	56	4.79792	1.86E-06	8.9E-06	6.05E-04	5.39E-09	14	4.71E-02	3.56E-09	1.0E+06	3.6E-03
57	57	4.25044	1.86E-06	7.9E-06	6.05E-04	4.77E-09	14	4.71E-02	3.15E-09	1.0E+06	3.2E-03
58	58	3.66474	1.86E-06	6.8E-06	6.05E-04	4.12E-09	14	4.71E-02	2.72E-09	1.0E+06	2.7E-03
59	59	3.10641	1.86E-06	5.8E-06	6.05E-04	3.49E-09	14	4.71E-02	2.30E-09	1.0E+06	2.3E-03
60	60	2.61117	1.86E-06	4.8E-06	6.05E-04	2.93E-09	14	4.71E-02	1.94E-09	1.0E+06	1.9E-03
61	61	2.1904	1.86E-06	4.1E-06	6.05E-04	2.46E-09	14	4.71E-02	1.62E-09	1.0E+06	1.6E-03
62	62	1.84179	1.86E-06	3.4E-06	6.05E-04	2.07E-09	14	4.71E-02	1.37E-09	1.0E+06	1.4E-03
63	63	1.55659	1.86E-06	2.9E-06	6.05E-04	1.75E-09	14	4.71E-02	1.15E-09	1.0E+06	1.2E-03
64	64	1.3245	1.86E-06	2.5E-06	6.05E-04	1.49E-09	14	4.71E-02	9.82E-10	1.0E+06	9.8E-04
65	65	1.1358	1.86E-06	2.1E-06	6.05E-04	1.28E-09	14	4.71E-02	8.42E-10	1.0E+06	8.4E-04
66	66	0.98113	1.86E-06	1.8E-06	6.05E-04	1.10E-09	14	4.71E-02	7.27E-10	1.0E+06	7.3E-04
67	67	0.41851	1.86E-06	7.8E-07	6.05E-04	4.70E-10	14	4.71E-02	3.10E-10	1.0E+06	3.1E-04
68	68	0.46218	1.86E-06	8.6E-07	6.05E-04	5.19E-10	14	4.71E-02	3.43E-10	1.0E+06	3.4E-04
69	69	0.51346	1.86E-06	9.5E-07	6.05E-04	5.77E-10	14	4.71E-02	3.81E-10	1.0E+06	3.8E-04
70	70	0.57436	1.86E-06	1.1E-06	6.05E-04	6.45E-10	14	4.71E-02	4.26E-10	1.0E+06	4.3E-04
71	71	0.64702	1.86E-06	1.2E-06	6.05E-04	7.27E-10	14	4.71E-02	4.80E-10	1.0E+06	4.8E-04
72	72	0.73628	1.86E-06	1.4E-06	6.05E-04	8.27E-10	14	4.71E-02	5.46E-10	1.0E+06	5.5E-04
73	73	0.84601	1.86E-06	1.6E-06	6.05E-04	9.50E-10	14	4.71E-02	6.27E-10	1.0E+06	6.3E-04
74	74	0.98312	1.86E-06	1.8E-06	6.05E-04	1.10E-09	14	4.71E-02	7.29E-10	1.0E+06	7.3E-04
75	75	1.15752	1.86E-06	2.1E-06	6.05E-04	1.30E-09	14	4.71E-02	8.58E-10	1.0E+06	8.6E-04
76	76	1.38434	1.86E-06	2.6E-06	6.05E-04	1.56E-09	14	4.71E-02	1.03E-09	1.0E+06	1.0E-03
77	77	1.68591	1.86E-06	3.1E-06	6.05E-04	1.89E-09	14	4.71E-02	1.25E-09	1.0E+06	1.2E-03
78	78	2.096	1.86E-06	3.9E-06	6.05E-04	2.35E-09	14	4.71E-02	1.55E-09	1.0E+06	1.6E-03
79	79	7.26509	1.86E-06	1.3E-05	6.05E-04	8.16E-09	14	4.71E-02	5.39E-09	1.0E+06	5.4E-03
80	80	8.33716	1.86E-06	1.5E-05	6.05E-04	9.36E-09	14	4.71E-02	6.18E-09	1.0E+06	6.2E-03
81	81	8.96787	1.86E-06	1.7E-05	6.05E-04	1.01E-08	14	4.71E-02	6.65E-09	1.0E+06	6.6E-03
82	82	8.9246	1.86E-06	1.7E-05	6.05E-04	1.00E-08	14	4.71E-02	6.62E-09	1.0E+06	6.6E-03
83	83	8.31648	1.86E-06	1.5E-05	6.05E-04	9.34E-09	14	4.71E-02	6.17E-09	1.0E+06	6.2E-03
84	84	7.34765	1.86E-06	1.4E-05	6.05E-04	8.25E-09	14	4.71E-02	5.45E-09	1.0E+06	5.4E-03

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	85	6.20569	1.86E-06	1.2E-05	6.05E-04	6.97E-09	14	4.71E-02	4.60E-09	1.0E+06	4.6E-03
86	86	5.08015	1.86E-06	9.4E-06	6.05E-04	5.71E-09	14	4.71E-02	3.77E-09	1.0E+06	3.8E-03
87	87	4.09355	1.86E-06	7.6E-06	6.05E-04	4.60E-09	14	4.71E-02	3.03E-09	1.0E+06	3.0E-03
88	88	3.2869	1.86E-06	6.1E-06	6.05E-04	3.69E-09	14	4.71E-02	2.44E-09	1.0E+06	2.4E-03
89	89	2.65085	1.86E-06	4.9E-06	6.05E-04	2.98E-09	14	4.71E-02	1.97E-09	1.0E+06	2.0E-03
90	90	2.15768	1.86E-06	4.0E-06	6.05E-04	2.42E-09	14	4.71E-02	1.60E-09	1.0E+06	1.6E-03
91	91	1.77573	1.86E-06	3.3E-06	6.05E-04	1.99E-09	14	4.71E-02	1.32E-09	1.0E+06	1.3E-03
92	92	1.47965	1.86E-06	2.7E-06	6.05E-04	1.66E-09	14	4.71E-02	1.10E-09	1.0E+06	1.1E-03
93	93	1.2471	1.86E-06	2.3E-06	6.05E-04	1.40E-09	14	4.71E-02	9.25E-10	1.0E+06	9.2E-04
96	96	6.19055	1.86E-06	1.1E-05	6.05E-04	6.95E-09	14	4.71E-02	4.59E-09	1.0E+06	4.6E-03
97	97	4.55601	1.86E-06	8.5E-06	6.05E-04	5.12E-09	14	4.71E-02	3.38E-09	1.0E+06	3.4E-03
98	98	3.23801	1.86E-06	6.0E-06	6.05E-04	3.64E-09	14	4.71E-02	2.40E-09	1.0E+06	2.4E-03
99	99	2.5324	1.86E-06	4.7E-06	6.05E-04	2.84E-09	14	4.71E-02	1.88E-09	1.0E+06	1.9E-03
100	100	2.02317	1.86E-06	3.8E-06	6.05E-04	2.27E-09	14	4.71E-02	1.50E-09	1.0E+06	1.5E-03
101	101	1.64837	1.86E-06	3.1E-06	6.05E-04	1.85E-09	14	4.71E-02	1.22E-09	1.0E+06	1.2E-03
102	102	1.36421	1.86E-06	2.5E-06	6.05E-04	1.53E-09	14	4.71E-02	1.01E-09	1.0E+06	1.0E-03
106	106	0.3895	1.86E-06	7.2E-07	6.05E-04	4.38E-10	14	4.71E-02	2.89E-10	1.0E+06	2.9E-04
107	107	0.43048	1.86E-06	8.0E-07	6.05E-04	4.84E-10	14	4.71E-02	3.19E-10	1.0E+06	3.2E-04
108	108	0.47724	1.86E-06	8.9E-07	6.05E-04	5.36E-10	14	4.71E-02	3.54E-10	1.0E+06	3.5E-04
109	109	0.5327	1.86E-06	9.9E-07	6.05E-04	5.98E-10	14	4.71E-02	3.95E-10	1.0E+06	3.9E-04
110	110	0.59938	1.86E-06	1.1E-06	6.05E-04	6.73E-10	14	4.71E-02	4.44E-10	1.0E+06	4.4E-04
111	111	0.68001	1.86E-06	1.3E-06	6.05E-04	7.64E-10	14	4.71E-02	5.04E-10	1.0E+06	5.0E-04
112	112	0.78086	1.86E-06	1.4E-06	6.05E-04	8.77E-10	14	4.71E-02	5.79E-10	1.0E+06	5.8E-04
113	113	0.907	1.86E-06	1.7E-06	6.05E-04	1.02E-09	14	4.71E-02	6.72E-10	1.0E+06	6.7E-04
114	114	1.06929	1.86E-06	2.0E-06	6.05E-04	1.20E-09	14	4.71E-02	7.93E-10	1.0E+06	7.9E-04
115	115	1.28266	1.86E-06	2.4E-06	6.05E-04	1.44E-09	14	4.71E-02	9.51E-10	1.0E+06	9.5E-04
116	116	1.57133	1.86E-06	2.9E-06	6.05E-04	1.77E-09	14	4.71E-02	1.16E-09	1.0E+06	1.2E-03
117	117	1.98388	1.86E-06	3.7E-06	6.05E-04	2.23E-09	14	4.71E-02	1.47E-09	1.0E+06	1.5E-03
118	118	2.59948	1.86E-06	4.8E-06	6.05E-04	2.92E-09	14	4.71E-02	1.93E-09	1.0E+06	1.9E-03
124	124	0.39167	1.86E-06	7.3E-07	6.05E-04	4.40E-10	14	4.71E-02	2.90E-10	1.0E+06	2.9E-04
125	125	0.43181	1.86E-06	8.0E-07	6.05E-04	4.85E-10	14	4.71E-02	3.20E-10	1.0E+06	3.2E-04

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	126	0.479	1.86E-06	8.9E-07	6.05E-04	5.38E-10	14	4.71E-02	3.55E-10	1.0E+06	3.6E-04
127	127	0.5351	1.86E-06	9.9E-07	6.05E-04	6.01E-10	14	4.71E-02	3.97E-10	1.0E+06	4.0E-04
128	128	0.60264	1.86E-06	1.1E-06	6.05E-04	6.77E-10	14	4.71E-02	4.47E-10	1.0E+06	4.5E-04
129	129	0.68462	1.86E-06	1.3E-06	6.05E-04	7.69E-10	14	4.71E-02	5.08E-10	1.0E+06	5.1E-04
130	130	0.78716	1.86E-06	1.5E-06	6.05E-04	8.84E-10	14	4.71E-02	5.84E-10	1.0E+06	5.8E-04
131	131	0.91626	1.86E-06	1.7E-06	6.05E-04	1.03E-09	14	4.71E-02	6.79E-10	1.0E+06	6.8E-04
132	132	1.08306	1.86E-06	2.0E-06	6.05E-04	1.22E-09	14	4.71E-02	8.03E-10	1.0E+06	8.0E-04
133	133	1.30363	1.86E-06	2.4E-06	6.05E-04	1.46E-09	14	4.71E-02	9.66E-10	1.0E+06	9.7E-04
134	134	1.60732	1.86E-06	3.0E-06	6.05E-04	1.81E-09	14	4.71E-02	1.19E-09	1.0E+06	1.2E-03
135	135	2.04097	1.86E-06	3.8E-06	6.05E-04	2.29E-09	14	4.71E-02	1.51E-09	1.0E+06	1.5E-03
136	136	2.69772	1.86E-06	5.0E-06	6.05E-04	3.03E-09	14	4.71E-02	2.00E-09	1.0E+06	2.0E-03
137	137	3.76938	1.86E-06	7.0E-06	6.05E-04	4.23E-09	14	4.71E-02	2.79E-09	1.0E+06	2.8E-03
138	138	5.76874	1.86E-06	1.1E-05	6.05E-04	6.48E-09	14	4.71E-02	4.28E-09	1.0E+06	4.3E-03
141	141	0.39037	1.86E-06	7.2E-07	6.05E-04	4.38E-10	14	4.71E-02	2.89E-10	1.0E+06	2.9E-04
142	142	0.43032	1.86E-06	8.0E-07	6.05E-04	4.83E-10	14	4.71E-02	3.19E-10	1.0E+06	3.2E-04
143	143	0.47725	1.86E-06	8.9E-07	6.05E-04	5.36E-10	14	4.71E-02	3.54E-10	1.0E+06	3.5E-04
144	144	0.53303	1.86E-06	9.9E-07	6.05E-04	5.99E-10	14	4.71E-02	3.95E-10	1.0E+06	4.0E-04
145	145	0.60008	1.86E-06	1.1E-06	6.05E-04	6.74E-10	14	4.71E-02	4.45E-10	1.0E+06	4.4E-04
146	146	0.68151	1.86E-06	1.3E-06	6.05E-04	7.66E-10	14	4.71E-02	5.05E-10	1.0E+06	5.1E-04
147	147	0.78311	1.86E-06	1.5E-06	6.05E-04	8.80E-10	14	4.71E-02	5.81E-10	1.0E+06	5.8E-04
148	148	0.91083	1.86E-06	1.7E-06	6.05E-04	1.02E-09	14	4.71E-02	6.75E-10	1.0E+06	6.8E-04
149	149	1.07555	1.86E-06	2.0E-06	6.05E-04	1.21E-09	14	4.71E-02	7.97E-10	1.0E+06	8.0E-04
150	150	1.29316	1.86E-06	2.4E-06	6.05E-04	1.45E-09	14	4.71E-02	9.59E-10	1.0E+06	9.6E-04
151	151	1.59067	1.86E-06	3.0E-06	6.05E-04	1.79E-09	14	4.71E-02	1.18E-09	1.0E+06	1.2E-03
152	152	2.01363	1.86E-06	3.7E-06	6.05E-04	2.26E-09	14	4.71E-02	1.49E-09	1.0E+06	1.5E-03
153	153	2.64693	1.86E-06	4.9E-06	6.05E-04	2.97E-09	14	4.71E-02	1.96E-09	1.0E+06	2.0E-03
154	154	3.66067	1.86E-06	6.8E-06	6.05E-04	4.11E-09	14	4.71E-02	2.71E-09	1.0E+06	2.7E-03
155	155	5.4575	1.86E-06	1.0E-05	6.05E-04	6.13E-09	14	4.71E-02	4.05E-09	1.0E+06	4.0E-03
164	164	3.34375	1.86E-06	6.2E-06	6.05E-04	3.76E-09	14	4.71E-02	2.48E-09	1.0E+06	2.5E-03
165	165	4.74343	1.86E-06	8.8E-06	6.05E-04	5.33E-09	14	4.71E-02	3.52E-09	1.0E+06	3.5E-03
166	166	7.26315	1.86E-06	1.3E-05	6.05E-04	8.16E-09	14	4.71E-02	5.38E-09	1.0E+06	5.4E-03

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	2.94641	1.86E-06	5.5E-06	6.05E-04	3.31E-09	14	4.71E-02	2.18E-09	1.0E+06	2.2E-03
179	179	3.97722	1.86E-06	7.4E-06	6.05E-04	4.47E-09	14	4.71E-02	2.95E-09	1.0E+06	2.9E-03
180	180	5.62883	1.86E-06	1.0E-05	6.05E-04	6.32E-09	14	4.71E-02	4.17E-09	1.0E+06	4.2E-03
192	192	2.55259	1.86E-06	4.7E-06	6.05E-04	2.87E-09	14	4.71E-02	1.89E-09	1.0E+06	1.9E-03
193	193	3.30114	1.86E-06	6.1E-06	6.05E-04	3.71E-09	14	4.71E-02	2.45E-09	1.0E+06	2.4E-03
194	194	4.39057	1.86E-06	8.2E-06	6.05E-04	4.93E-09	14	4.71E-02	3.26E-09	1.0E+06	3.3E-03
207	207	2.19692	1.86E-06	4.1E-06	6.05E-04	2.47E-09	14	4.71E-02	1.63E-09	1.0E+06	1.6E-03
208	208	2.74044	1.86E-06	5.1E-06	6.05E-04	3.08E-09	14	4.71E-02	2.03E-09	1.0E+06	2.0E-03
209	209	3.47844	1.86E-06	6.5E-06	6.05E-04	3.91E-09	14	4.71E-02	2.58E-09	1.0E+06	2.6E-03
223	223	1.89153	1.86E-06	3.5E-06	6.05E-04	2.12E-09	14	4.71E-02	1.40E-09	1.0E+06	1.4E-03
224	224	2.29123	1.86E-06	4.3E-06	6.05E-04	2.57E-09	14	4.71E-02	1.70E-09	1.0E+06	1.7E-03
225	225	2.80265	1.86E-06	5.2E-06	6.05E-04	3.15E-09	14	4.71E-02	2.08E-09	1.0E+06	2.1E-03
239	239	1.6357	1.86E-06	3.0E-06	6.05E-04	1.84E-09	14	4.71E-02	1.21E-09	1.0E+06	1.2E-03
240	240	1.93453	1.86E-06	3.6E-06	6.05E-04	2.17E-09	14	4.71E-02	1.43E-09	1.0E+06	1.4E-03
241	241	2.30071	1.86E-06	4.3E-06	6.05E-04	2.58E-09	14	4.71E-02	1.71E-09	1.0E+06	1.7E-03
255	255	1.42268	1.86E-06	2.6E-06	6.05E-04	1.60E-09	14	4.71E-02	1.05E-09	1.0E+06	1.1E-03
256	256	1.64994	1.86E-06	3.1E-06	6.05E-04	1.85E-09	14	4.71E-02	1.22E-09	1.0E+06	1.2E-03
272	272	1.24557	1.86E-06	2.3E-06	6.05E-04	1.40E-09	14	4.71E-02	9.23E-10	1.0E+06	9.2E-04
273	273	1.42109	1.86E-06	2.6E-06	6.05E-04	1.60E-09	14	4.71E-02	1.05E-09	1.0E+06	1.1E-03
289	289	1.09791	1.86E-06	2.0E-06	6.05E-04	1.23E-09	14	4.71E-02	8.14E-10	1.0E+06	8.1E-04
290	290	1.23505	1.86E-06	2.3E-06	6.05E-04	1.39E-09	14	4.71E-02	9.16E-10	1.0E+06	9.2E-04
306	306	0.97399	1.86E-06	1.8E-06	6.05E-04	1.09E-09	14	4.71E-02	7.22E-10	1.0E+06	7.2E-04
307	307	1.08238	1.86E-06	2.0E-06	6.05E-04	1.22E-09	14	4.71E-02	8.02E-10	1.0E+06	8.0E-04
323	323	0.86936	1.86E-06	1.6E-06	6.05E-04	9.77E-10	14	4.71E-02	6.45E-10	1.0E+06	6.4E-04
324	324	0.95589	1.86E-06	1.8E-06	6.05E-04	1.07E-09	14	4.71E-02	7.09E-10	1.0E+06	7.1E-04
342	342	0.78031	1.86E-06	1.4E-06	6.05E-04	8.77E-10	14	4.71E-02	5.78E-10	1.0E+06	5.8E-04
343	343	0.84994	1.86E-06	1.6E-06	6.05E-04	9.55E-10	14	4.71E-02	6.30E-10	1.0E+06	6.3E-04
344	344	0.92327	1.86E-06	1.7E-06	6.05E-04	1.04E-09	14	4.71E-02	6.84E-10	1.0E+06	6.8E-04
356	356	0.70411	1.86E-06	1.3E-06	6.05E-04	7.91E-10	14	4.71E-02	5.22E-10	1.0E+06	5.2E-04
357	357	0.7612	1.86E-06	1.4E-06	6.05E-04	8.55E-10	14	4.71E-02	5.64E-10	1.0E+06	5.6E-04
358	358	0.81958	1.86E-06	1.5E-06	6.05E-04	9.21E-10	14	4.71E-02	6.08E-10	1.0E+06	6.1E-04

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	0.63836	1.86E-06	1.2E-06	6.05E-04	7.17E-10	14	4.71E-02	4.73E-10	1.0E+06	4.7E-04
371	371	0.68532	1.86E-06	1.3E-06	6.05E-04	7.70E-10	14	4.71E-02	5.08E-10	1.0E+06	5.1E-04
372	372	0.73267	1.86E-06	1.4E-06	6.05E-04	8.23E-10	14	4.71E-02	5.43E-10	1.0E+06	5.4E-04
383	383	0.58136	1.86E-06	1.1E-06	6.05E-04	6.53E-10	14	4.71E-02	4.31E-10	1.0E+06	4.3E-04
384	384	0.62024	1.86E-06	1.2E-06	6.05E-04	6.97E-10	14	4.71E-02	4.60E-10	1.0E+06	4.6E-04
385	385	0.6591	1.86E-06	1.2E-06	6.05E-04	7.40E-10	14	4.71E-02	4.89E-10	1.0E+06	4.9E-04
396	396	0.53161	1.86E-06	9.9E-07	6.05E-04	5.97E-10	14	4.71E-02	3.94E-10	1.0E+06	3.9E-04
397	397	0.56406	1.86E-06	1.0E-06	6.05E-04	6.34E-10	14	4.71E-02	4.18E-10	1.0E+06	4.2E-04
398	398	0.59628	1.86E-06	1.1E-06	6.05E-04	6.70E-10	14	4.71E-02	4.42E-10	1.0E+06	4.4E-04
399	399	0.62715	1.86E-06	1.2E-06	6.05E-04	7.04E-10	14	4.71E-02	4.65E-10	1.0E+06	4.6E-04
411	411	0.48802	1.86E-06	9.1E-07	6.05E-04	5.48E-10	14	4.71E-02	3.62E-10	1.0E+06	3.6E-04
412	412	0.51535	1.86E-06	9.6E-07	6.05E-04	5.79E-10	14	4.71E-02	3.82E-10	1.0E+06	3.8E-04
413	413	0.54198	1.86E-06	1.0E-06	6.05E-04	6.09E-10	14	4.71E-02	4.02E-10	1.0E+06	4.0E-04
414	414	0.56792	1.86E-06	1.1E-06	6.05E-04	6.38E-10	14	4.71E-02	4.21E-10	1.0E+06	4.2E-04
426	426	0.44956	1.86E-06	8.3E-07	6.05E-04	5.05E-10	14	4.71E-02	3.33E-10	1.0E+06	3.3E-04
427	427	0.47264	1.86E-06	8.8E-07	6.05E-04	5.31E-10	14	4.71E-02	3.50E-10	1.0E+06	3.5E-04
428	428	0.49544	1.86E-06	9.2E-07	6.05E-04	5.57E-10	14	4.71E-02	3.67E-10	1.0E+06	3.7E-04
429	429	0.51702	1.86E-06	9.6E-07	6.05E-04	5.81E-10	14	4.71E-02	3.83E-10	1.0E+06	3.8E-04
439	439	0.41554	1.86E-06	7.7E-07	6.05E-04	4.67E-10	14	4.71E-02	3.08E-10	1.0E+06	3.1E-04
440	440	0.43522	1.86E-06	8.1E-07	6.05E-04	4.89E-10	14	4.71E-02	3.23E-10	1.0E+06	3.2E-04
441	441	0.45446	1.86E-06	8.4E-07	6.05E-04	5.10E-10	14	4.71E-02	3.37E-10	1.0E+06	3.4E-04
442	442	0.47278	1.86E-06	8.8E-07	6.05E-04	5.31E-10	14	4.71E-02	3.51E-10	1.0E+06	3.5E-04
443	443	0.48939	1.86E-06	9.1E-07	6.05E-04	5.50E-10	14	4.71E-02	3.63E-10	1.0E+06	3.6E-04
454	454	0.38527	1.86E-06	7.2E-07	6.05E-04	4.33E-10	14	4.71E-02	2.86E-10	1.0E+06	2.9E-04
455	455	0.40213	1.86E-06	7.5E-07	6.05E-04	4.52E-10	14	4.71E-02	2.98E-10	1.0E+06	3.0E-04
456	456	0.41855	1.86E-06	7.8E-07	6.05E-04	4.70E-10	14	4.71E-02	3.10E-10	1.0E+06	3.1E-04
457	457	0.43417	1.86E-06	8.1E-07	6.05E-04	4.88E-10	14	4.71E-02	3.22E-10	1.0E+06	3.2E-04
458	458	0.4484	1.86E-06	8.3E-07	6.05E-04	5.04E-10	14	4.71E-02	3.32E-10	1.0E+06	3.3E-04
469	469	0.3583	1.86E-06	6.7E-07	6.05E-04	4.02E-10	14	4.71E-02	2.66E-10	1.0E+06	2.7E-04
470	470	0.37293	1.86E-06	6.9E-07	6.05E-04	4.19E-10	14	4.71E-02	2.76E-10	1.0E+06	2.8E-04
471	471	0.38704	1.86E-06	7.2E-07	6.05E-04	4.35E-10	14	4.71E-02	2.87E-10	1.0E+06	2.9E-04

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	0.40049	1.86E-06	7.4E-07	6.05E-04	4.50E-10	14	4.71E-02	2.97E-10	1.0E+06	3.0E-04
473	473	0.41278	1.86E-06	7.7E-07	6.05E-04	4.64E-10	14	4.71E-02	3.06E-10	1.0E+06	3.1E-04
489	489	0.33403	1.86E-06	6.2E-07	6.05E-04	3.75E-10	14	4.71E-02	2.48E-10	1.0E+06	2.5E-04
490	490	0.34668	1.86E-06	6.4E-07	6.05E-04	3.89E-10	14	4.71E-02	2.57E-10	1.0E+06	2.6E-04
491	491	0.35895	1.86E-06	6.7E-07	6.05E-04	4.03E-10	14	4.71E-02	2.66E-10	1.0E+06	2.7E-04
492	492	0.37059	1.86E-06	6.9E-07	6.05E-04	4.16E-10	14	4.71E-02	2.75E-10	1.0E+06	2.7E-04
493	493	0.3812	1.86E-06	7.1E-07	6.05E-04	4.28E-10	14	4.71E-02	2.83E-10	1.0E+06	2.8E-04
494	494	0.39031	1.86E-06	7.2E-07	6.05E-04	4.38E-10	14	4.71E-02	2.89E-10	1.0E+06	2.9E-04
509	509	0.3123	1.86E-06	5.8E-07	6.05E-04	3.51E-10	14	4.71E-02	2.32E-10	1.0E+06	2.3E-04
510	510	0.32332	1.86E-06	6.0E-07	6.05E-04	3.63E-10	14	4.71E-02	2.40E-10	1.0E+06	2.4E-04
511	511	0.33409	1.86E-06	6.2E-07	6.05E-04	3.75E-10	14	4.71E-02	2.48E-10	1.0E+06	2.5E-04
512	512	0.34424	1.86E-06	6.4E-07	6.05E-04	3.87E-10	14	4.71E-02	2.55E-10	1.0E+06	2.6E-04
513	513	0.35342	1.86E-06	6.6E-07	6.05E-04	3.97E-10	14	4.71E-02	2.62E-10	1.0E+06	2.6E-04
514	514	0.36144	1.86E-06	6.7E-07	6.05E-04	4.06E-10	14	4.71E-02	2.68E-10	1.0E+06	2.7E-04
515	515	0.3714	1.86E-06	6.9E-07	6.05E-04	4.17E-10	14	4.71E-02	2.75E-10	1.0E+06	2.8E-04
516	516	0.37217	1.86E-06	6.9E-07	6.05E-04	4.18E-10	14	4.71E-02	2.76E-10	1.0E+06	2.8E-04
517	517	0.36994	1.86E-06	6.9E-07	6.05E-04	4.16E-10	14	4.71E-02	2.74E-10	1.0E+06	2.7E-04
518	518	0.36446	1.86E-06	6.8E-07	6.05E-04	4.09E-10	14	4.71E-02	2.70E-10	1.0E+06	2.7E-04
519	519	0.35589	1.86E-06	6.6E-07	6.05E-04	4.00E-10	14	4.71E-02	2.64E-10	1.0E+06	2.6E-04
528	528	0.2927	1.86E-06	5.4E-07	6.05E-04	3.29E-10	14	4.71E-02	2.17E-10	1.0E+06	2.2E-04
529	529	0.30238	1.86E-06	5.6E-07	6.05E-04	3.40E-10	14	4.71E-02	2.24E-10	1.0E+06	2.2E-04
530	530	0.31178	1.86E-06	5.8E-07	6.05E-04	3.50E-10	14	4.71E-02	2.31E-10	1.0E+06	2.3E-04
531	531	0.32072	1.86E-06	6.0E-07	6.05E-04	3.60E-10	14	4.71E-02	2.38E-10	1.0E+06	2.4E-04
532	532	0.32884	1.86E-06	6.1E-07	6.05E-04	3.69E-10	14	4.71E-02	2.44E-10	1.0E+06	2.4E-04
533	533	0.33587	1.86E-06	6.2E-07	6.05E-04	3.77E-10	14	4.71E-02	2.49E-10	1.0E+06	2.5E-04
534	534	0.34476	1.86E-06	6.4E-07	6.05E-04	3.87E-10	14	4.71E-02	2.56E-10	1.0E+06	2.6E-04
535	535	0.34577	1.86E-06	6.4E-07	6.05E-04	3.88E-10	14	4.71E-02	2.56E-10	1.0E+06	2.6E-04
536	536	0.34427	1.86E-06	6.4E-07	6.05E-04	3.87E-10	14	4.71E-02	2.55E-10	1.0E+06	2.6E-04
537	537	0.33977	1.86E-06	6.3E-07	6.05E-04	3.82E-10	14	4.71E-02	2.52E-10	1.0E+06	2.5E-04
538	538	0.33257	1.86E-06	6.2E-07	6.05E-04	3.74E-10	14	4.71E-02	2.47E-10	1.0E+06	2.5E-04
547	547	0.27493	1.86E-06	5.1E-07	6.05E-04	3.09E-10	14	4.71E-02	2.04E-10	1.0E+06	2.0E-04

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.28346	1.86E-06	5.3E-07	6.05E-04	3.18E-10	14	4.71E-02	2.10E-10	1.0E+06	2.1E-04
549	549	0.2918	1.86E-06	5.4E-07	6.05E-04	3.28E-10	14	4.71E-02	2.16E-10	1.0E+06	2.2E-04
550	550	0.2996	1.86E-06	5.6E-07	6.05E-04	3.37E-10	14	4.71E-02	2.22E-10	1.0E+06	2.2E-04
551	551	0.30682	1.86E-06	5.7E-07	6.05E-04	3.45E-10	14	4.71E-02	2.27E-10	1.0E+06	2.3E-04
552	552	0.31306	1.86E-06	5.8E-07	6.05E-04	3.52E-10	14	4.71E-02	2.32E-10	1.0E+06	2.3E-04
553	553	0.318	1.86E-06	5.9E-07	6.05E-04	3.57E-10	14	4.71E-02	2.36E-10	1.0E+06	2.4E-04
554	554	0.32114	1.86E-06	6.0E-07	6.05E-04	3.61E-10	14	4.71E-02	2.38E-10	1.0E+06	2.4E-04
555	555	0.32233	1.86E-06	6.0E-07	6.05E-04	3.62E-10	14	4.71E-02	2.39E-10	1.0E+06	2.4E-04
556	556	0.32137	1.86E-06	6.0E-07	6.05E-04	3.61E-10	14	4.71E-02	2.38E-10	1.0E+06	2.4E-04
557	557	0.31767	1.86E-06	5.9E-07	6.05E-04	3.57E-10	14	4.71E-02	2.36E-10	1.0E+06	2.4E-04
558	558	0.31178	1.86E-06	5.8E-07	6.05E-04	3.50E-10	14	4.71E-02	2.31E-10	1.0E+06	2.3E-04
559	559	0.30357	1.86E-06	5.6E-07	6.05E-04	3.41E-10	14	4.71E-02	2.25E-10	1.0E+06	2.3E-04
567	567	0.25883	1.86E-06	4.8E-07	6.05E-04	2.91E-10	14	4.71E-02	1.92E-10	1.0E+06	1.9E-04
568	568	0.26642	1.86E-06	4.9E-07	6.05E-04	2.99E-10	14	4.71E-02	1.98E-10	1.0E+06	2.0E-04
569	569	0.27377	1.86E-06	5.1E-07	6.05E-04	3.08E-10	14	4.71E-02	2.03E-10	1.0E+06	2.0E-04
570	570	0.28075	1.86E-06	5.2E-07	6.05E-04	3.15E-10	14	4.71E-02	2.08E-10	1.0E+06	2.1E-04
571	571	0.28714	1.86E-06	5.3E-07	6.05E-04	3.23E-10	14	4.71E-02	2.13E-10	1.0E+06	2.1E-04
572	572	0.29272	1.86E-06	5.4E-07	6.05E-04	3.29E-10	14	4.71E-02	2.17E-10	1.0E+06	2.2E-04
573	573	0.29716	1.86E-06	5.5E-07	6.05E-04	3.34E-10	14	4.71E-02	2.20E-10	1.0E+06	2.2E-04
574	574	0.30133	1.86E-06	5.6E-07	6.05E-04	3.38E-10	14	4.71E-02	2.23E-10	1.0E+06	2.2E-04
575	575	0.30071	1.86E-06	5.6E-07	6.05E-04	3.38E-10	14	4.71E-02	2.23E-10	1.0E+06	2.2E-04
576	576	0.29794	1.86E-06	5.5E-07	6.05E-04	3.35E-10	14	4.71E-02	2.21E-10	1.0E+06	2.2E-04
577	577	0.293	1.86E-06	5.4E-07	6.05E-04	3.29E-10	14	4.71E-02	2.17E-10	1.0E+06	2.2E-04
578	578	0.28603	1.86E-06	5.3E-07	6.05E-04	3.21E-10	14	4.71E-02	2.12E-10	1.0E+06	2.1E-04
586	586	0.2441	1.86E-06	4.5E-07	6.05E-04	2.74E-10	14	4.71E-02	1.81E-10	1.0E+06	1.8E-04
587	587	0.25082	1.86E-06	4.7E-07	6.05E-04	2.82E-10	14	4.71E-02	1.86E-10	1.0E+06	1.9E-04
588	588	0.25739	1.86E-06	4.8E-07	6.05E-04	2.89E-10	14	4.71E-02	1.91E-10	1.0E+06	1.9E-04
589	589	0.26361	1.86E-06	4.9E-07	6.05E-04	2.96E-10	14	4.71E-02	1.95E-10	1.0E+06	2.0E-04
590	590	0.26933	1.86E-06	5.0E-07	6.05E-04	3.03E-10	14	4.71E-02	2.00E-10	1.0E+06	2.0E-04
591	591	0.27432	1.86E-06	5.1E-07	6.05E-04	3.08E-10	14	4.71E-02	2.03E-10	1.0E+06	2.0E-04
592	592	0.27835	1.86E-06	5.2E-07	6.05E-04	3.13E-10	14	4.71E-02	2.06E-10	1.0E+06	2.1E-04

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	0.28238	1.86E-06	5.2E-07	6.05E-04	3.17E-10	14	4.71E-02	2.09E-10	1.0E+06	2.1E-04
594	594	0.28209	1.86E-06	5.2E-07	6.05E-04	3.17E-10	14	4.71E-02	2.09E-10	1.0E+06	2.1E-04
595	595	0.27979	1.86E-06	5.2E-07	6.05E-04	3.14E-10	14	4.71E-02	2.07E-10	1.0E+06	2.1E-04
596	596	0.27564	1.86E-06	5.1E-07	6.05E-04	3.10E-10	14	4.71E-02	2.04E-10	1.0E+06	2.0E-04
597	597	0.26978	1.86E-06	5.0E-07	6.05E-04	3.03E-10	14	4.71E-02	2.00E-10	1.0E+06	2.0E-04
345	345	0.9954	1.86E-06	1.8E-06	6.05E-04	1.12E-09	14	4.71E-02	7.38E-10	1.0E+06	7.4E-04
346	346	1.06206	1.86E-06	2.0E-06	6.05E-04	1.19E-09	14	4.71E-02	7.87E-10	1.0E+06	7.9E-04
347	347	1.11535	1.86E-06	2.1E-06	6.05E-04	1.25E-09	14	4.71E-02	8.27E-10	1.0E+06	8.3E-04
348	348	1.14733	1.86E-06	2.1E-06	6.05E-04	1.29E-09	14	4.71E-02	8.51E-10	1.0E+06	8.5E-04
359	359	0.87655	1.86E-06	1.6E-06	6.05E-04	9.85E-10	14	4.71E-02	6.50E-10	1.0E+06	6.5E-04
360	360	0.92801	1.86E-06	1.7E-06	6.05E-04	1.04E-09	14	4.71E-02	6.88E-10	1.0E+06	6.9E-04
361	361	0.97081	1.86E-06	1.8E-06	6.05E-04	1.09E-09	14	4.71E-02	7.20E-10	1.0E+06	7.2E-04
362	362	0.9965	1.86E-06	1.8E-06	6.05E-04	1.12E-09	14	4.71E-02	7.39E-10	1.0E+06	7.4E-04
363	363	1.00265	1.86E-06	1.9E-06	6.05E-04	1.13E-09	14	4.71E-02	7.43E-10	1.0E+06	7.4E-04
373	373	0.82014	1.86E-06	1.5E-06	6.05E-04	9.21E-10	14	4.71E-02	6.08E-10	1.0E+06	6.1E-04
374	374	0.85373	1.86E-06	1.6E-06	6.05E-04	9.59E-10	14	4.71E-02	6.33E-10	1.0E+06	6.3E-04
375	375	0.87519	1.86E-06	1.6E-06	6.05E-04	9.83E-10	14	4.71E-02	6.49E-10	1.0E+06	6.5E-04
376	376	0.88146	1.86E-06	1.6E-06	6.05E-04	9.90E-10	14	4.71E-02	6.53E-10	1.0E+06	6.5E-04
386	386	0.73023	1.86E-06	1.4E-06	6.05E-04	8.20E-10	14	4.71E-02	5.41E-10	1.0E+06	5.4E-04
387	387	0.75776	1.86E-06	1.4E-06	6.05E-04	8.51E-10	14	4.71E-02	5.62E-10	1.0E+06	5.6E-04
388	388	0.77569	1.86E-06	1.4E-06	6.05E-04	8.71E-10	14	4.71E-02	5.75E-10	1.0E+06	5.8E-04
389	389	0.78198	1.86E-06	1.5E-06	6.05E-04	8.78E-10	14	4.71E-02	5.80E-10	1.0E+06	5.8E-04
390	390	0.77454	1.86E-06	1.4E-06	6.05E-04	8.70E-10	14	4.71E-02	5.74E-10	1.0E+06	5.7E-04
400	400	0.65502	1.86E-06	1.2E-06	6.05E-04	7.36E-10	14	4.71E-02	4.86E-10	1.0E+06	4.9E-04
401	401	0.6772	1.86E-06	1.3E-06	6.05E-04	7.61E-10	14	4.71E-02	5.02E-10	1.0E+06	5.0E-04
402	402	0.69307	1.86E-06	1.3E-06	6.05E-04	7.79E-10	14	4.71E-02	5.14E-10	1.0E+06	5.1E-04
403	403	0.69885	1.86E-06	1.3E-06	6.05E-04	7.85E-10	14	4.71E-02	5.18E-10	1.0E+06	5.2E-04
404	404	0.69365	1.86E-06	1.3E-06	6.05E-04	7.79E-10	14	4.71E-02	5.14E-10	1.0E+06	5.1E-04
415	415	0.59107	1.86E-06	1.1E-06	6.05E-04	6.64E-10	14	4.71E-02	4.38E-10	1.0E+06	4.4E-04
416	416	0.61011	1.86E-06	1.1E-06	6.05E-04	6.85E-10	14	4.71E-02	4.52E-10	1.0E+06	4.5E-04
417	417	0.62311	1.86E-06	1.2E-06	6.05E-04	7.00E-10	14	4.71E-02	4.62E-10	1.0E+06	4.6E-04

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	0.6294	1.86E-06	1.2E-06	6.05E-04	7.07E-10	14	4.71E-02	4.67E-10	1.0E+06	4.7E-04
419	419	0.62667	1.86E-06	1.2E-06	6.05E-04	7.04E-10	14	4.71E-02	4.65E-10	1.0E+06	4.6E-04
420	420	0.61253	1.86E-06	1.1E-06	6.05E-04	6.88E-10	14	4.71E-02	4.54E-10	1.0E+06	4.5E-04
430	430	0.55234	1.86E-06	1.0E-06	6.05E-04	6.20E-10	14	4.71E-02	4.09E-10	1.0E+06	4.1E-04
431	431	0.56428	1.86E-06	1.0E-06	6.05E-04	6.34E-10	14	4.71E-02	4.18E-10	1.0E+06	4.2E-04
432	432	0.56988	1.86E-06	1.1E-06	6.05E-04	6.40E-10	14	4.71E-02	4.22E-10	1.0E+06	4.2E-04
433	433	0.56818	1.86E-06	1.1E-06	6.05E-04	6.38E-10	14	4.71E-02	4.21E-10	1.0E+06	4.2E-04
434	434	0.55854	1.86E-06	1.0E-06	6.05E-04	6.27E-10	14	4.71E-02	4.14E-10	1.0E+06	4.1E-04
444	444	0.50331	1.86E-06	9.3E-07	6.05E-04	5.65E-10	14	4.71E-02	3.73E-10	1.0E+06	3.7E-04
445	445	0.51316	1.86E-06	9.5E-07	6.05E-04	5.76E-10	14	4.71E-02	3.80E-10	1.0E+06	3.8E-04
446	446	0.51846	1.86E-06	9.6E-07	6.05E-04	5.82E-10	14	4.71E-02	3.84E-10	1.0E+06	3.8E-04
447	447	0.51781	1.86E-06	9.6E-07	6.05E-04	5.82E-10	14	4.71E-02	3.84E-10	1.0E+06	3.8E-04
448	448	0.51055	1.86E-06	9.5E-07	6.05E-04	5.73E-10	14	4.71E-02	3.79E-10	1.0E+06	3.8E-04
459	459	0.46914	1.86E-06	8.7E-07	6.05E-04	5.27E-10	14	4.71E-02	3.48E-10	1.0E+06	3.5E-04
460	460	0.47394	1.86E-06	8.8E-07	6.05E-04	5.32E-10	14	4.71E-02	3.51E-10	1.0E+06	3.5E-04
461	461	0.47383	1.86E-06	8.8E-07	6.05E-04	5.32E-10	14	4.71E-02	3.51E-10	1.0E+06	3.5E-04
462	462	0.46835	1.86E-06	8.7E-07	6.05E-04	5.26E-10	14	4.71E-02	3.47E-10	1.0E+06	3.5E-04
463	463	0.45737	1.86E-06	8.5E-07	6.05E-04	5.14E-10	14	4.71E-02	3.39E-10	1.0E+06	3.4E-04
474	474	0.4307	1.86E-06	8.0E-07	6.05E-04	4.84E-10	14	4.71E-02	3.19E-10	1.0E+06	3.2E-04
475	475	0.43507	1.86E-06	8.1E-07	6.05E-04	4.89E-10	14	4.71E-02	3.23E-10	1.0E+06	3.2E-04
476	476	0.4356	1.86E-06	8.1E-07	6.05E-04	4.89E-10	14	4.71E-02	3.23E-10	1.0E+06	3.2E-04
477	477	0.43137	1.86E-06	8.0E-07	6.05E-04	4.85E-10	14	4.71E-02	3.20E-10	1.0E+06	3.2E-04
478	478	0.42267	1.86E-06	7.8E-07	6.05E-04	4.75E-10	14	4.71E-02	3.13E-10	1.0E+06	3.1E-04
495	495	0.39722	1.86E-06	7.4E-07	6.05E-04	4.46E-10	14	4.71E-02	2.94E-10	1.0E+06	2.9E-04
496	496	0.40117	1.86E-06	7.4E-07	6.05E-04	4.51E-10	14	4.71E-02	2.97E-10	1.0E+06	3.0E-04
497	497	0.40193	1.86E-06	7.5E-07	6.05E-04	4.51E-10	14	4.71E-02	2.98E-10	1.0E+06	3.0E-04
498	498	0.39888	1.86E-06	7.4E-07	6.05E-04	4.48E-10	14	4.71E-02	2.96E-10	1.0E+06	3.0E-04
499	499	0.39191	1.86E-06	7.3E-07	6.05E-04	4.40E-10	14	4.71E-02	2.91E-10	1.0E+06	2.9E-04
500	500	0.38132	1.86E-06	7.1E-07	6.05E-04	4.28E-10	14	4.71E-02	2.83E-10	1.0E+06	2.8E-04

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	10.29733	1.86E-06	1.9E-05	6.05E-04	1.16E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
140	140	27.08521	1.86E-06	5.0E-05	6.05E-04	3.04E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
156	156	9.16114	1.86E-06	1.7E-05	6.05E-04	1.03E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
157	157	18.90263	1.86E-06	3.5E-05	6.05E-04	2.12E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
158	158	43.93117	1.86E-06	8.2E-05	6.05E-04	4.93E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
159	159	51.30754	1.86E-06	9.5E-05	6.05E-04	5.76E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
160	160	17.05985	1.86E-06	3.2E-05	6.05E-04	1.92E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
161	161	20.23694	1.86E-06	3.8E-05	6.05E-04	2.27E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
162	162	9.56157	1.86E-06	1.8E-05	6.05E-04	1.07E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
163	163	5.82335	1.86E-06	1.1E-05	6.05E-04	6.54E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
167	167	12.12227	1.86E-06	2.3E-05	6.05E-04	1.36E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
168	168	20.8188	1.86E-06	3.9E-05	6.05E-04	2.34E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
169	169	31.10233	1.86E-06	5.8E-05	6.05E-04	3.49E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
170	170	38.5138	1.86E-06	7.1E-05	6.05E-04	4.33E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
171	171	29.15419	1.86E-06	5.4E-05	6.05E-04	3.27E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
172	172	13.21084	1.86E-06	2.5E-05	6.05E-04	1.48E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
173	173	7.083	1.86E-06	1.3E-05	6.05E-04	7.96E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
174	174	4.6065	1.86E-06	8.6E-06	6.05E-04	5.17E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
175	175	3.29227	1.86E-06	6.1E-06	6.05E-04	3.70E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
176	176	2.49186	1.86E-06	4.6E-06	6.05E-04	2.80E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
177	177	1.96457	1.86E-06	3.6E-06	6.05E-04	2.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
181	181	12.14283	1.86E-06	2.3E-05	6.05E-04	1.36E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
182	182	16.11501	1.86E-06	3.0E-05	6.05E-04	1.81E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
183	183	18.01891	1.86E-06	3.3E-05	6.05E-04	2.02E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
184	184	15.0364	1.86E-06	2.8E-05	6.05E-04	1.69E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
185	185	9.44698	1.86E-06	1.8E-05	6.05E-04	1.06E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
186	186	5.73349	1.86E-06	1.1E-05	6.05E-04	6.44E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
187	187	3.8619	1.86E-06	7.2E-06	6.05E-04	4.34E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
188	188	2.83606	1.86E-06	5.3E-06	6.05E-04	3.19E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
189	189	2.19348	1.86E-06	4.1E-06	6.05E-04	2.46E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
190	190	1.75704	1.86E-06	3.3E-06	6.05E-04	1.97E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
191	191	1.44394	1.86E-06	2.7E-06	6.05E-04	1.62E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
195	195	7.92432	1.86E-06	1.5E-05	6.05E-04	8.90E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
196	196	9.78779	1.86E-06	1.8E-05	6.05E-04	1.10E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
197	197	10.5415	1.86E-06	2.0E-05	6.05E-04	1.18E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
198	198	9.35103	1.86E-06	1.7E-05	6.05E-04	1.05E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
199	199	6.88129	1.86E-06	1.3E-05	6.05E-04	7.73E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
200	200	4.69995	1.86E-06	8.7E-06	6.05E-04	5.28E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
201	201	3.32246	1.86E-06	6.2E-06	6.05E-04	3.73E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
202	202	2.49027	1.86E-06	4.6E-06	6.05E-04	2.80E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
203	203	1.9559	1.86E-06	3.6E-06	6.05E-04	2.20E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
204	204	1.58723	1.86E-06	2.9E-06	6.05E-04	1.78E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
205	205	1.31792	1.86E-06	2.4E-06	6.05E-04	1.48E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
206	206	1.11452	1.86E-06	2.1E-06	6.05E-04	1.25E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
210	210	4.42461	1.86E-06	8.2E-06	6.05E-04	4.97E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
211	211	5.55569	1.86E-06	1.0E-05	6.05E-04	6.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
212	212	6.55126	1.86E-06	1.2E-05	6.05E-04	7.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
213	213	6.9513	1.86E-06	1.3E-05	6.05E-04	7.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
214	214	5.17082	1.86E-06	9.6E-06	6.05E-04	5.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
215	215	3.8595	1.86E-06	7.2E-06	6.05E-04	4.34E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
216	216	2.87063	1.86E-06	5.3E-06	6.05E-04	3.22E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
217	217	2.20158	1.86E-06	4.1E-06	6.05E-04	2.47E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
218	218	1.75388	1.86E-06	3.3E-06	6.05E-04	1.97E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
219	219	1.43923	1.86E-06	2.7E-06	6.05E-04	1.62E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
220	220	1.207	1.86E-06	2.2E-06	6.05E-04	1.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
221	221	1.02974	1.86E-06	1.9E-06	6.05E-04	1.16E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
222	222	0.88823	1.86E-06	1.6E-06	6.05E-04	9.98E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
226	226	3.43146	1.86E-06	6.4E-06	6.05E-04	3.85E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
227	227	4.11826	1.86E-06	7.6E-06	6.05E-04	4.63E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
228	228	4.69472	1.86E-06	8.7E-06	6.05E-04	5.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
229	229	4.93943	1.86E-06	9.2E-06	6.05E-04	5.55E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
230	230	4.67814	1.86E-06	8.7E-06	6.05E-04	5.25E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	3.99107	1.86E-06	7.4E-06	6.05E-04	4.48E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
232	232	3.17742	1.86E-06	5.9E-06	6.05E-04	3.57E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
233	233	1.95226	1.86E-06	3.6E-06	6.05E-04	2.19E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
234	234	1.57688	1.86E-06	2.9E-06	6.05E-04	1.77E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
235	235	1.30824	1.86E-06	2.4E-06	6.05E-04	1.47E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
236	236	1.10784	1.86E-06	2.1E-06	6.05E-04	1.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
237	237	0.95266	1.86E-06	1.8E-06	6.05E-04	1.07E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
238	238	0.82956	1.86E-06	1.5E-06	6.05E-04	9.32E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
242	242	2.72732	1.86E-06	5.1E-06	6.05E-04	3.06E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
243	243	3.17243	1.86E-06	5.9E-06	6.05E-04	3.56E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
244	244	3.52077	1.86E-06	6.5E-06	6.05E-04	3.95E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
245	245	3.68897	1.86E-06	6.8E-06	6.05E-04	4.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
246	246	3.56096	1.86E-06	6.6E-06	6.05E-04	4.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
247	247	3.16737	1.86E-06	5.9E-06	6.05E-04	3.56E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
248	248	2.64755	1.86E-06	4.9E-06	6.05E-04	2.97E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
249	249	1.73175	1.86E-06	3.2E-06	6.05E-04	1.95E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
250	250	1.42158	1.86E-06	2.6E-06	6.05E-04	1.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
251	251	1.19177	1.86E-06	2.2E-06	6.05E-04	1.34E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
252	252	1.01903	1.86E-06	1.9E-06	6.05E-04	1.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
253	253	0.88159	1.86E-06	1.6E-06	6.05E-04	9.90E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
254	254	0.7733	1.86E-06	1.4E-06	6.05E-04	8.69E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
257	257	2.2171	1.86E-06	4.1E-06	6.05E-04	2.49E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
258	258	2.51736	1.86E-06	4.7E-06	6.05E-04	2.83E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
259	259	2.75377	1.86E-06	5.1E-06	6.05E-04	3.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
260	260	2.86176	1.86E-06	5.3E-06	6.05E-04	3.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
261	261	2.80471	1.86E-06	5.2E-06	6.05E-04	3.15E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
262	262	2.56673	1.86E-06	4.8E-06	6.05E-04	2.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
263	263	2.2241	1.86E-06	4.1E-06	6.05E-04	2.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
264	264	1.5449	1.86E-06	2.9E-06	6.05E-04	1.74E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
265	265	1.28883	1.86E-06	2.4E-06	6.05E-04	1.45E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
266	266	1.09188	1.86E-06	2.0E-06	6.05E-04	1.23E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
267	267	0.93971	1.86E-06	1.7E-06	6.05E-04	1.06E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
268	268	0.81822	1.86E-06	1.5E-06	6.05E-04	9.19E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
269	269	0.72228	1.86E-06	1.3E-06	6.05E-04	8.11E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
270	270	0.51952	1.86E-06	9.6E-07	6.05E-04	5.84E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
271	271	0.47161	1.86E-06	8.8E-07	6.05E-04	5.30E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
274	274	1.83695	1.86E-06	3.4E-06	6.05E-04	2.06E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
275	275	2.04723	1.86E-06	3.8E-06	6.05E-04	2.30E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
276	276	2.21505	1.86E-06	4.1E-06	6.05E-04	2.49E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
277	277	2.29257	1.86E-06	4.3E-06	6.05E-04	2.58E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
278	278	2.26408	1.86E-06	4.2E-06	6.05E-04	2.54E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
279	279	2.11489	1.86E-06	3.9E-06	6.05E-04	2.38E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
280	280	1.88028	1.86E-06	3.5E-06	6.05E-04	2.11E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
281	281	1.37605	1.86E-06	2.6E-06	6.05E-04	1.55E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
282	282	1.16733	1.86E-06	2.2E-06	6.05E-04	1.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
283	283	0.99949	1.86E-06	1.9E-06	6.05E-04	1.12E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
284	284	0.86686	1.86E-06	1.6E-06	6.05E-04	9.74E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
285	285	0.76107	1.86E-06	1.4E-06	6.05E-04	8.55E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
286	286	0.6756	1.86E-06	1.3E-06	6.05E-04	7.59E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
287	287	0.49153	1.86E-06	9.1E-07	6.05E-04	5.52E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
288	288	0.44857	1.86E-06	8.3E-07	6.05E-04	5.04E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
291	291	1.54671	1.86E-06	2.9E-06	6.05E-04	1.74E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
292	292	1.69876	1.86E-06	3.2E-06	6.05E-04	1.91E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
293	293	1.82041	1.86E-06	3.4E-06	6.05E-04	2.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
294	294	1.87984	1.86E-06	3.5E-06	6.05E-04	2.11E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
295	295	1.86484	1.86E-06	3.5E-06	6.05E-04	2.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
296	296	1.76977	1.86E-06	3.3E-06	6.05E-04	1.99E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
297	297	1.61172	1.86E-06	3.0E-06	6.05E-04	1.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
298	298	1.23047	1.86E-06	2.3E-06	6.05E-04	1.38E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
299	299	1.06126	1.86E-06	2.0E-06	6.05E-04	1.19E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
300	300	0.91833	1.86E-06	1.7E-06	6.05E-04	1.03E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
301	301	0.80309	1.86E-06	1.5E-06	6.05E-04	9.02E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
302	302	0.70929	1.86E-06	1.3E-06	6.05E-04	7.97E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
303	303	0.63261	1.86E-06	1.2E-06	6.05E-04	7.11E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
304	304	0.46614	1.86E-06	8.7E-07	6.05E-04	5.24E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
305	305	0.42648	1.86E-06	7.9E-07	6.05E-04	4.79E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
308	308	1.32032	1.86E-06	2.5E-06	6.05E-04	1.48E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
309	309	1.43337	1.86E-06	2.7E-06	6.05E-04	1.61E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
310	310	1.52372	1.86E-06	2.8E-06	6.05E-04	1.71E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
311	311	1.57006	1.86E-06	2.9E-06	6.05E-04	1.76E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
312	312	1.56732	1.86E-06	2.9E-06	6.05E-04	1.76E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
313	313	1.50429	1.86E-06	2.8E-06	6.05E-04	1.69E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
314	314	1.39305	1.86E-06	2.6E-06	6.05E-04	1.56E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
315	315	1.10442	1.86E-06	2.1E-06	6.05E-04	1.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
316	316	0.96804	1.86E-06	1.8E-06	6.05E-04	1.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
317	317	0.84574	1.86E-06	1.6E-06	6.05E-04	9.50E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
318	318	0.74561	1.86E-06	1.4E-06	6.05E-04	8.38E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
319	319	0.66229	1.86E-06	1.2E-06	6.05E-04	7.44E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
320	320	0.59282	1.86E-06	1.1E-06	6.05E-04	6.66E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
321	321	0.44218	1.86E-06	8.2E-07	6.05E-04	4.97E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
322	322	0.40554	1.86E-06	7.5E-07	6.05E-04	4.56E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
325	325	1.14063	1.86E-06	2.1E-06	6.05E-04	1.28E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
326	326	1.22648	1.86E-06	2.3E-06	6.05E-04	1.38E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
327	327	1.29532	1.86E-06	2.4E-06	6.05E-04	1.46E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
328	328	1.33394	1.86E-06	2.5E-06	6.05E-04	1.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
329	329	1.33362	1.86E-06	2.5E-06	6.05E-04	1.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
330	330	1.29408	1.86E-06	2.4E-06	6.05E-04	1.45E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
331	331	1.21488	1.86E-06	2.3E-06	6.05E-04	1.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
332	332	1.11111	1.86E-06	2.1E-06	6.05E-04	1.25E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
333	333	0.99512	1.86E-06	1.8E-06	6.05E-04	1.12E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
334	334	0.88319	1.86E-06	1.6E-06	6.05E-04	9.92E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
335	335	0.78118	1.86E-06	1.5E-06	6.05E-04	8.77E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
336	336	0.69335	1.86E-06	1.3E-06	6.05E-04	7.79E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
337	337	0.61908	1.86E-06	1.1E-06	6.05E-04	6.95E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
338	338	0.55685	1.86E-06	1.0E-06	6.05E-04	6.26E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
339	339	0.45782	1.86E-06	8.5E-07	6.05E-04	5.14E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
340	340	0.41948	1.86E-06	7.8E-07	6.05E-04	4.71E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
341	341	0.38589	1.86E-06	7.2E-07	6.05E-04	4.33E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
349	349	1.1507	1.86E-06	2.1E-06	6.05E-04	1.29E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
350	350	1.12342	1.86E-06	2.1E-06	6.05E-04	1.26E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
351	351	1.06532	1.86E-06	2.0E-06	6.05E-04	1.20E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
352	352	0.98868	1.86E-06	1.8E-06	6.05E-04	1.11E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
353	353	0.43341	1.86E-06	8.0E-07	6.05E-04	4.87E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
354	354	0.39835	1.86E-06	7.4E-07	6.05E-04	4.47E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
355	355	0.36753	1.86E-06	6.8E-07	6.05E-04	4.13E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
364	364	0.98463	1.86E-06	1.8E-06	6.05E-04	1.11E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
365	365	0.94371	1.86E-06	1.8E-06	6.05E-04	1.06E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
366	366	0.88369	1.86E-06	1.6E-06	6.05E-04	9.93E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
367	367	0.41091	1.86E-06	7.6E-07	6.05E-04	4.62E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
368	368	0.3785	1.86E-06	7.0E-07	6.05E-04	4.25E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
369	369	0.35019	1.86E-06	6.5E-07	6.05E-04	3.93E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
377	377	0.86993	1.86E-06	1.6E-06	6.05E-04	9.77E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
378	378	0.83967	1.86E-06	1.6E-06	6.05E-04	9.43E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
379	379	0.79349	1.86E-06	1.5E-06	6.05E-04	8.91E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
380	380	0.38958	1.86E-06	7.2E-07	6.05E-04	4.38E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
381	381	0.35949	1.86E-06	6.7E-07	6.05E-04	4.04E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
382	382	0.3336	1.86E-06	6.2E-07	6.05E-04	3.75E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
391	391	0.75184	1.86E-06	1.4E-06	6.05E-04	8.45E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
392	392	0.71564	1.86E-06	1.3E-06	6.05E-04	8.04E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
393	393	0.36979	1.86E-06	6.9E-07	6.05E-04	4.15E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
394	394	0.34229	1.86E-06	6.4E-07	6.05E-04	3.84E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
395	395	0.3184	1.86E-06	5.9E-07	6.05E-04	3.58E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
405	405	0.67726	1.86E-06	1.3E-06	6.05E-04	7.61E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
406	406	0.64963	1.86E-06	1.2E-06	6.05E-04	7.30E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	0.61417	1.86E-06	1.1E-06	6.05E-04	6.90E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
408	408	0.35162	1.86E-06	6.5E-07	6.05E-04	3.95E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
409	409	0.32616	1.86E-06	6.1E-07	6.05E-04	3.66E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
410	410	0.30433	1.86E-06	5.6E-07	6.05E-04	3.42E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
421	421	0.59165	1.86E-06	1.1E-06	6.05E-04	6.65E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
422	422	0.5628	1.86E-06	1.0E-06	6.05E-04	6.32E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
423	423	0.33455	1.86E-06	6.2E-07	6.05E-04	3.76E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
424	424	0.31114	1.86E-06	5.8E-07	6.05E-04	3.49E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
425	425	0.2909	1.86E-06	5.4E-07	6.05E-04	3.27E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
435	435	0.5407	1.86E-06	1.0E-06	6.05E-04	6.07E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
436	436	0.51785	1.86E-06	9.6E-07	6.05E-04	5.82E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
437	437	0.29716	1.86E-06	5.5E-07	6.05E-04	3.34E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
438	438	0.27801	1.86E-06	5.2E-07	6.05E-04	3.12E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
449	449	0.49616	1.86E-06	9.2E-07	6.05E-04	5.57E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
450	450	0.47799	1.86E-06	8.9E-07	6.05E-04	5.37E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
451	451	0.45465	1.86E-06	8.4E-07	6.05E-04	5.11E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
452	452	0.2839	1.86E-06	5.3E-07	6.05E-04	3.19E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
453	453	0.26609	1.86E-06	4.9E-07	6.05E-04	2.99E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
464	464	0.44197	1.86E-06	8.2E-07	6.05E-04	4.96E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
465	465	0.4227	1.86E-06	7.8E-07	6.05E-04	4.75E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
466	466	0.30982	1.86E-06	5.8E-07	6.05E-04	3.48E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
467	467	0.27151	1.86E-06	5.0E-07	6.05E-04	3.05E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
468	468	0.25498	1.86E-06	4.7E-07	6.05E-04	2.86E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
479	479	0.40926	1.86E-06	7.6E-07	6.05E-04	4.60E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
480	480	0.39374	1.86E-06	7.3E-07	6.05E-04	4.42E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
481	481	0.37507	1.86E-06	7.0E-07	6.05E-04	4.21E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
482	482	0.35526	1.86E-06	6.6E-07	6.05E-04	3.99E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
483	483	0.33439	1.86E-06	6.2E-07	6.05E-04	3.76E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
484	484	0.31425	1.86E-06	5.8E-07	6.05E-04	3.53E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
485	485	0.29481	1.86E-06	5.5E-07	6.05E-04	3.31E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
486	486	0.27673	1.86E-06	5.1E-07	6.05E-04	3.11E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
487	487	0.25994	1.86E-06	4.8E-07	6.05E-04	2.92E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
488	488	0.2445	1.86E-06	4.5E-07	6.05E-04	2.75E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
501	501	0.36715	1.86E-06	6.8E-07	6.05E-04	4.12E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
502	502	0.35199	1.86E-06	6.5E-07	6.05E-04	3.95E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
503	503	0.33477	1.86E-06	6.2E-07	6.05E-04	3.76E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
504	504	0.31657	1.86E-06	5.9E-07	6.05E-04	3.56E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
505	505	0.29843	1.86E-06	5.5E-07	6.05E-04	3.35E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
506	506	0.28087	1.86E-06	5.2E-07	6.05E-04	3.15E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
507	507	0.26442	1.86E-06	4.9E-07	6.05E-04	2.97E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
508	508	0.23466	1.86E-06	4.4E-07	6.05E-04	2.64E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
520	520	0.34397	1.86E-06	6.4E-07	6.05E-04	3.86E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
521	521	0.32996	1.86E-06	6.1E-07	6.05E-04	3.71E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
522	522	0.31573	1.86E-06	5.9E-07	6.05E-04	3.55E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
523	523	0.29979	1.86E-06	5.6E-07	6.05E-04	3.37E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
524	524	0.28361	1.86E-06	5.3E-07	6.05E-04	3.19E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
525	525	0.26778	1.86E-06	5.0E-07	6.05E-04	3.01E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
526	526	0.25274	1.86E-06	4.7E-07	6.05E-04	2.84E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
527	527	0.22534	1.86E-06	4.2E-07	6.05E-04	2.53E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
539	539	0.32292	1.86E-06	6.0E-07	6.05E-04	3.63E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
540	540	0.31117	1.86E-06	5.8E-07	6.05E-04	3.50E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
541	541	0.2978	1.86E-06	5.5E-07	6.05E-04	3.35E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
542	542	0.28376	1.86E-06	5.3E-07	6.05E-04	3.19E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
543	543	0.26974	1.86E-06	5.0E-07	6.05E-04	3.03E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
544	544	0.25545	1.86E-06	4.7E-07	6.05E-04	2.87E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
545	545	0.24149	1.86E-06	4.5E-07	6.05E-04	2.71E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
546	546	0.2165	1.86E-06	4.0E-07	6.05E-04	2.43E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
560	560	0.29354	1.86E-06	5.4E-07	6.05E-04	3.30E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
561	561	0.28214	1.86E-06	5.2E-07	6.05E-04	3.17E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
562	562	0.26961	1.86E-06	5.0E-07	6.05E-04	3.03E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
563	563	0.25298	1.86E-06	4.7E-07	6.05E-04	2.84E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
564	564	0.24372	1.86E-06	4.5E-07	6.05E-04	2.74E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.23154	1.86E-06	4.3E-07	6.05E-04	2.60E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
566	566	0.20832	1.86E-06	3.9E-07	6.05E-04	2.34E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
579	579	0.27728	1.86E-06	5.1E-07	6.05E-04	3.11E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
580	580	0.26732	1.86E-06	5.0E-07	6.05E-04	3.00E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
581	581	0.25644	1.86E-06	4.8E-07	6.05E-04	2.88E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
582	582	0.24489	1.86E-06	4.5E-07	6.05E-04	2.75E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
583	583	0.23317	1.86E-06	4.3E-07	6.05E-04	2.62E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
584	584	0.22165	1.86E-06	4.1E-07	6.05E-04	2.49E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
585	585	0.19105	1.86E-06	3.5E-07	6.05E-04	2.15E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
598	598	0.26237	1.86E-06	4.9E-07	6.05E-04	2.95E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
599	599	0.25355	1.86E-06	4.7E-07	6.05E-04	2.85E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
600	600	0.2439	1.86E-06	4.5E-07	6.05E-04	2.74E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
601	601	0.23365	1.86E-06	4.3E-07	6.05E-04	2.62E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
602	602	0.22314	1.86E-06	4.1E-07	6.05E-04	2.51E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
603	603	0.21277	1.86E-06	3.9E-07	6.05E-04	2.39E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
604	604	0.20259	1.86E-06	3.8E-07	6.05E-04	2.28E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
0	0	0	1.86E-06	0.0E+00	6.05E-04	0.00E+00	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.39631	1.86E-06	7.4E-07	2.50E-04	1.84E-10	14	1.15E-02	2.96E-11	1.0E+06	3.0E-05
2	2	0.43464	1.86E-06	8.1E-07	2.50E-04	2.02E-10	14	1.15E-02	3.24E-11	1.0E+06	3.2E-05
3	3	0.47879	1.86E-06	8.9E-07	2.50E-04	2.22E-10	14	1.15E-02	3.57E-11	1.0E+06	3.6E-05
4	4	0.53022	1.86E-06	9.8E-07	2.50E-04	2.46E-10	14	1.15E-02	3.96E-11	1.0E+06	4.0E-05
5	5	0.59063	1.86E-06	1.1E-06	2.50E-04	2.74E-10	14	1.15E-02	4.41E-11	1.0E+06	4.4E-05
6	6	0.66284	1.86E-06	1.2E-06	2.50E-04	3.08E-10	14	1.15E-02	4.95E-11	1.0E+06	4.9E-05
7	7	0.74891	1.86E-06	1.4E-06	2.50E-04	3.48E-10	14	1.15E-02	5.59E-11	1.0E+06	5.6E-05
8	8	0.85203	1.86E-06	1.6E-06	2.50E-04	3.96E-10	14	1.15E-02	6.36E-11	1.0E+06	6.4E-05
9	9	0.97695	1.86E-06	1.8E-06	2.50E-04	4.54E-10	14	1.15E-02	7.29E-11	1.0E+06	7.3E-05
10	10	1.12894	1.86E-06	2.1E-06	2.50E-04	5.25E-10	14	1.15E-02	8.42E-11	1.0E+06	8.4E-05
11	11	1.31399	1.86E-06	2.4E-06	2.50E-04	6.11E-10	14	1.15E-02	9.80E-11	1.0E+06	9.8E-05
12	12	1.53825	1.86E-06	2.9E-06	2.50E-04	7.15E-10	14	1.15E-02	1.15E-10	1.0E+06	1.1E-04
13	13	1.80823	1.86E-06	3.4E-06	2.50E-04	8.40E-10	14	1.15E-02	1.35E-10	1.0E+06	1.3E-04
14	14	2.12258	1.86E-06	3.9E-06	2.50E-04	9.86E-10	14	1.15E-02	1.58E-10	1.0E+06	1.6E-04
15	15	2.47141	1.86E-06	4.6E-06	2.50E-04	1.15E-09	14	1.15E-02	1.84E-10	1.0E+06	1.8E-04
16	16	2.82197	1.86E-06	5.2E-06	2.50E-04	1.31E-09	14	1.15E-02	2.11E-10	1.0E+06	2.1E-04
17	17	3.12792	1.86E-06	5.8E-06	2.50E-04	1.45E-09	14	1.15E-02	2.33E-10	1.0E+06	2.3E-04
18	18	3.35132	1.86E-06	6.2E-06	2.50E-04	1.56E-09	14	1.15E-02	2.50E-10	1.0E+06	2.5E-04
19	19	3.5147	1.86E-06	6.5E-06	2.50E-04	1.63E-09	14	1.15E-02	2.62E-10	1.0E+06	2.6E-04
20	20	3.64395	1.86E-06	6.8E-06	2.50E-04	1.69E-09	14	1.15E-02	2.72E-10	1.0E+06	2.7E-04
21	21	3.72415	1.86E-06	6.9E-06	2.50E-04	1.73E-09	14	1.15E-02	2.78E-10	1.0E+06	2.8E-04
22	22	3.7229	1.86E-06	6.9E-06	2.50E-04	1.73E-09	14	1.15E-02	2.78E-10	1.0E+06	2.8E-04
23	23	3.61363	1.86E-06	6.7E-06	2.50E-04	1.68E-09	14	1.15E-02	2.70E-10	1.0E+06	2.7E-04
24	24	3.39793	1.86E-06	6.3E-06	2.50E-04	1.58E-09	14	1.15E-02	2.54E-10	1.0E+06	2.5E-04
25	25	3.10425	1.86E-06	5.8E-06	2.50E-04	1.44E-09	14	1.15E-02	2.32E-10	1.0E+06	2.3E-04
26	26	2.77138	1.86E-06	5.1E-06	2.50E-04	1.29E-09	14	1.15E-02	2.07E-10	1.0E+06	2.1E-04
27	27	2.43404	1.86E-06	4.5E-06	2.50E-04	1.13E-09	14	1.15E-02	1.82E-10	1.0E+06	1.8E-04
28	28	2.11598	1.86E-06	3.9E-06	2.50E-04	9.83E-10	14	1.15E-02	1.58E-10	1.0E+06	1.6E-04
29	29	1.82984	1.86E-06	3.4E-06	2.50E-04	8.50E-10	14	1.15E-02	1.37E-10	1.0E+06	1.4E-04
30	30	1.58007	1.86E-06	2.9E-06	2.50E-04	7.34E-10	14	1.15E-02	1.18E-10	1.0E+06	1.2E-04
31	31	1.36609	1.86E-06	2.5E-06	2.50E-04	6.35E-10	14	1.15E-02	1.02E-10	1.0E+06	1.0E-04

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	1.18486	1.86E-06	2.2E-06	2.50E-04	5.51E-10	14	1.15E-02	8.84E-11	1.0E+06	8.8E-05
55	55	5.22556	1.86E-06	9.7E-06	2.50E-04	2.43E-09	14	1.15E-02	3.90E-10	1.0E+06	3.9E-04
56	56	4.79792	1.86E-06	8.9E-06	2.50E-04	2.23E-09	14	1.15E-02	3.58E-10	1.0E+06	3.6E-04
57	57	4.25044	1.86E-06	7.9E-06	2.50E-04	1.97E-09	14	1.15E-02	3.17E-10	1.0E+06	3.2E-04
58	58	3.66474	1.86E-06	6.8E-06	2.50E-04	1.70E-09	14	1.15E-02	2.73E-10	1.0E+06	2.7E-04
59	59	3.10641	1.86E-06	5.8E-06	2.50E-04	1.44E-09	14	1.15E-02	2.32E-10	1.0E+06	2.3E-04
60	60	2.61117	1.86E-06	4.8E-06	2.50E-04	1.21E-09	14	1.15E-02	1.95E-10	1.0E+06	1.9E-04
61	61	2.1904	1.86E-06	4.1E-06	2.50E-04	1.02E-09	14	1.15E-02	1.63E-10	1.0E+06	1.6E-04
62	62	1.84179	1.86E-06	3.4E-06	2.50E-04	8.56E-10	14	1.15E-02	1.37E-10	1.0E+06	1.4E-04
63	63	1.55659	1.86E-06	2.9E-06	2.50E-04	7.23E-10	14	1.15E-02	1.16E-10	1.0E+06	1.2E-04
64	64	1.3245	1.86E-06	2.5E-06	2.50E-04	6.15E-10	14	1.15E-02	9.88E-11	1.0E+06	9.9E-05
65	65	1.1358	1.86E-06	2.1E-06	2.50E-04	5.28E-10	14	1.15E-02	8.48E-11	1.0E+06	8.5E-05
66	66	0.98113	1.86E-06	1.8E-06	2.50E-04	4.56E-10	14	1.15E-02	7.32E-11	1.0E+06	7.3E-05
67	67	0.41851	1.86E-06	7.8E-07	2.50E-04	1.94E-10	14	1.15E-02	3.12E-11	1.0E+06	3.1E-05
68	68	0.46218	1.86E-06	8.6E-07	2.50E-04	2.15E-10	14	1.15E-02	3.45E-11	1.0E+06	3.4E-05
69	69	0.51346	1.86E-06	9.5E-07	2.50E-04	2.39E-10	14	1.15E-02	3.83E-11	1.0E+06	3.8E-05
70	70	0.57436	1.86E-06	1.1E-06	2.50E-04	2.67E-10	14	1.15E-02	4.29E-11	1.0E+06	4.3E-05
71	71	0.64702	1.86E-06	1.2E-06	2.50E-04	3.01E-10	14	1.15E-02	4.83E-11	1.0E+06	4.8E-05
72	72	0.73628	1.86E-06	1.4E-06	2.50E-04	3.42E-10	14	1.15E-02	5.49E-11	1.0E+06	5.5E-05
73	73	0.84601	1.86E-06	1.6E-06	2.50E-04	3.93E-10	14	1.15E-02	6.31E-11	1.0E+06	6.3E-05
74	74	0.98312	1.86E-06	1.8E-06	2.50E-04	4.57E-10	14	1.15E-02	7.34E-11	1.0E+06	7.3E-05
75	75	1.15752	1.86E-06	2.1E-06	2.50E-04	5.38E-10	14	1.15E-02	8.64E-11	1.0E+06	8.6E-05
76	76	1.38434	1.86E-06	2.6E-06	2.50E-04	6.43E-10	14	1.15E-02	1.03E-10	1.0E+06	1.0E-04
77	77	1.68591	1.86E-06	3.1E-06	2.50E-04	7.83E-10	14	1.15E-02	1.26E-10	1.0E+06	1.3E-04
78	78	2.096	1.86E-06	3.9E-06	2.50E-04	9.74E-10	14	1.15E-02	1.56E-10	1.0E+06	1.6E-04
79	79	7.26509	1.86E-06	1.3E-05	2.50E-04	3.38E-09	14	1.15E-02	5.42E-10	1.0E+06	5.4E-04
80	80	8.33716	1.86E-06	1.5E-05	2.50E-04	3.87E-09	14	1.15E-02	6.22E-10	1.0E+06	6.2E-04
81	81	8.96787	1.86E-06	1.7E-05	2.50E-04	4.17E-09	14	1.15E-02	6.69E-10	1.0E+06	6.7E-04
82	82	8.9246	1.86E-06	1.7E-05	2.50E-04	4.15E-09	14	1.15E-02	6.66E-10	1.0E+06	6.7E-04
83	83	8.31648	1.86E-06	1.5E-05	2.50E-04	3.86E-09	14	1.15E-02	6.21E-10	1.0E+06	6.2E-04
84	84	7.34765	1.86E-06	1.4E-05	2.50E-04	3.41E-09	14	1.15E-02	5.48E-10	1.0E+06	5.5E-04

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	85	6.20569	1.86E-06	1.2E-05	2.50E-04	2.88E-09	14	1.15E-02	4.63E-10	1.0E+06	4.6E-04
86	86	5.08015	1.86E-06	9.4E-06	2.50E-04	2.36E-09	14	1.15E-02	3.79E-10	1.0E+06	3.8E-04
87	87	4.09355	1.86E-06	7.6E-06	2.50E-04	1.90E-09	14	1.15E-02	3.05E-10	1.0E+06	3.1E-04
88	88	3.2869	1.86E-06	6.1E-06	2.50E-04	1.53E-09	14	1.15E-02	2.45E-10	1.0E+06	2.5E-04
89	89	2.65085	1.86E-06	4.9E-06	2.50E-04	1.23E-09	14	1.15E-02	1.98E-10	1.0E+06	2.0E-04
90	90	2.15768	1.86E-06	4.0E-06	2.50E-04	1.00E-09	14	1.15E-02	1.61E-10	1.0E+06	1.6E-04
91	91	1.77573	1.86E-06	3.3E-06	2.50E-04	8.25E-10	14	1.15E-02	1.33E-10	1.0E+06	1.3E-04
92	92	1.47965	1.86E-06	2.7E-06	2.50E-04	6.87E-10	14	1.15E-02	1.10E-10	1.0E+06	1.1E-04
93	93	1.2471	1.86E-06	2.3E-06	2.50E-04	5.79E-10	14	1.15E-02	9.31E-11	1.0E+06	9.3E-05
96	96	6.19055	1.86E-06	1.1E-05	2.50E-04	2.88E-09	14	1.15E-02	4.62E-10	1.0E+06	4.6E-04
97	97	4.55601	1.86E-06	8.5E-06	2.50E-04	2.12E-09	14	1.15E-02	3.40E-10	1.0E+06	3.4E-04
98	98	3.23801	1.86E-06	6.0E-06	2.50E-04	1.50E-09	14	1.15E-02	2.42E-10	1.0E+06	2.4E-04
99	99	2.5324	1.86E-06	4.7E-06	2.50E-04	1.18E-09	14	1.15E-02	1.89E-10	1.0E+06	1.9E-04
100	100	2.02317	1.86E-06	3.8E-06	2.50E-04	9.40E-10	14	1.15E-02	1.51E-10	1.0E+06	1.5E-04
101	101	1.64837	1.86E-06	3.1E-06	2.50E-04	7.66E-10	14	1.15E-02	1.23E-10	1.0E+06	1.2E-04
102	102	1.36421	1.86E-06	2.5E-06	2.50E-04	6.34E-10	14	1.15E-02	1.02E-10	1.0E+06	1.0E-04
106	106	0.3895	1.86E-06	7.2E-07	2.50E-04	1.81E-10	14	1.15E-02	2.91E-11	1.0E+06	2.9E-05
107	107	0.43048	1.86E-06	8.0E-07	2.50E-04	2.00E-10	14	1.15E-02	3.21E-11	1.0E+06	3.2E-05
108	108	0.47724	1.86E-06	8.9E-07	2.50E-04	2.22E-10	14	1.15E-02	3.56E-11	1.0E+06	3.6E-05
109	109	0.5327	1.86E-06	9.9E-07	2.50E-04	2.48E-10	14	1.15E-02	3.97E-11	1.0E+06	4.0E-05
110	110	0.59938	1.86E-06	1.1E-06	2.50E-04	2.78E-10	14	1.15E-02	4.47E-11	1.0E+06	4.5E-05
111	111	0.68001	1.86E-06	1.3E-06	2.50E-04	3.16E-10	14	1.15E-02	5.07E-11	1.0E+06	5.1E-05
112	112	0.78086	1.86E-06	1.4E-06	2.50E-04	3.63E-10	14	1.15E-02	5.83E-11	1.0E+06	5.8E-05
113	113	0.907	1.86E-06	1.7E-06	2.50E-04	4.21E-10	14	1.15E-02	6.77E-11	1.0E+06	6.8E-05
114	114	1.06929	1.86E-06	2.0E-06	2.50E-04	4.97E-10	14	1.15E-02	7.98E-11	1.0E+06	8.0E-05
115	115	1.28266	1.86E-06	2.4E-06	2.50E-04	5.96E-10	14	1.15E-02	9.57E-11	1.0E+06	9.6E-05
116	116	1.57133	1.86E-06	2.9E-06	2.50E-04	7.30E-10	14	1.15E-02	1.17E-10	1.0E+06	1.2E-04
117	117	1.98388	1.86E-06	3.7E-06	2.50E-04	9.22E-10	14	1.15E-02	1.48E-10	1.0E+06	1.5E-04
118	118	2.59948	1.86E-06	4.8E-06	2.50E-04	1.21E-09	14	1.15E-02	1.94E-10	1.0E+06	1.9E-04
124	124	0.39167	1.86E-06	7.3E-07	2.50E-04	1.82E-10	14	1.15E-02	2.92E-11	1.0E+06	2.9E-05
125	125	0.43181	1.86E-06	8.0E-07	2.50E-04	2.01E-10	14	1.15E-02	3.22E-11	1.0E+06	3.2E-05

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	126	0.479	1.86E-06	8.9E-07	2.50E-04	2.23E-10	14	1.15E-02	3.57E-11	1.0E+06	3.6E-05
127	127	0.5351	1.86E-06	9.9E-07	2.50E-04	2.49E-10	14	1.15E-02	3.99E-11	1.0E+06	4.0E-05
128	128	0.60264	1.86E-06	1.1E-06	2.50E-04	2.80E-10	14	1.15E-02	4.50E-11	1.0E+06	4.5E-05
129	129	0.68462	1.86E-06	1.3E-06	2.50E-04	3.18E-10	14	1.15E-02	5.11E-11	1.0E+06	5.1E-05
130	130	0.78716	1.86E-06	1.5E-06	2.50E-04	3.66E-10	14	1.15E-02	5.87E-11	1.0E+06	5.9E-05
131	131	0.91626	1.86E-06	1.7E-06	2.50E-04	4.26E-10	14	1.15E-02	6.84E-11	1.0E+06	6.8E-05
132	132	1.08306	1.86E-06	2.0E-06	2.50E-04	5.03E-10	14	1.15E-02	8.08E-11	1.0E+06	8.1E-05
133	133	1.30363	1.86E-06	2.4E-06	2.50E-04	6.06E-10	14	1.15E-02	9.73E-11	1.0E+06	9.7E-05
134	134	1.60732	1.86E-06	3.0E-06	2.50E-04	7.47E-10	14	1.15E-02	1.20E-10	1.0E+06	1.2E-04
135	135	2.04097	1.86E-06	3.8E-06	2.50E-04	9.48E-10	14	1.15E-02	1.52E-10	1.0E+06	1.5E-04
136	136	2.69772	1.86E-06	5.0E-06	2.50E-04	1.25E-09	14	1.15E-02	2.01E-10	1.0E+06	2.0E-04
137	137	3.76938	1.86E-06	7.0E-06	2.50E-04	1.75E-09	14	1.15E-02	2.81E-10	1.0E+06	2.8E-04
138	138	5.76874	1.86E-06	1.1E-05	2.50E-04	2.68E-09	14	1.15E-02	4.30E-10	1.0E+06	4.3E-04
141	141	0.39037	1.86E-06	7.2E-07	2.50E-04	1.81E-10	14	1.15E-02	2.91E-11	1.0E+06	2.9E-05
142	142	0.43032	1.86E-06	8.0E-07	2.50E-04	2.00E-10	14	1.15E-02	3.21E-11	1.0E+06	3.2E-05
143	143	0.47725	1.86E-06	8.9E-07	2.50E-04	2.22E-10	14	1.15E-02	3.56E-11	1.0E+06	3.6E-05
144	144	0.53303	1.86E-06	9.9E-07	2.50E-04	2.48E-10	14	1.15E-02	3.98E-11	1.0E+06	4.0E-05
145	145	0.60008	1.86E-06	1.1E-06	2.50E-04	2.79E-10	14	1.15E-02	4.48E-11	1.0E+06	4.5E-05
146	146	0.68151	1.86E-06	1.3E-06	2.50E-04	3.17E-10	14	1.15E-02	5.09E-11	1.0E+06	5.1E-05
147	147	0.78311	1.86E-06	1.5E-06	2.50E-04	3.64E-10	14	1.15E-02	5.84E-11	1.0E+06	5.8E-05
148	148	0.91083	1.86E-06	1.7E-06	2.50E-04	4.23E-10	14	1.15E-02	6.80E-11	1.0E+06	6.8E-05
149	149	1.07555	1.86E-06	2.0E-06	2.50E-04	5.00E-10	14	1.15E-02	8.03E-11	1.0E+06	8.0E-05
150	150	1.29316	1.86E-06	2.4E-06	2.50E-04	6.01E-10	14	1.15E-02	9.65E-11	1.0E+06	9.6E-05
151	151	1.59067	1.86E-06	3.0E-06	2.50E-04	7.39E-10	14	1.15E-02	1.19E-10	1.0E+06	1.2E-04
152	152	2.01363	1.86E-06	3.7E-06	2.50E-04	9.36E-10	14	1.15E-02	1.50E-10	1.0E+06	1.5E-04
153	153	2.64693	1.86E-06	4.9E-06	2.50E-04	1.23E-09	14	1.15E-02	1.98E-10	1.0E+06	2.0E-04
154	154	3.66067	1.86E-06	6.8E-06	2.50E-04	1.70E-09	14	1.15E-02	2.73E-10	1.0E+06	2.7E-04
155	155	5.4575	1.86E-06	1.0E-05	2.50E-04	2.54E-09	14	1.15E-02	4.07E-10	1.0E+06	4.1E-04
164	164	3.34375	1.86E-06	6.2E-06	2.50E-04	1.55E-09	14	1.15E-02	2.50E-10	1.0E+06	2.5E-04
165	165	4.74343	1.86E-06	8.8E-06	2.50E-04	2.20E-09	14	1.15E-02	3.54E-10	1.0E+06	3.5E-04
166	166	7.26315	1.86E-06	1.3E-05	2.50E-04	3.37E-09	14	1.15E-02	5.42E-10	1.0E+06	5.4E-04

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	2.94641	1.86E-06	5.5E-06	2.50E-04	1.37E-09	14	1.15E-02	2.20E-10	1.0E+06	2.2E-04
179	179	3.97722	1.86E-06	7.4E-06	2.50E-04	1.85E-09	14	1.15E-02	2.97E-10	1.0E+06	3.0E-04
180	180	5.62883	1.86E-06	1.0E-05	2.50E-04	2.62E-09	14	1.15E-02	4.20E-10	1.0E+06	4.2E-04
192	192	2.55259	1.86E-06	4.7E-06	2.50E-04	1.19E-09	14	1.15E-02	1.90E-10	1.0E+06	1.9E-04
193	193	3.30114	1.86E-06	6.1E-06	2.50E-04	1.53E-09	14	1.15E-02	2.46E-10	1.0E+06	2.5E-04
194	194	4.39057	1.86E-06	8.2E-06	2.50E-04	2.04E-09	14	1.15E-02	3.28E-10	1.0E+06	3.3E-04
207	207	2.19692	1.86E-06	4.1E-06	2.50E-04	1.02E-09	14	1.15E-02	1.64E-10	1.0E+06	1.6E-04
208	208	2.74044	1.86E-06	5.1E-06	2.50E-04	1.27E-09	14	1.15E-02	2.04E-10	1.0E+06	2.0E-04
209	209	3.47844	1.86E-06	6.5E-06	2.50E-04	1.62E-09	14	1.15E-02	2.60E-10	1.0E+06	2.6E-04
223	223	1.89153	1.86E-06	3.5E-06	2.50E-04	8.79E-10	14	1.15E-02	1.41E-10	1.0E+06	1.4E-04
224	224	2.29123	1.86E-06	4.3E-06	2.50E-04	1.06E-09	14	1.15E-02	1.71E-10	1.0E+06	1.7E-04
225	225	2.80265	1.86E-06	5.2E-06	2.50E-04	1.30E-09	14	1.15E-02	2.09E-10	1.0E+06	2.1E-04
239	239	1.6357	1.86E-06	3.0E-06	2.50E-04	7.60E-10	14	1.15E-02	1.22E-10	1.0E+06	1.2E-04
240	240	1.93453	1.86E-06	3.6E-06	2.50E-04	8.99E-10	14	1.15E-02	1.44E-10	1.0E+06	1.4E-04
241	241	2.30071	1.86E-06	4.3E-06	2.50E-04	1.07E-09	14	1.15E-02	1.72E-10	1.0E+06	1.7E-04
255	255	1.42268	1.86E-06	2.6E-06	2.50E-04	6.61E-10	14	1.15E-02	1.06E-10	1.0E+06	1.1E-04
256	256	1.64994	1.86E-06	3.1E-06	2.50E-04	7.67E-10	14	1.15E-02	1.23E-10	1.0E+06	1.2E-04
272	272	1.24557	1.86E-06	2.3E-06	2.50E-04	5.79E-10	14	1.15E-02	9.29E-11	1.0E+06	9.3E-05
273	273	1.42109	1.86E-06	2.6E-06	2.50E-04	6.60E-10	14	1.15E-02	1.06E-10	1.0E+06	1.1E-04
289	289	1.09791	1.86E-06	2.0E-06	2.50E-04	5.10E-10	14	1.15E-02	8.19E-11	1.0E+06	8.2E-05
290	290	1.23505	1.86E-06	2.3E-06	2.50E-04	5.74E-10	14	1.15E-02	9.22E-11	1.0E+06	9.2E-05
306	306	0.97399	1.86E-06	1.8E-06	2.50E-04	4.53E-10	14	1.15E-02	7.27E-11	1.0E+06	7.3E-05
307	307	1.08238	1.86E-06	2.0E-06	2.50E-04	5.03E-10	14	1.15E-02	8.08E-11	1.0E+06	8.1E-05
323	323	0.86936	1.86E-06	1.6E-06	2.50E-04	4.04E-10	14	1.15E-02	6.49E-11	1.0E+06	6.5E-05
324	324	0.95589	1.86E-06	1.8E-06	2.50E-04	4.44E-10	14	1.15E-02	7.13E-11	1.0E+06	7.1E-05
342	342	0.78031	1.86E-06	1.4E-06	2.50E-04	3.63E-10	14	1.15E-02	5.82E-11	1.0E+06	5.8E-05
343	343	0.84994	1.86E-06	1.6E-06	2.50E-04	3.95E-10	14	1.15E-02	6.34E-11	1.0E+06	6.3E-05
344	344	0.92327	1.86E-06	1.7E-06	2.50E-04	4.29E-10	14	1.15E-02	6.89E-11	1.0E+06	6.9E-05
356	356	0.70411	1.86E-06	1.3E-06	2.50E-04	3.27E-10	14	1.15E-02	5.25E-11	1.0E+06	5.3E-05
357	357	0.7612	1.86E-06	1.4E-06	2.50E-04	3.54E-10	14	1.15E-02	5.68E-11	1.0E+06	5.7E-05
358	358	0.81958	1.86E-06	1.5E-06	2.50E-04	3.81E-10	14	1.15E-02	6.12E-11	1.0E+06	6.1E-05

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	0.63836	1.86E-06	1.2E-06	2.50E-04	2.97E-10	14	1.15E-02	4.76E-11	1.0E+06	4.8E-05
371	371	0.68532	1.86E-06	1.3E-06	2.50E-04	3.18E-10	14	1.15E-02	5.11E-11	1.0E+06	5.1E-05
372	372	0.73267	1.86E-06	1.4E-06	2.50E-04	3.40E-10	14	1.15E-02	5.47E-11	1.0E+06	5.5E-05
383	383	0.58136	1.86E-06	1.1E-06	2.50E-04	2.70E-10	14	1.15E-02	4.34E-11	1.0E+06	4.3E-05
384	384	0.62024	1.86E-06	1.2E-06	2.50E-04	2.88E-10	14	1.15E-02	4.63E-11	1.0E+06	4.6E-05
385	385	0.6591	1.86E-06	1.2E-06	2.50E-04	3.06E-10	14	1.15E-02	4.92E-11	1.0E+06	4.9E-05
396	396	0.53161	1.86E-06	9.9E-07	2.50E-04	2.47E-10	14	1.15E-02	3.97E-11	1.0E+06	4.0E-05
397	397	0.56406	1.86E-06	1.0E-06	2.50E-04	2.62E-10	14	1.15E-02	4.21E-11	1.0E+06	4.2E-05
398	398	0.59628	1.86E-06	1.1E-06	2.50E-04	2.77E-10	14	1.15E-02	4.45E-11	1.0E+06	4.4E-05
399	399	0.62715	1.86E-06	1.2E-06	2.50E-04	2.91E-10	14	1.15E-02	4.68E-11	1.0E+06	4.7E-05
411	411	0.48802	1.86E-06	9.1E-07	2.50E-04	2.27E-10	14	1.15E-02	3.64E-11	1.0E+06	3.6E-05
412	412	0.51535	1.86E-06	9.6E-07	2.50E-04	2.39E-10	14	1.15E-02	3.85E-11	1.0E+06	3.8E-05
413	413	0.54198	1.86E-06	1.0E-06	2.50E-04	2.52E-10	14	1.15E-02	4.04E-11	1.0E+06	4.0E-05
414	414	0.56792	1.86E-06	1.1E-06	2.50E-04	2.64E-10	14	1.15E-02	4.24E-11	1.0E+06	4.2E-05
426	426	0.44956	1.86E-06	8.3E-07	2.50E-04	2.09E-10	14	1.15E-02	3.35E-11	1.0E+06	3.4E-05
427	427	0.47264	1.86E-06	8.8E-07	2.50E-04	2.20E-10	14	1.15E-02	3.53E-11	1.0E+06	3.5E-05
428	428	0.49544	1.86E-06	9.2E-07	2.50E-04	2.30E-10	14	1.15E-02	3.70E-11	1.0E+06	3.7E-05
429	429	0.51702	1.86E-06	9.6E-07	2.50E-04	2.40E-10	14	1.15E-02	3.86E-11	1.0E+06	3.9E-05
439	439	0.41554	1.86E-06	7.7E-07	2.50E-04	1.93E-10	14	1.15E-02	3.10E-11	1.0E+06	3.1E-05
440	440	0.43522	1.86E-06	8.1E-07	2.50E-04	2.02E-10	14	1.15E-02	3.25E-11	1.0E+06	3.2E-05
441	441	0.45446	1.86E-06	8.4E-07	2.50E-04	2.11E-10	14	1.15E-02	3.39E-11	1.0E+06	3.4E-05
442	442	0.47278	1.86E-06	8.8E-07	2.50E-04	2.20E-10	14	1.15E-02	3.53E-11	1.0E+06	3.5E-05
443	443	0.48939	1.86E-06	9.1E-07	2.50E-04	2.27E-10	14	1.15E-02	3.65E-11	1.0E+06	3.7E-05
454	454	0.38527	1.86E-06	7.2E-07	2.50E-04	1.79E-10	14	1.15E-02	2.87E-11	1.0E+06	2.9E-05
455	455	0.40213	1.86E-06	7.5E-07	2.50E-04	1.87E-10	14	1.15E-02	3.00E-11	1.0E+06	3.0E-05
456	456	0.41855	1.86E-06	7.8E-07	2.50E-04	1.94E-10	14	1.15E-02	3.12E-11	1.0E+06	3.1E-05
457	457	0.43417	1.86E-06	8.1E-07	2.50E-04	2.02E-10	14	1.15E-02	3.24E-11	1.0E+06	3.2E-05
458	458	0.4484	1.86E-06	8.3E-07	2.50E-04	2.08E-10	14	1.15E-02	3.35E-11	1.0E+06	3.3E-05
469	469	0.3583	1.86E-06	6.7E-07	2.50E-04	1.66E-10	14	1.15E-02	2.67E-11	1.0E+06	2.7E-05
470	470	0.37293	1.86E-06	6.9E-07	2.50E-04	1.73E-10	14	1.15E-02	2.78E-11	1.0E+06	2.8E-05
471	471	0.38704	1.86E-06	7.2E-07	2.50E-04	1.80E-10	14	1.15E-02	2.89E-11	1.0E+06	2.9E-05

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	0.40049	1.86E-06	7.4E-07	2.50E-04	1.86E-10	14	1.15E-02	2.99E-11	1.0E+06	3.0E-05
473	473	0.41278	1.86E-06	7.7E-07	2.50E-04	1.92E-10	14	1.15E-02	3.08E-11	1.0E+06	3.1E-05
489	489	0.33403	1.86E-06	6.2E-07	2.50E-04	1.55E-10	14	1.15E-02	2.49E-11	1.0E+06	2.5E-05
490	490	0.34668	1.86E-06	6.4E-07	2.50E-04	1.61E-10	14	1.15E-02	2.59E-11	1.0E+06	2.6E-05
491	491	0.35895	1.86E-06	6.7E-07	2.50E-04	1.67E-10	14	1.15E-02	2.68E-11	1.0E+06	2.7E-05
492	492	0.37059	1.86E-06	6.9E-07	2.50E-04	1.72E-10	14	1.15E-02	2.77E-11	1.0E+06	2.8E-05
493	493	0.3812	1.86E-06	7.1E-07	2.50E-04	1.77E-10	14	1.15E-02	2.84E-11	1.0E+06	2.8E-05
494	494	0.39031	1.86E-06	7.2E-07	2.50E-04	1.81E-10	14	1.15E-02	2.91E-11	1.0E+06	2.9E-05
509	509	0.3123	1.86E-06	5.8E-07	2.50E-04	1.45E-10	14	1.15E-02	2.33E-11	1.0E+06	2.3E-05
510	510	0.32332	1.86E-06	6.0E-07	2.50E-04	1.50E-10	14	1.15E-02	2.41E-11	1.0E+06	2.4E-05
511	511	0.33409	1.86E-06	6.2E-07	2.50E-04	1.55E-10	14	1.15E-02	2.49E-11	1.0E+06	2.5E-05
512	512	0.34424	1.86E-06	6.4E-07	2.50E-04	1.60E-10	14	1.15E-02	2.57E-11	1.0E+06	2.6E-05
513	513	0.35342	1.86E-06	6.6E-07	2.50E-04	1.64E-10	14	1.15E-02	2.64E-11	1.0E+06	2.6E-05
514	514	0.36144	1.86E-06	6.7E-07	2.50E-04	1.68E-10	14	1.15E-02	2.70E-11	1.0E+06	2.7E-05
515	515	0.3714	1.86E-06	6.9E-07	2.50E-04	1.73E-10	14	1.15E-02	2.77E-11	1.0E+06	2.8E-05
516	516	0.37217	1.86E-06	6.9E-07	2.50E-04	1.73E-10	14	1.15E-02	2.78E-11	1.0E+06	2.8E-05
517	517	0.36994	1.86E-06	6.9E-07	2.50E-04	1.72E-10	14	1.15E-02	2.76E-11	1.0E+06	2.8E-05
518	518	0.36446	1.86E-06	6.8E-07	2.50E-04	1.69E-10	14	1.15E-02	2.72E-11	1.0E+06	2.7E-05
519	519	0.35589	1.86E-06	6.6E-07	2.50E-04	1.65E-10	14	1.15E-02	2.66E-11	1.0E+06	2.7E-05
528	528	0.2927	1.86E-06	5.4E-07	2.50E-04	1.36E-10	14	1.15E-02	2.18E-11	1.0E+06	2.2E-05
529	529	0.30238	1.86E-06	5.6E-07	2.50E-04	1.40E-10	14	1.15E-02	2.26E-11	1.0E+06	2.3E-05
530	530	0.31178	1.86E-06	5.8E-07	2.50E-04	1.45E-10	14	1.15E-02	2.33E-11	1.0E+06	2.3E-05
531	531	0.32072	1.86E-06	6.0E-07	2.50E-04	1.49E-10	14	1.15E-02	2.39E-11	1.0E+06	2.4E-05
532	532	0.32884	1.86E-06	6.1E-07	2.50E-04	1.53E-10	14	1.15E-02	2.45E-11	1.0E+06	2.5E-05
533	533	0.33587	1.86E-06	6.2E-07	2.50E-04	1.56E-10	14	1.15E-02	2.51E-11	1.0E+06	2.5E-05
534	534	0.34476	1.86E-06	6.4E-07	2.50E-04	1.60E-10	14	1.15E-02	2.57E-11	1.0E+06	2.6E-05
535	535	0.34577	1.86E-06	6.4E-07	2.50E-04	1.61E-10	14	1.15E-02	2.58E-11	1.0E+06	2.6E-05
536	536	0.34427	1.86E-06	6.4E-07	2.50E-04	1.60E-10	14	1.15E-02	2.57E-11	1.0E+06	2.6E-05
537	537	0.33977	1.86E-06	6.3E-07	2.50E-04	1.58E-10	14	1.15E-02	2.54E-11	1.0E+06	2.5E-05
538	538	0.33257	1.86E-06	6.2E-07	2.50E-04	1.55E-10	14	1.15E-02	2.48E-11	1.0E+06	2.5E-05
547	547	0.27493	1.86E-06	5.1E-07	2.50E-04	1.28E-10	14	1.15E-02	2.05E-11	1.0E+06	2.1E-05

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.28346	1.86E-06	5.3E-07	2.50E-04	1.32E-10	14	1.15E-02	2.12E-11	1.0E+06	2.1E-05
549	549	0.2918	1.86E-06	5.4E-07	2.50E-04	1.36E-10	14	1.15E-02	2.18E-11	1.0E+06	2.2E-05
550	550	0.2996	1.86E-06	5.6E-07	2.50E-04	1.39E-10	14	1.15E-02	2.24E-11	1.0E+06	2.2E-05
551	551	0.30682	1.86E-06	5.7E-07	2.50E-04	1.43E-10	14	1.15E-02	2.29E-11	1.0E+06	2.3E-05
552	552	0.31306	1.86E-06	5.8E-07	2.50E-04	1.45E-10	14	1.15E-02	2.34E-11	1.0E+06	2.3E-05
553	553	0.318	1.86E-06	5.9E-07	2.50E-04	1.48E-10	14	1.15E-02	2.37E-11	1.0E+06	2.4E-05
554	554	0.32114	1.86E-06	6.0E-07	2.50E-04	1.49E-10	14	1.15E-02	2.40E-11	1.0E+06	2.4E-05
555	555	0.32233	1.86E-06	6.0E-07	2.50E-04	1.50E-10	14	1.15E-02	2.41E-11	1.0E+06	2.4E-05
556	556	0.32137	1.86E-06	6.0E-07	2.50E-04	1.49E-10	14	1.15E-02	2.40E-11	1.0E+06	2.4E-05
557	557	0.31767	1.86E-06	5.9E-07	2.50E-04	1.48E-10	14	1.15E-02	2.37E-11	1.0E+06	2.4E-05
558	558	0.31178	1.86E-06	5.8E-07	2.50E-04	1.45E-10	14	1.15E-02	2.33E-11	1.0E+06	2.3E-05
559	559	0.30357	1.86E-06	5.6E-07	2.50E-04	1.41E-10	14	1.15E-02	2.27E-11	1.0E+06	2.3E-05
567	567	0.25883	1.86E-06	4.8E-07	2.50E-04	1.20E-10	14	1.15E-02	1.93E-11	1.0E+06	1.9E-05
568	568	0.26642	1.86E-06	4.9E-07	2.50E-04	1.24E-10	14	1.15E-02	1.99E-11	1.0E+06	2.0E-05
569	569	0.27377	1.86E-06	5.1E-07	2.50E-04	1.27E-10	14	1.15E-02	2.04E-11	1.0E+06	2.0E-05
570	570	0.28075	1.86E-06	5.2E-07	2.50E-04	1.30E-10	14	1.15E-02	2.09E-11	1.0E+06	2.1E-05
571	571	0.28714	1.86E-06	5.3E-07	2.50E-04	1.33E-10	14	1.15E-02	2.14E-11	1.0E+06	2.1E-05
572	572	0.29272	1.86E-06	5.4E-07	2.50E-04	1.36E-10	14	1.15E-02	2.18E-11	1.0E+06	2.2E-05
573	573	0.29716	1.86E-06	5.5E-07	2.50E-04	1.38E-10	14	1.15E-02	2.22E-11	1.0E+06	2.2E-05
574	574	0.30133	1.86E-06	5.6E-07	2.50E-04	1.40E-10	14	1.15E-02	2.25E-11	1.0E+06	2.2E-05
575	575	0.30071	1.86E-06	5.6E-07	2.50E-04	1.40E-10	14	1.15E-02	2.24E-11	1.0E+06	2.2E-05
576	576	0.29794	1.86E-06	5.5E-07	2.50E-04	1.38E-10	14	1.15E-02	2.22E-11	1.0E+06	2.2E-05
577	577	0.293	1.86E-06	5.4E-07	2.50E-04	1.36E-10	14	1.15E-02	2.19E-11	1.0E+06	2.2E-05
578	578	0.28603	1.86E-06	5.3E-07	2.50E-04	1.33E-10	14	1.15E-02	2.13E-11	1.0E+06	2.1E-05
586	586	0.2441	1.86E-06	4.5E-07	2.50E-04	1.13E-10	14	1.15E-02	1.82E-11	1.0E+06	1.8E-05
587	587	0.25082	1.86E-06	4.7E-07	2.50E-04	1.17E-10	14	1.15E-02	1.87E-11	1.0E+06	1.9E-05
588	588	0.25739	1.86E-06	4.8E-07	2.50E-04	1.20E-10	14	1.15E-02	1.92E-11	1.0E+06	1.9E-05
589	589	0.26361	1.86E-06	4.9E-07	2.50E-04	1.22E-10	14	1.15E-02	1.97E-11	1.0E+06	2.0E-05
590	590	0.26933	1.86E-06	5.0E-07	2.50E-04	1.25E-10	14	1.15E-02	2.01E-11	1.0E+06	2.0E-05
591	591	0.27432	1.86E-06	5.1E-07	2.50E-04	1.27E-10	14	1.15E-02	2.05E-11	1.0E+06	2.0E-05
592	592	0.27835	1.86E-06	5.2E-07	2.50E-04	1.29E-10	14	1.15E-02	2.08E-11	1.0E+06	2.1E-05

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	0.28238	1.86E-06	5.2E-07	2.50E-04	1.31E-10	14	1.15E-02	2.11E-11	1.0E+06	2.1E-05
594	594	0.28209	1.86E-06	5.2E-07	2.50E-04	1.31E-10	14	1.15E-02	2.10E-11	1.0E+06	2.1E-05
595	595	0.27979	1.86E-06	5.2E-07	2.50E-04	1.30E-10	14	1.15E-02	2.09E-11	1.0E+06	2.1E-05
596	596	0.27564	1.86E-06	5.1E-07	2.50E-04	1.28E-10	14	1.15E-02	2.06E-11	1.0E+06	2.1E-05
597	597	0.26978	1.86E-06	5.0E-07	2.50E-04	1.25E-10	14	1.15E-02	2.01E-11	1.0E+06	2.0E-05
345	345	0.9954	1.86E-06	1.8E-06	2.50E-04	4.62E-10	14	1.15E-02	7.43E-11	1.0E+06	7.4E-05
346	346	1.06206	1.86E-06	2.0E-06	2.50E-04	4.93E-10	14	1.15E-02	7.92E-11	1.0E+06	7.9E-05
347	347	1.11535	1.86E-06	2.1E-06	2.50E-04	5.18E-10	14	1.15E-02	8.32E-11	1.0E+06	8.3E-05
348	348	1.14733	1.86E-06	2.1E-06	2.50E-04	5.33E-10	14	1.15E-02	8.56E-11	1.0E+06	8.6E-05
359	359	0.87655	1.86E-06	1.6E-06	2.50E-04	4.07E-10	14	1.15E-02	6.54E-11	1.0E+06	6.5E-05
360	360	0.92801	1.86E-06	1.7E-06	2.50E-04	4.31E-10	14	1.15E-02	6.92E-11	1.0E+06	6.9E-05
361	361	0.97081	1.86E-06	1.8E-06	2.50E-04	4.51E-10	14	1.15E-02	7.24E-11	1.0E+06	7.2E-05
362	362	0.9965	1.86E-06	1.8E-06	2.50E-04	4.63E-10	14	1.15E-02	7.44E-11	1.0E+06	7.4E-05
363	363	1.00265	1.86E-06	1.9E-06	2.50E-04	4.66E-10	14	1.15E-02	7.48E-11	1.0E+06	7.5E-05
373	373	0.82014	1.86E-06	1.5E-06	2.50E-04	3.81E-10	14	1.15E-02	6.12E-11	1.0E+06	6.1E-05
374	374	0.85373	1.86E-06	1.6E-06	2.50E-04	3.97E-10	14	1.15E-02	6.37E-11	1.0E+06	6.4E-05
375	375	0.87519	1.86E-06	1.6E-06	2.50E-04	4.07E-10	14	1.15E-02	6.53E-11	1.0E+06	6.5E-05
376	376	0.88146	1.86E-06	1.6E-06	2.50E-04	4.10E-10	14	1.15E-02	6.58E-11	1.0E+06	6.6E-05
386	386	0.73023	1.86E-06	1.4E-06	2.50E-04	3.39E-10	14	1.15E-02	5.45E-11	1.0E+06	5.4E-05
387	387	0.75776	1.86E-06	1.4E-06	2.50E-04	3.52E-10	14	1.15E-02	5.65E-11	1.0E+06	5.7E-05
388	388	0.77569	1.86E-06	1.4E-06	2.50E-04	3.60E-10	14	1.15E-02	5.79E-11	1.0E+06	5.8E-05
389	389	0.78198	1.86E-06	1.5E-06	2.50E-04	3.63E-10	14	1.15E-02	5.84E-11	1.0E+06	5.8E-05
390	390	0.77454	1.86E-06	1.4E-06	2.50E-04	3.60E-10	14	1.15E-02	5.78E-11	1.0E+06	5.8E-05
400	400	0.65502	1.86E-06	1.2E-06	2.50E-04	3.04E-10	14	1.15E-02	4.89E-11	1.0E+06	4.9E-05
401	401	0.6772	1.86E-06	1.3E-06	2.50E-04	3.15E-10	14	1.15E-02	5.05E-11	1.0E+06	5.1E-05
402	402	0.69307	1.86E-06	1.3E-06	2.50E-04	3.22E-10	14	1.15E-02	5.17E-11	1.0E+06	5.2E-05
403	403	0.69885	1.86E-06	1.3E-06	2.50E-04	3.25E-10	14	1.15E-02	5.21E-11	1.0E+06	5.2E-05
404	404	0.69365	1.86E-06	1.3E-06	2.50E-04	3.22E-10	14	1.15E-02	5.18E-11	1.0E+06	5.2E-05
415	415	0.59107	1.86E-06	1.1E-06	2.50E-04	2.75E-10	14	1.15E-02	4.41E-11	1.0E+06	4.4E-05
416	416	0.61011	1.86E-06	1.1E-06	2.50E-04	2.83E-10	14	1.15E-02	4.55E-11	1.0E+06	4.6E-05
417	417	0.62311	1.86E-06	1.2E-06	2.50E-04	2.90E-10	14	1.15E-02	4.65E-11	1.0E+06	4.6E-05

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	0.6294	1.86E-06	1.2E-06	2.50E-04	2.92E-10	14	1.15E-02	4.70E-11	1.0E+06	4.7E-05
419	419	0.62667	1.86E-06	1.2E-06	2.50E-04	2.91E-10	14	1.15E-02	4.68E-11	1.0E+06	4.7E-05
420	420	0.61253	1.86E-06	1.1E-06	2.50E-04	2.85E-10	14	1.15E-02	4.57E-11	1.0E+06	4.6E-05
430	430	0.55234	1.86E-06	1.0E-06	2.50E-04	2.57E-10	14	1.15E-02	4.12E-11	1.0E+06	4.1E-05
431	431	0.56428	1.86E-06	1.0E-06	2.50E-04	2.62E-10	14	1.15E-02	4.21E-11	1.0E+06	4.2E-05
432	432	0.56988	1.86E-06	1.1E-06	2.50E-04	2.65E-10	14	1.15E-02	4.25E-11	1.0E+06	4.3E-05
433	433	0.56818	1.86E-06	1.1E-06	2.50E-04	2.64E-10	14	1.15E-02	4.24E-11	1.0E+06	4.2E-05
434	434	0.55854	1.86E-06	1.0E-06	2.50E-04	2.60E-10	14	1.15E-02	4.17E-11	1.0E+06	4.2E-05
444	444	0.50331	1.86E-06	9.3E-07	2.50E-04	2.34E-10	14	1.15E-02	3.76E-11	1.0E+06	3.8E-05
445	445	0.51316	1.86E-06	9.5E-07	2.50E-04	2.38E-10	14	1.15E-02	3.83E-11	1.0E+06	3.8E-05
446	446	0.51846	1.86E-06	9.6E-07	2.50E-04	2.41E-10	14	1.15E-02	3.87E-11	1.0E+06	3.9E-05
447	447	0.51781	1.86E-06	9.6E-07	2.50E-04	2.41E-10	14	1.15E-02	3.86E-11	1.0E+06	3.9E-05
448	448	0.51055	1.86E-06	9.5E-07	2.50E-04	2.37E-10	14	1.15E-02	3.81E-11	1.0E+06	3.8E-05
459	459	0.46914	1.86E-06	8.7E-07	2.50E-04	2.18E-10	14	1.15E-02	3.50E-11	1.0E+06	3.5E-05
460	460	0.47394	1.86E-06	8.8E-07	2.50E-04	2.20E-10	14	1.15E-02	3.54E-11	1.0E+06	3.5E-05
461	461	0.47383	1.86E-06	8.8E-07	2.50E-04	2.20E-10	14	1.15E-02	3.54E-11	1.0E+06	3.5E-05
462	462	0.46835	1.86E-06	8.7E-07	2.50E-04	2.18E-10	14	1.15E-02	3.49E-11	1.0E+06	3.5E-05
463	463	0.45737	1.86E-06	8.5E-07	2.50E-04	2.13E-10	14	1.15E-02	3.41E-11	1.0E+06	3.4E-05
474	474	0.4307	1.86E-06	8.0E-07	2.50E-04	2.00E-10	14	1.15E-02	3.21E-11	1.0E+06	3.2E-05
475	475	0.43507	1.86E-06	8.1E-07	2.50E-04	2.02E-10	14	1.15E-02	3.25E-11	1.0E+06	3.2E-05
476	476	0.4356	1.86E-06	8.1E-07	2.50E-04	2.02E-10	14	1.15E-02	3.25E-11	1.0E+06	3.3E-05
477	477	0.43137	1.86E-06	8.0E-07	2.50E-04	2.00E-10	14	1.15E-02	3.22E-11	1.0E+06	3.2E-05
478	478	0.42267	1.86E-06	7.8E-07	2.50E-04	1.96E-10	14	1.15E-02	3.15E-11	1.0E+06	3.2E-05
495	495	0.39722	1.86E-06	7.4E-07	2.50E-04	1.85E-10	14	1.15E-02	2.96E-11	1.0E+06	3.0E-05
496	496	0.40117	1.86E-06	7.4E-07	2.50E-04	1.86E-10	14	1.15E-02	2.99E-11	1.0E+06	3.0E-05
497	497	0.40193	1.86E-06	7.5E-07	2.50E-04	1.87E-10	14	1.15E-02	3.00E-11	1.0E+06	3.0E-05
498	498	0.39888	1.86E-06	7.4E-07	2.50E-04	1.85E-10	14	1.15E-02	2.98E-11	1.0E+06	3.0E-05
499	499	0.39191	1.86E-06	7.3E-07	2.50E-04	1.82E-10	14	1.15E-02	2.92E-11	1.0E+06	2.9E-05
500	500	0.38132	1.86E-06	7.1E-07	2.50E-04	1.77E-10	14	1.15E-02	2.85E-11	1.0E+06	2.8E-05

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	10.29733	1.86E-06	1.9E-05	2.50E-04	4.78E-09	25	1.15E-02	1.37E-09	1.0E+06	1.4E-03
140	140	27.08521	1.86E-06	5.0E-05	2.50E-04	1.26E-08	25	1.15E-02	3.61E-09	1.0E+06	3.6E-03
156	156	9.16114	1.86E-06	1.7E-05	2.50E-04	4.26E-09	25	1.15E-02	1.22E-09	1.0E+06	1.2E-03
157	157	18.90263	1.86E-06	3.5E-05	2.50E-04	8.78E-09	25	1.15E-02	2.52E-09	1.0E+06	2.5E-03
158	158	43.93117	1.86E-06	8.2E-05	2.50E-04	2.04E-08	25	1.15E-02	5.85E-09	1.0E+06	5.9E-03
159	159	51.30754	1.86E-06	9.5E-05	2.50E-04	2.38E-08	25	1.15E-02	6.84E-09	1.0E+06	6.8E-03
160	160	17.05985	1.86E-06	3.2E-05	2.50E-04	7.93E-09	25	1.15E-02	2.27E-09	1.0E+06	2.3E-03
161	161	20.23694	1.86E-06	3.8E-05	2.50E-04	9.40E-09	25	1.15E-02	2.70E-09	1.0E+06	2.7E-03
162	162	9.56157	1.86E-06	1.8E-05	2.50E-04	4.44E-09	25	1.15E-02	1.27E-09	1.0E+06	1.3E-03
163	163	5.82335	1.86E-06	1.1E-05	2.50E-04	2.71E-09	25	1.15E-02	7.76E-10	1.0E+06	7.8E-04
167	167	12.12227	1.86E-06	2.3E-05	2.50E-04	5.63E-09	25	1.15E-02	1.62E-09	1.0E+06	1.6E-03
168	168	20.8188	1.86E-06	3.9E-05	2.50E-04	9.67E-09	25	1.15E-02	2.77E-09	1.0E+06	2.8E-03
169	169	31.10233	1.86E-06	5.8E-05	2.50E-04	1.45E-08	25	1.15E-02	4.14E-09	1.0E+06	4.1E-03
170	170	38.5138	1.86E-06	7.1E-05	2.50E-04	1.79E-08	25	1.15E-02	5.13E-09	1.0E+06	5.1E-03
171	171	29.15419	1.86E-06	5.4E-05	2.50E-04	1.35E-08	25	1.15E-02	3.88E-09	1.0E+06	3.9E-03
172	172	13.21084	1.86E-06	2.5E-05	2.50E-04	6.14E-09	25	1.15E-02	1.76E-09	1.0E+06	1.8E-03
173	173	7.083	1.86E-06	1.3E-05	2.50E-04	3.29E-09	25	1.15E-02	9.44E-10	1.0E+06	9.4E-04
174	174	4.6065	1.86E-06	8.6E-06	2.50E-04	2.14E-09	25	1.15E-02	6.14E-10	1.0E+06	6.1E-04
175	175	3.29227	1.86E-06	6.1E-06	2.50E-04	1.53E-09	25	1.15E-02	4.39E-10	1.0E+06	4.4E-04
176	176	2.49186	1.86E-06	4.6E-06	2.50E-04	1.16E-09	25	1.15E-02	3.32E-10	1.0E+06	3.3E-04
177	177	1.96457	1.86E-06	3.6E-06	2.50E-04	9.13E-10	25	1.15E-02	2.62E-10	1.0E+06	2.6E-04
181	181	12.14283	1.86E-06	2.3E-05	2.50E-04	5.64E-09	25	1.15E-02	1.62E-09	1.0E+06	1.6E-03
182	182	16.11501	1.86E-06	3.0E-05	2.50E-04	7.49E-09	25	1.15E-02	2.15E-09	1.0E+06	2.1E-03
183	183	18.01891	1.86E-06	3.3E-05	2.50E-04	8.37E-09	25	1.15E-02	2.40E-09	1.0E+06	2.4E-03
184	184	15.0364	1.86E-06	2.8E-05	2.50E-04	6.99E-09	25	1.15E-02	2.00E-09	1.0E+06	2.0E-03
185	185	9.44698	1.86E-06	1.8E-05	2.50E-04	4.39E-09	25	1.15E-02	1.26E-09	1.0E+06	1.3E-03
186	186	5.73349	1.86E-06	1.1E-05	2.50E-04	2.66E-09	25	1.15E-02	7.64E-10	1.0E+06	7.6E-04
187	187	3.8619	1.86E-06	7.2E-06	2.50E-04	1.79E-09	25	1.15E-02	5.15E-10	1.0E+06	5.1E-04
188	188	2.83606	1.86E-06	5.3E-06	2.50E-04	1.32E-09	25	1.15E-02	3.78E-10	1.0E+06	3.8E-04
189	189	2.19348	1.86E-06	4.1E-06	2.50E-04	1.02E-09	25	1.15E-02	2.92E-10	1.0E+06	2.9E-04
190	190	1.75704	1.86E-06	3.3E-06	2.50E-04	8.16E-10	25	1.15E-02	2.34E-10	1.0E+06	2.3E-04

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	1.44394	1.86E-06	2.7E-06	2.50E-04	6.71E-10	25	1.15E-02	1.92E-10	1.0E+06	1.9E-04
195	195	7.92432	1.86E-06	1.5E-05	2.50E-04	3.68E-09	25	1.15E-02	1.06E-09	1.0E+06	1.1E-03
196	196	9.78779	1.86E-06	1.8E-05	2.50E-04	4.55E-09	25	1.15E-02	1.30E-09	1.0E+06	1.3E-03
197	197	10.5415	1.86E-06	2.0E-05	2.50E-04	4.90E-09	25	1.15E-02	1.40E-09	1.0E+06	1.4E-03
198	198	9.35103	1.86E-06	1.7E-05	2.50E-04	4.34E-09	25	1.15E-02	1.25E-09	1.0E+06	1.2E-03
199	199	6.88129	1.86E-06	1.3E-05	2.50E-04	3.20E-09	25	1.15E-02	9.17E-10	1.0E+06	9.2E-04
200	200	4.69995	1.86E-06	8.7E-06	2.50E-04	2.18E-09	25	1.15E-02	6.26E-10	1.0E+06	6.3E-04
201	201	3.32246	1.86E-06	6.2E-06	2.50E-04	1.54E-09	25	1.15E-02	4.43E-10	1.0E+06	4.4E-04
202	202	2.49027	1.86E-06	4.6E-06	2.50E-04	1.16E-09	25	1.15E-02	3.32E-10	1.0E+06	3.3E-04
203	203	1.9559	1.86E-06	3.6E-06	2.50E-04	9.09E-10	25	1.15E-02	2.61E-10	1.0E+06	2.6E-04
204	204	1.58723	1.86E-06	2.9E-06	2.50E-04	7.37E-10	25	1.15E-02	2.11E-10	1.0E+06	2.1E-04
205	205	1.31792	1.86E-06	2.4E-06	2.50E-04	6.12E-10	25	1.15E-02	1.76E-10	1.0E+06	1.8E-04
206	206	1.11452	1.86E-06	2.1E-06	2.50E-04	5.18E-10	25	1.15E-02	1.49E-10	1.0E+06	1.5E-04
210	210	4.42461	1.86E-06	8.2E-06	2.50E-04	2.06E-09	25	1.15E-02	5.90E-10	1.0E+06	5.9E-04
211	211	5.55569	1.86E-06	1.0E-05	2.50E-04	2.58E-09	25	1.15E-02	7.40E-10	1.0E+06	7.4E-04
212	212	6.55126	1.86E-06	1.2E-05	2.50E-04	3.04E-09	25	1.15E-02	8.73E-10	1.0E+06	8.7E-04
213	213	6.9513	1.86E-06	1.3E-05	2.50E-04	3.23E-09	25	1.15E-02	9.26E-10	1.0E+06	9.3E-04
214	214	5.17082	1.86E-06	9.6E-06	2.50E-04	2.40E-09	25	1.15E-02	6.89E-10	1.0E+06	6.9E-04
215	215	3.8595	1.86E-06	7.2E-06	2.50E-04	1.79E-09	25	1.15E-02	5.14E-10	1.0E+06	5.1E-04
216	216	2.87063	1.86E-06	5.3E-06	2.50E-04	1.33E-09	25	1.15E-02	3.83E-10	1.0E+06	3.8E-04
217	217	2.20158	1.86E-06	4.1E-06	2.50E-04	1.02E-09	25	1.15E-02	2.93E-10	1.0E+06	2.9E-04
218	218	1.75388	1.86E-06	3.3E-06	2.50E-04	8.15E-10	25	1.15E-02	2.34E-10	1.0E+06	2.3E-04
219	219	1.43923	1.86E-06	2.7E-06	2.50E-04	6.69E-10	25	1.15E-02	1.92E-10	1.0E+06	1.9E-04
220	220	1.207	1.86E-06	2.2E-06	2.50E-04	5.61E-10	25	1.15E-02	1.61E-10	1.0E+06	1.6E-04
221	221	1.02974	1.86E-06	1.9E-06	2.50E-04	4.78E-10	25	1.15E-02	1.37E-10	1.0E+06	1.4E-04
222	222	0.88823	1.86E-06	1.6E-06	2.50E-04	4.13E-10	25	1.15E-02	1.18E-10	1.0E+06	1.2E-04
226	226	3.43146	1.86E-06	6.4E-06	2.50E-04	1.59E-09	25	1.15E-02	4.57E-10	1.0E+06	4.6E-04
227	227	4.11826	1.86E-06	7.6E-06	2.50E-04	1.91E-09	25	1.15E-02	5.49E-10	1.0E+06	5.5E-04
228	228	4.69472	1.86E-06	8.7E-06	2.50E-04	2.18E-09	25	1.15E-02	6.26E-10	1.0E+06	6.3E-04
229	229	4.93943	1.86E-06	9.2E-06	2.50E-04	2.29E-09	25	1.15E-02	6.58E-10	1.0E+06	6.6E-04
230	230	4.67814	1.86E-06	8.7E-06	2.50E-04	2.17E-09	25	1.15E-02	6.23E-10	1.0E+06	6.2E-04

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	3.99107	1.86E-06	7.4E-06	2.50E-04	1.85E-09	25	1.15E-02	5.32E-10	1.0E+06	5.3E-04
232	232	3.17742	1.86E-06	5.9E-06	2.50E-04	1.48E-09	25	1.15E-02	4.23E-10	1.0E+06	4.2E-04
233	233	1.95226	1.86E-06	3.6E-06	2.50E-04	9.07E-10	25	1.15E-02	2.60E-10	1.0E+06	2.6E-04
234	234	1.57688	1.86E-06	2.9E-06	2.50E-04	7.33E-10	25	1.15E-02	2.10E-10	1.0E+06	2.1E-04
235	235	1.30824	1.86E-06	2.4E-06	2.50E-04	6.08E-10	25	1.15E-02	1.74E-10	1.0E+06	1.7E-04
236	236	1.10784	1.86E-06	2.1E-06	2.50E-04	5.15E-10	25	1.15E-02	1.48E-10	1.0E+06	1.5E-04
237	237	0.95266	1.86E-06	1.8E-06	2.50E-04	4.43E-10	25	1.15E-02	1.27E-10	1.0E+06	1.3E-04
238	238	0.82956	1.86E-06	1.5E-06	2.50E-04	3.85E-10	25	1.15E-02	1.11E-10	1.0E+06	1.1E-04
242	242	2.72732	1.86E-06	5.1E-06	2.50E-04	1.27E-09	25	1.15E-02	3.63E-10	1.0E+06	3.6E-04
243	243	3.17243	1.86E-06	5.9E-06	2.50E-04	1.47E-09	25	1.15E-02	4.23E-10	1.0E+06	4.2E-04
244	244	3.52077	1.86E-06	6.5E-06	2.50E-04	1.64E-09	25	1.15E-02	4.69E-10	1.0E+06	4.7E-04
245	245	3.68897	1.86E-06	6.8E-06	2.50E-04	1.71E-09	25	1.15E-02	4.92E-10	1.0E+06	4.9E-04
246	246	3.56096	1.86E-06	6.6E-06	2.50E-04	1.65E-09	25	1.15E-02	4.74E-10	1.0E+06	4.7E-04
247	247	3.16737	1.86E-06	5.9E-06	2.50E-04	1.47E-09	25	1.15E-02	4.22E-10	1.0E+06	4.2E-04
248	248	2.64755	1.86E-06	4.9E-06	2.50E-04	1.23E-09	25	1.15E-02	3.53E-10	1.0E+06	3.5E-04
249	249	1.73175	1.86E-06	3.2E-06	2.50E-04	8.05E-10	25	1.15E-02	2.31E-10	1.0E+06	2.3E-04
250	250	1.42158	1.86E-06	2.6E-06	2.50E-04	6.60E-10	25	1.15E-02	1.89E-10	1.0E+06	1.9E-04
251	251	1.19177	1.86E-06	2.2E-06	2.50E-04	5.54E-10	25	1.15E-02	1.59E-10	1.0E+06	1.6E-04
252	252	1.01903	1.86E-06	1.9E-06	2.50E-04	4.73E-10	25	1.15E-02	1.36E-10	1.0E+06	1.4E-04
253	253	0.88159	1.86E-06	1.6E-06	2.50E-04	4.10E-10	25	1.15E-02	1.17E-10	1.0E+06	1.2E-04
254	254	0.7733	1.86E-06	1.4E-06	2.50E-04	3.59E-10	25	1.15E-02	1.03E-10	1.0E+06	1.0E-04
257	257	2.2171	1.86E-06	4.1E-06	2.50E-04	1.03E-09	25	1.15E-02	2.95E-10	1.0E+06	3.0E-04
258	258	2.51736	1.86E-06	4.7E-06	2.50E-04	1.17E-09	25	1.15E-02	3.35E-10	1.0E+06	3.4E-04
259	259	2.75377	1.86E-06	5.1E-06	2.50E-04	1.28E-09	25	1.15E-02	3.67E-10	1.0E+06	3.7E-04
260	260	2.86176	1.86E-06	5.3E-06	2.50E-04	1.33E-09	25	1.15E-02	3.81E-10	1.0E+06	3.8E-04
261	261	2.80471	1.86E-06	5.2E-06	2.50E-04	1.30E-09	25	1.15E-02	3.74E-10	1.0E+06	3.7E-04
262	262	2.56673	1.86E-06	4.8E-06	2.50E-04	1.19E-09	25	1.15E-02	3.42E-10	1.0E+06	3.4E-04
263	263	2.2241	1.86E-06	4.1E-06	2.50E-04	1.03E-09	25	1.15E-02	2.96E-10	1.0E+06	3.0E-04
264	264	1.5449	1.86E-06	2.9E-06	2.50E-04	7.18E-10	25	1.15E-02	2.06E-10	1.0E+06	2.1E-04
265	265	1.28883	1.86E-06	2.4E-06	2.50E-04	5.99E-10	25	1.15E-02	1.72E-10	1.0E+06	1.7E-04
266	266	1.09188	1.86E-06	2.0E-06	2.50E-04	5.07E-10	25	1.15E-02	1.45E-10	1.0E+06	1.5E-04

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	0.93971	1.86E-06	1.7E-06	2.50E-04	4.37E-10	25	1.15E-02	1.25E-10	1.0E+06	1.3E-04
268	268	0.81822	1.86E-06	1.5E-06	2.50E-04	3.80E-10	25	1.15E-02	1.09E-10	1.0E+06	1.1E-04
269	269	0.72228	1.86E-06	1.3E-06	2.50E-04	3.36E-10	25	1.15E-02	9.62E-11	1.0E+06	9.6E-05
270	270	0.51952	1.86E-06	9.6E-07	2.50E-04	2.41E-10	25	1.15E-02	6.92E-11	1.0E+06	6.9E-05
271	271	0.47161	1.86E-06	8.8E-07	2.50E-04	2.19E-10	25	1.15E-02	6.28E-11	1.0E+06	6.3E-05
274	274	1.83695	1.86E-06	3.4E-06	2.50E-04	8.53E-10	25	1.15E-02	2.45E-10	1.0E+06	2.4E-04
275	275	2.04723	1.86E-06	3.8E-06	2.50E-04	9.51E-10	25	1.15E-02	2.73E-10	1.0E+06	2.7E-04
276	276	2.21505	1.86E-06	4.1E-06	2.50E-04	1.03E-09	25	1.15E-02	2.95E-10	1.0E+06	3.0E-04
277	277	2.29257	1.86E-06	4.3E-06	2.50E-04	1.07E-09	25	1.15E-02	3.05E-10	1.0E+06	3.1E-04
278	278	2.26408	1.86E-06	4.2E-06	2.50E-04	1.05E-09	25	1.15E-02	3.02E-10	1.0E+06	3.0E-04
279	279	2.11489	1.86E-06	3.9E-06	2.50E-04	9.83E-10	25	1.15E-02	2.82E-10	1.0E+06	2.8E-04
280	280	1.88028	1.86E-06	3.5E-06	2.50E-04	8.74E-10	25	1.15E-02	2.51E-10	1.0E+06	2.5E-04
281	281	1.37605	1.86E-06	2.6E-06	2.50E-04	6.39E-10	25	1.15E-02	1.83E-10	1.0E+06	1.8E-04
282	282	1.16733	1.86E-06	2.2E-06	2.50E-04	5.42E-10	25	1.15E-02	1.56E-10	1.0E+06	1.6E-04
283	283	0.99949	1.86E-06	1.9E-06	2.50E-04	4.64E-10	25	1.15E-02	1.33E-10	1.0E+06	1.3E-04
284	284	0.86686	1.86E-06	1.6E-06	2.50E-04	4.03E-10	25	1.15E-02	1.16E-10	1.0E+06	1.2E-04
285	285	0.76107	1.86E-06	1.4E-06	2.50E-04	3.54E-10	25	1.15E-02	1.01E-10	1.0E+06	1.0E-04
286	286	0.6756	1.86E-06	1.3E-06	2.50E-04	3.14E-10	25	1.15E-02	9.00E-11	1.0E+06	9.0E-05
287	287	0.49153	1.86E-06	9.1E-07	2.50E-04	2.28E-10	25	1.15E-02	6.55E-11	1.0E+06	6.5E-05
288	288	0.44857	1.86E-06	8.3E-07	2.50E-04	2.08E-10	25	1.15E-02	5.98E-11	1.0E+06	6.0E-05
291	291	1.54671	1.86E-06	2.9E-06	2.50E-04	7.19E-10	25	1.15E-02	2.06E-10	1.0E+06	2.1E-04
292	292	1.69876	1.86E-06	3.2E-06	2.50E-04	7.89E-10	25	1.15E-02	2.26E-10	1.0E+06	2.3E-04
293	293	1.82041	1.86E-06	3.4E-06	2.50E-04	8.46E-10	25	1.15E-02	2.43E-10	1.0E+06	2.4E-04
294	294	1.87984	1.86E-06	3.5E-06	2.50E-04	8.73E-10	25	1.15E-02	2.50E-10	1.0E+06	2.5E-04
295	295	1.86484	1.86E-06	3.5E-06	2.50E-04	8.66E-10	25	1.15E-02	2.48E-10	1.0E+06	2.5E-04
296	296	1.76977	1.86E-06	3.3E-06	2.50E-04	8.22E-10	25	1.15E-02	2.36E-10	1.0E+06	2.4E-04
297	297	1.61172	1.86E-06	3.0E-06	2.50E-04	7.49E-10	25	1.15E-02	2.15E-10	1.0E+06	2.1E-04
298	298	1.23047	1.86E-06	2.3E-06	2.50E-04	5.72E-10	25	1.15E-02	1.64E-10	1.0E+06	1.6E-04
299	299	1.06126	1.86E-06	2.0E-06	2.50E-04	4.93E-10	25	1.15E-02	1.41E-10	1.0E+06	1.4E-04
300	300	0.91833	1.86E-06	1.7E-06	2.50E-04	4.27E-10	25	1.15E-02	1.22E-10	1.0E+06	1.2E-04
301	301	0.80309	1.86E-06	1.5E-06	2.50E-04	3.73E-10	25	1.15E-02	1.07E-10	1.0E+06	1.1E-04

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
302	302	0.70929	1.86E-06	1.3E-06	2.50E-04	3.30E-10	25	1.15E-02	9.45E-11	1.0E+06	9.5E-05
303	303	0.63261	1.86E-06	1.2E-06	2.50E-04	2.94E-10	25	1.15E-02	8.43E-11	1.0E+06	8.4E-05
304	304	0.46614	1.86E-06	8.7E-07	2.50E-04	2.17E-10	25	1.15E-02	6.21E-11	1.0E+06	6.2E-05
305	305	0.42648	1.86E-06	7.9E-07	2.50E-04	1.98E-10	25	1.15E-02	5.68E-11	1.0E+06	5.7E-05
308	308	1.32032	1.86E-06	2.5E-06	2.50E-04	6.13E-10	25	1.15E-02	1.76E-10	1.0E+06	1.8E-04
309	309	1.43337	1.86E-06	2.7E-06	2.50E-04	6.66E-10	25	1.15E-02	1.91E-10	1.0E+06	1.9E-04
310	310	1.52372	1.86E-06	2.8E-06	2.50E-04	7.08E-10	25	1.15E-02	2.03E-10	1.0E+06	2.0E-04
311	311	1.57006	1.86E-06	2.9E-06	2.50E-04	7.29E-10	25	1.15E-02	2.09E-10	1.0E+06	2.1E-04
312	312	1.56732	1.86E-06	2.9E-06	2.50E-04	7.28E-10	25	1.15E-02	2.09E-10	1.0E+06	2.1E-04
313	313	1.50429	1.86E-06	2.8E-06	2.50E-04	6.99E-10	25	1.15E-02	2.00E-10	1.0E+06	2.0E-04
314	314	1.39305	1.86E-06	2.6E-06	2.50E-04	6.47E-10	25	1.15E-02	1.86E-10	1.0E+06	1.9E-04
315	315	1.10442	1.86E-06	2.1E-06	2.50E-04	5.13E-10	25	1.15E-02	1.47E-10	1.0E+06	1.5E-04
316	316	0.96804	1.86E-06	1.8E-06	2.50E-04	4.50E-10	25	1.15E-02	1.29E-10	1.0E+06	1.3E-04
317	317	0.84574	1.86E-06	1.6E-06	2.50E-04	3.93E-10	25	1.15E-02	1.13E-10	1.0E+06	1.1E-04
318	318	0.74561	1.86E-06	1.4E-06	2.50E-04	3.46E-10	25	1.15E-02	9.94E-11	1.0E+06	9.9E-05
319	319	0.66229	1.86E-06	1.2E-06	2.50E-04	3.08E-10	25	1.15E-02	8.82E-11	1.0E+06	8.8E-05
320	320	0.59282	1.86E-06	1.1E-06	2.50E-04	2.75E-10	25	1.15E-02	7.90E-11	1.0E+06	7.9E-05
321	321	0.44218	1.86E-06	8.2E-07	2.50E-04	2.05E-10	25	1.15E-02	5.89E-11	1.0E+06	5.9E-05
322	322	0.40554	1.86E-06	7.5E-07	2.50E-04	1.88E-10	25	1.15E-02	5.40E-11	1.0E+06	5.4E-05
325	325	1.14063	1.86E-06	2.1E-06	2.50E-04	5.30E-10	25	1.15E-02	1.52E-10	1.0E+06	1.5E-04
326	326	1.22648	1.86E-06	2.3E-06	2.50E-04	5.70E-10	25	1.15E-02	1.63E-10	1.0E+06	1.6E-04
327	327	1.29532	1.86E-06	2.4E-06	2.50E-04	6.02E-10	25	1.15E-02	1.73E-10	1.0E+06	1.7E-04
328	328	1.33394	1.86E-06	2.5E-06	2.50E-04	6.20E-10	25	1.15E-02	1.78E-10	1.0E+06	1.8E-04
329	329	1.33362	1.86E-06	2.5E-06	2.50E-04	6.20E-10	25	1.15E-02	1.78E-10	1.0E+06	1.8E-04
330	330	1.29408	1.86E-06	2.4E-06	2.50E-04	6.01E-10	25	1.15E-02	1.72E-10	1.0E+06	1.7E-04
331	331	1.21488	1.86E-06	2.3E-06	2.50E-04	5.64E-10	25	1.15E-02	1.62E-10	1.0E+06	1.6E-04
332	332	1.11111	1.86E-06	2.1E-06	2.50E-04	5.16E-10	25	1.15E-02	1.48E-10	1.0E+06	1.5E-04
333	333	0.99512	1.86E-06	1.8E-06	2.50E-04	4.62E-10	25	1.15E-02	1.33E-10	1.0E+06	1.3E-04
334	334	0.88319	1.86E-06	1.6E-06	2.50E-04	4.10E-10	25	1.15E-02	1.18E-10	1.0E+06	1.2E-04
335	335	0.78118	1.86E-06	1.5E-06	2.50E-04	3.63E-10	25	1.15E-02	1.04E-10	1.0E+06	1.0E-04
336	336	0.69335	1.86E-06	1.3E-06	2.50E-04	3.22E-10	25	1.15E-02	9.24E-11	1.0E+06	9.2E-05

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	0.61908	1.86E-06	1.1E-06	2.50E-04	2.88E-10	25	1.15E-02	8.25E-11	1.0E+06	8.2E-05
338	338	0.55685	1.86E-06	1.0E-06	2.50E-04	2.59E-10	25	1.15E-02	7.42E-11	1.0E+06	7.4E-05
339	339	0.45782	1.86E-06	8.5E-07	2.50E-04	2.13E-10	25	1.15E-02	6.10E-11	1.0E+06	6.1E-05
340	340	0.41948	1.86E-06	7.8E-07	2.50E-04	1.95E-10	25	1.15E-02	5.59E-11	1.0E+06	5.6E-05
341	341	0.38589	1.86E-06	7.2E-07	2.50E-04	1.79E-10	25	1.15E-02	5.14E-11	1.0E+06	5.1E-05
349	349	1.1507	1.86E-06	2.1E-06	2.50E-04	5.35E-10	25	1.15E-02	1.53E-10	1.0E+06	1.5E-04
350	350	1.12342	1.86E-06	2.1E-06	2.50E-04	5.22E-10	25	1.15E-02	1.50E-10	1.0E+06	1.5E-04
351	351	1.06532	1.86E-06	2.0E-06	2.50E-04	4.95E-10	25	1.15E-02	1.42E-10	1.0E+06	1.4E-04
352	352	0.98868	1.86E-06	1.8E-06	2.50E-04	4.59E-10	25	1.15E-02	1.32E-10	1.0E+06	1.3E-04
353	353	0.43341	1.86E-06	8.0E-07	2.50E-04	2.01E-10	25	1.15E-02	5.78E-11	1.0E+06	5.8E-05
354	354	0.39835	1.86E-06	7.4E-07	2.50E-04	1.85E-10	25	1.15E-02	5.31E-11	1.0E+06	5.3E-05
355	355	0.36753	1.86E-06	6.8E-07	2.50E-04	1.71E-10	25	1.15E-02	4.90E-11	1.0E+06	4.9E-05
364	364	0.98463	1.86E-06	1.8E-06	2.50E-04	4.57E-10	25	1.15E-02	1.31E-10	1.0E+06	1.3E-04
365	365	0.94371	1.86E-06	1.8E-06	2.50E-04	4.38E-10	25	1.15E-02	1.26E-10	1.0E+06	1.3E-04
366	366	0.88369	1.86E-06	1.6E-06	2.50E-04	4.11E-10	25	1.15E-02	1.18E-10	1.0E+06	1.2E-04
367	367	0.41091	1.86E-06	7.6E-07	2.50E-04	1.91E-10	25	1.15E-02	5.48E-11	1.0E+06	5.5E-05
368	368	0.3785	1.86E-06	7.0E-07	2.50E-04	1.76E-10	25	1.15E-02	5.04E-11	1.0E+06	5.0E-05
369	369	0.35019	1.86E-06	6.5E-07	2.50E-04	1.63E-10	25	1.15E-02	4.67E-11	1.0E+06	4.7E-05
377	377	0.86993	1.86E-06	1.6E-06	2.50E-04	4.04E-10	25	1.15E-02	1.16E-10	1.0E+06	1.2E-04
378	378	0.83967	1.86E-06	1.6E-06	2.50E-04	3.90E-10	25	1.15E-02	1.12E-10	1.0E+06	1.1E-04
379	379	0.79349	1.86E-06	1.5E-06	2.50E-04	3.69E-10	25	1.15E-02	1.06E-10	1.0E+06	1.1E-04
380	380	0.38958	1.86E-06	7.2E-07	2.50E-04	1.81E-10	25	1.15E-02	5.19E-11	1.0E+06	5.2E-05
381	381	0.35949	1.86E-06	6.7E-07	2.50E-04	1.67E-10	25	1.15E-02	4.79E-11	1.0E+06	4.8E-05
382	382	0.3336	1.86E-06	6.2E-07	2.50E-04	1.55E-10	25	1.15E-02	4.45E-11	1.0E+06	4.4E-05
391	391	0.75184	1.86E-06	1.4E-06	2.50E-04	3.49E-10	25	1.15E-02	1.00E-10	1.0E+06	1.0E-04
392	392	0.71564	1.86E-06	1.3E-06	2.50E-04	3.33E-10	25	1.15E-02	9.54E-11	1.0E+06	9.5E-05
393	393	0.36979	1.86E-06	6.9E-07	2.50E-04	1.72E-10	25	1.15E-02	4.93E-11	1.0E+06	4.9E-05
394	394	0.34229	1.86E-06	6.4E-07	2.50E-04	1.59E-10	25	1.15E-02	4.56E-11	1.0E+06	4.6E-05
395	395	0.3184	1.86E-06	5.9E-07	2.50E-04	1.48E-10	25	1.15E-02	4.24E-11	1.0E+06	4.2E-05
405	405	0.67726	1.86E-06	1.3E-06	2.50E-04	3.15E-10	25	1.15E-02	9.02E-11	1.0E+06	9.0E-05
406	406	0.64963	1.86E-06	1.2E-06	2.50E-04	3.02E-10	25	1.15E-02	8.66E-11	1.0E+06	8.7E-05

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	0.61417	1.86E-06	1.1E-06	2.50E-04	2.85E-10	25	1.15E-02	8.18E-11	1.0E+06	8.2E-05
408	408	0.35162	1.86E-06	6.5E-07	2.50E-04	1.63E-10	25	1.15E-02	4.69E-11	1.0E+06	4.7E-05
409	409	0.32616	1.86E-06	6.1E-07	2.50E-04	1.52E-10	25	1.15E-02	4.35E-11	1.0E+06	4.3E-05
410	410	0.30433	1.86E-06	5.6E-07	2.50E-04	1.41E-10	25	1.15E-02	4.06E-11	1.0E+06	4.1E-05
421	421	0.59165	1.86E-06	1.1E-06	2.50E-04	2.75E-10	25	1.15E-02	7.88E-11	1.0E+06	7.9E-05
422	422	0.5628	1.86E-06	1.0E-06	2.50E-04	2.61E-10	25	1.15E-02	7.50E-11	1.0E+06	7.5E-05
423	423	0.33455	1.86E-06	6.2E-07	2.50E-04	1.55E-10	25	1.15E-02	4.46E-11	1.0E+06	4.5E-05
424	424	0.31114	1.86E-06	5.8E-07	2.50E-04	1.45E-10	25	1.15E-02	4.15E-11	1.0E+06	4.1E-05
425	425	0.2909	1.86E-06	5.4E-07	2.50E-04	1.35E-10	25	1.15E-02	3.88E-11	1.0E+06	3.9E-05
435	435	0.5407	1.86E-06	1.0E-06	2.50E-04	2.51E-10	25	1.15E-02	7.20E-11	1.0E+06	7.2E-05
436	436	0.51785	1.86E-06	9.6E-07	2.50E-04	2.41E-10	25	1.15E-02	6.90E-11	1.0E+06	6.9E-05
437	437	0.29716	1.86E-06	5.5E-07	2.50E-04	1.38E-10	25	1.15E-02	3.96E-11	1.0E+06	4.0E-05
438	438	0.27801	1.86E-06	5.2E-07	2.50E-04	1.29E-10	25	1.15E-02	3.70E-11	1.0E+06	3.7E-05
449	449	0.49616	1.86E-06	9.2E-07	2.50E-04	2.31E-10	25	1.15E-02	6.61E-11	1.0E+06	6.6E-05
450	450	0.47799	1.86E-06	8.9E-07	2.50E-04	2.22E-10	25	1.15E-02	6.37E-11	1.0E+06	6.4E-05
451	451	0.45465	1.86E-06	8.4E-07	2.50E-04	2.11E-10	25	1.15E-02	6.06E-11	1.0E+06	6.1E-05
452	452	0.2839	1.86E-06	5.3E-07	2.50E-04	1.32E-10	25	1.15E-02	3.78E-11	1.0E+06	3.8E-05
453	453	0.26609	1.86E-06	4.9E-07	2.50E-04	1.24E-10	25	1.15E-02	3.55E-11	1.0E+06	3.5E-05
464	464	0.44197	1.86E-06	8.2E-07	2.50E-04	2.05E-10	25	1.15E-02	5.89E-11	1.0E+06	5.9E-05
465	465	0.4227	1.86E-06	7.8E-07	2.50E-04	1.96E-10	25	1.15E-02	5.63E-11	1.0E+06	5.6E-05
466	466	0.30982	1.86E-06	5.8E-07	2.50E-04	1.44E-10	25	1.15E-02	4.13E-11	1.0E+06	4.1E-05
467	467	0.27151	1.86E-06	5.0E-07	2.50E-04	1.26E-10	25	1.15E-02	3.62E-11	1.0E+06	3.6E-05
468	468	0.25498	1.86E-06	4.7E-07	2.50E-04	1.18E-10	25	1.15E-02	3.40E-11	1.0E+06	3.4E-05
479	479	0.40926	1.86E-06	7.6E-07	2.50E-04	1.90E-10	25	1.15E-02	5.45E-11	1.0E+06	5.5E-05
480	480	0.39374	1.86E-06	7.3E-07	2.50E-04	1.83E-10	25	1.15E-02	5.25E-11	1.0E+06	5.2E-05
481	481	0.37507	1.86E-06	7.0E-07	2.50E-04	1.74E-10	25	1.15E-02	5.00E-11	1.0E+06	5.0E-05
482	482	0.35526	1.86E-06	6.6E-07	2.50E-04	1.65E-10	25	1.15E-02	4.73E-11	1.0E+06	4.7E-05
483	483	0.33439	1.86E-06	6.2E-07	2.50E-04	1.55E-10	25	1.15E-02	4.46E-11	1.0E+06	4.5E-05
484	484	0.31425	1.86E-06	5.8E-07	2.50E-04	1.46E-10	25	1.15E-02	4.19E-11	1.0E+06	4.2E-05
485	485	0.29481	1.86E-06	5.5E-07	2.50E-04	1.37E-10	25	1.15E-02	3.93E-11	1.0E+06	3.9E-05
486	486	0.27673	1.86E-06	5.1E-07	2.50E-04	1.29E-10	25	1.15E-02	3.69E-11	1.0E+06	3.7E-05

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	487	0.25994	1.86E-06	4.8E-07	2.50E-04	1.21E-10	25	1.15E-02	3.46E-11	1.0E+06	3.5E-05
488	488	0.2445	1.86E-06	4.5E-07	2.50E-04	1.14E-10	25	1.15E-02	3.26E-11	1.0E+06	3.3E-05
501	501	0.36715	1.86E-06	6.8E-07	2.50E-04	1.71E-10	25	1.15E-02	4.89E-11	1.0E+06	4.9E-05
502	502	0.35199	1.86E-06	6.5E-07	2.50E-04	1.64E-10	25	1.15E-02	4.69E-11	1.0E+06	4.7E-05
503	503	0.33477	1.86E-06	6.2E-07	2.50E-04	1.56E-10	25	1.15E-02	4.46E-11	1.0E+06	4.5E-05
504	504	0.31657	1.86E-06	5.9E-07	2.50E-04	1.47E-10	25	1.15E-02	4.22E-11	1.0E+06	4.2E-05
505	505	0.29843	1.86E-06	5.5E-07	2.50E-04	1.39E-10	25	1.15E-02	3.98E-11	1.0E+06	4.0E-05
506	506	0.28087	1.86E-06	5.2E-07	2.50E-04	1.30E-10	25	1.15E-02	3.74E-11	1.0E+06	3.7E-05
507	507	0.26442	1.86E-06	4.9E-07	2.50E-04	1.23E-10	25	1.15E-02	3.52E-11	1.0E+06	3.5E-05
508	508	0.23466	1.86E-06	4.4E-07	2.50E-04	1.09E-10	25	1.15E-02	3.13E-11	1.0E+06	3.1E-05
520	520	0.34397	1.86E-06	6.4E-07	2.50E-04	1.60E-10	25	1.15E-02	4.58E-11	1.0E+06	4.6E-05
521	521	0.32996	1.86E-06	6.1E-07	2.50E-04	1.53E-10	25	1.15E-02	4.40E-11	1.0E+06	4.4E-05
522	522	0.31573	1.86E-06	5.9E-07	2.50E-04	1.47E-10	25	1.15E-02	4.21E-11	1.0E+06	4.2E-05
523	523	0.29979	1.86E-06	5.6E-07	2.50E-04	1.39E-10	25	1.15E-02	3.99E-11	1.0E+06	4.0E-05
524	524	0.28361	1.86E-06	5.3E-07	2.50E-04	1.32E-10	25	1.15E-02	3.78E-11	1.0E+06	3.8E-05
525	525	0.26778	1.86E-06	5.0E-07	2.50E-04	1.24E-10	25	1.15E-02	3.57E-11	1.0E+06	3.6E-05
526	526	0.25274	1.86E-06	4.7E-07	2.50E-04	1.17E-10	25	1.15E-02	3.37E-11	1.0E+06	3.4E-05
527	527	0.22534	1.86E-06	4.2E-07	2.50E-04	1.05E-10	25	1.15E-02	3.00E-11	1.0E+06	3.0E-05
539	539	0.32292	1.86E-06	6.0E-07	2.50E-04	1.50E-10	25	1.15E-02	4.30E-11	1.0E+06	4.3E-05
540	540	0.31117	1.86E-06	5.8E-07	2.50E-04	1.45E-10	25	1.15E-02	4.15E-11	1.0E+06	4.1E-05
541	541	0.2978	1.86E-06	5.5E-07	2.50E-04	1.38E-10	25	1.15E-02	3.97E-11	1.0E+06	4.0E-05
542	542	0.28376	1.86E-06	5.3E-07	2.50E-04	1.32E-10	25	1.15E-02	3.78E-11	1.0E+06	3.8E-05
543	543	0.26974	1.86E-06	5.0E-07	2.50E-04	1.25E-10	25	1.15E-02	3.59E-11	1.0E+06	3.6E-05
544	544	0.25545	1.86E-06	4.7E-07	2.50E-04	1.19E-10	25	1.15E-02	3.40E-11	1.0E+06	3.4E-05
545	545	0.24149	1.86E-06	4.5E-07	2.50E-04	1.12E-10	25	1.15E-02	3.22E-11	1.0E+06	3.2E-05
546	546	0.2165	1.86E-06	4.0E-07	2.50E-04	1.01E-10	25	1.15E-02	2.88E-11	1.0E+06	2.9E-05
560	560	0.29354	1.86E-06	5.4E-07	2.50E-04	1.36E-10	25	1.15E-02	3.91E-11	1.0E+06	3.9E-05
561	561	0.28214	1.86E-06	5.2E-07	2.50E-04	1.31E-10	25	1.15E-02	3.76E-11	1.0E+06	3.8E-05
562	562	0.26961	1.86E-06	5.0E-07	2.50E-04	1.25E-10	25	1.15E-02	3.59E-11	1.0E+06	3.6E-05
563	563	0.25298	1.86E-06	4.7E-07	2.50E-04	1.18E-10	25	1.15E-02	3.37E-11	1.0E+06	3.4E-05
564	564	0.24372	1.86E-06	4.5E-07	2.50E-04	1.13E-10	25	1.15E-02	3.25E-11	1.0E+06	3.2E-05

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.23154	1.86E-06	4.3E-07	2.50E-04	1.08E-10	25	1.15E-02	3.09E-11	1.0E+06	3.1E-05
566	566	0.20832	1.86E-06	3.9E-07	2.50E-04	9.68E-11	25	1.15E-02	2.78E-11	1.0E+06	2.8E-05
579	579	0.27728	1.86E-06	5.1E-07	2.50E-04	1.29E-10	25	1.15E-02	3.69E-11	1.0E+06	3.7E-05
580	580	0.26732	1.86E-06	5.0E-07	2.50E-04	1.24E-10	25	1.15E-02	3.56E-11	1.0E+06	3.6E-05
581	581	0.25644	1.86E-06	4.8E-07	2.50E-04	1.19E-10	25	1.15E-02	3.42E-11	1.0E+06	3.4E-05
582	582	0.24489	1.86E-06	4.5E-07	2.50E-04	1.14E-10	25	1.15E-02	3.26E-11	1.0E+06	3.3E-05
583	583	0.23317	1.86E-06	4.3E-07	2.50E-04	1.08E-10	25	1.15E-02	3.11E-11	1.0E+06	3.1E-05
584	584	0.22165	1.86E-06	4.1E-07	2.50E-04	1.03E-10	25	1.15E-02	2.95E-11	1.0E+06	3.0E-05
585	585	0.19105	1.86E-06	3.5E-07	2.50E-04	8.88E-11	25	1.15E-02	2.55E-11	1.0E+06	2.5E-05
598	598	0.26237	1.86E-06	4.9E-07	2.50E-04	1.22E-10	25	1.15E-02	3.50E-11	1.0E+06	3.5E-05
599	599	0.25355	1.86E-06	4.7E-07	2.50E-04	1.18E-10	25	1.15E-02	3.38E-11	1.0E+06	3.4E-05
600	600	0.2439	1.86E-06	4.5E-07	2.50E-04	1.13E-10	25	1.15E-02	3.25E-11	1.0E+06	3.2E-05
601	601	0.23365	1.86E-06	4.3E-07	2.50E-04	1.09E-10	25	1.15E-02	3.11E-11	1.0E+06	3.1E-05
602	602	0.22314	1.86E-06	4.1E-07	2.50E-04	1.04E-10	25	1.15E-02	2.97E-11	1.0E+06	3.0E-05
603	603	0.21277	1.86E-06	3.9E-07	2.50E-04	9.89E-11	25	1.15E-02	2.84E-11	1.0E+06	2.8E-05
604	604	0.20259	1.86E-06	3.8E-07	2.50E-04	9.41E-11	25	1.15E-02	2.70E-11	1.0E+06	2.7E-05
0	0	0	1.86E-06	0.0E+00	2.50E-04	0.00E+00	25	1.15E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
1	1	5.8E-04	5	1.47E-07	
2	2	6.3E-04	5	1.61E-07	
3	3	6.9E-04	5	1.78E-07	
4	4	7.7E-04	5	1.97E-07	
5	5	8.6E-04	5	2.19E-07	
6	6	9.6E-04	5	2.46E-07	
7	7	1.1E-03	5	2.78E-07	
8	8	1.2E-03	5	3.16E-07	
9	9	1.4E-03	5	3.63E-07	
10	10	1.6E-03	5	4.19E-07	
11	11	1.9E-03	5	4.88E-07	
12	12	2.2E-03	5	5.71E-07	
13	13	2.6E-03	5	6.71E-07	
14	14	3.1E-03	5	7.88E-07	
15	15	3.6E-03	5	9.18E-07	
16	16	4.1E-03	5	1.05E-06	
17	17	4.5E-03	5	1.16E-06	
18	18	4.9E-03	5	1.24E-06	
19	19	5.1E-03	5	1.30E-06	
20	20	5.3E-03	5	1.35E-06	
21	21	5.4E-03	5	1.38E-06	
22	22	5.4E-03	5	1.38E-06	
23	23	5.2E-03	5	1.34E-06	
24	24	4.9E-03	5	1.26E-06	
25	25	4.5E-03	5	1.15E-06	
26	26	4.0E-03	5	1.03E-06	
27	27	3.5E-03	5	9.04E-07	
28	28	3.1E-03	5	7.86E-07	
29	29	2.7E-03	5	6.79E-07	
30	30	2.3E-03	5	5.87E-07	
31	31	2.0E-03	5	5.07E-07	

Max	Receptor #	
0.013	81	Res
0.002	348	School
0.007	159	Worker

Max	Receptor #	
3.330E-06	81	Res
4.260E-07	348	School
1.905E-05	159	Worker

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
32	32	1.7E-03	5	4.40E-07	
55	55	7.6E-03	5	1.94E-06	
56	56	7.0E-03	5	1.78E-06	
57	57	6.2E-03	5	1.58E-06	
58	58	5.3E-03	5	1.36E-06	
59	59	4.5E-03	5	1.15E-06	
60	60	3.8E-03	5	9.70E-07	
61	61	3.2E-03	5	8.13E-07	
62	62	2.7E-03	5	6.84E-07	
63	63	2.3E-03	5	5.78E-07	
64	64	1.9E-03	5	4.92E-07	
65	65	1.6E-03	5	4.22E-07	
66	66	1.4E-03	5	3.64E-07	
67	67	6.1E-04	5	1.55E-07	
68	68	6.7E-04	5	1.72E-07	
69	69	7.5E-04	5	1.91E-07	
70	70	8.3E-04	5	2.13E-07	
71	71	9.4E-04	5	2.40E-07	
72	72	1.1E-03	5	2.73E-07	
73	73	1.2E-03	5	3.14E-07	
74	74	1.4E-03	5	3.65E-07	
75	75	1.7E-03	5	4.30E-07	
76	76	2.0E-03	5	5.14E-07	
77	77	2.4E-03	5	6.26E-07	
78	78	3.0E-03	5	7.78E-07	
79	79	1.1E-02	5	2.70E-06	
80	80	1.2E-02	5	3.10E-06	
81	81	1.3E-02	5	3.33E-06	
82	82	1.3E-02	5	3.31E-06	
83	83	1.2E-02	5	3.09E-06	
84	84	1.1E-02	5	2.73E-06	

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

		<i>Max Cancer Risk</i>		<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million		REL	HI Offroad
85	85	9.0E-03		5	2.30E-06
86	86	7.4E-03		5	1.89E-06
87	87	5.9E-03		5	1.52E-06
88	88	4.8E-03		5	1.22E-06
89	89	3.8E-03		5	9.84E-07
90	90	3.1E-03		5	8.01E-07
91	91	2.6E-03		5	6.59E-07
92	92	2.1E-03		5	5.49E-07
93	93	1.8E-03		5	4.63E-07
96	96	9.0E-03		5	2.30E-06
97	97	6.6E-03		5	1.69E-06
98	98	4.7E-03		5	1.20E-06
99	99	3.7E-03		5	9.40E-07
100	100	2.9E-03		5	7.51E-07
101	101	2.4E-03		5	6.12E-07
102	102	2.0E-03		5	5.07E-07
106	106	5.7E-04		5	1.45E-07
107	107	6.2E-04		5	1.60E-07
108	108	6.9E-04		5	1.77E-07
109	109	7.7E-04		5	1.98E-07
110	110	8.7E-04		5	2.23E-07
111	111	9.9E-04		5	2.52E-07
112	112	1.1E-03		5	2.90E-07
113	113	1.3E-03		5	3.37E-07
114	114	1.6E-03		5	3.97E-07
115	115	1.9E-03		5	4.76E-07
116	116	2.3E-03		5	5.83E-07
117	117	2.9E-03		5	7.37E-07
118	118	3.8E-03		5	9.65E-07
124	124	5.7E-04		5	1.45E-07
125	125	6.3E-04		5	1.60E-07

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
126	126	7.0E-04	5	1.78E-07	
127	127	7.8E-04	5	1.99E-07	
128	128	8.7E-04	5	2.24E-07	
129	129	9.9E-04	5	2.54E-07	
130	130	1.1E-03	5	2.92E-07	
131	131	1.3E-03	5	3.40E-07	
132	132	1.6E-03	5	4.02E-07	
133	133	1.9E-03	5	4.84E-07	
134	134	2.3E-03	5	5.97E-07	
135	135	3.0E-03	5	7.58E-07	
136	136	3.9E-03	5	1.00E-06	
137	137	5.5E-03	5	1.40E-06	
138	138	8.4E-03	5	2.14E-06	
141	141	5.7E-04	5	1.45E-07	
142	142	6.2E-04	5	1.60E-07	
143	143	6.9E-04	5	1.77E-07	
144	144	7.7E-04	5	1.98E-07	
145	145	8.7E-04	5	2.23E-07	
146	146	9.9E-04	5	2.53E-07	
147	147	1.1E-03	5	2.91E-07	
148	148	1.3E-03	5	3.38E-07	
149	149	1.6E-03	5	3.99E-07	
150	150	1.9E-03	5	4.80E-07	
151	151	2.3E-03	5	5.91E-07	
152	152	2.9E-03	5	7.48E-07	
153	153	3.8E-03	5	9.83E-07	
154	154	5.3E-03	5	1.36E-06	
155	155	7.9E-03	5	2.03E-06	
164	164	4.9E-03	5	1.24E-06	
165	165	6.9E-03	5	1.76E-06	
166	166	1.1E-02	5	2.70E-06	

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
178	178	4.3E-03	5	1.09E-06	
179	179	5.8E-03	5	1.48E-06	
180	180	8.2E-03	5	2.09E-06	
192	192	3.7E-03	5	9.48E-07	
193	193	4.8E-03	5	1.23E-06	
194	194	6.4E-03	5	1.63E-06	
207	207	3.2E-03	5	8.16E-07	
208	208	4.0E-03	5	1.02E-06	
209	209	5.0E-03	5	1.29E-06	
223	223	2.7E-03	5	7.02E-07	
224	224	3.3E-03	5	8.51E-07	
225	225	4.1E-03	5	1.04E-06	
239	239	2.4E-03	5	6.07E-07	
240	240	2.8E-03	5	7.18E-07	
241	241	3.3E-03	5	8.54E-07	
255	255	2.1E-03	5	5.28E-07	
256	256	2.4E-03	5	6.13E-07	
272	272	1.8E-03	5	4.62E-07	
273	273	2.1E-03	5	5.28E-07	
289	289	1.6E-03	5	4.08E-07	
290	290	1.8E-03	5	4.59E-07	
306	306	1.4E-03	5	3.62E-07	
307	307	1.6E-03	5	4.02E-07	
323	323	1.3E-03	5	3.23E-07	
324	324	1.4E-03	5	3.55E-07	
342	342	1.1E-03	5	2.90E-07	
343	343	1.2E-03	5	3.16E-07	
344	344	1.3E-03	5	3.43E-07	
356	356	1.0E-03	5	2.61E-07	
357	357	1.1E-03	5	2.83E-07	
358	358	1.2E-03	5	3.04E-07	

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Cancer Risk Million	REL	HI Offroad	
370	370	9.3E-04	5	2.37E-07	
371	371	9.9E-04	5	2.54E-07	
372	372	1.1E-03	5	2.72E-07	
383	383	8.4E-04	5	2.16E-07	
384	384	9.0E-04	5	2.30E-07	
385	385	9.6E-04	5	2.45E-07	
396	396	7.7E-04	5	1.97E-07	
397	397	8.2E-04	5	2.09E-07	
398	398	8.7E-04	5	2.21E-07	
399	399	9.1E-04	5	2.33E-07	
411	411	7.1E-04	5	1.81E-07	
412	412	7.5E-04	5	1.91E-07	
413	413	7.9E-04	5	2.01E-07	
414	414	8.2E-04	5	2.11E-07	
426	426	6.5E-04	5	1.67E-07	
427	427	6.9E-04	5	1.75E-07	
428	428	7.2E-04	5	1.84E-07	
429	429	7.5E-04	5	1.92E-07	
439	439	6.0E-04	5	1.54E-07	
440	440	6.3E-04	5	1.62E-07	
441	441	6.6E-04	5	1.69E-07	
442	442	6.9E-04	5	1.76E-07	
443	443	7.1E-04	5	1.82E-07	
454	454	5.6E-04	5	1.43E-07	
455	455	5.8E-04	5	1.49E-07	
456	456	6.1E-04	5	1.55E-07	
457	457	6.3E-04	5	1.61E-07	
458	458	6.5E-04	5	1.66E-07	
469	469	5.2E-04	5	1.33E-07	
470	470	5.4E-04	5	1.38E-07	
471	471	5.6E-04	5	1.44E-07	

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
472	472	5.8E-04	5	1.49E-07	
473	473	6.0E-04	5	1.53E-07	
489	489	4.8E-04	5	1.24E-07	
490	490	5.0E-04	5	1.29E-07	
491	491	5.2E-04	5	1.33E-07	
492	492	5.4E-04	5	1.38E-07	
493	493	5.5E-04	5	1.42E-07	
494	494	5.7E-04	5	1.45E-07	
509	509	4.5E-04	5	1.16E-07	
510	510	4.7E-04	5	1.20E-07	
511	511	4.8E-04	5	1.24E-07	
512	512	5.0E-04	5	1.28E-07	
513	513	5.1E-04	5	1.31E-07	
514	514	5.2E-04	5	1.34E-07	
515	515	5.4E-04	5	1.38E-07	
516	516	5.4E-04	5	1.38E-07	
517	517	5.4E-04	5	1.37E-07	
518	518	5.3E-04	5	1.35E-07	
519	519	5.2E-04	5	1.32E-07	
528	528	4.2E-04	5	1.09E-07	
529	529	4.4E-04	5	1.12E-07	
530	530	4.5E-04	5	1.16E-07	
531	531	4.7E-04	5	1.19E-07	
532	532	4.8E-04	5	1.22E-07	
533	533	4.9E-04	5	1.25E-07	
534	534	5.0E-04	5	1.28E-07	
535	535	5.0E-04	5	1.28E-07	
536	536	5.0E-04	5	1.28E-07	
537	537	4.9E-04	5	1.26E-07	
538	538	4.8E-04	5	1.23E-07	
547	547	4.0E-04	5	1.02E-07	

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
548	548	4.1E-04	5	1.05E-07	
549	549	4.2E-04	5	1.08E-07	
550	550	4.3E-04	5	1.11E-07	
551	551	4.5E-04	5	1.14E-07	
552	552	4.5E-04	5	1.16E-07	
553	553	4.6E-04	5	1.18E-07	
554	554	4.7E-04	5	1.19E-07	
555	555	4.7E-04	5	1.20E-07	
556	556	4.7E-04	5	1.19E-07	
557	557	4.6E-04	5	1.18E-07	
558	558	4.5E-04	5	1.16E-07	
559	559	4.4E-04	5	1.13E-07	
567	567	3.8E-04	5	9.61E-08	
568	568	3.9E-04	5	9.89E-08	
569	569	4.0E-04	5	1.02E-07	
570	570	4.1E-04	5	1.04E-07	
571	571	4.2E-04	5	1.07E-07	
572	572	4.2E-04	5	1.09E-07	
573	573	4.3E-04	5	1.10E-07	
574	574	4.4E-04	5	1.12E-07	
575	575	4.4E-04	5	1.12E-07	
576	576	4.3E-04	5	1.11E-07	
577	577	4.3E-04	5	1.09E-07	
578	578	4.2E-04	5	1.06E-07	
586	586	3.5E-04	5	9.06E-08	
587	587	3.6E-04	5	9.31E-08	
588	588	3.7E-04	5	9.56E-08	
589	589	3.8E-04	5	9.79E-08	
590	590	3.9E-04	5	1.00E-07	
591	591	4.0E-04	5	1.02E-07	
592	592	4.0E-04	5	1.03E-07	

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
593	593	4.1E-04	5	1.05E-07	
594	594	4.1E-04	5	1.05E-07	
595	595	4.1E-04	5	1.04E-07	
596	596	4.0E-04	5	1.02E-07	
597	597	3.9E-04	5	1.00E-07	
345	345	1.4E-03	5	3.70E-07	
346	346	1.5E-03	5	3.94E-07	
347	347	1.6E-03	5	4.14E-07	
348	348	1.7E-03	5	4.26E-07	
359	359	1.3E-03	5	3.25E-07	
360	360	1.3E-03	5	3.45E-07	
361	361	1.4E-03	5	3.60E-07	
362	362	1.4E-03	5	3.70E-07	
363	363	1.5E-03	5	3.72E-07	
373	373	1.2E-03	5	3.05E-07	
374	374	1.2E-03	5	3.17E-07	
375	375	1.3E-03	5	3.25E-07	
376	376	1.3E-03	5	3.27E-07	
386	386	1.1E-03	5	2.71E-07	
387	387	1.1E-03	5	2.81E-07	
388	388	1.1E-03	5	2.88E-07	
389	389	1.1E-03	5	2.90E-07	
390	390	1.1E-03	5	2.88E-07	
400	400	9.5E-04	5	2.43E-07	
401	401	9.8E-04	5	2.51E-07	
402	402	1.0E-03	5	2.57E-07	
403	403	1.0E-03	5	2.59E-07	
404	404	1.0E-03	5	2.58E-07	
415	415	8.6E-04	5	2.19E-07	
416	416	8.9E-04	5	2.27E-07	
417	417	9.0E-04	5	2.31E-07	

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
418	418	9.1E-04	5	2.34E-07	
419	419	9.1E-04	5	2.33E-07	
420	420	8.9E-04	5	2.27E-07	
430	430	8.0E-04	5	2.05E-07	
431	431	8.2E-04	5	2.10E-07	
432	432	8.3E-04	5	2.12E-07	
433	433	8.2E-04	5	2.11E-07	
434	434	8.1E-04	5	2.07E-07	
444	444	7.3E-04	5	1.87E-07	
445	445	7.4E-04	5	1.91E-07	
446	446	7.5E-04	5	1.92E-07	
447	447	7.5E-04	5	1.92E-07	
448	448	7.4E-04	5	1.90E-07	
459	459	6.8E-04	5	1.74E-07	
460	460	6.9E-04	5	1.76E-07	
461	461	6.9E-04	5	1.76E-07	
462	462	6.8E-04	5	1.74E-07	
463	463	6.6E-04	5	1.70E-07	
474	474	6.2E-04	5	1.60E-07	
475	475	6.3E-04	5	1.62E-07	
476	476	6.3E-04	5	1.62E-07	
477	477	6.3E-04	5	1.60E-07	
478	478	6.1E-04	5	1.57E-07	
495	495	5.8E-04	5	1.47E-07	
496	496	5.8E-04	5	1.49E-07	
497	497	5.8E-04	5	1.49E-07	
498	498	5.8E-04	5	1.48E-07	
499	499	5.7E-04	5	1.46E-07	
500	500	5.5E-04	5	1.42E-07	

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Receptor #	Receptor #	Max Cancer Risk		Chronic Non Cancer Risk	
		Total Risk/ Million	Cancer Risk	REL	HI Offroad
139	139	1.4E-03		5	3.82E-06
140	140	3.6E-03		5	1.01E-05
156	156	1.2E-03		5	3.40E-06
157	157	2.5E-03		5	7.02E-06
158	158	5.9E-03		5	1.63E-05
159	159	6.8E-03		5	1.91E-05
160	160	2.3E-03		5	6.33E-06
161	161	2.7E-03		5	7.51E-06
162	162	1.3E-03		5	3.55E-06
163	163	7.8E-04		5	2.16E-06
167	167	1.6E-03		5	4.50E-06
168	168	2.8E-03		5	7.73E-06
169	169	4.1E-03		5	1.15E-05
170	170	5.1E-03		5	1.43E-05
171	171	3.9E-03		5	1.08E-05
172	172	1.8E-03		5	4.91E-06
173	173	9.4E-04		5	2.63E-06
174	174	6.1E-04		5	1.71E-06
175	175	4.4E-04		5	1.22E-06
176	176	3.3E-04		5	9.25E-07
177	177	2.6E-04		5	7.29E-07
181	181	1.6E-03		5	4.51E-06
182	182	2.1E-03		5	5.98E-06
183	183	2.4E-03		5	6.69E-06
184	184	2.0E-03		5	5.58E-06
185	185	1.3E-03		5	3.51E-06
186	186	7.6E-04		5	2.13E-06
187	187	5.1E-04		5	1.43E-06
188	188	3.8E-04		5	1.05E-06
189	189	2.9E-04		5	8.14E-07
190	190	2.3E-04		5	6.52E-07

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
191	191	1.9E-04				5	5.36E-07	
195	195	1.1E-03				5	2.94E-06	
196	196	1.3E-03				5	3.63E-06	
197	197	1.4E-03				5	3.91E-06	
198	198	1.2E-03				5	3.47E-06	
199	199	9.2E-04				5	2.55E-06	
200	200	6.3E-04				5	1.75E-06	
201	201	4.4E-04				5	1.23E-06	
202	202	3.3E-04				5	9.25E-07	
203	203	2.6E-04				5	7.26E-07	
204	204	2.1E-04				5	5.89E-07	
205	205	1.8E-04				5	4.89E-07	
206	206	1.5E-04				5	4.14E-07	
210	210	5.9E-04				5	1.64E-06	
211	211	7.4E-04				5	2.06E-06	
212	212	8.7E-04				5	2.43E-06	
213	213	9.3E-04				5	2.58E-06	
214	214	6.9E-04				5	1.92E-06	
215	215	5.1E-04				5	1.43E-06	
216	216	3.8E-04				5	1.07E-06	
217	217	2.9E-04				5	8.17E-07	
218	218	2.3E-04				5	6.51E-07	
219	219	1.9E-04				5	5.34E-07	
220	220	1.6E-04				5	4.48E-07	
221	221	1.4E-04				5	3.82E-07	
222	222	1.2E-04				5	3.30E-07	
226	226	4.6E-04				5	1.27E-06	
227	227	5.5E-04				5	1.53E-06	
228	228	6.3E-04				5	1.74E-06	
229	229	6.6E-04				5	1.83E-06	
230	230	6.2E-04				5	1.74E-06	

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
231	231	5.3E-04	5	1.48E-06	
232	232	4.2E-04	5	1.18E-06	
233	233	2.6E-04	5	7.25E-07	
234	234	2.1E-04	5	5.85E-07	
235	235	1.7E-04	5	4.86E-07	
236	236	1.5E-04	5	4.11E-07	
237	237	1.3E-04	5	3.54E-07	
238	238	1.1E-04	5	3.08E-07	
242	242	3.6E-04	5	1.01E-06	
243	243	4.2E-04	5	1.18E-06	
244	244	4.7E-04	5	1.31E-06	
245	245	4.9E-04	5	1.37E-06	
246	246	4.7E-04	5	1.32E-06	
247	247	4.2E-04	5	1.18E-06	
248	248	3.5E-04	5	9.83E-07	
249	249	2.3E-04	5	6.43E-07	
250	250	1.9E-04	5	5.28E-07	
251	251	1.6E-04	5	4.42E-07	
252	252	1.4E-04	5	3.78E-07	
253	253	1.2E-04	5	3.27E-07	
254	254	1.0E-04	5	2.87E-07	
257	257	3.0E-04	5	8.23E-07	
258	258	3.4E-04	5	9.35E-07	
259	259	3.7E-04	5	1.02E-06	
260	260	3.8E-04	5	1.06E-06	
261	261	3.7E-04	5	1.04E-06	
262	262	3.4E-04	5	9.53E-07	
263	263	3.0E-04	5	8.26E-07	
264	264	2.1E-04	5	5.74E-07	
265	265	1.7E-04	5	4.79E-07	
266	266	1.5E-04	5	4.05E-07	

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
267	267	1.3E-04				5	3.49E-07	
268	268	1.1E-04				5	3.04E-07	
269	269	9.6E-05				5	2.68E-07	
270	270	6.9E-05				5	1.93E-07	
271	271	6.3E-05				5	1.75E-07	
274	274	2.4E-04				5	6.82E-07	
275	275	2.7E-04				5	7.60E-07	
276	276	3.0E-04				5	8.22E-07	
277	277	3.1E-04				5	8.51E-07	
278	278	3.0E-04				5	8.41E-07	
279	279	2.8E-04				5	7.85E-07	
280	280	2.5E-04				5	6.98E-07	
281	281	1.8E-04				5	5.11E-07	
282	282	1.6E-04				5	4.33E-07	
283	283	1.3E-04				5	3.71E-07	
284	284	1.2E-04				5	3.22E-07	
285	285	1.0E-04				5	2.83E-07	
286	286	9.0E-05				5	2.51E-07	
287	287	6.5E-05				5	1.83E-07	
288	288	6.0E-05				5	1.67E-07	
291	291	2.1E-04				5	5.74E-07	
292	292	2.3E-04				5	6.31E-07	
293	293	2.4E-04				5	6.76E-07	
294	294	2.5E-04				5	6.98E-07	
295	295	2.5E-04				5	6.92E-07	
296	296	2.4E-04				5	6.57E-07	
297	297	2.1E-04				5	5.98E-07	
298	298	1.6E-04				5	4.57E-07	
299	299	1.4E-04				5	3.94E-07	
300	300	1.2E-04				5	3.41E-07	
301	301	1.1E-04				5	2.98E-07	

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
302	302	9.5E-05				5	2.63E-07	
303	303	8.4E-05				5	2.35E-07	
304	304	6.2E-05				5	1.73E-07	
305	305	5.7E-05				5	1.58E-07	
308	308	1.8E-04				5	4.90E-07	
309	309	1.9E-04				5	5.32E-07	
310	310	2.0E-04				5	5.66E-07	
311	311	2.1E-04				5	5.83E-07	
312	312	2.1E-04				5	5.82E-07	
313	313	2.0E-04				5	5.59E-07	
314	314	1.9E-04				5	5.17E-07	
315	315	1.5E-04				5	4.10E-07	
316	316	1.3E-04				5	3.59E-07	
317	317	1.1E-04				5	3.14E-07	
318	318	9.9E-05				5	2.77E-07	
319	319	8.8E-05				5	2.46E-07	
320	320	7.9E-05				5	2.20E-07	
321	321	5.9E-05				5	1.64E-07	
322	322	5.4E-05				5	1.51E-07	
325	325	1.5E-04				5	4.24E-07	
326	326	1.6E-04				5	4.55E-07	
327	327	1.7E-04				5	4.81E-07	
328	328	1.8E-04				5	4.95E-07	
329	329	1.8E-04				5	4.95E-07	
330	330	1.7E-04				5	4.80E-07	
331	331	1.6E-04				5	4.51E-07	
332	332	1.5E-04				5	4.13E-07	
333	333	1.3E-04				5	3.69E-07	
334	334	1.2E-04				5	3.28E-07	
335	335	1.0E-04				5	2.90E-07	
336	336	9.2E-05				5	2.57E-07	

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
337	337	8.2E-05	5	2.30E-07	
338	338	7.4E-05	5	2.07E-07	
339	339	6.1E-05	5	1.70E-07	
340	340	5.6E-05	5	1.56E-07	
341	341	5.1E-05	5	1.43E-07	
349	349	1.5E-04	5	4.27E-07	
350	350	1.5E-04	5	4.17E-07	
351	351	1.4E-04	5	3.96E-07	
352	352	1.3E-04	5	3.67E-07	
353	353	5.8E-05	5	1.61E-07	
354	354	5.3E-05	5	1.48E-07	
355	355	4.9E-05	5	1.36E-07	
364	364	1.3E-04	5	3.66E-07	
365	365	1.3E-04	5	3.50E-07	
366	366	1.2E-04	5	3.28E-07	
367	367	5.5E-05	5	1.53E-07	
368	368	5.0E-05	5	1.41E-07	
369	369	4.7E-05	5	1.30E-07	
377	377	1.2E-04	5	3.23E-07	
378	378	1.1E-04	5	3.12E-07	
379	379	1.1E-04	5	2.95E-07	
380	380	5.2E-05	5	1.45E-07	
381	381	4.8E-05	5	1.33E-07	
382	382	4.4E-05	5	1.24E-07	
391	391	1.0E-04	5	2.79E-07	
392	392	9.5E-05	5	2.66E-07	
393	393	4.9E-05	5	1.37E-07	
394	394	4.6E-05	5	1.27E-07	
395	395	4.2E-05	5	1.18E-07	
405	405	9.0E-05	5	2.51E-07	
406	406	8.7E-05	5	2.41E-07	

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
407	407	8.2E-05	5	2.28E-07	
408	408	4.7E-05	5	1.31E-07	
409	409	4.3E-05	5	1.21E-07	
410	410	4.1E-05	5	1.13E-07	
421	421	7.9E-05	5	2.20E-07	
422	422	7.5E-05	5	2.09E-07	
423	423	4.5E-05	5	1.24E-07	
424	424	4.1E-05	5	1.16E-07	
425	425	3.9E-05	5	1.08E-07	
435	435	7.2E-05	5	2.01E-07	
436	436	6.9E-05	5	1.92E-07	
437	437	4.0E-05	5	1.10E-07	
438	438	3.7E-05	5	1.03E-07	
449	449	6.6E-05	5	1.84E-07	
450	450	6.4E-05	5	1.77E-07	
451	451	6.1E-05	5	1.69E-07	
452	452	3.8E-05	5	1.05E-07	
453	453	3.5E-05	5	9.88E-08	
464	464	5.9E-05	5	1.64E-07	
465	465	5.6E-05	5	1.57E-07	
466	466	4.1E-05	5	1.15E-07	
467	467	3.6E-05	5	1.01E-07	
468	468	3.4E-05	5	9.47E-08	
479	479	5.5E-05	5	1.52E-07	
480	480	5.2E-05	5	1.46E-07	
481	481	5.0E-05	5	1.39E-07	
482	482	4.7E-05	5	1.32E-07	
483	483	4.5E-05	5	1.24E-07	
484	484	4.2E-05	5	1.17E-07	
485	485	3.9E-05	5	1.09E-07	
486	486	3.7E-05	5	1.03E-07	

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
487	487	3.5E-05	5	9.65E-08	
488	488	3.3E-05	5	9.08E-08	
501	501	4.9E-05	5	1.36E-07	
502	502	4.7E-05	5	1.31E-07	
503	503	4.5E-05	5	1.24E-07	
504	504	4.2E-05	5	1.18E-07	
505	505	4.0E-05	5	1.11E-07	
506	506	3.7E-05	5	1.04E-07	
507	507	3.5E-05	5	9.82E-08	
508	508	3.1E-05	5	8.71E-08	
520	520	4.6E-05	5	1.28E-07	
521	521	4.4E-05	5	1.23E-07	
522	522	4.2E-05	5	1.17E-07	
523	523	4.0E-05	5	1.11E-07	
524	524	3.8E-05	5	1.05E-07	
525	525	3.6E-05	5	9.94E-08	
526	526	3.4E-05	5	9.38E-08	
527	527	3.0E-05	5	8.37E-08	
539	539	4.3E-05	5	1.20E-07	
540	540	4.1E-05	5	1.16E-07	
541	541	4.0E-05	5	1.11E-07	
542	542	3.8E-05	5	1.05E-07	
543	543	3.6E-05	5	1.00E-07	
544	544	3.4E-05	5	9.48E-08	
545	545	3.2E-05	5	8.97E-08	
546	546	2.9E-05	5	8.04E-08	
560	560	3.9E-05	5	1.09E-07	
561	561	3.8E-05	5	1.05E-07	
562	562	3.6E-05	5	1.00E-07	
563	563	3.4E-05	5	9.39E-08	
564	564	3.2E-05	5	9.05E-08	

Via Oro
Risk From Warnock Way (Hughes to Santa Fe) [TKE]

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
565	565	3.1E-05	5	8.60E-08	
566	566	2.8E-05	5	7.73E-08	
579	579	3.7E-05	5	1.03E-07	
580	580	3.6E-05	5	9.93E-08	
581	581	3.4E-05	5	9.52E-08	
582	582	3.3E-05	5	9.09E-08	
583	583	3.1E-05	5	8.66E-08	
584	584	3.0E-05	5	8.23E-08	
585	585	2.5E-05	5	7.09E-08	
598	598	3.5E-05	5	9.74E-08	
599	599	3.4E-05	5	9.41E-08	
600	600	3.2E-05	5	9.06E-08	
601	601	3.1E-05	5	8.68E-08	
602	602	3.0E-05	5	8.28E-08	
603	603	2.8E-05	5	7.90E-08	
604	604	2.7E-05	5	7.52E-08	
0	0	0.0E+00	5	0.00E+00	

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	Cancer Risk from 3rd Trimester - Construction								
		g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.45588	2.34E-06	1.1E-06	3.46E-04	3.69E-10	0.25	1.57E-01	1.45E-11	1.0E+06	1.5E-05
2	0.50584	2.34E-06	1.2E-06	3.46E-04	4.10E-10	0.25	1.57E-01	1.61E-11	1.0E+06	1.6E-05
3	0.56476	2.34E-06	1.3E-06	3.46E-04	4.58E-10	0.25	1.57E-01	1.80E-11	1.0E+06	1.8E-05
4	0.63522	2.34E-06	1.5E-06	3.46E-04	5.15E-10	0.25	1.57E-01	2.02E-11	1.0E+06	2.0E-05
5	0.72054	2.34E-06	1.7E-06	3.46E-04	5.84E-10	0.25	1.57E-01	2.29E-11	1.0E+06	2.3E-05
6	0.82615	2.34E-06	1.9E-06	3.46E-04	6.69E-10	0.25	1.57E-01	2.63E-11	1.0E+06	2.6E-05
7	0.95761	2.34E-06	2.2E-06	3.46E-04	7.76E-10	0.25	1.57E-01	3.05E-11	1.0E+06	3.0E-05
8	1.12359	2.34E-06	2.6E-06	3.46E-04	9.10E-10	0.25	1.57E-01	3.58E-11	1.0E+06	3.6E-05
9	1.33796	2.34E-06	3.1E-06	3.46E-04	1.08E-09	0.25	1.57E-01	4.26E-11	1.0E+06	4.3E-05
10	1.62059	2.34E-06	3.8E-06	3.46E-04	1.31E-09	0.25	1.57E-01	5.16E-11	1.0E+06	5.2E-05
11	2.00202	2.34E-06	4.7E-06	3.46E-04	1.62E-09	0.25	1.57E-01	6.37E-11	1.0E+06	6.4E-05
12	2.53083	2.34E-06	5.9E-06	3.46E-04	2.05E-09	0.25	1.57E-01	8.06E-11	1.0E+06	8.1E-05
13	3.29165	2.34E-06	7.7E-06	3.46E-04	2.67E-09	0.25	1.57E-01	1.05E-10	1.0E+06	1.0E-04
14	4.42219	2.34E-06	1.0E-05	3.46E-04	3.58E-09	0.25	1.57E-01	1.41E-10	1.0E+06	1.4E-04
15	6.17586	2.34E-06	1.4E-05	3.46E-04	5.00E-09	0.25	1.57E-01	1.97E-10	1.0E+06	2.0E-04
16	8.9909	2.34E-06	2.1E-05	3.46E-04	7.28E-09	0.25	1.57E-01	2.86E-10	1.0E+06	2.9E-04
17	13.16918	2.34E-06	3.1E-05	3.46E-04	1.07E-08	0.25	1.57E-01	4.19E-10	1.0E+06	4.2E-04
18	16.84858	2.34E-06	3.9E-05	3.46E-04	1.37E-08	0.25	1.57E-01	5.36E-10	1.0E+06	5.4E-04
19	15.79076	2.34E-06	3.7E-05	3.46E-04	1.28E-08	0.25	1.57E-01	5.03E-10	1.0E+06	5.0E-04
20	12.3186	2.34E-06	2.9E-05	3.46E-04	9.98E-09	0.25	1.57E-01	3.92E-10	1.0E+06	3.9E-04
21	9.22867	2.34E-06	2.2E-05	3.46E-04	7.48E-09	0.25	1.57E-01	2.94E-10	1.0E+06	2.9E-04
22	6.92863	2.34E-06	1.6E-05	3.46E-04	5.61E-09	0.25	1.57E-01	2.21E-10	1.0E+06	2.2E-04
23	5.26854	2.34E-06	1.2E-05	3.46E-04	4.27E-09	0.25	1.57E-01	1.68E-10	1.0E+06	1.7E-04
24	4.06949	2.34E-06	9.5E-06	3.46E-04	3.30E-09	0.25	1.57E-01	1.30E-10	1.0E+06	1.3E-04
25	3.1955	2.34E-06	7.5E-06	3.46E-04	2.59E-09	0.25	1.57E-01	1.02E-10	1.0E+06	1.0E-04
26	2.55061	2.34E-06	6.0E-06	3.46E-04	2.07E-09	0.25	1.57E-01	8.12E-11	1.0E+06	8.1E-05
27	2.06825	2.34E-06	4.8E-06	3.46E-04	1.68E-09	0.25	1.57E-01	6.58E-11	1.0E+06	6.6E-05
28	1.70265	2.34E-06	4.0E-06	3.46E-04	1.38E-09	0.25	1.57E-01	5.42E-11	1.0E+06	5.4E-05
29	1.42117	2.34E-06	3.3E-06	3.46E-04	1.15E-09	0.25	1.57E-01	4.52E-11	1.0E+06	4.5E-05
30	1.2014	2.34E-06	2.8E-06	3.46E-04	9.73E-10	0.25	1.57E-01	3.82E-11	1.0E+06	3.8E-05
31	1.02783	2.34E-06	2.4E-06	3.46E-04	8.33E-10	0.25	1.57E-01	3.27E-11	1.0E+06	3.3E-05

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.88916	2.34E-06	2.1E-06	3.46E-04	7.20E-10	0.25	1.57E-01	2.83E-11	1.0E+06	2.8E-05
55	7.39859	2.34E-06	1.7E-05	3.46E-04	5.99E-09	0.25	1.57E-01	2.35E-10	1.0E+06	2.4E-04
56	5.30522	2.34E-06	1.2E-05	3.46E-04	4.30E-09	0.25	1.57E-01	1.69E-10	1.0E+06	1.7E-04
57	3.94329	2.34E-06	9.2E-06	3.46E-04	3.19E-09	0.25	1.57E-01	1.26E-10	1.0E+06	1.3E-04
58	3.02102	2.34E-06	7.1E-06	3.46E-04	2.45E-09	0.25	1.57E-01	9.62E-11	1.0E+06	9.6E-05
59	2.37617	2.34E-06	5.6E-06	3.46E-04	1.93E-09	0.25	1.57E-01	7.56E-11	1.0E+06	7.6E-05
60	1.91181	2.34E-06	4.5E-06	3.46E-04	1.55E-09	0.25	1.57E-01	6.09E-11	1.0E+06	6.1E-05
61	1.56736	2.34E-06	3.7E-06	3.46E-04	1.27E-09	0.25	1.57E-01	4.99E-11	1.0E+06	5.0E-05
62	1.30743	2.34E-06	3.1E-06	3.46E-04	1.06E-09	0.25	1.57E-01	4.16E-11	1.0E+06	4.2E-05
63	1.10652	2.34E-06	2.6E-06	3.46E-04	8.96E-10	0.25	1.57E-01	3.52E-11	1.0E+06	3.5E-05
64	0.94908	2.34E-06	2.2E-06	3.46E-04	7.69E-10	0.25	1.57E-01	3.02E-11	1.0E+06	3.0E-05
65	0.82383	2.34E-06	1.9E-06	3.46E-04	6.67E-10	0.25	1.57E-01	2.62E-11	1.0E+06	2.6E-05
66	0.72115	2.34E-06	1.7E-06	3.46E-04	5.84E-10	0.25	1.57E-01	2.30E-11	1.0E+06	2.3E-05
67	0.46884	2.34E-06	1.1E-06	3.46E-04	3.80E-10	0.25	1.57E-01	1.49E-11	1.0E+06	1.5E-05
68	0.52243	2.34E-06	1.2E-06	3.46E-04	4.23E-10	0.25	1.57E-01	1.66E-11	1.0E+06	1.7E-05
69	0.58644	2.34E-06	1.4E-06	3.46E-04	4.75E-10	0.25	1.57E-01	1.87E-11	1.0E+06	1.9E-05
70	0.66394	2.34E-06	1.6E-06	3.46E-04	5.38E-10	0.25	1.57E-01	2.11E-11	1.0E+06	2.1E-05
71	0.75859	2.34E-06	1.8E-06	3.46E-04	6.15E-10	0.25	1.57E-01	2.41E-11	1.0E+06	2.4E-05
72	0.87783	2.34E-06	2.1E-06	3.46E-04	7.11E-10	0.25	1.57E-01	2.79E-11	1.0E+06	2.8E-05
73	1.02923	2.34E-06	2.4E-06	3.46E-04	8.34E-10	0.25	1.57E-01	3.28E-11	1.0E+06	3.3E-05
74	1.22595	2.34E-06	2.9E-06	3.46E-04	9.93E-10	0.25	1.57E-01	3.90E-11	1.0E+06	3.9E-05
75	1.48855	2.34E-06	3.5E-06	3.46E-04	1.21E-09	0.25	1.57E-01	4.74E-11	1.0E+06	4.7E-05
76	1.8516	2.34E-06	4.3E-06	3.46E-04	1.50E-09	0.25	1.57E-01	5.89E-11	1.0E+06	5.9E-05
77	2.37427	2.34E-06	5.6E-06	3.46E-04	1.92E-09	0.25	1.57E-01	7.56E-11	1.0E+06	7.6E-05
78	3.16368	2.34E-06	7.4E-06	3.46E-04	2.56E-09	0.25	1.57E-01	1.01E-10	1.0E+06	1.0E-04
79	12.58766	2.34E-06	2.9E-05	3.46E-04	1.02E-08	0.25	1.57E-01	4.01E-10	1.0E+06	4.0E-04
80	14.49872	2.34E-06	3.4E-05	3.46E-04	1.17E-08	0.25	1.57E-01	4.61E-10	1.0E+06	4.6E-04
81	37.65877	2.34E-06	8.8E-05	3.46E-04	3.05E-08	0.25	1.57E-01	1.20E-09	1.0E+06	1.2E-03
82	18.12006	2.34E-06	4.2E-05	3.46E-04	1.47E-08	0.25	1.57E-01	5.77E-10	1.0E+06	5.8E-04
83	10.7035	2.34E-06	2.5E-05	3.46E-04	8.67E-09	0.25	1.57E-01	3.41E-10	1.0E+06	3.4E-04
84	6.99614	2.34E-06	1.6E-05	3.46E-04	5.67E-09	0.25	1.57E-01	2.23E-10	1.0E+06	2.2E-04

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	4.87884	2.34E-06	1.1E-05	3.46E-04	3.95E-09	0.25	1.57E-01	1.55E-10	1.0E+06	1.6E-04
86	3.57268	2.34E-06	8.4E-06	3.46E-04	2.89E-09	0.25	1.57E-01	1.14E-10	1.0E+06	1.1E-04
87	2.72117	2.34E-06	6.4E-06	3.46E-04	2.20E-09	0.25	1.57E-01	8.66E-11	1.0E+06	8.7E-05
88	2.13813	2.34E-06	5.0E-06	3.46E-04	1.73E-09	0.25	1.57E-01	6.81E-11	1.0E+06	6.8E-05
89	1.72523	2.34E-06	4.0E-06	3.46E-04	1.40E-09	0.25	1.57E-01	5.49E-11	1.0E+06	5.5E-05
90	1.42175	2.34E-06	3.3E-06	3.46E-04	1.15E-09	0.25	1.57E-01	4.53E-11	1.0E+06	4.5E-05
91	1.19125	2.34E-06	2.8E-06	3.46E-04	9.65E-10	0.25	1.57E-01	3.79E-11	1.0E+06	3.8E-05
92	1.01509	2.34E-06	2.4E-06	3.46E-04	8.22E-10	0.25	1.57E-01	3.23E-11	1.0E+06	3.2E-05
93	0.8749	2.34E-06	2.0E-06	3.46E-04	7.09E-10	0.25	1.57E-01	2.78E-11	1.0E+06	2.8E-05
96	2.818	2.34E-06	6.6E-06	3.46E-04	2.28E-09	0.25	1.57E-01	8.97E-11	1.0E+06	9.0E-05
97	2.14823	2.34E-06	5.0E-06	3.46E-04	1.74E-09	0.25	1.57E-01	6.84E-11	1.0E+06	6.8E-05
98	1.89893	2.34E-06	4.4E-06	3.46E-04	1.54E-09	0.25	1.57E-01	6.04E-11	1.0E+06	6.0E-05
99	1.54511	2.34E-06	3.6E-06	3.46E-04	1.25E-09	0.25	1.57E-01	4.92E-11	1.0E+06	4.9E-05
100	1.28553	2.34E-06	3.0E-06	3.46E-04	1.04E-09	0.25	1.57E-01	4.09E-11	1.0E+06	4.1E-05
101	1.08822	2.34E-06	2.5E-06	3.46E-04	8.82E-10	0.25	1.57E-01	3.46E-11	1.0E+06	3.5E-05
102	0.93181	2.34E-06	2.2E-06	3.46E-04	7.55E-10	0.25	1.57E-01	2.97E-11	1.0E+06	3.0E-05
106	0.42136	2.34E-06	9.9E-07	3.46E-04	3.41E-10	0.25	1.57E-01	1.34E-11	1.0E+06	1.3E-05
107	0.46829	2.34E-06	1.1E-06	3.46E-04	3.79E-10	0.25	1.57E-01	1.49E-11	1.0E+06	1.5E-05
108	0.52198	2.34E-06	1.2E-06	3.46E-04	4.23E-10	0.25	1.57E-01	1.66E-11	1.0E+06	1.7E-05
109	0.58628	2.34E-06	1.4E-06	3.46E-04	4.75E-10	0.25	1.57E-01	1.87E-11	1.0E+06	1.9E-05
110	0.66428	2.34E-06	1.6E-06	3.46E-04	5.38E-10	0.25	1.57E-01	2.11E-11	1.0E+06	2.1E-05
111	0.75975	2.34E-06	1.8E-06	3.46E-04	6.16E-10	0.25	1.57E-01	2.42E-11	1.0E+06	2.4E-05
112	0.88045	2.34E-06	2.1E-06	3.46E-04	7.13E-10	0.25	1.57E-01	2.80E-11	1.0E+06	2.8E-05
113	1.03374	2.34E-06	2.4E-06	3.46E-04	8.38E-10	0.25	1.57E-01	3.29E-11	1.0E+06	3.3E-05
114	1.23423	2.34E-06	2.9E-06	3.46E-04	1.00E-09	0.25	1.57E-01	3.93E-11	1.0E+06	3.9E-05
115	1.50309	2.34E-06	3.5E-06	3.46E-04	1.22E-09	0.25	1.57E-01	4.78E-11	1.0E+06	4.8E-05
116	1.8754	2.34E-06	4.4E-06	3.46E-04	1.52E-09	0.25	1.57E-01	5.97E-11	1.0E+06	6.0E-05
117	2.4219	2.34E-06	5.7E-06	3.46E-04	1.96E-09	0.25	1.57E-01	7.71E-11	1.0E+06	7.7E-05
118	3.26529	2.34E-06	7.6E-06	3.46E-04	2.65E-09	0.25	1.57E-01	1.04E-10	1.0E+06	1.0E-04
124	0.41874	2.34E-06	9.8E-07	3.46E-04	3.39E-10	0.25	1.57E-01	1.33E-11	1.0E+06	1.3E-05
125	0.46324	2.34E-06	1.1E-06	3.46E-04	3.75E-10	0.25	1.57E-01	1.47E-11	1.0E+06	1.5E-05

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.51579	2.34E-06	1.2E-06	3.46E-04	4.18E-10	0.25	1.57E-01	1.64E-11	1.0E+06	1.6E-05
127	0.57858	2.34E-06	1.4E-06	3.46E-04	4.69E-10	0.25	1.57E-01	1.84E-11	1.0E+06	1.8E-05
128	0.65456	2.34E-06	1.5E-06	3.46E-04	5.30E-10	0.25	1.57E-01	2.08E-11	1.0E+06	2.1E-05
129	0.74732	2.34E-06	1.7E-06	3.46E-04	6.05E-10	0.25	1.57E-01	2.38E-11	1.0E+06	2.4E-05
130	0.86391	2.34E-06	2.0E-06	3.46E-04	7.00E-10	0.25	1.57E-01	2.75E-11	1.0E+06	2.7E-05
131	1.01158	2.34E-06	2.4E-06	3.46E-04	8.20E-10	0.25	1.57E-01	3.22E-11	1.0E+06	3.2E-05
132	1.20331	2.34E-06	2.8E-06	3.46E-04	9.75E-10	0.25	1.57E-01	3.83E-11	1.0E+06	3.8E-05
133	1.45851	2.34E-06	3.4E-06	3.46E-04	1.18E-09	0.25	1.57E-01	4.64E-11	1.0E+06	4.6E-05
134	1.81048	2.34E-06	4.2E-06	3.46E-04	1.47E-09	0.25	1.57E-01	5.76E-11	1.0E+06	5.8E-05
135	2.31438	2.34E-06	5.4E-06	3.46E-04	1.88E-09	0.25	1.57E-01	7.37E-11	1.0E+06	7.4E-05
136	3.07488	2.34E-06	7.2E-06	3.46E-04	2.49E-09	0.25	1.57E-01	9.79E-11	1.0E+06	9.8E-05
137	4.30283	2.34E-06	1.0E-05	3.46E-04	3.49E-09	0.25	1.57E-01	1.37E-10	1.0E+06	1.4E-04
138	6.53452	2.34E-06	1.5E-05	3.46E-04	5.29E-09	0.25	1.57E-01	2.08E-10	1.0E+06	2.1E-04
141	0.41256	2.34E-06	9.7E-07	3.46E-04	3.34E-10	0.25	1.57E-01	1.31E-11	1.0E+06	1.3E-05
142	0.45574	2.34E-06	1.1E-06	3.46E-04	3.69E-10	0.25	1.57E-01	1.45E-11	1.0E+06	1.5E-05
143	0.50657	2.34E-06	1.2E-06	3.46E-04	4.10E-10	0.25	1.57E-01	1.61E-11	1.0E+06	1.6E-05
144	0.56708	2.34E-06	1.3E-06	3.46E-04	4.59E-10	0.25	1.57E-01	1.80E-11	1.0E+06	1.8E-05
145	0.63991	2.34E-06	1.5E-06	3.46E-04	5.18E-10	0.25	1.57E-01	2.04E-11	1.0E+06	2.0E-05
146	0.72841	2.34E-06	1.7E-06	3.46E-04	5.90E-10	0.25	1.57E-01	2.32E-11	1.0E+06	2.3E-05
147	0.83872	2.34E-06	2.0E-06	3.46E-04	6.80E-10	0.25	1.57E-01	2.67E-11	1.0E+06	2.7E-05
148	0.97716	2.34E-06	2.3E-06	3.46E-04	7.92E-10	0.25	1.57E-01	3.11E-11	1.0E+06	3.1E-05
149	1.15486	2.34E-06	2.7E-06	3.46E-04	9.36E-10	0.25	1.57E-01	3.68E-11	1.0E+06	3.7E-05
150	1.388	2.34E-06	3.2E-06	3.46E-04	1.12E-09	0.25	1.57E-01	4.42E-11	1.0E+06	4.4E-05
151	1.70256	2.34E-06	4.0E-06	3.46E-04	1.38E-09	0.25	1.57E-01	5.42E-11	1.0E+06	5.4E-05
152	2.14081	2.34E-06	5.0E-06	3.46E-04	1.73E-09	0.25	1.57E-01	6.81E-11	1.0E+06	6.8E-05
153	2.77678	2.34E-06	6.5E-06	3.46E-04	2.25E-09	0.25	1.57E-01	8.84E-11	1.0E+06	8.8E-05
154	3.75203	2.34E-06	8.8E-06	3.46E-04	3.04E-09	0.25	1.57E-01	1.19E-10	1.0E+06	1.2E-04
155	5.36547	2.34E-06	1.3E-05	3.46E-04	4.35E-09	0.25	1.57E-01	1.71E-10	1.0E+06	1.7E-04
164	3.17314	2.34E-06	7.4E-06	3.46E-04	2.57E-09	0.25	1.57E-01	1.01E-10	1.0E+06	1.0E-04
165	4.27347	2.34E-06	1.0E-05	3.46E-04	3.46E-09	0.25	1.57E-01	1.36E-10	1.0E+06	1.4E-04
166	6.05606	2.34E-06	1.4E-05	3.46E-04	4.91E-09	0.25	1.57E-01	1.93E-10	1.0E+06	1.9E-04

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	2.65797	2.34E-06	6.2E-06	3.46E-04	2.15E-09	0.25	1.57E-01	8.46E-11	1.0E+06	8.5E-05
179	3.41062	2.34E-06	8.0E-06	3.46E-04	2.76E-09	0.25	1.57E-01	1.09E-10	1.0E+06	1.1E-04
180	4.49811	2.34E-06	1.1E-05	3.46E-04	3.64E-09	0.25	1.57E-01	1.43E-10	1.0E+06	1.4E-04
192	2.23194	2.34E-06	5.2E-06	3.46E-04	1.81E-09	0.25	1.57E-01	7.10E-11	1.0E+06	7.1E-05
193	2.75778	2.34E-06	6.5E-06	3.46E-04	2.23E-09	0.25	1.57E-01	8.78E-11	1.0E+06	8.8E-05
194	3.44958	2.34E-06	8.1E-06	3.46E-04	2.79E-09	0.25	1.57E-01	1.10E-10	1.0E+06	1.1E-04
207	1.88852	2.34E-06	4.4E-06	3.46E-04	1.53E-09	0.25	1.57E-01	6.01E-11	1.0E+06	6.0E-05
208	2.26388	2.34E-06	5.3E-06	3.46E-04	1.83E-09	0.25	1.57E-01	7.21E-11	1.0E+06	7.2E-05
209	2.72283	2.34E-06	6.4E-06	3.46E-04	2.21E-09	0.25	1.57E-01	8.67E-11	1.0E+06	8.7E-05
223	1.61307	2.34E-06	3.8E-06	3.46E-04	1.31E-09	0.25	1.57E-01	5.13E-11	1.0E+06	5.1E-05
224	1.88669	2.34E-06	4.4E-06	3.46E-04	1.53E-09	0.25	1.57E-01	6.01E-11	1.0E+06	6.0E-05
225	2.20205	2.34E-06	5.2E-06	3.46E-04	1.78E-09	0.25	1.57E-01	7.01E-11	1.0E+06	7.0E-05
239	1.39094	2.34E-06	3.3E-06	3.46E-04	1.13E-09	0.25	1.57E-01	4.43E-11	1.0E+06	4.4E-05
240	1.59421	2.34E-06	3.7E-06	3.46E-04	1.29E-09	0.25	1.57E-01	5.07E-11	1.0E+06	5.1E-05
241	1.81828	2.34E-06	4.3E-06	3.46E-04	1.47E-09	0.25	1.57E-01	5.79E-11	1.0E+06	5.8E-05
255	1.20997	2.34E-06	2.8E-06	3.46E-04	9.80E-10	0.25	1.57E-01	3.85E-11	1.0E+06	3.9E-05
256	1.36372	2.34E-06	3.2E-06	3.46E-04	1.10E-09	0.25	1.57E-01	4.34E-11	1.0E+06	4.3E-05
272	1.06144	2.34E-06	2.5E-06	3.46E-04	8.60E-10	0.25	1.57E-01	3.38E-11	1.0E+06	3.4E-05
273	1.17917	2.34E-06	2.8E-06	3.46E-04	9.55E-10	0.25	1.57E-01	3.75E-11	1.0E+06	3.8E-05
289	0.9378	2.34E-06	2.2E-06	3.46E-04	7.60E-10	0.25	1.57E-01	2.98E-11	1.0E+06	3.0E-05
290	1.02945	2.34E-06	2.4E-06	3.46E-04	8.34E-10	0.25	1.57E-01	3.28E-11	1.0E+06	3.3E-05
306	0.83438	2.34E-06	2.0E-06	3.46E-04	6.76E-10	0.25	1.57E-01	2.66E-11	1.0E+06	2.7E-05
307	0.90654	2.34E-06	2.1E-06	3.46E-04	7.34E-10	0.25	1.57E-01	2.89E-11	1.0E+06	2.9E-05
323	0.7471	2.34E-06	1.7E-06	3.46E-04	6.05E-10	0.25	1.57E-01	2.38E-11	1.0E+06	2.4E-05
324	0.8047	2.34E-06	1.9E-06	3.46E-04	6.52E-10	0.25	1.57E-01	2.56E-11	1.0E+06	2.6E-05
342	0.67274	2.34E-06	1.6E-06	3.46E-04	5.45E-10	0.25	1.57E-01	2.14E-11	1.0E+06	2.1E-05
343	0.71922	2.34E-06	1.7E-06	3.46E-04	5.83E-10	0.25	1.57E-01	2.29E-11	1.0E+06	2.3E-05
344	0.7653	2.34E-06	1.8E-06	3.46E-04	6.20E-10	0.25	1.57E-01	2.44E-11	1.0E+06	2.4E-05
356	0.60916	2.34E-06	1.4E-06	3.46E-04	4.94E-10	0.25	1.57E-01	1.94E-11	1.0E+06	1.9E-05
357	0.64743	2.34E-06	1.5E-06	3.46E-04	5.25E-10	0.25	1.57E-01	2.06E-11	1.0E+06	2.1E-05
358	0.68444	2.34E-06	1.6E-06	3.46E-04	5.55E-10	0.25	1.57E-01	2.18E-11	1.0E+06	2.2E-05

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.55417	2.34E-06	1.3E-06	3.46E-04	4.49E-10	0.25	1.57E-01	1.76E-11	1.0E+06	1.8E-05
371	0.58585	2.34E-06	1.4E-06	3.46E-04	4.75E-10	0.25	1.57E-01	1.86E-11	1.0E+06	1.9E-05
372	0.61623	2.34E-06	1.4E-06	3.46E-04	4.99E-10	0.25	1.57E-01	1.96E-11	1.0E+06	2.0E-05
383	0.50646	2.34E-06	1.2E-06	3.46E-04	4.10E-10	0.25	1.57E-01	1.61E-11	1.0E+06	1.6E-05
384	0.53285	2.34E-06	1.2E-06	3.46E-04	4.32E-10	0.25	1.57E-01	1.70E-11	1.0E+06	1.7E-05
385	0.55812	2.34E-06	1.3E-06	3.46E-04	4.52E-10	0.25	1.57E-01	1.78E-11	1.0E+06	1.8E-05
396	0.46473	2.34E-06	1.1E-06	3.46E-04	3.77E-10	0.25	1.57E-01	1.48E-11	1.0E+06	1.5E-05
397	0.48693	2.34E-06	1.1E-06	3.46E-04	3.95E-10	0.25	1.57E-01	1.55E-11	1.0E+06	1.5E-05
398	0.50818	2.34E-06	1.2E-06	3.46E-04	4.12E-10	0.25	1.57E-01	1.62E-11	1.0E+06	1.6E-05
399	0.52753	2.34E-06	1.2E-06	3.46E-04	4.27E-10	0.25	1.57E-01	1.68E-11	1.0E+06	1.7E-05
411	0.42811	2.34E-06	1.0E-06	3.46E-04	3.47E-10	0.25	1.57E-01	1.36E-11	1.0E+06	1.4E-05
412	0.44698	2.34E-06	1.0E-06	3.46E-04	3.62E-10	0.25	1.57E-01	1.42E-11	1.0E+06	1.4E-05
413	0.46473	2.34E-06	1.1E-06	3.46E-04	3.77E-10	0.25	1.57E-01	1.48E-11	1.0E+06	1.5E-05
414	0.48134	2.34E-06	1.1E-06	3.46E-04	3.90E-10	0.25	1.57E-01	1.53E-11	1.0E+06	1.5E-05
426	0.39571	2.34E-06	9.3E-07	3.46E-04	3.21E-10	0.25	1.57E-01	1.26E-11	1.0E+06	1.3E-05
427	0.4118	2.34E-06	9.6E-07	3.46E-04	3.34E-10	0.25	1.57E-01	1.31E-11	1.0E+06	1.3E-05
428	0.42726	2.34E-06	1.0E-06	3.46E-04	3.46E-10	0.25	1.57E-01	1.36E-11	1.0E+06	1.4E-05
429	0.44129	2.34E-06	1.0E-06	3.46E-04	3.58E-10	0.25	1.57E-01	1.40E-11	1.0E+06	1.4E-05
439	0.36702	2.34E-06	8.6E-07	3.46E-04	2.97E-10	0.25	1.57E-01	1.17E-11	1.0E+06	1.2E-05
440	0.38087	2.34E-06	8.9E-07	3.46E-04	3.09E-10	0.25	1.57E-01	1.21E-11	1.0E+06	1.2E-05
441	0.39407	2.34E-06	9.2E-07	3.46E-04	3.19E-10	0.25	1.57E-01	1.25E-11	1.0E+06	1.3E-05
442	0.4062	2.34E-06	9.5E-07	3.46E-04	3.29E-10	0.25	1.57E-01	1.29E-11	1.0E+06	1.3E-05
443	0.41653	2.34E-06	9.7E-07	3.46E-04	3.37E-10	0.25	1.57E-01	1.33E-11	1.0E+06	1.3E-05
454	0.34142	2.34E-06	8.0E-07	3.46E-04	2.77E-10	0.25	1.57E-01	1.09E-11	1.0E+06	1.1E-05
455	0.3534	2.34E-06	8.3E-07	3.46E-04	2.86E-10	0.25	1.57E-01	1.12E-11	1.0E+06	1.1E-05
456	0.36482	2.34E-06	8.5E-07	3.46E-04	2.96E-10	0.25	1.57E-01	1.16E-11	1.0E+06	1.2E-05
457	0.37533	2.34E-06	8.8E-07	3.46E-04	3.04E-10	0.25	1.57E-01	1.19E-11	1.0E+06	1.2E-05
458	0.38437	2.34E-06	9.0E-07	3.46E-04	3.11E-10	0.25	1.57E-01	1.22E-11	1.0E+06	1.2E-05
469	0.31855	2.34E-06	7.5E-07	3.46E-04	2.58E-10	0.25	1.57E-01	1.01E-11	1.0E+06	1.0E-05
470	0.32907	2.34E-06	7.7E-07	3.46E-04	2.67E-10	0.25	1.57E-01	1.05E-11	1.0E+06	1.0E-05
471	0.339	2.34E-06	7.9E-07	3.46E-04	2.75E-10	0.25	1.57E-01	1.08E-11	1.0E+06	1.1E-05

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.34819	2.34E-06	8.1E-07	3.46E-04	2.82E-10	0.25	1.57E-01	1.11E-11	1.0E+06	1.1E-05
473	0.35615	2.34E-06	8.3E-07	3.46E-04	2.89E-10	0.25	1.57E-01	1.13E-11	1.0E+06	1.1E-05
489	0.29792	2.34E-06	7.0E-07	3.46E-04	2.41E-10	0.25	1.57E-01	9.48E-12	1.0E+06	9.5E-06
490	0.30711	2.34E-06	7.2E-07	3.46E-04	2.49E-10	0.25	1.57E-01	9.77E-12	1.0E+06	9.8E-06
491	0.31587	2.34E-06	7.4E-07	3.46E-04	2.56E-10	0.25	1.57E-01	1.01E-11	1.0E+06	1.0E-05
492	0.32393	2.34E-06	7.6E-07	3.46E-04	2.62E-10	0.25	1.57E-01	1.03E-11	1.0E+06	1.0E-05
493	0.33092	2.34E-06	7.7E-07	3.46E-04	2.68E-10	0.25	1.57E-01	1.05E-11	1.0E+06	1.1E-05
494	0.33644	2.34E-06	7.9E-07	3.46E-04	2.73E-10	0.25	1.57E-01	1.07E-11	1.0E+06	1.1E-05
509	0.27941	2.34E-06	6.5E-07	3.46E-04	2.26E-10	0.25	1.57E-01	8.89E-12	1.0E+06	8.9E-06
510	0.2875	2.34E-06	6.7E-07	3.46E-04	2.33E-10	0.25	1.57E-01	9.15E-12	1.0E+06	9.2E-06
511	0.29528	2.34E-06	6.9E-07	3.46E-04	2.39E-10	0.25	1.57E-01	9.40E-12	1.0E+06	9.4E-06
512	0.30241	2.34E-06	7.1E-07	3.46E-04	2.45E-10	0.25	1.57E-01	9.63E-12	1.0E+06	9.6E-06
513	0.30855	2.34E-06	7.2E-07	3.46E-04	2.50E-10	0.25	1.57E-01	9.82E-12	1.0E+06	9.8E-06
514	0.31352	2.34E-06	7.3E-07	3.46E-04	2.54E-10	0.25	1.57E-01	9.98E-12	1.0E+06	1.0E-05
515	0.31807	2.34E-06	7.4E-07	3.46E-04	2.58E-10	0.25	1.57E-01	1.01E-11	1.0E+06	1.0E-05
516	0.31689	2.34E-06	7.4E-07	3.46E-04	2.57E-10	0.25	1.57E-01	1.01E-11	1.0E+06	1.0E-05
517	0.31345	2.34E-06	7.3E-07	3.46E-04	2.54E-10	0.25	1.57E-01	9.98E-12	1.0E+06	1.0E-05
518	0.30764	2.34E-06	7.2E-07	3.46E-04	2.49E-10	0.25	1.57E-01	9.79E-12	1.0E+06	9.8E-06
519	0.2997	2.34E-06	7.0E-07	3.46E-04	2.43E-10	0.25	1.57E-01	9.54E-12	1.0E+06	9.5E-06
528	0.26267	2.34E-06	6.1E-07	3.46E-04	2.13E-10	0.25	1.57E-01	8.36E-12	1.0E+06	8.4E-06
529	0.26984	2.34E-06	6.3E-07	3.46E-04	2.19E-10	0.25	1.57E-01	8.59E-12	1.0E+06	8.6E-06
530	0.27671	2.34E-06	6.5E-07	3.46E-04	2.24E-10	0.25	1.57E-01	8.81E-12	1.0E+06	8.8E-06
531	0.28307	2.34E-06	6.6E-07	3.46E-04	2.29E-10	0.25	1.57E-01	9.01E-12	1.0E+06	9.0E-06
532	0.2886	2.34E-06	6.8E-07	3.46E-04	2.34E-10	0.25	1.57E-01	9.19E-12	1.0E+06	9.2E-06
533	0.29305	2.34E-06	6.9E-07	3.46E-04	2.37E-10	0.25	1.57E-01	9.33E-12	1.0E+06	9.3E-06
534	0.29729	2.34E-06	7.0E-07	3.46E-04	2.41E-10	0.25	1.57E-01	9.46E-12	1.0E+06	9.5E-06
535	0.29657	2.34E-06	6.9E-07	3.46E-04	2.40E-10	0.25	1.57E-01	9.44E-12	1.0E+06	9.4E-06
536	0.2939	2.34E-06	6.9E-07	3.46E-04	2.38E-10	0.25	1.57E-01	9.35E-12	1.0E+06	9.4E-06
537	0.28899	2.34E-06	6.8E-07	3.46E-04	2.34E-10	0.25	1.57E-01	9.20E-12	1.0E+06	9.2E-06
538	0.28218	2.34E-06	6.6E-07	3.46E-04	2.29E-10	0.25	1.57E-01	8.98E-12	1.0E+06	9.0E-06
547	0.24744	2.34E-06	5.8E-07	3.46E-04	2.00E-10	0.25	1.57E-01	7.88E-12	1.0E+06	7.9E-06

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.25383	2.34E-06	5.9E-07	3.46E-04	2.06E-10	0.25	1.57E-01	8.08E-12	1.0E+06	8.1E-06
549	0.26	2.34E-06	6.1E-07	3.46E-04	2.11E-10	0.25	1.57E-01	8.28E-12	1.0E+06	8.3E-06
550	0.26561	2.34E-06	6.2E-07	3.46E-04	2.15E-10	0.25	1.57E-01	8.45E-12	1.0E+06	8.5E-06
551	0.27061	2.34E-06	6.3E-07	3.46E-04	2.19E-10	0.25	1.57E-01	8.61E-12	1.0E+06	8.6E-06
552	0.27463	2.34E-06	6.4E-07	3.46E-04	2.23E-10	0.25	1.57E-01	8.74E-12	1.0E+06	8.7E-06
553	0.27744	2.34E-06	6.5E-07	3.46E-04	2.25E-10	0.25	1.57E-01	8.83E-12	1.0E+06	8.8E-06
554	0.27868	2.34E-06	6.5E-07	3.46E-04	2.26E-10	0.25	1.57E-01	8.87E-12	1.0E+06	8.9E-06
555	0.27831	2.34E-06	6.5E-07	3.46E-04	2.25E-10	0.25	1.57E-01	8.86E-12	1.0E+06	8.9E-06
556	0.27625	2.34E-06	6.5E-07	3.46E-04	2.24E-10	0.25	1.57E-01	8.79E-12	1.0E+06	8.8E-06
557	0.27211	2.34E-06	6.4E-07	3.46E-04	2.20E-10	0.25	1.57E-01	8.66E-12	1.0E+06	8.7E-06
558	0.26639	2.34E-06	6.2E-07	3.46E-04	2.16E-10	0.25	1.57E-01	8.48E-12	1.0E+06	8.5E-06
559	0.25905	2.34E-06	6.1E-07	3.46E-04	2.10E-10	0.25	1.57E-01	8.25E-12	1.0E+06	8.2E-06
567	0.23362	2.34E-06	5.5E-07	3.46E-04	1.89E-10	0.25	1.57E-01	7.44E-12	1.0E+06	7.4E-06
568	0.23935	2.34E-06	5.6E-07	3.46E-04	1.94E-10	0.25	1.57E-01	7.62E-12	1.0E+06	7.6E-06
569	0.24484	2.34E-06	5.7E-07	3.46E-04	1.98E-10	0.25	1.57E-01	7.79E-12	1.0E+06	7.8E-06
570	0.24993	2.34E-06	5.8E-07	3.46E-04	2.02E-10	0.25	1.57E-01	7.96E-12	1.0E+06	8.0E-06
571	0.25441	2.34E-06	6.0E-07	3.46E-04	2.06E-10	0.25	1.57E-01	8.10E-12	1.0E+06	8.1E-06
572	0.25808	2.34E-06	6.0E-07	3.46E-04	2.09E-10	0.25	1.57E-01	8.21E-12	1.0E+06	8.2E-06
573	0.26068	2.34E-06	6.1E-07	3.46E-04	2.11E-10	0.25	1.57E-01	8.30E-12	1.0E+06	8.3E-06
574	0.26179	2.34E-06	6.1E-07	3.46E-04	2.12E-10	0.25	1.57E-01	8.33E-12	1.0E+06	8.3E-06
575	0.26015	2.34E-06	6.1E-07	3.46E-04	2.11E-10	0.25	1.57E-01	8.28E-12	1.0E+06	8.3E-06
576	0.25686	2.34E-06	6.0E-07	3.46E-04	2.08E-10	0.25	1.57E-01	8.18E-12	1.0E+06	8.2E-06
577	0.25197	2.34E-06	5.9E-07	3.46E-04	2.04E-10	0.25	1.57E-01	8.02E-12	1.0E+06	8.0E-06
578	0.24563	2.34E-06	5.7E-07	3.46E-04	1.99E-10	0.25	1.57E-01	7.82E-12	1.0E+06	7.8E-06
586	0.22092	2.34E-06	5.2E-07	3.46E-04	1.79E-10	0.25	1.57E-01	7.03E-12	1.0E+06	7.0E-06
587	0.22605	2.34E-06	5.3E-07	3.46E-04	1.83E-10	0.25	1.57E-01	7.19E-12	1.0E+06	7.2E-06
588	0.23101	2.34E-06	5.4E-07	3.46E-04	1.87E-10	0.25	1.57E-01	7.35E-12	1.0E+06	7.4E-06
589	0.2356	2.34E-06	5.5E-07	3.46E-04	1.91E-10	0.25	1.57E-01	7.50E-12	1.0E+06	7.5E-06
590	0.23967	2.34E-06	5.6E-07	3.46E-04	1.94E-10	0.25	1.57E-01	7.63E-12	1.0E+06	7.6E-06
591	0.243	2.34E-06	5.7E-07	3.46E-04	1.97E-10	0.25	1.57E-01	7.73E-12	1.0E+06	7.7E-06
592	0.24542	2.34E-06	5.7E-07	3.46E-04	1.99E-10	0.25	1.57E-01	7.81E-12	1.0E+06	7.8E-06

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.24675	2.34E-06	5.8E-07	3.46E-04	2.00E-10	0.25	1.57E-01	7.85E-12	1.0E+06	7.9E-06
594	0.2455	2.34E-06	5.7E-07	3.46E-04	1.99E-10	0.25	1.57E-01	7.81E-12	1.0E+06	7.8E-06
595	0.24269	2.34E-06	5.7E-07	3.46E-04	1.97E-10	0.25	1.57E-01	7.72E-12	1.0E+06	7.7E-06
596	0.2385	2.34E-06	5.6E-07	3.46E-04	1.93E-10	0.25	1.57E-01	7.59E-12	1.0E+06	7.6E-06
597	0.23306	2.34E-06	5.5E-07	3.46E-04	1.89E-10	0.25	1.57E-01	7.42E-12	1.0E+06	7.4E-06
345	0.80697	2.34E-06	1.9E-06	3.46E-04	6.54E-10	0.25	1.57E-01	2.57E-11	1.0E+06	2.6E-05
346	0.84115	2.34E-06	2.0E-06	3.46E-04	6.81E-10	0.25	1.57E-01	2.68E-11	1.0E+06	2.7E-05
347	0.86268	2.34E-06	2.0E-06	3.46E-04	6.99E-10	0.25	1.57E-01	2.75E-11	1.0E+06	2.7E-05
348	0.86764	2.34E-06	2.0E-06	3.46E-04	7.03E-10	0.25	1.57E-01	2.76E-11	1.0E+06	2.8E-05
359	0.71803	2.34E-06	1.7E-06	3.46E-04	5.82E-10	0.25	1.57E-01	2.29E-11	1.0E+06	2.3E-05
360	0.74514	2.34E-06	1.7E-06	3.46E-04	6.04E-10	0.25	1.57E-01	2.37E-11	1.0E+06	2.4E-05
361	0.76375	2.34E-06	1.8E-06	3.46E-04	6.19E-10	0.25	1.57E-01	2.43E-11	1.0E+06	2.4E-05
362	0.76885	2.34E-06	1.8E-06	3.46E-04	6.23E-10	0.25	1.57E-01	2.45E-11	1.0E+06	2.4E-05
363	0.76045	2.34E-06	1.8E-06	3.46E-04	6.16E-10	0.25	1.57E-01	2.42E-11	1.0E+06	2.4E-05
373	0.66656	2.34E-06	1.6E-06	3.46E-04	5.40E-10	0.25	1.57E-01	2.12E-11	1.0E+06	2.1E-05
374	0.68175	2.34E-06	1.6E-06	3.46E-04	5.52E-10	0.25	1.57E-01	2.17E-11	1.0E+06	2.2E-05
375	0.6871	2.34E-06	1.6E-06	3.46E-04	5.57E-10	0.25	1.57E-01	2.19E-11	1.0E+06	2.2E-05
376	0.68159	2.34E-06	1.6E-06	3.46E-04	5.52E-10	0.25	1.57E-01	2.17E-11	1.0E+06	2.2E-05
386	0.60005	2.34E-06	1.4E-06	3.46E-04	4.86E-10	0.25	1.57E-01	1.91E-11	1.0E+06	1.9E-05
387	0.61317	2.34E-06	1.4E-06	3.46E-04	4.97E-10	0.25	1.57E-01	1.95E-11	1.0E+06	2.0E-05
388	0.61837	2.34E-06	1.4E-06	3.46E-04	5.01E-10	0.25	1.57E-01	1.97E-11	1.0E+06	2.0E-05
389	0.61499	2.34E-06	1.4E-06	3.46E-04	4.98E-10	0.25	1.57E-01	1.96E-11	1.0E+06	2.0E-05
390	0.60256	2.34E-06	1.4E-06	3.46E-04	4.88E-10	0.25	1.57E-01	1.92E-11	1.0E+06	1.9E-05
400	0.54364	2.34E-06	1.3E-06	3.46E-04	4.40E-10	0.25	1.57E-01	1.73E-11	1.0E+06	1.7E-05
401	0.55455	2.34E-06	1.3E-06	3.46E-04	4.49E-10	0.25	1.57E-01	1.77E-11	1.0E+06	1.8E-05
402	0.56003	2.34E-06	1.3E-06	3.46E-04	4.54E-10	0.25	1.57E-01	1.78E-11	1.0E+06	1.8E-05
403	0.55791	2.34E-06	1.3E-06	3.46E-04	4.52E-10	0.25	1.57E-01	1.78E-11	1.0E+06	1.8E-05
404	0.54828	2.34E-06	1.3E-06	3.46E-04	4.44E-10	0.25	1.57E-01	1.75E-11	1.0E+06	1.7E-05
415	0.49507	2.34E-06	1.2E-06	3.46E-04	4.01E-10	0.25	1.57E-01	1.58E-11	1.0E+06	1.6E-05
416	0.50493	2.34E-06	1.2E-06	3.46E-04	4.09E-10	0.25	1.57E-01	1.61E-11	1.0E+06	1.6E-05
417	0.50966	2.34E-06	1.2E-06	3.46E-04	4.13E-10	0.25	1.57E-01	1.62E-11	1.0E+06	1.6E-05

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.50917	2.34E-06	1.2E-06	3.46E-04	4.13E-10	0.25	1.57E-01	1.62E-11	1.0E+06	1.6E-05
419	0.50231	2.34E-06	1.2E-06	3.46E-04	4.07E-10	0.25	1.57E-01	1.60E-11	1.0E+06	1.6E-05
420	0.48784	2.34E-06	1.1E-06	3.46E-04	3.95E-10	0.25	1.57E-01	1.55E-11	1.0E+06	1.6E-05
430	0.46158	2.34E-06	1.1E-06	3.46E-04	3.74E-10	0.25	1.57E-01	1.47E-11	1.0E+06	1.5E-05
431	0.46656	2.34E-06	1.1E-06	3.46E-04	3.78E-10	0.25	1.57E-01	1.49E-11	1.0E+06	1.5E-05
432	0.46654	2.34E-06	1.1E-06	3.46E-04	3.78E-10	0.25	1.57E-01	1.48E-11	1.0E+06	1.5E-05
433	0.46123	2.34E-06	1.1E-06	3.46E-04	3.74E-10	0.25	1.57E-01	1.47E-11	1.0E+06	1.5E-05
434	0.45055	2.34E-06	1.1E-06	3.46E-04	3.65E-10	0.25	1.57E-01	1.43E-11	1.0E+06	1.4E-05
444	0.42429	2.34E-06	9.9E-07	3.46E-04	3.44E-10	0.25	1.57E-01	1.35E-11	1.0E+06	1.4E-05
445	0.42851	2.34E-06	1.0E-06	3.46E-04	3.47E-10	0.25	1.57E-01	1.36E-11	1.0E+06	1.4E-05
446	0.42906	2.34E-06	1.0E-06	3.46E-04	3.48E-10	0.25	1.57E-01	1.37E-11	1.0E+06	1.4E-05
447	0.42517	2.34E-06	1.0E-06	3.46E-04	3.44E-10	0.25	1.57E-01	1.35E-11	1.0E+06	1.4E-05
448	0.41668	2.34E-06	9.8E-07	3.46E-04	3.38E-10	0.25	1.57E-01	1.33E-11	1.0E+06	1.3E-05
459	0.39528	2.34E-06	9.3E-07	3.46E-04	3.20E-10	0.25	1.57E-01	1.26E-11	1.0E+06	1.3E-05
460	0.39607	2.34E-06	9.3E-07	3.46E-04	3.21E-10	0.25	1.57E-01	1.26E-11	1.0E+06	1.3E-05
461	0.39312	2.34E-06	9.2E-07	3.46E-04	3.19E-10	0.25	1.57E-01	1.25E-11	1.0E+06	1.3E-05
462	0.38634	2.34E-06	9.0E-07	3.46E-04	3.13E-10	0.25	1.57E-01	1.23E-11	1.0E+06	1.2E-05
463	0.37584	2.34E-06	8.8E-07	3.46E-04	3.05E-10	0.25	1.57E-01	1.20E-11	1.0E+06	1.2E-05
474	0.36588	2.34E-06	8.6E-07	3.46E-04	2.96E-10	0.25	1.57E-01	1.16E-11	1.0E+06	1.2E-05
475	0.36685	2.34E-06	8.6E-07	3.46E-04	2.97E-10	0.25	1.57E-01	1.17E-11	1.0E+06	1.2E-05
476	0.36483	2.34E-06	8.5E-07	3.46E-04	2.96E-10	0.25	1.57E-01	1.16E-11	1.0E+06	1.2E-05
477	0.35931	2.34E-06	8.4E-07	3.46E-04	2.91E-10	0.25	1.57E-01	1.14E-11	1.0E+06	1.1E-05
478	0.35072	2.34E-06	8.2E-07	3.46E-04	2.84E-10	0.25	1.57E-01	1.12E-11	1.0E+06	1.1E-05
495	0.33998	2.34E-06	8.0E-07	3.46E-04	2.75E-10	0.25	1.57E-01	1.08E-11	1.0E+06	1.1E-05
496	0.34102	2.34E-06	8.0E-07	3.46E-04	2.76E-10	0.25	1.57E-01	1.09E-11	1.0E+06	1.1E-05
497	0.33954	2.34E-06	7.9E-07	3.46E-04	2.75E-10	0.25	1.57E-01	1.08E-11	1.0E+06	1.1E-05
498	0.33521	2.34E-06	7.8E-07	3.46E-04	2.72E-10	0.25	1.57E-01	1.07E-11	1.0E+06	1.1E-05
499	0.3281	2.34E-06	7.7E-07	3.46E-04	2.66E-10	0.25	1.57E-01	1.04E-11	1.0E+06	1.0E-05
500	0.31854	2.34E-06	7.5E-07	3.46E-04	2.58E-10	0.25	1.57E-01	1.01E-11	1.0E+06	1.0E-05

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction							
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
139	11.36723	2.34E-06	2.7E-05	3.46E-04	9.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	27.72538	2.34E-06	6.5E-05	3.46E-04	2.25E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	8.37497	2.34E-06	2.0E-05	3.46E-04	6.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	14.88904	2.34E-06	3.5E-05	3.46E-04	1.21E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	23.24334	2.34E-06	5.4E-05	3.46E-04	1.88E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	19.42704	2.34E-06	4.5E-05	3.46E-04	1.57E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	11.93012	2.34E-06	2.8E-05	3.46E-04	9.67E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	4.9084	2.34E-06	1.1E-05	3.46E-04	3.98E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	3.49033	2.34E-06	8.2E-06	3.46E-04	2.83E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	2.6378	2.34E-06	6.2E-06	3.46E-04	2.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	8.86636	2.34E-06	2.1E-05	3.46E-04	7.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	11.61395	2.34E-06	2.7E-05	3.46E-04	9.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	11.16759	2.34E-06	2.6E-05	3.46E-04	9.05E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	8.37629	2.34E-06	2.0E-05	3.46E-04	6.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	5.82823	2.34E-06	1.4E-05	3.46E-04	4.72E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	4.09348	2.34E-06	9.6E-06	3.46E-04	3.32E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	3.00555	2.34E-06	7.0E-06	3.46E-04	2.44E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	2.31134	2.34E-06	5.4E-06	3.46E-04	1.87E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	1.84245	2.34E-06	4.3E-06	3.46E-04	1.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	1.51009	2.34E-06	3.5E-06	3.46E-04	1.22E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	1.2655	2.34E-06	3.0E-06	3.46E-04	1.03E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	7.1501	2.34E-06	1.7E-05	3.46E-04	5.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	7.19352	2.34E-06	1.7E-05	3.46E-04	5.83E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	6.05203	2.34E-06	1.4E-05	3.46E-04	4.90E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	4.62771	2.34E-06	1.1E-05	3.46E-04	3.75E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	3.45351	2.34E-06	8.1E-06	3.46E-04	2.80E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	2.61965	2.34E-06	6.1E-06	3.46E-04	2.12E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	2.05064	2.34E-06	4.8E-06	3.46E-04	1.66E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	1.65767	2.34E-06	3.9E-06	3.46E-04	1.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	1.37388	2.34E-06	3.2E-06	3.46E-04	1.11E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	1.16122	2.34E-06	2.7E-06	3.46E-04	9.41E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	0.99679	2.34E-06	2.3E-06	3.46E-04	8.08E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	4.90926	2.34E-06	1.1E-05	3.46E-04	3.98E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	5.02499	2.34E-06	1.2E-05	3.46E-04	4.07E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	4.51366	2.34E-06	1.1E-05	3.46E-04	3.66E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	3.70665	2.34E-06	8.7E-06	3.46E-04	3.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	2.91533	2.34E-06	6.8E-06	3.46E-04	2.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	2.29033	2.34E-06	5.4E-06	3.46E-04	1.86E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	1.83331	2.34E-06	4.3E-06	3.46E-04	1.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	1.50084	2.34E-06	3.5E-06	3.46E-04	1.22E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	1.25555	2.34E-06	2.9E-06	3.46E-04	1.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	1.06947	2.34E-06	2.5E-06	3.46E-04	8.66E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	0.92377	2.34E-06	2.2E-06	3.46E-04	7.48E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	0.80726	2.34E-06	1.9E-06	3.46E-04	6.54E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	3.21209	2.34E-06	7.5E-06	3.46E-04	2.60E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	3.60315	2.34E-06	8.4E-06	3.46E-04	2.92E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	3.71402	2.34E-06	8.7E-06	3.46E-04	3.01E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	3.47379	2.34E-06	8.1E-06	3.46E-04	2.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	2.47225	2.34E-06	5.8E-06	3.46E-04	2.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	2.00678	2.34E-06	4.7E-06	3.46E-04	1.63E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	1.64133	2.34E-06	3.8E-06	3.46E-04	1.33E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	1.36133	2.34E-06	3.2E-06	3.46E-04	1.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	1.14963	2.34E-06	2.7E-06	3.46E-04	9.31E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	0.98665	2.34E-06	2.3E-06	3.46E-04	7.99E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	0.85781	2.34E-06	2.0E-06	3.46E-04	6.95E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	0.75432	2.34E-06	1.8E-06	3.46E-04	6.11E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	0.66764	2.34E-06	1.6E-06	3.46E-04	5.41E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	2.525	2.34E-06	5.9E-06	3.46E-04	2.05E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	2.7756	2.34E-06	6.5E-06	3.46E-04	2.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	2.86448	2.34E-06	6.7E-06	3.46E-04	2.32E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	2.74756	2.34E-06	6.4E-06	3.46E-04	2.23E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	2.46271	2.34E-06	5.8E-06	3.46E-04	2.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	2.10153	2.34E-06	4.9E-06	3.46E-04	1.70E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	1.75785	2.34E-06	4.1E-06	3.46E-04	1.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	1.23639	2.34E-06	2.9E-06	3.46E-04	1.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	1.05341	2.34E-06	2.5E-06	3.46E-04	8.53E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	0.91082	2.34E-06	2.1E-06	3.46E-04	7.38E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	0.79727	2.34E-06	1.9E-06	3.46E-04	6.46E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	0.70488	2.34E-06	1.6E-06	3.46E-04	5.71E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	0.62854	2.34E-06	1.5E-06	3.46E-04	5.09E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	2.03908	2.34E-06	4.8E-06	3.46E-04	1.65E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	2.21159	2.34E-06	5.2E-06	3.46E-04	1.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	2.27558	2.34E-06	5.3E-06	3.46E-04	1.84E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	2.22023	2.34E-06	5.2E-06	3.46E-04	1.80E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	2.04537	2.34E-06	4.8E-06	3.46E-04	1.66E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	1.80287	2.34E-06	4.2E-06	3.46E-04	1.46E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	1.54895	2.34E-06	3.6E-06	3.46E-04	1.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	1.1231	2.34E-06	2.6E-06	3.46E-04	9.10E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	0.96656	2.34E-06	2.3E-06	3.46E-04	7.83E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	0.84183	2.34E-06	2.0E-06	3.46E-04	6.82E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	0.74213	2.34E-06	1.7E-06	3.46E-04	6.01E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	0.65891	2.34E-06	1.5E-06	3.46E-04	5.34E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	0.59075	2.34E-06	1.4E-06	3.46E-04	4.79E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	1.68401	2.34E-06	3.9E-06	3.46E-04	1.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	1.80703	2.34E-06	4.2E-06	3.46E-04	1.46E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	1.86125	2.34E-06	4.4E-06	3.46E-04	1.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	1.82981	2.34E-06	4.3E-06	3.46E-04	1.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	1.72351	2.34E-06	4.0E-06	3.46E-04	1.40E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	1.55622	2.34E-06	3.6E-06	3.46E-04	1.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	1.3674	2.34E-06	3.2E-06	3.46E-04	1.11E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	1.02487	2.34E-06	2.4E-06	3.46E-04	8.30E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	0.89063	2.34E-06	2.1E-06	3.46E-04	7.22E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	0.78129	2.34E-06	1.8E-06	3.46E-04	6.33E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	0.69199	2.34E-06	1.6E-06	3.46E-04	5.61E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	0.61732	2.34E-06	1.4E-06	3.46E-04	5.00E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	0.5561	2.34E-06	1.3E-06	3.46E-04	4.51E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	0.41967	2.34E-06	9.8E-07	3.46E-04	3.40E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	0.38584	2.34E-06	9.0E-07	3.46E-04	3.13E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	1.41644	2.34E-06	3.3E-06	3.46E-04	1.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	1.50741	2.34E-06	3.5E-06	3.46E-04	1.22E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	1.55297	2.34E-06	3.6E-06	3.46E-04	1.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	1.53719	2.34E-06	3.6E-06	3.46E-04	1.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	1.46753	2.34E-06	3.4E-06	3.46E-04	1.19E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	1.35005	2.34E-06	3.2E-06	3.46E-04	1.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	1.2071	2.34E-06	2.8E-06	3.46E-04	9.78E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	0.93398	2.34E-06	2.2E-06	3.46E-04	7.57E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	0.82007	2.34E-06	1.9E-06	3.46E-04	6.64E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	0.72449	2.34E-06	1.7E-06	3.46E-04	5.87E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	0.64529	2.34E-06	1.5E-06	3.46E-04	5.23E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	0.57933	2.34E-06	1.4E-06	3.46E-04	4.69E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	0.5241	2.34E-06	1.2E-06	3.46E-04	4.25E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	0.39897	2.34E-06	9.3E-07	3.46E-04	3.23E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	0.36841	2.34E-06	8.6E-07	3.46E-04	2.98E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	1.20951	2.34E-06	2.8E-06	3.46E-04	9.80E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	1.2786	2.34E-06	3.0E-06	3.46E-04	1.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	1.31649	2.34E-06	3.1E-06	3.46E-04	1.07E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	1.30996	2.34E-06	3.1E-06	3.46E-04	1.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	1.26235	2.34E-06	3.0E-06	3.46E-04	1.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	1.17937	2.34E-06	2.8E-06	3.46E-04	9.56E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	1.07452	2.34E-06	2.5E-06	3.46E-04	8.71E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	0.85367	2.34E-06	2.0E-06	3.46E-04	6.92E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	0.75746	2.34E-06	1.8E-06	3.46E-04	6.14E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	0.67384	2.34E-06	1.6E-06	3.46E-04	5.46E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	0.60378	2.34E-06	1.4E-06	3.46E-04	4.89E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	0.54451	2.34E-06	1.3E-06	3.46E-04	4.41E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	0.49443	2.34E-06	1.2E-06	3.46E-04	4.01E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	0.38008	2.34E-06	8.9E-07	3.46E-04	3.08E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	0.35167	2.34E-06	8.2E-07	3.46E-04	2.85E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	1.04595	2.34E-06	2.4E-06	3.46E-04	8.47E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	1.09962	2.34E-06	2.6E-06	3.46E-04	8.91E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	1.13096	2.34E-06	2.6E-06	3.46E-04	9.16E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	1.12965	2.34E-06	2.6E-06	3.46E-04	9.15E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	1.0996	2.34E-06	2.6E-06	3.46E-04	8.91E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	1.03948	2.34E-06	2.4E-06	3.46E-04	8.42E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	0.95992	2.34E-06	2.2E-06	3.46E-04	7.78E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	0.78238	2.34E-06	1.8E-06	3.46E-04	6.34E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	0.70164	2.34E-06	1.6E-06	3.46E-04	5.68E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	0.62799	2.34E-06	1.5E-06	3.46E-04	5.09E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	0.56595	2.34E-06	1.3E-06	3.46E-04	4.59E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	0.51256	2.34E-06	1.2E-06	3.46E-04	4.15E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	0.46662	2.34E-06	1.1E-06	3.46E-04	3.78E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	0.36219	2.34E-06	8.5E-07	3.46E-04	2.93E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	0.33574	2.34E-06	7.9E-07	3.46E-04	2.72E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	0.91455	2.34E-06	2.1E-06	3.46E-04	7.41E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	0.95693	2.34E-06	2.2E-06	3.46E-04	7.75E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	0.98288	2.34E-06	2.3E-06	3.46E-04	7.96E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	0.98583	2.34E-06	2.3E-06	3.46E-04	7.99E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	0.96429	2.34E-06	2.3E-06	3.46E-04	7.81E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	0.92229	2.34E-06	2.2E-06	3.46E-04	7.47E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	0.86174	2.34E-06	2.0E-06	3.46E-04	6.98E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	0.79233	2.34E-06	1.9E-06	3.46E-04	6.42E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	0.719	2.34E-06	1.7E-06	3.46E-04	5.83E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	0.64998	2.34E-06	1.5E-06	3.46E-04	5.27E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	0.58674	2.34E-06	1.4E-06	3.46E-04	4.75E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	0.5312	2.34E-06	1.2E-06	3.46E-04	4.30E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	0.48292	2.34E-06	1.1E-06	3.46E-04	3.91E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	0.44154	2.34E-06	1.0E-06	3.46E-04	3.58E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	0.37263	2.34E-06	8.7E-07	3.46E-04	3.02E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	0.34519	2.34E-06	8.1E-07	3.46E-04	2.80E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.32076	2.34E-06	7.5E-07	3.46E-04	2.60E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	0.85363	2.34E-06	2.0E-06	3.46E-04	6.92E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	0.8222	2.34E-06	1.9E-06	3.46E-04	6.66E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	0.77508	2.34E-06	1.8E-06	3.46E-04	6.28E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	0.72118	2.34E-06	1.7E-06	3.46E-04	5.84E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	0.3546	2.34E-06	8.3E-07	3.46E-04	2.87E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	0.32931	2.34E-06	7.7E-07	3.46E-04	2.67E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.30672	2.34E-06	7.2E-07	3.46E-04	2.49E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	0.73743	2.34E-06	1.7E-06	3.46E-04	5.97E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	0.70221	2.34E-06	1.6E-06	3.46E-04	5.69E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	0.65768	2.34E-06	1.5E-06	3.46E-04	5.33E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	0.33789	2.34E-06	7.9E-07	3.46E-04	2.74E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	0.31432	2.34E-06	7.4E-07	3.46E-04	2.55E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.29342	2.34E-06	6.9E-07	3.46E-04	2.38E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	0.66482	2.34E-06	1.6E-06	3.46E-04	5.39E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	0.63734	2.34E-06	1.5E-06	3.46E-04	5.16E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	0.60156	2.34E-06	1.4E-06	3.46E-04	4.87E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	0.32196	2.34E-06	7.5E-07	3.46E-04	2.61E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	0.29992	2.34E-06	7.0E-07	3.46E-04	2.43E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.28066	2.34E-06	6.6E-07	3.46E-04	2.27E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	0.58091	2.34E-06	1.4E-06	3.46E-04	4.71E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	0.55174	2.34E-06	1.3E-06	3.46E-04	4.47E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	0.3071	2.34E-06	7.2E-07	3.46E-04	2.49E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.2868	2.34E-06	6.7E-07	3.46E-04	2.32E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.26892	2.34E-06	6.3E-07	3.46E-04	2.18E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	0.53168	2.34E-06	1.2E-06	3.46E-04	4.31E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	0.5085	2.34E-06	1.2E-06	3.46E-04	4.12E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	0.48128	2.34E-06	1.1E-06	3.46E-04	3.90E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	0.29337	2.34E-06	6.9E-07	3.46E-04	2.38E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.27445	2.34E-06	6.4E-07	3.46E-04	2.22E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.258	2.34E-06	6.0E-07	3.46E-04	2.09E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	0.46958	2.34E-06	1.1E-06	3.46E-04	3.80E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	0.44674	2.34E-06	1.0E-06	3.46E-04	3.62E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.2804	2.34E-06	6.6E-07	3.46E-04	2.27E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.26289	2.34E-06	6.2E-07	3.46E-04	2.13E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.24754	2.34E-06	5.8E-07	3.46E-04	2.01E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	0.43461	2.34E-06	1.0E-06	3.46E-04	3.52E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	0.41595	2.34E-06	9.7E-07	3.46E-04	3.37E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.25207	2.34E-06	5.9E-07	3.46E-04	2.04E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.23746	2.34E-06	5.6E-07	3.46E-04	1.92E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	0.40345	2.34E-06	9.4E-07	3.46E-04	3.27E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	0.38816	2.34E-06	9.1E-07	3.46E-04	3.14E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	0.36971	2.34E-06	8.7E-07	3.46E-04	3.00E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.24176	2.34E-06	5.7E-07	3.46E-04	1.96E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.22809	2.34E-06	5.3E-07	3.46E-04	1.85E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	0.36257	2.34E-06	8.5E-07	3.46E-04	2.94E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	0.34698	2.34E-06	8.1E-07	3.46E-04	2.81E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.26124	2.34E-06	6.1E-07	3.46E-04	2.12E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.23209	2.34E-06	5.4E-07	3.46E-04	1.88E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.21932	2.34E-06	5.1E-07	3.46E-04	1.78E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	0.33896	2.34E-06	7.9E-07	3.46E-04	2.75E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	0.32608	2.34E-06	7.6E-07	3.46E-04	2.64E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	0.31125	2.34E-06	7.3E-07	3.46E-04	2.52E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	0.29587	2.34E-06	6.9E-07	3.46E-04	2.40E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	0.27991	2.34E-06	6.6E-07	3.46E-04	2.27E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.26458	2.34E-06	6.2E-07	3.46E-04	2.14E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.24978	2.34E-06	5.8E-07	3.46E-04	2.02E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.23596	2.34E-06	5.5E-07	3.46E-04	1.91E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.22302	2.34E-06	5.2E-07	3.46E-04	1.81E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.21102	2.34E-06	4.9E-07	3.46E-04	1.71E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	0.30662	2.34E-06	7.2E-07	3.46E-04	2.48E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	0.29431	2.34E-06	6.9E-07	3.46E-04	2.38E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	0.28072	2.34E-06	6.6E-07	3.46E-04	2.27E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	0.26658	2.34E-06	6.2E-07	3.46E-04	2.16E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	0.2526	2.34E-06	5.9E-07	3.46E-04	2.05E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.23907	2.34E-06	5.6E-07	3.46E-04	1.94E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.22638	2.34E-06	5.3E-07	3.46E-04	1.83E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.2032	2.34E-06	4.8E-07	3.46E-04	1.65E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.28947	2.34E-06	6.8E-07	3.46E-04	2.35E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	0.27794	2.34E-06	6.5E-07	3.46E-04	2.25E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	0.26649	2.34E-06	6.2E-07	3.46E-04	2.16E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	0.25393	2.34E-06	5.9E-07	3.46E-04	2.06E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	0.2413	2.34E-06	5.6E-07	3.46E-04	1.95E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.22897	2.34E-06	5.4E-07	3.46E-04	1.86E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.21726	2.34E-06	5.1E-07	3.46E-04	1.76E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.19576	2.34E-06	4.6E-07	3.46E-04	1.59E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.27371	2.34E-06	6.4E-07	3.46E-04	2.22E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.26385	2.34E-06	6.2E-07	3.46E-04	2.14E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	0.25296	2.34E-06	5.9E-07	3.46E-04	2.05E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	0.24174	2.34E-06	5.7E-07	3.46E-04	1.96E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	0.23065	2.34E-06	5.4E-07	3.46E-04	1.87E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.21941	2.34E-06	5.1E-07	3.46E-04	1.78E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.20843	2.34E-06	4.9E-07	3.46E-04	1.69E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.18868	2.34E-06	4.4E-07	3.46E-04	1.53E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.25049	2.34E-06	5.9E-07	3.46E-04	2.03E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.24106	2.34E-06	5.6E-07	3.46E-04	1.95E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.23091	2.34E-06	5.4E-07	3.46E-04	1.87E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.21194	2.34E-06	5.0E-07	3.46E-04	1.72E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.21026	2.34E-06	4.9E-07	3.46E-04	1.70E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.20059	2.34E-06	4.7E-07	3.46E-04	1.63E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.1821	2.34E-06	4.3E-07	3.46E-04	1.48E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.23805	2.34E-06	5.6E-07	3.46E-04	1.93E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.22969	2.34E-06	5.4E-07	3.46E-04	1.86E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.22075	2.34E-06	5.2E-07	3.46E-04	1.79E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.2114	2.34E-06	4.9E-07	3.46E-04	1.71E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.20199	2.34E-06	4.7E-07	3.46E-04	1.64E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.19276	2.34E-06	4.5E-07	3.46E-04	1.56E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.16602	2.34E-06	3.9E-07	3.46E-04	1.35E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.22653	2.34E-06	5.3E-07	3.46E-04	1.84E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.21903	2.34E-06	5.1E-07	3.46E-04	1.77E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.211	2.34E-06	4.9E-07	3.46E-04	1.71E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.20261	2.34E-06	4.7E-07	3.46E-04	1.64E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.19408	2.34E-06	4.5E-07	3.46E-04	1.57E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.1857	2.34E-06	4.3E-07	3.46E-04	1.50E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.17748	2.34E-06	4.2E-07	3.46E-04	1.44E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	2.34E-06	0.0E+00	3.46E-04	0.00E+00	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.45588	2.34E-06	1.1E-06	1.05E-03	1.12E-09	2	1.57E-01	3.50E-10	1.0E+06	3.5E-04
2	0.50584	2.34E-06	1.2E-06	1.05E-03	1.24E-09	2	1.57E-01	3.89E-10	1.0E+06	3.9E-04
3	0.56476	2.34E-06	1.3E-06	1.05E-03	1.38E-09	2	1.57E-01	4.34E-10	1.0E+06	4.3E-04
4	0.63522	2.34E-06	1.5E-06	1.05E-03	1.55E-09	2	1.57E-01	4.88E-10	1.0E+06	4.9E-04
5	0.72054	2.34E-06	1.7E-06	1.05E-03	1.76E-09	2	1.57E-01	5.54E-10	1.0E+06	5.5E-04
6	0.82615	2.34E-06	1.9E-06	1.05E-03	2.02E-09	2	1.57E-01	6.35E-10	1.0E+06	6.4E-04
7	0.95761	2.34E-06	2.2E-06	1.05E-03	2.34E-09	2	1.57E-01	7.36E-10	1.0E+06	7.4E-04
8	1.12359	2.34E-06	2.6E-06	1.05E-03	2.75E-09	2	1.57E-01	8.64E-10	1.0E+06	8.6E-04
9	1.33796	2.34E-06	3.1E-06	1.05E-03	3.27E-09	2	1.57E-01	1.03E-09	1.0E+06	1.0E-03
10	1.62059	2.34E-06	3.8E-06	1.05E-03	3.96E-09	2	1.57E-01	1.25E-09	1.0E+06	1.2E-03
11	2.00202	2.34E-06	4.7E-06	1.05E-03	4.90E-09	2	1.57E-01	1.54E-09	1.0E+06	1.5E-03
12	2.53083	2.34E-06	5.9E-06	1.05E-03	6.19E-09	2	1.57E-01	1.95E-09	1.0E+06	1.9E-03
13	3.29165	2.34E-06	7.7E-06	1.05E-03	8.05E-09	2	1.57E-01	2.53E-09	1.0E+06	2.5E-03
14	4.42219	2.34E-06	1.0E-05	1.05E-03	1.08E-08	2	1.57E-01	3.40E-09	1.0E+06	3.4E-03
15	6.17586	2.34E-06	1.4E-05	1.05E-03	1.51E-08	2	1.57E-01	4.75E-09	1.0E+06	4.7E-03
16	8.9909	2.34E-06	2.1E-05	1.05E-03	2.20E-08	2	1.57E-01	6.91E-09	1.0E+06	6.9E-03
17	13.16918	2.34E-06	3.1E-05	1.05E-03	3.22E-08	2	1.57E-01	1.01E-08	1.0E+06	1.0E-02
18	16.84858	2.34E-06	3.9E-05	1.05E-03	4.12E-08	2	1.57E-01	1.30E-08	1.0E+06	1.3E-02
19	15.79076	2.34E-06	3.7E-05	1.05E-03	3.86E-08	2	1.57E-01	1.21E-08	1.0E+06	1.2E-02
20	12.3186	2.34E-06	2.9E-05	1.05E-03	3.01E-08	2	1.57E-01	9.47E-09	1.0E+06	9.5E-03
21	9.22867	2.34E-06	2.2E-05	1.05E-03	2.26E-08	2	1.57E-01	7.10E-09	1.0E+06	7.1E-03
22	6.92863	2.34E-06	1.6E-05	1.05E-03	1.69E-08	2	1.57E-01	5.33E-09	1.0E+06	5.3E-03
23	5.26854	2.34E-06	1.2E-05	1.05E-03	1.29E-08	2	1.57E-01	4.05E-09	1.0E+06	4.1E-03
24	4.06949	2.34E-06	9.5E-06	1.05E-03	9.96E-09	2	1.57E-01	3.13E-09	1.0E+06	3.1E-03
25	3.1955	2.34E-06	7.5E-06	1.05E-03	7.82E-09	2	1.57E-01	2.46E-09	1.0E+06	2.5E-03
26	2.55061	2.34E-06	6.0E-06	1.05E-03	6.24E-09	2	1.57E-01	1.96E-09	1.0E+06	2.0E-03
27	2.06825	2.34E-06	4.8E-06	1.05E-03	5.06E-09	2	1.57E-01	1.59E-09	1.0E+06	1.6E-03
28	1.70265	2.34E-06	4.0E-06	1.05E-03	4.17E-09	2	1.57E-01	1.31E-09	1.0E+06	1.3E-03
29	1.42117	2.34E-06	3.3E-06	1.05E-03	3.48E-09	2	1.57E-01	1.09E-09	1.0E+06	1.1E-03
30	1.2014	2.34E-06	2.8E-06	1.05E-03	2.94E-09	2	1.57E-01	9.24E-10	1.0E+06	9.2E-04
31	1.02783	2.34E-06	2.4E-06	1.05E-03	2.51E-09	2	1.57E-01	7.90E-10	1.0E+06	7.9E-04

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.88916	2.34E-06	2.1E-06	1.05E-03	2.18E-09	2	1.57E-01	6.84E-10	1.0E+06	6.8E-04
55	7.39859	2.34E-06	1.7E-05	1.05E-03	1.81E-08	2	1.57E-01	5.69E-09	1.0E+06	5.7E-03
56	5.30522	2.34E-06	1.2E-05	1.05E-03	1.30E-08	2	1.57E-01	4.08E-09	1.0E+06	4.1E-03
57	3.94329	2.34E-06	9.2E-06	1.05E-03	9.65E-09	2	1.57E-01	3.03E-09	1.0E+06	3.0E-03
58	3.02102	2.34E-06	7.1E-06	1.05E-03	7.39E-09	2	1.57E-01	2.32E-09	1.0E+06	2.3E-03
59	2.37617	2.34E-06	5.6E-06	1.05E-03	5.81E-09	2	1.57E-01	1.83E-09	1.0E+06	1.8E-03
60	1.91181	2.34E-06	4.5E-06	1.05E-03	4.68E-09	2	1.57E-01	1.47E-09	1.0E+06	1.5E-03
61	1.56736	2.34E-06	3.7E-06	1.05E-03	3.83E-09	2	1.57E-01	1.21E-09	1.0E+06	1.2E-03
62	1.30743	2.34E-06	3.1E-06	1.05E-03	3.20E-09	2	1.57E-01	1.01E-09	1.0E+06	1.0E-03
63	1.10652	2.34E-06	2.6E-06	1.05E-03	2.71E-09	2	1.57E-01	8.51E-10	1.0E+06	8.5E-04
64	0.94908	2.34E-06	2.2E-06	1.05E-03	2.32E-09	2	1.57E-01	7.30E-10	1.0E+06	7.3E-04
65	0.82383	2.34E-06	1.9E-06	1.05E-03	2.02E-09	2	1.57E-01	6.33E-10	1.0E+06	6.3E-04
66	0.72115	2.34E-06	1.7E-06	1.05E-03	1.76E-09	2	1.57E-01	5.54E-10	1.0E+06	5.5E-04
67	0.46884	2.34E-06	1.1E-06	1.05E-03	1.15E-09	2	1.57E-01	3.60E-10	1.0E+06	3.6E-04
68	0.52243	2.34E-06	1.2E-06	1.05E-03	1.28E-09	2	1.57E-01	4.02E-10	1.0E+06	4.0E-04
69	0.58644	2.34E-06	1.4E-06	1.05E-03	1.43E-09	2	1.57E-01	4.51E-10	1.0E+06	4.5E-04
70	0.66394	2.34E-06	1.6E-06	1.05E-03	1.62E-09	2	1.57E-01	5.10E-10	1.0E+06	5.1E-04
71	0.75859	2.34E-06	1.8E-06	1.05E-03	1.86E-09	2	1.57E-01	5.83E-10	1.0E+06	5.8E-04
72	0.87783	2.34E-06	2.1E-06	1.05E-03	2.15E-09	2	1.57E-01	6.75E-10	1.0E+06	6.7E-04
73	1.02923	2.34E-06	2.4E-06	1.05E-03	2.52E-09	2	1.57E-01	7.91E-10	1.0E+06	7.9E-04
74	1.22595	2.34E-06	2.9E-06	1.05E-03	3.00E-09	2	1.57E-01	9.43E-10	1.0E+06	9.4E-04
75	1.48855	2.34E-06	3.5E-06	1.05E-03	3.64E-09	2	1.57E-01	1.14E-09	1.0E+06	1.1E-03
76	1.8516	2.34E-06	4.3E-06	1.05E-03	4.53E-09	2	1.57E-01	1.42E-09	1.0E+06	1.4E-03
77	2.37427	2.34E-06	5.6E-06	1.05E-03	5.81E-09	2	1.57E-01	1.83E-09	1.0E+06	1.8E-03
78	3.16368	2.34E-06	7.4E-06	1.05E-03	7.74E-09	2	1.57E-01	2.43E-09	1.0E+06	2.4E-03
79	12.58766	2.34E-06	2.9E-05	1.05E-03	3.08E-08	2	1.57E-01	9.68E-09	1.0E+06	9.7E-03
80	14.49872	2.34E-06	3.4E-05	1.05E-03	3.55E-08	2	1.57E-01	1.11E-08	1.0E+06	1.1E-02
81	37.65877	2.34E-06	8.8E-05	1.05E-03	9.21E-08	2	1.57E-01	2.90E-08	1.0E+06	2.9E-02
82	18.12006	2.34E-06	4.2E-05	1.05E-03	4.43E-08	2	1.57E-01	1.39E-08	1.0E+06	1.4E-02
83	10.7035	2.34E-06	2.5E-05	1.05E-03	2.62E-08	2	1.57E-01	8.23E-09	1.0E+06	8.2E-03
84	6.99614	2.34E-06	1.6E-05	1.05E-03	1.71E-08	2	1.57E-01	5.38E-09	1.0E+06	5.4E-03

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	4.87884	2.34E-06	1.1E-05	1.05E-03	1.19E-08	2	1.57E-01	3.75E-09	1.0E+06	3.8E-03
86	3.57268	2.34E-06	8.4E-06	1.05E-03	8.74E-09	2	1.57E-01	2.75E-09	1.0E+06	2.7E-03
87	2.72117	2.34E-06	6.4E-06	1.05E-03	6.66E-09	2	1.57E-01	2.09E-09	1.0E+06	2.1E-03
88	2.13813	2.34E-06	5.0E-06	1.05E-03	5.23E-09	2	1.57E-01	1.64E-09	1.0E+06	1.6E-03
89	1.72523	2.34E-06	4.0E-06	1.05E-03	4.22E-09	2	1.57E-01	1.33E-09	1.0E+06	1.3E-03
90	1.42175	2.34E-06	3.3E-06	1.05E-03	3.48E-09	2	1.57E-01	1.09E-09	1.0E+06	1.1E-03
91	1.19125	2.34E-06	2.8E-06	1.05E-03	2.91E-09	2	1.57E-01	9.16E-10	1.0E+06	9.2E-04
92	1.01509	2.34E-06	2.4E-06	1.05E-03	2.48E-09	2	1.57E-01	7.80E-10	1.0E+06	7.8E-04
93	0.8749	2.34E-06	2.0E-06	1.05E-03	2.14E-09	2	1.57E-01	6.73E-10	1.0E+06	6.7E-04
96	2.818	2.34E-06	6.6E-06	1.05E-03	6.89E-09	2	1.57E-01	2.17E-09	1.0E+06	2.2E-03
97	2.14823	2.34E-06	5.0E-06	1.05E-03	5.26E-09	2	1.57E-01	1.65E-09	1.0E+06	1.7E-03
98	1.89893	2.34E-06	4.4E-06	1.05E-03	4.65E-09	2	1.57E-01	1.46E-09	1.0E+06	1.5E-03
99	1.54511	2.34E-06	3.6E-06	1.05E-03	3.78E-09	2	1.57E-01	1.19E-09	1.0E+06	1.2E-03
100	1.28553	2.34E-06	3.0E-06	1.05E-03	3.14E-09	2	1.57E-01	9.88E-10	1.0E+06	9.9E-04
101	1.08822	2.34E-06	2.5E-06	1.05E-03	2.66E-09	2	1.57E-01	8.37E-10	1.0E+06	8.4E-04
102	0.93181	2.34E-06	2.2E-06	1.05E-03	2.28E-09	2	1.57E-01	7.16E-10	1.0E+06	7.2E-04
106	0.42136	2.34E-06	9.9E-07	1.05E-03	1.03E-09	2	1.57E-01	3.24E-10	1.0E+06	3.2E-04
107	0.46829	2.34E-06	1.1E-06	1.05E-03	1.15E-09	2	1.57E-01	3.60E-10	1.0E+06	3.6E-04
108	0.52198	2.34E-06	1.2E-06	1.05E-03	1.28E-09	2	1.57E-01	4.01E-10	1.0E+06	4.0E-04
109	0.58628	2.34E-06	1.4E-06	1.05E-03	1.43E-09	2	1.57E-01	4.51E-10	1.0E+06	4.5E-04
110	0.66428	2.34E-06	1.6E-06	1.05E-03	1.63E-09	2	1.57E-01	5.11E-10	1.0E+06	5.1E-04
111	0.75975	2.34E-06	1.8E-06	1.05E-03	1.86E-09	2	1.57E-01	5.84E-10	1.0E+06	5.8E-04
112	0.88045	2.34E-06	2.1E-06	1.05E-03	2.15E-09	2	1.57E-01	6.77E-10	1.0E+06	6.8E-04
113	1.03374	2.34E-06	2.4E-06	1.05E-03	2.53E-09	2	1.57E-01	7.95E-10	1.0E+06	7.9E-04
114	1.23423	2.34E-06	2.9E-06	1.05E-03	3.02E-09	2	1.57E-01	9.49E-10	1.0E+06	9.5E-04
115	1.50309	2.34E-06	3.5E-06	1.05E-03	3.68E-09	2	1.57E-01	1.16E-09	1.0E+06	1.2E-03
116	1.8754	2.34E-06	4.4E-06	1.05E-03	4.59E-09	2	1.57E-01	1.44E-09	1.0E+06	1.4E-03
117	2.4219	2.34E-06	5.7E-06	1.05E-03	5.92E-09	2	1.57E-01	1.86E-09	1.0E+06	1.9E-03
118	3.26529	2.34E-06	7.6E-06	1.05E-03	7.99E-09	2	1.57E-01	2.51E-09	1.0E+06	2.5E-03
124	0.41874	2.34E-06	9.8E-07	1.05E-03	1.02E-09	2	1.57E-01	3.22E-10	1.0E+06	3.2E-04
125	0.46324	2.34E-06	1.1E-06	1.05E-03	1.13E-09	2	1.57E-01	3.56E-10	1.0E+06	3.6E-04

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.51579	2.34E-06	1.2E-06	1.05E-03	1.26E-09	2	1.57E-01	3.97E-10	1.0E+06	4.0E-04
127	0.57858	2.34E-06	1.4E-06	1.05E-03	1.42E-09	2	1.57E-01	4.45E-10	1.0E+06	4.4E-04
128	0.65456	2.34E-06	1.5E-06	1.05E-03	1.60E-09	2	1.57E-01	5.03E-10	1.0E+06	5.0E-04
129	0.74732	2.34E-06	1.7E-06	1.05E-03	1.83E-09	2	1.57E-01	5.75E-10	1.0E+06	5.7E-04
130	0.86391	2.34E-06	2.0E-06	1.05E-03	2.11E-09	2	1.57E-01	6.64E-10	1.0E+06	6.6E-04
131	1.01158	2.34E-06	2.4E-06	1.05E-03	2.47E-09	2	1.57E-01	7.78E-10	1.0E+06	7.8E-04
132	1.20331	2.34E-06	2.8E-06	1.05E-03	2.94E-09	2	1.57E-01	9.25E-10	1.0E+06	9.3E-04
133	1.45851	2.34E-06	3.4E-06	1.05E-03	3.57E-09	2	1.57E-01	1.12E-09	1.0E+06	1.1E-03
134	1.81048	2.34E-06	4.2E-06	1.05E-03	4.43E-09	2	1.57E-01	1.39E-09	1.0E+06	1.4E-03
135	2.31438	2.34E-06	5.4E-06	1.05E-03	5.66E-09	2	1.57E-01	1.78E-09	1.0E+06	1.8E-03
136	3.07488	2.34E-06	7.2E-06	1.05E-03	7.52E-09	2	1.57E-01	2.36E-09	1.0E+06	2.4E-03
137	4.30283	2.34E-06	1.0E-05	1.05E-03	1.05E-08	2	1.57E-01	3.31E-09	1.0E+06	3.3E-03
138	6.53452	2.34E-06	1.5E-05	1.05E-03	1.60E-08	2	1.57E-01	5.02E-09	1.0E+06	5.0E-03
141	0.41256	2.34E-06	9.7E-07	1.05E-03	1.01E-09	2	1.57E-01	3.17E-10	1.0E+06	3.2E-04
142	0.45574	2.34E-06	1.1E-06	1.05E-03	1.11E-09	2	1.57E-01	3.50E-10	1.0E+06	3.5E-04
143	0.50657	2.34E-06	1.2E-06	1.05E-03	1.24E-09	2	1.57E-01	3.89E-10	1.0E+06	3.9E-04
144	0.56708	2.34E-06	1.3E-06	1.05E-03	1.39E-09	2	1.57E-01	4.36E-10	1.0E+06	4.4E-04
145	0.63991	2.34E-06	1.5E-06	1.05E-03	1.57E-09	2	1.57E-01	4.92E-10	1.0E+06	4.9E-04
146	0.72841	2.34E-06	1.7E-06	1.05E-03	1.78E-09	2	1.57E-01	5.60E-10	1.0E+06	5.6E-04
147	0.83872	2.34E-06	2.0E-06	1.05E-03	2.05E-09	2	1.57E-01	6.45E-10	1.0E+06	6.4E-04
148	0.97716	2.34E-06	2.3E-06	1.05E-03	2.39E-09	2	1.57E-01	7.51E-10	1.0E+06	7.5E-04
149	1.15486	2.34E-06	2.7E-06	1.05E-03	2.83E-09	2	1.57E-01	8.88E-10	1.0E+06	8.9E-04
150	1.388	2.34E-06	3.2E-06	1.05E-03	3.40E-09	2	1.57E-01	1.07E-09	1.0E+06	1.1E-03
151	1.70256	2.34E-06	4.0E-06	1.05E-03	4.16E-09	2	1.57E-01	1.31E-09	1.0E+06	1.3E-03
152	2.14081	2.34E-06	5.0E-06	1.05E-03	5.24E-09	2	1.57E-01	1.65E-09	1.0E+06	1.6E-03
153	2.77678	2.34E-06	6.5E-06	1.05E-03	6.79E-09	2	1.57E-01	2.13E-09	1.0E+06	2.1E-03
154	3.75203	2.34E-06	8.8E-06	1.05E-03	9.18E-09	2	1.57E-01	2.88E-09	1.0E+06	2.9E-03
155	5.36547	2.34E-06	1.3E-05	1.05E-03	1.31E-08	2	1.57E-01	4.13E-09	1.0E+06	4.1E-03
164	3.17314	2.34E-06	7.4E-06	1.05E-03	7.76E-09	2	1.57E-01	2.44E-09	1.0E+06	2.4E-03
165	4.27347	2.34E-06	1.0E-05	1.05E-03	1.05E-08	2	1.57E-01	3.29E-09	1.0E+06	3.3E-03
166	6.05606	2.34E-06	1.4E-05	1.05E-03	1.48E-08	2	1.57E-01	4.66E-09	1.0E+06	4.7E-03

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	2.65797	2.34E-06	6.2E-06	1.05E-03	6.50E-09	2	1.57E-01	2.04E-09	1.0E+06	2.0E-03
179	3.41062	2.34E-06	8.0E-06	1.05E-03	8.34E-09	2	1.57E-01	2.62E-09	1.0E+06	2.6E-03
180	4.49811	2.34E-06	1.1E-05	1.05E-03	1.10E-08	2	1.57E-01	3.46E-09	1.0E+06	3.5E-03
192	2.23194	2.34E-06	5.2E-06	1.05E-03	5.46E-09	2	1.57E-01	1.72E-09	1.0E+06	1.7E-03
193	2.75778	2.34E-06	6.5E-06	1.05E-03	6.75E-09	2	1.57E-01	2.12E-09	1.0E+06	2.1E-03
194	3.44958	2.34E-06	8.1E-06	1.05E-03	8.44E-09	2	1.57E-01	2.65E-09	1.0E+06	2.7E-03
207	1.88852	2.34E-06	4.4E-06	1.05E-03	4.62E-09	2	1.57E-01	1.45E-09	1.0E+06	1.5E-03
208	2.26388	2.34E-06	5.3E-06	1.05E-03	5.54E-09	2	1.57E-01	1.74E-09	1.0E+06	1.7E-03
209	2.72283	2.34E-06	6.4E-06	1.05E-03	6.66E-09	2	1.57E-01	2.09E-09	1.0E+06	2.1E-03
223	1.61307	2.34E-06	3.8E-06	1.05E-03	3.95E-09	2	1.57E-01	1.24E-09	1.0E+06	1.2E-03
224	1.88669	2.34E-06	4.4E-06	1.05E-03	4.62E-09	2	1.57E-01	1.45E-09	1.0E+06	1.5E-03
225	2.20205	2.34E-06	5.2E-06	1.05E-03	5.39E-09	2	1.57E-01	1.69E-09	1.0E+06	1.7E-03
239	1.39094	2.34E-06	3.3E-06	1.05E-03	3.40E-09	2	1.57E-01	1.07E-09	1.0E+06	1.1E-03
240	1.59421	2.34E-06	3.7E-06	1.05E-03	3.90E-09	2	1.57E-01	1.23E-09	1.0E+06	1.2E-03
241	1.81828	2.34E-06	4.3E-06	1.05E-03	4.45E-09	2	1.57E-01	1.40E-09	1.0E+06	1.4E-03
255	1.20997	2.34E-06	2.8E-06	1.05E-03	2.96E-09	2	1.57E-01	9.30E-10	1.0E+06	9.3E-04
256	1.36372	2.34E-06	3.2E-06	1.05E-03	3.34E-09	2	1.57E-01	1.05E-09	1.0E+06	1.0E-03
272	1.06144	2.34E-06	2.5E-06	1.05E-03	2.60E-09	2	1.57E-01	8.16E-10	1.0E+06	8.2E-04
273	1.17917	2.34E-06	2.8E-06	1.05E-03	2.88E-09	2	1.57E-01	9.07E-10	1.0E+06	9.1E-04
289	0.9378	2.34E-06	2.2E-06	1.05E-03	2.29E-09	2	1.57E-01	7.21E-10	1.0E+06	7.2E-04
290	1.02945	2.34E-06	2.4E-06	1.05E-03	2.52E-09	2	1.57E-01	7.91E-10	1.0E+06	7.9E-04
306	0.83438	2.34E-06	2.0E-06	1.05E-03	2.04E-09	2	1.57E-01	6.41E-10	1.0E+06	6.4E-04
307	0.90654	2.34E-06	2.1E-06	1.05E-03	2.22E-09	2	1.57E-01	6.97E-10	1.0E+06	7.0E-04
323	0.7471	2.34E-06	1.7E-06	1.05E-03	1.83E-09	2	1.57E-01	5.74E-10	1.0E+06	5.7E-04
324	0.8047	2.34E-06	1.9E-06	1.05E-03	1.97E-09	2	1.57E-01	6.19E-10	1.0E+06	6.2E-04
342	0.67274	2.34E-06	1.6E-06	1.05E-03	1.65E-09	2	1.57E-01	5.17E-10	1.0E+06	5.2E-04
343	0.71922	2.34E-06	1.7E-06	1.05E-03	1.76E-09	2	1.57E-01	5.53E-10	1.0E+06	5.5E-04
344	0.7653	2.34E-06	1.8E-06	1.05E-03	1.87E-09	2	1.57E-01	5.88E-10	1.0E+06	5.9E-04
356	0.60916	2.34E-06	1.4E-06	1.05E-03	1.49E-09	2	1.57E-01	4.68E-10	1.0E+06	4.7E-04
357	0.64743	2.34E-06	1.5E-06	1.05E-03	1.58E-09	2	1.57E-01	4.98E-10	1.0E+06	5.0E-04
358	0.68444	2.34E-06	1.6E-06	1.05E-03	1.67E-09	2	1.57E-01	5.26E-10	1.0E+06	5.3E-04

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.55417	2.34E-06	1.3E-06	1.05E-03	1.36E-09	2	1.57E-01	4.26E-10	1.0E+06	4.3E-04
371	0.58585	2.34E-06	1.4E-06	1.05E-03	1.43E-09	2	1.57E-01	4.50E-10	1.0E+06	4.5E-04
372	0.61623	2.34E-06	1.4E-06	1.05E-03	1.51E-09	2	1.57E-01	4.74E-10	1.0E+06	4.7E-04
383	0.50646	2.34E-06	1.2E-06	1.05E-03	1.24E-09	2	1.57E-01	3.89E-10	1.0E+06	3.9E-04
384	0.53285	2.34E-06	1.2E-06	1.05E-03	1.30E-09	2	1.57E-01	4.10E-10	1.0E+06	4.1E-04
385	0.55812	2.34E-06	1.3E-06	1.05E-03	1.37E-09	2	1.57E-01	4.29E-10	1.0E+06	4.3E-04
396	0.46473	2.34E-06	1.1E-06	1.05E-03	1.14E-09	2	1.57E-01	3.57E-10	1.0E+06	3.6E-04
397	0.48693	2.34E-06	1.1E-06	1.05E-03	1.19E-09	2	1.57E-01	3.74E-10	1.0E+06	3.7E-04
398	0.50818	2.34E-06	1.2E-06	1.05E-03	1.24E-09	2	1.57E-01	3.91E-10	1.0E+06	3.9E-04
399	0.52753	2.34E-06	1.2E-06	1.05E-03	1.29E-09	2	1.57E-01	4.06E-10	1.0E+06	4.1E-04
411	0.42811	2.34E-06	1.0E-06	1.05E-03	1.05E-09	2	1.57E-01	3.29E-10	1.0E+06	3.3E-04
412	0.44698	2.34E-06	1.0E-06	1.05E-03	1.09E-09	2	1.57E-01	3.44E-10	1.0E+06	3.4E-04
413	0.46473	2.34E-06	1.1E-06	1.05E-03	1.14E-09	2	1.57E-01	3.57E-10	1.0E+06	3.6E-04
414	0.48134	2.34E-06	1.1E-06	1.05E-03	1.18E-09	2	1.57E-01	3.70E-10	1.0E+06	3.7E-04
426	0.39571	2.34E-06	9.3E-07	1.05E-03	9.68E-10	2	1.57E-01	3.04E-10	1.0E+06	3.0E-04
427	0.4118	2.34E-06	9.6E-07	1.05E-03	1.01E-09	2	1.57E-01	3.17E-10	1.0E+06	3.2E-04
428	0.42726	2.34E-06	1.0E-06	1.05E-03	1.05E-09	2	1.57E-01	3.28E-10	1.0E+06	3.3E-04
429	0.44129	2.34E-06	1.0E-06	1.05E-03	1.08E-09	2	1.57E-01	3.39E-10	1.0E+06	3.4E-04
439	0.36702	2.34E-06	8.6E-07	1.05E-03	8.98E-10	2	1.57E-01	2.82E-10	1.0E+06	2.8E-04
440	0.38087	2.34E-06	8.9E-07	1.05E-03	9.32E-10	2	1.57E-01	2.93E-10	1.0E+06	2.9E-04
441	0.39407	2.34E-06	9.2E-07	1.05E-03	9.64E-10	2	1.57E-01	3.03E-10	1.0E+06	3.0E-04
442	0.4062	2.34E-06	9.5E-07	1.05E-03	9.94E-10	2	1.57E-01	3.12E-10	1.0E+06	3.1E-04
443	0.41653	2.34E-06	9.7E-07	1.05E-03	1.02E-09	2	1.57E-01	3.20E-10	1.0E+06	3.2E-04
454	0.34142	2.34E-06	8.0E-07	1.05E-03	8.35E-10	2	1.57E-01	2.62E-10	1.0E+06	2.6E-04
455	0.3534	2.34E-06	8.3E-07	1.05E-03	8.65E-10	2	1.57E-01	2.72E-10	1.0E+06	2.7E-04
456	0.36482	2.34E-06	8.5E-07	1.05E-03	8.92E-10	2	1.57E-01	2.80E-10	1.0E+06	2.8E-04
457	0.37533	2.34E-06	8.8E-07	1.05E-03	9.18E-10	2	1.57E-01	2.89E-10	1.0E+06	2.9E-04
458	0.38437	2.34E-06	9.0E-07	1.05E-03	9.40E-10	2	1.57E-01	2.96E-10	1.0E+06	3.0E-04
469	0.31855	2.34E-06	7.5E-07	1.05E-03	7.79E-10	2	1.57E-01	2.45E-10	1.0E+06	2.4E-04
470	0.32907	2.34E-06	7.7E-07	1.05E-03	8.05E-10	2	1.57E-01	2.53E-10	1.0E+06	2.5E-04
471	0.339	2.34E-06	7.9E-07	1.05E-03	8.29E-10	2	1.57E-01	2.61E-10	1.0E+06	2.6E-04

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.34819	2.34E-06	8.1E-07	1.05E-03	8.52E-10	2	1.57E-01	2.68E-10	1.0E+06	2.7E-04
473	0.35615	2.34E-06	8.3E-07	1.05E-03	8.71E-10	2	1.57E-01	2.74E-10	1.0E+06	2.7E-04
489	0.29792	2.34E-06	7.0E-07	1.05E-03	7.29E-10	2	1.57E-01	2.29E-10	1.0E+06	2.3E-04
490	0.30711	2.34E-06	7.2E-07	1.05E-03	7.51E-10	2	1.57E-01	2.36E-10	1.0E+06	2.4E-04
491	0.31587	2.34E-06	7.4E-07	1.05E-03	7.73E-10	2	1.57E-01	2.43E-10	1.0E+06	2.4E-04
492	0.32393	2.34E-06	7.6E-07	1.05E-03	7.92E-10	2	1.57E-01	2.49E-10	1.0E+06	2.5E-04
493	0.33092	2.34E-06	7.7E-07	1.05E-03	8.10E-10	2	1.57E-01	2.54E-10	1.0E+06	2.5E-04
494	0.33644	2.34E-06	7.9E-07	1.05E-03	8.23E-10	2	1.57E-01	2.59E-10	1.0E+06	2.6E-04
509	0.27941	2.34E-06	6.5E-07	1.05E-03	6.84E-10	2	1.57E-01	2.15E-10	1.0E+06	2.1E-04
510	0.2875	2.34E-06	6.7E-07	1.05E-03	7.03E-10	2	1.57E-01	2.21E-10	1.0E+06	2.2E-04
511	0.29528	2.34E-06	6.9E-07	1.05E-03	7.22E-10	2	1.57E-01	2.27E-10	1.0E+06	2.3E-04
512	0.30241	2.34E-06	7.1E-07	1.05E-03	7.40E-10	2	1.57E-01	2.33E-10	1.0E+06	2.3E-04
513	0.30855	2.34E-06	7.2E-07	1.05E-03	7.55E-10	2	1.57E-01	2.37E-10	1.0E+06	2.4E-04
514	0.31352	2.34E-06	7.3E-07	1.05E-03	7.67E-10	2	1.57E-01	2.41E-10	1.0E+06	2.4E-04
515	0.31807	2.34E-06	7.4E-07	1.05E-03	7.78E-10	2	1.57E-01	2.45E-10	1.0E+06	2.4E-04
516	0.31689	2.34E-06	7.4E-07	1.05E-03	7.75E-10	2	1.57E-01	2.44E-10	1.0E+06	2.4E-04
517	0.31345	2.34E-06	7.3E-07	1.05E-03	7.67E-10	2	1.57E-01	2.41E-10	1.0E+06	2.4E-04
518	0.30764	2.34E-06	7.2E-07	1.05E-03	7.53E-10	2	1.57E-01	2.37E-10	1.0E+06	2.4E-04
519	0.2997	2.34E-06	7.0E-07	1.05E-03	7.33E-10	2	1.57E-01	2.30E-10	1.0E+06	2.3E-04
528	0.26267	2.34E-06	6.1E-07	1.05E-03	6.43E-10	2	1.57E-01	2.02E-10	1.0E+06	2.0E-04
529	0.26984	2.34E-06	6.3E-07	1.05E-03	6.60E-10	2	1.57E-01	2.07E-10	1.0E+06	2.1E-04
530	0.27671	2.34E-06	6.5E-07	1.05E-03	6.77E-10	2	1.57E-01	2.13E-10	1.0E+06	2.1E-04
531	0.28307	2.34E-06	6.6E-07	1.05E-03	6.92E-10	2	1.57E-01	2.18E-10	1.0E+06	2.2E-04
532	0.2886	2.34E-06	6.8E-07	1.05E-03	7.06E-10	2	1.57E-01	2.22E-10	1.0E+06	2.2E-04
533	0.29305	2.34E-06	6.9E-07	1.05E-03	7.17E-10	2	1.57E-01	2.25E-10	1.0E+06	2.3E-04
534	0.29729	2.34E-06	7.0E-07	1.05E-03	7.27E-10	2	1.57E-01	2.29E-10	1.0E+06	2.3E-04
535	0.29657	2.34E-06	6.9E-07	1.05E-03	7.25E-10	2	1.57E-01	2.28E-10	1.0E+06	2.3E-04
536	0.2939	2.34E-06	6.9E-07	1.05E-03	7.19E-10	2	1.57E-01	2.26E-10	1.0E+06	2.3E-04
537	0.28899	2.34E-06	6.8E-07	1.05E-03	7.07E-10	2	1.57E-01	2.22E-10	1.0E+06	2.2E-04
538	0.28218	2.34E-06	6.6E-07	1.05E-03	6.90E-10	2	1.57E-01	2.17E-10	1.0E+06	2.2E-04
547	0.24744	2.34E-06	5.8E-07	1.05E-03	6.05E-10	2	1.57E-01	1.90E-10	1.0E+06	1.9E-04

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.25383	2.34E-06	5.9E-07	1.05E-03	6.21E-10	2	1.57E-01	1.95E-10	1.0E+06	2.0E-04
549	0.26	2.34E-06	6.1E-07	1.05E-03	6.36E-10	2	1.57E-01	2.00E-10	1.0E+06	2.0E-04
550	0.26561	2.34E-06	6.2E-07	1.05E-03	6.50E-10	2	1.57E-01	2.04E-10	1.0E+06	2.0E-04
551	0.27061	2.34E-06	6.3E-07	1.05E-03	6.62E-10	2	1.57E-01	2.08E-10	1.0E+06	2.1E-04
552	0.27463	2.34E-06	6.4E-07	1.05E-03	6.72E-10	2	1.57E-01	2.11E-10	1.0E+06	2.1E-04
553	0.27744	2.34E-06	6.5E-07	1.05E-03	6.79E-10	2	1.57E-01	2.13E-10	1.0E+06	2.1E-04
554	0.27868	2.34E-06	6.5E-07	1.05E-03	6.82E-10	2	1.57E-01	2.14E-10	1.0E+06	2.1E-04
555	0.27831	2.34E-06	6.5E-07	1.05E-03	6.81E-10	2	1.57E-01	2.14E-10	1.0E+06	2.1E-04
556	0.27625	2.34E-06	6.5E-07	1.05E-03	6.76E-10	2	1.57E-01	2.12E-10	1.0E+06	2.1E-04
557	0.27211	2.34E-06	6.4E-07	1.05E-03	6.66E-10	2	1.57E-01	2.09E-10	1.0E+06	2.1E-04
558	0.26639	2.34E-06	6.2E-07	1.05E-03	6.52E-10	2	1.57E-01	2.05E-10	1.0E+06	2.0E-04
559	0.25905	2.34E-06	6.1E-07	1.05E-03	6.34E-10	2	1.57E-01	1.99E-10	1.0E+06	2.0E-04
567	0.23362	2.34E-06	5.5E-07	1.05E-03	5.72E-10	2	1.57E-01	1.80E-10	1.0E+06	1.8E-04
568	0.23935	2.34E-06	5.6E-07	1.05E-03	5.86E-10	2	1.57E-01	1.84E-10	1.0E+06	1.8E-04
569	0.24484	2.34E-06	5.7E-07	1.05E-03	5.99E-10	2	1.57E-01	1.88E-10	1.0E+06	1.9E-04
570	0.24993	2.34E-06	5.8E-07	1.05E-03	6.11E-10	2	1.57E-01	1.92E-10	1.0E+06	1.9E-04
571	0.25441	2.34E-06	6.0E-07	1.05E-03	6.22E-10	2	1.57E-01	1.96E-10	1.0E+06	2.0E-04
572	0.25808	2.34E-06	6.0E-07	1.05E-03	6.31E-10	2	1.57E-01	1.98E-10	1.0E+06	2.0E-04
573	0.26068	2.34E-06	6.1E-07	1.05E-03	6.38E-10	2	1.57E-01	2.00E-10	1.0E+06	2.0E-04
574	0.26179	2.34E-06	6.1E-07	1.05E-03	6.40E-10	2	1.57E-01	2.01E-10	1.0E+06	2.0E-04
575	0.26015	2.34E-06	6.1E-07	1.05E-03	6.36E-10	2	1.57E-01	2.00E-10	1.0E+06	2.0E-04
576	0.25686	2.34E-06	6.0E-07	1.05E-03	6.28E-10	2	1.57E-01	1.97E-10	1.0E+06	2.0E-04
577	0.25197	2.34E-06	5.9E-07	1.05E-03	6.16E-10	2	1.57E-01	1.94E-10	1.0E+06	1.9E-04
578	0.24563	2.34E-06	5.7E-07	1.05E-03	6.01E-10	2	1.57E-01	1.89E-10	1.0E+06	1.9E-04
586	0.22092	2.34E-06	5.2E-07	1.05E-03	5.40E-10	2	1.57E-01	1.70E-10	1.0E+06	1.7E-04
587	0.22605	2.34E-06	5.3E-07	1.05E-03	5.53E-10	2	1.57E-01	1.74E-10	1.0E+06	1.7E-04
588	0.23101	2.34E-06	5.4E-07	1.05E-03	5.65E-10	2	1.57E-01	1.78E-10	1.0E+06	1.8E-04
589	0.2356	2.34E-06	5.5E-07	1.05E-03	5.76E-10	2	1.57E-01	1.81E-10	1.0E+06	1.8E-04
590	0.23967	2.34E-06	5.6E-07	1.05E-03	5.86E-10	2	1.57E-01	1.84E-10	1.0E+06	1.8E-04
591	0.243	2.34E-06	5.7E-07	1.05E-03	5.94E-10	2	1.57E-01	1.87E-10	1.0E+06	1.9E-04
592	0.24542	2.34E-06	5.7E-07	1.05E-03	6.00E-10	2	1.57E-01	1.89E-10	1.0E+06	1.9E-04

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.24675	2.34E-06	5.8E-07	1.05E-03	6.04E-10	2	1.57E-01	1.90E-10	1.0E+06	1.9E-04
594	0.2455	2.34E-06	5.7E-07	1.05E-03	6.01E-10	2	1.57E-01	1.89E-10	1.0E+06	1.9E-04
595	0.24269	2.34E-06	5.7E-07	1.05E-03	5.94E-10	2	1.57E-01	1.87E-10	1.0E+06	1.9E-04
596	0.2385	2.34E-06	5.6E-07	1.05E-03	5.83E-10	2	1.57E-01	1.83E-10	1.0E+06	1.8E-04
597	0.23306	2.34E-06	5.5E-07	1.05E-03	5.70E-10	2	1.57E-01	1.79E-10	1.0E+06	1.8E-04
345	0.80697	2.34E-06	1.9E-06	1.05E-03	1.97E-09	2	1.57E-01	6.20E-10	1.0E+06	6.2E-04
346	0.84115	2.34E-06	2.0E-06	1.05E-03	2.06E-09	2	1.57E-01	6.47E-10	1.0E+06	6.5E-04
347	0.86268	2.34E-06	2.0E-06	1.05E-03	2.11E-09	2	1.57E-01	6.63E-10	1.0E+06	6.6E-04
348	0.86764	2.34E-06	2.0E-06	1.05E-03	2.12E-09	2	1.57E-01	6.67E-10	1.0E+06	6.7E-04
359	0.71803	2.34E-06	1.7E-06	1.05E-03	1.76E-09	2	1.57E-01	5.52E-10	1.0E+06	5.5E-04
360	0.74514	2.34E-06	1.7E-06	1.05E-03	1.82E-09	2	1.57E-01	5.73E-10	1.0E+06	5.7E-04
361	0.76375	2.34E-06	1.8E-06	1.05E-03	1.87E-09	2	1.57E-01	5.87E-10	1.0E+06	5.9E-04
362	0.76885	2.34E-06	1.8E-06	1.05E-03	1.88E-09	2	1.57E-01	5.91E-10	1.0E+06	5.9E-04
363	0.76045	2.34E-06	1.8E-06	1.05E-03	1.86E-09	2	1.57E-01	5.85E-10	1.0E+06	5.8E-04
373	0.66656	2.34E-06	1.6E-06	1.05E-03	1.63E-09	2	1.57E-01	5.12E-10	1.0E+06	5.1E-04
374	0.68175	2.34E-06	1.6E-06	1.05E-03	1.67E-09	2	1.57E-01	5.24E-10	1.0E+06	5.2E-04
375	0.6871	2.34E-06	1.6E-06	1.05E-03	1.68E-09	2	1.57E-01	5.28E-10	1.0E+06	5.3E-04
376	0.68159	2.34E-06	1.6E-06	1.05E-03	1.67E-09	2	1.57E-01	5.24E-10	1.0E+06	5.2E-04
386	0.60005	2.34E-06	1.4E-06	1.05E-03	1.47E-09	2	1.57E-01	4.61E-10	1.0E+06	4.6E-04
387	0.61317	2.34E-06	1.4E-06	1.05E-03	1.50E-09	2	1.57E-01	4.71E-10	1.0E+06	4.7E-04
388	0.61837	2.34E-06	1.4E-06	1.05E-03	1.51E-09	2	1.57E-01	4.75E-10	1.0E+06	4.8E-04
389	0.61499	2.34E-06	1.4E-06	1.05E-03	1.50E-09	2	1.57E-01	4.73E-10	1.0E+06	4.7E-04
390	0.60256	2.34E-06	1.4E-06	1.05E-03	1.47E-09	2	1.57E-01	4.63E-10	1.0E+06	4.6E-04
400	0.54364	2.34E-06	1.3E-06	1.05E-03	1.33E-09	2	1.57E-01	4.18E-10	1.0E+06	4.2E-04
401	0.55455	2.34E-06	1.3E-06	1.05E-03	1.36E-09	2	1.57E-01	4.26E-10	1.0E+06	4.3E-04
402	0.56003	2.34E-06	1.3E-06	1.05E-03	1.37E-09	2	1.57E-01	4.31E-10	1.0E+06	4.3E-04
403	0.55791	2.34E-06	1.3E-06	1.05E-03	1.36E-09	2	1.57E-01	4.29E-10	1.0E+06	4.3E-04
404	0.54828	2.34E-06	1.3E-06	1.05E-03	1.34E-09	2	1.57E-01	4.22E-10	1.0E+06	4.2E-04
415	0.49507	2.34E-06	1.2E-06	1.05E-03	1.21E-09	2	1.57E-01	3.81E-10	1.0E+06	3.8E-04
416	0.50493	2.34E-06	1.2E-06	1.05E-03	1.24E-09	2	1.57E-01	3.88E-10	1.0E+06	3.9E-04
417	0.50966	2.34E-06	1.2E-06	1.05E-03	1.25E-09	2	1.57E-01	3.92E-10	1.0E+06	3.9E-04

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.50917	2.34E-06	1.2E-06	1.05E-03	1.25E-09	2	1.57E-01	3.91E-10	1.0E+06	3.9E-04
419	0.50231	2.34E-06	1.2E-06	1.05E-03	1.23E-09	2	1.57E-01	3.86E-10	1.0E+06	3.9E-04
420	0.48784	2.34E-06	1.1E-06	1.05E-03	1.19E-09	2	1.57E-01	3.75E-10	1.0E+06	3.8E-04
430	0.46158	2.34E-06	1.1E-06	1.05E-03	1.13E-09	2	1.57E-01	3.55E-10	1.0E+06	3.5E-04
431	0.46656	2.34E-06	1.1E-06	1.05E-03	1.14E-09	2	1.57E-01	3.59E-10	1.0E+06	3.6E-04
432	0.46654	2.34E-06	1.1E-06	1.05E-03	1.14E-09	2	1.57E-01	3.59E-10	1.0E+06	3.6E-04
433	0.46123	2.34E-06	1.1E-06	1.05E-03	1.13E-09	2	1.57E-01	3.55E-10	1.0E+06	3.5E-04
434	0.45055	2.34E-06	1.1E-06	1.05E-03	1.10E-09	2	1.57E-01	3.46E-10	1.0E+06	3.5E-04
444	0.42429	2.34E-06	9.9E-07	1.05E-03	1.04E-09	2	1.57E-01	3.26E-10	1.0E+06	3.3E-04
445	0.42851	2.34E-06	1.0E-06	1.05E-03	1.05E-09	2	1.57E-01	3.29E-10	1.0E+06	3.3E-04
446	0.42906	2.34E-06	1.0E-06	1.05E-03	1.05E-09	2	1.57E-01	3.30E-10	1.0E+06	3.3E-04
447	0.42517	2.34E-06	1.0E-06	1.05E-03	1.04E-09	2	1.57E-01	3.27E-10	1.0E+06	3.3E-04
448	0.41668	2.34E-06	9.8E-07	1.05E-03	1.02E-09	2	1.57E-01	3.20E-10	1.0E+06	3.2E-04
459	0.39528	2.34E-06	9.3E-07	1.05E-03	9.67E-10	2	1.57E-01	3.04E-10	1.0E+06	3.0E-04
460	0.39607	2.34E-06	9.3E-07	1.05E-03	9.69E-10	2	1.57E-01	3.05E-10	1.0E+06	3.0E-04
461	0.39312	2.34E-06	9.2E-07	1.05E-03	9.62E-10	2	1.57E-01	3.02E-10	1.0E+06	3.0E-04
462	0.38634	2.34E-06	9.0E-07	1.05E-03	9.45E-10	2	1.57E-01	2.97E-10	1.0E+06	3.0E-04
463	0.37584	2.34E-06	8.8E-07	1.05E-03	9.19E-10	2	1.57E-01	2.89E-10	1.0E+06	2.9E-04
474	0.36588	2.34E-06	8.6E-07	1.05E-03	8.95E-10	2	1.57E-01	2.81E-10	1.0E+06	2.8E-04
475	0.36685	2.34E-06	8.6E-07	1.05E-03	8.97E-10	2	1.57E-01	2.82E-10	1.0E+06	2.8E-04
476	0.36483	2.34E-06	8.5E-07	1.05E-03	8.92E-10	2	1.57E-01	2.80E-10	1.0E+06	2.8E-04
477	0.35931	2.34E-06	8.4E-07	1.05E-03	8.79E-10	2	1.57E-01	2.76E-10	1.0E+06	2.8E-04
478	0.35072	2.34E-06	8.2E-07	1.05E-03	8.58E-10	2	1.57E-01	2.70E-10	1.0E+06	2.7E-04
495	0.33998	2.34E-06	8.0E-07	1.05E-03	8.32E-10	2	1.57E-01	2.61E-10	1.0E+06	2.6E-04
496	0.34102	2.34E-06	8.0E-07	1.05E-03	8.34E-10	2	1.57E-01	2.62E-10	1.0E+06	2.6E-04
497	0.33954	2.34E-06	7.9E-07	1.05E-03	8.31E-10	2	1.57E-01	2.61E-10	1.0E+06	2.6E-04
498	0.33521	2.34E-06	7.8E-07	1.05E-03	8.20E-10	2	1.57E-01	2.58E-10	1.0E+06	2.6E-04
499	0.3281	2.34E-06	7.7E-07	1.05E-03	8.03E-10	2	1.57E-01	2.52E-10	1.0E+06	2.5E-04
500	0.31854	2.34E-06	7.5E-07	1.05E-03	7.79E-10	2	1.57E-01	2.45E-10	1.0E+06	2.4E-04

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction							
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
139	11.36723	2.34E-06	2.7E-05	1.05E-03	2.78E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	27.72538	2.34E-06	6.5E-05	1.05E-03	6.78E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	8.37497	2.34E-06	2.0E-05	1.05E-03	2.05E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	14.88904	2.34E-06	3.5E-05	1.05E-03	3.64E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	23.24334	2.34E-06	5.4E-05	1.05E-03	5.69E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	19.42704	2.34E-06	4.5E-05	1.05E-03	4.75E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	11.93012	2.34E-06	2.8E-05	1.05E-03	2.92E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	4.9084	2.34E-06	1.1E-05	1.05E-03	1.20E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	3.49033	2.34E-06	8.2E-06	1.05E-03	8.54E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	2.6378	2.34E-06	6.2E-06	1.05E-03	6.45E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	8.86636	2.34E-06	2.1E-05	1.05E-03	2.17E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	11.61395	2.34E-06	2.7E-05	1.05E-03	2.84E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	11.16759	2.34E-06	2.6E-05	1.05E-03	2.73E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	8.37629	2.34E-06	2.0E-05	1.05E-03	2.05E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	5.82823	2.34E-06	1.4E-05	1.05E-03	1.43E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	4.09348	2.34E-06	9.6E-06	1.05E-03	1.00E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	3.00555	2.34E-06	7.0E-06	1.05E-03	7.35E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	2.31134	2.34E-06	5.4E-06	1.05E-03	5.65E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	1.84245	2.34E-06	4.3E-06	1.05E-03	4.51E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	1.51009	2.34E-06	3.5E-06	1.05E-03	3.69E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	1.2655	2.34E-06	3.0E-06	1.05E-03	3.10E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	7.1501	2.34E-06	1.7E-05	1.05E-03	1.75E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	7.19352	2.34E-06	1.7E-05	1.05E-03	1.76E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	6.05203	2.34E-06	1.4E-05	1.05E-03	1.48E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	4.62771	2.34E-06	1.1E-05	1.05E-03	1.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	3.45351	2.34E-06	8.1E-06	1.05E-03	8.45E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	2.61965	2.34E-06	6.1E-06	1.05E-03	6.41E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	2.05064	2.34E-06	4.8E-06	1.05E-03	5.02E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	1.65767	2.34E-06	3.9E-06	1.05E-03	4.06E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	1.37388	2.34E-06	3.2E-06	1.05E-03	3.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	1.16122	2.34E-06	2.7E-06	1.05E-03	2.84E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	0.99679	2.34E-06	2.3E-06	1.05E-03	2.44E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	4.90926	2.34E-06	1.1E-05	1.05E-03	1.20E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	5.02499	2.34E-06	1.2E-05	1.05E-03	1.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	4.51366	2.34E-06	1.1E-05	1.05E-03	1.10E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	3.70665	2.34E-06	8.7E-06	1.05E-03	9.07E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	2.91533	2.34E-06	6.8E-06	1.05E-03	7.13E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	2.29033	2.34E-06	5.4E-06	1.05E-03	5.60E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	1.83331	2.34E-06	4.3E-06	1.05E-03	4.48E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	1.50084	2.34E-06	3.5E-06	1.05E-03	3.67E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	1.25555	2.34E-06	2.9E-06	1.05E-03	3.07E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	1.06947	2.34E-06	2.5E-06	1.05E-03	2.62E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	0.92377	2.34E-06	2.2E-06	1.05E-03	2.26E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	0.80726	2.34E-06	1.9E-06	1.05E-03	1.97E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	3.21209	2.34E-06	7.5E-06	1.05E-03	7.86E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	3.60315	2.34E-06	8.4E-06	1.05E-03	8.81E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	3.71402	2.34E-06	8.7E-06	1.05E-03	9.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	3.47379	2.34E-06	8.1E-06	1.05E-03	8.50E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	2.47225	2.34E-06	5.8E-06	1.05E-03	6.05E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	2.00678	2.34E-06	4.7E-06	1.05E-03	4.91E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	1.64133	2.34E-06	3.8E-06	1.05E-03	4.02E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	1.36133	2.34E-06	3.2E-06	1.05E-03	3.33E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	1.14963	2.34E-06	2.7E-06	1.05E-03	2.81E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	0.98665	2.34E-06	2.3E-06	1.05E-03	2.41E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	0.85781	2.34E-06	2.0E-06	1.05E-03	2.10E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	0.75432	2.34E-06	1.8E-06	1.05E-03	1.85E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	0.66764	2.34E-06	1.6E-06	1.05E-03	1.63E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	2.525	2.34E-06	5.9E-06	1.05E-03	6.18E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	2.7756	2.34E-06	6.5E-06	1.05E-03	6.79E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	2.86448	2.34E-06	6.7E-06	1.05E-03	7.01E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	2.74756	2.34E-06	6.4E-06	1.05E-03	6.72E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	2.46271	2.34E-06	5.8E-06	1.05E-03	6.02E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	2.10153	2.34E-06	4.9E-06	1.05E-03	5.14E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	1.75785	2.34E-06	4.1E-06	1.05E-03	4.30E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	1.23639	2.34E-06	2.9E-06	1.05E-03	3.02E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	1.05341	2.34E-06	2.5E-06	1.05E-03	2.58E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	0.91082	2.34E-06	2.1E-06	1.05E-03	2.23E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	0.79727	2.34E-06	1.9E-06	1.05E-03	1.95E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	0.70488	2.34E-06	1.6E-06	1.05E-03	1.72E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	0.62854	2.34E-06	1.5E-06	1.05E-03	1.54E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	2.03908	2.34E-06	4.8E-06	1.05E-03	4.99E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	2.21159	2.34E-06	5.2E-06	1.05E-03	5.41E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	2.27558	2.34E-06	5.3E-06	1.05E-03	5.57E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	2.22023	2.34E-06	5.2E-06	1.05E-03	5.43E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	2.04537	2.34E-06	4.8E-06	1.05E-03	5.00E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	1.80287	2.34E-06	4.2E-06	1.05E-03	4.41E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	1.54895	2.34E-06	3.6E-06	1.05E-03	3.79E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	1.1231	2.34E-06	2.6E-06	1.05E-03	2.75E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	0.96656	2.34E-06	2.3E-06	1.05E-03	2.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	0.84183	2.34E-06	2.0E-06	1.05E-03	2.06E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	0.74213	2.34E-06	1.7E-06	1.05E-03	1.82E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	0.65891	2.34E-06	1.5E-06	1.05E-03	1.61E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	0.59075	2.34E-06	1.4E-06	1.05E-03	1.45E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	1.68401	2.34E-06	3.9E-06	1.05E-03	4.12E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	1.80703	2.34E-06	4.2E-06	1.05E-03	4.42E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	1.86125	2.34E-06	4.4E-06	1.05E-03	4.55E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	1.82981	2.34E-06	4.3E-06	1.05E-03	4.48E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	1.72351	2.34E-06	4.0E-06	1.05E-03	4.22E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	1.55622	2.34E-06	3.6E-06	1.05E-03	3.81E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	1.3674	2.34E-06	3.2E-06	1.05E-03	3.35E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	1.02487	2.34E-06	2.4E-06	1.05E-03	2.51E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	0.89063	2.34E-06	2.1E-06	1.05E-03	2.18E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	0.78129	2.34E-06	1.8E-06	1.05E-03	1.91E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	0.69199	2.34E-06	1.6E-06	1.05E-03	1.69E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	0.61732	2.34E-06	1.4E-06	1.05E-03	1.51E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	0.5561	2.34E-06	1.3E-06	1.05E-03	1.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	0.41967	2.34E-06	9.8E-07	1.05E-03	1.03E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	0.38584	2.34E-06	9.0E-07	1.05E-03	9.44E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	1.41644	2.34E-06	3.3E-06	1.05E-03	3.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	1.50741	2.34E-06	3.5E-06	1.05E-03	3.69E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	1.55297	2.34E-06	3.6E-06	1.05E-03	3.80E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	1.53719	2.34E-06	3.6E-06	1.05E-03	3.76E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	1.46753	2.34E-06	3.4E-06	1.05E-03	3.59E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	1.35005	2.34E-06	3.2E-06	1.05E-03	3.30E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	1.2071	2.34E-06	2.8E-06	1.05E-03	2.95E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	0.93398	2.34E-06	2.2E-06	1.05E-03	2.28E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	0.82007	2.34E-06	1.9E-06	1.05E-03	2.01E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	0.72449	2.34E-06	1.7E-06	1.05E-03	1.77E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	0.64529	2.34E-06	1.5E-06	1.05E-03	1.58E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	0.57933	2.34E-06	1.4E-06	1.05E-03	1.42E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	0.5241	2.34E-06	1.2E-06	1.05E-03	1.28E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	0.39897	2.34E-06	9.3E-07	1.05E-03	9.76E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	0.36841	2.34E-06	8.6E-07	1.05E-03	9.01E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	1.20951	2.34E-06	2.8E-06	1.05E-03	2.96E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	1.2786	2.34E-06	3.0E-06	1.05E-03	3.13E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	1.31649	2.34E-06	3.1E-06	1.05E-03	3.22E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	1.30996	2.34E-06	3.1E-06	1.05E-03	3.20E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	1.26235	2.34E-06	3.0E-06	1.05E-03	3.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	1.17937	2.34E-06	2.8E-06	1.05E-03	2.89E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	1.07452	2.34E-06	2.5E-06	1.05E-03	2.63E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	0.85367	2.34E-06	2.0E-06	1.05E-03	2.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	0.75746	2.34E-06	1.8E-06	1.05E-03	1.85E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	0.67384	2.34E-06	1.6E-06	1.05E-03	1.65E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	0.60378	2.34E-06	1.4E-06	1.05E-03	1.48E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	0.54451	2.34E-06	1.3E-06	1.05E-03	1.33E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	0.49443	2.34E-06	1.2E-06	1.05E-03	1.21E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	0.38008	2.34E-06	8.9E-07	1.05E-03	9.30E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	0.35167	2.34E-06	8.2E-07	1.05E-03	8.60E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	1.04595	2.34E-06	2.4E-06	1.05E-03	2.56E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	1.09962	2.34E-06	2.6E-06	1.05E-03	2.69E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	1.13096	2.34E-06	2.6E-06	1.05E-03	2.77E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	1.12965	2.34E-06	2.6E-06	1.05E-03	2.76E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	1.0996	2.34E-06	2.6E-06	1.05E-03	2.69E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	1.03948	2.34E-06	2.4E-06	1.05E-03	2.54E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	0.95992	2.34E-06	2.2E-06	1.05E-03	2.35E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	0.78238	2.34E-06	1.8E-06	1.05E-03	1.91E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	0.70164	2.34E-06	1.6E-06	1.05E-03	1.72E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	0.62799	2.34E-06	1.5E-06	1.05E-03	1.54E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	0.56595	2.34E-06	1.3E-06	1.05E-03	1.38E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	0.51256	2.34E-06	1.2E-06	1.05E-03	1.25E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	0.46662	2.34E-06	1.1E-06	1.05E-03	1.14E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	0.36219	2.34E-06	8.5E-07	1.05E-03	8.86E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	0.33574	2.34E-06	7.9E-07	1.05E-03	8.21E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	0.91455	2.34E-06	2.1E-06	1.05E-03	2.24E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	0.95693	2.34E-06	2.2E-06	1.05E-03	2.34E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	0.98288	2.34E-06	2.3E-06	1.05E-03	2.40E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	0.98583	2.34E-06	2.3E-06	1.05E-03	2.41E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	0.96429	2.34E-06	2.3E-06	1.05E-03	2.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	0.92229	2.34E-06	2.2E-06	1.05E-03	2.26E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	0.86174	2.34E-06	2.0E-06	1.05E-03	2.11E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	0.79233	2.34E-06	1.9E-06	1.05E-03	1.94E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	0.719	2.34E-06	1.7E-06	1.05E-03	1.76E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	0.64998	2.34E-06	1.5E-06	1.05E-03	1.59E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	0.58674	2.34E-06	1.4E-06	1.05E-03	1.44E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	0.5312	2.34E-06	1.2E-06	1.05E-03	1.30E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	0.48292	2.34E-06	1.1E-06	1.05E-03	1.18E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	0.44154	2.34E-06	1.0E-06	1.05E-03	1.08E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	0.37263	2.34E-06	8.7E-07	1.05E-03	9.12E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	0.34519	2.34E-06	8.1E-07	1.05E-03	8.44E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.32076	2.34E-06	7.5E-07	1.05E-03	7.85E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	0.85363	2.34E-06	2.0E-06	1.05E-03	2.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	0.8222	2.34E-06	1.9E-06	1.05E-03	2.01E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	0.77508	2.34E-06	1.8E-06	1.05E-03	1.90E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	0.72118	2.34E-06	1.7E-06	1.05E-03	1.76E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	0.3546	2.34E-06	8.3E-07	1.05E-03	8.67E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	0.32931	2.34E-06	7.7E-07	1.05E-03	8.06E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.30672	2.34E-06	7.2E-07	1.05E-03	7.50E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	0.73743	2.34E-06	1.7E-06	1.05E-03	1.80E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	0.70221	2.34E-06	1.6E-06	1.05E-03	1.72E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	0.65768	2.34E-06	1.5E-06	1.05E-03	1.61E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	0.33789	2.34E-06	7.9E-07	1.05E-03	8.27E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	0.31432	2.34E-06	7.4E-07	1.05E-03	7.69E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.29342	2.34E-06	6.9E-07	1.05E-03	7.18E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	0.66482	2.34E-06	1.6E-06	1.05E-03	1.63E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	0.63734	2.34E-06	1.5E-06	1.05E-03	1.56E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	0.60156	2.34E-06	1.4E-06	1.05E-03	1.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	0.32196	2.34E-06	7.5E-07	1.05E-03	7.88E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	0.29992	2.34E-06	7.0E-07	1.05E-03	7.34E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.28066	2.34E-06	6.6E-07	1.05E-03	6.87E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	0.58091	2.34E-06	1.4E-06	1.05E-03	1.42E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	0.55174	2.34E-06	1.3E-06	1.05E-03	1.35E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	0.3071	2.34E-06	7.2E-07	1.05E-03	7.51E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.2868	2.34E-06	6.7E-07	1.05E-03	7.02E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.26892	2.34E-06	6.3E-07	1.05E-03	6.58E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	0.53168	2.34E-06	1.2E-06	1.05E-03	1.30E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	0.5085	2.34E-06	1.2E-06	1.05E-03	1.24E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	0.48128	2.34E-06	1.1E-06	1.05E-03	1.18E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	0.29337	2.34E-06	6.9E-07	1.05E-03	7.18E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.27445	2.34E-06	6.4E-07	1.05E-03	6.71E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.258	2.34E-06	6.0E-07	1.05E-03	6.31E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	0.46958	2.34E-06	1.1E-06	1.05E-03	1.15E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	0.44674	2.34E-06	1.0E-06	1.05E-03	1.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.2804	2.34E-06	6.6E-07	1.05E-03	6.86E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.26289	2.34E-06	6.2E-07	1.05E-03	6.43E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.24754	2.34E-06	5.8E-07	1.05E-03	6.06E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	0.43461	2.34E-06	1.0E-06	1.05E-03	1.06E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	0.41595	2.34E-06	9.7E-07	1.05E-03	1.02E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.25207	2.34E-06	5.9E-07	1.05E-03	6.17E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.23746	2.34E-06	5.6E-07	1.05E-03	5.81E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	0.40345	2.34E-06	9.4E-07	1.05E-03	9.87E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	0.38816	2.34E-06	9.1E-07	1.05E-03	9.50E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	0.36971	2.34E-06	8.7E-07	1.05E-03	9.04E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.24176	2.34E-06	5.7E-07	1.05E-03	5.91E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.22809	2.34E-06	5.3E-07	1.05E-03	5.58E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	0.36257	2.34E-06	8.5E-07	1.05E-03	8.87E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	0.34698	2.34E-06	8.1E-07	1.05E-03	8.49E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.26124	2.34E-06	6.1E-07	1.05E-03	6.39E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.23209	2.34E-06	5.4E-07	1.05E-03	5.68E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.21932	2.34E-06	5.1E-07	1.05E-03	5.37E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	0.33896	2.34E-06	7.9E-07	1.05E-03	8.29E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	0.32608	2.34E-06	7.6E-07	1.05E-03	7.98E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	0.31125	2.34E-06	7.3E-07	1.05E-03	7.61E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	0.29587	2.34E-06	6.9E-07	1.05E-03	7.24E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	0.27991	2.34E-06	6.6E-07	1.05E-03	6.85E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.26458	2.34E-06	6.2E-07	1.05E-03	6.47E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.24978	2.34E-06	5.8E-07	1.05E-03	6.11E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.23596	2.34E-06	5.5E-07	1.05E-03	5.77E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.22302	2.34E-06	5.2E-07	1.05E-03	5.46E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.21102	2.34E-06	4.9E-07	1.05E-03	5.16E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	0.30662	2.34E-06	7.2E-07	1.05E-03	7.50E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	0.29431	2.34E-06	6.9E-07	1.05E-03	7.20E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	0.28072	2.34E-06	6.6E-07	1.05E-03	6.87E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	0.26658	2.34E-06	6.2E-07	1.05E-03	6.52E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	0.2526	2.34E-06	5.9E-07	1.05E-03	6.18E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.23907	2.34E-06	5.6E-07	1.05E-03	5.85E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.22638	2.34E-06	5.3E-07	1.05E-03	5.54E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.2032	2.34E-06	4.8E-07	1.05E-03	4.97E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.28947	2.34E-06	6.8E-07	1.05E-03	7.08E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	0.27794	2.34E-06	6.5E-07	1.05E-03	6.80E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	0.26649	2.34E-06	6.2E-07	1.05E-03	6.52E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	0.25393	2.34E-06	5.9E-07	1.05E-03	6.21E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	0.2413	2.34E-06	5.6E-07	1.05E-03	5.90E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.22897	2.34E-06	5.4E-07	1.05E-03	5.60E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.21726	2.34E-06	5.1E-07	1.05E-03	5.31E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.19576	2.34E-06	4.6E-07	1.05E-03	4.79E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.27371	2.34E-06	6.4E-07	1.05E-03	6.70E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.26385	2.34E-06	6.2E-07	1.05E-03	6.45E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	0.25296	2.34E-06	5.9E-07	1.05E-03	6.19E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	0.24174	2.34E-06	5.7E-07	1.05E-03	5.91E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	0.23065	2.34E-06	5.4E-07	1.05E-03	5.64E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.21941	2.34E-06	5.1E-07	1.05E-03	5.37E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.20843	2.34E-06	4.9E-07	1.05E-03	5.10E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.18868	2.34E-06	4.4E-07	1.05E-03	4.62E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.25049	2.34E-06	5.9E-07	1.05E-03	6.13E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.24106	2.34E-06	5.6E-07	1.05E-03	5.90E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.23091	2.34E-06	5.4E-07	1.05E-03	5.65E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.21194	2.34E-06	5.0E-07	1.05E-03	5.18E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.21026	2.34E-06	4.9E-07	1.05E-03	5.14E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.20059	2.34E-06	4.7E-07	1.05E-03	4.91E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.1821	2.34E-06	4.3E-07	1.05E-03	4.45E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.23805	2.34E-06	5.6E-07	1.05E-03	5.82E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.22969	2.34E-06	5.4E-07	1.05E-03	5.62E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.22075	2.34E-06	5.2E-07	1.05E-03	5.40E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.2114	2.34E-06	4.9E-07	1.05E-03	5.17E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.20199	2.34E-06	4.7E-07	1.05E-03	4.94E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.19276	2.34E-06	4.5E-07	1.05E-03	4.72E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.16602	2.34E-06	3.9E-07	1.05E-03	4.06E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.22653	2.34E-06	5.3E-07	1.05E-03	5.54E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.21903	2.34E-06	5.1E-07	1.05E-03	5.36E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.211	2.34E-06	4.9E-07	1.05E-03	5.16E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.20261	2.34E-06	4.7E-07	1.05E-03	4.96E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.19408	2.34E-06	4.5E-07	1.05E-03	4.75E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.1857	2.34E-06	4.3E-07	1.05E-03	4.54E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.17748	2.34E-06	4.2E-07	1.05E-03	4.34E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	2.34E-06	0.0E+00	1.05E-03	0.00E+00	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
1	1	0.45588	2.34E-06	1.1E-06	6.05E-04	6.46E-10	14	4.71E-02	4.26E-10	1.0E+06	4.3E-04
2	2	0.50584	2.34E-06	1.2E-06	6.05E-04	7.16E-10	14	4.71E-02	4.73E-10	1.0E+06	4.7E-04
3	3	0.56476	2.34E-06	1.3E-06	6.05E-04	8.00E-10	14	4.71E-02	5.28E-10	1.0E+06	5.3E-04
4	4	0.63522	2.34E-06	1.5E-06	6.05E-04	9.00E-10	14	4.71E-02	5.94E-10	1.0E+06	5.9E-04
5	5	0.72054	2.34E-06	1.7E-06	6.05E-04	1.02E-09	14	4.71E-02	6.73E-10	1.0E+06	6.7E-04
6	6	0.82615	2.34E-06	1.9E-06	6.05E-04	1.17E-09	14	4.71E-02	7.72E-10	1.0E+06	7.7E-04
7	7	0.95761	2.34E-06	2.2E-06	6.05E-04	1.36E-09	14	4.71E-02	8.95E-10	1.0E+06	9.0E-04
8	8	1.12359	2.34E-06	2.6E-06	6.05E-04	1.59E-09	14	4.71E-02	1.05E-09	1.0E+06	1.1E-03
9	9	1.33796	2.34E-06	3.1E-06	6.05E-04	1.89E-09	14	4.71E-02	1.25E-09	1.0E+06	1.3E-03
10	10	1.62059	2.34E-06	3.8E-06	6.05E-04	2.30E-09	14	4.71E-02	1.51E-09	1.0E+06	1.5E-03
11	11	2.00202	2.34E-06	4.7E-06	6.05E-04	2.84E-09	14	4.71E-02	1.87E-09	1.0E+06	1.9E-03
12	12	2.53083	2.34E-06	5.9E-06	6.05E-04	3.58E-09	14	4.71E-02	2.37E-09	1.0E+06	2.4E-03
13	13	3.29165	2.34E-06	7.7E-06	6.05E-04	4.66E-09	14	4.71E-02	3.08E-09	1.0E+06	3.1E-03
14	14	4.42219	2.34E-06	1.0E-05	6.05E-04	6.26E-09	14	4.71E-02	4.13E-09	1.0E+06	4.1E-03
15	15	6.17586	2.34E-06	1.4E-05	6.05E-04	8.75E-09	14	4.71E-02	5.77E-09	1.0E+06	5.8E-03
16	16	8.9909	2.34E-06	2.1E-05	6.05E-04	1.27E-08	14	4.71E-02	8.40E-09	1.0E+06	8.4E-03
17	17	13.16918	2.34E-06	3.1E-05	6.05E-04	1.86E-08	14	4.71E-02	1.23E-08	1.0E+06	1.2E-02
18	18	16.84858	2.34E-06	3.9E-05	6.05E-04	2.39E-08	14	4.71E-02	1.57E-08	1.0E+06	1.6E-02
19	19	15.79076	2.34E-06	3.7E-05	6.05E-04	2.24E-08	14	4.71E-02	1.48E-08	1.0E+06	1.5E-02
20	20	12.3186	2.34E-06	2.9E-05	6.05E-04	1.74E-08	14	4.71E-02	1.15E-08	1.0E+06	1.2E-02
21	21	9.22867	2.34E-06	2.2E-05	6.05E-04	1.31E-08	14	4.71E-02	8.63E-09	1.0E+06	8.6E-03
22	22	6.92863	2.34E-06	1.6E-05	6.05E-04	9.81E-09	14	4.71E-02	6.48E-09	1.0E+06	6.5E-03
23	23	5.26854	2.34E-06	1.2E-05	6.05E-04	7.46E-09	14	4.71E-02	4.92E-09	1.0E+06	4.9E-03
24	24	4.06949	2.34E-06	9.5E-06	6.05E-04	5.76E-09	14	4.71E-02	3.80E-09	1.0E+06	3.8E-03
25	25	3.1955	2.34E-06	7.5E-06	6.05E-04	4.53E-09	14	4.71E-02	2.99E-09	1.0E+06	3.0E-03
26	26	2.55061	2.34E-06	6.0E-06	6.05E-04	3.61E-09	14	4.71E-02	2.38E-09	1.0E+06	2.4E-03
27	27	2.06825	2.34E-06	4.8E-06	6.05E-04	2.93E-09	14	4.71E-02	1.93E-09	1.0E+06	1.9E-03
28	28	1.70265	2.34E-06	4.0E-06	6.05E-04	2.41E-09	14	4.71E-02	1.59E-09	1.0E+06	1.6E-03
29	29	1.42117	2.34E-06	3.3E-06	6.05E-04	2.01E-09	14	4.71E-02	1.33E-09	1.0E+06	1.3E-03
30	30	1.2014	2.34E-06	2.8E-06	6.05E-04	1.70E-09	14	4.71E-02	1.12E-09	1.0E+06	1.1E-03
31	31	1.02783	2.34E-06	2.4E-06	6.05E-04	1.46E-09	14	4.71E-02	9.61E-10	1.0E+06	9.6E-04

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
32	32	0.88916	2.34E-06	2.1E-06	6.05E-04	1.26E-09	14	4.71E-02	8.31E-10	1.0E+06	8.3E-04
55	55	7.39859	2.34E-06	1.7E-05	6.05E-04	1.05E-08	14	4.71E-02	6.92E-09	1.0E+06	6.9E-03
56	56	5.30522	2.34E-06	1.2E-05	6.05E-04	7.51E-09	14	4.71E-02	4.96E-09	1.0E+06	5.0E-03
57	57	3.94329	2.34E-06	9.2E-06	6.05E-04	5.58E-09	14	4.71E-02	3.69E-09	1.0E+06	3.7E-03
58	58	3.02102	2.34E-06	7.1E-06	6.05E-04	4.28E-09	14	4.71E-02	2.82E-09	1.0E+06	2.8E-03
59	59	2.37617	2.34E-06	5.6E-06	6.05E-04	3.37E-09	14	4.71E-02	2.22E-09	1.0E+06	2.2E-03
60	60	1.91181	2.34E-06	4.5E-06	6.05E-04	2.71E-09	14	4.71E-02	1.79E-09	1.0E+06	1.8E-03
61	61	1.56736	2.34E-06	3.7E-06	6.05E-04	2.22E-09	14	4.71E-02	1.46E-09	1.0E+06	1.5E-03
62	62	1.30743	2.34E-06	3.1E-06	6.05E-04	1.85E-09	14	4.71E-02	1.22E-09	1.0E+06	1.2E-03
63	63	1.10652	2.34E-06	2.6E-06	6.05E-04	1.57E-09	14	4.71E-02	1.03E-09	1.0E+06	1.0E-03
64	64	0.94908	2.34E-06	2.2E-06	6.05E-04	1.34E-09	14	4.71E-02	8.87E-10	1.0E+06	8.9E-04
65	65	0.82383	2.34E-06	1.9E-06	6.05E-04	1.17E-09	14	4.71E-02	7.70E-10	1.0E+06	7.7E-04
66	66	0.72115	2.34E-06	1.7E-06	6.05E-04	1.02E-09	14	4.71E-02	6.74E-10	1.0E+06	6.7E-04
67	67	0.46884	2.34E-06	1.1E-06	6.05E-04	6.64E-10	14	4.71E-02	4.38E-10	1.0E+06	4.4E-04
68	68	0.52243	2.34E-06	1.2E-06	6.05E-04	7.40E-10	14	4.71E-02	4.88E-10	1.0E+06	4.9E-04
69	69	0.58644	2.34E-06	1.4E-06	6.05E-04	8.30E-10	14	4.71E-02	5.48E-10	1.0E+06	5.5E-04
70	70	0.66394	2.34E-06	1.6E-06	6.05E-04	9.40E-10	14	4.71E-02	6.21E-10	1.0E+06	6.2E-04
71	71	0.75859	2.34E-06	1.8E-06	6.05E-04	1.07E-09	14	4.71E-02	7.09E-10	1.0E+06	7.1E-04
72	72	0.87783	2.34E-06	2.1E-06	6.05E-04	1.24E-09	14	4.71E-02	8.20E-10	1.0E+06	8.2E-04
73	73	1.02923	2.34E-06	2.4E-06	6.05E-04	1.46E-09	14	4.71E-02	9.62E-10	1.0E+06	9.6E-04
74	74	1.22595	2.34E-06	2.9E-06	6.05E-04	1.74E-09	14	4.71E-02	1.15E-09	1.0E+06	1.1E-03
75	75	1.48855	2.34E-06	3.5E-06	6.05E-04	2.11E-09	14	4.71E-02	1.39E-09	1.0E+06	1.4E-03
76	76	1.8516	2.34E-06	4.3E-06	6.05E-04	2.62E-09	14	4.71E-02	1.73E-09	1.0E+06	1.7E-03
77	77	2.37427	2.34E-06	5.6E-06	6.05E-04	3.36E-09	14	4.71E-02	2.22E-09	1.0E+06	2.2E-03
78	78	3.16368	2.34E-06	7.4E-06	6.05E-04	4.48E-09	14	4.71E-02	2.96E-09	1.0E+06	3.0E-03
79	79	12.58766	2.34E-06	2.9E-05	6.05E-04	1.78E-08	14	4.71E-02	1.18E-08	1.0E+06	1.2E-02
80	80	14.49872	2.34E-06	3.4E-05	6.05E-04	2.05E-08	14	4.71E-02	1.36E-08	1.0E+06	1.4E-02
81	81	37.65877	2.34E-06	8.8E-05	6.05E-04	5.33E-08	14	4.71E-02	3.52E-08	1.0E+06	3.5E-02
82	82	18.12006	2.34E-06	4.2E-05	6.05E-04	2.57E-08	14	4.71E-02	1.69E-08	1.0E+06	1.7E-02
83	83	10.7035	2.34E-06	2.5E-05	6.05E-04	1.52E-08	14	4.71E-02	1.00E-08	1.0E+06	1.0E-02
84	84	6.99614	2.34E-06	1.6E-05	6.05E-04	9.91E-09	14	4.71E-02	6.54E-09	1.0E+06	6.5E-03

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
85	85	4.87884	2.34E-06	1.1E-05	6.05E-04	6.91E-09	14	4.71E-02	4.56E-09	1.0E+06	4.6E-03
86	86	3.57268	2.34E-06	8.4E-06	6.05E-04	5.06E-09	14	4.71E-02	3.34E-09	1.0E+06	3.3E-03
87	87	2.72117	2.34E-06	6.4E-06	6.05E-04	3.85E-09	14	4.71E-02	2.54E-09	1.0E+06	2.5E-03
88	88	2.13813	2.34E-06	5.0E-06	6.05E-04	3.03E-09	14	4.71E-02	2.00E-09	1.0E+06	2.0E-03
89	89	1.72523	2.34E-06	4.0E-06	6.05E-04	2.44E-09	14	4.71E-02	1.61E-09	1.0E+06	1.6E-03
90	90	1.42175	2.34E-06	3.3E-06	6.05E-04	2.01E-09	14	4.71E-02	1.33E-09	1.0E+06	1.3E-03
91	91	1.19125	2.34E-06	2.8E-06	6.05E-04	1.69E-09	14	4.71E-02	1.11E-09	1.0E+06	1.1E-03
92	92	1.01509	2.34E-06	2.4E-06	6.05E-04	1.44E-09	14	4.71E-02	9.49E-10	1.0E+06	9.5E-04
93	93	0.8749	2.34E-06	2.0E-06	6.05E-04	1.24E-09	14	4.71E-02	8.18E-10	1.0E+06	8.2E-04
96	96	2.818	2.34E-06	6.6E-06	6.05E-04	3.99E-09	14	4.71E-02	2.63E-09	1.0E+06	2.6E-03
97	97	2.14823	2.34E-06	5.0E-06	6.05E-04	3.04E-09	14	4.71E-02	2.01E-09	1.0E+06	2.0E-03
98	98	1.89893	2.34E-06	4.4E-06	6.05E-04	2.69E-09	14	4.71E-02	1.77E-09	1.0E+06	1.8E-03
99	99	1.54511	2.34E-06	3.6E-06	6.05E-04	2.19E-09	14	4.71E-02	1.44E-09	1.0E+06	1.4E-03
100	100	1.28553	2.34E-06	3.0E-06	6.05E-04	1.82E-09	14	4.71E-02	1.20E-09	1.0E+06	1.2E-03
101	101	1.08822	2.34E-06	2.5E-06	6.05E-04	1.54E-09	14	4.71E-02	1.02E-09	1.0E+06	1.0E-03
102	102	0.93181	2.34E-06	2.2E-06	6.05E-04	1.32E-09	14	4.71E-02	8.71E-10	1.0E+06	8.7E-04
106	106	0.42136	2.34E-06	9.9E-07	6.05E-04	5.97E-10	14	4.71E-02	3.94E-10	1.0E+06	3.9E-04
107	107	0.46829	2.34E-06	1.1E-06	6.05E-04	6.63E-10	14	4.71E-02	4.38E-10	1.0E+06	4.4E-04
108	108	0.52198	2.34E-06	1.2E-06	6.05E-04	7.39E-10	14	4.71E-02	4.88E-10	1.0E+06	4.9E-04
109	109	0.58628	2.34E-06	1.4E-06	6.05E-04	8.30E-10	14	4.71E-02	5.48E-10	1.0E+06	5.5E-04
110	110	0.66428	2.34E-06	1.6E-06	6.05E-04	9.41E-10	14	4.71E-02	6.21E-10	1.0E+06	6.2E-04
111	111	0.75975	2.34E-06	1.8E-06	6.05E-04	1.08E-09	14	4.71E-02	7.10E-10	1.0E+06	7.1E-04
112	112	0.88045	2.34E-06	2.1E-06	6.05E-04	1.25E-09	14	4.71E-02	8.23E-10	1.0E+06	8.2E-04
113	113	1.03374	2.34E-06	2.4E-06	6.05E-04	1.46E-09	14	4.71E-02	9.66E-10	1.0E+06	9.7E-04
114	114	1.23423	2.34E-06	2.9E-06	6.05E-04	1.75E-09	14	4.71E-02	1.15E-09	1.0E+06	1.2E-03
115	115	1.50309	2.34E-06	3.5E-06	6.05E-04	2.13E-09	14	4.71E-02	1.40E-09	1.0E+06	1.4E-03
116	116	1.8754	2.34E-06	4.4E-06	6.05E-04	2.66E-09	14	4.71E-02	1.75E-09	1.0E+06	1.8E-03
117	117	2.4219	2.34E-06	5.7E-06	6.05E-04	3.43E-09	14	4.71E-02	2.26E-09	1.0E+06	2.3E-03
118	118	3.26529	2.34E-06	7.6E-06	6.05E-04	4.62E-09	14	4.71E-02	3.05E-09	1.0E+06	3.1E-03
124	124	0.41874	2.34E-06	9.8E-07	6.05E-04	5.93E-10	14	4.71E-02	3.91E-10	1.0E+06	3.9E-04
125	125	0.46324	2.34E-06	1.1E-06	6.05E-04	6.56E-10	14	4.71E-02	4.33E-10	1.0E+06	4.3E-04

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	126	0.51579	2.34E-06	1.2E-06	6.05E-04	7.30E-10	14	4.71E-02	4.82E-10	1.0E+06	4.8E-04
127	127	0.57858	2.34E-06	1.4E-06	6.05E-04	8.19E-10	14	4.71E-02	5.41E-10	1.0E+06	5.4E-04
128	128	0.65456	2.34E-06	1.5E-06	6.05E-04	9.27E-10	14	4.71E-02	6.12E-10	1.0E+06	6.1E-04
129	129	0.74732	2.34E-06	1.7E-06	6.05E-04	1.06E-09	14	4.71E-02	6.98E-10	1.0E+06	7.0E-04
130	130	0.86391	2.34E-06	2.0E-06	6.05E-04	1.22E-09	14	4.71E-02	8.07E-10	1.0E+06	8.1E-04
131	131	1.01158	2.34E-06	2.4E-06	6.05E-04	1.43E-09	14	4.71E-02	9.45E-10	1.0E+06	9.5E-04
132	132	1.20331	2.34E-06	2.8E-06	6.05E-04	1.70E-09	14	4.71E-02	1.12E-09	1.0E+06	1.1E-03
133	133	1.45851	2.34E-06	3.4E-06	6.05E-04	2.07E-09	14	4.71E-02	1.36E-09	1.0E+06	1.4E-03
134	134	1.81048	2.34E-06	4.2E-06	6.05E-04	2.56E-09	14	4.71E-02	1.69E-09	1.0E+06	1.7E-03
135	135	2.31438	2.34E-06	5.4E-06	6.05E-04	3.28E-09	14	4.71E-02	2.16E-09	1.0E+06	2.2E-03
136	136	3.07488	2.34E-06	7.2E-06	6.05E-04	4.35E-09	14	4.71E-02	2.87E-09	1.0E+06	2.9E-03
137	137	4.30283	2.34E-06	1.0E-05	6.05E-04	6.09E-09	14	4.71E-02	4.02E-09	1.0E+06	4.0E-03
138	138	6.53452	2.34E-06	1.5E-05	6.05E-04	9.25E-09	14	4.71E-02	6.11E-09	1.0E+06	6.1E-03
141	141	0.41256	2.34E-06	9.7E-07	6.05E-04	5.84E-10	14	4.71E-02	3.86E-10	1.0E+06	3.9E-04
142	142	0.45574	2.34E-06	1.1E-06	6.05E-04	6.45E-10	14	4.71E-02	4.26E-10	1.0E+06	4.3E-04
143	143	0.50657	2.34E-06	1.2E-06	6.05E-04	7.17E-10	14	4.71E-02	4.73E-10	1.0E+06	4.7E-04
144	144	0.56708	2.34E-06	1.3E-06	6.05E-04	8.03E-10	14	4.71E-02	5.30E-10	1.0E+06	5.3E-04
145	145	0.63991	2.34E-06	1.5E-06	6.05E-04	9.06E-10	14	4.71E-02	5.98E-10	1.0E+06	6.0E-04
146	146	0.72841	2.34E-06	1.7E-06	6.05E-04	1.03E-09	14	4.71E-02	6.81E-10	1.0E+06	6.8E-04
147	147	0.83872	2.34E-06	2.0E-06	6.05E-04	1.19E-09	14	4.71E-02	7.84E-10	1.0E+06	7.8E-04
148	148	0.97716	2.34E-06	2.3E-06	6.05E-04	1.38E-09	14	4.71E-02	9.13E-10	1.0E+06	9.1E-04
149	149	1.15486	2.34E-06	2.7E-06	6.05E-04	1.64E-09	14	4.71E-02	1.08E-09	1.0E+06	1.1E-03
150	150	1.388	2.34E-06	3.2E-06	6.05E-04	1.97E-09	14	4.71E-02	1.30E-09	1.0E+06	1.3E-03
151	151	1.70256	2.34E-06	4.0E-06	6.05E-04	2.41E-09	14	4.71E-02	1.59E-09	1.0E+06	1.6E-03
152	152	2.14081	2.34E-06	5.0E-06	6.05E-04	3.03E-09	14	4.71E-02	2.00E-09	1.0E+06	2.0E-03
153	153	2.77678	2.34E-06	6.5E-06	6.05E-04	3.93E-09	14	4.71E-02	2.60E-09	1.0E+06	2.6E-03
154	154	3.75203	2.34E-06	8.8E-06	6.05E-04	5.31E-09	14	4.71E-02	3.51E-09	1.0E+06	3.5E-03
155	155	5.36547	2.34E-06	1.3E-05	6.05E-04	7.60E-09	14	4.71E-02	5.01E-09	1.0E+06	5.0E-03
164	164	3.17314	2.34E-06	7.4E-06	6.05E-04	4.49E-09	14	4.71E-02	2.97E-09	1.0E+06	3.0E-03
165	165	4.27347	2.34E-06	1.0E-05	6.05E-04	6.05E-09	14	4.71E-02	3.99E-09	1.0E+06	4.0E-03
166	166	6.05606	2.34E-06	1.4E-05	6.05E-04	8.58E-09	14	4.71E-02	5.66E-09	1.0E+06	5.7E-03

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
178	178	2.65797	2.34E-06	6.2E-06	6.05E-04	3.76E-09	14	4.71E-02	2.48E-09	1.0E+06	2.5E-03
179	179	3.41062	2.34E-06	8.0E-06	6.05E-04	4.83E-09	14	4.71E-02	3.19E-09	1.0E+06	3.2E-03
180	180	4.49811	2.34E-06	1.1E-05	6.05E-04	6.37E-09	14	4.71E-02	4.20E-09	1.0E+06	4.2E-03
192	192	2.23194	2.34E-06	5.2E-06	6.05E-04	3.16E-09	14	4.71E-02	2.09E-09	1.0E+06	2.1E-03
193	193	2.75778	2.34E-06	6.5E-06	6.05E-04	3.91E-09	14	4.71E-02	2.58E-09	1.0E+06	2.6E-03
194	194	3.44958	2.34E-06	8.1E-06	6.05E-04	4.89E-09	14	4.71E-02	3.22E-09	1.0E+06	3.2E-03
207	207	1.88852	2.34E-06	4.4E-06	6.05E-04	2.67E-09	14	4.71E-02	1.77E-09	1.0E+06	1.8E-03
208	208	2.26388	2.34E-06	5.3E-06	6.05E-04	3.21E-09	14	4.71E-02	2.12E-09	1.0E+06	2.1E-03
209	209	2.72283	2.34E-06	6.4E-06	6.05E-04	3.86E-09	14	4.71E-02	2.54E-09	1.0E+06	2.5E-03
223	223	1.61307	2.34E-06	3.8E-06	6.05E-04	2.28E-09	14	4.71E-02	1.51E-09	1.0E+06	1.5E-03
224	224	1.88669	2.34E-06	4.4E-06	6.05E-04	2.67E-09	14	4.71E-02	1.76E-09	1.0E+06	1.8E-03
225	225	2.20205	2.34E-06	5.2E-06	6.05E-04	3.12E-09	14	4.71E-02	2.06E-09	1.0E+06	2.1E-03
239	239	1.39094	2.34E-06	3.3E-06	6.05E-04	1.97E-09	14	4.71E-02	1.30E-09	1.0E+06	1.3E-03
240	240	1.59421	2.34E-06	3.7E-06	6.05E-04	2.26E-09	14	4.71E-02	1.49E-09	1.0E+06	1.5E-03
241	241	1.81828	2.34E-06	4.3E-06	6.05E-04	2.57E-09	14	4.71E-02	1.70E-09	1.0E+06	1.7E-03
255	255	1.20997	2.34E-06	2.8E-06	6.05E-04	1.71E-09	14	4.71E-02	1.13E-09	1.0E+06	1.1E-03
256	256	1.36372	2.34E-06	3.2E-06	6.05E-04	1.93E-09	14	4.71E-02	1.27E-09	1.0E+06	1.3E-03
272	272	1.06144	2.34E-06	2.5E-06	6.05E-04	1.50E-09	14	4.71E-02	9.92E-10	1.0E+06	9.9E-04
273	273	1.17917	2.34E-06	2.8E-06	6.05E-04	1.67E-09	14	4.71E-02	1.10E-09	1.0E+06	1.1E-03
289	289	0.9378	2.34E-06	2.2E-06	6.05E-04	1.33E-09	14	4.71E-02	8.77E-10	1.0E+06	8.8E-04
290	290	1.02945	2.34E-06	2.4E-06	6.05E-04	1.46E-09	14	4.71E-02	9.62E-10	1.0E+06	9.6E-04
306	306	0.83438	2.34E-06	2.0E-06	6.05E-04	1.18E-09	14	4.71E-02	7.80E-10	1.0E+06	7.8E-04
307	307	0.90654	2.34E-06	2.1E-06	6.05E-04	1.28E-09	14	4.71E-02	8.47E-10	1.0E+06	8.5E-04
323	323	0.7471	2.34E-06	1.7E-06	6.05E-04	1.06E-09	14	4.71E-02	6.98E-10	1.0E+06	7.0E-04
324	324	0.8047	2.34E-06	1.9E-06	6.05E-04	1.14E-09	14	4.71E-02	7.52E-10	1.0E+06	7.5E-04
342	342	0.67274	2.34E-06	1.6E-06	6.05E-04	9.53E-10	14	4.71E-02	6.29E-10	1.0E+06	6.3E-04
343	343	0.71922	2.34E-06	1.7E-06	6.05E-04	1.02E-09	14	4.71E-02	6.72E-10	1.0E+06	6.7E-04
344	344	0.7653	2.34E-06	1.8E-06	6.05E-04	1.08E-09	14	4.71E-02	7.15E-10	1.0E+06	7.2E-04
356	356	0.60916	2.34E-06	1.4E-06	6.05E-04	8.63E-10	14	4.71E-02	5.69E-10	1.0E+06	5.7E-04
357	357	0.64743	2.34E-06	1.5E-06	6.05E-04	9.17E-10	14	4.71E-02	6.05E-10	1.0E+06	6.1E-04
358	358	0.68444	2.34E-06	1.6E-06	6.05E-04	9.69E-10	14	4.71E-02	6.40E-10	1.0E+06	6.4E-04

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
370	370	0.55417	2.34E-06	1.3E-06	6.05E-04	7.85E-10	14	4.71E-02	5.18E-10	1.0E+06	5.2E-04
371	371	0.58585	2.34E-06	1.4E-06	6.05E-04	8.30E-10	14	4.71E-02	5.48E-10	1.0E+06	5.5E-04
372	372	0.61623	2.34E-06	1.4E-06	6.05E-04	8.73E-10	14	4.71E-02	5.76E-10	1.0E+06	5.8E-04
383	383	0.50646	2.34E-06	1.2E-06	6.05E-04	7.17E-10	14	4.71E-02	4.73E-10	1.0E+06	4.7E-04
384	384	0.53285	2.34E-06	1.2E-06	6.05E-04	7.55E-10	14	4.71E-02	4.98E-10	1.0E+06	5.0E-04
385	385	0.55812	2.34E-06	1.3E-06	6.05E-04	7.90E-10	14	4.71E-02	5.22E-10	1.0E+06	5.2E-04
396	396	0.46473	2.34E-06	1.1E-06	6.05E-04	6.58E-10	14	4.71E-02	4.34E-10	1.0E+06	4.3E-04
397	397	0.48693	2.34E-06	1.1E-06	6.05E-04	6.90E-10	14	4.71E-02	4.55E-10	1.0E+06	4.6E-04
398	398	0.50818	2.34E-06	1.2E-06	6.05E-04	7.20E-10	14	4.71E-02	4.75E-10	1.0E+06	4.7E-04
399	399	0.52753	2.34E-06	1.2E-06	6.05E-04	7.47E-10	14	4.71E-02	4.93E-10	1.0E+06	4.9E-04
411	411	0.42811	2.34E-06	1.0E-06	6.05E-04	6.06E-10	14	4.71E-02	4.00E-10	1.0E+06	4.0E-04
412	412	0.44698	2.34E-06	1.0E-06	6.05E-04	6.33E-10	14	4.71E-02	4.18E-10	1.0E+06	4.2E-04
413	413	0.46473	2.34E-06	1.1E-06	6.05E-04	6.58E-10	14	4.71E-02	4.34E-10	1.0E+06	4.3E-04
414	414	0.48134	2.34E-06	1.1E-06	6.05E-04	6.82E-10	14	4.71E-02	4.50E-10	1.0E+06	4.5E-04
426	426	0.39571	2.34E-06	9.3E-07	6.05E-04	5.60E-10	14	4.71E-02	3.70E-10	1.0E+06	3.7E-04
427	427	0.4118	2.34E-06	9.6E-07	6.05E-04	5.83E-10	14	4.71E-02	3.85E-10	1.0E+06	3.8E-04
428	428	0.42726	2.34E-06	1.0E-06	6.05E-04	6.05E-10	14	4.71E-02	3.99E-10	1.0E+06	4.0E-04
429	429	0.44129	2.34E-06	1.0E-06	6.05E-04	6.25E-10	14	4.71E-02	4.12E-10	1.0E+06	4.1E-04
439	439	0.36702	2.34E-06	8.6E-07	6.05E-04	5.20E-10	14	4.71E-02	3.43E-10	1.0E+06	3.4E-04
440	440	0.38087	2.34E-06	8.9E-07	6.05E-04	5.39E-10	14	4.71E-02	3.56E-10	1.0E+06	3.6E-04
441	441	0.39407	2.34E-06	9.2E-07	6.05E-04	5.58E-10	14	4.71E-02	3.68E-10	1.0E+06	3.7E-04
442	442	0.4062	2.34E-06	9.5E-07	6.05E-04	5.75E-10	14	4.71E-02	3.80E-10	1.0E+06	3.8E-04
443	443	0.41653	2.34E-06	9.7E-07	6.05E-04	5.90E-10	14	4.71E-02	3.89E-10	1.0E+06	3.9E-04
454	454	0.34142	2.34E-06	8.0E-07	6.05E-04	4.84E-10	14	4.71E-02	3.19E-10	1.0E+06	3.2E-04
455	455	0.3534	2.34E-06	8.3E-07	6.05E-04	5.00E-10	14	4.71E-02	3.30E-10	1.0E+06	3.3E-04
456	456	0.36482	2.34E-06	8.5E-07	6.05E-04	5.17E-10	14	4.71E-02	3.41E-10	1.0E+06	3.4E-04
457	457	0.37533	2.34E-06	8.8E-07	6.05E-04	5.32E-10	14	4.71E-02	3.51E-10	1.0E+06	3.5E-04
458	458	0.38437	2.34E-06	9.0E-07	6.05E-04	5.44E-10	14	4.71E-02	3.59E-10	1.0E+06	3.6E-04
469	469	0.31855	2.34E-06	7.5E-07	6.05E-04	4.51E-10	14	4.71E-02	2.98E-10	1.0E+06	3.0E-04
470	470	0.32907	2.34E-06	7.7E-07	6.05E-04	4.66E-10	14	4.71E-02	3.08E-10	1.0E+06	3.1E-04
471	471	0.339	2.34E-06	7.9E-07	6.05E-04	4.80E-10	14	4.71E-02	3.17E-10	1.0E+06	3.2E-04

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
472	472	0.34819	2.34E-06	8.1E-07	6.05E-04	4.93E-10	14	4.71E-02	3.25E-10	1.0E+06	3.3E-04
473	473	0.35615	2.34E-06	8.3E-07	6.05E-04	5.04E-10	14	4.71E-02	3.33E-10	1.0E+06	3.3E-04
489	489	0.29792	2.34E-06	7.0E-07	6.05E-04	4.22E-10	14	4.71E-02	2.78E-10	1.0E+06	2.8E-04
490	490	0.30711	2.34E-06	7.2E-07	6.05E-04	4.35E-10	14	4.71E-02	2.87E-10	1.0E+06	2.9E-04
491	491	0.31587	2.34E-06	7.4E-07	6.05E-04	4.47E-10	14	4.71E-02	2.95E-10	1.0E+06	3.0E-04
492	492	0.32393	2.34E-06	7.6E-07	6.05E-04	4.59E-10	14	4.71E-02	3.03E-10	1.0E+06	3.0E-04
493	493	0.33092	2.34E-06	7.7E-07	6.05E-04	4.69E-10	14	4.71E-02	3.09E-10	1.0E+06	3.1E-04
494	494	0.33644	2.34E-06	7.9E-07	6.05E-04	4.76E-10	14	4.71E-02	3.14E-10	1.0E+06	3.1E-04
509	509	0.27941	2.34E-06	6.5E-07	6.05E-04	3.96E-10	14	4.71E-02	2.61E-10	1.0E+06	2.6E-04
510	510	0.2875	2.34E-06	6.7E-07	6.05E-04	4.07E-10	14	4.71E-02	2.69E-10	1.0E+06	2.7E-04
511	511	0.29528	2.34E-06	6.9E-07	6.05E-04	4.18E-10	14	4.71E-02	2.76E-10	1.0E+06	2.8E-04
512	512	0.30241	2.34E-06	7.1E-07	6.05E-04	4.28E-10	14	4.71E-02	2.83E-10	1.0E+06	2.8E-04
513	513	0.30855	2.34E-06	7.2E-07	6.05E-04	4.37E-10	14	4.71E-02	2.88E-10	1.0E+06	2.9E-04
514	514	0.31352	2.34E-06	7.3E-07	6.05E-04	4.44E-10	14	4.71E-02	2.93E-10	1.0E+06	2.9E-04
515	515	0.31807	2.34E-06	7.4E-07	6.05E-04	4.50E-10	14	4.71E-02	2.97E-10	1.0E+06	3.0E-04
516	516	0.31689	2.34E-06	7.4E-07	6.05E-04	4.49E-10	14	4.71E-02	2.96E-10	1.0E+06	3.0E-04
517	517	0.31345	2.34E-06	7.3E-07	6.05E-04	4.44E-10	14	4.71E-02	2.93E-10	1.0E+06	2.9E-04
518	518	0.30764	2.34E-06	7.2E-07	6.05E-04	4.36E-10	14	4.71E-02	2.88E-10	1.0E+06	2.9E-04
519	519	0.2997	2.34E-06	7.0E-07	6.05E-04	4.24E-10	14	4.71E-02	2.80E-10	1.0E+06	2.8E-04
528	528	0.26267	2.34E-06	6.1E-07	6.05E-04	3.72E-10	14	4.71E-02	2.46E-10	1.0E+06	2.5E-04
529	529	0.26984	2.34E-06	6.3E-07	6.05E-04	3.82E-10	14	4.71E-02	2.52E-10	1.0E+06	2.5E-04
530	530	0.27671	2.34E-06	6.5E-07	6.05E-04	3.92E-10	14	4.71E-02	2.59E-10	1.0E+06	2.6E-04
531	531	0.28307	2.34E-06	6.6E-07	6.05E-04	4.01E-10	14	4.71E-02	2.65E-10	1.0E+06	2.6E-04
532	532	0.2886	2.34E-06	6.8E-07	6.05E-04	4.09E-10	14	4.71E-02	2.70E-10	1.0E+06	2.7E-04
533	533	0.29305	2.34E-06	6.9E-07	6.05E-04	4.15E-10	14	4.71E-02	2.74E-10	1.0E+06	2.7E-04
534	534	0.29729	2.34E-06	7.0E-07	6.05E-04	4.21E-10	14	4.71E-02	2.78E-10	1.0E+06	2.8E-04
535	535	0.29657	2.34E-06	6.9E-07	6.05E-04	4.20E-10	14	4.71E-02	2.77E-10	1.0E+06	2.8E-04
536	536	0.2939	2.34E-06	6.9E-07	6.05E-04	4.16E-10	14	4.71E-02	2.75E-10	1.0E+06	2.7E-04
537	537	0.28899	2.34E-06	6.8E-07	6.05E-04	4.09E-10	14	4.71E-02	2.70E-10	1.0E+06	2.7E-04
538	538	0.28218	2.34E-06	6.6E-07	6.05E-04	4.00E-10	14	4.71E-02	2.64E-10	1.0E+06	2.6E-04
547	547	0.24744	2.34E-06	5.8E-07	6.05E-04	3.50E-10	14	4.71E-02	2.31E-10	1.0E+06	2.3E-04

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.25383	2.34E-06	5.9E-07	6.05E-04	3.59E-10	14	4.71E-02	2.37E-10	1.0E+06	2.4E-04
549	549	0.26	2.34E-06	6.1E-07	6.05E-04	3.68E-10	14	4.71E-02	2.43E-10	1.0E+06	2.4E-04
550	550	0.26561	2.34E-06	6.2E-07	6.05E-04	3.76E-10	14	4.71E-02	2.48E-10	1.0E+06	2.5E-04
551	551	0.27061	2.34E-06	6.3E-07	6.05E-04	3.83E-10	14	4.71E-02	2.53E-10	1.0E+06	2.5E-04
552	552	0.27463	2.34E-06	6.4E-07	6.05E-04	3.89E-10	14	4.71E-02	2.57E-10	1.0E+06	2.6E-04
553	553	0.27744	2.34E-06	6.5E-07	6.05E-04	3.93E-10	14	4.71E-02	2.59E-10	1.0E+06	2.6E-04
554	554	0.27868	2.34E-06	6.5E-07	6.05E-04	3.95E-10	14	4.71E-02	2.60E-10	1.0E+06	2.6E-04
555	555	0.27831	2.34E-06	6.5E-07	6.05E-04	3.94E-10	14	4.71E-02	2.60E-10	1.0E+06	2.6E-04
556	556	0.27625	2.34E-06	6.5E-07	6.05E-04	3.91E-10	14	4.71E-02	2.58E-10	1.0E+06	2.6E-04
557	557	0.27211	2.34E-06	6.4E-07	6.05E-04	3.85E-10	14	4.71E-02	2.54E-10	1.0E+06	2.5E-04
558	558	0.26639	2.34E-06	6.2E-07	6.05E-04	3.77E-10	14	4.71E-02	2.49E-10	1.0E+06	2.5E-04
559	559	0.25905	2.34E-06	6.1E-07	6.05E-04	3.67E-10	14	4.71E-02	2.42E-10	1.0E+06	2.4E-04
567	567	0.23362	2.34E-06	5.5E-07	6.05E-04	3.31E-10	14	4.71E-02	2.18E-10	1.0E+06	2.2E-04
568	568	0.23935	2.34E-06	5.6E-07	6.05E-04	3.39E-10	14	4.71E-02	2.24E-10	1.0E+06	2.2E-04
569	569	0.24484	2.34E-06	5.7E-07	6.05E-04	3.47E-10	14	4.71E-02	2.29E-10	1.0E+06	2.3E-04
570	570	0.24993	2.34E-06	5.8E-07	6.05E-04	3.54E-10	14	4.71E-02	2.34E-10	1.0E+06	2.3E-04
571	571	0.25441	2.34E-06	6.0E-07	6.05E-04	3.60E-10	14	4.71E-02	2.38E-10	1.0E+06	2.4E-04
572	572	0.25808	2.34E-06	6.0E-07	6.05E-04	3.65E-10	14	4.71E-02	2.41E-10	1.0E+06	2.4E-04
573	573	0.26068	2.34E-06	6.1E-07	6.05E-04	3.69E-10	14	4.71E-02	2.44E-10	1.0E+06	2.4E-04
574	574	0.26179	2.34E-06	6.1E-07	6.05E-04	3.71E-10	14	4.71E-02	2.45E-10	1.0E+06	2.4E-04
575	575	0.26015	2.34E-06	6.1E-07	6.05E-04	3.68E-10	14	4.71E-02	2.43E-10	1.0E+06	2.4E-04
576	576	0.25686	2.34E-06	6.0E-07	6.05E-04	3.64E-10	14	4.71E-02	2.40E-10	1.0E+06	2.4E-04
577	577	0.25197	2.34E-06	5.9E-07	6.05E-04	3.57E-10	14	4.71E-02	2.36E-10	1.0E+06	2.4E-04
578	578	0.24563	2.34E-06	5.7E-07	6.05E-04	3.48E-10	14	4.71E-02	2.30E-10	1.0E+06	2.3E-04
586	586	0.22092	2.34E-06	5.2E-07	6.05E-04	3.13E-10	14	4.71E-02	2.06E-10	1.0E+06	2.1E-04
587	587	0.22605	2.34E-06	5.3E-07	6.05E-04	3.20E-10	14	4.71E-02	2.11E-10	1.0E+06	2.1E-04
588	588	0.23101	2.34E-06	5.4E-07	6.05E-04	3.27E-10	14	4.71E-02	2.16E-10	1.0E+06	2.2E-04
589	589	0.2356	2.34E-06	5.5E-07	6.05E-04	3.34E-10	14	4.71E-02	2.20E-10	1.0E+06	2.2E-04
590	590	0.23967	2.34E-06	5.6E-07	6.05E-04	3.39E-10	14	4.71E-02	2.24E-10	1.0E+06	2.2E-04
591	591	0.243	2.34E-06	5.7E-07	6.05E-04	3.44E-10	14	4.71E-02	2.27E-10	1.0E+06	2.3E-04
592	592	0.24542	2.34E-06	5.7E-07	6.05E-04	3.48E-10	14	4.71E-02	2.29E-10	1.0E+06	2.3E-04

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
593	593	0.24675	2.34E-06	5.8E-07	6.05E-04	3.49E-10	14	4.71E-02	2.31E-10	1.0E+06	2.3E-04
594	594	0.2455	2.34E-06	5.7E-07	6.05E-04	3.48E-10	14	4.71E-02	2.29E-10	1.0E+06	2.3E-04
595	595	0.24269	2.34E-06	5.7E-07	6.05E-04	3.44E-10	14	4.71E-02	2.27E-10	1.0E+06	2.3E-04
596	596	0.2385	2.34E-06	5.6E-07	6.05E-04	3.38E-10	14	4.71E-02	2.23E-10	1.0E+06	2.2E-04
597	597	0.23306	2.34E-06	5.5E-07	6.05E-04	3.30E-10	14	4.71E-02	2.18E-10	1.0E+06	2.2E-04
345	345	0.80697	2.34E-06	1.9E-06	6.05E-04	1.14E-09	14	4.71E-02	7.54E-10	1.0E+06	7.5E-04
346	346	0.84115	2.34E-06	2.0E-06	6.05E-04	1.19E-09	14	4.71E-02	7.86E-10	1.0E+06	7.9E-04
347	347	0.86268	2.34E-06	2.0E-06	6.05E-04	1.22E-09	14	4.71E-02	8.06E-10	1.0E+06	8.1E-04
348	348	0.86764	2.34E-06	2.0E-06	6.05E-04	1.23E-09	14	4.71E-02	8.11E-10	1.0E+06	8.1E-04
359	359	0.71803	2.34E-06	1.7E-06	6.05E-04	1.02E-09	14	4.71E-02	6.71E-10	1.0E+06	6.7E-04
360	360	0.74514	2.34E-06	1.7E-06	6.05E-04	1.06E-09	14	4.71E-02	6.96E-10	1.0E+06	7.0E-04
361	361	0.76375	2.34E-06	1.8E-06	6.05E-04	1.08E-09	14	4.71E-02	7.14E-10	1.0E+06	7.1E-04
362	362	0.76885	2.34E-06	1.8E-06	6.05E-04	1.09E-09	14	4.71E-02	7.19E-10	1.0E+06	7.2E-04
363	363	0.76045	2.34E-06	1.8E-06	6.05E-04	1.08E-09	14	4.71E-02	7.11E-10	1.0E+06	7.1E-04
373	373	0.66656	2.34E-06	1.6E-06	6.05E-04	9.44E-10	14	4.71E-02	6.23E-10	1.0E+06	6.2E-04
374	374	0.68175	2.34E-06	1.6E-06	6.05E-04	9.65E-10	14	4.71E-02	6.37E-10	1.0E+06	6.4E-04
375	375	0.6871	2.34E-06	1.6E-06	6.05E-04	9.73E-10	14	4.71E-02	6.42E-10	1.0E+06	6.4E-04
376	376	0.68159	2.34E-06	1.6E-06	6.05E-04	9.65E-10	14	4.71E-02	6.37E-10	1.0E+06	6.4E-04
386	386	0.60005	2.34E-06	1.4E-06	6.05E-04	8.50E-10	14	4.71E-02	5.61E-10	1.0E+06	5.6E-04
387	387	0.61317	2.34E-06	1.4E-06	6.05E-04	8.68E-10	14	4.71E-02	5.73E-10	1.0E+06	5.7E-04
388	388	0.61837	2.34E-06	1.4E-06	6.05E-04	8.76E-10	14	4.71E-02	5.78E-10	1.0E+06	5.8E-04
389	389	0.61499	2.34E-06	1.4E-06	6.05E-04	8.71E-10	14	4.71E-02	5.75E-10	1.0E+06	5.7E-04
390	390	0.60256	2.34E-06	1.4E-06	6.05E-04	8.53E-10	14	4.71E-02	5.63E-10	1.0E+06	5.6E-04
400	400	0.54364	2.34E-06	1.3E-06	6.05E-04	7.70E-10	14	4.71E-02	5.08E-10	1.0E+06	5.1E-04
401	401	0.55455	2.34E-06	1.3E-06	6.05E-04	7.85E-10	14	4.71E-02	5.18E-10	1.0E+06	5.2E-04
402	402	0.56003	2.34E-06	1.3E-06	6.05E-04	7.93E-10	14	4.71E-02	5.23E-10	1.0E+06	5.2E-04
403	403	0.55791	2.34E-06	1.3E-06	6.05E-04	7.90E-10	14	4.71E-02	5.21E-10	1.0E+06	5.2E-04
404	404	0.54828	2.34E-06	1.3E-06	6.05E-04	7.76E-10	14	4.71E-02	5.12E-10	1.0E+06	5.1E-04
415	415	0.49507	2.34E-06	1.2E-06	6.05E-04	7.01E-10	14	4.71E-02	4.63E-10	1.0E+06	4.6E-04
416	416	0.50493	2.34E-06	1.2E-06	6.05E-04	7.15E-10	14	4.71E-02	4.72E-10	1.0E+06	4.7E-04
417	417	0.50966	2.34E-06	1.2E-06	6.05E-04	7.22E-10	14	4.71E-02	4.76E-10	1.0E+06	4.8E-04

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	0.50917	2.34E-06	1.2E-06	6.05E-04	7.21E-10	14	4.71E-02	4.76E-10	1.0E+06	4.8E-04
419	419	0.50231	2.34E-06	1.2E-06	6.05E-04	7.11E-10	14	4.71E-02	4.69E-10	1.0E+06	4.7E-04
420	420	0.48784	2.34E-06	1.1E-06	6.05E-04	6.91E-10	14	4.71E-02	4.56E-10	1.0E+06	4.6E-04
430	430	0.46158	2.34E-06	1.1E-06	6.05E-04	6.54E-10	14	4.71E-02	4.31E-10	1.0E+06	4.3E-04
431	431	0.46656	2.34E-06	1.1E-06	6.05E-04	6.61E-10	14	4.71E-02	4.36E-10	1.0E+06	4.4E-04
432	432	0.46654	2.34E-06	1.1E-06	6.05E-04	6.61E-10	14	4.71E-02	4.36E-10	1.0E+06	4.4E-04
433	433	0.46123	2.34E-06	1.1E-06	6.05E-04	6.53E-10	14	4.71E-02	4.31E-10	1.0E+06	4.3E-04
434	434	0.45055	2.34E-06	1.1E-06	6.05E-04	6.38E-10	14	4.71E-02	4.21E-10	1.0E+06	4.2E-04
444	444	0.42429	2.34E-06	9.9E-07	6.05E-04	6.01E-10	14	4.71E-02	3.97E-10	1.0E+06	4.0E-04
445	445	0.42851	2.34E-06	1.0E-06	6.05E-04	6.07E-10	14	4.71E-02	4.01E-10	1.0E+06	4.0E-04
446	446	0.42906	2.34E-06	1.0E-06	6.05E-04	6.08E-10	14	4.71E-02	4.01E-10	1.0E+06	4.0E-04
447	447	0.42517	2.34E-06	1.0E-06	6.05E-04	6.02E-10	14	4.71E-02	3.97E-10	1.0E+06	4.0E-04
448	448	0.41668	2.34E-06	9.8E-07	6.05E-04	5.90E-10	14	4.71E-02	3.89E-10	1.0E+06	3.9E-04
459	459	0.39528	2.34E-06	9.3E-07	6.05E-04	5.60E-10	14	4.71E-02	3.69E-10	1.0E+06	3.7E-04
460	460	0.39607	2.34E-06	9.3E-07	6.05E-04	5.61E-10	14	4.71E-02	3.70E-10	1.0E+06	3.7E-04
461	461	0.39312	2.34E-06	9.2E-07	6.05E-04	5.57E-10	14	4.71E-02	3.67E-10	1.0E+06	3.7E-04
462	462	0.38634	2.34E-06	9.0E-07	6.05E-04	5.47E-10	14	4.71E-02	3.61E-10	1.0E+06	3.6E-04
463	463	0.37584	2.34E-06	8.8E-07	6.05E-04	5.32E-10	14	4.71E-02	3.51E-10	1.0E+06	3.5E-04
474	474	0.36588	2.34E-06	8.6E-07	6.05E-04	5.18E-10	14	4.71E-02	3.42E-10	1.0E+06	3.4E-04
475	475	0.36685	2.34E-06	8.6E-07	6.05E-04	5.20E-10	14	4.71E-02	3.43E-10	1.0E+06	3.4E-04
476	476	0.36483	2.34E-06	8.5E-07	6.05E-04	5.17E-10	14	4.71E-02	3.41E-10	1.0E+06	3.4E-04
477	477	0.35931	2.34E-06	8.4E-07	6.05E-04	5.09E-10	14	4.71E-02	3.36E-10	1.0E+06	3.4E-04
478	478	0.35072	2.34E-06	8.2E-07	6.05E-04	4.97E-10	14	4.71E-02	3.28E-10	1.0E+06	3.3E-04
495	495	0.33998	2.34E-06	8.0E-07	6.05E-04	4.81E-10	14	4.71E-02	3.18E-10	1.0E+06	3.2E-04
496	496	0.34102	2.34E-06	8.0E-07	6.05E-04	4.83E-10	14	4.71E-02	3.19E-10	1.0E+06	3.2E-04
497	497	0.33954	2.34E-06	7.9E-07	6.05E-04	4.81E-10	14	4.71E-02	3.17E-10	1.0E+06	3.2E-04
498	498	0.33521	2.34E-06	7.8E-07	6.05E-04	4.75E-10	14	4.71E-02	3.13E-10	1.0E+06	3.1E-04
499	499	0.3281	2.34E-06	7.7E-07	6.05E-04	4.65E-10	14	4.71E-02	3.07E-10	1.0E+06	3.1E-04
500	500	0.31854	2.34E-06	7.5E-07	6.05E-04	4.51E-10	14	4.71E-02	2.98E-10	1.0E+06	3.0E-04

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	11.36723	2.34E-06	2.7E-05	6.05E-04	1.61E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
140	140	27.72538	2.34E-06	6.5E-05	6.05E-04	3.93E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
156	156	8.37497	2.34E-06	2.0E-05	6.05E-04	1.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
157	157	14.88904	2.34E-06	3.5E-05	6.05E-04	2.11E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
158	158	23.24334	2.34E-06	5.4E-05	6.05E-04	3.29E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
159	159	19.42704	2.34E-06	4.5E-05	6.05E-04	2.75E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
160	160	11.93012	2.34E-06	2.8E-05	6.05E-04	1.69E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
161	161	4.9084	2.34E-06	1.1E-05	6.05E-04	6.95E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
162	162	3.49033	2.34E-06	8.2E-06	6.05E-04	4.94E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
163	163	2.6378	2.34E-06	6.2E-06	6.05E-04	3.74E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
167	167	8.86636	2.34E-06	2.1E-05	6.05E-04	1.26E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
168	168	11.61395	2.34E-06	2.7E-05	6.05E-04	1.64E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
169	169	11.16759	2.34E-06	2.6E-05	6.05E-04	1.58E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
170	170	8.37629	2.34E-06	2.0E-05	6.05E-04	1.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
171	171	5.82823	2.34E-06	1.4E-05	6.05E-04	8.25E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
172	172	4.09348	2.34E-06	9.6E-06	6.05E-04	5.80E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
173	173	3.00555	2.34E-06	7.0E-06	6.05E-04	4.26E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
174	174	2.31134	2.34E-06	5.4E-06	6.05E-04	3.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
175	175	1.84245	2.34E-06	4.3E-06	6.05E-04	2.61E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
176	176	1.51009	2.34E-06	3.5E-06	6.05E-04	2.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
177	177	1.2655	2.34E-06	3.0E-06	6.05E-04	1.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
181	181	7.1501	2.34E-06	1.7E-05	6.05E-04	1.01E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
182	182	7.19352	2.34E-06	1.7E-05	6.05E-04	1.02E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
183	183	6.05203	2.34E-06	1.4E-05	6.05E-04	8.57E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
184	184	4.62771	2.34E-06	1.1E-05	6.05E-04	6.55E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
185	185	3.45351	2.34E-06	8.1E-06	6.05E-04	4.89E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
186	186	2.61965	2.34E-06	6.1E-06	6.05E-04	3.71E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
187	187	2.05064	2.34E-06	4.8E-06	6.05E-04	2.90E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
188	188	1.65767	2.34E-06	3.9E-06	6.05E-04	2.35E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
189	189	1.37388	2.34E-06	3.2E-06	6.05E-04	1.95E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
190	190	1.16122	2.34E-06	2.7E-06	6.05E-04	1.64E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	0.99679	2.34E-06	2.3E-06	6.05E-04	1.41E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
195	195	4.90926	2.34E-06	1.1E-05	6.05E-04	6.95E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
196	196	5.02499	2.34E-06	1.2E-05	6.05E-04	7.12E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
197	197	4.51366	2.34E-06	1.1E-05	6.05E-04	6.39E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
198	198	3.70665	2.34E-06	8.7E-06	6.05E-04	5.25E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
199	199	2.91533	2.34E-06	6.8E-06	6.05E-04	4.13E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
200	200	2.29033	2.34E-06	5.4E-06	6.05E-04	3.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
201	201	1.83331	2.34E-06	4.3E-06	6.05E-04	2.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
202	202	1.50084	2.34E-06	3.5E-06	6.05E-04	2.13E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
203	203	1.25555	2.34E-06	2.9E-06	6.05E-04	1.78E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
204	204	1.06947	2.34E-06	2.5E-06	6.05E-04	1.51E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
205	205	0.92377	2.34E-06	2.2E-06	6.05E-04	1.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
206	206	0.80726	2.34E-06	1.9E-06	6.05E-04	1.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
210	210	3.21209	2.34E-06	7.5E-06	6.05E-04	4.55E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
211	211	3.60315	2.34E-06	8.4E-06	6.05E-04	5.10E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
212	212	3.71402	2.34E-06	8.7E-06	6.05E-04	5.26E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
213	213	3.47379	2.34E-06	8.1E-06	6.05E-04	4.92E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
214	214	2.47225	2.34E-06	5.8E-06	6.05E-04	3.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
215	215	2.00678	2.34E-06	4.7E-06	6.05E-04	2.84E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
216	216	1.64133	2.34E-06	3.8E-06	6.05E-04	2.32E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
217	217	1.36133	2.34E-06	3.2E-06	6.05E-04	1.93E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
218	218	1.14963	2.34E-06	2.7E-06	6.05E-04	1.63E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
219	219	0.98665	2.34E-06	2.3E-06	6.05E-04	1.40E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
220	220	0.85781	2.34E-06	2.0E-06	6.05E-04	1.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
221	221	0.75432	2.34E-06	1.8E-06	6.05E-04	1.07E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
222	222	0.66764	2.34E-06	1.6E-06	6.05E-04	9.45E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
226	226	2.525	2.34E-06	5.9E-06	6.05E-04	3.58E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
227	227	2.7756	2.34E-06	6.5E-06	6.05E-04	3.93E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
228	228	2.86448	2.34E-06	6.7E-06	6.05E-04	4.06E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
229	229	2.74756	2.34E-06	6.4E-06	6.05E-04	3.89E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
230	230	2.46271	2.34E-06	5.8E-06	6.05E-04	3.49E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
231	231	2.10153	2.34E-06	4.9E-06	6.05E-04	2.98E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
232	232	1.75785	2.34E-06	4.1E-06	6.05E-04	2.49E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
233	233	1.23639	2.34E-06	2.9E-06	6.05E-04	1.75E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
234	234	1.05341	2.34E-06	2.5E-06	6.05E-04	1.49E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
235	235	0.91082	2.34E-06	2.1E-06	6.05E-04	1.29E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
236	236	0.79727	2.34E-06	1.9E-06	6.05E-04	1.13E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
237	237	0.70488	2.34E-06	1.6E-06	6.05E-04	9.98E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
238	238	0.62854	2.34E-06	1.5E-06	6.05E-04	8.90E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
242	242	2.03908	2.34E-06	4.8E-06	6.05E-04	2.89E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
243	243	2.21159	2.34E-06	5.2E-06	6.05E-04	3.13E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
244	244	2.27558	2.34E-06	5.3E-06	6.05E-04	3.22E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
245	245	2.22023	2.34E-06	5.2E-06	6.05E-04	3.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
246	246	2.04537	2.34E-06	4.8E-06	6.05E-04	2.90E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
247	247	1.80287	2.34E-06	4.2E-06	6.05E-04	2.55E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
248	248	1.54895	2.34E-06	3.6E-06	6.05E-04	2.19E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
249	249	1.1231	2.34E-06	2.6E-06	6.05E-04	1.59E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
250	250	0.96656	2.34E-06	2.3E-06	6.05E-04	1.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
251	251	0.84183	2.34E-06	2.0E-06	6.05E-04	1.19E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
252	252	0.74213	2.34E-06	1.7E-06	6.05E-04	1.05E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
253	253	0.65891	2.34E-06	1.5E-06	6.05E-04	9.33E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
254	254	0.59075	2.34E-06	1.4E-06	6.05E-04	8.37E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
257	257	1.68401	2.34E-06	3.9E-06	6.05E-04	2.38E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
258	258	1.80703	2.34E-06	4.2E-06	6.05E-04	2.56E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
259	259	1.86125	2.34E-06	4.4E-06	6.05E-04	2.64E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
260	260	1.82981	2.34E-06	4.3E-06	6.05E-04	2.59E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
261	261	1.72351	2.34E-06	4.0E-06	6.05E-04	2.44E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
262	262	1.55622	2.34E-06	3.6E-06	6.05E-04	2.20E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
263	263	1.3674	2.34E-06	3.2E-06	6.05E-04	1.94E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
264	264	1.02487	2.34E-06	2.4E-06	6.05E-04	1.45E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
265	265	0.89063	2.34E-06	2.1E-06	6.05E-04	1.26E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
266	266	0.78129	2.34E-06	1.8E-06	6.05E-04	1.11E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	0.69199	2.34E-06	1.6E-06	6.05E-04	9.80E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
268	268	0.61732	2.34E-06	1.4E-06	6.05E-04	8.74E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
269	269	0.5561	2.34E-06	1.3E-06	6.05E-04	7.88E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
270	270	0.41967	2.34E-06	9.8E-07	6.05E-04	5.94E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
271	271	0.38584	2.34E-06	9.0E-07	6.05E-04	5.46E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
274	274	1.41644	2.34E-06	3.3E-06	6.05E-04	2.01E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
275	275	1.50741	2.34E-06	3.5E-06	6.05E-04	2.13E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
276	276	1.55297	2.34E-06	3.6E-06	6.05E-04	2.20E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
277	277	1.53719	2.34E-06	3.6E-06	6.05E-04	2.18E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
278	278	1.46753	2.34E-06	3.4E-06	6.05E-04	2.08E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
279	279	1.35005	2.34E-06	3.2E-06	6.05E-04	1.91E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
280	280	1.2071	2.34E-06	2.8E-06	6.05E-04	1.71E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
281	281	0.93398	2.34E-06	2.2E-06	6.05E-04	1.32E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
282	282	0.82007	2.34E-06	1.9E-06	6.05E-04	1.16E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
283	283	0.72449	2.34E-06	1.7E-06	6.05E-04	1.03E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
284	284	0.64529	2.34E-06	1.5E-06	6.05E-04	9.14E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
285	285	0.57933	2.34E-06	1.4E-06	6.05E-04	8.20E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
286	286	0.5241	2.34E-06	1.2E-06	6.05E-04	7.42E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
287	287	0.39897	2.34E-06	9.3E-07	6.05E-04	5.65E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
288	288	0.36841	2.34E-06	8.6E-07	6.05E-04	5.22E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
291	291	1.20951	2.34E-06	2.8E-06	6.05E-04	1.71E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
292	292	1.2786	2.34E-06	3.0E-06	6.05E-04	1.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
293	293	1.31649	2.34E-06	3.1E-06	6.05E-04	1.86E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
294	294	1.30996	2.34E-06	3.1E-06	6.05E-04	1.86E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
295	295	1.26235	2.34E-06	3.0E-06	6.05E-04	1.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
296	296	1.17937	2.34E-06	2.8E-06	6.05E-04	1.67E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
297	297	1.07452	2.34E-06	2.5E-06	6.05E-04	1.52E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
298	298	0.85367	2.34E-06	2.0E-06	6.05E-04	1.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
299	299	0.75746	2.34E-06	1.8E-06	6.05E-04	1.07E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
300	300	0.67384	2.34E-06	1.6E-06	6.05E-04	9.54E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
301	301	0.60378	2.34E-06	1.4E-06	6.05E-04	8.55E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
302	302	0.54451	2.34E-06	1.3E-06	6.05E-04	7.71E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
303	303	0.49443	2.34E-06	1.2E-06	6.05E-04	7.00E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
304	304	0.38008	2.34E-06	8.9E-07	6.05E-04	5.38E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
305	305	0.35167	2.34E-06	8.2E-07	6.05E-04	4.98E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
308	308	1.04595	2.34E-06	2.4E-06	6.05E-04	1.48E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
309	309	1.09962	2.34E-06	2.6E-06	6.05E-04	1.56E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
310	310	1.13096	2.34E-06	2.6E-06	6.05E-04	1.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
311	311	1.12965	2.34E-06	2.6E-06	6.05E-04	1.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
312	312	1.0996	2.34E-06	2.6E-06	6.05E-04	1.56E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
313	313	1.03948	2.34E-06	2.4E-06	6.05E-04	1.47E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
314	314	0.95992	2.34E-06	2.2E-06	6.05E-04	1.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
315	315	0.78238	2.34E-06	1.8E-06	6.05E-04	1.11E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
316	316	0.70164	2.34E-06	1.6E-06	6.05E-04	9.94E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
317	317	0.62799	2.34E-06	1.5E-06	6.05E-04	8.89E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
318	318	0.56595	2.34E-06	1.3E-06	6.05E-04	8.01E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
319	319	0.51256	2.34E-06	1.2E-06	6.05E-04	7.26E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
320	320	0.46662	2.34E-06	1.1E-06	6.05E-04	6.61E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
321	321	0.36219	2.34E-06	8.5E-07	6.05E-04	5.13E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
322	322	0.33574	2.34E-06	7.9E-07	6.05E-04	4.75E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
325	325	0.91455	2.34E-06	2.1E-06	6.05E-04	1.30E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
326	326	0.95693	2.34E-06	2.2E-06	6.05E-04	1.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
327	327	0.98288	2.34E-06	2.3E-06	6.05E-04	1.39E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
328	328	0.98583	2.34E-06	2.3E-06	6.05E-04	1.40E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
329	329	0.96429	2.34E-06	2.3E-06	6.05E-04	1.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
330	330	0.92229	2.34E-06	2.2E-06	6.05E-04	1.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
331	331	0.86174	2.34E-06	2.0E-06	6.05E-04	1.22E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
332	332	0.79233	2.34E-06	1.9E-06	6.05E-04	1.12E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
333	333	0.719	2.34E-06	1.7E-06	6.05E-04	1.02E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
334	334	0.64998	2.34E-06	1.5E-06	6.05E-04	9.20E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
335	335	0.58674	2.34E-06	1.4E-06	6.05E-04	8.31E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
336	336	0.5312	2.34E-06	1.2E-06	6.05E-04	7.52E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	0.48292	2.34E-06	1.1E-06	6.05E-04	6.84E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
338	338	0.44154	2.34E-06	1.0E-06	6.05E-04	6.25E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
339	339	0.37263	2.34E-06	8.7E-07	6.05E-04	5.28E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
340	340	0.34519	2.34E-06	8.1E-07	6.05E-04	4.89E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
341	341	0.32076	2.34E-06	7.5E-07	6.05E-04	4.54E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
349	349	0.85363	2.34E-06	2.0E-06	6.05E-04	1.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
350	350	0.8222	2.34E-06	1.9E-06	6.05E-04	1.16E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
351	351	0.77508	2.34E-06	1.8E-06	6.05E-04	1.10E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
352	352	0.72118	2.34E-06	1.7E-06	6.05E-04	1.02E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
353	353	0.3546	2.34E-06	8.3E-07	6.05E-04	5.02E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
354	354	0.32931	2.34E-06	7.7E-07	6.05E-04	4.66E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
355	355	0.30672	2.34E-06	7.2E-07	6.05E-04	4.34E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
364	364	0.73743	2.34E-06	1.7E-06	6.05E-04	1.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
365	365	0.70221	2.34E-06	1.6E-06	6.05E-04	9.94E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
366	366	0.65768	2.34E-06	1.5E-06	6.05E-04	9.31E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
367	367	0.33789	2.34E-06	7.9E-07	6.05E-04	4.79E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
368	368	0.31432	2.34E-06	7.4E-07	6.05E-04	4.45E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
369	369	0.29342	2.34E-06	6.9E-07	6.05E-04	4.16E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
377	377	0.66482	2.34E-06	1.6E-06	6.05E-04	9.41E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
378	378	0.63734	2.34E-06	1.5E-06	6.05E-04	9.03E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
379	379	0.60156	2.34E-06	1.4E-06	6.05E-04	8.52E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
380	380	0.32196	2.34E-06	7.5E-07	6.05E-04	4.56E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
381	381	0.29992	2.34E-06	7.0E-07	6.05E-04	4.25E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
382	382	0.28066	2.34E-06	6.6E-07	6.05E-04	3.97E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
391	391	0.58091	2.34E-06	1.4E-06	6.05E-04	8.23E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
392	392	0.55174	2.34E-06	1.3E-06	6.05E-04	7.81E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
393	393	0.3071	2.34E-06	7.2E-07	6.05E-04	4.35E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
394	394	0.2868	2.34E-06	6.7E-07	6.05E-04	4.06E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
395	395	0.26892	2.34E-06	6.3E-07	6.05E-04	3.81E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
405	405	0.53168	2.34E-06	1.2E-06	6.05E-04	7.53E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
406	406	0.5085	2.34E-06	1.2E-06	6.05E-04	7.20E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
407	407	0.48128	2.34E-06	1.1E-06	6.05E-04	6.82E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
408	408	0.29337	2.34E-06	6.9E-07	6.05E-04	4.15E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
409	409	0.27445	2.34E-06	6.4E-07	6.05E-04	3.89E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
410	410	0.258	2.34E-06	6.0E-07	6.05E-04	3.65E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
421	421	0.46958	2.34E-06	1.1E-06	6.05E-04	6.65E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
422	422	0.44674	2.34E-06	1.0E-06	6.05E-04	6.33E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
423	423	0.2804	2.34E-06	6.6E-07	6.05E-04	3.97E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
424	424	0.26289	2.34E-06	6.2E-07	6.05E-04	3.72E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
425	425	0.24754	2.34E-06	5.8E-07	6.05E-04	3.51E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
435	435	0.43461	2.34E-06	1.0E-06	6.05E-04	6.15E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
436	436	0.41595	2.34E-06	9.7E-07	6.05E-04	5.89E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
437	437	0.25207	2.34E-06	5.9E-07	6.05E-04	3.57E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
438	438	0.23746	2.34E-06	5.6E-07	6.05E-04	3.36E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
449	449	0.40345	2.34E-06	9.4E-07	6.05E-04	5.71E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
450	450	0.38816	2.34E-06	9.1E-07	6.05E-04	5.50E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
451	451	0.36971	2.34E-06	8.7E-07	6.05E-04	5.24E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
452	452	0.24176	2.34E-06	5.7E-07	6.05E-04	3.42E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
453	453	0.22809	2.34E-06	5.3E-07	6.05E-04	3.23E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
464	464	0.36257	2.34E-06	8.5E-07	6.05E-04	5.13E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
465	465	0.34698	2.34E-06	8.1E-07	6.05E-04	4.91E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
466	466	0.26124	2.34E-06	6.1E-07	6.05E-04	3.70E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
467	467	0.23209	2.34E-06	5.4E-07	6.05E-04	3.29E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
468	468	0.21932	2.34E-06	5.1E-07	6.05E-04	3.11E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
479	479	0.33896	2.34E-06	7.9E-07	6.05E-04	4.80E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
480	480	0.32608	2.34E-06	7.6E-07	6.05E-04	4.62E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
481	481	0.31125	2.34E-06	7.3E-07	6.05E-04	4.41E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
482	482	0.29587	2.34E-06	6.9E-07	6.05E-04	4.19E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
483	483	0.27991	2.34E-06	6.6E-07	6.05E-04	3.96E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
484	484	0.26458	2.34E-06	6.2E-07	6.05E-04	3.75E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
485	485	0.24978	2.34E-06	5.8E-07	6.05E-04	3.54E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
486	486	0.23596	2.34E-06	5.5E-07	6.05E-04	3.34E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	487	0.22302	2.34E-06	5.2E-07	6.05E-04	3.16E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
488	488	0.21102	2.34E-06	4.9E-07	6.05E-04	2.99E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
501	501	0.30662	2.34E-06	7.2E-07	6.05E-04	4.34E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
502	502	0.29431	2.34E-06	6.9E-07	6.05E-04	4.17E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
503	503	0.28072	2.34E-06	6.6E-07	6.05E-04	3.98E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
504	504	0.26658	2.34E-06	6.2E-07	6.05E-04	3.78E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
505	505	0.2526	2.34E-06	5.9E-07	6.05E-04	3.58E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
506	506	0.23907	2.34E-06	5.6E-07	6.05E-04	3.39E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
507	507	0.22638	2.34E-06	5.3E-07	6.05E-04	3.21E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
508	508	0.2032	2.34E-06	4.8E-07	6.05E-04	2.88E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
520	520	0.28947	2.34E-06	6.8E-07	6.05E-04	4.10E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
521	521	0.27794	2.34E-06	6.5E-07	6.05E-04	3.94E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
522	522	0.26649	2.34E-06	6.2E-07	6.05E-04	3.77E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
523	523	0.25393	2.34E-06	5.9E-07	6.05E-04	3.60E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
524	524	0.2413	2.34E-06	5.6E-07	6.05E-04	3.42E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
525	525	0.22897	2.34E-06	5.4E-07	6.05E-04	3.24E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
526	526	0.21726	2.34E-06	5.1E-07	6.05E-04	3.08E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
527	527	0.19576	2.34E-06	4.6E-07	6.05E-04	2.77E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
539	539	0.27371	2.34E-06	6.4E-07	6.05E-04	3.88E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
540	540	0.26385	2.34E-06	6.2E-07	6.05E-04	3.74E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
541	541	0.25296	2.34E-06	5.9E-07	6.05E-04	3.58E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
542	542	0.24174	2.34E-06	5.7E-07	6.05E-04	3.42E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
543	543	0.23065	2.34E-06	5.4E-07	6.05E-04	3.27E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
544	544	0.21941	2.34E-06	5.1E-07	6.05E-04	3.11E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
545	545	0.20843	2.34E-06	4.9E-07	6.05E-04	2.95E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
546	546	0.18868	2.34E-06	4.4E-07	6.05E-04	2.67E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
560	560	0.25049	2.34E-06	5.9E-07	6.05E-04	3.55E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
561	561	0.24106	2.34E-06	5.6E-07	6.05E-04	3.41E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
562	562	0.23091	2.34E-06	5.4E-07	6.05E-04	3.27E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
563	563	0.21194	2.34E-06	5.0E-07	6.05E-04	3.00E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
564	564	0.21026	2.34E-06	4.9E-07	6.05E-04	2.98E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.20059	2.34E-06	4.7E-07	6.05E-04	2.84E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
566	566	0.1821	2.34E-06	4.3E-07	6.05E-04	2.58E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
579	579	0.23805	2.34E-06	5.6E-07	6.05E-04	3.37E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
580	580	0.22969	2.34E-06	5.4E-07	6.05E-04	3.25E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
581	581	0.22075	2.34E-06	5.2E-07	6.05E-04	3.13E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
582	582	0.2114	2.34E-06	4.9E-07	6.05E-04	2.99E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
583	583	0.20199	2.34E-06	4.7E-07	6.05E-04	2.86E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
584	584	0.19276	2.34E-06	4.5E-07	6.05E-04	2.73E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
585	585	0.16602	2.34E-06	3.9E-07	6.05E-04	2.35E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
598	598	0.22653	2.34E-06	5.3E-07	6.05E-04	3.21E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
599	599	0.21903	2.34E-06	5.1E-07	6.05E-04	3.10E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
600	600	0.211	2.34E-06	4.9E-07	6.05E-04	2.99E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
601	601	0.20261	2.34E-06	4.7E-07	6.05E-04	2.87E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
602	602	0.19408	2.34E-06	4.5E-07	6.05E-04	2.75E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
603	603	0.1857	2.34E-06	4.3E-07	6.05E-04	2.63E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
604	604	0.17748	2.34E-06	4.2E-07	6.05E-04	2.51E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
0	0	0	2.34E-06	0.0E+00	6.05E-04	0.00E+00	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
1	1	0.45588	2.34E-06	1.1E-06	2.50E-04	2.67E-10	14	1.15E-02	4.29E-11	1.0E+06	4.3E-05
2	2	0.50584	2.34E-06	1.2E-06	2.50E-04	2.96E-10	14	1.15E-02	4.76E-11	1.0E+06	4.8E-05
3	3	0.56476	2.34E-06	1.3E-06	2.50E-04	3.31E-10	14	1.15E-02	5.31E-11	1.0E+06	5.3E-05
4	4	0.63522	2.34E-06	1.5E-06	2.50E-04	3.72E-10	14	1.15E-02	5.98E-11	1.0E+06	6.0E-05
5	5	0.72054	2.34E-06	1.7E-06	2.50E-04	4.22E-10	14	1.15E-02	6.78E-11	1.0E+06	6.8E-05
6	6	0.82615	2.34E-06	1.9E-06	2.50E-04	4.84E-10	14	1.15E-02	7.77E-11	1.0E+06	7.8E-05
7	7	0.95761	2.34E-06	2.2E-06	2.50E-04	5.61E-10	14	1.15E-02	9.01E-11	1.0E+06	9.0E-05
8	8	1.12359	2.34E-06	2.6E-06	2.50E-04	6.58E-10	14	1.15E-02	1.06E-10	1.0E+06	1.1E-04
9	9	1.33796	2.34E-06	3.1E-06	2.50E-04	7.84E-10	14	1.15E-02	1.26E-10	1.0E+06	1.3E-04
10	10	1.62059	2.34E-06	3.8E-06	2.50E-04	9.49E-10	14	1.15E-02	1.52E-10	1.0E+06	1.5E-04
11	11	2.00202	2.34E-06	4.7E-06	2.50E-04	1.17E-09	14	1.15E-02	1.88E-10	1.0E+06	1.9E-04
12	12	2.53083	2.34E-06	5.9E-06	2.50E-04	1.48E-09	14	1.15E-02	2.38E-10	1.0E+06	2.4E-04
13	13	3.29165	2.34E-06	7.7E-06	2.50E-04	1.93E-09	14	1.15E-02	3.10E-10	1.0E+06	3.1E-04
14	14	4.42219	2.34E-06	1.0E-05	2.50E-04	2.59E-09	14	1.15E-02	4.16E-10	1.0E+06	4.2E-04
15	15	6.17586	2.34E-06	1.4E-05	2.50E-04	3.62E-09	14	1.15E-02	5.81E-10	1.0E+06	5.8E-04
16	16	8.9909	2.34E-06	2.1E-05	2.50E-04	5.27E-09	14	1.15E-02	8.46E-10	1.0E+06	8.5E-04
17	17	13.16918	2.34E-06	3.1E-05	2.50E-04	7.71E-09	14	1.15E-02	1.24E-09	1.0E+06	1.2E-03
18	18	16.84858	2.34E-06	3.9E-05	2.50E-04	9.87E-09	14	1.15E-02	1.59E-09	1.0E+06	1.6E-03
19	19	15.79076	2.34E-06	3.7E-05	2.50E-04	9.25E-09	14	1.15E-02	1.49E-09	1.0E+06	1.5E-03
20	20	12.3186	2.34E-06	2.9E-05	2.50E-04	7.22E-09	14	1.15E-02	1.16E-09	1.0E+06	1.2E-03
21	21	9.22867	2.34E-06	2.2E-05	2.50E-04	5.41E-09	14	1.15E-02	8.68E-10	1.0E+06	8.7E-04
22	22	6.92863	2.34E-06	1.6E-05	2.50E-04	4.06E-09	14	1.15E-02	6.52E-10	1.0E+06	6.5E-04
23	23	5.26854	2.34E-06	1.2E-05	2.50E-04	3.09E-09	14	1.15E-02	4.96E-10	1.0E+06	5.0E-04
24	24	4.06949	2.34E-06	9.5E-06	2.50E-04	2.38E-09	14	1.15E-02	3.83E-10	1.0E+06	3.8E-04
25	25	3.1955	2.34E-06	7.5E-06	2.50E-04	1.87E-09	14	1.15E-02	3.01E-10	1.0E+06	3.0E-04
26	26	2.55061	2.34E-06	6.0E-06	2.50E-04	1.49E-09	14	1.15E-02	2.40E-10	1.0E+06	2.4E-04
27	27	2.06825	2.34E-06	4.8E-06	2.50E-04	1.21E-09	14	1.15E-02	1.95E-10	1.0E+06	1.9E-04
28	28	1.70265	2.34E-06	4.0E-06	2.50E-04	9.97E-10	14	1.15E-02	1.60E-10	1.0E+06	1.6E-04
29	29	1.42117	2.34E-06	3.3E-06	2.50E-04	8.32E-10	14	1.15E-02	1.34E-10	1.0E+06	1.3E-04
30	30	1.2014	2.34E-06	2.8E-06	2.50E-04	7.04E-10	14	1.15E-02	1.13E-10	1.0E+06	1.1E-04
31	31	1.02783	2.34E-06	2.4E-06	2.50E-04	6.02E-10	14	1.15E-02	9.67E-11	1.0E+06	9.7E-05

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
32	32	0.88916	2.34E-06	2.1E-06	2.50E-04	5.21E-10	14	1.15E-02	8.36E-11	1.0E+06	8.4E-05
55	55	7.39859	2.34E-06	1.7E-05	2.50E-04	4.33E-09	14	1.15E-02	6.96E-10	1.0E+06	7.0E-04
56	56	5.30522	2.34E-06	1.2E-05	2.50E-04	3.11E-09	14	1.15E-02	4.99E-10	1.0E+06	5.0E-04
57	57	3.94329	2.34E-06	9.2E-06	2.50E-04	2.31E-09	14	1.15E-02	3.71E-10	1.0E+06	3.7E-04
58	58	3.02102	2.34E-06	7.1E-06	2.50E-04	1.77E-09	14	1.15E-02	2.84E-10	1.0E+06	2.8E-04
59	59	2.37617	2.34E-06	5.6E-06	2.50E-04	1.39E-09	14	1.15E-02	2.24E-10	1.0E+06	2.2E-04
60	60	1.91181	2.34E-06	4.5E-06	2.50E-04	1.12E-09	14	1.15E-02	1.80E-10	1.0E+06	1.8E-04
61	61	1.56736	2.34E-06	3.7E-06	2.50E-04	9.18E-10	14	1.15E-02	1.47E-10	1.0E+06	1.5E-04
62	62	1.30743	2.34E-06	3.1E-06	2.50E-04	7.66E-10	14	1.15E-02	1.23E-10	1.0E+06	1.2E-04
63	63	1.10652	2.34E-06	2.6E-06	2.50E-04	6.48E-10	14	1.15E-02	1.04E-10	1.0E+06	1.0E-04
64	64	0.94908	2.34E-06	2.2E-06	2.50E-04	5.56E-10	14	1.15E-02	8.93E-11	1.0E+06	8.9E-05
65	65	0.82383	2.34E-06	1.9E-06	2.50E-04	4.83E-10	14	1.15E-02	7.75E-11	1.0E+06	7.8E-05
66	66	0.72115	2.34E-06	1.7E-06	2.50E-04	4.22E-10	14	1.15E-02	6.78E-11	1.0E+06	6.8E-05
67	67	0.46884	2.34E-06	1.1E-06	2.50E-04	2.75E-10	14	1.15E-02	4.41E-11	1.0E+06	4.4E-05
68	68	0.52243	2.34E-06	1.2E-06	2.50E-04	3.06E-10	14	1.15E-02	4.91E-11	1.0E+06	4.9E-05
69	69	0.58644	2.34E-06	1.4E-06	2.50E-04	3.44E-10	14	1.15E-02	5.52E-11	1.0E+06	5.5E-05
70	70	0.66394	2.34E-06	1.6E-06	2.50E-04	3.89E-10	14	1.15E-02	6.25E-11	1.0E+06	6.2E-05
71	71	0.75859	2.34E-06	1.8E-06	2.50E-04	4.44E-10	14	1.15E-02	7.14E-11	1.0E+06	7.1E-05
72	72	0.87783	2.34E-06	2.1E-06	2.50E-04	5.14E-10	14	1.15E-02	8.26E-11	1.0E+06	8.3E-05
73	73	1.02923	2.34E-06	2.4E-06	2.50E-04	6.03E-10	14	1.15E-02	9.68E-11	1.0E+06	9.7E-05
74	74	1.22595	2.34E-06	2.9E-06	2.50E-04	7.18E-10	14	1.15E-02	1.15E-10	1.0E+06	1.2E-04
75	75	1.48855	2.34E-06	3.5E-06	2.50E-04	8.72E-10	14	1.15E-02	1.40E-10	1.0E+06	1.4E-04
76	76	1.8516	2.34E-06	4.3E-06	2.50E-04	1.08E-09	14	1.15E-02	1.74E-10	1.0E+06	1.7E-04
77	77	2.37427	2.34E-06	5.6E-06	2.50E-04	1.39E-09	14	1.15E-02	2.23E-10	1.0E+06	2.2E-04
78	78	3.16368	2.34E-06	7.4E-06	2.50E-04	1.85E-09	14	1.15E-02	2.98E-10	1.0E+06	3.0E-04
79	79	12.58766	2.34E-06	2.9E-05	2.50E-04	7.37E-09	14	1.15E-02	1.18E-09	1.0E+06	1.2E-03
80	80	14.49872	2.34E-06	3.4E-05	2.50E-04	8.49E-09	14	1.15E-02	1.36E-09	1.0E+06	1.4E-03
81	81	37.65877	2.34E-06	8.8E-05	2.50E-04	2.21E-08	14	1.15E-02	3.54E-09	1.0E+06	3.5E-03
82	82	18.12006	2.34E-06	4.2E-05	2.50E-04	1.06E-08	14	1.15E-02	1.70E-09	1.0E+06	1.7E-03
83	83	10.7035	2.34E-06	2.5E-05	2.50E-04	6.27E-09	14	1.15E-02	1.01E-09	1.0E+06	1.0E-03
84	84	6.99614	2.34E-06	1.6E-05	2.50E-04	4.10E-09	14	1.15E-02	6.58E-10	1.0E+06	6.6E-04

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
85	85	4.87884	2.34E-06	1.1E-05	2.50E-04	2.86E-09	14	1.15E-02	4.59E-10	1.0E+06	4.6E-04
86	86	3.57268	2.34E-06	8.4E-06	2.50E-04	2.09E-09	14	1.15E-02	3.36E-10	1.0E+06	3.4E-04
87	87	2.72117	2.34E-06	6.4E-06	2.50E-04	1.59E-09	14	1.15E-02	2.56E-10	1.0E+06	2.6E-04
88	88	2.13813	2.34E-06	5.0E-06	2.50E-04	1.25E-09	14	1.15E-02	2.01E-10	1.0E+06	2.0E-04
89	89	1.72523	2.34E-06	4.0E-06	2.50E-04	1.01E-09	14	1.15E-02	1.62E-10	1.0E+06	1.6E-04
90	90	1.42175	2.34E-06	3.3E-06	2.50E-04	8.33E-10	14	1.15E-02	1.34E-10	1.0E+06	1.3E-04
91	91	1.19125	2.34E-06	2.8E-06	2.50E-04	6.98E-10	14	1.15E-02	1.12E-10	1.0E+06	1.1E-04
92	92	1.01509	2.34E-06	2.4E-06	2.50E-04	5.95E-10	14	1.15E-02	9.55E-11	1.0E+06	9.5E-05
93	93	0.8749	2.34E-06	2.0E-06	2.50E-04	5.12E-10	14	1.15E-02	8.23E-11	1.0E+06	8.2E-05
96	96	2.818	2.34E-06	6.6E-06	2.50E-04	1.65E-09	14	1.15E-02	2.65E-10	1.0E+06	2.7E-04
97	97	2.14823	2.34E-06	5.0E-06	2.50E-04	1.26E-09	14	1.15E-02	2.02E-10	1.0E+06	2.0E-04
98	98	1.89893	2.34E-06	4.4E-06	2.50E-04	1.11E-09	14	1.15E-02	1.79E-10	1.0E+06	1.8E-04
99	99	1.54511	2.34E-06	3.6E-06	2.50E-04	9.05E-10	14	1.15E-02	1.45E-10	1.0E+06	1.5E-04
100	100	1.28553	2.34E-06	3.0E-06	2.50E-04	7.53E-10	14	1.15E-02	1.21E-10	1.0E+06	1.2E-04
101	101	1.08822	2.34E-06	2.5E-06	2.50E-04	6.37E-10	14	1.15E-02	1.02E-10	1.0E+06	1.0E-04
102	102	0.93181	2.34E-06	2.2E-06	2.50E-04	5.46E-10	14	1.15E-02	8.77E-11	1.0E+06	8.8E-05
106	106	0.42136	2.34E-06	9.9E-07	2.50E-04	2.47E-10	14	1.15E-02	3.96E-11	1.0E+06	4.0E-05
107	107	0.46829	2.34E-06	1.1E-06	2.50E-04	2.74E-10	14	1.15E-02	4.41E-11	1.0E+06	4.4E-05
108	108	0.52198	2.34E-06	1.2E-06	2.50E-04	3.06E-10	14	1.15E-02	4.91E-11	1.0E+06	4.9E-05
109	109	0.58628	2.34E-06	1.4E-06	2.50E-04	3.43E-10	14	1.15E-02	5.52E-11	1.0E+06	5.5E-05
110	110	0.66428	2.34E-06	1.6E-06	2.50E-04	3.89E-10	14	1.15E-02	6.25E-11	1.0E+06	6.2E-05
111	111	0.75975	2.34E-06	1.8E-06	2.50E-04	4.45E-10	14	1.15E-02	7.15E-11	1.0E+06	7.1E-05
112	112	0.88045	2.34E-06	2.1E-06	2.50E-04	5.16E-10	14	1.15E-02	8.28E-11	1.0E+06	8.3E-05
113	113	1.03374	2.34E-06	2.4E-06	2.50E-04	6.06E-10	14	1.15E-02	9.72E-11	1.0E+06	9.7E-05
114	114	1.23423	2.34E-06	2.9E-06	2.50E-04	7.23E-10	14	1.15E-02	1.16E-10	1.0E+06	1.2E-04
115	115	1.50309	2.34E-06	3.5E-06	2.50E-04	8.80E-10	14	1.15E-02	1.41E-10	1.0E+06	1.4E-04
116	116	1.8754	2.34E-06	4.4E-06	2.50E-04	1.10E-09	14	1.15E-02	1.76E-10	1.0E+06	1.8E-04
117	117	2.4219	2.34E-06	5.7E-06	2.50E-04	1.42E-09	14	1.15E-02	2.28E-10	1.0E+06	2.3E-04
118	118	3.26529	2.34E-06	7.6E-06	2.50E-04	1.91E-09	14	1.15E-02	3.07E-10	1.0E+06	3.1E-04
124	124	0.41874	2.34E-06	9.8E-07	2.50E-04	2.45E-10	14	1.15E-02	3.94E-11	1.0E+06	3.9E-05
125	125	0.46324	2.34E-06	1.1E-06	2.50E-04	2.71E-10	14	1.15E-02	4.36E-11	1.0E+06	4.4E-05

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	126	0.51579	2.34E-06	1.2E-06	2.50E-04	3.02E-10	14	1.15E-02	4.85E-11	1.0E+06	4.9E-05
127	127	0.57858	2.34E-06	1.4E-06	2.50E-04	3.39E-10	14	1.15E-02	5.44E-11	1.0E+06	5.4E-05
128	128	0.65456	2.34E-06	1.5E-06	2.50E-04	3.83E-10	14	1.15E-02	6.16E-11	1.0E+06	6.2E-05
129	129	0.74732	2.34E-06	1.7E-06	2.50E-04	4.38E-10	14	1.15E-02	7.03E-11	1.0E+06	7.0E-05
130	130	0.86391	2.34E-06	2.0E-06	2.50E-04	5.06E-10	14	1.15E-02	8.13E-11	1.0E+06	8.1E-05
131	131	1.01158	2.34E-06	2.4E-06	2.50E-04	5.93E-10	14	1.15E-02	9.52E-11	1.0E+06	9.5E-05
132	132	1.20331	2.34E-06	2.8E-06	2.50E-04	7.05E-10	14	1.15E-02	1.13E-10	1.0E+06	1.1E-04
133	133	1.45851	2.34E-06	3.4E-06	2.50E-04	8.54E-10	14	1.15E-02	1.37E-10	1.0E+06	1.4E-04
134	134	1.81048	2.34E-06	4.2E-06	2.50E-04	1.06E-09	14	1.15E-02	1.70E-10	1.0E+06	1.7E-04
135	135	2.31438	2.34E-06	5.4E-06	2.50E-04	1.36E-09	14	1.15E-02	2.18E-10	1.0E+06	2.2E-04
136	136	3.07488	2.34E-06	7.2E-06	2.50E-04	1.80E-09	14	1.15E-02	2.89E-10	1.0E+06	2.9E-04
137	137	4.30283	2.34E-06	1.0E-05	2.50E-04	2.52E-09	14	1.15E-02	4.05E-10	1.0E+06	4.0E-04
138	138	6.53452	2.34E-06	1.5E-05	2.50E-04	3.83E-09	14	1.15E-02	6.15E-10	1.0E+06	6.1E-04
141	141	0.41256	2.34E-06	9.7E-07	2.50E-04	2.42E-10	14	1.15E-02	3.88E-11	1.0E+06	3.9E-05
142	142	0.45574	2.34E-06	1.1E-06	2.50E-04	2.67E-10	14	1.15E-02	4.29E-11	1.0E+06	4.3E-05
143	143	0.50657	2.34E-06	1.2E-06	2.50E-04	2.97E-10	14	1.15E-02	4.77E-11	1.0E+06	4.8E-05
144	144	0.56708	2.34E-06	1.3E-06	2.50E-04	3.32E-10	14	1.15E-02	5.33E-11	1.0E+06	5.3E-05
145	145	0.63991	2.34E-06	1.5E-06	2.50E-04	3.75E-10	14	1.15E-02	6.02E-11	1.0E+06	6.0E-05
146	146	0.72841	2.34E-06	1.7E-06	2.50E-04	4.27E-10	14	1.15E-02	6.85E-11	1.0E+06	6.9E-05
147	147	0.83872	2.34E-06	2.0E-06	2.50E-04	4.91E-10	14	1.15E-02	7.89E-11	1.0E+06	7.9E-05
148	148	0.97716	2.34E-06	2.3E-06	2.50E-04	5.72E-10	14	1.15E-02	9.19E-11	1.0E+06	9.2E-05
149	149	1.15486	2.34E-06	2.7E-06	2.50E-04	6.76E-10	14	1.15E-02	1.09E-10	1.0E+06	1.1E-04
150	150	1.388	2.34E-06	3.2E-06	2.50E-04	8.13E-10	14	1.15E-02	1.31E-10	1.0E+06	1.3E-04
151	151	1.70256	2.34E-06	4.0E-06	2.50E-04	9.97E-10	14	1.15E-02	1.60E-10	1.0E+06	1.6E-04
152	152	2.14081	2.34E-06	5.0E-06	2.50E-04	1.25E-09	14	1.15E-02	2.01E-10	1.0E+06	2.0E-04
153	153	2.77678	2.34E-06	6.5E-06	2.50E-04	1.63E-09	14	1.15E-02	2.61E-10	1.0E+06	2.6E-04
154	154	3.75203	2.34E-06	8.8E-06	2.50E-04	2.20E-09	14	1.15E-02	3.53E-10	1.0E+06	3.5E-04
155	155	5.36547	2.34E-06	1.3E-05	2.50E-04	3.14E-09	14	1.15E-02	5.05E-10	1.0E+06	5.0E-04
164	164	3.17314	2.34E-06	7.4E-06	2.50E-04	1.86E-09	14	1.15E-02	2.99E-10	1.0E+06	3.0E-04
165	165	4.27347	2.34E-06	1.0E-05	2.50E-04	2.50E-09	14	1.15E-02	4.02E-10	1.0E+06	4.0E-04
166	166	6.05606	2.34E-06	1.4E-05	2.50E-04	3.55E-09	14	1.15E-02	5.70E-10	1.0E+06	5.7E-04

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	2.65797	2.34E-06	6.2E-06	2.50E-04	1.56E-09	14	1.15E-02	2.50E-10	1.0E+06	2.5E-04
179	179	3.41062	2.34E-06	8.0E-06	2.50E-04	2.00E-09	14	1.15E-02	3.21E-10	1.0E+06	3.2E-04
180	180	4.49811	2.34E-06	1.1E-05	2.50E-04	2.63E-09	14	1.15E-02	4.23E-10	1.0E+06	4.2E-04
192	192	2.23194	2.34E-06	5.2E-06	2.50E-04	1.31E-09	14	1.15E-02	2.10E-10	1.0E+06	2.1E-04
193	193	2.75778	2.34E-06	6.5E-06	2.50E-04	1.62E-09	14	1.15E-02	2.59E-10	1.0E+06	2.6E-04
194	194	3.44958	2.34E-06	8.1E-06	2.50E-04	2.02E-09	14	1.15E-02	3.25E-10	1.0E+06	3.2E-04
207	207	1.88852	2.34E-06	4.4E-06	2.50E-04	1.11E-09	14	1.15E-02	1.78E-10	1.0E+06	1.8E-04
208	208	2.26388	2.34E-06	5.3E-06	2.50E-04	1.33E-09	14	1.15E-02	2.13E-10	1.0E+06	2.1E-04
209	209	2.72283	2.34E-06	6.4E-06	2.50E-04	1.59E-09	14	1.15E-02	2.56E-10	1.0E+06	2.6E-04
223	223	1.61307	2.34E-06	3.8E-06	2.50E-04	9.45E-10	14	1.15E-02	1.52E-10	1.0E+06	1.5E-04
224	224	1.88669	2.34E-06	4.4E-06	2.50E-04	1.11E-09	14	1.15E-02	1.77E-10	1.0E+06	1.8E-04
225	225	2.20205	2.34E-06	5.2E-06	2.50E-04	1.29E-09	14	1.15E-02	2.07E-10	1.0E+06	2.1E-04
239	239	1.39094	2.34E-06	3.3E-06	2.50E-04	8.15E-10	14	1.15E-02	1.31E-10	1.0E+06	1.3E-04
240	240	1.59421	2.34E-06	3.7E-06	2.50E-04	9.34E-10	14	1.15E-02	1.50E-10	1.0E+06	1.5E-04
241	241	1.81828	2.34E-06	4.3E-06	2.50E-04	1.07E-09	14	1.15E-02	1.71E-10	1.0E+06	1.7E-04
255	255	1.20997	2.34E-06	2.8E-06	2.50E-04	7.09E-10	14	1.15E-02	1.14E-10	1.0E+06	1.1E-04
256	256	1.36372	2.34E-06	3.2E-06	2.50E-04	7.99E-10	14	1.15E-02	1.28E-10	1.0E+06	1.3E-04
272	272	1.06144	2.34E-06	2.5E-06	2.50E-04	6.22E-10	14	1.15E-02	9.99E-11	1.0E+06	1.0E-04
273	273	1.17917	2.34E-06	2.8E-06	2.50E-04	6.91E-10	14	1.15E-02	1.11E-10	1.0E+06	1.1E-04
289	289	0.9378	2.34E-06	2.2E-06	2.50E-04	5.49E-10	14	1.15E-02	8.82E-11	1.0E+06	8.8E-05
290	290	1.02945	2.34E-06	2.4E-06	2.50E-04	6.03E-10	14	1.15E-02	9.68E-11	1.0E+06	9.7E-05
306	306	0.83438	2.34E-06	2.0E-06	2.50E-04	4.89E-10	14	1.15E-02	7.85E-11	1.0E+06	7.8E-05
307	307	0.90654	2.34E-06	2.1E-06	2.50E-04	5.31E-10	14	1.15E-02	8.53E-11	1.0E+06	8.5E-05
323	323	0.7471	2.34E-06	1.7E-06	2.50E-04	4.38E-10	14	1.15E-02	7.03E-11	1.0E+06	7.0E-05
324	324	0.8047	2.34E-06	1.9E-06	2.50E-04	4.71E-10	14	1.15E-02	7.57E-11	1.0E+06	7.6E-05
342	342	0.67274	2.34E-06	1.6E-06	2.50E-04	3.94E-10	14	1.15E-02	6.33E-11	1.0E+06	6.3E-05
343	343	0.71922	2.34E-06	1.7E-06	2.50E-04	4.21E-10	14	1.15E-02	6.77E-11	1.0E+06	6.8E-05
344	344	0.7653	2.34E-06	1.8E-06	2.50E-04	4.48E-10	14	1.15E-02	7.20E-11	1.0E+06	7.2E-05
356	356	0.60916	2.34E-06	1.4E-06	2.50E-04	3.57E-10	14	1.15E-02	5.73E-11	1.0E+06	5.7E-05
357	357	0.64743	2.34E-06	1.5E-06	2.50E-04	3.79E-10	14	1.15E-02	6.09E-11	1.0E+06	6.1E-05
358	358	0.68444	2.34E-06	1.6E-06	2.50E-04	4.01E-10	14	1.15E-02	6.44E-11	1.0E+06	6.4E-05

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	0.55417	2.34E-06	1.3E-06	2.50E-04	3.25E-10	14	1.15E-02	5.21E-11	1.0E+06	5.2E-05
371	371	0.58585	2.34E-06	1.4E-06	2.50E-04	3.43E-10	14	1.15E-02	5.51E-11	1.0E+06	5.5E-05
372	372	0.61623	2.34E-06	1.4E-06	2.50E-04	3.61E-10	14	1.15E-02	5.80E-11	1.0E+06	5.8E-05
383	383	0.50646	2.34E-06	1.2E-06	2.50E-04	2.97E-10	14	1.15E-02	4.76E-11	1.0E+06	4.8E-05
384	384	0.53285	2.34E-06	1.2E-06	2.50E-04	3.12E-10	14	1.15E-02	5.01E-11	1.0E+06	5.0E-05
385	385	0.55812	2.34E-06	1.3E-06	2.50E-04	3.27E-10	14	1.15E-02	5.25E-11	1.0E+06	5.3E-05
396	396	0.46473	2.34E-06	1.1E-06	2.50E-04	2.72E-10	14	1.15E-02	4.37E-11	1.0E+06	4.4E-05
397	397	0.48693	2.34E-06	1.1E-06	2.50E-04	2.85E-10	14	1.15E-02	4.58E-11	1.0E+06	4.6E-05
398	398	0.50818	2.34E-06	1.2E-06	2.50E-04	2.98E-10	14	1.15E-02	4.78E-11	1.0E+06	4.8E-05
399	399	0.52753	2.34E-06	1.2E-06	2.50E-04	3.09E-10	14	1.15E-02	4.96E-11	1.0E+06	5.0E-05
411	411	0.42811	2.34E-06	1.0E-06	2.50E-04	2.51E-10	14	1.15E-02	4.03E-11	1.0E+06	4.0E-05
412	412	0.44698	2.34E-06	1.0E-06	2.50E-04	2.62E-10	14	1.15E-02	4.20E-11	1.0E+06	4.2E-05
413	413	0.46473	2.34E-06	1.1E-06	2.50E-04	2.72E-10	14	1.15E-02	4.37E-11	1.0E+06	4.4E-05
414	414	0.48134	2.34E-06	1.1E-06	2.50E-04	2.82E-10	14	1.15E-02	4.53E-11	1.0E+06	4.5E-05
426	426	0.39571	2.34E-06	9.3E-07	2.50E-04	2.32E-10	14	1.15E-02	3.72E-11	1.0E+06	3.7E-05
427	427	0.4118	2.34E-06	9.6E-07	2.50E-04	2.41E-10	14	1.15E-02	3.87E-11	1.0E+06	3.9E-05
428	428	0.42726	2.34E-06	1.0E-06	2.50E-04	2.50E-10	14	1.15E-02	4.02E-11	1.0E+06	4.0E-05
429	429	0.44129	2.34E-06	1.0E-06	2.50E-04	2.58E-10	14	1.15E-02	4.15E-11	1.0E+06	4.2E-05
439	439	0.36702	2.34E-06	8.6E-07	2.50E-04	2.15E-10	14	1.15E-02	3.45E-11	1.0E+06	3.5E-05
440	440	0.38087	2.34E-06	8.9E-07	2.50E-04	2.23E-10	14	1.15E-02	3.58E-11	1.0E+06	3.6E-05
441	441	0.39407	2.34E-06	9.2E-07	2.50E-04	2.31E-10	14	1.15E-02	3.71E-11	1.0E+06	3.7E-05
442	442	0.4062	2.34E-06	9.5E-07	2.50E-04	2.38E-10	14	1.15E-02	3.82E-11	1.0E+06	3.8E-05
443	443	0.41653	2.34E-06	9.7E-07	2.50E-04	2.44E-10	14	1.15E-02	3.92E-11	1.0E+06	3.9E-05
454	454	0.34142	2.34E-06	8.0E-07	2.50E-04	2.00E-10	14	1.15E-02	3.21E-11	1.0E+06	3.2E-05
455	455	0.3534	2.34E-06	8.3E-07	2.50E-04	2.07E-10	14	1.15E-02	3.32E-11	1.0E+06	3.3E-05
456	456	0.36482	2.34E-06	8.5E-07	2.50E-04	2.14E-10	14	1.15E-02	3.43E-11	1.0E+06	3.4E-05
457	457	0.37533	2.34E-06	8.8E-07	2.50E-04	2.20E-10	14	1.15E-02	3.53E-11	1.0E+06	3.5E-05
458	458	0.38437	2.34E-06	9.0E-07	2.50E-04	2.25E-10	14	1.15E-02	3.62E-11	1.0E+06	3.6E-05
469	469	0.31855	2.34E-06	7.5E-07	2.50E-04	1.87E-10	14	1.15E-02	3.00E-11	1.0E+06	3.0E-05
470	470	0.32907	2.34E-06	7.7E-07	2.50E-04	1.93E-10	14	1.15E-02	3.10E-11	1.0E+06	3.1E-05
471	471	0.339	2.34E-06	7.9E-07	2.50E-04	1.99E-10	14	1.15E-02	3.19E-11	1.0E+06	3.2E-05

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
472	472	0.34819	2.34E-06	8.1E-07	2.50E-04	2.04E-10	14	1.15E-02	3.28E-11	1.0E+06	3.3E-05
473	473	0.35615	2.34E-06	8.3E-07	2.50E-04	2.09E-10	14	1.15E-02	3.35E-11	1.0E+06	3.4E-05
489	489	0.29792	2.34E-06	7.0E-07	2.50E-04	1.75E-10	14	1.15E-02	2.80E-11	1.0E+06	2.8E-05
490	490	0.30711	2.34E-06	7.2E-07	2.50E-04	1.80E-10	14	1.15E-02	2.89E-11	1.0E+06	2.9E-05
491	491	0.31587	2.34E-06	7.4E-07	2.50E-04	1.85E-10	14	1.15E-02	2.97E-11	1.0E+06	3.0E-05
492	492	0.32393	2.34E-06	7.6E-07	2.50E-04	1.90E-10	14	1.15E-02	3.05E-11	1.0E+06	3.0E-05
493	493	0.33092	2.34E-06	7.7E-07	2.50E-04	1.94E-10	14	1.15E-02	3.11E-11	1.0E+06	3.1E-05
494	494	0.33644	2.34E-06	7.9E-07	2.50E-04	1.97E-10	14	1.15E-02	3.17E-11	1.0E+06	3.2E-05
509	509	0.27941	2.34E-06	6.5E-07	2.50E-04	1.64E-10	14	1.15E-02	2.63E-11	1.0E+06	2.6E-05
510	510	0.2875	2.34E-06	6.7E-07	2.50E-04	1.68E-10	14	1.15E-02	2.70E-11	1.0E+06	2.7E-05
511	511	0.29528	2.34E-06	6.9E-07	2.50E-04	1.73E-10	14	1.15E-02	2.78E-11	1.0E+06	2.8E-05
512	512	0.30241	2.34E-06	7.1E-07	2.50E-04	1.77E-10	14	1.15E-02	2.84E-11	1.0E+06	2.8E-05
513	513	0.30855	2.34E-06	7.2E-07	2.50E-04	1.81E-10	14	1.15E-02	2.90E-11	1.0E+06	2.9E-05
514	514	0.31352	2.34E-06	7.3E-07	2.50E-04	1.84E-10	14	1.15E-02	2.95E-11	1.0E+06	2.9E-05
515	515	0.31807	2.34E-06	7.4E-07	2.50E-04	1.86E-10	14	1.15E-02	2.99E-11	1.0E+06	3.0E-05
516	516	0.31689	2.34E-06	7.4E-07	2.50E-04	1.86E-10	14	1.15E-02	2.98E-11	1.0E+06	3.0E-05
517	517	0.31345	2.34E-06	7.3E-07	2.50E-04	1.84E-10	14	1.15E-02	2.95E-11	1.0E+06	2.9E-05
518	518	0.30764	2.34E-06	7.2E-07	2.50E-04	1.80E-10	14	1.15E-02	2.89E-11	1.0E+06	2.9E-05
519	519	0.2997	2.34E-06	7.0E-07	2.50E-04	1.76E-10	14	1.15E-02	2.82E-11	1.0E+06	2.8E-05
528	528	0.26267	2.34E-06	6.1E-07	2.50E-04	1.54E-10	14	1.15E-02	2.47E-11	1.0E+06	2.5E-05
529	529	0.26984	2.34E-06	6.3E-07	2.50E-04	1.58E-10	14	1.15E-02	2.54E-11	1.0E+06	2.5E-05
530	530	0.27671	2.34E-06	6.5E-07	2.50E-04	1.62E-10	14	1.15E-02	2.60E-11	1.0E+06	2.6E-05
531	531	0.28307	2.34E-06	6.6E-07	2.50E-04	1.66E-10	14	1.15E-02	2.66E-11	1.0E+06	2.7E-05
532	532	0.2886	2.34E-06	6.8E-07	2.50E-04	1.69E-10	14	1.15E-02	2.71E-11	1.0E+06	2.7E-05
533	533	0.29305	2.34E-06	6.9E-07	2.50E-04	1.72E-10	14	1.15E-02	2.76E-11	1.0E+06	2.8E-05
534	534	0.29729	2.34E-06	7.0E-07	2.50E-04	1.74E-10	14	1.15E-02	2.80E-11	1.0E+06	2.8E-05
535	535	0.29657	2.34E-06	6.9E-07	2.50E-04	1.74E-10	14	1.15E-02	2.79E-11	1.0E+06	2.8E-05
536	536	0.2939	2.34E-06	6.9E-07	2.50E-04	1.72E-10	14	1.15E-02	2.76E-11	1.0E+06	2.8E-05
537	537	0.28899	2.34E-06	6.8E-07	2.50E-04	1.69E-10	14	1.15E-02	2.72E-11	1.0E+06	2.7E-05
538	538	0.28218	2.34E-06	6.6E-07	2.50E-04	1.65E-10	14	1.15E-02	2.65E-11	1.0E+06	2.7E-05
547	547	0.24744	2.34E-06	5.8E-07	2.50E-04	1.45E-10	14	1.15E-02	2.33E-11	1.0E+06	2.3E-05

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.25383	2.34E-06	5.9E-07	2.50E-04	1.49E-10	14	1.15E-02	2.39E-11	1.0E+06	2.4E-05
549	549	0.26	2.34E-06	6.1E-07	2.50E-04	1.52E-10	14	1.15E-02	2.45E-11	1.0E+06	2.4E-05
550	550	0.26561	2.34E-06	6.2E-07	2.50E-04	1.56E-10	14	1.15E-02	2.50E-11	1.0E+06	2.5E-05
551	551	0.27061	2.34E-06	6.3E-07	2.50E-04	1.59E-10	14	1.15E-02	2.55E-11	1.0E+06	2.5E-05
552	552	0.27463	2.34E-06	6.4E-07	2.50E-04	1.61E-10	14	1.15E-02	2.58E-11	1.0E+06	2.6E-05
553	553	0.27744	2.34E-06	6.5E-07	2.50E-04	1.63E-10	14	1.15E-02	2.61E-11	1.0E+06	2.6E-05
554	554	0.27868	2.34E-06	6.5E-07	2.50E-04	1.63E-10	14	1.15E-02	2.62E-11	1.0E+06	2.6E-05
555	555	0.27831	2.34E-06	6.5E-07	2.50E-04	1.63E-10	14	1.15E-02	2.62E-11	1.0E+06	2.6E-05
556	556	0.27625	2.34E-06	6.5E-07	2.50E-04	1.62E-10	14	1.15E-02	2.60E-11	1.0E+06	2.6E-05
557	557	0.27211	2.34E-06	6.4E-07	2.50E-04	1.59E-10	14	1.15E-02	2.56E-11	1.0E+06	2.6E-05
558	558	0.26639	2.34E-06	6.2E-07	2.50E-04	1.56E-10	14	1.15E-02	2.51E-11	1.0E+06	2.5E-05
559	559	0.25905	2.34E-06	6.1E-07	2.50E-04	1.52E-10	14	1.15E-02	2.44E-11	1.0E+06	2.4E-05
567	567	0.23362	2.34E-06	5.5E-07	2.50E-04	1.37E-10	14	1.15E-02	2.20E-11	1.0E+06	2.2E-05
568	568	0.23935	2.34E-06	5.6E-07	2.50E-04	1.40E-10	14	1.15E-02	2.25E-11	1.0E+06	2.3E-05
569	569	0.24484	2.34E-06	5.7E-07	2.50E-04	1.43E-10	14	1.15E-02	2.30E-11	1.0E+06	2.3E-05
570	570	0.24993	2.34E-06	5.8E-07	2.50E-04	1.46E-10	14	1.15E-02	2.35E-11	1.0E+06	2.4E-05
571	571	0.25441	2.34E-06	6.0E-07	2.50E-04	1.49E-10	14	1.15E-02	2.39E-11	1.0E+06	2.4E-05
572	572	0.25808	2.34E-06	6.0E-07	2.50E-04	1.51E-10	14	1.15E-02	2.43E-11	1.0E+06	2.4E-05
573	573	0.26068	2.34E-06	6.1E-07	2.50E-04	1.53E-10	14	1.15E-02	2.45E-11	1.0E+06	2.5E-05
574	574	0.26179	2.34E-06	6.1E-07	2.50E-04	1.53E-10	14	1.15E-02	2.46E-11	1.0E+06	2.5E-05
575	575	0.26015	2.34E-06	6.1E-07	2.50E-04	1.52E-10	14	1.15E-02	2.45E-11	1.0E+06	2.4E-05
576	576	0.25686	2.34E-06	6.0E-07	2.50E-04	1.50E-10	14	1.15E-02	2.42E-11	1.0E+06	2.4E-05
577	577	0.25197	2.34E-06	5.9E-07	2.50E-04	1.48E-10	14	1.15E-02	2.37E-11	1.0E+06	2.4E-05
578	578	0.24563	2.34E-06	5.7E-07	2.50E-04	1.44E-10	14	1.15E-02	2.31E-11	1.0E+06	2.3E-05
586	586	0.22092	2.34E-06	5.2E-07	2.50E-04	1.29E-10	14	1.15E-02	2.08E-11	1.0E+06	2.1E-05
587	587	0.22605	2.34E-06	5.3E-07	2.50E-04	1.32E-10	14	1.15E-02	2.13E-11	1.0E+06	2.1E-05
588	588	0.23101	2.34E-06	5.4E-07	2.50E-04	1.35E-10	14	1.15E-02	2.17E-11	1.0E+06	2.2E-05
589	589	0.2356	2.34E-06	5.5E-07	2.50E-04	1.38E-10	14	1.15E-02	2.22E-11	1.0E+06	2.2E-05
590	590	0.23967	2.34E-06	5.6E-07	2.50E-04	1.40E-10	14	1.15E-02	2.25E-11	1.0E+06	2.3E-05
591	591	0.243	2.34E-06	5.7E-07	2.50E-04	1.42E-10	14	1.15E-02	2.29E-11	1.0E+06	2.3E-05
592	592	0.24542	2.34E-06	5.7E-07	2.50E-04	1.44E-10	14	1.15E-02	2.31E-11	1.0E+06	2.3E-05

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	0.24675	2.34E-06	5.8E-07	2.50E-04	1.45E-10	14	1.15E-02	2.32E-11	1.0E+06	2.3E-05
594	594	0.2455	2.34E-06	5.7E-07	2.50E-04	1.44E-10	14	1.15E-02	2.31E-11	1.0E+06	2.3E-05
595	595	0.24269	2.34E-06	5.7E-07	2.50E-04	1.42E-10	14	1.15E-02	2.28E-11	1.0E+06	2.3E-05
596	596	0.2385	2.34E-06	5.6E-07	2.50E-04	1.40E-10	14	1.15E-02	2.24E-11	1.0E+06	2.2E-05
597	597	0.23306	2.34E-06	5.5E-07	2.50E-04	1.37E-10	14	1.15E-02	2.19E-11	1.0E+06	2.2E-05
345	345	0.80697	2.34E-06	1.9E-06	2.50E-04	4.73E-10	14	1.15E-02	7.59E-11	1.0E+06	7.6E-05
346	346	0.84115	2.34E-06	2.0E-06	2.50E-04	4.93E-10	14	1.15E-02	7.91E-11	1.0E+06	7.9E-05
347	347	0.86268	2.34E-06	2.0E-06	2.50E-04	5.05E-10	14	1.15E-02	8.12E-11	1.0E+06	8.1E-05
348	348	0.86764	2.34E-06	2.0E-06	2.50E-04	5.08E-10	14	1.15E-02	8.16E-11	1.0E+06	8.2E-05
359	359	0.71803	2.34E-06	1.7E-06	2.50E-04	4.21E-10	14	1.15E-02	6.75E-11	1.0E+06	6.8E-05
360	360	0.74514	2.34E-06	1.7E-06	2.50E-04	4.36E-10	14	1.15E-02	7.01E-11	1.0E+06	7.0E-05
361	361	0.76375	2.34E-06	1.8E-06	2.50E-04	4.47E-10	14	1.15E-02	7.18E-11	1.0E+06	7.2E-05
362	362	0.76885	2.34E-06	1.8E-06	2.50E-04	4.50E-10	14	1.15E-02	7.23E-11	1.0E+06	7.2E-05
363	363	0.76045	2.34E-06	1.8E-06	2.50E-04	4.45E-10	14	1.15E-02	7.15E-11	1.0E+06	7.2E-05
373	373	0.66656	2.34E-06	1.6E-06	2.50E-04	3.90E-10	14	1.15E-02	6.27E-11	1.0E+06	6.3E-05
374	374	0.68175	2.34E-06	1.6E-06	2.50E-04	3.99E-10	14	1.15E-02	6.41E-11	1.0E+06	6.4E-05
375	375	0.6871	2.34E-06	1.6E-06	2.50E-04	4.02E-10	14	1.15E-02	6.46E-11	1.0E+06	6.5E-05
376	376	0.68159	2.34E-06	1.6E-06	2.50E-04	3.99E-10	14	1.15E-02	6.41E-11	1.0E+06	6.4E-05
386	386	0.60005	2.34E-06	1.4E-06	2.50E-04	3.51E-10	14	1.15E-02	5.64E-11	1.0E+06	5.6E-05
387	387	0.61317	2.34E-06	1.4E-06	2.50E-04	3.59E-10	14	1.15E-02	5.77E-11	1.0E+06	5.8E-05
388	388	0.61837	2.34E-06	1.4E-06	2.50E-04	3.62E-10	14	1.15E-02	5.82E-11	1.0E+06	5.8E-05
389	389	0.61499	2.34E-06	1.4E-06	2.50E-04	3.60E-10	14	1.15E-02	5.79E-11	1.0E+06	5.8E-05
390	390	0.60256	2.34E-06	1.4E-06	2.50E-04	3.53E-10	14	1.15E-02	5.67E-11	1.0E+06	5.7E-05
400	400	0.54364	2.34E-06	1.3E-06	2.50E-04	3.18E-10	14	1.15E-02	5.11E-11	1.0E+06	5.1E-05
401	401	0.55455	2.34E-06	1.3E-06	2.50E-04	3.25E-10	14	1.15E-02	5.22E-11	1.0E+06	5.2E-05
402	402	0.56003	2.34E-06	1.3E-06	2.50E-04	3.28E-10	14	1.15E-02	5.27E-11	1.0E+06	5.3E-05
403	403	0.55791	2.34E-06	1.3E-06	2.50E-04	3.27E-10	14	1.15E-02	5.25E-11	1.0E+06	5.2E-05
404	404	0.54828	2.34E-06	1.3E-06	2.50E-04	3.21E-10	14	1.15E-02	5.16E-11	1.0E+06	5.2E-05
415	415	0.49507	2.34E-06	1.2E-06	2.50E-04	2.90E-10	14	1.15E-02	4.66E-11	1.0E+06	4.7E-05
416	416	0.50493	2.34E-06	1.2E-06	2.50E-04	2.96E-10	14	1.15E-02	4.75E-11	1.0E+06	4.8E-05
417	417	0.50966	2.34E-06	1.2E-06	2.50E-04	2.99E-10	14	1.15E-02	4.79E-11	1.0E+06	4.8E-05

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	0.50917	2.34E-06	1.2E-06	2.50E-04	2.98E-10	14	1.15E-02	4.79E-11	1.0E+06	4.8E-05
419	419	0.50231	2.34E-06	1.2E-06	2.50E-04	2.94E-10	14	1.15E-02	4.73E-11	1.0E+06	4.7E-05
420	420	0.48784	2.34E-06	1.1E-06	2.50E-04	2.86E-10	14	1.15E-02	4.59E-11	1.0E+06	4.6E-05
430	430	0.46158	2.34E-06	1.1E-06	2.50E-04	2.70E-10	14	1.15E-02	4.34E-11	1.0E+06	4.3E-05
431	431	0.46656	2.34E-06	1.1E-06	2.50E-04	2.73E-10	14	1.15E-02	4.39E-11	1.0E+06	4.4E-05
432	432	0.46654	2.34E-06	1.1E-06	2.50E-04	2.73E-10	14	1.15E-02	4.39E-11	1.0E+06	4.4E-05
433	433	0.46123	2.34E-06	1.1E-06	2.50E-04	2.70E-10	14	1.15E-02	4.34E-11	1.0E+06	4.3E-05
434	434	0.45055	2.34E-06	1.1E-06	2.50E-04	2.64E-10	14	1.15E-02	4.24E-11	1.0E+06	4.2E-05
444	444	0.42429	2.34E-06	9.9E-07	2.50E-04	2.49E-10	14	1.15E-02	3.99E-11	1.0E+06	4.0E-05
445	445	0.42851	2.34E-06	1.0E-06	2.50E-04	2.51E-10	14	1.15E-02	4.03E-11	1.0E+06	4.0E-05
446	446	0.42906	2.34E-06	1.0E-06	2.50E-04	2.51E-10	14	1.15E-02	4.04E-11	1.0E+06	4.0E-05
447	447	0.42517	2.34E-06	1.0E-06	2.50E-04	2.49E-10	14	1.15E-02	4.00E-11	1.0E+06	4.0E-05
448	448	0.41668	2.34E-06	9.8E-07	2.50E-04	2.44E-10	14	1.15E-02	3.92E-11	1.0E+06	3.9E-05
459	459	0.39528	2.34E-06	9.3E-07	2.50E-04	2.32E-10	14	1.15E-02	3.72E-11	1.0E+06	3.7E-05
460	460	0.39607	2.34E-06	9.3E-07	2.50E-04	2.32E-10	14	1.15E-02	3.73E-11	1.0E+06	3.7E-05
461	461	0.39312	2.34E-06	9.2E-07	2.50E-04	2.30E-10	14	1.15E-02	3.70E-11	1.0E+06	3.7E-05
462	462	0.38634	2.34E-06	9.0E-07	2.50E-04	2.26E-10	14	1.15E-02	3.63E-11	1.0E+06	3.6E-05
463	463	0.37584	2.34E-06	8.8E-07	2.50E-04	2.20E-10	14	1.15E-02	3.54E-11	1.0E+06	3.5E-05
474	474	0.36588	2.34E-06	8.6E-07	2.50E-04	2.14E-10	14	1.15E-02	3.44E-11	1.0E+06	3.4E-05
475	475	0.36685	2.34E-06	8.6E-07	2.50E-04	2.15E-10	14	1.15E-02	3.45E-11	1.0E+06	3.5E-05
476	476	0.36483	2.34E-06	8.5E-07	2.50E-04	2.14E-10	14	1.15E-02	3.43E-11	1.0E+06	3.4E-05
477	477	0.35931	2.34E-06	8.4E-07	2.50E-04	2.10E-10	14	1.15E-02	3.38E-11	1.0E+06	3.4E-05
478	478	0.35072	2.34E-06	8.2E-07	2.50E-04	2.05E-10	14	1.15E-02	3.30E-11	1.0E+06	3.3E-05
495	495	0.33998	2.34E-06	8.0E-07	2.50E-04	1.99E-10	14	1.15E-02	3.20E-11	1.0E+06	3.2E-05
496	496	0.34102	2.34E-06	8.0E-07	2.50E-04	2.00E-10	14	1.15E-02	3.21E-11	1.0E+06	3.2E-05
497	497	0.33954	2.34E-06	7.9E-07	2.50E-04	1.99E-10	14	1.15E-02	3.19E-11	1.0E+06	3.2E-05
498	498	0.33521	2.34E-06	7.8E-07	2.50E-04	1.96E-10	14	1.15E-02	3.15E-11	1.0E+06	3.2E-05
499	499	0.3281	2.34E-06	7.7E-07	2.50E-04	1.92E-10	14	1.15E-02	3.09E-11	1.0E+06	3.1E-05
500	500	0.31854	2.34E-06	7.5E-07	2.50E-04	1.87E-10	14	1.15E-02	3.00E-11	1.0E+06	3.0E-05

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	11.36723	2.34E-06	2.7E-05	2.50E-04	6.66E-09	25	1.15E-02	1.91E-09	1.0E+06	1.9E-03
140	140	27.72538	2.34E-06	6.5E-05	2.50E-04	1.62E-08	25	1.15E-02	4.66E-09	1.0E+06	4.7E-03
156	156	8.37497	2.34E-06	2.0E-05	2.50E-04	4.91E-09	25	1.15E-02	1.41E-09	1.0E+06	1.4E-03
157	157	14.88904	2.34E-06	3.5E-05	2.50E-04	8.72E-09	25	1.15E-02	2.50E-09	1.0E+06	2.5E-03
158	158	23.24334	2.34E-06	5.4E-05	2.50E-04	1.36E-08	25	1.15E-02	3.90E-09	1.0E+06	3.9E-03
159	159	19.42704	2.34E-06	4.5E-05	2.50E-04	1.14E-08	25	1.15E-02	3.26E-09	1.0E+06	3.3E-03
160	160	11.93012	2.34E-06	2.8E-05	2.50E-04	6.99E-09	25	1.15E-02	2.00E-09	1.0E+06	2.0E-03
161	161	4.9084	2.34E-06	1.1E-05	2.50E-04	2.88E-09	25	1.15E-02	8.25E-10	1.0E+06	8.2E-04
162	162	3.49033	2.34E-06	8.2E-06	2.50E-04	2.04E-09	25	1.15E-02	5.86E-10	1.0E+06	5.9E-04
163	163	2.6378	2.34E-06	6.2E-06	2.50E-04	1.55E-09	25	1.15E-02	4.43E-10	1.0E+06	4.4E-04
167	167	8.86636	2.34E-06	2.1E-05	2.50E-04	5.19E-09	25	1.15E-02	1.49E-09	1.0E+06	1.5E-03
168	168	11.61395	2.34E-06	2.7E-05	2.50E-04	6.80E-09	25	1.15E-02	1.95E-09	1.0E+06	2.0E-03
169	169	11.16759	2.34E-06	2.6E-05	2.50E-04	6.54E-09	25	1.15E-02	1.88E-09	1.0E+06	1.9E-03
170	170	8.37629	2.34E-06	2.0E-05	2.50E-04	4.91E-09	25	1.15E-02	1.41E-09	1.0E+06	1.4E-03
171	171	5.82823	2.34E-06	1.4E-05	2.50E-04	3.41E-09	25	1.15E-02	9.79E-10	1.0E+06	9.8E-04
172	172	4.09348	2.34E-06	9.6E-06	2.50E-04	2.40E-09	25	1.15E-02	6.88E-10	1.0E+06	6.9E-04
173	173	3.00555	2.34E-06	7.0E-06	2.50E-04	1.76E-09	25	1.15E-02	5.05E-10	1.0E+06	5.0E-04
174	174	2.31134	2.34E-06	5.4E-06	2.50E-04	1.35E-09	25	1.15E-02	3.88E-10	1.0E+06	3.9E-04
175	175	1.84245	2.34E-06	4.3E-06	2.50E-04	1.08E-09	25	1.15E-02	3.10E-10	1.0E+06	3.1E-04
176	176	1.51009	2.34E-06	3.5E-06	2.50E-04	8.85E-10	25	1.15E-02	2.54E-10	1.0E+06	2.5E-04
177	177	1.2655	2.34E-06	3.0E-06	2.50E-04	7.41E-10	25	1.15E-02	2.13E-10	1.0E+06	2.1E-04
181	181	7.1501	2.34E-06	1.7E-05	2.50E-04	4.19E-09	25	1.15E-02	1.20E-09	1.0E+06	1.2E-03
182	182	7.19352	2.34E-06	1.7E-05	2.50E-04	4.21E-09	25	1.15E-02	1.21E-09	1.0E+06	1.2E-03
183	183	6.05203	2.34E-06	1.4E-05	2.50E-04	3.55E-09	25	1.15E-02	1.02E-09	1.0E+06	1.0E-03
184	184	4.62771	2.34E-06	1.1E-05	2.50E-04	2.71E-09	25	1.15E-02	7.77E-10	1.0E+06	7.8E-04
185	185	3.45351	2.34E-06	8.1E-06	2.50E-04	2.02E-09	25	1.15E-02	5.80E-10	1.0E+06	5.8E-04
186	186	2.61965	2.34E-06	6.1E-06	2.50E-04	1.53E-09	25	1.15E-02	4.40E-10	1.0E+06	4.4E-04
187	187	2.05064	2.34E-06	4.8E-06	2.50E-04	1.20E-09	25	1.15E-02	3.44E-10	1.0E+06	3.4E-04
188	188	1.65767	2.34E-06	3.9E-06	2.50E-04	9.71E-10	25	1.15E-02	2.78E-10	1.0E+06	2.8E-04
189	189	1.37388	2.34E-06	3.2E-06	2.50E-04	8.05E-10	25	1.15E-02	2.31E-10	1.0E+06	2.3E-04
190	190	1.16122	2.34E-06	2.7E-06	2.50E-04	6.80E-10	25	1.15E-02	1.95E-10	1.0E+06	2.0E-04

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	0.99679	2.34E-06	2.3E-06	2.50E-04	5.84E-10	25	1.15E-02	1.67E-10	1.0E+06	1.7E-04
195	195	4.90926	2.34E-06	1.1E-05	2.50E-04	2.88E-09	25	1.15E-02	8.25E-10	1.0E+06	8.2E-04
196	196	5.02499	2.34E-06	1.2E-05	2.50E-04	2.94E-09	25	1.15E-02	8.44E-10	1.0E+06	8.4E-04
197	197	4.51366	2.34E-06	1.1E-05	2.50E-04	2.64E-09	25	1.15E-02	7.58E-10	1.0E+06	7.6E-04
198	198	3.70665	2.34E-06	8.7E-06	2.50E-04	2.17E-09	25	1.15E-02	6.23E-10	1.0E+06	6.2E-04
199	199	2.91533	2.34E-06	6.8E-06	2.50E-04	1.71E-09	25	1.15E-02	4.90E-10	1.0E+06	4.9E-04
200	200	2.29033	2.34E-06	5.4E-06	2.50E-04	1.34E-09	25	1.15E-02	3.85E-10	1.0E+06	3.8E-04
201	201	1.83331	2.34E-06	4.3E-06	2.50E-04	1.07E-09	25	1.15E-02	3.08E-10	1.0E+06	3.1E-04
202	202	1.50084	2.34E-06	3.5E-06	2.50E-04	8.79E-10	25	1.15E-02	2.52E-10	1.0E+06	2.5E-04
203	203	1.25555	2.34E-06	2.9E-06	2.50E-04	7.35E-10	25	1.15E-02	2.11E-10	1.0E+06	2.1E-04
204	204	1.06947	2.34E-06	2.5E-06	2.50E-04	6.26E-10	25	1.15E-02	1.80E-10	1.0E+06	1.8E-04
205	205	0.92377	2.34E-06	2.2E-06	2.50E-04	5.41E-10	25	1.15E-02	1.55E-10	1.0E+06	1.6E-04
206	206	0.80726	2.34E-06	1.9E-06	2.50E-04	4.73E-10	25	1.15E-02	1.36E-10	1.0E+06	1.4E-04
210	210	3.21209	2.34E-06	7.5E-06	2.50E-04	1.88E-09	25	1.15E-02	5.40E-10	1.0E+06	5.4E-04
211	211	3.60315	2.34E-06	8.4E-06	2.50E-04	2.11E-09	25	1.15E-02	6.05E-10	1.0E+06	6.1E-04
212	212	3.71402	2.34E-06	8.7E-06	2.50E-04	2.18E-09	25	1.15E-02	6.24E-10	1.0E+06	6.2E-04
213	213	3.47379	2.34E-06	8.1E-06	2.50E-04	2.03E-09	25	1.15E-02	5.84E-10	1.0E+06	5.8E-04
214	214	2.47225	2.34E-06	5.8E-06	2.50E-04	1.45E-09	25	1.15E-02	4.15E-10	1.0E+06	4.2E-04
215	215	2.00678	2.34E-06	4.7E-06	2.50E-04	1.18E-09	25	1.15E-02	3.37E-10	1.0E+06	3.4E-04
216	216	1.64133	2.34E-06	3.8E-06	2.50E-04	9.61E-10	25	1.15E-02	2.76E-10	1.0E+06	2.8E-04
217	217	1.36133	2.34E-06	3.2E-06	2.50E-04	7.97E-10	25	1.15E-02	2.29E-10	1.0E+06	2.3E-04
218	218	1.14963	2.34E-06	2.7E-06	2.50E-04	6.73E-10	25	1.15E-02	1.93E-10	1.0E+06	1.9E-04
219	219	0.98665	2.34E-06	2.3E-06	2.50E-04	5.78E-10	25	1.15E-02	1.66E-10	1.0E+06	1.7E-04
220	220	0.85781	2.34E-06	2.0E-06	2.50E-04	5.02E-10	25	1.15E-02	1.44E-10	1.0E+06	1.4E-04
221	221	0.75432	2.34E-06	1.8E-06	2.50E-04	4.42E-10	25	1.15E-02	1.27E-10	1.0E+06	1.3E-04
222	222	0.66764	2.34E-06	1.6E-06	2.50E-04	3.91E-10	25	1.15E-02	1.12E-10	1.0E+06	1.1E-04
226	226	2.525	2.34E-06	5.9E-06	2.50E-04	1.48E-09	25	1.15E-02	4.24E-10	1.0E+06	4.2E-04
227	227	2.7756	2.34E-06	6.5E-06	2.50E-04	1.63E-09	25	1.15E-02	4.66E-10	1.0E+06	4.7E-04
228	228	2.86448	2.34E-06	6.7E-06	2.50E-04	1.68E-09	25	1.15E-02	4.81E-10	1.0E+06	4.8E-04
229	229	2.74756	2.34E-06	6.4E-06	2.50E-04	1.61E-09	25	1.15E-02	4.62E-10	1.0E+06	4.6E-04
230	230	2.46271	2.34E-06	5.8E-06	2.50E-04	1.44E-09	25	1.15E-02	4.14E-10	1.0E+06	4.1E-04

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	2.10153	2.34E-06	4.9E-06	2.50E-04	1.23E-09	25	1.15E-02	3.53E-10	1.0E+06	3.5E-04
232	232	1.75785	2.34E-06	4.1E-06	2.50E-04	1.03E-09	25	1.15E-02	2.95E-10	1.0E+06	3.0E-04
233	233	1.23639	2.34E-06	2.9E-06	2.50E-04	7.24E-10	25	1.15E-02	2.08E-10	1.0E+06	2.1E-04
234	234	1.05341	2.34E-06	2.5E-06	2.50E-04	6.17E-10	25	1.15E-02	1.77E-10	1.0E+06	1.8E-04
235	235	0.91082	2.34E-06	2.1E-06	2.50E-04	5.34E-10	25	1.15E-02	1.53E-10	1.0E+06	1.5E-04
236	236	0.79727	2.34E-06	1.9E-06	2.50E-04	4.67E-10	25	1.15E-02	1.34E-10	1.0E+06	1.3E-04
237	237	0.70488	2.34E-06	1.6E-06	2.50E-04	4.13E-10	25	1.15E-02	1.18E-10	1.0E+06	1.2E-04
238	238	0.62854	2.34E-06	1.5E-06	2.50E-04	3.68E-10	25	1.15E-02	1.06E-10	1.0E+06	1.1E-04
242	242	2.03908	2.34E-06	4.8E-06	2.50E-04	1.19E-09	25	1.15E-02	3.43E-10	1.0E+06	3.4E-04
243	243	2.21159	2.34E-06	5.2E-06	2.50E-04	1.30E-09	25	1.15E-02	3.72E-10	1.0E+06	3.7E-04
244	244	2.27558	2.34E-06	5.3E-06	2.50E-04	1.33E-09	25	1.15E-02	3.82E-10	1.0E+06	3.8E-04
245	245	2.22023	2.34E-06	5.2E-06	2.50E-04	1.30E-09	25	1.15E-02	3.73E-10	1.0E+06	3.7E-04
246	246	2.04537	2.34E-06	4.8E-06	2.50E-04	1.20E-09	25	1.15E-02	3.44E-10	1.0E+06	3.4E-04
247	247	1.80287	2.34E-06	4.2E-06	2.50E-04	1.06E-09	25	1.15E-02	3.03E-10	1.0E+06	3.0E-04
248	248	1.54895	2.34E-06	3.6E-06	2.50E-04	9.07E-10	25	1.15E-02	2.60E-10	1.0E+06	2.6E-04
249	249	1.1231	2.34E-06	2.6E-06	2.50E-04	6.58E-10	25	1.15E-02	1.89E-10	1.0E+06	1.9E-04
250	250	0.96656	2.34E-06	2.3E-06	2.50E-04	5.66E-10	25	1.15E-02	1.62E-10	1.0E+06	1.6E-04
251	251	0.84183	2.34E-06	2.0E-06	2.50E-04	4.93E-10	25	1.15E-02	1.41E-10	1.0E+06	1.4E-04
252	252	0.74213	2.34E-06	1.7E-06	2.50E-04	4.35E-10	25	1.15E-02	1.25E-10	1.0E+06	1.2E-04
253	253	0.65891	2.34E-06	1.5E-06	2.50E-04	3.86E-10	25	1.15E-02	1.11E-10	1.0E+06	1.1E-04
254	254	0.59075	2.34E-06	1.4E-06	2.50E-04	3.46E-10	25	1.15E-02	9.92E-11	1.0E+06	9.9E-05
257	257	1.68401	2.34E-06	3.9E-06	2.50E-04	9.86E-10	25	1.15E-02	2.83E-10	1.0E+06	2.8E-04
258	258	1.80703	2.34E-06	4.2E-06	2.50E-04	1.06E-09	25	1.15E-02	3.04E-10	1.0E+06	3.0E-04
259	259	1.86125	2.34E-06	4.4E-06	2.50E-04	1.09E-09	25	1.15E-02	3.13E-10	1.0E+06	3.1E-04
260	260	1.82981	2.34E-06	4.3E-06	2.50E-04	1.07E-09	25	1.15E-02	3.07E-10	1.0E+06	3.1E-04
261	261	1.72351	2.34E-06	4.0E-06	2.50E-04	1.01E-09	25	1.15E-02	2.90E-10	1.0E+06	2.9E-04
262	262	1.55622	2.34E-06	3.6E-06	2.50E-04	9.12E-10	25	1.15E-02	2.61E-10	1.0E+06	2.6E-04
263	263	1.3674	2.34E-06	3.2E-06	2.50E-04	8.01E-10	25	1.15E-02	2.30E-10	1.0E+06	2.3E-04
264	264	1.02487	2.34E-06	2.4E-06	2.50E-04	6.00E-10	25	1.15E-02	1.72E-10	1.0E+06	1.7E-04
265	265	0.89063	2.34E-06	2.1E-06	2.50E-04	5.22E-10	25	1.15E-02	1.50E-10	1.0E+06	1.5E-04
266	266	0.78129	2.34E-06	1.8E-06	2.50E-04	4.58E-10	25	1.15E-02	1.31E-10	1.0E+06	1.3E-04

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	0.69199	2.34E-06	1.6E-06	2.50E-04	4.05E-10	25	1.15E-02	1.16E-10	1.0E+06	1.2E-04
268	268	0.61732	2.34E-06	1.4E-06	2.50E-04	3.62E-10	25	1.15E-02	1.04E-10	1.0E+06	1.0E-04
269	269	0.5561	2.34E-06	1.3E-06	2.50E-04	3.26E-10	25	1.15E-02	9.34E-11	1.0E+06	9.3E-05
270	270	0.41967	2.34E-06	9.8E-07	2.50E-04	2.46E-10	25	1.15E-02	7.05E-11	1.0E+06	7.0E-05
271	271	0.38584	2.34E-06	9.0E-07	2.50E-04	2.26E-10	25	1.15E-02	6.48E-11	1.0E+06	6.5E-05
274	274	1.41644	2.34E-06	3.3E-06	2.50E-04	8.30E-10	25	1.15E-02	2.38E-10	1.0E+06	2.4E-04
275	275	1.50741	2.34E-06	3.5E-06	2.50E-04	8.83E-10	25	1.15E-02	2.53E-10	1.0E+06	2.5E-04
276	276	1.55297	2.34E-06	3.6E-06	2.50E-04	9.10E-10	25	1.15E-02	2.61E-10	1.0E+06	2.6E-04
277	277	1.53719	2.34E-06	3.6E-06	2.50E-04	9.00E-10	25	1.15E-02	2.58E-10	1.0E+06	2.6E-04
278	278	1.46753	2.34E-06	3.4E-06	2.50E-04	8.60E-10	25	1.15E-02	2.47E-10	1.0E+06	2.5E-04
279	279	1.35005	2.34E-06	3.2E-06	2.50E-04	7.91E-10	25	1.15E-02	2.27E-10	1.0E+06	2.3E-04
280	280	1.2071	2.34E-06	2.8E-06	2.50E-04	7.07E-10	25	1.15E-02	2.03E-10	1.0E+06	2.0E-04
281	281	0.93398	2.34E-06	2.2E-06	2.50E-04	5.47E-10	25	1.15E-02	1.57E-10	1.0E+06	1.6E-04
282	282	0.82007	2.34E-06	1.9E-06	2.50E-04	4.80E-10	25	1.15E-02	1.38E-10	1.0E+06	1.4E-04
283	283	0.72449	2.34E-06	1.7E-06	2.50E-04	4.24E-10	25	1.15E-02	1.22E-10	1.0E+06	1.2E-04
284	284	0.64529	2.34E-06	1.5E-06	2.50E-04	3.78E-10	25	1.15E-02	1.08E-10	1.0E+06	1.1E-04
285	285	0.57933	2.34E-06	1.4E-06	2.50E-04	3.39E-10	25	1.15E-02	9.73E-11	1.0E+06	9.7E-05
286	286	0.5241	2.34E-06	1.2E-06	2.50E-04	3.07E-10	25	1.15E-02	8.80E-11	1.0E+06	8.8E-05
287	287	0.39897	2.34E-06	9.3E-07	2.50E-04	2.34E-10	25	1.15E-02	6.70E-11	1.0E+06	6.7E-05
288	288	0.36841	2.34E-06	8.6E-07	2.50E-04	2.16E-10	25	1.15E-02	6.19E-11	1.0E+06	6.2E-05
291	291	1.20951	2.34E-06	2.8E-06	2.50E-04	7.08E-10	25	1.15E-02	2.03E-10	1.0E+06	2.0E-04
292	292	1.2786	2.34E-06	3.0E-06	2.50E-04	7.49E-10	25	1.15E-02	2.15E-10	1.0E+06	2.1E-04
293	293	1.31649	2.34E-06	3.1E-06	2.50E-04	7.71E-10	25	1.15E-02	2.21E-10	1.0E+06	2.2E-04
294	294	1.30996	2.34E-06	3.1E-06	2.50E-04	7.67E-10	25	1.15E-02	2.20E-10	1.0E+06	2.2E-04
295	295	1.26235	2.34E-06	3.0E-06	2.50E-04	7.39E-10	25	1.15E-02	2.12E-10	1.0E+06	2.1E-04
296	296	1.17937	2.34E-06	2.8E-06	2.50E-04	6.91E-10	25	1.15E-02	1.98E-10	1.0E+06	2.0E-04
297	297	1.07452	2.34E-06	2.5E-06	2.50E-04	6.29E-10	25	1.15E-02	1.81E-10	1.0E+06	1.8E-04
298	298	0.85367	2.34E-06	2.0E-06	2.50E-04	5.00E-10	25	1.15E-02	1.43E-10	1.0E+06	1.4E-04
299	299	0.75746	2.34E-06	1.8E-06	2.50E-04	4.44E-10	25	1.15E-02	1.27E-10	1.0E+06	1.3E-04
300	300	0.67384	2.34E-06	1.6E-06	2.50E-04	3.95E-10	25	1.15E-02	1.13E-10	1.0E+06	1.1E-04
301	301	0.60378	2.34E-06	1.4E-06	2.50E-04	3.54E-10	25	1.15E-02	1.01E-10	1.0E+06	1.0E-04

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	302	0.54451	2.34E-06	1.3E-06	2.50E-04	3.19E-10	25	1.15E-02	9.15E-11	1.0E+06	9.1E-05
303	303	0.49443	2.34E-06	1.2E-06	2.50E-04	2.90E-10	25	1.15E-02	8.31E-11	1.0E+06	8.3E-05
304	304	0.38008	2.34E-06	8.9E-07	2.50E-04	2.23E-10	25	1.15E-02	6.38E-11	1.0E+06	6.4E-05
305	305	0.35167	2.34E-06	8.2E-07	2.50E-04	2.06E-10	25	1.15E-02	5.91E-11	1.0E+06	5.9E-05
308	308	1.04595	2.34E-06	2.4E-06	2.50E-04	6.13E-10	25	1.15E-02	1.76E-10	1.0E+06	1.8E-04
309	309	1.09962	2.34E-06	2.6E-06	2.50E-04	6.44E-10	25	1.15E-02	1.85E-10	1.0E+06	1.8E-04
310	310	1.13096	2.34E-06	2.6E-06	2.50E-04	6.62E-10	25	1.15E-02	1.90E-10	1.0E+06	1.9E-04
311	311	1.12965	2.34E-06	2.6E-06	2.50E-04	6.62E-10	25	1.15E-02	1.90E-10	1.0E+06	1.9E-04
312	312	1.0996	2.34E-06	2.6E-06	2.50E-04	6.44E-10	25	1.15E-02	1.85E-10	1.0E+06	1.8E-04
313	313	1.03948	2.34E-06	2.4E-06	2.50E-04	6.09E-10	25	1.15E-02	1.75E-10	1.0E+06	1.7E-04
314	314	0.95992	2.34E-06	2.2E-06	2.50E-04	5.62E-10	25	1.15E-02	1.61E-10	1.0E+06	1.6E-04
315	315	0.78238	2.34E-06	1.8E-06	2.50E-04	4.58E-10	25	1.15E-02	1.31E-10	1.0E+06	1.3E-04
316	316	0.70164	2.34E-06	1.6E-06	2.50E-04	4.11E-10	25	1.15E-02	1.18E-10	1.0E+06	1.2E-04
317	317	0.62799	2.34E-06	1.5E-06	2.50E-04	3.68E-10	25	1.15E-02	1.05E-10	1.0E+06	1.1E-04
318	318	0.56595	2.34E-06	1.3E-06	2.50E-04	3.32E-10	25	1.15E-02	9.51E-11	1.0E+06	9.5E-05
319	319	0.51256	2.34E-06	1.2E-06	2.50E-04	3.00E-10	25	1.15E-02	8.61E-11	1.0E+06	8.6E-05
320	320	0.46662	2.34E-06	1.1E-06	2.50E-04	2.73E-10	25	1.15E-02	7.84E-11	1.0E+06	7.8E-05
321	321	0.36219	2.34E-06	8.5E-07	2.50E-04	2.12E-10	25	1.15E-02	6.08E-11	1.0E+06	6.1E-05
322	322	0.33574	2.34E-06	7.9E-07	2.50E-04	1.97E-10	25	1.15E-02	5.64E-11	1.0E+06	5.6E-05
325	325	0.91455	2.34E-06	2.1E-06	2.50E-04	5.36E-10	25	1.15E-02	1.54E-10	1.0E+06	1.5E-04
326	326	0.95693	2.34E-06	2.2E-06	2.50E-04	5.61E-10	25	1.15E-02	1.61E-10	1.0E+06	1.6E-04
327	327	0.98288	2.34E-06	2.3E-06	2.50E-04	5.76E-10	25	1.15E-02	1.65E-10	1.0E+06	1.7E-04
328	328	0.98583	2.34E-06	2.3E-06	2.50E-04	5.77E-10	25	1.15E-02	1.66E-10	1.0E+06	1.7E-04
329	329	0.96429	2.34E-06	2.3E-06	2.50E-04	5.65E-10	25	1.15E-02	1.62E-10	1.0E+06	1.6E-04
330	330	0.92229	2.34E-06	2.2E-06	2.50E-04	5.40E-10	25	1.15E-02	1.55E-10	1.0E+06	1.5E-04
331	331	0.86174	2.34E-06	2.0E-06	2.50E-04	5.05E-10	25	1.15E-02	1.45E-10	1.0E+06	1.4E-04
332	332	0.79233	2.34E-06	1.9E-06	2.50E-04	4.64E-10	25	1.15E-02	1.33E-10	1.0E+06	1.3E-04
333	333	0.719	2.34E-06	1.7E-06	2.50E-04	4.21E-10	25	1.15E-02	1.21E-10	1.0E+06	1.2E-04
334	334	0.64998	2.34E-06	1.5E-06	2.50E-04	3.81E-10	25	1.15E-02	1.09E-10	1.0E+06	1.1E-04
335	335	0.58674	2.34E-06	1.4E-06	2.50E-04	3.44E-10	25	1.15E-02	9.86E-11	1.0E+06	9.9E-05
336	336	0.5312	2.34E-06	1.2E-06	2.50E-04	3.11E-10	25	1.15E-02	8.92E-11	1.0E+06	8.9E-05

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	0.48292	2.34E-06	1.1E-06	2.50E-04	2.83E-10	25	1.15E-02	8.11E-11	1.0E+06	8.1E-05
338	338	0.44154	2.34E-06	1.0E-06	2.50E-04	2.59E-10	25	1.15E-02	7.42E-11	1.0E+06	7.4E-05
339	339	0.37263	2.34E-06	8.7E-07	2.50E-04	2.18E-10	25	1.15E-02	6.26E-11	1.0E+06	6.3E-05
340	340	0.34519	2.34E-06	8.1E-07	2.50E-04	2.02E-10	25	1.15E-02	5.80E-11	1.0E+06	5.8E-05
341	341	0.32076	2.34E-06	7.5E-07	2.50E-04	1.88E-10	25	1.15E-02	5.39E-11	1.0E+06	5.4E-05
349	349	0.85363	2.34E-06	2.0E-06	2.50E-04	5.00E-10	25	1.15E-02	1.43E-10	1.0E+06	1.4E-04
350	350	0.8222	2.34E-06	1.9E-06	2.50E-04	4.82E-10	25	1.15E-02	1.38E-10	1.0E+06	1.4E-04
351	351	0.77508	2.34E-06	1.8E-06	2.50E-04	4.54E-10	25	1.15E-02	1.30E-10	1.0E+06	1.3E-04
352	352	0.72118	2.34E-06	1.7E-06	2.50E-04	4.22E-10	25	1.15E-02	1.21E-10	1.0E+06	1.2E-04
353	353	0.3546	2.34E-06	8.3E-07	2.50E-04	2.08E-10	25	1.15E-02	5.96E-11	1.0E+06	6.0E-05
354	354	0.32931	2.34E-06	7.7E-07	2.50E-04	1.93E-10	25	1.15E-02	5.53E-11	1.0E+06	5.5E-05
355	355	0.30672	2.34E-06	7.2E-07	2.50E-04	1.80E-10	25	1.15E-02	5.15E-11	1.0E+06	5.2E-05
364	364	0.73743	2.34E-06	1.7E-06	2.50E-04	4.32E-10	25	1.15E-02	1.24E-10	1.0E+06	1.2E-04
365	365	0.70221	2.34E-06	1.6E-06	2.50E-04	4.11E-10	25	1.15E-02	1.18E-10	1.0E+06	1.2E-04
366	366	0.65768	2.34E-06	1.5E-06	2.50E-04	3.85E-10	25	1.15E-02	1.10E-10	1.0E+06	1.1E-04
367	367	0.33789	2.34E-06	7.9E-07	2.50E-04	1.98E-10	25	1.15E-02	5.68E-11	1.0E+06	5.7E-05
368	368	0.31432	2.34E-06	7.4E-07	2.50E-04	1.84E-10	25	1.15E-02	5.28E-11	1.0E+06	5.3E-05
369	369	0.29342	2.34E-06	6.9E-07	2.50E-04	1.72E-10	25	1.15E-02	4.93E-11	1.0E+06	4.9E-05
377	377	0.66482	2.34E-06	1.6E-06	2.50E-04	3.89E-10	25	1.15E-02	1.12E-10	1.0E+06	1.1E-04
378	378	0.63734	2.34E-06	1.5E-06	2.50E-04	3.73E-10	25	1.15E-02	1.07E-10	1.0E+06	1.1E-04
379	379	0.60156	2.34E-06	1.4E-06	2.50E-04	3.52E-10	25	1.15E-02	1.01E-10	1.0E+06	1.0E-04
380	380	0.32196	2.34E-06	7.5E-07	2.50E-04	1.89E-10	25	1.15E-02	5.41E-11	1.0E+06	5.4E-05
381	381	0.29992	2.34E-06	7.0E-07	2.50E-04	1.76E-10	25	1.15E-02	5.04E-11	1.0E+06	5.0E-05
382	382	0.28066	2.34E-06	6.6E-07	2.50E-04	1.64E-10	25	1.15E-02	4.71E-11	1.0E+06	4.7E-05
391	391	0.58091	2.34E-06	1.4E-06	2.50E-04	3.40E-10	25	1.15E-02	9.76E-11	1.0E+06	9.8E-05
392	392	0.55174	2.34E-06	1.3E-06	2.50E-04	3.23E-10	25	1.15E-02	9.27E-11	1.0E+06	9.3E-05
393	393	0.3071	2.34E-06	7.2E-07	2.50E-04	1.80E-10	25	1.15E-02	5.16E-11	1.0E+06	5.2E-05
394	394	0.2868	2.34E-06	6.7E-07	2.50E-04	1.68E-10	25	1.15E-02	4.82E-11	1.0E+06	4.8E-05
395	395	0.26892	2.34E-06	6.3E-07	2.50E-04	1.58E-10	25	1.15E-02	4.52E-11	1.0E+06	4.5E-05
405	405	0.53168	2.34E-06	1.2E-06	2.50E-04	3.11E-10	25	1.15E-02	8.93E-11	1.0E+06	8.9E-05
406	406	0.5085	2.34E-06	1.2E-06	2.50E-04	2.98E-10	25	1.15E-02	8.54E-11	1.0E+06	8.5E-05

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
407	407	0.48128	2.34E-06	1.1E-06	2.50E-04	2.82E-10	25	1.15E-02	8.08E-11	1.0E+06	8.1E-05
408	408	0.29337	2.34E-06	6.9E-07	2.50E-04	1.72E-10	25	1.15E-02	4.93E-11	1.0E+06	4.9E-05
409	409	0.27445	2.34E-06	6.4E-07	2.50E-04	1.61E-10	25	1.15E-02	4.61E-11	1.0E+06	4.6E-05
410	410	0.258	2.34E-06	6.0E-07	2.50E-04	1.51E-10	25	1.15E-02	4.33E-11	1.0E+06	4.3E-05
421	421	0.46958	2.34E-06	1.1E-06	2.50E-04	2.75E-10	25	1.15E-02	7.89E-11	1.0E+06	7.9E-05
422	422	0.44674	2.34E-06	1.0E-06	2.50E-04	2.62E-10	25	1.15E-02	7.50E-11	1.0E+06	7.5E-05
423	423	0.2804	2.34E-06	6.6E-07	2.50E-04	1.64E-10	25	1.15E-02	4.71E-11	1.0E+06	4.7E-05
424	424	0.26289	2.34E-06	6.2E-07	2.50E-04	1.54E-10	25	1.15E-02	4.42E-11	1.0E+06	4.4E-05
425	425	0.24754	2.34E-06	5.8E-07	2.50E-04	1.45E-10	25	1.15E-02	4.16E-11	1.0E+06	4.2E-05
435	435	0.43461	2.34E-06	1.0E-06	2.50E-04	2.55E-10	25	1.15E-02	7.30E-11	1.0E+06	7.3E-05
436	436	0.41595	2.34E-06	9.7E-07	2.50E-04	2.44E-10	25	1.15E-02	6.99E-11	1.0E+06	7.0E-05
437	437	0.25207	2.34E-06	5.9E-07	2.50E-04	1.48E-10	25	1.15E-02	4.23E-11	1.0E+06	4.2E-05
438	438	0.23746	2.34E-06	5.6E-07	2.50E-04	1.39E-10	25	1.15E-02	3.99E-11	1.0E+06	4.0E-05
449	449	0.40345	2.34E-06	9.4E-07	2.50E-04	2.36E-10	25	1.15E-02	6.78E-11	1.0E+06	6.8E-05
450	450	0.38816	2.34E-06	9.1E-07	2.50E-04	2.27E-10	25	1.15E-02	6.52E-11	1.0E+06	6.5E-05
451	451	0.36971	2.34E-06	8.7E-07	2.50E-04	2.17E-10	25	1.15E-02	6.21E-11	1.0E+06	6.2E-05
452	452	0.24176	2.34E-06	5.7E-07	2.50E-04	1.42E-10	25	1.15E-02	4.06E-11	1.0E+06	4.1E-05
453	453	0.22809	2.34E-06	5.3E-07	2.50E-04	1.34E-10	25	1.15E-02	3.83E-11	1.0E+06	3.8E-05
464	464	0.36257	2.34E-06	8.5E-07	2.50E-04	2.12E-10	25	1.15E-02	6.09E-11	1.0E+06	6.1E-05
465	465	0.34698	2.34E-06	8.1E-07	2.50E-04	2.03E-10	25	1.15E-02	5.83E-11	1.0E+06	5.8E-05
466	466	0.26124	2.34E-06	6.1E-07	2.50E-04	1.53E-10	25	1.15E-02	4.39E-11	1.0E+06	4.4E-05
467	467	0.23209	2.34E-06	5.4E-07	2.50E-04	1.36E-10	25	1.15E-02	3.90E-11	1.0E+06	3.9E-05
468	468	0.21932	2.34E-06	5.1E-07	2.50E-04	1.28E-10	25	1.15E-02	3.68E-11	1.0E+06	3.7E-05
479	479	0.33896	2.34E-06	7.9E-07	2.50E-04	1.99E-10	25	1.15E-02	5.69E-11	1.0E+06	5.7E-05
480	480	0.32608	2.34E-06	7.6E-07	2.50E-04	1.91E-10	25	1.15E-02	5.48E-11	1.0E+06	5.5E-05
481	481	0.31125	2.34E-06	7.3E-07	2.50E-04	1.82E-10	25	1.15E-02	5.23E-11	1.0E+06	5.2E-05
482	482	0.29587	2.34E-06	6.9E-07	2.50E-04	1.73E-10	25	1.15E-02	4.97E-11	1.0E+06	5.0E-05
483	483	0.27991	2.34E-06	6.6E-07	2.50E-04	1.64E-10	25	1.15E-02	4.70E-11	1.0E+06	4.7E-05
484	484	0.26458	2.34E-06	6.2E-07	2.50E-04	1.55E-10	25	1.15E-02	4.44E-11	1.0E+06	4.4E-05
485	485	0.24978	2.34E-06	5.8E-07	2.50E-04	1.46E-10	25	1.15E-02	4.20E-11	1.0E+06	4.2E-05
486	486	0.23596	2.34E-06	5.5E-07	2.50E-04	1.38E-10	25	1.15E-02	3.96E-11	1.0E+06	4.0E-05

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	487	0.22302	2.34E-06	5.2E-07	2.50E-04	1.31E-10	25	1.15E-02	3.75E-11	1.0E+06	3.7E-05
488	488	0.21102	2.34E-06	4.9E-07	2.50E-04	1.24E-10	25	1.15E-02	3.54E-11	1.0E+06	3.5E-05
501	501	0.30662	2.34E-06	7.2E-07	2.50E-04	1.80E-10	25	1.15E-02	5.15E-11	1.0E+06	5.2E-05
502	502	0.29431	2.34E-06	6.9E-07	2.50E-04	1.72E-10	25	1.15E-02	4.94E-11	1.0E+06	4.9E-05
503	503	0.28072	2.34E-06	6.6E-07	2.50E-04	1.64E-10	25	1.15E-02	4.72E-11	1.0E+06	4.7E-05
504	504	0.26658	2.34E-06	6.2E-07	2.50E-04	1.56E-10	25	1.15E-02	4.48E-11	1.0E+06	4.5E-05
505	505	0.2526	2.34E-06	5.9E-07	2.50E-04	1.48E-10	25	1.15E-02	4.24E-11	1.0E+06	4.2E-05
506	506	0.23907	2.34E-06	5.6E-07	2.50E-04	1.40E-10	25	1.15E-02	4.02E-11	1.0E+06	4.0E-05
507	507	0.22638	2.34E-06	5.3E-07	2.50E-04	1.33E-10	25	1.15E-02	3.80E-11	1.0E+06	3.8E-05
508	508	0.2032	2.34E-06	4.8E-07	2.50E-04	1.19E-10	25	1.15E-02	3.41E-11	1.0E+06	3.4E-05
520	520	0.28947	2.34E-06	6.8E-07	2.50E-04	1.70E-10	25	1.15E-02	4.86E-11	1.0E+06	4.9E-05
521	521	0.27794	2.34E-06	6.5E-07	2.50E-04	1.63E-10	25	1.15E-02	4.67E-11	1.0E+06	4.7E-05
522	522	0.26649	2.34E-06	6.2E-07	2.50E-04	1.56E-10	25	1.15E-02	4.48E-11	1.0E+06	4.5E-05
523	523	0.25393	2.34E-06	5.9E-07	2.50E-04	1.49E-10	25	1.15E-02	4.27E-11	1.0E+06	4.3E-05
524	524	0.2413	2.34E-06	5.6E-07	2.50E-04	1.41E-10	25	1.15E-02	4.05E-11	1.0E+06	4.1E-05
525	525	0.22897	2.34E-06	5.4E-07	2.50E-04	1.34E-10	25	1.15E-02	3.85E-11	1.0E+06	3.8E-05
526	526	0.21726	2.34E-06	5.1E-07	2.50E-04	1.27E-10	25	1.15E-02	3.65E-11	1.0E+06	3.6E-05
527	527	0.19576	2.34E-06	4.6E-07	2.50E-04	1.15E-10	25	1.15E-02	3.29E-11	1.0E+06	3.3E-05
539	539	0.27371	2.34E-06	6.4E-07	2.50E-04	1.60E-10	25	1.15E-02	4.60E-11	1.0E+06	4.6E-05
540	540	0.26385	2.34E-06	6.2E-07	2.50E-04	1.55E-10	25	1.15E-02	4.43E-11	1.0E+06	4.4E-05
541	541	0.25296	2.34E-06	5.9E-07	2.50E-04	1.48E-10	25	1.15E-02	4.25E-11	1.0E+06	4.2E-05
542	542	0.24174	2.34E-06	5.7E-07	2.50E-04	1.42E-10	25	1.15E-02	4.06E-11	1.0E+06	4.1E-05
543	543	0.23065	2.34E-06	5.4E-07	2.50E-04	1.35E-10	25	1.15E-02	3.87E-11	1.0E+06	3.9E-05
544	544	0.21941	2.34E-06	5.1E-07	2.50E-04	1.29E-10	25	1.15E-02	3.69E-11	1.0E+06	3.7E-05
545	545	0.20843	2.34E-06	4.9E-07	2.50E-04	1.22E-10	25	1.15E-02	3.50E-11	1.0E+06	3.5E-05
546	546	0.18868	2.34E-06	4.4E-07	2.50E-04	1.11E-10	25	1.15E-02	3.17E-11	1.0E+06	3.2E-05
560	560	0.25049	2.34E-06	5.9E-07	2.50E-04	1.47E-10	25	1.15E-02	4.21E-11	1.0E+06	4.2E-05
561	561	0.24106	2.34E-06	5.6E-07	2.50E-04	1.41E-10	25	1.15E-02	4.05E-11	1.0E+06	4.0E-05
562	562	0.23091	2.34E-06	5.4E-07	2.50E-04	1.35E-10	25	1.15E-02	3.88E-11	1.0E+06	3.9E-05
563	563	0.21194	2.34E-06	5.0E-07	2.50E-04	1.24E-10	25	1.15E-02	3.56E-11	1.0E+06	3.6E-05
564	564	0.21026	2.34E-06	4.9E-07	2.50E-04	1.23E-10	25	1.15E-02	3.53E-11	1.0E+06	3.5E-05

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

<i>Cancer Risk from 16-30 years - Construction</i>											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.20059	2.34E-06	4.7E-07	2.50E-04	1.17E-10	25	1.15E-02	3.37E-11	1.0E+06	3.4E-05
566	566	0.1821	2.34E-06	4.3E-07	2.50E-04	1.07E-10	25	1.15E-02	3.06E-11	1.0E+06	3.1E-05
579	579	0.23805	2.34E-06	5.6E-07	2.50E-04	1.39E-10	25	1.15E-02	4.00E-11	1.0E+06	4.0E-05
580	580	0.22969	2.34E-06	5.4E-07	2.50E-04	1.35E-10	25	1.15E-02	3.86E-11	1.0E+06	3.9E-05
581	581	0.22075	2.34E-06	5.2E-07	2.50E-04	1.29E-10	25	1.15E-02	3.71E-11	1.0E+06	3.7E-05
582	582	0.2114	2.34E-06	4.9E-07	2.50E-04	1.24E-10	25	1.15E-02	3.55E-11	1.0E+06	3.6E-05
583	583	0.20199	2.34E-06	4.7E-07	2.50E-04	1.18E-10	25	1.15E-02	3.39E-11	1.0E+06	3.4E-05
584	584	0.19276	2.34E-06	4.5E-07	2.50E-04	1.13E-10	25	1.15E-02	3.24E-11	1.0E+06	3.2E-05
585	585	0.16602	2.34E-06	3.9E-07	2.50E-04	9.72E-11	25	1.15E-02	2.79E-11	1.0E+06	2.8E-05
598	598	0.22653	2.34E-06	5.3E-07	2.50E-04	1.33E-10	25	1.15E-02	3.81E-11	1.0E+06	3.8E-05
599	599	0.21903	2.34E-06	5.1E-07	2.50E-04	1.28E-10	25	1.15E-02	3.68E-11	1.0E+06	3.7E-05
600	600	0.211	2.34E-06	4.9E-07	2.50E-04	1.24E-10	25	1.15E-02	3.54E-11	1.0E+06	3.5E-05
601	601	0.20261	2.34E-06	4.7E-07	2.50E-04	1.19E-10	25	1.15E-02	3.40E-11	1.0E+06	3.4E-05
602	602	0.19408	2.34E-06	4.5E-07	2.50E-04	1.14E-10	25	1.15E-02	3.26E-11	1.0E+06	3.3E-05
603	603	0.1857	2.34E-06	4.3E-07	2.50E-04	1.09E-10	25	1.15E-02	3.12E-11	1.0E+06	3.1E-05
604	604	0.17748	2.34E-06	4.2E-07	2.50E-04	1.04E-10	25	1.15E-02	2.98E-11	1.0E+06	3.0E-05
0	0	0	2.34E-06	0.0E+00	2.50E-04	0.00E+00	25	1.15E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
1	1	8.3E-04	5	2.13E-07	
2	2	9.3E-04	5	2.37E-07	
3	3	1.0E-03	5	2.64E-07	
4	4	1.2E-03	5	2.97E-07	
5	5	1.3E-03	5	3.37E-07	
6	6	1.5E-03	5	3.87E-07	
7	7	1.8E-03	5	4.48E-07	
8	8	2.1E-03	5	5.26E-07	
9	9	2.4E-03	5	6.26E-07	
10	10	3.0E-03	5	7.59E-07	
11	11	3.7E-03	5	9.37E-07	
12	12	4.6E-03	5	1.18E-06	
13	13	6.0E-03	5	1.54E-06	
14	14	8.1E-03	5	2.07E-06	
15	15	1.1E-02	5	2.89E-06	
16	16	1.6E-02	5	4.21E-06	
17	17	2.4E-02	5	6.16E-06	
18	18	3.1E-02	5	7.89E-06	
19	19	2.9E-02	5	7.39E-06	
20	20	2.3E-02	5	5.77E-06	
21	21	1.7E-02	5	4.32E-06	
22	22	1.3E-02	5	3.24E-06	
23	23	9.6E-03	5	2.47E-06	
24	24	7.4E-03	5	1.90E-06	
25	25	5.8E-03	5	1.50E-06	
26	26	4.7E-03	5	1.19E-06	
27	27	3.8E-03	5	9.68E-07	
28	28	3.1E-03	5	7.97E-07	
29	29	2.6E-03	5	6.65E-07	
30	30	2.2E-03	5	5.62E-07	
31	31	1.9E-03	5	4.81E-07	

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
32	32	1.6E-03	5	4.16E-07	
55	55	1.4E-02	5	3.46E-06	
56	56	9.7E-03	5	2.48E-06	
57	57	7.2E-03	5	1.85E-06	
58	58	5.5E-03	5	1.41E-06	
59	59	4.3E-03	5	1.11E-06	
60	60	3.5E-03	5	8.95E-07	
61	61	2.9E-03	5	7.34E-07	
62	62	2.4E-03	5	6.12E-07	
63	63	2.0E-03	5	5.18E-07	
64	64	1.7E-03	5	4.44E-07	
65	65	1.5E-03	5	3.86E-07	
66	66	1.3E-03	5	3.38E-07	
67	67	8.6E-04	5	2.19E-07	
68	68	9.6E-04	5	2.45E-07	
69	69	1.1E-03	5	2.75E-07	
70	70	1.2E-03	5	3.11E-07	
71	71	1.4E-03	5	3.55E-07	
72	72	1.6E-03	5	4.11E-07	
73	73	1.9E-03	5	4.82E-07	
74	74	2.2E-03	5	5.74E-07	
75	75	2.7E-03	5	6.97E-07	
76	76	3.4E-03	5	8.67E-07	
77	77	4.3E-03	5	1.11E-06	
78	78	5.8E-03	5	1.48E-06	
79	79	2.3E-02	5	5.89E-06	
80	80	2.7E-02	5	6.79E-06	
81	81	6.9E-02	5	1.76E-05	
82	82	3.3E-02	5	8.48E-06	
83	83	2.0E-02	5	5.01E-06	
84	84	1.3E-02	5	3.27E-06	

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
85	85	8.9E-03				5	2.28E-06	
86	86	6.5E-03				5	1.67E-06	
87	87	5.0E-03				5	1.27E-06	
88	88	3.9E-03				5	1.00E-06	
89	89	3.2E-03				5	8.08E-07	
90	90	2.6E-03				5	6.66E-07	
91	91	2.2E-03				5	5.58E-07	
92	92	1.9E-03				5	4.75E-07	
93	93	1.6E-03				5	4.10E-07	
96	96	5.2E-03				5	1.32E-06	
97	97	3.9E-03				5	1.01E-06	
98	98	3.5E-03				5	8.89E-07	
99	99	2.8E-03				5	7.23E-07	
100	100	2.4E-03				5	6.02E-07	
101	101	2.0E-03				5	5.09E-07	
102	102	1.7E-03				5	4.36E-07	
106	106	7.7E-04				5	1.97E-07	
107	107	8.6E-04				5	2.19E-07	
108	108	9.5E-04				5	2.44E-07	
109	109	1.1E-03				5	2.74E-07	
110	110	1.2E-03				5	3.11E-07	
111	111	1.4E-03				5	3.56E-07	
112	112	1.6E-03				5	4.12E-07	
113	113	1.9E-03				5	4.84E-07	
114	114	2.3E-03				5	5.78E-07	
115	115	2.7E-03				5	7.04E-07	
116	116	3.4E-03				5	8.78E-07	
117	117	4.4E-03				5	1.13E-06	
118	118	6.0E-03				5	1.53E-06	
124	124	7.7E-04				5	1.96E-07	
125	125	8.5E-04				5	2.17E-07	

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
126	126	9.4E-04	5	2.41E-07	
127	127	1.1E-03	5	2.71E-07	
128	128	1.2E-03	5	3.06E-07	
129	129	1.4E-03	5	3.50E-07	
130	130	1.6E-03	5	4.04E-07	
131	131	1.9E-03	5	4.74E-07	
132	132	2.2E-03	5	5.63E-07	
133	133	2.7E-03	5	6.83E-07	
134	134	3.3E-03	5	8.47E-07	
135	135	4.2E-03	5	1.08E-06	
136	136	5.6E-03	5	1.44E-06	
137	137	7.9E-03	5	2.01E-06	
138	138	1.2E-02	5	3.06E-06	
141	141	7.5E-04	5	1.93E-07	
142	142	8.3E-04	5	2.13E-07	
143	143	9.3E-04	5	2.37E-07	
144	144	1.0E-03	5	2.65E-07	
145	145	1.2E-03	5	3.00E-07	
146	146	1.3E-03	5	3.41E-07	
147	147	1.5E-03	5	3.93E-07	
148	148	1.8E-03	5	4.57E-07	
149	149	2.1E-03	5	5.41E-07	
150	150	2.5E-03	5	6.50E-07	
151	151	3.1E-03	5	7.97E-07	
152	152	3.9E-03	5	1.00E-06	
153	153	5.1E-03	5	1.30E-06	
154	154	6.9E-03	5	1.76E-06	
155	155	9.8E-03	5	2.51E-06	
164	164	5.8E-03	5	1.49E-06	
165	165	7.8E-03	5	2.00E-06	
166	166	1.1E-02	5	2.83E-06	

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
178	178	4.9E-03	5	1.24E-06	
179	179	6.2E-03	5	1.60E-06	
180	180	8.2E-03	5	2.11E-06	
192	192	4.1E-03	5	1.04E-06	
193	193	5.0E-03	5	1.29E-06	
194	194	6.3E-03	5	1.61E-06	
207	207	3.5E-03	5	8.84E-07	
208	208	4.1E-03	5	1.06E-06	
209	209	5.0E-03	5	1.27E-06	
223	223	3.0E-03	5	7.55E-07	
224	224	3.5E-03	5	8.83E-07	
225	225	4.0E-03	5	1.03E-06	
239	239	2.5E-03	5	6.51E-07	
240	240	2.9E-03	5	7.46E-07	
241	241	3.3E-03	5	8.51E-07	
255	255	2.2E-03	5	5.66E-07	
256	256	2.5E-03	5	6.38E-07	
272	272	1.9E-03	5	4.97E-07	
273	273	2.2E-03	5	5.52E-07	
289	289	1.7E-03	5	4.39E-07	
290	290	1.9E-03	5	4.82E-07	
306	306	1.5E-03	5	3.91E-07	
307	307	1.7E-03	5	4.24E-07	
323	323	1.4E-03	5	3.50E-07	
324	324	1.5E-03	5	3.77E-07	
342	342	1.2E-03	5	3.15E-07	
343	343	1.3E-03	5	3.37E-07	
344	344	1.4E-03	5	3.58E-07	
356	356	1.1E-03	5	2.85E-07	
357	357	1.2E-03	5	3.03E-07	
358	358	1.3E-03	5	3.20E-07	

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
370	370	1.0E-03	5	2.59E-07	
371	371	1.1E-03	5	2.74E-07	
372	372	1.1E-03	5	2.88E-07	
383	383	9.3E-04	5	2.37E-07	
384	384	9.7E-04	5	2.49E-07	
385	385	1.0E-03	5	2.61E-07	
396	396	8.5E-04	5	2.18E-07	
397	397	8.9E-04	5	2.28E-07	
398	398	9.3E-04	5	2.38E-07	
399	399	9.7E-04	5	2.47E-07	
411	411	7.8E-04	5	2.00E-07	
412	412	8.2E-04	5	2.09E-07	
413	413	8.5E-04	5	2.18E-07	
414	414	8.8E-04	5	2.25E-07	
426	426	7.2E-04	5	1.85E-07	
427	427	7.5E-04	5	1.93E-07	
428	428	7.8E-04	5	2.00E-07	
429	429	8.1E-04	5	2.07E-07	
439	439	6.7E-04	5	1.72E-07	
440	440	7.0E-04	5	1.78E-07	
441	441	7.2E-04	5	1.84E-07	
442	442	7.4E-04	5	1.90E-07	
443	443	7.6E-04	5	1.95E-07	
454	454	6.2E-04	5	1.60E-07	
455	455	6.5E-04	5	1.65E-07	
456	456	6.7E-04	5	1.71E-07	
457	457	6.9E-04	5	1.76E-07	
458	458	7.0E-04	5	1.80E-07	
469	469	5.8E-04	5	1.49E-07	
470	470	6.0E-04	5	1.54E-07	
471	471	6.2E-04	5	1.59E-07	

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
472	472	6.4E-04	5	1.63E-07	
473	473	6.5E-04	5	1.67E-07	
489	489	5.5E-04	5	1.39E-07	
490	490	5.6E-04	5	1.44E-07	
491	491	5.8E-04	5	1.48E-07	
492	492	5.9E-04	5	1.52E-07	
493	493	6.1E-04	5	1.55E-07	
494	494	6.2E-04	5	1.57E-07	
509	509	5.1E-04	5	1.31E-07	
510	510	5.3E-04	5	1.35E-07	
511	511	5.4E-04	5	1.38E-07	
512	512	5.5E-04	5	1.42E-07	
513	513	5.6E-04	5	1.44E-07	
514	514	5.7E-04	5	1.47E-07	
515	515	5.8E-04	5	1.49E-07	
516	516	5.8E-04	5	1.48E-07	
517	517	5.7E-04	5	1.47E-07	
518	518	5.6E-04	5	1.44E-07	
519	519	5.5E-04	5	1.40E-07	
528	528	4.8E-04	5	1.23E-07	
529	529	4.9E-04	5	1.26E-07	
530	530	5.1E-04	5	1.30E-07	
531	531	5.2E-04	5	1.33E-07	
532	532	5.3E-04	5	1.35E-07	
533	533	5.4E-04	5	1.37E-07	
534	534	5.4E-04	5	1.39E-07	
535	535	5.4E-04	5	1.39E-07	
536	536	5.4E-04	5	1.38E-07	
537	537	5.3E-04	5	1.35E-07	
538	538	5.2E-04	5	1.32E-07	
547	547	4.5E-04	5	1.16E-07	

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
548	548	4.6E-04	5	1.19E-07	
549	549	4.8E-04	5	1.22E-07	
550	550	4.9E-04	5	1.24E-07	
551	551	5.0E-04	5	1.27E-07	
552	552	5.0E-04	5	1.29E-07	
553	553	5.1E-04	5	1.30E-07	
554	554	5.1E-04	5	1.30E-07	
555	555	5.1E-04	5	1.30E-07	
556	556	5.1E-04	5	1.29E-07	
557	557	5.0E-04	5	1.27E-07	
558	558	4.9E-04	5	1.25E-07	
559	559	4.7E-04	5	1.21E-07	
567	567	4.3E-04	5	1.09E-07	
568	568	4.4E-04	5	1.12E-07	
569	569	4.5E-04	5	1.15E-07	
570	570	4.6E-04	5	1.17E-07	
571	571	4.7E-04	5	1.19E-07	
572	572	4.7E-04	5	1.21E-07	
573	573	4.8E-04	5	1.22E-07	
574	574	4.8E-04	5	1.23E-07	
575	575	4.8E-04	5	1.22E-07	
576	576	4.7E-04	5	1.20E-07	
577	577	4.6E-04	5	1.18E-07	
578	578	4.5E-04	5	1.15E-07	
586	586	4.0E-04	5	1.03E-07	
587	587	4.1E-04	5	1.06E-07	
588	588	4.2E-04	5	1.08E-07	
589	589	4.3E-04	5	1.10E-07	
590	590	4.4E-04	5	1.12E-07	
591	591	4.4E-04	5	1.14E-07	
592	592	4.5E-04	5	1.15E-07	

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
593	593	4.5E-04	5	1.16E-07	
594	594	4.5E-04	5	1.15E-07	
595	595	4.4E-04	5	1.14E-07	
596	596	4.4E-04	5	1.12E-07	
597	597	4.3E-04	5	1.09E-07	
345	345	1.5E-03	5	3.78E-07	
346	346	1.5E-03	5	3.94E-07	
347	347	1.6E-03	5	4.04E-07	
348	348	1.6E-03	5	4.06E-07	
359	359	1.3E-03	5	3.36E-07	
360	360	1.4E-03	5	3.49E-07	
361	361	1.4E-03	5	3.58E-07	
362	362	1.4E-03	5	3.60E-07	
363	363	1.4E-03	5	3.56E-07	
373	373	1.2E-03	5	3.12E-07	
374	374	1.2E-03	5	3.19E-07	
375	375	1.3E-03	5	3.22E-07	
376	376	1.2E-03	5	3.19E-07	
386	386	1.1E-03	5	2.81E-07	
387	387	1.1E-03	5	2.87E-07	
388	388	1.1E-03	5	2.89E-07	
389	389	1.1E-03	5	2.88E-07	
390	390	1.1E-03	5	2.82E-07	
400	400	9.9E-04	5	2.54E-07	
401	401	1.0E-03	5	2.60E-07	
402	402	1.0E-03	5	2.62E-07	
403	403	1.0E-03	5	2.61E-07	
404	404	1.0E-03	5	2.57E-07	
415	415	9.1E-04	5	2.32E-07	
416	416	9.2E-04	5	2.36E-07	
417	417	9.3E-04	5	2.39E-07	

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
418	418	9.3E-04	5	2.38E-07	
419	419	9.2E-04	5	2.35E-07	
420	420	8.9E-04	5	2.28E-07	
430	430	8.4E-04	5	2.16E-07	
431	431	8.5E-04	5	2.18E-07	
432	432	8.5E-04	5	2.18E-07	
433	433	8.4E-04	5	2.16E-07	
434	434	8.2E-04	5	2.11E-07	
444	444	7.8E-04	5	1.99E-07	
445	445	7.8E-04	5	2.01E-07	
446	446	7.8E-04	5	2.01E-07	
447	447	7.8E-04	5	1.99E-07	
448	448	7.6E-04	5	1.95E-07	
459	459	7.2E-04	5	1.85E-07	
460	460	7.2E-04	5	1.85E-07	
461	461	7.2E-04	5	1.84E-07	
462	462	7.1E-04	5	1.81E-07	
463	463	6.9E-04	5	1.76E-07	
474	474	6.7E-04	5	1.71E-07	
475	475	6.7E-04	5	1.72E-07	
476	476	6.7E-04	5	1.71E-07	
477	477	6.6E-04	5	1.68E-07	
478	478	6.4E-04	5	1.64E-07	
495	495	6.2E-04	5	1.59E-07	
496	496	6.2E-04	5	1.60E-07	
497	497	6.2E-04	5	1.59E-07	
498	498	6.1E-04	5	1.57E-07	
499	499	6.0E-04	5	1.54E-07	
500	500	5.8E-04	5	1.49E-07	

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Receptor #	Receptor #	Max Cancer Risk		Chronic Non Cancer Risk	
		Total Risk/ Million	Cancer Risk	REL	HI Offroad
139	139	1.9E-03		5	5.32E-06
140	140	4.7E-03		5	1.30E-05
156	156	1.4E-03		5	3.92E-06
157	157	2.5E-03		5	6.97E-06
158	158	3.9E-03		5	1.09E-05
159	159	3.3E-03		5	9.09E-06
160	160	2.0E-03		5	5.58E-06
161	161	8.2E-04		5	2.30E-06
162	162	5.9E-04		5	1.63E-06
163	163	4.4E-04		5	1.23E-06
167	167	1.5E-03		5	4.15E-06
168	168	2.0E-03		5	5.44E-06
169	169	1.9E-03		5	5.23E-06
170	170	1.4E-03		5	3.92E-06
171	171	9.8E-04		5	2.73E-06
172	172	6.9E-04		5	1.92E-06
173	173	5.0E-04		5	1.41E-06
174	174	3.9E-04		5	1.08E-06
175	175	3.1E-04		5	8.62E-07
176	176	2.5E-04		5	7.07E-07
177	177	2.1E-04		5	5.92E-07
181	181	1.2E-03		5	3.35E-06
182	182	1.2E-03		5	3.37E-06
183	183	1.0E-03		5	2.83E-06
184	184	7.8E-04		5	2.17E-06
185	185	5.8E-04		5	1.62E-06
186	186	4.4E-04		5	1.23E-06
187	187	3.4E-04		5	9.60E-07
188	188	2.8E-04		5	7.76E-07
189	189	2.3E-04		5	6.43E-07
190	190	2.0E-04		5	5.44E-07

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
191	191	1.7E-04	5	4.67E-07	
195	195	8.2E-04	5	2.30E-06	
196	196	8.4E-04	5	2.35E-06	
197	197	7.6E-04	5	2.11E-06	
198	198	6.2E-04	5	1.74E-06	
199	199	4.9E-04	5	1.36E-06	
200	200	3.8E-04	5	1.07E-06	
201	201	3.1E-04	5	8.58E-07	
202	202	2.5E-04	5	7.03E-07	
203	203	2.1E-04	5	5.88E-07	
204	204	1.8E-04	5	5.01E-07	
205	205	1.6E-04	5	4.32E-07	
206	206	1.4E-04	5	3.78E-07	
210	210	5.4E-04	5	1.50E-06	
211	211	6.1E-04	5	1.69E-06	
212	212	6.2E-04	5	1.74E-06	
213	213	5.8E-04	5	1.63E-06	
214	214	4.2E-04	5	1.16E-06	
215	215	3.4E-04	5	9.39E-07	
216	216	2.8E-04	5	7.68E-07	
217	217	2.3E-04	5	6.37E-07	
218	218	1.9E-04	5	5.38E-07	
219	219	1.7E-04	5	4.62E-07	
220	220	1.4E-04	5	4.02E-07	
221	221	1.3E-04	5	3.53E-07	
222	222	1.1E-04	5	3.13E-07	
226	226	4.2E-04	5	1.18E-06	
227	227	4.7E-04	5	1.30E-06	
228	228	4.8E-04	5	1.34E-06	
229	229	4.6E-04	5	1.29E-06	
230	230	4.1E-04	5	1.15E-06	

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
231	231	3.5E-04	5	9.84E-07	
232	232	3.0E-04	5	8.23E-07	
233	233	2.1E-04	5	5.79E-07	
234	234	1.8E-04	5	4.93E-07	
235	235	1.5E-04	5	4.26E-07	
236	236	1.3E-04	5	3.73E-07	
237	237	1.2E-04	5	3.30E-07	
238	238	1.1E-04	5	2.94E-07	
242	242	3.4E-04	5	9.54E-07	
243	243	3.7E-04	5	1.04E-06	
244	244	3.8E-04	5	1.07E-06	
245	245	3.7E-04	5	1.04E-06	
246	246	3.4E-04	5	9.57E-07	
247	247	3.0E-04	5	8.44E-07	
248	248	2.6E-04	5	7.25E-07	
249	249	1.9E-04	5	5.26E-07	
250	250	1.6E-04	5	4.52E-07	
251	251	1.4E-04	5	3.94E-07	
252	252	1.2E-04	5	3.47E-07	
253	253	1.1E-04	5	3.08E-07	
254	254	9.9E-05	5	2.77E-07	
257	257	2.8E-04	5	7.88E-07	
258	258	3.0E-04	5	8.46E-07	
259	259	3.1E-04	5	8.71E-07	
260	260	3.1E-04	5	8.57E-07	
261	261	2.9E-04	5	8.07E-07	
262	262	2.6E-04	5	7.28E-07	
263	263	2.3E-04	5	6.40E-07	
264	264	1.7E-04	5	4.80E-07	
265	265	1.5E-04	5	4.17E-07	
266	266	1.3E-04	5	3.66E-07	

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
267	267	1.2E-04	5	3.24E-07	
268	268	1.0E-04	5	2.89E-07	
269	269	9.3E-05	5	2.60E-07	
270	270	7.0E-05	5	1.96E-07	
271	271	6.5E-05	5	1.81E-07	
274	274	2.4E-04	5	6.63E-07	
275	275	2.5E-04	5	7.06E-07	
276	276	2.6E-04	5	7.27E-07	
277	277	2.6E-04	5	7.20E-07	
278	278	2.5E-04	5	6.87E-07	
279	279	2.3E-04	5	6.32E-07	
280	280	2.0E-04	5	5.65E-07	
281	281	1.6E-04	5	4.37E-07	
282	282	1.4E-04	5	3.84E-07	
283	283	1.2E-04	5	3.39E-07	
284	284	1.1E-04	5	3.02E-07	
285	285	9.7E-05	5	2.71E-07	
286	286	8.8E-05	5	2.45E-07	
287	287	6.7E-05	5	1.87E-07	
288	288	6.2E-05	5	1.72E-07	
291	291	2.0E-04	5	5.66E-07	
292	292	2.1E-04	5	5.99E-07	
293	293	2.2E-04	5	6.16E-07	
294	294	2.2E-04	5	6.13E-07	
295	295	2.1E-04	5	5.91E-07	
296	296	2.0E-04	5	5.52E-07	
297	297	1.8E-04	5	5.03E-07	
298	298	1.4E-04	5	4.00E-07	
299	299	1.3E-04	5	3.55E-07	
300	300	1.1E-04	5	3.15E-07	
301	301	1.0E-04	5	2.83E-07	

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
302	302	9.1E-05				5	2.55E-07	
303	303	8.3E-05				5	2.31E-07	
304	304	6.4E-05				5	1.78E-07	
305	305	5.9E-05				5	1.65E-07	
308	308	1.8E-04				5	4.90E-07	
309	309	1.8E-04				5	5.15E-07	
310	310	1.9E-04				5	5.29E-07	
311	311	1.9E-04				5	5.29E-07	
312	312	1.8E-04				5	5.15E-07	
313	313	1.7E-04				5	4.87E-07	
314	314	1.6E-04				5	4.49E-07	
315	315	1.3E-04				5	3.66E-07	
316	316	1.2E-04				5	3.28E-07	
317	317	1.1E-04				5	2.94E-07	
318	318	9.5E-05				5	2.65E-07	
319	319	8.6E-05				5	2.40E-07	
320	320	7.8E-05				5	2.18E-07	
321	321	6.1E-05				5	1.70E-07	
322	322	5.6E-05				5	1.57E-07	
325	325	1.5E-04				5	4.28E-07	
326	326	1.6E-04				5	4.48E-07	
327	327	1.7E-04				5	4.60E-07	
328	328	1.7E-04				5	4.61E-07	
329	329	1.6E-04				5	4.51E-07	
330	330	1.5E-04				5	4.32E-07	
331	331	1.4E-04				5	4.03E-07	
332	332	1.3E-04				5	3.71E-07	
333	333	1.2E-04				5	3.37E-07	
334	334	1.1E-04				5	3.04E-07	
335	335	9.9E-05				5	2.75E-07	
336	336	8.9E-05				5	2.49E-07	

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
337	337	8.1E-05	5	2.26E-07	
338	338	7.4E-05	5	2.07E-07	
339	339	6.3E-05	5	1.74E-07	
340	340	5.8E-05	5	1.62E-07	
341	341	5.4E-05	5	1.50E-07	
349	349	1.4E-04	5	4.00E-07	
350	350	1.4E-04	5	3.85E-07	
351	351	1.3E-04	5	3.63E-07	
352	352	1.2E-04	5	3.38E-07	
353	353	6.0E-05	5	1.66E-07	
354	354	5.5E-05	5	1.54E-07	
355	355	5.2E-05	5	1.44E-07	
364	364	1.2E-04	5	3.45E-07	
365	365	1.2E-04	5	3.29E-07	
366	366	1.1E-04	5	3.08E-07	
367	367	5.7E-05	5	1.58E-07	
368	368	5.3E-05	5	1.47E-07	
369	369	4.9E-05	5	1.37E-07	
377	377	1.1E-04	5	3.11E-07	
378	378	1.1E-04	5	2.98E-07	
379	379	1.0E-04	5	2.82E-07	
380	380	5.4E-05	5	1.51E-07	
381	381	5.0E-05	5	1.40E-07	
382	382	4.7E-05	5	1.31E-07	
391	391	9.8E-05	5	2.72E-07	
392	392	9.3E-05	5	2.58E-07	
393	393	5.2E-05	5	1.44E-07	
394	394	4.8E-05	5	1.34E-07	
395	395	4.5E-05	5	1.26E-07	
405	405	8.9E-05	5	2.49E-07	
406	406	8.5E-05	5	2.38E-07	

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
407	407	8.1E-05	5	2.25E-07	
408	408	4.9E-05	5	1.37E-07	
409	409	4.6E-05	5	1.28E-07	
410	410	4.3E-05	5	1.21E-07	
421	421	7.9E-05	5	2.20E-07	
422	422	7.5E-05	5	2.09E-07	
423	423	4.7E-05	5	1.31E-07	
424	424	4.4E-05	5	1.23E-07	
425	425	4.2E-05	5	1.16E-07	
435	435	7.3E-05	5	2.03E-07	
436	436	7.0E-05	5	1.95E-07	
437	437	4.2E-05	5	1.18E-07	
438	438	4.0E-05	5	1.11E-07	
449	449	6.8E-05	5	1.89E-07	
450	450	6.5E-05	5	1.82E-07	
451	451	6.2E-05	5	1.73E-07	
452	452	4.1E-05	5	1.13E-07	
453	453	3.8E-05	5	1.07E-07	
464	464	6.1E-05	5	1.70E-07	
465	465	5.8E-05	5	1.62E-07	
466	466	4.4E-05	5	1.22E-07	
467	467	3.9E-05	5	1.09E-07	
468	468	3.7E-05	5	1.03E-07	
479	479	5.7E-05	5	1.59E-07	
480	480	5.5E-05	5	1.53E-07	
481	481	5.2E-05	5	1.46E-07	
482	482	5.0E-05	5	1.38E-07	
483	483	4.7E-05	5	1.31E-07	
484	484	4.4E-05	5	1.24E-07	
485	485	4.2E-05	5	1.17E-07	
486	486	4.0E-05	5	1.10E-07	

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
487	487	3.7E-05	5	1.04E-07	
488	488	3.5E-05	5	9.88E-08	
501	501	5.2E-05	5	1.44E-07	
502	502	4.9E-05	5	1.38E-07	
503	503	4.7E-05	5	1.31E-07	
504	504	4.5E-05	5	1.25E-07	
505	505	4.2E-05	5	1.18E-07	
506	506	4.0E-05	5	1.12E-07	
507	507	3.8E-05	5	1.06E-07	
508	508	3.4E-05	5	9.51E-08	
520	520	4.9E-05	5	1.35E-07	
521	521	4.7E-05	5	1.30E-07	
522	522	4.5E-05	5	1.25E-07	
523	523	4.3E-05	5	1.19E-07	
524	524	4.1E-05	5	1.13E-07	
525	525	3.8E-05	5	1.07E-07	
526	526	3.6E-05	5	1.02E-07	
527	527	3.3E-05	5	9.16E-08	
539	539	4.6E-05	5	1.28E-07	
540	540	4.4E-05	5	1.24E-07	
541	541	4.2E-05	5	1.18E-07	
542	542	4.1E-05	5	1.13E-07	
543	543	3.9E-05	5	1.08E-07	
544	544	3.7E-05	5	1.03E-07	
545	545	3.5E-05	5	9.76E-08	
546	546	3.2E-05	5	8.83E-08	
560	560	4.2E-05	5	1.17E-07	
561	561	4.0E-05	5	1.13E-07	
562	562	3.9E-05	5	1.08E-07	
563	563	3.6E-05	5	9.92E-08	
564	564	3.5E-05	5	9.84E-08	

Via Oro
Risk From Santa Fe (Warnock to Wardlow) [TKF]

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
565	565	3.4E-05				5	9.39E-08	
566	566	3.1E-05				5	8.52E-08	
579	579	4.0E-05				5	1.11E-07	
580	580	3.9E-05				5	1.08E-07	
581	581	3.7E-05				5	1.03E-07	
582	582	3.6E-05				5	9.90E-08	
583	583	3.4E-05				5	9.46E-08	
584	584	3.2E-05				5	9.02E-08	
585	585	2.8E-05				5	7.77E-08	
598	598	3.8E-05				5	1.06E-07	
599	599	3.7E-05				5	1.03E-07	
600	600	3.5E-05				5	9.88E-08	
601	601	3.4E-05				5	9.48E-08	
602	602	3.3E-05				5	9.08E-08	
603	603	3.1E-05				5	8.69E-08	
604	604	3.0E-05				5	8.31E-08	
0	0	0.0E+00				5	0.00E+00	

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	Cancer Risk from 3rd Trimester - Construction								
		g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.59113	2.79E-06	1.7E-06	3.46E-04	5.71E-10	0.25	1.57E-01	2.24E-11	1.0E+06	2.2E-05
2	0.67145	2.79E-06	1.9E-06	3.46E-04	6.49E-10	0.25	1.57E-01	2.55E-11	1.0E+06	2.5E-05
3	0.77053	2.79E-06	2.2E-06	3.46E-04	7.45E-10	0.25	1.57E-01	2.93E-11	1.0E+06	2.9E-05
4	0.89549	2.79E-06	2.5E-06	3.46E-04	8.65E-10	0.25	1.57E-01	3.40E-11	1.0E+06	3.4E-05
5	1.05679	2.79E-06	2.9E-06	3.46E-04	1.02E-09	0.25	1.57E-01	4.01E-11	1.0E+06	4.0E-05
6	1.27288	2.79E-06	3.6E-06	3.46E-04	1.23E-09	0.25	1.57E-01	4.83E-11	1.0E+06	4.8E-05
7	1.56989	2.79E-06	4.4E-06	3.46E-04	1.52E-09	0.25	1.57E-01	5.96E-11	1.0E+06	6.0E-05
8	1.99562	2.79E-06	5.6E-06	3.46E-04	1.93E-09	0.25	1.57E-01	7.58E-11	1.0E+06	7.6E-05
9	2.64603	2.79E-06	7.4E-06	3.46E-04	2.56E-09	0.25	1.57E-01	1.00E-10	1.0E+06	1.0E-04
10	3.72691	2.79E-06	1.0E-05	3.46E-04	3.60E-09	0.25	1.57E-01	1.41E-10	1.0E+06	1.4E-04
11	5.76976	2.79E-06	1.6E-05	3.46E-04	5.58E-09	0.25	1.57E-01	2.19E-10	1.0E+06	2.2E-04
12	10.55009	2.79E-06	2.9E-05	3.46E-04	1.02E-08	0.25	1.57E-01	4.00E-10	1.0E+06	4.0E-04
13	9.96513	2.79E-06	2.8E-05	3.46E-04	9.63E-09	0.25	1.57E-01	3.78E-10	1.0E+06	3.8E-04
14	9.10082	2.79E-06	2.5E-05	3.46E-04	8.79E-09	0.25	1.57E-01	3.45E-10	1.0E+06	3.5E-04
15	18.27209	2.79E-06	5.1E-05	3.46E-04	1.77E-08	0.25	1.57E-01	6.94E-10	1.0E+06	6.9E-04
16	20.7462	2.79E-06	5.8E-05	3.46E-04	2.00E-08	0.25	1.57E-01	7.88E-10	1.0E+06	7.9E-04
17	18.04186	2.79E-06	5.0E-05	3.46E-04	1.74E-08	0.25	1.57E-01	6.85E-10	1.0E+06	6.8E-04
18	19.66508	2.79E-06	5.5E-05	3.46E-04	1.90E-08	0.25	1.57E-01	7.47E-10	1.0E+06	7.5E-04
19	20.75422	2.79E-06	5.8E-05	3.46E-04	2.01E-08	0.25	1.57E-01	7.88E-10	1.0E+06	7.9E-04
20	10.83808	2.79E-06	3.0E-05	3.46E-04	1.05E-08	0.25	1.57E-01	4.11E-10	1.0E+06	4.1E-04
21	6.54683	2.79E-06	1.8E-05	3.46E-04	6.33E-09	0.25	1.57E-01	2.49E-10	1.0E+06	2.5E-04
22	4.38551	2.79E-06	1.2E-05	3.46E-04	4.24E-09	0.25	1.57E-01	1.66E-10	1.0E+06	1.7E-04
23	3.15537	2.79E-06	8.8E-06	3.46E-04	3.05E-09	0.25	1.57E-01	1.20E-10	1.0E+06	1.2E-04
24	2.38899	2.79E-06	6.7E-06	3.46E-04	2.31E-09	0.25	1.57E-01	9.07E-11	1.0E+06	9.1E-05
25	1.87837	2.79E-06	5.2E-06	3.46E-04	1.82E-09	0.25	1.57E-01	7.13E-11	1.0E+06	7.1E-05
26	1.52028	2.79E-06	4.2E-06	3.46E-04	1.47E-09	0.25	1.57E-01	5.77E-11	1.0E+06	5.8E-05
27	1.25867	2.79E-06	3.5E-06	3.46E-04	1.22E-09	0.25	1.57E-01	4.78E-11	1.0E+06	4.8E-05
28	1.06193	2.79E-06	3.0E-06	3.46E-04	1.03E-09	0.25	1.57E-01	4.03E-11	1.0E+06	4.0E-05
29	0.9095	2.79E-06	2.5E-06	3.46E-04	8.79E-10	0.25	1.57E-01	3.45E-11	1.0E+06	3.5E-05
30	0.78895	2.79E-06	2.2E-06	3.46E-04	7.62E-10	0.25	1.57E-01	2.99E-11	1.0E+06	3.0E-05
31	0.69217	2.79E-06	1.9E-06	3.46E-04	6.69E-10	0.25	1.57E-01	2.63E-11	1.0E+06	2.6E-05

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.61334	2.79E-06	1.7E-06	3.46E-04	5.93E-10	0.25	1.57E-01	2.33E-11	1.0E+06	2.3E-05
55	3.62477	2.79E-06	1.0E-05	3.46E-04	3.50E-09	0.25	1.57E-01	1.38E-10	1.0E+06	1.4E-04
56	2.67539	2.79E-06	7.5E-06	3.46E-04	2.59E-09	0.25	1.57E-01	1.02E-10	1.0E+06	1.0E-04
57	2.06847	2.79E-06	5.8E-06	3.46E-04	2.00E-09	0.25	1.57E-01	7.85E-11	1.0E+06	7.9E-05
58	1.65438	2.79E-06	4.6E-06	3.46E-04	1.60E-09	0.25	1.57E-01	6.28E-11	1.0E+06	6.3E-05
59	1.35944	2.79E-06	3.8E-06	3.46E-04	1.31E-09	0.25	1.57E-01	5.16E-11	1.0E+06	5.2E-05
60	1.14047	2.79E-06	3.2E-06	3.46E-04	1.10E-09	0.25	1.57E-01	4.33E-11	1.0E+06	4.3E-05
61	0.97155	2.79E-06	2.7E-06	3.46E-04	9.39E-10	0.25	1.57E-01	3.69E-11	1.0E+06	3.7E-05
62	0.83958	2.79E-06	2.3E-06	3.46E-04	8.11E-10	0.25	1.57E-01	3.19E-11	1.0E+06	3.2E-05
63	0.73371	2.79E-06	2.0E-06	3.46E-04	7.09E-10	0.25	1.57E-01	2.79E-11	1.0E+06	2.8E-05
64	0.64784	2.79E-06	1.8E-06	3.46E-04	6.26E-10	0.25	1.57E-01	2.46E-11	1.0E+06	2.5E-05
65	0.57725	2.79E-06	1.6E-06	3.46E-04	5.58E-10	0.25	1.57E-01	2.19E-11	1.0E+06	2.2E-05
66	0.51737	2.79E-06	1.4E-06	3.46E-04	5.00E-10	0.25	1.57E-01	1.96E-11	1.0E+06	2.0E-05
67	0.58733	2.79E-06	1.6E-06	3.46E-04	5.68E-10	0.25	1.57E-01	2.23E-11	1.0E+06	2.2E-05
68	0.66699	2.79E-06	1.9E-06	3.46E-04	6.45E-10	0.25	1.57E-01	2.53E-11	1.0E+06	2.5E-05
69	0.76549	2.79E-06	2.1E-06	3.46E-04	7.40E-10	0.25	1.57E-01	2.91E-11	1.0E+06	2.9E-05
70	0.88974	2.79E-06	2.5E-06	3.46E-04	8.60E-10	0.25	1.57E-01	3.38E-11	1.0E+06	3.4E-05
71	1.0491	2.79E-06	2.9E-06	3.46E-04	1.01E-09	0.25	1.57E-01	3.98E-11	1.0E+06	4.0E-05
72	1.26239	2.79E-06	3.5E-06	3.46E-04	1.22E-09	0.25	1.57E-01	4.79E-11	1.0E+06	4.8E-05
73	1.55436	2.79E-06	4.3E-06	3.46E-04	1.50E-09	0.25	1.57E-01	5.90E-11	1.0E+06	5.9E-05
74	1.97191	2.79E-06	5.5E-06	3.46E-04	1.91E-09	0.25	1.57E-01	7.49E-11	1.0E+06	7.5E-05
75	2.6041	2.79E-06	7.3E-06	3.46E-04	2.52E-09	0.25	1.57E-01	9.89E-11	1.0E+06	9.9E-05
76	3.64275	2.79E-06	1.0E-05	3.46E-04	3.52E-09	0.25	1.57E-01	1.38E-10	1.0E+06	1.4E-04
77	5.56438	2.79E-06	1.6E-05	3.46E-04	5.38E-09	0.25	1.57E-01	2.11E-10	1.0E+06	2.1E-04
78	9.89276	2.79E-06	2.8E-05	3.46E-04	9.56E-09	0.25	1.57E-01	3.76E-10	1.0E+06	3.8E-04
79	35.86817	2.79E-06	1.0E-04	3.46E-04	3.47E-08	0.25	1.57E-01	1.36E-09	1.0E+06	1.4E-03
80	24.60089	2.79E-06	6.9E-05	3.46E-04	2.38E-08	0.25	1.57E-01	9.34E-10	1.0E+06	9.3E-04
81	11.68959	2.79E-06	3.3E-05	3.46E-04	1.13E-08	0.25	1.57E-01	4.44E-10	1.0E+06	4.4E-04
82	6.39607	2.79E-06	1.8E-05	3.46E-04	6.18E-09	0.25	1.57E-01	2.43E-10	1.0E+06	2.4E-04
83	4.18603	2.79E-06	1.2E-05	3.46E-04	4.04E-09	0.25	1.57E-01	1.59E-10	1.0E+06	1.6E-04
84	3.0195	2.79E-06	8.4E-06	3.46E-04	2.92E-09	0.25	1.57E-01	1.15E-10	1.0E+06	1.1E-04

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	2.29803	2.79E-06	6.4E-06	3.46E-04	2.22E-09	0.25	1.57E-01	8.72E-11	1.0E+06	8.7E-05
86	1.81711	2.79E-06	5.1E-06	3.46E-04	1.76E-09	0.25	1.57E-01	6.90E-11	1.0E+06	6.9E-05
87	1.47998	2.79E-06	4.1E-06	3.46E-04	1.43E-09	0.25	1.57E-01	5.62E-11	1.0E+06	5.6E-05
88	1.23212	2.79E-06	3.4E-06	3.46E-04	1.19E-09	0.25	1.57E-01	4.68E-11	1.0E+06	4.7E-05
89	1.04515	2.79E-06	2.9E-06	3.46E-04	1.01E-09	0.25	1.57E-01	3.97E-11	1.0E+06	4.0E-05
90	0.89933	2.79E-06	2.5E-06	3.46E-04	8.69E-10	0.25	1.57E-01	3.41E-11	1.0E+06	3.4E-05
91	0.78231	2.79E-06	2.2E-06	3.46E-04	7.56E-10	0.25	1.57E-01	2.97E-11	1.0E+06	3.0E-05
92	0.68877	2.79E-06	1.9E-06	3.46E-04	6.66E-10	0.25	1.57E-01	2.61E-11	1.0E+06	2.6E-05
93	0.61099	2.79E-06	1.7E-06	3.46E-04	5.90E-10	0.25	1.57E-01	2.32E-11	1.0E+06	2.3E-05
96	1.39271	2.79E-06	3.9E-06	3.46E-04	1.35E-09	0.25	1.57E-01	5.29E-11	1.0E+06	5.3E-05
97	1.14879	2.79E-06	3.2E-06	3.46E-04	1.11E-09	0.25	1.57E-01	4.36E-11	1.0E+06	4.4E-05
98	1.13226	2.79E-06	3.2E-06	3.46E-04	1.09E-09	0.25	1.57E-01	4.30E-11	1.0E+06	4.3E-05
99	0.9674	2.79E-06	2.7E-06	3.46E-04	9.35E-10	0.25	1.57E-01	3.67E-11	1.0E+06	3.7E-05
100	0.83862	2.79E-06	2.3E-06	3.46E-04	8.10E-10	0.25	1.57E-01	3.18E-11	1.0E+06	3.2E-05
101	0.73521	2.79E-06	2.1E-06	3.46E-04	7.10E-10	0.25	1.57E-01	2.79E-11	1.0E+06	2.8E-05
102	0.64908	2.79E-06	1.8E-06	3.46E-04	6.27E-10	0.25	1.57E-01	2.46E-11	1.0E+06	2.5E-05
106	0.50176	2.79E-06	1.4E-06	3.46E-04	4.85E-10	0.25	1.57E-01	1.90E-11	1.0E+06	1.9E-05
107	0.56464	2.79E-06	1.6E-06	3.46E-04	5.46E-10	0.25	1.57E-01	2.14E-11	1.0E+06	2.1E-05
108	0.63768	2.79E-06	1.8E-06	3.46E-04	6.16E-10	0.25	1.57E-01	2.42E-11	1.0E+06	2.4E-05
109	0.72695	2.79E-06	2.0E-06	3.46E-04	7.02E-10	0.25	1.57E-01	2.76E-11	1.0E+06	2.8E-05
110	0.83773	2.79E-06	2.3E-06	3.46E-04	8.09E-10	0.25	1.57E-01	3.18E-11	1.0E+06	3.2E-05
111	0.97668	2.79E-06	2.7E-06	3.46E-04	9.44E-10	0.25	1.57E-01	3.71E-11	1.0E+06	3.7E-05
112	1.15741	2.79E-06	3.2E-06	3.46E-04	1.12E-09	0.25	1.57E-01	4.39E-11	1.0E+06	4.4E-05
113	1.39381	2.79E-06	3.9E-06	3.46E-04	1.35E-09	0.25	1.57E-01	5.29E-11	1.0E+06	5.3E-05
114	1.71284	2.79E-06	4.8E-06	3.46E-04	1.66E-09	0.25	1.57E-01	6.50E-11	1.0E+06	6.5E-05
115	2.15428	2.79E-06	6.0E-06	3.46E-04	2.08E-09	0.25	1.57E-01	8.18E-11	1.0E+06	8.2E-05
116	2.78431	2.79E-06	7.8E-06	3.46E-04	2.69E-09	0.25	1.57E-01	1.06E-10	1.0E+06	1.1E-04
117	3.74049	2.79E-06	1.0E-05	3.46E-04	3.61E-09	0.25	1.57E-01	1.42E-10	1.0E+06	1.4E-04
118	5.23591	2.79E-06	1.5E-05	3.46E-04	5.06E-09	0.25	1.57E-01	1.99E-10	1.0E+06	2.0E-04
124	0.4912	2.79E-06	1.4E-06	3.46E-04	4.75E-10	0.25	1.57E-01	1.86E-11	1.0E+06	1.9E-05
125	0.54849	2.79E-06	1.5E-06	3.46E-04	5.30E-10	0.25	1.57E-01	2.08E-11	1.0E+06	2.1E-05

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.61701	2.79E-06	1.7E-06	3.46E-04	5.96E-10	0.25	1.57E-01	2.34E-11	1.0E+06	2.3E-05
127	0.69994	2.79E-06	2.0E-06	3.46E-04	6.76E-10	0.25	1.57E-01	2.66E-11	1.0E+06	2.7E-05
128	0.80157	2.79E-06	2.2E-06	3.46E-04	7.75E-10	0.25	1.57E-01	3.04E-11	1.0E+06	3.0E-05
129	0.92714	2.79E-06	2.6E-06	3.46E-04	8.96E-10	0.25	1.57E-01	3.52E-11	1.0E+06	3.5E-05
130	1.08677	2.79E-06	3.0E-06	3.46E-04	1.05E-09	0.25	1.57E-01	4.13E-11	1.0E+06	4.1E-05
131	1.29048	2.79E-06	3.6E-06	3.46E-04	1.25E-09	0.25	1.57E-01	4.90E-11	1.0E+06	4.9E-05
132	1.55569	2.79E-06	4.3E-06	3.46E-04	1.50E-09	0.25	1.57E-01	5.91E-11	1.0E+06	5.9E-05
133	1.90738	2.79E-06	5.3E-06	3.46E-04	1.84E-09	0.25	1.57E-01	7.24E-11	1.0E+06	7.2E-05
134	2.38646	2.79E-06	6.7E-06	3.46E-04	2.31E-09	0.25	1.57E-01	9.06E-11	1.0E+06	9.1E-05
135	3.05561	2.79E-06	8.5E-06	3.46E-04	2.95E-09	0.25	1.57E-01	1.16E-10	1.0E+06	1.2E-04
136	3.99614	2.79E-06	1.1E-05	3.46E-04	3.86E-09	0.25	1.57E-01	1.52E-10	1.0E+06	1.5E-04
137	5.20427	2.79E-06	1.5E-05	3.46E-04	5.03E-09	0.25	1.57E-01	1.98E-10	1.0E+06	2.0E-04
138	6.43878	2.79E-06	1.8E-05	3.46E-04	6.22E-09	0.25	1.57E-01	2.44E-10	1.0E+06	2.4E-04
141	0.47679	2.79E-06	1.3E-06	3.46E-04	4.61E-10	0.25	1.57E-01	1.81E-11	1.0E+06	1.8E-05
142	0.53046	2.79E-06	1.5E-06	3.46E-04	5.13E-10	0.25	1.57E-01	2.01E-11	1.0E+06	2.0E-05
143	0.59404	2.79E-06	1.7E-06	3.46E-04	5.74E-10	0.25	1.57E-01	2.26E-11	1.0E+06	2.3E-05
144	0.67011	2.79E-06	1.9E-06	3.46E-04	6.48E-10	0.25	1.57E-01	2.54E-11	1.0E+06	2.5E-05
145	0.76192	2.79E-06	2.1E-06	3.46E-04	7.36E-10	0.25	1.57E-01	2.89E-11	1.0E+06	2.9E-05
146	0.87345	2.79E-06	2.4E-06	3.46E-04	8.44E-10	0.25	1.57E-01	3.32E-11	1.0E+06	3.3E-05
147	1.01191	2.79E-06	2.8E-06	3.46E-04	9.78E-10	0.25	1.57E-01	3.84E-11	1.0E+06	3.8E-05
148	1.18384	2.79E-06	3.3E-06	3.46E-04	1.14E-09	0.25	1.57E-01	4.49E-11	1.0E+06	4.5E-05
149	1.40073	2.79E-06	3.9E-06	3.46E-04	1.35E-09	0.25	1.57E-01	5.32E-11	1.0E+06	5.3E-05
150	1.67811	2.79E-06	4.7E-06	3.46E-04	1.62E-09	0.25	1.57E-01	6.37E-11	1.0E+06	6.4E-05
151	2.03934	2.79E-06	5.7E-06	3.46E-04	1.97E-09	0.25	1.57E-01	7.74E-11	1.0E+06	7.7E-05
152	2.51638	2.79E-06	7.0E-06	3.46E-04	2.43E-09	0.25	1.57E-01	9.55E-11	1.0E+06	9.6E-05
153	3.13763	2.79E-06	8.8E-06	3.46E-04	3.03E-09	0.25	1.57E-01	1.19E-10	1.0E+06	1.2E-04
154	3.88307	2.79E-06	1.1E-05	3.46E-04	3.75E-09	0.25	1.57E-01	1.47E-10	1.0E+06	1.5E-04
155	4.62277	2.79E-06	1.3E-05	3.46E-04	4.47E-09	0.25	1.57E-01	1.75E-10	1.0E+06	1.8E-04
164	3.01562	2.79E-06	8.4E-06	3.46E-04	2.91E-09	0.25	1.57E-01	1.14E-10	1.0E+06	1.1E-04
165	3.49033	2.79E-06	9.7E-06	3.46E-04	3.37E-09	0.25	1.57E-01	1.32E-10	1.0E+06	1.3E-04
166	3.84371	2.79E-06	1.1E-05	3.46E-04	3.71E-09	0.25	1.57E-01	1.46E-10	1.0E+06	1.5E-04

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	2.41354	2.79E-06	6.7E-06	3.46E-04	2.33E-09	0.25	1.57E-01	9.16E-11	1.0E+06	9.2E-05
179	2.73441	2.79E-06	7.6E-06	3.46E-04	2.64E-09	0.25	1.57E-01	1.04E-10	1.0E+06	1.0E-04
180	2.97757	2.79E-06	8.3E-06	3.46E-04	2.88E-09	0.25	1.57E-01	1.13E-10	1.0E+06	1.1E-04
192	1.97784	2.79E-06	5.5E-06	3.46E-04	1.91E-09	0.25	1.57E-01	7.51E-11	1.0E+06	7.5E-05
193	2.20339	2.79E-06	6.2E-06	3.46E-04	2.13E-09	0.25	1.57E-01	8.36E-11	1.0E+06	8.4E-05
194	2.37631	2.79E-06	6.6E-06	3.46E-04	2.30E-09	0.25	1.57E-01	9.02E-11	1.0E+06	9.0E-05
207	1.65189	2.79E-06	4.6E-06	3.46E-04	1.60E-09	0.25	1.57E-01	6.27E-11	1.0E+06	6.3E-05
208	1.8154	2.79E-06	5.1E-06	3.46E-04	1.75E-09	0.25	1.57E-01	6.89E-11	1.0E+06	6.9E-05
209	1.94209	2.79E-06	5.4E-06	3.46E-04	1.88E-09	0.25	1.57E-01	7.37E-11	1.0E+06	7.4E-05
223	1.40148	2.79E-06	3.9E-06	3.46E-04	1.35E-09	0.25	1.57E-01	5.32E-11	1.0E+06	5.3E-05
224	1.52316	2.79E-06	4.3E-06	3.46E-04	1.47E-09	0.25	1.57E-01	5.78E-11	1.0E+06	5.8E-05
225	1.6183	2.79E-06	4.5E-06	3.46E-04	1.56E-09	0.25	1.57E-01	6.14E-11	1.0E+06	6.1E-05
239	1.20484	2.79E-06	3.4E-06	3.46E-04	1.16E-09	0.25	1.57E-01	4.57E-11	1.0E+06	4.6E-05
240	1.29742	2.79E-06	3.6E-06	3.46E-04	1.25E-09	0.25	1.57E-01	4.93E-11	1.0E+06	4.9E-05
241	1.37049	2.79E-06	3.8E-06	3.46E-04	1.32E-09	0.25	1.57E-01	5.20E-11	1.0E+06	5.2E-05
255	1.0475	2.79E-06	2.9E-06	3.46E-04	1.01E-09	0.25	1.57E-01	3.98E-11	1.0E+06	4.0E-05
256	1.11936	2.79E-06	3.1E-06	3.46E-04	1.08E-09	0.25	1.57E-01	4.25E-11	1.0E+06	4.2E-05
272	0.91977	2.79E-06	2.6E-06	3.46E-04	8.89E-10	0.25	1.57E-01	3.49E-11	1.0E+06	3.5E-05
273	0.97629	2.79E-06	2.7E-06	3.46E-04	9.43E-10	0.25	1.57E-01	3.71E-11	1.0E+06	3.7E-05
289	0.81432	2.79E-06	2.3E-06	3.46E-04	7.87E-10	0.25	1.57E-01	3.09E-11	1.0E+06	3.1E-05
290	0.85949	2.79E-06	2.4E-06	3.46E-04	8.31E-10	0.25	1.57E-01	3.26E-11	1.0E+06	3.3E-05
306	0.72646	2.79E-06	2.0E-06	3.46E-04	7.02E-10	0.25	1.57E-01	2.76E-11	1.0E+06	2.8E-05
307	0.76301	2.79E-06	2.1E-06	3.46E-04	7.37E-10	0.25	1.57E-01	2.90E-11	1.0E+06	2.9E-05
323	0.65254	2.79E-06	1.8E-06	3.46E-04	6.31E-10	0.25	1.57E-01	2.48E-11	1.0E+06	2.5E-05
324	0.68247	2.79E-06	1.9E-06	3.46E-04	6.59E-10	0.25	1.57E-01	2.59E-11	1.0E+06	2.6E-05
342	0.58963	2.79E-06	1.6E-06	3.46E-04	5.70E-10	0.25	1.57E-01	2.24E-11	1.0E+06	2.2E-05
343	0.61439	2.79E-06	1.7E-06	3.46E-04	5.94E-10	0.25	1.57E-01	2.33E-11	1.0E+06	2.3E-05
344	0.63542	2.79E-06	1.8E-06	3.46E-04	6.14E-10	0.25	1.57E-01	2.41E-11	1.0E+06	2.4E-05
356	0.53582	2.79E-06	1.5E-06	3.46E-04	5.18E-10	0.25	1.57E-01	2.03E-11	1.0E+06	2.0E-05
357	0.55677	2.79E-06	1.6E-06	3.46E-04	5.38E-10	0.25	1.57E-01	2.11E-11	1.0E+06	2.1E-05
358	0.57422	2.79E-06	1.6E-06	3.46E-04	5.55E-10	0.25	1.57E-01	2.18E-11	1.0E+06	2.2E-05

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.48925	2.79E-06	1.4E-06	3.46E-04	4.73E-10	0.25	1.57E-01	1.86E-11	1.0E+06	1.9E-05
371	0.50702	2.79E-06	1.4E-06	3.46E-04	4.90E-10	0.25	1.57E-01	1.92E-11	1.0E+06	1.9E-05
372	0.52186	2.79E-06	1.5E-06	3.46E-04	5.04E-10	0.25	1.57E-01	1.98E-11	1.0E+06	2.0E-05
383	0.44878	2.79E-06	1.3E-06	3.46E-04	4.34E-10	0.25	1.57E-01	1.70E-11	1.0E+06	1.7E-05
384	0.46391	2.79E-06	1.3E-06	3.46E-04	4.48E-10	0.25	1.57E-01	1.76E-11	1.0E+06	1.8E-05
385	0.47668	2.79E-06	1.3E-06	3.46E-04	4.61E-10	0.25	1.57E-01	1.81E-11	1.0E+06	1.8E-05
396	0.41332	2.79E-06	1.2E-06	3.46E-04	3.99E-10	0.25	1.57E-01	1.57E-11	1.0E+06	1.6E-05
397	0.42633	2.79E-06	1.2E-06	3.46E-04	4.12E-10	0.25	1.57E-01	1.62E-11	1.0E+06	1.6E-05
398	0.43741	2.79E-06	1.2E-06	3.46E-04	4.23E-10	0.25	1.57E-01	1.66E-11	1.0E+06	1.7E-05
399	0.44577	2.79E-06	1.2E-06	3.46E-04	4.31E-10	0.25	1.57E-01	1.69E-11	1.0E+06	1.7E-05
411	0.38212	2.79E-06	1.1E-06	3.46E-04	3.69E-10	0.25	1.57E-01	1.45E-11	1.0E+06	1.5E-05
412	0.39341	2.79E-06	1.1E-06	3.46E-04	3.80E-10	0.25	1.57E-01	1.49E-11	1.0E+06	1.5E-05
413	0.40289	2.79E-06	1.1E-06	3.46E-04	3.89E-10	0.25	1.57E-01	1.53E-11	1.0E+06	1.5E-05
414	0.41043	2.79E-06	1.1E-06	3.46E-04	3.97E-10	0.25	1.57E-01	1.56E-11	1.0E+06	1.6E-05
426	0.35445	2.79E-06	9.9E-07	3.46E-04	3.43E-10	0.25	1.57E-01	1.35E-11	1.0E+06	1.3E-05
427	0.36427	2.79E-06	1.0E-06	3.46E-04	3.52E-10	0.25	1.57E-01	1.38E-11	1.0E+06	1.4E-05
428	0.37281	2.79E-06	1.0E-06	3.46E-04	3.60E-10	0.25	1.57E-01	1.42E-11	1.0E+06	1.4E-05
429	0.37938	2.79E-06	1.1E-06	3.46E-04	3.67E-10	0.25	1.57E-01	1.44E-11	1.0E+06	1.4E-05
439	0.32987	2.79E-06	9.2E-07	3.46E-04	3.19E-10	0.25	1.57E-01	1.25E-11	1.0E+06	1.3E-05
440	0.33848	2.79E-06	9.4E-07	3.46E-04	3.27E-10	0.25	1.57E-01	1.28E-11	1.0E+06	1.3E-05
441	0.34594	2.79E-06	9.7E-07	3.46E-04	3.34E-10	0.25	1.57E-01	1.31E-11	1.0E+06	1.3E-05
442	0.35183	2.79E-06	9.8E-07	3.46E-04	3.40E-10	0.25	1.57E-01	1.34E-11	1.0E+06	1.3E-05
443	0.35566	2.79E-06	9.9E-07	3.46E-04	3.44E-10	0.25	1.57E-01	1.35E-11	1.0E+06	1.4E-05
454	0.30788	2.79E-06	8.6E-07	3.46E-04	2.98E-10	0.25	1.57E-01	1.17E-11	1.0E+06	1.2E-05
455	0.31546	2.79E-06	8.8E-07	3.46E-04	3.05E-10	0.25	1.57E-01	1.20E-11	1.0E+06	1.2E-05
456	0.32206	2.79E-06	9.0E-07	3.46E-04	3.11E-10	0.25	1.57E-01	1.22E-11	1.0E+06	1.2E-05
457	0.32733	2.79E-06	9.1E-07	3.46E-04	3.16E-10	0.25	1.57E-01	1.24E-11	1.0E+06	1.2E-05
458	0.33088	2.79E-06	9.2E-07	3.46E-04	3.20E-10	0.25	1.57E-01	1.26E-11	1.0E+06	1.3E-05
469	0.28818	2.79E-06	8.0E-07	3.46E-04	2.78E-10	0.25	1.57E-01	1.09E-11	1.0E+06	1.1E-05
470	0.29495	2.79E-06	8.2E-07	3.46E-04	2.85E-10	0.25	1.57E-01	1.12E-11	1.0E+06	1.1E-05
471	0.30081	2.79E-06	8.4E-07	3.46E-04	2.91E-10	0.25	1.57E-01	1.14E-11	1.0E+06	1.1E-05

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.30557	2.79E-06	8.5E-07	3.46E-04	2.95E-10	0.25	1.57E-01	1.16E-11	1.0E+06	1.2E-05
473	0.30886	2.79E-06	8.6E-07	3.46E-04	2.98E-10	0.25	1.57E-01	1.17E-11	1.0E+06	1.2E-05
489	0.27035	2.79E-06	7.5E-07	3.46E-04	2.61E-10	0.25	1.57E-01	1.03E-11	1.0E+06	1.0E-05
490	0.27636	2.79E-06	7.7E-07	3.46E-04	2.67E-10	0.25	1.57E-01	1.05E-11	1.0E+06	1.0E-05
491	0.28164	2.79E-06	7.9E-07	3.46E-04	2.72E-10	0.25	1.57E-01	1.07E-11	1.0E+06	1.1E-05
492	0.28593	2.79E-06	8.0E-07	3.46E-04	2.76E-10	0.25	1.57E-01	1.09E-11	1.0E+06	1.1E-05
493	0.28894	2.79E-06	8.1E-07	3.46E-04	2.79E-10	0.25	1.57E-01	1.10E-11	1.0E+06	1.1E-05
494	0.29045	2.79E-06	8.1E-07	3.46E-04	2.81E-10	0.25	1.57E-01	1.10E-11	1.0E+06	1.1E-05
509	0.2543	2.79E-06	7.1E-07	3.46E-04	2.46E-10	0.25	1.57E-01	9.65E-12	1.0E+06	9.7E-06
510	0.25967	2.79E-06	7.2E-07	3.46E-04	2.51E-10	0.25	1.57E-01	9.86E-12	1.0E+06	9.9E-06
511	0.26446	2.79E-06	7.4E-07	3.46E-04	2.56E-10	0.25	1.57E-01	1.00E-11	1.0E+06	1.0E-05
512	0.26836	2.79E-06	7.5E-07	3.46E-04	2.59E-10	0.25	1.57E-01	1.02E-11	1.0E+06	1.0E-05
513	0.27109	2.79E-06	7.6E-07	3.46E-04	2.62E-10	0.25	1.57E-01	1.03E-11	1.0E+06	1.0E-05
514	0.27259	2.79E-06	7.6E-07	3.46E-04	2.63E-10	0.25	1.57E-01	1.03E-11	1.0E+06	1.0E-05
515	0.2709	2.79E-06	7.6E-07	3.46E-04	2.62E-10	0.25	1.57E-01	1.03E-11	1.0E+06	1.0E-05
516	0.26744	2.79E-06	7.5E-07	3.46E-04	2.58E-10	0.25	1.57E-01	1.02E-11	1.0E+06	1.0E-05
517	0.26246	2.79E-06	7.3E-07	3.46E-04	2.54E-10	0.25	1.57E-01	9.96E-12	1.0E+06	1.0E-05
518	0.25601	2.79E-06	7.1E-07	3.46E-04	2.47E-10	0.25	1.57E-01	9.72E-12	1.0E+06	9.7E-06
519	0.24835	2.79E-06	6.9E-07	3.46E-04	2.40E-10	0.25	1.57E-01	9.43E-12	1.0E+06	9.4E-06
528	0.23974	2.79E-06	6.7E-07	3.46E-04	2.32E-10	0.25	1.57E-01	9.10E-12	1.0E+06	9.1E-06
529	0.24457	2.79E-06	6.8E-07	3.46E-04	2.36E-10	0.25	1.57E-01	9.28E-12	1.0E+06	9.3E-06
530	0.24887	2.79E-06	6.9E-07	3.46E-04	2.40E-10	0.25	1.57E-01	9.45E-12	1.0E+06	9.4E-06
531	0.25244	2.79E-06	7.0E-07	3.46E-04	2.44E-10	0.25	1.57E-01	9.58E-12	1.0E+06	9.6E-06
532	0.25502	2.79E-06	7.1E-07	3.46E-04	2.46E-10	0.25	1.57E-01	9.68E-12	1.0E+06	9.7E-06
533	0.25645	2.79E-06	7.2E-07	3.46E-04	2.48E-10	0.25	1.57E-01	9.74E-12	1.0E+06	9.7E-06
534	0.25521	2.79E-06	7.1E-07	3.46E-04	2.47E-10	0.25	1.57E-01	9.69E-12	1.0E+06	9.7E-06
535	0.25237	2.79E-06	7.0E-07	3.46E-04	2.44E-10	0.25	1.57E-01	9.58E-12	1.0E+06	9.6E-06
536	0.24819	2.79E-06	6.9E-07	3.46E-04	2.40E-10	0.25	1.57E-01	9.42E-12	1.0E+06	9.4E-06
537	0.24255	2.79E-06	6.8E-07	3.46E-04	2.34E-10	0.25	1.57E-01	9.21E-12	1.0E+06	9.2E-06
538	0.23578	2.79E-06	6.6E-07	3.46E-04	2.28E-10	0.25	1.57E-01	8.95E-12	1.0E+06	9.0E-06
547	0.22647	2.79E-06	6.3E-07	3.46E-04	2.19E-10	0.25	1.57E-01	8.60E-12	1.0E+06	8.6E-06

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.23082	2.79E-06	6.4E-07	3.46E-04	2.23E-10	0.25	1.57E-01	8.76E-12	1.0E+06	8.8E-06
549	0.23476	2.79E-06	6.6E-07	3.46E-04	2.27E-10	0.25	1.57E-01	8.91E-12	1.0E+06	8.9E-06
550	0.23796	2.79E-06	6.6E-07	3.46E-04	2.30E-10	0.25	1.57E-01	9.03E-12	1.0E+06	9.0E-06
551	0.24039	2.79E-06	6.7E-07	3.46E-04	2.32E-10	0.25	1.57E-01	9.13E-12	1.0E+06	9.1E-06
552	0.24178	2.79E-06	6.7E-07	3.46E-04	2.34E-10	0.25	1.57E-01	9.18E-12	1.0E+06	9.2E-06
553	0.24204	2.79E-06	6.8E-07	3.46E-04	2.34E-10	0.25	1.57E-01	9.19E-12	1.0E+06	9.2E-06
554	0.24097	2.79E-06	6.7E-07	3.46E-04	2.33E-10	0.25	1.57E-01	9.15E-12	1.0E+06	9.1E-06
555	0.23865	2.79E-06	6.7E-07	3.46E-04	2.31E-10	0.25	1.57E-01	9.06E-12	1.0E+06	9.1E-06
556	0.23513	2.79E-06	6.6E-07	3.46E-04	2.27E-10	0.25	1.57E-01	8.93E-12	1.0E+06	8.9E-06
557	0.2302	2.79E-06	6.4E-07	3.46E-04	2.22E-10	0.25	1.57E-01	8.74E-12	1.0E+06	8.7E-06
558	0.22432	2.79E-06	6.3E-07	3.46E-04	2.17E-10	0.25	1.57E-01	8.52E-12	1.0E+06	8.5E-06
559	0.21749	2.79E-06	6.1E-07	3.46E-04	2.10E-10	0.25	1.57E-01	8.26E-12	1.0E+06	8.3E-06
567	0.21437	2.79E-06	6.0E-07	3.46E-04	2.07E-10	0.25	1.57E-01	8.14E-12	1.0E+06	8.1E-06
568	0.21834	2.79E-06	6.1E-07	3.46E-04	2.11E-10	0.25	1.57E-01	8.29E-12	1.0E+06	8.3E-06
569	0.22189	2.79E-06	6.2E-07	3.46E-04	2.14E-10	0.25	1.57E-01	8.42E-12	1.0E+06	8.4E-06
570	0.22487	2.79E-06	6.3E-07	3.46E-04	2.17E-10	0.25	1.57E-01	8.54E-12	1.0E+06	8.5E-06
571	0.22711	2.79E-06	6.3E-07	3.46E-04	2.19E-10	0.25	1.57E-01	8.62E-12	1.0E+06	8.6E-06
572	0.22847	2.79E-06	6.4E-07	3.46E-04	2.21E-10	0.25	1.57E-01	8.67E-12	1.0E+06	8.7E-06
573	0.22881	2.79E-06	6.4E-07	3.46E-04	2.21E-10	0.25	1.57E-01	8.69E-12	1.0E+06	8.7E-06
574	0.22608	2.79E-06	6.3E-07	3.46E-04	2.18E-10	0.25	1.57E-01	8.58E-12	1.0E+06	8.6E-06
575	0.22306	2.79E-06	6.2E-07	3.46E-04	2.16E-10	0.25	1.57E-01	8.47E-12	1.0E+06	8.5E-06
576	0.2189	2.79E-06	6.1E-07	3.46E-04	2.12E-10	0.25	1.57E-01	8.31E-12	1.0E+06	8.3E-06
577	0.21372	2.79E-06	6.0E-07	3.46E-04	2.07E-10	0.25	1.57E-01	8.11E-12	1.0E+06	8.1E-06
578	0.20766	2.79E-06	5.8E-07	3.46E-04	2.01E-10	0.25	1.57E-01	7.88E-12	1.0E+06	7.9E-06
586	0.20323	2.79E-06	5.7E-07	3.46E-04	1.96E-10	0.25	1.57E-01	7.71E-12	1.0E+06	7.7E-06
587	0.20682	2.79E-06	5.8E-07	3.46E-04	2.00E-10	0.25	1.57E-01	7.85E-12	1.0E+06	7.9E-06
588	0.21009	2.79E-06	5.9E-07	3.46E-04	2.03E-10	0.25	1.57E-01	7.98E-12	1.0E+06	8.0E-06
589	0.21283	2.79E-06	5.9E-07	3.46E-04	2.06E-10	0.25	1.57E-01	8.08E-12	1.0E+06	8.1E-06
590	0.21492	2.79E-06	6.0E-07	3.46E-04	2.08E-10	0.25	1.57E-01	8.16E-12	1.0E+06	8.2E-06
591	0.21623	2.79E-06	6.0E-07	3.46E-04	2.09E-10	0.25	1.57E-01	8.21E-12	1.0E+06	8.2E-06
592	0.21665	2.79E-06	6.0E-07	3.46E-04	2.09E-10	0.25	1.57E-01	8.22E-12	1.0E+06	8.2E-06

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.21448	2.79E-06	6.0E-07	3.46E-04	2.07E-10	0.25	1.57E-01	8.14E-12	1.0E+06	8.1E-06
594	0.21193	2.79E-06	5.9E-07	3.46E-04	2.05E-10	0.25	1.57E-01	8.05E-12	1.0E+06	8.0E-06
595	0.20827	2.79E-06	5.8E-07	3.46E-04	2.01E-10	0.25	1.57E-01	7.91E-12	1.0E+06	7.9E-06
596	0.20369	2.79E-06	5.7E-07	3.46E-04	1.97E-10	0.25	1.57E-01	7.73E-12	1.0E+06	7.7E-06
597	0.19836	2.79E-06	5.5E-07	3.46E-04	1.92E-10	0.25	1.57E-01	7.53E-12	1.0E+06	7.5E-06
345	0.6499	2.79E-06	1.8E-06	3.46E-04	6.28E-10	0.25	1.57E-01	2.47E-11	1.0E+06	2.5E-05
346	0.65657	2.79E-06	1.8E-06	3.46E-04	6.34E-10	0.25	1.57E-01	2.49E-11	1.0E+06	2.5E-05
347	0.65378	2.79E-06	1.8E-06	3.46E-04	6.32E-10	0.25	1.57E-01	2.48E-11	1.0E+06	2.5E-05
348	0.64121	2.79E-06	1.8E-06	3.46E-04	6.20E-10	0.25	1.57E-01	2.43E-11	1.0E+06	2.4E-05
359	0.5866	2.79E-06	1.6E-06	3.46E-04	5.67E-10	0.25	1.57E-01	2.23E-11	1.0E+06	2.2E-05
360	0.59232	2.79E-06	1.7E-06	3.46E-04	5.72E-10	0.25	1.57E-01	2.25E-11	1.0E+06	2.2E-05
361	0.59119	2.79E-06	1.7E-06	3.46E-04	5.71E-10	0.25	1.57E-01	2.24E-11	1.0E+06	2.2E-05
362	0.58152	2.79E-06	1.6E-06	3.46E-04	5.62E-10	0.25	1.57E-01	2.21E-11	1.0E+06	2.2E-05
363	0.56494	2.79E-06	1.6E-06	3.46E-04	5.46E-10	0.25	1.57E-01	2.14E-11	1.0E+06	2.1E-05
373	0.5382	2.79E-06	1.5E-06	3.46E-04	5.20E-10	0.25	1.57E-01	2.04E-11	1.0E+06	2.0E-05
374	0.53757	2.79E-06	1.5E-06	3.46E-04	5.19E-10	0.25	1.57E-01	2.04E-11	1.0E+06	2.0E-05
375	0.53035	2.79E-06	1.5E-06	3.46E-04	5.12E-10	0.25	1.57E-01	2.01E-11	1.0E+06	2.0E-05
376	0.5171	2.79E-06	1.4E-06	3.46E-04	5.00E-10	0.25	1.57E-01	1.96E-11	1.0E+06	2.0E-05
386	0.49126	2.79E-06	1.4E-06	3.46E-04	4.75E-10	0.25	1.57E-01	1.86E-11	1.0E+06	1.9E-05
387	0.49137	2.79E-06	1.4E-06	3.46E-04	4.75E-10	0.25	1.57E-01	1.87E-11	1.0E+06	1.9E-05
388	0.48592	2.79E-06	1.4E-06	3.46E-04	4.70E-10	0.25	1.57E-01	1.84E-11	1.0E+06	1.8E-05
389	0.4754	2.79E-06	1.3E-06	3.46E-04	4.59E-10	0.25	1.57E-01	1.80E-11	1.0E+06	1.8E-05
390	0.46025	2.79E-06	1.3E-06	3.46E-04	4.45E-10	0.25	1.57E-01	1.75E-11	1.0E+06	1.7E-05
400	0.45057	2.79E-06	1.3E-06	3.46E-04	4.35E-10	0.25	1.57E-01	1.71E-11	1.0E+06	1.7E-05
401	0.45085	2.79E-06	1.3E-06	3.46E-04	4.36E-10	0.25	1.57E-01	1.71E-11	1.0E+06	1.7E-05
402	0.44712	2.79E-06	1.2E-06	3.46E-04	4.32E-10	0.25	1.57E-01	1.70E-11	1.0E+06	1.7E-05
403	0.43857	2.79E-06	1.2E-06	3.46E-04	4.24E-10	0.25	1.57E-01	1.66E-11	1.0E+06	1.7E-05
404	0.42592	2.79E-06	1.2E-06	3.46E-04	4.12E-10	0.25	1.57E-01	1.62E-11	1.0E+06	1.6E-05
415	0.41485	2.79E-06	1.2E-06	3.46E-04	4.01E-10	0.25	1.57E-01	1.57E-11	1.0E+06	1.6E-05
416	0.41575	2.79E-06	1.2E-06	3.46E-04	4.02E-10	0.25	1.57E-01	1.58E-11	1.0E+06	1.6E-05
417	0.41274	2.79E-06	1.2E-06	3.46E-04	3.99E-10	0.25	1.57E-01	1.57E-11	1.0E+06	1.6E-05

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.4063	2.79E-06	1.1E-06	3.46E-04	3.93E-10	0.25	1.57E-01	1.54E-11	1.0E+06	1.5E-05
419	0.39617	2.79E-06	1.1E-06	3.46E-04	3.83E-10	0.25	1.57E-01	1.50E-11	1.0E+06	1.5E-05
420	0.38179	2.79E-06	1.1E-06	3.46E-04	3.69E-10	0.25	1.57E-01	1.45E-11	1.0E+06	1.4E-05
430	0.38445	2.79E-06	1.1E-06	3.46E-04	3.71E-10	0.25	1.57E-01	1.46E-11	1.0E+06	1.5E-05
431	0.38264	2.79E-06	1.1E-06	3.46E-04	3.70E-10	0.25	1.57E-01	1.45E-11	1.0E+06	1.5E-05
432	0.37737	2.79E-06	1.1E-06	3.46E-04	3.65E-10	0.25	1.57E-01	1.43E-11	1.0E+06	1.4E-05
433	0.36887	2.79E-06	1.0E-06	3.46E-04	3.56E-10	0.25	1.57E-01	1.40E-11	1.0E+06	1.4E-05
434	0.35739	2.79E-06	1.0E-06	3.46E-04	3.45E-10	0.25	1.57E-01	1.36E-11	1.0E+06	1.4E-05
444	0.35703	2.79E-06	1.0E-06	3.46E-04	3.45E-10	0.25	1.57E-01	1.36E-11	1.0E+06	1.4E-05
445	0.35551	2.79E-06	9.9E-07	3.46E-04	3.44E-10	0.25	1.57E-01	1.35E-11	1.0E+06	1.3E-05
446	0.35136	2.79E-06	9.8E-07	3.46E-04	3.40E-10	0.25	1.57E-01	1.33E-11	1.0E+06	1.3E-05
447	0.34437	2.79E-06	9.6E-07	3.46E-04	3.33E-10	0.25	1.57E-01	1.31E-11	1.0E+06	1.3E-05
448	0.33472	2.79E-06	9.3E-07	3.46E-04	3.23E-10	0.25	1.57E-01	1.27E-11	1.0E+06	1.3E-05
459	0.33137	2.79E-06	9.2E-07	3.46E-04	3.20E-10	0.25	1.57E-01	1.26E-11	1.0E+06	1.3E-05
460	0.32801	2.79E-06	9.2E-07	3.46E-04	3.17E-10	0.25	1.57E-01	1.25E-11	1.0E+06	1.2E-05
461	0.32215	2.79E-06	9.0E-07	3.46E-04	3.11E-10	0.25	1.57E-01	1.22E-11	1.0E+06	1.2E-05
462	0.31398	2.79E-06	8.8E-07	3.46E-04	3.03E-10	0.25	1.57E-01	1.19E-11	1.0E+06	1.2E-05
463	0.30374	2.79E-06	8.5E-07	3.46E-04	2.94E-10	0.25	1.57E-01	1.15E-11	1.0E+06	1.2E-05
474	0.30965	2.79E-06	8.6E-07	3.46E-04	2.99E-10	0.25	1.57E-01	1.18E-11	1.0E+06	1.2E-05
475	0.30693	2.79E-06	8.6E-07	3.46E-04	2.97E-10	0.25	1.57E-01	1.17E-11	1.0E+06	1.2E-05
476	0.30216	2.79E-06	8.4E-07	3.46E-04	2.92E-10	0.25	1.57E-01	1.15E-11	1.0E+06	1.1E-05
477	0.29517	2.79E-06	8.2E-07	3.46E-04	2.85E-10	0.25	1.57E-01	1.12E-11	1.0E+06	1.1E-05
478	0.28641	2.79E-06	8.0E-07	3.46E-04	2.77E-10	0.25	1.57E-01	1.09E-11	1.0E+06	1.1E-05
495	0.2902	2.79E-06	8.1E-07	3.46E-04	2.80E-10	0.25	1.57E-01	1.10E-11	1.0E+06	1.1E-05
496	0.28799	2.79E-06	8.0E-07	3.46E-04	2.78E-10	0.25	1.57E-01	1.09E-11	1.0E+06	1.1E-05
497	0.28399	2.79E-06	7.9E-07	3.46E-04	2.74E-10	0.25	1.57E-01	1.08E-11	1.0E+06	1.1E-05
498	0.27811	2.79E-06	7.8E-07	3.46E-04	2.69E-10	0.25	1.57E-01	1.06E-11	1.0E+06	1.1E-05
499	0.27057	2.79E-06	7.6E-07	3.46E-04	2.61E-10	0.25	1.57E-01	1.03E-11	1.0E+06	1.0E-05
500	0.26167	2.79E-06	7.3E-07	3.46E-04	2.53E-10	0.25	1.57E-01	9.93E-12	1.0E+06	9.9E-06

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

		Cancer Risk from 3rd Trimester - Construction									
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million	
139	7.28168	2.79E-06	2.0E-05	3.46E-04	7.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	7.49507	2.79E-06	2.1E-05	3.46E-04	7.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	5.15631	2.79E-06	1.4E-05	3.46E-04	4.98E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	5.32784	2.79E-06	1.5E-05	3.46E-04	5.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	5.08847	2.79E-06	1.4E-05	3.46E-04	4.92E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	4.48746	2.79E-06	1.3E-05	3.46E-04	4.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	3.70423	2.79E-06	1.0E-05	3.46E-04	3.58E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	2.27586	2.79E-06	6.4E-06	3.46E-04	2.20E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	1.80386	2.79E-06	5.0E-06	3.46E-04	1.74E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	1.4729	2.79E-06	4.1E-06	3.46E-04	1.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	3.97612	2.79E-06	1.1E-05	3.46E-04	3.84E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	3.84712	2.79E-06	1.1E-05	3.46E-04	3.72E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	3.49197	2.79E-06	9.7E-06	3.46E-04	3.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	2.99181	2.79E-06	8.4E-06	3.46E-04	2.89E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	2.46097	2.79E-06	6.9E-06	3.46E-04	2.38E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	1.98429	2.79E-06	5.5E-06	3.46E-04	1.92E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	1.60941	2.79E-06	4.5E-06	3.46E-04	1.56E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	1.33038	2.79E-06	3.7E-06	3.46E-04	1.29E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	1.12147	2.79E-06	3.1E-06	3.46E-04	1.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	0.9619	2.79E-06	2.7E-06	3.46E-04	9.29E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	0.83726	2.79E-06	2.3E-06	3.46E-04	8.09E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	3.01304	2.79E-06	8.4E-06	3.46E-04	2.91E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	2.79015	2.79E-06	7.8E-06	3.46E-04	2.70E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	2.46155	2.79E-06	6.9E-06	3.46E-04	2.38E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	2.09308	2.79E-06	5.8E-06	3.46E-04	2.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	1.74111	2.79E-06	4.9E-06	3.46E-04	1.68E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	1.44352	2.79E-06	4.0E-06	3.46E-04	1.39E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	1.20919	2.79E-06	3.4E-06	3.46E-04	1.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	1.02971	2.79E-06	2.9E-06	3.46E-04	9.95E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	0.89008	2.79E-06	2.5E-06	3.46E-04	8.60E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	0.77927	2.79E-06	2.2E-06	3.46E-04	7.53E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	0.68942	2.79E-06	1.9E-06	3.46E-04	6.66E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	2.42353	2.79E-06	6.8E-06	3.46E-04	2.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	2.28157	2.79E-06	6.4E-06	3.46E-04	2.20E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	2.05739	2.79E-06	5.7E-06	3.46E-04	1.99E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	1.79647	2.79E-06	5.0E-06	3.46E-04	1.74E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	1.53138	2.79E-06	4.3E-06	3.46E-04	1.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	1.29692	2.79E-06	3.6E-06	3.46E-04	1.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	1.10384	2.79E-06	3.1E-06	3.46E-04	1.07E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	0.94899	2.79E-06	2.6E-06	3.46E-04	9.17E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	0.82592	2.79E-06	2.3E-06	3.46E-04	7.98E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	0.7271	2.79E-06	2.0E-06	3.46E-04	7.03E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	0.64609	2.79E-06	1.8E-06	3.46E-04	6.24E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	0.57874	2.79E-06	1.6E-06	3.46E-04	5.59E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	2.00556	2.79E-06	5.6E-06	3.46E-04	1.94E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	1.98994	2.79E-06	5.6E-06	3.46E-04	1.92E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	1.89817	2.79E-06	5.3E-06	3.46E-04	1.83E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	1.74421	2.79E-06	4.9E-06	3.46E-04	1.69E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	1.35401	2.79E-06	3.8E-06	3.46E-04	1.31E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	1.16792	2.79E-06	3.3E-06	3.46E-04	1.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	1.00839	2.79E-06	2.8E-06	3.46E-04	9.74E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	0.87525	2.79E-06	2.4E-06	3.46E-04	8.46E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	0.76716	2.79E-06	2.1E-06	3.46E-04	7.41E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	0.67915	2.79E-06	1.9E-06	3.46E-04	6.56E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	0.60638	2.79E-06	1.7E-06	3.46E-04	5.86E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	0.54571	2.79E-06	1.5E-06	3.46E-04	5.27E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	0.49318	2.79E-06	1.4E-06	3.46E-04	4.77E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	1.67024	2.79E-06	4.7E-06	3.46E-04	1.61E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	1.66556	2.79E-06	4.6E-06	3.46E-04	1.61E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	1.60396	2.79E-06	4.5E-06	3.46E-04	1.55E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	1.49611	2.79E-06	4.2E-06	3.46E-04	1.45E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	1.35575	2.79E-06	3.8E-06	3.46E-04	1.31E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	1.2004	2.79E-06	3.4E-06	3.46E-04	1.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	1.05259	2.79E-06	2.9E-06	3.46E-04	1.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	0.80787	2.79E-06	2.3E-06	3.46E-04	7.81E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	0.71277	2.79E-06	2.0E-06	3.46E-04	6.89E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	0.63453	2.79E-06	1.8E-06	3.46E-04	6.13E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	0.56944	2.79E-06	1.6E-06	3.46E-04	5.50E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	0.51453	2.79E-06	1.4E-06	3.46E-04	4.97E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	0.46772	2.79E-06	1.3E-06	3.46E-04	4.52E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	1.41253	2.79E-06	3.9E-06	3.46E-04	1.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	1.4147	2.79E-06	3.9E-06	3.46E-04	1.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	1.36966	2.79E-06	3.8E-06	3.46E-04	1.32E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	1.29362	2.79E-06	3.6E-06	3.46E-04	1.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	1.18978	2.79E-06	3.3E-06	3.46E-04	1.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	1.07205	2.79E-06	3.0E-06	3.46E-04	1.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	0.95382	2.79E-06	2.7E-06	3.46E-04	9.22E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	0.74581	2.79E-06	2.1E-06	3.46E-04	7.21E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	0.66283	2.79E-06	1.9E-06	3.46E-04	6.40E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	0.59332	2.79E-06	1.7E-06	3.46E-04	5.73E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	0.53536	2.79E-06	1.5E-06	3.46E-04	5.17E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	0.48525	2.79E-06	1.4E-06	3.46E-04	4.69E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	0.44296	2.79E-06	1.2E-06	3.46E-04	4.28E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	1.21091	2.79E-06	3.4E-06	3.46E-04	1.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	1.21605	2.79E-06	3.4E-06	3.46E-04	1.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	1.187	2.79E-06	3.3E-06	3.46E-04	1.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	1.12873	2.79E-06	3.2E-06	3.46E-04	1.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	1.05301	2.79E-06	2.9E-06	3.46E-04	1.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	0.96144	2.79E-06	2.7E-06	3.46E-04	9.29E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	0.866	2.79E-06	2.4E-06	3.46E-04	8.37E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	0.69116	2.79E-06	1.9E-06	3.46E-04	6.68E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	0.61848	2.79E-06	1.7E-06	3.46E-04	5.98E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	0.55659	2.79E-06	1.6E-06	3.46E-04	5.38E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	0.50399	2.79E-06	1.4E-06	3.46E-04	4.87E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	0.45847	2.79E-06	1.3E-06	3.46E-04	4.43E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	0.42006	2.79E-06	1.2E-06	3.46E-04	4.06E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	0.33055	2.79E-06	9.2E-07	3.46E-04	3.19E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	0.30741	2.79E-06	8.6E-07	3.46E-04	2.97E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	1.05027	2.79E-06	2.9E-06	3.46E-04	1.01E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	1.05688	2.79E-06	3.0E-06	3.46E-04	1.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	1.03843	2.79E-06	2.9E-06	3.46E-04	1.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	0.99497	2.79E-06	2.8E-06	3.46E-04	9.61E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	0.93641	2.79E-06	2.6E-06	3.46E-04	9.05E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	0.86439	2.79E-06	2.4E-06	3.46E-04	8.35E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	0.78603	2.79E-06	2.2E-06	3.46E-04	7.60E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	0.64001	2.79E-06	1.8E-06	3.46E-04	6.18E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	0.5768	2.79E-06	1.6E-06	3.46E-04	5.57E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	0.52176	2.79E-06	1.5E-06	3.46E-04	5.04E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	0.47446	2.79E-06	1.3E-06	3.46E-04	4.58E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	0.43377	2.79E-06	1.2E-06	3.46E-04	4.19E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	0.39874	2.79E-06	1.1E-06	3.46E-04	3.85E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	0.31587	2.79E-06	8.8E-07	3.46E-04	3.05E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	0.29482	2.79E-06	8.2E-07	3.46E-04	2.85E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	0.92021	2.79E-06	2.6E-06	3.46E-04	8.89E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	0.92737	2.79E-06	2.6E-06	3.46E-04	8.96E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	0.91568	2.79E-06	2.6E-06	3.46E-04	8.85E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	0.88333	2.79E-06	2.5E-06	3.46E-04	8.54E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	0.83703	2.79E-06	2.3E-06	3.46E-04	8.09E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	0.78037	2.79E-06	2.2E-06	3.46E-04	7.54E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	0.71822	2.79E-06	2.0E-06	3.46E-04	6.94E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	0.59422	2.79E-06	1.7E-06	3.46E-04	5.74E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	0.53938	2.79E-06	1.5E-06	3.46E-04	5.21E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	0.49032	2.79E-06	1.4E-06	3.46E-04	4.74E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	0.44789	2.79E-06	1.3E-06	3.46E-04	4.33E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	0.4109	2.79E-06	1.1E-06	3.46E-04	3.97E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	0.37881	2.79E-06	1.1E-06	3.46E-04	3.66E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	0.30239	2.79E-06	8.4E-07	3.46E-04	2.92E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	0.28268	2.79E-06	7.9E-07	3.46E-04	2.73E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	0.81335	2.79E-06	2.3E-06	3.46E-04	7.86E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	0.82062	2.79E-06	2.3E-06	3.46E-04	7.93E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	0.81316	2.79E-06	2.3E-06	3.46E-04	7.86E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	0.78897	2.79E-06	2.2E-06	3.46E-04	7.62E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	0.75416	2.79E-06	2.1E-06	3.46E-04	7.29E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	0.70873	2.79E-06	2.0E-06	3.46E-04	6.85E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	0.65778	2.79E-06	1.8E-06	3.46E-04	6.36E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	0.55304	2.79E-06	1.5E-06	3.46E-04	5.34E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	0.50567	2.79E-06	1.4E-06	3.46E-04	4.89E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	0.46156	2.79E-06	1.3E-06	3.46E-04	4.46E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	0.42344	2.79E-06	1.2E-06	3.46E-04	4.09E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	0.38974	2.79E-06	1.1E-06	3.46E-04	3.77E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	0.35999	2.79E-06	1.0E-06	3.46E-04	3.48E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	0.28958	2.79E-06	8.1E-07	3.46E-04	2.80E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	0.27109	2.79E-06	7.6E-07	3.46E-04	2.62E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	0.72461	2.79E-06	2.0E-06	3.46E-04	7.00E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	0.73158	2.79E-06	2.0E-06	3.46E-04	7.07E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	0.72694	2.79E-06	2.0E-06	3.46E-04	7.02E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	0.70965	2.79E-06	2.0E-06	3.46E-04	6.86E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	0.68146	2.79E-06	1.9E-06	3.46E-04	6.58E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	0.64623	2.79E-06	1.8E-06	3.46E-04	6.24E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	0.60447	2.79E-06	1.7E-06	3.46E-04	5.84E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	0.56066	2.79E-06	1.6E-06	3.46E-04	5.42E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	0.51596	2.79E-06	1.4E-06	3.46E-04	4.99E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	0.47418	2.79E-06	1.3E-06	3.46E-04	4.58E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	0.43547	2.79E-06	1.2E-06	3.46E-04	4.21E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	0.40078	2.79E-06	1.1E-06	3.46E-04	3.87E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	0.36993	2.79E-06	1.0E-06	3.46E-04	3.57E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	0.34287	2.79E-06	9.6E-07	3.46E-04	3.31E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	0.29639	2.79E-06	8.3E-07	3.46E-04	2.86E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	0.27735	2.79E-06	7.7E-07	3.46E-04	2.68E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.26015	2.79E-06	7.3E-07	3.46E-04	2.51E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	0.61941	2.79E-06	1.7E-06	3.46E-04	5.99E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	0.59058	2.79E-06	1.6E-06	3.46E-04	5.71E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	0.55576	2.79E-06	1.6E-06	3.46E-04	5.37E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	0.5198	2.79E-06	1.5E-06	3.46E-04	5.02E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	0.28355	2.79E-06	7.9E-07	3.46E-04	2.74E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	0.26587	2.79E-06	7.4E-07	3.46E-04	2.57E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.24985	2.79E-06	7.0E-07	3.46E-04	2.41E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	0.54176	2.79E-06	1.5E-06	3.46E-04	5.23E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	0.51381	2.79E-06	1.4E-06	3.46E-04	4.96E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	0.48244	2.79E-06	1.3E-06	3.46E-04	4.66E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	0.27158	2.79E-06	7.6E-07	3.46E-04	2.62E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	0.25499	2.79E-06	7.1E-07	3.46E-04	2.46E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.24005	2.79E-06	6.7E-07	3.46E-04	2.32E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	0.49849	2.79E-06	1.4E-06	3.46E-04	4.82E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	0.47523	2.79E-06	1.3E-06	3.46E-04	4.59E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	0.44868	2.79E-06	1.3E-06	3.46E-04	4.34E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	0.26011	2.79E-06	7.3E-07	3.46E-04	2.51E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	0.24447	2.79E-06	6.8E-07	3.46E-04	2.36E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.23062	2.79E-06	6.4E-07	3.46E-04	2.23E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	0.44076	2.79E-06	1.2E-06	3.46E-04	4.26E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	0.41804	2.79E-06	1.2E-06	3.46E-04	4.04E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	0.24934	2.79E-06	7.0E-07	3.46E-04	2.41E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.23484	2.79E-06	6.6E-07	3.46E-04	2.27E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.22189	2.79E-06	6.2E-07	3.46E-04	2.14E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	0.40994	2.79E-06	1.1E-06	3.46E-04	3.96E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	0.39095	2.79E-06	1.1E-06	3.46E-04	3.78E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	0.37052	2.79E-06	1.0E-06	3.46E-04	3.58E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	0.23932	2.79E-06	6.7E-07	3.46E-04	2.31E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.22571	2.79E-06	6.3E-07	3.46E-04	2.18E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.21372	2.79E-06	6.0E-07	3.46E-04	2.07E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	0.36603	2.79E-06	1.0E-06	3.46E-04	3.54E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	0.34821	2.79E-06	9.7E-07	3.46E-04	3.36E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.22982	2.79E-06	6.4E-07	3.46E-04	2.22E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.21713	2.79E-06	6.1E-07	3.46E-04	2.10E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.20587	2.79E-06	5.7E-07	3.46E-04	1.99E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	0.34318	2.79E-06	9.6E-07	3.46E-04	3.32E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	0.32803	2.79E-06	9.2E-07	3.46E-04	3.17E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.20905	2.79E-06	5.8E-07	3.46E-04	2.02E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.19827	2.79E-06	5.5E-07	3.46E-04	1.92E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	0.32243	2.79E-06	9.0E-07	3.46E-04	3.12E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	0.30951	2.79E-06	8.6E-07	3.46E-04	2.99E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	0.29503	2.79E-06	8.2E-07	3.46E-04	2.85E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.20133	2.79E-06	5.6E-07	3.46E-04	1.95E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.19117	2.79E-06	5.3E-07	3.46E-04	1.85E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	0.29217	2.79E-06	8.2E-07	3.46E-04	2.82E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	0.27955	2.79E-06	7.8E-07	3.46E-04	2.70E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.2156	2.79E-06	6.0E-07	3.46E-04	2.08E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.19405	2.79E-06	5.4E-07	3.46E-04	1.88E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.1845	2.79E-06	5.2E-07	3.46E-04	1.78E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	0.2759	2.79E-06	7.7E-07	3.46E-04	2.67E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	0.26511	2.79E-06	7.4E-07	3.46E-04	2.56E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	0.25336	2.79E-06	7.1E-07	3.46E-04	2.45E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	0.24157	2.79E-06	6.7E-07	3.46E-04	2.33E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	0.22956	2.79E-06	6.4E-07	3.46E-04	2.22E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.21815	2.79E-06	6.1E-07	3.46E-04	2.11E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.20716	2.79E-06	5.8E-07	3.46E-04	2.00E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.19687	2.79E-06	5.5E-07	3.46E-04	1.90E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.18719	2.79E-06	5.2E-07	3.46E-04	1.81E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.17816	2.79E-06	5.0E-07	3.46E-04	1.72E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	0.25149	2.79E-06	7.0E-07	3.46E-04	2.43E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	0.24146	2.79E-06	6.7E-07	3.46E-04	2.33E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	0.2308	2.79E-06	6.4E-07	3.46E-04	2.23E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	0.21998	2.79E-06	6.1E-07	3.46E-04	2.13E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	0.2094	2.79E-06	5.8E-07	3.46E-04	2.02E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.19924	2.79E-06	5.6E-07	3.46E-04	1.93E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.18969	2.79E-06	5.3E-07	3.46E-04	1.83E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.17215	2.79E-06	4.8E-07	3.46E-04	1.66E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.23937	2.79E-06	6.7E-07	3.46E-04	2.31E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	0.2298	2.79E-06	6.4E-07	3.46E-04	2.22E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	0.22061	2.79E-06	6.2E-07	3.46E-04	2.13E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	0.21081	2.79E-06	5.9E-07	3.46E-04	2.04E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	0.20111	2.79E-06	5.6E-07	3.46E-04	1.94E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.19172	2.79E-06	5.4E-07	3.46E-04	1.85E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.18282	2.79E-06	5.1E-07	3.46E-04	1.77E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.16643	2.79E-06	4.6E-07	3.46E-04	1.61E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.2281	2.79E-06	6.4E-07	3.46E-04	2.20E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.2197	2.79E-06	6.1E-07	3.46E-04	2.12E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	0.21082	2.79E-06	5.9E-07	3.46E-04	2.04E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	0.2019	2.79E-06	5.6E-07	3.46E-04	1.95E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	0.19325	2.79E-06	5.4E-07	3.46E-04	1.87E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.18458	2.79E-06	5.2E-07	3.46E-04	1.78E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.17615	2.79E-06	4.9E-07	3.46E-04	1.70E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.16096	2.79E-06	4.5E-07	3.46E-04	1.56E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.21002	2.79E-06	5.9E-07	3.46E-04	2.03E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.20215	2.79E-06	5.6E-07	3.46E-04	1.95E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.19395	2.79E-06	5.4E-07	3.46E-04	1.87E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.17706	2.79E-06	4.9E-07	3.46E-04	1.71E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.17771	2.79E-06	5.0E-07	3.46E-04	1.72E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.17019	2.79E-06	4.8E-07	3.46E-04	1.64E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.15585	2.79E-06	4.4E-07	3.46E-04	1.51E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.20091	2.79E-06	5.6E-07	3.46E-04	1.94E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.19379	2.79E-06	5.4E-07	3.46E-04	1.87E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.18644	2.79E-06	5.2E-07	3.46E-04	1.80E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.17892	2.79E-06	5.0E-07	3.46E-04	1.73E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.17147	2.79E-06	4.8E-07	3.46E-04	1.66E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.16422	2.79E-06	4.6E-07	3.46E-04	1.59E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.14148	2.79E-06	3.9E-07	3.46E-04	1.37E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.19239	2.79E-06	5.4E-07	3.46E-04	1.86E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.1859	2.79E-06	5.2E-07	3.46E-04	1.80E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.17917	2.79E-06	5.0E-07	3.46E-04	1.73E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.17232	2.79E-06	4.8E-07	3.46E-04	1.67E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.16547	2.79E-06	4.6E-07	3.46E-04	1.60E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.15881	2.79E-06	4.4E-07	3.46E-04	1.53E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.15232	2.79E-06	4.3E-07	3.46E-04	1.47E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	2.79E-06	0.0E+00	3.46E-04	0.00E+00	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.59113	2.79E-06	1.7E-06	1.05E-03	1.72E-09	2	1.57E-01	5.42E-10	1.0E+06	5.4E-04
2	0.67145	2.79E-06	1.9E-06	1.05E-03	1.96E-09	2	1.57E-01	6.16E-10	1.0E+06	6.2E-04
3	0.77053	2.79E-06	2.2E-06	1.05E-03	2.25E-09	2	1.57E-01	7.07E-10	1.0E+06	7.1E-04
4	0.89549	2.79E-06	2.5E-06	1.05E-03	2.61E-09	2	1.57E-01	8.21E-10	1.0E+06	8.2E-04
5	1.05679	2.79E-06	2.9E-06	1.05E-03	3.08E-09	2	1.57E-01	9.69E-10	1.0E+06	9.7E-04
6	1.27288	2.79E-06	3.6E-06	1.05E-03	3.71E-09	2	1.57E-01	1.17E-09	1.0E+06	1.2E-03
7	1.56989	2.79E-06	4.4E-06	1.05E-03	4.58E-09	2	1.57E-01	1.44E-09	1.0E+06	1.4E-03
8	1.99562	2.79E-06	5.6E-06	1.05E-03	5.82E-09	2	1.57E-01	1.83E-09	1.0E+06	1.8E-03
9	2.64603	2.79E-06	7.4E-06	1.05E-03	7.72E-09	2	1.57E-01	2.43E-09	1.0E+06	2.4E-03
10	3.72691	2.79E-06	1.0E-05	1.05E-03	1.09E-08	2	1.57E-01	3.42E-09	1.0E+06	3.4E-03
11	5.76976	2.79E-06	1.6E-05	1.05E-03	1.68E-08	2	1.57E-01	5.29E-09	1.0E+06	5.3E-03
12	10.55009	2.79E-06	2.9E-05	1.05E-03	3.08E-08	2	1.57E-01	9.67E-09	1.0E+06	9.7E-03
13	9.96513	2.79E-06	2.8E-05	1.05E-03	2.91E-08	2	1.57E-01	9.14E-09	1.0E+06	9.1E-03
14	9.10082	2.79E-06	2.5E-05	1.05E-03	2.66E-08	2	1.57E-01	8.35E-09	1.0E+06	8.3E-03
15	18.27209	2.79E-06	5.1E-05	1.05E-03	5.33E-08	2	1.57E-01	1.68E-08	1.0E+06	1.7E-02
16	20.7462	2.79E-06	5.8E-05	1.05E-03	6.05E-08	2	1.57E-01	1.90E-08	1.0E+06	1.9E-02
17	18.04186	2.79E-06	5.0E-05	1.05E-03	5.26E-08	2	1.57E-01	1.65E-08	1.0E+06	1.7E-02
18	19.66508	2.79E-06	5.5E-05	1.05E-03	5.74E-08	2	1.57E-01	1.80E-08	1.0E+06	1.8E-02
19	20.75422	2.79E-06	5.8E-05	1.05E-03	6.06E-08	2	1.57E-01	1.90E-08	1.0E+06	1.9E-02
20	10.83808	2.79E-06	3.0E-05	1.05E-03	3.16E-08	2	1.57E-01	9.94E-09	1.0E+06	9.9E-03
21	6.54683	2.79E-06	1.8E-05	1.05E-03	1.91E-08	2	1.57E-01	6.00E-09	1.0E+06	6.0E-03
22	4.38551	2.79E-06	1.2E-05	1.05E-03	1.28E-08	2	1.57E-01	4.02E-09	1.0E+06	4.0E-03
23	3.15537	2.79E-06	8.8E-06	1.05E-03	9.21E-09	2	1.57E-01	2.89E-09	1.0E+06	2.9E-03
24	2.38899	2.79E-06	6.7E-06	1.05E-03	6.97E-09	2	1.57E-01	2.19E-09	1.0E+06	2.2E-03
25	1.87837	2.79E-06	5.2E-06	1.05E-03	5.48E-09	2	1.57E-01	1.72E-09	1.0E+06	1.7E-03
26	1.52028	2.79E-06	4.2E-06	1.05E-03	4.44E-09	2	1.57E-01	1.39E-09	1.0E+06	1.4E-03
27	1.25867	2.79E-06	3.5E-06	1.05E-03	3.67E-09	2	1.57E-01	1.15E-09	1.0E+06	1.2E-03
28	1.06193	2.79E-06	3.0E-06	1.05E-03	3.10E-09	2	1.57E-01	9.74E-10	1.0E+06	9.7E-04
29	0.9095	2.79E-06	2.5E-06	1.05E-03	2.65E-09	2	1.57E-01	8.34E-10	1.0E+06	8.3E-04
30	0.78895	2.79E-06	2.2E-06	1.05E-03	2.30E-09	2	1.57E-01	7.23E-10	1.0E+06	7.2E-04
31	0.69217	2.79E-06	1.9E-06	1.05E-03	2.02E-09	2	1.57E-01	6.35E-10	1.0E+06	6.3E-04

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.61334	2.79E-06	1.7E-06	1.05E-03	1.79E-09	2	1.57E-01	5.62E-10	1.0E+06	5.6E-04
55	3.62477	2.79E-06	1.0E-05	1.05E-03	1.06E-08	2	1.57E-01	3.32E-09	1.0E+06	3.3E-03
56	2.67539	2.79E-06	7.5E-06	1.05E-03	7.81E-09	2	1.57E-01	2.45E-09	1.0E+06	2.5E-03
57	2.06847	2.79E-06	5.8E-06	1.05E-03	6.03E-09	2	1.57E-01	1.90E-09	1.0E+06	1.9E-03
58	1.65438	2.79E-06	4.6E-06	1.05E-03	4.83E-09	2	1.57E-01	1.52E-09	1.0E+06	1.5E-03
59	1.35944	2.79E-06	3.8E-06	1.05E-03	3.97E-09	2	1.57E-01	1.25E-09	1.0E+06	1.2E-03
60	1.14047	2.79E-06	3.2E-06	1.05E-03	3.33E-09	2	1.57E-01	1.05E-09	1.0E+06	1.0E-03
61	0.97155	2.79E-06	2.7E-06	1.05E-03	2.83E-09	2	1.57E-01	8.91E-10	1.0E+06	8.9E-04
62	0.83958	2.79E-06	2.3E-06	1.05E-03	2.45E-09	2	1.57E-01	7.70E-10	1.0E+06	7.7E-04
63	0.73371	2.79E-06	2.0E-06	1.05E-03	2.14E-09	2	1.57E-01	6.73E-10	1.0E+06	6.7E-04
64	0.64784	2.79E-06	1.8E-06	1.05E-03	1.89E-09	2	1.57E-01	5.94E-10	1.0E+06	5.9E-04
65	0.57725	2.79E-06	1.6E-06	1.05E-03	1.68E-09	2	1.57E-01	5.29E-10	1.0E+06	5.3E-04
66	0.51737	2.79E-06	1.4E-06	1.05E-03	1.51E-09	2	1.57E-01	4.74E-10	1.0E+06	4.7E-04
67	0.58733	2.79E-06	1.6E-06	1.05E-03	1.71E-09	2	1.57E-01	5.39E-10	1.0E+06	5.4E-04
68	0.66699	2.79E-06	1.9E-06	1.05E-03	1.95E-09	2	1.57E-01	6.12E-10	1.0E+06	6.1E-04
69	0.76549	2.79E-06	2.1E-06	1.05E-03	2.23E-09	2	1.57E-01	7.02E-10	1.0E+06	7.0E-04
70	0.88974	2.79E-06	2.5E-06	1.05E-03	2.60E-09	2	1.57E-01	8.16E-10	1.0E+06	8.2E-04
71	1.0491	2.79E-06	2.9E-06	1.05E-03	3.06E-09	2	1.57E-01	9.62E-10	1.0E+06	9.6E-04
72	1.26239	2.79E-06	3.5E-06	1.05E-03	3.68E-09	2	1.57E-01	1.16E-09	1.0E+06	1.2E-03
73	1.55436	2.79E-06	4.3E-06	1.05E-03	4.54E-09	2	1.57E-01	1.43E-09	1.0E+06	1.4E-03
74	1.97191	2.79E-06	5.5E-06	1.05E-03	5.75E-09	2	1.57E-01	1.81E-09	1.0E+06	1.8E-03
75	2.6041	2.79E-06	7.3E-06	1.05E-03	7.60E-09	2	1.57E-01	2.39E-09	1.0E+06	2.4E-03
76	3.64275	2.79E-06	1.0E-05	1.05E-03	1.06E-08	2	1.57E-01	3.34E-09	1.0E+06	3.3E-03
77	5.56438	2.79E-06	1.6E-05	1.05E-03	1.62E-08	2	1.57E-01	5.10E-09	1.0E+06	5.1E-03
78	9.89276	2.79E-06	2.8E-05	1.05E-03	2.89E-08	2	1.57E-01	9.07E-09	1.0E+06	9.1E-03
79	35.86817	2.79E-06	1.0E-04	1.05E-03	1.05E-07	2	1.57E-01	3.29E-08	1.0E+06	3.3E-02
80	24.60089	2.79E-06	6.9E-05	1.05E-03	7.18E-08	2	1.57E-01	2.26E-08	1.0E+06	2.3E-02
81	11.68959	2.79E-06	3.3E-05	1.05E-03	3.41E-08	2	1.57E-01	1.07E-08	1.0E+06	1.1E-02
82	6.39607	2.79E-06	1.8E-05	1.05E-03	1.87E-08	2	1.57E-01	5.86E-09	1.0E+06	5.9E-03
83	4.18603	2.79E-06	1.2E-05	1.05E-03	1.22E-08	2	1.57E-01	3.84E-09	1.0E+06	3.8E-03
84	3.0195	2.79E-06	8.4E-06	1.05E-03	8.81E-09	2	1.57E-01	2.77E-09	1.0E+06	2.8E-03

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	2.29803	2.79E-06	6.4E-06	1.05E-03	6.70E-09	2	1.57E-01	2.11E-09	1.0E+06	2.1E-03
86	1.81711	2.79E-06	5.1E-06	1.05E-03	5.30E-09	2	1.57E-01	1.67E-09	1.0E+06	1.7E-03
87	1.47998	2.79E-06	4.1E-06	1.05E-03	4.32E-09	2	1.57E-01	1.36E-09	1.0E+06	1.4E-03
88	1.23212	2.79E-06	3.4E-06	1.05E-03	3.59E-09	2	1.57E-01	1.13E-09	1.0E+06	1.1E-03
89	1.04515	2.79E-06	2.9E-06	1.05E-03	3.05E-09	2	1.57E-01	9.58E-10	1.0E+06	9.6E-04
90	0.89933	2.79E-06	2.5E-06	1.05E-03	2.62E-09	2	1.57E-01	8.25E-10	1.0E+06	8.2E-04
91	0.78231	2.79E-06	2.2E-06	1.05E-03	2.28E-09	2	1.57E-01	7.17E-10	1.0E+06	7.2E-04
92	0.68877	2.79E-06	1.9E-06	1.05E-03	2.01E-09	2	1.57E-01	6.32E-10	1.0E+06	6.3E-04
93	0.61099	2.79E-06	1.7E-06	1.05E-03	1.78E-09	2	1.57E-01	5.60E-10	1.0E+06	5.6E-04
96	1.39271	2.79E-06	3.9E-06	1.05E-03	4.06E-09	2	1.57E-01	1.28E-09	1.0E+06	1.3E-03
97	1.14879	2.79E-06	3.2E-06	1.05E-03	3.35E-09	2	1.57E-01	1.05E-09	1.0E+06	1.1E-03
98	1.13226	2.79E-06	3.2E-06	1.05E-03	3.30E-09	2	1.57E-01	1.04E-09	1.0E+06	1.0E-03
99	0.9674	2.79E-06	2.7E-06	1.05E-03	2.82E-09	2	1.57E-01	8.87E-10	1.0E+06	8.9E-04
100	0.83862	2.79E-06	2.3E-06	1.05E-03	2.45E-09	2	1.57E-01	7.69E-10	1.0E+06	7.7E-04
101	0.73521	2.79E-06	2.1E-06	1.05E-03	2.15E-09	2	1.57E-01	6.74E-10	1.0E+06	6.7E-04
102	0.64908	2.79E-06	1.8E-06	1.05E-03	1.89E-09	2	1.57E-01	5.95E-10	1.0E+06	6.0E-04
106	0.50176	2.79E-06	1.4E-06	1.05E-03	1.46E-09	2	1.57E-01	4.60E-10	1.0E+06	4.6E-04
107	0.56464	2.79E-06	1.6E-06	1.05E-03	1.65E-09	2	1.57E-01	5.18E-10	1.0E+06	5.2E-04
108	0.63768	2.79E-06	1.8E-06	1.05E-03	1.86E-09	2	1.57E-01	5.85E-10	1.0E+06	5.8E-04
109	0.72695	2.79E-06	2.0E-06	1.05E-03	2.12E-09	2	1.57E-01	6.67E-10	1.0E+06	6.7E-04
110	0.83773	2.79E-06	2.3E-06	1.05E-03	2.44E-09	2	1.57E-01	7.68E-10	1.0E+06	7.7E-04
111	0.97668	2.79E-06	2.7E-06	1.05E-03	2.85E-09	2	1.57E-01	8.96E-10	1.0E+06	9.0E-04
112	1.15741	2.79E-06	3.2E-06	1.05E-03	3.38E-09	2	1.57E-01	1.06E-09	1.0E+06	1.1E-03
113	1.39381	2.79E-06	3.9E-06	1.05E-03	4.07E-09	2	1.57E-01	1.28E-09	1.0E+06	1.3E-03
114	1.71284	2.79E-06	4.8E-06	1.05E-03	5.00E-09	2	1.57E-01	1.57E-09	1.0E+06	1.6E-03
115	2.15428	2.79E-06	6.0E-06	1.05E-03	6.29E-09	2	1.57E-01	1.98E-09	1.0E+06	2.0E-03
116	2.78431	2.79E-06	7.8E-06	1.05E-03	8.12E-09	2	1.57E-01	2.55E-09	1.0E+06	2.6E-03
117	3.74049	2.79E-06	1.0E-05	1.05E-03	1.09E-08	2	1.57E-01	3.43E-09	1.0E+06	3.4E-03
118	5.23591	2.79E-06	1.5E-05	1.05E-03	1.53E-08	2	1.57E-01	4.80E-09	1.0E+06	4.8E-03
124	0.4912	2.79E-06	1.4E-06	1.05E-03	1.43E-09	2	1.57E-01	4.50E-10	1.0E+06	4.5E-04
125	0.54849	2.79E-06	1.5E-06	1.05E-03	1.60E-09	2	1.57E-01	5.03E-10	1.0E+06	5.0E-04

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.61701	2.79E-06	1.7E-06	1.05E-03	1.80E-09	2	1.57E-01	5.66E-10	1.0E+06	5.7E-04
127	0.69994	2.79E-06	2.0E-06	1.05E-03	2.04E-09	2	1.57E-01	6.42E-10	1.0E+06	6.4E-04
128	0.80157	2.79E-06	2.2E-06	1.05E-03	2.34E-09	2	1.57E-01	7.35E-10	1.0E+06	7.4E-04
129	0.92714	2.79E-06	2.6E-06	1.05E-03	2.71E-09	2	1.57E-01	8.50E-10	1.0E+06	8.5E-04
130	1.08677	2.79E-06	3.0E-06	1.05E-03	3.17E-09	2	1.57E-01	9.97E-10	1.0E+06	1.0E-03
131	1.29048	2.79E-06	3.6E-06	1.05E-03	3.77E-09	2	1.57E-01	1.18E-09	1.0E+06	1.2E-03
132	1.55569	2.79E-06	4.3E-06	1.05E-03	4.54E-09	2	1.57E-01	1.43E-09	1.0E+06	1.4E-03
133	1.90738	2.79E-06	5.3E-06	1.05E-03	5.56E-09	2	1.57E-01	1.75E-09	1.0E+06	1.7E-03
134	2.38646	2.79E-06	6.7E-06	1.05E-03	6.96E-09	2	1.57E-01	2.19E-09	1.0E+06	2.2E-03
135	3.05561	2.79E-06	8.5E-06	1.05E-03	8.92E-09	2	1.57E-01	2.80E-09	1.0E+06	2.8E-03
136	3.99614	2.79E-06	1.1E-05	1.05E-03	1.17E-08	2	1.57E-01	3.66E-09	1.0E+06	3.7E-03
137	5.20427	2.79E-06	1.5E-05	1.05E-03	1.52E-08	2	1.57E-01	4.77E-09	1.0E+06	4.8E-03
138	6.43878	2.79E-06	1.8E-05	1.05E-03	1.88E-08	2	1.57E-01	5.90E-09	1.0E+06	5.9E-03
141	0.47679	2.79E-06	1.3E-06	1.05E-03	1.39E-09	2	1.57E-01	4.37E-10	1.0E+06	4.4E-04
142	0.53046	2.79E-06	1.5E-06	1.05E-03	1.55E-09	2	1.57E-01	4.86E-10	1.0E+06	4.9E-04
143	0.59404	2.79E-06	1.7E-06	1.05E-03	1.73E-09	2	1.57E-01	5.45E-10	1.0E+06	5.4E-04
144	0.67011	2.79E-06	1.9E-06	1.05E-03	1.96E-09	2	1.57E-01	6.14E-10	1.0E+06	6.1E-04
145	0.76192	2.79E-06	2.1E-06	1.05E-03	2.22E-09	2	1.57E-01	6.99E-10	1.0E+06	7.0E-04
146	0.87345	2.79E-06	2.4E-06	1.05E-03	2.55E-09	2	1.57E-01	8.01E-10	1.0E+06	8.0E-04
147	1.01191	2.79E-06	2.8E-06	1.05E-03	2.95E-09	2	1.57E-01	9.28E-10	1.0E+06	9.3E-04
148	1.18384	2.79E-06	3.3E-06	1.05E-03	3.45E-09	2	1.57E-01	1.09E-09	1.0E+06	1.1E-03
149	1.40073	2.79E-06	3.9E-06	1.05E-03	4.09E-09	2	1.57E-01	1.28E-09	1.0E+06	1.3E-03
150	1.67811	2.79E-06	4.7E-06	1.05E-03	4.90E-09	2	1.57E-01	1.54E-09	1.0E+06	1.5E-03
151	2.03934	2.79E-06	5.7E-06	1.05E-03	5.95E-09	2	1.57E-01	1.87E-09	1.0E+06	1.9E-03
152	2.51638	2.79E-06	7.0E-06	1.05E-03	7.34E-09	2	1.57E-01	2.31E-09	1.0E+06	2.3E-03
153	3.13763	2.79E-06	8.8E-06	1.05E-03	9.15E-09	2	1.57E-01	2.88E-09	1.0E+06	2.9E-03
154	3.88307	2.79E-06	1.1E-05	1.05E-03	1.13E-08	2	1.57E-01	3.56E-09	1.0E+06	3.6E-03
155	4.62277	2.79E-06	1.3E-05	1.05E-03	1.35E-08	2	1.57E-01	4.24E-09	1.0E+06	4.2E-03
164	3.01562	2.79E-06	8.4E-06	1.05E-03	8.80E-09	2	1.57E-01	2.77E-09	1.0E+06	2.8E-03
165	3.49033	2.79E-06	9.7E-06	1.05E-03	1.02E-08	2	1.57E-01	3.20E-09	1.0E+06	3.2E-03
166	3.84371	2.79E-06	1.1E-05	1.05E-03	1.12E-08	2	1.57E-01	3.52E-09	1.0E+06	3.5E-03

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	2.41354	2.79E-06	6.7E-06	1.05E-03	7.04E-09	2	1.57E-01	2.21E-09	1.0E+06	2.2E-03
179	2.73441	2.79E-06	7.6E-06	1.05E-03	7.98E-09	2	1.57E-01	2.51E-09	1.0E+06	2.5E-03
180	2.97757	2.79E-06	8.3E-06	1.05E-03	8.69E-09	2	1.57E-01	2.73E-09	1.0E+06	2.7E-03
192	1.97784	2.79E-06	5.5E-06	1.05E-03	5.77E-09	2	1.57E-01	1.81E-09	1.0E+06	1.8E-03
193	2.20339	2.79E-06	6.2E-06	1.05E-03	6.43E-09	2	1.57E-01	2.02E-09	1.0E+06	2.0E-03
194	2.37631	2.79E-06	6.6E-06	1.05E-03	6.93E-09	2	1.57E-01	2.18E-09	1.0E+06	2.2E-03
207	1.65189	2.79E-06	4.6E-06	1.05E-03	4.82E-09	2	1.57E-01	1.51E-09	1.0E+06	1.5E-03
208	1.8154	2.79E-06	5.1E-06	1.05E-03	5.30E-09	2	1.57E-01	1.66E-09	1.0E+06	1.7E-03
209	1.94209	2.79E-06	5.4E-06	1.05E-03	5.67E-09	2	1.57E-01	1.78E-09	1.0E+06	1.8E-03
223	1.40148	2.79E-06	3.9E-06	1.05E-03	4.09E-09	2	1.57E-01	1.29E-09	1.0E+06	1.3E-03
224	1.52316	2.79E-06	4.3E-06	1.05E-03	4.44E-09	2	1.57E-01	1.40E-09	1.0E+06	1.4E-03
225	1.6183	2.79E-06	4.5E-06	1.05E-03	4.72E-09	2	1.57E-01	1.48E-09	1.0E+06	1.5E-03
239	1.20484	2.79E-06	3.4E-06	1.05E-03	3.52E-09	2	1.57E-01	1.10E-09	1.0E+06	1.1E-03
240	1.29742	2.79E-06	3.6E-06	1.05E-03	3.79E-09	2	1.57E-01	1.19E-09	1.0E+06	1.2E-03
241	1.37049	2.79E-06	3.8E-06	1.05E-03	4.00E-09	2	1.57E-01	1.26E-09	1.0E+06	1.3E-03
255	1.0475	2.79E-06	2.9E-06	1.05E-03	3.06E-09	2	1.57E-01	9.61E-10	1.0E+06	9.6E-04
256	1.11936	2.79E-06	3.1E-06	1.05E-03	3.27E-09	2	1.57E-01	1.03E-09	1.0E+06	1.0E-03
272	0.91977	2.79E-06	2.6E-06	1.05E-03	2.68E-09	2	1.57E-01	8.43E-10	1.0E+06	8.4E-04
273	0.97629	2.79E-06	2.7E-06	1.05E-03	2.85E-09	2	1.57E-01	8.95E-10	1.0E+06	9.0E-04
289	0.81432	2.79E-06	2.3E-06	1.05E-03	2.38E-09	2	1.57E-01	7.47E-10	1.0E+06	7.5E-04
290	0.85949	2.79E-06	2.4E-06	1.05E-03	2.51E-09	2	1.57E-01	7.88E-10	1.0E+06	7.9E-04
306	0.72646	2.79E-06	2.0E-06	1.05E-03	2.12E-09	2	1.57E-01	6.66E-10	1.0E+06	6.7E-04
307	0.76301	2.79E-06	2.1E-06	1.05E-03	2.23E-09	2	1.57E-01	7.00E-10	1.0E+06	7.0E-04
323	0.65254	2.79E-06	1.8E-06	1.05E-03	1.90E-09	2	1.57E-01	5.98E-10	1.0E+06	6.0E-04
324	0.68247	2.79E-06	1.9E-06	1.05E-03	1.99E-09	2	1.57E-01	6.26E-10	1.0E+06	6.3E-04
342	0.58963	2.79E-06	1.6E-06	1.05E-03	1.72E-09	2	1.57E-01	5.41E-10	1.0E+06	5.4E-04
343	0.61439	2.79E-06	1.7E-06	1.05E-03	1.79E-09	2	1.57E-01	5.63E-10	1.0E+06	5.6E-04
344	0.63542	2.79E-06	1.8E-06	1.05E-03	1.85E-09	2	1.57E-01	5.83E-10	1.0E+06	5.8E-04
356	0.53582	2.79E-06	1.5E-06	1.05E-03	1.56E-09	2	1.57E-01	4.91E-10	1.0E+06	4.9E-04
357	0.55677	2.79E-06	1.6E-06	1.05E-03	1.62E-09	2	1.57E-01	5.11E-10	1.0E+06	5.1E-04
358	0.57422	2.79E-06	1.6E-06	1.05E-03	1.68E-09	2	1.57E-01	5.27E-10	1.0E+06	5.3E-04

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.48925	2.79E-06	1.4E-06	1.05E-03	1.43E-09	2	1.57E-01	4.49E-10	1.0E+06	4.5E-04
371	0.50702	2.79E-06	1.4E-06	1.05E-03	1.48E-09	2	1.57E-01	4.65E-10	1.0E+06	4.6E-04
372	0.52186	2.79E-06	1.5E-06	1.05E-03	1.52E-09	2	1.57E-01	4.79E-10	1.0E+06	4.8E-04
383	0.44878	2.79E-06	1.3E-06	1.05E-03	1.31E-09	2	1.57E-01	4.12E-10	1.0E+06	4.1E-04
384	0.46391	2.79E-06	1.3E-06	1.05E-03	1.35E-09	2	1.57E-01	4.25E-10	1.0E+06	4.3E-04
385	0.47668	2.79E-06	1.3E-06	1.05E-03	1.39E-09	2	1.57E-01	4.37E-10	1.0E+06	4.4E-04
396	0.41332	2.79E-06	1.2E-06	1.05E-03	1.21E-09	2	1.57E-01	3.79E-10	1.0E+06	3.8E-04
397	0.42633	2.79E-06	1.2E-06	1.05E-03	1.24E-09	2	1.57E-01	3.91E-10	1.0E+06	3.9E-04
398	0.43741	2.79E-06	1.2E-06	1.05E-03	1.28E-09	2	1.57E-01	4.01E-10	1.0E+06	4.0E-04
399	0.44577	2.79E-06	1.2E-06	1.05E-03	1.30E-09	2	1.57E-01	4.09E-10	1.0E+06	4.1E-04
411	0.38212	2.79E-06	1.1E-06	1.05E-03	1.11E-09	2	1.57E-01	3.50E-10	1.0E+06	3.5E-04
412	0.39341	2.79E-06	1.1E-06	1.05E-03	1.15E-09	2	1.57E-01	3.61E-10	1.0E+06	3.6E-04
413	0.40289	2.79E-06	1.1E-06	1.05E-03	1.18E-09	2	1.57E-01	3.69E-10	1.0E+06	3.7E-04
414	0.41043	2.79E-06	1.1E-06	1.05E-03	1.20E-09	2	1.57E-01	3.76E-10	1.0E+06	3.8E-04
426	0.35445	2.79E-06	9.9E-07	1.05E-03	1.03E-09	2	1.57E-01	3.25E-10	1.0E+06	3.3E-04
427	0.36427	2.79E-06	1.0E-06	1.05E-03	1.06E-09	2	1.57E-01	3.34E-10	1.0E+06	3.3E-04
428	0.37281	2.79E-06	1.0E-06	1.05E-03	1.09E-09	2	1.57E-01	3.42E-10	1.0E+06	3.4E-04
429	0.37938	2.79E-06	1.1E-06	1.05E-03	1.11E-09	2	1.57E-01	3.48E-10	1.0E+06	3.5E-04
439	0.32987	2.79E-06	9.2E-07	1.05E-03	9.62E-10	2	1.57E-01	3.02E-10	1.0E+06	3.0E-04
440	0.33848	2.79E-06	9.4E-07	1.05E-03	9.88E-10	2	1.57E-01	3.10E-10	1.0E+06	3.1E-04
441	0.34594	2.79E-06	9.7E-07	1.05E-03	1.01E-09	2	1.57E-01	3.17E-10	1.0E+06	3.2E-04
442	0.35183	2.79E-06	9.8E-07	1.05E-03	1.03E-09	2	1.57E-01	3.23E-10	1.0E+06	3.2E-04
443	0.35566	2.79E-06	9.9E-07	1.05E-03	1.04E-09	2	1.57E-01	3.26E-10	1.0E+06	3.3E-04
454	0.30788	2.79E-06	8.6E-07	1.05E-03	8.98E-10	2	1.57E-01	2.82E-10	1.0E+06	2.8E-04
455	0.31546	2.79E-06	8.8E-07	1.05E-03	9.20E-10	2	1.57E-01	2.89E-10	1.0E+06	2.9E-04
456	0.32206	2.79E-06	9.0E-07	1.05E-03	9.40E-10	2	1.57E-01	2.95E-10	1.0E+06	3.0E-04
457	0.32733	2.79E-06	9.1E-07	1.05E-03	9.55E-10	2	1.57E-01	3.00E-10	1.0E+06	3.0E-04
458	0.33088	2.79E-06	9.2E-07	1.05E-03	9.65E-10	2	1.57E-01	3.03E-10	1.0E+06	3.0E-04
469	0.28818	2.79E-06	8.0E-07	1.05E-03	8.41E-10	2	1.57E-01	2.64E-10	1.0E+06	2.6E-04
470	0.29495	2.79E-06	8.2E-07	1.05E-03	8.61E-10	2	1.57E-01	2.70E-10	1.0E+06	2.7E-04
471	0.30081	2.79E-06	8.4E-07	1.05E-03	8.78E-10	2	1.57E-01	2.76E-10	1.0E+06	2.8E-04

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.30557	2.79E-06	8.5E-07	1.05E-03	8.92E-10	2	1.57E-01	2.80E-10	1.0E+06	2.8E-04
473	0.30886	2.79E-06	8.6E-07	1.05E-03	9.01E-10	2	1.57E-01	2.83E-10	1.0E+06	2.8E-04
489	0.27035	2.79E-06	7.5E-07	1.05E-03	7.89E-10	2	1.57E-01	2.48E-10	1.0E+06	2.5E-04
490	0.27636	2.79E-06	7.7E-07	1.05E-03	8.06E-10	2	1.57E-01	2.53E-10	1.0E+06	2.5E-04
491	0.28164	2.79E-06	7.9E-07	1.05E-03	8.22E-10	2	1.57E-01	2.58E-10	1.0E+06	2.6E-04
492	0.28593	2.79E-06	8.0E-07	1.05E-03	8.34E-10	2	1.57E-01	2.62E-10	1.0E+06	2.6E-04
493	0.28894	2.79E-06	8.1E-07	1.05E-03	8.43E-10	2	1.57E-01	2.65E-10	1.0E+06	2.6E-04
494	0.29045	2.79E-06	8.1E-07	1.05E-03	8.47E-10	2	1.57E-01	2.66E-10	1.0E+06	2.7E-04
509	0.2543	2.79E-06	7.1E-07	1.05E-03	7.42E-10	2	1.57E-01	2.33E-10	1.0E+06	2.3E-04
510	0.25967	2.79E-06	7.2E-07	1.05E-03	7.58E-10	2	1.57E-01	2.38E-10	1.0E+06	2.4E-04
511	0.26446	2.79E-06	7.4E-07	1.05E-03	7.72E-10	2	1.57E-01	2.43E-10	1.0E+06	2.4E-04
512	0.26836	2.79E-06	7.5E-07	1.05E-03	7.83E-10	2	1.57E-01	2.46E-10	1.0E+06	2.5E-04
513	0.27109	2.79E-06	7.6E-07	1.05E-03	7.91E-10	2	1.57E-01	2.49E-10	1.0E+06	2.5E-04
514	0.27259	2.79E-06	7.6E-07	1.05E-03	7.95E-10	2	1.57E-01	2.50E-10	1.0E+06	2.5E-04
515	0.2709	2.79E-06	7.6E-07	1.05E-03	7.90E-10	2	1.57E-01	2.48E-10	1.0E+06	2.5E-04
516	0.26744	2.79E-06	7.5E-07	1.05E-03	7.80E-10	2	1.57E-01	2.45E-10	1.0E+06	2.5E-04
517	0.26246	2.79E-06	7.3E-07	1.05E-03	7.66E-10	2	1.57E-01	2.41E-10	1.0E+06	2.4E-04
518	0.25601	2.79E-06	7.1E-07	1.05E-03	7.47E-10	2	1.57E-01	2.35E-10	1.0E+06	2.3E-04
519	0.24835	2.79E-06	6.9E-07	1.05E-03	7.25E-10	2	1.57E-01	2.28E-10	1.0E+06	2.3E-04
528	0.23974	2.79E-06	6.7E-07	1.05E-03	6.99E-10	2	1.57E-01	2.20E-10	1.0E+06	2.2E-04
529	0.24457	2.79E-06	6.8E-07	1.05E-03	7.14E-10	2	1.57E-01	2.24E-10	1.0E+06	2.2E-04
530	0.24887	2.79E-06	6.9E-07	1.05E-03	7.26E-10	2	1.57E-01	2.28E-10	1.0E+06	2.3E-04
531	0.25244	2.79E-06	7.0E-07	1.05E-03	7.37E-10	2	1.57E-01	2.31E-10	1.0E+06	2.3E-04
532	0.25502	2.79E-06	7.1E-07	1.05E-03	7.44E-10	2	1.57E-01	2.34E-10	1.0E+06	2.3E-04
533	0.25645	2.79E-06	7.2E-07	1.05E-03	7.48E-10	2	1.57E-01	2.35E-10	1.0E+06	2.4E-04
534	0.25521	2.79E-06	7.1E-07	1.05E-03	7.45E-10	2	1.57E-01	2.34E-10	1.0E+06	2.3E-04
535	0.25237	2.79E-06	7.0E-07	1.05E-03	7.36E-10	2	1.57E-01	2.31E-10	1.0E+06	2.3E-04
536	0.24819	2.79E-06	6.9E-07	1.05E-03	7.24E-10	2	1.57E-01	2.28E-10	1.0E+06	2.3E-04
537	0.24255	2.79E-06	6.8E-07	1.05E-03	7.08E-10	2	1.57E-01	2.22E-10	1.0E+06	2.2E-04
538	0.23578	2.79E-06	6.6E-07	1.05E-03	6.88E-10	2	1.57E-01	2.16E-10	1.0E+06	2.2E-04
547	0.22647	2.79E-06	6.3E-07	1.05E-03	6.61E-10	2	1.57E-01	2.08E-10	1.0E+06	2.1E-04

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.23082	2.79E-06	6.4E-07	1.05E-03	6.73E-10	2	1.57E-01	2.12E-10	1.0E+06	2.1E-04
549	0.23476	2.79E-06	6.6E-07	1.05E-03	6.85E-10	2	1.57E-01	2.15E-10	1.0E+06	2.2E-04
550	0.23796	2.79E-06	6.6E-07	1.05E-03	6.94E-10	2	1.57E-01	2.18E-10	1.0E+06	2.2E-04
551	0.24039	2.79E-06	6.7E-07	1.05E-03	7.01E-10	2	1.57E-01	2.20E-10	1.0E+06	2.2E-04
552	0.24178	2.79E-06	6.7E-07	1.05E-03	7.05E-10	2	1.57E-01	2.22E-10	1.0E+06	2.2E-04
553	0.24204	2.79E-06	6.8E-07	1.05E-03	7.06E-10	2	1.57E-01	2.22E-10	1.0E+06	2.2E-04
554	0.24097	2.79E-06	6.7E-07	1.05E-03	7.03E-10	2	1.57E-01	2.21E-10	1.0E+06	2.2E-04
555	0.23865	2.79E-06	6.7E-07	1.05E-03	6.96E-10	2	1.57E-01	2.19E-10	1.0E+06	2.2E-04
556	0.23513	2.79E-06	6.6E-07	1.05E-03	6.86E-10	2	1.57E-01	2.16E-10	1.0E+06	2.2E-04
557	0.2302	2.79E-06	6.4E-07	1.05E-03	6.72E-10	2	1.57E-01	2.11E-10	1.0E+06	2.1E-04
558	0.22432	2.79E-06	6.3E-07	1.05E-03	6.54E-10	2	1.57E-01	2.06E-10	1.0E+06	2.1E-04
559	0.21749	2.79E-06	6.1E-07	1.05E-03	6.35E-10	2	1.57E-01	1.99E-10	1.0E+06	2.0E-04
567	0.21437	2.79E-06	6.0E-07	1.05E-03	6.25E-10	2	1.57E-01	1.97E-10	1.0E+06	2.0E-04
568	0.21834	2.79E-06	6.1E-07	1.05E-03	6.37E-10	2	1.57E-01	2.00E-10	1.0E+06	2.0E-04
569	0.22189	2.79E-06	6.2E-07	1.05E-03	6.47E-10	2	1.57E-01	2.03E-10	1.0E+06	2.0E-04
570	0.22487	2.79E-06	6.3E-07	1.05E-03	6.56E-10	2	1.57E-01	2.06E-10	1.0E+06	2.1E-04
571	0.22711	2.79E-06	6.3E-07	1.05E-03	6.63E-10	2	1.57E-01	2.08E-10	1.0E+06	2.1E-04
572	0.22847	2.79E-06	6.4E-07	1.05E-03	6.67E-10	2	1.57E-01	2.09E-10	1.0E+06	2.1E-04
573	0.22881	2.79E-06	6.4E-07	1.05E-03	6.68E-10	2	1.57E-01	2.10E-10	1.0E+06	2.1E-04
574	0.22608	2.79E-06	6.3E-07	1.05E-03	6.60E-10	2	1.57E-01	2.07E-10	1.0E+06	2.1E-04
575	0.22306	2.79E-06	6.2E-07	1.05E-03	6.51E-10	2	1.57E-01	2.05E-10	1.0E+06	2.0E-04
576	0.2189	2.79E-06	6.1E-07	1.05E-03	6.39E-10	2	1.57E-01	2.01E-10	1.0E+06	2.0E-04
577	0.21372	2.79E-06	6.0E-07	1.05E-03	6.24E-10	2	1.57E-01	1.96E-10	1.0E+06	2.0E-04
578	0.20766	2.79E-06	5.8E-07	1.05E-03	6.06E-10	2	1.57E-01	1.90E-10	1.0E+06	1.9E-04
586	0.20323	2.79E-06	5.7E-07	1.05E-03	5.93E-10	2	1.57E-01	1.86E-10	1.0E+06	1.9E-04
587	0.20682	2.79E-06	5.8E-07	1.05E-03	6.03E-10	2	1.57E-01	1.90E-10	1.0E+06	1.9E-04
588	0.21009	2.79E-06	5.9E-07	1.05E-03	6.13E-10	2	1.57E-01	1.93E-10	1.0E+06	1.9E-04
589	0.21283	2.79E-06	5.9E-07	1.05E-03	6.21E-10	2	1.57E-01	1.95E-10	1.0E+06	2.0E-04
590	0.21492	2.79E-06	6.0E-07	1.05E-03	6.27E-10	2	1.57E-01	1.97E-10	1.0E+06	2.0E-04
591	0.21623	2.79E-06	6.0E-07	1.05E-03	6.31E-10	2	1.57E-01	1.98E-10	1.0E+06	2.0E-04
592	0.21665	2.79E-06	6.0E-07	1.05E-03	6.32E-10	2	1.57E-01	1.99E-10	1.0E+06	2.0E-04

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.21448	2.79E-06	6.0E-07	1.05E-03	6.26E-10	2	1.57E-01	1.97E-10	1.0E+06	2.0E-04
594	0.21193	2.79E-06	5.9E-07	1.05E-03	6.18E-10	2	1.57E-01	1.94E-10	1.0E+06	1.9E-04
595	0.20827	2.79E-06	5.8E-07	1.05E-03	6.08E-10	2	1.57E-01	1.91E-10	1.0E+06	1.9E-04
596	0.20369	2.79E-06	5.7E-07	1.05E-03	5.94E-10	2	1.57E-01	1.87E-10	1.0E+06	1.9E-04
597	0.19836	2.79E-06	5.5E-07	1.05E-03	5.79E-10	2	1.57E-01	1.82E-10	1.0E+06	1.8E-04
345	0.6499	2.79E-06	1.8E-06	1.05E-03	1.90E-09	2	1.57E-01	5.96E-10	1.0E+06	6.0E-04
346	0.65657	2.79E-06	1.8E-06	1.05E-03	1.92E-09	2	1.57E-01	6.02E-10	1.0E+06	6.0E-04
347	0.65378	2.79E-06	1.8E-06	1.05E-03	1.91E-09	2	1.57E-01	5.99E-10	1.0E+06	6.0E-04
348	0.64121	2.79E-06	1.8E-06	1.05E-03	1.87E-09	2	1.57E-01	5.88E-10	1.0E+06	5.9E-04
359	0.5866	2.79E-06	1.6E-06	1.05E-03	1.71E-09	2	1.57E-01	5.38E-10	1.0E+06	5.4E-04
360	0.59232	2.79E-06	1.7E-06	1.05E-03	1.73E-09	2	1.57E-01	5.43E-10	1.0E+06	5.4E-04
361	0.59119	2.79E-06	1.7E-06	1.05E-03	1.72E-09	2	1.57E-01	5.42E-10	1.0E+06	5.4E-04
362	0.58152	2.79E-06	1.6E-06	1.05E-03	1.70E-09	2	1.57E-01	5.33E-10	1.0E+06	5.3E-04
363	0.56494	2.79E-06	1.6E-06	1.05E-03	1.65E-09	2	1.57E-01	5.18E-10	1.0E+06	5.2E-04
373	0.5382	2.79E-06	1.5E-06	1.05E-03	1.57E-09	2	1.57E-01	4.94E-10	1.0E+06	4.9E-04
374	0.53757	2.79E-06	1.5E-06	1.05E-03	1.57E-09	2	1.57E-01	4.93E-10	1.0E+06	4.9E-04
375	0.53035	2.79E-06	1.5E-06	1.05E-03	1.55E-09	2	1.57E-01	4.86E-10	1.0E+06	4.9E-04
376	0.5171	2.79E-06	1.4E-06	1.05E-03	1.51E-09	2	1.57E-01	4.74E-10	1.0E+06	4.7E-04
386	0.49126	2.79E-06	1.4E-06	1.05E-03	1.43E-09	2	1.57E-01	4.50E-10	1.0E+06	4.5E-04
387	0.49137	2.79E-06	1.4E-06	1.05E-03	1.43E-09	2	1.57E-01	4.51E-10	1.0E+06	4.5E-04
388	0.48592	2.79E-06	1.4E-06	1.05E-03	1.42E-09	2	1.57E-01	4.46E-10	1.0E+06	4.5E-04
389	0.4754	2.79E-06	1.3E-06	1.05E-03	1.39E-09	2	1.57E-01	4.36E-10	1.0E+06	4.4E-04
390	0.46025	2.79E-06	1.3E-06	1.05E-03	1.34E-09	2	1.57E-01	4.22E-10	1.0E+06	4.2E-04
400	0.45057	2.79E-06	1.3E-06	1.05E-03	1.31E-09	2	1.57E-01	4.13E-10	1.0E+06	4.1E-04
401	0.45085	2.79E-06	1.3E-06	1.05E-03	1.32E-09	2	1.57E-01	4.13E-10	1.0E+06	4.1E-04
402	0.44712	2.79E-06	1.2E-06	1.05E-03	1.30E-09	2	1.57E-01	4.10E-10	1.0E+06	4.1E-04
403	0.43857	2.79E-06	1.2E-06	1.05E-03	1.28E-09	2	1.57E-01	4.02E-10	1.0E+06	4.0E-04
404	0.42592	2.79E-06	1.2E-06	1.05E-03	1.24E-09	2	1.57E-01	3.91E-10	1.0E+06	3.9E-04
415	0.41485	2.79E-06	1.2E-06	1.05E-03	1.21E-09	2	1.57E-01	3.80E-10	1.0E+06	3.8E-04
416	0.41575	2.79E-06	1.2E-06	1.05E-03	1.21E-09	2	1.57E-01	3.81E-10	1.0E+06	3.8E-04
417	0.41274	2.79E-06	1.2E-06	1.05E-03	1.20E-09	2	1.57E-01	3.78E-10	1.0E+06	3.8E-04

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.4063	2.79E-06	1.1E-06	1.05E-03	1.19E-09	2	1.57E-01	3.73E-10	1.0E+06	3.7E-04
419	0.39617	2.79E-06	1.1E-06	1.05E-03	1.16E-09	2	1.57E-01	3.63E-10	1.0E+06	3.6E-04
420	0.38179	2.79E-06	1.1E-06	1.05E-03	1.11E-09	2	1.57E-01	3.50E-10	1.0E+06	3.5E-04
430	0.38445	2.79E-06	1.1E-06	1.05E-03	1.12E-09	2	1.57E-01	3.53E-10	1.0E+06	3.5E-04
431	0.38264	2.79E-06	1.1E-06	1.05E-03	1.12E-09	2	1.57E-01	3.51E-10	1.0E+06	3.5E-04
432	0.37737	2.79E-06	1.1E-06	1.05E-03	1.10E-09	2	1.57E-01	3.46E-10	1.0E+06	3.5E-04
433	0.36887	2.79E-06	1.0E-06	1.05E-03	1.08E-09	2	1.57E-01	3.38E-10	1.0E+06	3.4E-04
434	0.35739	2.79E-06	1.0E-06	1.05E-03	1.04E-09	2	1.57E-01	3.28E-10	1.0E+06	3.3E-04
444	0.35703	2.79E-06	1.0E-06	1.05E-03	1.04E-09	2	1.57E-01	3.27E-10	1.0E+06	3.3E-04
445	0.35551	2.79E-06	9.9E-07	1.05E-03	1.04E-09	2	1.57E-01	3.26E-10	1.0E+06	3.3E-04
446	0.35136	2.79E-06	9.8E-07	1.05E-03	1.03E-09	2	1.57E-01	3.22E-10	1.0E+06	3.2E-04
447	0.34437	2.79E-06	9.6E-07	1.05E-03	1.00E-09	2	1.57E-01	3.16E-10	1.0E+06	3.2E-04
448	0.33472	2.79E-06	9.3E-07	1.05E-03	9.77E-10	2	1.57E-01	3.07E-10	1.0E+06	3.1E-04
459	0.33137	2.79E-06	9.2E-07	1.05E-03	9.67E-10	2	1.57E-01	3.04E-10	1.0E+06	3.0E-04
460	0.32801	2.79E-06	9.2E-07	1.05E-03	9.57E-10	2	1.57E-01	3.01E-10	1.0E+06	3.0E-04
461	0.32215	2.79E-06	9.0E-07	1.05E-03	9.40E-10	2	1.57E-01	2.95E-10	1.0E+06	3.0E-04
462	0.31398	2.79E-06	8.8E-07	1.05E-03	9.16E-10	2	1.57E-01	2.88E-10	1.0E+06	2.9E-04
463	0.30374	2.79E-06	8.5E-07	1.05E-03	8.86E-10	2	1.57E-01	2.79E-10	1.0E+06	2.8E-04
474	0.30965	2.79E-06	8.6E-07	1.05E-03	9.03E-10	2	1.57E-01	2.84E-10	1.0E+06	2.8E-04
475	0.30693	2.79E-06	8.6E-07	1.05E-03	8.96E-10	2	1.57E-01	2.81E-10	1.0E+06	2.8E-04
476	0.30216	2.79E-06	8.4E-07	1.05E-03	8.82E-10	2	1.57E-01	2.77E-10	1.0E+06	2.8E-04
477	0.29517	2.79E-06	8.2E-07	1.05E-03	8.61E-10	2	1.57E-01	2.71E-10	1.0E+06	2.7E-04
478	0.28641	2.79E-06	8.0E-07	1.05E-03	8.36E-10	2	1.57E-01	2.63E-10	1.0E+06	2.6E-04
495	0.2902	2.79E-06	8.1E-07	1.05E-03	8.47E-10	2	1.57E-01	2.66E-10	1.0E+06	2.7E-04
496	0.28799	2.79E-06	8.0E-07	1.05E-03	8.40E-10	2	1.57E-01	2.64E-10	1.0E+06	2.6E-04
497	0.28399	2.79E-06	7.9E-07	1.05E-03	8.29E-10	2	1.57E-01	2.60E-10	1.0E+06	2.6E-04
498	0.27811	2.79E-06	7.8E-07	1.05E-03	8.11E-10	2	1.57E-01	2.55E-10	1.0E+06	2.6E-04
499	0.27057	2.79E-06	7.6E-07	1.05E-03	7.89E-10	2	1.57E-01	2.48E-10	1.0E+06	2.5E-04
500	0.26167	2.79E-06	7.3E-07	1.05E-03	7.63E-10	2	1.57E-01	2.40E-10	1.0E+06	2.4E-04

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction							
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
139	7.28168	2.79E-06	2.0E-05	1.05E-03	2.12E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	7.49507	2.79E-06	2.1E-05	1.05E-03	2.19E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	5.15631	2.79E-06	1.4E-05	1.05E-03	1.50E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	5.32784	2.79E-06	1.5E-05	1.05E-03	1.55E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	5.08847	2.79E-06	1.4E-05	1.05E-03	1.48E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	4.48746	2.79E-06	1.3E-05	1.05E-03	1.31E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	3.70423	2.79E-06	1.0E-05	1.05E-03	1.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	2.27586	2.79E-06	6.4E-06	1.05E-03	6.64E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	1.80386	2.79E-06	5.0E-06	1.05E-03	5.26E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	1.4729	2.79E-06	4.1E-06	1.05E-03	4.30E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	3.97612	2.79E-06	1.1E-05	1.05E-03	1.16E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	3.84712	2.79E-06	1.1E-05	1.05E-03	1.12E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	3.49197	2.79E-06	9.7E-06	1.05E-03	1.02E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	2.99181	2.79E-06	8.4E-06	1.05E-03	8.73E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	2.46097	2.79E-06	6.9E-06	1.05E-03	7.18E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	1.98429	2.79E-06	5.5E-06	1.05E-03	5.79E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	1.60941	2.79E-06	4.5E-06	1.05E-03	4.70E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	1.33038	2.79E-06	3.7E-06	1.05E-03	3.88E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	1.12147	2.79E-06	3.1E-06	1.05E-03	3.27E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	0.9619	2.79E-06	2.7E-06	1.05E-03	2.81E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	0.83726	2.79E-06	2.3E-06	1.05E-03	2.44E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	3.01304	2.79E-06	8.4E-06	1.05E-03	8.79E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	2.79015	2.79E-06	7.8E-06	1.05E-03	8.14E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	2.46155	2.79E-06	6.9E-06	1.05E-03	7.18E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	2.09308	2.79E-06	5.8E-06	1.05E-03	6.11E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	1.74111	2.79E-06	4.9E-06	1.05E-03	5.08E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	1.44352	2.79E-06	4.0E-06	1.05E-03	4.21E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	1.20919	2.79E-06	3.4E-06	1.05E-03	3.53E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	1.02971	2.79E-06	2.9E-06	1.05E-03	3.00E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	0.89008	2.79E-06	2.5E-06	1.05E-03	2.60E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	0.77927	2.79E-06	2.2E-06	1.05E-03	2.27E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	0.68942	2.79E-06	1.9E-06	1.05E-03	2.01E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	2.42353	2.79E-06	6.8E-06	1.05E-03	7.07E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	2.28157	2.79E-06	6.4E-06	1.05E-03	6.66E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	2.05739	2.79E-06	5.7E-06	1.05E-03	6.00E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	1.79647	2.79E-06	5.0E-06	1.05E-03	5.24E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	1.53138	2.79E-06	4.3E-06	1.05E-03	4.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	1.29692	2.79E-06	3.6E-06	1.05E-03	3.78E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	1.10384	2.79E-06	3.1E-06	1.05E-03	3.22E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	0.94899	2.79E-06	2.6E-06	1.05E-03	2.77E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	0.82592	2.79E-06	2.3E-06	1.05E-03	2.41E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	0.7271	2.79E-06	2.0E-06	1.05E-03	2.12E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	0.64609	2.79E-06	1.8E-06	1.05E-03	1.89E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	0.57874	2.79E-06	1.6E-06	1.05E-03	1.69E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	2.00556	2.79E-06	5.6E-06	1.05E-03	5.85E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	1.98994	2.79E-06	5.6E-06	1.05E-03	5.81E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	1.89817	2.79E-06	5.3E-06	1.05E-03	5.54E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	1.74421	2.79E-06	4.9E-06	1.05E-03	5.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	1.35401	2.79E-06	3.8E-06	1.05E-03	3.95E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	1.16792	2.79E-06	3.3E-06	1.05E-03	3.41E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	1.00839	2.79E-06	2.8E-06	1.05E-03	2.94E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	0.87525	2.79E-06	2.4E-06	1.05E-03	2.55E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	0.76716	2.79E-06	2.1E-06	1.05E-03	2.24E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	0.67915	2.79E-06	1.9E-06	1.05E-03	1.98E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	0.60638	2.79E-06	1.7E-06	1.05E-03	1.77E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	0.54571	2.79E-06	1.5E-06	1.05E-03	1.59E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	0.49318	2.79E-06	1.4E-06	1.05E-03	1.44E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	1.67024	2.79E-06	4.7E-06	1.05E-03	4.87E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	1.66556	2.79E-06	4.6E-06	1.05E-03	4.86E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	1.60396	2.79E-06	4.5E-06	1.05E-03	4.68E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	1.49611	2.79E-06	4.2E-06	1.05E-03	4.37E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	1.35575	2.79E-06	3.8E-06	1.05E-03	3.96E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	1.2004	2.79E-06	3.4E-06	1.05E-03	3.50E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	1.05259	2.79E-06	2.9E-06	1.05E-03	3.07E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	0.80787	2.79E-06	2.3E-06	1.05E-03	2.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	0.71277	2.79E-06	2.0E-06	1.05E-03	2.08E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	0.63453	2.79E-06	1.8E-06	1.05E-03	1.85E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	0.56944	2.79E-06	1.6E-06	1.05E-03	1.66E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	0.51453	2.79E-06	1.4E-06	1.05E-03	1.50E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	0.46772	2.79E-06	1.3E-06	1.05E-03	1.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	1.41253	2.79E-06	3.9E-06	1.05E-03	4.12E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	1.4147	2.79E-06	3.9E-06	1.05E-03	4.13E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	1.36966	2.79E-06	3.8E-06	1.05E-03	4.00E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	1.29362	2.79E-06	3.6E-06	1.05E-03	3.77E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	1.18978	2.79E-06	3.3E-06	1.05E-03	3.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	1.07205	2.79E-06	3.0E-06	1.05E-03	3.13E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	0.95382	2.79E-06	2.7E-06	1.05E-03	2.78E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	0.74581	2.79E-06	2.1E-06	1.05E-03	2.18E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	0.66283	2.79E-06	1.9E-06	1.05E-03	1.93E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	0.59332	2.79E-06	1.7E-06	1.05E-03	1.73E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	0.53536	2.79E-06	1.5E-06	1.05E-03	1.56E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	0.48525	2.79E-06	1.4E-06	1.05E-03	1.42E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	0.44296	2.79E-06	1.2E-06	1.05E-03	1.29E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	1.21091	2.79E-06	3.4E-06	1.05E-03	3.53E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	1.21605	2.79E-06	3.4E-06	1.05E-03	3.55E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	1.187	2.79E-06	3.3E-06	1.05E-03	3.46E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	1.12873	2.79E-06	3.2E-06	1.05E-03	3.29E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	1.05301	2.79E-06	2.9E-06	1.05E-03	3.07E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	0.96144	2.79E-06	2.7E-06	1.05E-03	2.81E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	0.866	2.79E-06	2.4E-06	1.05E-03	2.53E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	0.69116	2.79E-06	1.9E-06	1.05E-03	2.02E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	0.61848	2.79E-06	1.7E-06	1.05E-03	1.80E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	0.55659	2.79E-06	1.6E-06	1.05E-03	1.62E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	0.50399	2.79E-06	1.4E-06	1.05E-03	1.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	0.45847	2.79E-06	1.3E-06	1.05E-03	1.34E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	0.42006	2.79E-06	1.2E-06	1.05E-03	1.23E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	0.33055	2.79E-06	9.2E-07	1.05E-03	9.64E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	0.30741	2.79E-06	8.6E-07	1.05E-03	8.97E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	1.05027	2.79E-06	2.9E-06	1.05E-03	3.06E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	1.05688	2.79E-06	3.0E-06	1.05E-03	3.08E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	1.03843	2.79E-06	2.9E-06	1.05E-03	3.03E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	0.99497	2.79E-06	2.8E-06	1.05E-03	2.90E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	0.93641	2.79E-06	2.6E-06	1.05E-03	2.73E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	0.86439	2.79E-06	2.4E-06	1.05E-03	2.52E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	0.78603	2.79E-06	2.2E-06	1.05E-03	2.29E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	0.64001	2.79E-06	1.8E-06	1.05E-03	1.87E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	0.5768	2.79E-06	1.6E-06	1.05E-03	1.68E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	0.52176	2.79E-06	1.5E-06	1.05E-03	1.52E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	0.47446	2.79E-06	1.3E-06	1.05E-03	1.38E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	0.43377	2.79E-06	1.2E-06	1.05E-03	1.27E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	0.39874	2.79E-06	1.1E-06	1.05E-03	1.16E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	0.31587	2.79E-06	8.8E-07	1.05E-03	9.22E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	0.29482	2.79E-06	8.2E-07	1.05E-03	8.60E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	0.92021	2.79E-06	2.6E-06	1.05E-03	2.68E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	0.92737	2.79E-06	2.6E-06	1.05E-03	2.71E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	0.91568	2.79E-06	2.6E-06	1.05E-03	2.67E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	0.88333	2.79E-06	2.5E-06	1.05E-03	2.58E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	0.83703	2.79E-06	2.3E-06	1.05E-03	2.44E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	0.78037	2.79E-06	2.2E-06	1.05E-03	2.28E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	0.71822	2.79E-06	2.0E-06	1.05E-03	2.10E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	0.59422	2.79E-06	1.7E-06	1.05E-03	1.73E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	0.53938	2.79E-06	1.5E-06	1.05E-03	1.57E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	0.49032	2.79E-06	1.4E-06	1.05E-03	1.43E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	0.44789	2.79E-06	1.3E-06	1.05E-03	1.31E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	0.4109	2.79E-06	1.1E-06	1.05E-03	1.20E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	0.37881	2.79E-06	1.1E-06	1.05E-03	1.11E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	0.30239	2.79E-06	8.4E-07	1.05E-03	8.82E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	0.28268	2.79E-06	7.9E-07	1.05E-03	8.25E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	0.81335	2.79E-06	2.3E-06	1.05E-03	2.37E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	0.82062	2.79E-06	2.3E-06	1.05E-03	2.39E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	0.81316	2.79E-06	2.3E-06	1.05E-03	2.37E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	0.78897	2.79E-06	2.2E-06	1.05E-03	2.30E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	0.75416	2.79E-06	2.1E-06	1.05E-03	2.20E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	0.70873	2.79E-06	2.0E-06	1.05E-03	2.07E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	0.65778	2.79E-06	1.8E-06	1.05E-03	1.92E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	0.55304	2.79E-06	1.5E-06	1.05E-03	1.61E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	0.50567	2.79E-06	1.4E-06	1.05E-03	1.48E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	0.46156	2.79E-06	1.3E-06	1.05E-03	1.35E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	0.42344	2.79E-06	1.2E-06	1.05E-03	1.24E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	0.38974	2.79E-06	1.1E-06	1.05E-03	1.14E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	0.35999	2.79E-06	1.0E-06	1.05E-03	1.05E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	0.28958	2.79E-06	8.1E-07	1.05E-03	8.45E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	0.27109	2.79E-06	7.6E-07	1.05E-03	7.91E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	0.72461	2.79E-06	2.0E-06	1.05E-03	2.11E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	0.73158	2.79E-06	2.0E-06	1.05E-03	2.13E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	0.72694	2.79E-06	2.0E-06	1.05E-03	2.12E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	0.70965	2.79E-06	2.0E-06	1.05E-03	2.07E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	0.68146	2.79E-06	1.9E-06	1.05E-03	1.99E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	0.64623	2.79E-06	1.8E-06	1.05E-03	1.89E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	0.60447	2.79E-06	1.7E-06	1.05E-03	1.76E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	0.56066	2.79E-06	1.6E-06	1.05E-03	1.64E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	0.51596	2.79E-06	1.4E-06	1.05E-03	1.51E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	0.47418	2.79E-06	1.3E-06	1.05E-03	1.38E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	0.43547	2.79E-06	1.2E-06	1.05E-03	1.27E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	0.40078	2.79E-06	1.1E-06	1.05E-03	1.17E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	0.36993	2.79E-06	1.0E-06	1.05E-03	1.08E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	0.34287	2.79E-06	9.6E-07	1.05E-03	1.00E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	0.29639	2.79E-06	8.3E-07	1.05E-03	8.65E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	0.27735	2.79E-06	7.7E-07	1.05E-03	8.09E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.26015	2.79E-06	7.3E-07	1.05E-03	7.59E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	0.61941	2.79E-06	1.7E-06	1.05E-03	1.81E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	0.59058	2.79E-06	1.6E-06	1.05E-03	1.72E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	0.55576	2.79E-06	1.6E-06	1.05E-03	1.62E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	0.5198	2.79E-06	1.5E-06	1.05E-03	1.52E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	0.28355	2.79E-06	7.9E-07	1.05E-03	8.27E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	0.26587	2.79E-06	7.4E-07	1.05E-03	7.76E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.24985	2.79E-06	7.0E-07	1.05E-03	7.29E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	0.54176	2.79E-06	1.5E-06	1.05E-03	1.58E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	0.51381	2.79E-06	1.4E-06	1.05E-03	1.50E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	0.48244	2.79E-06	1.3E-06	1.05E-03	1.41E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	0.27158	2.79E-06	7.6E-07	1.05E-03	7.92E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	0.25499	2.79E-06	7.1E-07	1.05E-03	7.44E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.24005	2.79E-06	6.7E-07	1.05E-03	7.00E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	0.49849	2.79E-06	1.4E-06	1.05E-03	1.45E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	0.47523	2.79E-06	1.3E-06	1.05E-03	1.39E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	0.44868	2.79E-06	1.3E-06	1.05E-03	1.31E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	0.26011	2.79E-06	7.3E-07	1.05E-03	7.59E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	0.24447	2.79E-06	6.8E-07	1.05E-03	7.13E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.23062	2.79E-06	6.4E-07	1.05E-03	6.73E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	0.44076	2.79E-06	1.2E-06	1.05E-03	1.29E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	0.41804	2.79E-06	1.2E-06	1.05E-03	1.22E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	0.24934	2.79E-06	7.0E-07	1.05E-03	7.27E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.23484	2.79E-06	6.6E-07	1.05E-03	6.85E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.22189	2.79E-06	6.2E-07	1.05E-03	6.47E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	0.40994	2.79E-06	1.1E-06	1.05E-03	1.20E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	0.39095	2.79E-06	1.1E-06	1.05E-03	1.14E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	0.37052	2.79E-06	1.0E-06	1.05E-03	1.08E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	0.23932	2.79E-06	6.7E-07	1.05E-03	6.98E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.22571	2.79E-06	6.3E-07	1.05E-03	6.59E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.21372	2.79E-06	6.0E-07	1.05E-03	6.24E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	0.36603	2.79E-06	1.0E-06	1.05E-03	1.07E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	0.34821	2.79E-06	9.7E-07	1.05E-03	1.02E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.22982	2.79E-06	6.4E-07	1.05E-03	6.71E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.21713	2.79E-06	6.1E-07	1.05E-03	6.34E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.20587	2.79E-06	5.7E-07	1.05E-03	6.01E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	0.34318	2.79E-06	9.6E-07	1.05E-03	1.00E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	0.32803	2.79E-06	9.2E-07	1.05E-03	9.57E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.20905	2.79E-06	5.8E-07	1.05E-03	6.10E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.19827	2.79E-06	5.5E-07	1.05E-03	5.78E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	0.32243	2.79E-06	9.0E-07	1.05E-03	9.41E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	0.30951	2.79E-06	8.6E-07	1.05E-03	9.03E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	0.29503	2.79E-06	8.2E-07	1.05E-03	8.61E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.20133	2.79E-06	5.6E-07	1.05E-03	5.87E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.19117	2.79E-06	5.3E-07	1.05E-03	5.58E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	0.29217	2.79E-06	8.2E-07	1.05E-03	8.52E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	0.27955	2.79E-06	7.8E-07	1.05E-03	8.16E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.2156	2.79E-06	6.0E-07	1.05E-03	6.29E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.19405	2.79E-06	5.4E-07	1.05E-03	5.66E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.1845	2.79E-06	5.2E-07	1.05E-03	5.38E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	0.2759	2.79E-06	7.7E-07	1.05E-03	8.05E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	0.26511	2.79E-06	7.4E-07	1.05E-03	7.73E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	0.25336	2.79E-06	7.1E-07	1.05E-03	7.39E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	0.24157	2.79E-06	6.7E-07	1.05E-03	7.05E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	0.22956	2.79E-06	6.4E-07	1.05E-03	6.70E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.21815	2.79E-06	6.1E-07	1.05E-03	6.36E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.20716	2.79E-06	5.8E-07	1.05E-03	6.04E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.19687	2.79E-06	5.5E-07	1.05E-03	5.74E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.18719	2.79E-06	5.2E-07	1.05E-03	5.46E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.17816	2.79E-06	5.0E-07	1.05E-03	5.20E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	0.25149	2.79E-06	7.0E-07	1.05E-03	7.34E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	0.24146	2.79E-06	6.7E-07	1.05E-03	7.04E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	0.2308	2.79E-06	6.4E-07	1.05E-03	6.73E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	0.21998	2.79E-06	6.1E-07	1.05E-03	6.42E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	0.2094	2.79E-06	5.8E-07	1.05E-03	6.11E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.19924	2.79E-06	5.6E-07	1.05E-03	5.81E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.18969	2.79E-06	5.3E-07	1.05E-03	5.53E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.17215	2.79E-06	4.8E-07	1.05E-03	5.02E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.23937	2.79E-06	6.7E-07	1.05E-03	6.98E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	0.2298	2.79E-06	6.4E-07	1.05E-03	6.70E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	0.22061	2.79E-06	6.2E-07	1.05E-03	6.44E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	0.21081	2.79E-06	5.9E-07	1.05E-03	6.15E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	0.20111	2.79E-06	5.6E-07	1.05E-03	5.87E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.19172	2.79E-06	5.4E-07	1.05E-03	5.59E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.18282	2.79E-06	5.1E-07	1.05E-03	5.33E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.16643	2.79E-06	4.6E-07	1.05E-03	4.86E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.2281	2.79E-06	6.4E-07	1.05E-03	6.66E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.2197	2.79E-06	6.1E-07	1.05E-03	6.41E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	0.21082	2.79E-06	5.9E-07	1.05E-03	6.15E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	0.2019	2.79E-06	5.6E-07	1.05E-03	5.89E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	0.19325	2.79E-06	5.4E-07	1.05E-03	5.64E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.18458	2.79E-06	5.2E-07	1.05E-03	5.39E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.17615	2.79E-06	4.9E-07	1.05E-03	5.14E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.16096	2.79E-06	4.5E-07	1.05E-03	4.70E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.21002	2.79E-06	5.9E-07	1.05E-03	6.13E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.20215	2.79E-06	5.6E-07	1.05E-03	5.90E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.19395	2.79E-06	5.4E-07	1.05E-03	5.66E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.17706	2.79E-06	4.9E-07	1.05E-03	5.17E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.17771	2.79E-06	5.0E-07	1.05E-03	5.18E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.17019	2.79E-06	4.8E-07	1.05E-03	4.97E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.15585	2.79E-06	4.4E-07	1.05E-03	4.55E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.20091	2.79E-06	5.6E-07	1.05E-03	5.86E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.19379	2.79E-06	5.4E-07	1.05E-03	5.65E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.18644	2.79E-06	5.2E-07	1.05E-03	5.44E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.17892	2.79E-06	5.0E-07	1.05E-03	5.22E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.17147	2.79E-06	4.8E-07	1.05E-03	5.00E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.16422	2.79E-06	4.6E-07	1.05E-03	4.79E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.14148	2.79E-06	3.9E-07	1.05E-03	4.13E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.19239	2.79E-06	5.4E-07	1.05E-03	5.61E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.1859	2.79E-06	5.2E-07	1.05E-03	5.42E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.17917	2.79E-06	5.0E-07	1.05E-03	5.23E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.17232	2.79E-06	4.8E-07	1.05E-03	5.03E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.16547	2.79E-06	4.6E-07	1.05E-03	4.83E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.15881	2.79E-06	4.4E-07	1.05E-03	4.63E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.15232	2.79E-06	4.3E-07	1.05E-03	4.44E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	2.79E-06	0.0E+00	1.05E-03	0.00E+00	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
1	1	0.59113	2.79E-06	1.7E-06	6.05E-04	9.98E-10	14	4.71E-02	6.59E-10	1.0E+06	6.6E-04
2	2	0.67145	2.79E-06	1.9E-06	6.05E-04	1.13E-09	14	4.71E-02	7.48E-10	1.0E+06	7.5E-04
3	3	0.77053	2.79E-06	2.2E-06	6.05E-04	1.30E-09	14	4.71E-02	8.59E-10	1.0E+06	8.6E-04
4	4	0.89549	2.79E-06	2.5E-06	6.05E-04	1.51E-09	14	4.71E-02	9.98E-10	1.0E+06	1.0E-03
5	5	1.05679	2.79E-06	2.9E-06	6.05E-04	1.78E-09	14	4.71E-02	1.18E-09	1.0E+06	1.2E-03
6	6	1.27288	2.79E-06	3.6E-06	6.05E-04	2.15E-09	14	4.71E-02	1.42E-09	1.0E+06	1.4E-03
7	7	1.56989	2.79E-06	4.4E-06	6.05E-04	2.65E-09	14	4.71E-02	1.75E-09	1.0E+06	1.8E-03
8	8	1.99562	2.79E-06	5.6E-06	6.05E-04	3.37E-09	14	4.71E-02	2.22E-09	1.0E+06	2.2E-03
9	9	2.64603	2.79E-06	7.4E-06	6.05E-04	4.47E-09	14	4.71E-02	2.95E-09	1.0E+06	2.9E-03
10	10	3.72691	2.79E-06	1.0E-05	6.05E-04	6.29E-09	14	4.71E-02	4.15E-09	1.0E+06	4.2E-03
11	11	5.76976	2.79E-06	1.6E-05	6.05E-04	9.75E-09	14	4.71E-02	6.43E-09	1.0E+06	6.4E-03
12	12	10.55009	2.79E-06	2.9E-05	6.05E-04	1.78E-08	14	4.71E-02	1.18E-08	1.0E+06	1.2E-02
13	13	9.96513	2.79E-06	2.8E-05	6.05E-04	1.68E-08	14	4.71E-02	1.11E-08	1.0E+06	1.1E-02
14	14	9.10082	2.79E-06	2.5E-05	6.05E-04	1.54E-08	14	4.71E-02	1.01E-08	1.0E+06	1.0E-02
15	15	18.27209	2.79E-06	5.1E-05	6.05E-04	3.09E-08	14	4.71E-02	2.04E-08	1.0E+06	2.0E-02
16	16	20.7462	2.79E-06	5.8E-05	6.05E-04	3.50E-08	14	4.71E-02	2.31E-08	1.0E+06	2.3E-02
17	17	18.04186	2.79E-06	5.0E-05	6.05E-04	3.05E-08	14	4.71E-02	2.01E-08	1.0E+06	2.0E-02
18	18	19.66508	2.79E-06	5.5E-05	6.05E-04	3.32E-08	14	4.71E-02	2.19E-08	1.0E+06	2.2E-02
19	19	20.75422	2.79E-06	5.8E-05	6.05E-04	3.51E-08	14	4.71E-02	2.31E-08	1.0E+06	2.3E-02
20	20	10.83808	2.79E-06	3.0E-05	6.05E-04	1.83E-08	14	4.71E-02	1.21E-08	1.0E+06	1.2E-02
21	21	6.54683	2.79E-06	1.8E-05	6.05E-04	1.11E-08	14	4.71E-02	7.30E-09	1.0E+06	7.3E-03
22	22	4.38551	2.79E-06	1.2E-05	6.05E-04	7.41E-09	14	4.71E-02	4.89E-09	1.0E+06	4.9E-03
23	23	3.15537	2.79E-06	8.8E-06	6.05E-04	5.33E-09	14	4.71E-02	3.52E-09	1.0E+06	3.5E-03
24	24	2.38899	2.79E-06	6.7E-06	6.05E-04	4.04E-09	14	4.71E-02	2.66E-09	1.0E+06	2.7E-03
25	25	1.87837	2.79E-06	5.2E-06	6.05E-04	3.17E-09	14	4.71E-02	2.09E-09	1.0E+06	2.1E-03
26	26	1.52028	2.79E-06	4.2E-06	6.05E-04	2.57E-09	14	4.71E-02	1.69E-09	1.0E+06	1.7E-03
27	27	1.25867	2.79E-06	3.5E-06	6.05E-04	2.13E-09	14	4.71E-02	1.40E-09	1.0E+06	1.4E-03
28	28	1.06193	2.79E-06	3.0E-06	6.05E-04	1.79E-09	14	4.71E-02	1.18E-09	1.0E+06	1.2E-03
29	29	0.9095	2.79E-06	2.5E-06	6.05E-04	1.54E-09	14	4.71E-02	1.01E-09	1.0E+06	1.0E-03
30	30	0.78895	2.79E-06	2.2E-06	6.05E-04	1.33E-09	14	4.71E-02	8.79E-10	1.0E+06	8.8E-04
31	31	0.69217	2.79E-06	1.9E-06	6.05E-04	1.17E-09	14	4.71E-02	7.72E-10	1.0E+06	7.7E-04

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.61334	2.79E-06	1.7E-06	6.05E-04	1.04E-09	14	4.71E-02	6.84E-10	1.0E+06	6.8E-04
55	55	3.62477	2.79E-06	1.0E-05	6.05E-04	6.12E-09	14	4.71E-02	4.04E-09	1.0E+06	4.0E-03
56	56	2.67539	2.79E-06	7.5E-06	6.05E-04	4.52E-09	14	4.71E-02	2.98E-09	1.0E+06	3.0E-03
57	57	2.06847	2.79E-06	5.8E-06	6.05E-04	3.49E-09	14	4.71E-02	2.31E-09	1.0E+06	2.3E-03
58	58	1.65438	2.79E-06	4.6E-06	6.05E-04	2.79E-09	14	4.71E-02	1.84E-09	1.0E+06	1.8E-03
59	59	1.35944	2.79E-06	3.8E-06	6.05E-04	2.30E-09	14	4.71E-02	1.52E-09	1.0E+06	1.5E-03
60	60	1.14047	2.79E-06	3.2E-06	6.05E-04	1.93E-09	14	4.71E-02	1.27E-09	1.0E+06	1.3E-03
61	61	0.97155	2.79E-06	2.7E-06	6.05E-04	1.64E-09	14	4.71E-02	1.08E-09	1.0E+06	1.1E-03
62	62	0.83958	2.79E-06	2.3E-06	6.05E-04	1.42E-09	14	4.71E-02	9.36E-10	1.0E+06	9.4E-04
63	63	0.73371	2.79E-06	2.0E-06	6.05E-04	1.24E-09	14	4.71E-02	8.18E-10	1.0E+06	8.2E-04
64	64	0.64784	2.79E-06	1.8E-06	6.05E-04	1.09E-09	14	4.71E-02	7.22E-10	1.0E+06	7.2E-04
65	65	0.57725	2.79E-06	1.6E-06	6.05E-04	9.75E-10	14	4.71E-02	6.43E-10	1.0E+06	6.4E-04
66	66	0.51737	2.79E-06	1.4E-06	6.05E-04	8.74E-10	14	4.71E-02	5.77E-10	1.0E+06	5.8E-04
67	67	0.58733	2.79E-06	1.6E-06	6.05E-04	9.92E-10	14	4.71E-02	6.55E-10	1.0E+06	6.5E-04
68	68	0.66699	2.79E-06	1.9E-06	6.05E-04	1.13E-09	14	4.71E-02	7.44E-10	1.0E+06	7.4E-04
69	69	0.76549	2.79E-06	2.1E-06	6.05E-04	1.29E-09	14	4.71E-02	8.53E-10	1.0E+06	8.5E-04
70	70	0.88974	2.79E-06	2.5E-06	6.05E-04	1.50E-09	14	4.71E-02	9.92E-10	1.0E+06	9.9E-04
71	71	1.0491	2.79E-06	2.9E-06	6.05E-04	1.77E-09	14	4.71E-02	1.17E-09	1.0E+06	1.2E-03
72	72	1.26239	2.79E-06	3.5E-06	6.05E-04	2.13E-09	14	4.71E-02	1.41E-09	1.0E+06	1.4E-03
73	73	1.55436	2.79E-06	4.3E-06	6.05E-04	2.63E-09	14	4.71E-02	1.73E-09	1.0E+06	1.7E-03
74	74	1.97191	2.79E-06	5.5E-06	6.05E-04	3.33E-09	14	4.71E-02	2.20E-09	1.0E+06	2.2E-03
75	75	2.6041	2.79E-06	7.3E-06	6.05E-04	4.40E-09	14	4.71E-02	2.90E-09	1.0E+06	2.9E-03
76	76	3.64275	2.79E-06	1.0E-05	6.05E-04	6.15E-09	14	4.71E-02	4.06E-09	1.0E+06	4.1E-03
77	77	5.56438	2.79E-06	1.6E-05	6.05E-04	9.40E-09	14	4.71E-02	6.20E-09	1.0E+06	6.2E-03
78	78	9.89276	2.79E-06	2.8E-05	6.05E-04	1.67E-08	14	4.71E-02	1.10E-08	1.0E+06	1.1E-02
79	79	35.86817	2.79E-06	1.0E-04	6.05E-04	6.06E-08	14	4.71E-02	4.00E-08	1.0E+06	4.0E-02
80	80	24.60089	2.79E-06	6.9E-05	6.05E-04	4.16E-08	14	4.71E-02	2.74E-08	1.0E+06	2.7E-02
81	81	11.68959	2.79E-06	3.3E-05	6.05E-04	1.97E-08	14	4.71E-02	1.30E-08	1.0E+06	1.3E-02
82	82	6.39607	2.79E-06	1.8E-05	6.05E-04	1.08E-08	14	4.71E-02	7.13E-09	1.0E+06	7.1E-03
83	83	4.18603	2.79E-06	1.2E-05	6.05E-04	7.07E-09	14	4.71E-02	4.67E-09	1.0E+06	4.7E-03
84	84	3.0195	2.79E-06	8.4E-06	6.05E-04	5.10E-09	14	4.71E-02	3.37E-09	1.0E+06	3.4E-03

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
85	85	2.29803	2.79E-06	6.4E-06	6.05E-04	3.88E-09	14	4.71E-02	2.56E-09	1.0E+06	2.6E-03
86	86	1.81711	2.79E-06	5.1E-06	6.05E-04	3.07E-09	14	4.71E-02	2.03E-09	1.0E+06	2.0E-03
87	87	1.47998	2.79E-06	4.1E-06	6.05E-04	2.50E-09	14	4.71E-02	1.65E-09	1.0E+06	1.6E-03
88	88	1.23212	2.79E-06	3.4E-06	6.05E-04	2.08E-09	14	4.71E-02	1.37E-09	1.0E+06	1.4E-03
89	89	1.04515	2.79E-06	2.9E-06	6.05E-04	1.77E-09	14	4.71E-02	1.17E-09	1.0E+06	1.2E-03
90	90	0.89933	2.79E-06	2.5E-06	6.05E-04	1.52E-09	14	4.71E-02	1.00E-09	1.0E+06	1.0E-03
91	91	0.78231	2.79E-06	2.2E-06	6.05E-04	1.32E-09	14	4.71E-02	8.72E-10	1.0E+06	8.7E-04
92	92	0.68877	2.79E-06	1.9E-06	6.05E-04	1.16E-09	14	4.71E-02	7.68E-10	1.0E+06	7.7E-04
93	93	0.61099	2.79E-06	1.7E-06	6.05E-04	1.03E-09	14	4.71E-02	6.81E-10	1.0E+06	6.8E-04
96	96	1.39271	2.79E-06	3.9E-06	6.05E-04	2.35E-09	14	4.71E-02	1.55E-09	1.0E+06	1.6E-03
97	97	1.14879	2.79E-06	3.2E-06	6.05E-04	1.94E-09	14	4.71E-02	1.28E-09	1.0E+06	1.3E-03
98	98	1.13226	2.79E-06	3.2E-06	6.05E-04	1.91E-09	14	4.71E-02	1.26E-09	1.0E+06	1.3E-03
99	99	0.9674	2.79E-06	2.7E-06	6.05E-04	1.63E-09	14	4.71E-02	1.08E-09	1.0E+06	1.1E-03
100	100	0.83862	2.79E-06	2.3E-06	6.05E-04	1.42E-09	14	4.71E-02	9.35E-10	1.0E+06	9.3E-04
101	101	0.73521	2.79E-06	2.1E-06	6.05E-04	1.24E-09	14	4.71E-02	8.20E-10	1.0E+06	8.2E-04
102	102	0.64908	2.79E-06	1.8E-06	6.05E-04	1.10E-09	14	4.71E-02	7.24E-10	1.0E+06	7.2E-04
106	106	0.50176	2.79E-06	1.4E-06	6.05E-04	8.47E-10	14	4.71E-02	5.59E-10	1.0E+06	5.6E-04
107	107	0.56464	2.79E-06	1.6E-06	6.05E-04	9.54E-10	14	4.71E-02	6.29E-10	1.0E+06	6.3E-04
108	108	0.63768	2.79E-06	1.8E-06	6.05E-04	1.08E-09	14	4.71E-02	7.11E-10	1.0E+06	7.1E-04
109	109	0.72695	2.79E-06	2.0E-06	6.05E-04	1.23E-09	14	4.71E-02	8.10E-10	1.0E+06	8.1E-04
110	110	0.83773	2.79E-06	2.3E-06	6.05E-04	1.41E-09	14	4.71E-02	9.34E-10	1.0E+06	9.3E-04
111	111	0.97668	2.79E-06	2.7E-06	6.05E-04	1.65E-09	14	4.71E-02	1.09E-09	1.0E+06	1.1E-03
112	112	1.15741	2.79E-06	3.2E-06	6.05E-04	1.95E-09	14	4.71E-02	1.29E-09	1.0E+06	1.3E-03
113	113	1.39381	2.79E-06	3.9E-06	6.05E-04	2.35E-09	14	4.71E-02	1.55E-09	1.0E+06	1.6E-03
114	114	1.71284	2.79E-06	4.8E-06	6.05E-04	2.89E-09	14	4.71E-02	1.91E-09	1.0E+06	1.9E-03
115	115	2.15428	2.79E-06	6.0E-06	6.05E-04	3.64E-09	14	4.71E-02	2.40E-09	1.0E+06	2.4E-03
116	116	2.78431	2.79E-06	7.8E-06	6.05E-04	4.70E-09	14	4.71E-02	3.10E-09	1.0E+06	3.1E-03
117	117	3.74049	2.79E-06	1.0E-05	6.05E-04	6.32E-09	14	4.71E-02	4.17E-09	1.0E+06	4.2E-03
118	118	5.23591	2.79E-06	1.5E-05	6.05E-04	8.84E-09	14	4.71E-02	5.84E-09	1.0E+06	5.8E-03
124	124	0.4912	2.79E-06	1.4E-06	6.05E-04	8.30E-10	14	4.71E-02	5.48E-10	1.0E+06	5.5E-04
125	125	0.54849	2.79E-06	1.5E-06	6.05E-04	9.26E-10	14	4.71E-02	6.11E-10	1.0E+06	6.1E-04

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	126	0.61701	2.79E-06	1.7E-06	6.05E-04	1.04E-09	14	4.71E-02	6.88E-10	1.0E+06	6.9E-04
127	127	0.69994	2.79E-06	2.0E-06	6.05E-04	1.18E-09	14	4.71E-02	7.80E-10	1.0E+06	7.8E-04
128	128	0.80157	2.79E-06	2.2E-06	6.05E-04	1.35E-09	14	4.71E-02	8.94E-10	1.0E+06	8.9E-04
129	129	0.92714	2.79E-06	2.6E-06	6.05E-04	1.57E-09	14	4.71E-02	1.03E-09	1.0E+06	1.0E-03
130	130	1.08677	2.79E-06	3.0E-06	6.05E-04	1.84E-09	14	4.71E-02	1.21E-09	1.0E+06	1.2E-03
131	131	1.29048	2.79E-06	3.6E-06	6.05E-04	2.18E-09	14	4.71E-02	1.44E-09	1.0E+06	1.4E-03
132	132	1.55569	2.79E-06	4.3E-06	6.05E-04	2.63E-09	14	4.71E-02	1.73E-09	1.0E+06	1.7E-03
133	133	1.90738	2.79E-06	5.3E-06	6.05E-04	3.22E-09	14	4.71E-02	2.13E-09	1.0E+06	2.1E-03
134	134	2.38646	2.79E-06	6.7E-06	6.05E-04	4.03E-09	14	4.71E-02	2.66E-09	1.0E+06	2.7E-03
135	135	3.05561	2.79E-06	8.5E-06	6.05E-04	5.16E-09	14	4.71E-02	3.41E-09	1.0E+06	3.4E-03
136	136	3.99614	2.79E-06	1.1E-05	6.05E-04	6.75E-09	14	4.71E-02	4.45E-09	1.0E+06	4.5E-03
137	137	5.20427	2.79E-06	1.5E-05	6.05E-04	8.79E-09	14	4.71E-02	5.80E-09	1.0E+06	5.8E-03
138	138	6.43878	2.79E-06	1.8E-05	6.05E-04	1.09E-08	14	4.71E-02	7.18E-09	1.0E+06	7.2E-03
141	141	0.47679	2.79E-06	1.3E-06	6.05E-04	8.05E-10	14	4.71E-02	5.31E-10	1.0E+06	5.3E-04
142	142	0.53046	2.79E-06	1.5E-06	6.05E-04	8.96E-10	14	4.71E-02	5.91E-10	1.0E+06	5.9E-04
143	143	0.59404	2.79E-06	1.7E-06	6.05E-04	1.00E-09	14	4.71E-02	6.62E-10	1.0E+06	6.6E-04
144	144	0.67011	2.79E-06	1.9E-06	6.05E-04	1.13E-09	14	4.71E-02	7.47E-10	1.0E+06	7.5E-04
145	145	0.76192	2.79E-06	2.1E-06	6.05E-04	1.29E-09	14	4.71E-02	8.49E-10	1.0E+06	8.5E-04
146	146	0.87345	2.79E-06	2.4E-06	6.05E-04	1.48E-09	14	4.71E-02	9.74E-10	1.0E+06	9.7E-04
147	147	1.01191	2.79E-06	2.8E-06	6.05E-04	1.71E-09	14	4.71E-02	1.13E-09	1.0E+06	1.1E-03
148	148	1.18384	2.79E-06	3.3E-06	6.05E-04	2.00E-09	14	4.71E-02	1.32E-09	1.0E+06	1.3E-03
149	149	1.40073	2.79E-06	3.9E-06	6.05E-04	2.37E-09	14	4.71E-02	1.56E-09	1.0E+06	1.6E-03
150	150	1.67811	2.79E-06	4.7E-06	6.05E-04	2.83E-09	14	4.71E-02	1.87E-09	1.0E+06	1.9E-03
151	151	2.03934	2.79E-06	5.7E-06	6.05E-04	3.44E-09	14	4.71E-02	2.27E-09	1.0E+06	2.3E-03
152	152	2.51638	2.79E-06	7.0E-06	6.05E-04	4.25E-09	14	4.71E-02	2.81E-09	1.0E+06	2.8E-03
153	153	3.13763	2.79E-06	8.8E-06	6.05E-04	5.30E-09	14	4.71E-02	3.50E-09	1.0E+06	3.5E-03
154	154	3.88307	2.79E-06	1.1E-05	6.05E-04	6.56E-09	14	4.71E-02	4.33E-09	1.0E+06	4.3E-03
155	155	4.62277	2.79E-06	1.3E-05	6.05E-04	7.81E-09	14	4.71E-02	5.15E-09	1.0E+06	5.2E-03
164	164	3.01562	2.79E-06	8.4E-06	6.05E-04	5.09E-09	14	4.71E-02	3.36E-09	1.0E+06	3.4E-03
165	165	3.49033	2.79E-06	9.7E-06	6.05E-04	5.90E-09	14	4.71E-02	3.89E-09	1.0E+06	3.9E-03
166	166	3.84371	2.79E-06	1.1E-05	6.05E-04	6.49E-09	14	4.71E-02	4.28E-09	1.0E+06	4.3E-03

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	2.41354	2.79E-06	6.7E-06	6.05E-04	4.08E-09	14	4.71E-02	2.69E-09	1.0E+06	2.7E-03
179	179	2.73441	2.79E-06	7.6E-06	6.05E-04	4.62E-09	14	4.71E-02	3.05E-09	1.0E+06	3.0E-03
180	180	2.97757	2.79E-06	8.3E-06	6.05E-04	5.03E-09	14	4.71E-02	3.32E-09	1.0E+06	3.3E-03
192	192	1.97784	2.79E-06	5.5E-06	6.05E-04	3.34E-09	14	4.71E-02	2.20E-09	1.0E+06	2.2E-03
193	193	2.20339	2.79E-06	6.2E-06	6.05E-04	3.72E-09	14	4.71E-02	2.46E-09	1.0E+06	2.5E-03
194	194	2.37631	2.79E-06	6.6E-06	6.05E-04	4.01E-09	14	4.71E-02	2.65E-09	1.0E+06	2.6E-03
207	207	1.65189	2.79E-06	4.6E-06	6.05E-04	2.79E-09	14	4.71E-02	1.84E-09	1.0E+06	1.8E-03
208	208	1.8154	2.79E-06	5.1E-06	6.05E-04	3.07E-09	14	4.71E-02	2.02E-09	1.0E+06	2.0E-03
209	209	1.94209	2.79E-06	5.4E-06	6.05E-04	3.28E-09	14	4.71E-02	2.16E-09	1.0E+06	2.2E-03
223	223	1.40148	2.79E-06	3.9E-06	6.05E-04	2.37E-09	14	4.71E-02	1.56E-09	1.0E+06	1.6E-03
224	224	1.52316	2.79E-06	4.3E-06	6.05E-04	2.57E-09	14	4.71E-02	1.70E-09	1.0E+06	1.7E-03
225	225	1.6183	2.79E-06	4.5E-06	6.05E-04	2.73E-09	14	4.71E-02	1.80E-09	1.0E+06	1.8E-03
239	239	1.20484	2.79E-06	3.4E-06	6.05E-04	2.03E-09	14	4.71E-02	1.34E-09	1.0E+06	1.3E-03
240	240	1.29742	2.79E-06	3.6E-06	6.05E-04	2.19E-09	14	4.71E-02	1.45E-09	1.0E+06	1.4E-03
241	241	1.37049	2.79E-06	3.8E-06	6.05E-04	2.31E-09	14	4.71E-02	1.53E-09	1.0E+06	1.5E-03
255	255	1.0475	2.79E-06	2.9E-06	6.05E-04	1.77E-09	14	4.71E-02	1.17E-09	1.0E+06	1.2E-03
256	256	1.11936	2.79E-06	3.1E-06	6.05E-04	1.89E-09	14	4.71E-02	1.25E-09	1.0E+06	1.2E-03
272	272	0.91977	2.79E-06	2.6E-06	6.05E-04	1.55E-09	14	4.71E-02	1.03E-09	1.0E+06	1.0E-03
273	273	0.97629	2.79E-06	2.7E-06	6.05E-04	1.65E-09	14	4.71E-02	1.09E-09	1.0E+06	1.1E-03
289	289	0.81432	2.79E-06	2.3E-06	6.05E-04	1.38E-09	14	4.71E-02	9.08E-10	1.0E+06	9.1E-04
290	290	0.85949	2.79E-06	2.4E-06	6.05E-04	1.45E-09	14	4.71E-02	9.58E-10	1.0E+06	9.6E-04
306	306	0.72646	2.79E-06	2.0E-06	6.05E-04	1.23E-09	14	4.71E-02	8.10E-10	1.0E+06	8.1E-04
307	307	0.76301	2.79E-06	2.1E-06	6.05E-04	1.29E-09	14	4.71E-02	8.51E-10	1.0E+06	8.5E-04
323	323	0.65254	2.79E-06	1.8E-06	6.05E-04	1.10E-09	14	4.71E-02	7.27E-10	1.0E+06	7.3E-04
324	324	0.68247	2.79E-06	1.9E-06	6.05E-04	1.15E-09	14	4.71E-02	7.61E-10	1.0E+06	7.6E-04
342	342	0.58963	2.79E-06	1.6E-06	6.05E-04	9.96E-10	14	4.71E-02	6.57E-10	1.0E+06	6.6E-04
343	343	0.61439	2.79E-06	1.7E-06	6.05E-04	1.04E-09	14	4.71E-02	6.85E-10	1.0E+06	6.8E-04
344	344	0.63542	2.79E-06	1.8E-06	6.05E-04	1.07E-09	14	4.71E-02	7.08E-10	1.0E+06	7.1E-04
356	356	0.53582	2.79E-06	1.5E-06	6.05E-04	9.05E-10	14	4.71E-02	5.97E-10	1.0E+06	6.0E-04
357	357	0.55677	2.79E-06	1.6E-06	6.05E-04	9.40E-10	14	4.71E-02	6.21E-10	1.0E+06	6.2E-04
358	358	0.57422	2.79E-06	1.6E-06	6.05E-04	9.70E-10	14	4.71E-02	6.40E-10	1.0E+06	6.4E-04

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
370	370	0.48925	2.79E-06	1.4E-06	6.05E-04	8.26E-10	14	4.71E-02	5.45E-10	1.0E+06	5.5E-04
371	371	0.50702	2.79E-06	1.4E-06	6.05E-04	8.56E-10	14	4.71E-02	5.65E-10	1.0E+06	5.7E-04
372	372	0.52186	2.79E-06	1.5E-06	6.05E-04	8.81E-10	14	4.71E-02	5.82E-10	1.0E+06	5.8E-04
383	383	0.44878	2.79E-06	1.3E-06	6.05E-04	7.58E-10	14	4.71E-02	5.00E-10	1.0E+06	5.0E-04
384	384	0.46391	2.79E-06	1.3E-06	6.05E-04	7.84E-10	14	4.71E-02	5.17E-10	1.0E+06	5.2E-04
385	385	0.47668	2.79E-06	1.3E-06	6.05E-04	8.05E-10	14	4.71E-02	5.31E-10	1.0E+06	5.3E-04
396	396	0.41332	2.79E-06	1.2E-06	6.05E-04	6.98E-10	14	4.71E-02	4.61E-10	1.0E+06	4.6E-04
397	397	0.42633	2.79E-06	1.2E-06	6.05E-04	7.20E-10	14	4.71E-02	4.75E-10	1.0E+06	4.8E-04
398	398	0.43741	2.79E-06	1.2E-06	6.05E-04	7.39E-10	14	4.71E-02	4.88E-10	1.0E+06	4.9E-04
399	399	0.44577	2.79E-06	1.2E-06	6.05E-04	7.53E-10	14	4.71E-02	4.97E-10	1.0E+06	5.0E-04
411	411	0.38212	2.79E-06	1.1E-06	6.05E-04	6.45E-10	14	4.71E-02	4.26E-10	1.0E+06	4.3E-04
412	412	0.39341	2.79E-06	1.1E-06	6.05E-04	6.64E-10	14	4.71E-02	4.39E-10	1.0E+06	4.4E-04
413	413	0.40289	2.79E-06	1.1E-06	6.05E-04	6.80E-10	14	4.71E-02	4.49E-10	1.0E+06	4.5E-04
414	414	0.41043	2.79E-06	1.1E-06	6.05E-04	6.93E-10	14	4.71E-02	4.58E-10	1.0E+06	4.6E-04
426	426	0.35445	2.79E-06	9.9E-07	6.05E-04	5.99E-10	14	4.71E-02	3.95E-10	1.0E+06	4.0E-04
427	427	0.36427	2.79E-06	1.0E-06	6.05E-04	6.15E-10	14	4.71E-02	4.06E-10	1.0E+06	4.1E-04
428	428	0.37281	2.79E-06	1.0E-06	6.05E-04	6.30E-10	14	4.71E-02	4.16E-10	1.0E+06	4.2E-04
429	429	0.37938	2.79E-06	1.1E-06	6.05E-04	6.41E-10	14	4.71E-02	4.23E-10	1.0E+06	4.2E-04
439	439	0.32987	2.79E-06	9.2E-07	6.05E-04	5.57E-10	14	4.71E-02	3.68E-10	1.0E+06	3.7E-04
440	440	0.33848	2.79E-06	9.4E-07	6.05E-04	5.72E-10	14	4.71E-02	3.77E-10	1.0E+06	3.8E-04
441	441	0.34594	2.79E-06	9.7E-07	6.05E-04	5.84E-10	14	4.71E-02	3.86E-10	1.0E+06	3.9E-04
442	442	0.35183	2.79E-06	9.8E-07	6.05E-04	5.94E-10	14	4.71E-02	3.92E-10	1.0E+06	3.9E-04
443	443	0.35566	2.79E-06	9.9E-07	6.05E-04	6.01E-10	14	4.71E-02	3.96E-10	1.0E+06	4.0E-04
454	454	0.30788	2.79E-06	8.6E-07	6.05E-04	5.20E-10	14	4.71E-02	3.43E-10	1.0E+06	3.4E-04
455	455	0.31546	2.79E-06	8.8E-07	6.05E-04	5.33E-10	14	4.71E-02	3.52E-10	1.0E+06	3.5E-04
456	456	0.32206	2.79E-06	9.0E-07	6.05E-04	5.44E-10	14	4.71E-02	3.59E-10	1.0E+06	3.6E-04
457	457	0.32733	2.79E-06	9.1E-07	6.05E-04	5.53E-10	14	4.71E-02	3.65E-10	1.0E+06	3.6E-04
458	458	0.33088	2.79E-06	9.2E-07	6.05E-04	5.59E-10	14	4.71E-02	3.69E-10	1.0E+06	3.7E-04
469	469	0.28818	2.79E-06	8.0E-07	6.05E-04	4.87E-10	14	4.71E-02	3.21E-10	1.0E+06	3.2E-04
470	470	0.29495	2.79E-06	8.2E-07	6.05E-04	4.98E-10	14	4.71E-02	3.29E-10	1.0E+06	3.3E-04
471	471	0.30081	2.79E-06	8.4E-07	6.05E-04	5.08E-10	14	4.71E-02	3.35E-10	1.0E+06	3.4E-04

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
472	472	0.30557	2.79E-06	8.5E-07	6.05E-04	5.16E-10	14	4.71E-02	3.41E-10	1.0E+06	3.4E-04
473	473	0.30886	2.79E-06	8.6E-07	6.05E-04	5.22E-10	14	4.71E-02	3.44E-10	1.0E+06	3.4E-04
489	489	0.27035	2.79E-06	7.5E-07	6.05E-04	4.57E-10	14	4.71E-02	3.01E-10	1.0E+06	3.0E-04
490	490	0.27636	2.79E-06	7.7E-07	6.05E-04	4.67E-10	14	4.71E-02	3.08E-10	1.0E+06	3.1E-04
491	491	0.28164	2.79E-06	7.9E-07	6.05E-04	4.76E-10	14	4.71E-02	3.14E-10	1.0E+06	3.1E-04
492	492	0.28593	2.79E-06	8.0E-07	6.05E-04	4.83E-10	14	4.71E-02	3.19E-10	1.0E+06	3.2E-04
493	493	0.28894	2.79E-06	8.1E-07	6.05E-04	4.88E-10	14	4.71E-02	3.22E-10	1.0E+06	3.2E-04
494	494	0.29045	2.79E-06	8.1E-07	6.05E-04	4.91E-10	14	4.71E-02	3.24E-10	1.0E+06	3.2E-04
509	509	0.2543	2.79E-06	7.1E-07	6.05E-04	4.30E-10	14	4.71E-02	2.83E-10	1.0E+06	2.8E-04
510	510	0.25967	2.79E-06	7.2E-07	6.05E-04	4.39E-10	14	4.71E-02	2.89E-10	1.0E+06	2.9E-04
511	511	0.26446	2.79E-06	7.4E-07	6.05E-04	4.47E-10	14	4.71E-02	2.95E-10	1.0E+06	2.9E-04
512	512	0.26836	2.79E-06	7.5E-07	6.05E-04	4.53E-10	14	4.71E-02	2.99E-10	1.0E+06	3.0E-04
513	513	0.27109	2.79E-06	7.6E-07	6.05E-04	4.58E-10	14	4.71E-02	3.02E-10	1.0E+06	3.0E-04
514	514	0.27259	2.79E-06	7.6E-07	6.05E-04	4.60E-10	14	4.71E-02	3.04E-10	1.0E+06	3.0E-04
515	515	0.2709	2.79E-06	7.6E-07	6.05E-04	4.58E-10	14	4.71E-02	3.02E-10	1.0E+06	3.0E-04
516	516	0.26744	2.79E-06	7.5E-07	6.05E-04	4.52E-10	14	4.71E-02	2.98E-10	1.0E+06	3.0E-04
517	517	0.26246	2.79E-06	7.3E-07	6.05E-04	4.43E-10	14	4.71E-02	2.93E-10	1.0E+06	2.9E-04
518	518	0.25601	2.79E-06	7.1E-07	6.05E-04	4.32E-10	14	4.71E-02	2.85E-10	1.0E+06	2.9E-04
519	519	0.24835	2.79E-06	6.9E-07	6.05E-04	4.19E-10	14	4.71E-02	2.77E-10	1.0E+06	2.8E-04
528	528	0.23974	2.79E-06	6.7E-07	6.05E-04	4.05E-10	14	4.71E-02	2.67E-10	1.0E+06	2.7E-04
529	529	0.24457	2.79E-06	6.8E-07	6.05E-04	4.13E-10	14	4.71E-02	2.73E-10	1.0E+06	2.7E-04
530	530	0.24887	2.79E-06	6.9E-07	6.05E-04	4.20E-10	14	4.71E-02	2.77E-10	1.0E+06	2.8E-04
531	531	0.25244	2.79E-06	7.0E-07	6.05E-04	4.26E-10	14	4.71E-02	2.81E-10	1.0E+06	2.8E-04
532	532	0.25502	2.79E-06	7.1E-07	6.05E-04	4.31E-10	14	4.71E-02	2.84E-10	1.0E+06	2.8E-04
533	533	0.25645	2.79E-06	7.2E-07	6.05E-04	4.33E-10	14	4.71E-02	2.86E-10	1.0E+06	2.9E-04
534	534	0.25521	2.79E-06	7.1E-07	6.05E-04	4.31E-10	14	4.71E-02	2.84E-10	1.0E+06	2.8E-04
535	535	0.25237	2.79E-06	7.0E-07	6.05E-04	4.26E-10	14	4.71E-02	2.81E-10	1.0E+06	2.8E-04
536	536	0.24819	2.79E-06	6.9E-07	6.05E-04	4.19E-10	14	4.71E-02	2.77E-10	1.0E+06	2.8E-04
537	537	0.24255	2.79E-06	6.8E-07	6.05E-04	4.10E-10	14	4.71E-02	2.70E-10	1.0E+06	2.7E-04
538	538	0.23578	2.79E-06	6.6E-07	6.05E-04	3.98E-10	14	4.71E-02	2.63E-10	1.0E+06	2.6E-04
547	547	0.22647	2.79E-06	6.3E-07	6.05E-04	3.83E-10	14	4.71E-02	2.52E-10	1.0E+06	2.5E-04

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
548	548	0.23082	2.79E-06	6.4E-07	6.05E-04	3.90E-10	14	4.71E-02	2.57E-10	1.0E+06	2.6E-04
549	549	0.23476	2.79E-06	6.6E-07	6.05E-04	3.97E-10	14	4.71E-02	2.62E-10	1.0E+06	2.6E-04
550	550	0.23796	2.79E-06	6.6E-07	6.05E-04	4.02E-10	14	4.71E-02	2.65E-10	1.0E+06	2.7E-04
551	551	0.24039	2.79E-06	6.7E-07	6.05E-04	4.06E-10	14	4.71E-02	2.68E-10	1.0E+06	2.7E-04
552	552	0.24178	2.79E-06	6.7E-07	6.05E-04	4.08E-10	14	4.71E-02	2.70E-10	1.0E+06	2.7E-04
553	553	0.24204	2.79E-06	6.8E-07	6.05E-04	4.09E-10	14	4.71E-02	2.70E-10	1.0E+06	2.7E-04
554	554	0.24097	2.79E-06	6.7E-07	6.05E-04	4.07E-10	14	4.71E-02	2.69E-10	1.0E+06	2.7E-04
555	555	0.23865	2.79E-06	6.7E-07	6.05E-04	4.03E-10	14	4.71E-02	2.66E-10	1.0E+06	2.7E-04
556	556	0.23513	2.79E-06	6.6E-07	6.05E-04	3.97E-10	14	4.71E-02	2.62E-10	1.0E+06	2.6E-04
557	557	0.2302	2.79E-06	6.4E-07	6.05E-04	3.89E-10	14	4.71E-02	2.57E-10	1.0E+06	2.6E-04
558	558	0.22432	2.79E-06	6.3E-07	6.05E-04	3.79E-10	14	4.71E-02	2.50E-10	1.0E+06	2.5E-04
559	559	0.21749	2.79E-06	6.1E-07	6.05E-04	3.67E-10	14	4.71E-02	2.42E-10	1.0E+06	2.4E-04
567	567	0.21437	2.79E-06	6.0E-07	6.05E-04	3.62E-10	14	4.71E-02	2.39E-10	1.0E+06	2.4E-04
568	568	0.21834	2.79E-06	6.1E-07	6.05E-04	3.69E-10	14	4.71E-02	2.43E-10	1.0E+06	2.4E-04
569	569	0.22189	2.79E-06	6.2E-07	6.05E-04	3.75E-10	14	4.71E-02	2.47E-10	1.0E+06	2.5E-04
570	570	0.22487	2.79E-06	6.3E-07	6.05E-04	3.80E-10	14	4.71E-02	2.51E-10	1.0E+06	2.5E-04
571	571	0.22711	2.79E-06	6.3E-07	6.05E-04	3.84E-10	14	4.71E-02	2.53E-10	1.0E+06	2.5E-04
572	572	0.22847	2.79E-06	6.4E-07	6.05E-04	3.86E-10	14	4.71E-02	2.55E-10	1.0E+06	2.5E-04
573	573	0.22881	2.79E-06	6.4E-07	6.05E-04	3.86E-10	14	4.71E-02	2.55E-10	1.0E+06	2.6E-04
574	574	0.22608	2.79E-06	6.3E-07	6.05E-04	3.82E-10	14	4.71E-02	2.52E-10	1.0E+06	2.5E-04
575	575	0.22306	2.79E-06	6.2E-07	6.05E-04	3.77E-10	14	4.71E-02	2.49E-10	1.0E+06	2.5E-04
576	576	0.2189	2.79E-06	6.1E-07	6.05E-04	3.70E-10	14	4.71E-02	2.44E-10	1.0E+06	2.4E-04
577	577	0.21372	2.79E-06	6.0E-07	6.05E-04	3.61E-10	14	4.71E-02	2.38E-10	1.0E+06	2.4E-04
578	578	0.20766	2.79E-06	5.8E-07	6.05E-04	3.51E-10	14	4.71E-02	2.31E-10	1.0E+06	2.3E-04
586	586	0.20323	2.79E-06	5.7E-07	6.05E-04	3.43E-10	14	4.71E-02	2.27E-10	1.0E+06	2.3E-04
587	587	0.20682	2.79E-06	5.8E-07	6.05E-04	3.49E-10	14	4.71E-02	2.31E-10	1.0E+06	2.3E-04
588	588	0.21009	2.79E-06	5.9E-07	6.05E-04	3.55E-10	14	4.71E-02	2.34E-10	1.0E+06	2.3E-04
589	589	0.21283	2.79E-06	5.9E-07	6.05E-04	3.59E-10	14	4.71E-02	2.37E-10	1.0E+06	2.4E-04
590	590	0.21492	2.79E-06	6.0E-07	6.05E-04	3.63E-10	14	4.71E-02	2.40E-10	1.0E+06	2.4E-04
591	591	0.21623	2.79E-06	6.0E-07	6.05E-04	3.65E-10	14	4.71E-02	2.41E-10	1.0E+06	2.4E-04
592	592	0.21665	2.79E-06	6.0E-07	6.05E-04	3.66E-10	14	4.71E-02	2.42E-10	1.0E+06	2.4E-04

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
593	593	0.21448	2.79E-06	6.0E-07	6.05E-04	3.62E-10	14	4.71E-02	2.39E-10	1.0E+06	2.4E-04
594	594	0.21193	2.79E-06	5.9E-07	6.05E-04	3.58E-10	14	4.71E-02	2.36E-10	1.0E+06	2.4E-04
595	595	0.20827	2.79E-06	5.8E-07	6.05E-04	3.52E-10	14	4.71E-02	2.32E-10	1.0E+06	2.3E-04
596	596	0.20369	2.79E-06	5.7E-07	6.05E-04	3.44E-10	14	4.71E-02	2.27E-10	1.0E+06	2.3E-04
597	597	0.19836	2.79E-06	5.5E-07	6.05E-04	3.35E-10	14	4.71E-02	2.21E-10	1.0E+06	2.2E-04
345	345	0.6499	2.79E-06	1.8E-06	6.05E-04	1.10E-09	14	4.71E-02	7.24E-10	1.0E+06	7.2E-04
346	346	0.65657	2.79E-06	1.8E-06	6.05E-04	1.11E-09	14	4.71E-02	7.32E-10	1.0E+06	7.3E-04
347	347	0.65378	2.79E-06	1.8E-06	6.05E-04	1.10E-09	14	4.71E-02	7.29E-10	1.0E+06	7.3E-04
348	348	0.64121	2.79E-06	1.8E-06	6.05E-04	1.08E-09	14	4.71E-02	7.15E-10	1.0E+06	7.1E-04
359	359	0.5866	2.79E-06	1.6E-06	6.05E-04	9.91E-10	14	4.71E-02	6.54E-10	1.0E+06	6.5E-04
360	360	0.59232	2.79E-06	1.7E-06	6.05E-04	1.00E-09	14	4.71E-02	6.60E-10	1.0E+06	6.6E-04
361	361	0.59119	2.79E-06	1.7E-06	6.05E-04	9.99E-10	14	4.71E-02	6.59E-10	1.0E+06	6.6E-04
362	362	0.58152	2.79E-06	1.6E-06	6.05E-04	9.82E-10	14	4.71E-02	6.48E-10	1.0E+06	6.5E-04
363	363	0.56494	2.79E-06	1.6E-06	6.05E-04	9.54E-10	14	4.71E-02	6.30E-10	1.0E+06	6.3E-04
373	373	0.5382	2.79E-06	1.5E-06	6.05E-04	9.09E-10	14	4.71E-02	6.00E-10	1.0E+06	6.0E-04
374	374	0.53757	2.79E-06	1.5E-06	6.05E-04	9.08E-10	14	4.71E-02	5.99E-10	1.0E+06	6.0E-04
375	375	0.53035	2.79E-06	1.5E-06	6.05E-04	8.96E-10	14	4.71E-02	5.91E-10	1.0E+06	5.9E-04
376	376	0.5171	2.79E-06	1.4E-06	6.05E-04	8.73E-10	14	4.71E-02	5.76E-10	1.0E+06	5.8E-04
386	386	0.49126	2.79E-06	1.4E-06	6.05E-04	8.30E-10	14	4.71E-02	5.48E-10	1.0E+06	5.5E-04
387	387	0.49137	2.79E-06	1.4E-06	6.05E-04	8.30E-10	14	4.71E-02	5.48E-10	1.0E+06	5.5E-04
388	388	0.48592	2.79E-06	1.4E-06	6.05E-04	8.21E-10	14	4.71E-02	5.42E-10	1.0E+06	5.4E-04
389	389	0.4754	2.79E-06	1.3E-06	6.05E-04	8.03E-10	14	4.71E-02	5.30E-10	1.0E+06	5.3E-04
390	390	0.46025	2.79E-06	1.3E-06	6.05E-04	7.77E-10	14	4.71E-02	5.13E-10	1.0E+06	5.1E-04
400	400	0.45057	2.79E-06	1.3E-06	6.05E-04	7.61E-10	14	4.71E-02	5.02E-10	1.0E+06	5.0E-04
401	401	0.45085	2.79E-06	1.3E-06	6.05E-04	7.61E-10	14	4.71E-02	5.03E-10	1.0E+06	5.0E-04
402	402	0.44712	2.79E-06	1.2E-06	6.05E-04	7.55E-10	14	4.71E-02	4.98E-10	1.0E+06	5.0E-04
403	403	0.43857	2.79E-06	1.2E-06	6.05E-04	7.41E-10	14	4.71E-02	4.89E-10	1.0E+06	4.9E-04
404	404	0.42592	2.79E-06	1.2E-06	6.05E-04	7.19E-10	14	4.71E-02	4.75E-10	1.0E+06	4.7E-04
415	415	0.41485	2.79E-06	1.2E-06	6.05E-04	7.01E-10	14	4.71E-02	4.62E-10	1.0E+06	4.6E-04
416	416	0.41575	2.79E-06	1.2E-06	6.05E-04	7.02E-10	14	4.71E-02	4.63E-10	1.0E+06	4.6E-04
417	417	0.41274	2.79E-06	1.2E-06	6.05E-04	6.97E-10	14	4.71E-02	4.60E-10	1.0E+06	4.6E-04

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
418	418	0.4063	2.79E-06	1.1E-06	6.05E-04	6.86E-10	14	4.71E-02	4.53E-10	1.0E+06	4.5E-04
419	419	0.39617	2.79E-06	1.1E-06	6.05E-04	6.69E-10	14	4.71E-02	4.42E-10	1.0E+06	4.4E-04
420	420	0.38179	2.79E-06	1.1E-06	6.05E-04	6.45E-10	14	4.71E-02	4.26E-10	1.0E+06	4.3E-04
430	430	0.38445	2.79E-06	1.1E-06	6.05E-04	6.49E-10	14	4.71E-02	4.29E-10	1.0E+06	4.3E-04
431	431	0.38264	2.79E-06	1.1E-06	6.05E-04	6.46E-10	14	4.71E-02	4.27E-10	1.0E+06	4.3E-04
432	432	0.37737	2.79E-06	1.1E-06	6.05E-04	6.37E-10	14	4.71E-02	4.21E-10	1.0E+06	4.2E-04
433	433	0.36887	2.79E-06	1.0E-06	6.05E-04	6.23E-10	14	4.71E-02	4.11E-10	1.0E+06	4.1E-04
434	434	0.35739	2.79E-06	1.0E-06	6.05E-04	6.04E-10	14	4.71E-02	3.98E-10	1.0E+06	4.0E-04
444	444	0.35703	2.79E-06	1.0E-06	6.05E-04	6.03E-10	14	4.71E-02	3.98E-10	1.0E+06	4.0E-04
445	445	0.35551	2.79E-06	9.9E-07	6.05E-04	6.00E-10	14	4.71E-02	3.96E-10	1.0E+06	4.0E-04
446	446	0.35136	2.79E-06	9.8E-07	6.05E-04	5.93E-10	14	4.71E-02	3.92E-10	1.0E+06	3.9E-04
447	447	0.34437	2.79E-06	9.6E-07	6.05E-04	5.82E-10	14	4.71E-02	3.84E-10	1.0E+06	3.8E-04
448	448	0.33472	2.79E-06	9.3E-07	6.05E-04	5.65E-10	14	4.71E-02	3.73E-10	1.0E+06	3.7E-04
459	459	0.33137	2.79E-06	9.2E-07	6.05E-04	5.60E-10	14	4.71E-02	3.69E-10	1.0E+06	3.7E-04
460	460	0.32801	2.79E-06	9.2E-07	6.05E-04	5.54E-10	14	4.71E-02	3.66E-10	1.0E+06	3.7E-04
461	461	0.32215	2.79E-06	9.0E-07	6.05E-04	5.44E-10	14	4.71E-02	3.59E-10	1.0E+06	3.6E-04
462	462	0.31398	2.79E-06	8.8E-07	6.05E-04	5.30E-10	14	4.71E-02	3.50E-10	1.0E+06	3.5E-04
463	463	0.30374	2.79E-06	8.5E-07	6.05E-04	5.13E-10	14	4.71E-02	3.39E-10	1.0E+06	3.4E-04
474	474	0.30965	2.79E-06	8.6E-07	6.05E-04	5.23E-10	14	4.71E-02	3.45E-10	1.0E+06	3.5E-04
475	475	0.30693	2.79E-06	8.6E-07	6.05E-04	5.18E-10	14	4.71E-02	3.42E-10	1.0E+06	3.4E-04
476	476	0.30216	2.79E-06	8.4E-07	6.05E-04	5.10E-10	14	4.71E-02	3.37E-10	1.0E+06	3.4E-04
477	477	0.29517	2.79E-06	8.2E-07	6.05E-04	4.99E-10	14	4.71E-02	3.29E-10	1.0E+06	3.3E-04
478	478	0.28641	2.79E-06	8.0E-07	6.05E-04	4.84E-10	14	4.71E-02	3.19E-10	1.0E+06	3.2E-04
495	495	0.2902	2.79E-06	8.1E-07	6.05E-04	4.90E-10	14	4.71E-02	3.23E-10	1.0E+06	3.2E-04
496	496	0.28799	2.79E-06	8.0E-07	6.05E-04	4.86E-10	14	4.71E-02	3.21E-10	1.0E+06	3.2E-04
497	497	0.28399	2.79E-06	7.9E-07	6.05E-04	4.80E-10	14	4.71E-02	3.17E-10	1.0E+06	3.2E-04
498	498	0.27811	2.79E-06	7.8E-07	6.05E-04	4.70E-10	14	4.71E-02	3.10E-10	1.0E+06	3.1E-04
499	499	0.27057	2.79E-06	7.6E-07	6.05E-04	4.57E-10	14	4.71E-02	3.02E-10	1.0E+06	3.0E-04
500	500	0.26167	2.79E-06	7.3E-07	6.05E-04	4.42E-10	14	4.71E-02	2.92E-10	1.0E+06	2.9E-04

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	7.28168	2.79E-06	2.0E-05	6.05E-04	1.23E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
140	140	7.49507	2.79E-06	2.1E-05	6.05E-04	1.27E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
156	156	5.15631	2.79E-06	1.4E-05	6.05E-04	8.71E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
157	157	5.32784	2.79E-06	1.5E-05	6.05E-04	9.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
158	158	5.08847	2.79E-06	1.4E-05	6.05E-04	8.59E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
159	159	4.48746	2.79E-06	1.3E-05	6.05E-04	7.58E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
160	160	3.70423	2.79E-06	1.0E-05	6.05E-04	6.26E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
161	161	2.27586	2.79E-06	6.4E-06	6.05E-04	3.84E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
162	162	1.80386	2.79E-06	5.0E-06	6.05E-04	3.05E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
163	163	1.4729	2.79E-06	4.1E-06	6.05E-04	2.49E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
167	167	3.97612	2.79E-06	1.1E-05	6.05E-04	6.72E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
168	168	3.84712	2.79E-06	1.1E-05	6.05E-04	6.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
169	169	3.49197	2.79E-06	9.7E-06	6.05E-04	5.90E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
170	170	2.99181	2.79E-06	8.4E-06	6.05E-04	5.05E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
171	171	2.46097	2.79E-06	6.9E-06	6.05E-04	4.16E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
172	172	1.98429	2.79E-06	5.5E-06	6.05E-04	3.35E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
173	173	1.60941	2.79E-06	4.5E-06	6.05E-04	2.72E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
174	174	1.33038	2.79E-06	3.7E-06	6.05E-04	2.25E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
175	175	1.12147	2.79E-06	3.1E-06	6.05E-04	1.89E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
176	176	0.9619	2.79E-06	2.7E-06	6.05E-04	1.62E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
177	177	0.83726	2.79E-06	2.3E-06	6.05E-04	1.41E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
181	181	3.01304	2.79E-06	8.4E-06	6.05E-04	5.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
182	182	2.79015	2.79E-06	7.8E-06	6.05E-04	4.71E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
183	183	2.46155	2.79E-06	6.9E-06	6.05E-04	4.16E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
184	184	2.09308	2.79E-06	5.8E-06	6.05E-04	3.54E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
185	185	1.74111	2.79E-06	4.9E-06	6.05E-04	2.94E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
186	186	1.44352	2.79E-06	4.0E-06	6.05E-04	2.44E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
187	187	1.20919	2.79E-06	3.4E-06	6.05E-04	2.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
188	188	1.02971	2.79E-06	2.9E-06	6.05E-04	1.74E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
189	189	0.89008	2.79E-06	2.5E-06	6.05E-04	1.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
190	190	0.77927	2.79E-06	2.2E-06	6.05E-04	1.32E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
191	191	0.68942	2.79E-06	1.9E-06	6.05E-04	1.16E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
195	195	2.42353	2.79E-06	6.8E-06	6.05E-04	4.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
196	196	2.28157	2.79E-06	6.4E-06	6.05E-04	3.85E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
197	197	2.05739	2.79E-06	5.7E-06	6.05E-04	3.47E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
198	198	1.79647	2.79E-06	5.0E-06	6.05E-04	3.03E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
199	199	1.53138	2.79E-06	4.3E-06	6.05E-04	2.59E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
200	200	1.29692	2.79E-06	3.6E-06	6.05E-04	2.19E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
201	201	1.10384	2.79E-06	3.1E-06	6.05E-04	1.86E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
202	202	0.94899	2.79E-06	2.6E-06	6.05E-04	1.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
203	203	0.82592	2.79E-06	2.3E-06	6.05E-04	1.39E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
204	204	0.7271	2.79E-06	2.0E-06	6.05E-04	1.23E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
205	205	0.64609	2.79E-06	1.8E-06	6.05E-04	1.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
206	206	0.57874	2.79E-06	1.6E-06	6.05E-04	9.77E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
210	210	2.00556	2.79E-06	5.6E-06	6.05E-04	3.39E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
211	211	1.98994	2.79E-06	5.6E-06	6.05E-04	3.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
212	212	1.89817	2.79E-06	5.3E-06	6.05E-04	3.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
213	213	1.74421	2.79E-06	4.9E-06	6.05E-04	2.95E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
214	214	1.35401	2.79E-06	3.8E-06	6.05E-04	2.29E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
215	215	1.16792	2.79E-06	3.3E-06	6.05E-04	1.97E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
216	216	1.00839	2.79E-06	2.8E-06	6.05E-04	1.70E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
217	217	0.87525	2.79E-06	2.4E-06	6.05E-04	1.48E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
218	218	0.76716	2.79E-06	2.1E-06	6.05E-04	1.30E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
219	219	0.67915	2.79E-06	1.9E-06	6.05E-04	1.15E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
220	220	0.60638	2.79E-06	1.7E-06	6.05E-04	1.02E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
221	221	0.54571	2.79E-06	1.5E-06	6.05E-04	9.22E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
222	222	0.49318	2.79E-06	1.4E-06	6.05E-04	8.33E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
226	226	1.67024	2.79E-06	4.7E-06	6.05E-04	2.82E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
227	227	1.66556	2.79E-06	4.6E-06	6.05E-04	2.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
228	228	1.60396	2.79E-06	4.5E-06	6.05E-04	2.71E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
229	229	1.49611	2.79E-06	4.2E-06	6.05E-04	2.53E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
230	230	1.35575	2.79E-06	3.8E-06	6.05E-04	2.29E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	1.2004	2.79E-06	3.4E-06	6.05E-04	2.03E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
232	232	1.05259	2.79E-06	2.9E-06	6.05E-04	1.78E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
233	233	0.80787	2.79E-06	2.3E-06	6.05E-04	1.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
234	234	0.71277	2.79E-06	2.0E-06	6.05E-04	1.20E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
235	235	0.63453	2.79E-06	1.8E-06	6.05E-04	1.07E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
236	236	0.56944	2.79E-06	1.6E-06	6.05E-04	9.62E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
237	237	0.51453	2.79E-06	1.4E-06	6.05E-04	8.69E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
238	238	0.46772	2.79E-06	1.3E-06	6.05E-04	7.90E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
242	242	1.41253	2.79E-06	3.9E-06	6.05E-04	2.39E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
243	243	1.4147	2.79E-06	3.9E-06	6.05E-04	2.39E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
244	244	1.36966	2.79E-06	3.8E-06	6.05E-04	2.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
245	245	1.29362	2.79E-06	3.6E-06	6.05E-04	2.18E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
246	246	1.18978	2.79E-06	3.3E-06	6.05E-04	2.01E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
247	247	1.07205	2.79E-06	3.0E-06	6.05E-04	1.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
248	248	0.95382	2.79E-06	2.7E-06	6.05E-04	1.61E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
249	249	0.74581	2.79E-06	2.1E-06	6.05E-04	1.26E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
250	250	0.66283	2.79E-06	1.9E-06	6.05E-04	1.12E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
251	251	0.59332	2.79E-06	1.7E-06	6.05E-04	1.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
252	252	0.53536	2.79E-06	1.5E-06	6.05E-04	9.04E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
253	253	0.48525	2.79E-06	1.4E-06	6.05E-04	8.20E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
254	254	0.44296	2.79E-06	1.2E-06	6.05E-04	7.48E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
257	257	1.21091	2.79E-06	3.4E-06	6.05E-04	2.05E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
258	258	1.21605	2.79E-06	3.4E-06	6.05E-04	2.05E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
259	259	1.187	2.79E-06	3.3E-06	6.05E-04	2.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
260	260	1.12873	2.79E-06	3.2E-06	6.05E-04	1.91E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
261	261	1.05301	2.79E-06	2.9E-06	6.05E-04	1.78E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
262	262	0.96144	2.79E-06	2.7E-06	6.05E-04	1.62E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
263	263	0.866	2.79E-06	2.4E-06	6.05E-04	1.46E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
264	264	0.69116	2.79E-06	1.9E-06	6.05E-04	1.17E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
265	265	0.61848	2.79E-06	1.7E-06	6.05E-04	1.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
266	266	0.55659	2.79E-06	1.6E-06	6.05E-04	9.40E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	0.50399	2.79E-06	1.4E-06	6.05E-04	8.51E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
268	268	0.45847	2.79E-06	1.3E-06	6.05E-04	7.74E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
269	269	0.42006	2.79E-06	1.2E-06	6.05E-04	7.09E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
270	270	0.33055	2.79E-06	9.2E-07	6.05E-04	5.58E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
271	271	0.30741	2.79E-06	8.6E-07	6.05E-04	5.19E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
274	274	1.05027	2.79E-06	2.9E-06	6.05E-04	1.77E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
275	275	1.05688	2.79E-06	3.0E-06	6.05E-04	1.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
276	276	1.03843	2.79E-06	2.9E-06	6.05E-04	1.75E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
277	277	0.99497	2.79E-06	2.8E-06	6.05E-04	1.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
278	278	0.93641	2.79E-06	2.6E-06	6.05E-04	1.58E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
279	279	0.86439	2.79E-06	2.4E-06	6.05E-04	1.46E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
280	280	0.78603	2.79E-06	2.2E-06	6.05E-04	1.33E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
281	281	0.64001	2.79E-06	1.8E-06	6.05E-04	1.08E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
282	282	0.5768	2.79E-06	1.6E-06	6.05E-04	9.74E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
283	283	0.52176	2.79E-06	1.5E-06	6.05E-04	8.81E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
284	284	0.47446	2.79E-06	1.3E-06	6.05E-04	8.01E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
285	285	0.43377	2.79E-06	1.2E-06	6.05E-04	7.33E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
286	286	0.39874	2.79E-06	1.1E-06	6.05E-04	6.73E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
287	287	0.31587	2.79E-06	8.8E-07	6.05E-04	5.34E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
288	288	0.29482	2.79E-06	8.2E-07	6.05E-04	4.98E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
291	291	0.92021	2.79E-06	2.6E-06	6.05E-04	1.55E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
292	292	0.92737	2.79E-06	2.6E-06	6.05E-04	1.57E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
293	293	0.91568	2.79E-06	2.6E-06	6.05E-04	1.55E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
294	294	0.88333	2.79E-06	2.5E-06	6.05E-04	1.49E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
295	295	0.83703	2.79E-06	2.3E-06	6.05E-04	1.41E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
296	296	0.78037	2.79E-06	2.2E-06	6.05E-04	1.32E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
297	297	0.71822	2.79E-06	2.0E-06	6.05E-04	1.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
298	298	0.59422	2.79E-06	1.7E-06	6.05E-04	1.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
299	299	0.53938	2.79E-06	1.5E-06	6.05E-04	9.11E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
300	300	0.49032	2.79E-06	1.4E-06	6.05E-04	8.28E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
301	301	0.44789	2.79E-06	1.3E-06	6.05E-04	7.56E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	302	0.4109	2.79E-06	1.1E-06	6.05E-04	6.94E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
303	303	0.37881	2.79E-06	1.1E-06	6.05E-04	6.40E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
304	304	0.30239	2.79E-06	8.4E-07	6.05E-04	5.11E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
305	305	0.28268	2.79E-06	7.9E-07	6.05E-04	4.77E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
308	308	0.81335	2.79E-06	2.3E-06	6.05E-04	1.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
309	309	0.82062	2.79E-06	2.3E-06	6.05E-04	1.39E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
310	310	0.81316	2.79E-06	2.3E-06	6.05E-04	1.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
311	311	0.78897	2.79E-06	2.2E-06	6.05E-04	1.33E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
312	312	0.75416	2.79E-06	2.1E-06	6.05E-04	1.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
313	313	0.70873	2.79E-06	2.0E-06	6.05E-04	1.20E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
314	314	0.65778	2.79E-06	1.8E-06	6.05E-04	1.11E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
315	315	0.55304	2.79E-06	1.5E-06	6.05E-04	9.34E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
316	316	0.50567	2.79E-06	1.4E-06	6.05E-04	8.54E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
317	317	0.46156	2.79E-06	1.3E-06	6.05E-04	7.80E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
318	318	0.42344	2.79E-06	1.2E-06	6.05E-04	7.15E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
319	319	0.38974	2.79E-06	1.1E-06	6.05E-04	6.58E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
320	320	0.35999	2.79E-06	1.0E-06	6.05E-04	6.08E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
321	321	0.28958	2.79E-06	8.1E-07	6.05E-04	4.89E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
322	322	0.27109	2.79E-06	7.6E-07	6.05E-04	4.58E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
325	325	0.72461	2.79E-06	2.0E-06	6.05E-04	1.22E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
326	326	0.73158	2.79E-06	2.0E-06	6.05E-04	1.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
327	327	0.72694	2.79E-06	2.0E-06	6.05E-04	1.23E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
328	328	0.70965	2.79E-06	2.0E-06	6.05E-04	1.20E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
329	329	0.68146	2.79E-06	1.9E-06	6.05E-04	1.15E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
330	330	0.64623	2.79E-06	1.8E-06	6.05E-04	1.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
331	331	0.60447	2.79E-06	1.7E-06	6.05E-04	1.02E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
332	332	0.56066	2.79E-06	1.6E-06	6.05E-04	9.47E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
333	333	0.51596	2.79E-06	1.4E-06	6.05E-04	8.71E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
334	334	0.47418	2.79E-06	1.3E-06	6.05E-04	8.01E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
335	335	0.43547	2.79E-06	1.2E-06	6.05E-04	7.36E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
336	336	0.40078	2.79E-06	1.1E-06	6.05E-04	6.77E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	0.36993	2.79E-06	1.0E-06	6.05E-04	6.25E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
338	338	0.34287	2.79E-06	9.6E-07	6.05E-04	5.79E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
339	339	0.29639	2.79E-06	8.3E-07	6.05E-04	5.01E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
340	340	0.27735	2.79E-06	7.7E-07	6.05E-04	4.68E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
341	341	0.26015	2.79E-06	7.3E-07	6.05E-04	4.39E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
349	349	0.61941	2.79E-06	1.7E-06	6.05E-04	1.05E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
350	350	0.59058	2.79E-06	1.6E-06	6.05E-04	9.97E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
351	351	0.55576	2.79E-06	1.6E-06	6.05E-04	9.39E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
352	352	0.5198	2.79E-06	1.5E-06	6.05E-04	8.78E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
353	353	0.28355	2.79E-06	7.9E-07	6.05E-04	4.79E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
354	354	0.26587	2.79E-06	7.4E-07	6.05E-04	4.49E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
355	355	0.24985	2.79E-06	7.0E-07	6.05E-04	4.22E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
364	364	0.54176	2.79E-06	1.5E-06	6.05E-04	9.15E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
365	365	0.51381	2.79E-06	1.4E-06	6.05E-04	8.68E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
366	366	0.48244	2.79E-06	1.3E-06	6.05E-04	8.15E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
367	367	0.27158	2.79E-06	7.6E-07	6.05E-04	4.59E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
368	368	0.25499	2.79E-06	7.1E-07	6.05E-04	4.31E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
369	369	0.24005	2.79E-06	6.7E-07	6.05E-04	4.05E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
377	377	0.49849	2.79E-06	1.4E-06	6.05E-04	8.42E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
378	378	0.47523	2.79E-06	1.3E-06	6.05E-04	8.03E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
379	379	0.44868	2.79E-06	1.3E-06	6.05E-04	7.58E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
380	380	0.26011	2.79E-06	7.3E-07	6.05E-04	4.39E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
381	381	0.24447	2.79E-06	6.8E-07	6.05E-04	4.13E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
382	382	0.23062	2.79E-06	6.4E-07	6.05E-04	3.90E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
391	391	0.44076	2.79E-06	1.2E-06	6.05E-04	7.44E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
392	392	0.41804	2.79E-06	1.2E-06	6.05E-04	7.06E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
393	393	0.24934	2.79E-06	7.0E-07	6.05E-04	4.21E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
394	394	0.23484	2.79E-06	6.6E-07	6.05E-04	3.97E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
395	395	0.22189	2.79E-06	6.2E-07	6.05E-04	3.75E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
405	405	0.40994	2.79E-06	1.1E-06	6.05E-04	6.92E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
406	406	0.39095	2.79E-06	1.1E-06	6.05E-04	6.60E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
407	407	0.37052	2.79E-06	1.0E-06	6.05E-04	6.26E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
408	408	0.23932	2.79E-06	6.7E-07	6.05E-04	4.04E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
409	409	0.22571	2.79E-06	6.3E-07	6.05E-04	3.81E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
410	410	0.21372	2.79E-06	6.0E-07	6.05E-04	3.61E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
421	421	0.36603	2.79E-06	1.0E-06	6.05E-04	6.18E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
422	422	0.34821	2.79E-06	9.7E-07	6.05E-04	5.88E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
423	423	0.22982	2.79E-06	6.4E-07	6.05E-04	3.88E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
424	424	0.21713	2.79E-06	6.1E-07	6.05E-04	3.67E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
425	425	0.20587	2.79E-06	5.7E-07	6.05E-04	3.48E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
435	435	0.34318	2.79E-06	9.6E-07	6.05E-04	5.80E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
436	436	0.32803	2.79E-06	9.2E-07	6.05E-04	5.54E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
437	437	0.20905	2.79E-06	5.8E-07	6.05E-04	3.53E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
438	438	0.19827	2.79E-06	5.5E-07	6.05E-04	3.35E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
449	449	0.32243	2.79E-06	9.0E-07	6.05E-04	5.45E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
450	450	0.30951	2.79E-06	8.6E-07	6.05E-04	5.23E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
451	451	0.29503	2.79E-06	8.2E-07	6.05E-04	4.98E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
452	452	0.20133	2.79E-06	5.6E-07	6.05E-04	3.40E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
453	453	0.19117	2.79E-06	5.3E-07	6.05E-04	3.23E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
464	464	0.29217	2.79E-06	8.2E-07	6.05E-04	4.93E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
465	465	0.27955	2.79E-06	7.8E-07	6.05E-04	4.72E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
466	466	0.2156	2.79E-06	6.0E-07	6.05E-04	3.64E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
467	467	0.19405	2.79E-06	5.4E-07	6.05E-04	3.28E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
468	468	0.1845	2.79E-06	5.2E-07	6.05E-04	3.12E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
479	479	0.2759	2.79E-06	7.7E-07	6.05E-04	4.66E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
480	480	0.26511	2.79E-06	7.4E-07	6.05E-04	4.48E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
481	481	0.25336	2.79E-06	7.1E-07	6.05E-04	4.28E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
482	482	0.24157	2.79E-06	6.7E-07	6.05E-04	4.08E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
483	483	0.22956	2.79E-06	6.4E-07	6.05E-04	3.88E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
484	484	0.21815	2.79E-06	6.1E-07	6.05E-04	3.68E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
485	485	0.20716	2.79E-06	5.8E-07	6.05E-04	3.50E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
486	486	0.19687	2.79E-06	5.5E-07	6.05E-04	3.33E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
487	487	0.18719	2.79E-06	5.2E-07	6.05E-04	3.16E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
488	488	0.17816	2.79E-06	5.0E-07	6.05E-04	3.01E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
501	501	0.25149	2.79E-06	7.0E-07	6.05E-04	4.25E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
502	502	0.24146	2.79E-06	6.7E-07	6.05E-04	4.08E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
503	503	0.2308	2.79E-06	6.4E-07	6.05E-04	3.90E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
504	504	0.21998	2.79E-06	6.1E-07	6.05E-04	3.72E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
505	505	0.2094	2.79E-06	5.8E-07	6.05E-04	3.54E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
506	506	0.19924	2.79E-06	5.6E-07	6.05E-04	3.37E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
507	507	0.18969	2.79E-06	5.3E-07	6.05E-04	3.20E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
508	508	0.17215	2.79E-06	4.8E-07	6.05E-04	2.91E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
520	520	0.23937	2.79E-06	6.7E-07	6.05E-04	4.04E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
521	521	0.2298	2.79E-06	6.4E-07	6.05E-04	3.88E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
522	522	0.22061	2.79E-06	6.2E-07	6.05E-04	3.73E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
523	523	0.21081	2.79E-06	5.9E-07	6.05E-04	3.56E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
524	524	0.20111	2.79E-06	5.6E-07	6.05E-04	3.40E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
525	525	0.19172	2.79E-06	5.4E-07	6.05E-04	3.24E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
526	526	0.18282	2.79E-06	5.1E-07	6.05E-04	3.09E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
527	527	0.16643	2.79E-06	4.6E-07	6.05E-04	2.81E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
539	539	0.2281	2.79E-06	6.4E-07	6.05E-04	3.85E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
540	540	0.2197	2.79E-06	6.1E-07	6.05E-04	3.71E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
541	541	0.21082	2.79E-06	5.9E-07	6.05E-04	3.56E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
542	542	0.2019	2.79E-06	5.6E-07	6.05E-04	3.41E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
543	543	0.19325	2.79E-06	5.4E-07	6.05E-04	3.26E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
544	544	0.18458	2.79E-06	5.2E-07	6.05E-04	3.12E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
545	545	0.17615	2.79E-06	4.9E-07	6.05E-04	2.98E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
546	546	0.16096	2.79E-06	4.5E-07	6.05E-04	2.72E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
560	560	0.21002	2.79E-06	5.9E-07	6.05E-04	3.55E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
561	561	0.20215	2.79E-06	5.6E-07	6.05E-04	3.41E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
562	562	0.19395	2.79E-06	5.4E-07	6.05E-04	3.28E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
563	563	0.17706	2.79E-06	4.9E-07	6.05E-04	2.99E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
564	564	0.17771	2.79E-06	5.0E-07	6.05E-04	3.00E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.17019	2.79E-06	4.8E-07	6.05E-04	2.87E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
566	566	0.15585	2.79E-06	4.4E-07	6.05E-04	2.63E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
579	579	0.20091	2.79E-06	5.6E-07	6.05E-04	3.39E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
580	580	0.19379	2.79E-06	5.4E-07	6.05E-04	3.27E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
581	581	0.18644	2.79E-06	5.2E-07	6.05E-04	3.15E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
582	582	0.17892	2.79E-06	5.0E-07	6.05E-04	3.02E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
583	583	0.17147	2.79E-06	4.8E-07	6.05E-04	2.90E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
584	584	0.16422	2.79E-06	4.6E-07	6.05E-04	2.77E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
585	585	0.14148	2.79E-06	3.9E-07	6.05E-04	2.39E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
598	598	0.19239	2.79E-06	5.4E-07	6.05E-04	3.25E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
599	599	0.1859	2.79E-06	5.2E-07	6.05E-04	3.14E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
600	600	0.17917	2.79E-06	5.0E-07	6.05E-04	3.03E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
601	601	0.17232	2.79E-06	4.8E-07	6.05E-04	2.91E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
602	602	0.16547	2.79E-06	4.6E-07	6.05E-04	2.79E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
603	603	0.15881	2.79E-06	4.4E-07	6.05E-04	2.68E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
604	604	0.15232	2.79E-06	4.3E-07	6.05E-04	2.57E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
0	0	0	2.79E-06	0.0E+00	6.05E-04	0.00E+00	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.59113	2.79E-06	1.7E-06	2.50E-04	4.13E-10	14	1.15E-02	6.63E-11	1.0E+06	6.6E-05
2	2	0.67145	2.79E-06	1.9E-06	2.50E-04	4.69E-10	14	1.15E-02	7.53E-11	1.0E+06	7.5E-05
3	3	0.77053	2.79E-06	2.2E-06	2.50E-04	5.38E-10	14	1.15E-02	8.65E-11	1.0E+06	8.6E-05
4	4	0.89549	2.79E-06	2.5E-06	2.50E-04	6.26E-10	14	1.15E-02	1.00E-10	1.0E+06	1.0E-04
5	5	1.05679	2.79E-06	2.9E-06	2.50E-04	7.38E-10	14	1.15E-02	1.19E-10	1.0E+06	1.2E-04
6	6	1.27288	2.79E-06	3.6E-06	2.50E-04	8.89E-10	14	1.15E-02	1.43E-10	1.0E+06	1.4E-04
7	7	1.56989	2.79E-06	4.4E-06	2.50E-04	1.10E-09	14	1.15E-02	1.76E-10	1.0E+06	1.8E-04
8	8	1.99562	2.79E-06	5.6E-06	2.50E-04	1.39E-09	14	1.15E-02	2.24E-10	1.0E+06	2.2E-04
9	9	2.64603	2.79E-06	7.4E-06	2.50E-04	1.85E-09	14	1.15E-02	2.97E-10	1.0E+06	3.0E-04
10	10	3.72691	2.79E-06	1.0E-05	2.50E-04	2.60E-09	14	1.15E-02	4.18E-10	1.0E+06	4.2E-04
11	11	5.76976	2.79E-06	1.6E-05	2.50E-04	4.03E-09	14	1.15E-02	6.47E-10	1.0E+06	6.5E-04
12	12	10.55009	2.79E-06	2.9E-05	2.50E-04	7.37E-09	14	1.15E-02	1.18E-09	1.0E+06	1.2E-03
13	13	9.96513	2.79E-06	2.8E-05	2.50E-04	6.96E-09	14	1.15E-02	1.12E-09	1.0E+06	1.1E-03
14	14	9.10082	2.79E-06	2.5E-05	2.50E-04	6.36E-09	14	1.15E-02	1.02E-09	1.0E+06	1.0E-03
15	15	18.27209	2.79E-06	5.1E-05	2.50E-04	1.28E-08	14	1.15E-02	2.05E-09	1.0E+06	2.1E-03
16	16	20.7462	2.79E-06	5.8E-05	2.50E-04	1.45E-08	14	1.15E-02	2.33E-09	1.0E+06	2.3E-03
17	17	18.04186	2.79E-06	5.0E-05	2.50E-04	1.26E-08	14	1.15E-02	2.02E-09	1.0E+06	2.0E-03
18	18	19.66508	2.79E-06	5.5E-05	2.50E-04	1.37E-08	14	1.15E-02	2.21E-09	1.0E+06	2.2E-03
19	19	20.75422	2.79E-06	5.8E-05	2.50E-04	1.45E-08	14	1.15E-02	2.33E-09	1.0E+06	2.3E-03
20	20	10.83808	2.79E-06	3.0E-05	2.50E-04	7.57E-09	14	1.15E-02	1.22E-09	1.0E+06	1.2E-03
21	21	6.54683	2.79E-06	1.8E-05	2.50E-04	4.57E-09	14	1.15E-02	7.35E-10	1.0E+06	7.3E-04
22	22	4.38551	2.79E-06	1.2E-05	2.50E-04	3.06E-09	14	1.15E-02	4.92E-10	1.0E+06	4.9E-04
23	23	3.15537	2.79E-06	8.8E-06	2.50E-04	2.20E-09	14	1.15E-02	3.54E-10	1.0E+06	3.5E-04
24	24	2.38899	2.79E-06	6.7E-06	2.50E-04	1.67E-09	14	1.15E-02	2.68E-10	1.0E+06	2.7E-04
25	25	1.87837	2.79E-06	5.2E-06	2.50E-04	1.31E-09	14	1.15E-02	2.11E-10	1.0E+06	2.1E-04
26	26	1.52028	2.79E-06	4.2E-06	2.50E-04	1.06E-09	14	1.15E-02	1.71E-10	1.0E+06	1.7E-04
27	27	1.25867	2.79E-06	3.5E-06	2.50E-04	8.79E-10	14	1.15E-02	1.41E-10	1.0E+06	1.4E-04
28	28	1.06193	2.79E-06	3.0E-06	2.50E-04	7.42E-10	14	1.15E-02	1.19E-10	1.0E+06	1.2E-04
29	29	0.9095	2.79E-06	2.5E-06	2.50E-04	6.35E-10	14	1.15E-02	1.02E-10	1.0E+06	1.0E-04
30	30	0.78895	2.79E-06	2.2E-06	2.50E-04	5.51E-10	14	1.15E-02	8.85E-11	1.0E+06	8.9E-05
31	31	0.69217	2.79E-06	1.9E-06	2.50E-04	4.84E-10	14	1.15E-02	7.77E-11	1.0E+06	7.8E-05

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.61334	2.79E-06	1.7E-06	2.50E-04	4.28E-10	14	1.15E-02	6.88E-11	1.0E+06	6.9E-05
55	55	3.62477	2.79E-06	1.0E-05	2.50E-04	2.53E-09	14	1.15E-02	4.07E-10	1.0E+06	4.1E-04
56	56	2.67539	2.79E-06	7.5E-06	2.50E-04	1.87E-09	14	1.15E-02	3.00E-10	1.0E+06	3.0E-04
57	57	2.06847	2.79E-06	5.8E-06	2.50E-04	1.45E-09	14	1.15E-02	2.32E-10	1.0E+06	2.3E-04
58	58	1.65438	2.79E-06	4.6E-06	2.50E-04	1.16E-09	14	1.15E-02	1.86E-10	1.0E+06	1.9E-04
59	59	1.35944	2.79E-06	3.8E-06	2.50E-04	9.50E-10	14	1.15E-02	1.53E-10	1.0E+06	1.5E-04
60	60	1.14047	2.79E-06	3.2E-06	2.50E-04	7.97E-10	14	1.15E-02	1.28E-10	1.0E+06	1.3E-04
61	61	0.97155	2.79E-06	2.7E-06	2.50E-04	6.79E-10	14	1.15E-02	1.09E-10	1.0E+06	1.1E-04
62	62	0.83958	2.79E-06	2.3E-06	2.50E-04	5.87E-10	14	1.15E-02	9.42E-11	1.0E+06	9.4E-05
63	63	0.73371	2.79E-06	2.0E-06	2.50E-04	5.13E-10	14	1.15E-02	8.23E-11	1.0E+06	8.2E-05
64	64	0.64784	2.79E-06	1.8E-06	2.50E-04	4.53E-10	14	1.15E-02	7.27E-11	1.0E+06	7.3E-05
65	65	0.57725	2.79E-06	1.6E-06	2.50E-04	4.03E-10	14	1.15E-02	6.48E-11	1.0E+06	6.5E-05
66	66	0.51737	2.79E-06	1.4E-06	2.50E-04	3.61E-10	14	1.15E-02	5.80E-11	1.0E+06	5.8E-05
67	67	0.58733	2.79E-06	1.6E-06	2.50E-04	4.10E-10	14	1.15E-02	6.59E-11	1.0E+06	6.6E-05
68	68	0.66699	2.79E-06	1.9E-06	2.50E-04	4.66E-10	14	1.15E-02	7.48E-11	1.0E+06	7.5E-05
69	69	0.76549	2.79E-06	2.1E-06	2.50E-04	5.35E-10	14	1.15E-02	8.59E-11	1.0E+06	8.6E-05
70	70	0.88974	2.79E-06	2.5E-06	2.50E-04	6.22E-10	14	1.15E-02	9.98E-11	1.0E+06	1.0E-04
71	71	1.0491	2.79E-06	2.9E-06	2.50E-04	7.33E-10	14	1.15E-02	1.18E-10	1.0E+06	1.2E-04
72	72	1.26239	2.79E-06	3.5E-06	2.50E-04	8.82E-10	14	1.15E-02	1.42E-10	1.0E+06	1.4E-04
73	73	1.55436	2.79E-06	4.3E-06	2.50E-04	1.09E-09	14	1.15E-02	1.74E-10	1.0E+06	1.7E-04
74	74	1.97191	2.79E-06	5.5E-06	2.50E-04	1.38E-09	14	1.15E-02	2.21E-10	1.0E+06	2.2E-04
75	75	2.6041	2.79E-06	7.3E-06	2.50E-04	1.82E-09	14	1.15E-02	2.92E-10	1.0E+06	2.9E-04
76	76	3.64275	2.79E-06	1.0E-05	2.50E-04	2.54E-09	14	1.15E-02	4.09E-10	1.0E+06	4.1E-04
77	77	5.56438	2.79E-06	1.6E-05	2.50E-04	3.89E-09	14	1.15E-02	6.24E-10	1.0E+06	6.2E-04
78	78	9.89276	2.79E-06	2.8E-05	2.50E-04	6.91E-09	14	1.15E-02	1.11E-09	1.0E+06	1.1E-03
79	79	35.86817	2.79E-06	1.0E-04	2.50E-04	2.51E-08	14	1.15E-02	4.02E-09	1.0E+06	4.0E-03
80	80	24.60089	2.79E-06	6.9E-05	2.50E-04	1.72E-08	14	1.15E-02	2.76E-09	1.0E+06	2.8E-03
81	81	11.68959	2.79E-06	3.3E-05	2.50E-04	8.17E-09	14	1.15E-02	1.31E-09	1.0E+06	1.3E-03
82	82	6.39607	2.79E-06	1.8E-05	2.50E-04	4.47E-09	14	1.15E-02	7.18E-10	1.0E+06	7.2E-04
83	83	4.18603	2.79E-06	1.2E-05	2.50E-04	2.92E-09	14	1.15E-02	4.70E-10	1.0E+06	4.7E-04
84	84	3.0195	2.79E-06	8.4E-06	2.50E-04	2.11E-09	14	1.15E-02	3.39E-10	1.0E+06	3.4E-04

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	85	2.29803	2.79E-06	6.4E-06	2.50E-04	1.61E-09	14	1.15E-02	2.58E-10	1.0E+06	2.6E-04
86	86	1.81711	2.79E-06	5.1E-06	2.50E-04	1.27E-09	14	1.15E-02	2.04E-10	1.0E+06	2.0E-04
87	87	1.47998	2.79E-06	4.1E-06	2.50E-04	1.03E-09	14	1.15E-02	1.66E-10	1.0E+06	1.7E-04
88	88	1.23212	2.79E-06	3.4E-06	2.50E-04	8.61E-10	14	1.15E-02	1.38E-10	1.0E+06	1.4E-04
89	89	1.04515	2.79E-06	2.9E-06	2.50E-04	7.30E-10	14	1.15E-02	1.17E-10	1.0E+06	1.2E-04
90	90	0.89933	2.79E-06	2.5E-06	2.50E-04	6.28E-10	14	1.15E-02	1.01E-10	1.0E+06	1.0E-04
91	91	0.78231	2.79E-06	2.2E-06	2.50E-04	5.47E-10	14	1.15E-02	8.78E-11	1.0E+06	8.8E-05
92	92	0.68877	2.79E-06	1.9E-06	2.50E-04	4.81E-10	14	1.15E-02	7.73E-11	1.0E+06	7.7E-05
93	93	0.61099	2.79E-06	1.7E-06	2.50E-04	4.27E-10	14	1.15E-02	6.86E-11	1.0E+06	6.9E-05
96	96	1.39271	2.79E-06	3.9E-06	2.50E-04	9.73E-10	14	1.15E-02	1.56E-10	1.0E+06	1.6E-04
97	97	1.14879	2.79E-06	3.2E-06	2.50E-04	8.03E-10	14	1.15E-02	1.29E-10	1.0E+06	1.3E-04
98	98	1.13226	2.79E-06	3.2E-06	2.50E-04	7.91E-10	14	1.15E-02	1.27E-10	1.0E+06	1.3E-04
99	99	0.9674	2.79E-06	2.7E-06	2.50E-04	6.76E-10	14	1.15E-02	1.09E-10	1.0E+06	1.1E-04
100	100	0.83862	2.79E-06	2.3E-06	2.50E-04	5.86E-10	14	1.15E-02	9.41E-11	1.0E+06	9.4E-05
101	101	0.73521	2.79E-06	2.1E-06	2.50E-04	5.14E-10	14	1.15E-02	8.25E-11	1.0E+06	8.2E-05
102	102	0.64908	2.79E-06	1.8E-06	2.50E-04	4.53E-10	14	1.15E-02	7.28E-11	1.0E+06	7.3E-05
106	106	0.50176	2.79E-06	1.4E-06	2.50E-04	3.51E-10	14	1.15E-02	5.63E-11	1.0E+06	5.6E-05
107	107	0.56464	2.79E-06	1.6E-06	2.50E-04	3.94E-10	14	1.15E-02	6.34E-11	1.0E+06	6.3E-05
108	108	0.63768	2.79E-06	1.8E-06	2.50E-04	4.45E-10	14	1.15E-02	7.15E-11	1.0E+06	7.2E-05
109	109	0.72695	2.79E-06	2.0E-06	2.50E-04	5.08E-10	14	1.15E-02	8.16E-11	1.0E+06	8.2E-05
110	110	0.83773	2.79E-06	2.3E-06	2.50E-04	5.85E-10	14	1.15E-02	9.40E-11	1.0E+06	9.4E-05
111	111	0.97668	2.79E-06	2.7E-06	2.50E-04	6.82E-10	14	1.15E-02	1.10E-10	1.0E+06	1.1E-04
112	112	1.15741	2.79E-06	3.2E-06	2.50E-04	8.09E-10	14	1.15E-02	1.30E-10	1.0E+06	1.3E-04
113	113	1.39381	2.79E-06	3.9E-06	2.50E-04	9.74E-10	14	1.15E-02	1.56E-10	1.0E+06	1.6E-04
114	114	1.71284	2.79E-06	4.8E-06	2.50E-04	1.20E-09	14	1.15E-02	1.92E-10	1.0E+06	1.9E-04
115	115	2.15428	2.79E-06	6.0E-06	2.50E-04	1.51E-09	14	1.15E-02	2.42E-10	1.0E+06	2.4E-04
116	116	2.78431	2.79E-06	7.8E-06	2.50E-04	1.95E-09	14	1.15E-02	3.12E-10	1.0E+06	3.1E-04
117	117	3.74049	2.79E-06	1.0E-05	2.50E-04	2.61E-09	14	1.15E-02	4.20E-10	1.0E+06	4.2E-04
118	118	5.23591	2.79E-06	1.5E-05	2.50E-04	3.66E-09	14	1.15E-02	5.87E-10	1.0E+06	5.9E-04
124	124	0.4912	2.79E-06	1.4E-06	2.50E-04	3.43E-10	14	1.15E-02	5.51E-11	1.0E+06	5.5E-05
125	125	0.54849	2.79E-06	1.5E-06	2.50E-04	3.83E-10	14	1.15E-02	6.15E-11	1.0E+06	6.2E-05

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
126	126	0.61701	2.79E-06	1.7E-06	2.50E-04	4.31E-10	14	1.15E-02	6.92E-11	1.0E+06	6.9E-05
127	127	0.69994	2.79E-06	2.0E-06	2.50E-04	4.89E-10	14	1.15E-02	7.85E-11	1.0E+06	7.9E-05
128	128	0.80157	2.79E-06	2.2E-06	2.50E-04	5.60E-10	14	1.15E-02	8.99E-11	1.0E+06	9.0E-05
129	129	0.92714	2.79E-06	2.6E-06	2.50E-04	6.48E-10	14	1.15E-02	1.04E-10	1.0E+06	1.0E-04
130	130	1.08677	2.79E-06	3.0E-06	2.50E-04	7.59E-10	14	1.15E-02	1.22E-10	1.0E+06	1.2E-04
131	131	1.29048	2.79E-06	3.6E-06	2.50E-04	9.02E-10	14	1.15E-02	1.45E-10	1.0E+06	1.4E-04
132	132	1.55569	2.79E-06	4.3E-06	2.50E-04	1.09E-09	14	1.15E-02	1.75E-10	1.0E+06	1.7E-04
133	133	1.90738	2.79E-06	5.3E-06	2.50E-04	1.33E-09	14	1.15E-02	2.14E-10	1.0E+06	2.1E-04
134	134	2.38646	2.79E-06	6.7E-06	2.50E-04	1.67E-09	14	1.15E-02	2.68E-10	1.0E+06	2.7E-04
135	135	3.05561	2.79E-06	8.5E-06	2.50E-04	2.13E-09	14	1.15E-02	3.43E-10	1.0E+06	3.4E-04
136	136	3.99614	2.79E-06	1.1E-05	2.50E-04	2.79E-09	14	1.15E-02	4.48E-10	1.0E+06	4.5E-04
137	137	5.20427	2.79E-06	1.5E-05	2.50E-04	3.64E-09	14	1.15E-02	5.84E-10	1.0E+06	5.8E-04
138	138	6.43878	2.79E-06	1.8E-05	2.50E-04	4.50E-09	14	1.15E-02	7.22E-10	1.0E+06	7.2E-04
141	141	0.47679	2.79E-06	1.3E-06	2.50E-04	3.33E-10	14	1.15E-02	5.35E-11	1.0E+06	5.3E-05
142	142	0.53046	2.79E-06	1.5E-06	2.50E-04	3.71E-10	14	1.15E-02	5.95E-11	1.0E+06	6.0E-05
143	143	0.59404	2.79E-06	1.7E-06	2.50E-04	4.15E-10	14	1.15E-02	6.67E-11	1.0E+06	6.7E-05
144	144	0.67011	2.79E-06	1.9E-06	2.50E-04	4.68E-10	14	1.15E-02	7.52E-11	1.0E+06	7.5E-05
145	145	0.76192	2.79E-06	2.1E-06	2.50E-04	5.32E-10	14	1.15E-02	8.55E-11	1.0E+06	8.5E-05
146	146	0.87345	2.79E-06	2.4E-06	2.50E-04	6.10E-10	14	1.15E-02	9.80E-11	1.0E+06	9.8E-05
147	147	1.01191	2.79E-06	2.8E-06	2.50E-04	7.07E-10	14	1.15E-02	1.14E-10	1.0E+06	1.1E-04
148	148	1.18384	2.79E-06	3.3E-06	2.50E-04	8.27E-10	14	1.15E-02	1.33E-10	1.0E+06	1.3E-04
149	149	1.40073	2.79E-06	3.9E-06	2.50E-04	9.79E-10	14	1.15E-02	1.57E-10	1.0E+06	1.6E-04
150	150	1.67811	2.79E-06	4.7E-06	2.50E-04	1.17E-09	14	1.15E-02	1.88E-10	1.0E+06	1.9E-04
151	151	2.03934	2.79E-06	5.7E-06	2.50E-04	1.42E-09	14	1.15E-02	2.29E-10	1.0E+06	2.3E-04
152	152	2.51638	2.79E-06	7.0E-06	2.50E-04	1.76E-09	14	1.15E-02	2.82E-10	1.0E+06	2.8E-04
153	153	3.13763	2.79E-06	8.8E-06	2.50E-04	2.19E-09	14	1.15E-02	3.52E-10	1.0E+06	3.5E-04
154	154	3.88307	2.79E-06	1.1E-05	2.50E-04	2.71E-09	14	1.15E-02	4.36E-10	1.0E+06	4.4E-04
155	155	4.62277	2.79E-06	1.3E-05	2.50E-04	3.23E-09	14	1.15E-02	5.19E-10	1.0E+06	5.2E-04
164	164	3.01562	2.79E-06	8.4E-06	2.50E-04	2.11E-09	14	1.15E-02	3.38E-10	1.0E+06	3.4E-04
165	165	3.49033	2.79E-06	9.7E-06	2.50E-04	2.44E-09	14	1.15E-02	3.92E-10	1.0E+06	3.9E-04
166	166	3.84371	2.79E-06	1.1E-05	2.50E-04	2.69E-09	14	1.15E-02	4.31E-10	1.0E+06	4.3E-04

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	2.41354	2.79E-06	6.7E-06	2.50E-04	1.69E-09	14	1.15E-02	2.71E-10	1.0E+06	2.7E-04
179	179	2.73441	2.79E-06	7.6E-06	2.50E-04	1.91E-09	14	1.15E-02	3.07E-10	1.0E+06	3.1E-04
180	180	2.97757	2.79E-06	8.3E-06	2.50E-04	2.08E-09	14	1.15E-02	3.34E-10	1.0E+06	3.3E-04
192	192	1.97784	2.79E-06	5.5E-06	2.50E-04	1.38E-09	14	1.15E-02	2.22E-10	1.0E+06	2.2E-04
193	193	2.20339	2.79E-06	6.2E-06	2.50E-04	1.54E-09	14	1.15E-02	2.47E-10	1.0E+06	2.5E-04
194	194	2.37631	2.79E-06	6.6E-06	2.50E-04	1.66E-09	14	1.15E-02	2.67E-10	1.0E+06	2.7E-04
207	207	1.65189	2.79E-06	4.6E-06	2.50E-04	1.15E-09	14	1.15E-02	1.85E-10	1.0E+06	1.9E-04
208	208	1.8154	2.79E-06	5.1E-06	2.50E-04	1.27E-09	14	1.15E-02	2.04E-10	1.0E+06	2.0E-04
209	209	1.94209	2.79E-06	5.4E-06	2.50E-04	1.36E-09	14	1.15E-02	2.18E-10	1.0E+06	2.2E-04
223	223	1.40148	2.79E-06	3.9E-06	2.50E-04	9.79E-10	14	1.15E-02	1.57E-10	1.0E+06	1.6E-04
224	224	1.52316	2.79E-06	4.3E-06	2.50E-04	1.06E-09	14	1.15E-02	1.71E-10	1.0E+06	1.7E-04
225	225	1.6183	2.79E-06	4.5E-06	2.50E-04	1.13E-09	14	1.15E-02	1.82E-10	1.0E+06	1.8E-04
239	239	1.20484	2.79E-06	3.4E-06	2.50E-04	8.42E-10	14	1.15E-02	1.35E-10	1.0E+06	1.4E-04
240	240	1.29742	2.79E-06	3.6E-06	2.50E-04	9.06E-10	14	1.15E-02	1.46E-10	1.0E+06	1.5E-04
241	241	1.37049	2.79E-06	3.8E-06	2.50E-04	9.57E-10	14	1.15E-02	1.54E-10	1.0E+06	1.5E-04
255	255	1.0475	2.79E-06	2.9E-06	2.50E-04	7.32E-10	14	1.15E-02	1.18E-10	1.0E+06	1.2E-04
256	256	1.11936	2.79E-06	3.1E-06	2.50E-04	7.82E-10	14	1.15E-02	1.26E-10	1.0E+06	1.3E-04
272	272	0.91977	2.79E-06	2.6E-06	2.50E-04	6.43E-10	14	1.15E-02	1.03E-10	1.0E+06	1.0E-04
273	273	0.97629	2.79E-06	2.7E-06	2.50E-04	6.82E-10	14	1.15E-02	1.10E-10	1.0E+06	1.1E-04
289	289	0.81432	2.79E-06	2.3E-06	2.50E-04	5.69E-10	14	1.15E-02	9.14E-11	1.0E+06	9.1E-05
290	290	0.85949	2.79E-06	2.4E-06	2.50E-04	6.00E-10	14	1.15E-02	9.64E-11	1.0E+06	9.6E-05
306	306	0.72646	2.79E-06	2.0E-06	2.50E-04	5.08E-10	14	1.15E-02	8.15E-11	1.0E+06	8.2E-05
307	307	0.76301	2.79E-06	2.1E-06	2.50E-04	5.33E-10	14	1.15E-02	8.56E-11	1.0E+06	8.6E-05
323	323	0.65254	2.79E-06	1.8E-06	2.50E-04	4.56E-10	14	1.15E-02	7.32E-11	1.0E+06	7.3E-05
324	324	0.68247	2.79E-06	1.9E-06	2.50E-04	4.77E-10	14	1.15E-02	7.66E-11	1.0E+06	7.7E-05
342	342	0.58963	2.79E-06	1.6E-06	2.50E-04	4.12E-10	14	1.15E-02	6.62E-11	1.0E+06	6.6E-05
343	343	0.61439	2.79E-06	1.7E-06	2.50E-04	4.29E-10	14	1.15E-02	6.89E-11	1.0E+06	6.9E-05
344	344	0.63542	2.79E-06	1.8E-06	2.50E-04	4.44E-10	14	1.15E-02	7.13E-11	1.0E+06	7.1E-05
356	356	0.53582	2.79E-06	1.5E-06	2.50E-04	3.74E-10	14	1.15E-02	6.01E-11	1.0E+06	6.0E-05
357	357	0.55677	2.79E-06	1.6E-06	2.50E-04	3.89E-10	14	1.15E-02	6.25E-11	1.0E+06	6.2E-05
358	358	0.57422	2.79E-06	1.6E-06	2.50E-04	4.01E-10	14	1.15E-02	6.44E-11	1.0E+06	6.4E-05

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
370	370	0.48925	2.79E-06	1.4E-06	2.50E-04	3.42E-10	14	1.15E-02	5.49E-11	1.0E+06	5.5E-05
371	371	0.50702	2.79E-06	1.4E-06	2.50E-04	3.54E-10	14	1.15E-02	5.69E-11	1.0E+06	5.7E-05
372	372	0.52186	2.79E-06	1.5E-06	2.50E-04	3.65E-10	14	1.15E-02	5.86E-11	1.0E+06	5.9E-05
383	383	0.44878	2.79E-06	1.3E-06	2.50E-04	3.14E-10	14	1.15E-02	5.04E-11	1.0E+06	5.0E-05
384	384	0.46391	2.79E-06	1.3E-06	2.50E-04	3.24E-10	14	1.15E-02	5.20E-11	1.0E+06	5.2E-05
385	385	0.47668	2.79E-06	1.3E-06	2.50E-04	3.33E-10	14	1.15E-02	5.35E-11	1.0E+06	5.3E-05
396	396	0.41332	2.79E-06	1.2E-06	2.50E-04	2.89E-10	14	1.15E-02	4.64E-11	1.0E+06	4.6E-05
397	397	0.42633	2.79E-06	1.2E-06	2.50E-04	2.98E-10	14	1.15E-02	4.78E-11	1.0E+06	4.8E-05
398	398	0.43741	2.79E-06	1.2E-06	2.50E-04	3.06E-10	14	1.15E-02	4.91E-11	1.0E+06	4.9E-05
399	399	0.44577	2.79E-06	1.2E-06	2.50E-04	3.11E-10	14	1.15E-02	5.00E-11	1.0E+06	5.0E-05
411	411	0.38212	2.79E-06	1.1E-06	2.50E-04	2.67E-10	14	1.15E-02	4.29E-11	1.0E+06	4.3E-05
412	412	0.39341	2.79E-06	1.1E-06	2.50E-04	2.75E-10	14	1.15E-02	4.41E-11	1.0E+06	4.4E-05
413	413	0.40289	2.79E-06	1.1E-06	2.50E-04	2.81E-10	14	1.15E-02	4.52E-11	1.0E+06	4.5E-05
414	414	0.41043	2.79E-06	1.1E-06	2.50E-04	2.87E-10	14	1.15E-02	4.60E-11	1.0E+06	4.6E-05
426	426	0.35445	2.79E-06	9.9E-07	2.50E-04	2.48E-10	14	1.15E-02	3.98E-11	1.0E+06	4.0E-05
427	427	0.36427	2.79E-06	1.0E-06	2.50E-04	2.54E-10	14	1.15E-02	4.09E-11	1.0E+06	4.1E-05
428	428	0.37281	2.79E-06	1.0E-06	2.50E-04	2.60E-10	14	1.15E-02	4.18E-11	1.0E+06	4.2E-05
429	429	0.37938	2.79E-06	1.1E-06	2.50E-04	2.65E-10	14	1.15E-02	4.26E-11	1.0E+06	4.3E-05
439	439	0.32987	2.79E-06	9.2E-07	2.50E-04	2.30E-10	14	1.15E-02	3.70E-11	1.0E+06	3.7E-05
440	440	0.33848	2.79E-06	9.4E-07	2.50E-04	2.36E-10	14	1.15E-02	3.80E-11	1.0E+06	3.8E-05
441	441	0.34594	2.79E-06	9.7E-07	2.50E-04	2.42E-10	14	1.15E-02	3.88E-11	1.0E+06	3.9E-05
442	442	0.35183	2.79E-06	9.8E-07	2.50E-04	2.46E-10	14	1.15E-02	3.95E-11	1.0E+06	3.9E-05
443	443	0.35566	2.79E-06	9.9E-07	2.50E-04	2.48E-10	14	1.15E-02	3.99E-11	1.0E+06	4.0E-05
454	454	0.30788	2.79E-06	8.6E-07	2.50E-04	2.15E-10	14	1.15E-02	3.45E-11	1.0E+06	3.5E-05
455	455	0.31546	2.79E-06	8.8E-07	2.50E-04	2.20E-10	14	1.15E-02	3.54E-11	1.0E+06	3.5E-05
456	456	0.32206	2.79E-06	9.0E-07	2.50E-04	2.25E-10	14	1.15E-02	3.61E-11	1.0E+06	3.6E-05
457	457	0.32733	2.79E-06	9.1E-07	2.50E-04	2.29E-10	14	1.15E-02	3.67E-11	1.0E+06	3.7E-05
458	458	0.33088	2.79E-06	9.2E-07	2.50E-04	2.31E-10	14	1.15E-02	3.71E-11	1.0E+06	3.7E-05
469	469	0.28818	2.79E-06	8.0E-07	2.50E-04	2.01E-10	14	1.15E-02	3.23E-11	1.0E+06	3.2E-05
470	470	0.29495	2.79E-06	8.2E-07	2.50E-04	2.06E-10	14	1.15E-02	3.31E-11	1.0E+06	3.3E-05
471	471	0.30081	2.79E-06	8.4E-07	2.50E-04	2.10E-10	14	1.15E-02	3.38E-11	1.0E+06	3.4E-05

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	0.30557	2.79E-06	8.5E-07	2.50E-04	2.13E-10	14	1.15E-02	3.43E-11	1.0E+06	3.4E-05
473	473	0.30886	2.79E-06	8.6E-07	2.50E-04	2.16E-10	14	1.15E-02	3.47E-11	1.0E+06	3.5E-05
489	489	0.27035	2.79E-06	7.5E-07	2.50E-04	1.89E-10	14	1.15E-02	3.03E-11	1.0E+06	3.0E-05
490	490	0.27636	2.79E-06	7.7E-07	2.50E-04	1.93E-10	14	1.15E-02	3.10E-11	1.0E+06	3.1E-05
491	491	0.28164	2.79E-06	7.9E-07	2.50E-04	1.97E-10	14	1.15E-02	3.16E-11	1.0E+06	3.2E-05
492	492	0.28593	2.79E-06	8.0E-07	2.50E-04	2.00E-10	14	1.15E-02	3.21E-11	1.0E+06	3.2E-05
493	493	0.28894	2.79E-06	8.1E-07	2.50E-04	2.02E-10	14	1.15E-02	3.24E-11	1.0E+06	3.2E-05
494	494	0.29045	2.79E-06	8.1E-07	2.50E-04	2.03E-10	14	1.15E-02	3.26E-11	1.0E+06	3.3E-05
509	509	0.2543	2.79E-06	7.1E-07	2.50E-04	1.78E-10	14	1.15E-02	2.85E-11	1.0E+06	2.9E-05
510	510	0.25967	2.79E-06	7.2E-07	2.50E-04	1.81E-10	14	1.15E-02	2.91E-11	1.0E+06	2.9E-05
511	511	0.26446	2.79E-06	7.4E-07	2.50E-04	1.85E-10	14	1.15E-02	2.97E-11	1.0E+06	3.0E-05
512	512	0.26836	2.79E-06	7.5E-07	2.50E-04	1.87E-10	14	1.15E-02	3.01E-11	1.0E+06	3.0E-05
513	513	0.27109	2.79E-06	7.6E-07	2.50E-04	1.89E-10	14	1.15E-02	3.04E-11	1.0E+06	3.0E-05
514	514	0.27259	2.79E-06	7.6E-07	2.50E-04	1.90E-10	14	1.15E-02	3.06E-11	1.0E+06	3.1E-05
515	515	0.2709	2.79E-06	7.6E-07	2.50E-04	1.89E-10	14	1.15E-02	3.04E-11	1.0E+06	3.0E-05
516	516	0.26744	2.79E-06	7.5E-07	2.50E-04	1.87E-10	14	1.15E-02	3.00E-11	1.0E+06	3.0E-05
517	517	0.26246	2.79E-06	7.3E-07	2.50E-04	1.83E-10	14	1.15E-02	2.94E-11	1.0E+06	2.9E-05
518	518	0.25601	2.79E-06	7.1E-07	2.50E-04	1.79E-10	14	1.15E-02	2.87E-11	1.0E+06	2.9E-05
519	519	0.24835	2.79E-06	6.9E-07	2.50E-04	1.74E-10	14	1.15E-02	2.79E-11	1.0E+06	2.8E-05
528	528	0.23974	2.79E-06	6.7E-07	2.50E-04	1.67E-10	14	1.15E-02	2.69E-11	1.0E+06	2.7E-05
529	529	0.24457	2.79E-06	6.8E-07	2.50E-04	1.71E-10	14	1.15E-02	2.74E-11	1.0E+06	2.7E-05
530	530	0.24887	2.79E-06	6.9E-07	2.50E-04	1.74E-10	14	1.15E-02	2.79E-11	1.0E+06	2.8E-05
531	531	0.25244	2.79E-06	7.0E-07	2.50E-04	1.76E-10	14	1.15E-02	2.83E-11	1.0E+06	2.8E-05
532	532	0.25502	2.79E-06	7.1E-07	2.50E-04	1.78E-10	14	1.15E-02	2.86E-11	1.0E+06	2.9E-05
533	533	0.25645	2.79E-06	7.2E-07	2.50E-04	1.79E-10	14	1.15E-02	2.88E-11	1.0E+06	2.9E-05
534	534	0.25521	2.79E-06	7.1E-07	2.50E-04	1.78E-10	14	1.15E-02	2.86E-11	1.0E+06	2.9E-05
535	535	0.25237	2.79E-06	7.0E-07	2.50E-04	1.76E-10	14	1.15E-02	2.83E-11	1.0E+06	2.8E-05
536	536	0.24819	2.79E-06	6.9E-07	2.50E-04	1.73E-10	14	1.15E-02	2.78E-11	1.0E+06	2.8E-05
537	537	0.24255	2.79E-06	6.8E-07	2.50E-04	1.69E-10	14	1.15E-02	2.72E-11	1.0E+06	2.7E-05
538	538	0.23578	2.79E-06	6.6E-07	2.50E-04	1.65E-10	14	1.15E-02	2.65E-11	1.0E+06	2.6E-05
547	547	0.22647	2.79E-06	6.3E-07	2.50E-04	1.58E-10	14	1.15E-02	2.54E-11	1.0E+06	2.5E-05

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.23082	2.79E-06	6.4E-07	2.50E-04	1.61E-10	14	1.15E-02	2.59E-11	1.0E+06	2.6E-05
549	549	0.23476	2.79E-06	6.6E-07	2.50E-04	1.64E-10	14	1.15E-02	2.63E-11	1.0E+06	2.6E-05
550	550	0.23796	2.79E-06	6.6E-07	2.50E-04	1.66E-10	14	1.15E-02	2.67E-11	1.0E+06	2.7E-05
551	551	0.24039	2.79E-06	6.7E-07	2.50E-04	1.68E-10	14	1.15E-02	2.70E-11	1.0E+06	2.7E-05
552	552	0.24178	2.79E-06	6.7E-07	2.50E-04	1.69E-10	14	1.15E-02	2.71E-11	1.0E+06	2.7E-05
553	553	0.24204	2.79E-06	6.8E-07	2.50E-04	1.69E-10	14	1.15E-02	2.72E-11	1.0E+06	2.7E-05
554	554	0.24097	2.79E-06	6.7E-07	2.50E-04	1.68E-10	14	1.15E-02	2.70E-11	1.0E+06	2.7E-05
555	555	0.23865	2.79E-06	6.7E-07	2.50E-04	1.67E-10	14	1.15E-02	2.68E-11	1.0E+06	2.7E-05
556	556	0.23513	2.79E-06	6.6E-07	2.50E-04	1.64E-10	14	1.15E-02	2.64E-11	1.0E+06	2.6E-05
557	557	0.2302	2.79E-06	6.4E-07	2.50E-04	1.61E-10	14	1.15E-02	2.58E-11	1.0E+06	2.6E-05
558	558	0.22432	2.79E-06	6.3E-07	2.50E-04	1.57E-10	14	1.15E-02	2.52E-11	1.0E+06	2.5E-05
559	559	0.21749	2.79E-06	6.1E-07	2.50E-04	1.52E-10	14	1.15E-02	2.44E-11	1.0E+06	2.4E-05
567	567	0.21437	2.79E-06	6.0E-07	2.50E-04	1.50E-10	14	1.15E-02	2.41E-11	1.0E+06	2.4E-05
568	568	0.21834	2.79E-06	6.1E-07	2.50E-04	1.53E-10	14	1.15E-02	2.45E-11	1.0E+06	2.4E-05
569	569	0.22189	2.79E-06	6.2E-07	2.50E-04	1.55E-10	14	1.15E-02	2.49E-11	1.0E+06	2.5E-05
570	570	0.22487	2.79E-06	6.3E-07	2.50E-04	1.57E-10	14	1.15E-02	2.52E-11	1.0E+06	2.5E-05
571	571	0.22711	2.79E-06	6.3E-07	2.50E-04	1.59E-10	14	1.15E-02	2.55E-11	1.0E+06	2.5E-05
572	572	0.22847	2.79E-06	6.4E-07	2.50E-04	1.60E-10	14	1.15E-02	2.56E-11	1.0E+06	2.6E-05
573	573	0.22881	2.79E-06	6.4E-07	2.50E-04	1.60E-10	14	1.15E-02	2.57E-11	1.0E+06	2.6E-05
574	574	0.22608	2.79E-06	6.3E-07	2.50E-04	1.58E-10	14	1.15E-02	2.54E-11	1.0E+06	2.5E-05
575	575	0.22306	2.79E-06	6.2E-07	2.50E-04	1.56E-10	14	1.15E-02	2.50E-11	1.0E+06	2.5E-05
576	576	0.2189	2.79E-06	6.1E-07	2.50E-04	1.53E-10	14	1.15E-02	2.46E-11	1.0E+06	2.5E-05
577	577	0.21372	2.79E-06	6.0E-07	2.50E-04	1.49E-10	14	1.15E-02	2.40E-11	1.0E+06	2.4E-05
578	578	0.20766	2.79E-06	5.8E-07	2.50E-04	1.45E-10	14	1.15E-02	2.33E-11	1.0E+06	2.3E-05
586	586	0.20323	2.79E-06	5.7E-07	2.50E-04	1.42E-10	14	1.15E-02	2.28E-11	1.0E+06	2.3E-05
587	587	0.20682	2.79E-06	5.8E-07	2.50E-04	1.44E-10	14	1.15E-02	2.32E-11	1.0E+06	2.3E-05
588	588	0.21009	2.79E-06	5.9E-07	2.50E-04	1.47E-10	14	1.15E-02	2.36E-11	1.0E+06	2.4E-05
589	589	0.21283	2.79E-06	5.9E-07	2.50E-04	1.49E-10	14	1.15E-02	2.39E-11	1.0E+06	2.4E-05
590	590	0.21492	2.79E-06	6.0E-07	2.50E-04	1.50E-10	14	1.15E-02	2.41E-11	1.0E+06	2.4E-05
591	591	0.21623	2.79E-06	6.0E-07	2.50E-04	1.51E-10	14	1.15E-02	2.43E-11	1.0E+06	2.4E-05
592	592	0.21665	2.79E-06	6.0E-07	2.50E-04	1.51E-10	14	1.15E-02	2.43E-11	1.0E+06	2.4E-05

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	0.21448	2.79E-06	6.0E-07	2.50E-04	1.50E-10	14	1.15E-02	2.41E-11	1.0E+06	2.4E-05
594	594	0.21193	2.79E-06	5.9E-07	2.50E-04	1.48E-10	14	1.15E-02	2.38E-11	1.0E+06	2.4E-05
595	595	0.20827	2.79E-06	5.8E-07	2.50E-04	1.46E-10	14	1.15E-02	2.34E-11	1.0E+06	2.3E-05
596	596	0.20369	2.79E-06	5.7E-07	2.50E-04	1.42E-10	14	1.15E-02	2.29E-11	1.0E+06	2.3E-05
597	597	0.19836	2.79E-06	5.5E-07	2.50E-04	1.39E-10	14	1.15E-02	2.23E-11	1.0E+06	2.2E-05
345	345	0.6499	2.79E-06	1.8E-06	2.50E-04	4.54E-10	14	1.15E-02	7.29E-11	1.0E+06	7.3E-05
346	346	0.65657	2.79E-06	1.8E-06	2.50E-04	4.59E-10	14	1.15E-02	7.37E-11	1.0E+06	7.4E-05
347	347	0.65378	2.79E-06	1.8E-06	2.50E-04	4.57E-10	14	1.15E-02	7.34E-11	1.0E+06	7.3E-05
348	348	0.64121	2.79E-06	1.8E-06	2.50E-04	4.48E-10	14	1.15E-02	7.19E-11	1.0E+06	7.2E-05
359	359	0.5866	2.79E-06	1.6E-06	2.50E-04	4.10E-10	14	1.15E-02	6.58E-11	1.0E+06	6.6E-05
360	360	0.59232	2.79E-06	1.7E-06	2.50E-04	4.14E-10	14	1.15E-02	6.65E-11	1.0E+06	6.6E-05
361	361	0.59119	2.79E-06	1.7E-06	2.50E-04	4.13E-10	14	1.15E-02	6.63E-11	1.0E+06	6.6E-05
362	362	0.58152	2.79E-06	1.6E-06	2.50E-04	4.06E-10	14	1.15E-02	6.52E-11	1.0E+06	6.5E-05
363	363	0.56494	2.79E-06	1.6E-06	2.50E-04	3.95E-10	14	1.15E-02	6.34E-11	1.0E+06	6.3E-05
373	373	0.5382	2.79E-06	1.5E-06	2.50E-04	3.76E-10	14	1.15E-02	6.04E-11	1.0E+06	6.0E-05
374	374	0.53757	2.79E-06	1.5E-06	2.50E-04	3.76E-10	14	1.15E-02	6.03E-11	1.0E+06	6.0E-05
375	375	0.53035	2.79E-06	1.5E-06	2.50E-04	3.71E-10	14	1.15E-02	5.95E-11	1.0E+06	6.0E-05
376	376	0.5171	2.79E-06	1.4E-06	2.50E-04	3.61E-10	14	1.15E-02	5.80E-11	1.0E+06	5.8E-05
386	386	0.49126	2.79E-06	1.4E-06	2.50E-04	3.43E-10	14	1.15E-02	5.51E-11	1.0E+06	5.5E-05
387	387	0.49137	2.79E-06	1.4E-06	2.50E-04	3.43E-10	14	1.15E-02	5.51E-11	1.0E+06	5.5E-05
388	388	0.48592	2.79E-06	1.4E-06	2.50E-04	3.39E-10	14	1.15E-02	5.45E-11	1.0E+06	5.5E-05
389	389	0.4754	2.79E-06	1.3E-06	2.50E-04	3.32E-10	14	1.15E-02	5.33E-11	1.0E+06	5.3E-05
390	390	0.46025	2.79E-06	1.3E-06	2.50E-04	3.22E-10	14	1.15E-02	5.16E-11	1.0E+06	5.2E-05
400	400	0.45057	2.79E-06	1.3E-06	2.50E-04	3.15E-10	14	1.15E-02	5.06E-11	1.0E+06	5.1E-05
401	401	0.45085	2.79E-06	1.3E-06	2.50E-04	3.15E-10	14	1.15E-02	5.06E-11	1.0E+06	5.1E-05
402	402	0.44712	2.79E-06	1.2E-06	2.50E-04	3.12E-10	14	1.15E-02	5.02E-11	1.0E+06	5.0E-05
403	403	0.43857	2.79E-06	1.2E-06	2.50E-04	3.06E-10	14	1.15E-02	4.92E-11	1.0E+06	4.9E-05
404	404	0.42592	2.79E-06	1.2E-06	2.50E-04	2.98E-10	14	1.15E-02	4.78E-11	1.0E+06	4.8E-05
415	415	0.41485	2.79E-06	1.2E-06	2.50E-04	2.90E-10	14	1.15E-02	4.65E-11	1.0E+06	4.7E-05
416	416	0.41575	2.79E-06	1.2E-06	2.50E-04	2.90E-10	14	1.15E-02	4.66E-11	1.0E+06	4.7E-05
417	417	0.41274	2.79E-06	1.2E-06	2.50E-04	2.88E-10	14	1.15E-02	4.63E-11	1.0E+06	4.6E-05

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	0.4063	2.79E-06	1.1E-06	2.50E-04	2.84E-10	14	1.15E-02	4.56E-11	1.0E+06	4.6E-05
419	419	0.39617	2.79E-06	1.1E-06	2.50E-04	2.77E-10	14	1.15E-02	4.44E-11	1.0E+06	4.4E-05
420	420	0.38179	2.79E-06	1.1E-06	2.50E-04	2.67E-10	14	1.15E-02	4.28E-11	1.0E+06	4.3E-05
430	430	0.38445	2.79E-06	1.1E-06	2.50E-04	2.69E-10	14	1.15E-02	4.31E-11	1.0E+06	4.3E-05
431	431	0.38264	2.79E-06	1.1E-06	2.50E-04	2.67E-10	14	1.15E-02	4.29E-11	1.0E+06	4.3E-05
432	432	0.37737	2.79E-06	1.1E-06	2.50E-04	2.64E-10	14	1.15E-02	4.23E-11	1.0E+06	4.2E-05
433	433	0.36887	2.79E-06	1.0E-06	2.50E-04	2.58E-10	14	1.15E-02	4.14E-11	1.0E+06	4.1E-05
434	434	0.35739	2.79E-06	1.0E-06	2.50E-04	2.50E-10	14	1.15E-02	4.01E-11	1.0E+06	4.0E-05
444	444	0.35703	2.79E-06	1.0E-06	2.50E-04	2.49E-10	14	1.15E-02	4.01E-11	1.0E+06	4.0E-05
445	445	0.35551	2.79E-06	9.9E-07	2.50E-04	2.48E-10	14	1.15E-02	3.99E-11	1.0E+06	4.0E-05
446	446	0.35136	2.79E-06	9.8E-07	2.50E-04	2.45E-10	14	1.15E-02	3.94E-11	1.0E+06	3.9E-05
447	447	0.34437	2.79E-06	9.6E-07	2.50E-04	2.41E-10	14	1.15E-02	3.86E-11	1.0E+06	3.9E-05
448	448	0.33472	2.79E-06	9.3E-07	2.50E-04	2.34E-10	14	1.15E-02	3.76E-11	1.0E+06	3.8E-05
459	459	0.33137	2.79E-06	9.2E-07	2.50E-04	2.32E-10	14	1.15E-02	3.72E-11	1.0E+06	3.7E-05
460	460	0.32801	2.79E-06	9.2E-07	2.50E-04	2.29E-10	14	1.15E-02	3.68E-11	1.0E+06	3.7E-05
461	461	0.32215	2.79E-06	9.0E-07	2.50E-04	2.25E-10	14	1.15E-02	3.61E-11	1.0E+06	3.6E-05
462	462	0.31398	2.79E-06	8.8E-07	2.50E-04	2.19E-10	14	1.15E-02	3.52E-11	1.0E+06	3.5E-05
463	463	0.30374	2.79E-06	8.5E-07	2.50E-04	2.12E-10	14	1.15E-02	3.41E-11	1.0E+06	3.4E-05
474	474	0.30965	2.79E-06	8.6E-07	2.50E-04	2.16E-10	14	1.15E-02	3.47E-11	1.0E+06	3.5E-05
475	475	0.30693	2.79E-06	8.6E-07	2.50E-04	2.14E-10	14	1.15E-02	3.44E-11	1.0E+06	3.4E-05
476	476	0.30216	2.79E-06	8.4E-07	2.50E-04	2.11E-10	14	1.15E-02	3.39E-11	1.0E+06	3.4E-05
477	477	0.29517	2.79E-06	8.2E-07	2.50E-04	2.06E-10	14	1.15E-02	3.31E-11	1.0E+06	3.3E-05
478	478	0.28641	2.79E-06	8.0E-07	2.50E-04	2.00E-10	14	1.15E-02	3.21E-11	1.0E+06	3.2E-05
495	495	0.2902	2.79E-06	8.1E-07	2.50E-04	2.03E-10	14	1.15E-02	3.26E-11	1.0E+06	3.3E-05
496	496	0.28799	2.79E-06	8.0E-07	2.50E-04	2.01E-10	14	1.15E-02	3.23E-11	1.0E+06	3.2E-05
497	497	0.28399	2.79E-06	7.9E-07	2.50E-04	1.98E-10	14	1.15E-02	3.19E-11	1.0E+06	3.2E-05
498	498	0.27811	2.79E-06	7.8E-07	2.50E-04	1.94E-10	14	1.15E-02	3.12E-11	1.0E+06	3.1E-05
499	499	0.27057	2.79E-06	7.6E-07	2.50E-04	1.89E-10	14	1.15E-02	3.04E-11	1.0E+06	3.0E-05
500	500	0.26167	2.79E-06	7.3E-07	2.50E-04	1.83E-10	14	1.15E-02	2.94E-11	1.0E+06	2.9E-05

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	7.28168	2.79E-06	2.0E-05	2.50E-04	5.09E-09	25	1.15E-02	1.46E-09	1.0E+06	1.5E-03
140	140	7.49507	2.79E-06	2.1E-05	2.50E-04	5.24E-09	25	1.15E-02	1.50E-09	1.0E+06	1.5E-03
156	156	5.15631	2.79E-06	1.4E-05	2.50E-04	3.60E-09	25	1.15E-02	1.03E-09	1.0E+06	1.0E-03
157	157	5.32784	2.79E-06	1.5E-05	2.50E-04	3.72E-09	25	1.15E-02	1.07E-09	1.0E+06	1.1E-03
158	158	5.08847	2.79E-06	1.4E-05	2.50E-04	3.55E-09	25	1.15E-02	1.02E-09	1.0E+06	1.0E-03
159	159	4.48746	2.79E-06	1.3E-05	2.50E-04	3.14E-09	25	1.15E-02	8.99E-10	1.0E+06	9.0E-04
160	160	3.70423	2.79E-06	1.0E-05	2.50E-04	2.59E-09	25	1.15E-02	7.42E-10	1.0E+06	7.4E-04
161	161	2.27586	2.79E-06	6.4E-06	2.50E-04	1.59E-09	25	1.15E-02	4.56E-10	1.0E+06	4.6E-04
162	162	1.80386	2.79E-06	5.0E-06	2.50E-04	1.26E-09	25	1.15E-02	3.61E-10	1.0E+06	3.6E-04
163	163	1.4729	2.79E-06	4.1E-06	2.50E-04	1.03E-09	25	1.15E-02	2.95E-10	1.0E+06	3.0E-04
167	167	3.97612	2.79E-06	1.1E-05	2.50E-04	2.78E-09	25	1.15E-02	7.97E-10	1.0E+06	8.0E-04
168	168	3.84712	2.79E-06	1.1E-05	2.50E-04	2.69E-09	25	1.15E-02	7.71E-10	1.0E+06	7.7E-04
169	169	3.49197	2.79E-06	9.7E-06	2.50E-04	2.44E-09	25	1.15E-02	7.00E-10	1.0E+06	7.0E-04
170	170	2.99181	2.79E-06	8.4E-06	2.50E-04	2.09E-09	25	1.15E-02	5.99E-10	1.0E+06	6.0E-04
171	171	2.46097	2.79E-06	6.9E-06	2.50E-04	1.72E-09	25	1.15E-02	4.93E-10	1.0E+06	4.9E-04
172	172	1.98429	2.79E-06	5.5E-06	2.50E-04	1.39E-09	25	1.15E-02	3.98E-10	1.0E+06	4.0E-04
173	173	1.60941	2.79E-06	4.5E-06	2.50E-04	1.12E-09	25	1.15E-02	3.22E-10	1.0E+06	3.2E-04
174	174	1.33038	2.79E-06	3.7E-06	2.50E-04	9.29E-10	25	1.15E-02	2.67E-10	1.0E+06	2.7E-04
175	175	1.12147	2.79E-06	3.1E-06	2.50E-04	7.83E-10	25	1.15E-02	2.25E-10	1.0E+06	2.2E-04
176	176	0.9619	2.79E-06	2.7E-06	2.50E-04	6.72E-10	25	1.15E-02	1.93E-10	1.0E+06	1.9E-04
177	177	0.83726	2.79E-06	2.3E-06	2.50E-04	5.85E-10	25	1.15E-02	1.68E-10	1.0E+06	1.7E-04
181	181	3.01304	2.79E-06	8.4E-06	2.50E-04	2.10E-09	25	1.15E-02	6.04E-10	1.0E+06	6.0E-04
182	182	2.79015	2.79E-06	7.8E-06	2.50E-04	1.95E-09	25	1.15E-02	5.59E-10	1.0E+06	5.6E-04
183	183	2.46155	2.79E-06	6.9E-06	2.50E-04	1.72E-09	25	1.15E-02	4.93E-10	1.0E+06	4.9E-04
184	184	2.09308	2.79E-06	5.8E-06	2.50E-04	1.46E-09	25	1.15E-02	4.19E-10	1.0E+06	4.2E-04
185	185	1.74111	2.79E-06	4.9E-06	2.50E-04	1.22E-09	25	1.15E-02	3.49E-10	1.0E+06	3.5E-04
186	186	1.44352	2.79E-06	4.0E-06	2.50E-04	1.01E-09	25	1.15E-02	2.89E-10	1.0E+06	2.9E-04
187	187	1.20919	2.79E-06	3.4E-06	2.50E-04	8.45E-10	25	1.15E-02	2.42E-10	1.0E+06	2.4E-04
188	188	1.02971	2.79E-06	2.9E-06	2.50E-04	7.19E-10	25	1.15E-02	2.06E-10	1.0E+06	2.1E-04
189	189	0.89008	2.79E-06	2.5E-06	2.50E-04	6.22E-10	25	1.15E-02	1.78E-10	1.0E+06	1.8E-04
190	190	0.77927	2.79E-06	2.2E-06	2.50E-04	5.44E-10	25	1.15E-02	1.56E-10	1.0E+06	1.6E-04

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
191	191	0.68942	2.79E-06	1.9E-06	2.50E-04	4.82E-10	25	1.15E-02	1.38E-10	1.0E+06	1.4E-04
195	195	2.42353	2.79E-06	6.8E-06	2.50E-04	1.69E-09	25	1.15E-02	4.86E-10	1.0E+06	4.9E-04
196	196	2.28157	2.79E-06	6.4E-06	2.50E-04	1.59E-09	25	1.15E-02	4.57E-10	1.0E+06	4.6E-04
197	197	2.05739	2.79E-06	5.7E-06	2.50E-04	1.44E-09	25	1.15E-02	4.12E-10	1.0E+06	4.1E-04
198	198	1.79647	2.79E-06	5.0E-06	2.50E-04	1.26E-09	25	1.15E-02	3.60E-10	1.0E+06	3.6E-04
199	199	1.53138	2.79E-06	4.3E-06	2.50E-04	1.07E-09	25	1.15E-02	3.07E-10	1.0E+06	3.1E-04
200	200	1.29692	2.79E-06	3.6E-06	2.50E-04	9.06E-10	25	1.15E-02	2.60E-10	1.0E+06	2.6E-04
201	201	1.10384	2.79E-06	3.1E-06	2.50E-04	7.71E-10	25	1.15E-02	2.21E-10	1.0E+06	2.2E-04
202	202	0.94899	2.79E-06	2.6E-06	2.50E-04	6.63E-10	25	1.15E-02	1.90E-10	1.0E+06	1.9E-04
203	203	0.82592	2.79E-06	2.3E-06	2.50E-04	5.77E-10	25	1.15E-02	1.65E-10	1.0E+06	1.7E-04
204	204	0.7271	2.79E-06	2.0E-06	2.50E-04	5.08E-10	25	1.15E-02	1.46E-10	1.0E+06	1.5E-04
205	205	0.64609	2.79E-06	1.8E-06	2.50E-04	4.51E-10	25	1.15E-02	1.29E-10	1.0E+06	1.3E-04
206	206	0.57874	2.79E-06	1.6E-06	2.50E-04	4.04E-10	25	1.15E-02	1.16E-10	1.0E+06	1.2E-04
210	210	2.00556	2.79E-06	5.6E-06	2.50E-04	1.40E-09	25	1.15E-02	4.02E-10	1.0E+06	4.0E-04
211	211	1.98994	2.79E-06	5.6E-06	2.50E-04	1.39E-09	25	1.15E-02	3.99E-10	1.0E+06	4.0E-04
212	212	1.89817	2.79E-06	5.3E-06	2.50E-04	1.33E-09	25	1.15E-02	3.80E-10	1.0E+06	3.8E-04
213	213	1.74421	2.79E-06	4.9E-06	2.50E-04	1.22E-09	25	1.15E-02	3.49E-10	1.0E+06	3.5E-04
214	214	1.35401	2.79E-06	3.8E-06	2.50E-04	9.46E-10	25	1.15E-02	2.71E-10	1.0E+06	2.7E-04
215	215	1.16792	2.79E-06	3.3E-06	2.50E-04	8.16E-10	25	1.15E-02	2.34E-10	1.0E+06	2.3E-04
216	216	1.00839	2.79E-06	2.8E-06	2.50E-04	7.04E-10	25	1.15E-02	2.02E-10	1.0E+06	2.0E-04
217	217	0.87525	2.79E-06	2.4E-06	2.50E-04	6.11E-10	25	1.15E-02	1.75E-10	1.0E+06	1.8E-04
218	218	0.76716	2.79E-06	2.1E-06	2.50E-04	5.36E-10	25	1.15E-02	1.54E-10	1.0E+06	1.5E-04
219	219	0.67915	2.79E-06	1.9E-06	2.50E-04	4.74E-10	25	1.15E-02	1.36E-10	1.0E+06	1.4E-04
220	220	0.60638	2.79E-06	1.7E-06	2.50E-04	4.24E-10	25	1.15E-02	1.21E-10	1.0E+06	1.2E-04
221	221	0.54571	2.79E-06	1.5E-06	2.50E-04	3.81E-10	25	1.15E-02	1.09E-10	1.0E+06	1.1E-04
222	222	0.49318	2.79E-06	1.4E-06	2.50E-04	3.45E-10	25	1.15E-02	9.88E-11	1.0E+06	9.9E-05
226	226	1.67024	2.79E-06	4.7E-06	2.50E-04	1.17E-09	25	1.15E-02	3.35E-10	1.0E+06	3.3E-04
227	227	1.66556	2.79E-06	4.6E-06	2.50E-04	1.16E-09	25	1.15E-02	3.34E-10	1.0E+06	3.3E-04
228	228	1.60396	2.79E-06	4.5E-06	2.50E-04	1.12E-09	25	1.15E-02	3.21E-10	1.0E+06	3.2E-04
229	229	1.49611	2.79E-06	4.2E-06	2.50E-04	1.05E-09	25	1.15E-02	3.00E-10	1.0E+06	3.0E-04
230	230	1.35575	2.79E-06	3.8E-06	2.50E-04	9.47E-10	25	1.15E-02	2.72E-10	1.0E+06	2.7E-04

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	1.2004	2.79E-06	3.4E-06	2.50E-04	8.39E-10	25	1.15E-02	2.41E-10	1.0E+06	2.4E-04
232	232	1.05259	2.79E-06	2.9E-06	2.50E-04	7.35E-10	25	1.15E-02	2.11E-10	1.0E+06	2.1E-04
233	233	0.80787	2.79E-06	2.3E-06	2.50E-04	5.64E-10	25	1.15E-02	1.62E-10	1.0E+06	1.6E-04
234	234	0.71277	2.79E-06	2.0E-06	2.50E-04	4.98E-10	25	1.15E-02	1.43E-10	1.0E+06	1.4E-04
235	235	0.63453	2.79E-06	1.8E-06	2.50E-04	4.43E-10	25	1.15E-02	1.27E-10	1.0E+06	1.3E-04
236	236	0.56944	2.79E-06	1.6E-06	2.50E-04	3.98E-10	25	1.15E-02	1.14E-10	1.0E+06	1.1E-04
237	237	0.51453	2.79E-06	1.4E-06	2.50E-04	3.59E-10	25	1.15E-02	1.03E-10	1.0E+06	1.0E-04
238	238	0.46772	2.79E-06	1.3E-06	2.50E-04	3.27E-10	25	1.15E-02	9.37E-11	1.0E+06	9.4E-05
242	242	1.41253	2.79E-06	3.9E-06	2.50E-04	9.87E-10	25	1.15E-02	2.83E-10	1.0E+06	2.8E-04
243	243	1.4147	2.79E-06	3.9E-06	2.50E-04	9.88E-10	25	1.15E-02	2.83E-10	1.0E+06	2.8E-04
244	244	1.36966	2.79E-06	3.8E-06	2.50E-04	9.57E-10	25	1.15E-02	2.74E-10	1.0E+06	2.7E-04
245	245	1.29362	2.79E-06	3.6E-06	2.50E-04	9.04E-10	25	1.15E-02	2.59E-10	1.0E+06	2.6E-04
246	246	1.18978	2.79E-06	3.3E-06	2.50E-04	8.31E-10	25	1.15E-02	2.38E-10	1.0E+06	2.4E-04
247	247	1.07205	2.79E-06	3.0E-06	2.50E-04	7.49E-10	25	1.15E-02	2.15E-10	1.0E+06	2.1E-04
248	248	0.95382	2.79E-06	2.7E-06	2.50E-04	6.66E-10	25	1.15E-02	1.91E-10	1.0E+06	1.9E-04
249	249	0.74581	2.79E-06	2.1E-06	2.50E-04	5.21E-10	25	1.15E-02	1.49E-10	1.0E+06	1.5E-04
250	250	0.66283	2.79E-06	1.9E-06	2.50E-04	4.63E-10	25	1.15E-02	1.33E-10	1.0E+06	1.3E-04
251	251	0.59332	2.79E-06	1.7E-06	2.50E-04	4.15E-10	25	1.15E-02	1.19E-10	1.0E+06	1.2E-04
252	252	0.53536	2.79E-06	1.5E-06	2.50E-04	3.74E-10	25	1.15E-02	1.07E-10	1.0E+06	1.1E-04
253	253	0.48525	2.79E-06	1.4E-06	2.50E-04	3.39E-10	25	1.15E-02	9.72E-11	1.0E+06	9.7E-05
254	254	0.44296	2.79E-06	1.2E-06	2.50E-04	3.09E-10	25	1.15E-02	8.87E-11	1.0E+06	8.9E-05
257	257	1.21091	2.79E-06	3.4E-06	2.50E-04	8.46E-10	25	1.15E-02	2.43E-10	1.0E+06	2.4E-04
258	258	1.21605	2.79E-06	3.4E-06	2.50E-04	8.50E-10	25	1.15E-02	2.44E-10	1.0E+06	2.4E-04
259	259	1.187	2.79E-06	3.3E-06	2.50E-04	8.29E-10	25	1.15E-02	2.38E-10	1.0E+06	2.4E-04
260	260	1.12873	2.79E-06	3.2E-06	2.50E-04	7.89E-10	25	1.15E-02	2.26E-10	1.0E+06	2.3E-04
261	261	1.05301	2.79E-06	2.9E-06	2.50E-04	7.36E-10	25	1.15E-02	2.11E-10	1.0E+06	2.1E-04
262	262	0.96144	2.79E-06	2.7E-06	2.50E-04	6.72E-10	25	1.15E-02	1.93E-10	1.0E+06	1.9E-04
263	263	0.866	2.79E-06	2.4E-06	2.50E-04	6.05E-10	25	1.15E-02	1.74E-10	1.0E+06	1.7E-04
264	264	0.69116	2.79E-06	1.9E-06	2.50E-04	4.83E-10	25	1.15E-02	1.38E-10	1.0E+06	1.4E-04
265	265	0.61848	2.79E-06	1.7E-06	2.50E-04	4.32E-10	25	1.15E-02	1.24E-10	1.0E+06	1.2E-04
266	266	0.55659	2.79E-06	1.6E-06	2.50E-04	3.89E-10	25	1.15E-02	1.12E-10	1.0E+06	1.1E-04

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	0.50399	2.79E-06	1.4E-06	2.50E-04	3.52E-10	25	1.15E-02	1.01E-10	1.0E+06	1.0E-04
268	268	0.45847	2.79E-06	1.3E-06	2.50E-04	3.20E-10	25	1.15E-02	9.19E-11	1.0E+06	9.2E-05
269	269	0.42006	2.79E-06	1.2E-06	2.50E-04	2.93E-10	25	1.15E-02	8.42E-11	1.0E+06	8.4E-05
270	270	0.33055	2.79E-06	9.2E-07	2.50E-04	2.31E-10	25	1.15E-02	6.62E-11	1.0E+06	6.6E-05
271	271	0.30741	2.79E-06	8.6E-07	2.50E-04	2.15E-10	25	1.15E-02	6.16E-11	1.0E+06	6.2E-05
274	274	1.05027	2.79E-06	2.9E-06	2.50E-04	7.34E-10	25	1.15E-02	2.10E-10	1.0E+06	2.1E-04
275	275	1.05688	2.79E-06	3.0E-06	2.50E-04	7.38E-10	25	1.15E-02	2.12E-10	1.0E+06	2.1E-04
276	276	1.03843	2.79E-06	2.9E-06	2.50E-04	7.25E-10	25	1.15E-02	2.08E-10	1.0E+06	2.1E-04
277	277	0.99497	2.79E-06	2.8E-06	2.50E-04	6.95E-10	25	1.15E-02	1.99E-10	1.0E+06	2.0E-04
278	278	0.93641	2.79E-06	2.6E-06	2.50E-04	6.54E-10	25	1.15E-02	1.88E-10	1.0E+06	1.9E-04
279	279	0.86439	2.79E-06	2.4E-06	2.50E-04	6.04E-10	25	1.15E-02	1.73E-10	1.0E+06	1.7E-04
280	280	0.78603	2.79E-06	2.2E-06	2.50E-04	5.49E-10	25	1.15E-02	1.57E-10	1.0E+06	1.6E-04
281	281	0.64001	2.79E-06	1.8E-06	2.50E-04	4.47E-10	25	1.15E-02	1.28E-10	1.0E+06	1.3E-04
282	282	0.5768	2.79E-06	1.6E-06	2.50E-04	4.03E-10	25	1.15E-02	1.16E-10	1.0E+06	1.2E-04
283	283	0.52176	2.79E-06	1.5E-06	2.50E-04	3.65E-10	25	1.15E-02	1.05E-10	1.0E+06	1.0E-04
284	284	0.47446	2.79E-06	1.3E-06	2.50E-04	3.31E-10	25	1.15E-02	9.51E-11	1.0E+06	9.5E-05
285	285	0.43377	2.79E-06	1.2E-06	2.50E-04	3.03E-10	25	1.15E-02	8.69E-11	1.0E+06	8.7E-05
286	286	0.39874	2.79E-06	1.1E-06	2.50E-04	2.79E-10	25	1.15E-02	7.99E-11	1.0E+06	8.0E-05
287	287	0.31587	2.79E-06	8.8E-07	2.50E-04	2.21E-10	25	1.15E-02	6.33E-11	1.0E+06	6.3E-05
288	288	0.29482	2.79E-06	8.2E-07	2.50E-04	2.06E-10	25	1.15E-02	5.91E-11	1.0E+06	5.9E-05
291	291	0.92021	2.79E-06	2.6E-06	2.50E-04	6.43E-10	25	1.15E-02	1.84E-10	1.0E+06	1.8E-04
292	292	0.92737	2.79E-06	2.6E-06	2.50E-04	6.48E-10	25	1.15E-02	1.86E-10	1.0E+06	1.9E-04
293	293	0.91568	2.79E-06	2.6E-06	2.50E-04	6.40E-10	25	1.15E-02	1.83E-10	1.0E+06	1.8E-04
294	294	0.88333	2.79E-06	2.5E-06	2.50E-04	6.17E-10	25	1.15E-02	1.77E-10	1.0E+06	1.8E-04
295	295	0.83703	2.79E-06	2.3E-06	2.50E-04	5.85E-10	25	1.15E-02	1.68E-10	1.0E+06	1.7E-04
296	296	0.78037	2.79E-06	2.2E-06	2.50E-04	5.45E-10	25	1.15E-02	1.56E-10	1.0E+06	1.6E-04
297	297	0.71822	2.79E-06	2.0E-06	2.50E-04	5.02E-10	25	1.15E-02	1.44E-10	1.0E+06	1.4E-04
298	298	0.59422	2.79E-06	1.7E-06	2.50E-04	4.15E-10	25	1.15E-02	1.19E-10	1.0E+06	1.2E-04
299	299	0.53938	2.79E-06	1.5E-06	2.50E-04	3.77E-10	25	1.15E-02	1.08E-10	1.0E+06	1.1E-04
300	300	0.49032	2.79E-06	1.4E-06	2.50E-04	3.43E-10	25	1.15E-02	9.82E-11	1.0E+06	9.8E-05
301	301	0.44789	2.79E-06	1.3E-06	2.50E-04	3.13E-10	25	1.15E-02	8.97E-11	1.0E+06	9.0E-05

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
302	302	0.4109	2.79E-06	1.1E-06	2.50E-04	2.87E-10	25	1.15E-02	8.23E-11	1.0E+06	8.2E-05
303	303	0.37881	2.79E-06	1.1E-06	2.50E-04	2.65E-10	25	1.15E-02	7.59E-11	1.0E+06	7.6E-05
304	304	0.30239	2.79E-06	8.4E-07	2.50E-04	2.11E-10	25	1.15E-02	6.06E-11	1.0E+06	6.1E-05
305	305	0.28268	2.79E-06	7.9E-07	2.50E-04	1.97E-10	25	1.15E-02	5.66E-11	1.0E+06	5.7E-05
308	308	0.81335	2.79E-06	2.3E-06	2.50E-04	5.68E-10	25	1.15E-02	1.63E-10	1.0E+06	1.6E-04
309	309	0.82062	2.79E-06	2.3E-06	2.50E-04	5.73E-10	25	1.15E-02	1.64E-10	1.0E+06	1.6E-04
310	310	0.81316	2.79E-06	2.3E-06	2.50E-04	5.68E-10	25	1.15E-02	1.63E-10	1.0E+06	1.6E-04
311	311	0.78897	2.79E-06	2.2E-06	2.50E-04	5.51E-10	25	1.15E-02	1.58E-10	1.0E+06	1.6E-04
312	312	0.75416	2.79E-06	2.1E-06	2.50E-04	5.27E-10	25	1.15E-02	1.51E-10	1.0E+06	1.5E-04
313	313	0.70873	2.79E-06	2.0E-06	2.50E-04	4.95E-10	25	1.15E-02	1.42E-10	1.0E+06	1.4E-04
314	314	0.65778	2.79E-06	1.8E-06	2.50E-04	4.60E-10	25	1.15E-02	1.32E-10	1.0E+06	1.3E-04
315	315	0.55304	2.79E-06	1.5E-06	2.50E-04	3.86E-10	25	1.15E-02	1.11E-10	1.0E+06	1.1E-04
316	316	0.50567	2.79E-06	1.4E-06	2.50E-04	3.53E-10	25	1.15E-02	1.01E-10	1.0E+06	1.0E-04
317	317	0.46156	2.79E-06	1.3E-06	2.50E-04	3.22E-10	25	1.15E-02	9.25E-11	1.0E+06	9.2E-05
318	318	0.42344	2.79E-06	1.2E-06	2.50E-04	2.96E-10	25	1.15E-02	8.48E-11	1.0E+06	8.5E-05
319	319	0.38974	2.79E-06	1.1E-06	2.50E-04	2.72E-10	25	1.15E-02	7.81E-11	1.0E+06	7.8E-05
320	320	0.35999	2.79E-06	1.0E-06	2.50E-04	2.51E-10	25	1.15E-02	7.21E-11	1.0E+06	7.2E-05
321	321	0.28958	2.79E-06	8.1E-07	2.50E-04	2.02E-10	25	1.15E-02	5.80E-11	1.0E+06	5.8E-05
322	322	0.27109	2.79E-06	7.6E-07	2.50E-04	1.89E-10	25	1.15E-02	5.43E-11	1.0E+06	5.4E-05
325	325	0.72461	2.79E-06	2.0E-06	2.50E-04	5.06E-10	25	1.15E-02	1.45E-10	1.0E+06	1.5E-04
326	326	0.73158	2.79E-06	2.0E-06	2.50E-04	5.11E-10	25	1.15E-02	1.47E-10	1.0E+06	1.5E-04
327	327	0.72694	2.79E-06	2.0E-06	2.50E-04	5.08E-10	25	1.15E-02	1.46E-10	1.0E+06	1.5E-04
328	328	0.70965	2.79E-06	2.0E-06	2.50E-04	4.96E-10	25	1.15E-02	1.42E-10	1.0E+06	1.4E-04
329	329	0.68146	2.79E-06	1.9E-06	2.50E-04	4.76E-10	25	1.15E-02	1.37E-10	1.0E+06	1.4E-04
330	330	0.64623	2.79E-06	1.8E-06	2.50E-04	4.51E-10	25	1.15E-02	1.29E-10	1.0E+06	1.3E-04
331	331	0.60447	2.79E-06	1.7E-06	2.50E-04	4.22E-10	25	1.15E-02	1.21E-10	1.0E+06	1.2E-04
332	332	0.56066	2.79E-06	1.6E-06	2.50E-04	3.92E-10	25	1.15E-02	1.12E-10	1.0E+06	1.1E-04
333	333	0.51596	2.79E-06	1.4E-06	2.50E-04	3.60E-10	25	1.15E-02	1.03E-10	1.0E+06	1.0E-04
334	334	0.47418	2.79E-06	1.3E-06	2.50E-04	3.31E-10	25	1.15E-02	9.50E-11	1.0E+06	9.5E-05
335	335	0.43547	2.79E-06	1.2E-06	2.50E-04	3.04E-10	25	1.15E-02	8.72E-11	1.0E+06	8.7E-05
336	336	0.40078	2.79E-06	1.1E-06	2.50E-04	2.80E-10	25	1.15E-02	8.03E-11	1.0E+06	8.0E-05

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	0.36993	2.79E-06	1.0E-06	2.50E-04	2.58E-10	25	1.15E-02	7.41E-11	1.0E+06	7.4E-05
338	338	0.34287	2.79E-06	9.6E-07	2.50E-04	2.40E-10	25	1.15E-02	6.87E-11	1.0E+06	6.9E-05
339	339	0.29639	2.79E-06	8.3E-07	2.50E-04	2.07E-10	25	1.15E-02	5.94E-11	1.0E+06	5.9E-05
340	340	0.27735	2.79E-06	7.7E-07	2.50E-04	1.94E-10	25	1.15E-02	5.56E-11	1.0E+06	5.6E-05
341	341	0.26015	2.79E-06	7.3E-07	2.50E-04	1.82E-10	25	1.15E-02	5.21E-11	1.0E+06	5.2E-05
349	349	0.61941	2.79E-06	1.7E-06	2.50E-04	4.33E-10	25	1.15E-02	1.24E-10	1.0E+06	1.2E-04
350	350	0.59058	2.79E-06	1.6E-06	2.50E-04	4.13E-10	25	1.15E-02	1.18E-10	1.0E+06	1.2E-04
351	351	0.55576	2.79E-06	1.6E-06	2.50E-04	3.88E-10	25	1.15E-02	1.11E-10	1.0E+06	1.1E-04
352	352	0.5198	2.79E-06	1.5E-06	2.50E-04	3.63E-10	25	1.15E-02	1.04E-10	1.0E+06	1.0E-04
353	353	0.28355	2.79E-06	7.9E-07	2.50E-04	1.98E-10	25	1.15E-02	5.68E-11	1.0E+06	5.7E-05
354	354	0.26587	2.79E-06	7.4E-07	2.50E-04	1.86E-10	25	1.15E-02	5.33E-11	1.0E+06	5.3E-05
355	355	0.24985	2.79E-06	7.0E-07	2.50E-04	1.75E-10	25	1.15E-02	5.01E-11	1.0E+06	5.0E-05
364	364	0.54176	2.79E-06	1.5E-06	2.50E-04	3.78E-10	25	1.15E-02	1.09E-10	1.0E+06	1.1E-04
365	365	0.51381	2.79E-06	1.4E-06	2.50E-04	3.59E-10	25	1.15E-02	1.03E-10	1.0E+06	1.0E-04
366	366	0.48244	2.79E-06	1.3E-06	2.50E-04	3.37E-10	25	1.15E-02	9.67E-11	1.0E+06	9.7E-05
367	367	0.27158	2.79E-06	7.6E-07	2.50E-04	1.90E-10	25	1.15E-02	5.44E-11	1.0E+06	5.4E-05
368	368	0.25499	2.79E-06	7.1E-07	2.50E-04	1.78E-10	25	1.15E-02	5.11E-11	1.0E+06	5.1E-05
369	369	0.24005	2.79E-06	6.7E-07	2.50E-04	1.68E-10	25	1.15E-02	4.81E-11	1.0E+06	4.8E-05
377	377	0.49849	2.79E-06	1.4E-06	2.50E-04	3.48E-10	25	1.15E-02	9.99E-11	1.0E+06	1.0E-04
378	378	0.47523	2.79E-06	1.3E-06	2.50E-04	3.32E-10	25	1.15E-02	9.52E-11	1.0E+06	9.5E-05
379	379	0.44868	2.79E-06	1.3E-06	2.50E-04	3.13E-10	25	1.15E-02	8.99E-11	1.0E+06	9.0E-05
380	380	0.26011	2.79E-06	7.3E-07	2.50E-04	1.82E-10	25	1.15E-02	5.21E-11	1.0E+06	5.2E-05
381	381	0.24447	2.79E-06	6.8E-07	2.50E-04	1.71E-10	25	1.15E-02	4.90E-11	1.0E+06	4.9E-05
382	382	0.23062	2.79E-06	6.4E-07	2.50E-04	1.61E-10	25	1.15E-02	4.62E-11	1.0E+06	4.6E-05
391	391	0.44076	2.79E-06	1.2E-06	2.50E-04	3.08E-10	25	1.15E-02	8.83E-11	1.0E+06	8.8E-05
392	392	0.41804	2.79E-06	1.2E-06	2.50E-04	2.92E-10	25	1.15E-02	8.38E-11	1.0E+06	8.4E-05
393	393	0.24934	2.79E-06	7.0E-07	2.50E-04	1.74E-10	25	1.15E-02	5.00E-11	1.0E+06	5.0E-05
394	394	0.23484	2.79E-06	6.6E-07	2.50E-04	1.64E-10	25	1.15E-02	4.71E-11	1.0E+06	4.7E-05
395	395	0.22189	2.79E-06	6.2E-07	2.50E-04	1.55E-10	25	1.15E-02	4.45E-11	1.0E+06	4.4E-05
405	405	0.40994	2.79E-06	1.1E-06	2.50E-04	2.86E-10	25	1.15E-02	8.21E-11	1.0E+06	8.2E-05
406	406	0.39095	2.79E-06	1.1E-06	2.50E-04	2.73E-10	25	1.15E-02	7.83E-11	1.0E+06	7.8E-05

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	0.37052	2.79E-06	1.0E-06	2.50E-04	2.59E-10	25	1.15E-02	7.42E-11	1.0E+06	7.4E-05
408	408	0.23932	2.79E-06	6.7E-07	2.50E-04	1.67E-10	25	1.15E-02	4.79E-11	1.0E+06	4.8E-05
409	409	0.22571	2.79E-06	6.3E-07	2.50E-04	1.58E-10	25	1.15E-02	4.52E-11	1.0E+06	4.5E-05
410	410	0.21372	2.79E-06	6.0E-07	2.50E-04	1.49E-10	25	1.15E-02	4.28E-11	1.0E+06	4.3E-05
421	421	0.36603	2.79E-06	1.0E-06	2.50E-04	2.56E-10	25	1.15E-02	7.33E-11	1.0E+06	7.3E-05
422	422	0.34821	2.79E-06	9.7E-07	2.50E-04	2.43E-10	25	1.15E-02	6.98E-11	1.0E+06	7.0E-05
423	423	0.22982	2.79E-06	6.4E-07	2.50E-04	1.61E-10	25	1.15E-02	4.60E-11	1.0E+06	4.6E-05
424	424	0.21713	2.79E-06	6.1E-07	2.50E-04	1.52E-10	25	1.15E-02	4.35E-11	1.0E+06	4.4E-05
425	425	0.20587	2.79E-06	5.7E-07	2.50E-04	1.44E-10	25	1.15E-02	4.12E-11	1.0E+06	4.1E-05
435	435	0.34318	2.79E-06	9.6E-07	2.50E-04	2.40E-10	25	1.15E-02	6.88E-11	1.0E+06	6.9E-05
436	436	0.32803	2.79E-06	9.2E-07	2.50E-04	2.29E-10	25	1.15E-02	6.57E-11	1.0E+06	6.6E-05
437	437	0.20905	2.79E-06	5.8E-07	2.50E-04	1.46E-10	25	1.15E-02	4.19E-11	1.0E+06	4.2E-05
438	438	0.19827	2.79E-06	5.5E-07	2.50E-04	1.39E-10	25	1.15E-02	3.97E-11	1.0E+06	4.0E-05
449	449	0.32243	2.79E-06	9.0E-07	2.50E-04	2.25E-10	25	1.15E-02	6.46E-11	1.0E+06	6.5E-05
450	450	0.30951	2.79E-06	8.6E-07	2.50E-04	2.16E-10	25	1.15E-02	6.20E-11	1.0E+06	6.2E-05
451	451	0.29503	2.79E-06	8.2E-07	2.50E-04	2.06E-10	25	1.15E-02	5.91E-11	1.0E+06	5.9E-05
452	452	0.20133	2.79E-06	5.6E-07	2.50E-04	1.41E-10	25	1.15E-02	4.03E-11	1.0E+06	4.0E-05
453	453	0.19117	2.79E-06	5.3E-07	2.50E-04	1.34E-10	25	1.15E-02	3.83E-11	1.0E+06	3.8E-05
464	464	0.29217	2.79E-06	8.2E-07	2.50E-04	2.04E-10	25	1.15E-02	5.85E-11	1.0E+06	5.9E-05
465	465	0.27955	2.79E-06	7.8E-07	2.50E-04	1.95E-10	25	1.15E-02	5.60E-11	1.0E+06	5.6E-05
466	466	0.2156	2.79E-06	6.0E-07	2.50E-04	1.51E-10	25	1.15E-02	4.32E-11	1.0E+06	4.3E-05
467	467	0.19405	2.79E-06	5.4E-07	2.50E-04	1.36E-10	25	1.15E-02	3.89E-11	1.0E+06	3.9E-05
468	468	0.1845	2.79E-06	5.2E-07	2.50E-04	1.29E-10	25	1.15E-02	3.70E-11	1.0E+06	3.7E-05
479	479	0.2759	2.79E-06	7.7E-07	2.50E-04	1.93E-10	25	1.15E-02	5.53E-11	1.0E+06	5.5E-05
480	480	0.26511	2.79E-06	7.4E-07	2.50E-04	1.85E-10	25	1.15E-02	5.31E-11	1.0E+06	5.3E-05
481	481	0.25336	2.79E-06	7.1E-07	2.50E-04	1.77E-10	25	1.15E-02	5.08E-11	1.0E+06	5.1E-05
482	482	0.24157	2.79E-06	6.7E-07	2.50E-04	1.69E-10	25	1.15E-02	4.84E-11	1.0E+06	4.8E-05
483	483	0.22956	2.79E-06	6.4E-07	2.50E-04	1.60E-10	25	1.15E-02	4.60E-11	1.0E+06	4.6E-05
484	484	0.21815	2.79E-06	6.1E-07	2.50E-04	1.52E-10	25	1.15E-02	4.37E-11	1.0E+06	4.4E-05
485	485	0.20716	2.79E-06	5.8E-07	2.50E-04	1.45E-10	25	1.15E-02	4.15E-11	1.0E+06	4.2E-05
486	486	0.19687	2.79E-06	5.5E-07	2.50E-04	1.38E-10	25	1.15E-02	3.94E-11	1.0E+06	3.9E-05

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	487	0.18719	2.79E-06	5.2E-07	2.50E-04	1.31E-10	25	1.15E-02	3.75E-11	1.0E+06	3.8E-05
488	488	0.17816	2.79E-06	5.0E-07	2.50E-04	1.24E-10	25	1.15E-02	3.57E-11	1.0E+06	3.6E-05
501	501	0.25149	2.79E-06	7.0E-07	2.50E-04	1.76E-10	25	1.15E-02	5.04E-11	1.0E+06	5.0E-05
502	502	0.24146	2.79E-06	6.7E-07	2.50E-04	1.69E-10	25	1.15E-02	4.84E-11	1.0E+06	4.8E-05
503	503	0.2308	2.79E-06	6.4E-07	2.50E-04	1.61E-10	25	1.15E-02	4.62E-11	1.0E+06	4.6E-05
504	504	0.21998	2.79E-06	6.1E-07	2.50E-04	1.54E-10	25	1.15E-02	4.41E-11	1.0E+06	4.4E-05
505	505	0.2094	2.79E-06	5.8E-07	2.50E-04	1.46E-10	25	1.15E-02	4.20E-11	1.0E+06	4.2E-05
506	506	0.19924	2.79E-06	5.6E-07	2.50E-04	1.39E-10	25	1.15E-02	3.99E-11	1.0E+06	4.0E-05
507	507	0.18969	2.79E-06	5.3E-07	2.50E-04	1.33E-10	25	1.15E-02	3.80E-11	1.0E+06	3.8E-05
508	508	0.17215	2.79E-06	4.8E-07	2.50E-04	1.20E-10	25	1.15E-02	3.45E-11	1.0E+06	3.4E-05
520	520	0.23937	2.79E-06	6.7E-07	2.50E-04	1.67E-10	25	1.15E-02	4.80E-11	1.0E+06	4.8E-05
521	521	0.2298	2.79E-06	6.4E-07	2.50E-04	1.61E-10	25	1.15E-02	4.60E-11	1.0E+06	4.6E-05
522	522	0.22061	2.79E-06	6.2E-07	2.50E-04	1.54E-10	25	1.15E-02	4.42E-11	1.0E+06	4.4E-05
523	523	0.21081	2.79E-06	5.9E-07	2.50E-04	1.47E-10	25	1.15E-02	4.22E-11	1.0E+06	4.2E-05
524	524	0.20111	2.79E-06	5.6E-07	2.50E-04	1.40E-10	25	1.15E-02	4.03E-11	1.0E+06	4.0E-05
525	525	0.19172	2.79E-06	5.4E-07	2.50E-04	1.34E-10	25	1.15E-02	3.84E-11	1.0E+06	3.8E-05
526	526	0.18282	2.79E-06	5.1E-07	2.50E-04	1.28E-10	25	1.15E-02	3.66E-11	1.0E+06	3.7E-05
527	527	0.16643	2.79E-06	4.6E-07	2.50E-04	1.16E-10	25	1.15E-02	3.33E-11	1.0E+06	3.3E-05
539	539	0.2281	2.79E-06	6.4E-07	2.50E-04	1.59E-10	25	1.15E-02	4.57E-11	1.0E+06	4.6E-05
540	540	0.2197	2.79E-06	6.1E-07	2.50E-04	1.53E-10	25	1.15E-02	4.40E-11	1.0E+06	4.4E-05
541	541	0.21082	2.79E-06	5.9E-07	2.50E-04	1.47E-10	25	1.15E-02	4.22E-11	1.0E+06	4.2E-05
542	542	0.2019	2.79E-06	5.6E-07	2.50E-04	1.41E-10	25	1.15E-02	4.05E-11	1.0E+06	4.0E-05
543	543	0.19325	2.79E-06	5.4E-07	2.50E-04	1.35E-10	25	1.15E-02	3.87E-11	1.0E+06	3.9E-05
544	544	0.18458	2.79E-06	5.2E-07	2.50E-04	1.29E-10	25	1.15E-02	3.70E-11	1.0E+06	3.7E-05
545	545	0.17615	2.79E-06	4.9E-07	2.50E-04	1.23E-10	25	1.15E-02	3.53E-11	1.0E+06	3.5E-05
546	546	0.16096	2.79E-06	4.5E-07	2.50E-04	1.12E-10	25	1.15E-02	3.22E-11	1.0E+06	3.2E-05
560	560	0.21002	2.79E-06	5.9E-07	2.50E-04	1.47E-10	25	1.15E-02	4.21E-11	1.0E+06	4.2E-05
561	561	0.20215	2.79E-06	5.6E-07	2.50E-04	1.41E-10	25	1.15E-02	4.05E-11	1.0E+06	4.1E-05
562	562	0.19395	2.79E-06	5.4E-07	2.50E-04	1.35E-10	25	1.15E-02	3.89E-11	1.0E+06	3.9E-05
563	563	0.17706	2.79E-06	4.9E-07	2.50E-04	1.24E-10	25	1.15E-02	3.55E-11	1.0E+06	3.5E-05
564	564	0.17771	2.79E-06	5.0E-07	2.50E-04	1.24E-10	25	1.15E-02	3.56E-11	1.0E+06	3.6E-05

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

<i>Cancer Risk from 16-30 years - Construction</i>											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.17019	2.79E-06	4.8E-07	2.50E-04	1.19E-10	25	1.15E-02	3.41E-11	1.0E+06	3.4E-05
566	566	0.15585	2.79E-06	4.4E-07	2.50E-04	1.09E-10	25	1.15E-02	3.12E-11	1.0E+06	3.1E-05
579	579	0.20091	2.79E-06	5.6E-07	2.50E-04	1.40E-10	25	1.15E-02	4.03E-11	1.0E+06	4.0E-05
580	580	0.19379	2.79E-06	5.4E-07	2.50E-04	1.35E-10	25	1.15E-02	3.88E-11	1.0E+06	3.9E-05
581	581	0.18644	2.79E-06	5.2E-07	2.50E-04	1.30E-10	25	1.15E-02	3.74E-11	1.0E+06	3.7E-05
582	582	0.17892	2.79E-06	5.0E-07	2.50E-04	1.25E-10	25	1.15E-02	3.58E-11	1.0E+06	3.6E-05
583	583	0.17147	2.79E-06	4.8E-07	2.50E-04	1.20E-10	25	1.15E-02	3.44E-11	1.0E+06	3.4E-05
584	584	0.16422	2.79E-06	4.6E-07	2.50E-04	1.15E-10	25	1.15E-02	3.29E-11	1.0E+06	3.3E-05
585	585	0.14148	2.79E-06	3.9E-07	2.50E-04	9.88E-11	25	1.15E-02	2.83E-11	1.0E+06	2.8E-05
598	598	0.19239	2.79E-06	5.4E-07	2.50E-04	1.34E-10	25	1.15E-02	3.85E-11	1.0E+06	3.9E-05
599	599	0.1859	2.79E-06	5.2E-07	2.50E-04	1.30E-10	25	1.15E-02	3.72E-11	1.0E+06	3.7E-05
600	600	0.17917	2.79E-06	5.0E-07	2.50E-04	1.25E-10	25	1.15E-02	3.59E-11	1.0E+06	3.6E-05
601	601	0.17232	2.79E-06	4.8E-07	2.50E-04	1.20E-10	25	1.15E-02	3.45E-11	1.0E+06	3.5E-05
602	602	0.16547	2.79E-06	4.6E-07	2.50E-04	1.16E-10	25	1.15E-02	3.32E-11	1.0E+06	3.3E-05
603	603	0.15881	2.79E-06	4.4E-07	2.50E-04	1.11E-10	25	1.15E-02	3.18E-11	1.0E+06	3.2E-05
604	604	0.15232	2.79E-06	4.3E-07	2.50E-04	1.06E-10	25	1.15E-02	3.05E-11	1.0E+06	3.1E-05
0	0	0	2.79E-06	0.0E+00	2.50E-04	0.00E+00	25	1.15E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
1	1	1.3E-03	5	3.30E-07	
2	2	1.5E-03	5	3.75E-07	
3	3	1.7E-03	5	4.30E-07	
4	4	2.0E-03	5	5.00E-07	
5	5	2.3E-03	5	5.90E-07	
6	6	2.8E-03	5	7.11E-07	
7	7	3.4E-03	5	8.76E-07	
8	8	4.4E-03	5	1.11E-06	
9	9	5.8E-03	5	1.48E-06	
10	10	8.1E-03	5	2.08E-06	
11	11	1.3E-02	5	3.22E-06	
12	12	2.3E-02	5	5.89E-06	
13	13	2.2E-02	5	5.56E-06	
14	14	2.0E-02	5	5.08E-06	
15	15	4.0E-02	5	1.02E-05	
16	16	4.5E-02	5	1.16E-05	
17	17	3.9E-02	5	1.01E-05	
18	18	4.3E-02	5	1.10E-05	
19	19	4.5E-02	5	1.16E-05	
20	20	2.4E-02	5	6.05E-06	
21	21	1.4E-02	5	3.65E-06	
22	22	9.6E-03	5	2.45E-06	
23	23	6.9E-03	5	1.76E-06	
24	24	5.2E-03	5	1.33E-06	
25	25	4.1E-03	5	1.05E-06	
26	26	3.3E-03	5	8.49E-07	
27	27	2.7E-03	5	7.03E-07	
28	28	2.3E-03	5	5.93E-07	
29	29	2.0E-03	5	5.08E-07	
30	30	1.7E-03	5	4.40E-07	
31	31	1.5E-03	5	3.86E-07	

Max	Receptor #	
0.078	79	Res
0.001	346	School
0.002	140	Worker

Max	Receptor #	
2.002E-05	79	Res
3.666E-07	346	School
4.184E-06	140	Worker

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
32	32	1.3E-03	5	3.42E-07	
55	55	7.9E-03	5	2.02E-06	
56	56	5.8E-03	5	1.49E-06	
57	57	4.5E-03	5	1.15E-06	
58	58	3.6E-03	5	9.24E-07	
59	59	3.0E-03	5	7.59E-07	
60	60	2.5E-03	5	6.37E-07	
61	61	2.1E-03	5	5.42E-07	
62	62	1.8E-03	5	4.69E-07	
63	63	1.6E-03	5	4.10E-07	
64	64	1.4E-03	5	3.62E-07	
65	65	1.3E-03	5	3.22E-07	
66	66	1.1E-03	5	2.89E-07	
67	67	1.3E-03	5	3.28E-07	
68	68	1.5E-03	5	3.72E-07	
69	69	1.7E-03	5	4.27E-07	
70	70	1.9E-03	5	4.97E-07	
71	71	2.3E-03	5	5.86E-07	
72	72	2.8E-03	5	7.05E-07	
73	73	3.4E-03	5	8.68E-07	
74	74	4.3E-03	5	1.10E-06	
75	75	5.7E-03	5	1.45E-06	
76	76	7.9E-03	5	2.03E-06	
77	77	1.2E-02	5	3.11E-06	
78	78	2.2E-02	5	5.52E-06	
79	79	7.8E-02	5	2.00E-05	
80	80	5.4E-02	5	1.37E-05	
81	81	2.6E-02	5	6.53E-06	
82	82	1.4E-02	5	3.57E-06	
83	83	9.1E-03	5	2.34E-06	
84	84	6.6E-03	5	1.69E-06	

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
85	85	5.0E-03	5	1.28E-06	
86	86	4.0E-03	5	1.01E-06	
87	87	3.2E-03	5	8.26E-07	
88	88	2.7E-03	5	6.88E-07	
89	89	2.3E-03	5	5.83E-07	
90	90	2.0E-03	5	5.02E-07	
91	91	1.7E-03	5	4.37E-07	
92	92	1.5E-03	5	3.85E-07	
93	93	1.3E-03	5	3.41E-07	
96	96	3.0E-03	5	7.78E-07	
97	97	2.5E-03	5	6.41E-07	
98	98	2.5E-03	5	6.32E-07	
99	99	2.1E-03	5	5.40E-07	
100	100	1.8E-03	5	4.68E-07	
101	101	1.6E-03	5	4.10E-07	
102	102	1.4E-03	5	3.62E-07	
106	106	1.1E-03	5	2.80E-07	
107	107	1.2E-03	5	3.15E-07	
108	108	1.4E-03	5	3.56E-07	
109	109	1.6E-03	5	4.06E-07	
110	110	1.8E-03	5	4.68E-07	
111	111	2.1E-03	5	5.45E-07	
112	112	2.5E-03	5	6.46E-07	
113	113	3.0E-03	5	7.78E-07	
114	114	3.7E-03	5	9.56E-07	
115	115	4.7E-03	5	1.20E-06	
116	116	6.1E-03	5	1.55E-06	
117	117	8.2E-03	5	2.09E-06	
118	118	1.1E-02	5	2.92E-06	
124	124	1.1E-03	5	2.74E-07	
125	125	1.2E-03	5	3.06E-07	

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
126	126	1.3E-03	5	3.44E-07	
127	127	1.5E-03	5	3.91E-07	
128	128	1.7E-03	5	4.48E-07	
129	129	2.0E-03	5	5.18E-07	
130	130	2.4E-03	5	6.07E-07	
131	131	2.8E-03	5	7.20E-07	
132	132	3.4E-03	5	8.69E-07	
133	133	4.2E-03	5	1.06E-06	
134	134	5.2E-03	5	1.33E-06	
135	135	6.7E-03	5	1.71E-06	
136	136	8.7E-03	5	2.23E-06	
137	137	1.1E-02	5	2.91E-06	
138	138	1.4E-02	5	3.59E-06	
141	141	1.0E-03	5	2.66E-07	
142	142	1.2E-03	5	2.96E-07	
143	143	1.3E-03	5	3.32E-07	
144	144	1.5E-03	5	3.74E-07	
145	145	1.7E-03	5	4.25E-07	
146	146	1.9E-03	5	4.88E-07	
147	147	2.2E-03	5	5.65E-07	
148	148	2.6E-03	5	6.61E-07	
149	149	3.1E-03	5	7.82E-07	
150	150	3.7E-03	5	9.37E-07	
151	151	4.4E-03	5	1.14E-06	
152	152	5.5E-03	5	1.40E-06	
153	153	6.8E-03	5	1.75E-06	
154	154	8.5E-03	5	2.17E-06	
155	155	1.0E-02	5	2.58E-06	
164	164	6.6E-03	5	1.68E-06	
165	165	7.6E-03	5	1.95E-06	
166	166	8.4E-03	5	2.15E-06	

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
178	178	5.3E-03	5	1.35E-06	
179	179	6.0E-03	5	1.53E-06	
180	180	6.5E-03	5	1.66E-06	
192	192	4.3E-03	5	1.10E-06	
193	193	4.8E-03	5	1.23E-06	
194	194	5.2E-03	5	1.33E-06	
207	207	3.6E-03	5	9.22E-07	
208	208	4.0E-03	5	1.01E-06	
209	209	4.2E-03	5	1.08E-06	
223	223	3.1E-03	5	7.82E-07	
224	224	3.3E-03	5	8.50E-07	
225	225	3.5E-03	5	9.03E-07	
239	239	2.6E-03	5	6.73E-07	
240	240	2.8E-03	5	7.24E-07	
241	241	3.0E-03	5	7.65E-07	
255	255	2.3E-03	5	5.85E-07	
256	256	2.4E-03	5	6.25E-07	
272	272	2.0E-03	5	5.13E-07	
273	273	2.1E-03	5	5.45E-07	
289	289	1.8E-03	5	4.55E-07	
290	290	1.9E-03	5	4.80E-07	
306	306	1.6E-03	5	4.06E-07	
307	307	1.7E-03	5	4.26E-07	
323	323	1.4E-03	5	3.64E-07	
324	324	1.5E-03	5	3.81E-07	
342	342	1.3E-03	5	3.29E-07	
343	343	1.3E-03	5	3.43E-07	
344	344	1.4E-03	5	3.55E-07	
356	356	1.2E-03	5	2.99E-07	
357	357	1.2E-03	5	3.11E-07	
358	358	1.3E-03	5	3.21E-07	

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
370	370	1.1E-03	5	2.73E-07	
371	371	1.1E-03	5	2.83E-07	
372	372	1.1E-03	5	2.91E-07	
383	383	9.8E-04	5	2.51E-07	
384	384	1.0E-03	5	2.59E-07	
385	385	1.0E-03	5	2.66E-07	
396	396	9.0E-04	5	2.31E-07	
397	397	9.3E-04	5	2.38E-07	
398	398	9.5E-04	5	2.44E-07	
399	399	9.7E-04	5	2.49E-07	
411	411	8.3E-04	5	2.13E-07	
412	412	8.6E-04	5	2.20E-07	
413	413	8.8E-04	5	2.25E-07	
414	414	9.0E-04	5	2.29E-07	
426	426	7.7E-04	5	1.98E-07	
427	427	7.9E-04	5	2.03E-07	
428	428	8.1E-04	5	2.08E-07	
429	429	8.3E-04	5	2.12E-07	
439	439	7.2E-04	5	1.84E-07	
440	440	7.4E-04	5	1.89E-07	
441	441	7.5E-04	5	1.93E-07	
442	442	7.7E-04	5	1.96E-07	
443	443	7.8E-04	5	1.99E-07	
454	454	6.7E-04	5	1.72E-07	
455	455	6.9E-04	5	1.76E-07	
456	456	7.0E-04	5	1.80E-07	
457	457	7.1E-04	5	1.83E-07	
458	458	7.2E-04	5	1.85E-07	
469	469	6.3E-04	5	1.61E-07	
470	470	6.4E-04	5	1.65E-07	
471	471	6.6E-04	5	1.68E-07	

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
472	472	6.7E-04	5	1.71E-07	
473	473	6.7E-04	5	1.72E-07	
489	489	5.9E-04	5	1.51E-07	
490	490	6.0E-04	5	1.54E-07	
491	491	6.1E-04	5	1.57E-07	
492	492	6.2E-04	5	1.60E-07	
493	493	6.3E-04	5	1.61E-07	
494	494	6.3E-04	5	1.62E-07	
509	509	5.5E-04	5	1.42E-07	
510	510	5.7E-04	5	1.45E-07	
511	511	5.8E-04	5	1.48E-07	
512	512	5.9E-04	5	1.50E-07	
513	513	5.9E-04	5	1.51E-07	
514	514	5.9E-04	5	1.52E-07	
515	515	5.9E-04	5	1.51E-07	
516	516	5.8E-04	5	1.49E-07	
517	517	5.7E-04	5	1.47E-07	
518	518	5.6E-04	5	1.43E-07	
519	519	5.4E-04	5	1.39E-07	
528	528	5.2E-04	5	1.34E-07	
529	529	5.3E-04	5	1.37E-07	
530	530	5.4E-04	5	1.39E-07	
531	531	5.5E-04	5	1.41E-07	
532	532	5.6E-04	5	1.42E-07	
533	533	5.6E-04	5	1.43E-07	
534	534	5.6E-04	5	1.42E-07	
535	535	5.5E-04	5	1.41E-07	
536	536	5.4E-04	5	1.39E-07	
537	537	5.3E-04	5	1.35E-07	
538	538	5.1E-04	5	1.32E-07	
547	547	4.9E-04	5	1.26E-07	

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
548	548	5.0E-04	5	1.29E-07	
549	549	5.1E-04	5	1.31E-07	
550	550	5.2E-04	5	1.33E-07	
551	551	5.2E-04	5	1.34E-07	
552	552	5.3E-04	5	1.35E-07	
553	553	5.3E-04	5	1.35E-07	
554	554	5.3E-04	5	1.35E-07	
555	555	5.2E-04	5	1.33E-07	
556	556	5.1E-04	5	1.31E-07	
557	557	5.0E-04	5	1.29E-07	
558	558	4.9E-04	5	1.25E-07	
559	559	4.7E-04	5	1.21E-07	
567	567	4.7E-04	5	1.20E-07	
568	568	4.8E-04	5	1.22E-07	
569	569	4.8E-04	5	1.24E-07	
570	570	4.9E-04	5	1.26E-07	
571	571	5.0E-04	5	1.27E-07	
572	572	5.0E-04	5	1.28E-07	
573	573	5.0E-04	5	1.28E-07	
574	574	4.9E-04	5	1.26E-07	
575	575	4.9E-04	5	1.25E-07	
576	576	4.8E-04	5	1.22E-07	
577	577	4.7E-04	5	1.19E-07	
578	578	4.5E-04	5	1.16E-07	
586	586	4.4E-04	5	1.13E-07	
587	587	4.5E-04	5	1.15E-07	
588	588	4.6E-04	5	1.17E-07	
589	589	4.6E-04	5	1.19E-07	
590	590	4.7E-04	5	1.20E-07	
591	591	4.7E-04	5	1.21E-07	
592	592	4.7E-04	5	1.21E-07	

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
593	593	4.7E-04	5	1.20E-07	
594	594	4.6E-04	5	1.18E-07	
595	595	4.5E-04	5	1.16E-07	
596	596	4.4E-04	5	1.14E-07	
597	597	4.3E-04	5	1.11E-07	
345	345	1.4E-03	5	3.63E-07	
346	346	1.4E-03	5	3.67E-07	
347	347	1.4E-03	5	3.65E-07	
348	348	1.4E-03	5	3.58E-07	
359	359	1.3E-03	5	3.27E-07	
360	360	1.3E-03	5	3.31E-07	
361	361	1.3E-03	5	3.30E-07	
362	362	1.3E-03	5	3.25E-07	
363	363	1.2E-03	5	3.15E-07	
373	373	1.2E-03	5	3.00E-07	
374	374	1.2E-03	5	3.00E-07	
375	375	1.2E-03	5	2.96E-07	
376	376	1.1E-03	5	2.89E-07	
386	386	1.1E-03	5	2.74E-07	
387	387	1.1E-03	5	2.74E-07	
388	388	1.1E-03	5	2.71E-07	
389	389	1.0E-03	5	2.65E-07	
390	390	1.0E-03	5	2.57E-07	
400	400	9.8E-04	5	2.52E-07	
401	401	9.8E-04	5	2.52E-07	
402	402	9.8E-04	5	2.50E-07	
403	403	9.6E-04	5	2.45E-07	
404	404	9.3E-04	5	2.38E-07	
415	415	9.1E-04	5	2.32E-07	
416	416	9.1E-04	5	2.32E-07	
417	417	9.0E-04	5	2.30E-07	

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
418	418	8.9E-04	5	2.27E-07	
419	419	8.6E-04	5	2.21E-07	
420	420	8.3E-04	5	2.13E-07	
430	430	8.4E-04	5	2.15E-07	
431	431	8.3E-04	5	2.14E-07	
432	432	8.2E-04	5	2.11E-07	
433	433	8.0E-04	5	2.06E-07	
434	434	7.8E-04	5	2.00E-07	
444	444	7.8E-04	5	1.99E-07	
445	445	7.8E-04	5	1.98E-07	
446	446	7.7E-04	5	1.96E-07	
447	447	7.5E-04	5	1.92E-07	
448	448	7.3E-04	5	1.87E-07	
459	459	7.2E-04	5	1.85E-07	
460	460	7.2E-04	5	1.83E-07	
461	461	7.0E-04	5	1.80E-07	
462	462	6.9E-04	5	1.75E-07	
463	463	6.6E-04	5	1.70E-07	
474	474	6.8E-04	5	1.73E-07	
475	475	6.7E-04	5	1.71E-07	
476	476	6.6E-04	5	1.69E-07	
477	477	6.4E-04	5	1.65E-07	
478	478	6.2E-04	5	1.60E-07	
495	495	6.3E-04	5	1.62E-07	
496	496	6.3E-04	5	1.61E-07	
497	497	6.2E-04	5	1.59E-07	
498	498	6.1E-04	5	1.55E-07	
499	499	5.9E-04	5	1.51E-07	
500	500	5.7E-04	5	1.46E-07	

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Max Cancer Risk			Chronic Non Cancer Risk	
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad
139	139	1.5E-03	5	4.07E-06
140	140	1.5E-03	5	4.18E-06
156	156	1.0E-03	5	2.88E-06
157	157	1.1E-03	5	2.97E-06
158	158	1.0E-03	5	2.84E-06
159	159	9.0E-04	5	2.51E-06
160	160	7.4E-04	5	2.07E-06
161	161	4.6E-04	5	1.27E-06
162	162	3.6E-04	5	1.01E-06
163	163	3.0E-04	5	8.22E-07
167	167	8.0E-04	5	2.22E-06
168	168	7.7E-04	5	2.15E-06
169	169	7.0E-04	5	1.95E-06
170	170	6.0E-04	5	1.67E-06
171	171	4.9E-04	5	1.37E-06
172	172	4.0E-04	5	1.11E-06
173	173	3.2E-04	5	8.99E-07
174	174	2.7E-04	5	7.43E-07
175	175	2.2E-04	5	6.26E-07
176	176	1.9E-04	5	5.37E-07
177	177	1.7E-04	5	4.67E-07
181	181	6.0E-04	5	1.68E-06
182	182	5.6E-04	5	1.56E-06
183	183	4.9E-04	5	1.37E-06
184	184	4.2E-04	5	1.17E-06
185	185	3.5E-04	5	9.72E-07
186	186	2.9E-04	5	8.06E-07
187	187	2.4E-04	5	6.75E-07
188	188	2.1E-04	5	5.75E-07
189	189	1.8E-04	5	4.97E-07
190	190	1.6E-04	5	4.35E-07

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
191	191	1.4E-04	5	3.85E-07	
195	195	4.9E-04	5	1.35E-06	
196	196	4.6E-04	5	1.27E-06	
197	197	4.1E-04	5	1.15E-06	
198	198	3.6E-04	5	1.00E-06	
199	199	3.1E-04	5	8.55E-07	
200	200	2.6E-04	5	7.24E-07	
201	201	2.2E-04	5	6.16E-07	
202	202	1.9E-04	5	5.30E-07	
203	203	1.7E-04	5	4.61E-07	
204	204	1.5E-04	5	4.06E-07	
205	205	1.3E-04	5	3.61E-07	
206	206	1.2E-04	5	3.23E-07	
210	210	4.0E-04	5	1.12E-06	
211	211	4.0E-04	5	1.11E-06	
212	212	3.8E-04	5	1.06E-06	
213	213	3.5E-04	5	9.74E-07	
214	214	2.7E-04	5	7.56E-07	
215	215	2.3E-04	5	6.52E-07	
216	216	2.0E-04	5	5.63E-07	
217	217	1.8E-04	5	4.89E-07	
218	218	1.5E-04	5	4.28E-07	
219	219	1.4E-04	5	3.79E-07	
220	220	1.2E-04	5	3.39E-07	
221	221	1.1E-04	5	3.05E-07	
222	222	9.9E-05	5	2.75E-07	
226	226	3.3E-04	5	9.32E-07	
227	227	3.3E-04	5	9.30E-07	
228	228	3.2E-04	5	8.95E-07	
229	229	3.0E-04	5	8.35E-07	
230	230	2.7E-04	5	7.57E-07	

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
231	231	2.4E-04	5	6.70E-07	
232	232	2.1E-04	5	5.88E-07	
233	233	1.6E-04	5	4.51E-07	
234	234	1.4E-04	5	3.98E-07	
235	235	1.3E-04	5	3.54E-07	
236	236	1.1E-04	5	3.18E-07	
237	237	1.0E-04	5	2.87E-07	
238	238	9.4E-05	5	2.61E-07	
242	242	2.8E-04	5	7.89E-07	
243	243	2.8E-04	5	7.90E-07	
244	244	2.7E-04	5	7.65E-07	
245	245	2.6E-04	5	7.22E-07	
246	246	2.4E-04	5	6.64E-07	
247	247	2.1E-04	5	5.99E-07	
248	248	1.9E-04	5	5.33E-07	
249	249	1.5E-04	5	4.16E-07	
250	250	1.3E-04	5	3.70E-07	
251	251	1.2E-04	5	3.31E-07	
252	252	1.1E-04	5	2.99E-07	
253	253	9.7E-05	5	2.71E-07	
254	254	8.9E-05	5	2.47E-07	
257	257	2.4E-04	5	6.76E-07	
258	258	2.4E-04	5	6.79E-07	
259	259	2.4E-04	5	6.63E-07	
260	260	2.3E-04	5	6.30E-07	
261	261	2.1E-04	5	5.88E-07	
262	262	1.9E-04	5	5.37E-07	
263	263	1.7E-04	5	4.83E-07	
264	264	1.4E-04	5	3.86E-07	
265	265	1.2E-04	5	3.45E-07	
266	266	1.1E-04	5	3.11E-07	

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
267	267	1.0E-04	5	2.81E-07	
268	268	9.2E-05	5	2.56E-07	
269	269	8.4E-05	5	2.35E-07	
270	270	6.6E-05	5	1.85E-07	
271	271	6.2E-05	5	1.72E-07	
274	274	2.1E-04	5	5.86E-07	
275	275	2.1E-04	5	5.90E-07	
276	276	2.1E-04	5	5.80E-07	
277	277	2.0E-04	5	5.55E-07	
278	278	1.9E-04	5	5.23E-07	
279	279	1.7E-04	5	4.83E-07	
280	280	1.6E-04	5	4.39E-07	
281	281	1.3E-04	5	3.57E-07	
282	282	1.2E-04	5	3.22E-07	
283	283	1.0E-04	5	2.91E-07	
284	284	9.5E-05	5	2.65E-07	
285	285	8.7E-05	5	2.42E-07	
286	286	8.0E-05	5	2.23E-07	
287	287	6.3E-05	5	1.76E-07	
288	288	5.9E-05	5	1.65E-07	
291	291	1.8E-04	5	5.14E-07	
292	292	1.9E-04	5	5.18E-07	
293	293	1.8E-04	5	5.11E-07	
294	294	1.8E-04	5	4.93E-07	
295	295	1.7E-04	5	4.67E-07	
296	296	1.6E-04	5	4.36E-07	
297	297	1.4E-04	5	4.01E-07	
298	298	1.2E-04	5	3.32E-07	
299	299	1.1E-04	5	3.01E-07	
300	300	9.8E-05	5	2.74E-07	
301	301	9.0E-05	5	2.50E-07	

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
302	302	8.2E-05	5	2.29E-07	
303	303	7.6E-05	5	2.11E-07	
304	304	6.1E-05	5	1.69E-07	
305	305	5.7E-05	5	1.58E-07	
308	308	1.6E-04	5	4.54E-07	
309	309	1.6E-04	5	4.58E-07	
310	310	1.6E-04	5	4.54E-07	
311	311	1.6E-04	5	4.40E-07	
312	312	1.5E-04	5	4.21E-07	
313	313	1.4E-04	5	3.96E-07	
314	314	1.3E-04	5	3.67E-07	
315	315	1.1E-04	5	3.09E-07	
316	316	1.0E-04	5	2.82E-07	
317	317	9.2E-05	5	2.58E-07	
318	318	8.5E-05	5	2.36E-07	
319	319	7.8E-05	5	2.18E-07	
320	320	7.2E-05	5	2.01E-07	
321	321	5.8E-05	5	1.62E-07	
322	322	5.4E-05	5	1.51E-07	
325	325	1.5E-04	5	4.05E-07	
326	326	1.5E-04	5	4.08E-07	
327	327	1.5E-04	5	4.06E-07	
328	328	1.4E-04	5	3.96E-07	
329	329	1.4E-04	5	3.80E-07	
330	330	1.3E-04	5	3.61E-07	
331	331	1.2E-04	5	3.37E-07	
332	332	1.1E-04	5	3.13E-07	
333	333	1.0E-04	5	2.88E-07	
334	334	9.5E-05	5	2.65E-07	
335	335	8.7E-05	5	2.43E-07	
336	336	8.0E-05	5	2.24E-07	

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad
337	337	7.4E-05	5	2.07E-07
338	338	6.9E-05	5	1.91E-07
339	339	5.9E-05	5	1.65E-07
340	340	5.6E-05	5	1.55E-07
341	341	5.2E-05	5	1.45E-07
349	349	1.2E-04	5	3.46E-07
350	350	1.2E-04	5	3.30E-07
351	351	1.1E-04	5	3.10E-07
352	352	1.0E-04	5	2.90E-07
353	353	5.7E-05	5	1.58E-07
354	354	5.3E-05	5	1.48E-07
355	355	5.0E-05	5	1.39E-07
364	364	1.1E-04	5	3.02E-07
365	365	1.0E-04	5	2.87E-07
366	366	9.7E-05	5	2.69E-07
367	367	5.4E-05	5	1.52E-07
368	368	5.1E-05	5	1.42E-07
369	369	4.8E-05	5	1.34E-07
377	377	1.0E-04	5	2.78E-07
378	378	9.5E-05	5	2.65E-07
379	379	9.0E-05	5	2.50E-07
380	380	5.2E-05	5	1.45E-07
381	381	4.9E-05	5	1.36E-07
382	382	4.6E-05	5	1.29E-07
391	391	8.8E-05	5	2.46E-07
392	392	8.4E-05	5	2.33E-07
393	393	5.0E-05	5	1.39E-07
394	394	4.7E-05	5	1.31E-07
395	395	4.4E-05	5	1.24E-07
405	405	8.2E-05	5	2.29E-07
406	406	7.8E-05	5	2.18E-07

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
407	407	7.4E-05	5	2.07E-07	
408	408	4.8E-05	5	1.34E-07	
409	409	4.5E-05	5	1.26E-07	
410	410	4.3E-05	5	1.19E-07	
421	421	7.3E-05	5	2.04E-07	
422	422	7.0E-05	5	1.94E-07	
423	423	4.6E-05	5	1.28E-07	
424	424	4.4E-05	5	1.21E-07	
425	425	4.1E-05	5	1.15E-07	
435	435	6.9E-05	5	1.92E-07	
436	436	6.6E-05	5	1.83E-07	
437	437	4.2E-05	5	1.17E-07	
438	438	4.0E-05	5	1.11E-07	
449	449	6.5E-05	5	1.80E-07	
450	450	6.2E-05	5	1.73E-07	
451	451	5.9E-05	5	1.65E-07	
452	452	4.0E-05	5	1.12E-07	
453	453	3.8E-05	5	1.07E-07	
464	464	5.9E-05	5	1.63E-07	
465	465	5.6E-05	5	1.56E-07	
466	466	4.3E-05	5	1.20E-07	
467	467	3.9E-05	5	1.08E-07	
468	468	3.7E-05	5	1.03E-07	
479	479	5.5E-05	5	1.54E-07	
480	480	5.3E-05	5	1.48E-07	
481	481	5.1E-05	5	1.41E-07	
482	482	4.8E-05	5	1.35E-07	
483	483	4.6E-05	5	1.28E-07	
484	484	4.4E-05	5	1.22E-07	
485	485	4.2E-05	5	1.16E-07	
486	486	3.9E-05	5	1.10E-07	

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
487	487	3.8E-05	5	1.05E-07	
488	488	3.6E-05	5	9.95E-08	
501	501	5.0E-05	5	1.40E-07	
502	502	4.8E-05	5	1.35E-07	
503	503	4.6E-05	5	1.29E-07	
504	504	4.4E-05	5	1.23E-07	
505	505	4.2E-05	5	1.17E-07	
506	506	4.0E-05	5	1.11E-07	
507	507	3.8E-05	5	1.06E-07	
508	508	3.4E-05	5	9.61E-08	
520	520	4.8E-05	5	1.34E-07	
521	521	4.6E-05	5	1.28E-07	
522	522	4.4E-05	5	1.23E-07	
523	523	4.2E-05	5	1.18E-07	
524	524	4.0E-05	5	1.12E-07	
525	525	3.8E-05	5	1.07E-07	
526	526	3.7E-05	5	1.02E-07	
527	527	3.3E-05	5	9.29E-08	
539	539	4.6E-05	5	1.27E-07	
540	540	4.4E-05	5	1.23E-07	
541	541	4.2E-05	5	1.18E-07	
542	542	4.0E-05	5	1.13E-07	
543	543	3.9E-05	5	1.08E-07	
544	544	3.7E-05	5	1.03E-07	
545	545	3.5E-05	5	9.83E-08	
546	546	3.2E-05	5	8.99E-08	
560	560	4.2E-05	5	1.17E-07	
561	561	4.1E-05	5	1.13E-07	
562	562	3.9E-05	5	1.08E-07	
563	563	3.5E-05	5	9.88E-08	
564	564	3.6E-05	5	9.92E-08	

Via Oro
Risk From Wardlow (Santa Fe to 405 east to 710 N) [TKG]

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
565	565	3.4E-05				5	9.50E-08	
566	566	3.1E-05				5	8.70E-08	
579	579	4.0E-05				5	1.12E-07	
580	580	3.9E-05				5	1.08E-07	
581	581	3.7E-05				5	1.04E-07	
582	582	3.6E-05				5	9.99E-08	
583	583	3.4E-05				5	9.57E-08	
584	584	3.3E-05				5	9.17E-08	
585	585	2.8E-05				5	7.90E-08	
598	598	3.9E-05				5	1.07E-07	
599	599	3.7E-05				5	1.04E-07	
600	600	3.6E-05				5	1.00E-07	
601	601	3.5E-05				5	9.62E-08	
602	602	3.3E-05				5	9.24E-08	
603	603	3.2E-05				5	8.87E-08	
604	604	3.1E-05				5	8.50E-08	
0	0	0.0E+00				5	0.00E+00	

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	Cancer Risk from 3rd Trimester - Construction								
		g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	2.88096	3.39E-05	9.8E-05	3.46E-04	3.38E-08	0.25	1.57E-01	1.33E-09	1.0E+06	1.3E-03
2	3.26394	3.39E-05	1.1E-04	3.46E-04	3.83E-08	0.25	1.57E-01	1.50E-09	1.0E+06	1.5E-03
3	3.59801	3.39E-05	1.2E-04	3.46E-04	4.22E-08	0.25	1.57E-01	1.66E-09	1.0E+06	1.7E-03
4	3.88086	3.39E-05	1.3E-04	3.46E-04	4.55E-08	0.25	1.57E-01	1.79E-09	1.0E+06	1.8E-03
5	4.10261	3.39E-05	1.4E-04	3.46E-04	4.81E-08	0.25	1.57E-01	1.89E-09	1.0E+06	1.9E-03
6	4.29839	3.39E-05	1.5E-04	3.46E-04	5.04E-08	0.25	1.57E-01	1.98E-09	1.0E+06	2.0E-03
7	4.42755	3.39E-05	1.5E-04	3.46E-04	5.19E-08	0.25	1.57E-01	2.04E-09	1.0E+06	2.0E-03
8	4.49067	3.39E-05	1.5E-04	3.46E-04	5.27E-08	0.25	1.57E-01	2.07E-09	1.0E+06	2.1E-03
9	4.52223	3.39E-05	1.5E-04	3.46E-04	5.30E-08	0.25	1.57E-01	2.08E-09	1.0E+06	2.1E-03
10	4.52342	3.39E-05	1.5E-04	3.46E-04	5.31E-08	0.25	1.57E-01	2.08E-09	1.0E+06	2.1E-03
11	4.48835	3.39E-05	1.5E-04	3.46E-04	5.27E-08	0.25	1.57E-01	2.07E-09	1.0E+06	2.1E-03
12	4.41288	3.39E-05	1.5E-04	3.46E-04	5.18E-08	0.25	1.57E-01	2.03E-09	1.0E+06	2.0E-03
13	4.31862	3.39E-05	1.5E-04	3.46E-04	5.07E-08	0.25	1.57E-01	1.99E-09	1.0E+06	2.0E-03
14	4.16773	3.39E-05	1.4E-04	3.46E-04	4.89E-08	0.25	1.57E-01	1.92E-09	1.0E+06	1.9E-03
15	3.96908	3.39E-05	1.3E-04	3.46E-04	4.66E-08	0.25	1.57E-01	1.83E-09	1.0E+06	1.8E-03
16	3.6978	3.39E-05	1.3E-04	3.46E-04	4.34E-08	0.25	1.57E-01	1.70E-09	1.0E+06	1.7E-03
17	3.39502	3.39E-05	1.2E-04	3.46E-04	3.98E-08	0.25	1.57E-01	1.56E-09	1.0E+06	1.6E-03
18	3.04671	3.39E-05	1.0E-04	3.46E-04	3.57E-08	0.25	1.57E-01	1.40E-09	1.0E+06	1.4E-03
19	2.6957	3.39E-05	9.1E-05	3.46E-04	3.16E-08	0.25	1.57E-01	1.24E-09	1.0E+06	1.2E-03
20	2.34854	3.39E-05	8.0E-05	3.46E-04	2.76E-08	0.25	1.57E-01	1.08E-09	1.0E+06	1.1E-03
21	2.00958	3.39E-05	6.8E-05	3.46E-04	2.36E-08	0.25	1.57E-01	9.26E-10	1.0E+06	9.3E-04
22	1.69878	3.39E-05	5.8E-05	3.46E-04	1.99E-08	0.25	1.57E-01	7.83E-10	1.0E+06	7.8E-04
23	1.42711	3.39E-05	4.8E-05	3.46E-04	1.67E-08	0.25	1.57E-01	6.58E-10	1.0E+06	6.6E-04
24	1.20007	3.39E-05	4.1E-05	3.46E-04	1.41E-08	0.25	1.57E-01	5.53E-10	1.0E+06	5.5E-04
25	1.01531	3.39E-05	3.4E-05	3.46E-04	1.19E-08	0.25	1.57E-01	4.68E-10	1.0E+06	4.7E-04
26	0.86626	3.39E-05	2.9E-05	3.46E-04	1.02E-08	0.25	1.57E-01	3.99E-10	1.0E+06	4.0E-04
27	0.74618	3.39E-05	2.5E-05	3.46E-04	8.75E-09	0.25	1.57E-01	3.44E-10	1.0E+06	3.4E-04
28	0.64876	3.39E-05	2.2E-05	3.46E-04	7.61E-09	0.25	1.57E-01	2.99E-10	1.0E+06	3.0E-04
29	0.56951	3.39E-05	1.9E-05	3.46E-04	6.68E-09	0.25	1.57E-01	2.62E-10	1.0E+06	2.6E-04
30	0.50438	3.39E-05	1.7E-05	3.46E-04	5.92E-09	0.25	1.57E-01	2.32E-10	1.0E+06	2.3E-04
31	0.4502	3.39E-05	1.5E-05	3.46E-04	5.28E-09	0.25	1.57E-01	2.07E-10	1.0E+06	2.1E-04

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.40464	3.39E-05	1.4E-05	3.46E-04	4.75E-09	0.25	1.57E-01	1.86E-10	1.0E+06	1.9E-04
55	1.76867	3.39E-05	6.0E-05	3.46E-04	2.07E-08	0.25	1.57E-01	8.15E-10	1.0E+06	8.2E-04
56	1.42537	3.39E-05	4.8E-05	3.46E-04	1.67E-08	0.25	1.57E-01	6.57E-10	1.0E+06	6.6E-04
57	1.16684	3.39E-05	4.0E-05	3.46E-04	1.37E-08	0.25	1.57E-01	5.38E-10	1.0E+06	5.4E-04
58	0.96993	3.39E-05	3.3E-05	3.46E-04	1.14E-08	0.25	1.57E-01	4.47E-10	1.0E+06	4.5E-04
59	0.81851	3.39E-05	2.8E-05	3.46E-04	9.60E-09	0.25	1.57E-01	3.77E-10	1.0E+06	3.8E-04
60	0.7008	3.39E-05	2.4E-05	3.46E-04	8.22E-09	0.25	1.57E-01	3.23E-10	1.0E+06	3.2E-04
61	0.60858	3.39E-05	2.1E-05	3.46E-04	7.14E-09	0.25	1.57E-01	2.80E-10	1.0E+06	2.8E-04
62	0.53439	3.39E-05	1.8E-05	3.46E-04	6.27E-09	0.25	1.57E-01	2.46E-10	1.0E+06	2.5E-04
63	0.47416	3.39E-05	1.6E-05	3.46E-04	5.56E-09	0.25	1.57E-01	2.19E-10	1.0E+06	2.2E-04
64	0.42431	3.39E-05	1.4E-05	3.46E-04	4.98E-09	0.25	1.57E-01	1.96E-10	1.0E+06	2.0E-04
65	0.3825	3.39E-05	1.3E-05	3.46E-04	4.49E-09	0.25	1.57E-01	1.76E-10	1.0E+06	1.8E-04
66	0.34757	3.39E-05	1.2E-05	3.46E-04	4.08E-09	0.25	1.57E-01	1.60E-10	1.0E+06	1.6E-04
67	7.74018	3.39E-05	2.6E-04	3.46E-04	9.08E-08	0.25	1.57E-01	3.57E-09	1.0E+06	3.6E-03
68	6.36194	3.39E-05	2.2E-04	3.46E-04	7.46E-08	0.25	1.57E-01	2.93E-09	1.0E+06	2.9E-03
69	7.55667	3.39E-05	2.6E-04	3.46E-04	8.86E-08	0.25	1.57E-01	3.48E-09	1.0E+06	3.5E-03
70	7.586	3.39E-05	2.6E-04	3.46E-04	8.90E-08	0.25	1.57E-01	3.50E-09	1.0E+06	3.5E-03
71	7.42025	3.39E-05	2.5E-04	3.46E-04	8.70E-08	0.25	1.57E-01	3.42E-09	1.0E+06	3.4E-03
72	8.46186	3.39E-05	2.9E-04	3.46E-04	9.93E-08	0.25	1.57E-01	3.90E-09	1.0E+06	3.9E-03
73	5.65296	3.39E-05	1.9E-04	3.46E-04	6.63E-08	0.25	1.57E-01	2.61E-09	1.0E+06	2.6E-03
74	7.68909	3.39E-05	2.6E-04	3.46E-04	9.02E-08	0.25	1.57E-01	3.54E-09	1.0E+06	3.5E-03
75	7.81836	3.39E-05	2.6E-04	3.46E-04	9.17E-08	0.25	1.57E-01	3.60E-09	1.0E+06	3.6E-03
76	8.36943	3.39E-05	2.8E-04	3.46E-04	9.82E-08	0.25	1.57E-01	3.86E-09	1.0E+06	3.9E-03
77	7.51341	3.39E-05	2.5E-04	3.46E-04	8.81E-08	0.25	1.57E-01	3.46E-09	1.0E+06	3.5E-03
78	7.60375	3.39E-05	2.6E-04	3.46E-04	8.92E-08	0.25	1.57E-01	3.50E-09	1.0E+06	3.5E-03
79	7.01814	3.39E-05	2.4E-04	3.46E-04	8.23E-08	0.25	1.57E-01	3.23E-09	1.0E+06	3.2E-03
80	5.7242	3.39E-05	1.9E-04	3.46E-04	6.71E-08	0.25	1.57E-01	2.64E-09	1.0E+06	2.6E-03
81	4.35949	3.39E-05	1.5E-04	3.46E-04	5.11E-08	0.25	1.57E-01	2.01E-09	1.0E+06	2.0E-03
82	3.16013	3.39E-05	1.1E-04	3.46E-04	3.71E-08	0.25	1.57E-01	1.46E-09	1.0E+06	1.5E-03
83	2.31491	3.39E-05	7.8E-05	3.46E-04	2.72E-08	0.25	1.57E-01	1.07E-09	1.0E+06	1.1E-03
84	1.74102	3.39E-05	5.9E-05	3.46E-04	2.04E-08	0.25	1.57E-01	8.02E-10	1.0E+06	8.0E-04

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	1.35664	3.39E-05	4.6E-05	3.46E-04	1.59E-08	0.25	1.57E-01	6.25E-10	1.0E+06	6.3E-04
86	1.09071	3.39E-05	3.7E-05	3.46E-04	1.28E-08	0.25	1.57E-01	5.03E-10	1.0E+06	5.0E-04
87	0.89966	3.39E-05	3.0E-05	3.46E-04	1.06E-08	0.25	1.57E-01	4.15E-10	1.0E+06	4.1E-04
88	0.75857	3.39E-05	2.6E-05	3.46E-04	8.90E-09	0.25	1.57E-01	3.50E-10	1.0E+06	3.5E-04
89	0.65072	3.39E-05	2.2E-05	3.46E-04	7.63E-09	0.25	1.57E-01	3.00E-10	1.0E+06	3.0E-04
90	0.56664	3.39E-05	1.9E-05	3.46E-04	6.65E-09	0.25	1.57E-01	2.61E-10	1.0E+06	2.6E-04
91	0.50003	3.39E-05	1.7E-05	3.46E-04	5.87E-09	0.25	1.57E-01	2.30E-10	1.0E+06	2.3E-04
92	0.44527	3.39E-05	1.5E-05	3.46E-04	5.22E-09	0.25	1.57E-01	2.05E-10	1.0E+06	2.1E-04
93	0.40044	3.39E-05	1.4E-05	3.46E-04	4.70E-09	0.25	1.57E-01	1.85E-10	1.0E+06	1.8E-04
96	0.98832	3.39E-05	3.3E-05	3.46E-04	1.16E-08	0.25	1.57E-01	4.55E-10	1.0E+06	4.6E-04
97	0.81252	3.39E-05	2.8E-05	3.46E-04	9.53E-09	0.25	1.57E-01	3.74E-10	1.0E+06	3.7E-04
98	0.69658	3.39E-05	2.4E-05	3.46E-04	8.17E-09	0.25	1.57E-01	3.21E-10	1.0E+06	3.2E-04
99	0.60271	3.39E-05	2.0E-05	3.46E-04	7.07E-09	0.25	1.57E-01	2.78E-10	1.0E+06	2.8E-04
100	0.52846	3.39E-05	1.8E-05	3.46E-04	6.20E-09	0.25	1.57E-01	2.44E-10	1.0E+06	2.4E-04
101	0.4687	3.39E-05	1.6E-05	3.46E-04	5.50E-09	0.25	1.57E-01	2.16E-10	1.0E+06	2.2E-04
102	0.42047	3.39E-05	1.4E-05	3.46E-04	4.93E-09	0.25	1.57E-01	1.94E-10	1.0E+06	1.9E-04
106	4.62375	3.39E-05	1.6E-04	3.46E-04	5.42E-08	0.25	1.57E-01	2.13E-09	1.0E+06	2.1E-03
107	5.54336	3.39E-05	1.9E-04	3.46E-04	6.50E-08	0.25	1.57E-01	2.55E-09	1.0E+06	2.6E-03
108	5.34166	3.39E-05	1.8E-04	3.46E-04	6.27E-08	0.25	1.57E-01	2.46E-09	1.0E+06	2.5E-03
109	5.14682	3.39E-05	1.7E-04	3.46E-04	6.04E-08	0.25	1.57E-01	2.37E-09	1.0E+06	2.4E-03
110	5.16406	3.39E-05	1.7E-04	3.46E-04	6.06E-08	0.25	1.57E-01	2.38E-09	1.0E+06	2.4E-03
111	8.21374	3.39E-05	2.8E-04	3.46E-04	9.64E-08	0.25	1.57E-01	3.79E-09	1.0E+06	3.8E-03
112	5.02987	3.39E-05	1.7E-04	3.46E-04	5.90E-08	0.25	1.57E-01	2.32E-09	1.0E+06	2.3E-03
113	5.02548	3.39E-05	1.7E-04	3.46E-04	5.90E-08	0.25	1.57E-01	2.32E-09	1.0E+06	2.3E-03
114	5.32097	3.39E-05	1.8E-04	3.46E-04	6.24E-08	0.25	1.57E-01	2.45E-09	1.0E+06	2.5E-03
115	7.94733	3.39E-05	2.7E-04	3.46E-04	9.32E-08	0.25	1.57E-01	3.66E-09	1.0E+06	3.7E-03
116	4.68541	3.39E-05	1.6E-04	3.46E-04	5.50E-08	0.25	1.57E-01	2.16E-09	1.0E+06	2.2E-03
117	4.82365	3.39E-05	1.6E-04	3.46E-04	5.66E-08	0.25	1.57E-01	2.22E-09	1.0E+06	2.2E-03
118	7.75923	3.39E-05	2.6E-04	3.46E-04	9.10E-08	0.25	1.57E-01	3.58E-09	1.0E+06	3.6E-03
124	6.11924	3.39E-05	2.1E-04	3.46E-04	7.18E-08	0.25	1.57E-01	2.82E-09	1.0E+06	2.8E-03
125	9.35725	3.39E-05	3.2E-04	3.46E-04	1.10E-07	0.25	1.57E-01	4.31E-09	1.0E+06	4.3E-03

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	8.7369	3.39E-05	3.0E-04	3.46E-04	1.02E-07	0.25	1.57E-01	4.03E-09	1.0E+06	4.0E-03
127	8.45661	3.39E-05	2.9E-04	3.46E-04	9.92E-08	0.25	1.57E-01	3.90E-09	1.0E+06	3.9E-03
128	8.42365	3.39E-05	2.9E-04	3.46E-04	9.88E-08	0.25	1.57E-01	3.88E-09	1.0E+06	3.9E-03
129	8.31591	3.39E-05	2.8E-04	3.46E-04	9.76E-08	0.25	1.57E-01	3.83E-09	1.0E+06	3.8E-03
130	8.12311	3.39E-05	2.8E-04	3.46E-04	9.53E-08	0.25	1.57E-01	3.74E-09	1.0E+06	3.7E-03
131	7.89783	3.39E-05	2.7E-04	3.46E-04	9.26E-08	0.25	1.57E-01	3.64E-09	1.0E+06	3.6E-03
132	7.77169	3.39E-05	2.6E-04	3.46E-04	9.12E-08	0.25	1.57E-01	3.58E-09	1.0E+06	3.6E-03
133	7.59757	3.39E-05	2.6E-04	3.46E-04	8.91E-08	0.25	1.57E-01	3.50E-09	1.0E+06	3.5E-03
134	7.55104	3.39E-05	2.6E-04	3.46E-04	8.86E-08	0.25	1.57E-01	3.48E-09	1.0E+06	3.5E-03
135	7.4838	3.39E-05	2.5E-04	3.46E-04	8.78E-08	0.25	1.57E-01	3.45E-09	1.0E+06	3.4E-03
136	7.52552	3.39E-05	2.6E-04	3.46E-04	8.83E-08	0.25	1.57E-01	3.47E-09	1.0E+06	3.5E-03
137	7.60435	3.39E-05	2.6E-04	3.46E-04	8.92E-08	0.25	1.57E-01	3.50E-09	1.0E+06	3.5E-03
138	7.86768	3.39E-05	2.7E-04	3.46E-04	9.23E-08	0.25	1.57E-01	3.63E-09	1.0E+06	3.6E-03
141	5.56898	3.39E-05	1.9E-04	3.46E-04	6.53E-08	0.25	1.57E-01	2.57E-09	1.0E+06	2.6E-03
142	5.55402	3.39E-05	1.9E-04	3.46E-04	6.52E-08	0.25	1.57E-01	2.56E-09	1.0E+06	2.6E-03
143	5.45142	3.39E-05	1.8E-04	3.46E-04	6.39E-08	0.25	1.57E-01	2.51E-09	1.0E+06	2.5E-03
144	5.39118	3.39E-05	1.8E-04	3.46E-04	6.32E-08	0.25	1.57E-01	2.48E-09	1.0E+06	2.5E-03
145	5.37199	3.39E-05	1.8E-04	3.46E-04	6.30E-08	0.25	1.57E-01	2.48E-09	1.0E+06	2.5E-03
146	5.32162	3.39E-05	1.8E-04	3.46E-04	6.24E-08	0.25	1.57E-01	2.45E-09	1.0E+06	2.5E-03
147	5.29223	3.39E-05	1.8E-04	3.46E-04	6.21E-08	0.25	1.57E-01	2.44E-09	1.0E+06	2.4E-03
148	5.22669	3.39E-05	1.8E-04	3.46E-04	6.13E-08	0.25	1.57E-01	2.41E-09	1.0E+06	2.4E-03
149	5.17377	3.39E-05	1.8E-04	3.46E-04	6.07E-08	0.25	1.57E-01	2.38E-09	1.0E+06	2.4E-03
150	5.11162	3.39E-05	1.7E-04	3.46E-04	6.00E-08	0.25	1.57E-01	2.36E-09	1.0E+06	2.4E-03
151	5.06933	3.39E-05	1.7E-04	3.46E-04	5.95E-08	0.25	1.57E-01	2.34E-09	1.0E+06	2.3E-03
152	5.04246	3.39E-05	1.7E-04	3.46E-04	5.92E-08	0.25	1.57E-01	2.32E-09	1.0E+06	2.3E-03
153	5.04082	3.39E-05	1.7E-04	3.46E-04	5.91E-08	0.25	1.57E-01	2.32E-09	1.0E+06	2.3E-03
154	5.01468	3.39E-05	1.7E-04	3.46E-04	5.88E-08	0.25	1.57E-01	2.31E-09	1.0E+06	2.3E-03
155	5.02952	3.39E-05	1.7E-04	3.46E-04	5.90E-08	0.25	1.57E-01	2.32E-09	1.0E+06	2.3E-03
164	3.65442	3.39E-05	1.2E-04	3.46E-04	4.29E-08	0.25	1.57E-01	1.68E-09	1.0E+06	1.7E-03
165	3.60826	3.39E-05	1.2E-04	3.46E-04	4.23E-08	0.25	1.57E-01	1.66E-09	1.0E+06	1.7E-03
166	3.58192	3.39E-05	1.2E-04	3.46E-04	4.20E-08	0.25	1.57E-01	1.65E-09	1.0E+06	1.7E-03

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	2.81362	3.39E-05	9.5E-05	3.46E-04	3.30E-08	0.25	1.57E-01	1.30E-09	1.0E+06	1.3E-03
179	2.75924	3.39E-05	9.4E-05	3.46E-04	3.24E-08	0.25	1.57E-01	1.27E-09	1.0E+06	1.3E-03
180	2.69882	3.39E-05	9.1E-05	3.46E-04	3.17E-08	0.25	1.57E-01	1.24E-09	1.0E+06	1.2E-03
192	2.25421	3.39E-05	7.6E-05	3.46E-04	2.64E-08	0.25	1.57E-01	1.04E-09	1.0E+06	1.0E-03
193	2.20371	3.39E-05	7.5E-05	3.46E-04	2.59E-08	0.25	1.57E-01	1.02E-09	1.0E+06	1.0E-03
194	2.1332	3.39E-05	7.2E-05	3.46E-04	2.50E-08	0.25	1.57E-01	9.83E-10	1.0E+06	9.8E-04
207	1.85459	3.39E-05	6.3E-05	3.46E-04	2.18E-08	0.25	1.57E-01	8.55E-10	1.0E+06	8.5E-04
208	1.8069	3.39E-05	6.1E-05	3.46E-04	2.12E-08	0.25	1.57E-01	8.33E-10	1.0E+06	8.3E-04
209	1.74437	3.39E-05	5.9E-05	3.46E-04	2.05E-08	0.25	1.57E-01	8.04E-10	1.0E+06	8.0E-04
223	1.55944	3.39E-05	5.3E-05	3.46E-04	1.83E-08	0.25	1.57E-01	7.19E-10	1.0E+06	7.2E-04
224	1.51594	3.39E-05	5.1E-05	3.46E-04	1.78E-08	0.25	1.57E-01	6.99E-10	1.0E+06	7.0E-04
225	1.45829	3.39E-05	4.9E-05	3.46E-04	1.71E-08	0.25	1.57E-01	6.72E-10	1.0E+06	6.7E-04
239	1.33496	3.39E-05	4.5E-05	3.46E-04	1.57E-08	0.25	1.57E-01	6.15E-10	1.0E+06	6.2E-04
240	1.29613	3.39E-05	4.4E-05	3.46E-04	1.52E-08	0.25	1.57E-01	5.97E-10	1.0E+06	6.0E-04
241	1.24735	3.39E-05	4.2E-05	3.46E-04	1.46E-08	0.25	1.57E-01	5.75E-10	1.0E+06	5.7E-04
255	1.15814	3.39E-05	3.9E-05	3.46E-04	1.36E-08	0.25	1.57E-01	5.34E-10	1.0E+06	5.3E-04
256	1.12412	3.39E-05	3.8E-05	3.46E-04	1.32E-08	0.25	1.57E-01	5.18E-10	1.0E+06	5.2E-04
272	1.01551	3.39E-05	3.4E-05	3.46E-04	1.19E-08	0.25	1.57E-01	4.68E-10	1.0E+06	4.7E-04
273	0.98665	3.39E-05	3.3E-05	3.46E-04	1.16E-08	0.25	1.57E-01	4.55E-10	1.0E+06	4.5E-04
289	0.8997	3.39E-05	3.0E-05	3.46E-04	1.06E-08	0.25	1.57E-01	4.15E-10	1.0E+06	4.1E-04
290	0.87447	3.39E-05	3.0E-05	3.46E-04	1.03E-08	0.25	1.57E-01	4.03E-10	1.0E+06	4.0E-04
306	0.80343	3.39E-05	2.7E-05	3.46E-04	9.42E-09	0.25	1.57E-01	3.70E-10	1.0E+06	3.7E-04
307	0.78154	3.39E-05	2.6E-05	3.46E-04	9.17E-09	0.25	1.57E-01	3.60E-10	1.0E+06	3.6E-04
323	0.72252	3.39E-05	2.4E-05	3.46E-04	8.48E-09	0.25	1.57E-01	3.33E-10	1.0E+06	3.3E-04
324	0.7035	3.39E-05	2.4E-05	3.46E-04	8.25E-09	0.25	1.57E-01	3.24E-10	1.0E+06	3.2E-04
342	0.65386	3.39E-05	2.2E-05	3.46E-04	7.67E-09	0.25	1.57E-01	3.01E-10	1.0E+06	3.0E-04
343	0.63731	3.39E-05	2.2E-05	3.46E-04	7.48E-09	0.25	1.57E-01	2.94E-10	1.0E+06	2.9E-04
344	0.61718	3.39E-05	2.1E-05	3.46E-04	7.24E-09	0.25	1.57E-01	2.84E-10	1.0E+06	2.8E-04
356	0.59491	3.39E-05	2.0E-05	3.46E-04	6.98E-09	0.25	1.57E-01	2.74E-10	1.0E+06	2.7E-04
357	0.58031	3.39E-05	2.0E-05	3.46E-04	6.81E-09	0.25	1.57E-01	2.67E-10	1.0E+06	2.7E-04
358	0.563	3.39E-05	1.9E-05	3.46E-04	6.60E-09	0.25	1.57E-01	2.59E-10	1.0E+06	2.6E-04

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.54401	3.39E-05	1.8E-05	3.46E-04	6.38E-09	0.25	1.57E-01	2.51E-10	1.0E+06	2.5E-04
371	0.5312	3.39E-05	1.8E-05	3.46E-04	6.23E-09	0.25	1.57E-01	2.45E-10	1.0E+06	2.4E-04
372	0.51609	3.39E-05	1.7E-05	3.46E-04	6.05E-09	0.25	1.57E-01	2.38E-10	1.0E+06	2.4E-04
383	0.49965	3.39E-05	1.7E-05	3.46E-04	5.86E-09	0.25	1.57E-01	2.30E-10	1.0E+06	2.3E-04
384	0.48842	3.39E-05	1.7E-05	3.46E-04	5.73E-09	0.25	1.57E-01	2.25E-10	1.0E+06	2.3E-04
385	0.47517	3.39E-05	1.6E-05	3.46E-04	5.57E-09	0.25	1.57E-01	2.19E-10	1.0E+06	2.2E-04
396	0.46078	3.39E-05	1.6E-05	3.46E-04	5.41E-09	0.25	1.57E-01	2.12E-10	1.0E+06	2.1E-04
397	0.4509	3.39E-05	1.5E-05	3.46E-04	5.29E-09	0.25	1.57E-01	2.08E-10	1.0E+06	2.1E-04
398	0.43924	3.39E-05	1.5E-05	3.46E-04	5.15E-09	0.25	1.57E-01	2.02E-10	1.0E+06	2.0E-04
399	0.42587	3.39E-05	1.4E-05	3.46E-04	5.00E-09	0.25	1.57E-01	1.96E-10	1.0E+06	2.0E-04
411	0.42646	3.39E-05	1.4E-05	3.46E-04	5.00E-09	0.25	1.57E-01	1.97E-10	1.0E+06	2.0E-04
412	0.41775	3.39E-05	1.4E-05	3.46E-04	4.90E-09	0.25	1.57E-01	1.93E-10	1.0E+06	1.9E-04
413	0.40757	3.39E-05	1.4E-05	3.46E-04	4.78E-09	0.25	1.57E-01	1.88E-10	1.0E+06	1.9E-04
414	0.39571	3.39E-05	1.3E-05	3.46E-04	4.64E-09	0.25	1.57E-01	1.82E-10	1.0E+06	1.8E-04
426	0.39606	3.39E-05	1.3E-05	3.46E-04	4.65E-09	0.25	1.57E-01	1.83E-10	1.0E+06	1.8E-04
427	0.38838	3.39E-05	1.3E-05	3.46E-04	4.56E-09	0.25	1.57E-01	1.79E-10	1.0E+06	1.8E-04
428	0.37925	3.39E-05	1.3E-05	3.46E-04	4.45E-09	0.25	1.57E-01	1.75E-10	1.0E+06	1.7E-04
429	0.36885	3.39E-05	1.2E-05	3.46E-04	4.33E-09	0.25	1.57E-01	1.70E-10	1.0E+06	1.7E-04
439	0.36892	3.39E-05	1.3E-05	3.46E-04	4.33E-09	0.25	1.57E-01	1.70E-10	1.0E+06	1.7E-04
440	0.36214	3.39E-05	1.2E-05	3.46E-04	4.25E-09	0.25	1.57E-01	1.67E-10	1.0E+06	1.7E-04
441	0.3541	3.39E-05	1.2E-05	3.46E-04	4.15E-09	0.25	1.57E-01	1.63E-10	1.0E+06	1.6E-04
442	0.34486	3.39E-05	1.2E-05	3.46E-04	4.05E-09	0.25	1.57E-01	1.59E-10	1.0E+06	1.6E-04
443	0.33451	3.39E-05	1.1E-05	3.46E-04	3.92E-09	0.25	1.57E-01	1.54E-10	1.0E+06	1.5E-04
454	0.34464	3.39E-05	1.2E-05	3.46E-04	4.04E-09	0.25	1.57E-01	1.59E-10	1.0E+06	1.6E-04
455	0.33864	3.39E-05	1.1E-05	3.46E-04	3.97E-09	0.25	1.57E-01	1.56E-10	1.0E+06	1.6E-04
456	0.33151	3.39E-05	1.1E-05	3.46E-04	3.89E-09	0.25	1.57E-01	1.53E-10	1.0E+06	1.5E-04
457	0.3233	3.39E-05	1.1E-05	3.46E-04	3.79E-09	0.25	1.57E-01	1.49E-10	1.0E+06	1.5E-04
458	0.31409	3.39E-05	1.1E-05	3.46E-04	3.68E-09	0.25	1.57E-01	1.45E-10	1.0E+06	1.4E-04
469	0.32277	3.39E-05	1.1E-05	3.46E-04	3.79E-09	0.25	1.57E-01	1.49E-10	1.0E+06	1.5E-04
470	0.31743	3.39E-05	1.1E-05	3.46E-04	3.72E-09	0.25	1.57E-01	1.46E-10	1.0E+06	1.5E-04
471	0.3111	3.39E-05	1.1E-05	3.46E-04	3.65E-09	0.25	1.57E-01	1.43E-10	1.0E+06	1.4E-04

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.30378	3.39E-05	1.0E-05	3.46E-04	3.56E-09	0.25	1.57E-01	1.40E-10	1.0E+06	1.4E-04
473	0.29556	3.39E-05	1.0E-05	3.46E-04	3.47E-09	0.25	1.57E-01	1.36E-10	1.0E+06	1.4E-04
489	0.30307	3.39E-05	1.0E-05	3.46E-04	3.56E-09	0.25	1.57E-01	1.40E-10	1.0E+06	1.4E-04
490	0.29834	3.39E-05	1.0E-05	3.46E-04	3.50E-09	0.25	1.57E-01	1.37E-10	1.0E+06	1.4E-04
491	0.29269	3.39E-05	9.9E-06	3.46E-04	3.43E-09	0.25	1.57E-01	1.35E-10	1.0E+06	1.3E-04
492	0.28616	3.39E-05	9.7E-06	3.46E-04	3.36E-09	0.25	1.57E-01	1.32E-10	1.0E+06	1.3E-04
493	0.27881	3.39E-05	9.4E-06	3.46E-04	3.27E-09	0.25	1.57E-01	1.28E-10	1.0E+06	1.3E-04
494	0.27071	3.39E-05	9.2E-06	3.46E-04	3.18E-09	0.25	1.57E-01	1.25E-10	1.0E+06	1.2E-04
509	0.28517	3.39E-05	9.7E-06	3.46E-04	3.35E-09	0.25	1.57E-01	1.31E-10	1.0E+06	1.3E-04
510	0.28098	3.39E-05	9.5E-06	3.46E-04	3.30E-09	0.25	1.57E-01	1.29E-10	1.0E+06	1.3E-04
511	0.27591	3.39E-05	9.3E-06	3.46E-04	3.24E-09	0.25	1.57E-01	1.27E-10	1.0E+06	1.3E-04
512	0.27007	3.39E-05	9.2E-06	3.46E-04	3.17E-09	0.25	1.57E-01	1.24E-10	1.0E+06	1.2E-04
513	0.26351	3.39E-05	8.9E-06	3.46E-04	3.09E-09	0.25	1.57E-01	1.21E-10	1.0E+06	1.2E-04
514	0.25622	3.39E-05	8.7E-06	3.46E-04	3.01E-09	0.25	1.57E-01	1.18E-10	1.0E+06	1.2E-04
515	0.23993	3.39E-05	8.1E-06	3.46E-04	2.81E-09	0.25	1.57E-01	1.11E-10	1.0E+06	1.1E-04
516	0.23116	3.39E-05	7.8E-06	3.46E-04	2.71E-09	0.25	1.57E-01	1.07E-10	1.0E+06	1.1E-04
517	0.22207	3.39E-05	7.5E-06	3.46E-04	2.61E-09	0.25	1.57E-01	1.02E-10	1.0E+06	1.0E-04
518	0.21284	3.39E-05	7.2E-06	3.46E-04	2.50E-09	0.25	1.57E-01	9.81E-11	1.0E+06	9.8E-05
519	0.20359	3.39E-05	6.9E-06	3.46E-04	2.39E-09	0.25	1.57E-01	9.38E-11	1.0E+06	9.4E-05
528	0.2689	3.39E-05	9.1E-06	3.46E-04	3.15E-09	0.25	1.57E-01	1.24E-10	1.0E+06	1.2E-04
529	0.26517	3.39E-05	9.0E-06	3.46E-04	3.11E-09	0.25	1.57E-01	1.22E-10	1.0E+06	1.2E-04
530	0.26066	3.39E-05	8.8E-06	3.46E-04	3.06E-09	0.25	1.57E-01	1.20E-10	1.0E+06	1.2E-04
531	0.25541	3.39E-05	8.7E-06	3.46E-04	3.00E-09	0.25	1.57E-01	1.18E-10	1.0E+06	1.2E-04
532	0.2495	3.39E-05	8.5E-06	3.46E-04	2.93E-09	0.25	1.57E-01	1.15E-10	1.0E+06	1.1E-04
533	0.24295	3.39E-05	8.2E-06	3.46E-04	2.85E-09	0.25	1.57E-01	1.12E-10	1.0E+06	1.1E-04
534	0.22827	3.39E-05	7.7E-06	3.46E-04	2.68E-09	0.25	1.57E-01	1.05E-10	1.0E+06	1.1E-04
535	0.2203	3.39E-05	7.5E-06	3.46E-04	2.58E-09	0.25	1.57E-01	1.02E-10	1.0E+06	1.0E-04
536	0.21203	3.39E-05	7.2E-06	3.46E-04	2.49E-09	0.25	1.57E-01	9.77E-11	1.0E+06	9.8E-05
537	0.20363	3.39E-05	6.9E-06	3.46E-04	2.39E-09	0.25	1.57E-01	9.38E-11	1.0E+06	9.4E-05
538	0.19519	3.39E-05	6.6E-06	3.46E-04	2.29E-09	0.25	1.57E-01	9.00E-11	1.0E+06	9.0E-05
547	0.25407	3.39E-05	8.6E-06	3.46E-04	2.98E-09	0.25	1.57E-01	1.17E-10	1.0E+06	1.2E-04

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.25075	3.39E-05	8.5E-06	3.46E-04	2.94E-09	0.25	1.57E-01	1.16E-10	1.0E+06	1.2E-04
549	0.24669	3.39E-05	8.4E-06	3.46E-04	2.89E-09	0.25	1.57E-01	1.14E-10	1.0E+06	1.1E-04
550	0.24201	3.39E-05	8.2E-06	3.46E-04	2.84E-09	0.25	1.57E-01	1.12E-10	1.0E+06	1.1E-04
551	0.23667	3.39E-05	8.0E-06	3.46E-04	2.78E-09	0.25	1.57E-01	1.09E-10	1.0E+06	1.1E-04
552	0.23077	3.39E-05	7.8E-06	3.46E-04	2.71E-09	0.25	1.57E-01	1.06E-10	1.0E+06	1.1E-04
553	0.22433	3.39E-05	7.6E-06	3.46E-04	2.63E-09	0.25	1.57E-01	1.03E-10	1.0E+06	1.0E-04
554	0.21747	3.39E-05	7.4E-06	3.46E-04	2.55E-09	0.25	1.57E-01	1.00E-10	1.0E+06	1.0E-04
555	0.21022	3.39E-05	7.1E-06	3.46E-04	2.47E-09	0.25	1.57E-01	9.69E-11	1.0E+06	9.7E-05
556	0.20268	3.39E-05	6.9E-06	3.46E-04	2.38E-09	0.25	1.57E-01	9.34E-11	1.0E+06	9.3E-05
557	0.19502	3.39E-05	6.6E-06	3.46E-04	2.29E-09	0.25	1.57E-01	8.99E-11	1.0E+06	9.0E-05
558	0.18727	3.39E-05	6.3E-06	3.46E-04	2.20E-09	0.25	1.57E-01	8.63E-11	1.0E+06	8.6E-05
559	0.17958	3.39E-05	6.1E-06	3.46E-04	2.11E-09	0.25	1.57E-01	8.28E-11	1.0E+06	8.3E-05
567	0.24048	3.39E-05	8.1E-06	3.46E-04	2.82E-09	0.25	1.57E-01	1.11E-10	1.0E+06	1.1E-04
568	0.23752	3.39E-05	8.0E-06	3.46E-04	2.79E-09	0.25	1.57E-01	1.09E-10	1.0E+06	1.1E-04
569	0.23391	3.39E-05	7.9E-06	3.46E-04	2.74E-09	0.25	1.57E-01	1.08E-10	1.0E+06	1.1E-04
570	0.22967	3.39E-05	7.8E-06	3.46E-04	2.69E-09	0.25	1.57E-01	1.06E-10	1.0E+06	1.1E-04
571	0.22487	3.39E-05	7.6E-06	3.46E-04	2.64E-09	0.25	1.57E-01	1.04E-10	1.0E+06	1.0E-04
572	0.21952	3.39E-05	7.4E-06	3.46E-04	2.58E-09	0.25	1.57E-01	1.01E-10	1.0E+06	1.0E-04
573	0.2137	3.39E-05	7.2E-06	3.46E-04	2.51E-09	0.25	1.57E-01	9.85E-11	1.0E+06	9.8E-05
574	0.20087	3.39E-05	6.8E-06	3.46E-04	2.36E-09	0.25	1.57E-01	9.26E-11	1.0E+06	9.3E-05
575	0.19398	3.39E-05	6.6E-06	3.46E-04	2.28E-09	0.25	1.57E-01	8.94E-11	1.0E+06	8.9E-05
576	0.18694	3.39E-05	6.3E-06	3.46E-04	2.19E-09	0.25	1.57E-01	8.62E-11	1.0E+06	8.6E-05
577	0.17983	3.39E-05	6.1E-06	3.46E-04	2.11E-09	0.25	1.57E-01	8.29E-11	1.0E+06	8.3E-05
578	0.17274	3.39E-05	5.9E-06	3.46E-04	2.03E-09	0.25	1.57E-01	7.96E-11	1.0E+06	8.0E-05
586	0.22806	3.39E-05	7.7E-06	3.46E-04	2.68E-09	0.25	1.57E-01	1.05E-10	1.0E+06	1.1E-04
587	0.22543	3.39E-05	7.6E-06	3.46E-04	2.64E-09	0.25	1.57E-01	1.04E-10	1.0E+06	1.0E-04
588	0.22217	3.39E-05	7.5E-06	3.46E-04	2.61E-09	0.25	1.57E-01	1.02E-10	1.0E+06	1.0E-04
589	0.21836	3.39E-05	7.4E-06	3.46E-04	2.56E-09	0.25	1.57E-01	1.01E-10	1.0E+06	1.0E-04
590	0.21401	3.39E-05	7.3E-06	3.46E-04	2.51E-09	0.25	1.57E-01	9.86E-11	1.0E+06	9.9E-05
591	0.20917	3.39E-05	7.1E-06	3.46E-04	2.45E-09	0.25	1.57E-01	9.64E-11	1.0E+06	9.6E-05
592	0.20387	3.39E-05	6.9E-06	3.46E-04	2.39E-09	0.25	1.57E-01	9.40E-11	1.0E+06	9.4E-05

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.19217	3.39E-05	6.5E-06	3.46E-04	2.25E-09	0.25	1.57E-01	8.86E-11	1.0E+06	8.9E-05
594	0.18587	3.39E-05	6.3E-06	3.46E-04	2.18E-09	0.25	1.57E-01	8.57E-11	1.0E+06	8.6E-05
595	0.17942	3.39E-05	6.1E-06	3.46E-04	2.10E-09	0.25	1.57E-01	8.27E-11	1.0E+06	8.3E-05
596	0.17289	3.39E-05	5.9E-06	3.46E-04	2.03E-09	0.25	1.57E-01	7.97E-11	1.0E+06	8.0E-05
597	0.16633	3.39E-05	5.6E-06	3.46E-04	1.95E-09	0.25	1.57E-01	7.67E-11	1.0E+06	7.7E-05
345	0.59411	3.39E-05	2.0E-05	3.46E-04	6.97E-09	0.25	1.57E-01	2.74E-10	1.0E+06	2.7E-04
346	0.56784	3.39E-05	1.9E-05	3.46E-04	6.66E-09	0.25	1.57E-01	2.62E-10	1.0E+06	2.6E-04
347	0.53882	3.39E-05	1.8E-05	3.46E-04	6.32E-09	0.25	1.57E-01	2.48E-10	1.0E+06	2.5E-04
348	0.50748	3.39E-05	1.7E-05	3.46E-04	5.95E-09	0.25	1.57E-01	2.34E-10	1.0E+06	2.3E-04
359	0.54307	3.39E-05	1.8E-05	3.46E-04	6.37E-09	0.25	1.57E-01	2.50E-10	1.0E+06	2.5E-04
360	0.52067	3.39E-05	1.8E-05	3.46E-04	6.11E-09	0.25	1.57E-01	2.40E-10	1.0E+06	2.4E-04
361	0.49558	3.39E-05	1.7E-05	3.46E-04	5.81E-09	0.25	1.57E-01	2.28E-10	1.0E+06	2.3E-04
362	0.46876	3.39E-05	1.6E-05	3.46E-04	5.50E-09	0.25	1.57E-01	2.16E-10	1.0E+06	2.2E-04
363	0.44032	3.39E-05	1.5E-05	3.46E-04	5.17E-09	0.25	1.57E-01	2.03E-10	1.0E+06	2.0E-04
373	0.47918	3.39E-05	1.6E-05	3.46E-04	5.62E-09	0.25	1.57E-01	2.21E-10	1.0E+06	2.2E-04
374	0.45767	3.39E-05	1.6E-05	3.46E-04	5.37E-09	0.25	1.57E-01	2.11E-10	1.0E+06	2.1E-04
375	0.43444	3.39E-05	1.5E-05	3.46E-04	5.10E-09	0.25	1.57E-01	2.00E-10	1.0E+06	2.0E-04
376	0.4099	3.39E-05	1.4E-05	3.46E-04	4.81E-09	0.25	1.57E-01	1.89E-10	1.0E+06	1.9E-04
386	0.44294	3.39E-05	1.5E-05	3.46E-04	5.20E-09	0.25	1.57E-01	2.04E-10	1.0E+06	2.0E-04
387	0.4242	3.39E-05	1.4E-05	3.46E-04	4.98E-09	0.25	1.57E-01	1.95E-10	1.0E+06	2.0E-04
388	0.40401	3.39E-05	1.4E-05	3.46E-04	4.74E-09	0.25	1.57E-01	1.86E-10	1.0E+06	1.9E-04
389	0.38263	3.39E-05	1.3E-05	3.46E-04	4.49E-09	0.25	1.57E-01	1.76E-10	1.0E+06	1.8E-04
390	0.36058	3.39E-05	1.2E-05	3.46E-04	4.23E-09	0.25	1.57E-01	1.66E-10	1.0E+06	1.7E-04
400	0.41092	3.39E-05	1.4E-05	3.46E-04	4.82E-09	0.25	1.57E-01	1.89E-10	1.0E+06	1.9E-04
401	0.39462	3.39E-05	1.3E-05	3.46E-04	4.63E-09	0.25	1.57E-01	1.82E-10	1.0E+06	1.8E-04
402	0.37685	3.39E-05	1.3E-05	3.46E-04	4.42E-09	0.25	1.57E-01	1.74E-10	1.0E+06	1.7E-04
403	0.35818	3.39E-05	1.2E-05	3.46E-04	4.20E-09	0.25	1.57E-01	1.65E-10	1.0E+06	1.7E-04
404	0.33888	3.39E-05	1.1E-05	3.46E-04	3.98E-09	0.25	1.57E-01	1.56E-10	1.0E+06	1.6E-04
415	0.38255	3.39E-05	1.3E-05	3.46E-04	4.49E-09	0.25	1.57E-01	1.76E-10	1.0E+06	1.8E-04
416	0.36813	3.39E-05	1.2E-05	3.46E-04	4.32E-09	0.25	1.57E-01	1.70E-10	1.0E+06	1.7E-04
417	0.3526	3.39E-05	1.2E-05	3.46E-04	4.14E-09	0.25	1.57E-01	1.62E-10	1.0E+06	1.6E-04

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.33603	3.39E-05	1.1E-05	3.46E-04	3.94E-09	0.25	1.57E-01	1.55E-10	1.0E+06	1.5E-04
419	0.31887	3.39E-05	1.1E-05	3.46E-04	3.74E-09	0.25	1.57E-01	1.47E-10	1.0E+06	1.5E-04
420	0.30188	3.39E-05	1.0E-05	3.46E-04	3.54E-09	0.25	1.57E-01	1.39E-10	1.0E+06	1.4E-04
430	0.34453	3.39E-05	1.2E-05	3.46E-04	4.04E-09	0.25	1.57E-01	1.59E-10	1.0E+06	1.6E-04
431	0.33066	3.39E-05	1.1E-05	3.46E-04	3.88E-09	0.25	1.57E-01	1.52E-10	1.0E+06	1.5E-04
432	0.31604	3.39E-05	1.1E-05	3.46E-04	3.71E-09	0.25	1.57E-01	1.46E-10	1.0E+06	1.5E-04
433	0.30089	3.39E-05	1.0E-05	3.46E-04	3.53E-09	0.25	1.57E-01	1.39E-10	1.0E+06	1.4E-04
434	0.28555	3.39E-05	9.7E-06	3.46E-04	3.35E-09	0.25	1.57E-01	1.32E-10	1.0E+06	1.3E-04
444	0.32316	3.39E-05	1.1E-05	3.46E-04	3.79E-09	0.25	1.57E-01	1.49E-10	1.0E+06	1.5E-04
445	0.31097	3.39E-05	1.1E-05	3.46E-04	3.65E-09	0.25	1.57E-01	1.43E-10	1.0E+06	1.4E-04
446	0.29796	3.39E-05	1.0E-05	3.46E-04	3.50E-09	0.25	1.57E-01	1.37E-10	1.0E+06	1.4E-04
447	0.28444	3.39E-05	9.6E-06	3.46E-04	3.34E-09	0.25	1.57E-01	1.31E-10	1.0E+06	1.3E-04
448	0.27072	3.39E-05	9.2E-06	3.46E-04	3.18E-09	0.25	1.57E-01	1.25E-10	1.0E+06	1.2E-04
459	0.29308	3.39E-05	9.9E-06	3.46E-04	3.44E-09	0.25	1.57E-01	1.35E-10	1.0E+06	1.4E-04
460	0.2815	3.39E-05	9.5E-06	3.46E-04	3.30E-09	0.25	1.57E-01	1.30E-10	1.0E+06	1.3E-04
461	0.26944	3.39E-05	9.1E-06	3.46E-04	3.16E-09	0.25	1.57E-01	1.24E-10	1.0E+06	1.2E-04
462	0.25712	3.39E-05	8.7E-06	3.46E-04	3.02E-09	0.25	1.57E-01	1.18E-10	1.0E+06	1.2E-04
463	0.24477	3.39E-05	8.3E-06	3.46E-04	2.87E-09	0.25	1.57E-01	1.13E-10	1.0E+06	1.1E-04
474	0.27683	3.39E-05	9.4E-06	3.46E-04	3.25E-09	0.25	1.57E-01	1.28E-10	1.0E+06	1.3E-04
475	0.26647	3.39E-05	9.0E-06	3.46E-04	3.13E-09	0.25	1.57E-01	1.23E-10	1.0E+06	1.2E-04
476	0.25561	3.39E-05	8.7E-06	3.46E-04	3.00E-09	0.25	1.57E-01	1.18E-10	1.0E+06	1.2E-04
477	0.24454	3.39E-05	8.3E-06	3.46E-04	2.87E-09	0.25	1.57E-01	1.13E-10	1.0E+06	1.1E-04
478	0.23336	3.39E-05	7.9E-06	3.46E-04	2.74E-09	0.25	1.57E-01	1.08E-10	1.0E+06	1.1E-04
495	0.26194	3.39E-05	8.9E-06	3.46E-04	3.07E-09	0.25	1.57E-01	1.21E-10	1.0E+06	1.2E-04
496	0.25265	3.39E-05	8.6E-06	3.46E-04	2.96E-09	0.25	1.57E-01	1.16E-10	1.0E+06	1.2E-04
497	0.24289	3.39E-05	8.2E-06	3.46E-04	2.85E-09	0.25	1.57E-01	1.12E-10	1.0E+06	1.1E-04
498	0.23287	3.39E-05	7.9E-06	3.46E-04	2.73E-09	0.25	1.57E-01	1.07E-10	1.0E+06	1.1E-04
499	0.22273	3.39E-05	7.5E-06	3.46E-04	2.61E-09	0.25	1.57E-01	1.03E-10	1.0E+06	1.0E-04
500	0.21263	3.39E-05	7.2E-06	3.46E-04	2.49E-09	0.25	1.57E-01	9.80E-11	1.0E+06	9.8E-05

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 3rd Trimester - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	8.09746	3.39E-05	2.7E-04	3.46E-04	9.50E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
140	5.3711	3.39E-05	1.8E-04	3.46E-04	6.30E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
156	5.09204	3.39E-05	1.7E-04	3.46E-04	5.97E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
157	5.10686	3.39E-05	1.7E-04	3.46E-04	5.99E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
158	4.95545	3.39E-05	1.7E-04	3.46E-04	5.81E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
159	4.07996	3.39E-05	1.4E-04	3.46E-04	4.79E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
160	2.74553	3.39E-05	9.3E-05	3.46E-04	3.22E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
161	1.35692	3.39E-05	4.6E-05	3.46E-04	1.59E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
162	1.07034	3.39E-05	3.6E-05	3.46E-04	1.26E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
163	0.87838	3.39E-05	3.0E-05	3.46E-04	1.03E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
167	3.44511	3.39E-05	1.2E-04	3.46E-04	4.04E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
168	3.27493	3.39E-05	1.1E-04	3.46E-04	3.84E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
169	2.7745	3.39E-05	9.4E-05	3.46E-04	3.25E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
170	2.11973	3.39E-05	7.2E-05	3.46E-04	2.49E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
171	1.56774	3.39E-05	5.3E-05	3.46E-04	1.84E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
172	1.20482	3.39E-05	4.1E-05	3.46E-04	1.41E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
173	0.96966	3.39E-05	3.3E-05	3.46E-04	1.14E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
174	0.80828	3.39E-05	2.7E-05	3.46E-04	9.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
175	0.69049	3.39E-05	2.3E-05	3.46E-04	8.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
176	0.60023	3.39E-05	2.0E-05	3.46E-04	7.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
177	0.52849	3.39E-05	1.8E-05	3.46E-04	6.20E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
181	2.40937	3.39E-05	8.2E-05	3.46E-04	2.83E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
182	2.09853	3.39E-05	7.1E-05	3.46E-04	2.46E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
183	1.71046	3.39E-05	5.8E-05	3.46E-04	2.01E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
184	1.34891	3.39E-05	4.6E-05	3.46E-04	1.58E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
185	1.07594	3.39E-05	3.6E-05	3.46E-04	1.26E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
186	0.88367	3.39E-05	3.0E-05	3.46E-04	1.04E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
187	0.74599	3.39E-05	2.5E-05	3.46E-04	8.75E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
188	0.64317	3.39E-05	2.2E-05	3.46E-04	7.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
189	0.5633	3.39E-05	1.9E-05	3.46E-04	6.61E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
190	0.49931	3.39E-05	1.7E-05	3.46E-04	5.86E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	0.44692	3.39E-05	1.5E-05	3.46E-04	5.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	1.88927	3.39E-05	6.4E-05	3.46E-04	2.22E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	1.67699	3.39E-05	5.7E-05	3.46E-04	1.97E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	1.42358	3.39E-05	4.8E-05	3.46E-04	1.67E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	1.17284	3.39E-05	4.0E-05	3.46E-04	1.38E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	0.96669	3.39E-05	3.3E-05	3.46E-04	1.13E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	0.80871	3.39E-05	2.7E-05	3.46E-04	9.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	0.69026	3.39E-05	2.3E-05	3.46E-04	8.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	0.60015	3.39E-05	2.0E-05	3.46E-04	7.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	0.52927	3.39E-05	1.8E-05	3.46E-04	6.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	0.47195	3.39E-05	1.6E-05	3.46E-04	5.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	0.42476	3.39E-05	1.4E-05	3.46E-04	4.98E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	0.38519	3.39E-05	1.3E-05	3.46E-04	4.52E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	1.64276	3.39E-05	5.6E-05	3.46E-04	1.93E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	1.54488	3.39E-05	5.2E-05	3.46E-04	1.81E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	1.39076	3.39E-05	4.7E-05	3.46E-04	1.63E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	1.21149	3.39E-05	4.1E-05	3.46E-04	1.42E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	0.87161	3.39E-05	3.0E-05	3.46E-04	1.02E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	0.74223	3.39E-05	2.5E-05	3.46E-04	8.71E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	0.64055	3.39E-05	2.2E-05	3.46E-04	7.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	0.56148	3.39E-05	1.9E-05	3.46E-04	6.59E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	0.49829	3.39E-05	1.7E-05	3.46E-04	5.85E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	0.44669	3.39E-05	1.5E-05	3.46E-04	5.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	0.40387	3.39E-05	1.4E-05	3.46E-04	4.74E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	0.36759	3.39E-05	1.2E-05	3.46E-04	4.31E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	0.33709	3.39E-05	1.1E-05	3.46E-04	3.95E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	1.38459	3.39E-05	4.7E-05	3.46E-04	1.62E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	1.29726	3.39E-05	4.4E-05	3.46E-04	1.52E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	1.18209	3.39E-05	4.0E-05	3.46E-04	1.39E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	1.04926	3.39E-05	3.6E-05	3.46E-04	1.23E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	0.91388	3.39E-05	3.1E-05	3.46E-04	1.07E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	0.79012	3.39E-05	2.7E-05	3.46E-04	9.27E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	0.68354	3.39E-05	2.3E-05	3.46E-04	8.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	0.5265	3.39E-05	1.8E-05	3.46E-04	6.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	0.47018	3.39E-05	1.6E-05	3.46E-04	5.52E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	0.42354	3.39E-05	1.4E-05	3.46E-04	4.97E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	0.38441	3.39E-05	1.3E-05	3.46E-04	4.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	0.35119	3.39E-05	1.2E-05	3.46E-04	4.12E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	0.32261	3.39E-05	1.1E-05	3.46E-04	3.78E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	1.18574	3.39E-05	4.0E-05	3.46E-04	1.39E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	1.11231	3.39E-05	3.8E-05	3.46E-04	1.30E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	1.02509	3.39E-05	3.5E-05	3.46E-04	1.20E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	0.92296	3.39E-05	3.1E-05	3.46E-04	1.08E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	0.81782	3.39E-05	2.8E-05	3.46E-04	9.59E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	0.71824	3.39E-05	2.4E-05	3.46E-04	8.43E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	0.63008	3.39E-05	2.1E-05	3.46E-04	7.39E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	0.4948	3.39E-05	1.7E-05	3.46E-04	5.80E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	0.44425	3.39E-05	1.5E-05	3.46E-04	5.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	0.40205	3.39E-05	1.4E-05	3.46E-04	4.72E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	0.36614	3.39E-05	1.2E-05	3.46E-04	4.30E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	0.33583	3.39E-05	1.1E-05	3.46E-04	3.94E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	0.3093	3.39E-05	1.0E-05	3.46E-04	3.63E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	1.03087	3.39E-05	3.5E-05	3.46E-04	1.21E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	0.96996	3.39E-05	3.3E-05	3.46E-04	1.14E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	0.89973	3.39E-05	3.0E-05	3.46E-04	1.06E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	0.82048	3.39E-05	2.8E-05	3.46E-04	9.62E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	0.73628	3.39E-05	2.5E-05	3.46E-04	8.64E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	0.65568	3.39E-05	2.2E-05	3.46E-04	7.69E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	0.58243	3.39E-05	2.0E-05	3.46E-04	6.83E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	0.46502	3.39E-05	1.6E-05	3.46E-04	5.46E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	0.41983	3.39E-05	1.4E-05	3.46E-04	4.92E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	0.38157	3.39E-05	1.3E-05	3.46E-04	4.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	0.34894	3.39E-05	1.2E-05	3.46E-04	4.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	0.32109	3.39E-05	1.1E-05	3.46E-04	3.77E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	0.29652	3.39E-05	1.0E-05	3.46E-04	3.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	0.2394	3.39E-05	8.1E-06	3.46E-04	2.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	0.22427	3.39E-05	7.6E-06	3.46E-04	2.63E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	0.90736	3.39E-05	3.1E-05	3.46E-04	1.06E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	0.85613	3.39E-05	2.9E-05	3.46E-04	1.00E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	0.79864	3.39E-05	2.7E-05	3.46E-04	9.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	0.7354	3.39E-05	2.5E-05	3.46E-04	8.63E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	0.66779	3.39E-05	2.3E-05	3.46E-04	7.83E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	0.60172	3.39E-05	2.0E-05	3.46E-04	7.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	0.5405	3.39E-05	1.8E-05	3.46E-04	6.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	0.438	3.39E-05	1.5E-05	3.46E-04	5.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	0.39742	3.39E-05	1.3E-05	3.46E-04	4.66E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	0.36276	3.39E-05	1.2E-05	3.46E-04	4.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	0.33295	3.39E-05	1.1E-05	3.46E-04	3.91E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	0.30709	3.39E-05	1.0E-05	3.46E-04	3.60E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	0.28433	3.39E-05	9.6E-06	3.46E-04	3.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	0.23132	3.39E-05	7.8E-06	3.46E-04	2.71E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	0.21693	3.39E-05	7.4E-06	3.46E-04	2.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	0.80672	3.39E-05	2.7E-05	3.46E-04	9.46E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	0.76374	3.39E-05	2.6E-05	3.46E-04	8.96E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	0.71579	3.39E-05	2.4E-05	3.46E-04	8.40E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	0.66426	3.39E-05	2.3E-05	3.46E-04	7.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	0.60917	3.39E-05	2.1E-05	3.46E-04	7.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	0.55418	3.39E-05	1.9E-05	3.46E-04	6.50E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	0.50201	3.39E-05	1.7E-05	3.46E-04	5.89E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	0.41284	3.39E-05	1.4E-05	3.46E-04	4.84E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	0.37641	3.39E-05	1.3E-05	3.46E-04	4.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	0.34499	3.39E-05	1.2E-05	3.46E-04	4.05E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	0.31767	3.39E-05	1.1E-05	3.46E-04	3.73E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	0.29383	3.39E-05	1.0E-05	3.46E-04	3.45E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	0.27277	3.39E-05	9.2E-06	3.46E-04	3.20E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	0.22334	3.39E-05	7.6E-06	3.46E-04	2.62E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	0.20991	3.39E-05	7.1E-06	3.46E-04	2.46E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	0.72347	3.39E-05	2.5E-05	3.46E-04	8.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	0.68737	3.39E-05	2.3E-05	3.46E-04	8.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	0.64694	3.39E-05	2.2E-05	3.46E-04	7.59E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	0.60409	3.39E-05	2.0E-05	3.46E-04	7.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	0.55789	3.39E-05	1.9E-05	3.46E-04	6.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	0.51183	3.39E-05	1.7E-05	3.46E-04	6.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	0.46745	3.39E-05	1.6E-05	3.46E-04	5.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	0.38949	3.39E-05	1.3E-05	3.46E-04	4.57E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	0.35668	3.39E-05	1.2E-05	3.46E-04	4.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	0.32832	3.39E-05	1.1E-05	3.46E-04	3.85E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	0.30325	3.39E-05	1.0E-05	3.46E-04	3.56E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	0.28126	3.39E-05	9.5E-06	3.46E-04	3.30E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	0.2619	3.39E-05	8.9E-06	3.46E-04	3.07E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	0.21568	3.39E-05	7.3E-06	3.46E-04	2.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	0.20316	3.39E-05	6.9E-06	3.46E-04	2.38E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	0.65349	3.39E-05	2.2E-05	3.46E-04	7.67E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	0.62286	3.39E-05	2.1E-05	3.46E-04	7.31E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	0.58873	3.39E-05	2.0E-05	3.46E-04	6.91E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	0.55218	3.39E-05	1.9E-05	3.46E-04	6.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	0.51369	3.39E-05	1.7E-05	3.46E-04	6.03E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	0.4742	3.39E-05	1.6E-05	3.46E-04	5.56E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	0.43614	3.39E-05	1.5E-05	3.46E-04	5.12E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	0.40016	3.39E-05	1.4E-05	3.46E-04	4.69E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	0.36773	3.39E-05	1.2E-05	3.46E-04	4.31E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	0.3384	3.39E-05	1.1E-05	3.46E-04	3.97E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	0.31254	3.39E-05	1.1E-05	3.46E-04	3.67E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	0.28965	3.39E-05	9.8E-06	3.46E-04	3.40E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	0.26943	3.39E-05	9.1E-06	3.46E-04	3.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	0.25136	3.39E-05	8.5E-06	3.46E-04	2.95E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	0.22138	3.39E-05	7.5E-06	3.46E-04	2.60E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	0.20837	3.39E-05	7.1E-06	3.46E-04	2.44E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.19662	3.39E-05	6.7E-06	3.46E-04	2.31E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	0.47463	3.39E-05	1.6E-05	3.46E-04	5.57E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	0.44104	3.39E-05	1.5E-05	3.46E-04	5.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	0.4083	3.39E-05	1.4E-05	3.46E-04	4.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	0.37652	3.39E-05	1.3E-05	3.46E-04	4.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	0.21353	3.39E-05	7.2E-06	3.46E-04	2.50E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	0.20133	3.39E-05	6.8E-06	3.46E-04	2.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.19027	3.39E-05	6.4E-06	3.46E-04	2.23E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	0.41131	3.39E-05	1.4E-05	3.46E-04	4.82E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	0.38254	3.39E-05	1.3E-05	3.46E-04	4.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	0.35507	3.39E-05	1.2E-05	3.46E-04	4.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	0.20599	3.39E-05	7.0E-06	3.46E-04	2.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	0.19459	3.39E-05	6.6E-06	3.46E-04	2.28E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.18418	3.39E-05	6.2E-06	3.46E-04	2.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	0.38466	3.39E-05	1.3E-05	3.46E-04	4.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	0.35956	3.39E-05	1.2E-05	3.46E-04	4.22E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	0.33534	3.39E-05	1.1E-05	3.46E-04	3.93E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	0.19886	3.39E-05	6.7E-06	3.46E-04	2.33E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	0.1882	3.39E-05	6.4E-06	3.46E-04	2.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.17838	3.39E-05	6.0E-06	3.46E-04	2.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	0.33858	3.39E-05	1.1E-05	3.46E-04	3.97E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	0.31716	3.39E-05	1.1E-05	3.46E-04	3.72E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	0.19204	3.39E-05	6.5E-06	3.46E-04	2.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.18199	3.39E-05	6.2E-06	3.46E-04	2.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.17273	3.39E-05	5.9E-06	3.46E-04	2.03E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	0.31936	3.39E-05	1.1E-05	3.46E-04	3.75E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	0.30024	3.39E-05	1.0E-05	3.46E-04	3.52E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	0.28175	3.39E-05	9.5E-06	3.46E-04	3.31E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	0.18549	3.39E-05	6.3E-06	3.46E-04	2.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.17606	3.39E-05	6.0E-06	3.46E-04	2.07E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.16727	3.39E-05	5.7E-06	3.46E-04	1.96E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	0.28471	3.39E-05	9.6E-06	3.46E-04	3.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	0.26814	3.39E-05	9.1E-06	3.46E-04	3.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.17926	3.39E-05	6.1E-06	3.46E-04	2.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.17036	3.39E-05	5.8E-06	3.46E-04	2.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.16208	3.39E-05	5.5E-06	3.46E-04	1.90E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	0.2704	3.39E-05	9.2E-06	3.46E-04	3.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	0.25539	3.39E-05	8.7E-06	3.46E-04	3.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.16491	3.39E-05	5.6E-06	3.46E-04	1.93E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.15715	3.39E-05	5.3E-06	3.46E-04	1.84E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	0.25713	3.39E-05	8.7E-06	3.46E-04	3.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	0.2435	3.39E-05	8.3E-06	3.46E-04	2.86E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	0.2305	3.39E-05	7.8E-06	3.46E-04	2.70E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.15971	3.39E-05	5.4E-06	3.46E-04	1.87E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.15239	3.39E-05	5.2E-06	3.46E-04	1.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	0.23252	3.39E-05	7.9E-06	3.46E-04	2.73E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	0.22063	3.39E-05	7.5E-06	3.46E-04	2.59E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.17023	3.39E-05	5.8E-06	3.46E-04	2.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.15472	3.39E-05	5.2E-06	3.46E-04	1.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.1478	3.39E-05	5.0E-06	3.46E-04	1.73E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	0.22231	3.39E-05	7.5E-06	3.46E-04	2.61E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	0.21139	3.39E-05	7.2E-06	3.46E-04	2.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	0.20093	3.39E-05	6.8E-06	3.46E-04	2.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	0.19093	3.39E-05	6.5E-06	3.46E-04	2.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	0.18158	3.39E-05	6.2E-06	3.46E-04	2.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.17278	3.39E-05	5.9E-06	3.46E-04	2.03E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.1646	3.39E-05	5.6E-06	3.46E-04	1.93E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.15699	3.39E-05	5.3E-06	3.46E-04	1.84E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.14994	3.39E-05	5.1E-06	3.46E-04	1.76E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.14341	3.39E-05	4.9E-06	3.46E-04	1.68E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	0.20171	3.39E-05	6.8E-06	3.46E-04	2.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	0.19304	3.39E-05	6.5E-06	3.46E-04	2.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	0.1838	3.39E-05	6.2E-06	3.46E-04	2.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	0.17508	3.39E-05	5.9E-06	3.46E-04	2.05E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	0.16688	3.39E-05	5.7E-06	3.46E-04	1.96E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.15922	3.39E-05	5.4E-06	3.46E-04	1.87E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.15204	3.39E-05	5.2E-06	3.46E-04	1.78E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.13919	3.39E-05	4.7E-06	3.46E-04	1.63E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.19454	3.39E-05	6.6E-06	3.46E-04	2.28E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	0.18464	3.39E-05	6.3E-06	3.46E-04	2.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	0.17708	3.39E-05	6.0E-06	3.46E-04	2.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	0.16896	3.39E-05	5.7E-06	3.46E-04	1.98E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	0.16129	3.39E-05	5.5E-06	3.46E-04	1.89E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.15408	3.39E-05	5.2E-06	3.46E-04	1.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.14733	3.39E-05	5.0E-06	3.46E-04	1.73E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.13515	3.39E-05	4.6E-06	3.46E-04	1.59E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.18682	3.39E-05	6.3E-06	3.46E-04	2.19E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.17865	3.39E-05	6.1E-06	3.46E-04	2.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	0.17076	3.39E-05	5.8E-06	3.46E-04	2.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	0.16234	3.39E-05	5.5E-06	3.46E-04	1.90E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	0.15597	3.39E-05	5.3E-06	3.46E-04	1.83E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.1492	3.39E-05	5.1E-06	3.46E-04	1.75E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.14286	3.39E-05	4.8E-06	3.46E-04	1.68E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.13129	3.39E-05	4.4E-06	3.46E-04	1.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.17202	3.39E-05	5.8E-06	3.46E-04	2.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.16467	3.39E-05	5.6E-06	3.46E-04	1.93E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.15763	3.39E-05	5.3E-06	3.46E-04	1.85E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.14994	3.39E-05	5.1E-06	3.46E-04	1.76E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.14376	3.39E-05	4.9E-06	3.46E-04	1.69E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.1385	3.39E-05	4.7E-06	3.46E-04	1.62E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.12755	3.39E-05	4.3E-06	3.46E-04	1.50E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.16576	3.39E-05	5.6E-06	3.46E-04	1.94E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.15893	3.39E-05	5.4E-06	3.46E-04	1.86E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.15234	3.39E-05	5.2E-06	3.46E-04	1.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.14605	3.39E-05	4.9E-06	3.46E-04	1.71E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.14007	3.39E-05	4.7E-06	3.46E-04	1.64E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.13441	3.39E-05	4.6E-06	3.46E-04	1.58E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.12688	3.39E-05	4.3E-06	3.46E-04	1.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.15984	3.39E-05	5.4E-06	3.46E-04	1.88E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.1535	3.39E-05	5.2E-06	3.46E-04	1.80E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.14735	3.39E-05	5.0E-06	3.46E-04	1.73E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.14143	3.39E-05	4.8E-06	3.46E-04	1.66E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.1358	3.39E-05	4.6E-06	3.46E-04	1.59E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.13043	3.39E-05	4.4E-06	3.46E-04	1.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.12537	3.39E-05	4.2E-06	3.46E-04	1.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	3.39E-05	0.0E+00	3.46E-04	0.00E+00	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	2.88096	3.39E-05	9.8E-05	1.05E-03	1.02E-07	2	1.57E-01	3.21E-08	1.0E+06	3.2E-02
2	3.26394	3.39E-05	1.1E-04	1.05E-03	1.16E-07	2	1.57E-01	3.63E-08	1.0E+06	3.6E-02
3	3.59801	3.39E-05	1.2E-04	1.05E-03	1.27E-07	2	1.57E-01	4.01E-08	1.0E+06	4.0E-02
4	3.88086	3.39E-05	1.3E-04	1.05E-03	1.37E-07	2	1.57E-01	4.32E-08	1.0E+06	4.3E-02
5	4.10261	3.39E-05	1.4E-04	1.05E-03	1.45E-07	2	1.57E-01	4.57E-08	1.0E+06	4.6E-02
6	4.29839	3.39E-05	1.5E-04	1.05E-03	1.52E-07	2	1.57E-01	4.78E-08	1.0E+06	4.8E-02
7	4.42755	3.39E-05	1.5E-04	1.05E-03	1.57E-07	2	1.57E-01	4.93E-08	1.0E+06	4.9E-02
8	4.49067	3.39E-05	1.5E-04	1.05E-03	1.59E-07	2	1.57E-01	5.00E-08	1.0E+06	5.0E-02
9	4.52223	3.39E-05	1.5E-04	1.05E-03	1.60E-07	2	1.57E-01	5.03E-08	1.0E+06	5.0E-02
10	4.52342	3.39E-05	1.5E-04	1.05E-03	1.60E-07	2	1.57E-01	5.04E-08	1.0E+06	5.0E-02
11	4.48835	3.39E-05	1.5E-04	1.05E-03	1.59E-07	2	1.57E-01	5.00E-08	1.0E+06	5.0E-02
12	4.41288	3.39E-05	1.5E-04	1.05E-03	1.56E-07	2	1.57E-01	4.91E-08	1.0E+06	4.9E-02
13	4.31862	3.39E-05	1.5E-04	1.05E-03	1.53E-07	2	1.57E-01	4.81E-08	1.0E+06	4.8E-02
14	4.16773	3.39E-05	1.4E-04	1.05E-03	1.48E-07	2	1.57E-01	4.64E-08	1.0E+06	4.6E-02
15	3.96908	3.39E-05	1.3E-04	1.05E-03	1.41E-07	2	1.57E-01	4.42E-08	1.0E+06	4.4E-02
16	3.6978	3.39E-05	1.3E-04	1.05E-03	1.31E-07	2	1.57E-01	4.12E-08	1.0E+06	4.1E-02
17	3.39502	3.39E-05	1.2E-04	1.05E-03	1.20E-07	2	1.57E-01	3.78E-08	1.0E+06	3.8E-02
18	3.04671	3.39E-05	1.0E-04	1.05E-03	1.08E-07	2	1.57E-01	3.39E-08	1.0E+06	3.4E-02
19	2.6957	3.39E-05	9.1E-05	1.05E-03	9.55E-08	2	1.57E-01	3.00E-08	1.0E+06	3.0E-02
20	2.34854	3.39E-05	8.0E-05	1.05E-03	8.32E-08	2	1.57E-01	2.61E-08	1.0E+06	2.6E-02
21	2.00958	3.39E-05	6.8E-05	1.05E-03	7.12E-08	2	1.57E-01	2.24E-08	1.0E+06	2.2E-02
22	1.69878	3.39E-05	5.8E-05	1.05E-03	6.02E-08	2	1.57E-01	1.89E-08	1.0E+06	1.9E-02
23	1.42711	3.39E-05	4.8E-05	1.05E-03	5.05E-08	2	1.57E-01	1.59E-08	1.0E+06	1.6E-02
24	1.20007	3.39E-05	4.1E-05	1.05E-03	4.25E-08	2	1.57E-01	1.34E-08	1.0E+06	1.3E-02
25	1.01531	3.39E-05	3.4E-05	1.05E-03	3.60E-08	2	1.57E-01	1.13E-08	1.0E+06	1.1E-02
26	0.86626	3.39E-05	2.9E-05	1.05E-03	3.07E-08	2	1.57E-01	9.64E-09	1.0E+06	9.6E-03
27	0.74618	3.39E-05	2.5E-05	1.05E-03	2.64E-08	2	1.57E-01	8.31E-09	1.0E+06	8.3E-03
28	0.64876	3.39E-05	2.2E-05	1.05E-03	2.30E-08	2	1.57E-01	7.22E-09	1.0E+06	7.2E-03
29	0.56951	3.39E-05	1.9E-05	1.05E-03	2.02E-08	2	1.57E-01	6.34E-09	1.0E+06	6.3E-03
30	0.50438	3.39E-05	1.7E-05	1.05E-03	1.79E-08	2	1.57E-01	5.61E-09	1.0E+06	5.6E-03
31	0.4502	3.39E-05	1.5E-05	1.05E-03	1.59E-08	2	1.57E-01	5.01E-09	1.0E+06	5.0E-03

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.40464	3.39E-05	1.4E-05	1.05E-03	1.43E-08	2	1.57E-01	4.50E-09	1.0E+06	4.5E-03
55	1.76867	3.39E-05	6.0E-05	1.05E-03	6.26E-08	2	1.57E-01	1.97E-08	1.0E+06	2.0E-02
56	1.42537	3.39E-05	4.8E-05	1.05E-03	5.05E-08	2	1.57E-01	1.59E-08	1.0E+06	1.6E-02
57	1.16684	3.39E-05	4.0E-05	1.05E-03	4.13E-08	2	1.57E-01	1.30E-08	1.0E+06	1.3E-02
58	0.96993	3.39E-05	3.3E-05	1.05E-03	3.44E-08	2	1.57E-01	1.08E-08	1.0E+06	1.1E-02
59	0.81851	3.39E-05	2.8E-05	1.05E-03	2.90E-08	2	1.57E-01	9.11E-09	1.0E+06	9.1E-03
60	0.7008	3.39E-05	2.4E-05	1.05E-03	2.48E-08	2	1.57E-01	7.80E-09	1.0E+06	7.8E-03
61	0.60858	3.39E-05	2.1E-05	1.05E-03	2.16E-08	2	1.57E-01	6.77E-09	1.0E+06	6.8E-03
62	0.53439	3.39E-05	1.8E-05	1.05E-03	1.89E-08	2	1.57E-01	5.95E-09	1.0E+06	5.9E-03
63	0.47416	3.39E-05	1.6E-05	1.05E-03	1.68E-08	2	1.57E-01	5.28E-09	1.0E+06	5.3E-03
64	0.42431	3.39E-05	1.4E-05	1.05E-03	1.50E-08	2	1.57E-01	4.72E-09	1.0E+06	4.7E-03
65	0.3825	3.39E-05	1.3E-05	1.05E-03	1.35E-08	2	1.57E-01	4.26E-09	1.0E+06	4.3E-03
66	0.34757	3.39E-05	1.2E-05	1.05E-03	1.23E-08	2	1.57E-01	3.87E-09	1.0E+06	3.9E-03
67	7.74018	3.39E-05	2.6E-04	1.05E-03	2.74E-07	2	1.57E-01	8.62E-08	1.0E+06	8.6E-02
68	6.36194	3.39E-05	2.2E-04	1.05E-03	2.25E-07	2	1.57E-01	7.08E-08	1.0E+06	7.1E-02
69	7.55667	3.39E-05	2.6E-04	1.05E-03	2.68E-07	2	1.57E-01	8.41E-08	1.0E+06	8.4E-02
70	7.586	3.39E-05	2.6E-04	1.05E-03	2.69E-07	2	1.57E-01	8.44E-08	1.0E+06	8.4E-02
71	7.42025	3.39E-05	2.5E-04	1.05E-03	2.63E-07	2	1.57E-01	8.26E-08	1.0E+06	8.3E-02
72	8.46186	3.39E-05	2.9E-04	1.05E-03	3.00E-07	2	1.57E-01	9.42E-08	1.0E+06	9.4E-02
73	5.65296	3.39E-05	1.9E-04	1.05E-03	2.00E-07	2	1.57E-01	6.29E-08	1.0E+06	6.3E-02
74	7.68909	3.39E-05	2.6E-04	1.05E-03	2.72E-07	2	1.57E-01	8.56E-08	1.0E+06	8.6E-02
75	7.81836	3.39E-05	2.6E-04	1.05E-03	2.77E-07	2	1.57E-01	8.70E-08	1.0E+06	8.7E-02
76	8.36943	3.39E-05	2.8E-04	1.05E-03	2.96E-07	2	1.57E-01	9.32E-08	1.0E+06	9.3E-02
77	7.51341	3.39E-05	2.5E-04	1.05E-03	2.66E-07	2	1.57E-01	8.36E-08	1.0E+06	8.4E-02
78	7.60375	3.39E-05	2.6E-04	1.05E-03	2.69E-07	2	1.57E-01	8.46E-08	1.0E+06	8.5E-02
79	7.01814	3.39E-05	2.4E-04	1.05E-03	2.49E-07	2	1.57E-01	7.81E-08	1.0E+06	7.8E-02
80	5.7242	3.39E-05	1.9E-04	1.05E-03	2.03E-07	2	1.57E-01	6.37E-08	1.0E+06	6.4E-02
81	4.35949	3.39E-05	1.5E-04	1.05E-03	1.54E-07	2	1.57E-01	4.85E-08	1.0E+06	4.9E-02
82	3.16013	3.39E-05	1.1E-04	1.05E-03	1.12E-07	2	1.57E-01	3.52E-08	1.0E+06	3.5E-02
83	2.31491	3.39E-05	7.8E-05	1.05E-03	8.20E-08	2	1.57E-01	2.58E-08	1.0E+06	2.6E-02
84	1.74102	3.39E-05	5.9E-05	1.05E-03	6.17E-08	2	1.57E-01	1.94E-08	1.0E+06	1.9E-02

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	1.35664	3.39E-05	4.6E-05	1.05E-03	4.81E-08	2	1.57E-01	1.51E-08	1.0E+06	1.5E-02
86	1.09071	3.39E-05	3.7E-05	1.05E-03	3.86E-08	2	1.57E-01	1.21E-08	1.0E+06	1.2E-02
87	0.89966	3.39E-05	3.0E-05	1.05E-03	3.19E-08	2	1.57E-01	1.00E-08	1.0E+06	1.0E-02
88	0.75857	3.39E-05	2.6E-05	1.05E-03	2.69E-08	2	1.57E-01	8.44E-09	1.0E+06	8.4E-03
89	0.65072	3.39E-05	2.2E-05	1.05E-03	2.30E-08	2	1.57E-01	7.24E-09	1.0E+06	7.2E-03
90	0.56664	3.39E-05	1.9E-05	1.05E-03	2.01E-08	2	1.57E-01	6.31E-09	1.0E+06	6.3E-03
91	0.50003	3.39E-05	1.7E-05	1.05E-03	1.77E-08	2	1.57E-01	5.57E-09	1.0E+06	5.6E-03
92	0.44527	3.39E-05	1.5E-05	1.05E-03	1.58E-08	2	1.57E-01	4.96E-09	1.0E+06	5.0E-03
93	0.40044	3.39E-05	1.4E-05	1.05E-03	1.42E-08	2	1.57E-01	4.46E-09	1.0E+06	4.5E-03
96	0.98832	3.39E-05	3.3E-05	1.05E-03	3.50E-08	2	1.57E-01	1.10E-08	1.0E+06	1.1E-02
97	0.81252	3.39E-05	2.8E-05	1.05E-03	2.88E-08	2	1.57E-01	9.04E-09	1.0E+06	9.0E-03
98	0.69658	3.39E-05	2.4E-05	1.05E-03	2.47E-08	2	1.57E-01	7.75E-09	1.0E+06	7.8E-03
99	0.60271	3.39E-05	2.0E-05	1.05E-03	2.13E-08	2	1.57E-01	6.71E-09	1.0E+06	6.7E-03
100	0.52846	3.39E-05	1.8E-05	1.05E-03	1.87E-08	2	1.57E-01	5.88E-09	1.0E+06	5.9E-03
101	0.4687	3.39E-05	1.6E-05	1.05E-03	1.66E-08	2	1.57E-01	5.22E-09	1.0E+06	5.2E-03
102	0.42047	3.39E-05	1.4E-05	1.05E-03	1.49E-08	2	1.57E-01	4.68E-09	1.0E+06	4.7E-03
106	4.62375	3.39E-05	1.6E-04	1.05E-03	1.64E-07	2	1.57E-01	5.15E-08	1.0E+06	5.1E-02
107	5.54336	3.39E-05	1.9E-04	1.05E-03	1.96E-07	2	1.57E-01	6.17E-08	1.0E+06	6.2E-02
108	5.34166	3.39E-05	1.8E-04	1.05E-03	1.89E-07	2	1.57E-01	5.95E-08	1.0E+06	5.9E-02
109	5.14682	3.39E-05	1.7E-04	1.05E-03	1.82E-07	2	1.57E-01	5.73E-08	1.0E+06	5.7E-02
110	5.16406	3.39E-05	1.7E-04	1.05E-03	1.83E-07	2	1.57E-01	5.75E-08	1.0E+06	5.7E-02
111	8.21374	3.39E-05	2.8E-04	1.05E-03	2.91E-07	2	1.57E-01	9.14E-08	1.0E+06	9.1E-02
112	5.02987	3.39E-05	1.7E-04	1.05E-03	1.78E-07	2	1.57E-01	5.60E-08	1.0E+06	5.6E-02
113	5.02548	3.39E-05	1.7E-04	1.05E-03	1.78E-07	2	1.57E-01	5.59E-08	1.0E+06	5.6E-02
114	5.32097	3.39E-05	1.8E-04	1.05E-03	1.88E-07	2	1.57E-01	5.92E-08	1.0E+06	5.9E-02
115	7.94733	3.39E-05	2.7E-04	1.05E-03	2.81E-07	2	1.57E-01	8.85E-08	1.0E+06	8.8E-02
116	4.68541	3.39E-05	1.6E-04	1.05E-03	1.66E-07	2	1.57E-01	5.22E-08	1.0E+06	5.2E-02
117	4.82365	3.39E-05	1.6E-04	1.05E-03	1.71E-07	2	1.57E-01	5.37E-08	1.0E+06	5.4E-02
118	7.75923	3.39E-05	2.6E-04	1.05E-03	2.75E-07	2	1.57E-01	8.64E-08	1.0E+06	8.6E-02
124	6.11924	3.39E-05	2.1E-04	1.05E-03	2.17E-07	2	1.57E-01	6.81E-08	1.0E+06	6.8E-02
125	9.35725	3.39E-05	3.2E-04	1.05E-03	3.31E-07	2	1.57E-01	1.04E-07	1.0E+06	1.0E-01

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	8.7369	3.39E-05	3.0E-04	1.05E-03	3.09E-07	2	1.57E-01	9.73E-08	1.0E+06	9.7E-02
127	8.45661	3.39E-05	2.9E-04	1.05E-03	3.00E-07	2	1.57E-01	9.41E-08	1.0E+06	9.4E-02
128	8.42365	3.39E-05	2.9E-04	1.05E-03	2.98E-07	2	1.57E-01	9.38E-08	1.0E+06	9.4E-02
129	8.31591	3.39E-05	2.8E-04	1.05E-03	2.95E-07	2	1.57E-01	9.26E-08	1.0E+06	9.3E-02
130	8.12311	3.39E-05	2.8E-04	1.05E-03	2.88E-07	2	1.57E-01	9.04E-08	1.0E+06	9.0E-02
131	7.89783	3.39E-05	2.7E-04	1.05E-03	2.80E-07	2	1.57E-01	8.79E-08	1.0E+06	8.8E-02
132	7.77169	3.39E-05	2.6E-04	1.05E-03	2.75E-07	2	1.57E-01	8.65E-08	1.0E+06	8.7E-02
133	7.59757	3.39E-05	2.6E-04	1.05E-03	2.69E-07	2	1.57E-01	8.46E-08	1.0E+06	8.5E-02
134	7.55104	3.39E-05	2.6E-04	1.05E-03	2.67E-07	2	1.57E-01	8.41E-08	1.0E+06	8.4E-02
135	7.4838	3.39E-05	2.5E-04	1.05E-03	2.65E-07	2	1.57E-01	8.33E-08	1.0E+06	8.3E-02
136	7.52552	3.39E-05	2.6E-04	1.05E-03	2.67E-07	2	1.57E-01	8.38E-08	1.0E+06	8.4E-02
137	7.60435	3.39E-05	2.6E-04	1.05E-03	2.69E-07	2	1.57E-01	8.47E-08	1.0E+06	8.5E-02
138	7.86768	3.39E-05	2.7E-04	1.05E-03	2.79E-07	2	1.57E-01	8.76E-08	1.0E+06	8.8E-02
141	5.56898	3.39E-05	1.9E-04	1.05E-03	1.97E-07	2	1.57E-01	6.20E-08	1.0E+06	6.2E-02
142	5.55402	3.39E-05	1.9E-04	1.05E-03	1.97E-07	2	1.57E-01	6.18E-08	1.0E+06	6.2E-02
143	5.45142	3.39E-05	1.8E-04	1.05E-03	1.93E-07	2	1.57E-01	6.07E-08	1.0E+06	6.1E-02
144	5.39118	3.39E-05	1.8E-04	1.05E-03	1.91E-07	2	1.57E-01	6.00E-08	1.0E+06	6.0E-02
145	5.37199	3.39E-05	1.8E-04	1.05E-03	1.90E-07	2	1.57E-01	5.98E-08	1.0E+06	6.0E-02
146	5.32162	3.39E-05	1.8E-04	1.05E-03	1.88E-07	2	1.57E-01	5.92E-08	1.0E+06	5.9E-02
147	5.29223	3.39E-05	1.8E-04	1.05E-03	1.87E-07	2	1.57E-01	5.89E-08	1.0E+06	5.9E-02
148	5.22669	3.39E-05	1.8E-04	1.05E-03	1.85E-07	2	1.57E-01	5.82E-08	1.0E+06	5.8E-02
149	5.17377	3.39E-05	1.8E-04	1.05E-03	1.83E-07	2	1.57E-01	5.76E-08	1.0E+06	5.8E-02
150	5.11162	3.39E-05	1.7E-04	1.05E-03	1.81E-07	2	1.57E-01	5.69E-08	1.0E+06	5.7E-02
151	5.06933	3.39E-05	1.7E-04	1.05E-03	1.80E-07	2	1.57E-01	5.64E-08	1.0E+06	5.6E-02
152	5.04246	3.39E-05	1.7E-04	1.05E-03	1.79E-07	2	1.57E-01	5.61E-08	1.0E+06	5.6E-02
153	5.04082	3.39E-05	1.7E-04	1.05E-03	1.79E-07	2	1.57E-01	5.61E-08	1.0E+06	5.6E-02
154	5.01468	3.39E-05	1.7E-04	1.05E-03	1.78E-07	2	1.57E-01	5.58E-08	1.0E+06	5.6E-02
155	5.02952	3.39E-05	1.7E-04	1.05E-03	1.78E-07	2	1.57E-01	5.60E-08	1.0E+06	5.6E-02
164	3.65442	3.39E-05	1.2E-04	1.05E-03	1.29E-07	2	1.57E-01	4.07E-08	1.0E+06	4.1E-02
165	3.60826	3.39E-05	1.2E-04	1.05E-03	1.28E-07	2	1.57E-01	4.02E-08	1.0E+06	4.0E-02
166	3.58192	3.39E-05	1.2E-04	1.05E-03	1.27E-07	2	1.57E-01	3.99E-08	1.0E+06	4.0E-02

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	2.81362	3.39E-05	9.5E-05	1.05E-03	9.97E-08	2	1.57E-01	3.13E-08	1.0E+06	3.1E-02
179	2.75924	3.39E-05	9.4E-05	1.05E-03	9.77E-08	2	1.57E-01	3.07E-08	1.0E+06	3.1E-02
180	2.69882	3.39E-05	9.1E-05	1.05E-03	9.56E-08	2	1.57E-01	3.00E-08	1.0E+06	3.0E-02
192	2.25421	3.39E-05	7.6E-05	1.05E-03	7.98E-08	2	1.57E-01	2.51E-08	1.0E+06	2.5E-02
193	2.20371	3.39E-05	7.5E-05	1.05E-03	7.81E-08	2	1.57E-01	2.45E-08	1.0E+06	2.5E-02
194	2.1332	3.39E-05	7.2E-05	1.05E-03	7.56E-08	2	1.57E-01	2.37E-08	1.0E+06	2.4E-02
207	1.85459	3.39E-05	6.3E-05	1.05E-03	6.57E-08	2	1.57E-01	2.06E-08	1.0E+06	2.1E-02
208	1.8069	3.39E-05	6.1E-05	1.05E-03	6.40E-08	2	1.57E-01	2.01E-08	1.0E+06	2.0E-02
209	1.74437	3.39E-05	5.9E-05	1.05E-03	6.18E-08	2	1.57E-01	1.94E-08	1.0E+06	1.9E-02
223	1.55944	3.39E-05	5.3E-05	1.05E-03	5.52E-08	2	1.57E-01	1.74E-08	1.0E+06	1.7E-02
224	1.51594	3.39E-05	5.1E-05	1.05E-03	5.37E-08	2	1.57E-01	1.69E-08	1.0E+06	1.7E-02
225	1.45829	3.39E-05	4.9E-05	1.05E-03	5.17E-08	2	1.57E-01	1.62E-08	1.0E+06	1.6E-02
239	1.33496	3.39E-05	4.5E-05	1.05E-03	4.73E-08	2	1.57E-01	1.49E-08	1.0E+06	1.5E-02
240	1.29613	3.39E-05	4.4E-05	1.05E-03	4.59E-08	2	1.57E-01	1.44E-08	1.0E+06	1.4E-02
241	1.24735	3.39E-05	4.2E-05	1.05E-03	4.42E-08	2	1.57E-01	1.39E-08	1.0E+06	1.4E-02
255	1.15814	3.39E-05	3.9E-05	1.05E-03	4.10E-08	2	1.57E-01	1.29E-08	1.0E+06	1.3E-02
256	1.12412	3.39E-05	3.8E-05	1.05E-03	3.98E-08	2	1.57E-01	1.25E-08	1.0E+06	1.3E-02
272	1.01551	3.39E-05	3.4E-05	1.05E-03	3.60E-08	2	1.57E-01	1.13E-08	1.0E+06	1.1E-02
273	0.98665	3.39E-05	3.3E-05	1.05E-03	3.49E-08	2	1.57E-01	1.10E-08	1.0E+06	1.1E-02
289	0.8997	3.39E-05	3.0E-05	1.05E-03	3.19E-08	2	1.57E-01	1.00E-08	1.0E+06	1.0E-02
290	0.87447	3.39E-05	3.0E-05	1.05E-03	3.10E-08	2	1.57E-01	9.73E-09	1.0E+06	9.7E-03
306	0.80343	3.39E-05	2.7E-05	1.05E-03	2.85E-08	2	1.57E-01	8.94E-09	1.0E+06	8.9E-03
307	0.78154	3.39E-05	2.6E-05	1.05E-03	2.77E-08	2	1.57E-01	8.70E-09	1.0E+06	8.7E-03
323	0.72252	3.39E-05	2.4E-05	1.05E-03	2.56E-08	2	1.57E-01	8.04E-09	1.0E+06	8.0E-03
324	0.7035	3.39E-05	2.4E-05	1.05E-03	2.49E-08	2	1.57E-01	7.83E-09	1.0E+06	7.8E-03
342	0.65386	3.39E-05	2.2E-05	1.05E-03	2.32E-08	2	1.57E-01	7.28E-09	1.0E+06	7.3E-03
343	0.63731	3.39E-05	2.2E-05	1.05E-03	2.26E-08	2	1.57E-01	7.09E-09	1.0E+06	7.1E-03
344	0.61718	3.39E-05	2.1E-05	1.05E-03	2.19E-08	2	1.57E-01	6.87E-09	1.0E+06	6.9E-03
356	0.59491	3.39E-05	2.0E-05	1.05E-03	2.11E-08	2	1.57E-01	6.62E-09	1.0E+06	6.6E-03
357	0.58031	3.39E-05	2.0E-05	1.05E-03	2.06E-08	2	1.57E-01	6.46E-09	1.0E+06	6.5E-03
358	0.563	3.39E-05	1.9E-05	1.05E-03	1.99E-08	2	1.57E-01	6.27E-09	1.0E+06	6.3E-03

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.54401	3.39E-05	1.8E-05	1.05E-03	1.93E-08	2	1.57E-01	6.06E-09	1.0E+06	6.1E-03
371	0.5312	3.39E-05	1.8E-05	1.05E-03	1.88E-08	2	1.57E-01	5.91E-09	1.0E+06	5.9E-03
372	0.51609	3.39E-05	1.7E-05	1.05E-03	1.83E-08	2	1.57E-01	5.75E-09	1.0E+06	5.7E-03
383	0.49965	3.39E-05	1.7E-05	1.05E-03	1.77E-08	2	1.57E-01	5.56E-09	1.0E+06	5.6E-03
384	0.48842	3.39E-05	1.7E-05	1.05E-03	1.73E-08	2	1.57E-01	5.44E-09	1.0E+06	5.4E-03
385	0.47517	3.39E-05	1.6E-05	1.05E-03	1.68E-08	2	1.57E-01	5.29E-09	1.0E+06	5.3E-03
396	0.46078	3.39E-05	1.6E-05	1.05E-03	1.63E-08	2	1.57E-01	5.13E-09	1.0E+06	5.1E-03
397	0.4509	3.39E-05	1.5E-05	1.05E-03	1.60E-08	2	1.57E-01	5.02E-09	1.0E+06	5.0E-03
398	0.43924	3.39E-05	1.5E-05	1.05E-03	1.56E-08	2	1.57E-01	4.89E-09	1.0E+06	4.9E-03
399	0.42587	3.39E-05	1.4E-05	1.05E-03	1.51E-08	2	1.57E-01	4.74E-09	1.0E+06	4.7E-03
411	0.42646	3.39E-05	1.4E-05	1.05E-03	1.51E-08	2	1.57E-01	4.75E-09	1.0E+06	4.7E-03
412	0.41775	3.39E-05	1.4E-05	1.05E-03	1.48E-08	2	1.57E-01	4.65E-09	1.0E+06	4.7E-03
413	0.40757	3.39E-05	1.4E-05	1.05E-03	1.44E-08	2	1.57E-01	4.54E-09	1.0E+06	4.5E-03
414	0.39571	3.39E-05	1.3E-05	1.05E-03	1.40E-08	2	1.57E-01	4.41E-09	1.0E+06	4.4E-03
426	0.39606	3.39E-05	1.3E-05	1.05E-03	1.40E-08	2	1.57E-01	4.41E-09	1.0E+06	4.4E-03
427	0.38838	3.39E-05	1.3E-05	1.05E-03	1.38E-08	2	1.57E-01	4.32E-09	1.0E+06	4.3E-03
428	0.37925	3.39E-05	1.3E-05	1.05E-03	1.34E-08	2	1.57E-01	4.22E-09	1.0E+06	4.2E-03
429	0.36885	3.39E-05	1.2E-05	1.05E-03	1.31E-08	2	1.57E-01	4.11E-09	1.0E+06	4.1E-03
439	0.36892	3.39E-05	1.3E-05	1.05E-03	1.31E-08	2	1.57E-01	4.11E-09	1.0E+06	4.1E-03
440	0.36214	3.39E-05	1.2E-05	1.05E-03	1.28E-08	2	1.57E-01	4.03E-09	1.0E+06	4.0E-03
441	0.3541	3.39E-05	1.2E-05	1.05E-03	1.25E-08	2	1.57E-01	3.94E-09	1.0E+06	3.9E-03
442	0.34486	3.39E-05	1.2E-05	1.05E-03	1.22E-08	2	1.57E-01	3.84E-09	1.0E+06	3.8E-03
443	0.33451	3.39E-05	1.1E-05	1.05E-03	1.18E-08	2	1.57E-01	3.72E-09	1.0E+06	3.7E-03
454	0.34464	3.39E-05	1.2E-05	1.05E-03	1.22E-08	2	1.57E-01	3.84E-09	1.0E+06	3.8E-03
455	0.33864	3.39E-05	1.1E-05	1.05E-03	1.20E-08	2	1.57E-01	3.77E-09	1.0E+06	3.8E-03
456	0.33151	3.39E-05	1.1E-05	1.05E-03	1.17E-08	2	1.57E-01	3.69E-09	1.0E+06	3.7E-03
457	0.3233	3.39E-05	1.1E-05	1.05E-03	1.15E-08	2	1.57E-01	3.60E-09	1.0E+06	3.6E-03
458	0.31409	3.39E-05	1.1E-05	1.05E-03	1.11E-08	2	1.57E-01	3.50E-09	1.0E+06	3.5E-03
469	0.32277	3.39E-05	1.1E-05	1.05E-03	1.14E-08	2	1.57E-01	3.59E-09	1.0E+06	3.6E-03
470	0.31743	3.39E-05	1.1E-05	1.05E-03	1.12E-08	2	1.57E-01	3.53E-09	1.0E+06	3.5E-03
471	0.3111	3.39E-05	1.1E-05	1.05E-03	1.10E-08	2	1.57E-01	3.46E-09	1.0E+06	3.5E-03

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.30378	3.39E-05	1.0E-05	1.05E-03	1.08E-08	2	1.57E-01	3.38E-09	1.0E+06	3.4E-03
473	0.29556	3.39E-05	1.0E-05	1.05E-03	1.05E-08	2	1.57E-01	3.29E-09	1.0E+06	3.3E-03
489	0.30307	3.39E-05	1.0E-05	1.05E-03	1.07E-08	2	1.57E-01	3.37E-09	1.0E+06	3.4E-03
490	0.29834	3.39E-05	1.0E-05	1.05E-03	1.06E-08	2	1.57E-01	3.32E-09	1.0E+06	3.3E-03
491	0.29269	3.39E-05	9.9E-06	1.05E-03	1.04E-08	2	1.57E-01	3.26E-09	1.0E+06	3.3E-03
492	0.28616	3.39E-05	9.7E-06	1.05E-03	1.01E-08	2	1.57E-01	3.19E-09	1.0E+06	3.2E-03
493	0.27881	3.39E-05	9.4E-06	1.05E-03	9.88E-09	2	1.57E-01	3.10E-09	1.0E+06	3.1E-03
494	0.27071	3.39E-05	9.2E-06	1.05E-03	9.59E-09	2	1.57E-01	3.01E-09	1.0E+06	3.0E-03
509	0.28517	3.39E-05	9.7E-06	1.05E-03	1.01E-08	2	1.57E-01	3.17E-09	1.0E+06	3.2E-03
510	0.28098	3.39E-05	9.5E-06	1.05E-03	9.95E-09	2	1.57E-01	3.13E-09	1.0E+06	3.1E-03
511	0.27591	3.39E-05	9.3E-06	1.05E-03	9.77E-09	2	1.57E-01	3.07E-09	1.0E+06	3.1E-03
512	0.27007	3.39E-05	9.2E-06	1.05E-03	9.57E-09	2	1.57E-01	3.01E-09	1.0E+06	3.0E-03
513	0.26351	3.39E-05	8.9E-06	1.05E-03	9.33E-09	2	1.57E-01	2.93E-09	1.0E+06	2.9E-03
514	0.25622	3.39E-05	8.7E-06	1.05E-03	9.08E-09	2	1.57E-01	2.85E-09	1.0E+06	2.9E-03
515	0.23993	3.39E-05	8.1E-06	1.05E-03	8.50E-09	2	1.57E-01	2.67E-09	1.0E+06	2.7E-03
516	0.23116	3.39E-05	7.8E-06	1.05E-03	8.19E-09	2	1.57E-01	2.57E-09	1.0E+06	2.6E-03
517	0.22207	3.39E-05	7.5E-06	1.05E-03	7.87E-09	2	1.57E-01	2.47E-09	1.0E+06	2.5E-03
518	0.21284	3.39E-05	7.2E-06	1.05E-03	7.54E-09	2	1.57E-01	2.37E-09	1.0E+06	2.4E-03
519	0.20359	3.39E-05	6.9E-06	1.05E-03	7.21E-09	2	1.57E-01	2.27E-09	1.0E+06	2.3E-03
528	0.2689	3.39E-05	9.1E-06	1.05E-03	9.52E-09	2	1.57E-01	2.99E-09	1.0E+06	3.0E-03
529	0.26517	3.39E-05	9.0E-06	1.05E-03	9.39E-09	2	1.57E-01	2.95E-09	1.0E+06	3.0E-03
530	0.26066	3.39E-05	8.8E-06	1.05E-03	9.23E-09	2	1.57E-01	2.90E-09	1.0E+06	2.9E-03
531	0.25541	3.39E-05	8.7E-06	1.05E-03	9.05E-09	2	1.57E-01	2.84E-09	1.0E+06	2.8E-03
532	0.2495	3.39E-05	8.5E-06	1.05E-03	8.84E-09	2	1.57E-01	2.78E-09	1.0E+06	2.8E-03
533	0.24295	3.39E-05	8.2E-06	1.05E-03	8.61E-09	2	1.57E-01	2.70E-09	1.0E+06	2.7E-03
534	0.22827	3.39E-05	7.7E-06	1.05E-03	8.09E-09	2	1.57E-01	2.54E-09	1.0E+06	2.5E-03
535	0.2203	3.39E-05	7.5E-06	1.05E-03	7.80E-09	2	1.57E-01	2.45E-09	1.0E+06	2.5E-03
536	0.21203	3.39E-05	7.2E-06	1.05E-03	7.51E-09	2	1.57E-01	2.36E-09	1.0E+06	2.4E-03
537	0.20363	3.39E-05	6.9E-06	1.05E-03	7.21E-09	2	1.57E-01	2.27E-09	1.0E+06	2.3E-03
538	0.19519	3.39E-05	6.6E-06	1.05E-03	6.91E-09	2	1.57E-01	2.17E-09	1.0E+06	2.2E-03
547	0.25407	3.39E-05	8.6E-06	1.05E-03	9.00E-09	2	1.57E-01	2.83E-09	1.0E+06	2.8E-03

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.25075	3.39E-05	8.5E-06	1.05E-03	8.88E-09	2	1.57E-01	2.79E-09	1.0E+06	2.8E-03
549	0.24669	3.39E-05	8.4E-06	1.05E-03	8.74E-09	2	1.57E-01	2.75E-09	1.0E+06	2.7E-03
550	0.24201	3.39E-05	8.2E-06	1.05E-03	8.57E-09	2	1.57E-01	2.69E-09	1.0E+06	2.7E-03
551	0.23667	3.39E-05	8.0E-06	1.05E-03	8.38E-09	2	1.57E-01	2.63E-09	1.0E+06	2.6E-03
552	0.23077	3.39E-05	7.8E-06	1.05E-03	8.17E-09	2	1.57E-01	2.57E-09	1.0E+06	2.6E-03
553	0.22433	3.39E-05	7.6E-06	1.05E-03	7.95E-09	2	1.57E-01	2.50E-09	1.0E+06	2.5E-03
554	0.21747	3.39E-05	7.4E-06	1.05E-03	7.70E-09	2	1.57E-01	2.42E-09	1.0E+06	2.4E-03
555	0.21022	3.39E-05	7.1E-06	1.05E-03	7.45E-09	2	1.57E-01	2.34E-09	1.0E+06	2.3E-03
556	0.20268	3.39E-05	6.9E-06	1.05E-03	7.18E-09	2	1.57E-01	2.26E-09	1.0E+06	2.3E-03
557	0.19502	3.39E-05	6.6E-06	1.05E-03	6.91E-09	2	1.57E-01	2.17E-09	1.0E+06	2.2E-03
558	0.18727	3.39E-05	6.3E-06	1.05E-03	6.63E-09	2	1.57E-01	2.08E-09	1.0E+06	2.1E-03
559	0.17958	3.39E-05	6.1E-06	1.05E-03	6.36E-09	2	1.57E-01	2.00E-09	1.0E+06	2.0E-03
567	0.24048	3.39E-05	8.1E-06	1.05E-03	8.52E-09	2	1.57E-01	2.68E-09	1.0E+06	2.7E-03
568	0.23752	3.39E-05	8.0E-06	1.05E-03	8.41E-09	2	1.57E-01	2.64E-09	1.0E+06	2.6E-03
569	0.23391	3.39E-05	7.9E-06	1.05E-03	8.29E-09	2	1.57E-01	2.60E-09	1.0E+06	2.6E-03
570	0.22967	3.39E-05	7.8E-06	1.05E-03	8.13E-09	2	1.57E-01	2.56E-09	1.0E+06	2.6E-03
571	0.22487	3.39E-05	7.6E-06	1.05E-03	7.96E-09	2	1.57E-01	2.50E-09	1.0E+06	2.5E-03
572	0.21952	3.39E-05	7.4E-06	1.05E-03	7.78E-09	2	1.57E-01	2.44E-09	1.0E+06	2.4E-03
573	0.2137	3.39E-05	7.2E-06	1.05E-03	7.57E-09	2	1.57E-01	2.38E-09	1.0E+06	2.4E-03
574	0.20087	3.39E-05	6.8E-06	1.05E-03	7.11E-09	2	1.57E-01	2.24E-09	1.0E+06	2.2E-03
575	0.19398	3.39E-05	6.6E-06	1.05E-03	6.87E-09	2	1.57E-01	2.16E-09	1.0E+06	2.2E-03
576	0.18694	3.39E-05	6.3E-06	1.05E-03	6.62E-09	2	1.57E-01	2.08E-09	1.0E+06	2.1E-03
577	0.17983	3.39E-05	6.1E-06	1.05E-03	6.37E-09	2	1.57E-01	2.00E-09	1.0E+06	2.0E-03
578	0.17274	3.39E-05	5.9E-06	1.05E-03	6.12E-09	2	1.57E-01	1.92E-09	1.0E+06	1.9E-03
586	0.22806	3.39E-05	7.7E-06	1.05E-03	8.08E-09	2	1.57E-01	2.54E-09	1.0E+06	2.5E-03
587	0.22543	3.39E-05	7.6E-06	1.05E-03	7.98E-09	2	1.57E-01	2.51E-09	1.0E+06	2.5E-03
588	0.22217	3.39E-05	7.5E-06	1.05E-03	7.87E-09	2	1.57E-01	2.47E-09	1.0E+06	2.5E-03
589	0.21836	3.39E-05	7.4E-06	1.05E-03	7.73E-09	2	1.57E-01	2.43E-09	1.0E+06	2.4E-03
590	0.21401	3.39E-05	7.3E-06	1.05E-03	7.58E-09	2	1.57E-01	2.38E-09	1.0E+06	2.4E-03
591	0.20917	3.39E-05	7.1E-06	1.05E-03	7.41E-09	2	1.57E-01	2.33E-09	1.0E+06	2.3E-03
592	0.20387	3.39E-05	6.9E-06	1.05E-03	7.22E-09	2	1.57E-01	2.27E-09	1.0E+06	2.3E-03

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.19217	3.39E-05	6.5E-06	1.05E-03	6.81E-09	2	1.57E-01	2.14E-09	1.0E+06	2.1E-03
594	0.18587	3.39E-05	6.3E-06	1.05E-03	6.58E-09	2	1.57E-01	2.07E-09	1.0E+06	2.1E-03
595	0.17942	3.39E-05	6.1E-06	1.05E-03	6.35E-09	2	1.57E-01	2.00E-09	1.0E+06	2.0E-03
596	0.17289	3.39E-05	5.9E-06	1.05E-03	6.12E-09	2	1.57E-01	1.92E-09	1.0E+06	1.9E-03
597	0.16633	3.39E-05	5.6E-06	1.05E-03	5.89E-09	2	1.57E-01	1.85E-09	1.0E+06	1.9E-03
345	0.59411	3.39E-05	2.0E-05	1.05E-03	2.10E-08	2	1.57E-01	6.61E-09	1.0E+06	6.6E-03
346	0.56784	3.39E-05	1.9E-05	1.05E-03	2.01E-08	2	1.57E-01	6.32E-09	1.0E+06	6.3E-03
347	0.53882	3.39E-05	1.8E-05	1.05E-03	1.91E-08	2	1.57E-01	6.00E-09	1.0E+06	6.0E-03
348	0.50748	3.39E-05	1.7E-05	1.05E-03	1.80E-08	2	1.57E-01	5.65E-09	1.0E+06	5.6E-03
359	0.54307	3.39E-05	1.8E-05	1.05E-03	1.92E-08	2	1.57E-01	6.05E-09	1.0E+06	6.0E-03
360	0.52067	3.39E-05	1.8E-05	1.05E-03	1.84E-08	2	1.57E-01	5.80E-09	1.0E+06	5.8E-03
361	0.49558	3.39E-05	1.7E-05	1.05E-03	1.76E-08	2	1.57E-01	5.52E-09	1.0E+06	5.5E-03
362	0.46876	3.39E-05	1.6E-05	1.05E-03	1.66E-08	2	1.57E-01	5.22E-09	1.0E+06	5.2E-03
363	0.44032	3.39E-05	1.5E-05	1.05E-03	1.56E-08	2	1.57E-01	4.90E-09	1.0E+06	4.9E-03
373	0.47918	3.39E-05	1.6E-05	1.05E-03	1.70E-08	2	1.57E-01	5.33E-09	1.0E+06	5.3E-03
374	0.45767	3.39E-05	1.6E-05	1.05E-03	1.62E-08	2	1.57E-01	5.09E-09	1.0E+06	5.1E-03
375	0.43444	3.39E-05	1.5E-05	1.05E-03	1.54E-08	2	1.57E-01	4.84E-09	1.0E+06	4.8E-03
376	0.4099	3.39E-05	1.4E-05	1.05E-03	1.45E-08	2	1.57E-01	4.56E-09	1.0E+06	4.6E-03
386	0.44294	3.39E-05	1.5E-05	1.05E-03	1.57E-08	2	1.57E-01	4.93E-09	1.0E+06	4.9E-03
387	0.4242	3.39E-05	1.4E-05	1.05E-03	1.50E-08	2	1.57E-01	4.72E-09	1.0E+06	4.7E-03
388	0.40401	3.39E-05	1.4E-05	1.05E-03	1.43E-08	2	1.57E-01	4.50E-09	1.0E+06	4.5E-03
389	0.38263	3.39E-05	1.3E-05	1.05E-03	1.36E-08	2	1.57E-01	4.26E-09	1.0E+06	4.3E-03
390	0.36058	3.39E-05	1.2E-05	1.05E-03	1.28E-08	2	1.57E-01	4.01E-09	1.0E+06	4.0E-03
400	0.41092	3.39E-05	1.4E-05	1.05E-03	1.46E-08	2	1.57E-01	4.57E-09	1.0E+06	4.6E-03
401	0.39462	3.39E-05	1.3E-05	1.05E-03	1.40E-08	2	1.57E-01	4.39E-09	1.0E+06	4.4E-03
402	0.37685	3.39E-05	1.3E-05	1.05E-03	1.33E-08	2	1.57E-01	4.20E-09	1.0E+06	4.2E-03
403	0.35818	3.39E-05	1.2E-05	1.05E-03	1.27E-08	2	1.57E-01	3.99E-09	1.0E+06	4.0E-03
404	0.33888	3.39E-05	1.1E-05	1.05E-03	1.20E-08	2	1.57E-01	3.77E-09	1.0E+06	3.8E-03
415	0.38255	3.39E-05	1.3E-05	1.05E-03	1.35E-08	2	1.57E-01	4.26E-09	1.0E+06	4.3E-03
416	0.36813	3.39E-05	1.2E-05	1.05E-03	1.30E-08	2	1.57E-01	4.10E-09	1.0E+06	4.1E-03
417	0.3526	3.39E-05	1.2E-05	1.05E-03	1.25E-08	2	1.57E-01	3.93E-09	1.0E+06	3.9E-03

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.33603	3.39E-05	1.1E-05	1.05E-03	1.19E-08	2	1.57E-01	3.74E-09	1.0E+06	3.7E-03
419	0.31887	3.39E-05	1.1E-05	1.05E-03	1.13E-08	2	1.57E-01	3.55E-09	1.0E+06	3.5E-03
420	0.30188	3.39E-05	1.0E-05	1.05E-03	1.07E-08	2	1.57E-01	3.36E-09	1.0E+06	3.4E-03
430	0.34453	3.39E-05	1.2E-05	1.05E-03	1.22E-08	2	1.57E-01	3.84E-09	1.0E+06	3.8E-03
431	0.33066	3.39E-05	1.1E-05	1.05E-03	1.17E-08	2	1.57E-01	3.68E-09	1.0E+06	3.7E-03
432	0.31604	3.39E-05	1.1E-05	1.05E-03	1.12E-08	2	1.57E-01	3.52E-09	1.0E+06	3.5E-03
433	0.30089	3.39E-05	1.0E-05	1.05E-03	1.07E-08	2	1.57E-01	3.35E-09	1.0E+06	3.3E-03
434	0.28555	3.39E-05	9.7E-06	1.05E-03	1.01E-08	2	1.57E-01	3.18E-09	1.0E+06	3.2E-03
444	0.32316	3.39E-05	1.1E-05	1.05E-03	1.14E-08	2	1.57E-01	3.60E-09	1.0E+06	3.6E-03
445	0.31097	3.39E-05	1.1E-05	1.05E-03	1.10E-08	2	1.57E-01	3.46E-09	1.0E+06	3.5E-03
446	0.29796	3.39E-05	1.0E-05	1.05E-03	1.06E-08	2	1.57E-01	3.32E-09	1.0E+06	3.3E-03
447	0.28444	3.39E-05	9.6E-06	1.05E-03	1.01E-08	2	1.57E-01	3.17E-09	1.0E+06	3.2E-03
448	0.27072	3.39E-05	9.2E-06	1.05E-03	9.59E-09	2	1.57E-01	3.01E-09	1.0E+06	3.0E-03
459	0.29308	3.39E-05	9.9E-06	1.05E-03	1.04E-08	2	1.57E-01	3.26E-09	1.0E+06	3.3E-03
460	0.2815	3.39E-05	9.5E-06	1.05E-03	9.97E-09	2	1.57E-01	3.13E-09	1.0E+06	3.1E-03
461	0.26944	3.39E-05	9.1E-06	1.05E-03	9.54E-09	2	1.57E-01	3.00E-09	1.0E+06	3.0E-03
462	0.25712	3.39E-05	8.7E-06	1.05E-03	9.11E-09	2	1.57E-01	2.86E-09	1.0E+06	2.9E-03
463	0.24477	3.39E-05	8.3E-06	1.05E-03	8.67E-09	2	1.57E-01	2.72E-09	1.0E+06	2.7E-03
474	0.27683	3.39E-05	9.4E-06	1.05E-03	9.81E-09	2	1.57E-01	3.08E-09	1.0E+06	3.1E-03
475	0.26647	3.39E-05	9.0E-06	1.05E-03	9.44E-09	2	1.57E-01	2.97E-09	1.0E+06	3.0E-03
476	0.25561	3.39E-05	8.7E-06	1.05E-03	9.05E-09	2	1.57E-01	2.85E-09	1.0E+06	2.8E-03
477	0.24454	3.39E-05	8.3E-06	1.05E-03	8.66E-09	2	1.57E-01	2.72E-09	1.0E+06	2.7E-03
478	0.23336	3.39E-05	7.9E-06	1.05E-03	8.27E-09	2	1.57E-01	2.60E-09	1.0E+06	2.6E-03
495	0.26194	3.39E-05	8.9E-06	1.05E-03	9.28E-09	2	1.57E-01	2.92E-09	1.0E+06	2.9E-03
496	0.25265	3.39E-05	8.6E-06	1.05E-03	8.95E-09	2	1.57E-01	2.81E-09	1.0E+06	2.8E-03
497	0.24289	3.39E-05	8.2E-06	1.05E-03	8.60E-09	2	1.57E-01	2.70E-09	1.0E+06	2.7E-03
498	0.23287	3.39E-05	7.9E-06	1.05E-03	8.25E-09	2	1.57E-01	2.59E-09	1.0E+06	2.6E-03
499	0.22273	3.39E-05	7.5E-06	1.05E-03	7.89E-09	2	1.57E-01	2.48E-09	1.0E+06	2.5E-03
500	0.21263	3.39E-05	7.2E-06	1.05E-03	7.53E-09	2	1.57E-01	2.37E-09	1.0E+06	2.4E-03

Via Oro
Risk From 405 (Hughes to 47) [TKH]

		Cancer Risk from Birth to 2 years - Construction									
Receptor #	Conc	g/sec	Cair	Dose		ED	Risk		Constant 2	Risk/ Million	
				Constant	Dose		Constant	Risk			
139	8.09746	3.39E-05	2.7E-04	1.05E-03	2.87E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	5.3711	3.39E-05	1.8E-04	1.05E-03	1.90E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	5.09204	3.39E-05	1.7E-04	1.05E-03	1.80E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	5.10686	3.39E-05	1.7E-04	1.05E-03	1.81E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	4.95545	3.39E-05	1.7E-04	1.05E-03	1.76E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	4.07996	3.39E-05	1.4E-04	1.05E-03	1.45E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	2.74553	3.39E-05	9.3E-05	1.05E-03	9.72E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	1.35692	3.39E-05	4.6E-05	1.05E-03	4.81E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	1.07034	3.39E-05	3.6E-05	1.05E-03	3.79E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	0.87838	3.39E-05	3.0E-05	1.05E-03	3.11E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	3.44511	3.39E-05	1.2E-04	1.05E-03	1.22E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	3.27493	3.39E-05	1.1E-04	1.05E-03	1.16E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	2.7745	3.39E-05	9.4E-05	1.05E-03	9.83E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	2.11973	3.39E-05	7.2E-05	1.05E-03	7.51E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	1.56774	3.39E-05	5.3E-05	1.05E-03	5.55E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	1.20482	3.39E-05	4.1E-05	1.05E-03	4.27E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	0.96966	3.39E-05	3.3E-05	1.05E-03	3.43E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	0.80828	3.39E-05	2.7E-05	1.05E-03	2.86E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	0.69049	3.39E-05	2.3E-05	1.05E-03	2.45E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	0.60023	3.39E-05	2.0E-05	1.05E-03	2.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	0.52849	3.39E-05	1.8E-05	1.05E-03	1.87E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	2.40937	3.39E-05	8.2E-05	1.05E-03	8.53E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	2.09853	3.39E-05	7.1E-05	1.05E-03	7.43E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	1.71046	3.39E-05	5.8E-05	1.05E-03	6.06E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	1.34891	3.39E-05	4.6E-05	1.05E-03	4.78E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	1.07594	3.39E-05	3.6E-05	1.05E-03	3.81E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	0.88367	3.39E-05	3.0E-05	1.05E-03	3.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	0.74599	3.39E-05	2.5E-05	1.05E-03	2.64E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	0.64317	3.39E-05	2.2E-05	1.05E-03	2.28E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	0.5633	3.39E-05	1.9E-05	1.05E-03	2.00E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	0.49931	3.39E-05	1.7E-05	1.05E-03	1.77E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	0.44692	3.39E-05	1.5E-05	1.05E-03	1.58E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	1.88927	3.39E-05	6.4E-05	1.05E-03	6.69E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	1.67699	3.39E-05	5.7E-05	1.05E-03	5.94E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	1.42358	3.39E-05	4.8E-05	1.05E-03	5.04E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	1.17284	3.39E-05	4.0E-05	1.05E-03	4.15E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	0.96669	3.39E-05	3.3E-05	1.05E-03	3.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	0.80871	3.39E-05	2.7E-05	1.05E-03	2.86E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	0.69026	3.39E-05	2.3E-05	1.05E-03	2.44E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	0.60015	3.39E-05	2.0E-05	1.05E-03	2.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	0.52927	3.39E-05	1.8E-05	1.05E-03	1.87E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	0.47195	3.39E-05	1.6E-05	1.05E-03	1.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	0.42476	3.39E-05	1.4E-05	1.05E-03	1.50E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	0.38519	3.39E-05	1.3E-05	1.05E-03	1.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	1.64276	3.39E-05	5.6E-05	1.05E-03	5.82E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	1.54488	3.39E-05	5.2E-05	1.05E-03	5.47E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	1.39076	3.39E-05	4.7E-05	1.05E-03	4.93E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	1.21149	3.39E-05	4.1E-05	1.05E-03	4.29E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	0.87161	3.39E-05	3.0E-05	1.05E-03	3.09E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	0.74223	3.39E-05	2.5E-05	1.05E-03	2.63E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	0.64055	3.39E-05	2.2E-05	1.05E-03	2.27E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	0.56148	3.39E-05	1.9E-05	1.05E-03	1.99E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	0.49829	3.39E-05	1.7E-05	1.05E-03	1.76E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	0.44669	3.39E-05	1.5E-05	1.05E-03	1.58E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	0.40387	3.39E-05	1.4E-05	1.05E-03	1.43E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	0.36759	3.39E-05	1.2E-05	1.05E-03	1.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	0.33709	3.39E-05	1.1E-05	1.05E-03	1.19E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	1.38459	3.39E-05	4.7E-05	1.05E-03	4.90E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	1.29726	3.39E-05	4.4E-05	1.05E-03	4.59E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	1.18209	3.39E-05	4.0E-05	1.05E-03	4.19E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	1.04926	3.39E-05	3.6E-05	1.05E-03	3.72E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	0.91388	3.39E-05	3.1E-05	1.05E-03	3.24E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	0.79012	3.39E-05	2.7E-05	1.05E-03	2.80E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	0.68354	3.39E-05	2.3E-05	1.05E-03	2.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	0.5265	3.39E-05	1.8E-05	1.05E-03	1.86E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	0.47018	3.39E-05	1.6E-05	1.05E-03	1.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	0.42354	3.39E-05	1.4E-05	1.05E-03	1.50E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	0.38441	3.39E-05	1.3E-05	1.05E-03	1.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	0.35119	3.39E-05	1.2E-05	1.05E-03	1.24E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	0.32261	3.39E-05	1.1E-05	1.05E-03	1.14E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	1.18574	3.39E-05	4.0E-05	1.05E-03	4.20E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	1.11231	3.39E-05	3.8E-05	1.05E-03	3.94E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	1.02509	3.39E-05	3.5E-05	1.05E-03	3.63E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	0.92296	3.39E-05	3.1E-05	1.05E-03	3.27E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	0.81782	3.39E-05	2.8E-05	1.05E-03	2.90E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	0.71824	3.39E-05	2.4E-05	1.05E-03	2.54E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	0.63008	3.39E-05	2.1E-05	1.05E-03	2.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	0.4948	3.39E-05	1.7E-05	1.05E-03	1.75E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	0.44425	3.39E-05	1.5E-05	1.05E-03	1.57E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	0.40205	3.39E-05	1.4E-05	1.05E-03	1.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	0.36614	3.39E-05	1.2E-05	1.05E-03	1.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	0.33583	3.39E-05	1.1E-05	1.05E-03	1.19E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	0.3093	3.39E-05	1.0E-05	1.05E-03	1.10E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	1.03087	3.39E-05	3.5E-05	1.05E-03	3.65E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	0.96996	3.39E-05	3.3E-05	1.05E-03	3.44E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	0.89973	3.39E-05	3.0E-05	1.05E-03	3.19E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	0.82048	3.39E-05	2.8E-05	1.05E-03	2.91E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	0.73628	3.39E-05	2.5E-05	1.05E-03	2.61E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	0.65568	3.39E-05	2.2E-05	1.05E-03	2.32E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	0.58243	3.39E-05	2.0E-05	1.05E-03	2.06E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	0.46502	3.39E-05	1.6E-05	1.05E-03	1.65E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	0.41983	3.39E-05	1.4E-05	1.05E-03	1.49E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	0.38157	3.39E-05	1.3E-05	1.05E-03	1.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	0.34894	3.39E-05	1.2E-05	1.05E-03	1.24E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	0.32109	3.39E-05	1.1E-05	1.05E-03	1.14E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	0.29652	3.39E-05	1.0E-05	1.05E-03	1.05E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	0.2394	3.39E-05	8.1E-06	1.05E-03	8.48E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	0.22427	3.39E-05	7.6E-06	1.05E-03	7.94E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	0.90736	3.39E-05	3.1E-05	1.05E-03	3.21E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	0.85613	3.39E-05	2.9E-05	1.05E-03	3.03E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	0.79864	3.39E-05	2.7E-05	1.05E-03	2.83E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	0.7354	3.39E-05	2.5E-05	1.05E-03	2.60E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	0.66779	3.39E-05	2.3E-05	1.05E-03	2.37E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	0.60172	3.39E-05	2.0E-05	1.05E-03	2.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	0.5405	3.39E-05	1.8E-05	1.05E-03	1.91E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	0.438	3.39E-05	1.5E-05	1.05E-03	1.55E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	0.39742	3.39E-05	1.3E-05	1.05E-03	1.41E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	0.36276	3.39E-05	1.2E-05	1.05E-03	1.28E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	0.33295	3.39E-05	1.1E-05	1.05E-03	1.18E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	0.30709	3.39E-05	1.0E-05	1.05E-03	1.09E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	0.28433	3.39E-05	9.6E-06	1.05E-03	1.01E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	0.23132	3.39E-05	7.8E-06	1.05E-03	8.19E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	0.21693	3.39E-05	7.4E-06	1.05E-03	7.68E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	0.80672	3.39E-05	2.7E-05	1.05E-03	2.86E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	0.76374	3.39E-05	2.6E-05	1.05E-03	2.71E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	0.71579	3.39E-05	2.4E-05	1.05E-03	2.54E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	0.66426	3.39E-05	2.3E-05	1.05E-03	2.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	0.60917	3.39E-05	2.1E-05	1.05E-03	2.16E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	0.55418	3.39E-05	1.9E-05	1.05E-03	1.96E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	0.50201	3.39E-05	1.7E-05	1.05E-03	1.78E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	0.41284	3.39E-05	1.4E-05	1.05E-03	1.46E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	0.37641	3.39E-05	1.3E-05	1.05E-03	1.33E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	0.34499	3.39E-05	1.2E-05	1.05E-03	1.22E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	0.31767	3.39E-05	1.1E-05	1.05E-03	1.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	0.29383	3.39E-05	1.0E-05	1.05E-03	1.04E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	0.27277	3.39E-05	9.2E-06	1.05E-03	9.66E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	0.22334	3.39E-05	7.6E-06	1.05E-03	7.91E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	0.20991	3.39E-05	7.1E-06	1.05E-03	7.43E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	0.72347	3.39E-05	2.5E-05	1.05E-03	2.56E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	0.68737	3.39E-05	2.3E-05	1.05E-03	2.43E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	0.64694	3.39E-05	2.2E-05	1.05E-03	2.29E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	0.60409	3.39E-05	2.0E-05	1.05E-03	2.14E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	0.55789	3.39E-05	1.9E-05	1.05E-03	1.98E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	0.51183	3.39E-05	1.7E-05	1.05E-03	1.81E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	0.46745	3.39E-05	1.6E-05	1.05E-03	1.66E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	0.38949	3.39E-05	1.3E-05	1.05E-03	1.38E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	0.35668	3.39E-05	1.2E-05	1.05E-03	1.26E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	0.32832	3.39E-05	1.1E-05	1.05E-03	1.16E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	0.30325	3.39E-05	1.0E-05	1.05E-03	1.07E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	0.28126	3.39E-05	9.5E-06	1.05E-03	9.96E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	0.2619	3.39E-05	8.9E-06	1.05E-03	9.28E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	0.21568	3.39E-05	7.3E-06	1.05E-03	7.64E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	0.20316	3.39E-05	6.9E-06	1.05E-03	7.20E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	0.65349	3.39E-05	2.2E-05	1.05E-03	2.31E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	0.62286	3.39E-05	2.1E-05	1.05E-03	2.21E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	0.58873	3.39E-05	2.0E-05	1.05E-03	2.09E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	0.55218	3.39E-05	1.9E-05	1.05E-03	1.96E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	0.51369	3.39E-05	1.7E-05	1.05E-03	1.82E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	0.4742	3.39E-05	1.6E-05	1.05E-03	1.68E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	0.43614	3.39E-05	1.5E-05	1.05E-03	1.54E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	0.40016	3.39E-05	1.4E-05	1.05E-03	1.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	0.36773	3.39E-05	1.2E-05	1.05E-03	1.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	0.3384	3.39E-05	1.1E-05	1.05E-03	1.20E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	0.31254	3.39E-05	1.1E-05	1.05E-03	1.11E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	0.28965	3.39E-05	9.8E-06	1.05E-03	1.03E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	0.26943	3.39E-05	9.1E-06	1.05E-03	9.54E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	0.25136	3.39E-05	8.5E-06	1.05E-03	8.90E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	0.22138	3.39E-05	7.5E-06	1.05E-03	7.84E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	0.20837	3.39E-05	7.1E-06	1.05E-03	7.38E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.19662	3.39E-05	6.7E-06	1.05E-03	6.96E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	0.47463	3.39E-05	1.6E-05	1.05E-03	1.68E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	0.44104	3.39E-05	1.5E-05	1.05E-03	1.56E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	0.4083	3.39E-05	1.4E-05	1.05E-03	1.45E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	0.37652	3.39E-05	1.3E-05	1.05E-03	1.33E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	0.21353	3.39E-05	7.2E-06	1.05E-03	7.56E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	0.20133	3.39E-05	6.8E-06	1.05E-03	7.13E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.19027	3.39E-05	6.4E-06	1.05E-03	6.74E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	0.41131	3.39E-05	1.4E-05	1.05E-03	1.46E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	0.38254	3.39E-05	1.3E-05	1.05E-03	1.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	0.35507	3.39E-05	1.2E-05	1.05E-03	1.26E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	0.20599	3.39E-05	7.0E-06	1.05E-03	7.30E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	0.19459	3.39E-05	6.6E-06	1.05E-03	6.89E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.18418	3.39E-05	6.2E-06	1.05E-03	6.52E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	0.38466	3.39E-05	1.3E-05	1.05E-03	1.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	0.35956	3.39E-05	1.2E-05	1.05E-03	1.27E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	0.33534	3.39E-05	1.1E-05	1.05E-03	1.19E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	0.19886	3.39E-05	6.7E-06	1.05E-03	7.04E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	0.1882	3.39E-05	6.4E-06	1.05E-03	6.67E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.17838	3.39E-05	6.0E-06	1.05E-03	6.32E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	0.33858	3.39E-05	1.1E-05	1.05E-03	1.20E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	0.31716	3.39E-05	1.1E-05	1.05E-03	1.12E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	0.19204	3.39E-05	6.5E-06	1.05E-03	6.80E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.18199	3.39E-05	6.2E-06	1.05E-03	6.45E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.17273	3.39E-05	5.9E-06	1.05E-03	6.12E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	0.31936	3.39E-05	1.1E-05	1.05E-03	1.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	0.30024	3.39E-05	1.0E-05	1.05E-03	1.06E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	0.28175	3.39E-05	9.5E-06	1.05E-03	9.98E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	0.18549	3.39E-05	6.3E-06	1.05E-03	6.57E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.17606	3.39E-05	6.0E-06	1.05E-03	6.24E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.16727	3.39E-05	5.7E-06	1.05E-03	5.92E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	0.28471	3.39E-05	9.6E-06	1.05E-03	1.01E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	0.26814	3.39E-05	9.1E-06	1.05E-03	9.50E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.17926	3.39E-05	6.1E-06	1.05E-03	6.35E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.17036	3.39E-05	5.8E-06	1.05E-03	6.03E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.16208	3.39E-05	5.5E-06	1.05E-03	5.74E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	0.2704	3.39E-05	9.2E-06	1.05E-03	9.58E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	0.25539	3.39E-05	8.7E-06	1.05E-03	9.05E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.16491	3.39E-05	5.6E-06	1.05E-03	5.84E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.15715	3.39E-05	5.3E-06	1.05E-03	5.57E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	0.25713	3.39E-05	8.7E-06	1.05E-03	9.11E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	0.2435	3.39E-05	8.3E-06	1.05E-03	8.62E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	0.2305	3.39E-05	7.8E-06	1.05E-03	8.16E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.15971	3.39E-05	5.4E-06	1.05E-03	5.66E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.15239	3.39E-05	5.2E-06	1.05E-03	5.40E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	0.23252	3.39E-05	7.9E-06	1.05E-03	8.24E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	0.22063	3.39E-05	7.5E-06	1.05E-03	7.81E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.17023	3.39E-05	5.8E-06	1.05E-03	6.03E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.15472	3.39E-05	5.2E-06	1.05E-03	5.48E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.1478	3.39E-05	5.0E-06	1.05E-03	5.24E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	0.22231	3.39E-05	7.5E-06	1.05E-03	7.87E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	0.21139	3.39E-05	7.2E-06	1.05E-03	7.49E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	0.20093	3.39E-05	6.8E-06	1.05E-03	7.12E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	0.19093	3.39E-05	6.5E-06	1.05E-03	6.76E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	0.18158	3.39E-05	6.2E-06	1.05E-03	6.43E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.17278	3.39E-05	5.9E-06	1.05E-03	6.12E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.1646	3.39E-05	5.6E-06	1.05E-03	5.83E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.15699	3.39E-05	5.3E-06	1.05E-03	5.56E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.14994	3.39E-05	5.1E-06	1.05E-03	5.31E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.14341	3.39E-05	4.9E-06	1.05E-03	5.08E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	0.20171	3.39E-05	6.8E-06	1.05E-03	7.14E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	0.19304	3.39E-05	6.5E-06	1.05E-03	6.84E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	0.1838	3.39E-05	6.2E-06	1.05E-03	6.51E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	0.17508	3.39E-05	5.9E-06	1.05E-03	6.20E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	0.16688	3.39E-05	5.7E-06	1.05E-03	5.91E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.15922	3.39E-05	5.4E-06	1.05E-03	5.64E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.15204	3.39E-05	5.2E-06	1.05E-03	5.39E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.13919	3.39E-05	4.7E-06	1.05E-03	4.93E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.19454	3.39E-05	6.6E-06	1.05E-03	6.89E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	0.18464	3.39E-05	6.3E-06	1.05E-03	6.54E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	0.17708	3.39E-05	6.0E-06	1.05E-03	6.27E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	0.16896	3.39E-05	5.7E-06	1.05E-03	5.98E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	0.16129	3.39E-05	5.5E-06	1.05E-03	5.71E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.15408	3.39E-05	5.2E-06	1.05E-03	5.46E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.14733	3.39E-05	5.0E-06	1.05E-03	5.22E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.13515	3.39E-05	4.6E-06	1.05E-03	4.79E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.18682	3.39E-05	6.3E-06	1.05E-03	6.62E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.17865	3.39E-05	6.1E-06	1.05E-03	6.33E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	0.17076	3.39E-05	5.8E-06	1.05E-03	6.05E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	0.16234	3.39E-05	5.5E-06	1.05E-03	5.75E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	0.15597	3.39E-05	5.3E-06	1.05E-03	5.52E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.1492	3.39E-05	5.1E-06	1.05E-03	5.28E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.14286	3.39E-05	4.8E-06	1.05E-03	5.06E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.13129	3.39E-05	4.4E-06	1.05E-03	4.65E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.17202	3.39E-05	5.8E-06	1.05E-03	6.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.16467	3.39E-05	5.6E-06	1.05E-03	5.83E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.15763	3.39E-05	5.3E-06	1.05E-03	5.58E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.14994	3.39E-05	5.1E-06	1.05E-03	5.31E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.14376	3.39E-05	4.9E-06	1.05E-03	5.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.1385	3.39E-05	4.7E-06	1.05E-03	4.91E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.12755	3.39E-05	4.3E-06	1.05E-03	4.52E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.16576	3.39E-05	5.6E-06	1.05E-03	5.87E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.15893	3.39E-05	5.4E-06	1.05E-03	5.63E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.15234	3.39E-05	5.2E-06	1.05E-03	5.40E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.14605	3.39E-05	4.9E-06	1.05E-03	5.17E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.14007	3.39E-05	4.7E-06	1.05E-03	4.96E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.13441	3.39E-05	4.6E-06	1.05E-03	4.76E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.12688	3.39E-05	4.3E-06	1.05E-03	4.49E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.15984	3.39E-05	5.4E-06	1.05E-03	5.66E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.1535	3.39E-05	5.2E-06	1.05E-03	5.44E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.14735	3.39E-05	5.0E-06	1.05E-03	5.22E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.14143	3.39E-05	4.8E-06	1.05E-03	5.01E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.1358	3.39E-05	4.6E-06	1.05E-03	4.81E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.13043	3.39E-05	4.4E-06	1.05E-03	4.62E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.12537	3.39E-05	4.2E-06	1.05E-03	4.44E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	3.39E-05	0.0E+00	1.05E-03	0.00E+00	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	2.88096	3.39E-05	9.8E-05	6.05E-04	5.91E-08	14	4.71E-02	3.90E-08	1.0E+06	3.9E-02
2	2	3.26394	3.39E-05	1.1E-04	6.05E-04	6.69E-08	14	4.71E-02	4.42E-08	1.0E+06	4.4E-02
3	3	3.59801	3.39E-05	1.2E-04	6.05E-04	7.38E-08	14	4.71E-02	4.87E-08	1.0E+06	4.9E-02
4	4	3.88086	3.39E-05	1.3E-04	6.05E-04	7.96E-08	14	4.71E-02	5.25E-08	1.0E+06	5.3E-02
5	5	4.10261	3.39E-05	1.4E-04	6.05E-04	8.41E-08	14	4.71E-02	5.55E-08	1.0E+06	5.6E-02
6	6	4.29839	3.39E-05	1.5E-04	6.05E-04	8.81E-08	14	4.71E-02	5.82E-08	1.0E+06	5.8E-02
7	7	4.42755	3.39E-05	1.5E-04	6.05E-04	9.08E-08	14	4.71E-02	5.99E-08	1.0E+06	6.0E-02
8	8	4.49067	3.39E-05	1.5E-04	6.05E-04	9.21E-08	14	4.71E-02	6.08E-08	1.0E+06	6.1E-02
9	9	4.52223	3.39E-05	1.5E-04	6.05E-04	9.27E-08	14	4.71E-02	6.12E-08	1.0E+06	6.1E-02
10	10	4.52342	3.39E-05	1.5E-04	6.05E-04	9.28E-08	14	4.71E-02	6.12E-08	1.0E+06	6.1E-02
11	11	4.48835	3.39E-05	1.5E-04	6.05E-04	9.20E-08	14	4.71E-02	6.07E-08	1.0E+06	6.1E-02
12	12	4.41288	3.39E-05	1.5E-04	6.05E-04	9.05E-08	14	4.71E-02	5.97E-08	1.0E+06	6.0E-02
13	13	4.31862	3.39E-05	1.5E-04	6.05E-04	8.86E-08	14	4.71E-02	5.84E-08	1.0E+06	5.8E-02
14	14	4.16773	3.39E-05	1.4E-04	6.05E-04	8.55E-08	14	4.71E-02	5.64E-08	1.0E+06	5.6E-02
15	15	3.96908	3.39E-05	1.3E-04	6.05E-04	8.14E-08	14	4.71E-02	5.37E-08	1.0E+06	5.4E-02
16	16	3.6978	3.39E-05	1.3E-04	6.05E-04	7.58E-08	14	4.71E-02	5.00E-08	1.0E+06	5.0E-02
17	17	3.39502	3.39E-05	1.2E-04	6.05E-04	6.96E-08	14	4.71E-02	4.59E-08	1.0E+06	4.6E-02
18	18	3.04671	3.39E-05	1.0E-04	6.05E-04	6.25E-08	14	4.71E-02	4.12E-08	1.0E+06	4.1E-02
19	19	2.6957	3.39E-05	9.1E-05	6.05E-04	5.53E-08	14	4.71E-02	3.65E-08	1.0E+06	3.6E-02
20	20	2.34854	3.39E-05	8.0E-05	6.05E-04	4.82E-08	14	4.71E-02	3.18E-08	1.0E+06	3.2E-02
21	21	2.00958	3.39E-05	6.8E-05	6.05E-04	4.12E-08	14	4.71E-02	2.72E-08	1.0E+06	2.7E-02
22	22	1.69878	3.39E-05	5.8E-05	6.05E-04	3.48E-08	14	4.71E-02	2.30E-08	1.0E+06	2.3E-02
23	23	1.42711	3.39E-05	4.8E-05	6.05E-04	2.93E-08	14	4.71E-02	1.93E-08	1.0E+06	1.9E-02
24	24	1.20007	3.39E-05	4.1E-05	6.05E-04	2.46E-08	14	4.71E-02	1.62E-08	1.0E+06	1.6E-02
25	25	1.01531	3.39E-05	3.4E-05	6.05E-04	2.08E-08	14	4.71E-02	1.37E-08	1.0E+06	1.4E-02
26	26	0.86626	3.39E-05	2.9E-05	6.05E-04	1.78E-08	14	4.71E-02	1.17E-08	1.0E+06	1.2E-02
27	27	0.74618	3.39E-05	2.5E-05	6.05E-04	1.53E-08	14	4.71E-02	1.01E-08	1.0E+06	1.0E-02
28	28	0.64876	3.39E-05	2.2E-05	6.05E-04	1.33E-08	14	4.71E-02	8.78E-09	1.0E+06	8.8E-03
29	29	0.56951	3.39E-05	1.9E-05	6.05E-04	1.17E-08	14	4.71E-02	7.71E-09	1.0E+06	7.7E-03
30	30	0.50438	3.39E-05	1.7E-05	6.05E-04	1.03E-08	14	4.71E-02	6.83E-09	1.0E+06	6.8E-03
31	31	0.4502	3.39E-05	1.5E-05	6.05E-04	9.23E-09	14	4.71E-02	6.09E-09	1.0E+06	6.1E-03

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.40464	3.39E-05	1.4E-05	6.05E-04	8.30E-09	14	4.71E-02	5.48E-09	1.0E+06	5.5E-03
55	55	1.76867	3.39E-05	6.0E-05	6.05E-04	3.63E-08	14	4.71E-02	2.39E-08	1.0E+06	2.4E-02
56	56	1.42537	3.39E-05	4.8E-05	6.05E-04	2.92E-08	14	4.71E-02	1.93E-08	1.0E+06	1.9E-02
57	57	1.16684	3.39E-05	4.0E-05	6.05E-04	2.39E-08	14	4.71E-02	1.58E-08	1.0E+06	1.6E-02
58	58	0.96993	3.39E-05	3.3E-05	6.05E-04	1.99E-08	14	4.71E-02	1.31E-08	1.0E+06	1.3E-02
59	59	0.81851	3.39E-05	2.8E-05	6.05E-04	1.68E-08	14	4.71E-02	1.11E-08	1.0E+06	1.1E-02
60	60	0.7008	3.39E-05	2.4E-05	6.05E-04	1.44E-08	14	4.71E-02	9.48E-09	1.0E+06	9.5E-03
61	61	0.60858	3.39E-05	2.1E-05	6.05E-04	1.25E-08	14	4.71E-02	8.24E-09	1.0E+06	8.2E-03
62	62	0.53439	3.39E-05	1.8E-05	6.05E-04	1.10E-08	14	4.71E-02	7.23E-09	1.0E+06	7.2E-03
63	63	0.47416	3.39E-05	1.6E-05	6.05E-04	9.72E-09	14	4.71E-02	6.42E-09	1.0E+06	6.4E-03
64	64	0.42431	3.39E-05	1.4E-05	6.05E-04	8.70E-09	14	4.71E-02	5.74E-09	1.0E+06	5.7E-03
65	65	0.3825	3.39E-05	1.3E-05	6.05E-04	7.84E-09	14	4.71E-02	5.18E-09	1.0E+06	5.2E-03
66	66	0.34757	3.39E-05	1.2E-05	6.05E-04	7.13E-09	14	4.71E-02	4.70E-09	1.0E+06	4.7E-03
67	67	7.74018	3.39E-05	2.6E-04	6.05E-04	1.59E-07	14	4.71E-02	1.05E-07	1.0E+06	1.0E-01
68	68	6.36194	3.39E-05	2.2E-04	6.05E-04	1.30E-07	14	4.71E-02	8.61E-08	1.0E+06	8.6E-02
69	69	7.55667	3.39E-05	2.6E-04	6.05E-04	1.55E-07	14	4.71E-02	1.02E-07	1.0E+06	1.0E-01
70	70	7.586	3.39E-05	2.6E-04	6.05E-04	1.56E-07	14	4.71E-02	1.03E-07	1.0E+06	1.0E-01
71	71	7.42025	3.39E-05	2.5E-04	6.05E-04	1.52E-07	14	4.71E-02	1.00E-07	1.0E+06	1.0E-01
72	72	8.46186	3.39E-05	2.9E-04	6.05E-04	1.74E-07	14	4.71E-02	1.15E-07	1.0E+06	1.1E-01
73	73	5.65296	3.39E-05	1.9E-04	6.05E-04	1.16E-07	14	4.71E-02	7.65E-08	1.0E+06	7.7E-02
74	74	7.68909	3.39E-05	2.6E-04	6.05E-04	1.58E-07	14	4.71E-02	1.04E-07	1.0E+06	1.0E-01
75	75	7.81836	3.39E-05	2.6E-04	6.05E-04	1.60E-07	14	4.71E-02	1.06E-07	1.0E+06	1.1E-01
76	76	8.36943	3.39E-05	2.8E-04	6.05E-04	1.72E-07	14	4.71E-02	1.13E-07	1.0E+06	1.1E-01
77	77	7.51341	3.39E-05	2.5E-04	6.05E-04	1.54E-07	14	4.71E-02	1.02E-07	1.0E+06	1.0E-01
78	78	7.60375	3.39E-05	2.6E-04	6.05E-04	1.56E-07	14	4.71E-02	1.03E-07	1.0E+06	1.0E-01
79	79	7.01814	3.39E-05	2.4E-04	6.05E-04	1.44E-07	14	4.71E-02	9.50E-08	1.0E+06	9.5E-02
80	80	5.7242	3.39E-05	1.9E-04	6.05E-04	1.17E-07	14	4.71E-02	7.75E-08	1.0E+06	7.7E-02
81	81	4.35949	3.39E-05	1.5E-04	6.05E-04	8.94E-08	14	4.71E-02	5.90E-08	1.0E+06	5.9E-02
82	82	3.16013	3.39E-05	1.1E-04	6.05E-04	6.48E-08	14	4.71E-02	4.28E-08	1.0E+06	4.3E-02
83	83	2.31491	3.39E-05	7.8E-05	6.05E-04	4.75E-08	14	4.71E-02	3.13E-08	1.0E+06	3.1E-02
84	84	1.74102	3.39E-05	5.9E-05	6.05E-04	3.57E-08	14	4.71E-02	2.36E-08	1.0E+06	2.4E-02

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	85	1.35664	3.39E-05	4.6E-05	6.05E-04	2.78E-08	14	4.71E-02	1.84E-08	1.0E+06	1.8E-02
86	86	1.09071	3.39E-05	3.7E-05	6.05E-04	2.24E-08	14	4.71E-02	1.48E-08	1.0E+06	1.5E-02
87	87	0.89966	3.39E-05	3.0E-05	6.05E-04	1.84E-08	14	4.71E-02	1.22E-08	1.0E+06	1.2E-02
88	88	0.75857	3.39E-05	2.6E-05	6.05E-04	1.56E-08	14	4.71E-02	1.03E-08	1.0E+06	1.0E-02
89	89	0.65072	3.39E-05	2.2E-05	6.05E-04	1.33E-08	14	4.71E-02	8.81E-09	1.0E+06	8.8E-03
90	90	0.56664	3.39E-05	1.9E-05	6.05E-04	1.16E-08	14	4.71E-02	7.67E-09	1.0E+06	7.7E-03
91	91	0.50003	3.39E-05	1.7E-05	6.05E-04	1.03E-08	14	4.71E-02	6.77E-09	1.0E+06	6.8E-03
92	92	0.44527	3.39E-05	1.5E-05	6.05E-04	9.13E-09	14	4.71E-02	6.03E-09	1.0E+06	6.0E-03
93	93	0.40044	3.39E-05	1.4E-05	6.05E-04	8.21E-09	14	4.71E-02	5.42E-09	1.0E+06	5.4E-03
96	96	0.98832	3.39E-05	3.3E-05	6.05E-04	2.03E-08	14	4.71E-02	1.34E-08	1.0E+06	1.3E-02
97	97	0.81252	3.39E-05	2.8E-05	6.05E-04	1.67E-08	14	4.71E-02	1.10E-08	1.0E+06	1.1E-02
98	98	0.69658	3.39E-05	2.4E-05	6.05E-04	1.43E-08	14	4.71E-02	9.43E-09	1.0E+06	9.4E-03
99	99	0.60271	3.39E-05	2.0E-05	6.05E-04	1.24E-08	14	4.71E-02	8.16E-09	1.0E+06	8.2E-03
100	100	0.52846	3.39E-05	1.8E-05	6.05E-04	1.08E-08	14	4.71E-02	7.15E-09	1.0E+06	7.2E-03
101	101	0.4687	3.39E-05	1.6E-05	6.05E-04	9.61E-09	14	4.71E-02	6.34E-09	1.0E+06	6.3E-03
102	102	0.42047	3.39E-05	1.4E-05	6.05E-04	8.62E-09	14	4.71E-02	5.69E-09	1.0E+06	5.7E-03
106	106	4.62375	3.39E-05	1.6E-04	6.05E-04	9.48E-08	14	4.71E-02	6.26E-08	1.0E+06	6.3E-02
107	107	5.54336	3.39E-05	1.9E-04	6.05E-04	1.14E-07	14	4.71E-02	7.50E-08	1.0E+06	7.5E-02
108	108	5.34166	3.39E-05	1.8E-04	6.05E-04	1.10E-07	14	4.71E-02	7.23E-08	1.0E+06	7.2E-02
109	109	5.14682	3.39E-05	1.7E-04	6.05E-04	1.06E-07	14	4.71E-02	6.97E-08	1.0E+06	7.0E-02
110	110	5.16406	3.39E-05	1.7E-04	6.05E-04	1.06E-07	14	4.71E-02	6.99E-08	1.0E+06	7.0E-02
111	111	8.21374	3.39E-05	2.8E-04	6.05E-04	1.68E-07	14	4.71E-02	1.11E-07	1.0E+06	1.1E-01
112	112	5.02987	3.39E-05	1.7E-04	6.05E-04	1.03E-07	14	4.71E-02	6.81E-08	1.0E+06	6.8E-02
113	113	5.02548	3.39E-05	1.7E-04	6.05E-04	1.03E-07	14	4.71E-02	6.80E-08	1.0E+06	6.8E-02
114	114	5.32097	3.39E-05	1.8E-04	6.05E-04	1.09E-07	14	4.71E-02	7.20E-08	1.0E+06	7.2E-02
115	115	7.94733	3.39E-05	2.7E-04	6.05E-04	1.63E-07	14	4.71E-02	1.08E-07	1.0E+06	1.1E-01
116	116	4.68541	3.39E-05	1.6E-04	6.05E-04	9.61E-08	14	4.71E-02	6.34E-08	1.0E+06	6.3E-02
117	117	4.82365	3.39E-05	1.6E-04	6.05E-04	9.89E-08	14	4.71E-02	6.53E-08	1.0E+06	6.5E-02
118	118	7.75923	3.39E-05	2.6E-04	6.05E-04	1.59E-07	14	4.71E-02	1.05E-07	1.0E+06	1.1E-01
124	124	6.11924	3.39E-05	2.1E-04	6.05E-04	1.25E-07	14	4.71E-02	8.28E-08	1.0E+06	8.3E-02
125	125	9.35725	3.39E-05	3.2E-04	6.05E-04	1.92E-07	14	4.71E-02	1.27E-07	1.0E+06	1.3E-01

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
126	126	8.7369	3.39E-05	3.0E-04	6.05E-04	1.79E-07	14	4.71E-02	1.18E-07	1.0E+06	1.2E-01
127	127	8.45661	3.39E-05	2.9E-04	6.05E-04	1.73E-07	14	4.71E-02	1.14E-07	1.0E+06	1.1E-01
128	128	8.42365	3.39E-05	2.9E-04	6.05E-04	1.73E-07	14	4.71E-02	1.14E-07	1.0E+06	1.1E-01
129	129	8.31591	3.39E-05	2.8E-04	6.05E-04	1.71E-07	14	4.71E-02	1.13E-07	1.0E+06	1.1E-01
130	130	8.12311	3.39E-05	2.8E-04	6.05E-04	1.67E-07	14	4.71E-02	1.10E-07	1.0E+06	1.1E-01
131	131	7.89783	3.39E-05	2.7E-04	6.05E-04	1.62E-07	14	4.71E-02	1.07E-07	1.0E+06	1.1E-01
132	132	7.77169	3.39E-05	2.6E-04	6.05E-04	1.59E-07	14	4.71E-02	1.05E-07	1.0E+06	1.1E-01
133	133	7.59757	3.39E-05	2.6E-04	6.05E-04	1.56E-07	14	4.71E-02	1.03E-07	1.0E+06	1.0E-01
134	134	7.55104	3.39E-05	2.6E-04	6.05E-04	1.55E-07	14	4.71E-02	1.02E-07	1.0E+06	1.0E-01
135	135	7.4838	3.39E-05	2.5E-04	6.05E-04	1.53E-07	14	4.71E-02	1.01E-07	1.0E+06	1.0E-01
136	136	7.52552	3.39E-05	2.6E-04	6.05E-04	1.54E-07	14	4.71E-02	1.02E-07	1.0E+06	1.0E-01
137	137	7.60435	3.39E-05	2.6E-04	6.05E-04	1.56E-07	14	4.71E-02	1.03E-07	1.0E+06	1.0E-01
138	138	7.86768	3.39E-05	2.7E-04	6.05E-04	1.61E-07	14	4.71E-02	1.06E-07	1.0E+06	1.1E-01
141	141	5.56898	3.39E-05	1.9E-04	6.05E-04	1.14E-07	14	4.71E-02	7.54E-08	1.0E+06	7.5E-02
142	142	5.55402	3.39E-05	1.9E-04	6.05E-04	1.14E-07	14	4.71E-02	7.52E-08	1.0E+06	7.5E-02
143	143	5.45142	3.39E-05	1.8E-04	6.05E-04	1.12E-07	14	4.71E-02	7.38E-08	1.0E+06	7.4E-02
144	144	5.39118	3.39E-05	1.8E-04	6.05E-04	1.11E-07	14	4.71E-02	7.30E-08	1.0E+06	7.3E-02
145	145	5.37199	3.39E-05	1.8E-04	6.05E-04	1.10E-07	14	4.71E-02	7.27E-08	1.0E+06	7.3E-02
146	146	5.32162	3.39E-05	1.8E-04	6.05E-04	1.09E-07	14	4.71E-02	7.20E-08	1.0E+06	7.2E-02
147	147	5.29223	3.39E-05	1.8E-04	6.05E-04	1.09E-07	14	4.71E-02	7.16E-08	1.0E+06	7.2E-02
148	148	5.22669	3.39E-05	1.8E-04	6.05E-04	1.07E-07	14	4.71E-02	7.07E-08	1.0E+06	7.1E-02
149	149	5.17377	3.39E-05	1.8E-04	6.05E-04	1.06E-07	14	4.71E-02	7.00E-08	1.0E+06	7.0E-02
150	150	5.11162	3.39E-05	1.7E-04	6.05E-04	1.05E-07	14	4.71E-02	6.92E-08	1.0E+06	6.9E-02
151	151	5.06933	3.39E-05	1.7E-04	6.05E-04	1.04E-07	14	4.71E-02	6.86E-08	1.0E+06	6.9E-02
152	152	5.04246	3.39E-05	1.7E-04	6.05E-04	1.03E-07	14	4.71E-02	6.82E-08	1.0E+06	6.8E-02
153	153	5.04082	3.39E-05	1.7E-04	6.05E-04	1.03E-07	14	4.71E-02	6.82E-08	1.0E+06	6.8E-02
154	154	5.01468	3.39E-05	1.7E-04	6.05E-04	1.03E-07	14	4.71E-02	6.79E-08	1.0E+06	6.8E-02
155	155	5.02952	3.39E-05	1.7E-04	6.05E-04	1.03E-07	14	4.71E-02	6.81E-08	1.0E+06	6.8E-02
164	164	3.65442	3.39E-05	1.2E-04	6.05E-04	7.49E-08	14	4.71E-02	4.95E-08	1.0E+06	4.9E-02
165	165	3.60826	3.39E-05	1.2E-04	6.05E-04	7.40E-08	14	4.71E-02	4.88E-08	1.0E+06	4.9E-02
166	166	3.58192	3.39E-05	1.2E-04	6.05E-04	7.34E-08	14	4.71E-02	4.85E-08	1.0E+06	4.8E-02

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	2.81362	3.39E-05	9.5E-05	6.05E-04	5.77E-08	14	4.71E-02	3.81E-08	1.0E+06	3.8E-02
179	179	2.75924	3.39E-05	9.4E-05	6.05E-04	5.66E-08	14	4.71E-02	3.73E-08	1.0E+06	3.7E-02
180	180	2.69882	3.39E-05	9.1E-05	6.05E-04	5.53E-08	14	4.71E-02	3.65E-08	1.0E+06	3.7E-02
192	192	2.25421	3.39E-05	7.6E-05	6.05E-04	4.62E-08	14	4.71E-02	3.05E-08	1.0E+06	3.1E-02
193	193	2.20371	3.39E-05	7.5E-05	6.05E-04	4.52E-08	14	4.71E-02	2.98E-08	1.0E+06	3.0E-02
194	194	2.1332	3.39E-05	7.2E-05	6.05E-04	4.37E-08	14	4.71E-02	2.89E-08	1.0E+06	2.9E-02
207	207	1.85459	3.39E-05	6.3E-05	6.05E-04	3.80E-08	14	4.71E-02	2.51E-08	1.0E+06	2.5E-02
208	208	1.8069	3.39E-05	6.1E-05	6.05E-04	3.70E-08	14	4.71E-02	2.45E-08	1.0E+06	2.4E-02
209	209	1.74437	3.39E-05	5.9E-05	6.05E-04	3.58E-08	14	4.71E-02	2.36E-08	1.0E+06	2.4E-02
223	223	1.55944	3.39E-05	5.3E-05	6.05E-04	3.20E-08	14	4.71E-02	2.11E-08	1.0E+06	2.1E-02
224	224	1.51594	3.39E-05	5.1E-05	6.05E-04	3.11E-08	14	4.71E-02	2.05E-08	1.0E+06	2.1E-02
225	225	1.45829	3.39E-05	4.9E-05	6.05E-04	2.99E-08	14	4.71E-02	1.97E-08	1.0E+06	2.0E-02
239	239	1.33496	3.39E-05	4.5E-05	6.05E-04	2.74E-08	14	4.71E-02	1.81E-08	1.0E+06	1.8E-02
240	240	1.29613	3.39E-05	4.4E-05	6.05E-04	2.66E-08	14	4.71E-02	1.75E-08	1.0E+06	1.8E-02
241	241	1.24735	3.39E-05	4.2E-05	6.05E-04	2.56E-08	14	4.71E-02	1.69E-08	1.0E+06	1.7E-02
255	255	1.15814	3.39E-05	3.9E-05	6.05E-04	2.37E-08	14	4.71E-02	1.57E-08	1.0E+06	1.6E-02
256	256	1.12412	3.39E-05	3.8E-05	6.05E-04	2.30E-08	14	4.71E-02	1.52E-08	1.0E+06	1.5E-02
272	272	1.01551	3.39E-05	3.4E-05	6.05E-04	2.08E-08	14	4.71E-02	1.37E-08	1.0E+06	1.4E-02
273	273	0.98665	3.39E-05	3.3E-05	6.05E-04	2.02E-08	14	4.71E-02	1.34E-08	1.0E+06	1.3E-02
289	289	0.8997	3.39E-05	3.0E-05	6.05E-04	1.84E-08	14	4.71E-02	1.22E-08	1.0E+06	1.2E-02
290	290	0.87447	3.39E-05	3.0E-05	6.05E-04	1.79E-08	14	4.71E-02	1.18E-08	1.0E+06	1.2E-02
306	306	0.80343	3.39E-05	2.7E-05	6.05E-04	1.65E-08	14	4.71E-02	1.09E-08	1.0E+06	1.1E-02
307	307	0.78154	3.39E-05	2.6E-05	6.05E-04	1.60E-08	14	4.71E-02	1.06E-08	1.0E+06	1.1E-02
323	323	0.72252	3.39E-05	2.4E-05	6.05E-04	1.48E-08	14	4.71E-02	9.78E-09	1.0E+06	9.8E-03
324	324	0.7035	3.39E-05	2.4E-05	6.05E-04	1.44E-08	14	4.71E-02	9.52E-09	1.0E+06	9.5E-03
342	342	0.65386	3.39E-05	2.2E-05	6.05E-04	1.34E-08	14	4.71E-02	8.85E-09	1.0E+06	8.8E-03
343	343	0.63731	3.39E-05	2.2E-05	6.05E-04	1.31E-08	14	4.71E-02	8.62E-09	1.0E+06	8.6E-03
344	344	0.61718	3.39E-05	2.1E-05	6.05E-04	1.27E-08	14	4.71E-02	8.35E-09	1.0E+06	8.4E-03
356	356	0.59491	3.39E-05	2.0E-05	6.05E-04	1.22E-08	14	4.71E-02	8.05E-09	1.0E+06	8.1E-03
357	357	0.58031	3.39E-05	2.0E-05	6.05E-04	1.19E-08	14	4.71E-02	7.85E-09	1.0E+06	7.9E-03
358	358	0.563	3.39E-05	1.9E-05	6.05E-04	1.15E-08	14	4.71E-02	7.62E-09	1.0E+06	7.6E-03

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	0.54401	3.39E-05	1.8E-05	6.05E-04	1.12E-08	14	4.71E-02	7.36E-09	1.0E+06	7.4E-03
371	371	0.5312	3.39E-05	1.8E-05	6.05E-04	1.09E-08	14	4.71E-02	7.19E-09	1.0E+06	7.2E-03
372	372	0.51609	3.39E-05	1.7E-05	6.05E-04	1.06E-08	14	4.71E-02	6.98E-09	1.0E+06	7.0E-03
383	383	0.49965	3.39E-05	1.7E-05	6.05E-04	1.02E-08	14	4.71E-02	6.76E-09	1.0E+06	6.8E-03
384	384	0.48842	3.39E-05	1.7E-05	6.05E-04	1.00E-08	14	4.71E-02	6.61E-09	1.0E+06	6.6E-03
385	385	0.47517	3.39E-05	1.6E-05	6.05E-04	9.74E-09	14	4.71E-02	6.43E-09	1.0E+06	6.4E-03
396	396	0.46078	3.39E-05	1.6E-05	6.05E-04	9.45E-09	14	4.71E-02	6.24E-09	1.0E+06	6.2E-03
397	397	0.4509	3.39E-05	1.5E-05	6.05E-04	9.25E-09	14	4.71E-02	6.10E-09	1.0E+06	6.1E-03
398	398	0.43924	3.39E-05	1.5E-05	6.05E-04	9.01E-09	14	4.71E-02	5.94E-09	1.0E+06	5.9E-03
399	399	0.42587	3.39E-05	1.4E-05	6.05E-04	8.73E-09	14	4.71E-02	5.76E-09	1.0E+06	5.8E-03
411	411	0.42646	3.39E-05	1.4E-05	6.05E-04	8.74E-09	14	4.71E-02	5.77E-09	1.0E+06	5.8E-03
412	412	0.41775	3.39E-05	1.4E-05	6.05E-04	8.57E-09	14	4.71E-02	5.65E-09	1.0E+06	5.7E-03
413	413	0.40757	3.39E-05	1.4E-05	6.05E-04	8.36E-09	14	4.71E-02	5.52E-09	1.0E+06	5.5E-03
414	414	0.39571	3.39E-05	1.3E-05	6.05E-04	8.11E-09	14	4.71E-02	5.36E-09	1.0E+06	5.4E-03
426	426	0.39606	3.39E-05	1.3E-05	6.05E-04	8.12E-09	14	4.71E-02	5.36E-09	1.0E+06	5.4E-03
427	427	0.38838	3.39E-05	1.3E-05	6.05E-04	7.96E-09	14	4.71E-02	5.26E-09	1.0E+06	5.3E-03
428	428	0.37925	3.39E-05	1.3E-05	6.05E-04	7.78E-09	14	4.71E-02	5.13E-09	1.0E+06	5.1E-03
429	429	0.36885	3.39E-05	1.2E-05	6.05E-04	7.56E-09	14	4.71E-02	4.99E-09	1.0E+06	5.0E-03
439	439	0.36892	3.39E-05	1.3E-05	6.05E-04	7.56E-09	14	4.71E-02	4.99E-09	1.0E+06	5.0E-03
440	440	0.36214	3.39E-05	1.2E-05	6.05E-04	7.43E-09	14	4.71E-02	4.90E-09	1.0E+06	4.9E-03
441	441	0.3541	3.39E-05	1.2E-05	6.05E-04	7.26E-09	14	4.71E-02	4.79E-09	1.0E+06	4.8E-03
442	442	0.34486	3.39E-05	1.2E-05	6.05E-04	7.07E-09	14	4.71E-02	4.67E-09	1.0E+06	4.7E-03
443	443	0.33451	3.39E-05	1.1E-05	6.05E-04	6.86E-09	14	4.71E-02	4.53E-09	1.0E+06	4.5E-03
454	454	0.34464	3.39E-05	1.2E-05	6.05E-04	7.07E-09	14	4.71E-02	4.66E-09	1.0E+06	4.7E-03
455	455	0.33864	3.39E-05	1.1E-05	6.05E-04	6.94E-09	14	4.71E-02	4.58E-09	1.0E+06	4.6E-03
456	456	0.33151	3.39E-05	1.1E-05	6.05E-04	6.80E-09	14	4.71E-02	4.49E-09	1.0E+06	4.5E-03
457	457	0.3233	3.39E-05	1.1E-05	6.05E-04	6.63E-09	14	4.71E-02	4.38E-09	1.0E+06	4.4E-03
458	458	0.31409	3.39E-05	1.1E-05	6.05E-04	6.44E-09	14	4.71E-02	4.25E-09	1.0E+06	4.3E-03
469	469	0.32277	3.39E-05	1.1E-05	6.05E-04	6.62E-09	14	4.71E-02	4.37E-09	1.0E+06	4.4E-03
470	470	0.31743	3.39E-05	1.1E-05	6.05E-04	6.51E-09	14	4.71E-02	4.30E-09	1.0E+06	4.3E-03
471	471	0.3111	3.39E-05	1.1E-05	6.05E-04	6.38E-09	14	4.71E-02	4.21E-09	1.0E+06	4.2E-03

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	0.30378	3.39E-05	1.0E-05	6.05E-04	6.23E-09	14	4.71E-02	4.11E-09	1.0E+06	4.1E-03
473	473	0.29556	3.39E-05	1.0E-05	6.05E-04	6.06E-09	14	4.71E-02	4.00E-09	1.0E+06	4.0E-03
489	489	0.30307	3.39E-05	1.0E-05	6.05E-04	6.21E-09	14	4.71E-02	4.10E-09	1.0E+06	4.1E-03
490	490	0.29834	3.39E-05	1.0E-05	6.05E-04	6.12E-09	14	4.71E-02	4.04E-09	1.0E+06	4.0E-03
491	491	0.29269	3.39E-05	9.9E-06	6.05E-04	6.00E-09	14	4.71E-02	3.96E-09	1.0E+06	4.0E-03
492	492	0.28616	3.39E-05	9.7E-06	6.05E-04	5.87E-09	14	4.71E-02	3.87E-09	1.0E+06	3.9E-03
493	493	0.27881	3.39E-05	9.4E-06	6.05E-04	5.72E-09	14	4.71E-02	3.77E-09	1.0E+06	3.8E-03
494	494	0.27071	3.39E-05	9.2E-06	6.05E-04	5.55E-09	14	4.71E-02	3.66E-09	1.0E+06	3.7E-03
509	509	0.28517	3.39E-05	9.7E-06	6.05E-04	5.85E-09	14	4.71E-02	3.86E-09	1.0E+06	3.9E-03
510	510	0.28098	3.39E-05	9.5E-06	6.05E-04	5.76E-09	14	4.71E-02	3.80E-09	1.0E+06	3.8E-03
511	511	0.27591	3.39E-05	9.3E-06	6.05E-04	5.66E-09	14	4.71E-02	3.73E-09	1.0E+06	3.7E-03
512	512	0.27007	3.39E-05	9.2E-06	6.05E-04	5.54E-09	14	4.71E-02	3.65E-09	1.0E+06	3.7E-03
513	513	0.26351	3.39E-05	8.9E-06	6.05E-04	5.40E-09	14	4.71E-02	3.57E-09	1.0E+06	3.6E-03
514	514	0.25622	3.39E-05	8.7E-06	6.05E-04	5.25E-09	14	4.71E-02	3.47E-09	1.0E+06	3.5E-03
515	515	0.23993	3.39E-05	8.1E-06	6.05E-04	4.92E-09	14	4.71E-02	3.25E-09	1.0E+06	3.2E-03
516	516	0.23116	3.39E-05	7.8E-06	6.05E-04	4.74E-09	14	4.71E-02	3.13E-09	1.0E+06	3.1E-03
517	517	0.22207	3.39E-05	7.5E-06	6.05E-04	4.55E-09	14	4.71E-02	3.01E-09	1.0E+06	3.0E-03
518	518	0.21284	3.39E-05	7.2E-06	6.05E-04	4.36E-09	14	4.71E-02	2.88E-09	1.0E+06	2.9E-03
519	519	0.20359	3.39E-05	6.9E-06	6.05E-04	4.17E-09	14	4.71E-02	2.76E-09	1.0E+06	2.8E-03
528	528	0.2689	3.39E-05	9.1E-06	6.05E-04	5.51E-09	14	4.71E-02	3.64E-09	1.0E+06	3.6E-03
529	529	0.26517	3.39E-05	9.0E-06	6.05E-04	5.44E-09	14	4.71E-02	3.59E-09	1.0E+06	3.6E-03
530	530	0.26066	3.39E-05	8.8E-06	6.05E-04	5.34E-09	14	4.71E-02	3.53E-09	1.0E+06	3.5E-03
531	531	0.25541	3.39E-05	8.7E-06	6.05E-04	5.24E-09	14	4.71E-02	3.46E-09	1.0E+06	3.5E-03
532	532	0.2495	3.39E-05	8.5E-06	6.05E-04	5.12E-09	14	4.71E-02	3.38E-09	1.0E+06	3.4E-03
533	533	0.24295	3.39E-05	8.2E-06	6.05E-04	4.98E-09	14	4.71E-02	3.29E-09	1.0E+06	3.3E-03
534	534	0.22827	3.39E-05	7.7E-06	6.05E-04	4.68E-09	14	4.71E-02	3.09E-09	1.0E+06	3.1E-03
535	535	0.2203	3.39E-05	7.5E-06	6.05E-04	4.52E-09	14	4.71E-02	2.98E-09	1.0E+06	3.0E-03
536	536	0.21203	3.39E-05	7.2E-06	6.05E-04	4.35E-09	14	4.71E-02	2.87E-09	1.0E+06	2.9E-03
537	537	0.20363	3.39E-05	6.9E-06	6.05E-04	4.18E-09	14	4.71E-02	2.76E-09	1.0E+06	2.8E-03
538	538	0.19519	3.39E-05	6.6E-06	6.05E-04	4.00E-09	14	4.71E-02	2.64E-09	1.0E+06	2.6E-03
547	547	0.25407	3.39E-05	8.6E-06	6.05E-04	5.21E-09	14	4.71E-02	3.44E-09	1.0E+06	3.4E-03

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.25075	3.39E-05	8.5E-06	6.05E-04	5.14E-09	14	4.71E-02	3.39E-09	1.0E+06	3.4E-03
549	549	0.24669	3.39E-05	8.4E-06	6.05E-04	5.06E-09	14	4.71E-02	3.34E-09	1.0E+06	3.3E-03
550	550	0.24201	3.39E-05	8.2E-06	6.05E-04	4.96E-09	14	4.71E-02	3.28E-09	1.0E+06	3.3E-03
551	551	0.23667	3.39E-05	8.0E-06	6.05E-04	4.85E-09	14	4.71E-02	3.20E-09	1.0E+06	3.2E-03
552	552	0.23077	3.39E-05	7.8E-06	6.05E-04	4.73E-09	14	4.71E-02	3.12E-09	1.0E+06	3.1E-03
553	553	0.22433	3.39E-05	7.6E-06	6.05E-04	4.60E-09	14	4.71E-02	3.04E-09	1.0E+06	3.0E-03
554	554	0.21747	3.39E-05	7.4E-06	6.05E-04	4.46E-09	14	4.71E-02	2.94E-09	1.0E+06	2.9E-03
555	555	0.21022	3.39E-05	7.1E-06	6.05E-04	4.31E-09	14	4.71E-02	2.84E-09	1.0E+06	2.8E-03
556	556	0.20268	3.39E-05	6.9E-06	6.05E-04	4.16E-09	14	4.71E-02	2.74E-09	1.0E+06	2.7E-03
557	557	0.19502	3.39E-05	6.6E-06	6.05E-04	4.00E-09	14	4.71E-02	2.64E-09	1.0E+06	2.6E-03
558	558	0.18727	3.39E-05	6.3E-06	6.05E-04	3.84E-09	14	4.71E-02	2.53E-09	1.0E+06	2.5E-03
559	559	0.17958	3.39E-05	6.1E-06	6.05E-04	3.68E-09	14	4.71E-02	2.43E-09	1.0E+06	2.4E-03
567	567	0.24048	3.39E-05	8.1E-06	6.05E-04	4.93E-09	14	4.71E-02	3.25E-09	1.0E+06	3.3E-03
568	568	0.23752	3.39E-05	8.0E-06	6.05E-04	4.87E-09	14	4.71E-02	3.21E-09	1.0E+06	3.2E-03
569	569	0.23391	3.39E-05	7.9E-06	6.05E-04	4.80E-09	14	4.71E-02	3.17E-09	1.0E+06	3.2E-03
570	570	0.22967	3.39E-05	7.8E-06	6.05E-04	4.71E-09	14	4.71E-02	3.11E-09	1.0E+06	3.1E-03
571	571	0.22487	3.39E-05	7.6E-06	6.05E-04	4.61E-09	14	4.71E-02	3.04E-09	1.0E+06	3.0E-03
572	572	0.21952	3.39E-05	7.4E-06	6.05E-04	4.50E-09	14	4.71E-02	2.97E-09	1.0E+06	3.0E-03
573	573	0.2137	3.39E-05	7.2E-06	6.05E-04	4.38E-09	14	4.71E-02	2.89E-09	1.0E+06	2.9E-03
574	574	0.20087	3.39E-05	6.8E-06	6.05E-04	4.12E-09	14	4.71E-02	2.72E-09	1.0E+06	2.7E-03
575	575	0.19398	3.39E-05	6.6E-06	6.05E-04	3.98E-09	14	4.71E-02	2.63E-09	1.0E+06	2.6E-03
576	576	0.18694	3.39E-05	6.3E-06	6.05E-04	3.83E-09	14	4.71E-02	2.53E-09	1.0E+06	2.5E-03
577	577	0.17983	3.39E-05	6.1E-06	6.05E-04	3.69E-09	14	4.71E-02	2.43E-09	1.0E+06	2.4E-03
578	578	0.17274	3.39E-05	5.9E-06	6.05E-04	3.54E-09	14	4.71E-02	2.34E-09	1.0E+06	2.3E-03
586	586	0.22806	3.39E-05	7.7E-06	6.05E-04	4.68E-09	14	4.71E-02	3.09E-09	1.0E+06	3.1E-03
587	587	0.22543	3.39E-05	7.6E-06	6.05E-04	4.62E-09	14	4.71E-02	3.05E-09	1.0E+06	3.1E-03
588	588	0.22217	3.39E-05	7.5E-06	6.05E-04	4.56E-09	14	4.71E-02	3.01E-09	1.0E+06	3.0E-03
589	589	0.21836	3.39E-05	7.4E-06	6.05E-04	4.48E-09	14	4.71E-02	2.96E-09	1.0E+06	3.0E-03
590	590	0.21401	3.39E-05	7.3E-06	6.05E-04	4.39E-09	14	4.71E-02	2.90E-09	1.0E+06	2.9E-03
591	591	0.20917	3.39E-05	7.1E-06	6.05E-04	4.29E-09	14	4.71E-02	2.83E-09	1.0E+06	2.8E-03
592	592	0.20387	3.39E-05	6.9E-06	6.05E-04	4.18E-09	14	4.71E-02	2.76E-09	1.0E+06	2.8E-03

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	0.19217	3.39E-05	6.5E-06	6.05E-04	3.94E-09	14	4.71E-02	2.60E-09	1.0E+06	2.6E-03
594	594	0.18587	3.39E-05	6.3E-06	6.05E-04	3.81E-09	14	4.71E-02	2.52E-09	1.0E+06	2.5E-03
595	595	0.17942	3.39E-05	6.1E-06	6.05E-04	3.68E-09	14	4.71E-02	2.43E-09	1.0E+06	2.4E-03
596	596	0.17289	3.39E-05	5.9E-06	6.05E-04	3.55E-09	14	4.71E-02	2.34E-09	1.0E+06	2.3E-03
597	597	0.16633	3.39E-05	5.6E-06	6.05E-04	3.41E-09	14	4.71E-02	2.25E-09	1.0E+06	2.3E-03
345	345	0.59411	3.39E-05	2.0E-05	6.05E-04	1.22E-08	14	4.71E-02	8.04E-09	1.0E+06	8.0E-03
346	346	0.56784	3.39E-05	1.9E-05	6.05E-04	1.16E-08	14	4.71E-02	7.68E-09	1.0E+06	7.7E-03
347	347	0.53882	3.39E-05	1.8E-05	6.05E-04	1.10E-08	14	4.71E-02	7.29E-09	1.0E+06	7.3E-03
348	348	0.50748	3.39E-05	1.7E-05	6.05E-04	1.04E-08	14	4.71E-02	6.87E-09	1.0E+06	6.9E-03
359	359	0.54307	3.39E-05	1.8E-05	6.05E-04	1.11E-08	14	4.71E-02	7.35E-09	1.0E+06	7.3E-03
360	360	0.52067	3.39E-05	1.8E-05	6.05E-04	1.07E-08	14	4.71E-02	7.05E-09	1.0E+06	7.0E-03
361	361	0.49558	3.39E-05	1.7E-05	6.05E-04	1.02E-08	14	4.71E-02	6.71E-09	1.0E+06	6.7E-03
362	362	0.46876	3.39E-05	1.6E-05	6.05E-04	9.61E-09	14	4.71E-02	6.34E-09	1.0E+06	6.3E-03
363	363	0.44032	3.39E-05	1.5E-05	6.05E-04	9.03E-09	14	4.71E-02	5.96E-09	1.0E+06	6.0E-03
373	373	0.47918	3.39E-05	1.6E-05	6.05E-04	9.83E-09	14	4.71E-02	6.48E-09	1.0E+06	6.5E-03
374	374	0.45767	3.39E-05	1.6E-05	6.05E-04	9.38E-09	14	4.71E-02	6.19E-09	1.0E+06	6.2E-03
375	375	0.43444	3.39E-05	1.5E-05	6.05E-04	8.91E-09	14	4.71E-02	5.88E-09	1.0E+06	5.9E-03
376	376	0.4099	3.39E-05	1.4E-05	6.05E-04	8.40E-09	14	4.71E-02	5.55E-09	1.0E+06	5.5E-03
386	386	0.44294	3.39E-05	1.5E-05	6.05E-04	9.08E-09	14	4.71E-02	5.99E-09	1.0E+06	6.0E-03
387	387	0.4242	3.39E-05	1.4E-05	6.05E-04	8.70E-09	14	4.71E-02	5.74E-09	1.0E+06	5.7E-03
388	388	0.40401	3.39E-05	1.4E-05	6.05E-04	8.28E-09	14	4.71E-02	5.47E-09	1.0E+06	5.5E-03
389	389	0.38263	3.39E-05	1.3E-05	6.05E-04	7.85E-09	14	4.71E-02	5.18E-09	1.0E+06	5.2E-03
390	390	0.36058	3.39E-05	1.2E-05	6.05E-04	7.39E-09	14	4.71E-02	4.88E-09	1.0E+06	4.9E-03
400	400	0.41092	3.39E-05	1.4E-05	6.05E-04	8.43E-09	14	4.71E-02	5.56E-09	1.0E+06	5.6E-03
401	401	0.39462	3.39E-05	1.3E-05	6.05E-04	8.09E-09	14	4.71E-02	5.34E-09	1.0E+06	5.3E-03
402	402	0.37685	3.39E-05	1.3E-05	6.05E-04	7.73E-09	14	4.71E-02	5.10E-09	1.0E+06	5.1E-03
403	403	0.35818	3.39E-05	1.2E-05	6.05E-04	7.34E-09	14	4.71E-02	4.85E-09	1.0E+06	4.8E-03
404	404	0.33888	3.39E-05	1.1E-05	6.05E-04	6.95E-09	14	4.71E-02	4.59E-09	1.0E+06	4.6E-03
415	415	0.38255	3.39E-05	1.3E-05	6.05E-04	7.84E-09	14	4.71E-02	5.18E-09	1.0E+06	5.2E-03
416	416	0.36813	3.39E-05	1.2E-05	6.05E-04	7.55E-09	14	4.71E-02	4.98E-09	1.0E+06	5.0E-03
417	417	0.3526	3.39E-05	1.2E-05	6.05E-04	7.23E-09	14	4.71E-02	4.77E-09	1.0E+06	4.8E-03

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
418	418	0.33603	3.39E-05	1.1E-05	6.05E-04	6.89E-09	14	4.71E-02	4.55E-09	1.0E+06	4.5E-03
419	419	0.31887	3.39E-05	1.1E-05	6.05E-04	6.54E-09	14	4.71E-02	4.32E-09	1.0E+06	4.3E-03
420	420	0.30188	3.39E-05	1.0E-05	6.05E-04	6.19E-09	14	4.71E-02	4.09E-09	1.0E+06	4.1E-03
430	430	0.34453	3.39E-05	1.2E-05	6.05E-04	7.06E-09	14	4.71E-02	4.66E-09	1.0E+06	4.7E-03
431	431	0.33066	3.39E-05	1.1E-05	6.05E-04	6.78E-09	14	4.71E-02	4.47E-09	1.0E+06	4.5E-03
432	432	0.31604	3.39E-05	1.1E-05	6.05E-04	6.48E-09	14	4.71E-02	4.28E-09	1.0E+06	4.3E-03
433	433	0.30089	3.39E-05	1.0E-05	6.05E-04	6.17E-09	14	4.71E-02	4.07E-09	1.0E+06	4.1E-03
434	434	0.28555	3.39E-05	9.7E-06	6.05E-04	5.86E-09	14	4.71E-02	3.86E-09	1.0E+06	3.9E-03
444	444	0.32316	3.39E-05	1.1E-05	6.05E-04	6.63E-09	14	4.71E-02	4.37E-09	1.0E+06	4.4E-03
445	445	0.31097	3.39E-05	1.1E-05	6.05E-04	6.38E-09	14	4.71E-02	4.21E-09	1.0E+06	4.2E-03
446	446	0.29796	3.39E-05	1.0E-05	6.05E-04	6.11E-09	14	4.71E-02	4.03E-09	1.0E+06	4.0E-03
447	447	0.28444	3.39E-05	9.6E-06	6.05E-04	5.83E-09	14	4.71E-02	3.85E-09	1.0E+06	3.8E-03
448	448	0.27072	3.39E-05	9.2E-06	6.05E-04	5.55E-09	14	4.71E-02	3.66E-09	1.0E+06	3.7E-03
459	459	0.29308	3.39E-05	9.9E-06	6.05E-04	6.01E-09	14	4.71E-02	3.97E-09	1.0E+06	4.0E-03
460	460	0.2815	3.39E-05	9.5E-06	6.05E-04	5.77E-09	14	4.71E-02	3.81E-09	1.0E+06	3.8E-03
461	461	0.26944	3.39E-05	9.1E-06	6.05E-04	5.52E-09	14	4.71E-02	3.65E-09	1.0E+06	3.6E-03
462	462	0.25712	3.39E-05	8.7E-06	6.05E-04	5.27E-09	14	4.71E-02	3.48E-09	1.0E+06	3.5E-03
463	463	0.24477	3.39E-05	8.3E-06	6.05E-04	5.02E-09	14	4.71E-02	3.31E-09	1.0E+06	3.3E-03
474	474	0.27683	3.39E-05	9.4E-06	6.05E-04	5.68E-09	14	4.71E-02	3.75E-09	1.0E+06	3.7E-03
475	475	0.26647	3.39E-05	9.0E-06	6.05E-04	5.46E-09	14	4.71E-02	3.61E-09	1.0E+06	3.6E-03
476	476	0.25561	3.39E-05	8.7E-06	6.05E-04	5.24E-09	14	4.71E-02	3.46E-09	1.0E+06	3.5E-03
477	477	0.24454	3.39E-05	8.3E-06	6.05E-04	5.01E-09	14	4.71E-02	3.31E-09	1.0E+06	3.3E-03
478	478	0.23336	3.39E-05	7.9E-06	6.05E-04	4.78E-09	14	4.71E-02	3.16E-09	1.0E+06	3.2E-03
495	495	0.26194	3.39E-05	8.9E-06	6.05E-04	5.37E-09	14	4.71E-02	3.54E-09	1.0E+06	3.5E-03
496	496	0.25265	3.39E-05	8.6E-06	6.05E-04	5.18E-09	14	4.71E-02	3.42E-09	1.0E+06	3.4E-03
497	497	0.24289	3.39E-05	8.2E-06	6.05E-04	4.98E-09	14	4.71E-02	3.29E-09	1.0E+06	3.3E-03
498	498	0.23287	3.39E-05	7.9E-06	6.05E-04	4.77E-09	14	4.71E-02	3.15E-09	1.0E+06	3.2E-03
499	499	0.22273	3.39E-05	7.5E-06	6.05E-04	4.57E-09	14	4.71E-02	3.01E-09	1.0E+06	3.0E-03
500	500	0.21263	3.39E-05	7.2E-06	6.05E-04	4.36E-09	14	4.71E-02	2.88E-09	1.0E+06	2.9E-03

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	8.09746	3.39E-05	2.7E-04	6.05E-04	1.66E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
140	140	5.3711	3.39E-05	1.8E-04	6.05E-04	1.10E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
156	156	5.09204	3.39E-05	1.7E-04	6.05E-04	1.04E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
157	157	5.10686	3.39E-05	1.7E-04	6.05E-04	1.05E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
158	158	4.95545	3.39E-05	1.7E-04	6.05E-04	1.02E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
159	159	4.07996	3.39E-05	1.4E-04	6.05E-04	8.37E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
160	160	2.74553	3.39E-05	9.3E-05	6.05E-04	5.63E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
161	161	1.35692	3.39E-05	4.6E-05	6.05E-04	2.78E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
162	162	1.07034	3.39E-05	3.6E-05	6.05E-04	2.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
163	163	0.87838	3.39E-05	3.0E-05	6.05E-04	1.80E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
167	167	3.44511	3.39E-05	1.2E-04	6.05E-04	7.06E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
168	168	3.27493	3.39E-05	1.1E-04	6.05E-04	6.72E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
169	169	2.7745	3.39E-05	9.4E-05	6.05E-04	5.69E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
170	170	2.11973	3.39E-05	7.2E-05	6.05E-04	4.35E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
171	171	1.56774	3.39E-05	5.3E-05	6.05E-04	3.21E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
172	172	1.20482	3.39E-05	4.1E-05	6.05E-04	2.47E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
173	173	0.96966	3.39E-05	3.3E-05	6.05E-04	1.99E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
174	174	0.80828	3.39E-05	2.7E-05	6.05E-04	1.66E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
175	175	0.69049	3.39E-05	2.3E-05	6.05E-04	1.42E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
176	176	0.60023	3.39E-05	2.0E-05	6.05E-04	1.23E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
177	177	0.52849	3.39E-05	1.8E-05	6.05E-04	1.08E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
181	181	2.40937	3.39E-05	8.2E-05	6.05E-04	4.94E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
182	182	2.09853	3.39E-05	7.1E-05	6.05E-04	4.30E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
183	183	1.71046	3.39E-05	5.8E-05	6.05E-04	3.51E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
184	184	1.34891	3.39E-05	4.6E-05	6.05E-04	2.77E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
185	185	1.07594	3.39E-05	3.6E-05	6.05E-04	2.21E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
186	186	0.88367	3.39E-05	3.0E-05	6.05E-04	1.81E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
187	187	0.74599	3.39E-05	2.5E-05	6.05E-04	1.53E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
188	188	0.64317	3.39E-05	2.2E-05	6.05E-04	1.32E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
189	189	0.5633	3.39E-05	1.9E-05	6.05E-04	1.16E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
190	190	0.49931	3.39E-05	1.7E-05	6.05E-04	1.02E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	0.44692	3.39E-05	1.5E-05	6.05E-04	9.16E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
195	195	1.88927	3.39E-05	6.4E-05	6.05E-04	3.87E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
196	196	1.67699	3.39E-05	5.7E-05	6.05E-04	3.44E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
197	197	1.42358	3.39E-05	4.8E-05	6.05E-04	2.92E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
198	198	1.17284	3.39E-05	4.0E-05	6.05E-04	2.40E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
199	199	0.96669	3.39E-05	3.3E-05	6.05E-04	1.98E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
200	200	0.80871	3.39E-05	2.7E-05	6.05E-04	1.66E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
201	201	0.69026	3.39E-05	2.3E-05	6.05E-04	1.42E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
202	202	0.60015	3.39E-05	2.0E-05	6.05E-04	1.23E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
203	203	0.52927	3.39E-05	1.8E-05	6.05E-04	1.09E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
204	204	0.47195	3.39E-05	1.6E-05	6.05E-04	9.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
205	205	0.42476	3.39E-05	1.4E-05	6.05E-04	8.71E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
206	206	0.38519	3.39E-05	1.3E-05	6.05E-04	7.90E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
210	210	1.64276	3.39E-05	5.6E-05	6.05E-04	3.37E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
211	211	1.54488	3.39E-05	5.2E-05	6.05E-04	3.17E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
212	212	1.39076	3.39E-05	4.7E-05	6.05E-04	2.85E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
213	213	1.21149	3.39E-05	4.1E-05	6.05E-04	2.48E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
214	214	0.87161	3.39E-05	3.0E-05	6.05E-04	1.79E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
215	215	0.74223	3.39E-05	2.5E-05	6.05E-04	1.52E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
216	216	0.64055	3.39E-05	2.2E-05	6.05E-04	1.31E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
217	217	0.56148	3.39E-05	1.9E-05	6.05E-04	1.15E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
218	218	0.49829	3.39E-05	1.7E-05	6.05E-04	1.02E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
219	219	0.44669	3.39E-05	1.5E-05	6.05E-04	9.16E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
220	220	0.40387	3.39E-05	1.4E-05	6.05E-04	8.28E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
221	221	0.36759	3.39E-05	1.2E-05	6.05E-04	7.54E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
222	222	0.33709	3.39E-05	1.1E-05	6.05E-04	6.91E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
226	226	1.38459	3.39E-05	4.7E-05	6.05E-04	2.84E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
227	227	1.29726	3.39E-05	4.4E-05	6.05E-04	2.66E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
228	228	1.18209	3.39E-05	4.0E-05	6.05E-04	2.42E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
229	229	1.04926	3.39E-05	3.6E-05	6.05E-04	2.15E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
230	230	0.91388	3.39E-05	3.1E-05	6.05E-04	1.87E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	0.79012	3.39E-05	2.7E-05	6.05E-04	1.62E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
232	232	0.68354	3.39E-05	2.3E-05	6.05E-04	1.40E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
233	233	0.5265	3.39E-05	1.8E-05	6.05E-04	1.08E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
234	234	0.47018	3.39E-05	1.6E-05	6.05E-04	9.64E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
235	235	0.42354	3.39E-05	1.4E-05	6.05E-04	8.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
236	236	0.38441	3.39E-05	1.3E-05	6.05E-04	7.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
237	237	0.35119	3.39E-05	1.2E-05	6.05E-04	7.20E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
238	238	0.32261	3.39E-05	1.1E-05	6.05E-04	6.61E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
242	242	1.18574	3.39E-05	4.0E-05	6.05E-04	2.43E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
243	243	1.11231	3.39E-05	3.8E-05	6.05E-04	2.28E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
244	244	1.02509	3.39E-05	3.5E-05	6.05E-04	2.10E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
245	245	0.92296	3.39E-05	3.1E-05	6.05E-04	1.89E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
246	246	0.81782	3.39E-05	2.8E-05	6.05E-04	1.68E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
247	247	0.71824	3.39E-05	2.4E-05	6.05E-04	1.47E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
248	248	0.63008	3.39E-05	2.1E-05	6.05E-04	1.29E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
249	249	0.4948	3.39E-05	1.7E-05	6.05E-04	1.01E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
250	250	0.44425	3.39E-05	1.5E-05	6.05E-04	9.11E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
251	251	0.40205	3.39E-05	1.4E-05	6.05E-04	8.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
252	252	0.36614	3.39E-05	1.2E-05	6.05E-04	7.51E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
253	253	0.33583	3.39E-05	1.1E-05	6.05E-04	6.89E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
254	254	0.3093	3.39E-05	1.0E-05	6.05E-04	6.34E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
257	257	1.03087	3.39E-05	3.5E-05	6.05E-04	2.11E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
258	258	0.96996	3.39E-05	3.3E-05	6.05E-04	1.99E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
259	259	0.89973	3.39E-05	3.0E-05	6.05E-04	1.84E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
260	260	0.82048	3.39E-05	2.8E-05	6.05E-04	1.68E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
261	261	0.73628	3.39E-05	2.5E-05	6.05E-04	1.51E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
262	262	0.65568	3.39E-05	2.2E-05	6.05E-04	1.34E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
263	263	0.58243	3.39E-05	2.0E-05	6.05E-04	1.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
264	264	0.46502	3.39E-05	1.6E-05	6.05E-04	9.53E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
265	265	0.41983	3.39E-05	1.4E-05	6.05E-04	8.61E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
266	266	0.38157	3.39E-05	1.3E-05	6.05E-04	7.82E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
267	267	0.34894	3.39E-05	1.2E-05	6.05E-04	7.15E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
268	268	0.32109	3.39E-05	1.1E-05	6.05E-04	6.58E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
269	269	0.29652	3.39E-05	1.0E-05	6.05E-04	6.08E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
270	270	0.2394	3.39E-05	8.1E-06	6.05E-04	4.91E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
271	271	0.22427	3.39E-05	7.6E-06	6.05E-04	4.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
274	274	0.90736	3.39E-05	3.1E-05	6.05E-04	1.86E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
275	275	0.85613	3.39E-05	2.9E-05	6.05E-04	1.76E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
276	276	0.79864	3.39E-05	2.7E-05	6.05E-04	1.64E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
277	277	0.7354	3.39E-05	2.5E-05	6.05E-04	1.51E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
278	278	0.66779	3.39E-05	2.3E-05	6.05E-04	1.37E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
279	279	0.60172	3.39E-05	2.0E-05	6.05E-04	1.23E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
280	280	0.5405	3.39E-05	1.8E-05	6.05E-04	1.11E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
281	281	0.438	3.39E-05	1.5E-05	6.05E-04	8.98E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
282	282	0.39742	3.39E-05	1.3E-05	6.05E-04	8.15E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
283	283	0.36276	3.39E-05	1.2E-05	6.05E-04	7.44E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
284	284	0.33295	3.39E-05	1.1E-05	6.05E-04	6.83E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
285	285	0.30709	3.39E-05	1.0E-05	6.05E-04	6.30E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
286	286	0.28433	3.39E-05	9.6E-06	6.05E-04	5.83E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
287	287	0.23132	3.39E-05	7.8E-06	6.05E-04	4.74E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
288	288	0.21693	3.39E-05	7.4E-06	6.05E-04	4.45E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
291	291	0.80672	3.39E-05	2.7E-05	6.05E-04	1.65E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
292	292	0.76374	3.39E-05	2.6E-05	6.05E-04	1.57E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
293	293	0.71579	3.39E-05	2.4E-05	6.05E-04	1.47E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
294	294	0.66426	3.39E-05	2.3E-05	6.05E-04	1.36E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
295	295	0.60917	3.39E-05	2.1E-05	6.05E-04	1.25E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
296	296	0.55418	3.39E-05	1.9E-05	6.05E-04	1.14E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
297	297	0.50201	3.39E-05	1.7E-05	6.05E-04	1.03E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
298	298	0.41284	3.39E-05	1.4E-05	6.05E-04	8.47E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
299	299	0.37641	3.39E-05	1.3E-05	6.05E-04	7.72E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
300	300	0.34499	3.39E-05	1.2E-05	6.05E-04	7.07E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
301	301	0.31767	3.39E-05	1.1E-05	6.05E-04	6.51E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
302	302	0.29383	3.39E-05	1.0E-05	6.05E-04	6.02E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
303	303	0.27277	3.39E-05	9.2E-06	6.05E-04	5.59E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
304	304	0.22334	3.39E-05	7.6E-06	6.05E-04	4.58E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
305	305	0.20991	3.39E-05	7.1E-06	6.05E-04	4.30E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
308	308	0.72347	3.39E-05	2.5E-05	6.05E-04	1.48E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
309	309	0.68737	3.39E-05	2.3E-05	6.05E-04	1.41E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
310	310	0.64694	3.39E-05	2.2E-05	6.05E-04	1.33E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
311	311	0.60409	3.39E-05	2.0E-05	6.05E-04	1.24E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
312	312	0.55789	3.39E-05	1.9E-05	6.05E-04	1.14E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
313	313	0.51183	3.39E-05	1.7E-05	6.05E-04	1.05E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
314	314	0.46745	3.39E-05	1.6E-05	6.05E-04	9.58E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
315	315	0.38949	3.39E-05	1.3E-05	6.05E-04	7.99E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
316	316	0.35668	3.39E-05	1.2E-05	6.05E-04	7.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
317	317	0.32832	3.39E-05	1.1E-05	6.05E-04	6.73E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
318	318	0.30325	3.39E-05	1.0E-05	6.05E-04	6.22E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
319	319	0.28126	3.39E-05	9.5E-06	6.05E-04	5.77E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
320	320	0.2619	3.39E-05	8.9E-06	6.05E-04	5.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
321	321	0.21568	3.39E-05	7.3E-06	6.05E-04	4.42E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
322	322	0.20316	3.39E-05	6.9E-06	6.05E-04	4.17E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
325	325	0.65349	3.39E-05	2.2E-05	6.05E-04	1.34E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
326	326	0.62286	3.39E-05	2.1E-05	6.05E-04	1.28E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
327	327	0.58873	3.39E-05	2.0E-05	6.05E-04	1.21E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
328	328	0.55218	3.39E-05	1.9E-05	6.05E-04	1.13E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
329	329	0.51369	3.39E-05	1.7E-05	6.05E-04	1.05E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
330	330	0.4742	3.39E-05	1.6E-05	6.05E-04	9.72E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
331	331	0.43614	3.39E-05	1.5E-05	6.05E-04	8.94E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
332	332	0.40016	3.39E-05	1.4E-05	6.05E-04	8.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
333	333	0.36773	3.39E-05	1.2E-05	6.05E-04	7.54E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
334	334	0.3384	3.39E-05	1.1E-05	6.05E-04	6.94E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
335	335	0.31254	3.39E-05	1.1E-05	6.05E-04	6.41E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
336	336	0.28965	3.39E-05	9.8E-06	6.05E-04	5.94E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	0.26943	3.39E-05	9.1E-06	6.05E-04	5.52E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
338	338	0.25136	3.39E-05	8.5E-06	6.05E-04	5.15E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
339	339	0.22138	3.39E-05	7.5E-06	6.05E-04	4.54E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
340	340	0.20837	3.39E-05	7.1E-06	6.05E-04	4.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
341	341	0.19662	3.39E-05	6.7E-06	6.05E-04	4.03E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
349	349	0.47463	3.39E-05	1.6E-05	6.05E-04	9.73E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
350	350	0.44104	3.39E-05	1.5E-05	6.05E-04	9.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
351	351	0.4083	3.39E-05	1.4E-05	6.05E-04	8.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
352	352	0.37652	3.39E-05	1.3E-05	6.05E-04	7.72E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
353	353	0.21353	3.39E-05	7.2E-06	6.05E-04	4.38E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
354	354	0.20133	3.39E-05	6.8E-06	6.05E-04	4.13E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
355	355	0.19027	3.39E-05	6.4E-06	6.05E-04	3.90E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
364	364	0.41131	3.39E-05	1.4E-05	6.05E-04	8.43E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
365	365	0.38254	3.39E-05	1.3E-05	6.05E-04	7.84E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
366	366	0.35507	3.39E-05	1.2E-05	6.05E-04	7.28E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
367	367	0.20599	3.39E-05	7.0E-06	6.05E-04	4.22E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
368	368	0.19459	3.39E-05	6.6E-06	6.05E-04	3.99E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
369	369	0.18418	3.39E-05	6.2E-06	6.05E-04	3.78E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
377	377	0.38466	3.39E-05	1.3E-05	6.05E-04	7.89E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
378	378	0.35956	3.39E-05	1.2E-05	6.05E-04	7.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
379	379	0.33534	3.39E-05	1.1E-05	6.05E-04	6.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
380	380	0.19886	3.39E-05	6.7E-06	6.05E-04	4.08E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
381	381	0.1882	3.39E-05	6.4E-06	6.05E-04	3.86E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
382	382	0.17838	3.39E-05	6.0E-06	6.05E-04	3.66E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
391	391	0.33858	3.39E-05	1.1E-05	6.05E-04	6.94E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
392	392	0.31716	3.39E-05	1.1E-05	6.05E-04	6.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
393	393	0.19204	3.39E-05	6.5E-06	6.05E-04	3.94E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
394	394	0.18199	3.39E-05	6.2E-06	6.05E-04	3.73E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
395	395	0.17273	3.39E-05	5.9E-06	6.05E-04	3.54E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
405	405	0.31936	3.39E-05	1.1E-05	6.05E-04	6.55E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
406	406	0.30024	3.39E-05	1.0E-05	6.05E-04	6.16E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	0.28175	3.39E-05	9.5E-06	6.05E-04	5.78E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
408	408	0.18549	3.39E-05	6.3E-06	6.05E-04	3.80E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
409	409	0.17606	3.39E-05	6.0E-06	6.05E-04	3.61E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
410	410	0.16727	3.39E-05	5.7E-06	6.05E-04	3.43E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
421	421	0.28471	3.39E-05	9.6E-06	6.05E-04	5.84E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
422	422	0.26814	3.39E-05	9.1E-06	6.05E-04	5.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
423	423	0.17926	3.39E-05	6.1E-06	6.05E-04	3.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
424	424	0.17036	3.39E-05	5.8E-06	6.05E-04	3.49E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
425	425	0.16208	3.39E-05	5.5E-06	6.05E-04	3.32E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
435	435	0.2704	3.39E-05	9.2E-06	6.05E-04	5.54E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
436	436	0.25539	3.39E-05	8.7E-06	6.05E-04	5.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
437	437	0.16491	3.39E-05	5.6E-06	6.05E-04	3.38E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
438	438	0.15715	3.39E-05	5.3E-06	6.05E-04	3.22E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
449	449	0.25713	3.39E-05	8.7E-06	6.05E-04	5.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
450	450	0.2435	3.39E-05	8.3E-06	6.05E-04	4.99E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
451	451	0.2305	3.39E-05	7.8E-06	6.05E-04	4.73E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
452	452	0.15971	3.39E-05	5.4E-06	6.05E-04	3.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
453	453	0.15239	3.39E-05	5.2E-06	6.05E-04	3.12E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
464	464	0.23252	3.39E-05	7.9E-06	6.05E-04	4.77E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
465	465	0.22063	3.39E-05	7.5E-06	6.05E-04	4.52E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
466	466	0.17023	3.39E-05	5.8E-06	6.05E-04	3.49E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
467	467	0.15472	3.39E-05	5.2E-06	6.05E-04	3.17E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
468	468	0.1478	3.39E-05	5.0E-06	6.05E-04	3.03E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
479	479	0.22231	3.39E-05	7.5E-06	6.05E-04	4.56E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
480	480	0.21139	3.39E-05	7.2E-06	6.05E-04	4.33E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
481	481	0.20093	3.39E-05	6.8E-06	6.05E-04	4.12E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
482	482	0.19093	3.39E-05	6.5E-06	6.05E-04	3.91E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
483	483	0.18158	3.39E-05	6.2E-06	6.05E-04	3.72E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
484	484	0.17278	3.39E-05	5.9E-06	6.05E-04	3.54E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
485	485	0.1646	3.39E-05	5.6E-06	6.05E-04	3.38E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
486	486	0.15699	3.39E-05	5.3E-06	6.05E-04	3.22E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	487	0.14994	3.39E-05	5.1E-06	6.05E-04	3.07E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
488	488	0.14341	3.39E-05	4.9E-06	6.05E-04	2.94E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
501	501	0.20171	3.39E-05	6.8E-06	6.05E-04	4.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
502	502	0.19304	3.39E-05	6.5E-06	6.05E-04	3.96E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
503	503	0.1838	3.39E-05	6.2E-06	6.05E-04	3.77E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
504	504	0.17508	3.39E-05	5.9E-06	6.05E-04	3.59E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
505	505	0.16688	3.39E-05	5.7E-06	6.05E-04	3.42E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
506	506	0.15922	3.39E-05	5.4E-06	6.05E-04	3.26E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
507	507	0.15204	3.39E-05	5.2E-06	6.05E-04	3.12E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
508	508	0.13919	3.39E-05	4.7E-06	6.05E-04	2.85E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
520	520	0.19454	3.39E-05	6.6E-06	6.05E-04	3.99E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
521	521	0.18464	3.39E-05	6.3E-06	6.05E-04	3.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
522	522	0.17708	3.39E-05	6.0E-06	6.05E-04	3.63E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
523	523	0.16896	3.39E-05	5.7E-06	6.05E-04	3.46E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
524	524	0.16129	3.39E-05	5.5E-06	6.05E-04	3.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
525	525	0.15408	3.39E-05	5.2E-06	6.05E-04	3.16E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
526	526	0.14733	3.39E-05	5.0E-06	6.05E-04	3.02E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
527	527	0.13515	3.39E-05	4.6E-06	6.05E-04	2.77E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
539	539	0.18682	3.39E-05	6.3E-06	6.05E-04	3.83E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
540	540	0.17865	3.39E-05	6.1E-06	6.05E-04	3.66E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
541	541	0.17076	3.39E-05	5.8E-06	6.05E-04	3.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
542	542	0.16234	3.39E-05	5.5E-06	6.05E-04	3.33E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
543	543	0.15597	3.39E-05	5.3E-06	6.05E-04	3.20E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
544	544	0.1492	3.39E-05	5.1E-06	6.05E-04	3.06E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
545	545	0.14286	3.39E-05	4.8E-06	6.05E-04	2.93E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
546	546	0.13129	3.39E-05	4.4E-06	6.05E-04	2.69E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
560	560	0.17202	3.39E-05	5.8E-06	6.05E-04	3.53E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
561	561	0.16467	3.39E-05	5.6E-06	6.05E-04	3.38E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
562	562	0.15763	3.39E-05	5.3E-06	6.05E-04	3.23E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
563	563	0.14994	3.39E-05	5.1E-06	6.05E-04	3.07E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
564	564	0.14376	3.39E-05	4.9E-06	6.05E-04	2.95E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.1385	3.39E-05	4.7E-06	6.05E-04	2.84E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
566	566	0.12755	3.39E-05	4.3E-06	6.05E-04	2.62E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
579	579	0.16576	3.39E-05	5.6E-06	6.05E-04	3.40E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
580	580	0.15893	3.39E-05	5.4E-06	6.05E-04	3.26E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
581	581	0.15234	3.39E-05	5.2E-06	6.05E-04	3.12E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
582	582	0.14605	3.39E-05	4.9E-06	6.05E-04	2.99E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
583	583	0.14007	3.39E-05	4.7E-06	6.05E-04	2.87E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
584	584	0.13441	3.39E-05	4.6E-06	6.05E-04	2.76E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
585	585	0.12688	3.39E-05	4.3E-06	6.05E-04	2.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
598	598	0.15984	3.39E-05	5.4E-06	6.05E-04	3.28E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
599	599	0.1535	3.39E-05	5.2E-06	6.05E-04	3.15E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
600	600	0.14735	3.39E-05	5.0E-06	6.05E-04	3.02E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
601	601	0.14143	3.39E-05	4.8E-06	6.05E-04	2.90E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
602	602	0.1358	3.39E-05	4.6E-06	6.05E-04	2.78E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
603	603	0.13043	3.39E-05	4.4E-06	6.05E-04	2.67E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
604	604	0.12537	3.39E-05	4.2E-06	6.05E-04	2.57E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
0	0	0	3.39E-05	0.0E+00	6.05E-04	0.00E+00	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
1	1	2.88096	3.39E-05	9.8E-05	2.50E-04	2.44E-08	14	1.15E-02	3.92E-09	1.0E+06	3.9E-03
2	2	3.26394	3.39E-05	1.1E-04	2.50E-04	2.77E-08	14	1.15E-02	4.45E-09	1.0E+06	4.4E-03
3	3	3.59801	3.39E-05	1.2E-04	2.50E-04	3.05E-08	14	1.15E-02	4.90E-09	1.0E+06	4.9E-03
4	4	3.88086	3.39E-05	1.3E-04	2.50E-04	3.29E-08	14	1.15E-02	5.29E-09	1.0E+06	5.3E-03
5	5	4.10261	3.39E-05	1.4E-04	2.50E-04	3.48E-08	14	1.15E-02	5.59E-09	1.0E+06	5.6E-03
6	6	4.29839	3.39E-05	1.5E-04	2.50E-04	3.65E-08	14	1.15E-02	5.85E-09	1.0E+06	5.9E-03
7	7	4.42755	3.39E-05	1.5E-04	2.50E-04	3.76E-08	14	1.15E-02	6.03E-09	1.0E+06	6.0E-03
8	8	4.49067	3.39E-05	1.5E-04	2.50E-04	3.81E-08	14	1.15E-02	6.12E-09	1.0E+06	6.1E-03
9	9	4.52223	3.39E-05	1.5E-04	2.50E-04	3.84E-08	14	1.15E-02	6.16E-09	1.0E+06	6.2E-03
10	10	4.52342	3.39E-05	1.5E-04	2.50E-04	3.84E-08	14	1.15E-02	6.16E-09	1.0E+06	6.2E-03
11	11	4.48835	3.39E-05	1.5E-04	2.50E-04	3.81E-08	14	1.15E-02	6.11E-09	1.0E+06	6.1E-03
12	12	4.41288	3.39E-05	1.5E-04	2.50E-04	3.74E-08	14	1.15E-02	6.01E-09	1.0E+06	6.0E-03
13	13	4.31862	3.39E-05	1.5E-04	2.50E-04	3.66E-08	14	1.15E-02	5.88E-09	1.0E+06	5.9E-03
14	14	4.16773	3.39E-05	1.4E-04	2.50E-04	3.53E-08	14	1.15E-02	5.68E-09	1.0E+06	5.7E-03
15	15	3.96908	3.39E-05	1.3E-04	2.50E-04	3.37E-08	14	1.15E-02	5.41E-09	1.0E+06	5.4E-03
16	16	3.6978	3.39E-05	1.3E-04	2.50E-04	3.14E-08	14	1.15E-02	5.04E-09	1.0E+06	5.0E-03
17	17	3.39502	3.39E-05	1.2E-04	2.50E-04	2.88E-08	14	1.15E-02	4.62E-09	1.0E+06	4.6E-03
18	18	3.04671	3.39E-05	1.0E-04	2.50E-04	2.58E-08	14	1.15E-02	4.15E-09	1.0E+06	4.1E-03
19	19	2.6957	3.39E-05	9.1E-05	2.50E-04	2.29E-08	14	1.15E-02	3.67E-09	1.0E+06	3.7E-03
20	20	2.34854	3.39E-05	8.0E-05	2.50E-04	1.99E-08	14	1.15E-02	3.20E-09	1.0E+06	3.2E-03
21	21	2.00958	3.39E-05	6.8E-05	2.50E-04	1.70E-08	14	1.15E-02	2.74E-09	1.0E+06	2.7E-03
22	22	1.69878	3.39E-05	5.8E-05	2.50E-04	1.44E-08	14	1.15E-02	2.31E-09	1.0E+06	2.3E-03
23	23	1.42711	3.39E-05	4.8E-05	2.50E-04	1.21E-08	14	1.15E-02	1.94E-09	1.0E+06	1.9E-03
24	24	1.20007	3.39E-05	4.1E-05	2.50E-04	1.02E-08	14	1.15E-02	1.63E-09	1.0E+06	1.6E-03
25	25	1.01531	3.39E-05	3.4E-05	2.50E-04	8.61E-09	14	1.15E-02	1.38E-09	1.0E+06	1.4E-03
26	26	0.86626	3.39E-05	2.9E-05	2.50E-04	7.35E-09	14	1.15E-02	1.18E-09	1.0E+06	1.2E-03
27	27	0.74618	3.39E-05	2.5E-05	2.50E-04	6.33E-09	14	1.15E-02	1.02E-09	1.0E+06	1.0E-03
28	28	0.64876	3.39E-05	2.2E-05	2.50E-04	5.50E-09	14	1.15E-02	8.84E-10	1.0E+06	8.8E-04
29	29	0.56951	3.39E-05	1.9E-05	2.50E-04	4.83E-09	14	1.15E-02	7.76E-10	1.0E+06	7.8E-04
30	30	0.50438	3.39E-05	1.7E-05	2.50E-04	4.28E-09	14	1.15E-02	6.87E-10	1.0E+06	6.9E-04
31	31	0.4502	3.39E-05	1.5E-05	2.50E-04	3.82E-09	14	1.15E-02	6.13E-10	1.0E+06	6.1E-04

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.40464	3.39E-05	1.4E-05	2.50E-04	3.43E-09	14	1.15E-02	5.51E-10	1.0E+06	5.5E-04
55	55	1.76867	3.39E-05	6.0E-05	2.50E-04	1.50E-08	14	1.15E-02	2.41E-09	1.0E+06	2.4E-03
56	56	1.42537	3.39E-05	4.8E-05	2.50E-04	1.21E-08	14	1.15E-02	1.94E-09	1.0E+06	1.9E-03
57	57	1.16684	3.39E-05	4.0E-05	2.50E-04	9.90E-09	14	1.15E-02	1.59E-09	1.0E+06	1.6E-03
58	58	0.96993	3.39E-05	3.3E-05	2.50E-04	8.23E-09	14	1.15E-02	1.32E-09	1.0E+06	1.3E-03
59	59	0.81851	3.39E-05	2.8E-05	2.50E-04	6.94E-09	14	1.15E-02	1.11E-09	1.0E+06	1.1E-03
60	60	0.7008	3.39E-05	2.4E-05	2.50E-04	5.94E-09	14	1.15E-02	9.55E-10	1.0E+06	9.5E-04
61	61	0.60858	3.39E-05	2.1E-05	2.50E-04	5.16E-09	14	1.15E-02	8.29E-10	1.0E+06	8.3E-04
62	62	0.53439	3.39E-05	1.8E-05	2.50E-04	4.53E-09	14	1.15E-02	7.28E-10	1.0E+06	7.3E-04
63	63	0.47416	3.39E-05	1.6E-05	2.50E-04	4.02E-09	14	1.15E-02	6.46E-10	1.0E+06	6.5E-04
64	64	0.42431	3.39E-05	1.4E-05	2.50E-04	3.60E-09	14	1.15E-02	5.78E-10	1.0E+06	5.8E-04
65	65	0.3825	3.39E-05	1.3E-05	2.50E-04	3.24E-09	14	1.15E-02	5.21E-10	1.0E+06	5.2E-04
66	66	0.34757	3.39E-05	1.2E-05	2.50E-04	2.95E-09	14	1.15E-02	4.73E-10	1.0E+06	4.7E-04
67	67	7.74018	3.39E-05	2.6E-04	2.50E-04	6.56E-08	14	1.15E-02	1.05E-08	1.0E+06	1.1E-02
68	68	6.36194	3.39E-05	2.2E-04	2.50E-04	5.40E-08	14	1.15E-02	8.67E-09	1.0E+06	8.7E-03
69	69	7.55667	3.39E-05	2.6E-04	2.50E-04	6.41E-08	14	1.15E-02	1.03E-08	1.0E+06	1.0E-02
70	70	7.586	3.39E-05	2.6E-04	2.50E-04	6.43E-08	14	1.15E-02	1.03E-08	1.0E+06	1.0E-02
71	71	7.42025	3.39E-05	2.5E-04	2.50E-04	6.29E-08	14	1.15E-02	1.01E-08	1.0E+06	1.0E-02
72	72	8.46186	3.39E-05	2.9E-04	2.50E-04	7.18E-08	14	1.15E-02	1.15E-08	1.0E+06	1.2E-02
73	73	5.65296	3.39E-05	1.9E-04	2.50E-04	4.79E-08	14	1.15E-02	7.70E-09	1.0E+06	7.7E-03
74	74	7.68909	3.39E-05	2.6E-04	2.50E-04	6.52E-08	14	1.15E-02	1.05E-08	1.0E+06	1.0E-02
75	75	7.81836	3.39E-05	2.6E-04	2.50E-04	6.63E-08	14	1.15E-02	1.06E-08	1.0E+06	1.1E-02
76	76	8.36943	3.39E-05	2.8E-04	2.50E-04	7.10E-08	14	1.15E-02	1.14E-08	1.0E+06	1.1E-02
77	77	7.51341	3.39E-05	2.5E-04	2.50E-04	6.37E-08	14	1.15E-02	1.02E-08	1.0E+06	1.0E-02
78	78	7.60375	3.39E-05	2.6E-04	2.50E-04	6.45E-08	14	1.15E-02	1.04E-08	1.0E+06	1.0E-02
79	79	7.01814	3.39E-05	2.4E-04	2.50E-04	5.95E-08	14	1.15E-02	9.56E-09	1.0E+06	9.6E-03
80	80	5.7242	3.39E-05	1.9E-04	2.50E-04	4.85E-08	14	1.15E-02	7.80E-09	1.0E+06	7.8E-03
81	81	4.35949	3.39E-05	1.5E-04	2.50E-04	3.70E-08	14	1.15E-02	5.94E-09	1.0E+06	5.9E-03
82	82	3.16013	3.39E-05	1.1E-04	2.50E-04	2.68E-08	14	1.15E-02	4.30E-09	1.0E+06	4.3E-03
83	83	2.31491	3.39E-05	7.8E-05	2.50E-04	1.96E-08	14	1.15E-02	3.15E-09	1.0E+06	3.2E-03
84	84	1.74102	3.39E-05	5.9E-05	2.50E-04	1.48E-08	14	1.15E-02	2.37E-09	1.0E+06	2.4E-03

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	85	1.35664	3.39E-05	4.6E-05	2.50E-04	1.15E-08	14	1.15E-02	1.85E-09	1.0E+06	1.8E-03
86	86	1.09071	3.39E-05	3.7E-05	2.50E-04	9.25E-09	14	1.15E-02	1.49E-09	1.0E+06	1.5E-03
87	87	0.89966	3.39E-05	3.0E-05	2.50E-04	7.63E-09	14	1.15E-02	1.23E-09	1.0E+06	1.2E-03
88	88	0.75857	3.39E-05	2.6E-05	2.50E-04	6.43E-09	14	1.15E-02	1.03E-09	1.0E+06	1.0E-03
89	89	0.65072	3.39E-05	2.2E-05	2.50E-04	5.52E-09	14	1.15E-02	8.86E-10	1.0E+06	8.9E-04
90	90	0.56664	3.39E-05	1.9E-05	2.50E-04	4.81E-09	14	1.15E-02	7.72E-10	1.0E+06	7.7E-04
91	91	0.50003	3.39E-05	1.7E-05	2.50E-04	4.24E-09	14	1.15E-02	6.81E-10	1.0E+06	6.8E-04
92	92	0.44527	3.39E-05	1.5E-05	2.50E-04	3.78E-09	14	1.15E-02	6.06E-10	1.0E+06	6.1E-04
93	93	0.40044	3.39E-05	1.4E-05	2.50E-04	3.40E-09	14	1.15E-02	5.45E-10	1.0E+06	5.5E-04
96	96	0.98832	3.39E-05	3.3E-05	2.50E-04	8.38E-09	14	1.15E-02	1.35E-09	1.0E+06	1.3E-03
97	97	0.81252	3.39E-05	2.8E-05	2.50E-04	6.89E-09	14	1.15E-02	1.11E-09	1.0E+06	1.1E-03
98	98	0.69658	3.39E-05	2.4E-05	2.50E-04	5.91E-09	14	1.15E-02	9.49E-10	1.0E+06	9.5E-04
99	99	0.60271	3.39E-05	2.0E-05	2.50E-04	5.11E-09	14	1.15E-02	8.21E-10	1.0E+06	8.2E-04
100	100	0.52846	3.39E-05	1.8E-05	2.50E-04	4.48E-09	14	1.15E-02	7.20E-10	1.0E+06	7.2E-04
101	101	0.4687	3.39E-05	1.6E-05	2.50E-04	3.98E-09	14	1.15E-02	6.38E-10	1.0E+06	6.4E-04
102	102	0.42047	3.39E-05	1.4E-05	2.50E-04	3.57E-09	14	1.15E-02	5.73E-10	1.0E+06	5.7E-04
106	106	4.62375	3.39E-05	1.6E-04	2.50E-04	3.92E-08	14	1.15E-02	6.30E-09	1.0E+06	6.3E-03
107	107	5.54336	3.39E-05	1.9E-04	2.50E-04	4.70E-08	14	1.15E-02	7.55E-09	1.0E+06	7.6E-03
108	108	5.34166	3.39E-05	1.8E-04	2.50E-04	4.53E-08	14	1.15E-02	7.28E-09	1.0E+06	7.3E-03
109	109	5.14682	3.39E-05	1.7E-04	2.50E-04	4.37E-08	14	1.15E-02	7.01E-09	1.0E+06	7.0E-03
110	110	5.16406	3.39E-05	1.7E-04	2.50E-04	4.38E-08	14	1.15E-02	7.03E-09	1.0E+06	7.0E-03
111	111	8.21374	3.39E-05	2.8E-04	2.50E-04	6.97E-08	14	1.15E-02	1.12E-08	1.0E+06	1.1E-02
112	112	5.02987	3.39E-05	1.7E-04	2.50E-04	4.27E-08	14	1.15E-02	6.85E-09	1.0E+06	6.9E-03
113	113	5.02548	3.39E-05	1.7E-04	2.50E-04	4.26E-08	14	1.15E-02	6.85E-09	1.0E+06	6.8E-03
114	114	5.32097	3.39E-05	1.8E-04	2.50E-04	4.51E-08	14	1.15E-02	7.25E-09	1.0E+06	7.2E-03
115	115	7.94733	3.39E-05	2.7E-04	2.50E-04	6.74E-08	14	1.15E-02	1.08E-08	1.0E+06	1.1E-02
116	116	4.68541	3.39E-05	1.6E-04	2.50E-04	3.97E-08	14	1.15E-02	6.38E-09	1.0E+06	6.4E-03
117	117	4.82365	3.39E-05	1.6E-04	2.50E-04	4.09E-08	14	1.15E-02	6.57E-09	1.0E+06	6.6E-03
118	118	7.75923	3.39E-05	2.6E-04	2.50E-04	6.58E-08	14	1.15E-02	1.06E-08	1.0E+06	1.1E-02
124	124	6.11924	3.39E-05	2.1E-04	2.50E-04	5.19E-08	14	1.15E-02	8.33E-09	1.0E+06	8.3E-03
125	125	9.35725	3.39E-05	3.2E-04	2.50E-04	7.94E-08	14	1.15E-02	1.27E-08	1.0E+06	1.3E-02

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	126	8.7369	3.39E-05	3.0E-04	2.50E-04	7.41E-08	14	1.15E-02	1.19E-08	1.0E+06	1.2E-02
127	127	8.45661	3.39E-05	2.9E-04	2.50E-04	7.17E-08	14	1.15E-02	1.15E-08	1.0E+06	1.2E-02
128	128	8.42365	3.39E-05	2.9E-04	2.50E-04	7.14E-08	14	1.15E-02	1.15E-08	1.0E+06	1.1E-02
129	129	8.31591	3.39E-05	2.8E-04	2.50E-04	7.05E-08	14	1.15E-02	1.13E-08	1.0E+06	1.1E-02
130	130	8.12311	3.39E-05	2.8E-04	2.50E-04	6.89E-08	14	1.15E-02	1.11E-08	1.0E+06	1.1E-02
131	131	7.89783	3.39E-05	2.7E-04	2.50E-04	6.70E-08	14	1.15E-02	1.08E-08	1.0E+06	1.1E-02
132	132	7.77169	3.39E-05	2.6E-04	2.50E-04	6.59E-08	14	1.15E-02	1.06E-08	1.0E+06	1.1E-02
133	133	7.59757	3.39E-05	2.6E-04	2.50E-04	6.44E-08	14	1.15E-02	1.03E-08	1.0E+06	1.0E-02
134	134	7.55104	3.39E-05	2.6E-04	2.50E-04	6.40E-08	14	1.15E-02	1.03E-08	1.0E+06	1.0E-02
135	135	7.4838	3.39E-05	2.5E-04	2.50E-04	6.35E-08	14	1.15E-02	1.02E-08	1.0E+06	1.0E-02
136	136	7.52552	3.39E-05	2.6E-04	2.50E-04	6.38E-08	14	1.15E-02	1.03E-08	1.0E+06	1.0E-02
137	137	7.60435	3.39E-05	2.6E-04	2.50E-04	6.45E-08	14	1.15E-02	1.04E-08	1.0E+06	1.0E-02
138	138	7.86768	3.39E-05	2.7E-04	2.50E-04	6.67E-08	14	1.15E-02	1.07E-08	1.0E+06	1.1E-02
141	141	5.56898	3.39E-05	1.9E-04	2.50E-04	4.72E-08	14	1.15E-02	7.59E-09	1.0E+06	7.6E-03
142	142	5.55402	3.39E-05	1.9E-04	2.50E-04	4.71E-08	14	1.15E-02	7.57E-09	1.0E+06	7.6E-03
143	143	5.45142	3.39E-05	1.8E-04	2.50E-04	4.62E-08	14	1.15E-02	7.43E-09	1.0E+06	7.4E-03
144	144	5.39118	3.39E-05	1.8E-04	2.50E-04	4.57E-08	14	1.15E-02	7.34E-09	1.0E+06	7.3E-03
145	145	5.37199	3.39E-05	1.8E-04	2.50E-04	4.56E-08	14	1.15E-02	7.32E-09	1.0E+06	7.3E-03
146	146	5.32162	3.39E-05	1.8E-04	2.50E-04	4.51E-08	14	1.15E-02	7.25E-09	1.0E+06	7.2E-03
147	147	5.29223	3.39E-05	1.8E-04	2.50E-04	4.49E-08	14	1.15E-02	7.21E-09	1.0E+06	7.2E-03
148	148	5.22669	3.39E-05	1.8E-04	2.50E-04	4.43E-08	14	1.15E-02	7.12E-09	1.0E+06	7.1E-03
149	149	5.17377	3.39E-05	1.8E-04	2.50E-04	4.39E-08	14	1.15E-02	7.05E-09	1.0E+06	7.0E-03
150	150	5.11162	3.39E-05	1.7E-04	2.50E-04	4.34E-08	14	1.15E-02	6.96E-09	1.0E+06	7.0E-03
151	151	5.06933	3.39E-05	1.7E-04	2.50E-04	4.30E-08	14	1.15E-02	6.90E-09	1.0E+06	6.9E-03
152	152	5.04246	3.39E-05	1.7E-04	2.50E-04	4.28E-08	14	1.15E-02	6.87E-09	1.0E+06	6.9E-03
153	153	5.04082	3.39E-05	1.7E-04	2.50E-04	4.28E-08	14	1.15E-02	6.87E-09	1.0E+06	6.9E-03
154	154	5.01468	3.39E-05	1.7E-04	2.50E-04	4.25E-08	14	1.15E-02	6.83E-09	1.0E+06	6.8E-03
155	155	5.02952	3.39E-05	1.7E-04	2.50E-04	4.27E-08	14	1.15E-02	6.85E-09	1.0E+06	6.9E-03
164	164	3.65442	3.39E-05	1.2E-04	2.50E-04	3.10E-08	14	1.15E-02	4.98E-09	1.0E+06	5.0E-03
165	165	3.60826	3.39E-05	1.2E-04	2.50E-04	3.06E-08	14	1.15E-02	4.91E-09	1.0E+06	4.9E-03
166	166	3.58192	3.39E-05	1.2E-04	2.50E-04	3.04E-08	14	1.15E-02	4.88E-09	1.0E+06	4.9E-03

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	2.81362	3.39E-05	9.5E-05	2.50E-04	2.39E-08	14	1.15E-02	3.83E-09	1.0E+06	3.8E-03
179	179	2.75924	3.39E-05	9.4E-05	2.50E-04	2.34E-08	14	1.15E-02	3.76E-09	1.0E+06	3.8E-03
180	180	2.69882	3.39E-05	9.1E-05	2.50E-04	2.29E-08	14	1.15E-02	3.68E-09	1.0E+06	3.7E-03
192	192	2.25421	3.39E-05	7.6E-05	2.50E-04	1.91E-08	14	1.15E-02	3.07E-09	1.0E+06	3.1E-03
193	193	2.20371	3.39E-05	7.5E-05	2.50E-04	1.87E-08	14	1.15E-02	3.00E-09	1.0E+06	3.0E-03
194	194	2.1332	3.39E-05	7.2E-05	2.50E-04	1.81E-08	14	1.15E-02	2.91E-09	1.0E+06	2.9E-03
207	207	1.85459	3.39E-05	6.3E-05	2.50E-04	1.57E-08	14	1.15E-02	2.53E-09	1.0E+06	2.5E-03
208	208	1.8069	3.39E-05	6.1E-05	2.50E-04	1.53E-08	14	1.15E-02	2.46E-09	1.0E+06	2.5E-03
209	209	1.74437	3.39E-05	5.9E-05	2.50E-04	1.48E-08	14	1.15E-02	2.38E-09	1.0E+06	2.4E-03
223	223	1.55944	3.39E-05	5.3E-05	2.50E-04	1.32E-08	14	1.15E-02	2.12E-09	1.0E+06	2.1E-03
224	224	1.51594	3.39E-05	5.1E-05	2.50E-04	1.29E-08	14	1.15E-02	2.06E-09	1.0E+06	2.1E-03
225	225	1.45829	3.39E-05	4.9E-05	2.50E-04	1.24E-08	14	1.15E-02	1.99E-09	1.0E+06	2.0E-03
239	239	1.33496	3.39E-05	4.5E-05	2.50E-04	1.13E-08	14	1.15E-02	1.82E-09	1.0E+06	1.8E-03
240	240	1.29613	3.39E-05	4.4E-05	2.50E-04	1.10E-08	14	1.15E-02	1.77E-09	1.0E+06	1.8E-03
241	241	1.24735	3.39E-05	4.2E-05	2.50E-04	1.06E-08	14	1.15E-02	1.70E-09	1.0E+06	1.7E-03
255	255	1.15814	3.39E-05	3.9E-05	2.50E-04	9.82E-09	14	1.15E-02	1.58E-09	1.0E+06	1.6E-03
256	256	1.12412	3.39E-05	3.8E-05	2.50E-04	9.53E-09	14	1.15E-02	1.53E-09	1.0E+06	1.5E-03
272	272	1.01551	3.39E-05	3.4E-05	2.50E-04	8.61E-09	14	1.15E-02	1.38E-09	1.0E+06	1.4E-03
273	273	0.98665	3.39E-05	3.3E-05	2.50E-04	8.37E-09	14	1.15E-02	1.34E-09	1.0E+06	1.3E-03
289	289	0.8997	3.39E-05	3.0E-05	2.50E-04	7.63E-09	14	1.15E-02	1.23E-09	1.0E+06	1.2E-03
290	290	0.87447	3.39E-05	3.0E-05	2.50E-04	7.42E-09	14	1.15E-02	1.19E-09	1.0E+06	1.2E-03
306	306	0.80343	3.39E-05	2.7E-05	2.50E-04	6.81E-09	14	1.15E-02	1.09E-09	1.0E+06	1.1E-03
307	307	0.78154	3.39E-05	2.6E-05	2.50E-04	6.63E-09	14	1.15E-02	1.06E-09	1.0E+06	1.1E-03
323	323	0.72252	3.39E-05	2.4E-05	2.50E-04	6.13E-09	14	1.15E-02	9.84E-10	1.0E+06	9.8E-04
324	324	0.7035	3.39E-05	2.4E-05	2.50E-04	5.97E-09	14	1.15E-02	9.58E-10	1.0E+06	9.6E-04
342	342	0.65386	3.39E-05	2.2E-05	2.50E-04	5.55E-09	14	1.15E-02	8.91E-10	1.0E+06	8.9E-04
343	343	0.63731	3.39E-05	2.2E-05	2.50E-04	5.41E-09	14	1.15E-02	8.68E-10	1.0E+06	8.7E-04
344	344	0.61718	3.39E-05	2.1E-05	2.50E-04	5.23E-09	14	1.15E-02	8.41E-10	1.0E+06	8.4E-04
356	356	0.59491	3.39E-05	2.0E-05	2.50E-04	5.05E-09	14	1.15E-02	8.10E-10	1.0E+06	8.1E-04
357	357	0.58031	3.39E-05	2.0E-05	2.50E-04	4.92E-09	14	1.15E-02	7.90E-10	1.0E+06	7.9E-04
358	358	0.563	3.39E-05	1.9E-05	2.50E-04	4.77E-09	14	1.15E-02	7.67E-10	1.0E+06	7.7E-04

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	0.54401	3.39E-05	1.8E-05	2.50E-04	4.61E-09	14	1.15E-02	7.41E-10	1.0E+06	7.4E-04
371	371	0.5312	3.39E-05	1.8E-05	2.50E-04	4.51E-09	14	1.15E-02	7.24E-10	1.0E+06	7.2E-04
372	372	0.51609	3.39E-05	1.7E-05	2.50E-04	4.38E-09	14	1.15E-02	7.03E-10	1.0E+06	7.0E-04
383	383	0.49965	3.39E-05	1.7E-05	2.50E-04	4.24E-09	14	1.15E-02	6.81E-10	1.0E+06	6.8E-04
384	384	0.48842	3.39E-05	1.7E-05	2.50E-04	4.14E-09	14	1.15E-02	6.65E-10	1.0E+06	6.7E-04
385	385	0.47517	3.39E-05	1.6E-05	2.50E-04	4.03E-09	14	1.15E-02	6.47E-10	1.0E+06	6.5E-04
396	396	0.46078	3.39E-05	1.6E-05	2.50E-04	3.91E-09	14	1.15E-02	6.28E-10	1.0E+06	6.3E-04
397	397	0.4509	3.39E-05	1.5E-05	2.50E-04	3.82E-09	14	1.15E-02	6.14E-10	1.0E+06	6.1E-04
398	398	0.43924	3.39E-05	1.5E-05	2.50E-04	3.73E-09	14	1.15E-02	5.98E-10	1.0E+06	6.0E-04
399	399	0.42587	3.39E-05	1.4E-05	2.50E-04	3.61E-09	14	1.15E-02	5.80E-10	1.0E+06	5.8E-04
411	411	0.42646	3.39E-05	1.4E-05	2.50E-04	3.62E-09	14	1.15E-02	5.81E-10	1.0E+06	5.8E-04
412	412	0.41775	3.39E-05	1.4E-05	2.50E-04	3.54E-09	14	1.15E-02	5.69E-10	1.0E+06	5.7E-04
413	413	0.40757	3.39E-05	1.4E-05	2.50E-04	3.46E-09	14	1.15E-02	5.55E-10	1.0E+06	5.6E-04
414	414	0.39571	3.39E-05	1.3E-05	2.50E-04	3.36E-09	14	1.15E-02	5.39E-10	1.0E+06	5.4E-04
426	426	0.39606	3.39E-05	1.3E-05	2.50E-04	3.36E-09	14	1.15E-02	5.39E-10	1.0E+06	5.4E-04
427	427	0.38838	3.39E-05	1.3E-05	2.50E-04	3.29E-09	14	1.15E-02	5.29E-10	1.0E+06	5.3E-04
428	428	0.37925	3.39E-05	1.3E-05	2.50E-04	3.22E-09	14	1.15E-02	5.17E-10	1.0E+06	5.2E-04
429	429	0.36885	3.39E-05	1.2E-05	2.50E-04	3.13E-09	14	1.15E-02	5.02E-10	1.0E+06	5.0E-04
439	439	0.36892	3.39E-05	1.3E-05	2.50E-04	3.13E-09	14	1.15E-02	5.03E-10	1.0E+06	5.0E-04
440	440	0.36214	3.39E-05	1.2E-05	2.50E-04	3.07E-09	14	1.15E-02	4.93E-10	1.0E+06	4.9E-04
441	441	0.3541	3.39E-05	1.2E-05	2.50E-04	3.00E-09	14	1.15E-02	4.82E-10	1.0E+06	4.8E-04
442	442	0.34486	3.39E-05	1.2E-05	2.50E-04	2.92E-09	14	1.15E-02	4.70E-10	1.0E+06	4.7E-04
443	443	0.33451	3.39E-05	1.1E-05	2.50E-04	2.84E-09	14	1.15E-02	4.56E-10	1.0E+06	4.6E-04
454	454	0.34464	3.39E-05	1.2E-05	2.50E-04	2.92E-09	14	1.15E-02	4.69E-10	1.0E+06	4.7E-04
455	455	0.33864	3.39E-05	1.1E-05	2.50E-04	2.87E-09	14	1.15E-02	4.61E-10	1.0E+06	4.6E-04
456	456	0.33151	3.39E-05	1.1E-05	2.50E-04	2.81E-09	14	1.15E-02	4.52E-10	1.0E+06	4.5E-04
457	457	0.3233	3.39E-05	1.1E-05	2.50E-04	2.74E-09	14	1.15E-02	4.40E-10	1.0E+06	4.4E-04
458	458	0.31409	3.39E-05	1.1E-05	2.50E-04	2.66E-09	14	1.15E-02	4.28E-10	1.0E+06	4.3E-04
469	469	0.32277	3.39E-05	1.1E-05	2.50E-04	2.74E-09	14	1.15E-02	4.40E-10	1.0E+06	4.4E-04
470	470	0.31743	3.39E-05	1.1E-05	2.50E-04	2.69E-09	14	1.15E-02	4.32E-10	1.0E+06	4.3E-04
471	471	0.3111	3.39E-05	1.1E-05	2.50E-04	2.64E-09	14	1.15E-02	4.24E-10	1.0E+06	4.2E-04

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	0.30378	3.39E-05	1.0E-05	2.50E-04	2.58E-09	14	1.15E-02	4.14E-10	1.0E+06	4.1E-04
473	473	0.29556	3.39E-05	1.0E-05	2.50E-04	2.51E-09	14	1.15E-02	4.03E-10	1.0E+06	4.0E-04
489	489	0.30307	3.39E-05	1.0E-05	2.50E-04	2.57E-09	14	1.15E-02	4.13E-10	1.0E+06	4.1E-04
490	490	0.29834	3.39E-05	1.0E-05	2.50E-04	2.53E-09	14	1.15E-02	4.06E-10	1.0E+06	4.1E-04
491	491	0.29269	3.39E-05	9.9E-06	2.50E-04	2.48E-09	14	1.15E-02	3.99E-10	1.0E+06	4.0E-04
492	492	0.28616	3.39E-05	9.7E-06	2.50E-04	2.43E-09	14	1.15E-02	3.90E-10	1.0E+06	3.9E-04
493	493	0.27881	3.39E-05	9.4E-06	2.50E-04	2.36E-09	14	1.15E-02	3.80E-10	1.0E+06	3.8E-04
494	494	0.27071	3.39E-05	9.2E-06	2.50E-04	2.30E-09	14	1.15E-02	3.69E-10	1.0E+06	3.7E-04
509	509	0.28517	3.39E-05	9.7E-06	2.50E-04	2.42E-09	14	1.15E-02	3.88E-10	1.0E+06	3.9E-04
510	510	0.28098	3.39E-05	9.5E-06	2.50E-04	2.38E-09	14	1.15E-02	3.83E-10	1.0E+06	3.8E-04
511	511	0.27591	3.39E-05	9.3E-06	2.50E-04	2.34E-09	14	1.15E-02	3.76E-10	1.0E+06	3.8E-04
512	512	0.27007	3.39E-05	9.2E-06	2.50E-04	2.29E-09	14	1.15E-02	3.68E-10	1.0E+06	3.7E-04
513	513	0.26351	3.39E-05	8.9E-06	2.50E-04	2.23E-09	14	1.15E-02	3.59E-10	1.0E+06	3.6E-04
514	514	0.25622	3.39E-05	8.7E-06	2.50E-04	2.17E-09	14	1.15E-02	3.49E-10	1.0E+06	3.5E-04
515	515	0.23993	3.39E-05	8.1E-06	2.50E-04	2.03E-09	14	1.15E-02	3.27E-10	1.0E+06	3.3E-04
516	516	0.23116	3.39E-05	7.8E-06	2.50E-04	1.96E-09	14	1.15E-02	3.15E-10	1.0E+06	3.1E-04
517	517	0.22207	3.39E-05	7.5E-06	2.50E-04	1.88E-09	14	1.15E-02	3.02E-10	1.0E+06	3.0E-04
518	518	0.21284	3.39E-05	7.2E-06	2.50E-04	1.81E-09	14	1.15E-02	2.90E-10	1.0E+06	2.9E-04
519	519	0.20359	3.39E-05	6.9E-06	2.50E-04	1.73E-09	14	1.15E-02	2.77E-10	1.0E+06	2.8E-04
528	528	0.2689	3.39E-05	9.1E-06	2.50E-04	2.28E-09	14	1.15E-02	3.66E-10	1.0E+06	3.7E-04
529	529	0.26517	3.39E-05	9.0E-06	2.50E-04	2.25E-09	14	1.15E-02	3.61E-10	1.0E+06	3.6E-04
530	530	0.26066	3.39E-05	8.8E-06	2.50E-04	2.21E-09	14	1.15E-02	3.55E-10	1.0E+06	3.6E-04
531	531	0.25541	3.39E-05	8.7E-06	2.50E-04	2.17E-09	14	1.15E-02	3.48E-10	1.0E+06	3.5E-04
532	532	0.2495	3.39E-05	8.5E-06	2.50E-04	2.12E-09	14	1.15E-02	3.40E-10	1.0E+06	3.4E-04
533	533	0.24295	3.39E-05	8.2E-06	2.50E-04	2.06E-09	14	1.15E-02	3.31E-10	1.0E+06	3.3E-04
534	534	0.22827	3.39E-05	7.7E-06	2.50E-04	1.94E-09	14	1.15E-02	3.11E-10	1.0E+06	3.1E-04
535	535	0.2203	3.39E-05	7.5E-06	2.50E-04	1.87E-09	14	1.15E-02	3.00E-10	1.0E+06	3.0E-04
536	536	0.21203	3.39E-05	7.2E-06	2.50E-04	1.80E-09	14	1.15E-02	2.89E-10	1.0E+06	2.9E-04
537	537	0.20363	3.39E-05	6.9E-06	2.50E-04	1.73E-09	14	1.15E-02	2.77E-10	1.0E+06	2.8E-04
538	538	0.19519	3.39E-05	6.6E-06	2.50E-04	1.66E-09	14	1.15E-02	2.66E-10	1.0E+06	2.7E-04
547	547	0.25407	3.39E-05	8.6E-06	2.50E-04	2.15E-09	14	1.15E-02	3.46E-10	1.0E+06	3.5E-04

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.25075	3.39E-05	8.5E-06	2.50E-04	2.13E-09	14	1.15E-02	3.42E-10	1.0E+06	3.4E-04
549	549	0.24669	3.39E-05	8.4E-06	2.50E-04	2.09E-09	14	1.15E-02	3.36E-10	1.0E+06	3.4E-04
550	550	0.24201	3.39E-05	8.2E-06	2.50E-04	2.05E-09	14	1.15E-02	3.30E-10	1.0E+06	3.3E-04
551	551	0.23667	3.39E-05	8.0E-06	2.50E-04	2.01E-09	14	1.15E-02	3.22E-10	1.0E+06	3.2E-04
552	552	0.23077	3.39E-05	7.8E-06	2.50E-04	1.96E-09	14	1.15E-02	3.14E-10	1.0E+06	3.1E-04
553	553	0.22433	3.39E-05	7.6E-06	2.50E-04	1.90E-09	14	1.15E-02	3.06E-10	1.0E+06	3.1E-04
554	554	0.21747	3.39E-05	7.4E-06	2.50E-04	1.84E-09	14	1.15E-02	2.96E-10	1.0E+06	3.0E-04
555	555	0.21022	3.39E-05	7.1E-06	2.50E-04	1.78E-09	14	1.15E-02	2.86E-10	1.0E+06	2.9E-04
556	556	0.20268	3.39E-05	6.9E-06	2.50E-04	1.72E-09	14	1.15E-02	2.76E-10	1.0E+06	2.8E-04
557	557	0.19502	3.39E-05	6.6E-06	2.50E-04	1.65E-09	14	1.15E-02	2.66E-10	1.0E+06	2.7E-04
558	558	0.18727	3.39E-05	6.3E-06	2.50E-04	1.59E-09	14	1.15E-02	2.55E-10	1.0E+06	2.6E-04
559	559	0.17958	3.39E-05	6.1E-06	2.50E-04	1.52E-09	14	1.15E-02	2.45E-10	1.0E+06	2.4E-04
567	567	0.24048	3.39E-05	8.1E-06	2.50E-04	2.04E-09	14	1.15E-02	3.28E-10	1.0E+06	3.3E-04
568	568	0.23752	3.39E-05	8.0E-06	2.50E-04	2.01E-09	14	1.15E-02	3.24E-10	1.0E+06	3.2E-04
569	569	0.23391	3.39E-05	7.9E-06	2.50E-04	1.98E-09	14	1.15E-02	3.19E-10	1.0E+06	3.2E-04
570	570	0.22967	3.39E-05	7.8E-06	2.50E-04	1.95E-09	14	1.15E-02	3.13E-10	1.0E+06	3.1E-04
571	571	0.22487	3.39E-05	7.6E-06	2.50E-04	1.91E-09	14	1.15E-02	3.06E-10	1.0E+06	3.1E-04
572	572	0.21952	3.39E-05	7.4E-06	2.50E-04	1.86E-09	14	1.15E-02	2.99E-10	1.0E+06	3.0E-04
573	573	0.2137	3.39E-05	7.2E-06	2.50E-04	1.81E-09	14	1.15E-02	2.91E-10	1.0E+06	2.9E-04
574	574	0.20087	3.39E-05	6.8E-06	2.50E-04	1.70E-09	14	1.15E-02	2.74E-10	1.0E+06	2.7E-04
575	575	0.19398	3.39E-05	6.6E-06	2.50E-04	1.65E-09	14	1.15E-02	2.64E-10	1.0E+06	2.6E-04
576	576	0.18694	3.39E-05	6.3E-06	2.50E-04	1.59E-09	14	1.15E-02	2.55E-10	1.0E+06	2.5E-04
577	577	0.17983	3.39E-05	6.1E-06	2.50E-04	1.53E-09	14	1.15E-02	2.45E-10	1.0E+06	2.4E-04
578	578	0.17274	3.39E-05	5.9E-06	2.50E-04	1.47E-09	14	1.15E-02	2.35E-10	1.0E+06	2.4E-04
586	586	0.22806	3.39E-05	7.7E-06	2.50E-04	1.93E-09	14	1.15E-02	3.11E-10	1.0E+06	3.1E-04
587	587	0.22543	3.39E-05	7.6E-06	2.50E-04	1.91E-09	14	1.15E-02	3.07E-10	1.0E+06	3.1E-04
588	588	0.22217	3.39E-05	7.5E-06	2.50E-04	1.88E-09	14	1.15E-02	3.03E-10	1.0E+06	3.0E-04
589	589	0.21836	3.39E-05	7.4E-06	2.50E-04	1.85E-09	14	1.15E-02	2.97E-10	1.0E+06	3.0E-04
590	590	0.21401	3.39E-05	7.3E-06	2.50E-04	1.82E-09	14	1.15E-02	2.91E-10	1.0E+06	2.9E-04
591	591	0.20917	3.39E-05	7.1E-06	2.50E-04	1.77E-09	14	1.15E-02	2.85E-10	1.0E+06	2.8E-04
592	592	0.20387	3.39E-05	6.9E-06	2.50E-04	1.73E-09	14	1.15E-02	2.78E-10	1.0E+06	2.8E-04

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	0.19217	3.39E-05	6.5E-06	2.50E-04	1.63E-09	14	1.15E-02	2.62E-10	1.0E+06	2.6E-04
594	594	0.18587	3.39E-05	6.3E-06	2.50E-04	1.58E-09	14	1.15E-02	2.53E-10	1.0E+06	2.5E-04
595	595	0.17942	3.39E-05	6.1E-06	2.50E-04	1.52E-09	14	1.15E-02	2.44E-10	1.0E+06	2.4E-04
596	596	0.17289	3.39E-05	5.9E-06	2.50E-04	1.47E-09	14	1.15E-02	2.35E-10	1.0E+06	2.4E-04
597	597	0.16633	3.39E-05	5.6E-06	2.50E-04	1.41E-09	14	1.15E-02	2.27E-10	1.0E+06	2.3E-04
345	345	0.59411	3.39E-05	2.0E-05	2.50E-04	5.04E-09	14	1.15E-02	8.09E-10	1.0E+06	8.1E-04
346	346	0.56784	3.39E-05	1.9E-05	2.50E-04	4.82E-09	14	1.15E-02	7.73E-10	1.0E+06	7.7E-04
347	347	0.53882	3.39E-05	1.8E-05	2.50E-04	4.57E-09	14	1.15E-02	7.34E-10	1.0E+06	7.3E-04
348	348	0.50748	3.39E-05	1.7E-05	2.50E-04	4.30E-09	14	1.15E-02	6.91E-10	1.0E+06	6.9E-04
359	359	0.54307	3.39E-05	1.8E-05	2.50E-04	4.61E-09	14	1.15E-02	7.40E-10	1.0E+06	7.4E-04
360	360	0.52067	3.39E-05	1.8E-05	2.50E-04	4.42E-09	14	1.15E-02	7.09E-10	1.0E+06	7.1E-04
361	361	0.49558	3.39E-05	1.7E-05	2.50E-04	4.20E-09	14	1.15E-02	6.75E-10	1.0E+06	6.8E-04
362	362	0.46876	3.39E-05	1.6E-05	2.50E-04	3.98E-09	14	1.15E-02	6.38E-10	1.0E+06	6.4E-04
363	363	0.44032	3.39E-05	1.5E-05	2.50E-04	3.73E-09	14	1.15E-02	6.00E-10	1.0E+06	6.0E-04
373	373	0.47918	3.39E-05	1.6E-05	2.50E-04	4.06E-09	14	1.15E-02	6.53E-10	1.0E+06	6.5E-04
374	374	0.45767	3.39E-05	1.6E-05	2.50E-04	3.88E-09	14	1.15E-02	6.23E-10	1.0E+06	6.2E-04
375	375	0.43444	3.39E-05	1.5E-05	2.50E-04	3.68E-09	14	1.15E-02	5.92E-10	1.0E+06	5.9E-04
376	376	0.4099	3.39E-05	1.4E-05	2.50E-04	3.48E-09	14	1.15E-02	5.58E-10	1.0E+06	5.6E-04
386	386	0.44294	3.39E-05	1.5E-05	2.50E-04	3.76E-09	14	1.15E-02	6.03E-10	1.0E+06	6.0E-04
387	387	0.4242	3.39E-05	1.4E-05	2.50E-04	3.60E-09	14	1.15E-02	5.78E-10	1.0E+06	5.8E-04
388	388	0.40401	3.39E-05	1.4E-05	2.50E-04	3.43E-09	14	1.15E-02	5.50E-10	1.0E+06	5.5E-04
389	389	0.38263	3.39E-05	1.3E-05	2.50E-04	3.25E-09	14	1.15E-02	5.21E-10	1.0E+06	5.2E-04
390	390	0.36058	3.39E-05	1.2E-05	2.50E-04	3.06E-09	14	1.15E-02	4.91E-10	1.0E+06	4.9E-04
400	400	0.41092	3.39E-05	1.4E-05	2.50E-04	3.49E-09	14	1.15E-02	5.60E-10	1.0E+06	5.6E-04
401	401	0.39462	3.39E-05	1.3E-05	2.50E-04	3.35E-09	14	1.15E-02	5.38E-10	1.0E+06	5.4E-04
402	402	0.37685	3.39E-05	1.3E-05	2.50E-04	3.20E-09	14	1.15E-02	5.13E-10	1.0E+06	5.1E-04
403	403	0.35818	3.39E-05	1.2E-05	2.50E-04	3.04E-09	14	1.15E-02	4.88E-10	1.0E+06	4.9E-04
404	404	0.33888	3.39E-05	1.1E-05	2.50E-04	2.87E-09	14	1.15E-02	4.62E-10	1.0E+06	4.6E-04
415	415	0.38255	3.39E-05	1.3E-05	2.50E-04	3.24E-09	14	1.15E-02	5.21E-10	1.0E+06	5.2E-04
416	416	0.36813	3.39E-05	1.2E-05	2.50E-04	3.12E-09	14	1.15E-02	5.01E-10	1.0E+06	5.0E-04
417	417	0.3526	3.39E-05	1.2E-05	2.50E-04	2.99E-09	14	1.15E-02	4.80E-10	1.0E+06	4.8E-04

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
418	418	0.33603	3.39E-05	1.1E-05	2.50E-04	2.85E-09	14	1.15E-02	4.58E-10	1.0E+06	4.6E-04
419	419	0.31887	3.39E-05	1.1E-05	2.50E-04	2.70E-09	14	1.15E-02	4.34E-10	1.0E+06	4.3E-04
420	420	0.30188	3.39E-05	1.0E-05	2.50E-04	2.56E-09	14	1.15E-02	4.11E-10	1.0E+06	4.1E-04
430	430	0.34453	3.39E-05	1.2E-05	2.50E-04	2.92E-09	14	1.15E-02	4.69E-10	1.0E+06	4.7E-04
431	431	0.33066	3.39E-05	1.1E-05	2.50E-04	2.80E-09	14	1.15E-02	4.50E-10	1.0E+06	4.5E-04
432	432	0.31604	3.39E-05	1.1E-05	2.50E-04	2.68E-09	14	1.15E-02	4.30E-10	1.0E+06	4.3E-04
433	433	0.30089	3.39E-05	1.0E-05	2.50E-04	2.55E-09	14	1.15E-02	4.10E-10	1.0E+06	4.1E-04
434	434	0.28555	3.39E-05	9.7E-06	2.50E-04	2.42E-09	14	1.15E-02	3.89E-10	1.0E+06	3.9E-04
444	444	0.32316	3.39E-05	1.1E-05	2.50E-04	2.74E-09	14	1.15E-02	4.40E-10	1.0E+06	4.4E-04
445	445	0.31097	3.39E-05	1.1E-05	2.50E-04	2.64E-09	14	1.15E-02	4.24E-10	1.0E+06	4.2E-04
446	446	0.29796	3.39E-05	1.0E-05	2.50E-04	2.53E-09	14	1.15E-02	4.06E-10	1.0E+06	4.1E-04
447	447	0.28444	3.39E-05	9.6E-06	2.50E-04	2.41E-09	14	1.15E-02	3.87E-10	1.0E+06	3.9E-04
448	448	0.27072	3.39E-05	9.2E-06	2.50E-04	2.30E-09	14	1.15E-02	3.69E-10	1.0E+06	3.7E-04
459	459	0.29308	3.39E-05	9.9E-06	2.50E-04	2.49E-09	14	1.15E-02	3.99E-10	1.0E+06	4.0E-04
460	460	0.2815	3.39E-05	9.5E-06	2.50E-04	2.39E-09	14	1.15E-02	3.83E-10	1.0E+06	3.8E-04
461	461	0.26944	3.39E-05	9.1E-06	2.50E-04	2.29E-09	14	1.15E-02	3.67E-10	1.0E+06	3.7E-04
462	462	0.25712	3.39E-05	8.7E-06	2.50E-04	2.18E-09	14	1.15E-02	3.50E-10	1.0E+06	3.5E-04
463	463	0.24477	3.39E-05	8.3E-06	2.50E-04	2.08E-09	14	1.15E-02	3.33E-10	1.0E+06	3.3E-04
474	474	0.27683	3.39E-05	9.4E-06	2.50E-04	2.35E-09	14	1.15E-02	3.77E-10	1.0E+06	3.8E-04
475	475	0.26647	3.39E-05	9.0E-06	2.50E-04	2.26E-09	14	1.15E-02	3.63E-10	1.0E+06	3.6E-04
476	476	0.25561	3.39E-05	8.7E-06	2.50E-04	2.17E-09	14	1.15E-02	3.48E-10	1.0E+06	3.5E-04
477	477	0.24454	3.39E-05	8.3E-06	2.50E-04	2.07E-09	14	1.15E-02	3.33E-10	1.0E+06	3.3E-04
478	478	0.23336	3.39E-05	7.9E-06	2.50E-04	1.98E-09	14	1.15E-02	3.18E-10	1.0E+06	3.2E-04
495	495	0.26194	3.39E-05	8.9E-06	2.50E-04	2.22E-09	14	1.15E-02	3.57E-10	1.0E+06	3.6E-04
496	496	0.25265	3.39E-05	8.6E-06	2.50E-04	2.14E-09	14	1.15E-02	3.44E-10	1.0E+06	3.4E-04
497	497	0.24289	3.39E-05	8.2E-06	2.50E-04	2.06E-09	14	1.15E-02	3.31E-10	1.0E+06	3.3E-04
498	498	0.23287	3.39E-05	7.9E-06	2.50E-04	1.98E-09	14	1.15E-02	3.17E-10	1.0E+06	3.2E-04
499	499	0.22273	3.39E-05	7.5E-06	2.50E-04	1.89E-09	14	1.15E-02	3.03E-10	1.0E+06	3.0E-04
500	500	0.21263	3.39E-05	7.2E-06	2.50E-04	1.80E-09	14	1.15E-02	2.90E-10	1.0E+06	2.9E-04

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	8.09746	3.39E-05	2.7E-04	2.50E-04	6.87E-08	25	1.15E-02	1.97E-08	1.0E+06	2.0E-02
140	140	5.3711	3.39E-05	1.8E-04	2.50E-04	4.56E-08	25	1.15E-02	1.31E-08	1.0E+06	1.3E-02
156	156	5.09204	3.39E-05	1.7E-04	2.50E-04	4.32E-08	25	1.15E-02	1.24E-08	1.0E+06	1.2E-02
157	157	5.10686	3.39E-05	1.7E-04	2.50E-04	4.33E-08	25	1.15E-02	1.24E-08	1.0E+06	1.2E-02
158	158	4.95545	3.39E-05	1.7E-04	2.50E-04	4.20E-08	25	1.15E-02	1.21E-08	1.0E+06	1.2E-02
159	159	4.07996	3.39E-05	1.4E-04	2.50E-04	3.46E-08	25	1.15E-02	9.92E-09	1.0E+06	9.9E-03
160	160	2.74553	3.39E-05	9.3E-05	2.50E-04	2.33E-08	25	1.15E-02	6.68E-09	1.0E+06	6.7E-03
161	161	1.35692	3.39E-05	4.6E-05	2.50E-04	1.15E-08	25	1.15E-02	3.30E-09	1.0E+06	3.3E-03
162	162	1.07034	3.39E-05	3.6E-05	2.50E-04	9.08E-09	25	1.15E-02	2.60E-09	1.0E+06	2.6E-03
163	163	0.87838	3.39E-05	3.0E-05	2.50E-04	7.45E-09	25	1.15E-02	2.14E-09	1.0E+06	2.1E-03
167	167	3.44511	3.39E-05	1.2E-04	2.50E-04	2.92E-08	25	1.15E-02	8.38E-09	1.0E+06	8.4E-03
168	168	3.27493	3.39E-05	1.1E-04	2.50E-04	2.78E-08	25	1.15E-02	7.97E-09	1.0E+06	8.0E-03
169	169	2.7745	3.39E-05	9.4E-05	2.50E-04	2.35E-08	25	1.15E-02	6.75E-09	1.0E+06	6.7E-03
170	170	2.11973	3.39E-05	7.2E-05	2.50E-04	1.80E-08	25	1.15E-02	5.16E-09	1.0E+06	5.2E-03
171	171	1.56774	3.39E-05	5.3E-05	2.50E-04	1.33E-08	25	1.15E-02	3.81E-09	1.0E+06	3.8E-03
172	172	1.20482	3.39E-05	4.1E-05	2.50E-04	1.02E-08	25	1.15E-02	2.93E-09	1.0E+06	2.9E-03
173	173	0.96966	3.39E-05	3.3E-05	2.50E-04	8.22E-09	25	1.15E-02	2.36E-09	1.0E+06	2.4E-03
174	174	0.80828	3.39E-05	2.7E-05	2.50E-04	6.86E-09	25	1.15E-02	1.97E-09	1.0E+06	2.0E-03
175	175	0.69049	3.39E-05	2.3E-05	2.50E-04	5.86E-09	25	1.15E-02	1.68E-09	1.0E+06	1.7E-03
176	176	0.60023	3.39E-05	2.0E-05	2.50E-04	5.09E-09	25	1.15E-02	1.46E-09	1.0E+06	1.5E-03
177	177	0.52849	3.39E-05	1.8E-05	2.50E-04	4.48E-09	25	1.15E-02	1.29E-09	1.0E+06	1.3E-03
181	181	2.40937	3.39E-05	8.2E-05	2.50E-04	2.04E-08	25	1.15E-02	5.86E-09	1.0E+06	5.9E-03
182	182	2.09853	3.39E-05	7.1E-05	2.50E-04	1.78E-08	25	1.15E-02	5.10E-09	1.0E+06	5.1E-03
183	183	1.71046	3.39E-05	5.8E-05	2.50E-04	1.45E-08	25	1.15E-02	4.16E-09	1.0E+06	4.2E-03
184	184	1.34891	3.39E-05	4.6E-05	2.50E-04	1.14E-08	25	1.15E-02	3.28E-09	1.0E+06	3.3E-03
185	185	1.07594	3.39E-05	3.6E-05	2.50E-04	9.13E-09	25	1.15E-02	2.62E-09	1.0E+06	2.6E-03
186	186	0.88367	3.39E-05	3.0E-05	2.50E-04	7.49E-09	25	1.15E-02	2.15E-09	1.0E+06	2.1E-03
187	187	0.74599	3.39E-05	2.5E-05	2.50E-04	6.33E-09	25	1.15E-02	1.81E-09	1.0E+06	1.8E-03
188	188	0.64317	3.39E-05	2.2E-05	2.50E-04	5.45E-09	25	1.15E-02	1.56E-09	1.0E+06	1.6E-03
189	189	0.5633	3.39E-05	1.9E-05	2.50E-04	4.78E-09	25	1.15E-02	1.37E-09	1.0E+06	1.4E-03
190	190	0.49931	3.39E-05	1.7E-05	2.50E-04	4.23E-09	25	1.15E-02	1.21E-09	1.0E+06	1.2E-03

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	0.44692	3.39E-05	1.5E-05	2.50E-04	3.79E-09	25	1.15E-02	1.09E-09	1.0E+06	1.1E-03
195	195	1.88927	3.39E-05	6.4E-05	2.50E-04	1.60E-08	25	1.15E-02	4.60E-09	1.0E+06	4.6E-03
196	196	1.67699	3.39E-05	5.7E-05	2.50E-04	1.42E-08	25	1.15E-02	4.08E-09	1.0E+06	4.1E-03
197	197	1.42358	3.39E-05	4.8E-05	2.50E-04	1.21E-08	25	1.15E-02	3.46E-09	1.0E+06	3.5E-03
198	198	1.17284	3.39E-05	4.0E-05	2.50E-04	9.95E-09	25	1.15E-02	2.85E-09	1.0E+06	2.9E-03
199	199	0.96669	3.39E-05	3.3E-05	2.50E-04	8.20E-09	25	1.15E-02	2.35E-09	1.0E+06	2.4E-03
200	200	0.80871	3.39E-05	2.7E-05	2.50E-04	6.86E-09	25	1.15E-02	1.97E-09	1.0E+06	2.0E-03
201	201	0.69026	3.39E-05	2.3E-05	2.50E-04	5.85E-09	25	1.15E-02	1.68E-09	1.0E+06	1.7E-03
202	202	0.60015	3.39E-05	2.0E-05	2.50E-04	5.09E-09	25	1.15E-02	1.46E-09	1.0E+06	1.5E-03
203	203	0.52927	3.39E-05	1.8E-05	2.50E-04	4.49E-09	25	1.15E-02	1.29E-09	1.0E+06	1.3E-03
204	204	0.47195	3.39E-05	1.6E-05	2.50E-04	4.00E-09	25	1.15E-02	1.15E-09	1.0E+06	1.1E-03
205	205	0.42476	3.39E-05	1.4E-05	2.50E-04	3.60E-09	25	1.15E-02	1.03E-09	1.0E+06	1.0E-03
206	206	0.38519	3.39E-05	1.3E-05	2.50E-04	3.27E-09	25	1.15E-02	9.37E-10	1.0E+06	9.4E-04
210	210	1.64276	3.39E-05	5.6E-05	2.50E-04	1.39E-08	25	1.15E-02	4.00E-09	1.0E+06	4.0E-03
211	211	1.54488	3.39E-05	5.2E-05	2.50E-04	1.31E-08	25	1.15E-02	3.76E-09	1.0E+06	3.8E-03
212	212	1.39076	3.39E-05	4.7E-05	2.50E-04	1.18E-08	25	1.15E-02	3.38E-09	1.0E+06	3.4E-03
213	213	1.21149	3.39E-05	4.1E-05	2.50E-04	1.03E-08	25	1.15E-02	2.95E-09	1.0E+06	2.9E-03
214	214	0.87161	3.39E-05	3.0E-05	2.50E-04	7.39E-09	25	1.15E-02	2.12E-09	1.0E+06	2.1E-03
215	215	0.74223	3.39E-05	2.5E-05	2.50E-04	6.30E-09	25	1.15E-02	1.81E-09	1.0E+06	1.8E-03
216	216	0.64055	3.39E-05	2.2E-05	2.50E-04	5.43E-09	25	1.15E-02	1.56E-09	1.0E+06	1.6E-03
217	217	0.56148	3.39E-05	1.9E-05	2.50E-04	4.76E-09	25	1.15E-02	1.37E-09	1.0E+06	1.4E-03
218	218	0.49829	3.39E-05	1.7E-05	2.50E-04	4.23E-09	25	1.15E-02	1.21E-09	1.0E+06	1.2E-03
219	219	0.44669	3.39E-05	1.5E-05	2.50E-04	3.79E-09	25	1.15E-02	1.09E-09	1.0E+06	1.1E-03
220	220	0.40387	3.39E-05	1.4E-05	2.50E-04	3.43E-09	25	1.15E-02	9.82E-10	1.0E+06	9.8E-04
221	221	0.36759	3.39E-05	1.2E-05	2.50E-04	3.12E-09	25	1.15E-02	8.94E-10	1.0E+06	8.9E-04
222	222	0.33709	3.39E-05	1.1E-05	2.50E-04	2.86E-09	25	1.15E-02	8.20E-10	1.0E+06	8.2E-04
226	226	1.38459	3.39E-05	4.7E-05	2.50E-04	1.17E-08	25	1.15E-02	3.37E-09	1.0E+06	3.4E-03
227	227	1.29726	3.39E-05	4.4E-05	2.50E-04	1.10E-08	25	1.15E-02	3.16E-09	1.0E+06	3.2E-03
228	228	1.18209	3.39E-05	4.0E-05	2.50E-04	1.00E-08	25	1.15E-02	2.88E-09	1.0E+06	2.9E-03
229	229	1.04926	3.39E-05	3.6E-05	2.50E-04	8.90E-09	25	1.15E-02	2.55E-09	1.0E+06	2.6E-03
230	230	0.91388	3.39E-05	3.1E-05	2.50E-04	7.75E-09	25	1.15E-02	2.22E-09	1.0E+06	2.2E-03

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	0.79012	3.39E-05	2.7E-05	2.50E-04	6.70E-09	25	1.15E-02	1.92E-09	1.0E+06	1.9E-03
232	232	0.68354	3.39E-05	2.3E-05	2.50E-04	5.80E-09	25	1.15E-02	1.66E-09	1.0E+06	1.7E-03
233	233	0.5265	3.39E-05	1.8E-05	2.50E-04	4.47E-09	25	1.15E-02	1.28E-09	1.0E+06	1.3E-03
234	234	0.47018	3.39E-05	1.6E-05	2.50E-04	3.99E-09	25	1.15E-02	1.14E-09	1.0E+06	1.1E-03
235	235	0.42354	3.39E-05	1.4E-05	2.50E-04	3.59E-09	25	1.15E-02	1.03E-09	1.0E+06	1.0E-03
236	236	0.38441	3.39E-05	1.3E-05	2.50E-04	3.26E-09	25	1.15E-02	9.35E-10	1.0E+06	9.3E-04
237	237	0.35119	3.39E-05	1.2E-05	2.50E-04	2.98E-09	25	1.15E-02	8.54E-10	1.0E+06	8.5E-04
238	238	0.32261	3.39E-05	1.1E-05	2.50E-04	2.74E-09	25	1.15E-02	7.85E-10	1.0E+06	7.8E-04
242	242	1.18574	3.39E-05	4.0E-05	2.50E-04	1.01E-08	25	1.15E-02	2.88E-09	1.0E+06	2.9E-03
243	243	1.11231	3.39E-05	3.8E-05	2.50E-04	9.43E-09	25	1.15E-02	2.71E-09	1.0E+06	2.7E-03
244	244	1.02509	3.39E-05	3.5E-05	2.50E-04	8.69E-09	25	1.15E-02	2.49E-09	1.0E+06	2.5E-03
245	245	0.92296	3.39E-05	3.1E-05	2.50E-04	7.83E-09	25	1.15E-02	2.24E-09	1.0E+06	2.2E-03
246	246	0.81782	3.39E-05	2.8E-05	2.50E-04	6.94E-09	25	1.15E-02	1.99E-09	1.0E+06	2.0E-03
247	247	0.71824	3.39E-05	2.4E-05	2.50E-04	6.09E-09	25	1.15E-02	1.75E-09	1.0E+06	1.7E-03
248	248	0.63008	3.39E-05	2.1E-05	2.50E-04	5.34E-09	25	1.15E-02	1.53E-09	1.0E+06	1.5E-03
249	249	0.4948	3.39E-05	1.7E-05	2.50E-04	4.20E-09	25	1.15E-02	1.20E-09	1.0E+06	1.2E-03
250	250	0.44425	3.39E-05	1.5E-05	2.50E-04	3.77E-09	25	1.15E-02	1.08E-09	1.0E+06	1.1E-03
251	251	0.40205	3.39E-05	1.4E-05	2.50E-04	3.41E-09	25	1.15E-02	9.78E-10	1.0E+06	9.8E-04
252	252	0.36614	3.39E-05	1.2E-05	2.50E-04	3.11E-09	25	1.15E-02	8.91E-10	1.0E+06	8.9E-04
253	253	0.33583	3.39E-05	1.1E-05	2.50E-04	2.85E-09	25	1.15E-02	8.17E-10	1.0E+06	8.2E-04
254	254	0.3093	3.39E-05	1.0E-05	2.50E-04	2.62E-09	25	1.15E-02	7.52E-10	1.0E+06	7.5E-04
257	257	1.03087	3.39E-05	3.5E-05	2.50E-04	8.74E-09	25	1.15E-02	2.51E-09	1.0E+06	2.5E-03
258	258	0.96996	3.39E-05	3.3E-05	2.50E-04	8.23E-09	25	1.15E-02	2.36E-09	1.0E+06	2.4E-03
259	259	0.89973	3.39E-05	3.0E-05	2.50E-04	7.63E-09	25	1.15E-02	2.19E-09	1.0E+06	2.2E-03
260	260	0.82048	3.39E-05	2.8E-05	2.50E-04	6.96E-09	25	1.15E-02	2.00E-09	1.0E+06	2.0E-03
261	261	0.73628	3.39E-05	2.5E-05	2.50E-04	6.24E-09	25	1.15E-02	1.79E-09	1.0E+06	1.8E-03
262	262	0.65568	3.39E-05	2.2E-05	2.50E-04	5.56E-09	25	1.15E-02	1.59E-09	1.0E+06	1.6E-03
263	263	0.58243	3.39E-05	2.0E-05	2.50E-04	4.94E-09	25	1.15E-02	1.42E-09	1.0E+06	1.4E-03
264	264	0.46502	3.39E-05	1.6E-05	2.50E-04	3.94E-09	25	1.15E-02	1.13E-09	1.0E+06	1.1E-03
265	265	0.41983	3.39E-05	1.4E-05	2.50E-04	3.56E-09	25	1.15E-02	1.02E-09	1.0E+06	1.0E-03
266	266	0.38157	3.39E-05	1.3E-05	2.50E-04	3.24E-09	25	1.15E-02	9.28E-10	1.0E+06	9.3E-04

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	0.34894	3.39E-05	1.2E-05	2.50E-04	2.96E-09	25	1.15E-02	8.49E-10	1.0E+06	8.5E-04
268	268	0.32109	3.39E-05	1.1E-05	2.50E-04	2.72E-09	25	1.15E-02	7.81E-10	1.0E+06	7.8E-04
269	269	0.29652	3.39E-05	1.0E-05	2.50E-04	2.51E-09	25	1.15E-02	7.21E-10	1.0E+06	7.2E-04
270	270	0.2394	3.39E-05	8.1E-06	2.50E-04	2.03E-09	25	1.15E-02	5.82E-10	1.0E+06	5.8E-04
271	271	0.22427	3.39E-05	7.6E-06	2.50E-04	1.90E-09	25	1.15E-02	5.45E-10	1.0E+06	5.5E-04
274	274	0.90736	3.39E-05	3.1E-05	2.50E-04	7.70E-09	25	1.15E-02	2.21E-09	1.0E+06	2.2E-03
275	275	0.85613	3.39E-05	2.9E-05	2.50E-04	7.26E-09	25	1.15E-02	2.08E-09	1.0E+06	2.1E-03
276	276	0.79864	3.39E-05	2.7E-05	2.50E-04	6.77E-09	25	1.15E-02	1.94E-09	1.0E+06	1.9E-03
277	277	0.7354	3.39E-05	2.5E-05	2.50E-04	6.24E-09	25	1.15E-02	1.79E-09	1.0E+06	1.8E-03
278	278	0.66779	3.39E-05	2.3E-05	2.50E-04	5.66E-09	25	1.15E-02	1.62E-09	1.0E+06	1.6E-03
279	279	0.60172	3.39E-05	2.0E-05	2.50E-04	5.10E-09	25	1.15E-02	1.46E-09	1.0E+06	1.5E-03
280	280	0.5405	3.39E-05	1.8E-05	2.50E-04	4.58E-09	25	1.15E-02	1.31E-09	1.0E+06	1.3E-03
281	281	0.438	3.39E-05	1.5E-05	2.50E-04	3.71E-09	25	1.15E-02	1.07E-09	1.0E+06	1.1E-03
282	282	0.39742	3.39E-05	1.3E-05	2.50E-04	3.37E-09	25	1.15E-02	9.67E-10	1.0E+06	9.7E-04
283	283	0.36276	3.39E-05	1.2E-05	2.50E-04	3.08E-09	25	1.15E-02	8.82E-10	1.0E+06	8.8E-04
284	284	0.33295	3.39E-05	1.1E-05	2.50E-04	2.82E-09	25	1.15E-02	8.10E-10	1.0E+06	8.1E-04
285	285	0.30709	3.39E-05	1.0E-05	2.50E-04	2.60E-09	25	1.15E-02	7.47E-10	1.0E+06	7.5E-04
286	286	0.28433	3.39E-05	9.6E-06	2.50E-04	2.41E-09	25	1.15E-02	6.92E-10	1.0E+06	6.9E-04
287	287	0.23132	3.39E-05	7.8E-06	2.50E-04	1.96E-09	25	1.15E-02	5.63E-10	1.0E+06	5.6E-04
288	288	0.21693	3.39E-05	7.4E-06	2.50E-04	1.84E-09	25	1.15E-02	5.28E-10	1.0E+06	5.3E-04
291	291	0.80672	3.39E-05	2.7E-05	2.50E-04	6.84E-09	25	1.15E-02	1.96E-09	1.0E+06	2.0E-03
292	292	0.76374	3.39E-05	2.6E-05	2.50E-04	6.48E-09	25	1.15E-02	1.86E-09	1.0E+06	1.9E-03
293	293	0.71579	3.39E-05	2.4E-05	2.50E-04	6.07E-09	25	1.15E-02	1.74E-09	1.0E+06	1.7E-03
294	294	0.66426	3.39E-05	2.3E-05	2.50E-04	5.63E-09	25	1.15E-02	1.62E-09	1.0E+06	1.6E-03
295	295	0.60917	3.39E-05	2.1E-05	2.50E-04	5.17E-09	25	1.15E-02	1.48E-09	1.0E+06	1.5E-03
296	296	0.55418	3.39E-05	1.9E-05	2.50E-04	4.70E-09	25	1.15E-02	1.35E-09	1.0E+06	1.3E-03
297	297	0.50201	3.39E-05	1.7E-05	2.50E-04	4.26E-09	25	1.15E-02	1.22E-09	1.0E+06	1.2E-03
298	298	0.41284	3.39E-05	1.4E-05	2.50E-04	3.50E-09	25	1.15E-02	1.00E-09	1.0E+06	1.0E-03
299	299	0.37641	3.39E-05	1.3E-05	2.50E-04	3.19E-09	25	1.15E-02	9.16E-10	1.0E+06	9.2E-04
300	300	0.34499	3.39E-05	1.2E-05	2.50E-04	2.93E-09	25	1.15E-02	8.39E-10	1.0E+06	8.4E-04
301	301	0.31767	3.39E-05	1.1E-05	2.50E-04	2.69E-09	25	1.15E-02	7.73E-10	1.0E+06	7.7E-04

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	302	0.29383	3.39E-05	1.0E-05	2.50E-04	2.49E-09	25	1.15E-02	7.15E-10	1.0E+06	7.1E-04
303	303	0.27277	3.39E-05	9.2E-06	2.50E-04	2.31E-09	25	1.15E-02	6.63E-10	1.0E+06	6.6E-04
304	304	0.22334	3.39E-05	7.6E-06	2.50E-04	1.89E-09	25	1.15E-02	5.43E-10	1.0E+06	5.4E-04
305	305	0.20991	3.39E-05	7.1E-06	2.50E-04	1.78E-09	25	1.15E-02	5.11E-10	1.0E+06	5.1E-04
308	308	0.72347	3.39E-05	2.5E-05	2.50E-04	6.14E-09	25	1.15E-02	1.76E-09	1.0E+06	1.8E-03
309	309	0.68737	3.39E-05	2.3E-05	2.50E-04	5.83E-09	25	1.15E-02	1.67E-09	1.0E+06	1.7E-03
310	310	0.64694	3.39E-05	2.2E-05	2.50E-04	5.49E-09	25	1.15E-02	1.57E-09	1.0E+06	1.6E-03
311	311	0.60409	3.39E-05	2.0E-05	2.50E-04	5.12E-09	25	1.15E-02	1.47E-09	1.0E+06	1.5E-03
312	312	0.55789	3.39E-05	1.9E-05	2.50E-04	4.73E-09	25	1.15E-02	1.36E-09	1.0E+06	1.4E-03
313	313	0.51183	3.39E-05	1.7E-05	2.50E-04	4.34E-09	25	1.15E-02	1.24E-09	1.0E+06	1.2E-03
314	314	0.46745	3.39E-05	1.6E-05	2.50E-04	3.96E-09	25	1.15E-02	1.14E-09	1.0E+06	1.1E-03
315	315	0.38949	3.39E-05	1.3E-05	2.50E-04	3.30E-09	25	1.15E-02	9.47E-10	1.0E+06	9.5E-04
316	316	0.35668	3.39E-05	1.2E-05	2.50E-04	3.03E-09	25	1.15E-02	8.68E-10	1.0E+06	8.7E-04
317	317	0.32832	3.39E-05	1.1E-05	2.50E-04	2.78E-09	25	1.15E-02	7.99E-10	1.0E+06	8.0E-04
318	318	0.30325	3.39E-05	1.0E-05	2.50E-04	2.57E-09	25	1.15E-02	7.38E-10	1.0E+06	7.4E-04
319	319	0.28126	3.39E-05	9.5E-06	2.50E-04	2.39E-09	25	1.15E-02	6.84E-10	1.0E+06	6.8E-04
320	320	0.2619	3.39E-05	8.9E-06	2.50E-04	2.22E-09	25	1.15E-02	6.37E-10	1.0E+06	6.4E-04
321	321	0.21568	3.39E-05	7.3E-06	2.50E-04	1.83E-09	25	1.15E-02	5.25E-10	1.0E+06	5.2E-04
322	322	0.20316	3.39E-05	6.9E-06	2.50E-04	1.72E-09	25	1.15E-02	4.94E-10	1.0E+06	4.9E-04
325	325	0.65349	3.39E-05	2.2E-05	2.50E-04	5.54E-09	25	1.15E-02	1.59E-09	1.0E+06	1.6E-03
326	326	0.62286	3.39E-05	2.1E-05	2.50E-04	5.28E-09	25	1.15E-02	1.51E-09	1.0E+06	1.5E-03
327	327	0.58873	3.39E-05	2.0E-05	2.50E-04	4.99E-09	25	1.15E-02	1.43E-09	1.0E+06	1.4E-03
328	328	0.55218	3.39E-05	1.9E-05	2.50E-04	4.68E-09	25	1.15E-02	1.34E-09	1.0E+06	1.3E-03
329	329	0.51369	3.39E-05	1.7E-05	2.50E-04	4.36E-09	25	1.15E-02	1.25E-09	1.0E+06	1.2E-03
330	330	0.4742	3.39E-05	1.6E-05	2.50E-04	4.02E-09	25	1.15E-02	1.15E-09	1.0E+06	1.2E-03
331	331	0.43614	3.39E-05	1.5E-05	2.50E-04	3.70E-09	25	1.15E-02	1.06E-09	1.0E+06	1.1E-03
332	332	0.40016	3.39E-05	1.4E-05	2.50E-04	3.39E-09	25	1.15E-02	9.73E-10	1.0E+06	9.7E-04
333	333	0.36773	3.39E-05	1.2E-05	2.50E-04	3.12E-09	25	1.15E-02	8.94E-10	1.0E+06	8.9E-04
334	334	0.3384	3.39E-05	1.1E-05	2.50E-04	2.87E-09	25	1.15E-02	8.23E-10	1.0E+06	8.2E-04
335	335	0.31254	3.39E-05	1.1E-05	2.50E-04	2.65E-09	25	1.15E-02	7.60E-10	1.0E+06	7.6E-04
336	336	0.28965	3.39E-05	9.8E-06	2.50E-04	2.46E-09	25	1.15E-02	7.05E-10	1.0E+06	7.0E-04

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	0.26943	3.39E-05	9.1E-06	2.50E-04	2.29E-09	25	1.15E-02	6.55E-10	1.0E+06	6.6E-04
338	338	0.25136	3.39E-05	8.5E-06	2.50E-04	2.13E-09	25	1.15E-02	6.11E-10	1.0E+06	6.1E-04
339	339	0.22138	3.39E-05	7.5E-06	2.50E-04	1.88E-09	25	1.15E-02	5.38E-10	1.0E+06	5.4E-04
340	340	0.20837	3.39E-05	7.1E-06	2.50E-04	1.77E-09	25	1.15E-02	5.07E-10	1.0E+06	5.1E-04
341	341	0.19662	3.39E-05	6.7E-06	2.50E-04	1.67E-09	25	1.15E-02	4.78E-10	1.0E+06	4.8E-04
349	349	0.47463	3.39E-05	1.6E-05	2.50E-04	4.03E-09	25	1.15E-02	1.15E-09	1.0E+06	1.2E-03
350	350	0.44104	3.39E-05	1.5E-05	2.50E-04	3.74E-09	25	1.15E-02	1.07E-09	1.0E+06	1.1E-03
351	351	0.4083	3.39E-05	1.4E-05	2.50E-04	3.46E-09	25	1.15E-02	9.93E-10	1.0E+06	9.9E-04
352	352	0.37652	3.39E-05	1.3E-05	2.50E-04	3.19E-09	25	1.15E-02	9.16E-10	1.0E+06	9.2E-04
353	353	0.21353	3.39E-05	7.2E-06	2.50E-04	1.81E-09	25	1.15E-02	5.19E-10	1.0E+06	5.2E-04
354	354	0.20133	3.39E-05	6.8E-06	2.50E-04	1.71E-09	25	1.15E-02	4.90E-10	1.0E+06	4.9E-04
355	355	0.19027	3.39E-05	6.4E-06	2.50E-04	1.61E-09	25	1.15E-02	4.63E-10	1.0E+06	4.6E-04
364	364	0.41131	3.39E-05	1.4E-05	2.50E-04	3.49E-09	25	1.15E-02	1.00E-09	1.0E+06	1.0E-03
365	365	0.38254	3.39E-05	1.3E-05	2.50E-04	3.24E-09	25	1.15E-02	9.30E-10	1.0E+06	9.3E-04
366	366	0.35507	3.39E-05	1.2E-05	2.50E-04	3.01E-09	25	1.15E-02	8.64E-10	1.0E+06	8.6E-04
367	367	0.20599	3.39E-05	7.0E-06	2.50E-04	1.75E-09	25	1.15E-02	5.01E-10	1.0E+06	5.0E-04
368	368	0.19459	3.39E-05	6.6E-06	2.50E-04	1.65E-09	25	1.15E-02	4.73E-10	1.0E+06	4.7E-04
369	369	0.18418	3.39E-05	6.2E-06	2.50E-04	1.56E-09	25	1.15E-02	4.48E-10	1.0E+06	4.5E-04
377	377	0.38466	3.39E-05	1.3E-05	2.50E-04	3.26E-09	25	1.15E-02	9.36E-10	1.0E+06	9.4E-04
378	378	0.35956	3.39E-05	1.2E-05	2.50E-04	3.05E-09	25	1.15E-02	8.75E-10	1.0E+06	8.7E-04
379	379	0.33534	3.39E-05	1.1E-05	2.50E-04	2.84E-09	25	1.15E-02	8.16E-10	1.0E+06	8.2E-04
380	380	0.19886	3.39E-05	6.7E-06	2.50E-04	1.69E-09	25	1.15E-02	4.84E-10	1.0E+06	4.8E-04
381	381	0.1882	3.39E-05	6.4E-06	2.50E-04	1.60E-09	25	1.15E-02	4.58E-10	1.0E+06	4.6E-04
382	382	0.17838	3.39E-05	6.0E-06	2.50E-04	1.51E-09	25	1.15E-02	4.34E-10	1.0E+06	4.3E-04
391	391	0.33858	3.39E-05	1.1E-05	2.50E-04	2.87E-09	25	1.15E-02	8.24E-10	1.0E+06	8.2E-04
392	392	0.31716	3.39E-05	1.1E-05	2.50E-04	2.69E-09	25	1.15E-02	7.71E-10	1.0E+06	7.7E-04
393	393	0.19204	3.39E-05	6.5E-06	2.50E-04	1.63E-09	25	1.15E-02	4.67E-10	1.0E+06	4.7E-04
394	394	0.18199	3.39E-05	6.2E-06	2.50E-04	1.54E-09	25	1.15E-02	4.43E-10	1.0E+06	4.4E-04
395	395	0.17273	3.39E-05	5.9E-06	2.50E-04	1.46E-09	25	1.15E-02	4.20E-10	1.0E+06	4.2E-04
405	405	0.31936	3.39E-05	1.1E-05	2.50E-04	2.71E-09	25	1.15E-02	7.77E-10	1.0E+06	7.8E-04
406	406	0.30024	3.39E-05	1.0E-05	2.50E-04	2.55E-09	25	1.15E-02	7.30E-10	1.0E+06	7.3E-04

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	0.28175	3.39E-05	9.5E-06	2.50E-04	2.39E-09	25	1.15E-02	6.85E-10	1.0E+06	6.9E-04
408	408	0.18549	3.39E-05	6.3E-06	2.50E-04	1.57E-09	25	1.15E-02	4.51E-10	1.0E+06	4.5E-04
409	409	0.17606	3.39E-05	6.0E-06	2.50E-04	1.49E-09	25	1.15E-02	4.28E-10	1.0E+06	4.3E-04
410	410	0.16727	3.39E-05	5.7E-06	2.50E-04	1.42E-09	25	1.15E-02	4.07E-10	1.0E+06	4.1E-04
421	421	0.28471	3.39E-05	9.6E-06	2.50E-04	2.41E-09	25	1.15E-02	6.92E-10	1.0E+06	6.9E-04
422	422	0.26814	3.39E-05	9.1E-06	2.50E-04	2.27E-09	25	1.15E-02	6.52E-10	1.0E+06	6.5E-04
423	423	0.17926	3.39E-05	6.1E-06	2.50E-04	1.52E-09	25	1.15E-02	4.36E-10	1.0E+06	4.4E-04
424	424	0.17036	3.39E-05	5.8E-06	2.50E-04	1.44E-09	25	1.15E-02	4.14E-10	1.0E+06	4.1E-04
425	425	0.16208	3.39E-05	5.5E-06	2.50E-04	1.37E-09	25	1.15E-02	3.94E-10	1.0E+06	3.9E-04
435	435	0.2704	3.39E-05	9.2E-06	2.50E-04	2.29E-09	25	1.15E-02	6.58E-10	1.0E+06	6.6E-04
436	436	0.25539	3.39E-05	8.7E-06	2.50E-04	2.17E-09	25	1.15E-02	6.21E-10	1.0E+06	6.2E-04
437	437	0.16491	3.39E-05	5.6E-06	2.50E-04	1.40E-09	25	1.15E-02	4.01E-10	1.0E+06	4.0E-04
438	438	0.15715	3.39E-05	5.3E-06	2.50E-04	1.33E-09	25	1.15E-02	3.82E-10	1.0E+06	3.8E-04
449	449	0.25713	3.39E-05	8.7E-06	2.50E-04	2.18E-09	25	1.15E-02	6.25E-10	1.0E+06	6.3E-04
450	450	0.2435	3.39E-05	8.3E-06	2.50E-04	2.07E-09	25	1.15E-02	5.92E-10	1.0E+06	5.9E-04
451	451	0.2305	3.39E-05	7.8E-06	2.50E-04	1.95E-09	25	1.15E-02	5.61E-10	1.0E+06	5.6E-04
452	452	0.15971	3.39E-05	5.4E-06	2.50E-04	1.35E-09	25	1.15E-02	3.88E-10	1.0E+06	3.9E-04
453	453	0.15239	3.39E-05	5.2E-06	2.50E-04	1.29E-09	25	1.15E-02	3.71E-10	1.0E+06	3.7E-04
464	464	0.23252	3.39E-05	7.9E-06	2.50E-04	1.97E-09	25	1.15E-02	5.66E-10	1.0E+06	5.7E-04
465	465	0.22063	3.39E-05	7.5E-06	2.50E-04	1.87E-09	25	1.15E-02	5.37E-10	1.0E+06	5.4E-04
466	466	0.17023	3.39E-05	5.8E-06	2.50E-04	1.44E-09	25	1.15E-02	4.14E-10	1.0E+06	4.1E-04
467	467	0.15472	3.39E-05	5.2E-06	2.50E-04	1.31E-09	25	1.15E-02	3.76E-10	1.0E+06	3.8E-04
468	468	0.1478	3.39E-05	5.0E-06	2.50E-04	1.25E-09	25	1.15E-02	3.59E-10	1.0E+06	3.6E-04
479	479	0.22231	3.39E-05	7.5E-06	2.50E-04	1.89E-09	25	1.15E-02	5.41E-10	1.0E+06	5.4E-04
480	480	0.21139	3.39E-05	7.2E-06	2.50E-04	1.79E-09	25	1.15E-02	5.14E-10	1.0E+06	5.1E-04
481	481	0.20093	3.39E-05	6.8E-06	2.50E-04	1.70E-09	25	1.15E-02	4.89E-10	1.0E+06	4.9E-04
482	482	0.19093	3.39E-05	6.5E-06	2.50E-04	1.62E-09	25	1.15E-02	4.64E-10	1.0E+06	4.6E-04
483	483	0.18158	3.39E-05	6.2E-06	2.50E-04	1.54E-09	25	1.15E-02	4.42E-10	1.0E+06	4.4E-04
484	484	0.17278	3.39E-05	5.9E-06	2.50E-04	1.47E-09	25	1.15E-02	4.20E-10	1.0E+06	4.2E-04
485	485	0.1646	3.39E-05	5.6E-06	2.50E-04	1.40E-09	25	1.15E-02	4.00E-10	1.0E+06	4.0E-04
486	486	0.15699	3.39E-05	5.3E-06	2.50E-04	1.33E-09	25	1.15E-02	3.82E-10	1.0E+06	3.8E-04

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	487	0.14994	3.39E-05	5.1E-06	2.50E-04	1.27E-09	25	1.15E-02	3.65E-10	1.0E+06	3.6E-04
488	488	0.14341	3.39E-05	4.9E-06	2.50E-04	1.22E-09	25	1.15E-02	3.49E-10	1.0E+06	3.5E-04
501	501	0.20171	3.39E-05	6.8E-06	2.50E-04	1.71E-09	25	1.15E-02	4.91E-10	1.0E+06	4.9E-04
502	502	0.19304	3.39E-05	6.5E-06	2.50E-04	1.64E-09	25	1.15E-02	4.70E-10	1.0E+06	4.7E-04
503	503	0.1838	3.39E-05	6.2E-06	2.50E-04	1.56E-09	25	1.15E-02	4.47E-10	1.0E+06	4.5E-04
504	504	0.17508	3.39E-05	5.9E-06	2.50E-04	1.48E-09	25	1.15E-02	4.26E-10	1.0E+06	4.3E-04
505	505	0.16688	3.39E-05	5.7E-06	2.50E-04	1.42E-09	25	1.15E-02	4.06E-10	1.0E+06	4.1E-04
506	506	0.15922	3.39E-05	5.4E-06	2.50E-04	1.35E-09	25	1.15E-02	3.87E-10	1.0E+06	3.9E-04
507	507	0.15204	3.39E-05	5.2E-06	2.50E-04	1.29E-09	25	1.15E-02	3.70E-10	1.0E+06	3.7E-04
508	508	0.13919	3.39E-05	4.7E-06	2.50E-04	1.18E-09	25	1.15E-02	3.39E-10	1.0E+06	3.4E-04
520	520	0.19454	3.39E-05	6.6E-06	2.50E-04	1.65E-09	25	1.15E-02	4.73E-10	1.0E+06	4.7E-04
521	521	0.18464	3.39E-05	6.3E-06	2.50E-04	1.57E-09	25	1.15E-02	4.49E-10	1.0E+06	4.5E-04
522	522	0.17708	3.39E-05	6.0E-06	2.50E-04	1.50E-09	25	1.15E-02	4.31E-10	1.0E+06	4.3E-04
523	523	0.16896	3.39E-05	5.7E-06	2.50E-04	1.43E-09	25	1.15E-02	4.11E-10	1.0E+06	4.1E-04
524	524	0.16129	3.39E-05	5.5E-06	2.50E-04	1.37E-09	25	1.15E-02	3.92E-10	1.0E+06	3.9E-04
525	525	0.15408	3.39E-05	5.2E-06	2.50E-04	1.31E-09	25	1.15E-02	3.75E-10	1.0E+06	3.7E-04
526	526	0.14733	3.39E-05	5.0E-06	2.50E-04	1.25E-09	25	1.15E-02	3.58E-10	1.0E+06	3.6E-04
527	527	0.13515	3.39E-05	4.6E-06	2.50E-04	1.15E-09	25	1.15E-02	3.29E-10	1.0E+06	3.3E-04
539	539	0.18682	3.39E-05	6.3E-06	2.50E-04	1.58E-09	25	1.15E-02	4.54E-10	1.0E+06	4.5E-04
540	540	0.17865	3.39E-05	6.1E-06	2.50E-04	1.52E-09	25	1.15E-02	4.35E-10	1.0E+06	4.3E-04
541	541	0.17076	3.39E-05	5.8E-06	2.50E-04	1.45E-09	25	1.15E-02	4.15E-10	1.0E+06	4.2E-04
542	542	0.16234	3.39E-05	5.5E-06	2.50E-04	1.38E-09	25	1.15E-02	3.95E-10	1.0E+06	3.9E-04
543	543	0.15597	3.39E-05	5.3E-06	2.50E-04	1.32E-09	25	1.15E-02	3.79E-10	1.0E+06	3.8E-04
544	544	0.1492	3.39E-05	5.1E-06	2.50E-04	1.27E-09	25	1.15E-02	3.63E-10	1.0E+06	3.6E-04
545	545	0.14286	3.39E-05	4.8E-06	2.50E-04	1.21E-09	25	1.15E-02	3.47E-10	1.0E+06	3.5E-04
546	546	0.13129	3.39E-05	4.4E-06	2.50E-04	1.11E-09	25	1.15E-02	3.19E-10	1.0E+06	3.2E-04
560	560	0.17202	3.39E-05	5.8E-06	2.50E-04	1.46E-09	25	1.15E-02	4.18E-10	1.0E+06	4.2E-04
561	561	0.16467	3.39E-05	5.6E-06	2.50E-04	1.40E-09	25	1.15E-02	4.01E-10	1.0E+06	4.0E-04
562	562	0.15763	3.39E-05	5.3E-06	2.50E-04	1.34E-09	25	1.15E-02	3.83E-10	1.0E+06	3.8E-04
563	563	0.14994	3.39E-05	5.1E-06	2.50E-04	1.27E-09	25	1.15E-02	3.65E-10	1.0E+06	3.6E-04
564	564	0.14376	3.39E-05	4.9E-06	2.50E-04	1.22E-09	25	1.15E-02	3.50E-10	1.0E+06	3.5E-04

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.1385	3.39E-05	4.7E-06	2.50E-04	1.17E-09	25	1.15E-02	3.37E-10	1.0E+06	3.4E-04
566	566	0.12755	3.39E-05	4.3E-06	2.50E-04	1.08E-09	25	1.15E-02	3.10E-10	1.0E+06	3.1E-04
579	579	0.16576	3.39E-05	5.6E-06	2.50E-04	1.41E-09	25	1.15E-02	4.03E-10	1.0E+06	4.0E-04
580	580	0.15893	3.39E-05	5.4E-06	2.50E-04	1.35E-09	25	1.15E-02	3.87E-10	1.0E+06	3.9E-04
581	581	0.15234	3.39E-05	5.2E-06	2.50E-04	1.29E-09	25	1.15E-02	3.71E-10	1.0E+06	3.7E-04
582	582	0.14605	3.39E-05	4.9E-06	2.50E-04	1.24E-09	25	1.15E-02	3.55E-10	1.0E+06	3.6E-04
583	583	0.14007	3.39E-05	4.7E-06	2.50E-04	1.19E-09	25	1.15E-02	3.41E-10	1.0E+06	3.4E-04
584	584	0.13441	3.39E-05	4.6E-06	2.50E-04	1.14E-09	25	1.15E-02	3.27E-10	1.0E+06	3.3E-04
585	585	0.12688	3.39E-05	4.3E-06	2.50E-04	1.08E-09	25	1.15E-02	3.09E-10	1.0E+06	3.1E-04
598	598	0.15984	3.39E-05	5.4E-06	2.50E-04	1.36E-09	25	1.15E-02	3.89E-10	1.0E+06	3.9E-04
599	599	0.1535	3.39E-05	5.2E-06	2.50E-04	1.30E-09	25	1.15E-02	3.73E-10	1.0E+06	3.7E-04
600	600	0.14735	3.39E-05	5.0E-06	2.50E-04	1.25E-09	25	1.15E-02	3.58E-10	1.0E+06	3.6E-04
601	601	0.14143	3.39E-05	4.8E-06	2.50E-04	1.20E-09	25	1.15E-02	3.44E-10	1.0E+06	3.4E-04
602	602	0.1358	3.39E-05	4.6E-06	2.50E-04	1.15E-09	25	1.15E-02	3.30E-10	1.0E+06	3.3E-04
603	603	0.13043	3.39E-05	4.4E-06	2.50E-04	1.11E-09	25	1.15E-02	3.17E-10	1.0E+06	3.2E-04
604	604	0.12537	3.39E-05	4.2E-06	2.50E-04	1.06E-09	25	1.15E-02	3.05E-10	1.0E+06	3.0E-04
0	0	0	3.39E-05	0.0E+00	2.50E-04	0.00E+00	25	1.15E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
1	1	7.6E-02	5	1.95E-05	
2	2	8.6E-02	5	2.21E-05	
3	3	9.5E-02	5	2.44E-05	
4	4	1.0E-01	5	2.63E-05	
5	5	1.1E-01	5	2.78E-05	
6	6	1.1E-01	5	2.91E-05	
7	7	1.2E-01	5	3.00E-05	
8	8	1.2E-01	5	3.04E-05	
9	9	1.2E-01	5	3.06E-05	
10	10	1.2E-01	5	3.07E-05	
11	11	1.2E-01	5	3.04E-05	
12	12	1.2E-01	5	2.99E-05	
13	13	1.1E-01	5	2.93E-05	
14	14	1.1E-01	5	2.82E-05	
15	15	1.1E-01	5	2.69E-05	
16	16	9.8E-02	5	2.51E-05	
17	17	9.0E-02	5	2.30E-05	
18	18	8.1E-02	5	2.06E-05	
19	19	7.1E-02	5	1.83E-05	
20	20	6.2E-02	5	1.59E-05	
21	21	5.3E-02	5	1.36E-05	
22	22	4.5E-02	5	1.15E-05	
23	23	3.8E-02	5	9.67E-06	
24	24	3.2E-02	5	8.13E-06	
25	25	2.7E-02	5	6.88E-06	
26	26	2.3E-02	5	5.87E-06	
27	27	2.0E-02	5	5.06E-06	
28	28	1.7E-02	5	4.40E-06	
29	29	1.5E-02	5	3.86E-06	
30	30	1.3E-02	5	3.42E-06	
31	31	1.2E-02	5	3.05E-06	

Max	Receptor #	
0.248	125	Res
0.016	345	School
0.020	139	Worker

Max	Receptor #	
6.342E-05	125	Res
4.027E-06	345	School
5.488E-05	139	Worker

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
32	32	1.1E-02	5	2.74E-06	
55	55	4.7E-02	5	1.20E-05	
56	56	3.8E-02	5	9.66E-06	
57	57	3.1E-02	5	7.91E-06	
58	58	2.6E-02	5	6.57E-06	
59	59	2.2E-02	5	5.55E-06	
60	60	1.9E-02	5	4.75E-06	
61	61	1.6E-02	5	4.12E-06	
62	62	1.4E-02	5	3.62E-06	
63	63	1.3E-02	5	3.21E-06	
64	64	1.1E-02	5	2.88E-06	
65	65	1.0E-02	5	2.59E-06	
66	66	9.2E-03	5	2.36E-06	
67	67	2.1E-01	5	5.25E-05	
68	68	1.7E-01	5	4.31E-05	
69	69	2.0E-01	5	5.12E-05	
70	70	2.0E-01	5	5.14E-05	
71	71	2.0E-01	5	5.03E-05	
72	72	2.2E-01	5	5.74E-05	
73	73	1.5E-01	5	3.83E-05	
74	74	2.0E-01	5	5.21E-05	
75	75	2.1E-01	5	5.30E-05	
76	76	2.2E-01	5	5.67E-05	
77	77	2.0E-01	5	5.09E-05	
78	78	2.0E-01	5	5.15E-05	
79	79	1.9E-01	5	4.76E-05	
80	80	1.5E-01	5	3.88E-05	
81	81	1.2E-01	5	2.95E-05	
82	82	8.4E-02	5	2.14E-05	
83	83	6.1E-02	5	1.57E-05	
84	84	4.6E-02	5	1.18E-05	

Via Oro
Risk From 405 (Hughes to 47) [TKH]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
85	85	3.6E-02	5	9.19E-06	
86	86	2.9E-02	5	7.39E-06	
87	87	2.4E-02	5	6.10E-06	
88	88	2.0E-02	5	5.14E-06	
89	89	1.7E-02	5	4.41E-06	
90	90	1.5E-02	5	3.84E-06	
91	91	1.3E-02	5	3.39E-06	
92	92	1.2E-02	5	3.02E-06	
93	93	1.1E-02	5	2.71E-06	
96	96	2.6E-02	5	6.70E-06	
97	97	2.2E-02	5	5.51E-06	
98	98	1.8E-02	5	4.72E-06	
99	99	1.6E-02	5	4.08E-06	
100	100	1.4E-02	5	3.58E-06	
101	101	1.2E-02	5	3.18E-06	
102	102	1.1E-02	5	2.85E-06	
106	106	1.2E-01	5	3.13E-05	
107	107	1.5E-01	5	3.76E-05	
108	108	1.4E-01	5	3.62E-05	
109	109	1.4E-01	5	3.49E-05	
110	110	1.4E-01	5	3.50E-05	
111	111	2.2E-01	5	5.57E-05	
112	112	1.3E-01	5	3.41E-05	
113	113	1.3E-01	5	3.41E-05	
114	114	1.4E-01	5	3.61E-05	
115	115	2.1E-01	5	5.39E-05	
116	116	1.2E-01	5	3.18E-05	
117	117	1.3E-01	5	3.27E-05	
118	118	2.1E-01	5	5.26E-05	
124	124	1.6E-01	5	4.15E-05	
125	125	2.5E-01	5	6.34E-05	

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
126	126	2.3E-01	5	5.92E-05	
127	127	2.2E-01	5	5.73E-05	
128	128	2.2E-01	5	5.71E-05	
129	129	2.2E-01	5	5.64E-05	
130	130	2.2E-01	5	5.51E-05	
131	131	2.1E-01	5	5.35E-05	
132	132	2.1E-01	5	5.27E-05	
133	133	2.0E-01	5	5.15E-05	
134	134	2.0E-01	5	5.12E-05	
135	135	2.0E-01	5	5.07E-05	
136	136	2.0E-01	5	5.10E-05	
137	137	2.0E-01	5	5.15E-05	
138	138	2.1E-01	5	5.33E-05	
141	141	1.5E-01	5	3.77E-05	
142	142	1.5E-01	5	3.76E-05	
143	143	1.4E-01	5	3.69E-05	
144	144	1.4E-01	5	3.65E-05	
145	145	1.4E-01	5	3.64E-05	
146	146	1.4E-01	5	3.61E-05	
147	147	1.4E-01	5	3.59E-05	
148	148	1.4E-01	5	3.54E-05	
149	149	1.4E-01	5	3.51E-05	
150	150	1.4E-01	5	3.46E-05	
151	151	1.3E-01	5	3.44E-05	
152	152	1.3E-01	5	3.42E-05	
153	153	1.3E-01	5	3.42E-05	
154	154	1.3E-01	5	3.40E-05	
155	155	1.3E-01	5	3.41E-05	
164	164	9.7E-02	5	2.48E-05	
165	165	9.6E-02	5	2.45E-05	
166	166	9.5E-02	5	2.43E-05	

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
178	178	7.5E-02	5	1.91E-05	
179	179	7.3E-02	5	1.87E-05	
180	180	7.1E-02	5	1.83E-05	
192	192	6.0E-02	5	1.53E-05	
193	193	5.8E-02	5	1.49E-05	
194	194	5.7E-02	5	1.45E-05	
207	207	4.9E-02	5	1.26E-05	
208	208	4.8E-02	5	1.22E-05	
209	209	4.6E-02	5	1.18E-05	
223	223	4.1E-02	5	1.06E-05	
224	224	4.0E-02	5	1.03E-05	
225	225	3.9E-02	5	9.88E-06	
239	239	3.5E-02	5	9.05E-06	
240	240	3.4E-02	5	8.78E-06	
241	241	3.3E-02	5	8.45E-06	
255	255	3.1E-02	5	7.85E-06	
256	256	3.0E-02	5	7.62E-06	
272	272	2.7E-02	5	6.88E-06	
273	273	2.6E-02	5	6.69E-06	
289	289	2.4E-02	5	6.10E-06	
290	290	2.3E-02	5	5.93E-06	
306	306	2.1E-02	5	5.45E-06	
307	307	2.1E-02	5	5.30E-06	
323	323	1.9E-02	5	4.90E-06	
324	324	1.9E-02	5	4.77E-06	
342	342	1.7E-02	5	4.43E-06	
343	343	1.7E-02	5	4.32E-06	
344	344	1.6E-02	5	4.18E-06	
356	356	1.6E-02	5	4.03E-06	
357	357	1.5E-02	5	3.93E-06	
358	358	1.5E-02	5	3.82E-06	

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
370	370	1.4E-02	5	3.69E-06	
371	371	1.4E-02	5	3.60E-06	
372	372	1.4E-02	5	3.50E-06	
383	383	1.3E-02	5	3.39E-06	
384	384	1.3E-02	5	3.31E-06	
385	385	1.3E-02	5	3.22E-06	
396	396	1.2E-02	5	3.12E-06	
397	397	1.2E-02	5	3.06E-06	
398	398	1.2E-02	5	2.98E-06	
399	399	1.1E-02	5	2.89E-06	
411	411	1.1E-02	5	2.89E-06	
412	412	1.1E-02	5	2.83E-06	
413	413	1.1E-02	5	2.76E-06	
414	414	1.0E-02	5	2.68E-06	
426	426	1.0E-02	5	2.68E-06	
427	427	1.0E-02	5	2.63E-06	
428	428	1.0E-02	5	2.57E-06	
429	429	9.8E-03	5	2.50E-06	
439	439	9.8E-03	5	2.50E-06	
440	440	9.6E-03	5	2.45E-06	
441	441	9.4E-03	5	2.40E-06	
442	442	9.1E-03	5	2.34E-06	
443	443	8.9E-03	5	2.27E-06	
454	454	9.1E-03	5	2.34E-06	
455	455	9.0E-03	5	2.30E-06	
456	456	8.8E-03	5	2.25E-06	
457	457	8.6E-03	5	2.19E-06	
458	458	8.3E-03	5	2.13E-06	
469	469	8.5E-03	5	2.19E-06	
470	470	8.4E-03	5	2.15E-06	
471	471	8.2E-03	5	2.11E-06	

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
472	472	8.0E-03	5	2.06E-06	
473	473	7.8E-03	5	2.00E-06	
489	489	8.0E-03	5	2.05E-06	
490	490	7.9E-03	5	2.02E-06	
491	491	7.8E-03	5	1.98E-06	
492	492	7.6E-03	5	1.94E-06	
493	493	7.4E-03	5	1.89E-06	
494	494	7.2E-03	5	1.83E-06	
509	509	7.6E-03	5	1.93E-06	
510	510	7.4E-03	5	1.90E-06	
511	511	7.3E-03	5	1.87E-06	
512	512	7.2E-03	5	1.83E-06	
513	513	7.0E-03	5	1.79E-06	
514	514	6.8E-03	5	1.74E-06	
515	515	6.4E-03	5	1.63E-06	
516	516	6.1E-03	5	1.57E-06	
517	517	5.9E-03	5	1.51E-06	
518	518	5.6E-03	5	1.44E-06	
519	519	5.4E-03	5	1.38E-06	
528	528	7.1E-03	5	1.82E-06	
529	529	7.0E-03	5	1.80E-06	
530	530	6.9E-03	5	1.77E-06	
531	531	6.8E-03	5	1.73E-06	
532	532	6.6E-03	5	1.69E-06	
533	533	6.4E-03	5	1.65E-06	
534	534	6.0E-03	5	1.55E-06	
535	535	5.8E-03	5	1.49E-06	
536	536	5.6E-03	5	1.44E-06	
537	537	5.4E-03	5	1.38E-06	
538	538	5.2E-03	5	1.32E-06	
547	547	6.7E-03	5	1.72E-06	

Via Oro
Risk From 405 (Hughes to 47) [TKH]

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
548	548	6.6E-03				5	1.70E-06	
549	549	6.5E-03				5	1.67E-06	
550	550	6.4E-03				5	1.64E-06	
551	551	6.3E-03				5	1.60E-06	
552	552	6.1E-03				5	1.56E-06	
553	553	5.9E-03				5	1.52E-06	
554	554	5.8E-03				5	1.47E-06	
555	555	5.6E-03				5	1.42E-06	
556	556	5.4E-03				5	1.37E-06	
557	557	5.2E-03				5	1.32E-06	
558	558	5.0E-03				5	1.27E-06	
559	559	4.8E-03				5	1.22E-06	
567	567	6.4E-03				5	1.63E-06	
568	568	6.3E-03				5	1.61E-06	
569	569	6.2E-03				5	1.59E-06	
570	570	6.1E-03				5	1.56E-06	
571	571	6.0E-03				5	1.52E-06	
572	572	5.8E-03				5	1.49E-06	
573	573	5.7E-03				5	1.45E-06	
574	574	5.3E-03				5	1.36E-06	
575	575	5.1E-03				5	1.31E-06	
576	576	5.0E-03				5	1.27E-06	
577	577	4.8E-03				5	1.22E-06	
578	578	4.6E-03				5	1.17E-06	
586	586	6.0E-03				5	1.55E-06	
587	587	6.0E-03				5	1.53E-06	
588	588	5.9E-03				5	1.51E-06	
589	589	5.8E-03				5	1.48E-06	
590	590	5.7E-03				5	1.45E-06	
591	591	5.5E-03				5	1.42E-06	
592	592	5.4E-03				5	1.38E-06	

Via Oro
Risk From 405 (Hughes to 47) [TKH]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
593	593	5.1E-03	5	1.30E-06	
594	594	4.9E-03	5	1.26E-06	
595	595	4.8E-03	5	1.22E-06	
596	596	4.6E-03	5	1.17E-06	
597	597	4.4E-03	5	1.13E-06	
345	345	1.6E-02	5	4.03E-06	
346	346	1.5E-02	5	3.85E-06	
347	347	1.4E-02	5	3.65E-06	
348	348	1.3E-02	5	3.44E-06	
359	359	1.4E-02	5	3.68E-06	
360	360	1.4E-02	5	3.53E-06	
361	361	1.3E-02	5	3.36E-06	
362	362	1.2E-02	5	3.18E-06	
363	363	1.2E-02	5	2.98E-06	
373	373	1.3E-02	5	3.25E-06	
374	374	1.2E-02	5	3.10E-06	
375	375	1.2E-02	5	2.94E-06	
376	376	1.1E-02	5	2.78E-06	
386	386	1.2E-02	5	3.00E-06	
387	387	1.1E-02	5	2.88E-06	
388	388	1.1E-02	5	2.74E-06	
389	389	1.0E-02	5	2.59E-06	
390	390	9.6E-03	5	2.44E-06	
400	400	1.1E-02	5	2.79E-06	
401	401	1.0E-02	5	2.67E-06	
402	402	1.0E-02	5	2.55E-06	
403	403	9.5E-03	5	2.43E-06	
404	404	9.0E-03	5	2.30E-06	
415	415	1.0E-02	5	2.59E-06	
416	416	9.8E-03	5	2.50E-06	
417	417	9.3E-03	5	2.39E-06	

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
418	418	8.9E-03	5	2.28E-06	
419	419	8.4E-03	5	2.16E-06	
420	420	8.0E-03	5	2.05E-06	
430	430	9.1E-03	5	2.34E-06	
431	431	8.8E-03	5	2.24E-06	
432	432	8.4E-03	5	2.14E-06	
433	433	8.0E-03	5	2.04E-06	
434	434	7.6E-03	5	1.94E-06	
444	444	8.6E-03	5	2.19E-06	
445	445	8.2E-03	5	2.11E-06	
446	446	7.9E-03	5	2.02E-06	
447	447	7.5E-03	5	1.93E-06	
448	448	7.2E-03	5	1.83E-06	
459	459	7.8E-03	5	1.99E-06	
460	460	7.5E-03	5	1.91E-06	
461	461	7.1E-03	5	1.83E-06	
462	462	6.8E-03	5	1.74E-06	
463	463	6.5E-03	5	1.66E-06	
474	474	7.3E-03	5	1.88E-06	
475	475	7.1E-03	5	1.81E-06	
476	476	6.8E-03	5	1.73E-06	
477	477	6.5E-03	5	1.66E-06	
478	478	6.2E-03	5	1.58E-06	
495	495	6.9E-03	5	1.78E-06	
496	496	6.7E-03	5	1.71E-06	
497	497	6.4E-03	5	1.65E-06	
498	498	6.2E-03	5	1.58E-06	
499	499	5.9E-03	5	1.51E-06	
500	500	5.6E-03	5	1.44E-06	

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Receptor #	Receptor #	Max Cancer Risk		Chronic Non Cancer Risk	
		Total Risk/ Million	Cancer Risk	REL	HI Offroad
139	139	2.0E-02		5	5.49E-05
140	140	1.3E-02		5	3.64E-05
156	156	1.2E-02		5	3.45E-05
157	157	1.2E-02		5	3.46E-05
158	158	1.2E-02		5	3.36E-05
159	159	9.9E-03		5	2.77E-05
160	160	6.7E-03		5	1.86E-05
161	161	3.3E-03		5	9.20E-06
162	162	2.6E-03		5	7.25E-06
163	163	2.1E-03		5	5.95E-06
167	167	8.4E-03		5	2.33E-05
168	168	8.0E-03		5	2.22E-05
169	169	6.7E-03		5	1.88E-05
170	170	5.2E-03		5	1.44E-05
171	171	3.8E-03		5	1.06E-05
172	172	2.9E-03		5	8.17E-06
173	173	2.4E-03		5	6.57E-06
174	174	2.0E-03		5	5.48E-06
175	175	1.7E-03		5	4.68E-06
176	176	1.5E-03		5	4.07E-06
177	177	1.3E-03		5	3.58E-06
181	181	5.9E-03		5	1.63E-05
182	182	5.1E-03		5	1.42E-05
183	183	4.2E-03		5	1.16E-05
184	184	3.3E-03		5	9.14E-06
185	185	2.6E-03		5	7.29E-06
186	186	2.1E-03		5	5.99E-06
187	187	1.8E-03		5	5.06E-06
188	188	1.6E-03		5	4.36E-06
189	189	1.4E-03		5	3.82E-06
190	190	1.2E-03		5	3.38E-06

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
191	191	1.1E-03	5	3.03E-06	
195	195	4.6E-03	5	1.28E-05	
196	196	4.1E-03	5	1.14E-05	
197	197	3.5E-03	5	9.65E-06	
198	198	2.9E-03	5	7.95E-06	
199	199	2.4E-03	5	6.55E-06	
200	200	2.0E-03	5	5.48E-06	
201	201	1.7E-03	5	4.68E-06	
202	202	1.5E-03	5	4.07E-06	
203	203	1.3E-03	5	3.59E-06	
204	204	1.1E-03	5	3.20E-06	
205	205	1.0E-03	5	2.88E-06	
206	206	9.4E-04	5	2.61E-06	
210	210	4.0E-03	5	1.11E-05	
211	211	3.8E-03	5	1.05E-05	
212	212	3.4E-03	5	9.43E-06	
213	213	2.9E-03	5	8.21E-06	
214	214	2.1E-03	5	5.91E-06	
215	215	1.8E-03	5	5.03E-06	
216	216	1.6E-03	5	4.34E-06	
217	217	1.4E-03	5	3.81E-06	
218	218	1.2E-03	5	3.38E-06	
219	219	1.1E-03	5	3.03E-06	
220	220	9.8E-04	5	2.74E-06	
221	221	8.9E-04	5	2.49E-06	
222	222	8.2E-04	5	2.28E-06	
226	226	3.4E-03	5	9.38E-06	
227	227	3.2E-03	5	8.79E-06	
228	228	2.9E-03	5	8.01E-06	
229	229	2.6E-03	5	7.11E-06	
230	230	2.2E-03	5	6.19E-06	

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
231	231	1.9E-03	5	5.36E-06	
232	232	1.7E-03	5	4.63E-06	
233	233	1.3E-03	5	3.57E-06	
234	234	1.1E-03	5	3.19E-06	
235	235	1.0E-03	5	2.87E-06	
236	236	9.3E-04	5	2.61E-06	
237	237	8.5E-04	5	2.38E-06	
238	238	7.8E-04	5	2.19E-06	
242	242	2.9E-03	5	8.04E-06	
243	243	2.7E-03	5	7.54E-06	
244	244	2.5E-03	5	6.95E-06	
245	245	2.2E-03	5	6.26E-06	
246	246	2.0E-03	5	5.54E-06	
247	247	1.7E-03	5	4.87E-06	
248	248	1.5E-03	5	4.27E-06	
249	249	1.2E-03	5	3.35E-06	
250	250	1.1E-03	5	3.01E-06	
251	251	9.8E-04	5	2.72E-06	
252	252	8.9E-04	5	2.48E-06	
253	253	8.2E-04	5	2.28E-06	
254	254	7.5E-04	5	2.10E-06	
257	257	2.5E-03	5	6.99E-06	
258	258	2.4E-03	5	6.57E-06	
259	259	2.2E-03	5	6.10E-06	
260	260	2.0E-03	5	5.56E-06	
261	261	1.8E-03	5	4.99E-06	
262	262	1.6E-03	5	4.44E-06	
263	263	1.4E-03	5	3.95E-06	
264	264	1.1E-03	5	3.15E-06	
265	265	1.0E-03	5	2.85E-06	
266	266	9.3E-04	5	2.59E-06	

Via Oro
Risk From 405 (Hughes to 47) [TKH]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
267	267	8.5E-04	5	2.36E-06	
268	268	7.8E-04	5	2.18E-06	
269	269	7.2E-04	5	2.01E-06	
270	270	5.8E-04	5	1.62E-06	
271	271	5.5E-04	5	1.52E-06	
274	274	2.2E-03	5	6.15E-06	
275	275	2.1E-03	5	5.80E-06	
276	276	1.9E-03	5	5.41E-06	
277	277	1.8E-03	5	4.98E-06	
278	278	1.6E-03	5	4.53E-06	
279	279	1.5E-03	5	4.08E-06	
280	280	1.3E-03	5	3.66E-06	
281	281	1.1E-03	5	2.97E-06	
282	282	9.7E-04	5	2.69E-06	
283	283	8.8E-04	5	2.46E-06	
284	284	8.1E-04	5	2.26E-06	
285	285	7.5E-04	5	2.08E-06	
286	286	6.9E-04	5	1.93E-06	
287	287	5.6E-04	5	1.57E-06	
288	288	5.3E-04	5	1.47E-06	
291	291	2.0E-03	5	5.47E-06	
292	292	1.9E-03	5	5.18E-06	
293	293	1.7E-03	5	4.85E-06	
294	294	1.6E-03	5	4.50E-06	
295	295	1.5E-03	5	4.13E-06	
296	296	1.3E-03	5	3.76E-06	
297	297	1.2E-03	5	3.40E-06	
298	298	1.0E-03	5	2.80E-06	
299	299	9.2E-04	5	2.55E-06	
300	300	8.4E-04	5	2.34E-06	
301	301	7.7E-04	5	2.15E-06	

Via Oro
Risk From 405 (Hughes to 47) [TKH]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
302	302	7.1E-04	5	1.99E-06	
303	303	6.6E-04	5	1.85E-06	
304	304	5.4E-04	5	1.51E-06	
305	305	5.1E-04	5	1.42E-06	
308	308	1.8E-03	5	4.90E-06	
309	309	1.7E-03	5	4.66E-06	
310	310	1.6E-03	5	4.38E-06	
311	311	1.5E-03	5	4.09E-06	
312	312	1.4E-03	5	3.78E-06	
313	313	1.2E-03	5	3.47E-06	
314	314	1.1E-03	5	3.17E-06	
315	315	9.5E-04	5	2.64E-06	
316	316	8.7E-04	5	2.42E-06	
317	317	8.0E-04	5	2.23E-06	
318	318	7.4E-04	5	2.06E-06	
319	319	6.8E-04	5	1.91E-06	
320	320	6.4E-04	5	1.78E-06	
321	321	5.2E-04	5	1.46E-06	
322	322	4.9E-04	5	1.38E-06	
325	325	1.6E-03	5	4.43E-06	
326	326	1.5E-03	5	4.22E-06	
327	327	1.4E-03	5	3.99E-06	
328	328	1.3E-03	5	3.74E-06	
329	329	1.2E-03	5	3.48E-06	
330	330	1.2E-03	5	3.21E-06	
331	331	1.1E-03	5	2.96E-06	
332	332	9.7E-04	5	2.71E-06	
333	333	8.9E-04	5	2.49E-06	
334	334	8.2E-04	5	2.29E-06	
335	335	7.6E-04	5	2.12E-06	
336	336	7.0E-04	5	1.96E-06	

Via Oro
Risk From 405 (Hughes to 47) [TKH]

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
337	337	6.6E-04				5	1.83E-06	
338	338	6.1E-04				5	1.70E-06	
339	339	5.4E-04				5	1.50E-06	
340	340	5.1E-04				5	1.41E-06	
341	341	4.8E-04				5	1.33E-06	
349	349	1.2E-03				5	3.22E-06	
350	350	1.1E-03				5	2.99E-06	
351	351	9.9E-04				5	2.77E-06	
352	352	9.2E-04				5	2.55E-06	
353	353	5.2E-04				5	1.45E-06	
354	354	4.9E-04				5	1.36E-06	
355	355	4.6E-04				5	1.29E-06	
364	364	1.0E-03				5	2.79E-06	
365	365	9.3E-04				5	2.59E-06	
366	366	8.6E-04				5	2.41E-06	
367	367	5.0E-04				5	1.40E-06	
368	368	4.7E-04				5	1.32E-06	
369	369	4.5E-04				5	1.25E-06	
377	377	9.4E-04				5	2.61E-06	
378	378	8.7E-04				5	2.44E-06	
379	379	8.2E-04				5	2.27E-06	
380	380	4.8E-04				5	1.35E-06	
381	381	4.6E-04				5	1.28E-06	
382	382	4.3E-04				5	1.21E-06	
391	391	8.2E-04				5	2.29E-06	
392	392	7.7E-04				5	2.15E-06	
393	393	4.7E-04				5	1.30E-06	
394	394	4.4E-04				5	1.23E-06	
395	395	4.2E-04				5	1.17E-06	
405	405	7.8E-04				5	2.16E-06	
406	406	7.3E-04				5	2.03E-06	

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
407	407	6.9E-04	5	1.91E-06	
408	408	4.5E-04	5	1.26E-06	
409	409	4.3E-04	5	1.19E-06	
410	410	4.1E-04	5	1.13E-06	
421	421	6.9E-04	5	1.93E-06	
422	422	6.5E-04	5	1.82E-06	
423	423	4.4E-04	5	1.21E-06	
424	424	4.1E-04	5	1.15E-06	
425	425	3.9E-04	5	1.10E-06	
435	435	6.6E-04	5	1.83E-06	
436	436	6.2E-04	5	1.73E-06	
437	437	4.0E-04	5	1.12E-06	
438	438	3.8E-04	5	1.07E-06	
449	449	6.3E-04	5	1.74E-06	
450	450	5.9E-04	5	1.65E-06	
451	451	5.6E-04	5	1.56E-06	
452	452	3.9E-04	5	1.08E-06	
453	453	3.7E-04	5	1.03E-06	
464	464	5.7E-04	5	1.58E-06	
465	465	5.4E-04	5	1.50E-06	
466	466	4.1E-04	5	1.15E-06	
467	467	3.8E-04	5	1.05E-06	
468	468	3.6E-04	5	1.00E-06	
479	479	5.4E-04	5	1.51E-06	
480	480	5.1E-04	5	1.43E-06	
481	481	4.9E-04	5	1.36E-06	
482	482	4.6E-04	5	1.29E-06	
483	483	4.4E-04	5	1.23E-06	
484	484	4.2E-04	5	1.17E-06	
485	485	4.0E-04	5	1.12E-06	
486	486	3.8E-04	5	1.06E-06	

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
487	487	3.6E-04	5	1.02E-06	
488	488	3.5E-04	5	9.72E-07	
501	501	4.9E-04	5	1.37E-06	
502	502	4.7E-04	5	1.31E-06	
503	503	4.5E-04	5	1.25E-06	
504	504	4.3E-04	5	1.19E-06	
505	505	4.1E-04	5	1.13E-06	
506	506	3.9E-04	5	1.08E-06	
507	507	3.7E-04	5	1.03E-06	
508	508	3.4E-04	5	9.43E-07	
520	520	4.7E-04	5	1.32E-06	
521	521	4.5E-04	5	1.25E-06	
522	522	4.3E-04	5	1.20E-06	
523	523	4.1E-04	5	1.15E-06	
524	524	3.9E-04	5	1.09E-06	
525	525	3.7E-04	5	1.04E-06	
526	526	3.6E-04	5	9.99E-07	
527	527	3.3E-04	5	9.16E-07	
539	539	4.5E-04	5	1.27E-06	
540	540	4.3E-04	5	1.21E-06	
541	541	4.2E-04	5	1.16E-06	
542	542	3.9E-04	5	1.10E-06	
543	543	3.8E-04	5	1.06E-06	
544	544	3.6E-04	5	1.01E-06	
545	545	3.5E-04	5	9.68E-07	
546	546	3.2E-04	5	8.90E-07	
560	560	4.2E-04	5	1.17E-06	
561	561	4.0E-04	5	1.12E-06	
562	562	3.8E-04	5	1.07E-06	
563	563	3.6E-04	5	1.02E-06	
564	564	3.5E-04	5	9.74E-07	

Via Oro
Risk From 405 (Hughes to 47) [TKH]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
565	565	3.4E-04	5	9.39E-07	
566	566	3.1E-04	5	8.64E-07	
579	579	4.0E-04	5	1.12E-06	
580	580	3.9E-04	5	1.08E-06	
581	581	3.7E-04	5	1.03E-06	
582	582	3.6E-04	5	9.90E-07	
583	583	3.4E-04	5	9.49E-07	
584	584	3.3E-04	5	9.11E-07	
585	585	3.1E-04	5	8.60E-07	
598	598	3.9E-04	5	1.08E-06	
599	599	3.7E-04	5	1.04E-06	
600	600	3.6E-04	5	9.99E-07	
601	601	3.4E-04	5	9.59E-07	
602	602	3.3E-04	5	9.20E-07	
603	603	3.2E-04	5	8.84E-07	
604	604	3.0E-04	5	8.50E-07	
0	0	0.0E+00	5	0.00E+00	

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	Cancer Risk from 3rd Trimester - Construction								
		g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.37518	2.30E-06	8.6E-07	3.46E-04	2.99E-10	0.25	1.57E-01	1.18E-11	1.0E+06	1.2E-05
2	0.41084	2.30E-06	9.5E-07	3.46E-04	3.28E-10	0.25	1.57E-01	1.29E-11	1.0E+06	1.3E-05
3	0.45174	2.30E-06	1.0E-06	3.46E-04	3.60E-10	0.25	1.57E-01	1.42E-11	1.0E+06	1.4E-05
4	0.49941	2.30E-06	1.2E-06	3.46E-04	3.98E-10	0.25	1.57E-01	1.57E-11	1.0E+06	1.6E-05
5	0.55548	2.30E-06	1.3E-06	3.46E-04	4.43E-10	0.25	1.57E-01	1.74E-11	1.0E+06	1.7E-05
6	0.62301	2.30E-06	1.4E-06	3.46E-04	4.97E-10	0.25	1.57E-01	1.95E-11	1.0E+06	2.0E-05
7	0.70387	2.30E-06	1.6E-06	3.46E-04	5.62E-10	0.25	1.57E-01	2.21E-11	1.0E+06	2.2E-05
8	0.80118	2.30E-06	1.8E-06	3.46E-04	6.39E-10	0.25	1.57E-01	2.51E-11	1.0E+06	2.5E-05
9	0.92042	2.30E-06	2.1E-06	3.46E-04	7.34E-10	0.25	1.57E-01	2.89E-11	1.0E+06	2.9E-05
10	1.06788	2.30E-06	2.5E-06	3.46E-04	8.52E-10	0.25	1.57E-01	3.35E-11	1.0E+06	3.3E-05
11	1.25169	2.30E-06	2.9E-06	3.46E-04	9.99E-10	0.25	1.57E-01	3.92E-11	1.0E+06	3.9E-05
12	1.48235	2.30E-06	3.4E-06	3.46E-04	1.18E-09	0.25	1.57E-01	4.65E-11	1.0E+06	4.6E-05
13	1.77614	2.30E-06	4.1E-06	3.46E-04	1.42E-09	0.25	1.57E-01	5.57E-11	1.0E+06	5.6E-05
14	2.14385	2.30E-06	4.9E-06	3.46E-04	1.71E-09	0.25	1.57E-01	6.72E-11	1.0E+06	6.7E-05
15	2.59643	2.30E-06	6.0E-06	3.46E-04	2.07E-09	0.25	1.57E-01	8.14E-11	1.0E+06	8.1E-05
16	3.11677	2.30E-06	7.2E-06	3.46E-04	2.49E-09	0.25	1.57E-01	9.77E-11	1.0E+06	9.8E-05
17	3.66451	2.30E-06	8.4E-06	3.46E-04	2.92E-09	0.25	1.57E-01	1.15E-10	1.0E+06	1.1E-04
18	4.11962	2.30E-06	9.5E-06	3.46E-04	3.29E-09	0.25	1.57E-01	1.29E-10	1.0E+06	1.3E-04
19	4.44192	2.30E-06	1.0E-05	3.46E-04	3.54E-09	0.25	1.57E-01	1.39E-10	1.0E+06	1.4E-04
20	4.67473	2.30E-06	1.1E-05	3.46E-04	3.73E-09	0.25	1.57E-01	1.47E-10	1.0E+06	1.5E-04
21	4.81034	2.30E-06	1.1E-05	3.46E-04	3.84E-09	0.25	1.57E-01	1.51E-10	1.0E+06	1.5E-04
22	4.80941	2.30E-06	1.1E-05	3.46E-04	3.84E-09	0.25	1.57E-01	1.51E-10	1.0E+06	1.5E-04
23	4.6341	2.30E-06	1.1E-05	3.46E-04	3.70E-09	0.25	1.57E-01	1.45E-10	1.0E+06	1.5E-04
24	4.29868	2.30E-06	9.9E-06	3.46E-04	3.43E-09	0.25	1.57E-01	1.35E-10	1.0E+06	1.3E-04
25	3.85732	2.30E-06	8.9E-06	3.46E-04	3.08E-09	0.25	1.57E-01	1.21E-10	1.0E+06	1.2E-04
26	3.37372	2.30E-06	7.8E-06	3.46E-04	2.69E-09	0.25	1.57E-01	1.06E-10	1.0E+06	1.1E-04
27	2.90112	2.30E-06	6.7E-06	3.46E-04	2.31E-09	0.25	1.57E-01	9.09E-11	1.0E+06	9.1E-05
28	2.47038	2.30E-06	5.7E-06	3.46E-04	1.97E-09	0.25	1.57E-01	7.74E-11	1.0E+06	7.7E-05
29	2.09645	2.30E-06	4.8E-06	3.46E-04	1.67E-09	0.25	1.57E-01	6.57E-11	1.0E+06	6.6E-05
30	1.78026	2.30E-06	4.1E-06	3.46E-04	1.42E-09	0.25	1.57E-01	5.58E-11	1.0E+06	5.6E-05
31	1.51663	2.30E-06	3.5E-06	3.46E-04	1.21E-09	0.25	1.57E-01	4.75E-11	1.0E+06	4.8E-05

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	1.29845	2.30E-06	3.0E-06	3.46E-04	1.04E-09	0.25	1.57E-01	4.07E-11	1.0E+06	4.1E-05
55	7.14337	2.30E-06	1.6E-05	3.46E-04	5.70E-09	0.25	1.57E-01	2.24E-10	1.0E+06	2.2E-04
56	6.40282	2.30E-06	1.5E-05	3.46E-04	5.11E-09	0.25	1.57E-01	2.01E-10	1.0E+06	2.0E-04
57	5.51782	2.30E-06	1.3E-05	3.46E-04	4.40E-09	0.25	1.57E-01	1.73E-10	1.0E+06	1.7E-04
58	4.61235	2.30E-06	1.1E-05	3.46E-04	3.68E-09	0.25	1.57E-01	1.45E-10	1.0E+06	1.4E-04
59	3.78984	2.30E-06	8.7E-06	3.46E-04	3.02E-09	0.25	1.57E-01	1.19E-10	1.0E+06	1.2E-04
60	3.09549	2.30E-06	7.1E-06	3.46E-04	2.47E-09	0.25	1.57E-01	9.70E-11	1.0E+06	9.7E-05
61	2.53459	2.30E-06	5.8E-06	3.46E-04	2.02E-09	0.25	1.57E-01	7.94E-11	1.0E+06	7.9E-05
62	2.08713	2.30E-06	4.8E-06	3.46E-04	1.67E-09	0.25	1.57E-01	6.54E-11	1.0E+06	6.5E-05
63	1.73395	2.30E-06	4.0E-06	3.46E-04	1.38E-09	0.25	1.57E-01	5.44E-11	1.0E+06	5.4E-05
64	1.45445	2.30E-06	3.4E-06	3.46E-04	1.16E-09	0.25	1.57E-01	4.56E-11	1.0E+06	4.6E-05
65	1.2322	2.30E-06	2.8E-06	3.46E-04	9.83E-10	0.25	1.57E-01	3.86E-11	1.0E+06	3.9E-05
66	1.05526	2.30E-06	2.4E-06	3.46E-04	8.42E-10	0.25	1.57E-01	3.31E-11	1.0E+06	3.3E-05
67	0.39095	2.30E-06	9.0E-07	3.46E-04	3.12E-10	0.25	1.57E-01	1.23E-11	1.0E+06	1.2E-05
68	0.43039	2.30E-06	9.9E-07	3.46E-04	3.43E-10	0.25	1.57E-01	1.35E-11	1.0E+06	1.3E-05
69	0.47645	2.30E-06	1.1E-06	3.46E-04	3.80E-10	0.25	1.57E-01	1.49E-11	1.0E+06	1.5E-05
70	0.53092	2.30E-06	1.2E-06	3.46E-04	4.24E-10	0.25	1.57E-01	1.66E-11	1.0E+06	1.7E-05
71	0.59534	2.30E-06	1.4E-06	3.46E-04	4.75E-10	0.25	1.57E-01	1.87E-11	1.0E+06	1.9E-05
72	0.6747	2.30E-06	1.6E-06	3.46E-04	5.38E-10	0.25	1.57E-01	2.11E-11	1.0E+06	2.1E-05
73	0.77174	2.30E-06	1.8E-06	3.46E-04	6.16E-10	0.25	1.57E-01	2.42E-11	1.0E+06	2.4E-05
74	0.89243	2.30E-06	2.1E-06	3.46E-04	7.12E-10	0.25	1.57E-01	2.80E-11	1.0E+06	2.8E-05
75	1.0454	2.30E-06	2.4E-06	3.46E-04	8.34E-10	0.25	1.57E-01	3.28E-11	1.0E+06	3.3E-05
76	1.24454	2.30E-06	2.9E-06	3.46E-04	9.93E-10	0.25	1.57E-01	3.90E-11	1.0E+06	3.9E-05
77	1.51078	2.30E-06	3.5E-06	3.46E-04	1.21E-09	0.25	1.57E-01	4.74E-11	1.0E+06	4.7E-05
78	1.8804	2.30E-06	4.3E-06	3.46E-04	1.50E-09	0.25	1.57E-01	5.89E-11	1.0E+06	5.9E-05
79	9.16109	2.30E-06	2.1E-05	3.46E-04	7.31E-09	0.25	1.57E-01	2.87E-10	1.0E+06	2.9E-04
80	11.98773	2.30E-06	2.8E-05	3.46E-04	9.56E-09	0.25	1.57E-01	3.76E-10	1.0E+06	3.8E-04
81	13.98856	2.30E-06	3.2E-05	3.46E-04	1.12E-08	0.25	1.57E-01	4.38E-10	1.0E+06	4.4E-04
82	14.04741	2.30E-06	3.2E-05	3.46E-04	1.12E-08	0.25	1.57E-01	4.40E-10	1.0E+06	4.4E-04
83	12.6807	2.30E-06	2.9E-05	3.46E-04	1.01E-08	0.25	1.57E-01	3.97E-10	1.0E+06	4.0E-04
84	10.66641	2.30E-06	2.5E-05	3.46E-04	8.51E-09	0.25	1.57E-01	3.34E-10	1.0E+06	3.3E-04

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	8.57595	2.30E-06	2.0E-05	3.46E-04	6.84E-09	0.25	1.57E-01	2.69E-10	1.0E+06	2.7E-04
86	6.68165	2.30E-06	1.5E-05	3.46E-04	5.33E-09	0.25	1.57E-01	2.09E-10	1.0E+06	2.1E-04
87	5.14036	2.30E-06	1.2E-05	3.46E-04	4.10E-09	0.25	1.57E-01	1.61E-10	1.0E+06	1.6E-04
88	3.96799	2.30E-06	9.1E-06	3.46E-04	3.17E-09	0.25	1.57E-01	1.24E-10	1.0E+06	1.2E-04
89	3.09724	2.30E-06	7.1E-06	3.46E-04	2.47E-09	0.25	1.57E-01	9.71E-11	1.0E+06	9.7E-05
90	2.45633	2.30E-06	5.7E-06	3.46E-04	1.96E-09	0.25	1.57E-01	7.70E-11	1.0E+06	7.7E-05
91	1.98264	2.30E-06	4.6E-06	3.46E-04	1.58E-09	0.25	1.57E-01	6.21E-11	1.0E+06	6.2E-05
92	1.62531	2.30E-06	3.7E-06	3.46E-04	1.30E-09	0.25	1.57E-01	5.09E-11	1.0E+06	5.1E-05
93	1.3541	2.30E-06	3.1E-06	3.46E-04	1.08E-09	0.25	1.57E-01	4.24E-11	1.0E+06	4.2E-05
96	7.53608	2.30E-06	1.7E-05	3.46E-04	6.01E-09	0.25	1.57E-01	2.36E-10	1.0E+06	2.4E-04
97	5.40696	2.30E-06	1.2E-05	3.46E-04	4.31E-09	0.25	1.57E-01	1.69E-10	1.0E+06	1.7E-04
98	3.8142	2.30E-06	8.8E-06	3.46E-04	3.04E-09	0.25	1.57E-01	1.20E-10	1.0E+06	1.2E-04
99	2.89511	2.30E-06	6.7E-06	3.46E-04	2.31E-09	0.25	1.57E-01	9.07E-11	1.0E+06	9.1E-05
100	2.26072	2.30E-06	5.2E-06	3.46E-04	1.80E-09	0.25	1.57E-01	7.09E-11	1.0E+06	7.1E-05
101	1.81057	2.30E-06	4.2E-06	3.46E-04	1.44E-09	0.25	1.57E-01	5.68E-11	1.0E+06	5.7E-05
102	1.48327	2.30E-06	3.4E-06	3.46E-04	1.18E-09	0.25	1.57E-01	4.65E-11	1.0E+06	4.6E-05
106	0.36239	2.30E-06	8.4E-07	3.46E-04	2.89E-10	0.25	1.57E-01	1.14E-11	1.0E+06	1.1E-05
107	0.39742	2.30E-06	9.2E-07	3.46E-04	3.17E-10	0.25	1.57E-01	1.25E-11	1.0E+06	1.2E-05
108	0.43848	2.30E-06	1.0E-06	3.46E-04	3.50E-10	0.25	1.57E-01	1.37E-11	1.0E+06	1.4E-05
109	0.4867	2.30E-06	1.1E-06	3.46E-04	3.88E-10	0.25	1.57E-01	1.53E-11	1.0E+06	1.5E-05
110	0.54422	2.30E-06	1.3E-06	3.46E-04	4.34E-10	0.25	1.57E-01	1.71E-11	1.0E+06	1.7E-05
111	0.61268	2.30E-06	1.4E-06	3.46E-04	4.89E-10	0.25	1.57E-01	1.92E-11	1.0E+06	1.9E-05
112	0.69818	2.30E-06	1.6E-06	3.46E-04	5.57E-10	0.25	1.57E-01	2.19E-11	1.0E+06	2.2E-05
113	0.80309	2.30E-06	1.9E-06	3.46E-04	6.41E-10	0.25	1.57E-01	2.52E-11	1.0E+06	2.5E-05
114	0.93609	2.30E-06	2.2E-06	3.46E-04	7.47E-10	0.25	1.57E-01	2.93E-11	1.0E+06	2.9E-05
115	1.10715	2.30E-06	2.6E-06	3.46E-04	8.83E-10	0.25	1.57E-01	3.47E-11	1.0E+06	3.5E-05
116	1.3325	2.30E-06	3.1E-06	3.46E-04	1.06E-09	0.25	1.57E-01	4.18E-11	1.0E+06	4.2E-05
117	1.64747	2.30E-06	3.8E-06	3.46E-04	1.31E-09	0.25	1.57E-01	5.16E-11	1.0E+06	5.2E-05
118	2.10069	2.30E-06	4.8E-06	3.46E-04	1.68E-09	0.25	1.57E-01	6.58E-11	1.0E+06	6.6E-05
124	0.36152	2.30E-06	8.3E-07	3.46E-04	2.88E-10	0.25	1.57E-01	1.13E-11	1.0E+06	1.1E-05
125	0.39664	2.30E-06	9.1E-07	3.46E-04	3.16E-10	0.25	1.57E-01	1.24E-11	1.0E+06	1.2E-05

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.43757	2.30E-06	1.0E-06	3.46E-04	3.49E-10	0.25	1.57E-01	1.37E-11	1.0E+06	1.4E-05
127	0.48576	2.30E-06	1.1E-06	3.46E-04	3.88E-10	0.25	1.57E-01	1.52E-11	1.0E+06	1.5E-05
128	0.54315	2.30E-06	1.3E-06	3.46E-04	4.33E-10	0.25	1.57E-01	1.70E-11	1.0E+06	1.7E-05
129	0.61169	2.30E-06	1.4E-06	3.46E-04	4.88E-10	0.25	1.57E-01	1.92E-11	1.0E+06	1.9E-05
130	0.69679	2.30E-06	1.6E-06	3.46E-04	5.56E-10	0.25	1.57E-01	2.18E-11	1.0E+06	2.2E-05
131	0.80188	2.30E-06	1.8E-06	3.46E-04	6.40E-10	0.25	1.57E-01	2.51E-11	1.0E+06	2.5E-05
132	0.93503	2.30E-06	2.2E-06	3.46E-04	7.46E-10	0.25	1.57E-01	2.93E-11	1.0E+06	2.9E-05
133	1.10604	2.30E-06	2.5E-06	3.46E-04	8.82E-10	0.25	1.57E-01	3.47E-11	1.0E+06	3.5E-05
134	1.33549	2.30E-06	3.1E-06	3.46E-04	1.07E-09	0.25	1.57E-01	4.19E-11	1.0E+06	4.2E-05
135	1.64852	2.30E-06	3.8E-06	3.46E-04	1.32E-09	0.25	1.57E-01	5.17E-11	1.0E+06	5.2E-05
136	2.0966	2.30E-06	4.8E-06	3.46E-04	1.67E-09	0.25	1.57E-01	6.57E-11	1.0E+06	6.6E-05
137	2.7679	2.30E-06	6.4E-06	3.46E-04	2.21E-09	0.25	1.57E-01	8.68E-11	1.0E+06	8.7E-05
138	3.88297	2.30E-06	9.0E-06	3.46E-04	3.10E-09	0.25	1.57E-01	1.22E-10	1.0E+06	1.2E-04
141	0.35907	2.30E-06	8.3E-07	3.46E-04	2.86E-10	0.25	1.57E-01	1.13E-11	1.0E+06	1.1E-05
142	0.39376	2.30E-06	9.1E-07	3.46E-04	3.14E-10	0.25	1.57E-01	1.23E-11	1.0E+06	1.2E-05
143	0.43412	2.30E-06	1.0E-06	3.46E-04	3.46E-10	0.25	1.57E-01	1.36E-11	1.0E+06	1.4E-05
144	0.48158	2.30E-06	1.1E-06	3.46E-04	3.84E-10	0.25	1.57E-01	1.51E-11	1.0E+06	1.5E-05
145	0.53793	2.30E-06	1.2E-06	3.46E-04	4.29E-10	0.25	1.57E-01	1.69E-11	1.0E+06	1.7E-05
146	0.6052	2.30E-06	1.4E-06	3.46E-04	4.83E-10	0.25	1.57E-01	1.90E-11	1.0E+06	1.9E-05
147	0.68833	2.30E-06	1.6E-06	3.46E-04	5.49E-10	0.25	1.57E-01	2.16E-11	1.0E+06	2.2E-05
148	0.79055	2.30E-06	1.8E-06	3.46E-04	6.31E-10	0.25	1.57E-01	2.48E-11	1.0E+06	2.5E-05
149	0.91946	2.30E-06	2.1E-06	3.46E-04	7.34E-10	0.25	1.57E-01	2.88E-11	1.0E+06	2.9E-05
150	1.08473	2.30E-06	2.5E-06	3.46E-04	8.65E-10	0.25	1.57E-01	3.40E-11	1.0E+06	3.4E-05
151	1.30303	2.30E-06	3.0E-06	3.46E-04	1.04E-09	0.25	1.57E-01	4.08E-11	1.0E+06	4.1E-05
152	1.59933	2.30E-06	3.7E-06	3.46E-04	1.28E-09	0.25	1.57E-01	5.01E-11	1.0E+06	5.0E-05
153	2.01619	2.30E-06	4.6E-06	3.46E-04	1.61E-09	0.25	1.57E-01	6.32E-11	1.0E+06	6.3E-05
154	2.62185	2.30E-06	6.0E-06	3.46E-04	2.09E-09	0.25	1.57E-01	8.22E-11	1.0E+06	8.2E-05
155	3.56745	2.30E-06	8.2E-06	3.46E-04	2.85E-09	0.25	1.57E-01	1.12E-10	1.0E+06	1.1E-04
164	2.40069	2.30E-06	5.5E-06	3.46E-04	1.92E-09	0.25	1.57E-01	7.53E-11	1.0E+06	7.5E-05
165	3.15507	2.30E-06	7.3E-06	3.46E-04	2.52E-09	0.25	1.57E-01	9.89E-11	1.0E+06	9.9E-05
166	4.33777	2.30E-06	1.0E-05	3.46E-04	3.46E-09	0.25	1.57E-01	1.36E-10	1.0E+06	1.4E-04

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	2.15133	2.30E-06	5.0E-06	3.46E-04	1.72E-09	0.25	1.57E-01	6.74E-11	1.0E+06	6.7E-05
179	2.73793	2.30E-06	6.3E-06	3.46E-04	2.18E-09	0.25	1.57E-01	8.58E-11	1.0E+06	8.6E-05
180	3.59407	2.30E-06	8.3E-06	3.46E-04	2.87E-09	0.25	1.57E-01	1.13E-10	1.0E+06	1.1E-04
192	1.90698	2.30E-06	4.4E-06	3.46E-04	1.52E-09	0.25	1.57E-01	5.98E-11	1.0E+06	6.0E-05
193	2.36002	2.30E-06	5.4E-06	3.46E-04	1.88E-09	0.25	1.57E-01	7.40E-11	1.0E+06	7.4E-05
194	2.97652	2.30E-06	6.9E-06	3.46E-04	2.37E-09	0.25	1.57E-01	9.33E-11	1.0E+06	9.3E-05
207	1.68006	2.30E-06	3.9E-06	3.46E-04	1.34E-09	0.25	1.57E-01	5.27E-11	1.0E+06	5.3E-05
208	2.02693	2.30E-06	4.7E-06	3.46E-04	1.62E-09	0.25	1.57E-01	6.35E-11	1.0E+06	6.4E-05
209	2.47973	2.30E-06	5.7E-06	3.46E-04	1.98E-09	0.25	1.57E-01	7.77E-11	1.0E+06	7.8E-05
223	1.47913	2.30E-06	3.4E-06	3.46E-04	1.18E-09	0.25	1.57E-01	4.64E-11	1.0E+06	4.6E-05
224	1.74632	2.30E-06	4.0E-06	3.46E-04	1.39E-09	0.25	1.57E-01	5.47E-11	1.0E+06	5.5E-05
225	2.07944	2.30E-06	4.8E-06	3.46E-04	1.66E-09	0.25	1.57E-01	6.52E-11	1.0E+06	6.5E-05
239	1.30582	2.30E-06	3.0E-06	3.46E-04	1.04E-09	0.25	1.57E-01	4.09E-11	1.0E+06	4.1E-05
240	1.51406	2.30E-06	3.5E-06	3.46E-04	1.21E-09	0.25	1.57E-01	4.75E-11	1.0E+06	4.7E-05
241	1.76688	2.30E-06	4.1E-06	3.46E-04	1.41E-09	0.25	1.57E-01	5.54E-11	1.0E+06	5.5E-05
255	1.15691	2.30E-06	2.7E-06	3.46E-04	9.23E-10	0.25	1.57E-01	3.63E-11	1.0E+06	3.6E-05
256	1.32129	2.30E-06	3.0E-06	3.46E-04	1.05E-09	0.25	1.57E-01	4.14E-11	1.0E+06	4.1E-05
272	1.02929	2.30E-06	2.4E-06	3.46E-04	8.21E-10	0.25	1.57E-01	3.23E-11	1.0E+06	3.2E-05
273	1.1611	2.30E-06	2.7E-06	3.46E-04	9.26E-10	0.25	1.57E-01	3.64E-11	1.0E+06	3.6E-05
289	0.92084	2.30E-06	2.1E-06	3.46E-04	7.35E-10	0.25	1.57E-01	2.89E-11	1.0E+06	2.9E-05
290	1.02703	2.30E-06	2.4E-06	3.46E-04	8.19E-10	0.25	1.57E-01	3.22E-11	1.0E+06	3.2E-05
306	0.82772	2.30E-06	1.9E-06	3.46E-04	6.60E-10	0.25	1.57E-01	2.59E-11	1.0E+06	2.6E-05
307	0.91411	2.30E-06	2.1E-06	3.46E-04	7.29E-10	0.25	1.57E-01	2.87E-11	1.0E+06	2.9E-05
323	0.74749	2.30E-06	1.7E-06	3.46E-04	5.96E-10	0.25	1.57E-01	2.34E-11	1.0E+06	2.3E-05
324	0.81829	2.30E-06	1.9E-06	3.46E-04	6.53E-10	0.25	1.57E-01	2.56E-11	1.0E+06	2.6E-05
342	0.67807	2.30E-06	1.6E-06	3.46E-04	5.41E-10	0.25	1.57E-01	2.13E-11	1.0E+06	2.1E-05
343	0.7365	2.30E-06	1.7E-06	3.46E-04	5.88E-10	0.25	1.57E-01	2.31E-11	1.0E+06	2.3E-05
344	0.79805	2.30E-06	1.8E-06	3.46E-04	6.37E-10	0.25	1.57E-01	2.50E-11	1.0E+06	2.5E-05
356	0.61759	2.30E-06	1.4E-06	3.46E-04	4.93E-10	0.25	1.57E-01	1.94E-11	1.0E+06	1.9E-05
357	0.66606	2.30E-06	1.5E-06	3.46E-04	5.31E-10	0.25	1.57E-01	2.09E-11	1.0E+06	2.1E-05
358	0.71652	2.30E-06	1.7E-06	3.46E-04	5.72E-10	0.25	1.57E-01	2.25E-11	1.0E+06	2.2E-05

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.56473	2.30E-06	1.3E-06	3.46E-04	4.51E-10	0.25	1.57E-01	1.77E-11	1.0E+06	1.8E-05
371	0.60522	2.30E-06	1.4E-06	3.46E-04	4.83E-10	0.25	1.57E-01	1.90E-11	1.0E+06	1.9E-05
372	0.64687	2.30E-06	1.5E-06	3.46E-04	5.16E-10	0.25	1.57E-01	2.03E-11	1.0E+06	2.0E-05
383	0.51826	2.30E-06	1.2E-06	3.46E-04	4.14E-10	0.25	1.57E-01	1.62E-11	1.0E+06	1.6E-05
384	0.55232	2.30E-06	1.3E-06	3.46E-04	4.41E-10	0.25	1.57E-01	1.73E-11	1.0E+06	1.7E-05
385	0.58695	2.30E-06	1.4E-06	3.46E-04	4.68E-10	0.25	1.57E-01	1.84E-11	1.0E+06	1.8E-05
396	0.47724	2.30E-06	1.1E-06	3.46E-04	3.81E-10	0.25	1.57E-01	1.50E-11	1.0E+06	1.5E-05
397	0.50605	2.30E-06	1.2E-06	3.46E-04	4.04E-10	0.25	1.57E-01	1.59E-11	1.0E+06	1.6E-05
398	0.53507	2.30E-06	1.2E-06	3.46E-04	4.27E-10	0.25	1.57E-01	1.68E-11	1.0E+06	1.7E-05
399	0.56365	2.30E-06	1.3E-06	3.46E-04	4.50E-10	0.25	1.57E-01	1.77E-11	1.0E+06	1.8E-05
411	0.44086	2.30E-06	1.0E-06	3.46E-04	3.52E-10	0.25	1.57E-01	1.38E-11	1.0E+06	1.4E-05
412	0.46537	2.30E-06	1.1E-06	3.46E-04	3.71E-10	0.25	1.57E-01	1.46E-11	1.0E+06	1.5E-05
413	0.48991	2.30E-06	1.1E-06	3.46E-04	3.91E-10	0.25	1.57E-01	1.54E-11	1.0E+06	1.5E-05
414	0.51386	2.30E-06	1.2E-06	3.46E-04	4.10E-10	0.25	1.57E-01	1.61E-11	1.0E+06	1.6E-05
426	0.4085	2.30E-06	9.4E-07	3.46E-04	3.26E-10	0.25	1.57E-01	1.28E-11	1.0E+06	1.3E-05
427	0.42947	2.30E-06	9.9E-07	3.46E-04	3.43E-10	0.25	1.57E-01	1.35E-11	1.0E+06	1.3E-05
428	0.45028	2.30E-06	1.0E-06	3.46E-04	3.59E-10	0.25	1.57E-01	1.41E-11	1.0E+06	1.4E-05
429	0.47058	2.30E-06	1.1E-06	3.46E-04	3.75E-10	0.25	1.57E-01	1.48E-11	1.0E+06	1.5E-05
439	0.37957	2.30E-06	8.7E-07	3.46E-04	3.03E-10	0.25	1.57E-01	1.19E-11	1.0E+06	1.2E-05
440	0.39761	2.30E-06	9.2E-07	3.46E-04	3.17E-10	0.25	1.57E-01	1.25E-11	1.0E+06	1.2E-05
441	0.41544	2.30E-06	9.6E-07	3.46E-04	3.31E-10	0.25	1.57E-01	1.30E-11	1.0E+06	1.3E-05
442	0.43275	2.30E-06	1.0E-06	3.46E-04	3.45E-10	0.25	1.57E-01	1.36E-11	1.0E+06	1.4E-05
443	0.44912	2.30E-06	1.0E-06	3.46E-04	3.58E-10	0.25	1.57E-01	1.41E-11	1.0E+06	1.4E-05
454	0.35365	2.30E-06	8.2E-07	3.46E-04	2.82E-10	0.25	1.57E-01	1.11E-11	1.0E+06	1.1E-05
455	0.36925	2.30E-06	8.5E-07	3.46E-04	2.95E-10	0.25	1.57E-01	1.16E-11	1.0E+06	1.2E-05
456	0.3846	2.30E-06	8.9E-07	3.46E-04	3.07E-10	0.25	1.57E-01	1.21E-11	1.0E+06	1.2E-05
457	0.39947	2.30E-06	9.2E-07	3.46E-04	3.19E-10	0.25	1.57E-01	1.25E-11	1.0E+06	1.3E-05
458	0.41351	2.30E-06	9.5E-07	3.46E-04	3.30E-10	0.25	1.57E-01	1.30E-11	1.0E+06	1.3E-05
469	0.33031	2.30E-06	7.6E-07	3.46E-04	2.64E-10	0.25	1.57E-01	1.04E-11	1.0E+06	1.0E-05
470	0.34386	2.30E-06	7.9E-07	3.46E-04	2.74E-10	0.25	1.57E-01	1.08E-11	1.0E+06	1.1E-05
471	0.35717	2.30E-06	8.2E-07	3.46E-04	2.85E-10	0.25	1.57E-01	1.12E-11	1.0E+06	1.1E-05

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.37004	2.30E-06	8.5E-07	3.46E-04	2.95E-10	0.25	1.57E-01	1.16E-11	1.0E+06	1.2E-05
473	0.38218	2.30E-06	8.8E-07	3.46E-04	3.05E-10	0.25	1.57E-01	1.20E-11	1.0E+06	1.2E-05
489	0.30927	2.30E-06	7.1E-07	3.46E-04	2.47E-10	0.25	1.57E-01	9.69E-12	1.0E+06	9.7E-06
490	0.32111	2.30E-06	7.4E-07	3.46E-04	2.56E-10	0.25	1.57E-01	1.01E-11	1.0E+06	1.0E-05
491	0.3327	2.30E-06	7.7E-07	3.46E-04	2.65E-10	0.25	1.57E-01	1.04E-11	1.0E+06	1.0E-05
492	0.34389	2.30E-06	7.9E-07	3.46E-04	2.74E-10	0.25	1.57E-01	1.08E-11	1.0E+06	1.1E-05
493	0.35445	2.30E-06	8.2E-07	3.46E-04	2.83E-10	0.25	1.57E-01	1.11E-11	1.0E+06	1.1E-05
494	0.36404	2.30E-06	8.4E-07	3.46E-04	2.90E-10	0.25	1.57E-01	1.14E-11	1.0E+06	1.1E-05
509	0.29021	2.30E-06	6.7E-07	3.46E-04	2.32E-10	0.25	1.57E-01	9.10E-12	1.0E+06	9.1E-06
510	0.3006	2.30E-06	6.9E-07	3.46E-04	2.40E-10	0.25	1.57E-01	9.42E-12	1.0E+06	9.4E-06
511	0.31075	2.30E-06	7.2E-07	3.46E-04	2.48E-10	0.25	1.57E-01	9.74E-12	1.0E+06	9.7E-06
512	0.32055	2.30E-06	7.4E-07	3.46E-04	2.56E-10	0.25	1.57E-01	1.00E-11	1.0E+06	1.0E-05
513	0.3298	2.30E-06	7.6E-07	3.46E-04	2.63E-10	0.25	1.57E-01	1.03E-11	1.0E+06	1.0E-05
514	0.33822	2.30E-06	7.8E-07	3.46E-04	2.70E-10	0.25	1.57E-01	1.06E-11	1.0E+06	1.1E-05
515	0.35087	2.30E-06	8.1E-07	3.46E-04	2.80E-10	0.25	1.57E-01	1.10E-11	1.0E+06	1.1E-05
516	0.35411	2.30E-06	8.2E-07	3.46E-04	2.83E-10	0.25	1.57E-01	1.11E-11	1.0E+06	1.1E-05
517	0.35478	2.30E-06	8.2E-07	3.46E-04	2.83E-10	0.25	1.57E-01	1.11E-11	1.0E+06	1.1E-05
518	0.35255	2.30E-06	8.1E-07	3.46E-04	2.81E-10	0.25	1.57E-01	1.11E-11	1.0E+06	1.1E-05
519	0.34736	2.30E-06	8.0E-07	3.46E-04	2.77E-10	0.25	1.57E-01	1.09E-11	1.0E+06	1.1E-05
528	0.2729	2.30E-06	6.3E-07	3.46E-04	2.18E-10	0.25	1.57E-01	8.55E-12	1.0E+06	8.6E-06
529	0.28207	2.30E-06	6.5E-07	3.46E-04	2.25E-10	0.25	1.57E-01	8.84E-12	1.0E+06	8.8E-06
530	0.29101	2.30E-06	6.7E-07	3.46E-04	2.32E-10	0.25	1.57E-01	9.12E-12	1.0E+06	9.1E-06
531	0.29964	2.30E-06	6.9E-07	3.46E-04	2.39E-10	0.25	1.57E-01	9.39E-12	1.0E+06	9.4E-06
532	0.30779	2.30E-06	7.1E-07	3.46E-04	2.46E-10	0.25	1.57E-01	9.65E-12	1.0E+06	9.6E-06
533	0.31522	2.30E-06	7.3E-07	3.46E-04	2.52E-10	0.25	1.57E-01	9.88E-12	1.0E+06	9.9E-06
534	0.32648	2.30E-06	7.5E-07	3.46E-04	2.60E-10	0.25	1.57E-01	1.02E-11	1.0E+06	1.0E-05
535	0.32951	2.30E-06	7.6E-07	3.46E-04	2.63E-10	0.25	1.57E-01	1.03E-11	1.0E+06	1.0E-05
536	0.33038	2.30E-06	7.6E-07	3.46E-04	2.64E-10	0.25	1.57E-01	1.04E-11	1.0E+06	1.0E-05
537	0.32871	2.30E-06	7.6E-07	3.46E-04	2.62E-10	0.25	1.57E-01	1.03E-11	1.0E+06	1.0E-05
538	0.32448	2.30E-06	7.5E-07	3.46E-04	2.59E-10	0.25	1.57E-01	1.02E-11	1.0E+06	1.0E-05
547	0.25715	2.30E-06	5.9E-07	3.46E-04	2.05E-10	0.25	1.57E-01	8.06E-12	1.0E+06	8.1E-06

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.26527	2.30E-06	6.1E-07	3.46E-04	2.12E-10	0.25	1.57E-01	8.32E-12	1.0E+06	8.3E-06
549	0.27318	2.30E-06	6.3E-07	3.46E-04	2.18E-10	0.25	1.57E-01	8.56E-12	1.0E+06	8.6E-06
550	0.28082	2.30E-06	6.5E-07	3.46E-04	2.24E-10	0.25	1.57E-01	8.80E-12	1.0E+06	8.8E-06
551	0.28804	2.30E-06	6.6E-07	3.46E-04	2.30E-10	0.25	1.57E-01	9.03E-12	1.0E+06	9.0E-06
552	0.29463	2.30E-06	6.8E-07	3.46E-04	2.35E-10	0.25	1.57E-01	9.24E-12	1.0E+06	9.2E-06
553	0.30031	2.30E-06	6.9E-07	3.46E-04	2.40E-10	0.25	1.57E-01	9.41E-12	1.0E+06	9.4E-06
554	0.30472	2.30E-06	7.0E-07	3.46E-04	2.43E-10	0.25	1.57E-01	9.55E-12	1.0E+06	9.6E-06
555	0.30757	2.30E-06	7.1E-07	3.46E-04	2.45E-10	0.25	1.57E-01	9.64E-12	1.0E+06	9.6E-06
556	0.30856	2.30E-06	7.1E-07	3.46E-04	2.46E-10	0.25	1.57E-01	9.67E-12	1.0E+06	9.7E-06
557	0.30735	2.30E-06	7.1E-07	3.46E-04	2.45E-10	0.25	1.57E-01	9.63E-12	1.0E+06	9.6E-06
558	0.30396	2.30E-06	7.0E-07	3.46E-04	2.43E-10	0.25	1.57E-01	9.53E-12	1.0E+06	9.5E-06
559	0.29833	2.30E-06	6.9E-07	3.46E-04	2.38E-10	0.25	1.57E-01	9.35E-12	1.0E+06	9.4E-06
567	0.24277	2.30E-06	5.6E-07	3.46E-04	1.94E-10	0.25	1.57E-01	7.61E-12	1.0E+06	7.6E-06
568	0.25	2.30E-06	5.8E-07	3.46E-04	1.99E-10	0.25	1.57E-01	7.84E-12	1.0E+06	7.8E-06
569	0.25703	2.30E-06	5.9E-07	3.46E-04	2.05E-10	0.25	1.57E-01	8.06E-12	1.0E+06	8.1E-06
570	0.26383	2.30E-06	6.1E-07	3.46E-04	2.11E-10	0.25	1.57E-01	8.27E-12	1.0E+06	8.3E-06
571	0.27025	2.30E-06	6.2E-07	3.46E-04	2.16E-10	0.25	1.57E-01	8.47E-12	1.0E+06	8.5E-06
572	0.27613	2.30E-06	6.4E-07	3.46E-04	2.20E-10	0.25	1.57E-01	8.66E-12	1.0E+06	8.7E-06
573	0.28123	2.30E-06	6.5E-07	3.46E-04	2.24E-10	0.25	1.57E-01	8.82E-12	1.0E+06	8.8E-06
574	0.28789	2.30E-06	6.6E-07	3.46E-04	2.30E-10	0.25	1.57E-01	9.02E-12	1.0E+06	9.0E-06
575	0.28894	2.30E-06	6.7E-07	3.46E-04	2.31E-10	0.25	1.57E-01	9.06E-12	1.0E+06	9.1E-06
576	0.28815	2.30E-06	6.6E-07	3.46E-04	2.30E-10	0.25	1.57E-01	9.03E-12	1.0E+06	9.0E-06
577	0.28541	2.30E-06	6.6E-07	3.46E-04	2.28E-10	0.25	1.57E-01	8.95E-12	1.0E+06	8.9E-06
578	0.28072	2.30E-06	6.5E-07	3.46E-04	2.24E-10	0.25	1.57E-01	8.80E-12	1.0E+06	8.8E-06
586	0.22962	2.30E-06	5.3E-07	3.46E-04	1.83E-10	0.25	1.57E-01	7.20E-12	1.0E+06	7.2E-06
587	0.23607	2.30E-06	5.4E-07	3.46E-04	1.88E-10	0.25	1.57E-01	7.40E-12	1.0E+06	7.4E-06
588	0.24236	2.30E-06	5.6E-07	3.46E-04	1.93E-10	0.25	1.57E-01	7.60E-12	1.0E+06	7.6E-06
589	0.24843	2.30E-06	5.7E-07	3.46E-04	1.98E-10	0.25	1.57E-01	7.79E-12	1.0E+06	7.8E-06
590	0.25417	2.30E-06	5.9E-07	3.46E-04	2.03E-10	0.25	1.57E-01	7.97E-12	1.0E+06	8.0E-06
591	0.25944	2.30E-06	6.0E-07	3.46E-04	2.07E-10	0.25	1.57E-01	8.13E-12	1.0E+06	8.1E-06
592	0.26402	2.30E-06	6.1E-07	3.46E-04	2.11E-10	0.25	1.57E-01	8.28E-12	1.0E+06	8.3E-06

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.27015	2.30E-06	6.2E-07	3.46E-04	2.16E-10	0.25	1.57E-01	8.47E-12	1.0E+06	8.5E-06
594	0.27126	2.30E-06	6.3E-07	3.46E-04	2.16E-10	0.25	1.57E-01	8.50E-12	1.0E+06	8.5E-06
595	0.27074	2.30E-06	6.2E-07	3.46E-04	2.16E-10	0.25	1.57E-01	8.49E-12	1.0E+06	8.5E-06
596	0.26852	2.30E-06	6.2E-07	3.46E-04	2.14E-10	0.25	1.57E-01	8.42E-12	1.0E+06	8.4E-06
597	0.2646	2.30E-06	6.1E-07	3.46E-04	2.11E-10	0.25	1.57E-01	8.29E-12	1.0E+06	8.3E-06
345	0.8613	2.30E-06	2.0E-06	3.46E-04	6.87E-10	0.25	1.57E-01	2.70E-11	1.0E+06	2.7E-05
346	0.9232	2.30E-06	2.1E-06	3.46E-04	7.37E-10	0.25	1.57E-01	2.89E-11	1.0E+06	2.9E-05
347	0.97954	2.30E-06	2.3E-06	3.46E-04	7.82E-10	0.25	1.57E-01	3.07E-11	1.0E+06	3.1E-05
348	1.0243	2.30E-06	2.4E-06	3.46E-04	8.17E-10	0.25	1.57E-01	3.21E-11	1.0E+06	3.2E-05
359	0.76761	2.30E-06	1.8E-06	3.46E-04	6.12E-10	0.25	1.57E-01	2.41E-11	1.0E+06	2.4E-05
360	0.81705	2.30E-06	1.9E-06	3.46E-04	6.52E-10	0.25	1.57E-01	2.56E-11	1.0E+06	2.6E-05
361	0.86183	2.30E-06	2.0E-06	3.46E-04	6.88E-10	0.25	1.57E-01	2.70E-11	1.0E+06	2.7E-05
362	0.89742	2.30E-06	2.1E-06	3.46E-04	7.16E-10	0.25	1.57E-01	2.81E-11	1.0E+06	2.8E-05
363	0.91946	2.30E-06	2.1E-06	3.46E-04	7.34E-10	0.25	1.57E-01	2.88E-11	1.0E+06	2.9E-05
373	0.72861	2.30E-06	1.7E-06	3.46E-04	5.81E-10	0.25	1.57E-01	2.28E-11	1.0E+06	2.3E-05
374	0.76469	2.30E-06	1.8E-06	3.46E-04	6.10E-10	0.25	1.57E-01	2.40E-11	1.0E+06	2.4E-05
375	0.79357	2.30E-06	1.8E-06	3.46E-04	6.33E-10	0.25	1.57E-01	2.49E-11	1.0E+06	2.5E-05
376	0.81199	2.30E-06	1.9E-06	3.46E-04	6.48E-10	0.25	1.57E-01	2.55E-11	1.0E+06	2.5E-05
386	0.65414	2.30E-06	1.5E-06	3.46E-04	5.22E-10	0.25	1.57E-01	2.05E-11	1.0E+06	2.1E-05
387	0.68367	2.30E-06	1.6E-06	3.46E-04	5.45E-10	0.25	1.57E-01	2.14E-11	1.0E+06	2.1E-05
388	0.70746	2.30E-06	1.6E-06	3.46E-04	5.64E-10	0.25	1.57E-01	2.22E-11	1.0E+06	2.2E-05
389	0.72307	2.30E-06	1.7E-06	3.46E-04	5.77E-10	0.25	1.57E-01	2.27E-11	1.0E+06	2.3E-05
390	0.72792	2.30E-06	1.7E-06	3.46E-04	5.81E-10	0.25	1.57E-01	2.28E-11	1.0E+06	2.3E-05
400	0.59086	2.30E-06	1.4E-06	3.46E-04	4.71E-10	0.25	1.57E-01	1.85E-11	1.0E+06	1.9E-05
401	0.61524	2.30E-06	1.4E-06	3.46E-04	4.91E-10	0.25	1.57E-01	1.93E-11	1.0E+06	1.9E-05
402	0.63522	2.30E-06	1.5E-06	3.46E-04	5.07E-10	0.25	1.57E-01	1.99E-11	1.0E+06	2.0E-05
403	0.64848	2.30E-06	1.5E-06	3.46E-04	5.17E-10	0.25	1.57E-01	2.03E-11	1.0E+06	2.0E-05
404	0.65323	2.30E-06	1.5E-06	3.46E-04	5.21E-10	0.25	1.57E-01	2.05E-11	1.0E+06	2.0E-05
415	0.53664	2.30E-06	1.2E-06	3.46E-04	4.28E-10	0.25	1.57E-01	1.68E-11	1.0E+06	1.7E-05
416	0.55712	2.30E-06	1.3E-06	3.46E-04	4.45E-10	0.25	1.57E-01	1.75E-11	1.0E+06	1.7E-05
417	0.57386	2.30E-06	1.3E-06	3.46E-04	4.58E-10	0.25	1.57E-01	1.80E-11	1.0E+06	1.8E-05

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.58549	2.30E-06	1.3E-06	3.46E-04	4.67E-10	0.25	1.57E-01	1.84E-11	1.0E+06	1.8E-05
419	0.59019	2.30E-06	1.4E-06	3.46E-04	4.71E-10	0.25	1.57E-01	1.85E-11	1.0E+06	1.8E-05
420	0.58645	2.30E-06	1.4E-06	3.46E-04	4.68E-10	0.25	1.57E-01	1.84E-11	1.0E+06	1.8E-05
430	0.50711	2.30E-06	1.2E-06	3.46E-04	4.05E-10	0.25	1.57E-01	1.59E-11	1.0E+06	1.6E-05
431	0.52147	2.30E-06	1.2E-06	3.46E-04	4.16E-10	0.25	1.57E-01	1.63E-11	1.0E+06	1.6E-05
432	0.53152	2.30E-06	1.2E-06	3.46E-04	4.24E-10	0.25	1.57E-01	1.67E-11	1.0E+06	1.7E-05
433	0.53601	2.30E-06	1.2E-06	3.46E-04	4.28E-10	0.25	1.57E-01	1.68E-11	1.0E+06	1.7E-05
434	0.53394	2.30E-06	1.2E-06	3.46E-04	4.26E-10	0.25	1.57E-01	1.67E-11	1.0E+06	1.7E-05
444	0.46389	2.30E-06	1.1E-06	3.46E-04	3.70E-10	0.25	1.57E-01	1.45E-11	1.0E+06	1.5E-05
445	0.47618	2.30E-06	1.1E-06	3.46E-04	3.80E-10	0.25	1.57E-01	1.49E-11	1.0E+06	1.5E-05
446	0.48498	2.30E-06	1.1E-06	3.46E-04	3.87E-10	0.25	1.57E-01	1.52E-11	1.0E+06	1.5E-05
447	0.48925	2.30E-06	1.1E-06	3.46E-04	3.90E-10	0.25	1.57E-01	1.53E-11	1.0E+06	1.5E-05
448	0.48815	2.30E-06	1.1E-06	3.46E-04	3.89E-10	0.25	1.57E-01	1.53E-11	1.0E+06	1.5E-05
459	0.43684	2.30E-06	1.0E-06	3.46E-04	3.49E-10	0.25	1.57E-01	1.37E-11	1.0E+06	1.4E-05
460	0.44459	2.30E-06	1.0E-06	3.46E-04	3.55E-10	0.25	1.57E-01	1.39E-11	1.0E+06	1.4E-05
461	0.4486	2.30E-06	1.0E-06	3.46E-04	3.58E-10	0.25	1.57E-01	1.41E-11	1.0E+06	1.4E-05
462	0.44818	2.30E-06	1.0E-06	3.46E-04	3.58E-10	0.25	1.57E-01	1.40E-11	1.0E+06	1.4E-05
463	0.44289	2.30E-06	1.0E-06	3.46E-04	3.53E-10	0.25	1.57E-01	1.39E-11	1.0E+06	1.4E-05
474	0.40243	2.30E-06	9.3E-07	3.46E-04	3.21E-10	0.25	1.57E-01	1.26E-11	1.0E+06	1.3E-05
475	0.40928	2.30E-06	9.4E-07	3.46E-04	3.27E-10	0.25	1.57E-01	1.28E-11	1.0E+06	1.3E-05
476	0.41306	2.30E-06	9.5E-07	3.46E-04	3.30E-10	0.25	1.57E-01	1.29E-11	1.0E+06	1.3E-05
477	0.41311	2.30E-06	9.5E-07	3.46E-04	3.30E-10	0.25	1.57E-01	1.29E-11	1.0E+06	1.3E-05
478	0.40911	2.30E-06	9.4E-07	3.46E-04	3.26E-10	0.25	1.57E-01	1.28E-11	1.0E+06	1.3E-05
495	0.37217	2.30E-06	8.6E-07	3.46E-04	2.97E-10	0.25	1.57E-01	1.17E-11	1.0E+06	1.2E-05
496	0.37827	2.30E-06	8.7E-07	3.46E-04	3.02E-10	0.25	1.57E-01	1.19E-11	1.0E+06	1.2E-05
497	0.38179	2.30E-06	8.8E-07	3.46E-04	3.05E-10	0.25	1.57E-01	1.20E-11	1.0E+06	1.2E-05
498	0.3822	2.30E-06	8.8E-07	3.46E-04	3.05E-10	0.25	1.57E-01	1.20E-11	1.0E+06	1.2E-05
499	0.37919	2.30E-06	8.7E-07	3.46E-04	3.03E-10	0.25	1.57E-01	1.19E-11	1.0E+06	1.2E-05
500	0.37268	2.30E-06	8.6E-07	3.46E-04	2.97E-10	0.25	1.57E-01	1.17E-11	1.0E+06	1.2E-05

Via Oro
Risk From 405/47 off/on ramp [TKI]

		Cancer Risk from 3rd Trimester - Construction									
Receptor #	Conc	g/sec	Cair	Dose		Risk		Constant 2	Risk/ Million		
				Constant	Dose	ED	Constant				
139	5.86389	2.30E-06	1.4E-05	3.46E-04	4.68E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	10.10944	2.30E-06	2.3E-05	3.46E-04	8.07E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	5.15834	2.30E-06	1.2E-05	3.46E-04	4.12E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	8.03778	2.30E-06	1.9E-05	3.46E-04	6.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	13.96484	2.30E-06	3.2E-05	3.46E-04	1.11E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	25.03145	2.30E-06	5.8E-05	3.46E-04	2.00E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	42.67091	2.30E-06	9.8E-05	3.46E-04	3.40E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	30.07988	2.30E-06	6.9E-05	3.46E-04	2.40E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	12.18915	2.30E-06	2.8E-05	3.46E-04	9.73E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	6.93069	2.30E-06	1.6E-05	3.46E-04	5.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	6.19083	2.30E-06	1.4E-05	3.46E-04	4.94E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	9.54718	2.30E-06	2.2E-05	3.46E-04	7.62E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	14.53139	2.30E-06	3.3E-05	3.46E-04	1.16E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	21.17115	2.30E-06	4.9E-05	3.46E-04	1.69E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	27.24809	2.30E-06	6.3E-05	3.46E-04	2.17E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	17.82209	2.30E-06	4.1E-05	3.46E-04	1.42E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	9.14328	2.30E-06	2.1E-05	3.46E-04	7.30E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	5.54273	2.30E-06	1.3E-05	3.46E-04	4.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	3.8113	2.30E-06	8.8E-06	3.46E-04	3.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	2.8171	2.30E-06	6.5E-06	3.46E-04	2.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	2.18109	2.30E-06	5.0E-06	3.46E-04	1.74E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	6.77211	2.30E-06	1.6E-05	3.46E-04	5.40E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	9.30007	2.30E-06	2.1E-05	3.46E-04	7.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	12.09527	2.30E-06	2.8E-05	3.46E-04	9.65E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	13.53319	2.30E-06	3.1E-05	3.46E-04	1.08E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	10.96411	2.30E-06	2.5E-05	3.46E-04	8.75E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	7.08011	2.30E-06	1.6E-05	3.46E-04	5.65E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	4.60996	2.30E-06	1.1E-05	3.46E-04	3.68E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	3.26405	2.30E-06	7.5E-06	3.46E-04	2.60E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	2.46467	2.30E-06	5.7E-06	3.46E-04	1.97E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	1.94202	2.30E-06	4.5E-06	3.46E-04	1.55E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	1.57659	2.30E-06	3.6E-06	3.46E-04	1.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	4.9947	2.30E-06	1.2E-05	3.46E-04	3.99E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	6.39645	2.30E-06	1.5E-05	3.46E-04	5.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	7.75155	2.30E-06	1.8E-05	3.46E-04	6.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	8.30643	2.30E-06	1.9E-05	3.46E-04	6.63E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	7.32369	2.30E-06	1.7E-05	3.46E-04	5.84E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	5.45985	2.30E-06	1.3E-05	3.46E-04	4.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	3.8709	2.30E-06	8.9E-06	3.46E-04	3.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	2.83419	2.30E-06	6.5E-06	3.46E-04	2.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	2.17855	2.30E-06	5.0E-06	3.46E-04	1.74E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	1.74068	2.30E-06	4.0E-06	3.46E-04	1.39E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	1.43074	2.30E-06	3.3E-06	3.46E-04	1.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	1.2011	2.30E-06	2.8E-06	3.46E-04	9.58E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	3.04152	2.30E-06	7.0E-06	3.46E-04	2.43E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	3.81391	2.30E-06	8.8E-06	3.46E-04	3.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	4.64776	2.30E-06	1.1E-05	3.46E-04	3.71E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	5.38705	2.30E-06	1.2E-05	3.46E-04	4.30E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	5.2285	2.30E-06	1.2E-05	3.46E-04	4.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	4.25402	2.30E-06	9.8E-06	3.46E-04	3.39E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	3.24533	2.30E-06	7.5E-06	3.46E-04	2.59E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	2.4724	2.30E-06	5.7E-06	3.46E-04	1.97E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	1.93837	2.30E-06	4.5E-06	3.46E-04	1.55E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	1.56873	2.30E-06	3.6E-06	3.46E-04	1.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	1.30291	2.30E-06	3.0E-06	3.46E-04	1.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	1.10352	2.30E-06	2.5E-06	3.46E-04	8.80E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	0.94962	2.30E-06	2.2E-06	3.46E-04	7.58E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	2.49324	2.30E-06	5.7E-06	3.46E-04	1.99E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	2.99779	2.30E-06	6.9E-06	3.46E-04	2.39E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	3.52414	2.30E-06	8.1E-06	3.46E-04	2.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	3.96501	2.30E-06	9.1E-06	3.46E-04	3.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	4.14033	2.30E-06	9.5E-06	3.46E-04	3.30E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	3.92093	2.30E-06	9.0E-06	3.46E-04	3.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	3.37363	2.30E-06	7.8E-06	3.46E-04	2.69E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	2.1602	2.30E-06	5.0E-06	3.46E-04	1.72E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	1.73158	2.30E-06	4.0E-06	3.46E-04	1.38E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	1.42007	2.30E-06	3.3E-06	3.46E-04	1.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	1.19065	2.30E-06	2.7E-06	3.46E-04	9.50E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	1.01671	2.30E-06	2.3E-06	3.46E-04	8.11E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	0.88082	2.30E-06	2.0E-06	3.46E-04	7.03E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	2.06769	2.30E-06	4.8E-06	3.46E-04	1.65E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	2.41334	2.30E-06	5.6E-06	3.46E-04	1.93E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	2.7599	2.30E-06	6.4E-06	3.46E-04	2.20E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	3.04318	2.30E-06	7.0E-06	3.46E-04	2.43E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	3.16299	2.30E-06	7.3E-06	3.46E-04	2.52E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	3.04962	2.30E-06	7.0E-06	3.46E-04	2.43E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	2.72571	2.30E-06	6.3E-06	3.46E-04	2.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	1.88913	2.30E-06	4.4E-06	3.46E-04	1.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	1.54948	2.30E-06	3.6E-06	3.46E-04	1.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	1.28875	2.30E-06	3.0E-06	3.46E-04	1.03E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	1.09112	2.30E-06	2.5E-06	3.46E-04	8.71E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	0.9387	2.30E-06	2.2E-06	3.46E-04	7.49E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	0.81851	2.30E-06	1.9E-06	3.46E-04	6.53E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	1.73865	2.30E-06	4.0E-06	3.46E-04	1.39E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	1.98377	2.30E-06	4.6E-06	3.46E-04	1.58E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	2.22397	2.30E-06	5.1E-06	3.46E-04	1.77E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	2.41171	2.30E-06	5.6E-06	3.46E-04	1.92E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	2.50031	2.30E-06	5.8E-06	3.46E-04	1.99E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	2.44053	2.30E-06	5.6E-06	3.46E-04	1.95E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	2.24072	2.30E-06	5.2E-06	3.46E-04	1.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	1.65626	2.30E-06	3.8E-06	3.46E-04	1.32E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	1.38948	2.30E-06	3.2E-06	3.46E-04	1.11E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	1.17262	2.30E-06	2.7E-06	3.46E-04	9.36E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	1.00221	2.30E-06	2.3E-06	3.46E-04	8.00E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	0.86831	2.30E-06	2.0E-06	3.46E-04	6.93E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	0.76169	2.30E-06	1.8E-06	3.46E-04	6.08E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	0.54329	2.30E-06	1.3E-06	3.46E-04	4.33E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	0.49214	2.30E-06	1.1E-06	3.46E-04	3.93E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	1.48055	2.30E-06	3.4E-06	3.46E-04	1.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	1.65855	2.30E-06	3.8E-06	3.46E-04	1.32E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	1.83019	2.30E-06	4.2E-06	3.46E-04	1.46E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	1.96318	2.30E-06	4.5E-06	3.46E-04	1.57E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	2.0288	2.30E-06	4.7E-06	3.46E-04	1.62E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	1.99797	2.30E-06	4.6E-06	3.46E-04	1.59E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	1.87011	2.30E-06	4.3E-06	3.46E-04	1.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	1.45565	2.30E-06	3.4E-06	3.46E-04	1.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	1.24686	2.30E-06	2.9E-06	3.46E-04	9.95E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	1.06783	2.30E-06	2.5E-06	3.46E-04	8.52E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	0.92199	2.30E-06	2.1E-06	3.46E-04	7.36E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	0.80481	2.30E-06	1.9E-06	3.46E-04	6.42E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	0.70995	2.30E-06	1.6E-06	3.46E-04	5.66E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	0.51321	2.30E-06	1.2E-06	3.46E-04	4.09E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	0.46668	2.30E-06	1.1E-06	3.46E-04	3.72E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	1.27493	2.30E-06	2.9E-06	3.46E-04	1.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	1.40769	2.30E-06	3.2E-06	3.46E-04	1.12E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	1.53303	2.30E-06	3.5E-06	3.46E-04	1.22E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	1.63104	2.30E-06	3.8E-06	3.46E-04	1.30E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	1.68064	2.30E-06	3.9E-06	3.46E-04	1.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	1.66598	2.30E-06	3.8E-06	3.46E-04	1.33E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	1.58338	2.30E-06	3.6E-06	3.46E-04	1.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	1.28457	2.30E-06	3.0E-06	3.46E-04	1.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	1.12159	2.30E-06	2.6E-06	3.46E-04	8.95E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	0.97433	2.30E-06	2.2E-06	3.46E-04	7.77E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	0.85001	2.30E-06	2.0E-06	3.46E-04	6.78E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	0.74728	2.30E-06	1.7E-06	3.46E-04	5.96E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	0.66279	2.30E-06	1.5E-06	3.46E-04	5.29E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	0.48525	2.30E-06	1.1E-06	3.46E-04	3.87E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	0.44279	2.30E-06	1.0E-06	3.46E-04	3.53E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	1.10903	2.30E-06	2.6E-06	3.46E-04	8.85E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	1.21035	2.30E-06	2.8E-06	3.46E-04	9.66E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	1.30411	2.30E-06	3.0E-06	3.46E-04	1.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	1.37789	2.30E-06	3.2E-06	3.46E-04	1.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	1.41792	2.30E-06	3.3E-06	3.46E-04	1.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	1.4118	2.30E-06	3.3E-06	3.46E-04	1.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	1.3567	2.30E-06	3.1E-06	3.46E-04	1.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	1.13886	2.30E-06	2.6E-06	3.46E-04	9.09E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	1.01142	2.30E-06	2.3E-06	3.46E-04	8.07E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	0.89052	2.30E-06	2.1E-06	3.46E-04	7.11E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	0.78482	2.30E-06	1.8E-06	3.46E-04	6.26E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	0.69496	2.30E-06	1.6E-06	3.46E-04	5.55E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	0.6198	2.30E-06	1.4E-06	3.46E-04	4.95E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	0.45912	2.30E-06	1.1E-06	3.46E-04	3.66E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	0.42033	2.30E-06	9.7E-07	3.46E-04	3.35E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	0.97338	2.30E-06	2.2E-06	3.46E-04	7.77E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	1.05199	2.30E-06	2.4E-06	3.46E-04	8.39E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	1.12399	2.30E-06	2.6E-06	3.46E-04	8.97E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	1.18101	2.30E-06	2.7E-06	3.46E-04	9.42E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	1.21278	2.30E-06	2.8E-06	3.46E-04	9.68E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	1.21223	2.30E-06	2.8E-06	3.46E-04	9.67E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	1.17504	2.30E-06	2.7E-06	3.46E-04	9.38E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	1.10561	2.30E-06	2.5E-06	3.46E-04	8.82E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	1.01436	2.30E-06	2.3E-06	3.46E-04	8.09E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	0.91394	2.30E-06	2.1E-06	3.46E-04	7.29E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	0.81533	2.30E-06	1.9E-06	3.46E-04	6.51E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	0.72548	2.30E-06	1.7E-06	3.46E-04	5.79E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	0.64714	2.30E-06	1.5E-06	3.46E-04	5.16E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	0.58022	2.30E-06	1.3E-06	3.46E-04	4.63E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	0.47575	2.30E-06	1.1E-06	3.46E-04	3.80E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	0.43476	2.30E-06	1.0E-06	3.46E-04	3.47E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.39924	2.30E-06	9.2E-07	3.46E-04	3.19E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	1.05056	2.30E-06	2.4E-06	3.46E-04	8.38E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	1.05257	2.30E-06	2.4E-06	3.46E-04	8.40E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	1.0271	2.30E-06	2.4E-06	3.46E-04	8.20E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	0.97669	2.30E-06	2.3E-06	3.46E-04	7.79E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	0.44956	2.30E-06	1.0E-06	3.46E-04	3.59E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	0.4121	2.30E-06	9.5E-07	3.46E-04	3.29E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.37951	2.30E-06	8.7E-07	3.46E-04	3.03E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	0.92307	2.30E-06	2.1E-06	3.46E-04	7.37E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	0.90585	2.30E-06	2.1E-06	3.46E-04	7.23E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	0.86859	2.30E-06	2.0E-06	3.46E-04	6.93E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	0.42536	2.30E-06	9.8E-07	3.46E-04	3.39E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	0.391	2.30E-06	9.0E-07	3.46E-04	3.12E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.36105	2.30E-06	8.3E-07	3.46E-04	2.88E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	0.81654	2.30E-06	1.9E-06	3.46E-04	6.52E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	0.80482	2.30E-06	1.9E-06	3.46E-04	6.42E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	0.77708	2.30E-06	1.8E-06	3.46E-04	6.20E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	0.40277	2.30E-06	9.3E-07	3.46E-04	3.21E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	0.37116	2.30E-06	8.6E-07	3.46E-04	2.96E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.34372	2.30E-06	7.9E-07	3.46E-04	2.74E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	0.71996	2.30E-06	1.7E-06	3.46E-04	5.74E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	0.699	2.30E-06	1.6E-06	3.46E-04	5.58E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	0.38179	2.30E-06	8.8E-07	3.46E-04	3.05E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.35291	2.30E-06	8.1E-07	3.46E-04	2.82E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.32761	2.30E-06	7.6E-07	3.46E-04	2.61E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	0.64809	2.30E-06	1.5E-06	3.46E-04	5.17E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	0.63243	2.30E-06	1.5E-06	3.46E-04	5.05E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	0.60742	2.30E-06	1.4E-06	3.46E-04	4.85E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	0.36237	2.30E-06	8.4E-07	3.46E-04	2.89E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.33584	2.30E-06	7.7E-07	3.46E-04	2.68E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.31258	2.30E-06	7.2E-07	3.46E-04	2.49E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	0.57483	2.30E-06	1.3E-06	3.46E-04	4.59E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	0.55506	2.30E-06	1.3E-06	3.46E-04	4.43E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.3442	2.30E-06	7.9E-07	3.46E-04	2.75E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.31994	2.30E-06	7.4E-07	3.46E-04	2.55E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.29846	2.30E-06	6.9E-07	3.46E-04	2.38E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	0.52475	2.30E-06	1.2E-06	3.46E-04	4.19E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	0.50921	2.30E-06	1.2E-06	3.46E-04	4.06E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.30509	2.30E-06	7.0E-07	3.46E-04	2.43E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.28514	2.30E-06	6.6E-07	3.46E-04	2.28E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	0.48106	2.30E-06	1.1E-06	3.46E-04	3.84E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	0.46879	2.30E-06	1.1E-06	3.46E-04	3.74E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	0.45133	2.30E-06	1.0E-06	3.46E-04	3.60E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.2911	2.30E-06	6.7E-07	3.46E-04	2.32E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.27267	2.30E-06	6.3E-07	3.46E-04	2.18E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	0.43292	2.30E-06	1.0E-06	3.46E-04	3.45E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	0.41863	2.30E-06	9.6E-07	3.46E-04	3.34E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.31655	2.30E-06	7.3E-07	3.46E-04	2.53E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.278	2.30E-06	6.4E-07	3.46E-04	2.22E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.26099	2.30E-06	6.0E-07	3.46E-04	2.08E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	0.40072	2.30E-06	9.2E-07	3.46E-04	3.20E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	0.38927	2.30E-06	9.0E-07	3.46E-04	3.11E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	0.37434	2.30E-06	8.6E-07	3.46E-04	2.99E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	0.35721	2.30E-06	8.2E-07	3.46E-04	2.85E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	0.33854	2.30E-06	7.8E-07	3.46E-04	2.70E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.31952	2.30E-06	7.4E-07	3.46E-04	2.55E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.30068	2.30E-06	6.9E-07	3.46E-04	2.40E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.28267	2.30E-06	6.5E-07	3.46E-04	2.26E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.26572	2.30E-06	6.1E-07	3.46E-04	2.12E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.25	2.30E-06	5.8E-07	3.46E-04	1.99E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	0.36256	2.30E-06	8.4E-07	3.46E-04	2.89E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	0.35041	2.30E-06	8.1E-07	3.46E-04	2.80E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	0.33573	2.30E-06	7.7E-07	3.46E-04	2.68E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	0.31956	2.30E-06	7.4E-07	3.46E-04	2.55E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	0.30273	2.30E-06	7.0E-07	3.46E-04	2.42E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.2859	2.30E-06	6.6E-07	3.46E-04	2.28E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.26962	2.30E-06	6.2E-07	3.46E-04	2.15E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.23965	2.30E-06	5.5E-07	3.46E-04	1.91E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.33905	2.30E-06	7.8E-07	3.46E-04	2.71E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	0.32811	2.30E-06	7.6E-07	3.46E-04	2.62E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	0.31601	2.30E-06	7.3E-07	3.46E-04	2.52E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	0.30196	2.30E-06	7.0E-07	3.46E-04	2.41E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	0.28711	2.30E-06	6.6E-07	3.46E-04	2.29E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.27207	2.30E-06	6.3E-07	3.46E-04	2.17E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.25735	2.30E-06	5.9E-07	3.46E-04	2.05E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.22988	2.30E-06	5.3E-07	3.46E-04	1.83E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.31775	2.30E-06	7.3E-07	3.46E-04	2.54E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.30871	2.30E-06	7.1E-07	3.46E-04	2.46E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	0.29769	2.30E-06	6.9E-07	3.46E-04	2.38E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	0.28544	2.30E-06	6.6E-07	3.46E-04	2.28E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	0.27257	2.30E-06	6.3E-07	3.46E-04	2.17E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.25912	2.30E-06	6.0E-07	3.46E-04	2.07E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.24565	2.30E-06	5.7E-07	3.46E-04	1.96E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.22064	2.30E-06	5.1E-07	3.46E-04	1.76E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.29069	2.30E-06	6.7E-07	3.46E-04	2.32E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.28134	2.30E-06	6.5E-07	3.46E-04	2.24E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.27058	2.30E-06	6.2E-07	3.46E-04	2.16E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.25856	2.30E-06	6.0E-07	3.46E-04	2.06E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.24685	2.30E-06	5.7E-07	3.46E-04	1.97E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.23503	2.30E-06	5.4E-07	3.46E-04	1.88E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.21199	2.30E-06	4.9E-07	3.46E-04	1.69E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.27418	2.30E-06	6.3E-07	3.46E-04	2.19E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.2661	2.30E-06	6.1E-07	3.46E-04	2.12E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.25677	2.30E-06	5.9E-07	3.46E-04	2.05E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.2465	2.30E-06	5.7E-07	3.46E-04	1.97E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.2357	2.30E-06	5.4E-07	3.46E-04	1.88E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.22475	2.30E-06	5.2E-07	3.46E-04	1.79E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.20697	2.30E-06	4.8E-07	3.46E-04	1.65E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.25906	2.30E-06	6.0E-07	3.46E-04	2.07E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.25204	2.30E-06	5.8E-07	3.46E-04	2.01E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.24385	2.30E-06	5.6E-07	3.46E-04	1.95E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.23479	2.30E-06	5.4E-07	3.46E-04	1.87E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.22516	2.30E-06	5.2E-07	3.46E-04	1.80E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.21533	2.30E-06	5.0E-07	3.46E-04	1.72E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.20549	2.30E-06	4.7E-07	3.46E-04	1.64E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	2.30E-06	0.0E+00	3.46E-04	0.00E+00	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.37518	2.30E-06	8.6E-07	1.05E-03	9.04E-10	2	1.57E-01	2.84E-10	1.0E+06	2.8E-04
2	0.41084	2.30E-06	9.5E-07	1.05E-03	9.90E-10	2	1.57E-01	3.11E-10	1.0E+06	3.1E-04
3	0.45174	2.30E-06	1.0E-06	1.05E-03	1.09E-09	2	1.57E-01	3.42E-10	1.0E+06	3.4E-04
4	0.49941	2.30E-06	1.2E-06	1.05E-03	1.20E-09	2	1.57E-01	3.78E-10	1.0E+06	3.8E-04
5	0.55548	2.30E-06	1.3E-06	1.05E-03	1.34E-09	2	1.57E-01	4.21E-10	1.0E+06	4.2E-04
6	0.62301	2.30E-06	1.4E-06	1.05E-03	1.50E-09	2	1.57E-01	4.72E-10	1.0E+06	4.7E-04
7	0.70387	2.30E-06	1.6E-06	1.05E-03	1.70E-09	2	1.57E-01	5.33E-10	1.0E+06	5.3E-04
8	0.80118	2.30E-06	1.8E-06	1.05E-03	1.93E-09	2	1.57E-01	6.07E-10	1.0E+06	6.1E-04
9	0.92042	2.30E-06	2.1E-06	1.05E-03	2.22E-09	2	1.57E-01	6.97E-10	1.0E+06	7.0E-04
10	1.06788	2.30E-06	2.5E-06	1.05E-03	2.57E-09	2	1.57E-01	8.09E-10	1.0E+06	8.1E-04
11	1.25169	2.30E-06	2.9E-06	1.05E-03	3.02E-09	2	1.57E-01	9.48E-10	1.0E+06	9.5E-04
12	1.48235	2.30E-06	3.4E-06	1.05E-03	3.57E-09	2	1.57E-01	1.12E-09	1.0E+06	1.1E-03
13	1.77614	2.30E-06	4.1E-06	1.05E-03	4.28E-09	2	1.57E-01	1.34E-09	1.0E+06	1.3E-03
14	2.14385	2.30E-06	4.9E-06	1.05E-03	5.16E-09	2	1.57E-01	1.62E-09	1.0E+06	1.6E-03
15	2.59643	2.30E-06	6.0E-06	1.05E-03	6.26E-09	2	1.57E-01	1.97E-09	1.0E+06	2.0E-03
16	3.11677	2.30E-06	7.2E-06	1.05E-03	7.51E-09	2	1.57E-01	2.36E-09	1.0E+06	2.4E-03
17	3.66451	2.30E-06	8.4E-06	1.05E-03	8.83E-09	2	1.57E-01	2.77E-09	1.0E+06	2.8E-03
18	4.11962	2.30E-06	9.5E-06	1.05E-03	9.92E-09	2	1.57E-01	3.12E-09	1.0E+06	3.1E-03
19	4.44192	2.30E-06	1.0E-05	1.05E-03	1.07E-08	2	1.57E-01	3.36E-09	1.0E+06	3.4E-03
20	4.67473	2.30E-06	1.1E-05	1.05E-03	1.13E-08	2	1.57E-01	3.54E-09	1.0E+06	3.5E-03
21	4.81034	2.30E-06	1.1E-05	1.05E-03	1.16E-08	2	1.57E-01	3.64E-09	1.0E+06	3.6E-03
22	4.80941	2.30E-06	1.1E-05	1.05E-03	1.16E-08	2	1.57E-01	3.64E-09	1.0E+06	3.6E-03
23	4.6341	2.30E-06	1.1E-05	1.05E-03	1.12E-08	2	1.57E-01	3.51E-09	1.0E+06	3.5E-03
24	4.29868	2.30E-06	9.9E-06	1.05E-03	1.04E-08	2	1.57E-01	3.25E-09	1.0E+06	3.3E-03
25	3.85732	2.30E-06	8.9E-06	1.05E-03	9.29E-09	2	1.57E-01	2.92E-09	1.0E+06	2.9E-03
26	3.37372	2.30E-06	7.8E-06	1.05E-03	8.13E-09	2	1.57E-01	2.55E-09	1.0E+06	2.6E-03
27	2.90112	2.30E-06	6.7E-06	1.05E-03	6.99E-09	2	1.57E-01	2.20E-09	1.0E+06	2.2E-03
28	2.47038	2.30E-06	5.7E-06	1.05E-03	5.95E-09	2	1.57E-01	1.87E-09	1.0E+06	1.9E-03
29	2.09645	2.30E-06	4.8E-06	1.05E-03	5.05E-09	2	1.57E-01	1.59E-09	1.0E+06	1.6E-03
30	1.78026	2.30E-06	4.1E-06	1.05E-03	4.29E-09	2	1.57E-01	1.35E-09	1.0E+06	1.3E-03
31	1.51663	2.30E-06	3.5E-06	1.05E-03	3.65E-09	2	1.57E-01	1.15E-09	1.0E+06	1.1E-03

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	1.29845	2.30E-06	3.0E-06	1.05E-03	3.13E-09	2	1.57E-01	9.83E-10	1.0E+06	9.8E-04
55	7.14337	2.30E-06	1.6E-05	1.05E-03	1.72E-08	2	1.57E-01	5.41E-09	1.0E+06	5.4E-03
56	6.40282	2.30E-06	1.5E-05	1.05E-03	1.54E-08	2	1.57E-01	4.85E-09	1.0E+06	4.8E-03
57	5.51782	2.30E-06	1.3E-05	1.05E-03	1.33E-08	2	1.57E-01	4.18E-09	1.0E+06	4.2E-03
58	4.61235	2.30E-06	1.1E-05	1.05E-03	1.11E-08	2	1.57E-01	3.49E-09	1.0E+06	3.5E-03
59	3.78984	2.30E-06	8.7E-06	1.05E-03	9.13E-09	2	1.57E-01	2.87E-09	1.0E+06	2.9E-03
60	3.09549	2.30E-06	7.1E-06	1.05E-03	7.46E-09	2	1.57E-01	2.34E-09	1.0E+06	2.3E-03
61	2.53459	2.30E-06	5.8E-06	1.05E-03	6.11E-09	2	1.57E-01	1.92E-09	1.0E+06	1.9E-03
62	2.08713	2.30E-06	4.8E-06	1.05E-03	5.03E-09	2	1.57E-01	1.58E-09	1.0E+06	1.6E-03
63	1.73395	2.30E-06	4.0E-06	1.05E-03	4.18E-09	2	1.57E-01	1.31E-09	1.0E+06	1.3E-03
64	1.45445	2.30E-06	3.4E-06	1.05E-03	3.50E-09	2	1.57E-01	1.10E-09	1.0E+06	1.1E-03
65	1.2322	2.30E-06	2.8E-06	1.05E-03	2.97E-09	2	1.57E-01	9.33E-10	1.0E+06	9.3E-04
66	1.05526	2.30E-06	2.4E-06	1.05E-03	2.54E-09	2	1.57E-01	7.99E-10	1.0E+06	8.0E-04
67	0.39095	2.30E-06	9.0E-07	1.05E-03	9.42E-10	2	1.57E-01	2.96E-10	1.0E+06	3.0E-04
68	0.43039	2.30E-06	9.9E-07	1.05E-03	1.04E-09	2	1.57E-01	3.26E-10	1.0E+06	3.3E-04
69	0.47645	2.30E-06	1.1E-06	1.05E-03	1.15E-09	2	1.57E-01	3.61E-10	1.0E+06	3.6E-04
70	0.53092	2.30E-06	1.2E-06	1.05E-03	1.28E-09	2	1.57E-01	4.02E-10	1.0E+06	4.0E-04
71	0.59534	2.30E-06	1.4E-06	1.05E-03	1.43E-09	2	1.57E-01	4.51E-10	1.0E+06	4.5E-04
72	0.6747	2.30E-06	1.6E-06	1.05E-03	1.63E-09	2	1.57E-01	5.11E-10	1.0E+06	5.1E-04
73	0.77174	2.30E-06	1.8E-06	1.05E-03	1.86E-09	2	1.57E-01	5.84E-10	1.0E+06	5.8E-04
74	0.89243	2.30E-06	2.1E-06	1.05E-03	2.15E-09	2	1.57E-01	6.76E-10	1.0E+06	6.8E-04
75	1.0454	2.30E-06	2.4E-06	1.05E-03	2.52E-09	2	1.57E-01	7.92E-10	1.0E+06	7.9E-04
76	1.24454	2.30E-06	2.9E-06	1.05E-03	3.00E-09	2	1.57E-01	9.42E-10	1.0E+06	9.4E-04
77	1.51078	2.30E-06	3.5E-06	1.05E-03	3.64E-09	2	1.57E-01	1.14E-09	1.0E+06	1.1E-03
78	1.8804	2.30E-06	4.3E-06	1.05E-03	4.53E-09	2	1.57E-01	1.42E-09	1.0E+06	1.4E-03
79	9.16109	2.30E-06	2.1E-05	1.05E-03	2.21E-08	2	1.57E-01	6.94E-09	1.0E+06	6.9E-03
80	11.98773	2.30E-06	2.8E-05	1.05E-03	2.89E-08	2	1.57E-01	9.08E-09	1.0E+06	9.1E-03
81	13.98856	2.30E-06	3.2E-05	1.05E-03	3.37E-08	2	1.57E-01	1.06E-08	1.0E+06	1.1E-02
82	14.04741	2.30E-06	3.2E-05	1.05E-03	3.38E-08	2	1.57E-01	1.06E-08	1.0E+06	1.1E-02
83	12.6807	2.30E-06	2.9E-05	1.05E-03	3.05E-08	2	1.57E-01	9.60E-09	1.0E+06	9.6E-03
84	10.66641	2.30E-06	2.5E-05	1.05E-03	2.57E-08	2	1.57E-01	8.08E-09	1.0E+06	8.1E-03

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	8.57595	2.30E-06	2.0E-05	1.05E-03	2.07E-08	2	1.57E-01	6.49E-09	1.0E+06	6.5E-03
86	6.68165	2.30E-06	1.5E-05	1.05E-03	1.61E-08	2	1.57E-01	5.06E-09	1.0E+06	5.1E-03
87	5.14036	2.30E-06	1.2E-05	1.05E-03	1.24E-08	2	1.57E-01	3.89E-09	1.0E+06	3.9E-03
88	3.96799	2.30E-06	9.1E-06	1.05E-03	9.56E-09	2	1.57E-01	3.00E-09	1.0E+06	3.0E-03
89	3.09724	2.30E-06	7.1E-06	1.05E-03	7.46E-09	2	1.57E-01	2.35E-09	1.0E+06	2.3E-03
90	2.45633	2.30E-06	5.7E-06	1.05E-03	5.92E-09	2	1.57E-01	1.86E-09	1.0E+06	1.9E-03
91	1.98264	2.30E-06	4.6E-06	1.05E-03	4.78E-09	2	1.57E-01	1.50E-09	1.0E+06	1.5E-03
92	1.62531	2.30E-06	3.7E-06	1.05E-03	3.92E-09	2	1.57E-01	1.23E-09	1.0E+06	1.2E-03
93	1.3541	2.30E-06	3.1E-06	1.05E-03	3.26E-09	2	1.57E-01	1.03E-09	1.0E+06	1.0E-03
96	7.53608	2.30E-06	1.7E-05	1.05E-03	1.82E-08	2	1.57E-01	5.71E-09	1.0E+06	5.7E-03
97	5.40696	2.30E-06	1.2E-05	1.05E-03	1.30E-08	2	1.57E-01	4.09E-09	1.0E+06	4.1E-03
98	3.8142	2.30E-06	8.8E-06	1.05E-03	9.19E-09	2	1.57E-01	2.89E-09	1.0E+06	2.9E-03
99	2.89511	2.30E-06	6.7E-06	1.05E-03	6.97E-09	2	1.57E-01	2.19E-09	1.0E+06	2.2E-03
100	2.26072	2.30E-06	5.2E-06	1.05E-03	5.45E-09	2	1.57E-01	1.71E-09	1.0E+06	1.7E-03
101	1.81057	2.30E-06	4.2E-06	1.05E-03	4.36E-09	2	1.57E-01	1.37E-09	1.0E+06	1.4E-03
102	1.48327	2.30E-06	3.4E-06	1.05E-03	3.57E-09	2	1.57E-01	1.12E-09	1.0E+06	1.1E-03
106	0.36239	2.30E-06	8.4E-07	1.05E-03	8.73E-10	2	1.57E-01	2.74E-10	1.0E+06	2.7E-04
107	0.39742	2.30E-06	9.2E-07	1.05E-03	9.57E-10	2	1.57E-01	3.01E-10	1.0E+06	3.0E-04
108	0.43848	2.30E-06	1.0E-06	1.05E-03	1.06E-09	2	1.57E-01	3.32E-10	1.0E+06	3.3E-04
109	0.4867	2.30E-06	1.1E-06	1.05E-03	1.17E-09	2	1.57E-01	3.69E-10	1.0E+06	3.7E-04
110	0.54422	2.30E-06	1.3E-06	1.05E-03	1.31E-09	2	1.57E-01	4.12E-10	1.0E+06	4.1E-04
111	0.61268	2.30E-06	1.4E-06	1.05E-03	1.48E-09	2	1.57E-01	4.64E-10	1.0E+06	4.6E-04
112	0.69818	2.30E-06	1.6E-06	1.05E-03	1.68E-09	2	1.57E-01	5.29E-10	1.0E+06	5.3E-04
113	0.80309	2.30E-06	1.9E-06	1.05E-03	1.93E-09	2	1.57E-01	6.08E-10	1.0E+06	6.1E-04
114	0.93609	2.30E-06	2.2E-06	1.05E-03	2.26E-09	2	1.57E-01	7.09E-10	1.0E+06	7.1E-04
115	1.10715	2.30E-06	2.6E-06	1.05E-03	2.67E-09	2	1.57E-01	8.38E-10	1.0E+06	8.4E-04
116	1.3325	2.30E-06	3.1E-06	1.05E-03	3.21E-09	2	1.57E-01	1.01E-09	1.0E+06	1.0E-03
117	1.64747	2.30E-06	3.8E-06	1.05E-03	3.97E-09	2	1.57E-01	1.25E-09	1.0E+06	1.2E-03
118	2.10069	2.30E-06	4.8E-06	1.05E-03	5.06E-09	2	1.57E-01	1.59E-09	1.0E+06	1.6E-03
124	0.36152	2.30E-06	8.3E-07	1.05E-03	8.71E-10	2	1.57E-01	2.74E-10	1.0E+06	2.7E-04
125	0.39664	2.30E-06	9.1E-07	1.05E-03	9.56E-10	2	1.57E-01	3.00E-10	1.0E+06	3.0E-04

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.43757	2.30E-06	1.0E-06	1.05E-03	1.05E-09	2	1.57E-01	3.31E-10	1.0E+06	3.3E-04
127	0.48576	2.30E-06	1.1E-06	1.05E-03	1.17E-09	2	1.57E-01	3.68E-10	1.0E+06	3.7E-04
128	0.54315	2.30E-06	1.3E-06	1.05E-03	1.31E-09	2	1.57E-01	4.11E-10	1.0E+06	4.1E-04
129	0.61169	2.30E-06	1.4E-06	1.05E-03	1.47E-09	2	1.57E-01	4.63E-10	1.0E+06	4.6E-04
130	0.69679	2.30E-06	1.6E-06	1.05E-03	1.68E-09	2	1.57E-01	5.28E-10	1.0E+06	5.3E-04
131	0.80188	2.30E-06	1.8E-06	1.05E-03	1.93E-09	2	1.57E-01	6.07E-10	1.0E+06	6.1E-04
132	0.93503	2.30E-06	2.2E-06	1.05E-03	2.25E-09	2	1.57E-01	7.08E-10	1.0E+06	7.1E-04
133	1.10604	2.30E-06	2.5E-06	1.05E-03	2.66E-09	2	1.57E-01	8.37E-10	1.0E+06	8.4E-04
134	1.33549	2.30E-06	3.1E-06	1.05E-03	3.22E-09	2	1.57E-01	1.01E-09	1.0E+06	1.0E-03
135	1.64852	2.30E-06	3.8E-06	1.05E-03	3.97E-09	2	1.57E-01	1.25E-09	1.0E+06	1.2E-03
136	2.0966	2.30E-06	4.8E-06	1.05E-03	5.05E-09	2	1.57E-01	1.59E-09	1.0E+06	1.6E-03
137	2.7679	2.30E-06	6.4E-06	1.05E-03	6.67E-09	2	1.57E-01	2.10E-09	1.0E+06	2.1E-03
138	3.88297	2.30E-06	9.0E-06	1.05E-03	9.35E-09	2	1.57E-01	2.94E-09	1.0E+06	2.9E-03
141	0.35907	2.30E-06	8.3E-07	1.05E-03	8.65E-10	2	1.57E-01	2.72E-10	1.0E+06	2.7E-04
142	0.39376	2.30E-06	9.1E-07	1.05E-03	9.49E-10	2	1.57E-01	2.98E-10	1.0E+06	3.0E-04
143	0.43412	2.30E-06	1.0E-06	1.05E-03	1.05E-09	2	1.57E-01	3.29E-10	1.0E+06	3.3E-04
144	0.48158	2.30E-06	1.1E-06	1.05E-03	1.16E-09	2	1.57E-01	3.65E-10	1.0E+06	3.6E-04
145	0.53793	2.30E-06	1.2E-06	1.05E-03	1.30E-09	2	1.57E-01	4.07E-10	1.0E+06	4.1E-04
146	0.6052	2.30E-06	1.4E-06	1.05E-03	1.46E-09	2	1.57E-01	4.58E-10	1.0E+06	4.6E-04
147	0.68833	2.30E-06	1.6E-06	1.05E-03	1.66E-09	2	1.57E-01	5.21E-10	1.0E+06	5.2E-04
148	0.79055	2.30E-06	1.8E-06	1.05E-03	1.90E-09	2	1.57E-01	5.99E-10	1.0E+06	6.0E-04
149	0.91946	2.30E-06	2.1E-06	1.05E-03	2.22E-09	2	1.57E-01	6.96E-10	1.0E+06	7.0E-04
150	1.08473	2.30E-06	2.5E-06	1.05E-03	2.61E-09	2	1.57E-01	8.21E-10	1.0E+06	8.2E-04
151	1.30303	2.30E-06	3.0E-06	1.05E-03	3.14E-09	2	1.57E-01	9.87E-10	1.0E+06	9.9E-04
152	1.59933	2.30E-06	3.7E-06	1.05E-03	3.85E-09	2	1.57E-01	1.21E-09	1.0E+06	1.2E-03
153	2.01619	2.30E-06	4.6E-06	1.05E-03	4.86E-09	2	1.57E-01	1.53E-09	1.0E+06	1.5E-03
154	2.62185	2.30E-06	6.0E-06	1.05E-03	6.32E-09	2	1.57E-01	1.99E-09	1.0E+06	2.0E-03
155	3.56745	2.30E-06	8.2E-06	1.05E-03	8.59E-09	2	1.57E-01	2.70E-09	1.0E+06	2.7E-03
164	2.40069	2.30E-06	5.5E-06	1.05E-03	5.78E-09	2	1.57E-01	1.82E-09	1.0E+06	1.8E-03
165	3.15507	2.30E-06	7.3E-06	1.05E-03	7.60E-09	2	1.57E-01	2.39E-09	1.0E+06	2.4E-03
166	4.33777	2.30E-06	1.0E-05	1.05E-03	1.05E-08	2	1.57E-01	3.28E-09	1.0E+06	3.3E-03

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	2.15133	2.30E-06	5.0E-06	1.05E-03	5.18E-09	2	1.57E-01	1.63E-09	1.0E+06	1.6E-03
179	2.73793	2.30E-06	6.3E-06	1.05E-03	6.60E-09	2	1.57E-01	2.07E-09	1.0E+06	2.1E-03
180	3.59407	2.30E-06	8.3E-06	1.05E-03	8.66E-09	2	1.57E-01	2.72E-09	1.0E+06	2.7E-03
192	1.90698	2.30E-06	4.4E-06	1.05E-03	4.59E-09	2	1.57E-01	1.44E-09	1.0E+06	1.4E-03
193	2.36002	2.30E-06	5.4E-06	1.05E-03	5.69E-09	2	1.57E-01	1.79E-09	1.0E+06	1.8E-03
194	2.97652	2.30E-06	6.9E-06	1.05E-03	7.17E-09	2	1.57E-01	2.25E-09	1.0E+06	2.3E-03
207	1.68006	2.30E-06	3.9E-06	1.05E-03	4.05E-09	2	1.57E-01	1.27E-09	1.0E+06	1.3E-03
208	2.02693	2.30E-06	4.7E-06	1.05E-03	4.88E-09	2	1.57E-01	1.53E-09	1.0E+06	1.5E-03
209	2.47973	2.30E-06	5.7E-06	1.05E-03	5.97E-09	2	1.57E-01	1.88E-09	1.0E+06	1.9E-03
223	1.47913	2.30E-06	3.4E-06	1.05E-03	3.56E-09	2	1.57E-01	1.12E-09	1.0E+06	1.1E-03
224	1.74632	2.30E-06	4.0E-06	1.05E-03	4.21E-09	2	1.57E-01	1.32E-09	1.0E+06	1.3E-03
225	2.07944	2.30E-06	4.8E-06	1.05E-03	5.01E-09	2	1.57E-01	1.57E-09	1.0E+06	1.6E-03
239	1.30582	2.30E-06	3.0E-06	1.05E-03	3.15E-09	2	1.57E-01	9.89E-10	1.0E+06	9.9E-04
240	1.51406	2.30E-06	3.5E-06	1.05E-03	3.65E-09	2	1.57E-01	1.15E-09	1.0E+06	1.1E-03
241	1.76688	2.30E-06	4.1E-06	1.05E-03	4.26E-09	2	1.57E-01	1.34E-09	1.0E+06	1.3E-03
255	1.15691	2.30E-06	2.7E-06	1.05E-03	2.79E-09	2	1.57E-01	8.76E-10	1.0E+06	8.8E-04
256	1.32129	2.30E-06	3.0E-06	1.05E-03	3.18E-09	2	1.57E-01	1.00E-09	1.0E+06	1.0E-03
272	1.02929	2.30E-06	2.4E-06	1.05E-03	2.48E-09	2	1.57E-01	7.79E-10	1.0E+06	7.8E-04
273	1.1611	2.30E-06	2.7E-06	1.05E-03	2.80E-09	2	1.57E-01	8.79E-10	1.0E+06	8.8E-04
289	0.92084	2.30E-06	2.1E-06	1.05E-03	2.22E-09	2	1.57E-01	6.97E-10	1.0E+06	7.0E-04
290	1.02703	2.30E-06	2.4E-06	1.05E-03	2.47E-09	2	1.57E-01	7.78E-10	1.0E+06	7.8E-04
306	0.82772	2.30E-06	1.9E-06	1.05E-03	1.99E-09	2	1.57E-01	6.27E-10	1.0E+06	6.3E-04
307	0.91411	2.30E-06	2.1E-06	1.05E-03	2.20E-09	2	1.57E-01	6.92E-10	1.0E+06	6.9E-04
323	0.74749	2.30E-06	1.7E-06	1.05E-03	1.80E-09	2	1.57E-01	5.66E-10	1.0E+06	5.7E-04
324	0.81829	2.30E-06	1.9E-06	1.05E-03	1.97E-09	2	1.57E-01	6.20E-10	1.0E+06	6.2E-04
342	0.67807	2.30E-06	1.6E-06	1.05E-03	1.63E-09	2	1.57E-01	5.13E-10	1.0E+06	5.1E-04
343	0.7365	2.30E-06	1.7E-06	1.05E-03	1.77E-09	2	1.57E-01	5.58E-10	1.0E+06	5.6E-04
344	0.79805	2.30E-06	1.8E-06	1.05E-03	1.92E-09	2	1.57E-01	6.04E-10	1.0E+06	6.0E-04
356	0.61759	2.30E-06	1.4E-06	1.05E-03	1.49E-09	2	1.57E-01	4.68E-10	1.0E+06	4.7E-04
357	0.66606	2.30E-06	1.5E-06	1.05E-03	1.60E-09	2	1.57E-01	5.04E-10	1.0E+06	5.0E-04
358	0.71652	2.30E-06	1.7E-06	1.05E-03	1.73E-09	2	1.57E-01	5.43E-10	1.0E+06	5.4E-04

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.56473	2.30E-06	1.3E-06	1.05E-03	1.36E-09	2	1.57E-01	4.28E-10	1.0E+06	4.3E-04
371	0.60522	2.30E-06	1.4E-06	1.05E-03	1.46E-09	2	1.57E-01	4.58E-10	1.0E+06	4.6E-04
372	0.64687	2.30E-06	1.5E-06	1.05E-03	1.56E-09	2	1.57E-01	4.90E-10	1.0E+06	4.9E-04
383	0.51826	2.30E-06	1.2E-06	1.05E-03	1.25E-09	2	1.57E-01	3.92E-10	1.0E+06	3.9E-04
384	0.55232	2.30E-06	1.3E-06	1.05E-03	1.33E-09	2	1.57E-01	4.18E-10	1.0E+06	4.2E-04
385	0.58695	2.30E-06	1.4E-06	1.05E-03	1.41E-09	2	1.57E-01	4.44E-10	1.0E+06	4.4E-04
396	0.47724	2.30E-06	1.1E-06	1.05E-03	1.15E-09	2	1.57E-01	3.61E-10	1.0E+06	3.6E-04
397	0.50605	2.30E-06	1.2E-06	1.05E-03	1.22E-09	2	1.57E-01	3.83E-10	1.0E+06	3.8E-04
398	0.53507	2.30E-06	1.2E-06	1.05E-03	1.29E-09	2	1.57E-01	4.05E-10	1.0E+06	4.1E-04
399	0.56365	2.30E-06	1.3E-06	1.05E-03	1.36E-09	2	1.57E-01	4.27E-10	1.0E+06	4.3E-04
411	0.44086	2.30E-06	1.0E-06	1.05E-03	1.06E-09	2	1.57E-01	3.34E-10	1.0E+06	3.3E-04
412	0.46537	2.30E-06	1.1E-06	1.05E-03	1.12E-09	2	1.57E-01	3.52E-10	1.0E+06	3.5E-04
413	0.48991	2.30E-06	1.1E-06	1.05E-03	1.18E-09	2	1.57E-01	3.71E-10	1.0E+06	3.7E-04
414	0.51386	2.30E-06	1.2E-06	1.05E-03	1.24E-09	2	1.57E-01	3.89E-10	1.0E+06	3.9E-04
426	0.4085	2.30E-06	9.4E-07	1.05E-03	9.84E-10	2	1.57E-01	3.09E-10	1.0E+06	3.1E-04
427	0.42947	2.30E-06	9.9E-07	1.05E-03	1.03E-09	2	1.57E-01	3.25E-10	1.0E+06	3.3E-04
428	0.45028	2.30E-06	1.0E-06	1.05E-03	1.08E-09	2	1.57E-01	3.41E-10	1.0E+06	3.4E-04
429	0.47058	2.30E-06	1.1E-06	1.05E-03	1.13E-09	2	1.57E-01	3.56E-10	1.0E+06	3.6E-04
439	0.37957	2.30E-06	8.7E-07	1.05E-03	9.14E-10	2	1.57E-01	2.87E-10	1.0E+06	2.9E-04
440	0.39761	2.30E-06	9.2E-07	1.05E-03	9.58E-10	2	1.57E-01	3.01E-10	1.0E+06	3.0E-04
441	0.41544	2.30E-06	9.6E-07	1.05E-03	1.00E-09	2	1.57E-01	3.15E-10	1.0E+06	3.1E-04
442	0.43275	2.30E-06	1.0E-06	1.05E-03	1.04E-09	2	1.57E-01	3.28E-10	1.0E+06	3.3E-04
443	0.44912	2.30E-06	1.0E-06	1.05E-03	1.08E-09	2	1.57E-01	3.40E-10	1.0E+06	3.4E-04
454	0.35365	2.30E-06	8.2E-07	1.05E-03	8.52E-10	2	1.57E-01	2.68E-10	1.0E+06	2.7E-04
455	0.36925	2.30E-06	8.5E-07	1.05E-03	8.90E-10	2	1.57E-01	2.80E-10	1.0E+06	2.8E-04
456	0.3846	2.30E-06	8.9E-07	1.05E-03	9.27E-10	2	1.57E-01	2.91E-10	1.0E+06	2.9E-04
457	0.39947	2.30E-06	9.2E-07	1.05E-03	9.62E-10	2	1.57E-01	3.02E-10	1.0E+06	3.0E-04
458	0.41351	2.30E-06	9.5E-07	1.05E-03	9.96E-10	2	1.57E-01	3.13E-10	1.0E+06	3.1E-04
469	0.33031	2.30E-06	7.6E-07	1.05E-03	7.96E-10	2	1.57E-01	2.50E-10	1.0E+06	2.5E-04
470	0.34386	2.30E-06	7.9E-07	1.05E-03	8.28E-10	2	1.57E-01	2.60E-10	1.0E+06	2.6E-04
471	0.35717	2.30E-06	8.2E-07	1.05E-03	8.60E-10	2	1.57E-01	2.70E-10	1.0E+06	2.7E-04

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.37004	2.30E-06	8.5E-07	1.05E-03	8.91E-10	2	1.57E-01	2.80E-10	1.0E+06	2.8E-04
473	0.38218	2.30E-06	8.8E-07	1.05E-03	9.21E-10	2	1.57E-01	2.89E-10	1.0E+06	2.9E-04
489	0.30927	2.30E-06	7.1E-07	1.05E-03	7.45E-10	2	1.57E-01	2.34E-10	1.0E+06	2.3E-04
490	0.32111	2.30E-06	7.4E-07	1.05E-03	7.74E-10	2	1.57E-01	2.43E-10	1.0E+06	2.4E-04
491	0.3327	2.30E-06	7.7E-07	1.05E-03	8.02E-10	2	1.57E-01	2.52E-10	1.0E+06	2.5E-04
492	0.34389	2.30E-06	7.9E-07	1.05E-03	8.28E-10	2	1.57E-01	2.60E-10	1.0E+06	2.6E-04
493	0.35445	2.30E-06	8.2E-07	1.05E-03	8.54E-10	2	1.57E-01	2.68E-10	1.0E+06	2.7E-04
494	0.36404	2.30E-06	8.4E-07	1.05E-03	8.77E-10	2	1.57E-01	2.76E-10	1.0E+06	2.8E-04
509	0.29021	2.30E-06	6.7E-07	1.05E-03	6.99E-10	2	1.57E-01	2.20E-10	1.0E+06	2.2E-04
510	0.3006	2.30E-06	6.9E-07	1.05E-03	7.24E-10	2	1.57E-01	2.28E-10	1.0E+06	2.3E-04
511	0.31075	2.30E-06	7.2E-07	1.05E-03	7.49E-10	2	1.57E-01	2.35E-10	1.0E+06	2.4E-04
512	0.32055	2.30E-06	7.4E-07	1.05E-03	7.72E-10	2	1.57E-01	2.43E-10	1.0E+06	2.4E-04
513	0.3298	2.30E-06	7.6E-07	1.05E-03	7.95E-10	2	1.57E-01	2.50E-10	1.0E+06	2.5E-04
514	0.33822	2.30E-06	7.8E-07	1.05E-03	8.15E-10	2	1.57E-01	2.56E-10	1.0E+06	2.6E-04
515	0.35087	2.30E-06	8.1E-07	1.05E-03	8.45E-10	2	1.57E-01	2.66E-10	1.0E+06	2.7E-04
516	0.35411	2.30E-06	8.2E-07	1.05E-03	8.53E-10	2	1.57E-01	2.68E-10	1.0E+06	2.7E-04
517	0.35478	2.30E-06	8.2E-07	1.05E-03	8.55E-10	2	1.57E-01	2.69E-10	1.0E+06	2.7E-04
518	0.35255	2.30E-06	8.1E-07	1.05E-03	8.49E-10	2	1.57E-01	2.67E-10	1.0E+06	2.7E-04
519	0.34736	2.30E-06	8.0E-07	1.05E-03	8.37E-10	2	1.57E-01	2.63E-10	1.0E+06	2.6E-04
528	0.2729	2.30E-06	6.3E-07	1.05E-03	6.57E-10	2	1.57E-01	2.07E-10	1.0E+06	2.1E-04
529	0.28207	2.30E-06	6.5E-07	1.05E-03	6.80E-10	2	1.57E-01	2.14E-10	1.0E+06	2.1E-04
530	0.29101	2.30E-06	6.7E-07	1.05E-03	7.01E-10	2	1.57E-01	2.20E-10	1.0E+06	2.2E-04
531	0.29964	2.30E-06	6.9E-07	1.05E-03	7.22E-10	2	1.57E-01	2.27E-10	1.0E+06	2.3E-04
532	0.30779	2.30E-06	7.1E-07	1.05E-03	7.42E-10	2	1.57E-01	2.33E-10	1.0E+06	2.3E-04
533	0.31522	2.30E-06	7.3E-07	1.05E-03	7.59E-10	2	1.57E-01	2.39E-10	1.0E+06	2.4E-04
534	0.32648	2.30E-06	7.5E-07	1.05E-03	7.87E-10	2	1.57E-01	2.47E-10	1.0E+06	2.5E-04
535	0.32951	2.30E-06	7.6E-07	1.05E-03	7.94E-10	2	1.57E-01	2.49E-10	1.0E+06	2.5E-04
536	0.33038	2.30E-06	7.6E-07	1.05E-03	7.96E-10	2	1.57E-01	2.50E-10	1.0E+06	2.5E-04
537	0.32871	2.30E-06	7.6E-07	1.05E-03	7.92E-10	2	1.57E-01	2.49E-10	1.0E+06	2.5E-04
538	0.32448	2.30E-06	7.5E-07	1.05E-03	7.82E-10	2	1.57E-01	2.46E-10	1.0E+06	2.5E-04
547	0.25715	2.30E-06	5.9E-07	1.05E-03	6.20E-10	2	1.57E-01	1.95E-10	1.0E+06	1.9E-04

Via Oro
Risk From 405/47 off/on ramp [TKI]

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.26527	2.30E-06	6.1E-07	1.05E-03	6.39E-10	2	1.57E-01	2.01E-10	1.0E+06	2.0E-04
549	0.27318	2.30E-06	6.3E-07	1.05E-03	6.58E-10	2	1.57E-01	2.07E-10	1.0E+06	2.1E-04
550	0.28082	2.30E-06	6.5E-07	1.05E-03	6.77E-10	2	1.57E-01	2.13E-10	1.0E+06	2.1E-04
551	0.28804	2.30E-06	6.6E-07	1.05E-03	6.94E-10	2	1.57E-01	2.18E-10	1.0E+06	2.2E-04
552	0.29463	2.30E-06	6.8E-07	1.05E-03	7.10E-10	2	1.57E-01	2.23E-10	1.0E+06	2.2E-04
553	0.30031	2.30E-06	6.9E-07	1.05E-03	7.23E-10	2	1.57E-01	2.27E-10	1.0E+06	2.3E-04
554	0.30472	2.30E-06	7.0E-07	1.05E-03	7.34E-10	2	1.57E-01	2.31E-10	1.0E+06	2.3E-04
555	0.30757	2.30E-06	7.1E-07	1.05E-03	7.41E-10	2	1.57E-01	2.33E-10	1.0E+06	2.3E-04
556	0.30856	2.30E-06	7.1E-07	1.05E-03	7.43E-10	2	1.57E-01	2.34E-10	1.0E+06	2.3E-04
557	0.30735	2.30E-06	7.1E-07	1.05E-03	7.40E-10	2	1.57E-01	2.33E-10	1.0E+06	2.3E-04
558	0.30396	2.30E-06	7.0E-07	1.05E-03	7.32E-10	2	1.57E-01	2.30E-10	1.0E+06	2.3E-04
559	0.29833	2.30E-06	6.9E-07	1.05E-03	7.19E-10	2	1.57E-01	2.26E-10	1.0E+06	2.3E-04
567	0.24277	2.30E-06	5.6E-07	1.05E-03	5.85E-10	2	1.57E-01	1.84E-10	1.0E+06	1.8E-04
568	0.25	2.30E-06	5.8E-07	1.05E-03	6.02E-10	2	1.57E-01	1.89E-10	1.0E+06	1.9E-04
569	0.25703	2.30E-06	5.9E-07	1.05E-03	6.19E-10	2	1.57E-01	1.95E-10	1.0E+06	1.9E-04
570	0.26383	2.30E-06	6.1E-07	1.05E-03	6.36E-10	2	1.57E-01	2.00E-10	1.0E+06	2.0E-04
571	0.27025	2.30E-06	6.2E-07	1.05E-03	6.51E-10	2	1.57E-01	2.05E-10	1.0E+06	2.0E-04
572	0.27613	2.30E-06	6.4E-07	1.05E-03	6.65E-10	2	1.57E-01	2.09E-10	1.0E+06	2.1E-04
573	0.28123	2.30E-06	6.5E-07	1.05E-03	6.78E-10	2	1.57E-01	2.13E-10	1.0E+06	2.1E-04
574	0.28789	2.30E-06	6.6E-07	1.05E-03	6.94E-10	2	1.57E-01	2.18E-10	1.0E+06	2.2E-04
575	0.28894	2.30E-06	6.7E-07	1.05E-03	6.96E-10	2	1.57E-01	2.19E-10	1.0E+06	2.2E-04
576	0.28815	2.30E-06	6.6E-07	1.05E-03	6.94E-10	2	1.57E-01	2.18E-10	1.0E+06	2.2E-04
577	0.28541	2.30E-06	6.6E-07	1.05E-03	6.88E-10	2	1.57E-01	2.16E-10	1.0E+06	2.2E-04
578	0.28072	2.30E-06	6.5E-07	1.05E-03	6.76E-10	2	1.57E-01	2.13E-10	1.0E+06	2.1E-04
586	0.22962	2.30E-06	5.3E-07	1.05E-03	5.53E-10	2	1.57E-01	1.74E-10	1.0E+06	1.7E-04
587	0.23607	2.30E-06	5.4E-07	1.05E-03	5.69E-10	2	1.57E-01	1.79E-10	1.0E+06	1.8E-04
588	0.24236	2.30E-06	5.6E-07	1.05E-03	5.84E-10	2	1.57E-01	1.84E-10	1.0E+06	1.8E-04
589	0.24843	2.30E-06	5.7E-07	1.05E-03	5.99E-10	2	1.57E-01	1.88E-10	1.0E+06	1.9E-04
590	0.25417	2.30E-06	5.9E-07	1.05E-03	6.12E-10	2	1.57E-01	1.92E-10	1.0E+06	1.9E-04
591	0.25944	2.30E-06	6.0E-07	1.05E-03	6.25E-10	2	1.57E-01	1.96E-10	1.0E+06	2.0E-04
592	0.26402	2.30E-06	6.1E-07	1.05E-03	6.36E-10	2	1.57E-01	2.00E-10	1.0E+06	2.0E-04

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.27015	2.30E-06	6.2E-07	1.05E-03	6.51E-10	2	1.57E-01	2.05E-10	1.0E+06	2.0E-04
594	0.27126	2.30E-06	6.3E-07	1.05E-03	6.54E-10	2	1.57E-01	2.05E-10	1.0E+06	2.1E-04
595	0.27074	2.30E-06	6.2E-07	1.05E-03	6.52E-10	2	1.57E-01	2.05E-10	1.0E+06	2.0E-04
596	0.26852	2.30E-06	6.2E-07	1.05E-03	6.47E-10	2	1.57E-01	2.03E-10	1.0E+06	2.0E-04
597	0.2646	2.30E-06	6.1E-07	1.05E-03	6.37E-10	2	1.57E-01	2.00E-10	1.0E+06	2.0E-04
345	0.8613	2.30E-06	2.0E-06	1.05E-03	2.07E-09	2	1.57E-01	6.52E-10	1.0E+06	6.5E-04
346	0.9232	2.30E-06	2.1E-06	1.05E-03	2.22E-09	2	1.57E-01	6.99E-10	1.0E+06	7.0E-04
347	0.97954	2.30E-06	2.3E-06	1.05E-03	2.36E-09	2	1.57E-01	7.42E-10	1.0E+06	7.4E-04
348	1.0243	2.30E-06	2.4E-06	1.05E-03	2.47E-09	2	1.57E-01	7.76E-10	1.0E+06	7.8E-04
359	0.76761	2.30E-06	1.8E-06	1.05E-03	1.85E-09	2	1.57E-01	5.81E-10	1.0E+06	5.8E-04
360	0.81705	2.30E-06	1.9E-06	1.05E-03	1.97E-09	2	1.57E-01	6.19E-10	1.0E+06	6.2E-04
361	0.86183	2.30E-06	2.0E-06	1.05E-03	2.08E-09	2	1.57E-01	6.53E-10	1.0E+06	6.5E-04
362	0.89742	2.30E-06	2.1E-06	1.05E-03	2.16E-09	2	1.57E-01	6.79E-10	1.0E+06	6.8E-04
363	0.91946	2.30E-06	2.1E-06	1.05E-03	2.22E-09	2	1.57E-01	6.96E-10	1.0E+06	7.0E-04
373	0.72861	2.30E-06	1.7E-06	1.05E-03	1.76E-09	2	1.57E-01	5.52E-10	1.0E+06	5.5E-04
374	0.76469	2.30E-06	1.8E-06	1.05E-03	1.84E-09	2	1.57E-01	5.79E-10	1.0E+06	5.8E-04
375	0.79357	2.30E-06	1.8E-06	1.05E-03	1.91E-09	2	1.57E-01	6.01E-10	1.0E+06	6.0E-04
376	0.81199	2.30E-06	1.9E-06	1.05E-03	1.96E-09	2	1.57E-01	6.15E-10	1.0E+06	6.1E-04
386	0.65414	2.30E-06	1.5E-06	1.05E-03	1.58E-09	2	1.57E-01	4.95E-10	1.0E+06	5.0E-04
387	0.68367	2.30E-06	1.6E-06	1.05E-03	1.65E-09	2	1.57E-01	5.18E-10	1.0E+06	5.2E-04
388	0.70746	2.30E-06	1.6E-06	1.05E-03	1.70E-09	2	1.57E-01	5.36E-10	1.0E+06	5.4E-04
389	0.72307	2.30E-06	1.7E-06	1.05E-03	1.74E-09	2	1.57E-01	5.47E-10	1.0E+06	5.5E-04
390	0.72792	2.30E-06	1.7E-06	1.05E-03	1.75E-09	2	1.57E-01	5.51E-10	1.0E+06	5.5E-04
400	0.59086	2.30E-06	1.4E-06	1.05E-03	1.42E-09	2	1.57E-01	4.47E-10	1.0E+06	4.5E-04
401	0.61524	2.30E-06	1.4E-06	1.05E-03	1.48E-09	2	1.57E-01	4.66E-10	1.0E+06	4.7E-04
402	0.63522	2.30E-06	1.5E-06	1.05E-03	1.53E-09	2	1.57E-01	4.81E-10	1.0E+06	4.8E-04
403	0.64848	2.30E-06	1.5E-06	1.05E-03	1.56E-09	2	1.57E-01	4.91E-10	1.0E+06	4.9E-04
404	0.65323	2.30E-06	1.5E-06	1.05E-03	1.57E-09	2	1.57E-01	4.95E-10	1.0E+06	4.9E-04
415	0.53664	2.30E-06	1.2E-06	1.05E-03	1.29E-09	2	1.57E-01	4.06E-10	1.0E+06	4.1E-04
416	0.55712	2.30E-06	1.3E-06	1.05E-03	1.34E-09	2	1.57E-01	4.22E-10	1.0E+06	4.2E-04
417	0.57386	2.30E-06	1.3E-06	1.05E-03	1.38E-09	2	1.57E-01	4.35E-10	1.0E+06	4.3E-04

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.58549	2.30E-06	1.3E-06	1.05E-03	1.41E-09	2	1.57E-01	4.43E-10	1.0E+06	4.4E-04
419	0.59019	2.30E-06	1.4E-06	1.05E-03	1.42E-09	2	1.57E-01	4.47E-10	1.0E+06	4.5E-04
420	0.58645	2.30E-06	1.4E-06	1.05E-03	1.41E-09	2	1.57E-01	4.44E-10	1.0E+06	4.4E-04
430	0.50711	2.30E-06	1.2E-06	1.05E-03	1.22E-09	2	1.57E-01	3.84E-10	1.0E+06	3.8E-04
431	0.52147	2.30E-06	1.2E-06	1.05E-03	1.26E-09	2	1.57E-01	3.95E-10	1.0E+06	3.9E-04
432	0.53152	2.30E-06	1.2E-06	1.05E-03	1.28E-09	2	1.57E-01	4.02E-10	1.0E+06	4.0E-04
433	0.53601	2.30E-06	1.2E-06	1.05E-03	1.29E-09	2	1.57E-01	4.06E-10	1.0E+06	4.1E-04
434	0.53394	2.30E-06	1.2E-06	1.05E-03	1.29E-09	2	1.57E-01	4.04E-10	1.0E+06	4.0E-04
444	0.46389	2.30E-06	1.1E-06	1.05E-03	1.12E-09	2	1.57E-01	3.51E-10	1.0E+06	3.5E-04
445	0.47618	2.30E-06	1.1E-06	1.05E-03	1.15E-09	2	1.57E-01	3.61E-10	1.0E+06	3.6E-04
446	0.48498	2.30E-06	1.1E-06	1.05E-03	1.17E-09	2	1.57E-01	3.67E-10	1.0E+06	3.7E-04
447	0.48925	2.30E-06	1.1E-06	1.05E-03	1.18E-09	2	1.57E-01	3.70E-10	1.0E+06	3.7E-04
448	0.48815	2.30E-06	1.1E-06	1.05E-03	1.18E-09	2	1.57E-01	3.70E-10	1.0E+06	3.7E-04
459	0.43684	2.30E-06	1.0E-06	1.05E-03	1.05E-09	2	1.57E-01	3.31E-10	1.0E+06	3.3E-04
460	0.44459	2.30E-06	1.0E-06	1.05E-03	1.07E-09	2	1.57E-01	3.37E-10	1.0E+06	3.4E-04
461	0.4486	2.30E-06	1.0E-06	1.05E-03	1.08E-09	2	1.57E-01	3.40E-10	1.0E+06	3.4E-04
462	0.44818	2.30E-06	1.0E-06	1.05E-03	1.08E-09	2	1.57E-01	3.39E-10	1.0E+06	3.4E-04
463	0.44289	2.30E-06	1.0E-06	1.05E-03	1.07E-09	2	1.57E-01	3.35E-10	1.0E+06	3.4E-04
474	0.40243	2.30E-06	9.3E-07	1.05E-03	9.70E-10	2	1.57E-01	3.05E-10	1.0E+06	3.0E-04
475	0.40928	2.30E-06	9.4E-07	1.05E-03	9.86E-10	2	1.57E-01	3.10E-10	1.0E+06	3.1E-04
476	0.41306	2.30E-06	9.5E-07	1.05E-03	9.95E-10	2	1.57E-01	3.13E-10	1.0E+06	3.1E-04
477	0.41311	2.30E-06	9.5E-07	1.05E-03	9.95E-10	2	1.57E-01	3.13E-10	1.0E+06	3.1E-04
478	0.40911	2.30E-06	9.4E-07	1.05E-03	9.86E-10	2	1.57E-01	3.10E-10	1.0E+06	3.1E-04
495	0.37217	2.30E-06	8.6E-07	1.05E-03	8.97E-10	2	1.57E-01	2.82E-10	1.0E+06	2.8E-04
496	0.37827	2.30E-06	8.7E-07	1.05E-03	9.11E-10	2	1.57E-01	2.86E-10	1.0E+06	2.9E-04
497	0.38179	2.30E-06	8.8E-07	1.05E-03	9.20E-10	2	1.57E-01	2.89E-10	1.0E+06	2.9E-04
498	0.3822	2.30E-06	8.8E-07	1.05E-03	9.21E-10	2	1.57E-01	2.89E-10	1.0E+06	2.9E-04
499	0.37919	2.30E-06	8.7E-07	1.05E-03	9.14E-10	2	1.57E-01	2.87E-10	1.0E+06	2.9E-04
500	0.37268	2.30E-06	8.6E-07	1.05E-03	8.98E-10	2	1.57E-01	2.82E-10	1.0E+06	2.8E-04

Via Oro
Risk From 405/47 off/on ramp [TKI]

		Cancer Risk from Birth to 2 years - Construction									
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
139	5.86389	2.30E-06	1.4E-05	1.05E-03	1.41E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	10.10944	2.30E-06	2.3E-05	1.05E-03	2.44E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	5.15834	2.30E-06	1.2E-05	1.05E-03	1.24E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	8.03778	2.30E-06	1.9E-05	1.05E-03	1.94E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	13.96484	2.30E-06	3.2E-05	1.05E-03	3.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	25.03145	2.30E-06	5.8E-05	1.05E-03	6.03E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	42.67091	2.30E-06	9.8E-05	1.05E-03	1.03E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	30.07988	2.30E-06	6.9E-05	1.05E-03	7.25E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	12.18915	2.30E-06	2.8E-05	1.05E-03	2.94E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	6.93069	2.30E-06	1.6E-05	1.05E-03	1.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	6.19083	2.30E-06	1.4E-05	1.05E-03	1.49E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	9.54718	2.30E-06	2.2E-05	1.05E-03	2.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	14.53139	2.30E-06	3.3E-05	1.05E-03	3.50E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	21.17115	2.30E-06	4.9E-05	1.05E-03	5.10E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	27.24809	2.30E-06	6.3E-05	1.05E-03	6.56E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	17.82209	2.30E-06	4.1E-05	1.05E-03	4.29E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	9.14328	2.30E-06	2.1E-05	1.05E-03	2.20E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	5.54273	2.30E-06	1.3E-05	1.05E-03	1.34E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	3.8113	2.30E-06	8.8E-06	1.05E-03	9.18E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	2.8171	2.30E-06	6.5E-06	1.05E-03	6.79E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	2.18109	2.30E-06	5.0E-06	1.05E-03	5.25E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	6.77211	2.30E-06	1.6E-05	1.05E-03	1.63E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	9.30007	2.30E-06	2.1E-05	1.05E-03	2.24E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	12.09527	2.30E-06	2.8E-05	1.05E-03	2.91E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	13.53319	2.30E-06	3.1E-05	1.05E-03	3.26E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	10.96411	2.30E-06	2.5E-05	1.05E-03	2.64E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	7.08011	2.30E-06	1.6E-05	1.05E-03	1.71E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	4.60996	2.30E-06	1.1E-05	1.05E-03	1.11E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	3.26405	2.30E-06	7.5E-06	1.05E-03	7.86E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	2.46467	2.30E-06	5.7E-06	1.05E-03	5.94E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	1.94202	2.30E-06	4.5E-06	1.05E-03	4.68E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	1.57659	2.30E-06	3.6E-06	1.05E-03	3.80E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	4.9947	2.30E-06	1.2E-05	1.05E-03	1.20E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	6.39645	2.30E-06	1.5E-05	1.05E-03	1.54E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	7.75155	2.30E-06	1.8E-05	1.05E-03	1.87E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	8.30643	2.30E-06	1.9E-05	1.05E-03	2.00E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	7.32369	2.30E-06	1.7E-05	1.05E-03	1.76E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	5.45985	2.30E-06	1.3E-05	1.05E-03	1.32E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	3.8709	2.30E-06	8.9E-06	1.05E-03	9.33E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	2.83419	2.30E-06	6.5E-06	1.05E-03	6.83E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	2.17855	2.30E-06	5.0E-06	1.05E-03	5.25E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	1.74068	2.30E-06	4.0E-06	1.05E-03	4.19E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	1.43074	2.30E-06	3.3E-06	1.05E-03	3.45E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	1.2011	2.30E-06	2.8E-06	1.05E-03	2.89E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	3.04152	2.30E-06	7.0E-06	1.05E-03	7.33E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	3.81391	2.30E-06	8.8E-06	1.05E-03	9.19E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	4.64776	2.30E-06	1.1E-05	1.05E-03	1.12E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	5.38705	2.30E-06	1.2E-05	1.05E-03	1.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	5.2285	2.30E-06	1.2E-05	1.05E-03	1.26E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	4.25402	2.30E-06	9.8E-06	1.05E-03	1.02E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	3.24533	2.30E-06	7.5E-06	1.05E-03	7.82E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	2.4724	2.30E-06	5.7E-06	1.05E-03	5.96E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	1.93837	2.30E-06	4.5E-06	1.05E-03	4.67E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	1.56873	2.30E-06	3.6E-06	1.05E-03	3.78E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	1.30291	2.30E-06	3.0E-06	1.05E-03	3.14E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	1.10352	2.30E-06	2.5E-06	1.05E-03	2.66E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	0.94962	2.30E-06	2.2E-06	1.05E-03	2.29E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	2.49324	2.30E-06	5.7E-06	1.05E-03	6.01E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	2.99779	2.30E-06	6.9E-06	1.05E-03	7.22E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	3.52414	2.30E-06	8.1E-06	1.05E-03	8.49E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	3.96501	2.30E-06	9.1E-06	1.05E-03	9.55E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	4.14033	2.30E-06	9.5E-06	1.05E-03	9.97E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	3.92093	2.30E-06	9.0E-06	1.05E-03	9.45E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	3.37363	2.30E-06	7.8E-06	1.05E-03	8.13E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	2.1602	2.30E-06	5.0E-06	1.05E-03	5.20E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	1.73158	2.30E-06	4.0E-06	1.05E-03	4.17E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	1.42007	2.30E-06	3.3E-06	1.05E-03	3.42E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	1.19065	2.30E-06	2.7E-06	1.05E-03	2.87E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	1.01671	2.30E-06	2.3E-06	1.05E-03	2.45E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	0.88082	2.30E-06	2.0E-06	1.05E-03	2.12E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	2.06769	2.30E-06	4.8E-06	1.05E-03	4.98E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	2.41334	2.30E-06	5.6E-06	1.05E-03	5.81E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	2.7599	2.30E-06	6.4E-06	1.05E-03	6.65E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	3.04318	2.30E-06	7.0E-06	1.05E-03	7.33E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	3.16299	2.30E-06	7.3E-06	1.05E-03	7.62E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	3.04962	2.30E-06	7.0E-06	1.05E-03	7.35E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	2.72571	2.30E-06	6.3E-06	1.05E-03	6.57E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	1.88913	2.30E-06	4.4E-06	1.05E-03	4.55E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	1.54948	2.30E-06	3.6E-06	1.05E-03	3.73E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	1.28875	2.30E-06	3.0E-06	1.05E-03	3.10E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	1.09112	2.30E-06	2.5E-06	1.05E-03	2.63E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	0.9387	2.30E-06	2.2E-06	1.05E-03	2.26E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	0.81851	2.30E-06	1.9E-06	1.05E-03	1.97E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	1.73865	2.30E-06	4.0E-06	1.05E-03	4.19E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	1.98377	2.30E-06	4.6E-06	1.05E-03	4.78E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	2.22397	2.30E-06	5.1E-06	1.05E-03	5.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	2.41171	2.30E-06	5.6E-06	1.05E-03	5.81E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	2.50031	2.30E-06	5.8E-06	1.05E-03	6.02E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	2.44053	2.30E-06	5.6E-06	1.05E-03	5.88E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	2.24072	2.30E-06	5.2E-06	1.05E-03	5.40E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	1.65626	2.30E-06	3.8E-06	1.05E-03	3.99E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	1.38948	2.30E-06	3.2E-06	1.05E-03	3.35E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	1.17262	2.30E-06	2.7E-06	1.05E-03	2.83E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	1.00221	2.30E-06	2.3E-06	1.05E-03	2.41E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	0.86831	2.30E-06	2.0E-06	1.05E-03	2.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	0.76169	2.30E-06	1.8E-06	1.05E-03	1.84E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	0.54329	2.30E-06	1.3E-06	1.05E-03	1.31E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	0.49214	2.30E-06	1.1E-06	1.05E-03	1.19E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	1.48055	2.30E-06	3.4E-06	1.05E-03	3.57E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	1.65855	2.30E-06	3.8E-06	1.05E-03	4.00E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	1.83019	2.30E-06	4.2E-06	1.05E-03	4.41E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	1.96318	2.30E-06	4.5E-06	1.05E-03	4.73E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	2.0288	2.30E-06	4.7E-06	1.05E-03	4.89E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	1.99797	2.30E-06	4.6E-06	1.05E-03	4.81E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	1.87011	2.30E-06	4.3E-06	1.05E-03	4.51E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	1.45565	2.30E-06	3.4E-06	1.05E-03	3.51E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	1.24686	2.30E-06	2.9E-06	1.05E-03	3.00E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	1.06783	2.30E-06	2.5E-06	1.05E-03	2.57E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	0.92199	2.30E-06	2.1E-06	1.05E-03	2.22E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	0.80481	2.30E-06	1.9E-06	1.05E-03	1.94E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	0.70995	2.30E-06	1.6E-06	1.05E-03	1.71E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	0.51321	2.30E-06	1.2E-06	1.05E-03	1.24E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	0.46668	2.30E-06	1.1E-06	1.05E-03	1.12E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	1.27493	2.30E-06	2.9E-06	1.05E-03	3.07E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	1.40769	2.30E-06	3.2E-06	1.05E-03	3.39E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	1.53303	2.30E-06	3.5E-06	1.05E-03	3.69E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	1.63104	2.30E-06	3.8E-06	1.05E-03	3.93E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	1.68064	2.30E-06	3.9E-06	1.05E-03	4.05E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	1.66598	2.30E-06	3.8E-06	1.05E-03	4.01E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	1.58338	2.30E-06	3.6E-06	1.05E-03	3.81E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	1.28457	2.30E-06	3.0E-06	1.05E-03	3.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	1.12159	2.30E-06	2.6E-06	1.05E-03	2.70E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	0.97433	2.30E-06	2.2E-06	1.05E-03	2.35E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	0.85001	2.30E-06	2.0E-06	1.05E-03	2.05E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	0.74728	2.30E-06	1.7E-06	1.05E-03	1.80E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	0.66279	2.30E-06	1.5E-06	1.05E-03	1.60E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	0.48525	2.30E-06	1.1E-06	1.05E-03	1.17E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	0.44279	2.30E-06	1.0E-06	1.05E-03	1.07E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	1.10903	2.30E-06	2.6E-06	1.05E-03	2.67E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	1.21035	2.30E-06	2.8E-06	1.05E-03	2.92E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	1.30411	2.30E-06	3.0E-06	1.05E-03	3.14E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	1.37789	2.30E-06	3.2E-06	1.05E-03	3.32E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	1.41792	2.30E-06	3.3E-06	1.05E-03	3.42E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	1.4118	2.30E-06	3.3E-06	1.05E-03	3.40E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	1.3567	2.30E-06	3.1E-06	1.05E-03	3.27E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	1.13886	2.30E-06	2.6E-06	1.05E-03	2.74E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	1.01142	2.30E-06	2.3E-06	1.05E-03	2.44E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	0.89052	2.30E-06	2.1E-06	1.05E-03	2.15E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	0.78482	2.30E-06	1.8E-06	1.05E-03	1.89E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	0.69496	2.30E-06	1.6E-06	1.05E-03	1.67E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	0.6198	2.30E-06	1.4E-06	1.05E-03	1.49E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	0.45912	2.30E-06	1.1E-06	1.05E-03	1.11E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	0.42033	2.30E-06	9.7E-07	1.05E-03	1.01E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	0.97338	2.30E-06	2.2E-06	1.05E-03	2.35E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	1.05199	2.30E-06	2.4E-06	1.05E-03	2.53E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	1.12399	2.30E-06	2.6E-06	1.05E-03	2.71E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	1.18101	2.30E-06	2.7E-06	1.05E-03	2.85E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	1.21278	2.30E-06	2.8E-06	1.05E-03	2.92E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	1.21223	2.30E-06	2.8E-06	1.05E-03	2.92E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	1.17504	2.30E-06	2.7E-06	1.05E-03	2.83E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	1.10561	2.30E-06	2.5E-06	1.05E-03	2.66E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	1.01436	2.30E-06	2.3E-06	1.05E-03	2.44E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	0.91394	2.30E-06	2.1E-06	1.05E-03	2.20E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	0.81533	2.30E-06	1.9E-06	1.05E-03	1.96E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	0.72548	2.30E-06	1.7E-06	1.05E-03	1.75E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405/47 off/on ramp [TKI]

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	0.64714	2.30E-06	1.5E-06	1.05E-03	1.56E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	0.58022	2.30E-06	1.3E-06	1.05E-03	1.40E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	0.47575	2.30E-06	1.1E-06	1.05E-03	1.15E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	0.43476	2.30E-06	1.0E-06	1.05E-03	1.05E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.39924	2.30E-06	9.2E-07	1.05E-03	9.62E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	1.05056	2.30E-06	2.4E-06	1.05E-03	2.53E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	1.05257	2.30E-06	2.4E-06	1.05E-03	2.54E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	1.0271	2.30E-06	2.4E-06	1.05E-03	2.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	0.97669	2.30E-06	2.3E-06	1.05E-03	2.35E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	0.44956	2.30E-06	1.0E-06	1.05E-03	1.08E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	0.4121	2.30E-06	9.5E-07	1.05E-03	9.93E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.37951	2.30E-06	8.7E-07	1.05E-03	9.14E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	0.92307	2.30E-06	2.1E-06	1.05E-03	2.22E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	0.90585	2.30E-06	2.1E-06	1.05E-03	2.18E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	0.86859	2.30E-06	2.0E-06	1.05E-03	2.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	0.42536	2.30E-06	9.8E-07	1.05E-03	1.02E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	0.391	2.30E-06	9.0E-07	1.05E-03	9.42E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.36105	2.30E-06	8.3E-07	1.05E-03	8.70E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	0.81654	2.30E-06	1.9E-06	1.05E-03	1.97E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	0.80482	2.30E-06	1.9E-06	1.05E-03	1.94E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	0.77708	2.30E-06	1.8E-06	1.05E-03	1.87E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	0.40277	2.30E-06	9.3E-07	1.05E-03	9.70E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	0.37116	2.30E-06	8.6E-07	1.05E-03	8.94E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.34372	2.30E-06	7.9E-07	1.05E-03	8.28E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	0.71996	2.30E-06	1.7E-06	1.05E-03	1.73E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	0.699	2.30E-06	1.6E-06	1.05E-03	1.68E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	0.38179	2.30E-06	8.8E-07	1.05E-03	9.20E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.35291	2.30E-06	8.1E-07	1.05E-03	8.50E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.32761	2.30E-06	7.6E-07	1.05E-03	7.89E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	0.64809	2.30E-06	1.5E-06	1.05E-03	1.56E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	0.63243	2.30E-06	1.5E-06	1.05E-03	1.52E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	0.60742	2.30E-06	1.4E-06	1.05E-03	1.46E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	0.36237	2.30E-06	8.4E-07	1.05E-03	8.73E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.33584	2.30E-06	7.7E-07	1.05E-03	8.09E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.31258	2.30E-06	7.2E-07	1.05E-03	7.53E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	0.57483	2.30E-06	1.3E-06	1.05E-03	1.38E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	0.55506	2.30E-06	1.3E-06	1.05E-03	1.34E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.3442	2.30E-06	7.9E-07	1.05E-03	8.29E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.31994	2.30E-06	7.4E-07	1.05E-03	7.71E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.29846	2.30E-06	6.9E-07	1.05E-03	7.19E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	0.52475	2.30E-06	1.2E-06	1.05E-03	1.26E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	0.50921	2.30E-06	1.2E-06	1.05E-03	1.23E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.30509	2.30E-06	7.0E-07	1.05E-03	7.35E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.28514	2.30E-06	6.6E-07	1.05E-03	6.87E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	0.48106	2.30E-06	1.1E-06	1.05E-03	1.16E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	0.46879	2.30E-06	1.1E-06	1.05E-03	1.13E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	0.45133	2.30E-06	1.0E-06	1.05E-03	1.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.2911	2.30E-06	6.7E-07	1.05E-03	7.01E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.27267	2.30E-06	6.3E-07	1.05E-03	6.57E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	0.43292	2.30E-06	1.0E-06	1.05E-03	1.04E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	0.41863	2.30E-06	9.6E-07	1.05E-03	1.01E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.31655	2.30E-06	7.3E-07	1.05E-03	7.63E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.278	2.30E-06	6.4E-07	1.05E-03	6.70E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.26099	2.30E-06	6.0E-07	1.05E-03	6.29E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	0.40072	2.30E-06	9.2E-07	1.05E-03	9.65E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	0.38927	2.30E-06	9.0E-07	1.05E-03	9.38E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	0.37434	2.30E-06	8.6E-07	1.05E-03	9.02E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	0.35721	2.30E-06	8.2E-07	1.05E-03	8.61E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	0.33854	2.30E-06	7.8E-07	1.05E-03	8.16E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.31952	2.30E-06	7.4E-07	1.05E-03	7.70E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.30068	2.30E-06	6.9E-07	1.05E-03	7.24E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.28267	2.30E-06	6.5E-07	1.05E-03	6.81E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.26572	2.30E-06	6.1E-07	1.05E-03	6.40E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.25	2.30E-06	5.8E-07	1.05E-03	6.02E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	0.36256	2.30E-06	8.4E-07	1.05E-03	8.73E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	0.35041	2.30E-06	8.1E-07	1.05E-03	8.44E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	0.33573	2.30E-06	7.7E-07	1.05E-03	8.09E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	0.31956	2.30E-06	7.4E-07	1.05E-03	7.70E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	0.30273	2.30E-06	7.0E-07	1.05E-03	7.29E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.2859	2.30E-06	6.6E-07	1.05E-03	6.89E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.26962	2.30E-06	6.2E-07	1.05E-03	6.50E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.23965	2.30E-06	5.5E-07	1.05E-03	5.77E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.33905	2.30E-06	7.8E-07	1.05E-03	8.17E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	0.32811	2.30E-06	7.6E-07	1.05E-03	7.90E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	0.31601	2.30E-06	7.3E-07	1.05E-03	7.61E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	0.30196	2.30E-06	7.0E-07	1.05E-03	7.27E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	0.28711	2.30E-06	6.6E-07	1.05E-03	6.92E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.27207	2.30E-06	6.3E-07	1.05E-03	6.55E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.25735	2.30E-06	5.9E-07	1.05E-03	6.20E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.22988	2.30E-06	5.3E-07	1.05E-03	5.54E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.31775	2.30E-06	7.3E-07	1.05E-03	7.66E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.30871	2.30E-06	7.1E-07	1.05E-03	7.44E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	0.29769	2.30E-06	6.9E-07	1.05E-03	7.17E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	0.28544	2.30E-06	6.6E-07	1.05E-03	6.88E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	0.27257	2.30E-06	6.3E-07	1.05E-03	6.57E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.25912	2.30E-06	6.0E-07	1.05E-03	6.24E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.24565	2.30E-06	5.7E-07	1.05E-03	5.92E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.22064	2.30E-06	5.1E-07	1.05E-03	5.32E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.29069	2.30E-06	6.7E-07	1.05E-03	7.00E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.28134	2.30E-06	6.5E-07	1.05E-03	6.78E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.27058	2.30E-06	6.2E-07	1.05E-03	6.52E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.25856	2.30E-06	6.0E-07	1.05E-03	6.23E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.24685	2.30E-06	5.7E-07	1.05E-03	5.95E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405/47 off/on ramp [TKI]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.23503	2.30E-06	5.4E-07	1.05E-03	5.66E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.21199	2.30E-06	4.9E-07	1.05E-03	5.11E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.27418	2.30E-06	6.3E-07	1.05E-03	6.61E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.2661	2.30E-06	6.1E-07	1.05E-03	6.41E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.25677	2.30E-06	5.9E-07	1.05E-03	6.19E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.2465	2.30E-06	5.7E-07	1.05E-03	5.94E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.2357	2.30E-06	5.4E-07	1.05E-03	5.68E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.22475	2.30E-06	5.2E-07	1.05E-03	5.41E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.20697	2.30E-06	4.8E-07	1.05E-03	4.99E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.25906	2.30E-06	6.0E-07	1.05E-03	6.24E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.25204	2.30E-06	5.8E-07	1.05E-03	6.07E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.24385	2.30E-06	5.6E-07	1.05E-03	5.87E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.23479	2.30E-06	5.4E-07	1.05E-03	5.66E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.22516	2.30E-06	5.2E-07	1.05E-03	5.42E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.21533	2.30E-06	5.0E-07	1.05E-03	5.19E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.20549	2.30E-06	4.7E-07	1.05E-03	4.95E-10	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	2.30E-06	0.0E+00	1.05E-03	0.00E+00	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.37518	2.30E-06	8.6E-07	6.05E-04	5.23E-10	14	4.71E-02	3.45E-10	1.0E+06	3.5E-04
2	2	0.41084	2.30E-06	9.5E-07	6.05E-04	5.73E-10	14	4.71E-02	3.78E-10	1.0E+06	3.8E-04
3	3	0.45174	2.30E-06	1.0E-06	6.05E-04	6.30E-10	14	4.71E-02	4.16E-10	1.0E+06	4.2E-04
4	4	0.49941	2.30E-06	1.2E-06	6.05E-04	6.97E-10	14	4.71E-02	4.60E-10	1.0E+06	4.6E-04
5	5	0.55548	2.30E-06	1.3E-06	6.05E-04	7.75E-10	14	4.71E-02	5.11E-10	1.0E+06	5.1E-04
6	6	0.62301	2.30E-06	1.4E-06	6.05E-04	8.69E-10	14	4.71E-02	5.73E-10	1.0E+06	5.7E-04
7	7	0.70387	2.30E-06	1.6E-06	6.05E-04	9.82E-10	14	4.71E-02	6.48E-10	1.0E+06	6.5E-04
8	8	0.80118	2.30E-06	1.8E-06	6.05E-04	1.12E-09	14	4.71E-02	7.37E-10	1.0E+06	7.4E-04
9	9	0.92042	2.30E-06	2.1E-06	6.05E-04	1.28E-09	14	4.71E-02	8.47E-10	1.0E+06	8.5E-04
10	10	1.06788	2.30E-06	2.5E-06	6.05E-04	1.49E-09	14	4.71E-02	9.83E-10	1.0E+06	9.8E-04
11	11	1.25169	2.30E-06	2.9E-06	6.05E-04	1.75E-09	14	4.71E-02	1.15E-09	1.0E+06	1.2E-03
12	12	1.48235	2.30E-06	3.4E-06	6.05E-04	2.07E-09	14	4.71E-02	1.36E-09	1.0E+06	1.4E-03
13	13	1.77614	2.30E-06	4.1E-06	6.05E-04	2.48E-09	14	4.71E-02	1.63E-09	1.0E+06	1.6E-03
14	14	2.14385	2.30E-06	4.9E-06	6.05E-04	2.99E-09	14	4.71E-02	1.97E-09	1.0E+06	2.0E-03
15	15	2.59643	2.30E-06	6.0E-06	6.05E-04	3.62E-09	14	4.71E-02	2.39E-09	1.0E+06	2.4E-03
16	16	3.11677	2.30E-06	7.2E-06	6.05E-04	4.35E-09	14	4.71E-02	2.87E-09	1.0E+06	2.9E-03
17	17	3.66451	2.30E-06	8.4E-06	6.05E-04	5.11E-09	14	4.71E-02	3.37E-09	1.0E+06	3.4E-03
18	18	4.11962	2.30E-06	9.5E-06	6.05E-04	5.75E-09	14	4.71E-02	3.79E-09	1.0E+06	3.8E-03
19	19	4.44192	2.30E-06	1.0E-05	6.05E-04	6.19E-09	14	4.71E-02	4.09E-09	1.0E+06	4.1E-03
20	20	4.67473	2.30E-06	1.1E-05	6.05E-04	6.52E-09	14	4.71E-02	4.30E-09	1.0E+06	4.3E-03
21	21	4.81034	2.30E-06	1.1E-05	6.05E-04	6.71E-09	14	4.71E-02	4.43E-09	1.0E+06	4.4E-03
22	22	4.80941	2.30E-06	1.1E-05	6.05E-04	6.71E-09	14	4.71E-02	4.43E-09	1.0E+06	4.4E-03
23	23	4.6341	2.30E-06	1.1E-05	6.05E-04	6.46E-09	14	4.71E-02	4.27E-09	1.0E+06	4.3E-03
24	24	4.29868	2.30E-06	9.9E-06	6.05E-04	6.00E-09	14	4.71E-02	3.96E-09	1.0E+06	4.0E-03
25	25	3.85732	2.30E-06	8.9E-06	6.05E-04	5.38E-09	14	4.71E-02	3.55E-09	1.0E+06	3.6E-03
26	26	3.37372	2.30E-06	7.8E-06	6.05E-04	4.71E-09	14	4.71E-02	3.11E-09	1.0E+06	3.1E-03
27	27	2.90112	2.30E-06	6.7E-06	6.05E-04	4.05E-09	14	4.71E-02	2.67E-09	1.0E+06	2.7E-03
28	28	2.47038	2.30E-06	5.7E-06	6.05E-04	3.45E-09	14	4.71E-02	2.27E-09	1.0E+06	2.3E-03
29	29	2.09645	2.30E-06	4.8E-06	6.05E-04	2.92E-09	14	4.71E-02	1.93E-09	1.0E+06	1.9E-03
30	30	1.78026	2.30E-06	4.1E-06	6.05E-04	2.48E-09	14	4.71E-02	1.64E-09	1.0E+06	1.6E-03
31	31	1.51663	2.30E-06	3.5E-06	6.05E-04	2.12E-09	14	4.71E-02	1.40E-09	1.0E+06	1.4E-03

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	1.29845	2.30E-06	3.0E-06	6.05E-04	1.81E-09	14	4.71E-02	1.20E-09	1.0E+06	1.2E-03
55	55	7.14337	2.30E-06	1.6E-05	6.05E-04	9.96E-09	14	4.71E-02	6.58E-09	1.0E+06	6.6E-03
56	56	6.40282	2.30E-06	1.5E-05	6.05E-04	8.93E-09	14	4.71E-02	5.89E-09	1.0E+06	5.9E-03
57	57	5.51782	2.30E-06	1.3E-05	6.05E-04	7.70E-09	14	4.71E-02	5.08E-09	1.0E+06	5.1E-03
58	58	4.61235	2.30E-06	1.1E-05	6.05E-04	6.43E-09	14	4.71E-02	4.25E-09	1.0E+06	4.2E-03
59	59	3.78984	2.30E-06	8.7E-06	6.05E-04	5.29E-09	14	4.71E-02	3.49E-09	1.0E+06	3.5E-03
60	60	3.09549	2.30E-06	7.1E-06	6.05E-04	4.32E-09	14	4.71E-02	2.85E-09	1.0E+06	2.8E-03
61	61	2.53459	2.30E-06	5.8E-06	6.05E-04	3.53E-09	14	4.71E-02	2.33E-09	1.0E+06	2.3E-03
62	62	2.08713	2.30E-06	4.8E-06	6.05E-04	2.91E-09	14	4.71E-02	1.92E-09	1.0E+06	1.9E-03
63	63	1.73395	2.30E-06	4.0E-06	6.05E-04	2.42E-09	14	4.71E-02	1.60E-09	1.0E+06	1.6E-03
64	64	1.45445	2.30E-06	3.4E-06	6.05E-04	2.03E-09	14	4.71E-02	1.34E-09	1.0E+06	1.3E-03
65	65	1.2322	2.30E-06	2.8E-06	6.05E-04	1.72E-09	14	4.71E-02	1.13E-09	1.0E+06	1.1E-03
66	66	1.05526	2.30E-06	2.4E-06	6.05E-04	1.47E-09	14	4.71E-02	9.71E-10	1.0E+06	9.7E-04
67	67	0.39095	2.30E-06	9.0E-07	6.05E-04	5.45E-10	14	4.71E-02	3.60E-10	1.0E+06	3.6E-04
68	68	0.43039	2.30E-06	9.9E-07	6.05E-04	6.00E-10	14	4.71E-02	3.96E-10	1.0E+06	4.0E-04
69	69	0.47645	2.30E-06	1.1E-06	6.05E-04	6.64E-10	14	4.71E-02	4.39E-10	1.0E+06	4.4E-04
70	70	0.53092	2.30E-06	1.2E-06	6.05E-04	7.40E-10	14	4.71E-02	4.89E-10	1.0E+06	4.9E-04
71	71	0.59534	2.30E-06	1.4E-06	6.05E-04	8.30E-10	14	4.71E-02	5.48E-10	1.0E+06	5.5E-04
72	72	0.6747	2.30E-06	1.6E-06	6.05E-04	9.41E-10	14	4.71E-02	6.21E-10	1.0E+06	6.2E-04
73	73	0.77174	2.30E-06	1.8E-06	6.05E-04	1.08E-09	14	4.71E-02	7.10E-10	1.0E+06	7.1E-04
74	74	0.89243	2.30E-06	2.1E-06	6.05E-04	1.24E-09	14	4.71E-02	8.21E-10	1.0E+06	8.2E-04
75	75	1.0454	2.30E-06	2.4E-06	6.05E-04	1.46E-09	14	4.71E-02	9.62E-10	1.0E+06	9.6E-04
76	76	1.24454	2.30E-06	2.9E-06	6.05E-04	1.74E-09	14	4.71E-02	1.15E-09	1.0E+06	1.1E-03
77	77	1.51078	2.30E-06	3.5E-06	6.05E-04	2.11E-09	14	4.71E-02	1.39E-09	1.0E+06	1.4E-03
78	78	1.8804	2.30E-06	4.3E-06	6.05E-04	2.62E-09	14	4.71E-02	1.73E-09	1.0E+06	1.7E-03
79	79	9.16109	2.30E-06	2.1E-05	6.05E-04	1.28E-08	14	4.71E-02	8.43E-09	1.0E+06	8.4E-03
80	80	11.98773	2.30E-06	2.8E-05	6.05E-04	1.67E-08	14	4.71E-02	1.10E-08	1.0E+06	1.1E-02
81	81	13.98856	2.30E-06	3.2E-05	6.05E-04	1.95E-08	14	4.71E-02	1.29E-08	1.0E+06	1.3E-02
82	82	14.04741	2.30E-06	3.2E-05	6.05E-04	1.96E-08	14	4.71E-02	1.29E-08	1.0E+06	1.3E-02
83	83	12.6807	2.30E-06	2.9E-05	6.05E-04	1.77E-08	14	4.71E-02	1.17E-08	1.0E+06	1.2E-02
84	84	10.66641	2.30E-06	2.5E-05	6.05E-04	1.49E-08	14	4.71E-02	9.82E-09	1.0E+06	9.8E-03

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	85	8.57595	2.30E-06	2.0E-05	6.05E-04	1.20E-08	14	4.71E-02	7.89E-09	1.0E+06	7.9E-03
86	86	6.68165	2.30E-06	1.5E-05	6.05E-04	9.32E-09	14	4.71E-02	6.15E-09	1.0E+06	6.2E-03
87	87	5.14036	2.30E-06	1.2E-05	6.05E-04	7.17E-09	14	4.71E-02	4.73E-09	1.0E+06	4.7E-03
88	88	3.96799	2.30E-06	9.1E-06	6.05E-04	5.53E-09	14	4.71E-02	3.65E-09	1.0E+06	3.7E-03
89	89	3.09724	2.30E-06	7.1E-06	6.05E-04	4.32E-09	14	4.71E-02	2.85E-09	1.0E+06	2.9E-03
90	90	2.45633	2.30E-06	5.7E-06	6.05E-04	3.43E-09	14	4.71E-02	2.26E-09	1.0E+06	2.3E-03
91	91	1.98264	2.30E-06	4.6E-06	6.05E-04	2.77E-09	14	4.71E-02	1.82E-09	1.0E+06	1.8E-03
92	92	1.62531	2.30E-06	3.7E-06	6.05E-04	2.27E-09	14	4.71E-02	1.50E-09	1.0E+06	1.5E-03
93	93	1.3541	2.30E-06	3.1E-06	6.05E-04	1.89E-09	14	4.71E-02	1.25E-09	1.0E+06	1.2E-03
96	96	7.53608	2.30E-06	1.7E-05	6.05E-04	1.05E-08	14	4.71E-02	6.94E-09	1.0E+06	6.9E-03
97	97	5.40696	2.30E-06	1.2E-05	6.05E-04	7.54E-09	14	4.71E-02	4.98E-09	1.0E+06	5.0E-03
98	98	3.8142	2.30E-06	8.8E-06	6.05E-04	5.32E-09	14	4.71E-02	3.51E-09	1.0E+06	3.5E-03
99	99	2.89511	2.30E-06	6.7E-06	6.05E-04	4.04E-09	14	4.71E-02	2.66E-09	1.0E+06	2.7E-03
100	100	2.26072	2.30E-06	5.2E-06	6.05E-04	3.15E-09	14	4.71E-02	2.08E-09	1.0E+06	2.1E-03
101	101	1.81057	2.30E-06	4.2E-06	6.05E-04	2.53E-09	14	4.71E-02	1.67E-09	1.0E+06	1.7E-03
102	102	1.48327	2.30E-06	3.4E-06	6.05E-04	2.07E-09	14	4.71E-02	1.37E-09	1.0E+06	1.4E-03
106	106	0.36239	2.30E-06	8.4E-07	6.05E-04	5.05E-10	14	4.71E-02	3.34E-10	1.0E+06	3.3E-04
107	107	0.39742	2.30E-06	9.2E-07	6.05E-04	5.54E-10	14	4.71E-02	3.66E-10	1.0E+06	3.7E-04
108	108	0.43848	2.30E-06	1.0E-06	6.05E-04	6.12E-10	14	4.71E-02	4.04E-10	1.0E+06	4.0E-04
109	109	0.4867	2.30E-06	1.1E-06	6.05E-04	6.79E-10	14	4.71E-02	4.48E-10	1.0E+06	4.5E-04
110	110	0.54422	2.30E-06	1.3E-06	6.05E-04	7.59E-10	14	4.71E-02	5.01E-10	1.0E+06	5.0E-04
111	111	0.61268	2.30E-06	1.4E-06	6.05E-04	8.54E-10	14	4.71E-02	5.64E-10	1.0E+06	5.6E-04
112	112	0.69818	2.30E-06	1.6E-06	6.05E-04	9.74E-10	14	4.71E-02	6.43E-10	1.0E+06	6.4E-04
113	113	0.80309	2.30E-06	1.9E-06	6.05E-04	1.12E-09	14	4.71E-02	7.39E-10	1.0E+06	7.4E-04
114	114	0.93609	2.30E-06	2.2E-06	6.05E-04	1.31E-09	14	4.71E-02	8.62E-10	1.0E+06	8.6E-04
115	115	1.10715	2.30E-06	2.6E-06	6.05E-04	1.54E-09	14	4.71E-02	1.02E-09	1.0E+06	1.0E-03
116	116	1.3325	2.30E-06	3.1E-06	6.05E-04	1.86E-09	14	4.71E-02	1.23E-09	1.0E+06	1.2E-03
117	117	1.64747	2.30E-06	3.8E-06	6.05E-04	2.30E-09	14	4.71E-02	1.52E-09	1.0E+06	1.5E-03
118	118	2.10069	2.30E-06	4.8E-06	6.05E-04	2.93E-09	14	4.71E-02	1.93E-09	1.0E+06	1.9E-03
124	124	0.36152	2.30E-06	8.3E-07	6.05E-04	5.04E-10	14	4.71E-02	3.33E-10	1.0E+06	3.3E-04
125	125	0.39664	2.30E-06	9.1E-07	6.05E-04	5.53E-10	14	4.71E-02	3.65E-10	1.0E+06	3.7E-04

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
126	126	0.43757	2.30E-06	1.0E-06	6.05E-04	6.10E-10	14	4.71E-02	4.03E-10	1.0E+06	4.0E-04
127	127	0.48576	2.30E-06	1.1E-06	6.05E-04	6.77E-10	14	4.71E-02	4.47E-10	1.0E+06	4.5E-04
128	128	0.54315	2.30E-06	1.3E-06	6.05E-04	7.58E-10	14	4.71E-02	5.00E-10	1.0E+06	5.0E-04
129	129	0.61169	2.30E-06	1.4E-06	6.05E-04	8.53E-10	14	4.71E-02	5.63E-10	1.0E+06	5.6E-04
130	130	0.69679	2.30E-06	1.6E-06	6.05E-04	9.72E-10	14	4.71E-02	6.41E-10	1.0E+06	6.4E-04
131	131	0.80188	2.30E-06	1.8E-06	6.05E-04	1.12E-09	14	4.71E-02	7.38E-10	1.0E+06	7.4E-04
132	132	0.93503	2.30E-06	2.2E-06	6.05E-04	1.30E-09	14	4.71E-02	8.61E-10	1.0E+06	8.6E-04
133	133	1.10604	2.30E-06	2.5E-06	6.05E-04	1.54E-09	14	4.71E-02	1.02E-09	1.0E+06	1.0E-03
134	134	1.33549	2.30E-06	3.1E-06	6.05E-04	1.86E-09	14	4.71E-02	1.23E-09	1.0E+06	1.2E-03
135	135	1.64852	2.30E-06	3.8E-06	6.05E-04	2.30E-09	14	4.71E-02	1.52E-09	1.0E+06	1.5E-03
136	136	2.0966	2.30E-06	4.8E-06	6.05E-04	2.92E-09	14	4.71E-02	1.93E-09	1.0E+06	1.9E-03
137	137	2.7679	2.30E-06	6.4E-06	6.05E-04	3.86E-09	14	4.71E-02	2.55E-09	1.0E+06	2.5E-03
138	138	3.88297	2.30E-06	9.0E-06	6.05E-04	5.42E-09	14	4.71E-02	3.57E-09	1.0E+06	3.6E-03
141	141	0.35907	2.30E-06	8.3E-07	6.05E-04	5.01E-10	14	4.71E-02	3.31E-10	1.0E+06	3.3E-04
142	142	0.39376	2.30E-06	9.1E-07	6.05E-04	5.49E-10	14	4.71E-02	3.62E-10	1.0E+06	3.6E-04
143	143	0.43412	2.30E-06	1.0E-06	6.05E-04	6.05E-10	14	4.71E-02	4.00E-10	1.0E+06	4.0E-04
144	144	0.48158	2.30E-06	1.1E-06	6.05E-04	6.72E-10	14	4.71E-02	4.43E-10	1.0E+06	4.4E-04
145	145	0.53793	2.30E-06	1.2E-06	6.05E-04	7.50E-10	14	4.71E-02	4.95E-10	1.0E+06	5.0E-04
146	146	0.6052	2.30E-06	1.4E-06	6.05E-04	8.44E-10	14	4.71E-02	5.57E-10	1.0E+06	5.6E-04
147	147	0.68833	2.30E-06	1.6E-06	6.05E-04	9.60E-10	14	4.71E-02	6.34E-10	1.0E+06	6.3E-04
148	148	0.79055	2.30E-06	1.8E-06	6.05E-04	1.10E-09	14	4.71E-02	7.28E-10	1.0E+06	7.3E-04
149	149	0.91946	2.30E-06	2.1E-06	6.05E-04	1.28E-09	14	4.71E-02	8.46E-10	1.0E+06	8.5E-04
150	150	1.08473	2.30E-06	2.5E-06	6.05E-04	1.51E-09	14	4.71E-02	9.98E-10	1.0E+06	1.0E-03
151	151	1.30303	2.30E-06	3.0E-06	6.05E-04	1.82E-09	14	4.71E-02	1.20E-09	1.0E+06	1.2E-03
152	152	1.59933	2.30E-06	3.7E-06	6.05E-04	2.23E-09	14	4.71E-02	1.47E-09	1.0E+06	1.5E-03
153	153	2.01619	2.30E-06	4.6E-06	6.05E-04	2.81E-09	14	4.71E-02	1.86E-09	1.0E+06	1.9E-03
154	154	2.62185	2.30E-06	6.0E-06	6.05E-04	3.66E-09	14	4.71E-02	2.41E-09	1.0E+06	2.4E-03
155	155	3.56745	2.30E-06	8.2E-06	6.05E-04	4.98E-09	14	4.71E-02	3.28E-09	1.0E+06	3.3E-03
164	164	2.40069	2.30E-06	5.5E-06	6.05E-04	3.35E-09	14	4.71E-02	2.21E-09	1.0E+06	2.2E-03
165	165	3.15507	2.30E-06	7.3E-06	6.05E-04	4.40E-09	14	4.71E-02	2.90E-09	1.0E+06	2.9E-03
166	166	4.33777	2.30E-06	1.0E-05	6.05E-04	6.05E-09	14	4.71E-02	3.99E-09	1.0E+06	4.0E-03

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	2.15133	2.30E-06	5.0E-06	6.05E-04	3.00E-09	14	4.71E-02	1.98E-09	1.0E+06	2.0E-03
179	179	2.73793	2.30E-06	6.3E-06	6.05E-04	3.82E-09	14	4.71E-02	2.52E-09	1.0E+06	2.5E-03
180	180	3.59407	2.30E-06	8.3E-06	6.05E-04	5.01E-09	14	4.71E-02	3.31E-09	1.0E+06	3.3E-03
192	192	1.90698	2.30E-06	4.4E-06	6.05E-04	2.66E-09	14	4.71E-02	1.76E-09	1.0E+06	1.8E-03
193	193	2.36002	2.30E-06	5.4E-06	6.05E-04	3.29E-09	14	4.71E-02	2.17E-09	1.0E+06	2.2E-03
194	194	2.97652	2.30E-06	6.9E-06	6.05E-04	4.15E-09	14	4.71E-02	2.74E-09	1.0E+06	2.7E-03
207	207	1.68006	2.30E-06	3.9E-06	6.05E-04	2.34E-09	14	4.71E-02	1.55E-09	1.0E+06	1.5E-03
208	208	2.02693	2.30E-06	4.7E-06	6.05E-04	2.83E-09	14	4.71E-02	1.87E-09	1.0E+06	1.9E-03
209	209	2.47973	2.30E-06	5.7E-06	6.05E-04	3.46E-09	14	4.71E-02	2.28E-09	1.0E+06	2.3E-03
223	223	1.47913	2.30E-06	3.4E-06	6.05E-04	2.06E-09	14	4.71E-02	1.36E-09	1.0E+06	1.4E-03
224	224	1.74632	2.30E-06	4.0E-06	6.05E-04	2.44E-09	14	4.71E-02	1.61E-09	1.0E+06	1.6E-03
225	225	2.07944	2.30E-06	4.8E-06	6.05E-04	2.90E-09	14	4.71E-02	1.91E-09	1.0E+06	1.9E-03
239	239	1.30582	2.30E-06	3.0E-06	6.05E-04	1.82E-09	14	4.71E-02	1.20E-09	1.0E+06	1.2E-03
240	240	1.51406	2.30E-06	3.5E-06	6.05E-04	2.11E-09	14	4.71E-02	1.39E-09	1.0E+06	1.4E-03
241	241	1.76688	2.30E-06	4.1E-06	6.05E-04	2.46E-09	14	4.71E-02	1.63E-09	1.0E+06	1.6E-03
255	255	1.15691	2.30E-06	2.7E-06	6.05E-04	1.61E-09	14	4.71E-02	1.06E-09	1.0E+06	1.1E-03
256	256	1.32129	2.30E-06	3.0E-06	6.05E-04	1.84E-09	14	4.71E-02	1.22E-09	1.0E+06	1.2E-03
272	272	1.02929	2.30E-06	2.4E-06	6.05E-04	1.44E-09	14	4.71E-02	9.47E-10	1.0E+06	9.5E-04
273	273	1.1611	2.30E-06	2.7E-06	6.05E-04	1.62E-09	14	4.71E-02	1.07E-09	1.0E+06	1.1E-03
289	289	0.92084	2.30E-06	2.1E-06	6.05E-04	1.28E-09	14	4.71E-02	8.48E-10	1.0E+06	8.5E-04
290	290	1.02703	2.30E-06	2.4E-06	6.05E-04	1.43E-09	14	4.71E-02	9.45E-10	1.0E+06	9.5E-04
306	306	0.82772	2.30E-06	1.9E-06	6.05E-04	1.15E-09	14	4.71E-02	7.62E-10	1.0E+06	7.6E-04
307	307	0.91411	2.30E-06	2.1E-06	6.05E-04	1.27E-09	14	4.71E-02	8.41E-10	1.0E+06	8.4E-04
323	323	0.74749	2.30E-06	1.7E-06	6.05E-04	1.04E-09	14	4.71E-02	6.88E-10	1.0E+06	6.9E-04
324	324	0.81829	2.30E-06	1.9E-06	6.05E-04	1.14E-09	14	4.71E-02	7.53E-10	1.0E+06	7.5E-04
342	342	0.67807	2.30E-06	1.6E-06	6.05E-04	9.46E-10	14	4.71E-02	6.24E-10	1.0E+06	6.2E-04
343	343	0.7365	2.30E-06	1.7E-06	6.05E-04	1.03E-09	14	4.71E-02	6.78E-10	1.0E+06	6.8E-04
344	344	0.79805	2.30E-06	1.8E-06	6.05E-04	1.11E-09	14	4.71E-02	7.35E-10	1.0E+06	7.3E-04
356	356	0.61759	2.30E-06	1.4E-06	6.05E-04	8.61E-10	14	4.71E-02	5.68E-10	1.0E+06	5.7E-04
357	357	0.66606	2.30E-06	1.5E-06	6.05E-04	9.29E-10	14	4.71E-02	6.13E-10	1.0E+06	6.1E-04
358	358	0.71652	2.30E-06	1.7E-06	6.05E-04	9.99E-10	14	4.71E-02	6.60E-10	1.0E+06	6.6E-04

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	0.56473	2.30E-06	1.3E-06	6.05E-04	7.88E-10	14	4.71E-02	5.20E-10	1.0E+06	5.2E-04
371	371	0.60522	2.30E-06	1.4E-06	6.05E-04	8.44E-10	14	4.71E-02	5.57E-10	1.0E+06	5.6E-04
372	372	0.64687	2.30E-06	1.5E-06	6.05E-04	9.02E-10	14	4.71E-02	5.95E-10	1.0E+06	6.0E-04
383	383	0.51826	2.30E-06	1.2E-06	6.05E-04	7.23E-10	14	4.71E-02	4.77E-10	1.0E+06	4.8E-04
384	384	0.55232	2.30E-06	1.3E-06	6.05E-04	7.70E-10	14	4.71E-02	5.08E-10	1.0E+06	5.1E-04
385	385	0.58695	2.30E-06	1.4E-06	6.05E-04	8.19E-10	14	4.71E-02	5.40E-10	1.0E+06	5.4E-04
396	396	0.47724	2.30E-06	1.1E-06	6.05E-04	6.66E-10	14	4.71E-02	4.39E-10	1.0E+06	4.4E-04
397	397	0.50605	2.30E-06	1.2E-06	6.05E-04	7.06E-10	14	4.71E-02	4.66E-10	1.0E+06	4.7E-04
398	398	0.53507	2.30E-06	1.2E-06	6.05E-04	7.46E-10	14	4.71E-02	4.93E-10	1.0E+06	4.9E-04
399	399	0.56365	2.30E-06	1.3E-06	6.05E-04	7.86E-10	14	4.71E-02	5.19E-10	1.0E+06	5.2E-04
411	411	0.44086	2.30E-06	1.0E-06	6.05E-04	6.15E-10	14	4.71E-02	4.06E-10	1.0E+06	4.1E-04
412	412	0.46537	2.30E-06	1.1E-06	6.05E-04	6.49E-10	14	4.71E-02	4.28E-10	1.0E+06	4.3E-04
413	413	0.48991	2.30E-06	1.1E-06	6.05E-04	6.83E-10	14	4.71E-02	4.51E-10	1.0E+06	4.5E-04
414	414	0.51386	2.30E-06	1.2E-06	6.05E-04	7.17E-10	14	4.71E-02	4.73E-10	1.0E+06	4.7E-04
426	426	0.4085	2.30E-06	9.4E-07	6.05E-04	5.70E-10	14	4.71E-02	3.76E-10	1.0E+06	3.8E-04
427	427	0.42947	2.30E-06	9.9E-07	6.05E-04	5.99E-10	14	4.71E-02	3.95E-10	1.0E+06	4.0E-04
428	428	0.45028	2.30E-06	1.0E-06	6.05E-04	6.28E-10	14	4.71E-02	4.14E-10	1.0E+06	4.1E-04
429	429	0.47058	2.30E-06	1.1E-06	6.05E-04	6.56E-10	14	4.71E-02	4.33E-10	1.0E+06	4.3E-04
439	439	0.37957	2.30E-06	8.7E-07	6.05E-04	5.29E-10	14	4.71E-02	3.49E-10	1.0E+06	3.5E-04
440	440	0.39761	2.30E-06	9.2E-07	6.05E-04	5.55E-10	14	4.71E-02	3.66E-10	1.0E+06	3.7E-04
441	441	0.41544	2.30E-06	9.6E-07	6.05E-04	5.79E-10	14	4.71E-02	3.82E-10	1.0E+06	3.8E-04
442	442	0.43275	2.30E-06	1.0E-06	6.05E-04	6.04E-10	14	4.71E-02	3.98E-10	1.0E+06	4.0E-04
443	443	0.44912	2.30E-06	1.0E-06	6.05E-04	6.26E-10	14	4.71E-02	4.13E-10	1.0E+06	4.1E-04
454	454	0.35365	2.30E-06	8.2E-07	6.05E-04	4.93E-10	14	4.71E-02	3.26E-10	1.0E+06	3.3E-04
455	455	0.36925	2.30E-06	8.5E-07	6.05E-04	5.15E-10	14	4.71E-02	3.40E-10	1.0E+06	3.4E-04
456	456	0.3846	2.30E-06	8.9E-07	6.05E-04	5.36E-10	14	4.71E-02	3.54E-10	1.0E+06	3.5E-04
457	457	0.39947	2.30E-06	9.2E-07	6.05E-04	5.57E-10	14	4.71E-02	3.68E-10	1.0E+06	3.7E-04
458	458	0.41351	2.30E-06	9.5E-07	6.05E-04	5.77E-10	14	4.71E-02	3.81E-10	1.0E+06	3.8E-04
469	469	0.33031	2.30E-06	7.6E-07	6.05E-04	4.61E-10	14	4.71E-02	3.04E-10	1.0E+06	3.0E-04
470	470	0.34386	2.30E-06	7.9E-07	6.05E-04	4.80E-10	14	4.71E-02	3.17E-10	1.0E+06	3.2E-04
471	471	0.35717	2.30E-06	8.2E-07	6.05E-04	4.98E-10	14	4.71E-02	3.29E-10	1.0E+06	3.3E-04

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
472	472	0.37004	2.30E-06	8.5E-07	6.05E-04	5.16E-10	14	4.71E-02	3.41E-10	1.0E+06	3.4E-04
473	473	0.38218	2.30E-06	8.8E-07	6.05E-04	5.33E-10	14	4.71E-02	3.52E-10	1.0E+06	3.5E-04
489	489	0.30927	2.30E-06	7.1E-07	6.05E-04	4.31E-10	14	4.71E-02	2.85E-10	1.0E+06	2.8E-04
490	490	0.32111	2.30E-06	7.4E-07	6.05E-04	4.48E-10	14	4.71E-02	2.96E-10	1.0E+06	3.0E-04
491	491	0.3327	2.30E-06	7.7E-07	6.05E-04	4.64E-10	14	4.71E-02	3.06E-10	1.0E+06	3.1E-04
492	492	0.34389	2.30E-06	7.9E-07	6.05E-04	4.80E-10	14	4.71E-02	3.17E-10	1.0E+06	3.2E-04
493	493	0.35445	2.30E-06	8.2E-07	6.05E-04	4.94E-10	14	4.71E-02	3.26E-10	1.0E+06	3.3E-04
494	494	0.36404	2.30E-06	8.4E-07	6.05E-04	5.08E-10	14	4.71E-02	3.35E-10	1.0E+06	3.4E-04
509	509	0.29021	2.30E-06	6.7E-07	6.05E-04	4.05E-10	14	4.71E-02	2.67E-10	1.0E+06	2.7E-04
510	510	0.3006	2.30E-06	6.9E-07	6.05E-04	4.19E-10	14	4.71E-02	2.77E-10	1.0E+06	2.8E-04
511	511	0.31075	2.30E-06	7.2E-07	6.05E-04	4.33E-10	14	4.71E-02	2.86E-10	1.0E+06	2.9E-04
512	512	0.32055	2.30E-06	7.4E-07	6.05E-04	4.47E-10	14	4.71E-02	2.95E-10	1.0E+06	3.0E-04
513	513	0.3298	2.30E-06	7.6E-07	6.05E-04	4.60E-10	14	4.71E-02	3.04E-10	1.0E+06	3.0E-04
514	514	0.33822	2.30E-06	7.8E-07	6.05E-04	4.72E-10	14	4.71E-02	3.11E-10	1.0E+06	3.1E-04
515	515	0.35087	2.30E-06	8.1E-07	6.05E-04	4.89E-10	14	4.71E-02	3.23E-10	1.0E+06	3.2E-04
516	516	0.35411	2.30E-06	8.2E-07	6.05E-04	4.94E-10	14	4.71E-02	3.26E-10	1.0E+06	3.3E-04
517	517	0.35478	2.30E-06	8.2E-07	6.05E-04	4.95E-10	14	4.71E-02	3.27E-10	1.0E+06	3.3E-04
518	518	0.35255	2.30E-06	8.1E-07	6.05E-04	4.92E-10	14	4.71E-02	3.25E-10	1.0E+06	3.2E-04
519	519	0.34736	2.30E-06	8.0E-07	6.05E-04	4.84E-10	14	4.71E-02	3.20E-10	1.0E+06	3.2E-04
528	528	0.2729	2.30E-06	6.3E-07	6.05E-04	3.81E-10	14	4.71E-02	2.51E-10	1.0E+06	2.5E-04
529	529	0.28207	2.30E-06	6.5E-07	6.05E-04	3.93E-10	14	4.71E-02	2.60E-10	1.0E+06	2.6E-04
530	530	0.29101	2.30E-06	6.7E-07	6.05E-04	4.06E-10	14	4.71E-02	2.68E-10	1.0E+06	2.7E-04
531	531	0.29964	2.30E-06	6.9E-07	6.05E-04	4.18E-10	14	4.71E-02	2.76E-10	1.0E+06	2.8E-04
532	532	0.30779	2.30E-06	7.1E-07	6.05E-04	4.29E-10	14	4.71E-02	2.83E-10	1.0E+06	2.8E-04
533	533	0.31522	2.30E-06	7.3E-07	6.05E-04	4.40E-10	14	4.71E-02	2.90E-10	1.0E+06	2.9E-04
534	534	0.32648	2.30E-06	7.5E-07	6.05E-04	4.55E-10	14	4.71E-02	3.01E-10	1.0E+06	3.0E-04
535	535	0.32951	2.30E-06	7.6E-07	6.05E-04	4.60E-10	14	4.71E-02	3.03E-10	1.0E+06	3.0E-04
536	536	0.33038	2.30E-06	7.6E-07	6.05E-04	4.61E-10	14	4.71E-02	3.04E-10	1.0E+06	3.0E-04
537	537	0.32871	2.30E-06	7.6E-07	6.05E-04	4.58E-10	14	4.71E-02	3.03E-10	1.0E+06	3.0E-04
538	538	0.32448	2.30E-06	7.5E-07	6.05E-04	4.53E-10	14	4.71E-02	2.99E-10	1.0E+06	3.0E-04
547	547	0.25715	2.30E-06	5.9E-07	6.05E-04	3.59E-10	14	4.71E-02	2.37E-10	1.0E+06	2.4E-04

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.26527	2.30E-06	6.1E-07	6.05E-04	3.70E-10	14	4.71E-02	2.44E-10	1.0E+06	2.4E-04
549	549	0.27318	2.30E-06	6.3E-07	6.05E-04	3.81E-10	14	4.71E-02	2.51E-10	1.0E+06	2.5E-04
550	550	0.28082	2.30E-06	6.5E-07	6.05E-04	3.92E-10	14	4.71E-02	2.58E-10	1.0E+06	2.6E-04
551	551	0.28804	2.30E-06	6.6E-07	6.05E-04	4.02E-10	14	4.71E-02	2.65E-10	1.0E+06	2.7E-04
552	552	0.29463	2.30E-06	6.8E-07	6.05E-04	4.11E-10	14	4.71E-02	2.71E-10	1.0E+06	2.7E-04
553	553	0.30031	2.30E-06	6.9E-07	6.05E-04	4.19E-10	14	4.71E-02	2.76E-10	1.0E+06	2.8E-04
554	554	0.30472	2.30E-06	7.0E-07	6.05E-04	4.25E-10	14	4.71E-02	2.80E-10	1.0E+06	2.8E-04
555	555	0.30757	2.30E-06	7.1E-07	6.05E-04	4.29E-10	14	4.71E-02	2.83E-10	1.0E+06	2.8E-04
556	556	0.30856	2.30E-06	7.1E-07	6.05E-04	4.30E-10	14	4.71E-02	2.84E-10	1.0E+06	2.8E-04
557	557	0.30735	2.30E-06	7.1E-07	6.05E-04	4.29E-10	14	4.71E-02	2.83E-10	1.0E+06	2.8E-04
558	558	0.30396	2.30E-06	7.0E-07	6.05E-04	4.24E-10	14	4.71E-02	2.80E-10	1.0E+06	2.8E-04
559	559	0.29833	2.30E-06	6.9E-07	6.05E-04	4.16E-10	14	4.71E-02	2.75E-10	1.0E+06	2.7E-04
567	567	0.24277	2.30E-06	5.6E-07	6.05E-04	3.39E-10	14	4.71E-02	2.23E-10	1.0E+06	2.2E-04
568	568	0.25	2.30E-06	5.8E-07	6.05E-04	3.49E-10	14	4.71E-02	2.30E-10	1.0E+06	2.3E-04
569	569	0.25703	2.30E-06	5.9E-07	6.05E-04	3.58E-10	14	4.71E-02	2.37E-10	1.0E+06	2.4E-04
570	570	0.26383	2.30E-06	6.1E-07	6.05E-04	3.68E-10	14	4.71E-02	2.43E-10	1.0E+06	2.4E-04
571	571	0.27025	2.30E-06	6.2E-07	6.05E-04	3.77E-10	14	4.71E-02	2.49E-10	1.0E+06	2.5E-04
572	572	0.27613	2.30E-06	6.4E-07	6.05E-04	3.85E-10	14	4.71E-02	2.54E-10	1.0E+06	2.5E-04
573	573	0.28123	2.30E-06	6.5E-07	6.05E-04	3.92E-10	14	4.71E-02	2.59E-10	1.0E+06	2.6E-04
574	574	0.28789	2.30E-06	6.6E-07	6.05E-04	4.02E-10	14	4.71E-02	2.65E-10	1.0E+06	2.6E-04
575	575	0.28894	2.30E-06	6.7E-07	6.05E-04	4.03E-10	14	4.71E-02	2.66E-10	1.0E+06	2.7E-04
576	576	0.28815	2.30E-06	6.6E-07	6.05E-04	4.02E-10	14	4.71E-02	2.65E-10	1.0E+06	2.7E-04
577	577	0.28541	2.30E-06	6.6E-07	6.05E-04	3.98E-10	14	4.71E-02	2.63E-10	1.0E+06	2.6E-04
578	578	0.28072	2.30E-06	6.5E-07	6.05E-04	3.92E-10	14	4.71E-02	2.58E-10	1.0E+06	2.6E-04
586	586	0.22962	2.30E-06	5.3E-07	6.05E-04	3.20E-10	14	4.71E-02	2.11E-10	1.0E+06	2.1E-04
587	587	0.23607	2.30E-06	5.4E-07	6.05E-04	3.29E-10	14	4.71E-02	2.17E-10	1.0E+06	2.2E-04
588	588	0.24236	2.30E-06	5.6E-07	6.05E-04	3.38E-10	14	4.71E-02	2.23E-10	1.0E+06	2.2E-04
589	589	0.24843	2.30E-06	5.7E-07	6.05E-04	3.46E-10	14	4.71E-02	2.29E-10	1.0E+06	2.3E-04
590	590	0.25417	2.30E-06	5.9E-07	6.05E-04	3.54E-10	14	4.71E-02	2.34E-10	1.0E+06	2.3E-04
591	591	0.25944	2.30E-06	6.0E-07	6.05E-04	3.62E-10	14	4.71E-02	2.39E-10	1.0E+06	2.4E-04
592	592	0.26402	2.30E-06	6.1E-07	6.05E-04	3.68E-10	14	4.71E-02	2.43E-10	1.0E+06	2.4E-04

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	0.27015	2.30E-06	6.2E-07	6.05E-04	3.77E-10	14	4.71E-02	2.49E-10	1.0E+06	2.5E-04
594	594	0.27126	2.30E-06	6.3E-07	6.05E-04	3.78E-10	14	4.71E-02	2.50E-10	1.0E+06	2.5E-04
595	595	0.27074	2.30E-06	6.2E-07	6.05E-04	3.78E-10	14	4.71E-02	2.49E-10	1.0E+06	2.5E-04
596	596	0.26852	2.30E-06	6.2E-07	6.05E-04	3.74E-10	14	4.71E-02	2.47E-10	1.0E+06	2.5E-04
597	597	0.2646	2.30E-06	6.1E-07	6.05E-04	3.69E-10	14	4.71E-02	2.44E-10	1.0E+06	2.4E-04
345	345	0.8613	2.30E-06	2.0E-06	6.05E-04	1.20E-09	14	4.71E-02	7.93E-10	1.0E+06	7.9E-04
346	346	0.9232	2.30E-06	2.1E-06	6.05E-04	1.29E-09	14	4.71E-02	8.50E-10	1.0E+06	8.5E-04
347	347	0.97954	2.30E-06	2.3E-06	6.05E-04	1.37E-09	14	4.71E-02	9.02E-10	1.0E+06	9.0E-04
348	348	1.0243	2.30E-06	2.4E-06	6.05E-04	1.43E-09	14	4.71E-02	9.43E-10	1.0E+06	9.4E-04
359	359	0.76761	2.30E-06	1.8E-06	6.05E-04	1.07E-09	14	4.71E-02	7.07E-10	1.0E+06	7.1E-04
360	360	0.81705	2.30E-06	1.9E-06	6.05E-04	1.14E-09	14	4.71E-02	7.52E-10	1.0E+06	7.5E-04
361	361	0.86183	2.30E-06	2.0E-06	6.05E-04	1.20E-09	14	4.71E-02	7.93E-10	1.0E+06	7.9E-04
362	362	0.89742	2.30E-06	2.1E-06	6.05E-04	1.25E-09	14	4.71E-02	8.26E-10	1.0E+06	8.3E-04
363	363	0.91946	2.30E-06	2.1E-06	6.05E-04	1.28E-09	14	4.71E-02	8.46E-10	1.0E+06	8.5E-04
373	373	0.72861	2.30E-06	1.7E-06	6.05E-04	1.02E-09	14	4.71E-02	6.71E-10	1.0E+06	6.7E-04
374	374	0.76469	2.30E-06	1.8E-06	6.05E-04	1.07E-09	14	4.71E-02	7.04E-10	1.0E+06	7.0E-04
375	375	0.79357	2.30E-06	1.8E-06	6.05E-04	1.11E-09	14	4.71E-02	7.30E-10	1.0E+06	7.3E-04
376	376	0.81199	2.30E-06	1.9E-06	6.05E-04	1.13E-09	14	4.71E-02	7.47E-10	1.0E+06	7.5E-04
386	386	0.65414	2.30E-06	1.5E-06	6.05E-04	9.12E-10	14	4.71E-02	6.02E-10	1.0E+06	6.0E-04
387	387	0.68367	2.30E-06	1.6E-06	6.05E-04	9.53E-10	14	4.71E-02	6.29E-10	1.0E+06	6.3E-04
388	388	0.70746	2.30E-06	1.6E-06	6.05E-04	9.87E-10	14	4.71E-02	6.51E-10	1.0E+06	6.5E-04
389	389	0.72307	2.30E-06	1.7E-06	6.05E-04	1.01E-09	14	4.71E-02	6.66E-10	1.0E+06	6.7E-04
390	390	0.72792	2.30E-06	1.7E-06	6.05E-04	1.02E-09	14	4.71E-02	6.70E-10	1.0E+06	6.7E-04
400	400	0.59086	2.30E-06	1.4E-06	6.05E-04	8.24E-10	14	4.71E-02	5.44E-10	1.0E+06	5.4E-04
401	401	0.61524	2.30E-06	1.4E-06	6.05E-04	8.58E-10	14	4.71E-02	5.66E-10	1.0E+06	5.7E-04
402	402	0.63522	2.30E-06	1.5E-06	6.05E-04	8.86E-10	14	4.71E-02	5.85E-10	1.0E+06	5.8E-04
403	403	0.64848	2.30E-06	1.5E-06	6.05E-04	9.04E-10	14	4.71E-02	5.97E-10	1.0E+06	6.0E-04
404	404	0.65323	2.30E-06	1.5E-06	6.05E-04	9.11E-10	14	4.71E-02	6.01E-10	1.0E+06	6.0E-04
415	415	0.53664	2.30E-06	1.2E-06	6.05E-04	7.48E-10	14	4.71E-02	4.94E-10	1.0E+06	4.9E-04
416	416	0.55712	2.30E-06	1.3E-06	6.05E-04	7.77E-10	14	4.71E-02	5.13E-10	1.0E+06	5.1E-04
417	417	0.57386	2.30E-06	1.3E-06	6.05E-04	8.00E-10	14	4.71E-02	5.28E-10	1.0E+06	5.3E-04

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	0.58549	2.30E-06	1.3E-06	6.05E-04	8.17E-10	14	4.71E-02	5.39E-10	1.0E+06	5.4E-04
419	419	0.59019	2.30E-06	1.4E-06	6.05E-04	8.23E-10	14	4.71E-02	5.43E-10	1.0E+06	5.4E-04
420	420	0.58645	2.30E-06	1.4E-06	6.05E-04	8.18E-10	14	4.71E-02	5.40E-10	1.0E+06	5.4E-04
430	430	0.50711	2.30E-06	1.2E-06	6.05E-04	7.07E-10	14	4.71E-02	4.67E-10	1.0E+06	4.7E-04
431	431	0.52147	2.30E-06	1.2E-06	6.05E-04	7.27E-10	14	4.71E-02	4.80E-10	1.0E+06	4.8E-04
432	432	0.53152	2.30E-06	1.2E-06	6.05E-04	7.41E-10	14	4.71E-02	4.89E-10	1.0E+06	4.9E-04
433	433	0.53601	2.30E-06	1.2E-06	6.05E-04	7.48E-10	14	4.71E-02	4.93E-10	1.0E+06	4.9E-04
434	434	0.53394	2.30E-06	1.2E-06	6.05E-04	7.45E-10	14	4.71E-02	4.91E-10	1.0E+06	4.9E-04
444	444	0.46389	2.30E-06	1.1E-06	6.05E-04	6.47E-10	14	4.71E-02	4.27E-10	1.0E+06	4.3E-04
445	445	0.47618	2.30E-06	1.1E-06	6.05E-04	6.64E-10	14	4.71E-02	4.38E-10	1.0E+06	4.4E-04
446	446	0.48498	2.30E-06	1.1E-06	6.05E-04	6.76E-10	14	4.71E-02	4.46E-10	1.0E+06	4.5E-04
447	447	0.48925	2.30E-06	1.1E-06	6.05E-04	6.82E-10	14	4.71E-02	4.50E-10	1.0E+06	4.5E-04
448	448	0.48815	2.30E-06	1.1E-06	6.05E-04	6.81E-10	14	4.71E-02	4.49E-10	1.0E+06	4.5E-04
459	459	0.43684	2.30E-06	1.0E-06	6.05E-04	6.09E-10	14	4.71E-02	4.02E-10	1.0E+06	4.0E-04
460	460	0.44459	2.30E-06	1.0E-06	6.05E-04	6.20E-10	14	4.71E-02	4.09E-10	1.0E+06	4.1E-04
461	461	0.4486	2.30E-06	1.0E-06	6.05E-04	6.26E-10	14	4.71E-02	4.13E-10	1.0E+06	4.1E-04
462	462	0.44818	2.30E-06	1.0E-06	6.05E-04	6.25E-10	14	4.71E-02	4.13E-10	1.0E+06	4.1E-04
463	463	0.44289	2.30E-06	1.0E-06	6.05E-04	6.18E-10	14	4.71E-02	4.08E-10	1.0E+06	4.1E-04
474	474	0.40243	2.30E-06	9.3E-07	6.05E-04	5.61E-10	14	4.71E-02	3.70E-10	1.0E+06	3.7E-04
475	475	0.40928	2.30E-06	9.4E-07	6.05E-04	5.71E-10	14	4.71E-02	3.77E-10	1.0E+06	3.8E-04
476	476	0.41306	2.30E-06	9.5E-07	6.05E-04	5.76E-10	14	4.71E-02	3.80E-10	1.0E+06	3.8E-04
477	477	0.41311	2.30E-06	9.5E-07	6.05E-04	5.76E-10	14	4.71E-02	3.80E-10	1.0E+06	3.8E-04
478	478	0.40911	2.30E-06	9.4E-07	6.05E-04	5.71E-10	14	4.71E-02	3.77E-10	1.0E+06	3.8E-04
495	495	0.37217	2.30E-06	8.6E-07	6.05E-04	5.19E-10	14	4.71E-02	3.43E-10	1.0E+06	3.4E-04
496	496	0.37827	2.30E-06	8.7E-07	6.05E-04	5.28E-10	14	4.71E-02	3.48E-10	1.0E+06	3.5E-04
497	497	0.38179	2.30E-06	8.8E-07	6.05E-04	5.32E-10	14	4.71E-02	3.51E-10	1.0E+06	3.5E-04
498	498	0.3822	2.30E-06	8.8E-07	6.05E-04	5.33E-10	14	4.71E-02	3.52E-10	1.0E+06	3.5E-04
499	499	0.37919	2.30E-06	8.7E-07	6.05E-04	5.29E-10	14	4.71E-02	3.49E-10	1.0E+06	3.5E-04
500	500	0.37268	2.30E-06	8.6E-07	6.05E-04	5.20E-10	14	4.71E-02	3.43E-10	1.0E+06	3.4E-04

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	5.86389	2.30E-06	1.4E-05	6.05E-04	8.18E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
140	140	10.10944	2.30E-06	2.3E-05	6.05E-04	1.41E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
156	156	5.15834	2.30E-06	1.2E-05	6.05E-04	7.19E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
157	157	8.03778	2.30E-06	1.9E-05	6.05E-04	1.12E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
158	158	13.96484	2.30E-06	3.2E-05	6.05E-04	1.95E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
159	159	25.03145	2.30E-06	5.8E-05	6.05E-04	3.49E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
160	160	42.67091	2.30E-06	9.8E-05	6.05E-04	5.95E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
161	161	30.07988	2.30E-06	6.9E-05	6.05E-04	4.20E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
162	162	12.18915	2.30E-06	2.8E-05	6.05E-04	1.70E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
163	163	6.93069	2.30E-06	1.6E-05	6.05E-04	9.67E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
167	167	6.19083	2.30E-06	1.4E-05	6.05E-04	8.63E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
168	168	9.54718	2.30E-06	2.2E-05	6.05E-04	1.33E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
169	169	14.53139	2.30E-06	3.3E-05	6.05E-04	2.03E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
170	170	21.17115	2.30E-06	4.9E-05	6.05E-04	2.95E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
171	171	27.24809	2.30E-06	6.3E-05	6.05E-04	3.80E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
172	172	17.82209	2.30E-06	4.1E-05	6.05E-04	2.49E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
173	173	9.14328	2.30E-06	2.1E-05	6.05E-04	1.28E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
174	174	5.54273	2.30E-06	1.3E-05	6.05E-04	7.73E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
175	175	3.8113	2.30E-06	8.8E-06	6.05E-04	5.32E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
176	176	2.8171	2.30E-06	6.5E-06	6.05E-04	3.93E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
177	177	2.18109	2.30E-06	5.0E-06	6.05E-04	3.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
181	181	6.77211	2.30E-06	1.6E-05	6.05E-04	9.44E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
182	182	9.30007	2.30E-06	2.1E-05	6.05E-04	1.30E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
183	183	12.09527	2.30E-06	2.8E-05	6.05E-04	1.69E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
184	184	13.53319	2.30E-06	3.1E-05	6.05E-04	1.89E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
185	185	10.96411	2.30E-06	2.5E-05	6.05E-04	1.53E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
186	186	7.08011	2.30E-06	1.6E-05	6.05E-04	9.87E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
187	187	4.60996	2.30E-06	1.1E-05	6.05E-04	6.43E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
188	188	3.26405	2.30E-06	7.5E-06	6.05E-04	4.55E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
189	189	2.46467	2.30E-06	5.7E-06	6.05E-04	3.44E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
190	190	1.94202	2.30E-06	4.5E-06	6.05E-04	2.71E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	1.57659	2.30E-06	3.6E-06	6.05E-04	2.20E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
195	195	4.9947	2.30E-06	1.2E-05	6.05E-04	6.97E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
196	196	6.39645	2.30E-06	1.5E-05	6.05E-04	8.92E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
197	197	7.75155	2.30E-06	1.8E-05	6.05E-04	1.08E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
198	198	8.30643	2.30E-06	1.9E-05	6.05E-04	1.16E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
199	199	7.32369	2.30E-06	1.7E-05	6.05E-04	1.02E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
200	200	5.45985	2.30E-06	1.3E-05	6.05E-04	7.61E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
201	201	3.8709	2.30E-06	8.9E-06	6.05E-04	5.40E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
202	202	2.83419	2.30E-06	6.5E-06	6.05E-04	3.95E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
203	203	2.17855	2.30E-06	5.0E-06	6.05E-04	3.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
204	204	1.74068	2.30E-06	4.0E-06	6.05E-04	2.43E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
205	205	1.43074	2.30E-06	3.3E-06	6.05E-04	2.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
206	206	1.2011	2.30E-06	2.8E-06	6.05E-04	1.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
210	210	3.04152	2.30E-06	7.0E-06	6.05E-04	4.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
211	211	3.81391	2.30E-06	8.8E-06	6.05E-04	5.32E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
212	212	4.64776	2.30E-06	1.1E-05	6.05E-04	6.48E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
213	213	5.38705	2.30E-06	1.2E-05	6.05E-04	7.51E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
214	214	5.2285	2.30E-06	1.2E-05	6.05E-04	7.29E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
215	215	4.25402	2.30E-06	9.8E-06	6.05E-04	5.93E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
216	216	3.24533	2.30E-06	7.5E-06	6.05E-04	4.53E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
217	217	2.4724	2.30E-06	5.7E-06	6.05E-04	3.45E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
218	218	1.93837	2.30E-06	4.5E-06	6.05E-04	2.70E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
219	219	1.56873	2.30E-06	3.6E-06	6.05E-04	2.19E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
220	220	1.30291	2.30E-06	3.0E-06	6.05E-04	1.82E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
221	221	1.10352	2.30E-06	2.5E-06	6.05E-04	1.54E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
222	222	0.94962	2.30E-06	2.2E-06	6.05E-04	1.32E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
226	226	2.49324	2.30E-06	5.7E-06	6.05E-04	3.48E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
227	227	2.99779	2.30E-06	6.9E-06	6.05E-04	4.18E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
228	228	3.52414	2.30E-06	8.1E-06	6.05E-04	4.91E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
229	229	3.96501	2.30E-06	9.1E-06	6.05E-04	5.53E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
230	230	4.14033	2.30E-06	9.5E-06	6.05E-04	5.77E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	3.92093	2.30E-06	9.0E-06	6.05E-04	5.47E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
232	232	3.37363	2.30E-06	7.8E-06	6.05E-04	4.71E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
233	233	2.1602	2.30E-06	5.0E-06	6.05E-04	3.01E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
234	234	1.73158	2.30E-06	4.0E-06	6.05E-04	2.41E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
235	235	1.42007	2.30E-06	3.3E-06	6.05E-04	1.98E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
236	236	1.19065	2.30E-06	2.7E-06	6.05E-04	1.66E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
237	237	1.01671	2.30E-06	2.3E-06	6.05E-04	1.42E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
238	238	0.88082	2.30E-06	2.0E-06	6.05E-04	1.23E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
242	242	2.06769	2.30E-06	4.8E-06	6.05E-04	2.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
243	243	2.41334	2.30E-06	5.6E-06	6.05E-04	3.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
244	244	2.7599	2.30E-06	6.4E-06	6.05E-04	3.85E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
245	245	3.04318	2.30E-06	7.0E-06	6.05E-04	4.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
246	246	3.16299	2.30E-06	7.3E-06	6.05E-04	4.41E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
247	247	3.04962	2.30E-06	7.0E-06	6.05E-04	4.25E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
248	248	2.72571	2.30E-06	6.3E-06	6.05E-04	3.80E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
249	249	1.88913	2.30E-06	4.4E-06	6.05E-04	2.63E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
250	250	1.54948	2.30E-06	3.6E-06	6.05E-04	2.16E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
251	251	1.28875	2.30E-06	3.0E-06	6.05E-04	1.80E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
252	252	1.09112	2.30E-06	2.5E-06	6.05E-04	1.52E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
253	253	0.9387	2.30E-06	2.2E-06	6.05E-04	1.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
254	254	0.81851	2.30E-06	1.9E-06	6.05E-04	1.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
257	257	1.73865	2.30E-06	4.0E-06	6.05E-04	2.42E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
258	258	1.98377	2.30E-06	4.6E-06	6.05E-04	2.77E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
259	259	2.22397	2.30E-06	5.1E-06	6.05E-04	3.10E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
260	260	2.41171	2.30E-06	5.6E-06	6.05E-04	3.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
261	261	2.50031	2.30E-06	5.8E-06	6.05E-04	3.49E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
262	262	2.44053	2.30E-06	5.6E-06	6.05E-04	3.40E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
263	263	2.24072	2.30E-06	5.2E-06	6.05E-04	3.13E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
264	264	1.65626	2.30E-06	3.8E-06	6.05E-04	2.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
265	265	1.38948	2.30E-06	3.2E-06	6.05E-04	1.94E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
266	266	1.17262	2.30E-06	2.7E-06	6.05E-04	1.64E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	1.00221	2.30E-06	2.3E-06	6.05E-04	1.40E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
268	268	0.86831	2.30E-06	2.0E-06	6.05E-04	1.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
269	269	0.76169	2.30E-06	1.8E-06	6.05E-04	1.06E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
270	270	0.54329	2.30E-06	1.3E-06	6.05E-04	7.58E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
271	271	0.49214	2.30E-06	1.1E-06	6.05E-04	6.86E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
274	274	1.48055	2.30E-06	3.4E-06	6.05E-04	2.06E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
275	275	1.65855	2.30E-06	3.8E-06	6.05E-04	2.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
276	276	1.83019	2.30E-06	4.2E-06	6.05E-04	2.55E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
277	277	1.96318	2.30E-06	4.5E-06	6.05E-04	2.74E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
278	278	2.0288	2.30E-06	4.7E-06	6.05E-04	2.83E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
279	279	1.99797	2.30E-06	4.6E-06	6.05E-04	2.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
280	280	1.87011	2.30E-06	4.3E-06	6.05E-04	2.61E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
281	281	1.45565	2.30E-06	3.4E-06	6.05E-04	2.03E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
282	282	1.24686	2.30E-06	2.9E-06	6.05E-04	1.74E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
283	283	1.06783	2.30E-06	2.5E-06	6.05E-04	1.49E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
284	284	0.92199	2.30E-06	2.1E-06	6.05E-04	1.29E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
285	285	0.80481	2.30E-06	1.9E-06	6.05E-04	1.12E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
286	286	0.70995	2.30E-06	1.6E-06	6.05E-04	9.90E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
287	287	0.51321	2.30E-06	1.2E-06	6.05E-04	7.16E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
288	288	0.46668	2.30E-06	1.1E-06	6.05E-04	6.51E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
291	291	1.27493	2.30E-06	2.9E-06	6.05E-04	1.78E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
292	292	1.40769	2.30E-06	3.2E-06	6.05E-04	1.96E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
293	293	1.53303	2.30E-06	3.5E-06	6.05E-04	2.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
294	294	1.63104	2.30E-06	3.8E-06	6.05E-04	2.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
295	295	1.68064	2.30E-06	3.9E-06	6.05E-04	2.34E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
296	296	1.66598	2.30E-06	3.8E-06	6.05E-04	2.32E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
297	297	1.58338	2.30E-06	3.6E-06	6.05E-04	2.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
298	298	1.28457	2.30E-06	3.0E-06	6.05E-04	1.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
299	299	1.12159	2.30E-06	2.6E-06	6.05E-04	1.56E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
300	300	0.97433	2.30E-06	2.2E-06	6.05E-04	1.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
301	301	0.85001	2.30E-06	2.0E-06	6.05E-04	1.19E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
302	302	0.74728	2.30E-06	1.7E-06	6.05E-04	1.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
303	303	0.66279	2.30E-06	1.5E-06	6.05E-04	9.24E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
304	304	0.48525	2.30E-06	1.1E-06	6.05E-04	6.77E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
305	305	0.44279	2.30E-06	1.0E-06	6.05E-04	6.18E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
308	308	1.10903	2.30E-06	2.6E-06	6.05E-04	1.55E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
309	309	1.21035	2.30E-06	2.8E-06	6.05E-04	1.69E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
310	310	1.30411	2.30E-06	3.0E-06	6.05E-04	1.82E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
311	311	1.37789	2.30E-06	3.2E-06	6.05E-04	1.92E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
312	312	1.41792	2.30E-06	3.3E-06	6.05E-04	1.98E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
313	313	1.4118	2.30E-06	3.3E-06	6.05E-04	1.97E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
314	314	1.3567	2.30E-06	3.1E-06	6.05E-04	1.89E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
315	315	1.13886	2.30E-06	2.6E-06	6.05E-04	1.59E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
316	316	1.01142	2.30E-06	2.3E-06	6.05E-04	1.41E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
317	317	0.89052	2.30E-06	2.1E-06	6.05E-04	1.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
318	318	0.78482	2.30E-06	1.8E-06	6.05E-04	1.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
319	319	0.69496	2.30E-06	1.6E-06	6.05E-04	9.69E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
320	320	0.6198	2.30E-06	1.4E-06	6.05E-04	8.64E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
321	321	0.45912	2.30E-06	1.1E-06	6.05E-04	6.40E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
322	322	0.42033	2.30E-06	9.7E-07	6.05E-04	5.86E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
325	325	0.97338	2.30E-06	2.2E-06	6.05E-04	1.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
326	326	1.05199	2.30E-06	2.4E-06	6.05E-04	1.47E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
327	327	1.12399	2.30E-06	2.6E-06	6.05E-04	1.57E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
328	328	1.18101	2.30E-06	2.7E-06	6.05E-04	1.65E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
329	329	1.21278	2.30E-06	2.8E-06	6.05E-04	1.69E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
330	330	1.21223	2.30E-06	2.8E-06	6.05E-04	1.69E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
331	331	1.17504	2.30E-06	2.7E-06	6.05E-04	1.64E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
332	332	1.10561	2.30E-06	2.5E-06	6.05E-04	1.54E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
333	333	1.01436	2.30E-06	2.3E-06	6.05E-04	1.41E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
334	334	0.91394	2.30E-06	2.1E-06	6.05E-04	1.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
335	335	0.81533	2.30E-06	1.9E-06	6.05E-04	1.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
336	336	0.72548	2.30E-06	1.7E-06	6.05E-04	1.01E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	0.64714	2.30E-06	1.5E-06	6.05E-04	9.03E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
338	338	0.58022	2.30E-06	1.3E-06	6.05E-04	8.09E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
339	339	0.47575	2.30E-06	1.1E-06	6.05E-04	6.64E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
340	340	0.43476	2.30E-06	1.0E-06	6.05E-04	6.06E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
341	341	0.39924	2.30E-06	9.2E-07	6.05E-04	5.57E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
349	349	1.05056	2.30E-06	2.4E-06	6.05E-04	1.47E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
350	350	1.05257	2.30E-06	2.4E-06	6.05E-04	1.47E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
351	351	1.0271	2.30E-06	2.4E-06	6.05E-04	1.43E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
352	352	0.97669	2.30E-06	2.3E-06	6.05E-04	1.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
353	353	0.44956	2.30E-06	1.0E-06	6.05E-04	6.27E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
354	354	0.4121	2.30E-06	9.5E-07	6.05E-04	5.75E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
355	355	0.37951	2.30E-06	8.7E-07	6.05E-04	5.29E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
364	364	0.92307	2.30E-06	2.1E-06	6.05E-04	1.29E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
365	365	0.90585	2.30E-06	2.1E-06	6.05E-04	1.26E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
366	366	0.86859	2.30E-06	2.0E-06	6.05E-04	1.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
367	367	0.42536	2.30E-06	9.8E-07	6.05E-04	5.93E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
368	368	0.391	2.30E-06	9.0E-07	6.05E-04	5.45E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
369	369	0.36105	2.30E-06	8.3E-07	6.05E-04	5.04E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
377	377	0.81654	2.30E-06	1.9E-06	6.05E-04	1.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
378	378	0.80482	2.30E-06	1.9E-06	6.05E-04	1.12E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
379	379	0.77708	2.30E-06	1.8E-06	6.05E-04	1.08E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
380	380	0.40277	2.30E-06	9.3E-07	6.05E-04	5.62E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
381	381	0.37116	2.30E-06	8.6E-07	6.05E-04	5.18E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
382	382	0.34372	2.30E-06	7.9E-07	6.05E-04	4.79E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
391	391	0.71996	2.30E-06	1.7E-06	6.05E-04	1.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
392	392	0.699	2.30E-06	1.6E-06	6.05E-04	9.75E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
393	393	0.38179	2.30E-06	8.8E-07	6.05E-04	5.32E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
394	394	0.35291	2.30E-06	8.1E-07	6.05E-04	4.92E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
395	395	0.32761	2.30E-06	7.6E-07	6.05E-04	4.57E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
405	405	0.64809	2.30E-06	1.5E-06	6.05E-04	9.04E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
406	406	0.63243	2.30E-06	1.5E-06	6.05E-04	8.82E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	0.60742	2.30E-06	1.4E-06	6.05E-04	8.47E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
408	408	0.36237	2.30E-06	8.4E-07	6.05E-04	5.05E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
409	409	0.33584	2.30E-06	7.7E-07	6.05E-04	4.68E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
410	410	0.31258	2.30E-06	7.2E-07	6.05E-04	4.36E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
421	421	0.57483	2.30E-06	1.3E-06	6.05E-04	8.02E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
422	422	0.55506	2.30E-06	1.3E-06	6.05E-04	7.74E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
423	423	0.3442	2.30E-06	7.9E-07	6.05E-04	4.80E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
424	424	0.31994	2.30E-06	7.4E-07	6.05E-04	4.46E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
425	425	0.29846	2.30E-06	6.9E-07	6.05E-04	4.16E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
435	435	0.52475	2.30E-06	1.2E-06	6.05E-04	7.32E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
436	436	0.50921	2.30E-06	1.2E-06	6.05E-04	7.10E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
437	437	0.30509	2.30E-06	7.0E-07	6.05E-04	4.25E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
438	438	0.28514	2.30E-06	6.6E-07	6.05E-04	3.98E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
449	449	0.48106	2.30E-06	1.1E-06	6.05E-04	6.71E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
450	450	0.46879	2.30E-06	1.1E-06	6.05E-04	6.54E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
451	451	0.45133	2.30E-06	1.0E-06	6.05E-04	6.29E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
452	452	0.2911	2.30E-06	6.7E-07	6.05E-04	4.06E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
453	453	0.27267	2.30E-06	6.3E-07	6.05E-04	3.80E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
464	464	0.43292	2.30E-06	1.0E-06	6.05E-04	6.04E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
465	465	0.41863	2.30E-06	9.6E-07	6.05E-04	5.84E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
466	466	0.31655	2.30E-06	7.3E-07	6.05E-04	4.41E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
467	467	0.278	2.30E-06	6.4E-07	6.05E-04	3.88E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
468	468	0.26099	2.30E-06	6.0E-07	6.05E-04	3.64E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
479	479	0.40072	2.30E-06	9.2E-07	6.05E-04	5.59E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
480	480	0.38927	2.30E-06	9.0E-07	6.05E-04	5.43E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
481	481	0.37434	2.30E-06	8.6E-07	6.05E-04	5.22E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
482	482	0.35721	2.30E-06	8.2E-07	6.05E-04	4.98E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
483	483	0.33854	2.30E-06	7.8E-07	6.05E-04	4.72E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
484	484	0.31952	2.30E-06	7.4E-07	6.05E-04	4.46E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
485	485	0.30068	2.30E-06	6.9E-07	6.05E-04	4.19E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
486	486	0.28267	2.30E-06	6.5E-07	6.05E-04	3.94E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	487	0.26572	2.30E-06	6.1E-07	6.05E-04	3.71E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
488	488	0.25	2.30E-06	5.8E-07	6.05E-04	3.49E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
501	501	0.36256	2.30E-06	8.4E-07	6.05E-04	5.06E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
502	502	0.35041	2.30E-06	8.1E-07	6.05E-04	4.89E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
503	503	0.33573	2.30E-06	7.7E-07	6.05E-04	4.68E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
504	504	0.31956	2.30E-06	7.4E-07	6.05E-04	4.46E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
505	505	0.30273	2.30E-06	7.0E-07	6.05E-04	4.22E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
506	506	0.2859	2.30E-06	6.6E-07	6.05E-04	3.99E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
507	507	0.26962	2.30E-06	6.2E-07	6.05E-04	3.76E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
508	508	0.23965	2.30E-06	5.5E-07	6.05E-04	3.34E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
520	520	0.33905	2.30E-06	7.8E-07	6.05E-04	4.73E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
521	521	0.32811	2.30E-06	7.6E-07	6.05E-04	4.58E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
522	522	0.31601	2.30E-06	7.3E-07	6.05E-04	4.41E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
523	523	0.30196	2.30E-06	7.0E-07	6.05E-04	4.21E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
524	524	0.28711	2.30E-06	6.6E-07	6.05E-04	4.00E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
525	525	0.27207	2.30E-06	6.3E-07	6.05E-04	3.79E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
526	526	0.25735	2.30E-06	5.9E-07	6.05E-04	3.59E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
527	527	0.22988	2.30E-06	5.3E-07	6.05E-04	3.21E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
539	539	0.31775	2.30E-06	7.3E-07	6.05E-04	4.43E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
540	540	0.30871	2.30E-06	7.1E-07	6.05E-04	4.31E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
541	541	0.29769	2.30E-06	6.9E-07	6.05E-04	4.15E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
542	542	0.28544	2.30E-06	6.6E-07	6.05E-04	3.98E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
543	543	0.27257	2.30E-06	6.3E-07	6.05E-04	3.80E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
544	544	0.25912	2.30E-06	6.0E-07	6.05E-04	3.61E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
545	545	0.24565	2.30E-06	5.7E-07	6.05E-04	3.43E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
546	546	0.22064	2.30E-06	5.1E-07	6.05E-04	3.08E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
560	560	0.29069	2.30E-06	6.7E-07	6.05E-04	4.05E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
561	561	0.28134	2.30E-06	6.5E-07	6.05E-04	3.92E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
562	562	0.27058	2.30E-06	6.2E-07	6.05E-04	3.77E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
563	563	0.25856	2.30E-06	6.0E-07	6.05E-04	3.61E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
564	564	0.24685	2.30E-06	5.7E-07	6.05E-04	3.44E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.23503	2.30E-06	5.4E-07	6.05E-04	3.28E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
566	566	0.21199	2.30E-06	4.9E-07	6.05E-04	2.96E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
579	579	0.27418	2.30E-06	6.3E-07	6.05E-04	3.82E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
580	580	0.2661	2.30E-06	6.1E-07	6.05E-04	3.71E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
581	581	0.25677	2.30E-06	5.9E-07	6.05E-04	3.58E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
582	582	0.2465	2.30E-06	5.7E-07	6.05E-04	3.44E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
583	583	0.2357	2.30E-06	5.4E-07	6.05E-04	3.29E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
584	584	0.22475	2.30E-06	5.2E-07	6.05E-04	3.13E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
585	585	0.20697	2.30E-06	4.8E-07	6.05E-04	2.89E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
598	598	0.25906	2.30E-06	6.0E-07	6.05E-04	3.61E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
599	599	0.25204	2.30E-06	5.8E-07	6.05E-04	3.52E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
600	600	0.24385	2.30E-06	5.6E-07	6.05E-04	3.40E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
601	601	0.23479	2.30E-06	5.4E-07	6.05E-04	3.27E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
602	602	0.22516	2.30E-06	5.2E-07	6.05E-04	3.14E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
603	603	0.21533	2.30E-06	5.0E-07	6.05E-04	3.00E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
604	604	0.20549	2.30E-06	4.7E-07	6.05E-04	2.87E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
0	0	0	2.30E-06	0.0E+00	6.05E-04	0.00E+00	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
1	1	0.37518	2.30E-06	8.6E-07	2.50E-04	2.16E-10	14	1.15E-02	3.48E-11	1.0E+06	3.5E-05
2	2	0.41084	2.30E-06	9.5E-07	2.50E-04	2.37E-10	14	1.15E-02	3.81E-11	1.0E+06	3.8E-05
3	3	0.45174	2.30E-06	1.0E-06	2.50E-04	2.61E-10	14	1.15E-02	4.19E-11	1.0E+06	4.2E-05
4	4	0.49941	2.30E-06	1.2E-06	2.50E-04	2.88E-10	14	1.15E-02	4.63E-11	1.0E+06	4.6E-05
5	5	0.55548	2.30E-06	1.3E-06	2.50E-04	3.20E-10	14	1.15E-02	5.15E-11	1.0E+06	5.1E-05
6	6	0.62301	2.30E-06	1.4E-06	2.50E-04	3.59E-10	14	1.15E-02	5.77E-11	1.0E+06	5.8E-05
7	7	0.70387	2.30E-06	1.6E-06	2.50E-04	4.06E-10	14	1.15E-02	6.52E-11	1.0E+06	6.5E-05
8	8	0.80118	2.30E-06	1.8E-06	2.50E-04	4.62E-10	14	1.15E-02	7.42E-11	1.0E+06	7.4E-05
9	9	0.92042	2.30E-06	2.1E-06	2.50E-04	5.31E-10	14	1.15E-02	8.53E-11	1.0E+06	8.5E-05
10	10	1.06788	2.30E-06	2.5E-06	2.50E-04	6.16E-10	14	1.15E-02	9.89E-11	1.0E+06	9.9E-05
11	11	1.25169	2.30E-06	2.9E-06	2.50E-04	7.22E-10	14	1.15E-02	1.16E-10	1.0E+06	1.2E-04
12	12	1.48235	2.30E-06	3.4E-06	2.50E-04	8.55E-10	14	1.15E-02	1.37E-10	1.0E+06	1.4E-04
13	13	1.77614	2.30E-06	4.1E-06	2.50E-04	1.02E-09	14	1.15E-02	1.65E-10	1.0E+06	1.6E-04
14	14	2.14385	2.30E-06	4.9E-06	2.50E-04	1.24E-09	14	1.15E-02	1.99E-10	1.0E+06	2.0E-04
15	15	2.59643	2.30E-06	6.0E-06	2.50E-04	1.50E-09	14	1.15E-02	2.41E-10	1.0E+06	2.4E-04
16	16	3.11677	2.30E-06	7.2E-06	2.50E-04	1.80E-09	14	1.15E-02	2.89E-10	1.0E+06	2.9E-04
17	17	3.66451	2.30E-06	8.4E-06	2.50E-04	2.11E-09	14	1.15E-02	3.39E-10	1.0E+06	3.4E-04
18	18	4.11962	2.30E-06	9.5E-06	2.50E-04	2.38E-09	14	1.15E-02	3.82E-10	1.0E+06	3.8E-04
19	19	4.44192	2.30E-06	1.0E-05	2.50E-04	2.56E-09	14	1.15E-02	4.12E-10	1.0E+06	4.1E-04
20	20	4.67473	2.30E-06	1.1E-05	2.50E-04	2.70E-09	14	1.15E-02	4.33E-10	1.0E+06	4.3E-04
21	21	4.81034	2.30E-06	1.1E-05	2.50E-04	2.77E-09	14	1.15E-02	4.46E-10	1.0E+06	4.5E-04
22	22	4.80941	2.30E-06	1.1E-05	2.50E-04	2.77E-09	14	1.15E-02	4.46E-10	1.0E+06	4.5E-04
23	23	4.6341	2.30E-06	1.1E-05	2.50E-04	2.67E-09	14	1.15E-02	4.29E-10	1.0E+06	4.3E-04
24	24	4.29868	2.30E-06	9.9E-06	2.50E-04	2.48E-09	14	1.15E-02	3.98E-10	1.0E+06	4.0E-04
25	25	3.85732	2.30E-06	8.9E-06	2.50E-04	2.23E-09	14	1.15E-02	3.57E-10	1.0E+06	3.6E-04
26	26	3.37372	2.30E-06	7.8E-06	2.50E-04	1.95E-09	14	1.15E-02	3.13E-10	1.0E+06	3.1E-04
27	27	2.90112	2.30E-06	6.7E-06	2.50E-04	1.67E-09	14	1.15E-02	2.69E-10	1.0E+06	2.7E-04
28	28	2.47038	2.30E-06	5.7E-06	2.50E-04	1.43E-09	14	1.15E-02	2.29E-10	1.0E+06	2.3E-04
29	29	2.09645	2.30E-06	4.8E-06	2.50E-04	1.21E-09	14	1.15E-02	1.94E-10	1.0E+06	1.9E-04
30	30	1.78026	2.30E-06	4.1E-06	2.50E-04	1.03E-09	14	1.15E-02	1.65E-10	1.0E+06	1.6E-04
31	31	1.51663	2.30E-06	3.5E-06	2.50E-04	8.75E-10	14	1.15E-02	1.41E-10	1.0E+06	1.4E-04

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	1.29845	2.30E-06	3.0E-06	2.50E-04	7.49E-10	14	1.15E-02	1.20E-10	1.0E+06	1.2E-04
55	55	7.14337	2.30E-06	1.6E-05	2.50E-04	4.12E-09	14	1.15E-02	6.62E-10	1.0E+06	6.6E-04
56	56	6.40282	2.30E-06	1.5E-05	2.50E-04	3.69E-09	14	1.15E-02	5.93E-10	1.0E+06	5.9E-04
57	57	5.51782	2.30E-06	1.3E-05	2.50E-04	3.18E-09	14	1.15E-02	5.11E-10	1.0E+06	5.1E-04
58	58	4.61235	2.30E-06	1.1E-05	2.50E-04	2.66E-09	14	1.15E-02	4.27E-10	1.0E+06	4.3E-04
59	59	3.78984	2.30E-06	8.7E-06	2.50E-04	2.19E-09	14	1.15E-02	3.51E-10	1.0E+06	3.5E-04
60	60	3.09549	2.30E-06	7.1E-06	2.50E-04	1.79E-09	14	1.15E-02	2.87E-10	1.0E+06	2.9E-04
61	61	2.53459	2.30E-06	5.8E-06	2.50E-04	1.46E-09	14	1.15E-02	2.35E-10	1.0E+06	2.3E-04
62	62	2.08713	2.30E-06	4.8E-06	2.50E-04	1.20E-09	14	1.15E-02	1.93E-10	1.0E+06	1.9E-04
63	63	1.73395	2.30E-06	4.0E-06	2.50E-04	1.00E-09	14	1.15E-02	1.61E-10	1.0E+06	1.6E-04
64	64	1.45445	2.30E-06	3.4E-06	2.50E-04	8.39E-10	14	1.15E-02	1.35E-10	1.0E+06	1.3E-04
65	65	1.2322	2.30E-06	2.8E-06	2.50E-04	7.11E-10	14	1.15E-02	1.14E-10	1.0E+06	1.1E-04
66	66	1.05526	2.30E-06	2.4E-06	2.50E-04	6.09E-10	14	1.15E-02	9.78E-11	1.0E+06	9.8E-05
67	67	0.39095	2.30E-06	9.0E-07	2.50E-04	2.26E-10	14	1.15E-02	3.62E-11	1.0E+06	3.6E-05
68	68	0.43039	2.30E-06	9.9E-07	2.50E-04	2.48E-10	14	1.15E-02	3.99E-11	1.0E+06	4.0E-05
69	69	0.47645	2.30E-06	1.1E-06	2.50E-04	2.75E-10	14	1.15E-02	4.41E-11	1.0E+06	4.4E-05
70	70	0.53092	2.30E-06	1.2E-06	2.50E-04	3.06E-10	14	1.15E-02	4.92E-11	1.0E+06	4.9E-05
71	71	0.59534	2.30E-06	1.4E-06	2.50E-04	3.43E-10	14	1.15E-02	5.52E-11	1.0E+06	5.5E-05
72	72	0.6747	2.30E-06	1.6E-06	2.50E-04	3.89E-10	14	1.15E-02	6.25E-11	1.0E+06	6.3E-05
73	73	0.77174	2.30E-06	1.8E-06	2.50E-04	4.45E-10	14	1.15E-02	7.15E-11	1.0E+06	7.1E-05
74	74	0.89243	2.30E-06	2.1E-06	2.50E-04	5.15E-10	14	1.15E-02	8.27E-11	1.0E+06	8.3E-05
75	75	1.0454	2.30E-06	2.4E-06	2.50E-04	6.03E-10	14	1.15E-02	9.69E-11	1.0E+06	9.7E-05
76	76	1.24454	2.30E-06	2.9E-06	2.50E-04	7.18E-10	14	1.15E-02	1.15E-10	1.0E+06	1.2E-04
77	77	1.51078	2.30E-06	3.5E-06	2.50E-04	8.72E-10	14	1.15E-02	1.40E-10	1.0E+06	1.4E-04
78	78	1.8804	2.30E-06	4.3E-06	2.50E-04	1.08E-09	14	1.15E-02	1.74E-10	1.0E+06	1.7E-04
79	79	9.16109	2.30E-06	2.1E-05	2.50E-04	5.28E-09	14	1.15E-02	8.49E-10	1.0E+06	8.5E-04
80	80	11.98773	2.30E-06	2.8E-05	2.50E-04	6.92E-09	14	1.15E-02	1.11E-09	1.0E+06	1.1E-03
81	81	13.98856	2.30E-06	3.2E-05	2.50E-04	8.07E-09	14	1.15E-02	1.30E-09	1.0E+06	1.3E-03
82	82	14.04741	2.30E-06	3.2E-05	2.50E-04	8.10E-09	14	1.15E-02	1.30E-09	1.0E+06	1.3E-03
83	83	12.6807	2.30E-06	2.9E-05	2.50E-04	7.32E-09	14	1.15E-02	1.17E-09	1.0E+06	1.2E-03
84	84	10.66641	2.30E-06	2.5E-05	2.50E-04	6.15E-09	14	1.15E-02	9.88E-10	1.0E+06	9.9E-04

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	85	8.57595	2.30E-06	2.0E-05	2.50E-04	4.95E-09	14	1.15E-02	7.95E-10	1.0E+06	7.9E-04
86	86	6.68165	2.30E-06	1.5E-05	2.50E-04	3.85E-09	14	1.15E-02	6.19E-10	1.0E+06	6.2E-04
87	87	5.14036	2.30E-06	1.2E-05	2.50E-04	2.97E-09	14	1.15E-02	4.76E-10	1.0E+06	4.8E-04
88	88	3.96799	2.30E-06	9.1E-06	2.50E-04	2.29E-09	14	1.15E-02	3.68E-10	1.0E+06	3.7E-04
89	89	3.09724	2.30E-06	7.1E-06	2.50E-04	1.79E-09	14	1.15E-02	2.87E-10	1.0E+06	2.9E-04
90	90	2.45633	2.30E-06	5.7E-06	2.50E-04	1.42E-09	14	1.15E-02	2.28E-10	1.0E+06	2.3E-04
91	91	1.98264	2.30E-06	4.6E-06	2.50E-04	1.14E-09	14	1.15E-02	1.84E-10	1.0E+06	1.8E-04
92	92	1.62531	2.30E-06	3.7E-06	2.50E-04	9.38E-10	14	1.15E-02	1.51E-10	1.0E+06	1.5E-04
93	93	1.3541	2.30E-06	3.1E-06	2.50E-04	7.81E-10	14	1.15E-02	1.25E-10	1.0E+06	1.3E-04
96	96	7.53608	2.30E-06	1.7E-05	2.50E-04	4.35E-09	14	1.15E-02	6.98E-10	1.0E+06	7.0E-04
97	97	5.40696	2.30E-06	1.2E-05	2.50E-04	3.12E-09	14	1.15E-02	5.01E-10	1.0E+06	5.0E-04
98	98	3.8142	2.30E-06	8.8E-06	2.50E-04	2.20E-09	14	1.15E-02	3.53E-10	1.0E+06	3.5E-04
99	99	2.89511	2.30E-06	6.7E-06	2.50E-04	1.67E-09	14	1.15E-02	2.68E-10	1.0E+06	2.7E-04
100	100	2.26072	2.30E-06	5.2E-06	2.50E-04	1.30E-09	14	1.15E-02	2.09E-10	1.0E+06	2.1E-04
101	101	1.81057	2.30E-06	4.2E-06	2.50E-04	1.04E-09	14	1.15E-02	1.68E-10	1.0E+06	1.7E-04
102	102	1.48327	2.30E-06	3.4E-06	2.50E-04	8.56E-10	14	1.15E-02	1.37E-10	1.0E+06	1.4E-04
106	106	0.36239	2.30E-06	8.4E-07	2.50E-04	2.09E-10	14	1.15E-02	3.36E-11	1.0E+06	3.4E-05
107	107	0.39742	2.30E-06	9.2E-07	2.50E-04	2.29E-10	14	1.15E-02	3.68E-11	1.0E+06	3.7E-05
108	108	0.43848	2.30E-06	1.0E-06	2.50E-04	2.53E-10	14	1.15E-02	4.06E-11	1.0E+06	4.1E-05
109	109	0.4867	2.30E-06	1.1E-06	2.50E-04	2.81E-10	14	1.15E-02	4.51E-11	1.0E+06	4.5E-05
110	110	0.54422	2.30E-06	1.3E-06	2.50E-04	3.14E-10	14	1.15E-02	5.04E-11	1.0E+06	5.0E-05
111	111	0.61268	2.30E-06	1.4E-06	2.50E-04	3.53E-10	14	1.15E-02	5.68E-11	1.0E+06	5.7E-05
112	112	0.69818	2.30E-06	1.6E-06	2.50E-04	4.03E-10	14	1.15E-02	6.47E-11	1.0E+06	6.5E-05
113	113	0.80309	2.30E-06	1.9E-06	2.50E-04	4.63E-10	14	1.15E-02	7.44E-11	1.0E+06	7.4E-05
114	114	0.93609	2.30E-06	2.2E-06	2.50E-04	5.40E-10	14	1.15E-02	8.67E-11	1.0E+06	8.7E-05
115	115	1.10715	2.30E-06	2.6E-06	2.50E-04	6.39E-10	14	1.15E-02	1.03E-10	1.0E+06	1.0E-04
116	116	1.3325	2.30E-06	3.1E-06	2.50E-04	7.69E-10	14	1.15E-02	1.23E-10	1.0E+06	1.2E-04
117	117	1.64747	2.30E-06	3.8E-06	2.50E-04	9.50E-10	14	1.15E-02	1.53E-10	1.0E+06	1.5E-04
118	118	2.10069	2.30E-06	4.8E-06	2.50E-04	1.21E-09	14	1.15E-02	1.95E-10	1.0E+06	1.9E-04
124	124	0.36152	2.30E-06	8.3E-07	2.50E-04	2.09E-10	14	1.15E-02	3.35E-11	1.0E+06	3.3E-05
125	125	0.39664	2.30E-06	9.1E-07	2.50E-04	2.29E-10	14	1.15E-02	3.67E-11	1.0E+06	3.7E-05

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	126	0.43757	2.30E-06	1.0E-06	2.50E-04	2.52E-10	14	1.15E-02	4.05E-11	1.0E+06	4.1E-05
127	127	0.48576	2.30E-06	1.1E-06	2.50E-04	2.80E-10	14	1.15E-02	4.50E-11	1.0E+06	4.5E-05
128	128	0.54315	2.30E-06	1.3E-06	2.50E-04	3.13E-10	14	1.15E-02	5.03E-11	1.0E+06	5.0E-05
129	129	0.61169	2.30E-06	1.4E-06	2.50E-04	3.53E-10	14	1.15E-02	5.67E-11	1.0E+06	5.7E-05
130	130	0.69679	2.30E-06	1.6E-06	2.50E-04	4.02E-10	14	1.15E-02	6.46E-11	1.0E+06	6.5E-05
131	131	0.80188	2.30E-06	1.8E-06	2.50E-04	4.63E-10	14	1.15E-02	7.43E-11	1.0E+06	7.4E-05
132	132	0.93503	2.30E-06	2.2E-06	2.50E-04	5.39E-10	14	1.15E-02	8.66E-11	1.0E+06	8.7E-05
133	133	1.10604	2.30E-06	2.5E-06	2.50E-04	6.38E-10	14	1.15E-02	1.02E-10	1.0E+06	1.0E-04
134	134	1.33549	2.30E-06	3.1E-06	2.50E-04	7.70E-10	14	1.15E-02	1.24E-10	1.0E+06	1.2E-04
135	135	1.64852	2.30E-06	3.8E-06	2.50E-04	9.51E-10	14	1.15E-02	1.53E-10	1.0E+06	1.5E-04
136	136	2.0966	2.30E-06	4.8E-06	2.50E-04	1.21E-09	14	1.15E-02	1.94E-10	1.0E+06	1.9E-04
137	137	2.7679	2.30E-06	6.4E-06	2.50E-04	1.60E-09	14	1.15E-02	2.56E-10	1.0E+06	2.6E-04
138	138	3.88297	2.30E-06	9.0E-06	2.50E-04	2.24E-09	14	1.15E-02	3.60E-10	1.0E+06	3.6E-04
141	141	0.35907	2.30E-06	8.3E-07	2.50E-04	2.07E-10	14	1.15E-02	3.33E-11	1.0E+06	3.3E-05
142	142	0.39376	2.30E-06	9.1E-07	2.50E-04	2.27E-10	14	1.15E-02	3.65E-11	1.0E+06	3.6E-05
143	143	0.43412	2.30E-06	1.0E-06	2.50E-04	2.50E-10	14	1.15E-02	4.02E-11	1.0E+06	4.0E-05
144	144	0.48158	2.30E-06	1.1E-06	2.50E-04	2.78E-10	14	1.15E-02	4.46E-11	1.0E+06	4.5E-05
145	145	0.53793	2.30E-06	1.2E-06	2.50E-04	3.10E-10	14	1.15E-02	4.98E-11	1.0E+06	5.0E-05
146	146	0.6052	2.30E-06	1.4E-06	2.50E-04	3.49E-10	14	1.15E-02	5.61E-11	1.0E+06	5.6E-05
147	147	0.68833	2.30E-06	1.6E-06	2.50E-04	3.97E-10	14	1.15E-02	6.38E-11	1.0E+06	6.4E-05
148	148	0.79055	2.30E-06	1.8E-06	2.50E-04	4.56E-10	14	1.15E-02	7.32E-11	1.0E+06	7.3E-05
149	149	0.91946	2.30E-06	2.1E-06	2.50E-04	5.30E-10	14	1.15E-02	8.52E-11	1.0E+06	8.5E-05
150	150	1.08473	2.30E-06	2.5E-06	2.50E-04	6.26E-10	14	1.15E-02	1.00E-10	1.0E+06	1.0E-04
151	151	1.30303	2.30E-06	3.0E-06	2.50E-04	7.52E-10	14	1.15E-02	1.21E-10	1.0E+06	1.2E-04
152	152	1.59933	2.30E-06	3.7E-06	2.50E-04	9.23E-10	14	1.15E-02	1.48E-10	1.0E+06	1.5E-04
153	153	2.01619	2.30E-06	4.6E-06	2.50E-04	1.16E-09	14	1.15E-02	1.87E-10	1.0E+06	1.9E-04
154	154	2.62185	2.30E-06	6.0E-06	2.50E-04	1.51E-09	14	1.15E-02	2.43E-10	1.0E+06	2.4E-04
155	155	3.56745	2.30E-06	8.2E-06	2.50E-04	2.06E-09	14	1.15E-02	3.31E-10	1.0E+06	3.3E-04
164	164	2.40069	2.30E-06	5.5E-06	2.50E-04	1.38E-09	14	1.15E-02	2.22E-10	1.0E+06	2.2E-04
165	165	3.15507	2.30E-06	7.3E-06	2.50E-04	1.82E-09	14	1.15E-02	2.92E-10	1.0E+06	2.9E-04
166	166	4.33777	2.30E-06	1.0E-05	2.50E-04	2.50E-09	14	1.15E-02	4.02E-10	1.0E+06	4.0E-04

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	2.15133	2.30E-06	5.0E-06	2.50E-04	1.24E-09	14	1.15E-02	1.99E-10	1.0E+06	2.0E-04
179	179	2.73793	2.30E-06	6.3E-06	2.50E-04	1.58E-09	14	1.15E-02	2.54E-10	1.0E+06	2.5E-04
180	180	3.59407	2.30E-06	8.3E-06	2.50E-04	2.07E-09	14	1.15E-02	3.33E-10	1.0E+06	3.3E-04
192	192	1.90698	2.30E-06	4.4E-06	2.50E-04	1.10E-09	14	1.15E-02	1.77E-10	1.0E+06	1.8E-04
193	193	2.36002	2.30E-06	5.4E-06	2.50E-04	1.36E-09	14	1.15E-02	2.19E-10	1.0E+06	2.2E-04
194	194	2.97652	2.30E-06	6.9E-06	2.50E-04	1.72E-09	14	1.15E-02	2.76E-10	1.0E+06	2.8E-04
207	207	1.68006	2.30E-06	3.9E-06	2.50E-04	9.69E-10	14	1.15E-02	1.56E-10	1.0E+06	1.6E-04
208	208	2.02693	2.30E-06	4.7E-06	2.50E-04	1.17E-09	14	1.15E-02	1.88E-10	1.0E+06	1.9E-04
209	209	2.47973	2.30E-06	5.7E-06	2.50E-04	1.43E-09	14	1.15E-02	2.30E-10	1.0E+06	2.3E-04
223	223	1.47913	2.30E-06	3.4E-06	2.50E-04	8.53E-10	14	1.15E-02	1.37E-10	1.0E+06	1.4E-04
224	224	1.74632	2.30E-06	4.0E-06	2.50E-04	1.01E-09	14	1.15E-02	1.62E-10	1.0E+06	1.6E-04
225	225	2.07944	2.30E-06	4.8E-06	2.50E-04	1.20E-09	14	1.15E-02	1.93E-10	1.0E+06	1.9E-04
239	239	1.30582	2.30E-06	3.0E-06	2.50E-04	7.53E-10	14	1.15E-02	1.21E-10	1.0E+06	1.2E-04
240	240	1.51406	2.30E-06	3.5E-06	2.50E-04	8.73E-10	14	1.15E-02	1.40E-10	1.0E+06	1.4E-04
241	241	1.76688	2.30E-06	4.1E-06	2.50E-04	1.02E-09	14	1.15E-02	1.64E-10	1.0E+06	1.6E-04
255	255	1.15691	2.30E-06	2.7E-06	2.50E-04	6.67E-10	14	1.15E-02	1.07E-10	1.0E+06	1.1E-04
256	256	1.32129	2.30E-06	3.0E-06	2.50E-04	7.62E-10	14	1.15E-02	1.22E-10	1.0E+06	1.2E-04
272	272	1.02929	2.30E-06	2.4E-06	2.50E-04	5.94E-10	14	1.15E-02	9.54E-11	1.0E+06	9.5E-05
273	273	1.1611	2.30E-06	2.7E-06	2.50E-04	6.70E-10	14	1.15E-02	1.08E-10	1.0E+06	1.1E-04
289	289	0.92084	2.30E-06	2.1E-06	2.50E-04	5.31E-10	14	1.15E-02	8.53E-11	1.0E+06	8.5E-05
290	290	1.02703	2.30E-06	2.4E-06	2.50E-04	5.92E-10	14	1.15E-02	9.51E-11	1.0E+06	9.5E-05
306	306	0.82772	2.30E-06	1.9E-06	2.50E-04	4.77E-10	14	1.15E-02	7.67E-11	1.0E+06	7.7E-05
307	307	0.91411	2.30E-06	2.1E-06	2.50E-04	5.27E-10	14	1.15E-02	8.47E-11	1.0E+06	8.5E-05
323	323	0.74749	2.30E-06	1.7E-06	2.50E-04	4.31E-10	14	1.15E-02	6.93E-11	1.0E+06	6.9E-05
324	324	0.81829	2.30E-06	1.9E-06	2.50E-04	4.72E-10	14	1.15E-02	7.58E-11	1.0E+06	7.6E-05
342	342	0.67807	2.30E-06	1.6E-06	2.50E-04	3.91E-10	14	1.15E-02	6.28E-11	1.0E+06	6.3E-05
343	343	0.7365	2.30E-06	1.7E-06	2.50E-04	4.25E-10	14	1.15E-02	6.82E-11	1.0E+06	6.8E-05
344	344	0.79805	2.30E-06	1.8E-06	2.50E-04	4.60E-10	14	1.15E-02	7.39E-11	1.0E+06	7.4E-05
356	356	0.61759	2.30E-06	1.4E-06	2.50E-04	3.56E-10	14	1.15E-02	5.72E-11	1.0E+06	5.7E-05
357	357	0.66606	2.30E-06	1.5E-06	2.50E-04	3.84E-10	14	1.15E-02	6.17E-11	1.0E+06	6.2E-05
358	358	0.71652	2.30E-06	1.7E-06	2.50E-04	4.13E-10	14	1.15E-02	6.64E-11	1.0E+06	6.6E-05

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	0.56473	2.30E-06	1.3E-06	2.50E-04	3.26E-10	14	1.15E-02	5.23E-11	1.0E+06	5.2E-05
371	371	0.60522	2.30E-06	1.4E-06	2.50E-04	3.49E-10	14	1.15E-02	5.61E-11	1.0E+06	5.6E-05
372	372	0.64687	2.30E-06	1.5E-06	2.50E-04	3.73E-10	14	1.15E-02	5.99E-11	1.0E+06	6.0E-05
383	383	0.51826	2.30E-06	1.2E-06	2.50E-04	2.99E-10	14	1.15E-02	4.80E-11	1.0E+06	4.8E-05
384	384	0.55232	2.30E-06	1.3E-06	2.50E-04	3.19E-10	14	1.15E-02	5.12E-11	1.0E+06	5.1E-05
385	385	0.58695	2.30E-06	1.4E-06	2.50E-04	3.39E-10	14	1.15E-02	5.44E-11	1.0E+06	5.4E-05
396	396	0.47724	2.30E-06	1.1E-06	2.50E-04	2.75E-10	14	1.15E-02	4.42E-11	1.0E+06	4.4E-05
397	397	0.50605	2.30E-06	1.2E-06	2.50E-04	2.92E-10	14	1.15E-02	4.69E-11	1.0E+06	4.7E-05
398	398	0.53507	2.30E-06	1.2E-06	2.50E-04	3.09E-10	14	1.15E-02	4.96E-11	1.0E+06	5.0E-05
399	399	0.56365	2.30E-06	1.3E-06	2.50E-04	3.25E-10	14	1.15E-02	5.22E-11	1.0E+06	5.2E-05
411	411	0.44086	2.30E-06	1.0E-06	2.50E-04	2.54E-10	14	1.15E-02	4.08E-11	1.0E+06	4.1E-05
412	412	0.46537	2.30E-06	1.1E-06	2.50E-04	2.68E-10	14	1.15E-02	4.31E-11	1.0E+06	4.3E-05
413	413	0.48991	2.30E-06	1.1E-06	2.50E-04	2.83E-10	14	1.15E-02	4.54E-11	1.0E+06	4.5E-05
414	414	0.51386	2.30E-06	1.2E-06	2.50E-04	2.96E-10	14	1.15E-02	4.76E-11	1.0E+06	4.8E-05
426	426	0.4085	2.30E-06	9.4E-07	2.50E-04	2.36E-10	14	1.15E-02	3.78E-11	1.0E+06	3.8E-05
427	427	0.42947	2.30E-06	9.9E-07	2.50E-04	2.48E-10	14	1.15E-02	3.98E-11	1.0E+06	4.0E-05
428	428	0.45028	2.30E-06	1.0E-06	2.50E-04	2.60E-10	14	1.15E-02	4.17E-11	1.0E+06	4.2E-05
429	429	0.47058	2.30E-06	1.1E-06	2.50E-04	2.71E-10	14	1.15E-02	4.36E-11	1.0E+06	4.4E-05
439	439	0.37957	2.30E-06	8.7E-07	2.50E-04	2.19E-10	14	1.15E-02	3.52E-11	1.0E+06	3.5E-05
440	440	0.39761	2.30E-06	9.2E-07	2.50E-04	2.29E-10	14	1.15E-02	3.68E-11	1.0E+06	3.7E-05
441	441	0.41544	2.30E-06	9.6E-07	2.50E-04	2.40E-10	14	1.15E-02	3.85E-11	1.0E+06	3.8E-05
442	442	0.43275	2.30E-06	1.0E-06	2.50E-04	2.50E-10	14	1.15E-02	4.01E-11	1.0E+06	4.0E-05
443	443	0.44912	2.30E-06	1.0E-06	2.50E-04	2.59E-10	14	1.15E-02	4.16E-11	1.0E+06	4.2E-05
454	454	0.35365	2.30E-06	8.2E-07	2.50E-04	2.04E-10	14	1.15E-02	3.28E-11	1.0E+06	3.3E-05
455	455	0.36925	2.30E-06	8.5E-07	2.50E-04	2.13E-10	14	1.15E-02	3.42E-11	1.0E+06	3.4E-05
456	456	0.3846	2.30E-06	8.9E-07	2.50E-04	2.22E-10	14	1.15E-02	3.56E-11	1.0E+06	3.6E-05
457	457	0.39947	2.30E-06	9.2E-07	2.50E-04	2.30E-10	14	1.15E-02	3.70E-11	1.0E+06	3.7E-05
458	458	0.41351	2.30E-06	9.5E-07	2.50E-04	2.39E-10	14	1.15E-02	3.83E-11	1.0E+06	3.8E-05
469	469	0.33031	2.30E-06	7.6E-07	2.50E-04	1.91E-10	14	1.15E-02	3.06E-11	1.0E+06	3.1E-05
470	470	0.34386	2.30E-06	7.9E-07	2.50E-04	1.98E-10	14	1.15E-02	3.19E-11	1.0E+06	3.2E-05
471	471	0.35717	2.30E-06	8.2E-07	2.50E-04	2.06E-10	14	1.15E-02	3.31E-11	1.0E+06	3.3E-05

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	0.37004	2.30E-06	8.5E-07	2.50E-04	2.13E-10	14	1.15E-02	3.43E-11	1.0E+06	3.4E-05
473	473	0.38218	2.30E-06	8.8E-07	2.50E-04	2.20E-10	14	1.15E-02	3.54E-11	1.0E+06	3.5E-05
489	489	0.30927	2.30E-06	7.1E-07	2.50E-04	1.78E-10	14	1.15E-02	2.87E-11	1.0E+06	2.9E-05
490	490	0.32111	2.30E-06	7.4E-07	2.50E-04	1.85E-10	14	1.15E-02	2.97E-11	1.0E+06	3.0E-05
491	491	0.3327	2.30E-06	7.7E-07	2.50E-04	1.92E-10	14	1.15E-02	3.08E-11	1.0E+06	3.1E-05
492	492	0.34389	2.30E-06	7.9E-07	2.50E-04	1.98E-10	14	1.15E-02	3.19E-11	1.0E+06	3.2E-05
493	493	0.35445	2.30E-06	8.2E-07	2.50E-04	2.04E-10	14	1.15E-02	3.28E-11	1.0E+06	3.3E-05
494	494	0.36404	2.30E-06	8.4E-07	2.50E-04	2.10E-10	14	1.15E-02	3.37E-11	1.0E+06	3.4E-05
509	509	0.29021	2.30E-06	6.7E-07	2.50E-04	1.67E-10	14	1.15E-02	2.69E-11	1.0E+06	2.7E-05
510	510	0.3006	2.30E-06	6.9E-07	2.50E-04	1.73E-10	14	1.15E-02	2.78E-11	1.0E+06	2.8E-05
511	511	0.31075	2.30E-06	7.2E-07	2.50E-04	1.79E-10	14	1.15E-02	2.88E-11	1.0E+06	2.9E-05
512	512	0.32055	2.30E-06	7.4E-07	2.50E-04	1.85E-10	14	1.15E-02	2.97E-11	1.0E+06	3.0E-05
513	513	0.3298	2.30E-06	7.6E-07	2.50E-04	1.90E-10	14	1.15E-02	3.06E-11	1.0E+06	3.1E-05
514	514	0.33822	2.30E-06	7.8E-07	2.50E-04	1.95E-10	14	1.15E-02	3.13E-11	1.0E+06	3.1E-05
515	515	0.35087	2.30E-06	8.1E-07	2.50E-04	2.02E-10	14	1.15E-02	3.25E-11	1.0E+06	3.3E-05
516	516	0.35411	2.30E-06	8.2E-07	2.50E-04	2.04E-10	14	1.15E-02	3.28E-11	1.0E+06	3.3E-05
517	517	0.35478	2.30E-06	8.2E-07	2.50E-04	2.05E-10	14	1.15E-02	3.29E-11	1.0E+06	3.3E-05
518	518	0.35255	2.30E-06	8.1E-07	2.50E-04	2.03E-10	14	1.15E-02	3.27E-11	1.0E+06	3.3E-05
519	519	0.34736	2.30E-06	8.0E-07	2.50E-04	2.00E-10	14	1.15E-02	3.22E-11	1.0E+06	3.2E-05
528	528	0.2729	2.30E-06	6.3E-07	2.50E-04	1.57E-10	14	1.15E-02	2.53E-11	1.0E+06	2.5E-05
529	529	0.28207	2.30E-06	6.5E-07	2.50E-04	1.63E-10	14	1.15E-02	2.61E-11	1.0E+06	2.6E-05
530	530	0.29101	2.30E-06	6.7E-07	2.50E-04	1.68E-10	14	1.15E-02	2.70E-11	1.0E+06	2.7E-05
531	531	0.29964	2.30E-06	6.9E-07	2.50E-04	1.73E-10	14	1.15E-02	2.78E-11	1.0E+06	2.8E-05
532	532	0.30779	2.30E-06	7.1E-07	2.50E-04	1.78E-10	14	1.15E-02	2.85E-11	1.0E+06	2.9E-05
533	533	0.31522	2.30E-06	7.3E-07	2.50E-04	1.82E-10	14	1.15E-02	2.92E-11	1.0E+06	2.9E-05
534	534	0.32648	2.30E-06	7.5E-07	2.50E-04	1.88E-10	14	1.15E-02	3.02E-11	1.0E+06	3.0E-05
535	535	0.32951	2.30E-06	7.6E-07	2.50E-04	1.90E-10	14	1.15E-02	3.05E-11	1.0E+06	3.1E-05
536	536	0.33038	2.30E-06	7.6E-07	2.50E-04	1.91E-10	14	1.15E-02	3.06E-11	1.0E+06	3.1E-05
537	537	0.32871	2.30E-06	7.6E-07	2.50E-04	1.90E-10	14	1.15E-02	3.05E-11	1.0E+06	3.0E-05
538	538	0.32448	2.30E-06	7.5E-07	2.50E-04	1.87E-10	14	1.15E-02	3.01E-11	1.0E+06	3.0E-05
547	547	0.25715	2.30E-06	5.9E-07	2.50E-04	1.48E-10	14	1.15E-02	2.38E-11	1.0E+06	2.4E-05

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.26527	2.30E-06	6.1E-07	2.50E-04	1.53E-10	14	1.15E-02	2.46E-11	1.0E+06	2.5E-05
549	549	0.27318	2.30E-06	6.3E-07	2.50E-04	1.58E-10	14	1.15E-02	2.53E-11	1.0E+06	2.5E-05
550	550	0.28082	2.30E-06	6.5E-07	2.50E-04	1.62E-10	14	1.15E-02	2.60E-11	1.0E+06	2.6E-05
551	551	0.28804	2.30E-06	6.6E-07	2.50E-04	1.66E-10	14	1.15E-02	2.67E-11	1.0E+06	2.7E-05
552	552	0.29463	2.30E-06	6.8E-07	2.50E-04	1.70E-10	14	1.15E-02	2.73E-11	1.0E+06	2.7E-05
553	553	0.30031	2.30E-06	6.9E-07	2.50E-04	1.73E-10	14	1.15E-02	2.78E-11	1.0E+06	2.8E-05
554	554	0.30472	2.30E-06	7.0E-07	2.50E-04	1.76E-10	14	1.15E-02	2.82E-11	1.0E+06	2.8E-05
555	555	0.30757	2.30E-06	7.1E-07	2.50E-04	1.77E-10	14	1.15E-02	2.85E-11	1.0E+06	2.8E-05
556	556	0.30856	2.30E-06	7.1E-07	2.50E-04	1.78E-10	14	1.15E-02	2.86E-11	1.0E+06	2.9E-05
557	557	0.30735	2.30E-06	7.1E-07	2.50E-04	1.77E-10	14	1.15E-02	2.85E-11	1.0E+06	2.8E-05
558	558	0.30396	2.30E-06	7.0E-07	2.50E-04	1.75E-10	14	1.15E-02	2.82E-11	1.0E+06	2.8E-05
559	559	0.29833	2.30E-06	6.9E-07	2.50E-04	1.72E-10	14	1.15E-02	2.76E-11	1.0E+06	2.8E-05
567	567	0.24277	2.30E-06	5.6E-07	2.50E-04	1.40E-10	14	1.15E-02	2.25E-11	1.0E+06	2.2E-05
568	568	0.25	2.30E-06	5.8E-07	2.50E-04	1.44E-10	14	1.15E-02	2.32E-11	1.0E+06	2.3E-05
569	569	0.25703	2.30E-06	5.9E-07	2.50E-04	1.48E-10	14	1.15E-02	2.38E-11	1.0E+06	2.4E-05
570	570	0.26383	2.30E-06	6.1E-07	2.50E-04	1.52E-10	14	1.15E-02	2.44E-11	1.0E+06	2.4E-05
571	571	0.27025	2.30E-06	6.2E-07	2.50E-04	1.56E-10	14	1.15E-02	2.50E-11	1.0E+06	2.5E-05
572	572	0.27613	2.30E-06	6.4E-07	2.50E-04	1.59E-10	14	1.15E-02	2.56E-11	1.0E+06	2.6E-05
573	573	0.28123	2.30E-06	6.5E-07	2.50E-04	1.62E-10	14	1.15E-02	2.61E-11	1.0E+06	2.6E-05
574	574	0.28789	2.30E-06	6.6E-07	2.50E-04	1.66E-10	14	1.15E-02	2.67E-11	1.0E+06	2.7E-05
575	575	0.28894	2.30E-06	6.7E-07	2.50E-04	1.67E-10	14	1.15E-02	2.68E-11	1.0E+06	2.7E-05
576	576	0.28815	2.30E-06	6.6E-07	2.50E-04	1.66E-10	14	1.15E-02	2.67E-11	1.0E+06	2.7E-05
577	577	0.28541	2.30E-06	6.6E-07	2.50E-04	1.65E-10	14	1.15E-02	2.64E-11	1.0E+06	2.6E-05
578	578	0.28072	2.30E-06	6.5E-07	2.50E-04	1.62E-10	14	1.15E-02	2.60E-11	1.0E+06	2.6E-05
586	586	0.22962	2.30E-06	5.3E-07	2.50E-04	1.32E-10	14	1.15E-02	2.13E-11	1.0E+06	2.1E-05
587	587	0.23607	2.30E-06	5.4E-07	2.50E-04	1.36E-10	14	1.15E-02	2.19E-11	1.0E+06	2.2E-05
588	588	0.24236	2.30E-06	5.6E-07	2.50E-04	1.40E-10	14	1.15E-02	2.25E-11	1.0E+06	2.2E-05
589	589	0.24843	2.30E-06	5.7E-07	2.50E-04	1.43E-10	14	1.15E-02	2.30E-11	1.0E+06	2.3E-05
590	590	0.25417	2.30E-06	5.9E-07	2.50E-04	1.47E-10	14	1.15E-02	2.35E-11	1.0E+06	2.4E-05
591	591	0.25944	2.30E-06	6.0E-07	2.50E-04	1.50E-10	14	1.15E-02	2.40E-11	1.0E+06	2.4E-05
592	592	0.26402	2.30E-06	6.1E-07	2.50E-04	1.52E-10	14	1.15E-02	2.45E-11	1.0E+06	2.4E-05

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	0.27015	2.30E-06	6.2E-07	2.50E-04	1.56E-10	14	1.15E-02	2.50E-11	1.0E+06	2.5E-05
594	594	0.27126	2.30E-06	6.3E-07	2.50E-04	1.56E-10	14	1.15E-02	2.51E-11	1.0E+06	2.5E-05
595	595	0.27074	2.30E-06	6.2E-07	2.50E-04	1.56E-10	14	1.15E-02	2.51E-11	1.0E+06	2.5E-05
596	596	0.26852	2.30E-06	6.2E-07	2.50E-04	1.55E-10	14	1.15E-02	2.49E-11	1.0E+06	2.5E-05
597	597	0.2646	2.30E-06	6.1E-07	2.50E-04	1.53E-10	14	1.15E-02	2.45E-11	1.0E+06	2.5E-05
345	345	0.8613	2.30E-06	2.0E-06	2.50E-04	4.97E-10	14	1.15E-02	7.98E-11	1.0E+06	8.0E-05
346	346	0.9232	2.30E-06	2.1E-06	2.50E-04	5.33E-10	14	1.15E-02	8.55E-11	1.0E+06	8.6E-05
347	347	0.97954	2.30E-06	2.3E-06	2.50E-04	5.65E-10	14	1.15E-02	9.07E-11	1.0E+06	9.1E-05
348	348	1.0243	2.30E-06	2.4E-06	2.50E-04	5.91E-10	14	1.15E-02	9.49E-11	1.0E+06	9.5E-05
359	359	0.76761	2.30E-06	1.8E-06	2.50E-04	4.43E-10	14	1.15E-02	7.11E-11	1.0E+06	7.1E-05
360	360	0.81705	2.30E-06	1.9E-06	2.50E-04	4.71E-10	14	1.15E-02	7.57E-11	1.0E+06	7.6E-05
361	361	0.86183	2.30E-06	2.0E-06	2.50E-04	4.97E-10	14	1.15E-02	7.98E-11	1.0E+06	8.0E-05
362	362	0.89742	2.30E-06	2.1E-06	2.50E-04	5.18E-10	14	1.15E-02	8.31E-11	1.0E+06	8.3E-05
363	363	0.91946	2.30E-06	2.1E-06	2.50E-04	5.30E-10	14	1.15E-02	8.52E-11	1.0E+06	8.5E-05
373	373	0.72861	2.30E-06	1.7E-06	2.50E-04	4.20E-10	14	1.15E-02	6.75E-11	1.0E+06	6.8E-05
374	374	0.76469	2.30E-06	1.8E-06	2.50E-04	4.41E-10	14	1.15E-02	7.08E-11	1.0E+06	7.1E-05
375	375	0.79357	2.30E-06	1.8E-06	2.50E-04	4.58E-10	14	1.15E-02	7.35E-11	1.0E+06	7.4E-05
376	376	0.81199	2.30E-06	1.9E-06	2.50E-04	4.68E-10	14	1.15E-02	7.52E-11	1.0E+06	7.5E-05
386	386	0.65414	2.30E-06	1.5E-06	2.50E-04	3.77E-10	14	1.15E-02	6.06E-11	1.0E+06	6.1E-05
387	387	0.68367	2.30E-06	1.6E-06	2.50E-04	3.94E-10	14	1.15E-02	6.33E-11	1.0E+06	6.3E-05
388	388	0.70746	2.30E-06	1.6E-06	2.50E-04	4.08E-10	14	1.15E-02	6.55E-11	1.0E+06	6.6E-05
389	389	0.72307	2.30E-06	1.7E-06	2.50E-04	4.17E-10	14	1.15E-02	6.70E-11	1.0E+06	6.7E-05
390	390	0.72792	2.30E-06	1.7E-06	2.50E-04	4.20E-10	14	1.15E-02	6.74E-11	1.0E+06	6.7E-05
400	400	0.59086	2.30E-06	1.4E-06	2.50E-04	3.41E-10	14	1.15E-02	5.47E-11	1.0E+06	5.5E-05
401	401	0.61524	2.30E-06	1.4E-06	2.50E-04	3.55E-10	14	1.15E-02	5.70E-11	1.0E+06	5.7E-05
402	402	0.63522	2.30E-06	1.5E-06	2.50E-04	3.66E-10	14	1.15E-02	5.88E-11	1.0E+06	5.9E-05
403	403	0.64848	2.30E-06	1.5E-06	2.50E-04	3.74E-10	14	1.15E-02	6.01E-11	1.0E+06	6.0E-05
404	404	0.65323	2.30E-06	1.5E-06	2.50E-04	3.77E-10	14	1.15E-02	6.05E-11	1.0E+06	6.1E-05
415	415	0.53664	2.30E-06	1.2E-06	2.50E-04	3.10E-10	14	1.15E-02	4.97E-11	1.0E+06	5.0E-05
416	416	0.55712	2.30E-06	1.3E-06	2.50E-04	3.21E-10	14	1.15E-02	5.16E-11	1.0E+06	5.2E-05
417	417	0.57386	2.30E-06	1.3E-06	2.50E-04	3.31E-10	14	1.15E-02	5.32E-11	1.0E+06	5.3E-05

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
418	418	0.58549	2.30E-06	1.3E-06	2.50E-04	3.38E-10	14	1.15E-02	5.42E-11	1.0E+06	5.4E-05
419	419	0.59019	2.30E-06	1.4E-06	2.50E-04	3.40E-10	14	1.15E-02	5.47E-11	1.0E+06	5.5E-05
420	420	0.58645	2.30E-06	1.4E-06	2.50E-04	3.38E-10	14	1.15E-02	5.43E-11	1.0E+06	5.4E-05
430	430	0.50711	2.30E-06	1.2E-06	2.50E-04	2.93E-10	14	1.15E-02	4.70E-11	1.0E+06	4.7E-05
431	431	0.52147	2.30E-06	1.2E-06	2.50E-04	3.01E-10	14	1.15E-02	4.83E-11	1.0E+06	4.8E-05
432	432	0.53152	2.30E-06	1.2E-06	2.50E-04	3.07E-10	14	1.15E-02	4.92E-11	1.0E+06	4.9E-05
433	433	0.53601	2.30E-06	1.2E-06	2.50E-04	3.09E-10	14	1.15E-02	4.97E-11	1.0E+06	5.0E-05
434	434	0.53394	2.30E-06	1.2E-06	2.50E-04	3.08E-10	14	1.15E-02	4.95E-11	1.0E+06	4.9E-05
444	444	0.46389	2.30E-06	1.1E-06	2.50E-04	2.68E-10	14	1.15E-02	4.30E-11	1.0E+06	4.3E-05
445	445	0.47618	2.30E-06	1.1E-06	2.50E-04	2.75E-10	14	1.15E-02	4.41E-11	1.0E+06	4.4E-05
446	446	0.48498	2.30E-06	1.1E-06	2.50E-04	2.80E-10	14	1.15E-02	4.49E-11	1.0E+06	4.5E-05
447	447	0.48925	2.30E-06	1.1E-06	2.50E-04	2.82E-10	14	1.15E-02	4.53E-11	1.0E+06	4.5E-05
448	448	0.48815	2.30E-06	1.1E-06	2.50E-04	2.82E-10	14	1.15E-02	4.52E-11	1.0E+06	4.5E-05
459	459	0.43684	2.30E-06	1.0E-06	2.50E-04	2.52E-10	14	1.15E-02	4.05E-11	1.0E+06	4.0E-05
460	460	0.44459	2.30E-06	1.0E-06	2.50E-04	2.56E-10	14	1.15E-02	4.12E-11	1.0E+06	4.1E-05
461	461	0.4486	2.30E-06	1.0E-06	2.50E-04	2.59E-10	14	1.15E-02	4.16E-11	1.0E+06	4.2E-05
462	462	0.44818	2.30E-06	1.0E-06	2.50E-04	2.59E-10	14	1.15E-02	4.15E-11	1.0E+06	4.2E-05
463	463	0.44289	2.30E-06	1.0E-06	2.50E-04	2.55E-10	14	1.15E-02	4.10E-11	1.0E+06	4.1E-05
474	474	0.40243	2.30E-06	9.3E-07	2.50E-04	2.32E-10	14	1.15E-02	3.73E-11	1.0E+06	3.7E-05
475	475	0.40928	2.30E-06	9.4E-07	2.50E-04	2.36E-10	14	1.15E-02	3.79E-11	1.0E+06	3.8E-05
476	476	0.41306	2.30E-06	9.5E-07	2.50E-04	2.38E-10	14	1.15E-02	3.83E-11	1.0E+06	3.8E-05
477	477	0.41311	2.30E-06	9.5E-07	2.50E-04	2.38E-10	14	1.15E-02	3.83E-11	1.0E+06	3.8E-05
478	478	0.40911	2.30E-06	9.4E-07	2.50E-04	2.36E-10	14	1.15E-02	3.79E-11	1.0E+06	3.8E-05
495	495	0.37217	2.30E-06	8.6E-07	2.50E-04	2.15E-10	14	1.15E-02	3.45E-11	1.0E+06	3.4E-05
496	496	0.37827	2.30E-06	8.7E-07	2.50E-04	2.18E-10	14	1.15E-02	3.50E-11	1.0E+06	3.5E-05
497	497	0.38179	2.30E-06	8.8E-07	2.50E-04	2.20E-10	14	1.15E-02	3.54E-11	1.0E+06	3.5E-05
498	498	0.3822	2.30E-06	8.8E-07	2.50E-04	2.20E-10	14	1.15E-02	3.54E-11	1.0E+06	3.5E-05
499	499	0.37919	2.30E-06	8.7E-07	2.50E-04	2.19E-10	14	1.15E-02	3.51E-11	1.0E+06	3.5E-05
500	500	0.37268	2.30E-06	8.6E-07	2.50E-04	2.15E-10	14	1.15E-02	3.45E-11	1.0E+06	3.5E-05

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	5.86389	2.30E-06	1.4E-05	2.50E-04	3.38E-09	25	1.15E-02	9.70E-10	1.0E+06	9.7E-04
140	140	10.10944	2.30E-06	2.3E-05	2.50E-04	5.83E-09	25	1.15E-02	1.67E-09	1.0E+06	1.7E-03
156	156	5.15834	2.30E-06	1.2E-05	2.50E-04	2.98E-09	25	1.15E-02	8.53E-10	1.0E+06	8.5E-04
157	157	8.03778	2.30E-06	1.9E-05	2.50E-04	4.64E-09	25	1.15E-02	1.33E-09	1.0E+06	1.3E-03
158	158	13.96484	2.30E-06	3.2E-05	2.50E-04	8.06E-09	25	1.15E-02	2.31E-09	1.0E+06	2.3E-03
159	159	25.03145	2.30E-06	5.8E-05	2.50E-04	1.44E-08	25	1.15E-02	4.14E-09	1.0E+06	4.1E-03
160	160	42.67091	2.30E-06	9.8E-05	2.50E-04	2.46E-08	25	1.15E-02	7.06E-09	1.0E+06	7.1E-03
161	161	30.07988	2.30E-06	6.9E-05	2.50E-04	1.74E-08	25	1.15E-02	4.98E-09	1.0E+06	5.0E-03
162	162	12.18915	2.30E-06	2.8E-05	2.50E-04	7.03E-09	25	1.15E-02	2.02E-09	1.0E+06	2.0E-03
163	163	6.93069	2.30E-06	1.6E-05	2.50E-04	4.00E-09	25	1.15E-02	1.15E-09	1.0E+06	1.1E-03
167	167	6.19083	2.30E-06	1.4E-05	2.50E-04	3.57E-09	25	1.15E-02	1.02E-09	1.0E+06	1.0E-03
168	168	9.54718	2.30E-06	2.2E-05	2.50E-04	5.51E-09	25	1.15E-02	1.58E-09	1.0E+06	1.6E-03
169	169	14.53139	2.30E-06	3.3E-05	2.50E-04	8.38E-09	25	1.15E-02	2.40E-09	1.0E+06	2.4E-03
170	170	21.17115	2.30E-06	4.9E-05	2.50E-04	1.22E-08	25	1.15E-02	3.50E-09	1.0E+06	3.5E-03
171	171	27.24809	2.30E-06	6.3E-05	2.50E-04	1.57E-08	25	1.15E-02	4.51E-09	1.0E+06	4.5E-03
172	172	17.82209	2.30E-06	4.1E-05	2.50E-04	1.03E-08	25	1.15E-02	2.95E-09	1.0E+06	2.9E-03
173	173	9.14328	2.30E-06	2.1E-05	2.50E-04	5.27E-09	25	1.15E-02	1.51E-09	1.0E+06	1.5E-03
174	174	5.54273	2.30E-06	1.3E-05	2.50E-04	3.20E-09	25	1.15E-02	9.17E-10	1.0E+06	9.2E-04
175	175	3.8113	2.30E-06	8.8E-06	2.50E-04	2.20E-09	25	1.15E-02	6.31E-10	1.0E+06	6.3E-04
176	176	2.8171	2.30E-06	6.5E-06	2.50E-04	1.63E-09	25	1.15E-02	4.66E-10	1.0E+06	4.7E-04
177	177	2.18109	2.30E-06	5.0E-06	2.50E-04	1.26E-09	25	1.15E-02	3.61E-10	1.0E+06	3.6E-04
181	181	6.77211	2.30E-06	1.6E-05	2.50E-04	3.91E-09	25	1.15E-02	1.12E-09	1.0E+06	1.1E-03
182	182	9.30007	2.30E-06	2.1E-05	2.50E-04	5.36E-09	25	1.15E-02	1.54E-09	1.0E+06	1.5E-03
183	183	12.09527	2.30E-06	2.8E-05	2.50E-04	6.98E-09	25	1.15E-02	2.00E-09	1.0E+06	2.0E-03
184	184	13.53319	2.30E-06	3.1E-05	2.50E-04	7.81E-09	25	1.15E-02	2.24E-09	1.0E+06	2.2E-03
185	185	10.96411	2.30E-06	2.5E-05	2.50E-04	6.32E-09	25	1.15E-02	1.81E-09	1.0E+06	1.8E-03
186	186	7.08011	2.30E-06	1.6E-05	2.50E-04	4.08E-09	25	1.15E-02	1.17E-09	1.0E+06	1.2E-03
187	187	4.60996	2.30E-06	1.1E-05	2.50E-04	2.66E-09	25	1.15E-02	7.63E-10	1.0E+06	7.6E-04
188	188	3.26405	2.30E-06	7.5E-06	2.50E-04	1.88E-09	25	1.15E-02	5.40E-10	1.0E+06	5.4E-04
189	189	2.46467	2.30E-06	5.7E-06	2.50E-04	1.42E-09	25	1.15E-02	4.08E-10	1.0E+06	4.1E-04
190	190	1.94202	2.30E-06	4.5E-06	2.50E-04	1.12E-09	25	1.15E-02	3.21E-10	1.0E+06	3.2E-04

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	1.57659	2.30E-06	3.6E-06	2.50E-04	9.09E-10	25	1.15E-02	2.61E-10	1.0E+06	2.6E-04
195	195	4.9947	2.30E-06	1.2E-05	2.50E-04	2.88E-09	25	1.15E-02	8.26E-10	1.0E+06	8.3E-04
196	196	6.39645	2.30E-06	1.5E-05	2.50E-04	3.69E-09	25	1.15E-02	1.06E-09	1.0E+06	1.1E-03
197	197	7.75155	2.30E-06	1.8E-05	2.50E-04	4.47E-09	25	1.15E-02	1.28E-09	1.0E+06	1.3E-03
198	198	8.30643	2.30E-06	1.9E-05	2.50E-04	4.79E-09	25	1.15E-02	1.37E-09	1.0E+06	1.4E-03
199	199	7.32369	2.30E-06	1.7E-05	2.50E-04	4.22E-09	25	1.15E-02	1.21E-09	1.0E+06	1.2E-03
200	200	5.45985	2.30E-06	1.3E-05	2.50E-04	3.15E-09	25	1.15E-02	9.03E-10	1.0E+06	9.0E-04
201	201	3.8709	2.30E-06	8.9E-06	2.50E-04	2.23E-09	25	1.15E-02	6.40E-10	1.0E+06	6.4E-04
202	202	2.83419	2.30E-06	6.5E-06	2.50E-04	1.63E-09	25	1.15E-02	4.69E-10	1.0E+06	4.7E-04
203	203	2.17855	2.30E-06	5.0E-06	2.50E-04	1.26E-09	25	1.15E-02	3.60E-10	1.0E+06	3.6E-04
204	204	1.74068	2.30E-06	4.0E-06	2.50E-04	1.00E-09	25	1.15E-02	2.88E-10	1.0E+06	2.9E-04
205	205	1.43074	2.30E-06	3.3E-06	2.50E-04	8.25E-10	25	1.15E-02	2.37E-10	1.0E+06	2.4E-04
206	206	1.2011	2.30E-06	2.8E-06	2.50E-04	6.93E-10	25	1.15E-02	1.99E-10	1.0E+06	2.0E-04
210	210	3.04152	2.30E-06	7.0E-06	2.50E-04	1.75E-09	25	1.15E-02	5.03E-10	1.0E+06	5.0E-04
211	211	3.81391	2.30E-06	8.8E-06	2.50E-04	2.20E-09	25	1.15E-02	6.31E-10	1.0E+06	6.3E-04
212	212	4.64776	2.30E-06	1.1E-05	2.50E-04	2.68E-09	25	1.15E-02	7.69E-10	1.0E+06	7.7E-04
213	213	5.38705	2.30E-06	1.2E-05	2.50E-04	3.11E-09	25	1.15E-02	8.91E-10	1.0E+06	8.9E-04
214	214	5.2285	2.30E-06	1.2E-05	2.50E-04	3.02E-09	25	1.15E-02	8.65E-10	1.0E+06	8.6E-04
215	215	4.25402	2.30E-06	9.8E-06	2.50E-04	2.45E-09	25	1.15E-02	7.04E-10	1.0E+06	7.0E-04
216	216	3.24533	2.30E-06	7.5E-06	2.50E-04	1.87E-09	25	1.15E-02	5.37E-10	1.0E+06	5.4E-04
217	217	2.4724	2.30E-06	5.7E-06	2.50E-04	1.43E-09	25	1.15E-02	4.09E-10	1.0E+06	4.1E-04
218	218	1.93837	2.30E-06	4.5E-06	2.50E-04	1.12E-09	25	1.15E-02	3.21E-10	1.0E+06	3.2E-04
219	219	1.56873	2.30E-06	3.6E-06	2.50E-04	9.05E-10	25	1.15E-02	2.60E-10	1.0E+06	2.6E-04
220	220	1.30291	2.30E-06	3.0E-06	2.50E-04	7.52E-10	25	1.15E-02	2.16E-10	1.0E+06	2.2E-04
221	221	1.10352	2.30E-06	2.5E-06	2.50E-04	6.37E-10	25	1.15E-02	1.83E-10	1.0E+06	1.8E-04
222	222	0.94962	2.30E-06	2.2E-06	2.50E-04	5.48E-10	25	1.15E-02	1.57E-10	1.0E+06	1.6E-04
226	226	2.49324	2.30E-06	5.7E-06	2.50E-04	1.44E-09	25	1.15E-02	4.12E-10	1.0E+06	4.1E-04
227	227	2.99779	2.30E-06	6.9E-06	2.50E-04	1.73E-09	25	1.15E-02	4.96E-10	1.0E+06	5.0E-04
228	228	3.52414	2.30E-06	8.1E-06	2.50E-04	2.03E-09	25	1.15E-02	5.83E-10	1.0E+06	5.8E-04
229	229	3.96501	2.30E-06	9.1E-06	2.50E-04	2.29E-09	25	1.15E-02	6.56E-10	1.0E+06	6.6E-04
230	230	4.14033	2.30E-06	9.5E-06	2.50E-04	2.39E-09	25	1.15E-02	6.85E-10	1.0E+06	6.8E-04

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	3.92093	2.30E-06	9.0E-06	2.50E-04	2.26E-09	25	1.15E-02	6.49E-10	1.0E+06	6.5E-04
232	232	3.37363	2.30E-06	7.8E-06	2.50E-04	1.95E-09	25	1.15E-02	5.58E-10	1.0E+06	5.6E-04
233	233	2.1602	2.30E-06	5.0E-06	2.50E-04	1.25E-09	25	1.15E-02	3.57E-10	1.0E+06	3.6E-04
234	234	1.73158	2.30E-06	4.0E-06	2.50E-04	9.99E-10	25	1.15E-02	2.86E-10	1.0E+06	2.9E-04
235	235	1.42007	2.30E-06	3.3E-06	2.50E-04	8.19E-10	25	1.15E-02	2.35E-10	1.0E+06	2.3E-04
236	236	1.19065	2.30E-06	2.7E-06	2.50E-04	6.87E-10	25	1.15E-02	1.97E-10	1.0E+06	2.0E-04
237	237	1.01671	2.30E-06	2.3E-06	2.50E-04	5.87E-10	25	1.15E-02	1.68E-10	1.0E+06	1.7E-04
238	238	0.88082	2.30E-06	2.0E-06	2.50E-04	5.08E-10	25	1.15E-02	1.46E-10	1.0E+06	1.5E-04
242	242	2.06769	2.30E-06	4.8E-06	2.50E-04	1.19E-09	25	1.15E-02	3.42E-10	1.0E+06	3.4E-04
243	243	2.41334	2.30E-06	5.6E-06	2.50E-04	1.39E-09	25	1.15E-02	3.99E-10	1.0E+06	4.0E-04
244	244	2.7599	2.30E-06	6.4E-06	2.50E-04	1.59E-09	25	1.15E-02	4.57E-10	1.0E+06	4.6E-04
245	245	3.04318	2.30E-06	7.0E-06	2.50E-04	1.76E-09	25	1.15E-02	5.03E-10	1.0E+06	5.0E-04
246	246	3.16299	2.30E-06	7.3E-06	2.50E-04	1.82E-09	25	1.15E-02	5.23E-10	1.0E+06	5.2E-04
247	247	3.04962	2.30E-06	7.0E-06	2.50E-04	1.76E-09	25	1.15E-02	5.05E-10	1.0E+06	5.0E-04
248	248	2.72571	2.30E-06	6.3E-06	2.50E-04	1.57E-09	25	1.15E-02	4.51E-10	1.0E+06	4.5E-04
249	249	1.88913	2.30E-06	4.4E-06	2.50E-04	1.09E-09	25	1.15E-02	3.13E-10	1.0E+06	3.1E-04
250	250	1.54948	2.30E-06	3.6E-06	2.50E-04	8.94E-10	25	1.15E-02	2.56E-10	1.0E+06	2.6E-04
251	251	1.28875	2.30E-06	3.0E-06	2.50E-04	7.43E-10	25	1.15E-02	2.13E-10	1.0E+06	2.1E-04
252	252	1.09112	2.30E-06	2.5E-06	2.50E-04	6.29E-10	25	1.15E-02	1.81E-10	1.0E+06	1.8E-04
253	253	0.9387	2.30E-06	2.2E-06	2.50E-04	5.42E-10	25	1.15E-02	1.55E-10	1.0E+06	1.6E-04
254	254	0.81851	2.30E-06	1.9E-06	2.50E-04	4.72E-10	25	1.15E-02	1.35E-10	1.0E+06	1.4E-04
257	257	1.73865	2.30E-06	4.0E-06	2.50E-04	1.00E-09	25	1.15E-02	2.88E-10	1.0E+06	2.9E-04
258	258	1.98377	2.30E-06	4.6E-06	2.50E-04	1.14E-09	25	1.15E-02	3.28E-10	1.0E+06	3.3E-04
259	259	2.22397	2.30E-06	5.1E-06	2.50E-04	1.28E-09	25	1.15E-02	3.68E-10	1.0E+06	3.7E-04
260	260	2.41171	2.30E-06	5.6E-06	2.50E-04	1.39E-09	25	1.15E-02	3.99E-10	1.0E+06	4.0E-04
261	261	2.50031	2.30E-06	5.8E-06	2.50E-04	1.44E-09	25	1.15E-02	4.14E-10	1.0E+06	4.1E-04
262	262	2.44053	2.30E-06	5.6E-06	2.50E-04	1.41E-09	25	1.15E-02	4.04E-10	1.0E+06	4.0E-04
263	263	2.24072	2.30E-06	5.2E-06	2.50E-04	1.29E-09	25	1.15E-02	3.71E-10	1.0E+06	3.7E-04
264	264	1.65626	2.30E-06	3.8E-06	2.50E-04	9.55E-10	25	1.15E-02	2.74E-10	1.0E+06	2.7E-04
265	265	1.38948	2.30E-06	3.2E-06	2.50E-04	8.02E-10	25	1.15E-02	2.30E-10	1.0E+06	2.3E-04
266	266	1.17262	2.30E-06	2.7E-06	2.50E-04	6.76E-10	25	1.15E-02	1.94E-10	1.0E+06	1.9E-04

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	1.00221	2.30E-06	2.3E-06	2.50E-04	5.78E-10	25	1.15E-02	1.66E-10	1.0E+06	1.7E-04
268	268	0.86831	2.30E-06	2.0E-06	2.50E-04	5.01E-10	25	1.15E-02	1.44E-10	1.0E+06	1.4E-04
269	269	0.76169	2.30E-06	1.8E-06	2.50E-04	4.39E-10	25	1.15E-02	1.26E-10	1.0E+06	1.3E-04
270	270	0.54329	2.30E-06	1.3E-06	2.50E-04	3.13E-10	25	1.15E-02	8.99E-11	1.0E+06	9.0E-05
271	271	0.49214	2.30E-06	1.1E-06	2.50E-04	2.84E-10	25	1.15E-02	8.14E-11	1.0E+06	8.1E-05
274	274	1.48055	2.30E-06	3.4E-06	2.50E-04	8.54E-10	25	1.15E-02	2.45E-10	1.0E+06	2.4E-04
275	275	1.65855	2.30E-06	3.8E-06	2.50E-04	9.57E-10	25	1.15E-02	2.74E-10	1.0E+06	2.7E-04
276	276	1.83019	2.30E-06	4.2E-06	2.50E-04	1.06E-09	25	1.15E-02	3.03E-10	1.0E+06	3.0E-04
277	277	1.96318	2.30E-06	4.5E-06	2.50E-04	1.13E-09	25	1.15E-02	3.25E-10	1.0E+06	3.2E-04
278	278	2.0288	2.30E-06	4.7E-06	2.50E-04	1.17E-09	25	1.15E-02	3.36E-10	1.0E+06	3.4E-04
279	279	1.99797	2.30E-06	4.6E-06	2.50E-04	1.15E-09	25	1.15E-02	3.31E-10	1.0E+06	3.3E-04
280	280	1.87011	2.30E-06	4.3E-06	2.50E-04	1.08E-09	25	1.15E-02	3.09E-10	1.0E+06	3.1E-04
281	281	1.45565	2.30E-06	3.4E-06	2.50E-04	8.40E-10	25	1.15E-02	2.41E-10	1.0E+06	2.4E-04
282	282	1.24686	2.30E-06	2.9E-06	2.50E-04	7.19E-10	25	1.15E-02	2.06E-10	1.0E+06	2.1E-04
283	283	1.06783	2.30E-06	2.5E-06	2.50E-04	6.16E-10	25	1.15E-02	1.77E-10	1.0E+06	1.8E-04
284	284	0.92199	2.30E-06	2.1E-06	2.50E-04	5.32E-10	25	1.15E-02	1.53E-10	1.0E+06	1.5E-04
285	285	0.80481	2.30E-06	1.9E-06	2.50E-04	4.64E-10	25	1.15E-02	1.33E-10	1.0E+06	1.3E-04
286	286	0.70995	2.30E-06	1.6E-06	2.50E-04	4.10E-10	25	1.15E-02	1.17E-10	1.0E+06	1.2E-04
287	287	0.51321	2.30E-06	1.2E-06	2.50E-04	2.96E-10	25	1.15E-02	8.49E-11	1.0E+06	8.5E-05
288	288	0.46668	2.30E-06	1.1E-06	2.50E-04	2.69E-10	25	1.15E-02	7.72E-11	1.0E+06	7.7E-05
291	291	1.27493	2.30E-06	2.9E-06	2.50E-04	7.35E-10	25	1.15E-02	2.11E-10	1.0E+06	2.1E-04
292	292	1.40769	2.30E-06	3.2E-06	2.50E-04	8.12E-10	25	1.15E-02	2.33E-10	1.0E+06	2.3E-04
293	293	1.53303	2.30E-06	3.5E-06	2.50E-04	8.84E-10	25	1.15E-02	2.54E-10	1.0E+06	2.5E-04
294	294	1.63104	2.30E-06	3.8E-06	2.50E-04	9.41E-10	25	1.15E-02	2.70E-10	1.0E+06	2.7E-04
295	295	1.68064	2.30E-06	3.9E-06	2.50E-04	9.70E-10	25	1.15E-02	2.78E-10	1.0E+06	2.8E-04
296	296	1.66598	2.30E-06	3.8E-06	2.50E-04	9.61E-10	25	1.15E-02	2.76E-10	1.0E+06	2.8E-04
297	297	1.58338	2.30E-06	3.6E-06	2.50E-04	9.13E-10	25	1.15E-02	2.62E-10	1.0E+06	2.6E-04
298	298	1.28457	2.30E-06	3.0E-06	2.50E-04	7.41E-10	25	1.15E-02	2.13E-10	1.0E+06	2.1E-04
299	299	1.12159	2.30E-06	2.6E-06	2.50E-04	6.47E-10	25	1.15E-02	1.86E-10	1.0E+06	1.9E-04
300	300	0.97433	2.30E-06	2.2E-06	2.50E-04	5.62E-10	25	1.15E-02	1.61E-10	1.0E+06	1.6E-04
301	301	0.85001	2.30E-06	2.0E-06	2.50E-04	4.90E-10	25	1.15E-02	1.41E-10	1.0E+06	1.4E-04

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	302	0.74728	2.30E-06	1.7E-06	2.50E-04	4.31E-10	25	1.15E-02	1.24E-10	1.0E+06	1.2E-04
303	303	0.66279	2.30E-06	1.5E-06	2.50E-04	3.82E-10	25	1.15E-02	1.10E-10	1.0E+06	1.1E-04
304	304	0.48525	2.30E-06	1.1E-06	2.50E-04	2.80E-10	25	1.15E-02	8.03E-11	1.0E+06	8.0E-05
305	305	0.44279	2.30E-06	1.0E-06	2.50E-04	2.55E-10	25	1.15E-02	7.33E-11	1.0E+06	7.3E-05
308	308	1.10903	2.30E-06	2.6E-06	2.50E-04	6.40E-10	25	1.15E-02	1.83E-10	1.0E+06	1.8E-04
309	309	1.21035	2.30E-06	2.8E-06	2.50E-04	6.98E-10	25	1.15E-02	2.00E-10	1.0E+06	2.0E-04
310	310	1.30411	2.30E-06	3.0E-06	2.50E-04	7.52E-10	25	1.15E-02	2.16E-10	1.0E+06	2.2E-04
311	311	1.37789	2.30E-06	3.2E-06	2.50E-04	7.95E-10	25	1.15E-02	2.28E-10	1.0E+06	2.3E-04
312	312	1.41792	2.30E-06	3.3E-06	2.50E-04	8.18E-10	25	1.15E-02	2.35E-10	1.0E+06	2.3E-04
313	313	1.4118	2.30E-06	3.3E-06	2.50E-04	8.14E-10	25	1.15E-02	2.34E-10	1.0E+06	2.3E-04
314	314	1.3567	2.30E-06	3.1E-06	2.50E-04	7.83E-10	25	1.15E-02	2.24E-10	1.0E+06	2.2E-04
315	315	1.13886	2.30E-06	2.6E-06	2.50E-04	6.57E-10	25	1.15E-02	1.88E-10	1.0E+06	1.9E-04
316	316	1.01142	2.30E-06	2.3E-06	2.50E-04	5.83E-10	25	1.15E-02	1.67E-10	1.0E+06	1.7E-04
317	317	0.89052	2.30E-06	2.1E-06	2.50E-04	5.14E-10	25	1.15E-02	1.47E-10	1.0E+06	1.5E-04
318	318	0.78482	2.30E-06	1.8E-06	2.50E-04	4.53E-10	25	1.15E-02	1.30E-10	1.0E+06	1.3E-04
319	319	0.69496	2.30E-06	1.6E-06	2.50E-04	4.01E-10	25	1.15E-02	1.15E-10	1.0E+06	1.1E-04
320	320	0.6198	2.30E-06	1.4E-06	2.50E-04	3.58E-10	25	1.15E-02	1.03E-10	1.0E+06	1.0E-04
321	321	0.45912	2.30E-06	1.1E-06	2.50E-04	2.65E-10	25	1.15E-02	7.60E-11	1.0E+06	7.6E-05
322	322	0.42033	2.30E-06	9.7E-07	2.50E-04	2.42E-10	25	1.15E-02	6.95E-11	1.0E+06	7.0E-05
325	325	0.97338	2.30E-06	2.2E-06	2.50E-04	5.62E-10	25	1.15E-02	1.61E-10	1.0E+06	1.6E-04
326	326	1.05199	2.30E-06	2.4E-06	2.50E-04	6.07E-10	25	1.15E-02	1.74E-10	1.0E+06	1.7E-04
327	327	1.12399	2.30E-06	2.6E-06	2.50E-04	6.48E-10	25	1.15E-02	1.86E-10	1.0E+06	1.9E-04
328	328	1.18101	2.30E-06	2.7E-06	2.50E-04	6.81E-10	25	1.15E-02	1.95E-10	1.0E+06	2.0E-04
329	329	1.21278	2.30E-06	2.8E-06	2.50E-04	7.00E-10	25	1.15E-02	2.01E-10	1.0E+06	2.0E-04
330	330	1.21223	2.30E-06	2.8E-06	2.50E-04	6.99E-10	25	1.15E-02	2.01E-10	1.0E+06	2.0E-04
331	331	1.17504	2.30E-06	2.7E-06	2.50E-04	6.78E-10	25	1.15E-02	1.94E-10	1.0E+06	1.9E-04
332	332	1.10561	2.30E-06	2.5E-06	2.50E-04	6.38E-10	25	1.15E-02	1.83E-10	1.0E+06	1.8E-04
333	333	1.01436	2.30E-06	2.3E-06	2.50E-04	5.85E-10	25	1.15E-02	1.68E-10	1.0E+06	1.7E-04
334	334	0.91394	2.30E-06	2.1E-06	2.50E-04	5.27E-10	25	1.15E-02	1.51E-10	1.0E+06	1.5E-04
335	335	0.81533	2.30E-06	1.9E-06	2.50E-04	4.70E-10	25	1.15E-02	1.35E-10	1.0E+06	1.3E-04
336	336	0.72548	2.30E-06	1.7E-06	2.50E-04	4.19E-10	25	1.15E-02	1.20E-10	1.0E+06	1.2E-04

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	0.64714	2.30E-06	1.5E-06	2.50E-04	3.73E-10	25	1.15E-02	1.07E-10	1.0E+06	1.1E-04
338	338	0.58022	2.30E-06	1.3E-06	2.50E-04	3.35E-10	25	1.15E-02	9.60E-11	1.0E+06	9.6E-05
339	339	0.47575	2.30E-06	1.1E-06	2.50E-04	2.74E-10	25	1.15E-02	7.87E-11	1.0E+06	7.9E-05
340	340	0.43476	2.30E-06	1.0E-06	2.50E-04	2.51E-10	25	1.15E-02	7.19E-11	1.0E+06	7.2E-05
341	341	0.39924	2.30E-06	9.2E-07	2.50E-04	2.30E-10	25	1.15E-02	6.60E-11	1.0E+06	6.6E-05
349	349	1.05056	2.30E-06	2.4E-06	2.50E-04	6.06E-10	25	1.15E-02	1.74E-10	1.0E+06	1.7E-04
350	350	1.05257	2.30E-06	2.4E-06	2.50E-04	6.07E-10	25	1.15E-02	1.74E-10	1.0E+06	1.7E-04
351	351	1.0271	2.30E-06	2.4E-06	2.50E-04	5.93E-10	25	1.15E-02	1.70E-10	1.0E+06	1.7E-04
352	352	0.97669	2.30E-06	2.3E-06	2.50E-04	5.63E-10	25	1.15E-02	1.62E-10	1.0E+06	1.6E-04
353	353	0.44956	2.30E-06	1.0E-06	2.50E-04	2.59E-10	25	1.15E-02	7.44E-11	1.0E+06	7.4E-05
354	354	0.4121	2.30E-06	9.5E-07	2.50E-04	2.38E-10	25	1.15E-02	6.82E-11	1.0E+06	6.8E-05
355	355	0.37951	2.30E-06	8.7E-07	2.50E-04	2.19E-10	25	1.15E-02	6.28E-11	1.0E+06	6.3E-05
364	364	0.92307	2.30E-06	2.1E-06	2.50E-04	5.32E-10	25	1.15E-02	1.53E-10	1.0E+06	1.5E-04
365	365	0.90585	2.30E-06	2.1E-06	2.50E-04	5.23E-10	25	1.15E-02	1.50E-10	1.0E+06	1.5E-04
366	366	0.86859	2.30E-06	2.0E-06	2.50E-04	5.01E-10	25	1.15E-02	1.44E-10	1.0E+06	1.4E-04
367	367	0.42536	2.30E-06	9.8E-07	2.50E-04	2.45E-10	25	1.15E-02	7.04E-11	1.0E+06	7.0E-05
368	368	0.391	2.30E-06	9.0E-07	2.50E-04	2.26E-10	25	1.15E-02	6.47E-11	1.0E+06	6.5E-05
369	369	0.36105	2.30E-06	8.3E-07	2.50E-04	2.08E-10	25	1.15E-02	5.97E-11	1.0E+06	6.0E-05
377	377	0.81654	2.30E-06	1.9E-06	2.50E-04	4.71E-10	25	1.15E-02	1.35E-10	1.0E+06	1.4E-04
378	378	0.80482	2.30E-06	1.9E-06	2.50E-04	4.64E-10	25	1.15E-02	1.33E-10	1.0E+06	1.3E-04
379	379	0.77708	2.30E-06	1.8E-06	2.50E-04	4.48E-10	25	1.15E-02	1.29E-10	1.0E+06	1.3E-04
380	380	0.40277	2.30E-06	9.3E-07	2.50E-04	2.32E-10	25	1.15E-02	6.66E-11	1.0E+06	6.7E-05
381	381	0.37116	2.30E-06	8.6E-07	2.50E-04	2.14E-10	25	1.15E-02	6.14E-11	1.0E+06	6.1E-05
382	382	0.34372	2.30E-06	7.9E-07	2.50E-04	1.98E-10	25	1.15E-02	5.69E-11	1.0E+06	5.7E-05
391	391	0.71996	2.30E-06	1.7E-06	2.50E-04	4.15E-10	25	1.15E-02	1.19E-10	1.0E+06	1.2E-04
392	392	0.699	2.30E-06	1.6E-06	2.50E-04	4.03E-10	25	1.15E-02	1.16E-10	1.0E+06	1.2E-04
393	393	0.38179	2.30E-06	8.8E-07	2.50E-04	2.20E-10	25	1.15E-02	6.32E-11	1.0E+06	6.3E-05
394	394	0.35291	2.30E-06	8.1E-07	2.50E-04	2.04E-10	25	1.15E-02	5.84E-11	1.0E+06	5.8E-05
395	395	0.32761	2.30E-06	7.6E-07	2.50E-04	1.89E-10	25	1.15E-02	5.42E-11	1.0E+06	5.4E-05
405	405	0.64809	2.30E-06	1.5E-06	2.50E-04	3.74E-10	25	1.15E-02	1.07E-10	1.0E+06	1.1E-04
406	406	0.63243	2.30E-06	1.5E-06	2.50E-04	3.65E-10	25	1.15E-02	1.05E-10	1.0E+06	1.0E-04

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	0.60742	2.30E-06	1.4E-06	2.50E-04	3.50E-10	25	1.15E-02	1.00E-10	1.0E+06	1.0E-04
408	408	0.36237	2.30E-06	8.4E-07	2.50E-04	2.09E-10	25	1.15E-02	5.99E-11	1.0E+06	6.0E-05
409	409	0.33584	2.30E-06	7.7E-07	2.50E-04	1.94E-10	25	1.15E-02	5.56E-11	1.0E+06	5.6E-05
410	410	0.31258	2.30E-06	7.2E-07	2.50E-04	1.80E-10	25	1.15E-02	5.17E-11	1.0E+06	5.2E-05
421	421	0.57483	2.30E-06	1.3E-06	2.50E-04	3.32E-10	25	1.15E-02	9.51E-11	1.0E+06	9.5E-05
422	422	0.55506	2.30E-06	1.3E-06	2.50E-04	3.20E-10	25	1.15E-02	9.18E-11	1.0E+06	9.2E-05
423	423	0.3442	2.30E-06	7.9E-07	2.50E-04	1.99E-10	25	1.15E-02	5.69E-11	1.0E+06	5.7E-05
424	424	0.31994	2.30E-06	7.4E-07	2.50E-04	1.85E-10	25	1.15E-02	5.29E-11	1.0E+06	5.3E-05
425	425	0.29846	2.30E-06	6.9E-07	2.50E-04	1.72E-10	25	1.15E-02	4.94E-11	1.0E+06	4.9E-05
435	435	0.52475	2.30E-06	1.2E-06	2.50E-04	3.03E-10	25	1.15E-02	8.68E-11	1.0E+06	8.7E-05
436	436	0.50921	2.30E-06	1.2E-06	2.50E-04	2.94E-10	25	1.15E-02	8.42E-11	1.0E+06	8.4E-05
437	437	0.30509	2.30E-06	7.0E-07	2.50E-04	1.76E-10	25	1.15E-02	5.05E-11	1.0E+06	5.0E-05
438	438	0.28514	2.30E-06	6.6E-07	2.50E-04	1.64E-10	25	1.15E-02	4.72E-11	1.0E+06	4.7E-05
449	449	0.48106	2.30E-06	1.1E-06	2.50E-04	2.78E-10	25	1.15E-02	7.96E-11	1.0E+06	8.0E-05
450	450	0.46879	2.30E-06	1.1E-06	2.50E-04	2.70E-10	25	1.15E-02	7.76E-11	1.0E+06	7.8E-05
451	451	0.45133	2.30E-06	1.0E-06	2.50E-04	2.60E-10	25	1.15E-02	7.47E-11	1.0E+06	7.5E-05
452	452	0.2911	2.30E-06	6.7E-07	2.50E-04	1.68E-10	25	1.15E-02	4.82E-11	1.0E+06	4.8E-05
453	453	0.27267	2.30E-06	6.3E-07	2.50E-04	1.57E-10	25	1.15E-02	4.51E-11	1.0E+06	4.5E-05
464	464	0.43292	2.30E-06	1.0E-06	2.50E-04	2.50E-10	25	1.15E-02	7.16E-11	1.0E+06	7.2E-05
465	465	0.41863	2.30E-06	9.6E-07	2.50E-04	2.41E-10	25	1.15E-02	6.93E-11	1.0E+06	6.9E-05
466	466	0.31655	2.30E-06	7.3E-07	2.50E-04	1.83E-10	25	1.15E-02	5.24E-11	1.0E+06	5.2E-05
467	467	0.278	2.30E-06	6.4E-07	2.50E-04	1.60E-10	25	1.15E-02	4.60E-11	1.0E+06	4.6E-05
468	468	0.26099	2.30E-06	6.0E-07	2.50E-04	1.51E-10	25	1.15E-02	4.32E-11	1.0E+06	4.3E-05
479	479	0.40072	2.30E-06	9.2E-07	2.50E-04	2.31E-10	25	1.15E-02	6.63E-11	1.0E+06	6.6E-05
480	480	0.38927	2.30E-06	9.0E-07	2.50E-04	2.25E-10	25	1.15E-02	6.44E-11	1.0E+06	6.4E-05
481	481	0.37434	2.30E-06	8.6E-07	2.50E-04	2.16E-10	25	1.15E-02	6.19E-11	1.0E+06	6.2E-05
482	482	0.35721	2.30E-06	8.2E-07	2.50E-04	2.06E-10	25	1.15E-02	5.91E-11	1.0E+06	5.9E-05
483	483	0.33854	2.30E-06	7.8E-07	2.50E-04	1.95E-10	25	1.15E-02	5.60E-11	1.0E+06	5.6E-05
484	484	0.31952	2.30E-06	7.4E-07	2.50E-04	1.84E-10	25	1.15E-02	5.29E-11	1.0E+06	5.3E-05
485	485	0.30068	2.30E-06	6.9E-07	2.50E-04	1.73E-10	25	1.15E-02	4.97E-11	1.0E+06	5.0E-05
486	486	0.28267	2.30E-06	6.5E-07	2.50E-04	1.63E-10	25	1.15E-02	4.68E-11	1.0E+06	4.7E-05

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	487	0.26572	2.30E-06	6.1E-07	2.50E-04	1.53E-10	25	1.15E-02	4.40E-11	1.0E+06	4.4E-05
488	488	0.25	2.30E-06	5.8E-07	2.50E-04	1.44E-10	25	1.15E-02	4.14E-11	1.0E+06	4.1E-05
501	501	0.36256	2.30E-06	8.4E-07	2.50E-04	2.09E-10	25	1.15E-02	6.00E-11	1.0E+06	6.0E-05
502	502	0.35041	2.30E-06	8.1E-07	2.50E-04	2.02E-10	25	1.15E-02	5.80E-11	1.0E+06	5.8E-05
503	503	0.33573	2.30E-06	7.7E-07	2.50E-04	1.94E-10	25	1.15E-02	5.55E-11	1.0E+06	5.6E-05
504	504	0.31956	2.30E-06	7.4E-07	2.50E-04	1.84E-10	25	1.15E-02	5.29E-11	1.0E+06	5.3E-05
505	505	0.30273	2.30E-06	7.0E-07	2.50E-04	1.75E-10	25	1.15E-02	5.01E-11	1.0E+06	5.0E-05
506	506	0.2859	2.30E-06	6.6E-07	2.50E-04	1.65E-10	25	1.15E-02	4.73E-11	1.0E+06	4.7E-05
507	507	0.26962	2.30E-06	6.2E-07	2.50E-04	1.56E-10	25	1.15E-02	4.46E-11	1.0E+06	4.5E-05
508	508	0.23965	2.30E-06	5.5E-07	2.50E-04	1.38E-10	25	1.15E-02	3.96E-11	1.0E+06	4.0E-05
520	520	0.33905	2.30E-06	7.8E-07	2.50E-04	1.96E-10	25	1.15E-02	5.61E-11	1.0E+06	5.6E-05
521	521	0.32811	2.30E-06	7.6E-07	2.50E-04	1.89E-10	25	1.15E-02	5.43E-11	1.0E+06	5.4E-05
522	522	0.31601	2.30E-06	7.3E-07	2.50E-04	1.82E-10	25	1.15E-02	5.23E-11	1.0E+06	5.2E-05
523	523	0.30196	2.30E-06	7.0E-07	2.50E-04	1.74E-10	25	1.15E-02	5.00E-11	1.0E+06	5.0E-05
524	524	0.28711	2.30E-06	6.6E-07	2.50E-04	1.66E-10	25	1.15E-02	4.75E-11	1.0E+06	4.7E-05
525	525	0.27207	2.30E-06	6.3E-07	2.50E-04	1.57E-10	25	1.15E-02	4.50E-11	1.0E+06	4.5E-05
526	526	0.25735	2.30E-06	5.9E-07	2.50E-04	1.48E-10	25	1.15E-02	4.26E-11	1.0E+06	4.3E-05
527	527	0.22988	2.30E-06	5.3E-07	2.50E-04	1.33E-10	25	1.15E-02	3.80E-11	1.0E+06	3.8E-05
539	539	0.31775	2.30E-06	7.3E-07	2.50E-04	1.83E-10	25	1.15E-02	5.26E-11	1.0E+06	5.3E-05
540	540	0.30871	2.30E-06	7.1E-07	2.50E-04	1.78E-10	25	1.15E-02	5.11E-11	1.0E+06	5.1E-05
541	541	0.29769	2.30E-06	6.9E-07	2.50E-04	1.72E-10	25	1.15E-02	4.92E-11	1.0E+06	4.9E-05
542	542	0.28544	2.30E-06	6.6E-07	2.50E-04	1.65E-10	25	1.15E-02	4.72E-11	1.0E+06	4.7E-05
543	543	0.27257	2.30E-06	6.3E-07	2.50E-04	1.57E-10	25	1.15E-02	4.51E-11	1.0E+06	4.5E-05
544	544	0.25912	2.30E-06	6.0E-07	2.50E-04	1.49E-10	25	1.15E-02	4.29E-11	1.0E+06	4.3E-05
545	545	0.24565	2.30E-06	5.7E-07	2.50E-04	1.42E-10	25	1.15E-02	4.06E-11	1.0E+06	4.1E-05
546	546	0.22064	2.30E-06	5.1E-07	2.50E-04	1.27E-10	25	1.15E-02	3.65E-11	1.0E+06	3.7E-05
560	560	0.29069	2.30E-06	6.7E-07	2.50E-04	1.68E-10	25	1.15E-02	4.81E-11	1.0E+06	4.8E-05
561	561	0.28134	2.30E-06	6.5E-07	2.50E-04	1.62E-10	25	1.15E-02	4.65E-11	1.0E+06	4.7E-05
562	562	0.27058	2.30E-06	6.2E-07	2.50E-04	1.56E-10	25	1.15E-02	4.48E-11	1.0E+06	4.5E-05
563	563	0.25856	2.30E-06	6.0E-07	2.50E-04	1.49E-10	25	1.15E-02	4.28E-11	1.0E+06	4.3E-05
564	564	0.24685	2.30E-06	5.7E-07	2.50E-04	1.42E-10	25	1.15E-02	4.08E-11	1.0E+06	4.1E-05

Via Oro
Risk From 405/47 off/on ramp [TKI]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.23503	2.30E-06	5.4E-07	2.50E-04	1.36E-10	25	1.15E-02	3.89E-11	1.0E+06	3.9E-05
566	566	0.21199	2.30E-06	4.9E-07	2.50E-04	1.22E-10	25	1.15E-02	3.51E-11	1.0E+06	3.5E-05
579	579	0.27418	2.30E-06	6.3E-07	2.50E-04	1.58E-10	25	1.15E-02	4.54E-11	1.0E+06	4.5E-05
580	580	0.2661	2.30E-06	6.1E-07	2.50E-04	1.54E-10	25	1.15E-02	4.40E-11	1.0E+06	4.4E-05
581	581	0.25677	2.30E-06	5.9E-07	2.50E-04	1.48E-10	25	1.15E-02	4.25E-11	1.0E+06	4.2E-05
582	582	0.2465	2.30E-06	5.7E-07	2.50E-04	1.42E-10	25	1.15E-02	4.08E-11	1.0E+06	4.1E-05
583	583	0.2357	2.30E-06	5.4E-07	2.50E-04	1.36E-10	25	1.15E-02	3.90E-11	1.0E+06	3.9E-05
584	584	0.22475	2.30E-06	5.2E-07	2.50E-04	1.30E-10	25	1.15E-02	3.72E-11	1.0E+06	3.7E-05
585	585	0.20697	2.30E-06	4.8E-07	2.50E-04	1.19E-10	25	1.15E-02	3.42E-11	1.0E+06	3.4E-05
598	598	0.25906	2.30E-06	6.0E-07	2.50E-04	1.49E-10	25	1.15E-02	4.29E-11	1.0E+06	4.3E-05
599	599	0.25204	2.30E-06	5.8E-07	2.50E-04	1.45E-10	25	1.15E-02	4.17E-11	1.0E+06	4.2E-05
600	600	0.24385	2.30E-06	5.6E-07	2.50E-04	1.41E-10	25	1.15E-02	4.03E-11	1.0E+06	4.0E-05
601	601	0.23479	2.30E-06	5.4E-07	2.50E-04	1.35E-10	25	1.15E-02	3.88E-11	1.0E+06	3.9E-05
602	602	0.22516	2.30E-06	5.2E-07	2.50E-04	1.30E-10	25	1.15E-02	3.72E-11	1.0E+06	3.7E-05
603	603	0.21533	2.30E-06	5.0E-07	2.50E-04	1.24E-10	25	1.15E-02	3.56E-11	1.0E+06	3.6E-05
604	604	0.20549	2.30E-06	4.7E-07	2.50E-04	1.19E-10	25	1.15E-02	3.40E-11	1.0E+06	3.4E-05
0	0	0	2.30E-06	0.0E+00	2.50E-04	0.00E+00	25	1.15E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405/47 off/on ramp [TKI]

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
1	1	6.8E-04	5	1.73E-07	
2	2	7.4E-04	5	1.89E-07	
3	3	8.1E-04	5	2.08E-07	
4	4	9.0E-04	5	2.30E-07	
5	5	1.0E-03	5	2.56E-07	
6	6	1.1E-03	5	2.87E-07	
7	7	1.3E-03	5	3.24E-07	
8	8	1.4E-03	5	3.69E-07	
9	9	1.7E-03	5	4.24E-07	
10	10	1.9E-03	5	4.92E-07	
11	11	2.3E-03	5	5.77E-07	
12	12	2.7E-03	5	6.83E-07	
13	13	3.2E-03	5	8.19E-07	
14	14	3.9E-03	5	9.88E-07	
15	15	4.7E-03	5	1.20E-06	
16	16	5.6E-03	5	1.44E-06	
17	17	6.6E-03	5	1.69E-06	
18	18	7.4E-03	5	1.90E-06	
19	19	8.0E-03	5	2.05E-06	
20	20	8.4E-03	5	2.16E-06	
21	21	8.7E-03	5	2.22E-06	
22	22	8.7E-03	5	2.22E-06	
23	23	8.3E-03	5	2.14E-06	
24	24	7.7E-03	5	1.98E-06	
25	25	6.9E-03	5	1.78E-06	
26	26	6.1E-03	5	1.56E-06	
27	27	5.2E-03	5	1.34E-06	
28	28	4.5E-03	5	1.14E-06	
29	29	3.8E-03	5	9.66E-07	
30	30	3.2E-03	5	8.21E-07	
31	31	2.7E-03	5	6.99E-07	

Max	Receptor #	
0.025	82	Res
0.002	348	School
0.007	160	Worker

Max	Receptor #	
6.476E-06	82	Res
4.722E-07	348	School
1.967E-05	160	Worker

Via Oro
Risk From 405/47 off/on ramp [TKI]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
32	32	2.3E-03	5	5.99E-07	
55	55	1.3E-02	5	3.29E-06	
56	56	1.2E-02	5	2.95E-06	
57	57	9.9E-03	5	2.54E-06	
58	58	8.3E-03	5	2.13E-06	
59	59	6.8E-03	5	1.75E-06	
60	60	5.6E-03	5	1.43E-06	
61	61	4.6E-03	5	1.17E-06	
62	62	3.8E-03	5	9.62E-07	
63	63	3.1E-03	5	7.99E-07	
64	64	2.6E-03	5	6.70E-07	
65	65	2.2E-03	5	5.68E-07	
66	66	1.9E-03	5	4.86E-07	
67	67	7.0E-04	5	1.80E-07	
68	68	7.8E-04	5	1.98E-07	
69	69	8.6E-04	5	2.20E-07	
70	70	9.6E-04	5	2.45E-07	
71	71	1.1E-03	5	2.74E-07	
72	72	1.2E-03	5	3.11E-07	
73	73	1.4E-03	5	3.56E-07	
74	74	1.6E-03	5	4.11E-07	
75	75	1.9E-03	5	4.82E-07	
76	76	2.2E-03	5	5.74E-07	
77	77	2.7E-03	5	6.96E-07	
78	78	3.4E-03	5	8.67E-07	
79	79	1.7E-02	5	4.22E-06	
80	80	2.2E-02	5	5.53E-06	
81	81	2.5E-02	5	6.45E-06	
82	82	2.5E-02	5	6.48E-06	
83	83	2.3E-02	5	5.85E-06	
84	84	1.9E-02	5	4.92E-06	

Via Oro
Risk From 405/47 off/on ramp [TKI]

<i>Max Cancer Risk Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad
85	85	1.5E-02	5	3.95E-06
86	86	1.2E-02	5	3.08E-06
87	87	9.3E-03	5	2.37E-06
88	88	7.1E-03	5	1.83E-06
89	89	5.6E-03	5	1.43E-06
90	90	4.4E-03	5	1.13E-06
91	91	3.6E-03	5	9.14E-07
92	92	2.9E-03	5	7.49E-07
93	93	2.4E-03	5	6.24E-07
96	96	1.4E-02	5	3.47E-06
97	97	9.7E-03	5	2.49E-06
98	98	6.9E-03	5	1.76E-06
99	99	5.2E-03	5	1.33E-06
100	100	4.1E-03	5	1.04E-06
101	101	3.3E-03	5	8.35E-07
102	102	2.7E-03	5	6.84E-07
106	106	6.5E-04	5	1.67E-07
107	107	7.2E-04	5	1.83E-07
108	108	7.9E-04	5	2.02E-07
109	109	8.8E-04	5	2.24E-07
110	110	9.8E-04	5	2.51E-07
111	111	1.1E-03	5	2.82E-07
112	112	1.3E-03	5	3.22E-07
113	113	1.4E-03	5	3.70E-07
114	114	1.7E-03	5	4.32E-07
115	115	2.0E-03	5	5.10E-07
116	116	2.4E-03	5	6.14E-07
117	117	3.0E-03	5	7.59E-07
118	118	3.8E-03	5	9.68E-07
124	124	6.5E-04	5	1.67E-07
125	125	7.1E-04	5	1.83E-07

Via Oro
Risk From 405/47 off/on ramp [TKI]

<i>Max Cancer Risk Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad
126	126	7.9E-04	5	2.02E-07
127	127	8.8E-04	5	2.24E-07
128	128	9.8E-04	5	2.50E-07
129	129	1.1E-03	5	2.82E-07
130	130	1.3E-03	5	3.21E-07
131	131	1.4E-03	5	3.70E-07
132	132	1.7E-03	5	4.31E-07
133	133	2.0E-03	5	5.10E-07
134	134	2.4E-03	5	6.16E-07
135	135	3.0E-03	5	7.60E-07
136	136	3.8E-03	5	9.67E-07
137	137	5.0E-03	5	1.28E-06
138	138	7.0E-03	5	1.79E-06
141	141	6.5E-04	5	1.66E-07
142	142	7.1E-04	5	1.82E-07
143	143	7.8E-04	5	2.00E-07
144	144	8.7E-04	5	2.22E-07
145	145	9.7E-04	5	2.48E-07
146	146	1.1E-03	5	2.79E-07
147	147	1.2E-03	5	3.17E-07
148	148	1.4E-03	5	3.64E-07
149	149	1.7E-03	5	4.24E-07
150	150	2.0E-03	5	5.00E-07
151	151	2.3E-03	5	6.01E-07
152	152	2.9E-03	5	7.37E-07
153	153	3.6E-03	5	9.29E-07
154	154	4.7E-03	5	1.21E-06
155	155	6.4E-03	5	1.64E-06
164	164	4.3E-03	5	1.11E-06
165	165	5.7E-03	5	1.45E-06
166	166	7.8E-03	5	2.00E-06

Via Oro
Risk From 405/47 off/on ramp [TKI]

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
178	178	3.9E-03				5	9.92E-07	
179	179	4.9E-03				5	1.26E-06	
180	180	6.5E-03				5	1.66E-06	
192	192	3.4E-03				5	8.79E-07	
193	193	4.3E-03				5	1.09E-06	
194	194	5.4E-03				5	1.37E-06	
207	207	3.0E-03				5	7.74E-07	
208	208	3.7E-03				5	9.34E-07	
209	209	4.5E-03				5	1.14E-06	
223	223	2.7E-03				5	6.82E-07	
224	224	3.1E-03				5	8.05E-07	
225	225	3.7E-03				5	9.59E-07	
239	239	2.4E-03				5	6.02E-07	
240	240	2.7E-03				5	6.98E-07	
241	241	3.2E-03				5	8.15E-07	
255	255	2.1E-03				5	5.33E-07	
256	256	2.4E-03				5	6.09E-07	
272	272	1.9E-03				5	4.74E-07	
273	273	2.1E-03				5	5.35E-07	
289	289	1.7E-03				5	4.24E-07	
290	290	1.9E-03				5	4.73E-07	
306	306	1.5E-03				5	3.82E-07	
307	307	1.6E-03				5	4.21E-07	
323	323	1.3E-03				5	3.45E-07	
324	324	1.5E-03				5	3.77E-07	
342	342	1.2E-03				5	3.13E-07	
343	343	1.3E-03				5	3.40E-07	
344	344	1.4E-03				5	3.68E-07	
356	356	1.1E-03				5	2.85E-07	
357	357	1.2E-03				5	3.07E-07	
358	358	1.3E-03				5	3.30E-07	

Via Oro
Risk From 405/47 off/on ramp [TKI]

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
370	370	1.0E-03	5	2.60E-07	
371	371	1.1E-03	5	2.79E-07	
372	372	1.2E-03	5	2.98E-07	
383	383	9.3E-04	5	2.39E-07	
384	384	1.0E-03	5	2.55E-07	
385	385	1.1E-03	5	2.71E-07	
396	396	8.6E-04	5	2.20E-07	
397	397	9.1E-04	5	2.33E-07	
398	398	9.6E-04	5	2.47E-07	
399	399	1.0E-03	5	2.60E-07	
411	411	7.9E-04	5	2.03E-07	
412	412	8.4E-04	5	2.15E-07	
413	413	8.8E-04	5	2.26E-07	
414	414	9.3E-04	5	2.37E-07	
426	426	7.4E-04	5	1.88E-07	
427	427	7.7E-04	5	1.98E-07	
428	428	8.1E-04	5	2.08E-07	
429	429	8.5E-04	5	2.17E-07	
439	439	6.8E-04	5	1.75E-07	
440	440	7.2E-04	5	1.83E-07	
441	441	7.5E-04	5	1.92E-07	
442	442	7.8E-04	5	1.99E-07	
443	443	8.1E-04	5	2.07E-07	
454	454	6.4E-04	5	1.63E-07	
455	455	6.7E-04	5	1.70E-07	
456	456	6.9E-04	5	1.77E-07	
457	457	7.2E-04	5	1.84E-07	
458	458	7.4E-04	5	1.91E-07	
469	469	6.0E-04	5	1.52E-07	
470	470	6.2E-04	5	1.59E-07	
471	471	6.4E-04	5	1.65E-07	

Via Oro
Risk From 405/47 off/on ramp [TKI]

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
472	472	6.7E-04				5	1.71E-07	
473	473	6.9E-04				5	1.76E-07	
489	489	5.6E-04				5	1.43E-07	
490	490	5.8E-04				5	1.48E-07	
491	491	6.0E-04				5	1.53E-07	
492	492	6.2E-04				5	1.59E-07	
493	493	6.4E-04				5	1.63E-07	
494	494	6.6E-04				5	1.68E-07	
509	509	5.2E-04				5	1.34E-07	
510	510	5.4E-04				5	1.39E-07	
511	511	5.6E-04				5	1.43E-07	
512	512	5.8E-04				5	1.48E-07	
513	513	5.9E-04				5	1.52E-07	
514	514	6.1E-04				5	1.56E-07	
515	515	6.3E-04				5	1.62E-07	
516	516	6.4E-04				5	1.63E-07	
517	517	6.4E-04				5	1.64E-07	
518	518	6.4E-04				5	1.63E-07	
519	519	6.3E-04				5	1.60E-07	
528	528	4.9E-04				5	1.26E-07	
529	529	5.1E-04				5	1.30E-07	
530	530	5.2E-04				5	1.34E-07	
531	531	5.4E-04				5	1.38E-07	
532	532	5.5E-04				5	1.42E-07	
533	533	5.7E-04				5	1.45E-07	
534	534	5.9E-04				5	1.51E-07	
535	535	5.9E-04				5	1.52E-07	
536	536	6.0E-04				5	1.52E-07	
537	537	5.9E-04				5	1.52E-07	
538	538	5.8E-04				5	1.50E-07	
547	547	4.6E-04				5	1.19E-07	

Via Oro
Risk From 405/47 off/on ramp [TKI]

<i>Max Cancer Risk Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad
548	548	4.8E-04	5	1.22E-07
549	549	4.9E-04	5	1.26E-07
550	550	5.1E-04	5	1.29E-07
551	551	5.2E-04	5	1.33E-07
552	552	5.3E-04	5	1.36E-07
553	553	5.4E-04	5	1.38E-07
554	554	5.5E-04	5	1.40E-07
555	555	5.5E-04	5	1.42E-07
556	556	5.6E-04	5	1.42E-07
557	557	5.5E-04	5	1.42E-07
558	558	5.5E-04	5	1.40E-07
559	559	5.4E-04	5	1.38E-07
567	567	4.4E-04	5	1.12E-07
568	568	4.5E-04	5	1.15E-07
569	569	4.6E-04	5	1.18E-07
570	570	4.8E-04	5	1.22E-07
571	571	4.9E-04	5	1.25E-07
572	572	5.0E-04	5	1.27E-07
573	573	5.1E-04	5	1.30E-07
574	574	5.2E-04	5	1.33E-07
575	575	5.2E-04	5	1.33E-07
576	576	5.2E-04	5	1.33E-07
577	577	5.1E-04	5	1.32E-07
578	578	5.1E-04	5	1.29E-07
586	586	4.1E-04	5	1.06E-07
587	587	4.3E-04	5	1.09E-07
588	588	4.4E-04	5	1.12E-07
589	589	4.5E-04	5	1.15E-07
590	590	4.6E-04	5	1.17E-07
591	591	4.7E-04	5	1.20E-07
592	592	4.8E-04	5	1.22E-07

Via Oro
Risk From 405/47 off/on ramp [TKI]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
593	593	4.9E-04	5	1.25E-07	
594	594	4.9E-04	5	1.25E-07	
595	595	4.9E-04	5	1.25E-07	
596	596	4.8E-04	5	1.24E-07	
597	597	4.8E-04	5	1.22E-07	
345	345	1.6E-03	5	3.97E-07	
346	346	1.7E-03	5	4.26E-07	
347	347	1.8E-03	5	4.52E-07	
348	348	1.8E-03	5	4.72E-07	
359	359	1.4E-03	5	3.54E-07	
360	360	1.5E-03	5	3.77E-07	
361	361	1.6E-03	5	3.97E-07	
362	362	1.6E-03	5	4.14E-07	
363	363	1.7E-03	5	4.24E-07	
373	373	1.3E-03	5	3.36E-07	
374	374	1.4E-03	5	3.53E-07	
375	375	1.4E-03	5	3.66E-07	
376	376	1.5E-03	5	3.74E-07	
386	386	1.2E-03	5	3.02E-07	
387	387	1.2E-03	5	3.15E-07	
388	388	1.3E-03	5	3.26E-07	
389	389	1.3E-03	5	3.33E-07	
390	390	1.3E-03	5	3.36E-07	
400	400	1.1E-03	5	2.72E-07	
401	401	1.1E-03	5	2.84E-07	
402	402	1.1E-03	5	2.93E-07	
403	403	1.2E-03	5	2.99E-07	
404	404	1.2E-03	5	3.01E-07	
415	415	9.7E-04	5	2.47E-07	
416	416	1.0E-03	5	2.57E-07	
417	417	1.0E-03	5	2.65E-07	

Via Oro
Risk From 405/47 off/on ramp [TKI]

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk	
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad
418	418	1.1E-03	5	2.70E-07
419	419	1.1E-03	5	2.72E-07
420	420	1.1E-03	5	2.70E-07
430	430	9.1E-04	5	2.34E-07
431	431	9.4E-04	5	2.40E-07
432	432	9.6E-04	5	2.45E-07
433	433	9.7E-04	5	2.47E-07
434	434	9.6E-04	5	2.46E-07
444	444	8.4E-04	5	2.14E-07
445	445	8.6E-04	5	2.20E-07
446	446	8.7E-04	5	2.24E-07
447	447	8.8E-04	5	2.26E-07
448	448	8.8E-04	5	2.25E-07
459	459	7.9E-04	5	2.01E-07
460	460	8.0E-04	5	2.05E-07
461	461	8.1E-04	5	2.07E-07
462	462	8.1E-04	5	2.07E-07
463	463	8.0E-04	5	2.04E-07
474	474	7.3E-04	5	1.86E-07
475	475	7.4E-04	5	1.89E-07
476	476	7.4E-04	5	1.90E-07
477	477	7.4E-04	5	1.90E-07
478	478	7.4E-04	5	1.89E-07
495	495	6.7E-04	5	1.72E-07
496	496	6.8E-04	5	1.74E-07
497	497	6.9E-04	5	1.76E-07
498	498	6.9E-04	5	1.76E-07
499	499	6.8E-04	5	1.75E-07
500	500	6.7E-04	5	1.72E-07

Via Oro
Risk From 405/47 off/on ramp [TKI]

Max Cancer Risk			Chronic Non Cancer Risk	
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad
139	139	9.7E-04	5	2.70E-06
140	140	1.7E-03	5	4.66E-06
156	156	8.5E-04	5	2.38E-06
157	157	1.3E-03	5	3.71E-06
158	158	2.3E-03	5	6.44E-06
159	159	4.1E-03	5	1.15E-05
160	160	7.1E-03	5	1.97E-05
161	161	5.0E-03	5	1.39E-05
162	162	2.0E-03	5	5.62E-06
163	163	1.1E-03	5	3.19E-06
167	167	1.0E-03	5	2.85E-06
168	168	1.6E-03	5	4.40E-06
169	169	2.4E-03	5	6.70E-06
170	170	3.5E-03	5	9.76E-06
171	171	4.5E-03	5	1.26E-05
172	172	2.9E-03	5	8.22E-06
173	173	1.5E-03	5	4.21E-06
174	174	9.2E-04	5	2.56E-06
175	175	6.3E-04	5	1.76E-06
176	176	4.7E-04	5	1.30E-06
177	177	3.6E-04	5	1.01E-06
181	181	1.1E-03	5	3.12E-06
182	182	1.5E-03	5	4.29E-06
183	183	2.0E-03	5	5.58E-06
184	184	2.2E-03	5	6.24E-06
185	185	1.8E-03	5	5.05E-06
186	186	1.2E-03	5	3.26E-06
187	187	7.6E-04	5	2.13E-06
188	188	5.4E-04	5	1.50E-06
189	189	4.1E-04	5	1.14E-06
190	190	3.2E-04	5	8.95E-07

Via Oro
Risk From 405/47 off/on ramp [TKI]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
191	191	2.6E-04	5	7.27E-07	
195	195	8.3E-04	5	2.30E-06	
196	196	1.1E-03	5	2.95E-06	
197	197	1.3E-03	5	3.57E-06	
198	198	1.4E-03	5	3.83E-06	
199	199	1.2E-03	5	3.38E-06	
200	200	9.0E-04	5	2.52E-06	
201	201	6.4E-04	5	1.78E-06	
202	202	4.7E-04	5	1.31E-06	
203	203	3.6E-04	5	1.00E-06	
204	204	2.9E-04	5	8.02E-07	
205	205	2.4E-04	5	6.60E-07	
206	206	2.0E-04	5	5.54E-07	
210	210	5.0E-04	5	1.40E-06	
211	211	6.3E-04	5	1.76E-06	
212	212	7.7E-04	5	2.14E-06	
213	213	8.9E-04	5	2.48E-06	
214	214	8.6E-04	5	2.41E-06	
215	215	7.0E-04	5	1.96E-06	
216	216	5.4E-04	5	1.50E-06	
217	217	4.1E-04	5	1.14E-06	
218	218	3.2E-04	5	8.94E-07	
219	219	2.6E-04	5	7.23E-07	
220	220	2.2E-04	5	6.01E-07	
221	221	1.8E-04	5	5.09E-07	
222	222	1.6E-04	5	4.38E-07	
226	226	4.1E-04	5	1.15E-06	
227	227	5.0E-04	5	1.38E-06	
228	228	5.8E-04	5	1.62E-06	
229	229	6.6E-04	5	1.83E-06	
230	230	6.8E-04	5	1.91E-06	

Via Oro
Risk From 405/47 off/on ramp [TKI]

<i>Max Cancer Risk Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad
231	231	6.5E-04	5	1.81E-06
232	232	5.6E-04	5	1.56E-06
233	233	3.6E-04	5	9.96E-07
234	234	2.9E-04	5	7.98E-07
235	235	2.3E-04	5	6.55E-07
236	236	2.0E-04	5	5.49E-07
237	237	1.7E-04	5	4.69E-07
238	238	1.5E-04	5	4.06E-07
242	242	3.4E-04	5	9.53E-07
243	243	4.0E-04	5	1.11E-06
244	244	4.6E-04	5	1.27E-06
245	245	5.0E-04	5	1.40E-06
246	246	5.2E-04	5	1.46E-06
247	247	5.0E-04	5	1.41E-06
248	248	4.5E-04	5	1.26E-06
249	249	3.1E-04	5	8.71E-07
250	250	2.6E-04	5	7.14E-07
251	251	2.1E-04	5	5.94E-07
252	252	1.8E-04	5	5.03E-07
253	253	1.6E-04	5	4.33E-07
254	254	1.4E-04	5	3.77E-07
257	257	2.9E-04	5	8.01E-07
258	258	3.3E-04	5	9.14E-07
259	259	3.7E-04	5	1.03E-06
260	260	4.0E-04	5	1.11E-06
261	261	4.1E-04	5	1.15E-06
262	262	4.0E-04	5	1.13E-06
263	263	3.7E-04	5	1.03E-06
264	264	2.7E-04	5	7.64E-07
265	265	2.3E-04	5	6.41E-07
266	266	1.9E-04	5	5.41E-07

Via Oro
Risk From 405/47 off/on ramp [TKI]

<i>Max Cancer Risk Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad
267	267	1.7E-04	5	4.62E-07
268	268	1.4E-04	5	4.00E-07
269	269	1.3E-04	5	3.51E-07
270	270	9.0E-05	5	2.50E-07
271	271	8.1E-05	5	2.27E-07
274	274	2.4E-04	5	6.83E-07
275	275	2.7E-04	5	7.65E-07
276	276	3.0E-04	5	8.44E-07
277	277	3.2E-04	5	9.05E-07
278	278	3.4E-04	5	9.35E-07
279	279	3.3E-04	5	9.21E-07
280	280	3.1E-04	5	8.62E-07
281	281	2.4E-04	5	6.71E-07
282	282	2.1E-04	5	5.75E-07
283	283	1.8E-04	5	4.92E-07
284	284	1.5E-04	5	4.25E-07
285	285	1.3E-04	5	3.71E-07
286	286	1.2E-04	5	3.27E-07
287	287	8.5E-05	5	2.37E-07
288	288	7.7E-05	5	2.15E-07
291	291	2.1E-04	5	5.88E-07
292	292	2.3E-04	5	6.49E-07
293	293	2.5E-04	5	7.07E-07
294	294	2.7E-04	5	7.52E-07
295	295	2.8E-04	5	7.75E-07
296	296	2.8E-04	5	7.68E-07
297	297	2.6E-04	5	7.30E-07
298	298	2.1E-04	5	5.92E-07
299	299	1.9E-04	5	5.17E-07
300	300	1.6E-04	5	4.49E-07
301	301	1.4E-04	5	3.92E-07

Via Oro
Risk From 405/47 off/on ramp [TKI]

<i>Max Cancer Risk Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad
302	302	1.2E-04	5	3.44E-07
303	303	1.1E-04	5	3.06E-07
304	304	8.0E-05	5	2.24E-07
305	305	7.3E-05	5	2.04E-07
308	308	1.8E-04	5	5.11E-07
309	309	2.0E-04	5	5.58E-07
310	310	2.2E-04	5	6.01E-07
311	311	2.3E-04	5	6.35E-07
312	312	2.3E-04	5	6.54E-07
313	313	2.3E-04	5	6.51E-07
314	314	2.2E-04	5	6.25E-07
315	315	1.9E-04	5	5.25E-07
316	316	1.7E-04	5	4.66E-07
317	317	1.5E-04	5	4.11E-07
318	318	1.3E-04	5	3.62E-07
319	319	1.1E-04	5	3.20E-07
320	320	1.0E-04	5	2.86E-07
321	321	7.6E-05	5	2.12E-07
322	322	7.0E-05	5	1.94E-07
325	325	1.6E-04	5	4.49E-07
326	326	1.7E-04	5	4.85E-07
327	327	1.9E-04	5	5.18E-07
328	328	2.0E-04	5	5.44E-07
329	329	2.0E-04	5	5.59E-07
330	330	2.0E-04	5	5.59E-07
331	331	1.9E-04	5	5.42E-07
332	332	1.8E-04	5	5.10E-07
333	333	1.7E-04	5	4.68E-07
334	334	1.5E-04	5	4.21E-07
335	335	1.3E-04	5	3.76E-07
336	336	1.2E-04	5	3.34E-07

Via Oro
Risk From 405/47 off/on ramp [TKI]

<i>Max Cancer Risk Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
337	337	1.1E-04	5	2.98E-07	
338	338	9.6E-05	5	2.67E-07	
339	339	7.9E-05	5	2.19E-07	
340	340	7.2E-05	5	2.00E-07	
341	341	6.6E-05	5	1.84E-07	
349	349	1.7E-04	5	4.84E-07	
350	350	1.7E-04	5	4.85E-07	
351	351	1.7E-04	5	4.73E-07	
352	352	1.6E-04	5	4.50E-07	
353	353	7.4E-05	5	2.07E-07	
354	354	6.8E-05	5	1.90E-07	
355	355	6.3E-05	5	1.75E-07	
364	364	1.5E-04	5	4.26E-07	
365	365	1.5E-04	5	4.18E-07	
366	366	1.4E-04	5	4.00E-07	
367	367	7.0E-05	5	1.96E-07	
368	368	6.5E-05	5	1.80E-07	
369	369	6.0E-05	5	1.66E-07	
377	377	1.4E-04	5	3.76E-07	
378	378	1.3E-04	5	3.71E-07	
379	379	1.3E-04	5	3.58E-07	
380	380	6.7E-05	5	1.86E-07	
381	381	6.1E-05	5	1.71E-07	
382	382	5.7E-05	5	1.58E-07	
391	391	1.2E-04	5	3.32E-07	
392	392	1.2E-04	5	3.22E-07	
393	393	6.3E-05	5	1.76E-07	
394	394	5.8E-05	5	1.63E-07	
395	395	5.4E-05	5	1.51E-07	
405	405	1.1E-04	5	2.99E-07	
406	406	1.0E-04	5	2.92E-07	

Via Oro
Risk From 405/47 off/on ramp [TKI]

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
407	407	1.0E-04	5	2.80E-07	
408	408	6.0E-05	5	1.67E-07	
409	409	5.6E-05	5	1.55E-07	
410	410	5.2E-05	5	1.44E-07	
421	421	9.5E-05	5	2.65E-07	
422	422	9.2E-05	5	2.56E-07	
423	423	5.7E-05	5	1.59E-07	
424	424	5.3E-05	5	1.47E-07	
425	425	4.9E-05	5	1.38E-07	
435	435	8.7E-05	5	2.42E-07	
436	436	8.4E-05	5	2.35E-07	
437	437	5.0E-05	5	1.41E-07	
438	438	4.7E-05	5	1.31E-07	
449	449	8.0E-05	5	2.22E-07	
450	450	7.8E-05	5	2.16E-07	
451	451	7.5E-05	5	2.08E-07	
452	452	4.8E-05	5	1.34E-07	
453	453	4.5E-05	5	1.26E-07	
464	464	7.2E-05	5	2.00E-07	
465	465	6.9E-05	5	1.93E-07	
466	466	5.2E-05	5	1.46E-07	
467	467	4.6E-05	5	1.28E-07	
468	468	4.3E-05	5	1.20E-07	
479	479	6.6E-05	5	1.85E-07	
480	480	6.4E-05	5	1.79E-07	
481	481	6.2E-05	5	1.73E-07	
482	482	5.9E-05	5	1.65E-07	
483	483	5.6E-05	5	1.56E-07	
484	484	5.3E-05	5	1.47E-07	
485	485	5.0E-05	5	1.39E-07	
486	486	4.7E-05	5	1.30E-07	

Via Oro
Risk From 405/47 off/on ramp [TKI]

<i>Max Cancer Risk Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad
487	487	4.4E-05	5	1.22E-07
488	488	4.1E-05	5	1.15E-07
501	501	6.0E-05	5	1.67E-07
502	502	5.8E-05	5	1.62E-07
503	503	5.6E-05	5	1.55E-07
504	504	5.3E-05	5	1.47E-07
505	505	5.0E-05	5	1.40E-07
506	506	4.7E-05	5	1.32E-07
507	507	4.5E-05	5	1.24E-07
508	508	4.0E-05	5	1.10E-07
520	520	5.6E-05	5	1.56E-07
521	521	5.4E-05	5	1.51E-07
522	522	5.2E-05	5	1.46E-07
523	523	5.0E-05	5	1.39E-07
524	524	4.7E-05	5	1.32E-07
525	525	4.5E-05	5	1.25E-07
526	526	4.3E-05	5	1.19E-07
527	527	3.8E-05	5	1.06E-07
539	539	5.3E-05	5	1.46E-07
540	540	5.1E-05	5	1.42E-07
541	541	4.9E-05	5	1.37E-07
542	542	4.7E-05	5	1.32E-07
543	543	4.5E-05	5	1.26E-07
544	544	4.3E-05	5	1.19E-07
545	545	4.1E-05	5	1.13E-07
546	546	3.7E-05	5	1.02E-07
560	560	4.8E-05	5	1.34E-07
561	561	4.7E-05	5	1.30E-07
562	562	4.5E-05	5	1.25E-07
563	563	4.3E-05	5	1.19E-07
564	564	4.1E-05	5	1.14E-07

Via Oro
Risk From 405/47 off/on ramp [TKI]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
565	565	3.9E-05	5	1.08E-07	
566	566	3.5E-05	5	9.77E-08	
579	579	4.5E-05	5	1.26E-07	
580	580	4.4E-05	5	1.23E-07	
581	581	4.2E-05	5	1.18E-07	
582	582	4.1E-05	5	1.14E-07	
583	583	3.9E-05	5	1.09E-07	
584	584	3.7E-05	5	1.04E-07	
585	585	3.4E-05	5	9.54E-08	
598	598	4.3E-05	5	1.19E-07	
599	599	4.2E-05	5	1.16E-07	
600	600	4.0E-05	5	1.12E-07	
601	601	3.9E-05	5	1.08E-07	
602	602	3.7E-05	5	1.04E-07	
603	603	3.6E-05	5	9.93E-08	
604	604	3.4E-05	5	9.47E-08	
0	0	0.0E+00	5	0.00E+00	

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	Cancer Risk from 3rd Trimester - Construction								
		g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.32223	3.83E-05	1.2E-05	3.46E-04	4.27E-09	0.25	1.57E-01	1.68E-10	1.0E+06	1.7E-04
2	0.35468	3.83E-05	1.4E-05	3.46E-04	4.70E-09	0.25	1.57E-01	1.85E-10	1.0E+06	1.8E-04
3	0.39288	3.83E-05	1.5E-05	3.46E-04	5.21E-09	0.25	1.57E-01	2.05E-10	1.0E+06	2.0E-04
4	0.439	3.83E-05	1.7E-05	3.46E-04	5.82E-09	0.25	1.57E-01	2.29E-10	1.0E+06	2.3E-04
5	0.4958	3.83E-05	1.9E-05	3.46E-04	6.57E-09	0.25	1.57E-01	2.58E-10	1.0E+06	2.6E-04
6	0.5686	3.83E-05	2.2E-05	3.46E-04	7.54E-09	0.25	1.57E-01	2.96E-10	1.0E+06	3.0E-04
7	0.66287	3.83E-05	2.5E-05	3.46E-04	8.79E-09	0.25	1.57E-01	3.45E-10	1.0E+06	3.5E-04
8	0.7886	3.83E-05	3.0E-05	3.46E-04	1.05E-08	0.25	1.57E-01	4.11E-10	1.0E+06	4.1E-04
9	0.96581	3.83E-05	3.7E-05	3.46E-04	1.28E-08	0.25	1.57E-01	5.03E-10	1.0E+06	5.0E-04
10	1.23102	3.83E-05	4.7E-05	3.46E-04	1.63E-08	0.25	1.57E-01	6.41E-10	1.0E+06	6.4E-04
11	1.66015	3.83E-05	6.4E-05	3.46E-04	2.20E-08	0.25	1.57E-01	8.65E-10	1.0E+06	8.6E-04
12	2.41264	3.83E-05	9.2E-05	3.46E-04	3.20E-08	0.25	1.57E-01	1.26E-09	1.0E+06	1.3E-03
13	3.62562	3.83E-05	1.4E-04	3.46E-04	4.81E-08	0.25	1.57E-01	1.89E-09	1.0E+06	1.9E-03
14	4.68367	3.83E-05	1.8E-04	3.46E-04	6.21E-08	0.25	1.57E-01	2.44E-09	1.0E+06	2.4E-03
15	5.02433	3.83E-05	1.9E-04	3.46E-04	6.66E-08	0.25	1.57E-01	2.62E-09	1.0E+06	2.6E-03
16	5.00217	3.83E-05	1.9E-04	3.46E-04	6.63E-08	0.25	1.57E-01	2.61E-09	1.0E+06	2.6E-03
17	4.95029	3.83E-05	1.9E-04	3.46E-04	6.56E-08	0.25	1.57E-01	2.58E-09	1.0E+06	2.6E-03
18	4.84845	3.83E-05	1.9E-04	3.46E-04	6.43E-08	0.25	1.57E-01	2.53E-09	1.0E+06	2.5E-03
19	4.74873	3.83E-05	1.8E-04	3.46E-04	6.30E-08	0.25	1.57E-01	2.47E-09	1.0E+06	2.5E-03
20	4.65211	3.83E-05	1.8E-04	3.46E-04	6.17E-08	0.25	1.57E-01	2.42E-09	1.0E+06	2.4E-03
21	4.54504	3.83E-05	1.7E-04	3.46E-04	6.03E-08	0.25	1.57E-01	2.37E-09	1.0E+06	2.4E-03
22	4.41879	3.83E-05	1.7E-04	3.46E-04	5.86E-08	0.25	1.57E-01	2.30E-09	1.0E+06	2.3E-03
23	4.24082	3.83E-05	1.6E-04	3.46E-04	5.62E-08	0.25	1.57E-01	2.21E-09	1.0E+06	2.2E-03
24	4.00397	3.83E-05	1.5E-04	3.46E-04	5.31E-08	0.25	1.57E-01	2.09E-09	1.0E+06	2.1E-03
25	3.72155	3.83E-05	1.4E-04	3.46E-04	4.93E-08	0.25	1.57E-01	1.94E-09	1.0E+06	1.9E-03
26	3.40921	3.83E-05	1.3E-04	3.46E-04	4.52E-08	0.25	1.57E-01	1.78E-09	1.0E+06	1.8E-03
27	3.08581	3.83E-05	1.2E-04	3.46E-04	4.09E-08	0.25	1.57E-01	1.61E-09	1.0E+06	1.6E-03
28	2.76723	3.83E-05	1.1E-04	3.46E-04	3.67E-08	0.25	1.57E-01	1.44E-09	1.0E+06	1.4E-03
29	2.47352	3.83E-05	9.5E-05	3.46E-04	3.28E-08	0.25	1.57E-01	1.29E-09	1.0E+06	1.3E-03
30	2.20856	3.83E-05	8.5E-05	3.46E-04	2.93E-08	0.25	1.57E-01	1.15E-09	1.0E+06	1.2E-03
31	1.97105	3.83E-05	7.5E-05	3.46E-04	2.61E-08	0.25	1.57E-01	1.03E-09	1.0E+06	1.0E-03

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	1.75974	3.83E-05	6.7E-05	3.46E-04	2.33E-08	0.25	1.57E-01	9.16E-10	1.0E+06	9.2E-04
55	6.73471	3.83E-05	2.6E-04	3.46E-04	8.93E-08	0.25	1.57E-01	3.51E-09	1.0E+06	3.5E-03
56	6.31873	3.83E-05	2.4E-04	3.46E-04	8.38E-08	0.25	1.57E-01	3.29E-09	1.0E+06	3.3E-03
57	5.7972	3.83E-05	2.2E-04	3.46E-04	7.69E-08	0.25	1.57E-01	3.02E-09	1.0E+06	3.0E-03
58	5.18454	3.83E-05	2.0E-04	3.46E-04	6.87E-08	0.25	1.57E-01	2.70E-09	1.0E+06	2.7E-03
59	4.536	3.83E-05	1.7E-04	3.46E-04	6.01E-08	0.25	1.57E-01	2.36E-09	1.0E+06	2.4E-03
60	3.92111	3.83E-05	1.5E-04	3.46E-04	5.20E-08	0.25	1.57E-01	2.04E-09	1.0E+06	2.0E-03
61	3.3959	3.83E-05	1.3E-04	3.46E-04	4.50E-08	0.25	1.57E-01	1.77E-09	1.0E+06	1.8E-03
62	2.93905	3.83E-05	1.1E-04	3.46E-04	3.90E-08	0.25	1.57E-01	1.53E-09	1.0E+06	1.5E-03
63	2.55467	3.83E-05	9.8E-05	3.46E-04	3.39E-08	0.25	1.57E-01	1.33E-09	1.0E+06	1.3E-03
64	2.22762	3.83E-05	8.5E-05	3.46E-04	2.95E-08	0.25	1.57E-01	1.16E-09	1.0E+06	1.2E-03
65	1.94999	3.83E-05	7.5E-05	3.46E-04	2.59E-08	0.25	1.57E-01	1.02E-09	1.0E+06	1.0E-03
66	1.72376	3.83E-05	6.6E-05	3.46E-04	2.29E-08	0.25	1.57E-01	8.98E-10	1.0E+06	9.0E-04
67	0.32898	3.83E-05	1.3E-05	3.46E-04	4.36E-09	0.25	1.57E-01	1.71E-10	1.0E+06	1.7E-04
68	0.36315	3.83E-05	1.4E-05	3.46E-04	4.81E-09	0.25	1.57E-01	1.89E-10	1.0E+06	1.9E-04
69	0.40393	3.83E-05	1.5E-05	3.46E-04	5.35E-09	0.25	1.57E-01	2.10E-10	1.0E+06	2.1E-04
70	0.4536	3.83E-05	1.7E-05	3.46E-04	6.01E-09	0.25	1.57E-01	2.36E-10	1.0E+06	2.4E-04
71	0.51459	3.83E-05	2.0E-05	3.46E-04	6.82E-09	0.25	1.57E-01	2.68E-10	1.0E+06	2.7E-04
72	0.5942	3.83E-05	2.3E-05	3.46E-04	7.88E-09	0.25	1.57E-01	3.09E-10	1.0E+06	3.1E-04
73	0.69891	3.83E-05	2.7E-05	3.46E-04	9.27E-09	0.25	1.57E-01	3.64E-10	1.0E+06	3.6E-04
74	0.84313	3.83E-05	3.2E-05	3.46E-04	1.12E-08	0.25	1.57E-01	4.39E-10	1.0E+06	4.4E-04
75	1.05472	3.83E-05	4.0E-05	3.46E-04	1.40E-08	0.25	1.57E-01	5.49E-10	1.0E+06	5.5E-04
76	1.39793	3.83E-05	5.4E-05	3.46E-04	1.85E-08	0.25	1.57E-01	7.28E-10	1.0E+06	7.3E-04
77	2.05001	3.83E-05	7.9E-05	3.46E-04	2.72E-08	0.25	1.57E-01	1.07E-09	1.0E+06	1.1E-03
78	3.73645	3.83E-05	1.4E-04	3.46E-04	4.95E-08	0.25	1.57E-01	1.95E-09	1.0E+06	1.9E-03
79	14.92071	3.83E-05	5.7E-04	3.46E-04	1.98E-07	0.25	1.57E-01	7.77E-09	1.0E+06	7.8E-03
80	16.66452	3.83E-05	6.4E-04	3.46E-04	2.21E-07	0.25	1.57E-01	8.68E-09	1.0E+06	8.7E-03
81	14.84471	3.83E-05	5.7E-04	3.46E-04	1.97E-07	0.25	1.57E-01	7.73E-09	1.0E+06	7.7E-03
82	14.12227	3.83E-05	5.4E-04	3.46E-04	1.87E-07	0.25	1.57E-01	7.36E-09	1.0E+06	7.4E-03
83	13.9777	3.83E-05	5.4E-04	3.46E-04	1.85E-07	0.25	1.57E-01	7.28E-09	1.0E+06	7.3E-03
84	13.03304	3.83E-05	5.0E-04	3.46E-04	1.73E-07	0.25	1.57E-01	6.79E-09	1.0E+06	6.8E-03

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	11.43594	3.83E-05	4.4E-04	3.46E-04	1.52E-07	0.25	1.57E-01	5.96E-09	1.0E+06	6.0E-03
86	9.71533	3.83E-05	3.7E-04	3.46E-04	1.29E-07	0.25	1.57E-01	5.06E-09	1.0E+06	5.1E-03
87	7.92452	3.83E-05	3.0E-04	3.46E-04	1.05E-07	0.25	1.57E-01	4.13E-09	1.0E+06	4.1E-03
88	6.39431	3.83E-05	2.4E-04	3.46E-04	8.48E-08	0.25	1.57E-01	3.33E-09	1.0E+06	3.3E-03
89	5.17619	3.83E-05	2.0E-04	3.46E-04	6.86E-08	0.25	1.57E-01	2.70E-09	1.0E+06	2.7E-03
90	4.24716	3.83E-05	1.6E-04	3.46E-04	5.63E-08	0.25	1.57E-01	2.21E-09	1.0E+06	2.2E-03
91	3.53953	3.83E-05	1.4E-04	3.46E-04	4.69E-08	0.25	1.57E-01	1.84E-09	1.0E+06	1.8E-03
92	2.96198	3.83E-05	1.1E-04	3.46E-04	3.93E-08	0.25	1.57E-01	1.54E-09	1.0E+06	1.5E-03
93	2.51912	3.83E-05	9.6E-05	3.46E-04	3.34E-08	0.25	1.57E-01	1.31E-09	1.0E+06	1.3E-03
96	13.6056	3.83E-05	5.2E-04	3.46E-04	1.80E-07	0.25	1.57E-01	7.09E-09	1.0E+06	7.1E-03
97	16.6024	3.83E-05	6.4E-04	3.46E-04	2.20E-07	0.25	1.57E-01	8.65E-09	1.0E+06	8.6E-03
98	9.97679	3.83E-05	3.8E-04	3.46E-04	1.32E-07	0.25	1.57E-01	5.20E-09	1.0E+06	5.2E-03
99	7.35374	3.83E-05	2.8E-04	3.46E-04	9.75E-08	0.25	1.57E-01	3.83E-09	1.0E+06	3.8E-03
100	5.55346	3.83E-05	2.1E-04	3.46E-04	7.36E-08	0.25	1.57E-01	2.89E-09	1.0E+06	2.9E-03
101	4.31471	3.83E-05	1.7E-04	3.46E-04	5.72E-08	0.25	1.57E-01	2.25E-09	1.0E+06	2.2E-03
102	3.4841	3.83E-05	1.3E-04	3.46E-04	4.62E-08	0.25	1.57E-01	1.81E-09	1.0E+06	1.8E-03
106	0.29984	3.83E-05	1.1E-05	3.46E-04	3.98E-09	0.25	1.57E-01	1.56E-10	1.0E+06	1.6E-04
107	0.32758	3.83E-05	1.3E-05	3.46E-04	4.34E-09	0.25	1.57E-01	1.71E-10	1.0E+06	1.7E-04
108	0.36106	3.83E-05	1.4E-05	3.46E-04	4.79E-09	0.25	1.57E-01	1.88E-10	1.0E+06	1.9E-04
109	0.4008	3.83E-05	1.5E-05	3.46E-04	5.31E-09	0.25	1.57E-01	2.09E-10	1.0E+06	2.1E-04
110	0.44902	3.83E-05	1.7E-05	3.46E-04	5.95E-09	0.25	1.57E-01	2.34E-10	1.0E+06	2.3E-04
111	0.50745	3.83E-05	1.9E-05	3.46E-04	6.73E-09	0.25	1.57E-01	2.64E-10	1.0E+06	2.6E-04
112	0.58313	3.83E-05	2.2E-05	3.46E-04	7.73E-09	0.25	1.57E-01	3.04E-10	1.0E+06	3.0E-04
113	0.67941	3.83E-05	2.6E-05	3.46E-04	9.01E-09	0.25	1.57E-01	3.54E-10	1.0E+06	3.5E-04
114	0.80812	3.83E-05	3.1E-05	3.46E-04	1.07E-08	0.25	1.57E-01	4.21E-10	1.0E+06	4.2E-04
115	0.98523	3.83E-05	3.8E-05	3.46E-04	1.31E-08	0.25	1.57E-01	5.13E-10	1.0E+06	5.1E-04
116	1.23993	3.83E-05	4.7E-05	3.46E-04	1.64E-08	0.25	1.57E-01	6.46E-10	1.0E+06	6.5E-04
117	1.64377	3.83E-05	6.3E-05	3.46E-04	2.18E-08	0.25	1.57E-01	8.56E-10	1.0E+06	8.6E-04
118	2.32759	3.83E-05	8.9E-05	3.46E-04	3.09E-08	0.25	1.57E-01	1.21E-09	1.0E+06	1.2E-03
124	0.29627	3.83E-05	1.1E-05	3.46E-04	3.93E-09	0.25	1.57E-01	1.54E-10	1.0E+06	1.5E-04
125	0.32399	3.83E-05	1.2E-05	3.46E-04	4.30E-09	0.25	1.57E-01	1.69E-10	1.0E+06	1.7E-04

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.3564	3.83E-05	1.4E-05	3.46E-04	4.72E-09	0.25	1.57E-01	1.86E-10	1.0E+06	1.9E-04
127	0.39481	3.83E-05	1.5E-05	3.46E-04	5.23E-09	0.25	1.57E-01	2.06E-10	1.0E+06	2.1E-04
128	0.44095	3.83E-05	1.7E-05	3.46E-04	5.85E-09	0.25	1.57E-01	2.30E-10	1.0E+06	2.3E-04
129	0.49654	3.83E-05	1.9E-05	3.46E-04	6.58E-09	0.25	1.57E-01	2.59E-10	1.0E+06	2.6E-04
130	0.56704	3.83E-05	2.2E-05	3.46E-04	7.52E-09	0.25	1.57E-01	2.95E-10	1.0E+06	3.0E-04
131	0.65574	3.83E-05	2.5E-05	3.46E-04	8.69E-09	0.25	1.57E-01	3.42E-10	1.0E+06	3.4E-04
132	0.77106	3.83E-05	3.0E-05	3.46E-04	1.02E-08	0.25	1.57E-01	4.02E-10	1.0E+06	4.0E-04
133	0.92336	3.83E-05	3.5E-05	3.46E-04	1.22E-08	0.25	1.57E-01	4.81E-10	1.0E+06	4.8E-04
134	1.13617	3.83E-05	4.4E-05	3.46E-04	1.51E-08	0.25	1.57E-01	5.92E-10	1.0E+06	5.9E-04
135	1.43899	3.83E-05	5.5E-05	3.46E-04	1.91E-08	0.25	1.57E-01	7.49E-10	1.0E+06	7.5E-04
136	1.89059	3.83E-05	7.2E-05	3.46E-04	2.51E-08	0.25	1.57E-01	9.85E-10	1.0E+06	9.8E-04
137	2.53174	3.83E-05	9.7E-05	3.46E-04	3.36E-08	0.25	1.57E-01	1.32E-09	1.0E+06	1.3E-03
138	3.30986	3.83E-05	1.3E-04	3.46E-04	4.39E-08	0.25	1.57E-01	1.72E-09	1.0E+06	1.7E-03
141	0.29244	3.83E-05	1.1E-05	3.46E-04	3.88E-09	0.25	1.57E-01	1.52E-10	1.0E+06	1.5E-04
142	0.31926	3.83E-05	1.2E-05	3.46E-04	4.23E-09	0.25	1.57E-01	1.66E-10	1.0E+06	1.7E-04
143	0.35043	3.83E-05	1.3E-05	3.46E-04	4.65E-09	0.25	1.57E-01	1.83E-10	1.0E+06	1.8E-04
144	0.38712	3.83E-05	1.5E-05	3.46E-04	5.13E-09	0.25	1.57E-01	2.02E-10	1.0E+06	2.0E-04
145	0.43072	3.83E-05	1.6E-05	3.46E-04	5.71E-09	0.25	1.57E-01	2.24E-10	1.0E+06	2.2E-04
146	0.48276	3.83E-05	1.8E-05	3.46E-04	6.40E-09	0.25	1.57E-01	2.51E-10	1.0E+06	2.5E-04
147	0.54755	3.83E-05	2.1E-05	3.46E-04	7.26E-09	0.25	1.57E-01	2.85E-10	1.0E+06	2.9E-04
148	0.62728	3.83E-05	2.4E-05	3.46E-04	8.32E-09	0.25	1.57E-01	3.27E-10	1.0E+06	3.3E-04
149	0.72811	3.83E-05	2.8E-05	3.46E-04	9.65E-09	0.25	1.57E-01	3.79E-10	1.0E+06	3.8E-04
150	0.85736	3.83E-05	3.3E-05	3.46E-04	1.14E-08	0.25	1.57E-01	4.47E-10	1.0E+06	4.5E-04
151	1.0282	3.83E-05	3.9E-05	3.46E-04	1.36E-08	0.25	1.57E-01	5.36E-10	1.0E+06	5.4E-04
152	1.25915	3.83E-05	4.8E-05	3.46E-04	1.67E-08	0.25	1.57E-01	6.56E-10	1.0E+06	6.6E-04
153	1.57541	3.83E-05	6.0E-05	3.46E-04	2.09E-08	0.25	1.57E-01	8.20E-10	1.0E+06	8.2E-04
154	1.98269	3.83E-05	7.6E-05	3.46E-04	2.63E-08	0.25	1.57E-01	1.03E-09	1.0E+06	1.0E-03
155	2.4515	3.83E-05	9.4E-05	3.46E-04	3.25E-08	0.25	1.57E-01	1.28E-09	1.0E+06	1.3E-03
164	1.62309	3.83E-05	6.2E-05	3.46E-04	2.15E-08	0.25	1.57E-01	8.45E-10	1.0E+06	8.5E-04
165	1.93678	3.83E-05	7.4E-05	3.46E-04	2.57E-08	0.25	1.57E-01	1.01E-09	1.0E+06	1.0E-03
166	2.25618	3.83E-05	8.6E-05	3.46E-04	2.99E-08	0.25	1.57E-01	1.18E-09	1.0E+06	1.2E-03

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	1.369	3.83E-05	5.2E-05	3.46E-04	1.81E-08	0.25	1.57E-01	7.13E-10	1.0E+06	7.1E-04
179	1.59528	3.83E-05	6.1E-05	3.46E-04	2.11E-08	0.25	1.57E-01	8.31E-10	1.0E+06	8.3E-04
180	1.8276	3.83E-05	7.0E-05	3.46E-04	2.42E-08	0.25	1.57E-01	9.52E-10	1.0E+06	9.5E-04
192	1.18121	3.83E-05	4.5E-05	3.46E-04	1.57E-08	0.25	1.57E-01	6.15E-10	1.0E+06	6.2E-04
193	1.35327	3.83E-05	5.2E-05	3.46E-04	1.79E-08	0.25	1.57E-01	7.05E-10	1.0E+06	7.0E-04
194	1.52812	3.83E-05	5.9E-05	3.46E-04	2.03E-08	0.25	1.57E-01	7.96E-10	1.0E+06	8.0E-04
207	1.0352	3.83E-05	4.0E-05	3.46E-04	1.37E-08	0.25	1.57E-01	5.39E-10	1.0E+06	5.4E-04
208	1.16935	3.83E-05	4.5E-05	3.46E-04	1.55E-08	0.25	1.57E-01	6.09E-10	1.0E+06	6.1E-04
209	1.30758	3.83E-05	5.0E-05	3.46E-04	1.73E-08	0.25	1.57E-01	6.81E-10	1.0E+06	6.8E-04
223	0.91891	3.83E-05	3.5E-05	3.46E-04	1.22E-08	0.25	1.57E-01	4.79E-10	1.0E+06	4.8E-04
224	1.02614	3.83E-05	3.9E-05	3.46E-04	1.36E-08	0.25	1.57E-01	5.34E-10	1.0E+06	5.3E-04
225	1.13604	3.83E-05	4.4E-05	3.46E-04	1.51E-08	0.25	1.57E-01	5.92E-10	1.0E+06	5.9E-04
239	0.82438	3.83E-05	3.2E-05	3.46E-04	1.09E-08	0.25	1.57E-01	4.29E-10	1.0E+06	4.3E-04
240	0.91192	3.83E-05	3.5E-05	3.46E-04	1.21E-08	0.25	1.57E-01	4.75E-10	1.0E+06	4.7E-04
241	1.00277	3.83E-05	3.8E-05	3.46E-04	1.33E-08	0.25	1.57E-01	5.22E-10	1.0E+06	5.2E-04
255	0.74535	3.83E-05	2.9E-05	3.46E-04	9.88E-09	0.25	1.57E-01	3.88E-10	1.0E+06	3.9E-04
256	0.81809	3.83E-05	3.1E-05	3.46E-04	1.08E-08	0.25	1.57E-01	4.26E-10	1.0E+06	4.3E-04
272	0.67799	3.83E-05	2.6E-05	3.46E-04	8.99E-09	0.25	1.57E-01	3.53E-10	1.0E+06	3.5E-04
273	0.73964	3.83E-05	2.8E-05	3.46E-04	9.81E-09	0.25	1.57E-01	3.85E-10	1.0E+06	3.9E-04
289	0.62048	3.83E-05	2.4E-05	3.46E-04	8.23E-09	0.25	1.57E-01	3.23E-10	1.0E+06	3.2E-04
290	0.67289	3.83E-05	2.6E-05	3.46E-04	8.92E-09	0.25	1.57E-01	3.50E-10	1.0E+06	3.5E-04
306	0.57036	3.83E-05	2.2E-05	3.46E-04	7.56E-09	0.25	1.57E-01	2.97E-10	1.0E+06	3.0E-04
307	0.61538	3.83E-05	2.4E-05	3.46E-04	8.16E-09	0.25	1.57E-01	3.20E-10	1.0E+06	3.2E-04
323	0.52634	3.83E-05	2.0E-05	3.46E-04	6.98E-09	0.25	1.57E-01	2.74E-10	1.0E+06	2.7E-04
324	0.56527	3.83E-05	2.2E-05	3.46E-04	7.49E-09	0.25	1.57E-01	2.94E-10	1.0E+06	2.9E-04
342	0.48742	3.83E-05	1.9E-05	3.46E-04	6.46E-09	0.25	1.57E-01	2.54E-10	1.0E+06	2.5E-04
343	0.52129	3.83E-05	2.0E-05	3.46E-04	6.91E-09	0.25	1.57E-01	2.71E-10	1.0E+06	2.7E-04
344	0.55611	3.83E-05	2.1E-05	3.46E-04	7.37E-09	0.25	1.57E-01	2.90E-10	1.0E+06	2.9E-04
356	0.45268	3.83E-05	1.7E-05	3.46E-04	6.00E-09	0.25	1.57E-01	2.36E-10	1.0E+06	2.4E-04
357	0.48215	3.83E-05	1.8E-05	3.46E-04	6.39E-09	0.25	1.57E-01	2.51E-10	1.0E+06	2.5E-04
358	0.51263	3.83E-05	2.0E-05	3.46E-04	6.80E-09	0.25	1.57E-01	2.67E-10	1.0E+06	2.7E-04

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.42159	3.83E-05	1.6E-05	3.46E-04	5.59E-09	0.25	1.57E-01	2.20E-10	1.0E+06	2.2E-04
371	0.44739	3.83E-05	1.7E-05	3.46E-04	5.93E-09	0.25	1.57E-01	2.33E-10	1.0E+06	2.3E-04
372	0.47406	3.83E-05	1.8E-05	3.46E-04	6.28E-09	0.25	1.57E-01	2.47E-10	1.0E+06	2.5E-04
383	0.39356	3.83E-05	1.5E-05	3.46E-04	5.22E-09	0.25	1.57E-01	2.05E-10	1.0E+06	2.0E-04
384	0.41628	3.83E-05	1.6E-05	3.46E-04	5.52E-09	0.25	1.57E-01	2.17E-10	1.0E+06	2.2E-04
385	0.43966	3.83E-05	1.7E-05	3.46E-04	5.83E-09	0.25	1.57E-01	2.29E-10	1.0E+06	2.3E-04
396	0.36823	3.83E-05	1.4E-05	3.46E-04	4.88E-09	0.25	1.57E-01	1.92E-10	1.0E+06	1.9E-04
397	0.38829	3.83E-05	1.5E-05	3.46E-04	5.15E-09	0.25	1.57E-01	2.02E-10	1.0E+06	2.0E-04
398	0.40886	3.83E-05	1.6E-05	3.46E-04	5.42E-09	0.25	1.57E-01	2.13E-10	1.0E+06	2.1E-04
399	0.42977	3.83E-05	1.6E-05	3.46E-04	5.70E-09	0.25	1.57E-01	2.24E-10	1.0E+06	2.2E-04
411	0.34522	3.83E-05	1.3E-05	3.46E-04	4.58E-09	0.25	1.57E-01	1.80E-10	1.0E+06	1.8E-04
412	0.36298	3.83E-05	1.4E-05	3.46E-04	4.81E-09	0.25	1.57E-01	1.89E-10	1.0E+06	1.9E-04
413	0.38126	3.83E-05	1.5E-05	3.46E-04	5.05E-09	0.25	1.57E-01	1.99E-10	1.0E+06	2.0E-04
414	0.39962	3.83E-05	1.5E-05	3.46E-04	5.30E-09	0.25	1.57E-01	2.08E-10	1.0E+06	2.1E-04
426	0.32432	3.83E-05	1.2E-05	3.46E-04	4.30E-09	0.25	1.57E-01	1.69E-10	1.0E+06	1.7E-04
427	0.34012	3.83E-05	1.3E-05	3.46E-04	4.51E-09	0.25	1.57E-01	1.77E-10	1.0E+06	1.8E-04
428	0.3562	3.83E-05	1.4E-05	3.46E-04	4.72E-09	0.25	1.57E-01	1.86E-10	1.0E+06	1.9E-04
429	0.37253	3.83E-05	1.4E-05	3.46E-04	4.94E-09	0.25	1.57E-01	1.94E-10	1.0E+06	1.9E-04
439	0.30521	3.83E-05	1.2E-05	3.46E-04	4.05E-09	0.25	1.57E-01	1.59E-10	1.0E+06	1.6E-04
440	0.31932	3.83E-05	1.2E-05	3.46E-04	4.23E-09	0.25	1.57E-01	1.66E-10	1.0E+06	1.7E-04
441	0.33369	3.83E-05	1.3E-05	3.46E-04	4.42E-09	0.25	1.57E-01	1.74E-10	1.0E+06	1.7E-04
442	0.34819	3.83E-05	1.3E-05	3.46E-04	4.62E-09	0.25	1.57E-01	1.81E-10	1.0E+06	1.8E-04
443	0.36271	3.83E-05	1.4E-05	3.46E-04	4.81E-09	0.25	1.57E-01	1.89E-10	1.0E+06	1.9E-04
454	0.28777	3.83E-05	1.1E-05	3.46E-04	3.81E-09	0.25	1.57E-01	1.50E-10	1.0E+06	1.5E-04
455	0.30041	3.83E-05	1.2E-05	3.46E-04	3.98E-09	0.25	1.57E-01	1.56E-10	1.0E+06	1.6E-04
456	0.31326	3.83E-05	1.2E-05	3.46E-04	4.15E-09	0.25	1.57E-01	1.63E-10	1.0E+06	1.6E-04
457	0.32621	3.83E-05	1.2E-05	3.46E-04	4.32E-09	0.25	1.57E-01	1.70E-10	1.0E+06	1.7E-04
458	0.33914	3.83E-05	1.3E-05	3.46E-04	4.50E-09	0.25	1.57E-01	1.77E-10	1.0E+06	1.8E-04
469	0.27177	3.83E-05	1.0E-05	3.46E-04	3.60E-09	0.25	1.57E-01	1.42E-10	1.0E+06	1.4E-04
470	0.28309	3.83E-05	1.1E-05	3.46E-04	3.75E-09	0.25	1.57E-01	1.47E-10	1.0E+06	1.5E-04
471	0.29463	3.83E-05	1.1E-05	3.46E-04	3.91E-09	0.25	1.57E-01	1.53E-10	1.0E+06	1.5E-04

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.30623	3.83E-05	1.2E-05	3.46E-04	4.06E-09	0.25	1.57E-01	1.59E-10	1.0E+06	1.6E-04
473	0.31779	3.83E-05	1.2E-05	3.46E-04	4.21E-09	0.25	1.57E-01	1.66E-10	1.0E+06	1.7E-04
489	0.25713	3.83E-05	9.8E-06	3.46E-04	3.41E-09	0.25	1.57E-01	1.34E-10	1.0E+06	1.3E-04
490	0.26736	3.83E-05	1.0E-05	3.46E-04	3.54E-09	0.25	1.57E-01	1.39E-10	1.0E+06	1.4E-04
491	0.27772	3.83E-05	1.1E-05	3.46E-04	3.68E-09	0.25	1.57E-01	1.45E-10	1.0E+06	1.4E-04
492	0.28815	3.83E-05	1.1E-05	3.46E-04	3.82E-09	0.25	1.57E-01	1.50E-10	1.0E+06	1.5E-04
493	0.29855	3.83E-05	1.1E-05	3.46E-04	3.96E-09	0.25	1.57E-01	1.55E-10	1.0E+06	1.6E-04
494	0.30877	3.83E-05	1.2E-05	3.46E-04	4.09E-09	0.25	1.57E-01	1.61E-10	1.0E+06	1.6E-04
509	0.24363	3.83E-05	9.3E-06	3.46E-04	3.23E-09	0.25	1.57E-01	1.27E-10	1.0E+06	1.3E-04
510	0.25289	3.83E-05	9.7E-06	3.46E-04	3.35E-09	0.25	1.57E-01	1.32E-10	1.0E+06	1.3E-04
511	0.26223	3.83E-05	1.0E-05	3.46E-04	3.48E-09	0.25	1.57E-01	1.37E-10	1.0E+06	1.4E-04
512	0.27163	3.83E-05	1.0E-05	3.46E-04	3.60E-09	0.25	1.57E-01	1.41E-10	1.0E+06	1.4E-04
513	0.28101	3.83E-05	1.1E-05	3.46E-04	3.73E-09	0.25	1.57E-01	1.46E-10	1.0E+06	1.5E-04
514	0.2902	3.83E-05	1.1E-05	3.46E-04	3.85E-09	0.25	1.57E-01	1.51E-10	1.0E+06	1.5E-04
515	0.30766	3.83E-05	1.2E-05	3.46E-04	4.08E-09	0.25	1.57E-01	1.60E-10	1.0E+06	1.6E-04
516	0.31577	3.83E-05	1.2E-05	3.46E-04	4.19E-09	0.25	1.57E-01	1.64E-10	1.0E+06	1.6E-04
517	0.3232	3.83E-05	1.2E-05	3.46E-04	4.28E-09	0.25	1.57E-01	1.68E-10	1.0E+06	1.7E-04
518	0.32988	3.83E-05	1.3E-05	3.46E-04	4.37E-09	0.25	1.57E-01	1.72E-10	1.0E+06	1.7E-04
519	0.3357	3.83E-05	1.3E-05	3.46E-04	4.45E-09	0.25	1.57E-01	1.75E-10	1.0E+06	1.7E-04
528	0.23119	3.83E-05	8.9E-06	3.46E-04	3.06E-09	0.25	1.57E-01	1.20E-10	1.0E+06	1.2E-04
529	0.23959	3.83E-05	9.2E-06	3.46E-04	3.18E-09	0.25	1.57E-01	1.25E-10	1.0E+06	1.2E-04
530	0.24807	3.83E-05	9.5E-06	3.46E-04	3.29E-09	0.25	1.57E-01	1.29E-10	1.0E+06	1.3E-04
531	0.25655	3.83E-05	9.8E-06	3.46E-04	3.40E-09	0.25	1.57E-01	1.34E-10	1.0E+06	1.3E-04
532	0.265	3.83E-05	1.0E-05	3.46E-04	3.51E-09	0.25	1.57E-01	1.38E-10	1.0E+06	1.4E-04
533	0.27329	3.83E-05	1.0E-05	3.46E-04	3.62E-09	0.25	1.57E-01	1.42E-10	1.0E+06	1.4E-04
534	0.28902	3.83E-05	1.1E-05	3.46E-04	3.83E-09	0.25	1.57E-01	1.51E-10	1.0E+06	1.5E-04
535	0.29622	3.83E-05	1.1E-05	3.46E-04	3.93E-09	0.25	1.57E-01	1.54E-10	1.0E+06	1.5E-04
536	0.30278	3.83E-05	1.2E-05	3.46E-04	4.01E-09	0.25	1.57E-01	1.58E-10	1.0E+06	1.6E-04
537	0.30871	3.83E-05	1.2E-05	3.46E-04	4.09E-09	0.25	1.57E-01	1.61E-10	1.0E+06	1.6E-04
538	0.31382	3.83E-05	1.2E-05	3.46E-04	4.16E-09	0.25	1.57E-01	1.63E-10	1.0E+06	1.6E-04
547	0.21973	3.83E-05	8.4E-06	3.46E-04	2.91E-09	0.25	1.57E-01	1.14E-10	1.0E+06	1.1E-04

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.22737	3.83E-05	8.7E-06	3.46E-04	3.01E-09	0.25	1.57E-01	1.18E-10	1.0E+06	1.2E-04
549	0.23505	3.83E-05	9.0E-06	3.46E-04	3.12E-09	0.25	1.57E-01	1.22E-10	1.0E+06	1.2E-04
550	0.24278	3.83E-05	9.3E-06	3.46E-04	3.22E-09	0.25	1.57E-01	1.26E-10	1.0E+06	1.3E-04
551	0.25041	3.83E-05	9.6E-06	3.46E-04	3.32E-09	0.25	1.57E-01	1.30E-10	1.0E+06	1.3E-04
552	0.25789	3.83E-05	9.9E-06	3.46E-04	3.42E-09	0.25	1.57E-01	1.34E-10	1.0E+06	1.3E-04
553	0.26512	3.83E-05	1.0E-05	3.46E-04	3.51E-09	0.25	1.57E-01	1.38E-10	1.0E+06	1.4E-04
554	0.27203	3.83E-05	1.0E-05	3.46E-04	3.61E-09	0.25	1.57E-01	1.42E-10	1.0E+06	1.4E-04
555	0.27846	3.83E-05	1.1E-05	3.46E-04	3.69E-09	0.25	1.57E-01	1.45E-10	1.0E+06	1.5E-04
556	0.28428	3.83E-05	1.1E-05	3.46E-04	3.77E-09	0.25	1.57E-01	1.48E-10	1.0E+06	1.5E-04
557	0.28956	3.83E-05	1.1E-05	3.46E-04	3.84E-09	0.25	1.57E-01	1.51E-10	1.0E+06	1.5E-04
558	0.29404	3.83E-05	1.1E-05	3.46E-04	3.90E-09	0.25	1.57E-01	1.53E-10	1.0E+06	1.5E-04
559	0.29774	3.83E-05	1.1E-05	3.46E-04	3.95E-09	0.25	1.57E-01	1.55E-10	1.0E+06	1.6E-04
567	0.20912	3.83E-05	8.0E-06	3.46E-04	2.77E-09	0.25	1.57E-01	1.09E-10	1.0E+06	1.1E-04
568	0.21608	3.83E-05	8.3E-06	3.46E-04	2.86E-09	0.25	1.57E-01	1.13E-10	1.0E+06	1.1E-04
569	0.22309	3.83E-05	8.5E-06	3.46E-04	2.96E-09	0.25	1.57E-01	1.16E-10	1.0E+06	1.2E-04
570	0.23008	3.83E-05	8.8E-06	3.46E-04	3.05E-09	0.25	1.57E-01	1.20E-10	1.0E+06	1.2E-04
571	0.23701	3.83E-05	9.1E-06	3.46E-04	3.14E-09	0.25	1.57E-01	1.23E-10	1.0E+06	1.2E-04
572	0.24378	3.83E-05	9.3E-06	3.46E-04	3.23E-09	0.25	1.57E-01	1.27E-10	1.0E+06	1.3E-04
573	0.25032	3.83E-05	9.6E-06	3.46E-04	3.32E-09	0.25	1.57E-01	1.30E-10	1.0E+06	1.3E-04
574	0.26231	3.83E-05	1.0E-05	3.46E-04	3.48E-09	0.25	1.57E-01	1.37E-10	1.0E+06	1.4E-04
575	0.26752	3.83E-05	1.0E-05	3.46E-04	3.55E-09	0.25	1.57E-01	1.39E-10	1.0E+06	1.4E-04
576	0.27215	3.83E-05	1.0E-05	3.46E-04	3.61E-09	0.25	1.57E-01	1.42E-10	1.0E+06	1.4E-04
577	0.27613	3.83E-05	1.1E-05	3.46E-04	3.66E-09	0.25	1.57E-01	1.44E-10	1.0E+06	1.4E-04
578	0.27939	3.83E-05	1.1E-05	3.46E-04	3.70E-09	0.25	1.57E-01	1.46E-10	1.0E+06	1.5E-04
586	0.19932	3.83E-05	7.6E-06	3.46E-04	2.64E-09	0.25	1.57E-01	1.04E-10	1.0E+06	1.0E-04
587	0.2057	3.83E-05	7.9E-06	3.46E-04	2.73E-09	0.25	1.57E-01	1.07E-10	1.0E+06	1.1E-04
588	0.21208	3.83E-05	8.1E-06	3.46E-04	2.81E-09	0.25	1.57E-01	1.10E-10	1.0E+06	1.1E-04
589	0.21845	3.83E-05	8.4E-06	3.46E-04	2.90E-09	0.25	1.57E-01	1.14E-10	1.0E+06	1.1E-04
590	0.22475	3.83E-05	8.6E-06	3.46E-04	2.98E-09	0.25	1.57E-01	1.17E-10	1.0E+06	1.2E-04
591	0.23089	3.83E-05	8.8E-06	3.46E-04	3.06E-09	0.25	1.57E-01	1.20E-10	1.0E+06	1.2E-04
592	0.2368	3.83E-05	9.1E-06	3.46E-04	3.14E-09	0.25	1.57E-01	1.23E-10	1.0E+06	1.2E-04

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.24759	3.83E-05	9.5E-06	3.46E-04	3.28E-09	0.25	1.57E-01	1.29E-10	1.0E+06	1.3E-04
594	0.25225	3.83E-05	9.7E-06	3.46E-04	3.34E-09	0.25	1.57E-01	1.31E-10	1.0E+06	1.3E-04
595	0.25643	3.83E-05	9.8E-06	3.46E-04	3.40E-09	0.25	1.57E-01	1.34E-10	1.0E+06	1.3E-04
596	0.25998	3.83E-05	1.0E-05	3.46E-04	3.45E-09	0.25	1.57E-01	1.35E-10	1.0E+06	1.4E-04
597	0.26284	3.83E-05	1.0E-05	3.46E-04	3.48E-09	0.25	1.57E-01	1.37E-10	1.0E+06	1.4E-04
345	0.59191	3.83E-05	2.3E-05	3.46E-04	7.85E-09	0.25	1.57E-01	3.08E-10	1.0E+06	3.1E-04
346	0.62794	3.83E-05	2.4E-05	3.46E-04	8.32E-09	0.25	1.57E-01	3.27E-10	1.0E+06	3.3E-04
347	0.66409	3.83E-05	2.5E-05	3.46E-04	8.80E-09	0.25	1.57E-01	3.46E-10	1.0E+06	3.5E-04
348	0.70013	3.83E-05	2.7E-05	3.46E-04	9.28E-09	0.25	1.57E-01	3.65E-10	1.0E+06	3.6E-04
359	0.54384	3.83E-05	2.1E-05	3.46E-04	7.21E-09	0.25	1.57E-01	2.83E-10	1.0E+06	2.8E-04
360	0.57548	3.83E-05	2.2E-05	3.46E-04	7.63E-09	0.25	1.57E-01	3.00E-10	1.0E+06	3.0E-04
361	0.60674	3.83E-05	2.3E-05	3.46E-04	8.04E-09	0.25	1.57E-01	3.16E-10	1.0E+06	3.2E-04
362	0.6381	3.83E-05	2.4E-05	3.46E-04	8.46E-09	0.25	1.57E-01	3.32E-10	1.0E+06	3.3E-04
363	0.66882	3.83E-05	2.6E-05	3.46E-04	8.87E-09	0.25	1.57E-01	3.48E-10	1.0E+06	3.5E-04
373	0.52875	3.83E-05	2.0E-05	3.46E-04	7.01E-09	0.25	1.57E-01	2.75E-10	1.0E+06	2.8E-04
374	0.5562	3.83E-05	2.1E-05	3.46E-04	7.37E-09	0.25	1.57E-01	2.90E-10	1.0E+06	2.9E-04
375	0.58338	3.83E-05	2.2E-05	3.46E-04	7.73E-09	0.25	1.57E-01	3.04E-10	1.0E+06	3.0E-04
376	0.61003	3.83E-05	2.3E-05	3.46E-04	8.09E-09	0.25	1.57E-01	3.18E-10	1.0E+06	3.2E-04
386	0.48752	3.83E-05	1.9E-05	3.46E-04	6.46E-09	0.25	1.57E-01	2.54E-10	1.0E+06	2.5E-04
387	0.51146	3.83E-05	2.0E-05	3.46E-04	6.78E-09	0.25	1.57E-01	2.66E-10	1.0E+06	2.7E-04
388	0.53516	3.83E-05	2.0E-05	3.46E-04	7.09E-09	0.25	1.57E-01	2.79E-10	1.0E+06	2.8E-04
389	0.55829	3.83E-05	2.1E-05	3.46E-04	7.40E-09	0.25	1.57E-01	2.91E-10	1.0E+06	2.9E-04
390	0.58078	3.83E-05	2.2E-05	3.46E-04	7.70E-09	0.25	1.57E-01	3.02E-10	1.0E+06	3.0E-04
400	0.45082	3.83E-05	1.7E-05	3.46E-04	5.98E-09	0.25	1.57E-01	2.35E-10	1.0E+06	2.3E-04
401	0.47196	3.83E-05	1.8E-05	3.46E-04	6.26E-09	0.25	1.57E-01	2.46E-10	1.0E+06	2.5E-04
402	0.49252	3.83E-05	1.9E-05	3.46E-04	6.53E-09	0.25	1.57E-01	2.57E-10	1.0E+06	2.6E-04
403	0.51275	3.83E-05	2.0E-05	3.46E-04	6.80E-09	0.25	1.57E-01	2.67E-10	1.0E+06	2.7E-04
404	0.53239	3.83E-05	2.0E-05	3.46E-04	7.06E-09	0.25	1.57E-01	2.77E-10	1.0E+06	2.8E-04
415	0.41817	3.83E-05	1.6E-05	3.46E-04	5.54E-09	0.25	1.57E-01	2.18E-10	1.0E+06	2.2E-04
416	0.43664	3.83E-05	1.7E-05	3.46E-04	5.79E-09	0.25	1.57E-01	2.27E-10	1.0E+06	2.3E-04
417	0.45484	3.83E-05	1.7E-05	3.46E-04	6.03E-09	0.25	1.57E-01	2.37E-10	1.0E+06	2.4E-04

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.47232	3.83E-05	1.8E-05	3.46E-04	6.26E-09	0.25	1.57E-01	2.46E-10	1.0E+06	2.5E-04
419	0.48916	3.83E-05	1.9E-05	3.46E-04	6.48E-09	0.25	1.57E-01	2.55E-10	1.0E+06	2.5E-04
420	0.50613	3.83E-05	1.9E-05	3.46E-04	6.71E-09	0.25	1.57E-01	2.64E-10	1.0E+06	2.6E-04
430	0.40532	3.83E-05	1.6E-05	3.46E-04	5.37E-09	0.25	1.57E-01	2.11E-10	1.0E+06	2.1E-04
431	0.42114	3.83E-05	1.6E-05	3.46E-04	5.58E-09	0.25	1.57E-01	2.19E-10	1.0E+06	2.2E-04
432	0.43657	3.83E-05	1.7E-05	3.46E-04	5.79E-09	0.25	1.57E-01	2.27E-10	1.0E+06	2.3E-04
433	0.45142	3.83E-05	1.7E-05	3.46E-04	5.98E-09	0.25	1.57E-01	2.35E-10	1.0E+06	2.4E-04
434	0.46569	3.83E-05	1.8E-05	3.46E-04	6.17E-09	0.25	1.57E-01	2.43E-10	1.0E+06	2.4E-04
444	0.3771	3.83E-05	1.4E-05	3.46E-04	5.00E-09	0.25	1.57E-01	1.96E-10	1.0E+06	2.0E-04
445	0.39129	3.83E-05	1.5E-05	3.46E-04	5.19E-09	0.25	1.57E-01	2.04E-10	1.0E+06	2.0E-04
446	0.40487	3.83E-05	1.6E-05	3.46E-04	5.37E-09	0.25	1.57E-01	2.11E-10	1.0E+06	2.1E-04
447	0.41788	3.83E-05	1.6E-05	3.46E-04	5.54E-09	0.25	1.57E-01	2.18E-10	1.0E+06	2.2E-04
448	0.43029	3.83E-05	1.6E-05	3.46E-04	5.70E-09	0.25	1.57E-01	2.24E-10	1.0E+06	2.2E-04
459	0.3645	3.83E-05	1.4E-05	3.46E-04	4.83E-09	0.25	1.57E-01	1.90E-10	1.0E+06	1.9E-04
460	0.37657	3.83E-05	1.4E-05	3.46E-04	4.99E-09	0.25	1.57E-01	1.96E-10	1.0E+06	2.0E-04
461	0.3881	3.83E-05	1.5E-05	3.46E-04	5.15E-09	0.25	1.57E-01	2.02E-10	1.0E+06	2.0E-04
462	0.39897	3.83E-05	1.5E-05	3.46E-04	5.29E-09	0.25	1.57E-01	2.08E-10	1.0E+06	2.1E-04
463	0.40909	3.83E-05	1.6E-05	3.46E-04	5.42E-09	0.25	1.57E-01	2.13E-10	1.0E+06	2.1E-04
474	0.34047	3.83E-05	1.3E-05	3.46E-04	4.51E-09	0.25	1.57E-01	1.77E-10	1.0E+06	1.8E-04
475	0.35122	3.83E-05	1.3E-05	3.46E-04	4.66E-09	0.25	1.57E-01	1.83E-10	1.0E+06	1.8E-04
476	0.36136	3.83E-05	1.4E-05	3.46E-04	4.79E-09	0.25	1.57E-01	1.88E-10	1.0E+06	1.9E-04
477	0.37094	3.83E-05	1.4E-05	3.46E-04	4.92E-09	0.25	1.57E-01	1.93E-10	1.0E+06	1.9E-04
478	0.37971	3.83E-05	1.5E-05	3.46E-04	5.03E-09	0.25	1.57E-01	1.98E-10	1.0E+06	2.0E-04
495	0.31874	3.83E-05	1.2E-05	3.46E-04	4.23E-09	0.25	1.57E-01	1.66E-10	1.0E+06	1.7E-04
496	0.32835	3.83E-05	1.3E-05	3.46E-04	4.35E-09	0.25	1.57E-01	1.71E-10	1.0E+06	1.7E-04
497	0.33738	3.83E-05	1.3E-05	3.46E-04	4.47E-09	0.25	1.57E-01	1.76E-10	1.0E+06	1.8E-04
498	0.34578	3.83E-05	1.3E-05	3.46E-04	4.58E-09	0.25	1.57E-01	1.80E-10	1.0E+06	1.8E-04
499	0.35344	3.83E-05	1.4E-05	3.46E-04	4.69E-09	0.25	1.57E-01	1.84E-10	1.0E+06	1.8E-04
500	0.36019	3.83E-05	1.4E-05	3.46E-04	4.78E-09	0.25	1.57E-01	1.88E-10	1.0E+06	1.9E-04

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction Risk							
				Dose Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million	
139	3.98712	3.83E-05	1.5E-04	3.46E-04	5.29E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	4.58615	3.83E-05	1.8E-04	3.46E-04	6.08E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	2.90948	3.83E-05	1.1E-04	3.46E-04	3.86E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	3.29945	3.83E-05	1.3E-04	3.46E-04	4.37E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	3.6549	3.83E-05	1.4E-04	3.46E-04	4.85E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	3.96939	3.83E-05	1.5E-04	3.46E-04	5.26E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	4.20248	3.83E-05	1.6E-04	3.46E-04	5.57E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	4.6772	3.83E-05	1.8E-04	3.46E-04	6.20E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	4.98099	3.83E-05	1.9E-04	3.46E-04	6.60E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	5.39254	3.83E-05	2.1E-04	3.46E-04	7.15E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	2.52379	3.83E-05	9.7E-05	3.46E-04	3.35E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	2.79974	3.83E-05	1.1E-04	3.46E-04	3.71E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	3.01681	3.83E-05	1.2E-04	3.46E-04	4.00E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	3.2054	3.83E-05	1.2E-04	3.46E-04	4.25E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	3.38205	3.83E-05	1.3E-04	3.46E-04	4.48E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	3.58526	3.83E-05	1.4E-04	3.46E-04	4.75E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	3.83597	3.83E-05	1.5E-04	3.46E-04	5.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	4.18957	3.83E-05	1.6E-04	3.46E-04	5.55E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	4.76423	3.83E-05	1.8E-04	3.46E-04	6.32E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	5.79119	3.83E-05	2.2E-04	3.46E-04	7.68E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	7.8551	3.83E-05	3.0E-04	3.46E-04	1.04E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	2.24213	3.83E-05	8.6E-05	3.46E-04	2.97E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	2.41556	3.83E-05	9.3E-05	3.46E-04	3.20E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	2.57079	3.83E-05	9.8E-05	3.46E-04	3.41E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	2.71966	3.83E-05	1.0E-04	3.46E-04	3.61E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	2.88838	3.83E-05	1.1E-04	3.46E-04	3.83E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	3.10111	3.83E-05	1.2E-04	3.46E-04	4.11E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	3.39751	3.83E-05	1.3E-04	3.46E-04	4.50E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	3.84571	3.83E-05	1.5E-04	3.46E-04	5.10E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	4.59245	3.83E-05	1.8E-04	3.46E-04	6.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	5.9831	3.83E-05	2.3E-04	3.46E-04	7.93E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	9.22263	3.83E-05	3.5E-04	3.46E-04	1.22E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	1.85525	3.83E-05	7.1E-05	3.46E-04	2.46E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	1.99775	3.83E-05	7.7E-05	3.46E-04	2.65E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	2.13107	3.83E-05	8.2E-05	3.46E-04	2.83E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	2.25993	3.83E-05	8.7E-05	3.46E-04	3.00E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	2.40787	3.83E-05	9.2E-05	3.46E-04	3.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	2.58794	3.83E-05	9.9E-05	3.46E-04	3.43E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	2.8296	3.83E-05	1.1E-04	3.46E-04	3.75E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	3.18731	3.83E-05	1.2E-04	3.46E-04	4.23E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	3.75458	3.83E-05	1.4E-04	3.46E-04	4.98E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	4.74043	3.83E-05	1.8E-04	3.46E-04	6.28E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	6.75589	3.83E-05	2.6E-04	3.46E-04	8.96E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	12.29663	3.83E-05	4.7E-04	3.46E-04	1.63E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	1.4326	3.83E-05	5.5E-05	3.46E-04	1.90E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	1.57289	3.83E-05	6.0E-05	3.46E-04	2.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	1.69253	3.83E-05	6.5E-05	3.46E-04	2.24E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	1.80653	3.83E-05	6.9E-05	3.46E-04	2.39E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	2.04848	3.83E-05	7.8E-05	3.46E-04	2.72E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	2.20253	3.83E-05	8.4E-05	3.46E-04	2.92E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	2.40234	3.83E-05	9.2E-05	3.46E-04	3.18E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	2.69068	3.83E-05	1.0E-04	3.46E-04	3.57E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	3.12708	3.83E-05	1.2E-04	3.46E-04	4.15E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	3.84023	3.83E-05	1.5E-04	3.46E-04	5.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	5.14448	3.83E-05	2.0E-04	3.46E-04	6.82E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	7.88202	3.83E-05	3.0E-04	3.46E-04	1.04E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	16.16552	3.83E-05	6.2E-04	3.46E-04	2.14E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	1.24505	3.83E-05	4.8E-05	3.46E-04	1.65E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	1.35588	3.83E-05	5.2E-05	3.46E-04	1.80E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	1.45847	3.83E-05	5.6E-05	3.46E-04	1.93E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	1.55677	3.83E-05	6.0E-05	3.46E-04	2.06E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	1.6573	3.83E-05	6.3E-05	3.46E-04	2.20E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	1.77056	3.83E-05	6.8E-05	3.46E-04	2.35E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	1.902	3.83E-05	7.3E-05	3.46E-04	2.52E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	2.29675	3.83E-05	8.8E-05	3.46E-04	3.04E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	2.63549	3.83E-05	1.0E-04	3.46E-04	3.49E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	3.15641	3.83E-05	1.2E-04	3.46E-04	4.18E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	4.02549	3.83E-05	1.5E-04	3.46E-04	5.34E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	5.63281	3.83E-05	2.2E-04	3.46E-04	7.47E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	9.20662	3.83E-05	3.5E-04	3.46E-04	1.22E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	1.09355	3.83E-05	4.2E-05	3.46E-04	1.45E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	1.18473	3.83E-05	4.5E-05	3.46E-04	1.57E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	1.27473	3.83E-05	4.9E-05	3.46E-04	1.69E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	1.36018	3.83E-05	5.2E-05	3.46E-04	1.80E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	1.44764	3.83E-05	5.5E-05	3.46E-04	1.92E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	1.54279	3.83E-05	5.9E-05	3.46E-04	2.05E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	1.65309	3.83E-05	6.3E-05	3.46E-04	2.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	1.97682	3.83E-05	7.6E-05	3.46E-04	2.62E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	2.23491	3.83E-05	8.6E-05	3.46E-04	2.96E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	2.61263	3.83E-05	1.0E-04	3.46E-04	3.46E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	3.18741	3.83E-05	1.2E-04	3.46E-04	4.23E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	4.17468	3.83E-05	1.6E-04	3.46E-04	5.53E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	6.00178	3.83E-05	2.3E-04	3.46E-04	7.96E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	0.97043	3.83E-05	3.7E-05	3.46E-04	1.29E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	1.04718	3.83E-05	4.0E-05	3.46E-04	1.39E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	1.12392	3.83E-05	4.3E-05	3.46E-04	1.49E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	1.1993	3.83E-05	4.6E-05	3.46E-04	1.59E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	1.27381	3.83E-05	4.9E-05	3.46E-04	1.69E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	1.35506	3.83E-05	5.2E-05	3.46E-04	1.80E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	1.44786	3.83E-05	5.5E-05	3.46E-04	1.92E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	1.70475	3.83E-05	6.5E-05	3.46E-04	2.26E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	1.89802	3.83E-05	7.3E-05	3.46E-04	2.52E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	2.16446	3.83E-05	8.3E-05	3.46E-04	2.87E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	2.54599	3.83E-05	9.8E-05	3.46E-04	3.38E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	3.12752	3.83E-05	1.2E-04	3.46E-04	4.15E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	4.00892	3.83E-05	1.5E-04	3.46E-04	5.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	3.708	3.83E-05	1.4E-04	3.46E-04	4.92E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	2.16487	3.83E-05	8.3E-05	3.46E-04	2.87E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	0.86855	3.83E-05	3.3E-05	3.46E-04	1.15E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	0.93331	3.83E-05	3.6E-05	3.46E-04	1.24E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	0.99891	3.83E-05	3.8E-05	3.46E-04	1.32E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	1.06484	3.83E-05	4.1E-05	3.46E-04	1.41E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	1.12994	3.83E-05	4.3E-05	3.46E-04	1.50E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	1.19968	3.83E-05	4.6E-05	3.46E-04	1.59E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	1.27881	3.83E-05	4.9E-05	3.46E-04	1.70E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	1.482	3.83E-05	5.7E-05	3.46E-04	1.96E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	1.62584	3.83E-05	6.2E-05	3.46E-04	2.16E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	1.81454	3.83E-05	6.9E-05	3.46E-04	2.41E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	2.06528	3.83E-05	7.9E-05	3.46E-04	2.74E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	2.39915	3.83E-05	9.2E-05	3.46E-04	3.18E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	2.82847	3.83E-05	1.1E-04	3.46E-04	3.75E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	2.64448	3.83E-05	1.0E-04	3.46E-04	3.51E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	1.8059	3.83E-05	6.9E-05	3.46E-04	2.39E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	0.78276	3.83E-05	3.0E-05	3.46E-04	1.04E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	0.8382	3.83E-05	3.2E-05	3.46E-04	1.11E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	0.89415	3.83E-05	3.4E-05	3.46E-04	1.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	0.95156	3.83E-05	3.6E-05	3.46E-04	1.26E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	1.00846	3.83E-05	3.9E-05	3.46E-04	1.34E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	1.06775	3.83E-05	4.1E-05	3.46E-04	1.42E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	1.13214	3.83E-05	4.3E-05	3.46E-04	1.50E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	1.29365	3.83E-05	5.0E-05	3.46E-04	1.72E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	1.39976	3.83E-05	5.4E-05	3.46E-04	1.86E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	1.53279	3.83E-05	5.9E-05	3.46E-04	2.03E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	1.69645	3.83E-05	6.5E-05	3.46E-04	2.25E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	1.89569	3.83E-05	7.3E-05	3.46E-04	2.51E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	2.11831	3.83E-05	8.1E-05	3.46E-04	2.81E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	1.96766	3.83E-05	7.5E-05	3.46E-04	2.61E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	1.51403	3.83E-05	5.8E-05	3.46E-04	2.01E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	0.70971	3.83E-05	2.7E-05	3.46E-04	9.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	0.75769	3.83E-05	2.9E-05	3.46E-04	1.00E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	0.80562	3.83E-05	3.1E-05	3.46E-04	1.07E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	0.85523	3.83E-05	3.3E-05	3.46E-04	1.13E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	0.90349	3.83E-05	3.5E-05	3.46E-04	1.20E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	0.95394	3.83E-05	3.7E-05	3.46E-04	1.26E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	1.00754	3.83E-05	3.9E-05	3.46E-04	1.34E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	1.13511	3.83E-05	4.3E-05	3.46E-04	1.50E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	1.21283	3.83E-05	4.6E-05	3.46E-04	1.61E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	1.30847	3.83E-05	5.0E-05	3.46E-04	1.73E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	1.41718	3.83E-05	5.4E-05	3.46E-04	1.88E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	1.54002	3.83E-05	5.9E-05	3.46E-04	2.04E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	1.66456	3.83E-05	6.4E-05	3.46E-04	2.21E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	1.54164	3.83E-05	5.9E-05	3.46E-04	2.04E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	1.27676	3.83E-05	4.9E-05	3.46E-04	1.69E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	0.64666	3.83E-05	2.5E-05	3.46E-04	8.57E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	0.68824	3.83E-05	2.6E-05	3.46E-04	9.12E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	0.72979	3.83E-05	2.8E-05	3.46E-04	9.67E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	0.77191	3.83E-05	3.0E-05	3.46E-04	1.02E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	0.81415	3.83E-05	3.1E-05	3.46E-04	1.08E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	0.85598	3.83E-05	3.3E-05	3.46E-04	1.13E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	0.90046	3.83E-05	3.4E-05	3.46E-04	1.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	0.94744	3.83E-05	3.6E-05	3.46E-04	1.26E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	1.00132	3.83E-05	3.8E-05	3.46E-04	1.33E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	1.06043	3.83E-05	4.1E-05	3.46E-04	1.41E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	1.12811	3.83E-05	4.3E-05	3.46E-04	1.50E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	1.20297	3.83E-05	4.6E-05	3.46E-04	1.59E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	1.28182	3.83E-05	4.9E-05	3.46E-04	1.70E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	1.35143	3.83E-05	5.2E-05	3.46E-04	1.79E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	1.36867	3.83E-05	5.2E-05	3.46E-04	1.81E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	1.25609	3.83E-05	4.8E-05	3.46E-04	1.67E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	1.08851	3.83E-05	4.2E-05	3.46E-04	1.44E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	0.73623	3.83E-05	2.8E-05	3.46E-04	9.76E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	0.77224	3.83E-05	3.0E-05	3.46E-04	1.02E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	0.80987	3.83E-05	3.1E-05	3.46E-04	1.07E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	0.84717	3.83E-05	3.2E-05	3.46E-04	1.12E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	1.12744	3.83E-05	4.3E-05	3.46E-04	1.49E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	1.0524	3.83E-05	4.0E-05	3.46E-04	1.40E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.93965	3.83E-05	3.6E-05	3.46E-04	1.25E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	0.69944	3.83E-05	2.7E-05	3.46E-04	9.27E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	0.73012	3.83E-05	2.8E-05	3.46E-04	9.68E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	0.76215	3.83E-05	2.9E-05	3.46E-04	1.01E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	0.95369	3.83E-05	3.7E-05	3.46E-04	1.26E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	0.90093	3.83E-05	3.5E-05	3.46E-04	1.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.82123	3.83E-05	3.1E-05	3.46E-04	1.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	0.63617	3.83E-05	2.4E-05	3.46E-04	8.43E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	0.66227	3.83E-05	2.5E-05	3.46E-04	8.78E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	0.68888	3.83E-05	2.6E-05	3.46E-04	9.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	0.82335	3.83E-05	3.2E-05	3.46E-04	1.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	0.78455	3.83E-05	3.0E-05	3.46E-04	1.04E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.72591	3.83E-05	2.8E-05	3.46E-04	9.62E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	0.60311	3.83E-05	2.3E-05	3.46E-04	8.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	0.62552	3.83E-05	2.4E-05	3.46E-04	8.29E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	0.72162	3.83E-05	2.8E-05	3.46E-04	9.57E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.69174	3.83E-05	2.6E-05	3.46E-04	9.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.64728	3.83E-05	2.5E-05	3.46E-04	8.58E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	0.55133	3.83E-05	2.1E-05	3.46E-04	7.31E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	0.56997	3.83E-05	2.2E-05	3.46E-04	7.56E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	0.58788	3.83E-05	2.3E-05	3.46E-04	7.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	0.64007	3.83E-05	2.5E-05	3.46E-04	8.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.61656	3.83E-05	2.4E-05	3.46E-04	8.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.58177	3.83E-05	2.2E-05	3.46E-04	7.71E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	0.52173	3.83E-05	2.0E-05	3.46E-04	6.92E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	0.53679	3.83E-05	2.1E-05	3.46E-04	7.12E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.57348	3.83E-05	2.2E-05	3.46E-04	7.60E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.55451	3.83E-05	2.1E-05	3.46E-04	7.35E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.52687	3.83E-05	2.0E-05	3.46E-04	6.98E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	0.47951	3.83E-05	1.8E-05	3.46E-04	6.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	0.49196	3.83E-05	1.9E-05	3.46E-04	6.52E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.50251	3.83E-05	1.9E-05	3.46E-04	6.66E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.48035	3.83E-05	1.8E-05	3.46E-04	6.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	0.44223	3.83E-05	1.7E-05	3.46E-04	5.86E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	0.45261	3.83E-05	1.7E-05	3.46E-04	6.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	0.46224	3.83E-05	1.8E-05	3.46E-04	6.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.45842	3.83E-05	1.8E-05	3.46E-04	6.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.44022	3.83E-05	1.7E-05	3.46E-04	5.84E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	0.41814	3.83E-05	1.6E-05	3.46E-04	5.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	0.42609	3.83E-05	1.6E-05	3.46E-04	5.65E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.43814	3.83E-05	1.7E-05	3.46E-04	5.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.42056	3.83E-05	1.6E-05	3.46E-04	5.58E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.4054	3.83E-05	1.6E-05	3.46E-04	5.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	0.38757	3.83E-05	1.5E-05	3.46E-04	5.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	0.39422	3.83E-05	1.5E-05	3.46E-04	5.23E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	0.39967	3.83E-05	1.5E-05	3.46E-04	5.30E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	0.40354	3.83E-05	1.5E-05	3.46E-04	5.35E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	0.40577	3.83E-05	1.6E-05	3.46E-04	5.38E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.40568	3.83E-05	1.6E-05	3.46E-04	5.38E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.40295	3.83E-05	1.5E-05	3.46E-04	5.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.39705	3.83E-05	1.5E-05	3.46E-04	5.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.38774	3.83E-05	1.5E-05	3.46E-04	5.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.375	3.83E-05	1.4E-05	3.46E-04	4.97E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	0.36591	3.83E-05	1.4E-05	3.46E-04	4.85E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	0.37039	3.83E-05	1.4E-05	3.46E-04	4.91E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	0.3735	3.83E-05	1.4E-05	3.46E-04	4.95E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	0.37512	3.83E-05	1.4E-05	3.46E-04	4.97E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	0.37483	3.83E-05	1.4E-05	3.46E-04	4.97E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.37228	3.83E-05	1.4E-05	3.46E-04	4.94E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.36708	3.83E-05	1.4E-05	3.46E-04	4.87E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.34824	3.83E-05	1.3E-05	3.46E-04	4.62E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.34067	3.83E-05	1.3E-05	3.46E-04	4.52E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	0.34442	3.83E-05	1.3E-05	3.46E-04	4.57E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	0.347	3.83E-05	1.3E-05	3.46E-04	4.60E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	0.34819	3.83E-05	1.3E-05	3.46E-04	4.62E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	0.34775	3.83E-05	1.3E-05	3.46E-04	4.61E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.34538	3.83E-05	1.3E-05	3.46E-04	4.58E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.34081	3.83E-05	1.3E-05	3.46E-04	4.52E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.32455	3.83E-05	1.2E-05	3.46E-04	4.30E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.31805	3.83E-05	1.2E-05	3.46E-04	4.22E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.3213	3.83E-05	1.2E-05	3.46E-04	4.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	0.32343	3.83E-05	1.2E-05	3.46E-04	4.29E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	0.32432	3.83E-05	1.2E-05	3.46E-04	4.30E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	0.32379	3.83E-05	1.2E-05	3.46E-04	4.29E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.32162	3.83E-05	1.2E-05	3.46E-04	4.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.31757	3.83E-05	1.2E-05	3.46E-04	4.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.30347	3.83E-05	1.2E-05	3.46E-04	4.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.30053	3.83E-05	1.2E-05	3.46E-04	3.98E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.30233	3.83E-05	1.2E-05	3.46E-04	4.01E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.30303	3.83E-05	1.2E-05	3.46E-04	4.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.30215	3.83E-05	1.2E-05	3.46E-04	4.01E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.30046	3.83E-05	1.2E-05	3.46E-04	3.98E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.29689	3.83E-05	1.1E-05	3.46E-04	3.94E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.28455	3.83E-05	1.1E-05	3.46E-04	3.77E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.28185	3.83E-05	1.1E-05	3.46E-04	3.74E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.28338	3.83E-05	1.1E-05	3.46E-04	3.76E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.28393	3.83E-05	1.1E-05	3.46E-04	3.76E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.28338	3.83E-05	1.1E-05	3.46E-04	3.76E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.28159	3.83E-05	1.1E-05	3.46E-04	3.73E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.2784	3.83E-05	1.1E-05	3.46E-04	3.69E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.27141	3.83E-05	1.0E-05	3.46E-04	3.60E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.26497	3.83E-05	1.0E-05	3.46E-04	3.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.26632	3.83E-05	1.0E-05	3.46E-04	3.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.26677	3.83E-05	1.0E-05	3.46E-04	3.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.26623	3.83E-05	1.0E-05	3.46E-04	3.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.26461	3.83E-05	1.0E-05	3.46E-04	3.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.26177	3.83E-05	1.0E-05	3.46E-04	3.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.25766	3.83E-05	9.9E-06	3.46E-04	3.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	3.83E-05	0.0E+00	3.46E-04	0.00E+00	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.32223	3.83E-05	1.2E-05	1.05E-03	1.29E-08	2	1.57E-01	4.05E-09	1.0E+06	4.1E-03
2	0.35468	3.83E-05	1.4E-05	1.05E-03	1.42E-08	2	1.57E-01	4.46E-09	1.0E+06	4.5E-03
3	0.39288	3.83E-05	1.5E-05	1.05E-03	1.57E-08	2	1.57E-01	4.94E-09	1.0E+06	4.9E-03
4	0.439	3.83E-05	1.7E-05	1.05E-03	1.76E-08	2	1.57E-01	5.52E-09	1.0E+06	5.5E-03
5	0.4958	3.83E-05	1.9E-05	1.05E-03	1.98E-08	2	1.57E-01	6.24E-09	1.0E+06	6.2E-03
6	0.5686	3.83E-05	2.2E-05	1.05E-03	2.28E-08	2	1.57E-01	7.15E-09	1.0E+06	7.2E-03
7	0.66287	3.83E-05	2.5E-05	1.05E-03	2.65E-08	2	1.57E-01	8.34E-09	1.0E+06	8.3E-03
8	0.7886	3.83E-05	3.0E-05	1.05E-03	3.16E-08	2	1.57E-01	9.92E-09	1.0E+06	9.9E-03
9	0.96581	3.83E-05	3.7E-05	1.05E-03	3.87E-08	2	1.57E-01	1.22E-08	1.0E+06	1.2E-02
10	1.23102	3.83E-05	4.7E-05	1.05E-03	4.93E-08	2	1.57E-01	1.55E-08	1.0E+06	1.5E-02
11	1.66015	3.83E-05	6.4E-05	1.05E-03	6.65E-08	2	1.57E-01	2.09E-08	1.0E+06	2.1E-02
12	2.41264	3.83E-05	9.2E-05	1.05E-03	9.66E-08	2	1.57E-01	3.04E-08	1.0E+06	3.0E-02
13	3.62562	3.83E-05	1.4E-04	1.05E-03	1.45E-07	2	1.57E-01	4.56E-08	1.0E+06	4.6E-02
14	4.68367	3.83E-05	1.8E-04	1.05E-03	1.87E-07	2	1.57E-01	5.89E-08	1.0E+06	5.9E-02
15	5.02433	3.83E-05	1.9E-04	1.05E-03	2.01E-07	2	1.57E-01	6.32E-08	1.0E+06	6.3E-02
16	5.00217	3.83E-05	1.9E-04	1.05E-03	2.00E-07	2	1.57E-01	6.29E-08	1.0E+06	6.3E-02
17	4.95029	3.83E-05	1.9E-04	1.05E-03	1.98E-07	2	1.57E-01	6.23E-08	1.0E+06	6.2E-02
18	4.84845	3.83E-05	1.9E-04	1.05E-03	1.94E-07	2	1.57E-01	6.10E-08	1.0E+06	6.1E-02
19	4.74873	3.83E-05	1.8E-04	1.05E-03	1.90E-07	2	1.57E-01	5.97E-08	1.0E+06	6.0E-02
20	4.65211	3.83E-05	1.8E-04	1.05E-03	1.86E-07	2	1.57E-01	5.85E-08	1.0E+06	5.9E-02
21	4.54504	3.83E-05	1.7E-04	1.05E-03	1.82E-07	2	1.57E-01	5.72E-08	1.0E+06	5.7E-02
22	4.41879	3.83E-05	1.7E-04	1.05E-03	1.77E-07	2	1.57E-01	5.56E-08	1.0E+06	5.6E-02
23	4.24082	3.83E-05	1.6E-04	1.05E-03	1.70E-07	2	1.57E-01	5.34E-08	1.0E+06	5.3E-02
24	4.00397	3.83E-05	1.5E-04	1.05E-03	1.60E-07	2	1.57E-01	5.04E-08	1.0E+06	5.0E-02
25	3.72155	3.83E-05	1.4E-04	1.05E-03	1.49E-07	2	1.57E-01	4.68E-08	1.0E+06	4.7E-02
26	3.40921	3.83E-05	1.3E-04	1.05E-03	1.36E-07	2	1.57E-01	4.29E-08	1.0E+06	4.3E-02
27	3.08581	3.83E-05	1.2E-04	1.05E-03	1.24E-07	2	1.57E-01	3.88E-08	1.0E+06	3.9E-02
28	2.76723	3.83E-05	1.1E-04	1.05E-03	1.11E-07	2	1.57E-01	3.48E-08	1.0E+06	3.5E-02
29	2.47352	3.83E-05	9.5E-05	1.05E-03	9.90E-08	2	1.57E-01	3.11E-08	1.0E+06	3.1E-02
30	2.20856	3.83E-05	8.5E-05	1.05E-03	8.84E-08	2	1.57E-01	2.78E-08	1.0E+06	2.8E-02
31	1.97105	3.83E-05	7.5E-05	1.05E-03	7.89E-08	2	1.57E-01	2.48E-08	1.0E+06	2.5E-02

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	1.75974	3.83E-05	6.7E-05	1.05E-03	7.04E-08	2	1.57E-01	2.21E-08	1.0E+06	2.2E-02
55	6.73471	3.83E-05	2.6E-04	1.05E-03	2.70E-07	2	1.57E-01	8.47E-08	1.0E+06	8.5E-02
56	6.31873	3.83E-05	2.4E-04	1.05E-03	2.53E-07	2	1.57E-01	7.95E-08	1.0E+06	7.9E-02
57	5.7972	3.83E-05	2.2E-04	1.05E-03	2.32E-07	2	1.57E-01	7.29E-08	1.0E+06	7.3E-02
58	5.18454	3.83E-05	2.0E-04	1.05E-03	2.08E-07	2	1.57E-01	6.52E-08	1.0E+06	6.5E-02
59	4.536	3.83E-05	1.7E-04	1.05E-03	1.82E-07	2	1.57E-01	5.71E-08	1.0E+06	5.7E-02
60	3.92111	3.83E-05	1.5E-04	1.05E-03	1.57E-07	2	1.57E-01	4.93E-08	1.0E+06	4.9E-02
61	3.3959	3.83E-05	1.3E-04	1.05E-03	1.36E-07	2	1.57E-01	4.27E-08	1.0E+06	4.3E-02
62	2.93905	3.83E-05	1.1E-04	1.05E-03	1.18E-07	2	1.57E-01	3.70E-08	1.0E+06	3.7E-02
63	2.55467	3.83E-05	9.8E-05	1.05E-03	1.02E-07	2	1.57E-01	3.21E-08	1.0E+06	3.2E-02
64	2.22762	3.83E-05	8.5E-05	1.05E-03	8.92E-08	2	1.57E-01	2.80E-08	1.0E+06	2.8E-02
65	1.94999	3.83E-05	7.5E-05	1.05E-03	7.81E-08	2	1.57E-01	2.45E-08	1.0E+06	2.5E-02
66	1.72376	3.83E-05	6.6E-05	1.05E-03	6.90E-08	2	1.57E-01	2.17E-08	1.0E+06	2.2E-02
67	0.32898	3.83E-05	1.3E-05	1.05E-03	1.32E-08	2	1.57E-01	4.14E-09	1.0E+06	4.1E-03
68	0.36315	3.83E-05	1.4E-05	1.05E-03	1.45E-08	2	1.57E-01	4.57E-09	1.0E+06	4.6E-03
69	0.40393	3.83E-05	1.5E-05	1.05E-03	1.62E-08	2	1.57E-01	5.08E-09	1.0E+06	5.1E-03
70	0.4536	3.83E-05	1.7E-05	1.05E-03	1.82E-08	2	1.57E-01	5.71E-09	1.0E+06	5.7E-03
71	0.51459	3.83E-05	2.0E-05	1.05E-03	2.06E-08	2	1.57E-01	6.47E-09	1.0E+06	6.5E-03
72	0.5942	3.83E-05	2.3E-05	1.05E-03	2.38E-08	2	1.57E-01	7.48E-09	1.0E+06	7.5E-03
73	0.69891	3.83E-05	2.7E-05	1.05E-03	2.80E-08	2	1.57E-01	8.79E-09	1.0E+06	8.8E-03
74	0.84313	3.83E-05	3.2E-05	1.05E-03	3.37E-08	2	1.57E-01	1.06E-08	1.0E+06	1.1E-02
75	1.05472	3.83E-05	4.0E-05	1.05E-03	4.22E-08	2	1.57E-01	1.33E-08	1.0E+06	1.3E-02
76	1.39793	3.83E-05	5.4E-05	1.05E-03	5.60E-08	2	1.57E-01	1.76E-08	1.0E+06	1.8E-02
77	2.05001	3.83E-05	7.9E-05	1.05E-03	8.21E-08	2	1.57E-01	2.58E-08	1.0E+06	2.6E-02
78	3.73645	3.83E-05	1.4E-04	1.05E-03	1.50E-07	2	1.57E-01	4.70E-08	1.0E+06	4.7E-02
79	14.92071	3.83E-05	5.7E-04	1.05E-03	5.97E-07	2	1.57E-01	1.88E-07	1.0E+06	1.9E-01
80	16.66452	3.83E-05	6.4E-04	1.05E-03	6.67E-07	2	1.57E-01	2.10E-07	1.0E+06	2.1E-01
81	14.84471	3.83E-05	5.7E-04	1.05E-03	5.94E-07	2	1.57E-01	1.87E-07	1.0E+06	1.9E-01
82	14.12227	3.83E-05	5.4E-04	1.05E-03	5.65E-07	2	1.57E-01	1.78E-07	1.0E+06	1.8E-01
83	13.9777	3.83E-05	5.4E-04	1.05E-03	5.60E-07	2	1.57E-01	1.76E-07	1.0E+06	1.8E-01
84	13.03304	3.83E-05	5.0E-04	1.05E-03	5.22E-07	2	1.57E-01	1.64E-07	1.0E+06	1.6E-01

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	11.43594	3.83E-05	4.4E-04	1.05E-03	4.58E-07	2	1.57E-01	1.44E-07	1.0E+06	1.4E-01
86	9.71533	3.83E-05	3.7E-04	1.05E-03	3.89E-07	2	1.57E-01	1.22E-07	1.0E+06	1.2E-01
87	7.92452	3.83E-05	3.0E-04	1.05E-03	3.17E-07	2	1.57E-01	9.97E-08	1.0E+06	1.0E-01
88	6.39431	3.83E-05	2.4E-04	1.05E-03	2.56E-07	2	1.57E-01	8.04E-08	1.0E+06	8.0E-02
89	5.17619	3.83E-05	2.0E-04	1.05E-03	2.07E-07	2	1.57E-01	6.51E-08	1.0E+06	6.5E-02
90	4.24716	3.83E-05	1.6E-04	1.05E-03	1.70E-07	2	1.57E-01	5.34E-08	1.0E+06	5.3E-02
91	3.53953	3.83E-05	1.4E-04	1.05E-03	1.42E-07	2	1.57E-01	4.45E-08	1.0E+06	4.5E-02
92	2.96198	3.83E-05	1.1E-04	1.05E-03	1.19E-07	2	1.57E-01	3.73E-08	1.0E+06	3.7E-02
93	2.51912	3.83E-05	9.6E-05	1.05E-03	1.01E-07	2	1.57E-01	3.17E-08	1.0E+06	3.2E-02
96	13.6056	3.83E-05	5.2E-04	1.05E-03	5.45E-07	2	1.57E-01	1.71E-07	1.0E+06	1.7E-01
97	16.6024	3.83E-05	6.4E-04	1.05E-03	6.65E-07	2	1.57E-01	2.09E-07	1.0E+06	2.1E-01
98	9.97679	3.83E-05	3.8E-04	1.05E-03	3.99E-07	2	1.57E-01	1.26E-07	1.0E+06	1.3E-01
99	7.35374	3.83E-05	2.8E-04	1.05E-03	2.94E-07	2	1.57E-01	9.25E-08	1.0E+06	9.3E-02
100	5.55346	3.83E-05	2.1E-04	1.05E-03	2.22E-07	2	1.57E-01	6.99E-08	1.0E+06	7.0E-02
101	4.31471	3.83E-05	1.7E-04	1.05E-03	1.73E-07	2	1.57E-01	5.43E-08	1.0E+06	5.4E-02
102	3.4841	3.83E-05	1.3E-04	1.05E-03	1.39E-07	2	1.57E-01	4.38E-08	1.0E+06	4.4E-02
106	0.29984	3.83E-05	1.1E-05	1.05E-03	1.20E-08	2	1.57E-01	3.77E-09	1.0E+06	3.8E-03
107	0.32758	3.83E-05	1.3E-05	1.05E-03	1.31E-08	2	1.57E-01	4.12E-09	1.0E+06	4.1E-03
108	0.36106	3.83E-05	1.4E-05	1.05E-03	1.45E-08	2	1.57E-01	4.54E-09	1.0E+06	4.5E-03
109	0.4008	3.83E-05	1.5E-05	1.05E-03	1.60E-08	2	1.57E-01	5.04E-09	1.0E+06	5.0E-03
110	0.44902	3.83E-05	1.7E-05	1.05E-03	1.80E-08	2	1.57E-01	5.65E-09	1.0E+06	5.6E-03
111	0.50745	3.83E-05	1.9E-05	1.05E-03	2.03E-08	2	1.57E-01	6.38E-09	1.0E+06	6.4E-03
112	0.58313	3.83E-05	2.2E-05	1.05E-03	2.33E-08	2	1.57E-01	7.34E-09	1.0E+06	7.3E-03
113	0.67941	3.83E-05	2.6E-05	1.05E-03	2.72E-08	2	1.57E-01	8.55E-09	1.0E+06	8.5E-03
114	0.80812	3.83E-05	3.1E-05	1.05E-03	3.23E-08	2	1.57E-01	1.02E-08	1.0E+06	1.0E-02
115	0.98523	3.83E-05	3.8E-05	1.05E-03	3.94E-08	2	1.57E-01	1.24E-08	1.0E+06	1.2E-02
116	1.23993	3.83E-05	4.7E-05	1.05E-03	4.96E-08	2	1.57E-01	1.56E-08	1.0E+06	1.6E-02
117	1.64377	3.83E-05	6.3E-05	1.05E-03	6.58E-08	2	1.57E-01	2.07E-08	1.0E+06	2.1E-02
118	2.32759	3.83E-05	8.9E-05	1.05E-03	9.32E-08	2	1.57E-01	2.93E-08	1.0E+06	2.9E-02
124	0.29627	3.83E-05	1.1E-05	1.05E-03	1.19E-08	2	1.57E-01	3.73E-09	1.0E+06	3.7E-03
125	0.32399	3.83E-05	1.2E-05	1.05E-03	1.30E-08	2	1.57E-01	4.08E-09	1.0E+06	4.1E-03

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.3564	3.83E-05	1.4E-05	1.05E-03	1.43E-08	2	1.57E-01	4.48E-09	1.0E+06	4.5E-03
127	0.39481	3.83E-05	1.5E-05	1.05E-03	1.58E-08	2	1.57E-01	4.97E-09	1.0E+06	5.0E-03
128	0.44095	3.83E-05	1.7E-05	1.05E-03	1.77E-08	2	1.57E-01	5.55E-09	1.0E+06	5.5E-03
129	0.49654	3.83E-05	1.9E-05	1.05E-03	1.99E-08	2	1.57E-01	6.25E-09	1.0E+06	6.2E-03
130	0.56704	3.83E-05	2.2E-05	1.05E-03	2.27E-08	2	1.57E-01	7.13E-09	1.0E+06	7.1E-03
131	0.65574	3.83E-05	2.5E-05	1.05E-03	2.62E-08	2	1.57E-01	8.25E-09	1.0E+06	8.2E-03
132	0.77106	3.83E-05	3.0E-05	1.05E-03	3.09E-08	2	1.57E-01	9.70E-09	1.0E+06	9.7E-03
133	0.92336	3.83E-05	3.5E-05	1.05E-03	3.70E-08	2	1.57E-01	1.16E-08	1.0E+06	1.2E-02
134	1.13617	3.83E-05	4.4E-05	1.05E-03	4.55E-08	2	1.57E-01	1.43E-08	1.0E+06	1.4E-02
135	1.43899	3.83E-05	5.5E-05	1.05E-03	5.76E-08	2	1.57E-01	1.81E-08	1.0E+06	1.8E-02
136	1.89059	3.83E-05	7.2E-05	1.05E-03	7.57E-08	2	1.57E-01	2.38E-08	1.0E+06	2.4E-02
137	2.53174	3.83E-05	9.7E-05	1.05E-03	1.01E-07	2	1.57E-01	3.19E-08	1.0E+06	3.2E-02
138	3.30986	3.83E-05	1.3E-04	1.05E-03	1.32E-07	2	1.57E-01	4.16E-08	1.0E+06	4.2E-02
141	0.29244	3.83E-05	1.1E-05	1.05E-03	1.17E-08	2	1.57E-01	3.68E-09	1.0E+06	3.7E-03
142	0.31926	3.83E-05	1.2E-05	1.05E-03	1.28E-08	2	1.57E-01	4.02E-09	1.0E+06	4.0E-03
143	0.35043	3.83E-05	1.3E-05	1.05E-03	1.40E-08	2	1.57E-01	4.41E-09	1.0E+06	4.4E-03
144	0.38712	3.83E-05	1.5E-05	1.05E-03	1.55E-08	2	1.57E-01	4.87E-09	1.0E+06	4.9E-03
145	0.43072	3.83E-05	1.6E-05	1.05E-03	1.72E-08	2	1.57E-01	5.42E-09	1.0E+06	5.4E-03
146	0.48276	3.83E-05	1.8E-05	1.05E-03	1.93E-08	2	1.57E-01	6.07E-09	1.0E+06	6.1E-03
147	0.54755	3.83E-05	2.1E-05	1.05E-03	2.19E-08	2	1.57E-01	6.89E-09	1.0E+06	6.9E-03
148	0.62728	3.83E-05	2.4E-05	1.05E-03	2.51E-08	2	1.57E-01	7.89E-09	1.0E+06	7.9E-03
149	0.72811	3.83E-05	2.8E-05	1.05E-03	2.91E-08	2	1.57E-01	9.16E-09	1.0E+06	9.2E-03
150	0.85736	3.83E-05	3.3E-05	1.05E-03	3.43E-08	2	1.57E-01	1.08E-08	1.0E+06	1.1E-02
151	1.0282	3.83E-05	3.9E-05	1.05E-03	4.12E-08	2	1.57E-01	1.29E-08	1.0E+06	1.3E-02
152	1.25915	3.83E-05	4.8E-05	1.05E-03	5.04E-08	2	1.57E-01	1.58E-08	1.0E+06	1.6E-02
153	1.57541	3.83E-05	6.0E-05	1.05E-03	6.31E-08	2	1.57E-01	1.98E-08	1.0E+06	2.0E-02
154	1.98269	3.83E-05	7.6E-05	1.05E-03	7.94E-08	2	1.57E-01	2.49E-08	1.0E+06	2.5E-02
155	2.4515	3.83E-05	9.4E-05	1.05E-03	9.81E-08	2	1.57E-01	3.08E-08	1.0E+06	3.1E-02
164	1.62309	3.83E-05	6.2E-05	1.05E-03	6.50E-08	2	1.57E-01	2.04E-08	1.0E+06	2.0E-02
165	1.93678	3.83E-05	7.4E-05	1.05E-03	7.75E-08	2	1.57E-01	2.44E-08	1.0E+06	2.4E-02
166	2.25618	3.83E-05	8.6E-05	1.05E-03	9.03E-08	2	1.57E-01	2.84E-08	1.0E+06	2.8E-02

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	1.369	3.83E-05	5.2E-05	1.05E-03	5.48E-08	2	1.57E-01	1.72E-08	1.0E+06	1.7E-02
179	1.59528	3.83E-05	6.1E-05	1.05E-03	6.39E-08	2	1.57E-01	2.01E-08	1.0E+06	2.0E-02
180	1.8276	3.83E-05	7.0E-05	1.05E-03	7.32E-08	2	1.57E-01	2.30E-08	1.0E+06	2.3E-02
192	1.18121	3.83E-05	4.5E-05	1.05E-03	4.73E-08	2	1.57E-01	1.49E-08	1.0E+06	1.5E-02
193	1.35327	3.83E-05	5.2E-05	1.05E-03	5.42E-08	2	1.57E-01	1.70E-08	1.0E+06	1.7E-02
194	1.52812	3.83E-05	5.9E-05	1.05E-03	6.12E-08	2	1.57E-01	1.92E-08	1.0E+06	1.9E-02
207	1.0352	3.83E-05	4.0E-05	1.05E-03	4.14E-08	2	1.57E-01	1.30E-08	1.0E+06	1.3E-02
208	1.16935	3.83E-05	4.5E-05	1.05E-03	4.68E-08	2	1.57E-01	1.47E-08	1.0E+06	1.5E-02
209	1.30758	3.83E-05	5.0E-05	1.05E-03	5.23E-08	2	1.57E-01	1.64E-08	1.0E+06	1.6E-02
223	0.91891	3.83E-05	3.5E-05	1.05E-03	3.68E-08	2	1.57E-01	1.16E-08	1.0E+06	1.2E-02
224	1.02614	3.83E-05	3.9E-05	1.05E-03	4.11E-08	2	1.57E-01	1.29E-08	1.0E+06	1.3E-02
225	1.13604	3.83E-05	4.4E-05	1.05E-03	4.55E-08	2	1.57E-01	1.43E-08	1.0E+06	1.4E-02
239	0.82438	3.83E-05	3.2E-05	1.05E-03	3.30E-08	2	1.57E-01	1.04E-08	1.0E+06	1.0E-02
240	0.91192	3.83E-05	3.5E-05	1.05E-03	3.65E-08	2	1.57E-01	1.15E-08	1.0E+06	1.1E-02
241	1.00277	3.83E-05	3.8E-05	1.05E-03	4.01E-08	2	1.57E-01	1.26E-08	1.0E+06	1.3E-02
255	0.74535	3.83E-05	2.9E-05	1.05E-03	2.98E-08	2	1.57E-01	9.38E-09	1.0E+06	9.4E-03
256	0.81809	3.83E-05	3.1E-05	1.05E-03	3.27E-08	2	1.57E-01	1.03E-08	1.0E+06	1.0E-02
272	0.67799	3.83E-05	2.6E-05	1.05E-03	2.71E-08	2	1.57E-01	8.53E-09	1.0E+06	8.5E-03
273	0.73964	3.83E-05	2.8E-05	1.05E-03	2.96E-08	2	1.57E-01	9.30E-09	1.0E+06	9.3E-03
289	0.62048	3.83E-05	2.4E-05	1.05E-03	2.48E-08	2	1.57E-01	7.81E-09	1.0E+06	7.8E-03
290	0.67289	3.83E-05	2.6E-05	1.05E-03	2.69E-08	2	1.57E-01	8.47E-09	1.0E+06	8.5E-03
306	0.57036	3.83E-05	2.2E-05	1.05E-03	2.28E-08	2	1.57E-01	7.18E-09	1.0E+06	7.2E-03
307	0.61538	3.83E-05	2.4E-05	1.05E-03	2.46E-08	2	1.57E-01	7.74E-09	1.0E+06	7.7E-03
323	0.52634	3.83E-05	2.0E-05	1.05E-03	2.11E-08	2	1.57E-01	6.62E-09	1.0E+06	6.6E-03
324	0.56527	3.83E-05	2.2E-05	1.05E-03	2.26E-08	2	1.57E-01	7.11E-09	1.0E+06	7.1E-03
342	0.48742	3.83E-05	1.9E-05	1.05E-03	1.95E-08	2	1.57E-01	6.13E-09	1.0E+06	6.1E-03
343	0.52129	3.83E-05	2.0E-05	1.05E-03	2.09E-08	2	1.57E-01	6.56E-09	1.0E+06	6.6E-03
344	0.55611	3.83E-05	2.1E-05	1.05E-03	2.23E-08	2	1.57E-01	7.00E-09	1.0E+06	7.0E-03
356	0.45268	3.83E-05	1.7E-05	1.05E-03	1.81E-08	2	1.57E-01	5.69E-09	1.0E+06	5.7E-03
357	0.48215	3.83E-05	1.8E-05	1.05E-03	1.93E-08	2	1.57E-01	6.07E-09	1.0E+06	6.1E-03
358	0.51263	3.83E-05	2.0E-05	1.05E-03	2.05E-08	2	1.57E-01	6.45E-09	1.0E+06	6.4E-03

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.42159	3.83E-05	1.6E-05	1.05E-03	1.69E-08	2	1.57E-01	5.30E-09	1.0E+06	5.3E-03
371	0.44739	3.83E-05	1.7E-05	1.05E-03	1.79E-08	2	1.57E-01	5.63E-09	1.0E+06	5.6E-03
372	0.47406	3.83E-05	1.8E-05	1.05E-03	1.90E-08	2	1.57E-01	5.96E-09	1.0E+06	6.0E-03
383	0.39356	3.83E-05	1.5E-05	1.05E-03	1.58E-08	2	1.57E-01	4.95E-09	1.0E+06	5.0E-03
384	0.41628	3.83E-05	1.6E-05	1.05E-03	1.67E-08	2	1.57E-01	5.24E-09	1.0E+06	5.2E-03
385	0.43966	3.83E-05	1.7E-05	1.05E-03	1.76E-08	2	1.57E-01	5.53E-09	1.0E+06	5.5E-03
396	0.36823	3.83E-05	1.4E-05	1.05E-03	1.47E-08	2	1.57E-01	4.63E-09	1.0E+06	4.6E-03
397	0.38829	3.83E-05	1.5E-05	1.05E-03	1.55E-08	2	1.57E-01	4.88E-09	1.0E+06	4.9E-03
398	0.40886	3.83E-05	1.6E-05	1.05E-03	1.64E-08	2	1.57E-01	5.14E-09	1.0E+06	5.1E-03
399	0.42977	3.83E-05	1.6E-05	1.05E-03	1.72E-08	2	1.57E-01	5.41E-09	1.0E+06	5.4E-03
411	0.34522	3.83E-05	1.3E-05	1.05E-03	1.38E-08	2	1.57E-01	4.34E-09	1.0E+06	4.3E-03
412	0.36298	3.83E-05	1.4E-05	1.05E-03	1.45E-08	2	1.57E-01	4.57E-09	1.0E+06	4.6E-03
413	0.38126	3.83E-05	1.5E-05	1.05E-03	1.53E-08	2	1.57E-01	4.80E-09	1.0E+06	4.8E-03
414	0.39962	3.83E-05	1.5E-05	1.05E-03	1.60E-08	2	1.57E-01	5.03E-09	1.0E+06	5.0E-03
426	0.32432	3.83E-05	1.2E-05	1.05E-03	1.30E-08	2	1.57E-01	4.08E-09	1.0E+06	4.1E-03
427	0.34012	3.83E-05	1.3E-05	1.05E-03	1.36E-08	2	1.57E-01	4.28E-09	1.0E+06	4.3E-03
428	0.3562	3.83E-05	1.4E-05	1.05E-03	1.43E-08	2	1.57E-01	4.48E-09	1.0E+06	4.5E-03
429	0.37253	3.83E-05	1.4E-05	1.05E-03	1.49E-08	2	1.57E-01	4.69E-09	1.0E+06	4.7E-03
439	0.30521	3.83E-05	1.2E-05	1.05E-03	1.22E-08	2	1.57E-01	3.84E-09	1.0E+06	3.8E-03
440	0.31932	3.83E-05	1.2E-05	1.05E-03	1.28E-08	2	1.57E-01	4.02E-09	1.0E+06	4.0E-03
441	0.33369	3.83E-05	1.3E-05	1.05E-03	1.34E-08	2	1.57E-01	4.20E-09	1.0E+06	4.2E-03
442	0.34819	3.83E-05	1.3E-05	1.05E-03	1.39E-08	2	1.57E-01	4.38E-09	1.0E+06	4.4E-03
443	0.36271	3.83E-05	1.4E-05	1.05E-03	1.45E-08	2	1.57E-01	4.56E-09	1.0E+06	4.6E-03
454	0.28777	3.83E-05	1.1E-05	1.05E-03	1.15E-08	2	1.57E-01	3.62E-09	1.0E+06	3.6E-03
455	0.30041	3.83E-05	1.2E-05	1.05E-03	1.20E-08	2	1.57E-01	3.78E-09	1.0E+06	3.8E-03
456	0.31326	3.83E-05	1.2E-05	1.05E-03	1.25E-08	2	1.57E-01	3.94E-09	1.0E+06	3.9E-03
457	0.32621	3.83E-05	1.2E-05	1.05E-03	1.31E-08	2	1.57E-01	4.10E-09	1.0E+06	4.1E-03
458	0.33914	3.83E-05	1.3E-05	1.05E-03	1.36E-08	2	1.57E-01	4.27E-09	1.0E+06	4.3E-03
469	0.27177	3.83E-05	1.0E-05	1.05E-03	1.09E-08	2	1.57E-01	3.42E-09	1.0E+06	3.4E-03
470	0.28309	3.83E-05	1.1E-05	1.05E-03	1.13E-08	2	1.57E-01	3.56E-09	1.0E+06	3.6E-03
471	0.29463	3.83E-05	1.1E-05	1.05E-03	1.18E-08	2	1.57E-01	3.71E-09	1.0E+06	3.7E-03

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.30623	3.83E-05	1.2E-05	1.05E-03	1.23E-08	2	1.57E-01	3.85E-09	1.0E+06	3.9E-03
473	0.31779	3.83E-05	1.2E-05	1.05E-03	1.27E-08	2	1.57E-01	4.00E-09	1.0E+06	4.0E-03
489	0.25713	3.83E-05	9.8E-06	1.05E-03	1.03E-08	2	1.57E-01	3.23E-09	1.0E+06	3.2E-03
490	0.26736	3.83E-05	1.0E-05	1.05E-03	1.07E-08	2	1.57E-01	3.36E-09	1.0E+06	3.4E-03
491	0.27772	3.83E-05	1.1E-05	1.05E-03	1.11E-08	2	1.57E-01	3.49E-09	1.0E+06	3.5E-03
492	0.28815	3.83E-05	1.1E-05	1.05E-03	1.15E-08	2	1.57E-01	3.63E-09	1.0E+06	3.6E-03
493	0.29855	3.83E-05	1.1E-05	1.05E-03	1.20E-08	2	1.57E-01	3.76E-09	1.0E+06	3.8E-03
494	0.30877	3.83E-05	1.2E-05	1.05E-03	1.24E-08	2	1.57E-01	3.88E-09	1.0E+06	3.9E-03
509	0.24363	3.83E-05	9.3E-06	1.05E-03	9.75E-09	2	1.57E-01	3.06E-09	1.0E+06	3.1E-03
510	0.25289	3.83E-05	9.7E-06	1.05E-03	1.01E-08	2	1.57E-01	3.18E-09	1.0E+06	3.2E-03
511	0.26223	3.83E-05	1.0E-05	1.05E-03	1.05E-08	2	1.57E-01	3.30E-09	1.0E+06	3.3E-03
512	0.27163	3.83E-05	1.0E-05	1.05E-03	1.09E-08	2	1.57E-01	3.42E-09	1.0E+06	3.4E-03
513	0.28101	3.83E-05	1.1E-05	1.05E-03	1.12E-08	2	1.57E-01	3.54E-09	1.0E+06	3.5E-03
514	0.2902	3.83E-05	1.1E-05	1.05E-03	1.16E-08	2	1.57E-01	3.65E-09	1.0E+06	3.7E-03
515	0.30766	3.83E-05	1.2E-05	1.05E-03	1.23E-08	2	1.57E-01	3.87E-09	1.0E+06	3.9E-03
516	0.31577	3.83E-05	1.2E-05	1.05E-03	1.26E-08	2	1.57E-01	3.97E-09	1.0E+06	4.0E-03
517	0.3232	3.83E-05	1.2E-05	1.05E-03	1.29E-08	2	1.57E-01	4.07E-09	1.0E+06	4.1E-03
518	0.32988	3.83E-05	1.3E-05	1.05E-03	1.32E-08	2	1.57E-01	4.15E-09	1.0E+06	4.2E-03
519	0.3357	3.83E-05	1.3E-05	1.05E-03	1.34E-08	2	1.57E-01	4.22E-09	1.0E+06	4.2E-03
528	0.23119	3.83E-05	8.9E-06	1.05E-03	9.25E-09	2	1.57E-01	2.91E-09	1.0E+06	2.9E-03
529	0.23959	3.83E-05	9.2E-06	1.05E-03	9.59E-09	2	1.57E-01	3.01E-09	1.0E+06	3.0E-03
530	0.24807	3.83E-05	9.5E-06	1.05E-03	9.93E-09	2	1.57E-01	3.12E-09	1.0E+06	3.1E-03
531	0.25655	3.83E-05	9.8E-06	1.05E-03	1.03E-08	2	1.57E-01	3.23E-09	1.0E+06	3.2E-03
532	0.265	3.83E-05	1.0E-05	1.05E-03	1.06E-08	2	1.57E-01	3.33E-09	1.0E+06	3.3E-03
533	0.27329	3.83E-05	1.0E-05	1.05E-03	1.09E-08	2	1.57E-01	3.44E-09	1.0E+06	3.4E-03
534	0.28902	3.83E-05	1.1E-05	1.05E-03	1.16E-08	2	1.57E-01	3.64E-09	1.0E+06	3.6E-03
535	0.29622	3.83E-05	1.1E-05	1.05E-03	1.19E-08	2	1.57E-01	3.73E-09	1.0E+06	3.7E-03
536	0.30278	3.83E-05	1.2E-05	1.05E-03	1.21E-08	2	1.57E-01	3.81E-09	1.0E+06	3.8E-03
537	0.30871	3.83E-05	1.2E-05	1.05E-03	1.24E-08	2	1.57E-01	3.88E-09	1.0E+06	3.9E-03
538	0.31382	3.83E-05	1.2E-05	1.05E-03	1.26E-08	2	1.57E-01	3.95E-09	1.0E+06	3.9E-03
547	0.21973	3.83E-05	8.4E-06	1.05E-03	8.80E-09	2	1.57E-01	2.76E-09	1.0E+06	2.8E-03

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.22737	3.83E-05	8.7E-06	1.05E-03	9.10E-09	2	1.57E-01	2.86E-09	1.0E+06	2.9E-03
549	0.23505	3.83E-05	9.0E-06	1.05E-03	9.41E-09	2	1.57E-01	2.96E-09	1.0E+06	3.0E-03
550	0.24278	3.83E-05	9.3E-06	1.05E-03	9.72E-09	2	1.57E-01	3.05E-09	1.0E+06	3.1E-03
551	0.25041	3.83E-05	9.6E-06	1.05E-03	1.00E-08	2	1.57E-01	3.15E-09	1.0E+06	3.2E-03
552	0.25789	3.83E-05	9.9E-06	1.05E-03	1.03E-08	2	1.57E-01	3.24E-09	1.0E+06	3.2E-03
553	0.26512	3.83E-05	1.0E-05	1.05E-03	1.06E-08	2	1.57E-01	3.34E-09	1.0E+06	3.3E-03
554	0.27203	3.83E-05	1.0E-05	1.05E-03	1.09E-08	2	1.57E-01	3.42E-09	1.0E+06	3.4E-03
555	0.27846	3.83E-05	1.1E-05	1.05E-03	1.11E-08	2	1.57E-01	3.50E-09	1.0E+06	3.5E-03
556	0.28428	3.83E-05	1.1E-05	1.05E-03	1.14E-08	2	1.57E-01	3.58E-09	1.0E+06	3.6E-03
557	0.28956	3.83E-05	1.1E-05	1.05E-03	1.16E-08	2	1.57E-01	3.64E-09	1.0E+06	3.6E-03
558	0.29404	3.83E-05	1.1E-05	1.05E-03	1.18E-08	2	1.57E-01	3.70E-09	1.0E+06	3.7E-03
559	0.29774	3.83E-05	1.1E-05	1.05E-03	1.19E-08	2	1.57E-01	3.75E-09	1.0E+06	3.7E-03
567	0.20912	3.83E-05	8.0E-06	1.05E-03	8.37E-09	2	1.57E-01	2.63E-09	1.0E+06	2.6E-03
568	0.21608	3.83E-05	8.3E-06	1.05E-03	8.65E-09	2	1.57E-01	2.72E-09	1.0E+06	2.7E-03
569	0.22309	3.83E-05	8.5E-06	1.05E-03	8.93E-09	2	1.57E-01	2.81E-09	1.0E+06	2.8E-03
570	0.23008	3.83E-05	8.8E-06	1.05E-03	9.21E-09	2	1.57E-01	2.89E-09	1.0E+06	2.9E-03
571	0.23701	3.83E-05	9.1E-06	1.05E-03	9.49E-09	2	1.57E-01	2.98E-09	1.0E+06	3.0E-03
572	0.24378	3.83E-05	9.3E-06	1.05E-03	9.76E-09	2	1.57E-01	3.07E-09	1.0E+06	3.1E-03
573	0.25032	3.83E-05	9.6E-06	1.05E-03	1.00E-08	2	1.57E-01	3.15E-09	1.0E+06	3.1E-03
574	0.26231	3.83E-05	1.0E-05	1.05E-03	1.05E-08	2	1.57E-01	3.30E-09	1.0E+06	3.3E-03
575	0.26752	3.83E-05	1.0E-05	1.05E-03	1.07E-08	2	1.57E-01	3.37E-09	1.0E+06	3.4E-03
576	0.27215	3.83E-05	1.0E-05	1.05E-03	1.09E-08	2	1.57E-01	3.42E-09	1.0E+06	3.4E-03
577	0.27613	3.83E-05	1.1E-05	1.05E-03	1.11E-08	2	1.57E-01	3.47E-09	1.0E+06	3.5E-03
578	0.27939	3.83E-05	1.1E-05	1.05E-03	1.12E-08	2	1.57E-01	3.51E-09	1.0E+06	3.5E-03
586	0.19932	3.83E-05	7.6E-06	1.05E-03	7.98E-09	2	1.57E-01	2.51E-09	1.0E+06	2.5E-03
587	0.2057	3.83E-05	7.9E-06	1.05E-03	8.23E-09	2	1.57E-01	2.59E-09	1.0E+06	2.6E-03
588	0.21208	3.83E-05	8.1E-06	1.05E-03	8.49E-09	2	1.57E-01	2.67E-09	1.0E+06	2.7E-03
589	0.21845	3.83E-05	8.4E-06	1.05E-03	8.74E-09	2	1.57E-01	2.75E-09	1.0E+06	2.7E-03
590	0.22475	3.83E-05	8.6E-06	1.05E-03	9.00E-09	2	1.57E-01	2.83E-09	1.0E+06	2.8E-03
591	0.23089	3.83E-05	8.8E-06	1.05E-03	9.24E-09	2	1.57E-01	2.90E-09	1.0E+06	2.9E-03
592	0.2368	3.83E-05	9.1E-06	1.05E-03	9.48E-09	2	1.57E-01	2.98E-09	1.0E+06	3.0E-03

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.24759	3.83E-05	9.5E-06	1.05E-03	9.91E-09	2	1.57E-01	3.11E-09	1.0E+06	3.1E-03
594	0.25225	3.83E-05	9.7E-06	1.05E-03	1.01E-08	2	1.57E-01	3.17E-09	1.0E+06	3.2E-03
595	0.25643	3.83E-05	9.8E-06	1.05E-03	1.03E-08	2	1.57E-01	3.23E-09	1.0E+06	3.2E-03
596	0.25998	3.83E-05	1.0E-05	1.05E-03	1.04E-08	2	1.57E-01	3.27E-09	1.0E+06	3.3E-03
597	0.26284	3.83E-05	1.0E-05	1.05E-03	1.05E-08	2	1.57E-01	3.31E-09	1.0E+06	3.3E-03
345	0.59191	3.83E-05	2.3E-05	1.05E-03	2.37E-08	2	1.57E-01	7.45E-09	1.0E+06	7.4E-03
346	0.62794	3.83E-05	2.4E-05	1.05E-03	2.51E-08	2	1.57E-01	7.90E-09	1.0E+06	7.9E-03
347	0.66409	3.83E-05	2.5E-05	1.05E-03	2.66E-08	2	1.57E-01	8.35E-09	1.0E+06	8.4E-03
348	0.70013	3.83E-05	2.7E-05	1.05E-03	2.80E-08	2	1.57E-01	8.81E-09	1.0E+06	8.8E-03
359	0.54384	3.83E-05	2.1E-05	1.05E-03	2.18E-08	2	1.57E-01	6.84E-09	1.0E+06	6.8E-03
360	0.57548	3.83E-05	2.2E-05	1.05E-03	2.30E-08	2	1.57E-01	7.24E-09	1.0E+06	7.2E-03
361	0.60674	3.83E-05	2.3E-05	1.05E-03	2.43E-08	2	1.57E-01	7.63E-09	1.0E+06	7.6E-03
362	0.6381	3.83E-05	2.4E-05	1.05E-03	2.55E-08	2	1.57E-01	8.03E-09	1.0E+06	8.0E-03
363	0.66882	3.83E-05	2.6E-05	1.05E-03	2.68E-08	2	1.57E-01	8.41E-09	1.0E+06	8.4E-03
373	0.52875	3.83E-05	2.0E-05	1.05E-03	2.12E-08	2	1.57E-01	6.65E-09	1.0E+06	6.7E-03
374	0.5562	3.83E-05	2.1E-05	1.05E-03	2.23E-08	2	1.57E-01	7.00E-09	1.0E+06	7.0E-03
375	0.58338	3.83E-05	2.2E-05	1.05E-03	2.34E-08	2	1.57E-01	7.34E-09	1.0E+06	7.3E-03
376	0.61003	3.83E-05	2.3E-05	1.05E-03	2.44E-08	2	1.57E-01	7.67E-09	1.0E+06	7.7E-03
386	0.48752	3.83E-05	1.9E-05	1.05E-03	1.95E-08	2	1.57E-01	6.13E-09	1.0E+06	6.1E-03
387	0.51146	3.83E-05	2.0E-05	1.05E-03	2.05E-08	2	1.57E-01	6.43E-09	1.0E+06	6.4E-03
388	0.53516	3.83E-05	2.0E-05	1.05E-03	2.14E-08	2	1.57E-01	6.73E-09	1.0E+06	6.7E-03
389	0.55829	3.83E-05	2.1E-05	1.05E-03	2.23E-08	2	1.57E-01	7.02E-09	1.0E+06	7.0E-03
390	0.58078	3.83E-05	2.2E-05	1.05E-03	2.32E-08	2	1.57E-01	7.31E-09	1.0E+06	7.3E-03
400	0.45082	3.83E-05	1.7E-05	1.05E-03	1.80E-08	2	1.57E-01	5.67E-09	1.0E+06	5.7E-03
401	0.47196	3.83E-05	1.8E-05	1.05E-03	1.89E-08	2	1.57E-01	5.94E-09	1.0E+06	5.9E-03
402	0.49252	3.83E-05	1.9E-05	1.05E-03	1.97E-08	2	1.57E-01	6.20E-09	1.0E+06	6.2E-03
403	0.51275	3.83E-05	2.0E-05	1.05E-03	2.05E-08	2	1.57E-01	6.45E-09	1.0E+06	6.5E-03
404	0.53239	3.83E-05	2.0E-05	1.05E-03	2.13E-08	2	1.57E-01	6.70E-09	1.0E+06	6.7E-03
415	0.41817	3.83E-05	1.6E-05	1.05E-03	1.67E-08	2	1.57E-01	5.26E-09	1.0E+06	5.3E-03
416	0.43664	3.83E-05	1.7E-05	1.05E-03	1.75E-08	2	1.57E-01	5.49E-09	1.0E+06	5.5E-03
417	0.45484	3.83E-05	1.7E-05	1.05E-03	1.82E-08	2	1.57E-01	5.72E-09	1.0E+06	5.7E-03

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.47232	3.83E-05	1.8E-05	1.05E-03	1.89E-08	2	1.57E-01	5.94E-09	1.0E+06	5.9E-03
419	0.48916	3.83E-05	1.9E-05	1.05E-03	1.96E-08	2	1.57E-01	6.15E-09	1.0E+06	6.2E-03
420	0.50613	3.83E-05	1.9E-05	1.05E-03	2.03E-08	2	1.57E-01	6.37E-09	1.0E+06	6.4E-03
430	0.40532	3.83E-05	1.6E-05	1.05E-03	1.62E-08	2	1.57E-01	5.10E-09	1.0E+06	5.1E-03
431	0.42114	3.83E-05	1.6E-05	1.05E-03	1.69E-08	2	1.57E-01	5.30E-09	1.0E+06	5.3E-03
432	0.43657	3.83E-05	1.7E-05	1.05E-03	1.75E-08	2	1.57E-01	5.49E-09	1.0E+06	5.5E-03
433	0.45142	3.83E-05	1.7E-05	1.05E-03	1.81E-08	2	1.57E-01	5.68E-09	1.0E+06	5.7E-03
434	0.46569	3.83E-05	1.8E-05	1.05E-03	1.86E-08	2	1.57E-01	5.86E-09	1.0E+06	5.9E-03
444	0.3771	3.83E-05	1.4E-05	1.05E-03	1.51E-08	2	1.57E-01	4.74E-09	1.0E+06	4.7E-03
445	0.39129	3.83E-05	1.5E-05	1.05E-03	1.57E-08	2	1.57E-01	4.92E-09	1.0E+06	4.9E-03
446	0.40487	3.83E-05	1.6E-05	1.05E-03	1.62E-08	2	1.57E-01	5.09E-09	1.0E+06	5.1E-03
447	0.41788	3.83E-05	1.6E-05	1.05E-03	1.67E-08	2	1.57E-01	5.26E-09	1.0E+06	5.3E-03
448	0.43029	3.83E-05	1.6E-05	1.05E-03	1.72E-08	2	1.57E-01	5.41E-09	1.0E+06	5.4E-03
459	0.3645	3.83E-05	1.4E-05	1.05E-03	1.46E-08	2	1.57E-01	4.59E-09	1.0E+06	4.6E-03
460	0.37657	3.83E-05	1.4E-05	1.05E-03	1.51E-08	2	1.57E-01	4.74E-09	1.0E+06	4.7E-03
461	0.3881	3.83E-05	1.5E-05	1.05E-03	1.55E-08	2	1.57E-01	4.88E-09	1.0E+06	4.9E-03
462	0.39897	3.83E-05	1.5E-05	1.05E-03	1.60E-08	2	1.57E-01	5.02E-09	1.0E+06	5.0E-03
463	0.40909	3.83E-05	1.6E-05	1.05E-03	1.64E-08	2	1.57E-01	5.15E-09	1.0E+06	5.1E-03
474	0.34047	3.83E-05	1.3E-05	1.05E-03	1.36E-08	2	1.57E-01	4.28E-09	1.0E+06	4.3E-03
475	0.35122	3.83E-05	1.3E-05	1.05E-03	1.41E-08	2	1.57E-01	4.42E-09	1.0E+06	4.4E-03
476	0.36136	3.83E-05	1.4E-05	1.05E-03	1.45E-08	2	1.57E-01	4.55E-09	1.0E+06	4.5E-03
477	0.37094	3.83E-05	1.4E-05	1.05E-03	1.48E-08	2	1.57E-01	4.67E-09	1.0E+06	4.7E-03
478	0.37971	3.83E-05	1.5E-05	1.05E-03	1.52E-08	2	1.57E-01	4.78E-09	1.0E+06	4.8E-03
495	0.31874	3.83E-05	1.2E-05	1.05E-03	1.28E-08	2	1.57E-01	4.01E-09	1.0E+06	4.0E-03
496	0.32835	3.83E-05	1.3E-05	1.05E-03	1.31E-08	2	1.57E-01	4.13E-09	1.0E+06	4.1E-03
497	0.33738	3.83E-05	1.3E-05	1.05E-03	1.35E-08	2	1.57E-01	4.24E-09	1.0E+06	4.2E-03
498	0.34578	3.83E-05	1.3E-05	1.05E-03	1.38E-08	2	1.57E-01	4.35E-09	1.0E+06	4.4E-03
499	0.35344	3.83E-05	1.4E-05	1.05E-03	1.41E-08	2	1.57E-01	4.45E-09	1.0E+06	4.4E-03
500	0.36019	3.83E-05	1.4E-05	1.05E-03	1.44E-08	2	1.57E-01	4.53E-09	1.0E+06	4.5E-03

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from Birth to 2 years - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	3.98712	3.83E-05	1.5E-04	1.05E-03	1.60E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
140	4.58615	3.83E-05	1.8E-04	1.05E-03	1.84E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
156	2.90948	3.83E-05	1.1E-04	1.05E-03	1.16E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
157	3.29945	3.83E-05	1.3E-04	1.05E-03	1.32E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
158	3.6549	3.83E-05	1.4E-04	1.05E-03	1.46E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
159	3.96939	3.83E-05	1.5E-04	1.05E-03	1.59E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
160	4.20248	3.83E-05	1.6E-04	1.05E-03	1.68E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
161	4.6772	3.83E-05	1.8E-04	1.05E-03	1.87E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
162	4.98099	3.83E-05	1.9E-04	1.05E-03	1.99E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
163	5.39254	3.83E-05	2.1E-04	1.05E-03	2.16E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
167	2.52379	3.83E-05	9.7E-05	1.05E-03	1.01E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
168	2.79974	3.83E-05	1.1E-04	1.05E-03	1.12E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
169	3.01681	3.83E-05	1.2E-04	1.05E-03	1.21E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
170	3.2054	3.83E-05	1.2E-04	1.05E-03	1.28E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
171	3.38205	3.83E-05	1.3E-04	1.05E-03	1.35E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
172	3.58526	3.83E-05	1.4E-04	1.05E-03	1.44E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
173	3.83597	3.83E-05	1.5E-04	1.05E-03	1.54E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
174	4.18957	3.83E-05	1.6E-04	1.05E-03	1.68E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
175	4.76423	3.83E-05	1.8E-04	1.05E-03	1.91E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
176	5.79119	3.83E-05	2.2E-04	1.05E-03	2.32E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
177	7.8551	3.83E-05	3.0E-04	1.05E-03	3.14E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
181	2.24213	3.83E-05	8.6E-05	1.05E-03	8.97E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
182	2.41556	3.83E-05	9.3E-05	1.05E-03	9.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
183	2.57079	3.83E-05	9.8E-05	1.05E-03	1.03E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
184	2.71966	3.83E-05	1.0E-04	1.05E-03	1.09E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
185	2.88838	3.83E-05	1.1E-04	1.05E-03	1.16E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
186	3.10111	3.83E-05	1.2E-04	1.05E-03	1.24E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
187	3.39751	3.83E-05	1.3E-04	1.05E-03	1.36E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
188	3.84571	3.83E-05	1.5E-04	1.05E-03	1.54E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
189	4.59245	3.83E-05	1.8E-04	1.05E-03	1.84E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
190	5.9831	3.83E-05	2.3E-04	1.05E-03	2.39E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	9.22263	3.83E-05	3.5E-04	1.05E-03	3.69E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	1.85525	3.83E-05	7.1E-05	1.05E-03	7.43E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	1.99775	3.83E-05	7.7E-05	1.05E-03	8.00E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	2.13107	3.83E-05	8.2E-05	1.05E-03	8.53E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	2.25993	3.83E-05	8.7E-05	1.05E-03	9.05E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	2.40787	3.83E-05	9.2E-05	1.05E-03	9.64E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	2.58794	3.83E-05	9.9E-05	1.05E-03	1.04E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	2.8296	3.83E-05	1.1E-04	1.05E-03	1.13E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	3.18731	3.83E-05	1.2E-04	1.05E-03	1.28E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	3.75458	3.83E-05	1.4E-04	1.05E-03	1.50E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	4.74043	3.83E-05	1.8E-04	1.05E-03	1.90E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	6.75589	3.83E-05	2.6E-04	1.05E-03	2.70E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	12.29663	3.83E-05	4.7E-04	1.05E-03	4.92E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	1.4326	3.83E-05	5.5E-05	1.05E-03	5.73E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	1.57289	3.83E-05	6.0E-05	1.05E-03	6.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	1.69253	3.83E-05	6.5E-05	1.05E-03	6.77E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	1.80653	3.83E-05	6.9E-05	1.05E-03	7.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	2.04848	3.83E-05	7.8E-05	1.05E-03	8.20E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	2.20253	3.83E-05	8.4E-05	1.05E-03	8.82E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	2.40234	3.83E-05	9.2E-05	1.05E-03	9.62E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	2.69068	3.83E-05	1.0E-04	1.05E-03	1.08E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	3.12708	3.83E-05	1.2E-04	1.05E-03	1.25E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	3.84023	3.83E-05	1.5E-04	1.05E-03	1.54E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	5.14448	3.83E-05	2.0E-04	1.05E-03	2.06E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	7.88202	3.83E-05	3.0E-04	1.05E-03	3.16E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	16.16552	3.83E-05	6.2E-04	1.05E-03	6.47E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	1.24505	3.83E-05	4.8E-05	1.05E-03	4.98E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	1.35588	3.83E-05	5.2E-05	1.05E-03	5.43E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	1.45847	3.83E-05	5.6E-05	1.05E-03	5.84E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	1.55677	3.83E-05	6.0E-05	1.05E-03	6.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	1.6573	3.83E-05	6.3E-05	1.05E-03	6.63E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	1.77056	3.83E-05	6.8E-05	1.05E-03	7.09E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	1.902	3.83E-05	7.3E-05	1.05E-03	7.61E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	2.29675	3.83E-05	8.8E-05	1.05E-03	9.19E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	2.63549	3.83E-05	1.0E-04	1.05E-03	1.05E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	3.15641	3.83E-05	1.2E-04	1.05E-03	1.26E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	4.02549	3.83E-05	1.5E-04	1.05E-03	1.61E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	5.63281	3.83E-05	2.2E-04	1.05E-03	2.25E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	9.20662	3.83E-05	3.5E-04	1.05E-03	3.69E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	1.09355	3.83E-05	4.2E-05	1.05E-03	4.38E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	1.18473	3.83E-05	4.5E-05	1.05E-03	4.74E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	1.27473	3.83E-05	4.9E-05	1.05E-03	5.10E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	1.36018	3.83E-05	5.2E-05	1.05E-03	5.44E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	1.44764	3.83E-05	5.5E-05	1.05E-03	5.79E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	1.54279	3.83E-05	5.9E-05	1.05E-03	6.18E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	1.65309	3.83E-05	6.3E-05	1.05E-03	6.62E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	1.97682	3.83E-05	7.6E-05	1.05E-03	7.91E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	2.23491	3.83E-05	8.6E-05	1.05E-03	8.95E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	2.61263	3.83E-05	1.0E-04	1.05E-03	1.05E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	3.18741	3.83E-05	1.2E-04	1.05E-03	1.28E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	4.17468	3.83E-05	1.6E-04	1.05E-03	1.67E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	6.00178	3.83E-05	2.3E-04	1.05E-03	2.40E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	0.97043	3.83E-05	3.7E-05	1.05E-03	3.88E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	1.04718	3.83E-05	4.0E-05	1.05E-03	4.19E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	1.12392	3.83E-05	4.3E-05	1.05E-03	4.50E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	1.1993	3.83E-05	4.6E-05	1.05E-03	4.80E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	1.27381	3.83E-05	4.9E-05	1.05E-03	5.10E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	1.35506	3.83E-05	5.2E-05	1.05E-03	5.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	1.44786	3.83E-05	5.5E-05	1.05E-03	5.80E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	1.70475	3.83E-05	6.5E-05	1.05E-03	6.82E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	1.89802	3.83E-05	7.3E-05	1.05E-03	7.60E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	2.16446	3.83E-05	8.3E-05	1.05E-03	8.66E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	2.54599	3.83E-05	9.8E-05	1.05E-03	1.02E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	3.12752	3.83E-05	1.2E-04	1.05E-03	1.25E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	4.00892	3.83E-05	1.5E-04	1.05E-03	1.60E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	3.708	3.83E-05	1.4E-04	1.05E-03	1.48E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	2.16487	3.83E-05	8.3E-05	1.05E-03	8.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	0.86855	3.83E-05	3.3E-05	1.05E-03	3.48E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	0.93331	3.83E-05	3.6E-05	1.05E-03	3.74E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	0.99891	3.83E-05	3.8E-05	1.05E-03	4.00E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	1.06484	3.83E-05	4.1E-05	1.05E-03	4.26E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	1.12994	3.83E-05	4.3E-05	1.05E-03	4.52E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	1.19968	3.83E-05	4.6E-05	1.05E-03	4.80E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	1.27881	3.83E-05	4.9E-05	1.05E-03	5.12E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	1.482	3.83E-05	5.7E-05	1.05E-03	5.93E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	1.62584	3.83E-05	6.2E-05	1.05E-03	6.51E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	1.81454	3.83E-05	6.9E-05	1.05E-03	7.26E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	2.06528	3.83E-05	7.9E-05	1.05E-03	8.27E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	2.39915	3.83E-05	9.2E-05	1.05E-03	9.60E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	2.82847	3.83E-05	1.1E-04	1.05E-03	1.13E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	2.64448	3.83E-05	1.0E-04	1.05E-03	1.06E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	1.8059	3.83E-05	6.9E-05	1.05E-03	7.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	0.78276	3.83E-05	3.0E-05	1.05E-03	3.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	0.8382	3.83E-05	3.2E-05	1.05E-03	3.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	0.89415	3.83E-05	3.4E-05	1.05E-03	3.58E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	0.95156	3.83E-05	3.6E-05	1.05E-03	3.81E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	1.00846	3.83E-05	3.9E-05	1.05E-03	4.04E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	1.06775	3.83E-05	4.1E-05	1.05E-03	4.27E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	1.13214	3.83E-05	4.3E-05	1.05E-03	4.53E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	1.29365	3.83E-05	5.0E-05	1.05E-03	5.18E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	1.39976	3.83E-05	5.4E-05	1.05E-03	5.60E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	1.53279	3.83E-05	5.9E-05	1.05E-03	6.14E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	1.69645	3.83E-05	6.5E-05	1.05E-03	6.79E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	1.89569	3.83E-05	7.3E-05	1.05E-03	7.59E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	2.11831	3.83E-05	8.1E-05	1.05E-03	8.48E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	1.96766	3.83E-05	7.5E-05	1.05E-03	7.88E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	1.51403	3.83E-05	5.8E-05	1.05E-03	6.06E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	0.70971	3.83E-05	2.7E-05	1.05E-03	2.84E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	0.75769	3.83E-05	2.9E-05	1.05E-03	3.03E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	0.80562	3.83E-05	3.1E-05	1.05E-03	3.22E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	0.85523	3.83E-05	3.3E-05	1.05E-03	3.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	0.90349	3.83E-05	3.5E-05	1.05E-03	3.62E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	0.95394	3.83E-05	3.7E-05	1.05E-03	3.82E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	1.00754	3.83E-05	3.9E-05	1.05E-03	4.03E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	1.13511	3.83E-05	4.3E-05	1.05E-03	4.54E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	1.21283	3.83E-05	4.6E-05	1.05E-03	4.85E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	1.30847	3.83E-05	5.0E-05	1.05E-03	5.24E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	1.41718	3.83E-05	5.4E-05	1.05E-03	5.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	1.54002	3.83E-05	5.9E-05	1.05E-03	6.16E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	1.66456	3.83E-05	6.4E-05	1.05E-03	6.66E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	1.54164	3.83E-05	5.9E-05	1.05E-03	6.17E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	1.27676	3.83E-05	4.9E-05	1.05E-03	5.11E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	0.64666	3.83E-05	2.5E-05	1.05E-03	2.59E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	0.68824	3.83E-05	2.6E-05	1.05E-03	2.75E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	0.72979	3.83E-05	2.8E-05	1.05E-03	2.92E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	0.77191	3.83E-05	3.0E-05	1.05E-03	3.09E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	0.81415	3.83E-05	3.1E-05	1.05E-03	3.26E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	0.85598	3.83E-05	3.3E-05	1.05E-03	3.43E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	0.90046	3.83E-05	3.4E-05	1.05E-03	3.60E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	0.94744	3.83E-05	3.6E-05	1.05E-03	3.79E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	1.00132	3.83E-05	3.8E-05	1.05E-03	4.01E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	1.06043	3.83E-05	4.1E-05	1.05E-03	4.24E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	1.12811	3.83E-05	4.3E-05	1.05E-03	4.52E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	1.20297	3.83E-05	4.6E-05	1.05E-03	4.82E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	1.28182	3.83E-05	4.9E-05	1.05E-03	5.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	1.35143	3.83E-05	5.2E-05	1.05E-03	5.41E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	1.36867	3.83E-05	5.2E-05	1.05E-03	5.48E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	1.25609	3.83E-05	4.8E-05	1.05E-03	5.03E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	1.08851	3.83E-05	4.2E-05	1.05E-03	4.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	0.73623	3.83E-05	2.8E-05	1.05E-03	2.95E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	0.77224	3.83E-05	3.0E-05	1.05E-03	3.09E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	0.80987	3.83E-05	3.1E-05	1.05E-03	3.24E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	0.84717	3.83E-05	3.2E-05	1.05E-03	3.39E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	1.12744	3.83E-05	4.3E-05	1.05E-03	4.51E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	1.0524	3.83E-05	4.0E-05	1.05E-03	4.21E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.93965	3.83E-05	3.6E-05	1.05E-03	3.76E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	0.69944	3.83E-05	2.7E-05	1.05E-03	2.80E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	0.73012	3.83E-05	2.8E-05	1.05E-03	2.92E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	0.76215	3.83E-05	2.9E-05	1.05E-03	3.05E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	0.95369	3.83E-05	3.7E-05	1.05E-03	3.82E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	0.90093	3.83E-05	3.5E-05	1.05E-03	3.61E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.82123	3.83E-05	3.1E-05	1.05E-03	3.29E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	0.63617	3.83E-05	2.4E-05	1.05E-03	2.55E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	0.66227	3.83E-05	2.5E-05	1.05E-03	2.65E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	0.68888	3.83E-05	2.6E-05	1.05E-03	2.76E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	0.82335	3.83E-05	3.2E-05	1.05E-03	3.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	0.78455	3.83E-05	3.0E-05	1.05E-03	3.14E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.72591	3.83E-05	2.8E-05	1.05E-03	2.91E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	0.60311	3.83E-05	2.3E-05	1.05E-03	2.41E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	0.62552	3.83E-05	2.4E-05	1.05E-03	2.50E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	0.72162	3.83E-05	2.8E-05	1.05E-03	2.89E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.69174	3.83E-05	2.6E-05	1.05E-03	2.77E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.64728	3.83E-05	2.5E-05	1.05E-03	2.59E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	0.55133	3.83E-05	2.1E-05	1.05E-03	2.21E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	0.56997	3.83E-05	2.2E-05	1.05E-03	2.28E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	0.58788	3.83E-05	2.3E-05	1.05E-03	2.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	0.64007	3.83E-05	2.5E-05	1.05E-03	2.56E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.61656	3.83E-05	2.4E-05	1.05E-03	2.47E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.58177	3.83E-05	2.2E-05	1.05E-03	2.33E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	0.52173	3.83E-05	2.0E-05	1.05E-03	2.09E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	0.53679	3.83E-05	2.1E-05	1.05E-03	2.15E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.57348	3.83E-05	2.2E-05	1.05E-03	2.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.55451	3.83E-05	2.1E-05	1.05E-03	2.22E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.52687	3.83E-05	2.0E-05	1.05E-03	2.11E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	0.47951	3.83E-05	1.8E-05	1.05E-03	1.92E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	0.49196	3.83E-05	1.9E-05	1.05E-03	1.97E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.50251	3.83E-05	1.9E-05	1.05E-03	2.01E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.48035	3.83E-05	1.8E-05	1.05E-03	1.92E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	0.44223	3.83E-05	1.7E-05	1.05E-03	1.77E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	0.45261	3.83E-05	1.7E-05	1.05E-03	1.81E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	0.46224	3.83E-05	1.8E-05	1.05E-03	1.85E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.45842	3.83E-05	1.8E-05	1.05E-03	1.83E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.44022	3.83E-05	1.7E-05	1.05E-03	1.76E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	0.41814	3.83E-05	1.6E-05	1.05E-03	1.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	0.42609	3.83E-05	1.6E-05	1.05E-03	1.71E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.43814	3.83E-05	1.7E-05	1.05E-03	1.75E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.42056	3.83E-05	1.6E-05	1.05E-03	1.68E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.4054	3.83E-05	1.6E-05	1.05E-03	1.62E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	0.38757	3.83E-05	1.5E-05	1.05E-03	1.55E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	0.39422	3.83E-05	1.5E-05	1.05E-03	1.58E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	0.39967	3.83E-05	1.5E-05	1.05E-03	1.60E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	0.40354	3.83E-05	1.5E-05	1.05E-03	1.62E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	0.40577	3.83E-05	1.6E-05	1.05E-03	1.62E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.40568	3.83E-05	1.6E-05	1.05E-03	1.62E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.40295	3.83E-05	1.5E-05	1.05E-03	1.61E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.39705	3.83E-05	1.5E-05	1.05E-03	1.59E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.38774	3.83E-05	1.5E-05	1.05E-03	1.55E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.375	3.83E-05	1.4E-05	1.05E-03	1.50E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	0.36591	3.83E-05	1.4E-05	1.05E-03	1.46E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	0.37039	3.83E-05	1.4E-05	1.05E-03	1.48E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	0.3735	3.83E-05	1.4E-05	1.05E-03	1.50E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	0.37512	3.83E-05	1.4E-05	1.05E-03	1.50E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	0.37483	3.83E-05	1.4E-05	1.05E-03	1.50E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.37228	3.83E-05	1.4E-05	1.05E-03	1.49E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.36708	3.83E-05	1.4E-05	1.05E-03	1.47E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.34824	3.83E-05	1.3E-05	1.05E-03	1.39E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.34067	3.83E-05	1.3E-05	1.05E-03	1.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	0.34442	3.83E-05	1.3E-05	1.05E-03	1.38E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	0.347	3.83E-05	1.3E-05	1.05E-03	1.39E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	0.34819	3.83E-05	1.3E-05	1.05E-03	1.39E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	0.34775	3.83E-05	1.3E-05	1.05E-03	1.39E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.34538	3.83E-05	1.3E-05	1.05E-03	1.38E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.34081	3.83E-05	1.3E-05	1.05E-03	1.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.32455	3.83E-05	1.2E-05	1.05E-03	1.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.31805	3.83E-05	1.2E-05	1.05E-03	1.27E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.3213	3.83E-05	1.2E-05	1.05E-03	1.29E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	0.32343	3.83E-05	1.2E-05	1.05E-03	1.29E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	0.32432	3.83E-05	1.2E-05	1.05E-03	1.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	0.32379	3.83E-05	1.2E-05	1.05E-03	1.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.32162	3.83E-05	1.2E-05	1.05E-03	1.29E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.31757	3.83E-05	1.2E-05	1.05E-03	1.27E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.30347	3.83E-05	1.2E-05	1.05E-03	1.21E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.30053	3.83E-05	1.2E-05	1.05E-03	1.20E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.30233	3.83E-05	1.2E-05	1.05E-03	1.21E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.30303	3.83E-05	1.2E-05	1.05E-03	1.21E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.30215	3.83E-05	1.2E-05	1.05E-03	1.21E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.30046	3.83E-05	1.2E-05	1.05E-03	1.20E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.29689	3.83E-05	1.1E-05	1.05E-03	1.19E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.28455	3.83E-05	1.1E-05	1.05E-03	1.14E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.28185	3.83E-05	1.1E-05	1.05E-03	1.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.28338	3.83E-05	1.1E-05	1.05E-03	1.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.28393	3.83E-05	1.1E-05	1.05E-03	1.14E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.28338	3.83E-05	1.1E-05	1.05E-03	1.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.28159	3.83E-05	1.1E-05	1.05E-03	1.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.2784	3.83E-05	1.1E-05	1.05E-03	1.11E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.27141	3.83E-05	1.0E-05	1.05E-03	1.09E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.26497	3.83E-05	1.0E-05	1.05E-03	1.06E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.26632	3.83E-05	1.0E-05	1.05E-03	1.07E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.26677	3.83E-05	1.0E-05	1.05E-03	1.07E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.26623	3.83E-05	1.0E-05	1.05E-03	1.07E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.26461	3.83E-05	1.0E-05	1.05E-03	1.06E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.26177	3.83E-05	1.0E-05	1.05E-03	1.05E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.25766	3.83E-05	9.9E-06	1.05E-03	1.03E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	3.83E-05	0.0E+00	1.05E-03	0.00E+00	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.32223	3.83E-05	1.2E-05	6.05E-04	7.47E-09	14	4.71E-02	4.93E-09	1.0E+06	4.9E-03
2	2	0.35468	3.83E-05	1.4E-05	6.05E-04	8.22E-09	14	4.71E-02	5.42E-09	1.0E+06	5.4E-03
3	3	0.39288	3.83E-05	1.5E-05	6.05E-04	9.10E-09	14	4.71E-02	6.01E-09	1.0E+06	6.0E-03
4	4	0.439	3.83E-05	1.7E-05	6.05E-04	1.02E-08	14	4.71E-02	6.71E-09	1.0E+06	6.7E-03
5	5	0.4958	3.83E-05	1.9E-05	6.05E-04	1.15E-08	14	4.71E-02	7.58E-09	1.0E+06	7.6E-03
6	6	0.5686	3.83E-05	2.2E-05	6.05E-04	1.32E-08	14	4.71E-02	8.70E-09	1.0E+06	8.7E-03
7	7	0.66287	3.83E-05	2.5E-05	6.05E-04	1.54E-08	14	4.71E-02	1.01E-08	1.0E+06	1.0E-02
8	8	0.7886	3.83E-05	3.0E-05	6.05E-04	1.83E-08	14	4.71E-02	1.21E-08	1.0E+06	1.2E-02
9	9	0.96581	3.83E-05	3.7E-05	6.05E-04	2.24E-08	14	4.71E-02	1.48E-08	1.0E+06	1.5E-02
10	10	1.23102	3.83E-05	4.7E-05	6.05E-04	2.85E-08	14	4.71E-02	1.88E-08	1.0E+06	1.9E-02
11	11	1.66015	3.83E-05	6.4E-05	6.05E-04	3.85E-08	14	4.71E-02	2.54E-08	1.0E+06	2.5E-02
12	12	2.41264	3.83E-05	9.2E-05	6.05E-04	5.59E-08	14	4.71E-02	3.69E-08	1.0E+06	3.7E-02
13	13	3.62562	3.83E-05	1.4E-04	6.05E-04	8.40E-08	14	4.71E-02	5.54E-08	1.0E+06	5.5E-02
14	14	4.68367	3.83E-05	1.8E-04	6.05E-04	1.09E-07	14	4.71E-02	7.16E-08	1.0E+06	7.2E-02
15	15	5.02433	3.83E-05	1.9E-04	6.05E-04	1.16E-07	14	4.71E-02	7.68E-08	1.0E+06	7.7E-02
16	16	5.00217	3.83E-05	1.9E-04	6.05E-04	1.16E-07	14	4.71E-02	7.65E-08	1.0E+06	7.7E-02
17	17	4.95029	3.83E-05	1.9E-04	6.05E-04	1.15E-07	14	4.71E-02	7.57E-08	1.0E+06	7.6E-02
18	18	4.84845	3.83E-05	1.9E-04	6.05E-04	1.12E-07	14	4.71E-02	7.42E-08	1.0E+06	7.4E-02
19	19	4.74873	3.83E-05	1.8E-04	6.05E-04	1.10E-07	14	4.71E-02	7.26E-08	1.0E+06	7.3E-02
20	20	4.65211	3.83E-05	1.8E-04	6.05E-04	1.08E-07	14	4.71E-02	7.11E-08	1.0E+06	7.1E-02
21	21	4.54504	3.83E-05	1.7E-04	6.05E-04	1.05E-07	14	4.71E-02	6.95E-08	1.0E+06	7.0E-02
22	22	4.41879	3.83E-05	1.7E-04	6.05E-04	1.02E-07	14	4.71E-02	6.76E-08	1.0E+06	6.8E-02
23	23	4.24082	3.83E-05	1.6E-04	6.05E-04	9.83E-08	14	4.71E-02	6.49E-08	1.0E+06	6.5E-02
24	24	4.00397	3.83E-05	1.5E-04	6.05E-04	9.28E-08	14	4.71E-02	6.12E-08	1.0E+06	6.1E-02
25	25	3.72155	3.83E-05	1.4E-04	6.05E-04	8.62E-08	14	4.71E-02	5.69E-08	1.0E+06	5.7E-02
26	26	3.40921	3.83E-05	1.3E-04	6.05E-04	7.90E-08	14	4.71E-02	5.21E-08	1.0E+06	5.2E-02
27	27	3.08581	3.83E-05	1.2E-04	6.05E-04	7.15E-08	14	4.71E-02	4.72E-08	1.0E+06	4.7E-02
28	28	2.76723	3.83E-05	1.1E-04	6.05E-04	6.41E-08	14	4.71E-02	4.23E-08	1.0E+06	4.2E-02
29	29	2.47352	3.83E-05	9.5E-05	6.05E-04	5.73E-08	14	4.71E-02	3.78E-08	1.0E+06	3.8E-02
30	30	2.20856	3.83E-05	8.5E-05	6.05E-04	5.12E-08	14	4.71E-02	3.38E-08	1.0E+06	3.4E-02
31	31	1.97105	3.83E-05	7.5E-05	6.05E-04	4.57E-08	14	4.71E-02	3.01E-08	1.0E+06	3.0E-02

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
32	32	1.75974	3.83E-05	6.7E-05	6.05E-04	4.08E-08	14	4.71E-02	2.69E-08	1.0E+06	2.7E-02
55	55	6.73471	3.83E-05	2.6E-04	6.05E-04	1.56E-07	14	4.71E-02	1.03E-07	1.0E+06	1.0E-01
56	56	6.31873	3.83E-05	2.4E-04	6.05E-04	1.46E-07	14	4.71E-02	9.66E-08	1.0E+06	9.7E-02
57	57	5.7972	3.83E-05	2.2E-04	6.05E-04	1.34E-07	14	4.71E-02	8.87E-08	1.0E+06	8.9E-02
58	58	5.18454	3.83E-05	2.0E-04	6.05E-04	1.20E-07	14	4.71E-02	7.93E-08	1.0E+06	7.9E-02
59	59	4.536	3.83E-05	1.7E-04	6.05E-04	1.05E-07	14	4.71E-02	6.94E-08	1.0E+06	6.9E-02
60	60	3.92111	3.83E-05	1.5E-04	6.05E-04	9.09E-08	14	4.71E-02	6.00E-08	1.0E+06	6.0E-02
61	61	3.3959	3.83E-05	1.3E-04	6.05E-04	7.87E-08	14	4.71E-02	5.19E-08	1.0E+06	5.2E-02
62	62	2.93905	3.83E-05	1.1E-04	6.05E-04	6.81E-08	14	4.71E-02	4.49E-08	1.0E+06	4.5E-02
63	63	2.55467	3.83E-05	9.8E-05	6.05E-04	5.92E-08	14	4.71E-02	3.91E-08	1.0E+06	3.9E-02
64	64	2.22762	3.83E-05	8.5E-05	6.05E-04	5.16E-08	14	4.71E-02	3.41E-08	1.0E+06	3.4E-02
65	65	1.94999	3.83E-05	7.5E-05	6.05E-04	4.52E-08	14	4.71E-02	2.98E-08	1.0E+06	3.0E-02
66	66	1.72376	3.83E-05	6.6E-05	6.05E-04	3.99E-08	14	4.71E-02	2.64E-08	1.0E+06	2.6E-02
67	67	0.32898	3.83E-05	1.3E-05	6.05E-04	7.62E-09	14	4.71E-02	5.03E-09	1.0E+06	5.0E-03
68	68	0.36315	3.83E-05	1.4E-05	6.05E-04	8.42E-09	14	4.71E-02	5.55E-09	1.0E+06	5.6E-03
69	69	0.40393	3.83E-05	1.5E-05	6.05E-04	9.36E-09	14	4.71E-02	6.18E-09	1.0E+06	6.2E-03
70	70	0.4536	3.83E-05	1.7E-05	6.05E-04	1.05E-08	14	4.71E-02	6.94E-09	1.0E+06	6.9E-03
71	71	0.51459	3.83E-05	2.0E-05	6.05E-04	1.19E-08	14	4.71E-02	7.87E-09	1.0E+06	7.9E-03
72	72	0.5942	3.83E-05	2.3E-05	6.05E-04	1.38E-08	14	4.71E-02	9.09E-09	1.0E+06	9.1E-03
73	73	0.69891	3.83E-05	2.7E-05	6.05E-04	1.62E-08	14	4.71E-02	1.07E-08	1.0E+06	1.1E-02
74	74	0.84313	3.83E-05	3.2E-05	6.05E-04	1.95E-08	14	4.71E-02	1.29E-08	1.0E+06	1.3E-02
75	75	1.05472	3.83E-05	4.0E-05	6.05E-04	2.44E-08	14	4.71E-02	1.61E-08	1.0E+06	1.6E-02
76	76	1.39793	3.83E-05	5.4E-05	6.05E-04	3.24E-08	14	4.71E-02	2.14E-08	1.0E+06	2.1E-02
77	77	2.05001	3.83E-05	7.9E-05	6.05E-04	4.75E-08	14	4.71E-02	3.14E-08	1.0E+06	3.1E-02
78	78	3.73645	3.83E-05	1.4E-04	6.05E-04	8.66E-08	14	4.71E-02	5.71E-08	1.0E+06	5.7E-02
79	79	14.92071	3.83E-05	5.7E-04	6.05E-04	3.46E-07	14	4.71E-02	2.28E-07	1.0E+06	2.3E-01
80	80	16.66452	3.83E-05	6.4E-04	6.05E-04	3.86E-07	14	4.71E-02	2.55E-07	1.0E+06	2.5E-01
81	81	14.84471	3.83E-05	5.7E-04	6.05E-04	3.44E-07	14	4.71E-02	2.27E-07	1.0E+06	2.3E-01
82	82	14.12227	3.83E-05	5.4E-04	6.05E-04	3.27E-07	14	4.71E-02	2.16E-07	1.0E+06	2.2E-01
83	83	13.9777	3.83E-05	5.4E-04	6.05E-04	3.24E-07	14	4.71E-02	2.14E-07	1.0E+06	2.1E-01
84	84	13.03304	3.83E-05	5.0E-04	6.05E-04	3.02E-07	14	4.71E-02	1.99E-07	1.0E+06	2.0E-01

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
85	85	11.43594	3.83E-05	4.4E-04	6.05E-04	2.65E-07	14	4.71E-02	1.75E-07	1.0E+06	1.7E-01
86	86	9.71533	3.83E-05	3.7E-04	6.05E-04	2.25E-07	14	4.71E-02	1.49E-07	1.0E+06	1.5E-01
87	87	7.92452	3.83E-05	3.0E-04	6.05E-04	1.84E-07	14	4.71E-02	1.21E-07	1.0E+06	1.2E-01
88	88	6.39431	3.83E-05	2.4E-04	6.05E-04	1.48E-07	14	4.71E-02	9.78E-08	1.0E+06	9.8E-02
89	89	5.17619	3.83E-05	2.0E-04	6.05E-04	1.20E-07	14	4.71E-02	7.92E-08	1.0E+06	7.9E-02
90	90	4.24716	3.83E-05	1.6E-04	6.05E-04	9.84E-08	14	4.71E-02	6.50E-08	1.0E+06	6.5E-02
91	91	3.53953	3.83E-05	1.4E-04	6.05E-04	8.20E-08	14	4.71E-02	5.41E-08	1.0E+06	5.4E-02
92	92	2.96198	3.83E-05	1.1E-04	6.05E-04	6.86E-08	14	4.71E-02	4.53E-08	1.0E+06	4.5E-02
93	93	2.51912	3.83E-05	9.6E-05	6.05E-04	5.84E-08	14	4.71E-02	3.85E-08	1.0E+06	3.9E-02
96	96	13.6056	3.83E-05	5.2E-04	6.05E-04	3.15E-07	14	4.71E-02	2.08E-07	1.0E+06	2.1E-01
97	97	16.6024	3.83E-05	6.4E-04	6.05E-04	3.85E-07	14	4.71E-02	2.54E-07	1.0E+06	2.5E-01
98	98	9.97679	3.83E-05	3.8E-04	6.05E-04	2.31E-07	14	4.71E-02	1.53E-07	1.0E+06	1.5E-01
99	99	7.35374	3.83E-05	2.8E-04	6.05E-04	1.70E-07	14	4.71E-02	1.12E-07	1.0E+06	1.1E-01
100	100	5.55346	3.83E-05	2.1E-04	6.05E-04	1.29E-07	14	4.71E-02	8.49E-08	1.0E+06	8.5E-02
101	101	4.31471	3.83E-05	1.7E-04	6.05E-04	1.00E-07	14	4.71E-02	6.60E-08	1.0E+06	6.6E-02
102	102	3.4841	3.83E-05	1.3E-04	6.05E-04	8.07E-08	14	4.71E-02	5.33E-08	1.0E+06	5.3E-02
106	106	0.29984	3.83E-05	1.1E-05	6.05E-04	6.95E-09	14	4.71E-02	4.59E-09	1.0E+06	4.6E-03
107	107	0.32758	3.83E-05	1.3E-05	6.05E-04	7.59E-09	14	4.71E-02	5.01E-09	1.0E+06	5.0E-03
108	108	0.36106	3.83E-05	1.4E-05	6.05E-04	8.37E-09	14	4.71E-02	5.52E-09	1.0E+06	5.5E-03
109	109	0.4008	3.83E-05	1.5E-05	6.05E-04	9.29E-09	14	4.71E-02	6.13E-09	1.0E+06	6.1E-03
110	110	0.44902	3.83E-05	1.7E-05	6.05E-04	1.04E-08	14	4.71E-02	6.87E-09	1.0E+06	6.9E-03
111	111	0.50745	3.83E-05	1.9E-05	6.05E-04	1.18E-08	14	4.71E-02	7.76E-09	1.0E+06	7.8E-03
112	112	0.58313	3.83E-05	2.2E-05	6.05E-04	1.35E-08	14	4.71E-02	8.92E-09	1.0E+06	8.9E-03
113	113	0.67941	3.83E-05	2.6E-05	6.05E-04	1.57E-08	14	4.71E-02	1.04E-08	1.0E+06	1.0E-02
114	114	0.80812	3.83E-05	3.1E-05	6.05E-04	1.87E-08	14	4.71E-02	1.24E-08	1.0E+06	1.2E-02
115	115	0.98523	3.83E-05	3.8E-05	6.05E-04	2.28E-08	14	4.71E-02	1.51E-08	1.0E+06	1.5E-02
116	116	1.23993	3.83E-05	4.7E-05	6.05E-04	2.87E-08	14	4.71E-02	1.90E-08	1.0E+06	1.9E-02
117	117	1.64377	3.83E-05	6.3E-05	6.05E-04	3.81E-08	14	4.71E-02	2.51E-08	1.0E+06	2.5E-02
118	118	2.32759	3.83E-05	8.9E-05	6.05E-04	5.39E-08	14	4.71E-02	3.56E-08	1.0E+06	3.6E-02
124	124	0.29627	3.83E-05	1.1E-05	6.05E-04	6.87E-09	14	4.71E-02	4.53E-09	1.0E+06	4.5E-03
125	125	0.32399	3.83E-05	1.2E-05	6.05E-04	7.51E-09	14	4.71E-02	4.96E-09	1.0E+06	5.0E-03

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
126	126	0.3564	3.83E-05	1.4E-05	6.05E-04	8.26E-09	14	4.71E-02	5.45E-09	1.0E+06	5.5E-03
127	127	0.39481	3.83E-05	1.5E-05	6.05E-04	9.15E-09	14	4.71E-02	6.04E-09	1.0E+06	6.0E-03
128	128	0.44095	3.83E-05	1.7E-05	6.05E-04	1.02E-08	14	4.71E-02	6.74E-09	1.0E+06	6.7E-03
129	129	0.49654	3.83E-05	1.9E-05	6.05E-04	1.15E-08	14	4.71E-02	7.59E-09	1.0E+06	7.6E-03
130	130	0.56704	3.83E-05	2.2E-05	6.05E-04	1.31E-08	14	4.71E-02	8.67E-09	1.0E+06	8.7E-03
131	131	0.65574	3.83E-05	2.5E-05	6.05E-04	1.52E-08	14	4.71E-02	1.00E-08	1.0E+06	1.0E-02
132	132	0.77106	3.83E-05	3.0E-05	6.05E-04	1.79E-08	14	4.71E-02	1.18E-08	1.0E+06	1.2E-02
133	133	0.92336	3.83E-05	3.5E-05	6.05E-04	2.14E-08	14	4.71E-02	1.41E-08	1.0E+06	1.4E-02
134	134	1.13617	3.83E-05	4.4E-05	6.05E-04	2.63E-08	14	4.71E-02	1.74E-08	1.0E+06	1.7E-02
135	135	1.43899	3.83E-05	5.5E-05	6.05E-04	3.33E-08	14	4.71E-02	2.20E-08	1.0E+06	2.2E-02
136	136	1.89059	3.83E-05	7.2E-05	6.05E-04	4.38E-08	14	4.71E-02	2.89E-08	1.0E+06	2.9E-02
137	137	2.53174	3.83E-05	9.7E-05	6.05E-04	5.87E-08	14	4.71E-02	3.87E-08	1.0E+06	3.9E-02
138	138	3.30986	3.83E-05	1.3E-04	6.05E-04	7.67E-08	14	4.71E-02	5.06E-08	1.0E+06	5.1E-02
141	141	0.29244	3.83E-05	1.1E-05	6.05E-04	6.78E-09	14	4.71E-02	4.47E-09	1.0E+06	4.5E-03
142	142	0.31926	3.83E-05	1.2E-05	6.05E-04	7.40E-09	14	4.71E-02	4.88E-09	1.0E+06	4.9E-03
143	143	0.35043	3.83E-05	1.3E-05	6.05E-04	8.12E-09	14	4.71E-02	5.36E-09	1.0E+06	5.4E-03
144	144	0.38712	3.83E-05	1.5E-05	6.05E-04	8.97E-09	14	4.71E-02	5.92E-09	1.0E+06	5.9E-03
145	145	0.43072	3.83E-05	1.6E-05	6.05E-04	9.98E-09	14	4.71E-02	6.59E-09	1.0E+06	6.6E-03
146	146	0.48276	3.83E-05	1.8E-05	6.05E-04	1.12E-08	14	4.71E-02	7.38E-09	1.0E+06	7.4E-03
147	147	0.54755	3.83E-05	2.1E-05	6.05E-04	1.27E-08	14	4.71E-02	8.37E-09	1.0E+06	8.4E-03
148	148	0.62728	3.83E-05	2.4E-05	6.05E-04	1.45E-08	14	4.71E-02	9.59E-09	1.0E+06	9.6E-03
149	149	0.72811	3.83E-05	2.8E-05	6.05E-04	1.69E-08	14	4.71E-02	1.11E-08	1.0E+06	1.1E-02
150	150	0.85736	3.83E-05	3.3E-05	6.05E-04	1.99E-08	14	4.71E-02	1.31E-08	1.0E+06	1.3E-02
151	151	1.0282	3.83E-05	3.9E-05	6.05E-04	2.38E-08	14	4.71E-02	1.57E-08	1.0E+06	1.6E-02
152	152	1.25915	3.83E-05	4.8E-05	6.05E-04	2.92E-08	14	4.71E-02	1.93E-08	1.0E+06	1.9E-02
153	153	1.57541	3.83E-05	6.0E-05	6.05E-04	3.65E-08	14	4.71E-02	2.41E-08	1.0E+06	2.4E-02
154	154	1.98269	3.83E-05	7.6E-05	6.05E-04	4.59E-08	14	4.71E-02	3.03E-08	1.0E+06	3.0E-02
155	155	2.4515	3.83E-05	9.4E-05	6.05E-04	5.68E-08	14	4.71E-02	3.75E-08	1.0E+06	3.7E-02
164	164	1.62309	3.83E-05	6.2E-05	6.05E-04	3.76E-08	14	4.71E-02	2.48E-08	1.0E+06	2.5E-02
165	165	1.93678	3.83E-05	7.4E-05	6.05E-04	4.49E-08	14	4.71E-02	2.96E-08	1.0E+06	3.0E-02
166	166	2.25618	3.83E-05	8.6E-05	6.05E-04	5.23E-08	14	4.71E-02	3.45E-08	1.0E+06	3.5E-02

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	1.369	3.83E-05	5.2E-05	6.05E-04	3.17E-08	14	4.71E-02	2.09E-08	1.0E+06	2.1E-02
179	179	1.59528	3.83E-05	6.1E-05	6.05E-04	3.70E-08	14	4.71E-02	2.44E-08	1.0E+06	2.4E-02
180	180	1.8276	3.83E-05	7.0E-05	6.05E-04	4.23E-08	14	4.71E-02	2.80E-08	1.0E+06	2.8E-02
192	192	1.18121	3.83E-05	4.5E-05	6.05E-04	2.74E-08	14	4.71E-02	1.81E-08	1.0E+06	1.8E-02
193	193	1.35327	3.83E-05	5.2E-05	6.05E-04	3.14E-08	14	4.71E-02	2.07E-08	1.0E+06	2.1E-02
194	194	1.52812	3.83E-05	5.9E-05	6.05E-04	3.54E-08	14	4.71E-02	2.34E-08	1.0E+06	2.3E-02
207	207	1.0352	3.83E-05	4.0E-05	6.05E-04	2.40E-08	14	4.71E-02	1.58E-08	1.0E+06	1.6E-02
208	208	1.16935	3.83E-05	4.5E-05	6.05E-04	2.71E-08	14	4.71E-02	1.79E-08	1.0E+06	1.8E-02
209	209	1.30758	3.83E-05	5.0E-05	6.05E-04	3.03E-08	14	4.71E-02	2.00E-08	1.0E+06	2.0E-02
223	223	0.91891	3.83E-05	3.5E-05	6.05E-04	2.13E-08	14	4.71E-02	1.41E-08	1.0E+06	1.4E-02
224	224	1.02614	3.83E-05	3.9E-05	6.05E-04	2.38E-08	14	4.71E-02	1.57E-08	1.0E+06	1.6E-02
225	225	1.13604	3.83E-05	4.4E-05	6.05E-04	2.63E-08	14	4.71E-02	1.74E-08	1.0E+06	1.7E-02
239	239	0.82438	3.83E-05	3.2E-05	6.05E-04	1.91E-08	14	4.71E-02	1.26E-08	1.0E+06	1.3E-02
240	240	0.91192	3.83E-05	3.5E-05	6.05E-04	2.11E-08	14	4.71E-02	1.39E-08	1.0E+06	1.4E-02
241	241	1.00277	3.83E-05	3.8E-05	6.05E-04	2.32E-08	14	4.71E-02	1.53E-08	1.0E+06	1.5E-02
255	255	0.74535	3.83E-05	2.9E-05	6.05E-04	1.73E-08	14	4.71E-02	1.14E-08	1.0E+06	1.1E-02
256	256	0.81809	3.83E-05	3.1E-05	6.05E-04	1.90E-08	14	4.71E-02	1.25E-08	1.0E+06	1.3E-02
272	272	0.67799	3.83E-05	2.6E-05	6.05E-04	1.57E-08	14	4.71E-02	1.04E-08	1.0E+06	1.0E-02
273	273	0.73964	3.83E-05	2.8E-05	6.05E-04	1.71E-08	14	4.71E-02	1.13E-08	1.0E+06	1.1E-02
289	289	0.62048	3.83E-05	2.4E-05	6.05E-04	1.44E-08	14	4.71E-02	9.49E-09	1.0E+06	9.5E-03
290	290	0.67289	3.83E-05	2.6E-05	6.05E-04	1.56E-08	14	4.71E-02	1.03E-08	1.0E+06	1.0E-02
306	306	0.57036	3.83E-05	2.2E-05	6.05E-04	1.32E-08	14	4.71E-02	8.72E-09	1.0E+06	8.7E-03
307	307	0.61538	3.83E-05	2.4E-05	6.05E-04	1.43E-08	14	4.71E-02	9.41E-09	1.0E+06	9.4E-03
323	323	0.52634	3.83E-05	2.0E-05	6.05E-04	1.22E-08	14	4.71E-02	8.05E-09	1.0E+06	8.0E-03
324	324	0.56527	3.83E-05	2.2E-05	6.05E-04	1.31E-08	14	4.71E-02	8.65E-09	1.0E+06	8.6E-03
342	342	0.48742	3.83E-05	1.9E-05	6.05E-04	1.13E-08	14	4.71E-02	7.45E-09	1.0E+06	7.5E-03
343	343	0.52129	3.83E-05	2.0E-05	6.05E-04	1.21E-08	14	4.71E-02	7.97E-09	1.0E+06	8.0E-03
344	344	0.55611	3.83E-05	2.1E-05	6.05E-04	1.29E-08	14	4.71E-02	8.51E-09	1.0E+06	8.5E-03
356	356	0.45268	3.83E-05	1.7E-05	6.05E-04	1.05E-08	14	4.71E-02	6.92E-09	1.0E+06	6.9E-03
357	357	0.48215	3.83E-05	1.8E-05	6.05E-04	1.12E-08	14	4.71E-02	7.37E-09	1.0E+06	7.4E-03
358	358	0.51263	3.83E-05	2.0E-05	6.05E-04	1.19E-08	14	4.71E-02	7.84E-09	1.0E+06	7.8E-03

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	0.42159	3.83E-05	1.6E-05	6.05E-04	9.77E-09	14	4.71E-02	6.45E-09	1.0E+06	6.4E-03
371	371	0.44739	3.83E-05	1.7E-05	6.05E-04	1.04E-08	14	4.71E-02	6.84E-09	1.0E+06	6.8E-03
372	372	0.47406	3.83E-05	1.8E-05	6.05E-04	1.10E-08	14	4.71E-02	7.25E-09	1.0E+06	7.3E-03
383	383	0.39356	3.83E-05	1.5E-05	6.05E-04	9.12E-09	14	4.71E-02	6.02E-09	1.0E+06	6.0E-03
384	384	0.41628	3.83E-05	1.6E-05	6.05E-04	9.65E-09	14	4.71E-02	6.37E-09	1.0E+06	6.4E-03
385	385	0.43966	3.83E-05	1.7E-05	6.05E-04	1.02E-08	14	4.71E-02	6.72E-09	1.0E+06	6.7E-03
396	396	0.36823	3.83E-05	1.4E-05	6.05E-04	8.53E-09	14	4.71E-02	5.63E-09	1.0E+06	5.6E-03
397	397	0.38829	3.83E-05	1.5E-05	6.05E-04	9.00E-09	14	4.71E-02	5.94E-09	1.0E+06	5.9E-03
398	398	0.40886	3.83E-05	1.6E-05	6.05E-04	9.47E-09	14	4.71E-02	6.25E-09	1.0E+06	6.3E-03
399	399	0.42977	3.83E-05	1.6E-05	6.05E-04	9.96E-09	14	4.71E-02	6.57E-09	1.0E+06	6.6E-03
411	411	0.34522	3.83E-05	1.3E-05	6.05E-04	8.00E-09	14	4.71E-02	5.28E-09	1.0E+06	5.3E-03
412	412	0.36298	3.83E-05	1.4E-05	6.05E-04	8.41E-09	14	4.71E-02	5.55E-09	1.0E+06	5.6E-03
413	413	0.38126	3.83E-05	1.5E-05	6.05E-04	8.83E-09	14	4.71E-02	5.83E-09	1.0E+06	5.8E-03
414	414	0.39962	3.83E-05	1.5E-05	6.05E-04	9.26E-09	14	4.71E-02	6.11E-09	1.0E+06	6.1E-03
426	426	0.32432	3.83E-05	1.2E-05	6.05E-04	7.52E-09	14	4.71E-02	4.96E-09	1.0E+06	5.0E-03
427	427	0.34012	3.83E-05	1.3E-05	6.05E-04	7.88E-09	14	4.71E-02	5.20E-09	1.0E+06	5.2E-03
428	428	0.3562	3.83E-05	1.4E-05	6.05E-04	8.25E-09	14	4.71E-02	5.45E-09	1.0E+06	5.4E-03
429	429	0.37253	3.83E-05	1.4E-05	6.05E-04	8.63E-09	14	4.71E-02	5.70E-09	1.0E+06	5.7E-03
439	439	0.30521	3.83E-05	1.2E-05	6.05E-04	7.07E-09	14	4.71E-02	4.67E-09	1.0E+06	4.7E-03
440	440	0.31932	3.83E-05	1.2E-05	6.05E-04	7.40E-09	14	4.71E-02	4.88E-09	1.0E+06	4.9E-03
441	441	0.33369	3.83E-05	1.3E-05	6.05E-04	7.73E-09	14	4.71E-02	5.10E-09	1.0E+06	5.1E-03
442	442	0.34819	3.83E-05	1.3E-05	6.05E-04	8.07E-09	14	4.71E-02	5.33E-09	1.0E+06	5.3E-03
443	443	0.36271	3.83E-05	1.4E-05	6.05E-04	8.40E-09	14	4.71E-02	5.55E-09	1.0E+06	5.5E-03
454	454	0.28777	3.83E-05	1.1E-05	6.05E-04	6.67E-09	14	4.71E-02	4.40E-09	1.0E+06	4.4E-03
455	455	0.30041	3.83E-05	1.2E-05	6.05E-04	6.96E-09	14	4.71E-02	4.59E-09	1.0E+06	4.6E-03
456	456	0.31326	3.83E-05	1.2E-05	6.05E-04	7.26E-09	14	4.71E-02	4.79E-09	1.0E+06	4.8E-03
457	457	0.32621	3.83E-05	1.2E-05	6.05E-04	7.56E-09	14	4.71E-02	4.99E-09	1.0E+06	5.0E-03
458	458	0.33914	3.83E-05	1.3E-05	6.05E-04	7.86E-09	14	4.71E-02	5.19E-09	1.0E+06	5.2E-03
469	469	0.27177	3.83E-05	1.0E-05	6.05E-04	6.30E-09	14	4.71E-02	4.16E-09	1.0E+06	4.2E-03
470	470	0.28309	3.83E-05	1.1E-05	6.05E-04	6.56E-09	14	4.71E-02	4.33E-09	1.0E+06	4.3E-03
471	471	0.29463	3.83E-05	1.1E-05	6.05E-04	6.83E-09	14	4.71E-02	4.51E-09	1.0E+06	4.5E-03

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	0.30623	3.83E-05	1.2E-05	6.05E-04	7.10E-09	14	4.71E-02	4.68E-09	1.0E+06	4.7E-03
473	473	0.31779	3.83E-05	1.2E-05	6.05E-04	7.36E-09	14	4.71E-02	4.86E-09	1.0E+06	4.9E-03
489	489	0.25713	3.83E-05	9.8E-06	6.05E-04	5.96E-09	14	4.71E-02	3.93E-09	1.0E+06	3.9E-03
490	490	0.26736	3.83E-05	1.0E-05	6.05E-04	6.20E-09	14	4.71E-02	4.09E-09	1.0E+06	4.1E-03
491	491	0.27772	3.83E-05	1.1E-05	6.05E-04	6.44E-09	14	4.71E-02	4.25E-09	1.0E+06	4.2E-03
492	492	0.28815	3.83E-05	1.1E-05	6.05E-04	6.68E-09	14	4.71E-02	4.41E-09	1.0E+06	4.4E-03
493	493	0.29855	3.83E-05	1.1E-05	6.05E-04	6.92E-09	14	4.71E-02	4.57E-09	1.0E+06	4.6E-03
494	494	0.30877	3.83E-05	1.2E-05	6.05E-04	7.15E-09	14	4.71E-02	4.72E-09	1.0E+06	4.7E-03
509	509	0.24363	3.83E-05	9.3E-06	6.05E-04	5.65E-09	14	4.71E-02	3.73E-09	1.0E+06	3.7E-03
510	510	0.25289	3.83E-05	9.7E-06	6.05E-04	5.86E-09	14	4.71E-02	3.87E-09	1.0E+06	3.9E-03
511	511	0.26223	3.83E-05	1.0E-05	6.05E-04	6.08E-09	14	4.71E-02	4.01E-09	1.0E+06	4.0E-03
512	512	0.27163	3.83E-05	1.0E-05	6.05E-04	6.29E-09	14	4.71E-02	4.15E-09	1.0E+06	4.2E-03
513	513	0.28101	3.83E-05	1.1E-05	6.05E-04	6.51E-09	14	4.71E-02	4.30E-09	1.0E+06	4.3E-03
514	514	0.2902	3.83E-05	1.1E-05	6.05E-04	6.72E-09	14	4.71E-02	4.44E-09	1.0E+06	4.4E-03
515	515	0.30766	3.83E-05	1.2E-05	6.05E-04	7.13E-09	14	4.71E-02	4.71E-09	1.0E+06	4.7E-03
516	516	0.31577	3.83E-05	1.2E-05	6.05E-04	7.32E-09	14	4.71E-02	4.83E-09	1.0E+06	4.8E-03
517	517	0.3232	3.83E-05	1.2E-05	6.05E-04	7.49E-09	14	4.71E-02	4.94E-09	1.0E+06	4.9E-03
518	518	0.32988	3.83E-05	1.3E-05	6.05E-04	7.64E-09	14	4.71E-02	5.05E-09	1.0E+06	5.0E-03
519	519	0.3357	3.83E-05	1.3E-05	6.05E-04	7.78E-09	14	4.71E-02	5.13E-09	1.0E+06	5.1E-03
528	528	0.23119	3.83E-05	8.9E-06	6.05E-04	5.36E-09	14	4.71E-02	3.54E-09	1.0E+06	3.5E-03
529	529	0.23959	3.83E-05	9.2E-06	6.05E-04	5.55E-09	14	4.71E-02	3.66E-09	1.0E+06	3.7E-03
530	530	0.24807	3.83E-05	9.5E-06	6.05E-04	5.75E-09	14	4.71E-02	3.79E-09	1.0E+06	3.8E-03
531	531	0.25655	3.83E-05	9.8E-06	6.05E-04	5.94E-09	14	4.71E-02	3.92E-09	1.0E+06	3.9E-03
532	532	0.265	3.83E-05	1.0E-05	6.05E-04	6.14E-09	14	4.71E-02	4.05E-09	1.0E+06	4.1E-03
533	533	0.27329	3.83E-05	1.0E-05	6.05E-04	6.33E-09	14	4.71E-02	4.18E-09	1.0E+06	4.2E-03
534	534	0.28902	3.83E-05	1.1E-05	6.05E-04	6.70E-09	14	4.71E-02	4.42E-09	1.0E+06	4.4E-03
535	535	0.29622	3.83E-05	1.1E-05	6.05E-04	6.86E-09	14	4.71E-02	4.53E-09	1.0E+06	4.5E-03
536	536	0.30278	3.83E-05	1.2E-05	6.05E-04	7.02E-09	14	4.71E-02	4.63E-09	1.0E+06	4.6E-03
537	537	0.30871	3.83E-05	1.2E-05	6.05E-04	7.15E-09	14	4.71E-02	4.72E-09	1.0E+06	4.7E-03
538	538	0.31382	3.83E-05	1.2E-05	6.05E-04	7.27E-09	14	4.71E-02	4.80E-09	1.0E+06	4.8E-03
547	547	0.21973	3.83E-05	8.4E-06	6.05E-04	5.09E-09	14	4.71E-02	3.36E-09	1.0E+06	3.4E-03

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.22737	3.83E-05	8.7E-06	6.05E-04	5.27E-09	14	4.71E-02	3.48E-09	1.0E+06	3.5E-03
549	549	0.23505	3.83E-05	9.0E-06	6.05E-04	5.45E-09	14	4.71E-02	3.59E-09	1.0E+06	3.6E-03
550	550	0.24278	3.83E-05	9.3E-06	6.05E-04	5.63E-09	14	4.71E-02	3.71E-09	1.0E+06	3.7E-03
551	551	0.25041	3.83E-05	9.6E-06	6.05E-04	5.80E-09	14	4.71E-02	3.83E-09	1.0E+06	3.8E-03
552	552	0.25789	3.83E-05	9.9E-06	6.05E-04	5.98E-09	14	4.71E-02	3.94E-09	1.0E+06	3.9E-03
553	553	0.26512	3.83E-05	1.0E-05	6.05E-04	6.14E-09	14	4.71E-02	4.05E-09	1.0E+06	4.1E-03
554	554	0.27203	3.83E-05	1.0E-05	6.05E-04	6.30E-09	14	4.71E-02	4.16E-09	1.0E+06	4.2E-03
555	555	0.27846	3.83E-05	1.1E-05	6.05E-04	6.45E-09	14	4.71E-02	4.26E-09	1.0E+06	4.3E-03
556	556	0.28428	3.83E-05	1.1E-05	6.05E-04	6.59E-09	14	4.71E-02	4.35E-09	1.0E+06	4.3E-03
557	557	0.28956	3.83E-05	1.1E-05	6.05E-04	6.71E-09	14	4.71E-02	4.43E-09	1.0E+06	4.4E-03
558	558	0.29404	3.83E-05	1.1E-05	6.05E-04	6.81E-09	14	4.71E-02	4.50E-09	1.0E+06	4.5E-03
559	559	0.29774	3.83E-05	1.1E-05	6.05E-04	6.90E-09	14	4.71E-02	4.55E-09	1.0E+06	4.6E-03
567	567	0.20912	3.83E-05	8.0E-06	6.05E-04	4.85E-09	14	4.71E-02	3.20E-09	1.0E+06	3.2E-03
568	568	0.21608	3.83E-05	8.3E-06	6.05E-04	5.01E-09	14	4.71E-02	3.30E-09	1.0E+06	3.3E-03
569	569	0.22309	3.83E-05	8.5E-06	6.05E-04	5.17E-09	14	4.71E-02	3.41E-09	1.0E+06	3.4E-03
570	570	0.23008	3.83E-05	8.8E-06	6.05E-04	5.33E-09	14	4.71E-02	3.52E-09	1.0E+06	3.5E-03
571	571	0.23701	3.83E-05	9.1E-06	6.05E-04	5.49E-09	14	4.71E-02	3.62E-09	1.0E+06	3.6E-03
572	572	0.24378	3.83E-05	9.3E-06	6.05E-04	5.65E-09	14	4.71E-02	3.73E-09	1.0E+06	3.7E-03
573	573	0.25032	3.83E-05	9.6E-06	6.05E-04	5.80E-09	14	4.71E-02	3.83E-09	1.0E+06	3.8E-03
574	574	0.26231	3.83E-05	1.0E-05	6.05E-04	6.08E-09	14	4.71E-02	4.01E-09	1.0E+06	4.0E-03
575	575	0.26752	3.83E-05	1.0E-05	6.05E-04	6.20E-09	14	4.71E-02	4.09E-09	1.0E+06	4.1E-03
576	576	0.27215	3.83E-05	1.0E-05	6.05E-04	6.31E-09	14	4.71E-02	4.16E-09	1.0E+06	4.2E-03
577	577	0.27613	3.83E-05	1.1E-05	6.05E-04	6.40E-09	14	4.71E-02	4.22E-09	1.0E+06	4.2E-03
578	578	0.27939	3.83E-05	1.1E-05	6.05E-04	6.47E-09	14	4.71E-02	4.27E-09	1.0E+06	4.3E-03
586	586	0.19932	3.83E-05	7.6E-06	6.05E-04	4.62E-09	14	4.71E-02	3.05E-09	1.0E+06	3.0E-03
587	587	0.2057	3.83E-05	7.9E-06	6.05E-04	4.77E-09	14	4.71E-02	3.15E-09	1.0E+06	3.1E-03
588	588	0.21208	3.83E-05	8.1E-06	6.05E-04	4.91E-09	14	4.71E-02	3.24E-09	1.0E+06	3.2E-03
589	589	0.21845	3.83E-05	8.4E-06	6.05E-04	5.06E-09	14	4.71E-02	3.34E-09	1.0E+06	3.3E-03
590	590	0.22475	3.83E-05	8.6E-06	6.05E-04	5.21E-09	14	4.71E-02	3.44E-09	1.0E+06	3.4E-03
591	591	0.23089	3.83E-05	8.8E-06	6.05E-04	5.35E-09	14	4.71E-02	3.53E-09	1.0E+06	3.5E-03
592	592	0.2368	3.83E-05	9.1E-06	6.05E-04	5.49E-09	14	4.71E-02	3.62E-09	1.0E+06	3.6E-03

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	0.24759	3.83E-05	9.5E-06	6.05E-04	5.74E-09	14	4.71E-02	3.79E-09	1.0E+06	3.8E-03
594	594	0.25225	3.83E-05	9.7E-06	6.05E-04	5.85E-09	14	4.71E-02	3.86E-09	1.0E+06	3.9E-03
595	595	0.25643	3.83E-05	9.8E-06	6.05E-04	5.94E-09	14	4.71E-02	3.92E-09	1.0E+06	3.9E-03
596	596	0.25998	3.83E-05	1.0E-05	6.05E-04	6.02E-09	14	4.71E-02	3.98E-09	1.0E+06	4.0E-03
597	597	0.26284	3.83E-05	1.0E-05	6.05E-04	6.09E-09	14	4.71E-02	4.02E-09	1.0E+06	4.0E-03
345	345	0.59191	3.83E-05	2.3E-05	6.05E-04	1.37E-08	14	4.71E-02	9.05E-09	1.0E+06	9.1E-03
346	346	0.62794	3.83E-05	2.4E-05	6.05E-04	1.46E-08	14	4.71E-02	9.60E-09	1.0E+06	9.6E-03
347	347	0.66409	3.83E-05	2.5E-05	6.05E-04	1.54E-08	14	4.71E-02	1.02E-08	1.0E+06	1.0E-02
348	348	0.70013	3.83E-05	2.7E-05	6.05E-04	1.62E-08	14	4.71E-02	1.07E-08	1.0E+06	1.1E-02
359	359	0.54384	3.83E-05	2.1E-05	6.05E-04	1.26E-08	14	4.71E-02	8.32E-09	1.0E+06	8.3E-03
360	360	0.57548	3.83E-05	2.2E-05	6.05E-04	1.33E-08	14	4.71E-02	8.80E-09	1.0E+06	8.8E-03
361	361	0.60674	3.83E-05	2.3E-05	6.05E-04	1.41E-08	14	4.71E-02	9.28E-09	1.0E+06	9.3E-03
362	362	0.6381	3.83E-05	2.4E-05	6.05E-04	1.48E-08	14	4.71E-02	9.76E-09	1.0E+06	9.8E-03
363	363	0.66882	3.83E-05	2.6E-05	6.05E-04	1.55E-08	14	4.71E-02	1.02E-08	1.0E+06	1.0E-02
373	373	0.52875	3.83E-05	2.0E-05	6.05E-04	1.23E-08	14	4.71E-02	8.09E-09	1.0E+06	8.1E-03
374	374	0.5562	3.83E-05	2.1E-05	6.05E-04	1.29E-08	14	4.71E-02	8.51E-09	1.0E+06	8.5E-03
375	375	0.58338	3.83E-05	2.2E-05	6.05E-04	1.35E-08	14	4.71E-02	8.92E-09	1.0E+06	8.9E-03
376	376	0.61003	3.83E-05	2.3E-05	6.05E-04	1.41E-08	14	4.71E-02	9.33E-09	1.0E+06	9.3E-03
386	386	0.48752	3.83E-05	1.9E-05	6.05E-04	1.13E-08	14	4.71E-02	7.46E-09	1.0E+06	7.5E-03
387	387	0.51146	3.83E-05	2.0E-05	6.05E-04	1.19E-08	14	4.71E-02	7.82E-09	1.0E+06	7.8E-03
388	388	0.53516	3.83E-05	2.0E-05	6.05E-04	1.24E-08	14	4.71E-02	8.18E-09	1.0E+06	8.2E-03
389	389	0.55829	3.83E-05	2.1E-05	6.05E-04	1.29E-08	14	4.71E-02	8.54E-09	1.0E+06	8.5E-03
390	390	0.58078	3.83E-05	2.2E-05	6.05E-04	1.35E-08	14	4.71E-02	8.88E-09	1.0E+06	8.9E-03
400	400	0.45082	3.83E-05	1.7E-05	6.05E-04	1.04E-08	14	4.71E-02	6.89E-09	1.0E+06	6.9E-03
401	401	0.47196	3.83E-05	1.8E-05	6.05E-04	1.09E-08	14	4.71E-02	7.22E-09	1.0E+06	7.2E-03
402	402	0.49252	3.83E-05	1.9E-05	6.05E-04	1.14E-08	14	4.71E-02	7.53E-09	1.0E+06	7.5E-03
403	403	0.51275	3.83E-05	2.0E-05	6.05E-04	1.19E-08	14	4.71E-02	7.84E-09	1.0E+06	7.8E-03
404	404	0.53239	3.83E-05	2.0E-05	6.05E-04	1.23E-08	14	4.71E-02	8.14E-09	1.0E+06	8.1E-03
415	415	0.41817	3.83E-05	1.6E-05	6.05E-04	9.69E-09	14	4.71E-02	6.40E-09	1.0E+06	6.4E-03
416	416	0.43664	3.83E-05	1.7E-05	6.05E-04	1.01E-08	14	4.71E-02	6.68E-09	1.0E+06	6.7E-03
417	417	0.45484	3.83E-05	1.7E-05	6.05E-04	1.05E-08	14	4.71E-02	6.96E-09	1.0E+06	7.0E-03

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	0.47232	3.83E-05	1.8E-05	6.05E-04	1.09E-08	14	4.71E-02	7.22E-09	1.0E+06	7.2E-03
419	419	0.48916	3.83E-05	1.9E-05	6.05E-04	1.13E-08	14	4.71E-02	7.48E-09	1.0E+06	7.5E-03
420	420	0.50613	3.83E-05	1.9E-05	6.05E-04	1.17E-08	14	4.71E-02	7.74E-09	1.0E+06	7.7E-03
430	430	0.40532	3.83E-05	1.6E-05	6.05E-04	9.39E-09	14	4.71E-02	6.20E-09	1.0E+06	6.2E-03
431	431	0.42114	3.83E-05	1.6E-05	6.05E-04	9.76E-09	14	4.71E-02	6.44E-09	1.0E+06	6.4E-03
432	432	0.43657	3.83E-05	1.7E-05	6.05E-04	1.01E-08	14	4.71E-02	6.68E-09	1.0E+06	6.7E-03
433	433	0.45142	3.83E-05	1.7E-05	6.05E-04	1.05E-08	14	4.71E-02	6.90E-09	1.0E+06	6.9E-03
434	434	0.46569	3.83E-05	1.8E-05	6.05E-04	1.08E-08	14	4.71E-02	7.12E-09	1.0E+06	7.1E-03
444	444	0.3771	3.83E-05	1.4E-05	6.05E-04	8.74E-09	14	4.71E-02	5.77E-09	1.0E+06	5.8E-03
445	445	0.39129	3.83E-05	1.5E-05	6.05E-04	9.07E-09	14	4.71E-02	5.98E-09	1.0E+06	6.0E-03
446	446	0.40487	3.83E-05	1.6E-05	6.05E-04	9.38E-09	14	4.71E-02	6.19E-09	1.0E+06	6.2E-03
447	447	0.41788	3.83E-05	1.6E-05	6.05E-04	9.68E-09	14	4.71E-02	6.39E-09	1.0E+06	6.4E-03
448	448	0.43029	3.83E-05	1.6E-05	6.05E-04	9.97E-09	14	4.71E-02	6.58E-09	1.0E+06	6.6E-03
459	459	0.3645	3.83E-05	1.4E-05	6.05E-04	8.45E-09	14	4.71E-02	5.57E-09	1.0E+06	5.6E-03
460	460	0.37657	3.83E-05	1.4E-05	6.05E-04	8.73E-09	14	4.71E-02	5.76E-09	1.0E+06	5.8E-03
461	461	0.3881	3.83E-05	1.5E-05	6.05E-04	8.99E-09	14	4.71E-02	5.94E-09	1.0E+06	5.9E-03
462	462	0.39897	3.83E-05	1.5E-05	6.05E-04	9.25E-09	14	4.71E-02	6.10E-09	1.0E+06	6.1E-03
463	463	0.40909	3.83E-05	1.6E-05	6.05E-04	9.48E-09	14	4.71E-02	6.26E-09	1.0E+06	6.3E-03
474	474	0.34047	3.83E-05	1.3E-05	6.05E-04	7.89E-09	14	4.71E-02	5.21E-09	1.0E+06	5.2E-03
475	475	0.35122	3.83E-05	1.3E-05	6.05E-04	8.14E-09	14	4.71E-02	5.37E-09	1.0E+06	5.4E-03
476	476	0.36136	3.83E-05	1.4E-05	6.05E-04	8.37E-09	14	4.71E-02	5.53E-09	1.0E+06	5.5E-03
477	477	0.37094	3.83E-05	1.4E-05	6.05E-04	8.60E-09	14	4.71E-02	5.67E-09	1.0E+06	5.7E-03
478	478	0.37971	3.83E-05	1.5E-05	6.05E-04	8.80E-09	14	4.71E-02	5.81E-09	1.0E+06	5.8E-03
495	495	0.31874	3.83E-05	1.2E-05	6.05E-04	7.39E-09	14	4.71E-02	4.87E-09	1.0E+06	4.9E-03
496	496	0.32835	3.83E-05	1.3E-05	6.05E-04	7.61E-09	14	4.71E-02	5.02E-09	1.0E+06	5.0E-03
497	497	0.33738	3.83E-05	1.3E-05	6.05E-04	7.82E-09	14	4.71E-02	5.16E-09	1.0E+06	5.2E-03
498	498	0.34578	3.83E-05	1.3E-05	6.05E-04	8.01E-09	14	4.71E-02	5.29E-09	1.0E+06	5.3E-03
499	499	0.35344	3.83E-05	1.4E-05	6.05E-04	8.19E-09	14	4.71E-02	5.41E-09	1.0E+06	5.4E-03
500	500	0.36019	3.83E-05	1.4E-05	6.05E-04	8.35E-09	14	4.71E-02	5.51E-09	1.0E+06	5.5E-03

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	3.98712	3.83E-05	1.5E-04	6.05E-04	9.24E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
140	140	4.58615	3.83E-05	1.8E-04	6.05E-04	1.06E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
156	156	2.90948	3.83E-05	1.1E-04	6.05E-04	6.74E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
157	157	3.29945	3.83E-05	1.3E-04	6.05E-04	7.65E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
158	158	3.6549	3.83E-05	1.4E-04	6.05E-04	8.47E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
159	159	3.96939	3.83E-05	1.5E-04	6.05E-04	9.20E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
160	160	4.20248	3.83E-05	1.6E-04	6.05E-04	9.74E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
161	161	4.6772	3.83E-05	1.8E-04	6.05E-04	1.08E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
162	162	4.98099	3.83E-05	1.9E-04	6.05E-04	1.15E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
163	163	5.39254	3.83E-05	2.1E-04	6.05E-04	1.25E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
167	167	2.52379	3.83E-05	9.7E-05	6.05E-04	5.85E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
168	168	2.79974	3.83E-05	1.1E-04	6.05E-04	6.49E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
169	169	3.01681	3.83E-05	1.2E-04	6.05E-04	6.99E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
170	170	3.2054	3.83E-05	1.2E-04	6.05E-04	7.43E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
171	171	3.38205	3.83E-05	1.3E-04	6.05E-04	7.84E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
172	172	3.58526	3.83E-05	1.4E-04	6.05E-04	8.31E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
173	173	3.83597	3.83E-05	1.5E-04	6.05E-04	8.89E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
174	174	4.18957	3.83E-05	1.6E-04	6.05E-04	9.71E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
175	175	4.76423	3.83E-05	1.8E-04	6.05E-04	1.10E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
176	176	5.79119	3.83E-05	2.2E-04	6.05E-04	1.34E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
177	177	7.8551	3.83E-05	3.0E-04	6.05E-04	1.82E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
181	181	2.24213	3.83E-05	8.6E-05	6.05E-04	5.20E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
182	182	2.41556	3.83E-05	9.3E-05	6.05E-04	5.60E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
183	183	2.57079	3.83E-05	9.8E-05	6.05E-04	5.96E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
184	184	2.71966	3.83E-05	1.0E-04	6.05E-04	6.30E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
185	185	2.88838	3.83E-05	1.1E-04	6.05E-04	6.69E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
186	186	3.10111	3.83E-05	1.2E-04	6.05E-04	7.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
187	187	3.39751	3.83E-05	1.3E-04	6.05E-04	7.87E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
188	188	3.84571	3.83E-05	1.5E-04	6.05E-04	8.91E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
189	189	4.59245	3.83E-05	1.8E-04	6.05E-04	1.06E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
190	190	5.9831	3.83E-05	2.3E-04	6.05E-04	1.39E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
191	191	9.22263	3.83E-05	3.5E-04	6.05E-04	2.14E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
195	195	1.85525	3.83E-05	7.1E-05	6.05E-04	4.30E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
196	196	1.99775	3.83E-05	7.7E-05	6.05E-04	4.63E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
197	197	2.13107	3.83E-05	8.2E-05	6.05E-04	4.94E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
198	198	2.25993	3.83E-05	8.7E-05	6.05E-04	5.24E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
199	199	2.40787	3.83E-05	9.2E-05	6.05E-04	5.58E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
200	200	2.58794	3.83E-05	9.9E-05	6.05E-04	6.00E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
201	201	2.8296	3.83E-05	1.1E-04	6.05E-04	6.56E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
202	202	3.18731	3.83E-05	1.2E-04	6.05E-04	7.39E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
203	203	3.75458	3.83E-05	1.4E-04	6.05E-04	8.70E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
204	204	4.74043	3.83E-05	1.8E-04	6.05E-04	1.10E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
205	205	6.75589	3.83E-05	2.6E-04	6.05E-04	1.57E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
206	206	12.29663	3.83E-05	4.7E-04	6.05E-04	2.85E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
210	210	1.4326	3.83E-05	5.5E-05	6.05E-04	3.32E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
211	211	1.57289	3.83E-05	6.0E-05	6.05E-04	3.64E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
212	212	1.69253	3.83E-05	6.5E-05	6.05E-04	3.92E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
213	213	1.80653	3.83E-05	6.9E-05	6.05E-04	4.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
214	214	2.04848	3.83E-05	7.8E-05	6.05E-04	4.75E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
215	215	2.20253	3.83E-05	8.4E-05	6.05E-04	5.10E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
216	216	2.40234	3.83E-05	9.2E-05	6.05E-04	5.57E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
217	217	2.69068	3.83E-05	1.0E-04	6.05E-04	6.23E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
218	218	3.12708	3.83E-05	1.2E-04	6.05E-04	7.25E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
219	219	3.84023	3.83E-05	1.5E-04	6.05E-04	8.90E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
220	220	5.14448	3.83E-05	2.0E-04	6.05E-04	1.19E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
221	221	7.88202	3.83E-05	3.0E-04	6.05E-04	1.83E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
222	222	16.16552	3.83E-05	6.2E-04	6.05E-04	3.75E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
226	226	1.24505	3.83E-05	4.8E-05	6.05E-04	2.89E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
227	227	1.35588	3.83E-05	5.2E-05	6.05E-04	3.14E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
228	228	1.45847	3.83E-05	5.6E-05	6.05E-04	3.38E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
229	229	1.55677	3.83E-05	6.0E-05	6.05E-04	3.61E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
230	230	1.6573	3.83E-05	6.3E-05	6.05E-04	3.84E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
231	231	1.77056	3.83E-05	6.8E-05	6.05E-04	4.10E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
232	232	1.902	3.83E-05	7.3E-05	6.05E-04	4.41E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
233	233	2.29675	3.83E-05	8.8E-05	6.05E-04	5.32E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
234	234	2.63549	3.83E-05	1.0E-04	6.05E-04	6.11E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
235	235	3.15641	3.83E-05	1.2E-04	6.05E-04	7.31E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
236	236	4.02549	3.83E-05	1.5E-04	6.05E-04	9.33E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
237	237	5.63281	3.83E-05	2.2E-04	6.05E-04	1.31E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
238	238	9.20662	3.83E-05	3.5E-04	6.05E-04	2.13E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
242	242	1.09355	3.83E-05	4.2E-05	6.05E-04	2.53E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
243	243	1.18473	3.83E-05	4.5E-05	6.05E-04	2.75E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
244	244	1.27473	3.83E-05	4.9E-05	6.05E-04	2.95E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
245	245	1.36018	3.83E-05	5.2E-05	6.05E-04	3.15E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
246	246	1.44764	3.83E-05	5.5E-05	6.05E-04	3.35E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
247	247	1.54279	3.83E-05	5.9E-05	6.05E-04	3.58E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
248	248	1.65309	3.83E-05	6.3E-05	6.05E-04	3.83E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
249	249	1.97682	3.83E-05	7.6E-05	6.05E-04	4.58E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
250	250	2.23491	3.83E-05	8.6E-05	6.05E-04	5.18E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
251	251	2.61263	3.83E-05	1.0E-04	6.05E-04	6.05E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
252	252	3.18741	3.83E-05	1.2E-04	6.05E-04	7.39E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
253	253	4.17468	3.83E-05	1.6E-04	6.05E-04	9.67E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
254	254	6.00178	3.83E-05	2.3E-04	6.05E-04	1.39E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
257	257	0.97043	3.83E-05	3.7E-05	6.05E-04	2.25E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
258	258	1.04718	3.83E-05	4.0E-05	6.05E-04	2.43E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
259	259	1.12392	3.83E-05	4.3E-05	6.05E-04	2.60E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
260	260	1.1993	3.83E-05	4.6E-05	6.05E-04	2.78E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
261	261	1.27381	3.83E-05	4.9E-05	6.05E-04	2.95E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
262	262	1.35506	3.83E-05	5.2E-05	6.05E-04	3.14E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
263	263	1.44786	3.83E-05	5.5E-05	6.05E-04	3.36E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
264	264	1.70475	3.83E-05	6.5E-05	6.05E-04	3.95E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
265	265	1.89802	3.83E-05	7.3E-05	6.05E-04	4.40E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
266	266	2.16446	3.83E-05	8.3E-05	6.05E-04	5.02E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
267	267	2.54599	3.83E-05	9.8E-05	6.05E-04	5.90E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
268	268	3.12752	3.83E-05	1.2E-04	6.05E-04	7.25E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
269	269	4.00892	3.83E-05	1.5E-04	6.05E-04	9.29E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
270	270	3.708	3.83E-05	1.4E-04	6.05E-04	8.59E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
271	271	2.16487	3.83E-05	8.3E-05	6.05E-04	5.02E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
274	274	0.86855	3.83E-05	3.3E-05	6.05E-04	2.01E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
275	275	0.93331	3.83E-05	3.6E-05	6.05E-04	2.16E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
276	276	0.99891	3.83E-05	3.8E-05	6.05E-04	2.31E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
277	277	1.06484	3.83E-05	4.1E-05	6.05E-04	2.47E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
278	278	1.12994	3.83E-05	4.3E-05	6.05E-04	2.62E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
279	279	1.19968	3.83E-05	4.6E-05	6.05E-04	2.78E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
280	280	1.27881	3.83E-05	4.9E-05	6.05E-04	2.96E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
281	281	1.482	3.83E-05	5.7E-05	6.05E-04	3.43E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
282	282	1.62584	3.83E-05	6.2E-05	6.05E-04	3.77E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
283	283	1.81454	3.83E-05	6.9E-05	6.05E-04	4.20E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
284	284	2.06528	3.83E-05	7.9E-05	6.05E-04	4.79E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
285	285	2.39915	3.83E-05	9.2E-05	6.05E-04	5.56E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
286	286	2.82847	3.83E-05	1.1E-04	6.05E-04	6.55E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
287	287	2.64448	3.83E-05	1.0E-04	6.05E-04	6.13E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
288	288	1.8059	3.83E-05	6.9E-05	6.05E-04	4.18E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
291	291	0.78276	3.83E-05	3.0E-05	6.05E-04	1.81E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
292	292	0.8382	3.83E-05	3.2E-05	6.05E-04	1.94E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
293	293	0.89415	3.83E-05	3.4E-05	6.05E-04	2.07E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
294	294	0.95156	3.83E-05	3.6E-05	6.05E-04	2.20E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
295	295	1.00846	3.83E-05	3.9E-05	6.05E-04	2.34E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
296	296	1.06775	3.83E-05	4.1E-05	6.05E-04	2.47E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
297	297	1.13214	3.83E-05	4.3E-05	6.05E-04	2.62E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
298	298	1.29365	3.83E-05	5.0E-05	6.05E-04	3.00E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
299	299	1.39976	3.83E-05	5.4E-05	6.05E-04	3.24E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
300	300	1.53279	3.83E-05	5.9E-05	6.05E-04	3.55E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
301	301	1.69645	3.83E-05	6.5E-05	6.05E-04	3.93E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
302	302	1.89569	3.83E-05	7.3E-05	6.05E-04	4.39E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
303	303	2.11831	3.83E-05	8.1E-05	6.05E-04	4.91E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
304	304	1.96766	3.83E-05	7.5E-05	6.05E-04	4.56E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
305	305	1.51403	3.83E-05	5.8E-05	6.05E-04	3.51E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
308	308	0.70971	3.83E-05	2.7E-05	6.05E-04	1.64E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
309	309	0.75769	3.83E-05	2.9E-05	6.05E-04	1.76E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
310	310	0.80562	3.83E-05	3.1E-05	6.05E-04	1.87E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
311	311	0.85523	3.83E-05	3.3E-05	6.05E-04	1.98E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
312	312	0.90349	3.83E-05	3.5E-05	6.05E-04	2.09E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
313	313	0.95394	3.83E-05	3.7E-05	6.05E-04	2.21E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
314	314	1.00754	3.83E-05	3.9E-05	6.05E-04	2.33E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
315	315	1.13511	3.83E-05	4.3E-05	6.05E-04	2.63E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
316	316	1.21283	3.83E-05	4.6E-05	6.05E-04	2.81E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
317	317	1.30847	3.83E-05	5.0E-05	6.05E-04	3.03E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
318	318	1.41718	3.83E-05	5.4E-05	6.05E-04	3.28E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
319	319	1.54002	3.83E-05	5.9E-05	6.05E-04	3.57E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
320	320	1.66456	3.83E-05	6.4E-05	6.05E-04	3.86E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
321	321	1.54164	3.83E-05	5.9E-05	6.05E-04	3.57E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
322	322	1.27676	3.83E-05	4.9E-05	6.05E-04	2.96E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
325	325	0.64666	3.83E-05	2.5E-05	6.05E-04	1.50E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
326	326	0.68824	3.83E-05	2.6E-05	6.05E-04	1.59E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
327	327	0.72979	3.83E-05	2.8E-05	6.05E-04	1.69E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
328	328	0.77191	3.83E-05	3.0E-05	6.05E-04	1.79E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
329	329	0.81415	3.83E-05	3.1E-05	6.05E-04	1.89E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
330	330	0.85598	3.83E-05	3.3E-05	6.05E-04	1.98E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
331	331	0.90046	3.83E-05	3.4E-05	6.05E-04	2.09E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
332	332	0.94744	3.83E-05	3.6E-05	6.05E-04	2.20E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
333	333	1.00132	3.83E-05	3.8E-05	6.05E-04	2.32E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
334	334	1.06043	3.83E-05	4.1E-05	6.05E-04	2.46E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
335	335	1.12811	3.83E-05	4.3E-05	6.05E-04	2.61E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
336	336	1.20297	3.83E-05	4.6E-05	6.05E-04	2.79E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
337	337	1.28182	3.83E-05	4.9E-05	6.05E-04	2.97E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
338	338	1.35143	3.83E-05	5.2E-05	6.05E-04	3.13E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
339	339	1.36867	3.83E-05	5.2E-05	6.05E-04	3.17E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
340	340	1.25609	3.83E-05	4.8E-05	6.05E-04	2.91E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
341	341	1.08851	3.83E-05	4.2E-05	6.05E-04	2.52E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
349	349	0.73623	3.83E-05	2.8E-05	6.05E-04	1.71E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
350	350	0.77224	3.83E-05	3.0E-05	6.05E-04	1.79E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
351	351	0.80987	3.83E-05	3.1E-05	6.05E-04	1.88E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
352	352	0.84717	3.83E-05	3.2E-05	6.05E-04	1.96E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
353	353	1.12744	3.83E-05	4.3E-05	6.05E-04	2.61E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
354	354	1.0524	3.83E-05	4.0E-05	6.05E-04	2.44E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
355	355	0.93965	3.83E-05	3.6E-05	6.05E-04	2.18E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
364	364	0.69944	3.83E-05	2.7E-05	6.05E-04	1.62E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
365	365	0.73012	3.83E-05	2.8E-05	6.05E-04	1.69E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
366	366	0.76215	3.83E-05	2.9E-05	6.05E-04	1.77E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
367	367	0.95369	3.83E-05	3.7E-05	6.05E-04	2.21E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
368	368	0.90093	3.83E-05	3.5E-05	6.05E-04	2.09E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
369	369	0.82123	3.83E-05	3.1E-05	6.05E-04	1.90E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
377	377	0.63617	3.83E-05	2.4E-05	6.05E-04	1.47E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
378	378	0.66227	3.83E-05	2.5E-05	6.05E-04	1.53E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
379	379	0.68888	3.83E-05	2.6E-05	6.05E-04	1.60E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
380	380	0.82335	3.83E-05	3.2E-05	6.05E-04	1.91E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
381	381	0.78455	3.83E-05	3.0E-05	6.05E-04	1.82E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
382	382	0.72591	3.83E-05	2.8E-05	6.05E-04	1.68E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
391	391	0.60311	3.83E-05	2.3E-05	6.05E-04	1.40E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
392	392	0.62552	3.83E-05	2.4E-05	6.05E-04	1.45E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
393	393	0.72162	3.83E-05	2.8E-05	6.05E-04	1.67E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
394	394	0.69174	3.83E-05	2.6E-05	6.05E-04	1.60E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
395	395	0.64728	3.83E-05	2.5E-05	6.05E-04	1.50E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
405	405	0.55133	3.83E-05	2.1E-05	6.05E-04	1.28E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
406	406	0.56997	3.83E-05	2.2E-05	6.05E-04	1.32E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	0.58788	3.83E-05	2.3E-05	6.05E-04	1.36E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
408	408	0.64007	3.83E-05	2.5E-05	6.05E-04	1.48E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
409	409	0.61656	3.83E-05	2.4E-05	6.05E-04	1.43E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
410	410	0.58177	3.83E-05	2.2E-05	6.05E-04	1.35E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
421	421	0.52173	3.83E-05	2.0E-05	6.05E-04	1.21E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
422	422	0.53679	3.83E-05	2.1E-05	6.05E-04	1.24E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
423	423	0.57348	3.83E-05	2.2E-05	6.05E-04	1.33E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
424	424	0.55451	3.83E-05	2.1E-05	6.05E-04	1.28E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
425	425	0.52687	3.83E-05	2.0E-05	6.05E-04	1.22E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
435	435	0.47951	3.83E-05	1.8E-05	6.05E-04	1.11E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
436	436	0.49196	3.83E-05	1.9E-05	6.05E-04	1.14E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
437	437	0.50251	3.83E-05	1.9E-05	6.05E-04	1.16E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
438	438	0.48035	3.83E-05	1.8E-05	6.05E-04	1.11E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
449	449	0.44223	3.83E-05	1.7E-05	6.05E-04	1.02E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
450	450	0.45261	3.83E-05	1.7E-05	6.05E-04	1.05E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
451	451	0.46224	3.83E-05	1.8E-05	6.05E-04	1.07E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
452	452	0.45842	3.83E-05	1.8E-05	6.05E-04	1.06E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
453	453	0.44022	3.83E-05	1.7E-05	6.05E-04	1.02E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
464	464	0.41814	3.83E-05	1.6E-05	6.05E-04	9.69E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
465	465	0.42609	3.83E-05	1.6E-05	6.05E-04	9.87E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
466	466	0.43814	3.83E-05	1.7E-05	6.05E-04	1.02E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
467	467	0.42056	3.83E-05	1.6E-05	6.05E-04	9.75E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
468	468	0.4054	3.83E-05	1.6E-05	6.05E-04	9.39E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
479	479	0.38757	3.83E-05	1.5E-05	6.05E-04	8.98E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
480	480	0.39422	3.83E-05	1.5E-05	6.05E-04	9.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
481	481	0.39967	3.83E-05	1.5E-05	6.05E-04	9.26E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
482	482	0.40354	3.83E-05	1.5E-05	6.05E-04	9.35E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
483	483	0.40577	3.83E-05	1.6E-05	6.05E-04	9.40E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
484	484	0.40568	3.83E-05	1.6E-05	6.05E-04	9.40E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
485	485	0.40295	3.83E-05	1.5E-05	6.05E-04	9.34E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
486	486	0.39705	3.83E-05	1.5E-05	6.05E-04	9.20E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	487	0.38774	3.83E-05	1.5E-05	6.05E-04	8.98E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
488	488	0.375	3.83E-05	1.4E-05	6.05E-04	8.69E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
501	501	0.36591	3.83E-05	1.4E-05	6.05E-04	8.48E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
502	502	0.37039	3.83E-05	1.4E-05	6.05E-04	8.58E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
503	503	0.3735	3.83E-05	1.4E-05	6.05E-04	8.65E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
504	504	0.37512	3.83E-05	1.4E-05	6.05E-04	8.69E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
505	505	0.37483	3.83E-05	1.4E-05	6.05E-04	8.69E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
506	506	0.37228	3.83E-05	1.4E-05	6.05E-04	8.63E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
507	507	0.36708	3.83E-05	1.4E-05	6.05E-04	8.51E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
508	508	0.34824	3.83E-05	1.3E-05	6.05E-04	8.07E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
520	520	0.34067	3.83E-05	1.3E-05	6.05E-04	7.89E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
521	521	0.34442	3.83E-05	1.3E-05	6.05E-04	7.98E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
522	522	0.347	3.83E-05	1.3E-05	6.05E-04	8.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
523	523	0.34819	3.83E-05	1.3E-05	6.05E-04	8.07E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
524	524	0.34775	3.83E-05	1.3E-05	6.05E-04	8.06E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
525	525	0.34538	3.83E-05	1.3E-05	6.05E-04	8.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
526	526	0.34081	3.83E-05	1.3E-05	6.05E-04	7.90E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
527	527	0.32455	3.83E-05	1.2E-05	6.05E-04	7.52E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
539	539	0.31805	3.83E-05	1.2E-05	6.05E-04	7.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
540	540	0.3213	3.83E-05	1.2E-05	6.05E-04	7.45E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
541	541	0.32343	3.83E-05	1.2E-05	6.05E-04	7.49E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
542	542	0.32432	3.83E-05	1.2E-05	6.05E-04	7.52E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
543	543	0.32379	3.83E-05	1.2E-05	6.05E-04	7.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
544	544	0.32162	3.83E-05	1.2E-05	6.05E-04	7.45E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
545	545	0.31757	3.83E-05	1.2E-05	6.05E-04	7.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
546	546	0.30347	3.83E-05	1.2E-05	6.05E-04	7.03E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
560	560	0.30053	3.83E-05	1.2E-05	6.05E-04	6.96E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
561	561	0.30233	3.83E-05	1.2E-05	6.05E-04	7.01E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
562	562	0.30303	3.83E-05	1.2E-05	6.05E-04	7.02E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
563	563	0.30215	3.83E-05	1.2E-05	6.05E-04	7.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
564	564	0.30046	3.83E-05	1.2E-05	6.05E-04	6.96E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.29689	3.83E-05	1.1E-05	6.05E-04	6.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
566	566	0.28455	3.83E-05	1.1E-05	6.05E-04	6.59E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
579	579	0.28185	3.83E-05	1.1E-05	6.05E-04	6.53E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
580	580	0.28338	3.83E-05	1.1E-05	6.05E-04	6.57E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
581	581	0.28393	3.83E-05	1.1E-05	6.05E-04	6.58E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
582	582	0.28338	3.83E-05	1.1E-05	6.05E-04	6.57E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
583	583	0.28159	3.83E-05	1.1E-05	6.05E-04	6.53E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
584	584	0.2784	3.83E-05	1.1E-05	6.05E-04	6.45E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
585	585	0.27141	3.83E-05	1.0E-05	6.05E-04	6.29E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
598	598	0.26497	3.83E-05	1.0E-05	6.05E-04	6.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
599	599	0.26632	3.83E-05	1.0E-05	6.05E-04	6.17E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
600	600	0.26677	3.83E-05	1.0E-05	6.05E-04	6.18E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
601	601	0.26623	3.83E-05	1.0E-05	6.05E-04	6.17E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
602	602	0.26461	3.83E-05	1.0E-05	6.05E-04	6.13E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
603	603	0.26177	3.83E-05	1.0E-05	6.05E-04	6.07E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
604	604	0.25766	3.83E-05	9.9E-06	6.05E-04	5.97E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
0	0	0	3.83E-05	0.0E+00	6.05E-04	0.00E+00	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.32223	3.83E-05	1.2E-05	2.50E-04	3.09E-09	14	1.15E-02	4.96E-10	1.0E+06	5.0E-04
2	2	0.35468	3.83E-05	1.4E-05	2.50E-04	3.40E-09	14	1.15E-02	5.46E-10	1.0E+06	5.5E-04
3	3	0.39288	3.83E-05	1.5E-05	2.50E-04	3.77E-09	14	1.15E-02	6.05E-10	1.0E+06	6.0E-04
4	4	0.439	3.83E-05	1.7E-05	2.50E-04	4.21E-09	14	1.15E-02	6.76E-10	1.0E+06	6.8E-04
5	5	0.4958	3.83E-05	1.9E-05	2.50E-04	4.75E-09	14	1.15E-02	7.63E-10	1.0E+06	7.6E-04
6	6	0.5686	3.83E-05	2.2E-05	2.50E-04	5.45E-09	14	1.15E-02	8.75E-10	1.0E+06	8.8E-04
7	7	0.66287	3.83E-05	2.5E-05	2.50E-04	6.35E-09	14	1.15E-02	1.02E-09	1.0E+06	1.0E-03
8	8	0.7886	3.83E-05	3.0E-05	2.50E-04	7.56E-09	14	1.15E-02	1.21E-09	1.0E+06	1.2E-03
9	9	0.96581	3.83E-05	3.7E-05	2.50E-04	9.26E-09	14	1.15E-02	1.49E-09	1.0E+06	1.5E-03
10	10	1.23102	3.83E-05	4.7E-05	2.50E-04	1.18E-08	14	1.15E-02	1.89E-09	1.0E+06	1.9E-03
11	11	1.66015	3.83E-05	6.4E-05	2.50E-04	1.59E-08	14	1.15E-02	2.56E-09	1.0E+06	2.6E-03
12	12	2.41264	3.83E-05	9.2E-05	2.50E-04	2.31E-08	14	1.15E-02	3.71E-09	1.0E+06	3.7E-03
13	13	3.62562	3.83E-05	1.4E-04	2.50E-04	3.48E-08	14	1.15E-02	5.58E-09	1.0E+06	5.6E-03
14	14	4.68367	3.83E-05	1.8E-04	2.50E-04	4.49E-08	14	1.15E-02	7.21E-09	1.0E+06	7.2E-03
15	15	5.02433	3.83E-05	1.9E-04	2.50E-04	4.82E-08	14	1.15E-02	7.73E-09	1.0E+06	7.7E-03
16	16	5.00217	3.83E-05	1.9E-04	2.50E-04	4.79E-08	14	1.15E-02	7.70E-09	1.0E+06	7.7E-03
17	17	4.95029	3.83E-05	1.9E-04	2.50E-04	4.74E-08	14	1.15E-02	7.62E-09	1.0E+06	7.6E-03
18	18	4.84845	3.83E-05	1.9E-04	2.50E-04	4.65E-08	14	1.15E-02	7.46E-09	1.0E+06	7.5E-03
19	19	4.74873	3.83E-05	1.8E-04	2.50E-04	4.55E-08	14	1.15E-02	7.31E-09	1.0E+06	7.3E-03
20	20	4.65211	3.83E-05	1.8E-04	2.50E-04	4.46E-08	14	1.15E-02	7.16E-09	1.0E+06	7.2E-03
21	21	4.54504	3.83E-05	1.7E-04	2.50E-04	4.36E-08	14	1.15E-02	7.00E-09	1.0E+06	7.0E-03
22	22	4.41879	3.83E-05	1.7E-04	2.50E-04	4.24E-08	14	1.15E-02	6.80E-09	1.0E+06	6.8E-03
23	23	4.24082	3.83E-05	1.6E-04	2.50E-04	4.06E-08	14	1.15E-02	6.53E-09	1.0E+06	6.5E-03
24	24	4.00397	3.83E-05	1.5E-04	2.50E-04	3.84E-08	14	1.15E-02	6.16E-09	1.0E+06	6.2E-03
25	25	3.72155	3.83E-05	1.4E-04	2.50E-04	3.57E-08	14	1.15E-02	5.73E-09	1.0E+06	5.7E-03
26	26	3.40921	3.83E-05	1.3E-04	2.50E-04	3.27E-08	14	1.15E-02	5.25E-09	1.0E+06	5.2E-03
27	27	3.08581	3.83E-05	1.2E-04	2.50E-04	2.96E-08	14	1.15E-02	4.75E-09	1.0E+06	4.8E-03
28	28	2.76723	3.83E-05	1.1E-04	2.50E-04	2.65E-08	14	1.15E-02	4.26E-09	1.0E+06	4.3E-03
29	29	2.47352	3.83E-05	9.5E-05	2.50E-04	2.37E-08	14	1.15E-02	3.81E-09	1.0E+06	3.8E-03
30	30	2.20856	3.83E-05	8.5E-05	2.50E-04	2.12E-08	14	1.15E-02	3.40E-09	1.0E+06	3.4E-03
31	31	1.97105	3.83E-05	7.5E-05	2.50E-04	1.89E-08	14	1.15E-02	3.03E-09	1.0E+06	3.0E-03

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	1.75974	3.83E-05	6.7E-05	2.50E-04	1.69E-08	14	1.15E-02	2.71E-09	1.0E+06	2.7E-03
55	55	6.73471	3.83E-05	2.6E-04	2.50E-04	6.46E-08	14	1.15E-02	1.04E-08	1.0E+06	1.0E-02
56	56	6.31873	3.83E-05	2.4E-04	2.50E-04	6.06E-08	14	1.15E-02	9.73E-09	1.0E+06	9.7E-03
57	57	5.7972	3.83E-05	2.2E-04	2.50E-04	5.56E-08	14	1.15E-02	8.92E-09	1.0E+06	8.9E-03
58	58	5.18454	3.83E-05	2.0E-04	2.50E-04	4.97E-08	14	1.15E-02	7.98E-09	1.0E+06	8.0E-03
59	59	4.536	3.83E-05	1.7E-04	2.50E-04	4.35E-08	14	1.15E-02	6.98E-09	1.0E+06	7.0E-03
60	60	3.92111	3.83E-05	1.5E-04	2.50E-04	3.76E-08	14	1.15E-02	6.04E-09	1.0E+06	6.0E-03
61	61	3.3959	3.83E-05	1.3E-04	2.50E-04	3.25E-08	14	1.15E-02	5.23E-09	1.0E+06	5.2E-03
62	62	2.93905	3.83E-05	1.1E-04	2.50E-04	2.82E-08	14	1.15E-02	4.52E-09	1.0E+06	4.5E-03
63	63	2.55467	3.83E-05	9.8E-05	2.50E-04	2.45E-08	14	1.15E-02	3.93E-09	1.0E+06	3.9E-03
64	64	2.22762	3.83E-05	8.5E-05	2.50E-04	2.14E-08	14	1.15E-02	3.43E-09	1.0E+06	3.4E-03
65	65	1.94999	3.83E-05	7.5E-05	2.50E-04	1.87E-08	14	1.15E-02	3.00E-09	1.0E+06	3.0E-03
66	66	1.72376	3.83E-05	6.6E-05	2.50E-04	1.65E-08	14	1.15E-02	2.65E-09	1.0E+06	2.7E-03
67	67	0.32898	3.83E-05	1.3E-05	2.50E-04	3.15E-09	14	1.15E-02	5.06E-10	1.0E+06	5.1E-04
68	68	0.36315	3.83E-05	1.4E-05	2.50E-04	3.48E-09	14	1.15E-02	5.59E-10	1.0E+06	5.6E-04
69	69	0.40393	3.83E-05	1.5E-05	2.50E-04	3.87E-09	14	1.15E-02	6.22E-10	1.0E+06	6.2E-04
70	70	0.4536	3.83E-05	1.7E-05	2.50E-04	4.35E-09	14	1.15E-02	6.98E-10	1.0E+06	7.0E-04
71	71	0.51459	3.83E-05	2.0E-05	2.50E-04	4.93E-09	14	1.15E-02	7.92E-10	1.0E+06	7.9E-04
72	72	0.5942	3.83E-05	2.3E-05	2.50E-04	5.70E-09	14	1.15E-02	9.15E-10	1.0E+06	9.1E-04
73	73	0.69891	3.83E-05	2.7E-05	2.50E-04	6.70E-09	14	1.15E-02	1.08E-09	1.0E+06	1.1E-03
74	74	0.84313	3.83E-05	3.2E-05	2.50E-04	8.08E-09	14	1.15E-02	1.30E-09	1.0E+06	1.3E-03
75	75	1.05472	3.83E-05	4.0E-05	2.50E-04	1.01E-08	14	1.15E-02	1.62E-09	1.0E+06	1.6E-03
76	76	1.39793	3.83E-05	5.4E-05	2.50E-04	1.34E-08	14	1.15E-02	2.15E-09	1.0E+06	2.2E-03
77	77	2.05001	3.83E-05	7.9E-05	2.50E-04	1.96E-08	14	1.15E-02	3.16E-09	1.0E+06	3.2E-03
78	78	3.73645	3.83E-05	1.4E-04	2.50E-04	3.58E-08	14	1.15E-02	5.75E-09	1.0E+06	5.8E-03
79	79	14.92071	3.83E-05	5.7E-04	2.50E-04	1.43E-07	14	1.15E-02	2.30E-08	1.0E+06	2.3E-02
80	80	16.66452	3.83E-05	6.4E-04	2.50E-04	1.60E-07	14	1.15E-02	2.57E-08	1.0E+06	2.6E-02
81	81	14.84471	3.83E-05	5.7E-04	2.50E-04	1.42E-07	14	1.15E-02	2.29E-08	1.0E+06	2.3E-02
82	82	14.12227	3.83E-05	5.4E-04	2.50E-04	1.35E-07	14	1.15E-02	2.17E-08	1.0E+06	2.2E-02
83	83	13.9777	3.83E-05	5.4E-04	2.50E-04	1.34E-07	14	1.15E-02	2.15E-08	1.0E+06	2.2E-02
84	84	13.03304	3.83E-05	5.0E-04	2.50E-04	1.25E-07	14	1.15E-02	2.01E-08	1.0E+06	2.0E-02

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	85	11.43594	3.83E-05	4.4E-04	2.50E-04	1.10E-07	14	1.15E-02	1.76E-08	1.0E+06	1.8E-02
86	86	9.71533	3.83E-05	3.7E-04	2.50E-04	9.31E-08	14	1.15E-02	1.50E-08	1.0E+06	1.5E-02
87	87	7.92452	3.83E-05	3.0E-04	2.50E-04	7.60E-08	14	1.15E-02	1.22E-08	1.0E+06	1.2E-02
88	88	6.39431	3.83E-05	2.4E-04	2.50E-04	6.13E-08	14	1.15E-02	9.84E-09	1.0E+06	9.8E-03
89	89	5.17619	3.83E-05	2.0E-04	2.50E-04	4.96E-08	14	1.15E-02	7.97E-09	1.0E+06	8.0E-03
90	90	4.24716	3.83E-05	1.6E-04	2.50E-04	4.07E-08	14	1.15E-02	6.54E-09	1.0E+06	6.5E-03
91	91	3.53953	3.83E-05	1.4E-04	2.50E-04	3.39E-08	14	1.15E-02	5.45E-09	1.0E+06	5.4E-03
92	92	2.96198	3.83E-05	1.1E-04	2.50E-04	2.84E-08	14	1.15E-02	4.56E-09	1.0E+06	4.6E-03
93	93	2.51912	3.83E-05	9.6E-05	2.50E-04	2.41E-08	14	1.15E-02	3.88E-09	1.0E+06	3.9E-03
96	96	13.6056	3.83E-05	5.2E-04	2.50E-04	1.30E-07	14	1.15E-02	2.09E-08	1.0E+06	2.1E-02
97	97	16.6024	3.83E-05	6.4E-04	2.50E-04	1.59E-07	14	1.15E-02	2.56E-08	1.0E+06	2.6E-02
98	98	9.97679	3.83E-05	3.8E-04	2.50E-04	9.56E-08	14	1.15E-02	1.54E-08	1.0E+06	1.5E-02
99	99	7.35374	3.83E-05	2.8E-04	2.50E-04	7.05E-08	14	1.15E-02	1.13E-08	1.0E+06	1.1E-02
100	100	5.55346	3.83E-05	2.1E-04	2.50E-04	5.32E-08	14	1.15E-02	8.55E-09	1.0E+06	8.5E-03
101	101	4.31471	3.83E-05	1.7E-04	2.50E-04	4.14E-08	14	1.15E-02	6.64E-09	1.0E+06	6.6E-03
102	102	3.4841	3.83E-05	1.3E-04	2.50E-04	3.34E-08	14	1.15E-02	5.36E-09	1.0E+06	5.4E-03
106	106	0.29984	3.83E-05	1.1E-05	2.50E-04	2.87E-09	14	1.15E-02	4.62E-10	1.0E+06	4.6E-04
107	107	0.32758	3.83E-05	1.3E-05	2.50E-04	3.14E-09	14	1.15E-02	5.04E-10	1.0E+06	5.0E-04
108	108	0.36106	3.83E-05	1.4E-05	2.50E-04	3.46E-09	14	1.15E-02	5.56E-10	1.0E+06	5.6E-04
109	109	0.4008	3.83E-05	1.5E-05	2.50E-04	3.84E-09	14	1.15E-02	6.17E-10	1.0E+06	6.2E-04
110	110	0.44902	3.83E-05	1.7E-05	2.50E-04	4.30E-09	14	1.15E-02	6.91E-10	1.0E+06	6.9E-04
111	111	0.50745	3.83E-05	1.9E-05	2.50E-04	4.86E-09	14	1.15E-02	7.81E-10	1.0E+06	7.8E-04
112	112	0.58313	3.83E-05	2.2E-05	2.50E-04	5.59E-09	14	1.15E-02	8.98E-10	1.0E+06	9.0E-04
113	113	0.67941	3.83E-05	2.6E-05	2.50E-04	6.51E-09	14	1.15E-02	1.05E-09	1.0E+06	1.0E-03
114	114	0.80812	3.83E-05	3.1E-05	2.50E-04	7.75E-09	14	1.15E-02	1.24E-09	1.0E+06	1.2E-03
115	115	0.98523	3.83E-05	3.8E-05	2.50E-04	9.44E-09	14	1.15E-02	1.52E-09	1.0E+06	1.5E-03
116	116	1.23993	3.83E-05	4.7E-05	2.50E-04	1.19E-08	14	1.15E-02	1.91E-09	1.0E+06	1.9E-03
117	117	1.64377	3.83E-05	6.3E-05	2.50E-04	1.58E-08	14	1.15E-02	2.53E-09	1.0E+06	2.5E-03
118	118	2.32759	3.83E-05	8.9E-05	2.50E-04	2.23E-08	14	1.15E-02	3.58E-09	1.0E+06	3.6E-03
124	124	0.29627	3.83E-05	1.1E-05	2.50E-04	2.84E-09	14	1.15E-02	4.56E-10	1.0E+06	4.6E-04
125	125	0.32399	3.83E-05	1.2E-05	2.50E-04	3.11E-09	14	1.15E-02	4.99E-10	1.0E+06	5.0E-04

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	126	0.3564	3.83E-05	1.4E-05	2.50E-04	3.42E-09	14	1.15E-02	5.49E-10	1.0E+06	5.5E-04
127	127	0.39481	3.83E-05	1.5E-05	2.50E-04	3.78E-09	14	1.15E-02	6.08E-10	1.0E+06	6.1E-04
128	128	0.44095	3.83E-05	1.7E-05	2.50E-04	4.23E-09	14	1.15E-02	6.79E-10	1.0E+06	6.8E-04
129	129	0.49654	3.83E-05	1.9E-05	2.50E-04	4.76E-09	14	1.15E-02	7.64E-10	1.0E+06	7.6E-04
130	130	0.56704	3.83E-05	2.2E-05	2.50E-04	5.43E-09	14	1.15E-02	8.73E-10	1.0E+06	8.7E-04
131	131	0.65574	3.83E-05	2.5E-05	2.50E-04	6.29E-09	14	1.15E-02	1.01E-09	1.0E+06	1.0E-03
132	132	0.77106	3.83E-05	3.0E-05	2.50E-04	7.39E-09	14	1.15E-02	1.19E-09	1.0E+06	1.2E-03
133	133	0.92336	3.83E-05	3.5E-05	2.50E-04	8.85E-09	14	1.15E-02	1.42E-09	1.0E+06	1.4E-03
134	134	1.13617	3.83E-05	4.4E-05	2.50E-04	1.09E-08	14	1.15E-02	1.75E-09	1.0E+06	1.7E-03
135	135	1.43899	3.83E-05	5.5E-05	2.50E-04	1.38E-08	14	1.15E-02	2.22E-09	1.0E+06	2.2E-03
136	136	1.89059	3.83E-05	7.2E-05	2.50E-04	1.81E-08	14	1.15E-02	2.91E-09	1.0E+06	2.9E-03
137	137	2.53174	3.83E-05	9.7E-05	2.50E-04	2.43E-08	14	1.15E-02	3.90E-09	1.0E+06	3.9E-03
138	138	3.30986	3.83E-05	1.3E-04	2.50E-04	3.17E-08	14	1.15E-02	5.09E-09	1.0E+06	5.1E-03
141	141	0.29244	3.83E-05	1.1E-05	2.50E-04	2.80E-09	14	1.15E-02	4.50E-10	1.0E+06	4.5E-04
142	142	0.31926	3.83E-05	1.2E-05	2.50E-04	3.06E-09	14	1.15E-02	4.91E-10	1.0E+06	4.9E-04
143	143	0.35043	3.83E-05	1.3E-05	2.50E-04	3.36E-09	14	1.15E-02	5.39E-10	1.0E+06	5.4E-04
144	144	0.38712	3.83E-05	1.5E-05	2.50E-04	3.71E-09	14	1.15E-02	5.96E-10	1.0E+06	6.0E-04
145	145	0.43072	3.83E-05	1.6E-05	2.50E-04	4.13E-09	14	1.15E-02	6.63E-10	1.0E+06	6.6E-04
146	146	0.48276	3.83E-05	1.8E-05	2.50E-04	4.63E-09	14	1.15E-02	7.43E-10	1.0E+06	7.4E-04
147	147	0.54755	3.83E-05	2.1E-05	2.50E-04	5.25E-09	14	1.15E-02	8.43E-10	1.0E+06	8.4E-04
148	148	0.62728	3.83E-05	2.4E-05	2.50E-04	6.01E-09	14	1.15E-02	9.66E-10	1.0E+06	9.7E-04
149	149	0.72811	3.83E-05	2.8E-05	2.50E-04	6.98E-09	14	1.15E-02	1.12E-09	1.0E+06	1.1E-03
150	150	0.85736	3.83E-05	3.3E-05	2.50E-04	8.22E-09	14	1.15E-02	1.32E-09	1.0E+06	1.3E-03
151	151	1.0282	3.83E-05	3.9E-05	2.50E-04	9.86E-09	14	1.15E-02	1.58E-09	1.0E+06	1.6E-03
152	152	1.25915	3.83E-05	4.8E-05	2.50E-04	1.21E-08	14	1.15E-02	1.94E-09	1.0E+06	1.9E-03
153	153	1.57541	3.83E-05	6.0E-05	2.50E-04	1.51E-08	14	1.15E-02	2.43E-09	1.0E+06	2.4E-03
154	154	1.98269	3.83E-05	7.6E-05	2.50E-04	1.90E-08	14	1.15E-02	3.05E-09	1.0E+06	3.1E-03
155	155	2.4515	3.83E-05	9.4E-05	2.50E-04	2.35E-08	14	1.15E-02	3.77E-09	1.0E+06	3.8E-03
164	164	1.62309	3.83E-05	6.2E-05	2.50E-04	1.56E-08	14	1.15E-02	2.50E-09	1.0E+06	2.5E-03
165	165	1.93678	3.83E-05	7.4E-05	2.50E-04	1.86E-08	14	1.15E-02	2.98E-09	1.0E+06	3.0E-03
166	166	2.25618	3.83E-05	8.6E-05	2.50E-04	2.16E-08	14	1.15E-02	3.47E-09	1.0E+06	3.5E-03

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	1.369	3.83E-05	5.2E-05	2.50E-04	1.31E-08	14	1.15E-02	2.11E-09	1.0E+06	2.1E-03
179	179	1.59528	3.83E-05	6.1E-05	2.50E-04	1.53E-08	14	1.15E-02	2.46E-09	1.0E+06	2.5E-03
180	180	1.8276	3.83E-05	7.0E-05	2.50E-04	1.75E-08	14	1.15E-02	2.81E-09	1.0E+06	2.8E-03
192	192	1.18121	3.83E-05	4.5E-05	2.50E-04	1.13E-08	14	1.15E-02	1.82E-09	1.0E+06	1.8E-03
193	193	1.35327	3.83E-05	5.2E-05	2.50E-04	1.30E-08	14	1.15E-02	2.08E-09	1.0E+06	2.1E-03
194	194	1.52812	3.83E-05	5.9E-05	2.50E-04	1.46E-08	14	1.15E-02	2.35E-09	1.0E+06	2.4E-03
207	207	1.0352	3.83E-05	4.0E-05	2.50E-04	9.92E-09	14	1.15E-02	1.59E-09	1.0E+06	1.6E-03
208	208	1.16935	3.83E-05	4.5E-05	2.50E-04	1.12E-08	14	1.15E-02	1.80E-09	1.0E+06	1.8E-03
209	209	1.30758	3.83E-05	5.0E-05	2.50E-04	1.25E-08	14	1.15E-02	2.01E-09	1.0E+06	2.0E-03
223	223	0.91891	3.83E-05	3.5E-05	2.50E-04	8.81E-09	14	1.15E-02	1.41E-09	1.0E+06	1.4E-03
224	224	1.02614	3.83E-05	3.9E-05	2.50E-04	9.84E-09	14	1.15E-02	1.58E-09	1.0E+06	1.6E-03
225	225	1.13604	3.83E-05	4.4E-05	2.50E-04	1.09E-08	14	1.15E-02	1.75E-09	1.0E+06	1.7E-03
239	239	0.82438	3.83E-05	3.2E-05	2.50E-04	7.90E-09	14	1.15E-02	1.27E-09	1.0E+06	1.3E-03
240	240	0.91192	3.83E-05	3.5E-05	2.50E-04	8.74E-09	14	1.15E-02	1.40E-09	1.0E+06	1.4E-03
241	241	1.00277	3.83E-05	3.8E-05	2.50E-04	9.61E-09	14	1.15E-02	1.54E-09	1.0E+06	1.5E-03
255	255	0.74535	3.83E-05	2.9E-05	2.50E-04	7.14E-09	14	1.15E-02	1.15E-09	1.0E+06	1.1E-03
256	256	0.81809	3.83E-05	3.1E-05	2.50E-04	7.84E-09	14	1.15E-02	1.26E-09	1.0E+06	1.3E-03
272	272	0.67799	3.83E-05	2.6E-05	2.50E-04	6.50E-09	14	1.15E-02	1.04E-09	1.0E+06	1.0E-03
273	273	0.73964	3.83E-05	2.8E-05	2.50E-04	7.09E-09	14	1.15E-02	1.14E-09	1.0E+06	1.1E-03
289	289	0.62048	3.83E-05	2.4E-05	2.50E-04	5.95E-09	14	1.15E-02	9.55E-10	1.0E+06	9.6E-04
290	290	0.67289	3.83E-05	2.6E-05	2.50E-04	6.45E-09	14	1.15E-02	1.04E-09	1.0E+06	1.0E-03
306	306	0.57036	3.83E-05	2.2E-05	2.50E-04	5.47E-09	14	1.15E-02	8.78E-10	1.0E+06	8.8E-04
307	307	0.61538	3.83E-05	2.4E-05	2.50E-04	5.90E-09	14	1.15E-02	9.47E-10	1.0E+06	9.5E-04
323	323	0.52634	3.83E-05	2.0E-05	2.50E-04	5.04E-09	14	1.15E-02	8.10E-10	1.0E+06	8.1E-04
324	324	0.56527	3.83E-05	2.2E-05	2.50E-04	5.42E-09	14	1.15E-02	8.70E-10	1.0E+06	8.7E-04
342	342	0.48742	3.83E-05	1.9E-05	2.50E-04	4.67E-09	14	1.15E-02	7.50E-10	1.0E+06	7.5E-04
343	343	0.52129	3.83E-05	2.0E-05	2.50E-04	5.00E-09	14	1.15E-02	8.02E-10	1.0E+06	8.0E-04
344	344	0.55611	3.83E-05	2.1E-05	2.50E-04	5.33E-09	14	1.15E-02	8.56E-10	1.0E+06	8.6E-04
356	356	0.45268	3.83E-05	1.7E-05	2.50E-04	4.34E-09	14	1.15E-02	6.97E-10	1.0E+06	7.0E-04
357	357	0.48215	3.83E-05	1.8E-05	2.50E-04	4.62E-09	14	1.15E-02	7.42E-10	1.0E+06	7.4E-04
358	358	0.51263	3.83E-05	2.0E-05	2.50E-04	4.91E-09	14	1.15E-02	7.89E-10	1.0E+06	7.9E-04

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	0.42159	3.83E-05	1.6E-05	2.50E-04	4.04E-09	14	1.15E-02	6.49E-10	1.0E+06	6.5E-04
371	371	0.44739	3.83E-05	1.7E-05	2.50E-04	4.29E-09	14	1.15E-02	6.89E-10	1.0E+06	6.9E-04
372	372	0.47406	3.83E-05	1.8E-05	2.50E-04	4.54E-09	14	1.15E-02	7.30E-10	1.0E+06	7.3E-04
383	383	0.39356	3.83E-05	1.5E-05	2.50E-04	3.77E-09	14	1.15E-02	6.06E-10	1.0E+06	6.1E-04
384	384	0.41628	3.83E-05	1.6E-05	2.50E-04	3.99E-09	14	1.15E-02	6.41E-10	1.0E+06	6.4E-04
385	385	0.43966	3.83E-05	1.7E-05	2.50E-04	4.21E-09	14	1.15E-02	6.77E-10	1.0E+06	6.8E-04
396	396	0.36823	3.83E-05	1.4E-05	2.50E-04	3.53E-09	14	1.15E-02	5.67E-10	1.0E+06	5.7E-04
397	397	0.38829	3.83E-05	1.5E-05	2.50E-04	3.72E-09	14	1.15E-02	5.98E-10	1.0E+06	6.0E-04
398	398	0.40886	3.83E-05	1.6E-05	2.50E-04	3.92E-09	14	1.15E-02	6.29E-10	1.0E+06	6.3E-04
399	399	0.42977	3.83E-05	1.6E-05	2.50E-04	4.12E-09	14	1.15E-02	6.62E-10	1.0E+06	6.6E-04
411	411	0.34522	3.83E-05	1.3E-05	2.50E-04	3.31E-09	14	1.15E-02	5.31E-10	1.0E+06	5.3E-04
412	412	0.36298	3.83E-05	1.4E-05	2.50E-04	3.48E-09	14	1.15E-02	5.59E-10	1.0E+06	5.6E-04
413	413	0.38126	3.83E-05	1.5E-05	2.50E-04	3.65E-09	14	1.15E-02	5.87E-10	1.0E+06	5.9E-04
414	414	0.39962	3.83E-05	1.5E-05	2.50E-04	3.83E-09	14	1.15E-02	6.15E-10	1.0E+06	6.2E-04
426	426	0.32432	3.83E-05	1.2E-05	2.50E-04	3.11E-09	14	1.15E-02	4.99E-10	1.0E+06	5.0E-04
427	427	0.34012	3.83E-05	1.3E-05	2.50E-04	3.26E-09	14	1.15E-02	5.24E-10	1.0E+06	5.2E-04
428	428	0.3562	3.83E-05	1.4E-05	2.50E-04	3.41E-09	14	1.15E-02	5.48E-10	1.0E+06	5.5E-04
429	429	0.37253	3.83E-05	1.4E-05	2.50E-04	3.57E-09	14	1.15E-02	5.73E-10	1.0E+06	5.7E-04
439	439	0.30521	3.83E-05	1.2E-05	2.50E-04	2.93E-09	14	1.15E-02	4.70E-10	1.0E+06	4.7E-04
440	440	0.31932	3.83E-05	1.2E-05	2.50E-04	3.06E-09	14	1.15E-02	4.92E-10	1.0E+06	4.9E-04
441	441	0.33369	3.83E-05	1.3E-05	2.50E-04	3.20E-09	14	1.15E-02	5.14E-10	1.0E+06	5.1E-04
442	442	0.34819	3.83E-05	1.3E-05	2.50E-04	3.34E-09	14	1.15E-02	5.36E-10	1.0E+06	5.4E-04
443	443	0.36271	3.83E-05	1.4E-05	2.50E-04	3.48E-09	14	1.15E-02	5.58E-10	1.0E+06	5.6E-04
454	454	0.28777	3.83E-05	1.1E-05	2.50E-04	2.76E-09	14	1.15E-02	4.43E-10	1.0E+06	4.4E-04
455	455	0.30041	3.83E-05	1.2E-05	2.50E-04	2.88E-09	14	1.15E-02	4.62E-10	1.0E+06	4.6E-04
456	456	0.31326	3.83E-05	1.2E-05	2.50E-04	3.00E-09	14	1.15E-02	4.82E-10	1.0E+06	4.8E-04
457	457	0.32621	3.83E-05	1.2E-05	2.50E-04	3.13E-09	14	1.15E-02	5.02E-10	1.0E+06	5.0E-04
458	458	0.33914	3.83E-05	1.3E-05	2.50E-04	3.25E-09	14	1.15E-02	5.22E-10	1.0E+06	5.2E-04
469	469	0.27177	3.83E-05	1.0E-05	2.50E-04	2.60E-09	14	1.15E-02	4.18E-10	1.0E+06	4.2E-04
470	470	0.28309	3.83E-05	1.1E-05	2.50E-04	2.71E-09	14	1.15E-02	4.36E-10	1.0E+06	4.4E-04
471	471	0.29463	3.83E-05	1.1E-05	2.50E-04	2.82E-09	14	1.15E-02	4.54E-10	1.0E+06	4.5E-04

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	0.30623	3.83E-05	1.2E-05	2.50E-04	2.94E-09	14	1.15E-02	4.71E-10	1.0E+06	4.7E-04
473	473	0.31779	3.83E-05	1.2E-05	2.50E-04	3.05E-09	14	1.15E-02	4.89E-10	1.0E+06	4.9E-04
489	489	0.25713	3.83E-05	9.8E-06	2.50E-04	2.46E-09	14	1.15E-02	3.96E-10	1.0E+06	4.0E-04
490	490	0.26736	3.83E-05	1.0E-05	2.50E-04	2.56E-09	14	1.15E-02	4.12E-10	1.0E+06	4.1E-04
491	491	0.27772	3.83E-05	1.1E-05	2.50E-04	2.66E-09	14	1.15E-02	4.27E-10	1.0E+06	4.3E-04
492	492	0.28815	3.83E-05	1.1E-05	2.50E-04	2.76E-09	14	1.15E-02	4.44E-10	1.0E+06	4.4E-04
493	493	0.29855	3.83E-05	1.1E-05	2.50E-04	2.86E-09	14	1.15E-02	4.60E-10	1.0E+06	4.6E-04
494	494	0.30877	3.83E-05	1.2E-05	2.50E-04	2.96E-09	14	1.15E-02	4.75E-10	1.0E+06	4.8E-04
509	509	0.24363	3.83E-05	9.3E-06	2.50E-04	2.34E-09	14	1.15E-02	3.75E-10	1.0E+06	3.8E-04
510	510	0.25289	3.83E-05	9.7E-06	2.50E-04	2.42E-09	14	1.15E-02	3.89E-10	1.0E+06	3.9E-04
511	511	0.26223	3.83E-05	1.0E-05	2.50E-04	2.51E-09	14	1.15E-02	4.04E-10	1.0E+06	4.0E-04
512	512	0.27163	3.83E-05	1.0E-05	2.50E-04	2.60E-09	14	1.15E-02	4.18E-10	1.0E+06	4.2E-04
513	513	0.28101	3.83E-05	1.1E-05	2.50E-04	2.69E-09	14	1.15E-02	4.33E-10	1.0E+06	4.3E-04
514	514	0.2902	3.83E-05	1.1E-05	2.50E-04	2.78E-09	14	1.15E-02	4.47E-10	1.0E+06	4.5E-04
515	515	0.30766	3.83E-05	1.2E-05	2.50E-04	2.95E-09	14	1.15E-02	4.74E-10	1.0E+06	4.7E-04
516	516	0.31577	3.83E-05	1.2E-05	2.50E-04	3.03E-09	14	1.15E-02	4.86E-10	1.0E+06	4.9E-04
517	517	0.3232	3.83E-05	1.2E-05	2.50E-04	3.10E-09	14	1.15E-02	4.98E-10	1.0E+06	5.0E-04
518	518	0.32988	3.83E-05	1.3E-05	2.50E-04	3.16E-09	14	1.15E-02	5.08E-10	1.0E+06	5.1E-04
519	519	0.3357	3.83E-05	1.3E-05	2.50E-04	3.22E-09	14	1.15E-02	5.17E-10	1.0E+06	5.2E-04
528	528	0.23119	3.83E-05	8.9E-06	2.50E-04	2.22E-09	14	1.15E-02	3.56E-10	1.0E+06	3.6E-04
529	529	0.23959	3.83E-05	9.2E-06	2.50E-04	2.30E-09	14	1.15E-02	3.69E-10	1.0E+06	3.7E-04
530	530	0.24807	3.83E-05	9.5E-06	2.50E-04	2.38E-09	14	1.15E-02	3.82E-10	1.0E+06	3.8E-04
531	531	0.25655	3.83E-05	9.8E-06	2.50E-04	2.46E-09	14	1.15E-02	3.95E-10	1.0E+06	3.9E-04
532	532	0.265	3.83E-05	1.0E-05	2.50E-04	2.54E-09	14	1.15E-02	4.08E-10	1.0E+06	4.1E-04
533	533	0.27329	3.83E-05	1.0E-05	2.50E-04	2.62E-09	14	1.15E-02	4.21E-10	1.0E+06	4.2E-04
534	534	0.28902	3.83E-05	1.1E-05	2.50E-04	2.77E-09	14	1.15E-02	4.45E-10	1.0E+06	4.4E-04
535	535	0.29622	3.83E-05	1.1E-05	2.50E-04	2.84E-09	14	1.15E-02	4.56E-10	1.0E+06	4.6E-04
536	536	0.30278	3.83E-05	1.2E-05	2.50E-04	2.90E-09	14	1.15E-02	4.66E-10	1.0E+06	4.7E-04
537	537	0.30871	3.83E-05	1.2E-05	2.50E-04	2.96E-09	14	1.15E-02	4.75E-10	1.0E+06	4.8E-04
538	538	0.31382	3.83E-05	1.2E-05	2.50E-04	3.01E-09	14	1.15E-02	4.83E-10	1.0E+06	4.8E-04
547	547	0.21973	3.83E-05	8.4E-06	2.50E-04	2.11E-09	14	1.15E-02	3.38E-10	1.0E+06	3.4E-04

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.22737	3.83E-05	8.7E-06	2.50E-04	2.18E-09	14	1.15E-02	3.50E-10	1.0E+06	3.5E-04
549	549	0.23505	3.83E-05	9.0E-06	2.50E-04	2.25E-09	14	1.15E-02	3.62E-10	1.0E+06	3.6E-04
550	550	0.24278	3.83E-05	9.3E-06	2.50E-04	2.33E-09	14	1.15E-02	3.74E-10	1.0E+06	3.7E-04
551	551	0.25041	3.83E-05	9.6E-06	2.50E-04	2.40E-09	14	1.15E-02	3.85E-10	1.0E+06	3.9E-04
552	552	0.25789	3.83E-05	9.9E-06	2.50E-04	2.47E-09	14	1.15E-02	3.97E-10	1.0E+06	4.0E-04
553	553	0.26512	3.83E-05	1.0E-05	2.50E-04	2.54E-09	14	1.15E-02	4.08E-10	1.0E+06	4.1E-04
554	554	0.27203	3.83E-05	1.0E-05	2.50E-04	2.61E-09	14	1.15E-02	4.19E-10	1.0E+06	4.2E-04
555	555	0.27846	3.83E-05	1.1E-05	2.50E-04	2.67E-09	14	1.15E-02	4.29E-10	1.0E+06	4.3E-04
556	556	0.28428	3.83E-05	1.1E-05	2.50E-04	2.72E-09	14	1.15E-02	4.38E-10	1.0E+06	4.4E-04
557	557	0.28956	3.83E-05	1.1E-05	2.50E-04	2.78E-09	14	1.15E-02	4.46E-10	1.0E+06	4.5E-04
558	558	0.29404	3.83E-05	1.1E-05	2.50E-04	2.82E-09	14	1.15E-02	4.53E-10	1.0E+06	4.5E-04
559	559	0.29774	3.83E-05	1.1E-05	2.50E-04	2.85E-09	14	1.15E-02	4.58E-10	1.0E+06	4.6E-04
567	567	0.20912	3.83E-05	8.0E-06	2.50E-04	2.00E-09	14	1.15E-02	3.22E-10	1.0E+06	3.2E-04
568	568	0.21608	3.83E-05	8.3E-06	2.50E-04	2.07E-09	14	1.15E-02	3.33E-10	1.0E+06	3.3E-04
569	569	0.22309	3.83E-05	8.5E-06	2.50E-04	2.14E-09	14	1.15E-02	3.43E-10	1.0E+06	3.4E-04
570	570	0.23008	3.83E-05	8.8E-06	2.50E-04	2.21E-09	14	1.15E-02	3.54E-10	1.0E+06	3.5E-04
571	571	0.23701	3.83E-05	9.1E-06	2.50E-04	2.27E-09	14	1.15E-02	3.65E-10	1.0E+06	3.6E-04
572	572	0.24378	3.83E-05	9.3E-06	2.50E-04	2.34E-09	14	1.15E-02	3.75E-10	1.0E+06	3.8E-04
573	573	0.25032	3.83E-05	9.6E-06	2.50E-04	2.40E-09	14	1.15E-02	3.85E-10	1.0E+06	3.9E-04
574	574	0.26231	3.83E-05	1.0E-05	2.50E-04	2.51E-09	14	1.15E-02	4.04E-10	1.0E+06	4.0E-04
575	575	0.26752	3.83E-05	1.0E-05	2.50E-04	2.56E-09	14	1.15E-02	4.12E-10	1.0E+06	4.1E-04
576	576	0.27215	3.83E-05	1.0E-05	2.50E-04	2.61E-09	14	1.15E-02	4.19E-10	1.0E+06	4.2E-04
577	577	0.27613	3.83E-05	1.1E-05	2.50E-04	2.65E-09	14	1.15E-02	4.25E-10	1.0E+06	4.3E-04
578	578	0.27939	3.83E-05	1.1E-05	2.50E-04	2.68E-09	14	1.15E-02	4.30E-10	1.0E+06	4.3E-04
586	586	0.19932	3.83E-05	7.6E-06	2.50E-04	1.91E-09	14	1.15E-02	3.07E-10	1.0E+06	3.1E-04
587	587	0.2057	3.83E-05	7.9E-06	2.50E-04	1.97E-09	14	1.15E-02	3.17E-10	1.0E+06	3.2E-04
588	588	0.21208	3.83E-05	8.1E-06	2.50E-04	2.03E-09	14	1.15E-02	3.26E-10	1.0E+06	3.3E-04
589	589	0.21845	3.83E-05	8.4E-06	2.50E-04	2.09E-09	14	1.15E-02	3.36E-10	1.0E+06	3.4E-04
590	590	0.22475	3.83E-05	8.6E-06	2.50E-04	2.15E-09	14	1.15E-02	3.46E-10	1.0E+06	3.5E-04
591	591	0.23089	3.83E-05	8.8E-06	2.50E-04	2.21E-09	14	1.15E-02	3.55E-10	1.0E+06	3.6E-04
592	592	0.2368	3.83E-05	9.1E-06	2.50E-04	2.27E-09	14	1.15E-02	3.65E-10	1.0E+06	3.6E-04

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	0.24759	3.83E-05	9.5E-06	2.50E-04	2.37E-09	14	1.15E-02	3.81E-10	1.0E+06	3.8E-04
594	594	0.25225	3.83E-05	9.7E-06	2.50E-04	2.42E-09	14	1.15E-02	3.88E-10	1.0E+06	3.9E-04
595	595	0.25643	3.83E-05	9.8E-06	2.50E-04	2.46E-09	14	1.15E-02	3.95E-10	1.0E+06	3.9E-04
596	596	0.25998	3.83E-05	1.0E-05	2.50E-04	2.49E-09	14	1.15E-02	4.00E-10	1.0E+06	4.0E-04
597	597	0.26284	3.83E-05	1.0E-05	2.50E-04	2.52E-09	14	1.15E-02	4.05E-10	1.0E+06	4.0E-04
345	345	0.59191	3.83E-05	2.3E-05	2.50E-04	5.67E-09	14	1.15E-02	9.11E-10	1.0E+06	9.1E-04
346	346	0.62794	3.83E-05	2.4E-05	2.50E-04	6.02E-09	14	1.15E-02	9.67E-10	1.0E+06	9.7E-04
347	347	0.66409	3.83E-05	2.5E-05	2.50E-04	6.37E-09	14	1.15E-02	1.02E-09	1.0E+06	1.0E-03
348	348	0.70013	3.83E-05	2.7E-05	2.50E-04	6.71E-09	14	1.15E-02	1.08E-09	1.0E+06	1.1E-03
359	359	0.54384	3.83E-05	2.1E-05	2.50E-04	5.21E-09	14	1.15E-02	8.37E-10	1.0E+06	8.4E-04
360	360	0.57548	3.83E-05	2.2E-05	2.50E-04	5.52E-09	14	1.15E-02	8.86E-10	1.0E+06	8.9E-04
361	361	0.60674	3.83E-05	2.3E-05	2.50E-04	5.82E-09	14	1.15E-02	9.34E-10	1.0E+06	9.3E-04
362	362	0.6381	3.83E-05	2.4E-05	2.50E-04	6.12E-09	14	1.15E-02	9.82E-10	1.0E+06	9.8E-04
363	363	0.66882	3.83E-05	2.6E-05	2.50E-04	6.41E-09	14	1.15E-02	1.03E-09	1.0E+06	1.0E-03
373	373	0.52875	3.83E-05	2.0E-05	2.50E-04	5.07E-09	14	1.15E-02	8.14E-10	1.0E+06	8.1E-04
374	374	0.5562	3.83E-05	2.1E-05	2.50E-04	5.33E-09	14	1.15E-02	8.56E-10	1.0E+06	8.6E-04
375	375	0.58338	3.83E-05	2.2E-05	2.50E-04	5.59E-09	14	1.15E-02	8.98E-10	1.0E+06	9.0E-04
376	376	0.61003	3.83E-05	2.3E-05	2.50E-04	5.85E-09	14	1.15E-02	9.39E-10	1.0E+06	9.4E-04
386	386	0.48752	3.83E-05	1.9E-05	2.50E-04	4.67E-09	14	1.15E-02	7.50E-10	1.0E+06	7.5E-04
387	387	0.51146	3.83E-05	2.0E-05	2.50E-04	4.90E-09	14	1.15E-02	7.87E-10	1.0E+06	7.9E-04
388	388	0.53516	3.83E-05	2.0E-05	2.50E-04	5.13E-09	14	1.15E-02	8.24E-10	1.0E+06	8.2E-04
389	389	0.55829	3.83E-05	2.1E-05	2.50E-04	5.35E-09	14	1.15E-02	8.59E-10	1.0E+06	8.6E-04
390	390	0.58078	3.83E-05	2.2E-05	2.50E-04	5.57E-09	14	1.15E-02	8.94E-10	1.0E+06	8.9E-04
400	400	0.45082	3.83E-05	1.7E-05	2.50E-04	4.32E-09	14	1.15E-02	6.94E-10	1.0E+06	6.9E-04
401	401	0.47196	3.83E-05	1.8E-05	2.50E-04	4.52E-09	14	1.15E-02	7.26E-10	1.0E+06	7.3E-04
402	402	0.49252	3.83E-05	1.9E-05	2.50E-04	4.72E-09	14	1.15E-02	7.58E-10	1.0E+06	7.6E-04
403	403	0.51275	3.83E-05	2.0E-05	2.50E-04	4.91E-09	14	1.15E-02	7.89E-10	1.0E+06	7.9E-04
404	404	0.53239	3.83E-05	2.0E-05	2.50E-04	5.10E-09	14	1.15E-02	8.20E-10	1.0E+06	8.2E-04
415	415	0.41817	3.83E-05	1.6E-05	2.50E-04	4.01E-09	14	1.15E-02	6.44E-10	1.0E+06	6.4E-04
416	416	0.43664	3.83E-05	1.7E-05	2.50E-04	4.19E-09	14	1.15E-02	6.72E-10	1.0E+06	6.7E-04
417	417	0.45484	3.83E-05	1.7E-05	2.50E-04	4.36E-09	14	1.15E-02	7.00E-10	1.0E+06	7.0E-04

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	0.47232	3.83E-05	1.8E-05	2.50E-04	4.53E-09	14	1.15E-02	7.27E-10	1.0E+06	7.3E-04
419	419	0.48916	3.83E-05	1.9E-05	2.50E-04	4.69E-09	14	1.15E-02	7.53E-10	1.0E+06	7.5E-04
420	420	0.50613	3.83E-05	1.9E-05	2.50E-04	4.85E-09	14	1.15E-02	7.79E-10	1.0E+06	7.8E-04
430	430	0.40532	3.83E-05	1.6E-05	2.50E-04	3.88E-09	14	1.15E-02	6.24E-10	1.0E+06	6.2E-04
431	431	0.42114	3.83E-05	1.6E-05	2.50E-04	4.04E-09	14	1.15E-02	6.48E-10	1.0E+06	6.5E-04
432	432	0.43657	3.83E-05	1.7E-05	2.50E-04	4.18E-09	14	1.15E-02	6.72E-10	1.0E+06	6.7E-04
433	433	0.45142	3.83E-05	1.7E-05	2.50E-04	4.33E-09	14	1.15E-02	6.95E-10	1.0E+06	6.9E-04
434	434	0.46569	3.83E-05	1.8E-05	2.50E-04	4.46E-09	14	1.15E-02	7.17E-10	1.0E+06	7.2E-04
444	444	0.3771	3.83E-05	1.4E-05	2.50E-04	3.61E-09	14	1.15E-02	5.80E-10	1.0E+06	5.8E-04
445	445	0.39129	3.83E-05	1.5E-05	2.50E-04	3.75E-09	14	1.15E-02	6.02E-10	1.0E+06	6.0E-04
446	446	0.40487	3.83E-05	1.6E-05	2.50E-04	3.88E-09	14	1.15E-02	6.23E-10	1.0E+06	6.2E-04
447	447	0.41788	3.83E-05	1.6E-05	2.50E-04	4.01E-09	14	1.15E-02	6.43E-10	1.0E+06	6.4E-04
448	448	0.43029	3.83E-05	1.6E-05	2.50E-04	4.12E-09	14	1.15E-02	6.62E-10	1.0E+06	6.6E-04
459	459	0.3645	3.83E-05	1.4E-05	2.50E-04	3.49E-09	14	1.15E-02	5.61E-10	1.0E+06	5.6E-04
460	460	0.37657	3.83E-05	1.4E-05	2.50E-04	3.61E-09	14	1.15E-02	5.80E-10	1.0E+06	5.8E-04
461	461	0.3881	3.83E-05	1.5E-05	2.50E-04	3.72E-09	14	1.15E-02	5.97E-10	1.0E+06	6.0E-04
462	462	0.39897	3.83E-05	1.5E-05	2.50E-04	3.82E-09	14	1.15E-02	6.14E-10	1.0E+06	6.1E-04
463	463	0.40909	3.83E-05	1.6E-05	2.50E-04	3.92E-09	14	1.15E-02	6.30E-10	1.0E+06	6.3E-04
474	474	0.34047	3.83E-05	1.3E-05	2.50E-04	3.26E-09	14	1.15E-02	5.24E-10	1.0E+06	5.2E-04
475	475	0.35122	3.83E-05	1.3E-05	2.50E-04	3.37E-09	14	1.15E-02	5.41E-10	1.0E+06	5.4E-04
476	476	0.36136	3.83E-05	1.4E-05	2.50E-04	3.46E-09	14	1.15E-02	5.56E-10	1.0E+06	5.6E-04
477	477	0.37094	3.83E-05	1.4E-05	2.50E-04	3.56E-09	14	1.15E-02	5.71E-10	1.0E+06	5.7E-04
478	478	0.37971	3.83E-05	1.5E-05	2.50E-04	3.64E-09	14	1.15E-02	5.84E-10	1.0E+06	5.8E-04
495	495	0.31874	3.83E-05	1.2E-05	2.50E-04	3.06E-09	14	1.15E-02	4.91E-10	1.0E+06	4.9E-04
496	496	0.32835	3.83E-05	1.3E-05	2.50E-04	3.15E-09	14	1.15E-02	5.05E-10	1.0E+06	5.1E-04
497	497	0.33738	3.83E-05	1.3E-05	2.50E-04	3.23E-09	14	1.15E-02	5.19E-10	1.0E+06	5.2E-04
498	498	0.34578	3.83E-05	1.3E-05	2.50E-04	3.31E-09	14	1.15E-02	5.32E-10	1.0E+06	5.3E-04
499	499	0.35344	3.83E-05	1.4E-05	2.50E-04	3.39E-09	14	1.15E-02	5.44E-10	1.0E+06	5.4E-04
500	500	0.36019	3.83E-05	1.4E-05	2.50E-04	3.45E-09	14	1.15E-02	5.54E-10	1.0E+06	5.5E-04

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	3.98712	3.83E-05	1.5E-04	2.50E-04	3.82E-08	25	1.15E-02	1.10E-08	1.0E+06	1.1E-02
140	140	4.58615	3.83E-05	1.8E-04	2.50E-04	4.40E-08	25	1.15E-02	1.26E-08	1.0E+06	1.3E-02
156	156	2.90948	3.83E-05	1.1E-04	2.50E-04	2.79E-08	25	1.15E-02	8.00E-09	1.0E+06	8.0E-03
157	157	3.29945	3.83E-05	1.3E-04	2.50E-04	3.16E-08	25	1.15E-02	9.07E-09	1.0E+06	9.1E-03
158	158	3.6549	3.83E-05	1.4E-04	2.50E-04	3.50E-08	25	1.15E-02	1.00E-08	1.0E+06	1.0E-02
159	159	3.96939	3.83E-05	1.5E-04	2.50E-04	3.80E-08	25	1.15E-02	1.09E-08	1.0E+06	1.1E-02
160	160	4.20248	3.83E-05	1.6E-04	2.50E-04	4.03E-08	25	1.15E-02	1.16E-08	1.0E+06	1.2E-02
161	161	4.6772	3.83E-05	1.8E-04	2.50E-04	4.48E-08	25	1.15E-02	1.29E-08	1.0E+06	1.3E-02
162	162	4.98099	3.83E-05	1.9E-04	2.50E-04	4.77E-08	25	1.15E-02	1.37E-08	1.0E+06	1.4E-02
163	163	5.39254	3.83E-05	2.1E-04	2.50E-04	5.17E-08	25	1.15E-02	1.48E-08	1.0E+06	1.5E-02
167	167	2.52379	3.83E-05	9.7E-05	2.50E-04	2.42E-08	25	1.15E-02	6.94E-09	1.0E+06	6.9E-03
168	168	2.79974	3.83E-05	1.1E-04	2.50E-04	2.68E-08	25	1.15E-02	7.70E-09	1.0E+06	7.7E-03
169	169	3.01681	3.83E-05	1.2E-04	2.50E-04	2.89E-08	25	1.15E-02	8.29E-09	1.0E+06	8.3E-03
170	170	3.2054	3.83E-05	1.2E-04	2.50E-04	3.07E-08	25	1.15E-02	8.81E-09	1.0E+06	8.8E-03
171	171	3.38205	3.83E-05	1.3E-04	2.50E-04	3.24E-08	25	1.15E-02	9.30E-09	1.0E+06	9.3E-03
172	172	3.58526	3.83E-05	1.4E-04	2.50E-04	3.44E-08	25	1.15E-02	9.86E-09	1.0E+06	9.9E-03
173	173	3.83597	3.83E-05	1.5E-04	2.50E-04	3.68E-08	25	1.15E-02	1.05E-08	1.0E+06	1.1E-02
174	174	4.18957	3.83E-05	1.6E-04	2.50E-04	4.02E-08	25	1.15E-02	1.15E-08	1.0E+06	1.2E-02
175	175	4.76423	3.83E-05	1.8E-04	2.50E-04	4.57E-08	25	1.15E-02	1.31E-08	1.0E+06	1.3E-02
176	176	5.79119	3.83E-05	2.2E-04	2.50E-04	5.55E-08	25	1.15E-02	1.59E-08	1.0E+06	1.6E-02
177	177	7.8551	3.83E-05	3.0E-04	2.50E-04	7.53E-08	25	1.15E-02	2.16E-08	1.0E+06	2.2E-02
181	181	2.24213	3.83E-05	8.6E-05	2.50E-04	2.15E-08	25	1.15E-02	6.16E-09	1.0E+06	6.2E-03
182	182	2.41556	3.83E-05	9.3E-05	2.50E-04	2.32E-08	25	1.15E-02	6.64E-09	1.0E+06	6.6E-03
183	183	2.57079	3.83E-05	9.8E-05	2.50E-04	2.46E-08	25	1.15E-02	7.07E-09	1.0E+06	7.1E-03
184	184	2.71966	3.83E-05	1.0E-04	2.50E-04	2.61E-08	25	1.15E-02	7.48E-09	1.0E+06	7.5E-03
185	185	2.88838	3.83E-05	1.1E-04	2.50E-04	2.77E-08	25	1.15E-02	7.94E-09	1.0E+06	7.9E-03
186	186	3.10111	3.83E-05	1.2E-04	2.50E-04	2.97E-08	25	1.15E-02	8.52E-09	1.0E+06	8.5E-03
187	187	3.39751	3.83E-05	1.3E-04	2.50E-04	3.26E-08	25	1.15E-02	9.34E-09	1.0E+06	9.3E-03
188	188	3.84571	3.83E-05	1.5E-04	2.50E-04	3.69E-08	25	1.15E-02	1.06E-08	1.0E+06	1.1E-02
189	189	4.59245	3.83E-05	1.8E-04	2.50E-04	4.40E-08	25	1.15E-02	1.26E-08	1.0E+06	1.3E-02
190	190	5.9831	3.83E-05	2.3E-04	2.50E-04	5.73E-08	25	1.15E-02	1.64E-08	1.0E+06	1.6E-02

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	9.22263	3.83E-05	3.5E-04	2.50E-04	8.84E-08	25	1.15E-02	2.54E-08	1.0E+06	2.5E-02
195	195	1.85525	3.83E-05	7.1E-05	2.50E-04	1.78E-08	25	1.15E-02	5.10E-09	1.0E+06	5.1E-03
196	196	1.99775	3.83E-05	7.7E-05	2.50E-04	1.91E-08	25	1.15E-02	5.49E-09	1.0E+06	5.5E-03
197	197	2.13107	3.83E-05	8.2E-05	2.50E-04	2.04E-08	25	1.15E-02	5.86E-09	1.0E+06	5.9E-03
198	198	2.25993	3.83E-05	8.7E-05	2.50E-04	2.17E-08	25	1.15E-02	6.21E-09	1.0E+06	6.2E-03
199	199	2.40787	3.83E-05	9.2E-05	2.50E-04	2.31E-08	25	1.15E-02	6.62E-09	1.0E+06	6.6E-03
200	200	2.58794	3.83E-05	9.9E-05	2.50E-04	2.48E-08	25	1.15E-02	7.11E-09	1.0E+06	7.1E-03
201	201	2.8296	3.83E-05	1.1E-04	2.50E-04	2.71E-08	25	1.15E-02	7.78E-09	1.0E+06	7.8E-03
202	202	3.18731	3.83E-05	1.2E-04	2.50E-04	3.05E-08	25	1.15E-02	8.76E-09	1.0E+06	8.8E-03
203	203	3.75458	3.83E-05	1.4E-04	2.50E-04	3.60E-08	25	1.15E-02	1.03E-08	1.0E+06	1.0E-02
204	204	4.74043	3.83E-05	1.8E-04	2.50E-04	4.54E-08	25	1.15E-02	1.30E-08	1.0E+06	1.3E-02
205	205	6.75589	3.83E-05	2.6E-04	2.50E-04	6.48E-08	25	1.15E-02	1.86E-08	1.0E+06	1.9E-02
206	206	12.29663	3.83E-05	4.7E-04	2.50E-04	1.18E-07	25	1.15E-02	3.38E-08	1.0E+06	3.4E-02
210	210	1.4326	3.83E-05	5.5E-05	2.50E-04	1.37E-08	25	1.15E-02	3.94E-09	1.0E+06	3.9E-03
211	211	1.57289	3.83E-05	6.0E-05	2.50E-04	1.51E-08	25	1.15E-02	4.32E-09	1.0E+06	4.3E-03
212	212	1.69253	3.83E-05	6.5E-05	2.50E-04	1.62E-08	25	1.15E-02	4.65E-09	1.0E+06	4.7E-03
213	213	1.80653	3.83E-05	6.9E-05	2.50E-04	1.73E-08	25	1.15E-02	4.97E-09	1.0E+06	5.0E-03
214	214	2.04848	3.83E-05	7.8E-05	2.50E-04	1.96E-08	25	1.15E-02	5.63E-09	1.0E+06	5.6E-03
215	215	2.20253	3.83E-05	8.4E-05	2.50E-04	2.11E-08	25	1.15E-02	6.05E-09	1.0E+06	6.1E-03
216	216	2.40234	3.83E-05	9.2E-05	2.50E-04	2.30E-08	25	1.15E-02	6.60E-09	1.0E+06	6.6E-03
217	217	2.69068	3.83E-05	1.0E-04	2.50E-04	2.58E-08	25	1.15E-02	7.40E-09	1.0E+06	7.4E-03
218	218	3.12708	3.83E-05	1.2E-04	2.50E-04	3.00E-08	25	1.15E-02	8.60E-09	1.0E+06	8.6E-03
219	219	3.84023	3.83E-05	1.5E-04	2.50E-04	3.68E-08	25	1.15E-02	1.06E-08	1.0E+06	1.1E-02
220	220	5.14448	3.83E-05	2.0E-04	2.50E-04	4.93E-08	25	1.15E-02	1.41E-08	1.0E+06	1.4E-02
221	221	7.88202	3.83E-05	3.0E-04	2.50E-04	7.55E-08	25	1.15E-02	2.17E-08	1.0E+06	2.2E-02
222	222	16.16552	3.83E-05	6.2E-04	2.50E-04	1.55E-07	25	1.15E-02	4.44E-08	1.0E+06	4.4E-02
226	226	1.24505	3.83E-05	4.8E-05	2.50E-04	1.19E-08	25	1.15E-02	3.42E-09	1.0E+06	3.4E-03
227	227	1.35588	3.83E-05	5.2E-05	2.50E-04	1.30E-08	25	1.15E-02	3.73E-09	1.0E+06	3.7E-03
228	228	1.45847	3.83E-05	5.6E-05	2.50E-04	1.40E-08	25	1.15E-02	4.01E-09	1.0E+06	4.0E-03
229	229	1.55677	3.83E-05	6.0E-05	2.50E-04	1.49E-08	25	1.15E-02	4.28E-09	1.0E+06	4.3E-03
230	230	1.6573	3.83E-05	6.3E-05	2.50E-04	1.59E-08	25	1.15E-02	4.56E-09	1.0E+06	4.6E-03

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	1.77056	3.83E-05	6.8E-05	2.50E-04	1.70E-08	25	1.15E-02	4.87E-09	1.0E+06	4.9E-03
232	232	1.902	3.83E-05	7.3E-05	2.50E-04	1.82E-08	25	1.15E-02	5.23E-09	1.0E+06	5.2E-03
233	233	2.29675	3.83E-05	8.8E-05	2.50E-04	2.20E-08	25	1.15E-02	6.31E-09	1.0E+06	6.3E-03
234	234	2.63549	3.83E-05	1.0E-04	2.50E-04	2.53E-08	25	1.15E-02	7.24E-09	1.0E+06	7.2E-03
235	235	3.15641	3.83E-05	1.2E-04	2.50E-04	3.03E-08	25	1.15E-02	8.68E-09	1.0E+06	8.7E-03
236	236	4.02549	3.83E-05	1.5E-04	2.50E-04	3.86E-08	25	1.15E-02	1.11E-08	1.0E+06	1.1E-02
237	237	5.63281	3.83E-05	2.2E-04	2.50E-04	5.40E-08	25	1.15E-02	1.55E-08	1.0E+06	1.5E-02
238	238	9.20662	3.83E-05	3.5E-04	2.50E-04	8.82E-08	25	1.15E-02	2.53E-08	1.0E+06	2.5E-02
242	242	1.09355	3.83E-05	4.2E-05	2.50E-04	1.05E-08	25	1.15E-02	3.01E-09	1.0E+06	3.0E-03
243	243	1.18473	3.83E-05	4.5E-05	2.50E-04	1.14E-08	25	1.15E-02	3.26E-09	1.0E+06	3.3E-03
244	244	1.27473	3.83E-05	4.9E-05	2.50E-04	1.22E-08	25	1.15E-02	3.50E-09	1.0E+06	3.5E-03
245	245	1.36018	3.83E-05	5.2E-05	2.50E-04	1.30E-08	25	1.15E-02	3.74E-09	1.0E+06	3.7E-03
246	246	1.44764	3.83E-05	5.5E-05	2.50E-04	1.39E-08	25	1.15E-02	3.98E-09	1.0E+06	4.0E-03
247	247	1.54279	3.83E-05	5.9E-05	2.50E-04	1.48E-08	25	1.15E-02	4.24E-09	1.0E+06	4.2E-03
248	248	1.65309	3.83E-05	6.3E-05	2.50E-04	1.58E-08	25	1.15E-02	4.54E-09	1.0E+06	4.5E-03
249	249	1.97682	3.83E-05	7.6E-05	2.50E-04	1.89E-08	25	1.15E-02	5.43E-09	1.0E+06	5.4E-03
250	250	2.23491	3.83E-05	8.6E-05	2.50E-04	2.14E-08	25	1.15E-02	6.14E-09	1.0E+06	6.1E-03
251	251	2.61263	3.83E-05	1.0E-04	2.50E-04	2.50E-08	25	1.15E-02	7.18E-09	1.0E+06	7.2E-03
252	252	3.18741	3.83E-05	1.2E-04	2.50E-04	3.06E-08	25	1.15E-02	8.76E-09	1.0E+06	8.8E-03
253	253	4.17468	3.83E-05	1.6E-04	2.50E-04	4.00E-08	25	1.15E-02	1.15E-08	1.0E+06	1.1E-02
254	254	6.00178	3.83E-05	2.3E-04	2.50E-04	5.75E-08	25	1.15E-02	1.65E-08	1.0E+06	1.6E-02
257	257	0.97043	3.83E-05	3.7E-05	2.50E-04	9.30E-09	25	1.15E-02	2.67E-09	1.0E+06	2.7E-03
258	258	1.04718	3.83E-05	4.0E-05	2.50E-04	1.00E-08	25	1.15E-02	2.88E-09	1.0E+06	2.9E-03
259	259	1.12392	3.83E-05	4.3E-05	2.50E-04	1.08E-08	25	1.15E-02	3.09E-09	1.0E+06	3.1E-03
260	260	1.1993	3.83E-05	4.6E-05	2.50E-04	1.15E-08	25	1.15E-02	3.30E-09	1.0E+06	3.3E-03
261	261	1.27381	3.83E-05	4.9E-05	2.50E-04	1.22E-08	25	1.15E-02	3.50E-09	1.0E+06	3.5E-03
262	262	1.35506	3.83E-05	5.2E-05	2.50E-04	1.30E-08	25	1.15E-02	3.72E-09	1.0E+06	3.7E-03
263	263	1.44786	3.83E-05	5.5E-05	2.50E-04	1.39E-08	25	1.15E-02	3.98E-09	1.0E+06	4.0E-03
264	264	1.70475	3.83E-05	6.5E-05	2.50E-04	1.63E-08	25	1.15E-02	4.69E-09	1.0E+06	4.7E-03
265	265	1.89802	3.83E-05	7.3E-05	2.50E-04	1.82E-08	25	1.15E-02	5.22E-09	1.0E+06	5.2E-03
266	266	2.16446	3.83E-05	8.3E-05	2.50E-04	2.07E-08	25	1.15E-02	5.95E-09	1.0E+06	5.9E-03

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	2.54599	3.83E-05	9.8E-05	2.50E-04	2.44E-08	25	1.15E-02	7.00E-09	1.0E+06	7.0E-03
268	268	3.12752	3.83E-05	1.2E-04	2.50E-04	3.00E-08	25	1.15E-02	8.60E-09	1.0E+06	8.6E-03
269	269	4.00892	3.83E-05	1.5E-04	2.50E-04	3.84E-08	25	1.15E-02	1.10E-08	1.0E+06	1.1E-02
270	270	3.708	3.83E-05	1.4E-04	2.50E-04	3.55E-08	25	1.15E-02	1.02E-08	1.0E+06	1.0E-02
271	271	2.16487	3.83E-05	8.3E-05	2.50E-04	2.07E-08	25	1.15E-02	5.95E-09	1.0E+06	6.0E-03
274	274	0.86855	3.83E-05	3.3E-05	2.50E-04	8.32E-09	25	1.15E-02	2.39E-09	1.0E+06	2.4E-03
275	275	0.93331	3.83E-05	3.6E-05	2.50E-04	8.95E-09	25	1.15E-02	2.57E-09	1.0E+06	2.6E-03
276	276	0.99891	3.83E-05	3.8E-05	2.50E-04	9.57E-09	25	1.15E-02	2.75E-09	1.0E+06	2.7E-03
277	277	1.06484	3.83E-05	4.1E-05	2.50E-04	1.02E-08	25	1.15E-02	2.93E-09	1.0E+06	2.9E-03
278	278	1.12994	3.83E-05	4.3E-05	2.50E-04	1.08E-08	25	1.15E-02	3.11E-09	1.0E+06	3.1E-03
279	279	1.19968	3.83E-05	4.6E-05	2.50E-04	1.15E-08	25	1.15E-02	3.30E-09	1.0E+06	3.3E-03
280	280	1.27881	3.83E-05	4.9E-05	2.50E-04	1.23E-08	25	1.15E-02	3.52E-09	1.0E+06	3.5E-03
281	281	1.482	3.83E-05	5.7E-05	2.50E-04	1.42E-08	25	1.15E-02	4.07E-09	1.0E+06	4.1E-03
282	282	1.62584	3.83E-05	6.2E-05	2.50E-04	1.56E-08	25	1.15E-02	4.47E-09	1.0E+06	4.5E-03
283	283	1.81454	3.83E-05	6.9E-05	2.50E-04	1.74E-08	25	1.15E-02	4.99E-09	1.0E+06	5.0E-03
284	284	2.06528	3.83E-05	7.9E-05	2.50E-04	1.98E-08	25	1.15E-02	5.68E-09	1.0E+06	5.7E-03
285	285	2.39915	3.83E-05	9.2E-05	2.50E-04	2.30E-08	25	1.15E-02	6.59E-09	1.0E+06	6.6E-03
286	286	2.82847	3.83E-05	1.1E-04	2.50E-04	2.71E-08	25	1.15E-02	7.77E-09	1.0E+06	7.8E-03
287	287	2.64448	3.83E-05	1.0E-04	2.50E-04	2.53E-08	25	1.15E-02	7.27E-09	1.0E+06	7.3E-03
288	288	1.8059	3.83E-05	6.9E-05	2.50E-04	1.73E-08	25	1.15E-02	4.96E-09	1.0E+06	5.0E-03
291	291	0.78276	3.83E-05	3.0E-05	2.50E-04	7.50E-09	25	1.15E-02	2.15E-09	1.0E+06	2.2E-03
292	292	0.8382	3.83E-05	3.2E-05	2.50E-04	8.03E-09	25	1.15E-02	2.30E-09	1.0E+06	2.3E-03
293	293	0.89415	3.83E-05	3.4E-05	2.50E-04	8.57E-09	25	1.15E-02	2.46E-09	1.0E+06	2.5E-03
294	294	0.95156	3.83E-05	3.6E-05	2.50E-04	9.12E-09	25	1.15E-02	2.62E-09	1.0E+06	2.6E-03
295	295	1.00846	3.83E-05	3.9E-05	2.50E-04	9.67E-09	25	1.15E-02	2.77E-09	1.0E+06	2.8E-03
296	296	1.06775	3.83E-05	4.1E-05	2.50E-04	1.02E-08	25	1.15E-02	2.94E-09	1.0E+06	2.9E-03
297	297	1.13214	3.83E-05	4.3E-05	2.50E-04	1.09E-08	25	1.15E-02	3.11E-09	1.0E+06	3.1E-03
298	298	1.29365	3.83E-05	5.0E-05	2.50E-04	1.24E-08	25	1.15E-02	3.56E-09	1.0E+06	3.6E-03
299	299	1.39976	3.83E-05	5.4E-05	2.50E-04	1.34E-08	25	1.15E-02	3.85E-09	1.0E+06	3.8E-03
300	300	1.53279	3.83E-05	5.9E-05	2.50E-04	1.47E-08	25	1.15E-02	4.21E-09	1.0E+06	4.2E-03
301	301	1.69645	3.83E-05	6.5E-05	2.50E-04	1.63E-08	25	1.15E-02	4.66E-09	1.0E+06	4.7E-03

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	302	1.89569	3.83E-05	7.3E-05	2.50E-04	1.82E-08	25	1.15E-02	5.21E-09	1.0E+06	5.2E-03
303	303	2.11831	3.83E-05	8.1E-05	2.50E-04	2.03E-08	25	1.15E-02	5.82E-09	1.0E+06	5.8E-03
304	304	1.96766	3.83E-05	7.5E-05	2.50E-04	1.89E-08	25	1.15E-02	5.41E-09	1.0E+06	5.4E-03
305	305	1.51403	3.83E-05	5.8E-05	2.50E-04	1.45E-08	25	1.15E-02	4.16E-09	1.0E+06	4.2E-03
308	308	0.70971	3.83E-05	2.7E-05	2.50E-04	6.80E-09	25	1.15E-02	1.95E-09	1.0E+06	2.0E-03
309	309	0.75769	3.83E-05	2.9E-05	2.50E-04	7.26E-09	25	1.15E-02	2.08E-09	1.0E+06	2.1E-03
310	310	0.80562	3.83E-05	3.1E-05	2.50E-04	7.72E-09	25	1.15E-02	2.21E-09	1.0E+06	2.2E-03
311	311	0.85523	3.83E-05	3.3E-05	2.50E-04	8.20E-09	25	1.15E-02	2.35E-09	1.0E+06	2.4E-03
312	312	0.90349	3.83E-05	3.5E-05	2.50E-04	8.66E-09	25	1.15E-02	2.48E-09	1.0E+06	2.5E-03
313	313	0.95394	3.83E-05	3.7E-05	2.50E-04	9.14E-09	25	1.15E-02	2.62E-09	1.0E+06	2.6E-03
314	314	1.00754	3.83E-05	3.9E-05	2.50E-04	9.66E-09	25	1.15E-02	2.77E-09	1.0E+06	2.8E-03
315	315	1.13511	3.83E-05	4.3E-05	2.50E-04	1.09E-08	25	1.15E-02	3.12E-09	1.0E+06	3.1E-03
316	316	1.21283	3.83E-05	4.6E-05	2.50E-04	1.16E-08	25	1.15E-02	3.33E-09	1.0E+06	3.3E-03
317	317	1.30847	3.83E-05	5.0E-05	2.50E-04	1.25E-08	25	1.15E-02	3.60E-09	1.0E+06	3.6E-03
318	318	1.41718	3.83E-05	5.4E-05	2.50E-04	1.36E-08	25	1.15E-02	3.90E-09	1.0E+06	3.9E-03
319	319	1.54002	3.83E-05	5.9E-05	2.50E-04	1.48E-08	25	1.15E-02	4.23E-09	1.0E+06	4.2E-03
320	320	1.66456	3.83E-05	6.4E-05	2.50E-04	1.60E-08	25	1.15E-02	4.58E-09	1.0E+06	4.6E-03
321	321	1.54164	3.83E-05	5.9E-05	2.50E-04	1.48E-08	25	1.15E-02	4.24E-09	1.0E+06	4.2E-03
322	322	1.27676	3.83E-05	4.9E-05	2.50E-04	1.22E-08	25	1.15E-02	3.51E-09	1.0E+06	3.5E-03
325	325	0.64666	3.83E-05	2.5E-05	2.50E-04	6.20E-09	25	1.15E-02	1.78E-09	1.0E+06	1.8E-03
326	326	0.68824	3.83E-05	2.6E-05	2.50E-04	6.60E-09	25	1.15E-02	1.89E-09	1.0E+06	1.9E-03
327	327	0.72979	3.83E-05	2.8E-05	2.50E-04	6.99E-09	25	1.15E-02	2.01E-09	1.0E+06	2.0E-03
328	328	0.77191	3.83E-05	3.0E-05	2.50E-04	7.40E-09	25	1.15E-02	2.12E-09	1.0E+06	2.1E-03
329	329	0.81415	3.83E-05	3.1E-05	2.50E-04	7.80E-09	25	1.15E-02	2.24E-09	1.0E+06	2.2E-03
330	330	0.85598	3.83E-05	3.3E-05	2.50E-04	8.20E-09	25	1.15E-02	2.35E-09	1.0E+06	2.4E-03
331	331	0.90046	3.83E-05	3.4E-05	2.50E-04	8.63E-09	25	1.15E-02	2.48E-09	1.0E+06	2.5E-03
332	332	0.94744	3.83E-05	3.6E-05	2.50E-04	9.08E-09	25	1.15E-02	2.60E-09	1.0E+06	2.6E-03
333	333	1.00132	3.83E-05	3.8E-05	2.50E-04	9.60E-09	25	1.15E-02	2.75E-09	1.0E+06	2.8E-03
334	334	1.06043	3.83E-05	4.1E-05	2.50E-04	1.02E-08	25	1.15E-02	2.91E-09	1.0E+06	2.9E-03
335	335	1.12811	3.83E-05	4.3E-05	2.50E-04	1.08E-08	25	1.15E-02	3.10E-09	1.0E+06	3.1E-03
336	336	1.20297	3.83E-05	4.6E-05	2.50E-04	1.15E-08	25	1.15E-02	3.31E-09	1.0E+06	3.3E-03

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	1.28182	3.83E-05	4.9E-05	2.50E-04	1.23E-08	25	1.15E-02	3.52E-09	1.0E+06	3.5E-03
338	338	1.35143	3.83E-05	5.2E-05	2.50E-04	1.30E-08	25	1.15E-02	3.71E-09	1.0E+06	3.7E-03
339	339	1.36867	3.83E-05	5.2E-05	2.50E-04	1.31E-08	25	1.15E-02	3.76E-09	1.0E+06	3.8E-03
340	340	1.25609	3.83E-05	4.8E-05	2.50E-04	1.20E-08	25	1.15E-02	3.45E-09	1.0E+06	3.5E-03
341	341	1.08851	3.83E-05	4.2E-05	2.50E-04	1.04E-08	25	1.15E-02	2.99E-09	1.0E+06	3.0E-03
349	349	0.73623	3.83E-05	2.8E-05	2.50E-04	7.06E-09	25	1.15E-02	2.02E-09	1.0E+06	2.0E-03
350	350	0.77224	3.83E-05	3.0E-05	2.50E-04	7.40E-09	25	1.15E-02	2.12E-09	1.0E+06	2.1E-03
351	351	0.80987	3.83E-05	3.1E-05	2.50E-04	7.76E-09	25	1.15E-02	2.23E-09	1.0E+06	2.2E-03
352	352	0.84717	3.83E-05	3.2E-05	2.50E-04	8.12E-09	25	1.15E-02	2.33E-09	1.0E+06	2.3E-03
353	353	1.12744	3.83E-05	4.3E-05	2.50E-04	1.08E-08	25	1.15E-02	3.10E-09	1.0E+06	3.1E-03
354	354	1.0524	3.83E-05	4.0E-05	2.50E-04	1.01E-08	25	1.15E-02	2.89E-09	1.0E+06	2.9E-03
355	355	0.93965	3.83E-05	3.6E-05	2.50E-04	9.01E-09	25	1.15E-02	2.58E-09	1.0E+06	2.6E-03
364	364	0.69944	3.83E-05	2.7E-05	2.50E-04	6.70E-09	25	1.15E-02	1.92E-09	1.0E+06	1.9E-03
365	365	0.73012	3.83E-05	2.8E-05	2.50E-04	7.00E-09	25	1.15E-02	2.01E-09	1.0E+06	2.0E-03
366	366	0.76215	3.83E-05	2.9E-05	2.50E-04	7.31E-09	25	1.15E-02	2.09E-09	1.0E+06	2.1E-03
367	367	0.95369	3.83E-05	3.7E-05	2.50E-04	9.14E-09	25	1.15E-02	2.62E-09	1.0E+06	2.6E-03
368	368	0.90093	3.83E-05	3.5E-05	2.50E-04	8.64E-09	25	1.15E-02	2.48E-09	1.0E+06	2.5E-03
369	369	0.82123	3.83E-05	3.1E-05	2.50E-04	7.87E-09	25	1.15E-02	2.26E-09	1.0E+06	2.3E-03
377	377	0.63617	3.83E-05	2.4E-05	2.50E-04	6.10E-09	25	1.15E-02	1.75E-09	1.0E+06	1.7E-03
378	378	0.66227	3.83E-05	2.5E-05	2.50E-04	6.35E-09	25	1.15E-02	1.82E-09	1.0E+06	1.8E-03
379	379	0.68888	3.83E-05	2.6E-05	2.50E-04	6.60E-09	25	1.15E-02	1.89E-09	1.0E+06	1.9E-03
380	380	0.82335	3.83E-05	3.2E-05	2.50E-04	7.89E-09	25	1.15E-02	2.26E-09	1.0E+06	2.3E-03
381	381	0.78455	3.83E-05	3.0E-05	2.50E-04	7.52E-09	25	1.15E-02	2.16E-09	1.0E+06	2.2E-03
382	382	0.72591	3.83E-05	2.8E-05	2.50E-04	6.96E-09	25	1.15E-02	2.00E-09	1.0E+06	2.0E-03
391	391	0.60311	3.83E-05	2.3E-05	2.50E-04	5.78E-09	25	1.15E-02	1.66E-09	1.0E+06	1.7E-03
392	392	0.62552	3.83E-05	2.4E-05	2.50E-04	6.00E-09	25	1.15E-02	1.72E-09	1.0E+06	1.7E-03
393	393	0.72162	3.83E-05	2.8E-05	2.50E-04	6.92E-09	25	1.15E-02	1.98E-09	1.0E+06	2.0E-03
394	394	0.69174	3.83E-05	2.6E-05	2.50E-04	6.63E-09	25	1.15E-02	1.90E-09	1.0E+06	1.9E-03
395	395	0.64728	3.83E-05	2.5E-05	2.50E-04	6.20E-09	25	1.15E-02	1.78E-09	1.0E+06	1.8E-03
405	405	0.55133	3.83E-05	2.1E-05	2.50E-04	5.28E-09	25	1.15E-02	1.52E-09	1.0E+06	1.5E-03
406	406	0.56997	3.83E-05	2.2E-05	2.50E-04	5.46E-09	25	1.15E-02	1.57E-09	1.0E+06	1.6E-03

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	0.58788	3.83E-05	2.3E-05	2.50E-04	5.63E-09	25	1.15E-02	1.62E-09	1.0E+06	1.6E-03
408	408	0.64007	3.83E-05	2.5E-05	2.50E-04	6.13E-09	25	1.15E-02	1.76E-09	1.0E+06	1.8E-03
409	409	0.61656	3.83E-05	2.4E-05	2.50E-04	5.91E-09	25	1.15E-02	1.69E-09	1.0E+06	1.7E-03
410	410	0.58177	3.83E-05	2.2E-05	2.50E-04	5.58E-09	25	1.15E-02	1.60E-09	1.0E+06	1.6E-03
421	421	0.52173	3.83E-05	2.0E-05	2.50E-04	5.00E-09	25	1.15E-02	1.43E-09	1.0E+06	1.4E-03
422	422	0.53679	3.83E-05	2.1E-05	2.50E-04	5.15E-09	25	1.15E-02	1.48E-09	1.0E+06	1.5E-03
423	423	0.57348	3.83E-05	2.2E-05	2.50E-04	5.50E-09	25	1.15E-02	1.58E-09	1.0E+06	1.6E-03
424	424	0.55451	3.83E-05	2.1E-05	2.50E-04	5.31E-09	25	1.15E-02	1.52E-09	1.0E+06	1.5E-03
425	425	0.52687	3.83E-05	2.0E-05	2.50E-04	5.05E-09	25	1.15E-02	1.45E-09	1.0E+06	1.4E-03
435	435	0.47951	3.83E-05	1.8E-05	2.50E-04	4.60E-09	25	1.15E-02	1.32E-09	1.0E+06	1.3E-03
436	436	0.49196	3.83E-05	1.9E-05	2.50E-04	4.72E-09	25	1.15E-02	1.35E-09	1.0E+06	1.4E-03
437	437	0.50251	3.83E-05	1.9E-05	2.50E-04	4.82E-09	25	1.15E-02	1.38E-09	1.0E+06	1.4E-03
438	438	0.48035	3.83E-05	1.8E-05	2.50E-04	4.60E-09	25	1.15E-02	1.32E-09	1.0E+06	1.3E-03
449	449	0.44223	3.83E-05	1.7E-05	2.50E-04	4.24E-09	25	1.15E-02	1.22E-09	1.0E+06	1.2E-03
450	450	0.45261	3.83E-05	1.7E-05	2.50E-04	4.34E-09	25	1.15E-02	1.24E-09	1.0E+06	1.2E-03
451	451	0.46224	3.83E-05	1.8E-05	2.50E-04	4.43E-09	25	1.15E-02	1.27E-09	1.0E+06	1.3E-03
452	452	0.45842	3.83E-05	1.8E-05	2.50E-04	4.39E-09	25	1.15E-02	1.26E-09	1.0E+06	1.3E-03
453	453	0.44022	3.83E-05	1.7E-05	2.50E-04	4.22E-09	25	1.15E-02	1.21E-09	1.0E+06	1.2E-03
464	464	0.41814	3.83E-05	1.6E-05	2.50E-04	4.01E-09	25	1.15E-02	1.15E-09	1.0E+06	1.1E-03
465	465	0.42609	3.83E-05	1.6E-05	2.50E-04	4.08E-09	25	1.15E-02	1.17E-09	1.0E+06	1.2E-03
466	466	0.43814	3.83E-05	1.7E-05	2.50E-04	4.20E-09	25	1.15E-02	1.20E-09	1.0E+06	1.2E-03
467	467	0.42056	3.83E-05	1.6E-05	2.50E-04	4.03E-09	25	1.15E-02	1.16E-09	1.0E+06	1.2E-03
468	468	0.4054	3.83E-05	1.6E-05	2.50E-04	3.89E-09	25	1.15E-02	1.11E-09	1.0E+06	1.1E-03
479	479	0.38757	3.83E-05	1.5E-05	2.50E-04	3.71E-09	25	1.15E-02	1.07E-09	1.0E+06	1.1E-03
480	480	0.39422	3.83E-05	1.5E-05	2.50E-04	3.78E-09	25	1.15E-02	1.08E-09	1.0E+06	1.1E-03
481	481	0.39967	3.83E-05	1.5E-05	2.50E-04	3.83E-09	25	1.15E-02	1.10E-09	1.0E+06	1.1E-03
482	482	0.40354	3.83E-05	1.5E-05	2.50E-04	3.87E-09	25	1.15E-02	1.11E-09	1.0E+06	1.1E-03
483	483	0.40577	3.83E-05	1.6E-05	2.50E-04	3.89E-09	25	1.15E-02	1.12E-09	1.0E+06	1.1E-03
484	484	0.40568	3.83E-05	1.6E-05	2.50E-04	3.89E-09	25	1.15E-02	1.12E-09	1.0E+06	1.1E-03
485	485	0.40295	3.83E-05	1.5E-05	2.50E-04	3.86E-09	25	1.15E-02	1.11E-09	1.0E+06	1.1E-03
486	486	0.39705	3.83E-05	1.5E-05	2.50E-04	3.81E-09	25	1.15E-02	1.09E-09	1.0E+06	1.1E-03

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	487	0.38774	3.83E-05	1.5E-05	2.50E-04	3.72E-09	25	1.15E-02	1.07E-09	1.0E+06	1.1E-03
488	488	0.375	3.83E-05	1.4E-05	2.50E-04	3.59E-09	25	1.15E-02	1.03E-09	1.0E+06	1.0E-03
501	501	0.36591	3.83E-05	1.4E-05	2.50E-04	3.51E-09	25	1.15E-02	1.01E-09	1.0E+06	1.0E-03
502	502	0.37039	3.83E-05	1.4E-05	2.50E-04	3.55E-09	25	1.15E-02	1.02E-09	1.0E+06	1.0E-03
503	503	0.3735	3.83E-05	1.4E-05	2.50E-04	3.58E-09	25	1.15E-02	1.03E-09	1.0E+06	1.0E-03
504	504	0.37512	3.83E-05	1.4E-05	2.50E-04	3.60E-09	25	1.15E-02	1.03E-09	1.0E+06	1.0E-03
505	505	0.37483	3.83E-05	1.4E-05	2.50E-04	3.59E-09	25	1.15E-02	1.03E-09	1.0E+06	1.0E-03
506	506	0.37228	3.83E-05	1.4E-05	2.50E-04	3.57E-09	25	1.15E-02	1.02E-09	1.0E+06	1.0E-03
507	507	0.36708	3.83E-05	1.4E-05	2.50E-04	3.52E-09	25	1.15E-02	1.01E-09	1.0E+06	1.0E-03
508	508	0.34824	3.83E-05	1.3E-05	2.50E-04	3.34E-09	25	1.15E-02	9.57E-10	1.0E+06	9.6E-04
520	520	0.34067	3.83E-05	1.3E-05	2.50E-04	3.27E-09	25	1.15E-02	9.36E-10	1.0E+06	9.4E-04
521	521	0.34442	3.83E-05	1.3E-05	2.50E-04	3.30E-09	25	1.15E-02	9.47E-10	1.0E+06	9.5E-04
522	522	0.347	3.83E-05	1.3E-05	2.50E-04	3.33E-09	25	1.15E-02	9.54E-10	1.0E+06	9.5E-04
523	523	0.34819	3.83E-05	1.3E-05	2.50E-04	3.34E-09	25	1.15E-02	9.57E-10	1.0E+06	9.6E-04
524	524	0.34775	3.83E-05	1.3E-05	2.50E-04	3.33E-09	25	1.15E-02	9.56E-10	1.0E+06	9.6E-04
525	525	0.34538	3.83E-05	1.3E-05	2.50E-04	3.31E-09	25	1.15E-02	9.49E-10	1.0E+06	9.5E-04
526	526	0.34081	3.83E-05	1.3E-05	2.50E-04	3.27E-09	25	1.15E-02	9.37E-10	1.0E+06	9.4E-04
527	527	0.32455	3.83E-05	1.2E-05	2.50E-04	3.11E-09	25	1.15E-02	8.92E-10	1.0E+06	8.9E-04
539	539	0.31805	3.83E-05	1.2E-05	2.50E-04	3.05E-09	25	1.15E-02	8.74E-10	1.0E+06	8.7E-04
540	540	0.3213	3.83E-05	1.2E-05	2.50E-04	3.08E-09	25	1.15E-02	8.83E-10	1.0E+06	8.8E-04
541	541	0.32343	3.83E-05	1.2E-05	2.50E-04	3.10E-09	25	1.15E-02	8.89E-10	1.0E+06	8.9E-04
542	542	0.32432	3.83E-05	1.2E-05	2.50E-04	3.11E-09	25	1.15E-02	8.91E-10	1.0E+06	8.9E-04
543	543	0.32379	3.83E-05	1.2E-05	2.50E-04	3.10E-09	25	1.15E-02	8.90E-10	1.0E+06	8.9E-04
544	544	0.32162	3.83E-05	1.2E-05	2.50E-04	3.08E-09	25	1.15E-02	8.84E-10	1.0E+06	8.8E-04
545	545	0.31757	3.83E-05	1.2E-05	2.50E-04	3.04E-09	25	1.15E-02	8.73E-10	1.0E+06	8.7E-04
546	546	0.30347	3.83E-05	1.2E-05	2.50E-04	2.91E-09	25	1.15E-02	8.34E-10	1.0E+06	8.3E-04
560	560	0.30053	3.83E-05	1.2E-05	2.50E-04	2.88E-09	25	1.15E-02	8.26E-10	1.0E+06	8.3E-04
561	561	0.30233	3.83E-05	1.2E-05	2.50E-04	2.90E-09	25	1.15E-02	8.31E-10	1.0E+06	8.3E-04
562	562	0.30303	3.83E-05	1.2E-05	2.50E-04	2.90E-09	25	1.15E-02	8.33E-10	1.0E+06	8.3E-04
563	563	0.30215	3.83E-05	1.2E-05	2.50E-04	2.90E-09	25	1.15E-02	8.31E-10	1.0E+06	8.3E-04
564	564	0.30046	3.83E-05	1.2E-05	2.50E-04	2.88E-09	25	1.15E-02	8.26E-10	1.0E+06	8.3E-04

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

<i>Cancer Risk from 16-30 years - Construction</i>											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.29689	3.83E-05	1.1E-05	2.50E-04	2.85E-09	25	1.15E-02	8.16E-10	1.0E+06	8.2E-04
566	566	0.28455	3.83E-05	1.1E-05	2.50E-04	2.73E-09	25	1.15E-02	7.82E-10	1.0E+06	7.8E-04
579	579	0.28185	3.83E-05	1.1E-05	2.50E-04	2.70E-09	25	1.15E-02	7.75E-10	1.0E+06	7.7E-04
580	580	0.28338	3.83E-05	1.1E-05	2.50E-04	2.72E-09	25	1.15E-02	7.79E-10	1.0E+06	7.8E-04
581	581	0.28393	3.83E-05	1.1E-05	2.50E-04	2.72E-09	25	1.15E-02	7.80E-10	1.0E+06	7.8E-04
582	582	0.28338	3.83E-05	1.1E-05	2.50E-04	2.72E-09	25	1.15E-02	7.79E-10	1.0E+06	7.8E-04
583	583	0.28159	3.83E-05	1.1E-05	2.50E-04	2.70E-09	25	1.15E-02	7.74E-10	1.0E+06	7.7E-04
584	584	0.2784	3.83E-05	1.1E-05	2.50E-04	2.67E-09	25	1.15E-02	7.65E-10	1.0E+06	7.7E-04
585	585	0.27141	3.83E-05	1.0E-05	2.50E-04	2.60E-09	25	1.15E-02	7.46E-10	1.0E+06	7.5E-04
598	598	0.26497	3.83E-05	1.0E-05	2.50E-04	2.54E-09	25	1.15E-02	7.28E-10	1.0E+06	7.3E-04
599	599	0.26632	3.83E-05	1.0E-05	2.50E-04	2.55E-09	25	1.15E-02	7.32E-10	1.0E+06	7.3E-04
600	600	0.26677	3.83E-05	1.0E-05	2.50E-04	2.56E-09	25	1.15E-02	7.33E-10	1.0E+06	7.3E-04
601	601	0.26623	3.83E-05	1.0E-05	2.50E-04	2.55E-09	25	1.15E-02	7.32E-10	1.0E+06	7.3E-04
602	602	0.26461	3.83E-05	1.0E-05	2.50E-04	2.54E-09	25	1.15E-02	7.27E-10	1.0E+06	7.3E-04
603	603	0.26177	3.83E-05	1.0E-05	2.50E-04	2.51E-09	25	1.15E-02	7.20E-10	1.0E+06	7.2E-04
604	604	0.25766	3.83E-05	9.9E-06	2.50E-04	2.47E-09	25	1.15E-02	7.08E-10	1.0E+06	7.1E-04
0	0	0	3.83E-05	0.0E+00	2.50E-04	0.00E+00	25	1.15E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
1	1	9.6E-03	5	2.47E-06	
2	2	1.1E-02	5	2.72E-06	
3	3	1.2E-02	5	3.01E-06	
4	4	1.3E-02	5	3.36E-06	
5	5	1.5E-02	5	3.80E-06	
6	6	1.7E-02	5	4.36E-06	
7	7	2.0E-02	5	5.08E-06	
8	8	2.4E-02	5	6.04E-06	
9	9	2.9E-02	5	7.40E-06	
10	10	3.7E-02	5	9.43E-06	
11	11	5.0E-02	5	1.27E-05	
12	12	7.2E-02	5	1.85E-05	
13	13	1.1E-01	5	2.78E-05	
14	14	1.4E-01	5	3.59E-05	
15	15	1.5E-01	5	3.85E-05	
16	16	1.5E-01	5	3.83E-05	
17	17	1.5E-01	5	3.79E-05	
18	18	1.5E-01	5	3.71E-05	
19	19	1.4E-01	5	3.64E-05	
20	20	1.4E-01	5	3.56E-05	
21	21	1.4E-01	5	3.48E-05	
22	22	1.3E-01	5	3.38E-05	
23	23	1.3E-01	5	3.25E-05	
24	24	1.2E-01	5	3.07E-05	
25	25	1.1E-01	5	2.85E-05	
26	26	1.0E-01	5	2.61E-05	
27	27	9.2E-02	5	2.36E-05	
28	28	8.3E-02	5	2.12E-05	
29	29	7.4E-02	5	1.89E-05	
30	30	6.6E-02	5	1.69E-05	
31	31	5.9E-02	5	1.51E-05	

Max	Receptor #	
0.499	80	Res
0.021	348	School
0.044	222	Worker

Max	Receptor #	
1.276E-04	80	Res
5.363E-06	348	School
1.238E-04	222	Worker

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
32	32	5.3E-02	5	1.35E-05	
55	55	2.0E-01	5	5.16E-05	
56	56	1.9E-01	5	4.84E-05	
57	57	1.7E-01	5	4.44E-05	
58	58	1.6E-01	5	3.97E-05	
59	59	1.4E-01	5	3.47E-05	
60	60	1.2E-01	5	3.00E-05	
61	61	1.0E-01	5	2.60E-05	
62	62	8.8E-02	5	2.25E-05	
63	63	7.6E-02	5	1.96E-05	
64	64	6.7E-02	5	1.71E-05	
65	65	5.8E-02	5	1.49E-05	
66	66	5.2E-02	5	1.32E-05	
67	67	9.8E-03	5	2.52E-06	
68	68	1.1E-02	5	2.78E-06	
69	69	1.2E-02	5	3.09E-06	
70	70	1.4E-02	5	3.47E-06	
71	71	1.5E-02	5	3.94E-06	
72	72	1.8E-02	5	4.55E-06	
73	73	2.1E-02	5	5.35E-06	
74	74	2.5E-02	5	6.46E-06	
75	75	3.2E-02	5	8.08E-06	
76	76	4.2E-02	5	1.07E-05	
77	77	6.1E-02	5	1.57E-05	
78	78	1.1E-01	5	2.86E-05	
79	79	4.5E-01	5	1.14E-04	
80	80	5.0E-01	5	1.28E-04	
81	81	4.4E-01	5	1.14E-04	
82	82	4.2E-01	5	1.08E-04	
83	83	4.2E-01	5	1.07E-04	
84	84	3.9E-01	5	9.98E-05	

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

<i>Max Cancer Risk Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad
85	85	3.4E-01	5	8.76E-05
86	86	2.9E-01	5	7.44E-05
87	87	2.4E-01	5	6.07E-05
88	88	1.9E-01	5	4.90E-05
89	89	1.5E-01	5	3.96E-05
90	90	1.3E-01	5	3.25E-05
91	91	1.1E-01	5	2.71E-05
92	92	8.9E-02	5	2.27E-05
93	93	7.5E-02	5	1.93E-05
96	96	4.1E-01	5	1.04E-04
97	97	5.0E-01	5	1.27E-04
98	98	3.0E-01	5	7.64E-05
99	99	2.2E-01	5	5.63E-05
100	100	1.7E-01	5	4.25E-05
101	101	1.3E-01	5	3.30E-05
102	102	1.0E-01	5	2.67E-05
106	106	9.0E-03	5	2.30E-06
107	107	9.8E-03	5	2.51E-06
108	108	1.1E-02	5	2.77E-06
109	109	1.2E-02	5	3.07E-06
110	110	1.3E-02	5	3.44E-06
111	111	1.5E-02	5	3.89E-06
112	112	1.7E-02	5	4.47E-06
113	113	2.0E-02	5	5.20E-06
114	114	2.4E-02	5	6.19E-06
115	115	2.9E-02	5	7.55E-06
116	116	3.7E-02	5	9.50E-06
117	117	4.9E-02	5	1.26E-05
118	118	7.0E-02	5	1.78E-05
124	124	8.9E-03	5	2.27E-06
125	125	9.7E-03	5	2.48E-06

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
126	126	1.1E-02	5	2.73E-06	
127	127	1.2E-02	5	3.02E-06	
128	128	1.3E-02	5	3.38E-06	
129	129	1.5E-02	5	3.80E-06	
130	130	1.7E-02	5	4.34E-06	
131	131	2.0E-02	5	5.02E-06	
132	132	2.3E-02	5	5.91E-06	
133	133	2.8E-02	5	7.07E-06	
134	134	3.4E-02	5	8.70E-06	
135	135	4.3E-02	5	1.10E-05	
136	136	5.7E-02	5	1.45E-05	
137	137	7.6E-02	5	1.94E-05	
138	138	9.9E-02	5	2.54E-05	
141	141	8.8E-03	5	2.24E-06	
142	142	9.6E-03	5	2.45E-06	
143	143	1.0E-02	5	2.68E-06	
144	144	1.2E-02	5	2.97E-06	
145	145	1.3E-02	5	3.30E-06	
146	146	1.4E-02	5	3.70E-06	
147	147	1.6E-02	5	4.19E-06	
148	148	1.9E-02	5	4.80E-06	
149	149	2.2E-02	5	5.58E-06	
150	150	2.6E-02	5	6.57E-06	
151	151	3.1E-02	5	7.88E-06	
152	152	3.8E-02	5	9.64E-06	
153	153	4.7E-02	5	1.21E-05	
154	154	5.9E-02	5	1.52E-05	
155	155	7.3E-02	5	1.88E-05	
164	164	4.9E-02	5	1.24E-05	
165	165	5.8E-02	5	1.48E-05	
166	166	6.8E-02	5	1.73E-05	

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
178	178	4.1E-02	5	1.05E-05	
179	179	4.8E-02	5	1.22E-05	
180	180	5.5E-02	5	1.40E-05	
192	192	3.5E-02	5	9.05E-06	
193	193	4.1E-02	5	1.04E-05	
194	194	4.6E-02	5	1.17E-05	
207	207	3.1E-02	5	7.93E-06	
208	208	3.5E-02	5	8.96E-06	
209	209	3.9E-02	5	1.00E-05	
223	223	2.8E-02	5	7.04E-06	
224	224	3.1E-02	5	7.86E-06	
225	225	3.4E-02	5	8.70E-06	
239	239	2.5E-02	5	6.31E-06	
240	240	2.7E-02	5	6.98E-06	
241	241	3.0E-02	5	7.68E-06	
255	255	2.2E-02	5	5.71E-06	
256	256	2.4E-02	5	6.27E-06	
272	272	2.0E-02	5	5.19E-06	
273	273	2.2E-02	5	5.67E-06	
289	289	1.9E-02	5	4.75E-06	
290	290	2.0E-02	5	5.15E-06	
306	306	1.7E-02	5	4.37E-06	
307	307	1.8E-02	5	4.71E-06	
323	323	1.6E-02	5	4.03E-06	
324	324	1.7E-02	5	4.33E-06	
342	342	1.5E-02	5	3.73E-06	
343	343	1.6E-02	5	3.99E-06	
344	344	1.7E-02	5	4.26E-06	
356	356	1.4E-02	5	3.47E-06	
357	357	1.4E-02	5	3.69E-06	
358	358	1.5E-02	5	3.93E-06	

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
370	370	1.3E-02	5	3.23E-06	
371	371	1.3E-02	5	3.43E-06	
372	372	1.4E-02	5	3.63E-06	
383	383	1.2E-02	5	3.01E-06	
384	384	1.2E-02	5	3.19E-06	
385	385	1.3E-02	5	3.37E-06	
396	396	1.1E-02	5	2.82E-06	
397	397	1.2E-02	5	2.97E-06	
398	398	1.2E-02	5	3.13E-06	
399	399	1.3E-02	5	3.29E-06	
411	411	1.0E-02	5	2.64E-06	
412	412	1.1E-02	5	2.78E-06	
413	413	1.1E-02	5	2.92E-06	
414	414	1.2E-02	5	3.06E-06	
426	426	9.7E-03	5	2.48E-06	
427	427	1.0E-02	5	2.61E-06	
428	428	1.1E-02	5	2.73E-06	
429	429	1.1E-02	5	2.85E-06	
439	439	9.1E-03	5	2.34E-06	
440	440	9.6E-03	5	2.45E-06	
441	441	1.0E-02	5	2.56E-06	
442	442	1.0E-02	5	2.67E-06	
443	443	1.1E-02	5	2.78E-06	
454	454	8.6E-03	5	2.20E-06	
455	455	9.0E-03	5	2.30E-06	
456	456	9.4E-03	5	2.40E-06	
457	457	9.8E-03	5	2.50E-06	
458	458	1.0E-02	5	2.60E-06	
469	469	8.1E-03	5	2.08E-06	
470	470	8.5E-03	5	2.17E-06	
471	471	8.8E-03	5	2.26E-06	

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
472	472	9.2E-03				5	2.35E-06	
473	473	9.5E-03				5	2.43E-06	
489	489	7.7E-03				5	1.97E-06	
490	490	8.0E-03				5	2.05E-06	
491	491	8.3E-03				5	2.13E-06	
492	492	8.6E-03				5	2.21E-06	
493	493	8.9E-03				5	2.29E-06	
494	494	9.2E-03				5	2.37E-06	
509	509	7.3E-03				5	1.87E-06	
510	510	7.6E-03				5	1.94E-06	
511	511	7.8E-03				5	2.01E-06	
512	512	8.1E-03				5	2.08E-06	
513	513	8.4E-03				5	2.15E-06	
514	514	8.7E-03				5	2.22E-06	
515	515	9.2E-03				5	2.36E-06	
516	516	9.5E-03				5	2.42E-06	
517	517	9.7E-03				5	2.48E-06	
518	518	9.9E-03				5	2.53E-06	
519	519	1.0E-02				5	2.57E-06	
528	528	6.9E-03				5	1.77E-06	
529	529	7.2E-03				5	1.84E-06	
530	530	7.4E-03				5	1.90E-06	
531	531	7.7E-03				5	1.97E-06	
532	532	7.9E-03				5	2.03E-06	
533	533	8.2E-03				5	2.09E-06	
534	534	8.7E-03				5	2.21E-06	
535	535	8.9E-03				5	2.27E-06	
536	536	9.1E-03				5	2.32E-06	
537	537	9.2E-03				5	2.36E-06	
538	538	9.4E-03				5	2.40E-06	
547	547	6.6E-03				5	1.68E-06	

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

<i>Max Cancer Risk Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
548	548	6.8E-03	5	1.74E-06	
549	549	7.0E-03	5	1.80E-06	
550	550	7.3E-03	5	1.86E-06	
551	551	7.5E-03	5	1.92E-06	
552	552	7.7E-03	5	1.98E-06	
553	553	7.9E-03	5	2.03E-06	
554	554	8.1E-03	5	2.08E-06	
555	555	8.3E-03	5	2.13E-06	
556	556	8.5E-03	5	2.18E-06	
557	557	8.7E-03	5	2.22E-06	
558	558	8.8E-03	5	2.25E-06	
559	559	8.9E-03	5	2.28E-06	
567	567	6.3E-03	5	1.60E-06	
568	568	6.5E-03	5	1.66E-06	
569	569	6.7E-03	5	1.71E-06	
570	570	6.9E-03	5	1.76E-06	
571	571	7.1E-03	5	1.82E-06	
572	572	7.3E-03	5	1.87E-06	
573	573	7.5E-03	5	1.92E-06	
574	574	7.9E-03	5	2.01E-06	
575	575	8.0E-03	5	2.05E-06	
576	576	8.1E-03	5	2.08E-06	
577	577	8.3E-03	5	2.11E-06	
578	578	8.4E-03	5	2.14E-06	
586	586	6.0E-03	5	1.53E-06	
587	587	6.2E-03	5	1.58E-06	
588	588	6.3E-03	5	1.62E-06	
589	589	6.5E-03	5	1.67E-06	
590	590	6.7E-03	5	1.72E-06	
591	591	6.9E-03	5	1.77E-06	
592	592	7.1E-03	5	1.81E-06	

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

<i>Max Cancer Risk Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
593	593	7.4E-03	5	1.90E-06	
594	594	7.6E-03	5	1.93E-06	
595	595	7.7E-03	5	1.96E-06	
596	596	7.8E-03	5	1.99E-06	
597	597	7.9E-03	5	2.01E-06	
345	345	1.8E-02	5	4.53E-06	
346	346	1.9E-02	5	4.81E-06	
347	347	2.0E-02	5	5.09E-06	
348	348	2.1E-02	5	5.36E-06	
359	359	1.6E-02	5	4.17E-06	
360	360	1.7E-02	5	4.41E-06	
361	361	1.8E-02	5	4.65E-06	
362	362	1.9E-02	5	4.89E-06	
363	363	2.0E-02	5	5.12E-06	
373	373	1.6E-02	5	4.05E-06	
374	374	1.7E-02	5	4.26E-06	
375	375	1.7E-02	5	4.47E-06	
376	376	1.8E-02	5	4.67E-06	
386	386	1.5E-02	5	3.73E-06	
387	387	1.5E-02	5	3.92E-06	
388	388	1.6E-02	5	4.10E-06	
389	389	1.7E-02	5	4.28E-06	
390	390	1.7E-02	5	4.45E-06	
400	400	1.3E-02	5	3.45E-06	
401	401	1.4E-02	5	3.61E-06	
402	402	1.5E-02	5	3.77E-06	
403	403	1.5E-02	5	3.93E-06	
404	404	1.6E-02	5	4.08E-06	
415	415	1.3E-02	5	3.20E-06	
416	416	1.3E-02	5	3.34E-06	
417	417	1.4E-02	5	3.48E-06	

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
418	418	1.4E-02	5	3.62E-06	
419	419	1.5E-02	5	3.75E-06	
420	420	1.5E-02	5	3.88E-06	
430	430	1.2E-02	5	3.10E-06	
431	431	1.3E-02	5	3.23E-06	
432	432	1.3E-02	5	3.34E-06	
433	433	1.4E-02	5	3.46E-06	
434	434	1.4E-02	5	3.57E-06	
444	444	1.1E-02	5	2.89E-06	
445	445	1.2E-02	5	3.00E-06	
446	446	1.2E-02	5	3.10E-06	
447	447	1.3E-02	5	3.20E-06	
448	448	1.3E-02	5	3.30E-06	
459	459	1.1E-02	5	2.79E-06	
460	460	1.1E-02	5	2.88E-06	
461	461	1.2E-02	5	2.97E-06	
462	462	1.2E-02	5	3.06E-06	
463	463	1.2E-02	5	3.13E-06	
474	474	1.0E-02	5	2.61E-06	
475	475	1.1E-02	5	2.69E-06	
476	476	1.1E-02	5	2.77E-06	
477	477	1.1E-02	5	2.84E-06	
478	478	1.1E-02	5	2.91E-06	
495	495	9.5E-03	5	2.44E-06	
496	496	9.8E-03	5	2.51E-06	
497	497	1.0E-02	5	2.58E-06	
498	498	1.0E-02	5	2.65E-06	
499	499	1.1E-02	5	2.71E-06	
500	500	1.1E-02	5	2.76E-06	

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

		<i>Max Cancer Risk Cancer Risk</i>		<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million		REL	HI Offroad
139	139	1.1E-02		5	3.05E-05
140	140	1.3E-02		5	3.51E-05
156	156	8.0E-03		5	2.23E-05
157	157	9.1E-03		5	2.53E-05
158	158	1.0E-02		5	2.80E-05
159	159	1.1E-02		5	3.04E-05
160	160	1.2E-02		5	3.22E-05
161	161	1.3E-02		5	3.58E-05
162	162	1.4E-02		5	3.82E-05
163	163	1.5E-02		5	4.13E-05
167	167	6.9E-03		5	1.93E-05
168	168	7.7E-03		5	2.14E-05
169	169	8.3E-03		5	2.31E-05
170	170	8.8E-03		5	2.46E-05
171	171	9.3E-03		5	2.59E-05
172	172	9.9E-03		5	2.75E-05
173	173	1.1E-02		5	2.94E-05
174	174	1.2E-02		5	3.21E-05
175	175	1.3E-02		5	3.65E-05
176	176	1.6E-02		5	4.44E-05
177	177	2.2E-02		5	6.02E-05
181	181	6.2E-03		5	1.72E-05
182	182	6.6E-03		5	1.85E-05
183	183	7.1E-03		5	1.97E-05
184	184	7.5E-03		5	2.08E-05
185	185	7.9E-03		5	2.21E-05
186	186	8.5E-03		5	2.38E-05
187	187	9.3E-03		5	2.60E-05
188	188	1.1E-02		5	2.95E-05
189	189	1.3E-02		5	3.52E-05
190	190	1.6E-02		5	4.58E-05

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
191	191	2.5E-02	5	7.06E-05	
195	195	5.1E-03	5	1.42E-05	
196	196	5.5E-03	5	1.53E-05	
197	197	5.9E-03	5	1.63E-05	
198	198	6.2E-03	5	1.73E-05	
199	199	6.6E-03	5	1.84E-05	
200	200	7.1E-03	5	1.98E-05	
201	201	7.8E-03	5	2.17E-05	
202	202	8.8E-03	5	2.44E-05	
203	203	1.0E-02	5	2.88E-05	
204	204	1.3E-02	5	3.63E-05	
205	205	1.9E-02	5	5.17E-05	
206	206	3.4E-02	5	9.42E-05	
210	210	3.9E-03	5	1.10E-05	
211	211	4.3E-03	5	1.20E-05	
212	212	4.7E-03	5	1.30E-05	
213	213	5.0E-03	5	1.38E-05	
214	214	5.6E-03	5	1.57E-05	
215	215	6.1E-03	5	1.69E-05	
216	216	6.6E-03	5	1.84E-05	
217	217	7.4E-03	5	2.06E-05	
218	218	8.6E-03	5	2.40E-05	
219	219	1.1E-02	5	2.94E-05	
220	220	1.4E-02	5	3.94E-05	
221	221	2.2E-02	5	6.04E-05	
222	222	4.4E-02	5	1.24E-04	
226	226	3.4E-03	5	9.54E-06	
227	227	3.7E-03	5	1.04E-05	
228	228	4.0E-03	5	1.12E-05	
229	229	4.3E-03	5	1.19E-05	
230	230	4.6E-03	5	1.27E-05	

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
231	231	4.9E-03	5	1.36E-05	
232	232	5.2E-03	5	1.46E-05	
233	233	6.3E-03	5	1.76E-05	
234	234	7.2E-03	5	2.02E-05	
235	235	8.7E-03	5	2.42E-05	
236	236	1.1E-02	5	3.08E-05	
237	237	1.5E-02	5	4.31E-05	
238	238	2.5E-02	5	7.05E-05	
242	242	3.0E-03	5	8.38E-06	
243	243	3.3E-03	5	9.07E-06	
244	244	3.5E-03	5	9.76E-06	
245	245	3.7E-03	5	1.04E-05	
246	246	4.0E-03	5	1.11E-05	
247	247	4.2E-03	5	1.18E-05	
248	248	4.5E-03	5	1.27E-05	
249	249	5.4E-03	5	1.51E-05	
250	250	6.1E-03	5	1.71E-05	
251	251	7.2E-03	5	2.00E-05	
252	252	8.8E-03	5	2.44E-05	
253	253	1.1E-02	5	3.20E-05	
254	254	1.6E-02	5	4.60E-05	
257	257	2.7E-03	5	7.43E-06	
258	258	2.9E-03	5	8.02E-06	
259	259	3.1E-03	5	8.61E-06	
260	260	3.3E-03	5	9.19E-06	
261	261	3.5E-03	5	9.76E-06	
262	262	3.7E-03	5	1.04E-05	
263	263	4.0E-03	5	1.11E-05	
264	264	4.7E-03	5	1.31E-05	
265	265	5.2E-03	5	1.45E-05	
266	266	5.9E-03	5	1.66E-05	

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
267	267	7.0E-03	5	1.95E-05	
268	268	8.6E-03	5	2.40E-05	
269	269	1.1E-02	5	3.07E-05	
270	270	1.0E-02	5	2.84E-05	
271	271	6.0E-03	5	1.66E-05	
274	274	2.4E-03	5	6.65E-06	
275	275	2.6E-03	5	7.15E-06	
276	276	2.7E-03	5	7.65E-06	
277	277	2.9E-03	5	8.16E-06	
278	278	3.1E-03	5	8.65E-06	
279	279	3.3E-03	5	9.19E-06	
280	280	3.5E-03	5	9.79E-06	
281	281	4.1E-03	5	1.14E-05	
282	282	4.5E-03	5	1.25E-05	
283	283	5.0E-03	5	1.39E-05	
284	284	5.7E-03	5	1.58E-05	
285	285	6.6E-03	5	1.84E-05	
286	286	7.8E-03	5	2.17E-05	
287	287	7.3E-03	5	2.03E-05	
288	288	5.0E-03	5	1.38E-05	
291	291	2.2E-03	5	6.00E-06	
292	292	2.3E-03	5	6.42E-06	
293	293	2.5E-03	5	6.85E-06	
294	294	2.6E-03	5	7.29E-06	
295	295	2.8E-03	5	7.72E-06	
296	296	2.9E-03	5	8.18E-06	
297	297	3.1E-03	5	8.67E-06	
298	298	3.6E-03	5	9.91E-06	
299	299	3.8E-03	5	1.07E-05	
300	300	4.2E-03	5	1.17E-05	
301	301	4.7E-03	5	1.30E-05	

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
302	302	5.2E-03	5	1.45E-05	
303	303	5.8E-03	5	1.62E-05	
304	304	5.4E-03	5	1.51E-05	
305	305	4.2E-03	5	1.16E-05	
308	308	2.0E-03	5	5.44E-06	
309	309	2.1E-03	5	5.80E-06	
310	310	2.2E-03	5	6.17E-06	
311	311	2.4E-03	5	6.55E-06	
312	312	2.5E-03	5	6.92E-06	
313	313	2.6E-03	5	7.31E-06	
314	314	2.8E-03	5	7.72E-06	
315	315	3.1E-03	5	8.69E-06	
316	316	3.3E-03	5	9.29E-06	
317	317	3.6E-03	5	1.00E-05	
318	318	3.9E-03	5	1.09E-05	
319	319	4.2E-03	5	1.18E-05	
320	320	4.6E-03	5	1.27E-05	
321	321	4.2E-03	5	1.18E-05	
322	322	3.5E-03	5	9.78E-06	
325	325	1.8E-03	5	4.95E-06	
326	326	1.9E-03	5	5.27E-06	
327	327	2.0E-03	5	5.59E-06	
328	328	2.1E-03	5	5.91E-06	
329	329	2.2E-03	5	6.24E-06	
330	330	2.4E-03	5	6.56E-06	
331	331	2.5E-03	5	6.90E-06	
332	332	2.6E-03	5	7.26E-06	
333	333	2.8E-03	5	7.67E-06	
334	334	2.9E-03	5	8.12E-06	
335	335	3.1E-03	5	8.64E-06	
336	336	3.3E-03	5	9.21E-06	

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
337	337	3.5E-03	5	9.82E-06	
338	338	3.7E-03	5	1.04E-05	
339	339	3.8E-03	5	1.05E-05	
340	340	3.5E-03	5	9.62E-06	
341	341	3.0E-03	5	8.34E-06	
349	349	2.0E-03	5	5.64E-06	
350	350	2.1E-03	5	5.91E-06	
351	351	2.2E-03	5	6.20E-06	
352	352	2.3E-03	5	6.49E-06	
353	353	3.1E-03	5	8.64E-06	
354	354	2.9E-03	5	8.06E-06	
355	355	2.6E-03	5	7.20E-06	
364	364	1.9E-03	5	5.36E-06	
365	365	2.0E-03	5	5.59E-06	
366	366	2.1E-03	5	5.84E-06	
367	367	2.6E-03	5	7.30E-06	
368	368	2.5E-03	5	6.90E-06	
369	369	2.3E-03	5	6.29E-06	
377	377	1.7E-03	5	4.87E-06	
378	378	1.8E-03	5	5.07E-06	
379	379	1.9E-03	5	5.28E-06	
380	380	2.3E-03	5	6.31E-06	
381	381	2.2E-03	5	6.01E-06	
382	382	2.0E-03	5	5.56E-06	
391	391	1.7E-03	5	4.62E-06	
392	392	1.7E-03	5	4.79E-06	
393	393	2.0E-03	5	5.53E-06	
394	394	1.9E-03	5	5.30E-06	
395	395	1.8E-03	5	4.96E-06	
405	405	1.5E-03	5	4.22E-06	
406	406	1.6E-03	5	4.37E-06	

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
407	407	1.6E-03	5	4.50E-06	
408	408	1.8E-03	5	4.90E-06	
409	409	1.7E-03	5	4.72E-06	
410	410	1.6E-03	5	4.46E-06	
421	421	1.4E-03	5	4.00E-06	
422	422	1.5E-03	5	4.11E-06	
423	423	1.6E-03	5	4.39E-06	
424	424	1.5E-03	5	4.25E-06	
425	425	1.4E-03	5	4.04E-06	
435	435	1.3E-03	5	3.67E-06	
436	436	1.4E-03	5	3.77E-06	
437	437	1.4E-03	5	3.85E-06	
438	438	1.3E-03	5	3.68E-06	
449	449	1.2E-03	5	3.39E-06	
450	450	1.2E-03	5	3.47E-06	
451	451	1.3E-03	5	3.54E-06	
452	452	1.3E-03	5	3.51E-06	
453	453	1.2E-03	5	3.37E-06	
464	464	1.1E-03	5	3.20E-06	
465	465	1.2E-03	5	3.26E-06	
466	466	1.2E-03	5	3.36E-06	
467	467	1.2E-03	5	3.22E-06	
468	468	1.1E-03	5	3.11E-06	
479	479	1.1E-03	5	2.97E-06	
480	480	1.1E-03	5	3.02E-06	
481	481	1.1E-03	5	3.06E-06	
482	482	1.1E-03	5	3.09E-06	
483	483	1.1E-03	5	3.11E-06	
484	484	1.1E-03	5	3.11E-06	
485	485	1.1E-03	5	3.09E-06	
486	486	1.1E-03	5	3.04E-06	

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
487	487	1.1E-03	5	2.97E-06	
488	488	1.0E-03	5	2.87E-06	
501	501	1.0E-03	5	2.80E-06	
502	502	1.0E-03	5	2.84E-06	
503	503	1.0E-03	5	2.86E-06	
504	504	1.0E-03	5	2.87E-06	
505	505	1.0E-03	5	2.87E-06	
506	506	1.0E-03	5	2.85E-06	
507	507	1.0E-03	5	2.81E-06	
508	508	9.6E-04	5	2.67E-06	
520	520	9.4E-04	5	2.61E-06	
521	521	9.5E-04	5	2.64E-06	
522	522	9.5E-04	5	2.66E-06	
523	523	9.6E-04	5	2.67E-06	
524	524	9.6E-04	5	2.66E-06	
525	525	9.5E-04	5	2.65E-06	
526	526	9.4E-04	5	2.61E-06	
527	527	8.9E-04	5	2.49E-06	
539	539	8.7E-04	5	2.44E-06	
540	540	8.8E-04	5	2.46E-06	
541	541	8.9E-04	5	2.48E-06	
542	542	8.9E-04	5	2.48E-06	
543	543	8.9E-04	5	2.48E-06	
544	544	8.8E-04	5	2.46E-06	
545	545	8.7E-04	5	2.43E-06	
546	546	8.3E-04	5	2.32E-06	
560	560	8.3E-04	5	2.30E-06	
561	561	8.3E-04	5	2.32E-06	
562	562	8.3E-04	5	2.32E-06	
563	563	8.3E-04	5	2.31E-06	
564	564	8.3E-04	5	2.30E-06	

Via Oro
Risk From 405 East from Wardlow to 710 N [TKJ]

<i>Max Cancer Risk Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad
565	565	8.2E-04	5	2.27E-06
566	566	7.8E-04	5	2.18E-06
579	579	7.7E-04	5	2.16E-06
580	580	7.8E-04	5	2.17E-06
581	581	7.8E-04	5	2.17E-06
582	582	7.8E-04	5	2.17E-06
583	583	7.7E-04	5	2.16E-06
584	584	7.7E-04	5	2.13E-06
585	585	7.5E-04	5	2.08E-06
598	598	7.3E-04	5	2.03E-06
599	599	7.3E-04	5	2.04E-06
600	600	7.3E-04	5	2.04E-06
601	601	7.3E-04	5	2.04E-06
602	602	7.3E-04	5	2.03E-06
603	603	7.2E-04	5	2.01E-06
604	604	7.1E-04	5	1.97E-06
0	0	0.0E+00	5	0.00E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	Cancer Risk from 3rd Trimester - Construction								
		g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	2.78472	6.33E-05	1.8E-04	3.46E-04	6.10E-08	0.25	1.57E-01	2.40E-09	1.0E+06	2.4E-03
2	2.8255	6.33E-05	1.8E-04	3.46E-04	6.19E-08	0.25	1.57E-01	2.43E-09	1.0E+06	2.4E-03
3	2.83012	6.33E-05	1.8E-04	3.46E-04	6.20E-08	0.25	1.57E-01	2.44E-09	1.0E+06	2.4E-03
4	2.83985	6.33E-05	1.8E-04	3.46E-04	6.22E-08	0.25	1.57E-01	2.44E-09	1.0E+06	2.4E-03
5	2.84304	6.33E-05	1.8E-04	3.46E-04	6.23E-08	0.25	1.57E-01	2.45E-09	1.0E+06	2.4E-03
6	2.87648	6.33E-05	1.8E-04	3.46E-04	6.30E-08	0.25	1.57E-01	2.48E-09	1.0E+06	2.5E-03
7	2.91815	6.33E-05	1.8E-04	3.46E-04	6.39E-08	0.25	1.57E-01	2.51E-09	1.0E+06	2.5E-03
8	2.95293	6.33E-05	1.9E-04	3.46E-04	6.47E-08	0.25	1.57E-01	2.54E-09	1.0E+06	2.5E-03
9	2.99211	6.33E-05	1.9E-04	3.46E-04	6.56E-08	0.25	1.57E-01	2.58E-09	1.0E+06	2.6E-03
10	3.02874	6.33E-05	1.9E-04	3.46E-04	6.64E-08	0.25	1.57E-01	2.61E-09	1.0E+06	2.6E-03
11	3.0561	6.33E-05	1.9E-04	3.46E-04	6.70E-08	0.25	1.57E-01	2.63E-09	1.0E+06	2.6E-03
12	3.07126	6.33E-05	1.9E-04	3.46E-04	6.73E-08	0.25	1.57E-01	2.64E-09	1.0E+06	2.6E-03
13	3.09072	6.33E-05	2.0E-04	3.46E-04	6.77E-08	0.25	1.57E-01	2.66E-09	1.0E+06	2.7E-03
14	3.08774	6.33E-05	2.0E-04	3.46E-04	6.77E-08	0.25	1.57E-01	2.66E-09	1.0E+06	2.7E-03
15	3.07303	6.33E-05	1.9E-04	3.46E-04	6.73E-08	0.25	1.57E-01	2.65E-09	1.0E+06	2.6E-03
16	3.02427	6.33E-05	1.9E-04	3.46E-04	6.63E-08	0.25	1.57E-01	2.60E-09	1.0E+06	2.6E-03
17	2.96783	6.33E-05	1.9E-04	3.46E-04	6.50E-08	0.25	1.57E-01	2.56E-09	1.0E+06	2.6E-03
18	2.87885	6.33E-05	1.8E-04	3.46E-04	6.31E-08	0.25	1.57E-01	2.48E-09	1.0E+06	2.5E-03
19	2.78116	6.33E-05	1.8E-04	3.46E-04	6.09E-08	0.25	1.57E-01	2.39E-09	1.0E+06	2.4E-03
20	2.67448	6.33E-05	1.7E-04	3.46E-04	5.86E-08	0.25	1.57E-01	2.30E-09	1.0E+06	2.3E-03
21	2.5624	6.33E-05	1.6E-04	3.46E-04	5.62E-08	0.25	1.57E-01	2.21E-09	1.0E+06	2.2E-03
22	2.46074	6.33E-05	1.6E-04	3.46E-04	5.39E-08	0.25	1.57E-01	2.12E-09	1.0E+06	2.1E-03
23	2.37214	6.33E-05	1.5E-04	3.46E-04	5.20E-08	0.25	1.57E-01	2.04E-09	1.0E+06	2.0E-03
24	2.30388	6.33E-05	1.5E-04	3.46E-04	5.05E-08	0.25	1.57E-01	1.98E-09	1.0E+06	2.0E-03
25	2.26404	6.33E-05	1.4E-04	3.46E-04	4.96E-08	0.25	1.57E-01	1.95E-09	1.0E+06	1.9E-03
26	2.26101	6.33E-05	1.4E-04	3.46E-04	4.95E-08	0.25	1.57E-01	1.95E-09	1.0E+06	1.9E-03
27	2.30907	6.33E-05	1.5E-04	3.46E-04	5.06E-08	0.25	1.57E-01	1.99E-09	1.0E+06	2.0E-03
28	2.42853	6.33E-05	1.5E-04	3.46E-04	5.32E-08	0.25	1.57E-01	2.09E-09	1.0E+06	2.1E-03
29	2.66523	6.33E-05	1.7E-04	3.46E-04	5.84E-08	0.25	1.57E-01	2.29E-09	1.0E+06	2.3E-03
30	3.11771	6.33E-05	2.0E-04	3.46E-04	6.83E-08	0.25	1.57E-01	2.68E-09	1.0E+06	2.7E-03
31	4.07838	6.33E-05	2.6E-04	3.46E-04	8.94E-08	0.25	1.57E-01	3.51E-09	1.0E+06	3.5E-03

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	6.89023	6.33E-05	4.4E-04	3.46E-04	1.51E-07	0.25	1.57E-01	5.93E-09	1.0E+06	5.9E-03
55	3.15817	6.33E-05	2.0E-04	3.46E-04	6.92E-08	0.25	1.57E-01	2.72E-09	1.0E+06	2.7E-03
56	2.99452	6.33E-05	1.9E-04	3.46E-04	6.56E-08	0.25	1.57E-01	2.58E-09	1.0E+06	2.6E-03
57	2.87899	6.33E-05	1.8E-04	3.46E-04	6.31E-08	0.25	1.57E-01	2.48E-09	1.0E+06	2.5E-03
58	2.80693	6.33E-05	1.8E-04	3.46E-04	6.15E-08	0.25	1.57E-01	2.42E-09	1.0E+06	2.4E-03
59	2.79306	6.33E-05	1.8E-04	3.46E-04	6.12E-08	0.25	1.57E-01	2.40E-09	1.0E+06	2.4E-03
60	2.8625	6.33E-05	1.8E-04	3.46E-04	6.27E-08	0.25	1.57E-01	2.46E-09	1.0E+06	2.5E-03
61	3.06634	6.33E-05	1.9E-04	3.46E-04	6.72E-08	0.25	1.57E-01	2.64E-09	1.0E+06	2.6E-03
62	3.48347	6.33E-05	2.2E-04	3.46E-04	7.63E-08	0.25	1.57E-01	3.00E-09	1.0E+06	3.0E-03
63	4.34036	6.33E-05	2.7E-04	3.46E-04	9.51E-08	0.25	1.57E-01	3.74E-09	1.0E+06	3.7E-03
64	6.32474	6.33E-05	4.0E-04	3.46E-04	1.39E-07	0.25	1.57E-01	5.45E-09	1.0E+06	5.4E-03
65	10.58539	6.33E-05	6.7E-04	3.46E-04	2.32E-07	0.25	1.57E-01	9.11E-09	1.0E+06	9.1E-03
66	12.88427	6.33E-05	8.2E-04	3.46E-04	2.82E-07	0.25	1.57E-01	1.11E-08	1.0E+06	1.1E-02
67	11.63611	6.33E-05	7.4E-04	3.46E-04	2.55E-07	0.25	1.57E-01	1.00E-08	1.0E+06	1.0E-02
68	11.65623	6.33E-05	7.4E-04	3.46E-04	2.55E-07	0.25	1.57E-01	1.00E-08	1.0E+06	1.0E-02
69	10.36065	6.33E-05	6.6E-04	3.46E-04	2.27E-07	0.25	1.57E-01	8.92E-09	1.0E+06	8.9E-03
70	8.40013	6.33E-05	5.3E-04	3.46E-04	1.84E-07	0.25	1.57E-01	7.23E-09	1.0E+06	7.2E-03
71	8.06122	6.33E-05	5.1E-04	3.46E-04	1.77E-07	0.25	1.57E-01	6.94E-09	1.0E+06	6.9E-03
72	8.18189	6.33E-05	5.2E-04	3.46E-04	1.79E-07	0.25	1.57E-01	7.04E-09	1.0E+06	7.0E-03
73	8.16688	6.33E-05	5.2E-04	3.46E-04	1.79E-07	0.25	1.57E-01	7.03E-09	1.0E+06	7.0E-03
74	8.21402	6.33E-05	5.2E-04	3.46E-04	1.80E-07	0.25	1.57E-01	7.07E-09	1.0E+06	7.1E-03
75	8.28958	6.33E-05	5.2E-04	3.46E-04	1.82E-07	0.25	1.57E-01	7.14E-09	1.0E+06	7.1E-03
76	8.41119	6.33E-05	5.3E-04	3.46E-04	1.84E-07	0.25	1.57E-01	7.24E-09	1.0E+06	7.2E-03
77	8.5605	6.33E-05	5.4E-04	3.46E-04	1.88E-07	0.25	1.57E-01	7.37E-09	1.0E+06	7.4E-03
78	8.77192	6.33E-05	5.6E-04	3.46E-04	1.92E-07	0.25	1.57E-01	7.55E-09	1.0E+06	7.6E-03
79	7.41944	6.33E-05	4.7E-04	3.46E-04	1.63E-07	0.25	1.57E-01	6.39E-09	1.0E+06	6.4E-03
80	6.77678	6.33E-05	4.3E-04	3.46E-04	1.49E-07	0.25	1.57E-01	5.83E-09	1.0E+06	5.8E-03
81	6.0192	6.33E-05	3.8E-04	3.46E-04	1.32E-07	0.25	1.57E-01	5.18E-09	1.0E+06	5.2E-03
82	5.34341	6.33E-05	3.4E-04	3.46E-04	1.17E-07	0.25	1.57E-01	4.60E-09	1.0E+06	4.6E-03
83	4.85701	6.33E-05	3.1E-04	3.46E-04	1.06E-07	0.25	1.57E-01	4.18E-09	1.0E+06	4.2E-03
84	4.41811	6.33E-05	2.8E-04	3.46E-04	9.68E-08	0.25	1.57E-01	3.80E-09	1.0E+06	3.8E-03

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	4.07706	6.33E-05	2.6E-04	3.46E-04	8.93E-08	0.25	1.57E-01	3.51E-09	1.0E+06	3.5E-03
86	3.82948	6.33E-05	2.4E-04	3.46E-04	8.39E-08	0.25	1.57E-01	3.30E-09	1.0E+06	3.3E-03
87	3.67734	6.33E-05	2.3E-04	3.46E-04	8.06E-08	0.25	1.57E-01	3.17E-09	1.0E+06	3.2E-03
88	3.64505	6.33E-05	2.3E-04	3.46E-04	7.99E-08	0.25	1.57E-01	3.14E-09	1.0E+06	3.1E-03
89	3.75593	6.33E-05	2.4E-04	3.46E-04	8.23E-08	0.25	1.57E-01	3.23E-09	1.0E+06	3.2E-03
90	4.11497	6.33E-05	2.6E-04	3.46E-04	9.02E-08	0.25	1.57E-01	3.54E-09	1.0E+06	3.5E-03
91	5.01013	6.33E-05	3.2E-04	3.46E-04	1.10E-07	0.25	1.57E-01	4.31E-09	1.0E+06	4.3E-03
92	7.14861	6.33E-05	4.5E-04	3.46E-04	1.57E-07	0.25	1.57E-01	6.15E-09	1.0E+06	6.2E-03
93	8.50875	6.33E-05	5.4E-04	3.46E-04	1.86E-07	0.25	1.57E-01	7.33E-09	1.0E+06	7.3E-03
96	5.65214	6.33E-05	3.6E-04	3.46E-04	1.24E-07	0.25	1.57E-01	4.87E-09	1.0E+06	4.9E-03
97	5.31018	6.33E-05	3.4E-04	3.46E-04	1.16E-07	0.25	1.57E-01	4.57E-09	1.0E+06	4.6E-03
98	5.29013	6.33E-05	3.3E-04	3.46E-04	1.16E-07	0.25	1.57E-01	4.55E-09	1.0E+06	4.6E-03
99	5.49899	6.33E-05	3.5E-04	3.46E-04	1.21E-07	0.25	1.57E-01	4.73E-09	1.0E+06	4.7E-03
100	6.30837	6.33E-05	4.0E-04	3.46E-04	1.38E-07	0.25	1.57E-01	5.43E-09	1.0E+06	5.4E-03
101	8.81101	6.33E-05	5.6E-04	3.46E-04	1.93E-07	0.25	1.57E-01	7.59E-09	1.0E+06	7.6E-03
102	9.56952	6.33E-05	6.1E-04	3.46E-04	2.10E-07	0.25	1.57E-01	8.24E-09	1.0E+06	8.2E-03
106	3.75863	6.33E-05	2.4E-04	3.46E-04	8.24E-08	0.25	1.57E-01	3.24E-09	1.0E+06	3.2E-03
107	4.77482	6.33E-05	3.0E-04	3.46E-04	1.05E-07	0.25	1.57E-01	4.11E-09	1.0E+06	4.1E-03
108	5.23064	6.33E-05	3.3E-04	3.46E-04	1.15E-07	0.25	1.57E-01	4.50E-09	1.0E+06	4.5E-03
109	5.80019	6.33E-05	3.7E-04	3.46E-04	1.27E-07	0.25	1.57E-01	4.99E-09	1.0E+06	5.0E-03
110	6.44402	6.33E-05	4.1E-04	3.46E-04	1.41E-07	0.25	1.57E-01	5.55E-09	1.0E+06	5.5E-03
111	6.4599	6.33E-05	4.1E-04	3.46E-04	1.42E-07	0.25	1.57E-01	5.56E-09	1.0E+06	5.6E-03
112	6.36792	6.33E-05	4.0E-04	3.46E-04	1.40E-07	0.25	1.57E-01	5.48E-09	1.0E+06	5.5E-03
113	6.15246	6.33E-05	3.9E-04	3.46E-04	1.35E-07	0.25	1.57E-01	5.30E-09	1.0E+06	5.3E-03
114	6.03093	6.33E-05	3.8E-04	3.46E-04	1.32E-07	0.25	1.57E-01	5.19E-09	1.0E+06	5.2E-03
115	5.88804	6.33E-05	3.7E-04	3.46E-04	1.29E-07	0.25	1.57E-01	5.07E-09	1.0E+06	5.1E-03
116	5.74354	6.33E-05	3.6E-04	3.46E-04	1.26E-07	0.25	1.57E-01	4.94E-09	1.0E+06	4.9E-03
117	5.71958	6.33E-05	3.6E-04	3.46E-04	1.25E-07	0.25	1.57E-01	4.92E-09	1.0E+06	4.9E-03
118	5.75311	6.33E-05	3.6E-04	3.46E-04	1.26E-07	0.25	1.57E-01	4.95E-09	1.0E+06	5.0E-03
124	2.30412	6.33E-05	1.5E-04	3.46E-04	5.05E-08	0.25	1.57E-01	1.98E-09	1.0E+06	2.0E-03
125	2.84028	6.33E-05	1.8E-04	3.46E-04	6.22E-08	0.25	1.57E-01	2.45E-09	1.0E+06	2.4E-03

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	3.17198	6.33E-05	2.0E-04	3.46E-04	6.95E-08	0.25	1.57E-01	2.73E-09	1.0E+06	2.7E-03
127	3.44784	6.33E-05	2.2E-04	3.46E-04	7.56E-08	0.25	1.57E-01	2.97E-09	1.0E+06	3.0E-03
128	3.68993	6.33E-05	2.3E-04	3.46E-04	8.09E-08	0.25	1.57E-01	3.18E-09	1.0E+06	3.2E-03
129	3.75466	6.33E-05	2.4E-04	3.46E-04	8.23E-08	0.25	1.57E-01	3.23E-09	1.0E+06	3.2E-03
130	3.78019	6.33E-05	2.4E-04	3.46E-04	8.28E-08	0.25	1.57E-01	3.25E-09	1.0E+06	3.3E-03
131	3.75682	6.33E-05	2.4E-04	3.46E-04	8.23E-08	0.25	1.57E-01	3.23E-09	1.0E+06	3.2E-03
132	3.74202	6.33E-05	2.4E-04	3.46E-04	8.20E-08	0.25	1.57E-01	3.22E-09	1.0E+06	3.2E-03
133	3.6968	6.33E-05	2.3E-04	3.46E-04	8.10E-08	0.25	1.57E-01	3.18E-09	1.0E+06	3.2E-03
134	3.69938	6.33E-05	2.3E-04	3.46E-04	8.11E-08	0.25	1.57E-01	3.18E-09	1.0E+06	3.2E-03
135	3.6795	6.33E-05	2.3E-04	3.46E-04	8.06E-08	0.25	1.57E-01	3.17E-09	1.0E+06	3.2E-03
136	3.68606	6.33E-05	2.3E-04	3.46E-04	8.08E-08	0.25	1.57E-01	3.17E-09	1.0E+06	3.2E-03
137	3.70087	6.33E-05	2.3E-04	3.46E-04	8.11E-08	0.25	1.57E-01	3.19E-09	1.0E+06	3.2E-03
138	3.78452	6.33E-05	2.4E-04	3.46E-04	8.29E-08	0.25	1.57E-01	3.26E-09	1.0E+06	3.3E-03
141	1.6544	6.33E-05	1.0E-04	3.46E-04	3.63E-08	0.25	1.57E-01	1.42E-09	1.0E+06	1.4E-03
142	1.97556	6.33E-05	1.3E-04	3.46E-04	4.33E-08	0.25	1.57E-01	1.70E-09	1.0E+06	1.7E-03
143	2.21325	6.33E-05	1.4E-04	3.46E-04	4.85E-08	0.25	1.57E-01	1.91E-09	1.0E+06	1.9E-03
144	2.39385	6.33E-05	1.5E-04	3.46E-04	5.25E-08	0.25	1.57E-01	2.06E-09	1.0E+06	2.1E-03
145	2.53218	6.33E-05	1.6E-04	3.46E-04	5.55E-08	0.25	1.57E-01	2.18E-09	1.0E+06	2.2E-03
146	2.60023	6.33E-05	1.6E-04	3.46E-04	5.70E-08	0.25	1.57E-01	2.24E-09	1.0E+06	2.2E-03
147	2.64494	6.33E-05	1.7E-04	3.46E-04	5.80E-08	0.25	1.57E-01	2.28E-09	1.0E+06	2.3E-03
148	2.65778	6.33E-05	1.7E-04	3.46E-04	5.82E-08	0.25	1.57E-01	2.29E-09	1.0E+06	2.3E-03
149	2.66678	6.33E-05	1.7E-04	3.46E-04	5.84E-08	0.25	1.57E-01	2.30E-09	1.0E+06	2.3E-03
150	2.66714	6.33E-05	1.7E-04	3.46E-04	5.84E-08	0.25	1.57E-01	2.30E-09	1.0E+06	2.3E-03
151	2.67347	6.33E-05	1.7E-04	3.46E-04	5.86E-08	0.25	1.57E-01	2.30E-09	1.0E+06	2.3E-03
152	2.68355	6.33E-05	1.7E-04	3.46E-04	5.88E-08	0.25	1.57E-01	2.31E-09	1.0E+06	2.3E-03
153	2.70224	6.33E-05	1.7E-04	3.46E-04	5.92E-08	0.25	1.57E-01	2.33E-09	1.0E+06	2.3E-03
154	2.71283	6.33E-05	1.7E-04	3.46E-04	5.94E-08	0.25	1.57E-01	2.34E-09	1.0E+06	2.3E-03
155	2.7513	6.33E-05	1.7E-04	3.46E-04	6.03E-08	0.25	1.57E-01	2.37E-09	1.0E+06	2.4E-03
164	2.12371	6.33E-05	1.3E-04	3.46E-04	4.65E-08	0.25	1.57E-01	1.83E-09	1.0E+06	1.8E-03
165	2.14903	6.33E-05	1.4E-04	3.46E-04	4.71E-08	0.25	1.57E-01	1.85E-09	1.0E+06	1.9E-03
166	2.20433	6.33E-05	1.4E-04	3.46E-04	4.83E-08	0.25	1.57E-01	1.90E-09	1.0E+06	1.9E-03

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	1.72973	6.33E-05	1.1E-04	3.46E-04	3.79E-08	0.25	1.57E-01	1.49E-09	1.0E+06	1.5E-03
179	1.75238	6.33E-05	1.1E-04	3.46E-04	3.84E-08	0.25	1.57E-01	1.51E-09	1.0E+06	1.5E-03
180	1.79013	6.33E-05	1.1E-04	3.46E-04	3.92E-08	0.25	1.57E-01	1.54E-09	1.0E+06	1.5E-03
192	1.45092	6.33E-05	9.2E-05	3.46E-04	3.18E-08	0.25	1.57E-01	1.25E-09	1.0E+06	1.2E-03
193	1.47232	6.33E-05	9.3E-05	3.46E-04	3.23E-08	0.25	1.57E-01	1.27E-09	1.0E+06	1.3E-03
194	1.49734	6.33E-05	9.5E-05	3.46E-04	3.28E-08	0.25	1.57E-01	1.29E-09	1.0E+06	1.3E-03
207	1.24076	6.33E-05	7.9E-05	3.46E-04	2.72E-08	0.25	1.57E-01	1.07E-09	1.0E+06	1.1E-03
208	1.25851	6.33E-05	8.0E-05	3.46E-04	2.76E-08	0.25	1.57E-01	1.08E-09	1.0E+06	1.1E-03
209	1.27928	6.33E-05	8.1E-05	3.46E-04	2.80E-08	0.25	1.57E-01	1.10E-09	1.0E+06	1.1E-03
223	1.07802	6.33E-05	6.8E-05	3.46E-04	2.36E-08	0.25	1.57E-01	9.28E-10	1.0E+06	9.3E-04
224	1.09263	6.33E-05	6.9E-05	3.46E-04	2.39E-08	0.25	1.57E-01	9.41E-10	1.0E+06	9.4E-04
225	1.10749	6.33E-05	7.0E-05	3.46E-04	2.43E-08	0.25	1.57E-01	9.53E-10	1.0E+06	9.5E-04
239	0.949	6.33E-05	6.0E-05	3.46E-04	2.08E-08	0.25	1.57E-01	8.17E-10	1.0E+06	8.2E-04
240	0.9611	6.33E-05	6.1E-05	3.46E-04	2.11E-08	0.25	1.57E-01	8.27E-10	1.0E+06	8.3E-04
241	0.9739	6.33E-05	6.2E-05	3.46E-04	2.13E-08	0.25	1.57E-01	8.38E-10	1.0E+06	8.4E-04
255	0.84342	6.33E-05	5.3E-05	3.46E-04	1.85E-08	0.25	1.57E-01	7.26E-10	1.0E+06	7.3E-04
256	0.85369	6.33E-05	5.4E-05	3.46E-04	1.87E-08	0.25	1.57E-01	7.35E-10	1.0E+06	7.3E-04
272	0.75525	6.33E-05	4.8E-05	3.46E-04	1.66E-08	0.25	1.57E-01	6.50E-10	1.0E+06	6.5E-04
273	0.76459	6.33E-05	4.8E-05	3.46E-04	1.68E-08	0.25	1.57E-01	6.58E-10	1.0E+06	6.6E-04
289	0.68147	6.33E-05	4.3E-05	3.46E-04	1.49E-08	0.25	1.57E-01	5.87E-10	1.0E+06	5.9E-04
290	0.68945	6.33E-05	4.4E-05	3.46E-04	1.51E-08	0.25	1.57E-01	5.94E-10	1.0E+06	5.9E-04
306	0.6184	6.33E-05	3.9E-05	3.46E-04	1.36E-08	0.25	1.57E-01	5.32E-10	1.0E+06	5.3E-04
307	0.6254	6.33E-05	4.0E-05	3.46E-04	1.37E-08	0.25	1.57E-01	5.38E-10	1.0E+06	5.4E-04
323	0.56407	6.33E-05	3.6E-05	3.46E-04	1.24E-08	0.25	1.57E-01	4.86E-10	1.0E+06	4.9E-04
324	0.57025	6.33E-05	3.6E-05	3.46E-04	1.25E-08	0.25	1.57E-01	4.91E-10	1.0E+06	4.9E-04
342	0.51694	6.33E-05	3.3E-05	3.46E-04	1.13E-08	0.25	1.57E-01	4.45E-10	1.0E+06	4.5E-04
343	0.52244	6.33E-05	3.3E-05	3.46E-04	1.14E-08	0.25	1.57E-01	4.50E-10	1.0E+06	4.5E-04
344	0.52711	6.33E-05	3.3E-05	3.46E-04	1.16E-08	0.25	1.57E-01	4.54E-10	1.0E+06	4.5E-04
356	0.47567	6.33E-05	3.0E-05	3.46E-04	1.04E-08	0.25	1.57E-01	4.10E-10	1.0E+06	4.1E-04
357	0.4805	6.33E-05	3.0E-05	3.46E-04	1.05E-08	0.25	1.57E-01	4.14E-10	1.0E+06	4.1E-04
358	0.48476	6.33E-05	3.1E-05	3.46E-04	1.06E-08	0.25	1.57E-01	4.17E-10	1.0E+06	4.2E-04

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.4394	6.33E-05	2.8E-05	3.46E-04	9.63E-09	0.25	1.57E-01	3.78E-10	1.0E+06	3.8E-04
371	0.44374	6.33E-05	2.8E-05	3.46E-04	9.72E-09	0.25	1.57E-01	3.82E-10	1.0E+06	3.8E-04
372	0.44754	6.33E-05	2.8E-05	3.46E-04	9.81E-09	0.25	1.57E-01	3.85E-10	1.0E+06	3.9E-04
383	0.4073	6.33E-05	2.6E-05	3.46E-04	8.93E-09	0.25	1.57E-01	3.51E-10	1.0E+06	3.5E-04
384	0.41125	6.33E-05	2.6E-05	3.46E-04	9.01E-09	0.25	1.57E-01	3.54E-10	1.0E+06	3.5E-04
385	0.41465	6.33E-05	2.6E-05	3.46E-04	9.09E-09	0.25	1.57E-01	3.57E-10	1.0E+06	3.6E-04
396	0.37876	6.33E-05	2.4E-05	3.46E-04	8.30E-09	0.25	1.57E-01	3.26E-10	1.0E+06	3.3E-04
397	0.38238	6.33E-05	2.4E-05	3.46E-04	8.38E-09	0.25	1.57E-01	3.29E-10	1.0E+06	3.3E-04
398	0.38545	6.33E-05	2.4E-05	3.46E-04	8.45E-09	0.25	1.57E-01	3.32E-10	1.0E+06	3.3E-04
399	0.38803	6.33E-05	2.5E-05	3.46E-04	8.50E-09	0.25	1.57E-01	3.34E-10	1.0E+06	3.3E-04
411	0.35326	6.33E-05	2.2E-05	3.46E-04	7.74E-09	0.25	1.57E-01	3.04E-10	1.0E+06	3.0E-04
412	0.35657	6.33E-05	2.3E-05	3.46E-04	7.81E-09	0.25	1.57E-01	3.07E-10	1.0E+06	3.1E-04
413	0.35945	6.33E-05	2.3E-05	3.46E-04	7.88E-09	0.25	1.57E-01	3.09E-10	1.0E+06	3.1E-04
414	0.36171	6.33E-05	2.3E-05	3.46E-04	7.93E-09	0.25	1.57E-01	3.11E-10	1.0E+06	3.1E-04
426	0.33039	6.33E-05	2.1E-05	3.46E-04	7.24E-09	0.25	1.57E-01	2.84E-10	1.0E+06	2.8E-04
427	0.33347	6.33E-05	2.1E-05	3.46E-04	7.31E-09	0.25	1.57E-01	2.87E-10	1.0E+06	2.9E-04
428	0.33601	6.33E-05	2.1E-05	3.46E-04	7.36E-09	0.25	1.57E-01	2.89E-10	1.0E+06	2.9E-04
429	0.33812	6.33E-05	2.1E-05	3.46E-04	7.41E-09	0.25	1.57E-01	2.91E-10	1.0E+06	2.9E-04
439	0.30978	6.33E-05	2.0E-05	3.46E-04	6.79E-09	0.25	1.57E-01	2.67E-10	1.0E+06	2.7E-04
440	0.31264	6.33E-05	2.0E-05	3.46E-04	6.85E-09	0.25	1.57E-01	2.69E-10	1.0E+06	2.7E-04
441	0.31501	6.33E-05	2.0E-05	3.46E-04	6.90E-09	0.25	1.57E-01	2.71E-10	1.0E+06	2.7E-04
442	0.31693	6.33E-05	2.0E-05	3.46E-04	6.95E-09	0.25	1.57E-01	2.73E-10	1.0E+06	2.7E-04
443	0.31841	6.33E-05	2.0E-05	3.46E-04	6.98E-09	0.25	1.57E-01	2.74E-10	1.0E+06	2.7E-04
454	0.29115	6.33E-05	1.8E-05	3.46E-04	6.38E-09	0.25	1.57E-01	2.51E-10	1.0E+06	2.5E-04
455	0.29381	6.33E-05	1.9E-05	3.46E-04	6.44E-09	0.25	1.57E-01	2.53E-10	1.0E+06	2.5E-04
456	0.29602	6.33E-05	1.9E-05	3.46E-04	6.49E-09	0.25	1.57E-01	2.55E-10	1.0E+06	2.5E-04
457	0.29779	6.33E-05	1.9E-05	3.46E-04	6.53E-09	0.25	1.57E-01	2.56E-10	1.0E+06	2.6E-04
458	0.29912	6.33E-05	1.9E-05	3.46E-04	6.56E-09	0.25	1.57E-01	2.58E-10	1.0E+06	2.6E-04
469	0.27423	6.33E-05	1.7E-05	3.46E-04	6.01E-09	0.25	1.57E-01	2.36E-10	1.0E+06	2.4E-04
470	0.2767	6.33E-05	1.8E-05	3.46E-04	6.06E-09	0.25	1.57E-01	2.38E-10	1.0E+06	2.4E-04
471	0.27876	6.33E-05	1.8E-05	3.46E-04	6.11E-09	0.25	1.57E-01	2.40E-10	1.0E+06	2.4E-04

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.28039	6.33E-05	1.8E-05	3.46E-04	6.14E-09	0.25	1.57E-01	2.41E-10	1.0E+06	2.4E-04
473	0.2816	6.33E-05	1.8E-05	3.46E-04	6.17E-09	0.25	1.57E-01	2.42E-10	1.0E+06	2.4E-04
489	0.25886	6.33E-05	1.6E-05	3.46E-04	5.67E-09	0.25	1.57E-01	2.23E-10	1.0E+06	2.2E-04
490	0.26118	6.33E-05	1.7E-05	3.46E-04	5.72E-09	0.25	1.57E-01	2.25E-10	1.0E+06	2.2E-04
491	0.26309	6.33E-05	1.7E-05	3.46E-04	5.77E-09	0.25	1.57E-01	2.26E-10	1.0E+06	2.3E-04
492	0.2646	6.33E-05	1.7E-05	3.46E-04	5.80E-09	0.25	1.57E-01	2.28E-10	1.0E+06	2.3E-04
493	0.26572	6.33E-05	1.7E-05	3.46E-04	5.82E-09	0.25	1.57E-01	2.29E-10	1.0E+06	2.3E-04
494	0.26643	6.33E-05	1.7E-05	3.46E-04	5.84E-09	0.25	1.57E-01	2.29E-10	1.0E+06	2.3E-04
509	0.24479	6.33E-05	1.5E-05	3.46E-04	5.36E-09	0.25	1.57E-01	2.11E-10	1.0E+06	2.1E-04
510	0.24697	6.33E-05	1.6E-05	3.46E-04	5.41E-09	0.25	1.57E-01	2.13E-10	1.0E+06	2.1E-04
511	0.24874	6.33E-05	1.6E-05	3.46E-04	5.45E-09	0.25	1.57E-01	2.14E-10	1.0E+06	2.1E-04
512	0.25015	6.33E-05	1.6E-05	3.46E-04	5.48E-09	0.25	1.57E-01	2.15E-10	1.0E+06	2.2E-04
513	0.2512	6.33E-05	1.6E-05	3.46E-04	5.50E-09	0.25	1.57E-01	2.16E-10	1.0E+06	2.2E-04
514	0.25184	6.33E-05	1.6E-05	3.46E-04	5.52E-09	0.25	1.57E-01	2.17E-10	1.0E+06	2.2E-04
515	0.25197	6.33E-05	1.6E-05	3.46E-04	5.52E-09	0.25	1.57E-01	2.17E-10	1.0E+06	2.2E-04
516	0.25146	6.33E-05	1.6E-05	3.46E-04	5.51E-09	0.25	1.57E-01	2.16E-10	1.0E+06	2.2E-04
517	0.25049	6.33E-05	1.6E-05	3.46E-04	5.49E-09	0.25	1.57E-01	2.16E-10	1.0E+06	2.2E-04
518	0.24908	6.33E-05	1.6E-05	3.46E-04	5.46E-09	0.25	1.57E-01	2.14E-10	1.0E+06	2.1E-04
519	0.2472	6.33E-05	1.6E-05	3.46E-04	5.42E-09	0.25	1.57E-01	2.13E-10	1.0E+06	2.1E-04
528	0.2319	6.33E-05	1.5E-05	3.46E-04	5.08E-09	0.25	1.57E-01	2.00E-10	1.0E+06	2.0E-04
529	0.23395	6.33E-05	1.5E-05	3.46E-04	5.13E-09	0.25	1.57E-01	2.01E-10	1.0E+06	2.0E-04
530	0.23563	6.33E-05	1.5E-05	3.46E-04	5.16E-09	0.25	1.57E-01	2.03E-10	1.0E+06	2.0E-04
531	0.23693	6.33E-05	1.5E-05	3.46E-04	5.19E-09	0.25	1.57E-01	2.04E-10	1.0E+06	2.0E-04
532	0.23789	6.33E-05	1.5E-05	3.46E-04	5.21E-09	0.25	1.57E-01	2.05E-10	1.0E+06	2.0E-04
533	0.23848	6.33E-05	1.5E-05	3.46E-04	5.23E-09	0.25	1.57E-01	2.05E-10	1.0E+06	2.1E-04
534	0.23858	6.33E-05	1.5E-05	3.46E-04	5.23E-09	0.25	1.57E-01	2.05E-10	1.0E+06	2.1E-04
535	0.23806	6.33E-05	1.5E-05	3.46E-04	5.22E-09	0.25	1.57E-01	2.05E-10	1.0E+06	2.0E-04
536	0.23712	6.33E-05	1.5E-05	3.46E-04	5.20E-09	0.25	1.57E-01	2.04E-10	1.0E+06	2.0E-04
537	0.23579	6.33E-05	1.5E-05	3.46E-04	5.17E-09	0.25	1.57E-01	2.03E-10	1.0E+06	2.0E-04
538	0.23404	6.33E-05	1.5E-05	3.46E-04	5.13E-09	0.25	1.57E-01	2.01E-10	1.0E+06	2.0E-04
547	0.22007	6.33E-05	1.4E-05	3.46E-04	4.82E-09	0.25	1.57E-01	1.89E-10	1.0E+06	1.9E-04

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.22201	6.33E-05	1.4E-05	3.46E-04	4.87E-09	0.25	1.57E-01	1.91E-10	1.0E+06	1.9E-04
549	0.22356	6.33E-05	1.4E-05	3.46E-04	4.90E-09	0.25	1.57E-01	1.92E-10	1.0E+06	1.9E-04
550	0.22481	6.33E-05	1.4E-05	3.46E-04	4.93E-09	0.25	1.57E-01	1.94E-10	1.0E+06	1.9E-04
551	0.22569	6.33E-05	1.4E-05	3.46E-04	4.95E-09	0.25	1.57E-01	1.94E-10	1.0E+06	1.9E-04
552	0.22623	6.33E-05	1.4E-05	3.46E-04	4.96E-09	0.25	1.57E-01	1.95E-10	1.0E+06	1.9E-04
553	0.22642	6.33E-05	1.4E-05	3.46E-04	4.96E-09	0.25	1.57E-01	1.95E-10	1.0E+06	1.9E-04
554	0.22628	6.33E-05	1.4E-05	3.46E-04	4.96E-09	0.25	1.57E-01	1.95E-10	1.0E+06	1.9E-04
555	0.22577	6.33E-05	1.4E-05	3.46E-04	4.95E-09	0.25	1.57E-01	1.94E-10	1.0E+06	1.9E-04
556	0.22486	6.33E-05	1.4E-05	3.46E-04	4.93E-09	0.25	1.57E-01	1.94E-10	1.0E+06	1.9E-04
557	0.22363	6.33E-05	1.4E-05	3.46E-04	4.90E-09	0.25	1.57E-01	1.93E-10	1.0E+06	1.9E-04
558	0.22199	6.33E-05	1.4E-05	3.46E-04	4.86E-09	0.25	1.57E-01	1.91E-10	1.0E+06	1.9E-04
559	0.21997	6.33E-05	1.4E-05	3.46E-04	4.82E-09	0.25	1.57E-01	1.89E-10	1.0E+06	1.9E-04
567	0.20918	6.33E-05	1.3E-05	3.46E-04	4.58E-09	0.25	1.57E-01	1.80E-10	1.0E+06	1.8E-04
568	0.21099	6.33E-05	1.3E-05	3.46E-04	4.62E-09	0.25	1.57E-01	1.82E-10	1.0E+06	1.8E-04
569	0.21247	6.33E-05	1.3E-05	3.46E-04	4.66E-09	0.25	1.57E-01	1.83E-10	1.0E+06	1.8E-04
570	0.21362	6.33E-05	1.4E-05	3.46E-04	4.68E-09	0.25	1.57E-01	1.84E-10	1.0E+06	1.8E-04
571	0.21445	6.33E-05	1.4E-05	3.46E-04	4.70E-09	0.25	1.57E-01	1.85E-10	1.0E+06	1.8E-04
572	0.21494	6.33E-05	1.4E-05	3.46E-04	4.71E-09	0.25	1.57E-01	1.85E-10	1.0E+06	1.9E-04
573	0.21512	6.33E-05	1.4E-05	3.46E-04	4.71E-09	0.25	1.57E-01	1.85E-10	1.0E+06	1.9E-04
574	0.21447	6.33E-05	1.4E-05	3.46E-04	4.70E-09	0.25	1.57E-01	1.85E-10	1.0E+06	1.8E-04
575	0.21362	6.33E-05	1.4E-05	3.46E-04	4.68E-09	0.25	1.57E-01	1.84E-10	1.0E+06	1.8E-04
576	0.21243	6.33E-05	1.3E-05	3.46E-04	4.66E-09	0.25	1.57E-01	1.83E-10	1.0E+06	1.8E-04
577	0.21091	6.33E-05	1.3E-05	3.46E-04	4.62E-09	0.25	1.57E-01	1.82E-10	1.0E+06	1.8E-04
578	0.20905	6.33E-05	1.3E-05	3.46E-04	4.58E-09	0.25	1.57E-01	1.80E-10	1.0E+06	1.8E-04
586	0.19914	6.33E-05	1.3E-05	3.46E-04	4.36E-09	0.25	1.57E-01	1.71E-10	1.0E+06	1.7E-04
587	0.20086	6.33E-05	1.3E-05	3.46E-04	4.40E-09	0.25	1.57E-01	1.73E-10	1.0E+06	1.7E-04
588	0.20225	6.33E-05	1.3E-05	3.46E-04	4.43E-09	0.25	1.57E-01	1.74E-10	1.0E+06	1.7E-04
589	0.20333	6.33E-05	1.3E-05	3.46E-04	4.46E-09	0.25	1.57E-01	1.75E-10	1.0E+06	1.8E-04
590	0.2041	6.33E-05	1.3E-05	3.46E-04	4.47E-09	0.25	1.57E-01	1.76E-10	1.0E+06	1.8E-04
591	0.20456	6.33E-05	1.3E-05	3.46E-04	4.48E-09	0.25	1.57E-01	1.76E-10	1.0E+06	1.8E-04
592	0.20471	6.33E-05	1.3E-05	3.46E-04	4.49E-09	0.25	1.57E-01	1.76E-10	1.0E+06	1.8E-04

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.20408	6.33E-05	1.3E-05	3.46E-04	4.47E-09	0.25	1.57E-01	1.76E-10	1.0E+06	1.8E-04
594	0.20327	6.33E-05	1.3E-05	3.46E-04	4.45E-09	0.25	1.57E-01	1.75E-10	1.0E+06	1.7E-04
595	0.20217	6.33E-05	1.3E-05	3.46E-04	4.43E-09	0.25	1.57E-01	1.74E-10	1.0E+06	1.7E-04
596	0.20075	6.33E-05	1.3E-05	3.46E-04	4.40E-09	0.25	1.57E-01	1.73E-10	1.0E+06	1.7E-04
597	0.19901	6.33E-05	1.3E-05	3.46E-04	4.36E-09	0.25	1.57E-01	1.71E-10	1.0E+06	1.7E-04
345	0.53146	6.33E-05	3.4E-05	3.46E-04	1.16E-08	0.25	1.57E-01	4.58E-10	1.0E+06	4.6E-04
346	0.53526	6.33E-05	3.4E-05	3.46E-04	1.17E-08	0.25	1.57E-01	4.61E-10	1.0E+06	4.6E-04
347	0.53868	6.33E-05	3.4E-05	3.46E-04	1.18E-08	0.25	1.57E-01	4.64E-10	1.0E+06	4.6E-04
348	0.54158	6.33E-05	3.4E-05	3.46E-04	1.19E-08	0.25	1.57E-01	4.66E-10	1.0E+06	4.7E-04
359	0.48856	6.33E-05	3.1E-05	3.46E-04	1.07E-08	0.25	1.57E-01	4.21E-10	1.0E+06	4.2E-04
360	0.49197	6.33E-05	3.1E-05	3.46E-04	1.08E-08	0.25	1.57E-01	4.24E-10	1.0E+06	4.2E-04
361	0.49465	6.33E-05	3.1E-05	3.46E-04	1.08E-08	0.25	1.57E-01	4.26E-10	1.0E+06	4.3E-04
362	0.49696	6.33E-05	3.1E-05	3.46E-04	1.09E-08	0.25	1.57E-01	4.28E-10	1.0E+06	4.3E-04
363	0.49838	6.33E-05	3.2E-05	3.46E-04	1.09E-08	0.25	1.57E-01	4.29E-10	1.0E+06	4.3E-04
373	0.45368	6.33E-05	2.9E-05	3.46E-04	9.94E-09	0.25	1.57E-01	3.91E-10	1.0E+06	3.9E-04
374	0.45604	6.33E-05	2.9E-05	3.46E-04	9.99E-09	0.25	1.57E-01	3.93E-10	1.0E+06	3.9E-04
375	0.45782	6.33E-05	2.9E-05	3.46E-04	1.00E-08	0.25	1.57E-01	3.94E-10	1.0E+06	3.9E-04
376	0.45887	6.33E-05	2.9E-05	3.46E-04	1.01E-08	0.25	1.57E-01	3.95E-10	1.0E+06	4.0E-04
386	0.42003	6.33E-05	2.7E-05	3.46E-04	9.20E-09	0.25	1.57E-01	3.62E-10	1.0E+06	3.6E-04
387	0.42199	6.33E-05	2.7E-05	3.46E-04	9.25E-09	0.25	1.57E-01	3.63E-10	1.0E+06	3.6E-04
388	0.42342	6.33E-05	2.7E-05	3.46E-04	9.28E-09	0.25	1.57E-01	3.65E-10	1.0E+06	3.6E-04
389	0.42414	6.33E-05	2.7E-05	3.46E-04	9.29E-09	0.25	1.57E-01	3.65E-10	1.0E+06	3.7E-04
390	0.42408	6.33E-05	2.7E-05	3.46E-04	9.29E-09	0.25	1.57E-01	3.65E-10	1.0E+06	3.7E-04
400	0.39016	6.33E-05	2.5E-05	3.46E-04	8.55E-09	0.25	1.57E-01	3.36E-10	1.0E+06	3.4E-04
401	0.39192	6.33E-05	2.5E-05	3.46E-04	8.59E-09	0.25	1.57E-01	3.37E-10	1.0E+06	3.4E-04
402	0.39298	6.33E-05	2.5E-05	3.46E-04	8.61E-09	0.25	1.57E-01	3.38E-10	1.0E+06	3.4E-04
403	0.3935	6.33E-05	2.5E-05	3.46E-04	8.62E-09	0.25	1.57E-01	3.39E-10	1.0E+06	3.4E-04
404	0.39332	6.33E-05	2.5E-05	3.46E-04	8.62E-09	0.25	1.57E-01	3.39E-10	1.0E+06	3.4E-04
415	0.36359	6.33E-05	2.3E-05	3.46E-04	7.97E-09	0.25	1.57E-01	3.13E-10	1.0E+06	3.1E-04
416	0.36502	6.33E-05	2.3E-05	3.46E-04	8.00E-09	0.25	1.57E-01	3.14E-10	1.0E+06	3.1E-04
417	0.36596	6.33E-05	2.3E-05	3.46E-04	8.02E-09	0.25	1.57E-01	3.15E-10	1.0E+06	3.2E-04

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.3662	6.33E-05	2.3E-05	3.46E-04	8.03E-09	0.25	1.57E-01	3.15E-10	1.0E+06	3.2E-04
419	0.36579	6.33E-05	2.3E-05	3.46E-04	8.02E-09	0.25	1.57E-01	3.15E-10	1.0E+06	3.1E-04
420	0.36494	6.33E-05	2.3E-05	3.46E-04	8.00E-09	0.25	1.57E-01	3.14E-10	1.0E+06	3.1E-04
430	0.34107	6.33E-05	2.2E-05	3.46E-04	7.47E-09	0.25	1.57E-01	2.94E-10	1.0E+06	2.9E-04
431	0.34172	6.33E-05	2.2E-05	3.46E-04	7.49E-09	0.25	1.57E-01	2.94E-10	1.0E+06	2.9E-04
432	0.34187	6.33E-05	2.2E-05	3.46E-04	7.49E-09	0.25	1.57E-01	2.94E-10	1.0E+06	2.9E-04
433	0.34144	6.33E-05	2.2E-05	3.46E-04	7.48E-09	0.25	1.57E-01	2.94E-10	1.0E+06	2.9E-04
434	0.34041	6.33E-05	2.2E-05	3.46E-04	7.46E-09	0.25	1.57E-01	2.93E-10	1.0E+06	2.9E-04
444	0.31945	6.33E-05	2.0E-05	3.46E-04	7.00E-09	0.25	1.57E-01	2.75E-10	1.0E+06	2.8E-04
445	0.32007	6.33E-05	2.0E-05	3.46E-04	7.01E-09	0.25	1.57E-01	2.76E-10	1.0E+06	2.8E-04
446	0.32011	6.33E-05	2.0E-05	3.46E-04	7.01E-09	0.25	1.57E-01	2.76E-10	1.0E+06	2.8E-04
447	0.3196	6.33E-05	2.0E-05	3.46E-04	7.00E-09	0.25	1.57E-01	2.75E-10	1.0E+06	2.8E-04
448	0.31855	6.33E-05	2.0E-05	3.46E-04	6.98E-09	0.25	1.57E-01	2.74E-10	1.0E+06	2.7E-04
459	0.30052	6.33E-05	1.9E-05	3.46E-04	6.59E-09	0.25	1.57E-01	2.59E-10	1.0E+06	2.6E-04
460	0.3005	6.33E-05	1.9E-05	3.46E-04	6.59E-09	0.25	1.57E-01	2.59E-10	1.0E+06	2.6E-04
461	0.29999	6.33E-05	1.9E-05	3.46E-04	6.57E-09	0.25	1.57E-01	2.58E-10	1.0E+06	2.6E-04
462	0.29895	6.33E-05	1.9E-05	3.46E-04	6.55E-09	0.25	1.57E-01	2.57E-10	1.0E+06	2.6E-04
463	0.29734	6.33E-05	1.9E-05	3.46E-04	6.52E-09	0.25	1.57E-01	2.56E-10	1.0E+06	2.6E-04
474	0.28284	6.33E-05	1.8E-05	3.46E-04	6.20E-09	0.25	1.57E-01	2.44E-10	1.0E+06	2.4E-04
475	0.28279	6.33E-05	1.8E-05	3.46E-04	6.20E-09	0.25	1.57E-01	2.43E-10	1.0E+06	2.4E-04
476	0.28223	6.33E-05	1.8E-05	3.46E-04	6.18E-09	0.25	1.57E-01	2.43E-10	1.0E+06	2.4E-04
477	0.28122	6.33E-05	1.8E-05	3.46E-04	6.16E-09	0.25	1.57E-01	2.42E-10	1.0E+06	2.4E-04
478	0.27967	6.33E-05	1.8E-05	3.46E-04	6.13E-09	0.25	1.57E-01	2.41E-10	1.0E+06	2.4E-04
495	0.26675	6.33E-05	1.7E-05	3.46E-04	5.85E-09	0.25	1.57E-01	2.30E-10	1.0E+06	2.3E-04
496	0.26667	6.33E-05	1.7E-05	3.46E-04	5.84E-09	0.25	1.57E-01	2.30E-10	1.0E+06	2.3E-04
497	0.26612	6.33E-05	1.7E-05	3.46E-04	5.83E-09	0.25	1.57E-01	2.29E-10	1.0E+06	2.3E-04
498	0.26512	6.33E-05	1.7E-05	3.46E-04	5.81E-09	0.25	1.57E-01	2.28E-10	1.0E+06	2.3E-04
499	0.26365	6.33E-05	1.7E-05	3.46E-04	5.78E-09	0.25	1.57E-01	2.27E-10	1.0E+06	2.3E-04
500	0.26165	6.33E-05	1.7E-05	3.46E-04	5.73E-09	0.25	1.57E-01	2.25E-10	1.0E+06	2.3E-04

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction							
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
139	3.85821	6.33E-05	2.4E-04	3.46E-04	8.45E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	4.07717	6.33E-05	2.6E-04	3.46E-04	8.93E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	2.82846	6.33E-05	1.8E-04	3.46E-04	6.20E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	2.92821	6.33E-05	1.9E-04	3.46E-04	6.42E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	3.09361	6.33E-05	2.0E-04	3.46E-04	6.78E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	3.31459	6.33E-05	2.1E-04	3.46E-04	7.26E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	3.54042	6.33E-05	2.2E-04	3.46E-04	7.76E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	4.2713	6.33E-05	2.7E-04	3.46E-04	9.36E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	4.81523	6.33E-05	3.0E-04	3.46E-04	1.06E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	5.38812	6.33E-05	3.4E-04	3.46E-04	1.18E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	2.24797	6.33E-05	1.4E-04	3.46E-04	4.93E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	2.37066	6.33E-05	1.5E-04	3.46E-04	5.20E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	2.48011	6.33E-05	1.6E-04	3.46E-04	5.43E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	2.61175	6.33E-05	1.7E-04	3.46E-04	5.72E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	2.76877	6.33E-05	1.8E-04	3.46E-04	6.07E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	2.97079	6.33E-05	1.9E-04	3.46E-04	6.51E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	3.19852	6.33E-05	2.0E-04	3.46E-04	7.01E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	3.42636	6.33E-05	2.2E-04	3.46E-04	7.51E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	3.60611	6.33E-05	2.3E-04	3.46E-04	7.90E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	3.7193	6.33E-05	2.4E-04	3.46E-04	8.15E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	3.75043	6.33E-05	2.4E-04	3.46E-04	8.22E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	1.89997	6.33E-05	1.2E-04	3.46E-04	4.16E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	1.97021	6.33E-05	1.2E-04	3.46E-04	4.32E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	2.04943	6.33E-05	1.3E-04	3.46E-04	4.49E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	2.13872	6.33E-05	1.4E-04	3.46E-04	4.69E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	2.2452	6.33E-05	1.4E-04	3.46E-04	4.92E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	2.36047	6.33E-05	1.5E-04	3.46E-04	5.17E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	2.469	6.33E-05	1.6E-04	3.46E-04	5.41E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	2.5501	6.33E-05	1.6E-04	3.46E-04	5.59E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	2.5937	6.33E-05	1.6E-04	3.46E-04	5.68E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	2.59135	6.33E-05	1.6E-04	3.46E-04	5.68E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	2.5218	6.33E-05	1.6E-04	3.46E-04	5.53E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	1.57325	6.33E-05	1.0E-04	3.46E-04	3.45E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	1.61953	6.33E-05	1.0E-04	3.46E-04	3.55E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	1.67194	6.33E-05	1.1E-04	3.46E-04	3.66E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	1.72629	6.33E-05	1.1E-04	3.46E-04	3.78E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	1.78974	6.33E-05	1.1E-04	3.46E-04	3.92E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	1.85247	6.33E-05	1.2E-04	3.46E-04	4.06E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	1.90781	6.33E-05	1.2E-04	3.46E-04	4.18E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	1.94795	6.33E-05	1.2E-04	3.46E-04	4.27E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	1.96513	6.33E-05	1.2E-04	3.46E-04	4.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	1.95372	6.33E-05	1.2E-04	3.46E-04	4.28E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	1.90682	6.33E-05	1.2E-04	3.46E-04	4.18E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	1.8188	6.33E-05	1.2E-04	3.46E-04	3.99E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	1.2921	6.33E-05	8.2E-05	3.46E-04	2.83E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	1.33452	6.33E-05	8.4E-05	3.46E-04	2.92E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	1.36607	6.33E-05	8.6E-05	3.46E-04	2.99E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	1.40035	6.33E-05	8.9E-05	3.46E-04	3.07E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	1.47488	6.33E-05	9.3E-05	3.46E-04	3.23E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	1.51156	6.33E-05	9.6E-05	3.46E-04	3.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	1.5416	6.33E-05	9.8E-05	3.46E-04	3.38E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	1.56226	6.33E-05	9.9E-05	3.46E-04	3.42E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	1.56764	6.33E-05	9.9E-05	3.46E-04	3.44E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	1.5542	6.33E-05	9.8E-05	3.46E-04	3.41E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	1.51869	6.33E-05	9.6E-05	3.46E-04	3.33E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	1.45778	6.33E-05	9.2E-05	3.46E-04	3.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	1.37622	6.33E-05	8.7E-05	3.46E-04	3.02E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	1.12456	6.33E-05	7.1E-05	3.46E-04	2.46E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	1.14986	6.33E-05	7.3E-05	3.46E-04	2.52E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	1.17312	6.33E-05	7.4E-05	3.46E-04	2.57E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	1.19639	6.33E-05	7.6E-05	3.46E-04	2.62E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	1.22085	6.33E-05	7.7E-05	3.46E-04	2.68E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	1.2465	6.33E-05	7.9E-05	3.46E-04	2.73E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	1.26851	6.33E-05	8.0E-05	3.46E-04	2.78E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	1.29508	6.33E-05	8.2E-05	3.46E-04	2.84E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	1.2952	6.33E-05	8.2E-05	3.46E-04	2.84E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	1.28189	6.33E-05	8.1E-05	3.46E-04	2.81E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	1.25332	6.33E-05	7.9E-05	3.46E-04	2.75E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	1.20847	6.33E-05	7.7E-05	3.46E-04	2.65E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	1.14799	6.33E-05	7.3E-05	3.46E-04	2.52E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	0.98736	6.33E-05	6.3E-05	3.46E-04	2.16E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	1.00425	6.33E-05	6.4E-05	3.46E-04	2.20E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	1.02318	6.33E-05	6.5E-05	3.46E-04	2.24E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	1.03941	6.33E-05	6.6E-05	3.46E-04	2.28E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	1.0558	6.33E-05	6.7E-05	3.46E-04	2.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	1.07147	6.33E-05	6.8E-05	3.46E-04	2.35E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	1.08495	6.33E-05	6.9E-05	3.46E-04	2.38E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	1.0998	6.33E-05	7.0E-05	3.46E-04	2.41E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	1.09679	6.33E-05	6.9E-05	3.46E-04	2.40E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	1.0843	6.33E-05	6.9E-05	3.46E-04	2.38E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	1.06056	6.33E-05	6.7E-05	3.46E-04	2.32E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	1.02618	6.33E-05	6.5E-05	3.46E-04	2.25E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	0.97997	6.33E-05	6.2E-05	3.46E-04	2.15E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	0.87522	6.33E-05	5.5E-05	3.46E-04	1.92E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	0.88747	6.33E-05	5.6E-05	3.46E-04	1.94E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	0.90104	6.33E-05	5.7E-05	3.46E-04	1.97E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	0.91351	6.33E-05	5.8E-05	3.46E-04	2.00E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	0.92418	6.33E-05	5.9E-05	3.46E-04	2.03E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	0.9345	6.33E-05	5.9E-05	3.46E-04	2.05E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	0.94302	6.33E-05	6.0E-05	3.46E-04	2.07E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	0.94997	6.33E-05	6.0E-05	3.46E-04	2.08E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	0.94561	6.33E-05	6.0E-05	3.46E-04	2.07E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	0.93407	6.33E-05	5.9E-05	3.46E-04	2.05E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	0.91449	6.33E-05	5.8E-05	3.46E-04	2.00E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	0.88688	6.33E-05	5.6E-05	3.46E-04	1.94E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	0.85044	6.33E-05	5.4E-05	3.46E-04	1.86E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	0.7062	6.33E-05	4.5E-05	3.46E-04	1.55E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	0.65212	6.33E-05	4.1E-05	3.46E-04	1.43E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	0.78224	6.33E-05	5.0E-05	3.46E-04	1.71E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	0.79102	6.33E-05	5.0E-05	3.46E-04	1.73E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	0.80094	6.33E-05	5.1E-05	3.46E-04	1.76E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	0.8107	6.33E-05	5.1E-05	3.46E-04	1.78E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	0.81842	6.33E-05	5.2E-05	3.46E-04	1.79E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	0.8254	6.33E-05	5.2E-05	3.46E-04	1.81E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	0.83091	6.33E-05	5.3E-05	3.46E-04	1.82E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	0.83282	6.33E-05	5.3E-05	3.46E-04	1.83E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	0.82765	6.33E-05	5.2E-05	3.46E-04	1.81E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	0.81713	6.33E-05	5.2E-05	3.46E-04	1.79E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	0.80052	6.33E-05	5.1E-05	3.46E-04	1.75E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	0.77748	6.33E-05	4.9E-05	3.46E-04	1.70E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	0.74797	6.33E-05	4.7E-05	3.46E-04	1.64E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	0.63214	6.33E-05	4.0E-05	3.46E-04	1.39E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	0.58783	6.33E-05	3.7E-05	3.46E-04	1.29E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	0.70402	6.33E-05	4.5E-05	3.46E-04	1.54E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	0.7108	6.33E-05	4.5E-05	3.46E-04	1.56E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	0.71796	6.33E-05	4.5E-05	3.46E-04	1.57E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	0.72557	6.33E-05	4.6E-05	3.46E-04	1.59E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	0.73137	6.33E-05	4.6E-05	3.46E-04	1.60E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	0.73598	6.33E-05	4.7E-05	3.46E-04	1.61E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	0.73902	6.33E-05	4.7E-05	3.46E-04	1.62E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	0.73821	6.33E-05	4.7E-05	3.46E-04	1.62E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	0.73279	6.33E-05	4.6E-05	3.46E-04	1.61E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	0.7232	6.33E-05	4.6E-05	3.46E-04	1.58E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	0.70883	6.33E-05	4.5E-05	3.46E-04	1.55E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	0.6895	6.33E-05	4.4E-05	3.46E-04	1.51E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	0.66515	6.33E-05	4.2E-05	3.46E-04	1.46E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	0.57024	6.33E-05	3.6E-05	3.46E-04	1.25E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	0.53368	6.33E-05	3.4E-05	3.46E-04	1.17E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	0.63764	6.33E-05	4.0E-05	3.46E-04	1.40E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	0.64322	6.33E-05	4.1E-05	3.46E-04	1.41E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	0.64847	6.33E-05	4.1E-05	3.46E-04	1.42E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	0.65427	6.33E-05	4.1E-05	3.46E-04	1.43E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	0.65817	6.33E-05	4.2E-05	3.46E-04	1.44E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	0.66135	6.33E-05	4.2E-05	3.46E-04	1.45E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	0.66304	6.33E-05	4.2E-05	3.46E-04	1.45E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	0.66051	6.33E-05	4.2E-05	3.46E-04	1.45E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	0.65494	6.33E-05	4.1E-05	3.46E-04	1.44E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	0.64639	6.33E-05	4.1E-05	3.46E-04	1.42E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	0.6338	6.33E-05	4.0E-05	3.46E-04	1.39E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	0.61733	6.33E-05	3.9E-05	3.46E-04	1.35E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	0.59711	6.33E-05	3.8E-05	3.46E-04	1.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	0.51799	6.33E-05	3.3E-05	3.46E-04	1.14E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	0.48747	6.33E-05	3.1E-05	3.46E-04	1.07E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	0.58065	6.33E-05	3.7E-05	3.46E-04	1.27E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	0.58526	6.33E-05	3.7E-05	3.46E-04	1.28E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	0.58944	6.33E-05	3.7E-05	3.46E-04	1.29E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	0.59348	6.33E-05	3.8E-05	3.46E-04	1.30E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	0.59667	6.33E-05	3.8E-05	3.46E-04	1.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	0.59836	6.33E-05	3.8E-05	3.46E-04	1.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	0.59913	6.33E-05	3.8E-05	3.46E-04	1.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	0.59807	6.33E-05	3.8E-05	3.46E-04	1.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	0.59554	6.33E-05	3.8E-05	3.46E-04	1.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	0.59027	6.33E-05	3.7E-05	3.46E-04	1.29E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	0.58237	6.33E-05	3.7E-05	3.46E-04	1.28E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	0.57138	6.33E-05	3.6E-05	3.46E-04	1.25E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	0.55727	6.33E-05	3.5E-05	3.46E-04	1.22E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	0.53989	6.33E-05	3.4E-05	3.46E-04	1.18E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	0.49786	6.33E-05	3.2E-05	3.46E-04	1.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	0.47342	6.33E-05	3.0E-05	3.46E-04	1.04E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.44759	6.33E-05	2.8E-05	3.46E-04	9.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	0.54382	6.33E-05	3.4E-05	3.46E-04	1.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	0.54499	6.33E-05	3.5E-05	3.46E-04	1.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	0.54527	6.33E-05	3.5E-05	3.46E-04	1.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	0.54351	6.33E-05	3.4E-05	3.46E-04	1.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	0.4558	6.33E-05	2.9E-05	3.46E-04	9.99E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	0.43497	6.33E-05	2.8E-05	3.46E-04	9.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.41289	6.33E-05	2.6E-05	3.46E-04	9.05E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	0.49899	6.33E-05	3.2E-05	3.46E-04	1.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	0.49852	6.33E-05	3.2E-05	3.46E-04	1.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	0.49701	6.33E-05	3.1E-05	3.46E-04	1.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	0.41944	6.33E-05	2.7E-05	3.46E-04	9.19E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	0.40154	6.33E-05	2.5E-05	3.46E-04	8.80E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.3825	6.33E-05	2.4E-05	3.46E-04	8.38E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	0.45907	6.33E-05	2.9E-05	3.46E-04	1.01E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	0.45839	6.33E-05	2.9E-05	3.46E-04	1.00E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	0.45673	6.33E-05	2.9E-05	3.46E-04	1.00E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	0.38776	6.33E-05	2.5E-05	3.46E-04	8.50E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	0.37216	6.33E-05	2.4E-05	3.46E-04	8.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.35572	6.33E-05	2.3E-05	3.46E-04	7.80E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	0.42327	6.33E-05	2.7E-05	3.46E-04	9.28E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	0.42155	6.33E-05	2.7E-05	3.46E-04	9.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	0.35991	6.33E-05	2.3E-05	3.46E-04	7.89E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.34632	6.33E-05	2.2E-05	3.46E-04	7.59E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.33193	6.33E-05	2.1E-05	3.46E-04	7.27E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	0.39232	6.33E-05	2.5E-05	3.46E-04	8.60E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	0.39051	6.33E-05	2.5E-05	3.46E-04	8.56E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	0.38765	6.33E-05	2.5E-05	3.46E-04	8.50E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	0.33532	6.33E-05	2.1E-05	3.46E-04	7.35E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.32335	6.33E-05	2.0E-05	3.46E-04	7.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.31068	6.33E-05	2.0E-05	3.46E-04	6.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	0.36311	6.33E-05	2.3E-05	3.46E-04	7.96E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	0.36043	6.33E-05	2.3E-05	3.46E-04	7.90E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.31344	6.33E-05	2.0E-05	3.46E-04	6.87E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.30286	6.33E-05	1.9E-05	3.46E-04	6.64E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.29163	6.33E-05	1.8E-05	3.46E-04	6.39E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	0.33875	6.33E-05	2.1E-05	3.46E-04	7.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	0.33617	6.33E-05	2.1E-05	3.46E-04	7.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.28449	6.33E-05	1.8E-05	3.46E-04	6.23E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.27449	6.33E-05	1.7E-05	3.46E-04	6.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	0.31695	6.33E-05	2.0E-05	3.46E-04	6.95E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	0.31447	6.33E-05	2.0E-05	3.46E-04	6.89E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	0.31136	6.33E-05	2.0E-05	3.46E-04	6.82E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.26789	6.33E-05	1.7E-05	3.46E-04	5.87E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.25895	6.33E-05	1.6E-05	3.46E-04	5.67E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	0.29507	6.33E-05	1.9E-05	3.46E-04	6.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	0.29215	6.33E-05	1.8E-05	3.46E-04	6.40E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.26732	6.33E-05	1.7E-05	3.46E-04	5.86E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.25287	6.33E-05	1.6E-05	3.46E-04	5.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.24484	6.33E-05	1.5E-05	3.46E-04	5.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	0.27746	6.33E-05	1.8E-05	3.46E-04	6.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	0.27483	6.33E-05	1.7E-05	3.46E-04	6.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	0.27151	6.33E-05	1.7E-05	3.46E-04	5.95E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	0.26758	6.33E-05	1.7E-05	3.46E-04	5.86E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	0.26307	6.33E-05	1.7E-05	3.46E-04	5.76E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.25795	6.33E-05	1.6E-05	3.46E-04	5.65E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.25225	6.33E-05	1.6E-05	3.46E-04	5.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.24599	6.33E-05	1.6E-05	3.46E-04	5.39E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.23922	6.33E-05	1.5E-05	3.46E-04	5.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.23198	6.33E-05	1.5E-05	3.46E-04	5.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	0.25901	6.33E-05	1.6E-05	3.46E-04	5.68E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	0.25608	6.33E-05	1.6E-05	3.46E-04	5.61E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	0.25248	6.33E-05	1.6E-05	3.46E-04	5.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	0.24836	6.33E-05	1.6E-05	3.46E-04	5.44E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	0.24371	6.33E-05	1.5E-05	3.46E-04	5.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.23854	6.33E-05	1.5E-05	3.46E-04	5.23E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.23288	6.33E-05	1.5E-05	3.46E-04	5.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.22022	6.33E-05	1.4E-05	3.46E-04	4.83E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.24482	6.33E-05	1.5E-05	3.46E-04	5.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	0.24188	6.33E-05	1.5E-05	3.46E-04	5.30E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	0.23876	6.33E-05	1.5E-05	3.46E-04	5.23E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	0.23499	6.33E-05	1.5E-05	3.46E-04	5.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	0.23075	6.33E-05	1.5E-05	3.46E-04	5.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.22605	6.33E-05	1.4E-05	3.46E-04	4.95E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.22091	6.33E-05	1.4E-05	3.46E-04	4.84E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.20942	6.33E-05	1.3E-05	3.46E-04	4.59E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.23186	6.33E-05	1.5E-05	3.46E-04	5.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.22925	6.33E-05	1.5E-05	3.46E-04	5.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	0.22616	6.33E-05	1.4E-05	3.46E-04	4.96E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	0.2227	6.33E-05	1.4E-05	3.46E-04	4.88E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	0.21891	6.33E-05	1.4E-05	3.46E-04	4.80E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.21461	6.33E-05	1.4E-05	3.46E-04	4.70E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.20987	6.33E-05	1.3E-05	3.46E-04	4.60E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.19948	6.33E-05	1.3E-05	3.46E-04	4.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.21757	6.33E-05	1.4E-05	3.46E-04	4.77E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.21478	6.33E-05	1.4E-05	3.46E-04	4.71E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.21159	6.33E-05	1.3E-05	3.46E-04	4.64E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.20772	6.33E-05	1.3E-05	3.46E-04	4.55E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.20406	6.33E-05	1.3E-05	3.46E-04	4.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.19987	6.33E-05	1.3E-05	3.46E-04	4.38E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.19032	6.33E-05	1.2E-05	3.46E-04	4.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.20683	6.33E-05	1.3E-05	3.46E-04	4.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.20426	6.33E-05	1.3E-05	3.46E-04	4.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.20135	6.33E-05	1.3E-05	3.46E-04	4.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.19809	6.33E-05	1.3E-05	3.46E-04	4.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.19447	6.33E-05	1.2E-05	3.46E-04	4.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.19053	6.33E-05	1.2E-05	3.46E-04	4.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.18517	6.33E-05	1.2E-05	3.46E-04	4.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.19695	6.33E-05	1.2E-05	3.46E-04	4.32E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.19458	6.33E-05	1.2E-05	3.46E-04	4.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.19189	6.33E-05	1.2E-05	3.46E-04	4.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.1889	6.33E-05	1.2E-05	3.46E-04	4.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.18559	6.33E-05	1.2E-05	3.46E-04	4.07E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.182	6.33E-05	1.2E-05	3.46E-04	3.99E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.17812	6.33E-05	1.1E-05	3.46E-04	3.90E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	6.33E-05	0.0E+00	3.46E-04	0.00E+00	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	2.78472	6.33E-05	1.8E-04	1.05E-03	1.84E-07	2	1.57E-01	5.79E-08	1.0E+06	5.8E-02
2	2.8255	6.33E-05	1.8E-04	1.05E-03	1.87E-07	2	1.57E-01	5.88E-08	1.0E+06	5.9E-02
3	2.83012	6.33E-05	1.8E-04	1.05E-03	1.87E-07	2	1.57E-01	5.89E-08	1.0E+06	5.9E-02
4	2.83985	6.33E-05	1.8E-04	1.05E-03	1.88E-07	2	1.57E-01	5.91E-08	1.0E+06	5.9E-02
5	2.84304	6.33E-05	1.8E-04	1.05E-03	1.88E-07	2	1.57E-01	5.91E-08	1.0E+06	5.9E-02
6	2.87648	6.33E-05	1.8E-04	1.05E-03	1.90E-07	2	1.57E-01	5.98E-08	1.0E+06	6.0E-02
7	2.91815	6.33E-05	1.8E-04	1.05E-03	1.93E-07	2	1.57E-01	6.07E-08	1.0E+06	6.1E-02
8	2.95293	6.33E-05	1.9E-04	1.05E-03	1.95E-07	2	1.57E-01	6.14E-08	1.0E+06	6.1E-02
9	2.99211	6.33E-05	1.9E-04	1.05E-03	1.98E-07	2	1.57E-01	6.22E-08	1.0E+06	6.2E-02
10	3.02874	6.33E-05	1.9E-04	1.05E-03	2.00E-07	2	1.57E-01	6.30E-08	1.0E+06	6.3E-02
11	3.0561	6.33E-05	1.9E-04	1.05E-03	2.02E-07	2	1.57E-01	6.36E-08	1.0E+06	6.4E-02
12	3.07126	6.33E-05	1.9E-04	1.05E-03	2.03E-07	2	1.57E-01	6.39E-08	1.0E+06	6.4E-02
13	3.09072	6.33E-05	2.0E-04	1.05E-03	2.05E-07	2	1.57E-01	6.43E-08	1.0E+06	6.4E-02
14	3.08774	6.33E-05	2.0E-04	1.05E-03	2.04E-07	2	1.57E-01	6.42E-08	1.0E+06	6.4E-02
15	3.07303	6.33E-05	1.9E-04	1.05E-03	2.03E-07	2	1.57E-01	6.39E-08	1.0E+06	6.4E-02
16	3.02427	6.33E-05	1.9E-04	1.05E-03	2.00E-07	2	1.57E-01	6.29E-08	1.0E+06	6.3E-02
17	2.96783	6.33E-05	1.9E-04	1.05E-03	1.96E-07	2	1.57E-01	6.17E-08	1.0E+06	6.2E-02
18	2.87885	6.33E-05	1.8E-04	1.05E-03	1.90E-07	2	1.57E-01	5.99E-08	1.0E+06	6.0E-02
19	2.78116	6.33E-05	1.8E-04	1.05E-03	1.84E-07	2	1.57E-01	5.78E-08	1.0E+06	5.8E-02
20	2.67448	6.33E-05	1.7E-04	1.05E-03	1.77E-07	2	1.57E-01	5.56E-08	1.0E+06	5.6E-02
21	2.5624	6.33E-05	1.6E-04	1.05E-03	1.70E-07	2	1.57E-01	5.33E-08	1.0E+06	5.3E-02
22	2.46074	6.33E-05	1.6E-04	1.05E-03	1.63E-07	2	1.57E-01	5.12E-08	1.0E+06	5.1E-02
23	2.37214	6.33E-05	1.5E-04	1.05E-03	1.57E-07	2	1.57E-01	4.93E-08	1.0E+06	4.9E-02
24	2.30388	6.33E-05	1.5E-04	1.05E-03	1.52E-07	2	1.57E-01	4.79E-08	1.0E+06	4.8E-02
25	2.26404	6.33E-05	1.4E-04	1.05E-03	1.50E-07	2	1.57E-01	4.71E-08	1.0E+06	4.7E-02
26	2.26101	6.33E-05	1.4E-04	1.05E-03	1.50E-07	2	1.57E-01	4.70E-08	1.0E+06	4.7E-02
27	2.30907	6.33E-05	1.5E-04	1.05E-03	1.53E-07	2	1.57E-01	4.80E-08	1.0E+06	4.8E-02
28	2.42853	6.33E-05	1.5E-04	1.05E-03	1.61E-07	2	1.57E-01	5.05E-08	1.0E+06	5.1E-02
29	2.66523	6.33E-05	1.7E-04	1.05E-03	1.76E-07	2	1.57E-01	5.54E-08	1.0E+06	5.5E-02
30	3.11771	6.33E-05	2.0E-04	1.05E-03	2.06E-07	2	1.57E-01	6.48E-08	1.0E+06	6.5E-02
31	4.07838	6.33E-05	2.6E-04	1.05E-03	2.70E-07	2	1.57E-01	8.48E-08	1.0E+06	8.5E-02

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	6.89023	6.33E-05	4.4E-04	1.05E-03	4.56E-07	2	1.57E-01	1.43E-07	1.0E+06	1.4E-01
55	3.15817	6.33E-05	2.0E-04	1.05E-03	2.09E-07	2	1.57E-01	6.57E-08	1.0E+06	6.6E-02
56	2.99452	6.33E-05	1.9E-04	1.05E-03	1.98E-07	2	1.57E-01	6.23E-08	1.0E+06	6.2E-02
57	2.87899	6.33E-05	1.8E-04	1.05E-03	1.90E-07	2	1.57E-01	5.99E-08	1.0E+06	6.0E-02
58	2.80693	6.33E-05	1.8E-04	1.05E-03	1.86E-07	2	1.57E-01	5.84E-08	1.0E+06	5.8E-02
59	2.79306	6.33E-05	1.8E-04	1.05E-03	1.85E-07	2	1.57E-01	5.81E-08	1.0E+06	5.8E-02
60	2.8625	6.33E-05	1.8E-04	1.05E-03	1.89E-07	2	1.57E-01	5.95E-08	1.0E+06	6.0E-02
61	3.06634	6.33E-05	1.9E-04	1.05E-03	2.03E-07	2	1.57E-01	6.38E-08	1.0E+06	6.4E-02
62	3.48347	6.33E-05	2.2E-04	1.05E-03	2.30E-07	2	1.57E-01	7.24E-08	1.0E+06	7.2E-02
63	4.34036	6.33E-05	2.7E-04	1.05E-03	2.87E-07	2	1.57E-01	9.03E-08	1.0E+06	9.0E-02
64	6.32474	6.33E-05	4.0E-04	1.05E-03	4.18E-07	2	1.57E-01	1.32E-07	1.0E+06	1.3E-01
65	10.58539	6.33E-05	6.7E-04	1.05E-03	7.00E-07	2	1.57E-01	2.20E-07	1.0E+06	2.2E-01
66	12.88427	6.33E-05	8.2E-04	1.05E-03	8.53E-07	2	1.57E-01	2.68E-07	1.0E+06	2.7E-01
67	11.63611	6.33E-05	7.4E-04	1.05E-03	7.70E-07	2	1.57E-01	2.42E-07	1.0E+06	2.4E-01
68	11.65623	6.33E-05	7.4E-04	1.05E-03	7.71E-07	2	1.57E-01	2.42E-07	1.0E+06	2.4E-01
69	10.36065	6.33E-05	6.6E-04	1.05E-03	6.86E-07	2	1.57E-01	2.15E-07	1.0E+06	2.2E-01
70	8.40013	6.33E-05	5.3E-04	1.05E-03	5.56E-07	2	1.57E-01	1.75E-07	1.0E+06	1.7E-01
71	8.06122	6.33E-05	5.1E-04	1.05E-03	5.33E-07	2	1.57E-01	1.68E-07	1.0E+06	1.7E-01
72	8.18189	6.33E-05	5.2E-04	1.05E-03	5.41E-07	2	1.57E-01	1.70E-07	1.0E+06	1.7E-01
73	8.16688	6.33E-05	5.2E-04	1.05E-03	5.40E-07	2	1.57E-01	1.70E-07	1.0E+06	1.7E-01
74	8.21402	6.33E-05	5.2E-04	1.05E-03	5.44E-07	2	1.57E-01	1.71E-07	1.0E+06	1.7E-01
75	8.28958	6.33E-05	5.2E-04	1.05E-03	5.49E-07	2	1.57E-01	1.72E-07	1.0E+06	1.7E-01
76	8.41119	6.33E-05	5.3E-04	1.05E-03	5.57E-07	2	1.57E-01	1.75E-07	1.0E+06	1.7E-01
77	8.5605	6.33E-05	5.4E-04	1.05E-03	5.66E-07	2	1.57E-01	1.78E-07	1.0E+06	1.8E-01
78	8.77192	6.33E-05	5.6E-04	1.05E-03	5.80E-07	2	1.57E-01	1.82E-07	1.0E+06	1.8E-01
79	7.41944	6.33E-05	4.7E-04	1.05E-03	4.91E-07	2	1.57E-01	1.54E-07	1.0E+06	1.5E-01
80	6.77678	6.33E-05	4.3E-04	1.05E-03	4.48E-07	2	1.57E-01	1.41E-07	1.0E+06	1.4E-01
81	6.0192	6.33E-05	3.8E-04	1.05E-03	3.98E-07	2	1.57E-01	1.25E-07	1.0E+06	1.3E-01
82	5.34341	6.33E-05	3.4E-04	1.05E-03	3.54E-07	2	1.57E-01	1.11E-07	1.0E+06	1.1E-01
83	4.85701	6.33E-05	3.1E-04	1.05E-03	3.21E-07	2	1.57E-01	1.01E-07	1.0E+06	1.0E-01
84	4.41811	6.33E-05	2.8E-04	1.05E-03	2.92E-07	2	1.57E-01	9.19E-08	1.0E+06	9.2E-02

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	4.07706	6.33E-05	2.6E-04	1.05E-03	2.70E-07	2	1.57E-01	8.48E-08	1.0E+06	8.5E-02
86	3.82948	6.33E-05	2.4E-04	1.05E-03	2.53E-07	2	1.57E-01	7.96E-08	1.0E+06	8.0E-02
87	3.67734	6.33E-05	2.3E-04	1.05E-03	2.43E-07	2	1.57E-01	7.65E-08	1.0E+06	7.6E-02
88	3.64505	6.33E-05	2.3E-04	1.05E-03	2.41E-07	2	1.57E-01	7.58E-08	1.0E+06	7.6E-02
89	3.75593	6.33E-05	2.4E-04	1.05E-03	2.49E-07	2	1.57E-01	7.81E-08	1.0E+06	7.8E-02
90	4.11497	6.33E-05	2.6E-04	1.05E-03	2.72E-07	2	1.57E-01	8.56E-08	1.0E+06	8.6E-02
91	5.01013	6.33E-05	3.2E-04	1.05E-03	3.32E-07	2	1.57E-01	1.04E-07	1.0E+06	1.0E-01
92	7.14861	6.33E-05	4.5E-04	1.05E-03	4.73E-07	2	1.57E-01	1.49E-07	1.0E+06	1.5E-01
93	8.50875	6.33E-05	5.4E-04	1.05E-03	5.63E-07	2	1.57E-01	1.77E-07	1.0E+06	1.8E-01
96	5.65214	6.33E-05	3.6E-04	1.05E-03	3.74E-07	2	1.57E-01	1.18E-07	1.0E+06	1.2E-01
97	5.31018	6.33E-05	3.4E-04	1.05E-03	3.51E-07	2	1.57E-01	1.10E-07	1.0E+06	1.1E-01
98	5.29013	6.33E-05	3.3E-04	1.05E-03	3.50E-07	2	1.57E-01	1.10E-07	1.0E+06	1.1E-01
99	5.49899	6.33E-05	3.5E-04	1.05E-03	3.64E-07	2	1.57E-01	1.14E-07	1.0E+06	1.1E-01
100	6.30837	6.33E-05	4.0E-04	1.05E-03	4.17E-07	2	1.57E-01	1.31E-07	1.0E+06	1.3E-01
101	8.81101	6.33E-05	5.6E-04	1.05E-03	5.83E-07	2	1.57E-01	1.83E-07	1.0E+06	1.8E-01
102	9.56952	6.33E-05	6.1E-04	1.05E-03	6.33E-07	2	1.57E-01	1.99E-07	1.0E+06	2.0E-01
106	3.75863	6.33E-05	2.4E-04	1.05E-03	2.49E-07	2	1.57E-01	7.82E-08	1.0E+06	7.8E-02
107	4.77482	6.33E-05	3.0E-04	1.05E-03	3.16E-07	2	1.57E-01	9.93E-08	1.0E+06	9.9E-02
108	5.23064	6.33E-05	3.3E-04	1.05E-03	3.46E-07	2	1.57E-01	1.09E-07	1.0E+06	1.1E-01
109	5.80019	6.33E-05	3.7E-04	1.05E-03	3.84E-07	2	1.57E-01	1.21E-07	1.0E+06	1.2E-01
110	6.44402	6.33E-05	4.1E-04	1.05E-03	4.26E-07	2	1.57E-01	1.34E-07	1.0E+06	1.3E-01
111	6.4599	6.33E-05	4.1E-04	1.05E-03	4.27E-07	2	1.57E-01	1.34E-07	1.0E+06	1.3E-01
112	6.36792	6.33E-05	4.0E-04	1.05E-03	4.21E-07	2	1.57E-01	1.32E-07	1.0E+06	1.3E-01
113	6.15246	6.33E-05	3.9E-04	1.05E-03	4.07E-07	2	1.57E-01	1.28E-07	1.0E+06	1.3E-01
114	6.03093	6.33E-05	3.8E-04	1.05E-03	3.99E-07	2	1.57E-01	1.25E-07	1.0E+06	1.3E-01
115	5.88804	6.33E-05	3.7E-04	1.05E-03	3.90E-07	2	1.57E-01	1.22E-07	1.0E+06	1.2E-01
116	5.74354	6.33E-05	3.6E-04	1.05E-03	3.80E-07	2	1.57E-01	1.19E-07	1.0E+06	1.2E-01
117	5.71958	6.33E-05	3.6E-04	1.05E-03	3.78E-07	2	1.57E-01	1.19E-07	1.0E+06	1.2E-01
118	5.75311	6.33E-05	3.6E-04	1.05E-03	3.81E-07	2	1.57E-01	1.20E-07	1.0E+06	1.2E-01
124	2.30412	6.33E-05	1.5E-04	1.05E-03	1.52E-07	2	1.57E-01	4.79E-08	1.0E+06	4.8E-02
125	2.84028	6.33E-05	1.8E-04	1.05E-03	1.88E-07	2	1.57E-01	5.91E-08	1.0E+06	5.9E-02

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	3.17198	6.33E-05	2.0E-04	1.05E-03	2.10E-07	2	1.57E-01	6.60E-08	1.0E+06	6.6E-02
127	3.44784	6.33E-05	2.2E-04	1.05E-03	2.28E-07	2	1.57E-01	7.17E-08	1.0E+06	7.2E-02
128	3.68993	6.33E-05	2.3E-04	1.05E-03	2.44E-07	2	1.57E-01	7.67E-08	1.0E+06	7.7E-02
129	3.75466	6.33E-05	2.4E-04	1.05E-03	2.48E-07	2	1.57E-01	7.81E-08	1.0E+06	7.8E-02
130	3.78019	6.33E-05	2.4E-04	1.05E-03	2.50E-07	2	1.57E-01	7.86E-08	1.0E+06	7.9E-02
131	3.75682	6.33E-05	2.4E-04	1.05E-03	2.49E-07	2	1.57E-01	7.81E-08	1.0E+06	7.8E-02
132	3.74202	6.33E-05	2.4E-04	1.05E-03	2.48E-07	2	1.57E-01	7.78E-08	1.0E+06	7.8E-02
133	3.6968	6.33E-05	2.3E-04	1.05E-03	2.45E-07	2	1.57E-01	7.69E-08	1.0E+06	7.7E-02
134	3.69938	6.33E-05	2.3E-04	1.05E-03	2.45E-07	2	1.57E-01	7.69E-08	1.0E+06	7.7E-02
135	3.6795	6.33E-05	2.3E-04	1.05E-03	2.43E-07	2	1.57E-01	7.65E-08	1.0E+06	7.7E-02
136	3.68606	6.33E-05	2.3E-04	1.05E-03	2.44E-07	2	1.57E-01	7.67E-08	1.0E+06	7.7E-02
137	3.70087	6.33E-05	2.3E-04	1.05E-03	2.45E-07	2	1.57E-01	7.70E-08	1.0E+06	7.7E-02
138	3.78452	6.33E-05	2.4E-04	1.05E-03	2.50E-07	2	1.57E-01	7.87E-08	1.0E+06	7.9E-02
141	1.6544	6.33E-05	1.0E-04	1.05E-03	1.09E-07	2	1.57E-01	3.44E-08	1.0E+06	3.4E-02
142	1.97556	6.33E-05	1.3E-04	1.05E-03	1.31E-07	2	1.57E-01	4.11E-08	1.0E+06	4.1E-02
143	2.21325	6.33E-05	1.4E-04	1.05E-03	1.46E-07	2	1.57E-01	4.60E-08	1.0E+06	4.6E-02
144	2.39385	6.33E-05	1.5E-04	1.05E-03	1.58E-07	2	1.57E-01	4.98E-08	1.0E+06	5.0E-02
145	2.53218	6.33E-05	1.6E-04	1.05E-03	1.68E-07	2	1.57E-01	5.27E-08	1.0E+06	5.3E-02
146	2.60023	6.33E-05	1.6E-04	1.05E-03	1.72E-07	2	1.57E-01	5.41E-08	1.0E+06	5.4E-02
147	2.64494	6.33E-05	1.7E-04	1.05E-03	1.75E-07	2	1.57E-01	5.50E-08	1.0E+06	5.5E-02
148	2.65778	6.33E-05	1.7E-04	1.05E-03	1.76E-07	2	1.57E-01	5.53E-08	1.0E+06	5.5E-02
149	2.66678	6.33E-05	1.7E-04	1.05E-03	1.76E-07	2	1.57E-01	5.55E-08	1.0E+06	5.5E-02
150	2.66714	6.33E-05	1.7E-04	1.05E-03	1.76E-07	2	1.57E-01	5.55E-08	1.0E+06	5.5E-02
151	2.67347	6.33E-05	1.7E-04	1.05E-03	1.77E-07	2	1.57E-01	5.56E-08	1.0E+06	5.6E-02
152	2.68355	6.33E-05	1.7E-04	1.05E-03	1.78E-07	2	1.57E-01	5.58E-08	1.0E+06	5.6E-02
153	2.70224	6.33E-05	1.7E-04	1.05E-03	1.79E-07	2	1.57E-01	5.62E-08	1.0E+06	5.6E-02
154	2.71283	6.33E-05	1.7E-04	1.05E-03	1.80E-07	2	1.57E-01	5.64E-08	1.0E+06	5.6E-02
155	2.7513	6.33E-05	1.7E-04	1.05E-03	1.82E-07	2	1.57E-01	5.72E-08	1.0E+06	5.7E-02
164	2.12371	6.33E-05	1.3E-04	1.05E-03	1.41E-07	2	1.57E-01	4.42E-08	1.0E+06	4.4E-02
165	2.14903	6.33E-05	1.4E-04	1.05E-03	1.42E-07	2	1.57E-01	4.47E-08	1.0E+06	4.5E-02
166	2.20433	6.33E-05	1.4E-04	1.05E-03	1.46E-07	2	1.57E-01	4.58E-08	1.0E+06	4.6E-02

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	1.72973	6.33E-05	1.1E-04	1.05E-03	1.14E-07	2	1.57E-01	3.60E-08	1.0E+06	3.6E-02
179	1.75238	6.33E-05	1.1E-04	1.05E-03	1.16E-07	2	1.57E-01	3.64E-08	1.0E+06	3.6E-02
180	1.79013	6.33E-05	1.1E-04	1.05E-03	1.18E-07	2	1.57E-01	3.72E-08	1.0E+06	3.7E-02
192	1.45092	6.33E-05	9.2E-05	1.05E-03	9.60E-08	2	1.57E-01	3.02E-08	1.0E+06	3.0E-02
193	1.47232	6.33E-05	9.3E-05	1.05E-03	9.74E-08	2	1.57E-01	3.06E-08	1.0E+06	3.1E-02
194	1.49734	6.33E-05	9.5E-05	1.05E-03	9.91E-08	2	1.57E-01	3.11E-08	1.0E+06	3.1E-02
207	1.24076	6.33E-05	7.9E-05	1.05E-03	8.21E-08	2	1.57E-01	2.58E-08	1.0E+06	2.6E-02
208	1.25851	6.33E-05	8.0E-05	1.05E-03	8.33E-08	2	1.57E-01	2.62E-08	1.0E+06	2.6E-02
209	1.27928	6.33E-05	8.1E-05	1.05E-03	8.46E-08	2	1.57E-01	2.66E-08	1.0E+06	2.7E-02
223	1.07802	6.33E-05	6.8E-05	1.05E-03	7.13E-08	2	1.57E-01	2.24E-08	1.0E+06	2.2E-02
224	1.09263	6.33E-05	6.9E-05	1.05E-03	7.23E-08	2	1.57E-01	2.27E-08	1.0E+06	2.3E-02
225	1.10749	6.33E-05	7.0E-05	1.05E-03	7.33E-08	2	1.57E-01	2.30E-08	1.0E+06	2.3E-02
239	0.949	6.33E-05	6.0E-05	1.05E-03	6.28E-08	2	1.57E-01	1.97E-08	1.0E+06	2.0E-02
240	0.9611	6.33E-05	6.1E-05	1.05E-03	6.36E-08	2	1.57E-01	2.00E-08	1.0E+06	2.0E-02
241	0.9739	6.33E-05	6.2E-05	1.05E-03	6.44E-08	2	1.57E-01	2.03E-08	1.0E+06	2.0E-02
255	0.84342	6.33E-05	5.3E-05	1.05E-03	5.58E-08	2	1.57E-01	1.75E-08	1.0E+06	1.8E-02
256	0.85369	6.33E-05	5.4E-05	1.05E-03	5.65E-08	2	1.57E-01	1.78E-08	1.0E+06	1.8E-02
272	0.75525	6.33E-05	4.8E-05	1.05E-03	5.00E-08	2	1.57E-01	1.57E-08	1.0E+06	1.6E-02
273	0.76459	6.33E-05	4.8E-05	1.05E-03	5.06E-08	2	1.57E-01	1.59E-08	1.0E+06	1.6E-02
289	0.68147	6.33E-05	4.3E-05	1.05E-03	4.51E-08	2	1.57E-01	1.42E-08	1.0E+06	1.4E-02
290	0.68945	6.33E-05	4.4E-05	1.05E-03	4.56E-08	2	1.57E-01	1.43E-08	1.0E+06	1.4E-02
306	0.6184	6.33E-05	3.9E-05	1.05E-03	4.09E-08	2	1.57E-01	1.29E-08	1.0E+06	1.3E-02
307	0.6254	6.33E-05	4.0E-05	1.05E-03	4.14E-08	2	1.57E-01	1.30E-08	1.0E+06	1.3E-02
323	0.56407	6.33E-05	3.6E-05	1.05E-03	3.73E-08	2	1.57E-01	1.17E-08	1.0E+06	1.2E-02
324	0.57025	6.33E-05	3.6E-05	1.05E-03	3.77E-08	2	1.57E-01	1.19E-08	1.0E+06	1.2E-02
342	0.51694	6.33E-05	3.3E-05	1.05E-03	3.42E-08	2	1.57E-01	1.08E-08	1.0E+06	1.1E-02
343	0.52244	6.33E-05	3.3E-05	1.05E-03	3.46E-08	2	1.57E-01	1.09E-08	1.0E+06	1.1E-02
344	0.52711	6.33E-05	3.3E-05	1.05E-03	3.49E-08	2	1.57E-01	1.10E-08	1.0E+06	1.1E-02
356	0.47567	6.33E-05	3.0E-05	1.05E-03	3.15E-08	2	1.57E-01	9.89E-09	1.0E+06	9.9E-03
357	0.4805	6.33E-05	3.0E-05	1.05E-03	3.18E-08	2	1.57E-01	9.99E-09	1.0E+06	1.0E-02
358	0.48476	6.33E-05	3.1E-05	1.05E-03	3.21E-08	2	1.57E-01	1.01E-08	1.0E+06	1.0E-02

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.4394	6.33E-05	2.8E-05	1.05E-03	2.91E-08	2	1.57E-01	9.14E-09	1.0E+06	9.1E-03
371	0.44374	6.33E-05	2.8E-05	1.05E-03	2.94E-08	2	1.57E-01	9.23E-09	1.0E+06	9.2E-03
372	0.44754	6.33E-05	2.8E-05	1.05E-03	2.96E-08	2	1.57E-01	9.31E-09	1.0E+06	9.3E-03
383	0.4073	6.33E-05	2.6E-05	1.05E-03	2.70E-08	2	1.57E-01	8.47E-09	1.0E+06	8.5E-03
384	0.41125	6.33E-05	2.6E-05	1.05E-03	2.72E-08	2	1.57E-01	8.55E-09	1.0E+06	8.6E-03
385	0.41465	6.33E-05	2.6E-05	1.05E-03	2.74E-08	2	1.57E-01	8.62E-09	1.0E+06	8.6E-03
396	0.37876	6.33E-05	2.4E-05	1.05E-03	2.51E-08	2	1.57E-01	7.88E-09	1.0E+06	7.9E-03
397	0.38238	6.33E-05	2.4E-05	1.05E-03	2.53E-08	2	1.57E-01	7.95E-09	1.0E+06	8.0E-03
398	0.38545	6.33E-05	2.4E-05	1.05E-03	2.55E-08	2	1.57E-01	8.02E-09	1.0E+06	8.0E-03
399	0.38803	6.33E-05	2.5E-05	1.05E-03	2.57E-08	2	1.57E-01	8.07E-09	1.0E+06	8.1E-03
411	0.35326	6.33E-05	2.2E-05	1.05E-03	2.34E-08	2	1.57E-01	7.35E-09	1.0E+06	7.3E-03
412	0.35657	6.33E-05	2.3E-05	1.05E-03	2.36E-08	2	1.57E-01	7.42E-09	1.0E+06	7.4E-03
413	0.35945	6.33E-05	2.3E-05	1.05E-03	2.38E-08	2	1.57E-01	7.47E-09	1.0E+06	7.5E-03
414	0.36171	6.33E-05	2.3E-05	1.05E-03	2.39E-08	2	1.57E-01	7.52E-09	1.0E+06	7.5E-03
426	0.33039	6.33E-05	2.1E-05	1.05E-03	2.19E-08	2	1.57E-01	6.87E-09	1.0E+06	6.9E-03
427	0.33347	6.33E-05	2.1E-05	1.05E-03	2.21E-08	2	1.57E-01	6.93E-09	1.0E+06	6.9E-03
428	0.33601	6.33E-05	2.1E-05	1.05E-03	2.22E-08	2	1.57E-01	6.99E-09	1.0E+06	7.0E-03
429	0.33812	6.33E-05	2.1E-05	1.05E-03	2.24E-08	2	1.57E-01	7.03E-09	1.0E+06	7.0E-03
439	0.30978	6.33E-05	2.0E-05	1.05E-03	2.05E-08	2	1.57E-01	6.44E-09	1.0E+06	6.4E-03
440	0.31264	6.33E-05	2.0E-05	1.05E-03	2.07E-08	2	1.57E-01	6.50E-09	1.0E+06	6.5E-03
441	0.31501	6.33E-05	2.0E-05	1.05E-03	2.08E-08	2	1.57E-01	6.55E-09	1.0E+06	6.6E-03
442	0.31693	6.33E-05	2.0E-05	1.05E-03	2.10E-08	2	1.57E-01	6.59E-09	1.0E+06	6.6E-03
443	0.31841	6.33E-05	2.0E-05	1.05E-03	2.11E-08	2	1.57E-01	6.62E-09	1.0E+06	6.6E-03
454	0.29115	6.33E-05	1.8E-05	1.05E-03	1.93E-08	2	1.57E-01	6.05E-09	1.0E+06	6.1E-03
455	0.29381	6.33E-05	1.9E-05	1.05E-03	1.94E-08	2	1.57E-01	6.11E-09	1.0E+06	6.1E-03
456	0.29602	6.33E-05	1.9E-05	1.05E-03	1.96E-08	2	1.57E-01	6.16E-09	1.0E+06	6.2E-03
457	0.29779	6.33E-05	1.9E-05	1.05E-03	1.97E-08	2	1.57E-01	6.19E-09	1.0E+06	6.2E-03
458	0.29912	6.33E-05	1.9E-05	1.05E-03	1.98E-08	2	1.57E-01	6.22E-09	1.0E+06	6.2E-03
469	0.27423	6.33E-05	1.7E-05	1.05E-03	1.81E-08	2	1.57E-01	5.70E-09	1.0E+06	5.7E-03
470	0.2767	6.33E-05	1.8E-05	1.05E-03	1.83E-08	2	1.57E-01	5.75E-09	1.0E+06	5.8E-03
471	0.27876	6.33E-05	1.8E-05	1.05E-03	1.84E-08	2	1.57E-01	5.80E-09	1.0E+06	5.8E-03

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.28039	6.33E-05	1.8E-05	1.05E-03	1.86E-08	2	1.57E-01	5.83E-09	1.0E+06	5.8E-03
473	0.2816	6.33E-05	1.8E-05	1.05E-03	1.86E-08	2	1.57E-01	5.86E-09	1.0E+06	5.9E-03
489	0.25886	6.33E-05	1.6E-05	1.05E-03	1.71E-08	2	1.57E-01	5.38E-09	1.0E+06	5.4E-03
490	0.26118	6.33E-05	1.7E-05	1.05E-03	1.73E-08	2	1.57E-01	5.43E-09	1.0E+06	5.4E-03
491	0.26309	6.33E-05	1.7E-05	1.05E-03	1.74E-08	2	1.57E-01	5.47E-09	1.0E+06	5.5E-03
492	0.2646	6.33E-05	1.7E-05	1.05E-03	1.75E-08	2	1.57E-01	5.50E-09	1.0E+06	5.5E-03
493	0.26572	6.33E-05	1.7E-05	1.05E-03	1.76E-08	2	1.57E-01	5.53E-09	1.0E+06	5.5E-03
494	0.26643	6.33E-05	1.7E-05	1.05E-03	1.76E-08	2	1.57E-01	5.54E-09	1.0E+06	5.5E-03
509	0.24479	6.33E-05	1.5E-05	1.05E-03	1.62E-08	2	1.57E-01	5.09E-09	1.0E+06	5.1E-03
510	0.24697	6.33E-05	1.6E-05	1.05E-03	1.63E-08	2	1.57E-01	5.14E-09	1.0E+06	5.1E-03
511	0.24874	6.33E-05	1.6E-05	1.05E-03	1.65E-08	2	1.57E-01	5.17E-09	1.0E+06	5.2E-03
512	0.25015	6.33E-05	1.6E-05	1.05E-03	1.66E-08	2	1.57E-01	5.20E-09	1.0E+06	5.2E-03
513	0.2512	6.33E-05	1.6E-05	1.05E-03	1.66E-08	2	1.57E-01	5.22E-09	1.0E+06	5.2E-03
514	0.25184	6.33E-05	1.6E-05	1.05E-03	1.67E-08	2	1.57E-01	5.24E-09	1.0E+06	5.2E-03
515	0.25197	6.33E-05	1.6E-05	1.05E-03	1.67E-08	2	1.57E-01	5.24E-09	1.0E+06	5.2E-03
516	0.25146	6.33E-05	1.6E-05	1.05E-03	1.66E-08	2	1.57E-01	5.23E-09	1.0E+06	5.2E-03
517	0.25049	6.33E-05	1.6E-05	1.05E-03	1.66E-08	2	1.57E-01	5.21E-09	1.0E+06	5.2E-03
518	0.24908	6.33E-05	1.6E-05	1.05E-03	1.65E-08	2	1.57E-01	5.18E-09	1.0E+06	5.2E-03
519	0.2472	6.33E-05	1.6E-05	1.05E-03	1.64E-08	2	1.57E-01	5.14E-09	1.0E+06	5.1E-03
528	0.2319	6.33E-05	1.5E-05	1.05E-03	1.53E-08	2	1.57E-01	4.82E-09	1.0E+06	4.8E-03
529	0.23395	6.33E-05	1.5E-05	1.05E-03	1.55E-08	2	1.57E-01	4.87E-09	1.0E+06	4.9E-03
530	0.23563	6.33E-05	1.5E-05	1.05E-03	1.56E-08	2	1.57E-01	4.90E-09	1.0E+06	4.9E-03
531	0.23693	6.33E-05	1.5E-05	1.05E-03	1.57E-08	2	1.57E-01	4.93E-09	1.0E+06	4.9E-03
532	0.23789	6.33E-05	1.5E-05	1.05E-03	1.57E-08	2	1.57E-01	4.95E-09	1.0E+06	4.9E-03
533	0.23848	6.33E-05	1.5E-05	1.05E-03	1.58E-08	2	1.57E-01	4.96E-09	1.0E+06	5.0E-03
534	0.23858	6.33E-05	1.5E-05	1.05E-03	1.58E-08	2	1.57E-01	4.96E-09	1.0E+06	5.0E-03
535	0.23806	6.33E-05	1.5E-05	1.05E-03	1.58E-08	2	1.57E-01	4.95E-09	1.0E+06	5.0E-03
536	0.23712	6.33E-05	1.5E-05	1.05E-03	1.57E-08	2	1.57E-01	4.93E-09	1.0E+06	4.9E-03
537	0.23579	6.33E-05	1.5E-05	1.05E-03	1.56E-08	2	1.57E-01	4.90E-09	1.0E+06	4.9E-03
538	0.23404	6.33E-05	1.5E-05	1.05E-03	1.55E-08	2	1.57E-01	4.87E-09	1.0E+06	4.9E-03
547	0.22007	6.33E-05	1.4E-05	1.05E-03	1.46E-08	2	1.57E-01	4.58E-09	1.0E+06	4.6E-03

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.22201	6.33E-05	1.4E-05	1.05E-03	1.47E-08	2	1.57E-01	4.62E-09	1.0E+06	4.6E-03
549	0.22356	6.33E-05	1.4E-05	1.05E-03	1.48E-08	2	1.57E-01	4.65E-09	1.0E+06	4.6E-03
550	0.22481	6.33E-05	1.4E-05	1.05E-03	1.49E-08	2	1.57E-01	4.68E-09	1.0E+06	4.7E-03
551	0.22569	6.33E-05	1.4E-05	1.05E-03	1.49E-08	2	1.57E-01	4.69E-09	1.0E+06	4.7E-03
552	0.22623	6.33E-05	1.4E-05	1.05E-03	1.50E-08	2	1.57E-01	4.70E-09	1.0E+06	4.7E-03
553	0.22642	6.33E-05	1.4E-05	1.05E-03	1.50E-08	2	1.57E-01	4.71E-09	1.0E+06	4.7E-03
554	0.22628	6.33E-05	1.4E-05	1.05E-03	1.50E-08	2	1.57E-01	4.71E-09	1.0E+06	4.7E-03
555	0.22577	6.33E-05	1.4E-05	1.05E-03	1.49E-08	2	1.57E-01	4.70E-09	1.0E+06	4.7E-03
556	0.22486	6.33E-05	1.4E-05	1.05E-03	1.49E-08	2	1.57E-01	4.68E-09	1.0E+06	4.7E-03
557	0.22363	6.33E-05	1.4E-05	1.05E-03	1.48E-08	2	1.57E-01	4.65E-09	1.0E+06	4.7E-03
558	0.22199	6.33E-05	1.4E-05	1.05E-03	1.47E-08	2	1.57E-01	4.62E-09	1.0E+06	4.6E-03
559	0.21997	6.33E-05	1.4E-05	1.05E-03	1.46E-08	2	1.57E-01	4.57E-09	1.0E+06	4.6E-03
567	0.20918	6.33E-05	1.3E-05	1.05E-03	1.38E-08	2	1.57E-01	4.35E-09	1.0E+06	4.4E-03
568	0.21099	6.33E-05	1.3E-05	1.05E-03	1.40E-08	2	1.57E-01	4.39E-09	1.0E+06	4.4E-03
569	0.21247	6.33E-05	1.3E-05	1.05E-03	1.41E-08	2	1.57E-01	4.42E-09	1.0E+06	4.4E-03
570	0.21362	6.33E-05	1.4E-05	1.05E-03	1.41E-08	2	1.57E-01	4.44E-09	1.0E+06	4.4E-03
571	0.21445	6.33E-05	1.4E-05	1.05E-03	1.42E-08	2	1.57E-01	4.46E-09	1.0E+06	4.5E-03
572	0.21494	6.33E-05	1.4E-05	1.05E-03	1.42E-08	2	1.57E-01	4.47E-09	1.0E+06	4.5E-03
573	0.21512	6.33E-05	1.4E-05	1.05E-03	1.42E-08	2	1.57E-01	4.47E-09	1.0E+06	4.5E-03
574	0.21447	6.33E-05	1.4E-05	1.05E-03	1.42E-08	2	1.57E-01	4.46E-09	1.0E+06	4.5E-03
575	0.21362	6.33E-05	1.4E-05	1.05E-03	1.41E-08	2	1.57E-01	4.44E-09	1.0E+06	4.4E-03
576	0.21243	6.33E-05	1.3E-05	1.05E-03	1.41E-08	2	1.57E-01	4.42E-09	1.0E+06	4.4E-03
577	0.21091	6.33E-05	1.3E-05	1.05E-03	1.40E-08	2	1.57E-01	4.39E-09	1.0E+06	4.4E-03
578	0.20905	6.33E-05	1.3E-05	1.05E-03	1.38E-08	2	1.57E-01	4.35E-09	1.0E+06	4.3E-03
586	0.19914	6.33E-05	1.3E-05	1.05E-03	1.32E-08	2	1.57E-01	4.14E-09	1.0E+06	4.1E-03
587	0.20086	6.33E-05	1.3E-05	1.05E-03	1.33E-08	2	1.57E-01	4.18E-09	1.0E+06	4.2E-03
588	0.20225	6.33E-05	1.3E-05	1.05E-03	1.34E-08	2	1.57E-01	4.21E-09	1.0E+06	4.2E-03
589	0.20333	6.33E-05	1.3E-05	1.05E-03	1.35E-08	2	1.57E-01	4.23E-09	1.0E+06	4.2E-03
590	0.2041	6.33E-05	1.3E-05	1.05E-03	1.35E-08	2	1.57E-01	4.24E-09	1.0E+06	4.2E-03
591	0.20456	6.33E-05	1.3E-05	1.05E-03	1.35E-08	2	1.57E-01	4.25E-09	1.0E+06	4.3E-03
592	0.20471	6.33E-05	1.3E-05	1.05E-03	1.35E-08	2	1.57E-01	4.26E-09	1.0E+06	4.3E-03

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.20408	6.33E-05	1.3E-05	1.05E-03	1.35E-08	2	1.57E-01	4.24E-09	1.0E+06	4.2E-03
594	0.20327	6.33E-05	1.3E-05	1.05E-03	1.34E-08	2	1.57E-01	4.23E-09	1.0E+06	4.2E-03
595	0.20217	6.33E-05	1.3E-05	1.05E-03	1.34E-08	2	1.57E-01	4.20E-09	1.0E+06	4.2E-03
596	0.20075	6.33E-05	1.3E-05	1.05E-03	1.33E-08	2	1.57E-01	4.17E-09	1.0E+06	4.2E-03
597	0.19901	6.33E-05	1.3E-05	1.05E-03	1.32E-08	2	1.57E-01	4.14E-09	1.0E+06	4.1E-03
345	0.53146	6.33E-05	3.4E-05	1.05E-03	3.52E-08	2	1.57E-01	1.11E-08	1.0E+06	1.1E-02
346	0.53526	6.33E-05	3.4E-05	1.05E-03	3.54E-08	2	1.57E-01	1.11E-08	1.0E+06	1.1E-02
347	0.53868	6.33E-05	3.4E-05	1.05E-03	3.56E-08	2	1.57E-01	1.12E-08	1.0E+06	1.1E-02
348	0.54158	6.33E-05	3.4E-05	1.05E-03	3.58E-08	2	1.57E-01	1.13E-08	1.0E+06	1.1E-02
359	0.48856	6.33E-05	3.1E-05	1.05E-03	3.23E-08	2	1.57E-01	1.02E-08	1.0E+06	1.0E-02
360	0.49197	6.33E-05	3.1E-05	1.05E-03	3.26E-08	2	1.57E-01	1.02E-08	1.0E+06	1.0E-02
361	0.49465	6.33E-05	3.1E-05	1.05E-03	3.27E-08	2	1.57E-01	1.03E-08	1.0E+06	1.0E-02
362	0.49696	6.33E-05	3.1E-05	1.05E-03	3.29E-08	2	1.57E-01	1.03E-08	1.0E+06	1.0E-02
363	0.49838	6.33E-05	3.2E-05	1.05E-03	3.30E-08	2	1.57E-01	1.04E-08	1.0E+06	1.0E-02
373	0.45368	6.33E-05	2.9E-05	1.05E-03	3.00E-08	2	1.57E-01	9.43E-09	1.0E+06	9.4E-03
374	0.45604	6.33E-05	2.9E-05	1.05E-03	3.02E-08	2	1.57E-01	9.48E-09	1.0E+06	9.5E-03
375	0.45782	6.33E-05	2.9E-05	1.05E-03	3.03E-08	2	1.57E-01	9.52E-09	1.0E+06	9.5E-03
376	0.45887	6.33E-05	2.9E-05	1.05E-03	3.04E-08	2	1.57E-01	9.54E-09	1.0E+06	9.5E-03
386	0.42003	6.33E-05	2.7E-05	1.05E-03	2.78E-08	2	1.57E-01	8.73E-09	1.0E+06	8.7E-03
387	0.42199	6.33E-05	2.7E-05	1.05E-03	2.79E-08	2	1.57E-01	8.78E-09	1.0E+06	8.8E-03
388	0.42342	6.33E-05	2.7E-05	1.05E-03	2.80E-08	2	1.57E-01	8.81E-09	1.0E+06	8.8E-03
389	0.42414	6.33E-05	2.7E-05	1.05E-03	2.81E-08	2	1.57E-01	8.82E-09	1.0E+06	8.8E-03
390	0.42408	6.33E-05	2.7E-05	1.05E-03	2.81E-08	2	1.57E-01	8.82E-09	1.0E+06	8.8E-03
400	0.39016	6.33E-05	2.5E-05	1.05E-03	2.58E-08	2	1.57E-01	8.11E-09	1.0E+06	8.1E-03
401	0.39192	6.33E-05	2.5E-05	1.05E-03	2.59E-08	2	1.57E-01	8.15E-09	1.0E+06	8.2E-03
402	0.39298	6.33E-05	2.5E-05	1.05E-03	2.60E-08	2	1.57E-01	8.17E-09	1.0E+06	8.2E-03
403	0.3935	6.33E-05	2.5E-05	1.05E-03	2.60E-08	2	1.57E-01	8.18E-09	1.0E+06	8.2E-03
404	0.39332	6.33E-05	2.5E-05	1.05E-03	2.60E-08	2	1.57E-01	8.18E-09	1.0E+06	8.2E-03
415	0.36359	6.33E-05	2.3E-05	1.05E-03	2.41E-08	2	1.57E-01	7.56E-09	1.0E+06	7.6E-03
416	0.36502	6.33E-05	2.3E-05	1.05E-03	2.42E-08	2	1.57E-01	7.59E-09	1.0E+06	7.6E-03
417	0.36596	6.33E-05	2.3E-05	1.05E-03	2.42E-08	2	1.57E-01	7.61E-09	1.0E+06	7.6E-03

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.3662	6.33E-05	2.3E-05	1.05E-03	2.42E-08	2	1.57E-01	7.62E-09	1.0E+06	7.6E-03
419	0.36579	6.33E-05	2.3E-05	1.05E-03	2.42E-08	2	1.57E-01	7.61E-09	1.0E+06	7.6E-03
420	0.36494	6.33E-05	2.3E-05	1.05E-03	2.41E-08	2	1.57E-01	7.59E-09	1.0E+06	7.6E-03
430	0.34107	6.33E-05	2.2E-05	1.05E-03	2.26E-08	2	1.57E-01	7.09E-09	1.0E+06	7.1E-03
431	0.34172	6.33E-05	2.2E-05	1.05E-03	2.26E-08	2	1.57E-01	7.11E-09	1.0E+06	7.1E-03
432	0.34187	6.33E-05	2.2E-05	1.05E-03	2.26E-08	2	1.57E-01	7.11E-09	1.0E+06	7.1E-03
433	0.34144	6.33E-05	2.2E-05	1.05E-03	2.26E-08	2	1.57E-01	7.10E-09	1.0E+06	7.1E-03
434	0.34041	6.33E-05	2.2E-05	1.05E-03	2.25E-08	2	1.57E-01	7.08E-09	1.0E+06	7.1E-03
444	0.31945	6.33E-05	2.0E-05	1.05E-03	2.11E-08	2	1.57E-01	6.64E-09	1.0E+06	6.6E-03
445	0.32007	6.33E-05	2.0E-05	1.05E-03	2.12E-08	2	1.57E-01	6.66E-09	1.0E+06	6.7E-03
446	0.32011	6.33E-05	2.0E-05	1.05E-03	2.12E-08	2	1.57E-01	6.66E-09	1.0E+06	6.7E-03
447	0.3196	6.33E-05	2.0E-05	1.05E-03	2.11E-08	2	1.57E-01	6.65E-09	1.0E+06	6.6E-03
448	0.31855	6.33E-05	2.0E-05	1.05E-03	2.11E-08	2	1.57E-01	6.62E-09	1.0E+06	6.6E-03
459	0.30052	6.33E-05	1.9E-05	1.05E-03	1.99E-08	2	1.57E-01	6.25E-09	1.0E+06	6.2E-03
460	0.3005	6.33E-05	1.9E-05	1.05E-03	1.99E-08	2	1.57E-01	6.25E-09	1.0E+06	6.2E-03
461	0.29999	6.33E-05	1.9E-05	1.05E-03	1.98E-08	2	1.57E-01	6.24E-09	1.0E+06	6.2E-03
462	0.29895	6.33E-05	1.9E-05	1.05E-03	1.98E-08	2	1.57E-01	6.22E-09	1.0E+06	6.2E-03
463	0.29734	6.33E-05	1.9E-05	1.05E-03	1.97E-08	2	1.57E-01	6.18E-09	1.0E+06	6.2E-03
474	0.28284	6.33E-05	1.8E-05	1.05E-03	1.87E-08	2	1.57E-01	5.88E-09	1.0E+06	5.9E-03
475	0.28279	6.33E-05	1.8E-05	1.05E-03	1.87E-08	2	1.57E-01	5.88E-09	1.0E+06	5.9E-03
476	0.28223	6.33E-05	1.8E-05	1.05E-03	1.87E-08	2	1.57E-01	5.87E-09	1.0E+06	5.9E-03
477	0.28122	6.33E-05	1.8E-05	1.05E-03	1.86E-08	2	1.57E-01	5.85E-09	1.0E+06	5.8E-03
478	0.27967	6.33E-05	1.8E-05	1.05E-03	1.85E-08	2	1.57E-01	5.82E-09	1.0E+06	5.8E-03
495	0.26675	6.33E-05	1.7E-05	1.05E-03	1.77E-08	2	1.57E-01	5.55E-09	1.0E+06	5.5E-03
496	0.26667	6.33E-05	1.7E-05	1.05E-03	1.76E-08	2	1.57E-01	5.55E-09	1.0E+06	5.5E-03
497	0.26612	6.33E-05	1.7E-05	1.05E-03	1.76E-08	2	1.57E-01	5.53E-09	1.0E+06	5.5E-03
498	0.26512	6.33E-05	1.7E-05	1.05E-03	1.75E-08	2	1.57E-01	5.51E-09	1.0E+06	5.5E-03
499	0.26365	6.33E-05	1.7E-05	1.05E-03	1.74E-08	2	1.57E-01	5.48E-09	1.0E+06	5.5E-03
500	0.26165	6.33E-05	1.7E-05	1.05E-03	1.73E-08	2	1.57E-01	5.44E-09	1.0E+06	5.4E-03

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction							
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
139	3.85821	6.33E-05	2.4E-04	1.05E-03	2.55E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	4.07717	6.33E-05	2.6E-04	1.05E-03	2.70E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	2.82846	6.33E-05	1.8E-04	1.05E-03	1.87E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	2.92821	6.33E-05	1.9E-04	1.05E-03	1.94E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	3.09361	6.33E-05	2.0E-04	1.05E-03	2.05E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	3.31459	6.33E-05	2.1E-04	1.05E-03	2.19E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	3.54042	6.33E-05	2.2E-04	1.05E-03	2.34E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	4.2713	6.33E-05	2.7E-04	1.05E-03	2.83E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	4.81523	6.33E-05	3.0E-04	1.05E-03	3.19E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	5.38812	6.33E-05	3.4E-04	1.05E-03	3.57E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	2.24797	6.33E-05	1.4E-04	1.05E-03	1.49E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	2.37066	6.33E-05	1.5E-04	1.05E-03	1.57E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	2.48011	6.33E-05	1.6E-04	1.05E-03	1.64E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	2.61175	6.33E-05	1.7E-04	1.05E-03	1.73E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	2.76877	6.33E-05	1.8E-04	1.05E-03	1.83E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	2.97079	6.33E-05	1.9E-04	1.05E-03	1.97E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	3.19852	6.33E-05	2.0E-04	1.05E-03	2.12E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	3.42636	6.33E-05	2.2E-04	1.05E-03	2.27E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	3.60611	6.33E-05	2.3E-04	1.05E-03	2.39E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	3.7193	6.33E-05	2.4E-04	1.05E-03	2.46E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	3.75043	6.33E-05	2.4E-04	1.05E-03	2.48E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	1.89997	6.33E-05	1.2E-04	1.05E-03	1.26E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	1.97021	6.33E-05	1.2E-04	1.05E-03	1.30E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	2.04943	6.33E-05	1.3E-04	1.05E-03	1.36E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	2.13872	6.33E-05	1.4E-04	1.05E-03	1.42E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	2.2452	6.33E-05	1.4E-04	1.05E-03	1.49E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	2.36047	6.33E-05	1.5E-04	1.05E-03	1.56E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	2.469	6.33E-05	1.6E-04	1.05E-03	1.63E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	2.5501	6.33E-05	1.6E-04	1.05E-03	1.69E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	2.5937	6.33E-05	1.6E-04	1.05E-03	1.72E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	2.59135	6.33E-05	1.6E-04	1.05E-03	1.71E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	2.5218	6.33E-05	1.6E-04	1.05E-03	1.67E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	1.57325	6.33E-05	1.0E-04	1.05E-03	1.04E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	1.61953	6.33E-05	1.0E-04	1.05E-03	1.07E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	1.67194	6.33E-05	1.1E-04	1.05E-03	1.11E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	1.72629	6.33E-05	1.1E-04	1.05E-03	1.14E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	1.78974	6.33E-05	1.1E-04	1.05E-03	1.18E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	1.85247	6.33E-05	1.2E-04	1.05E-03	1.23E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	1.90781	6.33E-05	1.2E-04	1.05E-03	1.26E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	1.94795	6.33E-05	1.2E-04	1.05E-03	1.29E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	1.96513	6.33E-05	1.2E-04	1.05E-03	1.30E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	1.95372	6.33E-05	1.2E-04	1.05E-03	1.29E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	1.90682	6.33E-05	1.2E-04	1.05E-03	1.26E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	1.8188	6.33E-05	1.2E-04	1.05E-03	1.20E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	1.2921	6.33E-05	8.2E-05	1.05E-03	8.55E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	1.33452	6.33E-05	8.4E-05	1.05E-03	8.83E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	1.36607	6.33E-05	8.6E-05	1.05E-03	9.04E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	1.40035	6.33E-05	8.9E-05	1.05E-03	9.27E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	1.47488	6.33E-05	9.3E-05	1.05E-03	9.76E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	1.51156	6.33E-05	9.6E-05	1.05E-03	1.00E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	1.5416	6.33E-05	9.8E-05	1.05E-03	1.02E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	1.56226	6.33E-05	9.9E-05	1.05E-03	1.03E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	1.56764	6.33E-05	9.9E-05	1.05E-03	1.04E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	1.5542	6.33E-05	9.8E-05	1.05E-03	1.03E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	1.51869	6.33E-05	9.6E-05	1.05E-03	1.00E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	1.45778	6.33E-05	9.2E-05	1.05E-03	9.65E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	1.37622	6.33E-05	8.7E-05	1.05E-03	9.11E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	1.12456	6.33E-05	7.1E-05	1.05E-03	7.44E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	1.14986	6.33E-05	7.3E-05	1.05E-03	7.61E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	1.17312	6.33E-05	7.4E-05	1.05E-03	7.76E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	1.19639	6.33E-05	7.6E-05	1.05E-03	7.92E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	1.22085	6.33E-05	7.7E-05	1.05E-03	8.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	1.2465	6.33E-05	7.9E-05	1.05E-03	8.25E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	1.26851	6.33E-05	8.0E-05	1.05E-03	8.39E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	1.29508	6.33E-05	8.2E-05	1.05E-03	8.57E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	1.2952	6.33E-05	8.2E-05	1.05E-03	8.57E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	1.28189	6.33E-05	8.1E-05	1.05E-03	8.48E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	1.25332	6.33E-05	7.9E-05	1.05E-03	8.29E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	1.20847	6.33E-05	7.7E-05	1.05E-03	8.00E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	1.14799	6.33E-05	7.3E-05	1.05E-03	7.60E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	0.98736	6.33E-05	6.3E-05	1.05E-03	6.53E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	1.00425	6.33E-05	6.4E-05	1.05E-03	6.64E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	1.02318	6.33E-05	6.5E-05	1.05E-03	6.77E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	1.03941	6.33E-05	6.6E-05	1.05E-03	6.88E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	1.0558	6.33E-05	6.7E-05	1.05E-03	6.99E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	1.07147	6.33E-05	6.8E-05	1.05E-03	7.09E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	1.08495	6.33E-05	6.9E-05	1.05E-03	7.18E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	1.0998	6.33E-05	7.0E-05	1.05E-03	7.28E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	1.09679	6.33E-05	6.9E-05	1.05E-03	7.26E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	1.0843	6.33E-05	6.9E-05	1.05E-03	7.17E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	1.06056	6.33E-05	6.7E-05	1.05E-03	7.02E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	1.02618	6.33E-05	6.5E-05	1.05E-03	6.79E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	0.97997	6.33E-05	6.2E-05	1.05E-03	6.48E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	0.87522	6.33E-05	5.5E-05	1.05E-03	5.79E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	0.88747	6.33E-05	5.6E-05	1.05E-03	5.87E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	0.90104	6.33E-05	5.7E-05	1.05E-03	5.96E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	0.91351	6.33E-05	5.8E-05	1.05E-03	6.04E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	0.92418	6.33E-05	5.9E-05	1.05E-03	6.12E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	0.9345	6.33E-05	5.9E-05	1.05E-03	6.18E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	0.94302	6.33E-05	6.0E-05	1.05E-03	6.24E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	0.94997	6.33E-05	6.0E-05	1.05E-03	6.29E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	0.94561	6.33E-05	6.0E-05	1.05E-03	6.26E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	0.93407	6.33E-05	5.9E-05	1.05E-03	6.18E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	0.91449	6.33E-05	5.8E-05	1.05E-03	6.05E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	0.88688	6.33E-05	5.6E-05	1.05E-03	5.87E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	0.85044	6.33E-05	5.4E-05	1.05E-03	5.63E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	0.7062	6.33E-05	4.5E-05	1.05E-03	4.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	0.65212	6.33E-05	4.1E-05	1.05E-03	4.31E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	0.78224	6.33E-05	5.0E-05	1.05E-03	5.18E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	0.79102	6.33E-05	5.0E-05	1.05E-03	5.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	0.80094	6.33E-05	5.1E-05	1.05E-03	5.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	0.8107	6.33E-05	5.1E-05	1.05E-03	5.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	0.81842	6.33E-05	5.2E-05	1.05E-03	5.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	0.8254	6.33E-05	5.2E-05	1.05E-03	5.46E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	0.83091	6.33E-05	5.3E-05	1.05E-03	5.50E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	0.83282	6.33E-05	5.3E-05	1.05E-03	5.51E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	0.82765	6.33E-05	5.2E-05	1.05E-03	5.48E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	0.81713	6.33E-05	5.2E-05	1.05E-03	5.41E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	0.80052	6.33E-05	5.1E-05	1.05E-03	5.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	0.77748	6.33E-05	4.9E-05	1.05E-03	5.14E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	0.74797	6.33E-05	4.7E-05	1.05E-03	4.95E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	0.63214	6.33E-05	4.0E-05	1.05E-03	4.18E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	0.58783	6.33E-05	3.7E-05	1.05E-03	3.89E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	0.70402	6.33E-05	4.5E-05	1.05E-03	4.66E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	0.7108	6.33E-05	4.5E-05	1.05E-03	4.70E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	0.71796	6.33E-05	4.5E-05	1.05E-03	4.75E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	0.72557	6.33E-05	4.6E-05	1.05E-03	4.80E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	0.73137	6.33E-05	4.6E-05	1.05E-03	4.84E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	0.73598	6.33E-05	4.7E-05	1.05E-03	4.87E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	0.73902	6.33E-05	4.7E-05	1.05E-03	4.89E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	0.73821	6.33E-05	4.7E-05	1.05E-03	4.88E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	0.73279	6.33E-05	4.6E-05	1.05E-03	4.85E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	0.7232	6.33E-05	4.6E-05	1.05E-03	4.79E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	0.70883	6.33E-05	4.5E-05	1.05E-03	4.69E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	0.6895	6.33E-05	4.4E-05	1.05E-03	4.56E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	0.66515	6.33E-05	4.2E-05	1.05E-03	4.40E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	0.57024	6.33E-05	3.6E-05	1.05E-03	3.77E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	0.53368	6.33E-05	3.4E-05	1.05E-03	3.53E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	0.63764	6.33E-05	4.0E-05	1.05E-03	4.22E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	0.64322	6.33E-05	4.1E-05	1.05E-03	4.26E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	0.64847	6.33E-05	4.1E-05	1.05E-03	4.29E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	0.65427	6.33E-05	4.1E-05	1.05E-03	4.33E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	0.65817	6.33E-05	4.2E-05	1.05E-03	4.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	0.66135	6.33E-05	4.2E-05	1.05E-03	4.38E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	0.66304	6.33E-05	4.2E-05	1.05E-03	4.39E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	0.66051	6.33E-05	4.2E-05	1.05E-03	4.37E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	0.65494	6.33E-05	4.1E-05	1.05E-03	4.33E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	0.64639	6.33E-05	4.1E-05	1.05E-03	4.28E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	0.6338	6.33E-05	4.0E-05	1.05E-03	4.19E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	0.61733	6.33E-05	3.9E-05	1.05E-03	4.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	0.59711	6.33E-05	3.8E-05	1.05E-03	3.95E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	0.51799	6.33E-05	3.3E-05	1.05E-03	3.43E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	0.48747	6.33E-05	3.1E-05	1.05E-03	3.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	0.58065	6.33E-05	3.7E-05	1.05E-03	3.84E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	0.58526	6.33E-05	3.7E-05	1.05E-03	3.87E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	0.58944	6.33E-05	3.7E-05	1.05E-03	3.90E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	0.59348	6.33E-05	3.8E-05	1.05E-03	3.93E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	0.59667	6.33E-05	3.8E-05	1.05E-03	3.95E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	0.59836	6.33E-05	3.8E-05	1.05E-03	3.96E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	0.59913	6.33E-05	3.8E-05	1.05E-03	3.96E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	0.59807	6.33E-05	3.8E-05	1.05E-03	3.96E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	0.59554	6.33E-05	3.8E-05	1.05E-03	3.94E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	0.59027	6.33E-05	3.7E-05	1.05E-03	3.91E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	0.58237	6.33E-05	3.7E-05	1.05E-03	3.85E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	0.57138	6.33E-05	3.6E-05	1.05E-03	3.78E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	0.55727	6.33E-05	3.5E-05	1.05E-03	3.69E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	0.53989	6.33E-05	3.4E-05	1.05E-03	3.57E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	0.49786	6.33E-05	3.2E-05	1.05E-03	3.29E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	0.47342	6.33E-05	3.0E-05	1.05E-03	3.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.44759	6.33E-05	2.8E-05	1.05E-03	2.96E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	0.54382	6.33E-05	3.4E-05	1.05E-03	3.60E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	0.54499	6.33E-05	3.5E-05	1.05E-03	3.61E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	0.54527	6.33E-05	3.5E-05	1.05E-03	3.61E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	0.54351	6.33E-05	3.4E-05	1.05E-03	3.60E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	0.4558	6.33E-05	2.9E-05	1.05E-03	3.02E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	0.43497	6.33E-05	2.8E-05	1.05E-03	2.88E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.41289	6.33E-05	2.6E-05	1.05E-03	2.73E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	0.49899	6.33E-05	3.2E-05	1.05E-03	3.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	0.49852	6.33E-05	3.2E-05	1.05E-03	3.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	0.49701	6.33E-05	3.1E-05	1.05E-03	3.29E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	0.41944	6.33E-05	2.7E-05	1.05E-03	2.78E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	0.40154	6.33E-05	2.5E-05	1.05E-03	2.66E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.3825	6.33E-05	2.4E-05	1.05E-03	2.53E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	0.45907	6.33E-05	2.9E-05	1.05E-03	3.04E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	0.45839	6.33E-05	2.9E-05	1.05E-03	3.03E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	0.45673	6.33E-05	2.9E-05	1.05E-03	3.02E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	0.38776	6.33E-05	2.5E-05	1.05E-03	2.57E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	0.37216	6.33E-05	2.4E-05	1.05E-03	2.46E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.35572	6.33E-05	2.3E-05	1.05E-03	2.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	0.42327	6.33E-05	2.7E-05	1.05E-03	2.80E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	0.42155	6.33E-05	2.7E-05	1.05E-03	2.79E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	0.35991	6.33E-05	2.3E-05	1.05E-03	2.38E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.34632	6.33E-05	2.2E-05	1.05E-03	2.29E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.33193	6.33E-05	2.1E-05	1.05E-03	2.20E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	0.39232	6.33E-05	2.5E-05	1.05E-03	2.60E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	0.39051	6.33E-05	2.5E-05	1.05E-03	2.58E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	0.38765	6.33E-05	2.5E-05	1.05E-03	2.56E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	0.33532	6.33E-05	2.1E-05	1.05E-03	2.22E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.32335	6.33E-05	2.0E-05	1.05E-03	2.14E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.31068	6.33E-05	2.0E-05	1.05E-03	2.06E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	0.36311	6.33E-05	2.3E-05	1.05E-03	2.40E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	0.36043	6.33E-05	2.3E-05	1.05E-03	2.38E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.31344	6.33E-05	2.0E-05	1.05E-03	2.07E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.30286	6.33E-05	1.9E-05	1.05E-03	2.00E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.29163	6.33E-05	1.8E-05	1.05E-03	1.93E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	0.33875	6.33E-05	2.1E-05	1.05E-03	2.24E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	0.33617	6.33E-05	2.1E-05	1.05E-03	2.22E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.28449	6.33E-05	1.8E-05	1.05E-03	1.88E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.27449	6.33E-05	1.7E-05	1.05E-03	1.82E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	0.31695	6.33E-05	2.0E-05	1.05E-03	2.10E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	0.31447	6.33E-05	2.0E-05	1.05E-03	2.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	0.31136	6.33E-05	2.0E-05	1.05E-03	2.06E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.26789	6.33E-05	1.7E-05	1.05E-03	1.77E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.25895	6.33E-05	1.6E-05	1.05E-03	1.71E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	0.29507	6.33E-05	1.9E-05	1.05E-03	1.95E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	0.29215	6.33E-05	1.8E-05	1.05E-03	1.93E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.26732	6.33E-05	1.7E-05	1.05E-03	1.77E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.25287	6.33E-05	1.6E-05	1.05E-03	1.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.24484	6.33E-05	1.5E-05	1.05E-03	1.62E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	0.27746	6.33E-05	1.8E-05	1.05E-03	1.84E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	0.27483	6.33E-05	1.7E-05	1.05E-03	1.82E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	0.27151	6.33E-05	1.7E-05	1.05E-03	1.80E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	0.26758	6.33E-05	1.7E-05	1.05E-03	1.77E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	0.26307	6.33E-05	1.7E-05	1.05E-03	1.74E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.25795	6.33E-05	1.6E-05	1.05E-03	1.71E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.25225	6.33E-05	1.6E-05	1.05E-03	1.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.24599	6.33E-05	1.6E-05	1.05E-03	1.63E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.23922	6.33E-05	1.5E-05	1.05E-03	1.58E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.23198	6.33E-05	1.5E-05	1.05E-03	1.53E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	0.25901	6.33E-05	1.6E-05	1.05E-03	1.71E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	0.25608	6.33E-05	1.6E-05	1.05E-03	1.69E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	0.25248	6.33E-05	1.6E-05	1.05E-03	1.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	0.24836	6.33E-05	1.6E-05	1.05E-03	1.64E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	0.24371	6.33E-05	1.5E-05	1.05E-03	1.61E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.23854	6.33E-05	1.5E-05	1.05E-03	1.58E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.23288	6.33E-05	1.5E-05	1.05E-03	1.54E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.22022	6.33E-05	1.4E-05	1.05E-03	1.46E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.24482	6.33E-05	1.5E-05	1.05E-03	1.62E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	0.24188	6.33E-05	1.5E-05	1.05E-03	1.60E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	0.23876	6.33E-05	1.5E-05	1.05E-03	1.58E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	0.23499	6.33E-05	1.5E-05	1.05E-03	1.55E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	0.23075	6.33E-05	1.5E-05	1.05E-03	1.53E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.22605	6.33E-05	1.4E-05	1.05E-03	1.50E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.22091	6.33E-05	1.4E-05	1.05E-03	1.46E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.20942	6.33E-05	1.3E-05	1.05E-03	1.39E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.23186	6.33E-05	1.5E-05	1.05E-03	1.53E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.22925	6.33E-05	1.5E-05	1.05E-03	1.52E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	0.22616	6.33E-05	1.4E-05	1.05E-03	1.50E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	0.2227	6.33E-05	1.4E-05	1.05E-03	1.47E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	0.21891	6.33E-05	1.4E-05	1.05E-03	1.45E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.21461	6.33E-05	1.4E-05	1.05E-03	1.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.20987	6.33E-05	1.3E-05	1.05E-03	1.39E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.19948	6.33E-05	1.3E-05	1.05E-03	1.32E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.21757	6.33E-05	1.4E-05	1.05E-03	1.44E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.21478	6.33E-05	1.4E-05	1.05E-03	1.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.21159	6.33E-05	1.3E-05	1.05E-03	1.40E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.20772	6.33E-05	1.3E-05	1.05E-03	1.37E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.20406	6.33E-05	1.3E-05	1.05E-03	1.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.19987	6.33E-05	1.3E-05	1.05E-03	1.32E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.19032	6.33E-05	1.2E-05	1.05E-03	1.26E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.20683	6.33E-05	1.3E-05	1.05E-03	1.37E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.20426	6.33E-05	1.3E-05	1.05E-03	1.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.20135	6.33E-05	1.3E-05	1.05E-03	1.33E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.19809	6.33E-05	1.3E-05	1.05E-03	1.31E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.19447	6.33E-05	1.2E-05	1.05E-03	1.29E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.19053	6.33E-05	1.2E-05	1.05E-03	1.26E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.18517	6.33E-05	1.2E-05	1.05E-03	1.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.19695	6.33E-05	1.2E-05	1.05E-03	1.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.19458	6.33E-05	1.2E-05	1.05E-03	1.29E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.19189	6.33E-05	1.2E-05	1.05E-03	1.27E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.1889	6.33E-05	1.2E-05	1.05E-03	1.25E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.18559	6.33E-05	1.2E-05	1.05E-03	1.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.182	6.33E-05	1.2E-05	1.05E-03	1.20E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.17812	6.33E-05	1.1E-05	1.05E-03	1.18E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	6.33E-05	0.0E+00	1.05E-03	0.00E+00	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
1	1	2.78472	6.33E-05	1.8E-04	6.05E-04	1.07E-07	14	4.71E-02	7.04E-08	1.0E+06	7.0E-02
2	2	2.8255	6.33E-05	1.8E-04	6.05E-04	1.08E-07	14	4.71E-02	7.14E-08	1.0E+06	7.1E-02
3	3	2.83012	6.33E-05	1.8E-04	6.05E-04	1.08E-07	14	4.71E-02	7.15E-08	1.0E+06	7.2E-02
4	4	2.83985	6.33E-05	1.8E-04	6.05E-04	1.09E-07	14	4.71E-02	7.18E-08	1.0E+06	7.2E-02
5	5	2.84304	6.33E-05	1.8E-04	6.05E-04	1.09E-07	14	4.71E-02	7.19E-08	1.0E+06	7.2E-02
6	6	2.87648	6.33E-05	1.8E-04	6.05E-04	1.10E-07	14	4.71E-02	7.27E-08	1.0E+06	7.3E-02
7	7	2.91815	6.33E-05	1.8E-04	6.05E-04	1.12E-07	14	4.71E-02	7.38E-08	1.0E+06	7.4E-02
8	8	2.95293	6.33E-05	1.9E-04	6.05E-04	1.13E-07	14	4.71E-02	7.47E-08	1.0E+06	7.5E-02
9	9	2.99211	6.33E-05	1.9E-04	6.05E-04	1.15E-07	14	4.71E-02	7.56E-08	1.0E+06	7.6E-02
10	10	3.02874	6.33E-05	1.9E-04	6.05E-04	1.16E-07	14	4.71E-02	7.66E-08	1.0E+06	7.7E-02
11	11	3.0561	6.33E-05	1.9E-04	6.05E-04	1.17E-07	14	4.71E-02	7.73E-08	1.0E+06	7.7E-02
12	12	3.07126	6.33E-05	1.9E-04	6.05E-04	1.18E-07	14	4.71E-02	7.76E-08	1.0E+06	7.8E-02
13	13	3.09072	6.33E-05	2.0E-04	6.05E-04	1.18E-07	14	4.71E-02	7.81E-08	1.0E+06	7.8E-02
14	14	3.08774	6.33E-05	2.0E-04	6.05E-04	1.18E-07	14	4.71E-02	7.81E-08	1.0E+06	7.8E-02
15	15	3.07303	6.33E-05	1.9E-04	6.05E-04	1.18E-07	14	4.71E-02	7.77E-08	1.0E+06	7.8E-02
16	16	3.02427	6.33E-05	1.9E-04	6.05E-04	1.16E-07	14	4.71E-02	7.65E-08	1.0E+06	7.6E-02
17	17	2.96783	6.33E-05	1.9E-04	6.05E-04	1.14E-07	14	4.71E-02	7.50E-08	1.0E+06	7.5E-02
18	18	2.87885	6.33E-05	1.8E-04	6.05E-04	1.10E-07	14	4.71E-02	7.28E-08	1.0E+06	7.3E-02
19	19	2.78116	6.33E-05	1.8E-04	6.05E-04	1.07E-07	14	4.71E-02	7.03E-08	1.0E+06	7.0E-02
20	20	2.67448	6.33E-05	1.7E-04	6.05E-04	1.02E-07	14	4.71E-02	6.76E-08	1.0E+06	6.8E-02
21	21	2.5624	6.33E-05	1.6E-04	6.05E-04	9.82E-08	14	4.71E-02	6.48E-08	1.0E+06	6.5E-02
22	22	2.46074	6.33E-05	1.6E-04	6.05E-04	9.43E-08	14	4.71E-02	6.22E-08	1.0E+06	6.2E-02
23	23	2.37214	6.33E-05	1.5E-04	6.05E-04	9.09E-08	14	4.71E-02	6.00E-08	1.0E+06	6.0E-02
24	24	2.30388	6.33E-05	1.5E-04	6.05E-04	8.82E-08	14	4.71E-02	5.82E-08	1.0E+06	5.8E-02
25	25	2.26404	6.33E-05	1.4E-04	6.05E-04	8.67E-08	14	4.71E-02	5.72E-08	1.0E+06	5.7E-02
26	26	2.26101	6.33E-05	1.4E-04	6.05E-04	8.66E-08	14	4.71E-02	5.72E-08	1.0E+06	5.7E-02
27	27	2.30907	6.33E-05	1.5E-04	6.05E-04	8.84E-08	14	4.71E-02	5.84E-08	1.0E+06	5.8E-02
28	28	2.42853	6.33E-05	1.5E-04	6.05E-04	9.30E-08	14	4.71E-02	6.14E-08	1.0E+06	6.1E-02
29	29	2.66523	6.33E-05	1.7E-04	6.05E-04	1.02E-07	14	4.71E-02	6.74E-08	1.0E+06	6.7E-02
30	30	3.11771	6.33E-05	2.0E-04	6.05E-04	1.19E-07	14	4.71E-02	7.88E-08	1.0E+06	7.9E-02
31	31	4.07838	6.33E-05	2.6E-04	6.05E-04	1.56E-07	14	4.71E-02	1.03E-07	1.0E+06	1.0E-01

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	6.89023	6.33E-05	4.4E-04	6.05E-04	2.64E-07	14	4.71E-02	1.74E-07	1.0E+06	1.7E-01
55	55	3.15817	6.33E-05	2.0E-04	6.05E-04	1.21E-07	14	4.71E-02	7.98E-08	1.0E+06	8.0E-02
56	56	2.99452	6.33E-05	1.9E-04	6.05E-04	1.15E-07	14	4.71E-02	7.57E-08	1.0E+06	7.6E-02
57	57	2.87899	6.33E-05	1.8E-04	6.05E-04	1.10E-07	14	4.71E-02	7.28E-08	1.0E+06	7.3E-02
58	58	2.80693	6.33E-05	1.8E-04	6.05E-04	1.08E-07	14	4.71E-02	7.10E-08	1.0E+06	7.1E-02
59	59	2.79306	6.33E-05	1.8E-04	6.05E-04	1.07E-07	14	4.71E-02	7.06E-08	1.0E+06	7.1E-02
60	60	2.8625	6.33E-05	1.8E-04	6.05E-04	1.10E-07	14	4.71E-02	7.24E-08	1.0E+06	7.2E-02
61	61	3.06634	6.33E-05	1.9E-04	6.05E-04	1.17E-07	14	4.71E-02	7.75E-08	1.0E+06	7.8E-02
62	62	3.48347	6.33E-05	2.2E-04	6.05E-04	1.33E-07	14	4.71E-02	8.81E-08	1.0E+06	8.8E-02
63	63	4.34036	6.33E-05	2.7E-04	6.05E-04	1.66E-07	14	4.71E-02	1.10E-07	1.0E+06	1.1E-01
64	64	6.32474	6.33E-05	4.0E-04	6.05E-04	2.42E-07	14	4.71E-02	1.60E-07	1.0E+06	1.6E-01
65	65	10.58539	6.33E-05	6.7E-04	6.05E-04	4.05E-07	14	4.71E-02	2.68E-07	1.0E+06	2.7E-01
66	66	12.88427	6.33E-05	8.2E-04	6.05E-04	4.94E-07	14	4.71E-02	3.26E-07	1.0E+06	3.3E-01
67	67	11.63611	6.33E-05	7.4E-04	6.05E-04	4.46E-07	14	4.71E-02	2.94E-07	1.0E+06	2.9E-01
68	68	11.65623	6.33E-05	7.4E-04	6.05E-04	4.46E-07	14	4.71E-02	2.95E-07	1.0E+06	2.9E-01
69	69	10.36065	6.33E-05	6.6E-04	6.05E-04	3.97E-07	14	4.71E-02	2.62E-07	1.0E+06	2.6E-01
70	70	8.40013	6.33E-05	5.3E-04	6.05E-04	3.22E-07	14	4.71E-02	2.12E-07	1.0E+06	2.1E-01
71	71	8.06122	6.33E-05	5.1E-04	6.05E-04	3.09E-07	14	4.71E-02	2.04E-07	1.0E+06	2.0E-01
72	72	8.18189	6.33E-05	5.2E-04	6.05E-04	3.13E-07	14	4.71E-02	2.07E-07	1.0E+06	2.1E-01
73	73	8.16688	6.33E-05	5.2E-04	6.05E-04	3.13E-07	14	4.71E-02	2.06E-07	1.0E+06	2.1E-01
74	74	8.21402	6.33E-05	5.2E-04	6.05E-04	3.15E-07	14	4.71E-02	2.08E-07	1.0E+06	2.1E-01
75	75	8.28958	6.33E-05	5.2E-04	6.05E-04	3.18E-07	14	4.71E-02	2.10E-07	1.0E+06	2.1E-01
76	76	8.41119	6.33E-05	5.3E-04	6.05E-04	3.22E-07	14	4.71E-02	2.13E-07	1.0E+06	2.1E-01
77	77	8.5605	6.33E-05	5.4E-04	6.05E-04	3.28E-07	14	4.71E-02	2.16E-07	1.0E+06	2.2E-01
78	78	8.77192	6.33E-05	5.6E-04	6.05E-04	3.36E-07	14	4.71E-02	2.22E-07	1.0E+06	2.2E-01
79	79	7.41944	6.33E-05	4.7E-04	6.05E-04	2.84E-07	14	4.71E-02	1.88E-07	1.0E+06	1.9E-01
80	80	6.77678	6.33E-05	4.3E-04	6.05E-04	2.60E-07	14	4.71E-02	1.71E-07	1.0E+06	1.7E-01
81	81	6.0192	6.33E-05	3.8E-04	6.05E-04	2.31E-07	14	4.71E-02	1.52E-07	1.0E+06	1.5E-01
82	82	5.34341	6.33E-05	3.4E-04	6.05E-04	2.05E-07	14	4.71E-02	1.35E-07	1.0E+06	1.4E-01
83	83	4.85701	6.33E-05	3.1E-04	6.05E-04	1.86E-07	14	4.71E-02	1.23E-07	1.0E+06	1.2E-01
84	84	4.41811	6.33E-05	2.8E-04	6.05E-04	1.69E-07	14	4.71E-02	1.12E-07	1.0E+06	1.1E-01

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
85	85	4.07706	6.33E-05	2.6E-04	6.05E-04	1.56E-07	14	4.71E-02	1.03E-07	1.0E+06	1.0E-01
86	86	3.82948	6.33E-05	2.4E-04	6.05E-04	1.47E-07	14	4.71E-02	9.68E-08	1.0E+06	9.7E-02
87	87	3.67734	6.33E-05	2.3E-04	6.05E-04	1.41E-07	14	4.71E-02	9.30E-08	1.0E+06	9.3E-02
88	88	3.64505	6.33E-05	2.3E-04	6.05E-04	1.40E-07	14	4.71E-02	9.22E-08	1.0E+06	9.2E-02
89	89	3.75593	6.33E-05	2.4E-04	6.05E-04	1.44E-07	14	4.71E-02	9.50E-08	1.0E+06	9.5E-02
90	90	4.11497	6.33E-05	2.6E-04	6.05E-04	1.58E-07	14	4.71E-02	1.04E-07	1.0E+06	1.0E-01
91	91	5.01013	6.33E-05	3.2E-04	6.05E-04	1.92E-07	14	4.71E-02	1.27E-07	1.0E+06	1.3E-01
92	92	7.14861	6.33E-05	4.5E-04	6.05E-04	2.74E-07	14	4.71E-02	1.81E-07	1.0E+06	1.8E-01
93	93	8.50875	6.33E-05	5.4E-04	6.05E-04	3.26E-07	14	4.71E-02	2.15E-07	1.0E+06	2.2E-01
96	96	5.65214	6.33E-05	3.6E-04	6.05E-04	2.17E-07	14	4.71E-02	1.43E-07	1.0E+06	1.4E-01
97	97	5.31018	6.33E-05	3.4E-04	6.05E-04	2.03E-07	14	4.71E-02	1.34E-07	1.0E+06	1.3E-01
98	98	5.29013	6.33E-05	3.3E-04	6.05E-04	2.03E-07	14	4.71E-02	1.34E-07	1.0E+06	1.3E-01
99	99	5.49899	6.33E-05	3.5E-04	6.05E-04	2.11E-07	14	4.71E-02	1.39E-07	1.0E+06	1.4E-01
100	100	6.30837	6.33E-05	4.0E-04	6.05E-04	2.42E-07	14	4.71E-02	1.59E-07	1.0E+06	1.6E-01
101	101	8.81101	6.33E-05	5.6E-04	6.05E-04	3.38E-07	14	4.71E-02	2.23E-07	1.0E+06	2.2E-01
102	102	9.56952	6.33E-05	6.1E-04	6.05E-04	3.67E-07	14	4.71E-02	2.42E-07	1.0E+06	2.4E-01
106	106	3.75863	6.33E-05	2.4E-04	6.05E-04	1.44E-07	14	4.71E-02	9.50E-08	1.0E+06	9.5E-02
107	107	4.77482	6.33E-05	3.0E-04	6.05E-04	1.83E-07	14	4.71E-02	1.21E-07	1.0E+06	1.2E-01
108	108	5.23064	6.33E-05	3.3E-04	6.05E-04	2.00E-07	14	4.71E-02	1.32E-07	1.0E+06	1.3E-01
109	109	5.80019	6.33E-05	3.7E-04	6.05E-04	2.22E-07	14	4.71E-02	1.47E-07	1.0E+06	1.5E-01
110	110	6.44402	6.33E-05	4.1E-04	6.05E-04	2.47E-07	14	4.71E-02	1.63E-07	1.0E+06	1.6E-01
111	111	6.4599	6.33E-05	4.1E-04	6.05E-04	2.47E-07	14	4.71E-02	1.63E-07	1.0E+06	1.6E-01
112	112	6.36792	6.33E-05	4.0E-04	6.05E-04	2.44E-07	14	4.71E-02	1.61E-07	1.0E+06	1.6E-01
113	113	6.15246	6.33E-05	3.9E-04	6.05E-04	2.36E-07	14	4.71E-02	1.56E-07	1.0E+06	1.6E-01
114	114	6.03093	6.33E-05	3.8E-04	6.05E-04	2.31E-07	14	4.71E-02	1.52E-07	1.0E+06	1.5E-01
115	115	5.88804	6.33E-05	3.7E-04	6.05E-04	2.26E-07	14	4.71E-02	1.49E-07	1.0E+06	1.5E-01
116	116	5.74354	6.33E-05	3.6E-04	6.05E-04	2.20E-07	14	4.71E-02	1.45E-07	1.0E+06	1.5E-01
117	117	5.71958	6.33E-05	3.6E-04	6.05E-04	2.19E-07	14	4.71E-02	1.45E-07	1.0E+06	1.4E-01
118	118	5.75311	6.33E-05	3.6E-04	6.05E-04	2.20E-07	14	4.71E-02	1.45E-07	1.0E+06	1.5E-01
124	124	2.30412	6.33E-05	1.5E-04	6.05E-04	8.83E-08	14	4.71E-02	5.83E-08	1.0E+06	5.8E-02
125	125	2.84028	6.33E-05	1.8E-04	6.05E-04	1.09E-07	14	4.71E-02	7.18E-08	1.0E+06	7.2E-02

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	126	3.17198	6.33E-05	2.0E-04	6.05E-04	1.22E-07	14	4.71E-02	8.02E-08	1.0E+06	8.0E-02
127	127	3.44784	6.33E-05	2.2E-04	6.05E-04	1.32E-07	14	4.71E-02	8.72E-08	1.0E+06	8.7E-02
128	128	3.68993	6.33E-05	2.3E-04	6.05E-04	1.41E-07	14	4.71E-02	9.33E-08	1.0E+06	9.3E-02
129	129	3.75466	6.33E-05	2.4E-04	6.05E-04	1.44E-07	14	4.71E-02	9.49E-08	1.0E+06	9.5E-02
130	130	3.78019	6.33E-05	2.4E-04	6.05E-04	1.45E-07	14	4.71E-02	9.56E-08	1.0E+06	9.6E-02
131	131	3.75682	6.33E-05	2.4E-04	6.05E-04	1.44E-07	14	4.71E-02	9.50E-08	1.0E+06	9.5E-02
132	132	3.74202	6.33E-05	2.4E-04	6.05E-04	1.43E-07	14	4.71E-02	9.46E-08	1.0E+06	9.5E-02
133	133	3.6968	6.33E-05	2.3E-04	6.05E-04	1.42E-07	14	4.71E-02	9.35E-08	1.0E+06	9.3E-02
134	134	3.69938	6.33E-05	2.3E-04	6.05E-04	1.42E-07	14	4.71E-02	9.35E-08	1.0E+06	9.4E-02
135	135	3.6795	6.33E-05	2.3E-04	6.05E-04	1.41E-07	14	4.71E-02	9.30E-08	1.0E+06	9.3E-02
136	136	3.68606	6.33E-05	2.3E-04	6.05E-04	1.41E-07	14	4.71E-02	9.32E-08	1.0E+06	9.3E-02
137	137	3.70087	6.33E-05	2.3E-04	6.05E-04	1.42E-07	14	4.71E-02	9.36E-08	1.0E+06	9.4E-02
138	138	3.78452	6.33E-05	2.4E-04	6.05E-04	1.45E-07	14	4.71E-02	9.57E-08	1.0E+06	9.6E-02
141	141	1.6544	6.33E-05	1.0E-04	6.05E-04	6.34E-08	14	4.71E-02	4.18E-08	1.0E+06	4.2E-02
142	142	1.97556	6.33E-05	1.3E-04	6.05E-04	7.57E-08	14	4.71E-02	4.99E-08	1.0E+06	5.0E-02
143	143	2.21325	6.33E-05	1.4E-04	6.05E-04	8.48E-08	14	4.71E-02	5.60E-08	1.0E+06	5.6E-02
144	144	2.39385	6.33E-05	1.5E-04	6.05E-04	9.17E-08	14	4.71E-02	6.05E-08	1.0E+06	6.1E-02
145	145	2.53218	6.33E-05	1.6E-04	6.05E-04	9.70E-08	14	4.71E-02	6.40E-08	1.0E+06	6.4E-02
146	146	2.60023	6.33E-05	1.6E-04	6.05E-04	9.96E-08	14	4.71E-02	6.57E-08	1.0E+06	6.6E-02
147	147	2.64494	6.33E-05	1.7E-04	6.05E-04	1.01E-07	14	4.71E-02	6.69E-08	1.0E+06	6.7E-02
148	148	2.65778	6.33E-05	1.7E-04	6.05E-04	1.02E-07	14	4.71E-02	6.72E-08	1.0E+06	6.7E-02
149	149	2.66678	6.33E-05	1.7E-04	6.05E-04	1.02E-07	14	4.71E-02	6.74E-08	1.0E+06	6.7E-02
150	150	2.66714	6.33E-05	1.7E-04	6.05E-04	1.02E-07	14	4.71E-02	6.74E-08	1.0E+06	6.7E-02
151	151	2.67347	6.33E-05	1.7E-04	6.05E-04	1.02E-07	14	4.71E-02	6.76E-08	1.0E+06	6.8E-02
152	152	2.68355	6.33E-05	1.7E-04	6.05E-04	1.03E-07	14	4.71E-02	6.78E-08	1.0E+06	6.8E-02
153	153	2.70224	6.33E-05	1.7E-04	6.05E-04	1.04E-07	14	4.71E-02	6.83E-08	1.0E+06	6.8E-02
154	154	2.71283	6.33E-05	1.7E-04	6.05E-04	1.04E-07	14	4.71E-02	6.86E-08	1.0E+06	6.9E-02
155	155	2.7513	6.33E-05	1.7E-04	6.05E-04	1.05E-07	14	4.71E-02	6.96E-08	1.0E+06	7.0E-02
164	164	2.12371	6.33E-05	1.3E-04	6.05E-04	8.13E-08	14	4.71E-02	5.37E-08	1.0E+06	5.4E-02
165	165	2.14903	6.33E-05	1.4E-04	6.05E-04	8.23E-08	14	4.71E-02	5.43E-08	1.0E+06	5.4E-02
166	166	2.20433	6.33E-05	1.4E-04	6.05E-04	8.44E-08	14	4.71E-02	5.57E-08	1.0E+06	5.6E-02

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	1.72973	6.33E-05	1.1E-04	6.05E-04	6.63E-08	14	4.71E-02	4.37E-08	1.0E+06	4.4E-02
179	179	1.75238	6.33E-05	1.1E-04	6.05E-04	6.71E-08	14	4.71E-02	4.43E-08	1.0E+06	4.4E-02
180	180	1.79013	6.33E-05	1.1E-04	6.05E-04	6.86E-08	14	4.71E-02	4.53E-08	1.0E+06	4.5E-02
192	192	1.45092	6.33E-05	9.2E-05	6.05E-04	5.56E-08	14	4.71E-02	3.67E-08	1.0E+06	3.7E-02
193	193	1.47232	6.33E-05	9.3E-05	6.05E-04	5.64E-08	14	4.71E-02	3.72E-08	1.0E+06	3.7E-02
194	194	1.49734	6.33E-05	9.5E-05	6.05E-04	5.74E-08	14	4.71E-02	3.79E-08	1.0E+06	3.8E-02
207	207	1.24076	6.33E-05	7.9E-05	6.05E-04	4.75E-08	14	4.71E-02	3.14E-08	1.0E+06	3.1E-02
208	208	1.25851	6.33E-05	8.0E-05	6.05E-04	4.82E-08	14	4.71E-02	3.18E-08	1.0E+06	3.2E-02
209	209	1.27928	6.33E-05	8.1E-05	6.05E-04	4.90E-08	14	4.71E-02	3.23E-08	1.0E+06	3.2E-02
223	223	1.07802	6.33E-05	6.8E-05	6.05E-04	4.13E-08	14	4.71E-02	2.73E-08	1.0E+06	2.7E-02
224	224	1.09263	6.33E-05	6.9E-05	6.05E-04	4.19E-08	14	4.71E-02	2.76E-08	1.0E+06	2.8E-02
225	225	1.10749	6.33E-05	7.0E-05	6.05E-04	4.24E-08	14	4.71E-02	2.80E-08	1.0E+06	2.8E-02
239	239	0.949	6.33E-05	6.0E-05	6.05E-04	3.64E-08	14	4.71E-02	2.40E-08	1.0E+06	2.4E-02
240	240	0.9611	6.33E-05	6.1E-05	6.05E-04	3.68E-08	14	4.71E-02	2.43E-08	1.0E+06	2.4E-02
241	241	0.9739	6.33E-05	6.2E-05	6.05E-04	3.73E-08	14	4.71E-02	2.46E-08	1.0E+06	2.5E-02
255	255	0.84342	6.33E-05	5.3E-05	6.05E-04	3.23E-08	14	4.71E-02	2.13E-08	1.0E+06	2.1E-02
256	256	0.85369	6.33E-05	5.4E-05	6.05E-04	3.27E-08	14	4.71E-02	2.16E-08	1.0E+06	2.2E-02
272	272	0.75525	6.33E-05	4.8E-05	6.05E-04	2.89E-08	14	4.71E-02	1.91E-08	1.0E+06	1.9E-02
273	273	0.76459	6.33E-05	4.8E-05	6.05E-04	2.93E-08	14	4.71E-02	1.93E-08	1.0E+06	1.9E-02
289	289	0.68147	6.33E-05	4.3E-05	6.05E-04	2.61E-08	14	4.71E-02	1.72E-08	1.0E+06	1.7E-02
290	290	0.68945	6.33E-05	4.4E-05	6.05E-04	2.64E-08	14	4.71E-02	1.74E-08	1.0E+06	1.7E-02
306	306	0.6184	6.33E-05	3.9E-05	6.05E-04	2.37E-08	14	4.71E-02	1.56E-08	1.0E+06	1.6E-02
307	307	0.6254	6.33E-05	4.0E-05	6.05E-04	2.40E-08	14	4.71E-02	1.58E-08	1.0E+06	1.6E-02
323	323	0.56407	6.33E-05	3.6E-05	6.05E-04	2.16E-08	14	4.71E-02	1.43E-08	1.0E+06	1.4E-02
324	324	0.57025	6.33E-05	3.6E-05	6.05E-04	2.18E-08	14	4.71E-02	1.44E-08	1.0E+06	1.4E-02
342	342	0.51694	6.33E-05	3.3E-05	6.05E-04	1.98E-08	14	4.71E-02	1.31E-08	1.0E+06	1.3E-02
343	343	0.52244	6.33E-05	3.3E-05	6.05E-04	2.00E-08	14	4.71E-02	1.32E-08	1.0E+06	1.3E-02
344	344	0.52711	6.33E-05	3.3E-05	6.05E-04	2.02E-08	14	4.71E-02	1.33E-08	1.0E+06	1.3E-02
356	356	0.47567	6.33E-05	3.0E-05	6.05E-04	1.82E-08	14	4.71E-02	1.20E-08	1.0E+06	1.2E-02
357	357	0.4805	6.33E-05	3.0E-05	6.05E-04	1.84E-08	14	4.71E-02	1.21E-08	1.0E+06	1.2E-02
358	358	0.48476	6.33E-05	3.1E-05	6.05E-04	1.86E-08	14	4.71E-02	1.23E-08	1.0E+06	1.2E-02

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	0.4394	6.33E-05	2.8E-05	6.05E-04	1.68E-08	14	4.71E-02	1.11E-08	1.0E+06	1.1E-02
371	371	0.44374	6.33E-05	2.8E-05	6.05E-04	1.70E-08	14	4.71E-02	1.12E-08	1.0E+06	1.1E-02
372	372	0.44754	6.33E-05	2.8E-05	6.05E-04	1.71E-08	14	4.71E-02	1.13E-08	1.0E+06	1.1E-02
383	383	0.4073	6.33E-05	2.6E-05	6.05E-04	1.56E-08	14	4.71E-02	1.03E-08	1.0E+06	1.0E-02
384	384	0.41125	6.33E-05	2.6E-05	6.05E-04	1.58E-08	14	4.71E-02	1.04E-08	1.0E+06	1.0E-02
385	385	0.41465	6.33E-05	2.6E-05	6.05E-04	1.59E-08	14	4.71E-02	1.05E-08	1.0E+06	1.0E-02
396	396	0.37876	6.33E-05	2.4E-05	6.05E-04	1.45E-08	14	4.71E-02	9.58E-09	1.0E+06	9.6E-03
397	397	0.38238	6.33E-05	2.4E-05	6.05E-04	1.46E-08	14	4.71E-02	9.67E-09	1.0E+06	9.7E-03
398	398	0.38545	6.33E-05	2.4E-05	6.05E-04	1.48E-08	14	4.71E-02	9.74E-09	1.0E+06	9.7E-03
399	399	0.38803	6.33E-05	2.5E-05	6.05E-04	1.49E-08	14	4.71E-02	9.81E-09	1.0E+06	9.8E-03
411	411	0.35326	6.33E-05	2.2E-05	6.05E-04	1.35E-08	14	4.71E-02	8.93E-09	1.0E+06	8.9E-03
412	412	0.35657	6.33E-05	2.3E-05	6.05E-04	1.37E-08	14	4.71E-02	9.01E-09	1.0E+06	9.0E-03
413	413	0.35945	6.33E-05	2.3E-05	6.05E-04	1.38E-08	14	4.71E-02	9.09E-09	1.0E+06	9.1E-03
414	414	0.36171	6.33E-05	2.3E-05	6.05E-04	1.39E-08	14	4.71E-02	9.14E-09	1.0E+06	9.1E-03
426	426	0.33039	6.33E-05	2.1E-05	6.05E-04	1.27E-08	14	4.71E-02	8.35E-09	1.0E+06	8.4E-03
427	427	0.33347	6.33E-05	2.1E-05	6.05E-04	1.28E-08	14	4.71E-02	8.43E-09	1.0E+06	8.4E-03
428	428	0.33601	6.33E-05	2.1E-05	6.05E-04	1.29E-08	14	4.71E-02	8.49E-09	1.0E+06	8.5E-03
429	429	0.33812	6.33E-05	2.1E-05	6.05E-04	1.30E-08	14	4.71E-02	8.55E-09	1.0E+06	8.5E-03
439	439	0.30978	6.33E-05	2.0E-05	6.05E-04	1.19E-08	14	4.71E-02	7.83E-09	1.0E+06	7.8E-03
440	440	0.31264	6.33E-05	2.0E-05	6.05E-04	1.20E-08	14	4.71E-02	7.90E-09	1.0E+06	7.9E-03
441	441	0.31501	6.33E-05	2.0E-05	6.05E-04	1.21E-08	14	4.71E-02	7.96E-09	1.0E+06	8.0E-03
442	442	0.31693	6.33E-05	2.0E-05	6.05E-04	1.21E-08	14	4.71E-02	8.01E-09	1.0E+06	8.0E-03
443	443	0.31841	6.33E-05	2.0E-05	6.05E-04	1.22E-08	14	4.71E-02	8.05E-09	1.0E+06	8.0E-03
454	454	0.29115	6.33E-05	1.8E-05	6.05E-04	1.12E-08	14	4.71E-02	7.36E-09	1.0E+06	7.4E-03
455	455	0.29381	6.33E-05	1.9E-05	6.05E-04	1.13E-08	14	4.71E-02	7.43E-09	1.0E+06	7.4E-03
456	456	0.29602	6.33E-05	1.9E-05	6.05E-04	1.13E-08	14	4.71E-02	7.48E-09	1.0E+06	7.5E-03
457	457	0.29779	6.33E-05	1.9E-05	6.05E-04	1.14E-08	14	4.71E-02	7.53E-09	1.0E+06	7.5E-03
458	458	0.29912	6.33E-05	1.9E-05	6.05E-04	1.15E-08	14	4.71E-02	7.56E-09	1.0E+06	7.6E-03
469	469	0.27423	6.33E-05	1.7E-05	6.05E-04	1.05E-08	14	4.71E-02	6.93E-09	1.0E+06	6.9E-03
470	470	0.2767	6.33E-05	1.8E-05	6.05E-04	1.06E-08	14	4.71E-02	7.00E-09	1.0E+06	7.0E-03
471	471	0.27876	6.33E-05	1.8E-05	6.05E-04	1.07E-08	14	4.71E-02	7.05E-09	1.0E+06	7.0E-03

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
472	472	0.28039	6.33E-05	1.8E-05	6.05E-04	1.07E-08	14	4.71E-02	7.09E-09	1.0E+06	7.1E-03
473	473	0.2816	6.33E-05	1.8E-05	6.05E-04	1.08E-08	14	4.71E-02	7.12E-09	1.0E+06	7.1E-03
489	489	0.25886	6.33E-05	1.6E-05	6.05E-04	9.92E-09	14	4.71E-02	6.54E-09	1.0E+06	6.5E-03
490	490	0.26118	6.33E-05	1.7E-05	6.05E-04	1.00E-08	14	4.71E-02	6.60E-09	1.0E+06	6.6E-03
491	491	0.26309	6.33E-05	1.7E-05	6.05E-04	1.01E-08	14	4.71E-02	6.65E-09	1.0E+06	6.7E-03
492	492	0.2646	6.33E-05	1.7E-05	6.05E-04	1.01E-08	14	4.71E-02	6.69E-09	1.0E+06	6.7E-03
493	493	0.26572	6.33E-05	1.7E-05	6.05E-04	1.02E-08	14	4.71E-02	6.72E-09	1.0E+06	6.7E-03
494	494	0.26643	6.33E-05	1.7E-05	6.05E-04	1.02E-08	14	4.71E-02	6.74E-09	1.0E+06	6.7E-03
509	509	0.24479	6.33E-05	1.5E-05	6.05E-04	9.38E-09	14	4.71E-02	6.19E-09	1.0E+06	6.2E-03
510	510	0.24697	6.33E-05	1.6E-05	6.05E-04	9.46E-09	14	4.71E-02	6.24E-09	1.0E+06	6.2E-03
511	511	0.24874	6.33E-05	1.6E-05	6.05E-04	9.53E-09	14	4.71E-02	6.29E-09	1.0E+06	6.3E-03
512	512	0.25015	6.33E-05	1.6E-05	6.05E-04	9.58E-09	14	4.71E-02	6.32E-09	1.0E+06	6.3E-03
513	513	0.2512	6.33E-05	1.6E-05	6.05E-04	9.62E-09	14	4.71E-02	6.35E-09	1.0E+06	6.4E-03
514	514	0.25184	6.33E-05	1.6E-05	6.05E-04	9.65E-09	14	4.71E-02	6.37E-09	1.0E+06	6.4E-03
515	515	0.25197	6.33E-05	1.6E-05	6.05E-04	9.65E-09	14	4.71E-02	6.37E-09	1.0E+06	6.4E-03
516	516	0.25146	6.33E-05	1.6E-05	6.05E-04	9.63E-09	14	4.71E-02	6.36E-09	1.0E+06	6.4E-03
517	517	0.25049	6.33E-05	1.6E-05	6.05E-04	9.59E-09	14	4.71E-02	6.33E-09	1.0E+06	6.3E-03
518	518	0.24908	6.33E-05	1.6E-05	6.05E-04	9.54E-09	14	4.71E-02	6.30E-09	1.0E+06	6.3E-03
519	519	0.2472	6.33E-05	1.6E-05	6.05E-04	9.47E-09	14	4.71E-02	6.25E-09	1.0E+06	6.2E-03
528	528	0.2319	6.33E-05	1.5E-05	6.05E-04	8.88E-09	14	4.71E-02	5.86E-09	1.0E+06	5.9E-03
529	529	0.23395	6.33E-05	1.5E-05	6.05E-04	8.96E-09	14	4.71E-02	5.91E-09	1.0E+06	5.9E-03
530	530	0.23563	6.33E-05	1.5E-05	6.05E-04	9.03E-09	14	4.71E-02	5.96E-09	1.0E+06	6.0E-03
531	531	0.23693	6.33E-05	1.5E-05	6.05E-04	9.08E-09	14	4.71E-02	5.99E-09	1.0E+06	6.0E-03
532	532	0.23789	6.33E-05	1.5E-05	6.05E-04	9.11E-09	14	4.71E-02	6.01E-09	1.0E+06	6.0E-03
533	533	0.23848	6.33E-05	1.5E-05	6.05E-04	9.13E-09	14	4.71E-02	6.03E-09	1.0E+06	6.0E-03
534	534	0.23858	6.33E-05	1.5E-05	6.05E-04	9.14E-09	14	4.71E-02	6.03E-09	1.0E+06	6.0E-03
535	535	0.23806	6.33E-05	1.5E-05	6.05E-04	9.12E-09	14	4.71E-02	6.02E-09	1.0E+06	6.0E-03
536	536	0.23712	6.33E-05	1.5E-05	6.05E-04	9.08E-09	14	4.71E-02	5.99E-09	1.0E+06	6.0E-03
537	537	0.23579	6.33E-05	1.5E-05	6.05E-04	9.03E-09	14	4.71E-02	5.96E-09	1.0E+06	6.0E-03
538	538	0.23404	6.33E-05	1.5E-05	6.05E-04	8.96E-09	14	4.71E-02	5.92E-09	1.0E+06	5.9E-03
547	547	0.22007	6.33E-05	1.4E-05	6.05E-04	8.43E-09	14	4.71E-02	5.56E-09	1.0E+06	5.6E-03

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.22201	6.33E-05	1.4E-05	6.05E-04	8.50E-09	14	4.71E-02	5.61E-09	1.0E+06	5.6E-03
549	549	0.22356	6.33E-05	1.4E-05	6.05E-04	8.56E-09	14	4.71E-02	5.65E-09	1.0E+06	5.7E-03
550	550	0.22481	6.33E-05	1.4E-05	6.05E-04	8.61E-09	14	4.71E-02	5.68E-09	1.0E+06	5.7E-03
551	551	0.22569	6.33E-05	1.4E-05	6.05E-04	8.64E-09	14	4.71E-02	5.71E-09	1.0E+06	5.7E-03
552	552	0.22623	6.33E-05	1.4E-05	6.05E-04	8.67E-09	14	4.71E-02	5.72E-09	1.0E+06	5.7E-03
553	553	0.22642	6.33E-05	1.4E-05	6.05E-04	8.67E-09	14	4.71E-02	5.72E-09	1.0E+06	5.7E-03
554	554	0.22628	6.33E-05	1.4E-05	6.05E-04	8.67E-09	14	4.71E-02	5.72E-09	1.0E+06	5.7E-03
555	555	0.22577	6.33E-05	1.4E-05	6.05E-04	8.65E-09	14	4.71E-02	5.71E-09	1.0E+06	5.7E-03
556	556	0.22486	6.33E-05	1.4E-05	6.05E-04	8.61E-09	14	4.71E-02	5.68E-09	1.0E+06	5.7E-03
557	557	0.22363	6.33E-05	1.4E-05	6.05E-04	8.57E-09	14	4.71E-02	5.65E-09	1.0E+06	5.7E-03
558	558	0.22199	6.33E-05	1.4E-05	6.05E-04	8.50E-09	14	4.71E-02	5.61E-09	1.0E+06	5.6E-03
559	559	0.21997	6.33E-05	1.4E-05	6.05E-04	8.43E-09	14	4.71E-02	5.56E-09	1.0E+06	5.6E-03
567	567	0.20918	6.33E-05	1.3E-05	6.05E-04	8.01E-09	14	4.71E-02	5.29E-09	1.0E+06	5.3E-03
568	568	0.21099	6.33E-05	1.3E-05	6.05E-04	8.08E-09	14	4.71E-02	5.33E-09	1.0E+06	5.3E-03
569	569	0.21247	6.33E-05	1.3E-05	6.05E-04	8.14E-09	14	4.71E-02	5.37E-09	1.0E+06	5.4E-03
570	570	0.21362	6.33E-05	1.4E-05	6.05E-04	8.18E-09	14	4.71E-02	5.40E-09	1.0E+06	5.4E-03
571	571	0.21445	6.33E-05	1.4E-05	6.05E-04	8.21E-09	14	4.71E-02	5.42E-09	1.0E+06	5.4E-03
572	572	0.21494	6.33E-05	1.4E-05	6.05E-04	8.23E-09	14	4.71E-02	5.43E-09	1.0E+06	5.4E-03
573	573	0.21512	6.33E-05	1.4E-05	6.05E-04	8.24E-09	14	4.71E-02	5.44E-09	1.0E+06	5.4E-03
574	574	0.21447	6.33E-05	1.4E-05	6.05E-04	8.22E-09	14	4.71E-02	5.42E-09	1.0E+06	5.4E-03
575	575	0.21362	6.33E-05	1.4E-05	6.05E-04	8.18E-09	14	4.71E-02	5.40E-09	1.0E+06	5.4E-03
576	576	0.21243	6.33E-05	1.3E-05	6.05E-04	8.14E-09	14	4.71E-02	5.37E-09	1.0E+06	5.4E-03
577	577	0.21091	6.33E-05	1.3E-05	6.05E-04	8.08E-09	14	4.71E-02	5.33E-09	1.0E+06	5.3E-03
578	578	0.20905	6.33E-05	1.3E-05	6.05E-04	8.01E-09	14	4.71E-02	5.28E-09	1.0E+06	5.3E-03
586	586	0.19914	6.33E-05	1.3E-05	6.05E-04	7.63E-09	14	4.71E-02	5.03E-09	1.0E+06	5.0E-03
587	587	0.20086	6.33E-05	1.3E-05	6.05E-04	7.69E-09	14	4.71E-02	5.08E-09	1.0E+06	5.1E-03
588	588	0.20225	6.33E-05	1.3E-05	6.05E-04	7.75E-09	14	4.71E-02	5.11E-09	1.0E+06	5.1E-03
589	589	0.20333	6.33E-05	1.3E-05	6.05E-04	7.79E-09	14	4.71E-02	5.14E-09	1.0E+06	5.1E-03
590	590	0.2041	6.33E-05	1.3E-05	6.05E-04	7.82E-09	14	4.71E-02	5.16E-09	1.0E+06	5.2E-03
591	591	0.20456	6.33E-05	1.3E-05	6.05E-04	7.84E-09	14	4.71E-02	5.17E-09	1.0E+06	5.2E-03
592	592	0.20471	6.33E-05	1.3E-05	6.05E-04	7.84E-09	14	4.71E-02	5.18E-09	1.0E+06	5.2E-03

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
593	593	0.20408	6.33E-05	1.3E-05	6.05E-04	7.82E-09	14	4.71E-02	5.16E-09	1.0E+06	5.2E-03
594	594	0.20327	6.33E-05	1.3E-05	6.05E-04	7.79E-09	14	4.71E-02	5.14E-09	1.0E+06	5.1E-03
595	595	0.20217	6.33E-05	1.3E-05	6.05E-04	7.74E-09	14	4.71E-02	5.11E-09	1.0E+06	5.1E-03
596	596	0.20075	6.33E-05	1.3E-05	6.05E-04	7.69E-09	14	4.71E-02	5.08E-09	1.0E+06	5.1E-03
597	597	0.19901	6.33E-05	1.3E-05	6.05E-04	7.62E-09	14	4.71E-02	5.03E-09	1.0E+06	5.0E-03
345	345	0.53146	6.33E-05	3.4E-05	6.05E-04	2.04E-08	14	4.71E-02	1.34E-08	1.0E+06	1.3E-02
346	346	0.53526	6.33E-05	3.4E-05	6.05E-04	2.05E-08	14	4.71E-02	1.35E-08	1.0E+06	1.4E-02
347	347	0.53868	6.33E-05	3.4E-05	6.05E-04	2.06E-08	14	4.71E-02	1.36E-08	1.0E+06	1.4E-02
348	348	0.54158	6.33E-05	3.4E-05	6.05E-04	2.07E-08	14	4.71E-02	1.37E-08	1.0E+06	1.4E-02
359	359	0.48856	6.33E-05	3.1E-05	6.05E-04	1.87E-08	14	4.71E-02	1.24E-08	1.0E+06	1.2E-02
360	360	0.49197	6.33E-05	3.1E-05	6.05E-04	1.88E-08	14	4.71E-02	1.24E-08	1.0E+06	1.2E-02
361	361	0.49465	6.33E-05	3.1E-05	6.05E-04	1.89E-08	14	4.71E-02	1.25E-08	1.0E+06	1.3E-02
362	362	0.49696	6.33E-05	3.1E-05	6.05E-04	1.90E-08	14	4.71E-02	1.26E-08	1.0E+06	1.3E-02
363	363	0.49838	6.33E-05	3.2E-05	6.05E-04	1.91E-08	14	4.71E-02	1.26E-08	1.0E+06	1.3E-02
373	373	0.45368	6.33E-05	2.9E-05	6.05E-04	1.74E-08	14	4.71E-02	1.15E-08	1.0E+06	1.1E-02
374	374	0.45604	6.33E-05	2.9E-05	6.05E-04	1.75E-08	14	4.71E-02	1.15E-08	1.0E+06	1.2E-02
375	375	0.45782	6.33E-05	2.9E-05	6.05E-04	1.75E-08	14	4.71E-02	1.16E-08	1.0E+06	1.2E-02
376	376	0.45887	6.33E-05	2.9E-05	6.05E-04	1.76E-08	14	4.71E-02	1.16E-08	1.0E+06	1.2E-02
386	386	0.42003	6.33E-05	2.7E-05	6.05E-04	1.61E-08	14	4.71E-02	1.06E-08	1.0E+06	1.1E-02
387	387	0.42199	6.33E-05	2.7E-05	6.05E-04	1.62E-08	14	4.71E-02	1.07E-08	1.0E+06	1.1E-02
388	388	0.42342	6.33E-05	2.7E-05	6.05E-04	1.62E-08	14	4.71E-02	1.07E-08	1.0E+06	1.1E-02
389	389	0.42414	6.33E-05	2.7E-05	6.05E-04	1.62E-08	14	4.71E-02	1.07E-08	1.0E+06	1.1E-02
390	390	0.42408	6.33E-05	2.7E-05	6.05E-04	1.62E-08	14	4.71E-02	1.07E-08	1.0E+06	1.1E-02
400	400	0.39016	6.33E-05	2.5E-05	6.05E-04	1.49E-08	14	4.71E-02	9.86E-09	1.0E+06	9.9E-03
401	401	0.39192	6.33E-05	2.5E-05	6.05E-04	1.50E-08	14	4.71E-02	9.91E-09	1.0E+06	9.9E-03
402	402	0.39298	6.33E-05	2.5E-05	6.05E-04	1.51E-08	14	4.71E-02	9.93E-09	1.0E+06	9.9E-03
403	403	0.3935	6.33E-05	2.5E-05	6.05E-04	1.51E-08	14	4.71E-02	9.95E-09	1.0E+06	9.9E-03
404	404	0.39332	6.33E-05	2.5E-05	6.05E-04	1.51E-08	14	4.71E-02	9.94E-09	1.0E+06	9.9E-03
415	415	0.36359	6.33E-05	2.3E-05	6.05E-04	1.39E-08	14	4.71E-02	9.19E-09	1.0E+06	9.2E-03
416	416	0.36502	6.33E-05	2.3E-05	6.05E-04	1.40E-08	14	4.71E-02	9.23E-09	1.0E+06	9.2E-03
417	417	0.36596	6.33E-05	2.3E-05	6.05E-04	1.40E-08	14	4.71E-02	9.25E-09	1.0E+06	9.3E-03

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	0.3662	6.33E-05	2.3E-05	6.05E-04	1.40E-08	14	4.71E-02	9.26E-09	1.0E+06	9.3E-03
419	419	0.36579	6.33E-05	2.3E-05	6.05E-04	1.40E-08	14	4.71E-02	9.25E-09	1.0E+06	9.2E-03
420	420	0.36494	6.33E-05	2.3E-05	6.05E-04	1.40E-08	14	4.71E-02	9.23E-09	1.0E+06	9.2E-03
430	430	0.34107	6.33E-05	2.2E-05	6.05E-04	1.31E-08	14	4.71E-02	8.62E-09	1.0E+06	8.6E-03
431	431	0.34172	6.33E-05	2.2E-05	6.05E-04	1.31E-08	14	4.71E-02	8.64E-09	1.0E+06	8.6E-03
432	432	0.34187	6.33E-05	2.2E-05	6.05E-04	1.31E-08	14	4.71E-02	8.64E-09	1.0E+06	8.6E-03
433	433	0.34144	6.33E-05	2.2E-05	6.05E-04	1.31E-08	14	4.71E-02	8.63E-09	1.0E+06	8.6E-03
434	434	0.34041	6.33E-05	2.2E-05	6.05E-04	1.30E-08	14	4.71E-02	8.61E-09	1.0E+06	8.6E-03
444	444	0.31945	6.33E-05	2.0E-05	6.05E-04	1.22E-08	14	4.71E-02	8.08E-09	1.0E+06	8.1E-03
445	445	0.32007	6.33E-05	2.0E-05	6.05E-04	1.23E-08	14	4.71E-02	8.09E-09	1.0E+06	8.1E-03
446	446	0.32011	6.33E-05	2.0E-05	6.05E-04	1.23E-08	14	4.71E-02	8.09E-09	1.0E+06	8.1E-03
447	447	0.3196	6.33E-05	2.0E-05	6.05E-04	1.22E-08	14	4.71E-02	8.08E-09	1.0E+06	8.1E-03
448	448	0.31855	6.33E-05	2.0E-05	6.05E-04	1.22E-08	14	4.71E-02	8.05E-09	1.0E+06	8.1E-03
459	459	0.30052	6.33E-05	1.9E-05	6.05E-04	1.15E-08	14	4.71E-02	7.60E-09	1.0E+06	7.6E-03
460	460	0.3005	6.33E-05	1.9E-05	6.05E-04	1.15E-08	14	4.71E-02	7.60E-09	1.0E+06	7.6E-03
461	461	0.29999	6.33E-05	1.9E-05	6.05E-04	1.15E-08	14	4.71E-02	7.58E-09	1.0E+06	7.6E-03
462	462	0.29895	6.33E-05	1.9E-05	6.05E-04	1.15E-08	14	4.71E-02	7.56E-09	1.0E+06	7.6E-03
463	463	0.29734	6.33E-05	1.9E-05	6.05E-04	1.14E-08	14	4.71E-02	7.52E-09	1.0E+06	7.5E-03
474	474	0.28284	6.33E-05	1.8E-05	6.05E-04	1.08E-08	14	4.71E-02	7.15E-09	1.0E+06	7.2E-03
475	475	0.28279	6.33E-05	1.8E-05	6.05E-04	1.08E-08	14	4.71E-02	7.15E-09	1.0E+06	7.1E-03
476	476	0.28223	6.33E-05	1.8E-05	6.05E-04	1.08E-08	14	4.71E-02	7.14E-09	1.0E+06	7.1E-03
477	477	0.28122	6.33E-05	1.8E-05	6.05E-04	1.08E-08	14	4.71E-02	7.11E-09	1.0E+06	7.1E-03
478	478	0.27967	6.33E-05	1.8E-05	6.05E-04	1.07E-08	14	4.71E-02	7.07E-09	1.0E+06	7.1E-03
495	495	0.26675	6.33E-05	1.7E-05	6.05E-04	1.02E-08	14	4.71E-02	6.74E-09	1.0E+06	6.7E-03
496	496	0.26667	6.33E-05	1.7E-05	6.05E-04	1.02E-08	14	4.71E-02	6.74E-09	1.0E+06	6.7E-03
497	497	0.26612	6.33E-05	1.7E-05	6.05E-04	1.02E-08	14	4.71E-02	6.73E-09	1.0E+06	6.7E-03
498	498	0.26512	6.33E-05	1.7E-05	6.05E-04	1.02E-08	14	4.71E-02	6.70E-09	1.0E+06	6.7E-03
499	499	0.26365	6.33E-05	1.7E-05	6.05E-04	1.01E-08	14	4.71E-02	6.67E-09	1.0E+06	6.7E-03
500	500	0.26165	6.33E-05	1.7E-05	6.05E-04	1.00E-08	14	4.71E-02	6.61E-09	1.0E+06	6.6E-03

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	3.85821	6.33E-05	2.4E-04	6.05E-04	1.48E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
140	140	4.07717	6.33E-05	2.6E-04	6.05E-04	1.56E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
156	156	2.82846	6.33E-05	1.8E-04	6.05E-04	1.08E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
157	157	2.92821	6.33E-05	1.9E-04	6.05E-04	1.12E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
158	158	3.09361	6.33E-05	2.0E-04	6.05E-04	1.18E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
159	159	3.31459	6.33E-05	2.1E-04	6.05E-04	1.27E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
160	160	3.54042	6.33E-05	2.2E-04	6.05E-04	1.36E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
161	161	4.2713	6.33E-05	2.7E-04	6.05E-04	1.64E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
162	162	4.81523	6.33E-05	3.0E-04	6.05E-04	1.84E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
163	163	5.38812	6.33E-05	3.4E-04	6.05E-04	2.06E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
167	167	2.24797	6.33E-05	1.4E-04	6.05E-04	8.61E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
168	168	2.37066	6.33E-05	1.5E-04	6.05E-04	9.08E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
169	169	2.48011	6.33E-05	1.6E-04	6.05E-04	9.50E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
170	170	2.61175	6.33E-05	1.7E-04	6.05E-04	1.00E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
171	171	2.76877	6.33E-05	1.8E-04	6.05E-04	1.06E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
172	172	2.97079	6.33E-05	1.9E-04	6.05E-04	1.14E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
173	173	3.19852	6.33E-05	2.0E-04	6.05E-04	1.23E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
174	174	3.42636	6.33E-05	2.2E-04	6.05E-04	1.31E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
175	175	3.60611	6.33E-05	2.3E-04	6.05E-04	1.38E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
176	176	3.7193	6.33E-05	2.4E-04	6.05E-04	1.42E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
177	177	3.75043	6.33E-05	2.4E-04	6.05E-04	1.44E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
181	181	1.89997	6.33E-05	1.2E-04	6.05E-04	7.28E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
182	182	1.97021	6.33E-05	1.2E-04	6.05E-04	7.55E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
183	183	2.04943	6.33E-05	1.3E-04	6.05E-04	7.85E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
184	184	2.13872	6.33E-05	1.4E-04	6.05E-04	8.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
185	185	2.2452	6.33E-05	1.4E-04	6.05E-04	8.60E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
186	186	2.36047	6.33E-05	1.5E-04	6.05E-04	9.04E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
187	187	2.469	6.33E-05	1.6E-04	6.05E-04	9.46E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
188	188	2.5501	6.33E-05	1.6E-04	6.05E-04	9.77E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
189	189	2.5937	6.33E-05	1.6E-04	6.05E-04	9.94E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
190	190	2.59135	6.33E-05	1.6E-04	6.05E-04	9.93E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
191	191	2.5218	6.33E-05	1.6E-04	6.05E-04	9.66E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
195	195	1.57325	6.33E-05	1.0E-04	6.05E-04	6.03E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
196	196	1.61953	6.33E-05	1.0E-04	6.05E-04	6.20E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
197	197	1.67194	6.33E-05	1.1E-04	6.05E-04	6.40E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
198	198	1.72629	6.33E-05	1.1E-04	6.05E-04	6.61E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
199	199	1.78974	6.33E-05	1.1E-04	6.05E-04	6.86E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
200	200	1.85247	6.33E-05	1.2E-04	6.05E-04	7.10E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
201	201	1.90781	6.33E-05	1.2E-04	6.05E-04	7.31E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
202	202	1.94795	6.33E-05	1.2E-04	6.05E-04	7.46E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
203	203	1.96513	6.33E-05	1.2E-04	6.05E-04	7.53E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
204	204	1.95372	6.33E-05	1.2E-04	6.05E-04	7.48E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
205	205	1.90682	6.33E-05	1.2E-04	6.05E-04	7.30E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
206	206	1.8188	6.33E-05	1.2E-04	6.05E-04	6.97E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
210	210	1.2921	6.33E-05	8.2E-05	6.05E-04	4.95E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
211	211	1.33452	6.33E-05	8.4E-05	6.05E-04	5.11E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
212	212	1.36607	6.33E-05	8.6E-05	6.05E-04	5.23E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
213	213	1.40035	6.33E-05	8.9E-05	6.05E-04	5.36E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
214	214	1.47488	6.33E-05	9.3E-05	6.05E-04	5.65E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
215	215	1.51156	6.33E-05	9.6E-05	6.05E-04	5.79E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
216	216	1.5416	6.33E-05	9.8E-05	6.05E-04	5.91E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
217	217	1.56226	6.33E-05	9.9E-05	6.05E-04	5.98E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
218	218	1.56764	6.33E-05	9.9E-05	6.05E-04	6.00E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
219	219	1.5542	6.33E-05	9.8E-05	6.05E-04	5.95E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
220	220	1.51869	6.33E-05	9.6E-05	6.05E-04	5.82E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
221	221	1.45778	6.33E-05	9.2E-05	6.05E-04	5.58E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
222	222	1.37622	6.33E-05	8.7E-05	6.05E-04	5.27E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
226	226	1.12456	6.33E-05	7.1E-05	6.05E-04	4.31E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
227	227	1.14986	6.33E-05	7.3E-05	6.05E-04	4.40E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
228	228	1.17312	6.33E-05	7.4E-05	6.05E-04	4.49E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
229	229	1.19639	6.33E-05	7.6E-05	6.05E-04	4.58E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
230	230	1.22085	6.33E-05	7.7E-05	6.05E-04	4.68E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	1.2465	6.33E-05	7.9E-05	6.05E-04	4.77E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
232	232	1.26851	6.33E-05	8.0E-05	6.05E-04	4.86E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
233	233	1.29508	6.33E-05	8.2E-05	6.05E-04	4.96E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
234	234	1.2952	6.33E-05	8.2E-05	6.05E-04	4.96E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
235	235	1.28189	6.33E-05	8.1E-05	6.05E-04	4.91E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
236	236	1.25332	6.33E-05	7.9E-05	6.05E-04	4.80E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
237	237	1.20847	6.33E-05	7.7E-05	6.05E-04	4.63E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
238	238	1.14799	6.33E-05	7.3E-05	6.05E-04	4.40E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
242	242	0.98736	6.33E-05	6.3E-05	6.05E-04	3.78E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
243	243	1.00425	6.33E-05	6.4E-05	6.05E-04	3.85E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
244	244	1.02318	6.33E-05	6.5E-05	6.05E-04	3.92E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
245	245	1.03941	6.33E-05	6.6E-05	6.05E-04	3.98E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
246	246	1.0558	6.33E-05	6.7E-05	6.05E-04	4.04E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
247	247	1.07147	6.33E-05	6.8E-05	6.05E-04	4.10E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
248	248	1.08495	6.33E-05	6.9E-05	6.05E-04	4.16E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
249	249	1.0998	6.33E-05	7.0E-05	6.05E-04	4.21E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
250	250	1.09679	6.33E-05	6.9E-05	6.05E-04	4.20E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
251	251	1.0843	6.33E-05	6.9E-05	6.05E-04	4.15E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
252	252	1.06056	6.33E-05	6.7E-05	6.05E-04	4.06E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
253	253	1.02618	6.33E-05	6.5E-05	6.05E-04	3.93E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
254	254	0.97997	6.33E-05	6.2E-05	6.05E-04	3.75E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
257	257	0.87522	6.33E-05	5.5E-05	6.05E-04	3.35E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
258	258	0.88747	6.33E-05	5.6E-05	6.05E-04	3.40E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
259	259	0.90104	6.33E-05	5.7E-05	6.05E-04	3.45E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
260	260	0.91351	6.33E-05	5.8E-05	6.05E-04	3.50E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
261	261	0.92418	6.33E-05	5.9E-05	6.05E-04	3.54E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
262	262	0.9345	6.33E-05	5.9E-05	6.05E-04	3.58E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
263	263	0.94302	6.33E-05	6.0E-05	6.05E-04	3.61E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
264	264	0.94997	6.33E-05	6.0E-05	6.05E-04	3.64E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
265	265	0.94561	6.33E-05	6.0E-05	6.05E-04	3.62E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
266	266	0.93407	6.33E-05	5.9E-05	6.05E-04	3.58E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	0.91449	6.33E-05	5.8E-05	6.05E-04	3.50E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
268	268	0.88688	6.33E-05	5.6E-05	6.05E-04	3.40E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
269	269	0.85044	6.33E-05	5.4E-05	6.05E-04	3.26E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
270	270	0.7062	6.33E-05	4.5E-05	6.05E-04	2.71E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
271	271	0.65212	6.33E-05	4.1E-05	6.05E-04	2.50E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
274	274	0.78224	6.33E-05	5.0E-05	6.05E-04	3.00E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
275	275	0.79102	6.33E-05	5.0E-05	6.05E-04	3.03E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
276	276	0.80094	6.33E-05	5.1E-05	6.05E-04	3.07E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
277	277	0.8107	6.33E-05	5.1E-05	6.05E-04	3.11E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
278	278	0.81842	6.33E-05	5.2E-05	6.05E-04	3.13E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
279	279	0.8254	6.33E-05	5.2E-05	6.05E-04	3.16E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
280	280	0.83091	6.33E-05	5.3E-05	6.05E-04	3.18E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
281	281	0.83282	6.33E-05	5.3E-05	6.05E-04	3.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
282	282	0.82765	6.33E-05	5.2E-05	6.05E-04	3.17E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
283	283	0.81713	6.33E-05	5.2E-05	6.05E-04	3.13E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
284	284	0.80052	6.33E-05	5.1E-05	6.05E-04	3.07E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
285	285	0.77748	6.33E-05	4.9E-05	6.05E-04	2.98E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
286	286	0.74797	6.33E-05	4.7E-05	6.05E-04	2.87E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
287	287	0.63214	6.33E-05	4.0E-05	6.05E-04	2.42E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
288	288	0.58783	6.33E-05	3.7E-05	6.05E-04	2.25E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
291	291	0.70402	6.33E-05	4.5E-05	6.05E-04	2.70E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
292	292	0.7108	6.33E-05	4.5E-05	6.05E-04	2.72E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
293	293	0.71796	6.33E-05	4.5E-05	6.05E-04	2.75E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
294	294	0.72557	6.33E-05	4.6E-05	6.05E-04	2.78E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
295	295	0.73137	6.33E-05	4.6E-05	6.05E-04	2.80E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
296	296	0.73598	6.33E-05	4.7E-05	6.05E-04	2.82E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
297	297	0.73902	6.33E-05	4.7E-05	6.05E-04	2.83E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
298	298	0.73821	6.33E-05	4.7E-05	6.05E-04	2.83E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
299	299	0.73279	6.33E-05	4.6E-05	6.05E-04	2.81E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
300	300	0.7232	6.33E-05	4.6E-05	6.05E-04	2.77E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
301	301	0.70883	6.33E-05	4.5E-05	6.05E-04	2.72E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
302	302	0.6895	6.33E-05	4.4E-05	6.05E-04	2.64E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
303	303	0.66515	6.33E-05	4.2E-05	6.05E-04	2.55E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
304	304	0.57024	6.33E-05	3.6E-05	6.05E-04	2.18E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
305	305	0.53368	6.33E-05	3.4E-05	6.05E-04	2.04E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
308	308	0.63764	6.33E-05	4.0E-05	6.05E-04	2.44E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
309	309	0.64322	6.33E-05	4.1E-05	6.05E-04	2.46E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
310	310	0.64847	6.33E-05	4.1E-05	6.05E-04	2.48E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
311	311	0.65427	6.33E-05	4.1E-05	6.05E-04	2.51E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
312	312	0.65817	6.33E-05	4.2E-05	6.05E-04	2.52E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
313	313	0.66135	6.33E-05	4.2E-05	6.05E-04	2.53E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
314	314	0.66304	6.33E-05	4.2E-05	6.05E-04	2.54E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
315	315	0.66051	6.33E-05	4.2E-05	6.05E-04	2.53E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
316	316	0.65494	6.33E-05	4.1E-05	6.05E-04	2.51E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
317	317	0.64639	6.33E-05	4.1E-05	6.05E-04	2.48E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
318	318	0.6338	6.33E-05	4.0E-05	6.05E-04	2.43E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
319	319	0.61733	6.33E-05	3.9E-05	6.05E-04	2.36E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
320	320	0.59711	6.33E-05	3.8E-05	6.05E-04	2.29E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
321	321	0.51799	6.33E-05	3.3E-05	6.05E-04	1.98E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
322	322	0.48747	6.33E-05	3.1E-05	6.05E-04	1.87E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
325	325	0.58065	6.33E-05	3.7E-05	6.05E-04	2.22E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
326	326	0.58526	6.33E-05	3.7E-05	6.05E-04	2.24E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
327	327	0.58944	6.33E-05	3.7E-05	6.05E-04	2.26E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
328	328	0.59348	6.33E-05	3.8E-05	6.05E-04	2.27E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
329	329	0.59667	6.33E-05	3.8E-05	6.05E-04	2.29E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
330	330	0.59836	6.33E-05	3.8E-05	6.05E-04	2.29E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
331	331	0.59913	6.33E-05	3.8E-05	6.05E-04	2.29E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
332	332	0.59807	6.33E-05	3.8E-05	6.05E-04	2.29E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
333	333	0.59554	6.33E-05	3.8E-05	6.05E-04	2.28E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
334	334	0.59027	6.33E-05	3.7E-05	6.05E-04	2.26E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
335	335	0.58237	6.33E-05	3.7E-05	6.05E-04	2.23E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
336	336	0.57138	6.33E-05	3.6E-05	6.05E-04	2.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
337	337	0.55727	6.33E-05	3.5E-05	6.05E-04	2.13E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
338	338	0.53989	6.33E-05	3.4E-05	6.05E-04	2.07E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
339	339	0.49786	6.33E-05	3.2E-05	6.05E-04	1.91E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
340	340	0.47342	6.33E-05	3.0E-05	6.05E-04	1.81E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
341	341	0.44759	6.33E-05	2.8E-05	6.05E-04	1.71E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
349	349	0.54382	6.33E-05	3.4E-05	6.05E-04	2.08E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
350	350	0.54499	6.33E-05	3.5E-05	6.05E-04	2.09E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
351	351	0.54527	6.33E-05	3.5E-05	6.05E-04	2.09E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
352	352	0.54351	6.33E-05	3.4E-05	6.05E-04	2.08E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
353	353	0.4558	6.33E-05	2.9E-05	6.05E-04	1.75E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
354	354	0.43497	6.33E-05	2.8E-05	6.05E-04	1.67E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
355	355	0.41289	6.33E-05	2.6E-05	6.05E-04	1.58E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
364	364	0.49899	6.33E-05	3.2E-05	6.05E-04	1.91E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
365	365	0.49852	6.33E-05	3.2E-05	6.05E-04	1.91E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
366	366	0.49701	6.33E-05	3.1E-05	6.05E-04	1.90E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
367	367	0.41944	6.33E-05	2.7E-05	6.05E-04	1.61E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
368	368	0.40154	6.33E-05	2.5E-05	6.05E-04	1.54E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
369	369	0.3825	6.33E-05	2.4E-05	6.05E-04	1.47E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
377	377	0.45907	6.33E-05	2.9E-05	6.05E-04	1.76E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
378	378	0.45839	6.33E-05	2.9E-05	6.05E-04	1.76E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
379	379	0.45673	6.33E-05	2.9E-05	6.05E-04	1.75E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
380	380	0.38776	6.33E-05	2.5E-05	6.05E-04	1.49E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
381	381	0.37216	6.33E-05	2.4E-05	6.05E-04	1.43E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
382	382	0.35572	6.33E-05	2.3E-05	6.05E-04	1.36E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
391	391	0.42327	6.33E-05	2.7E-05	6.05E-04	1.62E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
392	392	0.42155	6.33E-05	2.7E-05	6.05E-04	1.61E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
393	393	0.35991	6.33E-05	2.3E-05	6.05E-04	1.38E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
394	394	0.34632	6.33E-05	2.2E-05	6.05E-04	1.33E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
395	395	0.33193	6.33E-05	2.1E-05	6.05E-04	1.27E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
405	405	0.39232	6.33E-05	2.5E-05	6.05E-04	1.50E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
406	406	0.39051	6.33E-05	2.5E-05	6.05E-04	1.50E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	0.38765	6.33E-05	2.5E-05	6.05E-04	1.48E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
408	408	0.33532	6.33E-05	2.1E-05	6.05E-04	1.28E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
409	409	0.32335	6.33E-05	2.0E-05	6.05E-04	1.24E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
410	410	0.31068	6.33E-05	2.0E-05	6.05E-04	1.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
421	421	0.36311	6.33E-05	2.3E-05	6.05E-04	1.39E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
422	422	0.36043	6.33E-05	2.3E-05	6.05E-04	1.38E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
423	423	0.31344	6.33E-05	2.0E-05	6.05E-04	1.20E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
424	424	0.30286	6.33E-05	1.9E-05	6.05E-04	1.16E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
425	425	0.29163	6.33E-05	1.8E-05	6.05E-04	1.12E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
435	435	0.33875	6.33E-05	2.1E-05	6.05E-04	1.30E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
436	436	0.33617	6.33E-05	2.1E-05	6.05E-04	1.29E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
437	437	0.28449	6.33E-05	1.8E-05	6.05E-04	1.09E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
438	438	0.27449	6.33E-05	1.7E-05	6.05E-04	1.05E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
449	449	0.31695	6.33E-05	2.0E-05	6.05E-04	1.21E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
450	450	0.31447	6.33E-05	2.0E-05	6.05E-04	1.20E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
451	451	0.31136	6.33E-05	2.0E-05	6.05E-04	1.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
452	452	0.26789	6.33E-05	1.7E-05	6.05E-04	1.03E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
453	453	0.25895	6.33E-05	1.6E-05	6.05E-04	9.92E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
464	464	0.29507	6.33E-05	1.9E-05	6.05E-04	1.13E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
465	465	0.29215	6.33E-05	1.8E-05	6.05E-04	1.12E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
466	466	0.26732	6.33E-05	1.7E-05	6.05E-04	1.02E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
467	467	0.25287	6.33E-05	1.6E-05	6.05E-04	9.69E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
468	468	0.24484	6.33E-05	1.5E-05	6.05E-04	9.38E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
479	479	0.27746	6.33E-05	1.8E-05	6.05E-04	1.06E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
480	480	0.27483	6.33E-05	1.7E-05	6.05E-04	1.05E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
481	481	0.27151	6.33E-05	1.7E-05	6.05E-04	1.04E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
482	482	0.26758	6.33E-05	1.7E-05	6.05E-04	1.02E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
483	483	0.26307	6.33E-05	1.7E-05	6.05E-04	1.01E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
484	484	0.25795	6.33E-05	1.6E-05	6.05E-04	9.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
485	485	0.25225	6.33E-05	1.6E-05	6.05E-04	9.66E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
486	486	0.24599	6.33E-05	1.6E-05	6.05E-04	9.42E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
487	487	0.23922	6.33E-05	1.5E-05	6.05E-04	9.16E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
488	488	0.23198	6.33E-05	1.5E-05	6.05E-04	8.89E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
501	501	0.25901	6.33E-05	1.6E-05	6.05E-04	9.92E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
502	502	0.25608	6.33E-05	1.6E-05	6.05E-04	9.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
503	503	0.25248	6.33E-05	1.6E-05	6.05E-04	9.67E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
504	504	0.24836	6.33E-05	1.6E-05	6.05E-04	9.51E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
505	505	0.24371	6.33E-05	1.5E-05	6.05E-04	9.34E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
506	506	0.23854	6.33E-05	1.5E-05	6.05E-04	9.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
507	507	0.23288	6.33E-05	1.5E-05	6.05E-04	8.92E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
508	508	0.22022	6.33E-05	1.4E-05	6.05E-04	8.44E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
520	520	0.24482	6.33E-05	1.5E-05	6.05E-04	9.38E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
521	521	0.24188	6.33E-05	1.5E-05	6.05E-04	9.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
522	522	0.23876	6.33E-05	1.5E-05	6.05E-04	9.15E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
523	523	0.23499	6.33E-05	1.5E-05	6.05E-04	9.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
524	524	0.23075	6.33E-05	1.5E-05	6.05E-04	8.84E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
525	525	0.22605	6.33E-05	1.4E-05	6.05E-04	8.66E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
526	526	0.22091	6.33E-05	1.4E-05	6.05E-04	8.46E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
527	527	0.20942	6.33E-05	1.3E-05	6.05E-04	8.02E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
539	539	0.23186	6.33E-05	1.5E-05	6.05E-04	8.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
540	540	0.22925	6.33E-05	1.5E-05	6.05E-04	8.78E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
541	541	0.22616	6.33E-05	1.4E-05	6.05E-04	8.66E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
542	542	0.2227	6.33E-05	1.4E-05	6.05E-04	8.53E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
543	543	0.21891	6.33E-05	1.4E-05	6.05E-04	8.39E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
544	544	0.21461	6.33E-05	1.4E-05	6.05E-04	8.22E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
545	545	0.20987	6.33E-05	1.3E-05	6.05E-04	8.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
546	546	0.19948	6.33E-05	1.3E-05	6.05E-04	7.64E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
560	560	0.21757	6.33E-05	1.4E-05	6.05E-04	8.33E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
561	561	0.21478	6.33E-05	1.4E-05	6.05E-04	8.23E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
562	562	0.21159	6.33E-05	1.3E-05	6.05E-04	8.10E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
563	563	0.20772	6.33E-05	1.3E-05	6.05E-04	7.96E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
564	564	0.20406	6.33E-05	1.3E-05	6.05E-04	7.82E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.19987	6.33E-05	1.3E-05	6.05E-04	7.66E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
566	566	0.19032	6.33E-05	1.2E-05	6.05E-04	7.29E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
579	579	0.20683	6.33E-05	1.3E-05	6.05E-04	7.92E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
580	580	0.20426	6.33E-05	1.3E-05	6.05E-04	7.82E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
581	581	0.20135	6.33E-05	1.3E-05	6.05E-04	7.71E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
582	582	0.19809	6.33E-05	1.3E-05	6.05E-04	7.59E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
583	583	0.19447	6.33E-05	1.2E-05	6.05E-04	7.45E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
584	584	0.19053	6.33E-05	1.2E-05	6.05E-04	7.30E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
585	585	0.18517	6.33E-05	1.2E-05	6.05E-04	7.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
598	598	0.19695	6.33E-05	1.2E-05	6.05E-04	7.54E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
599	599	0.19458	6.33E-05	1.2E-05	6.05E-04	7.45E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
600	600	0.19189	6.33E-05	1.2E-05	6.05E-04	7.35E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
601	601	0.1889	6.33E-05	1.2E-05	6.05E-04	7.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
602	602	0.18559	6.33E-05	1.2E-05	6.05E-04	7.11E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
603	603	0.182	6.33E-05	1.2E-05	6.05E-04	6.97E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
604	604	0.17812	6.33E-05	1.1E-05	6.05E-04	6.82E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
0	0	0	6.33E-05	0.0E+00	6.05E-04	0.00E+00	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	2.78472	6.33E-05	1.8E-04	2.50E-04	4.41E-08	14	1.15E-02	7.09E-09	1.0E+06	7.1E-03
2	2	2.8255	6.33E-05	1.8E-04	2.50E-04	4.48E-08	14	1.15E-02	7.19E-09	1.0E+06	7.2E-03
3	3	2.83012	6.33E-05	1.8E-04	2.50E-04	4.48E-08	14	1.15E-02	7.20E-09	1.0E+06	7.2E-03
4	4	2.83985	6.33E-05	1.8E-04	2.50E-04	4.50E-08	14	1.15E-02	7.23E-09	1.0E+06	7.2E-03
5	5	2.84304	6.33E-05	1.8E-04	2.50E-04	4.50E-08	14	1.15E-02	7.23E-09	1.0E+06	7.2E-03
6	6	2.87648	6.33E-05	1.8E-04	2.50E-04	4.56E-08	14	1.15E-02	7.32E-09	1.0E+06	7.3E-03
7	7	2.91815	6.33E-05	1.8E-04	2.50E-04	4.62E-08	14	1.15E-02	7.43E-09	1.0E+06	7.4E-03
8	8	2.95293	6.33E-05	1.9E-04	2.50E-04	4.68E-08	14	1.15E-02	7.51E-09	1.0E+06	7.5E-03
9	9	2.99211	6.33E-05	1.9E-04	2.50E-04	4.74E-08	14	1.15E-02	7.61E-09	1.0E+06	7.6E-03
10	10	3.02874	6.33E-05	1.9E-04	2.50E-04	4.80E-08	14	1.15E-02	7.71E-09	1.0E+06	7.7E-03
11	11	3.0561	6.33E-05	1.9E-04	2.50E-04	4.84E-08	14	1.15E-02	7.78E-09	1.0E+06	7.8E-03
12	12	3.07126	6.33E-05	1.9E-04	2.50E-04	4.87E-08	14	1.15E-02	7.81E-09	1.0E+06	7.8E-03
13	13	3.09072	6.33E-05	2.0E-04	2.50E-04	4.90E-08	14	1.15E-02	7.86E-09	1.0E+06	7.9E-03
14	14	3.08774	6.33E-05	2.0E-04	2.50E-04	4.89E-08	14	1.15E-02	7.86E-09	1.0E+06	7.9E-03
15	15	3.07303	6.33E-05	1.9E-04	2.50E-04	4.87E-08	14	1.15E-02	7.82E-09	1.0E+06	7.8E-03
16	16	3.02427	6.33E-05	1.9E-04	2.50E-04	4.79E-08	14	1.15E-02	7.70E-09	1.0E+06	7.7E-03
17	17	2.96783	6.33E-05	1.9E-04	2.50E-04	4.70E-08	14	1.15E-02	7.55E-09	1.0E+06	7.6E-03
18	18	2.87885	6.33E-05	1.8E-04	2.50E-04	4.56E-08	14	1.15E-02	7.33E-09	1.0E+06	7.3E-03
19	19	2.78116	6.33E-05	1.8E-04	2.50E-04	4.41E-08	14	1.15E-02	7.08E-09	1.0E+06	7.1E-03
20	20	2.67448	6.33E-05	1.7E-04	2.50E-04	4.24E-08	14	1.15E-02	6.81E-09	1.0E+06	6.8E-03
21	21	2.5624	6.33E-05	1.6E-04	2.50E-04	4.06E-08	14	1.15E-02	6.52E-09	1.0E+06	6.5E-03
22	22	2.46074	6.33E-05	1.6E-04	2.50E-04	3.90E-08	14	1.15E-02	6.26E-09	1.0E+06	6.3E-03
23	23	2.37214	6.33E-05	1.5E-04	2.50E-04	3.76E-08	14	1.15E-02	6.04E-09	1.0E+06	6.0E-03
24	24	2.30388	6.33E-05	1.5E-04	2.50E-04	3.65E-08	14	1.15E-02	5.86E-09	1.0E+06	5.9E-03
25	25	2.26404	6.33E-05	1.4E-04	2.50E-04	3.59E-08	14	1.15E-02	5.76E-09	1.0E+06	5.8E-03
26	26	2.26101	6.33E-05	1.4E-04	2.50E-04	3.58E-08	14	1.15E-02	5.75E-09	1.0E+06	5.8E-03
27	27	2.30907	6.33E-05	1.5E-04	2.50E-04	3.66E-08	14	1.15E-02	5.88E-09	1.0E+06	5.9E-03
28	28	2.42853	6.33E-05	1.5E-04	2.50E-04	3.85E-08	14	1.15E-02	6.18E-09	1.0E+06	6.2E-03
29	29	2.66523	6.33E-05	1.7E-04	2.50E-04	4.22E-08	14	1.15E-02	6.78E-09	1.0E+06	6.8E-03
30	30	3.11771	6.33E-05	2.0E-04	2.50E-04	4.94E-08	14	1.15E-02	7.93E-09	1.0E+06	7.9E-03
31	31	4.07838	6.33E-05	2.6E-04	2.50E-04	6.46E-08	14	1.15E-02	1.04E-08	1.0E+06	1.0E-02

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	6.89023	6.33E-05	4.4E-04	2.50E-04	1.09E-07	14	1.15E-02	1.75E-08	1.0E+06	1.8E-02
55	55	3.15817	6.33E-05	2.0E-04	2.50E-04	5.00E-08	14	1.15E-02	8.04E-09	1.0E+06	8.0E-03
56	56	2.99452	6.33E-05	1.9E-04	2.50E-04	4.74E-08	14	1.15E-02	7.62E-09	1.0E+06	7.6E-03
57	57	2.87899	6.33E-05	1.8E-04	2.50E-04	4.56E-08	14	1.15E-02	7.33E-09	1.0E+06	7.3E-03
58	58	2.80693	6.33E-05	1.8E-04	2.50E-04	4.45E-08	14	1.15E-02	7.14E-09	1.0E+06	7.1E-03
59	59	2.79306	6.33E-05	1.8E-04	2.50E-04	4.43E-08	14	1.15E-02	7.11E-09	1.0E+06	7.1E-03
60	60	2.8625	6.33E-05	1.8E-04	2.50E-04	4.54E-08	14	1.15E-02	7.28E-09	1.0E+06	7.3E-03
61	61	3.06634	6.33E-05	1.9E-04	2.50E-04	4.86E-08	14	1.15E-02	7.80E-09	1.0E+06	7.8E-03
62	62	3.48347	6.33E-05	2.2E-04	2.50E-04	5.52E-08	14	1.15E-02	8.86E-09	1.0E+06	8.9E-03
63	63	4.34036	6.33E-05	2.7E-04	2.50E-04	6.88E-08	14	1.15E-02	1.10E-08	1.0E+06	1.1E-02
64	64	6.32474	6.33E-05	4.0E-04	2.50E-04	1.00E-07	14	1.15E-02	1.61E-08	1.0E+06	1.6E-02
65	65	10.58539	6.33E-05	6.7E-04	2.50E-04	1.68E-07	14	1.15E-02	2.69E-08	1.0E+06	2.7E-02
66	66	12.88427	6.33E-05	8.2E-04	2.50E-04	2.04E-07	14	1.15E-02	3.28E-08	1.0E+06	3.3E-02
67	67	11.63611	6.33E-05	7.4E-04	2.50E-04	1.84E-07	14	1.15E-02	2.96E-08	1.0E+06	3.0E-02
68	68	11.65623	6.33E-05	7.4E-04	2.50E-04	1.85E-07	14	1.15E-02	2.97E-08	1.0E+06	3.0E-02
69	69	10.36065	6.33E-05	6.6E-04	2.50E-04	1.64E-07	14	1.15E-02	2.64E-08	1.0E+06	2.6E-02
70	70	8.40013	6.33E-05	5.3E-04	2.50E-04	1.33E-07	14	1.15E-02	2.14E-08	1.0E+06	2.1E-02
71	71	8.06122	6.33E-05	5.1E-04	2.50E-04	1.28E-07	14	1.15E-02	2.05E-08	1.0E+06	2.1E-02
72	72	8.18189	6.33E-05	5.2E-04	2.50E-04	1.30E-07	14	1.15E-02	2.08E-08	1.0E+06	2.1E-02
73	73	8.16688	6.33E-05	5.2E-04	2.50E-04	1.29E-07	14	1.15E-02	2.08E-08	1.0E+06	2.1E-02
74	74	8.21402	6.33E-05	5.2E-04	2.50E-04	1.30E-07	14	1.15E-02	2.09E-08	1.0E+06	2.1E-02
75	75	8.28958	6.33E-05	5.2E-04	2.50E-04	1.31E-07	14	1.15E-02	2.11E-08	1.0E+06	2.1E-02
76	76	8.41119	6.33E-05	5.3E-04	2.50E-04	1.33E-07	14	1.15E-02	2.14E-08	1.0E+06	2.1E-02
77	77	8.5605	6.33E-05	5.4E-04	2.50E-04	1.36E-07	14	1.15E-02	2.18E-08	1.0E+06	2.2E-02
78	78	8.77192	6.33E-05	5.6E-04	2.50E-04	1.39E-07	14	1.15E-02	2.23E-08	1.0E+06	2.2E-02
79	79	7.41944	6.33E-05	4.7E-04	2.50E-04	1.18E-07	14	1.15E-02	1.89E-08	1.0E+06	1.9E-02
80	80	6.77678	6.33E-05	4.3E-04	2.50E-04	1.07E-07	14	1.15E-02	1.72E-08	1.0E+06	1.7E-02
81	81	6.0192	6.33E-05	3.8E-04	2.50E-04	9.54E-08	14	1.15E-02	1.53E-08	1.0E+06	1.5E-02
82	82	5.34341	6.33E-05	3.4E-04	2.50E-04	8.47E-08	14	1.15E-02	1.36E-08	1.0E+06	1.4E-02
83	83	4.85701	6.33E-05	3.1E-04	2.50E-04	7.70E-08	14	1.15E-02	1.24E-08	1.0E+06	1.2E-02
84	84	4.41811	6.33E-05	2.8E-04	2.50E-04	7.00E-08	14	1.15E-02	1.12E-08	1.0E+06	1.1E-02

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	85	4.07706	6.33E-05	2.6E-04	2.50E-04	6.46E-08	14	1.15E-02	1.04E-08	1.0E+06	1.0E-02
86	86	3.82948	6.33E-05	2.4E-04	2.50E-04	6.07E-08	14	1.15E-02	9.74E-09	1.0E+06	9.7E-03
87	87	3.67734	6.33E-05	2.3E-04	2.50E-04	5.83E-08	14	1.15E-02	9.36E-09	1.0E+06	9.4E-03
88	88	3.64505	6.33E-05	2.3E-04	2.50E-04	5.78E-08	14	1.15E-02	9.27E-09	1.0E+06	9.3E-03
89	89	3.75593	6.33E-05	2.4E-04	2.50E-04	5.95E-08	14	1.15E-02	9.56E-09	1.0E+06	9.6E-03
90	90	4.11497	6.33E-05	2.6E-04	2.50E-04	6.52E-08	14	1.15E-02	1.05E-08	1.0E+06	1.0E-02
91	91	5.01013	6.33E-05	3.2E-04	2.50E-04	7.94E-08	14	1.15E-02	1.27E-08	1.0E+06	1.3E-02
92	92	7.14861	6.33E-05	4.5E-04	2.50E-04	1.13E-07	14	1.15E-02	1.82E-08	1.0E+06	1.8E-02
93	93	8.50875	6.33E-05	5.4E-04	2.50E-04	1.35E-07	14	1.15E-02	2.17E-08	1.0E+06	2.2E-02
96	96	5.65214	6.33E-05	3.6E-04	2.50E-04	8.96E-08	14	1.15E-02	1.44E-08	1.0E+06	1.4E-02
97	97	5.31018	6.33E-05	3.4E-04	2.50E-04	8.41E-08	14	1.15E-02	1.35E-08	1.0E+06	1.4E-02
98	98	5.29013	6.33E-05	3.3E-04	2.50E-04	8.38E-08	14	1.15E-02	1.35E-08	1.0E+06	1.3E-02
99	99	5.49899	6.33E-05	3.5E-04	2.50E-04	8.71E-08	14	1.15E-02	1.40E-08	1.0E+06	1.4E-02
100	100	6.30837	6.33E-05	4.0E-04	2.50E-04	9.99E-08	14	1.15E-02	1.61E-08	1.0E+06	1.6E-02
101	101	8.81101	6.33E-05	5.6E-04	2.50E-04	1.40E-07	14	1.15E-02	2.24E-08	1.0E+06	2.2E-02
102	102	9.56952	6.33E-05	6.1E-04	2.50E-04	1.52E-07	14	1.15E-02	2.43E-08	1.0E+06	2.4E-02
106	106	3.75863	6.33E-05	2.4E-04	2.50E-04	5.96E-08	14	1.15E-02	9.56E-09	1.0E+06	9.6E-03
107	107	4.77482	6.33E-05	3.0E-04	2.50E-04	7.57E-08	14	1.15E-02	1.21E-08	1.0E+06	1.2E-02
108	108	5.23064	6.33E-05	3.3E-04	2.50E-04	8.29E-08	14	1.15E-02	1.33E-08	1.0E+06	1.3E-02
109	109	5.80019	6.33E-05	3.7E-04	2.50E-04	9.19E-08	14	1.15E-02	1.48E-08	1.0E+06	1.5E-02
110	110	6.44402	6.33E-05	4.1E-04	2.50E-04	1.02E-07	14	1.15E-02	1.64E-08	1.0E+06	1.6E-02
111	111	6.4599	6.33E-05	4.1E-04	2.50E-04	1.02E-07	14	1.15E-02	1.64E-08	1.0E+06	1.6E-02
112	112	6.36792	6.33E-05	4.0E-04	2.50E-04	1.01E-07	14	1.15E-02	1.62E-08	1.0E+06	1.6E-02
113	113	6.15246	6.33E-05	3.9E-04	2.50E-04	9.75E-08	14	1.15E-02	1.57E-08	1.0E+06	1.6E-02
114	114	6.03093	6.33E-05	3.8E-04	2.50E-04	9.56E-08	14	1.15E-02	1.53E-08	1.0E+06	1.5E-02
115	115	5.88804	6.33E-05	3.7E-04	2.50E-04	9.33E-08	14	1.15E-02	1.50E-08	1.0E+06	1.5E-02
116	116	5.74354	6.33E-05	3.6E-04	2.50E-04	9.10E-08	14	1.15E-02	1.46E-08	1.0E+06	1.5E-02
117	117	5.71958	6.33E-05	3.6E-04	2.50E-04	9.06E-08	14	1.15E-02	1.46E-08	1.0E+06	1.5E-02
118	118	5.75311	6.33E-05	3.6E-04	2.50E-04	9.12E-08	14	1.15E-02	1.46E-08	1.0E+06	1.5E-02
124	124	2.30412	6.33E-05	1.5E-04	2.50E-04	3.65E-08	14	1.15E-02	5.86E-09	1.0E+06	5.9E-03
125	125	2.84028	6.33E-05	1.8E-04	2.50E-04	4.50E-08	14	1.15E-02	7.23E-09	1.0E+06	7.2E-03

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	126	3.17198	6.33E-05	2.0E-04	2.50E-04	5.03E-08	14	1.15E-02	8.07E-09	1.0E+06	8.1E-03
127	127	3.44784	6.33E-05	2.2E-04	2.50E-04	5.46E-08	14	1.15E-02	8.77E-09	1.0E+06	8.8E-03
128	128	3.68993	6.33E-05	2.3E-04	2.50E-04	5.85E-08	14	1.15E-02	9.39E-09	1.0E+06	9.4E-03
129	129	3.75466	6.33E-05	2.4E-04	2.50E-04	5.95E-08	14	1.15E-02	9.55E-09	1.0E+06	9.6E-03
130	130	3.78019	6.33E-05	2.4E-04	2.50E-04	5.99E-08	14	1.15E-02	9.62E-09	1.0E+06	9.6E-03
131	131	3.75682	6.33E-05	2.4E-04	2.50E-04	5.95E-08	14	1.15E-02	9.56E-09	1.0E+06	9.6E-03
132	132	3.74202	6.33E-05	2.4E-04	2.50E-04	5.93E-08	14	1.15E-02	9.52E-09	1.0E+06	9.5E-03
133	133	3.6968	6.33E-05	2.3E-04	2.50E-04	5.86E-08	14	1.15E-02	9.41E-09	1.0E+06	9.4E-03
134	134	3.69938	6.33E-05	2.3E-04	2.50E-04	5.86E-08	14	1.15E-02	9.41E-09	1.0E+06	9.4E-03
135	135	3.6795	6.33E-05	2.3E-04	2.50E-04	5.83E-08	14	1.15E-02	9.36E-09	1.0E+06	9.4E-03
136	136	3.68606	6.33E-05	2.3E-04	2.50E-04	5.84E-08	14	1.15E-02	9.38E-09	1.0E+06	9.4E-03
137	137	3.70087	6.33E-05	2.3E-04	2.50E-04	5.86E-08	14	1.15E-02	9.42E-09	1.0E+06	9.4E-03
138	138	3.78452	6.33E-05	2.4E-04	2.50E-04	6.00E-08	14	1.15E-02	9.63E-09	1.0E+06	9.6E-03
141	141	1.6544	6.33E-05	1.0E-04	2.50E-04	2.62E-08	14	1.15E-02	4.21E-09	1.0E+06	4.2E-03
142	142	1.97556	6.33E-05	1.3E-04	2.50E-04	3.13E-08	14	1.15E-02	5.03E-09	1.0E+06	5.0E-03
143	143	2.21325	6.33E-05	1.4E-04	2.50E-04	3.51E-08	14	1.15E-02	5.63E-09	1.0E+06	5.6E-03
144	144	2.39385	6.33E-05	1.5E-04	2.50E-04	3.79E-08	14	1.15E-02	6.09E-09	1.0E+06	6.1E-03
145	145	2.53218	6.33E-05	1.6E-04	2.50E-04	4.01E-08	14	1.15E-02	6.44E-09	1.0E+06	6.4E-03
146	146	2.60023	6.33E-05	1.6E-04	2.50E-04	4.12E-08	14	1.15E-02	6.62E-09	1.0E+06	6.6E-03
147	147	2.64494	6.33E-05	1.7E-04	2.50E-04	4.19E-08	14	1.15E-02	6.73E-09	1.0E+06	6.7E-03
148	148	2.65778	6.33E-05	1.7E-04	2.50E-04	4.21E-08	14	1.15E-02	6.76E-09	1.0E+06	6.8E-03
149	149	2.66678	6.33E-05	1.7E-04	2.50E-04	4.23E-08	14	1.15E-02	6.79E-09	1.0E+06	6.8E-03
150	150	2.66714	6.33E-05	1.7E-04	2.50E-04	4.23E-08	14	1.15E-02	6.79E-09	1.0E+06	6.8E-03
151	151	2.67347	6.33E-05	1.7E-04	2.50E-04	4.24E-08	14	1.15E-02	6.80E-09	1.0E+06	6.8E-03
152	152	2.68355	6.33E-05	1.7E-04	2.50E-04	4.25E-08	14	1.15E-02	6.83E-09	1.0E+06	6.8E-03
153	153	2.70224	6.33E-05	1.7E-04	2.50E-04	4.28E-08	14	1.15E-02	6.88E-09	1.0E+06	6.9E-03
154	154	2.71283	6.33E-05	1.7E-04	2.50E-04	4.30E-08	14	1.15E-02	6.90E-09	1.0E+06	6.9E-03
155	155	2.7513	6.33E-05	1.7E-04	2.50E-04	4.36E-08	14	1.15E-02	7.00E-09	1.0E+06	7.0E-03
164	164	2.12371	6.33E-05	1.3E-04	2.50E-04	3.36E-08	14	1.15E-02	5.40E-09	1.0E+06	5.4E-03
165	165	2.14903	6.33E-05	1.4E-04	2.50E-04	3.40E-08	14	1.15E-02	5.47E-09	1.0E+06	5.5E-03
166	166	2.20433	6.33E-05	1.4E-04	2.50E-04	3.49E-08	14	1.15E-02	5.61E-09	1.0E+06	5.6E-03

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	1.72973	6.33E-05	1.1E-04	2.50E-04	2.74E-08	14	1.15E-02	4.40E-09	1.0E+06	4.4E-03
179	179	1.75238	6.33E-05	1.1E-04	2.50E-04	2.78E-08	14	1.15E-02	4.46E-09	1.0E+06	4.5E-03
180	180	1.79013	6.33E-05	1.1E-04	2.50E-04	2.84E-08	14	1.15E-02	4.56E-09	1.0E+06	4.6E-03
192	192	1.45092	6.33E-05	9.2E-05	2.50E-04	2.30E-08	14	1.15E-02	3.69E-09	1.0E+06	3.7E-03
193	193	1.47232	6.33E-05	9.3E-05	2.50E-04	2.33E-08	14	1.15E-02	3.75E-09	1.0E+06	3.7E-03
194	194	1.49734	6.33E-05	9.5E-05	2.50E-04	2.37E-08	14	1.15E-02	3.81E-09	1.0E+06	3.8E-03
207	207	1.24076	6.33E-05	7.9E-05	2.50E-04	1.97E-08	14	1.15E-02	3.16E-09	1.0E+06	3.2E-03
208	208	1.25851	6.33E-05	8.0E-05	2.50E-04	1.99E-08	14	1.15E-02	3.20E-09	1.0E+06	3.2E-03
209	209	1.27928	6.33E-05	8.1E-05	2.50E-04	2.03E-08	14	1.15E-02	3.26E-09	1.0E+06	3.3E-03
223	223	1.07802	6.33E-05	6.8E-05	2.50E-04	1.71E-08	14	1.15E-02	2.74E-09	1.0E+06	2.7E-03
224	224	1.09263	6.33E-05	6.9E-05	2.50E-04	1.73E-08	14	1.15E-02	2.78E-09	1.0E+06	2.8E-03
225	225	1.10749	6.33E-05	7.0E-05	2.50E-04	1.75E-08	14	1.15E-02	2.82E-09	1.0E+06	2.8E-03
239	239	0.949	6.33E-05	6.0E-05	2.50E-04	1.50E-08	14	1.15E-02	2.41E-09	1.0E+06	2.4E-03
240	240	0.9611	6.33E-05	6.1E-05	2.50E-04	1.52E-08	14	1.15E-02	2.45E-09	1.0E+06	2.4E-03
241	241	0.9739	6.33E-05	6.2E-05	2.50E-04	1.54E-08	14	1.15E-02	2.48E-09	1.0E+06	2.5E-03
255	255	0.84342	6.33E-05	5.3E-05	2.50E-04	1.34E-08	14	1.15E-02	2.15E-09	1.0E+06	2.1E-03
256	256	0.85369	6.33E-05	5.4E-05	2.50E-04	1.35E-08	14	1.15E-02	2.17E-09	1.0E+06	2.2E-03
272	272	0.75525	6.33E-05	4.8E-05	2.50E-04	1.20E-08	14	1.15E-02	1.92E-09	1.0E+06	1.9E-03
273	273	0.76459	6.33E-05	4.8E-05	2.50E-04	1.21E-08	14	1.15E-02	1.95E-09	1.0E+06	1.9E-03
289	289	0.68147	6.33E-05	4.3E-05	2.50E-04	1.08E-08	14	1.15E-02	1.73E-09	1.0E+06	1.7E-03
290	290	0.68945	6.33E-05	4.4E-05	2.50E-04	1.09E-08	14	1.15E-02	1.75E-09	1.0E+06	1.8E-03
306	306	0.6184	6.33E-05	3.9E-05	2.50E-04	9.80E-09	14	1.15E-02	1.57E-09	1.0E+06	1.6E-03
307	307	0.6254	6.33E-05	4.0E-05	2.50E-04	9.91E-09	14	1.15E-02	1.59E-09	1.0E+06	1.6E-03
323	323	0.56407	6.33E-05	3.6E-05	2.50E-04	8.94E-09	14	1.15E-02	1.44E-09	1.0E+06	1.4E-03
324	324	0.57025	6.33E-05	3.6E-05	2.50E-04	9.03E-09	14	1.15E-02	1.45E-09	1.0E+06	1.5E-03
342	342	0.51694	6.33E-05	3.3E-05	2.50E-04	8.19E-09	14	1.15E-02	1.32E-09	1.0E+06	1.3E-03
343	343	0.52244	6.33E-05	3.3E-05	2.50E-04	8.28E-09	14	1.15E-02	1.33E-09	1.0E+06	1.3E-03
344	344	0.52711	6.33E-05	3.3E-05	2.50E-04	8.35E-09	14	1.15E-02	1.34E-09	1.0E+06	1.3E-03
356	356	0.47567	6.33E-05	3.0E-05	2.50E-04	7.54E-09	14	1.15E-02	1.21E-09	1.0E+06	1.2E-03
357	357	0.4805	6.33E-05	3.0E-05	2.50E-04	7.61E-09	14	1.15E-02	1.22E-09	1.0E+06	1.2E-03
358	358	0.48476	6.33E-05	3.1E-05	2.50E-04	7.68E-09	14	1.15E-02	1.23E-09	1.0E+06	1.2E-03

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	0.4394	6.33E-05	2.8E-05	2.50E-04	6.96E-09	14	1.15E-02	1.12E-09	1.0E+06	1.1E-03
371	371	0.44374	6.33E-05	2.8E-05	2.50E-04	7.03E-09	14	1.15E-02	1.13E-09	1.0E+06	1.1E-03
372	372	0.44754	6.33E-05	2.8E-05	2.50E-04	7.09E-09	14	1.15E-02	1.14E-09	1.0E+06	1.1E-03
383	383	0.4073	6.33E-05	2.6E-05	2.50E-04	6.45E-09	14	1.15E-02	1.04E-09	1.0E+06	1.0E-03
384	384	0.41125	6.33E-05	2.6E-05	2.50E-04	6.52E-09	14	1.15E-02	1.05E-09	1.0E+06	1.0E-03
385	385	0.41465	6.33E-05	2.6E-05	2.50E-04	6.57E-09	14	1.15E-02	1.06E-09	1.0E+06	1.1E-03
396	396	0.37876	6.33E-05	2.4E-05	2.50E-04	6.00E-09	14	1.15E-02	9.64E-10	1.0E+06	9.6E-04
397	397	0.38238	6.33E-05	2.4E-05	2.50E-04	6.06E-09	14	1.15E-02	9.73E-10	1.0E+06	9.7E-04
398	398	0.38545	6.33E-05	2.4E-05	2.50E-04	6.11E-09	14	1.15E-02	9.81E-10	1.0E+06	9.8E-04
399	399	0.38803	6.33E-05	2.5E-05	2.50E-04	6.15E-09	14	1.15E-02	9.87E-10	1.0E+06	9.9E-04
411	411	0.35326	6.33E-05	2.2E-05	2.50E-04	5.60E-09	14	1.15E-02	8.99E-10	1.0E+06	9.0E-04
412	412	0.35657	6.33E-05	2.3E-05	2.50E-04	5.65E-09	14	1.15E-02	9.07E-10	1.0E+06	9.1E-04
413	413	0.35945	6.33E-05	2.3E-05	2.50E-04	5.70E-09	14	1.15E-02	9.15E-10	1.0E+06	9.1E-04
414	414	0.36171	6.33E-05	2.3E-05	2.50E-04	5.73E-09	14	1.15E-02	9.20E-10	1.0E+06	9.2E-04
426	426	0.33039	6.33E-05	2.1E-05	2.50E-04	5.23E-09	14	1.15E-02	8.41E-10	1.0E+06	8.4E-04
427	427	0.33347	6.33E-05	2.1E-05	2.50E-04	5.28E-09	14	1.15E-02	8.49E-10	1.0E+06	8.5E-04
428	428	0.33601	6.33E-05	2.1E-05	2.50E-04	5.32E-09	14	1.15E-02	8.55E-10	1.0E+06	8.5E-04
429	429	0.33812	6.33E-05	2.1E-05	2.50E-04	5.36E-09	14	1.15E-02	8.60E-10	1.0E+06	8.6E-04
439	439	0.30978	6.33E-05	2.0E-05	2.50E-04	4.91E-09	14	1.15E-02	7.88E-10	1.0E+06	7.9E-04
440	440	0.31264	6.33E-05	2.0E-05	2.50E-04	4.95E-09	14	1.15E-02	7.96E-10	1.0E+06	8.0E-04
441	441	0.31501	6.33E-05	2.0E-05	2.50E-04	4.99E-09	14	1.15E-02	8.02E-10	1.0E+06	8.0E-04
442	442	0.31693	6.33E-05	2.0E-05	2.50E-04	5.02E-09	14	1.15E-02	8.06E-10	1.0E+06	8.1E-04
443	443	0.31841	6.33E-05	2.0E-05	2.50E-04	5.04E-09	14	1.15E-02	8.10E-10	1.0E+06	8.1E-04
454	454	0.29115	6.33E-05	1.8E-05	2.50E-04	4.61E-09	14	1.15E-02	7.41E-10	1.0E+06	7.4E-04
455	455	0.29381	6.33E-05	1.9E-05	2.50E-04	4.66E-09	14	1.15E-02	7.48E-10	1.0E+06	7.5E-04
456	456	0.29602	6.33E-05	1.9E-05	2.50E-04	4.69E-09	14	1.15E-02	7.53E-10	1.0E+06	7.5E-04
457	457	0.29779	6.33E-05	1.9E-05	2.50E-04	4.72E-09	14	1.15E-02	7.58E-10	1.0E+06	7.6E-04
458	458	0.29912	6.33E-05	1.9E-05	2.50E-04	4.74E-09	14	1.15E-02	7.61E-10	1.0E+06	7.6E-04
469	469	0.27423	6.33E-05	1.7E-05	2.50E-04	4.34E-09	14	1.15E-02	6.98E-10	1.0E+06	7.0E-04
470	470	0.2767	6.33E-05	1.8E-05	2.50E-04	4.38E-09	14	1.15E-02	7.04E-10	1.0E+06	7.0E-04
471	471	0.27876	6.33E-05	1.8E-05	2.50E-04	4.42E-09	14	1.15E-02	7.09E-10	1.0E+06	7.1E-04

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	0.28039	6.33E-05	1.8E-05	2.50E-04	4.44E-09	14	1.15E-02	7.13E-10	1.0E+06	7.1E-04
473	473	0.2816	6.33E-05	1.8E-05	2.50E-04	4.46E-09	14	1.15E-02	7.17E-10	1.0E+06	7.2E-04
489	489	0.25886	6.33E-05	1.6E-05	2.50E-04	4.10E-09	14	1.15E-02	6.59E-10	1.0E+06	6.6E-04
490	490	0.26118	6.33E-05	1.7E-05	2.50E-04	4.14E-09	14	1.15E-02	6.65E-10	1.0E+06	6.6E-04
491	491	0.26309	6.33E-05	1.7E-05	2.50E-04	4.17E-09	14	1.15E-02	6.69E-10	1.0E+06	6.7E-04
492	492	0.2646	6.33E-05	1.7E-05	2.50E-04	4.19E-09	14	1.15E-02	6.73E-10	1.0E+06	6.7E-04
493	493	0.26572	6.33E-05	1.7E-05	2.50E-04	4.21E-09	14	1.15E-02	6.76E-10	1.0E+06	6.8E-04
494	494	0.26643	6.33E-05	1.7E-05	2.50E-04	4.22E-09	14	1.15E-02	6.78E-10	1.0E+06	6.8E-04
509	509	0.24479	6.33E-05	1.5E-05	2.50E-04	3.88E-09	14	1.15E-02	6.23E-10	1.0E+06	6.2E-04
510	510	0.24697	6.33E-05	1.6E-05	2.50E-04	3.91E-09	14	1.15E-02	6.28E-10	1.0E+06	6.3E-04
511	511	0.24874	6.33E-05	1.6E-05	2.50E-04	3.94E-09	14	1.15E-02	6.33E-10	1.0E+06	6.3E-04
512	512	0.25015	6.33E-05	1.6E-05	2.50E-04	3.96E-09	14	1.15E-02	6.37E-10	1.0E+06	6.4E-04
513	513	0.2512	6.33E-05	1.6E-05	2.50E-04	3.98E-09	14	1.15E-02	6.39E-10	1.0E+06	6.4E-04
514	514	0.25184	6.33E-05	1.6E-05	2.50E-04	3.99E-09	14	1.15E-02	6.41E-10	1.0E+06	6.4E-04
515	515	0.25197	6.33E-05	1.6E-05	2.50E-04	3.99E-09	14	1.15E-02	6.41E-10	1.0E+06	6.4E-04
516	516	0.25146	6.33E-05	1.6E-05	2.50E-04	3.98E-09	14	1.15E-02	6.40E-10	1.0E+06	6.4E-04
517	517	0.25049	6.33E-05	1.6E-05	2.50E-04	3.97E-09	14	1.15E-02	6.37E-10	1.0E+06	6.4E-04
518	518	0.24908	6.33E-05	1.6E-05	2.50E-04	3.95E-09	14	1.15E-02	6.34E-10	1.0E+06	6.3E-04
519	519	0.2472	6.33E-05	1.6E-05	2.50E-04	3.92E-09	14	1.15E-02	6.29E-10	1.0E+06	6.3E-04
528	528	0.2319	6.33E-05	1.5E-05	2.50E-04	3.67E-09	14	1.15E-02	5.90E-10	1.0E+06	5.9E-04
529	529	0.23395	6.33E-05	1.5E-05	2.50E-04	3.71E-09	14	1.15E-02	5.95E-10	1.0E+06	6.0E-04
530	530	0.23563	6.33E-05	1.5E-05	2.50E-04	3.73E-09	14	1.15E-02	6.00E-10	1.0E+06	6.0E-04
531	531	0.23693	6.33E-05	1.5E-05	2.50E-04	3.75E-09	14	1.15E-02	6.03E-10	1.0E+06	6.0E-04
532	532	0.23789	6.33E-05	1.5E-05	2.50E-04	3.77E-09	14	1.15E-02	6.05E-10	1.0E+06	6.1E-04
533	533	0.23848	6.33E-05	1.5E-05	2.50E-04	3.78E-09	14	1.15E-02	6.07E-10	1.0E+06	6.1E-04
534	534	0.23858	6.33E-05	1.5E-05	2.50E-04	3.78E-09	14	1.15E-02	6.07E-10	1.0E+06	6.1E-04
535	535	0.23806	6.33E-05	1.5E-05	2.50E-04	3.77E-09	14	1.15E-02	6.06E-10	1.0E+06	6.1E-04
536	536	0.23712	6.33E-05	1.5E-05	2.50E-04	3.76E-09	14	1.15E-02	6.03E-10	1.0E+06	6.0E-04
537	537	0.23579	6.33E-05	1.5E-05	2.50E-04	3.74E-09	14	1.15E-02	6.00E-10	1.0E+06	6.0E-04
538	538	0.23404	6.33E-05	1.5E-05	2.50E-04	3.71E-09	14	1.15E-02	5.96E-10	1.0E+06	6.0E-04
547	547	0.22007	6.33E-05	1.4E-05	2.50E-04	3.49E-09	14	1.15E-02	5.60E-10	1.0E+06	5.6E-04

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.22201	6.33E-05	1.4E-05	2.50E-04	3.52E-09	14	1.15E-02	5.65E-10	1.0E+06	5.6E-04
549	549	0.22356	6.33E-05	1.4E-05	2.50E-04	3.54E-09	14	1.15E-02	5.69E-10	1.0E+06	5.7E-04
550	550	0.22481	6.33E-05	1.4E-05	2.50E-04	3.56E-09	14	1.15E-02	5.72E-10	1.0E+06	5.7E-04
551	551	0.22569	6.33E-05	1.4E-05	2.50E-04	3.58E-09	14	1.15E-02	5.74E-10	1.0E+06	5.7E-04
552	552	0.22623	6.33E-05	1.4E-05	2.50E-04	3.58E-09	14	1.15E-02	5.76E-10	1.0E+06	5.8E-04
553	553	0.22642	6.33E-05	1.4E-05	2.50E-04	3.59E-09	14	1.15E-02	5.76E-10	1.0E+06	5.8E-04
554	554	0.22628	6.33E-05	1.4E-05	2.50E-04	3.59E-09	14	1.15E-02	5.76E-10	1.0E+06	5.8E-04
555	555	0.22577	6.33E-05	1.4E-05	2.50E-04	3.58E-09	14	1.15E-02	5.74E-10	1.0E+06	5.7E-04
556	556	0.22486	6.33E-05	1.4E-05	2.50E-04	3.56E-09	14	1.15E-02	5.72E-10	1.0E+06	5.7E-04
557	557	0.22363	6.33E-05	1.4E-05	2.50E-04	3.54E-09	14	1.15E-02	5.69E-10	1.0E+06	5.7E-04
558	558	0.22199	6.33E-05	1.4E-05	2.50E-04	3.52E-09	14	1.15E-02	5.65E-10	1.0E+06	5.6E-04
559	559	0.21997	6.33E-05	1.4E-05	2.50E-04	3.49E-09	14	1.15E-02	5.60E-10	1.0E+06	5.6E-04
567	567	0.20918	6.33E-05	1.3E-05	2.50E-04	3.31E-09	14	1.15E-02	5.32E-10	1.0E+06	5.3E-04
568	568	0.21099	6.33E-05	1.3E-05	2.50E-04	3.34E-09	14	1.15E-02	5.37E-10	1.0E+06	5.4E-04
569	569	0.21247	6.33E-05	1.3E-05	2.50E-04	3.37E-09	14	1.15E-02	5.41E-10	1.0E+06	5.4E-04
570	570	0.21362	6.33E-05	1.4E-05	2.50E-04	3.38E-09	14	1.15E-02	5.44E-10	1.0E+06	5.4E-04
571	571	0.21445	6.33E-05	1.4E-05	2.50E-04	3.40E-09	14	1.15E-02	5.46E-10	1.0E+06	5.5E-04
572	572	0.21494	6.33E-05	1.4E-05	2.50E-04	3.41E-09	14	1.15E-02	5.47E-10	1.0E+06	5.5E-04
573	573	0.21512	6.33E-05	1.4E-05	2.50E-04	3.41E-09	14	1.15E-02	5.47E-10	1.0E+06	5.5E-04
574	574	0.21447	6.33E-05	1.4E-05	2.50E-04	3.40E-09	14	1.15E-02	5.46E-10	1.0E+06	5.5E-04
575	575	0.21362	6.33E-05	1.4E-05	2.50E-04	3.38E-09	14	1.15E-02	5.44E-10	1.0E+06	5.4E-04
576	576	0.21243	6.33E-05	1.3E-05	2.50E-04	3.37E-09	14	1.15E-02	5.41E-10	1.0E+06	5.4E-04
577	577	0.21091	6.33E-05	1.3E-05	2.50E-04	3.34E-09	14	1.15E-02	5.37E-10	1.0E+06	5.4E-04
578	578	0.20905	6.33E-05	1.3E-05	2.50E-04	3.31E-09	14	1.15E-02	5.32E-10	1.0E+06	5.3E-04
586	586	0.19914	6.33E-05	1.3E-05	2.50E-04	3.16E-09	14	1.15E-02	5.07E-10	1.0E+06	5.1E-04
587	587	0.20086	6.33E-05	1.3E-05	2.50E-04	3.18E-09	14	1.15E-02	5.11E-10	1.0E+06	5.1E-04
588	588	0.20225	6.33E-05	1.3E-05	2.50E-04	3.20E-09	14	1.15E-02	5.15E-10	1.0E+06	5.1E-04
589	589	0.20333	6.33E-05	1.3E-05	2.50E-04	3.22E-09	14	1.15E-02	5.17E-10	1.0E+06	5.2E-04
590	590	0.2041	6.33E-05	1.3E-05	2.50E-04	3.23E-09	14	1.15E-02	5.19E-10	1.0E+06	5.2E-04
591	591	0.20456	6.33E-05	1.3E-05	2.50E-04	3.24E-09	14	1.15E-02	5.21E-10	1.0E+06	5.2E-04
592	592	0.20471	6.33E-05	1.3E-05	2.50E-04	3.24E-09	14	1.15E-02	5.21E-10	1.0E+06	5.2E-04

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	0.20408	6.33E-05	1.3E-05	2.50E-04	3.23E-09	14	1.15E-02	5.19E-10	1.0E+06	5.2E-04
594	594	0.20327	6.33E-05	1.3E-05	2.50E-04	3.22E-09	14	1.15E-02	5.17E-10	1.0E+06	5.2E-04
595	595	0.20217	6.33E-05	1.3E-05	2.50E-04	3.20E-09	14	1.15E-02	5.14E-10	1.0E+06	5.1E-04
596	596	0.20075	6.33E-05	1.3E-05	2.50E-04	3.18E-09	14	1.15E-02	5.11E-10	1.0E+06	5.1E-04
597	597	0.19901	6.33E-05	1.3E-05	2.50E-04	3.15E-09	14	1.15E-02	5.06E-10	1.0E+06	5.1E-04
345	345	0.53146	6.33E-05	3.4E-05	2.50E-04	8.42E-09	14	1.15E-02	1.35E-09	1.0E+06	1.4E-03
346	346	0.53526	6.33E-05	3.4E-05	2.50E-04	8.48E-09	14	1.15E-02	1.36E-09	1.0E+06	1.4E-03
347	347	0.53868	6.33E-05	3.4E-05	2.50E-04	8.53E-09	14	1.15E-02	1.37E-09	1.0E+06	1.4E-03
348	348	0.54158	6.33E-05	3.4E-05	2.50E-04	8.58E-09	14	1.15E-02	1.38E-09	1.0E+06	1.4E-03
359	359	0.48856	6.33E-05	3.1E-05	2.50E-04	7.74E-09	14	1.15E-02	1.24E-09	1.0E+06	1.2E-03
360	360	0.49197	6.33E-05	3.1E-05	2.50E-04	7.79E-09	14	1.15E-02	1.25E-09	1.0E+06	1.3E-03
361	361	0.49465	6.33E-05	3.1E-05	2.50E-04	7.84E-09	14	1.15E-02	1.26E-09	1.0E+06	1.3E-03
362	362	0.49696	6.33E-05	3.1E-05	2.50E-04	7.87E-09	14	1.15E-02	1.26E-09	1.0E+06	1.3E-03
363	363	0.49838	6.33E-05	3.2E-05	2.50E-04	7.90E-09	14	1.15E-02	1.27E-09	1.0E+06	1.3E-03
373	373	0.45368	6.33E-05	2.9E-05	2.50E-04	7.19E-09	14	1.15E-02	1.15E-09	1.0E+06	1.2E-03
374	374	0.45604	6.33E-05	2.9E-05	2.50E-04	7.23E-09	14	1.15E-02	1.16E-09	1.0E+06	1.2E-03
375	375	0.45782	6.33E-05	2.9E-05	2.50E-04	7.25E-09	14	1.15E-02	1.16E-09	1.0E+06	1.2E-03
376	376	0.45887	6.33E-05	2.9E-05	2.50E-04	7.27E-09	14	1.15E-02	1.17E-09	1.0E+06	1.2E-03
386	386	0.42003	6.33E-05	2.7E-05	2.50E-04	6.65E-09	14	1.15E-02	1.07E-09	1.0E+06	1.1E-03
387	387	0.42199	6.33E-05	2.7E-05	2.50E-04	6.69E-09	14	1.15E-02	1.07E-09	1.0E+06	1.1E-03
388	388	0.42342	6.33E-05	2.7E-05	2.50E-04	6.71E-09	14	1.15E-02	1.08E-09	1.0E+06	1.1E-03
389	389	0.42414	6.33E-05	2.7E-05	2.50E-04	6.72E-09	14	1.15E-02	1.08E-09	1.0E+06	1.1E-03
390	390	0.42408	6.33E-05	2.7E-05	2.50E-04	6.72E-09	14	1.15E-02	1.08E-09	1.0E+06	1.1E-03
400	400	0.39016	6.33E-05	2.5E-05	2.50E-04	6.18E-09	14	1.15E-02	9.93E-10	1.0E+06	9.9E-04
401	401	0.39192	6.33E-05	2.5E-05	2.50E-04	6.21E-09	14	1.15E-02	9.97E-10	1.0E+06	1.0E-03
402	402	0.39298	6.33E-05	2.5E-05	2.50E-04	6.23E-09	14	1.15E-02	1.00E-09	1.0E+06	1.0E-03
403	403	0.3935	6.33E-05	2.5E-05	2.50E-04	6.23E-09	14	1.15E-02	1.00E-09	1.0E+06	1.0E-03
404	404	0.39332	6.33E-05	2.5E-05	2.50E-04	6.23E-09	14	1.15E-02	1.00E-09	1.0E+06	1.0E-03
415	415	0.36359	6.33E-05	2.3E-05	2.50E-04	5.76E-09	14	1.15E-02	9.25E-10	1.0E+06	9.3E-04
416	416	0.36502	6.33E-05	2.3E-05	2.50E-04	5.78E-09	14	1.15E-02	9.29E-10	1.0E+06	9.3E-04
417	417	0.36596	6.33E-05	2.3E-05	2.50E-04	5.80E-09	14	1.15E-02	9.31E-10	1.0E+06	9.3E-04

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

<i>Cancer Risk from 16-30 years - Construction</i>											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	0.3662	6.33E-05	2.3E-05	2.50E-04	5.80E-09	14	1.15E-02	9.32E-10	1.0E+06	9.3E-04
419	419	0.36579	6.33E-05	2.3E-05	2.50E-04	5.80E-09	14	1.15E-02	9.31E-10	1.0E+06	9.3E-04
420	420	0.36494	6.33E-05	2.3E-05	2.50E-04	5.78E-09	14	1.15E-02	9.29E-10	1.0E+06	9.3E-04
430	430	0.34107	6.33E-05	2.2E-05	2.50E-04	5.40E-09	14	1.15E-02	8.68E-10	1.0E+06	8.7E-04
431	431	0.34172	6.33E-05	2.2E-05	2.50E-04	5.41E-09	14	1.15E-02	8.70E-10	1.0E+06	8.7E-04
432	432	0.34187	6.33E-05	2.2E-05	2.50E-04	5.42E-09	14	1.15E-02	8.70E-10	1.0E+06	8.7E-04
433	433	0.34144	6.33E-05	2.2E-05	2.50E-04	5.41E-09	14	1.15E-02	8.69E-10	1.0E+06	8.7E-04
434	434	0.34041	6.33E-05	2.2E-05	2.50E-04	5.39E-09	14	1.15E-02	8.66E-10	1.0E+06	8.7E-04
444	444	0.31945	6.33E-05	2.0E-05	2.50E-04	5.06E-09	14	1.15E-02	8.13E-10	1.0E+06	8.1E-04
445	445	0.32007	6.33E-05	2.0E-05	2.50E-04	5.07E-09	14	1.15E-02	8.14E-10	1.0E+06	8.1E-04
446	446	0.32011	6.33E-05	2.0E-05	2.50E-04	5.07E-09	14	1.15E-02	8.15E-10	1.0E+06	8.1E-04
447	447	0.3196	6.33E-05	2.0E-05	2.50E-04	5.06E-09	14	1.15E-02	8.13E-10	1.0E+06	8.1E-04
448	448	0.31855	6.33E-05	2.0E-05	2.50E-04	5.05E-09	14	1.15E-02	8.11E-10	1.0E+06	8.1E-04
459	459	0.30052	6.33E-05	1.9E-05	2.50E-04	4.76E-09	14	1.15E-02	7.65E-10	1.0E+06	7.6E-04
460	460	0.3005	6.33E-05	1.9E-05	2.50E-04	4.76E-09	14	1.15E-02	7.65E-10	1.0E+06	7.6E-04
461	461	0.29999	6.33E-05	1.9E-05	2.50E-04	4.75E-09	14	1.15E-02	7.63E-10	1.0E+06	7.6E-04
462	462	0.29895	6.33E-05	1.9E-05	2.50E-04	4.74E-09	14	1.15E-02	7.61E-10	1.0E+06	7.6E-04
463	463	0.29734	6.33E-05	1.9E-05	2.50E-04	4.71E-09	14	1.15E-02	7.57E-10	1.0E+06	7.6E-04
474	474	0.28284	6.33E-05	1.8E-05	2.50E-04	4.48E-09	14	1.15E-02	7.20E-10	1.0E+06	7.2E-04
475	475	0.28279	6.33E-05	1.8E-05	2.50E-04	4.48E-09	14	1.15E-02	7.20E-10	1.0E+06	7.2E-04
476	476	0.28223	6.33E-05	1.8E-05	2.50E-04	4.47E-09	14	1.15E-02	7.18E-10	1.0E+06	7.2E-04
477	477	0.28122	6.33E-05	1.8E-05	2.50E-04	4.46E-09	14	1.15E-02	7.16E-10	1.0E+06	7.2E-04
478	478	0.27967	6.33E-05	1.8E-05	2.50E-04	4.43E-09	14	1.15E-02	7.12E-10	1.0E+06	7.1E-04
495	495	0.26675	6.33E-05	1.7E-05	2.50E-04	4.23E-09	14	1.15E-02	6.79E-10	1.0E+06	6.8E-04
496	496	0.26667	6.33E-05	1.7E-05	2.50E-04	4.23E-09	14	1.15E-02	6.79E-10	1.0E+06	6.8E-04
497	497	0.26612	6.33E-05	1.7E-05	2.50E-04	4.22E-09	14	1.15E-02	6.77E-10	1.0E+06	6.8E-04
498	498	0.26512	6.33E-05	1.7E-05	2.50E-04	4.20E-09	14	1.15E-02	6.75E-10	1.0E+06	6.7E-04
499	499	0.26365	6.33E-05	1.7E-05	2.50E-04	4.18E-09	14	1.15E-02	6.71E-10	1.0E+06	6.7E-04
500	500	0.26165	6.33E-05	1.7E-05	2.50E-04	4.15E-09	14	1.15E-02	6.66E-10	1.0E+06	6.7E-04

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	3.85821	6.33E-05	2.4E-04	2.50E-04	6.11E-08	25	1.15E-02	1.75E-08	1.0E+06	1.8E-02
140	140	4.07717	6.33E-05	2.6E-04	2.50E-04	6.46E-08	25	1.15E-02	1.85E-08	1.0E+06	1.9E-02
156	156	2.82846	6.33E-05	1.8E-04	2.50E-04	4.48E-08	25	1.15E-02	1.29E-08	1.0E+06	1.3E-02
157	157	2.92821	6.33E-05	1.9E-04	2.50E-04	4.64E-08	25	1.15E-02	1.33E-08	1.0E+06	1.3E-02
158	158	3.09361	6.33E-05	2.0E-04	2.50E-04	4.90E-08	25	1.15E-02	1.41E-08	1.0E+06	1.4E-02
159	159	3.31459	6.33E-05	2.1E-04	2.50E-04	5.25E-08	25	1.15E-02	1.51E-08	1.0E+06	1.5E-02
160	160	3.54042	6.33E-05	2.2E-04	2.50E-04	5.61E-08	25	1.15E-02	1.61E-08	1.0E+06	1.6E-02
161	161	4.2713	6.33E-05	2.7E-04	2.50E-04	6.77E-08	25	1.15E-02	1.94E-08	1.0E+06	1.9E-02
162	162	4.81523	6.33E-05	3.0E-04	2.50E-04	7.63E-08	25	1.15E-02	2.19E-08	1.0E+06	2.2E-02
163	163	5.38812	6.33E-05	3.4E-04	2.50E-04	8.54E-08	25	1.15E-02	2.45E-08	1.0E+06	2.4E-02
167	167	2.24797	6.33E-05	1.4E-04	2.50E-04	3.56E-08	25	1.15E-02	1.02E-08	1.0E+06	1.0E-02
168	168	2.37066	6.33E-05	1.5E-04	2.50E-04	3.76E-08	25	1.15E-02	1.08E-08	1.0E+06	1.1E-02
169	169	2.48011	6.33E-05	1.6E-04	2.50E-04	3.93E-08	25	1.15E-02	1.13E-08	1.0E+06	1.1E-02
170	170	2.61175	6.33E-05	1.7E-04	2.50E-04	4.14E-08	25	1.15E-02	1.19E-08	1.0E+06	1.2E-02
171	171	2.76877	6.33E-05	1.8E-04	2.50E-04	4.39E-08	25	1.15E-02	1.26E-08	1.0E+06	1.3E-02
172	172	2.97079	6.33E-05	1.9E-04	2.50E-04	4.71E-08	25	1.15E-02	1.35E-08	1.0E+06	1.3E-02
173	173	3.19852	6.33E-05	2.0E-04	2.50E-04	5.07E-08	25	1.15E-02	1.45E-08	1.0E+06	1.5E-02
174	174	3.42636	6.33E-05	2.2E-04	2.50E-04	5.43E-08	25	1.15E-02	1.56E-08	1.0E+06	1.6E-02
175	175	3.60611	6.33E-05	2.3E-04	2.50E-04	5.71E-08	25	1.15E-02	1.64E-08	1.0E+06	1.6E-02
176	176	3.7193	6.33E-05	2.4E-04	2.50E-04	5.89E-08	25	1.15E-02	1.69E-08	1.0E+06	1.7E-02
177	177	3.75043	6.33E-05	2.4E-04	2.50E-04	5.94E-08	25	1.15E-02	1.70E-08	1.0E+06	1.7E-02
181	181	1.89997	6.33E-05	1.2E-04	2.50E-04	3.01E-08	25	1.15E-02	8.63E-09	1.0E+06	8.6E-03
182	182	1.97021	6.33E-05	1.2E-04	2.50E-04	3.12E-08	25	1.15E-02	8.95E-09	1.0E+06	9.0E-03
183	183	2.04943	6.33E-05	1.3E-04	2.50E-04	3.25E-08	25	1.15E-02	9.31E-09	1.0E+06	9.3E-03
184	184	2.13872	6.33E-05	1.4E-04	2.50E-04	3.39E-08	25	1.15E-02	9.72E-09	1.0E+06	9.7E-03
185	185	2.2452	6.33E-05	1.4E-04	2.50E-04	3.56E-08	25	1.15E-02	1.02E-08	1.0E+06	1.0E-02
186	186	2.36047	6.33E-05	1.5E-04	2.50E-04	3.74E-08	25	1.15E-02	1.07E-08	1.0E+06	1.1E-02
187	187	2.469	6.33E-05	1.6E-04	2.50E-04	3.91E-08	25	1.15E-02	1.12E-08	1.0E+06	1.1E-02
188	188	2.5501	6.33E-05	1.6E-04	2.50E-04	4.04E-08	25	1.15E-02	1.16E-08	1.0E+06	1.2E-02
189	189	2.5937	6.33E-05	1.6E-04	2.50E-04	4.11E-08	25	1.15E-02	1.18E-08	1.0E+06	1.2E-02
190	190	2.59135	6.33E-05	1.6E-04	2.50E-04	4.11E-08	25	1.15E-02	1.18E-08	1.0E+06	1.2E-02

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	2.5218	6.33E-05	1.6E-04	2.50E-04	4.00E-08	25	1.15E-02	1.15E-08	1.0E+06	1.1E-02
195	195	1.57325	6.33E-05	1.0E-04	2.50E-04	2.49E-08	25	1.15E-02	7.15E-09	1.0E+06	7.1E-03
196	196	1.61953	6.33E-05	1.0E-04	2.50E-04	2.57E-08	25	1.15E-02	7.36E-09	1.0E+06	7.4E-03
197	197	1.67194	6.33E-05	1.1E-04	2.50E-04	2.65E-08	25	1.15E-02	7.60E-09	1.0E+06	7.6E-03
198	198	1.72629	6.33E-05	1.1E-04	2.50E-04	2.74E-08	25	1.15E-02	7.84E-09	1.0E+06	7.8E-03
199	199	1.78974	6.33E-05	1.1E-04	2.50E-04	2.84E-08	25	1.15E-02	8.13E-09	1.0E+06	8.1E-03
200	200	1.85247	6.33E-05	1.2E-04	2.50E-04	2.94E-08	25	1.15E-02	8.42E-09	1.0E+06	8.4E-03
201	201	1.90781	6.33E-05	1.2E-04	2.50E-04	3.02E-08	25	1.15E-02	8.67E-09	1.0E+06	8.7E-03
202	202	1.94795	6.33E-05	1.2E-04	2.50E-04	3.09E-08	25	1.15E-02	8.85E-09	1.0E+06	8.9E-03
203	203	1.96513	6.33E-05	1.2E-04	2.50E-04	3.11E-08	25	1.15E-02	8.93E-09	1.0E+06	8.9E-03
204	204	1.95372	6.33E-05	1.2E-04	2.50E-04	3.10E-08	25	1.15E-02	8.88E-09	1.0E+06	8.9E-03
205	205	1.90682	6.33E-05	1.2E-04	2.50E-04	3.02E-08	25	1.15E-02	8.66E-09	1.0E+06	8.7E-03
206	206	1.8188	6.33E-05	1.2E-04	2.50E-04	2.88E-08	25	1.15E-02	8.26E-09	1.0E+06	8.3E-03
210	210	1.2921	6.33E-05	8.2E-05	2.50E-04	2.05E-08	25	1.15E-02	5.87E-09	1.0E+06	5.9E-03
211	211	1.33452	6.33E-05	8.4E-05	2.50E-04	2.11E-08	25	1.15E-02	6.06E-09	1.0E+06	6.1E-03
212	212	1.36607	6.33E-05	8.6E-05	2.50E-04	2.16E-08	25	1.15E-02	6.21E-09	1.0E+06	6.2E-03
213	213	1.40035	6.33E-05	8.9E-05	2.50E-04	2.22E-08	25	1.15E-02	6.36E-09	1.0E+06	6.4E-03
214	214	1.47488	6.33E-05	9.3E-05	2.50E-04	2.34E-08	25	1.15E-02	6.70E-09	1.0E+06	6.7E-03
215	215	1.51156	6.33E-05	9.6E-05	2.50E-04	2.39E-08	25	1.15E-02	6.87E-09	1.0E+06	6.9E-03
216	216	1.5416	6.33E-05	9.8E-05	2.50E-04	2.44E-08	25	1.15E-02	7.00E-09	1.0E+06	7.0E-03
217	217	1.56226	6.33E-05	9.9E-05	2.50E-04	2.48E-08	25	1.15E-02	7.10E-09	1.0E+06	7.1E-03
218	218	1.56764	6.33E-05	9.9E-05	2.50E-04	2.48E-08	25	1.15E-02	7.12E-09	1.0E+06	7.1E-03
219	219	1.5542	6.33E-05	9.8E-05	2.50E-04	2.46E-08	25	1.15E-02	7.06E-09	1.0E+06	7.1E-03
220	220	1.51869	6.33E-05	9.6E-05	2.50E-04	2.41E-08	25	1.15E-02	6.90E-09	1.0E+06	6.9E-03
221	221	1.45778	6.33E-05	9.2E-05	2.50E-04	2.31E-08	25	1.15E-02	6.62E-09	1.0E+06	6.6E-03
222	222	1.37622	6.33E-05	8.7E-05	2.50E-04	2.18E-08	25	1.15E-02	6.25E-09	1.0E+06	6.3E-03
226	226	1.12456	6.33E-05	7.1E-05	2.50E-04	1.78E-08	25	1.15E-02	5.11E-09	1.0E+06	5.1E-03
227	227	1.14986	6.33E-05	7.3E-05	2.50E-04	1.82E-08	25	1.15E-02	5.22E-09	1.0E+06	5.2E-03
228	228	1.17312	6.33E-05	7.4E-05	2.50E-04	1.86E-08	25	1.15E-02	5.33E-09	1.0E+06	5.3E-03
229	229	1.19639	6.33E-05	7.6E-05	2.50E-04	1.90E-08	25	1.15E-02	5.44E-09	1.0E+06	5.4E-03
230	230	1.22085	6.33E-05	7.7E-05	2.50E-04	1.93E-08	25	1.15E-02	5.55E-09	1.0E+06	5.5E-03

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	1.2465	6.33E-05	7.9E-05	2.50E-04	1.97E-08	25	1.15E-02	5.66E-09	1.0E+06	5.7E-03
232	232	1.26851	6.33E-05	8.0E-05	2.50E-04	2.01E-08	25	1.15E-02	5.76E-09	1.0E+06	5.8E-03
233	233	1.29508	6.33E-05	8.2E-05	2.50E-04	2.05E-08	25	1.15E-02	5.88E-09	1.0E+06	5.9E-03
234	234	1.2952	6.33E-05	8.2E-05	2.50E-04	2.05E-08	25	1.15E-02	5.89E-09	1.0E+06	5.9E-03
235	235	1.28189	6.33E-05	8.1E-05	2.50E-04	2.03E-08	25	1.15E-02	5.82E-09	1.0E+06	5.8E-03
236	236	1.25332	6.33E-05	7.9E-05	2.50E-04	1.99E-08	25	1.15E-02	5.69E-09	1.0E+06	5.7E-03
237	237	1.20847	6.33E-05	7.7E-05	2.50E-04	1.91E-08	25	1.15E-02	5.49E-09	1.0E+06	5.5E-03
238	238	1.14799	6.33E-05	7.3E-05	2.50E-04	1.82E-08	25	1.15E-02	5.22E-09	1.0E+06	5.2E-03
242	242	0.98736	6.33E-05	6.3E-05	2.50E-04	1.56E-08	25	1.15E-02	4.49E-09	1.0E+06	4.5E-03
243	243	1.00425	6.33E-05	6.4E-05	2.50E-04	1.59E-08	25	1.15E-02	4.56E-09	1.0E+06	4.6E-03
244	244	1.02318	6.33E-05	6.5E-05	2.50E-04	1.62E-08	25	1.15E-02	4.65E-09	1.0E+06	4.6E-03
245	245	1.03941	6.33E-05	6.6E-05	2.50E-04	1.65E-08	25	1.15E-02	4.72E-09	1.0E+06	4.7E-03
246	246	1.0558	6.33E-05	6.7E-05	2.50E-04	1.67E-08	25	1.15E-02	4.80E-09	1.0E+06	4.8E-03
247	247	1.07147	6.33E-05	6.8E-05	2.50E-04	1.70E-08	25	1.15E-02	4.87E-09	1.0E+06	4.9E-03
248	248	1.08495	6.33E-05	6.9E-05	2.50E-04	1.72E-08	25	1.15E-02	4.93E-09	1.0E+06	4.9E-03
249	249	1.0998	6.33E-05	7.0E-05	2.50E-04	1.74E-08	25	1.15E-02	5.00E-09	1.0E+06	5.0E-03
250	250	1.09679	6.33E-05	6.9E-05	2.50E-04	1.74E-08	25	1.15E-02	4.98E-09	1.0E+06	5.0E-03
251	251	1.0843	6.33E-05	6.9E-05	2.50E-04	1.72E-08	25	1.15E-02	4.93E-09	1.0E+06	4.9E-03
252	252	1.06056	6.33E-05	6.7E-05	2.50E-04	1.68E-08	25	1.15E-02	4.82E-09	1.0E+06	4.8E-03
253	253	1.02618	6.33E-05	6.5E-05	2.50E-04	1.63E-08	25	1.15E-02	4.66E-09	1.0E+06	4.7E-03
254	254	0.97997	6.33E-05	6.2E-05	2.50E-04	1.55E-08	25	1.15E-02	4.45E-09	1.0E+06	4.5E-03
257	257	0.87522	6.33E-05	5.5E-05	2.50E-04	1.39E-08	25	1.15E-02	3.98E-09	1.0E+06	4.0E-03
258	258	0.88747	6.33E-05	5.6E-05	2.50E-04	1.41E-08	25	1.15E-02	4.03E-09	1.0E+06	4.0E-03
259	259	0.90104	6.33E-05	5.7E-05	2.50E-04	1.43E-08	25	1.15E-02	4.09E-09	1.0E+06	4.1E-03
260	260	0.91351	6.33E-05	5.8E-05	2.50E-04	1.45E-08	25	1.15E-02	4.15E-09	1.0E+06	4.2E-03
261	261	0.92418	6.33E-05	5.9E-05	2.50E-04	1.46E-08	25	1.15E-02	4.20E-09	1.0E+06	4.2E-03
262	262	0.9345	6.33E-05	5.9E-05	2.50E-04	1.48E-08	25	1.15E-02	4.25E-09	1.0E+06	4.2E-03
263	263	0.94302	6.33E-05	6.0E-05	2.50E-04	1.49E-08	25	1.15E-02	4.28E-09	1.0E+06	4.3E-03
264	264	0.94997	6.33E-05	6.0E-05	2.50E-04	1.51E-08	25	1.15E-02	4.32E-09	1.0E+06	4.3E-03
265	265	0.94561	6.33E-05	6.0E-05	2.50E-04	1.50E-08	25	1.15E-02	4.30E-09	1.0E+06	4.3E-03
266	266	0.93407	6.33E-05	5.9E-05	2.50E-04	1.48E-08	25	1.15E-02	4.24E-09	1.0E+06	4.2E-03

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	0.91449	6.33E-05	5.8E-05	2.50E-04	1.45E-08	25	1.15E-02	4.16E-09	1.0E+06	4.2E-03
268	268	0.88688	6.33E-05	5.6E-05	2.50E-04	1.41E-08	25	1.15E-02	4.03E-09	1.0E+06	4.0E-03
269	269	0.85044	6.33E-05	5.4E-05	2.50E-04	1.35E-08	25	1.15E-02	3.86E-09	1.0E+06	3.9E-03
270	270	0.7062	6.33E-05	4.5E-05	2.50E-04	1.12E-08	25	1.15E-02	3.21E-09	1.0E+06	3.2E-03
271	271	0.65212	6.33E-05	4.1E-05	2.50E-04	1.03E-08	25	1.15E-02	2.96E-09	1.0E+06	3.0E-03
274	274	0.78224	6.33E-05	5.0E-05	2.50E-04	1.24E-08	25	1.15E-02	3.55E-09	1.0E+06	3.6E-03
275	275	0.79102	6.33E-05	5.0E-05	2.50E-04	1.25E-08	25	1.15E-02	3.59E-09	1.0E+06	3.6E-03
276	276	0.80094	6.33E-05	5.1E-05	2.50E-04	1.27E-08	25	1.15E-02	3.64E-09	1.0E+06	3.6E-03
277	277	0.8107	6.33E-05	5.1E-05	2.50E-04	1.28E-08	25	1.15E-02	3.68E-09	1.0E+06	3.7E-03
278	278	0.81842	6.33E-05	5.2E-05	2.50E-04	1.30E-08	25	1.15E-02	3.72E-09	1.0E+06	3.7E-03
279	279	0.8254	6.33E-05	5.2E-05	2.50E-04	1.31E-08	25	1.15E-02	3.75E-09	1.0E+06	3.8E-03
280	280	0.83091	6.33E-05	5.3E-05	2.50E-04	1.32E-08	25	1.15E-02	3.78E-09	1.0E+06	3.8E-03
281	281	0.83282	6.33E-05	5.3E-05	2.50E-04	1.32E-08	25	1.15E-02	3.78E-09	1.0E+06	3.8E-03
282	282	0.82765	6.33E-05	5.2E-05	2.50E-04	1.31E-08	25	1.15E-02	3.76E-09	1.0E+06	3.8E-03
283	283	0.81713	6.33E-05	5.2E-05	2.50E-04	1.29E-08	25	1.15E-02	3.71E-09	1.0E+06	3.7E-03
284	284	0.80052	6.33E-05	5.1E-05	2.50E-04	1.27E-08	25	1.15E-02	3.64E-09	1.0E+06	3.6E-03
285	285	0.77748	6.33E-05	4.9E-05	2.50E-04	1.23E-08	25	1.15E-02	3.53E-09	1.0E+06	3.5E-03
286	286	0.74797	6.33E-05	4.7E-05	2.50E-04	1.19E-08	25	1.15E-02	3.40E-09	1.0E+06	3.4E-03
287	287	0.63214	6.33E-05	4.0E-05	2.50E-04	1.00E-08	25	1.15E-02	2.87E-09	1.0E+06	2.9E-03
288	288	0.58783	6.33E-05	3.7E-05	2.50E-04	9.31E-09	25	1.15E-02	2.67E-09	1.0E+06	2.7E-03
291	291	0.70402	6.33E-05	4.5E-05	2.50E-04	1.12E-08	25	1.15E-02	3.20E-09	1.0E+06	3.2E-03
292	292	0.7108	6.33E-05	4.5E-05	2.50E-04	1.13E-08	25	1.15E-02	3.23E-09	1.0E+06	3.2E-03
293	293	0.71796	6.33E-05	4.5E-05	2.50E-04	1.14E-08	25	1.15E-02	3.26E-09	1.0E+06	3.3E-03
294	294	0.72557	6.33E-05	4.6E-05	2.50E-04	1.15E-08	25	1.15E-02	3.30E-09	1.0E+06	3.3E-03
295	295	0.73137	6.33E-05	4.6E-05	2.50E-04	1.16E-08	25	1.15E-02	3.32E-09	1.0E+06	3.3E-03
296	296	0.73598	6.33E-05	4.7E-05	2.50E-04	1.17E-08	25	1.15E-02	3.34E-09	1.0E+06	3.3E-03
297	297	0.73902	6.33E-05	4.7E-05	2.50E-04	1.17E-08	25	1.15E-02	3.36E-09	1.0E+06	3.4E-03
298	298	0.73821	6.33E-05	4.7E-05	2.50E-04	1.17E-08	25	1.15E-02	3.35E-09	1.0E+06	3.4E-03
299	299	0.73279	6.33E-05	4.6E-05	2.50E-04	1.16E-08	25	1.15E-02	3.33E-09	1.0E+06	3.3E-03
300	300	0.7232	6.33E-05	4.6E-05	2.50E-04	1.15E-08	25	1.15E-02	3.29E-09	1.0E+06	3.3E-03
301	301	0.70883	6.33E-05	4.5E-05	2.50E-04	1.12E-08	25	1.15E-02	3.22E-09	1.0E+06	3.2E-03

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	302	0.6895	6.33E-05	4.4E-05	2.50E-04	1.09E-08	25	1.15E-02	3.13E-09	1.0E+06	3.1E-03
303	303	0.66515	6.33E-05	4.2E-05	2.50E-04	1.05E-08	25	1.15E-02	3.02E-09	1.0E+06	3.0E-03
304	304	0.57024	6.33E-05	3.6E-05	2.50E-04	9.03E-09	25	1.15E-02	2.59E-09	1.0E+06	2.6E-03
305	305	0.53368	6.33E-05	3.4E-05	2.50E-04	8.46E-09	25	1.15E-02	2.42E-09	1.0E+06	2.4E-03
308	308	0.63764	6.33E-05	4.0E-05	2.50E-04	1.01E-08	25	1.15E-02	2.90E-09	1.0E+06	2.9E-03
309	309	0.64322	6.33E-05	4.1E-05	2.50E-04	1.02E-08	25	1.15E-02	2.92E-09	1.0E+06	2.9E-03
310	310	0.64847	6.33E-05	4.1E-05	2.50E-04	1.03E-08	25	1.15E-02	2.95E-09	1.0E+06	2.9E-03
311	311	0.65427	6.33E-05	4.1E-05	2.50E-04	1.04E-08	25	1.15E-02	2.97E-09	1.0E+06	3.0E-03
312	312	0.65817	6.33E-05	4.2E-05	2.50E-04	1.04E-08	25	1.15E-02	2.99E-09	1.0E+06	3.0E-03
313	313	0.66135	6.33E-05	4.2E-05	2.50E-04	1.05E-08	25	1.15E-02	3.01E-09	1.0E+06	3.0E-03
314	314	0.66304	6.33E-05	4.2E-05	2.50E-04	1.05E-08	25	1.15E-02	3.01E-09	1.0E+06	3.0E-03
315	315	0.66051	6.33E-05	4.2E-05	2.50E-04	1.05E-08	25	1.15E-02	3.00E-09	1.0E+06	3.0E-03
316	316	0.65494	6.33E-05	4.1E-05	2.50E-04	1.04E-08	25	1.15E-02	2.98E-09	1.0E+06	3.0E-03
317	317	0.64639	6.33E-05	4.1E-05	2.50E-04	1.02E-08	25	1.15E-02	2.94E-09	1.0E+06	2.9E-03
318	318	0.6338	6.33E-05	4.0E-05	2.50E-04	1.00E-08	25	1.15E-02	2.88E-09	1.0E+06	2.9E-03
319	319	0.61733	6.33E-05	3.9E-05	2.50E-04	9.78E-09	25	1.15E-02	2.81E-09	1.0E+06	2.8E-03
320	320	0.59711	6.33E-05	3.8E-05	2.50E-04	9.46E-09	25	1.15E-02	2.71E-09	1.0E+06	2.7E-03
321	321	0.51799	6.33E-05	3.3E-05	2.50E-04	8.21E-09	25	1.15E-02	2.35E-09	1.0E+06	2.4E-03
322	322	0.48747	6.33E-05	3.1E-05	2.50E-04	7.72E-09	25	1.15E-02	2.21E-09	1.0E+06	2.2E-03
325	325	0.58065	6.33E-05	3.7E-05	2.50E-04	9.20E-09	25	1.15E-02	2.64E-09	1.0E+06	2.6E-03
326	326	0.58526	6.33E-05	3.7E-05	2.50E-04	9.27E-09	25	1.15E-02	2.66E-09	1.0E+06	2.7E-03
327	327	0.58944	6.33E-05	3.7E-05	2.50E-04	9.34E-09	25	1.15E-02	2.68E-09	1.0E+06	2.7E-03
328	328	0.59348	6.33E-05	3.8E-05	2.50E-04	9.40E-09	25	1.15E-02	2.70E-09	1.0E+06	2.7E-03
329	329	0.59667	6.33E-05	3.8E-05	2.50E-04	9.45E-09	25	1.15E-02	2.71E-09	1.0E+06	2.7E-03
330	330	0.59836	6.33E-05	3.8E-05	2.50E-04	9.48E-09	25	1.15E-02	2.72E-09	1.0E+06	2.7E-03
331	331	0.59913	6.33E-05	3.8E-05	2.50E-04	9.49E-09	25	1.15E-02	2.72E-09	1.0E+06	2.7E-03
332	332	0.59807	6.33E-05	3.8E-05	2.50E-04	9.48E-09	25	1.15E-02	2.72E-09	1.0E+06	2.7E-03
333	333	0.59554	6.33E-05	3.8E-05	2.50E-04	9.44E-09	25	1.15E-02	2.71E-09	1.0E+06	2.7E-03
334	334	0.59027	6.33E-05	3.7E-05	2.50E-04	9.35E-09	25	1.15E-02	2.68E-09	1.0E+06	2.7E-03
335	335	0.58237	6.33E-05	3.7E-05	2.50E-04	9.23E-09	25	1.15E-02	2.65E-09	1.0E+06	2.6E-03
336	336	0.57138	6.33E-05	3.6E-05	2.50E-04	9.05E-09	25	1.15E-02	2.60E-09	1.0E+06	2.6E-03

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	0.55727	6.33E-05	3.5E-05	2.50E-04	8.83E-09	25	1.15E-02	2.53E-09	1.0E+06	2.5E-03
338	338	0.53989	6.33E-05	3.4E-05	2.50E-04	8.55E-09	25	1.15E-02	2.45E-09	1.0E+06	2.5E-03
339	339	0.49786	6.33E-05	3.2E-05	2.50E-04	7.89E-09	25	1.15E-02	2.26E-09	1.0E+06	2.3E-03
340	340	0.47342	6.33E-05	3.0E-05	2.50E-04	7.50E-09	25	1.15E-02	2.15E-09	1.0E+06	2.2E-03
341	341	0.44759	6.33E-05	2.8E-05	2.50E-04	7.09E-09	25	1.15E-02	2.03E-09	1.0E+06	2.0E-03
349	349	0.54382	6.33E-05	3.4E-05	2.50E-04	8.62E-09	25	1.15E-02	2.47E-09	1.0E+06	2.5E-03
350	350	0.54499	6.33E-05	3.5E-05	2.50E-04	8.63E-09	25	1.15E-02	2.48E-09	1.0E+06	2.5E-03
351	351	0.54527	6.33E-05	3.5E-05	2.50E-04	8.64E-09	25	1.15E-02	2.48E-09	1.0E+06	2.5E-03
352	352	0.54351	6.33E-05	3.4E-05	2.50E-04	8.61E-09	25	1.15E-02	2.47E-09	1.0E+06	2.5E-03
353	353	0.4558	6.33E-05	2.9E-05	2.50E-04	7.22E-09	25	1.15E-02	2.07E-09	1.0E+06	2.1E-03
354	354	0.43497	6.33E-05	2.8E-05	2.50E-04	6.89E-09	25	1.15E-02	1.98E-09	1.0E+06	2.0E-03
355	355	0.41289	6.33E-05	2.6E-05	2.50E-04	6.54E-09	25	1.15E-02	1.88E-09	1.0E+06	1.9E-03
364	364	0.49899	6.33E-05	3.2E-05	2.50E-04	7.91E-09	25	1.15E-02	2.27E-09	1.0E+06	2.3E-03
365	365	0.49852	6.33E-05	3.2E-05	2.50E-04	7.90E-09	25	1.15E-02	2.27E-09	1.0E+06	2.3E-03
366	366	0.49701	6.33E-05	3.1E-05	2.50E-04	7.87E-09	25	1.15E-02	2.26E-09	1.0E+06	2.3E-03
367	367	0.41944	6.33E-05	2.7E-05	2.50E-04	6.65E-09	25	1.15E-02	1.91E-09	1.0E+06	1.9E-03
368	368	0.40154	6.33E-05	2.5E-05	2.50E-04	6.36E-09	25	1.15E-02	1.82E-09	1.0E+06	1.8E-03
369	369	0.3825	6.33E-05	2.4E-05	2.50E-04	6.06E-09	25	1.15E-02	1.74E-09	1.0E+06	1.7E-03
377	377	0.45907	6.33E-05	2.9E-05	2.50E-04	7.27E-09	25	1.15E-02	2.09E-09	1.0E+06	2.1E-03
378	378	0.45839	6.33E-05	2.9E-05	2.50E-04	7.26E-09	25	1.15E-02	2.08E-09	1.0E+06	2.1E-03
379	379	0.45673	6.33E-05	2.9E-05	2.50E-04	7.24E-09	25	1.15E-02	2.08E-09	1.0E+06	2.1E-03
380	380	0.38776	6.33E-05	2.5E-05	2.50E-04	6.14E-09	25	1.15E-02	1.76E-09	1.0E+06	1.8E-03
381	381	0.37216	6.33E-05	2.4E-05	2.50E-04	5.90E-09	25	1.15E-02	1.69E-09	1.0E+06	1.7E-03
382	382	0.35572	6.33E-05	2.3E-05	2.50E-04	5.64E-09	25	1.15E-02	1.62E-09	1.0E+06	1.6E-03
391	391	0.42327	6.33E-05	2.7E-05	2.50E-04	6.71E-09	25	1.15E-02	1.92E-09	1.0E+06	1.9E-03
392	392	0.42155	6.33E-05	2.7E-05	2.50E-04	6.68E-09	25	1.15E-02	1.92E-09	1.0E+06	1.9E-03
393	393	0.35991	6.33E-05	2.3E-05	2.50E-04	5.70E-09	25	1.15E-02	1.64E-09	1.0E+06	1.6E-03
394	394	0.34632	6.33E-05	2.2E-05	2.50E-04	5.49E-09	25	1.15E-02	1.57E-09	1.0E+06	1.6E-03
395	395	0.33193	6.33E-05	2.1E-05	2.50E-04	5.26E-09	25	1.15E-02	1.51E-09	1.0E+06	1.5E-03
405	405	0.39232	6.33E-05	2.5E-05	2.50E-04	6.22E-09	25	1.15E-02	1.78E-09	1.0E+06	1.8E-03
406	406	0.39051	6.33E-05	2.5E-05	2.50E-04	6.19E-09	25	1.15E-02	1.77E-09	1.0E+06	1.8E-03

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	0.38765	6.33E-05	2.5E-05	2.50E-04	6.14E-09	25	1.15E-02	1.76E-09	1.0E+06	1.8E-03
408	408	0.33532	6.33E-05	2.1E-05	2.50E-04	5.31E-09	25	1.15E-02	1.52E-09	1.0E+06	1.5E-03
409	409	0.32335	6.33E-05	2.0E-05	2.50E-04	5.12E-09	25	1.15E-02	1.47E-09	1.0E+06	1.5E-03
410	410	0.31068	6.33E-05	2.0E-05	2.50E-04	4.92E-09	25	1.15E-02	1.41E-09	1.0E+06	1.4E-03
421	421	0.36311	6.33E-05	2.3E-05	2.50E-04	5.75E-09	25	1.15E-02	1.65E-09	1.0E+06	1.6E-03
422	422	0.36043	6.33E-05	2.3E-05	2.50E-04	5.71E-09	25	1.15E-02	1.64E-09	1.0E+06	1.6E-03
423	423	0.31344	6.33E-05	2.0E-05	2.50E-04	4.97E-09	25	1.15E-02	1.42E-09	1.0E+06	1.4E-03
424	424	0.30286	6.33E-05	1.9E-05	2.50E-04	4.80E-09	25	1.15E-02	1.38E-09	1.0E+06	1.4E-03
425	425	0.29163	6.33E-05	1.8E-05	2.50E-04	4.62E-09	25	1.15E-02	1.33E-09	1.0E+06	1.3E-03
435	435	0.33875	6.33E-05	2.1E-05	2.50E-04	5.37E-09	25	1.15E-02	1.54E-09	1.0E+06	1.5E-03
436	436	0.33617	6.33E-05	2.1E-05	2.50E-04	5.33E-09	25	1.15E-02	1.53E-09	1.0E+06	1.5E-03
437	437	0.28449	6.33E-05	1.8E-05	2.50E-04	4.51E-09	25	1.15E-02	1.29E-09	1.0E+06	1.3E-03
438	438	0.27449	6.33E-05	1.7E-05	2.50E-04	4.35E-09	25	1.15E-02	1.25E-09	1.0E+06	1.2E-03
449	449	0.31695	6.33E-05	2.0E-05	2.50E-04	5.02E-09	25	1.15E-02	1.44E-09	1.0E+06	1.4E-03
450	450	0.31447	6.33E-05	2.0E-05	2.50E-04	4.98E-09	25	1.15E-02	1.43E-09	1.0E+06	1.4E-03
451	451	0.31136	6.33E-05	2.0E-05	2.50E-04	4.93E-09	25	1.15E-02	1.41E-09	1.0E+06	1.4E-03
452	452	0.26789	6.33E-05	1.7E-05	2.50E-04	4.24E-09	25	1.15E-02	1.22E-09	1.0E+06	1.2E-03
453	453	0.25895	6.33E-05	1.6E-05	2.50E-04	4.10E-09	25	1.15E-02	1.18E-09	1.0E+06	1.2E-03
464	464	0.29507	6.33E-05	1.9E-05	2.50E-04	4.68E-09	25	1.15E-02	1.34E-09	1.0E+06	1.3E-03
465	465	0.29215	6.33E-05	1.8E-05	2.50E-04	4.63E-09	25	1.15E-02	1.33E-09	1.0E+06	1.3E-03
466	466	0.26732	6.33E-05	1.7E-05	2.50E-04	4.24E-09	25	1.15E-02	1.21E-09	1.0E+06	1.2E-03
467	467	0.25287	6.33E-05	1.6E-05	2.50E-04	4.01E-09	25	1.15E-02	1.15E-09	1.0E+06	1.1E-03
468	468	0.24484	6.33E-05	1.5E-05	2.50E-04	3.88E-09	25	1.15E-02	1.11E-09	1.0E+06	1.1E-03
479	479	0.27746	6.33E-05	1.8E-05	2.50E-04	4.40E-09	25	1.15E-02	1.26E-09	1.0E+06	1.3E-03
480	480	0.27483	6.33E-05	1.7E-05	2.50E-04	4.35E-09	25	1.15E-02	1.25E-09	1.0E+06	1.2E-03
481	481	0.27151	6.33E-05	1.7E-05	2.50E-04	4.30E-09	25	1.15E-02	1.23E-09	1.0E+06	1.2E-03
482	482	0.26758	6.33E-05	1.7E-05	2.50E-04	4.24E-09	25	1.15E-02	1.22E-09	1.0E+06	1.2E-03
483	483	0.26307	6.33E-05	1.7E-05	2.50E-04	4.17E-09	25	1.15E-02	1.20E-09	1.0E+06	1.2E-03
484	484	0.25795	6.33E-05	1.6E-05	2.50E-04	4.09E-09	25	1.15E-02	1.17E-09	1.0E+06	1.2E-03
485	485	0.25225	6.33E-05	1.6E-05	2.50E-04	4.00E-09	25	1.15E-02	1.15E-09	1.0E+06	1.1E-03
486	486	0.24599	6.33E-05	1.6E-05	2.50E-04	3.90E-09	25	1.15E-02	1.12E-09	1.0E+06	1.1E-03

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	487	0.23922	6.33E-05	1.5E-05	2.50E-04	3.79E-09	25	1.15E-02	1.09E-09	1.0E+06	1.1E-03
488	488	0.23198	6.33E-05	1.5E-05	2.50E-04	3.68E-09	25	1.15E-02	1.05E-09	1.0E+06	1.1E-03
501	501	0.25901	6.33E-05	1.6E-05	2.50E-04	4.10E-09	25	1.15E-02	1.18E-09	1.0E+06	1.2E-03
502	502	0.25608	6.33E-05	1.6E-05	2.50E-04	4.06E-09	25	1.15E-02	1.16E-09	1.0E+06	1.2E-03
503	503	0.25248	6.33E-05	1.6E-05	2.50E-04	4.00E-09	25	1.15E-02	1.15E-09	1.0E+06	1.1E-03
504	504	0.24836	6.33E-05	1.6E-05	2.50E-04	3.93E-09	25	1.15E-02	1.13E-09	1.0E+06	1.1E-03
505	505	0.24371	6.33E-05	1.5E-05	2.50E-04	3.86E-09	25	1.15E-02	1.11E-09	1.0E+06	1.1E-03
506	506	0.23854	6.33E-05	1.5E-05	2.50E-04	3.78E-09	25	1.15E-02	1.08E-09	1.0E+06	1.1E-03
507	507	0.23288	6.33E-05	1.5E-05	2.50E-04	3.69E-09	25	1.15E-02	1.06E-09	1.0E+06	1.1E-03
508	508	0.22022	6.33E-05	1.4E-05	2.50E-04	3.49E-09	25	1.15E-02	1.00E-09	1.0E+06	1.0E-03
520	520	0.24482	6.33E-05	1.5E-05	2.50E-04	3.88E-09	25	1.15E-02	1.11E-09	1.0E+06	1.1E-03
521	521	0.24188	6.33E-05	1.5E-05	2.50E-04	3.83E-09	25	1.15E-02	1.10E-09	1.0E+06	1.1E-03
522	522	0.23876	6.33E-05	1.5E-05	2.50E-04	3.78E-09	25	1.15E-02	1.08E-09	1.0E+06	1.1E-03
523	523	0.23499	6.33E-05	1.5E-05	2.50E-04	3.72E-09	25	1.15E-02	1.07E-09	1.0E+06	1.1E-03
524	524	0.23075	6.33E-05	1.5E-05	2.50E-04	3.66E-09	25	1.15E-02	1.05E-09	1.0E+06	1.0E-03
525	525	0.22605	6.33E-05	1.4E-05	2.50E-04	3.58E-09	25	1.15E-02	1.03E-09	1.0E+06	1.0E-03
526	526	0.22091	6.33E-05	1.4E-05	2.50E-04	3.50E-09	25	1.15E-02	1.00E-09	1.0E+06	1.0E-03
527	527	0.20942	6.33E-05	1.3E-05	2.50E-04	3.32E-09	25	1.15E-02	9.52E-10	1.0E+06	9.5E-04
539	539	0.23186	6.33E-05	1.5E-05	2.50E-04	3.67E-09	25	1.15E-02	1.05E-09	1.0E+06	1.1E-03
540	540	0.22925	6.33E-05	1.5E-05	2.50E-04	3.63E-09	25	1.15E-02	1.04E-09	1.0E+06	1.0E-03
541	541	0.22616	6.33E-05	1.4E-05	2.50E-04	3.58E-09	25	1.15E-02	1.03E-09	1.0E+06	1.0E-03
542	542	0.2227	6.33E-05	1.4E-05	2.50E-04	3.53E-09	25	1.15E-02	1.01E-09	1.0E+06	1.0E-03
543	543	0.21891	6.33E-05	1.4E-05	2.50E-04	3.47E-09	25	1.15E-02	9.95E-10	1.0E+06	9.9E-04
544	544	0.21461	6.33E-05	1.4E-05	2.50E-04	3.40E-09	25	1.15E-02	9.75E-10	1.0E+06	9.8E-04
545	545	0.20987	6.33E-05	1.3E-05	2.50E-04	3.33E-09	25	1.15E-02	9.54E-10	1.0E+06	9.5E-04
546	546	0.19948	6.33E-05	1.3E-05	2.50E-04	3.16E-09	25	1.15E-02	9.06E-10	1.0E+06	9.1E-04
560	560	0.21757	6.33E-05	1.4E-05	2.50E-04	3.45E-09	25	1.15E-02	9.89E-10	1.0E+06	9.9E-04
561	561	0.21478	6.33E-05	1.4E-05	2.50E-04	3.40E-09	25	1.15E-02	9.76E-10	1.0E+06	9.8E-04
562	562	0.21159	6.33E-05	1.3E-05	2.50E-04	3.35E-09	25	1.15E-02	9.61E-10	1.0E+06	9.6E-04
563	563	0.20772	6.33E-05	1.3E-05	2.50E-04	3.29E-09	25	1.15E-02	9.44E-10	1.0E+06	9.4E-04
564	564	0.20406	6.33E-05	1.3E-05	2.50E-04	3.23E-09	25	1.15E-02	9.27E-10	1.0E+06	9.3E-04

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

<i>Cancer Risk from 16-30 years - Construction</i>											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.19987	6.33E-05	1.3E-05	2.50E-04	3.17E-09	25	1.15E-02	9.08E-10	1.0E+06	9.1E-04
566	566	0.19032	6.33E-05	1.2E-05	2.50E-04	3.02E-09	25	1.15E-02	8.65E-10	1.0E+06	8.6E-04
579	579	0.20683	6.33E-05	1.3E-05	2.50E-04	3.28E-09	25	1.15E-02	9.40E-10	1.0E+06	9.4E-04
580	580	0.20426	6.33E-05	1.3E-05	2.50E-04	3.24E-09	25	1.15E-02	9.28E-10	1.0E+06	9.3E-04
581	581	0.20135	6.33E-05	1.3E-05	2.50E-04	3.19E-09	25	1.15E-02	9.15E-10	1.0E+06	9.1E-04
582	582	0.19809	6.33E-05	1.3E-05	2.50E-04	3.14E-09	25	1.15E-02	9.00E-10	1.0E+06	9.0E-04
583	583	0.19447	6.33E-05	1.2E-05	2.50E-04	3.08E-09	25	1.15E-02	8.84E-10	1.0E+06	8.8E-04
584	584	0.19053	6.33E-05	1.2E-05	2.50E-04	3.02E-09	25	1.15E-02	8.66E-10	1.0E+06	8.7E-04
585	585	0.18517	6.33E-05	1.2E-05	2.50E-04	2.93E-09	25	1.15E-02	8.41E-10	1.0E+06	8.4E-04
598	598	0.19695	6.33E-05	1.2E-05	2.50E-04	3.12E-09	25	1.15E-02	8.95E-10	1.0E+06	8.9E-04
599	599	0.19458	6.33E-05	1.2E-05	2.50E-04	3.08E-09	25	1.15E-02	8.84E-10	1.0E+06	8.8E-04
600	600	0.19189	6.33E-05	1.2E-05	2.50E-04	3.04E-09	25	1.15E-02	8.72E-10	1.0E+06	8.7E-04
601	601	0.1889	6.33E-05	1.2E-05	2.50E-04	2.99E-09	25	1.15E-02	8.58E-10	1.0E+06	8.6E-04
602	602	0.18559	6.33E-05	1.2E-05	2.50E-04	2.94E-09	25	1.15E-02	8.43E-10	1.0E+06	8.4E-04
603	603	0.182	6.33E-05	1.2E-05	2.50E-04	2.88E-09	25	1.15E-02	8.27E-10	1.0E+06	8.3E-04
604	604	0.17812	6.33E-05	1.1E-05	2.50E-04	2.82E-09	25	1.15E-02	8.09E-10	1.0E+06	8.1E-04
0	0	0	6.33E-05	0.0E+00	2.50E-04	0.00E+00	25	1.15E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
1	1	1.4E-01	5	3.53E-05	
2	2	1.4E-01	5	3.58E-05	
3	3	1.4E-01	5	3.58E-05	
4	4	1.4E-01	5	3.60E-05	
5	5	1.4E-01	5	3.60E-05	
6	6	1.4E-01	5	3.64E-05	
7	7	1.4E-01	5	3.69E-05	
8	8	1.5E-01	5	3.74E-05	
9	9	1.5E-01	5	3.79E-05	
10	10	1.5E-01	5	3.83E-05	
11	11	1.5E-01	5	3.87E-05	
12	12	1.5E-01	5	3.89E-05	
13	13	1.5E-01	5	3.91E-05	
14	14	1.5E-01	5	3.91E-05	
15	15	1.5E-01	5	3.89E-05	
16	16	1.5E-01	5	3.83E-05	
17	17	1.5E-01	5	3.76E-05	
18	18	1.4E-01	5	3.64E-05	
19	19	1.4E-01	5	3.52E-05	
20	20	1.3E-01	5	3.39E-05	
21	21	1.3E-01	5	3.24E-05	
22	22	1.2E-01	5	3.12E-05	
23	23	1.2E-01	5	3.00E-05	
24	24	1.1E-01	5	2.92E-05	
25	25	1.1E-01	5	2.87E-05	
26	26	1.1E-01	5	2.86E-05	
27	27	1.1E-01	5	2.92E-05	
28	28	1.2E-01	5	3.07E-05	
29	29	1.3E-01	5	3.37E-05	
30	30	1.5E-01	5	3.95E-05	
31	31	2.0E-01	5	5.16E-05	

Max	Receptor #	
0.638	66	Res
0.027	348	School
0.024	163	Worker

Max	Receptor #	
1.631E-04	66	Res
6.857E-06	348	School
6.822E-05	163	Worker

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
32	32	3.4E-01	5	8.72E-05	
55	55	1.6E-01	5	4.00E-05	
56	56	1.5E-01	5	3.79E-05	
57	57	1.4E-01	5	3.65E-05	
58	58	1.4E-01	5	3.55E-05	
59	59	1.4E-01	5	3.54E-05	
60	60	1.4E-01	5	3.62E-05	
61	61	1.5E-01	5	3.88E-05	
62	62	1.7E-01	5	4.41E-05	
63	63	2.1E-01	5	5.50E-05	
64	64	3.1E-01	5	8.01E-05	
65	65	5.2E-01	5	1.34E-04	
66	66	6.4E-01	5	1.63E-04	
67	67	5.8E-01	5	1.47E-04	
68	68	5.8E-01	5	1.48E-04	
69	69	5.1E-01	5	1.31E-04	
70	70	4.2E-01	5	1.06E-04	
71	71	4.0E-01	5	1.02E-04	
72	72	4.0E-01	5	1.04E-04	
73	73	4.0E-01	5	1.03E-04	
74	74	4.1E-01	5	1.04E-04	
75	75	4.1E-01	5	1.05E-04	
76	76	4.2E-01	5	1.06E-04	
77	77	4.2E-01	5	1.08E-04	
78	78	4.3E-01	5	1.11E-04	
79	79	3.7E-01	5	9.39E-05	
80	80	3.4E-01	5	8.58E-05	
81	81	3.0E-01	5	7.62E-05	
82	82	2.6E-01	5	6.77E-05	
83	83	2.4E-01	5	6.15E-05	
84	84	2.2E-01	5	5.59E-05	

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
85	85	2.0E-01	5	5.16E-05	
86	86	1.9E-01	5	4.85E-05	
87	87	1.8E-01	5	4.66E-05	
88	88	1.8E-01	5	4.62E-05	
89	89	1.9E-01	5	4.76E-05	
90	90	2.0E-01	5	5.21E-05	
91	91	2.5E-01	5	6.34E-05	
92	92	3.5E-01	5	9.05E-05	
93	93	4.2E-01	5	1.08E-04	
96	96	2.8E-01	5	7.16E-05	
97	97	2.6E-01	5	6.72E-05	
98	98	2.6E-01	5	6.70E-05	
99	99	2.7E-01	5	6.96E-05	
100	100	3.1E-01	5	7.99E-05	
101	101	4.4E-01	5	1.12E-04	
102	102	4.7E-01	5	1.21E-04	
106	106	1.9E-01	5	4.76E-05	
107	107	2.4E-01	5	6.05E-05	
108	108	2.6E-01	5	6.62E-05	
109	109	2.9E-01	5	7.34E-05	
110	110	3.2E-01	5	8.16E-05	
111	111	3.2E-01	5	8.18E-05	
112	112	3.2E-01	5	8.06E-05	
113	113	3.0E-01	5	7.79E-05	
114	114	3.0E-01	5	7.64E-05	
115	115	2.9E-01	5	7.45E-05	
116	116	2.8E-01	5	7.27E-05	
117	117	2.8E-01	5	7.24E-05	
118	118	2.8E-01	5	7.28E-05	
124	124	1.1E-01	5	2.92E-05	
125	125	1.4E-01	5	3.60E-05	

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
126	126	1.6E-01	5	4.02E-05	
127	127	1.7E-01	5	4.37E-05	
128	128	1.8E-01	5	4.67E-05	
129	129	1.9E-01	5	4.75E-05	
130	130	1.9E-01	5	4.79E-05	
131	131	1.9E-01	5	4.76E-05	
132	132	1.9E-01	5	4.74E-05	
133	133	1.8E-01	5	4.68E-05	
134	134	1.8E-01	5	4.68E-05	
135	135	1.8E-01	5	4.66E-05	
136	136	1.8E-01	5	4.67E-05	
137	137	1.8E-01	5	4.69E-05	
138	138	1.9E-01	5	4.79E-05	
141	141	8.2E-02	5	2.09E-05	
142	142	9.8E-02	5	2.50E-05	
143	143	1.1E-01	5	2.80E-05	
144	144	1.2E-01	5	3.03E-05	
145	145	1.3E-01	5	3.21E-05	
146	146	1.3E-01	5	3.29E-05	
147	147	1.3E-01	5	3.35E-05	
148	148	1.3E-01	5	3.37E-05	
149	149	1.3E-01	5	3.38E-05	
150	150	1.3E-01	5	3.38E-05	
151	151	1.3E-01	5	3.38E-05	
152	152	1.3E-01	5	3.40E-05	
153	153	1.3E-01	5	3.42E-05	
154	154	1.3E-01	5	3.43E-05	
155	155	1.4E-01	5	3.48E-05	
164	164	1.1E-01	5	2.69E-05	
165	165	1.1E-01	5	2.72E-05	
166	166	1.1E-01	5	2.79E-05	

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
178	178	8.6E-02	5	2.19E-05	
179	179	8.7E-02	5	2.22E-05	
180	180	8.9E-02	5	2.27E-05	
192	192	7.2E-02	5	1.84E-05	
193	193	7.3E-02	5	1.86E-05	
194	194	7.4E-02	5	1.90E-05	
207	207	6.1E-02	5	1.57E-05	
208	208	6.2E-02	5	1.59E-05	
209	209	6.3E-02	5	1.62E-05	
223	223	5.3E-02	5	1.36E-05	
224	224	5.4E-02	5	1.38E-05	
225	225	5.5E-02	5	1.40E-05	
239	239	4.7E-02	5	1.20E-05	
240	240	4.8E-02	5	1.22E-05	
241	241	4.8E-02	5	1.23E-05	
255	255	4.2E-02	5	1.07E-05	
256	256	4.2E-02	5	1.08E-05	
272	272	3.7E-02	5	9.56E-06	
273	273	3.8E-02	5	9.68E-06	
289	289	3.4E-02	5	8.63E-06	
290	290	3.4E-02	5	8.73E-06	
306	306	3.1E-02	5	7.83E-06	
307	307	3.1E-02	5	7.92E-06	
323	323	2.8E-02	5	7.14E-06	
324	324	2.8E-02	5	7.22E-06	
342	342	2.6E-02	5	6.55E-06	
343	343	2.6E-02	5	6.61E-06	
344	344	2.6E-02	5	6.67E-06	
356	356	2.4E-02	5	6.02E-06	
357	357	2.4E-02	5	6.08E-06	
358	358	2.4E-02	5	6.14E-06	

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Cancer Risk Million	REL	HI Offroad	
370	370	2.2E-02	5	5.56E-06	
371	371	2.2E-02	5	5.62E-06	
372	372	2.2E-02	5	5.67E-06	
383	383	2.0E-02	5	5.16E-06	
384	384	2.0E-02	5	5.21E-06	
385	385	2.1E-02	5	5.25E-06	
396	396	1.9E-02	5	4.80E-06	
397	397	1.9E-02	5	4.84E-06	
398	398	1.9E-02	5	4.88E-06	
399	399	1.9E-02	5	4.91E-06	
411	411	1.7E-02	5	4.47E-06	
412	412	1.8E-02	5	4.51E-06	
413	413	1.8E-02	5	4.55E-06	
414	414	1.8E-02	5	4.58E-06	
426	426	1.6E-02	5	4.18E-06	
427	427	1.7E-02	5	4.22E-06	
428	428	1.7E-02	5	4.25E-06	
429	429	1.7E-02	5	4.28E-06	
439	439	1.5E-02	5	3.92E-06	
440	440	1.5E-02	5	3.96E-06	
441	441	1.6E-02	5	3.99E-06	
442	442	1.6E-02	5	4.01E-06	
443	443	1.6E-02	5	4.03E-06	
454	454	1.4E-02	5	3.69E-06	
455	455	1.5E-02	5	3.72E-06	
456	456	1.5E-02	5	3.75E-06	
457	457	1.5E-02	5	3.77E-06	
458	458	1.5E-02	5	3.79E-06	
469	469	1.4E-02	5	3.47E-06	
470	470	1.4E-02	5	3.50E-06	
471	471	1.4E-02	5	3.53E-06	

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Max Cancer Risk			Chronic Non Cancer Risk	
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad
472	472	1.4E-02	5	3.55E-06
473	473	1.4E-02	5	3.57E-06
489	489	1.3E-02	5	3.28E-06
490	490	1.3E-02	5	3.31E-06
491	491	1.3E-02	5	3.33E-06
492	492	1.3E-02	5	3.35E-06
493	493	1.3E-02	5	3.36E-06
494	494	1.3E-02	5	3.37E-06
509	509	1.2E-02	5	3.10E-06
510	510	1.2E-02	5	3.13E-06
511	511	1.2E-02	5	3.15E-06
512	512	1.2E-02	5	3.17E-06
513	513	1.2E-02	5	3.18E-06
514	514	1.2E-02	5	3.19E-06
515	515	1.2E-02	5	3.19E-06
516	516	1.2E-02	5	3.18E-06
517	517	1.2E-02	5	3.17E-06
518	518	1.2E-02	5	3.15E-06
519	519	1.2E-02	5	3.13E-06
528	528	1.1E-02	5	2.94E-06
529	529	1.2E-02	5	2.96E-06
530	530	1.2E-02	5	2.98E-06
531	531	1.2E-02	5	3.00E-06
532	532	1.2E-02	5	3.01E-06
533	533	1.2E-02	5	3.02E-06
534	534	1.2E-02	5	3.02E-06
535	535	1.2E-02	5	3.01E-06
536	536	1.2E-02	5	3.00E-06
537	537	1.2E-02	5	2.99E-06
538	538	1.2E-02	5	2.96E-06
547	547	1.1E-02	5	2.79E-06

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
548	548	1.1E-02	5	2.81E-06	
549	549	1.1E-02	5	2.83E-06	
550	550	1.1E-02	5	2.85E-06	
551	551	1.1E-02	5	2.86E-06	
552	552	1.1E-02	5	2.86E-06	
553	553	1.1E-02	5	2.87E-06	
554	554	1.1E-02	5	2.86E-06	
555	555	1.1E-02	5	2.86E-06	
556	556	1.1E-02	5	2.85E-06	
557	557	1.1E-02	5	2.83E-06	
558	558	1.1E-02	5	2.81E-06	
559	559	1.1E-02	5	2.79E-06	
567	567	1.0E-02	5	2.65E-06	
568	568	1.0E-02	5	2.67E-06	
569	569	1.1E-02	5	2.69E-06	
570	570	1.1E-02	5	2.70E-06	
571	571	1.1E-02	5	2.72E-06	
572	572	1.1E-02	5	2.72E-06	
573	573	1.1E-02	5	2.72E-06	
574	574	1.1E-02	5	2.72E-06	
575	575	1.1E-02	5	2.70E-06	
576	576	1.1E-02	5	2.69E-06	
577	577	1.0E-02	5	2.67E-06	
578	578	1.0E-02	5	2.65E-06	
586	586	9.9E-03	5	2.52E-06	
587	587	9.9E-03	5	2.54E-06	
588	588	1.0E-02	5	2.56E-06	
589	589	1.0E-02	5	2.57E-06	
590	590	1.0E-02	5	2.58E-06	
591	591	1.0E-02	5	2.59E-06	
592	592	1.0E-02	5	2.59E-06	

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
593	593	1.0E-02	5	2.58E-06	
594	594	1.0E-02	5	2.57E-06	
595	595	1.0E-02	5	2.56E-06	
596	596	9.9E-03	5	2.54E-06	
597	597	9.8E-03	5	2.52E-06	
345	345	2.6E-02	5	6.73E-06	
346	346	2.6E-02	5	6.78E-06	
347	347	2.7E-02	5	6.82E-06	
348	348	2.7E-02	5	6.86E-06	
359	359	2.4E-02	5	6.19E-06	
360	360	2.4E-02	5	6.23E-06	
361	361	2.4E-02	5	6.26E-06	
362	362	2.5E-02	5	6.29E-06	
363	363	2.5E-02	5	6.31E-06	
373	373	2.2E-02	5	5.74E-06	
374	374	2.3E-02	5	5.77E-06	
375	375	2.3E-02	5	5.80E-06	
376	376	2.3E-02	5	5.81E-06	
386	386	2.1E-02	5	5.32E-06	
387	387	2.1E-02	5	5.34E-06	
388	388	2.1E-02	5	5.36E-06	
389	389	2.1E-02	5	5.37E-06	
390	390	2.1E-02	5	5.37E-06	
400	400	1.9E-02	5	4.94E-06	
401	401	1.9E-02	5	4.96E-06	
402	402	1.9E-02	5	4.98E-06	
403	403	1.9E-02	5	4.98E-06	
404	404	1.9E-02	5	4.98E-06	
415	415	1.8E-02	5	4.60E-06	
416	416	1.8E-02	5	4.62E-06	
417	417	1.8E-02	5	4.63E-06	

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
418	418	1.8E-02	5	4.64E-06	
419	419	1.8E-02	5	4.63E-06	
420	420	1.8E-02	5	4.62E-06	
430	430	1.7E-02	5	4.32E-06	
431	431	1.7E-02	5	4.33E-06	
432	432	1.7E-02	5	4.33E-06	
433	433	1.7E-02	5	4.32E-06	
434	434	1.7E-02	5	4.31E-06	
444	444	1.6E-02	5	4.04E-06	
445	445	1.6E-02	5	4.05E-06	
446	446	1.6E-02	5	4.05E-06	
447	447	1.6E-02	5	4.05E-06	
448	448	1.6E-02	5	4.03E-06	
459	459	1.5E-02	5	3.80E-06	
460	460	1.5E-02	5	3.80E-06	
461	461	1.5E-02	5	3.80E-06	
462	462	1.5E-02	5	3.79E-06	
463	463	1.5E-02	5	3.76E-06	
474	474	1.4E-02	5	3.58E-06	
475	475	1.4E-02	5	3.58E-06	
476	476	1.4E-02	5	3.57E-06	
477	477	1.4E-02	5	3.56E-06	
478	478	1.4E-02	5	3.54E-06	
495	495	1.3E-02	5	3.38E-06	
496	496	1.3E-02	5	3.38E-06	
497	497	1.3E-02	5	3.37E-06	
498	498	1.3E-02	5	3.36E-06	
499	499	1.3E-02	5	3.34E-06	
500	500	1.3E-02	5	3.31E-06	

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Max Cancer Risk			Chronic Non Cancer Risk	
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad
139	139	1.8E-02	5	4.88E-05
140	140	1.9E-02	5	5.16E-05
156	156	1.3E-02	5	3.58E-05
157	157	1.3E-02	5	3.71E-05
158	158	1.4E-02	5	3.92E-05
159	159	1.5E-02	5	4.20E-05
160	160	1.6E-02	5	4.48E-05
161	161	1.9E-02	5	5.41E-05
162	162	2.2E-02	5	6.10E-05
163	163	2.4E-02	5	6.82E-05
167	167	1.0E-02	5	2.85E-05
168	168	1.1E-02	5	3.00E-05
169	169	1.1E-02	5	3.14E-05
170	170	1.2E-02	5	3.31E-05
171	171	1.3E-02	5	3.51E-05
172	172	1.3E-02	5	3.76E-05
173	173	1.5E-02	5	4.05E-05
174	174	1.6E-02	5	4.34E-05
175	175	1.6E-02	5	4.57E-05
176	176	1.7E-02	5	4.71E-05
177	177	1.7E-02	5	4.75E-05
181	181	8.6E-03	5	2.41E-05
182	182	9.0E-03	5	2.49E-05
183	183	9.3E-03	5	2.59E-05
184	184	9.7E-03	5	2.71E-05
185	185	1.0E-02	5	2.84E-05
186	186	1.1E-02	5	2.99E-05
187	187	1.1E-02	5	3.13E-05
188	188	1.2E-02	5	3.23E-05
189	189	1.2E-02	5	3.28E-05
190	190	1.2E-02	5	3.28E-05

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
191	191	1.1E-02	5	3.19E-05	
195	195	7.1E-03	5	1.99E-05	
196	196	7.4E-03	5	2.05E-05	
197	197	7.6E-03	5	2.12E-05	
198	198	7.8E-03	5	2.19E-05	
199	199	8.1E-03	5	2.27E-05	
200	200	8.4E-03	5	2.35E-05	
201	201	8.7E-03	5	2.42E-05	
202	202	8.9E-03	5	2.47E-05	
203	203	8.9E-03	5	2.49E-05	
204	204	8.9E-03	5	2.47E-05	
205	205	8.7E-03	5	2.41E-05	
206	206	8.3E-03	5	2.30E-05	
210	210	5.9E-03	5	1.64E-05	
211	211	6.1E-03	5	1.69E-05	
212	212	6.2E-03	5	1.73E-05	
213	213	6.4E-03	5	1.77E-05	
214	214	6.7E-03	5	1.87E-05	
215	215	6.9E-03	5	1.91E-05	
216	216	7.0E-03	5	1.95E-05	
217	217	7.1E-03	5	1.98E-05	
218	218	7.1E-03	5	1.98E-05	
219	219	7.1E-03	5	1.97E-05	
220	220	6.9E-03	5	1.92E-05	
221	221	6.6E-03	5	1.85E-05	
222	222	6.3E-03	5	1.74E-05	
226	226	5.1E-03	5	1.42E-05	
227	227	5.2E-03	5	1.46E-05	
228	228	5.3E-03	5	1.49E-05	
229	229	5.4E-03	5	1.51E-05	
230	230	5.5E-03	5	1.55E-05	

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
231	231	5.7E-03	5	1.58E-05	
232	232	5.8E-03	5	1.61E-05	
233	233	5.9E-03	5	1.64E-05	
234	234	5.9E-03	5	1.64E-05	
235	235	5.8E-03	5	1.62E-05	
236	236	5.7E-03	5	1.59E-05	
237	237	5.5E-03	5	1.53E-05	
238	238	5.2E-03	5	1.45E-05	
242	242	4.5E-03	5	1.25E-05	
243	243	4.6E-03	5	1.27E-05	
244	244	4.6E-03	5	1.30E-05	
245	245	4.7E-03	5	1.32E-05	
246	246	4.8E-03	5	1.34E-05	
247	247	4.9E-03	5	1.36E-05	
248	248	4.9E-03	5	1.37E-05	
249	249	5.0E-03	5	1.39E-05	
250	250	5.0E-03	5	1.39E-05	
251	251	4.9E-03	5	1.37E-05	
252	252	4.8E-03	5	1.34E-05	
253	253	4.7E-03	5	1.30E-05	
254	254	4.5E-03	5	1.24E-05	
257	257	4.0E-03	5	1.11E-05	
258	258	4.0E-03	5	1.12E-05	
259	259	4.1E-03	5	1.14E-05	
260	260	4.2E-03	5	1.16E-05	
261	261	4.2E-03	5	1.17E-05	
262	262	4.2E-03	5	1.18E-05	
263	263	4.3E-03	5	1.19E-05	
264	264	4.3E-03	5	1.20E-05	
265	265	4.3E-03	5	1.20E-05	
266	266	4.2E-03	5	1.18E-05	

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
267	267	4.2E-03	5	1.16E-05	
268	268	4.0E-03	5	1.12E-05	
269	269	3.9E-03	5	1.08E-05	
270	270	3.2E-03	5	8.94E-06	
271	271	3.0E-03	5	8.26E-06	
274	274	3.6E-03	5	9.90E-06	
275	275	3.6E-03	5	1.00E-05	
276	276	3.6E-03	5	1.01E-05	
277	277	3.7E-03	5	1.03E-05	
278	278	3.7E-03	5	1.04E-05	
279	279	3.8E-03	5	1.05E-05	
280	280	3.8E-03	5	1.05E-05	
281	281	3.8E-03	5	1.05E-05	
282	282	3.8E-03	5	1.05E-05	
283	283	3.7E-03	5	1.03E-05	
284	284	3.6E-03	5	1.01E-05	
285	285	3.5E-03	5	9.84E-06	
286	286	3.4E-03	5	9.47E-06	
287	287	2.9E-03	5	8.00E-06	
288	288	2.7E-03	5	7.44E-06	
291	291	3.2E-03	5	8.91E-06	
292	292	3.2E-03	5	9.00E-06	
293	293	3.3E-03	5	9.09E-06	
294	294	3.3E-03	5	9.19E-06	
295	295	3.3E-03	5	9.26E-06	
296	296	3.3E-03	5	9.32E-06	
297	297	3.4E-03	5	9.36E-06	
298	298	3.4E-03	5	9.35E-06	
299	299	3.3E-03	5	9.28E-06	
300	300	3.3E-03	5	9.16E-06	
301	301	3.2E-03	5	8.97E-06	

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
302	302	3.1E-03	5	8.73E-06	
303	303	3.0E-03	5	8.42E-06	
304	304	2.6E-03	5	7.22E-06	
305	305	2.4E-03	5	6.76E-06	
308	308	2.9E-03	5	8.07E-06	
309	309	2.9E-03	5	8.14E-06	
310	310	2.9E-03	5	8.21E-06	
311	311	3.0E-03	5	8.28E-06	
312	312	3.0E-03	5	8.33E-06	
313	313	3.0E-03	5	8.37E-06	
314	314	3.0E-03	5	8.39E-06	
315	315	3.0E-03	5	8.36E-06	
316	316	3.0E-03	5	8.29E-06	
317	317	2.9E-03	5	8.18E-06	
318	318	2.9E-03	5	8.02E-06	
319	319	2.8E-03	5	7.82E-06	
320	320	2.7E-03	5	7.56E-06	
321	321	2.4E-03	5	6.56E-06	
322	322	2.2E-03	5	6.17E-06	
325	325	2.6E-03	5	7.35E-06	
326	326	2.7E-03	5	7.41E-06	
327	327	2.7E-03	5	7.46E-06	
328	328	2.7E-03	5	7.51E-06	
329	329	2.7E-03	5	7.55E-06	
330	330	2.7E-03	5	7.58E-06	
331	331	2.7E-03	5	7.59E-06	
332	332	2.7E-03	5	7.57E-06	
333	333	2.7E-03	5	7.54E-06	
334	334	2.7E-03	5	7.47E-06	
335	335	2.6E-03	5	7.37E-06	
336	336	2.6E-03	5	7.23E-06	

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
337	337	2.5E-03	5	7.06E-06	
338	338	2.5E-03	5	6.84E-06	
339	339	2.3E-03	5	6.30E-06	
340	340	2.2E-03	5	5.99E-06	
341	341	2.0E-03	5	5.67E-06	
349	349	2.5E-03	5	6.89E-06	
350	350	2.5E-03	5	6.90E-06	
351	351	2.5E-03	5	6.90E-06	
352	352	2.5E-03	5	6.88E-06	
353	353	2.1E-03	5	5.77E-06	
354	354	2.0E-03	5	5.51E-06	
355	355	1.9E-03	5	5.23E-06	
364	364	2.3E-03	5	6.32E-06	
365	365	2.3E-03	5	6.31E-06	
366	366	2.3E-03	5	6.29E-06	
367	367	1.9E-03	5	5.31E-06	
368	368	1.8E-03	5	5.08E-06	
369	369	1.7E-03	5	4.84E-06	
377	377	2.1E-03	5	5.81E-06	
378	378	2.1E-03	5	5.80E-06	
379	379	2.1E-03	5	5.78E-06	
380	380	1.8E-03	5	4.91E-06	
381	381	1.7E-03	5	4.71E-06	
382	382	1.6E-03	5	4.50E-06	
391	391	1.9E-03	5	5.36E-06	
392	392	1.9E-03	5	5.34E-06	
393	393	1.6E-03	5	4.56E-06	
394	394	1.6E-03	5	4.38E-06	
395	395	1.5E-03	5	4.20E-06	
405	405	1.8E-03	5	4.97E-06	
406	406	1.8E-03	5	4.94E-06	

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
407	407	1.8E-03	5	4.91E-06	
408	408	1.5E-03	5	4.25E-06	
409	409	1.5E-03	5	4.09E-06	
410	410	1.4E-03	5	3.93E-06	
421	421	1.6E-03	5	4.60E-06	
422	422	1.6E-03	5	4.56E-06	
423	423	1.4E-03	5	3.97E-06	
424	424	1.4E-03	5	3.83E-06	
425	425	1.3E-03	5	3.69E-06	
435	435	1.5E-03	5	4.29E-06	
436	436	1.5E-03	5	4.26E-06	
437	437	1.3E-03	5	3.60E-06	
438	438	1.2E-03	5	3.48E-06	
449	449	1.4E-03	5	4.01E-06	
450	450	1.4E-03	5	3.98E-06	
451	451	1.4E-03	5	3.94E-06	
452	452	1.2E-03	5	3.39E-06	
453	453	1.2E-03	5	3.28E-06	
464	464	1.3E-03	5	3.74E-06	
465	465	1.3E-03	5	3.70E-06	
466	466	1.2E-03	5	3.38E-06	
467	467	1.1E-03	5	3.20E-06	
468	468	1.1E-03	5	3.10E-06	
479	479	1.3E-03	5	3.51E-06	
480	480	1.2E-03	5	3.48E-06	
481	481	1.2E-03	5	3.44E-06	
482	482	1.2E-03	5	3.39E-06	
483	483	1.2E-03	5	3.33E-06	
484	484	1.2E-03	5	3.27E-06	
485	485	1.1E-03	5	3.19E-06	
486	486	1.1E-03	5	3.11E-06	

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
487	487	1.1E-03	5	3.03E-06	
488	488	1.1E-03	5	2.94E-06	
501	501	1.2E-03	5	3.28E-06	
502	502	1.2E-03	5	3.24E-06	
503	503	1.1E-03	5	3.20E-06	
504	504	1.1E-03	5	3.14E-06	
505	505	1.1E-03	5	3.09E-06	
506	506	1.1E-03	5	3.02E-06	
507	507	1.1E-03	5	2.95E-06	
508	508	1.0E-03	5	2.79E-06	
520	520	1.1E-03	5	3.10E-06	
521	521	1.1E-03	5	3.06E-06	
522	522	1.1E-03	5	3.02E-06	
523	523	1.1E-03	5	2.98E-06	
524	524	1.0E-03	5	2.92E-06	
525	525	1.0E-03	5	2.86E-06	
526	526	1.0E-03	5	2.80E-06	
527	527	9.5E-04	5	2.65E-06	
539	539	1.1E-03	5	2.94E-06	
540	540	1.0E-03	5	2.90E-06	
541	541	1.0E-03	5	2.86E-06	
542	542	1.0E-03	5	2.82E-06	
543	543	9.9E-04	5	2.77E-06	
544	544	9.8E-04	5	2.72E-06	
545	545	9.5E-04	5	2.66E-06	
546	546	9.1E-04	5	2.53E-06	
560	560	9.9E-04	5	2.75E-06	
561	561	9.8E-04	5	2.72E-06	
562	562	9.6E-04	5	2.68E-06	
563	563	9.4E-04	5	2.63E-06	
564	564	9.3E-04	5	2.58E-06	

Via Oro
Risk From 405 East from Wardlow to 710 S [TKK]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
565	565	9.1E-04	5	2.53E-06	
566	566	8.6E-04	5	2.41E-06	
579	579	9.4E-04	5	2.62E-06	
580	580	9.3E-04	5	2.59E-06	
581	581	9.1E-04	5	2.55E-06	
582	582	9.0E-04	5	2.51E-06	
583	583	8.8E-04	5	2.46E-06	
584	584	8.7E-04	5	2.41E-06	
585	585	8.4E-04	5	2.34E-06	
598	598	8.9E-04	5	2.49E-06	
599	599	8.8E-04	5	2.46E-06	
600	600	8.7E-04	5	2.43E-06	
601	601	8.6E-04	5	2.39E-06	
602	602	8.4E-04	5	2.35E-06	
603	603	8.3E-04	5	2.30E-06	
604	604	8.1E-04	5	2.26E-06	
0	0	0.0E+00	5	0.00E+00	

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	Cancer Risk from 3rd Trimester - Construction								
		g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.36388	7.77E-06	2.8E-06	3.46E-04	9.79E-10	0.25	1.57E-01	3.85E-11	1.0E+06	3.8E-05
2	0.39186	7.77E-06	3.0E-06	3.46E-04	1.05E-09	0.25	1.57E-01	4.14E-11	1.0E+06	4.1E-05
3	0.42295	7.77E-06	3.3E-06	3.46E-04	1.14E-09	0.25	1.57E-01	4.47E-11	1.0E+06	4.5E-05
4	0.45749	7.77E-06	3.6E-06	3.46E-04	1.23E-09	0.25	1.57E-01	4.84E-11	1.0E+06	4.8E-05
5	0.49595	7.77E-06	3.9E-06	3.46E-04	1.33E-09	0.25	1.57E-01	5.24E-11	1.0E+06	5.2E-05
6	0.53897	7.77E-06	4.2E-06	3.46E-04	1.45E-09	0.25	1.57E-01	5.70E-11	1.0E+06	5.7E-05
7	0.58682	7.77E-06	4.6E-06	3.46E-04	1.58E-09	0.25	1.57E-01	6.20E-11	1.0E+06	6.2E-05
8	0.64005	7.77E-06	5.0E-06	3.46E-04	1.72E-09	0.25	1.57E-01	6.76E-11	1.0E+06	6.8E-05
9	0.69904	7.77E-06	5.4E-06	3.46E-04	1.88E-09	0.25	1.57E-01	7.39E-11	1.0E+06	7.4E-05
10	0.76399	7.77E-06	5.9E-06	3.46E-04	2.06E-09	0.25	1.57E-01	8.07E-11	1.0E+06	8.1E-05
11	0.83481	7.77E-06	6.5E-06	3.46E-04	2.25E-09	0.25	1.57E-01	8.82E-11	1.0E+06	8.8E-05
12	0.91068	7.77E-06	7.1E-06	3.46E-04	2.45E-09	0.25	1.57E-01	9.62E-11	1.0E+06	9.6E-05
13	0.98911	7.77E-06	7.7E-06	3.46E-04	2.66E-09	0.25	1.57E-01	1.05E-10	1.0E+06	1.0E-04
14	1.06658	7.77E-06	8.3E-06	3.46E-04	2.87E-09	0.25	1.57E-01	1.13E-10	1.0E+06	1.1E-04
15	1.13635	7.77E-06	8.8E-06	3.46E-04	3.06E-09	0.25	1.57E-01	1.20E-10	1.0E+06	1.2E-04
16	1.19105	7.77E-06	9.3E-06	3.46E-04	3.20E-09	0.25	1.57E-01	1.26E-10	1.0E+06	1.3E-04
17	1.22433	7.77E-06	9.5E-06	3.46E-04	3.29E-09	0.25	1.57E-01	1.29E-10	1.0E+06	1.3E-04
18	1.24428	7.77E-06	9.7E-06	3.46E-04	3.35E-09	0.25	1.57E-01	1.32E-10	1.0E+06	1.3E-04
19	1.26577	7.77E-06	9.8E-06	3.46E-04	3.41E-09	0.25	1.57E-01	1.34E-10	1.0E+06	1.3E-04
20	1.29337	7.77E-06	1.0E-05	3.46E-04	3.48E-09	0.25	1.57E-01	1.37E-10	1.0E+06	1.4E-04
21	1.31593	7.77E-06	1.0E-05	3.46E-04	3.54E-09	0.25	1.57E-01	1.39E-10	1.0E+06	1.4E-04
22	1.32065	7.77E-06	1.0E-05	3.46E-04	3.55E-09	0.25	1.57E-01	1.40E-10	1.0E+06	1.4E-04
23	1.30351	7.77E-06	1.0E-05	3.46E-04	3.51E-09	0.25	1.57E-01	1.38E-10	1.0E+06	1.4E-04
24	1.26654	7.77E-06	9.8E-06	3.46E-04	3.41E-09	0.25	1.57E-01	1.34E-10	1.0E+06	1.3E-04
25	1.21471	7.77E-06	9.4E-06	3.46E-04	3.27E-09	0.25	1.57E-01	1.28E-10	1.0E+06	1.3E-04
26	1.15352	7.77E-06	9.0E-06	3.46E-04	3.10E-09	0.25	1.57E-01	1.22E-10	1.0E+06	1.2E-04
27	1.08741	7.77E-06	8.5E-06	3.46E-04	2.93E-09	0.25	1.57E-01	1.15E-10	1.0E+06	1.1E-04
28	1.01981	7.77E-06	7.9E-06	3.46E-04	2.74E-09	0.25	1.57E-01	1.08E-10	1.0E+06	1.1E-04
29	0.95271	7.77E-06	7.4E-06	3.46E-04	2.56E-09	0.25	1.57E-01	1.01E-10	1.0E+06	1.0E-04
30	0.88759	7.77E-06	6.9E-06	3.46E-04	2.39E-09	0.25	1.57E-01	9.38E-11	1.0E+06	9.4E-05
31	0.8407	7.77E-06	6.5E-06	3.46E-04	2.26E-09	0.25	1.57E-01	8.88E-11	1.0E+06	8.9E-05

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.76684	7.77E-06	6.0E-06	3.46E-04	2.06E-09	0.25	1.57E-01	8.10E-11	1.0E+06	8.1E-05
55	1.66235	7.77E-06	1.3E-05	3.46E-04	4.47E-09	0.25	1.57E-01	1.76E-10	1.0E+06	1.8E-04
56	1.58897	7.77E-06	1.2E-05	3.46E-04	4.27E-09	0.25	1.57E-01	1.68E-10	1.0E+06	1.7E-04
57	1.49603	7.77E-06	1.2E-05	3.46E-04	4.02E-09	0.25	1.57E-01	1.58E-10	1.0E+06	1.6E-04
58	1.39524	7.77E-06	1.1E-05	3.46E-04	3.75E-09	0.25	1.57E-01	1.47E-10	1.0E+06	1.5E-04
59	1.29367	7.77E-06	1.0E-05	3.46E-04	3.48E-09	0.25	1.57E-01	1.37E-10	1.0E+06	1.4E-04
60	1.19506	7.77E-06	9.3E-06	3.46E-04	3.21E-09	0.25	1.57E-01	1.26E-10	1.0E+06	1.3E-04
61	1.10111	7.77E-06	8.6E-06	3.46E-04	2.96E-09	0.25	1.57E-01	1.16E-10	1.0E+06	1.2E-04
62	1.01345	7.77E-06	7.9E-06	3.46E-04	2.73E-09	0.25	1.57E-01	1.07E-10	1.0E+06	1.1E-04
63	0.94862	7.77E-06	7.4E-06	3.46E-04	2.55E-09	0.25	1.57E-01	1.00E-10	1.0E+06	1.0E-04
64	0.87111	7.77E-06	6.8E-06	3.46E-04	2.34E-09	0.25	1.57E-01	9.21E-11	1.0E+06	9.2E-05
65	0.78877	7.77E-06	6.1E-06	3.46E-04	2.12E-09	0.25	1.57E-01	8.34E-11	1.0E+06	8.3E-05
66	0.73534	7.77E-06	5.7E-06	3.46E-04	1.98E-09	0.25	1.57E-01	7.77E-11	1.0E+06	7.8E-05
67	0.4063	7.77E-06	3.2E-06	3.46E-04	1.09E-09	0.25	1.57E-01	4.29E-11	1.0E+06	4.3E-05
68	0.44184	7.77E-06	3.4E-06	3.46E-04	1.19E-09	0.25	1.57E-01	4.67E-11	1.0E+06	4.7E-05
69	0.48217	7.77E-06	3.7E-06	3.46E-04	1.30E-09	0.25	1.57E-01	5.10E-11	1.0E+06	5.1E-05
70	0.5281	7.77E-06	4.1E-06	3.46E-04	1.42E-09	0.25	1.57E-01	5.58E-11	1.0E+06	5.6E-05
71	0.58069	7.77E-06	4.5E-06	3.46E-04	1.56E-09	0.25	1.57E-01	6.14E-11	1.0E+06	6.1E-05
72	0.64115	7.77E-06	5.0E-06	3.46E-04	1.72E-09	0.25	1.57E-01	6.78E-11	1.0E+06	6.8E-05
73	0.711	7.77E-06	5.5E-06	3.46E-04	1.91E-09	0.25	1.57E-01	7.51E-11	1.0E+06	7.5E-05
74	0.7922	7.77E-06	6.2E-06	3.46E-04	2.13E-09	0.25	1.57E-01	8.37E-11	1.0E+06	8.4E-05
75	0.88708	7.77E-06	6.9E-06	3.46E-04	2.39E-09	0.25	1.57E-01	9.38E-11	1.0E+06	9.4E-05
76	0.99834	7.77E-06	7.8E-06	3.46E-04	2.69E-09	0.25	1.57E-01	1.06E-10	1.0E+06	1.1E-04
77	1.12913	7.77E-06	8.8E-06	3.46E-04	3.04E-09	0.25	1.57E-01	1.19E-10	1.0E+06	1.2E-04
78	1.28158	7.77E-06	1.0E-05	3.46E-04	3.45E-09	0.25	1.57E-01	1.35E-10	1.0E+06	1.4E-04
79	2.20312	7.77E-06	1.7E-05	3.46E-04	5.93E-09	0.25	1.57E-01	2.33E-10	1.0E+06	2.3E-04
80	2.29586	7.77E-06	1.8E-05	3.46E-04	6.18E-09	0.25	1.57E-01	2.43E-10	1.0E+06	2.4E-04
81	2.36277	7.77E-06	1.8E-05	3.46E-04	6.36E-09	0.25	1.57E-01	2.50E-10	1.0E+06	2.5E-04
82	2.34577	7.77E-06	1.8E-05	3.46E-04	6.31E-09	0.25	1.57E-01	2.48E-10	1.0E+06	2.5E-04
83	2.23674	7.77E-06	1.7E-05	3.46E-04	6.02E-09	0.25	1.57E-01	2.36E-10	1.0E+06	2.4E-04
84	2.0785	7.77E-06	1.6E-05	3.46E-04	5.59E-09	0.25	1.57E-01	2.20E-10	1.0E+06	2.2E-04

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	1.90198	7.77E-06	1.5E-05	3.46E-04	5.12E-09	0.25	1.57E-01	2.01E-10	1.0E+06	2.0E-04
86	1.76044	7.77E-06	1.4E-05	3.46E-04	4.74E-09	0.25	1.57E-01	1.86E-10	1.0E+06	1.9E-04
87	1.59734	7.77E-06	1.2E-05	3.46E-04	4.30E-09	0.25	1.57E-01	1.69E-10	1.0E+06	1.7E-04
88	1.44714	7.77E-06	1.1E-05	3.46E-04	3.89E-09	0.25	1.57E-01	1.53E-10	1.0E+06	1.5E-04
89	1.28506	7.77E-06	1.0E-05	3.46E-04	3.46E-09	0.25	1.57E-01	1.36E-10	1.0E+06	1.4E-04
90	1.16586	7.77E-06	9.1E-06	3.46E-04	3.14E-09	0.25	1.57E-01	1.23E-10	1.0E+06	1.2E-04
91	1.07636	7.77E-06	8.4E-06	3.46E-04	2.90E-09	0.25	1.57E-01	1.14E-10	1.0E+06	1.1E-04
92	0.96322	7.77E-06	7.5E-06	3.46E-04	2.59E-09	0.25	1.57E-01	1.02E-10	1.0E+06	1.0E-04
93	0.8887	7.77E-06	6.9E-06	3.46E-04	2.39E-09	0.25	1.57E-01	9.39E-11	1.0E+06	9.4E-05
96	2.3241	7.77E-06	1.8E-05	3.46E-04	6.25E-09	0.25	1.57E-01	2.46E-10	1.0E+06	2.5E-04
97	2.05352	7.77E-06	1.6E-05	3.46E-04	5.52E-09	0.25	1.57E-01	2.17E-10	1.0E+06	2.2E-04
98	1.51505	7.77E-06	1.2E-05	3.46E-04	4.08E-09	0.25	1.57E-01	1.60E-10	1.0E+06	1.6E-04
99	1.37468	7.77E-06	1.1E-05	3.46E-04	3.70E-09	0.25	1.57E-01	1.45E-10	1.0E+06	1.5E-04
100	1.22801	7.77E-06	9.5E-06	3.46E-04	3.30E-09	0.25	1.57E-01	1.30E-10	1.0E+06	1.3E-04
101	1.08713	7.77E-06	8.4E-06	3.46E-04	2.92E-09	0.25	1.57E-01	1.15E-10	1.0E+06	1.1E-04
102	0.99812	7.77E-06	7.8E-06	3.46E-04	2.69E-09	0.25	1.57E-01	1.05E-10	1.0E+06	1.1E-04
106	0.4109	7.77E-06	3.2E-06	3.46E-04	1.11E-09	0.25	1.57E-01	4.34E-11	1.0E+06	4.3E-05
107	0.4485	7.77E-06	3.5E-06	3.46E-04	1.21E-09	0.25	1.57E-01	4.74E-11	1.0E+06	4.7E-05
108	0.49246	7.77E-06	3.8E-06	3.46E-04	1.32E-09	0.25	1.57E-01	5.20E-11	1.0E+06	5.2E-05
109	0.54337	7.77E-06	4.2E-06	3.46E-04	1.46E-09	0.25	1.57E-01	5.74E-11	1.0E+06	5.7E-05
110	0.60262	7.77E-06	4.7E-06	3.46E-04	1.62E-09	0.25	1.57E-01	6.37E-11	1.0E+06	6.4E-05
111	0.67236	7.77E-06	5.2E-06	3.46E-04	1.81E-09	0.25	1.57E-01	7.11E-11	1.0E+06	7.1E-05
112	0.75465	7.77E-06	5.9E-06	3.46E-04	2.03E-09	0.25	1.57E-01	7.98E-11	1.0E+06	8.0E-05
113	0.85346	7.77E-06	6.6E-06	3.46E-04	2.30E-09	0.25	1.57E-01	9.02E-11	1.0E+06	9.0E-05
114	0.97315	7.77E-06	7.6E-06	3.46E-04	2.62E-09	0.25	1.57E-01	1.03E-10	1.0E+06	1.0E-04
115	1.12076	7.77E-06	8.7E-06	3.46E-04	3.02E-09	0.25	1.57E-01	1.18E-10	1.0E+06	1.2E-04
116	1.30574	7.77E-06	1.0E-05	3.46E-04	3.51E-09	0.25	1.57E-01	1.38E-10	1.0E+06	1.4E-04
117	1.54287	7.77E-06	1.2E-05	3.46E-04	4.15E-09	0.25	1.57E-01	1.63E-10	1.0E+06	1.6E-04
118	1.8564	7.77E-06	1.4E-05	3.46E-04	4.99E-09	0.25	1.57E-01	1.96E-10	1.0E+06	2.0E-04
124	0.42685	7.77E-06	3.3E-06	3.46E-04	1.15E-09	0.25	1.57E-01	4.51E-11	1.0E+06	4.5E-05
125	0.46854	7.77E-06	3.6E-06	3.46E-04	1.26E-09	0.25	1.57E-01	4.95E-11	1.0E+06	5.0E-05

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.51684	7.77E-06	4.0E-06	3.46E-04	1.39E-09	0.25	1.57E-01	5.46E-11	1.0E+06	5.5E-05
127	0.5732	7.77E-06	4.5E-06	3.46E-04	1.54E-09	0.25	1.57E-01	6.06E-11	1.0E+06	6.1E-05
128	0.63952	7.77E-06	5.0E-06	3.46E-04	1.72E-09	0.25	1.57E-01	6.76E-11	1.0E+06	6.8E-05
129	0.71837	7.77E-06	5.6E-06	3.46E-04	1.93E-09	0.25	1.57E-01	7.59E-11	1.0E+06	7.6E-05
130	0.81289	7.77E-06	6.3E-06	3.46E-04	2.19E-09	0.25	1.57E-01	8.59E-11	1.0E+06	8.6E-05
131	0.92785	7.77E-06	7.2E-06	3.46E-04	2.50E-09	0.25	1.57E-01	9.81E-11	1.0E+06	9.8E-05
132	1.06965	7.77E-06	8.3E-06	3.46E-04	2.88E-09	0.25	1.57E-01	1.13E-10	1.0E+06	1.1E-04
133	1.24878	7.77E-06	9.7E-06	3.46E-04	3.36E-09	0.25	1.57E-01	1.32E-10	1.0E+06	1.3E-04
134	1.4783	7.77E-06	1.1E-05	3.46E-04	3.98E-09	0.25	1.57E-01	1.56E-10	1.0E+06	1.6E-04
135	1.78506	7.77E-06	1.4E-05	3.46E-04	4.80E-09	0.25	1.57E-01	1.89E-10	1.0E+06	1.9E-04
136	2.21187	7.77E-06	1.7E-05	3.46E-04	5.95E-09	0.25	1.57E-01	2.34E-10	1.0E+06	2.3E-04
137	2.8486	7.77E-06	2.2E-05	3.46E-04	7.66E-09	0.25	1.57E-01	3.01E-10	1.0E+06	3.0E-04
138	3.88762	7.77E-06	3.0E-05	3.46E-04	1.05E-08	0.25	1.57E-01	4.11E-10	1.0E+06	4.1E-04
141	0.44216	7.77E-06	3.4E-06	3.46E-04	1.19E-09	0.25	1.57E-01	4.67E-11	1.0E+06	4.7E-05
142	0.48714	7.77E-06	3.8E-06	3.46E-04	1.31E-09	0.25	1.57E-01	5.15E-11	1.0E+06	5.1E-05
143	0.53962	7.77E-06	4.2E-06	3.46E-04	1.45E-09	0.25	1.57E-01	5.70E-11	1.0E+06	5.7E-05
144	0.60136	7.77E-06	4.7E-06	3.46E-04	1.62E-09	0.25	1.57E-01	6.36E-11	1.0E+06	6.4E-05
145	0.6747	7.77E-06	5.2E-06	3.46E-04	1.82E-09	0.25	1.57E-01	7.13E-11	1.0E+06	7.1E-05
146	0.76279	7.77E-06	5.9E-06	3.46E-04	2.05E-09	0.25	1.57E-01	8.06E-11	1.0E+06	8.1E-05
147	0.86965	7.77E-06	6.8E-06	3.46E-04	2.34E-09	0.25	1.57E-01	9.19E-11	1.0E+06	9.2E-05
148	1.00147	7.77E-06	7.8E-06	3.46E-04	2.69E-09	0.25	1.57E-01	1.06E-10	1.0E+06	1.1E-04
149	1.16675	7.77E-06	9.1E-06	3.46E-04	3.14E-09	0.25	1.57E-01	1.23E-10	1.0E+06	1.2E-04
150	1.37904	7.77E-06	1.1E-05	3.46E-04	3.71E-09	0.25	1.57E-01	1.46E-10	1.0E+06	1.5E-04
151	1.65861	7.77E-06	1.3E-05	3.46E-04	4.46E-09	0.25	1.57E-01	1.75E-10	1.0E+06	1.8E-04
152	2.04119	7.77E-06	1.6E-05	3.46E-04	5.49E-09	0.25	1.57E-01	2.16E-10	1.0E+06	2.2E-04
153	2.59292	7.77E-06	2.0E-05	3.46E-04	6.98E-09	0.25	1.57E-01	2.74E-10	1.0E+06	2.7E-04
154	3.46284	7.77E-06	2.7E-05	3.46E-04	9.32E-09	0.25	1.57E-01	3.66E-10	1.0E+06	3.7E-04
155	5.00163	7.77E-06	3.9E-05	3.46E-04	1.35E-08	0.25	1.57E-01	5.29E-10	1.0E+06	5.3E-04
164	4.09719	7.77E-06	3.2E-05	3.46E-04	1.10E-08	0.25	1.57E-01	4.33E-10	1.0E+06	4.3E-04
165	6.17009	7.77E-06	4.8E-05	3.46E-04	1.66E-08	0.25	1.57E-01	6.52E-10	1.0E+06	6.5E-04
166	11.1669	7.77E-06	8.7E-05	3.46E-04	3.00E-08	0.25	1.57E-01	1.18E-09	1.0E+06	1.2E-03

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	4.74111	7.77E-06	3.7E-05	3.46E-04	1.28E-08	0.25	1.57E-01	5.01E-10	1.0E+06	5.0E-04
179	7.38847	7.77E-06	5.7E-05	3.46E-04	1.99E-08	0.25	1.57E-01	7.81E-10	1.0E+06	7.8E-04
180	14.40203	7.77E-06	1.1E-04	3.46E-04	3.87E-08	0.25	1.57E-01	1.52E-09	1.0E+06	1.5E-03
192	5.38752	7.77E-06	4.2E-05	3.46E-04	1.45E-08	0.25	1.57E-01	5.69E-10	1.0E+06	5.7E-04
193	8.6827	7.77E-06	6.7E-05	3.46E-04	2.34E-08	0.25	1.57E-01	9.18E-10	1.0E+06	9.2E-04
194	12.64396	7.77E-06	9.8E-05	3.46E-04	3.40E-08	0.25	1.57E-01	1.34E-09	1.0E+06	1.3E-03
207	6.05638	7.77E-06	4.7E-05	3.46E-04	1.63E-08	0.25	1.57E-01	6.40E-10	1.0E+06	6.4E-04
208	10.23666	7.77E-06	8.0E-05	3.46E-04	2.75E-08	0.25	1.57E-01	1.08E-09	1.0E+06	1.1E-03
209	15.31971	7.77E-06	1.2E-04	3.46E-04	4.12E-08	0.25	1.57E-01	1.62E-09	1.0E+06	1.6E-03
223	6.73893	7.77E-06	5.2E-05	3.46E-04	1.81E-08	0.25	1.57E-01	7.12E-10	1.0E+06	7.1E-04
224	12.10547	7.77E-06	9.4E-05	3.46E-04	3.26E-08	0.25	1.57E-01	1.28E-09	1.0E+06	1.3E-03
225	18.5802	7.77E-06	1.4E-04	3.46E-04	5.00E-08	0.25	1.57E-01	1.96E-09	1.0E+06	2.0E-03
239	7.41497	7.77E-06	5.8E-05	3.46E-04	1.99E-08	0.25	1.57E-01	7.84E-10	1.0E+06	7.8E-04
240	14.37832	7.77E-06	1.1E-04	3.46E-04	3.87E-08	0.25	1.57E-01	1.52E-09	1.0E+06	1.5E-03
241	13.9368	7.77E-06	1.1E-04	3.46E-04	3.75E-08	0.25	1.57E-01	1.47E-09	1.0E+06	1.5E-03
255	8.02516	7.77E-06	6.2E-05	3.46E-04	2.16E-08	0.25	1.57E-01	8.48E-10	1.0E+06	8.5E-04
256	17.09985	7.77E-06	1.3E-04	3.46E-04	4.60E-08	0.25	1.57E-01	1.81E-09	1.0E+06	1.8E-03
272	8.41761	7.77E-06	6.5E-05	3.46E-04	2.26E-08	0.25	1.57E-01	8.90E-10	1.0E+06	8.9E-04
273	12.74015	7.77E-06	9.9E-05	3.46E-04	3.43E-08	0.25	1.57E-01	1.35E-09	1.0E+06	1.3E-03
289	8.39723	7.77E-06	6.5E-05	3.46E-04	2.26E-08	0.25	1.57E-01	8.87E-10	1.0E+06	8.9E-04
290	13.04529	7.77E-06	1.0E-04	3.46E-04	3.51E-08	0.25	1.57E-01	1.38E-09	1.0E+06	1.4E-03
306	7.7813	7.77E-06	6.0E-05	3.46E-04	2.09E-08	0.25	1.57E-01	8.22E-10	1.0E+06	8.2E-04
307	12.10727	7.77E-06	9.4E-05	3.46E-04	3.26E-08	0.25	1.57E-01	1.28E-09	1.0E+06	1.3E-03
323	6.50358	7.77E-06	5.1E-05	3.46E-04	1.75E-08	0.25	1.57E-01	6.87E-10	1.0E+06	6.9E-04
324	14.66352	7.77E-06	1.1E-04	3.46E-04	3.94E-08	0.25	1.57E-01	1.55E-09	1.0E+06	1.5E-03
342	4.92728	7.77E-06	3.8E-05	3.46E-04	1.33E-08	0.25	1.57E-01	5.21E-10	1.0E+06	5.2E-04
343	8.77619	7.77E-06	6.8E-05	3.46E-04	2.36E-08	0.25	1.57E-01	9.28E-10	1.0E+06	9.3E-04
344	6.71476	7.77E-06	5.2E-05	3.46E-04	1.81E-08	0.25	1.57E-01	7.10E-10	1.0E+06	7.1E-04
356	3.63231	7.77E-06	2.8E-05	3.46E-04	9.77E-09	0.25	1.57E-01	3.84E-10	1.0E+06	3.8E-04
357	5.21489	7.77E-06	4.1E-05	3.46E-04	1.40E-08	0.25	1.57E-01	5.51E-10	1.0E+06	5.5E-04
358	6.7265	7.77E-06	5.2E-05	3.46E-04	1.81E-08	0.25	1.57E-01	7.11E-10	1.0E+06	7.1E-04

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	2.74627	7.77E-06	2.1E-05	3.46E-04	7.39E-09	0.25	1.57E-01	2.90E-10	1.0E+06	2.9E-04
371	3.50872	7.77E-06	2.7E-05	3.46E-04	9.44E-09	0.25	1.57E-01	3.71E-10	1.0E+06	3.7E-04
372	4.11841	7.77E-06	3.2E-05	3.46E-04	1.11E-08	0.25	1.57E-01	4.35E-10	1.0E+06	4.4E-04
383	2.1479	7.77E-06	1.7E-05	3.46E-04	5.78E-09	0.25	1.57E-01	2.27E-10	1.0E+06	2.3E-04
384	2.56895	7.77E-06	2.0E-05	3.46E-04	6.91E-09	0.25	1.57E-01	2.72E-10	1.0E+06	2.7E-04
385	2.8865	7.77E-06	2.2E-05	3.46E-04	7.77E-09	0.25	1.57E-01	3.05E-10	1.0E+06	3.1E-04
396	1.73073	7.77E-06	1.3E-05	3.46E-04	4.66E-09	0.25	1.57E-01	1.83E-10	1.0E+06	1.8E-04
397	1.98761	7.77E-06	1.5E-05	3.46E-04	5.35E-09	0.25	1.57E-01	2.10E-10	1.0E+06	2.1E-04
398	2.17895	7.77E-06	1.7E-05	3.46E-04	5.86E-09	0.25	1.57E-01	2.30E-10	1.0E+06	2.3E-04
399	2.20871	7.77E-06	1.7E-05	3.46E-04	5.94E-09	0.25	1.57E-01	2.33E-10	1.0E+06	2.3E-04
411	1.42933	7.77E-06	1.1E-05	3.46E-04	3.85E-09	0.25	1.57E-01	1.51E-10	1.0E+06	1.5E-04
412	1.59802	7.77E-06	1.2E-05	3.46E-04	4.30E-09	0.25	1.57E-01	1.69E-10	1.0E+06	1.7E-04
413	1.72348	7.77E-06	1.3E-05	3.46E-04	4.64E-09	0.25	1.57E-01	1.82E-10	1.0E+06	1.8E-04
414	1.75826	7.77E-06	1.4E-05	3.46E-04	4.73E-09	0.25	1.57E-01	1.86E-10	1.0E+06	1.9E-04
426	1.20395	7.77E-06	9.4E-06	3.46E-04	3.24E-09	0.25	1.57E-01	1.27E-10	1.0E+06	1.3E-04
427	1.32205	7.77E-06	1.0E-05	3.46E-04	3.56E-09	0.25	1.57E-01	1.40E-10	1.0E+06	1.4E-04
428	1.40869	7.77E-06	1.1E-05	3.46E-04	3.79E-09	0.25	1.57E-01	1.49E-10	1.0E+06	1.5E-04
429	1.44159	7.77E-06	1.1E-05	3.46E-04	3.88E-09	0.25	1.57E-01	1.52E-10	1.0E+06	1.5E-04
439	1.03091	7.77E-06	8.0E-06	3.46E-04	2.77E-09	0.25	1.57E-01	1.09E-10	1.0E+06	1.1E-04
440	1.11651	7.77E-06	8.7E-06	3.46E-04	3.00E-09	0.25	1.57E-01	1.18E-10	1.0E+06	1.2E-04
441	1.18063	7.77E-06	9.2E-06	3.46E-04	3.18E-09	0.25	1.57E-01	1.25E-10	1.0E+06	1.2E-04
442	1.20862	7.77E-06	9.4E-06	3.46E-04	3.25E-09	0.25	1.57E-01	1.28E-10	1.0E+06	1.3E-04
443	1.19122	7.77E-06	9.3E-06	3.46E-04	3.20E-09	0.25	1.57E-01	1.26E-10	1.0E+06	1.3E-04
454	0.89463	7.77E-06	7.0E-06	3.46E-04	2.41E-09	0.25	1.57E-01	9.45E-11	1.0E+06	9.5E-05
455	0.95876	7.77E-06	7.5E-06	3.46E-04	2.58E-09	0.25	1.57E-01	1.01E-10	1.0E+06	1.0E-04
456	1.0073	7.77E-06	7.8E-06	3.46E-04	2.71E-09	0.25	1.57E-01	1.06E-10	1.0E+06	1.1E-04
457	1.03135	7.77E-06	8.0E-06	3.46E-04	2.77E-09	0.25	1.57E-01	1.09E-10	1.0E+06	1.1E-04
458	1.02404	7.77E-06	8.0E-06	3.46E-04	2.75E-09	0.25	1.57E-01	1.08E-10	1.0E+06	1.1E-04
469	0.78538	7.77E-06	6.1E-06	3.46E-04	2.11E-09	0.25	1.57E-01	8.30E-11	1.0E+06	8.3E-05
470	0.83505	7.77E-06	6.5E-06	3.46E-04	2.25E-09	0.25	1.57E-01	8.83E-11	1.0E+06	8.8E-05
471	0.87278	7.77E-06	6.8E-06	3.46E-04	2.35E-09	0.25	1.57E-01	9.22E-11	1.0E+06	9.2E-05

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.89332	7.77E-06	6.9E-06	3.46E-04	2.40E-09	0.25	1.57E-01	9.44E-11	1.0E+06	9.4E-05
473	0.89152	7.77E-06	6.9E-06	3.46E-04	2.40E-09	0.25	1.57E-01	9.42E-11	1.0E+06	9.4E-05
489	0.69682	7.77E-06	5.4E-06	3.46E-04	1.87E-09	0.25	1.57E-01	7.36E-11	1.0E+06	7.4E-05
490	0.73491	7.77E-06	5.7E-06	3.46E-04	1.98E-09	0.25	1.57E-01	7.77E-11	1.0E+06	7.8E-05
491	0.76509	7.77E-06	5.9E-06	3.46E-04	2.06E-09	0.25	1.57E-01	8.09E-11	1.0E+06	8.1E-05
492	0.78262	7.77E-06	6.1E-06	3.46E-04	2.11E-09	0.25	1.57E-01	8.27E-11	1.0E+06	8.3E-05
493	0.78372	7.77E-06	6.1E-06	3.46E-04	2.11E-09	0.25	1.57E-01	8.28E-11	1.0E+06	8.3E-05
494	0.76737	7.77E-06	6.0E-06	3.46E-04	2.06E-09	0.25	1.57E-01	8.11E-11	1.0E+06	8.1E-05
509	0.62292	7.77E-06	4.8E-06	3.46E-04	1.68E-09	0.25	1.57E-01	6.58E-11	1.0E+06	6.6E-05
510	0.65335	7.77E-06	5.1E-06	3.46E-04	1.76E-09	0.25	1.57E-01	6.90E-11	1.0E+06	6.9E-05
511	0.678	7.77E-06	5.3E-06	3.46E-04	1.82E-09	0.25	1.57E-01	7.17E-11	1.0E+06	7.2E-05
512	0.69303	7.77E-06	5.4E-06	3.46E-04	1.86E-09	0.25	1.57E-01	7.32E-11	1.0E+06	7.3E-05
513	0.69552	7.77E-06	5.4E-06	3.46E-04	1.87E-09	0.25	1.57E-01	7.35E-11	1.0E+06	7.4E-05
514	0.68487	7.77E-06	5.3E-06	3.46E-04	1.84E-09	0.25	1.57E-01	7.24E-11	1.0E+06	7.2E-05
515	0.6285	7.77E-06	4.9E-06	3.46E-04	1.69E-09	0.25	1.57E-01	6.64E-11	1.0E+06	6.6E-05
516	0.58819	7.77E-06	4.6E-06	3.46E-04	1.58E-09	0.25	1.57E-01	6.22E-11	1.0E+06	6.2E-05
517	0.54605	7.77E-06	4.2E-06	3.46E-04	1.47E-09	0.25	1.57E-01	5.77E-11	1.0E+06	5.8E-05
518	0.5027	7.77E-06	3.9E-06	3.46E-04	1.35E-09	0.25	1.57E-01	5.31E-11	1.0E+06	5.3E-05
519	0.46461	7.77E-06	3.6E-06	3.46E-04	1.25E-09	0.25	1.57E-01	4.91E-11	1.0E+06	4.9E-05
528	0.56093	7.77E-06	4.4E-06	3.46E-04	1.51E-09	0.25	1.57E-01	5.93E-11	1.0E+06	5.9E-05
529	0.58571	7.77E-06	4.6E-06	3.46E-04	1.58E-09	0.25	1.57E-01	6.19E-11	1.0E+06	6.2E-05
530	0.60589	7.77E-06	4.7E-06	3.46E-04	1.63E-09	0.25	1.57E-01	6.40E-11	1.0E+06	6.4E-05
531	0.61894	7.77E-06	4.8E-06	3.46E-04	1.67E-09	0.25	1.57E-01	6.54E-11	1.0E+06	6.5E-05
532	0.62243	7.77E-06	4.8E-06	3.46E-04	1.67E-09	0.25	1.57E-01	6.58E-11	1.0E+06	6.6E-05
533	0.61543	7.77E-06	4.8E-06	3.46E-04	1.66E-09	0.25	1.57E-01	6.50E-11	1.0E+06	6.5E-05
534	0.57216	7.77E-06	4.4E-06	3.46E-04	1.54E-09	0.25	1.57E-01	6.05E-11	1.0E+06	6.0E-05
535	0.53933	7.77E-06	4.2E-06	3.46E-04	1.45E-09	0.25	1.57E-01	5.70E-11	1.0E+06	5.7E-05
536	0.50553	7.77E-06	3.9E-06	3.46E-04	1.36E-09	0.25	1.57E-01	5.34E-11	1.0E+06	5.3E-05
537	0.46821	7.77E-06	3.6E-06	3.46E-04	1.26E-09	0.25	1.57E-01	4.95E-11	1.0E+06	4.9E-05
538	0.43316	7.77E-06	3.4E-06	3.46E-04	1.17E-09	0.25	1.57E-01	4.58E-11	1.0E+06	4.6E-05
547	0.50827	7.77E-06	3.9E-06	3.46E-04	1.37E-09	0.25	1.57E-01	5.37E-11	1.0E+06	5.4E-05

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.52871	7.77E-06	4.1E-06	3.46E-04	1.42E-09	0.25	1.57E-01	5.59E-11	1.0E+06	5.6E-05
549	0.54571	7.77E-06	4.2E-06	3.46E-04	1.47E-09	0.25	1.57E-01	5.77E-11	1.0E+06	5.8E-05
550	0.55677	7.77E-06	4.3E-06	3.46E-04	1.50E-09	0.25	1.57E-01	5.88E-11	1.0E+06	5.9E-05
551	0.56075	7.77E-06	4.4E-06	3.46E-04	1.51E-09	0.25	1.57E-01	5.93E-11	1.0E+06	5.9E-05
552	0.55633	7.77E-06	4.3E-06	3.46E-04	1.50E-09	0.25	1.57E-01	5.88E-11	1.0E+06	5.9E-05
553	0.54363	7.77E-06	4.2E-06	3.46E-04	1.46E-09	0.25	1.57E-01	5.75E-11	1.0E+06	5.7E-05
554	0.52327	7.77E-06	4.1E-06	3.46E-04	1.41E-09	0.25	1.57E-01	5.53E-11	1.0E+06	5.5E-05
555	0.49765	7.77E-06	3.9E-06	3.46E-04	1.34E-09	0.25	1.57E-01	5.26E-11	1.0E+06	5.3E-05
556	0.46974	7.77E-06	3.7E-06	3.46E-04	1.26E-09	0.25	1.57E-01	4.96E-11	1.0E+06	5.0E-05
557	0.43721	7.77E-06	3.4E-06	3.46E-04	1.18E-09	0.25	1.57E-01	4.62E-11	1.0E+06	4.6E-05
558	0.40715	7.77E-06	3.2E-06	3.46E-04	1.10E-09	0.25	1.57E-01	4.30E-11	1.0E+06	4.3E-05
559	0.37794	7.77E-06	2.9E-06	3.46E-04	1.02E-09	0.25	1.57E-01	3.99E-11	1.0E+06	4.0E-05
567	0.46328	7.77E-06	3.6E-06	3.46E-04	1.25E-09	0.25	1.57E-01	4.90E-11	1.0E+06	4.9E-05
568	0.48043	7.77E-06	3.7E-06	3.46E-04	1.29E-09	0.25	1.57E-01	5.08E-11	1.0E+06	5.1E-05
569	0.49466	7.77E-06	3.8E-06	3.46E-04	1.33E-09	0.25	1.57E-01	5.23E-11	1.0E+06	5.2E-05
570	0.50448	7.77E-06	3.9E-06	3.46E-04	1.36E-09	0.25	1.57E-01	5.33E-11	1.0E+06	5.3E-05
571	0.50847	7.77E-06	4.0E-06	3.46E-04	1.37E-09	0.25	1.57E-01	5.37E-11	1.0E+06	5.4E-05
572	0.50586	7.77E-06	3.9E-06	3.46E-04	1.36E-09	0.25	1.57E-01	5.35E-11	1.0E+06	5.3E-05
573	0.49639	7.77E-06	3.9E-06	3.46E-04	1.34E-09	0.25	1.57E-01	5.25E-11	1.0E+06	5.2E-05
574	0.45975	7.77E-06	3.6E-06	3.46E-04	1.24E-09	0.25	1.57E-01	4.86E-11	1.0E+06	4.9E-05
575	0.43651	7.77E-06	3.4E-06	3.46E-04	1.17E-09	0.25	1.57E-01	4.61E-11	1.0E+06	4.6E-05
576	0.41117	7.77E-06	3.2E-06	3.46E-04	1.11E-09	0.25	1.57E-01	4.35E-11	1.0E+06	4.3E-05
577	0.38531	7.77E-06	3.0E-06	3.46E-04	1.04E-09	0.25	1.57E-01	4.07E-11	1.0E+06	4.1E-05
578	0.35896	7.77E-06	2.8E-06	3.46E-04	9.66E-10	0.25	1.57E-01	3.79E-11	1.0E+06	3.8E-05
586	0.42421	7.77E-06	3.3E-06	3.46E-04	1.14E-09	0.25	1.57E-01	4.48E-11	1.0E+06	4.5E-05
587	0.43864	7.77E-06	3.4E-06	3.46E-04	1.18E-09	0.25	1.57E-01	4.64E-11	1.0E+06	4.6E-05
588	0.45084	7.77E-06	3.5E-06	3.46E-04	1.21E-09	0.25	1.57E-01	4.76E-11	1.0E+06	4.8E-05
589	0.45944	7.77E-06	3.6E-06	3.46E-04	1.24E-09	0.25	1.57E-01	4.86E-11	1.0E+06	4.9E-05
590	0.46342	7.77E-06	3.6E-06	3.46E-04	1.25E-09	0.25	1.57E-01	4.90E-11	1.0E+06	4.9E-05
591	0.46229	7.77E-06	3.6E-06	3.46E-04	1.24E-09	0.25	1.57E-01	4.89E-11	1.0E+06	4.9E-05
592	0.45511	7.77E-06	3.5E-06	3.46E-04	1.22E-09	0.25	1.57E-01	4.81E-11	1.0E+06	4.8E-05

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.42573	7.77E-06	3.3E-06	3.46E-04	1.15E-09	0.25	1.57E-01	4.50E-11	1.0E+06	4.5E-05
594	0.40649	7.77E-06	3.2E-06	3.46E-04	1.09E-09	0.25	1.57E-01	4.30E-11	1.0E+06	4.3E-05
595	0.38411	7.77E-06	3.0E-06	3.46E-04	1.03E-09	0.25	1.57E-01	4.06E-11	1.0E+06	4.1E-05
596	0.36139	7.77E-06	2.8E-06	3.46E-04	9.72E-10	0.25	1.57E-01	3.82E-11	1.0E+06	3.8E-05
597	0.33906	7.77E-06	2.6E-06	3.46E-04	9.12E-10	0.25	1.57E-01	3.58E-11	1.0E+06	3.6E-05
345	10.46487	7.77E-06	8.1E-05	3.46E-04	2.82E-08	0.25	1.57E-01	1.11E-09	1.0E+06	1.1E-03
346	5.85363	7.77E-06	4.5E-05	3.46E-04	1.57E-08	0.25	1.57E-01	6.19E-10	1.0E+06	6.2E-04
347	3.93137	7.77E-06	3.1E-05	3.46E-04	1.06E-08	0.25	1.57E-01	4.15E-10	1.0E+06	4.2E-04
348	2.90115	7.77E-06	2.3E-05	3.46E-04	7.80E-09	0.25	1.57E-01	3.07E-10	1.0E+06	3.1E-04
359	6.0333	7.77E-06	4.7E-05	3.46E-04	1.62E-08	0.25	1.57E-01	6.38E-10	1.0E+06	6.4E-04
360	4.34781	7.77E-06	3.4E-05	3.46E-04	1.17E-08	0.25	1.57E-01	4.60E-10	1.0E+06	4.6E-04
361	3.18156	7.77E-06	2.5E-05	3.46E-04	8.56E-09	0.25	1.57E-01	3.36E-10	1.0E+06	3.4E-04
362	2.44094	7.77E-06	1.9E-05	3.46E-04	6.57E-09	0.25	1.57E-01	2.58E-10	1.0E+06	2.6E-04
363	1.94972	7.77E-06	1.5E-05	3.46E-04	5.25E-09	0.25	1.57E-01	2.06E-10	1.0E+06	2.1E-04
373	3.31693	7.77E-06	2.6E-05	3.46E-04	8.92E-09	0.25	1.57E-01	3.51E-10	1.0E+06	3.5E-04
374	2.61825	7.77E-06	2.0E-05	3.46E-04	7.04E-09	0.25	1.57E-01	2.77E-10	1.0E+06	2.8E-04
375	2.08513	7.77E-06	1.6E-05	3.46E-04	5.61E-09	0.25	1.57E-01	2.20E-10	1.0E+06	2.2E-04
376	1.70163	7.77E-06	1.3E-05	3.46E-04	4.58E-09	0.25	1.57E-01	1.80E-10	1.0E+06	1.8E-04
386	2.58378	7.77E-06	2.0E-05	3.46E-04	6.95E-09	0.25	1.57E-01	2.73E-10	1.0E+06	2.7E-04
387	2.17408	7.77E-06	1.7E-05	3.46E-04	5.85E-09	0.25	1.57E-01	2.30E-10	1.0E+06	2.3E-04
388	1.79823	7.77E-06	1.4E-05	3.46E-04	4.84E-09	0.25	1.57E-01	1.90E-10	1.0E+06	1.9E-04
389	1.50141	7.77E-06	1.2E-05	3.46E-04	4.04E-09	0.25	1.57E-01	1.59E-10	1.0E+06	1.6E-04
390	1.27521	7.77E-06	9.9E-06	3.46E-04	3.43E-09	0.25	1.57E-01	1.35E-10	1.0E+06	1.3E-04
400	2.06365	7.77E-06	1.6E-05	3.46E-04	5.55E-09	0.25	1.57E-01	2.18E-10	1.0E+06	2.2E-04
401	1.81695	7.77E-06	1.4E-05	3.46E-04	4.89E-09	0.25	1.57E-01	1.92E-10	1.0E+06	1.9E-04
402	1.56105	7.77E-06	1.2E-05	3.46E-04	4.20E-09	0.25	1.57E-01	1.65E-10	1.0E+06	1.6E-04
403	1.32984	7.77E-06	1.0E-05	3.46E-04	3.58E-09	0.25	1.57E-01	1.41E-10	1.0E+06	1.4E-04
404	1.14067	7.77E-06	8.9E-06	3.46E-04	3.07E-09	0.25	1.57E-01	1.21E-10	1.0E+06	1.2E-04
415	1.686	7.77E-06	1.3E-05	3.46E-04	4.54E-09	0.25	1.57E-01	1.78E-10	1.0E+06	1.8E-04
416	1.5369	7.77E-06	1.2E-05	3.46E-04	4.13E-09	0.25	1.57E-01	1.62E-10	1.0E+06	1.6E-04
417	1.35733	7.77E-06	1.1E-05	3.46E-04	3.65E-09	0.25	1.57E-01	1.43E-10	1.0E+06	1.4E-04

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	1.18857	7.77E-06	9.2E-06	3.46E-04	3.20E-09	0.25	1.57E-01	1.26E-10	1.0E+06	1.3E-04
419	1.0392	7.77E-06	8.1E-06	3.46E-04	2.80E-09	0.25	1.57E-01	1.10E-10	1.0E+06	1.1E-04
420	0.8984	7.77E-06	7.0E-06	3.46E-04	2.42E-09	0.25	1.57E-01	9.49E-11	1.0E+06	9.5E-05
430	1.31134	7.77E-06	1.0E-05	3.46E-04	3.53E-09	0.25	1.57E-01	1.39E-10	1.0E+06	1.4E-04
431	1.18913	7.77E-06	9.2E-06	3.46E-04	3.20E-09	0.25	1.57E-01	1.26E-10	1.0E+06	1.3E-04
432	1.06018	7.77E-06	8.2E-06	3.46E-04	2.85E-09	0.25	1.57E-01	1.12E-10	1.0E+06	1.1E-04
433	0.93938	7.77E-06	7.3E-06	3.46E-04	2.53E-09	0.25	1.57E-01	9.93E-11	1.0E+06	9.9E-05
434	0.83167	7.77E-06	6.5E-06	3.46E-04	2.24E-09	0.25	1.57E-01	8.79E-11	1.0E+06	8.8E-05
444	1.13218	7.77E-06	8.8E-06	3.46E-04	3.05E-09	0.25	1.57E-01	1.20E-10	1.0E+06	1.2E-04
445	1.04484	7.77E-06	8.1E-06	3.46E-04	2.81E-09	0.25	1.57E-01	1.10E-10	1.0E+06	1.1E-04
446	0.94771	7.77E-06	7.4E-06	3.46E-04	2.55E-09	0.25	1.57E-01	1.00E-10	1.0E+06	1.0E-04
447	0.85158	7.77E-06	6.6E-06	3.46E-04	2.29E-09	0.25	1.57E-01	9.00E-11	1.0E+06	9.0E-05
448	0.76221	7.77E-06	5.9E-06	3.46E-04	2.05E-09	0.25	1.57E-01	8.06E-11	1.0E+06	8.1E-05
459	0.92402	7.77E-06	7.2E-06	3.46E-04	2.49E-09	0.25	1.57E-01	9.77E-11	1.0E+06	9.8E-05
460	0.85014	7.77E-06	6.6E-06	3.46E-04	2.29E-09	0.25	1.57E-01	8.98E-11	1.0E+06	9.0E-05
461	0.77305	7.77E-06	6.0E-06	3.46E-04	2.08E-09	0.25	1.57E-01	8.17E-11	1.0E+06	8.2E-05
462	0.69896	7.77E-06	5.4E-06	3.46E-04	1.88E-09	0.25	1.57E-01	7.39E-11	1.0E+06	7.4E-05
463	0.62649	7.77E-06	4.9E-06	3.46E-04	1.69E-09	0.25	1.57E-01	6.62E-11	1.0E+06	6.6E-05
474	0.82168	7.77E-06	6.4E-06	3.46E-04	2.21E-09	0.25	1.57E-01	8.68E-11	1.0E+06	8.7E-05
475	0.76482	7.77E-06	5.9E-06	3.46E-04	2.06E-09	0.25	1.57E-01	8.08E-11	1.0E+06	8.1E-05
476	0.70428	7.77E-06	5.5E-06	3.46E-04	1.89E-09	0.25	1.57E-01	7.44E-11	1.0E+06	7.4E-05
477	0.64144	7.77E-06	5.0E-06	3.46E-04	1.73E-09	0.25	1.57E-01	6.78E-11	1.0E+06	6.8E-05
478	0.581	7.77E-06	4.5E-06	3.46E-04	1.56E-09	0.25	1.57E-01	6.14E-11	1.0E+06	6.1E-05
495	0.73544	7.77E-06	5.7E-06	3.46E-04	1.98E-09	0.25	1.57E-01	7.77E-11	1.0E+06	7.8E-05
496	0.69166	7.77E-06	5.4E-06	3.46E-04	1.86E-09	0.25	1.57E-01	7.31E-11	1.0E+06	7.3E-05
497	0.64307	7.77E-06	5.0E-06	3.46E-04	1.73E-09	0.25	1.57E-01	6.80E-11	1.0E+06	6.8E-05
498	0.59145	7.77E-06	4.6E-06	3.46E-04	1.59E-09	0.25	1.57E-01	6.25E-11	1.0E+06	6.3E-05
499	0.54002	7.77E-06	4.2E-06	3.46E-04	1.45E-09	0.25	1.57E-01	5.71E-11	1.0E+06	5.7E-05
500	0.49331	7.77E-06	3.8E-06	3.46E-04	1.33E-09	0.25	1.57E-01	5.21E-11	1.0E+06	5.2E-05

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction							
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
139	5.9902	7.77E-06	4.7E-05	3.46E-04	1.61E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	6.25841	7.77E-06	4.9E-05	3.46E-04	1.68E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	8.46083	7.77E-06	6.6E-05	3.46E-04	2.28E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	12.39535	7.77E-06	9.6E-05	3.46E-04	3.33E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	8.16831	7.77E-06	6.3E-05	3.46E-04	2.20E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	16.15119	7.77E-06	1.3E-04	3.46E-04	4.34E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	8.3914	7.77E-06	6.5E-05	3.46E-04	2.26E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	4.22029	7.77E-06	3.3E-05	3.46E-04	1.14E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	3.31048	7.77E-06	2.6E-05	3.46E-04	8.91E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	2.65622	7.77E-06	2.1E-05	3.46E-04	7.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	10.16422	7.77E-06	7.9E-05	3.46E-04	2.73E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	11.22706	7.77E-06	8.7E-05	3.46E-04	3.02E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	15.35931	7.77E-06	1.2E-04	3.46E-04	4.13E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	8.44339	7.77E-06	6.6E-05	3.46E-04	2.27E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	5.68282	7.77E-06	4.4E-05	3.46E-04	1.53E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	4.25558	7.77E-06	3.3E-05	3.46E-04	1.14E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	3.31695	7.77E-06	2.6E-05	3.46E-04	8.92E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	2.67555	7.77E-06	2.1E-05	3.46E-04	7.20E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	2.2186	7.77E-06	1.7E-05	3.46E-04	5.97E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	1.86939	7.77E-06	1.5E-05	3.46E-04	5.03E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	1.59709	7.77E-06	1.2E-05	3.46E-04	4.30E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	12.33289	7.77E-06	9.6E-05	3.46E-04	3.32E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	13.92163	7.77E-06	1.1E-04	3.46E-04	3.75E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	8.28924	7.77E-06	6.4E-05	3.46E-04	2.23E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	5.63439	7.77E-06	4.4E-05	3.46E-04	1.52E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	4.19359	7.77E-06	3.3E-05	3.46E-04	1.13E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	3.26716	7.77E-06	2.5E-05	3.46E-04	8.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	2.61673	7.77E-06	2.0E-05	3.46E-04	7.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	2.16249	7.77E-06	1.7E-05	3.46E-04	5.82E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	1.82764	7.77E-06	1.4E-05	3.46E-04	4.92E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	1.55507	7.77E-06	1.2E-05	3.46E-04	4.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	1.34207	7.77E-06	1.0E-05	3.46E-04	3.61E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	23.90888	7.77E-06	1.9E-04	3.46E-04	6.43E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	12.40007	7.77E-06	9.6E-05	3.46E-04	3.34E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	7.78557	7.77E-06	6.1E-05	3.46E-04	2.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	5.50208	7.77E-06	4.3E-05	3.46E-04	1.48E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	4.0791	7.77E-06	3.2E-05	3.46E-04	1.10E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	3.18889	7.77E-06	2.5E-05	3.46E-04	8.58E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	2.57203	7.77E-06	2.0E-05	3.46E-04	6.92E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	2.11765	7.77E-06	1.6E-05	3.46E-04	5.70E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	1.77164	7.77E-06	1.4E-05	3.46E-04	4.77E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	1.50959	7.77E-06	1.2E-05	3.46E-04	4.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	1.29176	7.77E-06	1.0E-05	3.46E-04	3.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	1.11537	7.77E-06	8.7E-06	3.46E-04	3.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	14.54919	7.77E-06	1.1E-04	3.46E-04	3.91E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	20.09995	7.77E-06	1.6E-04	3.46E-04	5.41E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	11.14904	7.77E-06	8.7E-05	3.46E-04	3.00E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	7.37226	7.77E-06	5.7E-05	3.46E-04	1.98E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	3.95082	7.77E-06	3.1E-05	3.46E-04	1.06E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	3.08859	7.77E-06	2.4E-05	3.46E-04	8.31E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	2.48571	7.77E-06	1.9E-05	3.46E-04	6.69E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	2.03785	7.77E-06	1.6E-05	3.46E-04	5.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	1.70905	7.77E-06	1.3E-05	3.46E-04	4.60E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	1.44235	7.77E-06	1.1E-05	3.46E-04	3.88E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	1.23061	7.77E-06	9.6E-06	3.46E-04	3.31E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	1.06054	7.77E-06	8.2E-06	3.46E-04	2.85E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	0.90743	7.77E-06	7.1E-06	3.46E-04	2.44E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	14.64509	7.77E-06	1.1E-04	3.46E-04	3.94E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	17.95395	7.77E-06	1.4E-04	3.46E-04	4.83E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	10.40728	7.77E-06	8.1E-05	3.46E-04	2.80E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	6.98265	7.77E-06	5.4E-05	3.46E-04	1.88E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	5.02588	7.77E-06	3.9E-05	3.46E-04	1.35E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	3.74657	7.77E-06	2.9E-05	3.46E-04	1.01E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	2.92762	7.77E-06	2.3E-05	3.46E-04	7.88E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	1.93489	7.77E-06	1.5E-05	3.46E-04	5.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	1.60543	7.77E-06	1.2E-05	3.46E-04	4.32E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	1.35208	7.77E-06	1.1E-05	3.46E-04	3.64E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	1.16039	7.77E-06	9.0E-06	3.46E-04	3.12E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	0.99943	7.77E-06	7.8E-06	3.46E-04	2.69E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	0.86909	7.77E-06	6.8E-06	3.46E-04	2.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	21.73997	7.77E-06	1.7E-04	3.46E-04	5.85E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	16.05149	7.77E-06	1.2E-04	3.46E-04	4.32E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	9.41315	7.77E-06	7.3E-05	3.46E-04	2.53E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	6.4947	7.77E-06	5.0E-05	3.46E-04	1.75E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	4.71212	7.77E-06	3.7E-05	3.46E-04	1.27E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	3.57842	7.77E-06	2.8E-05	3.46E-04	9.63E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	2.78764	7.77E-06	2.2E-05	3.46E-04	7.50E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	1.80842	7.77E-06	1.4E-05	3.46E-04	4.86E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	1.48725	7.77E-06	1.2E-05	3.46E-04	4.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	1.25178	7.77E-06	9.7E-06	3.46E-04	3.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	1.07696	7.77E-06	8.4E-06	3.46E-04	2.90E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	0.92761	7.77E-06	7.2E-06	3.46E-04	2.50E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	0.80915	7.77E-06	6.3E-06	3.46E-04	2.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	19.67747	7.77E-06	1.5E-04	3.46E-04	5.29E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	14.33459	7.77E-06	1.1E-04	3.46E-04	3.86E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	8.83421	7.77E-06	6.9E-05	3.46E-04	2.38E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	5.98388	7.77E-06	4.7E-05	3.46E-04	1.61E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	4.42519	7.77E-06	3.4E-05	3.46E-04	1.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	3.33448	7.77E-06	2.6E-05	3.46E-04	8.97E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	2.58727	7.77E-06	2.0E-05	3.46E-04	6.96E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	1.67359	7.77E-06	1.3E-05	3.46E-04	4.50E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	1.38654	7.77E-06	1.1E-05	3.46E-04	3.73E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	1.16907	7.77E-06	9.1E-06	3.46E-04	3.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	1.00018	7.77E-06	7.8E-06	3.46E-04	2.69E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	0.86406	7.77E-06	6.7E-06	3.46E-04	2.32E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	0.75708	7.77E-06	5.9E-06	3.46E-04	2.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	0.53233	7.77E-06	4.1E-06	3.46E-04	1.43E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	0.48029	7.77E-06	3.7E-06	3.46E-04	1.29E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	25.14308	7.77E-06	2.0E-04	3.46E-04	6.76E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	12.99252	7.77E-06	1.0E-04	3.46E-04	3.50E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	8.1596	7.77E-06	6.3E-05	3.46E-04	2.20E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	5.5174	7.77E-06	4.3E-05	3.46E-04	1.48E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	4.01966	7.77E-06	3.1E-05	3.46E-04	1.08E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	3.01602	7.77E-06	2.3E-05	3.46E-04	8.11E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	2.30961	7.77E-06	1.8E-05	3.46E-04	6.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	1.50348	7.77E-06	1.2E-05	3.46E-04	4.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	1.24999	7.77E-06	9.7E-06	3.46E-04	3.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	1.05782	7.77E-06	8.2E-06	3.46E-04	2.85E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	0.91673	7.77E-06	7.1E-06	3.46E-04	2.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	0.80437	7.77E-06	6.3E-06	3.46E-04	2.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	0.71383	7.77E-06	5.5E-06	3.46E-04	1.92E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	0.49471	7.77E-06	3.8E-06	3.46E-04	1.33E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	0.45689	7.77E-06	3.6E-06	3.46E-04	1.23E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	23.03969	7.77E-06	1.8E-04	3.46E-04	6.20E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	11.82732	7.77E-06	9.2E-05	3.46E-04	3.18E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	7.36294	7.77E-06	5.7E-05	3.46E-04	1.98E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	4.9507	7.77E-06	3.8E-05	3.46E-04	1.33E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	3.53637	7.77E-06	2.7E-05	3.46E-04	9.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	2.65933	7.77E-06	2.1E-05	3.46E-04	7.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	2.08833	7.77E-06	1.6E-05	3.46E-04	5.62E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	1.36306	7.77E-06	1.1E-05	3.46E-04	3.67E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	1.14366	7.77E-06	8.9E-06	3.46E-04	3.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	0.97319	7.77E-06	7.6E-06	3.46E-04	2.62E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	0.85	7.77E-06	6.6E-06	3.46E-04	2.29E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	0.75016	7.77E-06	5.8E-06	3.46E-04	2.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	0.66917	7.77E-06	5.2E-06	3.46E-04	1.80E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	0.47419	7.77E-06	3.7E-06	3.46E-04	1.28E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	0.43507	7.77E-06	3.4E-06	3.46E-04	1.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	21.81583	7.77E-06	1.7E-04	3.46E-04	5.87E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	10.4555	7.77E-06	8.1E-05	3.46E-04	2.81E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	6.29666	7.77E-06	4.9E-05	3.46E-04	1.69E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	4.22443	7.77E-06	3.3E-05	3.46E-04	1.14E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	3.08621	7.77E-06	2.4E-05	3.46E-04	8.30E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	2.34561	7.77E-06	1.8E-05	3.46E-04	6.31E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	1.85382	7.77E-06	1.4E-05	3.46E-04	4.99E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	1.24835	7.77E-06	9.7E-06	3.46E-04	3.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	1.06629	7.77E-06	8.3E-06	3.46E-04	2.87E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	0.89976	7.77E-06	7.0E-06	3.46E-04	2.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	0.79689	7.77E-06	6.2E-06	3.46E-04	2.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	0.70212	7.77E-06	5.5E-06	3.46E-04	1.89E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	0.6238	7.77E-06	4.8E-06	3.46E-04	1.68E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	0.45526	7.77E-06	3.5E-06	3.46E-04	1.22E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	0.41505	7.77E-06	3.2E-06	3.46E-04	1.12E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	9.57866	7.77E-06	7.4E-05	3.46E-04	2.58E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	8.20821	7.77E-06	6.4E-05	3.46E-04	2.21E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	5.01843	7.77E-06	3.9E-05	3.46E-04	1.35E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	3.50143	7.77E-06	2.7E-05	3.46E-04	9.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	2.61121	7.77E-06	2.0E-05	3.46E-04	7.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	2.05626	7.77E-06	1.6E-05	3.46E-04	5.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	1.65686	7.77E-06	1.3E-05	3.46E-04	4.46E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	1.3768	7.77E-06	1.1E-05	3.46E-04	3.70E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	1.14824	7.77E-06	8.9E-06	3.46E-04	3.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	0.98169	7.77E-06	7.6E-06	3.46E-04	2.64E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	0.84964	7.77E-06	6.6E-06	3.46E-04	2.29E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	0.74461	7.77E-06	5.8E-06	3.46E-04	2.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	0.65907	7.77E-06	5.1E-06	3.46E-04	1.77E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	0.59323	7.77E-06	4.6E-06	3.46E-04	1.60E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	0.46845	7.77E-06	3.6E-06	3.46E-04	1.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	0.43404	7.77E-06	3.4E-06	3.46E-04	1.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.39692	7.77E-06	3.1E-06	3.46E-04	1.07E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	2.24835	7.77E-06	1.7E-05	3.46E-04	6.05E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	1.80361	7.77E-06	1.4E-05	3.46E-04	4.85E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	1.46989	7.77E-06	1.1E-05	3.46E-04	3.95E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	1.24759	7.77E-06	9.7E-06	3.46E-04	3.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	0.44611	7.77E-06	3.5E-06	3.46E-04	1.20E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	0.41472	7.77E-06	3.2E-06	3.46E-04	1.12E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.38042	7.77E-06	3.0E-06	3.46E-04	1.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	1.5992	7.77E-06	1.2E-05	3.46E-04	4.30E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	1.33517	7.77E-06	1.0E-05	3.46E-04	3.59E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	1.12928	7.77E-06	8.8E-06	3.46E-04	3.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	0.4296	7.77E-06	3.3E-06	3.46E-04	1.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	0.39332	7.77E-06	3.1E-06	3.46E-04	1.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.36473	7.77E-06	2.8E-06	3.46E-04	9.81E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	1.42592	7.77E-06	1.1E-05	3.46E-04	3.84E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	1.20569	7.77E-06	9.4E-06	3.46E-04	3.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	1.03065	7.77E-06	8.0E-06	3.46E-04	2.77E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	0.4057	7.77E-06	3.2E-06	3.46E-04	1.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	0.37084	7.77E-06	2.9E-06	3.46E-04	9.98E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.34304	7.77E-06	2.7E-06	3.46E-04	9.23E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	1.08991	7.77E-06	8.5E-06	3.46E-04	2.93E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	0.93341	7.77E-06	7.3E-06	3.46E-04	2.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	0.38659	7.77E-06	3.0E-06	3.46E-04	1.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.35516	7.77E-06	2.8E-06	3.46E-04	9.55E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.3295	7.77E-06	2.6E-06	3.46E-04	8.86E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	0.99206	7.77E-06	7.7E-06	3.46E-04	2.67E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	0.86479	7.77E-06	6.7E-06	3.46E-04	2.33E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	0.76443	7.77E-06	5.9E-06	3.46E-04	2.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	0.36969	7.77E-06	2.9E-06	3.46E-04	9.95E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.33995	7.77E-06	2.6E-06	3.46E-04	9.15E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.32206	7.77E-06	2.5E-06	3.46E-04	8.66E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	0.79639	7.77E-06	6.2E-06	3.46E-04	2.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	0.70517	7.77E-06	5.5E-06	3.46E-04	1.90E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.35312	7.77E-06	2.7E-06	3.46E-04	9.50E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.32581	7.77E-06	2.5E-06	3.46E-04	8.76E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.30906	7.77E-06	2.4E-06	3.46E-04	8.31E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	0.73035	7.77E-06	5.7E-06	3.46E-04	1.96E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	0.65595	7.77E-06	5.1E-06	3.46E-04	1.76E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.31272	7.77E-06	2.4E-06	3.46E-04	8.41E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.29116	7.77E-06	2.3E-06	3.46E-04	7.83E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	0.67467	7.77E-06	5.2E-06	3.46E-04	1.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	0.6133	7.77E-06	4.8E-06	3.46E-04	1.65E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	0.55292	7.77E-06	4.3E-06	3.46E-04	1.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.29953	7.77E-06	2.3E-06	3.46E-04	8.06E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.27916	7.77E-06	2.2E-06	3.46E-04	7.51E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	0.56865	7.77E-06	4.4E-06	3.46E-04	1.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	0.51573	7.77E-06	4.0E-06	3.46E-04	1.39E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.33576	7.77E-06	2.6E-06	3.46E-04	9.03E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.2873	7.77E-06	2.2E-06	3.46E-04	7.73E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.26822	7.77E-06	2.1E-06	3.46E-04	7.22E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	0.52331	7.77E-06	4.1E-06	3.46E-04	1.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	0.48063	7.77E-06	3.7E-06	3.46E-04	1.29E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	0.43903	7.77E-06	3.4E-06	3.46E-04	1.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	0.40606	7.77E-06	3.2E-06	3.46E-04	1.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	0.37063	7.77E-06	2.9E-06	3.46E-04	9.97E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.34303	7.77E-06	2.7E-06	3.46E-04	9.23E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.31783	7.77E-06	2.5E-06	3.46E-04	8.55E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.29807	7.77E-06	2.3E-06	3.46E-04	8.02E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.27602	7.77E-06	2.1E-06	3.46E-04	7.43E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.25772	7.77E-06	2.0E-06	3.46E-04	6.93E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	0.44473	7.77E-06	3.5E-06	3.46E-04	1.20E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	0.41489	7.77E-06	3.2E-06	3.46E-04	1.12E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	0.38472	7.77E-06	3.0E-06	3.46E-04	1.03E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	0.35511	7.77E-06	2.8E-06	3.46E-04	9.55E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	0.32688	7.77E-06	2.5E-06	3.46E-04	8.79E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.30353	7.77E-06	2.4E-06	3.46E-04	8.17E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.28539	7.77E-06	2.2E-06	3.46E-04	7.68E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.24791	7.77E-06	1.9E-06	3.46E-04	6.67E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.42228	7.77E-06	3.3E-06	3.46E-04	1.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	0.3829	7.77E-06	3.0E-06	3.46E-04	1.03E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	0.36235	7.77E-06	2.8E-06	3.46E-04	9.75E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	0.33558	7.77E-06	2.6E-06	3.46E-04	9.03E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	0.31145	7.77E-06	2.4E-06	3.46E-04	8.38E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.28994	7.77E-06	2.3E-06	3.46E-04	7.80E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.27118	7.77E-06	2.1E-06	3.46E-04	7.30E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.23841	7.77E-06	1.9E-06	3.46E-04	6.41E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.40034	7.77E-06	3.1E-06	3.46E-04	1.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.36984	7.77E-06	2.9E-06	3.46E-04	9.95E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	0.3401	7.77E-06	2.6E-06	3.46E-04	9.15E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	0.31553	7.77E-06	2.5E-06	3.46E-04	8.49E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	0.29683	7.77E-06	2.3E-06	3.46E-04	7.99E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.27691	7.77E-06	2.2E-06	3.46E-04	7.45E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.25668	7.77E-06	2.0E-06	3.46E-04	6.91E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.22919	7.77E-06	1.8E-06	3.46E-04	6.17E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.35094	7.77E-06	2.7E-06	3.46E-04	9.44E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.32644	7.77E-06	2.5E-06	3.46E-04	8.78E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.30331	7.77E-06	2.4E-06	3.46E-04	8.16E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.27311	7.77E-06	2.1E-06	3.46E-04	7.35E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.26054	7.77E-06	2.0E-06	3.46E-04	7.01E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.24915	7.77E-06	1.9E-06	3.46E-04	6.70E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.22131	7.77E-06	1.7E-06	3.46E-04	5.95E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.33297	7.77E-06	2.6E-06	3.46E-04	8.96E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.31066	7.77E-06	2.4E-06	3.46E-04	8.36E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.29038	7.77E-06	2.3E-06	3.46E-04	7.81E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.27123	7.77E-06	2.1E-06	3.46E-04	7.30E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.25376	7.77E-06	2.0E-06	3.46E-04	6.83E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.2367	7.77E-06	1.8E-06	3.46E-04	6.37E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.19664	7.77E-06	1.5E-06	3.46E-04	5.29E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.31766	7.77E-06	2.5E-06	3.46E-04	8.55E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.29566	7.77E-06	2.3E-06	3.46E-04	7.95E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.27688	7.77E-06	2.2E-06	3.46E-04	7.45E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.25962	7.77E-06	2.0E-06	3.46E-04	6.98E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.24375	7.77E-06	1.9E-06	3.46E-04	6.56E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.22974	7.77E-06	1.8E-06	3.46E-04	6.18E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.21659	7.77E-06	1.7E-06	3.46E-04	5.83E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	7.77E-06	0.0E+00	3.46E-04	0.00E+00	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.36388	7.77E-06	2.8E-06	1.05E-03	2.96E-09	2	1.57E-01	9.29E-10	1.0E+06	9.3E-04
2	0.39186	7.77E-06	3.0E-06	1.05E-03	3.18E-09	2	1.57E-01	1.00E-09	1.0E+06	1.0E-03
3	0.42295	7.77E-06	3.3E-06	1.05E-03	3.44E-09	2	1.57E-01	1.08E-09	1.0E+06	1.1E-03
4	0.45749	7.77E-06	3.6E-06	1.05E-03	3.72E-09	2	1.57E-01	1.17E-09	1.0E+06	1.2E-03
5	0.49595	7.77E-06	3.9E-06	1.05E-03	4.03E-09	2	1.57E-01	1.27E-09	1.0E+06	1.3E-03
6	0.53897	7.77E-06	4.2E-06	1.05E-03	4.38E-09	2	1.57E-01	1.38E-09	1.0E+06	1.4E-03
7	0.58682	7.77E-06	4.6E-06	1.05E-03	4.77E-09	2	1.57E-01	1.50E-09	1.0E+06	1.5E-03
8	0.64005	7.77E-06	5.0E-06	1.05E-03	5.20E-09	2	1.57E-01	1.63E-09	1.0E+06	1.6E-03
9	0.69904	7.77E-06	5.4E-06	1.05E-03	5.68E-09	2	1.57E-01	1.78E-09	1.0E+06	1.8E-03
10	0.76399	7.77E-06	5.9E-06	1.05E-03	6.21E-09	2	1.57E-01	1.95E-09	1.0E+06	2.0E-03
11	0.83481	7.77E-06	6.5E-06	1.05E-03	6.78E-09	2	1.57E-01	2.13E-09	1.0E+06	2.1E-03
12	0.91068	7.77E-06	7.1E-06	1.05E-03	7.40E-09	2	1.57E-01	2.32E-09	1.0E+06	2.3E-03
13	0.98911	7.77E-06	7.7E-06	1.05E-03	8.03E-09	2	1.57E-01	2.53E-09	1.0E+06	2.5E-03
14	1.06658	7.77E-06	8.3E-06	1.05E-03	8.66E-09	2	1.57E-01	2.72E-09	1.0E+06	2.7E-03
15	1.13635	7.77E-06	8.8E-06	1.05E-03	9.23E-09	2	1.57E-01	2.90E-09	1.0E+06	2.9E-03
16	1.19105	7.77E-06	9.3E-06	1.05E-03	9.67E-09	2	1.57E-01	3.04E-09	1.0E+06	3.0E-03
17	1.22433	7.77E-06	9.5E-06	1.05E-03	9.94E-09	2	1.57E-01	3.13E-09	1.0E+06	3.1E-03
18	1.24428	7.77E-06	9.7E-06	1.05E-03	1.01E-08	2	1.57E-01	3.18E-09	1.0E+06	3.2E-03
19	1.26577	7.77E-06	9.8E-06	1.05E-03	1.03E-08	2	1.57E-01	3.23E-09	1.0E+06	3.2E-03
20	1.29337	7.77E-06	1.0E-05	1.05E-03	1.05E-08	2	1.57E-01	3.30E-09	1.0E+06	3.3E-03
21	1.31593	7.77E-06	1.0E-05	1.05E-03	1.07E-08	2	1.57E-01	3.36E-09	1.0E+06	3.4E-03
22	1.32065	7.77E-06	1.0E-05	1.05E-03	1.07E-08	2	1.57E-01	3.37E-09	1.0E+06	3.4E-03
23	1.30351	7.77E-06	1.0E-05	1.05E-03	1.06E-08	2	1.57E-01	3.33E-09	1.0E+06	3.3E-03
24	1.26654	7.77E-06	9.8E-06	1.05E-03	1.03E-08	2	1.57E-01	3.23E-09	1.0E+06	3.2E-03
25	1.21471	7.77E-06	9.4E-06	1.05E-03	9.87E-09	2	1.57E-01	3.10E-09	1.0E+06	3.1E-03
26	1.15352	7.77E-06	9.0E-06	1.05E-03	9.37E-09	2	1.57E-01	2.94E-09	1.0E+06	2.9E-03
27	1.08741	7.77E-06	8.5E-06	1.05E-03	8.83E-09	2	1.57E-01	2.78E-09	1.0E+06	2.8E-03
28	1.01981	7.77E-06	7.9E-06	1.05E-03	8.28E-09	2	1.57E-01	2.60E-09	1.0E+06	2.6E-03
29	0.95271	7.77E-06	7.4E-06	1.05E-03	7.74E-09	2	1.57E-01	2.43E-09	1.0E+06	2.4E-03
30	0.88759	7.77E-06	6.9E-06	1.05E-03	7.21E-09	2	1.57E-01	2.27E-09	1.0E+06	2.3E-03
31	0.8407	7.77E-06	6.5E-06	1.05E-03	6.83E-09	2	1.57E-01	2.15E-09	1.0E+06	2.1E-03

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.76684	7.77E-06	6.0E-06	1.05E-03	6.23E-09	2	1.57E-01	1.96E-09	1.0E+06	2.0E-03
55	1.66235	7.77E-06	1.3E-05	1.05E-03	1.35E-08	2	1.57E-01	4.24E-09	1.0E+06	4.2E-03
56	1.58897	7.77E-06	1.2E-05	1.05E-03	1.29E-08	2	1.57E-01	4.06E-09	1.0E+06	4.1E-03
57	1.49603	7.77E-06	1.2E-05	1.05E-03	1.22E-08	2	1.57E-01	3.82E-09	1.0E+06	3.8E-03
58	1.39524	7.77E-06	1.1E-05	1.05E-03	1.13E-08	2	1.57E-01	3.56E-09	1.0E+06	3.6E-03
59	1.29367	7.77E-06	1.0E-05	1.05E-03	1.05E-08	2	1.57E-01	3.30E-09	1.0E+06	3.3E-03
60	1.19506	7.77E-06	9.3E-06	1.05E-03	9.71E-09	2	1.57E-01	3.05E-09	1.0E+06	3.1E-03
61	1.10111	7.77E-06	8.6E-06	1.05E-03	8.94E-09	2	1.57E-01	2.81E-09	1.0E+06	2.8E-03
62	1.01345	7.77E-06	7.9E-06	1.05E-03	8.23E-09	2	1.57E-01	2.59E-09	1.0E+06	2.6E-03
63	0.94862	7.77E-06	7.4E-06	1.05E-03	7.71E-09	2	1.57E-01	2.42E-09	1.0E+06	2.4E-03
64	0.87111	7.77E-06	6.8E-06	1.05E-03	7.08E-09	2	1.57E-01	2.22E-09	1.0E+06	2.2E-03
65	0.78877	7.77E-06	6.1E-06	1.05E-03	6.41E-09	2	1.57E-01	2.01E-09	1.0E+06	2.0E-03
66	0.73534	7.77E-06	5.7E-06	1.05E-03	5.97E-09	2	1.57E-01	1.88E-09	1.0E+06	1.9E-03
67	0.4063	7.77E-06	3.2E-06	1.05E-03	3.30E-09	2	1.57E-01	1.04E-09	1.0E+06	1.0E-03
68	0.44184	7.77E-06	3.4E-06	1.05E-03	3.59E-09	2	1.57E-01	1.13E-09	1.0E+06	1.1E-03
69	0.48217	7.77E-06	3.7E-06	1.05E-03	3.92E-09	2	1.57E-01	1.23E-09	1.0E+06	1.2E-03
70	0.5281	7.77E-06	4.1E-06	1.05E-03	4.29E-09	2	1.57E-01	1.35E-09	1.0E+06	1.3E-03
71	0.58069	7.77E-06	4.5E-06	1.05E-03	4.72E-09	2	1.57E-01	1.48E-09	1.0E+06	1.5E-03
72	0.64115	7.77E-06	5.0E-06	1.05E-03	5.21E-09	2	1.57E-01	1.64E-09	1.0E+06	1.6E-03
73	0.711	7.77E-06	5.5E-06	1.05E-03	5.78E-09	2	1.57E-01	1.82E-09	1.0E+06	1.8E-03
74	0.7922	7.77E-06	6.2E-06	1.05E-03	6.43E-09	2	1.57E-01	2.02E-09	1.0E+06	2.0E-03
75	0.88708	7.77E-06	6.9E-06	1.05E-03	7.21E-09	2	1.57E-01	2.26E-09	1.0E+06	2.3E-03
76	0.99834	7.77E-06	7.8E-06	1.05E-03	8.11E-09	2	1.57E-01	2.55E-09	1.0E+06	2.5E-03
77	1.12913	7.77E-06	8.8E-06	1.05E-03	9.17E-09	2	1.57E-01	2.88E-09	1.0E+06	2.9E-03
78	1.28158	7.77E-06	1.0E-05	1.05E-03	1.04E-08	2	1.57E-01	3.27E-09	1.0E+06	3.3E-03
79	2.20312	7.77E-06	1.7E-05	1.05E-03	1.79E-08	2	1.57E-01	5.62E-09	1.0E+06	5.6E-03
80	2.29586	7.77E-06	1.8E-05	1.05E-03	1.86E-08	2	1.57E-01	5.86E-09	1.0E+06	5.9E-03
81	2.36277	7.77E-06	1.8E-05	1.05E-03	1.92E-08	2	1.57E-01	6.03E-09	1.0E+06	6.0E-03
82	2.34577	7.77E-06	1.8E-05	1.05E-03	1.91E-08	2	1.57E-01	5.99E-09	1.0E+06	6.0E-03
83	2.23674	7.77E-06	1.7E-05	1.05E-03	1.82E-08	2	1.57E-01	5.71E-09	1.0E+06	5.7E-03
84	2.0785	7.77E-06	1.6E-05	1.05E-03	1.69E-08	2	1.57E-01	5.31E-09	1.0E+06	5.3E-03

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	1.90198	7.77E-06	1.5E-05	1.05E-03	1.54E-08	2	1.57E-01	4.86E-09	1.0E+06	4.9E-03
86	1.76044	7.77E-06	1.4E-05	1.05E-03	1.43E-08	2	1.57E-01	4.49E-09	1.0E+06	4.5E-03
87	1.59734	7.77E-06	1.2E-05	1.05E-03	1.30E-08	2	1.57E-01	4.08E-09	1.0E+06	4.1E-03
88	1.44714	7.77E-06	1.1E-05	1.05E-03	1.18E-08	2	1.57E-01	3.69E-09	1.0E+06	3.7E-03
89	1.28506	7.77E-06	1.0E-05	1.05E-03	1.04E-08	2	1.57E-01	3.28E-09	1.0E+06	3.3E-03
90	1.16586	7.77E-06	9.1E-06	1.05E-03	9.47E-09	2	1.57E-01	2.98E-09	1.0E+06	3.0E-03
91	1.07636	7.77E-06	8.4E-06	1.05E-03	8.74E-09	2	1.57E-01	2.75E-09	1.0E+06	2.7E-03
92	0.96322	7.77E-06	7.5E-06	1.05E-03	7.82E-09	2	1.57E-01	2.46E-09	1.0E+06	2.5E-03
93	0.8887	7.77E-06	6.9E-06	1.05E-03	7.22E-09	2	1.57E-01	2.27E-09	1.0E+06	2.3E-03
96	2.3241	7.77E-06	1.8E-05	1.05E-03	1.89E-08	2	1.57E-01	5.93E-09	1.0E+06	5.9E-03
97	2.05352	7.77E-06	1.6E-05	1.05E-03	1.67E-08	2	1.57E-01	5.24E-09	1.0E+06	5.2E-03
98	1.51505	7.77E-06	1.2E-05	1.05E-03	1.23E-08	2	1.57E-01	3.87E-09	1.0E+06	3.9E-03
99	1.37468	7.77E-06	1.1E-05	1.05E-03	1.12E-08	2	1.57E-01	3.51E-09	1.0E+06	3.5E-03
100	1.22801	7.77E-06	9.5E-06	1.05E-03	9.97E-09	2	1.57E-01	3.13E-09	1.0E+06	3.1E-03
101	1.08713	7.77E-06	8.4E-06	1.05E-03	8.83E-09	2	1.57E-01	2.78E-09	1.0E+06	2.8E-03
102	0.99812	7.77E-06	7.8E-06	1.05E-03	8.11E-09	2	1.57E-01	2.55E-09	1.0E+06	2.5E-03
106	0.4109	7.77E-06	3.2E-06	1.05E-03	3.34E-09	2	1.57E-01	1.05E-09	1.0E+06	1.0E-03
107	0.4485	7.77E-06	3.5E-06	1.05E-03	3.64E-09	2	1.57E-01	1.14E-09	1.0E+06	1.1E-03
108	0.49246	7.77E-06	3.8E-06	1.05E-03	4.00E-09	2	1.57E-01	1.26E-09	1.0E+06	1.3E-03
109	0.54337	7.77E-06	4.2E-06	1.05E-03	4.41E-09	2	1.57E-01	1.39E-09	1.0E+06	1.4E-03
110	0.60262	7.77E-06	4.7E-06	1.05E-03	4.89E-09	2	1.57E-01	1.54E-09	1.0E+06	1.5E-03
111	0.67236	7.77E-06	5.2E-06	1.05E-03	5.46E-09	2	1.57E-01	1.72E-09	1.0E+06	1.7E-03
112	0.75465	7.77E-06	5.9E-06	1.05E-03	6.13E-09	2	1.57E-01	1.93E-09	1.0E+06	1.9E-03
113	0.85346	7.77E-06	6.6E-06	1.05E-03	6.93E-09	2	1.57E-01	2.18E-09	1.0E+06	2.2E-03
114	0.97315	7.77E-06	7.6E-06	1.05E-03	7.90E-09	2	1.57E-01	2.48E-09	1.0E+06	2.5E-03
115	1.12076	7.77E-06	8.7E-06	1.05E-03	9.10E-09	2	1.57E-01	2.86E-09	1.0E+06	2.9E-03
116	1.30574	7.77E-06	1.0E-05	1.05E-03	1.06E-08	2	1.57E-01	3.33E-09	1.0E+06	3.3E-03
117	1.54287	7.77E-06	1.2E-05	1.05E-03	1.25E-08	2	1.57E-01	3.94E-09	1.0E+06	3.9E-03
118	1.8564	7.77E-06	1.4E-05	1.05E-03	1.51E-08	2	1.57E-01	4.74E-09	1.0E+06	4.7E-03
124	0.42685	7.77E-06	3.3E-06	1.05E-03	3.47E-09	2	1.57E-01	1.09E-09	1.0E+06	1.1E-03
125	0.46854	7.77E-06	3.6E-06	1.05E-03	3.81E-09	2	1.57E-01	1.20E-09	1.0E+06	1.2E-03

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.51684	7.77E-06	4.0E-06	1.05E-03	4.20E-09	2	1.57E-01	1.32E-09	1.0E+06	1.3E-03
127	0.5732	7.77E-06	4.5E-06	1.05E-03	4.66E-09	2	1.57E-01	1.46E-09	1.0E+06	1.5E-03
128	0.63952	7.77E-06	5.0E-06	1.05E-03	5.19E-09	2	1.57E-01	1.63E-09	1.0E+06	1.6E-03
129	0.71837	7.77E-06	5.6E-06	1.05E-03	5.84E-09	2	1.57E-01	1.83E-09	1.0E+06	1.8E-03
130	0.81289	7.77E-06	6.3E-06	1.05E-03	6.60E-09	2	1.57E-01	2.08E-09	1.0E+06	2.1E-03
131	0.92785	7.77E-06	7.2E-06	1.05E-03	7.54E-09	2	1.57E-01	2.37E-09	1.0E+06	2.4E-03
132	1.06965	7.77E-06	8.3E-06	1.05E-03	8.69E-09	2	1.57E-01	2.73E-09	1.0E+06	2.7E-03
133	1.24878	7.77E-06	9.7E-06	1.05E-03	1.01E-08	2	1.57E-01	3.19E-09	1.0E+06	3.2E-03
134	1.4783	7.77E-06	1.1E-05	1.05E-03	1.20E-08	2	1.57E-01	3.77E-09	1.0E+06	3.8E-03
135	1.78506	7.77E-06	1.4E-05	1.05E-03	1.45E-08	2	1.57E-01	4.56E-09	1.0E+06	4.6E-03
136	2.21187	7.77E-06	1.7E-05	1.05E-03	1.80E-08	2	1.57E-01	5.65E-09	1.0E+06	5.6E-03
137	2.8486	7.77E-06	2.2E-05	1.05E-03	2.31E-08	2	1.57E-01	7.27E-09	1.0E+06	7.3E-03
138	3.88762	7.77E-06	3.0E-05	1.05E-03	3.16E-08	2	1.57E-01	9.92E-09	1.0E+06	9.9E-03
141	0.44216	7.77E-06	3.4E-06	1.05E-03	3.59E-09	2	1.57E-01	1.13E-09	1.0E+06	1.1E-03
142	0.48714	7.77E-06	3.8E-06	1.05E-03	3.96E-09	2	1.57E-01	1.24E-09	1.0E+06	1.2E-03
143	0.53962	7.77E-06	4.2E-06	1.05E-03	4.38E-09	2	1.57E-01	1.38E-09	1.0E+06	1.4E-03
144	0.60136	7.77E-06	4.7E-06	1.05E-03	4.88E-09	2	1.57E-01	1.54E-09	1.0E+06	1.5E-03
145	0.6747	7.77E-06	5.2E-06	1.05E-03	5.48E-09	2	1.57E-01	1.72E-09	1.0E+06	1.7E-03
146	0.76279	7.77E-06	5.9E-06	1.05E-03	6.20E-09	2	1.57E-01	1.95E-09	1.0E+06	1.9E-03
147	0.86965	7.77E-06	6.8E-06	1.05E-03	7.06E-09	2	1.57E-01	2.22E-09	1.0E+06	2.2E-03
148	1.00147	7.77E-06	7.8E-06	1.05E-03	8.13E-09	2	1.57E-01	2.56E-09	1.0E+06	2.6E-03
149	1.16675	7.77E-06	9.1E-06	1.05E-03	9.48E-09	2	1.57E-01	2.98E-09	1.0E+06	3.0E-03
150	1.37904	7.77E-06	1.1E-05	1.05E-03	1.12E-08	2	1.57E-01	3.52E-09	1.0E+06	3.5E-03
151	1.65861	7.77E-06	1.3E-05	1.05E-03	1.35E-08	2	1.57E-01	4.23E-09	1.0E+06	4.2E-03
152	2.04119	7.77E-06	1.6E-05	1.05E-03	1.66E-08	2	1.57E-01	5.21E-09	1.0E+06	5.2E-03
153	2.59292	7.77E-06	2.0E-05	1.05E-03	2.11E-08	2	1.57E-01	6.62E-09	1.0E+06	6.6E-03
154	3.46284	7.77E-06	2.7E-05	1.05E-03	2.81E-08	2	1.57E-01	8.84E-09	1.0E+06	8.8E-03
155	5.00163	7.77E-06	3.9E-05	1.05E-03	4.06E-08	2	1.57E-01	1.28E-08	1.0E+06	1.3E-02
164	4.09719	7.77E-06	3.2E-05	1.05E-03	3.33E-08	2	1.57E-01	1.05E-08	1.0E+06	1.0E-02
165	6.17009	7.77E-06	4.8E-05	1.05E-03	5.01E-08	2	1.57E-01	1.58E-08	1.0E+06	1.6E-02
166	11.1669	7.77E-06	8.7E-05	1.05E-03	9.07E-08	2	1.57E-01	2.85E-08	1.0E+06	2.9E-02

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	4.74111	7.77E-06	3.7E-05	1.05E-03	3.85E-08	2	1.57E-01	1.21E-08	1.0E+06	1.2E-02
179	7.38847	7.77E-06	5.7E-05	1.05E-03	6.00E-08	2	1.57E-01	1.89E-08	1.0E+06	1.9E-02
180	14.40203	7.77E-06	1.1E-04	1.05E-03	1.17E-07	2	1.57E-01	3.68E-08	1.0E+06	3.7E-02
192	5.38752	7.77E-06	4.2E-05	1.05E-03	4.38E-08	2	1.57E-01	1.38E-08	1.0E+06	1.4E-02
193	8.6827	7.77E-06	6.7E-05	1.05E-03	7.05E-08	2	1.57E-01	2.22E-08	1.0E+06	2.2E-02
194	12.64396	7.77E-06	9.8E-05	1.05E-03	1.03E-07	2	1.57E-01	3.23E-08	1.0E+06	3.2E-02
207	6.05638	7.77E-06	4.7E-05	1.05E-03	4.92E-08	2	1.57E-01	1.55E-08	1.0E+06	1.5E-02
208	10.23666	7.77E-06	8.0E-05	1.05E-03	8.31E-08	2	1.57E-01	2.61E-08	1.0E+06	2.6E-02
209	15.31971	7.77E-06	1.2E-04	1.05E-03	1.24E-07	2	1.57E-01	3.91E-08	1.0E+06	3.9E-02
223	6.73893	7.77E-06	5.2E-05	1.05E-03	5.47E-08	2	1.57E-01	1.72E-08	1.0E+06	1.7E-02
224	12.10547	7.77E-06	9.4E-05	1.05E-03	9.83E-08	2	1.57E-01	3.09E-08	1.0E+06	3.1E-02
225	18.5802	7.77E-06	1.4E-04	1.05E-03	1.51E-07	2	1.57E-01	4.74E-08	1.0E+06	4.7E-02
239	7.41497	7.77E-06	5.8E-05	1.05E-03	6.02E-08	2	1.57E-01	1.89E-08	1.0E+06	1.9E-02
240	14.37832	7.77E-06	1.1E-04	1.05E-03	1.17E-07	2	1.57E-01	3.67E-08	1.0E+06	3.7E-02
241	13.9368	7.77E-06	1.1E-04	1.05E-03	1.13E-07	2	1.57E-01	3.56E-08	1.0E+06	3.6E-02
255	8.02516	7.77E-06	6.2E-05	1.05E-03	6.52E-08	2	1.57E-01	2.05E-08	1.0E+06	2.0E-02
256	17.09985	7.77E-06	1.3E-04	1.05E-03	1.39E-07	2	1.57E-01	4.37E-08	1.0E+06	4.4E-02
272	8.41761	7.77E-06	6.5E-05	1.05E-03	6.84E-08	2	1.57E-01	2.15E-08	1.0E+06	2.1E-02
273	12.74015	7.77E-06	9.9E-05	1.05E-03	1.03E-07	2	1.57E-01	3.25E-08	1.0E+06	3.3E-02
289	8.39723	7.77E-06	6.5E-05	1.05E-03	6.82E-08	2	1.57E-01	2.14E-08	1.0E+06	2.1E-02
290	13.04529	7.77E-06	1.0E-04	1.05E-03	1.06E-07	2	1.57E-01	3.33E-08	1.0E+06	3.3E-02
306	7.7813	7.77E-06	6.0E-05	1.05E-03	6.32E-08	2	1.57E-01	1.99E-08	1.0E+06	2.0E-02
307	12.10727	7.77E-06	9.4E-05	1.05E-03	9.83E-08	2	1.57E-01	3.09E-08	1.0E+06	3.1E-02
323	6.50358	7.77E-06	5.1E-05	1.05E-03	5.28E-08	2	1.57E-01	1.66E-08	1.0E+06	1.7E-02
324	14.66352	7.77E-06	1.1E-04	1.05E-03	1.19E-07	2	1.57E-01	3.74E-08	1.0E+06	3.7E-02
342	4.92728	7.77E-06	3.8E-05	1.05E-03	4.00E-08	2	1.57E-01	1.26E-08	1.0E+06	1.3E-02
343	8.77619	7.77E-06	6.8E-05	1.05E-03	7.13E-08	2	1.57E-01	2.24E-08	1.0E+06	2.2E-02
344	6.71476	7.77E-06	5.2E-05	1.05E-03	5.45E-08	2	1.57E-01	1.71E-08	1.0E+06	1.7E-02
356	3.63231	7.77E-06	2.8E-05	1.05E-03	2.95E-08	2	1.57E-01	9.27E-09	1.0E+06	9.3E-03
357	5.21489	7.77E-06	4.1E-05	1.05E-03	4.24E-08	2	1.57E-01	1.33E-08	1.0E+06	1.3E-02
358	6.7265	7.77E-06	5.2E-05	1.05E-03	5.46E-08	2	1.57E-01	1.72E-08	1.0E+06	1.7E-02

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	2.74627	7.77E-06	2.1E-05	1.05E-03	2.23E-08	2	1.57E-01	7.01E-09	1.0E+06	7.0E-03
371	3.50872	7.77E-06	2.7E-05	1.05E-03	2.85E-08	2	1.57E-01	8.96E-09	1.0E+06	9.0E-03
372	4.11841	7.77E-06	3.2E-05	1.05E-03	3.35E-08	2	1.57E-01	1.05E-08	1.0E+06	1.1E-02
383	2.1479	7.77E-06	1.7E-05	1.05E-03	1.74E-08	2	1.57E-01	5.48E-09	1.0E+06	5.5E-03
384	2.56895	7.77E-06	2.0E-05	1.05E-03	2.09E-08	2	1.57E-01	6.56E-09	1.0E+06	6.6E-03
385	2.8865	7.77E-06	2.2E-05	1.05E-03	2.34E-08	2	1.57E-01	7.37E-09	1.0E+06	7.4E-03
396	1.73073	7.77E-06	1.3E-05	1.05E-03	1.41E-08	2	1.57E-01	4.42E-09	1.0E+06	4.4E-03
397	1.98761	7.77E-06	1.5E-05	1.05E-03	1.61E-08	2	1.57E-01	5.07E-09	1.0E+06	5.1E-03
398	2.17895	7.77E-06	1.7E-05	1.05E-03	1.77E-08	2	1.57E-01	5.56E-09	1.0E+06	5.6E-03
399	2.20871	7.77E-06	1.7E-05	1.05E-03	1.79E-08	2	1.57E-01	5.64E-09	1.0E+06	5.6E-03
411	1.42933	7.77E-06	1.1E-05	1.05E-03	1.16E-08	2	1.57E-01	3.65E-09	1.0E+06	3.6E-03
412	1.59802	7.77E-06	1.2E-05	1.05E-03	1.30E-08	2	1.57E-01	4.08E-09	1.0E+06	4.1E-03
413	1.72348	7.77E-06	1.3E-05	1.05E-03	1.40E-08	2	1.57E-01	4.40E-09	1.0E+06	4.4E-03
414	1.75826	7.77E-06	1.4E-05	1.05E-03	1.43E-08	2	1.57E-01	4.49E-09	1.0E+06	4.5E-03
426	1.20395	7.77E-06	9.4E-06	1.05E-03	9.78E-09	2	1.57E-01	3.07E-09	1.0E+06	3.1E-03
427	1.32205	7.77E-06	1.0E-05	1.05E-03	1.07E-08	2	1.57E-01	3.37E-09	1.0E+06	3.4E-03
428	1.40869	7.77E-06	1.1E-05	1.05E-03	1.14E-08	2	1.57E-01	3.60E-09	1.0E+06	3.6E-03
429	1.44159	7.77E-06	1.1E-05	1.05E-03	1.17E-08	2	1.57E-01	3.68E-09	1.0E+06	3.7E-03
439	1.03091	7.77E-06	8.0E-06	1.05E-03	8.37E-09	2	1.57E-01	2.63E-09	1.0E+06	2.6E-03
440	1.11651	7.77E-06	8.7E-06	1.05E-03	9.07E-09	2	1.57E-01	2.85E-09	1.0E+06	2.9E-03
441	1.18063	7.77E-06	9.2E-06	1.05E-03	9.59E-09	2	1.57E-01	3.01E-09	1.0E+06	3.0E-03
442	1.20862	7.77E-06	9.4E-06	1.05E-03	9.82E-09	2	1.57E-01	3.09E-09	1.0E+06	3.1E-03
443	1.19122	7.77E-06	9.3E-06	1.05E-03	9.68E-09	2	1.57E-01	3.04E-09	1.0E+06	3.0E-03
454	0.89463	7.77E-06	7.0E-06	1.05E-03	7.27E-09	2	1.57E-01	2.28E-09	1.0E+06	2.3E-03
455	0.95876	7.77E-06	7.5E-06	1.05E-03	7.79E-09	2	1.57E-01	2.45E-09	1.0E+06	2.4E-03
456	1.0073	7.77E-06	7.8E-06	1.05E-03	8.18E-09	2	1.57E-01	2.57E-09	1.0E+06	2.6E-03
457	1.03135	7.77E-06	8.0E-06	1.05E-03	8.38E-09	2	1.57E-01	2.63E-09	1.0E+06	2.6E-03
458	1.02404	7.77E-06	8.0E-06	1.05E-03	8.32E-09	2	1.57E-01	2.61E-09	1.0E+06	2.6E-03
469	0.78538	7.77E-06	6.1E-06	1.05E-03	6.38E-09	2	1.57E-01	2.00E-09	1.0E+06	2.0E-03
470	0.83505	7.77E-06	6.5E-06	1.05E-03	6.78E-09	2	1.57E-01	2.13E-09	1.0E+06	2.1E-03
471	0.87278	7.77E-06	6.8E-06	1.05E-03	7.09E-09	2	1.57E-01	2.23E-09	1.0E+06	2.2E-03

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.89332	7.77E-06	6.9E-06	1.05E-03	7.26E-09	2	1.57E-01	2.28E-09	1.0E+06	2.3E-03
473	0.89152	7.77E-06	6.9E-06	1.05E-03	7.24E-09	2	1.57E-01	2.28E-09	1.0E+06	2.3E-03
489	0.69682	7.77E-06	5.4E-06	1.05E-03	5.66E-09	2	1.57E-01	1.78E-09	1.0E+06	1.8E-03
490	0.73491	7.77E-06	5.7E-06	1.05E-03	5.97E-09	2	1.57E-01	1.88E-09	1.0E+06	1.9E-03
491	0.76509	7.77E-06	5.9E-06	1.05E-03	6.21E-09	2	1.57E-01	1.95E-09	1.0E+06	2.0E-03
492	0.78262	7.77E-06	6.1E-06	1.05E-03	6.36E-09	2	1.57E-01	2.00E-09	1.0E+06	2.0E-03
493	0.78372	7.77E-06	6.1E-06	1.05E-03	6.37E-09	2	1.57E-01	2.00E-09	1.0E+06	2.0E-03
494	0.76737	7.77E-06	6.0E-06	1.05E-03	6.23E-09	2	1.57E-01	1.96E-09	1.0E+06	2.0E-03
509	0.62292	7.77E-06	4.8E-06	1.05E-03	5.06E-09	2	1.57E-01	1.59E-09	1.0E+06	1.6E-03
510	0.65335	7.77E-06	5.1E-06	1.05E-03	5.31E-09	2	1.57E-01	1.67E-09	1.0E+06	1.7E-03
511	0.678	7.77E-06	5.3E-06	1.05E-03	5.51E-09	2	1.57E-01	1.73E-09	1.0E+06	1.7E-03
512	0.69303	7.77E-06	5.4E-06	1.05E-03	5.63E-09	2	1.57E-01	1.77E-09	1.0E+06	1.8E-03
513	0.69552	7.77E-06	5.4E-06	1.05E-03	5.65E-09	2	1.57E-01	1.78E-09	1.0E+06	1.8E-03
514	0.68487	7.77E-06	5.3E-06	1.05E-03	5.56E-09	2	1.57E-01	1.75E-09	1.0E+06	1.7E-03
515	0.6285	7.77E-06	4.9E-06	1.05E-03	5.11E-09	2	1.57E-01	1.60E-09	1.0E+06	1.6E-03
516	0.58819	7.77E-06	4.6E-06	1.05E-03	4.78E-09	2	1.57E-01	1.50E-09	1.0E+06	1.5E-03
517	0.54605	7.77E-06	4.2E-06	1.05E-03	4.44E-09	2	1.57E-01	1.39E-09	1.0E+06	1.4E-03
518	0.5027	7.77E-06	3.9E-06	1.05E-03	4.08E-09	2	1.57E-01	1.28E-09	1.0E+06	1.3E-03
519	0.46461	7.77E-06	3.6E-06	1.05E-03	3.77E-09	2	1.57E-01	1.19E-09	1.0E+06	1.2E-03
528	0.56093	7.77E-06	4.4E-06	1.05E-03	4.56E-09	2	1.57E-01	1.43E-09	1.0E+06	1.4E-03
529	0.58571	7.77E-06	4.6E-06	1.05E-03	4.76E-09	2	1.57E-01	1.50E-09	1.0E+06	1.5E-03
530	0.60589	7.77E-06	4.7E-06	1.05E-03	4.92E-09	2	1.57E-01	1.55E-09	1.0E+06	1.5E-03
531	0.61894	7.77E-06	4.8E-06	1.05E-03	5.03E-09	2	1.57E-01	1.58E-09	1.0E+06	1.6E-03
532	0.62243	7.77E-06	4.8E-06	1.05E-03	5.06E-09	2	1.57E-01	1.59E-09	1.0E+06	1.6E-03
533	0.61543	7.77E-06	4.8E-06	1.05E-03	5.00E-09	2	1.57E-01	1.57E-09	1.0E+06	1.6E-03
534	0.57216	7.77E-06	4.4E-06	1.05E-03	4.65E-09	2	1.57E-01	1.46E-09	1.0E+06	1.5E-03
535	0.53933	7.77E-06	4.2E-06	1.05E-03	4.38E-09	2	1.57E-01	1.38E-09	1.0E+06	1.4E-03
536	0.50553	7.77E-06	3.9E-06	1.05E-03	4.11E-09	2	1.57E-01	1.29E-09	1.0E+06	1.3E-03
537	0.46821	7.77E-06	3.6E-06	1.05E-03	3.80E-09	2	1.57E-01	1.20E-09	1.0E+06	1.2E-03
538	0.43316	7.77E-06	3.4E-06	1.05E-03	3.52E-09	2	1.57E-01	1.11E-09	1.0E+06	1.1E-03
547	0.50827	7.77E-06	3.9E-06	1.05E-03	4.13E-09	2	1.57E-01	1.30E-09	1.0E+06	1.3E-03

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.52871	7.77E-06	4.1E-06	1.05E-03	4.29E-09	2	1.57E-01	1.35E-09	1.0E+06	1.3E-03
549	0.54571	7.77E-06	4.2E-06	1.05E-03	4.43E-09	2	1.57E-01	1.39E-09	1.0E+06	1.4E-03
550	0.55677	7.77E-06	4.3E-06	1.05E-03	4.52E-09	2	1.57E-01	1.42E-09	1.0E+06	1.4E-03
551	0.56075	7.77E-06	4.4E-06	1.05E-03	4.55E-09	2	1.57E-01	1.43E-09	1.0E+06	1.4E-03
552	0.55633	7.77E-06	4.3E-06	1.05E-03	4.52E-09	2	1.57E-01	1.42E-09	1.0E+06	1.4E-03
553	0.54363	7.77E-06	4.2E-06	1.05E-03	4.42E-09	2	1.57E-01	1.39E-09	1.0E+06	1.4E-03
554	0.52327	7.77E-06	4.1E-06	1.05E-03	4.25E-09	2	1.57E-01	1.34E-09	1.0E+06	1.3E-03
555	0.49765	7.77E-06	3.9E-06	1.05E-03	4.04E-09	2	1.57E-01	1.27E-09	1.0E+06	1.3E-03
556	0.46974	7.77E-06	3.7E-06	1.05E-03	3.82E-09	2	1.57E-01	1.20E-09	1.0E+06	1.2E-03
557	0.43721	7.77E-06	3.4E-06	1.05E-03	3.55E-09	2	1.57E-01	1.12E-09	1.0E+06	1.1E-03
558	0.40715	7.77E-06	3.2E-06	1.05E-03	3.31E-09	2	1.57E-01	1.04E-09	1.0E+06	1.0E-03
559	0.37794	7.77E-06	2.9E-06	1.05E-03	3.07E-09	2	1.57E-01	9.65E-10	1.0E+06	9.6E-04
567	0.46328	7.77E-06	3.6E-06	1.05E-03	3.76E-09	2	1.57E-01	1.18E-09	1.0E+06	1.2E-03
568	0.48043	7.77E-06	3.7E-06	1.05E-03	3.90E-09	2	1.57E-01	1.23E-09	1.0E+06	1.2E-03
569	0.49466	7.77E-06	3.8E-06	1.05E-03	4.02E-09	2	1.57E-01	1.26E-09	1.0E+06	1.3E-03
570	0.50448	7.77E-06	3.9E-06	1.05E-03	4.10E-09	2	1.57E-01	1.29E-09	1.0E+06	1.3E-03
571	0.50847	7.77E-06	4.0E-06	1.05E-03	4.13E-09	2	1.57E-01	1.30E-09	1.0E+06	1.3E-03
572	0.50586	7.77E-06	3.9E-06	1.05E-03	4.11E-09	2	1.57E-01	1.29E-09	1.0E+06	1.3E-03
573	0.49639	7.77E-06	3.9E-06	1.05E-03	4.03E-09	2	1.57E-01	1.27E-09	1.0E+06	1.3E-03
574	0.45975	7.77E-06	3.6E-06	1.05E-03	3.73E-09	2	1.57E-01	1.17E-09	1.0E+06	1.2E-03
575	0.43651	7.77E-06	3.4E-06	1.05E-03	3.55E-09	2	1.57E-01	1.11E-09	1.0E+06	1.1E-03
576	0.41117	7.77E-06	3.2E-06	1.05E-03	3.34E-09	2	1.57E-01	1.05E-09	1.0E+06	1.0E-03
577	0.38531	7.77E-06	3.0E-06	1.05E-03	3.13E-09	2	1.57E-01	9.84E-10	1.0E+06	9.8E-04
578	0.35896	7.77E-06	2.8E-06	1.05E-03	2.92E-09	2	1.57E-01	9.16E-10	1.0E+06	9.2E-04
586	0.42421	7.77E-06	3.3E-06	1.05E-03	3.45E-09	2	1.57E-01	1.08E-09	1.0E+06	1.1E-03
587	0.43864	7.77E-06	3.4E-06	1.05E-03	3.56E-09	2	1.57E-01	1.12E-09	1.0E+06	1.1E-03
588	0.45084	7.77E-06	3.5E-06	1.05E-03	3.66E-09	2	1.57E-01	1.15E-09	1.0E+06	1.2E-03
589	0.45944	7.77E-06	3.6E-06	1.05E-03	3.73E-09	2	1.57E-01	1.17E-09	1.0E+06	1.2E-03
590	0.46342	7.77E-06	3.6E-06	1.05E-03	3.76E-09	2	1.57E-01	1.18E-09	1.0E+06	1.2E-03
591	0.46229	7.77E-06	3.6E-06	1.05E-03	3.76E-09	2	1.57E-01	1.18E-09	1.0E+06	1.2E-03
592	0.45511	7.77E-06	3.5E-06	1.05E-03	3.70E-09	2	1.57E-01	1.16E-09	1.0E+06	1.2E-03

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.42573	7.77E-06	3.3E-06	1.05E-03	3.46E-09	2	1.57E-01	1.09E-09	1.0E+06	1.1E-03
594	0.40649	7.77E-06	3.2E-06	1.05E-03	3.30E-09	2	1.57E-01	1.04E-09	1.0E+06	1.0E-03
595	0.38411	7.77E-06	3.0E-06	1.05E-03	3.12E-09	2	1.57E-01	9.81E-10	1.0E+06	9.8E-04
596	0.36139	7.77E-06	2.8E-06	1.05E-03	2.94E-09	2	1.57E-01	9.23E-10	1.0E+06	9.2E-04
597	0.33906	7.77E-06	2.6E-06	1.05E-03	2.75E-09	2	1.57E-01	8.66E-10	1.0E+06	8.7E-04
345	10.46487	7.77E-06	8.1E-05	1.05E-03	8.50E-08	2	1.57E-01	2.67E-08	1.0E+06	2.7E-02
346	5.85363	7.77E-06	4.5E-05	1.05E-03	4.75E-08	2	1.57E-01	1.49E-08	1.0E+06	1.5E-02
347	3.93137	7.77E-06	3.1E-05	1.05E-03	3.19E-08	2	1.57E-01	1.00E-08	1.0E+06	1.0E-02
348	2.90115	7.77E-06	2.3E-05	1.05E-03	2.36E-08	2	1.57E-01	7.41E-09	1.0E+06	7.4E-03
359	6.0333	7.77E-06	4.7E-05	1.05E-03	4.90E-08	2	1.57E-01	1.54E-08	1.0E+06	1.5E-02
360	4.34781	7.77E-06	3.4E-05	1.05E-03	3.53E-08	2	1.57E-01	1.11E-08	1.0E+06	1.1E-02
361	3.18156	7.77E-06	2.5E-05	1.05E-03	2.58E-08	2	1.57E-01	8.12E-09	1.0E+06	8.1E-03
362	2.44094	7.77E-06	1.9E-05	1.05E-03	1.98E-08	2	1.57E-01	6.23E-09	1.0E+06	6.2E-03
363	1.94972	7.77E-06	1.5E-05	1.05E-03	1.58E-08	2	1.57E-01	4.98E-09	1.0E+06	5.0E-03
373	3.31693	7.77E-06	2.6E-05	1.05E-03	2.69E-08	2	1.57E-01	8.47E-09	1.0E+06	8.5E-03
374	2.61825	7.77E-06	2.0E-05	1.05E-03	2.13E-08	2	1.57E-01	6.68E-09	1.0E+06	6.7E-03
375	2.08513	7.77E-06	1.6E-05	1.05E-03	1.69E-08	2	1.57E-01	5.32E-09	1.0E+06	5.3E-03
376	1.70163	7.77E-06	1.3E-05	1.05E-03	1.38E-08	2	1.57E-01	4.34E-09	1.0E+06	4.3E-03
386	2.58378	7.77E-06	2.0E-05	1.05E-03	2.10E-08	2	1.57E-01	6.60E-09	1.0E+06	6.6E-03
387	2.17408	7.77E-06	1.7E-05	1.05E-03	1.77E-08	2	1.57E-01	5.55E-09	1.0E+06	5.6E-03
388	1.79823	7.77E-06	1.4E-05	1.05E-03	1.46E-08	2	1.57E-01	4.59E-09	1.0E+06	4.6E-03
389	1.50141	7.77E-06	1.2E-05	1.05E-03	1.22E-08	2	1.57E-01	3.83E-09	1.0E+06	3.8E-03
390	1.27521	7.77E-06	9.9E-06	1.05E-03	1.04E-08	2	1.57E-01	3.26E-09	1.0E+06	3.3E-03
400	2.06365	7.77E-06	1.6E-05	1.05E-03	1.68E-08	2	1.57E-01	5.27E-09	1.0E+06	5.3E-03
401	1.81695	7.77E-06	1.4E-05	1.05E-03	1.48E-08	2	1.57E-01	4.64E-09	1.0E+06	4.6E-03
402	1.56105	7.77E-06	1.2E-05	1.05E-03	1.27E-08	2	1.57E-01	3.99E-09	1.0E+06	4.0E-03
403	1.32984	7.77E-06	1.0E-05	1.05E-03	1.08E-08	2	1.57E-01	3.39E-09	1.0E+06	3.4E-03
404	1.14067	7.77E-06	8.9E-06	1.05E-03	9.27E-09	2	1.57E-01	2.91E-09	1.0E+06	2.9E-03
415	1.686	7.77E-06	1.3E-05	1.05E-03	1.37E-08	2	1.57E-01	4.30E-09	1.0E+06	4.3E-03
416	1.5369	7.77E-06	1.2E-05	1.05E-03	1.25E-08	2	1.57E-01	3.92E-09	1.0E+06	3.9E-03
417	1.35733	7.77E-06	1.1E-05	1.05E-03	1.10E-08	2	1.57E-01	3.47E-09	1.0E+06	3.5E-03

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	1.18857	7.77E-06	9.2E-06	1.05E-03	9.65E-09	2	1.57E-01	3.03E-09	1.0E+06	3.0E-03
419	1.0392	7.77E-06	8.1E-06	1.05E-03	8.44E-09	2	1.57E-01	2.65E-09	1.0E+06	2.7E-03
420	0.8984	7.77E-06	7.0E-06	1.05E-03	7.30E-09	2	1.57E-01	2.29E-09	1.0E+06	2.3E-03
430	1.31134	7.77E-06	1.0E-05	1.05E-03	1.07E-08	2	1.57E-01	3.35E-09	1.0E+06	3.3E-03
431	1.18913	7.77E-06	9.2E-06	1.05E-03	9.66E-09	2	1.57E-01	3.04E-09	1.0E+06	3.0E-03
432	1.06018	7.77E-06	8.2E-06	1.05E-03	8.61E-09	2	1.57E-01	2.71E-09	1.0E+06	2.7E-03
433	0.93938	7.77E-06	7.3E-06	1.05E-03	7.63E-09	2	1.57E-01	2.40E-09	1.0E+06	2.4E-03
434	0.83167	7.77E-06	6.5E-06	1.05E-03	6.76E-09	2	1.57E-01	2.12E-09	1.0E+06	2.1E-03
444	1.13218	7.77E-06	8.8E-06	1.05E-03	9.20E-09	2	1.57E-01	2.89E-09	1.0E+06	2.9E-03
445	1.04484	7.77E-06	8.1E-06	1.05E-03	8.49E-09	2	1.57E-01	2.67E-09	1.0E+06	2.7E-03
446	0.94771	7.77E-06	7.4E-06	1.05E-03	7.70E-09	2	1.57E-01	2.42E-09	1.0E+06	2.4E-03
447	0.85158	7.77E-06	6.6E-06	1.05E-03	6.92E-09	2	1.57E-01	2.17E-09	1.0E+06	2.2E-03
448	0.76221	7.77E-06	5.9E-06	1.05E-03	6.19E-09	2	1.57E-01	1.95E-09	1.0E+06	1.9E-03
459	0.92402	7.77E-06	7.2E-06	1.05E-03	7.51E-09	2	1.57E-01	2.36E-09	1.0E+06	2.4E-03
460	0.85014	7.77E-06	6.6E-06	1.05E-03	6.91E-09	2	1.57E-01	2.17E-09	1.0E+06	2.2E-03
461	0.77305	7.77E-06	6.0E-06	1.05E-03	6.28E-09	2	1.57E-01	1.97E-09	1.0E+06	2.0E-03
462	0.69896	7.77E-06	5.4E-06	1.05E-03	5.68E-09	2	1.57E-01	1.78E-09	1.0E+06	1.8E-03
463	0.62649	7.77E-06	4.9E-06	1.05E-03	5.09E-09	2	1.57E-01	1.60E-09	1.0E+06	1.6E-03
474	0.82168	7.77E-06	6.4E-06	1.05E-03	6.67E-09	2	1.57E-01	2.10E-09	1.0E+06	2.1E-03
475	0.76482	7.77E-06	5.9E-06	1.05E-03	6.21E-09	2	1.57E-01	1.95E-09	1.0E+06	2.0E-03
476	0.70428	7.77E-06	5.5E-06	1.05E-03	5.72E-09	2	1.57E-01	1.80E-09	1.0E+06	1.8E-03
477	0.64144	7.77E-06	5.0E-06	1.05E-03	5.21E-09	2	1.57E-01	1.64E-09	1.0E+06	1.6E-03
478	0.581	7.77E-06	4.5E-06	1.05E-03	4.72E-09	2	1.57E-01	1.48E-09	1.0E+06	1.5E-03
495	0.73544	7.77E-06	5.7E-06	1.05E-03	5.97E-09	2	1.57E-01	1.88E-09	1.0E+06	1.9E-03
496	0.69166	7.77E-06	5.4E-06	1.05E-03	5.62E-09	2	1.57E-01	1.77E-09	1.0E+06	1.8E-03
497	0.64307	7.77E-06	5.0E-06	1.05E-03	5.22E-09	2	1.57E-01	1.64E-09	1.0E+06	1.6E-03
498	0.59145	7.77E-06	4.6E-06	1.05E-03	4.80E-09	2	1.57E-01	1.51E-09	1.0E+06	1.5E-03
499	0.54002	7.77E-06	4.2E-06	1.05E-03	4.39E-09	2	1.57E-01	1.38E-09	1.0E+06	1.4E-03
500	0.49331	7.77E-06	3.8E-06	1.05E-03	4.01E-09	2	1.57E-01	1.26E-09	1.0E+06	1.3E-03

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction							
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
139	5.9902	7.77E-06	4.7E-05	1.05E-03	4.87E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	6.25841	7.77E-06	4.9E-05	1.05E-03	5.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	8.46083	7.77E-06	6.6E-05	1.05E-03	6.87E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	12.39535	7.77E-06	9.6E-05	1.05E-03	1.01E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	8.16831	7.77E-06	6.3E-05	1.05E-03	6.63E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	16.15119	7.77E-06	1.3E-04	1.05E-03	1.31E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	8.3914	7.77E-06	6.5E-05	1.05E-03	6.82E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	4.22029	7.77E-06	3.3E-05	1.05E-03	3.43E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	3.31048	7.77E-06	2.6E-05	1.05E-03	2.69E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	2.65622	7.77E-06	2.1E-05	1.05E-03	2.16E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	10.16422	7.77E-06	7.9E-05	1.05E-03	8.26E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	11.22706	7.77E-06	8.7E-05	1.05E-03	9.12E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	15.35931	7.77E-06	1.2E-04	1.05E-03	1.25E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	8.44339	7.77E-06	6.6E-05	1.05E-03	6.86E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	5.68282	7.77E-06	4.4E-05	1.05E-03	4.62E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	4.25558	7.77E-06	3.3E-05	1.05E-03	3.46E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	3.31695	7.77E-06	2.6E-05	1.05E-03	2.69E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	2.67555	7.77E-06	2.1E-05	1.05E-03	2.17E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	2.2186	7.77E-06	1.7E-05	1.05E-03	1.80E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	1.86939	7.77E-06	1.5E-05	1.05E-03	1.52E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	1.59709	7.77E-06	1.2E-05	1.05E-03	1.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	12.33289	7.77E-06	9.6E-05	1.05E-03	1.00E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	13.92163	7.77E-06	1.1E-04	1.05E-03	1.13E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	8.28924	7.77E-06	6.4E-05	1.05E-03	6.73E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	5.63439	7.77E-06	4.4E-05	1.05E-03	4.58E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	4.19359	7.77E-06	3.3E-05	1.05E-03	3.41E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	3.26716	7.77E-06	2.5E-05	1.05E-03	2.65E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	2.61673	7.77E-06	2.0E-05	1.05E-03	2.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	2.16249	7.77E-06	1.7E-05	1.05E-03	1.76E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	1.82764	7.77E-06	1.4E-05	1.05E-03	1.48E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	1.55507	7.77E-06	1.2E-05	1.05E-03	1.26E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	1.34207	7.77E-06	1.0E-05	1.05E-03	1.09E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	23.90888	7.77E-06	1.9E-04	1.05E-03	1.94E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	12.40007	7.77E-06	9.6E-05	1.05E-03	1.01E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	7.78557	7.77E-06	6.1E-05	1.05E-03	6.32E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	5.50208	7.77E-06	4.3E-05	1.05E-03	4.47E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	4.0791	7.77E-06	3.2E-05	1.05E-03	3.31E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	3.18889	7.77E-06	2.5E-05	1.05E-03	2.59E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	2.57203	7.77E-06	2.0E-05	1.05E-03	2.09E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	2.11765	7.77E-06	1.6E-05	1.05E-03	1.72E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	1.77164	7.77E-06	1.4E-05	1.05E-03	1.44E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	1.50959	7.77E-06	1.2E-05	1.05E-03	1.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	1.29176	7.77E-06	1.0E-05	1.05E-03	1.05E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	1.11537	7.77E-06	8.7E-06	1.05E-03	9.06E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	14.54919	7.77E-06	1.1E-04	1.05E-03	1.18E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	20.09995	7.77E-06	1.6E-04	1.05E-03	1.63E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	11.14904	7.77E-06	8.7E-05	1.05E-03	9.06E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	7.37226	7.77E-06	5.7E-05	1.05E-03	5.99E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	3.95082	7.77E-06	3.1E-05	1.05E-03	3.21E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	3.08859	7.77E-06	2.4E-05	1.05E-03	2.51E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	2.48571	7.77E-06	1.9E-05	1.05E-03	2.02E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	2.03785	7.77E-06	1.6E-05	1.05E-03	1.66E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	1.70905	7.77E-06	1.3E-05	1.05E-03	1.39E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	1.44235	7.77E-06	1.1E-05	1.05E-03	1.17E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	1.23061	7.77E-06	9.6E-06	1.05E-03	1.00E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	1.06054	7.77E-06	8.2E-06	1.05E-03	8.61E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	0.90743	7.77E-06	7.1E-06	1.05E-03	7.37E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	14.64509	7.77E-06	1.1E-04	1.05E-03	1.19E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	17.95395	7.77E-06	1.4E-04	1.05E-03	1.46E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	10.40728	7.77E-06	8.1E-05	1.05E-03	8.45E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	6.98265	7.77E-06	5.4E-05	1.05E-03	5.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	5.02588	7.77E-06	3.9E-05	1.05E-03	4.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	3.74657	7.77E-06	2.9E-05	1.05E-03	3.04E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	2.92762	7.77E-06	2.3E-05	1.05E-03	2.38E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	1.93489	7.77E-06	1.5E-05	1.05E-03	1.57E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	1.60543	7.77E-06	1.2E-05	1.05E-03	1.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	1.35208	7.77E-06	1.1E-05	1.05E-03	1.10E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	1.16039	7.77E-06	9.0E-06	1.05E-03	9.43E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	0.99943	7.77E-06	7.8E-06	1.05E-03	8.12E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	0.86909	7.77E-06	6.8E-06	1.05E-03	7.06E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	21.73997	7.77E-06	1.7E-04	1.05E-03	1.77E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	16.05149	7.77E-06	1.2E-04	1.05E-03	1.30E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	9.41315	7.77E-06	7.3E-05	1.05E-03	7.65E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	6.4947	7.77E-06	5.0E-05	1.05E-03	5.28E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	4.71212	7.77E-06	3.7E-05	1.05E-03	3.83E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	3.57842	7.77E-06	2.8E-05	1.05E-03	2.91E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	2.78764	7.77E-06	2.2E-05	1.05E-03	2.26E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	1.80842	7.77E-06	1.4E-05	1.05E-03	1.47E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	1.48725	7.77E-06	1.2E-05	1.05E-03	1.21E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	1.25178	7.77E-06	9.7E-06	1.05E-03	1.02E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	1.07696	7.77E-06	8.4E-06	1.05E-03	8.75E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	0.92761	7.77E-06	7.2E-06	1.05E-03	7.53E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	0.80915	7.77E-06	6.3E-06	1.05E-03	6.57E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	19.67747	7.77E-06	1.5E-04	1.05E-03	1.60E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	14.33459	7.77E-06	1.1E-04	1.05E-03	1.16E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	8.83421	7.77E-06	6.9E-05	1.05E-03	7.18E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	5.98388	7.77E-06	4.7E-05	1.05E-03	4.86E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	4.42519	7.77E-06	3.4E-05	1.05E-03	3.59E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	3.33448	7.77E-06	2.6E-05	1.05E-03	2.71E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	2.58727	7.77E-06	2.0E-05	1.05E-03	2.10E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	1.67359	7.77E-06	1.3E-05	1.05E-03	1.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	1.38654	7.77E-06	1.1E-05	1.05E-03	1.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	1.16907	7.77E-06	9.1E-06	1.05E-03	9.50E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	1.00018	7.77E-06	7.8E-06	1.05E-03	8.12E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	0.86406	7.77E-06	6.7E-06	1.05E-03	7.02E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	0.75708	7.77E-06	5.9E-06	1.05E-03	6.15E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	0.53233	7.77E-06	4.1E-06	1.05E-03	4.32E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	0.48029	7.77E-06	3.7E-06	1.05E-03	3.90E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	25.14308	7.77E-06	2.0E-04	1.05E-03	2.04E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	12.99252	7.77E-06	1.0E-04	1.05E-03	1.06E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	8.1596	7.77E-06	6.3E-05	1.05E-03	6.63E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	5.5174	7.77E-06	4.3E-05	1.05E-03	4.48E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	4.01966	7.77E-06	3.1E-05	1.05E-03	3.27E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	3.01602	7.77E-06	2.3E-05	1.05E-03	2.45E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	2.30961	7.77E-06	1.8E-05	1.05E-03	1.88E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	1.50348	7.77E-06	1.2E-05	1.05E-03	1.22E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	1.24999	7.77E-06	9.7E-06	1.05E-03	1.02E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	1.05782	7.77E-06	8.2E-06	1.05E-03	8.59E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	0.91673	7.77E-06	7.1E-06	1.05E-03	7.45E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	0.80437	7.77E-06	6.3E-06	1.05E-03	6.53E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	0.71383	7.77E-06	5.5E-06	1.05E-03	5.80E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	0.49471	7.77E-06	3.8E-06	1.05E-03	4.02E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	0.45689	7.77E-06	3.6E-06	1.05E-03	3.71E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	23.03969	7.77E-06	1.8E-04	1.05E-03	1.87E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	11.82732	7.77E-06	9.2E-05	1.05E-03	9.61E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	7.36294	7.77E-06	5.7E-05	1.05E-03	5.98E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	4.9507	7.77E-06	3.8E-05	1.05E-03	4.02E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	3.53637	7.77E-06	2.7E-05	1.05E-03	2.87E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	2.65933	7.77E-06	2.1E-05	1.05E-03	2.16E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	2.08833	7.77E-06	1.6E-05	1.05E-03	1.70E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	1.36306	7.77E-06	1.1E-05	1.05E-03	1.11E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	1.14366	7.77E-06	8.9E-06	1.05E-03	9.29E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	0.97319	7.77E-06	7.6E-06	1.05E-03	7.90E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	0.85	7.77E-06	6.6E-06	1.05E-03	6.90E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	0.75016	7.77E-06	5.8E-06	1.05E-03	6.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	0.66917	7.77E-06	5.2E-06	1.05E-03	5.44E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	0.47419	7.77E-06	3.7E-06	1.05E-03	3.85E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	0.43507	7.77E-06	3.4E-06	1.05E-03	3.53E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	21.81583	7.77E-06	1.7E-04	1.05E-03	1.77E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	10.4555	7.77E-06	8.1E-05	1.05E-03	8.49E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	6.29666	7.77E-06	4.9E-05	1.05E-03	5.11E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	4.22443	7.77E-06	3.3E-05	1.05E-03	3.43E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	3.08621	7.77E-06	2.4E-05	1.05E-03	2.51E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	2.34561	7.77E-06	1.8E-05	1.05E-03	1.91E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	1.85382	7.77E-06	1.4E-05	1.05E-03	1.51E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	1.24835	7.77E-06	9.7E-06	1.05E-03	1.01E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	1.06629	7.77E-06	8.3E-06	1.05E-03	8.66E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	0.89976	7.77E-06	7.0E-06	1.05E-03	7.31E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	0.79689	7.77E-06	6.2E-06	1.05E-03	6.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	0.70212	7.77E-06	5.5E-06	1.05E-03	5.70E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	0.6238	7.77E-06	4.8E-06	1.05E-03	5.07E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	0.45526	7.77E-06	3.5E-06	1.05E-03	3.70E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	0.41505	7.77E-06	3.2E-06	1.05E-03	3.37E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	9.57866	7.77E-06	7.4E-05	1.05E-03	7.78E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	8.20821	7.77E-06	6.4E-05	1.05E-03	6.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	5.01843	7.77E-06	3.9E-05	1.05E-03	4.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	3.50143	7.77E-06	2.7E-05	1.05E-03	2.84E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	2.61121	7.77E-06	2.0E-05	1.05E-03	2.12E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	2.05626	7.77E-06	1.6E-05	1.05E-03	1.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	1.65686	7.77E-06	1.3E-05	1.05E-03	1.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	1.3768	7.77E-06	1.1E-05	1.05E-03	1.12E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	1.14824	7.77E-06	8.9E-06	1.05E-03	9.33E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	0.98169	7.77E-06	7.6E-06	1.05E-03	7.97E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	0.84964	7.77E-06	6.6E-06	1.05E-03	6.90E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	0.74461	7.77E-06	5.8E-06	1.05E-03	6.05E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	0.65907	7.77E-06	5.1E-06	1.05E-03	5.35E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	0.59323	7.77E-06	4.6E-06	1.05E-03	4.82E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	0.46845	7.77E-06	3.6E-06	1.05E-03	3.81E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	0.43404	7.77E-06	3.4E-06	1.05E-03	3.53E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.39692	7.77E-06	3.1E-06	1.05E-03	3.22E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	2.24835	7.77E-06	1.7E-05	1.05E-03	1.83E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	1.80361	7.77E-06	1.4E-05	1.05E-03	1.47E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	1.46989	7.77E-06	1.1E-05	1.05E-03	1.19E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	1.24759	7.77E-06	9.7E-06	1.05E-03	1.01E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	0.44611	7.77E-06	3.5E-06	1.05E-03	3.62E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	0.41472	7.77E-06	3.2E-06	1.05E-03	3.37E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.38042	7.77E-06	3.0E-06	1.05E-03	3.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	1.5992	7.77E-06	1.2E-05	1.05E-03	1.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	1.33517	7.77E-06	1.0E-05	1.05E-03	1.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	1.12928	7.77E-06	8.8E-06	1.05E-03	9.17E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	0.4296	7.77E-06	3.3E-06	1.05E-03	3.49E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	0.39332	7.77E-06	3.1E-06	1.05E-03	3.19E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.36473	7.77E-06	2.8E-06	1.05E-03	2.96E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	1.42592	7.77E-06	1.1E-05	1.05E-03	1.16E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	1.20569	7.77E-06	9.4E-06	1.05E-03	9.79E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	1.03065	7.77E-06	8.0E-06	1.05E-03	8.37E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	0.4057	7.77E-06	3.2E-06	1.05E-03	3.30E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	0.37084	7.77E-06	2.9E-06	1.05E-03	3.01E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.34304	7.77E-06	2.7E-06	1.05E-03	2.79E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	1.08991	7.77E-06	8.5E-06	1.05E-03	8.85E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	0.93341	7.77E-06	7.3E-06	1.05E-03	7.58E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	0.38659	7.77E-06	3.0E-06	1.05E-03	3.14E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.35516	7.77E-06	2.8E-06	1.05E-03	2.88E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.3295	7.77E-06	2.6E-06	1.05E-03	2.68E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	0.99206	7.77E-06	7.7E-06	1.05E-03	8.06E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	0.86479	7.77E-06	6.7E-06	1.05E-03	7.02E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	0.76443	7.77E-06	5.9E-06	1.05E-03	6.21E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	0.36969	7.77E-06	2.9E-06	1.05E-03	3.00E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.33995	7.77E-06	2.6E-06	1.05E-03	2.76E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.32206	7.77E-06	2.5E-06	1.05E-03	2.62E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	0.79639	7.77E-06	6.2E-06	1.05E-03	6.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	0.70517	7.77E-06	5.5E-06	1.05E-03	5.73E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.35312	7.77E-06	2.7E-06	1.05E-03	2.87E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.32581	7.77E-06	2.5E-06	1.05E-03	2.65E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.30906	7.77E-06	2.4E-06	1.05E-03	2.51E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	0.73035	7.77E-06	5.7E-06	1.05E-03	5.93E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	0.65595	7.77E-06	5.1E-06	1.05E-03	5.33E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.31272	7.77E-06	2.4E-06	1.05E-03	2.54E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.29116	7.77E-06	2.3E-06	1.05E-03	2.37E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	0.67467	7.77E-06	5.2E-06	1.05E-03	5.48E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	0.6133	7.77E-06	4.8E-06	1.05E-03	4.98E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	0.55292	7.77E-06	4.3E-06	1.05E-03	4.49E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.29953	7.77E-06	2.3E-06	1.05E-03	2.43E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.27916	7.77E-06	2.2E-06	1.05E-03	2.27E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	0.56865	7.77E-06	4.4E-06	1.05E-03	4.62E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	0.51573	7.77E-06	4.0E-06	1.05E-03	4.19E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.33576	7.77E-06	2.6E-06	1.05E-03	2.73E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.2873	7.77E-06	2.2E-06	1.05E-03	2.33E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.26822	7.77E-06	2.1E-06	1.05E-03	2.18E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	0.52331	7.77E-06	4.1E-06	1.05E-03	4.25E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	0.48063	7.77E-06	3.7E-06	1.05E-03	3.90E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	0.43903	7.77E-06	3.4E-06	1.05E-03	3.57E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	0.40606	7.77E-06	3.2E-06	1.05E-03	3.30E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	0.37063	7.77E-06	2.9E-06	1.05E-03	3.01E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.34303	7.77E-06	2.7E-06	1.05E-03	2.79E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.31783	7.77E-06	2.5E-06	1.05E-03	2.58E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.29807	7.77E-06	2.3E-06	1.05E-03	2.42E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.27602	7.77E-06	2.1E-06	1.05E-03	2.24E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.25772	7.77E-06	2.0E-06	1.05E-03	2.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	0.44473	7.77E-06	3.5E-06	1.05E-03	3.61E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	0.41489	7.77E-06	3.2E-06	1.05E-03	3.37E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	0.38472	7.77E-06	3.0E-06	1.05E-03	3.12E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	0.35511	7.77E-06	2.8E-06	1.05E-03	2.88E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	0.32688	7.77E-06	2.5E-06	1.05E-03	2.66E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.30353	7.77E-06	2.4E-06	1.05E-03	2.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.28539	7.77E-06	2.2E-06	1.05E-03	2.32E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.24791	7.77E-06	1.9E-06	1.05E-03	2.01E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.42228	7.77E-06	3.3E-06	1.05E-03	3.43E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	0.3829	7.77E-06	3.0E-06	1.05E-03	3.11E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	0.36235	7.77E-06	2.8E-06	1.05E-03	2.94E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	0.33558	7.77E-06	2.6E-06	1.05E-03	2.73E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	0.31145	7.77E-06	2.4E-06	1.05E-03	2.53E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.28994	7.77E-06	2.3E-06	1.05E-03	2.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.27118	7.77E-06	2.1E-06	1.05E-03	2.20E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.23841	7.77E-06	1.9E-06	1.05E-03	1.94E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.40034	7.77E-06	3.1E-06	1.05E-03	3.25E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.36984	7.77E-06	2.9E-06	1.05E-03	3.00E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	0.3401	7.77E-06	2.6E-06	1.05E-03	2.76E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	0.31553	7.77E-06	2.5E-06	1.05E-03	2.56E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	0.29683	7.77E-06	2.3E-06	1.05E-03	2.41E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.27691	7.77E-06	2.2E-06	1.05E-03	2.25E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.25668	7.77E-06	2.0E-06	1.05E-03	2.08E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.22919	7.77E-06	1.8E-06	1.05E-03	1.86E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.35094	7.77E-06	2.7E-06	1.05E-03	2.85E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.32644	7.77E-06	2.5E-06	1.05E-03	2.65E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.30331	7.77E-06	2.4E-06	1.05E-03	2.46E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.27311	7.77E-06	2.1E-06	1.05E-03	2.22E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.26054	7.77E-06	2.0E-06	1.05E-03	2.12E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.24915	7.77E-06	1.9E-06	1.05E-03	2.02E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.22131	7.77E-06	1.7E-06	1.05E-03	1.80E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.33297	7.77E-06	2.6E-06	1.05E-03	2.70E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.31066	7.77E-06	2.4E-06	1.05E-03	2.52E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.29038	7.77E-06	2.3E-06	1.05E-03	2.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.27123	7.77E-06	2.1E-06	1.05E-03	2.20E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.25376	7.77E-06	2.0E-06	1.05E-03	2.06E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.2367	7.77E-06	1.8E-06	1.05E-03	1.92E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.19664	7.77E-06	1.5E-06	1.05E-03	1.60E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.31766	7.77E-06	2.5E-06	1.05E-03	2.58E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.29566	7.77E-06	2.3E-06	1.05E-03	2.40E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.27688	7.77E-06	2.2E-06	1.05E-03	2.25E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.25962	7.77E-06	2.0E-06	1.05E-03	2.11E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.24375	7.77E-06	1.9E-06	1.05E-03	1.98E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.22974	7.77E-06	1.8E-06	1.05E-03	1.87E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.21659	7.77E-06	1.7E-06	1.05E-03	1.76E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	7.77E-06	0.0E+00	1.05E-03	0.00E+00	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
1	1	0.36388	7.77E-06	2.8E-06	6.05E-04	1.71E-09	14	4.71E-02	1.13E-09	1.0E+06	1.1E-03
2	2	0.39186	7.77E-06	3.0E-06	6.05E-04	1.84E-09	14	4.71E-02	1.22E-09	1.0E+06	1.2E-03
3	3	0.42295	7.77E-06	3.3E-06	6.05E-04	1.99E-09	14	4.71E-02	1.31E-09	1.0E+06	1.3E-03
4	4	0.45749	7.77E-06	3.6E-06	6.05E-04	2.15E-09	14	4.71E-02	1.42E-09	1.0E+06	1.4E-03
5	5	0.49595	7.77E-06	3.9E-06	6.05E-04	2.33E-09	14	4.71E-02	1.54E-09	1.0E+06	1.5E-03
6	6	0.53897	7.77E-06	4.2E-06	6.05E-04	2.53E-09	14	4.71E-02	1.67E-09	1.0E+06	1.7E-03
7	7	0.58682	7.77E-06	4.6E-06	6.05E-04	2.76E-09	14	4.71E-02	1.82E-09	1.0E+06	1.8E-03
8	8	0.64005	7.77E-06	5.0E-06	6.05E-04	3.01E-09	14	4.71E-02	1.99E-09	1.0E+06	2.0E-03
9	9	0.69904	7.77E-06	5.4E-06	6.05E-04	3.29E-09	14	4.71E-02	2.17E-09	1.0E+06	2.2E-03
10	10	0.76399	7.77E-06	5.9E-06	6.05E-04	3.59E-09	14	4.71E-02	2.37E-09	1.0E+06	2.4E-03
11	11	0.83481	7.77E-06	6.5E-06	6.05E-04	3.93E-09	14	4.71E-02	2.59E-09	1.0E+06	2.6E-03
12	12	0.91068	7.77E-06	7.1E-06	6.05E-04	4.28E-09	14	4.71E-02	2.83E-09	1.0E+06	2.8E-03
13	13	0.98911	7.77E-06	7.7E-06	6.05E-04	4.65E-09	14	4.71E-02	3.07E-09	1.0E+06	3.1E-03
14	14	1.06658	7.77E-06	8.3E-06	6.05E-04	5.02E-09	14	4.71E-02	3.31E-09	1.0E+06	3.3E-03
15	15	1.13635	7.77E-06	8.8E-06	6.05E-04	5.34E-09	14	4.71E-02	3.53E-09	1.0E+06	3.5E-03
16	16	1.19105	7.77E-06	9.3E-06	6.05E-04	5.60E-09	14	4.71E-02	3.70E-09	1.0E+06	3.7E-03
17	17	1.22433	7.77E-06	9.5E-06	6.05E-04	5.76E-09	14	4.71E-02	3.80E-09	1.0E+06	3.8E-03
18	18	1.24428	7.77E-06	9.7E-06	6.05E-04	5.85E-09	14	4.71E-02	3.86E-09	1.0E+06	3.9E-03
19	19	1.26577	7.77E-06	9.8E-06	6.05E-04	5.95E-09	14	4.71E-02	3.93E-09	1.0E+06	3.9E-03
20	20	1.29337	7.77E-06	1.0E-05	6.05E-04	6.08E-09	14	4.71E-02	4.01E-09	1.0E+06	4.0E-03
21	21	1.31593	7.77E-06	1.0E-05	6.05E-04	6.19E-09	14	4.71E-02	4.08E-09	1.0E+06	4.1E-03
22	22	1.32065	7.77E-06	1.0E-05	6.05E-04	6.21E-09	14	4.71E-02	4.10E-09	1.0E+06	4.1E-03
23	23	1.30351	7.77E-06	1.0E-05	6.05E-04	6.13E-09	14	4.71E-02	4.05E-09	1.0E+06	4.0E-03
24	24	1.26654	7.77E-06	9.8E-06	6.05E-04	5.96E-09	14	4.71E-02	3.93E-09	1.0E+06	3.9E-03
25	25	1.21471	7.77E-06	9.4E-06	6.05E-04	5.71E-09	14	4.71E-02	3.77E-09	1.0E+06	3.8E-03
26	26	1.15352	7.77E-06	9.0E-06	6.05E-04	5.42E-09	14	4.71E-02	3.58E-09	1.0E+06	3.6E-03
27	27	1.08741	7.77E-06	8.5E-06	6.05E-04	5.11E-09	14	4.71E-02	3.37E-09	1.0E+06	3.4E-03
28	28	1.01981	7.77E-06	7.9E-06	6.05E-04	4.80E-09	14	4.71E-02	3.16E-09	1.0E+06	3.2E-03
29	29	0.95271	7.77E-06	7.4E-06	6.05E-04	4.48E-09	14	4.71E-02	2.96E-09	1.0E+06	3.0E-03
30	30	0.88759	7.77E-06	6.9E-06	6.05E-04	4.17E-09	14	4.71E-02	2.75E-09	1.0E+06	2.8E-03
31	31	0.8407	7.77E-06	6.5E-06	6.05E-04	3.95E-09	14	4.71E-02	2.61E-09	1.0E+06	2.6E-03

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
32	32	0.76684	7.77E-06	6.0E-06	6.05E-04	3.61E-09	14	4.71E-02	2.38E-09	1.0E+06	2.4E-03
55	55	1.66235	7.77E-06	1.3E-05	6.05E-04	7.82E-09	14	4.71E-02	5.16E-09	1.0E+06	5.2E-03
56	56	1.58897	7.77E-06	1.2E-05	6.05E-04	7.47E-09	14	4.71E-02	4.93E-09	1.0E+06	4.9E-03
57	57	1.49603	7.77E-06	1.2E-05	6.05E-04	7.03E-09	14	4.71E-02	4.64E-09	1.0E+06	4.6E-03
58	58	1.39524	7.77E-06	1.1E-05	6.05E-04	6.56E-09	14	4.71E-02	4.33E-09	1.0E+06	4.3E-03
59	59	1.29367	7.77E-06	1.0E-05	6.05E-04	6.08E-09	14	4.71E-02	4.01E-09	1.0E+06	4.0E-03
60	60	1.19506	7.77E-06	9.3E-06	6.05E-04	5.62E-09	14	4.71E-02	3.71E-09	1.0E+06	3.7E-03
61	61	1.10111	7.77E-06	8.6E-06	6.05E-04	5.18E-09	14	4.71E-02	3.42E-09	1.0E+06	3.4E-03
62	62	1.01345	7.77E-06	7.9E-06	6.05E-04	4.77E-09	14	4.71E-02	3.15E-09	1.0E+06	3.1E-03
63	63	0.94862	7.77E-06	7.4E-06	6.05E-04	4.46E-09	14	4.71E-02	2.94E-09	1.0E+06	2.9E-03
64	64	0.87111	7.77E-06	6.8E-06	6.05E-04	4.10E-09	14	4.71E-02	2.70E-09	1.0E+06	2.7E-03
65	65	0.78877	7.77E-06	6.1E-06	6.05E-04	3.71E-09	14	4.71E-02	2.45E-09	1.0E+06	2.4E-03
66	66	0.73534	7.77E-06	5.7E-06	6.05E-04	3.46E-09	14	4.71E-02	2.28E-09	1.0E+06	2.3E-03
67	67	0.4063	7.77E-06	3.2E-06	6.05E-04	1.91E-09	14	4.71E-02	1.26E-09	1.0E+06	1.3E-03
68	68	0.44184	7.77E-06	3.4E-06	6.05E-04	2.08E-09	14	4.71E-02	1.37E-09	1.0E+06	1.4E-03
69	69	0.48217	7.77E-06	3.7E-06	6.05E-04	2.27E-09	14	4.71E-02	1.50E-09	1.0E+06	1.5E-03
70	70	0.5281	7.77E-06	4.1E-06	6.05E-04	2.48E-09	14	4.71E-02	1.64E-09	1.0E+06	1.6E-03
71	71	0.58069	7.77E-06	4.5E-06	6.05E-04	2.73E-09	14	4.71E-02	1.80E-09	1.0E+06	1.8E-03
72	72	0.64115	7.77E-06	5.0E-06	6.05E-04	3.01E-09	14	4.71E-02	1.99E-09	1.0E+06	2.0E-03
73	73	0.711	7.77E-06	5.5E-06	6.05E-04	3.34E-09	14	4.71E-02	2.21E-09	1.0E+06	2.2E-03
74	74	0.7922	7.77E-06	6.2E-06	6.05E-04	3.73E-09	14	4.71E-02	2.46E-09	1.0E+06	2.5E-03
75	75	0.88708	7.77E-06	6.9E-06	6.05E-04	4.17E-09	14	4.71E-02	2.75E-09	1.0E+06	2.8E-03
76	76	0.99834	7.77E-06	7.8E-06	6.05E-04	4.69E-09	14	4.71E-02	3.10E-09	1.0E+06	3.1E-03
77	77	1.12913	7.77E-06	8.8E-06	6.05E-04	5.31E-09	14	4.71E-02	3.50E-09	1.0E+06	3.5E-03
78	78	1.28158	7.77E-06	1.0E-05	6.05E-04	6.03E-09	14	4.71E-02	3.98E-09	1.0E+06	4.0E-03
79	79	2.20312	7.77E-06	1.7E-05	6.05E-04	1.04E-08	14	4.71E-02	6.84E-09	1.0E+06	6.8E-03
80	80	2.29586	7.77E-06	1.8E-05	6.05E-04	1.08E-08	14	4.71E-02	7.13E-09	1.0E+06	7.1E-03
81	81	2.36277	7.77E-06	1.8E-05	6.05E-04	1.11E-08	14	4.71E-02	7.33E-09	1.0E+06	7.3E-03
82	82	2.34577	7.77E-06	1.8E-05	6.05E-04	1.10E-08	14	4.71E-02	7.28E-09	1.0E+06	7.3E-03
83	83	2.23674	7.77E-06	1.7E-05	6.05E-04	1.05E-08	14	4.71E-02	6.94E-09	1.0E+06	6.9E-03
84	84	2.0785	7.77E-06	1.6E-05	6.05E-04	9.77E-09	14	4.71E-02	6.45E-09	1.0E+06	6.5E-03

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
85	85	1.90198	7.77E-06	1.5E-05	6.05E-04	8.94E-09	14	4.71E-02	5.90E-09	1.0E+06	5.9E-03
86	86	1.76044	7.77E-06	1.4E-05	6.05E-04	8.28E-09	14	4.71E-02	5.46E-09	1.0E+06	5.5E-03
87	87	1.59734	7.77E-06	1.2E-05	6.05E-04	7.51E-09	14	4.71E-02	4.96E-09	1.0E+06	5.0E-03
88	88	1.44714	7.77E-06	1.1E-05	6.05E-04	6.80E-09	14	4.71E-02	4.49E-09	1.0E+06	4.5E-03
89	89	1.28506	7.77E-06	1.0E-05	6.05E-04	6.04E-09	14	4.71E-02	3.99E-09	1.0E+06	4.0E-03
90	90	1.16586	7.77E-06	9.1E-06	6.05E-04	5.48E-09	14	4.71E-02	3.62E-09	1.0E+06	3.6E-03
91	91	1.07636	7.77E-06	8.4E-06	6.05E-04	5.06E-09	14	4.71E-02	3.34E-09	1.0E+06	3.3E-03
92	92	0.96322	7.77E-06	7.5E-06	6.05E-04	4.53E-09	14	4.71E-02	2.99E-09	1.0E+06	3.0E-03
93	93	0.8887	7.77E-06	6.9E-06	6.05E-04	4.18E-09	14	4.71E-02	2.76E-09	1.0E+06	2.8E-03
96	96	2.3241	7.77E-06	1.8E-05	6.05E-04	1.09E-08	14	4.71E-02	7.21E-09	1.0E+06	7.2E-03
97	97	2.05352	7.77E-06	1.6E-05	6.05E-04	9.66E-09	14	4.71E-02	6.37E-09	1.0E+06	6.4E-03
98	98	1.51505	7.77E-06	1.2E-05	6.05E-04	7.12E-09	14	4.71E-02	4.70E-09	1.0E+06	4.7E-03
99	99	1.37468	7.77E-06	1.1E-05	6.05E-04	6.46E-09	14	4.71E-02	4.27E-09	1.0E+06	4.3E-03
100	100	1.22801	7.77E-06	9.5E-06	6.05E-04	5.77E-09	14	4.71E-02	3.81E-09	1.0E+06	3.8E-03
101	101	1.08713	7.77E-06	8.4E-06	6.05E-04	5.11E-09	14	4.71E-02	3.37E-09	1.0E+06	3.4E-03
102	102	0.99812	7.77E-06	7.8E-06	6.05E-04	4.69E-09	14	4.71E-02	3.10E-09	1.0E+06	3.1E-03
106	106	0.4109	7.77E-06	3.2E-06	6.05E-04	1.93E-09	14	4.71E-02	1.28E-09	1.0E+06	1.3E-03
107	107	0.4485	7.77E-06	3.5E-06	6.05E-04	2.11E-09	14	4.71E-02	1.39E-09	1.0E+06	1.4E-03
108	108	0.49246	7.77E-06	3.8E-06	6.05E-04	2.32E-09	14	4.71E-02	1.53E-09	1.0E+06	1.5E-03
109	109	0.54337	7.77E-06	4.2E-06	6.05E-04	2.56E-09	14	4.71E-02	1.69E-09	1.0E+06	1.7E-03
110	110	0.60262	7.77E-06	4.7E-06	6.05E-04	2.83E-09	14	4.71E-02	1.87E-09	1.0E+06	1.9E-03
111	111	0.67236	7.77E-06	5.2E-06	6.05E-04	3.16E-09	14	4.71E-02	2.09E-09	1.0E+06	2.1E-03
112	112	0.75465	7.77E-06	5.9E-06	6.05E-04	3.55E-09	14	4.71E-02	2.34E-09	1.0E+06	2.3E-03
113	113	0.85346	7.77E-06	6.6E-06	6.05E-04	4.01E-09	14	4.71E-02	2.65E-09	1.0E+06	2.6E-03
114	114	0.97315	7.77E-06	7.6E-06	6.05E-04	4.58E-09	14	4.71E-02	3.02E-09	1.0E+06	3.0E-03
115	115	1.12076	7.77E-06	8.7E-06	6.05E-04	5.27E-09	14	4.71E-02	3.48E-09	1.0E+06	3.5E-03
116	116	1.30574	7.77E-06	1.0E-05	6.05E-04	6.14E-09	14	4.71E-02	4.05E-09	1.0E+06	4.1E-03
117	117	1.54287	7.77E-06	1.2E-05	6.05E-04	7.25E-09	14	4.71E-02	4.79E-09	1.0E+06	4.8E-03
118	118	1.8564	7.77E-06	1.4E-05	6.05E-04	8.73E-09	14	4.71E-02	5.76E-09	1.0E+06	5.8E-03
124	124	0.42685	7.77E-06	3.3E-06	6.05E-04	2.01E-09	14	4.71E-02	1.32E-09	1.0E+06	1.3E-03
125	125	0.46854	7.77E-06	3.6E-06	6.05E-04	2.20E-09	14	4.71E-02	1.45E-09	1.0E+06	1.5E-03

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
126	126	0.51684	7.77E-06	4.0E-06	6.05E-04	2.43E-09	14	4.71E-02	1.60E-09	1.0E+06	1.6E-03
127	127	0.5732	7.77E-06	4.5E-06	6.05E-04	2.70E-09	14	4.71E-02	1.78E-09	1.0E+06	1.8E-03
128	128	0.63952	7.77E-06	5.0E-06	6.05E-04	3.01E-09	14	4.71E-02	1.98E-09	1.0E+06	2.0E-03
129	129	0.71837	7.77E-06	5.6E-06	6.05E-04	3.38E-09	14	4.71E-02	2.23E-09	1.0E+06	2.2E-03
130	130	0.81289	7.77E-06	6.3E-06	6.05E-04	3.82E-09	14	4.71E-02	2.52E-09	1.0E+06	2.5E-03
131	131	0.92785	7.77E-06	7.2E-06	6.05E-04	4.36E-09	14	4.71E-02	2.88E-09	1.0E+06	2.9E-03
132	132	1.06965	7.77E-06	8.3E-06	6.05E-04	5.03E-09	14	4.71E-02	3.32E-09	1.0E+06	3.3E-03
133	133	1.24878	7.77E-06	9.7E-06	6.05E-04	5.87E-09	14	4.71E-02	3.88E-09	1.0E+06	3.9E-03
134	134	1.4783	7.77E-06	1.1E-05	6.05E-04	6.95E-09	14	4.71E-02	4.59E-09	1.0E+06	4.6E-03
135	135	1.78506	7.77E-06	1.4E-05	6.05E-04	8.39E-09	14	4.71E-02	5.54E-09	1.0E+06	5.5E-03
136	136	2.21187	7.77E-06	1.7E-05	6.05E-04	1.04E-08	14	4.71E-02	6.86E-09	1.0E+06	6.9E-03
137	137	2.8486	7.77E-06	2.2E-05	6.05E-04	1.34E-08	14	4.71E-02	8.84E-09	1.0E+06	8.8E-03
138	138	3.88762	7.77E-06	3.0E-05	6.05E-04	1.83E-08	14	4.71E-02	1.21E-08	1.0E+06	1.2E-02
141	141	0.44216	7.77E-06	3.4E-06	6.05E-04	2.08E-09	14	4.71E-02	1.37E-09	1.0E+06	1.4E-03
142	142	0.48714	7.77E-06	3.8E-06	6.05E-04	2.29E-09	14	4.71E-02	1.51E-09	1.0E+06	1.5E-03
143	143	0.53962	7.77E-06	4.2E-06	6.05E-04	2.54E-09	14	4.71E-02	1.67E-09	1.0E+06	1.7E-03
144	144	0.60136	7.77E-06	4.7E-06	6.05E-04	2.83E-09	14	4.71E-02	1.87E-09	1.0E+06	1.9E-03
145	145	0.6747	7.77E-06	5.2E-06	6.05E-04	3.17E-09	14	4.71E-02	2.09E-09	1.0E+06	2.1E-03
146	146	0.76279	7.77E-06	5.9E-06	6.05E-04	3.59E-09	14	4.71E-02	2.37E-09	1.0E+06	2.4E-03
147	147	0.86965	7.77E-06	6.8E-06	6.05E-04	4.09E-09	14	4.71E-02	2.70E-09	1.0E+06	2.7E-03
148	148	1.00147	7.77E-06	7.8E-06	6.05E-04	4.71E-09	14	4.71E-02	3.11E-09	1.0E+06	3.1E-03
149	149	1.16675	7.77E-06	9.1E-06	6.05E-04	5.49E-09	14	4.71E-02	3.62E-09	1.0E+06	3.6E-03
150	150	1.37904	7.77E-06	1.1E-05	6.05E-04	6.48E-09	14	4.71E-02	4.28E-09	1.0E+06	4.3E-03
151	151	1.65861	7.77E-06	1.3E-05	6.05E-04	7.80E-09	14	4.71E-02	5.15E-09	1.0E+06	5.1E-03
152	152	2.04119	7.77E-06	1.6E-05	6.05E-04	9.60E-09	14	4.71E-02	6.33E-09	1.0E+06	6.3E-03
153	153	2.59292	7.77E-06	2.0E-05	6.05E-04	1.22E-08	14	4.71E-02	8.05E-09	1.0E+06	8.0E-03
154	154	3.46284	7.77E-06	2.7E-05	6.05E-04	1.63E-08	14	4.71E-02	1.07E-08	1.0E+06	1.1E-02
155	155	5.00163	7.77E-06	3.9E-05	6.05E-04	2.35E-08	14	4.71E-02	1.55E-08	1.0E+06	1.6E-02
164	164	4.09719	7.77E-06	3.2E-05	6.05E-04	1.93E-08	14	4.71E-02	1.27E-08	1.0E+06	1.3E-02
165	165	6.17009	7.77E-06	4.8E-05	6.05E-04	2.90E-08	14	4.71E-02	1.91E-08	1.0E+06	1.9E-02
166	166	11.1669	7.77E-06	8.7E-05	6.05E-04	5.25E-08	14	4.71E-02	3.47E-08	1.0E+06	3.5E-02

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
178	178	4.74111	7.77E-06	3.7E-05	6.05E-04	2.23E-08	14	4.71E-02	1.47E-08	1.0E+06	1.5E-02
179	179	7.38847	7.77E-06	5.7E-05	6.05E-04	3.47E-08	14	4.71E-02	2.29E-08	1.0E+06	2.3E-02
180	180	14.40203	7.77E-06	1.1E-04	6.05E-04	6.77E-08	14	4.71E-02	4.47E-08	1.0E+06	4.5E-02
192	192	5.38752	7.77E-06	4.2E-05	6.05E-04	2.53E-08	14	4.71E-02	1.67E-08	1.0E+06	1.7E-02
193	193	8.6827	7.77E-06	6.7E-05	6.05E-04	4.08E-08	14	4.71E-02	2.69E-08	1.0E+06	2.7E-02
194	194	12.64396	7.77E-06	9.8E-05	6.05E-04	5.95E-08	14	4.71E-02	3.92E-08	1.0E+06	3.9E-02
207	207	6.05638	7.77E-06	4.7E-05	6.05E-04	2.85E-08	14	4.71E-02	1.88E-08	1.0E+06	1.9E-02
208	208	10.23666	7.77E-06	8.0E-05	6.05E-04	4.81E-08	14	4.71E-02	3.18E-08	1.0E+06	3.2E-02
209	209	15.31971	7.77E-06	1.2E-04	6.05E-04	7.20E-08	14	4.71E-02	4.75E-08	1.0E+06	4.8E-02
223	223	6.73893	7.77E-06	5.2E-05	6.05E-04	3.17E-08	14	4.71E-02	2.09E-08	1.0E+06	2.1E-02
224	224	12.10547	7.77E-06	9.4E-05	6.05E-04	5.69E-08	14	4.71E-02	3.76E-08	1.0E+06	3.8E-02
225	225	18.5802	7.77E-06	1.4E-04	6.05E-04	8.74E-08	14	4.71E-02	5.77E-08	1.0E+06	5.8E-02
239	239	7.41497	7.77E-06	5.8E-05	6.05E-04	3.49E-08	14	4.71E-02	2.30E-08	1.0E+06	2.3E-02
240	240	14.37832	7.77E-06	1.1E-04	6.05E-04	6.76E-08	14	4.71E-02	4.46E-08	1.0E+06	4.5E-02
241	241	13.9368	7.77E-06	1.1E-04	6.05E-04	6.55E-08	14	4.71E-02	4.33E-08	1.0E+06	4.3E-02
255	255	8.02516	7.77E-06	6.2E-05	6.05E-04	3.77E-08	14	4.71E-02	2.49E-08	1.0E+06	2.5E-02
256	256	17.09985	7.77E-06	1.3E-04	6.05E-04	8.04E-08	14	4.71E-02	5.31E-08	1.0E+06	5.3E-02
272	272	8.41761	7.77E-06	6.5E-05	6.05E-04	3.96E-08	14	4.71E-02	2.61E-08	1.0E+06	2.6E-02
273	273	12.74015	7.77E-06	9.9E-05	6.05E-04	5.99E-08	14	4.71E-02	3.95E-08	1.0E+06	4.0E-02
289	289	8.39723	7.77E-06	6.5E-05	6.05E-04	3.95E-08	14	4.71E-02	2.61E-08	1.0E+06	2.6E-02
290	290	13.04529	7.77E-06	1.0E-04	6.05E-04	6.13E-08	14	4.71E-02	4.05E-08	1.0E+06	4.0E-02
306	306	7.7813	7.77E-06	6.0E-05	6.05E-04	3.66E-08	14	4.71E-02	2.41E-08	1.0E+06	2.4E-02
307	307	12.10727	7.77E-06	9.4E-05	6.05E-04	5.69E-08	14	4.71E-02	3.76E-08	1.0E+06	3.8E-02
323	323	6.50358	7.77E-06	5.1E-05	6.05E-04	3.06E-08	14	4.71E-02	2.02E-08	1.0E+06	2.0E-02
324	324	14.66352	7.77E-06	1.1E-04	6.05E-04	6.90E-08	14	4.71E-02	4.55E-08	1.0E+06	4.6E-02
342	342	4.92728	7.77E-06	3.8E-05	6.05E-04	2.32E-08	14	4.71E-02	1.53E-08	1.0E+06	1.5E-02
343	343	8.77619	7.77E-06	6.8E-05	6.05E-04	4.13E-08	14	4.71E-02	2.72E-08	1.0E+06	2.7E-02
344	344	6.71476	7.77E-06	5.2E-05	6.05E-04	3.16E-08	14	4.71E-02	2.08E-08	1.0E+06	2.1E-02
356	356	3.63231	7.77E-06	2.8E-05	6.05E-04	1.71E-08	14	4.71E-02	1.13E-08	1.0E+06	1.1E-02
357	357	5.21489	7.77E-06	4.1E-05	6.05E-04	2.45E-08	14	4.71E-02	1.62E-08	1.0E+06	1.6E-02
358	358	6.7265	7.77E-06	5.2E-05	6.05E-04	3.16E-08	14	4.71E-02	2.09E-08	1.0E+06	2.1E-02

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
370	370	2.74627	7.77E-06	2.1E-05	6.05E-04	1.29E-08	14	4.71E-02	8.52E-09	1.0E+06	8.5E-03
371	371	3.50872	7.77E-06	2.7E-05	6.05E-04	1.65E-08	14	4.71E-02	1.09E-08	1.0E+06	1.1E-02
372	372	4.11841	7.77E-06	3.2E-05	6.05E-04	1.94E-08	14	4.71E-02	1.28E-08	1.0E+06	1.3E-02
383	383	2.1479	7.77E-06	1.7E-05	6.05E-04	1.01E-08	14	4.71E-02	6.67E-09	1.0E+06	6.7E-03
384	384	2.56895	7.77E-06	2.0E-05	6.05E-04	1.21E-08	14	4.71E-02	7.97E-09	1.0E+06	8.0E-03
385	385	2.8865	7.77E-06	2.2E-05	6.05E-04	1.36E-08	14	4.71E-02	8.96E-09	1.0E+06	9.0E-03
396	396	1.73073	7.77E-06	1.3E-05	6.05E-04	8.14E-09	14	4.71E-02	5.37E-09	1.0E+06	5.4E-03
397	397	1.98761	7.77E-06	1.5E-05	6.05E-04	9.35E-09	14	4.71E-02	6.17E-09	1.0E+06	6.2E-03
398	398	2.17895	7.77E-06	1.7E-05	6.05E-04	1.02E-08	14	4.71E-02	6.76E-09	1.0E+06	6.8E-03
399	399	2.20871	7.77E-06	1.7E-05	6.05E-04	1.04E-08	14	4.71E-02	6.85E-09	1.0E+06	6.9E-03
411	411	1.42933	7.77E-06	1.1E-05	6.05E-04	6.72E-09	14	4.71E-02	4.44E-09	1.0E+06	4.4E-03
412	412	1.59802	7.77E-06	1.2E-05	6.05E-04	7.51E-09	14	4.71E-02	4.96E-09	1.0E+06	5.0E-03
413	413	1.72348	7.77E-06	1.3E-05	6.05E-04	8.10E-09	14	4.71E-02	5.35E-09	1.0E+06	5.3E-03
414	414	1.75826	7.77E-06	1.4E-05	6.05E-04	8.27E-09	14	4.71E-02	5.46E-09	1.0E+06	5.5E-03
426	426	1.20395	7.77E-06	9.4E-06	6.05E-04	5.66E-09	14	4.71E-02	3.74E-09	1.0E+06	3.7E-03
427	427	1.32205	7.77E-06	1.0E-05	6.05E-04	6.22E-09	14	4.71E-02	4.10E-09	1.0E+06	4.1E-03
428	428	1.40869	7.77E-06	1.1E-05	6.05E-04	6.62E-09	14	4.71E-02	4.37E-09	1.0E+06	4.4E-03
429	429	1.44159	7.77E-06	1.1E-05	6.05E-04	6.78E-09	14	4.71E-02	4.47E-09	1.0E+06	4.5E-03
439	439	1.03091	7.77E-06	8.0E-06	6.05E-04	4.85E-09	14	4.71E-02	3.20E-09	1.0E+06	3.2E-03
440	440	1.11651	7.77E-06	8.7E-06	6.05E-04	5.25E-09	14	4.71E-02	3.47E-09	1.0E+06	3.5E-03
441	441	1.18063	7.77E-06	9.2E-06	6.05E-04	5.55E-09	14	4.71E-02	3.66E-09	1.0E+06	3.7E-03
442	442	1.20862	7.77E-06	9.4E-06	6.05E-04	5.68E-09	14	4.71E-02	3.75E-09	1.0E+06	3.8E-03
443	443	1.19122	7.77E-06	9.3E-06	6.05E-04	5.60E-09	14	4.71E-02	3.70E-09	1.0E+06	3.7E-03
454	454	0.89463	7.77E-06	7.0E-06	6.05E-04	4.21E-09	14	4.71E-02	2.78E-09	1.0E+06	2.8E-03
455	455	0.95876	7.77E-06	7.5E-06	6.05E-04	4.51E-09	14	4.71E-02	2.98E-09	1.0E+06	3.0E-03
456	456	1.0073	7.77E-06	7.8E-06	6.05E-04	4.74E-09	14	4.71E-02	3.13E-09	1.0E+06	3.1E-03
457	457	1.03135	7.77E-06	8.0E-06	6.05E-04	4.85E-09	14	4.71E-02	3.20E-09	1.0E+06	3.2E-03
458	458	1.02404	7.77E-06	8.0E-06	6.05E-04	4.82E-09	14	4.71E-02	3.18E-09	1.0E+06	3.2E-03
469	469	0.78538	7.77E-06	6.1E-06	6.05E-04	3.69E-09	14	4.71E-02	2.44E-09	1.0E+06	2.4E-03
470	470	0.83505	7.77E-06	6.5E-06	6.05E-04	3.93E-09	14	4.71E-02	2.59E-09	1.0E+06	2.6E-03
471	471	0.87278	7.77E-06	6.8E-06	6.05E-04	4.10E-09	14	4.71E-02	2.71E-09	1.0E+06	2.7E-03

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
472	472	0.89332	7.77E-06	6.9E-06	6.05E-04	4.20E-09	14	4.71E-02	2.77E-09	1.0E+06	2.8E-03
473	473	0.89152	7.77E-06	6.9E-06	6.05E-04	4.19E-09	14	4.71E-02	2.77E-09	1.0E+06	2.8E-03
489	489	0.69682	7.77E-06	5.4E-06	6.05E-04	3.28E-09	14	4.71E-02	2.16E-09	1.0E+06	2.2E-03
490	490	0.73491	7.77E-06	5.7E-06	6.05E-04	3.46E-09	14	4.71E-02	2.28E-09	1.0E+06	2.3E-03
491	491	0.76509	7.77E-06	5.9E-06	6.05E-04	3.60E-09	14	4.71E-02	2.37E-09	1.0E+06	2.4E-03
492	492	0.78262	7.77E-06	6.1E-06	6.05E-04	3.68E-09	14	4.71E-02	2.43E-09	1.0E+06	2.4E-03
493	493	0.78372	7.77E-06	6.1E-06	6.05E-04	3.69E-09	14	4.71E-02	2.43E-09	1.0E+06	2.4E-03
494	494	0.76737	7.77E-06	6.0E-06	6.05E-04	3.61E-09	14	4.71E-02	2.38E-09	1.0E+06	2.4E-03
509	509	0.62292	7.77E-06	4.8E-06	6.05E-04	2.93E-09	14	4.71E-02	1.93E-09	1.0E+06	1.9E-03
510	510	0.65335	7.77E-06	5.1E-06	6.05E-04	3.07E-09	14	4.71E-02	2.03E-09	1.0E+06	2.0E-03
511	511	0.678	7.77E-06	5.3E-06	6.05E-04	3.19E-09	14	4.71E-02	2.10E-09	1.0E+06	2.1E-03
512	512	0.69303	7.77E-06	5.4E-06	6.05E-04	3.26E-09	14	4.71E-02	2.15E-09	1.0E+06	2.2E-03
513	513	0.69552	7.77E-06	5.4E-06	6.05E-04	3.27E-09	14	4.71E-02	2.16E-09	1.0E+06	2.2E-03
514	514	0.68487	7.77E-06	5.3E-06	6.05E-04	3.22E-09	14	4.71E-02	2.13E-09	1.0E+06	2.1E-03
515	515	0.6285	7.77E-06	4.9E-06	6.05E-04	2.96E-09	14	4.71E-02	1.95E-09	1.0E+06	2.0E-03
516	516	0.58819	7.77E-06	4.6E-06	6.05E-04	2.77E-09	14	4.71E-02	1.83E-09	1.0E+06	1.8E-03
517	517	0.54605	7.77E-06	4.2E-06	6.05E-04	2.57E-09	14	4.71E-02	1.69E-09	1.0E+06	1.7E-03
518	518	0.5027	7.77E-06	3.9E-06	6.05E-04	2.36E-09	14	4.71E-02	1.56E-09	1.0E+06	1.6E-03
519	519	0.46461	7.77E-06	3.6E-06	6.05E-04	2.18E-09	14	4.71E-02	1.44E-09	1.0E+06	1.4E-03
528	528	0.56093	7.77E-06	4.4E-06	6.05E-04	2.64E-09	14	4.71E-02	1.74E-09	1.0E+06	1.7E-03
529	529	0.58571	7.77E-06	4.6E-06	6.05E-04	2.75E-09	14	4.71E-02	1.82E-09	1.0E+06	1.8E-03
530	530	0.60589	7.77E-06	4.7E-06	6.05E-04	2.85E-09	14	4.71E-02	1.88E-09	1.0E+06	1.9E-03
531	531	0.61894	7.77E-06	4.8E-06	6.05E-04	2.91E-09	14	4.71E-02	1.92E-09	1.0E+06	1.9E-03
532	532	0.62243	7.77E-06	4.8E-06	6.05E-04	2.93E-09	14	4.71E-02	1.93E-09	1.0E+06	1.9E-03
533	533	0.61543	7.77E-06	4.8E-06	6.05E-04	2.89E-09	14	4.71E-02	1.91E-09	1.0E+06	1.9E-03
534	534	0.57216	7.77E-06	4.4E-06	6.05E-04	2.69E-09	14	4.71E-02	1.78E-09	1.0E+06	1.8E-03
535	535	0.53933	7.77E-06	4.2E-06	6.05E-04	2.54E-09	14	4.71E-02	1.67E-09	1.0E+06	1.7E-03
536	536	0.50553	7.77E-06	3.9E-06	6.05E-04	2.38E-09	14	4.71E-02	1.57E-09	1.0E+06	1.6E-03
537	537	0.46821	7.77E-06	3.6E-06	6.05E-04	2.20E-09	14	4.71E-02	1.45E-09	1.0E+06	1.5E-03
538	538	0.43316	7.77E-06	3.4E-06	6.05E-04	2.04E-09	14	4.71E-02	1.34E-09	1.0E+06	1.3E-03
547	547	0.50827	7.77E-06	3.9E-06	6.05E-04	2.39E-09	14	4.71E-02	1.58E-09	1.0E+06	1.6E-03

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
548	548	0.52871	7.77E-06	4.1E-06	6.05E-04	2.49E-09	14	4.71E-02	1.64E-09	1.0E+06	1.6E-03
549	549	0.54571	7.77E-06	4.2E-06	6.05E-04	2.57E-09	14	4.71E-02	1.69E-09	1.0E+06	1.7E-03
550	550	0.55677	7.77E-06	4.3E-06	6.05E-04	2.62E-09	14	4.71E-02	1.73E-09	1.0E+06	1.7E-03
551	551	0.56075	7.77E-06	4.4E-06	6.05E-04	2.64E-09	14	4.71E-02	1.74E-09	1.0E+06	1.7E-03
552	552	0.55633	7.77E-06	4.3E-06	6.05E-04	2.62E-09	14	4.71E-02	1.73E-09	1.0E+06	1.7E-03
553	553	0.54363	7.77E-06	4.2E-06	6.05E-04	2.56E-09	14	4.71E-02	1.69E-09	1.0E+06	1.7E-03
554	554	0.52327	7.77E-06	4.1E-06	6.05E-04	2.46E-09	14	4.71E-02	1.62E-09	1.0E+06	1.6E-03
555	555	0.49765	7.77E-06	3.9E-06	6.05E-04	2.34E-09	14	4.71E-02	1.54E-09	1.0E+06	1.5E-03
556	556	0.46974	7.77E-06	3.7E-06	6.05E-04	2.21E-09	14	4.71E-02	1.46E-09	1.0E+06	1.5E-03
557	557	0.43721	7.77E-06	3.4E-06	6.05E-04	2.06E-09	14	4.71E-02	1.36E-09	1.0E+06	1.4E-03
558	558	0.40715	7.77E-06	3.2E-06	6.05E-04	1.91E-09	14	4.71E-02	1.26E-09	1.0E+06	1.3E-03
559	559	0.37794	7.77E-06	2.9E-06	6.05E-04	1.78E-09	14	4.71E-02	1.17E-09	1.0E+06	1.2E-03
567	567	0.46328	7.77E-06	3.6E-06	6.05E-04	2.18E-09	14	4.71E-02	1.44E-09	1.0E+06	1.4E-03
568	568	0.48043	7.77E-06	3.7E-06	6.05E-04	2.26E-09	14	4.71E-02	1.49E-09	1.0E+06	1.5E-03
569	569	0.49466	7.77E-06	3.8E-06	6.05E-04	2.33E-09	14	4.71E-02	1.54E-09	1.0E+06	1.5E-03
570	570	0.50448	7.77E-06	3.9E-06	6.05E-04	2.37E-09	14	4.71E-02	1.57E-09	1.0E+06	1.6E-03
571	571	0.50847	7.77E-06	4.0E-06	6.05E-04	2.39E-09	14	4.71E-02	1.58E-09	1.0E+06	1.6E-03
572	572	0.50586	7.77E-06	3.9E-06	6.05E-04	2.38E-09	14	4.71E-02	1.57E-09	1.0E+06	1.6E-03
573	573	0.49639	7.77E-06	3.9E-06	6.05E-04	2.33E-09	14	4.71E-02	1.54E-09	1.0E+06	1.5E-03
574	574	0.45975	7.77E-06	3.6E-06	6.05E-04	2.16E-09	14	4.71E-02	1.43E-09	1.0E+06	1.4E-03
575	575	0.43651	7.77E-06	3.4E-06	6.05E-04	2.05E-09	14	4.71E-02	1.35E-09	1.0E+06	1.4E-03
576	576	0.41117	7.77E-06	3.2E-06	6.05E-04	1.93E-09	14	4.71E-02	1.28E-09	1.0E+06	1.3E-03
577	577	0.38531	7.77E-06	3.0E-06	6.05E-04	1.81E-09	14	4.71E-02	1.20E-09	1.0E+06	1.2E-03
578	578	0.35896	7.77E-06	2.8E-06	6.05E-04	1.69E-09	14	4.71E-02	1.11E-09	1.0E+06	1.1E-03
586	586	0.42421	7.77E-06	3.3E-06	6.05E-04	1.99E-09	14	4.71E-02	1.32E-09	1.0E+06	1.3E-03
587	587	0.43864	7.77E-06	3.4E-06	6.05E-04	2.06E-09	14	4.71E-02	1.36E-09	1.0E+06	1.4E-03
588	588	0.45084	7.77E-06	3.5E-06	6.05E-04	2.12E-09	14	4.71E-02	1.40E-09	1.0E+06	1.4E-03
589	589	0.45944	7.77E-06	3.6E-06	6.05E-04	2.16E-09	14	4.71E-02	1.43E-09	1.0E+06	1.4E-03
590	590	0.46342	7.77E-06	3.6E-06	6.05E-04	2.18E-09	14	4.71E-02	1.44E-09	1.0E+06	1.4E-03
591	591	0.46229	7.77E-06	3.6E-06	6.05E-04	2.17E-09	14	4.71E-02	1.43E-09	1.0E+06	1.4E-03
592	592	0.45511	7.77E-06	3.5E-06	6.05E-04	2.14E-09	14	4.71E-02	1.41E-09	1.0E+06	1.4E-03

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
593	593	0.42573	7.77E-06	3.3E-06	6.05E-04	2.00E-09	14	4.71E-02	1.32E-09	1.0E+06	1.3E-03
594	594	0.40649	7.77E-06	3.2E-06	6.05E-04	1.91E-09	14	4.71E-02	1.26E-09	1.0E+06	1.3E-03
595	595	0.38411	7.77E-06	3.0E-06	6.05E-04	1.81E-09	14	4.71E-02	1.19E-09	1.0E+06	1.2E-03
596	596	0.36139	7.77E-06	2.8E-06	6.05E-04	1.70E-09	14	4.71E-02	1.12E-09	1.0E+06	1.1E-03
597	597	0.33906	7.77E-06	2.6E-06	6.05E-04	1.59E-09	14	4.71E-02	1.05E-09	1.0E+06	1.1E-03
345	345	10.46487	7.77E-06	8.1E-05	6.05E-04	4.92E-08	14	4.71E-02	3.25E-08	1.0E+06	3.2E-02
346	346	5.85363	7.77E-06	4.5E-05	6.05E-04	2.75E-08	14	4.71E-02	1.82E-08	1.0E+06	1.8E-02
347	347	3.93137	7.77E-06	3.1E-05	6.05E-04	1.85E-08	14	4.71E-02	1.22E-08	1.0E+06	1.2E-02
348	348	2.90115	7.77E-06	2.3E-05	6.05E-04	1.36E-08	14	4.71E-02	9.00E-09	1.0E+06	9.0E-03
359	359	6.0333	7.77E-06	4.7E-05	6.05E-04	2.84E-08	14	4.71E-02	1.87E-08	1.0E+06	1.9E-02
360	360	4.34781	7.77E-06	3.4E-05	6.05E-04	2.04E-08	14	4.71E-02	1.35E-08	1.0E+06	1.3E-02
361	361	3.18156	7.77E-06	2.5E-05	6.05E-04	1.50E-08	14	4.71E-02	9.87E-09	1.0E+06	9.9E-03
362	362	2.44094	7.77E-06	1.9E-05	6.05E-04	1.15E-08	14	4.71E-02	7.58E-09	1.0E+06	7.6E-03
363	363	1.94972	7.77E-06	1.5E-05	6.05E-04	9.17E-09	14	4.71E-02	6.05E-09	1.0E+06	6.1E-03
373	373	3.31693	7.77E-06	2.6E-05	6.05E-04	1.56E-08	14	4.71E-02	1.03E-08	1.0E+06	1.0E-02
374	374	2.61825	7.77E-06	2.0E-05	6.05E-04	1.23E-08	14	4.71E-02	8.13E-09	1.0E+06	8.1E-03
375	375	2.08513	7.77E-06	1.6E-05	6.05E-04	9.80E-09	14	4.71E-02	6.47E-09	1.0E+06	6.5E-03
376	376	1.70163	7.77E-06	1.3E-05	6.05E-04	8.00E-09	14	4.71E-02	5.28E-09	1.0E+06	5.3E-03
386	386	2.58378	7.77E-06	2.0E-05	6.05E-04	1.21E-08	14	4.71E-02	8.02E-09	1.0E+06	8.0E-03
387	387	2.17408	7.77E-06	1.7E-05	6.05E-04	1.02E-08	14	4.71E-02	6.75E-09	1.0E+06	6.7E-03
388	388	1.79823	7.77E-06	1.4E-05	6.05E-04	8.46E-09	14	4.71E-02	5.58E-09	1.0E+06	5.6E-03
389	389	1.50141	7.77E-06	1.2E-05	6.05E-04	7.06E-09	14	4.71E-02	4.66E-09	1.0E+06	4.7E-03
390	390	1.27521	7.77E-06	9.9E-06	6.05E-04	6.00E-09	14	4.71E-02	3.96E-09	1.0E+06	4.0E-03
400	400	2.06365	7.77E-06	1.6E-05	6.05E-04	9.70E-09	14	4.71E-02	6.40E-09	1.0E+06	6.4E-03
401	401	1.81695	7.77E-06	1.4E-05	6.05E-04	8.54E-09	14	4.71E-02	5.64E-09	1.0E+06	5.6E-03
402	402	1.56105	7.77E-06	1.2E-05	6.05E-04	7.34E-09	14	4.71E-02	4.84E-09	1.0E+06	4.8E-03
403	403	1.32984	7.77E-06	1.0E-05	6.05E-04	6.25E-09	14	4.71E-02	4.13E-09	1.0E+06	4.1E-03
404	404	1.14067	7.77E-06	8.9E-06	6.05E-04	5.36E-09	14	4.71E-02	3.54E-09	1.0E+06	3.5E-03
415	415	1.686	7.77E-06	1.3E-05	6.05E-04	7.93E-09	14	4.71E-02	5.23E-09	1.0E+06	5.2E-03
416	416	1.5369	7.77E-06	1.2E-05	6.05E-04	7.23E-09	14	4.71E-02	4.77E-09	1.0E+06	4.8E-03
417	417	1.35733	7.77E-06	1.1E-05	6.05E-04	6.38E-09	14	4.71E-02	4.21E-09	1.0E+06	4.2E-03

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
418	418	1.18857	7.77E-06	9.2E-06	6.05E-04	5.59E-09	14	4.71E-02	3.69E-09	1.0E+06	3.7E-03
419	419	1.0392	7.77E-06	8.1E-06	6.05E-04	4.89E-09	14	4.71E-02	3.23E-09	1.0E+06	3.2E-03
420	420	0.8984	7.77E-06	7.0E-06	6.05E-04	4.22E-09	14	4.71E-02	2.79E-09	1.0E+06	2.8E-03
430	430	1.31134	7.77E-06	1.0E-05	6.05E-04	6.17E-09	14	4.71E-02	4.07E-09	1.0E+06	4.1E-03
431	431	1.18913	7.77E-06	9.2E-06	6.05E-04	5.59E-09	14	4.71E-02	3.69E-09	1.0E+06	3.7E-03
432	432	1.06018	7.77E-06	8.2E-06	6.05E-04	4.99E-09	14	4.71E-02	3.29E-09	1.0E+06	3.3E-03
433	433	0.93938	7.77E-06	7.3E-06	6.05E-04	4.42E-09	14	4.71E-02	2.92E-09	1.0E+06	2.9E-03
434	434	0.83167	7.77E-06	6.5E-06	6.05E-04	3.91E-09	14	4.71E-02	2.58E-09	1.0E+06	2.6E-03
444	444	1.13218	7.77E-06	8.8E-06	6.05E-04	5.32E-09	14	4.71E-02	3.51E-09	1.0E+06	3.5E-03
445	445	1.04484	7.77E-06	8.1E-06	6.05E-04	4.91E-09	14	4.71E-02	3.24E-09	1.0E+06	3.2E-03
446	446	0.94771	7.77E-06	7.4E-06	6.05E-04	4.46E-09	14	4.71E-02	2.94E-09	1.0E+06	2.9E-03
447	447	0.85158	7.77E-06	6.6E-06	6.05E-04	4.00E-09	14	4.71E-02	2.64E-09	1.0E+06	2.6E-03
448	448	0.76221	7.77E-06	5.9E-06	6.05E-04	3.58E-09	14	4.71E-02	2.37E-09	1.0E+06	2.4E-03
459	459	0.92402	7.77E-06	7.2E-06	6.05E-04	4.34E-09	14	4.71E-02	2.87E-09	1.0E+06	2.9E-03
460	460	0.85014	7.77E-06	6.6E-06	6.05E-04	4.00E-09	14	4.71E-02	2.64E-09	1.0E+06	2.6E-03
461	461	0.77305	7.77E-06	6.0E-06	6.05E-04	3.64E-09	14	4.71E-02	2.40E-09	1.0E+06	2.4E-03
462	462	0.69896	7.77E-06	5.4E-06	6.05E-04	3.29E-09	14	4.71E-02	2.17E-09	1.0E+06	2.2E-03
463	463	0.62649	7.77E-06	4.9E-06	6.05E-04	2.95E-09	14	4.71E-02	1.94E-09	1.0E+06	1.9E-03
474	474	0.82168	7.77E-06	6.4E-06	6.05E-04	3.86E-09	14	4.71E-02	2.55E-09	1.0E+06	2.6E-03
475	475	0.76482	7.77E-06	5.9E-06	6.05E-04	3.60E-09	14	4.71E-02	2.37E-09	1.0E+06	2.4E-03
476	476	0.70428	7.77E-06	5.5E-06	6.05E-04	3.31E-09	14	4.71E-02	2.19E-09	1.0E+06	2.2E-03
477	477	0.64144	7.77E-06	5.0E-06	6.05E-04	3.02E-09	14	4.71E-02	1.99E-09	1.0E+06	2.0E-03
478	478	0.581	7.77E-06	4.5E-06	6.05E-04	2.73E-09	14	4.71E-02	1.80E-09	1.0E+06	1.8E-03
495	495	0.73544	7.77E-06	5.7E-06	6.05E-04	3.46E-09	14	4.71E-02	2.28E-09	1.0E+06	2.3E-03
496	496	0.69166	7.77E-06	5.4E-06	6.05E-04	3.25E-09	14	4.71E-02	2.15E-09	1.0E+06	2.1E-03
497	497	0.64307	7.77E-06	5.0E-06	6.05E-04	3.02E-09	14	4.71E-02	2.00E-09	1.0E+06	2.0E-03
498	498	0.59145	7.77E-06	4.6E-06	6.05E-04	2.78E-09	14	4.71E-02	1.84E-09	1.0E+06	1.8E-03
499	499	0.54002	7.77E-06	4.2E-06	6.05E-04	2.54E-09	14	4.71E-02	1.68E-09	1.0E+06	1.7E-03
500	500	0.49331	7.77E-06	3.8E-06	6.05E-04	2.32E-09	14	4.71E-02	1.53E-09	1.0E+06	1.5E-03

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	5.9902	7.77E-06	4.7E-05	6.05E-04	2.82E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
140	140	6.25841	7.77E-06	4.9E-05	6.05E-04	2.94E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
156	156	8.46083	7.77E-06	6.6E-05	6.05E-04	3.98E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
157	157	12.39535	7.77E-06	9.6E-05	6.05E-04	5.83E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
158	158	8.16831	7.77E-06	6.3E-05	6.05E-04	3.84E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
159	159	16.15119	7.77E-06	1.3E-04	6.05E-04	7.59E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
160	160	8.3914	7.77E-06	6.5E-05	6.05E-04	3.95E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
161	161	4.22029	7.77E-06	3.3E-05	6.05E-04	1.98E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
162	162	3.31048	7.77E-06	2.6E-05	6.05E-04	1.56E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
163	163	2.65622	7.77E-06	2.1E-05	6.05E-04	1.25E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
167	167	10.16422	7.77E-06	7.9E-05	6.05E-04	4.78E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
168	168	11.22706	7.77E-06	8.7E-05	6.05E-04	5.28E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
169	169	15.35931	7.77E-06	1.2E-04	6.05E-04	7.22E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
170	170	8.44339	7.77E-06	6.6E-05	6.05E-04	3.97E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
171	171	5.68282	7.77E-06	4.4E-05	6.05E-04	2.67E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
172	172	4.25558	7.77E-06	3.3E-05	6.05E-04	2.00E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
173	173	3.31695	7.77E-06	2.6E-05	6.05E-04	1.56E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
174	174	2.67555	7.77E-06	2.1E-05	6.05E-04	1.26E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
175	175	2.2186	7.77E-06	1.7E-05	6.05E-04	1.04E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
176	176	1.86939	7.77E-06	1.5E-05	6.05E-04	8.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
177	177	1.59709	7.77E-06	1.2E-05	6.05E-04	7.51E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
181	181	12.33289	7.77E-06	9.6E-05	6.05E-04	5.80E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
182	182	13.92163	7.77E-06	1.1E-04	6.05E-04	6.55E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
183	183	8.28924	7.77E-06	6.4E-05	6.05E-04	3.90E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
184	184	5.63439	7.77E-06	4.4E-05	6.05E-04	2.65E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
185	185	4.19359	7.77E-06	3.3E-05	6.05E-04	1.97E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
186	186	3.26716	7.77E-06	2.5E-05	6.05E-04	1.54E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
187	187	2.61673	7.77E-06	2.0E-05	6.05E-04	1.23E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
188	188	2.16249	7.77E-06	1.7E-05	6.05E-04	1.02E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
189	189	1.82764	7.77E-06	1.4E-05	6.05E-04	8.59E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
190	190	1.55507	7.77E-06	1.2E-05	6.05E-04	7.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
191	191	1.34207	7.77E-06	1.0E-05	6.05E-04	6.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
195	195	23.90888	7.77E-06	1.9E-04	6.05E-04	1.12E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
196	196	12.40007	7.77E-06	9.6E-05	6.05E-04	5.83E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
197	197	7.78557	7.77E-06	6.1E-05	6.05E-04	3.66E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
198	198	5.50208	7.77E-06	4.3E-05	6.05E-04	2.59E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
199	199	4.0791	7.77E-06	3.2E-05	6.05E-04	1.92E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
200	200	3.18889	7.77E-06	2.5E-05	6.05E-04	1.50E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
201	201	2.57203	7.77E-06	2.0E-05	6.05E-04	1.21E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
202	202	2.11765	7.77E-06	1.6E-05	6.05E-04	9.96E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
203	203	1.77164	7.77E-06	1.4E-05	6.05E-04	8.33E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
204	204	1.50959	7.77E-06	1.2E-05	6.05E-04	7.10E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
205	205	1.29176	7.77E-06	1.0E-05	6.05E-04	6.07E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
206	206	1.11537	7.77E-06	8.7E-06	6.05E-04	5.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
210	210	14.54919	7.77E-06	1.1E-04	6.05E-04	6.84E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
211	211	20.09995	7.77E-06	1.6E-04	6.05E-04	9.45E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
212	212	11.14904	7.77E-06	8.7E-05	6.05E-04	5.24E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
213	213	7.37226	7.77E-06	5.7E-05	6.05E-04	3.47E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
214	214	3.95082	7.77E-06	3.1E-05	6.05E-04	1.86E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
215	215	3.08859	7.77E-06	2.4E-05	6.05E-04	1.45E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
216	216	2.48571	7.77E-06	1.9E-05	6.05E-04	1.17E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
217	217	2.03785	7.77E-06	1.6E-05	6.05E-04	9.58E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
218	218	1.70905	7.77E-06	1.3E-05	6.05E-04	8.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
219	219	1.44235	7.77E-06	1.1E-05	6.05E-04	6.78E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
220	220	1.23061	7.77E-06	9.6E-06	6.05E-04	5.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
221	221	1.06054	7.77E-06	8.2E-06	6.05E-04	4.99E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
222	222	0.90743	7.77E-06	7.1E-06	6.05E-04	4.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
226	226	14.64509	7.77E-06	1.1E-04	6.05E-04	6.89E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
227	227	17.95395	7.77E-06	1.4E-04	6.05E-04	8.44E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
228	228	10.40728	7.77E-06	8.1E-05	6.05E-04	4.89E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
229	229	6.98265	7.77E-06	5.4E-05	6.05E-04	3.28E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
230	230	5.02588	7.77E-06	3.9E-05	6.05E-04	2.36E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
231	231	3.74657	7.77E-06	2.9E-05	6.05E-04	1.76E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
232	232	2.92762	7.77E-06	2.3E-05	6.05E-04	1.38E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
233	233	1.93489	7.77E-06	1.5E-05	6.05E-04	9.10E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
234	234	1.60543	7.77E-06	1.2E-05	6.05E-04	7.55E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
235	235	1.35208	7.77E-06	1.1E-05	6.05E-04	6.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
236	236	1.16039	7.77E-06	9.0E-06	6.05E-04	5.46E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
237	237	0.99943	7.77E-06	7.8E-06	6.05E-04	4.70E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
238	238	0.86909	7.77E-06	6.8E-06	6.05E-04	4.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
242	242	21.73997	7.77E-06	1.7E-04	6.05E-04	1.02E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
243	243	16.05149	7.77E-06	1.2E-04	6.05E-04	7.55E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
244	244	9.41315	7.77E-06	7.3E-05	6.05E-04	4.43E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
245	245	6.4947	7.77E-06	5.0E-05	6.05E-04	3.05E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
246	246	4.71212	7.77E-06	3.7E-05	6.05E-04	2.22E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
247	247	3.57842	7.77E-06	2.8E-05	6.05E-04	1.68E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
248	248	2.78764	7.77E-06	2.2E-05	6.05E-04	1.31E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
249	249	1.80842	7.77E-06	1.4E-05	6.05E-04	8.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
250	250	1.48725	7.77E-06	1.2E-05	6.05E-04	6.99E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
251	251	1.25178	7.77E-06	9.7E-06	6.05E-04	5.89E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
252	252	1.07696	7.77E-06	8.4E-06	6.05E-04	5.06E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
253	253	0.92761	7.77E-06	7.2E-06	6.05E-04	4.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
254	254	0.80915	7.77E-06	6.3E-06	6.05E-04	3.80E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
257	257	19.67747	7.77E-06	1.5E-04	6.05E-04	9.25E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
258	258	14.33459	7.77E-06	1.1E-04	6.05E-04	6.74E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
259	259	8.83421	7.77E-06	6.9E-05	6.05E-04	4.15E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
260	260	5.98388	7.77E-06	4.7E-05	6.05E-04	2.81E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
261	261	4.42519	7.77E-06	3.4E-05	6.05E-04	2.08E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
262	262	3.33448	7.77E-06	2.6E-05	6.05E-04	1.57E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
263	263	2.58727	7.77E-06	2.0E-05	6.05E-04	1.22E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
264	264	1.67359	7.77E-06	1.3E-05	6.05E-04	7.87E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
265	265	1.38654	7.77E-06	1.1E-05	6.05E-04	6.52E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
266	266	1.16907	7.77E-06	9.1E-06	6.05E-04	5.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	1.00018	7.77E-06	7.8E-06	6.05E-04	4.70E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
268	268	0.86406	7.77E-06	6.7E-06	6.05E-04	4.06E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
269	269	0.75708	7.77E-06	5.9E-06	6.05E-04	3.56E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
270	270	0.53233	7.77E-06	4.1E-06	6.05E-04	2.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
271	271	0.48029	7.77E-06	3.7E-06	6.05E-04	2.26E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
274	274	25.14308	7.77E-06	2.0E-04	6.05E-04	1.18E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
275	275	12.99252	7.77E-06	1.0E-04	6.05E-04	6.11E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
276	276	8.1596	7.77E-06	6.3E-05	6.05E-04	3.84E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
277	277	5.5174	7.77E-06	4.3E-05	6.05E-04	2.59E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
278	278	4.01966	7.77E-06	3.1E-05	6.05E-04	1.89E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
279	279	3.01602	7.77E-06	2.3E-05	6.05E-04	1.42E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
280	280	2.30961	7.77E-06	1.8E-05	6.05E-04	1.09E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
281	281	1.50348	7.77E-06	1.2E-05	6.05E-04	7.07E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
282	282	1.24999	7.77E-06	9.7E-06	6.05E-04	5.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
283	283	1.05782	7.77E-06	8.2E-06	6.05E-04	4.97E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
284	284	0.91673	7.77E-06	7.1E-06	6.05E-04	4.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
285	285	0.80437	7.77E-06	6.3E-06	6.05E-04	3.78E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
286	286	0.71383	7.77E-06	5.5E-06	6.05E-04	3.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
287	287	0.49471	7.77E-06	3.8E-06	6.05E-04	2.33E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
288	288	0.45689	7.77E-06	3.6E-06	6.05E-04	2.15E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
291	291	23.03969	7.77E-06	1.8E-04	6.05E-04	1.08E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
292	292	11.82732	7.77E-06	9.2E-05	6.05E-04	5.56E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
293	293	7.36294	7.77E-06	5.7E-05	6.05E-04	3.46E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
294	294	4.9507	7.77E-06	3.8E-05	6.05E-04	2.33E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
295	295	3.53637	7.77E-06	2.7E-05	6.05E-04	1.66E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
296	296	2.65933	7.77E-06	2.1E-05	6.05E-04	1.25E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
297	297	2.08833	7.77E-06	1.6E-05	6.05E-04	9.82E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
298	298	1.36306	7.77E-06	1.1E-05	6.05E-04	6.41E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
299	299	1.14366	7.77E-06	8.9E-06	6.05E-04	5.38E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
300	300	0.97319	7.77E-06	7.6E-06	6.05E-04	4.58E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
301	301	0.85	7.77E-06	6.6E-06	6.05E-04	4.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
302	302	0.75016	7.77E-06	5.8E-06	6.05E-04	3.53E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
303	303	0.66917	7.77E-06	5.2E-06	6.05E-04	3.15E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
304	304	0.47419	7.77E-06	3.7E-06	6.05E-04	2.23E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
305	305	0.43507	7.77E-06	3.4E-06	6.05E-04	2.05E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
308	308	21.81583	7.77E-06	1.7E-04	6.05E-04	1.03E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
309	309	10.4555	7.77E-06	8.1E-05	6.05E-04	4.92E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
310	310	6.29666	7.77E-06	4.9E-05	6.05E-04	2.96E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
311	311	4.22443	7.77E-06	3.3E-05	6.05E-04	1.99E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
312	312	3.08621	7.77E-06	2.4E-05	6.05E-04	1.45E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
313	313	2.34561	7.77E-06	1.8E-05	6.05E-04	1.10E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
314	314	1.85382	7.77E-06	1.4E-05	6.05E-04	8.72E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
315	315	1.24835	7.77E-06	9.7E-06	6.05E-04	5.87E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
316	316	1.06629	7.77E-06	8.3E-06	6.05E-04	5.01E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
317	317	0.89976	7.77E-06	7.0E-06	6.05E-04	4.23E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
318	318	0.79689	7.77E-06	6.2E-06	6.05E-04	3.75E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
319	319	0.70212	7.77E-06	5.5E-06	6.05E-04	3.30E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
320	320	0.6238	7.77E-06	4.8E-06	6.05E-04	2.93E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
321	321	0.45526	7.77E-06	3.5E-06	6.05E-04	2.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
322	322	0.41505	7.77E-06	3.2E-06	6.05E-04	1.95E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
325	325	9.57866	7.77E-06	7.4E-05	6.05E-04	4.50E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
326	326	8.20821	7.77E-06	6.4E-05	6.05E-04	3.86E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
327	327	5.01843	7.77E-06	3.9E-05	6.05E-04	2.36E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
328	328	3.50143	7.77E-06	2.7E-05	6.05E-04	1.65E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
329	329	2.61121	7.77E-06	2.0E-05	6.05E-04	1.23E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
330	330	2.05626	7.77E-06	1.6E-05	6.05E-04	9.67E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
331	331	1.65686	7.77E-06	1.3E-05	6.05E-04	7.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
332	332	1.3768	7.77E-06	1.1E-05	6.05E-04	6.47E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
333	333	1.14824	7.77E-06	8.9E-06	6.05E-04	5.40E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
334	334	0.98169	7.77E-06	7.6E-06	6.05E-04	4.62E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
335	335	0.84964	7.77E-06	6.6E-06	6.05E-04	4.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
336	336	0.74461	7.77E-06	5.8E-06	6.05E-04	3.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	0.65907	7.77E-06	5.1E-06	6.05E-04	3.10E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
338	338	0.59323	7.77E-06	4.6E-06	6.05E-04	2.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
339	339	0.46845	7.77E-06	3.6E-06	6.05E-04	2.20E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
340	340	0.43404	7.77E-06	3.4E-06	6.05E-04	2.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
341	341	0.39692	7.77E-06	3.1E-06	6.05E-04	1.87E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
349	349	2.24835	7.77E-06	1.7E-05	6.05E-04	1.06E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
350	350	1.80361	7.77E-06	1.4E-05	6.05E-04	8.48E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
351	351	1.46989	7.77E-06	1.1E-05	6.05E-04	6.91E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
352	352	1.24759	7.77E-06	9.7E-06	6.05E-04	5.87E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
353	353	0.44611	7.77E-06	3.5E-06	6.05E-04	2.10E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
354	354	0.41472	7.77E-06	3.2E-06	6.05E-04	1.95E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
355	355	0.38042	7.77E-06	3.0E-06	6.05E-04	1.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
364	364	1.5992	7.77E-06	1.2E-05	6.05E-04	7.52E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
365	365	1.33517	7.77E-06	1.0E-05	6.05E-04	6.28E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
366	366	1.12928	7.77E-06	8.8E-06	6.05E-04	5.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
367	367	0.4296	7.77E-06	3.3E-06	6.05E-04	2.02E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
368	368	0.39332	7.77E-06	3.1E-06	6.05E-04	1.85E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
369	369	0.36473	7.77E-06	2.8E-06	6.05E-04	1.72E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
377	377	1.42592	7.77E-06	1.1E-05	6.05E-04	6.70E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
378	378	1.20569	7.77E-06	9.4E-06	6.05E-04	5.67E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
379	379	1.03065	7.77E-06	8.0E-06	6.05E-04	4.85E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
380	380	0.4057	7.77E-06	3.2E-06	6.05E-04	1.91E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
381	381	0.37084	7.77E-06	2.9E-06	6.05E-04	1.74E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
382	382	0.34304	7.77E-06	2.7E-06	6.05E-04	1.61E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
391	391	1.08991	7.77E-06	8.5E-06	6.05E-04	5.12E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
392	392	0.93341	7.77E-06	7.3E-06	6.05E-04	4.39E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
393	393	0.38659	7.77E-06	3.0E-06	6.05E-04	1.82E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
394	394	0.35516	7.77E-06	2.8E-06	6.05E-04	1.67E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
395	395	0.3295	7.77E-06	2.6E-06	6.05E-04	1.55E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
405	405	0.99206	7.77E-06	7.7E-06	6.05E-04	4.66E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
406	406	0.86479	7.77E-06	6.7E-06	6.05E-04	4.07E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
407	407	0.76443	7.77E-06	5.9E-06	6.05E-04	3.59E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
408	408	0.36969	7.77E-06	2.9E-06	6.05E-04	1.74E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
409	409	0.33995	7.77E-06	2.6E-06	6.05E-04	1.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
410	410	0.32206	7.77E-06	2.5E-06	6.05E-04	1.51E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
421	421	0.79639	7.77E-06	6.2E-06	6.05E-04	3.74E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
422	422	0.70517	7.77E-06	5.5E-06	6.05E-04	3.32E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
423	423	0.35312	7.77E-06	2.7E-06	6.05E-04	1.66E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
424	424	0.32581	7.77E-06	2.5E-06	6.05E-04	1.53E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
425	425	0.30906	7.77E-06	2.4E-06	6.05E-04	1.45E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
435	435	0.73035	7.77E-06	5.7E-06	6.05E-04	3.43E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
436	436	0.65595	7.77E-06	5.1E-06	6.05E-04	3.08E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
437	437	0.31272	7.77E-06	2.4E-06	6.05E-04	1.47E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
438	438	0.29116	7.77E-06	2.3E-06	6.05E-04	1.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
449	449	0.67467	7.77E-06	5.2E-06	6.05E-04	3.17E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
450	450	0.6133	7.77E-06	4.8E-06	6.05E-04	2.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
451	451	0.55292	7.77E-06	4.3E-06	6.05E-04	2.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
452	452	0.29953	7.77E-06	2.3E-06	6.05E-04	1.41E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
453	453	0.27916	7.77E-06	2.2E-06	6.05E-04	1.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
464	464	0.56865	7.77E-06	4.4E-06	6.05E-04	2.67E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
465	465	0.51573	7.77E-06	4.0E-06	6.05E-04	2.43E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
466	466	0.33576	7.77E-06	2.6E-06	6.05E-04	1.58E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
467	467	0.2873	7.77E-06	2.2E-06	6.05E-04	1.35E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
468	468	0.26822	7.77E-06	2.1E-06	6.05E-04	1.26E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
479	479	0.52331	7.77E-06	4.1E-06	6.05E-04	2.46E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
480	480	0.48063	7.77E-06	3.7E-06	6.05E-04	2.26E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
481	481	0.43903	7.77E-06	3.4E-06	6.05E-04	2.06E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
482	482	0.40606	7.77E-06	3.2E-06	6.05E-04	1.91E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
483	483	0.37063	7.77E-06	2.9E-06	6.05E-04	1.74E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
484	484	0.34303	7.77E-06	2.7E-06	6.05E-04	1.61E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
485	485	0.31783	7.77E-06	2.5E-06	6.05E-04	1.49E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
486	486	0.29807	7.77E-06	2.3E-06	6.05E-04	1.40E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
487	487	0.27602	7.77E-06	2.1E-06	6.05E-04	1.30E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
488	488	0.25772	7.77E-06	2.0E-06	6.05E-04	1.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
501	501	0.44473	7.77E-06	3.5E-06	6.05E-04	2.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
502	502	0.41489	7.77E-06	3.2E-06	6.05E-04	1.95E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
503	503	0.38472	7.77E-06	3.0E-06	6.05E-04	1.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
504	504	0.35511	7.77E-06	2.8E-06	6.05E-04	1.67E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
505	505	0.32688	7.77E-06	2.5E-06	6.05E-04	1.54E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
506	506	0.30353	7.77E-06	2.4E-06	6.05E-04	1.43E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
507	507	0.28539	7.77E-06	2.2E-06	6.05E-04	1.34E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
508	508	0.24791	7.77E-06	1.9E-06	6.05E-04	1.17E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
520	520	0.42228	7.77E-06	3.3E-06	6.05E-04	1.99E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
521	521	0.3829	7.77E-06	3.0E-06	6.05E-04	1.80E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
522	522	0.36235	7.77E-06	2.8E-06	6.05E-04	1.70E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
523	523	0.33558	7.77E-06	2.6E-06	6.05E-04	1.58E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
524	524	0.31145	7.77E-06	2.4E-06	6.05E-04	1.46E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
525	525	0.28994	7.77E-06	2.3E-06	6.05E-04	1.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
526	526	0.27118	7.77E-06	2.1E-06	6.05E-04	1.28E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
527	527	0.23841	7.77E-06	1.9E-06	6.05E-04	1.12E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
539	539	0.40034	7.77E-06	3.1E-06	6.05E-04	1.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
540	540	0.36984	7.77E-06	2.9E-06	6.05E-04	1.74E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
541	541	0.3401	7.77E-06	2.6E-06	6.05E-04	1.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
542	542	0.31553	7.77E-06	2.5E-06	6.05E-04	1.48E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
543	543	0.29683	7.77E-06	2.3E-06	6.05E-04	1.40E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
544	544	0.27691	7.77E-06	2.2E-06	6.05E-04	1.30E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
545	545	0.25668	7.77E-06	2.0E-06	6.05E-04	1.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
546	546	0.22919	7.77E-06	1.8E-06	6.05E-04	1.08E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
560	560	0.35094	7.77E-06	2.7E-06	6.05E-04	1.65E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
561	561	0.32644	7.77E-06	2.5E-06	6.05E-04	1.53E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
562	562	0.30331	7.77E-06	2.4E-06	6.05E-04	1.43E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
563	563	0.27311	7.77E-06	2.1E-06	6.05E-04	1.28E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
564	564	0.26054	7.77E-06	2.0E-06	6.05E-04	1.23E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.24915	7.77E-06	1.9E-06	6.05E-04	1.17E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
566	566	0.22131	7.77E-06	1.7E-06	6.05E-04	1.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
579	579	0.33297	7.77E-06	2.6E-06	6.05E-04	1.57E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
580	580	0.31066	7.77E-06	2.4E-06	6.05E-04	1.46E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
581	581	0.29038	7.77E-06	2.3E-06	6.05E-04	1.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
582	582	0.27123	7.77E-06	2.1E-06	6.05E-04	1.28E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
583	583	0.25376	7.77E-06	2.0E-06	6.05E-04	1.19E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
584	584	0.2367	7.77E-06	1.8E-06	6.05E-04	1.11E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
585	585	0.19664	7.77E-06	1.5E-06	6.05E-04	9.25E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
598	598	0.31766	7.77E-06	2.5E-06	6.05E-04	1.49E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
599	599	0.29566	7.77E-06	2.3E-06	6.05E-04	1.39E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
600	600	0.27688	7.77E-06	2.2E-06	6.05E-04	1.30E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
601	601	0.25962	7.77E-06	2.0E-06	6.05E-04	1.22E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
602	602	0.24375	7.77E-06	1.9E-06	6.05E-04	1.15E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
603	603	0.22974	7.77E-06	1.8E-06	6.05E-04	1.08E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
604	604	0.21659	7.77E-06	1.7E-06	6.05E-04	1.02E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
0	0	0	7.77E-06	0.0E+00	6.05E-04	0.00E+00	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.36388	7.77E-06	2.8E-06	2.50E-04	7.08E-10	14	1.15E-02	1.14E-10	1.0E+06	1.1E-04
2	2	0.39186	7.77E-06	3.0E-06	2.50E-04	7.62E-10	14	1.15E-02	1.22E-10	1.0E+06	1.2E-04
3	3	0.42295	7.77E-06	3.3E-06	2.50E-04	8.23E-10	14	1.15E-02	1.32E-10	1.0E+06	1.3E-04
4	4	0.45749	7.77E-06	3.6E-06	2.50E-04	8.90E-10	14	1.15E-02	1.43E-10	1.0E+06	1.4E-04
5	5	0.49595	7.77E-06	3.9E-06	2.50E-04	9.65E-10	14	1.15E-02	1.55E-10	1.0E+06	1.5E-04
6	6	0.53897	7.77E-06	4.2E-06	2.50E-04	1.05E-09	14	1.15E-02	1.68E-10	1.0E+06	1.7E-04
7	7	0.58682	7.77E-06	4.6E-06	2.50E-04	1.14E-09	14	1.15E-02	1.83E-10	1.0E+06	1.8E-04
8	8	0.64005	7.77E-06	5.0E-06	2.50E-04	1.24E-09	14	1.15E-02	2.00E-10	1.0E+06	2.0E-04
9	9	0.69904	7.77E-06	5.4E-06	2.50E-04	1.36E-09	14	1.15E-02	2.18E-10	1.0E+06	2.2E-04
10	10	0.76399	7.77E-06	5.9E-06	2.50E-04	1.49E-09	14	1.15E-02	2.39E-10	1.0E+06	2.4E-04
11	11	0.83481	7.77E-06	6.5E-06	2.50E-04	1.62E-09	14	1.15E-02	2.61E-10	1.0E+06	2.6E-04
12	12	0.91068	7.77E-06	7.1E-06	2.50E-04	1.77E-09	14	1.15E-02	2.84E-10	1.0E+06	2.8E-04
13	13	0.98911	7.77E-06	7.7E-06	2.50E-04	1.92E-09	14	1.15E-02	3.09E-10	1.0E+06	3.1E-04
14	14	1.06658	7.77E-06	8.3E-06	2.50E-04	2.07E-09	14	1.15E-02	3.33E-10	1.0E+06	3.3E-04
15	15	1.13635	7.77E-06	8.8E-06	2.50E-04	2.21E-09	14	1.15E-02	3.55E-10	1.0E+06	3.5E-04
16	16	1.19105	7.77E-06	9.3E-06	2.50E-04	2.32E-09	14	1.15E-02	3.72E-10	1.0E+06	3.7E-04
17	17	1.22433	7.77E-06	9.5E-06	2.50E-04	2.38E-09	14	1.15E-02	3.82E-10	1.0E+06	3.8E-04
18	18	1.24428	7.77E-06	9.7E-06	2.50E-04	2.42E-09	14	1.15E-02	3.89E-10	1.0E+06	3.9E-04
19	19	1.26577	7.77E-06	9.8E-06	2.50E-04	2.46E-09	14	1.15E-02	3.95E-10	1.0E+06	4.0E-04
20	20	1.29337	7.77E-06	1.0E-05	2.50E-04	2.52E-09	14	1.15E-02	4.04E-10	1.0E+06	4.0E-04
21	21	1.31593	7.77E-06	1.0E-05	2.50E-04	2.56E-09	14	1.15E-02	4.11E-10	1.0E+06	4.1E-04
22	22	1.32065	7.77E-06	1.0E-05	2.50E-04	2.57E-09	14	1.15E-02	4.13E-10	1.0E+06	4.1E-04
23	23	1.30351	7.77E-06	1.0E-05	2.50E-04	2.54E-09	14	1.15E-02	4.07E-10	1.0E+06	4.1E-04
24	24	1.26654	7.77E-06	9.8E-06	2.50E-04	2.46E-09	14	1.15E-02	3.96E-10	1.0E+06	4.0E-04
25	25	1.21471	7.77E-06	9.4E-06	2.50E-04	2.36E-09	14	1.15E-02	3.79E-10	1.0E+06	3.8E-04
26	26	1.15352	7.77E-06	9.0E-06	2.50E-04	2.24E-09	14	1.15E-02	3.60E-10	1.0E+06	3.6E-04
27	27	1.08741	7.77E-06	8.5E-06	2.50E-04	2.11E-09	14	1.15E-02	3.40E-10	1.0E+06	3.4E-04
28	28	1.01981	7.77E-06	7.9E-06	2.50E-04	1.98E-09	14	1.15E-02	3.19E-10	1.0E+06	3.2E-04
29	29	0.95271	7.77E-06	7.4E-06	2.50E-04	1.85E-09	14	1.15E-02	2.98E-10	1.0E+06	3.0E-04
30	30	0.88759	7.77E-06	6.9E-06	2.50E-04	1.73E-09	14	1.15E-02	2.77E-10	1.0E+06	2.8E-04
31	31	0.8407	7.77E-06	6.5E-06	2.50E-04	1.64E-09	14	1.15E-02	2.63E-10	1.0E+06	2.6E-04

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.76684	7.77E-06	6.0E-06	2.50E-04	1.49E-09	14	1.15E-02	2.40E-10	1.0E+06	2.4E-04
55	55	1.66235	7.77E-06	1.3E-05	2.50E-04	3.23E-09	14	1.15E-02	5.19E-10	1.0E+06	5.2E-04
56	56	1.58897	7.77E-06	1.2E-05	2.50E-04	3.09E-09	14	1.15E-02	4.96E-10	1.0E+06	5.0E-04
57	57	1.49603	7.77E-06	1.2E-05	2.50E-04	2.91E-09	14	1.15E-02	4.67E-10	1.0E+06	4.7E-04
58	58	1.39524	7.77E-06	1.1E-05	2.50E-04	2.71E-09	14	1.15E-02	4.36E-10	1.0E+06	4.4E-04
59	59	1.29367	7.77E-06	1.0E-05	2.50E-04	2.52E-09	14	1.15E-02	4.04E-10	1.0E+06	4.0E-04
60	60	1.19506	7.77E-06	9.3E-06	2.50E-04	2.32E-09	14	1.15E-02	3.73E-10	1.0E+06	3.7E-04
61	61	1.10111	7.77E-06	8.6E-06	2.50E-04	2.14E-09	14	1.15E-02	3.44E-10	1.0E+06	3.4E-04
62	62	1.01345	7.77E-06	7.9E-06	2.50E-04	1.97E-09	14	1.15E-02	3.17E-10	1.0E+06	3.2E-04
63	63	0.94862	7.77E-06	7.4E-06	2.50E-04	1.85E-09	14	1.15E-02	2.96E-10	1.0E+06	3.0E-04
64	64	0.87111	7.77E-06	6.8E-06	2.50E-04	1.69E-09	14	1.15E-02	2.72E-10	1.0E+06	2.7E-04
65	65	0.78877	7.77E-06	6.1E-06	2.50E-04	1.53E-09	14	1.15E-02	2.46E-10	1.0E+06	2.5E-04
66	66	0.73534	7.77E-06	5.7E-06	2.50E-04	1.43E-09	14	1.15E-02	2.30E-10	1.0E+06	2.3E-04
67	67	0.4063	7.77E-06	3.2E-06	2.50E-04	7.90E-10	14	1.15E-02	1.27E-10	1.0E+06	1.3E-04
68	68	0.44184	7.77E-06	3.4E-06	2.50E-04	8.59E-10	14	1.15E-02	1.38E-10	1.0E+06	1.4E-04
69	69	0.48217	7.77E-06	3.7E-06	2.50E-04	9.38E-10	14	1.15E-02	1.51E-10	1.0E+06	1.5E-04
70	70	0.5281	7.77E-06	4.1E-06	2.50E-04	1.03E-09	14	1.15E-02	1.65E-10	1.0E+06	1.6E-04
71	71	0.58069	7.77E-06	4.5E-06	2.50E-04	1.13E-09	14	1.15E-02	1.81E-10	1.0E+06	1.8E-04
72	72	0.64115	7.77E-06	5.0E-06	2.50E-04	1.25E-09	14	1.15E-02	2.00E-10	1.0E+06	2.0E-04
73	73	0.711	7.77E-06	5.5E-06	2.50E-04	1.38E-09	14	1.15E-02	2.22E-10	1.0E+06	2.2E-04
74	74	0.7922	7.77E-06	6.2E-06	2.50E-04	1.54E-09	14	1.15E-02	2.47E-10	1.0E+06	2.5E-04
75	75	0.88708	7.77E-06	6.9E-06	2.50E-04	1.73E-09	14	1.15E-02	2.77E-10	1.0E+06	2.8E-04
76	76	0.99834	7.77E-06	7.8E-06	2.50E-04	1.94E-09	14	1.15E-02	3.12E-10	1.0E+06	3.1E-04
77	77	1.12913	7.77E-06	8.8E-06	2.50E-04	2.20E-09	14	1.15E-02	3.53E-10	1.0E+06	3.5E-04
78	78	1.28158	7.77E-06	1.0E-05	2.50E-04	2.49E-09	14	1.15E-02	4.00E-10	1.0E+06	4.0E-04
79	79	2.20312	7.77E-06	1.7E-05	2.50E-04	4.29E-09	14	1.15E-02	6.88E-10	1.0E+06	6.9E-04
80	80	2.29586	7.77E-06	1.8E-05	2.50E-04	4.47E-09	14	1.15E-02	7.17E-10	1.0E+06	7.2E-04
81	81	2.36277	7.77E-06	1.8E-05	2.50E-04	4.60E-09	14	1.15E-02	7.38E-10	1.0E+06	7.4E-04
82	82	2.34577	7.77E-06	1.8E-05	2.50E-04	4.56E-09	14	1.15E-02	7.33E-10	1.0E+06	7.3E-04
83	83	2.23674	7.77E-06	1.7E-05	2.50E-04	4.35E-09	14	1.15E-02	6.99E-10	1.0E+06	7.0E-04
84	84	2.0785	7.77E-06	1.6E-05	2.50E-04	4.04E-09	14	1.15E-02	6.49E-10	1.0E+06	6.5E-04

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	85	1.90198	7.77E-06	1.5E-05	2.50E-04	3.70E-09	14	1.15E-02	5.94E-10	1.0E+06	5.9E-04
86	86	1.76044	7.77E-06	1.4E-05	2.50E-04	3.42E-09	14	1.15E-02	5.50E-10	1.0E+06	5.5E-04
87	87	1.59734	7.77E-06	1.2E-05	2.50E-04	3.11E-09	14	1.15E-02	4.99E-10	1.0E+06	5.0E-04
88	88	1.44714	7.77E-06	1.1E-05	2.50E-04	2.81E-09	14	1.15E-02	4.52E-10	1.0E+06	4.5E-04
89	89	1.28506	7.77E-06	1.0E-05	2.50E-04	2.50E-09	14	1.15E-02	4.01E-10	1.0E+06	4.0E-04
90	90	1.16586	7.77E-06	9.1E-06	2.50E-04	2.27E-09	14	1.15E-02	3.64E-10	1.0E+06	3.6E-04
91	91	1.07636	7.77E-06	8.4E-06	2.50E-04	2.09E-09	14	1.15E-02	3.36E-10	1.0E+06	3.4E-04
92	92	0.96322	7.77E-06	7.5E-06	2.50E-04	1.87E-09	14	1.15E-02	3.01E-10	1.0E+06	3.0E-04
93	93	0.8887	7.77E-06	6.9E-06	2.50E-04	1.73E-09	14	1.15E-02	2.78E-10	1.0E+06	2.8E-04
96	96	2.3241	7.77E-06	1.8E-05	2.50E-04	4.52E-09	14	1.15E-02	7.26E-10	1.0E+06	7.3E-04
97	97	2.05352	7.77E-06	1.6E-05	2.50E-04	3.99E-09	14	1.15E-02	6.41E-10	1.0E+06	6.4E-04
98	98	1.51505	7.77E-06	1.2E-05	2.50E-04	2.95E-09	14	1.15E-02	4.73E-10	1.0E+06	4.7E-04
99	99	1.37468	7.77E-06	1.1E-05	2.50E-04	2.67E-09	14	1.15E-02	4.29E-10	1.0E+06	4.3E-04
100	100	1.22801	7.77E-06	9.5E-06	2.50E-04	2.39E-09	14	1.15E-02	3.84E-10	1.0E+06	3.8E-04
101	101	1.08713	7.77E-06	8.4E-06	2.50E-04	2.11E-09	14	1.15E-02	3.40E-10	1.0E+06	3.4E-04
102	102	0.99812	7.77E-06	7.8E-06	2.50E-04	1.94E-09	14	1.15E-02	3.12E-10	1.0E+06	3.1E-04
106	106	0.4109	7.77E-06	3.2E-06	2.50E-04	7.99E-10	14	1.15E-02	1.28E-10	1.0E+06	1.3E-04
107	107	0.4485	7.77E-06	3.5E-06	2.50E-04	8.72E-10	14	1.15E-02	1.40E-10	1.0E+06	1.4E-04
108	108	0.49246	7.77E-06	3.8E-06	2.50E-04	9.58E-10	14	1.15E-02	1.54E-10	1.0E+06	1.5E-04
109	109	0.54337	7.77E-06	4.2E-06	2.50E-04	1.06E-09	14	1.15E-02	1.70E-10	1.0E+06	1.7E-04
110	110	0.60262	7.77E-06	4.7E-06	2.50E-04	1.17E-09	14	1.15E-02	1.88E-10	1.0E+06	1.9E-04
111	111	0.67236	7.77E-06	5.2E-06	2.50E-04	1.31E-09	14	1.15E-02	2.10E-10	1.0E+06	2.1E-04
112	112	0.75465	7.77E-06	5.9E-06	2.50E-04	1.47E-09	14	1.15E-02	2.36E-10	1.0E+06	2.4E-04
113	113	0.85346	7.77E-06	6.6E-06	2.50E-04	1.66E-09	14	1.15E-02	2.67E-10	1.0E+06	2.7E-04
114	114	0.97315	7.77E-06	7.6E-06	2.50E-04	1.89E-09	14	1.15E-02	3.04E-10	1.0E+06	3.0E-04
115	115	1.12076	7.77E-06	8.7E-06	2.50E-04	2.18E-09	14	1.15E-02	3.50E-10	1.0E+06	3.5E-04
116	116	1.30574	7.77E-06	1.0E-05	2.50E-04	2.54E-09	14	1.15E-02	4.08E-10	1.0E+06	4.1E-04
117	117	1.54287	7.77E-06	1.2E-05	2.50E-04	3.00E-09	14	1.15E-02	4.82E-10	1.0E+06	4.8E-04
118	118	1.8564	7.77E-06	1.4E-05	2.50E-04	3.61E-09	14	1.15E-02	5.80E-10	1.0E+06	5.8E-04
124	124	0.42685	7.77E-06	3.3E-06	2.50E-04	8.30E-10	14	1.15E-02	1.33E-10	1.0E+06	1.3E-04
125	125	0.46854	7.77E-06	3.6E-06	2.50E-04	9.11E-10	14	1.15E-02	1.46E-10	1.0E+06	1.5E-04

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	126	0.51684	7.77E-06	4.0E-06	2.50E-04	1.01E-09	14	1.15E-02	1.61E-10	1.0E+06	1.6E-04
127	127	0.5732	7.77E-06	4.5E-06	2.50E-04	1.11E-09	14	1.15E-02	1.79E-10	1.0E+06	1.8E-04
128	128	0.63952	7.77E-06	5.0E-06	2.50E-04	1.24E-09	14	1.15E-02	2.00E-10	1.0E+06	2.0E-04
129	129	0.71837	7.77E-06	5.6E-06	2.50E-04	1.40E-09	14	1.15E-02	2.24E-10	1.0E+06	2.2E-04
130	130	0.81289	7.77E-06	6.3E-06	2.50E-04	1.58E-09	14	1.15E-02	2.54E-10	1.0E+06	2.5E-04
131	131	0.92785	7.77E-06	7.2E-06	2.50E-04	1.80E-09	14	1.15E-02	2.90E-10	1.0E+06	2.9E-04
132	132	1.06965	7.77E-06	8.3E-06	2.50E-04	2.08E-09	14	1.15E-02	3.34E-10	1.0E+06	3.3E-04
133	133	1.24878	7.77E-06	9.7E-06	2.50E-04	2.43E-09	14	1.15E-02	3.90E-10	1.0E+06	3.9E-04
134	134	1.4783	7.77E-06	1.1E-05	2.50E-04	2.88E-09	14	1.15E-02	4.62E-10	1.0E+06	4.6E-04
135	135	1.78506	7.77E-06	1.4E-05	2.50E-04	3.47E-09	14	1.15E-02	5.58E-10	1.0E+06	5.6E-04
136	136	2.21187	7.77E-06	1.7E-05	2.50E-04	4.30E-09	14	1.15E-02	6.91E-10	1.0E+06	6.9E-04
137	137	2.8486	7.77E-06	2.2E-05	2.50E-04	5.54E-09	14	1.15E-02	8.90E-10	1.0E+06	8.9E-04
138	138	3.88762	7.77E-06	3.0E-05	2.50E-04	7.56E-09	14	1.15E-02	1.21E-09	1.0E+06	1.2E-03
141	141	0.44216	7.77E-06	3.4E-06	2.50E-04	8.60E-10	14	1.15E-02	1.38E-10	1.0E+06	1.4E-04
142	142	0.48714	7.77E-06	3.8E-06	2.50E-04	9.47E-10	14	1.15E-02	1.52E-10	1.0E+06	1.5E-04
143	143	0.53962	7.77E-06	4.2E-06	2.50E-04	1.05E-09	14	1.15E-02	1.69E-10	1.0E+06	1.7E-04
144	144	0.60136	7.77E-06	4.7E-06	2.50E-04	1.17E-09	14	1.15E-02	1.88E-10	1.0E+06	1.9E-04
145	145	0.6747	7.77E-06	5.2E-06	2.50E-04	1.31E-09	14	1.15E-02	2.11E-10	1.0E+06	2.1E-04
146	146	0.76279	7.77E-06	5.9E-06	2.50E-04	1.48E-09	14	1.15E-02	2.38E-10	1.0E+06	2.4E-04
147	147	0.86965	7.77E-06	6.8E-06	2.50E-04	1.69E-09	14	1.15E-02	2.72E-10	1.0E+06	2.7E-04
148	148	1.00147	7.77E-06	7.8E-06	2.50E-04	1.95E-09	14	1.15E-02	3.13E-10	1.0E+06	3.1E-04
149	149	1.16675	7.77E-06	9.1E-06	2.50E-04	2.27E-09	14	1.15E-02	3.64E-10	1.0E+06	3.6E-04
150	150	1.37904	7.77E-06	1.1E-05	2.50E-04	2.68E-09	14	1.15E-02	4.31E-10	1.0E+06	4.3E-04
151	151	1.65861	7.77E-06	1.3E-05	2.50E-04	3.23E-09	14	1.15E-02	5.18E-10	1.0E+06	5.2E-04
152	152	2.04119	7.77E-06	1.6E-05	2.50E-04	3.97E-09	14	1.15E-02	6.38E-10	1.0E+06	6.4E-04
153	153	2.59292	7.77E-06	2.0E-05	2.50E-04	5.04E-09	14	1.15E-02	8.10E-10	1.0E+06	8.1E-04
154	154	3.46284	7.77E-06	2.7E-05	2.50E-04	6.74E-09	14	1.15E-02	1.08E-09	1.0E+06	1.1E-03
155	155	5.00163	7.77E-06	3.9E-05	2.50E-04	9.73E-09	14	1.15E-02	1.56E-09	1.0E+06	1.6E-03
164	164	4.09719	7.77E-06	3.2E-05	2.50E-04	7.97E-09	14	1.15E-02	1.28E-09	1.0E+06	1.3E-03
165	165	6.17009	7.77E-06	4.8E-05	2.50E-04	1.20E-08	14	1.15E-02	1.93E-09	1.0E+06	1.9E-03
166	166	11.1669	7.77E-06	8.7E-05	2.50E-04	2.17E-08	14	1.15E-02	3.49E-09	1.0E+06	3.5E-03

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
178	178	4.74111	7.77E-06	3.7E-05	2.50E-04	9.22E-09	14	1.15E-02	1.48E-09	1.0E+06	1.5E-03
179	179	7.38847	7.77E-06	5.7E-05	2.50E-04	1.44E-08	14	1.15E-02	2.31E-09	1.0E+06	2.3E-03
180	180	14.40203	7.77E-06	1.1E-04	2.50E-04	2.80E-08	14	1.15E-02	4.50E-09	1.0E+06	4.5E-03
192	192	5.38752	7.77E-06	4.2E-05	2.50E-04	1.05E-08	14	1.15E-02	1.68E-09	1.0E+06	1.7E-03
193	193	8.6827	7.77E-06	6.7E-05	2.50E-04	1.69E-08	14	1.15E-02	2.71E-09	1.0E+06	2.7E-03
194	194	12.64396	7.77E-06	9.8E-05	2.50E-04	2.46E-08	14	1.15E-02	3.95E-09	1.0E+06	3.9E-03
207	207	6.05638	7.77E-06	4.7E-05	2.50E-04	1.18E-08	14	1.15E-02	1.89E-09	1.0E+06	1.9E-03
208	208	10.23666	7.77E-06	8.0E-05	2.50E-04	1.99E-08	14	1.15E-02	3.20E-09	1.0E+06	3.2E-03
209	209	15.31971	7.77E-06	1.2E-04	2.50E-04	2.98E-08	14	1.15E-02	4.79E-09	1.0E+06	4.8E-03
223	223	6.73893	7.77E-06	5.2E-05	2.50E-04	1.31E-08	14	1.15E-02	2.10E-09	1.0E+06	2.1E-03
224	224	12.10547	7.77E-06	9.4E-05	2.50E-04	2.35E-08	14	1.15E-02	3.78E-09	1.0E+06	3.8E-03
225	225	18.5802	7.77E-06	1.4E-04	2.50E-04	3.61E-08	14	1.15E-02	5.80E-09	1.0E+06	5.8E-03
239	239	7.41497	7.77E-06	5.8E-05	2.50E-04	1.44E-08	14	1.15E-02	2.32E-09	1.0E+06	2.3E-03
240	240	14.37832	7.77E-06	1.1E-04	2.50E-04	2.80E-08	14	1.15E-02	4.49E-09	1.0E+06	4.5E-03
241	241	13.9368	7.77E-06	1.1E-04	2.50E-04	2.71E-08	14	1.15E-02	4.35E-09	1.0E+06	4.4E-03
255	255	8.02516	7.77E-06	6.2E-05	2.50E-04	1.56E-08	14	1.15E-02	2.51E-09	1.0E+06	2.5E-03
256	256	17.09985	7.77E-06	1.3E-04	2.50E-04	3.33E-08	14	1.15E-02	5.34E-09	1.0E+06	5.3E-03
272	272	8.41761	7.77E-06	6.5E-05	2.50E-04	1.64E-08	14	1.15E-02	2.63E-09	1.0E+06	2.6E-03
273	273	12.74015	7.77E-06	9.9E-05	2.50E-04	2.48E-08	14	1.15E-02	3.98E-09	1.0E+06	4.0E-03
289	289	8.39723	7.77E-06	6.5E-05	2.50E-04	1.63E-08	14	1.15E-02	2.62E-09	1.0E+06	2.6E-03
290	290	13.04529	7.77E-06	1.0E-04	2.50E-04	2.54E-08	14	1.15E-02	4.07E-09	1.0E+06	4.1E-03
306	306	7.7813	7.77E-06	6.0E-05	2.50E-04	1.51E-08	14	1.15E-02	2.43E-09	1.0E+06	2.4E-03
307	307	12.10727	7.77E-06	9.4E-05	2.50E-04	2.35E-08	14	1.15E-02	3.78E-09	1.0E+06	3.8E-03
323	323	6.50358	7.77E-06	5.1E-05	2.50E-04	1.26E-08	14	1.15E-02	2.03E-09	1.0E+06	2.0E-03
324	324	14.66352	7.77E-06	1.1E-04	2.50E-04	2.85E-08	14	1.15E-02	4.58E-09	1.0E+06	4.6E-03
342	342	4.92728	7.77E-06	3.8E-05	2.50E-04	9.58E-09	14	1.15E-02	1.54E-09	1.0E+06	1.5E-03
343	343	8.77619	7.77E-06	6.8E-05	2.50E-04	1.71E-08	14	1.15E-02	2.74E-09	1.0E+06	2.7E-03
344	344	6.71476	7.77E-06	5.2E-05	2.50E-04	1.31E-08	14	1.15E-02	2.10E-09	1.0E+06	2.1E-03
356	356	3.63231	7.77E-06	2.8E-05	2.50E-04	7.06E-09	14	1.15E-02	1.13E-09	1.0E+06	1.1E-03
357	357	5.21489	7.77E-06	4.1E-05	2.50E-04	1.01E-08	14	1.15E-02	1.63E-09	1.0E+06	1.6E-03
358	358	6.7265	7.77E-06	5.2E-05	2.50E-04	1.31E-08	14	1.15E-02	2.10E-09	1.0E+06	2.1E-03

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	2.74627	7.77E-06	2.1E-05	2.50E-04	5.34E-09	14	1.15E-02	8.58E-10	1.0E+06	8.6E-04
371	371	3.50872	7.77E-06	2.7E-05	2.50E-04	6.82E-09	14	1.15E-02	1.10E-09	1.0E+06	1.1E-03
372	372	4.11841	7.77E-06	3.2E-05	2.50E-04	8.01E-09	14	1.15E-02	1.29E-09	1.0E+06	1.3E-03
383	383	2.1479	7.77E-06	1.7E-05	2.50E-04	4.18E-09	14	1.15E-02	6.71E-10	1.0E+06	6.7E-04
384	384	2.56895	7.77E-06	2.0E-05	2.50E-04	5.00E-09	14	1.15E-02	8.02E-10	1.0E+06	8.0E-04
385	385	2.8865	7.77E-06	2.2E-05	2.50E-04	5.61E-09	14	1.15E-02	9.02E-10	1.0E+06	9.0E-04
396	396	1.73073	7.77E-06	1.3E-05	2.50E-04	3.37E-09	14	1.15E-02	5.41E-10	1.0E+06	5.4E-04
397	397	1.98761	7.77E-06	1.5E-05	2.50E-04	3.87E-09	14	1.15E-02	6.21E-10	1.0E+06	6.2E-04
398	398	2.17895	7.77E-06	1.7E-05	2.50E-04	4.24E-09	14	1.15E-02	6.81E-10	1.0E+06	6.8E-04
399	399	2.20871	7.77E-06	1.7E-05	2.50E-04	4.30E-09	14	1.15E-02	6.90E-10	1.0E+06	6.9E-04
411	411	1.42933	7.77E-06	1.1E-05	2.50E-04	2.78E-09	14	1.15E-02	4.46E-10	1.0E+06	4.5E-04
412	412	1.59802	7.77E-06	1.2E-05	2.50E-04	3.11E-09	14	1.15E-02	4.99E-10	1.0E+06	5.0E-04
413	413	1.72348	7.77E-06	1.3E-05	2.50E-04	3.35E-09	14	1.15E-02	5.38E-10	1.0E+06	5.4E-04
414	414	1.75826	7.77E-06	1.4E-05	2.50E-04	3.42E-09	14	1.15E-02	5.49E-10	1.0E+06	5.5E-04
426	426	1.20395	7.77E-06	9.4E-06	2.50E-04	2.34E-09	14	1.15E-02	3.76E-10	1.0E+06	3.8E-04
427	427	1.32205	7.77E-06	1.0E-05	2.50E-04	2.57E-09	14	1.15E-02	4.13E-10	1.0E+06	4.1E-04
428	428	1.40869	7.77E-06	1.1E-05	2.50E-04	2.74E-09	14	1.15E-02	4.40E-10	1.0E+06	4.4E-04
429	429	1.44159	7.77E-06	1.1E-05	2.50E-04	2.80E-09	14	1.15E-02	4.50E-10	1.0E+06	4.5E-04
439	439	1.03091	7.77E-06	8.0E-06	2.50E-04	2.01E-09	14	1.15E-02	3.22E-10	1.0E+06	3.2E-04
440	440	1.11651	7.77E-06	8.7E-06	2.50E-04	2.17E-09	14	1.15E-02	3.49E-10	1.0E+06	3.5E-04
441	441	1.18063	7.77E-06	9.2E-06	2.50E-04	2.30E-09	14	1.15E-02	3.69E-10	1.0E+06	3.7E-04
442	442	1.20862	7.77E-06	9.4E-06	2.50E-04	2.35E-09	14	1.15E-02	3.78E-10	1.0E+06	3.8E-04
443	443	1.19122	7.77E-06	9.3E-06	2.50E-04	2.32E-09	14	1.15E-02	3.72E-10	1.0E+06	3.7E-04
454	454	0.89463	7.77E-06	7.0E-06	2.50E-04	1.74E-09	14	1.15E-02	2.79E-10	1.0E+06	2.8E-04
455	455	0.95876	7.77E-06	7.5E-06	2.50E-04	1.86E-09	14	1.15E-02	2.99E-10	1.0E+06	3.0E-04
456	456	1.0073	7.77E-06	7.8E-06	2.50E-04	1.96E-09	14	1.15E-02	3.15E-10	1.0E+06	3.1E-04
457	457	1.03135	7.77E-06	8.0E-06	2.50E-04	2.01E-09	14	1.15E-02	3.22E-10	1.0E+06	3.2E-04
458	458	1.02404	7.77E-06	8.0E-06	2.50E-04	1.99E-09	14	1.15E-02	3.20E-10	1.0E+06	3.2E-04
469	469	0.78538	7.77E-06	6.1E-06	2.50E-04	1.53E-09	14	1.15E-02	2.45E-10	1.0E+06	2.5E-04
470	470	0.83505	7.77E-06	6.5E-06	2.50E-04	1.62E-09	14	1.15E-02	2.61E-10	1.0E+06	2.6E-04
471	471	0.87278	7.77E-06	6.8E-06	2.50E-04	1.70E-09	14	1.15E-02	2.73E-10	1.0E+06	2.7E-04

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	0.89332	7.77E-06	6.9E-06	2.50E-04	1.74E-09	14	1.15E-02	2.79E-10	1.0E+06	2.8E-04
473	473	0.89152	7.77E-06	6.9E-06	2.50E-04	1.73E-09	14	1.15E-02	2.78E-10	1.0E+06	2.8E-04
489	489	0.69682	7.77E-06	5.4E-06	2.50E-04	1.36E-09	14	1.15E-02	2.18E-10	1.0E+06	2.2E-04
490	490	0.73491	7.77E-06	5.7E-06	2.50E-04	1.43E-09	14	1.15E-02	2.30E-10	1.0E+06	2.3E-04
491	491	0.76509	7.77E-06	5.9E-06	2.50E-04	1.49E-09	14	1.15E-02	2.39E-10	1.0E+06	2.4E-04
492	492	0.78262	7.77E-06	6.1E-06	2.50E-04	1.52E-09	14	1.15E-02	2.44E-10	1.0E+06	2.4E-04
493	493	0.78372	7.77E-06	6.1E-06	2.50E-04	1.52E-09	14	1.15E-02	2.45E-10	1.0E+06	2.4E-04
494	494	0.76737	7.77E-06	6.0E-06	2.50E-04	1.49E-09	14	1.15E-02	2.40E-10	1.0E+06	2.4E-04
509	509	0.62292	7.77E-06	4.8E-06	2.50E-04	1.21E-09	14	1.15E-02	1.95E-10	1.0E+06	1.9E-04
510	510	0.65335	7.77E-06	5.1E-06	2.50E-04	1.27E-09	14	1.15E-02	2.04E-10	1.0E+06	2.0E-04
511	511	0.678	7.77E-06	5.3E-06	2.50E-04	1.32E-09	14	1.15E-02	2.12E-10	1.0E+06	2.1E-04
512	512	0.69303	7.77E-06	5.4E-06	2.50E-04	1.35E-09	14	1.15E-02	2.16E-10	1.0E+06	2.2E-04
513	513	0.69552	7.77E-06	5.4E-06	2.50E-04	1.35E-09	14	1.15E-02	2.17E-10	1.0E+06	2.2E-04
514	514	0.68487	7.77E-06	5.3E-06	2.50E-04	1.33E-09	14	1.15E-02	2.14E-10	1.0E+06	2.1E-04
515	515	0.6285	7.77E-06	4.9E-06	2.50E-04	1.22E-09	14	1.15E-02	1.96E-10	1.0E+06	2.0E-04
516	516	0.58819	7.77E-06	4.6E-06	2.50E-04	1.14E-09	14	1.15E-02	1.84E-10	1.0E+06	1.8E-04
517	517	0.54605	7.77E-06	4.2E-06	2.50E-04	1.06E-09	14	1.15E-02	1.71E-10	1.0E+06	1.7E-04
518	518	0.5027	7.77E-06	3.9E-06	2.50E-04	9.78E-10	14	1.15E-02	1.57E-10	1.0E+06	1.6E-04
519	519	0.46461	7.77E-06	3.6E-06	2.50E-04	9.04E-10	14	1.15E-02	1.45E-10	1.0E+06	1.5E-04
528	528	0.56093	7.77E-06	4.4E-06	2.50E-04	1.09E-09	14	1.15E-02	1.75E-10	1.0E+06	1.8E-04
529	529	0.58571	7.77E-06	4.6E-06	2.50E-04	1.14E-09	14	1.15E-02	1.83E-10	1.0E+06	1.8E-04
530	530	0.60589	7.77E-06	4.7E-06	2.50E-04	1.18E-09	14	1.15E-02	1.89E-10	1.0E+06	1.9E-04
531	531	0.61894	7.77E-06	4.8E-06	2.50E-04	1.20E-09	14	1.15E-02	1.93E-10	1.0E+06	1.9E-04
532	532	0.62243	7.77E-06	4.8E-06	2.50E-04	1.21E-09	14	1.15E-02	1.94E-10	1.0E+06	1.9E-04
533	533	0.61543	7.77E-06	4.8E-06	2.50E-04	1.20E-09	14	1.15E-02	1.92E-10	1.0E+06	1.9E-04
534	534	0.57216	7.77E-06	4.4E-06	2.50E-04	1.11E-09	14	1.15E-02	1.79E-10	1.0E+06	1.8E-04
535	535	0.53933	7.77E-06	4.2E-06	2.50E-04	1.05E-09	14	1.15E-02	1.68E-10	1.0E+06	1.7E-04
536	536	0.50553	7.77E-06	3.9E-06	2.50E-04	9.83E-10	14	1.15E-02	1.58E-10	1.0E+06	1.6E-04
537	537	0.46821	7.77E-06	3.6E-06	2.50E-04	9.11E-10	14	1.15E-02	1.46E-10	1.0E+06	1.5E-04
538	538	0.43316	7.77E-06	3.4E-06	2.50E-04	8.42E-10	14	1.15E-02	1.35E-10	1.0E+06	1.4E-04
547	547	0.50827	7.77E-06	3.9E-06	2.50E-04	9.89E-10	14	1.15E-02	1.59E-10	1.0E+06	1.6E-04

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.52871	7.77E-06	4.1E-06	2.50E-04	1.03E-09	14	1.15E-02	1.65E-10	1.0E+06	1.7E-04
549	549	0.54571	7.77E-06	4.2E-06	2.50E-04	1.06E-09	14	1.15E-02	1.70E-10	1.0E+06	1.7E-04
550	550	0.55677	7.77E-06	4.3E-06	2.50E-04	1.08E-09	14	1.15E-02	1.74E-10	1.0E+06	1.7E-04
551	551	0.56075	7.77E-06	4.4E-06	2.50E-04	1.09E-09	14	1.15E-02	1.75E-10	1.0E+06	1.8E-04
552	552	0.55633	7.77E-06	4.3E-06	2.50E-04	1.08E-09	14	1.15E-02	1.74E-10	1.0E+06	1.7E-04
553	553	0.54363	7.77E-06	4.2E-06	2.50E-04	1.06E-09	14	1.15E-02	1.70E-10	1.0E+06	1.7E-04
554	554	0.52327	7.77E-06	4.1E-06	2.50E-04	1.02E-09	14	1.15E-02	1.63E-10	1.0E+06	1.6E-04
555	555	0.49765	7.77E-06	3.9E-06	2.50E-04	9.68E-10	14	1.15E-02	1.55E-10	1.0E+06	1.6E-04
556	556	0.46974	7.77E-06	3.7E-06	2.50E-04	9.14E-10	14	1.15E-02	1.47E-10	1.0E+06	1.5E-04
557	557	0.43721	7.77E-06	3.4E-06	2.50E-04	8.50E-10	14	1.15E-02	1.37E-10	1.0E+06	1.4E-04
558	558	0.40715	7.77E-06	3.2E-06	2.50E-04	7.92E-10	14	1.15E-02	1.27E-10	1.0E+06	1.3E-04
559	559	0.37794	7.77E-06	2.9E-06	2.50E-04	7.35E-10	14	1.15E-02	1.18E-10	1.0E+06	1.2E-04
567	567	0.46328	7.77E-06	3.6E-06	2.50E-04	9.01E-10	14	1.15E-02	1.45E-10	1.0E+06	1.4E-04
568	568	0.48043	7.77E-06	3.7E-06	2.50E-04	9.34E-10	14	1.15E-02	1.50E-10	1.0E+06	1.5E-04
569	569	0.49466	7.77E-06	3.8E-06	2.50E-04	9.62E-10	14	1.15E-02	1.55E-10	1.0E+06	1.5E-04
570	570	0.50448	7.77E-06	3.9E-06	2.50E-04	9.81E-10	14	1.15E-02	1.58E-10	1.0E+06	1.6E-04
571	571	0.50847	7.77E-06	4.0E-06	2.50E-04	9.89E-10	14	1.15E-02	1.59E-10	1.0E+06	1.6E-04
572	572	0.50586	7.77E-06	3.9E-06	2.50E-04	9.84E-10	14	1.15E-02	1.58E-10	1.0E+06	1.6E-04
573	573	0.49639	7.77E-06	3.9E-06	2.50E-04	9.65E-10	14	1.15E-02	1.55E-10	1.0E+06	1.6E-04
574	574	0.45975	7.77E-06	3.6E-06	2.50E-04	8.94E-10	14	1.15E-02	1.44E-10	1.0E+06	1.4E-04
575	575	0.43651	7.77E-06	3.4E-06	2.50E-04	8.49E-10	14	1.15E-02	1.36E-10	1.0E+06	1.4E-04
576	576	0.41117	7.77E-06	3.2E-06	2.50E-04	8.00E-10	14	1.15E-02	1.28E-10	1.0E+06	1.3E-04
577	577	0.38531	7.77E-06	3.0E-06	2.50E-04	7.49E-10	14	1.15E-02	1.20E-10	1.0E+06	1.2E-04
578	578	0.35896	7.77E-06	2.8E-06	2.50E-04	6.98E-10	14	1.15E-02	1.12E-10	1.0E+06	1.1E-04
586	586	0.42421	7.77E-06	3.3E-06	2.50E-04	8.25E-10	14	1.15E-02	1.33E-10	1.0E+06	1.3E-04
587	587	0.43864	7.77E-06	3.4E-06	2.50E-04	8.53E-10	14	1.15E-02	1.37E-10	1.0E+06	1.4E-04
588	588	0.45084	7.77E-06	3.5E-06	2.50E-04	8.77E-10	14	1.15E-02	1.41E-10	1.0E+06	1.4E-04
589	589	0.45944	7.77E-06	3.6E-06	2.50E-04	8.94E-10	14	1.15E-02	1.44E-10	1.0E+06	1.4E-04
590	590	0.46342	7.77E-06	3.6E-06	2.50E-04	9.01E-10	14	1.15E-02	1.45E-10	1.0E+06	1.4E-04
591	591	0.46229	7.77E-06	3.6E-06	2.50E-04	8.99E-10	14	1.15E-02	1.44E-10	1.0E+06	1.4E-04
592	592	0.45511	7.77E-06	3.5E-06	2.50E-04	8.85E-10	14	1.15E-02	1.42E-10	1.0E+06	1.4E-04

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	0.42573	7.77E-06	3.3E-06	2.50E-04	8.28E-10	14	1.15E-02	1.33E-10	1.0E+06	1.3E-04
594	594	0.40649	7.77E-06	3.2E-06	2.50E-04	7.91E-10	14	1.15E-02	1.27E-10	1.0E+06	1.3E-04
595	595	0.38411	7.77E-06	3.0E-06	2.50E-04	7.47E-10	14	1.15E-02	1.20E-10	1.0E+06	1.2E-04
596	596	0.36139	7.77E-06	2.8E-06	2.50E-04	7.03E-10	14	1.15E-02	1.13E-10	1.0E+06	1.1E-04
597	597	0.33906	7.77E-06	2.6E-06	2.50E-04	6.59E-10	14	1.15E-02	1.06E-10	1.0E+06	1.1E-04
345	345	10.46487	7.77E-06	8.1E-05	2.50E-04	2.04E-08	14	1.15E-02	3.27E-09	1.0E+06	3.3E-03
346	346	5.85363	7.77E-06	4.5E-05	2.50E-04	1.14E-08	14	1.15E-02	1.83E-09	1.0E+06	1.8E-03
347	347	3.93137	7.77E-06	3.1E-05	2.50E-04	7.65E-09	14	1.15E-02	1.23E-09	1.0E+06	1.2E-03
348	348	2.90115	7.77E-06	2.3E-05	2.50E-04	5.64E-09	14	1.15E-02	9.06E-10	1.0E+06	9.1E-04
359	359	6.0333	7.77E-06	4.7E-05	2.50E-04	1.17E-08	14	1.15E-02	1.88E-09	1.0E+06	1.9E-03
360	360	4.34781	7.77E-06	3.4E-05	2.50E-04	8.46E-09	14	1.15E-02	1.36E-09	1.0E+06	1.4E-03
361	361	3.18156	7.77E-06	2.5E-05	2.50E-04	6.19E-09	14	1.15E-02	9.94E-10	1.0E+06	9.9E-04
362	362	2.44094	7.77E-06	1.9E-05	2.50E-04	4.75E-09	14	1.15E-02	7.62E-10	1.0E+06	7.6E-04
363	363	1.94972	7.77E-06	1.5E-05	2.50E-04	3.79E-09	14	1.15E-02	6.09E-10	1.0E+06	6.1E-04
373	373	3.31693	7.77E-06	2.6E-05	2.50E-04	6.45E-09	14	1.15E-02	1.04E-09	1.0E+06	1.0E-03
374	374	2.61825	7.77E-06	2.0E-05	2.50E-04	5.09E-09	14	1.15E-02	8.18E-10	1.0E+06	8.2E-04
375	375	2.08513	7.77E-06	1.6E-05	2.50E-04	4.06E-09	14	1.15E-02	6.51E-10	1.0E+06	6.5E-04
376	376	1.70163	7.77E-06	1.3E-05	2.50E-04	3.31E-09	14	1.15E-02	5.32E-10	1.0E+06	5.3E-04
386	386	2.58378	7.77E-06	2.0E-05	2.50E-04	5.03E-09	14	1.15E-02	8.07E-10	1.0E+06	8.1E-04
387	387	2.17408	7.77E-06	1.7E-05	2.50E-04	4.23E-09	14	1.15E-02	6.79E-10	1.0E+06	6.8E-04
388	388	1.79823	7.77E-06	1.4E-05	2.50E-04	3.50E-09	14	1.15E-02	5.62E-10	1.0E+06	5.6E-04
389	389	1.50141	7.77E-06	1.2E-05	2.50E-04	2.92E-09	14	1.15E-02	4.69E-10	1.0E+06	4.7E-04
390	390	1.27521	7.77E-06	9.9E-06	2.50E-04	2.48E-09	14	1.15E-02	3.98E-10	1.0E+06	4.0E-04
400	400	2.06365	7.77E-06	1.6E-05	2.50E-04	4.01E-09	14	1.15E-02	6.45E-10	1.0E+06	6.4E-04
401	401	1.81695	7.77E-06	1.4E-05	2.50E-04	3.53E-09	14	1.15E-02	5.68E-10	1.0E+06	5.7E-04
402	402	1.56105	7.77E-06	1.2E-05	2.50E-04	3.04E-09	14	1.15E-02	4.88E-10	1.0E+06	4.9E-04
403	403	1.32984	7.77E-06	1.0E-05	2.50E-04	2.59E-09	14	1.15E-02	4.15E-10	1.0E+06	4.2E-04
404	404	1.14067	7.77E-06	8.9E-06	2.50E-04	2.22E-09	14	1.15E-02	3.56E-10	1.0E+06	3.6E-04
415	415	1.686	7.77E-06	1.3E-05	2.50E-04	3.28E-09	14	1.15E-02	5.27E-10	1.0E+06	5.3E-04
416	416	1.5369	7.77E-06	1.2E-05	2.50E-04	2.99E-09	14	1.15E-02	4.80E-10	1.0E+06	4.8E-04
417	417	1.35733	7.77E-06	1.1E-05	2.50E-04	2.64E-09	14	1.15E-02	4.24E-10	1.0E+06	4.2E-04

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
418	418	1.18857	7.77E-06	9.2E-06	2.50E-04	2.31E-09	14	1.15E-02	3.71E-10	1.0E+06	3.7E-04
419	419	1.0392	7.77E-06	8.1E-06	2.50E-04	2.02E-09	14	1.15E-02	3.25E-10	1.0E+06	3.2E-04
420	420	0.8984	7.77E-06	7.0E-06	2.50E-04	1.75E-09	14	1.15E-02	2.81E-10	1.0E+06	2.8E-04
430	430	1.31134	7.77E-06	1.0E-05	2.50E-04	2.55E-09	14	1.15E-02	4.10E-10	1.0E+06	4.1E-04
431	431	1.18913	7.77E-06	9.2E-06	2.50E-04	2.31E-09	14	1.15E-02	3.71E-10	1.0E+06	3.7E-04
432	432	1.06018	7.77E-06	8.2E-06	2.50E-04	2.06E-09	14	1.15E-02	3.31E-10	1.0E+06	3.3E-04
433	433	0.93938	7.77E-06	7.3E-06	2.50E-04	1.83E-09	14	1.15E-02	2.93E-10	1.0E+06	2.9E-04
434	434	0.83167	7.77E-06	6.5E-06	2.50E-04	1.62E-09	14	1.15E-02	2.60E-10	1.0E+06	2.6E-04
444	444	1.13218	7.77E-06	8.8E-06	2.50E-04	2.20E-09	14	1.15E-02	3.54E-10	1.0E+06	3.5E-04
445	445	1.04484	7.77E-06	8.1E-06	2.50E-04	2.03E-09	14	1.15E-02	3.26E-10	1.0E+06	3.3E-04
446	446	0.94771	7.77E-06	7.4E-06	2.50E-04	1.84E-09	14	1.15E-02	2.96E-10	1.0E+06	3.0E-04
447	447	0.85158	7.77E-06	6.6E-06	2.50E-04	1.66E-09	14	1.15E-02	2.66E-10	1.0E+06	2.7E-04
448	448	0.76221	7.77E-06	5.9E-06	2.50E-04	1.48E-09	14	1.15E-02	2.38E-10	1.0E+06	2.4E-04
459	459	0.92402	7.77E-06	7.2E-06	2.50E-04	1.80E-09	14	1.15E-02	2.89E-10	1.0E+06	2.9E-04
460	460	0.85014	7.77E-06	6.6E-06	2.50E-04	1.65E-09	14	1.15E-02	2.66E-10	1.0E+06	2.7E-04
461	461	0.77305	7.77E-06	6.0E-06	2.50E-04	1.50E-09	14	1.15E-02	2.41E-10	1.0E+06	2.4E-04
462	462	0.69896	7.77E-06	5.4E-06	2.50E-04	1.36E-09	14	1.15E-02	2.18E-10	1.0E+06	2.2E-04
463	463	0.62649	7.77E-06	4.9E-06	2.50E-04	1.22E-09	14	1.15E-02	1.96E-10	1.0E+06	2.0E-04
474	474	0.82168	7.77E-06	6.4E-06	2.50E-04	1.60E-09	14	1.15E-02	2.57E-10	1.0E+06	2.6E-04
475	475	0.76482	7.77E-06	5.9E-06	2.50E-04	1.49E-09	14	1.15E-02	2.39E-10	1.0E+06	2.4E-04
476	476	0.70428	7.77E-06	5.5E-06	2.50E-04	1.37E-09	14	1.15E-02	2.20E-10	1.0E+06	2.2E-04
477	477	0.64144	7.77E-06	5.0E-06	2.50E-04	1.25E-09	14	1.15E-02	2.00E-10	1.0E+06	2.0E-04
478	478	0.581	7.77E-06	4.5E-06	2.50E-04	1.13E-09	14	1.15E-02	1.81E-10	1.0E+06	1.8E-04
495	495	0.73544	7.77E-06	5.7E-06	2.50E-04	1.43E-09	14	1.15E-02	2.30E-10	1.0E+06	2.3E-04
496	496	0.69166	7.77E-06	5.4E-06	2.50E-04	1.35E-09	14	1.15E-02	2.16E-10	1.0E+06	2.2E-04
497	497	0.64307	7.77E-06	5.0E-06	2.50E-04	1.25E-09	14	1.15E-02	2.01E-10	1.0E+06	2.0E-04
498	498	0.59145	7.77E-06	4.6E-06	2.50E-04	1.15E-09	14	1.15E-02	1.85E-10	1.0E+06	1.8E-04
499	499	0.54002	7.77E-06	4.2E-06	2.50E-04	1.05E-09	14	1.15E-02	1.69E-10	1.0E+06	1.7E-04
500	500	0.49331	7.77E-06	3.8E-06	2.50E-04	9.59E-10	14	1.15E-02	1.54E-10	1.0E+06	1.5E-04

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	5.9902	7.77E-06	4.7E-05	2.50E-04	1.17E-08	25	1.15E-02	3.34E-09	1.0E+06	3.3E-03
140	140	6.25841	7.77E-06	4.9E-05	2.50E-04	1.22E-08	25	1.15E-02	3.49E-09	1.0E+06	3.5E-03
156	156	8.46083	7.77E-06	6.6E-05	2.50E-04	1.65E-08	25	1.15E-02	4.72E-09	1.0E+06	4.7E-03
157	157	12.39535	7.77E-06	9.6E-05	2.50E-04	2.41E-08	25	1.15E-02	6.91E-09	1.0E+06	6.9E-03
158	158	8.16831	7.77E-06	6.3E-05	2.50E-04	1.59E-08	25	1.15E-02	4.56E-09	1.0E+06	4.6E-03
159	159	16.15119	7.77E-06	1.3E-04	2.50E-04	3.14E-08	25	1.15E-02	9.01E-09	1.0E+06	9.0E-03
160	160	8.3914	7.77E-06	6.5E-05	2.50E-04	1.63E-08	25	1.15E-02	4.68E-09	1.0E+06	4.7E-03
161	161	4.22029	7.77E-06	3.3E-05	2.50E-04	8.21E-09	25	1.15E-02	2.35E-09	1.0E+06	2.4E-03
162	162	3.31048	7.77E-06	2.6E-05	2.50E-04	6.44E-09	25	1.15E-02	1.85E-09	1.0E+06	1.8E-03
163	163	2.65622	7.77E-06	2.1E-05	2.50E-04	5.17E-09	25	1.15E-02	1.48E-09	1.0E+06	1.5E-03
167	167	10.16422	7.77E-06	7.9E-05	2.50E-04	1.98E-08	25	1.15E-02	5.67E-09	1.0E+06	5.7E-03
168	168	11.22706	7.77E-06	8.7E-05	2.50E-04	2.18E-08	25	1.15E-02	6.26E-09	1.0E+06	6.3E-03
169	169	15.35931	7.77E-06	1.2E-04	2.50E-04	2.99E-08	25	1.15E-02	8.57E-09	1.0E+06	8.6E-03
170	170	8.44339	7.77E-06	6.6E-05	2.50E-04	1.64E-08	25	1.15E-02	4.71E-09	1.0E+06	4.7E-03
171	171	5.68282	7.77E-06	4.4E-05	2.50E-04	1.11E-08	25	1.15E-02	3.17E-09	1.0E+06	3.2E-03
172	172	4.25558	7.77E-06	3.3E-05	2.50E-04	8.28E-09	25	1.15E-02	2.37E-09	1.0E+06	2.4E-03
173	173	3.31695	7.77E-06	2.6E-05	2.50E-04	6.45E-09	25	1.15E-02	1.85E-09	1.0E+06	1.9E-03
174	174	2.67555	7.77E-06	2.1E-05	2.50E-04	5.20E-09	25	1.15E-02	1.49E-09	1.0E+06	1.5E-03
175	175	2.2186	7.77E-06	1.7E-05	2.50E-04	4.32E-09	25	1.15E-02	1.24E-09	1.0E+06	1.2E-03
176	176	1.86939	7.77E-06	1.5E-05	2.50E-04	3.64E-09	25	1.15E-02	1.04E-09	1.0E+06	1.0E-03
177	177	1.59709	7.77E-06	1.2E-05	2.50E-04	3.11E-09	25	1.15E-02	8.91E-10	1.0E+06	8.9E-04
181	181	12.33289	7.77E-06	9.6E-05	2.50E-04	2.40E-08	25	1.15E-02	6.88E-09	1.0E+06	6.9E-03
182	182	13.92163	7.77E-06	1.1E-04	2.50E-04	2.71E-08	25	1.15E-02	7.77E-09	1.0E+06	7.8E-03
183	183	8.28924	7.77E-06	6.4E-05	2.50E-04	1.61E-08	25	1.15E-02	4.62E-09	1.0E+06	4.6E-03
184	184	5.63439	7.77E-06	4.4E-05	2.50E-04	1.10E-08	25	1.15E-02	3.14E-09	1.0E+06	3.1E-03
185	185	4.19359	7.77E-06	3.3E-05	2.50E-04	8.16E-09	25	1.15E-02	2.34E-09	1.0E+06	2.3E-03
186	186	3.26716	7.77E-06	2.5E-05	2.50E-04	6.35E-09	25	1.15E-02	1.82E-09	1.0E+06	1.8E-03
187	187	2.61673	7.77E-06	2.0E-05	2.50E-04	5.09E-09	25	1.15E-02	1.46E-09	1.0E+06	1.5E-03
188	188	2.16249	7.77E-06	1.7E-05	2.50E-04	4.21E-09	25	1.15E-02	1.21E-09	1.0E+06	1.2E-03
189	189	1.82764	7.77E-06	1.4E-05	2.50E-04	3.55E-09	25	1.15E-02	1.02E-09	1.0E+06	1.0E-03
190	190	1.55507	7.77E-06	1.2E-05	2.50E-04	3.02E-09	25	1.15E-02	8.67E-10	1.0E+06	8.7E-04

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	1.34207	7.77E-06	1.0E-05	2.50E-04	2.61E-09	25	1.15E-02	7.49E-10	1.0E+06	7.5E-04
195	195	23.90888	7.77E-06	1.9E-04	2.50E-04	4.65E-08	25	1.15E-02	1.33E-08	1.0E+06	1.3E-02
196	196	12.40007	7.77E-06	9.6E-05	2.50E-04	2.41E-08	25	1.15E-02	6.92E-09	1.0E+06	6.9E-03
197	197	7.78557	7.77E-06	6.1E-05	2.50E-04	1.51E-08	25	1.15E-02	4.34E-09	1.0E+06	4.3E-03
198	198	5.50208	7.77E-06	4.3E-05	2.50E-04	1.07E-08	25	1.15E-02	3.07E-09	1.0E+06	3.1E-03
199	199	4.0791	7.77E-06	3.2E-05	2.50E-04	7.93E-09	25	1.15E-02	2.28E-09	1.0E+06	2.3E-03
200	200	3.18889	7.77E-06	2.5E-05	2.50E-04	6.20E-09	25	1.15E-02	1.78E-09	1.0E+06	1.8E-03
201	201	2.57203	7.77E-06	2.0E-05	2.50E-04	5.00E-09	25	1.15E-02	1.43E-09	1.0E+06	1.4E-03
202	202	2.11765	7.77E-06	1.6E-05	2.50E-04	4.12E-09	25	1.15E-02	1.18E-09	1.0E+06	1.2E-03
203	203	1.77164	7.77E-06	1.4E-05	2.50E-04	3.45E-09	25	1.15E-02	9.88E-10	1.0E+06	9.9E-04
204	204	1.50959	7.77E-06	1.2E-05	2.50E-04	2.94E-09	25	1.15E-02	8.42E-10	1.0E+06	8.4E-04
205	205	1.29176	7.77E-06	1.0E-05	2.50E-04	2.51E-09	25	1.15E-02	7.21E-10	1.0E+06	7.2E-04
206	206	1.11537	7.77E-06	8.7E-06	2.50E-04	2.17E-09	25	1.15E-02	6.22E-10	1.0E+06	6.2E-04
210	210	14.54919	7.77E-06	1.1E-04	2.50E-04	2.83E-08	25	1.15E-02	8.12E-09	1.0E+06	8.1E-03
211	211	20.09995	7.77E-06	1.6E-04	2.50E-04	3.91E-08	25	1.15E-02	1.12E-08	1.0E+06	1.1E-02
212	212	11.14904	7.77E-06	8.7E-05	2.50E-04	2.17E-08	25	1.15E-02	6.22E-09	1.0E+06	6.2E-03
213	213	7.37226	7.77E-06	5.7E-05	2.50E-04	1.43E-08	25	1.15E-02	4.11E-09	1.0E+06	4.1E-03
214	214	3.95082	7.77E-06	3.1E-05	2.50E-04	7.68E-09	25	1.15E-02	2.20E-09	1.0E+06	2.2E-03
215	215	3.08859	7.77E-06	2.4E-05	2.50E-04	6.01E-09	25	1.15E-02	1.72E-09	1.0E+06	1.7E-03
216	216	2.48571	7.77E-06	1.9E-05	2.50E-04	4.83E-09	25	1.15E-02	1.39E-09	1.0E+06	1.4E-03
217	217	2.03785	7.77E-06	1.6E-05	2.50E-04	3.96E-09	25	1.15E-02	1.14E-09	1.0E+06	1.1E-03
218	218	1.70905	7.77E-06	1.3E-05	2.50E-04	3.32E-09	25	1.15E-02	9.53E-10	1.0E+06	9.5E-04
219	219	1.44235	7.77E-06	1.1E-05	2.50E-04	2.81E-09	25	1.15E-02	8.05E-10	1.0E+06	8.0E-04
220	220	1.23061	7.77E-06	9.6E-06	2.50E-04	2.39E-09	25	1.15E-02	6.86E-10	1.0E+06	6.9E-04
221	221	1.06054	7.77E-06	8.2E-06	2.50E-04	2.06E-09	25	1.15E-02	5.92E-10	1.0E+06	5.9E-04
222	222	0.90743	7.77E-06	7.1E-06	2.50E-04	1.76E-09	25	1.15E-02	5.06E-10	1.0E+06	5.1E-04
226	226	14.64509	7.77E-06	1.1E-04	2.50E-04	2.85E-08	25	1.15E-02	8.17E-09	1.0E+06	8.2E-03
227	227	17.95395	7.77E-06	1.4E-04	2.50E-04	3.49E-08	25	1.15E-02	1.00E-08	1.0E+06	1.0E-02
228	228	10.40728	7.77E-06	8.1E-05	2.50E-04	2.02E-08	25	1.15E-02	5.81E-09	1.0E+06	5.8E-03
229	229	6.98265	7.77E-06	5.4E-05	2.50E-04	1.36E-08	25	1.15E-02	3.89E-09	1.0E+06	3.9E-03
230	230	5.02588	7.77E-06	3.9E-05	2.50E-04	9.78E-09	25	1.15E-02	2.80E-09	1.0E+06	2.8E-03

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	3.74657	7.77E-06	2.9E-05	2.50E-04	7.29E-09	25	1.15E-02	2.09E-09	1.0E+06	2.1E-03
232	232	2.92762	7.77E-06	2.3E-05	2.50E-04	5.69E-09	25	1.15E-02	1.63E-09	1.0E+06	1.6E-03
233	233	1.93489	7.77E-06	1.5E-05	2.50E-04	3.76E-09	25	1.15E-02	1.08E-09	1.0E+06	1.1E-03
234	234	1.60543	7.77E-06	1.2E-05	2.50E-04	3.12E-09	25	1.15E-02	8.95E-10	1.0E+06	9.0E-04
235	235	1.35208	7.77E-06	1.1E-05	2.50E-04	2.63E-09	25	1.15E-02	7.54E-10	1.0E+06	7.5E-04
236	236	1.16039	7.77E-06	9.0E-06	2.50E-04	2.26E-09	25	1.15E-02	6.47E-10	1.0E+06	6.5E-04
237	237	0.99943	7.77E-06	7.8E-06	2.50E-04	1.94E-09	25	1.15E-02	5.57E-10	1.0E+06	5.6E-04
238	238	0.86909	7.77E-06	6.8E-06	2.50E-04	1.69E-09	25	1.15E-02	4.85E-10	1.0E+06	4.8E-04
242	242	21.73997	7.77E-06	1.7E-04	2.50E-04	4.23E-08	25	1.15E-02	1.21E-08	1.0E+06	1.2E-02
243	243	16.05149	7.77E-06	1.2E-04	2.50E-04	3.12E-08	25	1.15E-02	8.95E-09	1.0E+06	9.0E-03
244	244	9.41315	7.77E-06	7.3E-05	2.50E-04	1.83E-08	25	1.15E-02	5.25E-09	1.0E+06	5.3E-03
245	245	6.4947	7.77E-06	5.0E-05	2.50E-04	1.26E-08	25	1.15E-02	3.62E-09	1.0E+06	3.6E-03
246	246	4.71212	7.77E-06	3.7E-05	2.50E-04	9.16E-09	25	1.15E-02	2.63E-09	1.0E+06	2.6E-03
247	247	3.57842	7.77E-06	2.8E-05	2.50E-04	6.96E-09	25	1.15E-02	2.00E-09	1.0E+06	2.0E-03
248	248	2.78764	7.77E-06	2.2E-05	2.50E-04	5.42E-09	25	1.15E-02	1.55E-09	1.0E+06	1.6E-03
249	249	1.80842	7.77E-06	1.4E-05	2.50E-04	3.52E-09	25	1.15E-02	1.01E-09	1.0E+06	1.0E-03
250	250	1.48725	7.77E-06	1.2E-05	2.50E-04	2.89E-09	25	1.15E-02	8.30E-10	1.0E+06	8.3E-04
251	251	1.25178	7.77E-06	9.7E-06	2.50E-04	2.43E-09	25	1.15E-02	6.98E-10	1.0E+06	7.0E-04
252	252	1.07696	7.77E-06	8.4E-06	2.50E-04	2.09E-09	25	1.15E-02	6.01E-10	1.0E+06	6.0E-04
253	253	0.92761	7.77E-06	7.2E-06	2.50E-04	1.80E-09	25	1.15E-02	5.17E-10	1.0E+06	5.2E-04
254	254	0.80915	7.77E-06	6.3E-06	2.50E-04	1.57E-09	25	1.15E-02	4.51E-10	1.0E+06	4.5E-04
257	257	19.67747	7.77E-06	1.5E-04	2.50E-04	3.83E-08	25	1.15E-02	1.10E-08	1.0E+06	1.1E-02
258	258	14.33459	7.77E-06	1.1E-04	2.50E-04	2.79E-08	25	1.15E-02	8.00E-09	1.0E+06	8.0E-03
259	259	8.83421	7.77E-06	6.9E-05	2.50E-04	1.72E-08	25	1.15E-02	4.93E-09	1.0E+06	4.9E-03
260	260	5.98388	7.77E-06	4.7E-05	2.50E-04	1.16E-08	25	1.15E-02	3.34E-09	1.0E+06	3.3E-03
261	261	4.42519	7.77E-06	3.4E-05	2.50E-04	8.61E-09	25	1.15E-02	2.47E-09	1.0E+06	2.5E-03
262	262	3.33448	7.77E-06	2.6E-05	2.50E-04	6.49E-09	25	1.15E-02	1.86E-09	1.0E+06	1.9E-03
263	263	2.58727	7.77E-06	2.0E-05	2.50E-04	5.03E-09	25	1.15E-02	1.44E-09	1.0E+06	1.4E-03
264	264	1.67359	7.77E-06	1.3E-05	2.50E-04	3.26E-09	25	1.15E-02	9.34E-10	1.0E+06	9.3E-04
265	265	1.38654	7.77E-06	1.1E-05	2.50E-04	2.70E-09	25	1.15E-02	7.73E-10	1.0E+06	7.7E-04
266	266	1.16907	7.77E-06	9.1E-06	2.50E-04	2.27E-09	25	1.15E-02	6.52E-10	1.0E+06	6.5E-04

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	1.00018	7.77E-06	7.8E-06	2.50E-04	1.95E-09	25	1.15E-02	5.58E-10	1.0E+06	5.6E-04
268	268	0.86406	7.77E-06	6.7E-06	2.50E-04	1.68E-09	25	1.15E-02	4.82E-10	1.0E+06	4.8E-04
269	269	0.75708	7.77E-06	5.9E-06	2.50E-04	1.47E-09	25	1.15E-02	4.22E-10	1.0E+06	4.2E-04
270	270	0.53233	7.77E-06	4.1E-06	2.50E-04	1.04E-09	25	1.15E-02	2.97E-10	1.0E+06	3.0E-04
271	271	0.48029	7.77E-06	3.7E-06	2.50E-04	9.34E-10	25	1.15E-02	2.68E-10	1.0E+06	2.7E-04
274	274	25.14308	7.77E-06	2.0E-04	2.50E-04	4.89E-08	25	1.15E-02	1.40E-08	1.0E+06	1.4E-02
275	275	12.99252	7.77E-06	1.0E-04	2.50E-04	2.53E-08	25	1.15E-02	7.25E-09	1.0E+06	7.2E-03
276	276	8.1596	7.77E-06	6.3E-05	2.50E-04	1.59E-08	25	1.15E-02	4.55E-09	1.0E+06	4.6E-03
277	277	5.5174	7.77E-06	4.3E-05	2.50E-04	1.07E-08	25	1.15E-02	3.08E-09	1.0E+06	3.1E-03
278	278	4.01966	7.77E-06	3.1E-05	2.50E-04	7.82E-09	25	1.15E-02	2.24E-09	1.0E+06	2.2E-03
279	279	3.01602	7.77E-06	2.3E-05	2.50E-04	5.87E-09	25	1.15E-02	1.68E-09	1.0E+06	1.7E-03
280	280	2.30961	7.77E-06	1.8E-05	2.50E-04	4.49E-09	25	1.15E-02	1.29E-09	1.0E+06	1.3E-03
281	281	1.50348	7.77E-06	1.2E-05	2.50E-04	2.92E-09	25	1.15E-02	8.39E-10	1.0E+06	8.4E-04
282	282	1.24999	7.77E-06	9.7E-06	2.50E-04	2.43E-09	25	1.15E-02	6.97E-10	1.0E+06	7.0E-04
283	283	1.05782	7.77E-06	8.2E-06	2.50E-04	2.06E-09	25	1.15E-02	5.90E-10	1.0E+06	5.9E-04
284	284	0.91673	7.77E-06	7.1E-06	2.50E-04	1.78E-09	25	1.15E-02	5.11E-10	1.0E+06	5.1E-04
285	285	0.80437	7.77E-06	6.3E-06	2.50E-04	1.56E-09	25	1.15E-02	4.49E-10	1.0E+06	4.5E-04
286	286	0.71383	7.77E-06	5.5E-06	2.50E-04	1.39E-09	25	1.15E-02	3.98E-10	1.0E+06	4.0E-04
287	287	0.49471	7.77E-06	3.8E-06	2.50E-04	9.62E-10	25	1.15E-02	2.76E-10	1.0E+06	2.8E-04
288	288	0.45689	7.77E-06	3.6E-06	2.50E-04	8.89E-10	25	1.15E-02	2.55E-10	1.0E+06	2.5E-04
291	291	23.03969	7.77E-06	1.8E-04	2.50E-04	4.48E-08	25	1.15E-02	1.29E-08	1.0E+06	1.3E-02
292	292	11.82732	7.77E-06	9.2E-05	2.50E-04	2.30E-08	25	1.15E-02	6.60E-09	1.0E+06	6.6E-03
293	293	7.36294	7.77E-06	5.7E-05	2.50E-04	1.43E-08	25	1.15E-02	4.11E-09	1.0E+06	4.1E-03
294	294	4.9507	7.77E-06	3.8E-05	2.50E-04	9.63E-09	25	1.15E-02	2.76E-09	1.0E+06	2.8E-03
295	295	3.53637	7.77E-06	2.7E-05	2.50E-04	6.88E-09	25	1.15E-02	1.97E-09	1.0E+06	2.0E-03
296	296	2.65933	7.77E-06	2.1E-05	2.50E-04	5.17E-09	25	1.15E-02	1.48E-09	1.0E+06	1.5E-03
297	297	2.08833	7.77E-06	1.6E-05	2.50E-04	4.06E-09	25	1.15E-02	1.16E-09	1.0E+06	1.2E-03
298	298	1.36306	7.77E-06	1.1E-05	2.50E-04	2.65E-09	25	1.15E-02	7.60E-10	1.0E+06	7.6E-04
299	299	1.14366	7.77E-06	8.9E-06	2.50E-04	2.22E-09	25	1.15E-02	6.38E-10	1.0E+06	6.4E-04
300	300	0.97319	7.77E-06	7.6E-06	2.50E-04	1.89E-09	25	1.15E-02	5.43E-10	1.0E+06	5.4E-04
301	301	0.85	7.77E-06	6.6E-06	2.50E-04	1.65E-09	25	1.15E-02	4.74E-10	1.0E+06	4.7E-04

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	302	0.75016	7.77E-06	5.8E-06	2.50E-04	1.46E-09	25	1.15E-02	4.18E-10	1.0E+06	4.2E-04
303	303	0.66917	7.77E-06	5.2E-06	2.50E-04	1.30E-09	25	1.15E-02	3.73E-10	1.0E+06	3.7E-04
304	304	0.47419	7.77E-06	3.7E-06	2.50E-04	9.22E-10	25	1.15E-02	2.64E-10	1.0E+06	2.6E-04
305	305	0.43507	7.77E-06	3.4E-06	2.50E-04	8.46E-10	25	1.15E-02	2.43E-10	1.0E+06	2.4E-04
308	308	21.81583	7.77E-06	1.7E-04	2.50E-04	4.24E-08	25	1.15E-02	1.22E-08	1.0E+06	1.2E-02
309	309	10.4555	7.77E-06	8.1E-05	2.50E-04	2.03E-08	25	1.15E-02	5.83E-09	1.0E+06	5.8E-03
310	310	6.29666	7.77E-06	4.9E-05	2.50E-04	1.22E-08	25	1.15E-02	3.51E-09	1.0E+06	3.5E-03
311	311	4.22443	7.77E-06	3.3E-05	2.50E-04	8.22E-09	25	1.15E-02	2.36E-09	1.0E+06	2.4E-03
312	312	3.08621	7.77E-06	2.4E-05	2.50E-04	6.00E-09	25	1.15E-02	1.72E-09	1.0E+06	1.7E-03
313	313	2.34561	7.77E-06	1.8E-05	2.50E-04	4.56E-09	25	1.15E-02	1.31E-09	1.0E+06	1.3E-03
314	314	1.85382	7.77E-06	1.4E-05	2.50E-04	3.61E-09	25	1.15E-02	1.03E-09	1.0E+06	1.0E-03
315	315	1.24835	7.77E-06	9.7E-06	2.50E-04	2.43E-09	25	1.15E-02	6.96E-10	1.0E+06	7.0E-04
316	316	1.06629	7.77E-06	8.3E-06	2.50E-04	2.07E-09	25	1.15E-02	5.95E-10	1.0E+06	5.9E-04
317	317	0.89976	7.77E-06	7.0E-06	2.50E-04	1.75E-09	25	1.15E-02	5.02E-10	1.0E+06	5.0E-04
318	318	0.79689	7.77E-06	6.2E-06	2.50E-04	1.55E-09	25	1.15E-02	4.44E-10	1.0E+06	4.4E-04
319	319	0.70212	7.77E-06	5.5E-06	2.50E-04	1.37E-09	25	1.15E-02	3.92E-10	1.0E+06	3.9E-04
320	320	0.6238	7.77E-06	4.8E-06	2.50E-04	1.21E-09	25	1.15E-02	3.48E-10	1.0E+06	3.5E-04
321	321	0.45526	7.77E-06	3.5E-06	2.50E-04	8.85E-10	25	1.15E-02	2.54E-10	1.0E+06	2.5E-04
322	322	0.41505	7.77E-06	3.2E-06	2.50E-04	8.07E-10	25	1.15E-02	2.32E-10	1.0E+06	2.3E-04
325	325	9.57866	7.77E-06	7.4E-05	2.50E-04	1.86E-08	25	1.15E-02	5.34E-09	1.0E+06	5.3E-03
326	326	8.20821	7.77E-06	6.4E-05	2.50E-04	1.60E-08	25	1.15E-02	4.58E-09	1.0E+06	4.6E-03
327	327	5.01843	7.77E-06	3.9E-05	2.50E-04	9.76E-09	25	1.15E-02	2.80E-09	1.0E+06	2.8E-03
328	328	3.50143	7.77E-06	2.7E-05	2.50E-04	6.81E-09	25	1.15E-02	1.95E-09	1.0E+06	2.0E-03
329	329	2.61121	7.77E-06	2.0E-05	2.50E-04	5.08E-09	25	1.15E-02	1.46E-09	1.0E+06	1.5E-03
330	330	2.05626	7.77E-06	1.6E-05	2.50E-04	4.00E-09	25	1.15E-02	1.15E-09	1.0E+06	1.1E-03
331	331	1.65686	7.77E-06	1.3E-05	2.50E-04	3.22E-09	25	1.15E-02	9.24E-10	1.0E+06	9.2E-04
332	332	1.3768	7.77E-06	1.1E-05	2.50E-04	2.68E-09	25	1.15E-02	7.68E-10	1.0E+06	7.7E-04
333	333	1.14824	7.77E-06	8.9E-06	2.50E-04	2.23E-09	25	1.15E-02	6.40E-10	1.0E+06	6.4E-04
334	334	0.98169	7.77E-06	7.6E-06	2.50E-04	1.91E-09	25	1.15E-02	5.48E-10	1.0E+06	5.5E-04
335	335	0.84964	7.77E-06	6.6E-06	2.50E-04	1.65E-09	25	1.15E-02	4.74E-10	1.0E+06	4.7E-04
336	336	0.74461	7.77E-06	5.8E-06	2.50E-04	1.45E-09	25	1.15E-02	4.15E-10	1.0E+06	4.2E-04

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	0.65907	7.77E-06	5.1E-06	2.50E-04	1.28E-09	25	1.15E-02	3.68E-10	1.0E+06	3.7E-04
338	338	0.59323	7.77E-06	4.6E-06	2.50E-04	1.15E-09	25	1.15E-02	3.31E-10	1.0E+06	3.3E-04
339	339	0.46845	7.77E-06	3.6E-06	2.50E-04	9.11E-10	25	1.15E-02	2.61E-10	1.0E+06	2.6E-04
340	340	0.43404	7.77E-06	3.4E-06	2.50E-04	8.44E-10	25	1.15E-02	2.42E-10	1.0E+06	2.4E-04
341	341	0.39692	7.77E-06	3.1E-06	2.50E-04	7.72E-10	25	1.15E-02	2.21E-10	1.0E+06	2.2E-04
349	349	2.24835	7.77E-06	1.7E-05	2.50E-04	4.37E-09	25	1.15E-02	1.25E-09	1.0E+06	1.3E-03
350	350	1.80361	7.77E-06	1.4E-05	2.50E-04	3.51E-09	25	1.15E-02	1.01E-09	1.0E+06	1.0E-03
351	351	1.46989	7.77E-06	1.1E-05	2.50E-04	2.86E-09	25	1.15E-02	8.20E-10	1.0E+06	8.2E-04
352	352	1.24759	7.77E-06	9.7E-06	2.50E-04	2.43E-09	25	1.15E-02	6.96E-10	1.0E+06	7.0E-04
353	353	0.44611	7.77E-06	3.5E-06	2.50E-04	8.68E-10	25	1.15E-02	2.49E-10	1.0E+06	2.5E-04
354	354	0.41472	7.77E-06	3.2E-06	2.50E-04	8.07E-10	25	1.15E-02	2.31E-10	1.0E+06	2.3E-04
355	355	0.38042	7.77E-06	3.0E-06	2.50E-04	7.40E-10	25	1.15E-02	2.12E-10	1.0E+06	2.1E-04
364	364	1.5992	7.77E-06	1.2E-05	2.50E-04	3.11E-09	25	1.15E-02	8.92E-10	1.0E+06	8.9E-04
365	365	1.33517	7.77E-06	1.0E-05	2.50E-04	2.60E-09	25	1.15E-02	7.45E-10	1.0E+06	7.4E-04
366	366	1.12928	7.77E-06	8.8E-06	2.50E-04	2.20E-09	25	1.15E-02	6.30E-10	1.0E+06	6.3E-04
367	367	0.4296	7.77E-06	3.3E-06	2.50E-04	8.36E-10	25	1.15E-02	2.40E-10	1.0E+06	2.4E-04
368	368	0.39332	7.77E-06	3.1E-06	2.50E-04	7.65E-10	25	1.15E-02	2.19E-10	1.0E+06	2.2E-04
369	369	0.36473	7.77E-06	2.8E-06	2.50E-04	7.09E-10	25	1.15E-02	2.03E-10	1.0E+06	2.0E-04
377	377	1.42592	7.77E-06	1.1E-05	2.50E-04	2.77E-09	25	1.15E-02	7.95E-10	1.0E+06	8.0E-04
378	378	1.20569	7.77E-06	9.4E-06	2.50E-04	2.35E-09	25	1.15E-02	6.73E-10	1.0E+06	6.7E-04
379	379	1.03065	7.77E-06	8.0E-06	2.50E-04	2.00E-09	25	1.15E-02	5.75E-10	1.0E+06	5.7E-04
380	380	0.4057	7.77E-06	3.2E-06	2.50E-04	7.89E-10	25	1.15E-02	2.26E-10	1.0E+06	2.3E-04
381	381	0.37084	7.77E-06	2.9E-06	2.50E-04	7.21E-10	25	1.15E-02	2.07E-10	1.0E+06	2.1E-04
382	382	0.34304	7.77E-06	2.7E-06	2.50E-04	6.67E-10	25	1.15E-02	1.91E-10	1.0E+06	1.9E-04
391	391	1.08991	7.77E-06	8.5E-06	2.50E-04	2.12E-09	25	1.15E-02	6.08E-10	1.0E+06	6.1E-04
392	392	0.93341	7.77E-06	7.3E-06	2.50E-04	1.82E-09	25	1.15E-02	5.21E-10	1.0E+06	5.2E-04
393	393	0.38659	7.77E-06	3.0E-06	2.50E-04	7.52E-10	25	1.15E-02	2.16E-10	1.0E+06	2.2E-04
394	394	0.35516	7.77E-06	2.8E-06	2.50E-04	6.91E-10	25	1.15E-02	1.98E-10	1.0E+06	2.0E-04
395	395	0.3295	7.77E-06	2.6E-06	2.50E-04	6.41E-10	25	1.15E-02	1.84E-10	1.0E+06	1.8E-04
405	405	0.99206	7.77E-06	7.7E-06	2.50E-04	1.93E-09	25	1.15E-02	5.53E-10	1.0E+06	5.5E-04
406	406	0.86479	7.77E-06	6.7E-06	2.50E-04	1.68E-09	25	1.15E-02	4.82E-10	1.0E+06	4.8E-04

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	0.76443	7.77E-06	5.9E-06	2.50E-04	1.49E-09	25	1.15E-02	4.26E-10	1.0E+06	4.3E-04
408	408	0.36969	7.77E-06	2.9E-06	2.50E-04	7.19E-10	25	1.15E-02	2.06E-10	1.0E+06	2.1E-04
409	409	0.33995	7.77E-06	2.6E-06	2.50E-04	6.61E-10	25	1.15E-02	1.90E-10	1.0E+06	1.9E-04
410	410	0.32206	7.77E-06	2.5E-06	2.50E-04	6.26E-10	25	1.15E-02	1.80E-10	1.0E+06	1.8E-04
421	421	0.79639	7.77E-06	6.2E-06	2.50E-04	1.55E-09	25	1.15E-02	4.44E-10	1.0E+06	4.4E-04
422	422	0.70517	7.77E-06	5.5E-06	2.50E-04	1.37E-09	25	1.15E-02	3.93E-10	1.0E+06	3.9E-04
423	423	0.35312	7.77E-06	2.7E-06	2.50E-04	6.87E-10	25	1.15E-02	1.97E-10	1.0E+06	2.0E-04
424	424	0.32581	7.77E-06	2.5E-06	2.50E-04	6.34E-10	25	1.15E-02	1.82E-10	1.0E+06	1.8E-04
425	425	0.30906	7.77E-06	2.4E-06	2.50E-04	6.01E-10	25	1.15E-02	1.72E-10	1.0E+06	1.7E-04
435	435	0.73035	7.77E-06	5.7E-06	2.50E-04	1.42E-09	25	1.15E-02	4.07E-10	1.0E+06	4.1E-04
436	436	0.65595	7.77E-06	5.1E-06	2.50E-04	1.28E-09	25	1.15E-02	3.66E-10	1.0E+06	3.7E-04
437	437	0.31272	7.77E-06	2.4E-06	2.50E-04	6.08E-10	25	1.15E-02	1.74E-10	1.0E+06	1.7E-04
438	438	0.29116	7.77E-06	2.3E-06	2.50E-04	5.66E-10	25	1.15E-02	1.62E-10	1.0E+06	1.6E-04
449	449	0.67467	7.77E-06	5.2E-06	2.50E-04	1.31E-09	25	1.15E-02	3.76E-10	1.0E+06	3.8E-04
450	450	0.6133	7.77E-06	4.8E-06	2.50E-04	1.19E-09	25	1.15E-02	3.42E-10	1.0E+06	3.4E-04
451	451	0.55292	7.77E-06	4.3E-06	2.50E-04	1.08E-09	25	1.15E-02	3.08E-10	1.0E+06	3.1E-04
452	452	0.29953	7.77E-06	2.3E-06	2.50E-04	5.83E-10	25	1.15E-02	1.67E-10	1.0E+06	1.7E-04
453	453	0.27916	7.77E-06	2.2E-06	2.50E-04	5.43E-10	25	1.15E-02	1.56E-10	1.0E+06	1.6E-04
464	464	0.56865	7.77E-06	4.4E-06	2.50E-04	1.11E-09	25	1.15E-02	3.17E-10	1.0E+06	3.2E-04
465	465	0.51573	7.77E-06	4.0E-06	2.50E-04	1.00E-09	25	1.15E-02	2.88E-10	1.0E+06	2.9E-04
466	466	0.33576	7.77E-06	2.6E-06	2.50E-04	6.53E-10	25	1.15E-02	1.87E-10	1.0E+06	1.9E-04
467	467	0.2873	7.77E-06	2.2E-06	2.50E-04	5.59E-10	25	1.15E-02	1.60E-10	1.0E+06	1.6E-04
468	468	0.26822	7.77E-06	2.1E-06	2.50E-04	5.22E-10	25	1.15E-02	1.50E-10	1.0E+06	1.5E-04
479	479	0.52331	7.77E-06	4.1E-06	2.50E-04	1.02E-09	25	1.15E-02	2.92E-10	1.0E+06	2.9E-04
480	480	0.48063	7.77E-06	3.7E-06	2.50E-04	9.35E-10	25	1.15E-02	2.68E-10	1.0E+06	2.7E-04
481	481	0.43903	7.77E-06	3.4E-06	2.50E-04	8.54E-10	25	1.15E-02	2.45E-10	1.0E+06	2.4E-04
482	482	0.40606	7.77E-06	3.2E-06	2.50E-04	7.90E-10	25	1.15E-02	2.26E-10	1.0E+06	2.3E-04
483	483	0.37063	7.77E-06	2.9E-06	2.50E-04	7.21E-10	25	1.15E-02	2.07E-10	1.0E+06	2.1E-04
484	484	0.34303	7.77E-06	2.7E-06	2.50E-04	6.67E-10	25	1.15E-02	1.91E-10	1.0E+06	1.9E-04
485	485	0.31783	7.77E-06	2.5E-06	2.50E-04	6.18E-10	25	1.15E-02	1.77E-10	1.0E+06	1.8E-04
486	486	0.29807	7.77E-06	2.3E-06	2.50E-04	5.80E-10	25	1.15E-02	1.66E-10	1.0E+06	1.7E-04

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	487	0.27602	7.77E-06	2.1E-06	2.50E-04	5.37E-10	25	1.15E-02	1.54E-10	1.0E+06	1.5E-04
488	488	0.25772	7.77E-06	2.0E-06	2.50E-04	5.01E-10	25	1.15E-02	1.44E-10	1.0E+06	1.4E-04
501	501	0.44473	7.77E-06	3.5E-06	2.50E-04	8.65E-10	25	1.15E-02	2.48E-10	1.0E+06	2.5E-04
502	502	0.41489	7.77E-06	3.2E-06	2.50E-04	8.07E-10	25	1.15E-02	2.31E-10	1.0E+06	2.3E-04
503	503	0.38472	7.77E-06	3.0E-06	2.50E-04	7.48E-10	25	1.15E-02	2.15E-10	1.0E+06	2.1E-04
504	504	0.35511	7.77E-06	2.8E-06	2.50E-04	6.91E-10	25	1.15E-02	1.98E-10	1.0E+06	2.0E-04
505	505	0.32688	7.77E-06	2.5E-06	2.50E-04	6.36E-10	25	1.15E-02	1.82E-10	1.0E+06	1.8E-04
506	506	0.30353	7.77E-06	2.4E-06	2.50E-04	5.90E-10	25	1.15E-02	1.69E-10	1.0E+06	1.7E-04
507	507	0.28539	7.77E-06	2.2E-06	2.50E-04	5.55E-10	25	1.15E-02	1.59E-10	1.0E+06	1.6E-04
508	508	0.24791	7.77E-06	1.9E-06	2.50E-04	4.82E-10	25	1.15E-02	1.38E-10	1.0E+06	1.4E-04
520	520	0.42228	7.77E-06	3.3E-06	2.50E-04	8.21E-10	25	1.15E-02	2.36E-10	1.0E+06	2.4E-04
521	521	0.3829	7.77E-06	3.0E-06	2.50E-04	7.45E-10	25	1.15E-02	2.14E-10	1.0E+06	2.1E-04
522	522	0.36235	7.77E-06	2.8E-06	2.50E-04	7.05E-10	25	1.15E-02	2.02E-10	1.0E+06	2.0E-04
523	523	0.33558	7.77E-06	2.6E-06	2.50E-04	6.53E-10	25	1.15E-02	1.87E-10	1.0E+06	1.9E-04
524	524	0.31145	7.77E-06	2.4E-06	2.50E-04	6.06E-10	25	1.15E-02	1.74E-10	1.0E+06	1.7E-04
525	525	0.28994	7.77E-06	2.3E-06	2.50E-04	5.64E-10	25	1.15E-02	1.62E-10	1.0E+06	1.6E-04
526	526	0.27118	7.77E-06	2.1E-06	2.50E-04	5.27E-10	25	1.15E-02	1.51E-10	1.0E+06	1.5E-04
527	527	0.23841	7.77E-06	1.9E-06	2.50E-04	4.64E-10	25	1.15E-02	1.33E-10	1.0E+06	1.3E-04
539	539	0.40034	7.77E-06	3.1E-06	2.50E-04	7.79E-10	25	1.15E-02	2.23E-10	1.0E+06	2.2E-04
540	540	0.36984	7.77E-06	2.9E-06	2.50E-04	7.19E-10	25	1.15E-02	2.06E-10	1.0E+06	2.1E-04
541	541	0.3401	7.77E-06	2.6E-06	2.50E-04	6.61E-10	25	1.15E-02	1.90E-10	1.0E+06	1.9E-04
542	542	0.31553	7.77E-06	2.5E-06	2.50E-04	6.14E-10	25	1.15E-02	1.76E-10	1.0E+06	1.8E-04
543	543	0.29683	7.77E-06	2.3E-06	2.50E-04	5.77E-10	25	1.15E-02	1.66E-10	1.0E+06	1.7E-04
544	544	0.27691	7.77E-06	2.2E-06	2.50E-04	5.39E-10	25	1.15E-02	1.54E-10	1.0E+06	1.5E-04
545	545	0.25668	7.77E-06	2.0E-06	2.50E-04	4.99E-10	25	1.15E-02	1.43E-10	1.0E+06	1.4E-04
546	546	0.22919	7.77E-06	1.8E-06	2.50E-04	4.46E-10	25	1.15E-02	1.28E-10	1.0E+06	1.3E-04
560	560	0.35094	7.77E-06	2.7E-06	2.50E-04	6.83E-10	25	1.15E-02	1.96E-10	1.0E+06	2.0E-04
561	561	0.32644	7.77E-06	2.5E-06	2.50E-04	6.35E-10	25	1.15E-02	1.82E-10	1.0E+06	1.8E-04
562	562	0.30331	7.77E-06	2.4E-06	2.50E-04	5.90E-10	25	1.15E-02	1.69E-10	1.0E+06	1.7E-04
563	563	0.27311	7.77E-06	2.1E-06	2.50E-04	5.31E-10	25	1.15E-02	1.52E-10	1.0E+06	1.5E-04
564	564	0.26054	7.77E-06	2.0E-06	2.50E-04	5.07E-10	25	1.15E-02	1.45E-10	1.0E+06	1.5E-04

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

<i>Cancer Risk from 16-30 years - Construction</i>											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
565	565	0.24915	7.77E-06	1.9E-06	2.50E-04	4.85E-10	25	1.15E-02	1.39E-10	1.0E+06	1.4E-04
566	566	0.22131	7.77E-06	1.7E-06	2.50E-04	4.30E-10	25	1.15E-02	1.23E-10	1.0E+06	1.2E-04
579	579	0.33297	7.77E-06	2.6E-06	2.50E-04	6.48E-10	25	1.15E-02	1.86E-10	1.0E+06	1.9E-04
580	580	0.31066	7.77E-06	2.4E-06	2.50E-04	6.04E-10	25	1.15E-02	1.73E-10	1.0E+06	1.7E-04
581	581	0.29038	7.77E-06	2.3E-06	2.50E-04	5.65E-10	25	1.15E-02	1.62E-10	1.0E+06	1.6E-04
582	582	0.27123	7.77E-06	2.1E-06	2.50E-04	5.28E-10	25	1.15E-02	1.51E-10	1.0E+06	1.5E-04
583	583	0.25376	7.77E-06	2.0E-06	2.50E-04	4.94E-10	25	1.15E-02	1.42E-10	1.0E+06	1.4E-04
584	584	0.2367	7.77E-06	1.8E-06	2.50E-04	4.60E-10	25	1.15E-02	1.32E-10	1.0E+06	1.3E-04
585	585	0.19664	7.77E-06	1.5E-06	2.50E-04	3.82E-10	25	1.15E-02	1.10E-10	1.0E+06	1.1E-04
598	598	0.31766	7.77E-06	2.5E-06	2.50E-04	6.18E-10	25	1.15E-02	1.77E-10	1.0E+06	1.8E-04
599	599	0.29566	7.77E-06	2.3E-06	2.50E-04	5.75E-10	25	1.15E-02	1.65E-10	1.0E+06	1.6E-04
600	600	0.27688	7.77E-06	2.2E-06	2.50E-04	5.39E-10	25	1.15E-02	1.54E-10	1.0E+06	1.5E-04
601	601	0.25962	7.77E-06	2.0E-06	2.50E-04	5.05E-10	25	1.15E-02	1.45E-10	1.0E+06	1.4E-04
602	602	0.24375	7.77E-06	1.9E-06	2.50E-04	4.74E-10	25	1.15E-02	1.36E-10	1.0E+06	1.4E-04
603	603	0.22974	7.77E-06	1.8E-06	2.50E-04	4.47E-10	25	1.15E-02	1.28E-10	1.0E+06	1.3E-04
604	604	0.21659	7.77E-06	1.7E-06	2.50E-04	4.21E-10	25	1.15E-02	1.21E-10	1.0E+06	1.2E-04
0	0	0	7.77E-06	0.0E+00	2.50E-04	0.00E+00	25	1.15E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
1	1	2.2E-03	5	5.66E-07	
2	2	2.4E-03	5	6.09E-07	
3	3	2.6E-03	5	6.57E-07	
4	4	2.8E-03	5	7.11E-07	
5	5	3.0E-03	5	7.71E-07	
6	6	3.3E-03	5	8.38E-07	
7	7	3.6E-03	5	9.12E-07	
8	8	3.9E-03	5	9.95E-07	
9	9	4.2E-03	5	1.09E-06	
10	10	4.6E-03	5	1.19E-06	
11	11	5.1E-03	5	1.30E-06	
12	12	5.5E-03	5	1.42E-06	
13	13	6.0E-03	5	1.54E-06	
14	14	6.5E-03	5	1.66E-06	
15	15	6.9E-03	5	1.77E-06	
16	16	7.2E-03	5	1.85E-06	
17	17	7.4E-03	5	1.90E-06	
18	18	7.6E-03	5	1.93E-06	
19	19	7.7E-03	5	1.97E-06	
20	20	7.9E-03	5	2.01E-06	
21	21	8.0E-03	5	2.05E-06	
22	22	8.0E-03	5	2.05E-06	
23	23	7.9E-03	5	2.03E-06	
24	24	7.7E-03	5	1.97E-06	
25	25	7.4E-03	5	1.89E-06	
26	26	7.0E-03	5	1.79E-06	
27	27	6.6E-03	5	1.69E-06	
28	28	6.2E-03	5	1.59E-06	
29	29	5.8E-03	5	1.48E-06	
30	30	5.4E-03	5	1.38E-06	
31	31	5.1E-03	5	1.31E-06	

Max	Receptor #	
0.113	225	Res
0.064	345	School
0.014	274	Worker

Max	Receptor #	
2.888E-05	225	Res
1.627E-05	345	School
3.908E-05	274	Worker

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

		<i>Max Cancer Risk</i>		<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million		REL	HI Offroad
32	32	4.7E-03		5	1.19E-06
55	55	1.0E-02		5	2.58E-06
56	56	9.7E-03		5	2.47E-06
57	57	9.1E-03		5	2.33E-06
58	58	8.5E-03		5	2.17E-06
59	59	7.9E-03		5	2.01E-06
60	60	7.3E-03		5	1.86E-06
61	61	6.7E-03		5	1.71E-06
62	62	6.2E-03		5	1.58E-06
63	63	5.8E-03		5	1.47E-06
64	64	5.3E-03		5	1.35E-06
65	65	4.8E-03		5	1.23E-06
66	66	4.5E-03		5	1.14E-06
67	67	2.5E-03		5	6.32E-07
68	68	2.7E-03		5	6.87E-07
69	69	2.9E-03		5	7.49E-07
70	70	3.2E-03		5	8.21E-07
71	71	3.5E-03		5	9.03E-07
72	72	3.9E-03		5	9.97E-07
73	73	4.3E-03		5	1.11E-06
74	74	4.8E-03		5	1.23E-06
75	75	5.4E-03		5	1.38E-06
76	76	6.1E-03		5	1.55E-06
77	77	6.9E-03		5	1.75E-06
78	78	7.8E-03		5	1.99E-06
79	79	1.3E-02		5	3.42E-06
80	80	1.4E-02		5	3.57E-06
81	81	1.4E-02		5	3.67E-06
82	82	1.4E-02		5	3.65E-06
83	83	1.4E-02		5	3.48E-06
84	84	1.3E-02		5	3.23E-06

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
85	85	1.2E-02	5	2.96E-06	
86	86	1.1E-02	5	2.74E-06	
87	87	9.7E-03	5	2.48E-06	
88	88	8.8E-03	5	2.25E-06	
89	89	7.8E-03	5	2.00E-06	
90	90	7.1E-03	5	1.81E-06	
91	91	6.5E-03	5	1.67E-06	
92	92	5.9E-03	5	1.50E-06	
93	93	5.4E-03	5	1.38E-06	
96	96	1.4E-02	5	3.61E-06	
97	97	1.2E-02	5	3.19E-06	
98	98	9.2E-03	5	2.35E-06	
99	99	8.4E-03	5	2.14E-06	
100	100	7.5E-03	5	1.91E-06	
101	101	6.6E-03	5	1.69E-06	
102	102	6.1E-03	5	1.55E-06	
106	106	2.5E-03	5	6.39E-07	
107	107	2.7E-03	5	6.97E-07	
108	108	3.0E-03	5	7.65E-07	
109	109	3.3E-03	5	8.45E-07	
110	110	3.7E-03	5	9.37E-07	
111	111	4.1E-03	5	1.05E-06	
112	112	4.6E-03	5	1.17E-06	
113	113	5.2E-03	5	1.33E-06	
114	114	5.9E-03	5	1.51E-06	
115	115	6.8E-03	5	1.74E-06	
116	116	7.9E-03	5	2.03E-06	
117	117	9.4E-03	5	2.40E-06	
118	118	1.1E-02	5	2.89E-06	
124	124	2.6E-03	5	6.63E-07	
125	125	2.8E-03	5	7.28E-07	

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
126	126	3.1E-03				5	8.03E-07	
127	127	3.5E-03				5	8.91E-07	
128	128	3.9E-03				5	9.94E-07	
129	129	4.4E-03				5	1.12E-06	
130	130	4.9E-03				5	1.26E-06	
131	131	5.6E-03				5	1.44E-06	
132	132	6.5E-03				5	1.66E-06	
133	133	7.6E-03				5	1.94E-06	
134	134	9.0E-03				5	2.30E-06	
135	135	1.1E-02				5	2.77E-06	
136	136	1.3E-02				5	3.44E-06	
137	137	1.7E-02				5	4.43E-06	
138	138	2.4E-02				5	6.04E-06	
141	141	2.7E-03				5	6.87E-07	
142	142	3.0E-03				5	7.57E-07	
143	143	3.3E-03				5	8.39E-07	
144	144	3.7E-03				5	9.35E-07	
145	145	4.1E-03				5	1.05E-06	
146	146	4.6E-03				5	1.19E-06	
147	147	5.3E-03				5	1.35E-06	
148	148	6.1E-03				5	1.56E-06	
149	149	7.1E-03				5	1.81E-06	
150	150	8.4E-03				5	2.14E-06	
151	151	1.0E-02				5	2.58E-06	
152	152	1.2E-02				5	3.17E-06	
153	153	1.6E-02				5	4.03E-06	
154	154	2.1E-02				5	5.38E-06	
155	155	3.0E-02				5	7.77E-06	
164	164	2.5E-02				5	6.37E-06	
165	165	3.7E-02				5	9.59E-06	
166	166	6.8E-02				5	1.74E-05	

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
178	178	2.9E-02	5	7.37E-06	
179	179	4.5E-02	5	1.15E-05	
180	180	8.7E-02	5	2.24E-05	
192	192	3.3E-02	5	8.37E-06	
193	193	5.3E-02	5	1.35E-05	
194	194	7.7E-02	5	1.97E-05	
207	207	3.7E-02	5	9.41E-06	
208	208	6.2E-02	5	1.59E-05	
209	209	9.3E-02	5	2.38E-05	
223	223	4.1E-02	5	1.05E-05	
224	224	7.4E-02	5	1.88E-05	
225	225	1.1E-01	5	2.89E-05	
239	239	4.5E-02	5	1.15E-05	
240	240	8.7E-02	5	2.23E-05	
241	241	8.5E-02	5	2.17E-05	
255	255	4.9E-02	5	1.25E-05	
256	256	1.0E-01	5	2.66E-05	
272	272	5.1E-02	5	1.31E-05	
273	273	7.7E-02	5	1.98E-05	
289	289	5.1E-02	5	1.31E-05	
290	290	7.9E-02	5	2.03E-05	
306	306	4.7E-02	5	1.21E-05	
307	307	7.4E-02	5	1.88E-05	
323	323	4.0E-02	5	1.01E-05	
324	324	8.9E-02	5	2.28E-05	
342	342	3.0E-02	5	7.66E-06	
343	343	5.3E-02	5	1.36E-05	
344	344	4.1E-02	5	1.04E-05	
356	356	2.2E-02	5	5.65E-06	
357	357	3.2E-02	5	8.11E-06	
358	358	4.1E-02	5	1.05E-05	

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
370	370	1.7E-02	5	4.27E-06	
371	371	2.1E-02	5	5.45E-06	
372	372	2.5E-02	5	6.40E-06	
383	383	1.3E-02	5	3.34E-06	
384	384	1.6E-02	5	3.99E-06	
385	385	1.8E-02	5	4.49E-06	
396	396	1.1E-02	5	2.69E-06	
397	397	1.2E-02	5	3.09E-06	
398	398	1.3E-02	5	3.39E-06	
399	399	1.3E-02	5	3.43E-06	
411	411	8.7E-03	5	2.22E-06	
412	412	9.7E-03	5	2.48E-06	
413	413	1.0E-02	5	2.68E-06	
414	414	1.1E-02	5	2.73E-06	
426	426	7.3E-03	5	1.87E-06	
427	427	8.0E-03	5	2.05E-06	
428	428	8.6E-03	5	2.19E-06	
429	429	8.8E-03	5	2.24E-06	
439	439	6.3E-03	5	1.60E-06	
440	440	6.8E-03	5	1.74E-06	
441	441	7.2E-03	5	1.84E-06	
442	442	7.3E-03	5	1.88E-06	
443	443	7.2E-03	5	1.85E-06	
454	454	5.4E-03	5	1.39E-06	
455	455	5.8E-03	5	1.49E-06	
456	456	6.1E-03	5	1.57E-06	
457	457	6.3E-03	5	1.60E-06	
458	458	6.2E-03	5	1.59E-06	
469	469	4.8E-03	5	1.22E-06	
470	470	5.1E-03	5	1.30E-06	
471	471	5.3E-03	5	1.36E-06	

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
472	472	5.4E-03	5	1.39E-06	
473	473	5.4E-03	5	1.39E-06	
489	489	4.2E-03	5	1.08E-06	
490	490	4.5E-03	5	1.14E-06	
491	491	4.6E-03	5	1.19E-06	
492	492	4.8E-03	5	1.22E-06	
493	493	4.8E-03	5	1.22E-06	
494	494	4.7E-03	5	1.19E-06	
509	509	3.8E-03	5	9.68E-07	
510	510	4.0E-03	5	1.02E-06	
511	511	4.1E-03	5	1.05E-06	
512	512	4.2E-03	5	1.08E-06	
513	513	4.2E-03	5	1.08E-06	
514	514	4.2E-03	5	1.06E-06	
515	515	3.8E-03	5	9.77E-07	
516	516	3.6E-03	5	9.14E-07	
517	517	3.3E-03	5	8.49E-07	
518	518	3.1E-03	5	7.81E-07	
519	519	2.8E-03	5	7.22E-07	
528	528	3.4E-03	5	8.72E-07	
529	529	3.6E-03	5	9.10E-07	
530	530	3.7E-03	5	9.42E-07	
531	531	3.8E-03	5	9.62E-07	
532	532	3.8E-03	5	9.67E-07	
533	533	3.7E-03	5	9.57E-07	
534	534	3.5E-03	5	8.89E-07	
535	535	3.3E-03	5	8.38E-07	
536	536	3.1E-03	5	7.86E-07	
537	537	2.8E-03	5	7.28E-07	
538	538	2.6E-03	5	6.73E-07	
547	547	3.1E-03	5	7.90E-07	

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
548	548	3.2E-03	5	8.22E-07	
549	549	3.3E-03	5	8.48E-07	
550	550	3.4E-03	5	8.65E-07	
551	551	3.4E-03	5	8.72E-07	
552	552	3.4E-03	5	8.65E-07	
553	553	3.3E-03	5	8.45E-07	
554	554	3.2E-03	5	8.13E-07	
555	555	3.0E-03	5	7.73E-07	
556	556	2.9E-03	5	7.30E-07	
557	557	2.7E-03	5	6.80E-07	
558	558	2.5E-03	5	6.33E-07	
559	559	2.3E-03	5	5.87E-07	
567	567	2.8E-03	5	7.20E-07	
568	568	2.9E-03	5	7.47E-07	
569	569	3.0E-03	5	7.69E-07	
570	570	3.1E-03	5	7.84E-07	
571	571	3.1E-03	5	7.90E-07	
572	572	3.1E-03	5	7.86E-07	
573	573	3.0E-03	5	7.72E-07	
574	574	2.8E-03	5	7.15E-07	
575	575	2.7E-03	5	6.78E-07	
576	576	2.5E-03	5	6.39E-07	
577	577	2.3E-03	5	5.99E-07	
578	578	2.2E-03	5	5.58E-07	
586	586	2.6E-03	5	6.59E-07	
587	587	2.7E-03	5	6.82E-07	
588	588	2.7E-03	5	7.01E-07	
589	589	2.8E-03	5	7.14E-07	
590	590	2.8E-03	5	7.20E-07	
591	591	2.8E-03	5	7.19E-07	
592	592	2.8E-03	5	7.07E-07	

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
593	593	2.6E-03	5	6.62E-07	
594	594	2.5E-03	5	6.32E-07	
595	595	2.3E-03	5	5.97E-07	
596	596	2.2E-03	5	5.62E-07	
597	597	2.1E-03	5	5.27E-07	
345	345	6.4E-02	5	1.63E-05	
346	346	3.6E-02	5	9.10E-06	
347	347	2.4E-02	5	6.11E-06	
348	348	1.8E-02	5	4.51E-06	
359	359	3.7E-02	5	9.38E-06	
360	360	2.6E-02	5	6.76E-06	
361	361	1.9E-02	5	4.95E-06	
362	362	1.5E-02	5	3.79E-06	
363	363	1.2E-02	5	3.03E-06	
373	373	2.0E-02	5	5.16E-06	
374	374	1.6E-02	5	4.07E-06	
375	375	1.3E-02	5	3.24E-06	
376	376	1.0E-02	5	2.64E-06	
386	386	1.6E-02	5	4.02E-06	
387	387	1.3E-02	5	3.38E-06	
388	388	1.1E-02	5	2.79E-06	
389	389	9.1E-03	5	2.33E-06	
390	390	7.7E-03	5	1.98E-06	
400	400	1.3E-02	5	3.21E-06	
401	401	1.1E-02	5	2.82E-06	
402	402	9.5E-03	5	2.43E-06	
403	403	8.1E-03	5	2.07E-06	
404	404	6.9E-03	5	1.77E-06	
415	415	1.0E-02	5	2.62E-06	
416	416	9.3E-03	5	2.39E-06	
417	417	8.2E-03	5	2.11E-06	

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
418	418	7.2E-03	5	1.85E-06	
419	419	6.3E-03	5	1.62E-06	
420	420	5.5E-03	5	1.40E-06	
430	430	8.0E-03	5	2.04E-06	
431	431	7.2E-03	5	1.85E-06	
432	432	6.4E-03	5	1.65E-06	
433	433	5.7E-03	5	1.46E-06	
434	434	5.1E-03	5	1.29E-06	
444	444	6.9E-03	5	1.76E-06	
445	445	6.3E-03	5	1.62E-06	
446	446	5.8E-03	5	1.47E-06	
447	447	5.2E-03	5	1.32E-06	
448	448	4.6E-03	5	1.18E-06	
459	459	5.6E-03	5	1.44E-06	
460	460	5.2E-03	5	1.32E-06	
461	461	4.7E-03	5	1.20E-06	
462	462	4.2E-03	5	1.09E-06	
463	463	3.8E-03	5	9.74E-07	
474	474	5.0E-03	5	1.28E-06	
475	475	4.6E-03	5	1.19E-06	
476	476	4.3E-03	5	1.09E-06	
477	477	3.9E-03	5	9.97E-07	
478	478	3.5E-03	5	9.03E-07	
495	495	4.5E-03	5	1.14E-06	
496	496	4.2E-03	5	1.08E-06	
497	497	3.9E-03	5	1.00E-06	
498	498	3.6E-03	5	9.19E-07	
499	499	3.3E-03	5	8.39E-07	
500	500	3.0E-03	5	7.67E-07	

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Receptor #	Receptor #	Max Cancer Risk		Chronic Non Cancer Risk	
		Total Risk/ Million	Cancer Risk	REL	HI Offroad
139	139	3.3E-03		5	9.31E-06
140	140	3.5E-03		5	9.73E-06
156	156	4.7E-03		5	1.32E-05
157	157	6.9E-03		5	1.93E-05
158	158	4.6E-03		5	1.27E-05
159	159	9.0E-03		5	2.51E-05
160	160	4.7E-03		5	1.30E-05
161	161	2.4E-03		5	6.56E-06
162	162	1.8E-03		5	5.15E-06
163	163	1.5E-03		5	4.13E-06
167	167	5.7E-03		5	1.58E-05
168	168	6.3E-03		5	1.74E-05
169	169	8.6E-03		5	2.39E-05
170	170	4.7E-03		5	1.31E-05
171	171	3.2E-03		5	8.83E-06
172	172	2.4E-03		5	6.61E-06
173	173	1.9E-03		5	5.16E-06
174	174	1.5E-03		5	4.16E-06
175	175	1.2E-03		5	3.45E-06
176	176	1.0E-03		5	2.91E-06
177	177	8.9E-04		5	2.48E-06
181	181	6.9E-03		5	1.92E-05
182	182	7.8E-03		5	2.16E-05
183	183	4.6E-03		5	1.29E-05
184	184	3.1E-03		5	8.76E-06
185	185	2.3E-03		5	6.52E-06
186	186	1.8E-03		5	5.08E-06
187	187	1.5E-03		5	4.07E-06
188	188	1.2E-03		5	3.36E-06
189	189	1.0E-03		5	2.84E-06
190	190	8.7E-04		5	2.42E-06

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
191	191	7.5E-04	5	2.09E-06	
195	195	1.3E-02	5	3.72E-05	
196	196	6.9E-03	5	1.93E-05	
197	197	4.3E-03	5	1.21E-05	
198	198	3.1E-03	5	8.55E-06	
199	199	2.3E-03	5	6.34E-06	
200	200	1.8E-03	5	4.96E-06	
201	201	1.4E-03	5	4.00E-06	
202	202	1.2E-03	5	3.29E-06	
203	203	9.9E-04	5	2.75E-06	
204	204	8.4E-04	5	2.35E-06	
205	205	7.2E-04	5	2.01E-06	
206	206	6.2E-04	5	1.73E-06	
210	210	8.1E-03	5	2.26E-05	
211	211	1.1E-02	5	3.12E-05	
212	212	6.2E-03	5	1.73E-05	
213	213	4.1E-03	5	1.15E-05	
214	214	2.2E-03	5	6.14E-06	
215	215	1.7E-03	5	4.80E-06	
216	216	1.4E-03	5	3.86E-06	
217	217	1.1E-03	5	3.17E-06	
218	218	9.5E-04	5	2.66E-06	
219	219	8.0E-04	5	2.24E-06	
220	220	6.9E-04	5	1.91E-06	
221	221	5.9E-04	5	1.65E-06	
222	222	5.1E-04	5	1.41E-06	
226	226	8.2E-03	5	2.28E-05	
227	227	1.0E-02	5	2.79E-05	
228	228	5.8E-03	5	1.62E-05	
229	229	3.9E-03	5	1.09E-05	
230	230	2.8E-03	5	7.81E-06	

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
231	231	2.1E-03	5	5.82E-06	
232	232	1.6E-03	5	4.55E-06	
233	233	1.1E-03	5	3.01E-06	
234	234	9.0E-04	5	2.50E-06	
235	235	7.5E-04	5	2.10E-06	
236	236	6.5E-04	5	1.80E-06	
237	237	5.6E-04	5	1.55E-06	
238	238	4.8E-04	5	1.35E-06	
242	242	1.2E-02	5	3.38E-05	
243	243	9.0E-03	5	2.49E-05	
244	244	5.3E-03	5	1.46E-05	
245	245	3.6E-03	5	1.01E-05	
246	246	2.6E-03	5	7.32E-06	
247	247	2.0E-03	5	5.56E-06	
248	248	1.6E-03	5	4.33E-06	
249	249	1.0E-03	5	2.81E-06	
250	250	8.3E-04	5	2.31E-06	
251	251	7.0E-04	5	1.95E-06	
252	252	6.0E-04	5	1.67E-06	
253	253	5.2E-04	5	1.44E-06	
254	254	4.5E-04	5	1.26E-06	
257	257	1.1E-02	5	3.06E-05	
258	258	8.0E-03	5	2.23E-05	
259	259	4.9E-03	5	1.37E-05	
260	260	3.3E-03	5	9.30E-06	
261	261	2.5E-03	5	6.88E-06	
262	262	1.9E-03	5	5.18E-06	
263	263	1.4E-03	5	4.02E-06	
264	264	9.3E-04	5	2.60E-06	
265	265	7.7E-04	5	2.16E-06	
266	266	6.5E-04	5	1.82E-06	

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
267	267	5.6E-04	5	1.55E-06	
268	268	4.8E-04	5	1.34E-06	
269	269	4.2E-04	5	1.18E-06	
270	270	3.0E-04	5	8.27E-07	
271	271	2.7E-04	5	7.47E-07	
274	274	1.4E-02	5	3.91E-05	
275	275	7.2E-03	5	2.02E-05	
276	276	4.6E-03	5	1.27E-05	
277	277	3.1E-03	5	8.58E-06	
278	278	2.2E-03	5	6.25E-06	
279	279	1.7E-03	5	4.69E-06	
280	280	1.3E-03	5	3.59E-06	
281	281	8.4E-04	5	2.34E-06	
282	282	7.0E-04	5	1.94E-06	
283	283	5.9E-04	5	1.64E-06	
284	284	5.1E-04	5	1.42E-06	
285	285	4.5E-04	5	1.25E-06	
286	286	4.0E-04	5	1.11E-06	
287	287	2.8E-04	5	7.69E-07	
288	288	2.5E-04	5	7.10E-07	
291	291	1.3E-02	5	3.58E-05	
292	292	6.6E-03	5	1.84E-05	
293	293	4.1E-03	5	1.14E-05	
294	294	2.8E-03	5	7.69E-06	
295	295	2.0E-03	5	5.50E-06	
296	296	1.5E-03	5	4.13E-06	
297	297	1.2E-03	5	3.25E-06	
298	298	7.6E-04	5	2.12E-06	
299	299	6.4E-04	5	1.78E-06	
300	300	5.4E-04	5	1.51E-06	
301	301	4.7E-04	5	1.32E-06	

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
302	302	4.2E-04	5	1.17E-06	
303	303	3.7E-04	5	1.04E-06	
304	304	2.6E-04	5	7.37E-07	
305	305	2.4E-04	5	6.76E-07	
308	308	1.2E-02	5	3.39E-05	
309	309	5.8E-03	5	1.63E-05	
310	310	3.5E-03	5	9.79E-06	
311	311	2.4E-03	5	6.57E-06	
312	312	1.7E-03	5	4.80E-06	
313	313	1.3E-03	5	3.65E-06	
314	314	1.0E-03	5	2.88E-06	
315	315	7.0E-04	5	1.94E-06	
316	316	5.9E-04	5	1.66E-06	
317	317	5.0E-04	5	1.40E-06	
318	318	4.4E-04	5	1.24E-06	
319	319	3.9E-04	5	1.09E-06	
320	320	3.5E-04	5	9.70E-07	
321	321	2.5E-04	5	7.08E-07	
322	322	2.3E-04	5	6.45E-07	
325	325	5.3E-03	5	1.49E-05	
326	326	4.6E-03	5	1.28E-05	
327	327	2.8E-03	5	7.80E-06	
328	328	2.0E-03	5	5.44E-06	
329	329	1.5E-03	5	4.06E-06	
330	330	1.1E-03	5	3.20E-06	
331	331	9.2E-04	5	2.58E-06	
332	332	7.7E-04	5	2.14E-06	
333	333	6.4E-04	5	1.78E-06	
334	334	5.5E-04	5	1.53E-06	
335	335	4.7E-04	5	1.32E-06	
336	336	4.2E-04	5	1.16E-06	

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
337	337	3.7E-04	5	1.02E-06	
338	338	3.3E-04	5	9.22E-07	
339	339	2.6E-04	5	7.28E-07	
340	340	2.4E-04	5	6.75E-07	
341	341	2.2E-04	5	6.17E-07	
349	349	1.3E-03	5	3.49E-06	
350	350	1.0E-03	5	2.80E-06	
351	351	8.2E-04	5	2.28E-06	
352	352	7.0E-04	5	1.94E-06	
353	353	2.5E-04	5	6.93E-07	
354	354	2.3E-04	5	6.45E-07	
355	355	2.1E-04	5	5.91E-07	
364	364	8.9E-04	5	2.49E-06	
365	365	7.4E-04	5	2.08E-06	
366	366	6.3E-04	5	1.76E-06	
367	367	2.4E-04	5	6.68E-07	
368	368	2.2E-04	5	6.11E-07	
369	369	2.0E-04	5	5.67E-07	
377	377	8.0E-04	5	2.22E-06	
378	378	6.7E-04	5	1.87E-06	
379	379	5.7E-04	5	1.60E-06	
380	380	2.3E-04	5	6.31E-07	
381	381	2.1E-04	5	5.76E-07	
382	382	1.9E-04	5	5.33E-07	
391	391	6.1E-04	5	1.69E-06	
392	392	5.2E-04	5	1.45E-06	
393	393	2.2E-04	5	6.01E-07	
394	394	2.0E-04	5	5.52E-07	
395	395	1.8E-04	5	5.12E-07	
405	405	5.5E-04	5	1.54E-06	
406	406	4.8E-04	5	1.34E-06	

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
407	407	4.3E-04	5	1.19E-06	
408	408	2.1E-04	5	5.75E-07	
409	409	1.9E-04	5	5.28E-07	
410	410	1.8E-04	5	5.01E-07	
421	421	4.4E-04	5	1.24E-06	
422	422	3.9E-04	5	1.10E-06	
423	423	2.0E-04	5	5.49E-07	
424	424	1.8E-04	5	5.06E-07	
425	425	1.7E-04	5	4.80E-07	
435	435	4.1E-04	5	1.14E-06	
436	436	3.7E-04	5	1.02E-06	
437	437	1.7E-04	5	4.86E-07	
438	438	1.6E-04	5	4.53E-07	
449	449	3.8E-04	5	1.05E-06	
450	450	3.4E-04	5	9.53E-07	
451	451	3.1E-04	5	8.59E-07	
452	452	1.7E-04	5	4.66E-07	
453	453	1.6E-04	5	4.34E-07	
464	464	3.2E-04	5	8.84E-07	
465	465	2.9E-04	5	8.02E-07	
466	466	1.9E-04	5	5.22E-07	
467	467	1.6E-04	5	4.47E-07	
468	468	1.5E-04	5	4.17E-07	
479	479	2.9E-04	5	8.13E-07	
480	480	2.7E-04	5	7.47E-07	
481	481	2.4E-04	5	6.82E-07	
482	482	2.3E-04	5	6.31E-07	
483	483	2.1E-04	5	5.76E-07	
484	484	1.9E-04	5	5.33E-07	
485	485	1.8E-04	5	4.94E-07	
486	486	1.7E-04	5	4.63E-07	

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
487	487	1.5E-04	5	4.29E-07	
488	488	1.4E-04	5	4.01E-07	
501	501	2.5E-04	5	6.91E-07	
502	502	2.3E-04	5	6.45E-07	
503	503	2.1E-04	5	5.98E-07	
504	504	2.0E-04	5	5.52E-07	
505	505	1.8E-04	5	5.08E-07	
506	506	1.7E-04	5	4.72E-07	
507	507	1.6E-04	5	4.44E-07	
508	508	1.4E-04	5	3.85E-07	
520	520	2.4E-04	5	6.56E-07	
521	521	2.1E-04	5	5.95E-07	
522	522	2.0E-04	5	5.63E-07	
523	523	1.9E-04	5	5.22E-07	
524	524	1.7E-04	5	4.84E-07	
525	525	1.6E-04	5	4.51E-07	
526	526	1.5E-04	5	4.21E-07	
527	527	1.3E-04	5	3.71E-07	
539	539	2.2E-04	5	6.22E-07	
540	540	2.1E-04	5	5.75E-07	
541	541	1.9E-04	5	5.29E-07	
542	542	1.8E-04	5	4.90E-07	
543	543	1.7E-04	5	4.61E-07	
544	544	1.5E-04	5	4.30E-07	
545	545	1.4E-04	5	3.99E-07	
546	546	1.3E-04	5	3.56E-07	
560	560	2.0E-04	5	5.45E-07	
561	561	1.8E-04	5	5.07E-07	
562	562	1.7E-04	5	4.71E-07	
563	563	1.5E-04	5	4.24E-07	
564	564	1.5E-04	5	4.05E-07	

Via Oro
Risk From Santa Fe (Carson to Warnock) [TKL]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
565	565	1.4E-04	5	3.87E-07	
566	566	1.2E-04	5	3.44E-07	
579	579	1.9E-04	5	5.18E-07	
580	580	1.7E-04	5	4.83E-07	
581	581	1.6E-04	5	4.51E-07	
582	582	1.5E-04	5	4.22E-07	
583	583	1.4E-04	5	3.94E-07	
584	584	1.3E-04	5	3.68E-07	
585	585	1.1E-04	5	3.06E-07	
598	598	1.8E-04	5	4.94E-07	
599	599	1.6E-04	5	4.60E-07	
600	600	1.5E-04	5	4.30E-07	
601	601	1.4E-04	5	4.04E-07	
602	602	1.4E-04	5	3.79E-07	
603	603	1.3E-04	5	3.57E-07	
604	604	1.2E-04	5	3.37E-07	
0	0	0.0E+00	5	0.00E+00	

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	Cancer Risk from 3rd Trimester - Construction								
		g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.11824	2.14E-05	2.5E-06	3.46E-04	8.77E-10	0.25	1.57E-01	3.45E-11	1.0E+06	3.4E-05
2	0.1215	2.14E-05	2.6E-06	3.46E-04	9.01E-10	0.25	1.57E-01	3.54E-11	1.0E+06	3.5E-05
3	0.12476	2.14E-05	2.7E-06	3.46E-04	9.25E-10	0.25	1.57E-01	3.64E-11	1.0E+06	3.6E-05
4	0.12804	2.14E-05	2.7E-06	3.46E-04	9.50E-10	0.25	1.57E-01	3.73E-11	1.0E+06	3.7E-05
5	0.13134	2.14E-05	2.8E-06	3.46E-04	9.74E-10	0.25	1.57E-01	3.83E-11	1.0E+06	3.8E-05
6	0.13469	2.14E-05	2.9E-06	3.46E-04	9.99E-10	0.25	1.57E-01	3.93E-11	1.0E+06	3.9E-05
7	0.138	2.14E-05	3.0E-06	3.46E-04	1.02E-09	0.25	1.57E-01	4.02E-11	1.0E+06	4.0E-05
8	0.14121	2.14E-05	3.0E-06	3.46E-04	1.05E-09	0.25	1.57E-01	4.12E-11	1.0E+06	4.1E-05
9	0.14432	2.14E-05	3.1E-06	3.46E-04	1.07E-09	0.25	1.57E-01	4.21E-11	1.0E+06	4.2E-05
10	0.14728	2.14E-05	3.2E-06	3.46E-04	1.09E-09	0.25	1.57E-01	4.29E-11	1.0E+06	4.3E-05
11	0.15006	2.14E-05	3.2E-06	3.46E-04	1.11E-09	0.25	1.57E-01	4.37E-11	1.0E+06	4.4E-05
12	0.15262	2.14E-05	3.3E-06	3.46E-04	1.13E-09	0.25	1.57E-01	4.45E-11	1.0E+06	4.4E-05
13	0.15497	2.14E-05	3.3E-06	3.46E-04	1.15E-09	0.25	1.57E-01	4.52E-11	1.0E+06	4.5E-05
14	0.15705	2.14E-05	3.4E-06	3.46E-04	1.17E-09	0.25	1.57E-01	4.58E-11	1.0E+06	4.6E-05
15	0.15885	2.14E-05	3.4E-06	3.46E-04	1.18E-09	0.25	1.57E-01	4.63E-11	1.0E+06	4.6E-05
16	0.16034	2.14E-05	3.4E-06	3.46E-04	1.19E-09	0.25	1.57E-01	4.67E-11	1.0E+06	4.7E-05
17	0.16159	2.14E-05	3.5E-06	3.46E-04	1.20E-09	0.25	1.57E-01	4.71E-11	1.0E+06	4.7E-05
18	0.16251	2.14E-05	3.5E-06	3.46E-04	1.21E-09	0.25	1.57E-01	4.74E-11	1.0E+06	4.7E-05
19	0.16319	2.14E-05	3.5E-06	3.46E-04	1.21E-09	0.25	1.57E-01	4.76E-11	1.0E+06	4.8E-05
20	0.16367	2.14E-05	3.5E-06	3.46E-04	1.21E-09	0.25	1.57E-01	4.77E-11	1.0E+06	4.8E-05
21	0.16398	2.14E-05	3.5E-06	3.46E-04	1.22E-09	0.25	1.57E-01	4.78E-11	1.0E+06	4.8E-05
22	0.16422	2.14E-05	3.5E-06	3.46E-04	1.22E-09	0.25	1.57E-01	4.79E-11	1.0E+06	4.8E-05
23	0.16443	2.14E-05	3.5E-06	3.46E-04	1.22E-09	0.25	1.57E-01	4.79E-11	1.0E+06	4.8E-05
24	0.16468	2.14E-05	3.5E-06	3.46E-04	1.22E-09	0.25	1.57E-01	4.80E-11	1.0E+06	4.8E-05
25	0.16504	2.14E-05	3.5E-06	3.46E-04	1.22E-09	0.25	1.57E-01	4.81E-11	1.0E+06	4.8E-05
26	0.16553	2.14E-05	3.5E-06	3.46E-04	1.23E-09	0.25	1.57E-01	4.82E-11	1.0E+06	4.8E-05
27	0.16616	2.14E-05	3.6E-06	3.46E-04	1.23E-09	0.25	1.57E-01	4.84E-11	1.0E+06	4.8E-05
28	0.16691	2.14E-05	3.6E-06	3.46E-04	1.24E-09	0.25	1.57E-01	4.86E-11	1.0E+06	4.9E-05
29	0.16776	2.14E-05	3.6E-06	3.46E-04	1.24E-09	0.25	1.57E-01	4.89E-11	1.0E+06	4.9E-05
30	0.16867	2.14E-05	3.6E-06	3.46E-04	1.25E-09	0.25	1.57E-01	4.92E-11	1.0E+06	4.9E-05
31	0.16958	2.14E-05	3.6E-06	3.46E-04	1.26E-09	0.25	1.57E-01	4.94E-11	1.0E+06	4.9E-05

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.17044	2.14E-05	3.7E-06	3.46E-04	1.26E-09	0.25	1.57E-01	4.97E-11	1.0E+06	5.0E-05
55	0.17569	2.14E-05	3.8E-06	3.46E-04	1.30E-09	0.25	1.57E-01	5.12E-11	1.0E+06	5.1E-05
56	0.17599	2.14E-05	3.8E-06	3.46E-04	1.31E-09	0.25	1.57E-01	5.13E-11	1.0E+06	5.1E-05
57	0.17642	2.14E-05	3.8E-06	3.46E-04	1.31E-09	0.25	1.57E-01	5.14E-11	1.0E+06	5.1E-05
58	0.17696	2.14E-05	3.8E-06	3.46E-04	1.31E-09	0.25	1.57E-01	5.16E-11	1.0E+06	5.2E-05
59	0.17764	2.14E-05	3.8E-06	3.46E-04	1.32E-09	0.25	1.57E-01	5.18E-11	1.0E+06	5.2E-05
60	0.17845	2.14E-05	3.8E-06	3.46E-04	1.32E-09	0.25	1.57E-01	5.20E-11	1.0E+06	5.2E-05
61	0.1794	2.14E-05	3.8E-06	3.46E-04	1.33E-09	0.25	1.57E-01	5.23E-11	1.0E+06	5.2E-05
62	0.1804	2.14E-05	3.9E-06	3.46E-04	1.34E-09	0.25	1.57E-01	5.26E-11	1.0E+06	5.3E-05
63	0.18141	2.14E-05	3.9E-06	3.46E-04	1.35E-09	0.25	1.57E-01	5.29E-11	1.0E+06	5.3E-05
64	0.18236	2.14E-05	3.9E-06	3.46E-04	1.35E-09	0.25	1.57E-01	5.31E-11	1.0E+06	5.3E-05
65	0.18319	2.14E-05	3.9E-06	3.46E-04	1.36E-09	0.25	1.57E-01	5.34E-11	1.0E+06	5.3E-05
66	0.1839	2.14E-05	3.9E-06	3.46E-04	1.36E-09	0.25	1.57E-01	5.36E-11	1.0E+06	5.4E-05
67	0.1295	2.14E-05	2.8E-06	3.46E-04	9.61E-10	0.25	1.57E-01	3.77E-11	1.0E+06	3.8E-05
68	0.13353	2.14E-05	2.9E-06	3.46E-04	9.91E-10	0.25	1.57E-01	3.89E-11	1.0E+06	3.9E-05
69	0.13763	2.14E-05	2.9E-06	3.46E-04	1.02E-09	0.25	1.57E-01	4.01E-11	1.0E+06	4.0E-05
70	0.1418	2.14E-05	3.0E-06	3.46E-04	1.05E-09	0.25	1.57E-01	4.13E-11	1.0E+06	4.1E-05
71	0.14595	2.14E-05	3.1E-06	3.46E-04	1.08E-09	0.25	1.57E-01	4.25E-11	1.0E+06	4.3E-05
72	0.15024	2.14E-05	3.2E-06	3.46E-04	1.11E-09	0.25	1.57E-01	4.38E-11	1.0E+06	4.4E-05
73	0.15449	2.14E-05	3.3E-06	3.46E-04	1.15E-09	0.25	1.57E-01	4.50E-11	1.0E+06	4.5E-05
74	0.15865	2.14E-05	3.4E-06	3.46E-04	1.18E-09	0.25	1.57E-01	4.62E-11	1.0E+06	4.6E-05
75	0.1627	2.14E-05	3.5E-06	3.46E-04	1.21E-09	0.25	1.57E-01	4.74E-11	1.0E+06	4.7E-05
76	0.16661	2.14E-05	3.6E-06	3.46E-04	1.24E-09	0.25	1.57E-01	4.86E-11	1.0E+06	4.9E-05
77	0.17033	2.14E-05	3.7E-06	3.46E-04	1.26E-09	0.25	1.57E-01	4.96E-11	1.0E+06	5.0E-05
78	0.17382	2.14E-05	3.7E-06	3.46E-04	1.29E-09	0.25	1.57E-01	5.07E-11	1.0E+06	5.1E-05
79	0.18542	2.14E-05	4.0E-06	3.46E-04	1.38E-09	0.25	1.57E-01	5.40E-11	1.0E+06	5.4E-05
80	0.18652	2.14E-05	4.0E-06	3.46E-04	1.38E-09	0.25	1.57E-01	5.44E-11	1.0E+06	5.4E-05
81	0.18737	2.14E-05	4.0E-06	3.46E-04	1.39E-09	0.25	1.57E-01	5.46E-11	1.0E+06	5.5E-05
82	0.18793	2.14E-05	4.0E-06	3.46E-04	1.39E-09	0.25	1.57E-01	5.48E-11	1.0E+06	5.5E-05
83	0.18838	2.14E-05	4.0E-06	3.46E-04	1.40E-09	0.25	1.57E-01	5.49E-11	1.0E+06	5.5E-05
84	0.18876	2.14E-05	4.0E-06	3.46E-04	1.40E-09	0.25	1.57E-01	5.50E-11	1.0E+06	5.5E-05

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	0.18923	2.14E-05	4.1E-06	3.46E-04	1.40E-09	0.25	1.57E-01	5.51E-11	1.0E+06	5.5E-05
86	0.18984	2.14E-05	4.1E-06	3.46E-04	1.41E-09	0.25	1.57E-01	5.53E-11	1.0E+06	5.5E-05
87	0.1906	2.14E-05	4.1E-06	3.46E-04	1.41E-09	0.25	1.57E-01	5.55E-11	1.0E+06	5.6E-05
88	0.19153	2.14E-05	4.1E-06	3.46E-04	1.42E-09	0.25	1.57E-01	5.58E-11	1.0E+06	5.6E-05
89	0.19256	2.14E-05	4.1E-06	3.46E-04	1.43E-09	0.25	1.57E-01	5.61E-11	1.0E+06	5.6E-05
90	0.19366	2.14E-05	4.2E-06	3.46E-04	1.44E-09	0.25	1.57E-01	5.64E-11	1.0E+06	5.6E-05
91	0.1948	2.14E-05	4.2E-06	3.46E-04	1.45E-09	0.25	1.57E-01	5.68E-11	1.0E+06	5.7E-05
92	0.19582	2.14E-05	4.2E-06	3.46E-04	1.45E-09	0.25	1.57E-01	5.71E-11	1.0E+06	5.7E-05
93	0.19673	2.14E-05	4.2E-06	3.46E-04	1.46E-09	0.25	1.57E-01	5.73E-11	1.0E+06	5.7E-05
96	0.20847	2.14E-05	4.5E-06	3.46E-04	1.55E-09	0.25	1.57E-01	6.08E-11	1.0E+06	6.1E-05
97	0.21162	2.14E-05	4.5E-06	3.46E-04	1.57E-09	0.25	1.57E-01	6.17E-11	1.0E+06	6.2E-05
98	0.20755	2.14E-05	4.4E-06	3.46E-04	1.54E-09	0.25	1.57E-01	6.05E-11	1.0E+06	6.0E-05
99	0.20882	2.14E-05	4.5E-06	3.46E-04	1.55E-09	0.25	1.57E-01	6.09E-11	1.0E+06	6.1E-05
100	0.21006	2.14E-05	4.5E-06	3.46E-04	1.56E-09	0.25	1.57E-01	6.12E-11	1.0E+06	6.1E-05
101	0.21118	2.14E-05	4.5E-06	3.46E-04	1.57E-09	0.25	1.57E-01	6.15E-11	1.0E+06	6.2E-05
102	0.21213	2.14E-05	4.5E-06	3.46E-04	1.57E-09	0.25	1.57E-01	6.18E-11	1.0E+06	6.2E-05
106	0.13745	2.14E-05	2.9E-06	3.46E-04	1.02E-09	0.25	1.57E-01	4.01E-11	1.0E+06	4.0E-05
107	0.14242	2.14E-05	3.1E-06	3.46E-04	1.06E-09	0.25	1.57E-01	4.15E-11	1.0E+06	4.2E-05
108	0.14746	2.14E-05	3.2E-06	3.46E-04	1.09E-09	0.25	1.57E-01	4.30E-11	1.0E+06	4.3E-05
109	0.15263	2.14E-05	3.3E-06	3.46E-04	1.13E-09	0.25	1.57E-01	4.45E-11	1.0E+06	4.4E-05
110	0.15797	2.14E-05	3.4E-06	3.46E-04	1.17E-09	0.25	1.57E-01	4.60E-11	1.0E+06	4.6E-05
111	0.16334	2.14E-05	3.5E-06	3.46E-04	1.21E-09	0.25	1.57E-01	4.76E-11	1.0E+06	4.8E-05
112	0.16896	2.14E-05	3.6E-06	3.46E-04	1.25E-09	0.25	1.57E-01	4.92E-11	1.0E+06	4.9E-05
113	0.17454	2.14E-05	3.7E-06	3.46E-04	1.29E-09	0.25	1.57E-01	5.09E-11	1.0E+06	5.1E-05
114	0.18012	2.14E-05	3.9E-06	3.46E-04	1.34E-09	0.25	1.57E-01	5.25E-11	1.0E+06	5.2E-05
115	0.18557	2.14E-05	4.0E-06	3.46E-04	1.38E-09	0.25	1.57E-01	5.41E-11	1.0E+06	5.4E-05
116	0.19078	2.14E-05	4.1E-06	3.46E-04	1.42E-09	0.25	1.57E-01	5.56E-11	1.0E+06	5.6E-05
117	0.1959	2.14E-05	4.2E-06	3.46E-04	1.45E-09	0.25	1.57E-01	5.71E-11	1.0E+06	5.7E-05
118	0.20066	2.14E-05	4.3E-06	3.46E-04	1.49E-09	0.25	1.57E-01	5.85E-11	1.0E+06	5.8E-05
124	0.14407	2.14E-05	3.1E-06	3.46E-04	1.07E-09	0.25	1.57E-01	4.20E-11	1.0E+06	4.2E-05
125	0.14951	2.14E-05	3.2E-06	3.46E-04	1.11E-09	0.25	1.57E-01	4.36E-11	1.0E+06	4.4E-05

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.15517	2.14E-05	3.3E-06	3.46E-04	1.15E-09	0.25	1.57E-01	4.52E-11	1.0E+06	4.5E-05
127	0.16103	2.14E-05	3.5E-06	3.46E-04	1.19E-09	0.25	1.57E-01	4.69E-11	1.0E+06	4.7E-05
128	0.16709	2.14E-05	3.6E-06	3.46E-04	1.24E-09	0.25	1.57E-01	4.87E-11	1.0E+06	4.9E-05
129	0.17326	2.14E-05	3.7E-06	3.46E-04	1.29E-09	0.25	1.57E-01	5.05E-11	1.0E+06	5.0E-05
130	0.17972	2.14E-05	3.9E-06	3.46E-04	1.33E-09	0.25	1.57E-01	5.24E-11	1.0E+06	5.2E-05
131	0.18622	2.14E-05	4.0E-06	3.46E-04	1.38E-09	0.25	1.57E-01	5.43E-11	1.0E+06	5.4E-05
132	0.19277	2.14E-05	4.1E-06	3.46E-04	1.43E-09	0.25	1.57E-01	5.62E-11	1.0E+06	5.6E-05
133	0.19921	2.14E-05	4.3E-06	3.46E-04	1.48E-09	0.25	1.57E-01	5.81E-11	1.0E+06	5.8E-05
134	0.20558	2.14E-05	4.4E-06	3.46E-04	1.53E-09	0.25	1.57E-01	5.99E-11	1.0E+06	6.0E-05
135	0.21161	2.14E-05	4.5E-06	3.46E-04	1.57E-09	0.25	1.57E-01	6.17E-11	1.0E+06	6.2E-05
136	0.21723	2.14E-05	4.7E-06	3.46E-04	1.61E-09	0.25	1.57E-01	6.33E-11	1.0E+06	6.3E-05
137	0.22225	2.14E-05	4.8E-06	3.46E-04	1.65E-09	0.25	1.57E-01	6.48E-11	1.0E+06	6.5E-05
138	0.22683	2.14E-05	4.9E-06	3.46E-04	1.68E-09	0.25	1.57E-01	6.61E-11	1.0E+06	6.6E-05
141	0.15102	2.14E-05	3.2E-06	3.46E-04	1.12E-09	0.25	1.57E-01	4.40E-11	1.0E+06	4.4E-05
142	0.15712	2.14E-05	3.4E-06	3.46E-04	1.17E-09	0.25	1.57E-01	4.58E-11	1.0E+06	4.6E-05
143	0.16349	2.14E-05	3.5E-06	3.46E-04	1.21E-09	0.25	1.57E-01	4.76E-11	1.0E+06	4.8E-05
144	0.17014	2.14E-05	3.6E-06	3.46E-04	1.26E-09	0.25	1.57E-01	4.96E-11	1.0E+06	5.0E-05
145	0.17706	2.14E-05	3.8E-06	3.46E-04	1.31E-09	0.25	1.57E-01	5.16E-11	1.0E+06	5.2E-05
146	0.18417	2.14E-05	3.9E-06	3.46E-04	1.37E-09	0.25	1.57E-01	5.37E-11	1.0E+06	5.4E-05
147	0.19165	2.14E-05	4.1E-06	3.46E-04	1.42E-09	0.25	1.57E-01	5.59E-11	1.0E+06	5.6E-05
148	0.19923	2.14E-05	4.3E-06	3.46E-04	1.48E-09	0.25	1.57E-01	5.81E-11	1.0E+06	5.8E-05
149	0.20694	2.14E-05	4.4E-06	3.46E-04	1.54E-09	0.25	1.57E-01	6.03E-11	1.0E+06	6.0E-05
150	0.21462	2.14E-05	4.6E-06	3.46E-04	1.59E-09	0.25	1.57E-01	6.25E-11	1.0E+06	6.3E-05
151	0.22222	2.14E-05	4.8E-06	3.46E-04	1.65E-09	0.25	1.57E-01	6.48E-11	1.0E+06	6.5E-05
152	0.22953	2.14E-05	4.9E-06	3.46E-04	1.70E-09	0.25	1.57E-01	6.69E-11	1.0E+06	6.7E-05
153	0.23638	2.14E-05	5.1E-06	3.46E-04	1.75E-09	0.25	1.57E-01	6.89E-11	1.0E+06	6.9E-05
154	0.24248	2.14E-05	5.2E-06	3.46E-04	1.80E-09	0.25	1.57E-01	7.07E-11	1.0E+06	7.1E-05
155	0.24788	2.14E-05	5.3E-06	3.46E-04	1.84E-09	0.25	1.57E-01	7.22E-11	1.0E+06	7.2E-05
164	0.26633	2.14E-05	5.7E-06	3.46E-04	1.98E-09	0.25	1.57E-01	7.76E-11	1.0E+06	7.8E-05
165	0.27289	2.14E-05	5.8E-06	3.46E-04	2.02E-09	0.25	1.57E-01	7.95E-11	1.0E+06	8.0E-05
166	0.2785	2.14E-05	6.0E-06	3.46E-04	2.07E-09	0.25	1.57E-01	8.12E-11	1.0E+06	8.1E-05

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	0.29484	2.14E-05	6.3E-06	3.46E-04	2.19E-09	0.25	1.57E-01	8.59E-11	1.0E+06	8.6E-05
179	0.30314	2.14E-05	6.5E-06	3.46E-04	2.25E-09	0.25	1.57E-01	8.83E-11	1.0E+06	8.8E-05
180	0.31007	2.14E-05	6.6E-06	3.46E-04	2.30E-09	0.25	1.57E-01	9.04E-11	1.0E+06	9.0E-05
192	0.32966	2.14E-05	7.1E-06	3.46E-04	2.45E-09	0.25	1.57E-01	9.61E-11	1.0E+06	9.6E-05
193	0.34052	2.14E-05	7.3E-06	3.46E-04	2.53E-09	0.25	1.57E-01	9.92E-11	1.0E+06	9.9E-05
194	0.3492	2.14E-05	7.5E-06	3.46E-04	2.59E-09	0.25	1.57E-01	1.02E-10	1.0E+06	1.0E-04
207	0.37293	2.14E-05	8.0E-06	3.46E-04	2.77E-09	0.25	1.57E-01	1.09E-10	1.0E+06	1.1E-04
208	0.38745	2.14E-05	8.3E-06	3.46E-04	2.87E-09	0.25	1.57E-01	1.13E-10	1.0E+06	1.1E-04
209	0.39901	2.14E-05	8.6E-06	3.46E-04	2.96E-09	0.25	1.57E-01	1.16E-10	1.0E+06	1.2E-04
223	0.42831	2.14E-05	9.2E-06	3.46E-04	3.18E-09	0.25	1.57E-01	1.25E-10	1.0E+06	1.2E-04
224	0.44854	2.14E-05	9.6E-06	3.46E-04	3.33E-09	0.25	1.57E-01	1.31E-10	1.0E+06	1.3E-04
225	0.46414	2.14E-05	9.9E-06	3.46E-04	3.44E-09	0.25	1.57E-01	1.35E-10	1.0E+06	1.4E-04
239	0.50183	2.14E-05	1.1E-05	3.46E-04	3.72E-09	0.25	1.57E-01	1.46E-10	1.0E+06	1.5E-04
240	0.53174	2.14E-05	1.1E-05	3.46E-04	3.94E-09	0.25	1.57E-01	1.55E-10	1.0E+06	1.5E-04
241	0.55482	2.14E-05	1.2E-05	3.46E-04	4.12E-09	0.25	1.57E-01	1.62E-10	1.0E+06	1.6E-04
255	0.60351	2.14E-05	1.3E-05	3.46E-04	4.48E-09	0.25	1.57E-01	1.76E-10	1.0E+06	1.8E-04
256	0.6517	2.14E-05	1.4E-05	3.46E-04	4.83E-09	0.25	1.57E-01	1.90E-10	1.0E+06	1.9E-04
272	0.75188	2.14E-05	1.6E-05	3.46E-04	5.58E-09	0.25	1.57E-01	2.19E-10	1.0E+06	2.2E-04
273	0.84057	2.14E-05	1.8E-05	3.46E-04	6.24E-09	0.25	1.57E-01	2.45E-10	1.0E+06	2.4E-04
289	0.98394	2.14E-05	2.1E-05	3.46E-04	7.30E-09	0.25	1.57E-01	2.87E-10	1.0E+06	2.9E-04
290	1.18206	2.14E-05	2.5E-05	3.46E-04	8.77E-09	0.25	1.57E-01	3.44E-10	1.0E+06	3.4E-04
306	1.35624	2.14E-05	2.9E-05	3.46E-04	1.01E-08	0.25	1.57E-01	3.95E-10	1.0E+06	4.0E-04
307	1.95825	2.14E-05	4.2E-05	3.46E-04	1.45E-08	0.25	1.57E-01	5.71E-10	1.0E+06	5.7E-04
323	1.851	2.14E-05	4.0E-05	3.46E-04	1.37E-08	0.25	1.57E-01	5.39E-10	1.0E+06	5.4E-04
324	1.77214	2.14E-05	3.8E-05	3.46E-04	1.31E-08	0.25	1.57E-01	5.16E-10	1.0E+06	5.2E-04
342	2.19314	2.14E-05	4.7E-05	3.46E-04	1.63E-08	0.25	1.57E-01	6.39E-10	1.0E+06	6.4E-04
343	4.91826	2.14E-05	1.1E-04	3.46E-04	3.65E-08	0.25	1.57E-01	1.43E-09	1.0E+06	1.4E-03
344	2.4488	2.14E-05	5.2E-05	3.46E-04	1.82E-08	0.25	1.57E-01	7.14E-10	1.0E+06	7.1E-04
356	2.27839	2.14E-05	4.9E-05	3.46E-04	1.69E-08	0.25	1.57E-01	6.64E-10	1.0E+06	6.6E-04
357	4.41133	2.14E-05	9.5E-05	3.46E-04	3.27E-08	0.25	1.57E-01	1.29E-09	1.0E+06	1.3E-03
358	3.53719	2.14E-05	7.6E-05	3.46E-04	2.62E-08	0.25	1.57E-01	1.03E-09	1.0E+06	1.0E-03

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	2.23575	2.14E-05	4.8E-05	3.46E-04	1.66E-08	0.25	1.57E-01	6.52E-10	1.0E+06	6.5E-04
371	3.86252	2.14E-05	8.3E-05	3.46E-04	2.87E-08	0.25	1.57E-01	1.13E-09	1.0E+06	1.1E-03
372	3.74409	2.14E-05	8.0E-05	3.46E-04	2.78E-08	0.25	1.57E-01	1.09E-09	1.0E+06	1.1E-03
383	2.14505	2.14E-05	4.6E-05	3.46E-04	1.59E-08	0.25	1.57E-01	6.25E-10	1.0E+06	6.3E-04
384	3.41742	2.14E-05	7.3E-05	3.46E-04	2.54E-08	0.25	1.57E-01	9.96E-10	1.0E+06	1.0E-03
385	6.86961	2.14E-05	1.5E-04	3.46E-04	5.10E-08	0.25	1.57E-01	2.00E-09	1.0E+06	2.0E-03
396	2.04161	2.14E-05	4.4E-05	3.46E-04	1.51E-08	0.25	1.57E-01	5.95E-10	1.0E+06	5.9E-04
397	3.06694	2.14E-05	6.6E-05	3.46E-04	2.28E-08	0.25	1.57E-01	8.94E-10	1.0E+06	8.9E-04
398	5.46314	2.14E-05	1.2E-04	3.46E-04	4.05E-08	0.25	1.57E-01	1.59E-09	1.0E+06	1.6E-03
399	4.73703	2.14E-05	1.0E-04	3.46E-04	3.51E-08	0.25	1.57E-01	1.38E-09	1.0E+06	1.4E-03
411	1.93795	2.14E-05	4.2E-05	3.46E-04	1.44E-08	0.25	1.57E-01	5.65E-10	1.0E+06	5.6E-04
412	2.78487	2.14E-05	6.0E-05	3.46E-04	2.07E-08	0.25	1.57E-01	8.12E-10	1.0E+06	8.1E-04
413	4.56385	2.14E-05	9.8E-05	3.46E-04	3.39E-08	0.25	1.57E-01	1.33E-09	1.0E+06	1.3E-03
414	7.00861	2.14E-05	1.5E-04	3.46E-04	5.20E-08	0.25	1.57E-01	2.04E-09	1.0E+06	2.0E-03
426	1.83931	2.14E-05	3.9E-05	3.46E-04	1.36E-08	0.25	1.57E-01	5.36E-10	1.0E+06	5.4E-04
427	2.55353	2.14E-05	5.5E-05	3.46E-04	1.89E-08	0.25	1.57E-01	7.44E-10	1.0E+06	7.4E-04
428	3.92743	2.14E-05	8.4E-05	3.46E-04	2.91E-08	0.25	1.57E-01	1.14E-09	1.0E+06	1.1E-03
429	7.58406	2.14E-05	1.6E-04	3.46E-04	5.63E-08	0.25	1.57E-01	2.21E-09	1.0E+06	2.2E-03
439	1.74606	2.14E-05	3.7E-05	3.46E-04	1.30E-08	0.25	1.57E-01	5.09E-10	1.0E+06	5.1E-04
440	2.35693	2.14E-05	5.1E-05	3.46E-04	1.75E-08	0.25	1.57E-01	6.87E-10	1.0E+06	6.9E-04
441	3.45878	2.14E-05	7.4E-05	3.46E-04	2.57E-08	0.25	1.57E-01	1.01E-09	1.0E+06	1.0E-03
442	6.02676	2.14E-05	1.3E-04	3.46E-04	4.47E-08	0.25	1.57E-01	1.76E-09	1.0E+06	1.8E-03
443	8.23131	2.14E-05	1.8E-04	3.46E-04	6.11E-08	0.25	1.57E-01	2.40E-09	1.0E+06	2.4E-03
454	1.65913	2.14E-05	3.6E-05	3.46E-04	1.23E-08	0.25	1.57E-01	4.84E-10	1.0E+06	4.8E-04
455	2.18787	2.14E-05	4.7E-05	3.46E-04	1.62E-08	0.25	1.57E-01	6.38E-10	1.0E+06	6.4E-04
456	3.09169	2.14E-05	6.6E-05	3.46E-04	2.29E-08	0.25	1.57E-01	9.01E-10	1.0E+06	9.0E-04
457	4.98489	2.14E-05	1.1E-04	3.46E-04	3.70E-08	0.25	1.57E-01	1.45E-09	1.0E+06	1.5E-03
458	7.20481	2.14E-05	1.5E-04	3.46E-04	5.34E-08	0.25	1.57E-01	2.10E-09	1.0E+06	2.1E-03
469	1.57763	2.14E-05	3.4E-05	3.46E-04	1.17E-08	0.25	1.57E-01	4.60E-10	1.0E+06	4.6E-04
470	2.03898	2.14E-05	4.4E-05	3.46E-04	1.51E-08	0.25	1.57E-01	5.94E-10	1.0E+06	5.9E-04
471	2.79392	2.14E-05	6.0E-05	3.46E-04	2.07E-08	0.25	1.57E-01	8.14E-10	1.0E+06	8.1E-04

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	4.24598	2.14E-05	9.1E-05	3.46E-04	3.15E-08	0.25	1.57E-01	1.24E-09	1.0E+06	1.2E-03
473	6.08463	2.14E-05	1.3E-04	3.46E-04	4.51E-08	0.25	1.57E-01	1.77E-09	1.0E+06	1.8E-03
489	1.50215	2.14E-05	3.2E-05	3.46E-04	1.11E-08	0.25	1.57E-01	4.38E-10	1.0E+06	4.4E-04
490	1.9089	2.14E-05	4.1E-05	3.46E-04	1.42E-08	0.25	1.57E-01	5.56E-10	1.0E+06	5.6E-04
491	2.54865	2.14E-05	5.5E-05	3.46E-04	1.89E-08	0.25	1.57E-01	7.43E-10	1.0E+06	7.4E-04
492	3.69984	2.14E-05	7.9E-05	3.46E-04	2.74E-08	0.25	1.57E-01	1.08E-09	1.0E+06	1.1E-03
493	6.42365	2.14E-05	1.4E-04	3.46E-04	4.77E-08	0.25	1.57E-01	1.87E-09	1.0E+06	1.9E-03
494	6.2219	2.14E-05	1.3E-04	3.46E-04	4.62E-08	0.25	1.57E-01	1.81E-09	1.0E+06	1.8E-03
509	1.43104	2.14E-05	3.1E-05	3.46E-04	1.06E-08	0.25	1.57E-01	4.17E-10	1.0E+06	4.2E-04
510	1.7919	2.14E-05	3.8E-05	3.46E-04	1.33E-08	0.25	1.57E-01	5.22E-10	1.0E+06	5.2E-04
511	2.3405	2.14E-05	5.0E-05	3.46E-04	1.74E-08	0.25	1.57E-01	6.82E-10	1.0E+06	6.8E-04
512	3.27483	2.14E-05	7.0E-05	3.46E-04	2.43E-08	0.25	1.57E-01	9.54E-10	1.0E+06	9.5E-04
513	5.24429	2.14E-05	1.1E-04	3.46E-04	3.89E-08	0.25	1.57E-01	1.53E-09	1.0E+06	1.5E-03
514	7.29737	2.14E-05	1.6E-04	3.46E-04	5.41E-08	0.25	1.57E-01	2.13E-09	1.0E+06	2.1E-03
515	8.05811	2.14E-05	1.7E-04	3.46E-04	5.98E-08	0.25	1.57E-01	2.35E-09	1.0E+06	2.3E-03
516	4.7626	2.14E-05	1.0E-04	3.46E-04	3.53E-08	0.25	1.57E-01	1.39E-09	1.0E+06	1.4E-03
517	3.37153	2.14E-05	7.2E-05	3.46E-04	2.50E-08	0.25	1.57E-01	9.83E-10	1.0E+06	9.8E-04
518	2.60126	2.14E-05	5.6E-05	3.46E-04	1.93E-08	0.25	1.57E-01	7.58E-10	1.0E+06	7.6E-04
519	2.11109	2.14E-05	4.5E-05	3.46E-04	1.57E-08	0.25	1.57E-01	6.15E-10	1.0E+06	6.2E-04
528	1.36445	2.14E-05	2.9E-05	3.46E-04	1.01E-08	0.25	1.57E-01	3.98E-10	1.0E+06	4.0E-04
529	1.68652	2.14E-05	3.6E-05	3.46E-04	1.25E-08	0.25	1.57E-01	4.91E-10	1.0E+06	4.9E-04
530	2.16274	2.14E-05	4.6E-05	3.46E-04	1.60E-08	0.25	1.57E-01	6.30E-10	1.0E+06	6.3E-04
531	2.93668	2.14E-05	6.3E-05	3.46E-04	2.18E-08	0.25	1.57E-01	8.56E-10	1.0E+06	8.6E-04
532	4.42872	2.14E-05	9.5E-05	3.46E-04	3.29E-08	0.25	1.57E-01	1.29E-09	1.0E+06	1.3E-03
533	6.19365	2.14E-05	1.3E-04	3.46E-04	4.59E-08	0.25	1.57E-01	1.80E-09	1.0E+06	1.8E-03
534	7.13688	2.14E-05	1.5E-04	3.46E-04	5.29E-08	0.25	1.57E-01	2.08E-09	1.0E+06	2.1E-03
535	5.5094	2.14E-05	1.2E-04	3.46E-04	4.09E-08	0.25	1.57E-01	1.61E-09	1.0E+06	1.6E-03
536	3.74258	2.14E-05	8.0E-05	3.46E-04	2.78E-08	0.25	1.57E-01	1.09E-09	1.0E+06	1.1E-03
537	2.82266	2.14E-05	6.0E-05	3.46E-04	2.09E-08	0.25	1.57E-01	8.23E-10	1.0E+06	8.2E-04
538	2.25843	2.14E-05	4.8E-05	3.46E-04	1.68E-08	0.25	1.57E-01	6.58E-10	1.0E+06	6.6E-04
547	1.30214	2.14E-05	2.8E-05	3.46E-04	9.66E-09	0.25	1.57E-01	3.79E-10	1.0E+06	3.8E-04

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	1.59127	2.14E-05	3.4E-05	3.46E-04	1.18E-08	0.25	1.57E-01	4.64E-10	1.0E+06	4.6E-04
549	2.00786	2.14E-05	4.3E-05	3.46E-04	1.49E-08	0.25	1.57E-01	5.85E-10	1.0E+06	5.9E-04
550	2.6613	2.14E-05	5.7E-05	3.46E-04	1.97E-08	0.25	1.57E-01	7.76E-10	1.0E+06	7.8E-04
551	3.83448	2.14E-05	8.2E-05	3.46E-04	2.84E-08	0.25	1.57E-01	1.12E-09	1.0E+06	1.1E-03
552	6.63419	2.14E-05	1.4E-04	3.46E-04	4.92E-08	0.25	1.57E-01	1.93E-09	1.0E+06	1.9E-03
553	5.84912	2.14E-05	1.3E-04	3.46E-04	4.34E-08	0.25	1.57E-01	1.70E-09	1.0E+06	1.7E-03
554	5.00655	2.14E-05	1.1E-04	3.46E-04	3.71E-08	0.25	1.57E-01	1.46E-09	1.0E+06	1.5E-03
555	6.52628	2.14E-05	1.4E-04	3.46E-04	4.84E-08	0.25	1.57E-01	1.90E-09	1.0E+06	1.9E-03
556	4.19315	2.14E-05	9.0E-05	3.46E-04	3.11E-08	0.25	1.57E-01	1.22E-09	1.0E+06	1.2E-03
557	3.08044	2.14E-05	6.6E-05	3.46E-04	2.29E-08	0.25	1.57E-01	8.98E-10	1.0E+06	9.0E-04
558	2.42719	2.14E-05	5.2E-05	3.46E-04	1.80E-08	0.25	1.57E-01	7.07E-10	1.0E+06	7.1E-04
559	1.99472	2.14E-05	4.3E-05	3.46E-04	1.48E-08	0.25	1.57E-01	5.81E-10	1.0E+06	5.8E-04
567	1.24329	2.14E-05	2.7E-05	3.46E-04	9.22E-09	0.25	1.57E-01	3.62E-10	1.0E+06	3.6E-04
568	1.50394	2.14E-05	3.2E-05	3.46E-04	1.12E-08	0.25	1.57E-01	4.38E-10	1.0E+06	4.4E-04
569	1.87194	2.14E-05	4.0E-05	3.46E-04	1.39E-08	0.25	1.57E-01	5.46E-10	1.0E+06	5.5E-04
570	2.42964	2.14E-05	5.2E-05	3.46E-04	1.80E-08	0.25	1.57E-01	7.08E-10	1.0E+06	7.1E-04
571	3.37818	2.14E-05	7.2E-05	3.46E-04	2.51E-08	0.25	1.57E-01	9.84E-10	1.0E+06	9.8E-04
572	5.38365	2.14E-05	1.2E-04	3.46E-04	3.99E-08	0.25	1.57E-01	1.57E-09	1.0E+06	1.6E-03
573	5.50734	2.14E-05	1.2E-04	3.46E-04	4.09E-08	0.25	1.57E-01	1.60E-09	1.0E+06	1.6E-03
574	7.97979	2.14E-05	1.7E-04	3.46E-04	5.92E-08	0.25	1.57E-01	2.33E-09	1.0E+06	2.3E-03
575	4.75661	2.14E-05	1.0E-04	3.46E-04	3.53E-08	0.25	1.57E-01	1.39E-09	1.0E+06	1.4E-03
576	3.38328	2.14E-05	7.3E-05	3.46E-04	2.51E-08	0.25	1.57E-01	9.86E-10	1.0E+06	9.9E-04
577	2.61788	2.14E-05	5.6E-05	3.46E-04	1.94E-08	0.25	1.57E-01	7.63E-10	1.0E+06	7.6E-04
578	2.12701	2.14E-05	4.6E-05	3.46E-04	1.58E-08	0.25	1.57E-01	6.20E-10	1.0E+06	6.2E-04
586	1.18814	2.14E-05	2.5E-05	3.46E-04	8.81E-09	0.25	1.57E-01	3.46E-10	1.0E+06	3.5E-04
587	1.42437	2.14E-05	3.1E-05	3.46E-04	1.06E-08	0.25	1.57E-01	4.15E-10	1.0E+06	4.2E-04
588	1.75146	2.14E-05	3.8E-05	3.46E-04	1.30E-08	0.25	1.57E-01	5.10E-10	1.0E+06	5.1E-04
589	2.23393	2.14E-05	4.8E-05	3.46E-04	1.66E-08	0.25	1.57E-01	6.51E-10	1.0E+06	6.5E-04
590	3.01806	2.14E-05	6.5E-05	3.46E-04	2.24E-08	0.25	1.57E-01	8.80E-10	1.0E+06	8.8E-04
591	4.53588	2.14E-05	9.7E-05	3.46E-04	3.36E-08	0.25	1.57E-01	1.32E-09	1.0E+06	1.3E-03
592	6.28005	2.14E-05	1.3E-04	3.46E-04	4.66E-08	0.25	1.57E-01	1.83E-09	1.0E+06	1.8E-03

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	6.78511	2.14E-05	1.5E-04	3.46E-04	5.03E-08	0.25	1.57E-01	1.98E-09	1.0E+06	2.0E-03
594	5.49127	2.14E-05	1.2E-04	3.46E-04	4.07E-08	0.25	1.57E-01	1.60E-09	1.0E+06	1.6E-03
595	3.75299	2.14E-05	8.0E-05	3.46E-04	2.78E-08	0.25	1.57E-01	1.09E-09	1.0E+06	1.1E-03
596	2.8399	2.14E-05	6.1E-05	3.46E-04	2.11E-08	0.25	1.57E-01	8.28E-10	1.0E+06	8.3E-04
597	2.27474	2.14E-05	4.9E-05	3.46E-04	1.69E-08	0.25	1.57E-01	6.63E-10	1.0E+06	6.6E-04
345	5.10388	2.14E-05	1.1E-04	3.46E-04	3.79E-08	0.25	1.57E-01	1.49E-09	1.0E+06	1.5E-03
346	4.61822	2.14E-05	9.9E-05	3.46E-04	3.43E-08	0.25	1.57E-01	1.35E-09	1.0E+06	1.3E-03
347	3.06093	2.14E-05	6.6E-05	3.46E-04	2.27E-08	0.25	1.57E-01	8.92E-10	1.0E+06	8.9E-04
348	2.30005	2.14E-05	4.9E-05	3.46E-04	1.71E-08	0.25	1.57E-01	6.70E-10	1.0E+06	6.7E-04
359	7.04259	2.14E-05	1.5E-04	3.46E-04	5.22E-08	0.25	1.57E-01	2.05E-09	1.0E+06	2.1E-03
360	6.06177	2.14E-05	1.3E-04	3.46E-04	4.50E-08	0.25	1.57E-01	1.77E-09	1.0E+06	1.8E-03
361	3.70127	2.14E-05	7.9E-05	3.46E-04	2.75E-08	0.25	1.57E-01	1.08E-09	1.0E+06	1.1E-03
362	2.6629	2.14E-05	5.7E-05	3.46E-04	1.98E-08	0.25	1.57E-01	7.76E-10	1.0E+06	7.8E-04
363	2.08572	2.14E-05	4.5E-05	3.46E-04	1.55E-08	0.25	1.57E-01	6.08E-10	1.0E+06	6.1E-04
373	8.11364	2.14E-05	1.7E-04	3.46E-04	6.02E-08	0.25	1.57E-01	2.36E-09	1.0E+06	2.4E-03
374	4.45679	2.14E-05	9.6E-05	3.46E-04	3.31E-08	0.25	1.57E-01	1.30E-09	1.0E+06	1.3E-03
375	3.06369	2.14E-05	6.6E-05	3.46E-04	2.27E-08	0.25	1.57E-01	8.93E-10	1.0E+06	8.9E-04
376	2.33678	2.14E-05	5.0E-05	3.46E-04	1.73E-08	0.25	1.57E-01	6.81E-10	1.0E+06	6.8E-04
386	6.61635	2.14E-05	1.4E-04	3.46E-04	4.91E-08	0.25	1.57E-01	1.93E-09	1.0E+06	1.9E-03
387	5.39873	2.14E-05	1.2E-04	3.46E-04	4.00E-08	0.25	1.57E-01	1.57E-09	1.0E+06	1.6E-03
388	3.51857	2.14E-05	7.5E-05	3.46E-04	2.61E-08	0.25	1.57E-01	1.03E-09	1.0E+06	1.0E-03
389	2.61061	2.14E-05	5.6E-05	3.46E-04	1.94E-08	0.25	1.57E-01	7.61E-10	1.0E+06	7.6E-04
390	2.07543	2.14E-05	4.4E-05	3.46E-04	1.54E-08	0.25	1.57E-01	6.05E-10	1.0E+06	6.0E-04
400	7.8954	2.14E-05	1.7E-04	3.46E-04	5.86E-08	0.25	1.57E-01	2.30E-09	1.0E+06	2.3E-03
401	6.6028	2.14E-05	1.4E-04	3.46E-04	4.90E-08	0.25	1.57E-01	1.92E-09	1.0E+06	1.9E-03
402	4.05454	2.14E-05	8.7E-05	3.46E-04	3.01E-08	0.25	1.57E-01	1.18E-09	1.0E+06	1.2E-03
403	2.9139	2.14E-05	6.2E-05	3.46E-04	2.16E-08	0.25	1.57E-01	8.49E-10	1.0E+06	8.5E-04
404	2.27219	2.14E-05	4.9E-05	3.46E-04	1.69E-08	0.25	1.57E-01	6.62E-10	1.0E+06	6.6E-04
415	6.3341	2.14E-05	1.4E-04	3.46E-04	4.70E-08	0.25	1.57E-01	1.85E-09	1.0E+06	1.8E-03
416	8.35793	2.14E-05	1.8E-04	3.46E-04	6.20E-08	0.25	1.57E-01	2.44E-09	1.0E+06	2.4E-03
417	4.69809	2.14E-05	1.0E-04	3.46E-04	3.49E-08	0.25	1.57E-01	1.37E-09	1.0E+06	1.4E-03

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	3.26673	2.14E-05	7.0E-05	3.46E-04	2.42E-08	0.25	1.57E-01	9.52E-10	1.0E+06	9.5E-04
419	2.49496	2.14E-05	5.3E-05	3.46E-04	1.85E-08	0.25	1.57E-01	7.27E-10	1.0E+06	7.3E-04
420	2.00973	2.14E-05	4.3E-05	3.46E-04	1.49E-08	0.25	1.57E-01	5.86E-10	1.0E+06	5.9E-04
430	7.07653	2.14E-05	1.5E-04	3.46E-04	5.25E-08	0.25	1.57E-01	2.06E-09	1.0E+06	2.1E-03
431	5.52917	2.14E-05	1.2E-04	3.46E-04	4.10E-08	0.25	1.57E-01	1.61E-09	1.0E+06	1.6E-03
432	3.67078	2.14E-05	7.9E-05	3.46E-04	2.72E-08	0.25	1.57E-01	1.07E-09	1.0E+06	1.1E-03
433	2.73901	2.14E-05	5.9E-05	3.46E-04	2.03E-08	0.25	1.57E-01	7.98E-10	1.0E+06	8.0E-04
434	2.17987	2.14E-05	4.7E-05	3.46E-04	1.62E-08	0.25	1.57E-01	6.35E-10	1.0E+06	6.4E-04
444	5.22363	2.14E-05	1.1E-04	3.46E-04	3.87E-08	0.25	1.57E-01	1.52E-09	1.0E+06	1.5E-03
445	6.61632	2.14E-05	1.4E-04	3.46E-04	4.91E-08	0.25	1.57E-01	1.93E-09	1.0E+06	1.9E-03
446	4.15266	2.14E-05	8.9E-05	3.46E-04	3.08E-08	0.25	1.57E-01	1.21E-09	1.0E+06	1.2E-03
447	3.01542	2.14E-05	6.5E-05	3.46E-04	2.24E-08	0.25	1.57E-01	8.79E-10	1.0E+06	8.8E-04
448	2.36177	2.14E-05	5.1E-05	3.46E-04	1.75E-08	0.25	1.57E-01	6.88E-10	1.0E+06	6.9E-04
459	8.1652	2.14E-05	1.7E-04	3.46E-04	6.06E-08	0.25	1.57E-01	2.38E-09	1.0E+06	2.4E-03
460	4.74911	2.14E-05	1.0E-04	3.46E-04	3.52E-08	0.25	1.57E-01	1.38E-09	1.0E+06	1.4E-03
461	3.33824	2.14E-05	7.2E-05	3.46E-04	2.48E-08	0.25	1.57E-01	9.73E-10	1.0E+06	9.7E-04
462	2.56572	2.14E-05	5.5E-05	3.46E-04	1.90E-08	0.25	1.57E-01	7.48E-10	1.0E+06	7.5E-04
463	2.0766	2.14E-05	4.5E-05	3.46E-04	1.54E-08	0.25	1.57E-01	6.05E-10	1.0E+06	6.1E-04
474	7.40758	2.14E-05	1.6E-04	3.46E-04	5.50E-08	0.25	1.57E-01	2.16E-09	1.0E+06	2.2E-03
475	5.51831	2.14E-05	1.2E-04	3.46E-04	4.09E-08	0.25	1.57E-01	1.61E-09	1.0E+06	1.6E-03
476	3.72049	2.14E-05	8.0E-05	3.46E-04	2.76E-08	0.25	1.57E-01	1.08E-09	1.0E+06	1.1E-03
477	2.79583	2.14E-05	6.0E-05	3.46E-04	2.07E-08	0.25	1.57E-01	8.15E-10	1.0E+06	8.1E-04
478	2.23213	2.14E-05	4.8E-05	3.46E-04	1.66E-08	0.25	1.57E-01	6.51E-10	1.0E+06	6.5E-04
495	5.03774	2.14E-05	1.1E-04	3.46E-04	3.74E-08	0.25	1.57E-01	1.47E-09	1.0E+06	1.5E-03
496	6.56353	2.14E-05	1.4E-04	3.46E-04	4.87E-08	0.25	1.57E-01	1.91E-09	1.0E+06	1.9E-03
497	4.18485	2.14E-05	9.0E-05	3.46E-04	3.10E-08	0.25	1.57E-01	1.22E-09	1.0E+06	1.2E-03
498	3.06221	2.14E-05	6.6E-05	3.46E-04	2.27E-08	0.25	1.57E-01	8.92E-10	1.0E+06	8.9E-04
499	2.40575	2.14E-05	5.2E-05	3.46E-04	1.78E-08	0.25	1.57E-01	7.01E-10	1.0E+06	7.0E-04
500	1.97475	2.14E-05	4.2E-05	3.46E-04	1.46E-08	0.25	1.57E-01	5.75E-10	1.0E+06	5.8E-04

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction							
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
139	0.2305	2.14E-05	4.9E-06	3.46E-04	1.71E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	0.23353	2.14E-05	5.0E-06	3.46E-04	1.73E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	0.25244	2.14E-05	5.4E-06	3.46E-04	1.87E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	0.25592	2.14E-05	5.5E-06	3.46E-04	1.90E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	0.2586	2.14E-05	5.5E-06	3.46E-04	1.92E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	0.26051	2.14E-05	5.6E-06	3.46E-04	1.93E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	0.26187	2.14E-05	5.6E-06	3.46E-04	1.94E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	0.2646	2.14E-05	5.7E-06	3.46E-04	1.96E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	0.26627	2.14E-05	5.7E-06	3.46E-04	1.98E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	0.26811	2.14E-05	5.7E-06	3.46E-04	1.99E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	0.28239	2.14E-05	6.1E-06	3.46E-04	2.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	0.28589	2.14E-05	6.1E-06	3.46E-04	2.12E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	0.28811	2.14E-05	6.2E-06	3.46E-04	2.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	0.28989	2.14E-05	6.2E-06	3.46E-04	2.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	0.29163	2.14E-05	6.2E-06	3.46E-04	2.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	0.29371	2.14E-05	6.3E-06	3.46E-04	2.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	0.29593	2.14E-05	6.3E-06	3.46E-04	2.20E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	0.2983	2.14E-05	6.4E-06	3.46E-04	2.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	0.30052	2.14E-05	6.4E-06	3.46E-04	2.23E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	0.30232	2.14E-05	6.5E-06	3.46E-04	2.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	0.30342	2.14E-05	6.5E-06	3.46E-04	2.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	0.31905	2.14E-05	6.8E-06	3.46E-04	2.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	0.32174	2.14E-05	6.9E-06	3.46E-04	2.39E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	0.32423	2.14E-05	6.9E-06	3.46E-04	2.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	0.32677	2.14E-05	7.0E-06	3.46E-04	2.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	0.32965	2.14E-05	7.1E-06	3.46E-04	2.45E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	0.33256	2.14E-05	7.1E-06	3.46E-04	2.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	0.33514	2.14E-05	7.2E-06	3.46E-04	2.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	0.33719	2.14E-05	7.2E-06	3.46E-04	2.50E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	0.33829	2.14E-05	7.2E-06	3.46E-04	2.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	0.33821	2.14E-05	7.2E-06	3.46E-04	2.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	0.33688	2.14E-05	7.2E-06	3.46E-04	2.50E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	0.36039	2.14E-05	7.7E-06	3.46E-04	2.67E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	0.36392	2.14E-05	7.8E-06	3.46E-04	2.70E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	0.36734	2.14E-05	7.9E-06	3.46E-04	2.72E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	0.37111	2.14E-05	8.0E-06	3.46E-04	2.75E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	0.3749	2.14E-05	8.0E-06	3.46E-04	2.78E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	0.37821	2.14E-05	8.1E-06	3.46E-04	2.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	0.38053	2.14E-05	8.2E-06	3.46E-04	2.82E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	0.38141	2.14E-05	8.2E-06	3.46E-04	2.83E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	0.38065	2.14E-05	8.2E-06	3.46E-04	2.82E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	0.37822	2.14E-05	8.1E-06	3.46E-04	2.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	0.3743	2.14E-05	8.0E-06	3.46E-04	2.78E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	0.36907	2.14E-05	7.9E-06	3.46E-04	2.74E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	0.40602	2.14E-05	8.7E-06	3.46E-04	3.01E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	0.41332	2.14E-05	8.9E-06	3.46E-04	3.07E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	0.41826	2.14E-05	9.0E-06	3.46E-04	3.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	0.42339	2.14E-05	9.1E-06	3.46E-04	3.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	0.43287	2.14E-05	9.3E-06	3.46E-04	3.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	0.43556	2.14E-05	9.3E-06	3.46E-04	3.23E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	0.43601	2.14E-05	9.3E-06	3.46E-04	3.23E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	0.43405	2.14E-05	9.3E-06	3.46E-04	3.22E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	0.42977	2.14E-05	9.2E-06	3.46E-04	3.19E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	0.42347	2.14E-05	9.1E-06	3.46E-04	3.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	0.41558	2.14E-05	8.9E-06	3.46E-04	3.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	0.40645	2.14E-05	8.7E-06	3.46E-04	3.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	0.39655	2.14E-05	8.5E-06	3.46E-04	2.94E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	0.4751	2.14E-05	1.0E-05	3.46E-04	3.52E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	0.48421	2.14E-05	1.0E-05	3.46E-04	3.59E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	0.49147	2.14E-05	1.1E-05	3.46E-04	3.65E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	0.49886	2.14E-05	1.1E-05	3.46E-04	3.70E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	0.50483	2.14E-05	1.1E-05	3.46E-04	3.74E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	0.5076	2.14E-05	1.1E-05	3.46E-04	3.77E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	0.50726	2.14E-05	1.1E-05	3.46E-04	3.76E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	0.49573	2.14E-05	1.1E-05	3.46E-04	3.68E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	0.48558	2.14E-05	1.0E-05	3.46E-04	3.60E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	0.47349	2.14E-05	1.0E-05	3.46E-04	3.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	0.46012	2.14E-05	9.9E-06	3.46E-04	3.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	0.446	2.14E-05	9.6E-06	3.46E-04	3.31E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	0.43156	2.14E-05	9.2E-06	3.46E-04	3.20E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	0.5706	2.14E-05	1.2E-05	3.46E-04	4.23E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	0.58368	2.14E-05	1.3E-05	3.46E-04	4.33E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	0.59383	2.14E-05	1.3E-05	3.46E-04	4.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	0.60331	2.14E-05	1.3E-05	3.46E-04	4.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	0.60742	2.14E-05	1.3E-05	3.46E-04	4.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	0.60493	2.14E-05	1.3E-05	3.46E-04	4.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	0.59633	2.14E-05	1.3E-05	3.46E-04	4.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	0.56585	2.14E-05	1.2E-05	3.46E-04	4.20E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	0.54692	2.14E-05	1.2E-05	3.46E-04	4.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	0.52703	2.14E-05	1.1E-05	3.46E-04	3.91E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	0.50678	2.14E-05	1.1E-05	3.46E-04	3.76E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	0.48674	2.14E-05	1.0E-05	3.46E-04	3.61E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	0.46715	2.14E-05	1.0E-05	3.46E-04	3.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	0.71387	2.14E-05	1.5E-05	3.46E-04	5.30E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	0.73486	2.14E-05	1.6E-05	3.46E-04	5.45E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	0.74961	2.14E-05	1.6E-05	3.46E-04	5.56E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	0.75246	2.14E-05	1.6E-05	3.46E-04	5.58E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	0.74634	2.14E-05	1.6E-05	3.46E-04	5.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	0.72784	2.14E-05	1.6E-05	3.46E-04	5.40E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	0.70241	2.14E-05	1.5E-05	3.46E-04	5.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	0.64277	2.14E-05	1.4E-05	3.46E-04	4.77E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	0.61224	2.14E-05	1.3E-05	3.46E-04	4.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	0.58262	2.14E-05	1.2E-05	3.46E-04	4.32E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	0.55432	2.14E-05	1.2E-05	3.46E-04	4.11E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	0.52762	2.14E-05	1.1E-05	3.46E-04	3.91E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	0.50252	2.14E-05	1.1E-05	3.46E-04	3.73E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	0.43677	2.14E-05	9.4E-06	3.46E-04	3.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	0.4177	2.14E-05	9.0E-06	3.46E-04	3.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	0.95595	2.14E-05	2.0E-05	3.46E-04	7.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	0.9877	2.14E-05	2.1E-05	3.46E-04	7.33E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	0.99371	2.14E-05	2.1E-05	3.46E-04	7.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	0.96739	2.14E-05	2.1E-05	3.46E-04	7.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	0.92617	2.14E-05	2.0E-05	3.46E-04	6.87E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	0.87524	2.14E-05	1.9E-05	3.46E-04	6.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	0.8218	2.14E-05	1.8E-05	3.46E-04	6.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	0.72307	2.14E-05	1.5E-05	3.46E-04	5.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	0.67879	2.14E-05	1.5E-05	3.46E-04	5.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	0.63833	2.14E-05	1.4E-05	3.46E-04	4.74E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	0.60153	2.14E-05	1.3E-05	3.46E-04	4.46E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	0.56797	2.14E-05	1.2E-05	3.46E-04	4.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	0.53721	2.14E-05	1.2E-05	3.46E-04	3.99E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	0.45984	2.14E-05	9.9E-06	3.46E-04	3.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	0.43811	2.14E-05	9.4E-06	3.46E-04	3.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	1.4526	2.14E-05	3.1E-05	3.46E-04	1.08E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	1.45278	2.14E-05	3.1E-05	3.46E-04	1.08E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	1.37076	2.14E-05	2.9E-05	3.46E-04	1.02E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	1.25617	2.14E-05	2.7E-05	3.46E-04	9.32E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	1.14197	2.14E-05	2.4E-05	3.46E-04	8.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	1.03951	2.14E-05	2.2E-05	3.46E-04	7.71E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	0.94991	2.14E-05	2.0E-05	3.46E-04	7.05E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	0.80399	2.14E-05	1.7E-05	3.46E-04	5.96E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	0.74515	2.14E-05	1.6E-05	3.46E-04	5.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	0.69334	2.14E-05	1.5E-05	3.46E-04	5.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	0.64789	2.14E-05	1.4E-05	3.46E-04	4.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	0.6074	2.14E-05	1.3E-05	3.46E-04	4.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	0.57105	2.14E-05	1.2E-05	3.46E-04	4.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	0.48243	2.14E-05	1.0E-05	3.46E-04	3.58E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	0.45807	2.14E-05	9.8E-06	3.46E-04	3.40E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	2.74495	2.14E-05	5.9E-05	3.46E-04	2.04E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	2.28773	2.14E-05	4.9E-05	3.46E-04	1.70E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	1.89059	2.14E-05	4.1E-05	3.46E-04	1.40E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	1.59668	2.14E-05	3.4E-05	3.46E-04	1.18E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	1.37843	2.14E-05	3.0E-05	3.46E-04	1.02E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	1.21044	2.14E-05	2.6E-05	3.46E-04	8.98E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	1.07851	2.14E-05	2.3E-05	3.46E-04	8.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	0.88382	2.14E-05	1.9E-05	3.46E-04	6.56E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	0.81033	2.14E-05	1.7E-05	3.46E-04	6.01E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	0.74723	2.14E-05	1.6E-05	3.46E-04	5.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	0.6932	2.14E-05	1.5E-05	3.46E-04	5.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	0.6459	2.14E-05	1.4E-05	3.46E-04	4.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	0.60422	2.14E-05	1.3E-05	3.46E-04	4.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	0.50452	2.14E-05	1.1E-05	3.46E-04	3.74E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	0.47761	2.14E-05	1.0E-05	3.46E-04	3.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	5.68947	2.14E-05	1.2E-04	3.46E-04	4.22E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	3.4167	2.14E-05	7.3E-05	3.46E-04	2.53E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	2.47249	2.14E-05	5.3E-05	3.46E-04	1.83E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	1.94965	2.14E-05	4.2E-05	3.46E-04	1.45E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	1.61239	2.14E-05	3.5E-05	3.46E-04	1.20E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	1.37902	2.14E-05	3.0E-05	3.46E-04	1.02E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	1.20479	2.14E-05	2.6E-05	3.46E-04	8.94E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	1.06966	2.14E-05	2.3E-05	3.46E-04	7.93E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	0.96218	2.14E-05	2.1E-05	3.46E-04	7.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	0.87393	2.14E-05	1.9E-05	3.46E-04	6.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	0.80023	2.14E-05	1.7E-05	3.46E-04	5.94E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	0.73762	2.14E-05	1.6E-05	3.46E-04	5.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	0.68371	2.14E-05	1.5E-05	3.46E-04	5.07E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	0.63654	2.14E-05	1.4E-05	3.46E-04	4.72E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	0.55888	2.14E-05	1.2E-05	3.46E-04	4.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	0.52626	2.14E-05	1.1E-05	3.46E-04	3.90E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.49686	2.14E-05	1.1E-05	3.46E-04	3.69E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	1.84651	2.14E-05	4.0E-05	3.46E-04	1.37E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	1.54528	2.14E-05	3.3E-05	3.46E-04	1.15E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	1.32855	2.14E-05	2.8E-05	3.46E-04	9.86E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	1.16613	2.14E-05	2.5E-05	3.46E-04	8.65E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	0.58341	2.14E-05	1.3E-05	3.46E-04	4.33E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	0.54785	2.14E-05	1.2E-05	3.46E-04	4.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.51597	2.14E-05	1.1E-05	3.46E-04	3.83E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	1.71445	2.14E-05	3.7E-05	3.46E-04	1.27E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	1.4553	2.14E-05	3.1E-05	3.46E-04	1.08E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	1.26406	2.14E-05	2.7E-05	3.46E-04	9.38E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	0.60795	2.14E-05	1.3E-05	3.46E-04	4.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	0.56937	2.14E-05	1.2E-05	3.46E-04	4.22E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.53499	2.14E-05	1.1E-05	3.46E-04	3.97E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	1.88979	2.14E-05	4.0E-05	3.46E-04	1.40E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	1.58472	2.14E-05	3.4E-05	3.46E-04	1.18E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	1.36328	2.14E-05	2.9E-05	3.46E-04	1.01E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	0.6324	2.14E-05	1.4E-05	3.46E-04	4.69E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	0.59058	2.14E-05	1.3E-05	3.46E-04	4.38E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.5539	2.14E-05	1.2E-05	3.46E-04	4.11E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	1.71908	2.14E-05	3.7E-05	3.46E-04	1.28E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	1.46449	2.14E-05	3.1E-05	3.46E-04	1.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	0.65694	2.14E-05	1.4E-05	3.46E-04	4.87E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.61222	2.14E-05	1.3E-05	3.46E-04	4.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.57297	2.14E-05	1.2E-05	3.46E-04	4.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	1.8613	2.14E-05	4.0E-05	3.46E-04	1.38E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	1.57271	2.14E-05	3.4E-05	3.46E-04	1.17E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	1.36034	2.14E-05	2.9E-05	3.46E-04	1.01E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	0.68189	2.14E-05	1.5E-05	3.46E-04	5.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.63389	2.14E-05	1.4E-05	3.46E-04	4.70E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.59214	2.14E-05	1.3E-05	3.46E-04	4.39E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	1.68547	2.14E-05	3.6E-05	3.46E-04	1.25E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	1.44712	2.14E-05	3.1E-05	3.46E-04	1.07E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.70695	2.14E-05	1.5E-05	3.46E-04	5.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.65579	2.14E-05	1.4E-05	3.46E-04	4.86E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.61129	2.14E-05	1.3E-05	3.46E-04	4.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	1.80439	2.14E-05	3.9E-05	3.46E-04	1.34E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	1.53927	2.14E-05	3.3E-05	3.46E-04	1.14E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.67795	2.14E-05	1.5E-05	3.46E-04	5.03E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.63039	2.14E-05	1.4E-05	3.46E-04	4.68E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	1.93301	2.14E-05	4.1E-05	3.46E-04	1.43E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	1.63707	2.14E-05	3.5E-05	3.46E-04	1.21E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	1.41486	2.14E-05	3.0E-05	3.46E-04	1.05E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.70012	2.14E-05	1.5E-05	3.46E-04	5.19E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.64961	2.14E-05	1.4E-05	3.46E-04	4.82E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	1.7409	2.14E-05	3.7E-05	3.46E-04	1.29E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	1.49502	2.14E-05	3.2E-05	3.46E-04	1.11E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.85541	2.14E-05	1.8E-05	3.46E-04	6.35E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.72259	2.14E-05	1.5E-05	3.46E-04	5.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.66905	2.14E-05	1.4E-05	3.46E-04	4.96E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	1.84752	2.14E-05	4.0E-05	3.46E-04	1.37E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	1.57956	2.14E-05	3.4E-05	3.46E-04	1.17E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	1.37329	2.14E-05	2.9E-05	3.46E-04	1.02E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	1.21257	2.14E-05	2.6E-05	3.46E-04	9.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	1.0822	2.14E-05	2.3E-05	3.46E-04	8.03E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.97573	2.14E-05	2.1E-05	3.46E-04	7.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.88636	2.14E-05	1.9E-05	3.46E-04	6.58E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.81063	2.14E-05	1.7E-05	3.46E-04	6.01E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.74538	2.14E-05	1.6E-05	3.46E-04	5.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.68857	2.14E-05	1.5E-05	3.46E-04	5.11E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	1.66598	2.14E-05	3.6E-05	3.46E-04	1.24E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	1.44449	2.14E-05	3.1E-05	3.46E-04	1.07E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	1.26911	2.14E-05	2.7E-05	3.46E-04	9.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	1.12855	2.14E-05	2.4E-05	3.46E-04	8.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	1.01378	2.14E-05	2.2E-05	3.46E-04	7.52E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.91821	2.14E-05	2.0E-05	3.46E-04	6.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.83761	2.14E-05	1.8E-05	3.46E-04	6.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.70827	2.14E-05	1.5E-05	3.46E-04	5.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	1.76649	2.14E-05	3.8E-05	3.46E-04	1.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	1.51407	2.14E-05	3.2E-05	3.46E-04	1.12E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	1.32829	2.14E-05	2.8E-05	3.46E-04	9.85E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	1.17644	2.14E-05	2.5E-05	3.46E-04	8.73E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	1.05305	2.14E-05	2.3E-05	3.46E-04	7.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.95088	2.14E-05	2.0E-05	3.46E-04	7.05E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.86501	2.14E-05	1.9E-05	3.46E-04	6.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.72802	2.14E-05	1.6E-05	3.46E-04	5.40E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	1.87623	2.14E-05	4.0E-05	3.46E-04	1.39E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	1.59917	2.14E-05	3.4E-05	3.46E-04	1.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	1.38833	2.14E-05	3.0E-05	3.46E-04	1.03E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	1.22437	2.14E-05	2.6E-05	3.46E-04	9.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	1.09376	2.14E-05	2.3E-05	3.46E-04	8.11E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.98436	2.14E-05	2.1E-05	3.46E-04	7.30E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.89202	2.14E-05	1.9E-05	3.46E-04	6.62E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.74776	2.14E-05	1.6E-05	3.46E-04	5.55E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	1.68777	2.14E-05	3.6E-05	3.46E-04	1.25E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	1.45829	2.14E-05	3.1E-05	3.46E-04	1.08E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	1.27887	2.14E-05	2.7E-05	3.46E-04	9.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	1.1326	2.14E-05	2.4E-05	3.46E-04	8.40E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	1.01787	2.14E-05	2.2E-05	3.46E-04	7.55E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.92166	2.14E-05	2.0E-05	3.46E-04	6.84E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.76776	2.14E-05	1.6E-05	3.46E-04	5.70E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	1.78369	2.14E-05	3.8E-05	3.46E-04	1.32E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	1.53081	2.14E-05	3.3E-05	3.46E-04	1.14E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	1.33623	2.14E-05	2.9E-05	3.46E-04	9.91E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	1.18114	2.14E-05	2.5E-05	3.46E-04	8.76E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	1.05479	2.14E-05	2.3E-05	3.46E-04	7.82E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.94995	2.14E-05	2.0E-05	3.46E-04	7.05E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.82723	2.14E-05	1.8E-05	3.46E-04	6.14E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	1.88937	2.14E-05	4.0E-05	3.46E-04	1.40E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	1.60874	2.14E-05	3.4E-05	3.46E-04	1.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	1.3956	2.14E-05	3.0E-05	3.46E-04	1.04E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	1.22778	2.14E-05	2.6E-05	3.46E-04	9.11E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	1.0921	2.14E-05	2.3E-05	3.46E-04	8.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.98049	2.14E-05	2.1E-05	3.46E-04	7.27E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.88657	2.14E-05	1.9E-05	3.46E-04	6.58E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	2.14E-05	0.0E+00	3.46E-04	0.00E+00	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.11824	2.14E-05	2.5E-06	1.05E-03	2.65E-09	2	1.57E-01	8.32E-10	1.0E+06	8.3E-04
2	0.1215	2.14E-05	2.6E-06	1.05E-03	2.72E-09	2	1.57E-01	8.55E-10	1.0E+06	8.6E-04
3	0.12476	2.14E-05	2.7E-06	1.05E-03	2.79E-09	2	1.57E-01	8.78E-10	1.0E+06	8.8E-04
4	0.12804	2.14E-05	2.7E-06	1.05E-03	2.87E-09	2	1.57E-01	9.01E-10	1.0E+06	9.0E-04
5	0.13134	2.14E-05	2.8E-06	1.05E-03	2.94E-09	2	1.57E-01	9.25E-10	1.0E+06	9.2E-04
6	0.13469	2.14E-05	2.9E-06	1.05E-03	3.02E-09	2	1.57E-01	9.48E-10	1.0E+06	9.5E-04
7	0.138	2.14E-05	3.0E-06	1.05E-03	3.09E-09	2	1.57E-01	9.71E-10	1.0E+06	9.7E-04
8	0.14121	2.14E-05	3.0E-06	1.05E-03	3.16E-09	2	1.57E-01	9.94E-10	1.0E+06	9.9E-04
9	0.14432	2.14E-05	3.1E-06	1.05E-03	3.23E-09	2	1.57E-01	1.02E-09	1.0E+06	1.0E-03
10	0.14728	2.14E-05	3.2E-06	1.05E-03	3.30E-09	2	1.57E-01	1.04E-09	1.0E+06	1.0E-03
11	0.15006	2.14E-05	3.2E-06	1.05E-03	3.36E-09	2	1.57E-01	1.06E-09	1.0E+06	1.1E-03
12	0.15262	2.14E-05	3.3E-06	1.05E-03	3.42E-09	2	1.57E-01	1.07E-09	1.0E+06	1.1E-03
13	0.15497	2.14E-05	3.3E-06	1.05E-03	3.47E-09	2	1.57E-01	1.09E-09	1.0E+06	1.1E-03
14	0.15705	2.14E-05	3.4E-06	1.05E-03	3.52E-09	2	1.57E-01	1.11E-09	1.0E+06	1.1E-03
15	0.15885	2.14E-05	3.4E-06	1.05E-03	3.56E-09	2	1.57E-01	1.12E-09	1.0E+06	1.1E-03
16	0.16034	2.14E-05	3.4E-06	1.05E-03	3.59E-09	2	1.57E-01	1.13E-09	1.0E+06	1.1E-03
17	0.16159	2.14E-05	3.5E-06	1.05E-03	3.62E-09	2	1.57E-01	1.14E-09	1.0E+06	1.1E-03
18	0.16251	2.14E-05	3.5E-06	1.05E-03	3.64E-09	2	1.57E-01	1.14E-09	1.0E+06	1.1E-03
19	0.16319	2.14E-05	3.5E-06	1.05E-03	3.66E-09	2	1.57E-01	1.15E-09	1.0E+06	1.1E-03
20	0.16367	2.14E-05	3.5E-06	1.05E-03	3.67E-09	2	1.57E-01	1.15E-09	1.0E+06	1.2E-03
21	0.16398	2.14E-05	3.5E-06	1.05E-03	3.67E-09	2	1.57E-01	1.15E-09	1.0E+06	1.2E-03
22	0.16422	2.14E-05	3.5E-06	1.05E-03	3.68E-09	2	1.57E-01	1.16E-09	1.0E+06	1.2E-03
23	0.16443	2.14E-05	3.5E-06	1.05E-03	3.68E-09	2	1.57E-01	1.16E-09	1.0E+06	1.2E-03
24	0.16468	2.14E-05	3.5E-06	1.05E-03	3.69E-09	2	1.57E-01	1.16E-09	1.0E+06	1.2E-03
25	0.16504	2.14E-05	3.5E-06	1.05E-03	3.70E-09	2	1.57E-01	1.16E-09	1.0E+06	1.2E-03
26	0.16553	2.14E-05	3.5E-06	1.05E-03	3.71E-09	2	1.57E-01	1.17E-09	1.0E+06	1.2E-03
27	0.16616	2.14E-05	3.6E-06	1.05E-03	3.72E-09	2	1.57E-01	1.17E-09	1.0E+06	1.2E-03
28	0.16691	2.14E-05	3.6E-06	1.05E-03	3.74E-09	2	1.57E-01	1.17E-09	1.0E+06	1.2E-03
29	0.16776	2.14E-05	3.6E-06	1.05E-03	3.76E-09	2	1.57E-01	1.18E-09	1.0E+06	1.2E-03
30	0.16867	2.14E-05	3.6E-06	1.05E-03	3.78E-09	2	1.57E-01	1.19E-09	1.0E+06	1.2E-03
31	0.16958	2.14E-05	3.6E-06	1.05E-03	3.80E-09	2	1.57E-01	1.19E-09	1.0E+06	1.2E-03

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.17044	2.14E-05	3.7E-06	1.05E-03	3.82E-09	2	1.57E-01	1.20E-09	1.0E+06	1.2E-03
55	0.17569	2.14E-05	3.8E-06	1.05E-03	3.94E-09	2	1.57E-01	1.24E-09	1.0E+06	1.2E-03
56	0.17599	2.14E-05	3.8E-06	1.05E-03	3.94E-09	2	1.57E-01	1.24E-09	1.0E+06	1.2E-03
57	0.17642	2.14E-05	3.8E-06	1.05E-03	3.95E-09	2	1.57E-01	1.24E-09	1.0E+06	1.2E-03
58	0.17696	2.14E-05	3.8E-06	1.05E-03	3.96E-09	2	1.57E-01	1.25E-09	1.0E+06	1.2E-03
59	0.17764	2.14E-05	3.8E-06	1.05E-03	3.98E-09	2	1.57E-01	1.25E-09	1.0E+06	1.3E-03
60	0.17845	2.14E-05	3.8E-06	1.05E-03	4.00E-09	2	1.57E-01	1.26E-09	1.0E+06	1.3E-03
61	0.1794	2.14E-05	3.8E-06	1.05E-03	4.02E-09	2	1.57E-01	1.26E-09	1.0E+06	1.3E-03
62	0.1804	2.14E-05	3.9E-06	1.05E-03	4.04E-09	2	1.57E-01	1.27E-09	1.0E+06	1.3E-03
63	0.18141	2.14E-05	3.9E-06	1.05E-03	4.06E-09	2	1.57E-01	1.28E-09	1.0E+06	1.3E-03
64	0.18236	2.14E-05	3.9E-06	1.05E-03	4.08E-09	2	1.57E-01	1.28E-09	1.0E+06	1.3E-03
65	0.18319	2.14E-05	3.9E-06	1.05E-03	4.10E-09	2	1.57E-01	1.29E-09	1.0E+06	1.3E-03
66	0.1839	2.14E-05	3.9E-06	1.05E-03	4.12E-09	2	1.57E-01	1.29E-09	1.0E+06	1.3E-03
67	0.1295	2.14E-05	2.8E-06	1.05E-03	2.90E-09	2	1.57E-01	9.12E-10	1.0E+06	9.1E-04
68	0.13353	2.14E-05	2.9E-06	1.05E-03	2.99E-09	2	1.57E-01	9.40E-10	1.0E+06	9.4E-04
69	0.13763	2.14E-05	2.9E-06	1.05E-03	3.08E-09	2	1.57E-01	9.69E-10	1.0E+06	9.7E-04
70	0.1418	2.14E-05	3.0E-06	1.05E-03	3.18E-09	2	1.57E-01	9.98E-10	1.0E+06	1.0E-03
71	0.14595	2.14E-05	3.1E-06	1.05E-03	3.27E-09	2	1.57E-01	1.03E-09	1.0E+06	1.0E-03
72	0.15024	2.14E-05	3.2E-06	1.05E-03	3.37E-09	2	1.57E-01	1.06E-09	1.0E+06	1.1E-03
73	0.15449	2.14E-05	3.3E-06	1.05E-03	3.46E-09	2	1.57E-01	1.09E-09	1.0E+06	1.1E-03
74	0.15865	2.14E-05	3.4E-06	1.05E-03	3.55E-09	2	1.57E-01	1.12E-09	1.0E+06	1.1E-03
75	0.1627	2.14E-05	3.5E-06	1.05E-03	3.64E-09	2	1.57E-01	1.15E-09	1.0E+06	1.1E-03
76	0.16661	2.14E-05	3.6E-06	1.05E-03	3.73E-09	2	1.57E-01	1.17E-09	1.0E+06	1.2E-03
77	0.17033	2.14E-05	3.7E-06	1.05E-03	3.82E-09	2	1.57E-01	1.20E-09	1.0E+06	1.2E-03
78	0.17382	2.14E-05	3.7E-06	1.05E-03	3.89E-09	2	1.57E-01	1.22E-09	1.0E+06	1.2E-03
79	0.18542	2.14E-05	4.0E-06	1.05E-03	4.15E-09	2	1.57E-01	1.31E-09	1.0E+06	1.3E-03
80	0.18652	2.14E-05	4.0E-06	1.05E-03	4.18E-09	2	1.57E-01	1.31E-09	1.0E+06	1.3E-03
81	0.18737	2.14E-05	4.0E-06	1.05E-03	4.20E-09	2	1.57E-01	1.32E-09	1.0E+06	1.3E-03
82	0.18793	2.14E-05	4.0E-06	1.05E-03	4.21E-09	2	1.57E-01	1.32E-09	1.0E+06	1.3E-03
83	0.18838	2.14E-05	4.0E-06	1.05E-03	4.22E-09	2	1.57E-01	1.33E-09	1.0E+06	1.3E-03
84	0.18876	2.14E-05	4.0E-06	1.05E-03	4.23E-09	2	1.57E-01	1.33E-09	1.0E+06	1.3E-03

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	0.18923	2.14E-05	4.1E-06	1.05E-03	4.24E-09	2	1.57E-01	1.33E-09	1.0E+06	1.3E-03
86	0.18984	2.14E-05	4.1E-06	1.05E-03	4.25E-09	2	1.57E-01	1.34E-09	1.0E+06	1.3E-03
87	0.1906	2.14E-05	4.1E-06	1.05E-03	4.27E-09	2	1.57E-01	1.34E-09	1.0E+06	1.3E-03
88	0.19153	2.14E-05	4.1E-06	1.05E-03	4.29E-09	2	1.57E-01	1.35E-09	1.0E+06	1.3E-03
89	0.19256	2.14E-05	4.1E-06	1.05E-03	4.31E-09	2	1.57E-01	1.36E-09	1.0E+06	1.4E-03
90	0.19366	2.14E-05	4.2E-06	1.05E-03	4.34E-09	2	1.57E-01	1.36E-09	1.0E+06	1.4E-03
91	0.1948	2.14E-05	4.2E-06	1.05E-03	4.36E-09	2	1.57E-01	1.37E-09	1.0E+06	1.4E-03
92	0.19582	2.14E-05	4.2E-06	1.05E-03	4.39E-09	2	1.57E-01	1.38E-09	1.0E+06	1.4E-03
93	0.19673	2.14E-05	4.2E-06	1.05E-03	4.41E-09	2	1.57E-01	1.38E-09	1.0E+06	1.4E-03
96	0.20847	2.14E-05	4.5E-06	1.05E-03	4.67E-09	2	1.57E-01	1.47E-09	1.0E+06	1.5E-03
97	0.21162	2.14E-05	4.5E-06	1.05E-03	4.74E-09	2	1.57E-01	1.49E-09	1.0E+06	1.5E-03
98	0.20755	2.14E-05	4.4E-06	1.05E-03	4.65E-09	2	1.57E-01	1.46E-09	1.0E+06	1.5E-03
99	0.20882	2.14E-05	4.5E-06	1.05E-03	4.68E-09	2	1.57E-01	1.47E-09	1.0E+06	1.5E-03
100	0.21006	2.14E-05	4.5E-06	1.05E-03	4.70E-09	2	1.57E-01	1.48E-09	1.0E+06	1.5E-03
101	0.21118	2.14E-05	4.5E-06	1.05E-03	4.73E-09	2	1.57E-01	1.49E-09	1.0E+06	1.5E-03
102	0.21213	2.14E-05	4.5E-06	1.05E-03	4.75E-09	2	1.57E-01	1.49E-09	1.0E+06	1.5E-03
106	0.13745	2.14E-05	2.9E-06	1.05E-03	3.08E-09	2	1.57E-01	9.68E-10	1.0E+06	9.7E-04
107	0.14242	2.14E-05	3.1E-06	1.05E-03	3.19E-09	2	1.57E-01	1.00E-09	1.0E+06	1.0E-03
108	0.14746	2.14E-05	3.2E-06	1.05E-03	3.30E-09	2	1.57E-01	1.04E-09	1.0E+06	1.0E-03
109	0.15263	2.14E-05	3.3E-06	1.05E-03	3.42E-09	2	1.57E-01	1.07E-09	1.0E+06	1.1E-03
110	0.15797	2.14E-05	3.4E-06	1.05E-03	3.54E-09	2	1.57E-01	1.11E-09	1.0E+06	1.1E-03
111	0.16334	2.14E-05	3.5E-06	1.05E-03	3.66E-09	2	1.57E-01	1.15E-09	1.0E+06	1.1E-03
112	0.16896	2.14E-05	3.6E-06	1.05E-03	3.78E-09	2	1.57E-01	1.19E-09	1.0E+06	1.2E-03
113	0.17454	2.14E-05	3.7E-06	1.05E-03	3.91E-09	2	1.57E-01	1.23E-09	1.0E+06	1.2E-03
114	0.18012	2.14E-05	3.9E-06	1.05E-03	4.03E-09	2	1.57E-01	1.27E-09	1.0E+06	1.3E-03
115	0.18557	2.14E-05	4.0E-06	1.05E-03	4.16E-09	2	1.57E-01	1.31E-09	1.0E+06	1.3E-03
116	0.19078	2.14E-05	4.1E-06	1.05E-03	4.27E-09	2	1.57E-01	1.34E-09	1.0E+06	1.3E-03
117	0.1959	2.14E-05	4.2E-06	1.05E-03	4.39E-09	2	1.57E-01	1.38E-09	1.0E+06	1.4E-03
118	0.20066	2.14E-05	4.3E-06	1.05E-03	4.49E-09	2	1.57E-01	1.41E-09	1.0E+06	1.4E-03
124	0.14407	2.14E-05	3.1E-06	1.05E-03	3.23E-09	2	1.57E-01	1.01E-09	1.0E+06	1.0E-03
125	0.14951	2.14E-05	3.2E-06	1.05E-03	3.35E-09	2	1.57E-01	1.05E-09	1.0E+06	1.1E-03

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.15517	2.14E-05	3.3E-06	1.05E-03	3.48E-09	2	1.57E-01	1.09E-09	1.0E+06	1.1E-03
127	0.16103	2.14E-05	3.5E-06	1.05E-03	3.61E-09	2	1.57E-01	1.13E-09	1.0E+06	1.1E-03
128	0.16709	2.14E-05	3.6E-06	1.05E-03	3.74E-09	2	1.57E-01	1.18E-09	1.0E+06	1.2E-03
129	0.17326	2.14E-05	3.7E-06	1.05E-03	3.88E-09	2	1.57E-01	1.22E-09	1.0E+06	1.2E-03
130	0.17972	2.14E-05	3.9E-06	1.05E-03	4.03E-09	2	1.57E-01	1.27E-09	1.0E+06	1.3E-03
131	0.18622	2.14E-05	4.0E-06	1.05E-03	4.17E-09	2	1.57E-01	1.31E-09	1.0E+06	1.3E-03
132	0.19277	2.14E-05	4.1E-06	1.05E-03	4.32E-09	2	1.57E-01	1.36E-09	1.0E+06	1.4E-03
133	0.19921	2.14E-05	4.3E-06	1.05E-03	4.46E-09	2	1.57E-01	1.40E-09	1.0E+06	1.4E-03
134	0.20558	2.14E-05	4.4E-06	1.05E-03	4.60E-09	2	1.57E-01	1.45E-09	1.0E+06	1.4E-03
135	0.21161	2.14E-05	4.5E-06	1.05E-03	4.74E-09	2	1.57E-01	1.49E-09	1.0E+06	1.5E-03
136	0.21723	2.14E-05	4.7E-06	1.05E-03	4.87E-09	2	1.57E-01	1.53E-09	1.0E+06	1.5E-03
137	0.22225	2.14E-05	4.8E-06	1.05E-03	4.98E-09	2	1.57E-01	1.56E-09	1.0E+06	1.6E-03
138	0.22683	2.14E-05	4.9E-06	1.05E-03	5.08E-09	2	1.57E-01	1.60E-09	1.0E+06	1.6E-03
141	0.15102	2.14E-05	3.2E-06	1.05E-03	3.38E-09	2	1.57E-01	1.06E-09	1.0E+06	1.1E-03
142	0.15712	2.14E-05	3.4E-06	1.05E-03	3.52E-09	2	1.57E-01	1.11E-09	1.0E+06	1.1E-03
143	0.16349	2.14E-05	3.5E-06	1.05E-03	3.66E-09	2	1.57E-01	1.15E-09	1.0E+06	1.2E-03
144	0.17014	2.14E-05	3.6E-06	1.05E-03	3.81E-09	2	1.57E-01	1.20E-09	1.0E+06	1.2E-03
145	0.17706	2.14E-05	3.8E-06	1.05E-03	3.97E-09	2	1.57E-01	1.25E-09	1.0E+06	1.2E-03
146	0.18417	2.14E-05	3.9E-06	1.05E-03	4.13E-09	2	1.57E-01	1.30E-09	1.0E+06	1.3E-03
147	0.19165	2.14E-05	4.1E-06	1.05E-03	4.29E-09	2	1.57E-01	1.35E-09	1.0E+06	1.3E-03
148	0.19923	2.14E-05	4.3E-06	1.05E-03	4.46E-09	2	1.57E-01	1.40E-09	1.0E+06	1.4E-03
149	0.20694	2.14E-05	4.4E-06	1.05E-03	4.64E-09	2	1.57E-01	1.46E-09	1.0E+06	1.5E-03
150	0.21462	2.14E-05	4.6E-06	1.05E-03	4.81E-09	2	1.57E-01	1.51E-09	1.0E+06	1.5E-03
151	0.22222	2.14E-05	4.8E-06	1.05E-03	4.98E-09	2	1.57E-01	1.56E-09	1.0E+06	1.6E-03
152	0.22953	2.14E-05	4.9E-06	1.05E-03	5.14E-09	2	1.57E-01	1.62E-09	1.0E+06	1.6E-03
153	0.23638	2.14E-05	5.1E-06	1.05E-03	5.29E-09	2	1.57E-01	1.66E-09	1.0E+06	1.7E-03
154	0.24248	2.14E-05	5.2E-06	1.05E-03	5.43E-09	2	1.57E-01	1.71E-09	1.0E+06	1.7E-03
155	0.24788	2.14E-05	5.3E-06	1.05E-03	5.55E-09	2	1.57E-01	1.74E-09	1.0E+06	1.7E-03
164	0.26633	2.14E-05	5.7E-06	1.05E-03	5.97E-09	2	1.57E-01	1.87E-09	1.0E+06	1.9E-03
165	0.27289	2.14E-05	5.8E-06	1.05E-03	6.11E-09	2	1.57E-01	1.92E-09	1.0E+06	1.9E-03
166	0.2785	2.14E-05	6.0E-06	1.05E-03	6.24E-09	2	1.57E-01	1.96E-09	1.0E+06	2.0E-03

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	0.29484	2.14E-05	6.3E-06	1.05E-03	6.60E-09	2	1.57E-01	2.08E-09	1.0E+06	2.1E-03
179	0.30314	2.14E-05	6.5E-06	1.05E-03	6.79E-09	2	1.57E-01	2.13E-09	1.0E+06	2.1E-03
180	0.31007	2.14E-05	6.6E-06	1.05E-03	6.95E-09	2	1.57E-01	2.18E-09	1.0E+06	2.2E-03
192	0.32966	2.14E-05	7.1E-06	1.05E-03	7.38E-09	2	1.57E-01	2.32E-09	1.0E+06	2.3E-03
193	0.34052	2.14E-05	7.3E-06	1.05E-03	7.63E-09	2	1.57E-01	2.40E-09	1.0E+06	2.4E-03
194	0.3492	2.14E-05	7.5E-06	1.05E-03	7.82E-09	2	1.57E-01	2.46E-09	1.0E+06	2.5E-03
207	0.37293	2.14E-05	8.0E-06	1.05E-03	8.35E-09	2	1.57E-01	2.63E-09	1.0E+06	2.6E-03
208	0.38745	2.14E-05	8.3E-06	1.05E-03	8.68E-09	2	1.57E-01	2.73E-09	1.0E+06	2.7E-03
209	0.39901	2.14E-05	8.6E-06	1.05E-03	8.94E-09	2	1.57E-01	2.81E-09	1.0E+06	2.8E-03
223	0.42831	2.14E-05	9.2E-06	1.05E-03	9.59E-09	2	1.57E-01	3.02E-09	1.0E+06	3.0E-03
224	0.44854	2.14E-05	9.6E-06	1.05E-03	1.00E-08	2	1.57E-01	3.16E-09	1.0E+06	3.2E-03
225	0.46414	2.14E-05	9.9E-06	1.05E-03	1.04E-08	2	1.57E-01	3.27E-09	1.0E+06	3.3E-03
239	0.50183	2.14E-05	1.1E-05	1.05E-03	1.12E-08	2	1.57E-01	3.53E-09	1.0E+06	3.5E-03
240	0.53174	2.14E-05	1.1E-05	1.05E-03	1.19E-08	2	1.57E-01	3.74E-09	1.0E+06	3.7E-03
241	0.55482	2.14E-05	1.2E-05	1.05E-03	1.24E-08	2	1.57E-01	3.91E-09	1.0E+06	3.9E-03
255	0.60351	2.14E-05	1.3E-05	1.05E-03	1.35E-08	2	1.57E-01	4.25E-09	1.0E+06	4.2E-03
256	0.6517	2.14E-05	1.4E-05	1.05E-03	1.46E-08	2	1.57E-01	4.59E-09	1.0E+06	4.6E-03
272	0.75188	2.14E-05	1.6E-05	1.05E-03	1.68E-08	2	1.57E-01	5.29E-09	1.0E+06	5.3E-03
273	0.84057	2.14E-05	1.8E-05	1.05E-03	1.88E-08	2	1.57E-01	5.92E-09	1.0E+06	5.9E-03
289	0.98394	2.14E-05	2.1E-05	1.05E-03	2.20E-08	2	1.57E-01	6.93E-09	1.0E+06	6.9E-03
290	1.18206	2.14E-05	2.5E-05	1.05E-03	2.65E-08	2	1.57E-01	8.32E-09	1.0E+06	8.3E-03
306	1.35624	2.14E-05	2.9E-05	1.05E-03	3.04E-08	2	1.57E-01	9.55E-09	1.0E+06	9.5E-03
307	1.95825	2.14E-05	4.2E-05	1.05E-03	4.39E-08	2	1.57E-01	1.38E-08	1.0E+06	1.4E-02
323	1.851	2.14E-05	4.0E-05	1.05E-03	4.15E-08	2	1.57E-01	1.30E-08	1.0E+06	1.3E-02
324	1.77214	2.14E-05	3.8E-05	1.05E-03	3.97E-08	2	1.57E-01	1.25E-08	1.0E+06	1.2E-02
342	2.19314	2.14E-05	4.7E-05	1.05E-03	4.91E-08	2	1.57E-01	1.54E-08	1.0E+06	1.5E-02
343	4.91826	2.14E-05	1.1E-04	1.05E-03	1.10E-07	2	1.57E-01	3.46E-08	1.0E+06	3.5E-02
344	2.4488	2.14E-05	5.2E-05	1.05E-03	5.48E-08	2	1.57E-01	1.72E-08	1.0E+06	1.7E-02
356	2.27839	2.14E-05	4.9E-05	1.05E-03	5.10E-08	2	1.57E-01	1.60E-08	1.0E+06	1.6E-02
357	4.41133	2.14E-05	9.5E-05	1.05E-03	9.88E-08	2	1.57E-01	3.11E-08	1.0E+06	3.1E-02
358	3.53719	2.14E-05	7.6E-05	1.05E-03	7.92E-08	2	1.57E-01	2.49E-08	1.0E+06	2.5E-02

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	2.23575	2.14E-05	4.8E-05	1.05E-03	5.01E-08	2	1.57E-01	1.57E-08	1.0E+06	1.6E-02
371	3.86252	2.14E-05	8.3E-05	1.05E-03	8.65E-08	2	1.57E-01	2.72E-08	1.0E+06	2.7E-02
372	3.74409	2.14E-05	8.0E-05	1.05E-03	8.39E-08	2	1.57E-01	2.64E-08	1.0E+06	2.6E-02
383	2.14505	2.14E-05	4.6E-05	1.05E-03	4.80E-08	2	1.57E-01	1.51E-08	1.0E+06	1.5E-02
384	3.41742	2.14E-05	7.3E-05	1.05E-03	7.65E-08	2	1.57E-01	2.41E-08	1.0E+06	2.4E-02
385	6.86961	2.14E-05	1.5E-04	1.05E-03	1.54E-07	2	1.57E-01	4.84E-08	1.0E+06	4.8E-02
396	2.04161	2.14E-05	4.4E-05	1.05E-03	4.57E-08	2	1.57E-01	1.44E-08	1.0E+06	1.4E-02
397	3.06694	2.14E-05	6.6E-05	1.05E-03	6.87E-08	2	1.57E-01	2.16E-08	1.0E+06	2.2E-02
398	5.46314	2.14E-05	1.2E-04	1.05E-03	1.22E-07	2	1.57E-01	3.85E-08	1.0E+06	3.8E-02
399	4.73703	2.14E-05	1.0E-04	1.05E-03	1.06E-07	2	1.57E-01	3.33E-08	1.0E+06	3.3E-02
411	1.93795	2.14E-05	4.2E-05	1.05E-03	4.34E-08	2	1.57E-01	1.36E-08	1.0E+06	1.4E-02
412	2.78487	2.14E-05	6.0E-05	1.05E-03	6.24E-08	2	1.57E-01	1.96E-08	1.0E+06	2.0E-02
413	4.56385	2.14E-05	9.8E-05	1.05E-03	1.02E-07	2	1.57E-01	3.21E-08	1.0E+06	3.2E-02
414	7.00861	2.14E-05	1.5E-04	1.05E-03	1.57E-07	2	1.57E-01	4.93E-08	1.0E+06	4.9E-02
426	1.83931	2.14E-05	3.9E-05	1.05E-03	4.12E-08	2	1.57E-01	1.29E-08	1.0E+06	1.3E-02
427	2.55353	2.14E-05	5.5E-05	1.05E-03	5.72E-08	2	1.57E-01	1.80E-08	1.0E+06	1.8E-02
428	3.92743	2.14E-05	8.4E-05	1.05E-03	8.80E-08	2	1.57E-01	2.76E-08	1.0E+06	2.8E-02
429	7.58406	2.14E-05	1.6E-04	1.05E-03	1.70E-07	2	1.57E-01	5.34E-08	1.0E+06	5.3E-02
439	1.74606	2.14E-05	3.7E-05	1.05E-03	3.91E-08	2	1.57E-01	1.23E-08	1.0E+06	1.2E-02
440	2.35693	2.14E-05	5.1E-05	1.05E-03	5.28E-08	2	1.57E-01	1.66E-08	1.0E+06	1.7E-02
441	3.45878	2.14E-05	7.4E-05	1.05E-03	7.75E-08	2	1.57E-01	2.43E-08	1.0E+06	2.4E-02
442	6.02676	2.14E-05	1.3E-04	1.05E-03	1.35E-07	2	1.57E-01	4.24E-08	1.0E+06	4.2E-02
443	8.23131	2.14E-05	1.8E-04	1.05E-03	1.84E-07	2	1.57E-01	5.79E-08	1.0E+06	5.8E-02
454	1.65913	2.14E-05	3.6E-05	1.05E-03	3.72E-08	2	1.57E-01	1.17E-08	1.0E+06	1.2E-02
455	2.18787	2.14E-05	4.7E-05	1.05E-03	4.90E-08	2	1.57E-01	1.54E-08	1.0E+06	1.5E-02
456	3.09169	2.14E-05	6.6E-05	1.05E-03	6.92E-08	2	1.57E-01	2.18E-08	1.0E+06	2.2E-02
457	4.98489	2.14E-05	1.1E-04	1.05E-03	1.12E-07	2	1.57E-01	3.51E-08	1.0E+06	3.5E-02
458	7.20481	2.14E-05	1.5E-04	1.05E-03	1.61E-07	2	1.57E-01	5.07E-08	1.0E+06	5.1E-02
469	1.57763	2.14E-05	3.4E-05	1.05E-03	3.53E-08	2	1.57E-01	1.11E-08	1.0E+06	1.1E-02
470	2.03898	2.14E-05	4.4E-05	1.05E-03	4.57E-08	2	1.57E-01	1.44E-08	1.0E+06	1.4E-02
471	2.79392	2.14E-05	6.0E-05	1.05E-03	6.26E-08	2	1.57E-01	1.97E-08	1.0E+06	2.0E-02

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	4.24598	2.14E-05	9.1E-05	1.05E-03	9.51E-08	2	1.57E-01	2.99E-08	1.0E+06	3.0E-02
473	6.08463	2.14E-05	1.3E-04	1.05E-03	1.36E-07	2	1.57E-01	4.28E-08	1.0E+06	4.3E-02
489	1.50215	2.14E-05	3.2E-05	1.05E-03	3.36E-08	2	1.57E-01	1.06E-08	1.0E+06	1.1E-02
490	1.9089	2.14E-05	4.1E-05	1.05E-03	4.28E-08	2	1.57E-01	1.34E-08	1.0E+06	1.3E-02
491	2.54865	2.14E-05	5.5E-05	1.05E-03	5.71E-08	2	1.57E-01	1.79E-08	1.0E+06	1.8E-02
492	3.69984	2.14E-05	7.9E-05	1.05E-03	8.29E-08	2	1.57E-01	2.60E-08	1.0E+06	2.6E-02
493	6.42365	2.14E-05	1.4E-04	1.05E-03	1.44E-07	2	1.57E-01	4.52E-08	1.0E+06	4.5E-02
494	6.2219	2.14E-05	1.3E-04	1.05E-03	1.39E-07	2	1.57E-01	4.38E-08	1.0E+06	4.4E-02
509	1.43104	2.14E-05	3.1E-05	1.05E-03	3.21E-08	2	1.57E-01	1.01E-08	1.0E+06	1.0E-02
510	1.7919	2.14E-05	3.8E-05	1.05E-03	4.01E-08	2	1.57E-01	1.26E-08	1.0E+06	1.3E-02
511	2.3405	2.14E-05	5.0E-05	1.05E-03	5.24E-08	2	1.57E-01	1.65E-08	1.0E+06	1.6E-02
512	3.27483	2.14E-05	7.0E-05	1.05E-03	7.34E-08	2	1.57E-01	2.31E-08	1.0E+06	2.3E-02
513	5.24429	2.14E-05	1.1E-04	1.05E-03	1.17E-07	2	1.57E-01	3.69E-08	1.0E+06	3.7E-02
514	7.29737	2.14E-05	1.6E-04	1.05E-03	1.63E-07	2	1.57E-01	5.14E-08	1.0E+06	5.1E-02
515	8.05811	2.14E-05	1.7E-04	1.05E-03	1.80E-07	2	1.57E-01	5.67E-08	1.0E+06	5.7E-02
516	4.7626	2.14E-05	1.0E-04	1.05E-03	1.07E-07	2	1.57E-01	3.35E-08	1.0E+06	3.4E-02
517	3.37153	2.14E-05	7.2E-05	1.05E-03	7.55E-08	2	1.57E-01	2.37E-08	1.0E+06	2.4E-02
518	2.60126	2.14E-05	5.6E-05	1.05E-03	5.83E-08	2	1.57E-01	1.83E-08	1.0E+06	1.8E-02
519	2.11109	2.14E-05	4.5E-05	1.05E-03	4.73E-08	2	1.57E-01	1.49E-08	1.0E+06	1.5E-02
528	1.36445	2.14E-05	2.9E-05	1.05E-03	3.06E-08	2	1.57E-01	9.60E-09	1.0E+06	9.6E-03
529	1.68652	2.14E-05	3.6E-05	1.05E-03	3.78E-08	2	1.57E-01	1.19E-08	1.0E+06	1.2E-02
530	2.16274	2.14E-05	4.6E-05	1.05E-03	4.84E-08	2	1.57E-01	1.52E-08	1.0E+06	1.5E-02
531	2.93668	2.14E-05	6.3E-05	1.05E-03	6.58E-08	2	1.57E-01	2.07E-08	1.0E+06	2.1E-02
532	4.42872	2.14E-05	9.5E-05	1.05E-03	9.92E-08	2	1.57E-01	3.12E-08	1.0E+06	3.1E-02
533	6.19365	2.14E-05	1.3E-04	1.05E-03	1.39E-07	2	1.57E-01	4.36E-08	1.0E+06	4.4E-02
534	7.13688	2.14E-05	1.5E-04	1.05E-03	1.60E-07	2	1.57E-01	5.02E-08	1.0E+06	5.0E-02
535	5.5094	2.14E-05	1.2E-04	1.05E-03	1.23E-07	2	1.57E-01	3.88E-08	1.0E+06	3.9E-02
536	3.74258	2.14E-05	8.0E-05	1.05E-03	8.38E-08	2	1.57E-01	2.63E-08	1.0E+06	2.6E-02
537	2.82266	2.14E-05	6.0E-05	1.05E-03	6.32E-08	2	1.57E-01	1.99E-08	1.0E+06	2.0E-02
538	2.25843	2.14E-05	4.8E-05	1.05E-03	5.06E-08	2	1.57E-01	1.59E-08	1.0E+06	1.6E-02
547	1.30214	2.14E-05	2.8E-05	1.05E-03	2.92E-08	2	1.57E-01	9.17E-09	1.0E+06	9.2E-03

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	1.59127	2.14E-05	3.4E-05	1.05E-03	3.56E-08	2	1.57E-01	1.12E-08	1.0E+06	1.1E-02
549	2.00786	2.14E-05	4.3E-05	1.05E-03	4.50E-08	2	1.57E-01	1.41E-08	1.0E+06	1.4E-02
550	2.6613	2.14E-05	5.7E-05	1.05E-03	5.96E-08	2	1.57E-01	1.87E-08	1.0E+06	1.9E-02
551	3.83448	2.14E-05	8.2E-05	1.05E-03	8.59E-08	2	1.57E-01	2.70E-08	1.0E+06	2.7E-02
552	6.63419	2.14E-05	1.4E-04	1.05E-03	1.49E-07	2	1.57E-01	4.67E-08	1.0E+06	4.7E-02
553	5.84912	2.14E-05	1.3E-04	1.05E-03	1.31E-07	2	1.57E-01	4.12E-08	1.0E+06	4.1E-02
554	5.00655	2.14E-05	1.1E-04	1.05E-03	1.12E-07	2	1.57E-01	3.52E-08	1.0E+06	3.5E-02
555	6.52628	2.14E-05	1.4E-04	1.05E-03	1.46E-07	2	1.57E-01	4.59E-08	1.0E+06	4.6E-02
556	4.19315	2.14E-05	9.0E-05	1.05E-03	9.39E-08	2	1.57E-01	2.95E-08	1.0E+06	3.0E-02
557	3.08044	2.14E-05	6.6E-05	1.05E-03	6.90E-08	2	1.57E-01	2.17E-08	1.0E+06	2.2E-02
558	2.42719	2.14E-05	5.2E-05	1.05E-03	5.44E-08	2	1.57E-01	1.71E-08	1.0E+06	1.7E-02
559	1.99472	2.14E-05	4.3E-05	1.05E-03	4.47E-08	2	1.57E-01	1.40E-08	1.0E+06	1.4E-02
567	1.24329	2.14E-05	2.7E-05	1.05E-03	2.78E-08	2	1.57E-01	8.75E-09	1.0E+06	8.8E-03
568	1.50394	2.14E-05	3.2E-05	1.05E-03	3.37E-08	2	1.57E-01	1.06E-08	1.0E+06	1.1E-02
569	1.87194	2.14E-05	4.0E-05	1.05E-03	4.19E-08	2	1.57E-01	1.32E-08	1.0E+06	1.3E-02
570	2.42964	2.14E-05	5.2E-05	1.05E-03	5.44E-08	2	1.57E-01	1.71E-08	1.0E+06	1.7E-02
571	3.37818	2.14E-05	7.2E-05	1.05E-03	7.57E-08	2	1.57E-01	2.38E-08	1.0E+06	2.4E-02
572	5.38365	2.14E-05	1.2E-04	1.05E-03	1.21E-07	2	1.57E-01	3.79E-08	1.0E+06	3.8E-02
573	5.50734	2.14E-05	1.2E-04	1.05E-03	1.23E-07	2	1.57E-01	3.88E-08	1.0E+06	3.9E-02
574	7.97979	2.14E-05	1.7E-04	1.05E-03	1.79E-07	2	1.57E-01	5.62E-08	1.0E+06	5.6E-02
575	4.75661	2.14E-05	1.0E-04	1.05E-03	1.07E-07	2	1.57E-01	3.35E-08	1.0E+06	3.3E-02
576	3.38328	2.14E-05	7.3E-05	1.05E-03	7.58E-08	2	1.57E-01	2.38E-08	1.0E+06	2.4E-02
577	2.61788	2.14E-05	5.6E-05	1.05E-03	5.86E-08	2	1.57E-01	1.84E-08	1.0E+06	1.8E-02
578	2.12701	2.14E-05	4.6E-05	1.05E-03	4.76E-08	2	1.57E-01	1.50E-08	1.0E+06	1.5E-02
586	1.18814	2.14E-05	2.5E-05	1.05E-03	2.66E-08	2	1.57E-01	8.36E-09	1.0E+06	8.4E-03
587	1.42437	2.14E-05	3.1E-05	1.05E-03	3.19E-08	2	1.57E-01	1.00E-08	1.0E+06	1.0E-02
588	1.75146	2.14E-05	3.8E-05	1.05E-03	3.92E-08	2	1.57E-01	1.23E-08	1.0E+06	1.2E-02
589	2.23393	2.14E-05	4.8E-05	1.05E-03	5.00E-08	2	1.57E-01	1.57E-08	1.0E+06	1.6E-02
590	3.01806	2.14E-05	6.5E-05	1.05E-03	6.76E-08	2	1.57E-01	2.12E-08	1.0E+06	2.1E-02
591	4.53588	2.14E-05	9.7E-05	1.05E-03	1.02E-07	2	1.57E-01	3.19E-08	1.0E+06	3.2E-02
592	6.28005	2.14E-05	1.3E-04	1.05E-03	1.41E-07	2	1.57E-01	4.42E-08	1.0E+06	4.4E-02

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	6.78511	2.14E-05	1.5E-04	1.05E-03	1.52E-07	2	1.57E-01	4.78E-08	1.0E+06	4.8E-02
594	5.49127	2.14E-05	1.2E-04	1.05E-03	1.23E-07	2	1.57E-01	3.87E-08	1.0E+06	3.9E-02
595	3.75299	2.14E-05	8.0E-05	1.05E-03	8.41E-08	2	1.57E-01	2.64E-08	1.0E+06	2.6E-02
596	2.8399	2.14E-05	6.1E-05	1.05E-03	6.36E-08	2	1.57E-01	2.00E-08	1.0E+06	2.0E-02
597	2.27474	2.14E-05	4.9E-05	1.05E-03	5.10E-08	2	1.57E-01	1.60E-08	1.0E+06	1.6E-02
345	5.10388	2.14E-05	1.1E-04	1.05E-03	1.14E-07	2	1.57E-01	3.59E-08	1.0E+06	3.6E-02
346	4.61822	2.14E-05	9.9E-05	1.05E-03	1.03E-07	2	1.57E-01	3.25E-08	1.0E+06	3.3E-02
347	3.06093	2.14E-05	6.6E-05	1.05E-03	6.86E-08	2	1.57E-01	2.15E-08	1.0E+06	2.2E-02
348	2.30005	2.14E-05	4.9E-05	1.05E-03	5.15E-08	2	1.57E-01	1.62E-08	1.0E+06	1.6E-02
359	7.04259	2.14E-05	1.5E-04	1.05E-03	1.58E-07	2	1.57E-01	4.96E-08	1.0E+06	5.0E-02
360	6.06177	2.14E-05	1.3E-04	1.05E-03	1.36E-07	2	1.57E-01	4.27E-08	1.0E+06	4.3E-02
361	3.70127	2.14E-05	7.9E-05	1.05E-03	8.29E-08	2	1.57E-01	2.61E-08	1.0E+06	2.6E-02
362	2.6629	2.14E-05	5.7E-05	1.05E-03	5.96E-08	2	1.57E-01	1.87E-08	1.0E+06	1.9E-02
363	2.08572	2.14E-05	4.5E-05	1.05E-03	4.67E-08	2	1.57E-01	1.47E-08	1.0E+06	1.5E-02
373	8.11364	2.14E-05	1.7E-04	1.05E-03	1.82E-07	2	1.57E-01	5.71E-08	1.0E+06	5.7E-02
374	4.45679	2.14E-05	9.6E-05	1.05E-03	9.98E-08	2	1.57E-01	3.14E-08	1.0E+06	3.1E-02
375	3.06369	2.14E-05	6.6E-05	1.05E-03	6.86E-08	2	1.57E-01	2.16E-08	1.0E+06	2.2E-02
376	2.33678	2.14E-05	5.0E-05	1.05E-03	5.23E-08	2	1.57E-01	1.64E-08	1.0E+06	1.6E-02
386	6.61635	2.14E-05	1.4E-04	1.05E-03	1.48E-07	2	1.57E-01	4.66E-08	1.0E+06	4.7E-02
387	5.39873	2.14E-05	1.2E-04	1.05E-03	1.21E-07	2	1.57E-01	3.80E-08	1.0E+06	3.8E-02
388	3.51857	2.14E-05	7.5E-05	1.05E-03	7.88E-08	2	1.57E-01	2.48E-08	1.0E+06	2.5E-02
389	2.61061	2.14E-05	5.6E-05	1.05E-03	5.85E-08	2	1.57E-01	1.84E-08	1.0E+06	1.8E-02
390	2.07543	2.14E-05	4.4E-05	1.05E-03	4.65E-08	2	1.57E-01	1.46E-08	1.0E+06	1.5E-02
400	7.8954	2.14E-05	1.7E-04	1.05E-03	1.77E-07	2	1.57E-01	5.56E-08	1.0E+06	5.6E-02
401	6.6028	2.14E-05	1.4E-04	1.05E-03	1.48E-07	2	1.57E-01	4.65E-08	1.0E+06	4.6E-02
402	4.05454	2.14E-05	8.7E-05	1.05E-03	9.08E-08	2	1.57E-01	2.85E-08	1.0E+06	2.9E-02
403	2.9139	2.14E-05	6.2E-05	1.05E-03	6.53E-08	2	1.57E-01	2.05E-08	1.0E+06	2.1E-02
404	2.27219	2.14E-05	4.9E-05	1.05E-03	5.09E-08	2	1.57E-01	1.60E-08	1.0E+06	1.6E-02
415	6.3341	2.14E-05	1.4E-04	1.05E-03	1.42E-07	2	1.57E-01	4.46E-08	1.0E+06	4.5E-02
416	8.35793	2.14E-05	1.8E-04	1.05E-03	1.87E-07	2	1.57E-01	5.88E-08	1.0E+06	5.9E-02
417	4.69809	2.14E-05	1.0E-04	1.05E-03	1.05E-07	2	1.57E-01	3.31E-08	1.0E+06	3.3E-02

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	3.26673	2.14E-05	7.0E-05	1.05E-03	7.32E-08	2	1.57E-01	2.30E-08	1.0E+06	2.3E-02
419	2.49496	2.14E-05	5.3E-05	1.05E-03	5.59E-08	2	1.57E-01	1.76E-08	1.0E+06	1.8E-02
420	2.00973	2.14E-05	4.3E-05	1.05E-03	4.50E-08	2	1.57E-01	1.41E-08	1.0E+06	1.4E-02
430	7.07653	2.14E-05	1.5E-04	1.05E-03	1.59E-07	2	1.57E-01	4.98E-08	1.0E+06	5.0E-02
431	5.52917	2.14E-05	1.2E-04	1.05E-03	1.24E-07	2	1.57E-01	3.89E-08	1.0E+06	3.9E-02
432	3.67078	2.14E-05	7.9E-05	1.05E-03	8.22E-08	2	1.57E-01	2.58E-08	1.0E+06	2.6E-02
433	2.73901	2.14E-05	5.9E-05	1.05E-03	6.13E-08	2	1.57E-01	1.93E-08	1.0E+06	1.9E-02
434	2.17987	2.14E-05	4.7E-05	1.05E-03	4.88E-08	2	1.57E-01	1.53E-08	1.0E+06	1.5E-02
444	5.22363	2.14E-05	1.1E-04	1.05E-03	1.17E-07	2	1.57E-01	3.68E-08	1.0E+06	3.7E-02
445	6.61632	2.14E-05	1.4E-04	1.05E-03	1.48E-07	2	1.57E-01	4.66E-08	1.0E+06	4.7E-02
446	4.15266	2.14E-05	8.9E-05	1.05E-03	9.30E-08	2	1.57E-01	2.92E-08	1.0E+06	2.9E-02
447	3.01542	2.14E-05	6.5E-05	1.05E-03	6.75E-08	2	1.57E-01	2.12E-08	1.0E+06	2.1E-02
448	2.36177	2.14E-05	5.1E-05	1.05E-03	5.29E-08	2	1.57E-01	1.66E-08	1.0E+06	1.7E-02
459	8.1652	2.14E-05	1.7E-04	1.05E-03	1.83E-07	2	1.57E-01	5.75E-08	1.0E+06	5.7E-02
460	4.74911	2.14E-05	1.0E-04	1.05E-03	1.06E-07	2	1.57E-01	3.34E-08	1.0E+06	3.3E-02
461	3.33824	2.14E-05	7.2E-05	1.05E-03	7.48E-08	2	1.57E-01	2.35E-08	1.0E+06	2.3E-02
462	2.56572	2.14E-05	5.5E-05	1.05E-03	5.75E-08	2	1.57E-01	1.81E-08	1.0E+06	1.8E-02
463	2.0766	2.14E-05	4.5E-05	1.05E-03	4.65E-08	2	1.57E-01	1.46E-08	1.0E+06	1.5E-02
474	7.40758	2.14E-05	1.6E-04	1.05E-03	1.66E-07	2	1.57E-01	5.21E-08	1.0E+06	5.2E-02
475	5.51831	2.14E-05	1.2E-04	1.05E-03	1.24E-07	2	1.57E-01	3.88E-08	1.0E+06	3.9E-02
476	3.72049	2.14E-05	8.0E-05	1.05E-03	8.33E-08	2	1.57E-01	2.62E-08	1.0E+06	2.6E-02
477	2.79583	2.14E-05	6.0E-05	1.05E-03	6.26E-08	2	1.57E-01	1.97E-08	1.0E+06	2.0E-02
478	2.23213	2.14E-05	4.8E-05	1.05E-03	5.00E-08	2	1.57E-01	1.57E-08	1.0E+06	1.6E-02
495	5.03774	2.14E-05	1.1E-04	1.05E-03	1.13E-07	2	1.57E-01	3.55E-08	1.0E+06	3.5E-02
496	6.56353	2.14E-05	1.4E-04	1.05E-03	1.47E-07	2	1.57E-01	4.62E-08	1.0E+06	4.6E-02
497	4.18485	2.14E-05	9.0E-05	1.05E-03	9.37E-08	2	1.57E-01	2.95E-08	1.0E+06	2.9E-02
498	3.06221	2.14E-05	6.6E-05	1.05E-03	6.86E-08	2	1.57E-01	2.16E-08	1.0E+06	2.2E-02
499	2.40575	2.14E-05	5.2E-05	1.05E-03	5.39E-08	2	1.57E-01	1.69E-08	1.0E+06	1.7E-02
500	1.97475	2.14E-05	4.2E-05	1.05E-03	4.42E-08	2	1.57E-01	1.39E-08	1.0E+06	1.4E-02

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

		Cancer Risk from Birth to 2 years - Construction									
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
139	0.2305	2.14E-05	4.9E-06	1.05E-03	5.16E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	0.23353	2.14E-05	5.0E-06	1.05E-03	5.23E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	0.25244	2.14E-05	5.4E-06	1.05E-03	5.65E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	0.25592	2.14E-05	5.5E-06	1.05E-03	5.73E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	0.2586	2.14E-05	5.5E-06	1.05E-03	5.79E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	0.26051	2.14E-05	5.6E-06	1.05E-03	5.83E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	0.26187	2.14E-05	5.6E-06	1.05E-03	5.87E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	0.2646	2.14E-05	5.7E-06	1.05E-03	5.93E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	0.26627	2.14E-05	5.7E-06	1.05E-03	5.96E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	0.26811	2.14E-05	5.7E-06	1.05E-03	6.01E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	0.28239	2.14E-05	6.1E-06	1.05E-03	6.33E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	0.28589	2.14E-05	6.1E-06	1.05E-03	6.40E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	0.28811	2.14E-05	6.2E-06	1.05E-03	6.45E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	0.28989	2.14E-05	6.2E-06	1.05E-03	6.49E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	0.29163	2.14E-05	6.2E-06	1.05E-03	6.53E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	0.29371	2.14E-05	6.3E-06	1.05E-03	6.58E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	0.29593	2.14E-05	6.3E-06	1.05E-03	6.63E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	0.2983	2.14E-05	6.4E-06	1.05E-03	6.68E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	0.30052	2.14E-05	6.4E-06	1.05E-03	6.73E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	0.30232	2.14E-05	6.5E-06	1.05E-03	6.77E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	0.30342	2.14E-05	6.5E-06	1.05E-03	6.80E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	0.31905	2.14E-05	6.8E-06	1.05E-03	7.15E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	0.32174	2.14E-05	6.9E-06	1.05E-03	7.21E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	0.32423	2.14E-05	6.9E-06	1.05E-03	7.26E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	0.32677	2.14E-05	7.0E-06	1.05E-03	7.32E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	0.32965	2.14E-05	7.1E-06	1.05E-03	7.38E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	0.33256	2.14E-05	7.1E-06	1.05E-03	7.45E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	0.33514	2.14E-05	7.2E-06	1.05E-03	7.51E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	0.33719	2.14E-05	7.2E-06	1.05E-03	7.55E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	0.33829	2.14E-05	7.2E-06	1.05E-03	7.58E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	0.33821	2.14E-05	7.2E-06	1.05E-03	7.58E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	0.33688	2.14E-05	7.2E-06	1.05E-03	7.55E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	0.36039	2.14E-05	7.7E-06	1.05E-03	8.07E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	0.36392	2.14E-05	7.8E-06	1.05E-03	8.15E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	0.36734	2.14E-05	7.9E-06	1.05E-03	8.23E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	0.37111	2.14E-05	8.0E-06	1.05E-03	8.31E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	0.3749	2.14E-05	8.0E-06	1.05E-03	8.40E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	0.37821	2.14E-05	8.1E-06	1.05E-03	8.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	0.38053	2.14E-05	8.2E-06	1.05E-03	8.52E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	0.38141	2.14E-05	8.2E-06	1.05E-03	8.54E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	0.38065	2.14E-05	8.2E-06	1.05E-03	8.53E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	0.37822	2.14E-05	8.1E-06	1.05E-03	8.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	0.3743	2.14E-05	8.0E-06	1.05E-03	8.38E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	0.36907	2.14E-05	7.9E-06	1.05E-03	8.27E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	0.40602	2.14E-05	8.7E-06	1.05E-03	9.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	0.41332	2.14E-05	8.9E-06	1.05E-03	9.26E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	0.41826	2.14E-05	9.0E-06	1.05E-03	9.37E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	0.42339	2.14E-05	9.1E-06	1.05E-03	9.48E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	0.43287	2.14E-05	9.3E-06	1.05E-03	9.70E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	0.43556	2.14E-05	9.3E-06	1.05E-03	9.76E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	0.43601	2.14E-05	9.3E-06	1.05E-03	9.77E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	0.43405	2.14E-05	9.3E-06	1.05E-03	9.72E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	0.42977	2.14E-05	9.2E-06	1.05E-03	9.63E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	0.42347	2.14E-05	9.1E-06	1.05E-03	9.48E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	0.41558	2.14E-05	8.9E-06	1.05E-03	9.31E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	0.40645	2.14E-05	8.7E-06	1.05E-03	9.10E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	0.39655	2.14E-05	8.5E-06	1.05E-03	8.88E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	0.4751	2.14E-05	1.0E-05	1.05E-03	1.06E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	0.48421	2.14E-05	1.0E-05	1.05E-03	1.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	0.49147	2.14E-05	1.1E-05	1.05E-03	1.10E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	0.49886	2.14E-05	1.1E-05	1.05E-03	1.12E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	0.50483	2.14E-05	1.1E-05	1.05E-03	1.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	0.5076	2.14E-05	1.1E-05	1.05E-03	1.14E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	0.50726	2.14E-05	1.1E-05	1.05E-03	1.14E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	0.49573	2.14E-05	1.1E-05	1.05E-03	1.11E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	0.48558	2.14E-05	1.0E-05	1.05E-03	1.09E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	0.47349	2.14E-05	1.0E-05	1.05E-03	1.06E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	0.46012	2.14E-05	9.9E-06	1.05E-03	1.03E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	0.446	2.14E-05	9.6E-06	1.05E-03	9.99E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	0.43156	2.14E-05	9.2E-06	1.05E-03	9.67E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	0.5706	2.14E-05	1.2E-05	1.05E-03	1.28E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	0.58368	2.14E-05	1.3E-05	1.05E-03	1.31E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	0.59383	2.14E-05	1.3E-05	1.05E-03	1.33E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	0.60331	2.14E-05	1.3E-05	1.05E-03	1.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	0.60742	2.14E-05	1.3E-05	1.05E-03	1.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	0.60493	2.14E-05	1.3E-05	1.05E-03	1.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	0.59633	2.14E-05	1.3E-05	1.05E-03	1.34E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	0.56585	2.14E-05	1.2E-05	1.05E-03	1.27E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	0.54692	2.14E-05	1.2E-05	1.05E-03	1.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	0.52703	2.14E-05	1.1E-05	1.05E-03	1.18E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	0.50678	2.14E-05	1.1E-05	1.05E-03	1.14E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	0.48674	2.14E-05	1.0E-05	1.05E-03	1.09E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	0.46715	2.14E-05	1.0E-05	1.05E-03	1.05E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	0.71387	2.14E-05	1.5E-05	1.05E-03	1.60E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	0.73486	2.14E-05	1.6E-05	1.05E-03	1.65E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	0.74961	2.14E-05	1.6E-05	1.05E-03	1.68E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	0.75246	2.14E-05	1.6E-05	1.05E-03	1.69E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	0.74634	2.14E-05	1.6E-05	1.05E-03	1.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	0.72784	2.14E-05	1.6E-05	1.05E-03	1.63E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	0.70241	2.14E-05	1.5E-05	1.05E-03	1.57E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	0.64277	2.14E-05	1.4E-05	1.05E-03	1.44E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	0.61224	2.14E-05	1.3E-05	1.05E-03	1.37E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	0.58262	2.14E-05	1.2E-05	1.05E-03	1.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	0.55432	2.14E-05	1.2E-05	1.05E-03	1.24E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	0.52762	2.14E-05	1.1E-05	1.05E-03	1.18E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	0.50252	2.14E-05	1.1E-05	1.05E-03	1.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	0.43677	2.14E-05	9.4E-06	1.05E-03	9.78E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	0.4177	2.14E-05	9.0E-06	1.05E-03	9.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	0.95595	2.14E-05	2.0E-05	1.05E-03	2.14E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	0.9877	2.14E-05	2.1E-05	1.05E-03	2.21E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	0.99371	2.14E-05	2.1E-05	1.05E-03	2.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	0.96739	2.14E-05	2.1E-05	1.05E-03	2.17E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	0.92617	2.14E-05	2.0E-05	1.05E-03	2.07E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	0.87524	2.14E-05	1.9E-05	1.05E-03	1.96E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	0.8218	2.14E-05	1.8E-05	1.05E-03	1.84E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	0.72307	2.14E-05	1.5E-05	1.05E-03	1.62E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	0.67879	2.14E-05	1.5E-05	1.05E-03	1.52E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	0.63833	2.14E-05	1.4E-05	1.05E-03	1.43E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	0.60153	2.14E-05	1.3E-05	1.05E-03	1.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	0.56797	2.14E-05	1.2E-05	1.05E-03	1.27E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	0.53721	2.14E-05	1.2E-05	1.05E-03	1.20E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	0.45984	2.14E-05	9.9E-06	1.05E-03	1.03E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	0.43811	2.14E-05	9.4E-06	1.05E-03	9.81E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	1.4526	2.14E-05	3.1E-05	1.05E-03	3.25E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	1.45278	2.14E-05	3.1E-05	1.05E-03	3.25E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	1.37076	2.14E-05	2.9E-05	1.05E-03	3.07E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	1.25617	2.14E-05	2.7E-05	1.05E-03	2.81E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	1.14197	2.14E-05	2.4E-05	1.05E-03	2.56E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	1.03951	2.14E-05	2.2E-05	1.05E-03	2.33E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	0.94991	2.14E-05	2.0E-05	1.05E-03	2.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	0.80399	2.14E-05	1.7E-05	1.05E-03	1.80E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	0.74515	2.14E-05	1.6E-05	1.05E-03	1.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	0.69334	2.14E-05	1.5E-05	1.05E-03	1.55E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	0.64789	2.14E-05	1.4E-05	1.05E-03	1.45E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	0.6074	2.14E-05	1.3E-05	1.05E-03	1.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	0.57105	2.14E-05	1.2E-05	1.05E-03	1.28E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	0.48243	2.14E-05	1.0E-05	1.05E-03	1.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	0.45807	2.14E-05	9.8E-06	1.05E-03	1.03E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	2.74495	2.14E-05	5.9E-05	1.05E-03	6.15E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	2.28773	2.14E-05	4.9E-05	1.05E-03	5.12E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	1.89059	2.14E-05	4.1E-05	1.05E-03	4.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	1.59668	2.14E-05	3.4E-05	1.05E-03	3.58E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	1.37843	2.14E-05	3.0E-05	1.05E-03	3.09E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	1.21044	2.14E-05	2.6E-05	1.05E-03	2.71E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	1.07851	2.14E-05	2.3E-05	1.05E-03	2.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	0.88382	2.14E-05	1.9E-05	1.05E-03	1.98E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	0.81033	2.14E-05	1.7E-05	1.05E-03	1.81E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	0.74723	2.14E-05	1.6E-05	1.05E-03	1.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	0.6932	2.14E-05	1.5E-05	1.05E-03	1.55E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	0.6459	2.14E-05	1.4E-05	1.05E-03	1.45E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	0.60422	2.14E-05	1.3E-05	1.05E-03	1.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	0.50452	2.14E-05	1.1E-05	1.05E-03	1.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	0.47761	2.14E-05	1.0E-05	1.05E-03	1.07E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	5.68947	2.14E-05	1.2E-04	1.05E-03	1.27E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	3.4167	2.14E-05	7.3E-05	1.05E-03	7.65E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	2.47249	2.14E-05	5.3E-05	1.05E-03	5.54E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	1.94965	2.14E-05	4.2E-05	1.05E-03	4.37E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	1.61239	2.14E-05	3.5E-05	1.05E-03	3.61E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	1.37902	2.14E-05	3.0E-05	1.05E-03	3.09E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	1.20479	2.14E-05	2.6E-05	1.05E-03	2.70E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	1.06966	2.14E-05	2.3E-05	1.05E-03	2.40E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	0.96218	2.14E-05	2.1E-05	1.05E-03	2.16E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	0.87393	2.14E-05	1.9E-05	1.05E-03	1.96E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	0.80023	2.14E-05	1.7E-05	1.05E-03	1.79E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	0.73762	2.14E-05	1.6E-05	1.05E-03	1.65E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	0.68371	2.14E-05	1.5E-05	1.05E-03	1.53E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	0.63654	2.14E-05	1.4E-05	1.05E-03	1.43E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	0.55888	2.14E-05	1.2E-05	1.05E-03	1.25E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	0.52626	2.14E-05	1.1E-05	1.05E-03	1.18E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.49686	2.14E-05	1.1E-05	1.05E-03	1.11E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	1.84651	2.14E-05	4.0E-05	1.05E-03	4.14E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	1.54528	2.14E-05	3.3E-05	1.05E-03	3.46E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	1.32855	2.14E-05	2.8E-05	1.05E-03	2.98E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	1.16613	2.14E-05	2.5E-05	1.05E-03	2.61E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	0.58341	2.14E-05	1.3E-05	1.05E-03	1.31E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	0.54785	2.14E-05	1.2E-05	1.05E-03	1.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.51597	2.14E-05	1.1E-05	1.05E-03	1.16E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	1.71445	2.14E-05	3.7E-05	1.05E-03	3.84E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	1.4553	2.14E-05	3.1E-05	1.05E-03	3.26E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	1.26406	2.14E-05	2.7E-05	1.05E-03	2.83E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	0.60795	2.14E-05	1.3E-05	1.05E-03	1.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	0.56937	2.14E-05	1.2E-05	1.05E-03	1.28E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.53499	2.14E-05	1.1E-05	1.05E-03	1.20E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	1.88979	2.14E-05	4.0E-05	1.05E-03	4.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	1.58472	2.14E-05	3.4E-05	1.05E-03	3.55E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	1.36328	2.14E-05	2.9E-05	1.05E-03	3.05E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	0.6324	2.14E-05	1.4E-05	1.05E-03	1.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	0.59058	2.14E-05	1.3E-05	1.05E-03	1.32E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.5539	2.14E-05	1.2E-05	1.05E-03	1.24E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	1.71908	2.14E-05	3.7E-05	1.05E-03	3.85E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	1.46449	2.14E-05	3.1E-05	1.05E-03	3.28E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	0.65694	2.14E-05	1.4E-05	1.05E-03	1.47E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.61222	2.14E-05	1.3E-05	1.05E-03	1.37E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.57297	2.14E-05	1.2E-05	1.05E-03	1.28E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	1.8613	2.14E-05	4.0E-05	1.05E-03	4.17E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	1.57271	2.14E-05	3.4E-05	1.05E-03	3.52E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	1.36034	2.14E-05	2.9E-05	1.05E-03	3.05E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	0.68189	2.14E-05	1.5E-05	1.05E-03	1.53E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.63389	2.14E-05	1.4E-05	1.05E-03	1.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.59214	2.14E-05	1.3E-05	1.05E-03	1.33E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	1.68547	2.14E-05	3.6E-05	1.05E-03	3.78E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	1.44712	2.14E-05	3.1E-05	1.05E-03	3.24E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.70695	2.14E-05	1.5E-05	1.05E-03	1.58E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.65579	2.14E-05	1.4E-05	1.05E-03	1.47E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.61129	2.14E-05	1.3E-05	1.05E-03	1.37E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	1.80439	2.14E-05	3.9E-05	1.05E-03	4.04E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	1.53927	2.14E-05	3.3E-05	1.05E-03	3.45E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.67795	2.14E-05	1.5E-05	1.05E-03	1.52E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.63039	2.14E-05	1.4E-05	1.05E-03	1.41E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	1.93301	2.14E-05	4.1E-05	1.05E-03	4.33E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	1.63707	2.14E-05	3.5E-05	1.05E-03	3.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	1.41486	2.14E-05	3.0E-05	1.05E-03	3.17E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.70012	2.14E-05	1.5E-05	1.05E-03	1.57E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.64961	2.14E-05	1.4E-05	1.05E-03	1.46E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	1.7409	2.14E-05	3.7E-05	1.05E-03	3.90E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	1.49502	2.14E-05	3.2E-05	1.05E-03	3.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.85541	2.14E-05	1.8E-05	1.05E-03	1.92E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.72259	2.14E-05	1.5E-05	1.05E-03	1.62E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.66905	2.14E-05	1.4E-05	1.05E-03	1.50E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	1.84752	2.14E-05	4.0E-05	1.05E-03	4.14E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	1.57956	2.14E-05	3.4E-05	1.05E-03	3.54E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	1.37329	2.14E-05	2.9E-05	1.05E-03	3.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	1.21257	2.14E-05	2.6E-05	1.05E-03	2.72E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	1.0822	2.14E-05	2.3E-05	1.05E-03	2.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.97573	2.14E-05	2.1E-05	1.05E-03	2.19E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.88636	2.14E-05	1.9E-05	1.05E-03	1.99E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.81063	2.14E-05	1.7E-05	1.05E-03	1.82E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.74538	2.14E-05	1.6E-05	1.05E-03	1.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.68857	2.14E-05	1.5E-05	1.05E-03	1.54E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	1.66598	2.14E-05	3.6E-05	1.05E-03	3.73E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	1.44449	2.14E-05	3.1E-05	1.05E-03	3.24E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	1.26911	2.14E-05	2.7E-05	1.05E-03	2.84E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	1.12855	2.14E-05	2.4E-05	1.05E-03	2.53E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	1.01378	2.14E-05	2.2E-05	1.05E-03	2.27E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.91821	2.14E-05	2.0E-05	1.05E-03	2.06E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.83761	2.14E-05	1.8E-05	1.05E-03	1.88E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.70827	2.14E-05	1.5E-05	1.05E-03	1.59E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	1.76649	2.14E-05	3.8E-05	1.05E-03	3.96E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	1.51407	2.14E-05	3.2E-05	1.05E-03	3.39E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	1.32829	2.14E-05	2.8E-05	1.05E-03	2.98E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	1.17644	2.14E-05	2.5E-05	1.05E-03	2.64E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	1.05305	2.14E-05	2.3E-05	1.05E-03	2.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.95088	2.14E-05	2.0E-05	1.05E-03	2.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.86501	2.14E-05	1.9E-05	1.05E-03	1.94E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.72802	2.14E-05	1.6E-05	1.05E-03	1.63E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	1.87623	2.14E-05	4.0E-05	1.05E-03	4.20E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	1.59917	2.14E-05	3.4E-05	1.05E-03	3.58E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	1.38833	2.14E-05	3.0E-05	1.05E-03	3.11E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	1.22437	2.14E-05	2.6E-05	1.05E-03	2.74E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	1.09376	2.14E-05	2.3E-05	1.05E-03	2.45E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.98436	2.14E-05	2.1E-05	1.05E-03	2.20E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.89202	2.14E-05	1.9E-05	1.05E-03	2.00E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.74776	2.14E-05	1.6E-05	1.05E-03	1.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	1.68777	2.14E-05	3.6E-05	1.05E-03	3.78E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	1.45829	2.14E-05	3.1E-05	1.05E-03	3.27E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	1.27887	2.14E-05	2.7E-05	1.05E-03	2.86E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	1.1326	2.14E-05	2.4E-05	1.05E-03	2.54E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	1.01787	2.14E-05	2.2E-05	1.05E-03	2.28E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.92166	2.14E-05	2.0E-05	1.05E-03	2.06E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.76776	2.14E-05	1.6E-05	1.05E-03	1.72E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	1.78369	2.14E-05	3.8E-05	1.05E-03	4.00E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	1.53081	2.14E-05	3.3E-05	1.05E-03	3.43E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	1.33623	2.14E-05	2.9E-05	1.05E-03	2.99E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	1.18114	2.14E-05	2.5E-05	1.05E-03	2.65E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	1.05479	2.14E-05	2.3E-05	1.05E-03	2.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.94995	2.14E-05	2.0E-05	1.05E-03	2.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.82723	2.14E-05	1.8E-05	1.05E-03	1.85E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	1.88937	2.14E-05	4.0E-05	1.05E-03	4.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	1.60874	2.14E-05	3.4E-05	1.05E-03	3.60E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	1.3956	2.14E-05	3.0E-05	1.05E-03	3.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	1.22778	2.14E-05	2.6E-05	1.05E-03	2.75E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	1.0921	2.14E-05	2.3E-05	1.05E-03	2.45E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.98049	2.14E-05	2.1E-05	1.05E-03	2.20E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.88657	2.14E-05	1.9E-05	1.05E-03	1.99E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	2.14E-05	0.0E+00	1.05E-03	0.00E+00	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
1	1	0.11824	2.14E-05	2.5E-06	6.05E-04	1.53E-09	14	4.71E-02	1.01E-09	1.0E+06	1.0E-03
2	2	0.1215	2.14E-05	2.6E-06	6.05E-04	1.58E-09	14	4.71E-02	1.04E-09	1.0E+06	1.0E-03
3	3	0.12476	2.14E-05	2.7E-06	6.05E-04	1.62E-09	14	4.71E-02	1.07E-09	1.0E+06	1.1E-03
4	4	0.12804	2.14E-05	2.7E-06	6.05E-04	1.66E-09	14	4.71E-02	1.10E-09	1.0E+06	1.1E-03
5	5	0.13134	2.14E-05	2.8E-06	6.05E-04	1.70E-09	14	4.71E-02	1.12E-09	1.0E+06	1.1E-03
6	6	0.13469	2.14E-05	2.9E-06	6.05E-04	1.75E-09	14	4.71E-02	1.15E-09	1.0E+06	1.2E-03
7	7	0.138	2.14E-05	3.0E-06	6.05E-04	1.79E-09	14	4.71E-02	1.18E-09	1.0E+06	1.2E-03
8	8	0.14121	2.14E-05	3.0E-06	6.05E-04	1.83E-09	14	4.71E-02	1.21E-09	1.0E+06	1.2E-03
9	9	0.14432	2.14E-05	3.1E-06	6.05E-04	1.87E-09	14	4.71E-02	1.24E-09	1.0E+06	1.2E-03
10	10	0.14728	2.14E-05	3.2E-06	6.05E-04	1.91E-09	14	4.71E-02	1.26E-09	1.0E+06	1.3E-03
11	11	0.15006	2.14E-05	3.2E-06	6.05E-04	1.95E-09	14	4.71E-02	1.28E-09	1.0E+06	1.3E-03
12	12	0.15262	2.14E-05	3.3E-06	6.05E-04	1.98E-09	14	4.71E-02	1.31E-09	1.0E+06	1.3E-03
13	13	0.15497	2.14E-05	3.3E-06	6.05E-04	2.01E-09	14	4.71E-02	1.33E-09	1.0E+06	1.3E-03
14	14	0.15705	2.14E-05	3.4E-06	6.05E-04	2.04E-09	14	4.71E-02	1.34E-09	1.0E+06	1.3E-03
15	15	0.15885	2.14E-05	3.4E-06	6.05E-04	2.06E-09	14	4.71E-02	1.36E-09	1.0E+06	1.4E-03
16	16	0.16034	2.14E-05	3.4E-06	6.05E-04	2.08E-09	14	4.71E-02	1.37E-09	1.0E+06	1.4E-03
17	17	0.16159	2.14E-05	3.5E-06	6.05E-04	2.10E-09	14	4.71E-02	1.38E-09	1.0E+06	1.4E-03
18	18	0.16251	2.14E-05	3.5E-06	6.05E-04	2.11E-09	14	4.71E-02	1.39E-09	1.0E+06	1.4E-03
19	19	0.16319	2.14E-05	3.5E-06	6.05E-04	2.12E-09	14	4.71E-02	1.40E-09	1.0E+06	1.4E-03
20	20	0.16367	2.14E-05	3.5E-06	6.05E-04	2.12E-09	14	4.71E-02	1.40E-09	1.0E+06	1.4E-03
21	21	0.16398	2.14E-05	3.5E-06	6.05E-04	2.13E-09	14	4.71E-02	1.40E-09	1.0E+06	1.4E-03
22	22	0.16422	2.14E-05	3.5E-06	6.05E-04	2.13E-09	14	4.71E-02	1.41E-09	1.0E+06	1.4E-03
23	23	0.16443	2.14E-05	3.5E-06	6.05E-04	2.13E-09	14	4.71E-02	1.41E-09	1.0E+06	1.4E-03
24	24	0.16468	2.14E-05	3.5E-06	6.05E-04	2.14E-09	14	4.71E-02	1.41E-09	1.0E+06	1.4E-03
25	25	0.16504	2.14E-05	3.5E-06	6.05E-04	2.14E-09	14	4.71E-02	1.41E-09	1.0E+06	1.4E-03
26	26	0.16553	2.14E-05	3.5E-06	6.05E-04	2.15E-09	14	4.71E-02	1.42E-09	1.0E+06	1.4E-03
27	27	0.16616	2.14E-05	3.6E-06	6.05E-04	2.15E-09	14	4.71E-02	1.42E-09	1.0E+06	1.4E-03
28	28	0.16691	2.14E-05	3.6E-06	6.05E-04	2.16E-09	14	4.71E-02	1.43E-09	1.0E+06	1.4E-03
29	29	0.16776	2.14E-05	3.6E-06	6.05E-04	2.18E-09	14	4.71E-02	1.44E-09	1.0E+06	1.4E-03
30	30	0.16867	2.14E-05	3.6E-06	6.05E-04	2.19E-09	14	4.71E-02	1.44E-09	1.0E+06	1.4E-03
31	31	0.16958	2.14E-05	3.6E-06	6.05E-04	2.20E-09	14	4.71E-02	1.45E-09	1.0E+06	1.5E-03

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.17044	2.14E-05	3.7E-06	6.05E-04	2.21E-09	14	4.71E-02	1.46E-09	1.0E+06	1.5E-03
55	55	0.17569	2.14E-05	3.8E-06	6.05E-04	2.28E-09	14	4.71E-02	1.50E-09	1.0E+06	1.5E-03
56	56	0.17599	2.14E-05	3.8E-06	6.05E-04	2.28E-09	14	4.71E-02	1.51E-09	1.0E+06	1.5E-03
57	57	0.17642	2.14E-05	3.8E-06	6.05E-04	2.29E-09	14	4.71E-02	1.51E-09	1.0E+06	1.5E-03
58	58	0.17696	2.14E-05	3.8E-06	6.05E-04	2.29E-09	14	4.71E-02	1.51E-09	1.0E+06	1.5E-03
59	59	0.17764	2.14E-05	3.8E-06	6.05E-04	2.30E-09	14	4.71E-02	1.52E-09	1.0E+06	1.5E-03
60	60	0.17845	2.14E-05	3.8E-06	6.05E-04	2.31E-09	14	4.71E-02	1.53E-09	1.0E+06	1.5E-03
61	61	0.1794	2.14E-05	3.8E-06	6.05E-04	2.33E-09	14	4.71E-02	1.54E-09	1.0E+06	1.5E-03
62	62	0.1804	2.14E-05	3.9E-06	6.05E-04	2.34E-09	14	4.71E-02	1.54E-09	1.0E+06	1.5E-03
63	63	0.18141	2.14E-05	3.9E-06	6.05E-04	2.35E-09	14	4.71E-02	1.55E-09	1.0E+06	1.6E-03
64	64	0.18236	2.14E-05	3.9E-06	6.05E-04	2.36E-09	14	4.71E-02	1.56E-09	1.0E+06	1.6E-03
65	65	0.18319	2.14E-05	3.9E-06	6.05E-04	2.38E-09	14	4.71E-02	1.57E-09	1.0E+06	1.6E-03
66	66	0.1839	2.14E-05	3.9E-06	6.05E-04	2.38E-09	14	4.71E-02	1.57E-09	1.0E+06	1.6E-03
67	67	0.1295	2.14E-05	2.8E-06	6.05E-04	1.68E-09	14	4.71E-02	1.11E-09	1.0E+06	1.1E-03
68	68	0.13353	2.14E-05	2.9E-06	6.05E-04	1.73E-09	14	4.71E-02	1.14E-09	1.0E+06	1.1E-03
69	69	0.13763	2.14E-05	2.9E-06	6.05E-04	1.78E-09	14	4.71E-02	1.18E-09	1.0E+06	1.2E-03
70	70	0.1418	2.14E-05	3.0E-06	6.05E-04	1.84E-09	14	4.71E-02	1.21E-09	1.0E+06	1.2E-03
71	71	0.14595	2.14E-05	3.1E-06	6.05E-04	1.89E-09	14	4.71E-02	1.25E-09	1.0E+06	1.2E-03
72	72	0.15024	2.14E-05	3.2E-06	6.05E-04	1.95E-09	14	4.71E-02	1.29E-09	1.0E+06	1.3E-03
73	73	0.15449	2.14E-05	3.3E-06	6.05E-04	2.00E-09	14	4.71E-02	1.32E-09	1.0E+06	1.3E-03
74	74	0.15865	2.14E-05	3.4E-06	6.05E-04	2.06E-09	14	4.71E-02	1.36E-09	1.0E+06	1.4E-03
75	75	0.1627	2.14E-05	3.5E-06	6.05E-04	2.11E-09	14	4.71E-02	1.39E-09	1.0E+06	1.4E-03
76	76	0.16661	2.14E-05	3.6E-06	6.05E-04	2.16E-09	14	4.71E-02	1.43E-09	1.0E+06	1.4E-03
77	77	0.17033	2.14E-05	3.7E-06	6.05E-04	2.21E-09	14	4.71E-02	1.46E-09	1.0E+06	1.5E-03
78	78	0.17382	2.14E-05	3.7E-06	6.05E-04	2.25E-09	14	4.71E-02	1.49E-09	1.0E+06	1.5E-03
79	79	0.18542	2.14E-05	4.0E-06	6.05E-04	2.40E-09	14	4.71E-02	1.59E-09	1.0E+06	1.6E-03
80	80	0.18652	2.14E-05	4.0E-06	6.05E-04	2.42E-09	14	4.71E-02	1.60E-09	1.0E+06	1.6E-03
81	81	0.18737	2.14E-05	4.0E-06	6.05E-04	2.43E-09	14	4.71E-02	1.60E-09	1.0E+06	1.6E-03
82	82	0.18793	2.14E-05	4.0E-06	6.05E-04	2.44E-09	14	4.71E-02	1.61E-09	1.0E+06	1.6E-03
83	83	0.18838	2.14E-05	4.0E-06	6.05E-04	2.44E-09	14	4.71E-02	1.61E-09	1.0E+06	1.6E-03
84	84	0.18876	2.14E-05	4.0E-06	6.05E-04	2.45E-09	14	4.71E-02	1.62E-09	1.0E+06	1.6E-03

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
85	85	0.18923	2.14E-05	4.1E-06	6.05E-04	2.45E-09	14	4.71E-02	1.62E-09	1.0E+06	1.6E-03
86	86	0.18984	2.14E-05	4.1E-06	6.05E-04	2.46E-09	14	4.71E-02	1.62E-09	1.0E+06	1.6E-03
87	87	0.1906	2.14E-05	4.1E-06	6.05E-04	2.47E-09	14	4.71E-02	1.63E-09	1.0E+06	1.6E-03
88	88	0.19153	2.14E-05	4.1E-06	6.05E-04	2.48E-09	14	4.71E-02	1.64E-09	1.0E+06	1.6E-03
89	89	0.19256	2.14E-05	4.1E-06	6.05E-04	2.50E-09	14	4.71E-02	1.65E-09	1.0E+06	1.6E-03
90	90	0.19366	2.14E-05	4.2E-06	6.05E-04	2.51E-09	14	4.71E-02	1.66E-09	1.0E+06	1.7E-03
91	91	0.1948	2.14E-05	4.2E-06	6.05E-04	2.53E-09	14	4.71E-02	1.67E-09	1.0E+06	1.7E-03
92	92	0.19582	2.14E-05	4.2E-06	6.05E-04	2.54E-09	14	4.71E-02	1.68E-09	1.0E+06	1.7E-03
93	93	0.19673	2.14E-05	4.2E-06	6.05E-04	2.55E-09	14	4.71E-02	1.68E-09	1.0E+06	1.7E-03
96	96	0.20847	2.14E-05	4.5E-06	6.05E-04	2.70E-09	14	4.71E-02	1.78E-09	1.0E+06	1.8E-03
97	97	0.21162	2.14E-05	4.5E-06	6.05E-04	2.74E-09	14	4.71E-02	1.81E-09	1.0E+06	1.8E-03
98	98	0.20755	2.14E-05	4.4E-06	6.05E-04	2.69E-09	14	4.71E-02	1.78E-09	1.0E+06	1.8E-03
99	99	0.20882	2.14E-05	4.5E-06	6.05E-04	2.71E-09	14	4.71E-02	1.79E-09	1.0E+06	1.8E-03
100	100	0.21006	2.14E-05	4.5E-06	6.05E-04	2.72E-09	14	4.71E-02	1.80E-09	1.0E+06	1.8E-03
101	101	0.21118	2.14E-05	4.5E-06	6.05E-04	2.74E-09	14	4.71E-02	1.81E-09	1.0E+06	1.8E-03
102	102	0.21213	2.14E-05	4.5E-06	6.05E-04	2.75E-09	14	4.71E-02	1.82E-09	1.0E+06	1.8E-03
106	106	0.13745	2.14E-05	2.9E-06	6.05E-04	1.78E-09	14	4.71E-02	1.18E-09	1.0E+06	1.2E-03
107	107	0.14242	2.14E-05	3.1E-06	6.05E-04	1.85E-09	14	4.71E-02	1.22E-09	1.0E+06	1.2E-03
108	108	0.14746	2.14E-05	3.2E-06	6.05E-04	1.91E-09	14	4.71E-02	1.26E-09	1.0E+06	1.3E-03
109	109	0.15263	2.14E-05	3.3E-06	6.05E-04	1.98E-09	14	4.71E-02	1.31E-09	1.0E+06	1.3E-03
110	110	0.15797	2.14E-05	3.4E-06	6.05E-04	2.05E-09	14	4.71E-02	1.35E-09	1.0E+06	1.4E-03
111	111	0.16334	2.14E-05	3.5E-06	6.05E-04	2.12E-09	14	4.71E-02	1.40E-09	1.0E+06	1.4E-03
112	112	0.16896	2.14E-05	3.6E-06	6.05E-04	2.19E-09	14	4.71E-02	1.45E-09	1.0E+06	1.4E-03
113	113	0.17454	2.14E-05	3.7E-06	6.05E-04	2.26E-09	14	4.71E-02	1.49E-09	1.0E+06	1.5E-03
114	114	0.18012	2.14E-05	3.9E-06	6.05E-04	2.34E-09	14	4.71E-02	1.54E-09	1.0E+06	1.5E-03
115	115	0.18557	2.14E-05	4.0E-06	6.05E-04	2.41E-09	14	4.71E-02	1.59E-09	1.0E+06	1.6E-03
116	116	0.19078	2.14E-05	4.1E-06	6.05E-04	2.47E-09	14	4.71E-02	1.63E-09	1.0E+06	1.6E-03
117	117	0.1959	2.14E-05	4.2E-06	6.05E-04	2.54E-09	14	4.71E-02	1.68E-09	1.0E+06	1.7E-03
118	118	0.20066	2.14E-05	4.3E-06	6.05E-04	2.60E-09	14	4.71E-02	1.72E-09	1.0E+06	1.7E-03
124	124	0.14407	2.14E-05	3.1E-06	6.05E-04	1.87E-09	14	4.71E-02	1.23E-09	1.0E+06	1.2E-03
125	125	0.14951	2.14E-05	3.2E-06	6.05E-04	1.94E-09	14	4.71E-02	1.28E-09	1.0E+06	1.3E-03

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	126	0.15517	2.14E-05	3.3E-06	6.05E-04	2.01E-09	14	4.71E-02	1.33E-09	1.0E+06	1.3E-03
127	127	0.16103	2.14E-05	3.5E-06	6.05E-04	2.09E-09	14	4.71E-02	1.38E-09	1.0E+06	1.4E-03
128	128	0.16709	2.14E-05	3.6E-06	6.05E-04	2.17E-09	14	4.71E-02	1.43E-09	1.0E+06	1.4E-03
129	129	0.17326	2.14E-05	3.7E-06	6.05E-04	2.25E-09	14	4.71E-02	1.48E-09	1.0E+06	1.5E-03
130	130	0.17972	2.14E-05	3.9E-06	6.05E-04	2.33E-09	14	4.71E-02	1.54E-09	1.0E+06	1.5E-03
131	131	0.18622	2.14E-05	4.0E-06	6.05E-04	2.41E-09	14	4.71E-02	1.59E-09	1.0E+06	1.6E-03
132	132	0.19277	2.14E-05	4.1E-06	6.05E-04	2.50E-09	14	4.71E-02	1.65E-09	1.0E+06	1.6E-03
133	133	0.19921	2.14E-05	4.3E-06	6.05E-04	2.58E-09	14	4.71E-02	1.70E-09	1.0E+06	1.7E-03
134	134	0.20558	2.14E-05	4.4E-06	6.05E-04	2.67E-09	14	4.71E-02	1.76E-09	1.0E+06	1.8E-03
135	135	0.21161	2.14E-05	4.5E-06	6.05E-04	2.74E-09	14	4.71E-02	1.81E-09	1.0E+06	1.8E-03
136	136	0.21723	2.14E-05	4.7E-06	6.05E-04	2.82E-09	14	4.71E-02	1.86E-09	1.0E+06	1.9E-03
137	137	0.22225	2.14E-05	4.8E-06	6.05E-04	2.88E-09	14	4.71E-02	1.90E-09	1.0E+06	1.9E-03
138	138	0.22683	2.14E-05	4.9E-06	6.05E-04	2.94E-09	14	4.71E-02	1.94E-09	1.0E+06	1.9E-03
141	141	0.15102	2.14E-05	3.2E-06	6.05E-04	1.96E-09	14	4.71E-02	1.29E-09	1.0E+06	1.3E-03
142	142	0.15712	2.14E-05	3.4E-06	6.05E-04	2.04E-09	14	4.71E-02	1.34E-09	1.0E+06	1.3E-03
143	143	0.16349	2.14E-05	3.5E-06	6.05E-04	2.12E-09	14	4.71E-02	1.40E-09	1.0E+06	1.4E-03
144	144	0.17014	2.14E-05	3.6E-06	6.05E-04	2.21E-09	14	4.71E-02	1.46E-09	1.0E+06	1.5E-03
145	145	0.17706	2.14E-05	3.8E-06	6.05E-04	2.30E-09	14	4.71E-02	1.52E-09	1.0E+06	1.5E-03
146	146	0.18417	2.14E-05	3.9E-06	6.05E-04	2.39E-09	14	4.71E-02	1.58E-09	1.0E+06	1.6E-03
147	147	0.19165	2.14E-05	4.1E-06	6.05E-04	2.48E-09	14	4.71E-02	1.64E-09	1.0E+06	1.6E-03
148	148	0.19923	2.14E-05	4.3E-06	6.05E-04	2.58E-09	14	4.71E-02	1.70E-09	1.0E+06	1.7E-03
149	149	0.20694	2.14E-05	4.4E-06	6.05E-04	2.68E-09	14	4.71E-02	1.77E-09	1.0E+06	1.8E-03
150	150	0.21462	2.14E-05	4.6E-06	6.05E-04	2.78E-09	14	4.71E-02	1.84E-09	1.0E+06	1.8E-03
151	151	0.22222	2.14E-05	4.8E-06	6.05E-04	2.88E-09	14	4.71E-02	1.90E-09	1.0E+06	1.9E-03
152	152	0.22953	2.14E-05	4.9E-06	6.05E-04	2.98E-09	14	4.71E-02	1.96E-09	1.0E+06	2.0E-03
153	153	0.23638	2.14E-05	5.1E-06	6.05E-04	3.06E-09	14	4.71E-02	2.02E-09	1.0E+06	2.0E-03
154	154	0.24248	2.14E-05	5.2E-06	6.05E-04	3.14E-09	14	4.71E-02	2.08E-09	1.0E+06	2.1E-03
155	155	0.24788	2.14E-05	5.3E-06	6.05E-04	3.21E-09	14	4.71E-02	2.12E-09	1.0E+06	2.1E-03
164	164	0.26633	2.14E-05	5.7E-06	6.05E-04	3.45E-09	14	4.71E-02	2.28E-09	1.0E+06	2.3E-03
165	165	0.27289	2.14E-05	5.8E-06	6.05E-04	3.54E-09	14	4.71E-02	2.34E-09	1.0E+06	2.3E-03
166	166	0.2785	2.14E-05	6.0E-06	6.05E-04	3.61E-09	14	4.71E-02	2.38E-09	1.0E+06	2.4E-03

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	0.29484	2.14E-05	6.3E-06	6.05E-04	3.82E-09	14	4.71E-02	2.52E-09	1.0E+06	2.5E-03
179	179	0.30314	2.14E-05	6.5E-06	6.05E-04	3.93E-09	14	4.71E-02	2.59E-09	1.0E+06	2.6E-03
180	180	0.31007	2.14E-05	6.6E-06	6.05E-04	4.02E-09	14	4.71E-02	2.65E-09	1.0E+06	2.7E-03
192	192	0.32966	2.14E-05	7.1E-06	6.05E-04	4.27E-09	14	4.71E-02	2.82E-09	1.0E+06	2.8E-03
193	193	0.34052	2.14E-05	7.3E-06	6.05E-04	4.42E-09	14	4.71E-02	2.91E-09	1.0E+06	2.9E-03
194	194	0.3492	2.14E-05	7.5E-06	6.05E-04	4.53E-09	14	4.71E-02	2.99E-09	1.0E+06	3.0E-03
207	207	0.37293	2.14E-05	8.0E-06	6.05E-04	4.84E-09	14	4.71E-02	3.19E-09	1.0E+06	3.2E-03
208	208	0.38745	2.14E-05	8.3E-06	6.05E-04	5.02E-09	14	4.71E-02	3.32E-09	1.0E+06	3.3E-03
209	209	0.39901	2.14E-05	8.6E-06	6.05E-04	5.17E-09	14	4.71E-02	3.41E-09	1.0E+06	3.4E-03
223	223	0.42831	2.14E-05	9.2E-06	6.05E-04	5.55E-09	14	4.71E-02	3.67E-09	1.0E+06	3.7E-03
224	224	0.44854	2.14E-05	9.6E-06	6.05E-04	5.82E-09	14	4.71E-02	3.84E-09	1.0E+06	3.8E-03
225	225	0.46414	2.14E-05	9.9E-06	6.05E-04	6.02E-09	14	4.71E-02	3.97E-09	1.0E+06	4.0E-03
239	239	0.50183	2.14E-05	1.1E-05	6.05E-04	6.51E-09	14	4.71E-02	4.29E-09	1.0E+06	4.3E-03
240	240	0.53174	2.14E-05	1.1E-05	6.05E-04	6.89E-09	14	4.71E-02	4.55E-09	1.0E+06	4.6E-03
241	241	0.55482	2.14E-05	1.2E-05	6.05E-04	7.19E-09	14	4.71E-02	4.75E-09	1.0E+06	4.7E-03
255	255	0.60351	2.14E-05	1.3E-05	6.05E-04	7.83E-09	14	4.71E-02	5.16E-09	1.0E+06	5.2E-03
256	256	0.6517	2.14E-05	1.4E-05	6.05E-04	8.45E-09	14	4.71E-02	5.58E-09	1.0E+06	5.6E-03
272	272	0.75188	2.14E-05	1.6E-05	6.05E-04	9.75E-09	14	4.71E-02	6.43E-09	1.0E+06	6.4E-03
273	273	0.84057	2.14E-05	1.8E-05	6.05E-04	1.09E-08	14	4.71E-02	7.19E-09	1.0E+06	7.2E-03
289	289	0.98394	2.14E-05	2.1E-05	6.05E-04	1.28E-08	14	4.71E-02	8.42E-09	1.0E+06	8.4E-03
290	290	1.18206	2.14E-05	2.5E-05	6.05E-04	1.53E-08	14	4.71E-02	1.01E-08	1.0E+06	1.0E-02
306	306	1.35624	2.14E-05	2.9E-05	6.05E-04	1.76E-08	14	4.71E-02	1.16E-08	1.0E+06	1.2E-02
307	307	1.95825	2.14E-05	4.2E-05	6.05E-04	2.54E-08	14	4.71E-02	1.68E-08	1.0E+06	1.7E-02
323	323	1.851	2.14E-05	4.0E-05	6.05E-04	2.40E-08	14	4.71E-02	1.58E-08	1.0E+06	1.6E-02
324	324	1.77214	2.14E-05	3.8E-05	6.05E-04	2.30E-08	14	4.71E-02	1.52E-08	1.0E+06	1.5E-02
342	342	2.19314	2.14E-05	4.7E-05	6.05E-04	2.84E-08	14	4.71E-02	1.88E-08	1.0E+06	1.9E-02
343	343	4.91826	2.14E-05	1.1E-04	6.05E-04	6.38E-08	14	4.71E-02	4.21E-08	1.0E+06	4.2E-02
344	344	2.4488	2.14E-05	5.2E-05	6.05E-04	3.18E-08	14	4.71E-02	2.10E-08	1.0E+06	2.1E-02
356	356	2.27839	2.14E-05	4.9E-05	6.05E-04	2.95E-08	14	4.71E-02	1.95E-08	1.0E+06	1.9E-02
357	357	4.41133	2.14E-05	9.5E-05	6.05E-04	5.72E-08	14	4.71E-02	3.78E-08	1.0E+06	3.8E-02
358	358	3.53719	2.14E-05	7.6E-05	6.05E-04	4.59E-08	14	4.71E-02	3.03E-08	1.0E+06	3.0E-02

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
370	370	2.23575	2.14E-05	4.8E-05	6.05E-04	2.90E-08	14	4.71E-02	1.91E-08	1.0E+06	1.9E-02
371	371	3.86252	2.14E-05	8.3E-05	6.05E-04	5.01E-08	14	4.71E-02	3.31E-08	1.0E+06	3.3E-02
372	372	3.74409	2.14E-05	8.0E-05	6.05E-04	4.85E-08	14	4.71E-02	3.20E-08	1.0E+06	3.2E-02
383	383	2.14505	2.14E-05	4.6E-05	6.05E-04	2.78E-08	14	4.71E-02	1.84E-08	1.0E+06	1.8E-02
384	384	3.41742	2.14E-05	7.3E-05	6.05E-04	4.43E-08	14	4.71E-02	2.92E-08	1.0E+06	2.9E-02
385	385	6.86961	2.14E-05	1.5E-04	6.05E-04	8.91E-08	14	4.71E-02	5.88E-08	1.0E+06	5.9E-02
396	396	2.04161	2.14E-05	4.4E-05	6.05E-04	2.65E-08	14	4.71E-02	1.75E-08	1.0E+06	1.7E-02
397	397	3.06694	2.14E-05	6.6E-05	6.05E-04	3.98E-08	14	4.71E-02	2.62E-08	1.0E+06	2.6E-02
398	398	5.46314	2.14E-05	1.2E-04	6.05E-04	7.08E-08	14	4.71E-02	4.68E-08	1.0E+06	4.7E-02
399	399	4.73703	2.14E-05	1.0E-04	6.05E-04	6.14E-08	14	4.71E-02	4.05E-08	1.0E+06	4.1E-02
411	411	1.93795	2.14E-05	4.2E-05	6.05E-04	2.51E-08	14	4.71E-02	1.66E-08	1.0E+06	1.7E-02
412	412	2.78487	2.14E-05	6.0E-05	6.05E-04	3.61E-08	14	4.71E-02	2.38E-08	1.0E+06	2.4E-02
413	413	4.56385	2.14E-05	9.8E-05	6.05E-04	5.92E-08	14	4.71E-02	3.91E-08	1.0E+06	3.9E-02
414	414	7.00861	2.14E-05	1.5E-04	6.05E-04	9.09E-08	14	4.71E-02	6.00E-08	1.0E+06	6.0E-02
426	426	1.83931	2.14E-05	3.9E-05	6.05E-04	2.38E-08	14	4.71E-02	1.57E-08	1.0E+06	1.6E-02
427	427	2.55353	2.14E-05	5.5E-05	6.05E-04	3.31E-08	14	4.71E-02	2.19E-08	1.0E+06	2.2E-02
428	428	3.92743	2.14E-05	8.4E-05	6.05E-04	5.09E-08	14	4.71E-02	3.36E-08	1.0E+06	3.4E-02
429	429	7.58406	2.14E-05	1.6E-04	6.05E-04	9.83E-08	14	4.71E-02	6.49E-08	1.0E+06	6.5E-02
439	439	1.74606	2.14E-05	3.7E-05	6.05E-04	2.26E-08	14	4.71E-02	1.49E-08	1.0E+06	1.5E-02
440	440	2.35693	2.14E-05	5.1E-05	6.05E-04	3.06E-08	14	4.71E-02	2.02E-08	1.0E+06	2.0E-02
441	441	3.45878	2.14E-05	7.4E-05	6.05E-04	4.48E-08	14	4.71E-02	2.96E-08	1.0E+06	3.0E-02
442	442	6.02676	2.14E-05	1.3E-04	6.05E-04	7.81E-08	14	4.71E-02	5.16E-08	1.0E+06	5.2E-02
443	443	8.23131	2.14E-05	1.8E-04	6.05E-04	1.07E-07	14	4.71E-02	7.04E-08	1.0E+06	7.0E-02
454	454	1.65913	2.14E-05	3.6E-05	6.05E-04	2.15E-08	14	4.71E-02	1.42E-08	1.0E+06	1.4E-02
455	455	2.18787	2.14E-05	4.7E-05	6.05E-04	2.84E-08	14	4.71E-02	1.87E-08	1.0E+06	1.9E-02
456	456	3.09169	2.14E-05	6.6E-05	6.05E-04	4.01E-08	14	4.71E-02	2.65E-08	1.0E+06	2.6E-02
457	457	4.98489	2.14E-05	1.1E-04	6.05E-04	6.46E-08	14	4.71E-02	4.27E-08	1.0E+06	4.3E-02
458	458	7.20481	2.14E-05	1.5E-04	6.05E-04	9.34E-08	14	4.71E-02	6.17E-08	1.0E+06	6.2E-02
469	469	1.57763	2.14E-05	3.4E-05	6.05E-04	2.05E-08	14	4.71E-02	1.35E-08	1.0E+06	1.4E-02
470	470	2.03898	2.14E-05	4.4E-05	6.05E-04	2.64E-08	14	4.71E-02	1.74E-08	1.0E+06	1.7E-02
471	471	2.79392	2.14E-05	6.0E-05	6.05E-04	3.62E-08	14	4.71E-02	2.39E-08	1.0E+06	2.4E-02

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
472	472	4.24598	2.14E-05	9.1E-05	6.05E-04	5.51E-08	14	4.71E-02	3.63E-08	1.0E+06	3.6E-02
473	473	6.08463	2.14E-05	1.3E-04	6.05E-04	7.89E-08	14	4.71E-02	5.21E-08	1.0E+06	5.2E-02
489	489	1.50215	2.14E-05	3.2E-05	6.05E-04	1.95E-08	14	4.71E-02	1.29E-08	1.0E+06	1.3E-02
490	490	1.9089	2.14E-05	4.1E-05	6.05E-04	2.48E-08	14	4.71E-02	1.63E-08	1.0E+06	1.6E-02
491	491	2.54865	2.14E-05	5.5E-05	6.05E-04	3.30E-08	14	4.71E-02	2.18E-08	1.0E+06	2.2E-02
492	492	3.69984	2.14E-05	7.9E-05	6.05E-04	4.80E-08	14	4.71E-02	3.17E-08	1.0E+06	3.2E-02
493	493	6.42365	2.14E-05	1.4E-04	6.05E-04	8.33E-08	14	4.71E-02	5.50E-08	1.0E+06	5.5E-02
494	494	6.2219	2.14E-05	1.3E-04	6.05E-04	8.07E-08	14	4.71E-02	5.32E-08	1.0E+06	5.3E-02
509	509	1.43104	2.14E-05	3.1E-05	6.05E-04	1.86E-08	14	4.71E-02	1.22E-08	1.0E+06	1.2E-02
510	510	1.7919	2.14E-05	3.8E-05	6.05E-04	2.32E-08	14	4.71E-02	1.53E-08	1.0E+06	1.5E-02
511	511	2.3405	2.14E-05	5.0E-05	6.05E-04	3.03E-08	14	4.71E-02	2.00E-08	1.0E+06	2.0E-02
512	512	3.27483	2.14E-05	7.0E-05	6.05E-04	4.25E-08	14	4.71E-02	2.80E-08	1.0E+06	2.8E-02
513	513	5.24429	2.14E-05	1.1E-04	6.05E-04	6.80E-08	14	4.71E-02	4.49E-08	1.0E+06	4.5E-02
514	514	7.29737	2.14E-05	1.6E-04	6.05E-04	9.46E-08	14	4.71E-02	6.24E-08	1.0E+06	6.2E-02
515	515	8.05811	2.14E-05	1.7E-04	6.05E-04	1.04E-07	14	4.71E-02	6.90E-08	1.0E+06	6.9E-02
516	516	4.7626	2.14E-05	1.0E-04	6.05E-04	6.18E-08	14	4.71E-02	4.08E-08	1.0E+06	4.1E-02
517	517	3.37153	2.14E-05	7.2E-05	6.05E-04	4.37E-08	14	4.71E-02	2.89E-08	1.0E+06	2.9E-02
518	518	2.60126	2.14E-05	5.6E-05	6.05E-04	3.37E-08	14	4.71E-02	2.23E-08	1.0E+06	2.2E-02
519	519	2.11109	2.14E-05	4.5E-05	6.05E-04	2.74E-08	14	4.71E-02	1.81E-08	1.0E+06	1.8E-02
528	528	1.36445	2.14E-05	2.9E-05	6.05E-04	1.77E-08	14	4.71E-02	1.17E-08	1.0E+06	1.2E-02
529	529	1.68652	2.14E-05	3.6E-05	6.05E-04	2.19E-08	14	4.71E-02	1.44E-08	1.0E+06	1.4E-02
530	530	2.16274	2.14E-05	4.6E-05	6.05E-04	2.80E-08	14	4.71E-02	1.85E-08	1.0E+06	1.9E-02
531	531	2.93668	2.14E-05	6.3E-05	6.05E-04	3.81E-08	14	4.71E-02	2.51E-08	1.0E+06	2.5E-02
532	532	4.42872	2.14E-05	9.5E-05	6.05E-04	5.74E-08	14	4.71E-02	3.79E-08	1.0E+06	3.8E-02
533	533	6.19365	2.14E-05	1.3E-04	6.05E-04	8.03E-08	14	4.71E-02	5.30E-08	1.0E+06	5.3E-02
534	534	7.13688	2.14E-05	1.5E-04	6.05E-04	9.25E-08	14	4.71E-02	6.11E-08	1.0E+06	6.1E-02
535	535	5.5094	2.14E-05	1.2E-04	6.05E-04	7.14E-08	14	4.71E-02	4.71E-08	1.0E+06	4.7E-02
536	536	3.74258	2.14E-05	8.0E-05	6.05E-04	4.85E-08	14	4.71E-02	3.20E-08	1.0E+06	3.2E-02
537	537	2.82266	2.14E-05	6.0E-05	6.05E-04	3.66E-08	14	4.71E-02	2.42E-08	1.0E+06	2.4E-02
538	538	2.25843	2.14E-05	4.8E-05	6.05E-04	2.93E-08	14	4.71E-02	1.93E-08	1.0E+06	1.9E-02
547	547	1.30214	2.14E-05	2.8E-05	6.05E-04	1.69E-08	14	4.71E-02	1.11E-08	1.0E+06	1.1E-02

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	1.59127	2.14E-05	3.4E-05	6.05E-04	2.06E-08	14	4.71E-02	1.36E-08	1.0E+06	1.4E-02
549	549	2.00786	2.14E-05	4.3E-05	6.05E-04	2.60E-08	14	4.71E-02	1.72E-08	1.0E+06	1.7E-02
550	550	2.6613	2.14E-05	5.7E-05	6.05E-04	3.45E-08	14	4.71E-02	2.28E-08	1.0E+06	2.3E-02
551	551	3.83448	2.14E-05	8.2E-05	6.05E-04	4.97E-08	14	4.71E-02	3.28E-08	1.0E+06	3.3E-02
552	552	6.63419	2.14E-05	1.4E-04	6.05E-04	8.60E-08	14	4.71E-02	5.68E-08	1.0E+06	5.7E-02
553	553	5.84912	2.14E-05	1.3E-04	6.05E-04	7.58E-08	14	4.71E-02	5.01E-08	1.0E+06	5.0E-02
554	554	5.00655	2.14E-05	1.1E-04	6.05E-04	6.49E-08	14	4.71E-02	4.28E-08	1.0E+06	4.3E-02
555	555	6.52628	2.14E-05	1.4E-04	6.05E-04	8.46E-08	14	4.71E-02	5.59E-08	1.0E+06	5.6E-02
556	556	4.19315	2.14E-05	9.0E-05	6.05E-04	5.44E-08	14	4.71E-02	3.59E-08	1.0E+06	3.6E-02
557	557	3.08044	2.14E-05	6.6E-05	6.05E-04	3.99E-08	14	4.71E-02	2.64E-08	1.0E+06	2.6E-02
558	558	2.42719	2.14E-05	5.2E-05	6.05E-04	3.15E-08	14	4.71E-02	2.08E-08	1.0E+06	2.1E-02
559	559	1.99472	2.14E-05	4.3E-05	6.05E-04	2.59E-08	14	4.71E-02	1.71E-08	1.0E+06	1.7E-02
567	567	1.24329	2.14E-05	2.7E-05	6.05E-04	1.61E-08	14	4.71E-02	1.06E-08	1.0E+06	1.1E-02
568	568	1.50394	2.14E-05	3.2E-05	6.05E-04	1.95E-08	14	4.71E-02	1.29E-08	1.0E+06	1.3E-02
569	569	1.87194	2.14E-05	4.0E-05	6.05E-04	2.43E-08	14	4.71E-02	1.60E-08	1.0E+06	1.6E-02
570	570	2.42964	2.14E-05	5.2E-05	6.05E-04	3.15E-08	14	4.71E-02	2.08E-08	1.0E+06	2.1E-02
571	571	3.37818	2.14E-05	7.2E-05	6.05E-04	4.38E-08	14	4.71E-02	2.89E-08	1.0E+06	2.9E-02
572	572	5.38365	2.14E-05	1.2E-04	6.05E-04	6.98E-08	14	4.71E-02	4.61E-08	1.0E+06	4.6E-02
573	573	5.50734	2.14E-05	1.2E-04	6.05E-04	7.14E-08	14	4.71E-02	4.71E-08	1.0E+06	4.7E-02
574	574	7.97979	2.14E-05	1.7E-04	6.05E-04	1.03E-07	14	4.71E-02	6.83E-08	1.0E+06	6.8E-02
575	575	4.75661	2.14E-05	1.0E-04	6.05E-04	6.17E-08	14	4.71E-02	4.07E-08	1.0E+06	4.1E-02
576	576	3.38328	2.14E-05	7.3E-05	6.05E-04	4.39E-08	14	4.71E-02	2.90E-08	1.0E+06	2.9E-02
577	577	2.61788	2.14E-05	5.6E-05	6.05E-04	3.39E-08	14	4.71E-02	2.24E-08	1.0E+06	2.2E-02
578	578	2.12701	2.14E-05	4.6E-05	6.05E-04	2.76E-08	14	4.71E-02	1.82E-08	1.0E+06	1.8E-02
586	586	1.18814	2.14E-05	2.5E-05	6.05E-04	1.54E-08	14	4.71E-02	1.02E-08	1.0E+06	1.0E-02
587	587	1.42437	2.14E-05	3.1E-05	6.05E-04	1.85E-08	14	4.71E-02	1.22E-08	1.0E+06	1.2E-02
588	588	1.75146	2.14E-05	3.8E-05	6.05E-04	2.27E-08	14	4.71E-02	1.50E-08	1.0E+06	1.5E-02
589	589	2.23393	2.14E-05	4.8E-05	6.05E-04	2.90E-08	14	4.71E-02	1.91E-08	1.0E+06	1.9E-02
590	590	3.01806	2.14E-05	6.5E-05	6.05E-04	3.91E-08	14	4.71E-02	2.58E-08	1.0E+06	2.6E-02
591	591	4.53588	2.14E-05	9.7E-05	6.05E-04	5.88E-08	14	4.71E-02	3.88E-08	1.0E+06	3.9E-02
592	592	6.28005	2.14E-05	1.3E-04	6.05E-04	8.14E-08	14	4.71E-02	5.37E-08	1.0E+06	5.4E-02

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
593	593	6.78511	2.14E-05	1.5E-04	6.05E-04	8.80E-08	14	4.71E-02	5.81E-08	1.0E+06	5.8E-02
594	594	5.49127	2.14E-05	1.2E-04	6.05E-04	7.12E-08	14	4.71E-02	4.70E-08	1.0E+06	4.7E-02
595	595	3.75299	2.14E-05	8.0E-05	6.05E-04	4.87E-08	14	4.71E-02	3.21E-08	1.0E+06	3.2E-02
596	596	2.8399	2.14E-05	6.1E-05	6.05E-04	3.68E-08	14	4.71E-02	2.43E-08	1.0E+06	2.4E-02
597	597	2.27474	2.14E-05	4.9E-05	6.05E-04	2.95E-08	14	4.71E-02	1.95E-08	1.0E+06	1.9E-02
345	345	5.10388	2.14E-05	1.1E-04	6.05E-04	6.62E-08	14	4.71E-02	4.37E-08	1.0E+06	4.4E-02
346	346	4.61822	2.14E-05	9.9E-05	6.05E-04	5.99E-08	14	4.71E-02	3.95E-08	1.0E+06	4.0E-02
347	347	3.06093	2.14E-05	6.6E-05	6.05E-04	3.97E-08	14	4.71E-02	2.62E-08	1.0E+06	2.6E-02
348	348	2.30005	2.14E-05	4.9E-05	6.05E-04	2.98E-08	14	4.71E-02	1.97E-08	1.0E+06	2.0E-02
359	359	7.04259	2.14E-05	1.5E-04	6.05E-04	9.13E-08	14	4.71E-02	6.03E-08	1.0E+06	6.0E-02
360	360	6.06177	2.14E-05	1.3E-04	6.05E-04	7.86E-08	14	4.71E-02	5.19E-08	1.0E+06	5.2E-02
361	361	3.70127	2.14E-05	7.9E-05	6.05E-04	4.80E-08	14	4.71E-02	3.17E-08	1.0E+06	3.2E-02
362	362	2.6629	2.14E-05	5.7E-05	6.05E-04	3.45E-08	14	4.71E-02	2.28E-08	1.0E+06	2.3E-02
363	363	2.08572	2.14E-05	4.5E-05	6.05E-04	2.70E-08	14	4.71E-02	1.78E-08	1.0E+06	1.8E-02
373	373	8.11364	2.14E-05	1.7E-04	6.05E-04	1.05E-07	14	4.71E-02	6.94E-08	1.0E+06	6.9E-02
374	374	4.45679	2.14E-05	9.6E-05	6.05E-04	5.78E-08	14	4.71E-02	3.81E-08	1.0E+06	3.8E-02
375	375	3.06369	2.14E-05	6.6E-05	6.05E-04	3.97E-08	14	4.71E-02	2.62E-08	1.0E+06	2.6E-02
376	376	2.33678	2.14E-05	5.0E-05	6.05E-04	3.03E-08	14	4.71E-02	2.00E-08	1.0E+06	2.0E-02
386	386	6.61635	2.14E-05	1.4E-04	6.05E-04	8.58E-08	14	4.71E-02	5.66E-08	1.0E+06	5.7E-02
387	387	5.39873	2.14E-05	1.2E-04	6.05E-04	7.00E-08	14	4.71E-02	4.62E-08	1.0E+06	4.6E-02
388	388	3.51857	2.14E-05	7.5E-05	6.05E-04	4.56E-08	14	4.71E-02	3.01E-08	1.0E+06	3.0E-02
389	389	2.61061	2.14E-05	5.6E-05	6.05E-04	3.38E-08	14	4.71E-02	2.23E-08	1.0E+06	2.2E-02
390	390	2.07543	2.14E-05	4.4E-05	6.05E-04	2.69E-08	14	4.71E-02	1.78E-08	1.0E+06	1.8E-02
400	400	7.8954	2.14E-05	1.7E-04	6.05E-04	1.02E-07	14	4.71E-02	6.76E-08	1.0E+06	6.8E-02
401	401	6.6028	2.14E-05	1.4E-04	6.05E-04	8.56E-08	14	4.71E-02	5.65E-08	1.0E+06	5.7E-02
402	402	4.05454	2.14E-05	8.7E-05	6.05E-04	5.26E-08	14	4.71E-02	3.47E-08	1.0E+06	3.5E-02
403	403	2.9139	2.14E-05	6.2E-05	6.05E-04	3.78E-08	14	4.71E-02	2.49E-08	1.0E+06	2.5E-02
404	404	2.27219	2.14E-05	4.9E-05	6.05E-04	2.95E-08	14	4.71E-02	1.94E-08	1.0E+06	1.9E-02
415	415	6.3341	2.14E-05	1.4E-04	6.05E-04	8.21E-08	14	4.71E-02	5.42E-08	1.0E+06	5.4E-02
416	416	8.35793	2.14E-05	1.8E-04	6.05E-04	1.08E-07	14	4.71E-02	7.15E-08	1.0E+06	7.2E-02
417	417	4.69809	2.14E-05	1.0E-04	6.05E-04	6.09E-08	14	4.71E-02	4.02E-08	1.0E+06	4.0E-02

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	3.26673	2.14E-05	7.0E-05	6.05E-04	4.24E-08	14	4.71E-02	2.80E-08	1.0E+06	2.8E-02
419	419	2.49496	2.14E-05	5.3E-05	6.05E-04	3.24E-08	14	4.71E-02	2.14E-08	1.0E+06	2.1E-02
420	420	2.00973	2.14E-05	4.3E-05	6.05E-04	2.61E-08	14	4.71E-02	1.72E-08	1.0E+06	1.7E-02
430	430	7.07653	2.14E-05	1.5E-04	6.05E-04	9.18E-08	14	4.71E-02	6.06E-08	1.0E+06	6.1E-02
431	431	5.52917	2.14E-05	1.2E-04	6.05E-04	7.17E-08	14	4.71E-02	4.73E-08	1.0E+06	4.7E-02
432	432	3.67078	2.14E-05	7.9E-05	6.05E-04	4.76E-08	14	4.71E-02	3.14E-08	1.0E+06	3.1E-02
433	433	2.73901	2.14E-05	5.9E-05	6.05E-04	3.55E-08	14	4.71E-02	2.34E-08	1.0E+06	2.3E-02
434	434	2.17987	2.14E-05	4.7E-05	6.05E-04	2.83E-08	14	4.71E-02	1.87E-08	1.0E+06	1.9E-02
444	444	5.22363	2.14E-05	1.1E-04	6.05E-04	6.77E-08	14	4.71E-02	4.47E-08	1.0E+06	4.5E-02
445	445	6.61632	2.14E-05	1.4E-04	6.05E-04	8.58E-08	14	4.71E-02	5.66E-08	1.0E+06	5.7E-02
446	446	4.15266	2.14E-05	8.9E-05	6.05E-04	5.38E-08	14	4.71E-02	3.55E-08	1.0E+06	3.6E-02
447	447	3.01542	2.14E-05	6.5E-05	6.05E-04	3.91E-08	14	4.71E-02	2.58E-08	1.0E+06	2.6E-02
448	448	2.36177	2.14E-05	5.1E-05	6.05E-04	3.06E-08	14	4.71E-02	2.02E-08	1.0E+06	2.0E-02
459	459	8.1652	2.14E-05	1.7E-04	6.05E-04	1.06E-07	14	4.71E-02	6.99E-08	1.0E+06	7.0E-02
460	460	4.74911	2.14E-05	1.0E-04	6.05E-04	6.16E-08	14	4.71E-02	4.06E-08	1.0E+06	4.1E-02
461	461	3.33824	2.14E-05	7.2E-05	6.05E-04	4.33E-08	14	4.71E-02	2.86E-08	1.0E+06	2.9E-02
462	462	2.56572	2.14E-05	5.5E-05	6.05E-04	3.33E-08	14	4.71E-02	2.20E-08	1.0E+06	2.2E-02
463	463	2.0766	2.14E-05	4.5E-05	6.05E-04	2.69E-08	14	4.71E-02	1.78E-08	1.0E+06	1.8E-02
474	474	7.40758	2.14E-05	1.6E-04	6.05E-04	9.60E-08	14	4.71E-02	6.34E-08	1.0E+06	6.3E-02
475	475	5.51831	2.14E-05	1.2E-04	6.05E-04	7.16E-08	14	4.71E-02	4.72E-08	1.0E+06	4.7E-02
476	476	3.72049	2.14E-05	8.0E-05	6.05E-04	4.82E-08	14	4.71E-02	3.18E-08	1.0E+06	3.2E-02
477	477	2.79583	2.14E-05	6.0E-05	6.05E-04	3.63E-08	14	4.71E-02	2.39E-08	1.0E+06	2.4E-02
478	478	2.23213	2.14E-05	4.8E-05	6.05E-04	2.89E-08	14	4.71E-02	1.91E-08	1.0E+06	1.9E-02
495	495	5.03774	2.14E-05	1.1E-04	6.05E-04	6.53E-08	14	4.71E-02	4.31E-08	1.0E+06	4.3E-02
496	496	6.56353	2.14E-05	1.4E-04	6.05E-04	8.51E-08	14	4.71E-02	5.62E-08	1.0E+06	5.6E-02
497	497	4.18485	2.14E-05	9.0E-05	6.05E-04	5.43E-08	14	4.71E-02	3.58E-08	1.0E+06	3.6E-02
498	498	3.06221	2.14E-05	6.6E-05	6.05E-04	3.97E-08	14	4.71E-02	2.62E-08	1.0E+06	2.6E-02
499	499	2.40575	2.14E-05	5.2E-05	6.05E-04	3.12E-08	14	4.71E-02	2.06E-08	1.0E+06	2.1E-02
500	500	1.97475	2.14E-05	4.2E-05	6.05E-04	2.56E-08	14	4.71E-02	1.69E-08	1.0E+06	1.7E-02

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	0.2305	2.14E-05	4.9E-06	6.05E-04	2.99E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
140	140	0.23353	2.14E-05	5.0E-06	6.05E-04	3.03E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
156	156	0.25244	2.14E-05	5.4E-06	6.05E-04	3.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
157	157	0.25592	2.14E-05	5.5E-06	6.05E-04	3.32E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
158	158	0.2586	2.14E-05	5.5E-06	6.05E-04	3.35E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
159	159	0.26051	2.14E-05	5.6E-06	6.05E-04	3.38E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
160	160	0.26187	2.14E-05	5.6E-06	6.05E-04	3.40E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
161	161	0.2646	2.14E-05	5.7E-06	6.05E-04	3.43E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
162	162	0.26627	2.14E-05	5.7E-06	6.05E-04	3.45E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
163	163	0.26811	2.14E-05	5.7E-06	6.05E-04	3.48E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
167	167	0.28239	2.14E-05	6.1E-06	6.05E-04	3.66E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
168	168	0.28589	2.14E-05	6.1E-06	6.05E-04	3.71E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
169	169	0.28811	2.14E-05	6.2E-06	6.05E-04	3.74E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
170	170	0.28989	2.14E-05	6.2E-06	6.05E-04	3.76E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
171	171	0.29163	2.14E-05	6.2E-06	6.05E-04	3.78E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
172	172	0.29371	2.14E-05	6.3E-06	6.05E-04	3.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
173	173	0.29593	2.14E-05	6.3E-06	6.05E-04	3.84E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
174	174	0.2983	2.14E-05	6.4E-06	6.05E-04	3.87E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
175	175	0.30052	2.14E-05	6.4E-06	6.05E-04	3.90E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
176	176	0.30232	2.14E-05	6.5E-06	6.05E-04	3.92E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
177	177	0.30342	2.14E-05	6.5E-06	6.05E-04	3.93E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
181	181	0.31905	2.14E-05	6.8E-06	6.05E-04	4.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
182	182	0.32174	2.14E-05	6.9E-06	6.05E-04	4.17E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
183	183	0.32423	2.14E-05	6.9E-06	6.05E-04	4.20E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
184	184	0.32677	2.14E-05	7.0E-06	6.05E-04	4.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
185	185	0.32965	2.14E-05	7.1E-06	6.05E-04	4.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
186	186	0.33256	2.14E-05	7.1E-06	6.05E-04	4.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
187	187	0.33514	2.14E-05	7.2E-06	6.05E-04	4.35E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
188	188	0.33719	2.14E-05	7.2E-06	6.05E-04	4.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
189	189	0.33829	2.14E-05	7.2E-06	6.05E-04	4.39E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
190	190	0.33821	2.14E-05	7.2E-06	6.05E-04	4.39E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	0.33688	2.14E-05	7.2E-06	6.05E-04	4.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
195	195	0.36039	2.14E-05	7.7E-06	6.05E-04	4.67E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
196	196	0.36392	2.14E-05	7.8E-06	6.05E-04	4.72E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
197	197	0.36734	2.14E-05	7.9E-06	6.05E-04	4.76E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
198	198	0.37111	2.14E-05	8.0E-06	6.05E-04	4.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
199	199	0.3749	2.14E-05	8.0E-06	6.05E-04	4.86E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
200	200	0.37821	2.14E-05	8.1E-06	6.05E-04	4.90E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
201	201	0.38053	2.14E-05	8.2E-06	6.05E-04	4.93E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
202	202	0.38141	2.14E-05	8.2E-06	6.05E-04	4.95E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
203	203	0.38065	2.14E-05	8.2E-06	6.05E-04	4.94E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
204	204	0.37822	2.14E-05	8.1E-06	6.05E-04	4.90E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
205	205	0.3743	2.14E-05	8.0E-06	6.05E-04	4.85E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
206	206	0.36907	2.14E-05	7.9E-06	6.05E-04	4.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
210	210	0.40602	2.14E-05	8.7E-06	6.05E-04	5.26E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
211	211	0.41332	2.14E-05	8.9E-06	6.05E-04	5.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
212	212	0.41826	2.14E-05	9.0E-06	6.05E-04	5.42E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
213	213	0.42339	2.14E-05	9.1E-06	6.05E-04	5.49E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
214	214	0.43287	2.14E-05	9.3E-06	6.05E-04	5.61E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
215	215	0.43556	2.14E-05	9.3E-06	6.05E-04	5.65E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
216	216	0.43601	2.14E-05	9.3E-06	6.05E-04	5.65E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
217	217	0.43405	2.14E-05	9.3E-06	6.05E-04	5.63E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
218	218	0.42977	2.14E-05	9.2E-06	6.05E-04	5.57E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
219	219	0.42347	2.14E-05	9.1E-06	6.05E-04	5.49E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
220	220	0.41558	2.14E-05	8.9E-06	6.05E-04	5.39E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
221	221	0.40645	2.14E-05	8.7E-06	6.05E-04	5.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
222	222	0.39655	2.14E-05	8.5E-06	6.05E-04	5.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
226	226	0.4751	2.14E-05	1.0E-05	6.05E-04	6.16E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
227	227	0.48421	2.14E-05	1.0E-05	6.05E-04	6.28E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
228	228	0.49147	2.14E-05	1.1E-05	6.05E-04	6.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
229	229	0.49886	2.14E-05	1.1E-05	6.05E-04	6.47E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
230	230	0.50483	2.14E-05	1.1E-05	6.05E-04	6.55E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
231	231	0.5076	2.14E-05	1.1E-05	6.05E-04	6.58E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
232	232	0.50726	2.14E-05	1.1E-05	6.05E-04	6.58E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
233	233	0.49573	2.14E-05	1.1E-05	6.05E-04	6.43E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
234	234	0.48558	2.14E-05	1.0E-05	6.05E-04	6.30E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
235	235	0.47349	2.14E-05	1.0E-05	6.05E-04	6.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
236	236	0.46012	2.14E-05	9.9E-06	6.05E-04	5.97E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
237	237	0.446	2.14E-05	9.6E-06	6.05E-04	5.78E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
238	238	0.43156	2.14E-05	9.2E-06	6.05E-04	5.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
242	242	0.5706	2.14E-05	1.2E-05	6.05E-04	7.40E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
243	243	0.58368	2.14E-05	1.3E-05	6.05E-04	7.57E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
244	244	0.59383	2.14E-05	1.3E-05	6.05E-04	7.70E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
245	245	0.60331	2.14E-05	1.3E-05	6.05E-04	7.82E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
246	246	0.60742	2.14E-05	1.3E-05	6.05E-04	7.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
247	247	0.60493	2.14E-05	1.3E-05	6.05E-04	7.84E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
248	248	0.59633	2.14E-05	1.3E-05	6.05E-04	7.73E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
249	249	0.56585	2.14E-05	1.2E-05	6.05E-04	7.34E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
250	250	0.54692	2.14E-05	1.2E-05	6.05E-04	7.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
251	251	0.52703	2.14E-05	1.1E-05	6.05E-04	6.83E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
252	252	0.50678	2.14E-05	1.1E-05	6.05E-04	6.57E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
253	253	0.48674	2.14E-05	1.0E-05	6.05E-04	6.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
254	254	0.46715	2.14E-05	1.0E-05	6.05E-04	6.06E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
257	257	0.71387	2.14E-05	1.5E-05	6.05E-04	9.26E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
258	258	0.73486	2.14E-05	1.6E-05	6.05E-04	9.53E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
259	259	0.74961	2.14E-05	1.6E-05	6.05E-04	9.72E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
260	260	0.75246	2.14E-05	1.6E-05	6.05E-04	9.76E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
261	261	0.74634	2.14E-05	1.6E-05	6.05E-04	9.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
262	262	0.72784	2.14E-05	1.6E-05	6.05E-04	9.44E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
263	263	0.70241	2.14E-05	1.5E-05	6.05E-04	9.11E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
264	264	0.64277	2.14E-05	1.4E-05	6.05E-04	8.33E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
265	265	0.61224	2.14E-05	1.3E-05	6.05E-04	7.94E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
266	266	0.58262	2.14E-05	1.2E-05	6.05E-04	7.55E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	0.55432	2.14E-05	1.2E-05	6.05E-04	7.19E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
268	268	0.52762	2.14E-05	1.1E-05	6.05E-04	6.84E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
269	269	0.50252	2.14E-05	1.1E-05	6.05E-04	6.52E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
270	270	0.43677	2.14E-05	9.4E-06	6.05E-04	5.66E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
271	271	0.4177	2.14E-05	9.0E-06	6.05E-04	5.42E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
274	274	0.95595	2.14E-05	2.0E-05	6.05E-04	1.24E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
275	275	0.9877	2.14E-05	2.1E-05	6.05E-04	1.28E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
276	276	0.99371	2.14E-05	2.1E-05	6.05E-04	1.29E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
277	277	0.96739	2.14E-05	2.1E-05	6.05E-04	1.25E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
278	278	0.92617	2.14E-05	2.0E-05	6.05E-04	1.20E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
279	279	0.87524	2.14E-05	1.9E-05	6.05E-04	1.13E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
280	280	0.8218	2.14E-05	1.8E-05	6.05E-04	1.07E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
281	281	0.72307	2.14E-05	1.5E-05	6.05E-04	9.38E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
282	282	0.67879	2.14E-05	1.5E-05	6.05E-04	8.80E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
283	283	0.63833	2.14E-05	1.4E-05	6.05E-04	8.28E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
284	284	0.60153	2.14E-05	1.3E-05	6.05E-04	7.80E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
285	285	0.56797	2.14E-05	1.2E-05	6.05E-04	7.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
286	286	0.53721	2.14E-05	1.2E-05	6.05E-04	6.97E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
287	287	0.45984	2.14E-05	9.9E-06	6.05E-04	5.96E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
288	288	0.43811	2.14E-05	9.4E-06	6.05E-04	5.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
291	291	1.4526	2.14E-05	3.1E-05	6.05E-04	1.88E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
292	292	1.45278	2.14E-05	3.1E-05	6.05E-04	1.88E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
293	293	1.37076	2.14E-05	2.9E-05	6.05E-04	1.78E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
294	294	1.25617	2.14E-05	2.7E-05	6.05E-04	1.63E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
295	295	1.14197	2.14E-05	2.4E-05	6.05E-04	1.48E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
296	296	1.03951	2.14E-05	2.2E-05	6.05E-04	1.35E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
297	297	0.94991	2.14E-05	2.0E-05	6.05E-04	1.23E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
298	298	0.80399	2.14E-05	1.7E-05	6.05E-04	1.04E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
299	299	0.74515	2.14E-05	1.6E-05	6.05E-04	9.66E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
300	300	0.69334	2.14E-05	1.5E-05	6.05E-04	8.99E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
301	301	0.64789	2.14E-05	1.4E-05	6.05E-04	8.40E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
302	302	0.6074	2.14E-05	1.3E-05	6.05E-04	7.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
303	303	0.57105	2.14E-05	1.2E-05	6.05E-04	7.40E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
304	304	0.48243	2.14E-05	1.0E-05	6.05E-04	6.26E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
305	305	0.45807	2.14E-05	9.8E-06	6.05E-04	5.94E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
308	308	2.74495	2.14E-05	5.9E-05	6.05E-04	3.56E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
309	309	2.28773	2.14E-05	4.9E-05	6.05E-04	2.97E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
310	310	1.89059	2.14E-05	4.1E-05	6.05E-04	2.45E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
311	311	1.59668	2.14E-05	3.4E-05	6.05E-04	2.07E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
312	312	1.37843	2.14E-05	3.0E-05	6.05E-04	1.79E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
313	313	1.21044	2.14E-05	2.6E-05	6.05E-04	1.57E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
314	314	1.07851	2.14E-05	2.3E-05	6.05E-04	1.40E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
315	315	0.88382	2.14E-05	1.9E-05	6.05E-04	1.15E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
316	316	0.81033	2.14E-05	1.7E-05	6.05E-04	1.05E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
317	317	0.74723	2.14E-05	1.6E-05	6.05E-04	9.69E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
318	318	0.6932	2.14E-05	1.5E-05	6.05E-04	8.99E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
319	319	0.6459	2.14E-05	1.4E-05	6.05E-04	8.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
320	320	0.60422	2.14E-05	1.3E-05	6.05E-04	7.83E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
321	321	0.50452	2.14E-05	1.1E-05	6.05E-04	6.54E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
322	322	0.47761	2.14E-05	1.0E-05	6.05E-04	6.19E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
325	325	5.68947	2.14E-05	1.2E-04	6.05E-04	7.38E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
326	326	3.4167	2.14E-05	7.3E-05	6.05E-04	4.43E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
327	327	2.47249	2.14E-05	5.3E-05	6.05E-04	3.21E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
328	328	1.94965	2.14E-05	4.2E-05	6.05E-04	2.53E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
329	329	1.61239	2.14E-05	3.5E-05	6.05E-04	2.09E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
330	330	1.37902	2.14E-05	3.0E-05	6.05E-04	1.79E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
331	331	1.20479	2.14E-05	2.6E-05	6.05E-04	1.56E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
332	332	1.06966	2.14E-05	2.3E-05	6.05E-04	1.39E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
333	333	0.96218	2.14E-05	2.1E-05	6.05E-04	1.25E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
334	334	0.87393	2.14E-05	1.9E-05	6.05E-04	1.13E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
335	335	0.80023	2.14E-05	1.7E-05	6.05E-04	1.04E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
336	336	0.73762	2.14E-05	1.6E-05	6.05E-04	9.56E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
337	337	0.68371	2.14E-05	1.5E-05	6.05E-04	8.87E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
338	338	0.63654	2.14E-05	1.4E-05	6.05E-04	8.25E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
339	339	0.55888	2.14E-05	1.2E-05	6.05E-04	7.25E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
340	340	0.52626	2.14E-05	1.1E-05	6.05E-04	6.82E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
341	341	0.49686	2.14E-05	1.1E-05	6.05E-04	6.44E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
349	349	1.84651	2.14E-05	4.0E-05	6.05E-04	2.39E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
350	350	1.54528	2.14E-05	3.3E-05	6.05E-04	2.00E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
351	351	1.32855	2.14E-05	2.8E-05	6.05E-04	1.72E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
352	352	1.16613	2.14E-05	2.5E-05	6.05E-04	1.51E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
353	353	0.58341	2.14E-05	1.3E-05	6.05E-04	7.56E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
354	354	0.54785	2.14E-05	1.2E-05	6.05E-04	7.10E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
355	355	0.51597	2.14E-05	1.1E-05	6.05E-04	6.69E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
364	364	1.71445	2.14E-05	3.7E-05	6.05E-04	2.22E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
365	365	1.4553	2.14E-05	3.1E-05	6.05E-04	1.89E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
366	366	1.26406	2.14E-05	2.7E-05	6.05E-04	1.64E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
367	367	0.60795	2.14E-05	1.3E-05	6.05E-04	7.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
368	368	0.56937	2.14E-05	1.2E-05	6.05E-04	7.38E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
369	369	0.53499	2.14E-05	1.1E-05	6.05E-04	6.94E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
377	377	1.88979	2.14E-05	4.0E-05	6.05E-04	2.45E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
378	378	1.58472	2.14E-05	3.4E-05	6.05E-04	2.05E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
379	379	1.36328	2.14E-05	2.9E-05	6.05E-04	1.77E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
380	380	0.6324	2.14E-05	1.4E-05	6.05E-04	8.20E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
381	381	0.59058	2.14E-05	1.3E-05	6.05E-04	7.66E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
382	382	0.5539	2.14E-05	1.2E-05	6.05E-04	7.18E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
391	391	1.71908	2.14E-05	3.7E-05	6.05E-04	2.23E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
392	392	1.46449	2.14E-05	3.1E-05	6.05E-04	1.90E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
393	393	0.65694	2.14E-05	1.4E-05	6.05E-04	8.52E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
394	394	0.61222	2.14E-05	1.3E-05	6.05E-04	7.94E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
395	395	0.57297	2.14E-05	1.2E-05	6.05E-04	7.43E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
405	405	1.8613	2.14E-05	4.0E-05	6.05E-04	2.41E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
406	406	1.57271	2.14E-05	3.4E-05	6.05E-04	2.04E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	1.36034	2.14E-05	2.9E-05	6.05E-04	1.76E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
408	408	0.68189	2.14E-05	1.5E-05	6.05E-04	8.84E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
409	409	0.63389	2.14E-05	1.4E-05	6.05E-04	8.22E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
410	410	0.59214	2.14E-05	1.3E-05	6.05E-04	7.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
421	421	1.68547	2.14E-05	3.6E-05	6.05E-04	2.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
422	422	1.44712	2.14E-05	3.1E-05	6.05E-04	1.88E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
423	423	0.70695	2.14E-05	1.5E-05	6.05E-04	9.17E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
424	424	0.65579	2.14E-05	1.4E-05	6.05E-04	8.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
425	425	0.61129	2.14E-05	1.3E-05	6.05E-04	7.93E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
435	435	1.80439	2.14E-05	3.9E-05	6.05E-04	2.34E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
436	436	1.53927	2.14E-05	3.3E-05	6.05E-04	2.00E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
437	437	0.67795	2.14E-05	1.5E-05	6.05E-04	8.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
438	438	0.63039	2.14E-05	1.4E-05	6.05E-04	8.17E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
449	449	1.93301	2.14E-05	4.1E-05	6.05E-04	2.51E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
450	450	1.63707	2.14E-05	3.5E-05	6.05E-04	2.12E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
451	451	1.41486	2.14E-05	3.0E-05	6.05E-04	1.83E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
452	452	0.70012	2.14E-05	1.5E-05	6.05E-04	9.08E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
453	453	0.64961	2.14E-05	1.4E-05	6.05E-04	8.42E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
464	464	1.7409	2.14E-05	3.7E-05	6.05E-04	2.26E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
465	465	1.49502	2.14E-05	3.2E-05	6.05E-04	1.94E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
466	466	0.85541	2.14E-05	1.8E-05	6.05E-04	1.11E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
467	467	0.72259	2.14E-05	1.5E-05	6.05E-04	9.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
468	468	0.66905	2.14E-05	1.4E-05	6.05E-04	8.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
479	479	1.84752	2.14E-05	4.0E-05	6.05E-04	2.40E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
480	480	1.57956	2.14E-05	3.4E-05	6.05E-04	2.05E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
481	481	1.37329	2.14E-05	2.9E-05	6.05E-04	1.78E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
482	482	1.21257	2.14E-05	2.6E-05	6.05E-04	1.57E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
483	483	1.0822	2.14E-05	2.3E-05	6.05E-04	1.40E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
484	484	0.97573	2.14E-05	2.1E-05	6.05E-04	1.27E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
485	485	0.88636	2.14E-05	1.9E-05	6.05E-04	1.15E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
486	486	0.81063	2.14E-05	1.7E-05	6.05E-04	1.05E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
487	487	0.74538	2.14E-05	1.6E-05	6.05E-04	9.66E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
488	488	0.68857	2.14E-05	1.5E-05	6.05E-04	8.93E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
501	501	1.66598	2.14E-05	3.6E-05	6.05E-04	2.16E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
502	502	1.44449	2.14E-05	3.1E-05	6.05E-04	1.87E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
503	503	1.26911	2.14E-05	2.7E-05	6.05E-04	1.65E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
504	504	1.12855	2.14E-05	2.4E-05	6.05E-04	1.46E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
505	505	1.01378	2.14E-05	2.2E-05	6.05E-04	1.31E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
506	506	0.91821	2.14E-05	2.0E-05	6.05E-04	1.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
507	507	0.83761	2.14E-05	1.8E-05	6.05E-04	1.09E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
508	508	0.70827	2.14E-05	1.5E-05	6.05E-04	9.18E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
520	520	1.76649	2.14E-05	3.8E-05	6.05E-04	2.29E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
521	521	1.51407	2.14E-05	3.2E-05	6.05E-04	1.96E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
522	522	1.32829	2.14E-05	2.8E-05	6.05E-04	1.72E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
523	523	1.17644	2.14E-05	2.5E-05	6.05E-04	1.53E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
524	524	1.05305	2.14E-05	2.3E-05	6.05E-04	1.37E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
525	525	0.95088	2.14E-05	2.0E-05	6.05E-04	1.23E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
526	526	0.86501	2.14E-05	1.9E-05	6.05E-04	1.12E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
527	527	0.72802	2.14E-05	1.6E-05	6.05E-04	9.44E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
539	539	1.87623	2.14E-05	4.0E-05	6.05E-04	2.43E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
540	540	1.59917	2.14E-05	3.4E-05	6.05E-04	2.07E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
541	541	1.38833	2.14E-05	3.0E-05	6.05E-04	1.80E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
542	542	1.22437	2.14E-05	2.6E-05	6.05E-04	1.59E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
543	543	1.09376	2.14E-05	2.3E-05	6.05E-04	1.42E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
544	544	0.98436	2.14E-05	2.1E-05	6.05E-04	1.28E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
545	545	0.89202	2.14E-05	1.9E-05	6.05E-04	1.16E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
546	546	0.74776	2.14E-05	1.6E-05	6.05E-04	9.70E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
560	560	1.68777	2.14E-05	3.6E-05	6.05E-04	2.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
561	561	1.45829	2.14E-05	3.1E-05	6.05E-04	1.89E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
562	562	1.27887	2.14E-05	2.7E-05	6.05E-04	1.66E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
563	563	1.1326	2.14E-05	2.4E-05	6.05E-04	1.47E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
564	564	1.01787	2.14E-05	2.2E-05	6.05E-04	1.32E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

<i>Cancer Risk from 2-16 years - Construction</i>											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.92166	2.14E-05	2.0E-05	6.05E-04	1.20E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
566	566	0.76776	2.14E-05	1.6E-05	6.05E-04	9.96E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
579	579	1.78369	2.14E-05	3.8E-05	6.05E-04	2.31E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
580	580	1.53081	2.14E-05	3.3E-05	6.05E-04	1.98E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
581	581	1.33623	2.14E-05	2.9E-05	6.05E-04	1.73E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
582	582	1.18114	2.14E-05	2.5E-05	6.05E-04	1.53E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
583	583	1.05479	2.14E-05	2.3E-05	6.05E-04	1.37E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
584	584	0.94995	2.14E-05	2.0E-05	6.05E-04	1.23E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
585	585	0.82723	2.14E-05	1.8E-05	6.05E-04	1.07E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
598	598	1.88937	2.14E-05	4.0E-05	6.05E-04	2.45E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
599	599	1.60874	2.14E-05	3.4E-05	6.05E-04	2.09E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
600	600	1.3956	2.14E-05	3.0E-05	6.05E-04	1.81E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
601	601	1.22778	2.14E-05	2.6E-05	6.05E-04	1.59E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
602	602	1.0921	2.14E-05	2.3E-05	6.05E-04	1.42E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
603	603	0.98049	2.14E-05	2.1E-05	6.05E-04	1.27E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
604	604	0.88657	2.14E-05	1.9E-05	6.05E-04	1.15E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
0	0	0	2.14E-05	0.0E+00	6.05E-04	0.00E+00	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.11824	2.14E-05	2.5E-06	2.50E-04	6.34E-10	14	1.15E-02	1.02E-10	1.0E+06	1.0E-04
2	2	0.1215	2.14E-05	2.6E-06	2.50E-04	6.52E-10	14	1.15E-02	1.05E-10	1.0E+06	1.0E-04
3	3	0.12476	2.14E-05	2.7E-06	2.50E-04	6.69E-10	14	1.15E-02	1.07E-10	1.0E+06	1.1E-04
4	4	0.12804	2.14E-05	2.7E-06	2.50E-04	6.87E-10	14	1.15E-02	1.10E-10	1.0E+06	1.1E-04
5	5	0.13134	2.14E-05	2.8E-06	2.50E-04	7.04E-10	14	1.15E-02	1.13E-10	1.0E+06	1.1E-04
6	6	0.13469	2.14E-05	2.9E-06	2.50E-04	7.22E-10	14	1.15E-02	1.16E-10	1.0E+06	1.2E-04
7	7	0.138	2.14E-05	3.0E-06	2.50E-04	7.40E-10	14	1.15E-02	1.19E-10	1.0E+06	1.2E-04
8	8	0.14121	2.14E-05	3.0E-06	2.50E-04	7.57E-10	14	1.15E-02	1.22E-10	1.0E+06	1.2E-04
9	9	0.14432	2.14E-05	3.1E-06	2.50E-04	7.74E-10	14	1.15E-02	1.24E-10	1.0E+06	1.2E-04
10	10	0.14728	2.14E-05	3.2E-06	2.50E-04	7.90E-10	14	1.15E-02	1.27E-10	1.0E+06	1.3E-04
11	11	0.15006	2.14E-05	3.2E-06	2.50E-04	8.05E-10	14	1.15E-02	1.29E-10	1.0E+06	1.3E-04
12	12	0.15262	2.14E-05	3.3E-06	2.50E-04	8.19E-10	14	1.15E-02	1.31E-10	1.0E+06	1.3E-04
13	13	0.15497	2.14E-05	3.3E-06	2.50E-04	8.31E-10	14	1.15E-02	1.33E-10	1.0E+06	1.3E-04
14	14	0.15705	2.14E-05	3.4E-06	2.50E-04	8.42E-10	14	1.15E-02	1.35E-10	1.0E+06	1.4E-04
15	15	0.15885	2.14E-05	3.4E-06	2.50E-04	8.52E-10	14	1.15E-02	1.37E-10	1.0E+06	1.4E-04
16	16	0.16034	2.14E-05	3.4E-06	2.50E-04	8.60E-10	14	1.15E-02	1.38E-10	1.0E+06	1.4E-04
17	17	0.16159	2.14E-05	3.5E-06	2.50E-04	8.67E-10	14	1.15E-02	1.39E-10	1.0E+06	1.4E-04
18	18	0.16251	2.14E-05	3.5E-06	2.50E-04	8.72E-10	14	1.15E-02	1.40E-10	1.0E+06	1.4E-04
19	19	0.16319	2.14E-05	3.5E-06	2.50E-04	8.75E-10	14	1.15E-02	1.41E-10	1.0E+06	1.4E-04
20	20	0.16367	2.14E-05	3.5E-06	2.50E-04	8.78E-10	14	1.15E-02	1.41E-10	1.0E+06	1.4E-04
21	21	0.16398	2.14E-05	3.5E-06	2.50E-04	8.79E-10	14	1.15E-02	1.41E-10	1.0E+06	1.4E-04
22	22	0.16422	2.14E-05	3.5E-06	2.50E-04	8.81E-10	14	1.15E-02	1.41E-10	1.0E+06	1.4E-04
23	23	0.16443	2.14E-05	3.5E-06	2.50E-04	8.82E-10	14	1.15E-02	1.42E-10	1.0E+06	1.4E-04
24	24	0.16468	2.14E-05	3.5E-06	2.50E-04	8.83E-10	14	1.15E-02	1.42E-10	1.0E+06	1.4E-04
25	25	0.16504	2.14E-05	3.5E-06	2.50E-04	8.85E-10	14	1.15E-02	1.42E-10	1.0E+06	1.4E-04
26	26	0.16553	2.14E-05	3.5E-06	2.50E-04	8.88E-10	14	1.15E-02	1.43E-10	1.0E+06	1.4E-04
27	27	0.16616	2.14E-05	3.6E-06	2.50E-04	8.91E-10	14	1.15E-02	1.43E-10	1.0E+06	1.4E-04
28	28	0.16691	2.14E-05	3.6E-06	2.50E-04	8.95E-10	14	1.15E-02	1.44E-10	1.0E+06	1.4E-04
29	29	0.16776	2.14E-05	3.6E-06	2.50E-04	9.00E-10	14	1.15E-02	1.44E-10	1.0E+06	1.4E-04
30	30	0.16867	2.14E-05	3.6E-06	2.50E-04	9.05E-10	14	1.15E-02	1.45E-10	1.0E+06	1.5E-04
31	31	0.16958	2.14E-05	3.6E-06	2.50E-04	9.09E-10	14	1.15E-02	1.46E-10	1.0E+06	1.5E-04

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.17044	2.14E-05	3.7E-06	2.50E-04	9.14E-10	14	1.15E-02	1.47E-10	1.0E+06	1.5E-04
55	55	0.17569	2.14E-05	3.8E-06	2.50E-04	9.42E-10	14	1.15E-02	1.51E-10	1.0E+06	1.5E-04
56	56	0.17599	2.14E-05	3.8E-06	2.50E-04	9.44E-10	14	1.15E-02	1.52E-10	1.0E+06	1.5E-04
57	57	0.17642	2.14E-05	3.8E-06	2.50E-04	9.46E-10	14	1.15E-02	1.52E-10	1.0E+06	1.5E-04
58	58	0.17696	2.14E-05	3.8E-06	2.50E-04	9.49E-10	14	1.15E-02	1.52E-10	1.0E+06	1.5E-04
59	59	0.17764	2.14E-05	3.8E-06	2.50E-04	9.53E-10	14	1.15E-02	1.53E-10	1.0E+06	1.5E-04
60	60	0.17845	2.14E-05	3.8E-06	2.50E-04	9.57E-10	14	1.15E-02	1.54E-10	1.0E+06	1.5E-04
61	61	0.1794	2.14E-05	3.8E-06	2.50E-04	9.62E-10	14	1.15E-02	1.55E-10	1.0E+06	1.5E-04
62	62	0.1804	2.14E-05	3.9E-06	2.50E-04	9.68E-10	14	1.15E-02	1.55E-10	1.0E+06	1.6E-04
63	63	0.18141	2.14E-05	3.9E-06	2.50E-04	9.73E-10	14	1.15E-02	1.56E-10	1.0E+06	1.6E-04
64	64	0.18236	2.14E-05	3.9E-06	2.50E-04	9.78E-10	14	1.15E-02	1.57E-10	1.0E+06	1.6E-04
65	65	0.18319	2.14E-05	3.9E-06	2.50E-04	9.82E-10	14	1.15E-02	1.58E-10	1.0E+06	1.6E-04
66	66	0.1839	2.14E-05	3.9E-06	2.50E-04	9.86E-10	14	1.15E-02	1.58E-10	1.0E+06	1.6E-04
67	67	0.1295	2.14E-05	2.8E-06	2.50E-04	6.95E-10	14	1.15E-02	1.12E-10	1.0E+06	1.1E-04
68	68	0.13353	2.14E-05	2.9E-06	2.50E-04	7.16E-10	14	1.15E-02	1.15E-10	1.0E+06	1.2E-04
69	69	0.13763	2.14E-05	2.9E-06	2.50E-04	7.38E-10	14	1.15E-02	1.19E-10	1.0E+06	1.2E-04
70	70	0.1418	2.14E-05	3.0E-06	2.50E-04	7.61E-10	14	1.15E-02	1.22E-10	1.0E+06	1.2E-04
71	71	0.14595	2.14E-05	3.1E-06	2.50E-04	7.83E-10	14	1.15E-02	1.26E-10	1.0E+06	1.3E-04
72	72	0.15024	2.14E-05	3.2E-06	2.50E-04	8.06E-10	14	1.15E-02	1.29E-10	1.0E+06	1.3E-04
73	73	0.15449	2.14E-05	3.3E-06	2.50E-04	8.29E-10	14	1.15E-02	1.33E-10	1.0E+06	1.3E-04
74	74	0.15865	2.14E-05	3.4E-06	2.50E-04	8.51E-10	14	1.15E-02	1.37E-10	1.0E+06	1.4E-04
75	75	0.1627	2.14E-05	3.5E-06	2.50E-04	8.73E-10	14	1.15E-02	1.40E-10	1.0E+06	1.4E-04
76	76	0.16661	2.14E-05	3.6E-06	2.50E-04	8.94E-10	14	1.15E-02	1.44E-10	1.0E+06	1.4E-04
77	77	0.17033	2.14E-05	3.7E-06	2.50E-04	9.14E-10	14	1.15E-02	1.47E-10	1.0E+06	1.5E-04
78	78	0.17382	2.14E-05	3.7E-06	2.50E-04	9.32E-10	14	1.15E-02	1.50E-10	1.0E+06	1.5E-04
79	79	0.18542	2.14E-05	4.0E-06	2.50E-04	9.94E-10	14	1.15E-02	1.60E-10	1.0E+06	1.6E-04
80	80	0.18652	2.14E-05	4.0E-06	2.50E-04	1.00E-09	14	1.15E-02	1.61E-10	1.0E+06	1.6E-04
81	81	0.18737	2.14E-05	4.0E-06	2.50E-04	1.00E-09	14	1.15E-02	1.61E-10	1.0E+06	1.6E-04
82	82	0.18793	2.14E-05	4.0E-06	2.50E-04	1.01E-09	14	1.15E-02	1.62E-10	1.0E+06	1.6E-04
83	83	0.18838	2.14E-05	4.0E-06	2.50E-04	1.01E-09	14	1.15E-02	1.62E-10	1.0E+06	1.6E-04
84	84	0.18876	2.14E-05	4.0E-06	2.50E-04	1.01E-09	14	1.15E-02	1.63E-10	1.0E+06	1.6E-04

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	85	0.18923	2.14E-05	4.1E-06	2.50E-04	1.01E-09	14	1.15E-02	1.63E-10	1.0E+06	1.6E-04
86	86	0.18984	2.14E-05	4.1E-06	2.50E-04	1.02E-09	14	1.15E-02	1.64E-10	1.0E+06	1.6E-04
87	87	0.1906	2.14E-05	4.1E-06	2.50E-04	1.02E-09	14	1.15E-02	1.64E-10	1.0E+06	1.6E-04
88	88	0.19153	2.14E-05	4.1E-06	2.50E-04	1.03E-09	14	1.15E-02	1.65E-10	1.0E+06	1.6E-04
89	89	0.19256	2.14E-05	4.1E-06	2.50E-04	1.03E-09	14	1.15E-02	1.66E-10	1.0E+06	1.7E-04
90	90	0.19366	2.14E-05	4.2E-06	2.50E-04	1.04E-09	14	1.15E-02	1.67E-10	1.0E+06	1.7E-04
91	91	0.1948	2.14E-05	4.2E-06	2.50E-04	1.04E-09	14	1.15E-02	1.68E-10	1.0E+06	1.7E-04
92	92	0.19582	2.14E-05	4.2E-06	2.50E-04	1.05E-09	14	1.15E-02	1.69E-10	1.0E+06	1.7E-04
93	93	0.19673	2.14E-05	4.2E-06	2.50E-04	1.06E-09	14	1.15E-02	1.69E-10	1.0E+06	1.7E-04
96	96	0.20847	2.14E-05	4.5E-06	2.50E-04	1.12E-09	14	1.15E-02	1.80E-10	1.0E+06	1.8E-04
97	97	0.21162	2.14E-05	4.5E-06	2.50E-04	1.13E-09	14	1.15E-02	1.82E-10	1.0E+06	1.8E-04
98	98	0.20755	2.14E-05	4.4E-06	2.50E-04	1.11E-09	14	1.15E-02	1.79E-10	1.0E+06	1.8E-04
99	99	0.20882	2.14E-05	4.5E-06	2.50E-04	1.12E-09	14	1.15E-02	1.80E-10	1.0E+06	1.8E-04
100	100	0.21006	2.14E-05	4.5E-06	2.50E-04	1.13E-09	14	1.15E-02	1.81E-10	1.0E+06	1.8E-04
101	101	0.21118	2.14E-05	4.5E-06	2.50E-04	1.13E-09	14	1.15E-02	1.82E-10	1.0E+06	1.8E-04
102	102	0.21213	2.14E-05	4.5E-06	2.50E-04	1.14E-09	14	1.15E-02	1.83E-10	1.0E+06	1.8E-04
106	106	0.13745	2.14E-05	2.9E-06	2.50E-04	7.37E-10	14	1.15E-02	1.18E-10	1.0E+06	1.2E-04
107	107	0.14242	2.14E-05	3.1E-06	2.50E-04	7.64E-10	14	1.15E-02	1.23E-10	1.0E+06	1.2E-04
108	108	0.14746	2.14E-05	3.2E-06	2.50E-04	7.91E-10	14	1.15E-02	1.27E-10	1.0E+06	1.3E-04
109	109	0.15263	2.14E-05	3.3E-06	2.50E-04	8.19E-10	14	1.15E-02	1.31E-10	1.0E+06	1.3E-04
110	110	0.15797	2.14E-05	3.4E-06	2.50E-04	8.47E-10	14	1.15E-02	1.36E-10	1.0E+06	1.4E-04
111	111	0.16334	2.14E-05	3.5E-06	2.50E-04	8.76E-10	14	1.15E-02	1.41E-10	1.0E+06	1.4E-04
112	112	0.16896	2.14E-05	3.6E-06	2.50E-04	9.06E-10	14	1.15E-02	1.46E-10	1.0E+06	1.5E-04
113	113	0.17454	2.14E-05	3.7E-06	2.50E-04	9.36E-10	14	1.15E-02	1.50E-10	1.0E+06	1.5E-04
114	114	0.18012	2.14E-05	3.9E-06	2.50E-04	9.66E-10	14	1.15E-02	1.55E-10	1.0E+06	1.6E-04
115	115	0.18557	2.14E-05	4.0E-06	2.50E-04	9.95E-10	14	1.15E-02	1.60E-10	1.0E+06	1.6E-04
116	116	0.19078	2.14E-05	4.1E-06	2.50E-04	1.02E-09	14	1.15E-02	1.64E-10	1.0E+06	1.6E-04
117	117	0.1959	2.14E-05	4.2E-06	2.50E-04	1.05E-09	14	1.15E-02	1.69E-10	1.0E+06	1.7E-04
118	118	0.20066	2.14E-05	4.3E-06	2.50E-04	1.08E-09	14	1.15E-02	1.73E-10	1.0E+06	1.7E-04
124	124	0.14407	2.14E-05	3.1E-06	2.50E-04	7.73E-10	14	1.15E-02	1.24E-10	1.0E+06	1.2E-04
125	125	0.14951	2.14E-05	3.2E-06	2.50E-04	8.02E-10	14	1.15E-02	1.29E-10	1.0E+06	1.3E-04

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	126	0.15517	2.14E-05	3.3E-06	2.50E-04	8.32E-10	14	1.15E-02	1.34E-10	1.0E+06	1.3E-04
127	127	0.16103	2.14E-05	3.5E-06	2.50E-04	8.64E-10	14	1.15E-02	1.39E-10	1.0E+06	1.4E-04
128	128	0.16709	2.14E-05	3.6E-06	2.50E-04	8.96E-10	14	1.15E-02	1.44E-10	1.0E+06	1.4E-04
129	129	0.17326	2.14E-05	3.7E-06	2.50E-04	9.29E-10	14	1.15E-02	1.49E-10	1.0E+06	1.5E-04
130	130	0.17972	2.14E-05	3.9E-06	2.50E-04	9.64E-10	14	1.15E-02	1.55E-10	1.0E+06	1.5E-04
131	131	0.18622	2.14E-05	4.0E-06	2.50E-04	9.99E-10	14	1.15E-02	1.60E-10	1.0E+06	1.6E-04
132	132	0.19277	2.14E-05	4.1E-06	2.50E-04	1.03E-09	14	1.15E-02	1.66E-10	1.0E+06	1.7E-04
133	133	0.19921	2.14E-05	4.3E-06	2.50E-04	1.07E-09	14	1.15E-02	1.72E-10	1.0E+06	1.7E-04
134	134	0.20558	2.14E-05	4.4E-06	2.50E-04	1.10E-09	14	1.15E-02	1.77E-10	1.0E+06	1.8E-04
135	135	0.21161	2.14E-05	4.5E-06	2.50E-04	1.13E-09	14	1.15E-02	1.82E-10	1.0E+06	1.8E-04
136	136	0.21723	2.14E-05	4.7E-06	2.50E-04	1.17E-09	14	1.15E-02	1.87E-10	1.0E+06	1.9E-04
137	137	0.22225	2.14E-05	4.8E-06	2.50E-04	1.19E-09	14	1.15E-02	1.91E-10	1.0E+06	1.9E-04
138	138	0.22683	2.14E-05	4.9E-06	2.50E-04	1.22E-09	14	1.15E-02	1.95E-10	1.0E+06	2.0E-04
141	141	0.15102	2.14E-05	3.2E-06	2.50E-04	8.10E-10	14	1.15E-02	1.30E-10	1.0E+06	1.3E-04
142	142	0.15712	2.14E-05	3.4E-06	2.50E-04	8.43E-10	14	1.15E-02	1.35E-10	1.0E+06	1.4E-04
143	143	0.16349	2.14E-05	3.5E-06	2.50E-04	8.77E-10	14	1.15E-02	1.41E-10	1.0E+06	1.4E-04
144	144	0.17014	2.14E-05	3.6E-06	2.50E-04	9.13E-10	14	1.15E-02	1.47E-10	1.0E+06	1.5E-04
145	145	0.17706	2.14E-05	3.8E-06	2.50E-04	9.50E-10	14	1.15E-02	1.53E-10	1.0E+06	1.5E-04
146	146	0.18417	2.14E-05	3.9E-06	2.50E-04	9.88E-10	14	1.15E-02	1.59E-10	1.0E+06	1.6E-04
147	147	0.19165	2.14E-05	4.1E-06	2.50E-04	1.03E-09	14	1.15E-02	1.65E-10	1.0E+06	1.7E-04
148	148	0.19923	2.14E-05	4.3E-06	2.50E-04	1.07E-09	14	1.15E-02	1.72E-10	1.0E+06	1.7E-04
149	149	0.20694	2.14E-05	4.4E-06	2.50E-04	1.11E-09	14	1.15E-02	1.78E-10	1.0E+06	1.8E-04
150	150	0.21462	2.14E-05	4.6E-06	2.50E-04	1.15E-09	14	1.15E-02	1.85E-10	1.0E+06	1.8E-04
151	151	0.22222	2.14E-05	4.8E-06	2.50E-04	1.19E-09	14	1.15E-02	1.91E-10	1.0E+06	1.9E-04
152	152	0.22953	2.14E-05	4.9E-06	2.50E-04	1.23E-09	14	1.15E-02	1.98E-10	1.0E+06	2.0E-04
153	153	0.23638	2.14E-05	5.1E-06	2.50E-04	1.27E-09	14	1.15E-02	2.04E-10	1.0E+06	2.0E-04
154	154	0.24248	2.14E-05	5.2E-06	2.50E-04	1.30E-09	14	1.15E-02	2.09E-10	1.0E+06	2.1E-04
155	155	0.24788	2.14E-05	5.3E-06	2.50E-04	1.33E-09	14	1.15E-02	2.14E-10	1.0E+06	2.1E-04
164	164	0.26633	2.14E-05	5.7E-06	2.50E-04	1.43E-09	14	1.15E-02	2.29E-10	1.0E+06	2.3E-04
165	165	0.27289	2.14E-05	5.8E-06	2.50E-04	1.46E-09	14	1.15E-02	2.35E-10	1.0E+06	2.4E-04
166	166	0.2785	2.14E-05	6.0E-06	2.50E-04	1.49E-09	14	1.15E-02	2.40E-10	1.0E+06	2.4E-04

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	0.29484	2.14E-05	6.3E-06	2.50E-04	1.58E-09	14	1.15E-02	2.54E-10	1.0E+06	2.5E-04
179	179	0.30314	2.14E-05	6.5E-06	2.50E-04	1.63E-09	14	1.15E-02	2.61E-10	1.0E+06	2.6E-04
180	180	0.31007	2.14E-05	6.6E-06	2.50E-04	1.66E-09	14	1.15E-02	2.67E-10	1.0E+06	2.7E-04
192	192	0.32966	2.14E-05	7.1E-06	2.50E-04	1.77E-09	14	1.15E-02	2.84E-10	1.0E+06	2.8E-04
193	193	0.34052	2.14E-05	7.3E-06	2.50E-04	1.83E-09	14	1.15E-02	2.93E-10	1.0E+06	2.9E-04
194	194	0.3492	2.14E-05	7.5E-06	2.50E-04	1.87E-09	14	1.15E-02	3.01E-10	1.0E+06	3.0E-04
207	207	0.37293	2.14E-05	8.0E-06	2.50E-04	2.00E-09	14	1.15E-02	3.21E-10	1.0E+06	3.2E-04
208	208	0.38745	2.14E-05	8.3E-06	2.50E-04	2.08E-09	14	1.15E-02	3.34E-10	1.0E+06	3.3E-04
209	209	0.39901	2.14E-05	8.6E-06	2.50E-04	2.14E-09	14	1.15E-02	3.44E-10	1.0E+06	3.4E-04
223	223	0.42831	2.14E-05	9.2E-06	2.50E-04	2.30E-09	14	1.15E-02	3.69E-10	1.0E+06	3.7E-04
224	224	0.44854	2.14E-05	9.6E-06	2.50E-04	2.41E-09	14	1.15E-02	3.86E-10	1.0E+06	3.9E-04
225	225	0.46414	2.14E-05	9.9E-06	2.50E-04	2.49E-09	14	1.15E-02	4.00E-10	1.0E+06	4.0E-04
239	239	0.50183	2.14E-05	1.1E-05	2.50E-04	2.69E-09	14	1.15E-02	4.32E-10	1.0E+06	4.3E-04
240	240	0.53174	2.14E-05	1.1E-05	2.50E-04	2.85E-09	14	1.15E-02	4.58E-10	1.0E+06	4.6E-04
241	241	0.55482	2.14E-05	1.2E-05	2.50E-04	2.98E-09	14	1.15E-02	4.78E-10	1.0E+06	4.8E-04
255	255	0.60351	2.14E-05	1.3E-05	2.50E-04	3.24E-09	14	1.15E-02	5.20E-10	1.0E+06	5.2E-04
256	256	0.6517	2.14E-05	1.4E-05	2.50E-04	3.50E-09	14	1.15E-02	5.61E-10	1.0E+06	5.6E-04
272	272	0.75188	2.14E-05	1.6E-05	2.50E-04	4.03E-09	14	1.15E-02	6.48E-10	1.0E+06	6.5E-04
273	273	0.84057	2.14E-05	1.8E-05	2.50E-04	4.51E-09	14	1.15E-02	7.24E-10	1.0E+06	7.2E-04
289	289	0.98394	2.14E-05	2.1E-05	2.50E-04	5.28E-09	14	1.15E-02	8.48E-10	1.0E+06	8.5E-04
290	290	1.18206	2.14E-05	2.5E-05	2.50E-04	6.34E-09	14	1.15E-02	1.02E-09	1.0E+06	1.0E-03
306	306	1.35624	2.14E-05	2.9E-05	2.50E-04	7.27E-09	14	1.15E-02	1.17E-09	1.0E+06	1.2E-03
307	307	1.95825	2.14E-05	4.2E-05	2.50E-04	1.05E-08	14	1.15E-02	1.69E-09	1.0E+06	1.7E-03
323	323	1.851	2.14E-05	4.0E-05	2.50E-04	9.93E-09	14	1.15E-02	1.59E-09	1.0E+06	1.6E-03
324	324	1.77214	2.14E-05	3.8E-05	2.50E-04	9.50E-09	14	1.15E-02	1.53E-09	1.0E+06	1.5E-03
342	342	2.19314	2.14E-05	4.7E-05	2.50E-04	1.18E-08	14	1.15E-02	1.89E-09	1.0E+06	1.9E-03
343	343	4.91826	2.14E-05	1.1E-04	2.50E-04	2.64E-08	14	1.15E-02	4.24E-09	1.0E+06	4.2E-03
344	344	2.4488	2.14E-05	5.2E-05	2.50E-04	1.31E-08	14	1.15E-02	2.11E-09	1.0E+06	2.1E-03
356	356	2.27839	2.14E-05	4.9E-05	2.50E-04	1.22E-08	14	1.15E-02	1.96E-09	1.0E+06	2.0E-03
357	357	4.41133	2.14E-05	9.5E-05	2.50E-04	2.37E-08	14	1.15E-02	3.80E-09	1.0E+06	3.8E-03
358	358	3.53719	2.14E-05	7.6E-05	2.50E-04	1.90E-08	14	1.15E-02	3.05E-09	1.0E+06	3.0E-03

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	2.23575	2.14E-05	4.8E-05	2.50E-04	1.20E-08	14	1.15E-02	1.93E-09	1.0E+06	1.9E-03
371	371	3.86252	2.14E-05	8.3E-05	2.50E-04	2.07E-08	14	1.15E-02	3.33E-09	1.0E+06	3.3E-03
372	372	3.74409	2.14E-05	8.0E-05	2.50E-04	2.01E-08	14	1.15E-02	3.22E-09	1.0E+06	3.2E-03
383	383	2.14505	2.14E-05	4.6E-05	2.50E-04	1.15E-08	14	1.15E-02	1.85E-09	1.0E+06	1.8E-03
384	384	3.41742	2.14E-05	7.3E-05	2.50E-04	1.83E-08	14	1.15E-02	2.94E-09	1.0E+06	2.9E-03
385	385	6.86961	2.14E-05	1.5E-04	2.50E-04	3.68E-08	14	1.15E-02	5.92E-09	1.0E+06	5.9E-03
396	396	2.04161	2.14E-05	4.4E-05	2.50E-04	1.09E-08	14	1.15E-02	1.76E-09	1.0E+06	1.8E-03
397	397	3.06694	2.14E-05	6.6E-05	2.50E-04	1.64E-08	14	1.15E-02	2.64E-09	1.0E+06	2.6E-03
398	398	5.46314	2.14E-05	1.2E-04	2.50E-04	2.93E-08	14	1.15E-02	4.71E-09	1.0E+06	4.7E-03
399	399	4.73703	2.14E-05	1.0E-04	2.50E-04	2.54E-08	14	1.15E-02	4.08E-09	1.0E+06	4.1E-03
411	411	1.93795	2.14E-05	4.2E-05	2.50E-04	1.04E-08	14	1.15E-02	1.67E-09	1.0E+06	1.7E-03
412	412	2.78487	2.14E-05	6.0E-05	2.50E-04	1.49E-08	14	1.15E-02	2.40E-09	1.0E+06	2.4E-03
413	413	4.56385	2.14E-05	9.8E-05	2.50E-04	2.45E-08	14	1.15E-02	3.93E-09	1.0E+06	3.9E-03
414	414	7.00861	2.14E-05	1.5E-04	2.50E-04	3.76E-08	14	1.15E-02	6.04E-09	1.0E+06	6.0E-03
426	426	1.83931	2.14E-05	3.9E-05	2.50E-04	9.86E-09	14	1.15E-02	1.58E-09	1.0E+06	1.6E-03
427	427	2.55353	2.14E-05	5.5E-05	2.50E-04	1.37E-08	14	1.15E-02	2.20E-09	1.0E+06	2.2E-03
428	428	3.92743	2.14E-05	8.4E-05	2.50E-04	2.11E-08	14	1.15E-02	3.38E-09	1.0E+06	3.4E-03
429	429	7.58406	2.14E-05	1.6E-04	2.50E-04	4.07E-08	14	1.15E-02	6.53E-09	1.0E+06	6.5E-03
439	439	1.74606	2.14E-05	3.7E-05	2.50E-04	9.36E-09	14	1.15E-02	1.50E-09	1.0E+06	1.5E-03
440	440	2.35693	2.14E-05	5.1E-05	2.50E-04	1.26E-08	14	1.15E-02	2.03E-09	1.0E+06	2.0E-03
441	441	3.45878	2.14E-05	7.4E-05	2.50E-04	1.86E-08	14	1.15E-02	2.98E-09	1.0E+06	3.0E-03
442	442	6.02676	2.14E-05	1.3E-04	2.50E-04	3.23E-08	14	1.15E-02	5.19E-09	1.0E+06	5.2E-03
443	443	8.23131	2.14E-05	1.8E-04	2.50E-04	4.41E-08	14	1.15E-02	7.09E-09	1.0E+06	7.1E-03
454	454	1.65913	2.14E-05	3.6E-05	2.50E-04	8.90E-09	14	1.15E-02	1.43E-09	1.0E+06	1.4E-03
455	455	2.18787	2.14E-05	4.7E-05	2.50E-04	1.17E-08	14	1.15E-02	1.88E-09	1.0E+06	1.9E-03
456	456	3.09169	2.14E-05	6.6E-05	2.50E-04	1.66E-08	14	1.15E-02	2.66E-09	1.0E+06	2.7E-03
457	457	4.98489	2.14E-05	1.1E-04	2.50E-04	2.67E-08	14	1.15E-02	4.29E-09	1.0E+06	4.3E-03
458	458	7.20481	2.14E-05	1.5E-04	2.50E-04	3.86E-08	14	1.15E-02	6.21E-09	1.0E+06	6.2E-03
469	469	1.57763	2.14E-05	3.4E-05	2.50E-04	8.46E-09	14	1.15E-02	1.36E-09	1.0E+06	1.4E-03
470	470	2.03898	2.14E-05	4.4E-05	2.50E-04	1.09E-08	14	1.15E-02	1.76E-09	1.0E+06	1.8E-03
471	471	2.79392	2.14E-05	6.0E-05	2.50E-04	1.50E-08	14	1.15E-02	2.41E-09	1.0E+06	2.4E-03

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	4.24598	2.14E-05	9.1E-05	2.50E-04	2.28E-08	14	1.15E-02	3.66E-09	1.0E+06	3.7E-03
473	473	6.08463	2.14E-05	1.3E-04	2.50E-04	3.26E-08	14	1.15E-02	5.24E-09	1.0E+06	5.2E-03
489	489	1.50215	2.14E-05	3.2E-05	2.50E-04	8.06E-09	14	1.15E-02	1.29E-09	1.0E+06	1.3E-03
490	490	1.9089	2.14E-05	4.1E-05	2.50E-04	1.02E-08	14	1.15E-02	1.64E-09	1.0E+06	1.6E-03
491	491	2.54865	2.14E-05	5.5E-05	2.50E-04	1.37E-08	14	1.15E-02	2.20E-09	1.0E+06	2.2E-03
492	492	3.69984	2.14E-05	7.9E-05	2.50E-04	1.98E-08	14	1.15E-02	3.19E-09	1.0E+06	3.2E-03
493	493	6.42365	2.14E-05	1.4E-04	2.50E-04	3.45E-08	14	1.15E-02	5.53E-09	1.0E+06	5.5E-03
494	494	6.2219	2.14E-05	1.3E-04	2.50E-04	3.34E-08	14	1.15E-02	5.36E-09	1.0E+06	5.4E-03
509	509	1.43104	2.14E-05	3.1E-05	2.50E-04	7.68E-09	14	1.15E-02	1.23E-09	1.0E+06	1.2E-03
510	510	1.7919	2.14E-05	3.8E-05	2.50E-04	9.61E-09	14	1.15E-02	1.54E-09	1.0E+06	1.5E-03
511	511	2.3405	2.14E-05	5.0E-05	2.50E-04	1.26E-08	14	1.15E-02	2.02E-09	1.0E+06	2.0E-03
512	512	3.27483	2.14E-05	7.0E-05	2.50E-04	1.76E-08	14	1.15E-02	2.82E-09	1.0E+06	2.8E-03
513	513	5.24429	2.14E-05	1.1E-04	2.50E-04	2.81E-08	14	1.15E-02	4.52E-09	1.0E+06	4.5E-03
514	514	7.29737	2.14E-05	1.6E-04	2.50E-04	3.91E-08	14	1.15E-02	6.29E-09	1.0E+06	6.3E-03
515	515	8.05811	2.14E-05	1.7E-04	2.50E-04	4.32E-08	14	1.15E-02	6.94E-09	1.0E+06	6.9E-03
516	516	4.7626	2.14E-05	1.0E-04	2.50E-04	2.55E-08	14	1.15E-02	4.10E-09	1.0E+06	4.1E-03
517	517	3.37153	2.14E-05	7.2E-05	2.50E-04	1.81E-08	14	1.15E-02	2.90E-09	1.0E+06	2.9E-03
518	518	2.60126	2.14E-05	5.6E-05	2.50E-04	1.40E-08	14	1.15E-02	2.24E-09	1.0E+06	2.2E-03
519	519	2.11109	2.14E-05	4.5E-05	2.50E-04	1.13E-08	14	1.15E-02	1.82E-09	1.0E+06	1.8E-03
528	528	1.36445	2.14E-05	2.9E-05	2.50E-04	7.32E-09	14	1.15E-02	1.18E-09	1.0E+06	1.2E-03
529	529	1.68652	2.14E-05	3.6E-05	2.50E-04	9.05E-09	14	1.15E-02	1.45E-09	1.0E+06	1.5E-03
530	530	2.16274	2.14E-05	4.6E-05	2.50E-04	1.16E-08	14	1.15E-02	1.86E-09	1.0E+06	1.9E-03
531	531	2.93668	2.14E-05	6.3E-05	2.50E-04	1.58E-08	14	1.15E-02	2.53E-09	1.0E+06	2.5E-03
532	532	4.42872	2.14E-05	9.5E-05	2.50E-04	2.38E-08	14	1.15E-02	3.81E-09	1.0E+06	3.8E-03
533	533	6.19365	2.14E-05	1.3E-04	2.50E-04	3.32E-08	14	1.15E-02	5.33E-09	1.0E+06	5.3E-03
534	534	7.13688	2.14E-05	1.5E-04	2.50E-04	3.83E-08	14	1.15E-02	6.15E-09	1.0E+06	6.1E-03
535	535	5.5094	2.14E-05	1.2E-04	2.50E-04	2.95E-08	14	1.15E-02	4.75E-09	1.0E+06	4.7E-03
536	536	3.74258	2.14E-05	8.0E-05	2.50E-04	2.01E-08	14	1.15E-02	3.22E-09	1.0E+06	3.2E-03
537	537	2.82266	2.14E-05	6.0E-05	2.50E-04	1.51E-08	14	1.15E-02	2.43E-09	1.0E+06	2.4E-03
538	538	2.25843	2.14E-05	4.8E-05	2.50E-04	1.21E-08	14	1.15E-02	1.95E-09	1.0E+06	1.9E-03
547	547	1.30214	2.14E-05	2.8E-05	2.50E-04	6.98E-09	14	1.15E-02	1.12E-09	1.0E+06	1.1E-03

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	1.59127	2.14E-05	3.4E-05	2.50E-04	8.53E-09	14	1.15E-02	1.37E-09	1.0E+06	1.4E-03
549	549	2.00786	2.14E-05	4.3E-05	2.50E-04	1.08E-08	14	1.15E-02	1.73E-09	1.0E+06	1.7E-03
550	550	2.6613	2.14E-05	5.7E-05	2.50E-04	1.43E-08	14	1.15E-02	2.29E-09	1.0E+06	2.3E-03
551	551	3.83448	2.14E-05	8.2E-05	2.50E-04	2.06E-08	14	1.15E-02	3.30E-09	1.0E+06	3.3E-03
552	552	6.63419	2.14E-05	1.4E-04	2.50E-04	3.56E-08	14	1.15E-02	5.71E-09	1.0E+06	5.7E-03
553	553	5.84912	2.14E-05	1.3E-04	2.50E-04	3.14E-08	14	1.15E-02	5.04E-09	1.0E+06	5.0E-03
554	554	5.00655	2.14E-05	1.1E-04	2.50E-04	2.69E-08	14	1.15E-02	4.31E-09	1.0E+06	4.3E-03
555	555	6.52628	2.14E-05	1.4E-04	2.50E-04	3.50E-08	14	1.15E-02	5.62E-09	1.0E+06	5.6E-03
556	556	4.19315	2.14E-05	9.0E-05	2.50E-04	2.25E-08	14	1.15E-02	3.61E-09	1.0E+06	3.6E-03
557	557	3.08044	2.14E-05	6.6E-05	2.50E-04	1.65E-08	14	1.15E-02	2.65E-09	1.0E+06	2.7E-03
558	558	2.42719	2.14E-05	5.2E-05	2.50E-04	1.30E-08	14	1.15E-02	2.09E-09	1.0E+06	2.1E-03
559	559	1.99472	2.14E-05	4.3E-05	2.50E-04	1.07E-08	14	1.15E-02	1.72E-09	1.0E+06	1.7E-03
567	567	1.24329	2.14E-05	2.7E-05	2.50E-04	6.67E-09	14	1.15E-02	1.07E-09	1.0E+06	1.1E-03
568	568	1.50394	2.14E-05	3.2E-05	2.50E-04	8.07E-09	14	1.15E-02	1.30E-09	1.0E+06	1.3E-03
569	569	1.87194	2.14E-05	4.0E-05	2.50E-04	1.00E-08	14	1.15E-02	1.61E-09	1.0E+06	1.6E-03
570	570	2.42964	2.14E-05	5.2E-05	2.50E-04	1.30E-08	14	1.15E-02	2.09E-09	1.0E+06	2.1E-03
571	571	3.37818	2.14E-05	7.2E-05	2.50E-04	1.81E-08	14	1.15E-02	2.91E-09	1.0E+06	2.9E-03
572	572	5.38365	2.14E-05	1.2E-04	2.50E-04	2.89E-08	14	1.15E-02	4.64E-09	1.0E+06	4.6E-03
573	573	5.50734	2.14E-05	1.2E-04	2.50E-04	2.95E-08	14	1.15E-02	4.74E-09	1.0E+06	4.7E-03
574	574	7.97979	2.14E-05	1.7E-04	2.50E-04	4.28E-08	14	1.15E-02	6.87E-09	1.0E+06	6.9E-03
575	575	4.75661	2.14E-05	1.0E-04	2.50E-04	2.55E-08	14	1.15E-02	4.10E-09	1.0E+06	4.1E-03
576	576	3.38328	2.14E-05	7.3E-05	2.50E-04	1.81E-08	14	1.15E-02	2.91E-09	1.0E+06	2.9E-03
577	577	2.61788	2.14E-05	5.6E-05	2.50E-04	1.40E-08	14	1.15E-02	2.25E-09	1.0E+06	2.3E-03
578	578	2.12701	2.14E-05	4.6E-05	2.50E-04	1.14E-08	14	1.15E-02	1.83E-09	1.0E+06	1.8E-03
586	586	1.18814	2.14E-05	2.5E-05	2.50E-04	6.37E-09	14	1.15E-02	1.02E-09	1.0E+06	1.0E-03
587	587	1.42437	2.14E-05	3.1E-05	2.50E-04	7.64E-09	14	1.15E-02	1.23E-09	1.0E+06	1.2E-03
588	588	1.75146	2.14E-05	3.8E-05	2.50E-04	9.39E-09	14	1.15E-02	1.51E-09	1.0E+06	1.5E-03
589	589	2.23393	2.14E-05	4.8E-05	2.50E-04	1.20E-08	14	1.15E-02	1.92E-09	1.0E+06	1.9E-03
590	590	3.01806	2.14E-05	6.5E-05	2.50E-04	1.62E-08	14	1.15E-02	2.60E-09	1.0E+06	2.6E-03
591	591	4.53588	2.14E-05	9.7E-05	2.50E-04	2.43E-08	14	1.15E-02	3.91E-09	1.0E+06	3.9E-03
592	592	6.28005	2.14E-05	1.3E-04	2.50E-04	3.37E-08	14	1.15E-02	5.41E-09	1.0E+06	5.4E-03

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	6.78511	2.14E-05	1.5E-04	2.50E-04	3.64E-08	14	1.15E-02	5.84E-09	1.0E+06	5.8E-03
594	594	5.49127	2.14E-05	1.2E-04	2.50E-04	2.95E-08	14	1.15E-02	4.73E-09	1.0E+06	4.7E-03
595	595	3.75299	2.14E-05	8.0E-05	2.50E-04	2.01E-08	14	1.15E-02	3.23E-09	1.0E+06	3.2E-03
596	596	2.8399	2.14E-05	6.1E-05	2.50E-04	1.52E-08	14	1.15E-02	2.45E-09	1.0E+06	2.4E-03
597	597	2.27474	2.14E-05	4.9E-05	2.50E-04	1.22E-08	14	1.15E-02	1.96E-09	1.0E+06	2.0E-03
345	345	5.10388	2.14E-05	1.1E-04	2.50E-04	2.74E-08	14	1.15E-02	4.40E-09	1.0E+06	4.4E-03
346	346	4.61822	2.14E-05	9.9E-05	2.50E-04	2.48E-08	14	1.15E-02	3.98E-09	1.0E+06	4.0E-03
347	347	3.06093	2.14E-05	6.6E-05	2.50E-04	1.64E-08	14	1.15E-02	2.64E-09	1.0E+06	2.6E-03
348	348	2.30005	2.14E-05	4.9E-05	2.50E-04	1.23E-08	14	1.15E-02	1.98E-09	1.0E+06	2.0E-03
359	359	7.04259	2.14E-05	1.5E-04	2.50E-04	3.78E-08	14	1.15E-02	6.07E-09	1.0E+06	6.1E-03
360	360	6.06177	2.14E-05	1.3E-04	2.50E-04	3.25E-08	14	1.15E-02	5.22E-09	1.0E+06	5.2E-03
361	361	3.70127	2.14E-05	7.9E-05	2.50E-04	1.99E-08	14	1.15E-02	3.19E-09	1.0E+06	3.2E-03
362	362	2.6629	2.14E-05	5.7E-05	2.50E-04	1.43E-08	14	1.15E-02	2.29E-09	1.0E+06	2.3E-03
363	363	2.08572	2.14E-05	4.5E-05	2.50E-04	1.12E-08	14	1.15E-02	1.80E-09	1.0E+06	1.8E-03
373	373	8.11364	2.14E-05	1.7E-04	2.50E-04	4.35E-08	14	1.15E-02	6.99E-09	1.0E+06	7.0E-03
374	374	4.45679	2.14E-05	9.6E-05	2.50E-04	2.39E-08	14	1.15E-02	3.84E-09	1.0E+06	3.8E-03
375	375	3.06369	2.14E-05	6.6E-05	2.50E-04	1.64E-08	14	1.15E-02	2.64E-09	1.0E+06	2.6E-03
376	376	2.33678	2.14E-05	5.0E-05	2.50E-04	1.25E-08	14	1.15E-02	2.01E-09	1.0E+06	2.0E-03
386	386	6.61635	2.14E-05	1.4E-04	2.50E-04	3.55E-08	14	1.15E-02	5.70E-09	1.0E+06	5.7E-03
387	387	5.39873	2.14E-05	1.2E-04	2.50E-04	2.90E-08	14	1.15E-02	4.65E-09	1.0E+06	4.7E-03
388	388	3.51857	2.14E-05	7.5E-05	2.50E-04	1.89E-08	14	1.15E-02	3.03E-09	1.0E+06	3.0E-03
389	389	2.61061	2.14E-05	5.6E-05	2.50E-04	1.40E-08	14	1.15E-02	2.25E-09	1.0E+06	2.2E-03
390	390	2.07543	2.14E-05	4.4E-05	2.50E-04	1.11E-08	14	1.15E-02	1.79E-09	1.0E+06	1.8E-03
400	400	7.8954	2.14E-05	1.7E-04	2.50E-04	4.23E-08	14	1.15E-02	6.80E-09	1.0E+06	6.8E-03
401	401	6.6028	2.14E-05	1.4E-04	2.50E-04	3.54E-08	14	1.15E-02	5.69E-09	1.0E+06	5.7E-03
402	402	4.05454	2.14E-05	8.7E-05	2.50E-04	2.17E-08	14	1.15E-02	3.49E-09	1.0E+06	3.5E-03
403	403	2.9139	2.14E-05	6.2E-05	2.50E-04	1.56E-08	14	1.15E-02	2.51E-09	1.0E+06	2.5E-03
404	404	2.27219	2.14E-05	4.9E-05	2.50E-04	1.22E-08	14	1.15E-02	1.96E-09	1.0E+06	2.0E-03
415	415	6.3341	2.14E-05	1.4E-04	2.50E-04	3.40E-08	14	1.15E-02	5.46E-09	1.0E+06	5.5E-03
416	416	8.35793	2.14E-05	1.8E-04	2.50E-04	4.48E-08	14	1.15E-02	7.20E-09	1.0E+06	7.2E-03
417	417	4.69809	2.14E-05	1.0E-04	2.50E-04	2.52E-08	14	1.15E-02	4.05E-09	1.0E+06	4.0E-03

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

<i>Cancer Risk from 16-30 years - Construction</i>											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
418	418	3.26673	2.14E-05	7.0E-05	2.50E-04	1.75E-08	14	1.15E-02	2.81E-09	1.0E+06	2.8E-03
419	419	2.49496	2.14E-05	5.3E-05	2.50E-04	1.34E-08	14	1.15E-02	2.15E-09	1.0E+06	2.1E-03
420	420	2.00973	2.14E-05	4.3E-05	2.50E-04	1.08E-08	14	1.15E-02	1.73E-09	1.0E+06	1.7E-03
430	430	7.07653	2.14E-05	1.5E-04	2.50E-04	3.80E-08	14	1.15E-02	6.10E-09	1.0E+06	6.1E-03
431	431	5.52917	2.14E-05	1.2E-04	2.50E-04	2.97E-08	14	1.15E-02	4.76E-09	1.0E+06	4.8E-03
432	432	3.67078	2.14E-05	7.9E-05	2.50E-04	1.97E-08	14	1.15E-02	3.16E-09	1.0E+06	3.2E-03
433	433	2.73901	2.14E-05	5.9E-05	2.50E-04	1.47E-08	14	1.15E-02	2.36E-09	1.0E+06	2.4E-03
434	434	2.17987	2.14E-05	4.7E-05	2.50E-04	1.17E-08	14	1.15E-02	1.88E-09	1.0E+06	1.9E-03
444	444	5.22363	2.14E-05	1.1E-04	2.50E-04	2.80E-08	14	1.15E-02	4.50E-09	1.0E+06	4.5E-03
445	445	6.61632	2.14E-05	1.4E-04	2.50E-04	3.55E-08	14	1.15E-02	5.70E-09	1.0E+06	5.7E-03
446	446	4.15266	2.14E-05	8.9E-05	2.50E-04	2.23E-08	14	1.15E-02	3.58E-09	1.0E+06	3.6E-03
447	447	3.01542	2.14E-05	6.5E-05	2.50E-04	1.62E-08	14	1.15E-02	2.60E-09	1.0E+06	2.6E-03
448	448	2.36177	2.14E-05	5.1E-05	2.50E-04	1.27E-08	14	1.15E-02	2.03E-09	1.0E+06	2.0E-03
459	459	8.1652	2.14E-05	1.7E-04	2.50E-04	4.38E-08	14	1.15E-02	7.03E-09	1.0E+06	7.0E-03
460	460	4.74911	2.14E-05	1.0E-04	2.50E-04	2.55E-08	14	1.15E-02	4.09E-09	1.0E+06	4.1E-03
461	461	3.33824	2.14E-05	7.2E-05	2.50E-04	1.79E-08	14	1.15E-02	2.88E-09	1.0E+06	2.9E-03
462	462	2.56572	2.14E-05	5.5E-05	2.50E-04	1.38E-08	14	1.15E-02	2.21E-09	1.0E+06	2.2E-03
463	463	2.0766	2.14E-05	4.5E-05	2.50E-04	1.11E-08	14	1.15E-02	1.79E-09	1.0E+06	1.8E-03
474	474	7.40758	2.14E-05	1.6E-04	2.50E-04	3.97E-08	14	1.15E-02	6.38E-09	1.0E+06	6.4E-03
475	475	5.51831	2.14E-05	1.2E-04	2.50E-04	2.96E-08	14	1.15E-02	4.75E-09	1.0E+06	4.8E-03
476	476	3.72049	2.14E-05	8.0E-05	2.50E-04	2.00E-08	14	1.15E-02	3.20E-09	1.0E+06	3.2E-03
477	477	2.79583	2.14E-05	6.0E-05	2.50E-04	1.50E-08	14	1.15E-02	2.41E-09	1.0E+06	2.4E-03
478	478	2.23213	2.14E-05	4.8E-05	2.50E-04	1.20E-08	14	1.15E-02	1.92E-09	1.0E+06	1.9E-03
495	495	5.03774	2.14E-05	1.1E-04	2.50E-04	2.70E-08	14	1.15E-02	4.34E-09	1.0E+06	4.3E-03
496	496	6.56353	2.14E-05	1.4E-04	2.50E-04	3.52E-08	14	1.15E-02	5.65E-09	1.0E+06	5.7E-03
497	497	4.18485	2.14E-05	9.0E-05	2.50E-04	2.24E-08	14	1.15E-02	3.60E-09	1.0E+06	3.6E-03
498	498	3.06221	2.14E-05	6.6E-05	2.50E-04	1.64E-08	14	1.15E-02	2.64E-09	1.0E+06	2.6E-03
499	499	2.40575	2.14E-05	5.2E-05	2.50E-04	1.29E-08	14	1.15E-02	2.07E-09	1.0E+06	2.1E-03
500	500	1.97475	2.14E-05	4.2E-05	2.50E-04	1.06E-08	14	1.15E-02	1.70E-09	1.0E+06	1.7E-03

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	0.2305	2.14E-05	4.9E-06	2.50E-04	1.24E-09	25	1.15E-02	3.55E-10	1.0E+06	3.5E-04
140	140	0.23353	2.14E-05	5.0E-06	2.50E-04	1.25E-09	25	1.15E-02	3.59E-10	1.0E+06	3.6E-04
156	156	0.25244	2.14E-05	5.4E-06	2.50E-04	1.35E-09	25	1.15E-02	3.88E-10	1.0E+06	3.9E-04
157	157	0.25592	2.14E-05	5.5E-06	2.50E-04	1.37E-09	25	1.15E-02	3.94E-10	1.0E+06	3.9E-04
158	158	0.2586	2.14E-05	5.5E-06	2.50E-04	1.39E-09	25	1.15E-02	3.98E-10	1.0E+06	4.0E-04
159	159	0.26051	2.14E-05	5.6E-06	2.50E-04	1.40E-09	25	1.15E-02	4.01E-10	1.0E+06	4.0E-04
160	160	0.26187	2.14E-05	5.6E-06	2.50E-04	1.40E-09	25	1.15E-02	4.03E-10	1.0E+06	4.0E-04
161	161	0.2646	2.14E-05	5.7E-06	2.50E-04	1.42E-09	25	1.15E-02	4.07E-10	1.0E+06	4.1E-04
162	162	0.26627	2.14E-05	5.7E-06	2.50E-04	1.43E-09	25	1.15E-02	4.10E-10	1.0E+06	4.1E-04
163	163	0.26811	2.14E-05	5.7E-06	2.50E-04	1.44E-09	25	1.15E-02	4.12E-10	1.0E+06	4.1E-04
167	167	0.28239	2.14E-05	6.1E-06	2.50E-04	1.51E-09	25	1.15E-02	4.34E-10	1.0E+06	4.3E-04
168	168	0.28589	2.14E-05	6.1E-06	2.50E-04	1.53E-09	25	1.15E-02	4.40E-10	1.0E+06	4.4E-04
169	169	0.28811	2.14E-05	6.2E-06	2.50E-04	1.55E-09	25	1.15E-02	4.43E-10	1.0E+06	4.4E-04
170	170	0.28989	2.14E-05	6.2E-06	2.50E-04	1.55E-09	25	1.15E-02	4.46E-10	1.0E+06	4.5E-04
171	171	0.29163	2.14E-05	6.2E-06	2.50E-04	1.56E-09	25	1.15E-02	4.49E-10	1.0E+06	4.5E-04
172	172	0.29371	2.14E-05	6.3E-06	2.50E-04	1.58E-09	25	1.15E-02	4.52E-10	1.0E+06	4.5E-04
173	173	0.29593	2.14E-05	6.3E-06	2.50E-04	1.59E-09	25	1.15E-02	4.55E-10	1.0E+06	4.6E-04
174	174	0.2983	2.14E-05	6.4E-06	2.50E-04	1.60E-09	25	1.15E-02	4.59E-10	1.0E+06	4.6E-04
175	175	0.30052	2.14E-05	6.4E-06	2.50E-04	1.61E-09	25	1.15E-02	4.62E-10	1.0E+06	4.6E-04
176	176	0.30232	2.14E-05	6.5E-06	2.50E-04	1.62E-09	25	1.15E-02	4.65E-10	1.0E+06	4.6E-04
177	177	0.30342	2.14E-05	6.5E-06	2.50E-04	1.63E-09	25	1.15E-02	4.67E-10	1.0E+06	4.7E-04
181	181	0.31905	2.14E-05	6.8E-06	2.50E-04	1.71E-09	25	1.15E-02	4.91E-10	1.0E+06	4.9E-04
182	182	0.32174	2.14E-05	6.9E-06	2.50E-04	1.73E-09	25	1.15E-02	4.95E-10	1.0E+06	4.9E-04
183	183	0.32423	2.14E-05	6.9E-06	2.50E-04	1.74E-09	25	1.15E-02	4.99E-10	1.0E+06	5.0E-04
184	184	0.32677	2.14E-05	7.0E-06	2.50E-04	1.75E-09	25	1.15E-02	5.03E-10	1.0E+06	5.0E-04
185	185	0.32965	2.14E-05	7.1E-06	2.50E-04	1.77E-09	25	1.15E-02	5.07E-10	1.0E+06	5.1E-04
186	186	0.33256	2.14E-05	7.1E-06	2.50E-04	1.78E-09	25	1.15E-02	5.12E-10	1.0E+06	5.1E-04
187	187	0.33514	2.14E-05	7.2E-06	2.50E-04	1.80E-09	25	1.15E-02	5.15E-10	1.0E+06	5.2E-04
188	188	0.33719	2.14E-05	7.2E-06	2.50E-04	1.81E-09	25	1.15E-02	5.19E-10	1.0E+06	5.2E-04
189	189	0.33829	2.14E-05	7.2E-06	2.50E-04	1.81E-09	25	1.15E-02	5.20E-10	1.0E+06	5.2E-04
190	190	0.33821	2.14E-05	7.2E-06	2.50E-04	1.81E-09	25	1.15E-02	5.20E-10	1.0E+06	5.2E-04

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	0.33688	2.14E-05	7.2E-06	2.50E-04	1.81E-09	25	1.15E-02	5.18E-10	1.0E+06	5.2E-04
195	195	0.36039	2.14E-05	7.7E-06	2.50E-04	1.93E-09	25	1.15E-02	5.54E-10	1.0E+06	5.5E-04
196	196	0.36392	2.14E-05	7.8E-06	2.50E-04	1.95E-09	25	1.15E-02	5.60E-10	1.0E+06	5.6E-04
197	197	0.36734	2.14E-05	7.9E-06	2.50E-04	1.97E-09	25	1.15E-02	5.65E-10	1.0E+06	5.7E-04
198	198	0.37111	2.14E-05	8.0E-06	2.50E-04	1.99E-09	25	1.15E-02	5.71E-10	1.0E+06	5.7E-04
199	199	0.3749	2.14E-05	8.0E-06	2.50E-04	2.01E-09	25	1.15E-02	5.77E-10	1.0E+06	5.8E-04
200	200	0.37821	2.14E-05	8.1E-06	2.50E-04	2.03E-09	25	1.15E-02	5.82E-10	1.0E+06	5.8E-04
201	201	0.38053	2.14E-05	8.2E-06	2.50E-04	2.04E-09	25	1.15E-02	5.85E-10	1.0E+06	5.9E-04
202	202	0.38141	2.14E-05	8.2E-06	2.50E-04	2.05E-09	25	1.15E-02	5.87E-10	1.0E+06	5.9E-04
203	203	0.38065	2.14E-05	8.2E-06	2.50E-04	2.04E-09	25	1.15E-02	5.85E-10	1.0E+06	5.9E-04
204	204	0.37822	2.14E-05	8.1E-06	2.50E-04	2.03E-09	25	1.15E-02	5.82E-10	1.0E+06	5.8E-04
205	205	0.3743	2.14E-05	8.0E-06	2.50E-04	2.01E-09	25	1.15E-02	5.76E-10	1.0E+06	5.8E-04
206	206	0.36907	2.14E-05	7.9E-06	2.50E-04	1.98E-09	25	1.15E-02	5.68E-10	1.0E+06	5.7E-04
210	210	0.40602	2.14E-05	8.7E-06	2.50E-04	2.18E-09	25	1.15E-02	6.25E-10	1.0E+06	6.2E-04
211	211	0.41332	2.14E-05	8.9E-06	2.50E-04	2.22E-09	25	1.15E-02	6.36E-10	1.0E+06	6.4E-04
212	212	0.41826	2.14E-05	9.0E-06	2.50E-04	2.24E-09	25	1.15E-02	6.43E-10	1.0E+06	6.4E-04
213	213	0.42339	2.14E-05	9.1E-06	2.50E-04	2.27E-09	25	1.15E-02	6.51E-10	1.0E+06	6.5E-04
214	214	0.43287	2.14E-05	9.3E-06	2.50E-04	2.32E-09	25	1.15E-02	6.66E-10	1.0E+06	6.7E-04
215	215	0.43556	2.14E-05	9.3E-06	2.50E-04	2.34E-09	25	1.15E-02	6.70E-10	1.0E+06	6.7E-04
216	216	0.43601	2.14E-05	9.3E-06	2.50E-04	2.34E-09	25	1.15E-02	6.71E-10	1.0E+06	6.7E-04
217	217	0.43405	2.14E-05	9.3E-06	2.50E-04	2.33E-09	25	1.15E-02	6.68E-10	1.0E+06	6.7E-04
218	218	0.42977	2.14E-05	9.2E-06	2.50E-04	2.30E-09	25	1.15E-02	6.61E-10	1.0E+06	6.6E-04
219	219	0.42347	2.14E-05	9.1E-06	2.50E-04	2.27E-09	25	1.15E-02	6.51E-10	1.0E+06	6.5E-04
220	220	0.41558	2.14E-05	8.9E-06	2.50E-04	2.23E-09	25	1.15E-02	6.39E-10	1.0E+06	6.4E-04
221	221	0.40645	2.14E-05	8.7E-06	2.50E-04	2.18E-09	25	1.15E-02	6.25E-10	1.0E+06	6.3E-04
222	222	0.39655	2.14E-05	8.5E-06	2.50E-04	2.13E-09	25	1.15E-02	6.10E-10	1.0E+06	6.1E-04
226	226	0.4751	2.14E-05	1.0E-05	2.50E-04	2.55E-09	25	1.15E-02	7.31E-10	1.0E+06	7.3E-04
227	227	0.48421	2.14E-05	1.0E-05	2.50E-04	2.60E-09	25	1.15E-02	7.45E-10	1.0E+06	7.4E-04
228	228	0.49147	2.14E-05	1.1E-05	2.50E-04	2.64E-09	25	1.15E-02	7.56E-10	1.0E+06	7.6E-04
229	229	0.49886	2.14E-05	1.1E-05	2.50E-04	2.68E-09	25	1.15E-02	7.67E-10	1.0E+06	7.7E-04
230	230	0.50483	2.14E-05	1.1E-05	2.50E-04	2.71E-09	25	1.15E-02	7.76E-10	1.0E+06	7.8E-04

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	0.5076	2.14E-05	1.1E-05	2.50E-04	2.72E-09	25	1.15E-02	7.81E-10	1.0E+06	7.8E-04
232	232	0.50726	2.14E-05	1.1E-05	2.50E-04	2.72E-09	25	1.15E-02	7.80E-10	1.0E+06	7.8E-04
233	233	0.49573	2.14E-05	1.1E-05	2.50E-04	2.66E-09	25	1.15E-02	7.62E-10	1.0E+06	7.6E-04
234	234	0.48558	2.14E-05	1.0E-05	2.50E-04	2.60E-09	25	1.15E-02	7.47E-10	1.0E+06	7.5E-04
235	235	0.47349	2.14E-05	1.0E-05	2.50E-04	2.54E-09	25	1.15E-02	7.28E-10	1.0E+06	7.3E-04
236	236	0.46012	2.14E-05	9.9E-06	2.50E-04	2.47E-09	25	1.15E-02	7.08E-10	1.0E+06	7.1E-04
237	237	0.446	2.14E-05	9.6E-06	2.50E-04	2.39E-09	25	1.15E-02	6.86E-10	1.0E+06	6.9E-04
238	238	0.43156	2.14E-05	9.2E-06	2.50E-04	2.31E-09	25	1.15E-02	6.64E-10	1.0E+06	6.6E-04
242	242	0.5706	2.14E-05	1.2E-05	2.50E-04	3.06E-09	25	1.15E-02	8.78E-10	1.0E+06	8.8E-04
243	243	0.58368	2.14E-05	1.3E-05	2.50E-04	3.13E-09	25	1.15E-02	8.98E-10	1.0E+06	9.0E-04
244	244	0.59383	2.14E-05	1.3E-05	2.50E-04	3.18E-09	25	1.15E-02	9.13E-10	1.0E+06	9.1E-04
245	245	0.60331	2.14E-05	1.3E-05	2.50E-04	3.24E-09	25	1.15E-02	9.28E-10	1.0E+06	9.3E-04
246	246	0.60742	2.14E-05	1.3E-05	2.50E-04	3.26E-09	25	1.15E-02	9.34E-10	1.0E+06	9.3E-04
247	247	0.60493	2.14E-05	1.3E-05	2.50E-04	3.24E-09	25	1.15E-02	9.30E-10	1.0E+06	9.3E-04
248	248	0.59633	2.14E-05	1.3E-05	2.50E-04	3.20E-09	25	1.15E-02	9.17E-10	1.0E+06	9.2E-04
249	249	0.56585	2.14E-05	1.2E-05	2.50E-04	3.03E-09	25	1.15E-02	8.70E-10	1.0E+06	8.7E-04
250	250	0.54692	2.14E-05	1.2E-05	2.50E-04	2.93E-09	25	1.15E-02	8.41E-10	1.0E+06	8.4E-04
251	251	0.52703	2.14E-05	1.1E-05	2.50E-04	2.83E-09	25	1.15E-02	8.11E-10	1.0E+06	8.1E-04
252	252	0.50678	2.14E-05	1.1E-05	2.50E-04	2.72E-09	25	1.15E-02	7.79E-10	1.0E+06	7.8E-04
253	253	0.48674	2.14E-05	1.0E-05	2.50E-04	2.61E-09	25	1.15E-02	7.49E-10	1.0E+06	7.5E-04
254	254	0.46715	2.14E-05	1.0E-05	2.50E-04	2.51E-09	25	1.15E-02	7.19E-10	1.0E+06	7.2E-04
257	257	0.71387	2.14E-05	1.5E-05	2.50E-04	3.83E-09	25	1.15E-02	1.10E-09	1.0E+06	1.1E-03
258	258	0.73486	2.14E-05	1.6E-05	2.50E-04	3.94E-09	25	1.15E-02	1.13E-09	1.0E+06	1.1E-03
259	259	0.74961	2.14E-05	1.6E-05	2.50E-04	4.02E-09	25	1.15E-02	1.15E-09	1.0E+06	1.2E-03
260	260	0.75246	2.14E-05	1.6E-05	2.50E-04	4.04E-09	25	1.15E-02	1.16E-09	1.0E+06	1.2E-03
261	261	0.74634	2.14E-05	1.6E-05	2.50E-04	4.00E-09	25	1.15E-02	1.15E-09	1.0E+06	1.1E-03
262	262	0.72784	2.14E-05	1.6E-05	2.50E-04	3.90E-09	25	1.15E-02	1.12E-09	1.0E+06	1.1E-03
263	263	0.70241	2.14E-05	1.5E-05	2.50E-04	3.77E-09	25	1.15E-02	1.08E-09	1.0E+06	1.1E-03
264	264	0.64277	2.14E-05	1.4E-05	2.50E-04	3.45E-09	25	1.15E-02	9.89E-10	1.0E+06	9.9E-04
265	265	0.61224	2.14E-05	1.3E-05	2.50E-04	3.28E-09	25	1.15E-02	9.42E-10	1.0E+06	9.4E-04
266	266	0.58262	2.14E-05	1.2E-05	2.50E-04	3.12E-09	25	1.15E-02	8.96E-10	1.0E+06	9.0E-04

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	0.55432	2.14E-05	1.2E-05	2.50E-04	2.97E-09	25	1.15E-02	8.53E-10	1.0E+06	8.5E-04
268	268	0.52762	2.14E-05	1.1E-05	2.50E-04	2.83E-09	25	1.15E-02	8.12E-10	1.0E+06	8.1E-04
269	269	0.50252	2.14E-05	1.1E-05	2.50E-04	2.70E-09	25	1.15E-02	7.73E-10	1.0E+06	7.7E-04
270	270	0.43677	2.14E-05	9.4E-06	2.50E-04	2.34E-09	25	1.15E-02	6.72E-10	1.0E+06	6.7E-04
271	271	0.4177	2.14E-05	9.0E-06	2.50E-04	2.24E-09	25	1.15E-02	6.42E-10	1.0E+06	6.4E-04
274	274	0.95595	2.14E-05	2.0E-05	2.50E-04	5.13E-09	25	1.15E-02	1.47E-09	1.0E+06	1.5E-03
275	275	0.9877	2.14E-05	2.1E-05	2.50E-04	5.30E-09	25	1.15E-02	1.52E-09	1.0E+06	1.5E-03
276	276	0.99371	2.14E-05	2.1E-05	2.50E-04	5.33E-09	25	1.15E-02	1.53E-09	1.0E+06	1.5E-03
277	277	0.96739	2.14E-05	2.1E-05	2.50E-04	5.19E-09	25	1.15E-02	1.49E-09	1.0E+06	1.5E-03
278	278	0.92617	2.14E-05	2.0E-05	2.50E-04	4.97E-09	25	1.15E-02	1.42E-09	1.0E+06	1.4E-03
279	279	0.87524	2.14E-05	1.9E-05	2.50E-04	4.69E-09	25	1.15E-02	1.35E-09	1.0E+06	1.3E-03
280	280	0.8218	2.14E-05	1.8E-05	2.50E-04	4.41E-09	25	1.15E-02	1.26E-09	1.0E+06	1.3E-03
281	281	0.72307	2.14E-05	1.5E-05	2.50E-04	3.88E-09	25	1.15E-02	1.11E-09	1.0E+06	1.1E-03
282	282	0.67879	2.14E-05	1.5E-05	2.50E-04	3.64E-09	25	1.15E-02	1.04E-09	1.0E+06	1.0E-03
283	283	0.63833	2.14E-05	1.4E-05	2.50E-04	3.42E-09	25	1.15E-02	9.82E-10	1.0E+06	9.8E-04
284	284	0.60153	2.14E-05	1.3E-05	2.50E-04	3.23E-09	25	1.15E-02	9.25E-10	1.0E+06	9.3E-04
285	285	0.56797	2.14E-05	1.2E-05	2.50E-04	3.05E-09	25	1.15E-02	8.74E-10	1.0E+06	8.7E-04
286	286	0.53721	2.14E-05	1.2E-05	2.50E-04	2.88E-09	25	1.15E-02	8.26E-10	1.0E+06	8.3E-04
287	287	0.45984	2.14E-05	9.9E-06	2.50E-04	2.47E-09	25	1.15E-02	7.07E-10	1.0E+06	7.1E-04
288	288	0.43811	2.14E-05	9.4E-06	2.50E-04	2.35E-09	25	1.15E-02	6.74E-10	1.0E+06	6.7E-04
291	291	1.4526	2.14E-05	3.1E-05	2.50E-04	7.79E-09	25	1.15E-02	2.23E-09	1.0E+06	2.2E-03
292	292	1.45278	2.14E-05	3.1E-05	2.50E-04	7.79E-09	25	1.15E-02	2.23E-09	1.0E+06	2.2E-03
293	293	1.37076	2.14E-05	2.9E-05	2.50E-04	7.35E-09	25	1.15E-02	2.11E-09	1.0E+06	2.1E-03
294	294	1.25617	2.14E-05	2.7E-05	2.50E-04	6.74E-09	25	1.15E-02	1.93E-09	1.0E+06	1.9E-03
295	295	1.14197	2.14E-05	2.4E-05	2.50E-04	6.12E-09	25	1.15E-02	1.76E-09	1.0E+06	1.8E-03
296	296	1.03951	2.14E-05	2.2E-05	2.50E-04	5.58E-09	25	1.15E-02	1.60E-09	1.0E+06	1.6E-03
297	297	0.94991	2.14E-05	2.0E-05	2.50E-04	5.09E-09	25	1.15E-02	1.46E-09	1.0E+06	1.5E-03
298	298	0.80399	2.14E-05	1.7E-05	2.50E-04	4.31E-09	25	1.15E-02	1.24E-09	1.0E+06	1.2E-03
299	299	0.74515	2.14E-05	1.6E-05	2.50E-04	4.00E-09	25	1.15E-02	1.15E-09	1.0E+06	1.1E-03
300	300	0.69334	2.14E-05	1.5E-05	2.50E-04	3.72E-09	25	1.15E-02	1.07E-09	1.0E+06	1.1E-03
301	301	0.64789	2.14E-05	1.4E-05	2.50E-04	3.47E-09	25	1.15E-02	9.97E-10	1.0E+06	1.0E-03

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	302	0.6074	2.14E-05	1.3E-05	2.50E-04	3.26E-09	25	1.15E-02	9.34E-10	1.0E+06	9.3E-04
303	303	0.57105	2.14E-05	1.2E-05	2.50E-04	3.06E-09	25	1.15E-02	8.78E-10	1.0E+06	8.8E-04
304	304	0.48243	2.14E-05	1.0E-05	2.50E-04	2.59E-09	25	1.15E-02	7.42E-10	1.0E+06	7.4E-04
305	305	0.45807	2.14E-05	9.8E-06	2.50E-04	2.46E-09	25	1.15E-02	7.05E-10	1.0E+06	7.0E-04
308	308	2.74495	2.14E-05	5.9E-05	2.50E-04	1.47E-08	25	1.15E-02	4.22E-09	1.0E+06	4.2E-03
309	309	2.28773	2.14E-05	4.9E-05	2.50E-04	1.23E-08	25	1.15E-02	3.52E-09	1.0E+06	3.5E-03
310	310	1.89059	2.14E-05	4.1E-05	2.50E-04	1.01E-08	25	1.15E-02	2.91E-09	1.0E+06	2.9E-03
311	311	1.59668	2.14E-05	3.4E-05	2.50E-04	8.56E-09	25	1.15E-02	2.46E-09	1.0E+06	2.5E-03
312	312	1.37843	2.14E-05	3.0E-05	2.50E-04	7.39E-09	25	1.15E-02	2.12E-09	1.0E+06	2.1E-03
313	313	1.21044	2.14E-05	2.6E-05	2.50E-04	6.49E-09	25	1.15E-02	1.86E-09	1.0E+06	1.9E-03
314	314	1.07851	2.14E-05	2.3E-05	2.50E-04	5.78E-09	25	1.15E-02	1.66E-09	1.0E+06	1.7E-03
315	315	0.88382	2.14E-05	1.9E-05	2.50E-04	4.74E-09	25	1.15E-02	1.36E-09	1.0E+06	1.4E-03
316	316	0.81033	2.14E-05	1.7E-05	2.50E-04	4.35E-09	25	1.15E-02	1.25E-09	1.0E+06	1.2E-03
317	317	0.74723	2.14E-05	1.6E-05	2.50E-04	4.01E-09	25	1.15E-02	1.15E-09	1.0E+06	1.1E-03
318	318	0.6932	2.14E-05	1.5E-05	2.50E-04	3.72E-09	25	1.15E-02	1.07E-09	1.0E+06	1.1E-03
319	319	0.6459	2.14E-05	1.4E-05	2.50E-04	3.46E-09	25	1.15E-02	9.93E-10	1.0E+06	9.9E-04
320	320	0.60422	2.14E-05	1.3E-05	2.50E-04	3.24E-09	25	1.15E-02	9.29E-10	1.0E+06	9.3E-04
321	321	0.50452	2.14E-05	1.1E-05	2.50E-04	2.71E-09	25	1.15E-02	7.76E-10	1.0E+06	7.8E-04
322	322	0.47761	2.14E-05	1.0E-05	2.50E-04	2.56E-09	25	1.15E-02	7.35E-10	1.0E+06	7.3E-04
325	325	5.68947	2.14E-05	1.2E-04	2.50E-04	3.05E-08	25	1.15E-02	8.75E-09	1.0E+06	8.8E-03
326	326	3.4167	2.14E-05	7.3E-05	2.50E-04	1.83E-08	25	1.15E-02	5.26E-09	1.0E+06	5.3E-03
327	327	2.47249	2.14E-05	5.3E-05	2.50E-04	1.33E-08	25	1.15E-02	3.80E-09	1.0E+06	3.8E-03
328	328	1.94965	2.14E-05	4.2E-05	2.50E-04	1.05E-08	25	1.15E-02	3.00E-09	1.0E+06	3.0E-03
329	329	1.61239	2.14E-05	3.5E-05	2.50E-04	8.65E-09	25	1.15E-02	2.48E-09	1.0E+06	2.5E-03
330	330	1.37902	2.14E-05	3.0E-05	2.50E-04	7.40E-09	25	1.15E-02	2.12E-09	1.0E+06	2.1E-03
331	331	1.20479	2.14E-05	2.6E-05	2.50E-04	6.46E-09	25	1.15E-02	1.85E-09	1.0E+06	1.9E-03
332	332	1.06966	2.14E-05	2.3E-05	2.50E-04	5.74E-09	25	1.15E-02	1.65E-09	1.0E+06	1.6E-03
333	333	0.96218	2.14E-05	2.1E-05	2.50E-04	5.16E-09	25	1.15E-02	1.48E-09	1.0E+06	1.5E-03
334	334	0.87393	2.14E-05	1.9E-05	2.50E-04	4.69E-09	25	1.15E-02	1.34E-09	1.0E+06	1.3E-03
335	335	0.80023	2.14E-05	1.7E-05	2.50E-04	4.29E-09	25	1.15E-02	1.23E-09	1.0E+06	1.2E-03
336	336	0.73762	2.14E-05	1.6E-05	2.50E-04	3.96E-09	25	1.15E-02	1.13E-09	1.0E+06	1.1E-03

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	0.68371	2.14E-05	1.5E-05	2.50E-04	3.67E-09	25	1.15E-02	1.05E-09	1.0E+06	1.1E-03
338	338	0.63654	2.14E-05	1.4E-05	2.50E-04	3.41E-09	25	1.15E-02	9.79E-10	1.0E+06	9.8E-04
339	339	0.55888	2.14E-05	1.2E-05	2.50E-04	3.00E-09	25	1.15E-02	8.60E-10	1.0E+06	8.6E-04
340	340	0.52626	2.14E-05	1.1E-05	2.50E-04	2.82E-09	25	1.15E-02	8.09E-10	1.0E+06	8.1E-04
341	341	0.49686	2.14E-05	1.1E-05	2.50E-04	2.66E-09	25	1.15E-02	7.64E-10	1.0E+06	7.6E-04
349	349	1.84651	2.14E-05	4.0E-05	2.50E-04	9.90E-09	25	1.15E-02	2.84E-09	1.0E+06	2.8E-03
350	350	1.54528	2.14E-05	3.3E-05	2.50E-04	8.29E-09	25	1.15E-02	2.38E-09	1.0E+06	2.4E-03
351	351	1.32855	2.14E-05	2.8E-05	2.50E-04	7.13E-09	25	1.15E-02	2.04E-09	1.0E+06	2.0E-03
352	352	1.16613	2.14E-05	2.5E-05	2.50E-04	6.25E-09	25	1.15E-02	1.79E-09	1.0E+06	1.8E-03
353	353	0.58341	2.14E-05	1.3E-05	2.50E-04	3.13E-09	25	1.15E-02	8.97E-10	1.0E+06	9.0E-04
354	354	0.54785	2.14E-05	1.2E-05	2.50E-04	2.94E-09	25	1.15E-02	8.43E-10	1.0E+06	8.4E-04
355	355	0.51597	2.14E-05	1.1E-05	2.50E-04	2.77E-09	25	1.15E-02	7.94E-10	1.0E+06	7.9E-04
364	364	1.71445	2.14E-05	3.7E-05	2.50E-04	9.20E-09	25	1.15E-02	2.64E-09	1.0E+06	2.6E-03
365	365	1.4553	2.14E-05	3.1E-05	2.50E-04	7.81E-09	25	1.15E-02	2.24E-09	1.0E+06	2.2E-03
366	366	1.26406	2.14E-05	2.7E-05	2.50E-04	6.78E-09	25	1.15E-02	1.94E-09	1.0E+06	1.9E-03
367	367	0.60795	2.14E-05	1.3E-05	2.50E-04	3.26E-09	25	1.15E-02	9.35E-10	1.0E+06	9.4E-04
368	368	0.56937	2.14E-05	1.2E-05	2.50E-04	3.05E-09	25	1.15E-02	8.76E-10	1.0E+06	8.8E-04
369	369	0.53499	2.14E-05	1.1E-05	2.50E-04	2.87E-09	25	1.15E-02	8.23E-10	1.0E+06	8.2E-04
377	377	1.88979	2.14E-05	4.0E-05	2.50E-04	1.01E-08	25	1.15E-02	2.91E-09	1.0E+06	2.9E-03
378	378	1.58472	2.14E-05	3.4E-05	2.50E-04	8.50E-09	25	1.15E-02	2.44E-09	1.0E+06	2.4E-03
379	379	1.36328	2.14E-05	2.9E-05	2.50E-04	7.31E-09	25	1.15E-02	2.10E-09	1.0E+06	2.1E-03
380	380	0.6324	2.14E-05	1.4E-05	2.50E-04	3.39E-09	25	1.15E-02	9.73E-10	1.0E+06	9.7E-04
381	381	0.59058	2.14E-05	1.3E-05	2.50E-04	3.17E-09	25	1.15E-02	9.08E-10	1.0E+06	9.1E-04
382	382	0.5539	2.14E-05	1.2E-05	2.50E-04	2.97E-09	25	1.15E-02	8.52E-10	1.0E+06	8.5E-04
391	391	1.71908	2.14E-05	3.7E-05	2.50E-04	9.22E-09	25	1.15E-02	2.64E-09	1.0E+06	2.6E-03
392	392	1.46449	2.14E-05	3.1E-05	2.50E-04	7.85E-09	25	1.15E-02	2.25E-09	1.0E+06	2.3E-03
393	393	0.65694	2.14E-05	1.4E-05	2.50E-04	3.52E-09	25	1.15E-02	1.01E-09	1.0E+06	1.0E-03
394	394	0.61222	2.14E-05	1.3E-05	2.50E-04	3.28E-09	25	1.15E-02	9.42E-10	1.0E+06	9.4E-04
395	395	0.57297	2.14E-05	1.2E-05	2.50E-04	3.07E-09	25	1.15E-02	8.81E-10	1.0E+06	8.8E-04
405	405	1.8613	2.14E-05	4.0E-05	2.50E-04	9.98E-09	25	1.15E-02	2.86E-09	1.0E+06	2.9E-03
406	406	1.57271	2.14E-05	3.4E-05	2.50E-04	8.43E-09	25	1.15E-02	2.42E-09	1.0E+06	2.4E-03

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	1.36034	2.14E-05	2.9E-05	2.50E-04	7.30E-09	25	1.15E-02	2.09E-09	1.0E+06	2.1E-03
408	408	0.68189	2.14E-05	1.5E-05	2.50E-04	3.66E-09	25	1.15E-02	1.05E-09	1.0E+06	1.0E-03
409	409	0.63389	2.14E-05	1.4E-05	2.50E-04	3.40E-09	25	1.15E-02	9.75E-10	1.0E+06	9.7E-04
410	410	0.59214	2.14E-05	1.3E-05	2.50E-04	3.18E-09	25	1.15E-02	9.11E-10	1.0E+06	9.1E-04
421	421	1.68547	2.14E-05	3.6E-05	2.50E-04	9.04E-09	25	1.15E-02	2.59E-09	1.0E+06	2.6E-03
422	422	1.44712	2.14E-05	3.1E-05	2.50E-04	7.76E-09	25	1.15E-02	2.23E-09	1.0E+06	2.2E-03
423	423	0.70695	2.14E-05	1.5E-05	2.50E-04	3.79E-09	25	1.15E-02	1.09E-09	1.0E+06	1.1E-03
424	424	0.65579	2.14E-05	1.4E-05	2.50E-04	3.52E-09	25	1.15E-02	1.01E-09	1.0E+06	1.0E-03
425	425	0.61129	2.14E-05	1.3E-05	2.50E-04	3.28E-09	25	1.15E-02	9.40E-10	1.0E+06	9.4E-04
435	435	1.80439	2.14E-05	3.9E-05	2.50E-04	9.68E-09	25	1.15E-02	2.78E-09	1.0E+06	2.8E-03
436	436	1.53927	2.14E-05	3.3E-05	2.50E-04	8.26E-09	25	1.15E-02	2.37E-09	1.0E+06	2.4E-03
437	437	0.67795	2.14E-05	1.5E-05	2.50E-04	3.64E-09	25	1.15E-02	1.04E-09	1.0E+06	1.0E-03
438	438	0.63039	2.14E-05	1.4E-05	2.50E-04	3.38E-09	25	1.15E-02	9.70E-10	1.0E+06	9.7E-04
449	449	1.93301	2.14E-05	4.1E-05	2.50E-04	1.04E-08	25	1.15E-02	2.97E-09	1.0E+06	3.0E-03
450	450	1.63707	2.14E-05	3.5E-05	2.50E-04	8.78E-09	25	1.15E-02	2.52E-09	1.0E+06	2.5E-03
451	451	1.41486	2.14E-05	3.0E-05	2.50E-04	7.59E-09	25	1.15E-02	2.18E-09	1.0E+06	2.2E-03
452	452	0.70012	2.14E-05	1.5E-05	2.50E-04	3.75E-09	25	1.15E-02	1.08E-09	1.0E+06	1.1E-03
453	453	0.64961	2.14E-05	1.4E-05	2.50E-04	3.48E-09	25	1.15E-02	9.99E-10	1.0E+06	1.0E-03
464	464	1.7409	2.14E-05	3.7E-05	2.50E-04	9.34E-09	25	1.15E-02	2.68E-09	1.0E+06	2.7E-03
465	465	1.49502	2.14E-05	3.2E-05	2.50E-04	8.02E-09	25	1.15E-02	2.30E-09	1.0E+06	2.3E-03
466	466	0.85541	2.14E-05	1.8E-05	2.50E-04	4.59E-09	25	1.15E-02	1.32E-09	1.0E+06	1.3E-03
467	467	0.72259	2.14E-05	1.5E-05	2.50E-04	3.88E-09	25	1.15E-02	1.11E-09	1.0E+06	1.1E-03
468	468	0.66905	2.14E-05	1.4E-05	2.50E-04	3.59E-09	25	1.15E-02	1.03E-09	1.0E+06	1.0E-03
479	479	1.84752	2.14E-05	4.0E-05	2.50E-04	9.91E-09	25	1.15E-02	2.84E-09	1.0E+06	2.8E-03
480	480	1.57956	2.14E-05	3.4E-05	2.50E-04	8.47E-09	25	1.15E-02	2.43E-09	1.0E+06	2.4E-03
481	481	1.37329	2.14E-05	2.9E-05	2.50E-04	7.37E-09	25	1.15E-02	2.11E-09	1.0E+06	2.1E-03
482	482	1.21257	2.14E-05	2.6E-05	2.50E-04	6.50E-09	25	1.15E-02	1.87E-09	1.0E+06	1.9E-03
483	483	1.0822	2.14E-05	2.3E-05	2.50E-04	5.80E-09	25	1.15E-02	1.66E-09	1.0E+06	1.7E-03
484	484	0.97573	2.14E-05	2.1E-05	2.50E-04	5.23E-09	25	1.15E-02	1.50E-09	1.0E+06	1.5E-03
485	485	0.88636	2.14E-05	1.9E-05	2.50E-04	4.75E-09	25	1.15E-02	1.36E-09	1.0E+06	1.4E-03
486	486	0.81063	2.14E-05	1.7E-05	2.50E-04	4.35E-09	25	1.15E-02	1.25E-09	1.0E+06	1.2E-03

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	487	0.74538	2.14E-05	1.6E-05	2.50E-04	4.00E-09	25	1.15E-02	1.15E-09	1.0E+06	1.1E-03
488	488	0.68857	2.14E-05	1.5E-05	2.50E-04	3.69E-09	25	1.15E-02	1.06E-09	1.0E+06	1.1E-03
501	501	1.66598	2.14E-05	3.6E-05	2.50E-04	8.94E-09	25	1.15E-02	2.56E-09	1.0E+06	2.6E-03
502	502	1.44449	2.14E-05	3.1E-05	2.50E-04	7.75E-09	25	1.15E-02	2.22E-09	1.0E+06	2.2E-03
503	503	1.26911	2.14E-05	2.7E-05	2.50E-04	6.81E-09	25	1.15E-02	1.95E-09	1.0E+06	2.0E-03
504	504	1.12855	2.14E-05	2.4E-05	2.50E-04	6.05E-09	25	1.15E-02	1.74E-09	1.0E+06	1.7E-03
505	505	1.01378	2.14E-05	2.2E-05	2.50E-04	5.44E-09	25	1.15E-02	1.56E-09	1.0E+06	1.6E-03
506	506	0.91821	2.14E-05	2.0E-05	2.50E-04	4.92E-09	25	1.15E-02	1.41E-09	1.0E+06	1.4E-03
507	507	0.83761	2.14E-05	1.8E-05	2.50E-04	4.49E-09	25	1.15E-02	1.29E-09	1.0E+06	1.3E-03
508	508	0.70827	2.14E-05	1.5E-05	2.50E-04	3.80E-09	25	1.15E-02	1.09E-09	1.0E+06	1.1E-03
520	520	1.76649	2.14E-05	3.8E-05	2.50E-04	9.47E-09	25	1.15E-02	2.72E-09	1.0E+06	2.7E-03
521	521	1.51407	2.14E-05	3.2E-05	2.50E-04	8.12E-09	25	1.15E-02	2.33E-09	1.0E+06	2.3E-03
522	522	1.32829	2.14E-05	2.8E-05	2.50E-04	7.12E-09	25	1.15E-02	2.04E-09	1.0E+06	2.0E-03
523	523	1.17644	2.14E-05	2.5E-05	2.50E-04	6.31E-09	25	1.15E-02	1.81E-09	1.0E+06	1.8E-03
524	524	1.05305	2.14E-05	2.3E-05	2.50E-04	5.65E-09	25	1.15E-02	1.62E-09	1.0E+06	1.6E-03
525	525	0.95088	2.14E-05	2.0E-05	2.50E-04	5.10E-09	25	1.15E-02	1.46E-09	1.0E+06	1.5E-03
526	526	0.86501	2.14E-05	1.9E-05	2.50E-04	4.64E-09	25	1.15E-02	1.33E-09	1.0E+06	1.3E-03
527	527	0.72802	2.14E-05	1.6E-05	2.50E-04	3.90E-09	25	1.15E-02	1.12E-09	1.0E+06	1.1E-03
539	539	1.87623	2.14E-05	4.0E-05	2.50E-04	1.01E-08	25	1.15E-02	2.89E-09	1.0E+06	2.9E-03
540	540	1.59917	2.14E-05	3.4E-05	2.50E-04	8.58E-09	25	1.15E-02	2.46E-09	1.0E+06	2.5E-03
541	541	1.38833	2.14E-05	3.0E-05	2.50E-04	7.45E-09	25	1.15E-02	2.14E-09	1.0E+06	2.1E-03
542	542	1.22437	2.14E-05	2.6E-05	2.50E-04	6.57E-09	25	1.15E-02	1.88E-09	1.0E+06	1.9E-03
543	543	1.09376	2.14E-05	2.3E-05	2.50E-04	5.87E-09	25	1.15E-02	1.68E-09	1.0E+06	1.7E-03
544	544	0.98436	2.14E-05	2.1E-05	2.50E-04	5.28E-09	25	1.15E-02	1.51E-09	1.0E+06	1.5E-03
545	545	0.89202	2.14E-05	1.9E-05	2.50E-04	4.78E-09	25	1.15E-02	1.37E-09	1.0E+06	1.4E-03
546	546	0.74776	2.14E-05	1.6E-05	2.50E-04	4.01E-09	25	1.15E-02	1.15E-09	1.0E+06	1.2E-03
560	560	1.68777	2.14E-05	3.6E-05	2.50E-04	9.05E-09	25	1.15E-02	2.60E-09	1.0E+06	2.6E-03
561	561	1.45829	2.14E-05	3.1E-05	2.50E-04	7.82E-09	25	1.15E-02	2.24E-09	1.0E+06	2.2E-03
562	562	1.27887	2.14E-05	2.7E-05	2.50E-04	6.86E-09	25	1.15E-02	1.97E-09	1.0E+06	2.0E-03
563	563	1.1326	2.14E-05	2.4E-05	2.50E-04	6.07E-09	25	1.15E-02	1.74E-09	1.0E+06	1.7E-03
564	564	1.01787	2.14E-05	2.2E-05	2.50E-04	5.46E-09	25	1.15E-02	1.57E-09	1.0E+06	1.6E-03

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

<i>Cancer Risk from 16-30 years - Construction</i>											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.92166	2.14E-05	2.0E-05	2.50E-04	4.94E-09	25	1.15E-02	1.42E-09	1.0E+06	1.4E-03
566	566	0.76776	2.14E-05	1.6E-05	2.50E-04	4.12E-09	25	1.15E-02	1.18E-09	1.0E+06	1.2E-03
579	579	1.78369	2.14E-05	3.8E-05	2.50E-04	9.57E-09	25	1.15E-02	2.74E-09	1.0E+06	2.7E-03
580	580	1.53081	2.14E-05	3.3E-05	2.50E-04	8.21E-09	25	1.15E-02	2.35E-09	1.0E+06	2.4E-03
581	581	1.33623	2.14E-05	2.9E-05	2.50E-04	7.17E-09	25	1.15E-02	2.06E-09	1.0E+06	2.1E-03
582	582	1.18114	2.14E-05	2.5E-05	2.50E-04	6.33E-09	25	1.15E-02	1.82E-09	1.0E+06	1.8E-03
583	583	1.05479	2.14E-05	2.3E-05	2.50E-04	5.66E-09	25	1.15E-02	1.62E-09	1.0E+06	1.6E-03
584	584	0.94995	2.14E-05	2.0E-05	2.50E-04	5.09E-09	25	1.15E-02	1.46E-09	1.0E+06	1.5E-03
585	585	0.82723	2.14E-05	1.8E-05	2.50E-04	4.44E-09	25	1.15E-02	1.27E-09	1.0E+06	1.3E-03
598	598	1.88937	2.14E-05	4.0E-05	2.50E-04	1.01E-08	25	1.15E-02	2.91E-09	1.0E+06	2.9E-03
599	599	1.60874	2.14E-05	3.4E-05	2.50E-04	8.63E-09	25	1.15E-02	2.47E-09	1.0E+06	2.5E-03
600	600	1.3956	2.14E-05	3.0E-05	2.50E-04	7.48E-09	25	1.15E-02	2.15E-09	1.0E+06	2.1E-03
601	601	1.22778	2.14E-05	2.6E-05	2.50E-04	6.58E-09	25	1.15E-02	1.89E-09	1.0E+06	1.9E-03
602	602	1.0921	2.14E-05	2.3E-05	2.50E-04	5.86E-09	25	1.15E-02	1.68E-09	1.0E+06	1.7E-03
603	603	0.98049	2.14E-05	2.1E-05	2.50E-04	5.26E-09	25	1.15E-02	1.51E-09	1.0E+06	1.5E-03
604	604	0.88657	2.14E-05	1.9E-05	2.50E-04	4.75E-09	25	1.15E-02	1.36E-09	1.0E+06	1.4E-03
0	0	0	2.14E-05	0.0E+00	2.50E-04	0.00E+00	25	1.15E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
1	1	2.0E-03	5	5.07E-07	
2	2	2.0E-03	5	5.21E-07	
3	3	2.1E-03	5	5.35E-07	
4	4	2.1E-03	5	5.49E-07	
5	5	2.2E-03	5	5.63E-07	
6	6	2.3E-03	5	5.77E-07	
7	7	2.3E-03	5	5.91E-07	
8	8	2.4E-03	5	6.05E-07	
9	9	2.4E-03	5	6.19E-07	
10	10	2.5E-03	5	6.31E-07	
11	11	2.5E-03	5	6.43E-07	
12	12	2.6E-03	5	6.54E-07	
13	13	2.6E-03	5	6.64E-07	
14	14	2.6E-03	5	6.73E-07	
15	15	2.7E-03	5	6.81E-07	
16	16	2.7E-03	5	6.87E-07	
17	17	2.7E-03	5	6.93E-07	
18	18	2.7E-03	5	6.97E-07	
19	19	2.7E-03	5	6.99E-07	
20	20	2.7E-03	5	7.01E-07	
21	21	2.7E-03	5	7.03E-07	
22	22	2.8E-03	5	7.04E-07	
23	23	2.8E-03	5	7.05E-07	
24	24	2.8E-03	5	7.06E-07	
25	25	2.8E-03	5	7.07E-07	
26	26	2.8E-03	5	7.09E-07	
27	27	2.8E-03	5	7.12E-07	
28	28	2.8E-03	5	7.15E-07	
29	29	2.8E-03	5	7.19E-07	
30	30	2.8E-03	5	7.23E-07	
31	31	2.8E-03	5	7.27E-07	

Max	Receptor #	
0.138	443	Res
0.140	416	School
0.009	325	Worker

Max	Receptor #	
3.528E-05	443	Res
3.582E-05	416	School
2.438E-05	325	Worker

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
32	32	2.9E-03	5	7.30E-07	
55	55	2.9E-03	5	7.53E-07	
56	56	2.9E-03	5	7.54E-07	
57	57	3.0E-03	5	7.56E-07	
58	58	3.0E-03	5	7.58E-07	
59	59	3.0E-03	5	7.61E-07	
60	60	3.0E-03	5	7.65E-07	
61	61	3.0E-03	5	7.69E-07	
62	62	3.0E-03	5	7.73E-07	
63	63	3.0E-03	5	7.78E-07	
64	64	3.1E-03	5	7.82E-07	
65	65	3.1E-03	5	7.85E-07	
66	66	3.1E-03	5	7.88E-07	
67	67	2.2E-03	5	5.55E-07	
68	68	2.2E-03	5	5.72E-07	
69	69	2.3E-03	5	5.90E-07	
70	70	2.4E-03	5	6.08E-07	
71	71	2.4E-03	5	6.26E-07	
72	72	2.5E-03	5	6.44E-07	
73	73	2.6E-03	5	6.62E-07	
74	74	2.7E-03	5	6.80E-07	
75	75	2.7E-03	5	6.97E-07	
76	76	2.8E-03	5	7.14E-07	
77	77	2.9E-03	5	7.30E-07	
78	78	2.9E-03	5	7.45E-07	
79	79	3.1E-03	5	7.95E-07	
80	80	3.1E-03	5	7.99E-07	
81	81	3.1E-03	5	8.03E-07	
82	82	3.1E-03	5	8.05E-07	
83	83	3.2E-03	5	8.07E-07	
84	84	3.2E-03	5	8.09E-07	

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
85	85	3.2E-03	5	8.11E-07	
86	86	3.2E-03	5	8.14E-07	
87	87	3.2E-03	5	8.17E-07	
88	88	3.2E-03	5	8.21E-07	
89	89	3.2E-03	5	8.25E-07	
90	90	3.2E-03	5	8.30E-07	
91	91	3.3E-03	5	8.35E-07	
92	92	3.3E-03	5	8.39E-07	
93	93	3.3E-03	5	8.43E-07	
96	96	3.5E-03	5	8.93E-07	
97	97	3.5E-03	5	9.07E-07	
98	98	3.5E-03	5	8.90E-07	
99	99	3.5E-03	5	8.95E-07	
100	100	3.5E-03	5	9.00E-07	
101	101	3.5E-03	5	9.05E-07	
102	102	3.6E-03	5	9.09E-07	
106	106	2.3E-03	5	5.89E-07	
107	107	2.4E-03	5	6.10E-07	
108	108	2.5E-03	5	6.32E-07	
109	109	2.6E-03	5	6.54E-07	
110	110	2.6E-03	5	6.77E-07	
111	111	2.7E-03	5	7.00E-07	
112	112	2.8E-03	5	7.24E-07	
113	113	2.9E-03	5	7.48E-07	
114	114	3.0E-03	5	7.72E-07	
115	115	3.1E-03	5	7.95E-07	
116	116	3.2E-03	5	8.18E-07	
117	117	3.3E-03	5	8.40E-07	
118	118	3.4E-03	5	8.60E-07	
124	124	2.4E-03	5	6.17E-07	
125	125	2.5E-03	5	6.41E-07	

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
126	126	2.6E-03	5	6.65E-07	
127	127	2.7E-03	5	6.90E-07	
128	128	2.8E-03	5	7.16E-07	
129	129	2.9E-03	5	7.43E-07	
130	130	3.0E-03	5	7.70E-07	
131	131	3.1E-03	5	7.98E-07	
132	132	3.2E-03	5	8.26E-07	
133	133	3.3E-03	5	8.54E-07	
134	134	3.4E-03	5	8.81E-07	
135	135	3.5E-03	5	9.07E-07	
136	136	3.6E-03	5	9.31E-07	
137	137	3.7E-03	5	9.53E-07	
138	138	3.8E-03	5	9.72E-07	
141	141	2.5E-03	5	6.47E-07	
142	142	2.6E-03	5	6.73E-07	
143	143	2.7E-03	5	7.01E-07	
144	144	2.8E-03	5	7.29E-07	
145	145	3.0E-03	5	7.59E-07	
146	146	3.1E-03	5	7.89E-07	
147	147	3.2E-03	5	8.21E-07	
148	148	3.3E-03	5	8.54E-07	
149	149	3.5E-03	5	8.87E-07	
150	150	3.6E-03	5	9.20E-07	
151	151	3.7E-03	5	9.52E-07	
152	152	3.8E-03	5	9.84E-07	
153	153	4.0E-03	5	1.01E-06	
154	154	4.1E-03	5	1.04E-06	
155	155	4.2E-03	5	1.06E-06	
164	164	4.5E-03	5	1.14E-06	
165	165	4.6E-03	5	1.17E-06	
166	166	4.7E-03	5	1.19E-06	

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
178	178	4.9E-03	5	1.26E-06	
179	179	5.1E-03	5	1.30E-06	
180	180	5.2E-03	5	1.33E-06	
192	192	5.5E-03	5	1.41E-06	
193	193	5.7E-03	5	1.46E-06	
194	194	5.8E-03	5	1.50E-06	
207	207	6.2E-03	5	1.60E-06	
208	208	6.5E-03	5	1.66E-06	
209	209	6.7E-03	5	1.71E-06	
223	223	7.2E-03	5	1.84E-06	
224	224	7.5E-03	5	1.92E-06	
225	225	7.8E-03	5	1.99E-06	
239	239	8.4E-03	5	2.15E-06	
240	240	8.9E-03	5	2.28E-06	
241	241	9.3E-03	5	2.38E-06	
255	255	1.0E-02	5	2.59E-06	
256	256	1.1E-02	5	2.79E-06	
272	272	1.3E-02	5	3.22E-06	
273	273	1.4E-02	5	3.60E-06	
289	289	1.6E-02	5	4.22E-06	
290	290	2.0E-02	5	5.07E-06	
306	306	2.3E-02	5	5.81E-06	
307	307	3.3E-02	5	8.39E-06	
323	323	3.1E-02	5	7.93E-06	
324	324	3.0E-02	5	7.60E-06	
342	342	3.7E-02	5	9.40E-06	
343	343	8.2E-02	5	2.11E-05	
344	344	4.1E-02	5	1.05E-05	
356	356	3.8E-02	5	9.76E-06	
357	357	7.4E-02	5	1.89E-05	
358	358	5.9E-02	5	1.52E-05	

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
370	370	3.7E-02	5	9.58E-06	
371	371	6.5E-02	5	1.66E-05	
372	372	6.3E-02	5	1.60E-05	
383	383	3.6E-02	5	9.19E-06	
384	384	5.7E-02	5	1.46E-05	
385	385	1.2E-01	5	2.94E-05	
396	396	3.4E-02	5	8.75E-06	
397	397	5.1E-02	5	1.31E-05	
398	398	9.2E-02	5	2.34E-05	
399	399	7.9E-02	5	2.03E-05	
411	411	3.2E-02	5	8.31E-06	
412	412	4.7E-02	5	1.19E-05	
413	413	7.6E-02	5	1.96E-05	
414	414	1.2E-01	5	3.00E-05	
426	426	3.1E-02	5	7.88E-06	
427	427	4.3E-02	5	1.09E-05	
428	428	6.6E-02	5	1.68E-05	
429	429	1.3E-01	5	3.25E-05	
439	439	2.9E-02	5	7.48E-06	
440	440	3.9E-02	5	1.01E-05	
441	441	5.8E-02	5	1.48E-05	
442	442	1.0E-01	5	2.58E-05	
443	443	1.4E-01	5	3.53E-05	
454	454	2.8E-02	5	7.11E-06	
455	455	3.7E-02	5	9.38E-06	
456	456	5.2E-02	5	1.33E-05	
457	457	8.3E-02	5	2.14E-05	
458	458	1.2E-01	5	3.09E-05	
469	469	2.6E-02	5	6.76E-06	
470	470	3.4E-02	5	8.74E-06	
471	471	4.7E-02	5	1.20E-05	

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
472	472	7.1E-02	5	1.82E-05	
473	473	1.0E-01	5	2.61E-05	
489	489	2.5E-02	5	6.44E-06	
490	490	3.2E-02	5	8.18E-06	
491	491	4.3E-02	5	1.09E-05	
492	492	6.2E-02	5	1.59E-05	
493	493	1.1E-01	5	2.75E-05	
494	494	1.0E-01	5	2.67E-05	
509	509	2.4E-02	5	6.13E-06	
510	510	3.0E-02	5	7.68E-06	
511	511	3.9E-02	5	1.00E-05	
512	512	5.5E-02	5	1.40E-05	
513	513	8.8E-02	5	2.25E-05	
514	514	1.2E-01	5	3.13E-05	
515	515	1.3E-01	5	3.45E-05	
516	516	8.0E-02	5	2.04E-05	
517	517	5.6E-02	5	1.45E-05	
518	518	4.4E-02	5	1.11E-05	
519	519	3.5E-02	5	9.05E-06	
528	528	2.3E-02	5	5.85E-06	
529	529	2.8E-02	5	7.23E-06	
530	530	3.6E-02	5	9.27E-06	
531	531	4.9E-02	5	1.26E-05	
532	532	7.4E-02	5	1.90E-05	
533	533	1.0E-01	5	2.65E-05	
534	534	1.2E-01	5	3.06E-05	
535	535	9.2E-02	5	2.36E-05	
536	536	6.3E-02	5	1.60E-05	
537	537	4.7E-02	5	1.21E-05	
538	538	3.8E-02	5	9.68E-06	
547	547	2.2E-02	5	5.58E-06	

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
548	548	2.7E-02	5	6.82E-06	
549	549	3.4E-02	5	8.61E-06	
550	550	4.5E-02	5	1.14E-05	
551	551	6.4E-02	5	1.64E-05	
552	552	1.1E-01	5	2.84E-05	
553	553	9.8E-02	5	2.51E-05	
554	554	8.4E-02	5	2.15E-05	
555	555	1.1E-01	5	2.80E-05	
556	556	7.0E-02	5	1.80E-05	
557	557	5.2E-02	5	1.32E-05	
558	558	4.1E-02	5	1.04E-05	
559	559	3.3E-02	5	8.55E-06	
567	567	2.1E-02	5	5.33E-06	
568	568	2.5E-02	5	6.45E-06	
569	569	3.1E-02	5	8.02E-06	
570	570	4.1E-02	5	1.04E-05	
571	571	5.7E-02	5	1.45E-05	
572	572	9.0E-02	5	2.31E-05	
573	573	9.2E-02	5	2.36E-05	
574	574	1.3E-01	5	3.42E-05	
575	575	8.0E-02	5	2.04E-05	
576	576	5.7E-02	5	1.45E-05	
577	577	4.4E-02	5	1.12E-05	
578	578	3.6E-02	5	9.12E-06	
586	586	2.0E-02	5	5.09E-06	
587	587	2.4E-02	5	6.10E-06	
588	588	2.9E-02	5	7.51E-06	
589	589	3.7E-02	5	9.57E-06	
590	590	5.1E-02	5	1.29E-05	
591	591	7.6E-02	5	1.94E-05	
592	592	1.1E-01	5	2.69E-05	

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
593	593	1.1E-01	5	2.91E-05	
594	594	9.2E-02	5	2.35E-05	
595	595	6.3E-02	5	1.61E-05	
596	596	4.8E-02	5	1.22E-05	
597	597	3.8E-02	5	9.75E-06	
345	345	8.5E-02	5	2.19E-05	
346	346	7.7E-02	5	1.98E-05	
347	347	5.1E-02	5	1.31E-05	
348	348	3.9E-02	5	9.86E-06	
359	359	1.2E-01	5	3.02E-05	
360	360	1.0E-01	5	2.60E-05	
361	361	6.2E-02	5	1.59E-05	
362	362	4.5E-02	5	1.14E-05	
363	363	3.5E-02	5	8.94E-06	
373	373	1.4E-01	5	3.48E-05	
374	374	7.5E-02	5	1.91E-05	
375	375	5.1E-02	5	1.31E-05	
376	376	3.9E-02	5	1.00E-05	
386	386	1.1E-01	5	2.84E-05	
387	387	9.0E-02	5	2.31E-05	
388	388	5.9E-02	5	1.51E-05	
389	389	4.4E-02	5	1.12E-05	
390	390	3.5E-02	5	8.90E-06	
400	400	1.3E-01	5	3.38E-05	
401	401	1.1E-01	5	2.83E-05	
402	402	6.8E-02	5	1.74E-05	
403	403	4.9E-02	5	1.25E-05	
404	404	3.8E-02	5	9.74E-06	
415	415	1.1E-01	5	2.71E-05	
416	416	1.4E-01	5	3.58E-05	
417	417	7.9E-02	5	2.01E-05	

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
418	418	5.5E-02	5	1.40E-05	
419	419	4.2E-02	5	1.07E-05	
420	420	3.4E-02	5	8.61E-06	
430	430	1.2E-01	5	3.03E-05	
431	431	9.3E-02	5	2.37E-05	
432	432	6.1E-02	5	1.57E-05	
433	433	4.6E-02	5	1.17E-05	
434	434	3.7E-02	5	9.34E-06	
444	444	8.7E-02	5	2.24E-05	
445	445	1.1E-01	5	2.84E-05	
446	446	7.0E-02	5	1.78E-05	
447	447	5.1E-02	5	1.29E-05	
448	448	4.0E-02	5	1.01E-05	
459	459	1.4E-01	5	3.50E-05	
460	460	8.0E-02	5	2.04E-05	
461	461	5.6E-02	5	1.43E-05	
462	462	4.3E-02	5	1.10E-05	
463	463	3.5E-02	5	8.90E-06	
474	474	1.2E-01	5	3.17E-05	
475	475	9.2E-02	5	2.37E-05	
476	476	6.2E-02	5	1.59E-05	
477	477	4.7E-02	5	1.20E-05	
478	478	3.7E-02	5	9.57E-06	
495	495	8.4E-02	5	2.16E-05	
496	496	1.1E-01	5	2.81E-05	
497	497	7.0E-02	5	1.79E-05	
498	498	5.1E-02	5	1.31E-05	
499	499	4.0E-02	5	1.03E-05	
500	500	3.3E-02	5	8.46E-06	

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Max Cancer Risk			Chronic Non Cancer Risk	
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad
139	139	3.5E-04	5	9.88E-07
140	140	3.6E-04	5	1.00E-06
156	156	3.9E-04	5	1.08E-06
157	157	3.9E-04	5	1.10E-06
158	158	4.0E-04	5	1.11E-06
159	159	4.0E-04	5	1.12E-06
160	160	4.0E-04	5	1.12E-06
161	161	4.1E-04	5	1.13E-06
162	162	4.1E-04	5	1.14E-06
163	163	4.1E-04	5	1.15E-06
167	167	4.3E-04	5	1.21E-06
168	168	4.4E-04	5	1.23E-06
169	169	4.4E-04	5	1.23E-06
170	170	4.5E-04	5	1.24E-06
171	171	4.5E-04	5	1.25E-06
172	172	4.5E-04	5	1.26E-06
173	173	4.6E-04	5	1.27E-06
174	174	4.6E-04	5	1.28E-06
175	175	4.6E-04	5	1.29E-06
176	176	4.6E-04	5	1.30E-06
177	177	4.7E-04	5	1.30E-06
181	181	4.9E-04	5	1.37E-06
182	182	4.9E-04	5	1.38E-06
183	183	5.0E-04	5	1.39E-06
184	184	5.0E-04	5	1.40E-06
185	185	5.1E-04	5	1.41E-06
186	186	5.1E-04	5	1.43E-06
187	187	5.2E-04	5	1.44E-06
188	188	5.2E-04	5	1.45E-06
189	189	5.2E-04	5	1.45E-06
190	190	5.2E-04	5	1.45E-06

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
191	191	5.2E-04	5	1.44E-06	
195	195	5.5E-04	5	1.54E-06	
196	196	5.6E-04	5	1.56E-06	
197	197	5.7E-04	5	1.57E-06	
198	198	5.7E-04	5	1.59E-06	
199	199	5.8E-04	5	1.61E-06	
200	200	5.8E-04	5	1.62E-06	
201	201	5.9E-04	5	1.63E-06	
202	202	5.9E-04	5	1.63E-06	
203	203	5.9E-04	5	1.63E-06	
204	204	5.8E-04	5	1.62E-06	
205	205	5.8E-04	5	1.60E-06	
206	206	5.7E-04	5	1.58E-06	
210	210	6.2E-04	5	1.74E-06	
211	211	6.4E-04	5	1.77E-06	
212	212	6.4E-04	5	1.79E-06	
213	213	6.5E-04	5	1.81E-06	
214	214	6.7E-04	5	1.86E-06	
215	215	6.7E-04	5	1.87E-06	
216	216	6.7E-04	5	1.87E-06	
217	217	6.7E-04	5	1.86E-06	
218	218	6.6E-04	5	1.84E-06	
219	219	6.5E-04	5	1.81E-06	
220	220	6.4E-04	5	1.78E-06	
221	221	6.3E-04	5	1.74E-06	
222	222	6.1E-04	5	1.70E-06	
226	226	7.3E-04	5	2.04E-06	
227	227	7.4E-04	5	2.08E-06	
228	228	7.6E-04	5	2.11E-06	
229	229	7.7E-04	5	2.14E-06	
230	230	7.8E-04	5	2.16E-06	

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
231	231	7.8E-04	5	2.18E-06	
232	232	7.8E-04	5	2.17E-06	
233	233	7.6E-04	5	2.12E-06	
234	234	7.5E-04	5	2.08E-06	
235	235	7.3E-04	5	2.03E-06	
236	236	7.1E-04	5	1.97E-06	
237	237	6.9E-04	5	1.91E-06	
238	238	6.6E-04	5	1.85E-06	
242	242	8.8E-04	5	2.45E-06	
243	243	9.0E-04	5	2.50E-06	
244	244	9.1E-04	5	2.55E-06	
245	245	9.3E-04	5	2.59E-06	
246	246	9.3E-04	5	2.60E-06	
247	247	9.3E-04	5	2.59E-06	
248	248	9.2E-04	5	2.56E-06	
249	249	8.7E-04	5	2.43E-06	
250	250	8.4E-04	5	2.34E-06	
251	251	8.1E-04	5	2.26E-06	
252	252	7.8E-04	5	2.17E-06	
253	253	7.5E-04	5	2.09E-06	
254	254	7.2E-04	5	2.00E-06	
257	257	1.1E-03	5	3.06E-06	
258	258	1.1E-03	5	3.15E-06	
259	259	1.2E-03	5	3.21E-06	
260	260	1.2E-03	5	3.22E-06	
261	261	1.1E-03	5	3.20E-06	
262	262	1.1E-03	5	3.12E-06	
263	263	1.1E-03	5	3.01E-06	
264	264	9.9E-04	5	2.75E-06	
265	265	9.4E-04	5	2.62E-06	
266	266	9.0E-04	5	2.50E-06	

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
267	267	8.5E-04	5	2.38E-06	
268	268	8.1E-04	5	2.26E-06	
269	269	7.7E-04	5	2.15E-06	
270	270	6.7E-04	5	1.87E-06	
271	271	6.4E-04	5	1.79E-06	
274	274	1.5E-03	5	4.10E-06	
275	275	1.5E-03	5	4.23E-06	
276	276	1.5E-03	5	4.26E-06	
277	277	1.5E-03	5	4.15E-06	
278	278	1.4E-03	5	3.97E-06	
279	279	1.3E-03	5	3.75E-06	
280	280	1.3E-03	5	3.52E-06	
281	281	1.1E-03	5	3.10E-06	
282	282	1.0E-03	5	2.91E-06	
283	283	9.8E-04	5	2.74E-06	
284	284	9.3E-04	5	2.58E-06	
285	285	8.7E-04	5	2.43E-06	
286	286	8.3E-04	5	2.30E-06	
287	287	7.1E-04	5	1.97E-06	
288	288	6.7E-04	5	1.88E-06	
291	291	2.2E-03	5	6.23E-06	
292	292	2.2E-03	5	6.23E-06	
293	293	2.1E-03	5	5.87E-06	
294	294	1.9E-03	5	5.38E-06	
295	295	1.8E-03	5	4.89E-06	
296	296	1.6E-03	5	4.46E-06	
297	297	1.5E-03	5	4.07E-06	
298	298	1.2E-03	5	3.45E-06	
299	299	1.1E-03	5	3.19E-06	
300	300	1.1E-03	5	2.97E-06	
301	301	1.0E-03	5	2.78E-06	

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
302	302	9.3E-04	5	2.60E-06	
303	303	8.8E-04	5	2.45E-06	
304	304	7.4E-04	5	2.07E-06	
305	305	7.0E-04	5	1.96E-06	
308	308	4.2E-03	5	1.18E-05	
309	309	3.5E-03	5	9.80E-06	
310	310	2.9E-03	5	8.10E-06	
311	311	2.5E-03	5	6.84E-06	
312	312	2.1E-03	5	5.91E-06	
313	313	1.9E-03	5	5.19E-06	
314	314	1.7E-03	5	4.62E-06	
315	315	1.4E-03	5	3.79E-06	
316	316	1.2E-03	5	3.47E-06	
317	317	1.1E-03	5	3.20E-06	
318	318	1.1E-03	5	2.97E-06	
319	319	9.9E-04	5	2.77E-06	
320	320	9.3E-04	5	2.59E-06	
321	321	7.8E-04	5	2.16E-06	
322	322	7.3E-04	5	2.05E-06	
325	325	8.8E-03	5	2.44E-05	
326	326	5.3E-03	5	1.46E-05	
327	327	3.8E-03	5	1.06E-05	
328	328	3.0E-03	5	8.36E-06	
329	329	2.5E-03	5	6.91E-06	
330	330	2.1E-03	5	5.91E-06	
331	331	1.9E-03	5	5.16E-06	
332	332	1.6E-03	5	4.58E-06	
333	333	1.5E-03	5	4.12E-06	
334	334	1.3E-03	5	3.75E-06	
335	335	1.2E-03	5	3.43E-06	
336	336	1.1E-03	5	3.16E-06	

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
337	337	1.1E-03	5	2.93E-06	
338	338	9.8E-04	5	2.73E-06	
339	339	8.6E-04	5	2.40E-06	
340	340	8.1E-04	5	2.26E-06	
341	341	7.6E-04	5	2.13E-06	
349	349	2.8E-03	5	7.91E-06	
350	350	2.4E-03	5	6.62E-06	
351	351	2.0E-03	5	5.69E-06	
352	352	1.8E-03	5	5.00E-06	
353	353	9.0E-04	5	2.50E-06	
354	354	8.4E-04	5	2.35E-06	
355	355	7.9E-04	5	2.21E-06	
364	364	2.6E-03	5	7.35E-06	
365	365	2.2E-03	5	6.24E-06	
366	366	1.9E-03	5	5.42E-06	
367	367	9.4E-04	5	2.61E-06	
368	368	8.8E-04	5	2.44E-06	
369	369	8.2E-04	5	2.29E-06	
377	377	2.9E-03	5	8.10E-06	
378	378	2.4E-03	5	6.79E-06	
379	379	2.1E-03	5	5.84E-06	
380	380	9.7E-04	5	2.71E-06	
381	381	9.1E-04	5	2.53E-06	
382	382	8.5E-04	5	2.37E-06	
391	391	2.6E-03	5	7.37E-06	
392	392	2.3E-03	5	6.28E-06	
393	393	1.0E-03	5	2.82E-06	
394	394	9.4E-04	5	2.62E-06	
395	395	8.8E-04	5	2.46E-06	
405	405	2.9E-03	5	7.98E-06	
406	406	2.4E-03	5	6.74E-06	

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
407	407	2.1E-03	5	5.83E-06	
408	408	1.0E-03	5	2.92E-06	
409	409	9.7E-04	5	2.72E-06	
410	410	9.1E-04	5	2.54E-06	
421	421	2.6E-03	5	7.22E-06	
422	422	2.2E-03	5	6.20E-06	
423	423	1.1E-03	5	3.03E-06	
424	424	1.0E-03	5	2.81E-06	
425	425	9.4E-04	5	2.62E-06	
435	435	2.8E-03	5	7.73E-06	
436	436	2.4E-03	5	6.60E-06	
437	437	1.0E-03	5	2.91E-06	
438	438	9.7E-04	5	2.70E-06	
449	449	3.0E-03	5	8.28E-06	
450	450	2.5E-03	5	7.02E-06	
451	451	2.2E-03	5	6.06E-06	
452	452	1.1E-03	5	3.00E-06	
453	453	1.0E-03	5	2.78E-06	
464	464	2.7E-03	5	7.46E-06	
465	465	2.3E-03	5	6.41E-06	
466	466	1.3E-03	5	3.67E-06	
467	467	1.1E-03	5	3.10E-06	
468	468	1.0E-03	5	2.87E-06	
479	479	2.8E-03	5	7.92E-06	
480	480	2.4E-03	5	6.77E-06	
481	481	2.1E-03	5	5.89E-06	
482	482	1.9E-03	5	5.20E-06	
483	483	1.7E-03	5	4.64E-06	
484	484	1.5E-03	5	4.18E-06	
485	485	1.4E-03	5	3.80E-06	
486	486	1.2E-03	5	3.47E-06	

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
487	487	1.1E-03	5	3.19E-06	
488	488	1.1E-03	5	2.95E-06	
501	501	2.6E-03	5	7.14E-06	
502	502	2.2E-03	5	6.19E-06	
503	503	2.0E-03	5	5.44E-06	
504	504	1.7E-03	5	4.84E-06	
505	505	1.6E-03	5	4.34E-06	
506	506	1.4E-03	5	3.94E-06	
507	507	1.3E-03	5	3.59E-06	
508	508	1.1E-03	5	3.04E-06	
520	520	2.7E-03	5	7.57E-06	
521	521	2.3E-03	5	6.49E-06	
522	522	2.0E-03	5	5.69E-06	
523	523	1.8E-03	5	5.04E-06	
524	524	1.6E-03	5	4.51E-06	
525	525	1.5E-03	5	4.08E-06	
526	526	1.3E-03	5	3.71E-06	
527	527	1.1E-03	5	3.12E-06	
539	539	2.9E-03	5	8.04E-06	
540	540	2.5E-03	5	6.85E-06	
541	541	2.1E-03	5	5.95E-06	
542	542	1.9E-03	5	5.25E-06	
543	543	1.7E-03	5	4.69E-06	
544	544	1.5E-03	5	4.22E-06	
545	545	1.4E-03	5	3.82E-06	
546	546	1.2E-03	5	3.20E-06	
560	560	2.6E-03	5	7.23E-06	
561	561	2.2E-03	5	6.25E-06	
562	562	2.0E-03	5	5.48E-06	
563	563	1.7E-03	5	4.85E-06	
564	564	1.6E-03	5	4.36E-06	

Via Oro
Risk From Santa Fe (Carson to E. DelAmo [TKM])

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
565	565	1.4E-03	5	3.95E-06	
566	566	1.2E-03	5	3.29E-06	
579	579	2.7E-03	5	7.64E-06	
580	580	2.4E-03	5	6.56E-06	
581	581	2.1E-03	5	5.73E-06	
582	582	1.8E-03	5	5.06E-06	
583	583	1.6E-03	5	4.52E-06	
584	584	1.5E-03	5	4.07E-06	
585	585	1.3E-03	5	3.55E-06	
598	598	2.9E-03	5	8.10E-06	
599	599	2.5E-03	5	6.89E-06	
600	600	2.1E-03	5	5.98E-06	
601	601	1.9E-03	5	5.26E-06	
602	602	1.7E-03	5	4.68E-06	
603	603	1.5E-03	5	4.20E-06	
604	604	1.4E-03	5	3.80E-06	
0	0	0.0E+00	5	0.00E+00	

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	Cancer Risk from 3rd Trimester - Construction								
		g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	13.27717	1.12E-05	1.5E-04	3.46E-04	5.14E-08	0.25	1.57E-01	2.02E-09	1.0E+06	2.0E-03
2	14.55208	1.12E-05	1.6E-04	3.46E-04	5.63E-08	0.25	1.57E-01	2.21E-09	1.0E+06	2.2E-03
3	15.06129	1.12E-05	1.7E-04	3.46E-04	5.83E-08	0.25	1.57E-01	2.29E-09	1.0E+06	2.3E-03
4	15.39379	1.12E-05	1.7E-04	3.46E-04	5.96E-08	0.25	1.57E-01	2.34E-09	1.0E+06	2.3E-03
5	15.72103	1.12E-05	1.8E-04	3.46E-04	6.09E-08	0.25	1.57E-01	2.39E-09	1.0E+06	2.4E-03
6	12.45757	1.12E-05	1.4E-04	3.46E-04	4.82E-08	0.25	1.57E-01	1.89E-09	1.0E+06	1.9E-03
7	12.77993	1.12E-05	1.4E-04	3.46E-04	4.95E-08	0.25	1.57E-01	1.94E-09	1.0E+06	1.9E-03
8	13.06631	1.12E-05	1.5E-04	3.46E-04	5.06E-08	0.25	1.57E-01	1.99E-09	1.0E+06	2.0E-03
9	13.32534	1.12E-05	1.5E-04	3.46E-04	5.16E-08	0.25	1.57E-01	2.03E-09	1.0E+06	2.0E-03
10	13.55262	1.12E-05	1.5E-04	3.46E-04	5.25E-08	0.25	1.57E-01	2.06E-09	1.0E+06	2.1E-03
11	13.73981	1.12E-05	1.5E-04	3.46E-04	5.32E-08	0.25	1.57E-01	2.09E-09	1.0E+06	2.1E-03
12	13.86074	1.12E-05	1.6E-04	3.46E-04	5.37E-08	0.25	1.57E-01	2.11E-09	1.0E+06	2.1E-03
13	13.93781	1.12E-05	1.6E-04	3.46E-04	5.40E-08	0.25	1.57E-01	2.12E-09	1.0E+06	2.1E-03
14	13.89449	1.12E-05	1.6E-04	3.46E-04	5.38E-08	0.25	1.57E-01	2.11E-09	1.0E+06	2.1E-03
15	8.07737	1.12E-05	9.0E-05	3.46E-04	3.13E-08	0.25	1.57E-01	1.23E-09	1.0E+06	1.2E-03
16	7.39955	1.12E-05	8.3E-05	3.46E-04	2.86E-08	0.25	1.57E-01	1.13E-09	1.0E+06	1.1E-03
17	5.6887	1.12E-05	6.4E-05	3.46E-04	2.20E-08	0.25	1.57E-01	8.65E-10	1.0E+06	8.7E-04
18	5.7205	1.12E-05	6.4E-05	3.46E-04	2.21E-08	0.25	1.57E-01	8.70E-10	1.0E+06	8.7E-04
19	5.74825	1.12E-05	6.4E-05	3.46E-04	2.23E-08	0.25	1.57E-01	8.74E-10	1.0E+06	8.7E-04
20	3.3418	1.12E-05	3.7E-05	3.46E-04	1.29E-08	0.25	1.57E-01	5.08E-10	1.0E+06	5.1E-04
21	2.23651	1.12E-05	2.5E-05	3.46E-04	8.66E-09	0.25	1.57E-01	3.40E-10	1.0E+06	3.4E-04
22	1.6375	1.12E-05	1.8E-05	3.46E-04	6.34E-09	0.25	1.57E-01	2.49E-10	1.0E+06	2.5E-04
23	1.27151	1.12E-05	1.4E-05	3.46E-04	4.92E-09	0.25	1.57E-01	1.93E-10	1.0E+06	1.9E-04
24	1.02795	1.12E-05	1.1E-05	3.46E-04	3.98E-09	0.25	1.57E-01	1.56E-10	1.0E+06	1.6E-04
25	0.85548	1.12E-05	9.6E-06	3.46E-04	3.31E-09	0.25	1.57E-01	1.30E-10	1.0E+06	1.3E-04
26	0.72766	1.12E-05	8.1E-06	3.46E-04	2.82E-09	0.25	1.57E-01	1.11E-10	1.0E+06	1.1E-04
27	0.62948	1.12E-05	7.0E-06	3.46E-04	2.44E-09	0.25	1.57E-01	9.57E-11	1.0E+06	9.6E-05
28	0.5522	1.12E-05	6.2E-06	3.46E-04	2.14E-09	0.25	1.57E-01	8.40E-11	1.0E+06	8.4E-05
29	0.48975	1.12E-05	5.5E-06	3.46E-04	1.90E-09	0.25	1.57E-01	7.45E-11	1.0E+06	7.4E-05
30	0.43841	1.12E-05	4.9E-06	3.46E-04	1.70E-09	0.25	1.57E-01	6.67E-11	1.0E+06	6.7E-05
31	0.3957	1.12E-05	4.4E-06	3.46E-04	1.53E-09	0.25	1.57E-01	6.02E-11	1.0E+06	6.0E-05

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.35975	1.12E-05	4.0E-06	3.46E-04	1.39E-09	0.25	1.57E-01	5.47E-11	1.0E+06	5.5E-05
55	1.41184	1.12E-05	1.6E-05	3.46E-04	5.47E-09	0.25	1.57E-01	2.15E-10	1.0E+06	2.1E-04
56	1.12179	1.12E-05	1.3E-05	3.46E-04	4.34E-09	0.25	1.57E-01	1.71E-10	1.0E+06	1.7E-04
57	0.92271	1.12E-05	1.0E-05	3.46E-04	3.57E-09	0.25	1.57E-01	1.40E-10	1.0E+06	1.4E-04
58	0.77843	1.12E-05	8.7E-06	3.46E-04	3.01E-09	0.25	1.57E-01	1.18E-10	1.0E+06	1.2E-04
59	0.6699	1.12E-05	7.5E-06	3.46E-04	2.59E-09	0.25	1.57E-01	1.02E-10	1.0E+06	1.0E-04
60	0.5853	1.12E-05	6.5E-06	3.46E-04	2.27E-09	0.25	1.57E-01	8.90E-11	1.0E+06	8.9E-05
61	0.5171	1.12E-05	5.8E-06	3.46E-04	2.00E-09	0.25	1.57E-01	7.86E-11	1.0E+06	7.9E-05
62	0.46162	1.12E-05	5.2E-06	3.46E-04	1.79E-09	0.25	1.57E-01	7.02E-11	1.0E+06	7.0E-05
63	0.41544	1.12E-05	4.6E-06	3.46E-04	1.61E-09	0.25	1.57E-01	6.32E-11	1.0E+06	6.3E-05
64	0.37669	1.12E-05	4.2E-06	3.46E-04	1.46E-09	0.25	1.57E-01	5.73E-11	1.0E+06	5.7E-05
65	0.34382	1.12E-05	3.8E-06	3.46E-04	1.33E-09	0.25	1.57E-01	5.23E-11	1.0E+06	5.2E-05
66	0.31513	1.12E-05	3.5E-06	3.46E-04	1.22E-09	0.25	1.57E-01	4.79E-11	1.0E+06	4.8E-05
67	14.61761	1.12E-05	1.6E-04	3.46E-04	5.66E-08	0.25	1.57E-01	2.22E-09	1.0E+06	2.2E-03
68	15.15671	1.12E-05	1.7E-04	3.46E-04	5.87E-08	0.25	1.57E-01	2.31E-09	1.0E+06	2.3E-03
69	15.48465	1.12E-05	1.7E-04	3.46E-04	5.99E-08	0.25	1.57E-01	2.35E-09	1.0E+06	2.4E-03
70	15.67886	1.12E-05	1.8E-04	3.46E-04	6.07E-08	0.25	1.57E-01	2.38E-09	1.0E+06	2.4E-03
71	15.69465	1.12E-05	1.8E-04	3.46E-04	6.08E-08	0.25	1.57E-01	2.39E-09	1.0E+06	2.4E-03
72	15.5407	1.12E-05	1.7E-04	3.46E-04	6.02E-08	0.25	1.57E-01	2.36E-09	1.0E+06	2.4E-03
73	15.25369	1.12E-05	1.7E-04	3.46E-04	5.90E-08	0.25	1.57E-01	2.32E-09	1.0E+06	2.3E-03
74	14.94789	1.12E-05	1.7E-04	3.46E-04	5.79E-08	0.25	1.57E-01	2.27E-09	1.0E+06	2.3E-03
75	14.59618	1.12E-05	1.6E-04	3.46E-04	5.65E-08	0.25	1.57E-01	2.22E-09	1.0E+06	2.2E-03
76	14.26011	1.12E-05	1.6E-04	3.46E-04	5.52E-08	0.25	1.57E-01	2.17E-09	1.0E+06	2.2E-03
77	13.95302	1.12E-05	1.6E-04	3.46E-04	5.40E-08	0.25	1.57E-01	2.12E-09	1.0E+06	2.1E-03
78	13.58992	1.12E-05	1.5E-04	3.46E-04	5.26E-08	0.25	1.57E-01	2.07E-09	1.0E+06	2.1E-03
79	9.9219	1.12E-05	1.1E-04	3.46E-04	3.84E-08	0.25	1.57E-01	1.51E-09	1.0E+06	1.5E-03
80	6.45582	1.12E-05	7.2E-05	3.46E-04	2.50E-08	0.25	1.57E-01	9.82E-10	1.0E+06	9.8E-04
81	3.42456	1.12E-05	3.8E-05	3.46E-04	1.33E-08	0.25	1.57E-01	5.21E-10	1.0E+06	5.2E-04
82	2.17273	1.12E-05	2.4E-05	3.46E-04	8.41E-09	0.25	1.57E-01	3.30E-10	1.0E+06	3.3E-04
83	1.57961	1.12E-05	1.8E-05	3.46E-04	6.11E-09	0.25	1.57E-01	2.40E-10	1.0E+06	2.4E-04
84	1.23392	1.12E-05	1.4E-05	3.46E-04	4.78E-09	0.25	1.57E-01	1.88E-10	1.0E+06	1.9E-04

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	1.00328	1.12E-05	1.1E-05	3.46E-04	3.88E-09	0.25	1.57E-01	1.53E-10	1.0E+06	1.5E-04
86	0.83922	1.12E-05	9.4E-06	3.46E-04	3.25E-09	0.25	1.57E-01	1.28E-10	1.0E+06	1.3E-04
87	0.71743	1.12E-05	8.0E-06	3.46E-04	2.78E-09	0.25	1.57E-01	1.09E-10	1.0E+06	1.1E-04
88	0.62324	1.12E-05	7.0E-06	3.46E-04	2.41E-09	0.25	1.57E-01	9.48E-11	1.0E+06	9.5E-05
89	0.54885	1.12E-05	6.1E-06	3.46E-04	2.12E-09	0.25	1.57E-01	8.35E-11	1.0E+06	8.3E-05
90	0.48839	1.12E-05	5.5E-06	3.46E-04	1.89E-09	0.25	1.57E-01	7.43E-11	1.0E+06	7.4E-05
91	0.43802	1.12E-05	4.9E-06	3.46E-04	1.70E-09	0.25	1.57E-01	6.66E-11	1.0E+06	6.7E-05
92	0.3963	1.12E-05	4.4E-06	3.46E-04	1.53E-09	0.25	1.57E-01	6.03E-11	1.0E+06	6.0E-05
93	0.36051	1.12E-05	4.0E-06	3.46E-04	1.40E-09	0.25	1.57E-01	5.48E-11	1.0E+06	5.5E-05
96	0.66375	1.12E-05	7.4E-06	3.46E-04	2.57E-09	0.25	1.57E-01	1.01E-10	1.0E+06	1.0E-04
97	0.57214	1.12E-05	6.4E-06	3.46E-04	2.21E-09	0.25	1.57E-01	8.70E-11	1.0E+06	8.7E-05
98	0.58539	1.12E-05	6.5E-06	3.46E-04	2.27E-09	0.25	1.57E-01	8.90E-11	1.0E+06	8.9E-05
99	0.51819	1.12E-05	5.8E-06	3.46E-04	2.01E-09	0.25	1.57E-01	7.88E-11	1.0E+06	7.9E-05
100	0.46356	1.12E-05	5.2E-06	3.46E-04	1.79E-09	0.25	1.57E-01	7.05E-11	1.0E+06	7.0E-05
101	0.41808	1.12E-05	4.7E-06	3.46E-04	1.62E-09	0.25	1.57E-01	6.36E-11	1.0E+06	6.4E-05
102	0.37897	1.12E-05	4.2E-06	3.46E-04	1.47E-09	0.25	1.57E-01	5.76E-11	1.0E+06	5.8E-05
106	3.80169	1.12E-05	4.3E-05	3.46E-04	1.47E-08	0.25	1.57E-01	5.78E-10	1.0E+06	5.8E-04
107	4.48745	1.12E-05	5.0E-05	3.46E-04	1.74E-08	0.25	1.57E-01	6.82E-10	1.0E+06	6.8E-04
108	4.83893	1.12E-05	5.4E-05	3.46E-04	1.87E-08	0.25	1.57E-01	7.36E-10	1.0E+06	7.4E-04
109	5.06019	1.12E-05	5.7E-05	3.46E-04	1.96E-08	0.25	1.57E-01	7.70E-10	1.0E+06	7.7E-04
110	5.20184	1.12E-05	5.8E-05	3.46E-04	2.01E-08	0.25	1.57E-01	7.91E-10	1.0E+06	7.9E-04
111	5.29025	1.12E-05	5.9E-05	3.46E-04	2.05E-08	0.25	1.57E-01	8.05E-10	1.0E+06	8.0E-04
112	5.32764	1.12E-05	6.0E-05	3.46E-04	2.06E-08	0.25	1.57E-01	8.10E-10	1.0E+06	8.1E-04
113	5.33048	1.12E-05	6.0E-05	3.46E-04	2.06E-08	0.25	1.57E-01	8.11E-10	1.0E+06	8.1E-04
114	5.30456	1.12E-05	5.9E-05	3.46E-04	2.05E-08	0.25	1.57E-01	8.07E-10	1.0E+06	8.1E-04
115	5.25978	1.12E-05	5.9E-05	3.46E-04	2.04E-08	0.25	1.57E-01	8.00E-10	1.0E+06	8.0E-04
116	5.18609	1.12E-05	5.8E-05	3.46E-04	2.01E-08	0.25	1.57E-01	7.89E-10	1.0E+06	7.9E-04
117	5.10465	1.12E-05	5.7E-05	3.46E-04	1.98E-08	0.25	1.57E-01	7.76E-10	1.0E+06	7.8E-04
118	4.99878	1.12E-05	5.6E-05	3.46E-04	1.94E-08	0.25	1.57E-01	7.60E-10	1.0E+06	7.6E-04
124	2.77265	1.12E-05	3.1E-05	3.46E-04	1.07E-08	0.25	1.57E-01	4.22E-10	1.0E+06	4.2E-04
125	3.17488	1.12E-05	3.6E-05	3.46E-04	1.23E-08	0.25	1.57E-01	4.83E-10	1.0E+06	4.8E-04

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	3.4525	1.12E-05	3.9E-05	3.46E-04	1.34E-08	0.25	1.57E-01	5.25E-10	1.0E+06	5.3E-04
127	3.63621	1.12E-05	4.1E-05	3.46E-04	1.41E-08	0.25	1.57E-01	5.53E-10	1.0E+06	5.5E-04
128	3.75788	1.12E-05	4.2E-05	3.46E-04	1.45E-08	0.25	1.57E-01	5.71E-10	1.0E+06	5.7E-04
129	3.83531	1.12E-05	4.3E-05	3.46E-04	1.48E-08	0.25	1.57E-01	5.83E-10	1.0E+06	5.8E-04
130	3.87919	1.12E-05	4.3E-05	3.46E-04	1.50E-08	0.25	1.57E-01	5.90E-10	1.0E+06	5.9E-04
131	3.89335	1.12E-05	4.4E-05	3.46E-04	1.51E-08	0.25	1.57E-01	5.92E-10	1.0E+06	5.9E-04
132	3.8839	1.12E-05	4.3E-05	3.46E-04	1.50E-08	0.25	1.57E-01	5.91E-10	1.0E+06	5.9E-04
133	3.85854	1.12E-05	4.3E-05	3.46E-04	1.49E-08	0.25	1.57E-01	5.87E-10	1.0E+06	5.9E-04
134	3.81264	1.12E-05	4.3E-05	3.46E-04	1.48E-08	0.25	1.57E-01	5.80E-10	1.0E+06	5.8E-04
135	3.7513	1.12E-05	4.2E-05	3.46E-04	1.45E-08	0.25	1.57E-01	5.70E-10	1.0E+06	5.7E-04
136	3.66911	1.12E-05	4.1E-05	3.46E-04	1.42E-08	0.25	1.57E-01	5.58E-10	1.0E+06	5.6E-04
137	3.56063	1.12E-05	4.0E-05	3.46E-04	1.38E-08	0.25	1.57E-01	5.41E-10	1.0E+06	5.4E-04
138	3.41762	1.12E-05	3.8E-05	3.46E-04	1.32E-08	0.25	1.57E-01	5.20E-10	1.0E+06	5.2E-04
141	2.12296	1.12E-05	2.4E-05	3.46E-04	8.22E-09	0.25	1.57E-01	3.23E-10	1.0E+06	3.2E-04
142	2.4075	1.12E-05	2.7E-05	3.46E-04	9.32E-09	0.25	1.57E-01	3.66E-10	1.0E+06	3.7E-04
143	2.62339	1.12E-05	2.9E-05	3.46E-04	1.02E-08	0.25	1.57E-01	3.99E-10	1.0E+06	4.0E-04
144	2.77572	1.12E-05	3.1E-05	3.46E-04	1.07E-08	0.25	1.57E-01	4.22E-10	1.0E+06	4.2E-04
145	2.88049	1.12E-05	3.2E-05	3.46E-04	1.12E-08	0.25	1.57E-01	4.38E-10	1.0E+06	4.4E-04
146	2.94987	1.12E-05	3.3E-05	3.46E-04	1.14E-08	0.25	1.57E-01	4.49E-10	1.0E+06	4.5E-04
147	2.99124	1.12E-05	3.3E-05	3.46E-04	1.16E-08	0.25	1.57E-01	4.55E-10	1.0E+06	4.5E-04
148	3.00965	1.12E-05	3.4E-05	3.46E-04	1.17E-08	0.25	1.57E-01	4.58E-10	1.0E+06	4.6E-04
149	3.00837	1.12E-05	3.4E-05	3.46E-04	1.16E-08	0.25	1.57E-01	4.58E-10	1.0E+06	4.6E-04
150	2.99123	1.12E-05	3.3E-05	3.46E-04	1.16E-08	0.25	1.57E-01	4.55E-10	1.0E+06	4.5E-04
151	2.95811	1.12E-05	3.3E-05	3.46E-04	1.15E-08	0.25	1.57E-01	4.50E-10	1.0E+06	4.5E-04
152	2.90915	1.12E-05	3.3E-05	3.46E-04	1.13E-08	0.25	1.57E-01	4.42E-10	1.0E+06	4.4E-04
153	2.84263	1.12E-05	3.2E-05	3.46E-04	1.10E-08	0.25	1.57E-01	4.32E-10	1.0E+06	4.3E-04
154	2.75792	1.12E-05	3.1E-05	3.46E-04	1.07E-08	0.25	1.57E-01	4.19E-10	1.0E+06	4.2E-04
155	2.64546	1.12E-05	3.0E-05	3.46E-04	1.02E-08	0.25	1.57E-01	4.02E-10	1.0E+06	4.0E-04
164	2.21752	1.12E-05	2.5E-05	3.46E-04	8.58E-09	0.25	1.57E-01	3.37E-10	1.0E+06	3.4E-04
165	2.12781	1.12E-05	2.4E-05	3.46E-04	8.24E-09	0.25	1.57E-01	3.24E-10	1.0E+06	3.2E-04
166	2.01263	1.12E-05	2.3E-05	3.46E-04	7.79E-09	0.25	1.57E-01	3.06E-10	1.0E+06	3.1E-04

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	1.83242	1.12E-05	2.0E-05	3.46E-04	7.09E-09	0.25	1.57E-01	2.79E-10	1.0E+06	2.8E-04
179	1.75969	1.12E-05	2.0E-05	3.46E-04	6.81E-09	0.25	1.57E-01	2.68E-10	1.0E+06	2.7E-04
180	1.66809	1.12E-05	1.9E-05	3.46E-04	6.46E-09	0.25	1.57E-01	2.54E-10	1.0E+06	2.5E-04
192	1.54552	1.12E-05	1.7E-05	3.46E-04	5.98E-09	0.25	1.57E-01	2.35E-10	1.0E+06	2.4E-04
193	1.48568	1.12E-05	1.7E-05	3.46E-04	5.75E-09	0.25	1.57E-01	2.26E-10	1.0E+06	2.3E-04
194	1.41218	1.12E-05	1.6E-05	3.46E-04	5.47E-09	0.25	1.57E-01	2.15E-10	1.0E+06	2.1E-04
207	1.32527	1.12E-05	1.5E-05	3.46E-04	5.13E-09	0.25	1.57E-01	2.02E-10	1.0E+06	2.0E-04
208	1.27587	1.12E-05	1.4E-05	3.46E-04	4.94E-09	0.25	1.57E-01	1.94E-10	1.0E+06	1.9E-04
209	1.21546	1.12E-05	1.4E-05	3.46E-04	4.71E-09	0.25	1.57E-01	1.85E-10	1.0E+06	1.8E-04
223	1.15142	1.12E-05	1.3E-05	3.46E-04	4.46E-09	0.25	1.57E-01	1.75E-10	1.0E+06	1.8E-04
224	1.11038	1.12E-05	1.2E-05	3.46E-04	4.30E-09	0.25	1.57E-01	1.69E-10	1.0E+06	1.7E-04
225	1.06089	1.12E-05	1.2E-05	3.46E-04	4.11E-09	0.25	1.57E-01	1.61E-10	1.0E+06	1.6E-04
239	1.01109	1.12E-05	1.1E-05	3.46E-04	3.91E-09	0.25	1.57E-01	1.54E-10	1.0E+06	1.5E-04
240	0.97683	1.12E-05	1.1E-05	3.46E-04	3.78E-09	0.25	1.57E-01	1.49E-10	1.0E+06	1.5E-04
241	0.93557	1.12E-05	1.0E-05	3.46E-04	3.62E-09	0.25	1.57E-01	1.42E-10	1.0E+06	1.4E-04
255	0.89612	1.12E-05	1.0E-05	3.46E-04	3.47E-09	0.25	1.57E-01	1.36E-10	1.0E+06	1.4E-04
256	0.86732	1.12E-05	9.7E-06	3.46E-04	3.36E-09	0.25	1.57E-01	1.32E-10	1.0E+06	1.3E-04
272	0.80085	1.12E-05	9.0E-06	3.46E-04	3.10E-09	0.25	1.57E-01	1.22E-10	1.0E+06	1.2E-04
273	0.77611	1.12E-05	8.7E-06	3.46E-04	3.00E-09	0.25	1.57E-01	1.18E-10	1.0E+06	1.2E-04
289	0.72029	1.12E-05	8.1E-06	3.46E-04	2.79E-09	0.25	1.57E-01	1.10E-10	1.0E+06	1.1E-04
290	0.69925	1.12E-05	7.8E-06	3.46E-04	2.71E-09	0.25	1.57E-01	1.06E-10	1.0E+06	1.1E-04
306	0.6519	1.12E-05	7.3E-06	3.46E-04	2.52E-09	0.25	1.57E-01	9.91E-11	1.0E+06	9.9E-05
307	0.63382	1.12E-05	7.1E-06	3.46E-04	2.45E-09	0.25	1.57E-01	9.64E-11	1.0E+06	9.6E-05
323	0.59325	1.12E-05	6.6E-06	3.46E-04	2.30E-09	0.25	1.57E-01	9.02E-11	1.0E+06	9.0E-05
324	0.57766	1.12E-05	6.5E-06	3.46E-04	2.24E-09	0.25	1.57E-01	8.79E-11	1.0E+06	8.8E-05
342	0.54244	1.12E-05	6.1E-06	3.46E-04	2.10E-09	0.25	1.57E-01	8.25E-11	1.0E+06	8.2E-05
343	0.52894	1.12E-05	5.9E-06	3.46E-04	2.05E-09	0.25	1.57E-01	8.04E-11	1.0E+06	8.0E-05
344	0.51339	1.12E-05	5.7E-06	3.46E-04	1.99E-09	0.25	1.57E-01	7.81E-11	1.0E+06	7.8E-05
356	0.49826	1.12E-05	5.6E-06	3.46E-04	1.93E-09	0.25	1.57E-01	7.58E-11	1.0E+06	7.6E-05
357	0.48673	1.12E-05	5.4E-06	3.46E-04	1.88E-09	0.25	1.57E-01	7.40E-11	1.0E+06	7.4E-05
358	0.47302	1.12E-05	5.3E-06	3.46E-04	1.83E-09	0.25	1.57E-01	7.19E-11	1.0E+06	7.2E-05

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.45942	1.12E-05	5.1E-06	3.46E-04	1.78E-09	0.25	1.57E-01	6.99E-11	1.0E+06	7.0E-05
371	0.44946	1.12E-05	5.0E-06	3.46E-04	1.74E-09	0.25	1.57E-01	6.84E-11	1.0E+06	6.8E-05
372	0.43751	1.12E-05	4.9E-06	3.46E-04	1.69E-09	0.25	1.57E-01	6.65E-11	1.0E+06	6.7E-05
383	0.42516	1.12E-05	4.8E-06	3.46E-04	1.65E-09	0.25	1.57E-01	6.47E-11	1.0E+06	6.5E-05
384	0.41648	1.12E-05	4.7E-06	3.46E-04	1.61E-09	0.25	1.57E-01	6.33E-11	1.0E+06	6.3E-05
385	0.40608	1.12E-05	4.5E-06	3.46E-04	1.57E-09	0.25	1.57E-01	6.18E-11	1.0E+06	6.2E-05
396	0.39473	1.12E-05	4.4E-06	3.46E-04	1.53E-09	0.25	1.57E-01	6.00E-11	1.0E+06	6.0E-05
397	0.38717	1.12E-05	4.3E-06	3.46E-04	1.50E-09	0.25	1.57E-01	5.89E-11	1.0E+06	5.9E-05
398	0.3781	1.12E-05	4.2E-06	3.46E-04	1.46E-09	0.25	1.57E-01	5.75E-11	1.0E+06	5.8E-05
399	0.36758	1.12E-05	4.1E-06	3.46E-04	1.42E-09	0.25	1.57E-01	5.59E-11	1.0E+06	5.6E-05
411	0.36761	1.12E-05	4.1E-06	3.46E-04	1.42E-09	0.25	1.57E-01	5.59E-11	1.0E+06	5.6E-05
412	0.36104	1.12E-05	4.0E-06	3.46E-04	1.40E-09	0.25	1.57E-01	5.49E-11	1.0E+06	5.5E-05
413	0.35293	1.12E-05	3.9E-06	3.46E-04	1.37E-09	0.25	1.57E-01	5.37E-11	1.0E+06	5.4E-05
414	0.3438	1.12E-05	3.8E-06	3.46E-04	1.33E-09	0.25	1.57E-01	5.23E-11	1.0E+06	5.2E-05
426	0.34327	1.12E-05	3.8E-06	3.46E-04	1.33E-09	0.25	1.57E-01	5.22E-11	1.0E+06	5.2E-05
427	0.3375	1.12E-05	3.8E-06	3.46E-04	1.31E-09	0.25	1.57E-01	5.13E-11	1.0E+06	5.1E-05
428	0.33057	1.12E-05	3.7E-06	3.46E-04	1.28E-09	0.25	1.57E-01	5.03E-11	1.0E+06	5.0E-05
429	0.32241	1.12E-05	3.6E-06	3.46E-04	1.25E-09	0.25	1.57E-01	4.90E-11	1.0E+06	4.9E-05
439	0.32141	1.12E-05	3.6E-06	3.46E-04	1.24E-09	0.25	1.57E-01	4.89E-11	1.0E+06	4.9E-05
440	0.31635	1.12E-05	3.5E-06	3.46E-04	1.22E-09	0.25	1.57E-01	4.81E-11	1.0E+06	4.8E-05
441	0.31019	1.12E-05	3.5E-06	3.46E-04	1.20E-09	0.25	1.57E-01	4.72E-11	1.0E+06	4.7E-05
442	0.30299	1.12E-05	3.4E-06	3.46E-04	1.17E-09	0.25	1.57E-01	4.61E-11	1.0E+06	4.6E-05
443	0.2948	1.12E-05	3.3E-06	3.46E-04	1.14E-09	0.25	1.57E-01	4.48E-11	1.0E+06	4.5E-05
454	0.30163	1.12E-05	3.4E-06	3.46E-04	1.17E-09	0.25	1.57E-01	4.59E-11	1.0E+06	4.6E-05
455	0.2972	1.12E-05	3.3E-06	3.46E-04	1.15E-09	0.25	1.57E-01	4.52E-11	1.0E+06	4.5E-05
456	0.29174	1.12E-05	3.3E-06	3.46E-04	1.13E-09	0.25	1.57E-01	4.44E-11	1.0E+06	4.4E-05
457	0.28535	1.12E-05	3.2E-06	3.46E-04	1.10E-09	0.25	1.57E-01	4.34E-11	1.0E+06	4.3E-05
458	0.27808	1.12E-05	3.1E-06	3.46E-04	1.08E-09	0.25	1.57E-01	4.23E-11	1.0E+06	4.2E-05
469	0.28375	1.12E-05	3.2E-06	3.46E-04	1.10E-09	0.25	1.57E-01	4.32E-11	1.0E+06	4.3E-05
470	0.2799	1.12E-05	3.1E-06	3.46E-04	1.08E-09	0.25	1.57E-01	4.26E-11	1.0E+06	4.3E-05
471	0.27506	1.12E-05	3.1E-06	3.46E-04	1.06E-09	0.25	1.57E-01	4.18E-11	1.0E+06	4.2E-05

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.26939	1.12E-05	3.0E-06	3.46E-04	1.04E-09	0.25	1.57E-01	4.10E-11	1.0E+06	4.1E-05
473	0.26291	1.12E-05	2.9E-06	3.46E-04	1.02E-09	0.25	1.57E-01	4.00E-11	1.0E+06	4.0E-05
489	0.26741	1.12E-05	3.0E-06	3.46E-04	1.04E-09	0.25	1.57E-01	4.07E-11	1.0E+06	4.1E-05
490	0.26401	1.12E-05	3.0E-06	3.46E-04	1.02E-09	0.25	1.57E-01	4.02E-11	1.0E+06	4.0E-05
491	0.25976	1.12E-05	2.9E-06	3.46E-04	1.01E-09	0.25	1.57E-01	3.95E-11	1.0E+06	4.0E-05
492	0.2547	1.12E-05	2.8E-06	3.46E-04	9.86E-10	0.25	1.57E-01	3.87E-11	1.0E+06	3.9E-05
493	0.24889	1.12E-05	2.8E-06	3.46E-04	9.63E-10	0.25	1.57E-01	3.79E-11	1.0E+06	3.8E-05
494	0.24242	1.12E-05	2.7E-06	3.46E-04	9.38E-10	0.25	1.57E-01	3.69E-11	1.0E+06	3.7E-05
509	0.25259	1.12E-05	2.8E-06	3.46E-04	9.78E-10	0.25	1.57E-01	3.84E-11	1.0E+06	3.8E-05
510	0.24958	1.12E-05	2.8E-06	3.46E-04	9.66E-10	0.25	1.57E-01	3.80E-11	1.0E+06	3.8E-05
511	0.24585	1.12E-05	2.7E-06	3.46E-04	9.52E-10	0.25	1.57E-01	3.74E-11	1.0E+06	3.7E-05
512	0.24134	1.12E-05	2.7E-06	3.46E-04	9.34E-10	0.25	1.57E-01	3.67E-11	1.0E+06	3.7E-05
513	0.23609	1.12E-05	2.6E-06	3.46E-04	9.14E-10	0.25	1.57E-01	3.59E-11	1.0E+06	3.6E-05
514	0.23029	1.12E-05	2.6E-06	3.46E-04	8.91E-10	0.25	1.57E-01	3.50E-11	1.0E+06	3.5E-05
515	0.21706	1.12E-05	2.4E-06	3.46E-04	8.40E-10	0.25	1.57E-01	3.30E-11	1.0E+06	3.3E-05
516	0.20974	1.12E-05	2.3E-06	3.46E-04	8.12E-10	0.25	1.57E-01	3.19E-11	1.0E+06	3.2E-05
517	0.20223	1.12E-05	2.3E-06	3.46E-04	7.83E-10	0.25	1.57E-01	3.08E-11	1.0E+06	3.1E-05
518	0.19458	1.12E-05	2.2E-06	3.46E-04	7.53E-10	0.25	1.57E-01	2.96E-11	1.0E+06	3.0E-05
519	0.1869	1.12E-05	2.1E-06	3.46E-04	7.24E-10	0.25	1.57E-01	2.84E-11	1.0E+06	2.8E-05
528	0.23903	1.12E-05	2.7E-06	3.46E-04	9.25E-10	0.25	1.57E-01	3.64E-11	1.0E+06	3.6E-05
529	0.23639	1.12E-05	2.6E-06	3.46E-04	9.15E-10	0.25	1.57E-01	3.59E-11	1.0E+06	3.6E-05
530	0.23305	1.12E-05	2.6E-06	3.46E-04	9.02E-10	0.25	1.57E-01	3.54E-11	1.0E+06	3.5E-05
531	0.22905	1.12E-05	2.6E-06	3.46E-04	8.87E-10	0.25	1.57E-01	3.48E-11	1.0E+06	3.5E-05
532	0.22437	1.12E-05	2.5E-06	3.46E-04	8.69E-10	0.25	1.57E-01	3.41E-11	1.0E+06	3.4E-05
533	0.21911	1.12E-05	2.5E-06	3.46E-04	8.48E-10	0.25	1.57E-01	3.33E-11	1.0E+06	3.3E-05
534	0.20706	1.12E-05	2.3E-06	3.46E-04	8.02E-10	0.25	1.57E-01	3.15E-11	1.0E+06	3.1E-05
535	0.20045	1.12E-05	2.2E-06	3.46E-04	7.76E-10	0.25	1.57E-01	3.05E-11	1.0E+06	3.0E-05
536	0.19365	1.12E-05	2.2E-06	3.46E-04	7.50E-10	0.25	1.57E-01	2.95E-11	1.0E+06	2.9E-05
537	0.18659	1.12E-05	2.1E-06	3.46E-04	7.22E-10	0.25	1.57E-01	2.84E-11	1.0E+06	2.8E-05
538	0.17948	1.12E-05	2.0E-06	3.46E-04	6.95E-10	0.25	1.57E-01	2.73E-11	1.0E+06	2.7E-05
547	0.22657	1.12E-05	2.5E-06	3.46E-04	8.77E-10	0.25	1.57E-01	3.45E-11	1.0E+06	3.4E-05

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.22425	1.12E-05	2.5E-06	3.46E-04	8.68E-10	0.25	1.57E-01	3.41E-11	1.0E+06	3.4E-05
549	0.22132	1.12E-05	2.5E-06	3.46E-04	8.57E-10	0.25	1.57E-01	3.37E-11	1.0E+06	3.4E-05
550	0.21768	1.12E-05	2.4E-06	3.46E-04	8.43E-10	0.25	1.57E-01	3.31E-11	1.0E+06	3.3E-05
551	0.2135	1.12E-05	2.4E-06	3.46E-04	8.26E-10	0.25	1.57E-01	3.25E-11	1.0E+06	3.2E-05
552	0.20876	1.12E-05	2.3E-06	3.46E-04	8.08E-10	0.25	1.57E-01	3.17E-11	1.0E+06	3.2E-05
553	0.20353	1.12E-05	2.3E-06	3.46E-04	7.88E-10	0.25	1.57E-01	3.10E-11	1.0E+06	3.1E-05
554	0.19783	1.12E-05	2.2E-06	3.46E-04	7.66E-10	0.25	1.57E-01	3.01E-11	1.0E+06	3.0E-05
555	0.19184	1.12E-05	2.1E-06	3.46E-04	7.43E-10	0.25	1.57E-01	2.92E-11	1.0E+06	2.9E-05
556	0.18565	1.12E-05	2.1E-06	3.46E-04	7.19E-10	0.25	1.57E-01	2.82E-11	1.0E+06	2.8E-05
557	0.17914	1.12E-05	2.0E-06	3.46E-04	6.93E-10	0.25	1.57E-01	2.72E-11	1.0E+06	2.7E-05
558	0.17264	1.12E-05	1.9E-06	3.46E-04	6.68E-10	0.25	1.57E-01	2.63E-11	1.0E+06	2.6E-05
559	0.16609	1.12E-05	1.9E-06	3.46E-04	6.43E-10	0.25	1.57E-01	2.53E-11	1.0E+06	2.5E-05
567	0.21514	1.12E-05	2.4E-06	3.46E-04	8.33E-10	0.25	1.57E-01	3.27E-11	1.0E+06	3.3E-05
568	0.21312	1.12E-05	2.4E-06	3.46E-04	8.25E-10	0.25	1.57E-01	3.24E-11	1.0E+06	3.2E-05
569	0.21049	1.12E-05	2.4E-06	3.46E-04	8.15E-10	0.25	1.57E-01	3.20E-11	1.0E+06	3.2E-05
570	0.20727	1.12E-05	2.3E-06	3.46E-04	8.02E-10	0.25	1.57E-01	3.15E-11	1.0E+06	3.2E-05
571	0.20349	1.12E-05	2.3E-06	3.46E-04	7.88E-10	0.25	1.57E-01	3.09E-11	1.0E+06	3.1E-05
572	0.19921	1.12E-05	2.2E-06	3.46E-04	7.71E-10	0.25	1.57E-01	3.03E-11	1.0E+06	3.0E-05
573	0.19446	1.12E-05	2.2E-06	3.46E-04	7.53E-10	0.25	1.57E-01	2.96E-11	1.0E+06	3.0E-05
574	0.1838	1.12E-05	2.1E-06	3.46E-04	7.12E-10	0.25	1.57E-01	2.80E-11	1.0E+06	2.8E-05
575	0.17813	1.12E-05	2.0E-06	3.46E-04	6.90E-10	0.25	1.57E-01	2.71E-11	1.0E+06	2.7E-05
576	0.17224	1.12E-05	1.9E-06	3.46E-04	6.67E-10	0.25	1.57E-01	2.62E-11	1.0E+06	2.6E-05
577	0.16623	1.12E-05	1.9E-06	3.46E-04	6.43E-10	0.25	1.57E-01	2.53E-11	1.0E+06	2.5E-05
578	0.16016	1.12E-05	1.8E-06	3.46E-04	6.20E-10	0.25	1.57E-01	2.44E-11	1.0E+06	2.4E-05
586	0.20455	1.12E-05	2.3E-06	3.46E-04	7.92E-10	0.25	1.57E-01	3.11E-11	1.0E+06	3.1E-05
587	0.20275	1.12E-05	2.3E-06	3.46E-04	7.85E-10	0.25	1.57E-01	3.08E-11	1.0E+06	3.1E-05
588	0.20044	1.12E-05	2.2E-06	3.46E-04	7.76E-10	0.25	1.57E-01	3.05E-11	1.0E+06	3.0E-05
589	0.19756	1.12E-05	2.2E-06	3.46E-04	7.65E-10	0.25	1.57E-01	3.00E-11	1.0E+06	3.0E-05
590	0.19416	1.12E-05	2.2E-06	3.46E-04	7.52E-10	0.25	1.57E-01	2.95E-11	1.0E+06	3.0E-05
591	0.19027	1.12E-05	2.1E-06	3.46E-04	7.37E-10	0.25	1.57E-01	2.89E-11	1.0E+06	2.9E-05
592	0.18596	1.12E-05	2.1E-06	3.46E-04	7.20E-10	0.25	1.57E-01	2.83E-11	1.0E+06	2.8E-05

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.17626	1.12E-05	2.0E-06	3.46E-04	6.82E-10	0.25	1.57E-01	2.68E-11	1.0E+06	2.7E-05
594	0.17108	1.12E-05	1.9E-06	3.46E-04	6.62E-10	0.25	1.57E-01	2.60E-11	1.0E+06	2.6E-05
595	0.16562	1.12E-05	1.9E-06	3.46E-04	6.41E-10	0.25	1.57E-01	2.52E-11	1.0E+06	2.5E-05
596	0.16005	1.12E-05	1.8E-06	3.46E-04	6.20E-10	0.25	1.57E-01	2.43E-11	1.0E+06	2.4E-05
597	0.15446	1.12E-05	1.7E-06	3.46E-04	5.98E-10	0.25	1.57E-01	2.35E-11	1.0E+06	2.3E-05
345	0.49521	1.12E-05	5.5E-06	3.46E-04	1.92E-09	0.25	1.57E-01	7.53E-11	1.0E+06	7.5E-05
346	0.475	1.12E-05	5.3E-06	3.46E-04	1.84E-09	0.25	1.57E-01	7.22E-11	1.0E+06	7.2E-05
347	0.45281	1.12E-05	5.1E-06	3.46E-04	1.75E-09	0.25	1.57E-01	6.89E-11	1.0E+06	6.9E-05
348	0.42916	1.12E-05	4.8E-06	3.46E-04	1.66E-09	0.25	1.57E-01	6.53E-11	1.0E+06	6.5E-05
359	0.45716	1.12E-05	5.1E-06	3.46E-04	1.77E-09	0.25	1.57E-01	6.95E-11	1.0E+06	7.0E-05
360	0.43925	1.12E-05	4.9E-06	3.46E-04	1.70E-09	0.25	1.57E-01	6.68E-11	1.0E+06	6.7E-05
361	0.42018	1.12E-05	4.7E-06	3.46E-04	1.63E-09	0.25	1.57E-01	6.39E-11	1.0E+06	6.4E-05
362	0.39943	1.12E-05	4.5E-06	3.46E-04	1.55E-09	0.25	1.57E-01	6.07E-11	1.0E+06	6.1E-05
363	0.37831	1.12E-05	4.2E-06	3.46E-04	1.46E-09	0.25	1.57E-01	5.75E-11	1.0E+06	5.8E-05
373	0.40825	1.12E-05	4.6E-06	3.46E-04	1.58E-09	0.25	1.57E-01	6.21E-11	1.0E+06	6.2E-05
374	0.39129	1.12E-05	4.4E-06	3.46E-04	1.51E-09	0.25	1.57E-01	5.95E-11	1.0E+06	6.0E-05
375	0.37317	1.12E-05	4.2E-06	3.46E-04	1.44E-09	0.25	1.57E-01	5.68E-11	1.0E+06	5.7E-05
376	0.35452	1.12E-05	4.0E-06	3.46E-04	1.37E-09	0.25	1.57E-01	5.39E-11	1.0E+06	5.4E-05
386	0.38048	1.12E-05	4.3E-06	3.46E-04	1.47E-09	0.25	1.57E-01	5.79E-11	1.0E+06	5.8E-05
387	0.36562	1.12E-05	4.1E-06	3.46E-04	1.42E-09	0.25	1.57E-01	5.56E-11	1.0E+06	5.6E-05
388	0.34965	1.12E-05	3.9E-06	3.46E-04	1.35E-09	0.25	1.57E-01	5.32E-11	1.0E+06	5.3E-05
389	0.33317	1.12E-05	3.7E-06	3.46E-04	1.29E-09	0.25	1.57E-01	5.07E-11	1.0E+06	5.1E-05
390	0.31647	1.12E-05	3.5E-06	3.46E-04	1.23E-09	0.25	1.57E-01	4.81E-11	1.0E+06	4.8E-05
400	0.35569	1.12E-05	4.0E-06	3.46E-04	1.38E-09	0.25	1.57E-01	5.41E-11	1.0E+06	5.4E-05
401	0.34238	1.12E-05	3.8E-06	3.46E-04	1.33E-09	0.25	1.57E-01	5.21E-11	1.0E+06	5.2E-05
402	0.32851	1.12E-05	3.7E-06	3.46E-04	1.27E-09	0.25	1.57E-01	5.00E-11	1.0E+06	5.0E-05
403	0.31378	1.12E-05	3.5E-06	3.46E-04	1.21E-09	0.25	1.57E-01	4.77E-11	1.0E+06	4.8E-05
404	0.29874	1.12E-05	3.3E-06	3.46E-04	1.16E-09	0.25	1.57E-01	4.54E-11	1.0E+06	4.5E-05
415	0.33331	1.12E-05	3.7E-06	3.46E-04	1.29E-09	0.25	1.57E-01	5.07E-11	1.0E+06	5.1E-05
416	0.32172	1.12E-05	3.6E-06	3.46E-04	1.25E-09	0.25	1.57E-01	4.89E-11	1.0E+06	4.9E-05
417	0.3092	1.12E-05	3.5E-06	3.46E-04	1.20E-09	0.25	1.57E-01	4.70E-11	1.0E+06	4.7E-05

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.29637	1.12E-05	3.3E-06	3.46E-04	1.15E-09	0.25	1.57E-01	4.51E-11	1.0E+06	4.5E-05
419	0.28311	1.12E-05	3.2E-06	3.46E-04	1.10E-09	0.25	1.57E-01	4.31E-11	1.0E+06	4.3E-05
420	0.26898	1.12E-05	3.0E-06	3.46E-04	1.04E-09	0.25	1.57E-01	4.09E-11	1.0E+06	4.1E-05
430	0.30274	1.12E-05	3.4E-06	3.46E-04	1.17E-09	0.25	1.57E-01	4.60E-11	1.0E+06	4.6E-05
431	0.29189	1.12E-05	3.3E-06	3.46E-04	1.13E-09	0.25	1.57E-01	4.44E-11	1.0E+06	4.4E-05
432	0.28032	1.12E-05	3.1E-06	3.46E-04	1.09E-09	0.25	1.57E-01	4.26E-11	1.0E+06	4.3E-05
433	0.26832	1.12E-05	3.0E-06	3.46E-04	1.04E-09	0.25	1.57E-01	4.08E-11	1.0E+06	4.1E-05
434	0.25603	1.12E-05	2.9E-06	3.46E-04	9.91E-10	0.25	1.57E-01	3.89E-11	1.0E+06	3.9E-05
444	0.28574	1.12E-05	3.2E-06	3.46E-04	1.11E-09	0.25	1.57E-01	4.35E-11	1.0E+06	4.3E-05
445	0.27582	1.12E-05	3.1E-06	3.46E-04	1.07E-09	0.25	1.57E-01	4.19E-11	1.0E+06	4.2E-05
446	0.2655	1.12E-05	3.0E-06	3.46E-04	1.03E-09	0.25	1.57E-01	4.04E-11	1.0E+06	4.0E-05
447	0.25474	1.12E-05	2.8E-06	3.46E-04	9.86E-10	0.25	1.57E-01	3.87E-11	1.0E+06	3.9E-05
448	0.24366	1.12E-05	2.7E-06	3.46E-04	9.43E-10	0.25	1.57E-01	3.71E-11	1.0E+06	3.7E-05
459	0.26118	1.12E-05	2.9E-06	3.46E-04	1.01E-09	0.25	1.57E-01	3.97E-11	1.0E+06	4.0E-05
460	0.25186	1.12E-05	2.8E-06	3.46E-04	9.75E-10	0.25	1.57E-01	3.83E-11	1.0E+06	3.8E-05
461	0.24211	1.12E-05	2.7E-06	3.46E-04	9.37E-10	0.25	1.57E-01	3.68E-11	1.0E+06	3.7E-05
462	0.23209	1.12E-05	2.6E-06	3.46E-04	8.98E-10	0.25	1.57E-01	3.53E-11	1.0E+06	3.5E-05
463	0.22189	1.12E-05	2.5E-06	3.46E-04	8.59E-10	0.25	1.57E-01	3.37E-11	1.0E+06	3.4E-05
474	0.24768	1.12E-05	2.8E-06	3.46E-04	9.59E-10	0.25	1.57E-01	3.77E-11	1.0E+06	3.8E-05
475	0.23926	1.12E-05	2.7E-06	3.46E-04	9.26E-10	0.25	1.57E-01	3.64E-11	1.0E+06	3.6E-05
476	0.23052	1.12E-05	2.6E-06	3.46E-04	8.92E-10	0.25	1.57E-01	3.51E-11	1.0E+06	3.5E-05
477	0.22138	1.12E-05	2.5E-06	3.46E-04	8.57E-10	0.25	1.57E-01	3.37E-11	1.0E+06	3.4E-05
478	0.21214	1.12E-05	2.4E-06	3.46E-04	8.21E-10	0.25	1.57E-01	3.23E-11	1.0E+06	3.2E-05
495	0.23535	1.12E-05	2.6E-06	3.46E-04	9.11E-10	0.25	1.57E-01	3.58E-11	1.0E+06	3.6E-05
496	0.2277	1.12E-05	2.5E-06	3.46E-04	8.81E-10	0.25	1.57E-01	3.46E-11	1.0E+06	3.5E-05
497	0.21975	1.12E-05	2.5E-06	3.46E-04	8.51E-10	0.25	1.57E-01	3.34E-11	1.0E+06	3.3E-05
498	0.21149	1.12E-05	2.4E-06	3.46E-04	8.19E-10	0.25	1.57E-01	3.22E-11	1.0E+06	3.2E-05
499	0.20306	1.12E-05	2.3E-06	3.46E-04	7.86E-10	0.25	1.57E-01	3.09E-11	1.0E+06	3.1E-05
500	0.19461	1.12E-05	2.2E-06	3.46E-04	7.53E-10	0.25	1.57E-01	2.96E-11	1.0E+06	3.0E-05

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

		Cancer Risk from 3rd Trimester - Construction									
Receptor #	Conc	g/sec	Cair	Dose		Risk		Constant 2	Risk/ Million		
				Constant	Dose	ED	Constant				
139	3.22931	1.12E-05	3.6E-05	3.46E-04	1.25E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	2.97359	1.12E-05	3.3E-05	3.46E-04	1.15E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	2.49884	1.12E-05	2.8E-05	3.46E-04	9.67E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	2.31049	1.12E-05	2.6E-05	3.46E-04	8.94E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	2.06867	1.12E-05	2.3E-05	3.46E-04	8.01E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	1.78029	1.12E-05	2.0E-05	3.46E-04	6.89E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	1.48621	1.12E-05	1.7E-05	3.46E-04	5.75E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	1.00232	1.12E-05	1.1E-05	3.46E-04	3.88E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	0.84027	1.12E-05	9.4E-06	3.46E-04	3.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	0.72075	1.12E-05	8.1E-06	3.46E-04	2.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	1.86912	1.12E-05	2.1E-05	3.46E-04	7.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	1.68899	1.12E-05	1.9E-05	3.46E-04	6.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	1.48722	1.12E-05	1.7E-05	3.46E-04	5.76E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	1.2759	1.12E-05	1.4E-05	3.46E-04	4.94E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	1.07775	1.12E-05	1.2E-05	3.46E-04	4.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	0.90709	1.12E-05	1.0E-05	3.46E-04	3.51E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	0.77214	1.12E-05	8.6E-06	3.46E-04	2.99E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	0.66802	1.12E-05	7.5E-06	3.46E-04	2.59E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	0.58628	1.12E-05	6.6E-06	3.46E-04	2.27E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	0.52079	1.12E-05	5.8E-06	3.46E-04	2.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	0.46736	1.12E-05	5.2E-06	3.46E-04	1.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	1.41926	1.12E-05	1.6E-05	3.46E-04	5.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	1.26814	1.12E-05	1.4E-05	3.46E-04	4.91E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	1.11113	1.12E-05	1.2E-05	3.46E-04	4.30E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	0.96043	1.12E-05	1.1E-05	3.46E-04	3.72E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	0.82537	1.12E-05	9.2E-06	3.46E-04	3.20E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	0.71262	1.12E-05	8.0E-06	3.46E-04	2.76E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	0.62199	1.12E-05	7.0E-06	3.46E-04	2.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	0.54985	1.12E-05	6.1E-06	3.46E-04	2.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	0.49125	1.12E-05	5.5E-06	3.46E-04	1.90E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	0.44277	1.12E-05	5.0E-06	3.46E-04	1.71E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	0.40198	1.12E-05	4.5E-06	3.46E-04	1.56E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	1.21699	1.12E-05	1.4E-05	3.46E-04	4.71E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	1.10089	1.12E-05	1.2E-05	3.46E-04	4.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	0.97925	1.12E-05	1.1E-05	3.46E-04	3.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	0.86188	1.12E-05	9.6E-06	3.46E-04	3.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	0.75257	1.12E-05	8.4E-06	3.46E-04	2.91E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	0.65878	1.12E-05	7.4E-06	3.46E-04	2.55E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	0.58107	1.12E-05	6.5E-06	3.46E-04	2.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	0.51703	1.12E-05	5.8E-06	3.46E-04	2.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	0.46421	1.12E-05	5.2E-06	3.46E-04	1.80E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	0.42014	1.12E-05	4.7E-06	3.46E-04	1.63E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	0.38269	1.12E-05	4.3E-06	3.46E-04	1.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	0.35053	1.12E-05	3.9E-06	3.46E-04	1.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	1.14394	1.12E-05	1.3E-05	3.46E-04	4.43E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	1.05888	1.12E-05	1.2E-05	3.46E-04	4.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	0.96767	1.12E-05	1.1E-05	3.46E-04	3.75E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	0.87227	1.12E-05	9.8E-06	3.46E-04	3.38E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	0.68904	1.12E-05	7.7E-06	3.46E-04	2.67E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	0.61024	1.12E-05	6.8E-06	3.46E-04	2.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	0.54323	1.12E-05	6.1E-06	3.46E-04	2.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	0.48643	1.12E-05	5.4E-06	3.46E-04	1.88E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	0.43893	1.12E-05	4.9E-06	3.46E-04	1.70E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	0.39889	1.12E-05	4.5E-06	3.46E-04	1.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	0.36463	1.12E-05	4.1E-06	3.46E-04	1.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	0.33515	1.12E-05	3.7E-06	3.46E-04	1.30E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	0.30893	1.12E-05	3.5E-06	3.46E-04	1.20E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	1.00252	1.12E-05	1.1E-05	3.46E-04	3.88E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	0.93412	1.12E-05	1.0E-05	3.46E-04	3.62E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	0.86009	1.12E-05	9.6E-06	3.46E-04	3.33E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	0.78354	1.12E-05	8.8E-06	3.46E-04	3.03E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	0.70654	1.12E-05	7.9E-06	3.46E-04	2.74E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	0.63209	1.12E-05	7.1E-06	3.46E-04	2.45E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	0.56568	1.12E-05	6.3E-06	3.46E-04	2.19E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	0.45792	1.12E-05	5.1E-06	3.46E-04	1.77E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	0.41506	1.12E-05	4.6E-06	3.46E-04	1.61E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	0.37872	1.12E-05	4.2E-06	3.46E-04	1.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	0.34751	1.12E-05	3.9E-06	3.46E-04	1.35E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	0.32037	1.12E-05	3.6E-06	3.46E-04	1.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	0.29659	1.12E-05	3.3E-06	3.46E-04	1.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	0.88744	1.12E-05	9.9E-06	3.46E-04	3.44E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	0.83221	1.12E-05	9.3E-06	3.46E-04	3.22E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	0.76942	1.12E-05	8.6E-06	3.46E-04	2.98E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	0.70735	1.12E-05	7.9E-06	3.46E-04	2.74E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	0.64424	1.12E-05	7.2E-06	3.46E-04	2.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	0.58311	1.12E-05	6.5E-06	3.46E-04	2.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	0.52661	1.12E-05	5.9E-06	3.46E-04	2.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	0.43115	1.12E-05	4.8E-06	3.46E-04	1.67E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	0.39272	1.12E-05	4.4E-06	3.46E-04	1.52E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	0.35973	1.12E-05	4.0E-06	3.46E-04	1.39E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	0.3314	1.12E-05	3.7E-06	3.46E-04	1.28E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	0.30625	1.12E-05	3.4E-06	3.46E-04	1.19E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	0.2844	1.12E-05	3.2E-06	3.46E-04	1.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	0.79255	1.12E-05	8.9E-06	3.46E-04	3.07E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	0.74691	1.12E-05	8.4E-06	3.46E-04	2.89E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	0.69584	1.12E-05	7.8E-06	3.46E-04	2.69E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	0.6425	1.12E-05	7.2E-06	3.46E-04	2.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	0.59111	1.12E-05	6.6E-06	3.46E-04	2.29E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	0.53954	1.12E-05	6.0E-06	3.46E-04	2.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	0.49094	1.12E-05	5.5E-06	3.46E-04	1.90E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	0.40709	1.12E-05	4.6E-06	3.46E-04	1.58E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	0.37246	1.12E-05	4.2E-06	3.46E-04	1.44E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	0.34243	1.12E-05	3.8E-06	3.46E-04	1.33E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	0.31628	1.12E-05	3.5E-06	3.46E-04	1.22E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	0.29307	1.12E-05	3.3E-06	3.46E-04	1.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	0.27292	1.12E-05	3.1E-06	3.46E-04	1.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	0.22395	1.12E-05	2.5E-06	3.46E-04	8.67E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	0.21077	1.12E-05	2.4E-06	3.46E-04	8.16E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	0.71313	1.12E-05	8.0E-06	3.46E-04	2.76E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	0.67524	1.12E-05	7.6E-06	3.46E-04	2.61E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	0.63309	1.12E-05	7.1E-06	3.46E-04	2.45E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	0.58786	1.12E-05	6.6E-06	3.46E-04	2.28E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	0.5439	1.12E-05	6.1E-06	3.46E-04	2.11E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	0.49993	1.12E-05	5.6E-06	3.46E-04	1.94E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	0.45746	1.12E-05	5.1E-06	3.46E-04	1.77E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	0.38417	1.12E-05	4.3E-06	3.46E-04	1.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	0.3531	1.12E-05	3.9E-06	3.46E-04	1.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	0.32577	1.12E-05	3.6E-06	3.46E-04	1.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	0.3018	1.12E-05	3.4E-06	3.46E-04	1.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	0.28069	1.12E-05	3.1E-06	3.46E-04	1.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	0.26205	1.12E-05	2.9E-06	3.46E-04	1.01E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	0.21612	1.12E-05	2.4E-06	3.46E-04	8.37E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	0.20395	1.12E-05	2.3E-06	3.46E-04	7.90E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	0.64592	1.12E-05	7.2E-06	3.46E-04	2.50E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	0.61397	1.12E-05	6.9E-06	3.46E-04	2.38E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	0.57877	1.12E-05	6.5E-06	3.46E-04	2.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	0.54031	1.12E-05	6.0E-06	3.46E-04	2.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	0.50209	1.12E-05	5.6E-06	3.46E-04	1.94E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	0.46452	1.12E-05	5.2E-06	3.46E-04	1.80E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	0.42845	1.12E-05	4.8E-06	3.46E-04	1.66E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	0.36325	1.12E-05	4.1E-06	3.46E-04	1.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	0.33541	1.12E-05	3.8E-06	3.46E-04	1.30E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	0.31044	1.12E-05	3.5E-06	3.46E-04	1.20E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	0.28852	1.12E-05	3.2E-06	3.46E-04	1.12E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	0.26902	1.12E-05	3.0E-06	3.46E-04	1.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	0.25171	1.12E-05	2.8E-06	3.46E-04	9.74E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	0.20883	1.12E-05	2.3E-06	3.46E-04	8.08E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	0.1973	1.12E-05	2.2E-06	3.46E-04	7.64E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	0.58832	1.12E-05	6.6E-06	3.46E-04	2.28E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	0.56105	1.12E-05	6.3E-06	3.46E-04	2.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	0.53127	1.12E-05	5.9E-06	3.46E-04	2.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	0.4984	1.12E-05	5.6E-06	3.46E-04	1.93E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	0.46618	1.12E-05	5.2E-06	3.46E-04	1.80E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	0.4335	1.12E-05	4.8E-06	3.46E-04	1.68E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	0.4019	1.12E-05	4.5E-06	3.46E-04	1.56E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	0.3441	1.12E-05	3.8E-06	3.46E-04	1.33E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	0.31919	1.12E-05	3.6E-06	3.46E-04	1.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	0.29619	1.12E-05	3.3E-06	3.46E-04	1.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	0.27608	1.12E-05	3.1E-06	3.46E-04	1.07E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	0.25803	1.12E-05	2.9E-06	3.46E-04	9.99E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	0.24179	1.12E-05	2.7E-06	3.46E-04	9.36E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	0.20179	1.12E-05	2.3E-06	3.46E-04	7.81E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	0.19087	1.12E-05	2.1E-06	3.46E-04	7.39E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	0.53862	1.12E-05	6.0E-06	3.46E-04	2.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	0.51516	1.12E-05	5.8E-06	3.46E-04	1.99E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	0.48958	1.12E-05	5.5E-06	3.46E-04	1.90E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	0.46191	1.12E-05	5.2E-06	3.46E-04	1.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	0.43339	1.12E-05	4.8E-06	3.46E-04	1.68E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	0.40563	1.12E-05	4.5E-06	3.46E-04	1.57E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	0.3779	1.12E-05	4.2E-06	3.46E-04	1.46E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	0.35165	1.12E-05	3.9E-06	3.46E-04	1.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	0.32655	1.12E-05	3.7E-06	3.46E-04	1.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	0.30382	1.12E-05	3.4E-06	3.46E-04	1.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	0.28304	1.12E-05	3.2E-06	3.46E-04	1.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	0.26438	1.12E-05	3.0E-06	3.46E-04	1.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	0.24758	1.12E-05	2.8E-06	3.46E-04	9.58E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	0.2326	1.12E-05	2.6E-06	3.46E-04	9.00E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	0.20616	1.12E-05	2.3E-06	3.46E-04	7.98E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	0.19499	1.12E-05	2.2E-06	3.46E-04	7.55E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.18471	1.12E-05	2.1E-06	3.46E-04	7.15E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	0.40455	1.12E-05	4.5E-06	3.46E-04	1.57E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	0.37996	1.12E-05	4.2E-06	3.46E-04	1.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	0.3553	1.12E-05	4.0E-06	3.46E-04	1.38E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	0.33246	1.12E-05	3.7E-06	3.46E-04	1.29E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	0.19899	1.12E-05	2.2E-06	3.46E-04	7.70E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	0.1885	1.12E-05	2.1E-06	3.46E-04	7.30E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.17883	1.12E-05	2.0E-06	3.46E-04	6.92E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	0.35679	1.12E-05	4.0E-06	3.46E-04	1.38E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	0.33547	1.12E-05	3.8E-06	3.46E-04	1.30E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	0.31448	1.12E-05	3.5E-06	3.46E-04	1.22E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	0.19218	1.12E-05	2.1E-06	3.46E-04	7.44E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	0.18225	1.12E-05	2.0E-06	3.46E-04	7.06E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.17316	1.12E-05	1.9E-06	3.46E-04	6.70E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	0.33565	1.12E-05	3.8E-06	3.46E-04	1.30E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	0.31666	1.12E-05	3.5E-06	3.46E-04	1.23E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	0.29788	1.12E-05	3.3E-06	3.46E-04	1.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	0.18557	1.12E-05	2.1E-06	3.46E-04	7.18E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	0.17614	1.12E-05	2.0E-06	3.46E-04	6.82E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.16763	1.12E-05	1.9E-06	3.46E-04	6.49E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	0.29946	1.12E-05	3.3E-06	3.46E-04	1.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	0.2825	1.12E-05	3.2E-06	3.46E-04	1.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	0.17928	1.12E-05	2.0E-06	3.46E-04	6.94E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.17045	1.12E-05	1.9E-06	3.46E-04	6.60E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.16243	1.12E-05	1.8E-06	3.46E-04	6.29E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	0.28373	1.12E-05	3.2E-06	3.46E-04	1.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	0.26866	1.12E-05	3.0E-06	3.46E-04	1.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	0.25413	1.12E-05	2.8E-06	3.46E-04	9.84E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	0.17336	1.12E-05	1.9E-06	3.46E-04	6.71E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.16499	1.12E-05	1.8E-06	3.46E-04	6.39E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.1575	1.12E-05	1.8E-06	3.46E-04	6.10E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	0.25566	1.12E-05	2.9E-06	3.46E-04	9.90E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	0.24238	1.12E-05	2.7E-06	3.46E-04	9.38E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.16766	1.12E-05	1.9E-06	3.46E-04	6.49E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.15979	1.12E-05	1.8E-06	3.46E-04	6.19E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.1527	1.12E-05	1.7E-06	3.46E-04	5.91E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	0.24347	1.12E-05	2.7E-06	3.46E-04	9.42E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	0.23158	1.12E-05	2.6E-06	3.46E-04	8.96E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.15484	1.12E-05	1.7E-06	3.46E-04	5.99E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.14801	1.12E-05	1.7E-06	3.46E-04	5.73E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	0.23221	1.12E-05	2.6E-06	3.46E-04	8.99E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	0.22151	1.12E-05	2.5E-06	3.46E-04	8.57E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	0.21074	1.12E-05	2.4E-06	3.46E-04	8.16E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.15006	1.12E-05	1.7E-06	3.46E-04	5.81E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.14357	1.12E-05	1.6E-06	3.46E-04	5.56E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	0.2119	1.12E-05	2.4E-06	3.46E-04	8.20E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	0.2021	1.12E-05	2.3E-06	3.46E-04	7.82E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.15925	1.12E-05	1.8E-06	3.46E-04	6.16E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.1455	1.12E-05	1.6E-06	3.46E-04	5.63E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.13934	1.12E-05	1.6E-06	3.46E-04	5.39E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	0.20193	1.12E-05	2.3E-06	3.46E-04	7.82E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	0.19392	1.12E-05	2.2E-06	3.46E-04	7.51E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	0.18516	1.12E-05	2.1E-06	3.46E-04	7.17E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	0.17684	1.12E-05	2.0E-06	3.46E-04	6.85E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	0.16874	1.12E-05	1.9E-06	3.46E-04	6.53E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.16121	1.12E-05	1.8E-06	3.46E-04	6.24E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.15407	1.12E-05	1.7E-06	3.46E-04	5.96E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.14742	1.12E-05	1.6E-06	3.46E-04	5.71E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.14116	1.12E-05	1.6E-06	3.46E-04	5.46E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.13529	1.12E-05	1.5E-06	3.46E-04	5.24E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	0.18384	1.12E-05	2.1E-06	3.46E-04	7.12E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	0.17826	1.12E-05	2.0E-06	3.46E-04	6.90E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	0.17052	1.12E-05	1.9E-06	3.46E-04	6.60E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	0.16301	1.12E-05	1.8E-06	3.46E-04	6.31E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	0.15589	1.12E-05	1.7E-06	3.46E-04	6.03E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.14917	1.12E-05	1.7E-06	3.46E-04	5.77E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.14291	1.12E-05	1.6E-06	3.46E-04	5.53E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.13142	1.12E-05	1.5E-06	3.46E-04	5.09E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.17904	1.12E-05	2.0E-06	3.46E-04	6.93E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	0.16704	1.12E-05	1.9E-06	3.46E-04	6.47E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	0.16447	1.12E-05	1.8E-06	3.46E-04	6.37E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	0.15748	1.12E-05	1.8E-06	3.46E-04	6.10E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	0.15081	1.12E-05	1.7E-06	3.46E-04	5.84E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.14449	1.12E-05	1.6E-06	3.46E-04	5.59E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.13856	1.12E-05	1.5E-06	3.46E-04	5.36E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.1277	1.12E-05	1.4E-06	3.46E-04	4.94E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.17241	1.12E-05	1.9E-06	3.46E-04	6.67E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.16543	1.12E-05	1.8E-06	3.46E-04	6.40E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	0.15731	1.12E-05	1.8E-06	3.46E-04	6.09E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	0.1502	1.12E-05	1.7E-06	3.46E-04	5.81E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	0.14595	1.12E-05	1.6E-06	3.46E-04	5.65E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.14	1.12E-05	1.6E-06	3.46E-04	5.42E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.13373	1.12E-05	1.5E-06	3.46E-04	5.18E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.12412	1.12E-05	1.4E-06	3.46E-04	4.80E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.15963	1.12E-05	1.8E-06	3.46E-04	6.18E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.15335	1.12E-05	1.7E-06	3.46E-04	5.94E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.14719	1.12E-05	1.6E-06	3.46E-04	5.70E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.13039	1.12E-05	1.5E-06	3.46E-04	5.05E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.1339	1.12E-05	1.5E-06	3.46E-04	5.18E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.13048	1.12E-05	1.5E-06	3.46E-04	5.05E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.12075	1.12E-05	1.4E-06	3.46E-04	4.67E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.15412	1.12E-05	1.7E-06	3.46E-04	5.97E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.14824	1.12E-05	1.7E-06	3.46E-04	5.74E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.14255	1.12E-05	1.6E-06	3.46E-04	5.52E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.137	1.12E-05	1.5E-06	3.46E-04	5.30E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.13168	1.12E-05	1.5E-06	3.46E-04	5.10E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.1261	1.12E-05	1.4E-06	3.46E-04	4.88E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.10616	1.12E-05	1.2E-06	3.46E-04	4.11E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.14891	1.12E-05	1.7E-06	3.46E-04	5.76E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.14337	1.12E-05	1.6E-06	3.46E-04	5.55E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.13802	1.12E-05	1.5E-06	3.46E-04	5.34E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.13284	1.12E-05	1.5E-06	3.46E-04	5.14E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.12784	1.12E-05	1.4E-06	3.46E-04	4.95E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.12311	1.12E-05	1.4E-06	3.46E-04	4.77E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.11857	1.12E-05	1.3E-06	3.46E-04	4.59E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	1.12E-05	0.0E+00	3.46E-04	0.00E+00	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	13.27717	1.12E-05	1.5E-04	1.05E-03	1.55E-07	2	1.57E-01	4.88E-08	1.0E+06	4.9E-02
2	14.55208	1.12E-05	1.6E-04	1.05E-03	1.70E-07	2	1.57E-01	5.35E-08	1.0E+06	5.3E-02
3	15.06129	1.12E-05	1.7E-04	1.05E-03	1.76E-07	2	1.57E-01	5.53E-08	1.0E+06	5.5E-02
4	15.39379	1.12E-05	1.7E-04	1.05E-03	1.80E-07	2	1.57E-01	5.65E-08	1.0E+06	5.7E-02
5	15.72103	1.12E-05	1.8E-04	1.05E-03	1.84E-07	2	1.57E-01	5.78E-08	1.0E+06	5.8E-02
6	12.45757	1.12E-05	1.4E-04	1.05E-03	1.46E-07	2	1.57E-01	4.58E-08	1.0E+06	4.6E-02
7	12.77993	1.12E-05	1.4E-04	1.05E-03	1.49E-07	2	1.57E-01	4.69E-08	1.0E+06	4.7E-02
8	13.06631	1.12E-05	1.5E-04	1.05E-03	1.53E-07	2	1.57E-01	4.80E-08	1.0E+06	4.8E-02
9	13.32534	1.12E-05	1.5E-04	1.05E-03	1.56E-07	2	1.57E-01	4.90E-08	1.0E+06	4.9E-02
10	13.55262	1.12E-05	1.5E-04	1.05E-03	1.58E-07	2	1.57E-01	4.98E-08	1.0E+06	5.0E-02
11	13.73981	1.12E-05	1.5E-04	1.05E-03	1.61E-07	2	1.57E-01	5.05E-08	1.0E+06	5.0E-02
12	13.86074	1.12E-05	1.6E-04	1.05E-03	1.62E-07	2	1.57E-01	5.09E-08	1.0E+06	5.1E-02
13	13.93781	1.12E-05	1.6E-04	1.05E-03	1.63E-07	2	1.57E-01	5.12E-08	1.0E+06	5.1E-02
14	13.89449	1.12E-05	1.6E-04	1.05E-03	1.62E-07	2	1.57E-01	5.10E-08	1.0E+06	5.1E-02
15	8.07737	1.12E-05	9.0E-05	1.05E-03	9.44E-08	2	1.57E-01	2.97E-08	1.0E+06	3.0E-02
16	7.39955	1.12E-05	8.3E-05	1.05E-03	8.65E-08	2	1.57E-01	2.72E-08	1.0E+06	2.7E-02
17	5.6887	1.12E-05	6.4E-05	1.05E-03	6.65E-08	2	1.57E-01	2.09E-08	1.0E+06	2.1E-02
18	5.7205	1.12E-05	6.4E-05	1.05E-03	6.69E-08	2	1.57E-01	2.10E-08	1.0E+06	2.1E-02
19	5.74825	1.12E-05	6.4E-05	1.05E-03	6.72E-08	2	1.57E-01	2.11E-08	1.0E+06	2.1E-02
20	3.3418	1.12E-05	3.7E-05	1.05E-03	3.91E-08	2	1.57E-01	1.23E-08	1.0E+06	1.2E-02
21	2.23651	1.12E-05	2.5E-05	1.05E-03	2.61E-08	2	1.57E-01	8.22E-09	1.0E+06	8.2E-03
22	1.6375	1.12E-05	1.8E-05	1.05E-03	1.91E-08	2	1.57E-01	6.02E-09	1.0E+06	6.0E-03
23	1.27151	1.12E-05	1.4E-05	1.05E-03	1.49E-08	2	1.57E-01	4.67E-09	1.0E+06	4.7E-03
24	1.02795	1.12E-05	1.1E-05	1.05E-03	1.20E-08	2	1.57E-01	3.78E-09	1.0E+06	3.8E-03
25	0.85548	1.12E-05	9.6E-06	1.05E-03	1.00E-08	2	1.57E-01	3.14E-09	1.0E+06	3.1E-03
26	0.72766	1.12E-05	8.1E-06	1.05E-03	8.51E-09	2	1.57E-01	2.67E-09	1.0E+06	2.7E-03
27	0.62948	1.12E-05	7.0E-06	1.05E-03	7.36E-09	2	1.57E-01	2.31E-09	1.0E+06	2.3E-03
28	0.5522	1.12E-05	6.2E-06	1.05E-03	6.45E-09	2	1.57E-01	2.03E-09	1.0E+06	2.0E-03
29	0.48975	1.12E-05	5.5E-06	1.05E-03	5.72E-09	2	1.57E-01	1.80E-09	1.0E+06	1.8E-03
30	0.43841	1.12E-05	4.9E-06	1.05E-03	5.12E-09	2	1.57E-01	1.61E-09	1.0E+06	1.6E-03
31	0.3957	1.12E-05	4.4E-06	1.05E-03	4.63E-09	2	1.57E-01	1.45E-09	1.0E+06	1.5E-03

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.35975	1.12E-05	4.0E-06	1.05E-03	4.20E-09	2	1.57E-01	1.32E-09	1.0E+06	1.3E-03
55	1.41184	1.12E-05	1.6E-05	1.05E-03	1.65E-08	2	1.57E-01	5.19E-09	1.0E+06	5.2E-03
56	1.12179	1.12E-05	1.3E-05	1.05E-03	1.31E-08	2	1.57E-01	4.12E-09	1.0E+06	4.1E-03
57	0.92271	1.12E-05	1.0E-05	1.05E-03	1.08E-08	2	1.57E-01	3.39E-09	1.0E+06	3.4E-03
58	0.77843	1.12E-05	8.7E-06	1.05E-03	9.10E-09	2	1.57E-01	2.86E-09	1.0E+06	2.9E-03
59	0.6699	1.12E-05	7.5E-06	1.05E-03	7.83E-09	2	1.57E-01	2.46E-09	1.0E+06	2.5E-03
60	0.5853	1.12E-05	6.5E-06	1.05E-03	6.84E-09	2	1.57E-01	2.15E-09	1.0E+06	2.2E-03
61	0.5171	1.12E-05	5.8E-06	1.05E-03	6.04E-09	2	1.57E-01	1.90E-09	1.0E+06	1.9E-03
62	0.46162	1.12E-05	5.2E-06	1.05E-03	5.40E-09	2	1.57E-01	1.70E-09	1.0E+06	1.7E-03
63	0.41544	1.12E-05	4.6E-06	1.05E-03	4.86E-09	2	1.57E-01	1.53E-09	1.0E+06	1.5E-03
64	0.37669	1.12E-05	4.2E-06	1.05E-03	4.40E-09	2	1.57E-01	1.38E-09	1.0E+06	1.4E-03
65	0.34382	1.12E-05	3.8E-06	1.05E-03	4.02E-09	2	1.57E-01	1.26E-09	1.0E+06	1.3E-03
66	0.31513	1.12E-05	3.5E-06	1.05E-03	3.68E-09	2	1.57E-01	1.16E-09	1.0E+06	1.2E-03
67	14.61761	1.12E-05	1.6E-04	1.05E-03	1.71E-07	2	1.57E-01	5.37E-08	1.0E+06	5.4E-02
68	15.15671	1.12E-05	1.7E-04	1.05E-03	1.77E-07	2	1.57E-01	5.57E-08	1.0E+06	5.6E-02
69	15.48465	1.12E-05	1.7E-04	1.05E-03	1.81E-07	2	1.57E-01	5.69E-08	1.0E+06	5.7E-02
70	15.67886	1.12E-05	1.8E-04	1.05E-03	1.83E-07	2	1.57E-01	5.76E-08	1.0E+06	5.8E-02
71	15.69465	1.12E-05	1.8E-04	1.05E-03	1.83E-07	2	1.57E-01	5.77E-08	1.0E+06	5.8E-02
72	15.5407	1.12E-05	1.7E-04	1.05E-03	1.82E-07	2	1.57E-01	5.71E-08	1.0E+06	5.7E-02
73	15.25369	1.12E-05	1.7E-04	1.05E-03	1.78E-07	2	1.57E-01	5.60E-08	1.0E+06	5.6E-02
74	14.94789	1.12E-05	1.7E-04	1.05E-03	1.75E-07	2	1.57E-01	5.49E-08	1.0E+06	5.5E-02
75	14.59618	1.12E-05	1.6E-04	1.05E-03	1.71E-07	2	1.57E-01	5.36E-08	1.0E+06	5.4E-02
76	14.26011	1.12E-05	1.6E-04	1.05E-03	1.67E-07	2	1.57E-01	5.24E-08	1.0E+06	5.2E-02
77	13.95302	1.12E-05	1.6E-04	1.05E-03	1.63E-07	2	1.57E-01	5.13E-08	1.0E+06	5.1E-02
78	13.58992	1.12E-05	1.5E-04	1.05E-03	1.59E-07	2	1.57E-01	4.99E-08	1.0E+06	5.0E-02
79	9.9219	1.12E-05	1.1E-04	1.05E-03	1.16E-07	2	1.57E-01	3.64E-08	1.0E+06	3.6E-02
80	6.45582	1.12E-05	7.2E-05	1.05E-03	7.55E-08	2	1.57E-01	2.37E-08	1.0E+06	2.4E-02
81	3.42456	1.12E-05	3.8E-05	1.05E-03	4.00E-08	2	1.57E-01	1.26E-08	1.0E+06	1.3E-02
82	2.17273	1.12E-05	2.4E-05	1.05E-03	2.54E-08	2	1.57E-01	7.98E-09	1.0E+06	8.0E-03
83	1.57961	1.12E-05	1.8E-05	1.05E-03	1.85E-08	2	1.57E-01	5.80E-09	1.0E+06	5.8E-03
84	1.23392	1.12E-05	1.4E-05	1.05E-03	1.44E-08	2	1.57E-01	4.53E-09	1.0E+06	4.5E-03

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	1.00328	1.12E-05	1.1E-05	1.05E-03	1.17E-08	2	1.57E-01	3.69E-09	1.0E+06	3.7E-03
86	0.83922	1.12E-05	9.4E-06	1.05E-03	9.81E-09	2	1.57E-01	3.08E-09	1.0E+06	3.1E-03
87	0.71743	1.12E-05	8.0E-06	1.05E-03	8.39E-09	2	1.57E-01	2.64E-09	1.0E+06	2.6E-03
88	0.62324	1.12E-05	7.0E-06	1.05E-03	7.28E-09	2	1.57E-01	2.29E-09	1.0E+06	2.3E-03
89	0.54885	1.12E-05	6.1E-06	1.05E-03	6.42E-09	2	1.57E-01	2.02E-09	1.0E+06	2.0E-03
90	0.48839	1.12E-05	5.5E-06	1.05E-03	5.71E-09	2	1.57E-01	1.79E-09	1.0E+06	1.8E-03
91	0.43802	1.12E-05	4.9E-06	1.05E-03	5.12E-09	2	1.57E-01	1.61E-09	1.0E+06	1.6E-03
92	0.3963	1.12E-05	4.4E-06	1.05E-03	4.63E-09	2	1.57E-01	1.46E-09	1.0E+06	1.5E-03
93	0.36051	1.12E-05	4.0E-06	1.05E-03	4.21E-09	2	1.57E-01	1.32E-09	1.0E+06	1.3E-03
96	0.66375	1.12E-05	7.4E-06	1.05E-03	7.76E-09	2	1.57E-01	2.44E-09	1.0E+06	2.4E-03
97	0.57214	1.12E-05	6.4E-06	1.05E-03	6.69E-09	2	1.57E-01	2.10E-09	1.0E+06	2.1E-03
98	0.58539	1.12E-05	6.5E-06	1.05E-03	6.84E-09	2	1.57E-01	2.15E-09	1.0E+06	2.2E-03
99	0.51819	1.12E-05	5.8E-06	1.05E-03	6.06E-09	2	1.57E-01	1.90E-09	1.0E+06	1.9E-03
100	0.46356	1.12E-05	5.2E-06	1.05E-03	5.42E-09	2	1.57E-01	1.70E-09	1.0E+06	1.7E-03
101	0.41808	1.12E-05	4.7E-06	1.05E-03	4.89E-09	2	1.57E-01	1.54E-09	1.0E+06	1.5E-03
102	0.37897	1.12E-05	4.2E-06	1.05E-03	4.43E-09	2	1.57E-01	1.39E-09	1.0E+06	1.4E-03
106	3.80169	1.12E-05	4.3E-05	1.05E-03	4.44E-08	2	1.57E-01	1.40E-08	1.0E+06	1.4E-02
107	4.48745	1.12E-05	5.0E-05	1.05E-03	5.25E-08	2	1.57E-01	1.65E-08	1.0E+06	1.6E-02
108	4.83893	1.12E-05	5.4E-05	1.05E-03	5.66E-08	2	1.57E-01	1.78E-08	1.0E+06	1.8E-02
109	5.06019	1.12E-05	5.7E-05	1.05E-03	5.91E-08	2	1.57E-01	1.86E-08	1.0E+06	1.9E-02
110	5.20184	1.12E-05	5.8E-05	1.05E-03	6.08E-08	2	1.57E-01	1.91E-08	1.0E+06	1.9E-02
111	5.29025	1.12E-05	5.9E-05	1.05E-03	6.18E-08	2	1.57E-01	1.94E-08	1.0E+06	1.9E-02
112	5.32764	1.12E-05	6.0E-05	1.05E-03	6.23E-08	2	1.57E-01	1.96E-08	1.0E+06	2.0E-02
113	5.33048	1.12E-05	6.0E-05	1.05E-03	6.23E-08	2	1.57E-01	1.96E-08	1.0E+06	2.0E-02
114	5.30456	1.12E-05	5.9E-05	1.05E-03	6.20E-08	2	1.57E-01	1.95E-08	1.0E+06	1.9E-02
115	5.25978	1.12E-05	5.9E-05	1.05E-03	6.15E-08	2	1.57E-01	1.93E-08	1.0E+06	1.9E-02
116	5.18609	1.12E-05	5.8E-05	1.05E-03	6.06E-08	2	1.57E-01	1.91E-08	1.0E+06	1.9E-02
117	5.10465	1.12E-05	5.7E-05	1.05E-03	5.97E-08	2	1.57E-01	1.88E-08	1.0E+06	1.9E-02
118	4.99878	1.12E-05	5.6E-05	1.05E-03	5.84E-08	2	1.57E-01	1.84E-08	1.0E+06	1.8E-02
124	2.77265	1.12E-05	3.1E-05	1.05E-03	3.24E-08	2	1.57E-01	1.02E-08	1.0E+06	1.0E-02
125	3.17488	1.12E-05	3.6E-05	1.05E-03	3.71E-08	2	1.57E-01	1.17E-08	1.0E+06	1.2E-02

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	3.4525	1.12E-05	3.9E-05	1.05E-03	4.04E-08	2	1.57E-01	1.27E-08	1.0E+06	1.3E-02
127	3.63621	1.12E-05	4.1E-05	1.05E-03	4.25E-08	2	1.57E-01	1.34E-08	1.0E+06	1.3E-02
128	3.75788	1.12E-05	4.2E-05	1.05E-03	4.39E-08	2	1.57E-01	1.38E-08	1.0E+06	1.4E-02
129	3.83531	1.12E-05	4.3E-05	1.05E-03	4.48E-08	2	1.57E-01	1.41E-08	1.0E+06	1.4E-02
130	3.87919	1.12E-05	4.3E-05	1.05E-03	4.53E-08	2	1.57E-01	1.43E-08	1.0E+06	1.4E-02
131	3.89335	1.12E-05	4.4E-05	1.05E-03	4.55E-08	2	1.57E-01	1.43E-08	1.0E+06	1.4E-02
132	3.8839	1.12E-05	4.3E-05	1.05E-03	4.54E-08	2	1.57E-01	1.43E-08	1.0E+06	1.4E-02
133	3.85854	1.12E-05	4.3E-05	1.05E-03	4.51E-08	2	1.57E-01	1.42E-08	1.0E+06	1.4E-02
134	3.81264	1.12E-05	4.3E-05	1.05E-03	4.46E-08	2	1.57E-01	1.40E-08	1.0E+06	1.4E-02
135	3.7513	1.12E-05	4.2E-05	1.05E-03	4.38E-08	2	1.57E-01	1.38E-08	1.0E+06	1.4E-02
136	3.66911	1.12E-05	4.1E-05	1.05E-03	4.29E-08	2	1.57E-01	1.35E-08	1.0E+06	1.3E-02
137	3.56063	1.12E-05	4.0E-05	1.05E-03	4.16E-08	2	1.57E-01	1.31E-08	1.0E+06	1.3E-02
138	3.41762	1.12E-05	3.8E-05	1.05E-03	3.99E-08	2	1.57E-01	1.26E-08	1.0E+06	1.3E-02
141	2.12296	1.12E-05	2.4E-05	1.05E-03	2.48E-08	2	1.57E-01	7.80E-09	1.0E+06	7.8E-03
142	2.4075	1.12E-05	2.7E-05	1.05E-03	2.81E-08	2	1.57E-01	8.84E-09	1.0E+06	8.8E-03
143	2.62339	1.12E-05	2.9E-05	1.05E-03	3.07E-08	2	1.57E-01	9.64E-09	1.0E+06	9.6E-03
144	2.77572	1.12E-05	3.1E-05	1.05E-03	3.24E-08	2	1.57E-01	1.02E-08	1.0E+06	1.0E-02
145	2.88049	1.12E-05	3.2E-05	1.05E-03	3.37E-08	2	1.57E-01	1.06E-08	1.0E+06	1.1E-02
146	2.94987	1.12E-05	3.3E-05	1.05E-03	3.45E-08	2	1.57E-01	1.08E-08	1.0E+06	1.1E-02
147	2.99124	1.12E-05	3.3E-05	1.05E-03	3.50E-08	2	1.57E-01	1.10E-08	1.0E+06	1.1E-02
148	3.00965	1.12E-05	3.4E-05	1.05E-03	3.52E-08	2	1.57E-01	1.11E-08	1.0E+06	1.1E-02
149	3.00837	1.12E-05	3.4E-05	1.05E-03	3.52E-08	2	1.57E-01	1.11E-08	1.0E+06	1.1E-02
150	2.99123	1.12E-05	3.3E-05	1.05E-03	3.50E-08	2	1.57E-01	1.10E-08	1.0E+06	1.1E-02
151	2.95811	1.12E-05	3.3E-05	1.05E-03	3.46E-08	2	1.57E-01	1.09E-08	1.0E+06	1.1E-02
152	2.90915	1.12E-05	3.3E-05	1.05E-03	3.40E-08	2	1.57E-01	1.07E-08	1.0E+06	1.1E-02
153	2.84263	1.12E-05	3.2E-05	1.05E-03	3.32E-08	2	1.57E-01	1.04E-08	1.0E+06	1.0E-02
154	2.75792	1.12E-05	3.1E-05	1.05E-03	3.22E-08	2	1.57E-01	1.01E-08	1.0E+06	1.0E-02
155	2.64546	1.12E-05	3.0E-05	1.05E-03	3.09E-08	2	1.57E-01	9.72E-09	1.0E+06	9.7E-03
164	2.21752	1.12E-05	2.5E-05	1.05E-03	2.59E-08	2	1.57E-01	8.15E-09	1.0E+06	8.1E-03
165	2.12781	1.12E-05	2.4E-05	1.05E-03	2.49E-08	2	1.57E-01	7.82E-09	1.0E+06	7.8E-03
166	2.01263	1.12E-05	2.3E-05	1.05E-03	2.35E-08	2	1.57E-01	7.39E-09	1.0E+06	7.4E-03

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	1.83242	1.12E-05	2.0E-05	1.05E-03	2.14E-08	2	1.57E-01	6.73E-09	1.0E+06	6.7E-03
179	1.75969	1.12E-05	2.0E-05	1.05E-03	2.06E-08	2	1.57E-01	6.46E-09	1.0E+06	6.5E-03
180	1.66809	1.12E-05	1.9E-05	1.05E-03	1.95E-08	2	1.57E-01	6.13E-09	1.0E+06	6.1E-03
192	1.54552	1.12E-05	1.7E-05	1.05E-03	1.81E-08	2	1.57E-01	5.68E-09	1.0E+06	5.7E-03
193	1.48568	1.12E-05	1.7E-05	1.05E-03	1.74E-08	2	1.57E-01	5.46E-09	1.0E+06	5.5E-03
194	1.41218	1.12E-05	1.6E-05	1.05E-03	1.65E-08	2	1.57E-01	5.19E-09	1.0E+06	5.2E-03
207	1.32527	1.12E-05	1.5E-05	1.05E-03	1.55E-08	2	1.57E-01	4.87E-09	1.0E+06	4.9E-03
208	1.27587	1.12E-05	1.4E-05	1.05E-03	1.49E-08	2	1.57E-01	4.69E-09	1.0E+06	4.7E-03
209	1.21546	1.12E-05	1.4E-05	1.05E-03	1.42E-08	2	1.57E-01	4.46E-09	1.0E+06	4.5E-03
223	1.15142	1.12E-05	1.3E-05	1.05E-03	1.35E-08	2	1.57E-01	4.23E-09	1.0E+06	4.2E-03
224	1.11038	1.12E-05	1.2E-05	1.05E-03	1.30E-08	2	1.57E-01	4.08E-09	1.0E+06	4.1E-03
225	1.06089	1.12E-05	1.2E-05	1.05E-03	1.24E-08	2	1.57E-01	3.90E-09	1.0E+06	3.9E-03
239	1.01109	1.12E-05	1.1E-05	1.05E-03	1.18E-08	2	1.57E-01	3.71E-09	1.0E+06	3.7E-03
240	0.97683	1.12E-05	1.1E-05	1.05E-03	1.14E-08	2	1.57E-01	3.59E-09	1.0E+06	3.6E-03
241	0.93557	1.12E-05	1.0E-05	1.05E-03	1.09E-08	2	1.57E-01	3.44E-09	1.0E+06	3.4E-03
255	0.89612	1.12E-05	1.0E-05	1.05E-03	1.05E-08	2	1.57E-01	3.29E-09	1.0E+06	3.3E-03
256	0.86732	1.12E-05	9.7E-06	1.05E-03	1.01E-08	2	1.57E-01	3.19E-09	1.0E+06	3.2E-03
272	0.80085	1.12E-05	9.0E-06	1.05E-03	9.36E-09	2	1.57E-01	2.94E-09	1.0E+06	2.9E-03
273	0.77611	1.12E-05	8.7E-06	1.05E-03	9.07E-09	2	1.57E-01	2.85E-09	1.0E+06	2.9E-03
289	0.72029	1.12E-05	8.1E-06	1.05E-03	8.42E-09	2	1.57E-01	2.65E-09	1.0E+06	2.6E-03
290	0.69925	1.12E-05	7.8E-06	1.05E-03	8.17E-09	2	1.57E-01	2.57E-09	1.0E+06	2.6E-03
306	0.6519	1.12E-05	7.3E-06	1.05E-03	7.62E-09	2	1.57E-01	2.39E-09	1.0E+06	2.4E-03
307	0.63382	1.12E-05	7.1E-06	1.05E-03	7.41E-09	2	1.57E-01	2.33E-09	1.0E+06	2.3E-03
323	0.59325	1.12E-05	6.6E-06	1.05E-03	6.93E-09	2	1.57E-01	2.18E-09	1.0E+06	2.2E-03
324	0.57766	1.12E-05	6.5E-06	1.05E-03	6.75E-09	2	1.57E-01	2.12E-09	1.0E+06	2.1E-03
342	0.54244	1.12E-05	6.1E-06	1.05E-03	6.34E-09	2	1.57E-01	1.99E-09	1.0E+06	2.0E-03
343	0.52894	1.12E-05	5.9E-06	1.05E-03	6.18E-09	2	1.57E-01	1.94E-09	1.0E+06	1.9E-03
344	0.51339	1.12E-05	5.7E-06	1.05E-03	6.00E-09	2	1.57E-01	1.89E-09	1.0E+06	1.9E-03
356	0.49826	1.12E-05	5.6E-06	1.05E-03	5.82E-09	2	1.57E-01	1.83E-09	1.0E+06	1.8E-03
357	0.48673	1.12E-05	5.4E-06	1.05E-03	5.69E-09	2	1.57E-01	1.79E-09	1.0E+06	1.8E-03
358	0.47302	1.12E-05	5.3E-06	1.05E-03	5.53E-09	2	1.57E-01	1.74E-09	1.0E+06	1.7E-03

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.45942	1.12E-05	5.1E-06	1.05E-03	5.37E-09	2	1.57E-01	1.69E-09	1.0E+06	1.7E-03
371	0.44946	1.12E-05	5.0E-06	1.05E-03	5.25E-09	2	1.57E-01	1.65E-09	1.0E+06	1.7E-03
372	0.43751	1.12E-05	4.9E-06	1.05E-03	5.11E-09	2	1.57E-01	1.61E-09	1.0E+06	1.6E-03
383	0.42516	1.12E-05	4.8E-06	1.05E-03	4.97E-09	2	1.57E-01	1.56E-09	1.0E+06	1.6E-03
384	0.41648	1.12E-05	4.7E-06	1.05E-03	4.87E-09	2	1.57E-01	1.53E-09	1.0E+06	1.5E-03
385	0.40608	1.12E-05	4.5E-06	1.05E-03	4.75E-09	2	1.57E-01	1.49E-09	1.0E+06	1.5E-03
396	0.39473	1.12E-05	4.4E-06	1.05E-03	4.61E-09	2	1.57E-01	1.45E-09	1.0E+06	1.5E-03
397	0.38717	1.12E-05	4.3E-06	1.05E-03	4.53E-09	2	1.57E-01	1.42E-09	1.0E+06	1.4E-03
398	0.3781	1.12E-05	4.2E-06	1.05E-03	4.42E-09	2	1.57E-01	1.39E-09	1.0E+06	1.4E-03
399	0.36758	1.12E-05	4.1E-06	1.05E-03	4.30E-09	2	1.57E-01	1.35E-09	1.0E+06	1.4E-03
411	0.36761	1.12E-05	4.1E-06	1.05E-03	4.30E-09	2	1.57E-01	1.35E-09	1.0E+06	1.4E-03
412	0.36104	1.12E-05	4.0E-06	1.05E-03	4.22E-09	2	1.57E-01	1.33E-09	1.0E+06	1.3E-03
413	0.35293	1.12E-05	3.9E-06	1.05E-03	4.13E-09	2	1.57E-01	1.30E-09	1.0E+06	1.3E-03
414	0.3438	1.12E-05	3.8E-06	1.05E-03	4.02E-09	2	1.57E-01	1.26E-09	1.0E+06	1.3E-03
426	0.34327	1.12E-05	3.8E-06	1.05E-03	4.01E-09	2	1.57E-01	1.26E-09	1.0E+06	1.3E-03
427	0.3375	1.12E-05	3.8E-06	1.05E-03	3.94E-09	2	1.57E-01	1.24E-09	1.0E+06	1.2E-03
428	0.33057	1.12E-05	3.7E-06	1.05E-03	3.86E-09	2	1.57E-01	1.21E-09	1.0E+06	1.2E-03
429	0.32241	1.12E-05	3.6E-06	1.05E-03	3.77E-09	2	1.57E-01	1.18E-09	1.0E+06	1.2E-03
439	0.32141	1.12E-05	3.6E-06	1.05E-03	3.76E-09	2	1.57E-01	1.18E-09	1.0E+06	1.2E-03
440	0.31635	1.12E-05	3.5E-06	1.05E-03	3.70E-09	2	1.57E-01	1.16E-09	1.0E+06	1.2E-03
441	0.31019	1.12E-05	3.5E-06	1.05E-03	3.63E-09	2	1.57E-01	1.14E-09	1.0E+06	1.1E-03
442	0.30299	1.12E-05	3.4E-06	1.05E-03	3.54E-09	2	1.57E-01	1.11E-09	1.0E+06	1.1E-03
443	0.2948	1.12E-05	3.3E-06	1.05E-03	3.45E-09	2	1.57E-01	1.08E-09	1.0E+06	1.1E-03
454	0.30163	1.12E-05	3.4E-06	1.05E-03	3.53E-09	2	1.57E-01	1.11E-09	1.0E+06	1.1E-03
455	0.2972	1.12E-05	3.3E-06	1.05E-03	3.47E-09	2	1.57E-01	1.09E-09	1.0E+06	1.1E-03
456	0.29174	1.12E-05	3.3E-06	1.05E-03	3.41E-09	2	1.57E-01	1.07E-09	1.0E+06	1.1E-03
457	0.28535	1.12E-05	3.2E-06	1.05E-03	3.34E-09	2	1.57E-01	1.05E-09	1.0E+06	1.0E-03
458	0.27808	1.12E-05	3.1E-06	1.05E-03	3.25E-09	2	1.57E-01	1.02E-09	1.0E+06	1.0E-03
469	0.28375	1.12E-05	3.2E-06	1.05E-03	3.32E-09	2	1.57E-01	1.04E-09	1.0E+06	1.0E-03
470	0.2799	1.12E-05	3.1E-06	1.05E-03	3.27E-09	2	1.57E-01	1.03E-09	1.0E+06	1.0E-03
471	0.27506	1.12E-05	3.1E-06	1.05E-03	3.22E-09	2	1.57E-01	1.01E-09	1.0E+06	1.0E-03

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.26939	1.12E-05	3.0E-06	1.05E-03	3.15E-09	2	1.57E-01	9.90E-10	1.0E+06	9.9E-04
473	0.26291	1.12E-05	2.9E-06	1.05E-03	3.07E-09	2	1.57E-01	9.66E-10	1.0E+06	9.7E-04
489	0.26741	1.12E-05	3.0E-06	1.05E-03	3.13E-09	2	1.57E-01	9.82E-10	1.0E+06	9.8E-04
490	0.26401	1.12E-05	3.0E-06	1.05E-03	3.09E-09	2	1.57E-01	9.70E-10	1.0E+06	9.7E-04
491	0.25976	1.12E-05	2.9E-06	1.05E-03	3.04E-09	2	1.57E-01	9.54E-10	1.0E+06	9.5E-04
492	0.2547	1.12E-05	2.8E-06	1.05E-03	2.98E-09	2	1.57E-01	9.36E-10	1.0E+06	9.4E-04
493	0.24889	1.12E-05	2.8E-06	1.05E-03	2.91E-09	2	1.57E-01	9.14E-10	1.0E+06	9.1E-04
494	0.24242	1.12E-05	2.7E-06	1.05E-03	2.83E-09	2	1.57E-01	8.91E-10	1.0E+06	8.9E-04
509	0.25259	1.12E-05	2.8E-06	1.05E-03	2.95E-09	2	1.57E-01	9.28E-10	1.0E+06	9.3E-04
510	0.24958	1.12E-05	2.8E-06	1.05E-03	2.92E-09	2	1.57E-01	9.17E-10	1.0E+06	9.2E-04
511	0.24585	1.12E-05	2.7E-06	1.05E-03	2.87E-09	2	1.57E-01	9.03E-10	1.0E+06	9.0E-04
512	0.24134	1.12E-05	2.7E-06	1.05E-03	2.82E-09	2	1.57E-01	8.87E-10	1.0E+06	8.9E-04
513	0.23609	1.12E-05	2.6E-06	1.05E-03	2.76E-09	2	1.57E-01	8.67E-10	1.0E+06	8.7E-04
514	0.23029	1.12E-05	2.6E-06	1.05E-03	2.69E-09	2	1.57E-01	8.46E-10	1.0E+06	8.5E-04
515	0.21706	1.12E-05	2.4E-06	1.05E-03	2.54E-09	2	1.57E-01	7.97E-10	1.0E+06	8.0E-04
516	0.20974	1.12E-05	2.3E-06	1.05E-03	2.45E-09	2	1.57E-01	7.70E-10	1.0E+06	7.7E-04
517	0.20223	1.12E-05	2.3E-06	1.05E-03	2.36E-09	2	1.57E-01	7.43E-10	1.0E+06	7.4E-04
518	0.19458	1.12E-05	2.2E-06	1.05E-03	2.27E-09	2	1.57E-01	7.15E-10	1.0E+06	7.1E-04
519	0.1869	1.12E-05	2.1E-06	1.05E-03	2.18E-09	2	1.57E-01	6.87E-10	1.0E+06	6.9E-04
528	0.23903	1.12E-05	2.7E-06	1.05E-03	2.79E-09	2	1.57E-01	8.78E-10	1.0E+06	8.8E-04
529	0.23639	1.12E-05	2.6E-06	1.05E-03	2.76E-09	2	1.57E-01	8.68E-10	1.0E+06	8.7E-04
530	0.23305	1.12E-05	2.6E-06	1.05E-03	2.72E-09	2	1.57E-01	8.56E-10	1.0E+06	8.6E-04
531	0.22905	1.12E-05	2.6E-06	1.05E-03	2.68E-09	2	1.57E-01	8.41E-10	1.0E+06	8.4E-04
532	0.22437	1.12E-05	2.5E-06	1.05E-03	2.62E-09	2	1.57E-01	8.24E-10	1.0E+06	8.2E-04
533	0.21911	1.12E-05	2.5E-06	1.05E-03	2.56E-09	2	1.57E-01	8.05E-10	1.0E+06	8.0E-04
534	0.20706	1.12E-05	2.3E-06	1.05E-03	2.42E-09	2	1.57E-01	7.61E-10	1.0E+06	7.6E-04
535	0.20045	1.12E-05	2.2E-06	1.05E-03	2.34E-09	2	1.57E-01	7.36E-10	1.0E+06	7.4E-04
536	0.19365	1.12E-05	2.2E-06	1.05E-03	2.26E-09	2	1.57E-01	7.11E-10	1.0E+06	7.1E-04
537	0.18659	1.12E-05	2.1E-06	1.05E-03	2.18E-09	2	1.57E-01	6.85E-10	1.0E+06	6.9E-04
538	0.17948	1.12E-05	2.0E-06	1.05E-03	2.10E-09	2	1.57E-01	6.59E-10	1.0E+06	6.6E-04
547	0.22657	1.12E-05	2.5E-06	1.05E-03	2.65E-09	2	1.57E-01	8.32E-10	1.0E+06	8.3E-04

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.22425	1.12E-05	2.5E-06	1.05E-03	2.62E-09	2	1.57E-01	8.24E-10	1.0E+06	8.2E-04
549	0.22132	1.12E-05	2.5E-06	1.05E-03	2.59E-09	2	1.57E-01	8.13E-10	1.0E+06	8.1E-04
550	0.21768	1.12E-05	2.4E-06	1.05E-03	2.54E-09	2	1.57E-01	8.00E-10	1.0E+06	8.0E-04
551	0.2135	1.12E-05	2.4E-06	1.05E-03	2.50E-09	2	1.57E-01	7.84E-10	1.0E+06	7.8E-04
552	0.20876	1.12E-05	2.3E-06	1.05E-03	2.44E-09	2	1.57E-01	7.67E-10	1.0E+06	7.7E-04
553	0.20353	1.12E-05	2.3E-06	1.05E-03	2.38E-09	2	1.57E-01	7.48E-10	1.0E+06	7.5E-04
554	0.19783	1.12E-05	2.2E-06	1.05E-03	2.31E-09	2	1.57E-01	7.27E-10	1.0E+06	7.3E-04
555	0.19184	1.12E-05	2.1E-06	1.05E-03	2.24E-09	2	1.57E-01	7.05E-10	1.0E+06	7.0E-04
556	0.18565	1.12E-05	2.1E-06	1.05E-03	2.17E-09	2	1.57E-01	6.82E-10	1.0E+06	6.8E-04
557	0.17914	1.12E-05	2.0E-06	1.05E-03	2.09E-09	2	1.57E-01	6.58E-10	1.0E+06	6.6E-04
558	0.17264	1.12E-05	1.9E-06	1.05E-03	2.02E-09	2	1.57E-01	6.34E-10	1.0E+06	6.3E-04
559	0.16609	1.12E-05	1.9E-06	1.05E-03	1.94E-09	2	1.57E-01	6.10E-10	1.0E+06	6.1E-04
567	0.21514	1.12E-05	2.4E-06	1.05E-03	2.51E-09	2	1.57E-01	7.90E-10	1.0E+06	7.9E-04
568	0.21312	1.12E-05	2.4E-06	1.05E-03	2.49E-09	2	1.57E-01	7.83E-10	1.0E+06	7.8E-04
569	0.21049	1.12E-05	2.4E-06	1.05E-03	2.46E-09	2	1.57E-01	7.73E-10	1.0E+06	7.7E-04
570	0.20727	1.12E-05	2.3E-06	1.05E-03	2.42E-09	2	1.57E-01	7.61E-10	1.0E+06	7.6E-04
571	0.20349	1.12E-05	2.3E-06	1.05E-03	2.38E-09	2	1.57E-01	7.48E-10	1.0E+06	7.5E-04
572	0.19921	1.12E-05	2.2E-06	1.05E-03	2.33E-09	2	1.57E-01	7.32E-10	1.0E+06	7.3E-04
573	0.19446	1.12E-05	2.2E-06	1.05E-03	2.27E-09	2	1.57E-01	7.14E-10	1.0E+06	7.1E-04
574	0.1838	1.12E-05	2.1E-06	1.05E-03	2.15E-09	2	1.57E-01	6.75E-10	1.0E+06	6.8E-04
575	0.17813	1.12E-05	2.0E-06	1.05E-03	2.08E-09	2	1.57E-01	6.54E-10	1.0E+06	6.5E-04
576	0.17224	1.12E-05	1.9E-06	1.05E-03	2.01E-09	2	1.57E-01	6.33E-10	1.0E+06	6.3E-04
577	0.16623	1.12E-05	1.9E-06	1.05E-03	1.94E-09	2	1.57E-01	6.11E-10	1.0E+06	6.1E-04
578	0.16016	1.12E-05	1.8E-06	1.05E-03	1.87E-09	2	1.57E-01	5.88E-10	1.0E+06	5.9E-04
586	0.20455	1.12E-05	2.3E-06	1.05E-03	2.39E-09	2	1.57E-01	7.51E-10	1.0E+06	7.5E-04
587	0.20275	1.12E-05	2.3E-06	1.05E-03	2.37E-09	2	1.57E-01	7.45E-10	1.0E+06	7.4E-04
588	0.20044	1.12E-05	2.2E-06	1.05E-03	2.34E-09	2	1.57E-01	7.36E-10	1.0E+06	7.4E-04
589	0.19756	1.12E-05	2.2E-06	1.05E-03	2.31E-09	2	1.57E-01	7.26E-10	1.0E+06	7.3E-04
590	0.19416	1.12E-05	2.2E-06	1.05E-03	2.27E-09	2	1.57E-01	7.13E-10	1.0E+06	7.1E-04
591	0.19027	1.12E-05	2.1E-06	1.05E-03	2.22E-09	2	1.57E-01	6.99E-10	1.0E+06	7.0E-04
592	0.18596	1.12E-05	2.1E-06	1.05E-03	2.17E-09	2	1.57E-01	6.83E-10	1.0E+06	6.8E-04

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.17626	1.12E-05	2.0E-06	1.05E-03	2.06E-09	2	1.57E-01	6.47E-10	1.0E+06	6.5E-04
594	0.17108	1.12E-05	1.9E-06	1.05E-03	2.00E-09	2	1.57E-01	6.28E-10	1.0E+06	6.3E-04
595	0.16562	1.12E-05	1.9E-06	1.05E-03	1.94E-09	2	1.57E-01	6.08E-10	1.0E+06	6.1E-04
596	0.16005	1.12E-05	1.8E-06	1.05E-03	1.87E-09	2	1.57E-01	5.88E-10	1.0E+06	5.9E-04
597	0.15446	1.12E-05	1.7E-06	1.05E-03	1.81E-09	2	1.57E-01	5.67E-10	1.0E+06	5.7E-04
345	0.49521	1.12E-05	5.5E-06	1.05E-03	5.79E-09	2	1.57E-01	1.82E-09	1.0E+06	1.8E-03
346	0.475	1.12E-05	5.3E-06	1.05E-03	5.55E-09	2	1.57E-01	1.74E-09	1.0E+06	1.7E-03
347	0.45281	1.12E-05	5.1E-06	1.05E-03	5.29E-09	2	1.57E-01	1.66E-09	1.0E+06	1.7E-03
348	0.42916	1.12E-05	4.8E-06	1.05E-03	5.02E-09	2	1.57E-01	1.58E-09	1.0E+06	1.6E-03
359	0.45716	1.12E-05	5.1E-06	1.05E-03	5.34E-09	2	1.57E-01	1.68E-09	1.0E+06	1.7E-03
360	0.43925	1.12E-05	4.9E-06	1.05E-03	5.13E-09	2	1.57E-01	1.61E-09	1.0E+06	1.6E-03
361	0.42018	1.12E-05	4.7E-06	1.05E-03	4.91E-09	2	1.57E-01	1.54E-09	1.0E+06	1.5E-03
362	0.39943	1.12E-05	4.5E-06	1.05E-03	4.67E-09	2	1.57E-01	1.47E-09	1.0E+06	1.5E-03
363	0.37831	1.12E-05	4.2E-06	1.05E-03	4.42E-09	2	1.57E-01	1.39E-09	1.0E+06	1.4E-03
373	0.40825	1.12E-05	4.6E-06	1.05E-03	4.77E-09	2	1.57E-01	1.50E-09	1.0E+06	1.5E-03
374	0.39129	1.12E-05	4.4E-06	1.05E-03	4.57E-09	2	1.57E-01	1.44E-09	1.0E+06	1.4E-03
375	0.37317	1.12E-05	4.2E-06	1.05E-03	4.36E-09	2	1.57E-01	1.37E-09	1.0E+06	1.4E-03
376	0.35452	1.12E-05	4.0E-06	1.05E-03	4.14E-09	2	1.57E-01	1.30E-09	1.0E+06	1.3E-03
386	0.38048	1.12E-05	4.3E-06	1.05E-03	4.45E-09	2	1.57E-01	1.40E-09	1.0E+06	1.4E-03
387	0.36562	1.12E-05	4.1E-06	1.05E-03	4.27E-09	2	1.57E-01	1.34E-09	1.0E+06	1.3E-03
388	0.34965	1.12E-05	3.9E-06	1.05E-03	4.09E-09	2	1.57E-01	1.28E-09	1.0E+06	1.3E-03
389	0.33317	1.12E-05	3.7E-06	1.05E-03	3.89E-09	2	1.57E-01	1.22E-09	1.0E+06	1.2E-03
390	0.31647	1.12E-05	3.5E-06	1.05E-03	3.70E-09	2	1.57E-01	1.16E-09	1.0E+06	1.2E-03
400	0.35569	1.12E-05	4.0E-06	1.05E-03	4.16E-09	2	1.57E-01	1.31E-09	1.0E+06	1.3E-03
401	0.34238	1.12E-05	3.8E-06	1.05E-03	4.00E-09	2	1.57E-01	1.26E-09	1.0E+06	1.3E-03
402	0.32851	1.12E-05	3.7E-06	1.05E-03	3.84E-09	2	1.57E-01	1.21E-09	1.0E+06	1.2E-03
403	0.31378	1.12E-05	3.5E-06	1.05E-03	3.67E-09	2	1.57E-01	1.15E-09	1.0E+06	1.2E-03
404	0.29874	1.12E-05	3.3E-06	1.05E-03	3.49E-09	2	1.57E-01	1.10E-09	1.0E+06	1.1E-03
415	0.33331	1.12E-05	3.7E-06	1.05E-03	3.90E-09	2	1.57E-01	1.22E-09	1.0E+06	1.2E-03
416	0.32172	1.12E-05	3.6E-06	1.05E-03	3.76E-09	2	1.57E-01	1.18E-09	1.0E+06	1.2E-03
417	0.3092	1.12E-05	3.5E-06	1.05E-03	3.61E-09	2	1.57E-01	1.14E-09	1.0E+06	1.1E-03

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.29637	1.12E-05	3.3E-06	1.05E-03	3.46E-09	2	1.57E-01	1.09E-09	1.0E+06	1.1E-03
419	0.28311	1.12E-05	3.2E-06	1.05E-03	3.31E-09	2	1.57E-01	1.04E-09	1.0E+06	1.0E-03
420	0.26898	1.12E-05	3.0E-06	1.05E-03	3.14E-09	2	1.57E-01	9.88E-10	1.0E+06	9.9E-04
430	0.30274	1.12E-05	3.4E-06	1.05E-03	3.54E-09	2	1.57E-01	1.11E-09	1.0E+06	1.1E-03
431	0.29189	1.12E-05	3.3E-06	1.05E-03	3.41E-09	2	1.57E-01	1.07E-09	1.0E+06	1.1E-03
432	0.28032	1.12E-05	3.1E-06	1.05E-03	3.28E-09	2	1.57E-01	1.03E-09	1.0E+06	1.0E-03
433	0.26832	1.12E-05	3.0E-06	1.05E-03	3.14E-09	2	1.57E-01	9.86E-10	1.0E+06	9.9E-04
434	0.25603	1.12E-05	2.9E-06	1.05E-03	2.99E-09	2	1.57E-01	9.41E-10	1.0E+06	9.4E-04
444	0.28574	1.12E-05	3.2E-06	1.05E-03	3.34E-09	2	1.57E-01	1.05E-09	1.0E+06	1.0E-03
445	0.27582	1.12E-05	3.1E-06	1.05E-03	3.22E-09	2	1.57E-01	1.01E-09	1.0E+06	1.0E-03
446	0.2655	1.12E-05	3.0E-06	1.05E-03	3.10E-09	2	1.57E-01	9.75E-10	1.0E+06	9.8E-04
447	0.25474	1.12E-05	2.8E-06	1.05E-03	2.98E-09	2	1.57E-01	9.36E-10	1.0E+06	9.4E-04
448	0.24366	1.12E-05	2.7E-06	1.05E-03	2.85E-09	2	1.57E-01	8.95E-10	1.0E+06	9.0E-04
459	0.26118	1.12E-05	2.9E-06	1.05E-03	3.05E-09	2	1.57E-01	9.59E-10	1.0E+06	9.6E-04
460	0.25186	1.12E-05	2.8E-06	1.05E-03	2.94E-09	2	1.57E-01	9.25E-10	1.0E+06	9.3E-04
461	0.24211	1.12E-05	2.7E-06	1.05E-03	2.83E-09	2	1.57E-01	8.89E-10	1.0E+06	8.9E-04
462	0.23209	1.12E-05	2.6E-06	1.05E-03	2.71E-09	2	1.57E-01	8.53E-10	1.0E+06	8.5E-04
463	0.22189	1.12E-05	2.5E-06	1.05E-03	2.59E-09	2	1.57E-01	8.15E-10	1.0E+06	8.2E-04
474	0.24768	1.12E-05	2.8E-06	1.05E-03	2.89E-09	2	1.57E-01	9.10E-10	1.0E+06	9.1E-04
475	0.23926	1.12E-05	2.7E-06	1.05E-03	2.80E-09	2	1.57E-01	8.79E-10	1.0E+06	8.8E-04
476	0.23052	1.12E-05	2.6E-06	1.05E-03	2.69E-09	2	1.57E-01	8.47E-10	1.0E+06	8.5E-04
477	0.22138	1.12E-05	2.5E-06	1.05E-03	2.59E-09	2	1.57E-01	8.13E-10	1.0E+06	8.1E-04
478	0.21214	1.12E-05	2.4E-06	1.05E-03	2.48E-09	2	1.57E-01	7.79E-10	1.0E+06	7.8E-04
495	0.23535	1.12E-05	2.6E-06	1.05E-03	2.75E-09	2	1.57E-01	8.65E-10	1.0E+06	8.6E-04
496	0.2277	1.12E-05	2.5E-06	1.05E-03	2.66E-09	2	1.57E-01	8.36E-10	1.0E+06	8.4E-04
497	0.21975	1.12E-05	2.5E-06	1.05E-03	2.57E-09	2	1.57E-01	8.07E-10	1.0E+06	8.1E-04
498	0.21149	1.12E-05	2.4E-06	1.05E-03	2.47E-09	2	1.57E-01	7.77E-10	1.0E+06	7.8E-04
499	0.20306	1.12E-05	2.3E-06	1.05E-03	2.37E-09	2	1.57E-01	7.46E-10	1.0E+06	7.5E-04
500	0.19461	1.12E-05	2.2E-06	1.05E-03	2.27E-09	2	1.57E-01	7.15E-10	1.0E+06	7.1E-04

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

		Cancer Risk from Birth to 2 years - Construction									
Receptor #	Conc	g/sec	Cair	Dose		Risk		Constant 2	Risk/ Million		
				Constant	Dose	ED	Constant				Risk
139	3.22931	1.12E-05	3.6E-05	1.05E-03	3.77E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	2.97359	1.12E-05	3.3E-05	1.05E-03	3.48E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	2.49884	1.12E-05	2.8E-05	1.05E-03	2.92E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	2.31049	1.12E-05	2.6E-05	1.05E-03	2.70E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	2.06867	1.12E-05	2.3E-05	1.05E-03	2.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	1.78029	1.12E-05	2.0E-05	1.05E-03	2.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	1.48621	1.12E-05	1.7E-05	1.05E-03	1.74E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	1.00232	1.12E-05	1.1E-05	1.05E-03	1.17E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	0.84027	1.12E-05	9.4E-06	1.05E-03	9.82E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	0.72075	1.12E-05	8.1E-06	1.05E-03	8.42E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	1.86912	1.12E-05	2.1E-05	1.05E-03	2.18E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	1.68899	1.12E-05	1.9E-05	1.05E-03	1.97E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	1.48722	1.12E-05	1.7E-05	1.05E-03	1.74E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	1.2759	1.12E-05	1.4E-05	1.05E-03	1.49E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	1.07775	1.12E-05	1.2E-05	1.05E-03	1.26E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	0.90709	1.12E-05	1.0E-05	1.05E-03	1.06E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	0.77214	1.12E-05	8.6E-06	1.05E-03	9.03E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	0.66802	1.12E-05	7.5E-06	1.05E-03	7.81E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	0.58628	1.12E-05	6.6E-06	1.05E-03	6.85E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	0.52079	1.12E-05	5.8E-06	1.05E-03	6.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	0.46736	1.12E-05	5.2E-06	1.05E-03	5.46E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	1.41926	1.12E-05	1.6E-05	1.05E-03	1.66E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	1.26814	1.12E-05	1.4E-05	1.05E-03	1.48E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	1.11113	1.12E-05	1.2E-05	1.05E-03	1.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	0.96043	1.12E-05	1.1E-05	1.05E-03	1.12E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	0.82537	1.12E-05	9.2E-06	1.05E-03	9.65E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	0.71262	1.12E-05	8.0E-06	1.05E-03	8.33E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	0.62199	1.12E-05	7.0E-06	1.05E-03	7.27E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	0.54985	1.12E-05	6.1E-06	1.05E-03	6.43E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	0.49125	1.12E-05	5.5E-06	1.05E-03	5.74E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	0.44277	1.12E-05	5.0E-06	1.05E-03	5.18E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	0.40198	1.12E-05	4.5E-06	1.05E-03	4.70E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	1.21699	1.12E-05	1.4E-05	1.05E-03	1.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	1.10089	1.12E-05	1.2E-05	1.05E-03	1.29E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	0.97925	1.12E-05	1.1E-05	1.05E-03	1.14E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	0.86188	1.12E-05	9.6E-06	1.05E-03	1.01E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	0.75257	1.12E-05	8.4E-06	1.05E-03	8.80E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	0.65878	1.12E-05	7.4E-06	1.05E-03	7.70E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	0.58107	1.12E-05	6.5E-06	1.05E-03	6.79E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	0.51703	1.12E-05	5.8E-06	1.05E-03	6.04E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	0.46421	1.12E-05	5.2E-06	1.05E-03	5.43E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	0.42014	1.12E-05	4.7E-06	1.05E-03	4.91E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	0.38269	1.12E-05	4.3E-06	1.05E-03	4.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	0.35053	1.12E-05	3.9E-06	1.05E-03	4.10E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	1.14394	1.12E-05	1.3E-05	1.05E-03	1.34E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	1.05888	1.12E-05	1.2E-05	1.05E-03	1.24E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	0.96767	1.12E-05	1.1E-05	1.05E-03	1.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	0.87227	1.12E-05	9.8E-06	1.05E-03	1.02E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	0.68904	1.12E-05	7.7E-06	1.05E-03	8.05E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	0.61024	1.12E-05	6.8E-06	1.05E-03	7.13E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	0.54323	1.12E-05	6.1E-06	1.05E-03	6.35E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	0.48643	1.12E-05	5.4E-06	1.05E-03	5.69E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	0.43893	1.12E-05	4.9E-06	1.05E-03	5.13E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	0.39889	1.12E-05	4.5E-06	1.05E-03	4.66E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	0.36463	1.12E-05	4.1E-06	1.05E-03	4.26E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	0.33515	1.12E-05	3.7E-06	1.05E-03	3.92E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	0.30893	1.12E-05	3.5E-06	1.05E-03	3.61E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	1.00252	1.12E-05	1.1E-05	1.05E-03	1.17E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	0.93412	1.12E-05	1.0E-05	1.05E-03	1.09E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	0.86009	1.12E-05	9.6E-06	1.05E-03	1.01E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	0.78354	1.12E-05	8.8E-06	1.05E-03	9.16E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	0.70654	1.12E-05	7.9E-06	1.05E-03	8.26E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	0.63209	1.12E-05	7.1E-06	1.05E-03	7.39E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	0.56568	1.12E-05	6.3E-06	1.05E-03	6.61E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	0.45792	1.12E-05	5.1E-06	1.05E-03	5.35E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	0.41506	1.12E-05	4.6E-06	1.05E-03	4.85E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	0.37872	1.12E-05	4.2E-06	1.05E-03	4.43E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	0.34751	1.12E-05	3.9E-06	1.05E-03	4.06E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	0.32037	1.12E-05	3.6E-06	1.05E-03	3.74E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	0.29659	1.12E-05	3.3E-06	1.05E-03	3.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	0.88744	1.12E-05	9.9E-06	1.05E-03	1.04E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	0.83221	1.12E-05	9.3E-06	1.05E-03	9.73E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	0.76942	1.12E-05	8.6E-06	1.05E-03	8.99E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	0.70735	1.12E-05	7.9E-06	1.05E-03	8.27E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	0.64424	1.12E-05	7.2E-06	1.05E-03	7.53E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	0.58311	1.12E-05	6.5E-06	1.05E-03	6.82E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	0.52661	1.12E-05	5.9E-06	1.05E-03	6.16E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	0.43115	1.12E-05	4.8E-06	1.05E-03	5.04E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	0.39272	1.12E-05	4.4E-06	1.05E-03	4.59E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	0.35973	1.12E-05	4.0E-06	1.05E-03	4.20E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	0.3314	1.12E-05	3.7E-06	1.05E-03	3.87E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	0.30625	1.12E-05	3.4E-06	1.05E-03	3.58E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	0.2844	1.12E-05	3.2E-06	1.05E-03	3.32E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	0.79255	1.12E-05	8.9E-06	1.05E-03	9.26E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	0.74691	1.12E-05	8.4E-06	1.05E-03	8.73E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	0.69584	1.12E-05	7.8E-06	1.05E-03	8.13E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	0.6425	1.12E-05	7.2E-06	1.05E-03	7.51E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	0.59111	1.12E-05	6.6E-06	1.05E-03	6.91E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	0.53954	1.12E-05	6.0E-06	1.05E-03	6.31E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	0.49094	1.12E-05	5.5E-06	1.05E-03	5.74E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	0.40709	1.12E-05	4.6E-06	1.05E-03	4.76E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	0.37246	1.12E-05	4.2E-06	1.05E-03	4.35E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	0.34243	1.12E-05	3.8E-06	1.05E-03	4.00E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	0.31628	1.12E-05	3.5E-06	1.05E-03	3.70E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	0.29307	1.12E-05	3.3E-06	1.05E-03	3.43E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	0.27292	1.12E-05	3.1E-06	1.05E-03	3.19E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	0.22395	1.12E-05	2.5E-06	1.05E-03	2.62E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	0.21077	1.12E-05	2.4E-06	1.05E-03	2.46E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	0.71313	1.12E-05	8.0E-06	1.05E-03	8.34E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	0.67524	1.12E-05	7.6E-06	1.05E-03	7.89E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	0.63309	1.12E-05	7.1E-06	1.05E-03	7.40E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	0.58786	1.12E-05	6.6E-06	1.05E-03	6.87E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	0.5439	1.12E-05	6.1E-06	1.05E-03	6.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	0.49993	1.12E-05	5.6E-06	1.05E-03	5.84E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	0.45746	1.12E-05	5.1E-06	1.05E-03	5.35E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	0.38417	1.12E-05	4.3E-06	1.05E-03	4.49E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	0.3531	1.12E-05	3.9E-06	1.05E-03	4.13E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	0.32577	1.12E-05	3.6E-06	1.05E-03	3.81E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	0.3018	1.12E-05	3.4E-06	1.05E-03	3.53E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	0.28069	1.12E-05	3.1E-06	1.05E-03	3.28E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	0.26205	1.12E-05	2.9E-06	1.05E-03	3.06E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	0.21612	1.12E-05	2.4E-06	1.05E-03	2.53E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	0.20395	1.12E-05	2.3E-06	1.05E-03	2.38E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	0.64592	1.12E-05	7.2E-06	1.05E-03	7.55E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	0.61397	1.12E-05	6.9E-06	1.05E-03	7.18E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	0.57877	1.12E-05	6.5E-06	1.05E-03	6.76E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	0.54031	1.12E-05	6.0E-06	1.05E-03	6.32E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	0.50209	1.12E-05	5.6E-06	1.05E-03	5.87E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	0.46452	1.12E-05	5.2E-06	1.05E-03	5.43E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	0.42845	1.12E-05	4.8E-06	1.05E-03	5.01E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	0.36325	1.12E-05	4.1E-06	1.05E-03	4.25E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	0.33541	1.12E-05	3.8E-06	1.05E-03	3.92E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	0.31044	1.12E-05	3.5E-06	1.05E-03	3.63E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	0.28852	1.12E-05	3.2E-06	1.05E-03	3.37E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	0.26902	1.12E-05	3.0E-06	1.05E-03	3.14E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	0.25171	1.12E-05	2.8E-06	1.05E-03	2.94E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	0.20883	1.12E-05	2.3E-06	1.05E-03	2.44E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	0.1973	1.12E-05	2.2E-06	1.05E-03	2.31E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	0.58832	1.12E-05	6.6E-06	1.05E-03	6.88E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	0.56105	1.12E-05	6.3E-06	1.05E-03	6.56E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	0.53127	1.12E-05	5.9E-06	1.05E-03	6.21E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	0.4984	1.12E-05	5.6E-06	1.05E-03	5.83E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	0.46618	1.12E-05	5.2E-06	1.05E-03	5.45E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	0.4335	1.12E-05	4.8E-06	1.05E-03	5.07E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	0.4019	1.12E-05	4.5E-06	1.05E-03	4.70E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	0.3441	1.12E-05	3.8E-06	1.05E-03	4.02E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	0.31919	1.12E-05	3.6E-06	1.05E-03	3.73E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	0.29619	1.12E-05	3.3E-06	1.05E-03	3.46E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	0.27608	1.12E-05	3.1E-06	1.05E-03	3.23E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	0.25803	1.12E-05	2.9E-06	1.05E-03	3.02E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	0.24179	1.12E-05	2.7E-06	1.05E-03	2.83E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	0.20179	1.12E-05	2.3E-06	1.05E-03	2.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	0.19087	1.12E-05	2.1E-06	1.05E-03	2.23E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	0.53862	1.12E-05	6.0E-06	1.05E-03	6.30E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	0.51516	1.12E-05	5.8E-06	1.05E-03	6.02E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	0.48958	1.12E-05	5.5E-06	1.05E-03	5.72E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	0.46191	1.12E-05	5.2E-06	1.05E-03	5.40E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	0.43339	1.12E-05	4.8E-06	1.05E-03	5.07E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	0.40563	1.12E-05	4.5E-06	1.05E-03	4.74E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	0.3779	1.12E-05	4.2E-06	1.05E-03	4.42E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	0.35165	1.12E-05	3.9E-06	1.05E-03	4.11E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	0.32655	1.12E-05	3.7E-06	1.05E-03	3.82E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	0.30382	1.12E-05	3.4E-06	1.05E-03	3.55E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	0.28304	1.12E-05	3.2E-06	1.05E-03	3.31E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	0.26438	1.12E-05	3.0E-06	1.05E-03	3.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	0.24758	1.12E-05	2.8E-06	1.05E-03	2.89E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	0.2326	1.12E-05	2.6E-06	1.05E-03	2.72E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	0.20616	1.12E-05	2.3E-06	1.05E-03	2.41E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	0.19499	1.12E-05	2.2E-06	1.05E-03	2.28E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.18471	1.12E-05	2.1E-06	1.05E-03	2.16E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	0.40455	1.12E-05	4.5E-06	1.05E-03	4.73E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	0.37996	1.12E-05	4.2E-06	1.05E-03	4.44E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	0.3553	1.12E-05	4.0E-06	1.05E-03	4.15E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	0.33246	1.12E-05	3.7E-06	1.05E-03	3.89E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	0.19899	1.12E-05	2.2E-06	1.05E-03	2.33E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	0.1885	1.12E-05	2.1E-06	1.05E-03	2.20E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.17883	1.12E-05	2.0E-06	1.05E-03	2.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	0.35679	1.12E-05	4.0E-06	1.05E-03	4.17E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	0.33547	1.12E-05	3.8E-06	1.05E-03	3.92E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	0.31448	1.12E-05	3.5E-06	1.05E-03	3.68E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	0.19218	1.12E-05	2.1E-06	1.05E-03	2.25E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	0.18225	1.12E-05	2.0E-06	1.05E-03	2.13E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.17316	1.12E-05	1.9E-06	1.05E-03	2.02E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	0.33565	1.12E-05	3.8E-06	1.05E-03	3.92E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	0.31666	1.12E-05	3.5E-06	1.05E-03	3.70E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	0.29788	1.12E-05	3.3E-06	1.05E-03	3.48E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	0.18557	1.12E-05	2.1E-06	1.05E-03	2.17E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	0.17614	1.12E-05	2.0E-06	1.05E-03	2.06E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.16763	1.12E-05	1.9E-06	1.05E-03	1.96E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	0.29946	1.12E-05	3.3E-06	1.05E-03	3.50E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	0.2825	1.12E-05	3.2E-06	1.05E-03	3.30E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	0.17928	1.12E-05	2.0E-06	1.05E-03	2.10E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.17045	1.12E-05	1.9E-06	1.05E-03	1.99E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.16243	1.12E-05	1.8E-06	1.05E-03	1.90E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	0.28373	1.12E-05	3.2E-06	1.05E-03	3.32E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	0.26866	1.12E-05	3.0E-06	1.05E-03	3.14E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	0.25413	1.12E-05	2.8E-06	1.05E-03	2.97E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	0.17336	1.12E-05	1.9E-06	1.05E-03	2.03E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.16499	1.12E-05	1.8E-06	1.05E-03	1.93E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.1575	1.12E-05	1.8E-06	1.05E-03	1.84E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	0.25566	1.12E-05	2.9E-06	1.05E-03	2.99E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	0.24238	1.12E-05	2.7E-06	1.05E-03	2.83E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.16766	1.12E-05	1.9E-06	1.05E-03	1.96E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.15979	1.12E-05	1.8E-06	1.05E-03	1.87E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.1527	1.12E-05	1.7E-06	1.05E-03	1.78E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	0.24347	1.12E-05	2.7E-06	1.05E-03	2.85E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	0.23158	1.12E-05	2.6E-06	1.05E-03	2.71E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.15484	1.12E-05	1.7E-06	1.05E-03	1.81E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.14801	1.12E-05	1.7E-06	1.05E-03	1.73E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	0.23221	1.12E-05	2.6E-06	1.05E-03	2.71E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	0.22151	1.12E-05	2.5E-06	1.05E-03	2.59E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	0.21074	1.12E-05	2.4E-06	1.05E-03	2.46E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.15006	1.12E-05	1.7E-06	1.05E-03	1.75E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.14357	1.12E-05	1.6E-06	1.05E-03	1.68E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	0.2119	1.12E-05	2.4E-06	1.05E-03	2.48E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	0.2021	1.12E-05	2.3E-06	1.05E-03	2.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.15925	1.12E-05	1.8E-06	1.05E-03	1.86E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.1455	1.12E-05	1.6E-06	1.05E-03	1.70E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.13934	1.12E-05	1.6E-06	1.05E-03	1.63E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	0.20193	1.12E-05	2.3E-06	1.05E-03	2.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	0.19392	1.12E-05	2.2E-06	1.05E-03	2.27E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	0.18516	1.12E-05	2.1E-06	1.05E-03	2.16E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	0.17684	1.12E-05	2.0E-06	1.05E-03	2.07E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	0.16874	1.12E-05	1.9E-06	1.05E-03	1.97E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.16121	1.12E-05	1.8E-06	1.05E-03	1.88E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.15407	1.12E-05	1.7E-06	1.05E-03	1.80E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.14742	1.12E-05	1.6E-06	1.05E-03	1.72E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.14116	1.12E-05	1.6E-06	1.05E-03	1.65E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.13529	1.12E-05	1.5E-06	1.05E-03	1.58E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	0.18384	1.12E-05	2.1E-06	1.05E-03	2.15E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	0.17826	1.12E-05	2.0E-06	1.05E-03	2.08E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	0.17052	1.12E-05	1.9E-06	1.05E-03	1.99E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	0.16301	1.12E-05	1.8E-06	1.05E-03	1.91E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	0.15589	1.12E-05	1.7E-06	1.05E-03	1.82E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.14917	1.12E-05	1.7E-06	1.05E-03	1.74E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.14291	1.12E-05	1.6E-06	1.05E-03	1.67E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.13142	1.12E-05	1.5E-06	1.05E-03	1.54E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.17904	1.12E-05	2.0E-06	1.05E-03	2.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	0.16704	1.12E-05	1.9E-06	1.05E-03	1.95E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	0.16447	1.12E-05	1.8E-06	1.05E-03	1.92E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	0.15748	1.12E-05	1.8E-06	1.05E-03	1.84E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	0.15081	1.12E-05	1.7E-06	1.05E-03	1.76E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.14449	1.12E-05	1.6E-06	1.05E-03	1.69E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.13856	1.12E-05	1.5E-06	1.05E-03	1.62E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.1277	1.12E-05	1.4E-06	1.05E-03	1.49E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.17241	1.12E-05	1.9E-06	1.05E-03	2.02E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.16543	1.12E-05	1.8E-06	1.05E-03	1.93E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	0.15731	1.12E-05	1.8E-06	1.05E-03	1.84E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	0.1502	1.12E-05	1.7E-06	1.05E-03	1.76E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	0.14595	1.12E-05	1.6E-06	1.05E-03	1.71E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.14	1.12E-05	1.6E-06	1.05E-03	1.64E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.13373	1.12E-05	1.5E-06	1.05E-03	1.56E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.12412	1.12E-05	1.4E-06	1.05E-03	1.45E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.15963	1.12E-05	1.8E-06	1.05E-03	1.87E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.15335	1.12E-05	1.7E-06	1.05E-03	1.79E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.14719	1.12E-05	1.6E-06	1.05E-03	1.72E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.13039	1.12E-05	1.5E-06	1.05E-03	1.52E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.1339	1.12E-05	1.5E-06	1.05E-03	1.57E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.13048	1.12E-05	1.5E-06	1.05E-03	1.53E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.12075	1.12E-05	1.4E-06	1.05E-03	1.41E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.15412	1.12E-05	1.7E-06	1.05E-03	1.80E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.14824	1.12E-05	1.7E-06	1.05E-03	1.73E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.14255	1.12E-05	1.6E-06	1.05E-03	1.67E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.137	1.12E-05	1.5E-06	1.05E-03	1.60E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.13168	1.12E-05	1.5E-06	1.05E-03	1.54E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.1261	1.12E-05	1.4E-06	1.05E-03	1.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.10616	1.12E-05	1.2E-06	1.05E-03	1.24E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.14891	1.12E-05	1.7E-06	1.05E-03	1.74E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.14337	1.12E-05	1.6E-06	1.05E-03	1.68E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.13802	1.12E-05	1.5E-06	1.05E-03	1.61E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.13284	1.12E-05	1.5E-06	1.05E-03	1.55E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.12784	1.12E-05	1.4E-06	1.05E-03	1.49E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.12311	1.12E-05	1.4E-06	1.05E-03	1.44E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.11857	1.12E-05	1.3E-06	1.05E-03	1.39E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	1.12E-05	0.0E+00	1.05E-03	0.00E+00	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
1	1	13.27717	1.12E-05	1.5E-04	6.05E-04	8.98E-08	14	4.71E-02	5.93E-08	1.0E+06	5.9E-02
2	2	14.55208	1.12E-05	1.6E-04	6.05E-04	9.85E-08	14	4.71E-02	6.50E-08	1.0E+06	6.5E-02
3	3	15.06129	1.12E-05	1.7E-04	6.05E-04	1.02E-07	14	4.71E-02	6.73E-08	1.0E+06	6.7E-02
4	4	15.39379	1.12E-05	1.7E-04	6.05E-04	1.04E-07	14	4.71E-02	6.87E-08	1.0E+06	6.9E-02
5	5	15.72103	1.12E-05	1.8E-04	6.05E-04	1.06E-07	14	4.71E-02	7.02E-08	1.0E+06	7.0E-02
6	6	12.45757	1.12E-05	1.4E-04	6.05E-04	8.43E-08	14	4.71E-02	5.56E-08	1.0E+06	5.6E-02
7	7	12.77993	1.12E-05	1.4E-04	6.05E-04	8.65E-08	14	4.71E-02	5.71E-08	1.0E+06	5.7E-02
8	8	13.06631	1.12E-05	1.5E-04	6.05E-04	8.84E-08	14	4.71E-02	5.84E-08	1.0E+06	5.8E-02
9	9	13.32534	1.12E-05	1.5E-04	6.05E-04	9.02E-08	14	4.71E-02	5.95E-08	1.0E+06	6.0E-02
10	10	13.55262	1.12E-05	1.5E-04	6.05E-04	9.17E-08	14	4.71E-02	6.05E-08	1.0E+06	6.1E-02
11	11	13.73981	1.12E-05	1.5E-04	6.05E-04	9.30E-08	14	4.71E-02	6.14E-08	1.0E+06	6.1E-02
12	12	13.86074	1.12E-05	1.6E-04	6.05E-04	9.38E-08	14	4.71E-02	6.19E-08	1.0E+06	6.2E-02
13	13	13.93781	1.12E-05	1.6E-04	6.05E-04	9.43E-08	14	4.71E-02	6.22E-08	1.0E+06	6.2E-02
14	14	13.89449	1.12E-05	1.6E-04	6.05E-04	9.40E-08	14	4.71E-02	6.21E-08	1.0E+06	6.2E-02
15	15	8.07737	1.12E-05	9.0E-05	6.05E-04	5.47E-08	14	4.71E-02	3.61E-08	1.0E+06	3.6E-02
16	16	7.39955	1.12E-05	8.3E-05	6.05E-04	5.01E-08	14	4.71E-02	3.30E-08	1.0E+06	3.3E-02
17	17	5.6887	1.12E-05	6.4E-05	6.05E-04	3.85E-08	14	4.71E-02	2.54E-08	1.0E+06	2.5E-02
18	18	5.7205	1.12E-05	6.4E-05	6.05E-04	3.87E-08	14	4.71E-02	2.55E-08	1.0E+06	2.6E-02
19	19	5.74825	1.12E-05	6.4E-05	6.05E-04	3.89E-08	14	4.71E-02	2.57E-08	1.0E+06	2.6E-02
20	20	3.3418	1.12E-05	3.7E-05	6.05E-04	2.26E-08	14	4.71E-02	1.49E-08	1.0E+06	1.5E-02
21	21	2.23651	1.12E-05	2.5E-05	6.05E-04	1.51E-08	14	4.71E-02	9.99E-09	1.0E+06	1.0E-02
22	22	1.6375	1.12E-05	1.8E-05	6.05E-04	1.11E-08	14	4.71E-02	7.31E-09	1.0E+06	7.3E-03
23	23	1.27151	1.12E-05	1.4E-05	6.05E-04	8.60E-09	14	4.71E-02	5.68E-09	1.0E+06	5.7E-03
24	24	1.02795	1.12E-05	1.1E-05	6.05E-04	6.96E-09	14	4.71E-02	4.59E-09	1.0E+06	4.6E-03
25	25	0.85548	1.12E-05	9.6E-06	6.05E-04	5.79E-09	14	4.71E-02	3.82E-09	1.0E+06	3.8E-03
26	26	0.72766	1.12E-05	8.1E-06	6.05E-04	4.92E-09	14	4.71E-02	3.25E-09	1.0E+06	3.2E-03
27	27	0.62948	1.12E-05	7.0E-06	6.05E-04	4.26E-09	14	4.71E-02	2.81E-09	1.0E+06	2.8E-03
28	28	0.5522	1.12E-05	6.2E-06	6.05E-04	3.74E-09	14	4.71E-02	2.47E-09	1.0E+06	2.5E-03
29	29	0.48975	1.12E-05	5.5E-06	6.05E-04	3.31E-09	14	4.71E-02	2.19E-09	1.0E+06	2.2E-03
30	30	0.43841	1.12E-05	4.9E-06	6.05E-04	2.97E-09	14	4.71E-02	1.96E-09	1.0E+06	2.0E-03
31	31	0.3957	1.12E-05	4.4E-06	6.05E-04	2.68E-09	14	4.71E-02	1.77E-09	1.0E+06	1.8E-03

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
32	32	0.35975	1.12E-05	4.0E-06	6.05E-04	2.43E-09	14	4.71E-02	1.61E-09	1.0E+06	1.6E-03
55	55	1.41184	1.12E-05	1.6E-05	6.05E-04	9.55E-09	14	4.71E-02	6.31E-09	1.0E+06	6.3E-03
56	56	1.12179	1.12E-05	1.3E-05	6.05E-04	7.59E-09	14	4.71E-02	5.01E-09	1.0E+06	5.0E-03
57	57	0.92271	1.12E-05	1.0E-05	6.05E-04	6.24E-09	14	4.71E-02	4.12E-09	1.0E+06	4.1E-03
58	58	0.77843	1.12E-05	8.7E-06	6.05E-04	5.27E-09	14	4.71E-02	3.48E-09	1.0E+06	3.5E-03
59	59	0.6699	1.12E-05	7.5E-06	6.05E-04	4.53E-09	14	4.71E-02	2.99E-09	1.0E+06	3.0E-03
60	60	0.5853	1.12E-05	6.5E-06	6.05E-04	3.96E-09	14	4.71E-02	2.61E-09	1.0E+06	2.6E-03
61	61	0.5171	1.12E-05	5.8E-06	6.05E-04	3.50E-09	14	4.71E-02	2.31E-09	1.0E+06	2.3E-03
62	62	0.46162	1.12E-05	5.2E-06	6.05E-04	3.12E-09	14	4.71E-02	2.06E-09	1.0E+06	2.1E-03
63	63	0.41544	1.12E-05	4.6E-06	6.05E-04	2.81E-09	14	4.71E-02	1.86E-09	1.0E+06	1.9E-03
64	64	0.37669	1.12E-05	4.2E-06	6.05E-04	2.55E-09	14	4.71E-02	1.68E-09	1.0E+06	1.7E-03
65	65	0.34382	1.12E-05	3.8E-06	6.05E-04	2.33E-09	14	4.71E-02	1.54E-09	1.0E+06	1.5E-03
66	66	0.31513	1.12E-05	3.5E-06	6.05E-04	2.13E-09	14	4.71E-02	1.41E-09	1.0E+06	1.4E-03
67	67	14.61761	1.12E-05	1.6E-04	6.05E-04	9.89E-08	14	4.71E-02	6.53E-08	1.0E+06	6.5E-02
68	68	15.15671	1.12E-05	1.7E-04	6.05E-04	1.03E-07	14	4.71E-02	6.77E-08	1.0E+06	6.8E-02
69	69	15.48465	1.12E-05	1.7E-04	6.05E-04	1.05E-07	14	4.71E-02	6.92E-08	1.0E+06	6.9E-02
70	70	15.67886	1.12E-05	1.8E-04	6.05E-04	1.06E-07	14	4.71E-02	7.00E-08	1.0E+06	7.0E-02
71	71	15.69465	1.12E-05	1.8E-04	6.05E-04	1.06E-07	14	4.71E-02	7.01E-08	1.0E+06	7.0E-02
72	72	15.5407	1.12E-05	1.7E-04	6.05E-04	1.05E-07	14	4.71E-02	6.94E-08	1.0E+06	6.9E-02
73	73	15.25369	1.12E-05	1.7E-04	6.05E-04	1.03E-07	14	4.71E-02	6.81E-08	1.0E+06	6.8E-02
74	74	14.94789	1.12E-05	1.7E-04	6.05E-04	1.01E-07	14	4.71E-02	6.68E-08	1.0E+06	6.7E-02
75	75	14.59618	1.12E-05	1.6E-04	6.05E-04	9.88E-08	14	4.71E-02	6.52E-08	1.0E+06	6.5E-02
76	76	14.26011	1.12E-05	1.6E-04	6.05E-04	9.65E-08	14	4.71E-02	6.37E-08	1.0E+06	6.4E-02
77	77	13.95302	1.12E-05	1.6E-04	6.05E-04	9.44E-08	14	4.71E-02	6.23E-08	1.0E+06	6.2E-02
78	78	13.58992	1.12E-05	1.5E-04	6.05E-04	9.20E-08	14	4.71E-02	6.07E-08	1.0E+06	6.1E-02
79	79	9.9219	1.12E-05	1.1E-04	6.05E-04	6.71E-08	14	4.71E-02	4.43E-08	1.0E+06	4.4E-02
80	80	6.45582	1.12E-05	7.2E-05	6.05E-04	4.37E-08	14	4.71E-02	2.88E-08	1.0E+06	2.9E-02
81	81	3.42456	1.12E-05	3.8E-05	6.05E-04	2.32E-08	14	4.71E-02	1.53E-08	1.0E+06	1.5E-02
82	82	2.17273	1.12E-05	2.4E-05	6.05E-04	1.47E-08	14	4.71E-02	9.70E-09	1.0E+06	9.7E-03
83	83	1.57961	1.12E-05	1.8E-05	6.05E-04	1.07E-08	14	4.71E-02	7.05E-09	1.0E+06	7.1E-03
84	84	1.23392	1.12E-05	1.4E-05	6.05E-04	8.35E-09	14	4.71E-02	5.51E-09	1.0E+06	5.5E-03

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	85	1.00328	1.12E-05	1.1E-05	6.05E-04	6.79E-09	14	4.71E-02	4.48E-09	1.0E+06	4.5E-03
86	86	0.83922	1.12E-05	9.4E-06	6.05E-04	5.68E-09	14	4.71E-02	3.75E-09	1.0E+06	3.7E-03
87	87	0.71743	1.12E-05	8.0E-06	6.05E-04	4.85E-09	14	4.71E-02	3.20E-09	1.0E+06	3.2E-03
88	88	0.62324	1.12E-05	7.0E-06	6.05E-04	4.22E-09	14	4.71E-02	2.78E-09	1.0E+06	2.8E-03
89	89	0.54885	1.12E-05	6.1E-06	6.05E-04	3.71E-09	14	4.71E-02	2.45E-09	1.0E+06	2.5E-03
90	90	0.48839	1.12E-05	5.5E-06	6.05E-04	3.30E-09	14	4.71E-02	2.18E-09	1.0E+06	2.2E-03
91	91	0.43802	1.12E-05	4.9E-06	6.05E-04	2.96E-09	14	4.71E-02	1.96E-09	1.0E+06	2.0E-03
92	92	0.3963	1.12E-05	4.4E-06	6.05E-04	2.68E-09	14	4.71E-02	1.77E-09	1.0E+06	1.8E-03
93	93	0.36051	1.12E-05	4.0E-06	6.05E-04	2.44E-09	14	4.71E-02	1.61E-09	1.0E+06	1.6E-03
96	96	0.66375	1.12E-05	7.4E-06	6.05E-04	4.49E-09	14	4.71E-02	2.96E-09	1.0E+06	3.0E-03
97	97	0.57214	1.12E-05	6.4E-06	6.05E-04	3.87E-09	14	4.71E-02	2.56E-09	1.0E+06	2.6E-03
98	98	0.58539	1.12E-05	6.5E-06	6.05E-04	3.96E-09	14	4.71E-02	2.61E-09	1.0E+06	2.6E-03
99	99	0.51819	1.12E-05	5.8E-06	6.05E-04	3.51E-09	14	4.71E-02	2.31E-09	1.0E+06	2.3E-03
100	100	0.46356	1.12E-05	5.2E-06	6.05E-04	3.14E-09	14	4.71E-02	2.07E-09	1.0E+06	2.1E-03
101	101	0.41808	1.12E-05	4.7E-06	6.05E-04	2.83E-09	14	4.71E-02	1.87E-09	1.0E+06	1.9E-03
102	102	0.37897	1.12E-05	4.2E-06	6.05E-04	2.56E-09	14	4.71E-02	1.69E-09	1.0E+06	1.7E-03
106	106	3.80169	1.12E-05	4.3E-05	6.05E-04	2.57E-08	14	4.71E-02	1.70E-08	1.0E+06	1.7E-02
107	107	4.48745	1.12E-05	5.0E-05	6.05E-04	3.04E-08	14	4.71E-02	2.00E-08	1.0E+06	2.0E-02
108	108	4.83893	1.12E-05	5.4E-05	6.05E-04	3.27E-08	14	4.71E-02	2.16E-08	1.0E+06	2.2E-02
109	109	5.06019	1.12E-05	5.7E-05	6.05E-04	3.42E-08	14	4.71E-02	2.26E-08	1.0E+06	2.3E-02
110	110	5.20184	1.12E-05	5.8E-05	6.05E-04	3.52E-08	14	4.71E-02	2.32E-08	1.0E+06	2.3E-02
111	111	5.29025	1.12E-05	5.9E-05	6.05E-04	3.58E-08	14	4.71E-02	2.36E-08	1.0E+06	2.4E-02
112	112	5.32764	1.12E-05	6.0E-05	6.05E-04	3.60E-08	14	4.71E-02	2.38E-08	1.0E+06	2.4E-02
113	113	5.33048	1.12E-05	6.0E-05	6.05E-04	3.61E-08	14	4.71E-02	2.38E-08	1.0E+06	2.4E-02
114	114	5.30456	1.12E-05	5.9E-05	6.05E-04	3.59E-08	14	4.71E-02	2.37E-08	1.0E+06	2.4E-02
115	115	5.25978	1.12E-05	5.9E-05	6.05E-04	3.56E-08	14	4.71E-02	2.35E-08	1.0E+06	2.3E-02
116	116	5.18609	1.12E-05	5.8E-05	6.05E-04	3.51E-08	14	4.71E-02	2.32E-08	1.0E+06	2.3E-02
117	117	5.10465	1.12E-05	5.7E-05	6.05E-04	3.45E-08	14	4.71E-02	2.28E-08	1.0E+06	2.3E-02
118	118	4.99878	1.12E-05	5.6E-05	6.05E-04	3.38E-08	14	4.71E-02	2.23E-08	1.0E+06	2.2E-02
124	124	2.77265	1.12E-05	3.1E-05	6.05E-04	1.88E-08	14	4.71E-02	1.24E-08	1.0E+06	1.2E-02
125	125	3.17488	1.12E-05	3.6E-05	6.05E-04	2.15E-08	14	4.71E-02	1.42E-08	1.0E+06	1.4E-02

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	126	3.4525	1.12E-05	3.9E-05	6.05E-04	2.34E-08	14	4.71E-02	1.54E-08	1.0E+06	1.5E-02
127	127	3.63621	1.12E-05	4.1E-05	6.05E-04	2.46E-08	14	4.71E-02	1.62E-08	1.0E+06	1.6E-02
128	128	3.75788	1.12E-05	4.2E-05	6.05E-04	2.54E-08	14	4.71E-02	1.68E-08	1.0E+06	1.7E-02
129	129	3.83531	1.12E-05	4.3E-05	6.05E-04	2.60E-08	14	4.71E-02	1.71E-08	1.0E+06	1.7E-02
130	130	3.87919	1.12E-05	4.3E-05	6.05E-04	2.62E-08	14	4.71E-02	1.73E-08	1.0E+06	1.7E-02
131	131	3.89335	1.12E-05	4.4E-05	6.05E-04	2.63E-08	14	4.71E-02	1.74E-08	1.0E+06	1.7E-02
132	132	3.8839	1.12E-05	4.3E-05	6.05E-04	2.63E-08	14	4.71E-02	1.73E-08	1.0E+06	1.7E-02
133	133	3.85854	1.12E-05	4.3E-05	6.05E-04	2.61E-08	14	4.71E-02	1.72E-08	1.0E+06	1.7E-02
134	134	3.81264	1.12E-05	4.3E-05	6.05E-04	2.58E-08	14	4.71E-02	1.70E-08	1.0E+06	1.7E-02
135	135	3.7513	1.12E-05	4.2E-05	6.05E-04	2.54E-08	14	4.71E-02	1.68E-08	1.0E+06	1.7E-02
136	136	3.66911	1.12E-05	4.1E-05	6.05E-04	2.48E-08	14	4.71E-02	1.64E-08	1.0E+06	1.6E-02
137	137	3.56063	1.12E-05	4.0E-05	6.05E-04	2.41E-08	14	4.71E-02	1.59E-08	1.0E+06	1.6E-02
138	138	3.41762	1.12E-05	3.8E-05	6.05E-04	2.31E-08	14	4.71E-02	1.53E-08	1.0E+06	1.5E-02
141	141	2.12296	1.12E-05	2.4E-05	6.05E-04	1.44E-08	14	4.71E-02	9.48E-09	1.0E+06	9.5E-03
142	142	2.4075	1.12E-05	2.7E-05	6.05E-04	1.63E-08	14	4.71E-02	1.08E-08	1.0E+06	1.1E-02
143	143	2.62339	1.12E-05	2.9E-05	6.05E-04	1.78E-08	14	4.71E-02	1.17E-08	1.0E+06	1.2E-02
144	144	2.77572	1.12E-05	3.1E-05	6.05E-04	1.88E-08	14	4.71E-02	1.24E-08	1.0E+06	1.2E-02
145	145	2.88049	1.12E-05	3.2E-05	6.05E-04	1.95E-08	14	4.71E-02	1.29E-08	1.0E+06	1.3E-02
146	146	2.94987	1.12E-05	3.3E-05	6.05E-04	2.00E-08	14	4.71E-02	1.32E-08	1.0E+06	1.3E-02
147	147	2.99124	1.12E-05	3.3E-05	6.05E-04	2.02E-08	14	4.71E-02	1.34E-08	1.0E+06	1.3E-02
148	148	3.00965	1.12E-05	3.4E-05	6.05E-04	2.04E-08	14	4.71E-02	1.34E-08	1.0E+06	1.3E-02
149	149	3.00837	1.12E-05	3.4E-05	6.05E-04	2.04E-08	14	4.71E-02	1.34E-08	1.0E+06	1.3E-02
150	150	2.99123	1.12E-05	3.3E-05	6.05E-04	2.02E-08	14	4.71E-02	1.34E-08	1.0E+06	1.3E-02
151	151	2.95811	1.12E-05	3.3E-05	6.05E-04	2.00E-08	14	4.71E-02	1.32E-08	1.0E+06	1.3E-02
152	152	2.90915	1.12E-05	3.3E-05	6.05E-04	1.97E-08	14	4.71E-02	1.30E-08	1.0E+06	1.3E-02
153	153	2.84263	1.12E-05	3.2E-05	6.05E-04	1.92E-08	14	4.71E-02	1.27E-08	1.0E+06	1.3E-02
154	154	2.75792	1.12E-05	3.1E-05	6.05E-04	1.87E-08	14	4.71E-02	1.23E-08	1.0E+06	1.2E-02
155	155	2.64546	1.12E-05	3.0E-05	6.05E-04	1.79E-08	14	4.71E-02	1.18E-08	1.0E+06	1.2E-02
164	164	2.21752	1.12E-05	2.5E-05	6.05E-04	1.50E-08	14	4.71E-02	9.90E-09	1.0E+06	9.9E-03
165	165	2.12781	1.12E-05	2.4E-05	6.05E-04	1.44E-08	14	4.71E-02	9.50E-09	1.0E+06	9.5E-03
166	166	2.01263	1.12E-05	2.3E-05	6.05E-04	1.36E-08	14	4.71E-02	8.99E-09	1.0E+06	9.0E-03

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	1.83242	1.12E-05	2.0E-05	6.05E-04	1.24E-08	14	4.71E-02	8.18E-09	1.0E+06	8.2E-03
179	179	1.75969	1.12E-05	2.0E-05	6.05E-04	1.19E-08	14	4.71E-02	7.86E-09	1.0E+06	7.9E-03
180	180	1.66809	1.12E-05	1.9E-05	6.05E-04	1.13E-08	14	4.71E-02	7.45E-09	1.0E+06	7.4E-03
192	192	1.54552	1.12E-05	1.7E-05	6.05E-04	1.05E-08	14	4.71E-02	6.90E-09	1.0E+06	6.9E-03
193	193	1.48568	1.12E-05	1.7E-05	6.05E-04	1.01E-08	14	4.71E-02	6.63E-09	1.0E+06	6.6E-03
194	194	1.41218	1.12E-05	1.6E-05	6.05E-04	9.56E-09	14	4.71E-02	6.31E-09	1.0E+06	6.3E-03
207	207	1.32527	1.12E-05	1.5E-05	6.05E-04	8.97E-09	14	4.71E-02	5.92E-09	1.0E+06	5.9E-03
208	208	1.27587	1.12E-05	1.4E-05	6.05E-04	8.63E-09	14	4.71E-02	5.70E-09	1.0E+06	5.7E-03
209	209	1.21546	1.12E-05	1.4E-05	6.05E-04	8.22E-09	14	4.71E-02	5.43E-09	1.0E+06	5.4E-03
223	223	1.15142	1.12E-05	1.3E-05	6.05E-04	7.79E-09	14	4.71E-02	5.14E-09	1.0E+06	5.1E-03
224	224	1.11038	1.12E-05	1.2E-05	6.05E-04	7.51E-09	14	4.71E-02	4.96E-09	1.0E+06	5.0E-03
225	225	1.06089	1.12E-05	1.2E-05	6.05E-04	7.18E-09	14	4.71E-02	4.74E-09	1.0E+06	4.7E-03
239	239	1.01109	1.12E-05	1.1E-05	6.05E-04	6.84E-09	14	4.71E-02	4.52E-09	1.0E+06	4.5E-03
240	240	0.97683	1.12E-05	1.1E-05	6.05E-04	6.61E-09	14	4.71E-02	4.36E-09	1.0E+06	4.4E-03
241	241	0.93557	1.12E-05	1.0E-05	6.05E-04	6.33E-09	14	4.71E-02	4.18E-09	1.0E+06	4.2E-03
255	255	0.89612	1.12E-05	1.0E-05	6.05E-04	6.06E-09	14	4.71E-02	4.00E-09	1.0E+06	4.0E-03
256	256	0.86732	1.12E-05	9.7E-06	6.05E-04	5.87E-09	14	4.71E-02	3.87E-09	1.0E+06	3.9E-03
272	272	0.80085	1.12E-05	9.0E-06	6.05E-04	5.42E-09	14	4.71E-02	3.58E-09	1.0E+06	3.6E-03
273	273	0.77611	1.12E-05	8.7E-06	6.05E-04	5.25E-09	14	4.71E-02	3.47E-09	1.0E+06	3.5E-03
289	289	0.72029	1.12E-05	8.1E-06	6.05E-04	4.87E-09	14	4.71E-02	3.22E-09	1.0E+06	3.2E-03
290	290	0.69925	1.12E-05	7.8E-06	6.05E-04	4.73E-09	14	4.71E-02	3.12E-09	1.0E+06	3.1E-03
306	306	0.6519	1.12E-05	7.3E-06	6.05E-04	4.41E-09	14	4.71E-02	2.91E-09	1.0E+06	2.9E-03
307	307	0.63382	1.12E-05	7.1E-06	6.05E-04	4.29E-09	14	4.71E-02	2.83E-09	1.0E+06	2.8E-03
323	323	0.59325	1.12E-05	6.6E-06	6.05E-04	4.01E-09	14	4.71E-02	2.65E-09	1.0E+06	2.6E-03
324	324	0.57766	1.12E-05	6.5E-06	6.05E-04	3.91E-09	14	4.71E-02	2.58E-09	1.0E+06	2.6E-03
342	342	0.54244	1.12E-05	6.1E-06	6.05E-04	3.67E-09	14	4.71E-02	2.42E-09	1.0E+06	2.4E-03
343	343	0.52894	1.12E-05	5.9E-06	6.05E-04	3.58E-09	14	4.71E-02	2.36E-09	1.0E+06	2.4E-03
344	344	0.51339	1.12E-05	5.7E-06	6.05E-04	3.47E-09	14	4.71E-02	2.29E-09	1.0E+06	2.3E-03
356	356	0.49826	1.12E-05	5.6E-06	6.05E-04	3.37E-09	14	4.71E-02	2.23E-09	1.0E+06	2.2E-03
357	357	0.48673	1.12E-05	5.4E-06	6.05E-04	3.29E-09	14	4.71E-02	2.17E-09	1.0E+06	2.2E-03
358	358	0.47302	1.12E-05	5.3E-06	6.05E-04	3.20E-09	14	4.71E-02	2.11E-09	1.0E+06	2.1E-03

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	0.45942	1.12E-05	5.1E-06	6.05E-04	3.11E-09	14	4.71E-02	2.05E-09	1.0E+06	2.1E-03
371	371	0.44946	1.12E-05	5.0E-06	6.05E-04	3.04E-09	14	4.71E-02	2.01E-09	1.0E+06	2.0E-03
372	372	0.43751	1.12E-05	4.9E-06	6.05E-04	2.96E-09	14	4.71E-02	1.95E-09	1.0E+06	2.0E-03
383	383	0.42516	1.12E-05	4.8E-06	6.05E-04	2.88E-09	14	4.71E-02	1.90E-09	1.0E+06	1.9E-03
384	384	0.41648	1.12E-05	4.7E-06	6.05E-04	2.82E-09	14	4.71E-02	1.86E-09	1.0E+06	1.9E-03
385	385	0.40608	1.12E-05	4.5E-06	6.05E-04	2.75E-09	14	4.71E-02	1.81E-09	1.0E+06	1.8E-03
396	396	0.39473	1.12E-05	4.4E-06	6.05E-04	2.67E-09	14	4.71E-02	1.76E-09	1.0E+06	1.8E-03
397	397	0.38717	1.12E-05	4.3E-06	6.05E-04	2.62E-09	14	4.71E-02	1.73E-09	1.0E+06	1.7E-03
398	398	0.3781	1.12E-05	4.2E-06	6.05E-04	2.56E-09	14	4.71E-02	1.69E-09	1.0E+06	1.7E-03
399	399	0.36758	1.12E-05	4.1E-06	6.05E-04	2.49E-09	14	4.71E-02	1.64E-09	1.0E+06	1.6E-03
411	411	0.36761	1.12E-05	4.1E-06	6.05E-04	2.49E-09	14	4.71E-02	1.64E-09	1.0E+06	1.6E-03
412	412	0.36104	1.12E-05	4.0E-06	6.05E-04	2.44E-09	14	4.71E-02	1.61E-09	1.0E+06	1.6E-03
413	413	0.35293	1.12E-05	3.9E-06	6.05E-04	2.39E-09	14	4.71E-02	1.58E-09	1.0E+06	1.6E-03
414	414	0.3438	1.12E-05	3.8E-06	6.05E-04	2.33E-09	14	4.71E-02	1.54E-09	1.0E+06	1.5E-03
426	426	0.34327	1.12E-05	3.8E-06	6.05E-04	2.32E-09	14	4.71E-02	1.53E-09	1.0E+06	1.5E-03
427	427	0.3375	1.12E-05	3.8E-06	6.05E-04	2.28E-09	14	4.71E-02	1.51E-09	1.0E+06	1.5E-03
428	428	0.33057	1.12E-05	3.7E-06	6.05E-04	2.24E-09	14	4.71E-02	1.48E-09	1.0E+06	1.5E-03
429	429	0.32241	1.12E-05	3.6E-06	6.05E-04	2.18E-09	14	4.71E-02	1.44E-09	1.0E+06	1.4E-03
439	439	0.32141	1.12E-05	3.6E-06	6.05E-04	2.17E-09	14	4.71E-02	1.44E-09	1.0E+06	1.4E-03
440	440	0.31635	1.12E-05	3.5E-06	6.05E-04	2.14E-09	14	4.71E-02	1.41E-09	1.0E+06	1.4E-03
441	441	0.31019	1.12E-05	3.5E-06	6.05E-04	2.10E-09	14	4.71E-02	1.39E-09	1.0E+06	1.4E-03
442	442	0.30299	1.12E-05	3.4E-06	6.05E-04	2.05E-09	14	4.71E-02	1.35E-09	1.0E+06	1.4E-03
443	443	0.2948	1.12E-05	3.3E-06	6.05E-04	1.99E-09	14	4.71E-02	1.32E-09	1.0E+06	1.3E-03
454	454	0.30163	1.12E-05	3.4E-06	6.05E-04	2.04E-09	14	4.71E-02	1.35E-09	1.0E+06	1.3E-03
455	455	0.2972	1.12E-05	3.3E-06	6.05E-04	2.01E-09	14	4.71E-02	1.33E-09	1.0E+06	1.3E-03
456	456	0.29174	1.12E-05	3.3E-06	6.05E-04	1.97E-09	14	4.71E-02	1.30E-09	1.0E+06	1.3E-03
457	457	0.28535	1.12E-05	3.2E-06	6.05E-04	1.93E-09	14	4.71E-02	1.27E-09	1.0E+06	1.3E-03
458	458	0.27808	1.12E-05	3.1E-06	6.05E-04	1.88E-09	14	4.71E-02	1.24E-09	1.0E+06	1.2E-03
469	469	0.28375	1.12E-05	3.2E-06	6.05E-04	1.92E-09	14	4.71E-02	1.27E-09	1.0E+06	1.3E-03
470	470	0.2799	1.12E-05	3.1E-06	6.05E-04	1.89E-09	14	4.71E-02	1.25E-09	1.0E+06	1.2E-03
471	471	0.27506	1.12E-05	3.1E-06	6.05E-04	1.86E-09	14	4.71E-02	1.23E-09	1.0E+06	1.2E-03

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	0.26939	1.12E-05	3.0E-06	6.05E-04	1.82E-09	14	4.71E-02	1.20E-09	1.0E+06	1.2E-03
473	473	0.26291	1.12E-05	2.9E-06	6.05E-04	1.78E-09	14	4.71E-02	1.17E-09	1.0E+06	1.2E-03
489	489	0.26741	1.12E-05	3.0E-06	6.05E-04	1.81E-09	14	4.71E-02	1.19E-09	1.0E+06	1.2E-03
490	490	0.26401	1.12E-05	3.0E-06	6.05E-04	1.79E-09	14	4.71E-02	1.18E-09	1.0E+06	1.2E-03
491	491	0.25976	1.12E-05	2.9E-06	6.05E-04	1.76E-09	14	4.71E-02	1.16E-09	1.0E+06	1.2E-03
492	492	0.2547	1.12E-05	2.8E-06	6.05E-04	1.72E-09	14	4.71E-02	1.14E-09	1.0E+06	1.1E-03
493	493	0.24889	1.12E-05	2.8E-06	6.05E-04	1.68E-09	14	4.71E-02	1.11E-09	1.0E+06	1.1E-03
494	494	0.24242	1.12E-05	2.7E-06	6.05E-04	1.64E-09	14	4.71E-02	1.08E-09	1.0E+06	1.1E-03
509	509	0.25259	1.12E-05	2.8E-06	6.05E-04	1.71E-09	14	4.71E-02	1.13E-09	1.0E+06	1.1E-03
510	510	0.24958	1.12E-05	2.8E-06	6.05E-04	1.69E-09	14	4.71E-02	1.11E-09	1.0E+06	1.1E-03
511	511	0.24585	1.12E-05	2.7E-06	6.05E-04	1.66E-09	14	4.71E-02	1.10E-09	1.0E+06	1.1E-03
512	512	0.24134	1.12E-05	2.7E-06	6.05E-04	1.63E-09	14	4.71E-02	1.08E-09	1.0E+06	1.1E-03
513	513	0.23609	1.12E-05	2.6E-06	6.05E-04	1.60E-09	14	4.71E-02	1.05E-09	1.0E+06	1.1E-03
514	514	0.23029	1.12E-05	2.6E-06	6.05E-04	1.56E-09	14	4.71E-02	1.03E-09	1.0E+06	1.0E-03
515	515	0.21706	1.12E-05	2.4E-06	6.05E-04	1.47E-09	14	4.71E-02	9.69E-10	1.0E+06	9.7E-04
516	516	0.20974	1.12E-05	2.3E-06	6.05E-04	1.42E-09	14	4.71E-02	9.37E-10	1.0E+06	9.4E-04
517	517	0.20223	1.12E-05	2.3E-06	6.05E-04	1.37E-09	14	4.71E-02	9.03E-10	1.0E+06	9.0E-04
518	518	0.19458	1.12E-05	2.2E-06	6.05E-04	1.32E-09	14	4.71E-02	8.69E-10	1.0E+06	8.7E-04
519	519	0.1869	1.12E-05	2.1E-06	6.05E-04	1.26E-09	14	4.71E-02	8.35E-10	1.0E+06	8.3E-04
528	528	0.23903	1.12E-05	2.7E-06	6.05E-04	1.62E-09	14	4.71E-02	1.07E-09	1.0E+06	1.1E-03
529	529	0.23639	1.12E-05	2.6E-06	6.05E-04	1.60E-09	14	4.71E-02	1.06E-09	1.0E+06	1.1E-03
530	530	0.23305	1.12E-05	2.6E-06	6.05E-04	1.58E-09	14	4.71E-02	1.04E-09	1.0E+06	1.0E-03
531	531	0.22905	1.12E-05	2.6E-06	6.05E-04	1.55E-09	14	4.71E-02	1.02E-09	1.0E+06	1.0E-03
532	532	0.22437	1.12E-05	2.5E-06	6.05E-04	1.52E-09	14	4.71E-02	1.00E-09	1.0E+06	1.0E-03
533	533	0.21911	1.12E-05	2.5E-06	6.05E-04	1.48E-09	14	4.71E-02	9.79E-10	1.0E+06	9.8E-04
534	534	0.20706	1.12E-05	2.3E-06	6.05E-04	1.40E-09	14	4.71E-02	9.25E-10	1.0E+06	9.2E-04
535	535	0.20045	1.12E-05	2.2E-06	6.05E-04	1.36E-09	14	4.71E-02	8.95E-10	1.0E+06	9.0E-04
536	536	0.19365	1.12E-05	2.2E-06	6.05E-04	1.31E-09	14	4.71E-02	8.65E-10	1.0E+06	8.6E-04
537	537	0.18659	1.12E-05	2.1E-06	6.05E-04	1.26E-09	14	4.71E-02	8.33E-10	1.0E+06	8.3E-04
538	538	0.17948	1.12E-05	2.0E-06	6.05E-04	1.21E-09	14	4.71E-02	8.02E-10	1.0E+06	8.0E-04
547	547	0.22657	1.12E-05	2.5E-06	6.05E-04	1.53E-09	14	4.71E-02	1.01E-09	1.0E+06	1.0E-03

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
548	548	0.22425	1.12E-05	2.5E-06	6.05E-04	1.52E-09	14	4.71E-02	1.00E-09	1.0E+06	1.0E-03
549	549	0.22132	1.12E-05	2.5E-06	6.05E-04	1.50E-09	14	4.71E-02	9.88E-10	1.0E+06	9.9E-04
550	550	0.21768	1.12E-05	2.4E-06	6.05E-04	1.47E-09	14	4.71E-02	9.72E-10	1.0E+06	9.7E-04
551	551	0.2135	1.12E-05	2.4E-06	6.05E-04	1.44E-09	14	4.71E-02	9.53E-10	1.0E+06	9.5E-04
552	552	0.20876	1.12E-05	2.3E-06	6.05E-04	1.41E-09	14	4.71E-02	9.32E-10	1.0E+06	9.3E-04
553	553	0.20353	1.12E-05	2.3E-06	6.05E-04	1.38E-09	14	4.71E-02	9.09E-10	1.0E+06	9.1E-04
554	554	0.19783	1.12E-05	2.2E-06	6.05E-04	1.34E-09	14	4.71E-02	8.83E-10	1.0E+06	8.8E-04
555	555	0.19184	1.12E-05	2.1E-06	6.05E-04	1.30E-09	14	4.71E-02	8.57E-10	1.0E+06	8.6E-04
556	556	0.18565	1.12E-05	2.1E-06	6.05E-04	1.26E-09	14	4.71E-02	8.29E-10	1.0E+06	8.3E-04
557	557	0.17914	1.12E-05	2.0E-06	6.05E-04	1.21E-09	14	4.71E-02	8.00E-10	1.0E+06	8.0E-04
558	558	0.17264	1.12E-05	1.9E-06	6.05E-04	1.17E-09	14	4.71E-02	7.71E-10	1.0E+06	7.7E-04
559	559	0.16609	1.12E-05	1.9E-06	6.05E-04	1.12E-09	14	4.71E-02	7.42E-10	1.0E+06	7.4E-04
567	567	0.21514	1.12E-05	2.4E-06	6.05E-04	1.46E-09	14	4.71E-02	9.61E-10	1.0E+06	9.6E-04
568	568	0.21312	1.12E-05	2.4E-06	6.05E-04	1.44E-09	14	4.71E-02	9.52E-10	1.0E+06	9.5E-04
569	569	0.21049	1.12E-05	2.4E-06	6.05E-04	1.42E-09	14	4.71E-02	9.40E-10	1.0E+06	9.4E-04
570	570	0.20727	1.12E-05	2.3E-06	6.05E-04	1.40E-09	14	4.71E-02	9.26E-10	1.0E+06	9.3E-04
571	571	0.20349	1.12E-05	2.3E-06	6.05E-04	1.38E-09	14	4.71E-02	9.09E-10	1.0E+06	9.1E-04
572	572	0.19921	1.12E-05	2.2E-06	6.05E-04	1.35E-09	14	4.71E-02	8.90E-10	1.0E+06	8.9E-04
573	573	0.19446	1.12E-05	2.2E-06	6.05E-04	1.32E-09	14	4.71E-02	8.68E-10	1.0E+06	8.7E-04
574	574	0.1838	1.12E-05	2.1E-06	6.05E-04	1.24E-09	14	4.71E-02	8.21E-10	1.0E+06	8.2E-04
575	575	0.17813	1.12E-05	2.0E-06	6.05E-04	1.21E-09	14	4.71E-02	7.95E-10	1.0E+06	8.0E-04
576	576	0.17224	1.12E-05	1.9E-06	6.05E-04	1.17E-09	14	4.71E-02	7.69E-10	1.0E+06	7.7E-04
577	577	0.16623	1.12E-05	1.9E-06	6.05E-04	1.12E-09	14	4.71E-02	7.42E-10	1.0E+06	7.4E-04
578	578	0.16016	1.12E-05	1.8E-06	6.05E-04	1.08E-09	14	4.71E-02	7.15E-10	1.0E+06	7.2E-04
586	586	0.20455	1.12E-05	2.3E-06	6.05E-04	1.38E-09	14	4.71E-02	9.13E-10	1.0E+06	9.1E-04
587	587	0.20275	1.12E-05	2.3E-06	6.05E-04	1.37E-09	14	4.71E-02	9.05E-10	1.0E+06	9.1E-04
588	588	0.20044	1.12E-05	2.2E-06	6.05E-04	1.36E-09	14	4.71E-02	8.95E-10	1.0E+06	9.0E-04
589	589	0.19756	1.12E-05	2.2E-06	6.05E-04	1.34E-09	14	4.71E-02	8.82E-10	1.0E+06	8.8E-04
590	590	0.19416	1.12E-05	2.2E-06	6.05E-04	1.31E-09	14	4.71E-02	8.67E-10	1.0E+06	8.7E-04
591	591	0.19027	1.12E-05	2.1E-06	6.05E-04	1.29E-09	14	4.71E-02	8.50E-10	1.0E+06	8.5E-04
592	592	0.18596	1.12E-05	2.1E-06	6.05E-04	1.26E-09	14	4.71E-02	8.30E-10	1.0E+06	8.3E-04

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
593	593	0.17626	1.12E-05	2.0E-06	6.05E-04	1.19E-09	14	4.71E-02	7.87E-10	1.0E+06	7.9E-04
594	594	0.17108	1.12E-05	1.9E-06	6.05E-04	1.16E-09	14	4.71E-02	7.64E-10	1.0E+06	7.6E-04
595	595	0.16562	1.12E-05	1.9E-06	6.05E-04	1.12E-09	14	4.71E-02	7.40E-10	1.0E+06	7.4E-04
596	596	0.16005	1.12E-05	1.8E-06	6.05E-04	1.08E-09	14	4.71E-02	7.15E-10	1.0E+06	7.1E-04
597	597	0.15446	1.12E-05	1.7E-06	6.05E-04	1.05E-09	14	4.71E-02	6.90E-10	1.0E+06	6.9E-04
345	345	0.49521	1.12E-05	5.5E-06	6.05E-04	3.35E-09	14	4.71E-02	2.21E-09	1.0E+06	2.2E-03
346	346	0.475	1.12E-05	5.3E-06	6.05E-04	3.21E-09	14	4.71E-02	2.12E-09	1.0E+06	2.1E-03
347	347	0.45281	1.12E-05	5.1E-06	6.05E-04	3.06E-09	14	4.71E-02	2.02E-09	1.0E+06	2.0E-03
348	348	0.42916	1.12E-05	4.8E-06	6.05E-04	2.90E-09	14	4.71E-02	1.92E-09	1.0E+06	1.9E-03
359	359	0.45716	1.12E-05	5.1E-06	6.05E-04	3.09E-09	14	4.71E-02	2.04E-09	1.0E+06	2.0E-03
360	360	0.43925	1.12E-05	4.9E-06	6.05E-04	2.97E-09	14	4.71E-02	1.96E-09	1.0E+06	2.0E-03
361	361	0.42018	1.12E-05	4.7E-06	6.05E-04	2.84E-09	14	4.71E-02	1.88E-09	1.0E+06	1.9E-03
362	362	0.39943	1.12E-05	4.5E-06	6.05E-04	2.70E-09	14	4.71E-02	1.78E-09	1.0E+06	1.8E-03
363	363	0.37831	1.12E-05	4.2E-06	6.05E-04	2.56E-09	14	4.71E-02	1.69E-09	1.0E+06	1.7E-03
373	373	0.40825	1.12E-05	4.6E-06	6.05E-04	2.76E-09	14	4.71E-02	1.82E-09	1.0E+06	1.8E-03
374	374	0.39129	1.12E-05	4.4E-06	6.05E-04	2.65E-09	14	4.71E-02	1.75E-09	1.0E+06	1.7E-03
375	375	0.37317	1.12E-05	4.2E-06	6.05E-04	2.53E-09	14	4.71E-02	1.67E-09	1.0E+06	1.7E-03
376	376	0.35452	1.12E-05	4.0E-06	6.05E-04	2.40E-09	14	4.71E-02	1.58E-09	1.0E+06	1.6E-03
386	386	0.38048	1.12E-05	4.3E-06	6.05E-04	2.57E-09	14	4.71E-02	1.70E-09	1.0E+06	1.7E-03
387	387	0.36562	1.12E-05	4.1E-06	6.05E-04	2.47E-09	14	4.71E-02	1.63E-09	1.0E+06	1.6E-03
388	388	0.34965	1.12E-05	3.9E-06	6.05E-04	2.37E-09	14	4.71E-02	1.56E-09	1.0E+06	1.6E-03
389	389	0.33317	1.12E-05	3.7E-06	6.05E-04	2.25E-09	14	4.71E-02	1.49E-09	1.0E+06	1.5E-03
390	390	0.31647	1.12E-05	3.5E-06	6.05E-04	2.14E-09	14	4.71E-02	1.41E-09	1.0E+06	1.4E-03
400	400	0.35569	1.12E-05	4.0E-06	6.05E-04	2.41E-09	14	4.71E-02	1.59E-09	1.0E+06	1.6E-03
401	401	0.34238	1.12E-05	3.8E-06	6.05E-04	2.32E-09	14	4.71E-02	1.53E-09	1.0E+06	1.5E-03
402	402	0.32851	1.12E-05	3.7E-06	6.05E-04	2.22E-09	14	4.71E-02	1.47E-09	1.0E+06	1.5E-03
403	403	0.31378	1.12E-05	3.5E-06	6.05E-04	2.12E-09	14	4.71E-02	1.40E-09	1.0E+06	1.4E-03
404	404	0.29874	1.12E-05	3.3E-06	6.05E-04	2.02E-09	14	4.71E-02	1.33E-09	1.0E+06	1.3E-03
415	415	0.33331	1.12E-05	3.7E-06	6.05E-04	2.26E-09	14	4.71E-02	1.49E-09	1.0E+06	1.5E-03
416	416	0.32172	1.12E-05	3.6E-06	6.05E-04	2.18E-09	14	4.71E-02	1.44E-09	1.0E+06	1.4E-03
417	417	0.3092	1.12E-05	3.5E-06	6.05E-04	2.09E-09	14	4.71E-02	1.38E-09	1.0E+06	1.4E-03

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	0.29637	1.12E-05	3.3E-06	6.05E-04	2.01E-09	14	4.71E-02	1.32E-09	1.0E+06	1.3E-03
419	419	0.28311	1.12E-05	3.2E-06	6.05E-04	1.92E-09	14	4.71E-02	1.26E-09	1.0E+06	1.3E-03
420	420	0.26898	1.12E-05	3.0E-06	6.05E-04	1.82E-09	14	4.71E-02	1.20E-09	1.0E+06	1.2E-03
430	430	0.30274	1.12E-05	3.4E-06	6.05E-04	2.05E-09	14	4.71E-02	1.35E-09	1.0E+06	1.4E-03
431	431	0.29189	1.12E-05	3.3E-06	6.05E-04	1.98E-09	14	4.71E-02	1.30E-09	1.0E+06	1.3E-03
432	432	0.28032	1.12E-05	3.1E-06	6.05E-04	1.90E-09	14	4.71E-02	1.25E-09	1.0E+06	1.3E-03
433	433	0.26832	1.12E-05	3.0E-06	6.05E-04	1.82E-09	14	4.71E-02	1.20E-09	1.0E+06	1.2E-03
434	434	0.25603	1.12E-05	2.9E-06	6.05E-04	1.73E-09	14	4.71E-02	1.14E-09	1.0E+06	1.1E-03
444	444	0.28574	1.12E-05	3.2E-06	6.05E-04	1.93E-09	14	4.71E-02	1.28E-09	1.0E+06	1.3E-03
445	445	0.27582	1.12E-05	3.1E-06	6.05E-04	1.87E-09	14	4.71E-02	1.23E-09	1.0E+06	1.2E-03
446	446	0.2655	1.12E-05	3.0E-06	6.05E-04	1.80E-09	14	4.71E-02	1.19E-09	1.0E+06	1.2E-03
447	447	0.25474	1.12E-05	2.8E-06	6.05E-04	1.72E-09	14	4.71E-02	1.14E-09	1.0E+06	1.1E-03
448	448	0.24366	1.12E-05	2.7E-06	6.05E-04	1.65E-09	14	4.71E-02	1.09E-09	1.0E+06	1.1E-03
459	459	0.26118	1.12E-05	2.9E-06	6.05E-04	1.77E-09	14	4.71E-02	1.17E-09	1.0E+06	1.2E-03
460	460	0.25186	1.12E-05	2.8E-06	6.05E-04	1.70E-09	14	4.71E-02	1.12E-09	1.0E+06	1.1E-03
461	461	0.24211	1.12E-05	2.7E-06	6.05E-04	1.64E-09	14	4.71E-02	1.08E-09	1.0E+06	1.1E-03
462	462	0.23209	1.12E-05	2.6E-06	6.05E-04	1.57E-09	14	4.71E-02	1.04E-09	1.0E+06	1.0E-03
463	463	0.22189	1.12E-05	2.5E-06	6.05E-04	1.50E-09	14	4.71E-02	9.91E-10	1.0E+06	9.9E-04
474	474	0.24768	1.12E-05	2.8E-06	6.05E-04	1.68E-09	14	4.71E-02	1.11E-09	1.0E+06	1.1E-03
475	475	0.23926	1.12E-05	2.7E-06	6.05E-04	1.62E-09	14	4.71E-02	1.07E-09	1.0E+06	1.1E-03
476	476	0.23052	1.12E-05	2.6E-06	6.05E-04	1.56E-09	14	4.71E-02	1.03E-09	1.0E+06	1.0E-03
477	477	0.22138	1.12E-05	2.5E-06	6.05E-04	1.50E-09	14	4.71E-02	9.89E-10	1.0E+06	9.9E-04
478	478	0.21214	1.12E-05	2.4E-06	6.05E-04	1.44E-09	14	4.71E-02	9.47E-10	1.0E+06	9.5E-04
495	495	0.23535	1.12E-05	2.6E-06	6.05E-04	1.59E-09	14	4.71E-02	1.05E-09	1.0E+06	1.1E-03
496	496	0.2277	1.12E-05	2.5E-06	6.05E-04	1.54E-09	14	4.71E-02	1.02E-09	1.0E+06	1.0E-03
497	497	0.21975	1.12E-05	2.5E-06	6.05E-04	1.49E-09	14	4.71E-02	9.81E-10	1.0E+06	9.8E-04
498	498	0.21149	1.12E-05	2.4E-06	6.05E-04	1.43E-09	14	4.71E-02	9.44E-10	1.0E+06	9.4E-04
499	499	0.20306	1.12E-05	2.3E-06	6.05E-04	1.37E-09	14	4.71E-02	9.07E-10	1.0E+06	9.1E-04
500	500	0.19461	1.12E-05	2.2E-06	6.05E-04	1.32E-09	14	4.71E-02	8.69E-10	1.0E+06	8.7E-04

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	3.22931	1.12E-05	3.6E-05	6.05E-04	2.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
140	140	2.97359	1.12E-05	3.3E-05	6.05E-04	2.01E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
156	156	2.49884	1.12E-05	2.8E-05	6.05E-04	1.69E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
157	157	2.31049	1.12E-05	2.6E-05	6.05E-04	1.56E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
158	158	2.06867	1.12E-05	2.3E-05	6.05E-04	1.40E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
159	159	1.78029	1.12E-05	2.0E-05	6.05E-04	1.20E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
160	160	1.48621	1.12E-05	1.7E-05	6.05E-04	1.01E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
161	161	1.00232	1.12E-05	1.1E-05	6.05E-04	6.78E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
162	162	0.84027	1.12E-05	9.4E-06	6.05E-04	5.69E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
163	163	0.72075	1.12E-05	8.1E-06	6.05E-04	4.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
167	167	1.86912	1.12E-05	2.1E-05	6.05E-04	1.26E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
168	168	1.68899	1.12E-05	1.9E-05	6.05E-04	1.14E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
169	169	1.48722	1.12E-05	1.7E-05	6.05E-04	1.01E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
170	170	1.2759	1.12E-05	1.4E-05	6.05E-04	8.63E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
171	171	1.07775	1.12E-05	1.2E-05	6.05E-04	7.29E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
172	172	0.90709	1.12E-05	1.0E-05	6.05E-04	6.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
173	173	0.77214	1.12E-05	8.6E-06	6.05E-04	5.22E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
174	174	0.66802	1.12E-05	7.5E-06	6.05E-04	4.52E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
175	175	0.58628	1.12E-05	6.6E-06	6.05E-04	3.97E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
176	176	0.52079	1.12E-05	5.8E-06	6.05E-04	3.52E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
177	177	0.46736	1.12E-05	5.2E-06	6.05E-04	3.16E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
181	181	1.41926	1.12E-05	1.6E-05	6.05E-04	9.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
182	182	1.26814	1.12E-05	1.4E-05	6.05E-04	8.58E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
183	183	1.11113	1.12E-05	1.2E-05	6.05E-04	7.52E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
184	184	0.96043	1.12E-05	1.1E-05	6.05E-04	6.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
185	185	0.82537	1.12E-05	9.2E-06	6.05E-04	5.58E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
186	186	0.71262	1.12E-05	8.0E-06	6.05E-04	4.82E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
187	187	0.62199	1.12E-05	7.0E-06	6.05E-04	4.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
188	188	0.54985	1.12E-05	6.1E-06	6.05E-04	3.72E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
189	189	0.49125	1.12E-05	5.5E-06	6.05E-04	3.32E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
190	190	0.44277	1.12E-05	5.0E-06	6.05E-04	3.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	0.40198	1.12E-05	4.5E-06	6.05E-04	2.72E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
195	195	1.21699	1.12E-05	1.4E-05	6.05E-04	8.23E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
196	196	1.10089	1.12E-05	1.2E-05	6.05E-04	7.45E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
197	197	0.97925	1.12E-05	1.1E-05	6.05E-04	6.63E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
198	198	0.86188	1.12E-05	9.6E-06	6.05E-04	5.83E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
199	199	0.75257	1.12E-05	8.4E-06	6.05E-04	5.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
200	200	0.65878	1.12E-05	7.4E-06	6.05E-04	4.46E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
201	201	0.58107	1.12E-05	6.5E-06	6.05E-04	3.93E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
202	202	0.51703	1.12E-05	5.8E-06	6.05E-04	3.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
203	203	0.46421	1.12E-05	5.2E-06	6.05E-04	3.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
204	204	0.42014	1.12E-05	4.7E-06	6.05E-04	2.84E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
205	205	0.38269	1.12E-05	4.3E-06	6.05E-04	2.59E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
206	206	0.35053	1.12E-05	3.9E-06	6.05E-04	2.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
210	210	1.14394	1.12E-05	1.3E-05	6.05E-04	7.74E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
211	211	1.05888	1.12E-05	1.2E-05	6.05E-04	7.16E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
212	212	0.96767	1.12E-05	1.1E-05	6.05E-04	6.55E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
213	213	0.87227	1.12E-05	9.8E-06	6.05E-04	5.90E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
214	214	0.68904	1.12E-05	7.7E-06	6.05E-04	4.66E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
215	215	0.61024	1.12E-05	6.8E-06	6.05E-04	4.13E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
216	216	0.54323	1.12E-05	6.1E-06	6.05E-04	3.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
217	217	0.48643	1.12E-05	5.4E-06	6.05E-04	3.29E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
218	218	0.43893	1.12E-05	4.9E-06	6.05E-04	2.97E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
219	219	0.39889	1.12E-05	4.5E-06	6.05E-04	2.70E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
220	220	0.36463	1.12E-05	4.1E-06	6.05E-04	2.47E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
221	221	0.33515	1.12E-05	3.7E-06	6.05E-04	2.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
222	222	0.30893	1.12E-05	3.5E-06	6.05E-04	2.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
226	226	1.00252	1.12E-05	1.1E-05	6.05E-04	6.78E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
227	227	0.93412	1.12E-05	1.0E-05	6.05E-04	6.32E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
228	228	0.86009	1.12E-05	9.6E-06	6.05E-04	5.82E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
229	229	0.78354	1.12E-05	8.8E-06	6.05E-04	5.30E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
230	230	0.70654	1.12E-05	7.9E-06	6.05E-04	4.78E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	0.63209	1.12E-05	7.1E-06	6.05E-04	4.28E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
232	232	0.56568	1.12E-05	6.3E-06	6.05E-04	3.83E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
233	233	0.45792	1.12E-05	5.1E-06	6.05E-04	3.10E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
234	234	0.41506	1.12E-05	4.6E-06	6.05E-04	2.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
235	235	0.37872	1.12E-05	4.2E-06	6.05E-04	2.56E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
236	236	0.34751	1.12E-05	3.9E-06	6.05E-04	2.35E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
237	237	0.32037	1.12E-05	3.6E-06	6.05E-04	2.17E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
238	238	0.29659	1.12E-05	3.3E-06	6.05E-04	2.01E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
242	242	0.88744	1.12E-05	9.9E-06	6.05E-04	6.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
243	243	0.83221	1.12E-05	9.3E-06	6.05E-04	5.63E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
244	244	0.76942	1.12E-05	8.6E-06	6.05E-04	5.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
245	245	0.70735	1.12E-05	7.9E-06	6.05E-04	4.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
246	246	0.64424	1.12E-05	7.2E-06	6.05E-04	4.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
247	247	0.58311	1.12E-05	6.5E-06	6.05E-04	3.95E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
248	248	0.52661	1.12E-05	5.9E-06	6.05E-04	3.56E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
249	249	0.43115	1.12E-05	4.8E-06	6.05E-04	2.92E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
250	250	0.39272	1.12E-05	4.4E-06	6.05E-04	2.66E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
251	251	0.35973	1.12E-05	4.0E-06	6.05E-04	2.43E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
252	252	0.3314	1.12E-05	3.7E-06	6.05E-04	2.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
253	253	0.30625	1.12E-05	3.4E-06	6.05E-04	2.07E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
254	254	0.2844	1.12E-05	3.2E-06	6.05E-04	1.92E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
257	257	0.79255	1.12E-05	8.9E-06	6.05E-04	5.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
258	258	0.74691	1.12E-05	8.4E-06	6.05E-04	5.05E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
259	259	0.69584	1.12E-05	7.8E-06	6.05E-04	4.71E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
260	260	0.6425	1.12E-05	7.2E-06	6.05E-04	4.35E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
261	261	0.59111	1.12E-05	6.6E-06	6.05E-04	4.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
262	262	0.53954	1.12E-05	6.0E-06	6.05E-04	3.65E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
263	263	0.49094	1.12E-05	5.5E-06	6.05E-04	3.32E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
264	264	0.40709	1.12E-05	4.6E-06	6.05E-04	2.75E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
265	265	0.37246	1.12E-05	4.2E-06	6.05E-04	2.52E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
266	266	0.34243	1.12E-05	3.8E-06	6.05E-04	2.32E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	0.31628	1.12E-05	3.5E-06	6.05E-04	2.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
268	268	0.29307	1.12E-05	3.3E-06	6.05E-04	1.98E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
269	269	0.27292	1.12E-05	3.1E-06	6.05E-04	1.85E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
270	270	0.22395	1.12E-05	2.5E-06	6.05E-04	1.52E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
271	271	0.21077	1.12E-05	2.4E-06	6.05E-04	1.43E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
274	274	0.71313	1.12E-05	8.0E-06	6.05E-04	4.83E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
275	275	0.67524	1.12E-05	7.6E-06	6.05E-04	4.57E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
276	276	0.63309	1.12E-05	7.1E-06	6.05E-04	4.28E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
277	277	0.58786	1.12E-05	6.6E-06	6.05E-04	3.98E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
278	278	0.5439	1.12E-05	6.1E-06	6.05E-04	3.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
279	279	0.49993	1.12E-05	5.6E-06	6.05E-04	3.38E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
280	280	0.45746	1.12E-05	5.1E-06	6.05E-04	3.10E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
281	281	0.38417	1.12E-05	4.3E-06	6.05E-04	2.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
282	282	0.3531	1.12E-05	3.9E-06	6.05E-04	2.39E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
283	283	0.32577	1.12E-05	3.6E-06	6.05E-04	2.20E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
284	284	0.3018	1.12E-05	3.4E-06	6.05E-04	2.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
285	285	0.28069	1.12E-05	3.1E-06	6.05E-04	1.90E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
286	286	0.26205	1.12E-05	2.9E-06	6.05E-04	1.77E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
287	287	0.21612	1.12E-05	2.4E-06	6.05E-04	1.46E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
288	288	0.20395	1.12E-05	2.3E-06	6.05E-04	1.38E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
291	291	0.64592	1.12E-05	7.2E-06	6.05E-04	4.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
292	292	0.61397	1.12E-05	6.9E-06	6.05E-04	4.15E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
293	293	0.57877	1.12E-05	6.5E-06	6.05E-04	3.92E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
294	294	0.54031	1.12E-05	6.0E-06	6.05E-04	3.66E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
295	295	0.50209	1.12E-05	5.6E-06	6.05E-04	3.40E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
296	296	0.46452	1.12E-05	5.2E-06	6.05E-04	3.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
297	297	0.42845	1.12E-05	4.8E-06	6.05E-04	2.90E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
298	298	0.36325	1.12E-05	4.1E-06	6.05E-04	2.46E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
299	299	0.33541	1.12E-05	3.8E-06	6.05E-04	2.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
300	300	0.31044	1.12E-05	3.5E-06	6.05E-04	2.10E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
301	301	0.28852	1.12E-05	3.2E-06	6.05E-04	1.95E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
302	302	0.26902	1.12E-05	3.0E-06	6.05E-04	1.82E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
303	303	0.25171	1.12E-05	2.8E-06	6.05E-04	1.70E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
304	304	0.20883	1.12E-05	2.3E-06	6.05E-04	1.41E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
305	305	0.1973	1.12E-05	2.2E-06	6.05E-04	1.34E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
308	308	0.58832	1.12E-05	6.6E-06	6.05E-04	3.98E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
309	309	0.56105	1.12E-05	6.3E-06	6.05E-04	3.80E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
310	310	0.53127	1.12E-05	5.9E-06	6.05E-04	3.59E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
311	311	0.4984	1.12E-05	5.6E-06	6.05E-04	3.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
312	312	0.46618	1.12E-05	5.2E-06	6.05E-04	3.15E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
313	313	0.4335	1.12E-05	4.8E-06	6.05E-04	2.93E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
314	314	0.4019	1.12E-05	4.5E-06	6.05E-04	2.72E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
315	315	0.3441	1.12E-05	3.8E-06	6.05E-04	2.33E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
316	316	0.31919	1.12E-05	3.6E-06	6.05E-04	2.16E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
317	317	0.29619	1.12E-05	3.3E-06	6.05E-04	2.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
318	318	0.27608	1.12E-05	3.1E-06	6.05E-04	1.87E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
319	319	0.25803	1.12E-05	2.9E-06	6.05E-04	1.75E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
320	320	0.24179	1.12E-05	2.7E-06	6.05E-04	1.64E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
321	321	0.20179	1.12E-05	2.3E-06	6.05E-04	1.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
322	322	0.19087	1.12E-05	2.1E-06	6.05E-04	1.29E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
325	325	0.53862	1.12E-05	6.0E-06	6.05E-04	3.64E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
326	326	0.51516	1.12E-05	5.8E-06	6.05E-04	3.49E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
327	327	0.48958	1.12E-05	5.5E-06	6.05E-04	3.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
328	328	0.46191	1.12E-05	5.2E-06	6.05E-04	3.13E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
329	329	0.43339	1.12E-05	4.8E-06	6.05E-04	2.93E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
330	330	0.40563	1.12E-05	4.5E-06	6.05E-04	2.74E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
331	331	0.3779	1.12E-05	4.2E-06	6.05E-04	2.56E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
332	332	0.35165	1.12E-05	3.9E-06	6.05E-04	2.38E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
333	333	0.32655	1.12E-05	3.7E-06	6.05E-04	2.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
334	334	0.30382	1.12E-05	3.4E-06	6.05E-04	2.06E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
335	335	0.28304	1.12E-05	3.2E-06	6.05E-04	1.92E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
336	336	0.26438	1.12E-05	3.0E-06	6.05E-04	1.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	0.24758	1.12E-05	2.8E-06	6.05E-04	1.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
338	338	0.2326	1.12E-05	2.6E-06	6.05E-04	1.57E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
339	339	0.20616	1.12E-05	2.3E-06	6.05E-04	1.39E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
340	340	0.19499	1.12E-05	2.2E-06	6.05E-04	1.32E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
341	341	0.18471	1.12E-05	2.1E-06	6.05E-04	1.25E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
349	349	0.40455	1.12E-05	4.5E-06	6.05E-04	2.74E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
350	350	0.37996	1.12E-05	4.2E-06	6.05E-04	2.57E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
351	351	0.3553	1.12E-05	4.0E-06	6.05E-04	2.40E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
352	352	0.33246	1.12E-05	3.7E-06	6.05E-04	2.25E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
353	353	0.19899	1.12E-05	2.2E-06	6.05E-04	1.35E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
354	354	0.1885	1.12E-05	2.1E-06	6.05E-04	1.28E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
355	355	0.17883	1.12E-05	2.0E-06	6.05E-04	1.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
364	364	0.35679	1.12E-05	4.0E-06	6.05E-04	2.41E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
365	365	0.33547	1.12E-05	3.8E-06	6.05E-04	2.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
366	366	0.31448	1.12E-05	3.5E-06	6.05E-04	2.13E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
367	367	0.19218	1.12E-05	2.1E-06	6.05E-04	1.30E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
368	368	0.18225	1.12E-05	2.0E-06	6.05E-04	1.23E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
369	369	0.17316	1.12E-05	1.9E-06	6.05E-04	1.17E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
377	377	0.33565	1.12E-05	3.8E-06	6.05E-04	2.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
378	378	0.31666	1.12E-05	3.5E-06	6.05E-04	2.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
379	379	0.29788	1.12E-05	3.3E-06	6.05E-04	2.02E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
380	380	0.18557	1.12E-05	2.1E-06	6.05E-04	1.26E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
381	381	0.17614	1.12E-05	2.0E-06	6.05E-04	1.19E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
382	382	0.16763	1.12E-05	1.9E-06	6.05E-04	1.13E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
391	391	0.29946	1.12E-05	3.3E-06	6.05E-04	2.03E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
392	392	0.2825	1.12E-05	3.2E-06	6.05E-04	1.91E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
393	393	0.17928	1.12E-05	2.0E-06	6.05E-04	1.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
394	394	0.17045	1.12E-05	1.9E-06	6.05E-04	1.15E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
395	395	0.16243	1.12E-05	1.8E-06	6.05E-04	1.10E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
405	405	0.28373	1.12E-05	3.2E-06	6.05E-04	1.92E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
406	406	0.26866	1.12E-05	3.0E-06	6.05E-04	1.82E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	0.25413	1.12E-05	2.8E-06	6.05E-04	1.72E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
408	408	0.17336	1.12E-05	1.9E-06	6.05E-04	1.17E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
409	409	0.16499	1.12E-05	1.8E-06	6.05E-04	1.12E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
410	410	0.1575	1.12E-05	1.8E-06	6.05E-04	1.07E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
421	421	0.25566	1.12E-05	2.9E-06	6.05E-04	1.73E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
422	422	0.24238	1.12E-05	2.7E-06	6.05E-04	1.64E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
423	423	0.16766	1.12E-05	1.9E-06	6.05E-04	1.13E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
424	424	0.15979	1.12E-05	1.8E-06	6.05E-04	1.08E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
425	425	0.1527	1.12E-05	1.7E-06	6.05E-04	1.03E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
435	435	0.24347	1.12E-05	2.7E-06	6.05E-04	1.65E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
436	436	0.23158	1.12E-05	2.6E-06	6.05E-04	1.57E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
437	437	0.15484	1.12E-05	1.7E-06	6.05E-04	1.05E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
438	438	0.14801	1.12E-05	1.7E-06	6.05E-04	1.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
449	449	0.23221	1.12E-05	2.6E-06	6.05E-04	1.57E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
450	450	0.22151	1.12E-05	2.5E-06	6.05E-04	1.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
451	451	0.21074	1.12E-05	2.4E-06	6.05E-04	1.43E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
452	452	0.15006	1.12E-05	1.7E-06	6.05E-04	1.02E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
453	453	0.14357	1.12E-05	1.6E-06	6.05E-04	9.71E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
464	464	0.2119	1.12E-05	2.4E-06	6.05E-04	1.43E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
465	465	0.2021	1.12E-05	2.3E-06	6.05E-04	1.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
466	466	0.15925	1.12E-05	1.8E-06	6.05E-04	1.08E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
467	467	0.1455	1.12E-05	1.6E-06	6.05E-04	9.85E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
468	468	0.13934	1.12E-05	1.6E-06	6.05E-04	9.43E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
479	479	0.20193	1.12E-05	2.3E-06	6.05E-04	1.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
480	480	0.19392	1.12E-05	2.2E-06	6.05E-04	1.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
481	481	0.18516	1.12E-05	2.1E-06	6.05E-04	1.25E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
482	482	0.17684	1.12E-05	2.0E-06	6.05E-04	1.20E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
483	483	0.16874	1.12E-05	1.9E-06	6.05E-04	1.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
484	484	0.16121	1.12E-05	1.8E-06	6.05E-04	1.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
485	485	0.15407	1.12E-05	1.7E-06	6.05E-04	1.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
486	486	0.14742	1.12E-05	1.6E-06	6.05E-04	9.98E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	487	0.14116	1.12E-05	1.6E-06	6.05E-04	9.55E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
488	488	0.13529	1.12E-05	1.5E-06	6.05E-04	9.15E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
501	501	0.18384	1.12E-05	2.1E-06	6.05E-04	1.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
502	502	0.17826	1.12E-05	2.0E-06	6.05E-04	1.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
503	503	0.17052	1.12E-05	1.9E-06	6.05E-04	1.15E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
504	504	0.16301	1.12E-05	1.8E-06	6.05E-04	1.10E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
505	505	0.15589	1.12E-05	1.7E-06	6.05E-04	1.05E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
506	506	0.14917	1.12E-05	1.7E-06	6.05E-04	1.01E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
507	507	0.14291	1.12E-05	1.6E-06	6.05E-04	9.67E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
508	508	0.13142	1.12E-05	1.5E-06	6.05E-04	8.89E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
520	520	0.17904	1.12E-05	2.0E-06	6.05E-04	1.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
521	521	0.16704	1.12E-05	1.9E-06	6.05E-04	1.13E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
522	522	0.16447	1.12E-05	1.8E-06	6.05E-04	1.11E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
523	523	0.15748	1.12E-05	1.8E-06	6.05E-04	1.07E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
524	524	0.15081	1.12E-05	1.7E-06	6.05E-04	1.02E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
525	525	0.14449	1.12E-05	1.6E-06	6.05E-04	9.78E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
526	526	0.13856	1.12E-05	1.5E-06	6.05E-04	9.38E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
527	527	0.1277	1.12E-05	1.4E-06	6.05E-04	8.64E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
539	539	0.17241	1.12E-05	1.9E-06	6.05E-04	1.17E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
540	540	0.16543	1.12E-05	1.8E-06	6.05E-04	1.12E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
541	541	0.15731	1.12E-05	1.8E-06	6.05E-04	1.06E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
542	542	0.1502	1.12E-05	1.7E-06	6.05E-04	1.02E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
543	543	0.14595	1.12E-05	1.6E-06	6.05E-04	9.88E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
544	544	0.14	1.12E-05	1.6E-06	6.05E-04	9.47E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
545	545	0.13373	1.12E-05	1.5E-06	6.05E-04	9.05E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
546	546	0.12412	1.12E-05	1.4E-06	6.05E-04	8.40E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
560	560	0.15963	1.12E-05	1.8E-06	6.05E-04	1.08E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
561	561	0.15335	1.12E-05	1.7E-06	6.05E-04	1.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
562	562	0.14719	1.12E-05	1.6E-06	6.05E-04	9.96E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
563	563	0.13039	1.12E-05	1.5E-06	6.05E-04	8.82E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
564	564	0.1339	1.12E-05	1.5E-06	6.05E-04	9.06E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

<i>Cancer Risk from 2-16 years - Construction</i>											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.13048	1.12E-05	1.5E-06	6.05E-04	8.83E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
566	566	0.12075	1.12E-05	1.4E-06	6.05E-04	8.17E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
579	579	0.15412	1.12E-05	1.7E-06	6.05E-04	1.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
580	580	0.14824	1.12E-05	1.7E-06	6.05E-04	1.00E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
581	581	0.14255	1.12E-05	1.6E-06	6.05E-04	9.65E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
582	582	0.137	1.12E-05	1.5E-06	6.05E-04	9.27E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
583	583	0.13168	1.12E-05	1.5E-06	6.05E-04	8.91E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
584	584	0.1261	1.12E-05	1.4E-06	6.05E-04	8.53E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
585	585	0.10616	1.12E-05	1.2E-06	6.05E-04	7.18E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
598	598	0.14891	1.12E-05	1.7E-06	6.05E-04	1.01E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
599	599	0.14337	1.12E-05	1.6E-06	6.05E-04	9.70E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
600	600	0.13802	1.12E-05	1.5E-06	6.05E-04	9.34E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
601	601	0.13284	1.12E-05	1.5E-06	6.05E-04	8.99E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
602	602	0.12784	1.12E-05	1.4E-06	6.05E-04	8.65E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
603	603	0.12311	1.12E-05	1.4E-06	6.05E-04	8.33E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
604	604	0.11857	1.12E-05	1.3E-06	6.05E-04	8.02E-10	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
0	0	0	1.12E-05	0.0E+00	6.05E-04	0.00E+00	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	13.27717	1.12E-05	1.5E-04	2.50E-04	3.72E-08	14	1.15E-02	5.97E-09	1.0E+06	6.0E-03
2	2	14.55208	1.12E-05	1.6E-04	2.50E-04	4.07E-08	14	1.15E-02	6.54E-09	1.0E+06	6.5E-03
3	3	15.06129	1.12E-05	1.7E-04	2.50E-04	4.22E-08	14	1.15E-02	6.77E-09	1.0E+06	6.8E-03
4	4	15.39379	1.12E-05	1.7E-04	2.50E-04	4.31E-08	14	1.15E-02	6.92E-09	1.0E+06	6.9E-03
5	5	15.72103	1.12E-05	1.8E-04	2.50E-04	4.40E-08	14	1.15E-02	7.07E-09	1.0E+06	7.1E-03
6	6	12.45757	1.12E-05	1.4E-04	2.50E-04	3.49E-08	14	1.15E-02	5.60E-09	1.0E+06	5.6E-03
7	7	12.77993	1.12E-05	1.4E-04	2.50E-04	3.58E-08	14	1.15E-02	5.74E-09	1.0E+06	5.7E-03
8	8	13.06631	1.12E-05	1.5E-04	2.50E-04	3.66E-08	14	1.15E-02	5.87E-09	1.0E+06	5.9E-03
9	9	13.32534	1.12E-05	1.5E-04	2.50E-04	3.73E-08	14	1.15E-02	5.99E-09	1.0E+06	6.0E-03
10	10	13.55262	1.12E-05	1.5E-04	2.50E-04	3.79E-08	14	1.15E-02	6.09E-09	1.0E+06	6.1E-03
11	11	13.73981	1.12E-05	1.5E-04	2.50E-04	3.85E-08	14	1.15E-02	6.18E-09	1.0E+06	6.2E-03
12	12	13.86074	1.12E-05	1.6E-04	2.50E-04	3.88E-08	14	1.15E-02	6.23E-09	1.0E+06	6.2E-03
13	13	13.93781	1.12E-05	1.6E-04	2.50E-04	3.90E-08	14	1.15E-02	6.26E-09	1.0E+06	6.3E-03
14	14	13.89449	1.12E-05	1.6E-04	2.50E-04	3.89E-08	14	1.15E-02	6.25E-09	1.0E+06	6.2E-03
15	15	8.07737	1.12E-05	9.0E-05	2.50E-04	2.26E-08	14	1.15E-02	3.63E-09	1.0E+06	3.6E-03
16	16	7.39955	1.12E-05	8.3E-05	2.50E-04	2.07E-08	14	1.15E-02	3.33E-09	1.0E+06	3.3E-03
17	17	5.6887	1.12E-05	6.4E-05	2.50E-04	1.59E-08	14	1.15E-02	2.56E-09	1.0E+06	2.6E-03
18	18	5.7205	1.12E-05	6.4E-05	2.50E-04	1.60E-08	14	1.15E-02	2.57E-09	1.0E+06	2.6E-03
19	19	5.74825	1.12E-05	6.4E-05	2.50E-04	1.61E-08	14	1.15E-02	2.58E-09	1.0E+06	2.6E-03
20	20	3.3418	1.12E-05	3.7E-05	2.50E-04	9.35E-09	14	1.15E-02	1.50E-09	1.0E+06	1.5E-03
21	21	2.23651	1.12E-05	2.5E-05	2.50E-04	6.26E-09	14	1.15E-02	1.01E-09	1.0E+06	1.0E-03
22	22	1.6375	1.12E-05	1.8E-05	2.50E-04	4.58E-09	14	1.15E-02	7.36E-10	1.0E+06	7.4E-04
23	23	1.27151	1.12E-05	1.4E-05	2.50E-04	3.56E-09	14	1.15E-02	5.72E-10	1.0E+06	5.7E-04
24	24	1.02795	1.12E-05	1.1E-05	2.50E-04	2.88E-09	14	1.15E-02	4.62E-10	1.0E+06	4.6E-04
25	25	0.85548	1.12E-05	9.6E-06	2.50E-04	2.39E-09	14	1.15E-02	3.85E-10	1.0E+06	3.8E-04
26	26	0.72766	1.12E-05	8.1E-06	2.50E-04	2.04E-09	14	1.15E-02	3.27E-10	1.0E+06	3.3E-04
27	27	0.62948	1.12E-05	7.0E-06	2.50E-04	1.76E-09	14	1.15E-02	2.83E-10	1.0E+06	2.8E-04
28	28	0.5522	1.12E-05	6.2E-06	2.50E-04	1.55E-09	14	1.15E-02	2.48E-10	1.0E+06	2.5E-04
29	29	0.48975	1.12E-05	5.5E-06	2.50E-04	1.37E-09	14	1.15E-02	2.20E-10	1.0E+06	2.2E-04
30	30	0.43841	1.12E-05	4.9E-06	2.50E-04	1.23E-09	14	1.15E-02	1.97E-10	1.0E+06	2.0E-04
31	31	0.3957	1.12E-05	4.4E-06	2.50E-04	1.11E-09	14	1.15E-02	1.78E-10	1.0E+06	1.8E-04

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.35975	1.12E-05	4.0E-06	2.50E-04	1.01E-09	14	1.15E-02	1.62E-10	1.0E+06	1.6E-04
55	55	1.41184	1.12E-05	1.6E-05	2.50E-04	3.95E-09	14	1.15E-02	6.35E-10	1.0E+06	6.3E-04
56	56	1.12179	1.12E-05	1.3E-05	2.50E-04	3.14E-09	14	1.15E-02	5.04E-10	1.0E+06	5.0E-04
57	57	0.92271	1.12E-05	1.0E-05	2.50E-04	2.58E-09	14	1.15E-02	4.15E-10	1.0E+06	4.1E-04
58	58	0.77843	1.12E-05	8.7E-06	2.50E-04	2.18E-09	14	1.15E-02	3.50E-10	1.0E+06	3.5E-04
59	59	0.6699	1.12E-05	7.5E-06	2.50E-04	1.87E-09	14	1.15E-02	3.01E-10	1.0E+06	3.0E-04
60	60	0.5853	1.12E-05	6.5E-06	2.50E-04	1.64E-09	14	1.15E-02	2.63E-10	1.0E+06	2.6E-04
61	61	0.5171	1.12E-05	5.8E-06	2.50E-04	1.45E-09	14	1.15E-02	2.32E-10	1.0E+06	2.3E-04
62	62	0.46162	1.12E-05	5.2E-06	2.50E-04	1.29E-09	14	1.15E-02	2.07E-10	1.0E+06	2.1E-04
63	63	0.41544	1.12E-05	4.6E-06	2.50E-04	1.16E-09	14	1.15E-02	1.87E-10	1.0E+06	1.9E-04
64	64	0.37669	1.12E-05	4.2E-06	2.50E-04	1.05E-09	14	1.15E-02	1.69E-10	1.0E+06	1.7E-04
65	65	0.34382	1.12E-05	3.8E-06	2.50E-04	9.62E-10	14	1.15E-02	1.55E-10	1.0E+06	1.5E-04
66	66	0.31513	1.12E-05	3.5E-06	2.50E-04	8.82E-10	14	1.15E-02	1.42E-10	1.0E+06	1.4E-04
67	67	14.61761	1.12E-05	1.6E-04	2.50E-04	4.09E-08	14	1.15E-02	6.57E-09	1.0E+06	6.6E-03
68	68	15.15671	1.12E-05	1.7E-04	2.50E-04	4.24E-08	14	1.15E-02	6.81E-09	1.0E+06	6.8E-03
69	69	15.48465	1.12E-05	1.7E-04	2.50E-04	4.33E-08	14	1.15E-02	6.96E-09	1.0E+06	7.0E-03
70	70	15.67886	1.12E-05	1.8E-04	2.50E-04	4.39E-08	14	1.15E-02	7.05E-09	1.0E+06	7.0E-03
71	71	15.69465	1.12E-05	1.8E-04	2.50E-04	4.39E-08	14	1.15E-02	7.05E-09	1.0E+06	7.1E-03
72	72	15.5407	1.12E-05	1.7E-04	2.50E-04	4.35E-08	14	1.15E-02	6.99E-09	1.0E+06	7.0E-03
73	73	15.25369	1.12E-05	1.7E-04	2.50E-04	4.27E-08	14	1.15E-02	6.86E-09	1.0E+06	6.9E-03
74	74	14.94789	1.12E-05	1.7E-04	2.50E-04	4.18E-08	14	1.15E-02	6.72E-09	1.0E+06	6.7E-03
75	75	14.59618	1.12E-05	1.6E-04	2.50E-04	4.09E-08	14	1.15E-02	6.56E-09	1.0E+06	6.6E-03
76	76	14.26011	1.12E-05	1.6E-04	2.50E-04	3.99E-08	14	1.15E-02	6.41E-09	1.0E+06	6.4E-03
77	77	13.95302	1.12E-05	1.6E-04	2.50E-04	3.91E-08	14	1.15E-02	6.27E-09	1.0E+06	6.3E-03
78	78	13.58992	1.12E-05	1.5E-04	2.50E-04	3.80E-08	14	1.15E-02	6.11E-09	1.0E+06	6.1E-03
79	79	9.9219	1.12E-05	1.1E-04	2.50E-04	2.78E-08	14	1.15E-02	4.46E-09	1.0E+06	4.5E-03
80	80	6.45582	1.12E-05	7.2E-05	2.50E-04	1.81E-08	14	1.15E-02	2.90E-09	1.0E+06	2.9E-03
81	81	3.42456	1.12E-05	3.8E-05	2.50E-04	9.58E-09	14	1.15E-02	1.54E-09	1.0E+06	1.5E-03
82	82	2.17273	1.12E-05	2.4E-05	2.50E-04	6.08E-09	14	1.15E-02	9.77E-10	1.0E+06	9.8E-04
83	83	1.57961	1.12E-05	1.8E-05	2.50E-04	4.42E-09	14	1.15E-02	7.10E-10	1.0E+06	7.1E-04
84	84	1.23392	1.12E-05	1.4E-05	2.50E-04	3.45E-09	14	1.15E-02	5.55E-10	1.0E+06	5.5E-04

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	85	1.00328	1.12E-05	1.1E-05	2.50E-04	2.81E-09	14	1.15E-02	4.51E-10	1.0E+06	4.5E-04
86	86	0.83922	1.12E-05	9.4E-06	2.50E-04	2.35E-09	14	1.15E-02	3.77E-10	1.0E+06	3.8E-04
87	87	0.71743	1.12E-05	8.0E-06	2.50E-04	2.01E-09	14	1.15E-02	3.22E-10	1.0E+06	3.2E-04
88	88	0.62324	1.12E-05	7.0E-06	2.50E-04	1.74E-09	14	1.15E-02	2.80E-10	1.0E+06	2.8E-04
89	89	0.54885	1.12E-05	6.1E-06	2.50E-04	1.54E-09	14	1.15E-02	2.47E-10	1.0E+06	2.5E-04
90	90	0.48839	1.12E-05	5.5E-06	2.50E-04	1.37E-09	14	1.15E-02	2.20E-10	1.0E+06	2.2E-04
91	91	0.43802	1.12E-05	4.9E-06	2.50E-04	1.23E-09	14	1.15E-02	1.97E-10	1.0E+06	2.0E-04
92	92	0.3963	1.12E-05	4.4E-06	2.50E-04	1.11E-09	14	1.15E-02	1.78E-10	1.0E+06	1.8E-04
93	93	0.36051	1.12E-05	4.0E-06	2.50E-04	1.01E-09	14	1.15E-02	1.62E-10	1.0E+06	1.6E-04
96	96	0.66375	1.12E-05	7.4E-06	2.50E-04	1.86E-09	14	1.15E-02	2.98E-10	1.0E+06	3.0E-04
97	97	0.57214	1.12E-05	6.4E-06	2.50E-04	1.60E-09	14	1.15E-02	2.57E-10	1.0E+06	2.6E-04
98	98	0.58539	1.12E-05	6.5E-06	2.50E-04	1.64E-09	14	1.15E-02	2.63E-10	1.0E+06	2.6E-04
99	99	0.51819	1.12E-05	5.8E-06	2.50E-04	1.45E-09	14	1.15E-02	2.33E-10	1.0E+06	2.3E-04
100	100	0.46356	1.12E-05	5.2E-06	2.50E-04	1.30E-09	14	1.15E-02	2.08E-10	1.0E+06	2.1E-04
101	101	0.41808	1.12E-05	4.7E-06	2.50E-04	1.17E-09	14	1.15E-02	1.88E-10	1.0E+06	1.9E-04
102	102	0.37897	1.12E-05	4.2E-06	2.50E-04	1.06E-09	14	1.15E-02	1.70E-10	1.0E+06	1.7E-04
106	106	3.80169	1.12E-05	4.3E-05	2.50E-04	1.06E-08	14	1.15E-02	1.71E-09	1.0E+06	1.7E-03
107	107	4.48745	1.12E-05	5.0E-05	2.50E-04	1.26E-08	14	1.15E-02	2.02E-09	1.0E+06	2.0E-03
108	108	4.83893	1.12E-05	5.4E-05	2.50E-04	1.35E-08	14	1.15E-02	2.18E-09	1.0E+06	2.2E-03
109	109	5.06019	1.12E-05	5.7E-05	2.50E-04	1.42E-08	14	1.15E-02	2.27E-09	1.0E+06	2.3E-03
110	110	5.20184	1.12E-05	5.8E-05	2.50E-04	1.46E-08	14	1.15E-02	2.34E-09	1.0E+06	2.3E-03
111	111	5.29025	1.12E-05	5.9E-05	2.50E-04	1.48E-08	14	1.15E-02	2.38E-09	1.0E+06	2.4E-03
112	112	5.32764	1.12E-05	6.0E-05	2.50E-04	1.49E-08	14	1.15E-02	2.39E-09	1.0E+06	2.4E-03
113	113	5.33048	1.12E-05	6.0E-05	2.50E-04	1.49E-08	14	1.15E-02	2.40E-09	1.0E+06	2.4E-03
114	114	5.30456	1.12E-05	5.9E-05	2.50E-04	1.48E-08	14	1.15E-02	2.38E-09	1.0E+06	2.4E-03
115	115	5.25978	1.12E-05	5.9E-05	2.50E-04	1.47E-08	14	1.15E-02	2.36E-09	1.0E+06	2.4E-03
116	116	5.18609	1.12E-05	5.8E-05	2.50E-04	1.45E-08	14	1.15E-02	2.33E-09	1.0E+06	2.3E-03
117	117	5.10465	1.12E-05	5.7E-05	2.50E-04	1.43E-08	14	1.15E-02	2.29E-09	1.0E+06	2.3E-03
118	118	4.99878	1.12E-05	5.6E-05	2.50E-04	1.40E-08	14	1.15E-02	2.25E-09	1.0E+06	2.2E-03
124	124	2.77265	1.12E-05	3.1E-05	2.50E-04	7.76E-09	14	1.15E-02	1.25E-09	1.0E+06	1.2E-03
125	125	3.17488	1.12E-05	3.6E-05	2.50E-04	8.89E-09	14	1.15E-02	1.43E-09	1.0E+06	1.4E-03

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	126	3.4525	1.12E-05	3.9E-05	2.50E-04	9.66E-09	14	1.15E-02	1.55E-09	1.0E+06	1.6E-03
127	127	3.63621	1.12E-05	4.1E-05	2.50E-04	1.02E-08	14	1.15E-02	1.63E-09	1.0E+06	1.6E-03
128	128	3.75788	1.12E-05	4.2E-05	2.50E-04	1.05E-08	14	1.15E-02	1.69E-09	1.0E+06	1.7E-03
129	129	3.83531	1.12E-05	4.3E-05	2.50E-04	1.07E-08	14	1.15E-02	1.72E-09	1.0E+06	1.7E-03
130	130	3.87919	1.12E-05	4.3E-05	2.50E-04	1.09E-08	14	1.15E-02	1.74E-09	1.0E+06	1.7E-03
131	131	3.89335	1.12E-05	4.4E-05	2.50E-04	1.09E-08	14	1.15E-02	1.75E-09	1.0E+06	1.7E-03
132	132	3.8839	1.12E-05	4.3E-05	2.50E-04	1.09E-08	14	1.15E-02	1.75E-09	1.0E+06	1.7E-03
133	133	3.85854	1.12E-05	4.3E-05	2.50E-04	1.08E-08	14	1.15E-02	1.73E-09	1.0E+06	1.7E-03
134	134	3.81264	1.12E-05	4.3E-05	2.50E-04	1.07E-08	14	1.15E-02	1.71E-09	1.0E+06	1.7E-03
135	135	3.7513	1.12E-05	4.2E-05	2.50E-04	1.05E-08	14	1.15E-02	1.69E-09	1.0E+06	1.7E-03
136	136	3.66911	1.12E-05	4.1E-05	2.50E-04	1.03E-08	14	1.15E-02	1.65E-09	1.0E+06	1.6E-03
137	137	3.56063	1.12E-05	4.0E-05	2.50E-04	9.97E-09	14	1.15E-02	1.60E-09	1.0E+06	1.6E-03
138	138	3.41762	1.12E-05	3.8E-05	2.50E-04	9.57E-09	14	1.15E-02	1.54E-09	1.0E+06	1.5E-03
141	141	2.12296	1.12E-05	2.4E-05	2.50E-04	5.94E-09	14	1.15E-02	9.54E-10	1.0E+06	9.5E-04
142	142	2.4075	1.12E-05	2.7E-05	2.50E-04	6.74E-09	14	1.15E-02	1.08E-09	1.0E+06	1.1E-03
143	143	2.62339	1.12E-05	2.9E-05	2.50E-04	7.34E-09	14	1.15E-02	1.18E-09	1.0E+06	1.2E-03
144	144	2.77572	1.12E-05	3.1E-05	2.50E-04	7.77E-09	14	1.15E-02	1.25E-09	1.0E+06	1.2E-03
145	145	2.88049	1.12E-05	3.2E-05	2.50E-04	8.06E-09	14	1.15E-02	1.29E-09	1.0E+06	1.3E-03
146	146	2.94987	1.12E-05	3.3E-05	2.50E-04	8.26E-09	14	1.15E-02	1.33E-09	1.0E+06	1.3E-03
147	147	2.99124	1.12E-05	3.3E-05	2.50E-04	8.37E-09	14	1.15E-02	1.34E-09	1.0E+06	1.3E-03
148	148	3.00965	1.12E-05	3.4E-05	2.50E-04	8.42E-09	14	1.15E-02	1.35E-09	1.0E+06	1.4E-03
149	149	3.00837	1.12E-05	3.4E-05	2.50E-04	8.42E-09	14	1.15E-02	1.35E-09	1.0E+06	1.4E-03
150	150	2.99123	1.12E-05	3.3E-05	2.50E-04	8.37E-09	14	1.15E-02	1.34E-09	1.0E+06	1.3E-03
151	151	2.95811	1.12E-05	3.3E-05	2.50E-04	8.28E-09	14	1.15E-02	1.33E-09	1.0E+06	1.3E-03
152	152	2.90915	1.12E-05	3.3E-05	2.50E-04	8.14E-09	14	1.15E-02	1.31E-09	1.0E+06	1.3E-03
153	153	2.84263	1.12E-05	3.2E-05	2.50E-04	7.96E-09	14	1.15E-02	1.28E-09	1.0E+06	1.3E-03
154	154	2.75792	1.12E-05	3.1E-05	2.50E-04	7.72E-09	14	1.15E-02	1.24E-09	1.0E+06	1.2E-03
155	155	2.64546	1.12E-05	3.0E-05	2.50E-04	7.40E-09	14	1.15E-02	1.19E-09	1.0E+06	1.2E-03
164	164	2.21752	1.12E-05	2.5E-05	2.50E-04	6.21E-09	14	1.15E-02	9.97E-10	1.0E+06	1.0E-03
165	165	2.12781	1.12E-05	2.4E-05	2.50E-04	5.96E-09	14	1.15E-02	9.56E-10	1.0E+06	9.6E-04
166	166	2.01263	1.12E-05	2.3E-05	2.50E-04	5.63E-09	14	1.15E-02	9.05E-10	1.0E+06	9.0E-04

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	1.83242	1.12E-05	2.0E-05	2.50E-04	5.13E-09	14	1.15E-02	8.24E-10	1.0E+06	8.2E-04
179	179	1.75969	1.12E-05	2.0E-05	2.50E-04	4.92E-09	14	1.15E-02	7.91E-10	1.0E+06	7.9E-04
180	180	1.66809	1.12E-05	1.9E-05	2.50E-04	4.67E-09	14	1.15E-02	7.50E-10	1.0E+06	7.5E-04
192	192	1.54552	1.12E-05	1.7E-05	2.50E-04	4.33E-09	14	1.15E-02	6.95E-10	1.0E+06	6.9E-04
193	193	1.48568	1.12E-05	1.7E-05	2.50E-04	4.16E-09	14	1.15E-02	6.68E-10	1.0E+06	6.7E-04
194	194	1.41218	1.12E-05	1.6E-05	2.50E-04	3.95E-09	14	1.15E-02	6.35E-10	1.0E+06	6.3E-04
207	207	1.32527	1.12E-05	1.5E-05	2.50E-04	3.71E-09	14	1.15E-02	5.96E-10	1.0E+06	6.0E-04
208	208	1.27587	1.12E-05	1.4E-05	2.50E-04	3.57E-09	14	1.15E-02	5.73E-10	1.0E+06	5.7E-04
209	209	1.21546	1.12E-05	1.4E-05	2.50E-04	3.40E-09	14	1.15E-02	5.46E-10	1.0E+06	5.5E-04
223	223	1.15142	1.12E-05	1.3E-05	2.50E-04	3.22E-09	14	1.15E-02	5.18E-10	1.0E+06	5.2E-04
224	224	1.11038	1.12E-05	1.2E-05	2.50E-04	3.11E-09	14	1.15E-02	4.99E-10	1.0E+06	5.0E-04
225	225	1.06089	1.12E-05	1.2E-05	2.50E-04	2.97E-09	14	1.15E-02	4.77E-10	1.0E+06	4.8E-04
239	239	1.01109	1.12E-05	1.1E-05	2.50E-04	2.83E-09	14	1.15E-02	4.54E-10	1.0E+06	4.5E-04
240	240	0.97683	1.12E-05	1.1E-05	2.50E-04	2.73E-09	14	1.15E-02	4.39E-10	1.0E+06	4.4E-04
241	241	0.93557	1.12E-05	1.0E-05	2.50E-04	2.62E-09	14	1.15E-02	4.21E-10	1.0E+06	4.2E-04
255	255	0.89612	1.12E-05	1.0E-05	2.50E-04	2.51E-09	14	1.15E-02	4.03E-10	1.0E+06	4.0E-04
256	256	0.86732	1.12E-05	9.7E-06	2.50E-04	2.43E-09	14	1.15E-02	3.90E-10	1.0E+06	3.9E-04
272	272	0.80085	1.12E-05	9.0E-06	2.50E-04	2.24E-09	14	1.15E-02	3.60E-10	1.0E+06	3.6E-04
273	273	0.77611	1.12E-05	8.7E-06	2.50E-04	2.17E-09	14	1.15E-02	3.49E-10	1.0E+06	3.5E-04
289	289	0.72029	1.12E-05	8.1E-06	2.50E-04	2.02E-09	14	1.15E-02	3.24E-10	1.0E+06	3.2E-04
290	290	0.69925	1.12E-05	7.8E-06	2.50E-04	1.96E-09	14	1.15E-02	3.14E-10	1.0E+06	3.1E-04
306	306	0.6519	1.12E-05	7.3E-06	2.50E-04	1.82E-09	14	1.15E-02	2.93E-10	1.0E+06	2.9E-04
307	307	0.63382	1.12E-05	7.1E-06	2.50E-04	1.77E-09	14	1.15E-02	2.85E-10	1.0E+06	2.8E-04
323	323	0.59325	1.12E-05	6.6E-06	2.50E-04	1.66E-09	14	1.15E-02	2.67E-10	1.0E+06	2.7E-04
324	324	0.57766	1.12E-05	6.5E-06	2.50E-04	1.62E-09	14	1.15E-02	2.60E-10	1.0E+06	2.6E-04
342	342	0.54244	1.12E-05	6.1E-06	2.50E-04	1.52E-09	14	1.15E-02	2.44E-10	1.0E+06	2.4E-04
343	343	0.52894	1.12E-05	5.9E-06	2.50E-04	1.48E-09	14	1.15E-02	2.38E-10	1.0E+06	2.4E-04
344	344	0.51339	1.12E-05	5.7E-06	2.50E-04	1.44E-09	14	1.15E-02	2.31E-10	1.0E+06	2.3E-04
356	356	0.49826	1.12E-05	5.6E-06	2.50E-04	1.39E-09	14	1.15E-02	2.24E-10	1.0E+06	2.2E-04
357	357	0.48673	1.12E-05	5.4E-06	2.50E-04	1.36E-09	14	1.15E-02	2.19E-10	1.0E+06	2.2E-04
358	358	0.47302	1.12E-05	5.3E-06	2.50E-04	1.32E-09	14	1.15E-02	2.13E-10	1.0E+06	2.1E-04

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	0.45942	1.12E-05	5.1E-06	2.50E-04	1.29E-09	14	1.15E-02	2.07E-10	1.0E+06	2.1E-04
371	371	0.44946	1.12E-05	5.0E-06	2.50E-04	1.26E-09	14	1.15E-02	2.02E-10	1.0E+06	2.0E-04
372	372	0.43751	1.12E-05	4.9E-06	2.50E-04	1.22E-09	14	1.15E-02	1.97E-10	1.0E+06	2.0E-04
383	383	0.42516	1.12E-05	4.8E-06	2.50E-04	1.19E-09	14	1.15E-02	1.91E-10	1.0E+06	1.9E-04
384	384	0.41648	1.12E-05	4.7E-06	2.50E-04	1.17E-09	14	1.15E-02	1.87E-10	1.0E+06	1.9E-04
385	385	0.40608	1.12E-05	4.5E-06	2.50E-04	1.14E-09	14	1.15E-02	1.83E-10	1.0E+06	1.8E-04
396	396	0.39473	1.12E-05	4.4E-06	2.50E-04	1.10E-09	14	1.15E-02	1.77E-10	1.0E+06	1.8E-04
397	397	0.38717	1.12E-05	4.3E-06	2.50E-04	1.08E-09	14	1.15E-02	1.74E-10	1.0E+06	1.7E-04
398	398	0.3781	1.12E-05	4.2E-06	2.50E-04	1.06E-09	14	1.15E-02	1.70E-10	1.0E+06	1.7E-04
399	399	0.36758	1.12E-05	4.1E-06	2.50E-04	1.03E-09	14	1.15E-02	1.65E-10	1.0E+06	1.7E-04
411	411	0.36761	1.12E-05	4.1E-06	2.50E-04	1.03E-09	14	1.15E-02	1.65E-10	1.0E+06	1.7E-04
412	412	0.36104	1.12E-05	4.0E-06	2.50E-04	1.01E-09	14	1.15E-02	1.62E-10	1.0E+06	1.6E-04
413	413	0.35293	1.12E-05	3.9E-06	2.50E-04	9.88E-10	14	1.15E-02	1.59E-10	1.0E+06	1.6E-04
414	414	0.3438	1.12E-05	3.8E-06	2.50E-04	9.62E-10	14	1.15E-02	1.55E-10	1.0E+06	1.5E-04
426	426	0.34327	1.12E-05	3.8E-06	2.50E-04	9.61E-10	14	1.15E-02	1.54E-10	1.0E+06	1.5E-04
427	427	0.3375	1.12E-05	3.8E-06	2.50E-04	9.45E-10	14	1.15E-02	1.52E-10	1.0E+06	1.5E-04
428	428	0.33057	1.12E-05	3.7E-06	2.50E-04	9.25E-10	14	1.15E-02	1.49E-10	1.0E+06	1.5E-04
429	429	0.32241	1.12E-05	3.6E-06	2.50E-04	9.02E-10	14	1.15E-02	1.45E-10	1.0E+06	1.4E-04
439	439	0.32141	1.12E-05	3.6E-06	2.50E-04	9.00E-10	14	1.15E-02	1.44E-10	1.0E+06	1.4E-04
440	440	0.31635	1.12E-05	3.5E-06	2.50E-04	8.85E-10	14	1.15E-02	1.42E-10	1.0E+06	1.4E-04
441	441	0.31019	1.12E-05	3.5E-06	2.50E-04	8.68E-10	14	1.15E-02	1.39E-10	1.0E+06	1.4E-04
442	442	0.30299	1.12E-05	3.4E-06	2.50E-04	8.48E-10	14	1.15E-02	1.36E-10	1.0E+06	1.4E-04
443	443	0.2948	1.12E-05	3.3E-06	2.50E-04	8.25E-10	14	1.15E-02	1.33E-10	1.0E+06	1.3E-04
454	454	0.30163	1.12E-05	3.4E-06	2.50E-04	8.44E-10	14	1.15E-02	1.36E-10	1.0E+06	1.4E-04
455	455	0.2972	1.12E-05	3.3E-06	2.50E-04	8.32E-10	14	1.15E-02	1.34E-10	1.0E+06	1.3E-04
456	456	0.29174	1.12E-05	3.3E-06	2.50E-04	8.17E-10	14	1.15E-02	1.31E-10	1.0E+06	1.3E-04
457	457	0.28535	1.12E-05	3.2E-06	2.50E-04	7.99E-10	14	1.15E-02	1.28E-10	1.0E+06	1.3E-04
458	458	0.27808	1.12E-05	3.1E-06	2.50E-04	7.78E-10	14	1.15E-02	1.25E-10	1.0E+06	1.2E-04
469	469	0.28375	1.12E-05	3.2E-06	2.50E-04	7.94E-10	14	1.15E-02	1.28E-10	1.0E+06	1.3E-04
470	470	0.2799	1.12E-05	3.1E-06	2.50E-04	7.83E-10	14	1.15E-02	1.26E-10	1.0E+06	1.3E-04
471	471	0.27506	1.12E-05	3.1E-06	2.50E-04	7.70E-10	14	1.15E-02	1.24E-10	1.0E+06	1.2E-04

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	0.26939	1.12E-05	3.0E-06	2.50E-04	7.54E-10	14	1.15E-02	1.21E-10	1.0E+06	1.2E-04
473	473	0.26291	1.12E-05	2.9E-06	2.50E-04	7.36E-10	14	1.15E-02	1.18E-10	1.0E+06	1.2E-04
489	489	0.26741	1.12E-05	3.0E-06	2.50E-04	7.48E-10	14	1.15E-02	1.20E-10	1.0E+06	1.2E-04
490	490	0.26401	1.12E-05	3.0E-06	2.50E-04	7.39E-10	14	1.15E-02	1.19E-10	1.0E+06	1.2E-04
491	491	0.25976	1.12E-05	2.9E-06	2.50E-04	7.27E-10	14	1.15E-02	1.17E-10	1.0E+06	1.2E-04
492	492	0.2547	1.12E-05	2.8E-06	2.50E-04	7.13E-10	14	1.15E-02	1.14E-10	1.0E+06	1.1E-04
493	493	0.24889	1.12E-05	2.8E-06	2.50E-04	6.97E-10	14	1.15E-02	1.12E-10	1.0E+06	1.1E-04
494	494	0.24242	1.12E-05	2.7E-06	2.50E-04	6.78E-10	14	1.15E-02	1.09E-10	1.0E+06	1.1E-04
509	509	0.25259	1.12E-05	2.8E-06	2.50E-04	7.07E-10	14	1.15E-02	1.14E-10	1.0E+06	1.1E-04
510	510	0.24958	1.12E-05	2.8E-06	2.50E-04	6.99E-10	14	1.15E-02	1.12E-10	1.0E+06	1.1E-04
511	511	0.24585	1.12E-05	2.7E-06	2.50E-04	6.88E-10	14	1.15E-02	1.11E-10	1.0E+06	1.1E-04
512	512	0.24134	1.12E-05	2.7E-06	2.50E-04	6.75E-10	14	1.15E-02	1.08E-10	1.0E+06	1.1E-04
513	513	0.23609	1.12E-05	2.6E-06	2.50E-04	6.61E-10	14	1.15E-02	1.06E-10	1.0E+06	1.1E-04
514	514	0.23029	1.12E-05	2.6E-06	2.50E-04	6.45E-10	14	1.15E-02	1.04E-10	1.0E+06	1.0E-04
515	515	0.21706	1.12E-05	2.4E-06	2.50E-04	6.08E-10	14	1.15E-02	9.76E-11	1.0E+06	9.8E-05
516	516	0.20974	1.12E-05	2.3E-06	2.50E-04	5.87E-10	14	1.15E-02	9.43E-11	1.0E+06	9.4E-05
517	517	0.20223	1.12E-05	2.3E-06	2.50E-04	5.66E-10	14	1.15E-02	9.09E-11	1.0E+06	9.1E-05
518	518	0.19458	1.12E-05	2.2E-06	2.50E-04	5.45E-10	14	1.15E-02	8.75E-11	1.0E+06	8.7E-05
519	519	0.1869	1.12E-05	2.1E-06	2.50E-04	5.23E-10	14	1.15E-02	8.40E-11	1.0E+06	8.4E-05
528	528	0.23903	1.12E-05	2.7E-06	2.50E-04	6.69E-10	14	1.15E-02	1.07E-10	1.0E+06	1.1E-04
529	529	0.23639	1.12E-05	2.6E-06	2.50E-04	6.62E-10	14	1.15E-02	1.06E-10	1.0E+06	1.1E-04
530	530	0.23305	1.12E-05	2.6E-06	2.50E-04	6.52E-10	14	1.15E-02	1.05E-10	1.0E+06	1.0E-04
531	531	0.22905	1.12E-05	2.6E-06	2.50E-04	6.41E-10	14	1.15E-02	1.03E-10	1.0E+06	1.0E-04
532	532	0.22437	1.12E-05	2.5E-06	2.50E-04	6.28E-10	14	1.15E-02	1.01E-10	1.0E+06	1.0E-04
533	533	0.21911	1.12E-05	2.5E-06	2.50E-04	6.13E-10	14	1.15E-02	9.85E-11	1.0E+06	9.8E-05
534	534	0.20706	1.12E-05	2.3E-06	2.50E-04	5.80E-10	14	1.15E-02	9.31E-11	1.0E+06	9.3E-05
535	535	0.20045	1.12E-05	2.2E-06	2.50E-04	5.61E-10	14	1.15E-02	9.01E-11	1.0E+06	9.0E-05
536	536	0.19365	1.12E-05	2.2E-06	2.50E-04	5.42E-10	14	1.15E-02	8.70E-11	1.0E+06	8.7E-05
537	537	0.18659	1.12E-05	2.1E-06	2.50E-04	5.22E-10	14	1.15E-02	8.39E-11	1.0E+06	8.4E-05
538	538	0.17948	1.12E-05	2.0E-06	2.50E-04	5.02E-10	14	1.15E-02	8.07E-11	1.0E+06	8.1E-05
547	547	0.22657	1.12E-05	2.5E-06	2.50E-04	6.34E-10	14	1.15E-02	1.02E-10	1.0E+06	1.0E-04

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.22425	1.12E-05	2.5E-06	2.50E-04	6.28E-10	14	1.15E-02	1.01E-10	1.0E+06	1.0E-04
549	549	0.22132	1.12E-05	2.5E-06	2.50E-04	6.19E-10	14	1.15E-02	9.95E-11	1.0E+06	9.9E-05
550	550	0.21768	1.12E-05	2.4E-06	2.50E-04	6.09E-10	14	1.15E-02	9.78E-11	1.0E+06	9.8E-05
551	551	0.2135	1.12E-05	2.4E-06	2.50E-04	5.98E-10	14	1.15E-02	9.60E-11	1.0E+06	9.6E-05
552	552	0.20876	1.12E-05	2.3E-06	2.50E-04	5.84E-10	14	1.15E-02	9.38E-11	1.0E+06	9.4E-05
553	553	0.20353	1.12E-05	2.3E-06	2.50E-04	5.70E-10	14	1.15E-02	9.15E-11	1.0E+06	9.1E-05
554	554	0.19783	1.12E-05	2.2E-06	2.50E-04	5.54E-10	14	1.15E-02	8.89E-11	1.0E+06	8.9E-05
555	555	0.19184	1.12E-05	2.1E-06	2.50E-04	5.37E-10	14	1.15E-02	8.62E-11	1.0E+06	8.6E-05
556	556	0.18565	1.12E-05	2.1E-06	2.50E-04	5.20E-10	14	1.15E-02	8.34E-11	1.0E+06	8.3E-05
557	557	0.17914	1.12E-05	2.0E-06	2.50E-04	5.01E-10	14	1.15E-02	8.05E-11	1.0E+06	8.1E-05
558	558	0.17264	1.12E-05	1.9E-06	2.50E-04	4.83E-10	14	1.15E-02	7.76E-11	1.0E+06	7.8E-05
559	559	0.16609	1.12E-05	1.9E-06	2.50E-04	4.65E-10	14	1.15E-02	7.47E-11	1.0E+06	7.5E-05
567	567	0.21514	1.12E-05	2.4E-06	2.50E-04	6.02E-10	14	1.15E-02	9.67E-11	1.0E+06	9.7E-05
568	568	0.21312	1.12E-05	2.4E-06	2.50E-04	5.96E-10	14	1.15E-02	9.58E-11	1.0E+06	9.6E-05
569	569	0.21049	1.12E-05	2.4E-06	2.50E-04	5.89E-10	14	1.15E-02	9.46E-11	1.0E+06	9.5E-05
570	570	0.20727	1.12E-05	2.3E-06	2.50E-04	5.80E-10	14	1.15E-02	9.32E-11	1.0E+06	9.3E-05
571	571	0.20349	1.12E-05	2.3E-06	2.50E-04	5.70E-10	14	1.15E-02	9.15E-11	1.0E+06	9.1E-05
572	572	0.19921	1.12E-05	2.2E-06	2.50E-04	5.58E-10	14	1.15E-02	8.95E-11	1.0E+06	9.0E-05
573	573	0.19446	1.12E-05	2.2E-06	2.50E-04	5.44E-10	14	1.15E-02	8.74E-11	1.0E+06	8.7E-05
574	574	0.1838	1.12E-05	2.1E-06	2.50E-04	5.14E-10	14	1.15E-02	8.26E-11	1.0E+06	8.3E-05
575	575	0.17813	1.12E-05	2.0E-06	2.50E-04	4.99E-10	14	1.15E-02	8.01E-11	1.0E+06	8.0E-05
576	576	0.17224	1.12E-05	1.9E-06	2.50E-04	4.82E-10	14	1.15E-02	7.74E-11	1.0E+06	7.7E-05
577	577	0.16623	1.12E-05	1.9E-06	2.50E-04	4.65E-10	14	1.15E-02	7.47E-11	1.0E+06	7.5E-05
578	578	0.16016	1.12E-05	1.8E-06	2.50E-04	4.48E-10	14	1.15E-02	7.20E-11	1.0E+06	7.2E-05
586	586	0.20455	1.12E-05	2.3E-06	2.50E-04	5.72E-10	14	1.15E-02	9.19E-11	1.0E+06	9.2E-05
587	587	0.20275	1.12E-05	2.3E-06	2.50E-04	5.67E-10	14	1.15E-02	9.11E-11	1.0E+06	9.1E-05
588	588	0.20044	1.12E-05	2.2E-06	2.50E-04	5.61E-10	14	1.15E-02	9.01E-11	1.0E+06	9.0E-05
589	589	0.19756	1.12E-05	2.2E-06	2.50E-04	5.53E-10	14	1.15E-02	8.88E-11	1.0E+06	8.9E-05
590	590	0.19416	1.12E-05	2.2E-06	2.50E-04	5.43E-10	14	1.15E-02	8.73E-11	1.0E+06	8.7E-05
591	591	0.19027	1.12E-05	2.1E-06	2.50E-04	5.33E-10	14	1.15E-02	8.55E-11	1.0E+06	8.6E-05
592	592	0.18596	1.12E-05	2.1E-06	2.50E-04	5.20E-10	14	1.15E-02	8.36E-11	1.0E+06	8.4E-05

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	0.17626	1.12E-05	2.0E-06	2.50E-04	4.93E-10	14	1.15E-02	7.92E-11	1.0E+06	7.9E-05
594	594	0.17108	1.12E-05	1.9E-06	2.50E-04	4.79E-10	14	1.15E-02	7.69E-11	1.0E+06	7.7E-05
595	595	0.16562	1.12E-05	1.9E-06	2.50E-04	4.64E-10	14	1.15E-02	7.44E-11	1.0E+06	7.4E-05
596	596	0.16005	1.12E-05	1.8E-06	2.50E-04	4.48E-10	14	1.15E-02	7.19E-11	1.0E+06	7.2E-05
597	597	0.15446	1.12E-05	1.7E-06	2.50E-04	4.32E-10	14	1.15E-02	6.94E-11	1.0E+06	6.9E-05
345	345	0.49521	1.12E-05	5.5E-06	2.50E-04	1.39E-09	14	1.15E-02	2.23E-10	1.0E+06	2.2E-04
346	346	0.475	1.12E-05	5.3E-06	2.50E-04	1.33E-09	14	1.15E-02	2.14E-10	1.0E+06	2.1E-04
347	347	0.45281	1.12E-05	5.1E-06	2.50E-04	1.27E-09	14	1.15E-02	2.04E-10	1.0E+06	2.0E-04
348	348	0.42916	1.12E-05	4.8E-06	2.50E-04	1.20E-09	14	1.15E-02	1.93E-10	1.0E+06	1.9E-04
359	359	0.45716	1.12E-05	5.1E-06	2.50E-04	1.28E-09	14	1.15E-02	2.05E-10	1.0E+06	2.1E-04
360	360	0.43925	1.12E-05	4.9E-06	2.50E-04	1.23E-09	14	1.15E-02	1.97E-10	1.0E+06	2.0E-04
361	361	0.42018	1.12E-05	4.7E-06	2.50E-04	1.18E-09	14	1.15E-02	1.89E-10	1.0E+06	1.9E-04
362	362	0.39943	1.12E-05	4.5E-06	2.50E-04	1.12E-09	14	1.15E-02	1.80E-10	1.0E+06	1.8E-04
363	363	0.37831	1.12E-05	4.2E-06	2.50E-04	1.06E-09	14	1.15E-02	1.70E-10	1.0E+06	1.7E-04
373	373	0.40825	1.12E-05	4.6E-06	2.50E-04	1.14E-09	14	1.15E-02	1.84E-10	1.0E+06	1.8E-04
374	374	0.39129	1.12E-05	4.4E-06	2.50E-04	1.10E-09	14	1.15E-02	1.76E-10	1.0E+06	1.8E-04
375	375	0.37317	1.12E-05	4.2E-06	2.50E-04	1.04E-09	14	1.15E-02	1.68E-10	1.0E+06	1.7E-04
376	376	0.35452	1.12E-05	4.0E-06	2.50E-04	9.92E-10	14	1.15E-02	1.59E-10	1.0E+06	1.6E-04
386	386	0.38048	1.12E-05	4.3E-06	2.50E-04	1.06E-09	14	1.15E-02	1.71E-10	1.0E+06	1.7E-04
387	387	0.36562	1.12E-05	4.1E-06	2.50E-04	1.02E-09	14	1.15E-02	1.64E-10	1.0E+06	1.6E-04
388	388	0.34965	1.12E-05	3.9E-06	2.50E-04	9.79E-10	14	1.15E-02	1.57E-10	1.0E+06	1.6E-04
389	389	0.33317	1.12E-05	3.7E-06	2.50E-04	9.32E-10	14	1.15E-02	1.50E-10	1.0E+06	1.5E-04
390	390	0.31647	1.12E-05	3.5E-06	2.50E-04	8.86E-10	14	1.15E-02	1.42E-10	1.0E+06	1.4E-04
400	400	0.35569	1.12E-05	4.0E-06	2.50E-04	9.95E-10	14	1.15E-02	1.60E-10	1.0E+06	1.6E-04
401	401	0.34238	1.12E-05	3.8E-06	2.50E-04	9.58E-10	14	1.15E-02	1.54E-10	1.0E+06	1.5E-04
402	402	0.32851	1.12E-05	3.7E-06	2.50E-04	9.19E-10	14	1.15E-02	1.48E-10	1.0E+06	1.5E-04
403	403	0.31378	1.12E-05	3.5E-06	2.50E-04	8.78E-10	14	1.15E-02	1.41E-10	1.0E+06	1.4E-04
404	404	0.29874	1.12E-05	3.3E-06	2.50E-04	8.36E-10	14	1.15E-02	1.34E-10	1.0E+06	1.3E-04
415	415	0.33331	1.12E-05	3.7E-06	2.50E-04	9.33E-10	14	1.15E-02	1.50E-10	1.0E+06	1.5E-04
416	416	0.32172	1.12E-05	3.6E-06	2.50E-04	9.00E-10	14	1.15E-02	1.45E-10	1.0E+06	1.4E-04
417	417	0.3092	1.12E-05	3.5E-06	2.50E-04	8.65E-10	14	1.15E-02	1.39E-10	1.0E+06	1.4E-04

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	0.29637	1.12E-05	3.3E-06	2.50E-04	8.29E-10	14	1.15E-02	1.33E-10	1.0E+06	1.3E-04
419	419	0.28311	1.12E-05	3.2E-06	2.50E-04	7.92E-10	14	1.15E-02	1.27E-10	1.0E+06	1.3E-04
420	420	0.26898	1.12E-05	3.0E-06	2.50E-04	7.53E-10	14	1.15E-02	1.21E-10	1.0E+06	1.2E-04
430	430	0.30274	1.12E-05	3.4E-06	2.50E-04	8.47E-10	14	1.15E-02	1.36E-10	1.0E+06	1.4E-04
431	431	0.29189	1.12E-05	3.3E-06	2.50E-04	8.17E-10	14	1.15E-02	1.31E-10	1.0E+06	1.3E-04
432	432	0.28032	1.12E-05	3.1E-06	2.50E-04	7.85E-10	14	1.15E-02	1.26E-10	1.0E+06	1.3E-04
433	433	0.26832	1.12E-05	3.0E-06	2.50E-04	7.51E-10	14	1.15E-02	1.21E-10	1.0E+06	1.2E-04
434	434	0.25603	1.12E-05	2.9E-06	2.50E-04	7.17E-10	14	1.15E-02	1.15E-10	1.0E+06	1.2E-04
444	444	0.28574	1.12E-05	3.2E-06	2.50E-04	8.00E-10	14	1.15E-02	1.28E-10	1.0E+06	1.3E-04
445	445	0.27582	1.12E-05	3.1E-06	2.50E-04	7.72E-10	14	1.15E-02	1.24E-10	1.0E+06	1.2E-04
446	446	0.2655	1.12E-05	3.0E-06	2.50E-04	7.43E-10	14	1.15E-02	1.19E-10	1.0E+06	1.2E-04
447	447	0.25474	1.12E-05	2.8E-06	2.50E-04	7.13E-10	14	1.15E-02	1.15E-10	1.0E+06	1.1E-04
448	448	0.24366	1.12E-05	2.7E-06	2.50E-04	6.82E-10	14	1.15E-02	1.10E-10	1.0E+06	1.1E-04
459	459	0.26118	1.12E-05	2.9E-06	2.50E-04	7.31E-10	14	1.15E-02	1.17E-10	1.0E+06	1.2E-04
460	460	0.25186	1.12E-05	2.8E-06	2.50E-04	7.05E-10	14	1.15E-02	1.13E-10	1.0E+06	1.1E-04
461	461	0.24211	1.12E-05	2.7E-06	2.50E-04	6.78E-10	14	1.15E-02	1.09E-10	1.0E+06	1.1E-04
462	462	0.23209	1.12E-05	2.6E-06	2.50E-04	6.50E-10	14	1.15E-02	1.04E-10	1.0E+06	1.0E-04
463	463	0.22189	1.12E-05	2.5E-06	2.50E-04	6.21E-10	14	1.15E-02	9.97E-11	1.0E+06	1.0E-04
474	474	0.24768	1.12E-05	2.8E-06	2.50E-04	6.93E-10	14	1.15E-02	1.11E-10	1.0E+06	1.1E-04
475	475	0.23926	1.12E-05	2.7E-06	2.50E-04	6.70E-10	14	1.15E-02	1.08E-10	1.0E+06	1.1E-04
476	476	0.23052	1.12E-05	2.6E-06	2.50E-04	6.45E-10	14	1.15E-02	1.04E-10	1.0E+06	1.0E-04
477	477	0.22138	1.12E-05	2.5E-06	2.50E-04	6.20E-10	14	1.15E-02	9.95E-11	1.0E+06	1.0E-04
478	478	0.21214	1.12E-05	2.4E-06	2.50E-04	5.94E-10	14	1.15E-02	9.54E-11	1.0E+06	9.5E-05
495	495	0.23535	1.12E-05	2.6E-06	2.50E-04	6.59E-10	14	1.15E-02	1.06E-10	1.0E+06	1.1E-04
496	496	0.2277	1.12E-05	2.5E-06	2.50E-04	6.37E-10	14	1.15E-02	1.02E-10	1.0E+06	1.0E-04
497	497	0.21975	1.12E-05	2.5E-06	2.50E-04	6.15E-10	14	1.15E-02	9.88E-11	1.0E+06	9.9E-05
498	498	0.21149	1.12E-05	2.4E-06	2.50E-04	5.92E-10	14	1.15E-02	9.51E-11	1.0E+06	9.5E-05
499	499	0.20306	1.12E-05	2.3E-06	2.50E-04	5.68E-10	14	1.15E-02	9.13E-11	1.0E+06	9.1E-05
500	500	0.19461	1.12E-05	2.2E-06	2.50E-04	5.45E-10	14	1.15E-02	8.75E-11	1.0E+06	8.7E-05

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	3.22931	1.12E-05	3.6E-05	2.50E-04	9.04E-09	25	1.15E-02	2.59E-09	1.0E+06	2.6E-03
140	140	2.97359	1.12E-05	3.3E-05	2.50E-04	8.32E-09	25	1.15E-02	2.39E-09	1.0E+06	2.4E-03
156	156	2.49884	1.12E-05	2.8E-05	2.50E-04	6.99E-09	25	1.15E-02	2.01E-09	1.0E+06	2.0E-03
157	157	2.31049	1.12E-05	2.6E-05	2.50E-04	6.47E-09	25	1.15E-02	1.85E-09	1.0E+06	1.9E-03
158	158	2.06867	1.12E-05	2.3E-05	2.50E-04	5.79E-09	25	1.15E-02	1.66E-09	1.0E+06	1.7E-03
159	159	1.78029	1.12E-05	2.0E-05	2.50E-04	4.98E-09	25	1.15E-02	1.43E-09	1.0E+06	1.4E-03
160	160	1.48621	1.12E-05	1.7E-05	2.50E-04	4.16E-09	25	1.15E-02	1.19E-09	1.0E+06	1.2E-03
161	161	1.00232	1.12E-05	1.1E-05	2.50E-04	2.81E-09	25	1.15E-02	8.05E-10	1.0E+06	8.0E-04
162	162	0.84027	1.12E-05	9.4E-06	2.50E-04	2.35E-09	25	1.15E-02	6.74E-10	1.0E+06	6.7E-04
163	163	0.72075	1.12E-05	8.1E-06	2.50E-04	2.02E-09	25	1.15E-02	5.79E-10	1.0E+06	5.8E-04
167	167	1.86912	1.12E-05	2.1E-05	2.50E-04	5.23E-09	25	1.15E-02	1.50E-09	1.0E+06	1.5E-03
168	168	1.68899	1.12E-05	1.9E-05	2.50E-04	4.73E-09	25	1.15E-02	1.36E-09	1.0E+06	1.4E-03
169	169	1.48722	1.12E-05	1.7E-05	2.50E-04	4.16E-09	25	1.15E-02	1.19E-09	1.0E+06	1.2E-03
170	170	1.2759	1.12E-05	1.4E-05	2.50E-04	3.57E-09	25	1.15E-02	1.02E-09	1.0E+06	1.0E-03
171	171	1.07775	1.12E-05	1.2E-05	2.50E-04	3.02E-09	25	1.15E-02	8.65E-10	1.0E+06	8.7E-04
172	172	0.90709	1.12E-05	1.0E-05	2.50E-04	2.54E-09	25	1.15E-02	7.28E-10	1.0E+06	7.3E-04
173	173	0.77214	1.12E-05	8.6E-06	2.50E-04	2.16E-09	25	1.15E-02	6.20E-10	1.0E+06	6.2E-04
174	174	0.66802	1.12E-05	7.5E-06	2.50E-04	1.87E-09	25	1.15E-02	5.36E-10	1.0E+06	5.4E-04
175	175	0.58628	1.12E-05	6.6E-06	2.50E-04	1.64E-09	25	1.15E-02	4.71E-10	1.0E+06	4.7E-04
176	176	0.52079	1.12E-05	5.8E-06	2.50E-04	1.46E-09	25	1.15E-02	4.18E-10	1.0E+06	4.2E-04
177	177	0.46736	1.12E-05	5.2E-06	2.50E-04	1.31E-09	25	1.15E-02	3.75E-10	1.0E+06	3.8E-04
181	181	1.41926	1.12E-05	1.6E-05	2.50E-04	3.97E-09	25	1.15E-02	1.14E-09	1.0E+06	1.1E-03
182	182	1.26814	1.12E-05	1.4E-05	2.50E-04	3.55E-09	25	1.15E-02	1.02E-09	1.0E+06	1.0E-03
183	183	1.11113	1.12E-05	1.2E-05	2.50E-04	3.11E-09	25	1.15E-02	8.92E-10	1.0E+06	8.9E-04
184	184	0.96043	1.12E-05	1.1E-05	2.50E-04	2.69E-09	25	1.15E-02	7.71E-10	1.0E+06	7.7E-04
185	185	0.82537	1.12E-05	9.2E-06	2.50E-04	2.31E-09	25	1.15E-02	6.62E-10	1.0E+06	6.6E-04
186	186	0.71262	1.12E-05	8.0E-06	2.50E-04	1.99E-09	25	1.15E-02	5.72E-10	1.0E+06	5.7E-04
187	187	0.62199	1.12E-05	7.0E-06	2.50E-04	1.74E-09	25	1.15E-02	4.99E-10	1.0E+06	5.0E-04
188	188	0.54985	1.12E-05	6.1E-06	2.50E-04	1.54E-09	25	1.15E-02	4.41E-10	1.0E+06	4.4E-04
189	189	0.49125	1.12E-05	5.5E-06	2.50E-04	1.37E-09	25	1.15E-02	3.94E-10	1.0E+06	3.9E-04
190	190	0.44277	1.12E-05	5.0E-06	2.50E-04	1.24E-09	25	1.15E-02	3.55E-10	1.0E+06	3.6E-04

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	0.40198	1.12E-05	4.5E-06	2.50E-04	1.13E-09	25	1.15E-02	3.23E-10	1.0E+06	3.2E-04
195	195	1.21699	1.12E-05	1.4E-05	2.50E-04	3.41E-09	25	1.15E-02	9.77E-10	1.0E+06	9.8E-04
196	196	1.10089	1.12E-05	1.2E-05	2.50E-04	3.08E-09	25	1.15E-02	8.84E-10	1.0E+06	8.8E-04
197	197	0.97925	1.12E-05	1.1E-05	2.50E-04	2.74E-09	25	1.15E-02	7.86E-10	1.0E+06	7.9E-04
198	198	0.86188	1.12E-05	9.6E-06	2.50E-04	2.41E-09	25	1.15E-02	6.92E-10	1.0E+06	6.9E-04
199	199	0.75257	1.12E-05	8.4E-06	2.50E-04	2.11E-09	25	1.15E-02	6.04E-10	1.0E+06	6.0E-04
200	200	0.65878	1.12E-05	7.4E-06	2.50E-04	1.84E-09	25	1.15E-02	5.29E-10	1.0E+06	5.3E-04
201	201	0.58107	1.12E-05	6.5E-06	2.50E-04	1.63E-09	25	1.15E-02	4.66E-10	1.0E+06	4.7E-04
202	202	0.51703	1.12E-05	5.8E-06	2.50E-04	1.45E-09	25	1.15E-02	4.15E-10	1.0E+06	4.1E-04
203	203	0.46421	1.12E-05	5.2E-06	2.50E-04	1.30E-09	25	1.15E-02	3.73E-10	1.0E+06	3.7E-04
204	204	0.42014	1.12E-05	4.7E-06	2.50E-04	1.18E-09	25	1.15E-02	3.37E-10	1.0E+06	3.4E-04
205	205	0.38269	1.12E-05	4.3E-06	2.50E-04	1.07E-09	25	1.15E-02	3.07E-10	1.0E+06	3.1E-04
206	206	0.35053	1.12E-05	3.9E-06	2.50E-04	9.81E-10	25	1.15E-02	2.81E-10	1.0E+06	2.8E-04
210	210	1.14394	1.12E-05	1.3E-05	2.50E-04	3.20E-09	25	1.15E-02	9.18E-10	1.0E+06	9.2E-04
211	211	1.05888	1.12E-05	1.2E-05	2.50E-04	2.96E-09	25	1.15E-02	8.50E-10	1.0E+06	8.5E-04
212	212	0.96767	1.12E-05	1.1E-05	2.50E-04	2.71E-09	25	1.15E-02	7.77E-10	1.0E+06	7.8E-04
213	213	0.87227	1.12E-05	9.8E-06	2.50E-04	2.44E-09	25	1.15E-02	7.00E-10	1.0E+06	7.0E-04
214	214	0.68904	1.12E-05	7.7E-06	2.50E-04	1.93E-09	25	1.15E-02	5.53E-10	1.0E+06	5.5E-04
215	215	0.61024	1.12E-05	6.8E-06	2.50E-04	1.71E-09	25	1.15E-02	4.90E-10	1.0E+06	4.9E-04
216	216	0.54323	1.12E-05	6.1E-06	2.50E-04	1.52E-09	25	1.15E-02	4.36E-10	1.0E+06	4.4E-04
217	217	0.48643	1.12E-05	5.4E-06	2.50E-04	1.36E-09	25	1.15E-02	3.90E-10	1.0E+06	3.9E-04
218	218	0.43893	1.12E-05	4.9E-06	2.50E-04	1.23E-09	25	1.15E-02	3.52E-10	1.0E+06	3.5E-04
219	219	0.39889	1.12E-05	4.5E-06	2.50E-04	1.12E-09	25	1.15E-02	3.20E-10	1.0E+06	3.2E-04
220	220	0.36463	1.12E-05	4.1E-06	2.50E-04	1.02E-09	25	1.15E-02	2.93E-10	1.0E+06	2.9E-04
221	221	0.33515	1.12E-05	3.7E-06	2.50E-04	9.38E-10	25	1.15E-02	2.69E-10	1.0E+06	2.7E-04
222	222	0.30893	1.12E-05	3.5E-06	2.50E-04	8.65E-10	25	1.15E-02	2.48E-10	1.0E+06	2.5E-04
226	226	1.00252	1.12E-05	1.1E-05	2.50E-04	2.81E-09	25	1.15E-02	8.05E-10	1.0E+06	8.0E-04
227	227	0.93412	1.12E-05	1.0E-05	2.50E-04	2.61E-09	25	1.15E-02	7.50E-10	1.0E+06	7.5E-04
228	228	0.86009	1.12E-05	9.6E-06	2.50E-04	2.41E-09	25	1.15E-02	6.90E-10	1.0E+06	6.9E-04
229	229	0.78354	1.12E-05	8.8E-06	2.50E-04	2.19E-09	25	1.15E-02	6.29E-10	1.0E+06	6.3E-04
230	230	0.70654	1.12E-05	7.9E-06	2.50E-04	1.98E-09	25	1.15E-02	5.67E-10	1.0E+06	5.7E-04

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	0.63209	1.12E-05	7.1E-06	2.50E-04	1.77E-09	25	1.15E-02	5.07E-10	1.0E+06	5.1E-04
232	232	0.56568	1.12E-05	6.3E-06	2.50E-04	1.58E-09	25	1.15E-02	4.54E-10	1.0E+06	4.5E-04
233	233	0.45792	1.12E-05	5.1E-06	2.50E-04	1.28E-09	25	1.15E-02	3.68E-10	1.0E+06	3.7E-04
234	234	0.41506	1.12E-05	4.6E-06	2.50E-04	1.16E-09	25	1.15E-02	3.33E-10	1.0E+06	3.3E-04
235	235	0.37872	1.12E-05	4.2E-06	2.50E-04	1.06E-09	25	1.15E-02	3.04E-10	1.0E+06	3.0E-04
236	236	0.34751	1.12E-05	3.9E-06	2.50E-04	9.73E-10	25	1.15E-02	2.79E-10	1.0E+06	2.8E-04
237	237	0.32037	1.12E-05	3.6E-06	2.50E-04	8.97E-10	25	1.15E-02	2.57E-10	1.0E+06	2.6E-04
238	238	0.29659	1.12E-05	3.3E-06	2.50E-04	8.30E-10	25	1.15E-02	2.38E-10	1.0E+06	2.4E-04
242	242	0.88744	1.12E-05	9.9E-06	2.50E-04	2.48E-09	25	1.15E-02	7.12E-10	1.0E+06	7.1E-04
243	243	0.83221	1.12E-05	9.3E-06	2.50E-04	2.33E-09	25	1.15E-02	6.68E-10	1.0E+06	6.7E-04
244	244	0.76942	1.12E-05	8.6E-06	2.50E-04	2.15E-09	25	1.15E-02	6.18E-10	1.0E+06	6.2E-04
245	245	0.70735	1.12E-05	7.9E-06	2.50E-04	1.98E-09	25	1.15E-02	5.68E-10	1.0E+06	5.7E-04
246	246	0.64424	1.12E-05	7.2E-06	2.50E-04	1.80E-09	25	1.15E-02	5.17E-10	1.0E+06	5.2E-04
247	247	0.58311	1.12E-05	6.5E-06	2.50E-04	1.63E-09	25	1.15E-02	4.68E-10	1.0E+06	4.7E-04
248	248	0.52661	1.12E-05	5.9E-06	2.50E-04	1.47E-09	25	1.15E-02	4.23E-10	1.0E+06	4.2E-04
249	249	0.43115	1.12E-05	4.8E-06	2.50E-04	1.21E-09	25	1.15E-02	3.46E-10	1.0E+06	3.5E-04
250	250	0.39272	1.12E-05	4.4E-06	2.50E-04	1.10E-09	25	1.15E-02	3.15E-10	1.0E+06	3.2E-04
251	251	0.35973	1.12E-05	4.0E-06	2.50E-04	1.01E-09	25	1.15E-02	2.89E-10	1.0E+06	2.9E-04
252	252	0.3314	1.12E-05	3.7E-06	2.50E-04	9.28E-10	25	1.15E-02	2.66E-10	1.0E+06	2.7E-04
253	253	0.30625	1.12E-05	3.4E-06	2.50E-04	8.57E-10	25	1.15E-02	2.46E-10	1.0E+06	2.5E-04
254	254	0.2844	1.12E-05	3.2E-06	2.50E-04	7.96E-10	25	1.15E-02	2.28E-10	1.0E+06	2.3E-04
257	257	0.79255	1.12E-05	8.9E-06	2.50E-04	2.22E-09	25	1.15E-02	6.36E-10	1.0E+06	6.4E-04
258	258	0.74691	1.12E-05	8.4E-06	2.50E-04	2.09E-09	25	1.15E-02	6.00E-10	1.0E+06	6.0E-04
259	259	0.69584	1.12E-05	7.8E-06	2.50E-04	1.95E-09	25	1.15E-02	5.59E-10	1.0E+06	5.6E-04
260	260	0.6425	1.12E-05	7.2E-06	2.50E-04	1.80E-09	25	1.15E-02	5.16E-10	1.0E+06	5.2E-04
261	261	0.59111	1.12E-05	6.6E-06	2.50E-04	1.65E-09	25	1.15E-02	4.74E-10	1.0E+06	4.7E-04
262	262	0.53954	1.12E-05	6.0E-06	2.50E-04	1.51E-09	25	1.15E-02	4.33E-10	1.0E+06	4.3E-04
263	263	0.49094	1.12E-05	5.5E-06	2.50E-04	1.37E-09	25	1.15E-02	3.94E-10	1.0E+06	3.9E-04
264	264	0.40709	1.12E-05	4.6E-06	2.50E-04	1.14E-09	25	1.15E-02	3.27E-10	1.0E+06	3.3E-04
265	265	0.37246	1.12E-05	4.2E-06	2.50E-04	1.04E-09	25	1.15E-02	2.99E-10	1.0E+06	3.0E-04
266	266	0.34243	1.12E-05	3.8E-06	2.50E-04	9.58E-10	25	1.15E-02	2.75E-10	1.0E+06	2.7E-04

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	0.31628	1.12E-05	3.5E-06	2.50E-04	8.85E-10	25	1.15E-02	2.54E-10	1.0E+06	2.5E-04
268	268	0.29307	1.12E-05	3.3E-06	2.50E-04	8.20E-10	25	1.15E-02	2.35E-10	1.0E+06	2.4E-04
269	269	0.27292	1.12E-05	3.1E-06	2.50E-04	7.64E-10	25	1.15E-02	2.19E-10	1.0E+06	2.2E-04
270	270	0.22395	1.12E-05	2.5E-06	2.50E-04	6.27E-10	25	1.15E-02	1.80E-10	1.0E+06	1.8E-04
271	271	0.21077	1.12E-05	2.4E-06	2.50E-04	5.90E-10	25	1.15E-02	1.69E-10	1.0E+06	1.7E-04
274	274	0.71313	1.12E-05	8.0E-06	2.50E-04	2.00E-09	25	1.15E-02	5.72E-10	1.0E+06	5.7E-04
275	275	0.67524	1.12E-05	7.6E-06	2.50E-04	1.89E-09	25	1.15E-02	5.42E-10	1.0E+06	5.4E-04
276	276	0.63309	1.12E-05	7.1E-06	2.50E-04	1.77E-09	25	1.15E-02	5.08E-10	1.0E+06	5.1E-04
277	277	0.58786	1.12E-05	6.6E-06	2.50E-04	1.65E-09	25	1.15E-02	4.72E-10	1.0E+06	4.7E-04
278	278	0.5439	1.12E-05	6.1E-06	2.50E-04	1.52E-09	25	1.15E-02	4.37E-10	1.0E+06	4.4E-04
279	279	0.49993	1.12E-05	5.6E-06	2.50E-04	1.40E-09	25	1.15E-02	4.01E-10	1.0E+06	4.0E-04
280	280	0.45746	1.12E-05	5.1E-06	2.50E-04	1.28E-09	25	1.15E-02	3.67E-10	1.0E+06	3.7E-04
281	281	0.38417	1.12E-05	4.3E-06	2.50E-04	1.08E-09	25	1.15E-02	3.08E-10	1.0E+06	3.1E-04
282	282	0.3531	1.12E-05	3.9E-06	2.50E-04	9.88E-10	25	1.15E-02	2.83E-10	1.0E+06	2.8E-04
283	283	0.32577	1.12E-05	3.6E-06	2.50E-04	9.12E-10	25	1.15E-02	2.61E-10	1.0E+06	2.6E-04
284	284	0.3018	1.12E-05	3.4E-06	2.50E-04	8.45E-10	25	1.15E-02	2.42E-10	1.0E+06	2.4E-04
285	285	0.28069	1.12E-05	3.1E-06	2.50E-04	7.86E-10	25	1.15E-02	2.25E-10	1.0E+06	2.3E-04
286	286	0.26205	1.12E-05	2.9E-06	2.50E-04	7.33E-10	25	1.15E-02	2.10E-10	1.0E+06	2.1E-04
287	287	0.21612	1.12E-05	2.4E-06	2.50E-04	6.05E-10	25	1.15E-02	1.73E-10	1.0E+06	1.7E-04
288	288	0.20395	1.12E-05	2.3E-06	2.50E-04	5.71E-10	25	1.15E-02	1.64E-10	1.0E+06	1.6E-04
291	291	0.64592	1.12E-05	7.2E-06	2.50E-04	1.81E-09	25	1.15E-02	5.18E-10	1.0E+06	5.2E-04
292	292	0.61397	1.12E-05	6.9E-06	2.50E-04	1.72E-09	25	1.15E-02	4.93E-10	1.0E+06	4.9E-04
293	293	0.57877	1.12E-05	6.5E-06	2.50E-04	1.62E-09	25	1.15E-02	4.65E-10	1.0E+06	4.6E-04
294	294	0.54031	1.12E-05	6.0E-06	2.50E-04	1.51E-09	25	1.15E-02	4.34E-10	1.0E+06	4.3E-04
295	295	0.50209	1.12E-05	5.6E-06	2.50E-04	1.41E-09	25	1.15E-02	4.03E-10	1.0E+06	4.0E-04
296	296	0.46452	1.12E-05	5.2E-06	2.50E-04	1.30E-09	25	1.15E-02	3.73E-10	1.0E+06	3.7E-04
297	297	0.42845	1.12E-05	4.8E-06	2.50E-04	1.20E-09	25	1.15E-02	3.44E-10	1.0E+06	3.4E-04
298	298	0.36325	1.12E-05	4.1E-06	2.50E-04	1.02E-09	25	1.15E-02	2.92E-10	1.0E+06	2.9E-04
299	299	0.33541	1.12E-05	3.8E-06	2.50E-04	9.39E-10	25	1.15E-02	2.69E-10	1.0E+06	2.7E-04
300	300	0.31044	1.12E-05	3.5E-06	2.50E-04	8.69E-10	25	1.15E-02	2.49E-10	1.0E+06	2.5E-04
301	301	0.28852	1.12E-05	3.2E-06	2.50E-04	8.08E-10	25	1.15E-02	2.32E-10	1.0E+06	2.3E-04

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	302	0.26902	1.12E-05	3.0E-06	2.50E-04	7.53E-10	25	1.15E-02	2.16E-10	1.0E+06	2.2E-04
303	303	0.25171	1.12E-05	2.8E-06	2.50E-04	7.04E-10	25	1.15E-02	2.02E-10	1.0E+06	2.0E-04
304	304	0.20883	1.12E-05	2.3E-06	2.50E-04	5.84E-10	25	1.15E-02	1.68E-10	1.0E+06	1.7E-04
305	305	0.1973	1.12E-05	2.2E-06	2.50E-04	5.52E-10	25	1.15E-02	1.58E-10	1.0E+06	1.6E-04
308	308	0.58832	1.12E-05	6.6E-06	2.50E-04	1.65E-09	25	1.15E-02	4.72E-10	1.0E+06	4.7E-04
309	309	0.56105	1.12E-05	6.3E-06	2.50E-04	1.57E-09	25	1.15E-02	4.50E-10	1.0E+06	4.5E-04
310	310	0.53127	1.12E-05	5.9E-06	2.50E-04	1.49E-09	25	1.15E-02	4.26E-10	1.0E+06	4.3E-04
311	311	0.4984	1.12E-05	5.6E-06	2.50E-04	1.39E-09	25	1.15E-02	4.00E-10	1.0E+06	4.0E-04
312	312	0.46618	1.12E-05	5.2E-06	2.50E-04	1.30E-09	25	1.15E-02	3.74E-10	1.0E+06	3.7E-04
313	313	0.4335	1.12E-05	4.8E-06	2.50E-04	1.21E-09	25	1.15E-02	3.48E-10	1.0E+06	3.5E-04
314	314	0.4019	1.12E-05	4.5E-06	2.50E-04	1.12E-09	25	1.15E-02	3.23E-10	1.0E+06	3.2E-04
315	315	0.3441	1.12E-05	3.8E-06	2.50E-04	9.63E-10	25	1.15E-02	2.76E-10	1.0E+06	2.8E-04
316	316	0.31919	1.12E-05	3.6E-06	2.50E-04	8.93E-10	25	1.15E-02	2.56E-10	1.0E+06	2.6E-04
317	317	0.29619	1.12E-05	3.3E-06	2.50E-04	8.29E-10	25	1.15E-02	2.38E-10	1.0E+06	2.4E-04
318	318	0.27608	1.12E-05	3.1E-06	2.50E-04	7.73E-10	25	1.15E-02	2.22E-10	1.0E+06	2.2E-04
319	319	0.25803	1.12E-05	2.9E-06	2.50E-04	7.22E-10	25	1.15E-02	2.07E-10	1.0E+06	2.1E-04
320	320	0.24179	1.12E-05	2.7E-06	2.50E-04	6.77E-10	25	1.15E-02	1.94E-10	1.0E+06	1.9E-04
321	321	0.20179	1.12E-05	2.3E-06	2.50E-04	5.65E-10	25	1.15E-02	1.62E-10	1.0E+06	1.6E-04
322	322	0.19087	1.12E-05	2.1E-06	2.50E-04	5.34E-10	25	1.15E-02	1.53E-10	1.0E+06	1.5E-04
325	325	0.53862	1.12E-05	6.0E-06	2.50E-04	1.51E-09	25	1.15E-02	4.32E-10	1.0E+06	4.3E-04
326	326	0.51516	1.12E-05	5.8E-06	2.50E-04	1.44E-09	25	1.15E-02	4.13E-10	1.0E+06	4.1E-04
327	327	0.48958	1.12E-05	5.5E-06	2.50E-04	1.37E-09	25	1.15E-02	3.93E-10	1.0E+06	3.9E-04
328	328	0.46191	1.12E-05	5.2E-06	2.50E-04	1.29E-09	25	1.15E-02	3.71E-10	1.0E+06	3.7E-04
329	329	0.43339	1.12E-05	4.8E-06	2.50E-04	1.21E-09	25	1.15E-02	3.48E-10	1.0E+06	3.5E-04
330	330	0.40563	1.12E-05	4.5E-06	2.50E-04	1.14E-09	25	1.15E-02	3.26E-10	1.0E+06	3.3E-04
331	331	0.3779	1.12E-05	4.2E-06	2.50E-04	1.06E-09	25	1.15E-02	3.03E-10	1.0E+06	3.0E-04
332	332	0.35165	1.12E-05	3.9E-06	2.50E-04	9.84E-10	25	1.15E-02	2.82E-10	1.0E+06	2.8E-04
333	333	0.32655	1.12E-05	3.7E-06	2.50E-04	9.14E-10	25	1.15E-02	2.62E-10	1.0E+06	2.6E-04
334	334	0.30382	1.12E-05	3.4E-06	2.50E-04	8.50E-10	25	1.15E-02	2.44E-10	1.0E+06	2.4E-04
335	335	0.28304	1.12E-05	3.2E-06	2.50E-04	7.92E-10	25	1.15E-02	2.27E-10	1.0E+06	2.3E-04
336	336	0.26438	1.12E-05	3.0E-06	2.50E-04	7.40E-10	25	1.15E-02	2.12E-10	1.0E+06	2.1E-04

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	0.24758	1.12E-05	2.8E-06	2.50E-04	6.93E-10	25	1.15E-02	1.99E-10	1.0E+06	2.0E-04
338	338	0.2326	1.12E-05	2.6E-06	2.50E-04	6.51E-10	25	1.15E-02	1.87E-10	1.0E+06	1.9E-04
339	339	0.20616	1.12E-05	2.3E-06	2.50E-04	5.77E-10	25	1.15E-02	1.65E-10	1.0E+06	1.7E-04
340	340	0.19499	1.12E-05	2.2E-06	2.50E-04	5.46E-10	25	1.15E-02	1.57E-10	1.0E+06	1.6E-04
341	341	0.18471	1.12E-05	2.1E-06	2.50E-04	5.17E-10	25	1.15E-02	1.48E-10	1.0E+06	1.5E-04
349	349	0.40455	1.12E-05	4.5E-06	2.50E-04	1.13E-09	25	1.15E-02	3.25E-10	1.0E+06	3.2E-04
350	350	0.37996	1.12E-05	4.2E-06	2.50E-04	1.06E-09	25	1.15E-02	3.05E-10	1.0E+06	3.0E-04
351	351	0.3553	1.12E-05	4.0E-06	2.50E-04	9.94E-10	25	1.15E-02	2.85E-10	1.0E+06	2.9E-04
352	352	0.33246	1.12E-05	3.7E-06	2.50E-04	9.30E-10	25	1.15E-02	2.67E-10	1.0E+06	2.7E-04
353	353	0.19899	1.12E-05	2.2E-06	2.50E-04	5.57E-10	25	1.15E-02	1.60E-10	1.0E+06	1.6E-04
354	354	0.1885	1.12E-05	2.1E-06	2.50E-04	5.28E-10	25	1.15E-02	1.51E-10	1.0E+06	1.5E-04
355	355	0.17883	1.12E-05	2.0E-06	2.50E-04	5.01E-10	25	1.15E-02	1.44E-10	1.0E+06	1.4E-04
364	364	0.35679	1.12E-05	4.0E-06	2.50E-04	9.99E-10	25	1.15E-02	2.86E-10	1.0E+06	2.9E-04
365	365	0.33547	1.12E-05	3.8E-06	2.50E-04	9.39E-10	25	1.15E-02	2.69E-10	1.0E+06	2.7E-04
366	366	0.31448	1.12E-05	3.5E-06	2.50E-04	8.80E-10	25	1.15E-02	2.52E-10	1.0E+06	2.5E-04
367	367	0.19218	1.12E-05	2.1E-06	2.50E-04	5.38E-10	25	1.15E-02	1.54E-10	1.0E+06	1.5E-04
368	368	0.18225	1.12E-05	2.0E-06	2.50E-04	5.10E-10	25	1.15E-02	1.46E-10	1.0E+06	1.5E-04
369	369	0.17316	1.12E-05	1.9E-06	2.50E-04	4.85E-10	25	1.15E-02	1.39E-10	1.0E+06	1.4E-04
377	377	0.33565	1.12E-05	3.8E-06	2.50E-04	9.39E-10	25	1.15E-02	2.69E-10	1.0E+06	2.7E-04
378	378	0.31666	1.12E-05	3.5E-06	2.50E-04	8.86E-10	25	1.15E-02	2.54E-10	1.0E+06	2.5E-04
379	379	0.29788	1.12E-05	3.3E-06	2.50E-04	8.34E-10	25	1.15E-02	2.39E-10	1.0E+06	2.4E-04
380	380	0.18557	1.12E-05	2.1E-06	2.50E-04	5.19E-10	25	1.15E-02	1.49E-10	1.0E+06	1.5E-04
381	381	0.17614	1.12E-05	2.0E-06	2.50E-04	4.93E-10	25	1.15E-02	1.41E-10	1.0E+06	1.4E-04
382	382	0.16763	1.12E-05	1.9E-06	2.50E-04	4.69E-10	25	1.15E-02	1.35E-10	1.0E+06	1.3E-04
391	391	0.29946	1.12E-05	3.3E-06	2.50E-04	8.38E-10	25	1.15E-02	2.40E-10	1.0E+06	2.4E-04
392	392	0.2825	1.12E-05	3.2E-06	2.50E-04	7.91E-10	25	1.15E-02	2.27E-10	1.0E+06	2.3E-04
393	393	0.17928	1.12E-05	2.0E-06	2.50E-04	5.02E-10	25	1.15E-02	1.44E-10	1.0E+06	1.4E-04
394	394	0.17045	1.12E-05	1.9E-06	2.50E-04	4.77E-10	25	1.15E-02	1.37E-10	1.0E+06	1.4E-04
395	395	0.16243	1.12E-05	1.8E-06	2.50E-04	4.55E-10	25	1.15E-02	1.30E-10	1.0E+06	1.3E-04
405	405	0.28373	1.12E-05	3.2E-06	2.50E-04	7.94E-10	25	1.15E-02	2.28E-10	1.0E+06	2.3E-04
406	406	0.26866	1.12E-05	3.0E-06	2.50E-04	7.52E-10	25	1.15E-02	2.16E-10	1.0E+06	2.2E-04

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	0.25413	1.12E-05	2.8E-06	2.50E-04	7.11E-10	25	1.15E-02	2.04E-10	1.0E+06	2.0E-04
408	408	0.17336	1.12E-05	1.9E-06	2.50E-04	4.85E-10	25	1.15E-02	1.39E-10	1.0E+06	1.4E-04
409	409	0.16499	1.12E-05	1.8E-06	2.50E-04	4.62E-10	25	1.15E-02	1.32E-10	1.0E+06	1.3E-04
410	410	0.1575	1.12E-05	1.8E-06	2.50E-04	4.41E-10	25	1.15E-02	1.26E-10	1.0E+06	1.3E-04
421	421	0.25566	1.12E-05	2.9E-06	2.50E-04	7.16E-10	25	1.15E-02	2.05E-10	1.0E+06	2.1E-04
422	422	0.24238	1.12E-05	2.7E-06	2.50E-04	6.78E-10	25	1.15E-02	1.95E-10	1.0E+06	1.9E-04
423	423	0.16766	1.12E-05	1.9E-06	2.50E-04	4.69E-10	25	1.15E-02	1.35E-10	1.0E+06	1.3E-04
424	424	0.15979	1.12E-05	1.8E-06	2.50E-04	4.47E-10	25	1.15E-02	1.28E-10	1.0E+06	1.3E-04
425	425	0.1527	1.12E-05	1.7E-06	2.50E-04	4.27E-10	25	1.15E-02	1.23E-10	1.0E+06	1.2E-04
435	435	0.24347	1.12E-05	2.7E-06	2.50E-04	6.81E-10	25	1.15E-02	1.95E-10	1.0E+06	2.0E-04
436	436	0.23158	1.12E-05	2.6E-06	2.50E-04	6.48E-10	25	1.15E-02	1.86E-10	1.0E+06	1.9E-04
437	437	0.15484	1.12E-05	1.7E-06	2.50E-04	4.33E-10	25	1.15E-02	1.24E-10	1.0E+06	1.2E-04
438	438	0.14801	1.12E-05	1.7E-06	2.50E-04	4.14E-10	25	1.15E-02	1.19E-10	1.0E+06	1.2E-04
449	449	0.23221	1.12E-05	2.6E-06	2.50E-04	6.50E-10	25	1.15E-02	1.86E-10	1.0E+06	1.9E-04
450	450	0.22151	1.12E-05	2.5E-06	2.50E-04	6.20E-10	25	1.15E-02	1.78E-10	1.0E+06	1.8E-04
451	451	0.21074	1.12E-05	2.4E-06	2.50E-04	5.90E-10	25	1.15E-02	1.69E-10	1.0E+06	1.7E-04
452	452	0.15006	1.12E-05	1.7E-06	2.50E-04	4.20E-10	25	1.15E-02	1.20E-10	1.0E+06	1.2E-04
453	453	0.14357	1.12E-05	1.6E-06	2.50E-04	4.02E-10	25	1.15E-02	1.15E-10	1.0E+06	1.2E-04
464	464	0.2119	1.12E-05	2.4E-06	2.50E-04	5.93E-10	25	1.15E-02	1.70E-10	1.0E+06	1.7E-04
465	465	0.2021	1.12E-05	2.3E-06	2.50E-04	5.66E-10	25	1.15E-02	1.62E-10	1.0E+06	1.6E-04
466	466	0.15925	1.12E-05	1.8E-06	2.50E-04	4.46E-10	25	1.15E-02	1.28E-10	1.0E+06	1.3E-04
467	467	0.1455	1.12E-05	1.6E-06	2.50E-04	4.07E-10	25	1.15E-02	1.17E-10	1.0E+06	1.2E-04
468	468	0.13934	1.12E-05	1.6E-06	2.50E-04	3.90E-10	25	1.15E-02	1.12E-10	1.0E+06	1.1E-04
479	479	0.20193	1.12E-05	2.3E-06	2.50E-04	5.65E-10	25	1.15E-02	1.62E-10	1.0E+06	1.6E-04
480	480	0.19392	1.12E-05	2.2E-06	2.50E-04	5.43E-10	25	1.15E-02	1.56E-10	1.0E+06	1.6E-04
481	481	0.18516	1.12E-05	2.1E-06	2.50E-04	5.18E-10	25	1.15E-02	1.49E-10	1.0E+06	1.5E-04
482	482	0.17684	1.12E-05	2.0E-06	2.50E-04	4.95E-10	25	1.15E-02	1.42E-10	1.0E+06	1.4E-04
483	483	0.16874	1.12E-05	1.9E-06	2.50E-04	4.72E-10	25	1.15E-02	1.35E-10	1.0E+06	1.4E-04
484	484	0.16121	1.12E-05	1.8E-06	2.50E-04	4.51E-10	25	1.15E-02	1.29E-10	1.0E+06	1.3E-04
485	485	0.15407	1.12E-05	1.7E-06	2.50E-04	4.31E-10	25	1.15E-02	1.24E-10	1.0E+06	1.2E-04
486	486	0.14742	1.12E-05	1.6E-06	2.50E-04	4.13E-10	25	1.15E-02	1.18E-10	1.0E+06	1.2E-04

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	487	0.14116	1.12E-05	1.6E-06	2.50E-04	3.95E-10	25	1.15E-02	1.13E-10	1.0E+06	1.1E-04
488	488	0.13529	1.12E-05	1.5E-06	2.50E-04	3.79E-10	25	1.15E-02	1.09E-10	1.0E+06	1.1E-04
501	501	0.18384	1.12E-05	2.1E-06	2.50E-04	5.15E-10	25	1.15E-02	1.48E-10	1.0E+06	1.5E-04
502	502	0.17826	1.12E-05	2.0E-06	2.50E-04	4.99E-10	25	1.15E-02	1.43E-10	1.0E+06	1.4E-04
503	503	0.17052	1.12E-05	1.9E-06	2.50E-04	4.77E-10	25	1.15E-02	1.37E-10	1.0E+06	1.4E-04
504	504	0.16301	1.12E-05	1.8E-06	2.50E-04	4.56E-10	25	1.15E-02	1.31E-10	1.0E+06	1.3E-04
505	505	0.15589	1.12E-05	1.7E-06	2.50E-04	4.36E-10	25	1.15E-02	1.25E-10	1.0E+06	1.3E-04
506	506	0.14917	1.12E-05	1.7E-06	2.50E-04	4.17E-10	25	1.15E-02	1.20E-10	1.0E+06	1.2E-04
507	507	0.14291	1.12E-05	1.6E-06	2.50E-04	4.00E-10	25	1.15E-02	1.15E-10	1.0E+06	1.1E-04
508	508	0.13142	1.12E-05	1.5E-06	2.50E-04	3.68E-10	25	1.15E-02	1.05E-10	1.0E+06	1.1E-04
520	520	0.17904	1.12E-05	2.0E-06	2.50E-04	5.01E-10	25	1.15E-02	1.44E-10	1.0E+06	1.4E-04
521	521	0.16704	1.12E-05	1.9E-06	2.50E-04	4.68E-10	25	1.15E-02	1.34E-10	1.0E+06	1.3E-04
522	522	0.16447	1.12E-05	1.8E-06	2.50E-04	4.60E-10	25	1.15E-02	1.32E-10	1.0E+06	1.3E-04
523	523	0.15748	1.12E-05	1.8E-06	2.50E-04	4.41E-10	25	1.15E-02	1.26E-10	1.0E+06	1.3E-04
524	524	0.15081	1.12E-05	1.7E-06	2.50E-04	4.22E-10	25	1.15E-02	1.21E-10	1.0E+06	1.2E-04
525	525	0.14449	1.12E-05	1.6E-06	2.50E-04	4.04E-10	25	1.15E-02	1.16E-10	1.0E+06	1.2E-04
526	526	0.13856	1.12E-05	1.5E-06	2.50E-04	3.88E-10	25	1.15E-02	1.11E-10	1.0E+06	1.1E-04
527	527	0.1277	1.12E-05	1.4E-06	2.50E-04	3.57E-10	25	1.15E-02	1.02E-10	1.0E+06	1.0E-04
539	539	0.17241	1.12E-05	1.9E-06	2.50E-04	4.83E-10	25	1.15E-02	1.38E-10	1.0E+06	1.4E-04
540	540	0.16543	1.12E-05	1.8E-06	2.50E-04	4.63E-10	25	1.15E-02	1.33E-10	1.0E+06	1.3E-04
541	541	0.15731	1.12E-05	1.8E-06	2.50E-04	4.40E-10	25	1.15E-02	1.26E-10	1.0E+06	1.3E-04
542	542	0.1502	1.12E-05	1.7E-06	2.50E-04	4.20E-10	25	1.15E-02	1.21E-10	1.0E+06	1.2E-04
543	543	0.14595	1.12E-05	1.6E-06	2.50E-04	4.08E-10	25	1.15E-02	1.17E-10	1.0E+06	1.2E-04
544	544	0.14	1.12E-05	1.6E-06	2.50E-04	3.92E-10	25	1.15E-02	1.12E-10	1.0E+06	1.1E-04
545	545	0.13373	1.12E-05	1.5E-06	2.50E-04	3.74E-10	25	1.15E-02	1.07E-10	1.0E+06	1.1E-04
546	546	0.12412	1.12E-05	1.4E-06	2.50E-04	3.47E-10	25	1.15E-02	9.96E-11	1.0E+06	1.0E-04
560	560	0.15963	1.12E-05	1.8E-06	2.50E-04	4.47E-10	25	1.15E-02	1.28E-10	1.0E+06	1.3E-04
561	561	0.15335	1.12E-05	1.7E-06	2.50E-04	4.29E-10	25	1.15E-02	1.23E-10	1.0E+06	1.2E-04
562	562	0.14719	1.12E-05	1.6E-06	2.50E-04	4.12E-10	25	1.15E-02	1.18E-10	1.0E+06	1.2E-04
563	563	0.13039	1.12E-05	1.5E-06	2.50E-04	3.65E-10	25	1.15E-02	1.05E-10	1.0E+06	1.0E-04
564	564	0.1339	1.12E-05	1.5E-06	2.50E-04	3.75E-10	25	1.15E-02	1.07E-10	1.0E+06	1.1E-04

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.13048	1.12E-05	1.5E-06	2.50E-04	3.65E-10	25	1.15E-02	1.05E-10	1.0E+06	1.0E-04
566	566	0.12075	1.12E-05	1.4E-06	2.50E-04	3.38E-10	25	1.15E-02	9.69E-11	1.0E+06	9.7E-05
579	579	0.15412	1.12E-05	1.7E-06	2.50E-04	4.31E-10	25	1.15E-02	1.24E-10	1.0E+06	1.2E-04
580	580	0.14824	1.12E-05	1.7E-06	2.50E-04	4.15E-10	25	1.15E-02	1.19E-10	1.0E+06	1.2E-04
581	581	0.14255	1.12E-05	1.6E-06	2.50E-04	3.99E-10	25	1.15E-02	1.14E-10	1.0E+06	1.1E-04
582	582	0.137	1.12E-05	1.5E-06	2.50E-04	3.83E-10	25	1.15E-02	1.10E-10	1.0E+06	1.1E-04
583	583	0.13168	1.12E-05	1.5E-06	2.50E-04	3.69E-10	25	1.15E-02	1.06E-10	1.0E+06	1.1E-04
584	584	0.1261	1.12E-05	1.4E-06	2.50E-04	3.53E-10	25	1.15E-02	1.01E-10	1.0E+06	1.0E-04
585	585	0.10616	1.12E-05	1.2E-06	2.50E-04	2.97E-10	25	1.15E-02	8.52E-11	1.0E+06	8.5E-05
598	598	0.14891	1.12E-05	1.7E-06	2.50E-04	4.17E-10	25	1.15E-02	1.20E-10	1.0E+06	1.2E-04
599	599	0.14337	1.12E-05	1.6E-06	2.50E-04	4.01E-10	25	1.15E-02	1.15E-10	1.0E+06	1.2E-04
600	600	0.13802	1.12E-05	1.5E-06	2.50E-04	3.86E-10	25	1.15E-02	1.11E-10	1.0E+06	1.1E-04
601	601	0.13284	1.12E-05	1.5E-06	2.50E-04	3.72E-10	25	1.15E-02	1.07E-10	1.0E+06	1.1E-04
602	602	0.12784	1.12E-05	1.4E-06	2.50E-04	3.58E-10	25	1.15E-02	1.03E-10	1.0E+06	1.0E-04
603	603	0.12311	1.12E-05	1.4E-06	2.50E-04	3.45E-10	25	1.15E-02	9.88E-11	1.0E+06	9.9E-05
604	604	0.11857	1.12E-05	1.3E-06	2.50E-04	3.32E-10	25	1.15E-02	9.52E-11	1.0E+06	9.5E-05
0	0	0	1.12E-05	0.0E+00	2.50E-04	0.00E+00	25	1.15E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
1	1	1.2E-01	5	2.97E-05	
2	2	1.3E-01	5	3.25E-05	
3	3	1.3E-01	5	3.37E-05	
4	4	1.3E-01	5	3.44E-05	
5	5	1.4E-01	5	3.52E-05	
6	6	1.1E-01	5	2.79E-05	
7	7	1.1E-01	5	2.86E-05	
8	8	1.1E-01	5	2.92E-05	
9	9	1.2E-01	5	2.98E-05	
10	10	1.2E-01	5	3.03E-05	
11	11	1.2E-01	5	3.07E-05	
12	12	1.2E-01	5	3.10E-05	
13	13	1.2E-01	5	3.12E-05	
14	14	1.2E-01	5	3.11E-05	
15	15	7.1E-02	5	1.81E-05	
16	16	6.5E-02	5	1.65E-05	
17	17	5.0E-02	5	1.27E-05	
18	18	5.0E-02	5	1.28E-05	
19	19	5.0E-02	5	1.29E-05	
20	20	2.9E-02	5	7.47E-06	
21	21	2.0E-02	5	5.00E-06	
22	22	1.4E-02	5	3.66E-06	
23	23	1.1E-02	5	2.84E-06	
24	24	9.0E-03	5	2.30E-06	
25	25	7.5E-03	5	1.91E-06	
26	26	6.4E-03	5	1.63E-06	
27	27	5.5E-03	5	1.41E-06	
28	28	4.8E-03	5	1.24E-06	
29	29	4.3E-03	5	1.10E-06	
30	30	3.8E-03	5	9.81E-07	
31	31	3.5E-03	5	8.85E-07	

Max	Receptor #	
0.137	5	Res
0.004	345	School
0.003	139	Worker

Max	Receptor #	
3.516E-05	5	Res
1.108E-06	345	School
7.223E-06	139	Worker

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
32	32	3.1E-03	5	8.05E-07	
55	55	1.2E-02	5	3.16E-06	
56	56	9.8E-03	5	2.51E-06	
57	57	8.1E-03	5	2.06E-06	
58	58	6.8E-03	5	1.74E-06	
59	59	5.9E-03	5	1.50E-06	
60	60	5.1E-03	5	1.31E-06	
61	61	4.5E-03	5	1.16E-06	
62	62	4.0E-03	5	1.03E-06	
63	63	3.6E-03	5	9.29E-07	
64	64	3.3E-03	5	8.42E-07	
65	65	3.0E-03	5	7.69E-07	
66	66	2.8E-03	5	7.05E-07	
67	67	1.3E-01	5	3.27E-05	
68	68	1.3E-01	5	3.39E-05	
69	69	1.4E-01	5	3.46E-05	
70	70	1.4E-01	5	3.51E-05	
71	71	1.4E-01	5	3.51E-05	
72	72	1.4E-01	5	3.48E-05	
73	73	1.3E-01	5	3.41E-05	
74	74	1.3E-01	5	3.34E-05	
75	75	1.3E-01	5	3.26E-05	
76	76	1.2E-01	5	3.19E-05	
77	77	1.2E-01	5	3.12E-05	
78	78	1.2E-01	5	3.04E-05	
79	79	8.7E-02	5	2.22E-05	
80	80	5.6E-02	5	1.44E-05	
81	81	3.0E-02	5	7.66E-06	
82	82	1.9E-02	5	4.86E-06	
83	83	1.4E-02	5	3.53E-06	
84	84	1.1E-02	5	2.76E-06	

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
85	85	8.8E-03	5	2.24E-06	
86	86	7.3E-03	5	1.88E-06	
87	87	6.3E-03	5	1.60E-06	
88	88	5.4E-03	5	1.39E-06	
89	89	4.8E-03	5	1.23E-06	
90	90	4.3E-03	5	1.09E-06	
91	91	3.8E-03	5	9.80E-07	
92	92	3.5E-03	5	8.86E-07	
93	93	3.2E-03	5	8.06E-07	
96	96	5.8E-03	5	1.48E-06	
97	97	5.0E-03	5	1.28E-06	
98	98	5.1E-03	5	1.31E-06	
99	99	4.5E-03	5	1.16E-06	
100	100	4.1E-03	5	1.04E-06	
101	101	3.7E-03	5	9.35E-07	
102	102	3.3E-03	5	8.48E-07	
106	106	3.3E-02	5	8.50E-06	
107	107	3.9E-02	5	1.00E-05	
108	108	4.2E-02	5	1.08E-05	
109	109	4.4E-02	5	1.13E-05	
110	110	4.5E-02	5	1.16E-05	
111	111	4.6E-02	5	1.18E-05	
112	112	4.7E-02	5	1.19E-05	
113	113	4.7E-02	5	1.19E-05	
114	114	4.6E-02	5	1.19E-05	
115	115	4.6E-02	5	1.18E-05	
116	116	4.5E-02	5	1.16E-05	
117	117	4.5E-02	5	1.14E-05	
118	118	4.4E-02	5	1.12E-05	
124	124	2.4E-02	5	6.20E-06	
125	125	2.8E-02	5	7.10E-06	

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
126	126	3.0E-02	5	7.72E-06	
127	127	3.2E-02	5	8.13E-06	
128	128	3.3E-02	5	8.40E-06	
129	129	3.4E-02	5	8.58E-06	
130	130	3.4E-02	5	8.68E-06	
131	131	3.4E-02	5	8.71E-06	
132	132	3.4E-02	5	8.69E-06	
133	133	3.4E-02	5	8.63E-06	
134	134	3.3E-02	5	8.53E-06	
135	135	3.3E-02	5	8.39E-06	
136	136	3.2E-02	5	8.21E-06	
137	137	3.1E-02	5	7.96E-06	
138	138	3.0E-02	5	7.64E-06	
141	141	1.9E-02	5	4.75E-06	
142	142	2.1E-02	5	5.38E-06	
143	143	2.3E-02	5	5.87E-06	
144	144	2.4E-02	5	6.21E-06	
145	145	2.5E-02	5	6.44E-06	
146	146	2.6E-02	5	6.60E-06	
147	147	2.6E-02	5	6.69E-06	
148	148	2.6E-02	5	6.73E-06	
149	149	2.6E-02	5	6.73E-06	
150	150	2.6E-02	5	6.69E-06	
151	151	2.6E-02	5	6.62E-06	
152	152	2.5E-02	5	6.51E-06	
153	153	2.5E-02	5	6.36E-06	
154	154	2.4E-02	5	6.17E-06	
155	155	2.3E-02	5	5.92E-06	
164	164	1.9E-02	5	4.96E-06	
165	165	1.9E-02	5	4.76E-06	
166	166	1.8E-02	5	4.50E-06	

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
178	178	1.6E-02	5	4.10E-06	
179	179	1.5E-02	5	3.94E-06	
180	180	1.5E-02	5	3.73E-06	
192	192	1.4E-02	5	3.46E-06	
193	193	1.3E-02	5	3.32E-06	
194	194	1.2E-02	5	3.16E-06	
207	207	1.2E-02	5	2.96E-06	
208	208	1.1E-02	5	2.85E-06	
209	209	1.1E-02	5	2.72E-06	
223	223	1.0E-02	5	2.58E-06	
224	224	9.7E-03	5	2.48E-06	
225	225	9.3E-03	5	2.37E-06	
239	239	8.8E-03	5	2.26E-06	
240	240	8.5E-03	5	2.18E-06	
241	241	8.2E-03	5	2.09E-06	
255	255	7.8E-03	5	2.00E-06	
256	256	7.6E-03	5	1.94E-06	
272	272	7.0E-03	5	1.79E-06	
273	273	6.8E-03	5	1.74E-06	
289	289	6.3E-03	5	1.61E-06	
290	290	6.1E-03	5	1.56E-06	
306	306	5.7E-03	5	1.46E-06	
307	307	5.5E-03	5	1.42E-06	
323	323	5.2E-03	5	1.33E-06	
324	324	5.0E-03	5	1.29E-06	
342	342	4.7E-03	5	1.21E-06	
343	343	4.6E-03	5	1.18E-06	
344	344	4.5E-03	5	1.15E-06	
356	356	4.4E-03	5	1.11E-06	
357	357	4.3E-03	5	1.09E-06	
358	358	4.1E-03	5	1.06E-06	

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
370	370	4.0E-03	5	1.03E-06	
371	371	3.9E-03	5	1.01E-06	
372	372	3.8E-03	5	9.79E-07	
383	383	3.7E-03	5	9.51E-07	
384	384	3.6E-03	5	9.31E-07	
385	385	3.5E-03	5	9.08E-07	
396	396	3.5E-03	5	8.83E-07	
397	397	3.4E-03	5	8.66E-07	
398	398	3.3E-03	5	8.46E-07	
399	399	3.2E-03	5	8.22E-07	
411	411	3.2E-03	5	8.22E-07	
412	412	3.2E-03	5	8.07E-07	
413	413	3.1E-03	5	7.89E-07	
414	414	3.0E-03	5	7.69E-07	
426	426	3.0E-03	5	7.68E-07	
427	427	3.0E-03	5	7.55E-07	
428	428	2.9E-03	5	7.39E-07	
429	429	2.8E-03	5	7.21E-07	
439	439	2.8E-03	5	7.19E-07	
440	440	2.8E-03	5	7.08E-07	
441	441	2.7E-03	5	6.94E-07	
442	442	2.6E-03	5	6.78E-07	
443	443	2.6E-03	5	6.59E-07	
454	454	2.6E-03	5	6.75E-07	
455	455	2.6E-03	5	6.65E-07	
456	456	2.6E-03	5	6.52E-07	
457	457	2.5E-03	5	6.38E-07	
458	458	2.4E-03	5	6.22E-07	
469	469	2.5E-03	5	6.35E-07	
470	470	2.4E-03	5	6.26E-07	
471	471	2.4E-03	5	6.15E-07	

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
472	472	2.4E-03	5	6.03E-07	
473	473	2.3E-03	5	5.88E-07	
489	489	2.3E-03	5	5.98E-07	
490	490	2.3E-03	5	5.90E-07	
491	491	2.3E-03	5	5.81E-07	
492	492	2.2E-03	5	5.70E-07	
493	493	2.2E-03	5	5.57E-07	
494	494	2.1E-03	5	5.42E-07	
509	509	2.2E-03	5	5.65E-07	
510	510	2.2E-03	5	5.58E-07	
511	511	2.1E-03	5	5.50E-07	
512	512	2.1E-03	5	5.40E-07	
513	513	2.1E-03	5	5.28E-07	
514	514	2.0E-03	5	5.15E-07	
515	515	1.9E-03	5	4.85E-07	
516	516	1.8E-03	5	4.69E-07	
517	517	1.8E-03	5	4.52E-07	
518	518	1.7E-03	5	4.35E-07	
519	519	1.6E-03	5	4.18E-07	
528	528	2.1E-03	5	5.35E-07	
529	529	2.1E-03	5	5.29E-07	
530	530	2.0E-03	5	5.21E-07	
531	531	2.0E-03	5	5.12E-07	
532	532	2.0E-03	5	5.02E-07	
533	533	1.9E-03	5	4.90E-07	
534	534	1.8E-03	5	4.63E-07	
535	535	1.8E-03	5	4.48E-07	
536	536	1.7E-03	5	4.33E-07	
537	537	1.6E-03	5	4.17E-07	
538	538	1.6E-03	5	4.01E-07	
547	547	2.0E-03	5	5.07E-07	

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
548	548	2.0E-03	5	5.02E-07	
549	549	1.9E-03	5	4.95E-07	
550	550	1.9E-03	5	4.87E-07	
551	551	1.9E-03	5	4.78E-07	
552	552	1.8E-03	5	4.67E-07	
553	553	1.8E-03	5	4.55E-07	
554	554	1.7E-03	5	4.42E-07	
555	555	1.7E-03	5	4.29E-07	
556	556	1.6E-03	5	4.15E-07	
557	557	1.6E-03	5	4.01E-07	
558	558	1.5E-03	5	3.86E-07	
559	559	1.5E-03	5	3.71E-07	
567	567	1.9E-03	5	4.81E-07	
568	568	1.9E-03	5	4.77E-07	
569	569	1.8E-03	5	4.71E-07	
570	570	1.8E-03	5	4.64E-07	
571	571	1.8E-03	5	4.55E-07	
572	572	1.7E-03	5	4.46E-07	
573	573	1.7E-03	5	4.35E-07	
574	574	1.6E-03	5	4.11E-07	
575	575	1.6E-03	5	3.98E-07	
576	576	1.5E-03	5	3.85E-07	
577	577	1.5E-03	5	3.72E-07	
578	578	1.4E-03	5	3.58E-07	
586	586	1.8E-03	5	4.57E-07	
587	587	1.8E-03	5	4.53E-07	
588	588	1.8E-03	5	4.48E-07	
589	589	1.7E-03	5	4.42E-07	
590	590	1.7E-03	5	4.34E-07	
591	591	1.7E-03	5	4.26E-07	
592	592	1.6E-03	5	4.16E-07	

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
593	593	1.5E-03	5	3.94E-07	
594	594	1.5E-03	5	3.83E-07	
595	595	1.4E-03	5	3.70E-07	
596	596	1.4E-03	5	3.58E-07	
597	597	1.4E-03	5	3.45E-07	
345	345	4.3E-03	5	1.11E-06	
346	346	4.2E-03	5	1.06E-06	
347	347	4.0E-03	5	1.01E-06	
348	348	3.8E-03	5	9.60E-07	
359	359	4.0E-03	5	1.02E-06	
360	360	3.8E-03	5	9.82E-07	
361	361	3.7E-03	5	9.40E-07	
362	362	3.5E-03	5	8.93E-07	
363	363	3.3E-03	5	8.46E-07	
373	373	3.6E-03	5	9.13E-07	
374	374	3.4E-03	5	8.75E-07	
375	375	3.3E-03	5	8.35E-07	
376	376	3.1E-03	5	7.93E-07	
386	386	3.3E-03	5	8.51E-07	
387	387	3.2E-03	5	8.18E-07	
388	388	3.1E-03	5	7.82E-07	
389	389	2.9E-03	5	7.45E-07	
390	390	2.8E-03	5	7.08E-07	
400	400	3.1E-03	5	7.96E-07	
401	401	3.0E-03	5	7.66E-07	
402	402	2.9E-03	5	7.35E-07	
403	403	2.7E-03	5	7.02E-07	
404	404	2.6E-03	5	6.68E-07	
415	415	2.9E-03	5	7.45E-07	
416	416	2.8E-03	5	7.20E-07	
417	417	2.7E-03	5	6.92E-07	

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

<i>Max Cancer Risk Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad
418	418	2.6E-03	5	6.63E-07
419	419	2.5E-03	5	6.33E-07
420	420	2.4E-03	5	6.02E-07
430	430	2.6E-03	5	6.77E-07
431	431	2.6E-03	5	6.53E-07
432	432	2.5E-03	5	6.27E-07
433	433	2.3E-03	5	6.00E-07
434	434	2.2E-03	5	5.73E-07
444	444	2.5E-03	5	6.39E-07
445	445	2.4E-03	5	6.17E-07
446	446	2.3E-03	5	5.94E-07
447	447	2.2E-03	5	5.70E-07
448	448	2.1E-03	5	5.45E-07
459	459	2.3E-03	5	5.84E-07
460	460	2.2E-03	5	5.63E-07
461	461	2.1E-03	5	5.41E-07
462	462	2.0E-03	5	5.19E-07
463	463	1.9E-03	5	4.96E-07
474	474	2.2E-03	5	5.54E-07
475	475	2.1E-03	5	5.35E-07
476	476	2.0E-03	5	5.16E-07
477	477	1.9E-03	5	4.95E-07
478	478	1.9E-03	5	4.74E-07
495	495	2.1E-03	5	5.26E-07
496	496	2.0E-03	5	5.09E-07
497	497	1.9E-03	5	4.91E-07
498	498	1.8E-03	5	4.73E-07
499	499	1.8E-03	5	4.54E-07
500	500	1.7E-03	5	4.35E-07

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Max Cancer Risk			Chronic Non Cancer Risk	
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad
139	139	2.6E-03	5	7.22E-06
140	140	2.4E-03	5	6.65E-06
156	156	2.0E-03	5	5.59E-06
157	157	1.9E-03	5	5.17E-06
158	158	1.7E-03	5	4.63E-06
159	159	1.4E-03	5	3.98E-06
160	160	1.2E-03	5	3.32E-06
161	161	8.0E-04	5	2.24E-06
162	162	6.7E-04	5	1.88E-06
163	163	5.8E-04	5	1.61E-06
167	167	1.5E-03	5	4.18E-06
168	168	1.4E-03	5	3.78E-06
169	169	1.2E-03	5	3.33E-06
170	170	1.0E-03	5	2.85E-06
171	171	8.7E-04	5	2.41E-06
172	172	7.3E-04	5	2.03E-06
173	173	6.2E-04	5	1.73E-06
174	174	5.4E-04	5	1.49E-06
175	175	4.7E-04	5	1.31E-06
176	176	4.2E-04	5	1.16E-06
177	177	3.8E-04	5	1.05E-06
181	181	1.1E-03	5	3.17E-06
182	182	1.0E-03	5	2.84E-06
183	183	8.9E-04	5	2.49E-06
184	184	7.7E-04	5	2.15E-06
185	185	6.6E-04	5	1.85E-06
186	186	5.7E-04	5	1.59E-06
187	187	5.0E-04	5	1.39E-06
188	188	4.4E-04	5	1.23E-06
189	189	3.9E-04	5	1.10E-06
190	190	3.6E-04	5	9.90E-07

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
191	191	3.2E-04	5	8.99E-07	
195	195	9.8E-04	5	2.72E-06	
196	196	8.8E-04	5	2.46E-06	
197	197	7.9E-04	5	2.19E-06	
198	198	6.9E-04	5	1.93E-06	
199	199	6.0E-04	5	1.68E-06	
200	200	5.3E-04	5	1.47E-06	
201	201	4.7E-04	5	1.30E-06	
202	202	4.1E-04	5	1.16E-06	
203	203	3.7E-04	5	1.04E-06	
204	204	3.4E-04	5	9.40E-07	
205	205	3.1E-04	5	8.56E-07	
206	206	2.8E-04	5	7.84E-07	
210	210	9.2E-04	5	2.56E-06	
211	211	8.5E-04	5	2.37E-06	
212	212	7.8E-04	5	2.16E-06	
213	213	7.0E-04	5	1.95E-06	
214	214	5.5E-04	5	1.54E-06	
215	215	4.9E-04	5	1.36E-06	
216	216	4.4E-04	5	1.21E-06	
217	217	3.9E-04	5	1.09E-06	
218	218	3.5E-04	5	9.82E-07	
219	219	3.2E-04	5	8.92E-07	
220	220	2.9E-04	5	8.16E-07	
221	221	2.7E-04	5	7.50E-07	
222	222	2.5E-04	5	6.91E-07	
226	226	8.0E-04	5	2.24E-06	
227	227	7.5E-04	5	2.09E-06	
228	228	6.9E-04	5	1.92E-06	
229	229	6.3E-04	5	1.75E-06	
230	230	5.7E-04	5	1.58E-06	

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
231	231	5.1E-04	5	1.41E-06	
232	232	4.5E-04	5	1.27E-06	
233	233	3.7E-04	5	1.02E-06	
234	234	3.3E-04	5	9.28E-07	
235	235	3.0E-04	5	8.47E-07	
236	236	2.8E-04	5	7.77E-07	
237	237	2.6E-04	5	7.17E-07	
238	238	2.4E-04	5	6.63E-07	
242	242	7.1E-04	5	1.98E-06	
243	243	6.7E-04	5	1.86E-06	
244	244	6.2E-04	5	1.72E-06	
245	245	5.7E-04	5	1.58E-06	
246	246	5.2E-04	5	1.44E-06	
247	247	4.7E-04	5	1.30E-06	
248	248	4.2E-04	5	1.18E-06	
249	249	3.5E-04	5	9.64E-07	
250	250	3.2E-04	5	8.78E-07	
251	251	2.9E-04	5	8.05E-07	
252	252	2.7E-04	5	7.41E-07	
253	253	2.5E-04	5	6.85E-07	
254	254	2.3E-04	5	6.36E-07	
257	257	6.4E-04	5	1.77E-06	
258	258	6.0E-04	5	1.67E-06	
259	259	5.6E-04	5	1.56E-06	
260	260	5.2E-04	5	1.44E-06	
261	261	4.7E-04	5	1.32E-06	
262	262	4.3E-04	5	1.21E-06	
263	263	3.9E-04	5	1.10E-06	
264	264	3.3E-04	5	9.10E-07	
265	265	3.0E-04	5	8.33E-07	
266	266	2.7E-04	5	7.66E-07	

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
267	267	2.5E-04	5	7.07E-07	
268	268	2.4E-04	5	6.55E-07	
269	269	2.2E-04	5	6.10E-07	
270	270	1.8E-04	5	5.01E-07	
271	271	1.7E-04	5	4.71E-07	
274	274	5.7E-04	5	1.59E-06	
275	275	5.4E-04	5	1.51E-06	
276	276	5.1E-04	5	1.42E-06	
277	277	4.7E-04	5	1.31E-06	
278	278	4.4E-04	5	1.22E-06	
279	279	4.0E-04	5	1.12E-06	
280	280	3.7E-04	5	1.02E-06	
281	281	3.1E-04	5	8.59E-07	
282	282	2.8E-04	5	7.90E-07	
283	283	2.6E-04	5	7.29E-07	
284	284	2.4E-04	5	6.75E-07	
285	285	2.3E-04	5	6.28E-07	
286	286	2.1E-04	5	5.86E-07	
287	287	1.7E-04	5	4.83E-07	
288	288	1.6E-04	5	4.56E-07	
291	291	5.2E-04	5	1.44E-06	
292	292	4.9E-04	5	1.37E-06	
293	293	4.6E-04	5	1.29E-06	
294	294	4.3E-04	5	1.21E-06	
295	295	4.0E-04	5	1.12E-06	
296	296	3.7E-04	5	1.04E-06	
297	297	3.4E-04	5	9.58E-07	
298	298	2.9E-04	5	8.12E-07	
299	299	2.7E-04	5	7.50E-07	
300	300	2.5E-04	5	6.94E-07	
301	301	2.3E-04	5	6.45E-07	

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
302	302	2.2E-04	5	6.02E-07	
303	303	2.0E-04	5	5.63E-07	
304	304	1.7E-04	5	4.67E-07	
305	305	1.6E-04	5	4.41E-07	
308	308	4.7E-04	5	1.32E-06	
309	309	4.5E-04	5	1.25E-06	
310	310	4.3E-04	5	1.19E-06	
311	311	4.0E-04	5	1.11E-06	
312	312	3.7E-04	5	1.04E-06	
313	313	3.5E-04	5	9.70E-07	
314	314	3.2E-04	5	8.99E-07	
315	315	2.8E-04	5	7.70E-07	
316	316	2.6E-04	5	7.14E-07	
317	317	2.4E-04	5	6.62E-07	
318	318	2.2E-04	5	6.17E-07	
319	319	2.1E-04	5	5.77E-07	
320	320	1.9E-04	5	5.41E-07	
321	321	1.6E-04	5	4.51E-07	
322	322	1.5E-04	5	4.27E-07	
325	325	4.3E-04	5	1.20E-06	
326	326	4.1E-04	5	1.15E-06	
327	327	3.9E-04	5	1.09E-06	
328	328	3.7E-04	5	1.03E-06	
329	329	3.5E-04	5	9.69E-07	
330	330	3.3E-04	5	9.07E-07	
331	331	3.0E-04	5	8.45E-07	
332	332	2.8E-04	5	7.86E-07	
333	333	2.6E-04	5	7.30E-07	
334	334	2.4E-04	5	6.80E-07	
335	335	2.3E-04	5	6.33E-07	
336	336	2.1E-04	5	5.91E-07	

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
337	337	2.0E-04	5	5.54E-07	
338	338	1.9E-04	5	5.20E-07	
339	339	1.7E-04	5	4.61E-07	
340	340	1.6E-04	5	4.36E-07	
341	341	1.5E-04	5	4.13E-07	
349	349	3.2E-04	5	9.05E-07	
350	350	3.0E-04	5	8.50E-07	
351	351	2.9E-04	5	7.95E-07	
352	352	2.7E-04	5	7.44E-07	
353	353	1.6E-04	5	4.45E-07	
354	354	1.5E-04	5	4.22E-07	
355	355	1.4E-04	5	4.00E-07	
364	364	2.9E-04	5	7.98E-07	
365	365	2.7E-04	5	7.50E-07	
366	366	2.5E-04	5	7.03E-07	
367	367	1.5E-04	5	4.30E-07	
368	368	1.5E-04	5	4.08E-07	
369	369	1.4E-04	5	3.87E-07	
377	377	2.7E-04	5	7.51E-07	
378	378	2.5E-04	5	7.08E-07	
379	379	2.4E-04	5	6.66E-07	
380	380	1.5E-04	5	4.15E-07	
381	381	1.4E-04	5	3.94E-07	
382	382	1.3E-04	5	3.75E-07	
391	391	2.4E-04	5	6.70E-07	
392	392	2.3E-04	5	6.32E-07	
393	393	1.4E-04	5	4.01E-07	
394	394	1.4E-04	5	3.81E-07	
395	395	1.3E-04	5	3.63E-07	
405	405	2.3E-04	5	6.35E-07	
406	406	2.2E-04	5	6.01E-07	

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
407	407	2.0E-04	5	5.68E-07	
408	408	1.4E-04	5	3.88E-07	
409	409	1.3E-04	5	3.69E-07	
410	410	1.3E-04	5	3.52E-07	
421	421	2.1E-04	5	5.72E-07	
422	422	1.9E-04	5	5.42E-07	
423	423	1.3E-04	5	3.75E-07	
424	424	1.3E-04	5	3.57E-07	
425	425	1.2E-04	5	3.42E-07	
435	435	2.0E-04	5	5.45E-07	
436	436	1.9E-04	5	5.18E-07	
437	437	1.2E-04	5	3.46E-07	
438	438	1.2E-04	5	3.31E-07	
449	449	1.9E-04	5	5.19E-07	
450	450	1.8E-04	5	4.95E-07	
451	451	1.7E-04	5	4.71E-07	
452	452	1.2E-04	5	3.36E-07	
453	453	1.2E-04	5	3.21E-07	
464	464	1.7E-04	5	4.74E-07	
465	465	1.6E-04	5	4.52E-07	
466	466	1.3E-04	5	3.56E-07	
467	467	1.2E-04	5	3.25E-07	
468	468	1.1E-04	5	3.12E-07	
479	479	1.6E-04	5	4.52E-07	
480	480	1.6E-04	5	4.34E-07	
481	481	1.5E-04	5	4.14E-07	
482	482	1.4E-04	5	3.96E-07	
483	483	1.4E-04	5	3.77E-07	
484	484	1.3E-04	5	3.61E-07	
485	485	1.2E-04	5	3.45E-07	
486	486	1.2E-04	5	3.30E-07	

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
487	487	1.1E-04	5	3.16E-07	
488	488	1.1E-04	5	3.03E-07	
501	501	1.5E-04	5	4.11E-07	
502	502	1.4E-04	5	3.99E-07	
503	503	1.4E-04	5	3.81E-07	
504	504	1.3E-04	5	3.65E-07	
505	505	1.3E-04	5	3.49E-07	
506	506	1.2E-04	5	3.34E-07	
507	507	1.1E-04	5	3.20E-07	
508	508	1.1E-04	5	2.94E-07	
520	520	1.4E-04	5	4.00E-07	
521	521	1.3E-04	5	3.74E-07	
522	522	1.3E-04	5	3.68E-07	
523	523	1.3E-04	5	3.52E-07	
524	524	1.2E-04	5	3.37E-07	
525	525	1.2E-04	5	3.23E-07	
526	526	1.1E-04	5	3.10E-07	
527	527	1.0E-04	5	2.86E-07	
539	539	1.4E-04	5	3.86E-07	
540	540	1.3E-04	5	3.70E-07	
541	541	1.3E-04	5	3.52E-07	
542	542	1.2E-04	5	3.36E-07	
543	543	1.2E-04	5	3.26E-07	
544	544	1.1E-04	5	3.13E-07	
545	545	1.1E-04	5	2.99E-07	
546	546	1.0E-04	5	2.78E-07	
560	560	1.3E-04	5	3.57E-07	
561	561	1.2E-04	5	3.43E-07	
562	562	1.2E-04	5	3.29E-07	
563	563	1.0E-04	5	2.92E-07	
564	564	1.1E-04	5	2.99E-07	

Via Oro
Risk From Wardlow from Santa Fe to 405 E to 710 S [TKN]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
565	565	1.0E-04	5	2.92E-07	
566	566	9.7E-05	5	2.70E-07	
579	579	1.2E-04	5	3.45E-07	
580	580	1.2E-04	5	3.32E-07	
581	581	1.1E-04	5	3.19E-07	
582	582	1.1E-04	5	3.06E-07	
583	583	1.1E-04	5	2.95E-07	
584	584	1.0E-04	5	2.82E-07	
585	585	8.5E-05	5	2.37E-07	
598	598	1.2E-04	5	3.33E-07	
599	599	1.2E-04	5	3.21E-07	
600	600	1.1E-04	5	3.09E-07	
601	601	1.1E-04	5	2.97E-07	
602	602	1.0E-04	5	2.86E-07	
603	603	9.9E-05	5	2.75E-07	
604	604	9.5E-05	5	2.65E-07	
0	0	0.0E+00	5	0.00E+00	

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	Cancer Risk from 3rd Trimester - Construction								
		g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.22449	8.11E-06	1.8E-06	3.46E-04	6.30E-10	0.25	1.57E-01	2.48E-11	1.0E+06	2.5E-05
2	0.24018	8.11E-06	1.9E-06	3.46E-04	6.74E-10	0.25	1.57E-01	2.65E-11	1.0E+06	2.6E-05
3	0.25756	8.11E-06	2.1E-06	3.46E-04	7.23E-10	0.25	1.57E-01	2.84E-11	1.0E+06	2.8E-05
4	0.27708	8.11E-06	2.2E-06	3.46E-04	7.78E-10	0.25	1.57E-01	3.06E-11	1.0E+06	3.1E-05
5	0.29914	8.11E-06	2.4E-06	3.46E-04	8.40E-10	0.25	1.57E-01	3.30E-11	1.0E+06	3.3E-05
6	0.32454	8.11E-06	2.6E-06	3.46E-04	9.11E-10	0.25	1.57E-01	3.58E-11	1.0E+06	3.6E-05
7	0.35353	8.11E-06	2.9E-06	3.46E-04	9.92E-10	0.25	1.57E-01	3.90E-11	1.0E+06	3.9E-05
8	0.38665	8.11E-06	3.1E-06	3.46E-04	1.09E-09	0.25	1.57E-01	4.26E-11	1.0E+06	4.3E-05
9	0.425	8.11E-06	3.4E-06	3.46E-04	1.19E-09	0.25	1.57E-01	4.69E-11	1.0E+06	4.7E-05
10	0.46965	8.11E-06	3.8E-06	3.46E-04	1.32E-09	0.25	1.57E-01	5.18E-11	1.0E+06	5.2E-05
11	0.52187	8.11E-06	4.2E-06	3.46E-04	1.46E-09	0.25	1.57E-01	5.75E-11	1.0E+06	5.8E-05
12	0.58329	8.11E-06	4.7E-06	3.46E-04	1.64E-09	0.25	1.57E-01	6.43E-11	1.0E+06	6.4E-05
13	0.65666	8.11E-06	5.3E-06	3.46E-04	1.84E-09	0.25	1.57E-01	7.24E-11	1.0E+06	7.2E-05
14	0.7439	8.11E-06	6.0E-06	3.46E-04	2.09E-09	0.25	1.57E-01	8.20E-11	1.0E+06	8.2E-05
15	0.84837	8.11E-06	6.9E-06	3.46E-04	2.38E-09	0.25	1.57E-01	9.35E-11	1.0E+06	9.4E-05
16	0.9722	8.11E-06	7.9E-06	3.46E-04	2.73E-09	0.25	1.57E-01	1.07E-10	1.0E+06	1.1E-04
17	1.1197	8.11E-06	9.1E-06	3.46E-04	3.14E-09	0.25	1.57E-01	1.23E-10	1.0E+06	1.2E-04
18	1.2884	8.11E-06	1.0E-05	3.46E-04	3.62E-09	0.25	1.57E-01	1.42E-10	1.0E+06	1.4E-04
19	1.47797	8.11E-06	1.2E-05	3.46E-04	4.15E-09	0.25	1.57E-01	1.63E-10	1.0E+06	1.6E-04
20	1.6784	8.11E-06	1.4E-05	3.46E-04	4.71E-09	0.25	1.57E-01	1.85E-10	1.0E+06	1.9E-04
21	1.87664	8.11E-06	1.5E-05	3.46E-04	5.27E-09	0.25	1.57E-01	2.07E-10	1.0E+06	2.1E-04
22	2.06784	8.11E-06	1.7E-05	3.46E-04	5.80E-09	0.25	1.57E-01	2.28E-10	1.0E+06	2.3E-04
23	2.25215	8.11E-06	1.8E-05	3.46E-04	6.32E-09	0.25	1.57E-01	2.48E-10	1.0E+06	2.5E-04
24	2.42844	8.11E-06	2.0E-05	3.46E-04	6.82E-09	0.25	1.57E-01	2.68E-10	1.0E+06	2.7E-04
25	2.58592	8.11E-06	2.1E-05	3.46E-04	7.26E-09	0.25	1.57E-01	2.85E-10	1.0E+06	2.9E-04
26	2.70839	8.11E-06	2.2E-05	3.46E-04	7.60E-09	0.25	1.57E-01	2.99E-10	1.0E+06	3.0E-04
27	2.78647	8.11E-06	2.3E-05	3.46E-04	7.82E-09	0.25	1.57E-01	3.07E-10	1.0E+06	3.1E-04
28	2.81648	8.11E-06	2.3E-05	3.46E-04	7.91E-09	0.25	1.57E-01	3.11E-10	1.0E+06	3.1E-04
29	2.80588	8.11E-06	2.3E-05	3.46E-04	7.88E-09	0.25	1.57E-01	3.09E-10	1.0E+06	3.1E-04
30	2.7593	8.11E-06	2.2E-05	3.46E-04	7.74E-09	0.25	1.57E-01	3.04E-10	1.0E+06	3.0E-04
31	2.68002	8.11E-06	2.2E-05	3.46E-04	7.52E-09	0.25	1.57E-01	2.96E-10	1.0E+06	3.0E-04

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	2.57333	8.11E-06	2.1E-05	3.46E-04	7.22E-09	0.25	1.57E-01	2.84E-10	1.0E+06	2.8E-04
55	2.80011	8.11E-06	2.3E-05	3.46E-04	7.86E-09	0.25	1.57E-01	3.09E-10	1.0E+06	3.1E-04
56	3.10482	8.11E-06	2.5E-05	3.46E-04	8.71E-09	0.25	1.57E-01	3.42E-10	1.0E+06	3.4E-04
57	3.3839	8.11E-06	2.7E-05	3.46E-04	9.50E-09	0.25	1.57E-01	3.73E-10	1.0E+06	3.7E-04
58	3.59233	8.11E-06	2.9E-05	3.46E-04	1.01E-08	0.25	1.57E-01	3.96E-10	1.0E+06	4.0E-04
59	3.7095	8.11E-06	3.0E-05	3.46E-04	1.04E-08	0.25	1.57E-01	4.09E-10	1.0E+06	4.1E-04
60	3.74365	8.11E-06	3.0E-05	3.46E-04	1.05E-08	0.25	1.57E-01	4.13E-10	1.0E+06	4.1E-04
61	3.72373	8.11E-06	3.0E-05	3.46E-04	1.05E-08	0.25	1.57E-01	4.11E-10	1.0E+06	4.1E-04
62	3.65256	8.11E-06	3.0E-05	3.46E-04	1.03E-08	0.25	1.57E-01	4.03E-10	1.0E+06	4.0E-04
63	3.54705	8.11E-06	2.9E-05	3.46E-04	9.96E-09	0.25	1.57E-01	3.91E-10	1.0E+06	3.9E-04
64	3.40606	8.11E-06	2.8E-05	3.46E-04	9.56E-09	0.25	1.57E-01	3.76E-10	1.0E+06	3.8E-04
65	3.23281	8.11E-06	2.6E-05	3.46E-04	9.07E-09	0.25	1.57E-01	3.56E-10	1.0E+06	3.6E-04
66	3.05349	8.11E-06	2.5E-05	3.46E-04	8.57E-09	0.25	1.57E-01	3.37E-10	1.0E+06	3.4E-04
67	0.23136	8.11E-06	1.9E-06	3.46E-04	6.49E-10	0.25	1.57E-01	2.55E-11	1.0E+06	2.6E-05
68	0.24832	8.11E-06	2.0E-06	3.46E-04	6.97E-10	0.25	1.57E-01	2.74E-11	1.0E+06	2.7E-05
69	0.26736	8.11E-06	2.2E-06	3.46E-04	7.50E-10	0.25	1.57E-01	2.95E-11	1.0E+06	2.9E-05
70	0.28893	8.11E-06	2.3E-06	3.46E-04	8.11E-10	0.25	1.57E-01	3.19E-11	1.0E+06	3.2E-05
71	0.31326	8.11E-06	2.5E-06	3.46E-04	8.79E-10	0.25	1.57E-01	3.45E-11	1.0E+06	3.5E-05
72	0.3417	8.11E-06	2.8E-06	3.46E-04	9.59E-10	0.25	1.57E-01	3.77E-11	1.0E+06	3.8E-05
73	0.37449	8.11E-06	3.0E-06	3.46E-04	1.05E-09	0.25	1.57E-01	4.13E-11	1.0E+06	4.1E-05
74	0.41267	8.11E-06	3.3E-06	3.46E-04	1.16E-09	0.25	1.57E-01	4.55E-11	1.0E+06	4.6E-05
75	0.4576	8.11E-06	3.7E-06	3.46E-04	1.28E-09	0.25	1.57E-01	5.05E-11	1.0E+06	5.0E-05
76	0.5113	8.11E-06	4.1E-06	3.46E-04	1.44E-09	0.25	1.57E-01	5.64E-11	1.0E+06	5.6E-05
77	0.5763	8.11E-06	4.7E-06	3.46E-04	1.62E-09	0.25	1.57E-01	6.35E-11	1.0E+06	6.4E-05
78	0.65648	8.11E-06	5.3E-06	3.46E-04	1.84E-09	0.25	1.57E-01	7.24E-11	1.0E+06	7.2E-05
79	1.53048	8.11E-06	1.2E-05	3.46E-04	4.30E-09	0.25	1.57E-01	1.69E-10	1.0E+06	1.7E-04
80	1.89876	8.11E-06	1.5E-05	3.46E-04	5.33E-09	0.25	1.57E-01	2.09E-10	1.0E+06	2.1E-04
81	2.37895	8.11E-06	1.9E-05	3.46E-04	6.68E-09	0.25	1.57E-01	2.62E-10	1.0E+06	2.6E-04
82	2.94401	8.11E-06	2.4E-05	3.46E-04	8.26E-09	0.25	1.57E-01	3.25E-10	1.0E+06	3.2E-04
83	3.5479	8.11E-06	2.9E-05	3.46E-04	9.96E-09	0.25	1.57E-01	3.91E-10	1.0E+06	3.9E-04
84	4.1433	8.11E-06	3.4E-05	3.46E-04	1.16E-08	0.25	1.57E-01	4.57E-10	1.0E+06	4.6E-04

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	4.69075	8.11E-06	3.8E-05	3.46E-04	1.32E-08	0.25	1.57E-01	5.17E-10	1.0E+06	5.2E-04
86	5.08085	8.11E-06	4.1E-05	3.46E-04	1.43E-08	0.25	1.57E-01	5.60E-10	1.0E+06	5.6E-04
87	5.26077	8.11E-06	4.3E-05	3.46E-04	1.48E-08	0.25	1.57E-01	5.80E-10	1.0E+06	5.8E-04
88	5.27547	8.11E-06	4.3E-05	3.46E-04	1.48E-08	0.25	1.57E-01	5.82E-10	1.0E+06	5.8E-04
89	5.17708	8.11E-06	4.2E-05	3.46E-04	1.45E-08	0.25	1.57E-01	5.71E-10	1.0E+06	5.7E-04
90	5.02976	8.11E-06	4.1E-05	3.46E-04	1.41E-08	0.25	1.57E-01	5.55E-10	1.0E+06	5.5E-04
91	4.8739	8.11E-06	4.0E-05	3.46E-04	1.37E-08	0.25	1.57E-01	5.37E-10	1.0E+06	5.4E-04
92	4.67348	8.11E-06	3.8E-05	3.46E-04	1.31E-08	0.25	1.57E-01	5.15E-10	1.0E+06	5.2E-04
93	4.46816	8.11E-06	3.6E-05	3.46E-04	1.25E-08	0.25	1.57E-01	4.93E-10	1.0E+06	4.9E-04
96	8.35353	8.11E-06	6.8E-05	3.46E-04	2.34E-08	0.25	1.57E-01	9.21E-10	1.0E+06	9.2E-04
97	8.20378	8.11E-06	6.7E-05	3.46E-04	2.30E-08	0.25	1.57E-01	9.05E-10	1.0E+06	9.0E-04
98	7.81098	8.11E-06	6.3E-05	3.46E-04	2.19E-08	0.25	1.57E-01	8.61E-10	1.0E+06	8.6E-04
99	7.43196	8.11E-06	6.0E-05	3.46E-04	2.09E-08	0.25	1.57E-01	8.20E-10	1.0E+06	8.2E-04
100	7.06454	8.11E-06	5.7E-05	3.46E-04	1.98E-08	0.25	1.57E-01	7.79E-10	1.0E+06	7.8E-04
101	6.74205	8.11E-06	5.5E-05	3.46E-04	1.89E-08	0.25	1.57E-01	7.43E-10	1.0E+06	7.4E-04
102	6.52484	8.11E-06	5.3E-05	3.46E-04	1.83E-08	0.25	1.57E-01	7.19E-10	1.0E+06	7.2E-04
106	0.21951	8.11E-06	1.8E-06	3.46E-04	6.16E-10	0.25	1.57E-01	2.42E-11	1.0E+06	2.4E-05
107	0.23503	8.11E-06	1.9E-06	3.46E-04	6.60E-10	0.25	1.57E-01	2.59E-11	1.0E+06	2.6E-05
108	0.25268	8.11E-06	2.0E-06	3.46E-04	7.09E-10	0.25	1.57E-01	2.79E-11	1.0E+06	2.8E-05
109	0.27259	8.11E-06	2.2E-06	3.46E-04	7.65E-10	0.25	1.57E-01	3.01E-11	1.0E+06	3.0E-05
110	0.29532	8.11E-06	2.4E-06	3.46E-04	8.29E-10	0.25	1.57E-01	3.26E-11	1.0E+06	3.3E-05
111	0.32107	8.11E-06	2.6E-06	3.46E-04	9.01E-10	0.25	1.57E-01	3.54E-11	1.0E+06	3.5E-05
112	0.35152	8.11E-06	2.9E-06	3.46E-04	9.87E-10	0.25	1.57E-01	3.88E-11	1.0E+06	3.9E-05
113	0.38665	8.11E-06	3.1E-06	3.46E-04	1.09E-09	0.25	1.57E-01	4.26E-11	1.0E+06	4.3E-05
114	0.42817	8.11E-06	3.5E-06	3.46E-04	1.20E-09	0.25	1.57E-01	4.72E-11	1.0E+06	4.7E-05
115	0.47748	8.11E-06	3.9E-06	3.46E-04	1.34E-09	0.25	1.57E-01	5.27E-11	1.0E+06	5.3E-05
116	0.53675	8.11E-06	4.4E-06	3.46E-04	1.51E-09	0.25	1.57E-01	5.92E-11	1.0E+06	5.9E-05
117	0.61086	8.11E-06	5.0E-06	3.46E-04	1.71E-09	0.25	1.57E-01	6.74E-11	1.0E+06	6.7E-05
118	0.70404	8.11E-06	5.7E-06	3.46E-04	1.98E-09	0.25	1.57E-01	7.76E-11	1.0E+06	7.8E-05
124	0.21963	8.11E-06	1.8E-06	3.46E-04	6.16E-10	0.25	1.57E-01	2.42E-11	1.0E+06	2.4E-05
125	0.23541	8.11E-06	1.9E-06	3.46E-04	6.61E-10	0.25	1.57E-01	2.60E-11	1.0E+06	2.6E-05

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.25316	8.11E-06	2.1E-06	3.46E-04	7.11E-10	0.25	1.57E-01	2.79E-11	1.0E+06	2.8E-05
127	0.27324	8.11E-06	2.2E-06	3.46E-04	7.67E-10	0.25	1.57E-01	3.01E-11	1.0E+06	3.0E-05
128	0.29614	8.11E-06	2.4E-06	3.46E-04	8.31E-10	0.25	1.57E-01	3.27E-11	1.0E+06	3.3E-05
129	0.32222	8.11E-06	2.6E-06	3.46E-04	9.04E-10	0.25	1.57E-01	3.55E-11	1.0E+06	3.6E-05
130	0.35292	8.11E-06	2.9E-06	3.46E-04	9.91E-10	0.25	1.57E-01	3.89E-11	1.0E+06	3.9E-05
131	0.38861	8.11E-06	3.2E-06	3.46E-04	1.09E-09	0.25	1.57E-01	4.29E-11	1.0E+06	4.3E-05
132	0.43087	8.11E-06	3.5E-06	3.46E-04	1.21E-09	0.25	1.57E-01	4.75E-11	1.0E+06	4.8E-05
133	0.48113	8.11E-06	3.9E-06	3.46E-04	1.35E-09	0.25	1.57E-01	5.31E-11	1.0E+06	5.3E-05
134	0.54275	8.11E-06	4.4E-06	3.46E-04	1.52E-09	0.25	1.57E-01	5.98E-11	1.0E+06	6.0E-05
135	0.61847	8.11E-06	5.0E-06	3.46E-04	1.74E-09	0.25	1.57E-01	6.82E-11	1.0E+06	6.8E-05
136	0.71415	8.11E-06	5.8E-06	3.46E-04	2.00E-09	0.25	1.57E-01	7.87E-11	1.0E+06	7.9E-05
137	0.83755	8.11E-06	6.8E-06	3.46E-04	2.35E-09	0.25	1.57E-01	9.24E-11	1.0E+06	9.2E-05
138	1.006	8.11E-06	8.2E-06	3.46E-04	2.82E-09	0.25	1.57E-01	1.11E-10	1.0E+06	1.1E-04
141	0.21925	8.11E-06	1.8E-06	3.46E-04	6.15E-10	0.25	1.57E-01	2.42E-11	1.0E+06	2.4E-05
142	0.23502	8.11E-06	1.9E-06	3.46E-04	6.60E-10	0.25	1.57E-01	2.59E-11	1.0E+06	2.6E-05
143	0.25273	8.11E-06	2.0E-06	3.46E-04	7.09E-10	0.25	1.57E-01	2.79E-11	1.0E+06	2.8E-05
144	0.27279	8.11E-06	2.2E-06	3.46E-04	7.66E-10	0.25	1.57E-01	3.01E-11	1.0E+06	3.0E-05
145	0.29563	8.11E-06	2.4E-06	3.46E-04	8.30E-10	0.25	1.57E-01	3.26E-11	1.0E+06	3.3E-05
146	0.32168	8.11E-06	2.6E-06	3.46E-04	9.03E-10	0.25	1.57E-01	3.55E-11	1.0E+06	3.5E-05
147	0.35228	8.11E-06	2.9E-06	3.46E-04	9.89E-10	0.25	1.57E-01	3.88E-11	1.0E+06	3.9E-05
148	0.38784	8.11E-06	3.1E-06	3.46E-04	1.09E-09	0.25	1.57E-01	4.28E-11	1.0E+06	4.3E-05
149	0.42993	8.11E-06	3.5E-06	3.46E-04	1.21E-09	0.25	1.57E-01	4.74E-11	1.0E+06	4.7E-05
150	0.48018	8.11E-06	3.9E-06	3.46E-04	1.35E-09	0.25	1.57E-01	5.29E-11	1.0E+06	5.3E-05
151	0.54136	8.11E-06	4.4E-06	3.46E-04	1.52E-09	0.25	1.57E-01	5.97E-11	1.0E+06	6.0E-05
152	0.61698	8.11E-06	5.0E-06	3.46E-04	1.73E-09	0.25	1.57E-01	6.80E-11	1.0E+06	6.8E-05
153	0.71248	8.11E-06	5.8E-06	3.46E-04	2.00E-09	0.25	1.57E-01	7.86E-11	1.0E+06	7.9E-05
154	0.83523	8.11E-06	6.8E-06	3.46E-04	2.34E-09	0.25	1.57E-01	9.21E-11	1.0E+06	9.2E-05
155	1.00078	8.11E-06	8.1E-06	3.46E-04	2.81E-09	0.25	1.57E-01	1.10E-10	1.0E+06	1.1E-04
164	0.81823	8.11E-06	6.6E-06	3.46E-04	2.30E-09	0.25	1.57E-01	9.02E-11	1.0E+06	9.0E-05
165	0.97397	8.11E-06	7.9E-06	3.46E-04	2.73E-09	0.25	1.57E-01	1.07E-10	1.0E+06	1.1E-04
166	1.19112	8.11E-06	9.7E-06	3.46E-04	3.34E-09	0.25	1.57E-01	1.31E-10	1.0E+06	1.3E-04

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	0.79033	8.11E-06	6.4E-06	3.46E-04	2.22E-09	0.25	1.57E-01	8.71E-11	1.0E+06	8.7E-05
179	0.93249	8.11E-06	7.6E-06	3.46E-04	2.62E-09	0.25	1.57E-01	1.03E-10	1.0E+06	1.0E-04
180	1.12426	8.11E-06	9.1E-06	3.46E-04	3.16E-09	0.25	1.57E-01	1.24E-10	1.0E+06	1.2E-04
192	0.75593	8.11E-06	6.1E-06	3.46E-04	2.12E-09	0.25	1.57E-01	8.34E-11	1.0E+06	8.3E-05
193	0.88296	8.11E-06	7.2E-06	3.46E-04	2.48E-09	0.25	1.57E-01	9.74E-11	1.0E+06	9.7E-05
194	1.04697	8.11E-06	8.5E-06	3.46E-04	2.94E-09	0.25	1.57E-01	1.15E-10	1.0E+06	1.2E-04
207	0.71714	8.11E-06	5.8E-06	3.46E-04	2.01E-09	0.25	1.57E-01	7.91E-11	1.0E+06	7.9E-05
208	0.82801	8.11E-06	6.7E-06	3.46E-04	2.32E-09	0.25	1.57E-01	9.13E-11	1.0E+06	9.1E-05
209	0.96742	8.11E-06	7.8E-06	3.46E-04	2.72E-09	0.25	1.57E-01	1.07E-10	1.0E+06	1.1E-04
223	0.67661	8.11E-06	5.5E-06	3.46E-04	1.90E-09	0.25	1.57E-01	7.46E-11	1.0E+06	7.5E-05
224	0.77233	8.11E-06	6.3E-06	3.46E-04	2.17E-09	0.25	1.57E-01	8.52E-11	1.0E+06	8.5E-05
225	0.88885	8.11E-06	7.2E-06	3.46E-04	2.49E-09	0.25	1.57E-01	9.80E-11	1.0E+06	9.8E-05
239	0.63624	8.11E-06	5.2E-06	3.46E-04	1.79E-09	0.25	1.57E-01	7.02E-11	1.0E+06	7.0E-05
240	0.71861	8.11E-06	5.8E-06	3.46E-04	2.02E-09	0.25	1.57E-01	7.92E-11	1.0E+06	7.9E-05
241	0.81741	8.11E-06	6.6E-06	3.46E-04	2.29E-09	0.25	1.57E-01	9.01E-11	1.0E+06	9.0E-05
255	0.59675	8.11E-06	4.8E-06	3.46E-04	1.67E-09	0.25	1.57E-01	6.58E-11	1.0E+06	6.6E-05
256	0.6677	8.11E-06	5.4E-06	3.46E-04	1.87E-09	0.25	1.57E-01	7.36E-11	1.0E+06	7.4E-05
272	0.55877	8.11E-06	4.5E-06	3.46E-04	1.57E-09	0.25	1.57E-01	6.16E-11	1.0E+06	6.2E-05
273	0.6203	8.11E-06	5.0E-06	3.46E-04	1.74E-09	0.25	1.57E-01	6.84E-11	1.0E+06	6.8E-05
289	0.5232	8.11E-06	4.2E-06	3.46E-04	1.47E-09	0.25	1.57E-01	5.77E-11	1.0E+06	5.8E-05
290	0.57646	8.11E-06	4.7E-06	3.46E-04	1.62E-09	0.25	1.57E-01	6.36E-11	1.0E+06	6.4E-05
306	0.48985	8.11E-06	4.0E-06	3.46E-04	1.37E-09	0.25	1.57E-01	5.40E-11	1.0E+06	5.4E-05
307	0.53614	8.11E-06	4.3E-06	3.46E-04	1.50E-09	0.25	1.57E-01	5.91E-11	1.0E+06	5.9E-05
323	0.4588	8.11E-06	3.7E-06	3.46E-04	1.29E-09	0.25	1.57E-01	5.06E-11	1.0E+06	5.1E-05
324	0.49917	8.11E-06	4.0E-06	3.46E-04	1.40E-09	0.25	1.57E-01	5.50E-11	1.0E+06	5.5E-05
342	0.43006	8.11E-06	3.5E-06	3.46E-04	1.21E-09	0.25	1.57E-01	4.74E-11	1.0E+06	4.7E-05
343	0.46538	8.11E-06	3.8E-06	3.46E-04	1.31E-09	0.25	1.57E-01	5.13E-11	1.0E+06	5.1E-05
344	0.50432	8.11E-06	4.1E-06	3.46E-04	1.42E-09	0.25	1.57E-01	5.56E-11	1.0E+06	5.6E-05
356	0.40345	8.11E-06	3.3E-06	3.46E-04	1.13E-09	0.25	1.57E-01	4.45E-11	1.0E+06	4.4E-05
357	0.43437	8.11E-06	3.5E-06	3.46E-04	1.22E-09	0.25	1.57E-01	4.79E-11	1.0E+06	4.8E-05
358	0.46834	8.11E-06	3.8E-06	3.46E-04	1.31E-09	0.25	1.57E-01	5.16E-11	1.0E+06	5.2E-05

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.37895	8.11E-06	3.1E-06	3.46E-04	1.06E-09	0.25	1.57E-01	4.18E-11	1.0E+06	4.2E-05
371	0.40616	8.11E-06	3.3E-06	3.46E-04	1.14E-09	0.25	1.57E-01	4.48E-11	1.0E+06	4.5E-05
372	0.43583	8.11E-06	3.5E-06	3.46E-04	1.22E-09	0.25	1.57E-01	4.81E-11	1.0E+06	4.8E-05
383	0.35637	8.11E-06	2.9E-06	3.46E-04	1.00E-09	0.25	1.57E-01	3.93E-11	1.0E+06	3.9E-05
384	0.38043	8.11E-06	3.1E-06	3.46E-04	1.07E-09	0.25	1.57E-01	4.19E-11	1.0E+06	4.2E-05
385	0.40645	8.11E-06	3.3E-06	3.46E-04	1.14E-09	0.25	1.57E-01	4.48E-11	1.0E+06	4.5E-05
396	0.3356	8.11E-06	2.7E-06	3.46E-04	9.42E-10	0.25	1.57E-01	3.70E-11	1.0E+06	3.7E-05
397	0.35694	8.11E-06	2.9E-06	3.46E-04	1.00E-09	0.25	1.57E-01	3.94E-11	1.0E+06	3.9E-05
398	0.37985	8.11E-06	3.1E-06	3.46E-04	1.07E-09	0.25	1.57E-01	4.19E-11	1.0E+06	4.2E-05
399	0.40433	8.11E-06	3.3E-06	3.46E-04	1.13E-09	0.25	1.57E-01	4.46E-11	1.0E+06	4.5E-05
411	0.31647	8.11E-06	2.6E-06	3.46E-04	8.88E-10	0.25	1.57E-01	3.49E-11	1.0E+06	3.5E-05
412	0.33546	8.11E-06	2.7E-06	3.46E-04	9.42E-10	0.25	1.57E-01	3.70E-11	1.0E+06	3.7E-05
413	0.3558	8.11E-06	2.9E-06	3.46E-04	9.99E-10	0.25	1.57E-01	3.92E-11	1.0E+06	3.9E-05
414	0.37726	8.11E-06	3.1E-06	3.46E-04	1.06E-09	0.25	1.57E-01	4.16E-11	1.0E+06	4.2E-05
426	0.29888	8.11E-06	2.4E-06	3.46E-04	8.39E-10	0.25	1.57E-01	3.30E-11	1.0E+06	3.3E-05
427	0.31586	8.11E-06	2.6E-06	3.46E-04	8.87E-10	0.25	1.57E-01	3.48E-11	1.0E+06	3.5E-05
428	0.33383	8.11E-06	2.7E-06	3.46E-04	9.37E-10	0.25	1.57E-01	3.68E-11	1.0E+06	3.7E-05
429	0.35282	8.11E-06	2.9E-06	3.46E-04	9.90E-10	0.25	1.57E-01	3.89E-11	1.0E+06	3.9E-05
439	0.28267	8.11E-06	2.3E-06	3.46E-04	7.93E-10	0.25	1.57E-01	3.12E-11	1.0E+06	3.1E-05
440	0.29789	8.11E-06	2.4E-06	3.46E-04	8.36E-10	0.25	1.57E-01	3.28E-11	1.0E+06	3.3E-05
441	0.31393	8.11E-06	2.5E-06	3.46E-04	8.81E-10	0.25	1.57E-01	3.46E-11	1.0E+06	3.5E-05
442	0.33076	8.11E-06	2.7E-06	3.46E-04	9.28E-10	0.25	1.57E-01	3.65E-11	1.0E+06	3.6E-05
443	0.34832	8.11E-06	2.8E-06	3.46E-04	9.78E-10	0.25	1.57E-01	3.84E-11	1.0E+06	3.8E-05
454	0.26773	8.11E-06	2.2E-06	3.46E-04	7.51E-10	0.25	1.57E-01	2.95E-11	1.0E+06	3.0E-05
455	0.28142	8.11E-06	2.3E-06	3.46E-04	7.90E-10	0.25	1.57E-01	3.10E-11	1.0E+06	3.1E-05
456	0.29578	8.11E-06	2.4E-06	3.46E-04	8.30E-10	0.25	1.57E-01	3.26E-11	1.0E+06	3.3E-05
457	0.31076	8.11E-06	2.5E-06	3.46E-04	8.72E-10	0.25	1.57E-01	3.43E-11	1.0E+06	3.4E-05
458	0.3263	8.11E-06	2.6E-06	3.46E-04	9.16E-10	0.25	1.57E-01	3.60E-11	1.0E+06	3.6E-05
469	0.25393	8.11E-06	2.1E-06	3.46E-04	7.13E-10	0.25	1.57E-01	2.80E-11	1.0E+06	2.8E-05
470	0.26625	8.11E-06	2.2E-06	3.46E-04	7.47E-10	0.25	1.57E-01	2.94E-11	1.0E+06	2.9E-05
471	0.27914	8.11E-06	2.3E-06	3.46E-04	7.83E-10	0.25	1.57E-01	3.08E-11	1.0E+06	3.1E-05

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.29252	8.11E-06	2.4E-06	3.46E-04	8.21E-10	0.25	1.57E-01	3.23E-11	1.0E+06	3.2E-05
473	0.30632	8.11E-06	2.5E-06	3.46E-04	8.60E-10	0.25	1.57E-01	3.38E-11	1.0E+06	3.4E-05
489	0.2412	8.11E-06	2.0E-06	3.46E-04	6.77E-10	0.25	1.57E-01	2.66E-11	1.0E+06	2.7E-05
490	0.25235	8.11E-06	2.0E-06	3.46E-04	7.08E-10	0.25	1.57E-01	2.78E-11	1.0E+06	2.8E-05
491	0.26394	8.11E-06	2.1E-06	3.46E-04	7.41E-10	0.25	1.57E-01	2.91E-11	1.0E+06	2.9E-05
492	0.27593	8.11E-06	2.2E-06	3.46E-04	7.74E-10	0.25	1.57E-01	3.04E-11	1.0E+06	3.0E-05
493	0.28824	8.11E-06	2.3E-06	3.46E-04	8.09E-10	0.25	1.57E-01	3.18E-11	1.0E+06	3.2E-05
494	0.3008	8.11E-06	2.4E-06	3.46E-04	8.44E-10	0.25	1.57E-01	3.32E-11	1.0E+06	3.3E-05
509	0.22939	8.11E-06	1.9E-06	3.46E-04	6.44E-10	0.25	1.57E-01	2.53E-11	1.0E+06	2.5E-05
510	0.2395	8.11E-06	1.9E-06	3.46E-04	6.72E-10	0.25	1.57E-01	2.64E-11	1.0E+06	2.6E-05
511	0.24994	8.11E-06	2.0E-06	3.46E-04	7.02E-10	0.25	1.57E-01	2.76E-11	1.0E+06	2.8E-05
512	0.26071	8.11E-06	2.1E-06	3.46E-04	7.32E-10	0.25	1.57E-01	2.87E-11	1.0E+06	2.9E-05
513	0.27175	8.11E-06	2.2E-06	3.46E-04	7.63E-10	0.25	1.57E-01	3.00E-11	1.0E+06	3.0E-05
514	0.28293	8.11E-06	2.3E-06	3.46E-04	7.94E-10	0.25	1.57E-01	3.12E-11	1.0E+06	3.1E-05
515	0.30537	8.11E-06	2.5E-06	3.46E-04	8.57E-10	0.25	1.57E-01	3.37E-11	1.0E+06	3.4E-05
516	0.31634	8.11E-06	2.6E-06	3.46E-04	8.88E-10	0.25	1.57E-01	3.49E-11	1.0E+06	3.5E-05
517	0.32679	8.11E-06	2.6E-06	3.46E-04	9.17E-10	0.25	1.57E-01	3.60E-11	1.0E+06	3.6E-05
518	0.33649	8.11E-06	2.7E-06	3.46E-04	9.44E-10	0.25	1.57E-01	3.71E-11	1.0E+06	3.7E-05
519	0.34515	8.11E-06	2.8E-06	3.46E-04	9.69E-10	0.25	1.57E-01	3.81E-11	1.0E+06	3.8E-05
528	0.21844	8.11E-06	1.8E-06	3.46E-04	6.13E-10	0.25	1.57E-01	2.41E-11	1.0E+06	2.4E-05
529	0.22762	8.11E-06	1.8E-06	3.46E-04	6.39E-10	0.25	1.57E-01	2.51E-11	1.0E+06	2.5E-05
530	0.23708	8.11E-06	1.9E-06	3.46E-04	6.65E-10	0.25	1.57E-01	2.61E-11	1.0E+06	2.6E-05
531	0.24677	8.11E-06	2.0E-06	3.46E-04	6.93E-10	0.25	1.57E-01	2.72E-11	1.0E+06	2.7E-05
532	0.25666	8.11E-06	2.1E-06	3.46E-04	7.20E-10	0.25	1.57E-01	2.83E-11	1.0E+06	2.8E-05
533	0.26666	8.11E-06	2.2E-06	3.46E-04	7.48E-10	0.25	1.57E-01	2.94E-11	1.0E+06	2.9E-05
534	0.28665	8.11E-06	2.3E-06	3.46E-04	8.05E-10	0.25	1.57E-01	3.16E-11	1.0E+06	3.2E-05
535	0.29635	8.11E-06	2.4E-06	3.46E-04	8.32E-10	0.25	1.57E-01	3.27E-11	1.0E+06	3.3E-05
536	0.30558	8.11E-06	2.5E-06	3.46E-04	8.58E-10	0.25	1.57E-01	3.37E-11	1.0E+06	3.4E-05
537	0.31417	8.11E-06	2.5E-06	3.46E-04	8.82E-10	0.25	1.57E-01	3.46E-11	1.0E+06	3.5E-05
538	0.32187	8.11E-06	2.6E-06	3.46E-04	9.03E-10	0.25	1.57E-01	3.55E-11	1.0E+06	3.5E-05
547	0.20827	8.11E-06	1.7E-06	3.46E-04	5.85E-10	0.25	1.57E-01	2.30E-11	1.0E+06	2.3E-05

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.21664	8.11E-06	1.8E-06	3.46E-04	6.08E-10	0.25	1.57E-01	2.39E-11	1.0E+06	2.4E-05
549	0.2252	8.11E-06	1.8E-06	3.46E-04	6.32E-10	0.25	1.57E-01	2.48E-11	1.0E+06	2.5E-05
550	0.23397	8.11E-06	1.9E-06	3.46E-04	6.57E-10	0.25	1.57E-01	2.58E-11	1.0E+06	2.6E-05
551	0.24286	8.11E-06	2.0E-06	3.46E-04	6.82E-10	0.25	1.57E-01	2.68E-11	1.0E+06	2.7E-05
552	0.25183	8.11E-06	2.0E-06	3.46E-04	7.07E-10	0.25	1.57E-01	2.78E-11	1.0E+06	2.8E-05
553	0.26079	8.11E-06	2.1E-06	3.46E-04	7.32E-10	0.25	1.57E-01	2.88E-11	1.0E+06	2.9E-05
554	0.26966	8.11E-06	2.2E-06	3.46E-04	7.57E-10	0.25	1.57E-01	2.97E-11	1.0E+06	3.0E-05
555	0.27827	8.11E-06	2.3E-06	3.46E-04	7.81E-10	0.25	1.57E-01	3.07E-11	1.0E+06	3.1E-05
556	0.28646	8.11E-06	2.3E-06	3.46E-04	8.04E-10	0.25	1.57E-01	3.16E-11	1.0E+06	3.2E-05
557	0.29411	8.11E-06	2.4E-06	3.46E-04	8.26E-10	0.25	1.57E-01	3.24E-11	1.0E+06	3.2E-05
558	0.30096	8.11E-06	2.4E-06	3.46E-04	8.45E-10	0.25	1.57E-01	3.32E-11	1.0E+06	3.3E-05
559	0.30684	8.11E-06	2.5E-06	3.46E-04	8.61E-10	0.25	1.57E-01	3.38E-11	1.0E+06	3.4E-05
567	0.19881	8.11E-06	1.6E-06	3.46E-04	5.58E-10	0.25	1.57E-01	2.19E-11	1.0E+06	2.2E-05
568	0.20643	8.11E-06	1.7E-06	3.46E-04	5.79E-10	0.25	1.57E-01	2.28E-11	1.0E+06	2.3E-05
569	0.21422	8.11E-06	1.7E-06	3.46E-04	6.01E-10	0.25	1.57E-01	2.36E-11	1.0E+06	2.4E-05
570	0.22215	8.11E-06	1.8E-06	3.46E-04	6.24E-10	0.25	1.57E-01	2.45E-11	1.0E+06	2.4E-05
571	0.23017	8.11E-06	1.9E-06	3.46E-04	6.46E-10	0.25	1.57E-01	2.54E-11	1.0E+06	2.5E-05
572	0.23823	8.11E-06	1.9E-06	3.46E-04	6.69E-10	0.25	1.57E-01	2.63E-11	1.0E+06	2.6E-05
573	0.24627	8.11E-06	2.0E-06	3.46E-04	6.91E-10	0.25	1.57E-01	2.72E-11	1.0E+06	2.7E-05
574	0.26189	8.11E-06	2.1E-06	3.46E-04	7.35E-10	0.25	1.57E-01	2.89E-11	1.0E+06	2.9E-05
575	0.26919	8.11E-06	2.2E-06	3.46E-04	7.56E-10	0.25	1.57E-01	2.97E-11	1.0E+06	3.0E-05
576	0.27598	8.11E-06	2.2E-06	3.46E-04	7.75E-10	0.25	1.57E-01	3.04E-11	1.0E+06	3.0E-05
577	0.28211	8.11E-06	2.3E-06	3.46E-04	7.92E-10	0.25	1.57E-01	3.11E-11	1.0E+06	3.1E-05
578	0.2874	8.11E-06	2.3E-06	3.46E-04	8.07E-10	0.25	1.57E-01	3.17E-11	1.0E+06	3.2E-05
586	0.19002	8.11E-06	1.5E-06	3.46E-04	5.33E-10	0.25	1.57E-01	2.10E-11	1.0E+06	2.1E-05
587	0.19699	8.11E-06	1.6E-06	3.46E-04	5.53E-10	0.25	1.57E-01	2.17E-11	1.0E+06	2.2E-05
588	0.20407	8.11E-06	1.7E-06	3.46E-04	5.73E-10	0.25	1.57E-01	2.25E-11	1.0E+06	2.3E-05
589	0.21126	8.11E-06	1.7E-06	3.46E-04	5.93E-10	0.25	1.57E-01	2.33E-11	1.0E+06	2.3E-05
590	0.21852	8.11E-06	1.8E-06	3.46E-04	6.13E-10	0.25	1.57E-01	2.41E-11	1.0E+06	2.4E-05
591	0.22578	8.11E-06	1.8E-06	3.46E-04	6.34E-10	0.25	1.57E-01	2.49E-11	1.0E+06	2.5E-05
592	0.23301	8.11E-06	1.9E-06	3.46E-04	6.54E-10	0.25	1.57E-01	2.57E-11	1.0E+06	2.6E-05

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.24699	8.11E-06	2.0E-06	3.46E-04	6.93E-10	0.25	1.57E-01	2.72E-11	1.0E+06	2.7E-05
594	0.25352	8.11E-06	2.1E-06	3.46E-04	7.12E-10	0.25	1.57E-01	2.80E-11	1.0E+06	2.8E-05
595	0.25963	8.11E-06	2.1E-06	3.46E-04	7.29E-10	0.25	1.57E-01	2.86E-11	1.0E+06	2.9E-05
596	0.26513	8.11E-06	2.1E-06	3.46E-04	7.44E-10	0.25	1.57E-01	2.92E-11	1.0E+06	2.9E-05
597	0.26989	8.11E-06	2.2E-06	3.46E-04	7.58E-10	0.25	1.57E-01	2.98E-11	1.0E+06	3.0E-05
345	0.54754	8.11E-06	4.4E-06	3.46E-04	1.54E-09	0.25	1.57E-01	6.04E-11	1.0E+06	6.0E-05
346	0.59492	8.11E-06	4.8E-06	3.46E-04	1.67E-09	0.25	1.57E-01	6.56E-11	1.0E+06	6.6E-05
347	0.64656	8.11E-06	5.2E-06	3.46E-04	1.81E-09	0.25	1.57E-01	7.13E-11	1.0E+06	7.1E-05
348	0.70189	8.11E-06	5.7E-06	3.46E-04	1.97E-09	0.25	1.57E-01	7.74E-11	1.0E+06	7.7E-05
359	0.50558	8.11E-06	4.1E-06	3.46E-04	1.42E-09	0.25	1.57E-01	5.57E-11	1.0E+06	5.6E-05
360	0.54615	8.11E-06	4.4E-06	3.46E-04	1.53E-09	0.25	1.57E-01	6.02E-11	1.0E+06	6.0E-05
361	0.58961	8.11E-06	4.8E-06	3.46E-04	1.65E-09	0.25	1.57E-01	6.50E-11	1.0E+06	6.5E-05
362	0.63593	8.11E-06	5.2E-06	3.46E-04	1.78E-09	0.25	1.57E-01	7.01E-11	1.0E+06	7.0E-05
363	0.68387	8.11E-06	5.5E-06	3.46E-04	1.92E-09	0.25	1.57E-01	7.54E-11	1.0E+06	7.5E-05
373	0.50278	8.11E-06	4.1E-06	3.46E-04	1.41E-09	0.25	1.57E-01	5.54E-11	1.0E+06	5.5E-05
374	0.53988	8.11E-06	4.4E-06	3.46E-04	1.52E-09	0.25	1.57E-01	5.95E-11	1.0E+06	6.0E-05
375	0.57892	8.11E-06	4.7E-06	3.46E-04	1.62E-09	0.25	1.57E-01	6.38E-11	1.0E+06	6.4E-05
376	0.61919	8.11E-06	5.0E-06	3.46E-04	1.74E-09	0.25	1.57E-01	6.83E-11	1.0E+06	6.8E-05
386	0.46446	8.11E-06	3.8E-06	3.46E-04	1.30E-09	0.25	1.57E-01	5.12E-11	1.0E+06	5.1E-05
387	0.49623	8.11E-06	4.0E-06	3.46E-04	1.39E-09	0.25	1.57E-01	5.47E-11	1.0E+06	5.5E-05
388	0.52947	8.11E-06	4.3E-06	3.46E-04	1.49E-09	0.25	1.57E-01	5.84E-11	1.0E+06	5.8E-05
389	0.56355	8.11E-06	4.6E-06	3.46E-04	1.58E-09	0.25	1.57E-01	6.21E-11	1.0E+06	6.2E-05
390	0.59762	8.11E-06	4.8E-06	3.46E-04	1.68E-09	0.25	1.57E-01	6.59E-11	1.0E+06	6.6E-05
400	0.43036	8.11E-06	3.5E-06	3.46E-04	1.21E-09	0.25	1.57E-01	4.75E-11	1.0E+06	4.7E-05
401	0.45786	8.11E-06	3.7E-06	3.46E-04	1.29E-09	0.25	1.57E-01	5.05E-11	1.0E+06	5.0E-05
402	0.48629	8.11E-06	3.9E-06	3.46E-04	1.36E-09	0.25	1.57E-01	5.36E-11	1.0E+06	5.4E-05
403	0.51538	8.11E-06	4.2E-06	3.46E-04	1.45E-09	0.25	1.57E-01	5.68E-11	1.0E+06	5.7E-05
404	0.54441	8.11E-06	4.4E-06	3.46E-04	1.53E-09	0.25	1.57E-01	6.00E-11	1.0E+06	6.0E-05
415	0.39998	8.11E-06	3.2E-06	3.46E-04	1.12E-09	0.25	1.57E-01	4.41E-11	1.0E+06	4.4E-05
416	0.42378	8.11E-06	3.4E-06	3.46E-04	1.19E-09	0.25	1.57E-01	4.67E-11	1.0E+06	4.7E-05
417	0.44839	8.11E-06	3.6E-06	3.46E-04	1.26E-09	0.25	1.57E-01	4.94E-11	1.0E+06	4.9E-05

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.47328	8.11E-06	3.8E-06	3.46E-04	1.33E-09	0.25	1.57E-01	5.22E-11	1.0E+06	5.2E-05
419	0.49797	8.11E-06	4.0E-06	3.46E-04	1.40E-09	0.25	1.57E-01	5.49E-11	1.0E+06	5.5E-05
420	0.52219	8.11E-06	4.2E-06	3.46E-04	1.47E-09	0.25	1.57E-01	5.76E-11	1.0E+06	5.8E-05
430	0.39358	8.11E-06	3.2E-06	3.46E-04	1.10E-09	0.25	1.57E-01	4.34E-11	1.0E+06	4.3E-05
431	0.41481	8.11E-06	3.4E-06	3.46E-04	1.16E-09	0.25	1.57E-01	4.57E-11	1.0E+06	4.6E-05
432	0.43635	8.11E-06	3.5E-06	3.46E-04	1.22E-09	0.25	1.57E-01	4.81E-11	1.0E+06	4.8E-05
433	0.4577	8.11E-06	3.7E-06	3.46E-04	1.28E-09	0.25	1.57E-01	5.05E-11	1.0E+06	5.0E-05
434	0.47832	8.11E-06	3.9E-06	3.46E-04	1.34E-09	0.25	1.57E-01	5.27E-11	1.0E+06	5.3E-05
444	0.36648	8.11E-06	3.0E-06	3.46E-04	1.03E-09	0.25	1.57E-01	4.04E-11	1.0E+06	4.0E-05
445	0.38513	8.11E-06	3.1E-06	3.46E-04	1.08E-09	0.25	1.57E-01	4.25E-11	1.0E+06	4.2E-05
446	0.40382	8.11E-06	3.3E-06	3.46E-04	1.13E-09	0.25	1.57E-01	4.45E-11	1.0E+06	4.5E-05
447	0.42229	8.11E-06	3.4E-06	3.46E-04	1.19E-09	0.25	1.57E-01	4.66E-11	1.0E+06	4.7E-05
448	0.44012	8.11E-06	3.6E-06	3.46E-04	1.24E-09	0.25	1.57E-01	4.85E-11	1.0E+06	4.9E-05
459	0.35861	8.11E-06	2.9E-06	3.46E-04	1.01E-09	0.25	1.57E-01	3.95E-11	1.0E+06	4.0E-05
460	0.37497	8.11E-06	3.0E-06	3.46E-04	1.05E-09	0.25	1.57E-01	4.13E-11	1.0E+06	4.1E-05
461	0.39109	8.11E-06	3.2E-06	3.46E-04	1.10E-09	0.25	1.57E-01	4.31E-11	1.0E+06	4.3E-05
462	0.40658	8.11E-06	3.3E-06	3.46E-04	1.14E-09	0.25	1.57E-01	4.48E-11	1.0E+06	4.5E-05
463	0.421	8.11E-06	3.4E-06	3.46E-04	1.18E-09	0.25	1.57E-01	4.64E-11	1.0E+06	4.6E-05
474	0.33488	8.11E-06	2.7E-06	3.46E-04	9.40E-10	0.25	1.57E-01	3.69E-11	1.0E+06	3.7E-05
475	0.34924	8.11E-06	2.8E-06	3.46E-04	9.80E-10	0.25	1.57E-01	3.85E-11	1.0E+06	3.9E-05
476	0.36331	8.11E-06	2.9E-06	3.46E-04	1.02E-09	0.25	1.57E-01	4.01E-11	1.0E+06	4.0E-05
477	0.37686	8.11E-06	3.1E-06	3.46E-04	1.06E-09	0.25	1.57E-01	4.16E-11	1.0E+06	4.2E-05
478	0.38943	8.11E-06	3.2E-06	3.46E-04	1.09E-09	0.25	1.57E-01	4.29E-11	1.0E+06	4.3E-05
495	0.31348	8.11E-06	2.5E-06	3.46E-04	8.80E-10	0.25	1.57E-01	3.46E-11	1.0E+06	3.5E-05
496	0.32616	8.11E-06	2.6E-06	3.46E-04	9.15E-10	0.25	1.57E-01	3.60E-11	1.0E+06	3.6E-05
497	0.33854	8.11E-06	2.7E-06	3.46E-04	9.50E-10	0.25	1.57E-01	3.73E-11	1.0E+06	3.7E-05
498	0.35041	8.11E-06	2.8E-06	3.46E-04	9.84E-10	0.25	1.57E-01	3.86E-11	1.0E+06	3.9E-05
499	0.36143	8.11E-06	2.9E-06	3.46E-04	1.01E-09	0.25	1.57E-01	3.99E-11	1.0E+06	4.0E-05
500	0.37126	8.11E-06	3.0E-06	3.46E-04	1.04E-09	0.25	1.57E-01	4.09E-11	1.0E+06	4.1E-05

Via Oro
Risk From 405 from 710 to Hughes [TKO]

		Cancer Risk from 3rd Trimester - Construction									
Receptor #	Conc	g/sec	Cair	Dose		Risk		Constant 2	Risk/ Million		
				Constant	Dose	ED	Constant				
139	1.24007	8.11E-06	1.0E-05	3.46E-04	3.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	1.59485	8.11E-06	1.3E-05	3.46E-04	4.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	1.23468	8.11E-06	1.0E-05	3.46E-04	3.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	1.58185	8.11E-06	1.3E-05	3.46E-04	4.44E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	2.15745	8.11E-06	1.7E-05	3.46E-04	6.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	3.26781	8.11E-06	2.6E-05	3.46E-04	9.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	6.1827	8.11E-06	5.0E-05	3.46E-04	1.74E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	21.08855	8.11E-06	1.7E-04	3.46E-04	5.92E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	20.71936	8.11E-06	1.7E-04	3.46E-04	5.82E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	22.92655	8.11E-06	1.9E-04	3.46E-04	6.44E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	1.49633	8.11E-06	1.2E-05	3.46E-04	4.20E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	1.99096	8.11E-06	1.6E-05	3.46E-04	5.59E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	2.81631	8.11E-06	2.3E-05	3.46E-04	7.90E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	4.44743	8.11E-06	3.6E-05	3.46E-04	1.25E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	7.72008	8.11E-06	6.3E-05	3.46E-04	2.17E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	9.85432	8.11E-06	8.0E-05	3.46E-04	2.77E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	10.63644	8.11E-06	8.6E-05	3.46E-04	2.99E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	11.78887	8.11E-06	9.6E-05	3.46E-04	3.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	13.53461	8.11E-06	1.1E-04	3.46E-04	3.80E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	15.68505	8.11E-06	1.3E-04	3.46E-04	4.40E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	17.92374	8.11E-06	1.5E-04	3.46E-04	5.03E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	1.77322	8.11E-06	1.4E-05	3.46E-04	4.98E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	2.35459	8.11E-06	1.9E-05	3.46E-04	6.61E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	3.2992	8.11E-06	2.7E-05	3.46E-04	9.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	4.68754	8.11E-06	3.8E-05	3.46E-04	1.32E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	5.92647	8.11E-06	4.8E-05	3.46E-04	1.66E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	6.70974	8.11E-06	5.4E-05	3.46E-04	1.88E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	7.4167	8.11E-06	6.0E-05	3.46E-04	2.08E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	8.22019	8.11E-06	6.7E-05	3.46E-04	2.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	9.0857	8.11E-06	7.4E-05	3.46E-04	2.55E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	9.92021	8.11E-06	8.0E-05	3.46E-04	2.78E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	10.63253	8.11E-06	8.6E-05	3.46E-04	2.98E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	1.5631	8.11E-06	1.3E-05	3.46E-04	4.39E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	1.98022	8.11E-06	1.6E-05	3.46E-04	5.56E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	2.57794	8.11E-06	2.1E-05	3.46E-04	7.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	3.34691	8.11E-06	2.7E-05	3.46E-04	9.39E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	4.10786	8.11E-06	3.3E-05	3.46E-04	1.15E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	4.70057	8.11E-06	3.8E-05	3.46E-04	1.32E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	5.18885	8.11E-06	4.2E-05	3.46E-04	1.46E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	5.6595	8.11E-06	4.6E-05	3.46E-04	1.59E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	6.11466	8.11E-06	5.0E-05	3.46E-04	1.72E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	6.517	8.11E-06	5.3E-05	3.46E-04	1.83E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	6.82848	8.11E-06	5.5E-05	3.46E-04	1.92E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	6.95779	8.11E-06	5.6E-05	3.46E-04	1.95E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	1.13765	8.11E-06	9.2E-06	3.46E-04	3.19E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	1.37867	8.11E-06	1.1E-05	3.46E-04	3.87E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	1.6861	8.11E-06	1.4E-05	3.46E-04	4.73E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	2.09131	8.11E-06	1.7E-05	3.46E-04	5.87E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	3.07876	8.11E-06	2.5E-05	3.46E-04	8.64E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	3.51048	8.11E-06	2.8E-05	3.46E-04	9.85E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	3.86757	8.11E-06	3.1E-05	3.46E-04	1.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	4.18416	8.11E-06	3.4E-05	3.46E-04	1.17E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	4.46353	8.11E-06	3.6E-05	3.46E-04	1.25E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	4.69178	8.11E-06	3.8E-05	3.46E-04	1.32E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	4.84836	8.11E-06	3.9E-05	3.46E-04	1.36E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	4.88911	8.11E-06	4.0E-05	3.46E-04	1.37E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	4.81115	8.11E-06	3.9E-05	3.46E-04	1.35E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	1.0333	8.11E-06	8.4E-06	3.46E-04	2.90E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	1.22013	8.11E-06	9.9E-06	3.46E-04	3.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	1.45313	8.11E-06	1.2E-05	3.46E-04	4.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	1.74196	8.11E-06	1.4E-05	3.46E-04	4.89E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	2.07737	8.11E-06	1.7E-05	3.46E-04	5.83E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	2.42603	8.11E-06	2.0E-05	3.46E-04	6.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	2.74197	8.11E-06	2.2E-05	3.46E-04	7.70E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	3.23634	8.11E-06	2.6E-05	3.46E-04	9.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	3.42767	8.11E-06	2.8E-05	3.46E-04	9.62E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	3.57312	8.11E-06	2.9E-05	3.46E-04	1.00E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	3.66102	8.11E-06	3.0E-05	3.46E-04	1.03E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	3.67498	8.11E-06	3.0E-05	3.46E-04	1.03E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	3.59816	8.11E-06	2.9E-05	3.46E-04	1.01E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	0.93685	8.11E-06	7.6E-06	3.46E-04	2.63E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	1.08496	8.11E-06	8.8E-06	3.46E-04	3.05E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	1.26586	8.11E-06	1.0E-05	3.46E-04	3.55E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	1.48057	8.11E-06	1.2E-05	3.46E-04	4.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	1.72272	8.11E-06	1.4E-05	3.46E-04	4.84E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	1.97305	8.11E-06	1.6E-05	3.46E-04	5.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	2.20763	8.11E-06	1.8E-05	3.46E-04	6.20E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	2.58524	8.11E-06	2.1E-05	3.46E-04	7.26E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	2.72347	8.11E-06	2.2E-05	3.46E-04	7.64E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	2.82428	8.11E-06	2.3E-05	3.46E-04	7.93E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	2.87816	8.11E-06	2.3E-05	3.46E-04	8.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	2.8842	8.11E-06	2.3E-05	3.46E-04	8.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	2.82388	8.11E-06	2.3E-05	3.46E-04	7.93E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	0.85094	8.11E-06	6.9E-06	3.46E-04	2.39E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	0.97037	8.11E-06	7.9E-06	3.46E-04	2.72E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	1.11287	8.11E-06	9.0E-06	3.46E-04	3.12E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	1.27636	8.11E-06	1.0E-05	3.46E-04	3.58E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	1.45702	8.11E-06	1.2E-05	3.46E-04	4.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	1.64355	8.11E-06	1.3E-05	3.46E-04	4.61E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	1.82163	8.11E-06	1.5E-05	3.46E-04	5.11E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	2.1125	8.11E-06	1.7E-05	3.46E-04	5.93E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	2.21727	8.11E-06	1.8E-05	3.46E-04	6.22E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	2.29086	8.11E-06	1.9E-05	3.46E-04	6.43E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	2.32938	8.11E-06	1.9E-05	3.46E-04	6.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	2.3306	8.11E-06	1.9E-05	3.46E-04	6.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	2.28353	8.11E-06	1.9E-05	3.46E-04	6.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	1.88214	8.11E-06	1.5E-05	3.46E-04	5.28E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	1.67671	8.11E-06	1.4E-05	3.46E-04	4.71E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	0.77483	8.11E-06	6.3E-06	3.46E-04	2.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	0.87185	8.11E-06	7.1E-06	3.46E-04	2.45E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	0.98541	8.11E-06	8.0E-06	3.46E-04	2.77E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	1.11376	8.11E-06	9.0E-06	3.46E-04	3.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	1.25251	8.11E-06	1.0E-05	3.46E-04	3.52E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	1.39555	8.11E-06	1.1E-05	3.46E-04	3.92E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	1.53383	8.11E-06	1.2E-05	3.46E-04	4.31E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	1.76149	8.11E-06	1.4E-05	3.46E-04	4.94E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	1.84314	8.11E-06	1.5E-05	3.46E-04	5.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	1.89993	8.11E-06	1.5E-05	3.46E-04	5.33E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	1.92896	8.11E-06	1.6E-05	3.46E-04	5.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	1.9269	8.11E-06	1.6E-05	3.46E-04	5.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	1.89013	8.11E-06	1.5E-05	3.46E-04	5.31E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	1.58978	8.11E-06	1.3E-05	3.46E-04	4.46E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	1.434	8.11E-06	1.2E-05	3.46E-04	4.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	0.70736	8.11E-06	5.7E-06	3.46E-04	1.99E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	0.7873	8.11E-06	6.4E-06	3.46E-04	2.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	0.87866	8.11E-06	7.1E-06	3.46E-04	2.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	0.98116	8.11E-06	8.0E-06	3.46E-04	2.75E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	1.09016	8.11E-06	8.8E-06	3.46E-04	3.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	1.20195	8.11E-06	9.7E-06	3.46E-04	3.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	1.30998	8.11E-06	1.1E-05	3.46E-04	3.68E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	1.49154	8.11E-06	1.2E-05	3.46E-04	4.19E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	1.55664	8.11E-06	1.3E-05	3.46E-04	4.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	1.60178	8.11E-06	1.3E-05	3.46E-04	4.50E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	1.62429	8.11E-06	1.3E-05	3.46E-04	4.56E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	1.62236	8.11E-06	1.3E-05	3.46E-04	4.55E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	1.59378	8.11E-06	1.3E-05	3.46E-04	4.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	1.36278	8.11E-06	1.1E-05	3.46E-04	3.83E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	1.24422	8.11E-06	1.0E-05	3.46E-04	3.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	0.64764	8.11E-06	5.3E-06	3.46E-04	1.82E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	0.71435	8.11E-06	5.8E-06	3.46E-04	2.01E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	0.78879	8.11E-06	6.4E-06	3.46E-04	2.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	0.87155	8.11E-06	7.1E-06	3.46E-04	2.45E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	0.9583	8.11E-06	7.8E-06	3.46E-04	2.69E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	1.04722	8.11E-06	8.5E-06	3.46E-04	2.94E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	1.13338	8.11E-06	9.2E-06	3.46E-04	3.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	1.27975	8.11E-06	1.0E-05	3.46E-04	3.59E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	1.33221	8.11E-06	1.1E-05	3.46E-04	3.74E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	1.36941	8.11E-06	1.1E-05	3.46E-04	3.84E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	1.38753	8.11E-06	1.1E-05	3.46E-04	3.89E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	1.38619	8.11E-06	1.1E-05	3.46E-04	3.89E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	1.36471	8.11E-06	1.1E-05	3.46E-04	3.83E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	1.18381	8.11E-06	9.6E-06	3.46E-04	3.32E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	1.09175	8.11E-06	8.9E-06	3.46E-04	3.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	0.5946	8.11E-06	4.8E-06	3.46E-04	1.67E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	0.65064	8.11E-06	5.3E-06	3.46E-04	1.83E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	0.71231	8.11E-06	5.8E-06	3.46E-04	2.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	0.77952	8.11E-06	6.3E-06	3.46E-04	2.19E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	0.85023	8.11E-06	6.9E-06	3.46E-04	2.39E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	0.92146	8.11E-06	7.5E-06	3.46E-04	2.59E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	0.99108	8.11E-06	8.0E-06	3.46E-04	2.78E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	1.05459	8.11E-06	8.6E-06	3.46E-04	2.96E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	1.11031	8.11E-06	9.0E-06	3.46E-04	3.12E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	1.1538	8.11E-06	9.4E-06	3.46E-04	3.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	1.18421	8.11E-06	9.6E-06	3.46E-04	3.32E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	1.19964	8.11E-06	9.7E-06	3.46E-04	3.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	1.19927	8.11E-06	9.7E-06	3.46E-04	3.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	1.18185	8.11E-06	9.6E-06	3.46E-04	3.32E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	1.10214	8.11E-06	8.9E-06	3.46E-04	3.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	1.03978	8.11E-06	8.4E-06	3.46E-04	2.92E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.96671	8.11E-06	7.8E-06	3.46E-04	2.71E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	0.75987	8.11E-06	6.2E-06	3.46E-04	2.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	0.81837	8.11E-06	6.6E-06	3.46E-04	2.30E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	0.8756	8.11E-06	7.1E-06	3.46E-04	2.46E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	0.92725	8.11E-06	7.5E-06	3.46E-04	2.60E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	0.97141	8.11E-06	7.9E-06	3.46E-04	2.73E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	0.92148	8.11E-06	7.5E-06	3.46E-04	2.59E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.86269	8.11E-06	7.0E-06	3.46E-04	2.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	0.73224	8.11E-06	5.9E-06	3.46E-04	2.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	0.77907	8.11E-06	6.3E-06	3.46E-04	2.19E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	0.82273	8.11E-06	6.7E-06	3.46E-04	2.31E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	0.86336	8.11E-06	7.0E-06	3.46E-04	2.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	0.8231	8.11E-06	6.7E-06	3.46E-04	2.31E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.77526	8.11E-06	6.3E-06	3.46E-04	2.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	0.6596	8.11E-06	5.3E-06	3.46E-04	1.85E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	0.69882	8.11E-06	5.7E-06	3.46E-04	1.96E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	0.73537	8.11E-06	6.0E-06	3.46E-04	2.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	0.77311	8.11E-06	6.3E-06	3.46E-04	2.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	0.74025	8.11E-06	6.0E-06	3.46E-04	2.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.70107	8.11E-06	5.7E-06	3.46E-04	1.97E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	0.63072	8.11E-06	5.1E-06	3.46E-04	1.77E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	0.66158	8.11E-06	5.4E-06	3.46E-04	1.86E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	0.69667	8.11E-06	5.6E-06	3.46E-04	1.96E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.66965	8.11E-06	5.4E-06	3.46E-04	1.88E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.63721	8.11E-06	5.2E-06	3.46E-04	1.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	0.57241	8.11E-06	4.6E-06	3.46E-04	1.61E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	0.5985	8.11E-06	4.9E-06	3.46E-04	1.68E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	0.62137	8.11E-06	5.0E-06	3.46E-04	1.74E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	0.63137	8.11E-06	5.1E-06	3.46E-04	1.77E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.60899	8.11E-06	4.9E-06	3.46E-04	1.71E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.58188	8.11E-06	4.7E-06	3.46E-04	1.63E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	0.54441	8.11E-06	4.4E-06	3.46E-04	1.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	0.56408	8.11E-06	4.6E-06	3.46E-04	1.58E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.5751	8.11E-06	4.7E-06	3.46E-04	1.61E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.55649	8.11E-06	4.5E-06	3.46E-04	1.56E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.53375	8.11E-06	4.3E-06	3.46E-04	1.50E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	0.49763	8.11E-06	4.0E-06	3.46E-04	1.40E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	0.5145	8.11E-06	4.2E-06	3.46E-04	1.44E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.51072	8.11E-06	4.1E-06	3.46E-04	1.43E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.4916	8.11E-06	4.0E-06	3.46E-04	1.38E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	0.45681	8.11E-06	3.7E-06	3.46E-04	1.28E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	0.47137	8.11E-06	3.8E-06	3.46E-04	1.32E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	0.48361	8.11E-06	3.9E-06	3.46E-04	1.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.47052	8.11E-06	3.8E-06	3.46E-04	1.32E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.45433	8.11E-06	3.7E-06	3.46E-04	1.28E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	0.43376	8.11E-06	3.5E-06	3.46E-04	1.22E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	0.44443	8.11E-06	3.6E-06	3.46E-04	1.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.45393	8.11E-06	3.7E-06	3.46E-04	1.27E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.43505	8.11E-06	3.5E-06	3.46E-04	1.22E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.42127	8.11E-06	3.4E-06	3.46E-04	1.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	0.40044	8.11E-06	3.2E-06	3.46E-04	1.12E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	0.41	8.11E-06	3.3E-06	3.46E-04	1.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	0.41722	8.11E-06	3.4E-06	3.46E-04	1.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	0.42194	8.11E-06	3.4E-06	3.46E-04	1.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	0.424	8.11E-06	3.4E-06	3.46E-04	1.19E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.42317	8.11E-06	3.4E-06	3.46E-04	1.19E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.41945	8.11E-06	3.4E-06	3.46E-04	1.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.41286	8.11E-06	3.3E-06	3.46E-04	1.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.40357	8.11E-06	3.3E-06	3.46E-04	1.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.39179	8.11E-06	3.2E-06	3.46E-04	1.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	0.37932	8.11E-06	3.1E-06	3.46E-04	1.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	0.386	8.11E-06	3.1E-06	3.46E-04	1.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	0.3903	8.11E-06	3.2E-06	3.46E-04	1.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	0.39232	8.11E-06	3.2E-06	3.46E-04	1.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	0.39186	8.11E-06	3.2E-06	3.46E-04	1.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.38887	8.11E-06	3.2E-06	3.46E-04	1.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.38337	8.11E-06	3.1E-06	3.46E-04	1.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.36541	8.11E-06	3.0E-06	3.46E-04	1.03E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.35245	8.11E-06	2.9E-06	3.46E-04	9.89E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	0.35797	8.11E-06	2.9E-06	3.46E-04	1.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	0.36226	8.11E-06	2.9E-06	3.46E-04	1.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	0.36421	8.11E-06	3.0E-06	3.46E-04	1.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	0.36403	8.11E-06	3.0E-06	3.46E-04	1.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.36164	8.11E-06	2.9E-06	3.46E-04	1.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.35706	8.11E-06	2.9E-06	3.46E-04	1.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.3417	8.11E-06	2.8E-06	3.46E-04	9.59E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.32842	8.11E-06	2.7E-06	3.46E-04	9.22E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.3336	8.11E-06	2.7E-06	3.46E-04	9.36E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	0.33712	8.11E-06	2.7E-06	3.46E-04	9.46E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	0.339	8.11E-06	2.7E-06	3.46E-04	9.52E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	0.33918	8.11E-06	2.8E-06	3.46E-04	9.52E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.33728	8.11E-06	2.7E-06	3.46E-04	9.47E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.33335	8.11E-06	2.7E-06	3.46E-04	9.36E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.32029	8.11E-06	2.6E-06	3.46E-04	8.99E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.31153	8.11E-06	2.5E-06	3.46E-04	8.74E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.31487	8.11E-06	2.6E-06	3.46E-04	8.84E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.31667	8.11E-06	2.6E-06	3.46E-04	8.89E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.31651	8.11E-06	2.6E-06	3.46E-04	8.88E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.31528	8.11E-06	2.6E-06	3.46E-04	8.85E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.31223	8.11E-06	2.5E-06	3.46E-04	8.76E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.30091	8.11E-06	2.4E-06	3.46E-04	8.45E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.29167	8.11E-06	2.4E-06	3.46E-04	8.19E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.29475	8.11E-06	2.4E-06	3.46E-04	8.27E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.29651	8.11E-06	2.4E-06	3.46E-04	8.32E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.29686	8.11E-06	2.4E-06	3.46E-04	8.33E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.29569	8.11E-06	2.4E-06	3.46E-04	8.30E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.29298	8.11E-06	2.4E-06	3.46E-04	8.22E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.28669	8.11E-06	2.3E-06	3.46E-04	8.05E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.27376	8.11E-06	2.2E-06	3.46E-04	7.68E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.27661	8.11E-06	2.2E-06	3.46E-04	7.76E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.27831	8.11E-06	2.3E-06	3.46E-04	7.81E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.27875	8.11E-06	2.3E-06	3.46E-04	7.82E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.27788	8.11E-06	2.3E-06	3.46E-04	7.80E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.27567	8.11E-06	2.2E-06	3.46E-04	7.74E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.27211	8.11E-06	2.2E-06	3.46E-04	7.64E-10	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	8.11E-06	0.0E+00	3.46E-04	0.00E+00	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.22449	8.11E-06	1.8E-06	1.05E-03	1.90E-09	2	1.57E-01	5.98E-10	1.0E+06	6.0E-04
2	0.24018	8.11E-06	1.9E-06	1.05E-03	2.04E-09	2	1.57E-01	6.40E-10	1.0E+06	6.4E-04
3	0.25756	8.11E-06	2.1E-06	1.05E-03	2.18E-09	2	1.57E-01	6.86E-10	1.0E+06	6.9E-04
4	0.27708	8.11E-06	2.2E-06	1.05E-03	2.35E-09	2	1.57E-01	7.38E-10	1.0E+06	7.4E-04
5	0.29914	8.11E-06	2.4E-06	1.05E-03	2.54E-09	2	1.57E-01	7.97E-10	1.0E+06	8.0E-04
6	0.32454	8.11E-06	2.6E-06	1.05E-03	2.75E-09	2	1.57E-01	8.64E-10	1.0E+06	8.6E-04
7	0.35353	8.11E-06	2.9E-06	1.05E-03	3.00E-09	2	1.57E-01	9.42E-10	1.0E+06	9.4E-04
8	0.38665	8.11E-06	3.1E-06	1.05E-03	3.28E-09	2	1.57E-01	1.03E-09	1.0E+06	1.0E-03
9	0.425	8.11E-06	3.4E-06	1.05E-03	3.60E-09	2	1.57E-01	1.13E-09	1.0E+06	1.1E-03
10	0.46965	8.11E-06	3.8E-06	1.05E-03	3.98E-09	2	1.57E-01	1.25E-09	1.0E+06	1.3E-03
11	0.52187	8.11E-06	4.2E-06	1.05E-03	4.42E-09	2	1.57E-01	1.39E-09	1.0E+06	1.4E-03
12	0.58329	8.11E-06	4.7E-06	1.05E-03	4.94E-09	2	1.57E-01	1.55E-09	1.0E+06	1.6E-03
13	0.65666	8.11E-06	5.3E-06	1.05E-03	5.57E-09	2	1.57E-01	1.75E-09	1.0E+06	1.7E-03
14	0.7439	8.11E-06	6.0E-06	1.05E-03	6.30E-09	2	1.57E-01	1.98E-09	1.0E+06	2.0E-03
15	0.84837	8.11E-06	6.9E-06	1.05E-03	7.19E-09	2	1.57E-01	2.26E-09	1.0E+06	2.3E-03
16	0.9722	8.11E-06	7.9E-06	1.05E-03	8.24E-09	2	1.57E-01	2.59E-09	1.0E+06	2.6E-03
17	1.1197	8.11E-06	9.1E-06	1.05E-03	9.49E-09	2	1.57E-01	2.98E-09	1.0E+06	3.0E-03
18	1.2884	8.11E-06	1.0E-05	1.05E-03	1.09E-08	2	1.57E-01	3.43E-09	1.0E+06	3.4E-03
19	1.47797	8.11E-06	1.2E-05	1.05E-03	1.25E-08	2	1.57E-01	3.94E-09	1.0E+06	3.9E-03
20	1.6784	8.11E-06	1.4E-05	1.05E-03	1.42E-08	2	1.57E-01	4.47E-09	1.0E+06	4.5E-03
21	1.87664	8.11E-06	1.5E-05	1.05E-03	1.59E-08	2	1.57E-01	5.00E-09	1.0E+06	5.0E-03
22	2.06784	8.11E-06	1.7E-05	1.05E-03	1.75E-08	2	1.57E-01	5.51E-09	1.0E+06	5.5E-03
23	2.25215	8.11E-06	1.8E-05	1.05E-03	1.91E-08	2	1.57E-01	6.00E-09	1.0E+06	6.0E-03
24	2.42844	8.11E-06	2.0E-05	1.05E-03	2.06E-08	2	1.57E-01	6.47E-09	1.0E+06	6.5E-03
25	2.58592	8.11E-06	2.1E-05	1.05E-03	2.19E-08	2	1.57E-01	6.89E-09	1.0E+06	6.9E-03
26	2.70839	8.11E-06	2.2E-05	1.05E-03	2.30E-08	2	1.57E-01	7.21E-09	1.0E+06	7.2E-03
27	2.78647	8.11E-06	2.3E-05	1.05E-03	2.36E-08	2	1.57E-01	7.42E-09	1.0E+06	7.4E-03
28	2.81648	8.11E-06	2.3E-05	1.05E-03	2.39E-08	2	1.57E-01	7.50E-09	1.0E+06	7.5E-03
29	2.80588	8.11E-06	2.3E-05	1.05E-03	2.38E-08	2	1.57E-01	7.47E-09	1.0E+06	7.5E-03
30	2.7593	8.11E-06	2.2E-05	1.05E-03	2.34E-08	2	1.57E-01	7.35E-09	1.0E+06	7.3E-03
31	2.68002	8.11E-06	2.2E-05	1.05E-03	2.27E-08	2	1.57E-01	7.14E-09	1.0E+06	7.1E-03

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	2.57333	8.11E-06	2.1E-05	1.05E-03	2.18E-08	2	1.57E-01	6.85E-09	1.0E+06	6.9E-03
55	2.80011	8.11E-06	2.3E-05	1.05E-03	2.37E-08	2	1.57E-01	7.46E-09	1.0E+06	7.5E-03
56	3.10482	8.11E-06	2.5E-05	1.05E-03	2.63E-08	2	1.57E-01	8.27E-09	1.0E+06	8.3E-03
57	3.3839	8.11E-06	2.7E-05	1.05E-03	2.87E-08	2	1.57E-01	9.01E-09	1.0E+06	9.0E-03
58	3.59233	8.11E-06	2.9E-05	1.05E-03	3.04E-08	2	1.57E-01	9.57E-09	1.0E+06	9.6E-03
59	3.7095	8.11E-06	3.0E-05	1.05E-03	3.14E-08	2	1.57E-01	9.88E-09	1.0E+06	9.9E-03
60	3.74365	8.11E-06	3.0E-05	1.05E-03	3.17E-08	2	1.57E-01	9.97E-09	1.0E+06	1.0E-02
61	3.72373	8.11E-06	3.0E-05	1.05E-03	3.16E-08	2	1.57E-01	9.92E-09	1.0E+06	9.9E-03
62	3.65256	8.11E-06	3.0E-05	1.05E-03	3.10E-08	2	1.57E-01	9.73E-09	1.0E+06	9.7E-03
63	3.54705	8.11E-06	2.9E-05	1.05E-03	3.01E-08	2	1.57E-01	9.45E-09	1.0E+06	9.4E-03
64	3.40606	8.11E-06	2.8E-05	1.05E-03	2.89E-08	2	1.57E-01	9.07E-09	1.0E+06	9.1E-03
65	3.23281	8.11E-06	2.6E-05	1.05E-03	2.74E-08	2	1.57E-01	8.61E-09	1.0E+06	8.6E-03
66	3.05349	8.11E-06	2.5E-05	1.05E-03	2.59E-08	2	1.57E-01	8.13E-09	1.0E+06	8.1E-03
67	0.23136	8.11E-06	1.9E-06	1.05E-03	1.96E-09	2	1.57E-01	6.16E-10	1.0E+06	6.2E-04
68	0.24832	8.11E-06	2.0E-06	1.05E-03	2.10E-09	2	1.57E-01	6.61E-10	1.0E+06	6.6E-04
69	0.26736	8.11E-06	2.2E-06	1.05E-03	2.27E-09	2	1.57E-01	7.12E-10	1.0E+06	7.1E-04
70	0.28893	8.11E-06	2.3E-06	1.05E-03	2.45E-09	2	1.57E-01	7.70E-10	1.0E+06	7.7E-04
71	0.31326	8.11E-06	2.5E-06	1.05E-03	2.65E-09	2	1.57E-01	8.34E-10	1.0E+06	8.3E-04
72	0.3417	8.11E-06	2.8E-06	1.05E-03	2.90E-09	2	1.57E-01	9.10E-10	1.0E+06	9.1E-04
73	0.37449	8.11E-06	3.0E-06	1.05E-03	3.17E-09	2	1.57E-01	9.97E-10	1.0E+06	1.0E-03
74	0.41267	8.11E-06	3.3E-06	1.05E-03	3.50E-09	2	1.57E-01	1.10E-09	1.0E+06	1.1E-03
75	0.4576	8.11E-06	3.7E-06	1.05E-03	3.88E-09	2	1.57E-01	1.22E-09	1.0E+06	1.2E-03
76	0.5113	8.11E-06	4.1E-06	1.05E-03	4.33E-09	2	1.57E-01	1.36E-09	1.0E+06	1.4E-03
77	0.5763	8.11E-06	4.7E-06	1.05E-03	4.88E-09	2	1.57E-01	1.53E-09	1.0E+06	1.5E-03
78	0.65648	8.11E-06	5.3E-06	1.05E-03	5.56E-09	2	1.57E-01	1.75E-09	1.0E+06	1.7E-03
79	1.53048	8.11E-06	1.2E-05	1.05E-03	1.30E-08	2	1.57E-01	4.08E-09	1.0E+06	4.1E-03
80	1.89876	8.11E-06	1.5E-05	1.05E-03	1.61E-08	2	1.57E-01	5.06E-09	1.0E+06	5.1E-03
81	2.37895	8.11E-06	1.9E-05	1.05E-03	2.02E-08	2	1.57E-01	6.34E-09	1.0E+06	6.3E-03
82	2.94401	8.11E-06	2.4E-05	1.05E-03	2.50E-08	2	1.57E-01	7.84E-09	1.0E+06	7.8E-03
83	3.5479	8.11E-06	2.9E-05	1.05E-03	3.01E-08	2	1.57E-01	9.45E-09	1.0E+06	9.4E-03
84	4.1433	8.11E-06	3.4E-05	1.05E-03	3.51E-08	2	1.57E-01	1.10E-08	1.0E+06	1.1E-02

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	4.69075	8.11E-06	3.8E-05	1.05E-03	3.98E-08	2	1.57E-01	1.25E-08	1.0E+06	1.2E-02
86	5.08085	8.11E-06	4.1E-05	1.05E-03	4.31E-08	2	1.57E-01	1.35E-08	1.0E+06	1.4E-02
87	5.26077	8.11E-06	4.3E-05	1.05E-03	4.46E-08	2	1.57E-01	1.40E-08	1.0E+06	1.4E-02
88	5.27547	8.11E-06	4.3E-05	1.05E-03	4.47E-08	2	1.57E-01	1.41E-08	1.0E+06	1.4E-02
89	5.17708	8.11E-06	4.2E-05	1.05E-03	4.39E-08	2	1.57E-01	1.38E-08	1.0E+06	1.4E-02
90	5.02976	8.11E-06	4.1E-05	1.05E-03	4.26E-08	2	1.57E-01	1.34E-08	1.0E+06	1.3E-02
91	4.8739	8.11E-06	4.0E-05	1.05E-03	4.13E-08	2	1.57E-01	1.30E-08	1.0E+06	1.3E-02
92	4.67348	8.11E-06	3.8E-05	1.05E-03	3.96E-08	2	1.57E-01	1.24E-08	1.0E+06	1.2E-02
93	4.46816	8.11E-06	3.6E-05	1.05E-03	3.79E-08	2	1.57E-01	1.19E-08	1.0E+06	1.2E-02
96	8.35353	8.11E-06	6.8E-05	1.05E-03	7.08E-08	2	1.57E-01	2.22E-08	1.0E+06	2.2E-02
97	8.20378	8.11E-06	6.7E-05	1.05E-03	6.95E-08	2	1.57E-01	2.19E-08	1.0E+06	2.2E-02
98	7.81098	8.11E-06	6.3E-05	1.05E-03	6.62E-08	2	1.57E-01	2.08E-08	1.0E+06	2.1E-02
99	7.43196	8.11E-06	6.0E-05	1.05E-03	6.30E-08	2	1.57E-01	1.98E-08	1.0E+06	2.0E-02
100	7.06454	8.11E-06	5.7E-05	1.05E-03	5.99E-08	2	1.57E-01	1.88E-08	1.0E+06	1.9E-02
101	6.74205	8.11E-06	5.5E-05	1.05E-03	5.71E-08	2	1.57E-01	1.80E-08	1.0E+06	1.8E-02
102	6.52484	8.11E-06	5.3E-05	1.05E-03	5.53E-08	2	1.57E-01	1.74E-08	1.0E+06	1.7E-02
106	0.21951	8.11E-06	1.8E-06	1.05E-03	1.86E-09	2	1.57E-01	5.85E-10	1.0E+06	5.8E-04
107	0.23503	8.11E-06	1.9E-06	1.05E-03	1.99E-09	2	1.57E-01	6.26E-10	1.0E+06	6.3E-04
108	0.25268	8.11E-06	2.0E-06	1.05E-03	2.14E-09	2	1.57E-01	6.73E-10	1.0E+06	6.7E-04
109	0.27259	8.11E-06	2.2E-06	1.05E-03	2.31E-09	2	1.57E-01	7.26E-10	1.0E+06	7.3E-04
110	0.29532	8.11E-06	2.4E-06	1.05E-03	2.50E-09	2	1.57E-01	7.87E-10	1.0E+06	7.9E-04
111	0.32107	8.11E-06	2.6E-06	1.05E-03	2.72E-09	2	1.57E-01	8.55E-10	1.0E+06	8.6E-04
112	0.35152	8.11E-06	2.9E-06	1.05E-03	2.98E-09	2	1.57E-01	9.36E-10	1.0E+06	9.4E-04
113	0.38665	8.11E-06	3.1E-06	1.05E-03	3.28E-09	2	1.57E-01	1.03E-09	1.0E+06	1.0E-03
114	0.42817	8.11E-06	3.5E-06	1.05E-03	3.63E-09	2	1.57E-01	1.14E-09	1.0E+06	1.1E-03
115	0.47748	8.11E-06	3.9E-06	1.05E-03	4.05E-09	2	1.57E-01	1.27E-09	1.0E+06	1.3E-03
116	0.53675	8.11E-06	4.4E-06	1.05E-03	4.55E-09	2	1.57E-01	1.43E-09	1.0E+06	1.4E-03
117	0.61086	8.11E-06	5.0E-06	1.05E-03	5.18E-09	2	1.57E-01	1.63E-09	1.0E+06	1.6E-03
118	0.70404	8.11E-06	5.7E-06	1.05E-03	5.97E-09	2	1.57E-01	1.88E-09	1.0E+06	1.9E-03
124	0.21963	8.11E-06	1.8E-06	1.05E-03	1.86E-09	2	1.57E-01	5.85E-10	1.0E+06	5.8E-04
125	0.23541	8.11E-06	1.9E-06	1.05E-03	2.00E-09	2	1.57E-01	6.27E-10	1.0E+06	6.3E-04

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.25316	8.11E-06	2.1E-06	1.05E-03	2.15E-09	2	1.57E-01	6.74E-10	1.0E+06	6.7E-04
127	0.27324	8.11E-06	2.2E-06	1.05E-03	2.32E-09	2	1.57E-01	7.28E-10	1.0E+06	7.3E-04
128	0.29614	8.11E-06	2.4E-06	1.05E-03	2.51E-09	2	1.57E-01	7.89E-10	1.0E+06	7.9E-04
129	0.32222	8.11E-06	2.6E-06	1.05E-03	2.73E-09	2	1.57E-01	8.58E-10	1.0E+06	8.6E-04
130	0.35292	8.11E-06	2.9E-06	1.05E-03	2.99E-09	2	1.57E-01	9.40E-10	1.0E+06	9.4E-04
131	0.38861	8.11E-06	3.2E-06	1.05E-03	3.29E-09	2	1.57E-01	1.04E-09	1.0E+06	1.0E-03
132	0.43087	8.11E-06	3.5E-06	1.05E-03	3.65E-09	2	1.57E-01	1.15E-09	1.0E+06	1.1E-03
133	0.48113	8.11E-06	3.9E-06	1.05E-03	4.08E-09	2	1.57E-01	1.28E-09	1.0E+06	1.3E-03
134	0.54275	8.11E-06	4.4E-06	1.05E-03	4.60E-09	2	1.57E-01	1.45E-09	1.0E+06	1.4E-03
135	0.61847	8.11E-06	5.0E-06	1.05E-03	5.24E-09	2	1.57E-01	1.65E-09	1.0E+06	1.6E-03
136	0.71415	8.11E-06	5.8E-06	1.05E-03	6.05E-09	2	1.57E-01	1.90E-09	1.0E+06	1.9E-03
137	0.83755	8.11E-06	6.8E-06	1.05E-03	7.10E-09	2	1.57E-01	2.23E-09	1.0E+06	2.2E-03
138	1.006	8.11E-06	8.2E-06	1.05E-03	8.53E-09	2	1.57E-01	2.68E-09	1.0E+06	2.7E-03
141	0.21925	8.11E-06	1.8E-06	1.05E-03	1.86E-09	2	1.57E-01	5.84E-10	1.0E+06	5.8E-04
142	0.23502	8.11E-06	1.9E-06	1.05E-03	1.99E-09	2	1.57E-01	6.26E-10	1.0E+06	6.3E-04
143	0.25273	8.11E-06	2.0E-06	1.05E-03	2.14E-09	2	1.57E-01	6.73E-10	1.0E+06	6.7E-04
144	0.27279	8.11E-06	2.2E-06	1.05E-03	2.31E-09	2	1.57E-01	7.27E-10	1.0E+06	7.3E-04
145	0.29563	8.11E-06	2.4E-06	1.05E-03	2.51E-09	2	1.57E-01	7.87E-10	1.0E+06	7.9E-04
146	0.32168	8.11E-06	2.6E-06	1.05E-03	2.73E-09	2	1.57E-01	8.57E-10	1.0E+06	8.6E-04
147	0.35228	8.11E-06	2.9E-06	1.05E-03	2.99E-09	2	1.57E-01	9.38E-10	1.0E+06	9.4E-04
148	0.38784	8.11E-06	3.1E-06	1.05E-03	3.29E-09	2	1.57E-01	1.03E-09	1.0E+06	1.0E-03
149	0.42993	8.11E-06	3.5E-06	1.05E-03	3.64E-09	2	1.57E-01	1.15E-09	1.0E+06	1.1E-03
150	0.48018	8.11E-06	3.9E-06	1.05E-03	4.07E-09	2	1.57E-01	1.28E-09	1.0E+06	1.3E-03
151	0.54136	8.11E-06	4.4E-06	1.05E-03	4.59E-09	2	1.57E-01	1.44E-09	1.0E+06	1.4E-03
152	0.61698	8.11E-06	5.0E-06	1.05E-03	5.23E-09	2	1.57E-01	1.64E-09	1.0E+06	1.6E-03
153	0.71248	8.11E-06	5.8E-06	1.05E-03	6.04E-09	2	1.57E-01	1.90E-09	1.0E+06	1.9E-03
154	0.83523	8.11E-06	6.8E-06	1.05E-03	7.08E-09	2	1.57E-01	2.22E-09	1.0E+06	2.2E-03
155	1.00078	8.11E-06	8.1E-06	1.05E-03	8.48E-09	2	1.57E-01	2.67E-09	1.0E+06	2.7E-03
164	0.81823	8.11E-06	6.6E-06	1.05E-03	6.93E-09	2	1.57E-01	2.18E-09	1.0E+06	2.2E-03
165	0.97397	8.11E-06	7.9E-06	1.05E-03	8.25E-09	2	1.57E-01	2.59E-09	1.0E+06	2.6E-03
166	1.19112	8.11E-06	9.7E-06	1.05E-03	1.01E-08	2	1.57E-01	3.17E-09	1.0E+06	3.2E-03

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	0.79033	8.11E-06	6.4E-06	1.05E-03	6.70E-09	2	1.57E-01	2.11E-09	1.0E+06	2.1E-03
179	0.93249	8.11E-06	7.6E-06	1.05E-03	7.90E-09	2	1.57E-01	2.48E-09	1.0E+06	2.5E-03
180	1.12426	8.11E-06	9.1E-06	1.05E-03	9.53E-09	2	1.57E-01	2.99E-09	1.0E+06	3.0E-03
192	0.75593	8.11E-06	6.1E-06	1.05E-03	6.41E-09	2	1.57E-01	2.01E-09	1.0E+06	2.0E-03
193	0.88296	8.11E-06	7.2E-06	1.05E-03	7.48E-09	2	1.57E-01	2.35E-09	1.0E+06	2.4E-03
194	1.04697	8.11E-06	8.5E-06	1.05E-03	8.87E-09	2	1.57E-01	2.79E-09	1.0E+06	2.8E-03
207	0.71714	8.11E-06	5.8E-06	1.05E-03	6.08E-09	2	1.57E-01	1.91E-09	1.0E+06	1.9E-03
208	0.82801	8.11E-06	6.7E-06	1.05E-03	7.02E-09	2	1.57E-01	2.21E-09	1.0E+06	2.2E-03
209	0.96742	8.11E-06	7.8E-06	1.05E-03	8.20E-09	2	1.57E-01	2.58E-09	1.0E+06	2.6E-03
223	0.67661	8.11E-06	5.5E-06	1.05E-03	5.73E-09	2	1.57E-01	1.80E-09	1.0E+06	1.8E-03
224	0.77233	8.11E-06	6.3E-06	1.05E-03	6.55E-09	2	1.57E-01	2.06E-09	1.0E+06	2.1E-03
225	0.88885	8.11E-06	7.2E-06	1.05E-03	7.53E-09	2	1.57E-01	2.37E-09	1.0E+06	2.4E-03
239	0.63624	8.11E-06	5.2E-06	1.05E-03	5.39E-09	2	1.57E-01	1.69E-09	1.0E+06	1.7E-03
240	0.71861	8.11E-06	5.8E-06	1.05E-03	6.09E-09	2	1.57E-01	1.91E-09	1.0E+06	1.9E-03
241	0.81741	8.11E-06	6.6E-06	1.05E-03	6.93E-09	2	1.57E-01	2.18E-09	1.0E+06	2.2E-03
255	0.59675	8.11E-06	4.8E-06	1.05E-03	5.06E-09	2	1.57E-01	1.59E-09	1.0E+06	1.6E-03
256	0.6677	8.11E-06	5.4E-06	1.05E-03	5.66E-09	2	1.57E-01	1.78E-09	1.0E+06	1.8E-03
272	0.55877	8.11E-06	4.5E-06	1.05E-03	4.74E-09	2	1.57E-01	1.49E-09	1.0E+06	1.5E-03
273	0.6203	8.11E-06	5.0E-06	1.05E-03	5.26E-09	2	1.57E-01	1.65E-09	1.0E+06	1.7E-03
289	0.5232	8.11E-06	4.2E-06	1.05E-03	4.43E-09	2	1.57E-01	1.39E-09	1.0E+06	1.4E-03
290	0.57646	8.11E-06	4.7E-06	1.05E-03	4.89E-09	2	1.57E-01	1.54E-09	1.0E+06	1.5E-03
306	0.48985	8.11E-06	4.0E-06	1.05E-03	4.15E-09	2	1.57E-01	1.30E-09	1.0E+06	1.3E-03
307	0.53614	8.11E-06	4.3E-06	1.05E-03	4.54E-09	2	1.57E-01	1.43E-09	1.0E+06	1.4E-03
323	0.4588	8.11E-06	3.7E-06	1.05E-03	3.89E-09	2	1.57E-01	1.22E-09	1.0E+06	1.2E-03
324	0.49917	8.11E-06	4.0E-06	1.05E-03	4.23E-09	2	1.57E-01	1.33E-09	1.0E+06	1.3E-03
342	0.43006	8.11E-06	3.5E-06	1.05E-03	3.64E-09	2	1.57E-01	1.15E-09	1.0E+06	1.1E-03
343	0.46538	8.11E-06	3.8E-06	1.05E-03	3.94E-09	2	1.57E-01	1.24E-09	1.0E+06	1.2E-03
344	0.50432	8.11E-06	4.1E-06	1.05E-03	4.27E-09	2	1.57E-01	1.34E-09	1.0E+06	1.3E-03
356	0.40345	8.11E-06	3.3E-06	1.05E-03	3.42E-09	2	1.57E-01	1.07E-09	1.0E+06	1.1E-03
357	0.43437	8.11E-06	3.5E-06	1.05E-03	3.68E-09	2	1.57E-01	1.16E-09	1.0E+06	1.2E-03
358	0.46834	8.11E-06	3.8E-06	1.05E-03	3.97E-09	2	1.57E-01	1.25E-09	1.0E+06	1.2E-03

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.37895	8.11E-06	3.1E-06	1.05E-03	3.21E-09	2	1.57E-01	1.01E-09	1.0E+06	1.0E-03
371	0.40616	8.11E-06	3.3E-06	1.05E-03	3.44E-09	2	1.57E-01	1.08E-09	1.0E+06	1.1E-03
372	0.43583	8.11E-06	3.5E-06	1.05E-03	3.69E-09	2	1.57E-01	1.16E-09	1.0E+06	1.2E-03
383	0.35637	8.11E-06	2.9E-06	1.05E-03	3.02E-09	2	1.57E-01	9.49E-10	1.0E+06	9.5E-04
384	0.38043	8.11E-06	3.1E-06	1.05E-03	3.22E-09	2	1.57E-01	1.01E-09	1.0E+06	1.0E-03
385	0.40645	8.11E-06	3.3E-06	1.05E-03	3.44E-09	2	1.57E-01	1.08E-09	1.0E+06	1.1E-03
396	0.3356	8.11E-06	2.7E-06	1.05E-03	2.84E-09	2	1.57E-01	8.94E-10	1.0E+06	8.9E-04
397	0.35694	8.11E-06	2.9E-06	1.05E-03	3.03E-09	2	1.57E-01	9.51E-10	1.0E+06	9.5E-04
398	0.37985	8.11E-06	3.1E-06	1.05E-03	3.22E-09	2	1.57E-01	1.01E-09	1.0E+06	1.0E-03
399	0.40433	8.11E-06	3.3E-06	1.05E-03	3.43E-09	2	1.57E-01	1.08E-09	1.0E+06	1.1E-03
411	0.31647	8.11E-06	2.6E-06	1.05E-03	2.68E-09	2	1.57E-01	8.43E-10	1.0E+06	8.4E-04
412	0.33546	8.11E-06	2.7E-06	1.05E-03	2.84E-09	2	1.57E-01	8.94E-10	1.0E+06	8.9E-04
413	0.3558	8.11E-06	2.9E-06	1.05E-03	3.02E-09	2	1.57E-01	9.48E-10	1.0E+06	9.5E-04
414	0.37726	8.11E-06	3.1E-06	1.05E-03	3.20E-09	2	1.57E-01	1.00E-09	1.0E+06	1.0E-03
426	0.29888	8.11E-06	2.4E-06	1.05E-03	2.53E-09	2	1.57E-01	7.96E-10	1.0E+06	8.0E-04
427	0.31586	8.11E-06	2.6E-06	1.05E-03	2.68E-09	2	1.57E-01	8.41E-10	1.0E+06	8.4E-04
428	0.33383	8.11E-06	2.7E-06	1.05E-03	2.83E-09	2	1.57E-01	8.89E-10	1.0E+06	8.9E-04
429	0.35282	8.11E-06	2.9E-06	1.05E-03	2.99E-09	2	1.57E-01	9.40E-10	1.0E+06	9.4E-04
439	0.28267	8.11E-06	2.3E-06	1.05E-03	2.40E-09	2	1.57E-01	7.53E-10	1.0E+06	7.5E-04
440	0.29789	8.11E-06	2.4E-06	1.05E-03	2.52E-09	2	1.57E-01	7.93E-10	1.0E+06	7.9E-04
441	0.31393	8.11E-06	2.5E-06	1.05E-03	2.66E-09	2	1.57E-01	8.36E-10	1.0E+06	8.4E-04
442	0.33076	8.11E-06	2.7E-06	1.05E-03	2.80E-09	2	1.57E-01	8.81E-10	1.0E+06	8.8E-04
443	0.34832	8.11E-06	2.8E-06	1.05E-03	2.95E-09	2	1.57E-01	9.28E-10	1.0E+06	9.3E-04
454	0.26773	8.11E-06	2.2E-06	1.05E-03	2.27E-09	2	1.57E-01	7.13E-10	1.0E+06	7.1E-04
455	0.28142	8.11E-06	2.3E-06	1.05E-03	2.39E-09	2	1.57E-01	7.50E-10	1.0E+06	7.5E-04
456	0.29578	8.11E-06	2.4E-06	1.05E-03	2.51E-09	2	1.57E-01	7.88E-10	1.0E+06	7.9E-04
457	0.31076	8.11E-06	2.5E-06	1.05E-03	2.63E-09	2	1.57E-01	8.28E-10	1.0E+06	8.3E-04
458	0.3263	8.11E-06	2.6E-06	1.05E-03	2.77E-09	2	1.57E-01	8.69E-10	1.0E+06	8.7E-04
469	0.25393	8.11E-06	2.1E-06	1.05E-03	2.15E-09	2	1.57E-01	6.76E-10	1.0E+06	6.8E-04
470	0.26625	8.11E-06	2.2E-06	1.05E-03	2.26E-09	2	1.57E-01	7.09E-10	1.0E+06	7.1E-04
471	0.27914	8.11E-06	2.3E-06	1.05E-03	2.37E-09	2	1.57E-01	7.44E-10	1.0E+06	7.4E-04

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.29252	8.11E-06	2.4E-06	1.05E-03	2.48E-09	2	1.57E-01	7.79E-10	1.0E+06	7.8E-04
473	0.30632	8.11E-06	2.5E-06	1.05E-03	2.60E-09	2	1.57E-01	8.16E-10	1.0E+06	8.2E-04
489	0.2412	8.11E-06	2.0E-06	1.05E-03	2.04E-09	2	1.57E-01	6.42E-10	1.0E+06	6.4E-04
490	0.25235	8.11E-06	2.0E-06	1.05E-03	2.14E-09	2	1.57E-01	6.72E-10	1.0E+06	6.7E-04
491	0.26394	8.11E-06	2.1E-06	1.05E-03	2.24E-09	2	1.57E-01	7.03E-10	1.0E+06	7.0E-04
492	0.27593	8.11E-06	2.2E-06	1.05E-03	2.34E-09	2	1.57E-01	7.35E-10	1.0E+06	7.3E-04
493	0.28824	8.11E-06	2.3E-06	1.05E-03	2.44E-09	2	1.57E-01	7.68E-10	1.0E+06	7.7E-04
494	0.3008	8.11E-06	2.4E-06	1.05E-03	2.55E-09	2	1.57E-01	8.01E-10	1.0E+06	8.0E-04
509	0.22939	8.11E-06	1.9E-06	1.05E-03	1.94E-09	2	1.57E-01	6.11E-10	1.0E+06	6.1E-04
510	0.2395	8.11E-06	1.9E-06	1.05E-03	2.03E-09	2	1.57E-01	6.38E-10	1.0E+06	6.4E-04
511	0.24994	8.11E-06	2.0E-06	1.05E-03	2.12E-09	2	1.57E-01	6.66E-10	1.0E+06	6.7E-04
512	0.26071	8.11E-06	2.1E-06	1.05E-03	2.21E-09	2	1.57E-01	6.94E-10	1.0E+06	6.9E-04
513	0.27175	8.11E-06	2.2E-06	1.05E-03	2.30E-09	2	1.57E-01	7.24E-10	1.0E+06	7.2E-04
514	0.28293	8.11E-06	2.3E-06	1.05E-03	2.40E-09	2	1.57E-01	7.54E-10	1.0E+06	7.5E-04
515	0.30537	8.11E-06	2.5E-06	1.05E-03	2.59E-09	2	1.57E-01	8.13E-10	1.0E+06	8.1E-04
516	0.31634	8.11E-06	2.6E-06	1.05E-03	2.68E-09	2	1.57E-01	8.43E-10	1.0E+06	8.4E-04
517	0.32679	8.11E-06	2.6E-06	1.05E-03	2.77E-09	2	1.57E-01	8.70E-10	1.0E+06	8.7E-04
518	0.33649	8.11E-06	2.7E-06	1.05E-03	2.85E-09	2	1.57E-01	8.96E-10	1.0E+06	9.0E-04
519	0.34515	8.11E-06	2.8E-06	1.05E-03	2.93E-09	2	1.57E-01	9.19E-10	1.0E+06	9.2E-04
528	0.21844	8.11E-06	1.8E-06	1.05E-03	1.85E-09	2	1.57E-01	5.82E-10	1.0E+06	5.8E-04
529	0.22762	8.11E-06	1.8E-06	1.05E-03	1.93E-09	2	1.57E-01	6.06E-10	1.0E+06	6.1E-04
530	0.23708	8.11E-06	1.9E-06	1.05E-03	2.01E-09	2	1.57E-01	6.31E-10	1.0E+06	6.3E-04
531	0.24677	8.11E-06	2.0E-06	1.05E-03	2.09E-09	2	1.57E-01	6.57E-10	1.0E+06	6.6E-04
532	0.25666	8.11E-06	2.1E-06	1.05E-03	2.18E-09	2	1.57E-01	6.84E-10	1.0E+06	6.8E-04
533	0.26666	8.11E-06	2.2E-06	1.05E-03	2.26E-09	2	1.57E-01	7.10E-10	1.0E+06	7.1E-04
534	0.28665	8.11E-06	2.3E-06	1.05E-03	2.43E-09	2	1.57E-01	7.64E-10	1.0E+06	7.6E-04
535	0.29635	8.11E-06	2.4E-06	1.05E-03	2.51E-09	2	1.57E-01	7.89E-10	1.0E+06	7.9E-04
536	0.30558	8.11E-06	2.5E-06	1.05E-03	2.59E-09	2	1.57E-01	8.14E-10	1.0E+06	8.1E-04
537	0.31417	8.11E-06	2.5E-06	1.05E-03	2.66E-09	2	1.57E-01	8.37E-10	1.0E+06	8.4E-04
538	0.32187	8.11E-06	2.6E-06	1.05E-03	2.73E-09	2	1.57E-01	8.57E-10	1.0E+06	8.6E-04
547	0.20827	8.11E-06	1.7E-06	1.05E-03	1.77E-09	2	1.57E-01	5.55E-10	1.0E+06	5.5E-04

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.21664	8.11E-06	1.8E-06	1.05E-03	1.84E-09	2	1.57E-01	5.77E-10	1.0E+06	5.8E-04
549	0.2252	8.11E-06	1.8E-06	1.05E-03	1.91E-09	2	1.57E-01	6.00E-10	1.0E+06	6.0E-04
550	0.23397	8.11E-06	1.9E-06	1.05E-03	1.98E-09	2	1.57E-01	6.23E-10	1.0E+06	6.2E-04
551	0.24286	8.11E-06	2.0E-06	1.05E-03	2.06E-09	2	1.57E-01	6.47E-10	1.0E+06	6.5E-04
552	0.25183	8.11E-06	2.0E-06	1.05E-03	2.13E-09	2	1.57E-01	6.71E-10	1.0E+06	6.7E-04
553	0.26079	8.11E-06	2.1E-06	1.05E-03	2.21E-09	2	1.57E-01	6.95E-10	1.0E+06	6.9E-04
554	0.26966	8.11E-06	2.2E-06	1.05E-03	2.29E-09	2	1.57E-01	7.18E-10	1.0E+06	7.2E-04
555	0.27827	8.11E-06	2.3E-06	1.05E-03	2.36E-09	2	1.57E-01	7.41E-10	1.0E+06	7.4E-04
556	0.28646	8.11E-06	2.3E-06	1.05E-03	2.43E-09	2	1.57E-01	7.63E-10	1.0E+06	7.6E-04
557	0.29411	8.11E-06	2.4E-06	1.05E-03	2.49E-09	2	1.57E-01	7.83E-10	1.0E+06	7.8E-04
558	0.30096	8.11E-06	2.4E-06	1.05E-03	2.55E-09	2	1.57E-01	8.02E-10	1.0E+06	8.0E-04
559	0.30684	8.11E-06	2.5E-06	1.05E-03	2.60E-09	2	1.57E-01	8.17E-10	1.0E+06	8.2E-04
567	0.19881	8.11E-06	1.6E-06	1.05E-03	1.68E-09	2	1.57E-01	5.30E-10	1.0E+06	5.3E-04
568	0.20643	8.11E-06	1.7E-06	1.05E-03	1.75E-09	2	1.57E-01	5.50E-10	1.0E+06	5.5E-04
569	0.21422	8.11E-06	1.7E-06	1.05E-03	1.82E-09	2	1.57E-01	5.71E-10	1.0E+06	5.7E-04
570	0.22215	8.11E-06	1.8E-06	1.05E-03	1.88E-09	2	1.57E-01	5.92E-10	1.0E+06	5.9E-04
571	0.23017	8.11E-06	1.9E-06	1.05E-03	1.95E-09	2	1.57E-01	6.13E-10	1.0E+06	6.1E-04
572	0.23823	8.11E-06	1.9E-06	1.05E-03	2.02E-09	2	1.57E-01	6.35E-10	1.0E+06	6.3E-04
573	0.24627	8.11E-06	2.0E-06	1.05E-03	2.09E-09	2	1.57E-01	6.56E-10	1.0E+06	6.6E-04
574	0.26189	8.11E-06	2.1E-06	1.05E-03	2.22E-09	2	1.57E-01	6.98E-10	1.0E+06	7.0E-04
575	0.26919	8.11E-06	2.2E-06	1.05E-03	2.28E-09	2	1.57E-01	7.17E-10	1.0E+06	7.2E-04
576	0.27598	8.11E-06	2.2E-06	1.05E-03	2.34E-09	2	1.57E-01	7.35E-10	1.0E+06	7.4E-04
577	0.28211	8.11E-06	2.3E-06	1.05E-03	2.39E-09	2	1.57E-01	7.51E-10	1.0E+06	7.5E-04
578	0.2874	8.11E-06	2.3E-06	1.05E-03	2.44E-09	2	1.57E-01	7.66E-10	1.0E+06	7.7E-04
586	0.19002	8.11E-06	1.5E-06	1.05E-03	1.61E-09	2	1.57E-01	5.06E-10	1.0E+06	5.1E-04
587	0.19699	8.11E-06	1.6E-06	1.05E-03	1.67E-09	2	1.57E-01	5.25E-10	1.0E+06	5.2E-04
588	0.20407	8.11E-06	1.7E-06	1.05E-03	1.73E-09	2	1.57E-01	5.44E-10	1.0E+06	5.4E-04
589	0.21126	8.11E-06	1.7E-06	1.05E-03	1.79E-09	2	1.57E-01	5.63E-10	1.0E+06	5.6E-04
590	0.21852	8.11E-06	1.8E-06	1.05E-03	1.85E-09	2	1.57E-01	5.82E-10	1.0E+06	5.8E-04
591	0.22578	8.11E-06	1.8E-06	1.05E-03	1.91E-09	2	1.57E-01	6.01E-10	1.0E+06	6.0E-04
592	0.23301	8.11E-06	1.9E-06	1.05E-03	1.97E-09	2	1.57E-01	6.21E-10	1.0E+06	6.2E-04

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.24699	8.11E-06	2.0E-06	1.05E-03	2.09E-09	2	1.57E-01	6.58E-10	1.0E+06	6.6E-04
594	0.25352	8.11E-06	2.1E-06	1.05E-03	2.15E-09	2	1.57E-01	6.75E-10	1.0E+06	6.8E-04
595	0.25963	8.11E-06	2.1E-06	1.05E-03	2.20E-09	2	1.57E-01	6.92E-10	1.0E+06	6.9E-04
596	0.26513	8.11E-06	2.1E-06	1.05E-03	2.25E-09	2	1.57E-01	7.06E-10	1.0E+06	7.1E-04
597	0.26989	8.11E-06	2.2E-06	1.05E-03	2.29E-09	2	1.57E-01	7.19E-10	1.0E+06	7.2E-04
345	0.54754	8.11E-06	4.4E-06	1.05E-03	4.64E-09	2	1.57E-01	1.46E-09	1.0E+06	1.5E-03
346	0.59492	8.11E-06	4.8E-06	1.05E-03	5.04E-09	2	1.57E-01	1.58E-09	1.0E+06	1.6E-03
347	0.64656	8.11E-06	5.2E-06	1.05E-03	5.48E-09	2	1.57E-01	1.72E-09	1.0E+06	1.7E-03
348	0.70189	8.11E-06	5.7E-06	1.05E-03	5.95E-09	2	1.57E-01	1.87E-09	1.0E+06	1.9E-03
359	0.50558	8.11E-06	4.1E-06	1.05E-03	4.28E-09	2	1.57E-01	1.35E-09	1.0E+06	1.3E-03
360	0.54615	8.11E-06	4.4E-06	1.05E-03	4.63E-09	2	1.57E-01	1.45E-09	1.0E+06	1.5E-03
361	0.58961	8.11E-06	4.8E-06	1.05E-03	5.00E-09	2	1.57E-01	1.57E-09	1.0E+06	1.6E-03
362	0.63593	8.11E-06	5.2E-06	1.05E-03	5.39E-09	2	1.57E-01	1.69E-09	1.0E+06	1.7E-03
363	0.68387	8.11E-06	5.5E-06	1.05E-03	5.80E-09	2	1.57E-01	1.82E-09	1.0E+06	1.8E-03
373	0.50278	8.11E-06	4.1E-06	1.05E-03	4.26E-09	2	1.57E-01	1.34E-09	1.0E+06	1.3E-03
374	0.53988	8.11E-06	4.4E-06	1.05E-03	4.58E-09	2	1.57E-01	1.44E-09	1.0E+06	1.4E-03
375	0.57892	8.11E-06	4.7E-06	1.05E-03	4.91E-09	2	1.57E-01	1.54E-09	1.0E+06	1.5E-03
376	0.61919	8.11E-06	5.0E-06	1.05E-03	5.25E-09	2	1.57E-01	1.65E-09	1.0E+06	1.6E-03
386	0.46446	8.11E-06	3.8E-06	1.05E-03	3.94E-09	2	1.57E-01	1.24E-09	1.0E+06	1.2E-03
387	0.49623	8.11E-06	4.0E-06	1.05E-03	4.21E-09	2	1.57E-01	1.32E-09	1.0E+06	1.3E-03
388	0.52947	8.11E-06	4.3E-06	1.05E-03	4.49E-09	2	1.57E-01	1.41E-09	1.0E+06	1.4E-03
389	0.56355	8.11E-06	4.6E-06	1.05E-03	4.78E-09	2	1.57E-01	1.50E-09	1.0E+06	1.5E-03
390	0.59762	8.11E-06	4.8E-06	1.05E-03	5.06E-09	2	1.57E-01	1.59E-09	1.0E+06	1.6E-03
400	0.43036	8.11E-06	3.5E-06	1.05E-03	3.65E-09	2	1.57E-01	1.15E-09	1.0E+06	1.1E-03
401	0.45786	8.11E-06	3.7E-06	1.05E-03	3.88E-09	2	1.57E-01	1.22E-09	1.0E+06	1.2E-03
402	0.48629	8.11E-06	3.9E-06	1.05E-03	4.12E-09	2	1.57E-01	1.30E-09	1.0E+06	1.3E-03
403	0.51538	8.11E-06	4.2E-06	1.05E-03	4.37E-09	2	1.57E-01	1.37E-09	1.0E+06	1.4E-03
404	0.54441	8.11E-06	4.4E-06	1.05E-03	4.61E-09	2	1.57E-01	1.45E-09	1.0E+06	1.5E-03
415	0.39998	8.11E-06	3.2E-06	1.05E-03	3.39E-09	2	1.57E-01	1.07E-09	1.0E+06	1.1E-03
416	0.42378	8.11E-06	3.4E-06	1.05E-03	3.59E-09	2	1.57E-01	1.13E-09	1.0E+06	1.1E-03
417	0.44839	8.11E-06	3.6E-06	1.05E-03	3.80E-09	2	1.57E-01	1.19E-09	1.0E+06	1.2E-03

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	0.47328	8.11E-06	3.8E-06	1.05E-03	4.01E-09	2	1.57E-01	1.26E-09	1.0E+06	1.3E-03
419	0.49797	8.11E-06	4.0E-06	1.05E-03	4.22E-09	2	1.57E-01	1.33E-09	1.0E+06	1.3E-03
420	0.52219	8.11E-06	4.2E-06	1.05E-03	4.43E-09	2	1.57E-01	1.39E-09	1.0E+06	1.4E-03
430	0.39358	8.11E-06	3.2E-06	1.05E-03	3.34E-09	2	1.57E-01	1.05E-09	1.0E+06	1.0E-03
431	0.41481	8.11E-06	3.4E-06	1.05E-03	3.52E-09	2	1.57E-01	1.10E-09	1.0E+06	1.1E-03
432	0.43635	8.11E-06	3.5E-06	1.05E-03	3.70E-09	2	1.57E-01	1.16E-09	1.0E+06	1.2E-03
433	0.4577	8.11E-06	3.7E-06	1.05E-03	3.88E-09	2	1.57E-01	1.22E-09	1.0E+06	1.2E-03
434	0.47832	8.11E-06	3.9E-06	1.05E-03	4.05E-09	2	1.57E-01	1.27E-09	1.0E+06	1.3E-03
444	0.36648	8.11E-06	3.0E-06	1.05E-03	3.11E-09	2	1.57E-01	9.76E-10	1.0E+06	9.8E-04
445	0.38513	8.11E-06	3.1E-06	1.05E-03	3.26E-09	2	1.57E-01	1.03E-09	1.0E+06	1.0E-03
446	0.40382	8.11E-06	3.3E-06	1.05E-03	3.42E-09	2	1.57E-01	1.08E-09	1.0E+06	1.1E-03
447	0.42229	8.11E-06	3.4E-06	1.05E-03	3.58E-09	2	1.57E-01	1.12E-09	1.0E+06	1.1E-03
448	0.44012	8.11E-06	3.6E-06	1.05E-03	3.73E-09	2	1.57E-01	1.17E-09	1.0E+06	1.2E-03
459	0.35861	8.11E-06	2.9E-06	1.05E-03	3.04E-09	2	1.57E-01	9.55E-10	1.0E+06	9.6E-04
460	0.37497	8.11E-06	3.0E-06	1.05E-03	3.18E-09	2	1.57E-01	9.99E-10	1.0E+06	1.0E-03
461	0.39109	8.11E-06	3.2E-06	1.05E-03	3.31E-09	2	1.57E-01	1.04E-09	1.0E+06	1.0E-03
462	0.40658	8.11E-06	3.3E-06	1.05E-03	3.45E-09	2	1.57E-01	1.08E-09	1.0E+06	1.1E-03
463	0.421	8.11E-06	3.4E-06	1.05E-03	3.57E-09	2	1.57E-01	1.12E-09	1.0E+06	1.1E-03
474	0.33488	8.11E-06	2.7E-06	1.05E-03	2.84E-09	2	1.57E-01	8.92E-10	1.0E+06	8.9E-04
475	0.34924	8.11E-06	2.8E-06	1.05E-03	2.96E-09	2	1.57E-01	9.30E-10	1.0E+06	9.3E-04
476	0.36331	8.11E-06	2.9E-06	1.05E-03	3.08E-09	2	1.57E-01	9.68E-10	1.0E+06	9.7E-04
477	0.37686	8.11E-06	3.1E-06	1.05E-03	3.19E-09	2	1.57E-01	1.00E-09	1.0E+06	1.0E-03
478	0.38943	8.11E-06	3.2E-06	1.05E-03	3.30E-09	2	1.57E-01	1.04E-09	1.0E+06	1.0E-03
495	0.31348	8.11E-06	2.5E-06	1.05E-03	2.66E-09	2	1.57E-01	8.35E-10	1.0E+06	8.3E-04
496	0.32616	8.11E-06	2.6E-06	1.05E-03	2.76E-09	2	1.57E-01	8.69E-10	1.0E+06	8.7E-04
497	0.33854	8.11E-06	2.7E-06	1.05E-03	2.87E-09	2	1.57E-01	9.02E-10	1.0E+06	9.0E-04
498	0.35041	8.11E-06	2.8E-06	1.05E-03	2.97E-09	2	1.57E-01	9.33E-10	1.0E+06	9.3E-04
499	0.36143	8.11E-06	2.9E-06	1.05E-03	3.06E-09	2	1.57E-01	9.63E-10	1.0E+06	9.6E-04
500	0.37126	8.11E-06	3.0E-06	1.05E-03	3.15E-09	2	1.57E-01	9.89E-10	1.0E+06	9.9E-04

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from Birth to 2 years - Construction										
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	1.24007	8.11E-06	1.0E-05	1.05E-03	1.05E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
140	1.59485	8.11E-06	1.3E-05	1.05E-03	1.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
156	1.23468	8.11E-06	1.0E-05	1.05E-03	1.05E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
157	1.58185	8.11E-06	1.3E-05	1.05E-03	1.34E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
158	2.15745	8.11E-06	1.7E-05	1.05E-03	1.83E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
159	3.26781	8.11E-06	2.6E-05	1.05E-03	2.77E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
160	6.1827	8.11E-06	5.0E-05	1.05E-03	5.24E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
161	21.08855	8.11E-06	1.7E-04	1.05E-03	1.79E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
162	20.71936	8.11E-06	1.7E-04	1.05E-03	1.76E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
163	22.92655	8.11E-06	1.9E-04	1.05E-03	1.94E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
167	1.49633	8.11E-06	1.2E-05	1.05E-03	1.27E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
168	1.99096	8.11E-06	1.6E-05	1.05E-03	1.69E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
169	2.81631	8.11E-06	2.3E-05	1.05E-03	2.39E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
170	4.44743	8.11E-06	3.6E-05	1.05E-03	3.77E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
171	7.72008	8.11E-06	6.3E-05	1.05E-03	6.54E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
172	9.85432	8.11E-06	8.0E-05	1.05E-03	8.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
173	10.63644	8.11E-06	8.6E-05	1.05E-03	9.01E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
174	11.78887	8.11E-06	9.6E-05	1.05E-03	9.99E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
175	13.53461	8.11E-06	1.1E-04	1.05E-03	1.15E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
176	15.68505	8.11E-06	1.3E-04	1.05E-03	1.33E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
177	17.92374	8.11E-06	1.5E-04	1.05E-03	1.52E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
181	1.77322	8.11E-06	1.4E-05	1.05E-03	1.50E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
182	2.35459	8.11E-06	1.9E-05	1.05E-03	2.00E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
183	3.2992	8.11E-06	2.7E-05	1.05E-03	2.80E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
184	4.68754	8.11E-06	3.8E-05	1.05E-03	3.97E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
185	5.92647	8.11E-06	4.8E-05	1.05E-03	5.02E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
186	6.70974	8.11E-06	5.4E-05	1.05E-03	5.69E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
187	7.4167	8.11E-06	6.0E-05	1.05E-03	6.29E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
188	8.22019	8.11E-06	6.7E-05	1.05E-03	6.97E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
189	9.0857	8.11E-06	7.4E-05	1.05E-03	7.70E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
190	9.92021	8.11E-06	8.0E-05	1.05E-03	8.41E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	10.63253	8.11E-06	8.6E-05	1.05E-03	9.01E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	1.5631	8.11E-06	1.3E-05	1.05E-03	1.32E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	1.98022	8.11E-06	1.6E-05	1.05E-03	1.68E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	2.57794	8.11E-06	2.1E-05	1.05E-03	2.18E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	3.34691	8.11E-06	2.7E-05	1.05E-03	2.84E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	4.10786	8.11E-06	3.3E-05	1.05E-03	3.48E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	4.70057	8.11E-06	3.8E-05	1.05E-03	3.98E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	5.18885	8.11E-06	4.2E-05	1.05E-03	4.40E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	5.6595	8.11E-06	4.6E-05	1.05E-03	4.80E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	6.11466	8.11E-06	5.0E-05	1.05E-03	5.18E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	6.517	8.11E-06	5.3E-05	1.05E-03	5.52E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	6.82848	8.11E-06	5.5E-05	1.05E-03	5.79E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	6.95779	8.11E-06	5.6E-05	1.05E-03	5.90E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	1.13765	8.11E-06	9.2E-06	1.05E-03	9.64E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	1.37867	8.11E-06	1.1E-05	1.05E-03	1.17E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	1.6861	8.11E-06	1.4E-05	1.05E-03	1.43E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	2.09131	8.11E-06	1.7E-05	1.05E-03	1.77E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	3.07876	8.11E-06	2.5E-05	1.05E-03	2.61E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	3.51048	8.11E-06	2.8E-05	1.05E-03	2.98E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	3.86757	8.11E-06	3.1E-05	1.05E-03	3.28E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	4.18416	8.11E-06	3.4E-05	1.05E-03	3.55E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	4.46353	8.11E-06	3.6E-05	1.05E-03	3.78E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	4.69178	8.11E-06	3.8E-05	1.05E-03	3.98E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	4.84836	8.11E-06	3.9E-05	1.05E-03	4.11E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	4.88911	8.11E-06	4.0E-05	1.05E-03	4.14E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	4.81115	8.11E-06	3.9E-05	1.05E-03	4.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	1.0333	8.11E-06	8.4E-06	1.05E-03	8.76E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	1.22013	8.11E-06	9.9E-06	1.05E-03	1.03E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	1.45313	8.11E-06	1.2E-05	1.05E-03	1.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	1.74196	8.11E-06	1.4E-05	1.05E-03	1.48E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	2.07737	8.11E-06	1.7E-05	1.05E-03	1.76E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	2.42603	8.11E-06	2.0E-05	1.05E-03	2.06E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	2.74197	8.11E-06	2.2E-05	1.05E-03	2.32E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	3.23634	8.11E-06	2.6E-05	1.05E-03	2.74E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	3.42767	8.11E-06	2.8E-05	1.05E-03	2.90E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	3.57312	8.11E-06	2.9E-05	1.05E-03	3.03E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	3.66102	8.11E-06	3.0E-05	1.05E-03	3.10E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	3.67498	8.11E-06	3.0E-05	1.05E-03	3.11E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	3.59816	8.11E-06	2.9E-05	1.05E-03	3.05E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	0.93685	8.11E-06	7.6E-06	1.05E-03	7.94E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	1.08496	8.11E-06	8.8E-06	1.05E-03	9.19E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	1.26586	8.11E-06	1.0E-05	1.05E-03	1.07E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	1.48057	8.11E-06	1.2E-05	1.05E-03	1.25E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	1.72272	8.11E-06	1.4E-05	1.05E-03	1.46E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	1.97305	8.11E-06	1.6E-05	1.05E-03	1.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	2.20763	8.11E-06	1.8E-05	1.05E-03	1.87E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	2.58524	8.11E-06	2.1E-05	1.05E-03	2.19E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	2.72347	8.11E-06	2.2E-05	1.05E-03	2.31E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	2.82428	8.11E-06	2.3E-05	1.05E-03	2.39E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	2.87816	8.11E-06	2.3E-05	1.05E-03	2.44E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	2.8842	8.11E-06	2.3E-05	1.05E-03	2.44E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	2.82388	8.11E-06	2.3E-05	1.05E-03	2.39E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	0.85094	8.11E-06	6.9E-06	1.05E-03	7.21E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	0.97037	8.11E-06	7.9E-06	1.05E-03	8.22E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	1.11287	8.11E-06	9.0E-06	1.05E-03	9.43E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	1.27636	8.11E-06	1.0E-05	1.05E-03	1.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	1.45702	8.11E-06	1.2E-05	1.05E-03	1.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	1.64355	8.11E-06	1.3E-05	1.05E-03	1.39E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	1.82163	8.11E-06	1.5E-05	1.05E-03	1.54E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	2.1125	8.11E-06	1.7E-05	1.05E-03	1.79E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	2.21727	8.11E-06	1.8E-05	1.05E-03	1.88E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	2.29086	8.11E-06	1.9E-05	1.05E-03	1.94E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	2.32938	8.11E-06	1.9E-05	1.05E-03	1.97E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	2.3306	8.11E-06	1.9E-05	1.05E-03	1.98E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	2.28353	8.11E-06	1.9E-05	1.05E-03	1.94E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	1.88214	8.11E-06	1.5E-05	1.05E-03	1.60E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	1.67671	8.11E-06	1.4E-05	1.05E-03	1.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	0.77483	8.11E-06	6.3E-06	1.05E-03	6.57E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	0.87185	8.11E-06	7.1E-06	1.05E-03	7.39E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	0.98541	8.11E-06	8.0E-06	1.05E-03	8.35E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	1.11376	8.11E-06	9.0E-06	1.05E-03	9.44E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	1.25251	8.11E-06	1.0E-05	1.05E-03	1.06E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	1.39555	8.11E-06	1.1E-05	1.05E-03	1.18E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	1.53383	8.11E-06	1.2E-05	1.05E-03	1.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	1.76149	8.11E-06	1.4E-05	1.05E-03	1.49E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	1.84314	8.11E-06	1.5E-05	1.05E-03	1.56E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	1.89993	8.11E-06	1.5E-05	1.05E-03	1.61E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	1.92896	8.11E-06	1.6E-05	1.05E-03	1.63E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	1.9269	8.11E-06	1.6E-05	1.05E-03	1.63E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	1.89013	8.11E-06	1.5E-05	1.05E-03	1.60E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	1.58978	8.11E-06	1.3E-05	1.05E-03	1.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	1.434	8.11E-06	1.2E-05	1.05E-03	1.22E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	0.70736	8.11E-06	5.7E-06	1.05E-03	5.99E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	0.7873	8.11E-06	6.4E-06	1.05E-03	6.67E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	0.87866	8.11E-06	7.1E-06	1.05E-03	7.45E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	0.98116	8.11E-06	8.0E-06	1.05E-03	8.32E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	1.09016	8.11E-06	8.8E-06	1.05E-03	9.24E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	1.20195	8.11E-06	9.7E-06	1.05E-03	1.02E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	1.30998	8.11E-06	1.1E-05	1.05E-03	1.11E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	1.49154	8.11E-06	1.2E-05	1.05E-03	1.26E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	1.55664	8.11E-06	1.3E-05	1.05E-03	1.32E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	1.60178	8.11E-06	1.3E-05	1.05E-03	1.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	1.62429	8.11E-06	1.3E-05	1.05E-03	1.38E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	1.62236	8.11E-06	1.3E-05	1.05E-03	1.37E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	1.59378	8.11E-06	1.3E-05	1.05E-03	1.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	1.36278	8.11E-06	1.1E-05	1.05E-03	1.15E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	1.24422	8.11E-06	1.0E-05	1.05E-03	1.05E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	0.64764	8.11E-06	5.3E-06	1.05E-03	5.49E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	0.71435	8.11E-06	5.8E-06	1.05E-03	6.05E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	0.78879	8.11E-06	6.4E-06	1.05E-03	6.68E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	0.87155	8.11E-06	7.1E-06	1.05E-03	7.39E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	0.9583	8.11E-06	7.8E-06	1.05E-03	8.12E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	1.04722	8.11E-06	8.5E-06	1.05E-03	8.88E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	1.13338	8.11E-06	9.2E-06	1.05E-03	9.61E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	1.27975	8.11E-06	1.0E-05	1.05E-03	1.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	1.33221	8.11E-06	1.1E-05	1.05E-03	1.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	1.36941	8.11E-06	1.1E-05	1.05E-03	1.16E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	1.38753	8.11E-06	1.1E-05	1.05E-03	1.18E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	1.38619	8.11E-06	1.1E-05	1.05E-03	1.17E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	1.36471	8.11E-06	1.1E-05	1.05E-03	1.16E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	1.18381	8.11E-06	9.6E-06	1.05E-03	1.00E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	1.09175	8.11E-06	8.9E-06	1.05E-03	9.25E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	0.5946	8.11E-06	4.8E-06	1.05E-03	5.04E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	0.65064	8.11E-06	5.3E-06	1.05E-03	5.51E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	0.71231	8.11E-06	5.8E-06	1.05E-03	6.04E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	0.77952	8.11E-06	6.3E-06	1.05E-03	6.61E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	0.85023	8.11E-06	6.9E-06	1.05E-03	7.21E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	0.92146	8.11E-06	7.5E-06	1.05E-03	7.81E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	0.99108	8.11E-06	8.0E-06	1.05E-03	8.40E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	1.05459	8.11E-06	8.6E-06	1.05E-03	8.94E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	1.11031	8.11E-06	9.0E-06	1.05E-03	9.41E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	1.1538	8.11E-06	9.4E-06	1.05E-03	9.78E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	1.18421	8.11E-06	9.6E-06	1.05E-03	1.00E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	1.19964	8.11E-06	9.7E-06	1.05E-03	1.02E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	1.19927	8.11E-06	9.7E-06	1.05E-03	1.02E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	1.18185	8.11E-06	9.6E-06	1.05E-03	1.00E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	1.10214	8.11E-06	8.9E-06	1.05E-03	9.34E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	1.03978	8.11E-06	8.4E-06	1.05E-03	8.81E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	0.96671	8.11E-06	7.8E-06	1.05E-03	8.19E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	0.75987	8.11E-06	6.2E-06	1.05E-03	6.44E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	0.81837	8.11E-06	6.6E-06	1.05E-03	6.94E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	0.8756	8.11E-06	7.1E-06	1.05E-03	7.42E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	0.92725	8.11E-06	7.5E-06	1.05E-03	7.86E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	0.97141	8.11E-06	7.9E-06	1.05E-03	8.23E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	0.92148	8.11E-06	7.5E-06	1.05E-03	7.81E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	0.86269	8.11E-06	7.0E-06	1.05E-03	7.31E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	0.73224	8.11E-06	5.9E-06	1.05E-03	6.21E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	0.77907	8.11E-06	6.3E-06	1.05E-03	6.60E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	0.82273	8.11E-06	6.7E-06	1.05E-03	6.97E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	0.86336	8.11E-06	7.0E-06	1.05E-03	7.32E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	0.8231	8.11E-06	6.7E-06	1.05E-03	6.98E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	0.77526	8.11E-06	6.3E-06	1.05E-03	6.57E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	0.6596	8.11E-06	5.3E-06	1.05E-03	5.59E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	0.69882	8.11E-06	5.7E-06	1.05E-03	5.92E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	0.73537	8.11E-06	6.0E-06	1.05E-03	6.23E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	0.77311	8.11E-06	6.3E-06	1.05E-03	6.55E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	0.74025	8.11E-06	6.0E-06	1.05E-03	6.27E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	0.70107	8.11E-06	5.7E-06	1.05E-03	5.94E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	0.63072	8.11E-06	5.1E-06	1.05E-03	5.35E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	0.66158	8.11E-06	5.4E-06	1.05E-03	5.61E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	0.69667	8.11E-06	5.6E-06	1.05E-03	5.90E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	0.66965	8.11E-06	5.4E-06	1.05E-03	5.68E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	0.63721	8.11E-06	5.2E-06	1.05E-03	5.40E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	0.57241	8.11E-06	4.6E-06	1.05E-03	4.85E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	0.5985	8.11E-06	4.9E-06	1.05E-03	5.07E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	0.62137	8.11E-06	5.0E-06	1.05E-03	5.27E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	0.63137	8.11E-06	5.1E-06	1.05E-03	5.35E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	0.60899	8.11E-06	4.9E-06	1.05E-03	5.16E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	0.58188	8.11E-06	4.7E-06	1.05E-03	4.93E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	0.54441	8.11E-06	4.4E-06	1.05E-03	4.61E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	0.56408	8.11E-06	4.6E-06	1.05E-03	4.78E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	0.5751	8.11E-06	4.7E-06	1.05E-03	4.87E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	0.55649	8.11E-06	4.5E-06	1.05E-03	4.72E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	0.53375	8.11E-06	4.3E-06	1.05E-03	4.52E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	0.49763	8.11E-06	4.0E-06	1.05E-03	4.22E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	0.5145	8.11E-06	4.2E-06	1.05E-03	4.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	0.51072	8.11E-06	4.1E-06	1.05E-03	4.33E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	0.4916	8.11E-06	4.0E-06	1.05E-03	4.17E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	0.45681	8.11E-06	3.7E-06	1.05E-03	3.87E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	0.47137	8.11E-06	3.8E-06	1.05E-03	3.99E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	0.48361	8.11E-06	3.9E-06	1.05E-03	4.10E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	0.47052	8.11E-06	3.8E-06	1.05E-03	3.99E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	0.45433	8.11E-06	3.7E-06	1.05E-03	3.85E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	0.43376	8.11E-06	3.5E-06	1.05E-03	3.68E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	0.44443	8.11E-06	3.6E-06	1.05E-03	3.77E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	0.45393	8.11E-06	3.7E-06	1.05E-03	3.85E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	0.43505	8.11E-06	3.5E-06	1.05E-03	3.69E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	0.42127	8.11E-06	3.4E-06	1.05E-03	3.57E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	0.40044	8.11E-06	3.2E-06	1.05E-03	3.39E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	0.41	8.11E-06	3.3E-06	1.05E-03	3.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	0.41722	8.11E-06	3.4E-06	1.05E-03	3.54E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	0.42194	8.11E-06	3.4E-06	1.05E-03	3.58E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	0.424	8.11E-06	3.4E-06	1.05E-03	3.59E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	0.42317	8.11E-06	3.4E-06	1.05E-03	3.59E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	0.41945	8.11E-06	3.4E-06	1.05E-03	3.55E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	0.41286	8.11E-06	3.3E-06	1.05E-03	3.50E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	0.40357	8.11E-06	3.3E-06	1.05E-03	3.42E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	0.39179	8.11E-06	3.2E-06	1.05E-03	3.32E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	0.37932	8.11E-06	3.1E-06	1.05E-03	3.21E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	0.386	8.11E-06	3.1E-06	1.05E-03	3.27E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	0.3903	8.11E-06	3.2E-06	1.05E-03	3.31E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	0.39232	8.11E-06	3.2E-06	1.05E-03	3.32E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	0.39186	8.11E-06	3.2E-06	1.05E-03	3.32E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	0.38887	8.11E-06	3.2E-06	1.05E-03	3.30E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	0.38337	8.11E-06	3.1E-06	1.05E-03	3.25E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	0.36541	8.11E-06	3.0E-06	1.05E-03	3.10E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	0.35245	8.11E-06	2.9E-06	1.05E-03	2.99E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	0.35797	8.11E-06	2.9E-06	1.05E-03	3.03E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	0.36226	8.11E-06	2.9E-06	1.05E-03	3.07E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	0.36421	8.11E-06	3.0E-06	1.05E-03	3.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	0.36403	8.11E-06	3.0E-06	1.05E-03	3.09E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	0.36164	8.11E-06	2.9E-06	1.05E-03	3.06E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	0.35706	8.11E-06	2.9E-06	1.05E-03	3.03E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	0.3417	8.11E-06	2.8E-06	1.05E-03	2.90E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	0.32842	8.11E-06	2.7E-06	1.05E-03	2.78E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	0.3336	8.11E-06	2.7E-06	1.05E-03	2.83E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	0.33712	8.11E-06	2.7E-06	1.05E-03	2.86E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	0.339	8.11E-06	2.7E-06	1.05E-03	2.87E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	0.33918	8.11E-06	2.8E-06	1.05E-03	2.87E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	0.33728	8.11E-06	2.7E-06	1.05E-03	2.86E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	0.33335	8.11E-06	2.7E-06	1.05E-03	2.83E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	0.32029	8.11E-06	2.6E-06	1.05E-03	2.71E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	0.31153	8.11E-06	2.5E-06	1.05E-03	2.64E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	0.31487	8.11E-06	2.6E-06	1.05E-03	2.67E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	0.31667	8.11E-06	2.6E-06	1.05E-03	2.68E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	0.31651	8.11E-06	2.6E-06	1.05E-03	2.68E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	0.31528	8.11E-06	2.6E-06	1.05E-03	2.67E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	0.31223	8.11E-06	2.5E-06	1.05E-03	2.65E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	0.30091	8.11E-06	2.4E-06	1.05E-03	2.55E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	0.29167	8.11E-06	2.4E-06	1.05E-03	2.47E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	0.29475	8.11E-06	2.4E-06	1.05E-03	2.50E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	0.29651	8.11E-06	2.4E-06	1.05E-03	2.51E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	0.29686	8.11E-06	2.4E-06	1.05E-03	2.52E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	0.29569	8.11E-06	2.4E-06	1.05E-03	2.51E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	0.29298	8.11E-06	2.4E-06	1.05E-03	2.48E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	0.28669	8.11E-06	2.3E-06	1.05E-03	2.43E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	0.27376	8.11E-06	2.2E-06	1.05E-03	2.32E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	0.27661	8.11E-06	2.2E-06	1.05E-03	2.34E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	0.27831	8.11E-06	2.3E-06	1.05E-03	2.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	0.27875	8.11E-06	2.3E-06	1.05E-03	2.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	0.27788	8.11E-06	2.3E-06	1.05E-03	2.36E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	0.27567	8.11E-06	2.2E-06	1.05E-03	2.34E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	0.27211	8.11E-06	2.2E-06	1.05E-03	2.31E-09	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	8.11E-06	0.0E+00	1.05E-03	0.00E+00	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
1	1	0.22449	8.11E-06	1.8E-06	6.05E-04	1.10E-09	14	4.71E-02	7.27E-10	1.0E+06	7.3E-04
2	2	0.24018	8.11E-06	1.9E-06	6.05E-04	1.18E-09	14	4.71E-02	7.78E-10	1.0E+06	7.8E-04
3	3	0.25756	8.11E-06	2.1E-06	6.05E-04	1.26E-09	14	4.71E-02	8.34E-10	1.0E+06	8.3E-04
4	4	0.27708	8.11E-06	2.2E-06	6.05E-04	1.36E-09	14	4.71E-02	8.97E-10	1.0E+06	9.0E-04
5	5	0.29914	8.11E-06	2.4E-06	6.05E-04	1.47E-09	14	4.71E-02	9.69E-10	1.0E+06	9.7E-04
6	6	0.32454	8.11E-06	2.6E-06	6.05E-04	1.59E-09	14	4.71E-02	1.05E-09	1.0E+06	1.1E-03
7	7	0.35353	8.11E-06	2.9E-06	6.05E-04	1.73E-09	14	4.71E-02	1.14E-09	1.0E+06	1.1E-03
8	8	0.38665	8.11E-06	3.1E-06	6.05E-04	1.90E-09	14	4.71E-02	1.25E-09	1.0E+06	1.3E-03
9	9	0.425	8.11E-06	3.4E-06	6.05E-04	2.09E-09	14	4.71E-02	1.38E-09	1.0E+06	1.4E-03
10	10	0.46965	8.11E-06	3.8E-06	6.05E-04	2.30E-09	14	4.71E-02	1.52E-09	1.0E+06	1.5E-03
11	11	0.52187	8.11E-06	4.2E-06	6.05E-04	2.56E-09	14	4.71E-02	1.69E-09	1.0E+06	1.7E-03
12	12	0.58329	8.11E-06	4.7E-06	6.05E-04	2.86E-09	14	4.71E-02	1.89E-09	1.0E+06	1.9E-03
13	13	0.65666	8.11E-06	5.3E-06	6.05E-04	3.22E-09	14	4.71E-02	2.13E-09	1.0E+06	2.1E-03
14	14	0.7439	8.11E-06	6.0E-06	6.05E-04	3.65E-09	14	4.71E-02	2.41E-09	1.0E+06	2.4E-03
15	15	0.84837	8.11E-06	6.9E-06	6.05E-04	4.16E-09	14	4.71E-02	2.75E-09	1.0E+06	2.7E-03
16	16	0.9722	8.11E-06	7.9E-06	6.05E-04	4.77E-09	14	4.71E-02	3.15E-09	1.0E+06	3.1E-03
17	17	1.1197	8.11E-06	9.1E-06	6.05E-04	5.49E-09	14	4.71E-02	3.63E-09	1.0E+06	3.6E-03
18	18	1.28884	8.11E-06	1.0E-05	6.05E-04	6.32E-09	14	4.71E-02	4.17E-09	1.0E+06	4.2E-03
19	19	1.47797	8.11E-06	1.2E-05	6.05E-04	7.25E-09	14	4.71E-02	4.79E-09	1.0E+06	4.8E-03
20	20	1.6784	8.11E-06	1.4E-05	6.05E-04	8.23E-09	14	4.71E-02	5.43E-09	1.0E+06	5.4E-03
21	21	1.87664	8.11E-06	1.5E-05	6.05E-04	9.21E-09	14	4.71E-02	6.08E-09	1.0E+06	6.1E-03
22	22	2.06784	8.11E-06	1.7E-05	6.05E-04	1.01E-08	14	4.71E-02	6.70E-09	1.0E+06	6.7E-03
23	23	2.25215	8.11E-06	1.8E-05	6.05E-04	1.10E-08	14	4.71E-02	7.29E-09	1.0E+06	7.3E-03
24	24	2.42844	8.11E-06	2.0E-05	6.05E-04	1.19E-08	14	4.71E-02	7.86E-09	1.0E+06	7.9E-03
25	25	2.58592	8.11E-06	2.1E-05	6.05E-04	1.27E-08	14	4.71E-02	8.37E-09	1.0E+06	8.4E-03
26	26	2.70839	8.11E-06	2.2E-05	6.05E-04	1.33E-08	14	4.71E-02	8.77E-09	1.0E+06	8.8E-03
27	27	2.78647	8.11E-06	2.3E-05	6.05E-04	1.37E-08	14	4.71E-02	9.02E-09	1.0E+06	9.0E-03
28	28	2.81648	8.11E-06	2.3E-05	6.05E-04	1.38E-08	14	4.71E-02	9.12E-09	1.0E+06	9.1E-03
29	29	2.80588	8.11E-06	2.3E-05	6.05E-04	1.38E-08	14	4.71E-02	9.09E-09	1.0E+06	9.1E-03
30	30	2.7593	8.11E-06	2.2E-05	6.05E-04	1.35E-08	14	4.71E-02	8.93E-09	1.0E+06	8.9E-03
31	31	2.68002	8.11E-06	2.2E-05	6.05E-04	1.31E-08	14	4.71E-02	8.68E-09	1.0E+06	8.7E-03

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
32	32	2.57333	8.11E-06	2.1E-05	6.05E-04	1.26E-08	14	4.71E-02	8.33E-09	1.0E+06	8.3E-03
55	55	2.80011	8.11E-06	2.3E-05	6.05E-04	1.37E-08	14	4.71E-02	9.07E-09	1.0E+06	9.1E-03
56	56	3.10482	8.11E-06	2.5E-05	6.05E-04	1.52E-08	14	4.71E-02	1.01E-08	1.0E+06	1.0E-02
57	57	3.3839	8.11E-06	2.7E-05	6.05E-04	1.66E-08	14	4.71E-02	1.10E-08	1.0E+06	1.1E-02
58	58	3.59233	8.11E-06	2.9E-05	6.05E-04	1.76E-08	14	4.71E-02	1.16E-08	1.0E+06	1.2E-02
59	59	3.7095	8.11E-06	3.0E-05	6.05E-04	1.82E-08	14	4.71E-02	1.20E-08	1.0E+06	1.2E-02
60	60	3.74365	8.11E-06	3.0E-05	6.05E-04	1.84E-08	14	4.71E-02	1.21E-08	1.0E+06	1.2E-02
61	61	3.72373	8.11E-06	3.0E-05	6.05E-04	1.83E-08	14	4.71E-02	1.21E-08	1.0E+06	1.2E-02
62	62	3.65256	8.11E-06	3.0E-05	6.05E-04	1.79E-08	14	4.71E-02	1.18E-08	1.0E+06	1.2E-02
63	63	3.54705	8.11E-06	2.9E-05	6.05E-04	1.74E-08	14	4.71E-02	1.15E-08	1.0E+06	1.1E-02
64	64	3.40606	8.11E-06	2.8E-05	6.05E-04	1.67E-08	14	4.71E-02	1.10E-08	1.0E+06	1.1E-02
65	65	3.23281	8.11E-06	2.6E-05	6.05E-04	1.59E-08	14	4.71E-02	1.05E-08	1.0E+06	1.0E-02
66	66	3.05349	8.11E-06	2.5E-05	6.05E-04	1.50E-08	14	4.71E-02	9.89E-09	1.0E+06	9.9E-03
67	67	0.23136	8.11E-06	1.9E-06	6.05E-04	1.14E-09	14	4.71E-02	7.49E-10	1.0E+06	7.5E-04
68	68	0.24832	8.11E-06	2.0E-06	6.05E-04	1.22E-09	14	4.71E-02	8.04E-10	1.0E+06	8.0E-04
69	69	0.26736	8.11E-06	2.2E-06	6.05E-04	1.31E-09	14	4.71E-02	8.66E-10	1.0E+06	8.7E-04
70	70	0.28893	8.11E-06	2.3E-06	6.05E-04	1.42E-09	14	4.71E-02	9.36E-10	1.0E+06	9.4E-04
71	71	0.31326	8.11E-06	2.5E-06	6.05E-04	1.54E-09	14	4.71E-02	1.01E-09	1.0E+06	1.0E-03
72	72	0.3417	8.11E-06	2.8E-06	6.05E-04	1.68E-09	14	4.71E-02	1.11E-09	1.0E+06	1.1E-03
73	73	0.37449	8.11E-06	3.0E-06	6.05E-04	1.84E-09	14	4.71E-02	1.21E-09	1.0E+06	1.2E-03
74	74	0.41267	8.11E-06	3.3E-06	6.05E-04	2.02E-09	14	4.71E-02	1.34E-09	1.0E+06	1.3E-03
75	75	0.4576	8.11E-06	3.7E-06	6.05E-04	2.25E-09	14	4.71E-02	1.48E-09	1.0E+06	1.5E-03
76	76	0.5113	8.11E-06	4.1E-06	6.05E-04	2.51E-09	14	4.71E-02	1.66E-09	1.0E+06	1.7E-03
77	77	0.5763	8.11E-06	4.7E-06	6.05E-04	2.83E-09	14	4.71E-02	1.87E-09	1.0E+06	1.9E-03
78	78	0.65648	8.11E-06	5.3E-06	6.05E-04	3.22E-09	14	4.71E-02	2.13E-09	1.0E+06	2.1E-03
79	79	1.53048	8.11E-06	1.2E-05	6.05E-04	7.51E-09	14	4.71E-02	4.96E-09	1.0E+06	5.0E-03
80	80	1.89876	8.11E-06	1.5E-05	6.05E-04	9.32E-09	14	4.71E-02	6.15E-09	1.0E+06	6.1E-03
81	81	2.37895	8.11E-06	1.9E-05	6.05E-04	1.17E-08	14	4.71E-02	7.70E-09	1.0E+06	7.7E-03
82	82	2.94401	8.11E-06	2.4E-05	6.05E-04	1.44E-08	14	4.71E-02	9.53E-09	1.0E+06	9.5E-03
83	83	3.5479	8.11E-06	2.9E-05	6.05E-04	1.74E-08	14	4.71E-02	1.15E-08	1.0E+06	1.1E-02
84	84	4.1433	8.11E-06	3.4E-05	6.05E-04	2.03E-08	14	4.71E-02	1.34E-08	1.0E+06	1.3E-02

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	85	4.69075	8.11E-06	3.8E-05	6.05E-04	2.30E-08	14	4.71E-02	1.52E-08	1.0E+06	1.5E-02
86	86	5.08085	8.11E-06	4.1E-05	6.05E-04	2.49E-08	14	4.71E-02	1.65E-08	1.0E+06	1.6E-02
87	87	5.26077	8.11E-06	4.3E-05	6.05E-04	2.58E-08	14	4.71E-02	1.70E-08	1.0E+06	1.7E-02
88	88	5.27547	8.11E-06	4.3E-05	6.05E-04	2.59E-08	14	4.71E-02	1.71E-08	1.0E+06	1.7E-02
89	89	5.17708	8.11E-06	4.2E-05	6.05E-04	2.54E-08	14	4.71E-02	1.68E-08	1.0E+06	1.7E-02
90	90	5.02976	8.11E-06	4.1E-05	6.05E-04	2.47E-08	14	4.71E-02	1.63E-08	1.0E+06	1.6E-02
91	91	4.8739	8.11E-06	4.0E-05	6.05E-04	2.39E-08	14	4.71E-02	1.58E-08	1.0E+06	1.6E-02
92	92	4.67348	8.11E-06	3.8E-05	6.05E-04	2.29E-08	14	4.71E-02	1.51E-08	1.0E+06	1.5E-02
93	93	4.46816	8.11E-06	3.6E-05	6.05E-04	2.19E-08	14	4.71E-02	1.45E-08	1.0E+06	1.4E-02
96	96	8.35353	8.11E-06	6.8E-05	6.05E-04	4.10E-08	14	4.71E-02	2.70E-08	1.0E+06	2.7E-02
97	97	8.20378	8.11E-06	6.7E-05	6.05E-04	4.02E-08	14	4.71E-02	2.66E-08	1.0E+06	2.7E-02
98	98	7.81098	8.11E-06	6.3E-05	6.05E-04	3.83E-08	14	4.71E-02	2.53E-08	1.0E+06	2.5E-02
99	99	7.43196	8.11E-06	6.0E-05	6.05E-04	3.65E-08	14	4.71E-02	2.41E-08	1.0E+06	2.4E-02
100	100	7.06454	8.11E-06	5.7E-05	6.05E-04	3.47E-08	14	4.71E-02	2.29E-08	1.0E+06	2.3E-02
101	101	6.74205	8.11E-06	5.5E-05	6.05E-04	3.31E-08	14	4.71E-02	2.18E-08	1.0E+06	2.2E-02
102	102	6.52484	8.11E-06	5.3E-05	6.05E-04	3.20E-08	14	4.71E-02	2.11E-08	1.0E+06	2.1E-02
106	106	0.21951	8.11E-06	1.8E-06	6.05E-04	1.08E-09	14	4.71E-02	7.11E-10	1.0E+06	7.1E-04
107	107	0.23503	8.11E-06	1.9E-06	6.05E-04	1.15E-09	14	4.71E-02	7.61E-10	1.0E+06	7.6E-04
108	108	0.25268	8.11E-06	2.0E-06	6.05E-04	1.24E-09	14	4.71E-02	8.18E-10	1.0E+06	8.2E-04
109	109	0.27259	8.11E-06	2.2E-06	6.05E-04	1.34E-09	14	4.71E-02	8.83E-10	1.0E+06	8.8E-04
110	110	0.29532	8.11E-06	2.4E-06	6.05E-04	1.45E-09	14	4.71E-02	9.56E-10	1.0E+06	9.6E-04
111	111	0.32107	8.11E-06	2.6E-06	6.05E-04	1.58E-09	14	4.71E-02	1.04E-09	1.0E+06	1.0E-03
112	112	0.35152	8.11E-06	2.9E-06	6.05E-04	1.72E-09	14	4.71E-02	1.14E-09	1.0E+06	1.1E-03
113	113	0.38665	8.11E-06	3.1E-06	6.05E-04	1.90E-09	14	4.71E-02	1.25E-09	1.0E+06	1.3E-03
114	114	0.42817	8.11E-06	3.5E-06	6.05E-04	2.10E-09	14	4.71E-02	1.39E-09	1.0E+06	1.4E-03
115	115	0.47748	8.11E-06	3.9E-06	6.05E-04	2.34E-09	14	4.71E-02	1.55E-09	1.0E+06	1.5E-03
116	116	0.53675	8.11E-06	4.4E-06	6.05E-04	2.63E-09	14	4.71E-02	1.74E-09	1.0E+06	1.7E-03
117	117	0.61086	8.11E-06	5.0E-06	6.05E-04	3.00E-09	14	4.71E-02	1.98E-09	1.0E+06	2.0E-03
118	118	0.70404	8.11E-06	5.7E-06	6.05E-04	3.45E-09	14	4.71E-02	2.28E-09	1.0E+06	2.3E-03
124	124	0.21963	8.11E-06	1.8E-06	6.05E-04	1.08E-09	14	4.71E-02	7.11E-10	1.0E+06	7.1E-04
125	125	0.23541	8.11E-06	1.9E-06	6.05E-04	1.15E-09	14	4.71E-02	7.62E-10	1.0E+06	7.6E-04

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
126	126	0.25316	8.11E-06	2.1E-06	6.05E-04	1.24E-09	14	4.71E-02	8.20E-10	1.0E+06	8.2E-04
127	127	0.27324	8.11E-06	2.2E-06	6.05E-04	1.34E-09	14	4.71E-02	8.85E-10	1.0E+06	8.8E-04
128	128	0.29614	8.11E-06	2.4E-06	6.05E-04	1.45E-09	14	4.71E-02	9.59E-10	1.0E+06	9.6E-04
129	129	0.32222	8.11E-06	2.6E-06	6.05E-04	1.58E-09	14	4.71E-02	1.04E-09	1.0E+06	1.0E-03
130	130	0.35292	8.11E-06	2.9E-06	6.05E-04	1.73E-09	14	4.71E-02	1.14E-09	1.0E+06	1.1E-03
131	131	0.38861	8.11E-06	3.2E-06	6.05E-04	1.91E-09	14	4.71E-02	1.26E-09	1.0E+06	1.3E-03
132	132	0.43087	8.11E-06	3.5E-06	6.05E-04	2.11E-09	14	4.71E-02	1.40E-09	1.0E+06	1.4E-03
133	133	0.48113	8.11E-06	3.9E-06	6.05E-04	2.36E-09	14	4.71E-02	1.56E-09	1.0E+06	1.6E-03
134	134	0.54275	8.11E-06	4.4E-06	6.05E-04	2.66E-09	14	4.71E-02	1.76E-09	1.0E+06	1.8E-03
135	135	0.61847	8.11E-06	5.0E-06	6.05E-04	3.03E-09	14	4.71E-02	2.00E-09	1.0E+06	2.0E-03
136	136	0.71415	8.11E-06	5.8E-06	6.05E-04	3.50E-09	14	4.71E-02	2.31E-09	1.0E+06	2.3E-03
137	137	0.83755	8.11E-06	6.8E-06	6.05E-04	4.11E-09	14	4.71E-02	2.71E-09	1.0E+06	2.7E-03
138	138	1.006	8.11E-06	8.2E-06	6.05E-04	4.94E-09	14	4.71E-02	3.26E-09	1.0E+06	3.3E-03
141	141	0.21925	8.11E-06	1.8E-06	6.05E-04	1.08E-09	14	4.71E-02	7.10E-10	1.0E+06	7.1E-04
142	142	0.23502	8.11E-06	1.9E-06	6.05E-04	1.15E-09	14	4.71E-02	7.61E-10	1.0E+06	7.6E-04
143	143	0.25273	8.11E-06	2.0E-06	6.05E-04	1.24E-09	14	4.71E-02	8.18E-10	1.0E+06	8.2E-04
144	144	0.27279	8.11E-06	2.2E-06	6.05E-04	1.34E-09	14	4.71E-02	8.83E-10	1.0E+06	8.8E-04
145	145	0.29563	8.11E-06	2.4E-06	6.05E-04	1.45E-09	14	4.71E-02	9.57E-10	1.0E+06	9.6E-04
146	146	0.32168	8.11E-06	2.6E-06	6.05E-04	1.58E-09	14	4.71E-02	1.04E-09	1.0E+06	1.0E-03
147	147	0.35228	8.11E-06	2.9E-06	6.05E-04	1.73E-09	14	4.71E-02	1.14E-09	1.0E+06	1.1E-03
148	148	0.38784	8.11E-06	3.1E-06	6.05E-04	1.90E-09	14	4.71E-02	1.26E-09	1.0E+06	1.3E-03
149	149	0.42993	8.11E-06	3.5E-06	6.05E-04	2.11E-09	14	4.71E-02	1.39E-09	1.0E+06	1.4E-03
150	150	0.48018	8.11E-06	3.9E-06	6.05E-04	2.36E-09	14	4.71E-02	1.55E-09	1.0E+06	1.6E-03
151	151	0.54136	8.11E-06	4.4E-06	6.05E-04	2.66E-09	14	4.71E-02	1.75E-09	1.0E+06	1.8E-03
152	152	0.61698	8.11E-06	5.0E-06	6.05E-04	3.03E-09	14	4.71E-02	2.00E-09	1.0E+06	2.0E-03
153	153	0.71248	8.11E-06	5.8E-06	6.05E-04	3.50E-09	14	4.71E-02	2.31E-09	1.0E+06	2.3E-03
154	154	0.83523	8.11E-06	6.8E-06	6.05E-04	4.10E-09	14	4.71E-02	2.70E-09	1.0E+06	2.7E-03
155	155	1.00078	8.11E-06	8.1E-06	6.05E-04	4.91E-09	14	4.71E-02	3.24E-09	1.0E+06	3.2E-03
164	164	0.81823	8.11E-06	6.6E-06	6.05E-04	4.01E-09	14	4.71E-02	2.65E-09	1.0E+06	2.6E-03
165	165	0.97397	8.11E-06	7.9E-06	6.05E-04	4.78E-09	14	4.71E-02	3.15E-09	1.0E+06	3.2E-03
166	166	1.19112	8.11E-06	9.7E-06	6.05E-04	5.84E-09	14	4.71E-02	3.86E-09	1.0E+06	3.9E-03

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	0.79033	8.11E-06	6.4E-06	6.05E-04	3.88E-09	14	4.71E-02	2.56E-09	1.0E+06	2.6E-03
179	179	0.93249	8.11E-06	7.6E-06	6.05E-04	4.57E-09	14	4.71E-02	3.02E-09	1.0E+06	3.0E-03
180	180	1.12426	8.11E-06	9.1E-06	6.05E-04	5.52E-09	14	4.71E-02	3.64E-09	1.0E+06	3.6E-03
192	192	0.75593	8.11E-06	6.1E-06	6.05E-04	3.71E-09	14	4.71E-02	2.45E-09	1.0E+06	2.4E-03
193	193	0.88296	8.11E-06	7.2E-06	6.05E-04	4.33E-09	14	4.71E-02	2.86E-09	1.0E+06	2.9E-03
194	194	1.04697	8.11E-06	8.5E-06	6.05E-04	5.14E-09	14	4.71E-02	3.39E-09	1.0E+06	3.4E-03
207	207	0.71714	8.11E-06	5.8E-06	6.05E-04	3.52E-09	14	4.71E-02	2.32E-09	1.0E+06	2.3E-03
208	208	0.82801	8.11E-06	6.7E-06	6.05E-04	4.06E-09	14	4.71E-02	2.68E-09	1.0E+06	2.7E-03
209	209	0.96742	8.11E-06	7.8E-06	6.05E-04	4.75E-09	14	4.71E-02	3.13E-09	1.0E+06	3.1E-03
223	223	0.67661	8.11E-06	5.5E-06	6.05E-04	3.32E-09	14	4.71E-02	2.19E-09	1.0E+06	2.2E-03
224	224	0.77233	8.11E-06	6.3E-06	6.05E-04	3.79E-09	14	4.71E-02	2.50E-09	1.0E+06	2.5E-03
225	225	0.88885	8.11E-06	7.2E-06	6.05E-04	4.36E-09	14	4.71E-02	2.88E-09	1.0E+06	2.9E-03
239	239	0.63624	8.11E-06	5.2E-06	6.05E-04	3.12E-09	14	4.71E-02	2.06E-09	1.0E+06	2.1E-03
240	240	0.71861	8.11E-06	5.8E-06	6.05E-04	3.53E-09	14	4.71E-02	2.33E-09	1.0E+06	2.3E-03
241	241	0.81741	8.11E-06	6.6E-06	6.05E-04	4.01E-09	14	4.71E-02	2.65E-09	1.0E+06	2.6E-03
255	255	0.59675	8.11E-06	4.8E-06	6.05E-04	2.93E-09	14	4.71E-02	1.93E-09	1.0E+06	1.9E-03
256	256	0.6677	8.11E-06	5.4E-06	6.05E-04	3.28E-09	14	4.71E-02	2.16E-09	1.0E+06	2.2E-03
272	272	0.55877	8.11E-06	4.5E-06	6.05E-04	2.74E-09	14	4.71E-02	1.81E-09	1.0E+06	1.8E-03
273	273	0.6203	8.11E-06	5.0E-06	6.05E-04	3.04E-09	14	4.71E-02	2.01E-09	1.0E+06	2.0E-03
289	289	0.5232	8.11E-06	4.2E-06	6.05E-04	2.57E-09	14	4.71E-02	1.69E-09	1.0E+06	1.7E-03
290	290	0.57646	8.11E-06	4.7E-06	6.05E-04	2.83E-09	14	4.71E-02	1.87E-09	1.0E+06	1.9E-03
306	306	0.48985	8.11E-06	4.0E-06	6.05E-04	2.40E-09	14	4.71E-02	1.59E-09	1.0E+06	1.6E-03
307	307	0.53614	8.11E-06	4.3E-06	6.05E-04	2.63E-09	14	4.71E-02	1.74E-09	1.0E+06	1.7E-03
323	323	0.4588	8.11E-06	3.7E-06	6.05E-04	2.25E-09	14	4.71E-02	1.49E-09	1.0E+06	1.5E-03
324	324	0.49917	8.11E-06	4.0E-06	6.05E-04	2.45E-09	14	4.71E-02	1.62E-09	1.0E+06	1.6E-03
342	342	0.43006	8.11E-06	3.5E-06	6.05E-04	2.11E-09	14	4.71E-02	1.39E-09	1.0E+06	1.4E-03
343	343	0.46538	8.11E-06	3.8E-06	6.05E-04	2.28E-09	14	4.71E-02	1.51E-09	1.0E+06	1.5E-03
344	344	0.50432	8.11E-06	4.1E-06	6.05E-04	2.47E-09	14	4.71E-02	1.63E-09	1.0E+06	1.6E-03
356	356	0.40345	8.11E-06	3.3E-06	6.05E-04	1.98E-09	14	4.71E-02	1.31E-09	1.0E+06	1.3E-03
357	357	0.43437	8.11E-06	3.5E-06	6.05E-04	2.13E-09	14	4.71E-02	1.41E-09	1.0E+06	1.4E-03
358	358	0.46834	8.11E-06	3.8E-06	6.05E-04	2.30E-09	14	4.71E-02	1.52E-09	1.0E+06	1.5E-03

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	0.37895	8.11E-06	3.1E-06	6.05E-04	1.86E-09	14	4.71E-02	1.23E-09	1.0E+06	1.2E-03
371	371	0.40616	8.11E-06	3.3E-06	6.05E-04	1.99E-09	14	4.71E-02	1.32E-09	1.0E+06	1.3E-03
372	372	0.43583	8.11E-06	3.5E-06	6.05E-04	2.14E-09	14	4.71E-02	1.41E-09	1.0E+06	1.4E-03
383	383	0.35637	8.11E-06	2.9E-06	6.05E-04	1.75E-09	14	4.71E-02	1.15E-09	1.0E+06	1.2E-03
384	384	0.38043	8.11E-06	3.1E-06	6.05E-04	1.87E-09	14	4.71E-02	1.23E-09	1.0E+06	1.2E-03
385	385	0.40645	8.11E-06	3.3E-06	6.05E-04	1.99E-09	14	4.71E-02	1.32E-09	1.0E+06	1.3E-03
396	396	0.3356	8.11E-06	2.7E-06	6.05E-04	1.65E-09	14	4.71E-02	1.09E-09	1.0E+06	1.1E-03
397	397	0.35694	8.11E-06	2.9E-06	6.05E-04	1.75E-09	14	4.71E-02	1.16E-09	1.0E+06	1.2E-03
398	398	0.37985	8.11E-06	3.1E-06	6.05E-04	1.86E-09	14	4.71E-02	1.23E-09	1.0E+06	1.2E-03
399	399	0.40433	8.11E-06	3.3E-06	6.05E-04	1.98E-09	14	4.71E-02	1.31E-09	1.0E+06	1.3E-03
411	411	0.31647	8.11E-06	2.6E-06	6.05E-04	1.55E-09	14	4.71E-02	1.02E-09	1.0E+06	1.0E-03
412	412	0.33546	8.11E-06	2.7E-06	6.05E-04	1.65E-09	14	4.71E-02	1.09E-09	1.0E+06	1.1E-03
413	413	0.3558	8.11E-06	2.9E-06	6.05E-04	1.75E-09	14	4.71E-02	1.15E-09	1.0E+06	1.2E-03
414	414	0.37726	8.11E-06	3.1E-06	6.05E-04	1.85E-09	14	4.71E-02	1.22E-09	1.0E+06	1.2E-03
426	426	0.29888	8.11E-06	2.4E-06	6.05E-04	1.47E-09	14	4.71E-02	9.68E-10	1.0E+06	9.7E-04
427	427	0.31586	8.11E-06	2.6E-06	6.05E-04	1.55E-09	14	4.71E-02	1.02E-09	1.0E+06	1.0E-03
428	428	0.33383	8.11E-06	2.7E-06	6.05E-04	1.64E-09	14	4.71E-02	1.08E-09	1.0E+06	1.1E-03
429	429	0.35282	8.11E-06	2.9E-06	6.05E-04	1.73E-09	14	4.71E-02	1.14E-09	1.0E+06	1.1E-03
439	439	0.28267	8.11E-06	2.3E-06	6.05E-04	1.39E-09	14	4.71E-02	9.15E-10	1.0E+06	9.2E-04
440	440	0.29789	8.11E-06	2.4E-06	6.05E-04	1.46E-09	14	4.71E-02	9.65E-10	1.0E+06	9.6E-04
441	441	0.31393	8.11E-06	2.5E-06	6.05E-04	1.54E-09	14	4.71E-02	1.02E-09	1.0E+06	1.0E-03
442	442	0.33076	8.11E-06	2.7E-06	6.05E-04	1.62E-09	14	4.71E-02	1.07E-09	1.0E+06	1.1E-03
443	443	0.34832	8.11E-06	2.8E-06	6.05E-04	1.71E-09	14	4.71E-02	1.13E-09	1.0E+06	1.1E-03
454	454	0.26773	8.11E-06	2.2E-06	6.05E-04	1.31E-09	14	4.71E-02	8.67E-10	1.0E+06	8.7E-04
455	455	0.28142	8.11E-06	2.3E-06	6.05E-04	1.38E-09	14	4.71E-02	9.11E-10	1.0E+06	9.1E-04
456	456	0.29578	8.11E-06	2.4E-06	6.05E-04	1.45E-09	14	4.71E-02	9.58E-10	1.0E+06	9.6E-04
457	457	0.31076	8.11E-06	2.5E-06	6.05E-04	1.52E-09	14	4.71E-02	1.01E-09	1.0E+06	1.0E-03
458	458	0.3263	8.11E-06	2.6E-06	6.05E-04	1.60E-09	14	4.71E-02	1.06E-09	1.0E+06	1.1E-03
469	469	0.25393	8.11E-06	2.1E-06	6.05E-04	1.25E-09	14	4.71E-02	8.22E-10	1.0E+06	8.2E-04
470	470	0.26625	8.11E-06	2.2E-06	6.05E-04	1.31E-09	14	4.71E-02	8.62E-10	1.0E+06	8.6E-04
471	471	0.27914	8.11E-06	2.3E-06	6.05E-04	1.37E-09	14	4.71E-02	9.04E-10	1.0E+06	9.0E-04

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
472	472	0.29252	8.11E-06	2.4E-06	6.05E-04	1.44E-09	14	4.71E-02	9.47E-10	1.0E+06	9.5E-04
473	473	0.30632	8.11E-06	2.5E-06	6.05E-04	1.50E-09	14	4.71E-02	9.92E-10	1.0E+06	9.9E-04
489	489	0.2412	8.11E-06	2.0E-06	6.05E-04	1.18E-09	14	4.71E-02	7.81E-10	1.0E+06	7.8E-04
490	490	0.25235	8.11E-06	2.0E-06	6.05E-04	1.24E-09	14	4.71E-02	8.17E-10	1.0E+06	8.2E-04
491	491	0.26394	8.11E-06	2.1E-06	6.05E-04	1.29E-09	14	4.71E-02	8.55E-10	1.0E+06	8.5E-04
492	492	0.27593	8.11E-06	2.2E-06	6.05E-04	1.35E-09	14	4.71E-02	8.93E-10	1.0E+06	8.9E-04
493	493	0.28824	8.11E-06	2.3E-06	6.05E-04	1.41E-09	14	4.71E-02	9.33E-10	1.0E+06	9.3E-04
494	494	0.3008	8.11E-06	2.4E-06	6.05E-04	1.48E-09	14	4.71E-02	9.74E-10	1.0E+06	9.7E-04
509	509	0.22939	8.11E-06	1.9E-06	6.05E-04	1.13E-09	14	4.71E-02	7.43E-10	1.0E+06	7.4E-04
510	510	0.2395	8.11E-06	1.9E-06	6.05E-04	1.18E-09	14	4.71E-02	7.76E-10	1.0E+06	7.8E-04
511	511	0.24994	8.11E-06	2.0E-06	6.05E-04	1.23E-09	14	4.71E-02	8.09E-10	1.0E+06	8.1E-04
512	512	0.26071	8.11E-06	2.1E-06	6.05E-04	1.28E-09	14	4.71E-02	8.44E-10	1.0E+06	8.4E-04
513	513	0.27175	8.11E-06	2.2E-06	6.05E-04	1.33E-09	14	4.71E-02	8.80E-10	1.0E+06	8.8E-04
514	514	0.28293	8.11E-06	2.3E-06	6.05E-04	1.39E-09	14	4.71E-02	9.16E-10	1.0E+06	9.2E-04
515	515	0.30537	8.11E-06	2.5E-06	6.05E-04	1.50E-09	14	4.71E-02	9.89E-10	1.0E+06	9.9E-04
516	516	0.31634	8.11E-06	2.6E-06	6.05E-04	1.55E-09	14	4.71E-02	1.02E-09	1.0E+06	1.0E-03
517	517	0.32679	8.11E-06	2.6E-06	6.05E-04	1.60E-09	14	4.71E-02	1.06E-09	1.0E+06	1.1E-03
518	518	0.33649	8.11E-06	2.7E-06	6.05E-04	1.65E-09	14	4.71E-02	1.09E-09	1.0E+06	1.1E-03
519	519	0.34515	8.11E-06	2.8E-06	6.05E-04	1.69E-09	14	4.71E-02	1.12E-09	1.0E+06	1.1E-03
528	528	0.21844	8.11E-06	1.8E-06	6.05E-04	1.07E-09	14	4.71E-02	7.07E-10	1.0E+06	7.1E-04
529	529	0.22762	8.11E-06	1.8E-06	6.05E-04	1.12E-09	14	4.71E-02	7.37E-10	1.0E+06	7.4E-04
530	530	0.23708	8.11E-06	1.9E-06	6.05E-04	1.16E-09	14	4.71E-02	7.68E-10	1.0E+06	7.7E-04
531	531	0.24677	8.11E-06	2.0E-06	6.05E-04	1.21E-09	14	4.71E-02	7.99E-10	1.0E+06	8.0E-04
532	532	0.25666	8.11E-06	2.1E-06	6.05E-04	1.26E-09	14	4.71E-02	8.31E-10	1.0E+06	8.3E-04
533	533	0.26666	8.11E-06	2.2E-06	6.05E-04	1.31E-09	14	4.71E-02	8.63E-10	1.0E+06	8.6E-04
534	534	0.28665	8.11E-06	2.3E-06	6.05E-04	1.41E-09	14	4.71E-02	9.28E-10	1.0E+06	9.3E-04
535	535	0.29635	8.11E-06	2.4E-06	6.05E-04	1.45E-09	14	4.71E-02	9.60E-10	1.0E+06	9.6E-04
536	536	0.30558	8.11E-06	2.5E-06	6.05E-04	1.50E-09	14	4.71E-02	9.89E-10	1.0E+06	9.9E-04
537	537	0.31417	8.11E-06	2.5E-06	6.05E-04	1.54E-09	14	4.71E-02	1.02E-09	1.0E+06	1.0E-03
538	538	0.32187	8.11E-06	2.6E-06	6.05E-04	1.58E-09	14	4.71E-02	1.04E-09	1.0E+06	1.0E-03
547	547	0.20827	8.11E-06	1.7E-06	6.05E-04	1.02E-09	14	4.71E-02	6.74E-10	1.0E+06	6.7E-04

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
548	548	0.21664	8.11E-06	1.8E-06	6.05E-04	1.06E-09	14	4.71E-02	7.01E-10	1.0E+06	7.0E-04
549	549	0.2252	8.11E-06	1.8E-06	6.05E-04	1.10E-09	14	4.71E-02	7.29E-10	1.0E+06	7.3E-04
550	550	0.23397	8.11E-06	1.9E-06	6.05E-04	1.15E-09	14	4.71E-02	7.58E-10	1.0E+06	7.6E-04
551	551	0.24286	8.11E-06	2.0E-06	6.05E-04	1.19E-09	14	4.71E-02	7.86E-10	1.0E+06	7.9E-04
552	552	0.25183	8.11E-06	2.0E-06	6.05E-04	1.24E-09	14	4.71E-02	8.15E-10	1.0E+06	8.2E-04
553	553	0.26079	8.11E-06	2.1E-06	6.05E-04	1.28E-09	14	4.71E-02	8.44E-10	1.0E+06	8.4E-04
554	554	0.26966	8.11E-06	2.2E-06	6.05E-04	1.32E-09	14	4.71E-02	8.73E-10	1.0E+06	8.7E-04
555	555	0.27827	8.11E-06	2.3E-06	6.05E-04	1.37E-09	14	4.71E-02	9.01E-10	1.0E+06	9.0E-04
556	556	0.28646	8.11E-06	2.3E-06	6.05E-04	1.41E-09	14	4.71E-02	9.28E-10	1.0E+06	9.3E-04
557	557	0.29411	8.11E-06	2.4E-06	6.05E-04	1.44E-09	14	4.71E-02	9.52E-10	1.0E+06	9.5E-04
558	558	0.30096	8.11E-06	2.4E-06	6.05E-04	1.48E-09	14	4.71E-02	9.75E-10	1.0E+06	9.7E-04
559	559	0.30684	8.11E-06	2.5E-06	6.05E-04	1.51E-09	14	4.71E-02	9.94E-10	1.0E+06	9.9E-04
567	567	0.19881	8.11E-06	1.6E-06	6.05E-04	9.75E-10	14	4.71E-02	6.44E-10	1.0E+06	6.4E-04
568	568	0.20643	8.11E-06	1.7E-06	6.05E-04	1.01E-09	14	4.71E-02	6.68E-10	1.0E+06	6.7E-04
569	569	0.21422	8.11E-06	1.7E-06	6.05E-04	1.05E-09	14	4.71E-02	6.94E-10	1.0E+06	6.9E-04
570	570	0.22215	8.11E-06	1.8E-06	6.05E-04	1.09E-09	14	4.71E-02	7.19E-10	1.0E+06	7.2E-04
571	571	0.23017	8.11E-06	1.9E-06	6.05E-04	1.13E-09	14	4.71E-02	7.45E-10	1.0E+06	7.5E-04
572	572	0.23823	8.11E-06	1.9E-06	6.05E-04	1.17E-09	14	4.71E-02	7.71E-10	1.0E+06	7.7E-04
573	573	0.24627	8.11E-06	2.0E-06	6.05E-04	1.21E-09	14	4.71E-02	7.97E-10	1.0E+06	8.0E-04
574	574	0.26189	8.11E-06	2.1E-06	6.05E-04	1.28E-09	14	4.71E-02	8.48E-10	1.0E+06	8.5E-04
575	575	0.26919	8.11E-06	2.2E-06	6.05E-04	1.32E-09	14	4.71E-02	8.72E-10	1.0E+06	8.7E-04
576	576	0.27598	8.11E-06	2.2E-06	6.05E-04	1.35E-09	14	4.71E-02	8.94E-10	1.0E+06	8.9E-04
577	577	0.28211	8.11E-06	2.3E-06	6.05E-04	1.38E-09	14	4.71E-02	9.13E-10	1.0E+06	9.1E-04
578	578	0.2874	8.11E-06	2.3E-06	6.05E-04	1.41E-09	14	4.71E-02	9.31E-10	1.0E+06	9.3E-04
586	586	0.19002	8.11E-06	1.5E-06	6.05E-04	9.32E-10	14	4.71E-02	6.15E-10	1.0E+06	6.2E-04
587	587	0.19699	8.11E-06	1.6E-06	6.05E-04	9.66E-10	14	4.71E-02	6.38E-10	1.0E+06	6.4E-04
588	588	0.20407	8.11E-06	1.7E-06	6.05E-04	1.00E-09	14	4.71E-02	6.61E-10	1.0E+06	6.6E-04
589	589	0.21126	8.11E-06	1.7E-06	6.05E-04	1.04E-09	14	4.71E-02	6.84E-10	1.0E+06	6.8E-04
590	590	0.21852	8.11E-06	1.8E-06	6.05E-04	1.07E-09	14	4.71E-02	7.08E-10	1.0E+06	7.1E-04
591	591	0.22578	8.11E-06	1.8E-06	6.05E-04	1.11E-09	14	4.71E-02	7.31E-10	1.0E+06	7.3E-04
592	592	0.23301	8.11E-06	1.9E-06	6.05E-04	1.14E-09	14	4.71E-02	7.54E-10	1.0E+06	7.5E-04

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
593	593	0.24699	8.11E-06	2.0E-06	6.05E-04	1.21E-09	14	4.71E-02	8.00E-10	1.0E+06	8.0E-04
594	594	0.25352	8.11E-06	2.1E-06	6.05E-04	1.24E-09	14	4.71E-02	8.21E-10	1.0E+06	8.2E-04
595	595	0.25963	8.11E-06	2.1E-06	6.05E-04	1.27E-09	14	4.71E-02	8.41E-10	1.0E+06	8.4E-04
596	596	0.26513	8.11E-06	2.1E-06	6.05E-04	1.30E-09	14	4.71E-02	8.59E-10	1.0E+06	8.6E-04
597	597	0.26989	8.11E-06	2.2E-06	6.05E-04	1.32E-09	14	4.71E-02	8.74E-10	1.0E+06	8.7E-04
345	345	0.54754	8.11E-06	4.4E-06	6.05E-04	2.69E-09	14	4.71E-02	1.77E-09	1.0E+06	1.8E-03
346	346	0.59492	8.11E-06	4.8E-06	6.05E-04	2.92E-09	14	4.71E-02	1.93E-09	1.0E+06	1.9E-03
347	347	0.64656	8.11E-06	5.2E-06	6.05E-04	3.17E-09	14	4.71E-02	2.09E-09	1.0E+06	2.1E-03
348	348	0.70189	8.11E-06	5.7E-06	6.05E-04	3.44E-09	14	4.71E-02	2.27E-09	1.0E+06	2.3E-03
359	359	0.50558	8.11E-06	4.1E-06	6.05E-04	2.48E-09	14	4.71E-02	1.64E-09	1.0E+06	1.6E-03
360	360	0.54615	8.11E-06	4.4E-06	6.05E-04	2.68E-09	14	4.71E-02	1.77E-09	1.0E+06	1.8E-03
361	361	0.58961	8.11E-06	4.8E-06	6.05E-04	2.89E-09	14	4.71E-02	1.91E-09	1.0E+06	1.9E-03
362	362	0.63593	8.11E-06	5.2E-06	6.05E-04	3.12E-09	14	4.71E-02	2.06E-09	1.0E+06	2.1E-03
363	363	0.68387	8.11E-06	5.5E-06	6.05E-04	3.36E-09	14	4.71E-02	2.21E-09	1.0E+06	2.2E-03
373	373	0.50278	8.11E-06	4.1E-06	6.05E-04	2.47E-09	14	4.71E-02	1.63E-09	1.0E+06	1.6E-03
374	374	0.53988	8.11E-06	4.4E-06	6.05E-04	2.65E-09	14	4.71E-02	1.75E-09	1.0E+06	1.7E-03
375	375	0.57892	8.11E-06	4.7E-06	6.05E-04	2.84E-09	14	4.71E-02	1.87E-09	1.0E+06	1.9E-03
376	376	0.61919	8.11E-06	5.0E-06	6.05E-04	3.04E-09	14	4.71E-02	2.00E-09	1.0E+06	2.0E-03
386	386	0.46446	8.11E-06	3.8E-06	6.05E-04	2.28E-09	14	4.71E-02	1.50E-09	1.0E+06	1.5E-03
387	387	0.49623	8.11E-06	4.0E-06	6.05E-04	2.43E-09	14	4.71E-02	1.61E-09	1.0E+06	1.6E-03
388	388	0.52947	8.11E-06	4.3E-06	6.05E-04	2.60E-09	14	4.71E-02	1.71E-09	1.0E+06	1.7E-03
389	389	0.56355	8.11E-06	4.6E-06	6.05E-04	2.76E-09	14	4.71E-02	1.82E-09	1.0E+06	1.8E-03
390	390	0.59762	8.11E-06	4.8E-06	6.05E-04	2.93E-09	14	4.71E-02	1.94E-09	1.0E+06	1.9E-03
400	400	0.43036	8.11E-06	3.5E-06	6.05E-04	2.11E-09	14	4.71E-02	1.39E-09	1.0E+06	1.4E-03
401	401	0.45786	8.11E-06	3.7E-06	6.05E-04	2.25E-09	14	4.71E-02	1.48E-09	1.0E+06	1.5E-03
402	402	0.48629	8.11E-06	3.9E-06	6.05E-04	2.39E-09	14	4.71E-02	1.57E-09	1.0E+06	1.6E-03
403	403	0.51538	8.11E-06	4.2E-06	6.05E-04	2.53E-09	14	4.71E-02	1.67E-09	1.0E+06	1.7E-03
404	404	0.54441	8.11E-06	4.4E-06	6.05E-04	2.67E-09	14	4.71E-02	1.76E-09	1.0E+06	1.8E-03
415	415	0.39998	8.11E-06	3.2E-06	6.05E-04	1.96E-09	14	4.71E-02	1.30E-09	1.0E+06	1.3E-03
416	416	0.42378	8.11E-06	3.4E-06	6.05E-04	2.08E-09	14	4.71E-02	1.37E-09	1.0E+06	1.4E-03
417	417	0.44839	8.11E-06	3.6E-06	6.05E-04	2.20E-09	14	4.71E-02	1.45E-09	1.0E+06	1.5E-03

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	0.47328	8.11E-06	3.8E-06	6.05E-04	2.32E-09	14	4.71E-02	1.53E-09	1.0E+06	1.5E-03
419	419	0.49797	8.11E-06	4.0E-06	6.05E-04	2.44E-09	14	4.71E-02	1.61E-09	1.0E+06	1.6E-03
420	420	0.52219	8.11E-06	4.2E-06	6.05E-04	2.56E-09	14	4.71E-02	1.69E-09	1.0E+06	1.7E-03
430	430	0.39358	8.11E-06	3.2E-06	6.05E-04	1.93E-09	14	4.71E-02	1.27E-09	1.0E+06	1.3E-03
431	431	0.41481	8.11E-06	3.4E-06	6.05E-04	2.04E-09	14	4.71E-02	1.34E-09	1.0E+06	1.3E-03
432	432	0.43635	8.11E-06	3.5E-06	6.05E-04	2.14E-09	14	4.71E-02	1.41E-09	1.0E+06	1.4E-03
433	433	0.4577	8.11E-06	3.7E-06	6.05E-04	2.25E-09	14	4.71E-02	1.48E-09	1.0E+06	1.5E-03
434	434	0.47832	8.11E-06	3.9E-06	6.05E-04	2.35E-09	14	4.71E-02	1.55E-09	1.0E+06	1.5E-03
444	444	0.36648	8.11E-06	3.0E-06	6.05E-04	1.80E-09	14	4.71E-02	1.19E-09	1.0E+06	1.2E-03
445	445	0.38513	8.11E-06	3.1E-06	6.05E-04	1.89E-09	14	4.71E-02	1.25E-09	1.0E+06	1.2E-03
446	446	0.40382	8.11E-06	3.3E-06	6.05E-04	1.98E-09	14	4.71E-02	1.31E-09	1.0E+06	1.3E-03
447	447	0.42229	8.11E-06	3.4E-06	6.05E-04	2.07E-09	14	4.71E-02	1.37E-09	1.0E+06	1.4E-03
448	448	0.44012	8.11E-06	3.6E-06	6.05E-04	2.16E-09	14	4.71E-02	1.43E-09	1.0E+06	1.4E-03
459	459	0.35861	8.11E-06	2.9E-06	6.05E-04	1.76E-09	14	4.71E-02	1.16E-09	1.0E+06	1.2E-03
460	460	0.37497	8.11E-06	3.0E-06	6.05E-04	1.84E-09	14	4.71E-02	1.21E-09	1.0E+06	1.2E-03
461	461	0.39109	8.11E-06	3.2E-06	6.05E-04	1.92E-09	14	4.71E-02	1.27E-09	1.0E+06	1.3E-03
462	462	0.40658	8.11E-06	3.3E-06	6.05E-04	1.99E-09	14	4.71E-02	1.32E-09	1.0E+06	1.3E-03
463	463	0.421	8.11E-06	3.4E-06	6.05E-04	2.07E-09	14	4.71E-02	1.36E-09	1.0E+06	1.4E-03
474	474	0.33488	8.11E-06	2.7E-06	6.05E-04	1.64E-09	14	4.71E-02	1.08E-09	1.0E+06	1.1E-03
475	475	0.34924	8.11E-06	2.8E-06	6.05E-04	1.71E-09	14	4.71E-02	1.13E-09	1.0E+06	1.1E-03
476	476	0.36331	8.11E-06	2.9E-06	6.05E-04	1.78E-09	14	4.71E-02	1.18E-09	1.0E+06	1.2E-03
477	477	0.37686	8.11E-06	3.1E-06	6.05E-04	1.85E-09	14	4.71E-02	1.22E-09	1.0E+06	1.2E-03
478	478	0.38943	8.11E-06	3.2E-06	6.05E-04	1.91E-09	14	4.71E-02	1.26E-09	1.0E+06	1.3E-03
495	495	0.31348	8.11E-06	2.5E-06	6.05E-04	1.54E-09	14	4.71E-02	1.02E-09	1.0E+06	1.0E-03
496	496	0.32616	8.11E-06	2.6E-06	6.05E-04	1.60E-09	14	4.71E-02	1.06E-09	1.0E+06	1.1E-03
497	497	0.33854	8.11E-06	2.7E-06	6.05E-04	1.66E-09	14	4.71E-02	1.10E-09	1.0E+06	1.1E-03
498	498	0.35041	8.11E-06	2.8E-06	6.05E-04	1.72E-09	14	4.71E-02	1.13E-09	1.0E+06	1.1E-03
499	499	0.36143	8.11E-06	2.9E-06	6.05E-04	1.77E-09	14	4.71E-02	1.17E-09	1.0E+06	1.2E-03
500	500	0.37126	8.11E-06	3.0E-06	6.05E-04	1.82E-09	14	4.71E-02	1.20E-09	1.0E+06	1.2E-03

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	1.24007	8.11E-06	1.0E-05	6.05E-04	6.08E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
140	140	1.59485	8.11E-06	1.3E-05	6.05E-04	7.82E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
156	156	1.23468	8.11E-06	1.0E-05	6.05E-04	6.06E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
157	157	1.58185	8.11E-06	1.3E-05	6.05E-04	7.76E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
158	158	2.15745	8.11E-06	1.7E-05	6.05E-04	1.06E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
159	159	3.26781	8.11E-06	2.6E-05	6.05E-04	1.60E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
160	160	6.1827	8.11E-06	5.0E-05	6.05E-04	3.03E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
161	161	21.08855	8.11E-06	1.7E-04	6.05E-04	1.03E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
162	162	20.71936	8.11E-06	1.7E-04	6.05E-04	1.02E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
163	163	22.92655	8.11E-06	1.9E-04	6.05E-04	1.12E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
167	167	1.49633	8.11E-06	1.2E-05	6.05E-04	7.34E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
168	168	1.99096	8.11E-06	1.6E-05	6.05E-04	9.77E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
169	169	2.81631	8.11E-06	2.3E-05	6.05E-04	1.38E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
170	170	4.44743	8.11E-06	3.6E-05	6.05E-04	2.18E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
171	171	7.72008	8.11E-06	6.3E-05	6.05E-04	3.79E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
172	172	9.85432	8.11E-06	8.0E-05	6.05E-04	4.83E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
173	173	10.63644	8.11E-06	8.6E-05	6.05E-04	5.22E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
174	174	11.78887	8.11E-06	9.6E-05	6.05E-04	5.78E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
175	175	13.53461	8.11E-06	1.1E-04	6.05E-04	6.64E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
176	176	15.68505	8.11E-06	1.3E-04	6.05E-04	7.70E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
177	177	17.92374	8.11E-06	1.5E-04	6.05E-04	8.79E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
181	181	1.77322	8.11E-06	1.4E-05	6.05E-04	8.70E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
182	182	2.35459	8.11E-06	1.9E-05	6.05E-04	1.16E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
183	183	3.2992	8.11E-06	2.7E-05	6.05E-04	1.62E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
184	184	4.68754	8.11E-06	3.8E-05	6.05E-04	2.30E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
185	185	5.92647	8.11E-06	4.8E-05	6.05E-04	2.91E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
186	186	6.70974	8.11E-06	5.4E-05	6.05E-04	3.29E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
187	187	7.4167	8.11E-06	6.0E-05	6.05E-04	3.64E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
188	188	8.22019	8.11E-06	6.7E-05	6.05E-04	4.03E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
189	189	9.0857	8.11E-06	7.4E-05	6.05E-04	4.46E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
190	190	9.92021	8.11E-06	8.0E-05	6.05E-04	4.87E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	10.63253	8.11E-06	8.6E-05	6.05E-04	5.22E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
195	195	1.5631	8.11E-06	1.3E-05	6.05E-04	7.67E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
196	196	1.98022	8.11E-06	1.6E-05	6.05E-04	9.72E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
197	197	2.57794	8.11E-06	2.1E-05	6.05E-04	1.26E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
198	198	3.34691	8.11E-06	2.7E-05	6.05E-04	1.64E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
199	199	4.10786	8.11E-06	3.3E-05	6.05E-04	2.02E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
200	200	4.70057	8.11E-06	3.8E-05	6.05E-04	2.31E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
201	201	5.18885	8.11E-06	4.2E-05	6.05E-04	2.55E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
202	202	5.6595	8.11E-06	4.6E-05	6.05E-04	2.78E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
203	203	6.11466	8.11E-06	5.0E-05	6.05E-04	3.00E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
204	204	6.517	8.11E-06	5.3E-05	6.05E-04	3.20E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
205	205	6.82848	8.11E-06	5.5E-05	6.05E-04	3.35E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
206	206	6.95779	8.11E-06	5.6E-05	6.05E-04	3.41E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
210	210	1.13765	8.11E-06	9.2E-06	6.05E-04	5.58E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
211	211	1.37867	8.11E-06	1.1E-05	6.05E-04	6.76E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
212	212	1.6861	8.11E-06	1.4E-05	6.05E-04	8.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
213	213	2.09131	8.11E-06	1.7E-05	6.05E-04	1.03E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
214	214	3.07876	8.11E-06	2.5E-05	6.05E-04	1.51E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
215	215	3.51048	8.11E-06	2.8E-05	6.05E-04	1.72E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
216	216	3.86757	8.11E-06	3.1E-05	6.05E-04	1.90E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
217	217	4.18416	8.11E-06	3.4E-05	6.05E-04	2.05E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
218	218	4.46353	8.11E-06	3.6E-05	6.05E-04	2.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
219	219	4.69178	8.11E-06	3.8E-05	6.05E-04	2.30E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
220	220	4.84836	8.11E-06	3.9E-05	6.05E-04	2.38E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
221	221	4.88911	8.11E-06	4.0E-05	6.05E-04	2.40E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
222	222	4.81115	8.11E-06	3.9E-05	6.05E-04	2.36E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
226	226	1.0333	8.11E-06	8.4E-06	6.05E-04	5.07E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
227	227	1.22013	8.11E-06	9.9E-06	6.05E-04	5.99E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
228	228	1.45313	8.11E-06	1.2E-05	6.05E-04	7.13E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
229	229	1.74196	8.11E-06	1.4E-05	6.05E-04	8.55E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
230	230	2.07737	8.11E-06	1.7E-05	6.05E-04	1.02E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	2.42603	8.11E-06	2.0E-05	6.05E-04	1.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
232	232	2.74197	8.11E-06	2.2E-05	6.05E-04	1.35E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
233	233	3.23634	8.11E-06	2.6E-05	6.05E-04	1.59E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
234	234	3.42767	8.11E-06	2.8E-05	6.05E-04	1.68E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
235	235	3.57312	8.11E-06	2.9E-05	6.05E-04	1.75E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
236	236	3.66102	8.11E-06	3.0E-05	6.05E-04	1.80E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
237	237	3.67498	8.11E-06	3.0E-05	6.05E-04	1.80E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
238	238	3.59816	8.11E-06	2.9E-05	6.05E-04	1.77E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
242	242	0.93685	8.11E-06	7.6E-06	6.05E-04	4.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
243	243	1.08496	8.11E-06	8.8E-06	6.05E-04	5.32E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
244	244	1.26586	8.11E-06	1.0E-05	6.05E-04	6.21E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
245	245	1.48057	8.11E-06	1.2E-05	6.05E-04	7.26E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
246	246	1.72272	8.11E-06	1.4E-05	6.05E-04	8.45E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
247	247	1.97305	8.11E-06	1.6E-05	6.05E-04	9.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
248	248	2.20763	8.11E-06	1.8E-05	6.05E-04	1.08E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
249	249	2.58524	8.11E-06	2.1E-05	6.05E-04	1.27E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
250	250	2.72347	8.11E-06	2.2E-05	6.05E-04	1.34E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
251	251	2.82428	8.11E-06	2.3E-05	6.05E-04	1.39E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
252	252	2.87816	8.11E-06	2.3E-05	6.05E-04	1.41E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
253	253	2.8842	8.11E-06	2.3E-05	6.05E-04	1.42E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
254	254	2.82388	8.11E-06	2.3E-05	6.05E-04	1.39E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
257	257	0.85094	8.11E-06	6.9E-06	6.05E-04	4.17E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
258	258	0.97037	8.11E-06	7.9E-06	6.05E-04	4.76E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
259	259	1.11287	8.11E-06	9.0E-06	6.05E-04	5.46E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
260	260	1.27636	8.11E-06	1.0E-05	6.05E-04	6.26E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
261	261	1.45702	8.11E-06	1.2E-05	6.05E-04	7.15E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
262	262	1.64355	8.11E-06	1.3E-05	6.05E-04	8.06E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
263	263	1.82163	8.11E-06	1.5E-05	6.05E-04	8.94E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
264	264	2.1125	8.11E-06	1.7E-05	6.05E-04	1.04E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
265	265	2.21727	8.11E-06	1.8E-05	6.05E-04	1.09E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
266	266	2.29086	8.11E-06	1.9E-05	6.05E-04	1.12E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	2.32938	8.11E-06	1.9E-05	6.05E-04	1.14E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
268	268	2.3306	8.11E-06	1.9E-05	6.05E-04	1.14E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
269	269	2.28353	8.11E-06	1.9E-05	6.05E-04	1.12E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
270	270	1.88214	8.11E-06	1.5E-05	6.05E-04	9.23E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
271	271	1.67671	8.11E-06	1.4E-05	6.05E-04	8.23E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
274	274	0.77483	8.11E-06	6.3E-06	6.05E-04	3.80E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
275	275	0.87185	8.11E-06	7.1E-06	6.05E-04	4.28E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
276	276	0.98541	8.11E-06	8.0E-06	6.05E-04	4.83E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
277	277	1.11376	8.11E-06	9.0E-06	6.05E-04	5.46E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
278	278	1.25251	8.11E-06	1.0E-05	6.05E-04	6.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
279	279	1.39555	8.11E-06	1.1E-05	6.05E-04	6.85E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
280	280	1.53383	8.11E-06	1.2E-05	6.05E-04	7.53E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
281	281	1.76149	8.11E-06	1.4E-05	6.05E-04	8.64E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
282	282	1.84314	8.11E-06	1.5E-05	6.05E-04	9.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
283	283	1.89993	8.11E-06	1.5E-05	6.05E-04	9.32E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
284	284	1.92896	8.11E-06	1.6E-05	6.05E-04	9.46E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
285	285	1.9269	8.11E-06	1.6E-05	6.05E-04	9.45E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
286	286	1.89013	8.11E-06	1.5E-05	6.05E-04	9.27E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
287	287	1.58978	8.11E-06	1.3E-05	6.05E-04	7.80E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
288	288	1.434	8.11E-06	1.2E-05	6.05E-04	7.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
291	291	0.70736	8.11E-06	5.7E-06	6.05E-04	3.47E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
292	292	0.7873	8.11E-06	6.4E-06	6.05E-04	3.86E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
293	293	0.87866	8.11E-06	7.1E-06	6.05E-04	4.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
294	294	0.98116	8.11E-06	8.0E-06	6.05E-04	4.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
295	295	1.09016	8.11E-06	8.8E-06	6.05E-04	5.35E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
296	296	1.20195	8.11E-06	9.7E-06	6.05E-04	5.90E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
297	297	1.30998	8.11E-06	1.1E-05	6.05E-04	6.43E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
298	298	1.49154	8.11E-06	1.2E-05	6.05E-04	7.32E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
299	299	1.55664	8.11E-06	1.3E-05	6.05E-04	7.64E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
300	300	1.60178	8.11E-06	1.3E-05	6.05E-04	7.86E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
301	301	1.62429	8.11E-06	1.3E-05	6.05E-04	7.97E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	302	1.62236	8.11E-06	1.3E-05	6.05E-04	7.96E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
303	303	1.59378	8.11E-06	1.3E-05	6.05E-04	7.82E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
304	304	1.36278	8.11E-06	1.1E-05	6.05E-04	6.69E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
305	305	1.24422	8.11E-06	1.0E-05	6.05E-04	6.10E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
308	308	0.64764	8.11E-06	5.3E-06	6.05E-04	3.18E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
309	309	0.71435	8.11E-06	5.8E-06	6.05E-04	3.50E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
310	310	0.78879	8.11E-06	6.4E-06	6.05E-04	3.87E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
311	311	0.87155	8.11E-06	7.1E-06	6.05E-04	4.28E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
312	312	0.9583	8.11E-06	7.8E-06	6.05E-04	4.70E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
313	313	1.04722	8.11E-06	8.5E-06	6.05E-04	5.14E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
314	314	1.13338	8.11E-06	9.2E-06	6.05E-04	5.56E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
315	315	1.27975	8.11E-06	1.0E-05	6.05E-04	6.28E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
316	316	1.33221	8.11E-06	1.1E-05	6.05E-04	6.54E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
317	317	1.36941	8.11E-06	1.1E-05	6.05E-04	6.72E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
318	318	1.38753	8.11E-06	1.1E-05	6.05E-04	6.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
319	319	1.38619	8.11E-06	1.1E-05	6.05E-04	6.80E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
320	320	1.36471	8.11E-06	1.1E-05	6.05E-04	6.70E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
321	321	1.18381	8.11E-06	9.6E-06	6.05E-04	5.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
322	322	1.09175	8.11E-06	8.9E-06	6.05E-04	5.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
325	325	0.5946	8.11E-06	4.8E-06	6.05E-04	2.92E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
326	326	0.65064	8.11E-06	5.3E-06	6.05E-04	3.19E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
327	327	0.71231	8.11E-06	5.8E-06	6.05E-04	3.49E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
328	328	0.77952	8.11E-06	6.3E-06	6.05E-04	3.82E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
329	329	0.85023	8.11E-06	6.9E-06	6.05E-04	4.17E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
330	330	0.92146	8.11E-06	7.5E-06	6.05E-04	4.52E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
331	331	0.99108	8.11E-06	8.0E-06	6.05E-04	4.86E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
332	332	1.05459	8.11E-06	8.6E-06	6.05E-04	5.17E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
333	333	1.11031	8.11E-06	9.0E-06	6.05E-04	5.45E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
334	334	1.1538	8.11E-06	9.4E-06	6.05E-04	5.66E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
335	335	1.18421	8.11E-06	9.6E-06	6.05E-04	5.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
336	336	1.19964	8.11E-06	9.7E-06	6.05E-04	5.89E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
337	337	1.19927	8.11E-06	9.7E-06	6.05E-04	5.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
338	338	1.18185	8.11E-06	9.6E-06	6.05E-04	5.80E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
339	339	1.10214	8.11E-06	8.9E-06	6.05E-04	5.41E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
340	340	1.03978	8.11E-06	8.4E-06	6.05E-04	5.10E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
341	341	0.96671	8.11E-06	7.8E-06	6.05E-04	4.74E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
349	349	0.75987	8.11E-06	6.2E-06	6.05E-04	3.73E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
350	350	0.81837	8.11E-06	6.6E-06	6.05E-04	4.02E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
351	351	0.8756	8.11E-06	7.1E-06	6.05E-04	4.30E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
352	352	0.92725	8.11E-06	7.5E-06	6.05E-04	4.55E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
353	353	0.97141	8.11E-06	7.9E-06	6.05E-04	4.77E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
354	354	0.92148	8.11E-06	7.5E-06	6.05E-04	4.52E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
355	355	0.86269	8.11E-06	7.0E-06	6.05E-04	4.23E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
364	364	0.73224	8.11E-06	5.9E-06	6.05E-04	3.59E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
365	365	0.77907	8.11E-06	6.3E-06	6.05E-04	3.82E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
366	366	0.82273	8.11E-06	6.7E-06	6.05E-04	4.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
367	367	0.86336	8.11E-06	7.0E-06	6.05E-04	4.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
368	368	0.8231	8.11E-06	6.7E-06	6.05E-04	4.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
369	369	0.77526	8.11E-06	6.3E-06	6.05E-04	3.80E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
377	377	0.6596	8.11E-06	5.3E-06	6.05E-04	3.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
378	378	0.69882	8.11E-06	5.7E-06	6.05E-04	3.43E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
379	379	0.73537	8.11E-06	6.0E-06	6.05E-04	3.61E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
380	380	0.77311	8.11E-06	6.3E-06	6.05E-04	3.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
381	381	0.74025	8.11E-06	6.0E-06	6.05E-04	3.63E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
382	382	0.70107	8.11E-06	5.7E-06	6.05E-04	3.44E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
391	391	0.63072	8.11E-06	5.1E-06	6.05E-04	3.09E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
392	392	0.66158	8.11E-06	5.4E-06	6.05E-04	3.25E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
393	393	0.69667	8.11E-06	5.6E-06	6.05E-04	3.42E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
394	394	0.66965	8.11E-06	5.4E-06	6.05E-04	3.29E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
395	395	0.63721	8.11E-06	5.2E-06	6.05E-04	3.13E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
405	405	0.57241	8.11E-06	4.6E-06	6.05E-04	2.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
406	406	0.5985	8.11E-06	4.9E-06	6.05E-04	2.94E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	0.62137	8.11E-06	5.0E-06	6.05E-04	3.05E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
408	408	0.63137	8.11E-06	5.1E-06	6.05E-04	3.10E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
409	409	0.60899	8.11E-06	4.9E-06	6.05E-04	2.99E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
410	410	0.58188	8.11E-06	4.7E-06	6.05E-04	2.85E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
421	421	0.54441	8.11E-06	4.4E-06	6.05E-04	2.67E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
422	422	0.56408	8.11E-06	4.6E-06	6.05E-04	2.77E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
423	423	0.5751	8.11E-06	4.7E-06	6.05E-04	2.82E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
424	424	0.55649	8.11E-06	4.5E-06	6.05E-04	2.73E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
425	425	0.53375	8.11E-06	4.3E-06	6.05E-04	2.62E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
435	435	0.49763	8.11E-06	4.0E-06	6.05E-04	2.44E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
436	436	0.5145	8.11E-06	4.2E-06	6.05E-04	2.52E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
437	437	0.51072	8.11E-06	4.1E-06	6.05E-04	2.51E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
438	438	0.4916	8.11E-06	4.0E-06	6.05E-04	2.41E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
449	449	0.45681	8.11E-06	3.7E-06	6.05E-04	2.24E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
450	450	0.47137	8.11E-06	3.8E-06	6.05E-04	2.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
451	451	0.48361	8.11E-06	3.9E-06	6.05E-04	2.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
452	452	0.47052	8.11E-06	3.8E-06	6.05E-04	2.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
453	453	0.45433	8.11E-06	3.7E-06	6.05E-04	2.23E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
464	464	0.43376	8.11E-06	3.5E-06	6.05E-04	2.13E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
465	465	0.44443	8.11E-06	3.6E-06	6.05E-04	2.18E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
466	466	0.45393	8.11E-06	3.7E-06	6.05E-04	2.23E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
467	467	0.43505	8.11E-06	3.5E-06	6.05E-04	2.13E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
468	468	0.42127	8.11E-06	3.4E-06	6.05E-04	2.07E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
479	479	0.40044	8.11E-06	3.2E-06	6.05E-04	1.96E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
480	480	0.41	8.11E-06	3.3E-06	6.05E-04	2.01E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
481	481	0.41722	8.11E-06	3.4E-06	6.05E-04	2.05E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
482	482	0.42194	8.11E-06	3.4E-06	6.05E-04	2.07E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
483	483	0.424	8.11E-06	3.4E-06	6.05E-04	2.08E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
484	484	0.42317	8.11E-06	3.4E-06	6.05E-04	2.08E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
485	485	0.41945	8.11E-06	3.4E-06	6.05E-04	2.06E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
486	486	0.41286	8.11E-06	3.3E-06	6.05E-04	2.03E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	487	0.40357	8.11E-06	3.3E-06	6.05E-04	1.98E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
488	488	0.39179	8.11E-06	3.2E-06	6.05E-04	1.92E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
501	501	0.37932	8.11E-06	3.1E-06	6.05E-04	1.86E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
502	502	0.386	8.11E-06	3.1E-06	6.05E-04	1.89E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
503	503	0.3903	8.11E-06	3.2E-06	6.05E-04	1.91E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
504	504	0.39232	8.11E-06	3.2E-06	6.05E-04	1.92E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
505	505	0.39186	8.11E-06	3.2E-06	6.05E-04	1.92E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
506	506	0.38887	8.11E-06	3.2E-06	6.05E-04	1.91E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
507	507	0.38337	8.11E-06	3.1E-06	6.05E-04	1.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
508	508	0.36541	8.11E-06	3.0E-06	6.05E-04	1.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
520	520	0.35245	8.11E-06	2.9E-06	6.05E-04	1.73E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
521	521	0.35797	8.11E-06	2.9E-06	6.05E-04	1.76E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
522	522	0.36226	8.11E-06	2.9E-06	6.05E-04	1.78E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
523	523	0.36421	8.11E-06	3.0E-06	6.05E-04	1.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
524	524	0.36403	8.11E-06	3.0E-06	6.05E-04	1.79E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
525	525	0.36164	8.11E-06	2.9E-06	6.05E-04	1.77E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
526	526	0.35706	8.11E-06	2.9E-06	6.05E-04	1.75E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
527	527	0.3417	8.11E-06	2.8E-06	6.05E-04	1.68E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
539	539	0.32842	8.11E-06	2.7E-06	6.05E-04	1.61E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
540	540	0.3336	8.11E-06	2.7E-06	6.05E-04	1.64E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
541	541	0.33712	8.11E-06	2.7E-06	6.05E-04	1.65E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
542	542	0.339	8.11E-06	2.7E-06	6.05E-04	1.66E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
543	543	0.33918	8.11E-06	2.8E-06	6.05E-04	1.66E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
544	544	0.33728	8.11E-06	2.7E-06	6.05E-04	1.65E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
545	545	0.33335	8.11E-06	2.7E-06	6.05E-04	1.64E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
546	546	0.32029	8.11E-06	2.6E-06	6.05E-04	1.57E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
560	560	0.31153	8.11E-06	2.5E-06	6.05E-04	1.53E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
561	561	0.31487	8.11E-06	2.6E-06	6.05E-04	1.54E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
562	562	0.31667	8.11E-06	2.6E-06	6.05E-04	1.55E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
563	563	0.31651	8.11E-06	2.6E-06	6.05E-04	1.55E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
564	564	0.31528	8.11E-06	2.6E-06	6.05E-04	1.55E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.31223	8.11E-06	2.5E-06	6.05E-04	1.53E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
566	566	0.30091	8.11E-06	2.4E-06	6.05E-04	1.48E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
579	579	0.29167	8.11E-06	2.4E-06	6.05E-04	1.43E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
580	580	0.29475	8.11E-06	2.4E-06	6.05E-04	1.45E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
581	581	0.29651	8.11E-06	2.4E-06	6.05E-04	1.45E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
582	582	0.29686	8.11E-06	2.4E-06	6.05E-04	1.46E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
583	583	0.29569	8.11E-06	2.4E-06	6.05E-04	1.45E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
584	584	0.29298	8.11E-06	2.4E-06	6.05E-04	1.44E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
585	585	0.28669	8.11E-06	2.3E-06	6.05E-04	1.41E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
598	598	0.27376	8.11E-06	2.2E-06	6.05E-04	1.34E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
599	599	0.27661	8.11E-06	2.2E-06	6.05E-04	1.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
600	600	0.27831	8.11E-06	2.3E-06	6.05E-04	1.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
601	601	0.27875	8.11E-06	2.3E-06	6.05E-04	1.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
602	602	0.27788	8.11E-06	2.3E-06	6.05E-04	1.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
603	603	0.27567	8.11E-06	2.2E-06	6.05E-04	1.35E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
604	604	0.27211	8.11E-06	2.2E-06	6.05E-04	1.34E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
0	0	0	8.11E-06	0.0E+00	6.05E-04	0.00E+00	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.22449	8.11E-06	1.8E-06	2.50E-04	4.56E-10	14	1.15E-02	7.32E-11	1.0E+06	7.3E-05
2	2	0.24018	8.11E-06	1.9E-06	2.50E-04	4.87E-10	14	1.15E-02	7.83E-11	1.0E+06	7.8E-05
3	3	0.25756	8.11E-06	2.1E-06	2.50E-04	5.23E-10	14	1.15E-02	8.39E-11	1.0E+06	8.4E-05
4	4	0.27708	8.11E-06	2.2E-06	2.50E-04	5.62E-10	14	1.15E-02	9.03E-11	1.0E+06	9.0E-05
5	5	0.29914	8.11E-06	2.4E-06	2.50E-04	6.07E-10	14	1.15E-02	9.75E-11	1.0E+06	9.7E-05
6	6	0.32454	8.11E-06	2.6E-06	2.50E-04	6.59E-10	14	1.15E-02	1.06E-10	1.0E+06	1.1E-04
7	7	0.35353	8.11E-06	2.9E-06	2.50E-04	7.17E-10	14	1.15E-02	1.15E-10	1.0E+06	1.2E-04
8	8	0.38665	8.11E-06	3.1E-06	2.50E-04	7.85E-10	14	1.15E-02	1.26E-10	1.0E+06	1.3E-04
9	9	0.425	8.11E-06	3.4E-06	2.50E-04	8.62E-10	14	1.15E-02	1.39E-10	1.0E+06	1.4E-04
10	10	0.46965	8.11E-06	3.8E-06	2.50E-04	9.53E-10	14	1.15E-02	1.53E-10	1.0E+06	1.5E-04
11	11	0.52187	8.11E-06	4.2E-06	2.50E-04	1.06E-09	14	1.15E-02	1.70E-10	1.0E+06	1.7E-04
12	12	0.58329	8.11E-06	4.7E-06	2.50E-04	1.18E-09	14	1.15E-02	1.90E-10	1.0E+06	1.9E-04
13	13	0.65666	8.11E-06	5.3E-06	2.50E-04	1.33E-09	14	1.15E-02	2.14E-10	1.0E+06	2.1E-04
14	14	0.7439	8.11E-06	6.0E-06	2.50E-04	1.51E-09	14	1.15E-02	2.42E-10	1.0E+06	2.4E-04
15	15	0.84837	8.11E-06	6.9E-06	2.50E-04	1.72E-09	14	1.15E-02	2.76E-10	1.0E+06	2.8E-04
16	16	0.9722	8.11E-06	7.9E-06	2.50E-04	1.97E-09	14	1.15E-02	3.17E-10	1.0E+06	3.2E-04
17	17	1.1197	8.11E-06	9.1E-06	2.50E-04	2.27E-09	14	1.15E-02	3.65E-10	1.0E+06	3.6E-04
18	18	1.28884	8.11E-06	1.0E-05	2.50E-04	2.62E-09	14	1.15E-02	4.20E-10	1.0E+06	4.2E-04
19	19	1.47797	8.11E-06	1.2E-05	2.50E-04	3.00E-09	14	1.15E-02	4.82E-10	1.0E+06	4.8E-04
20	20	1.6784	8.11E-06	1.4E-05	2.50E-04	3.41E-09	14	1.15E-02	5.47E-10	1.0E+06	5.5E-04
21	21	1.87664	8.11E-06	1.5E-05	2.50E-04	3.81E-09	14	1.15E-02	6.12E-10	1.0E+06	6.1E-04
22	22	2.06784	8.11E-06	1.7E-05	2.50E-04	4.20E-09	14	1.15E-02	6.74E-10	1.0E+06	6.7E-04
23	23	2.25215	8.11E-06	1.8E-05	2.50E-04	4.57E-09	14	1.15E-02	7.34E-10	1.0E+06	7.3E-04
24	24	2.42844	8.11E-06	2.0E-05	2.50E-04	4.93E-09	14	1.15E-02	7.91E-10	1.0E+06	7.9E-04
25	25	2.58592	8.11E-06	2.1E-05	2.50E-04	5.25E-09	14	1.15E-02	8.43E-10	1.0E+06	8.4E-04
26	26	2.70839	8.11E-06	2.2E-05	2.50E-04	5.50E-09	14	1.15E-02	8.83E-10	1.0E+06	8.8E-04
27	27	2.78647	8.11E-06	2.3E-05	2.50E-04	5.65E-09	14	1.15E-02	9.08E-10	1.0E+06	9.1E-04
28	28	2.81648	8.11E-06	2.3E-05	2.50E-04	5.72E-09	14	1.15E-02	9.18E-10	1.0E+06	9.2E-04
29	29	2.80588	8.11E-06	2.3E-05	2.50E-04	5.69E-09	14	1.15E-02	9.14E-10	1.0E+06	9.1E-04
30	30	2.7593	8.11E-06	2.2E-05	2.50E-04	5.60E-09	14	1.15E-02	8.99E-10	1.0E+06	9.0E-04
31	31	2.68002	8.11E-06	2.2E-05	2.50E-04	5.44E-09	14	1.15E-02	8.73E-10	1.0E+06	8.7E-04

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	2.57333	8.11E-06	2.1E-05	2.50E-04	5.22E-09	14	1.15E-02	8.39E-10	1.0E+06	8.4E-04
55	55	2.80011	8.11E-06	2.3E-05	2.50E-04	5.68E-09	14	1.15E-02	9.13E-10	1.0E+06	9.1E-04
56	56	3.10482	8.11E-06	2.5E-05	2.50E-04	6.30E-09	14	1.15E-02	1.01E-09	1.0E+06	1.0E-03
57	57	3.3839	8.11E-06	2.7E-05	2.50E-04	6.87E-09	14	1.15E-02	1.10E-09	1.0E+06	1.1E-03
58	58	3.59233	8.11E-06	2.9E-05	2.50E-04	7.29E-09	14	1.15E-02	1.17E-09	1.0E+06	1.2E-03
59	59	3.7095	8.11E-06	3.0E-05	2.50E-04	7.53E-09	14	1.15E-02	1.21E-09	1.0E+06	1.2E-03
60	60	3.74365	8.11E-06	3.0E-05	2.50E-04	7.60E-09	14	1.15E-02	1.22E-09	1.0E+06	1.2E-03
61	61	3.72373	8.11E-06	3.0E-05	2.50E-04	7.56E-09	14	1.15E-02	1.21E-09	1.0E+06	1.2E-03
62	62	3.65256	8.11E-06	3.0E-05	2.50E-04	7.41E-09	14	1.15E-02	1.19E-09	1.0E+06	1.2E-03
63	63	3.54705	8.11E-06	2.9E-05	2.50E-04	7.20E-09	14	1.15E-02	1.16E-09	1.0E+06	1.2E-03
64	64	3.40606	8.11E-06	2.8E-05	2.50E-04	6.91E-09	14	1.15E-02	1.11E-09	1.0E+06	1.1E-03
65	65	3.23281	8.11E-06	2.6E-05	2.50E-04	6.56E-09	14	1.15E-02	1.05E-09	1.0E+06	1.1E-03
66	66	3.05349	8.11E-06	2.5E-05	2.50E-04	6.20E-09	14	1.15E-02	9.95E-10	1.0E+06	1.0E-03
67	67	0.23136	8.11E-06	1.9E-06	2.50E-04	4.70E-10	14	1.15E-02	7.54E-11	1.0E+06	7.5E-05
68	68	0.24832	8.11E-06	2.0E-06	2.50E-04	5.04E-10	14	1.15E-02	8.09E-11	1.0E+06	8.1E-05
69	69	0.26736	8.11E-06	2.2E-06	2.50E-04	5.43E-10	14	1.15E-02	8.71E-11	1.0E+06	8.7E-05
70	70	0.28893	8.11E-06	2.3E-06	2.50E-04	5.86E-10	14	1.15E-02	9.42E-11	1.0E+06	9.4E-05
71	71	0.31326	8.11E-06	2.5E-06	2.50E-04	6.36E-10	14	1.15E-02	1.02E-10	1.0E+06	1.0E-04
72	72	0.3417	8.11E-06	2.8E-06	2.50E-04	6.93E-10	14	1.15E-02	1.11E-10	1.0E+06	1.1E-04
73	73	0.37449	8.11E-06	3.0E-06	2.50E-04	7.60E-10	14	1.15E-02	1.22E-10	1.0E+06	1.2E-04
74	74	0.41267	8.11E-06	3.3E-06	2.50E-04	8.37E-10	14	1.15E-02	1.34E-10	1.0E+06	1.3E-04
75	75	0.4576	8.11E-06	3.7E-06	2.50E-04	9.29E-10	14	1.15E-02	1.49E-10	1.0E+06	1.5E-04
76	76	0.5113	8.11E-06	4.1E-06	2.50E-04	1.04E-09	14	1.15E-02	1.67E-10	1.0E+06	1.7E-04
77	77	0.5763	8.11E-06	4.7E-06	2.50E-04	1.17E-09	14	1.15E-02	1.88E-10	1.0E+06	1.9E-04
78	78	0.65648	8.11E-06	5.3E-06	2.50E-04	1.33E-09	14	1.15E-02	2.14E-10	1.0E+06	2.1E-04
79	79	1.53048	8.11E-06	1.2E-05	2.50E-04	3.11E-09	14	1.15E-02	4.99E-10	1.0E+06	5.0E-04
80	80	1.89876	8.11E-06	1.5E-05	2.50E-04	3.85E-09	14	1.15E-02	6.19E-10	1.0E+06	6.2E-04
81	81	2.37895	8.11E-06	1.9E-05	2.50E-04	4.83E-09	14	1.15E-02	7.75E-10	1.0E+06	7.8E-04
82	82	2.94401	8.11E-06	2.4E-05	2.50E-04	5.97E-09	14	1.15E-02	9.59E-10	1.0E+06	9.6E-04
83	83	3.5479	8.11E-06	2.9E-05	2.50E-04	7.20E-09	14	1.15E-02	1.16E-09	1.0E+06	1.2E-03
84	84	4.1433	8.11E-06	3.4E-05	2.50E-04	8.41E-09	14	1.15E-02	1.35E-09	1.0E+06	1.4E-03

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	85	4.69075	8.11E-06	3.8E-05	2.50E-04	9.52E-09	14	1.15E-02	1.53E-09	1.0E+06	1.5E-03
86	86	5.08085	8.11E-06	4.1E-05	2.50E-04	1.03E-08	14	1.15E-02	1.66E-09	1.0E+06	1.7E-03
87	87	5.26077	8.11E-06	4.3E-05	2.50E-04	1.07E-08	14	1.15E-02	1.71E-09	1.0E+06	1.7E-03
88	88	5.27547	8.11E-06	4.3E-05	2.50E-04	1.07E-08	14	1.15E-02	1.72E-09	1.0E+06	1.7E-03
89	89	5.17708	8.11E-06	4.2E-05	2.50E-04	1.05E-08	14	1.15E-02	1.69E-09	1.0E+06	1.7E-03
90	90	5.02976	8.11E-06	4.1E-05	2.50E-04	1.02E-08	14	1.15E-02	1.64E-09	1.0E+06	1.6E-03
91	91	4.8739	8.11E-06	4.0E-05	2.50E-04	9.89E-09	14	1.15E-02	1.59E-09	1.0E+06	1.6E-03
92	92	4.67348	8.11E-06	3.8E-05	2.50E-04	9.48E-09	14	1.15E-02	1.52E-09	1.0E+06	1.5E-03
93	93	4.46816	8.11E-06	3.6E-05	2.50E-04	9.07E-09	14	1.15E-02	1.46E-09	1.0E+06	1.5E-03
96	96	8.35353	8.11E-06	6.8E-05	2.50E-04	1.70E-08	14	1.15E-02	2.72E-09	1.0E+06	2.7E-03
97	97	8.20378	8.11E-06	6.7E-05	2.50E-04	1.66E-08	14	1.15E-02	2.67E-09	1.0E+06	2.7E-03
98	98	7.81098	8.11E-06	6.3E-05	2.50E-04	1.59E-08	14	1.15E-02	2.55E-09	1.0E+06	2.5E-03
99	99	7.43196	8.11E-06	6.0E-05	2.50E-04	1.51E-08	14	1.15E-02	2.42E-09	1.0E+06	2.4E-03
100	100	7.06454	8.11E-06	5.7E-05	2.50E-04	1.43E-08	14	1.15E-02	2.30E-09	1.0E+06	2.3E-03
101	101	6.74205	8.11E-06	5.5E-05	2.50E-04	1.37E-08	14	1.15E-02	2.20E-09	1.0E+06	2.2E-03
102	102	6.52484	8.11E-06	5.3E-05	2.50E-04	1.32E-08	14	1.15E-02	2.13E-09	1.0E+06	2.1E-03
106	106	0.21951	8.11E-06	1.8E-06	2.50E-04	4.45E-10	14	1.15E-02	7.15E-11	1.0E+06	7.2E-05
107	107	0.23503	8.11E-06	1.9E-06	2.50E-04	4.77E-10	14	1.15E-02	7.66E-11	1.0E+06	7.7E-05
108	108	0.25268	8.11E-06	2.0E-06	2.50E-04	5.13E-10	14	1.15E-02	8.24E-11	1.0E+06	8.2E-05
109	109	0.27259	8.11E-06	2.2E-06	2.50E-04	5.53E-10	14	1.15E-02	8.88E-11	1.0E+06	8.9E-05
110	110	0.29532	8.11E-06	2.4E-06	2.50E-04	5.99E-10	14	1.15E-02	9.62E-11	1.0E+06	9.6E-05
111	111	0.32107	8.11E-06	2.6E-06	2.50E-04	6.52E-10	14	1.15E-02	1.05E-10	1.0E+06	1.0E-04
112	112	0.35152	8.11E-06	2.9E-06	2.50E-04	7.13E-10	14	1.15E-02	1.15E-10	1.0E+06	1.1E-04
113	113	0.38665	8.11E-06	3.1E-06	2.50E-04	7.85E-10	14	1.15E-02	1.26E-10	1.0E+06	1.3E-04
114	114	0.42817	8.11E-06	3.5E-06	2.50E-04	8.69E-10	14	1.15E-02	1.40E-10	1.0E+06	1.4E-04
115	115	0.47748	8.11E-06	3.9E-06	2.50E-04	9.69E-10	14	1.15E-02	1.56E-10	1.0E+06	1.6E-04
116	116	0.53675	8.11E-06	4.4E-06	2.50E-04	1.09E-09	14	1.15E-02	1.75E-10	1.0E+06	1.7E-04
117	117	0.61086	8.11E-06	5.0E-06	2.50E-04	1.24E-09	14	1.15E-02	1.99E-10	1.0E+06	2.0E-04
118	118	0.70404	8.11E-06	5.7E-06	2.50E-04	1.43E-09	14	1.15E-02	2.29E-10	1.0E+06	2.3E-04
124	124	0.21963	8.11E-06	1.8E-06	2.50E-04	4.46E-10	14	1.15E-02	7.16E-11	1.0E+06	7.2E-05
125	125	0.23541	8.11E-06	1.9E-06	2.50E-04	4.78E-10	14	1.15E-02	7.67E-11	1.0E+06	7.7E-05

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	126	0.25316	8.11E-06	2.1E-06	2.50E-04	5.14E-10	14	1.15E-02	8.25E-11	1.0E+06	8.3E-05
127	127	0.27324	8.11E-06	2.2E-06	2.50E-04	5.54E-10	14	1.15E-02	8.91E-11	1.0E+06	8.9E-05
128	128	0.29614	8.11E-06	2.4E-06	2.50E-04	6.01E-10	14	1.15E-02	9.65E-11	1.0E+06	9.7E-05
129	129	0.32222	8.11E-06	2.6E-06	2.50E-04	6.54E-10	14	1.15E-02	1.05E-10	1.0E+06	1.1E-04
130	130	0.35292	8.11E-06	2.9E-06	2.50E-04	7.16E-10	14	1.15E-02	1.15E-10	1.0E+06	1.2E-04
131	131	0.38861	8.11E-06	3.2E-06	2.50E-04	7.89E-10	14	1.15E-02	1.27E-10	1.0E+06	1.3E-04
132	132	0.43087	8.11E-06	3.5E-06	2.50E-04	8.74E-10	14	1.15E-02	1.40E-10	1.0E+06	1.4E-04
133	133	0.48113	8.11E-06	3.9E-06	2.50E-04	9.76E-10	14	1.15E-02	1.57E-10	1.0E+06	1.6E-04
134	134	0.54275	8.11E-06	4.4E-06	2.50E-04	1.10E-09	14	1.15E-02	1.77E-10	1.0E+06	1.8E-04
135	135	0.61847	8.11E-06	5.0E-06	2.50E-04	1.26E-09	14	1.15E-02	2.02E-10	1.0E+06	2.0E-04
136	136	0.71415	8.11E-06	5.8E-06	2.50E-04	1.45E-09	14	1.15E-02	2.33E-10	1.0E+06	2.3E-04
137	137	0.83755	8.11E-06	6.8E-06	2.50E-04	1.70E-09	14	1.15E-02	2.73E-10	1.0E+06	2.7E-04
138	138	1.006	8.11E-06	8.2E-06	2.50E-04	2.04E-09	14	1.15E-02	3.28E-10	1.0E+06	3.3E-04
141	141	0.21925	8.11E-06	1.8E-06	2.50E-04	4.45E-10	14	1.15E-02	7.15E-11	1.0E+06	7.1E-05
142	142	0.23502	8.11E-06	1.9E-06	2.50E-04	4.77E-10	14	1.15E-02	7.66E-11	1.0E+06	7.7E-05
143	143	0.25273	8.11E-06	2.0E-06	2.50E-04	5.13E-10	14	1.15E-02	8.24E-11	1.0E+06	8.2E-05
144	144	0.27279	8.11E-06	2.2E-06	2.50E-04	5.54E-10	14	1.15E-02	8.89E-11	1.0E+06	8.9E-05
145	145	0.29563	8.11E-06	2.4E-06	2.50E-04	6.00E-10	14	1.15E-02	9.63E-11	1.0E+06	9.6E-05
146	146	0.32168	8.11E-06	2.6E-06	2.50E-04	6.53E-10	14	1.15E-02	1.05E-10	1.0E+06	1.0E-04
147	147	0.35228	8.11E-06	2.9E-06	2.50E-04	7.15E-10	14	1.15E-02	1.15E-10	1.0E+06	1.1E-04
148	148	0.38784	8.11E-06	3.1E-06	2.50E-04	7.87E-10	14	1.15E-02	1.26E-10	1.0E+06	1.3E-04
149	149	0.42993	8.11E-06	3.5E-06	2.50E-04	8.72E-10	14	1.15E-02	1.40E-10	1.0E+06	1.4E-04
150	150	0.48018	8.11E-06	3.9E-06	2.50E-04	9.74E-10	14	1.15E-02	1.56E-10	1.0E+06	1.6E-04
151	151	0.54136	8.11E-06	4.4E-06	2.50E-04	1.10E-09	14	1.15E-02	1.76E-10	1.0E+06	1.8E-04
152	152	0.61698	8.11E-06	5.0E-06	2.50E-04	1.25E-09	14	1.15E-02	2.01E-10	1.0E+06	2.0E-04
153	153	0.71248	8.11E-06	5.8E-06	2.50E-04	1.45E-09	14	1.15E-02	2.32E-10	1.0E+06	2.3E-04
154	154	0.83523	8.11E-06	6.8E-06	2.50E-04	1.69E-09	14	1.15E-02	2.72E-10	1.0E+06	2.7E-04
155	155	1.00078	8.11E-06	8.1E-06	2.50E-04	2.03E-09	14	1.15E-02	3.26E-10	1.0E+06	3.3E-04
164	164	0.81823	8.11E-06	6.6E-06	2.50E-04	1.66E-09	14	1.15E-02	2.67E-10	1.0E+06	2.7E-04
165	165	0.97397	8.11E-06	7.9E-06	2.50E-04	1.98E-09	14	1.15E-02	3.17E-10	1.0E+06	3.2E-04
166	166	1.19112	8.11E-06	9.7E-06	2.50E-04	2.42E-09	14	1.15E-02	3.88E-10	1.0E+06	3.9E-04

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	0.79033	8.11E-06	6.4E-06	2.50E-04	1.60E-09	14	1.15E-02	2.58E-10	1.0E+06	2.6E-04
179	179	0.93249	8.11E-06	7.6E-06	2.50E-04	1.89E-09	14	1.15E-02	3.04E-10	1.0E+06	3.0E-04
180	180	1.12426	8.11E-06	9.1E-06	2.50E-04	2.28E-09	14	1.15E-02	3.66E-10	1.0E+06	3.7E-04
192	192	0.75593	8.11E-06	6.1E-06	2.50E-04	1.53E-09	14	1.15E-02	2.46E-10	1.0E+06	2.5E-04
193	193	0.88296	8.11E-06	7.2E-06	2.50E-04	1.79E-09	14	1.15E-02	2.88E-10	1.0E+06	2.9E-04
194	194	1.04697	8.11E-06	8.5E-06	2.50E-04	2.12E-09	14	1.15E-02	3.41E-10	1.0E+06	3.4E-04
207	207	0.71714	8.11E-06	5.8E-06	2.50E-04	1.46E-09	14	1.15E-02	2.34E-10	1.0E+06	2.3E-04
208	208	0.82801	8.11E-06	6.7E-06	2.50E-04	1.68E-09	14	1.15E-02	2.70E-10	1.0E+06	2.7E-04
209	209	0.96742	8.11E-06	7.8E-06	2.50E-04	1.96E-09	14	1.15E-02	3.15E-10	1.0E+06	3.2E-04
223	223	0.67661	8.11E-06	5.5E-06	2.50E-04	1.37E-09	14	1.15E-02	2.21E-10	1.0E+06	2.2E-04
224	224	0.77233	8.11E-06	6.3E-06	2.50E-04	1.57E-09	14	1.15E-02	2.52E-10	1.0E+06	2.5E-04
225	225	0.88885	8.11E-06	7.2E-06	2.50E-04	1.80E-09	14	1.15E-02	2.90E-10	1.0E+06	2.9E-04
239	239	0.63624	8.11E-06	5.2E-06	2.50E-04	1.29E-09	14	1.15E-02	2.07E-10	1.0E+06	2.1E-04
240	240	0.71861	8.11E-06	5.8E-06	2.50E-04	1.46E-09	14	1.15E-02	2.34E-10	1.0E+06	2.3E-04
241	241	0.81741	8.11E-06	6.6E-06	2.50E-04	1.66E-09	14	1.15E-02	2.66E-10	1.0E+06	2.7E-04
255	255	0.59675	8.11E-06	4.8E-06	2.50E-04	1.21E-09	14	1.15E-02	1.94E-10	1.0E+06	1.9E-04
256	256	0.6677	8.11E-06	5.4E-06	2.50E-04	1.35E-09	14	1.15E-02	2.18E-10	1.0E+06	2.2E-04
272	272	0.55877	8.11E-06	4.5E-06	2.50E-04	1.13E-09	14	1.15E-02	1.82E-10	1.0E+06	1.8E-04
273	273	0.6203	8.11E-06	5.0E-06	2.50E-04	1.26E-09	14	1.15E-02	2.02E-10	1.0E+06	2.0E-04
289	289	0.5232	8.11E-06	4.2E-06	2.50E-04	1.06E-09	14	1.15E-02	1.71E-10	1.0E+06	1.7E-04
290	290	0.57646	8.11E-06	4.7E-06	2.50E-04	1.17E-09	14	1.15E-02	1.88E-10	1.0E+06	1.9E-04
306	306	0.48985	8.11E-06	4.0E-06	2.50E-04	9.94E-10	14	1.15E-02	1.60E-10	1.0E+06	1.6E-04
307	307	0.53614	8.11E-06	4.3E-06	2.50E-04	1.09E-09	14	1.15E-02	1.75E-10	1.0E+06	1.7E-04
323	323	0.4588	8.11E-06	3.7E-06	2.50E-04	9.31E-10	14	1.15E-02	1.50E-10	1.0E+06	1.5E-04
324	324	0.49917	8.11E-06	4.0E-06	2.50E-04	1.01E-09	14	1.15E-02	1.63E-10	1.0E+06	1.6E-04
342	342	0.43006	8.11E-06	3.5E-06	2.50E-04	8.73E-10	14	1.15E-02	1.40E-10	1.0E+06	1.4E-04
343	343	0.46538	8.11E-06	3.8E-06	2.50E-04	9.44E-10	14	1.15E-02	1.52E-10	1.0E+06	1.5E-04
344	344	0.50432	8.11E-06	4.1E-06	2.50E-04	1.02E-09	14	1.15E-02	1.64E-10	1.0E+06	1.6E-04
356	356	0.40345	8.11E-06	3.3E-06	2.50E-04	8.19E-10	14	1.15E-02	1.31E-10	1.0E+06	1.3E-04
357	357	0.43437	8.11E-06	3.5E-06	2.50E-04	8.81E-10	14	1.15E-02	1.42E-10	1.0E+06	1.4E-04
358	358	0.46834	8.11E-06	3.8E-06	2.50E-04	9.50E-10	14	1.15E-02	1.53E-10	1.0E+06	1.5E-04

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	0.37895	8.11E-06	3.1E-06	2.50E-04	7.69E-10	14	1.15E-02	1.24E-10	1.0E+06	1.2E-04
371	371	0.40616	8.11E-06	3.3E-06	2.50E-04	8.24E-10	14	1.15E-02	1.32E-10	1.0E+06	1.3E-04
372	372	0.43583	8.11E-06	3.5E-06	2.50E-04	8.84E-10	14	1.15E-02	1.42E-10	1.0E+06	1.4E-04
383	383	0.35637	8.11E-06	2.9E-06	2.50E-04	7.23E-10	14	1.15E-02	1.16E-10	1.0E+06	1.2E-04
384	384	0.38043	8.11E-06	3.1E-06	2.50E-04	7.72E-10	14	1.15E-02	1.24E-10	1.0E+06	1.2E-04
385	385	0.40645	8.11E-06	3.3E-06	2.50E-04	8.25E-10	14	1.15E-02	1.32E-10	1.0E+06	1.3E-04
396	396	0.3356	8.11E-06	2.7E-06	2.50E-04	6.81E-10	14	1.15E-02	1.09E-10	1.0E+06	1.1E-04
397	397	0.35694	8.11E-06	2.9E-06	2.50E-04	7.24E-10	14	1.15E-02	1.16E-10	1.0E+06	1.2E-04
398	398	0.37985	8.11E-06	3.1E-06	2.50E-04	7.71E-10	14	1.15E-02	1.24E-10	1.0E+06	1.2E-04
399	399	0.40433	8.11E-06	3.3E-06	2.50E-04	8.21E-10	14	1.15E-02	1.32E-10	1.0E+06	1.3E-04
411	411	0.31647	8.11E-06	2.6E-06	2.50E-04	6.42E-10	14	1.15E-02	1.03E-10	1.0E+06	1.0E-04
412	412	0.33546	8.11E-06	2.7E-06	2.50E-04	6.81E-10	14	1.15E-02	1.09E-10	1.0E+06	1.1E-04
413	413	0.3558	8.11E-06	2.9E-06	2.50E-04	7.22E-10	14	1.15E-02	1.16E-10	1.0E+06	1.2E-04
414	414	0.37726	8.11E-06	3.1E-06	2.50E-04	7.66E-10	14	1.15E-02	1.23E-10	1.0E+06	1.2E-04
426	426	0.29888	8.11E-06	2.4E-06	2.50E-04	6.07E-10	14	1.15E-02	9.74E-11	1.0E+06	9.7E-05
427	427	0.31586	8.11E-06	2.6E-06	2.50E-04	6.41E-10	14	1.15E-02	1.03E-10	1.0E+06	1.0E-04
428	428	0.33383	8.11E-06	2.7E-06	2.50E-04	6.77E-10	14	1.15E-02	1.09E-10	1.0E+06	1.1E-04
429	429	0.35282	8.11E-06	2.9E-06	2.50E-04	7.16E-10	14	1.15E-02	1.15E-10	1.0E+06	1.1E-04
439	439	0.28267	8.11E-06	2.3E-06	2.50E-04	5.74E-10	14	1.15E-02	9.21E-11	1.0E+06	9.2E-05
440	440	0.29789	8.11E-06	2.4E-06	2.50E-04	6.05E-10	14	1.15E-02	9.71E-11	1.0E+06	9.7E-05
441	441	0.31393	8.11E-06	2.5E-06	2.50E-04	6.37E-10	14	1.15E-02	1.02E-10	1.0E+06	1.0E-04
442	442	0.33076	8.11E-06	2.7E-06	2.50E-04	6.71E-10	14	1.15E-02	1.08E-10	1.0E+06	1.1E-04
443	443	0.34832	8.11E-06	2.8E-06	2.50E-04	7.07E-10	14	1.15E-02	1.14E-10	1.0E+06	1.1E-04
454	454	0.26773	8.11E-06	2.2E-06	2.50E-04	5.43E-10	14	1.15E-02	8.73E-11	1.0E+06	8.7E-05
455	455	0.28142	8.11E-06	2.3E-06	2.50E-04	5.71E-10	14	1.15E-02	9.17E-11	1.0E+06	9.2E-05
456	456	0.29578	8.11E-06	2.4E-06	2.50E-04	6.00E-10	14	1.15E-02	9.64E-11	1.0E+06	9.6E-05
457	457	0.31076	8.11E-06	2.5E-06	2.50E-04	6.31E-10	14	1.15E-02	1.01E-10	1.0E+06	1.0E-04
458	458	0.3263	8.11E-06	2.6E-06	2.50E-04	6.62E-10	14	1.15E-02	1.06E-10	1.0E+06	1.1E-04
469	469	0.25393	8.11E-06	2.1E-06	2.50E-04	5.15E-10	14	1.15E-02	8.28E-11	1.0E+06	8.3E-05
470	470	0.26625	8.11E-06	2.2E-06	2.50E-04	5.40E-10	14	1.15E-02	8.68E-11	1.0E+06	8.7E-05
471	471	0.27914	8.11E-06	2.3E-06	2.50E-04	5.66E-10	14	1.15E-02	9.10E-11	1.0E+06	9.1E-05

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	0.29252	8.11E-06	2.4E-06	2.50E-04	5.94E-10	14	1.15E-02	9.53E-11	1.0E+06	9.5E-05
473	473	0.30632	8.11E-06	2.5E-06	2.50E-04	6.22E-10	14	1.15E-02	9.98E-11	1.0E+06	1.0E-04
489	489	0.2412	8.11E-06	2.0E-06	2.50E-04	4.89E-10	14	1.15E-02	7.86E-11	1.0E+06	7.9E-05
490	490	0.25235	8.11E-06	2.0E-06	2.50E-04	5.12E-10	14	1.15E-02	8.22E-11	1.0E+06	8.2E-05
491	491	0.26394	8.11E-06	2.1E-06	2.50E-04	5.36E-10	14	1.15E-02	8.60E-11	1.0E+06	8.6E-05
492	492	0.27593	8.11E-06	2.2E-06	2.50E-04	5.60E-10	14	1.15E-02	8.99E-11	1.0E+06	9.0E-05
493	493	0.28824	8.11E-06	2.3E-06	2.50E-04	5.85E-10	14	1.15E-02	9.39E-11	1.0E+06	9.4E-05
494	494	0.3008	8.11E-06	2.4E-06	2.50E-04	6.10E-10	14	1.15E-02	9.80E-11	1.0E+06	9.8E-05
509	509	0.22939	8.11E-06	1.9E-06	2.50E-04	4.66E-10	14	1.15E-02	7.48E-11	1.0E+06	7.5E-05
510	510	0.2395	8.11E-06	1.9E-06	2.50E-04	4.86E-10	14	1.15E-02	7.81E-11	1.0E+06	7.8E-05
511	511	0.24994	8.11E-06	2.0E-06	2.50E-04	5.07E-10	14	1.15E-02	8.15E-11	1.0E+06	8.1E-05
512	512	0.26071	8.11E-06	2.1E-06	2.50E-04	5.29E-10	14	1.15E-02	8.50E-11	1.0E+06	8.5E-05
513	513	0.27175	8.11E-06	2.2E-06	2.50E-04	5.51E-10	14	1.15E-02	8.86E-11	1.0E+06	8.9E-05
514	514	0.28293	8.11E-06	2.3E-06	2.50E-04	5.74E-10	14	1.15E-02	9.22E-11	1.0E+06	9.2E-05
515	515	0.30537	8.11E-06	2.5E-06	2.50E-04	6.20E-10	14	1.15E-02	9.95E-11	1.0E+06	1.0E-04
516	516	0.31634	8.11E-06	2.6E-06	2.50E-04	6.42E-10	14	1.15E-02	1.03E-10	1.0E+06	1.0E-04
517	517	0.32679	8.11E-06	2.6E-06	2.50E-04	6.63E-10	14	1.15E-02	1.07E-10	1.0E+06	1.1E-04
518	518	0.33649	8.11E-06	2.7E-06	2.50E-04	6.83E-10	14	1.15E-02	1.10E-10	1.0E+06	1.1E-04
519	519	0.34515	8.11E-06	2.8E-06	2.50E-04	7.00E-10	14	1.15E-02	1.12E-10	1.0E+06	1.1E-04
528	528	0.21844	8.11E-06	1.8E-06	2.50E-04	4.43E-10	14	1.15E-02	7.12E-11	1.0E+06	7.1E-05
529	529	0.22762	8.11E-06	1.8E-06	2.50E-04	4.62E-10	14	1.15E-02	7.42E-11	1.0E+06	7.4E-05
530	530	0.23708	8.11E-06	1.9E-06	2.50E-04	4.81E-10	14	1.15E-02	7.73E-11	1.0E+06	7.7E-05
531	531	0.24677	8.11E-06	2.0E-06	2.50E-04	5.01E-10	14	1.15E-02	8.04E-11	1.0E+06	8.0E-05
532	532	0.25666	8.11E-06	2.1E-06	2.50E-04	5.21E-10	14	1.15E-02	8.36E-11	1.0E+06	8.4E-05
533	533	0.26666	8.11E-06	2.2E-06	2.50E-04	5.41E-10	14	1.15E-02	8.69E-11	1.0E+06	8.7E-05
534	534	0.28665	8.11E-06	2.3E-06	2.50E-04	5.82E-10	14	1.15E-02	9.34E-11	1.0E+06	9.3E-05
535	535	0.29635	8.11E-06	2.4E-06	2.50E-04	6.01E-10	14	1.15E-02	9.66E-11	1.0E+06	9.7E-05
536	536	0.30558	8.11E-06	2.5E-06	2.50E-04	6.20E-10	14	1.15E-02	9.96E-11	1.0E+06	1.0E-04
537	537	0.31417	8.11E-06	2.5E-06	2.50E-04	6.38E-10	14	1.15E-02	1.02E-10	1.0E+06	1.0E-04
538	538	0.32187	8.11E-06	2.6E-06	2.50E-04	6.53E-10	14	1.15E-02	1.05E-10	1.0E+06	1.0E-04
547	547	0.20827	8.11E-06	1.7E-06	2.50E-04	4.23E-10	14	1.15E-02	6.79E-11	1.0E+06	6.8E-05

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.21664	8.11E-06	1.8E-06	2.50E-04	4.40E-10	14	1.15E-02	7.06E-11	1.0E+06	7.1E-05
549	549	0.2252	8.11E-06	1.8E-06	2.50E-04	4.57E-10	14	1.15E-02	7.34E-11	1.0E+06	7.3E-05
550	550	0.23397	8.11E-06	1.9E-06	2.50E-04	4.75E-10	14	1.15E-02	7.63E-11	1.0E+06	7.6E-05
551	551	0.24286	8.11E-06	2.0E-06	2.50E-04	4.93E-10	14	1.15E-02	7.91E-11	1.0E+06	7.9E-05
552	552	0.25183	8.11E-06	2.0E-06	2.50E-04	5.11E-10	14	1.15E-02	8.21E-11	1.0E+06	8.2E-05
553	553	0.26079	8.11E-06	2.1E-06	2.50E-04	5.29E-10	14	1.15E-02	8.50E-11	1.0E+06	8.5E-05
554	554	0.26966	8.11E-06	2.2E-06	2.50E-04	5.47E-10	14	1.15E-02	8.79E-11	1.0E+06	8.8E-05
555	555	0.27827	8.11E-06	2.3E-06	2.50E-04	5.65E-10	14	1.15E-02	9.07E-11	1.0E+06	9.1E-05
556	556	0.28646	8.11E-06	2.3E-06	2.50E-04	5.81E-10	14	1.15E-02	9.34E-11	1.0E+06	9.3E-05
557	557	0.29411	8.11E-06	2.4E-06	2.50E-04	5.97E-10	14	1.15E-02	9.59E-11	1.0E+06	9.6E-05
558	558	0.30096	8.11E-06	2.4E-06	2.50E-04	6.11E-10	14	1.15E-02	9.81E-11	1.0E+06	9.8E-05
559	559	0.30684	8.11E-06	2.5E-06	2.50E-04	6.23E-10	14	1.15E-02	1.00E-10	1.0E+06	1.0E-04
567	567	0.19881	8.11E-06	1.6E-06	2.50E-04	4.03E-10	14	1.15E-02	6.48E-11	1.0E+06	6.5E-05
568	568	0.20643	8.11E-06	1.7E-06	2.50E-04	4.19E-10	14	1.15E-02	6.73E-11	1.0E+06	6.7E-05
569	569	0.21422	8.11E-06	1.7E-06	2.50E-04	4.35E-10	14	1.15E-02	6.98E-11	1.0E+06	7.0E-05
570	570	0.22215	8.11E-06	1.8E-06	2.50E-04	4.51E-10	14	1.15E-02	7.24E-11	1.0E+06	7.2E-05
571	571	0.23017	8.11E-06	1.9E-06	2.50E-04	4.67E-10	14	1.15E-02	7.50E-11	1.0E+06	7.5E-05
572	572	0.23823	8.11E-06	1.9E-06	2.50E-04	4.83E-10	14	1.15E-02	7.76E-11	1.0E+06	7.8E-05
573	573	0.24627	8.11E-06	2.0E-06	2.50E-04	5.00E-10	14	1.15E-02	8.03E-11	1.0E+06	8.0E-05
574	574	0.26189	8.11E-06	2.1E-06	2.50E-04	5.31E-10	14	1.15E-02	8.54E-11	1.0E+06	8.5E-05
575	575	0.26919	8.11E-06	2.2E-06	2.50E-04	5.46E-10	14	1.15E-02	8.77E-11	1.0E+06	8.8E-05
576	576	0.27598	8.11E-06	2.2E-06	2.50E-04	5.60E-10	14	1.15E-02	8.99E-11	1.0E+06	9.0E-05
577	577	0.28211	8.11E-06	2.3E-06	2.50E-04	5.72E-10	14	1.15E-02	9.19E-11	1.0E+06	9.2E-05
578	578	0.2874	8.11E-06	2.3E-06	2.50E-04	5.83E-10	14	1.15E-02	9.37E-11	1.0E+06	9.4E-05
586	586	0.19002	8.11E-06	1.5E-06	2.50E-04	3.86E-10	14	1.15E-02	6.19E-11	1.0E+06	6.2E-05
587	587	0.19699	8.11E-06	1.6E-06	2.50E-04	4.00E-10	14	1.15E-02	6.42E-11	1.0E+06	6.4E-05
588	588	0.20407	8.11E-06	1.7E-06	2.50E-04	4.14E-10	14	1.15E-02	6.65E-11	1.0E+06	6.7E-05
589	589	0.21126	8.11E-06	1.7E-06	2.50E-04	4.29E-10	14	1.15E-02	6.89E-11	1.0E+06	6.9E-05
590	590	0.21852	8.11E-06	1.8E-06	2.50E-04	4.43E-10	14	1.15E-02	7.12E-11	1.0E+06	7.1E-05
591	591	0.22578	8.11E-06	1.8E-06	2.50E-04	4.58E-10	14	1.15E-02	7.36E-11	1.0E+06	7.4E-05
592	592	0.23301	8.11E-06	1.9E-06	2.50E-04	4.73E-10	14	1.15E-02	7.59E-11	1.0E+06	7.6E-05

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	0.24699	8.11E-06	2.0E-06	2.50E-04	5.01E-10	14	1.15E-02	8.05E-11	1.0E+06	8.0E-05
594	594	0.25352	8.11E-06	2.1E-06	2.50E-04	5.14E-10	14	1.15E-02	8.26E-11	1.0E+06	8.3E-05
595	595	0.25963	8.11E-06	2.1E-06	2.50E-04	5.27E-10	14	1.15E-02	8.46E-11	1.0E+06	8.5E-05
596	596	0.26513	8.11E-06	2.1E-06	2.50E-04	5.38E-10	14	1.15E-02	8.64E-11	1.0E+06	8.6E-05
597	597	0.26989	8.11E-06	2.2E-06	2.50E-04	5.48E-10	14	1.15E-02	8.80E-11	1.0E+06	8.8E-05
345	345	0.54754	8.11E-06	4.4E-06	2.50E-04	1.11E-09	14	1.15E-02	1.78E-10	1.0E+06	1.8E-04
346	346	0.59492	8.11E-06	4.8E-06	2.50E-04	1.21E-09	14	1.15E-02	1.94E-10	1.0E+06	1.9E-04
347	347	0.64656	8.11E-06	5.2E-06	2.50E-04	1.31E-09	14	1.15E-02	2.11E-10	1.0E+06	2.1E-04
348	348	0.70189	8.11E-06	5.7E-06	2.50E-04	1.42E-09	14	1.15E-02	2.29E-10	1.0E+06	2.3E-04
359	359	0.50558	8.11E-06	4.1E-06	2.50E-04	1.03E-09	14	1.15E-02	1.65E-10	1.0E+06	1.6E-04
360	360	0.54615	8.11E-06	4.4E-06	2.50E-04	1.11E-09	14	1.15E-02	1.78E-10	1.0E+06	1.8E-04
361	361	0.58961	8.11E-06	4.8E-06	2.50E-04	1.20E-09	14	1.15E-02	1.92E-10	1.0E+06	1.9E-04
362	362	0.63593	8.11E-06	5.2E-06	2.50E-04	1.29E-09	14	1.15E-02	2.07E-10	1.0E+06	2.1E-04
363	363	0.68387	8.11E-06	5.5E-06	2.50E-04	1.39E-09	14	1.15E-02	2.23E-10	1.0E+06	2.2E-04
373	373	0.50278	8.11E-06	4.1E-06	2.50E-04	1.02E-09	14	1.15E-02	1.64E-10	1.0E+06	1.6E-04
374	374	0.53988	8.11E-06	4.4E-06	2.50E-04	1.10E-09	14	1.15E-02	1.76E-10	1.0E+06	1.8E-04
375	375	0.57892	8.11E-06	4.7E-06	2.50E-04	1.17E-09	14	1.15E-02	1.89E-10	1.0E+06	1.9E-04
376	376	0.61919	8.11E-06	5.0E-06	2.50E-04	1.26E-09	14	1.15E-02	2.02E-10	1.0E+06	2.0E-04
386	386	0.46446	8.11E-06	3.8E-06	2.50E-04	9.43E-10	14	1.15E-02	1.51E-10	1.0E+06	1.5E-04
387	387	0.49623	8.11E-06	4.0E-06	2.50E-04	1.01E-09	14	1.15E-02	1.62E-10	1.0E+06	1.6E-04
388	388	0.52947	8.11E-06	4.3E-06	2.50E-04	1.07E-09	14	1.15E-02	1.73E-10	1.0E+06	1.7E-04
389	389	0.56355	8.11E-06	4.6E-06	2.50E-04	1.14E-09	14	1.15E-02	1.84E-10	1.0E+06	1.8E-04
390	390	0.59762	8.11E-06	4.8E-06	2.50E-04	1.21E-09	14	1.15E-02	1.95E-10	1.0E+06	1.9E-04
400	400	0.43036	8.11E-06	3.5E-06	2.50E-04	8.73E-10	14	1.15E-02	1.40E-10	1.0E+06	1.4E-04
401	401	0.45786	8.11E-06	3.7E-06	2.50E-04	9.29E-10	14	1.15E-02	1.49E-10	1.0E+06	1.5E-04
402	402	0.48629	8.11E-06	3.9E-06	2.50E-04	9.87E-10	14	1.15E-02	1.58E-10	1.0E+06	1.6E-04
403	403	0.51538	8.11E-06	4.2E-06	2.50E-04	1.05E-09	14	1.15E-02	1.68E-10	1.0E+06	1.7E-04
404	404	0.54441	8.11E-06	4.4E-06	2.50E-04	1.10E-09	14	1.15E-02	1.77E-10	1.0E+06	1.8E-04
415	415	0.39998	8.11E-06	3.2E-06	2.50E-04	8.12E-10	14	1.15E-02	1.30E-10	1.0E+06	1.3E-04
416	416	0.42378	8.11E-06	3.4E-06	2.50E-04	8.60E-10	14	1.15E-02	1.38E-10	1.0E+06	1.4E-04
417	417	0.44839	8.11E-06	3.6E-06	2.50E-04	9.10E-10	14	1.15E-02	1.46E-10	1.0E+06	1.5E-04

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	0.47328	8.11E-06	3.8E-06	2.50E-04	9.60E-10	14	1.15E-02	1.54E-10	1.0E+06	1.5E-04
419	419	0.49797	8.11E-06	4.0E-06	2.50E-04	1.01E-09	14	1.15E-02	1.62E-10	1.0E+06	1.6E-04
420	420	0.52219	8.11E-06	4.2E-06	2.50E-04	1.06E-09	14	1.15E-02	1.70E-10	1.0E+06	1.7E-04
430	430	0.39358	8.11E-06	3.2E-06	2.50E-04	7.99E-10	14	1.15E-02	1.28E-10	1.0E+06	1.3E-04
431	431	0.41481	8.11E-06	3.4E-06	2.50E-04	8.42E-10	14	1.15E-02	1.35E-10	1.0E+06	1.4E-04
432	432	0.43635	8.11E-06	3.5E-06	2.50E-04	8.85E-10	14	1.15E-02	1.42E-10	1.0E+06	1.4E-04
433	433	0.4577	8.11E-06	3.7E-06	2.50E-04	9.29E-10	14	1.15E-02	1.49E-10	1.0E+06	1.5E-04
434	434	0.47832	8.11E-06	3.9E-06	2.50E-04	9.71E-10	14	1.15E-02	1.56E-10	1.0E+06	1.6E-04
444	444	0.36648	8.11E-06	3.0E-06	2.50E-04	7.44E-10	14	1.15E-02	1.19E-10	1.0E+06	1.2E-04
445	445	0.38513	8.11E-06	3.1E-06	2.50E-04	7.82E-10	14	1.15E-02	1.26E-10	1.0E+06	1.3E-04
446	446	0.40382	8.11E-06	3.3E-06	2.50E-04	8.19E-10	14	1.15E-02	1.32E-10	1.0E+06	1.3E-04
447	447	0.42229	8.11E-06	3.4E-06	2.50E-04	8.57E-10	14	1.15E-02	1.38E-10	1.0E+06	1.4E-04
448	448	0.44012	8.11E-06	3.6E-06	2.50E-04	8.93E-10	14	1.15E-02	1.43E-10	1.0E+06	1.4E-04
459	459	0.35861	8.11E-06	2.9E-06	2.50E-04	7.28E-10	14	1.15E-02	1.17E-10	1.0E+06	1.2E-04
460	460	0.37497	8.11E-06	3.0E-06	2.50E-04	7.61E-10	14	1.15E-02	1.22E-10	1.0E+06	1.2E-04
461	461	0.39109	8.11E-06	3.2E-06	2.50E-04	7.94E-10	14	1.15E-02	1.27E-10	1.0E+06	1.3E-04
462	462	0.40658	8.11E-06	3.3E-06	2.50E-04	8.25E-10	14	1.15E-02	1.33E-10	1.0E+06	1.3E-04
463	463	0.421	8.11E-06	3.4E-06	2.50E-04	8.54E-10	14	1.15E-02	1.37E-10	1.0E+06	1.4E-04
474	474	0.33488	8.11E-06	2.7E-06	2.50E-04	6.80E-10	14	1.15E-02	1.09E-10	1.0E+06	1.1E-04
475	475	0.34924	8.11E-06	2.8E-06	2.50E-04	7.09E-10	14	1.15E-02	1.14E-10	1.0E+06	1.1E-04
476	476	0.36331	8.11E-06	2.9E-06	2.50E-04	7.37E-10	14	1.15E-02	1.18E-10	1.0E+06	1.2E-04
477	477	0.37686	8.11E-06	3.1E-06	2.50E-04	7.65E-10	14	1.15E-02	1.23E-10	1.0E+06	1.2E-04
478	478	0.38943	8.11E-06	3.2E-06	2.50E-04	7.90E-10	14	1.15E-02	1.27E-10	1.0E+06	1.3E-04
495	495	0.31348	8.11E-06	2.5E-06	2.50E-04	6.36E-10	14	1.15E-02	1.02E-10	1.0E+06	1.0E-04
496	496	0.32616	8.11E-06	2.6E-06	2.50E-04	6.62E-10	14	1.15E-02	1.06E-10	1.0E+06	1.1E-04
497	497	0.33854	8.11E-06	2.7E-06	2.50E-04	6.87E-10	14	1.15E-02	1.10E-10	1.0E+06	1.1E-04
498	498	0.35041	8.11E-06	2.8E-06	2.50E-04	7.11E-10	14	1.15E-02	1.14E-10	1.0E+06	1.1E-04
499	499	0.36143	8.11E-06	2.9E-06	2.50E-04	7.33E-10	14	1.15E-02	1.18E-10	1.0E+06	1.2E-04
500	500	0.37126	8.11E-06	3.0E-06	2.50E-04	7.53E-10	14	1.15E-02	1.21E-10	1.0E+06	1.2E-04

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	1.24007	8.11E-06	1.0E-05	2.50E-04	2.52E-09	25	1.15E-02	7.22E-10	1.0E+06	7.2E-04
140	140	1.59485	8.11E-06	1.3E-05	2.50E-04	3.24E-09	25	1.15E-02	9.28E-10	1.0E+06	9.3E-04
156	156	1.23468	8.11E-06	1.0E-05	2.50E-04	2.51E-09	25	1.15E-02	7.19E-10	1.0E+06	7.2E-04
157	157	1.58185	8.11E-06	1.3E-05	2.50E-04	3.21E-09	25	1.15E-02	9.21E-10	1.0E+06	9.2E-04
158	158	2.15745	8.11E-06	1.7E-05	2.50E-04	4.38E-09	25	1.15E-02	1.26E-09	1.0E+06	1.3E-03
159	159	3.26781	8.11E-06	2.6E-05	2.50E-04	6.63E-09	25	1.15E-02	1.90E-09	1.0E+06	1.9E-03
160	160	6.1827	8.11E-06	5.0E-05	2.50E-04	1.25E-08	25	1.15E-02	3.60E-09	1.0E+06	3.6E-03
161	161	21.08855	8.11E-06	1.7E-04	2.50E-04	4.28E-08	25	1.15E-02	1.23E-08	1.0E+06	1.2E-02
162	162	20.71936	8.11E-06	1.7E-04	2.50E-04	4.20E-08	25	1.15E-02	1.21E-08	1.0E+06	1.2E-02
163	163	22.92655	8.11E-06	1.9E-04	2.50E-04	4.65E-08	25	1.15E-02	1.33E-08	1.0E+06	1.3E-02
167	167	1.49633	8.11E-06	1.2E-05	2.50E-04	3.04E-09	25	1.15E-02	8.71E-10	1.0E+06	8.7E-04
168	168	1.99096	8.11E-06	1.6E-05	2.50E-04	4.04E-09	25	1.15E-02	1.16E-09	1.0E+06	1.2E-03
169	169	2.81631	8.11E-06	2.3E-05	2.50E-04	5.72E-09	25	1.15E-02	1.64E-09	1.0E+06	1.6E-03
170	170	4.44743	8.11E-06	3.6E-05	2.50E-04	9.03E-09	25	1.15E-02	2.59E-09	1.0E+06	2.6E-03
171	171	7.72008	8.11E-06	6.3E-05	2.50E-04	1.57E-08	25	1.15E-02	4.49E-09	1.0E+06	4.5E-03
172	172	9.85432	8.11E-06	8.0E-05	2.50E-04	2.00E-08	25	1.15E-02	5.73E-09	1.0E+06	5.7E-03
173	173	10.63644	8.11E-06	8.6E-05	2.50E-04	2.16E-08	25	1.15E-02	6.19E-09	1.0E+06	6.2E-03
174	174	11.78887	8.11E-06	9.6E-05	2.50E-04	2.39E-08	25	1.15E-02	6.86E-09	1.0E+06	6.9E-03
175	175	13.53461	8.11E-06	1.1E-04	2.50E-04	2.75E-08	25	1.15E-02	7.88E-09	1.0E+06	7.9E-03
176	176	15.68505	8.11E-06	1.3E-04	2.50E-04	3.18E-08	25	1.15E-02	9.13E-09	1.0E+06	9.1E-03
177	177	17.92374	8.11E-06	1.5E-04	2.50E-04	3.64E-08	25	1.15E-02	1.04E-08	1.0E+06	1.0E-02
181	181	1.77322	8.11E-06	1.4E-05	2.50E-04	3.60E-09	25	1.15E-02	1.03E-09	1.0E+06	1.0E-03
182	182	2.35459	8.11E-06	1.9E-05	2.50E-04	4.78E-09	25	1.15E-02	1.37E-09	1.0E+06	1.4E-03
183	183	3.2992	8.11E-06	2.7E-05	2.50E-04	6.70E-09	25	1.15E-02	1.92E-09	1.0E+06	1.9E-03
184	184	4.68754	8.11E-06	3.8E-05	2.50E-04	9.51E-09	25	1.15E-02	2.73E-09	1.0E+06	2.7E-03
185	185	5.92647	8.11E-06	4.8E-05	2.50E-04	1.20E-08	25	1.15E-02	3.45E-09	1.0E+06	3.4E-03
186	186	6.70974	8.11E-06	5.4E-05	2.50E-04	1.36E-08	25	1.15E-02	3.90E-09	1.0E+06	3.9E-03
187	187	7.4167	8.11E-06	6.0E-05	2.50E-04	1.51E-08	25	1.15E-02	4.32E-09	1.0E+06	4.3E-03
188	188	8.22019	8.11E-06	6.7E-05	2.50E-04	1.67E-08	25	1.15E-02	4.78E-09	1.0E+06	4.8E-03
189	189	9.0857	8.11E-06	7.4E-05	2.50E-04	1.84E-08	25	1.15E-02	5.29E-09	1.0E+06	5.3E-03
190	190	9.92021	8.11E-06	8.0E-05	2.50E-04	2.01E-08	25	1.15E-02	5.77E-09	1.0E+06	5.8E-03

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	10.63253	8.11E-06	8.6E-05	2.50E-04	2.16E-08	25	1.15E-02	6.19E-09	1.0E+06	6.2E-03
195	195	1.5631	8.11E-06	1.3E-05	2.50E-04	3.17E-09	25	1.15E-02	9.10E-10	1.0E+06	9.1E-04
196	196	1.98022	8.11E-06	1.6E-05	2.50E-04	4.02E-09	25	1.15E-02	1.15E-09	1.0E+06	1.2E-03
197	197	2.57794	8.11E-06	2.1E-05	2.50E-04	5.23E-09	25	1.15E-02	1.50E-09	1.0E+06	1.5E-03
198	198	3.34691	8.11E-06	2.7E-05	2.50E-04	6.79E-09	25	1.15E-02	1.95E-09	1.0E+06	1.9E-03
199	199	4.10786	8.11E-06	3.3E-05	2.50E-04	8.34E-09	25	1.15E-02	2.39E-09	1.0E+06	2.4E-03
200	200	4.70057	8.11E-06	3.8E-05	2.50E-04	9.54E-09	25	1.15E-02	2.74E-09	1.0E+06	2.7E-03
201	201	5.18885	8.11E-06	4.2E-05	2.50E-04	1.05E-08	25	1.15E-02	3.02E-09	1.0E+06	3.0E-03
202	202	5.6595	8.11E-06	4.6E-05	2.50E-04	1.15E-08	25	1.15E-02	3.29E-09	1.0E+06	3.3E-03
203	203	6.11466	8.11E-06	5.0E-05	2.50E-04	1.24E-08	25	1.15E-02	3.56E-09	1.0E+06	3.6E-03
204	204	6.517	8.11E-06	5.3E-05	2.50E-04	1.32E-08	25	1.15E-02	3.79E-09	1.0E+06	3.8E-03
205	205	6.82848	8.11E-06	5.5E-05	2.50E-04	1.39E-08	25	1.15E-02	3.97E-09	1.0E+06	4.0E-03
206	206	6.95779	8.11E-06	5.6E-05	2.50E-04	1.41E-08	25	1.15E-02	4.05E-09	1.0E+06	4.0E-03
210	210	1.13765	8.11E-06	9.2E-06	2.50E-04	2.31E-09	25	1.15E-02	6.62E-10	1.0E+06	6.6E-04
211	211	1.37867	8.11E-06	1.1E-05	2.50E-04	2.80E-09	25	1.15E-02	8.02E-10	1.0E+06	8.0E-04
212	212	1.6861	8.11E-06	1.4E-05	2.50E-04	3.42E-09	25	1.15E-02	9.81E-10	1.0E+06	9.8E-04
213	213	2.09131	8.11E-06	1.7E-05	2.50E-04	4.24E-09	25	1.15E-02	1.22E-09	1.0E+06	1.2E-03
214	214	3.07876	8.11E-06	2.5E-05	2.50E-04	6.25E-09	25	1.15E-02	1.79E-09	1.0E+06	1.8E-03
215	215	3.51048	8.11E-06	2.8E-05	2.50E-04	7.12E-09	25	1.15E-02	2.04E-09	1.0E+06	2.0E-03
216	216	3.86757	8.11E-06	3.1E-05	2.50E-04	7.85E-09	25	1.15E-02	2.25E-09	1.0E+06	2.3E-03
217	217	4.18416	8.11E-06	3.4E-05	2.50E-04	8.49E-09	25	1.15E-02	2.44E-09	1.0E+06	2.4E-03
218	218	4.46353	8.11E-06	3.6E-05	2.50E-04	9.06E-09	25	1.15E-02	2.60E-09	1.0E+06	2.6E-03
219	219	4.69178	8.11E-06	3.8E-05	2.50E-04	9.52E-09	25	1.15E-02	2.73E-09	1.0E+06	2.7E-03
220	220	4.84836	8.11E-06	3.9E-05	2.50E-04	9.84E-09	25	1.15E-02	2.82E-09	1.0E+06	2.8E-03
221	221	4.88911	8.11E-06	4.0E-05	2.50E-04	9.92E-09	25	1.15E-02	2.85E-09	1.0E+06	2.8E-03
222	222	4.81115	8.11E-06	3.9E-05	2.50E-04	9.76E-09	25	1.15E-02	2.80E-09	1.0E+06	2.8E-03
226	226	1.0333	8.11E-06	8.4E-06	2.50E-04	2.10E-09	25	1.15E-02	6.01E-10	1.0E+06	6.0E-04
227	227	1.22013	8.11E-06	9.9E-06	2.50E-04	2.48E-09	25	1.15E-02	7.10E-10	1.0E+06	7.1E-04
228	228	1.45313	8.11E-06	1.2E-05	2.50E-04	2.95E-09	25	1.15E-02	8.46E-10	1.0E+06	8.5E-04
229	229	1.74196	8.11E-06	1.4E-05	2.50E-04	3.53E-09	25	1.15E-02	1.01E-09	1.0E+06	1.0E-03
230	230	2.07737	8.11E-06	1.7E-05	2.50E-04	4.22E-09	25	1.15E-02	1.21E-09	1.0E+06	1.2E-03

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	2.42603	8.11E-06	2.0E-05	2.50E-04	4.92E-09	25	1.15E-02	1.41E-09	1.0E+06	1.4E-03
232	232	2.74197	8.11E-06	2.2E-05	2.50E-04	5.56E-09	25	1.15E-02	1.60E-09	1.0E+06	1.6E-03
233	233	3.23634	8.11E-06	2.6E-05	2.50E-04	6.57E-09	25	1.15E-02	1.88E-09	1.0E+06	1.9E-03
234	234	3.42767	8.11E-06	2.8E-05	2.50E-04	6.96E-09	25	1.15E-02	1.99E-09	1.0E+06	2.0E-03
235	235	3.57312	8.11E-06	2.9E-05	2.50E-04	7.25E-09	25	1.15E-02	2.08E-09	1.0E+06	2.1E-03
236	236	3.66102	8.11E-06	3.0E-05	2.50E-04	7.43E-09	25	1.15E-02	2.13E-09	1.0E+06	2.1E-03
237	237	3.67498	8.11E-06	3.0E-05	2.50E-04	7.46E-09	25	1.15E-02	2.14E-09	1.0E+06	2.1E-03
238	238	3.59816	8.11E-06	2.9E-05	2.50E-04	7.30E-09	25	1.15E-02	2.09E-09	1.0E+06	2.1E-03
242	242	0.93685	8.11E-06	7.6E-06	2.50E-04	1.90E-09	25	1.15E-02	5.45E-10	1.0E+06	5.5E-04
243	243	1.08496	8.11E-06	8.8E-06	2.50E-04	2.20E-09	25	1.15E-02	6.31E-10	1.0E+06	6.3E-04
244	244	1.26586	8.11E-06	1.0E-05	2.50E-04	2.57E-09	25	1.15E-02	7.37E-10	1.0E+06	7.4E-04
245	245	1.48057	8.11E-06	1.2E-05	2.50E-04	3.00E-09	25	1.15E-02	8.62E-10	1.0E+06	8.6E-04
246	246	1.72272	8.11E-06	1.4E-05	2.50E-04	3.50E-09	25	1.15E-02	1.00E-09	1.0E+06	1.0E-03
247	247	1.97305	8.11E-06	1.6E-05	2.50E-04	4.00E-09	25	1.15E-02	1.15E-09	1.0E+06	1.1E-03
248	248	2.20763	8.11E-06	1.8E-05	2.50E-04	4.48E-09	25	1.15E-02	1.28E-09	1.0E+06	1.3E-03
249	249	2.58524	8.11E-06	2.1E-05	2.50E-04	5.25E-09	25	1.15E-02	1.50E-09	1.0E+06	1.5E-03
250	250	2.72347	8.11E-06	2.2E-05	2.50E-04	5.53E-09	25	1.15E-02	1.58E-09	1.0E+06	1.6E-03
251	251	2.82428	8.11E-06	2.3E-05	2.50E-04	5.73E-09	25	1.15E-02	1.64E-09	1.0E+06	1.6E-03
252	252	2.87816	8.11E-06	2.3E-05	2.50E-04	5.84E-09	25	1.15E-02	1.68E-09	1.0E+06	1.7E-03
253	253	2.8842	8.11E-06	2.3E-05	2.50E-04	5.85E-09	25	1.15E-02	1.68E-09	1.0E+06	1.7E-03
254	254	2.82388	8.11E-06	2.3E-05	2.50E-04	5.73E-09	25	1.15E-02	1.64E-09	1.0E+06	1.6E-03
257	257	0.85094	8.11E-06	6.9E-06	2.50E-04	1.73E-09	25	1.15E-02	4.95E-10	1.0E+06	5.0E-04
258	258	0.97037	8.11E-06	7.9E-06	2.50E-04	1.97E-09	25	1.15E-02	5.65E-10	1.0E+06	5.6E-04
259	259	1.11287	8.11E-06	9.0E-06	2.50E-04	2.26E-09	25	1.15E-02	6.48E-10	1.0E+06	6.5E-04
260	260	1.27636	8.11E-06	1.0E-05	2.50E-04	2.59E-09	25	1.15E-02	7.43E-10	1.0E+06	7.4E-04
261	261	1.45702	8.11E-06	1.2E-05	2.50E-04	2.96E-09	25	1.15E-02	8.48E-10	1.0E+06	8.5E-04
262	262	1.64355	8.11E-06	1.3E-05	2.50E-04	3.34E-09	25	1.15E-02	9.57E-10	1.0E+06	9.6E-04
263	263	1.82163	8.11E-06	1.5E-05	2.50E-04	3.70E-09	25	1.15E-02	1.06E-09	1.0E+06	1.1E-03
264	264	2.1125	8.11E-06	1.7E-05	2.50E-04	4.29E-09	25	1.15E-02	1.23E-09	1.0E+06	1.2E-03
265	265	2.21727	8.11E-06	1.8E-05	2.50E-04	4.50E-09	25	1.15E-02	1.29E-09	1.0E+06	1.3E-03
266	266	2.29086	8.11E-06	1.9E-05	2.50E-04	4.65E-09	25	1.15E-02	1.33E-09	1.0E+06	1.3E-03

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	2.32938	8.11E-06	1.9E-05	2.50E-04	4.73E-09	25	1.15E-02	1.36E-09	1.0E+06	1.4E-03
268	268	2.3306	8.11E-06	1.9E-05	2.50E-04	4.73E-09	25	1.15E-02	1.36E-09	1.0E+06	1.4E-03
269	269	2.28353	8.11E-06	1.9E-05	2.50E-04	4.63E-09	25	1.15E-02	1.33E-09	1.0E+06	1.3E-03
270	270	1.88214	8.11E-06	1.5E-05	2.50E-04	3.82E-09	25	1.15E-02	1.10E-09	1.0E+06	1.1E-03
271	271	1.67671	8.11E-06	1.4E-05	2.50E-04	3.40E-09	25	1.15E-02	9.76E-10	1.0E+06	9.8E-04
274	274	0.77483	8.11E-06	6.3E-06	2.50E-04	1.57E-09	25	1.15E-02	4.51E-10	1.0E+06	4.5E-04
275	275	0.87185	8.11E-06	7.1E-06	2.50E-04	1.77E-09	25	1.15E-02	5.07E-10	1.0E+06	5.1E-04
276	276	0.98541	8.11E-06	8.0E-06	2.50E-04	2.00E-09	25	1.15E-02	5.73E-10	1.0E+06	5.7E-04
277	277	1.11376	8.11E-06	9.0E-06	2.50E-04	2.26E-09	25	1.15E-02	6.48E-10	1.0E+06	6.5E-04
278	278	1.25251	8.11E-06	1.0E-05	2.50E-04	2.54E-09	25	1.15E-02	7.29E-10	1.0E+06	7.3E-04
279	279	1.39555	8.11E-06	1.1E-05	2.50E-04	2.83E-09	25	1.15E-02	8.12E-10	1.0E+06	8.1E-04
280	280	1.53383	8.11E-06	1.2E-05	2.50E-04	3.11E-09	25	1.15E-02	8.93E-10	1.0E+06	8.9E-04
281	281	1.76149	8.11E-06	1.4E-05	2.50E-04	3.57E-09	25	1.15E-02	1.03E-09	1.0E+06	1.0E-03
282	282	1.84314	8.11E-06	1.5E-05	2.50E-04	3.74E-09	25	1.15E-02	1.07E-09	1.0E+06	1.1E-03
283	283	1.89993	8.11E-06	1.5E-05	2.50E-04	3.86E-09	25	1.15E-02	1.11E-09	1.0E+06	1.1E-03
284	284	1.92896	8.11E-06	1.6E-05	2.50E-04	3.91E-09	25	1.15E-02	1.12E-09	1.0E+06	1.1E-03
285	285	1.9269	8.11E-06	1.6E-05	2.50E-04	3.91E-09	25	1.15E-02	1.12E-09	1.0E+06	1.1E-03
286	286	1.89013	8.11E-06	1.5E-05	2.50E-04	3.84E-09	25	1.15E-02	1.10E-09	1.0E+06	1.1E-03
287	287	1.58978	8.11E-06	1.3E-05	2.50E-04	3.23E-09	25	1.15E-02	9.25E-10	1.0E+06	9.3E-04
288	288	1.434	8.11E-06	1.2E-05	2.50E-04	2.91E-09	25	1.15E-02	8.35E-10	1.0E+06	8.3E-04
291	291	0.70736	8.11E-06	5.7E-06	2.50E-04	1.44E-09	25	1.15E-02	4.12E-10	1.0E+06	4.1E-04
292	292	0.7873	8.11E-06	6.4E-06	2.50E-04	1.60E-09	25	1.15E-02	4.58E-10	1.0E+06	4.6E-04
293	293	0.87866	8.11E-06	7.1E-06	2.50E-04	1.78E-09	25	1.15E-02	5.11E-10	1.0E+06	5.1E-04
294	294	0.98116	8.11E-06	8.0E-06	2.50E-04	1.99E-09	25	1.15E-02	5.71E-10	1.0E+06	5.7E-04
295	295	1.09016	8.11E-06	8.8E-06	2.50E-04	2.21E-09	25	1.15E-02	6.34E-10	1.0E+06	6.3E-04
296	296	1.20195	8.11E-06	9.7E-06	2.50E-04	2.44E-09	25	1.15E-02	7.00E-10	1.0E+06	7.0E-04
297	297	1.30998	8.11E-06	1.1E-05	2.50E-04	2.66E-09	25	1.15E-02	7.62E-10	1.0E+06	7.6E-04
298	298	1.49154	8.11E-06	1.2E-05	2.50E-04	3.03E-09	25	1.15E-02	8.68E-10	1.0E+06	8.7E-04
299	299	1.55664	8.11E-06	1.3E-05	2.50E-04	3.16E-09	25	1.15E-02	9.06E-10	1.0E+06	9.1E-04
300	300	1.60178	8.11E-06	1.3E-05	2.50E-04	3.25E-09	25	1.15E-02	9.32E-10	1.0E+06	9.3E-04
301	301	1.62429	8.11E-06	1.3E-05	2.50E-04	3.30E-09	25	1.15E-02	9.45E-10	1.0E+06	9.5E-04

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
302	302	1.62236	8.11E-06	1.3E-05	2.50E-04	3.29E-09	25	1.15E-02	9.44E-10	1.0E+06	9.4E-04
303	303	1.59378	8.11E-06	1.3E-05	2.50E-04	3.23E-09	25	1.15E-02	9.28E-10	1.0E+06	9.3E-04
304	304	1.36278	8.11E-06	1.1E-05	2.50E-04	2.77E-09	25	1.15E-02	7.93E-10	1.0E+06	7.9E-04
305	305	1.24422	8.11E-06	1.0E-05	2.50E-04	2.52E-09	25	1.15E-02	7.24E-10	1.0E+06	7.2E-04
308	308	0.64764	8.11E-06	5.3E-06	2.50E-04	1.31E-09	25	1.15E-02	3.77E-10	1.0E+06	3.8E-04
309	309	0.71435	8.11E-06	5.8E-06	2.50E-04	1.45E-09	25	1.15E-02	4.16E-10	1.0E+06	4.2E-04
310	310	0.78879	8.11E-06	6.4E-06	2.50E-04	1.60E-09	25	1.15E-02	4.59E-10	1.0E+06	4.6E-04
311	311	0.87155	8.11E-06	7.1E-06	2.50E-04	1.77E-09	25	1.15E-02	5.07E-10	1.0E+06	5.1E-04
312	312	0.9583	8.11E-06	7.8E-06	2.50E-04	1.94E-09	25	1.15E-02	5.58E-10	1.0E+06	5.6E-04
313	313	1.04722	8.11E-06	8.5E-06	2.50E-04	2.13E-09	25	1.15E-02	6.09E-10	1.0E+06	6.1E-04
314	314	1.13338	8.11E-06	9.2E-06	2.50E-04	2.30E-09	25	1.15E-02	6.60E-10	1.0E+06	6.6E-04
315	315	1.27975	8.11E-06	1.0E-05	2.50E-04	2.60E-09	25	1.15E-02	7.45E-10	1.0E+06	7.4E-04
316	316	1.33221	8.11E-06	1.1E-05	2.50E-04	2.70E-09	25	1.15E-02	7.75E-10	1.0E+06	7.8E-04
317	317	1.36941	8.11E-06	1.1E-05	2.50E-04	2.78E-09	25	1.15E-02	7.97E-10	1.0E+06	8.0E-04
318	318	1.38753	8.11E-06	1.1E-05	2.50E-04	2.82E-09	25	1.15E-02	8.08E-10	1.0E+06	8.1E-04
319	319	1.38619	8.11E-06	1.1E-05	2.50E-04	2.81E-09	25	1.15E-02	8.07E-10	1.0E+06	8.1E-04
320	320	1.36471	8.11E-06	1.1E-05	2.50E-04	2.77E-09	25	1.15E-02	7.94E-10	1.0E+06	7.9E-04
321	321	1.18381	8.11E-06	9.6E-06	2.50E-04	2.40E-09	25	1.15E-02	6.89E-10	1.0E+06	6.9E-04
322	322	1.09175	8.11E-06	8.9E-06	2.50E-04	2.22E-09	25	1.15E-02	6.35E-10	1.0E+06	6.4E-04
325	325	0.5946	8.11E-06	4.8E-06	2.50E-04	1.21E-09	25	1.15E-02	3.46E-10	1.0E+06	3.5E-04
326	326	0.65064	8.11E-06	5.3E-06	2.50E-04	1.32E-09	25	1.15E-02	3.79E-10	1.0E+06	3.8E-04
327	327	0.71231	8.11E-06	5.8E-06	2.50E-04	1.45E-09	25	1.15E-02	4.15E-10	1.0E+06	4.1E-04
328	328	0.77952	8.11E-06	6.3E-06	2.50E-04	1.58E-09	25	1.15E-02	4.54E-10	1.0E+06	4.5E-04
329	329	0.85023	8.11E-06	6.9E-06	2.50E-04	1.73E-09	25	1.15E-02	4.95E-10	1.0E+06	4.9E-04
330	330	0.92146	8.11E-06	7.5E-06	2.50E-04	1.87E-09	25	1.15E-02	5.36E-10	1.0E+06	5.4E-04
331	331	0.99108	8.11E-06	8.0E-06	2.50E-04	2.01E-09	25	1.15E-02	5.77E-10	1.0E+06	5.8E-04
332	332	1.05459	8.11E-06	8.6E-06	2.50E-04	2.14E-09	25	1.15E-02	6.14E-10	1.0E+06	6.1E-04
333	333	1.11031	8.11E-06	9.0E-06	2.50E-04	2.25E-09	25	1.15E-02	6.46E-10	1.0E+06	6.5E-04
334	334	1.1538	8.11E-06	9.4E-06	2.50E-04	2.34E-09	25	1.15E-02	6.71E-10	1.0E+06	6.7E-04
335	335	1.18421	8.11E-06	9.6E-06	2.50E-04	2.40E-09	25	1.15E-02	6.89E-10	1.0E+06	6.9E-04
336	336	1.19964	8.11E-06	9.7E-06	2.50E-04	2.43E-09	25	1.15E-02	6.98E-10	1.0E+06	7.0E-04

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	1.19927	8.11E-06	9.7E-06	2.50E-04	2.43E-09	25	1.15E-02	6.98E-10	1.0E+06	7.0E-04
338	338	1.18185	8.11E-06	9.6E-06	2.50E-04	2.40E-09	25	1.15E-02	6.88E-10	1.0E+06	6.9E-04
339	339	1.10214	8.11E-06	8.9E-06	2.50E-04	2.24E-09	25	1.15E-02	6.41E-10	1.0E+06	6.4E-04
340	340	1.03978	8.11E-06	8.4E-06	2.50E-04	2.11E-09	25	1.15E-02	6.05E-10	1.0E+06	6.1E-04
341	341	0.96671	8.11E-06	7.8E-06	2.50E-04	1.96E-09	25	1.15E-02	5.63E-10	1.0E+06	5.6E-04
349	349	0.75987	8.11E-06	6.2E-06	2.50E-04	1.54E-09	25	1.15E-02	4.42E-10	1.0E+06	4.4E-04
350	350	0.81837	8.11E-06	6.6E-06	2.50E-04	1.66E-09	25	1.15E-02	4.76E-10	1.0E+06	4.8E-04
351	351	0.8756	8.11E-06	7.1E-06	2.50E-04	1.78E-09	25	1.15E-02	5.10E-10	1.0E+06	5.1E-04
352	352	0.92725	8.11E-06	7.5E-06	2.50E-04	1.88E-09	25	1.15E-02	5.40E-10	1.0E+06	5.4E-04
353	353	0.97141	8.11E-06	7.9E-06	2.50E-04	1.97E-09	25	1.15E-02	5.65E-10	1.0E+06	5.7E-04
354	354	0.92148	8.11E-06	7.5E-06	2.50E-04	1.87E-09	25	1.15E-02	5.36E-10	1.0E+06	5.4E-04
355	355	0.86269	8.11E-06	7.0E-06	2.50E-04	1.75E-09	25	1.15E-02	5.02E-10	1.0E+06	5.0E-04
364	364	0.73224	8.11E-06	5.9E-06	2.50E-04	1.49E-09	25	1.15E-02	4.26E-10	1.0E+06	4.3E-04
365	365	0.77907	8.11E-06	6.3E-06	2.50E-04	1.58E-09	25	1.15E-02	4.53E-10	1.0E+06	4.5E-04
366	366	0.82273	8.11E-06	6.7E-06	2.50E-04	1.67E-09	25	1.15E-02	4.79E-10	1.0E+06	4.8E-04
367	367	0.86336	8.11E-06	7.0E-06	2.50E-04	1.75E-09	25	1.15E-02	5.02E-10	1.0E+06	5.0E-04
368	368	0.8231	8.11E-06	6.7E-06	2.50E-04	1.67E-09	25	1.15E-02	4.79E-10	1.0E+06	4.8E-04
369	369	0.77526	8.11E-06	6.3E-06	2.50E-04	1.57E-09	25	1.15E-02	4.51E-10	1.0E+06	4.5E-04
377	377	0.6596	8.11E-06	5.3E-06	2.50E-04	1.34E-09	25	1.15E-02	3.84E-10	1.0E+06	3.8E-04
378	378	0.69882	8.11E-06	5.7E-06	2.50E-04	1.42E-09	25	1.15E-02	4.07E-10	1.0E+06	4.1E-04
379	379	0.73537	8.11E-06	6.0E-06	2.50E-04	1.49E-09	25	1.15E-02	4.28E-10	1.0E+06	4.3E-04
380	380	0.77311	8.11E-06	6.3E-06	2.50E-04	1.57E-09	25	1.15E-02	4.50E-10	1.0E+06	4.5E-04
381	381	0.74025	8.11E-06	6.0E-06	2.50E-04	1.50E-09	25	1.15E-02	4.31E-10	1.0E+06	4.3E-04
382	382	0.70107	8.11E-06	5.7E-06	2.50E-04	1.42E-09	25	1.15E-02	4.08E-10	1.0E+06	4.1E-04
391	391	0.63072	8.11E-06	5.1E-06	2.50E-04	1.28E-09	25	1.15E-02	3.67E-10	1.0E+06	3.7E-04
392	392	0.66158	8.11E-06	5.4E-06	2.50E-04	1.34E-09	25	1.15E-02	3.85E-10	1.0E+06	3.9E-04
393	393	0.69667	8.11E-06	5.6E-06	2.50E-04	1.41E-09	25	1.15E-02	4.05E-10	1.0E+06	4.1E-04
394	394	0.66965	8.11E-06	5.4E-06	2.50E-04	1.36E-09	25	1.15E-02	3.90E-10	1.0E+06	3.9E-04
395	395	0.63721	8.11E-06	5.2E-06	2.50E-04	1.29E-09	25	1.15E-02	3.71E-10	1.0E+06	3.7E-04
405	405	0.57241	8.11E-06	4.6E-06	2.50E-04	1.16E-09	25	1.15E-02	3.33E-10	1.0E+06	3.3E-04
406	406	0.5985	8.11E-06	4.9E-06	2.50E-04	1.21E-09	25	1.15E-02	3.48E-10	1.0E+06	3.5E-04

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	0.62137	8.11E-06	5.0E-06	2.50E-04	1.26E-09	25	1.15E-02	3.62E-10	1.0E+06	3.6E-04
408	408	0.63137	8.11E-06	5.1E-06	2.50E-04	1.28E-09	25	1.15E-02	3.67E-10	1.0E+06	3.7E-04
409	409	0.60899	8.11E-06	4.9E-06	2.50E-04	1.24E-09	25	1.15E-02	3.54E-10	1.0E+06	3.5E-04
410	410	0.58188	8.11E-06	4.7E-06	2.50E-04	1.18E-09	25	1.15E-02	3.39E-10	1.0E+06	3.4E-04
421	421	0.54441	8.11E-06	4.4E-06	2.50E-04	1.10E-09	25	1.15E-02	3.17E-10	1.0E+06	3.2E-04
422	422	0.56408	8.11E-06	4.6E-06	2.50E-04	1.14E-09	25	1.15E-02	3.28E-10	1.0E+06	3.3E-04
423	423	0.5751	8.11E-06	4.7E-06	2.50E-04	1.17E-09	25	1.15E-02	3.35E-10	1.0E+06	3.3E-04
424	424	0.55649	8.11E-06	4.5E-06	2.50E-04	1.13E-09	25	1.15E-02	3.24E-10	1.0E+06	3.2E-04
425	425	0.53375	8.11E-06	4.3E-06	2.50E-04	1.08E-09	25	1.15E-02	3.11E-10	1.0E+06	3.1E-04
435	435	0.49763	8.11E-06	4.0E-06	2.50E-04	1.01E-09	25	1.15E-02	2.90E-10	1.0E+06	2.9E-04
436	436	0.5145	8.11E-06	4.2E-06	2.50E-04	1.04E-09	25	1.15E-02	2.99E-10	1.0E+06	3.0E-04
437	437	0.51072	8.11E-06	4.1E-06	2.50E-04	1.04E-09	25	1.15E-02	2.97E-10	1.0E+06	3.0E-04
438	438	0.4916	8.11E-06	4.0E-06	2.50E-04	9.98E-10	25	1.15E-02	2.86E-10	1.0E+06	2.9E-04
449	449	0.45681	8.11E-06	3.7E-06	2.50E-04	9.27E-10	25	1.15E-02	2.66E-10	1.0E+06	2.7E-04
450	450	0.47137	8.11E-06	3.8E-06	2.50E-04	9.57E-10	25	1.15E-02	2.74E-10	1.0E+06	2.7E-04
451	451	0.48361	8.11E-06	3.9E-06	2.50E-04	9.81E-10	25	1.15E-02	2.81E-10	1.0E+06	2.8E-04
452	452	0.47052	8.11E-06	3.8E-06	2.50E-04	9.55E-10	25	1.15E-02	2.74E-10	1.0E+06	2.7E-04
453	453	0.45433	8.11E-06	3.7E-06	2.50E-04	9.22E-10	25	1.15E-02	2.64E-10	1.0E+06	2.6E-04
464	464	0.43376	8.11E-06	3.5E-06	2.50E-04	8.80E-10	25	1.15E-02	2.52E-10	1.0E+06	2.5E-04
465	465	0.44443	8.11E-06	3.6E-06	2.50E-04	9.02E-10	25	1.15E-02	2.59E-10	1.0E+06	2.6E-04
466	466	0.45393	8.11E-06	3.7E-06	2.50E-04	9.21E-10	25	1.15E-02	2.64E-10	1.0E+06	2.6E-04
467	467	0.43505	8.11E-06	3.5E-06	2.50E-04	8.83E-10	25	1.15E-02	2.53E-10	1.0E+06	2.5E-04
468	468	0.42127	8.11E-06	3.4E-06	2.50E-04	8.55E-10	25	1.15E-02	2.45E-10	1.0E+06	2.5E-04
479	479	0.40044	8.11E-06	3.2E-06	2.50E-04	8.13E-10	25	1.15E-02	2.33E-10	1.0E+06	2.3E-04
480	480	0.41	8.11E-06	3.3E-06	2.50E-04	8.32E-10	25	1.15E-02	2.39E-10	1.0E+06	2.4E-04
481	481	0.41722	8.11E-06	3.4E-06	2.50E-04	8.47E-10	25	1.15E-02	2.43E-10	1.0E+06	2.4E-04
482	482	0.42194	8.11E-06	3.4E-06	2.50E-04	8.56E-10	25	1.15E-02	2.46E-10	1.0E+06	2.5E-04
483	483	0.424	8.11E-06	3.4E-06	2.50E-04	8.60E-10	25	1.15E-02	2.47E-10	1.0E+06	2.5E-04
484	484	0.42317	8.11E-06	3.4E-06	2.50E-04	8.59E-10	25	1.15E-02	2.46E-10	1.0E+06	2.5E-04
485	485	0.41945	8.11E-06	3.4E-06	2.50E-04	8.51E-10	25	1.15E-02	2.44E-10	1.0E+06	2.4E-04
486	486	0.41286	8.11E-06	3.3E-06	2.50E-04	8.38E-10	25	1.15E-02	2.40E-10	1.0E+06	2.4E-04

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	487	0.40357	8.11E-06	3.3E-06	2.50E-04	8.19E-10	25	1.15E-02	2.35E-10	1.0E+06	2.3E-04
488	488	0.39179	8.11E-06	3.2E-06	2.50E-04	7.95E-10	25	1.15E-02	2.28E-10	1.0E+06	2.3E-04
501	501	0.37932	8.11E-06	3.1E-06	2.50E-04	7.70E-10	25	1.15E-02	2.21E-10	1.0E+06	2.2E-04
502	502	0.386	8.11E-06	3.1E-06	2.50E-04	7.83E-10	25	1.15E-02	2.25E-10	1.0E+06	2.2E-04
503	503	0.3903	8.11E-06	3.2E-06	2.50E-04	7.92E-10	25	1.15E-02	2.27E-10	1.0E+06	2.3E-04
504	504	0.39232	8.11E-06	3.2E-06	2.50E-04	7.96E-10	25	1.15E-02	2.28E-10	1.0E+06	2.3E-04
505	505	0.39186	8.11E-06	3.2E-06	2.50E-04	7.95E-10	25	1.15E-02	2.28E-10	1.0E+06	2.3E-04
506	506	0.38887	8.11E-06	3.2E-06	2.50E-04	7.89E-10	25	1.15E-02	2.26E-10	1.0E+06	2.3E-04
507	507	0.38337	8.11E-06	3.1E-06	2.50E-04	7.78E-10	25	1.15E-02	2.23E-10	1.0E+06	2.2E-04
508	508	0.36541	8.11E-06	3.0E-06	2.50E-04	7.42E-10	25	1.15E-02	2.13E-10	1.0E+06	2.1E-04
520	520	0.35245	8.11E-06	2.9E-06	2.50E-04	7.15E-10	25	1.15E-02	2.05E-10	1.0E+06	2.1E-04
521	521	0.35797	8.11E-06	2.9E-06	2.50E-04	7.26E-10	25	1.15E-02	2.08E-10	1.0E+06	2.1E-04
522	522	0.36226	8.11E-06	2.9E-06	2.50E-04	7.35E-10	25	1.15E-02	2.11E-10	1.0E+06	2.1E-04
523	523	0.36421	8.11E-06	3.0E-06	2.50E-04	7.39E-10	25	1.15E-02	2.12E-10	1.0E+06	2.1E-04
524	524	0.36403	8.11E-06	3.0E-06	2.50E-04	7.39E-10	25	1.15E-02	2.12E-10	1.0E+06	2.1E-04
525	525	0.36164	8.11E-06	2.9E-06	2.50E-04	7.34E-10	25	1.15E-02	2.10E-10	1.0E+06	2.1E-04
526	526	0.35706	8.11E-06	2.9E-06	2.50E-04	7.25E-10	25	1.15E-02	2.08E-10	1.0E+06	2.1E-04
527	527	0.3417	8.11E-06	2.8E-06	2.50E-04	6.93E-10	25	1.15E-02	1.99E-10	1.0E+06	2.0E-04
539	539	0.32842	8.11E-06	2.7E-06	2.50E-04	6.66E-10	25	1.15E-02	1.91E-10	1.0E+06	1.9E-04
540	540	0.3336	8.11E-06	2.7E-06	2.50E-04	6.77E-10	25	1.15E-02	1.94E-10	1.0E+06	1.9E-04
541	541	0.33712	8.11E-06	2.7E-06	2.50E-04	6.84E-10	25	1.15E-02	1.96E-10	1.0E+06	2.0E-04
542	542	0.339	8.11E-06	2.7E-06	2.50E-04	6.88E-10	25	1.15E-02	1.97E-10	1.0E+06	2.0E-04
543	543	0.33918	8.11E-06	2.8E-06	2.50E-04	6.88E-10	25	1.15E-02	1.97E-10	1.0E+06	2.0E-04
544	544	0.33728	8.11E-06	2.7E-06	2.50E-04	6.84E-10	25	1.15E-02	1.96E-10	1.0E+06	2.0E-04
545	545	0.33335	8.11E-06	2.7E-06	2.50E-04	6.76E-10	25	1.15E-02	1.94E-10	1.0E+06	1.9E-04
546	546	0.32029	8.11E-06	2.6E-06	2.50E-04	6.50E-10	25	1.15E-02	1.86E-10	1.0E+06	1.9E-04
560	560	0.31153	8.11E-06	2.5E-06	2.50E-04	6.32E-10	25	1.15E-02	1.81E-10	1.0E+06	1.8E-04
561	561	0.31487	8.11E-06	2.6E-06	2.50E-04	6.39E-10	25	1.15E-02	1.83E-10	1.0E+06	1.8E-04
562	562	0.31667	8.11E-06	2.6E-06	2.50E-04	6.43E-10	25	1.15E-02	1.84E-10	1.0E+06	1.8E-04
563	563	0.31651	8.11E-06	2.6E-06	2.50E-04	6.42E-10	25	1.15E-02	1.84E-10	1.0E+06	1.8E-04
564	564	0.31528	8.11E-06	2.6E-06	2.50E-04	6.40E-10	25	1.15E-02	1.83E-10	1.0E+06	1.8E-04

Via Oro
Risk From 405 from 710 to Hughes [TKO]

<i>Cancer Risk from 16-30 years - Construction</i>											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	0.31223	8.11E-06	2.5E-06	2.50E-04	6.34E-10	25	1.15E-02	1.82E-10	1.0E+06	1.8E-04
566	566	0.30091	8.11E-06	2.4E-06	2.50E-04	6.11E-10	25	1.15E-02	1.75E-10	1.0E+06	1.8E-04
579	579	0.29167	8.11E-06	2.4E-06	2.50E-04	5.92E-10	25	1.15E-02	1.70E-10	1.0E+06	1.7E-04
580	580	0.29475	8.11E-06	2.4E-06	2.50E-04	5.98E-10	25	1.15E-02	1.72E-10	1.0E+06	1.7E-04
581	581	0.29651	8.11E-06	2.4E-06	2.50E-04	6.02E-10	25	1.15E-02	1.73E-10	1.0E+06	1.7E-04
582	582	0.29686	8.11E-06	2.4E-06	2.50E-04	6.02E-10	25	1.15E-02	1.73E-10	1.0E+06	1.7E-04
583	583	0.29569	8.11E-06	2.4E-06	2.50E-04	6.00E-10	25	1.15E-02	1.72E-10	1.0E+06	1.7E-04
584	584	0.29298	8.11E-06	2.4E-06	2.50E-04	5.95E-10	25	1.15E-02	1.71E-10	1.0E+06	1.7E-04
585	585	0.28669	8.11E-06	2.3E-06	2.50E-04	5.82E-10	25	1.15E-02	1.67E-10	1.0E+06	1.7E-04
598	598	0.27376	8.11E-06	2.2E-06	2.50E-04	5.56E-10	25	1.15E-02	1.59E-10	1.0E+06	1.6E-04
599	599	0.27661	8.11E-06	2.2E-06	2.50E-04	5.61E-10	25	1.15E-02	1.61E-10	1.0E+06	1.6E-04
600	600	0.27831	8.11E-06	2.3E-06	2.50E-04	5.65E-10	25	1.15E-02	1.62E-10	1.0E+06	1.6E-04
601	601	0.27875	8.11E-06	2.3E-06	2.50E-04	5.66E-10	25	1.15E-02	1.62E-10	1.0E+06	1.6E-04
602	602	0.27788	8.11E-06	2.3E-06	2.50E-04	5.64E-10	25	1.15E-02	1.62E-10	1.0E+06	1.6E-04
603	603	0.27567	8.11E-06	2.2E-06	2.50E-04	5.59E-10	25	1.15E-02	1.60E-10	1.0E+06	1.6E-04
604	604	0.27211	8.11E-06	2.2E-06	2.50E-04	5.52E-10	25	1.15E-02	1.58E-10	1.0E+06	1.6E-04
0	0	0	8.11E-06	0.0E+00	2.50E-04	0.00E+00	25	1.15E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
1	1	1.4E-03	5	3.64E-07	
2	2	1.5E-03	5	3.89E-07	
3	3	1.6E-03	5	4.18E-07	
4	4	1.8E-03	5	4.49E-07	
5	5	1.9E-03	5	4.85E-07	
6	6	2.1E-03	5	5.26E-07	
7	7	2.2E-03	5	5.73E-07	
8	8	2.5E-03	5	6.27E-07	
9	9	2.7E-03	5	6.89E-07	
10	10	3.0E-03	5	7.62E-07	
11	11	3.3E-03	5	8.46E-07	
12	12	3.7E-03	5	9.46E-07	
13	13	4.2E-03	5	1.06E-06	
14	14	4.7E-03	5	1.21E-06	
15	15	5.4E-03	5	1.38E-06	
16	16	6.2E-03	5	1.58E-06	
17	17	7.1E-03	5	1.82E-06	
18	18	8.2E-03	5	2.09E-06	
19	19	9.4E-03	5	2.40E-06	
20	20	1.1E-02	5	2.72E-06	
21	21	1.2E-02	5	3.04E-06	
22	22	1.3E-02	5	3.35E-06	
23	23	1.4E-02	5	3.65E-06	
24	24	1.5E-02	5	3.94E-06	
25	25	1.6E-02	5	4.19E-06	
26	26	1.7E-02	5	4.39E-06	
27	27	1.8E-02	5	4.52E-06	
28	28	1.8E-02	5	4.57E-06	
29	29	1.8E-02	5	4.55E-06	
30	30	1.7E-02	5	4.47E-06	
31	31	1.7E-02	5	4.35E-06	

Max	Receptor #	
0.053	96	Res
0.004	348	School
0.013	163	Worker

Max	Receptor #	
1.355E-05	96	Res
1.138E-06	348	School
3.718E-05	163	Worker

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
32	32	1.6E-02	5	4.17E-06	
55	55	1.8E-02	5	4.54E-06	
56	56	2.0E-02	5	5.04E-06	
57	57	2.1E-02	5	5.49E-06	
58	58	2.3E-02	5	5.83E-06	
59	59	2.4E-02	5	6.02E-06	
60	60	2.4E-02	5	6.07E-06	
61	61	2.4E-02	5	6.04E-06	
62	62	2.3E-02	5	5.92E-06	
63	63	2.2E-02	5	5.75E-06	
64	64	2.2E-02	5	5.52E-06	
65	65	2.0E-02	5	5.24E-06	
66	66	1.9E-02	5	4.95E-06	
67	67	1.5E-03	5	3.75E-07	
68	68	1.6E-03	5	4.03E-07	
69	69	1.7E-03	5	4.34E-07	
70	70	1.8E-03	5	4.69E-07	
71	71	2.0E-03	5	5.08E-07	
72	72	2.2E-03	5	5.54E-07	
73	73	2.4E-03	5	6.07E-07	
74	74	2.6E-03	5	6.69E-07	
75	75	2.9E-03	5	7.42E-07	
76	76	3.2E-03	5	8.29E-07	
77	77	3.7E-03	5	9.35E-07	
78	78	4.2E-03	5	1.06E-06	
79	79	9.7E-03	5	2.48E-06	
80	80	1.2E-02	5	3.08E-06	
81	81	1.5E-02	5	3.86E-06	
82	82	1.9E-02	5	4.77E-06	
83	83	2.2E-02	5	5.75E-06	
84	84	2.6E-02	5	6.72E-06	

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
85	85	3.0E-02	5	7.61E-06	
86	86	3.2E-02	5	8.24E-06	
87	87	3.3E-02	5	8.53E-06	
88	88	3.3E-02	5	8.56E-06	
89	89	3.3E-02	5	8.40E-06	
90	90	3.2E-02	5	8.16E-06	
91	91	3.1E-02	5	7.90E-06	
92	92	3.0E-02	5	7.58E-06	
93	93	2.8E-02	5	7.25E-06	
96	96	5.3E-02	5	1.35E-05	
97	97	5.2E-02	5	1.33E-05	
98	98	5.0E-02	5	1.27E-05	
99	99	4.7E-02	5	1.21E-05	
100	100	4.5E-02	5	1.15E-05	
101	101	4.3E-02	5	1.09E-05	
102	102	4.1E-02	5	1.06E-05	
106	106	1.4E-03	5	3.56E-07	
107	107	1.5E-03	5	3.81E-07	
108	108	1.6E-03	5	4.10E-07	
109	109	1.7E-03	5	4.42E-07	
110	110	1.9E-03	5	4.79E-07	
111	111	2.0E-03	5	5.21E-07	
112	112	2.2E-03	5	5.70E-07	
113	113	2.5E-03	5	6.27E-07	
114	114	2.7E-03	5	6.94E-07	
115	115	3.0E-03	5	7.74E-07	
116	116	3.4E-03	5	8.70E-07	
117	117	3.9E-03	5	9.91E-07	
118	118	4.5E-03	5	1.14E-06	
124	124	1.4E-03	5	3.56E-07	
125	125	1.5E-03	5	3.82E-07	

Via Oro
Risk From 405 from 710 to Hughes [TKO]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
126	126	1.6E-03	5	4.11E-07	
127	127	1.7E-03	5	4.43E-07	
128	128	1.9E-03	5	4.80E-07	
129	129	2.0E-03	5	5.23E-07	
130	130	2.2E-03	5	5.72E-07	
131	131	2.5E-03	5	6.30E-07	
132	132	2.7E-03	5	6.99E-07	
133	133	3.0E-03	5	7.80E-07	
134	134	3.4E-03	5	8.80E-07	
135	135	3.9E-03	5	1.00E-06	
136	136	4.5E-03	5	1.16E-06	
137	137	5.3E-03	5	1.36E-06	
138	138	6.4E-03	5	1.63E-06	
141	141	1.4E-03	5	3.56E-07	
142	142	1.5E-03	5	3.81E-07	
143	143	1.6E-03	5	4.10E-07	
144	144	1.7E-03	5	4.42E-07	
145	145	1.9E-03	5	4.79E-07	
146	146	2.0E-03	5	5.22E-07	
147	147	2.2E-03	5	5.71E-07	
148	148	2.5E-03	5	6.29E-07	
149	149	2.7E-03	5	6.97E-07	
150	150	3.0E-03	5	7.79E-07	
151	151	3.4E-03	5	8.78E-07	
152	152	3.9E-03	5	1.00E-06	
153	153	4.5E-03	5	1.16E-06	
154	154	5.3E-03	5	1.35E-06	
155	155	6.3E-03	5	1.62E-06	
164	164	5.2E-03	5	1.33E-06	
165	165	6.2E-03	5	1.58E-06	
166	166	7.5E-03	5	1.93E-06	

Via Oro
Risk From 405 from 710 to Hughes [TKO]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
178	178	5.0E-03	5	1.28E-06	
179	179	5.9E-03	5	1.51E-06	
180	180	7.1E-03	5	1.82E-06	
192	192	4.8E-03	5	1.23E-06	
193	193	5.6E-03	5	1.43E-06	
194	194	6.6E-03	5	1.70E-06	
207	207	4.5E-03	5	1.16E-06	
208	208	5.2E-03	5	1.34E-06	
209	209	6.1E-03	5	1.57E-06	
223	223	4.3E-03	5	1.10E-06	
224	224	4.9E-03	5	1.25E-06	
225	225	5.6E-03	5	1.44E-06	
239	239	4.0E-03	5	1.03E-06	
240	240	4.6E-03	5	1.17E-06	
241	241	5.2E-03	5	1.33E-06	
255	255	3.8E-03	5	9.68E-07	
256	256	4.2E-03	5	1.08E-06	
272	272	3.5E-03	5	9.06E-07	
273	273	3.9E-03	5	1.01E-06	
289	289	3.3E-03	5	8.48E-07	
290	290	3.7E-03	5	9.35E-07	
306	306	3.1E-03	5	7.94E-07	
307	307	3.4E-03	5	8.69E-07	
323	323	2.9E-03	5	7.44E-07	
324	324	3.2E-03	5	8.09E-07	
342	342	2.7E-03	5	6.97E-07	
343	343	2.9E-03	5	7.55E-07	
344	344	3.2E-03	5	8.18E-07	
356	356	2.6E-03	5	6.54E-07	
357	357	2.8E-03	5	7.04E-07	
358	358	3.0E-03	5	7.59E-07	

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
370	370	2.4E-03	5	6.15E-07	
371	371	2.6E-03	5	6.59E-07	
372	372	2.8E-03	5	7.07E-07	
383	383	2.3E-03	5	5.78E-07	
384	384	2.4E-03	5	6.17E-07	
385	385	2.6E-03	5	6.59E-07	
396	396	2.1E-03	5	5.44E-07	
397	397	2.3E-03	5	5.79E-07	
398	398	2.4E-03	5	6.16E-07	
399	399	2.6E-03	5	6.56E-07	
411	411	2.0E-03	5	5.13E-07	
412	412	2.1E-03	5	5.44E-07	
413	413	2.3E-03	5	5.77E-07	
414	414	2.4E-03	5	6.12E-07	
426	426	1.9E-03	5	4.85E-07	
427	427	2.0E-03	5	5.12E-07	
428	428	2.1E-03	5	5.41E-07	
429	429	2.2E-03	5	5.72E-07	
439	439	1.8E-03	5	4.58E-07	
440	440	1.9E-03	5	4.83E-07	
441	441	2.0E-03	5	5.09E-07	
442	442	2.1E-03	5	5.36E-07	
443	443	2.2E-03	5	5.65E-07	
454	454	1.7E-03	5	4.34E-07	
455	455	1.8E-03	5	4.56E-07	
456	456	1.9E-03	5	4.80E-07	
457	457	2.0E-03	5	5.04E-07	
458	458	2.1E-03	5	5.29E-07	
469	469	1.6E-03	5	4.12E-07	
470	470	1.7E-03	5	4.32E-07	
471	471	1.8E-03	5	4.53E-07	

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
472	472	1.9E-03	5	4.74E-07	
473	473	1.9E-03	5	4.97E-07	
489	489	1.5E-03	5	3.91E-07	
490	490	1.6E-03	5	4.09E-07	
491	491	1.7E-03	5	4.28E-07	
492	492	1.7E-03	5	4.47E-07	
493	493	1.8E-03	5	4.67E-07	
494	494	1.9E-03	5	4.88E-07	
509	509	1.5E-03	5	3.72E-07	
510	510	1.5E-03	5	3.88E-07	
511	511	1.6E-03	5	4.05E-07	
512	512	1.7E-03	5	4.23E-07	
513	513	1.7E-03	5	4.41E-07	
514	514	1.8E-03	5	4.59E-07	
515	515	1.9E-03	5	4.95E-07	
516	516	2.0E-03	5	5.13E-07	
517	517	2.1E-03	5	5.30E-07	
518	518	2.1E-03	5	5.46E-07	
519	519	2.2E-03	5	5.60E-07	
528	528	1.4E-03	5	3.54E-07	
529	529	1.4E-03	5	3.69E-07	
530	530	1.5E-03	5	3.84E-07	
531	531	1.6E-03	5	4.00E-07	
532	532	1.6E-03	5	4.16E-07	
533	533	1.7E-03	5	4.32E-07	
534	534	1.8E-03	5	4.65E-07	
535	535	1.9E-03	5	4.81E-07	
536	536	1.9E-03	5	4.96E-07	
537	537	2.0E-03	5	5.09E-07	
538	538	2.0E-03	5	5.22E-07	
547	547	1.3E-03	5	3.38E-07	

Via Oro
Risk From 405 from 710 to Hughes [TKO]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
548	548	1.4E-03	5	3.51E-07	
549	549	1.4E-03	5	3.65E-07	
550	550	1.5E-03	5	3.79E-07	
551	551	1.5E-03	5	3.94E-07	
552	552	1.6E-03	5	4.08E-07	
553	553	1.7E-03	5	4.23E-07	
554	554	1.7E-03	5	4.37E-07	
555	555	1.8E-03	5	4.51E-07	
556	556	1.8E-03	5	4.65E-07	
557	557	1.9E-03	5	4.77E-07	
558	558	1.9E-03	5	4.88E-07	
559	559	1.9E-03	5	4.98E-07	
567	567	1.3E-03	5	3.22E-07	
568	568	1.3E-03	5	3.35E-07	
569	569	1.4E-03	5	3.47E-07	
570	570	1.4E-03	5	3.60E-07	
571	571	1.5E-03	5	3.73E-07	
572	572	1.5E-03	5	3.86E-07	
573	573	1.6E-03	5	3.99E-07	
574	574	1.7E-03	5	4.25E-07	
575	575	1.7E-03	5	4.37E-07	
576	576	1.7E-03	5	4.48E-07	
577	577	1.8E-03	5	4.57E-07	
578	578	1.8E-03	5	4.66E-07	
586	586	1.2E-03	5	3.08E-07	
587	587	1.2E-03	5	3.19E-07	
588	588	1.3E-03	5	3.31E-07	
589	589	1.3E-03	5	3.43E-07	
590	590	1.4E-03	5	3.54E-07	
591	591	1.4E-03	5	3.66E-07	
592	592	1.5E-03	5	3.78E-07	

Via Oro
Risk From 405 from 710 to Hughes [TKO]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
593	593	1.6E-03	5	4.01E-07	
594	594	1.6E-03	5	4.11E-07	
595	595	1.6E-03	5	4.21E-07	
596	596	1.7E-03	5	4.30E-07	
597	597	1.7E-03	5	4.38E-07	
345	345	3.5E-03	5	8.88E-07	
346	346	3.8E-03	5	9.65E-07	
347	347	4.1E-03	5	1.05E-06	
348	348	4.4E-03	5	1.14E-06	
359	359	3.2E-03	5	8.20E-07	
360	360	3.5E-03	5	8.86E-07	
361	361	3.7E-03	5	9.56E-07	
362	362	4.0E-03	5	1.03E-06	
363	363	4.3E-03	5	1.11E-06	
373	373	3.2E-03	5	8.15E-07	
374	374	3.4E-03	5	8.76E-07	
375	375	3.7E-03	5	9.39E-07	
376	376	3.9E-03	5	1.00E-06	
386	386	2.9E-03	5	7.53E-07	
387	387	3.1E-03	5	8.05E-07	
388	388	3.4E-03	5	8.59E-07	
389	389	3.6E-03	5	9.14E-07	
390	390	3.8E-03	5	9.69E-07	
400	400	2.7E-03	5	6.98E-07	
401	401	2.9E-03	5	7.42E-07	
402	402	3.1E-03	5	7.89E-07	
403	403	3.3E-03	5	8.36E-07	
404	404	3.5E-03	5	8.83E-07	
415	415	2.5E-03	5	6.49E-07	
416	416	2.7E-03	5	6.87E-07	
417	417	2.8E-03	5	7.27E-07	

Via Oro
Risk From 405 from 710 to Hughes [TKO]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
418	418	3.0E-03	5	7.68E-07	
419	419	3.2E-03	5	8.08E-07	
420	420	3.3E-03	5	8.47E-07	
430	430	2.5E-03	5	6.38E-07	
431	431	2.6E-03	5	6.73E-07	
432	432	2.8E-03	5	7.08E-07	
433	433	2.9E-03	5	7.42E-07	
434	434	3.0E-03	5	7.76E-07	
444	444	2.3E-03	5	5.94E-07	
445	445	2.4E-03	5	6.25E-07	
446	446	2.6E-03	5	6.55E-07	
447	447	2.7E-03	5	6.85E-07	
448	448	2.8E-03	5	7.14E-07	
459	459	2.3E-03	5	5.82E-07	
460	460	2.4E-03	5	6.08E-07	
461	461	2.5E-03	5	6.34E-07	
462	462	2.6E-03	5	6.59E-07	
463	463	2.7E-03	5	6.83E-07	
474	474	2.1E-03	5	5.43E-07	
475	475	2.2E-03	5	5.66E-07	
476	476	2.3E-03	5	5.89E-07	
477	477	2.4E-03	5	6.11E-07	
478	478	2.5E-03	5	6.32E-07	
495	495	2.0E-03	5	5.08E-07	
496	496	2.1E-03	5	5.29E-07	
497	497	2.1E-03	5	5.49E-07	
498	498	2.2E-03	5	5.68E-07	
499	499	2.3E-03	5	5.86E-07	
500	500	2.4E-03	5	6.02E-07	

Via Oro
Risk From 405 from 710 to Hughes [TKO]

		<i>Max Cancer Risk Cancer Risk</i>		<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million		REL	HI Offroad
139	139	7.2E-04		5	2.01E-06
140	140	9.3E-04		5	2.59E-06
156	156	7.2E-04		5	2.00E-06
157	157	9.2E-04		5	2.57E-06
158	158	1.3E-03		5	3.50E-06
159	159	1.9E-03		5	5.30E-06
160	160	3.6E-03		5	1.00E-05
161	161	1.2E-02		5	3.42E-05
162	162	1.2E-02		5	3.36E-05
163	163	1.3E-02		5	3.72E-05
167	167	8.7E-04		5	2.43E-06
168	168	1.2E-03		5	3.23E-06
169	169	1.6E-03		5	4.57E-06
170	170	2.6E-03		5	7.21E-06
171	171	4.5E-03		5	1.25E-05
172	172	5.7E-03		5	1.60E-05
173	173	6.2E-03		5	1.72E-05
174	174	6.9E-03		5	1.91E-05
175	175	7.9E-03		5	2.19E-05
176	176	9.1E-03		5	2.54E-05
177	177	1.0E-02		5	2.91E-05
181	181	1.0E-03		5	2.88E-06
182	182	1.4E-03		5	3.82E-06
183	183	1.9E-03		5	5.35E-06
184	184	2.7E-03		5	7.60E-06
185	185	3.4E-03		5	9.61E-06
186	186	3.9E-03		5	1.09E-05
187	187	4.3E-03		5	1.20E-05
188	188	4.8E-03		5	1.33E-05
189	189	5.3E-03		5	1.47E-05
190	190	5.8E-03		5	1.61E-05

Via Oro
Risk From 405 from 710 to Hughes [TKO]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
191	191	6.2E-03	5	1.72E-05	
195	195	9.1E-04	5	2.53E-06	
196	196	1.2E-03	5	3.21E-06	
197	197	1.5E-03	5	4.18E-06	
198	198	1.9E-03	5	5.43E-06	
199	199	2.4E-03	5	6.66E-06	
200	200	2.7E-03	5	7.62E-06	
201	201	3.0E-03	5	8.41E-06	
202	202	3.3E-03	5	9.18E-06	
203	203	3.6E-03	5	9.92E-06	
204	204	3.8E-03	5	1.06E-05	
205	205	4.0E-03	5	1.11E-05	
206	206	4.0E-03	5	1.13E-05	
210	210	6.6E-04	5	1.84E-06	
211	211	8.0E-04	5	2.24E-06	
212	212	9.8E-04	5	2.73E-06	
213	213	1.2E-03	5	3.39E-06	
214	214	1.8E-03	5	4.99E-06	
215	215	2.0E-03	5	5.69E-06	
216	216	2.3E-03	5	6.27E-06	
217	217	2.4E-03	5	6.79E-06	
218	218	2.6E-03	5	7.24E-06	
219	219	2.7E-03	5	7.61E-06	
220	220	2.8E-03	5	7.86E-06	
221	221	2.8E-03	5	7.93E-06	
222	222	2.8E-03	5	7.80E-06	
226	226	6.0E-04	5	1.68E-06	
227	227	7.1E-04	5	1.98E-06	
228	228	8.5E-04	5	2.36E-06	
229	229	1.0E-03	5	2.82E-06	
230	230	1.2E-03	5	3.37E-06	

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
231	231	1.4E-03	5	3.93E-06	
232	232	1.6E-03	5	4.45E-06	
233	233	1.9E-03	5	5.25E-06	
234	234	2.0E-03	5	5.56E-06	
235	235	2.1E-03	5	5.79E-06	
236	236	2.1E-03	5	5.94E-06	
237	237	2.1E-03	5	5.96E-06	
238	238	2.1E-03	5	5.84E-06	
242	242	5.5E-04	5	1.52E-06	
243	243	6.3E-04	5	1.76E-06	
244	244	7.4E-04	5	2.05E-06	
245	245	8.6E-04	5	2.40E-06	
246	246	1.0E-03	5	2.79E-06	
247	247	1.1E-03	5	3.20E-06	
248	248	1.3E-03	5	3.58E-06	
249	249	1.5E-03	5	4.19E-06	
250	250	1.6E-03	5	4.42E-06	
251	251	1.6E-03	5	4.58E-06	
252	252	1.7E-03	5	4.67E-06	
253	253	1.7E-03	5	4.68E-06	
254	254	1.6E-03	5	4.58E-06	
257	257	5.0E-04	5	1.38E-06	
258	258	5.6E-04	5	1.57E-06	
259	259	6.5E-04	5	1.80E-06	
260	260	7.4E-04	5	2.07E-06	
261	261	8.5E-04	5	2.36E-06	
262	262	9.6E-04	5	2.67E-06	
263	263	1.1E-03	5	2.95E-06	
264	264	1.2E-03	5	3.43E-06	
265	265	1.3E-03	5	3.60E-06	
266	266	1.3E-03	5	3.72E-06	

Via Oro
Risk From 405 from 710 to Hughes [TKO]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
267	267	1.4E-03	5	3.78E-06	
268	268	1.4E-03	5	3.78E-06	
269	269	1.3E-03	5	3.70E-06	
270	270	1.1E-03	5	3.05E-06	
271	271	9.8E-04	5	2.72E-06	
274	274	4.5E-04	5	1.26E-06	
275	275	5.1E-04	5	1.41E-06	
276	276	5.7E-04	5	1.60E-06	
277	277	6.5E-04	5	1.81E-06	
278	278	7.3E-04	5	2.03E-06	
279	279	8.1E-04	5	2.26E-06	
280	280	8.9E-04	5	2.49E-06	
281	281	1.0E-03	5	2.86E-06	
282	282	1.1E-03	5	2.99E-06	
283	283	1.1E-03	5	3.08E-06	
284	284	1.1E-03	5	3.13E-06	
285	285	1.1E-03	5	3.12E-06	
286	286	1.1E-03	5	3.07E-06	
287	287	9.3E-04	5	2.58E-06	
288	288	8.3E-04	5	2.33E-06	
291	291	4.1E-04	5	1.15E-06	
292	292	4.6E-04	5	1.28E-06	
293	293	5.1E-04	5	1.42E-06	
294	294	5.7E-04	5	1.59E-06	
295	295	6.3E-04	5	1.77E-06	
296	296	7.0E-04	5	1.95E-06	
297	297	7.6E-04	5	2.12E-06	
298	298	8.7E-04	5	2.42E-06	
299	299	9.1E-04	5	2.52E-06	
300	300	9.3E-04	5	2.60E-06	
301	301	9.5E-04	5	2.63E-06	

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
302	302	9.4E-04	5	2.63E-06	
303	303	9.3E-04	5	2.58E-06	
304	304	7.9E-04	5	2.21E-06	
305	305	7.2E-04	5	2.02E-06	
308	308	3.8E-04	5	1.05E-06	
309	309	4.2E-04	5	1.16E-06	
310	310	4.6E-04	5	1.28E-06	
311	311	5.1E-04	5	1.41E-06	
312	312	5.6E-04	5	1.55E-06	
313	313	6.1E-04	5	1.70E-06	
314	314	6.6E-04	5	1.84E-06	
315	315	7.4E-04	5	2.08E-06	
316	316	7.8E-04	5	2.16E-06	
317	317	8.0E-04	5	2.22E-06	
318	318	8.1E-04	5	2.25E-06	
319	319	8.1E-04	5	2.25E-06	
320	320	7.9E-04	5	2.21E-06	
321	321	6.9E-04	5	1.92E-06	
322	322	6.4E-04	5	1.77E-06	
325	325	3.5E-04	5	9.64E-07	
326	326	3.8E-04	5	1.06E-06	
327	327	4.1E-04	5	1.16E-06	
328	328	4.5E-04	5	1.26E-06	
329	329	4.9E-04	5	1.38E-06	
330	330	5.4E-04	5	1.49E-06	
331	331	5.8E-04	5	1.61E-06	
332	332	6.1E-04	5	1.71E-06	
333	333	6.5E-04	5	1.80E-06	
334	334	6.7E-04	5	1.87E-06	
335	335	6.9E-04	5	1.92E-06	
336	336	7.0E-04	5	1.95E-06	

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
337	337	7.0E-04	5	1.94E-06	
338	338	6.9E-04	5	1.92E-06	
339	339	6.4E-04	5	1.79E-06	
340	340	6.1E-04	5	1.69E-06	
341	341	5.6E-04	5	1.57E-06	
349	349	4.4E-04	5	1.23E-06	
350	350	4.8E-04	5	1.33E-06	
351	351	5.1E-04	5	1.42E-06	
352	352	5.4E-04	5	1.50E-06	
353	353	5.7E-04	5	1.58E-06	
354	354	5.4E-04	5	1.49E-06	
355	355	5.0E-04	5	1.40E-06	
364	364	4.3E-04	5	1.19E-06	
365	365	4.5E-04	5	1.26E-06	
366	366	4.8E-04	5	1.33E-06	
367	367	5.0E-04	5	1.40E-06	
368	368	4.8E-04	5	1.33E-06	
369	369	4.5E-04	5	1.26E-06	
377	377	3.8E-04	5	1.07E-06	
378	378	4.1E-04	5	1.13E-06	
379	379	4.3E-04	5	1.19E-06	
380	380	4.5E-04	5	1.25E-06	
381	381	4.3E-04	5	1.20E-06	
382	382	4.1E-04	5	1.14E-06	
391	391	3.7E-04	5	1.02E-06	
392	392	3.9E-04	5	1.07E-06	
393	393	4.1E-04	5	1.13E-06	
394	394	3.9E-04	5	1.09E-06	
395	395	3.7E-04	5	1.03E-06	
405	405	3.3E-04	5	9.28E-07	
406	406	3.5E-04	5	9.71E-07	

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
407	407	3.6E-04	5	1.01E-06	
408	408	3.7E-04	5	1.02E-06	
409	409	3.5E-04	5	9.88E-07	
410	410	3.4E-04	5	9.44E-07	
421	421	3.2E-04	5	8.83E-07	
422	422	3.3E-04	5	9.15E-07	
423	423	3.3E-04	5	9.33E-07	
424	424	3.2E-04	5	9.02E-07	
425	425	3.1E-04	5	8.66E-07	
435	435	2.9E-04	5	8.07E-07	
436	436	3.0E-04	5	8.34E-07	
437	437	3.0E-04	5	8.28E-07	
438	438	2.9E-04	5	7.97E-07	
449	449	2.7E-04	5	7.41E-07	
450	450	2.7E-04	5	7.64E-07	
451	451	2.8E-04	5	7.84E-07	
452	452	2.7E-04	5	7.63E-07	
453	453	2.6E-04	5	7.37E-07	
464	464	2.5E-04	5	7.03E-07	
465	465	2.6E-04	5	7.21E-07	
466	466	2.6E-04	5	7.36E-07	
467	467	2.5E-04	5	7.06E-07	
468	468	2.5E-04	5	6.83E-07	
479	479	2.3E-04	5	6.49E-07	
480	480	2.4E-04	5	6.65E-07	
481	481	2.4E-04	5	6.77E-07	
482	482	2.5E-04	5	6.84E-07	
483	483	2.5E-04	5	6.88E-07	
484	484	2.5E-04	5	6.86E-07	
485	485	2.4E-04	5	6.80E-07	
486	486	2.4E-04	5	6.70E-07	

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
487	487	2.3E-04	5	6.54E-07	
488	488	2.3E-04	5	6.35E-07	
501	501	2.2E-04	5	6.15E-07	
502	502	2.2E-04	5	6.26E-07	
503	503	2.3E-04	5	6.33E-07	
504	504	2.3E-04	5	6.36E-07	
505	505	2.3E-04	5	6.35E-07	
506	506	2.3E-04	5	6.31E-07	
507	507	2.2E-04	5	6.22E-07	
508	508	2.1E-04	5	5.93E-07	
520	520	2.1E-04	5	5.72E-07	
521	521	2.1E-04	5	5.81E-07	
522	522	2.1E-04	5	5.87E-07	
523	523	2.1E-04	5	5.91E-07	
524	524	2.1E-04	5	5.90E-07	
525	525	2.1E-04	5	5.86E-07	
526	526	2.1E-04	5	5.79E-07	
527	527	2.0E-04	5	5.54E-07	
539	539	1.9E-04	5	5.33E-07	
540	540	1.9E-04	5	5.41E-07	
541	541	2.0E-04	5	5.47E-07	
542	542	2.0E-04	5	5.50E-07	
543	543	2.0E-04	5	5.50E-07	
544	544	2.0E-04	5	5.47E-07	
545	545	1.9E-04	5	5.41E-07	
546	546	1.9E-04	5	5.19E-07	
560	560	1.8E-04	5	5.05E-07	
561	561	1.8E-04	5	5.11E-07	
562	562	1.8E-04	5	5.14E-07	
563	563	1.8E-04	5	5.13E-07	
564	564	1.8E-04	5	5.11E-07	

Via Oro
Risk From 405 from 710 to Hughes [TKO]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Cancer Risk Million	REL	HI Offroad	
565	565	1.8E-04	5	5.06E-07	
566	566	1.8E-04	5	4.88E-07	
579	579	1.7E-04	5	4.73E-07	
580	580	1.7E-04	5	4.78E-07	
581	581	1.7E-04	5	4.81E-07	
582	582	1.7E-04	5	4.81E-07	
583	583	1.7E-04	5	4.80E-07	
584	584	1.7E-04	5	4.75E-07	
585	585	1.7E-04	5	4.65E-07	
598	598	1.6E-04	5	4.44E-07	
599	599	1.6E-04	5	4.49E-07	
600	600	1.6E-04	5	4.51E-07	
601	601	1.6E-04	5	4.52E-07	
602	602	1.6E-04	5	4.51E-07	
603	603	1.6E-04	5	4.47E-07	
604	604	1.6E-04	5	4.41E-07	
0	0	0.0E+00	5	0.00E+00	

Via Oro
Risk From Travel Onsite

Receptor #	Conc	Cancer Risk from 3rd Trimester - Construction								
		g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.12126	4.06E-05	4.9E-06	3.46E-04	1.70E-09	0.25	1.57E-01	6.69E-11	1.0E+06	6.7E-05
2	0.12556	4.06E-05	5.1E-06	3.46E-04	1.76E-09	0.25	1.57E-01	6.93E-11	1.0E+06	6.9E-05
3	0.13001	4.06E-05	5.3E-06	3.46E-04	1.83E-09	0.25	1.57E-01	7.18E-11	1.0E+06	7.2E-05
4	0.13465	4.06E-05	5.5E-06	3.46E-04	1.89E-09	0.25	1.57E-01	7.43E-11	1.0E+06	7.4E-05
5	0.1395	4.06E-05	5.7E-06	3.46E-04	1.96E-09	0.25	1.57E-01	7.70E-11	1.0E+06	7.7E-05
6	0.14463	4.06E-05	5.9E-06	3.46E-04	2.03E-09	0.25	1.57E-01	7.98E-11	1.0E+06	8.0E-05
7	0.14997	4.06E-05	6.1E-06	3.46E-04	2.11E-09	0.25	1.57E-01	8.28E-11	1.0E+06	8.3E-05
8	0.15548	4.06E-05	6.3E-06	3.46E-04	2.18E-09	0.25	1.57E-01	8.58E-11	1.0E+06	8.6E-05
9	0.16122	4.06E-05	6.5E-06	3.46E-04	2.26E-09	0.25	1.57E-01	8.90E-11	1.0E+06	8.9E-05
10	0.16717	4.06E-05	6.8E-06	3.46E-04	2.35E-09	0.25	1.57E-01	9.23E-11	1.0E+06	9.2E-05
11	0.17332	4.06E-05	7.0E-06	3.46E-04	2.43E-09	0.25	1.57E-01	9.57E-11	1.0E+06	9.6E-05
12	0.17965	4.06E-05	7.3E-06	3.46E-04	2.52E-09	0.25	1.57E-01	9.92E-11	1.0E+06	9.9E-05
13	0.18621	4.06E-05	7.6E-06	3.46E-04	2.62E-09	0.25	1.57E-01	1.03E-10	1.0E+06	1.0E-04
14	0.19293	4.06E-05	7.8E-06	3.46E-04	2.71E-09	0.25	1.57E-01	1.06E-10	1.0E+06	1.1E-04
15	0.19982	4.06E-05	8.1E-06	3.46E-04	2.81E-09	0.25	1.57E-01	1.10E-10	1.0E+06	1.1E-04
16	0.2068	4.06E-05	8.4E-06	3.46E-04	2.91E-09	0.25	1.57E-01	1.14E-10	1.0E+06	1.1E-04
17	0.21392	4.06E-05	8.7E-06	3.46E-04	3.01E-09	0.25	1.57E-01	1.18E-10	1.0E+06	1.2E-04
18	0.22103	4.06E-05	9.0E-06	3.46E-04	3.11E-09	0.25	1.57E-01	1.22E-10	1.0E+06	1.2E-04
19	0.22814	4.06E-05	9.3E-06	3.46E-04	3.21E-09	0.25	1.57E-01	1.26E-10	1.0E+06	1.3E-04
20	0.23517	4.06E-05	9.5E-06	3.46E-04	3.30E-09	0.25	1.57E-01	1.30E-10	1.0E+06	1.3E-04
21	0.24202	4.06E-05	9.8E-06	3.46E-04	3.40E-09	0.25	1.57E-01	1.34E-10	1.0E+06	1.3E-04
22	0.24864	4.06E-05	1.0E-05	3.46E-04	3.49E-09	0.25	1.57E-01	1.37E-10	1.0E+06	1.4E-04
23	0.2549	4.06E-05	1.0E-05	3.46E-04	3.58E-09	0.25	1.57E-01	1.41E-10	1.0E+06	1.4E-04
24	0.26073	4.06E-05	1.1E-05	3.46E-04	3.66E-09	0.25	1.57E-01	1.44E-10	1.0E+06	1.4E-04
25	0.26606	4.06E-05	1.1E-05	3.46E-04	3.74E-09	0.25	1.57E-01	1.47E-10	1.0E+06	1.5E-04
26	0.27081	4.06E-05	1.1E-05	3.46E-04	3.80E-09	0.25	1.57E-01	1.49E-10	1.0E+06	1.5E-04
27	0.27493	4.06E-05	1.1E-05	3.46E-04	3.86E-09	0.25	1.57E-01	1.52E-10	1.0E+06	1.5E-04
28	0.27832	4.06E-05	1.1E-05	3.46E-04	3.91E-09	0.25	1.57E-01	1.54E-10	1.0E+06	1.5E-04
29	0.281	4.06E-05	1.1E-05	3.46E-04	3.95E-09	0.25	1.57E-01	1.55E-10	1.0E+06	1.6E-04
30	0.28295	4.06E-05	1.1E-05	3.46E-04	3.98E-09	0.25	1.57E-01	1.56E-10	1.0E+06	1.6E-04
31	0.28417	4.06E-05	1.2E-05	3.46E-04	3.99E-09	0.25	1.57E-01	1.57E-10	1.0E+06	1.6E-04

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.28469	4.06E-05	1.2E-05	3.46E-04	4.00E-09	0.25	1.57E-01	1.57E-10	1.0E+06	1.6E-04
55	0.26742	4.06E-05	1.1E-05	3.46E-04	3.76E-09	0.25	1.57E-01	1.48E-10	1.0E+06	1.5E-04
56	0.27471	4.06E-05	1.1E-05	3.46E-04	3.86E-09	0.25	1.57E-01	1.52E-10	1.0E+06	1.5E-04
57	0.2816	4.06E-05	1.1E-05	3.46E-04	3.96E-09	0.25	1.57E-01	1.55E-10	1.0E+06	1.6E-04
58	0.28787	4.06E-05	1.2E-05	3.46E-04	4.04E-09	0.25	1.57E-01	1.59E-10	1.0E+06	1.6E-04
59	0.29342	4.06E-05	1.2E-05	3.46E-04	4.12E-09	0.25	1.57E-01	1.62E-10	1.0E+06	1.6E-04
60	0.29817	4.06E-05	1.2E-05	3.46E-04	4.19E-09	0.25	1.57E-01	1.65E-10	1.0E+06	1.6E-04
61	0.30216	4.06E-05	1.2E-05	3.46E-04	4.24E-09	0.25	1.57E-01	1.67E-10	1.0E+06	1.7E-04
62	0.30524	4.06E-05	1.2E-05	3.46E-04	4.29E-09	0.25	1.57E-01	1.68E-10	1.0E+06	1.7E-04
63	0.30747	4.06E-05	1.2E-05	3.46E-04	4.32E-09	0.25	1.57E-01	1.70E-10	1.0E+06	1.7E-04
64	0.30882	4.06E-05	1.3E-05	3.46E-04	4.34E-09	0.25	1.57E-01	1.70E-10	1.0E+06	1.7E-04
65	0.30937	4.06E-05	1.3E-05	3.46E-04	4.35E-09	0.25	1.57E-01	1.71E-10	1.0E+06	1.7E-04
66	0.30943	4.06E-05	1.3E-05	3.46E-04	4.35E-09	0.25	1.57E-01	1.71E-10	1.0E+06	1.7E-04
67	0.12907	4.06E-05	5.2E-06	3.46E-04	1.81E-09	0.25	1.57E-01	7.12E-11	1.0E+06	7.1E-05
68	0.13402	4.06E-05	5.4E-06	3.46E-04	1.88E-09	0.25	1.57E-01	7.40E-11	1.0E+06	7.4E-05
69	0.13922	4.06E-05	5.7E-06	3.46E-04	1.96E-09	0.25	1.57E-01	7.68E-11	1.0E+06	7.7E-05
70	0.14467	4.06E-05	5.9E-06	3.46E-04	2.03E-09	0.25	1.57E-01	7.98E-11	1.0E+06	8.0E-05
71	0.15034	4.06E-05	6.1E-06	3.46E-04	2.11E-09	0.25	1.57E-01	8.30E-11	1.0E+06	8.3E-05
72	0.15639	4.06E-05	6.3E-06	3.46E-04	2.20E-09	0.25	1.57E-01	8.63E-11	1.0E+06	8.6E-05
73	0.16271	4.06E-05	6.6E-06	3.46E-04	2.29E-09	0.25	1.57E-01	8.98E-11	1.0E+06	9.0E-05
74	0.16932	4.06E-05	6.9E-06	3.46E-04	2.38E-09	0.25	1.57E-01	9.34E-11	1.0E+06	9.3E-05
75	0.17621	4.06E-05	7.2E-06	3.46E-04	2.48E-09	0.25	1.57E-01	9.73E-11	1.0E+06	9.7E-05
76	0.18343	4.06E-05	7.4E-06	3.46E-04	2.58E-09	0.25	1.57E-01	1.01E-10	1.0E+06	1.0E-04
77	0.19099	4.06E-05	7.8E-06	3.46E-04	2.68E-09	0.25	1.57E-01	1.05E-10	1.0E+06	1.1E-04
78	0.19891	4.06E-05	8.1E-06	3.46E-04	2.79E-09	0.25	1.57E-01	1.10E-10	1.0E+06	1.1E-04
79	0.24228	4.06E-05	9.8E-06	3.46E-04	3.40E-09	0.25	1.57E-01	1.34E-10	1.0E+06	1.3E-04
80	0.25154	4.06E-05	1.0E-05	3.46E-04	3.53E-09	0.25	1.57E-01	1.39E-10	1.0E+06	1.4E-04
81	0.26097	4.06E-05	1.1E-05	3.46E-04	3.67E-09	0.25	1.57E-01	1.44E-10	1.0E+06	1.4E-04
82	0.27033	4.06E-05	1.1E-05	3.46E-04	3.80E-09	0.25	1.57E-01	1.49E-10	1.0E+06	1.5E-04
83	0.27961	4.06E-05	1.1E-05	3.46E-04	3.93E-09	0.25	1.57E-01	1.54E-10	1.0E+06	1.5E-04
84	0.28857	4.06E-05	1.2E-05	3.46E-04	4.05E-09	0.25	1.57E-01	1.59E-10	1.0E+06	1.6E-04

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	0.29718	4.06E-05	1.2E-05	3.46E-04	4.17E-09	0.25	1.57E-01	1.64E-10	1.0E+06	1.6E-04
86	0.30527	4.06E-05	1.2E-05	3.46E-04	4.29E-09	0.25	1.57E-01	1.68E-10	1.0E+06	1.7E-04
87	0.31265	4.06E-05	1.3E-05	3.46E-04	4.39E-09	0.25	1.57E-01	1.73E-10	1.0E+06	1.7E-04
88	0.31924	4.06E-05	1.3E-05	3.46E-04	4.48E-09	0.25	1.57E-01	1.76E-10	1.0E+06	1.8E-04
89	0.32485	4.06E-05	1.3E-05	3.46E-04	4.56E-09	0.25	1.57E-01	1.79E-10	1.0E+06	1.8E-04
90	0.32947	4.06E-05	1.3E-05	3.46E-04	4.63E-09	0.25	1.57E-01	1.82E-10	1.0E+06	1.8E-04
91	0.33314	4.06E-05	1.4E-05	3.46E-04	4.68E-09	0.25	1.57E-01	1.84E-10	1.0E+06	1.8E-04
92	0.33561	4.06E-05	1.4E-05	3.46E-04	4.71E-09	0.25	1.57E-01	1.85E-10	1.0E+06	1.9E-04
93	0.33719	4.06E-05	1.4E-05	3.46E-04	4.74E-09	0.25	1.57E-01	1.86E-10	1.0E+06	1.9E-04
96	0.32935	4.06E-05	1.3E-05	3.46E-04	4.63E-09	0.25	1.57E-01	1.82E-10	1.0E+06	1.8E-04
97	0.32028	4.06E-05	1.3E-05	3.46E-04	4.50E-09	0.25	1.57E-01	1.77E-10	1.0E+06	1.8E-04
98	0.34886	4.06E-05	1.4E-05	3.46E-04	4.90E-09	0.25	1.57E-01	1.93E-10	1.0E+06	1.9E-04
99	0.35566	4.06E-05	1.4E-05	3.46E-04	5.00E-09	0.25	1.57E-01	1.96E-10	1.0E+06	2.0E-04
100	0.36116	4.06E-05	1.5E-05	3.46E-04	5.07E-09	0.25	1.57E-01	1.99E-10	1.0E+06	2.0E-04
101	0.36534	4.06E-05	1.5E-05	3.46E-04	5.13E-09	0.25	1.57E-01	2.02E-10	1.0E+06	2.0E-04
102	0.36832	4.06E-05	1.5E-05	3.46E-04	5.17E-09	0.25	1.57E-01	2.03E-10	1.0E+06	2.0E-04
106	0.13174	4.06E-05	5.3E-06	3.46E-04	1.85E-09	0.25	1.57E-01	7.27E-11	1.0E+06	7.3E-05
107	0.13718	4.06E-05	5.6E-06	3.46E-04	1.93E-09	0.25	1.57E-01	7.57E-11	1.0E+06	7.6E-05
108	0.14286	4.06E-05	5.8E-06	3.46E-04	2.01E-09	0.25	1.57E-01	7.88E-11	1.0E+06	7.9E-05
109	0.14886	4.06E-05	6.0E-06	3.46E-04	2.09E-09	0.25	1.57E-01	8.22E-11	1.0E+06	8.2E-05
110	0.15522	4.06E-05	6.3E-06	3.46E-04	2.18E-09	0.25	1.57E-01	8.57E-11	1.0E+06	8.6E-05
111	0.16187	4.06E-05	6.6E-06	3.46E-04	2.27E-09	0.25	1.57E-01	8.93E-11	1.0E+06	8.9E-05
112	0.16904	4.06E-05	6.9E-06	3.46E-04	2.37E-09	0.25	1.57E-01	9.33E-11	1.0E+06	9.3E-05
113	0.17654	4.06E-05	7.2E-06	3.46E-04	2.48E-09	0.25	1.57E-01	9.74E-11	1.0E+06	9.7E-05
114	0.18447	4.06E-05	7.5E-06	3.46E-04	2.59E-09	0.25	1.57E-01	1.02E-10	1.0E+06	1.0E-04
115	0.1928	4.06E-05	7.8E-06	3.46E-04	2.71E-09	0.25	1.57E-01	1.06E-10	1.0E+06	1.1E-04
116	0.20152	4.06E-05	8.2E-06	3.46E-04	2.83E-09	0.25	1.57E-01	1.11E-10	1.0E+06	1.1E-04
117	0.21084	4.06E-05	8.6E-06	3.46E-04	2.96E-09	0.25	1.57E-01	1.16E-10	1.0E+06	1.2E-04
118	0.22064	4.06E-05	9.0E-06	3.46E-04	3.10E-09	0.25	1.57E-01	1.22E-10	1.0E+06	1.2E-04
124	0.13553	4.06E-05	5.5E-06	3.46E-04	1.90E-09	0.25	1.57E-01	7.48E-11	1.0E+06	7.5E-05
125	0.14126	4.06E-05	5.7E-06	3.46E-04	1.98E-09	0.25	1.57E-01	7.80E-11	1.0E+06	7.8E-05

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.14734	4.06E-05	6.0E-06	3.46E-04	2.07E-09	0.25	1.57E-01	8.13E-11	1.0E+06	8.1E-05
127	0.15378	4.06E-05	6.2E-06	3.46E-04	2.16E-09	0.25	1.57E-01	8.49E-11	1.0E+06	8.5E-05
128	0.16062	4.06E-05	6.5E-06	3.46E-04	2.26E-09	0.25	1.57E-01	8.86E-11	1.0E+06	8.9E-05
129	0.16783	4.06E-05	6.8E-06	3.46E-04	2.36E-09	0.25	1.57E-01	9.26E-11	1.0E+06	9.3E-05
130	0.1756	4.06E-05	7.1E-06	3.46E-04	2.47E-09	0.25	1.57E-01	9.69E-11	1.0E+06	9.7E-05
131	0.18381	4.06E-05	7.5E-06	3.46E-04	2.58E-09	0.25	1.57E-01	1.01E-10	1.0E+06	1.0E-04
132	0.19252	4.06E-05	7.8E-06	3.46E-04	2.70E-09	0.25	1.57E-01	1.06E-10	1.0E+06	1.1E-04
133	0.2017	4.06E-05	8.2E-06	3.46E-04	2.83E-09	0.25	1.57E-01	1.11E-10	1.0E+06	1.1E-04
134	0.21151	4.06E-05	8.6E-06	3.46E-04	2.97E-09	0.25	1.57E-01	1.17E-10	1.0E+06	1.2E-04
135	0.22183	4.06E-05	9.0E-06	3.46E-04	3.12E-09	0.25	1.57E-01	1.22E-10	1.0E+06	1.2E-04
136	0.23272	4.06E-05	9.4E-06	3.46E-04	3.27E-09	0.25	1.57E-01	1.28E-10	1.0E+06	1.3E-04
137	0.24414	4.06E-05	9.9E-06	3.46E-04	3.43E-09	0.25	1.57E-01	1.35E-10	1.0E+06	1.3E-04
138	0.25634	4.06E-05	1.0E-05	3.46E-04	3.60E-09	0.25	1.57E-01	1.41E-10	1.0E+06	1.4E-04
141	0.13928	4.06E-05	5.7E-06	3.46E-04	1.96E-09	0.25	1.57E-01	7.69E-11	1.0E+06	7.7E-05
142	0.14539	4.06E-05	5.9E-06	3.46E-04	2.04E-09	0.25	1.57E-01	8.02E-11	1.0E+06	8.0E-05
143	0.15188	4.06E-05	6.2E-06	3.46E-04	2.13E-09	0.25	1.57E-01	8.38E-11	1.0E+06	8.4E-05
144	0.15878	4.06E-05	6.4E-06	3.46E-04	2.23E-09	0.25	1.57E-01	8.76E-11	1.0E+06	8.8E-05
145	0.16614	4.06E-05	6.7E-06	3.46E-04	2.33E-09	0.25	1.57E-01	9.17E-11	1.0E+06	9.2E-05
146	0.17393	4.06E-05	7.1E-06	3.46E-04	2.44E-09	0.25	1.57E-01	9.60E-11	1.0E+06	9.6E-05
147	0.18235	4.06E-05	7.4E-06	3.46E-04	2.56E-09	0.25	1.57E-01	1.01E-10	1.0E+06	1.0E-04
148	0.19128	4.06E-05	7.8E-06	3.46E-04	2.69E-09	0.25	1.57E-01	1.06E-10	1.0E+06	1.1E-04
149	0.20081	4.06E-05	8.1E-06	3.46E-04	2.82E-09	0.25	1.57E-01	1.11E-10	1.0E+06	1.1E-04
150	0.21094	4.06E-05	8.6E-06	3.46E-04	2.96E-09	0.25	1.57E-01	1.16E-10	1.0E+06	1.2E-04
151	0.22175	4.06E-05	9.0E-06	3.46E-04	3.12E-09	0.25	1.57E-01	1.22E-10	1.0E+06	1.2E-04
152	0.23326	4.06E-05	9.5E-06	3.46E-04	3.28E-09	0.25	1.57E-01	1.29E-10	1.0E+06	1.3E-04
153	0.24548	4.06E-05	1.0E-05	3.46E-04	3.45E-09	0.25	1.57E-01	1.35E-10	1.0E+06	1.4E-04
154	0.25835	4.06E-05	1.0E-05	3.46E-04	3.63E-09	0.25	1.57E-01	1.43E-10	1.0E+06	1.4E-04
155	0.27204	4.06E-05	1.1E-05	3.46E-04	3.82E-09	0.25	1.57E-01	1.50E-10	1.0E+06	1.5E-04
164	0.27343	4.06E-05	1.1E-05	3.46E-04	3.84E-09	0.25	1.57E-01	1.51E-10	1.0E+06	1.5E-04
165	0.2889	4.06E-05	1.2E-05	3.46E-04	4.06E-09	0.25	1.57E-01	1.59E-10	1.0E+06	1.6E-04
166	0.30557	4.06E-05	1.2E-05	3.46E-04	4.29E-09	0.25	1.57E-01	1.69E-10	1.0E+06	1.7E-04

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	0.28934	4.06E-05	1.2E-05	3.46E-04	4.06E-09	0.25	1.57E-01	1.60E-10	1.0E+06	1.6E-04
179	0.30694	4.06E-05	1.2E-05	3.46E-04	4.31E-09	0.25	1.57E-01	1.69E-10	1.0E+06	1.7E-04
180	0.32599	4.06E-05	1.3E-05	3.46E-04	4.58E-09	0.25	1.57E-01	1.80E-10	1.0E+06	1.8E-04
192	0.30611	4.06E-05	1.2E-05	3.46E-04	4.30E-09	0.25	1.57E-01	1.69E-10	1.0E+06	1.7E-04
193	0.32619	4.06E-05	1.3E-05	3.46E-04	4.58E-09	0.25	1.57E-01	1.80E-10	1.0E+06	1.8E-04
194	0.34788	4.06E-05	1.4E-05	3.46E-04	4.89E-09	0.25	1.57E-01	1.92E-10	1.0E+06	1.9E-04
207	0.32356	4.06E-05	1.3E-05	3.46E-04	4.55E-09	0.25	1.57E-01	1.79E-10	1.0E+06	1.8E-04
208	0.34632	4.06E-05	1.4E-05	3.46E-04	4.87E-09	0.25	1.57E-01	1.91E-10	1.0E+06	1.9E-04
209	0.37122	4.06E-05	1.5E-05	3.46E-04	5.22E-09	0.25	1.57E-01	2.05E-10	1.0E+06	2.0E-04
223	0.3416	4.06E-05	1.4E-05	3.46E-04	4.80E-09	0.25	1.57E-01	1.89E-10	1.0E+06	1.9E-04
224	0.36731	4.06E-05	1.5E-05	3.46E-04	5.16E-09	0.25	1.57E-01	2.03E-10	1.0E+06	2.0E-04
225	0.39557	4.06E-05	1.6E-05	3.46E-04	5.56E-09	0.25	1.57E-01	2.18E-10	1.0E+06	2.2E-04
239	0.36011	4.06E-05	1.5E-05	3.46E-04	5.06E-09	0.25	1.57E-01	1.99E-10	1.0E+06	2.0E-04
240	0.38904	4.06E-05	1.6E-05	3.46E-04	5.47E-09	0.25	1.57E-01	2.15E-10	1.0E+06	2.1E-04
241	0.42133	4.06E-05	1.7E-05	3.46E-04	5.92E-09	0.25	1.57E-01	2.33E-10	1.0E+06	2.3E-04
255	0.37874	4.06E-05	1.5E-05	3.46E-04	5.32E-09	0.25	1.57E-01	2.09E-10	1.0E+06	2.1E-04
256	0.41114	4.06E-05	1.7E-05	3.46E-04	5.78E-09	0.25	1.57E-01	2.27E-10	1.0E+06	2.3E-04
272	0.39707	4.06E-05	1.6E-05	3.46E-04	5.58E-09	0.25	1.57E-01	2.19E-10	1.0E+06	2.2E-04
273	0.43324	4.06E-05	1.8E-05	3.46E-04	6.09E-09	0.25	1.57E-01	2.39E-10	1.0E+06	2.4E-04
289	0.41485	4.06E-05	1.7E-05	3.46E-04	5.83E-09	0.25	1.57E-01	2.29E-10	1.0E+06	2.3E-04
290	0.45476	4.06E-05	1.8E-05	3.46E-04	6.39E-09	0.25	1.57E-01	2.51E-10	1.0E+06	2.5E-04
306	0.4314	4.06E-05	1.8E-05	3.46E-04	6.06E-09	0.25	1.57E-01	2.38E-10	1.0E+06	2.4E-04
307	0.47503	4.06E-05	1.9E-05	3.46E-04	6.67E-09	0.25	1.57E-01	2.62E-10	1.0E+06	2.6E-04
323	0.44616	4.06E-05	1.8E-05	3.46E-04	6.27E-09	0.25	1.57E-01	2.46E-10	1.0E+06	2.5E-04
324	0.4933	4.06E-05	2.0E-05	3.46E-04	6.93E-09	0.25	1.57E-01	2.72E-10	1.0E+06	2.7E-04
342	0.45857	4.06E-05	1.9E-05	3.46E-04	6.44E-09	0.25	1.57E-01	2.53E-10	1.0E+06	2.5E-04
343	0.5088	4.06E-05	2.1E-05	3.46E-04	7.15E-09	0.25	1.57E-01	2.81E-10	1.0E+06	2.8E-04
344	0.5681	4.06E-05	2.3E-05	3.46E-04	7.98E-09	0.25	1.57E-01	3.14E-10	1.0E+06	3.1E-04
356	0.46806	4.06E-05	1.9E-05	3.46E-04	6.58E-09	0.25	1.57E-01	2.58E-10	1.0E+06	2.6E-04
357	0.52069	4.06E-05	2.1E-05	3.46E-04	7.31E-09	0.25	1.57E-01	2.87E-10	1.0E+06	2.9E-04
358	0.58338	4.06E-05	2.4E-05	3.46E-04	8.20E-09	0.25	1.57E-01	3.22E-10	1.0E+06	3.2E-04

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.47432	4.06E-05	1.9E-05	3.46E-04	6.66E-09	0.25	1.57E-01	2.62E-10	1.0E+06	2.6E-04
371	0.52862	4.06E-05	2.1E-05	3.46E-04	7.43E-09	0.25	1.57E-01	2.92E-10	1.0E+06	2.9E-04
372	0.5936	4.06E-05	2.4E-05	3.46E-04	8.34E-09	0.25	1.57E-01	3.28E-10	1.0E+06	3.3E-04
383	0.47712	4.06E-05	1.9E-05	3.46E-04	6.70E-09	0.25	1.57E-01	2.63E-10	1.0E+06	2.6E-04
384	0.53227	4.06E-05	2.2E-05	3.46E-04	7.48E-09	0.25	1.57E-01	2.94E-10	1.0E+06	2.9E-04
385	0.59839	4.06E-05	2.4E-05	3.46E-04	8.41E-09	0.25	1.57E-01	3.30E-10	1.0E+06	3.3E-04
396	0.47655	4.06E-05	1.9E-05	3.46E-04	6.69E-09	0.25	1.57E-01	2.63E-10	1.0E+06	2.6E-04
397	0.53168	4.06E-05	2.2E-05	3.46E-04	7.47E-09	0.25	1.57E-01	2.93E-10	1.0E+06	2.9E-04
398	0.59776	4.06E-05	2.4E-05	3.46E-04	8.40E-09	0.25	1.57E-01	3.30E-10	1.0E+06	3.3E-04
399	0.67801	4.06E-05	2.8E-05	3.46E-04	9.53E-09	0.25	1.57E-01	3.74E-10	1.0E+06	3.7E-04
411	0.47283	4.06E-05	1.9E-05	3.46E-04	6.64E-09	0.25	1.57E-01	2.61E-10	1.0E+06	2.6E-04
412	0.52713	4.06E-05	2.1E-05	3.46E-04	7.41E-09	0.25	1.57E-01	2.91E-10	1.0E+06	2.9E-04
413	0.59222	4.06E-05	2.4E-05	3.46E-04	8.32E-09	0.25	1.57E-01	3.27E-10	1.0E+06	3.3E-04
414	0.67089	4.06E-05	2.7E-05	3.46E-04	9.43E-09	0.25	1.57E-01	3.70E-10	1.0E+06	3.7E-04
426	0.46641	4.06E-05	1.9E-05	3.46E-04	6.55E-09	0.25	1.57E-01	2.57E-10	1.0E+06	2.6E-04
427	0.51922	4.06E-05	2.1E-05	3.46E-04	7.29E-09	0.25	1.57E-01	2.87E-10	1.0E+06	2.9E-04
428	0.58215	4.06E-05	2.4E-05	3.46E-04	8.18E-09	0.25	1.57E-01	3.21E-10	1.0E+06	3.2E-04
429	0.65817	4.06E-05	2.7E-05	3.46E-04	9.25E-09	0.25	1.57E-01	3.63E-10	1.0E+06	3.6E-04
439	0.45769	4.06E-05	1.9E-05	3.46E-04	6.43E-09	0.25	1.57E-01	2.53E-10	1.0E+06	2.5E-04
440	0.50847	4.06E-05	2.1E-05	3.46E-04	7.14E-09	0.25	1.57E-01	2.81E-10	1.0E+06	2.8E-04
441	0.56873	4.06E-05	2.3E-05	3.46E-04	7.99E-09	0.25	1.57E-01	3.14E-10	1.0E+06	3.1E-04
442	0.64102	4.06E-05	2.6E-05	3.46E-04	9.01E-09	0.25	1.57E-01	3.54E-10	1.0E+06	3.5E-04
443	0.72881	4.06E-05	3.0E-05	3.46E-04	1.02E-08	0.25	1.57E-01	4.02E-10	1.0E+06	4.0E-04
454	0.44719	4.06E-05	1.8E-05	3.46E-04	6.28E-09	0.25	1.57E-01	2.47E-10	1.0E+06	2.5E-04
455	0.49552	4.06E-05	2.0E-05	3.46E-04	6.96E-09	0.25	1.57E-01	2.73E-10	1.0E+06	2.7E-04
456	0.55252	4.06E-05	2.2E-05	3.46E-04	7.76E-09	0.25	1.57E-01	3.05E-10	1.0E+06	3.0E-04
457	0.6204	4.06E-05	2.5E-05	3.46E-04	8.72E-09	0.25	1.57E-01	3.42E-10	1.0E+06	3.4E-04
458	0.70209	4.06E-05	2.8E-05	3.46E-04	9.86E-09	0.25	1.57E-01	3.87E-10	1.0E+06	3.9E-04
469	0.43526	4.06E-05	1.8E-05	3.46E-04	6.11E-09	0.25	1.57E-01	2.40E-10	1.0E+06	2.4E-04
470	0.4808	4.06E-05	2.0E-05	3.46E-04	6.75E-09	0.25	1.57E-01	2.65E-10	1.0E+06	2.7E-04
471	0.53418	4.06E-05	2.2E-05	3.46E-04	7.50E-09	0.25	1.57E-01	2.95E-10	1.0E+06	2.9E-04

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.59716	4.06E-05	2.4E-05	3.46E-04	8.39E-09	0.25	1.57E-01	3.30E-10	1.0E+06	3.3E-04
473	0.67215	4.06E-05	2.7E-05	3.46E-04	9.44E-09	0.25	1.57E-01	3.71E-10	1.0E+06	3.7E-04
489	0.42232	4.06E-05	1.7E-05	3.46E-04	5.93E-09	0.25	1.57E-01	2.33E-10	1.0E+06	2.3E-04
490	0.4649	4.06E-05	1.9E-05	3.46E-04	6.53E-09	0.25	1.57E-01	2.57E-10	1.0E+06	2.6E-04
491	0.51437	4.06E-05	2.1E-05	3.46E-04	7.23E-09	0.25	1.57E-01	2.84E-10	1.0E+06	2.8E-04
492	0.5722	4.06E-05	2.3E-05	3.46E-04	8.04E-09	0.25	1.57E-01	3.16E-10	1.0E+06	3.2E-04
493	0.6403	4.06E-05	2.6E-05	3.46E-04	9.00E-09	0.25	1.57E-01	3.53E-10	1.0E+06	3.5E-04
494	0.72107	4.06E-05	2.9E-05	3.46E-04	1.01E-08	0.25	1.57E-01	3.98E-10	1.0E+06	4.0E-04
509	0.40848	4.06E-05	1.7E-05	3.46E-04	5.74E-09	0.25	1.57E-01	2.25E-10	1.0E+06	2.3E-04
510	0.44798	4.06E-05	1.8E-05	3.46E-04	6.29E-09	0.25	1.57E-01	2.47E-10	1.0E+06	2.5E-04
511	0.49341	4.06E-05	2.0E-05	3.46E-04	6.93E-09	0.25	1.57E-01	2.72E-10	1.0E+06	2.7E-04
512	0.546	4.06E-05	2.2E-05	3.46E-04	7.67E-09	0.25	1.57E-01	3.01E-10	1.0E+06	3.0E-04
513	0.60721	4.06E-05	2.5E-05	3.46E-04	8.53E-09	0.25	1.57E-01	3.35E-10	1.0E+06	3.4E-04
514	0.67882	4.06E-05	2.8E-05	3.46E-04	9.54E-09	0.25	1.57E-01	3.75E-10	1.0E+06	3.7E-04
515	0.86332	4.06E-05	3.5E-05	3.46E-04	1.21E-08	0.25	1.57E-01	4.76E-10	1.0E+06	4.8E-04
516	0.98287	4.06E-05	4.0E-05	3.46E-04	1.38E-08	0.25	1.57E-01	5.42E-10	1.0E+06	5.4E-04
517	1.12744	4.06E-05	4.6E-05	3.46E-04	1.58E-08	0.25	1.57E-01	6.22E-10	1.0E+06	6.2E-04
518	1.30392	4.06E-05	5.3E-05	3.46E-04	1.83E-08	0.25	1.57E-01	7.20E-10	1.0E+06	7.2E-04
519	1.52214	4.06E-05	6.2E-05	3.46E-04	2.14E-08	0.25	1.57E-01	8.40E-10	1.0E+06	8.4E-04
528	0.39399	4.06E-05	1.6E-05	3.46E-04	5.53E-09	0.25	1.57E-01	2.17E-10	1.0E+06	2.2E-04
529	0.43034	4.06E-05	1.7E-05	3.46E-04	6.05E-09	0.25	1.57E-01	2.38E-10	1.0E+06	2.4E-04
530	0.47176	4.06E-05	1.9E-05	3.46E-04	6.63E-09	0.25	1.57E-01	2.60E-10	1.0E+06	2.6E-04
531	0.51917	4.06E-05	2.1E-05	3.46E-04	7.29E-09	0.25	1.57E-01	2.87E-10	1.0E+06	2.9E-04
532	0.57371	4.06E-05	2.3E-05	3.46E-04	8.06E-09	0.25	1.57E-01	3.17E-10	1.0E+06	3.2E-04
533	0.63671	4.06E-05	2.6E-05	3.46E-04	8.94E-09	0.25	1.57E-01	3.51E-10	1.0E+06	3.5E-04
534	0.79526	4.06E-05	3.2E-05	3.46E-04	1.12E-08	0.25	1.57E-01	4.39E-10	1.0E+06	4.4E-04
535	0.89563	4.06E-05	3.6E-05	3.46E-04	1.26E-08	0.25	1.57E-01	4.94E-10	1.0E+06	4.9E-04
536	1.01524	4.06E-05	4.1E-05	3.46E-04	1.43E-08	0.25	1.57E-01	5.60E-10	1.0E+06	5.6E-04
537	1.15731	4.06E-05	4.7E-05	3.46E-04	1.63E-08	0.25	1.57E-01	6.39E-10	1.0E+06	6.4E-04
538	1.32841	4.06E-05	5.4E-05	3.46E-04	1.87E-08	0.25	1.57E-01	7.33E-10	1.0E+06	7.3E-04
547	0.37904	4.06E-05	1.5E-05	3.46E-04	5.32E-09	0.25	1.57E-01	2.09E-10	1.0E+06	2.1E-04

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.41225	4.06E-05	1.7E-05	3.46E-04	5.79E-09	0.25	1.57E-01	2.28E-10	1.0E+06	2.3E-04
549	0.44972	4.06E-05	1.8E-05	3.46E-04	6.32E-09	0.25	1.57E-01	2.48E-10	1.0E+06	2.5E-04
550	0.49221	4.06E-05	2.0E-05	3.46E-04	6.91E-09	0.25	1.57E-01	2.72E-10	1.0E+06	2.7E-04
551	0.54049	4.06E-05	2.2E-05	3.46E-04	7.59E-09	0.25	1.57E-01	2.98E-10	1.0E+06	3.0E-04
552	0.59561	4.06E-05	2.4E-05	3.46E-04	8.37E-09	0.25	1.57E-01	3.29E-10	1.0E+06	3.3E-04
553	0.65887	4.06E-05	2.7E-05	3.46E-04	9.26E-09	0.25	1.57E-01	3.64E-10	1.0E+06	3.6E-04
554	0.73167	4.06E-05	3.0E-05	3.46E-04	1.03E-08	0.25	1.57E-01	4.04E-10	1.0E+06	4.0E-04
555	0.81633	4.06E-05	3.3E-05	3.46E-04	1.15E-08	0.25	1.57E-01	4.51E-10	1.0E+06	4.5E-04
556	0.91565	4.06E-05	3.7E-05	3.46E-04	1.29E-08	0.25	1.57E-01	5.05E-10	1.0E+06	5.1E-04
557	1.03128	4.06E-05	4.2E-05	3.46E-04	1.45E-08	0.25	1.57E-01	5.69E-10	1.0E+06	5.7E-04
558	1.16842	4.06E-05	4.7E-05	3.46E-04	1.64E-08	0.25	1.57E-01	6.45E-10	1.0E+06	6.4E-04
559	1.32854	4.06E-05	5.4E-05	3.46E-04	1.87E-08	0.25	1.57E-01	7.33E-10	1.0E+06	7.3E-04
567	0.36376	4.06E-05	1.5E-05	3.46E-04	5.11E-09	0.25	1.57E-01	2.01E-10	1.0E+06	2.0E-04
568	0.39391	4.06E-05	1.6E-05	3.46E-04	5.53E-09	0.25	1.57E-01	2.17E-10	1.0E+06	2.2E-04
569	0.42764	4.06E-05	1.7E-05	3.46E-04	6.01E-09	0.25	1.57E-01	2.36E-10	1.0E+06	2.4E-04
570	0.46549	4.06E-05	1.9E-05	3.46E-04	6.54E-09	0.25	1.57E-01	2.57E-10	1.0E+06	2.6E-04
571	0.50811	4.06E-05	2.1E-05	3.46E-04	7.14E-09	0.25	1.57E-01	2.80E-10	1.0E+06	2.8E-04
572	0.55629	4.06E-05	2.3E-05	3.46E-04	7.82E-09	0.25	1.57E-01	3.07E-10	1.0E+06	3.1E-04
573	0.61099	4.06E-05	2.5E-05	3.46E-04	8.58E-09	0.25	1.57E-01	3.37E-10	1.0E+06	3.4E-04
574	0.74495	4.06E-05	3.0E-05	3.46E-04	1.05E-08	0.25	1.57E-01	4.11E-10	1.0E+06	4.1E-04
575	0.82783	4.06E-05	3.4E-05	3.46E-04	1.16E-08	0.25	1.57E-01	4.57E-10	1.0E+06	4.6E-04
576	0.9236	4.06E-05	3.7E-05	3.46E-04	1.30E-08	0.25	1.57E-01	5.10E-10	1.0E+06	5.1E-04
577	1.03411	4.06E-05	4.2E-05	3.46E-04	1.45E-08	0.25	1.57E-01	5.71E-10	1.0E+06	5.7E-04
578	1.16036	4.06E-05	4.7E-05	3.46E-04	1.63E-08	0.25	1.57E-01	6.40E-10	1.0E+06	6.4E-04
586	0.34838	4.06E-05	1.4E-05	3.46E-04	4.89E-09	0.25	1.57E-01	1.92E-10	1.0E+06	1.9E-04
587	0.37563	4.06E-05	1.5E-05	3.46E-04	5.28E-09	0.25	1.57E-01	2.07E-10	1.0E+06	2.1E-04
588	0.40586	4.06E-05	1.6E-05	3.46E-04	5.70E-09	0.25	1.57E-01	2.24E-10	1.0E+06	2.2E-04
589	0.4395	4.06E-05	1.8E-05	3.46E-04	6.17E-09	0.25	1.57E-01	2.43E-10	1.0E+06	2.4E-04
590	0.47705	4.06E-05	1.9E-05	3.46E-04	6.70E-09	0.25	1.57E-01	2.63E-10	1.0E+06	2.6E-04
591	0.51915	4.06E-05	2.1E-05	3.46E-04	7.29E-09	0.25	1.57E-01	2.87E-10	1.0E+06	2.9E-04
592	0.56655	4.06E-05	2.3E-05	3.46E-04	7.96E-09	0.25	1.57E-01	3.13E-10	1.0E+06	3.1E-04

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.68112	4.06E-05	2.8E-05	3.46E-04	9.57E-09	0.25	1.57E-01	3.76E-10	1.0E+06	3.8E-04
594	0.75094	4.06E-05	3.0E-05	3.46E-04	1.05E-08	0.25	1.57E-01	4.14E-10	1.0E+06	4.1E-04
595	0.83009	4.06E-05	3.4E-05	3.46E-04	1.17E-08	0.25	1.57E-01	4.58E-10	1.0E+06	4.6E-04
596	0.91967	4.06E-05	3.7E-05	3.46E-04	1.29E-08	0.25	1.57E-01	5.08E-10	1.0E+06	5.1E-04
597	1.01991	4.06E-05	4.1E-05	3.46E-04	1.43E-08	0.25	1.57E-01	5.63E-10	1.0E+06	5.6E-04
345	0.6392	4.06E-05	2.6E-05	3.46E-04	8.98E-09	0.25	1.57E-01	3.53E-10	1.0E+06	3.5E-04
346	0.72522	4.06E-05	2.9E-05	3.46E-04	1.02E-08	0.25	1.57E-01	4.00E-10	1.0E+06	4.0E-04
347	0.83091	4.06E-05	3.4E-05	3.46E-04	1.17E-08	0.25	1.57E-01	4.59E-10	1.0E+06	4.6E-04
348	0.96264	4.06E-05	3.9E-05	3.46E-04	1.35E-08	0.25	1.57E-01	5.31E-10	1.0E+06	5.3E-04
359	0.65898	4.06E-05	2.7E-05	3.46E-04	9.26E-09	0.25	1.57E-01	3.64E-10	1.0E+06	3.6E-04
360	0.75128	4.06E-05	3.0E-05	3.46E-04	1.06E-08	0.25	1.57E-01	4.15E-10	1.0E+06	4.1E-04
361	0.86567	4.06E-05	3.5E-05	3.46E-04	1.22E-08	0.25	1.57E-01	4.78E-10	1.0E+06	4.8E-04
362	1.00953	4.06E-05	4.1E-05	3.46E-04	1.42E-08	0.25	1.57E-01	5.57E-10	1.0E+06	5.6E-04
363	1.19556	4.06E-05	4.9E-05	3.46E-04	1.68E-08	0.25	1.57E-01	6.60E-10	1.0E+06	6.6E-04
373	0.769	4.06E-05	3.1E-05	3.46E-04	1.08E-08	0.25	1.57E-01	4.24E-10	1.0E+06	4.2E-04
374	0.88953	4.06E-05	3.6E-05	3.46E-04	1.25E-08	0.25	1.57E-01	4.91E-10	1.0E+06	4.9E-04
375	1.04238	4.06E-05	4.2E-05	3.46E-04	1.46E-08	0.25	1.57E-01	5.75E-10	1.0E+06	5.8E-04
376	1.24186	4.06E-05	5.0E-05	3.46E-04	1.74E-08	0.25	1.57E-01	6.85E-10	1.0E+06	6.9E-04
386	0.7776	4.06E-05	3.2E-05	3.46E-04	1.09E-08	0.25	1.57E-01	4.29E-10	1.0E+06	4.3E-04
387	0.90142	4.06E-05	3.7E-05	3.46E-04	1.27E-08	0.25	1.57E-01	4.98E-10	1.0E+06	5.0E-04
388	1.05901	4.06E-05	4.3E-05	3.46E-04	1.49E-08	0.25	1.57E-01	5.84E-10	1.0E+06	5.8E-04
389	1.26564	4.06E-05	5.1E-05	3.46E-04	1.78E-08	0.25	1.57E-01	6.99E-10	1.0E+06	7.0E-04
390	1.54478	4.06E-05	6.3E-05	3.46E-04	2.17E-08	0.25	1.57E-01	8.53E-10	1.0E+06	8.5E-04
400	0.77693	4.06E-05	3.2E-05	3.46E-04	1.09E-08	0.25	1.57E-01	4.29E-10	1.0E+06	4.3E-04
401	0.9006	4.06E-05	3.7E-05	3.46E-04	1.27E-08	0.25	1.57E-01	4.97E-10	1.0E+06	5.0E-04
402	1.05881	4.06E-05	4.3E-05	3.46E-04	1.49E-08	0.25	1.57E-01	5.84E-10	1.0E+06	5.8E-04
403	1.265	4.06E-05	5.1E-05	3.46E-04	1.78E-08	0.25	1.57E-01	6.98E-10	1.0E+06	7.0E-04
404	1.54274	4.06E-05	6.3E-05	3.46E-04	2.17E-08	0.25	1.57E-01	8.51E-10	1.0E+06	8.5E-04
415	0.76775	4.06E-05	3.1E-05	3.46E-04	1.08E-08	0.25	1.57E-01	4.24E-10	1.0E+06	4.2E-04
416	0.88873	4.06E-05	3.6E-05	3.46E-04	1.25E-08	0.25	1.57E-01	4.90E-10	1.0E+06	4.9E-04
417	1.04217	4.06E-05	4.2E-05	3.46E-04	1.46E-08	0.25	1.57E-01	5.75E-10	1.0E+06	5.8E-04

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	1.24273	4.06E-05	5.0E-05	3.46E-04	1.75E-08	0.25	1.57E-01	6.86E-10	1.0E+06	6.9E-04
419	1.50965	4.06E-05	6.1E-05	3.46E-04	2.12E-08	0.25	1.57E-01	8.33E-10	1.0E+06	8.3E-04
420	1.87441	4.06E-05	7.6E-05	3.46E-04	2.63E-08	0.25	1.57E-01	1.03E-09	1.0E+06	1.0E-03
430	0.86668	4.06E-05	3.5E-05	3.46E-04	1.22E-08	0.25	1.57E-01	4.78E-10	1.0E+06	4.8E-04
431	1.01244	4.06E-05	4.1E-05	3.46E-04	1.42E-08	0.25	1.57E-01	5.59E-10	1.0E+06	5.6E-04
432	1.20012	4.06E-05	4.9E-05	3.46E-04	1.69E-08	0.25	1.57E-01	6.62E-10	1.0E+06	6.6E-04
433	1.44756	4.06E-05	5.9E-05	3.46E-04	2.03E-08	0.25	1.57E-01	7.99E-10	1.0E+06	8.0E-04
434	1.78342	4.06E-05	7.2E-05	3.46E-04	2.51E-08	0.25	1.57E-01	9.84E-10	1.0E+06	9.8E-04
444	0.83685	4.06E-05	3.4E-05	3.46E-04	1.18E-08	0.25	1.57E-01	4.62E-10	1.0E+06	4.6E-04
445	0.97195	4.06E-05	3.9E-05	3.46E-04	1.37E-08	0.25	1.57E-01	5.36E-10	1.0E+06	5.4E-04
446	1.14338	4.06E-05	4.6E-05	3.46E-04	1.61E-08	0.25	1.57E-01	6.31E-10	1.0E+06	6.3E-04
447	1.36554	4.06E-05	5.5E-05	3.46E-04	1.92E-08	0.25	1.57E-01	7.54E-10	1.0E+06	7.5E-04
448	1.66082	4.06E-05	6.7E-05	3.46E-04	2.33E-08	0.25	1.57E-01	9.17E-10	1.0E+06	9.2E-04
459	0.92415	4.06E-05	3.8E-05	3.46E-04	1.30E-08	0.25	1.57E-01	5.10E-10	1.0E+06	5.1E-04
460	1.07742	4.06E-05	4.4E-05	3.46E-04	1.51E-08	0.25	1.57E-01	5.95E-10	1.0E+06	5.9E-04
461	1.27229	4.06E-05	5.2E-05	3.46E-04	1.79E-08	0.25	1.57E-01	7.02E-10	1.0E+06	7.0E-04
462	1.52478	4.06E-05	6.2E-05	3.46E-04	2.14E-08	0.25	1.57E-01	8.42E-10	1.0E+06	8.4E-04
463	1.85847	4.06E-05	7.5E-05	3.46E-04	2.61E-08	0.25	1.57E-01	1.03E-09	1.0E+06	1.0E-03
474	0.87196	4.06E-05	3.5E-05	3.46E-04	1.22E-08	0.25	1.57E-01	4.81E-10	1.0E+06	4.8E-04
475	1.00647	4.06E-05	4.1E-05	3.46E-04	1.41E-08	0.25	1.57E-01	5.55E-10	1.0E+06	5.6E-04
476	1.17416	4.06E-05	4.8E-05	3.46E-04	1.65E-08	0.25	1.57E-01	6.48E-10	1.0E+06	6.5E-04
477	1.38562	4.06E-05	5.6E-05	3.46E-04	1.95E-08	0.25	1.57E-01	7.65E-10	1.0E+06	7.6E-04
478	1.65712	4.06E-05	6.7E-05	3.46E-04	2.33E-08	0.25	1.57E-01	9.15E-10	1.0E+06	9.1E-04
495	0.81768	4.06E-05	3.3E-05	3.46E-04	1.15E-08	0.25	1.57E-01	4.51E-10	1.0E+06	4.5E-04
496	0.93423	4.06E-05	3.8E-05	3.46E-04	1.31E-08	0.25	1.57E-01	5.16E-10	1.0E+06	5.2E-04
497	1.07651	4.06E-05	4.4E-05	3.46E-04	1.51E-08	0.25	1.57E-01	5.94E-10	1.0E+06	5.9E-04
498	1.25193	4.06E-05	5.1E-05	3.46E-04	1.76E-08	0.25	1.57E-01	6.91E-10	1.0E+06	6.9E-04
499	1.47079	4.06E-05	6.0E-05	3.46E-04	2.07E-08	0.25	1.57E-01	8.12E-10	1.0E+06	8.1E-04
500	1.74769	4.06E-05	7.1E-05	3.46E-04	2.46E-08	0.25	1.57E-01	9.65E-10	1.0E+06	9.6E-04

Via Oro
Risk From Travel Onsite

		Cancer Risk from 3rd Trimester - Construction									
Receptor #	Conc	g/sec	Cair	Dose		Risk		Constant 2	Risk/ Million		
				Constant	Dose	ED	Constant				Risk
139	0.26897	4.06E-05	1.1E-05	3.46E-04	3.78E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	0.28229	4.06E-05	1.1E-05	3.46E-04	3.97E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	0.2866	4.06E-05	1.2E-05	3.46E-04	4.03E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	0.30179	4.06E-05	1.2E-05	3.46E-04	4.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	0.31785	4.06E-05	1.3E-05	3.46E-04	4.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	0.33461	4.06E-05	1.4E-05	3.46E-04	4.70E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	0.35175	4.06E-05	1.4E-05	3.46E-04	4.94E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	0.38761	4.06E-05	1.6E-05	3.46E-04	5.45E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	0.40573	4.06E-05	1.6E-05	3.46E-04	5.70E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	0.42337	4.06E-05	1.7E-05	3.46E-04	5.95E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	0.32279	4.06E-05	1.3E-05	3.46E-04	4.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	0.34183	4.06E-05	1.4E-05	3.46E-04	4.80E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	0.36132	4.06E-05	1.5E-05	3.46E-04	5.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	0.38164	4.06E-05	1.5E-05	3.46E-04	5.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	0.40269	4.06E-05	1.6E-05	3.46E-04	5.66E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	0.42453	4.06E-05	1.7E-05	3.46E-04	5.96E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	0.44644	4.06E-05	1.8E-05	3.46E-04	6.27E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	0.46825	4.06E-05	1.9E-05	3.46E-04	6.58E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	0.48943	4.06E-05	2.0E-05	3.46E-04	6.88E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	0.50939	4.06E-05	2.1E-05	3.46E-04	7.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	0.52731	4.06E-05	2.1E-05	3.46E-04	7.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	0.36807	4.06E-05	1.5E-05	3.46E-04	5.17E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	0.39097	4.06E-05	1.6E-05	3.46E-04	5.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	0.41518	4.06E-05	1.7E-05	3.46E-04	5.83E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	0.44041	4.06E-05	1.8E-05	3.46E-04	6.19E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	0.46676	4.06E-05	1.9E-05	3.46E-04	6.56E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	0.49375	4.06E-05	2.0E-05	3.46E-04	6.94E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	0.52067	4.06E-05	2.1E-05	3.46E-04	7.31E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	0.54729	4.06E-05	2.2E-05	3.46E-04	7.69E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	0.57262	4.06E-05	2.3E-05	3.46E-04	8.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	0.59558	4.06E-05	2.4E-05	3.46E-04	8.37E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	0.6153	4.06E-05	2.5E-05	3.46E-04	8.64E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	0.3968	4.06E-05	1.6E-05	3.46E-04	5.57E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	0.42388	4.06E-05	1.7E-05	3.46E-04	5.95E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	0.45274	4.06E-05	1.8E-05	3.46E-04	6.36E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	0.48327	4.06E-05	2.0E-05	3.46E-04	6.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	0.51548	4.06E-05	2.1E-05	3.46E-04	7.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	0.54882	4.06E-05	2.2E-05	3.46E-04	7.71E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	0.58277	4.06E-05	2.4E-05	3.46E-04	8.19E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	0.61656	4.06E-05	2.5E-05	3.46E-04	8.66E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	0.64907	4.06E-05	2.6E-05	3.46E-04	9.12E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	0.67894	4.06E-05	2.8E-05	3.46E-04	9.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	0.70495	4.06E-05	2.9E-05	3.46E-04	9.90E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	0.72589	4.06E-05	2.9E-05	3.46E-04	1.02E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	0.39746	4.06E-05	1.6E-05	3.46E-04	5.58E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	0.42811	4.06E-05	1.7E-05	3.46E-04	6.01E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	0.46015	4.06E-05	1.9E-05	3.46E-04	6.46E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	0.49485	4.06E-05	2.0E-05	3.46E-04	6.95E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	0.57165	4.06E-05	2.3E-05	3.46E-04	8.03E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	0.61334	4.06E-05	2.5E-05	3.46E-04	8.62E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	0.6564	4.06E-05	2.7E-05	3.46E-04	9.22E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	0.70009	4.06E-05	2.8E-05	3.46E-04	9.84E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	0.74278	4.06E-05	3.0E-05	3.46E-04	1.04E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	0.78257	4.06E-05	3.2E-05	3.46E-04	1.10E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	0.81754	4.06E-05	3.3E-05	3.46E-04	1.15E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	0.8455	4.06E-05	3.4E-05	3.46E-04	1.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	0.86565	4.06E-05	3.5E-05	3.46E-04	1.22E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	0.42679	4.06E-05	1.7E-05	3.46E-04	6.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	0.46196	4.06E-05	1.9E-05	3.46E-04	6.49E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	0.50005	4.06E-05	2.0E-05	3.46E-04	7.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	0.5418	4.06E-05	2.2E-05	3.46E-04	7.61E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	0.58728	4.06E-05	2.4E-05	3.46E-04	8.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	0.63631	4.06E-05	2.6E-05	3.46E-04	8.94E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	0.68911	4.06E-05	2.8E-05	3.46E-04	9.68E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	0.80223	4.06E-05	3.3E-05	3.46E-04	1.13E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	0.85963	4.06E-05	3.5E-05	3.46E-04	1.21E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	0.91413	4.06E-05	3.7E-05	3.46E-04	1.28E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	0.96239	4.06E-05	3.9E-05	3.46E-04	1.35E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	1.00128	4.06E-05	4.1E-05	3.46E-04	1.41E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	1.02846	4.06E-05	4.2E-05	3.46E-04	1.44E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	0.45735	4.06E-05	1.9E-05	3.46E-04	6.43E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	0.49805	4.06E-05	2.0E-05	3.46E-04	7.00E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	0.54295	4.06E-05	2.2E-05	3.46E-04	7.63E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	0.59353	4.06E-05	2.4E-05	3.46E-04	8.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	0.64956	4.06E-05	2.6E-05	3.46E-04	9.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	0.71133	4.06E-05	2.9E-05	3.46E-04	9.99E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	0.77878	4.06E-05	3.2E-05	3.46E-04	1.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	0.92825	4.06E-05	3.8E-05	3.46E-04	1.30E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	1.0067	4.06E-05	4.1E-05	3.46E-04	1.41E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	1.08365	4.06E-05	4.4E-05	3.46E-04	1.52E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	1.15338	4.06E-05	4.7E-05	3.46E-04	1.62E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	1.20987	4.06E-05	4.9E-05	3.46E-04	1.70E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	1.24836	4.06E-05	5.1E-05	3.46E-04	1.75E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	0.48913	4.06E-05	2.0E-05	3.46E-04	6.87E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	0.5363	4.06E-05	2.2E-05	3.46E-04	7.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	0.58994	4.06E-05	2.4E-05	3.46E-04	8.29E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	0.64979	4.06E-05	2.6E-05	3.46E-04	9.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	0.71937	4.06E-05	2.9E-05	3.46E-04	1.01E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	0.79695	4.06E-05	3.2E-05	3.46E-04	1.12E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	0.88397	4.06E-05	3.6E-05	3.46E-04	1.24E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	1.08562	4.06E-05	4.4E-05	3.46E-04	1.53E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	1.19666	4.06E-05	4.9E-05	3.46E-04	1.68E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	1.30881	4.06E-05	5.3E-05	3.46E-04	1.84E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	1.4131	4.06E-05	5.7E-05	3.46E-04	1.99E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	1.49877	4.06E-05	6.1E-05	3.46E-04	2.11E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	1.55648	4.06E-05	6.3E-05	3.46E-04	2.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	1.63938	4.06E-05	6.7E-05	3.46E-04	2.30E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	1.67549	4.06E-05	6.8E-05	3.46E-04	2.35E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	0.52162	4.06E-05	2.1E-05	3.46E-04	7.33E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	0.57588	4.06E-05	2.3E-05	3.46E-04	8.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	0.63904	4.06E-05	2.6E-05	3.46E-04	8.98E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	0.71122	4.06E-05	2.9E-05	3.46E-04	9.99E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	0.79597	4.06E-05	3.2E-05	3.46E-04	1.12E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	0.89365	4.06E-05	3.6E-05	3.46E-04	1.26E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	1.0053	4.06E-05	4.1E-05	3.46E-04	1.41E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	1.28154	4.06E-05	5.2E-05	3.46E-04	1.80E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	1.4423	4.06E-05	5.9E-05	3.46E-04	2.03E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	1.61204	4.06E-05	6.5E-05	3.46E-04	2.26E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	1.77871	4.06E-05	7.2E-05	3.46E-04	2.50E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	1.92051	4.06E-05	7.8E-05	3.46E-04	2.70E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	2.01266	4.06E-05	8.2E-05	3.46E-04	2.83E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	2.15638	4.06E-05	8.8E-05	3.46E-04	3.03E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	2.19975	4.06E-05	8.9E-05	3.46E-04	3.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	0.55401	4.06E-05	2.2E-05	3.46E-04	7.78E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	0.6161	4.06E-05	2.5E-05	3.46E-04	8.66E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	0.68938	4.06E-05	2.8E-05	3.46E-04	9.68E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	0.77584	4.06E-05	3.1E-05	3.46E-04	1.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	0.87783	4.06E-05	3.6E-05	3.46E-04	1.23E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	1.00008	4.06E-05	4.1E-05	3.46E-04	1.40E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	1.14669	4.06E-05	4.7E-05	3.46E-04	1.61E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	1.52731	4.06E-05	6.2E-05	3.46E-04	2.15E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	1.76956	4.06E-05	7.2E-05	3.46E-04	2.49E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	2.0395	4.06E-05	8.3E-05	3.46E-04	2.87E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	2.32561	4.06E-05	9.4E-05	3.46E-04	3.27E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	2.57987	4.06E-05	1.0E-04	3.46E-04	3.62E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	2.74291	4.06E-05	1.1E-04	3.46E-04	3.85E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	2.99104	4.06E-05	1.2E-04	3.46E-04	4.20E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	2.98186	4.06E-05	1.2E-04	3.46E-04	4.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	0.5853	4.06E-05	2.4E-05	3.46E-04	8.22E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	0.65571	4.06E-05	2.7E-05	3.46E-04	9.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	0.73978	4.06E-05	3.0E-05	3.46E-04	1.04E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	0.84133	4.06E-05	3.4E-05	3.46E-04	1.18E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	0.96486	4.06E-05	3.9E-05	3.46E-04	1.36E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	1.11591	4.06E-05	4.5E-05	3.46E-04	1.57E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	1.30355	4.06E-05	5.3E-05	3.46E-04	1.83E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	1.832	4.06E-05	7.4E-05	3.46E-04	2.57E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	2.20544	4.06E-05	9.0E-05	3.46E-04	3.10E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	2.65809	4.06E-05	1.1E-04	3.46E-04	3.73E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	3.19566	4.06E-05	1.3E-04	3.46E-04	4.49E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	3.71929	4.06E-05	1.5E-04	3.46E-04	5.23E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	4.06723	4.06E-05	1.7E-04	3.46E-04	5.71E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	4.36111	4.06E-05	1.8E-04	3.46E-04	6.13E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	4.09767	4.06E-05	1.7E-04	3.46E-04	5.76E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	0.61414	4.06E-05	2.5E-05	3.46E-04	8.63E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	0.69272	4.06E-05	2.8E-05	3.46E-04	9.73E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	0.78792	4.06E-05	3.2E-05	3.46E-04	1.11E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	0.90515	4.06E-05	3.7E-05	3.46E-04	1.27E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	1.04994	4.06E-05	4.3E-05	3.46E-04	1.48E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	1.23392	4.06E-05	5.0E-05	3.46E-04	1.73E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	1.46973	4.06E-05	6.0E-05	3.46E-04	2.06E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	1.77758	4.06E-05	7.2E-05	3.46E-04	2.50E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	2.19274	4.06E-05	8.9E-05	3.46E-04	3.08E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	2.7602	4.06E-05	1.1E-04	3.46E-04	3.88E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	3.5555	4.06E-05	1.4E-04	3.46E-04	4.99E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	4.66468	4.06E-05	1.9E-04	3.46E-04	6.55E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	6.04181	4.06E-05	2.5E-04	3.46E-04	8.49E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	7.02106	4.06E-05	2.8E-04	3.46E-04	9.86E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	7.30847	4.06E-05	3.0E-04	3.46E-04	1.03E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	6.45578	4.06E-05	2.6E-04	3.46E-04	9.07E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	5.49275	4.06E-05	2.2E-04	3.46E-04	7.72E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	1.12958	4.06E-05	4.6E-05	3.46E-04	1.59E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	1.34575	4.06E-05	5.5E-05	3.46E-04	1.89E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	1.63144	4.06E-05	6.6E-05	3.46E-04	2.29E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	2.02236	4.06E-05	8.2E-05	3.46E-04	2.84E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	12.16799	4.06E-05	4.9E-04	3.46E-04	1.71E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	8.9629	4.06E-05	3.6E-04	3.46E-04	1.26E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	6.86407	4.06E-05	2.8E-04	3.46E-04	9.64E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	1.44103	4.06E-05	5.8E-05	3.46E-04	2.02E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	1.77415	4.06E-05	7.2E-05	3.46E-04	2.49E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	2.24561	4.06E-05	9.1E-05	3.46E-04	3.15E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	16.8147	4.06E-05	6.8E-04	3.46E-04	2.36E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	10.99915	4.06E-05	4.5E-04	3.46E-04	1.55E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	7.87489	4.06E-05	3.2E-04	3.46E-04	1.11E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	1.50958	4.06E-05	6.1E-05	3.46E-04	2.12E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	1.87887	4.06E-05	7.6E-05	3.46E-04	2.64E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	2.41105	4.06E-05	9.8E-05	3.46E-04	3.39E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	19.87692	4.06E-05	8.1E-04	3.46E-04	2.79E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	12.30369	4.06E-05	5.0E-04	3.46E-04	1.73E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	8.44954	4.06E-05	3.4E-04	3.46E-04	1.19E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	1.93236	4.06E-05	7.8E-05	3.46E-04	2.71E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	2.49234	4.06E-05	1.0E-04	3.46E-04	3.50E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	22.29711	4.06E-05	9.0E-04	3.46E-04	3.13E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	13.12742	4.06E-05	5.3E-04	3.46E-04	1.84E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	8.59354	4.06E-05	3.5E-04	3.46E-04	1.21E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	1.93094	4.06E-05	7.8E-05	3.46E-04	2.71E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	2.49197	4.06E-05	1.0E-04	3.46E-04	3.50E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	3.35305	4.06E-05	1.4E-04	3.46E-04	4.71E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	24.20889	4.06E-05	9.8E-04	3.46E-04	3.40E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	13.19824	4.06E-05	5.4E-04	3.46E-04	1.85E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	8.15495	4.06E-05	3.3E-04	3.46E-04	1.15E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	2.40525	4.06E-05	9.8E-05	3.46E-04	3.38E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	3.20022	4.06E-05	1.3E-04	3.46E-04	4.50E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	24.16432	4.06E-05	9.8E-04	3.46E-04	3.39E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	11.85452	4.06E-05	4.8E-04	3.46E-04	1.67E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	7.02668	4.06E-05	2.9E-04	3.46E-04	9.87E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	2.25169	4.06E-05	9.1E-05	3.46E-04	3.16E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	2.94658	4.06E-05	1.2E-04	3.46E-04	4.14E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	9.14611	4.06E-05	3.7E-04	3.46E-04	1.28E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	5.61797	4.06E-05	2.3E-04	3.46E-04	7.89E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	2.06028	4.06E-05	8.4E-05	3.46E-04	2.89E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	2.6369	4.06E-05	1.1E-04	3.46E-04	3.70E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	3.4884	4.06E-05	1.4E-04	3.46E-04	4.90E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	6.94554	4.06E-05	2.8E-04	3.46E-04	9.76E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	4.55144	4.06E-05	1.8E-04	3.46E-04	6.39E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	2.31573	4.06E-05	9.4E-05	3.46E-04	3.25E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	2.96176	4.06E-05	1.2E-04	3.46E-04	4.16E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	12.20745	4.06E-05	5.0E-04	3.46E-04	1.71E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	5.53793	4.06E-05	2.2E-04	3.46E-04	7.78E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	3.81669	4.06E-05	1.5E-04	3.46E-04	5.36E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	2.00598	4.06E-05	8.1E-05	3.46E-04	2.82E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	2.49371	4.06E-05	1.0E-04	3.46E-04	3.50E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	3.15554	4.06E-05	1.3E-04	3.46E-04	4.43E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	4.09677	4.06E-05	1.7E-04	3.46E-04	5.76E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	5.37607	4.06E-05	2.2E-04	3.46E-04	7.55E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	6.822	4.06E-05	2.8E-04	3.46E-04	9.58E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	7.26558	4.06E-05	2.9E-04	3.46E-04	1.02E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	6.06001	4.06E-05	2.5E-04	3.46E-04	8.51E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	4.44633	4.06E-05	1.8E-04	3.46E-04	6.25E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	3.23847	4.06E-05	1.3E-04	3.46E-04	4.55E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	2.09605	4.06E-05	8.5E-05	3.46E-04	2.94E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	2.5762	4.06E-05	1.0E-04	3.46E-04	3.62E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	3.19122	4.06E-05	1.3E-04	3.46E-04	4.48E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	3.94184	4.06E-05	1.6E-04	3.46E-04	5.54E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	4.662	4.06E-05	1.9E-04	3.46E-04	6.55E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	4.91337	4.06E-05	2.0E-04	3.46E-04	6.90E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	4.43229	4.06E-05	1.8E-04	3.46E-04	6.23E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	2.75757	4.06E-05	1.1E-04	3.46E-04	3.87E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	1.78618	4.06E-05	7.2E-05	3.46E-04	2.51E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	2.11407	4.06E-05	8.6E-05	3.46E-04	2.97E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	2.54392	4.06E-05	1.0E-04	3.46E-04	3.57E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	3.0097	4.06E-05	1.2E-04	3.46E-04	4.23E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	3.4208	4.06E-05	1.4E-04	3.46E-04	4.81E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	3.58271	4.06E-05	1.5E-04	3.46E-04	5.03E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	3.36891	4.06E-05	1.4E-04	3.46E-04	4.73E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	2.34927	4.06E-05	9.5E-05	3.46E-04	3.30E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	1.53501	4.06E-05	6.2E-05	3.46E-04	2.16E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	1.78118	4.06E-05	7.2E-05	3.46E-04	2.50E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	2.06344	4.06E-05	8.4E-05	3.46E-04	2.90E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	2.36667	4.06E-05	9.6E-05	3.46E-04	3.32E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	2.633	4.06E-05	1.1E-04	3.46E-04	3.70E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	2.74525	4.06E-05	1.1E-04	3.46E-04	3.86E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	2.64113	4.06E-05	1.1E-04	3.46E-04	3.71E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	2.0062	4.06E-05	8.1E-05	3.46E-04	2.82E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	1.51393	4.06E-05	6.1E-05	3.46E-04	2.13E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	1.72027	4.06E-05	7.0E-05	3.46E-04	2.42E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	1.9257	4.06E-05	7.8E-05	3.46E-04	2.71E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	2.08686	4.06E-05	8.5E-05	3.46E-04	2.93E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	2.17665	4.06E-05	8.8E-05	3.46E-04	3.06E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	2.13369	4.06E-05	8.7E-05	3.46E-04	3.00E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	1.72409	4.06E-05	7.0E-05	3.46E-04	2.42E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	1.30055	4.06E-05	5.3E-05	3.46E-04	1.83E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	1.45173	4.06E-05	5.9E-05	3.46E-04	2.04E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	1.60002	4.06E-05	6.5E-05	3.46E-04	2.25E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	1.71925	4.06E-05	7.0E-05	3.46E-04	2.42E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	1.77955	4.06E-05	7.2E-05	3.46E-04	2.50E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	1.75634	4.06E-05	7.1E-05	3.46E-04	2.47E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	1.60092	4.06E-05	6.5E-05	3.46E-04	2.25E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	1.12913	4.06E-05	4.6E-05	3.46E-04	1.59E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	1.24141	4.06E-05	5.0E-05	3.46E-04	1.74E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	1.34959	4.06E-05	5.5E-05	3.46E-04	1.90E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	1.43729	4.06E-05	5.8E-05	3.46E-04	2.02E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	1.48465	4.06E-05	6.0E-05	3.46E-04	2.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	1.47643	4.06E-05	6.0E-05	3.46E-04	2.07E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	1.40782	4.06E-05	5.7E-05	3.46E-04	1.98E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	4.06E-05	0.0E+00	3.46E-04	0.00E+00	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.12126	4.06E-05	4.9E-06	1.05E-03	5.14E-09	2	1.57E-01	1.62E-09	1.0E+06	1.6E-03
2	0.12556	4.06E-05	5.1E-06	1.05E-03	5.33E-09	2	1.57E-01	1.67E-09	1.0E+06	1.7E-03
3	0.13001	4.06E-05	5.3E-06	1.05E-03	5.51E-09	2	1.57E-01	1.73E-09	1.0E+06	1.7E-03
4	0.13465	4.06E-05	5.5E-06	1.05E-03	5.71E-09	2	1.57E-01	1.80E-09	1.0E+06	1.8E-03
5	0.1395	4.06E-05	5.7E-06	1.05E-03	5.92E-09	2	1.57E-01	1.86E-09	1.0E+06	1.9E-03
6	0.14463	4.06E-05	5.9E-06	1.05E-03	6.13E-09	2	1.57E-01	1.93E-09	1.0E+06	1.9E-03
7	0.14997	4.06E-05	6.1E-06	1.05E-03	6.36E-09	2	1.57E-01	2.00E-09	1.0E+06	2.0E-03
8	0.15548	4.06E-05	6.3E-06	1.05E-03	6.60E-09	2	1.57E-01	2.07E-09	1.0E+06	2.1E-03
9	0.16122	4.06E-05	6.5E-06	1.05E-03	6.84E-09	2	1.57E-01	2.15E-09	1.0E+06	2.1E-03
10	0.16717	4.06E-05	6.8E-06	1.05E-03	7.09E-09	2	1.57E-01	2.23E-09	1.0E+06	2.2E-03
11	0.17332	4.06E-05	7.0E-06	1.05E-03	7.35E-09	2	1.57E-01	2.31E-09	1.0E+06	2.3E-03
12	0.17965	4.06E-05	7.3E-06	1.05E-03	7.62E-09	2	1.57E-01	2.39E-09	1.0E+06	2.4E-03
13	0.18621	4.06E-05	7.6E-06	1.05E-03	7.90E-09	2	1.57E-01	2.48E-09	1.0E+06	2.5E-03
14	0.19293	4.06E-05	7.8E-06	1.05E-03	8.18E-09	2	1.57E-01	2.57E-09	1.0E+06	2.6E-03
15	0.19982	4.06E-05	8.1E-06	1.05E-03	8.48E-09	2	1.57E-01	2.66E-09	1.0E+06	2.7E-03
16	0.2068	4.06E-05	8.4E-06	1.05E-03	8.77E-09	2	1.57E-01	2.76E-09	1.0E+06	2.8E-03
17	0.21392	4.06E-05	8.7E-06	1.05E-03	9.07E-09	2	1.57E-01	2.85E-09	1.0E+06	2.9E-03
18	0.22103	4.06E-05	9.0E-06	1.05E-03	9.38E-09	2	1.57E-01	2.95E-09	1.0E+06	2.9E-03
19	0.22814	4.06E-05	9.3E-06	1.05E-03	9.68E-09	2	1.57E-01	3.04E-09	1.0E+06	3.0E-03
20	0.23517	4.06E-05	9.5E-06	1.05E-03	9.98E-09	2	1.57E-01	3.14E-09	1.0E+06	3.1E-03
21	0.24202	4.06E-05	9.8E-06	1.05E-03	1.03E-08	2	1.57E-01	3.23E-09	1.0E+06	3.2E-03
22	0.24864	4.06E-05	1.0E-05	1.05E-03	1.05E-08	2	1.57E-01	3.31E-09	1.0E+06	3.3E-03
23	0.2549	4.06E-05	1.0E-05	1.05E-03	1.08E-08	2	1.57E-01	3.40E-09	1.0E+06	3.4E-03
24	0.26073	4.06E-05	1.1E-05	1.05E-03	1.11E-08	2	1.57E-01	3.48E-09	1.0E+06	3.5E-03
25	0.26606	4.06E-05	1.1E-05	1.05E-03	1.13E-08	2	1.57E-01	3.55E-09	1.0E+06	3.5E-03
26	0.27081	4.06E-05	1.1E-05	1.05E-03	1.15E-08	2	1.57E-01	3.61E-09	1.0E+06	3.6E-03
27	0.27493	4.06E-05	1.1E-05	1.05E-03	1.17E-08	2	1.57E-01	3.67E-09	1.0E+06	3.7E-03
28	0.27832	4.06E-05	1.1E-05	1.05E-03	1.18E-08	2	1.57E-01	3.71E-09	1.0E+06	3.7E-03
29	0.281	4.06E-05	1.1E-05	1.05E-03	1.19E-08	2	1.57E-01	3.75E-09	1.0E+06	3.7E-03
30	0.28295	4.06E-05	1.1E-05	1.05E-03	1.20E-08	2	1.57E-01	3.77E-09	1.0E+06	3.8E-03
31	0.28417	4.06E-05	1.2E-05	1.05E-03	1.21E-08	2	1.57E-01	3.79E-09	1.0E+06	3.8E-03

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.28469	4.06E-05	1.2E-05	1.05E-03	1.21E-08	2	1.57E-01	3.80E-09	1.0E+06	3.8E-03
55	0.26742	4.06E-05	1.1E-05	1.05E-03	1.13E-08	2	1.57E-01	3.57E-09	1.0E+06	3.6E-03
56	0.27471	4.06E-05	1.1E-05	1.05E-03	1.17E-08	2	1.57E-01	3.66E-09	1.0E+06	3.7E-03
57	0.2816	4.06E-05	1.1E-05	1.05E-03	1.19E-08	2	1.57E-01	3.75E-09	1.0E+06	3.8E-03
58	0.28787	4.06E-05	1.2E-05	1.05E-03	1.22E-08	2	1.57E-01	3.84E-09	1.0E+06	3.8E-03
59	0.29342	4.06E-05	1.2E-05	1.05E-03	1.24E-08	2	1.57E-01	3.91E-09	1.0E+06	3.9E-03
60	0.29817	4.06E-05	1.2E-05	1.05E-03	1.26E-08	2	1.57E-01	3.98E-09	1.0E+06	4.0E-03
61	0.30216	4.06E-05	1.2E-05	1.05E-03	1.28E-08	2	1.57E-01	4.03E-09	1.0E+06	4.0E-03
62	0.30524	4.06E-05	1.2E-05	1.05E-03	1.29E-08	2	1.57E-01	4.07E-09	1.0E+06	4.1E-03
63	0.30747	4.06E-05	1.2E-05	1.05E-03	1.30E-08	2	1.57E-01	4.10E-09	1.0E+06	4.1E-03
64	0.30882	4.06E-05	1.3E-05	1.05E-03	1.31E-08	2	1.57E-01	4.12E-09	1.0E+06	4.1E-03
65	0.30937	4.06E-05	1.3E-05	1.05E-03	1.31E-08	2	1.57E-01	4.12E-09	1.0E+06	4.1E-03
66	0.30943	4.06E-05	1.3E-05	1.05E-03	1.31E-08	2	1.57E-01	4.13E-09	1.0E+06	4.1E-03
67	0.12907	4.06E-05	5.2E-06	1.05E-03	5.47E-09	2	1.57E-01	1.72E-09	1.0E+06	1.7E-03
68	0.13402	4.06E-05	5.4E-06	1.05E-03	5.68E-09	2	1.57E-01	1.79E-09	1.0E+06	1.8E-03
69	0.13922	4.06E-05	5.7E-06	1.05E-03	5.91E-09	2	1.57E-01	1.86E-09	1.0E+06	1.9E-03
70	0.14467	4.06E-05	5.9E-06	1.05E-03	6.14E-09	2	1.57E-01	1.93E-09	1.0E+06	1.9E-03
71	0.15034	4.06E-05	6.1E-06	1.05E-03	6.38E-09	2	1.57E-01	2.00E-09	1.0E+06	2.0E-03
72	0.15639	4.06E-05	6.3E-06	1.05E-03	6.63E-09	2	1.57E-01	2.08E-09	1.0E+06	2.1E-03
73	0.16271	4.06E-05	6.6E-06	1.05E-03	6.90E-09	2	1.57E-01	2.17E-09	1.0E+06	2.2E-03
74	0.16932	4.06E-05	6.9E-06	1.05E-03	7.18E-09	2	1.57E-01	2.26E-09	1.0E+06	2.3E-03
75	0.17621	4.06E-05	7.2E-06	1.05E-03	7.47E-09	2	1.57E-01	2.35E-09	1.0E+06	2.3E-03
76	0.18343	4.06E-05	7.4E-06	1.05E-03	7.78E-09	2	1.57E-01	2.45E-09	1.0E+06	2.4E-03
77	0.19099	4.06E-05	7.8E-06	1.05E-03	8.10E-09	2	1.57E-01	2.55E-09	1.0E+06	2.5E-03
78	0.19891	4.06E-05	8.1E-06	1.05E-03	8.44E-09	2	1.57E-01	2.65E-09	1.0E+06	2.7E-03
79	0.24228	4.06E-05	9.8E-06	1.05E-03	1.03E-08	2	1.57E-01	3.23E-09	1.0E+06	3.2E-03
80	0.25154	4.06E-05	1.0E-05	1.05E-03	1.07E-08	2	1.57E-01	3.35E-09	1.0E+06	3.4E-03
81	0.26097	4.06E-05	1.1E-05	1.05E-03	1.11E-08	2	1.57E-01	3.48E-09	1.0E+06	3.5E-03
82	0.27033	4.06E-05	1.1E-05	1.05E-03	1.15E-08	2	1.57E-01	3.60E-09	1.0E+06	3.6E-03
83	0.27961	4.06E-05	1.1E-05	1.05E-03	1.19E-08	2	1.57E-01	3.73E-09	1.0E+06	3.7E-03
84	0.28857	4.06E-05	1.2E-05	1.05E-03	1.22E-08	2	1.57E-01	3.85E-09	1.0E+06	3.8E-03

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	0.29718	4.06E-05	1.2E-05	1.05E-03	1.26E-08	2	1.57E-01	3.96E-09	1.0E+06	4.0E-03
86	0.30527	4.06E-05	1.2E-05	1.05E-03	1.29E-08	2	1.57E-01	4.07E-09	1.0E+06	4.1E-03
87	0.31265	4.06E-05	1.3E-05	1.05E-03	1.33E-08	2	1.57E-01	4.17E-09	1.0E+06	4.2E-03
88	0.31924	4.06E-05	1.3E-05	1.05E-03	1.35E-08	2	1.57E-01	4.26E-09	1.0E+06	4.3E-03
89	0.32485	4.06E-05	1.3E-05	1.05E-03	1.38E-08	2	1.57E-01	4.33E-09	1.0E+06	4.3E-03
90	0.32947	4.06E-05	1.3E-05	1.05E-03	1.40E-08	2	1.57E-01	4.39E-09	1.0E+06	4.4E-03
91	0.33314	4.06E-05	1.4E-05	1.05E-03	1.41E-08	2	1.57E-01	4.44E-09	1.0E+06	4.4E-03
92	0.33561	4.06E-05	1.4E-05	1.05E-03	1.42E-08	2	1.57E-01	4.47E-09	1.0E+06	4.5E-03
93	0.33719	4.06E-05	1.4E-05	1.05E-03	1.43E-08	2	1.57E-01	4.50E-09	1.0E+06	4.5E-03
96	0.32935	4.06E-05	1.3E-05	1.05E-03	1.40E-08	2	1.57E-01	4.39E-09	1.0E+06	4.4E-03
97	0.32028	4.06E-05	1.3E-05	1.05E-03	1.36E-08	2	1.57E-01	4.27E-09	1.0E+06	4.3E-03
98	0.34886	4.06E-05	1.4E-05	1.05E-03	1.48E-08	2	1.57E-01	4.65E-09	1.0E+06	4.7E-03
99	0.35566	4.06E-05	1.4E-05	1.05E-03	1.51E-08	2	1.57E-01	4.74E-09	1.0E+06	4.7E-03
100	0.36116	4.06E-05	1.5E-05	1.05E-03	1.53E-08	2	1.57E-01	4.81E-09	1.0E+06	4.8E-03
101	0.36534	4.06E-05	1.5E-05	1.05E-03	1.55E-08	2	1.57E-01	4.87E-09	1.0E+06	4.9E-03
102	0.36832	4.06E-05	1.5E-05	1.05E-03	1.56E-08	2	1.57E-01	4.91E-09	1.0E+06	4.9E-03
106	0.13174	4.06E-05	5.3E-06	1.05E-03	5.59E-09	2	1.57E-01	1.76E-09	1.0E+06	1.8E-03
107	0.13718	4.06E-05	5.6E-06	1.05E-03	5.82E-09	2	1.57E-01	1.83E-09	1.0E+06	1.8E-03
108	0.14286	4.06E-05	5.8E-06	1.05E-03	6.06E-09	2	1.57E-01	1.90E-09	1.0E+06	1.9E-03
109	0.14886	4.06E-05	6.0E-06	1.05E-03	6.31E-09	2	1.57E-01	1.98E-09	1.0E+06	2.0E-03
110	0.15522	4.06E-05	6.3E-06	1.05E-03	6.58E-09	2	1.57E-01	2.07E-09	1.0E+06	2.1E-03
111	0.16187	4.06E-05	6.6E-06	1.05E-03	6.87E-09	2	1.57E-01	2.16E-09	1.0E+06	2.2E-03
112	0.16904	4.06E-05	6.9E-06	1.05E-03	7.17E-09	2	1.57E-01	2.25E-09	1.0E+06	2.3E-03
113	0.17654	4.06E-05	7.2E-06	1.05E-03	7.49E-09	2	1.57E-01	2.35E-09	1.0E+06	2.4E-03
114	0.18447	4.06E-05	7.5E-06	1.05E-03	7.82E-09	2	1.57E-01	2.46E-09	1.0E+06	2.5E-03
115	0.1928	4.06E-05	7.8E-06	1.05E-03	8.18E-09	2	1.57E-01	2.57E-09	1.0E+06	2.6E-03
116	0.20152	4.06E-05	8.2E-06	1.05E-03	8.55E-09	2	1.57E-01	2.69E-09	1.0E+06	2.7E-03
117	0.21084	4.06E-05	8.6E-06	1.05E-03	8.94E-09	2	1.57E-01	2.81E-09	1.0E+06	2.8E-03
118	0.22064	4.06E-05	9.0E-06	1.05E-03	9.36E-09	2	1.57E-01	2.94E-09	1.0E+06	2.9E-03
124	0.13553	4.06E-05	5.5E-06	1.05E-03	5.75E-09	2	1.57E-01	1.81E-09	1.0E+06	1.8E-03
125	0.14126	4.06E-05	5.7E-06	1.05E-03	5.99E-09	2	1.57E-01	1.88E-09	1.0E+06	1.9E-03

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.14734	4.06E-05	6.0E-06	1.05E-03	6.25E-09	2	1.57E-01	1.96E-09	1.0E+06	2.0E-03
127	0.15378	4.06E-05	6.2E-06	1.05E-03	6.52E-09	2	1.57E-01	2.05E-09	1.0E+06	2.1E-03
128	0.16062	4.06E-05	6.5E-06	1.05E-03	6.81E-09	2	1.57E-01	2.14E-09	1.0E+06	2.1E-03
129	0.16783	4.06E-05	6.8E-06	1.05E-03	7.12E-09	2	1.57E-01	2.24E-09	1.0E+06	2.2E-03
130	0.1756	4.06E-05	7.1E-06	1.05E-03	7.45E-09	2	1.57E-01	2.34E-09	1.0E+06	2.3E-03
131	0.18381	4.06E-05	7.5E-06	1.05E-03	7.80E-09	2	1.57E-01	2.45E-09	1.0E+06	2.5E-03
132	0.19252	4.06E-05	7.8E-06	1.05E-03	8.17E-09	2	1.57E-01	2.57E-09	1.0E+06	2.6E-03
133	0.2017	4.06E-05	8.2E-06	1.05E-03	8.56E-09	2	1.57E-01	2.69E-09	1.0E+06	2.7E-03
134	0.21151	4.06E-05	8.6E-06	1.05E-03	8.97E-09	2	1.57E-01	2.82E-09	1.0E+06	2.8E-03
135	0.22183	4.06E-05	9.0E-06	1.05E-03	9.41E-09	2	1.57E-01	2.96E-09	1.0E+06	3.0E-03
136	0.23272	4.06E-05	9.4E-06	1.05E-03	9.87E-09	2	1.57E-01	3.10E-09	1.0E+06	3.1E-03
137	0.24414	4.06E-05	9.9E-06	1.05E-03	1.04E-08	2	1.57E-01	3.25E-09	1.0E+06	3.3E-03
138	0.25634	4.06E-05	1.0E-05	1.05E-03	1.09E-08	2	1.57E-01	3.42E-09	1.0E+06	3.4E-03
141	0.13928	4.06E-05	5.7E-06	1.05E-03	5.91E-09	2	1.57E-01	1.86E-09	1.0E+06	1.9E-03
142	0.14539	4.06E-05	5.9E-06	1.05E-03	6.17E-09	2	1.57E-01	1.94E-09	1.0E+06	1.9E-03
143	0.15188	4.06E-05	6.2E-06	1.05E-03	6.44E-09	2	1.57E-01	2.02E-09	1.0E+06	2.0E-03
144	0.15878	4.06E-05	6.4E-06	1.05E-03	6.74E-09	2	1.57E-01	2.12E-09	1.0E+06	2.1E-03
145	0.16614	4.06E-05	6.7E-06	1.05E-03	7.05E-09	2	1.57E-01	2.21E-09	1.0E+06	2.2E-03
146	0.17393	4.06E-05	7.1E-06	1.05E-03	7.38E-09	2	1.57E-01	2.32E-09	1.0E+06	2.3E-03
147	0.18235	4.06E-05	7.4E-06	1.05E-03	7.73E-09	2	1.57E-01	2.43E-09	1.0E+06	2.4E-03
148	0.19128	4.06E-05	7.8E-06	1.05E-03	8.11E-09	2	1.57E-01	2.55E-09	1.0E+06	2.6E-03
149	0.20081	4.06E-05	8.1E-06	1.05E-03	8.52E-09	2	1.57E-01	2.68E-09	1.0E+06	2.7E-03
150	0.21094	4.06E-05	8.6E-06	1.05E-03	8.95E-09	2	1.57E-01	2.81E-09	1.0E+06	2.8E-03
151	0.22175	4.06E-05	9.0E-06	1.05E-03	9.41E-09	2	1.57E-01	2.96E-09	1.0E+06	3.0E-03
152	0.23326	4.06E-05	9.5E-06	1.05E-03	9.89E-09	2	1.57E-01	3.11E-09	1.0E+06	3.1E-03
153	0.24548	4.06E-05	1.0E-05	1.05E-03	1.04E-08	2	1.57E-01	3.27E-09	1.0E+06	3.3E-03
154	0.25835	4.06E-05	1.0E-05	1.05E-03	1.10E-08	2	1.57E-01	3.44E-09	1.0E+06	3.4E-03
155	0.27204	4.06E-05	1.1E-05	1.05E-03	1.15E-08	2	1.57E-01	3.63E-09	1.0E+06	3.6E-03
164	0.27343	4.06E-05	1.1E-05	1.05E-03	1.16E-08	2	1.57E-01	3.65E-09	1.0E+06	3.6E-03
165	0.2889	4.06E-05	1.2E-05	1.05E-03	1.23E-08	2	1.57E-01	3.85E-09	1.0E+06	3.9E-03
166	0.30557	4.06E-05	1.2E-05	1.05E-03	1.30E-08	2	1.57E-01	4.07E-09	1.0E+06	4.1E-03

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	0.28934	4.06E-05	1.2E-05	1.05E-03	1.23E-08	2	1.57E-01	3.86E-09	1.0E+06	3.9E-03
179	0.30694	4.06E-05	1.2E-05	1.05E-03	1.30E-08	2	1.57E-01	4.09E-09	1.0E+06	4.1E-03
180	0.32599	4.06E-05	1.3E-05	1.05E-03	1.38E-08	2	1.57E-01	4.35E-09	1.0E+06	4.3E-03
192	0.30611	4.06E-05	1.2E-05	1.05E-03	1.30E-08	2	1.57E-01	4.08E-09	1.0E+06	4.1E-03
193	0.32619	4.06E-05	1.3E-05	1.05E-03	1.38E-08	2	1.57E-01	4.35E-09	1.0E+06	4.3E-03
194	0.34788	4.06E-05	1.4E-05	1.05E-03	1.48E-08	2	1.57E-01	4.64E-09	1.0E+06	4.6E-03
207	0.32356	4.06E-05	1.3E-05	1.05E-03	1.37E-08	2	1.57E-01	4.31E-09	1.0E+06	4.3E-03
208	0.34632	4.06E-05	1.4E-05	1.05E-03	1.47E-08	2	1.57E-01	4.62E-09	1.0E+06	4.6E-03
209	0.37122	4.06E-05	1.5E-05	1.05E-03	1.57E-08	2	1.57E-01	4.95E-09	1.0E+06	4.9E-03
223	0.3416	4.06E-05	1.4E-05	1.05E-03	1.45E-08	2	1.57E-01	4.55E-09	1.0E+06	4.6E-03
224	0.36731	4.06E-05	1.5E-05	1.05E-03	1.56E-08	2	1.57E-01	4.90E-09	1.0E+06	4.9E-03
225	0.39557	4.06E-05	1.6E-05	1.05E-03	1.68E-08	2	1.57E-01	5.27E-09	1.0E+06	5.3E-03
239	0.36011	4.06E-05	1.5E-05	1.05E-03	1.53E-08	2	1.57E-01	4.80E-09	1.0E+06	4.8E-03
240	0.38904	4.06E-05	1.6E-05	1.05E-03	1.65E-08	2	1.57E-01	5.19E-09	1.0E+06	5.2E-03
241	0.42133	4.06E-05	1.7E-05	1.05E-03	1.79E-08	2	1.57E-01	5.62E-09	1.0E+06	5.6E-03
255	0.37874	4.06E-05	1.5E-05	1.05E-03	1.61E-08	2	1.57E-01	5.05E-09	1.0E+06	5.0E-03
256	0.41114	4.06E-05	1.7E-05	1.05E-03	1.74E-08	2	1.57E-01	5.48E-09	1.0E+06	5.5E-03
272	0.39707	4.06E-05	1.6E-05	1.05E-03	1.68E-08	2	1.57E-01	5.29E-09	1.0E+06	5.3E-03
273	0.43324	4.06E-05	1.8E-05	1.05E-03	1.84E-08	2	1.57E-01	5.78E-09	1.0E+06	5.8E-03
289	0.41485	4.06E-05	1.7E-05	1.05E-03	1.76E-08	2	1.57E-01	5.53E-09	1.0E+06	5.5E-03
290	0.45476	4.06E-05	1.8E-05	1.05E-03	1.93E-08	2	1.57E-01	6.06E-09	1.0E+06	6.1E-03
306	0.4314	4.06E-05	1.8E-05	1.05E-03	1.83E-08	2	1.57E-01	5.75E-09	1.0E+06	5.8E-03
307	0.47503	4.06E-05	1.9E-05	1.05E-03	2.01E-08	2	1.57E-01	6.33E-09	1.0E+06	6.3E-03
323	0.44616	4.06E-05	1.8E-05	1.05E-03	1.89E-08	2	1.57E-01	5.95E-09	1.0E+06	5.9E-03
324	0.4933	4.06E-05	2.0E-05	1.05E-03	2.09E-08	2	1.57E-01	6.58E-09	1.0E+06	6.6E-03
342	0.45857	4.06E-05	1.9E-05	1.05E-03	1.95E-08	2	1.57E-01	6.11E-09	1.0E+06	6.1E-03
343	0.5088	4.06E-05	2.1E-05	1.05E-03	2.16E-08	2	1.57E-01	6.78E-09	1.0E+06	6.8E-03
344	0.5681	4.06E-05	2.3E-05	1.05E-03	2.41E-08	2	1.57E-01	7.57E-09	1.0E+06	7.6E-03
356	0.46806	4.06E-05	1.9E-05	1.05E-03	1.99E-08	2	1.57E-01	6.24E-09	1.0E+06	6.2E-03
357	0.52069	4.06E-05	2.1E-05	1.05E-03	2.21E-08	2	1.57E-01	6.94E-09	1.0E+06	6.9E-03
358	0.58338	4.06E-05	2.4E-05	1.05E-03	2.47E-08	2	1.57E-01	7.78E-09	1.0E+06	7.8E-03

Via Oro
Risk From Travel Onsite

		<i>Cancer Risk from Birth to 2 years - Construction</i>								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.47432	4.06E-05	1.9E-05	1.05E-03	2.01E-08	2	1.57E-01	6.32E-09	1.0E+06	6.3E-03
371	0.52862	4.06E-05	2.1E-05	1.05E-03	2.24E-08	2	1.57E-01	7.05E-09	1.0E+06	7.0E-03
372	0.5936	4.06E-05	2.4E-05	1.05E-03	2.52E-08	2	1.57E-01	7.91E-09	1.0E+06	7.9E-03
383	0.47712	4.06E-05	1.9E-05	1.05E-03	2.02E-08	2	1.57E-01	6.36E-09	1.0E+06	6.4E-03
384	0.53227	4.06E-05	2.2E-05	1.05E-03	2.26E-08	2	1.57E-01	7.10E-09	1.0E+06	7.1E-03
385	0.59839	4.06E-05	2.4E-05	1.05E-03	2.54E-08	2	1.57E-01	7.98E-09	1.0E+06	8.0E-03
396	0.47655	4.06E-05	1.9E-05	1.05E-03	2.02E-08	2	1.57E-01	6.35E-09	1.0E+06	6.4E-03
397	0.53168	4.06E-05	2.2E-05	1.05E-03	2.26E-08	2	1.57E-01	7.09E-09	1.0E+06	7.1E-03
398	0.59776	4.06E-05	2.4E-05	1.05E-03	2.54E-08	2	1.57E-01	7.97E-09	1.0E+06	8.0E-03
399	0.67801	4.06E-05	2.8E-05	1.05E-03	2.88E-08	2	1.57E-01	9.04E-09	1.0E+06	9.0E-03
411	0.47283	4.06E-05	1.9E-05	1.05E-03	2.01E-08	2	1.57E-01	6.30E-09	1.0E+06	6.3E-03
412	0.52713	4.06E-05	2.1E-05	1.05E-03	2.24E-08	2	1.57E-01	7.03E-09	1.0E+06	7.0E-03
413	0.59222	4.06E-05	2.4E-05	1.05E-03	2.51E-08	2	1.57E-01	7.90E-09	1.0E+06	7.9E-03
414	0.67089	4.06E-05	2.7E-05	1.05E-03	2.85E-08	2	1.57E-01	8.94E-09	1.0E+06	8.9E-03
426	0.46641	4.06E-05	1.9E-05	1.05E-03	1.98E-08	2	1.57E-01	6.22E-09	1.0E+06	6.2E-03
427	0.51922	4.06E-05	2.1E-05	1.05E-03	2.20E-08	2	1.57E-01	6.92E-09	1.0E+06	6.9E-03
428	0.58215	4.06E-05	2.4E-05	1.05E-03	2.47E-08	2	1.57E-01	7.76E-09	1.0E+06	7.8E-03
429	0.65817	4.06E-05	2.7E-05	1.05E-03	2.79E-08	2	1.57E-01	8.77E-09	1.0E+06	8.8E-03
439	0.45769	4.06E-05	1.9E-05	1.05E-03	1.94E-08	2	1.57E-01	6.10E-09	1.0E+06	6.1E-03
440	0.50847	4.06E-05	2.1E-05	1.05E-03	2.16E-08	2	1.57E-01	6.78E-09	1.0E+06	6.8E-03
441	0.56873	4.06E-05	2.3E-05	1.05E-03	2.41E-08	2	1.57E-01	7.58E-09	1.0E+06	7.6E-03
442	0.64102	4.06E-05	2.6E-05	1.05E-03	2.72E-08	2	1.57E-01	8.55E-09	1.0E+06	8.5E-03
443	0.72881	4.06E-05	3.0E-05	1.05E-03	3.09E-08	2	1.57E-01	9.72E-09	1.0E+06	9.7E-03
454	0.44719	4.06E-05	1.8E-05	1.05E-03	1.90E-08	2	1.57E-01	5.96E-09	1.0E+06	6.0E-03
455	0.49552	4.06E-05	2.0E-05	1.05E-03	2.10E-08	2	1.57E-01	6.61E-09	1.0E+06	6.6E-03
456	0.55252	4.06E-05	2.2E-05	1.05E-03	2.34E-08	2	1.57E-01	7.37E-09	1.0E+06	7.4E-03
457	0.6204	4.06E-05	2.5E-05	1.05E-03	2.63E-08	2	1.57E-01	8.27E-09	1.0E+06	8.3E-03
458	0.70209	4.06E-05	2.8E-05	1.05E-03	2.98E-08	2	1.57E-01	9.36E-09	1.0E+06	9.4E-03
469	0.43526	4.06E-05	1.8E-05	1.05E-03	1.85E-08	2	1.57E-01	5.80E-09	1.0E+06	5.8E-03
470	0.4808	4.06E-05	2.0E-05	1.05E-03	2.04E-08	2	1.57E-01	6.41E-09	1.0E+06	6.4E-03
471	0.53418	4.06E-05	2.2E-05	1.05E-03	2.27E-08	2	1.57E-01	7.12E-09	1.0E+06	7.1E-03

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.59716	4.06E-05	2.4E-05	1.05E-03	2.53E-08	2	1.57E-01	7.96E-09	1.0E+06	8.0E-03
473	0.67215	4.06E-05	2.7E-05	1.05E-03	2.85E-08	2	1.57E-01	8.96E-09	1.0E+06	9.0E-03
489	0.42232	4.06E-05	1.7E-05	1.05E-03	1.79E-08	2	1.57E-01	5.63E-09	1.0E+06	5.6E-03
490	0.4649	4.06E-05	1.9E-05	1.05E-03	1.97E-08	2	1.57E-01	6.20E-09	1.0E+06	6.2E-03
491	0.51437	4.06E-05	2.1E-05	1.05E-03	2.18E-08	2	1.57E-01	6.86E-09	1.0E+06	6.9E-03
492	0.5722	4.06E-05	2.3E-05	1.05E-03	2.43E-08	2	1.57E-01	7.63E-09	1.0E+06	7.6E-03
493	0.6403	4.06E-05	2.6E-05	1.05E-03	2.72E-08	2	1.57E-01	8.54E-09	1.0E+06	8.5E-03
494	0.72107	4.06E-05	2.9E-05	1.05E-03	3.06E-08	2	1.57E-01	9.61E-09	1.0E+06	9.6E-03
509	0.40848	4.06E-05	1.7E-05	1.05E-03	1.73E-08	2	1.57E-01	5.45E-09	1.0E+06	5.4E-03
510	0.44798	4.06E-05	1.8E-05	1.05E-03	1.90E-08	2	1.57E-01	5.97E-09	1.0E+06	6.0E-03
511	0.49341	4.06E-05	2.0E-05	1.05E-03	2.09E-08	2	1.57E-01	6.58E-09	1.0E+06	6.6E-03
512	0.546	4.06E-05	2.2E-05	1.05E-03	2.32E-08	2	1.57E-01	7.28E-09	1.0E+06	7.3E-03
513	0.60721	4.06E-05	2.5E-05	1.05E-03	2.58E-08	2	1.57E-01	8.09E-09	1.0E+06	8.1E-03
514	0.67882	4.06E-05	2.8E-05	1.05E-03	2.88E-08	2	1.57E-01	9.05E-09	1.0E+06	9.0E-03
515	0.86332	4.06E-05	3.5E-05	1.05E-03	3.66E-08	2	1.57E-01	1.15E-08	1.0E+06	1.2E-02
516	0.98287	4.06E-05	4.0E-05	1.05E-03	4.17E-08	2	1.57E-01	1.31E-08	1.0E+06	1.3E-02
517	1.12744	4.06E-05	4.6E-05	1.05E-03	4.78E-08	2	1.57E-01	1.50E-08	1.0E+06	1.5E-02
518	1.30392	4.06E-05	5.3E-05	1.05E-03	5.53E-08	2	1.57E-01	1.74E-08	1.0E+06	1.7E-02
519	1.52214	4.06E-05	6.2E-05	1.05E-03	6.46E-08	2	1.57E-01	2.03E-08	1.0E+06	2.0E-02
528	0.39399	4.06E-05	1.6E-05	1.05E-03	1.67E-08	2	1.57E-01	5.25E-09	1.0E+06	5.3E-03
529	0.43034	4.06E-05	1.7E-05	1.05E-03	1.83E-08	2	1.57E-01	5.74E-09	1.0E+06	5.7E-03
530	0.47176	4.06E-05	1.9E-05	1.05E-03	2.00E-08	2	1.57E-01	6.29E-09	1.0E+06	6.3E-03
531	0.51917	4.06E-05	2.1E-05	1.05E-03	2.20E-08	2	1.57E-01	6.92E-09	1.0E+06	6.9E-03
532	0.57371	4.06E-05	2.3E-05	1.05E-03	2.43E-08	2	1.57E-01	7.65E-09	1.0E+06	7.6E-03
533	0.63671	4.06E-05	2.6E-05	1.05E-03	2.70E-08	2	1.57E-01	8.49E-09	1.0E+06	8.5E-03
534	0.79526	4.06E-05	3.2E-05	1.05E-03	3.37E-08	2	1.57E-01	1.06E-08	1.0E+06	1.1E-02
535	0.89563	4.06E-05	3.6E-05	1.05E-03	3.80E-08	2	1.57E-01	1.19E-08	1.0E+06	1.2E-02
536	1.01524	4.06E-05	4.1E-05	1.05E-03	4.31E-08	2	1.57E-01	1.35E-08	1.0E+06	1.4E-02
537	1.15731	4.06E-05	4.7E-05	1.05E-03	4.91E-08	2	1.57E-01	1.54E-08	1.0E+06	1.5E-02
538	1.32841	4.06E-05	5.4E-05	1.05E-03	5.63E-08	2	1.57E-01	1.77E-08	1.0E+06	1.8E-02
547	0.37904	4.06E-05	1.5E-05	1.05E-03	1.61E-08	2	1.57E-01	5.05E-09	1.0E+06	5.1E-03

Via Oro
Risk From Travel Onsite

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.41225	4.06E-05	1.7E-05	1.05E-03	1.75E-08	2	1.57E-01	5.50E-09	1.0E+06	5.5E-03
549	0.44972	4.06E-05	1.8E-05	1.05E-03	1.91E-08	2	1.57E-01	6.00E-09	1.0E+06	6.0E-03
550	0.49221	4.06E-05	2.0E-05	1.05E-03	2.09E-08	2	1.57E-01	6.56E-09	1.0E+06	6.6E-03
551	0.54049	4.06E-05	2.2E-05	1.05E-03	2.29E-08	2	1.57E-01	7.21E-09	1.0E+06	7.2E-03
552	0.59561	4.06E-05	2.4E-05	1.05E-03	2.53E-08	2	1.57E-01	7.94E-09	1.0E+06	7.9E-03
553	0.65887	4.06E-05	2.7E-05	1.05E-03	2.79E-08	2	1.57E-01	8.78E-09	1.0E+06	8.8E-03
554	0.73167	4.06E-05	3.0E-05	1.05E-03	3.10E-08	2	1.57E-01	9.75E-09	1.0E+06	9.8E-03
555	0.81633	4.06E-05	3.3E-05	1.05E-03	3.46E-08	2	1.57E-01	1.09E-08	1.0E+06	1.1E-02
556	0.91565	4.06E-05	3.7E-05	1.05E-03	3.88E-08	2	1.57E-01	1.22E-08	1.0E+06	1.2E-02
557	1.03128	4.06E-05	4.2E-05	1.05E-03	4.37E-08	2	1.57E-01	1.37E-08	1.0E+06	1.4E-02
558	1.16842	4.06E-05	4.7E-05	1.05E-03	4.96E-08	2	1.57E-01	1.56E-08	1.0E+06	1.6E-02
559	1.32854	4.06E-05	5.4E-05	1.05E-03	5.64E-08	2	1.57E-01	1.77E-08	1.0E+06	1.8E-02
567	0.36376	4.06E-05	1.5E-05	1.05E-03	1.54E-08	2	1.57E-01	4.85E-09	1.0E+06	4.8E-03
568	0.39391	4.06E-05	1.6E-05	1.05E-03	1.67E-08	2	1.57E-01	5.25E-09	1.0E+06	5.3E-03
569	0.42764	4.06E-05	1.7E-05	1.05E-03	1.81E-08	2	1.57E-01	5.70E-09	1.0E+06	5.7E-03
570	0.46549	4.06E-05	1.9E-05	1.05E-03	1.97E-08	2	1.57E-01	6.21E-09	1.0E+06	6.2E-03
571	0.50811	4.06E-05	2.1E-05	1.05E-03	2.16E-08	2	1.57E-01	6.77E-09	1.0E+06	6.8E-03
572	0.55629	4.06E-05	2.3E-05	1.05E-03	2.36E-08	2	1.57E-01	7.42E-09	1.0E+06	7.4E-03
573	0.61099	4.06E-05	2.5E-05	1.05E-03	2.59E-08	2	1.57E-01	8.15E-09	1.0E+06	8.1E-03
574	0.74495	4.06E-05	3.0E-05	1.05E-03	3.16E-08	2	1.57E-01	9.93E-09	1.0E+06	9.9E-03
575	0.82783	4.06E-05	3.4E-05	1.05E-03	3.51E-08	2	1.57E-01	1.10E-08	1.0E+06	1.1E-02
576	0.9236	4.06E-05	3.7E-05	1.05E-03	3.92E-08	2	1.57E-01	1.23E-08	1.0E+06	1.2E-02
577	1.03411	4.06E-05	4.2E-05	1.05E-03	4.39E-08	2	1.57E-01	1.38E-08	1.0E+06	1.4E-02
578	1.16036	4.06E-05	4.7E-05	1.05E-03	4.92E-08	2	1.57E-01	1.55E-08	1.0E+06	1.5E-02
586	0.34838	4.06E-05	1.4E-05	1.05E-03	1.48E-08	2	1.57E-01	4.64E-09	1.0E+06	4.6E-03
587	0.37563	4.06E-05	1.5E-05	1.05E-03	1.59E-08	2	1.57E-01	5.01E-09	1.0E+06	5.0E-03
588	0.40586	4.06E-05	1.6E-05	1.05E-03	1.72E-08	2	1.57E-01	5.41E-09	1.0E+06	5.4E-03
589	0.4395	4.06E-05	1.8E-05	1.05E-03	1.86E-08	2	1.57E-01	5.86E-09	1.0E+06	5.9E-03
590	0.47705	4.06E-05	1.9E-05	1.05E-03	2.02E-08	2	1.57E-01	6.36E-09	1.0E+06	6.4E-03
591	0.51915	4.06E-05	2.1E-05	1.05E-03	2.20E-08	2	1.57E-01	6.92E-09	1.0E+06	6.9E-03
592	0.56655	4.06E-05	2.3E-05	1.05E-03	2.40E-08	2	1.57E-01	7.55E-09	1.0E+06	7.6E-03

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.68112	4.06E-05	2.8E-05	1.05E-03	2.89E-08	2	1.57E-01	9.08E-09	1.0E+06	9.1E-03
594	0.75094	4.06E-05	3.0E-05	1.05E-03	3.19E-08	2	1.57E-01	1.00E-08	1.0E+06	1.0E-02
595	0.83009	4.06E-05	3.4E-05	1.05E-03	3.52E-08	2	1.57E-01	1.11E-08	1.0E+06	1.1E-02
596	0.91967	4.06E-05	3.7E-05	1.05E-03	3.90E-08	2	1.57E-01	1.23E-08	1.0E+06	1.2E-02
597	1.01991	4.06E-05	4.1E-05	1.05E-03	4.33E-08	2	1.57E-01	1.36E-08	1.0E+06	1.4E-02
345	0.6392	4.06E-05	2.6E-05	1.05E-03	2.71E-08	2	1.57E-01	8.52E-09	1.0E+06	8.5E-03
346	0.72522	4.06E-05	2.9E-05	1.05E-03	3.08E-08	2	1.57E-01	9.67E-09	1.0E+06	9.7E-03
347	0.83091	4.06E-05	3.4E-05	1.05E-03	3.52E-08	2	1.57E-01	1.11E-08	1.0E+06	1.1E-02
348	0.96264	4.06E-05	3.9E-05	1.05E-03	4.08E-08	2	1.57E-01	1.28E-08	1.0E+06	1.3E-02
359	0.65898	4.06E-05	2.7E-05	1.05E-03	2.80E-08	2	1.57E-01	8.79E-09	1.0E+06	8.8E-03
360	0.75128	4.06E-05	3.0E-05	1.05E-03	3.19E-08	2	1.57E-01	1.00E-08	1.0E+06	1.0E-02
361	0.86567	4.06E-05	3.5E-05	1.05E-03	3.67E-08	2	1.57E-01	1.15E-08	1.0E+06	1.2E-02
362	1.00953	4.06E-05	4.1E-05	1.05E-03	4.28E-08	2	1.57E-01	1.35E-08	1.0E+06	1.3E-02
363	1.19556	4.06E-05	4.9E-05	1.05E-03	5.07E-08	2	1.57E-01	1.59E-08	1.0E+06	1.6E-02
373	0.769	4.06E-05	3.1E-05	1.05E-03	3.26E-08	2	1.57E-01	1.03E-08	1.0E+06	1.0E-02
374	0.88953	4.06E-05	3.6E-05	1.05E-03	3.77E-08	2	1.57E-01	1.19E-08	1.0E+06	1.2E-02
375	1.04238	4.06E-05	4.2E-05	1.05E-03	4.42E-08	2	1.57E-01	1.39E-08	1.0E+06	1.4E-02
376	1.24186	4.06E-05	5.0E-05	1.05E-03	5.27E-08	2	1.57E-01	1.66E-08	1.0E+06	1.7E-02
386	0.7776	4.06E-05	3.2E-05	1.05E-03	3.30E-08	2	1.57E-01	1.04E-08	1.0E+06	1.0E-02
387	0.90142	4.06E-05	3.7E-05	1.05E-03	3.82E-08	2	1.57E-01	1.20E-08	1.0E+06	1.2E-02
388	1.05901	4.06E-05	4.3E-05	1.05E-03	4.49E-08	2	1.57E-01	1.41E-08	1.0E+06	1.4E-02
389	1.26564	4.06E-05	5.1E-05	1.05E-03	5.37E-08	2	1.57E-01	1.69E-08	1.0E+06	1.7E-02
390	1.54478	4.06E-05	6.3E-05	1.05E-03	6.55E-08	2	1.57E-01	2.06E-08	1.0E+06	2.1E-02
400	0.77693	4.06E-05	3.2E-05	1.05E-03	3.30E-08	2	1.57E-01	1.04E-08	1.0E+06	1.0E-02
401	0.9006	4.06E-05	3.7E-05	1.05E-03	3.82E-08	2	1.57E-01	1.20E-08	1.0E+06	1.2E-02
402	1.05881	4.06E-05	4.3E-05	1.05E-03	4.49E-08	2	1.57E-01	1.41E-08	1.0E+06	1.4E-02
403	1.265	4.06E-05	5.1E-05	1.05E-03	5.37E-08	2	1.57E-01	1.69E-08	1.0E+06	1.7E-02
404	1.54274	4.06E-05	6.3E-05	1.05E-03	6.54E-08	2	1.57E-01	2.06E-08	1.0E+06	2.1E-02
415	0.76775	4.06E-05	3.1E-05	1.05E-03	3.26E-08	2	1.57E-01	1.02E-08	1.0E+06	1.0E-02
416	0.88873	4.06E-05	3.6E-05	1.05E-03	3.77E-08	2	1.57E-01	1.18E-08	1.0E+06	1.2E-02
417	1.04217	4.06E-05	4.2E-05	1.05E-03	4.42E-08	2	1.57E-01	1.39E-08	1.0E+06	1.4E-02

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	1.24273	4.06E-05	5.0E-05	1.05E-03	5.27E-08	2	1.57E-01	1.66E-08	1.0E+06	1.7E-02
419	1.50965	4.06E-05	6.1E-05	1.05E-03	6.40E-08	2	1.57E-01	2.01E-08	1.0E+06	2.0E-02
420	1.87441	4.06E-05	7.6E-05	1.05E-03	7.95E-08	2	1.57E-01	2.50E-08	1.0E+06	2.5E-02
430	0.86668	4.06E-05	3.5E-05	1.05E-03	3.68E-08	2	1.57E-01	1.16E-08	1.0E+06	1.2E-02
431	1.01244	4.06E-05	4.1E-05	1.05E-03	4.29E-08	2	1.57E-01	1.35E-08	1.0E+06	1.3E-02
432	1.20012	4.06E-05	4.9E-05	1.05E-03	5.09E-08	2	1.57E-01	1.60E-08	1.0E+06	1.6E-02
433	1.44756	4.06E-05	5.9E-05	1.05E-03	6.14E-08	2	1.57E-01	1.93E-08	1.0E+06	1.9E-02
434	1.78342	4.06E-05	7.2E-05	1.05E-03	7.56E-08	2	1.57E-01	2.38E-08	1.0E+06	2.4E-02
444	0.83685	4.06E-05	3.4E-05	1.05E-03	3.55E-08	2	1.57E-01	1.12E-08	1.0E+06	1.1E-02
445	0.97195	4.06E-05	3.9E-05	1.05E-03	4.12E-08	2	1.57E-01	1.30E-08	1.0E+06	1.3E-02
446	1.14338	4.06E-05	4.6E-05	1.05E-03	4.85E-08	2	1.57E-01	1.52E-08	1.0E+06	1.5E-02
447	1.36554	4.06E-05	5.5E-05	1.05E-03	5.79E-08	2	1.57E-01	1.82E-08	1.0E+06	1.8E-02
448	1.66082	4.06E-05	6.7E-05	1.05E-03	7.04E-08	2	1.57E-01	2.21E-08	1.0E+06	2.2E-02
459	0.92415	4.06E-05	3.8E-05	1.05E-03	3.92E-08	2	1.57E-01	1.23E-08	1.0E+06	1.2E-02
460	1.07742	4.06E-05	4.4E-05	1.05E-03	4.57E-08	2	1.57E-01	1.44E-08	1.0E+06	1.4E-02
461	1.27229	4.06E-05	5.2E-05	1.05E-03	5.40E-08	2	1.57E-01	1.70E-08	1.0E+06	1.7E-02
462	1.52478	4.06E-05	6.2E-05	1.05E-03	6.47E-08	2	1.57E-01	2.03E-08	1.0E+06	2.0E-02
463	1.85847	4.06E-05	7.5E-05	1.05E-03	7.88E-08	2	1.57E-01	2.48E-08	1.0E+06	2.5E-02
474	0.87196	4.06E-05	3.5E-05	1.05E-03	3.70E-08	2	1.57E-01	1.16E-08	1.0E+06	1.2E-02
475	1.00647	4.06E-05	4.1E-05	1.05E-03	4.27E-08	2	1.57E-01	1.34E-08	1.0E+06	1.3E-02
476	1.17416	4.06E-05	4.8E-05	1.05E-03	4.98E-08	2	1.57E-01	1.57E-08	1.0E+06	1.6E-02
477	1.38562	4.06E-05	5.6E-05	1.05E-03	5.88E-08	2	1.57E-01	1.85E-08	1.0E+06	1.8E-02
478	1.65712	4.06E-05	6.7E-05	1.05E-03	7.03E-08	2	1.57E-01	2.21E-08	1.0E+06	2.2E-02
495	0.81768	4.06E-05	3.3E-05	1.05E-03	3.47E-08	2	1.57E-01	1.09E-08	1.0E+06	1.1E-02
496	0.93423	4.06E-05	3.8E-05	1.05E-03	3.96E-08	2	1.57E-01	1.25E-08	1.0E+06	1.2E-02
497	1.07651	4.06E-05	4.4E-05	1.05E-03	4.57E-08	2	1.57E-01	1.44E-08	1.0E+06	1.4E-02
498	1.25193	4.06E-05	5.1E-05	1.05E-03	5.31E-08	2	1.57E-01	1.67E-08	1.0E+06	1.7E-02
499	1.47079	4.06E-05	6.0E-05	1.05E-03	6.24E-08	2	1.57E-01	1.96E-08	1.0E+06	2.0E-02
500	1.74769	4.06E-05	7.1E-05	1.05E-03	7.41E-08	2	1.57E-01	2.33E-08	1.0E+06	2.3E-02

Via Oro
Risk From Travel Onsite

		Cancer Risk from Birth to 2 years - Construction									
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million	
139	0.26897	4.06E-05	1.1E-05	1.05E-03	1.14E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	0.28229	4.06E-05	1.1E-05	1.05E-03	1.20E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	0.2866	4.06E-05	1.2E-05	1.05E-03	1.22E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	0.30179	4.06E-05	1.2E-05	1.05E-03	1.28E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	0.31785	4.06E-05	1.3E-05	1.05E-03	1.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	0.33461	4.06E-05	1.4E-05	1.05E-03	1.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	0.35175	4.06E-05	1.4E-05	1.05E-03	1.49E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	0.38761	4.06E-05	1.6E-05	1.05E-03	1.64E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	0.40573	4.06E-05	1.6E-05	1.05E-03	1.72E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	0.42337	4.06E-05	1.7E-05	1.05E-03	1.80E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	0.32279	4.06E-05	1.3E-05	1.05E-03	1.37E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	0.34183	4.06E-05	1.4E-05	1.05E-03	1.45E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	0.36132	4.06E-05	1.5E-05	1.05E-03	1.53E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	0.38164	4.06E-05	1.5E-05	1.05E-03	1.62E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	0.40269	4.06E-05	1.6E-05	1.05E-03	1.71E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	0.42453	4.06E-05	1.7E-05	1.05E-03	1.80E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	0.44644	4.06E-05	1.8E-05	1.05E-03	1.89E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	0.46825	4.06E-05	1.9E-05	1.05E-03	1.99E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	0.48943	4.06E-05	2.0E-05	1.05E-03	2.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	0.50939	4.06E-05	2.1E-05	1.05E-03	2.16E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	0.52731	4.06E-05	2.1E-05	1.05E-03	2.24E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	0.36807	4.06E-05	1.5E-05	1.05E-03	1.56E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	0.39097	4.06E-05	1.6E-05	1.05E-03	1.66E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	0.41518	4.06E-05	1.7E-05	1.05E-03	1.76E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	0.44041	4.06E-05	1.8E-05	1.05E-03	1.87E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	0.46676	4.06E-05	1.9E-05	1.05E-03	1.98E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	0.49375	4.06E-05	2.0E-05	1.05E-03	2.09E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	0.52067	4.06E-05	2.1E-05	1.05E-03	2.21E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	0.54729	4.06E-05	2.2E-05	1.05E-03	2.32E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	0.57262	4.06E-05	2.3E-05	1.05E-03	2.43E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	0.59558	4.06E-05	2.4E-05	1.05E-03	2.53E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From Travel Onsite

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	0.6153	4.06E-05	2.5E-05	1.05E-03	2.61E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	0.3968	4.06E-05	1.6E-05	1.05E-03	1.68E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	0.42388	4.06E-05	1.7E-05	1.05E-03	1.80E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	0.45274	4.06E-05	1.8E-05	1.05E-03	1.92E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	0.48327	4.06E-05	2.0E-05	1.05E-03	2.05E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	0.51548	4.06E-05	2.1E-05	1.05E-03	2.19E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	0.54882	4.06E-05	2.2E-05	1.05E-03	2.33E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	0.58277	4.06E-05	2.4E-05	1.05E-03	2.47E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	0.61656	4.06E-05	2.5E-05	1.05E-03	2.62E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	0.64907	4.06E-05	2.6E-05	1.05E-03	2.75E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	0.67894	4.06E-05	2.8E-05	1.05E-03	2.88E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	0.70495	4.06E-05	2.9E-05	1.05E-03	2.99E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	0.72589	4.06E-05	2.9E-05	1.05E-03	3.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	0.39746	4.06E-05	1.6E-05	1.05E-03	1.69E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	0.42811	4.06E-05	1.7E-05	1.05E-03	1.82E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	0.46015	4.06E-05	1.9E-05	1.05E-03	1.95E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	0.49485	4.06E-05	2.0E-05	1.05E-03	2.10E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	0.57165	4.06E-05	2.3E-05	1.05E-03	2.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	0.61334	4.06E-05	2.5E-05	1.05E-03	2.60E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	0.6564	4.06E-05	2.7E-05	1.05E-03	2.78E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	0.70009	4.06E-05	2.8E-05	1.05E-03	2.97E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	0.74278	4.06E-05	3.0E-05	1.05E-03	3.15E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	0.78257	4.06E-05	3.2E-05	1.05E-03	3.32E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	0.81754	4.06E-05	3.3E-05	1.05E-03	3.47E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	0.8455	4.06E-05	3.4E-05	1.05E-03	3.59E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	0.86565	4.06E-05	3.5E-05	1.05E-03	3.67E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	0.42679	4.06E-05	1.7E-05	1.05E-03	1.81E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	0.46196	4.06E-05	1.9E-05	1.05E-03	1.96E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	0.50005	4.06E-05	2.0E-05	1.05E-03	2.12E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	0.5418	4.06E-05	2.2E-05	1.05E-03	2.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	0.58728	4.06E-05	2.4E-05	1.05E-03	2.49E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	0.63631	4.06E-05	2.6E-05	1.05E-03	2.70E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	0.68911	4.06E-05	2.8E-05	1.05E-03	2.92E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	0.80223	4.06E-05	3.3E-05	1.05E-03	3.40E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	0.85963	4.06E-05	3.5E-05	1.05E-03	3.65E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	0.91413	4.06E-05	3.7E-05	1.05E-03	3.88E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	0.96239	4.06E-05	3.9E-05	1.05E-03	4.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	1.00128	4.06E-05	4.1E-05	1.05E-03	4.25E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	1.02846	4.06E-05	4.2E-05	1.05E-03	4.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	0.45735	4.06E-05	1.9E-05	1.05E-03	1.94E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	0.49805	4.06E-05	2.0E-05	1.05E-03	2.11E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	0.54295	4.06E-05	2.2E-05	1.05E-03	2.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	0.59353	4.06E-05	2.4E-05	1.05E-03	2.52E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	0.64956	4.06E-05	2.6E-05	1.05E-03	2.76E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	0.71133	4.06E-05	2.9E-05	1.05E-03	3.02E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	0.77878	4.06E-05	3.2E-05	1.05E-03	3.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	0.92825	4.06E-05	3.8E-05	1.05E-03	3.94E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	1.0067	4.06E-05	4.1E-05	1.05E-03	4.27E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	1.08365	4.06E-05	4.4E-05	1.05E-03	4.60E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	1.15338	4.06E-05	4.7E-05	1.05E-03	4.89E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	1.20987	4.06E-05	4.9E-05	1.05E-03	5.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	1.24836	4.06E-05	5.1E-05	1.05E-03	5.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	0.48913	4.06E-05	2.0E-05	1.05E-03	2.07E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	0.5363	4.06E-05	2.2E-05	1.05E-03	2.27E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	0.58994	4.06E-05	2.4E-05	1.05E-03	2.50E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	0.64979	4.06E-05	2.6E-05	1.05E-03	2.76E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	0.71937	4.06E-05	2.9E-05	1.05E-03	3.05E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	0.79695	4.06E-05	3.2E-05	1.05E-03	3.38E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	0.88397	4.06E-05	3.6E-05	1.05E-03	3.75E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	1.08562	4.06E-05	4.4E-05	1.05E-03	4.60E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	1.19666	4.06E-05	4.9E-05	1.05E-03	5.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	1.30881	4.06E-05	5.3E-05	1.05E-03	5.55E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	1.4131	4.06E-05	5.7E-05	1.05E-03	5.99E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	1.49877	4.06E-05	6.1E-05	1.05E-03	6.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	1.55648	4.06E-05	6.3E-05	1.05E-03	6.60E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	1.63938	4.06E-05	6.7E-05	1.05E-03	6.95E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	1.67549	4.06E-05	6.8E-05	1.05E-03	7.11E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	0.52162	4.06E-05	2.1E-05	1.05E-03	2.21E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	0.57588	4.06E-05	2.3E-05	1.05E-03	2.44E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	0.63904	4.06E-05	2.6E-05	1.05E-03	2.71E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	0.71122	4.06E-05	2.9E-05	1.05E-03	3.02E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	0.79597	4.06E-05	3.2E-05	1.05E-03	3.38E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	0.89365	4.06E-05	3.6E-05	1.05E-03	3.79E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	1.0053	4.06E-05	4.1E-05	1.05E-03	4.26E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	1.28154	4.06E-05	5.2E-05	1.05E-03	5.44E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	1.4423	4.06E-05	5.9E-05	1.05E-03	6.12E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	1.61204	4.06E-05	6.5E-05	1.05E-03	6.84E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	1.77871	4.06E-05	7.2E-05	1.05E-03	7.54E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	1.92051	4.06E-05	7.8E-05	1.05E-03	8.15E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	2.01266	4.06E-05	8.2E-05	1.05E-03	8.54E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	2.15638	4.06E-05	8.8E-05	1.05E-03	9.15E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	2.19975	4.06E-05	8.9E-05	1.05E-03	9.33E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	0.55401	4.06E-05	2.2E-05	1.05E-03	2.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	0.6161	4.06E-05	2.5E-05	1.05E-03	2.61E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	0.68938	4.06E-05	2.8E-05	1.05E-03	2.92E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	0.77584	4.06E-05	3.1E-05	1.05E-03	3.29E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	0.87783	4.06E-05	3.6E-05	1.05E-03	3.72E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	1.00008	4.06E-05	4.1E-05	1.05E-03	4.24E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	1.14669	4.06E-05	4.7E-05	1.05E-03	4.86E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	1.52731	4.06E-05	6.2E-05	1.05E-03	6.48E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	1.76956	4.06E-05	7.2E-05	1.05E-03	7.51E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	2.0395	4.06E-05	8.3E-05	1.05E-03	8.65E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	2.32561	4.06E-05	9.4E-05	1.05E-03	9.86E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	2.57987	4.06E-05	1.0E-04	1.05E-03	1.09E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	2.74291	4.06E-05	1.1E-04	1.05E-03	1.16E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	2.99104	4.06E-05	1.2E-04	1.05E-03	1.27E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	2.98186	4.06E-05	1.2E-04	1.05E-03	1.26E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	0.5853	4.06E-05	2.4E-05	1.05E-03	2.48E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	0.65571	4.06E-05	2.7E-05	1.05E-03	2.78E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	0.73978	4.06E-05	3.0E-05	1.05E-03	3.14E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	0.84133	4.06E-05	3.4E-05	1.05E-03	3.57E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	0.96486	4.06E-05	3.9E-05	1.05E-03	4.09E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	1.11591	4.06E-05	4.5E-05	1.05E-03	4.73E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	1.30355	4.06E-05	5.3E-05	1.05E-03	5.53E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	1.832	4.06E-05	7.4E-05	1.05E-03	7.77E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	2.20544	4.06E-05	9.0E-05	1.05E-03	9.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	2.65809	4.06E-05	1.1E-04	1.05E-03	1.13E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	3.19566	4.06E-05	1.3E-04	1.05E-03	1.36E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	3.71929	4.06E-05	1.5E-04	1.05E-03	1.58E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	4.06723	4.06E-05	1.7E-04	1.05E-03	1.73E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	4.36111	4.06E-05	1.8E-04	1.05E-03	1.85E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	4.09767	4.06E-05	1.7E-04	1.05E-03	1.74E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	0.61414	4.06E-05	2.5E-05	1.05E-03	2.61E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	0.69272	4.06E-05	2.8E-05	1.05E-03	2.94E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	0.78792	4.06E-05	3.2E-05	1.05E-03	3.34E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	0.90515	4.06E-05	3.7E-05	1.05E-03	3.84E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	1.04994	4.06E-05	4.3E-05	1.05E-03	4.45E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	1.23392	4.06E-05	5.0E-05	1.05E-03	5.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	1.46973	4.06E-05	6.0E-05	1.05E-03	6.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	1.77758	4.06E-05	7.2E-05	1.05E-03	7.54E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	2.19274	4.06E-05	8.9E-05	1.05E-03	9.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	2.7602	4.06E-05	1.1E-04	1.05E-03	1.17E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	3.5555	4.06E-05	1.4E-04	1.05E-03	1.51E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	4.66468	4.06E-05	1.9E-04	1.05E-03	1.98E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	6.04181	4.06E-05	2.5E-04	1.05E-03	2.56E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	7.02106	4.06E-05	2.8E-04	1.05E-03	2.98E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	7.30847	4.06E-05	3.0E-04	1.05E-03	3.10E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	6.45578	4.06E-05	2.6E-04	1.05E-03	2.74E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	5.49275	4.06E-05	2.2E-04	1.05E-03	2.33E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	1.12958	4.06E-05	4.6E-05	1.05E-03	4.79E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	1.34575	4.06E-05	5.5E-05	1.05E-03	5.71E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	1.63144	4.06E-05	6.6E-05	1.05E-03	6.92E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	2.02236	4.06E-05	8.2E-05	1.05E-03	8.58E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	12.16799	4.06E-05	4.9E-04	1.05E-03	5.16E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	8.9629	4.06E-05	3.6E-04	1.05E-03	3.80E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	6.86407	4.06E-05	2.8E-04	1.05E-03	2.91E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	1.44103	4.06E-05	5.8E-05	1.05E-03	6.11E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	1.77415	4.06E-05	7.2E-05	1.05E-03	7.53E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	2.24561	4.06E-05	9.1E-05	1.05E-03	9.53E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	16.8147	4.06E-05	6.8E-04	1.05E-03	7.13E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	10.99915	4.06E-05	4.5E-04	1.05E-03	4.67E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	7.87489	4.06E-05	3.2E-04	1.05E-03	3.34E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	1.50958	4.06E-05	6.1E-05	1.05E-03	6.40E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	1.87887	4.06E-05	7.6E-05	1.05E-03	7.97E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	2.41105	4.06E-05	9.8E-05	1.05E-03	1.02E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	19.87692	4.06E-05	8.1E-04	1.05E-03	8.43E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	12.30369	4.06E-05	5.0E-04	1.05E-03	5.22E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	8.44954	4.06E-05	3.4E-04	1.05E-03	3.58E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	1.93236	4.06E-05	7.8E-05	1.05E-03	8.20E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	2.49234	4.06E-05	1.0E-04	1.05E-03	1.06E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	22.29711	4.06E-05	9.0E-04	1.05E-03	9.46E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	13.12742	4.06E-05	5.3E-04	1.05E-03	5.57E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	8.59354	4.06E-05	3.5E-04	1.05E-03	3.65E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	1.93094	4.06E-05	7.8E-05	1.05E-03	8.19E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	2.49197	4.06E-05	1.0E-04	1.05E-03	1.06E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	3.35305	4.06E-05	1.4E-04	1.05E-03	1.42E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	24.20889	4.06E-05	9.8E-04	1.05E-03	1.03E-06	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	13.19824	4.06E-05	5.4E-04	1.05E-03	5.60E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	8.15495	4.06E-05	3.3E-04	1.05E-03	3.46E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	2.40525	4.06E-05	9.8E-05	1.05E-03	1.02E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	3.20022	4.06E-05	1.3E-04	1.05E-03	1.36E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	24.16432	4.06E-05	9.8E-04	1.05E-03	1.03E-06	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	11.85452	4.06E-05	4.8E-04	1.05E-03	5.03E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	7.02668	4.06E-05	2.9E-04	1.05E-03	2.98E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	2.25169	4.06E-05	9.1E-05	1.05E-03	9.55E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	2.94658	4.06E-05	1.2E-04	1.05E-03	1.25E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	9.14611	4.06E-05	3.7E-04	1.05E-03	3.88E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	5.61797	4.06E-05	2.3E-04	1.05E-03	2.38E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	2.06028	4.06E-05	8.4E-05	1.05E-03	8.74E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	2.6369	4.06E-05	1.1E-04	1.05E-03	1.12E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	3.4884	4.06E-05	1.4E-04	1.05E-03	1.48E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	6.94554	4.06E-05	2.8E-04	1.05E-03	2.95E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	4.55144	4.06E-05	1.8E-04	1.05E-03	1.93E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	2.31573	4.06E-05	9.4E-05	1.05E-03	9.82E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	2.96176	4.06E-05	1.2E-04	1.05E-03	1.26E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	12.20745	4.06E-05	5.0E-04	1.05E-03	5.18E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	5.53793	4.06E-05	2.2E-04	1.05E-03	2.35E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	3.81669	4.06E-05	1.5E-04	1.05E-03	1.62E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	2.00598	4.06E-05	8.1E-05	1.05E-03	8.51E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	2.49371	4.06E-05	1.0E-04	1.05E-03	1.06E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	3.15554	4.06E-05	1.3E-04	1.05E-03	1.34E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	4.09677	4.06E-05	1.7E-04	1.05E-03	1.74E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	5.37607	4.06E-05	2.2E-04	1.05E-03	2.28E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	6.822	4.06E-05	2.8E-04	1.05E-03	2.89E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	7.26558	4.06E-05	2.9E-04	1.05E-03	3.08E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	6.06001	4.06E-05	2.5E-04	1.05E-03	2.57E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	4.44633	4.06E-05	1.8E-04	1.05E-03	1.89E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	3.23847	4.06E-05	1.3E-04	1.05E-03	1.37E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	2.09605	4.06E-05	8.5E-05	1.05E-03	8.89E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	2.5762	4.06E-05	1.0E-04	1.05E-03	1.09E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	3.19122	4.06E-05	1.3E-04	1.05E-03	1.35E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	3.94184	4.06E-05	1.6E-04	1.05E-03	1.67E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	4.662	4.06E-05	1.9E-04	1.05E-03	1.98E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	4.91337	4.06E-05	2.0E-04	1.05E-03	2.08E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	4.43229	4.06E-05	1.8E-04	1.05E-03	1.88E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	2.75757	4.06E-05	1.1E-04	1.05E-03	1.17E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	1.78618	4.06E-05	7.2E-05	1.05E-03	7.58E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	2.11407	4.06E-05	8.6E-05	1.05E-03	8.97E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	2.54392	4.06E-05	1.0E-04	1.05E-03	1.08E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	3.0097	4.06E-05	1.2E-04	1.05E-03	1.28E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	3.4208	4.06E-05	1.4E-04	1.05E-03	1.45E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	3.58271	4.06E-05	1.5E-04	1.05E-03	1.52E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	3.36891	4.06E-05	1.4E-04	1.05E-03	1.43E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	2.34927	4.06E-05	9.5E-05	1.05E-03	9.97E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	1.53501	4.06E-05	6.2E-05	1.05E-03	6.51E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	1.78118	4.06E-05	7.2E-05	1.05E-03	7.56E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	2.06344	4.06E-05	8.4E-05	1.05E-03	8.75E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	2.36667	4.06E-05	9.6E-05	1.05E-03	1.00E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	2.633	4.06E-05	1.1E-04	1.05E-03	1.12E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	2.74525	4.06E-05	1.1E-04	1.05E-03	1.16E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	2.64113	4.06E-05	1.1E-04	1.05E-03	1.12E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	2.0062	4.06E-05	8.1E-05	1.05E-03	8.51E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	1.51393	4.06E-05	6.1E-05	1.05E-03	6.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	1.72027	4.06E-05	7.0E-05	1.05E-03	7.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	1.9257	4.06E-05	7.8E-05	1.05E-03	8.17E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	2.08686	4.06E-05	8.5E-05	1.05E-03	8.85E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	2.17665	4.06E-05	8.8E-05	1.05E-03	9.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Travel Onsite

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	2.13369	4.06E-05	8.7E-05	1.05E-03	9.05E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	1.72409	4.06E-05	7.0E-05	1.05E-03	7.31E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	1.30055	4.06E-05	5.3E-05	1.05E-03	5.52E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	1.45173	4.06E-05	5.9E-05	1.05E-03	6.16E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	1.60002	4.06E-05	6.5E-05	1.05E-03	6.79E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	1.71925	4.06E-05	7.0E-05	1.05E-03	7.29E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	1.77955	4.06E-05	7.2E-05	1.05E-03	7.55E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	1.75634	4.06E-05	7.1E-05	1.05E-03	7.45E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	1.60092	4.06E-05	6.5E-05	1.05E-03	6.79E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	1.12913	4.06E-05	4.6E-05	1.05E-03	4.79E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	1.24141	4.06E-05	5.0E-05	1.05E-03	5.27E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	1.34959	4.06E-05	5.5E-05	1.05E-03	5.72E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	1.43729	4.06E-05	5.8E-05	1.05E-03	6.10E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	1.48465	4.06E-05	6.0E-05	1.05E-03	6.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	1.47643	4.06E-05	6.0E-05	1.05E-03	6.26E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	1.40782	4.06E-05	5.7E-05	1.05E-03	5.97E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	4.06E-05	0.0E+00	1.05E-03	0.00E+00	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Travel Onsite

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
1	1	0.12126	4.06E-05	4.9E-06	6.05E-04	2.98E-09	14	4.71E-02	1.97E-09	1.0E+06	2.0E-03
2	2	0.12556	4.06E-05	5.1E-06	6.05E-04	3.08E-09	14	4.71E-02	2.03E-09	1.0E+06	2.0E-03
3	3	0.13001	4.06E-05	5.3E-06	6.05E-04	3.19E-09	14	4.71E-02	2.11E-09	1.0E+06	2.1E-03
4	4	0.13465	4.06E-05	5.5E-06	6.05E-04	3.31E-09	14	4.71E-02	2.18E-09	1.0E+06	2.2E-03
5	5	0.1395	4.06E-05	5.7E-06	6.05E-04	3.43E-09	14	4.71E-02	2.26E-09	1.0E+06	2.3E-03
6	6	0.14463	4.06E-05	5.9E-06	6.05E-04	3.55E-09	14	4.71E-02	2.34E-09	1.0E+06	2.3E-03
7	7	0.14997	4.06E-05	6.1E-06	6.05E-04	3.68E-09	14	4.71E-02	2.43E-09	1.0E+06	2.4E-03
8	8	0.15548	4.06E-05	6.3E-06	6.05E-04	3.82E-09	14	4.71E-02	2.52E-09	1.0E+06	2.5E-03
9	9	0.16122	4.06E-05	6.5E-06	6.05E-04	3.96E-09	14	4.71E-02	2.61E-09	1.0E+06	2.6E-03
10	10	0.16717	4.06E-05	6.8E-06	6.05E-04	4.10E-09	14	4.71E-02	2.71E-09	1.0E+06	2.7E-03
11	11	0.17332	4.06E-05	7.0E-06	6.05E-04	4.26E-09	14	4.71E-02	2.81E-09	1.0E+06	2.8E-03
12	12	0.17965	4.06E-05	7.3E-06	6.05E-04	4.41E-09	14	4.71E-02	2.91E-09	1.0E+06	2.9E-03
13	13	0.18621	4.06E-05	7.6E-06	6.05E-04	4.57E-09	14	4.71E-02	3.02E-09	1.0E+06	3.0E-03
14	14	0.19293	4.06E-05	7.8E-06	6.05E-04	4.74E-09	14	4.71E-02	3.13E-09	1.0E+06	3.1E-03
15	15	0.19982	4.06E-05	8.1E-06	6.05E-04	4.91E-09	14	4.71E-02	3.24E-09	1.0E+06	3.2E-03
16	16	0.2068	4.06E-05	8.4E-06	6.05E-04	5.08E-09	14	4.71E-02	3.35E-09	1.0E+06	3.4E-03
17	17	0.21392	4.06E-05	8.7E-06	6.05E-04	5.25E-09	14	4.71E-02	3.47E-09	1.0E+06	3.5E-03
18	18	0.22103	4.06E-05	9.0E-06	6.05E-04	5.43E-09	14	4.71E-02	3.58E-09	1.0E+06	3.6E-03
19	19	0.22814	4.06E-05	9.3E-06	6.05E-04	5.60E-09	14	4.71E-02	3.70E-09	1.0E+06	3.7E-03
20	20	0.23517	4.06E-05	9.5E-06	6.05E-04	5.77E-09	14	4.71E-02	3.81E-09	1.0E+06	3.8E-03
21	21	0.24202	4.06E-05	9.8E-06	6.05E-04	5.94E-09	14	4.71E-02	3.92E-09	1.0E+06	3.9E-03
22	22	0.24864	4.06E-05	1.0E-05	6.05E-04	6.11E-09	14	4.71E-02	4.03E-09	1.0E+06	4.0E-03
23	23	0.2549	4.06E-05	1.0E-05	6.05E-04	6.26E-09	14	4.71E-02	4.13E-09	1.0E+06	4.1E-03
24	24	0.26073	4.06E-05	1.1E-05	6.05E-04	6.40E-09	14	4.71E-02	4.23E-09	1.0E+06	4.2E-03
25	25	0.26606	4.06E-05	1.1E-05	6.05E-04	6.53E-09	14	4.71E-02	4.31E-09	1.0E+06	4.3E-03
26	26	0.27081	4.06E-05	1.1E-05	6.05E-04	6.65E-09	14	4.71E-02	4.39E-09	1.0E+06	4.4E-03
27	27	0.27493	4.06E-05	1.1E-05	6.05E-04	6.75E-09	14	4.71E-02	4.46E-09	1.0E+06	4.5E-03
28	28	0.27832	4.06E-05	1.1E-05	6.05E-04	6.83E-09	14	4.71E-02	4.51E-09	1.0E+06	4.5E-03
29	29	0.281	4.06E-05	1.1E-05	6.05E-04	6.90E-09	14	4.71E-02	4.55E-09	1.0E+06	4.6E-03
30	30	0.28295	4.06E-05	1.1E-05	6.05E-04	6.95E-09	14	4.71E-02	4.59E-09	1.0E+06	4.6E-03
31	31	0.28417	4.06E-05	1.2E-05	6.05E-04	6.98E-09	14	4.71E-02	4.61E-09	1.0E+06	4.6E-03

Via Oro
Risk From Travel Onsite

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
32	32	0.28469	4.06E-05	1.2E-05	6.05E-04	6.99E-09	14	4.71E-02	4.61E-09	1.0E+06	4.6E-03
55	55	0.26742	4.06E-05	1.1E-05	6.05E-04	6.57E-09	14	4.71E-02	4.33E-09	1.0E+06	4.3E-03
56	56	0.27471	4.06E-05	1.1E-05	6.05E-04	6.75E-09	14	4.71E-02	4.45E-09	1.0E+06	4.5E-03
57	57	0.2816	4.06E-05	1.1E-05	6.05E-04	6.91E-09	14	4.71E-02	4.56E-09	1.0E+06	4.6E-03
58	58	0.28787	4.06E-05	1.2E-05	6.05E-04	7.07E-09	14	4.71E-02	4.67E-09	1.0E+06	4.7E-03
59	59	0.29342	4.06E-05	1.2E-05	6.05E-04	7.21E-09	14	4.71E-02	4.76E-09	1.0E+06	4.8E-03
60	60	0.29817	4.06E-05	1.2E-05	6.05E-04	7.32E-09	14	4.71E-02	4.83E-09	1.0E+06	4.8E-03
61	61	0.30216	4.06E-05	1.2E-05	6.05E-04	7.42E-09	14	4.71E-02	4.90E-09	1.0E+06	4.9E-03
62	62	0.30524	4.06E-05	1.2E-05	6.05E-04	7.50E-09	14	4.71E-02	4.95E-09	1.0E+06	4.9E-03
63	63	0.30747	4.06E-05	1.2E-05	6.05E-04	7.55E-09	14	4.71E-02	4.98E-09	1.0E+06	5.0E-03
64	64	0.30882	4.06E-05	1.3E-05	6.05E-04	7.58E-09	14	4.71E-02	5.00E-09	1.0E+06	5.0E-03
65	65	0.30937	4.06E-05	1.3E-05	6.05E-04	7.60E-09	14	4.71E-02	5.01E-09	1.0E+06	5.0E-03
66	66	0.30943	4.06E-05	1.3E-05	6.05E-04	7.60E-09	14	4.71E-02	5.01E-09	1.0E+06	5.0E-03
67	67	0.12907	4.06E-05	5.2E-06	6.05E-04	3.17E-09	14	4.71E-02	2.09E-09	1.0E+06	2.1E-03
68	68	0.13402	4.06E-05	5.4E-06	6.05E-04	3.29E-09	14	4.71E-02	2.17E-09	1.0E+06	2.2E-03
69	69	0.13922	4.06E-05	5.7E-06	6.05E-04	3.42E-09	14	4.71E-02	2.26E-09	1.0E+06	2.3E-03
70	70	0.14467	4.06E-05	5.9E-06	6.05E-04	3.55E-09	14	4.71E-02	2.34E-09	1.0E+06	2.3E-03
71	71	0.15034	4.06E-05	6.1E-06	6.05E-04	3.69E-09	14	4.71E-02	2.44E-09	1.0E+06	2.4E-03
72	72	0.15639	4.06E-05	6.3E-06	6.05E-04	3.84E-09	14	4.71E-02	2.53E-09	1.0E+06	2.5E-03
73	73	0.16271	4.06E-05	6.6E-06	6.05E-04	4.00E-09	14	4.71E-02	2.64E-09	1.0E+06	2.6E-03
74	74	0.16932	4.06E-05	6.9E-06	6.05E-04	4.16E-09	14	4.71E-02	2.74E-09	1.0E+06	2.7E-03
75	75	0.17621	4.06E-05	7.2E-06	6.05E-04	4.33E-09	14	4.71E-02	2.86E-09	1.0E+06	2.9E-03
76	76	0.18343	4.06E-05	7.4E-06	6.05E-04	4.50E-09	14	4.71E-02	2.97E-09	1.0E+06	3.0E-03
77	77	0.19099	4.06E-05	7.8E-06	6.05E-04	4.69E-09	14	4.71E-02	3.10E-09	1.0E+06	3.1E-03
78	78	0.19891	4.06E-05	8.1E-06	6.05E-04	4.88E-09	14	4.71E-02	3.22E-09	1.0E+06	3.2E-03
79	79	0.24228	4.06E-05	9.8E-06	6.05E-04	5.95E-09	14	4.71E-02	3.93E-09	1.0E+06	3.9E-03
80	80	0.25154	4.06E-05	1.0E-05	6.05E-04	6.18E-09	14	4.71E-02	4.08E-09	1.0E+06	4.1E-03
81	81	0.26097	4.06E-05	1.1E-05	6.05E-04	6.41E-09	14	4.71E-02	4.23E-09	1.0E+06	4.2E-03
82	82	0.27033	4.06E-05	1.1E-05	6.05E-04	6.64E-09	14	4.71E-02	4.38E-09	1.0E+06	4.4E-03
83	83	0.27961	4.06E-05	1.1E-05	6.05E-04	6.87E-09	14	4.71E-02	4.53E-09	1.0E+06	4.5E-03
84	84	0.28857	4.06E-05	1.2E-05	6.05E-04	7.09E-09	14	4.71E-02	4.68E-09	1.0E+06	4.7E-03

Via Oro
Risk From Travel Onsite

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
85	85	0.29718	4.06E-05	1.2E-05	6.05E-04	7.30E-09	14	4.71E-02	4.82E-09	1.0E+06	4.8E-03
86	86	0.30527	4.06E-05	1.2E-05	6.05E-04	7.50E-09	14	4.71E-02	4.95E-09	1.0E+06	4.9E-03
87	87	0.31265	4.06E-05	1.3E-05	6.05E-04	7.68E-09	14	4.71E-02	5.07E-09	1.0E+06	5.1E-03
88	88	0.31924	4.06E-05	1.3E-05	6.05E-04	7.84E-09	14	4.71E-02	5.17E-09	1.0E+06	5.2E-03
89	89	0.32485	4.06E-05	1.3E-05	6.05E-04	7.98E-09	14	4.71E-02	5.26E-09	1.0E+06	5.3E-03
90	90	0.32947	4.06E-05	1.3E-05	6.05E-04	8.09E-09	14	4.71E-02	5.34E-09	1.0E+06	5.3E-03
91	91	0.33314	4.06E-05	1.4E-05	6.05E-04	8.18E-09	14	4.71E-02	5.40E-09	1.0E+06	5.4E-03
92	92	0.33561	4.06E-05	1.4E-05	6.05E-04	8.24E-09	14	4.71E-02	5.44E-09	1.0E+06	5.4E-03
93	93	0.33719	4.06E-05	1.4E-05	6.05E-04	8.28E-09	14	4.71E-02	5.46E-09	1.0E+06	5.5E-03
96	96	0.32935	4.06E-05	1.3E-05	6.05E-04	8.09E-09	14	4.71E-02	5.34E-09	1.0E+06	5.3E-03
97	97	0.32028	4.06E-05	1.3E-05	6.05E-04	7.86E-09	14	4.71E-02	5.19E-09	1.0E+06	5.2E-03
98	98	0.34886	4.06E-05	1.4E-05	6.05E-04	8.57E-09	14	4.71E-02	5.65E-09	1.0E+06	5.7E-03
99	99	0.35566	4.06E-05	1.4E-05	6.05E-04	8.73E-09	14	4.71E-02	5.76E-09	1.0E+06	5.8E-03
100	100	0.36116	4.06E-05	1.5E-05	6.05E-04	8.87E-09	14	4.71E-02	5.85E-09	1.0E+06	5.9E-03
101	101	0.36534	4.06E-05	1.5E-05	6.05E-04	8.97E-09	14	4.71E-02	5.92E-09	1.0E+06	5.9E-03
102	102	0.36832	4.06E-05	1.5E-05	6.05E-04	9.04E-09	14	4.71E-02	5.97E-09	1.0E+06	6.0E-03
106	106	0.13174	4.06E-05	5.3E-06	6.05E-04	3.23E-09	14	4.71E-02	2.14E-09	1.0E+06	2.1E-03
107	107	0.13718	4.06E-05	5.6E-06	6.05E-04	3.37E-09	14	4.71E-02	2.22E-09	1.0E+06	2.2E-03
108	108	0.14286	4.06E-05	5.8E-06	6.05E-04	3.51E-09	14	4.71E-02	2.32E-09	1.0E+06	2.3E-03
109	109	0.14886	4.06E-05	6.0E-06	6.05E-04	3.66E-09	14	4.71E-02	2.41E-09	1.0E+06	2.4E-03
110	110	0.15522	4.06E-05	6.3E-06	6.05E-04	3.81E-09	14	4.71E-02	2.52E-09	1.0E+06	2.5E-03
111	111	0.16187	4.06E-05	6.6E-06	6.05E-04	3.97E-09	14	4.71E-02	2.62E-09	1.0E+06	2.6E-03
112	112	0.16904	4.06E-05	6.9E-06	6.05E-04	4.15E-09	14	4.71E-02	2.74E-09	1.0E+06	2.7E-03
113	113	0.17654	4.06E-05	7.2E-06	6.05E-04	4.34E-09	14	4.71E-02	2.86E-09	1.0E+06	2.9E-03
114	114	0.18447	4.06E-05	7.5E-06	6.05E-04	4.53E-09	14	4.71E-02	2.99E-09	1.0E+06	3.0E-03
115	115	0.1928	4.06E-05	7.8E-06	6.05E-04	4.73E-09	14	4.71E-02	3.12E-09	1.0E+06	3.1E-03
116	116	0.20152	4.06E-05	8.2E-06	6.05E-04	4.95E-09	14	4.71E-02	3.27E-09	1.0E+06	3.3E-03
117	117	0.21084	4.06E-05	8.6E-06	6.05E-04	5.18E-09	14	4.71E-02	3.42E-09	1.0E+06	3.4E-03
118	118	0.22064	4.06E-05	9.0E-06	6.05E-04	5.42E-09	14	4.71E-02	3.58E-09	1.0E+06	3.6E-03
124	124	0.13553	4.06E-05	5.5E-06	6.05E-04	3.33E-09	14	4.71E-02	2.20E-09	1.0E+06	2.2E-03
125	125	0.14126	4.06E-05	5.7E-06	6.05E-04	3.47E-09	14	4.71E-02	2.29E-09	1.0E+06	2.3E-03

Via Oro
Risk From Travel Onsite

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
126	126	0.14734	4.06E-05	6.0E-06	6.05E-04	3.62E-09	14	4.71E-02	2.39E-09	1.0E+06	2.4E-03
127	127	0.15378	4.06E-05	6.2E-06	6.05E-04	3.78E-09	14	4.71E-02	2.49E-09	1.0E+06	2.5E-03
128	128	0.16062	4.06E-05	6.5E-06	6.05E-04	3.94E-09	14	4.71E-02	2.60E-09	1.0E+06	2.6E-03
129	129	0.16783	4.06E-05	6.8E-06	6.05E-04	4.12E-09	14	4.71E-02	2.72E-09	1.0E+06	2.7E-03
130	130	0.1756	4.06E-05	7.1E-06	6.05E-04	4.31E-09	14	4.71E-02	2.85E-09	1.0E+06	2.8E-03
131	131	0.18381	4.06E-05	7.5E-06	6.05E-04	4.51E-09	14	4.71E-02	2.98E-09	1.0E+06	3.0E-03
132	132	0.19252	4.06E-05	7.8E-06	6.05E-04	4.73E-09	14	4.71E-02	3.12E-09	1.0E+06	3.1E-03
133	133	0.2017	4.06E-05	8.2E-06	6.05E-04	4.95E-09	14	4.71E-02	3.27E-09	1.0E+06	3.3E-03
134	134	0.21151	4.06E-05	8.6E-06	6.05E-04	5.19E-09	14	4.71E-02	3.43E-09	1.0E+06	3.4E-03
135	135	0.22183	4.06E-05	9.0E-06	6.05E-04	5.45E-09	14	4.71E-02	3.60E-09	1.0E+06	3.6E-03
136	136	0.23272	4.06E-05	9.4E-06	6.05E-04	5.71E-09	14	4.71E-02	3.77E-09	1.0E+06	3.8E-03
137	137	0.24414	4.06E-05	9.9E-06	6.05E-04	6.00E-09	14	4.71E-02	3.96E-09	1.0E+06	4.0E-03
138	138	0.25634	4.06E-05	1.0E-05	6.05E-04	6.29E-09	14	4.71E-02	4.15E-09	1.0E+06	4.2E-03
141	141	0.13928	4.06E-05	5.7E-06	6.05E-04	3.42E-09	14	4.71E-02	2.26E-09	1.0E+06	2.3E-03
142	142	0.14539	4.06E-05	5.9E-06	6.05E-04	3.57E-09	14	4.71E-02	2.36E-09	1.0E+06	2.4E-03
143	143	0.15188	4.06E-05	6.2E-06	6.05E-04	3.73E-09	14	4.71E-02	2.46E-09	1.0E+06	2.5E-03
144	144	0.15878	4.06E-05	6.4E-06	6.05E-04	3.90E-09	14	4.71E-02	2.57E-09	1.0E+06	2.6E-03
145	145	0.16614	4.06E-05	6.7E-06	6.05E-04	4.08E-09	14	4.71E-02	2.69E-09	1.0E+06	2.7E-03
146	146	0.17393	4.06E-05	7.1E-06	6.05E-04	4.27E-09	14	4.71E-02	2.82E-09	1.0E+06	2.8E-03
147	147	0.18235	4.06E-05	7.4E-06	6.05E-04	4.48E-09	14	4.71E-02	2.96E-09	1.0E+06	3.0E-03
148	148	0.19128	4.06E-05	7.8E-06	6.05E-04	4.70E-09	14	4.71E-02	3.10E-09	1.0E+06	3.1E-03
149	149	0.20081	4.06E-05	8.1E-06	6.05E-04	4.93E-09	14	4.71E-02	3.25E-09	1.0E+06	3.3E-03
150	150	0.21094	4.06E-05	8.6E-06	6.05E-04	5.18E-09	14	4.71E-02	3.42E-09	1.0E+06	3.4E-03
151	151	0.22175	4.06E-05	9.0E-06	6.05E-04	5.45E-09	14	4.71E-02	3.59E-09	1.0E+06	3.6E-03
152	152	0.23326	4.06E-05	9.5E-06	6.05E-04	5.73E-09	14	4.71E-02	3.78E-09	1.0E+06	3.8E-03
153	153	0.24548	4.06E-05	1.0E-05	6.05E-04	6.03E-09	14	4.71E-02	3.98E-09	1.0E+06	4.0E-03
154	154	0.25835	4.06E-05	1.0E-05	6.05E-04	6.34E-09	14	4.71E-02	4.19E-09	1.0E+06	4.2E-03
155	155	0.27204	4.06E-05	1.1E-05	6.05E-04	6.68E-09	14	4.71E-02	4.41E-09	1.0E+06	4.4E-03
164	164	0.27343	4.06E-05	1.1E-05	6.05E-04	6.71E-09	14	4.71E-02	4.43E-09	1.0E+06	4.4E-03
165	165	0.2889	4.06E-05	1.2E-05	6.05E-04	7.09E-09	14	4.71E-02	4.68E-09	1.0E+06	4.7E-03
166	166	0.30557	4.06E-05	1.2E-05	6.05E-04	7.50E-09	14	4.71E-02	4.95E-09	1.0E+06	5.0E-03

Via Oro
Risk From Travel Onsite

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	0.28934	4.06E-05	1.2E-05	6.05E-04	7.10E-09	14	4.71E-02	4.69E-09	1.0E+06	4.7E-03
179	179	0.30694	4.06E-05	1.2E-05	6.05E-04	7.54E-09	14	4.71E-02	4.97E-09	1.0E+06	5.0E-03
180	180	0.32599	4.06E-05	1.3E-05	6.05E-04	8.00E-09	14	4.71E-02	5.28E-09	1.0E+06	5.3E-03
192	192	0.30611	4.06E-05	1.2E-05	6.05E-04	7.52E-09	14	4.71E-02	4.96E-09	1.0E+06	5.0E-03
193	193	0.32619	4.06E-05	1.3E-05	6.05E-04	8.01E-09	14	4.71E-02	5.29E-09	1.0E+06	5.3E-03
194	194	0.34788	4.06E-05	1.4E-05	6.05E-04	8.54E-09	14	4.71E-02	5.64E-09	1.0E+06	5.6E-03
207	207	0.32356	4.06E-05	1.3E-05	6.05E-04	7.95E-09	14	4.71E-02	5.24E-09	1.0E+06	5.2E-03
208	208	0.34632	4.06E-05	1.4E-05	6.05E-04	8.50E-09	14	4.71E-02	5.61E-09	1.0E+06	5.6E-03
209	209	0.37122	4.06E-05	1.5E-05	6.05E-04	9.12E-09	14	4.71E-02	6.02E-09	1.0E+06	6.0E-03
223	223	0.3416	4.06E-05	1.4E-05	6.05E-04	8.39E-09	14	4.71E-02	5.54E-09	1.0E+06	5.5E-03
224	224	0.36731	4.06E-05	1.5E-05	6.05E-04	9.02E-09	14	4.71E-02	5.95E-09	1.0E+06	6.0E-03
225	225	0.39557	4.06E-05	1.6E-05	6.05E-04	9.71E-09	14	4.71E-02	6.41E-09	1.0E+06	6.4E-03
239	239	0.36011	4.06E-05	1.5E-05	6.05E-04	8.84E-09	14	4.71E-02	5.84E-09	1.0E+06	5.8E-03
240	240	0.38904	4.06E-05	1.6E-05	6.05E-04	9.55E-09	14	4.71E-02	6.31E-09	1.0E+06	6.3E-03
241	241	0.42133	4.06E-05	1.7E-05	6.05E-04	1.03E-08	14	4.71E-02	6.83E-09	1.0E+06	6.8E-03
255	255	0.37874	4.06E-05	1.5E-05	6.05E-04	9.30E-09	14	4.71E-02	6.14E-09	1.0E+06	6.1E-03
256	256	0.41114	4.06E-05	1.7E-05	6.05E-04	1.01E-08	14	4.71E-02	6.66E-09	1.0E+06	6.7E-03
272	272	0.39707	4.06E-05	1.6E-05	6.05E-04	9.75E-09	14	4.71E-02	6.44E-09	1.0E+06	6.4E-03
273	273	0.43324	4.06E-05	1.8E-05	6.05E-04	1.06E-08	14	4.71E-02	7.02E-09	1.0E+06	7.0E-03
289	289	0.41485	4.06E-05	1.7E-05	6.05E-04	1.02E-08	14	4.71E-02	6.72E-09	1.0E+06	6.7E-03
290	290	0.45476	4.06E-05	1.8E-05	6.05E-04	1.12E-08	14	4.71E-02	7.37E-09	1.0E+06	7.4E-03
306	306	0.4314	4.06E-05	1.8E-05	6.05E-04	1.06E-08	14	4.71E-02	6.99E-09	1.0E+06	7.0E-03
307	307	0.47503	4.06E-05	1.9E-05	6.05E-04	1.17E-08	14	4.71E-02	7.70E-09	1.0E+06	7.7E-03
323	323	0.44616	4.06E-05	1.8E-05	6.05E-04	1.10E-08	14	4.71E-02	7.23E-09	1.0E+06	7.2E-03
324	324	0.4933	4.06E-05	2.0E-05	6.05E-04	1.21E-08	14	4.71E-02	7.99E-09	1.0E+06	8.0E-03
342	342	0.45857	4.06E-05	1.9E-05	6.05E-04	1.13E-08	14	4.71E-02	7.43E-09	1.0E+06	7.4E-03
343	343	0.5088	4.06E-05	2.1E-05	6.05E-04	1.25E-08	14	4.71E-02	8.25E-09	1.0E+06	8.2E-03
344	344	0.5681	4.06E-05	2.3E-05	6.05E-04	1.40E-08	14	4.71E-02	9.21E-09	1.0E+06	9.2E-03
356	356	0.46806	4.06E-05	1.9E-05	6.05E-04	1.15E-08	14	4.71E-02	7.59E-09	1.0E+06	7.6E-03
357	357	0.52069	4.06E-05	2.1E-05	6.05E-04	1.28E-08	14	4.71E-02	8.44E-09	1.0E+06	8.4E-03
358	358	0.58338	4.06E-05	2.4E-05	6.05E-04	1.43E-08	14	4.71E-02	9.45E-09	1.0E+06	9.5E-03

Via Oro
Risk From Travel Onsite

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
370	370	0.47432	4.06E-05	1.9E-05	6.05E-04	1.16E-08	14	4.71E-02	7.69E-09	1.0E+06	7.7E-03
371	371	0.52862	4.06E-05	2.1E-05	6.05E-04	1.30E-08	14	4.71E-02	8.57E-09	1.0E+06	8.6E-03
372	372	0.5936	4.06E-05	2.4E-05	6.05E-04	1.46E-08	14	4.71E-02	9.62E-09	1.0E+06	9.6E-03
383	383	0.47712	4.06E-05	1.9E-05	6.05E-04	1.17E-08	14	4.71E-02	7.73E-09	1.0E+06	7.7E-03
384	384	0.53227	4.06E-05	2.2E-05	6.05E-04	1.31E-08	14	4.71E-02	8.63E-09	1.0E+06	8.6E-03
385	385	0.59839	4.06E-05	2.4E-05	6.05E-04	1.47E-08	14	4.71E-02	9.70E-09	1.0E+06	9.7E-03
396	396	0.47655	4.06E-05	1.9E-05	6.05E-04	1.17E-08	14	4.71E-02	7.72E-09	1.0E+06	7.7E-03
397	397	0.53168	4.06E-05	2.2E-05	6.05E-04	1.31E-08	14	4.71E-02	8.62E-09	1.0E+06	8.6E-03
398	398	0.59776	4.06E-05	2.4E-05	6.05E-04	1.47E-08	14	4.71E-02	9.69E-09	1.0E+06	9.7E-03
399	399	0.67801	4.06E-05	2.8E-05	6.05E-04	1.66E-08	14	4.71E-02	1.10E-08	1.0E+06	1.1E-02
411	411	0.47283	4.06E-05	1.9E-05	6.05E-04	1.16E-08	14	4.71E-02	7.66E-09	1.0E+06	7.7E-03
412	412	0.52713	4.06E-05	2.1E-05	6.05E-04	1.29E-08	14	4.71E-02	8.54E-09	1.0E+06	8.5E-03
413	413	0.59222	4.06E-05	2.4E-05	6.05E-04	1.45E-08	14	4.71E-02	9.60E-09	1.0E+06	9.6E-03
414	414	0.67089	4.06E-05	2.7E-05	6.05E-04	1.65E-08	14	4.71E-02	1.09E-08	1.0E+06	1.1E-02
426	426	0.46641	4.06E-05	1.9E-05	6.05E-04	1.15E-08	14	4.71E-02	7.56E-09	1.0E+06	7.6E-03
427	427	0.51922	4.06E-05	2.1E-05	6.05E-04	1.27E-08	14	4.71E-02	8.41E-09	1.0E+06	8.4E-03
428	428	0.58215	4.06E-05	2.4E-05	6.05E-04	1.43E-08	14	4.71E-02	9.43E-09	1.0E+06	9.4E-03
429	429	0.65817	4.06E-05	2.7E-05	6.05E-04	1.62E-08	14	4.71E-02	1.07E-08	1.0E+06	1.1E-02
439	439	0.45769	4.06E-05	1.9E-05	6.05E-04	1.12E-08	14	4.71E-02	7.42E-09	1.0E+06	7.4E-03
440	440	0.50847	4.06E-05	2.1E-05	6.05E-04	1.25E-08	14	4.71E-02	8.24E-09	1.0E+06	8.2E-03
441	441	0.56873	4.06E-05	2.3E-05	6.05E-04	1.40E-08	14	4.71E-02	9.22E-09	1.0E+06	9.2E-03
442	442	0.64102	4.06E-05	2.6E-05	6.05E-04	1.57E-08	14	4.71E-02	1.04E-08	1.0E+06	1.0E-02
443	443	0.72881	4.06E-05	3.0E-05	6.05E-04	1.79E-08	14	4.71E-02	1.18E-08	1.0E+06	1.2E-02
454	454	0.44719	4.06E-05	1.8E-05	6.05E-04	1.10E-08	14	4.71E-02	7.25E-09	1.0E+06	7.2E-03
455	455	0.49552	4.06E-05	2.0E-05	6.05E-04	1.22E-08	14	4.71E-02	8.03E-09	1.0E+06	8.0E-03
456	456	0.55252	4.06E-05	2.2E-05	6.05E-04	1.36E-08	14	4.71E-02	8.95E-09	1.0E+06	9.0E-03
457	457	0.6204	4.06E-05	2.5E-05	6.05E-04	1.52E-08	14	4.71E-02	1.01E-08	1.0E+06	1.0E-02
458	458	0.70209	4.06E-05	2.8E-05	6.05E-04	1.72E-08	14	4.71E-02	1.14E-08	1.0E+06	1.1E-02
469	469	0.43526	4.06E-05	1.8E-05	6.05E-04	1.07E-08	14	4.71E-02	7.05E-09	1.0E+06	7.1E-03
470	470	0.4808	4.06E-05	2.0E-05	6.05E-04	1.18E-08	14	4.71E-02	7.79E-09	1.0E+06	7.8E-03
471	471	0.53418	4.06E-05	2.2E-05	6.05E-04	1.31E-08	14	4.71E-02	8.66E-09	1.0E+06	8.7E-03

Via Oro
Risk From Travel Onsite

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	0.59716	4.06E-05	2.4E-05	6.05E-04	1.47E-08	14	4.71E-02	9.68E-09	1.0E+06	9.7E-03
473	473	0.67215	4.06E-05	2.7E-05	6.05E-04	1.65E-08	14	4.71E-02	1.09E-08	1.0E+06	1.1E-02
489	489	0.42232	4.06E-05	1.7E-05	6.05E-04	1.04E-08	14	4.71E-02	6.84E-09	1.0E+06	6.8E-03
490	490	0.4649	4.06E-05	1.9E-05	6.05E-04	1.14E-08	14	4.71E-02	7.53E-09	1.0E+06	7.5E-03
491	491	0.51437	4.06E-05	2.1E-05	6.05E-04	1.26E-08	14	4.71E-02	8.34E-09	1.0E+06	8.3E-03
492	492	0.5722	4.06E-05	2.3E-05	6.05E-04	1.41E-08	14	4.71E-02	9.27E-09	1.0E+06	9.3E-03
493	493	0.6403	4.06E-05	2.6E-05	6.05E-04	1.57E-08	14	4.71E-02	1.04E-08	1.0E+06	1.0E-02
494	494	0.72107	4.06E-05	2.9E-05	6.05E-04	1.77E-08	14	4.71E-02	1.17E-08	1.0E+06	1.2E-02
509	509	0.40848	4.06E-05	1.7E-05	6.05E-04	1.00E-08	14	4.71E-02	6.62E-09	1.0E+06	6.6E-03
510	510	0.44798	4.06E-05	1.8E-05	6.05E-04	1.10E-08	14	4.71E-02	7.26E-09	1.0E+06	7.3E-03
511	511	0.49341	4.06E-05	2.0E-05	6.05E-04	1.21E-08	14	4.71E-02	8.00E-09	1.0E+06	8.0E-03
512	512	0.546	4.06E-05	2.2E-05	6.05E-04	1.34E-08	14	4.71E-02	8.85E-09	1.0E+06	8.8E-03
513	513	0.60721	4.06E-05	2.5E-05	6.05E-04	1.49E-08	14	4.71E-02	9.84E-09	1.0E+06	9.8E-03
514	514	0.67882	4.06E-05	2.8E-05	6.05E-04	1.67E-08	14	4.71E-02	1.10E-08	1.0E+06	1.1E-02
515	515	0.86332	4.06E-05	3.5E-05	6.05E-04	2.12E-08	14	4.71E-02	1.40E-08	1.0E+06	1.4E-02
516	516	0.98287	4.06E-05	4.0E-05	6.05E-04	2.41E-08	14	4.71E-02	1.59E-08	1.0E+06	1.6E-02
517	517	1.12744	4.06E-05	4.6E-05	6.05E-04	2.77E-08	14	4.71E-02	1.83E-08	1.0E+06	1.8E-02
518	518	1.30392	4.06E-05	5.3E-05	6.05E-04	3.20E-08	14	4.71E-02	2.11E-08	1.0E+06	2.1E-02
519	519	1.52214	4.06E-05	6.2E-05	6.05E-04	3.74E-08	14	4.71E-02	2.47E-08	1.0E+06	2.5E-02
528	528	0.39399	4.06E-05	1.6E-05	6.05E-04	9.67E-09	14	4.71E-02	6.39E-09	1.0E+06	6.4E-03
529	529	0.43034	4.06E-05	1.7E-05	6.05E-04	1.06E-08	14	4.71E-02	6.97E-09	1.0E+06	7.0E-03
530	530	0.47176	4.06E-05	1.9E-05	6.05E-04	1.16E-08	14	4.71E-02	7.65E-09	1.0E+06	7.6E-03
531	531	0.51917	4.06E-05	2.1E-05	6.05E-04	1.27E-08	14	4.71E-02	8.41E-09	1.0E+06	8.4E-03
532	532	0.57371	4.06E-05	2.3E-05	6.05E-04	1.41E-08	14	4.71E-02	9.30E-09	1.0E+06	9.3E-03
533	533	0.63671	4.06E-05	2.6E-05	6.05E-04	1.56E-08	14	4.71E-02	1.03E-08	1.0E+06	1.0E-02
534	534	0.79526	4.06E-05	3.2E-05	6.05E-04	1.95E-08	14	4.71E-02	1.29E-08	1.0E+06	1.3E-02
535	535	0.89563	4.06E-05	3.6E-05	6.05E-04	2.20E-08	14	4.71E-02	1.45E-08	1.0E+06	1.5E-02
536	536	1.01524	4.06E-05	4.1E-05	6.05E-04	2.49E-08	14	4.71E-02	1.65E-08	1.0E+06	1.6E-02
537	537	1.15731	4.06E-05	4.7E-05	6.05E-04	2.84E-08	14	4.71E-02	1.88E-08	1.0E+06	1.9E-02
538	538	1.32841	4.06E-05	5.4E-05	6.05E-04	3.26E-08	14	4.71E-02	2.15E-08	1.0E+06	2.2E-02
547	547	0.37904	4.06E-05	1.5E-05	6.05E-04	9.31E-09	14	4.71E-02	6.14E-09	1.0E+06	6.1E-03

Via Oro
Risk From Travel Onsite

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.41225	4.06E-05	1.7E-05	6.05E-04	1.01E-08	14	4.71E-02	6.68E-09	1.0E+06	6.7E-03
549	549	0.44972	4.06E-05	1.8E-05	6.05E-04	1.10E-08	14	4.71E-02	7.29E-09	1.0E+06	7.3E-03
550	550	0.49221	4.06E-05	2.0E-05	6.05E-04	1.21E-08	14	4.71E-02	7.98E-09	1.0E+06	8.0E-03
551	551	0.54049	4.06E-05	2.2E-05	6.05E-04	1.33E-08	14	4.71E-02	8.76E-09	1.0E+06	8.8E-03
552	552	0.59561	4.06E-05	2.4E-05	6.05E-04	1.46E-08	14	4.71E-02	9.65E-09	1.0E+06	9.7E-03
553	553	0.65887	4.06E-05	2.7E-05	6.05E-04	1.62E-08	14	4.71E-02	1.07E-08	1.0E+06	1.1E-02
554	554	0.73167	4.06E-05	3.0E-05	6.05E-04	1.80E-08	14	4.71E-02	1.19E-08	1.0E+06	1.2E-02
555	555	0.81633	4.06E-05	3.3E-05	6.05E-04	2.00E-08	14	4.71E-02	1.32E-08	1.0E+06	1.3E-02
556	556	0.91565	4.06E-05	3.7E-05	6.05E-04	2.25E-08	14	4.71E-02	1.48E-08	1.0E+06	1.5E-02
557	557	1.03128	4.06E-05	4.2E-05	6.05E-04	2.53E-08	14	4.71E-02	1.67E-08	1.0E+06	1.7E-02
558	558	1.16842	4.06E-05	4.7E-05	6.05E-04	2.87E-08	14	4.71E-02	1.89E-08	1.0E+06	1.9E-02
559	559	1.32854	4.06E-05	5.4E-05	6.05E-04	3.26E-08	14	4.71E-02	2.15E-08	1.0E+06	2.2E-02
567	567	0.36376	4.06E-05	1.5E-05	6.05E-04	8.93E-09	14	4.71E-02	5.90E-09	1.0E+06	5.9E-03
568	568	0.39391	4.06E-05	1.6E-05	6.05E-04	9.67E-09	14	4.71E-02	6.38E-09	1.0E+06	6.4E-03
569	569	0.42764	4.06E-05	1.7E-05	6.05E-04	1.05E-08	14	4.71E-02	6.93E-09	1.0E+06	6.9E-03
570	570	0.46549	4.06E-05	1.9E-05	6.05E-04	1.14E-08	14	4.71E-02	7.54E-09	1.0E+06	7.5E-03
571	571	0.50811	4.06E-05	2.1E-05	6.05E-04	1.25E-08	14	4.71E-02	8.23E-09	1.0E+06	8.2E-03
572	572	0.55629	4.06E-05	2.3E-05	6.05E-04	1.37E-08	14	4.71E-02	9.02E-09	1.0E+06	9.0E-03
573	573	0.61099	4.06E-05	2.5E-05	6.05E-04	1.50E-08	14	4.71E-02	9.90E-09	1.0E+06	9.9E-03
574	574	0.74495	4.06E-05	3.0E-05	6.05E-04	1.83E-08	14	4.71E-02	1.21E-08	1.0E+06	1.2E-02
575	575	0.82783	4.06E-05	3.4E-05	6.05E-04	2.03E-08	14	4.71E-02	1.34E-08	1.0E+06	1.3E-02
576	576	0.9236	4.06E-05	3.7E-05	6.05E-04	2.27E-08	14	4.71E-02	1.50E-08	1.0E+06	1.5E-02
577	577	1.03411	4.06E-05	4.2E-05	6.05E-04	2.54E-08	14	4.71E-02	1.68E-08	1.0E+06	1.7E-02
578	578	1.16036	4.06E-05	4.7E-05	6.05E-04	2.85E-08	14	4.71E-02	1.88E-08	1.0E+06	1.9E-02
586	586	0.34838	4.06E-05	1.4E-05	6.05E-04	8.55E-09	14	4.71E-02	5.65E-09	1.0E+06	5.6E-03
587	587	0.37563	4.06E-05	1.5E-05	6.05E-04	9.22E-09	14	4.71E-02	6.09E-09	1.0E+06	6.1E-03
588	588	0.40586	4.06E-05	1.6E-05	6.05E-04	9.97E-09	14	4.71E-02	6.58E-09	1.0E+06	6.6E-03
589	589	0.4395	4.06E-05	1.8E-05	6.05E-04	1.08E-08	14	4.71E-02	7.12E-09	1.0E+06	7.1E-03
590	590	0.47705	4.06E-05	1.9E-05	6.05E-04	1.17E-08	14	4.71E-02	7.73E-09	1.0E+06	7.7E-03
591	591	0.51915	4.06E-05	2.1E-05	6.05E-04	1.27E-08	14	4.71E-02	8.41E-09	1.0E+06	8.4E-03
592	592	0.56655	4.06E-05	2.3E-05	6.05E-04	1.39E-08	14	4.71E-02	9.18E-09	1.0E+06	9.2E-03

Via Oro
Risk From Travel Onsite

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	0.68112	4.06E-05	2.8E-05	6.05E-04	1.67E-08	14	4.71E-02	1.10E-08	1.0E+06	1.1E-02
594	594	0.75094	4.06E-05	3.0E-05	6.05E-04	1.84E-08	14	4.71E-02	1.22E-08	1.0E+06	1.2E-02
595	595	0.83009	4.06E-05	3.4E-05	6.05E-04	2.04E-08	14	4.71E-02	1.35E-08	1.0E+06	1.3E-02
596	596	0.91967	4.06E-05	3.7E-05	6.05E-04	2.26E-08	14	4.71E-02	1.49E-08	1.0E+06	1.5E-02
597	597	1.01991	4.06E-05	4.1E-05	6.05E-04	2.50E-08	14	4.71E-02	1.65E-08	1.0E+06	1.7E-02
345	345	0.6392	4.06E-05	2.6E-05	6.05E-04	1.57E-08	14	4.71E-02	1.04E-08	1.0E+06	1.0E-02
346	346	0.72522	4.06E-05	2.9E-05	6.05E-04	1.78E-08	14	4.71E-02	1.18E-08	1.0E+06	1.2E-02
347	347	0.83091	4.06E-05	3.4E-05	6.05E-04	2.04E-08	14	4.71E-02	1.35E-08	1.0E+06	1.3E-02
348	348	0.96264	4.06E-05	3.9E-05	6.05E-04	2.36E-08	14	4.71E-02	1.56E-08	1.0E+06	1.6E-02
359	359	0.65898	4.06E-05	2.7E-05	6.05E-04	1.62E-08	14	4.71E-02	1.07E-08	1.0E+06	1.1E-02
360	360	0.75128	4.06E-05	3.0E-05	6.05E-04	1.84E-08	14	4.71E-02	1.22E-08	1.0E+06	1.2E-02
361	361	0.86567	4.06E-05	3.5E-05	6.05E-04	2.13E-08	14	4.71E-02	1.40E-08	1.0E+06	1.4E-02
362	362	1.00953	4.06E-05	4.1E-05	6.05E-04	2.48E-08	14	4.71E-02	1.64E-08	1.0E+06	1.6E-02
363	363	1.19556	4.06E-05	4.9E-05	6.05E-04	2.94E-08	14	4.71E-02	1.94E-08	1.0E+06	1.9E-02
373	373	0.769	4.06E-05	3.1E-05	6.05E-04	1.89E-08	14	4.71E-02	1.25E-08	1.0E+06	1.2E-02
374	374	0.88953	4.06E-05	3.6E-05	6.05E-04	2.18E-08	14	4.71E-02	1.44E-08	1.0E+06	1.4E-02
375	375	1.04238	4.06E-05	4.2E-05	6.05E-04	2.56E-08	14	4.71E-02	1.69E-08	1.0E+06	1.7E-02
376	376	1.24186	4.06E-05	5.0E-05	6.05E-04	3.05E-08	14	4.71E-02	2.01E-08	1.0E+06	2.0E-02
386	386	0.7776	4.06E-05	3.2E-05	6.05E-04	1.91E-08	14	4.71E-02	1.26E-08	1.0E+06	1.3E-02
387	387	0.90142	4.06E-05	3.7E-05	6.05E-04	2.21E-08	14	4.71E-02	1.46E-08	1.0E+06	1.5E-02
388	388	1.05901	4.06E-05	4.3E-05	6.05E-04	2.60E-08	14	4.71E-02	1.72E-08	1.0E+06	1.7E-02
389	389	1.26564	4.06E-05	5.1E-05	6.05E-04	3.11E-08	14	4.71E-02	2.05E-08	1.0E+06	2.1E-02
390	390	1.54478	4.06E-05	6.3E-05	6.05E-04	3.79E-08	14	4.71E-02	2.50E-08	1.0E+06	2.5E-02
400	400	0.77693	4.06E-05	3.2E-05	6.05E-04	1.91E-08	14	4.71E-02	1.26E-08	1.0E+06	1.3E-02
401	401	0.9006	4.06E-05	3.7E-05	6.05E-04	2.21E-08	14	4.71E-02	1.46E-08	1.0E+06	1.5E-02
402	402	1.05881	4.06E-05	4.3E-05	6.05E-04	2.60E-08	14	4.71E-02	1.72E-08	1.0E+06	1.7E-02
403	403	1.265	4.06E-05	5.1E-05	6.05E-04	3.11E-08	14	4.71E-02	2.05E-08	1.0E+06	2.1E-02
404	404	1.54274	4.06E-05	6.3E-05	6.05E-04	3.79E-08	14	4.71E-02	2.50E-08	1.0E+06	2.5E-02
415	415	0.76775	4.06E-05	3.1E-05	6.05E-04	1.89E-08	14	4.71E-02	1.24E-08	1.0E+06	1.2E-02
416	416	0.88873	4.06E-05	3.6E-05	6.05E-04	2.18E-08	14	4.71E-02	1.44E-08	1.0E+06	1.4E-02
417	417	1.04217	4.06E-05	4.2E-05	6.05E-04	2.56E-08	14	4.71E-02	1.69E-08	1.0E+06	1.7E-02

Via Oro
Risk From Travel Onsite

<i>Cancer Risk from 2-16 years - Construction</i>											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	1.24273	4.06E-05	5.0E-05	6.05E-04	3.05E-08	14	4.71E-02	2.01E-08	1.0E+06	2.0E-02
419	419	1.50965	4.06E-05	6.1E-05	6.05E-04	3.71E-08	14	4.71E-02	2.45E-08	1.0E+06	2.4E-02
420	420	1.87441	4.06E-05	7.6E-05	6.05E-04	4.60E-08	14	4.71E-02	3.04E-08	1.0E+06	3.0E-02
430	430	0.86668	4.06E-05	3.5E-05	6.05E-04	2.13E-08	14	4.71E-02	1.40E-08	1.0E+06	1.4E-02
431	431	1.01244	4.06E-05	4.1E-05	6.05E-04	2.49E-08	14	4.71E-02	1.64E-08	1.0E+06	1.6E-02
432	432	1.20012	4.06E-05	4.9E-05	6.05E-04	2.95E-08	14	4.71E-02	1.95E-08	1.0E+06	1.9E-02
433	433	1.44756	4.06E-05	5.9E-05	6.05E-04	3.55E-08	14	4.71E-02	2.35E-08	1.0E+06	2.3E-02
434	434	1.78342	4.06E-05	7.2E-05	6.05E-04	4.38E-08	14	4.71E-02	2.89E-08	1.0E+06	2.9E-02
444	444	0.83685	4.06E-05	3.4E-05	6.05E-04	2.05E-08	14	4.71E-02	1.36E-08	1.0E+06	1.4E-02
445	445	0.97195	4.06E-05	3.9E-05	6.05E-04	2.39E-08	14	4.71E-02	1.58E-08	1.0E+06	1.6E-02
446	446	1.14338	4.06E-05	4.6E-05	6.05E-04	2.81E-08	14	4.71E-02	1.85E-08	1.0E+06	1.9E-02
447	447	1.36554	4.06E-05	5.5E-05	6.05E-04	3.35E-08	14	4.71E-02	2.21E-08	1.0E+06	2.2E-02
448	448	1.66082	4.06E-05	6.7E-05	6.05E-04	4.08E-08	14	4.71E-02	2.69E-08	1.0E+06	2.7E-02
459	459	0.92415	4.06E-05	3.8E-05	6.05E-04	2.27E-08	14	4.71E-02	1.50E-08	1.0E+06	1.5E-02
460	460	1.07742	4.06E-05	4.4E-05	6.05E-04	2.65E-08	14	4.71E-02	1.75E-08	1.0E+06	1.7E-02
461	461	1.27229	4.06E-05	5.2E-05	6.05E-04	3.12E-08	14	4.71E-02	2.06E-08	1.0E+06	2.1E-02
462	462	1.52478	4.06E-05	6.2E-05	6.05E-04	3.74E-08	14	4.71E-02	2.47E-08	1.0E+06	2.5E-02
463	463	1.85847	4.06E-05	7.5E-05	6.05E-04	4.56E-08	14	4.71E-02	3.01E-08	1.0E+06	3.0E-02
474	474	0.87196	4.06E-05	3.5E-05	6.05E-04	2.14E-08	14	4.71E-02	1.41E-08	1.0E+06	1.4E-02
475	475	1.00647	4.06E-05	4.1E-05	6.05E-04	2.47E-08	14	4.71E-02	1.63E-08	1.0E+06	1.6E-02
476	476	1.17416	4.06E-05	4.8E-05	6.05E-04	2.88E-08	14	4.71E-02	1.90E-08	1.0E+06	1.9E-02
477	477	1.38562	4.06E-05	5.6E-05	6.05E-04	3.40E-08	14	4.71E-02	2.25E-08	1.0E+06	2.2E-02
478	478	1.65712	4.06E-05	6.7E-05	6.05E-04	4.07E-08	14	4.71E-02	2.69E-08	1.0E+06	2.7E-02
495	495	0.81768	4.06E-05	3.3E-05	6.05E-04	2.01E-08	14	4.71E-02	1.33E-08	1.0E+06	1.3E-02
496	496	0.93423	4.06E-05	3.8E-05	6.05E-04	2.29E-08	14	4.71E-02	1.51E-08	1.0E+06	1.5E-02
497	497	1.07651	4.06E-05	4.4E-05	6.05E-04	2.64E-08	14	4.71E-02	1.74E-08	1.0E+06	1.7E-02
498	498	1.25193	4.06E-05	5.1E-05	6.05E-04	3.07E-08	14	4.71E-02	2.03E-08	1.0E+06	2.0E-02
499	499	1.47079	4.06E-05	6.0E-05	6.05E-04	3.61E-08	14	4.71E-02	2.38E-08	1.0E+06	2.4E-02
500	500	1.74769	4.06E-05	7.1E-05	6.05E-04	4.29E-08	14	4.71E-02	2.83E-08	1.0E+06	2.8E-02

Via Oro
Risk From Travel Onsite

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	0.26897	4.06E-05	1.1E-05	6.05E-04	6.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
140	140	0.28229	4.06E-05	1.1E-05	6.05E-04	6.93E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
156	156	0.2866	4.06E-05	1.2E-05	6.05E-04	7.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
157	157	0.30179	4.06E-05	1.2E-05	6.05E-04	7.41E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
158	158	0.31785	4.06E-05	1.3E-05	6.05E-04	7.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
159	159	0.33461	4.06E-05	1.4E-05	6.05E-04	8.22E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
160	160	0.35175	4.06E-05	1.4E-05	6.05E-04	8.64E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
161	161	0.38761	4.06E-05	1.6E-05	6.05E-04	9.52E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
162	162	0.40573	4.06E-05	1.6E-05	6.05E-04	9.96E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
163	163	0.42337	4.06E-05	1.7E-05	6.05E-04	1.04E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
167	167	0.32279	4.06E-05	1.3E-05	6.05E-04	7.93E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
168	168	0.34183	4.06E-05	1.4E-05	6.05E-04	8.39E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
169	169	0.36132	4.06E-05	1.5E-05	6.05E-04	8.87E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
170	170	0.38164	4.06E-05	1.5E-05	6.05E-04	9.37E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
171	171	0.40269	4.06E-05	1.6E-05	6.05E-04	9.89E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
172	172	0.42453	4.06E-05	1.7E-05	6.05E-04	1.04E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
173	173	0.44644	4.06E-05	1.8E-05	6.05E-04	1.10E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
174	174	0.46825	4.06E-05	1.9E-05	6.05E-04	1.15E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
175	175	0.48943	4.06E-05	2.0E-05	6.05E-04	1.20E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
176	176	0.50939	4.06E-05	2.1E-05	6.05E-04	1.25E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
177	177	0.52731	4.06E-05	2.1E-05	6.05E-04	1.29E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
181	181	0.36807	4.06E-05	1.5E-05	6.05E-04	9.04E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
182	182	0.39097	4.06E-05	1.6E-05	6.05E-04	9.60E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
183	183	0.41518	4.06E-05	1.7E-05	6.05E-04	1.02E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
184	184	0.44041	4.06E-05	1.8E-05	6.05E-04	1.08E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
185	185	0.46676	4.06E-05	1.9E-05	6.05E-04	1.15E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
186	186	0.49375	4.06E-05	2.0E-05	6.05E-04	1.21E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
187	187	0.52067	4.06E-05	2.1E-05	6.05E-04	1.28E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
188	188	0.54729	4.06E-05	2.2E-05	6.05E-04	1.34E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
189	189	0.57262	4.06E-05	2.3E-05	6.05E-04	1.41E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
190	190	0.59558	4.06E-05	2.4E-05	6.05E-04	1.46E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Travel Onsite

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	0.6153	4.06E-05	2.5E-05	6.05E-04	1.51E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
195	195	0.3968	4.06E-05	1.6E-05	6.05E-04	9.74E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
196	196	0.42388	4.06E-05	1.7E-05	6.05E-04	1.04E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
197	197	0.45274	4.06E-05	1.8E-05	6.05E-04	1.11E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
198	198	0.48327	4.06E-05	2.0E-05	6.05E-04	1.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
199	199	0.51548	4.06E-05	2.1E-05	6.05E-04	1.27E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
200	200	0.54882	4.06E-05	2.2E-05	6.05E-04	1.35E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
201	201	0.58277	4.06E-05	2.4E-05	6.05E-04	1.43E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
202	202	0.61656	4.06E-05	2.5E-05	6.05E-04	1.51E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
203	203	0.64907	4.06E-05	2.6E-05	6.05E-04	1.59E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
204	204	0.67894	4.06E-05	2.8E-05	6.05E-04	1.67E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
205	205	0.70495	4.06E-05	2.9E-05	6.05E-04	1.73E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
206	206	0.72589	4.06E-05	2.9E-05	6.05E-04	1.78E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
210	210	0.39746	4.06E-05	1.6E-05	6.05E-04	9.76E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
211	211	0.42811	4.06E-05	1.7E-05	6.05E-04	1.05E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
212	212	0.46015	4.06E-05	1.9E-05	6.05E-04	1.13E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
213	213	0.49485	4.06E-05	2.0E-05	6.05E-04	1.22E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
214	214	0.57165	4.06E-05	2.3E-05	6.05E-04	1.40E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
215	215	0.61334	4.06E-05	2.5E-05	6.05E-04	1.51E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
216	216	0.6564	4.06E-05	2.7E-05	6.05E-04	1.61E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
217	217	0.70009	4.06E-05	2.8E-05	6.05E-04	1.72E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
218	218	0.74278	4.06E-05	3.0E-05	6.05E-04	1.82E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
219	219	0.78257	4.06E-05	3.2E-05	6.05E-04	1.92E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
220	220	0.81754	4.06E-05	3.3E-05	6.05E-04	2.01E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
221	221	0.8455	4.06E-05	3.4E-05	6.05E-04	2.08E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
222	222	0.86565	4.06E-05	3.5E-05	6.05E-04	2.13E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
226	226	0.42679	4.06E-05	1.7E-05	6.05E-04	1.05E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
227	227	0.46196	4.06E-05	1.9E-05	6.05E-04	1.13E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
228	228	0.50005	4.06E-05	2.0E-05	6.05E-04	1.23E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
229	229	0.5418	4.06E-05	2.2E-05	6.05E-04	1.33E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
230	230	0.58728	4.06E-05	2.4E-05	6.05E-04	1.44E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Travel Onsite

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	0.63631	4.06E-05	2.6E-05	6.05E-04	1.56E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
232	232	0.68911	4.06E-05	2.8E-05	6.05E-04	1.69E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
233	233	0.80223	4.06E-05	3.3E-05	6.05E-04	1.97E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
234	234	0.85963	4.06E-05	3.5E-05	6.05E-04	2.11E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
235	235	0.91413	4.06E-05	3.7E-05	6.05E-04	2.24E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
236	236	0.96239	4.06E-05	3.9E-05	6.05E-04	2.36E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
237	237	1.00128	4.06E-05	4.1E-05	6.05E-04	2.46E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
238	238	1.02846	4.06E-05	4.2E-05	6.05E-04	2.53E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
242	242	0.45735	4.06E-05	1.9E-05	6.05E-04	1.12E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
243	243	0.49805	4.06E-05	2.0E-05	6.05E-04	1.22E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
244	244	0.54295	4.06E-05	2.2E-05	6.05E-04	1.33E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
245	245	0.59353	4.06E-05	2.4E-05	6.05E-04	1.46E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
246	246	0.64956	4.06E-05	2.6E-05	6.05E-04	1.60E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
247	247	0.71133	4.06E-05	2.9E-05	6.05E-04	1.75E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
248	248	0.77878	4.06E-05	3.2E-05	6.05E-04	1.91E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
249	249	0.92825	4.06E-05	3.8E-05	6.05E-04	2.28E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
250	250	1.0067	4.06E-05	4.1E-05	6.05E-04	2.47E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
251	251	1.08365	4.06E-05	4.4E-05	6.05E-04	2.66E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
252	252	1.15338	4.06E-05	4.7E-05	6.05E-04	2.83E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
253	253	1.20987	4.06E-05	4.9E-05	6.05E-04	2.97E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
254	254	1.24836	4.06E-05	5.1E-05	6.05E-04	3.07E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
257	257	0.48913	4.06E-05	2.0E-05	6.05E-04	1.20E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
258	258	0.5363	4.06E-05	2.2E-05	6.05E-04	1.32E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
259	259	0.58994	4.06E-05	2.4E-05	6.05E-04	1.45E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
260	260	0.64979	4.06E-05	2.6E-05	6.05E-04	1.60E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
261	261	0.71937	4.06E-05	2.9E-05	6.05E-04	1.77E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
262	262	0.79695	4.06E-05	3.2E-05	6.05E-04	1.96E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
263	263	0.88397	4.06E-05	3.6E-05	6.05E-04	2.17E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
264	264	1.08562	4.06E-05	4.4E-05	6.05E-04	2.67E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
265	265	1.19666	4.06E-05	4.9E-05	6.05E-04	2.94E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
266	266	1.30881	4.06E-05	5.3E-05	6.05E-04	3.21E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Travel Onsite

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
267	267	1.4131	4.06E-05	5.7E-05	6.05E-04	3.47E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
268	268	1.49877	4.06E-05	6.1E-05	6.05E-04	3.68E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
269	269	1.55648	4.06E-05	6.3E-05	6.05E-04	3.82E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
270	270	1.63938	4.06E-05	6.7E-05	6.05E-04	4.03E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
271	271	1.67549	4.06E-05	6.8E-05	6.05E-04	4.11E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
274	274	0.52162	4.06E-05	2.1E-05	6.05E-04	1.28E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
275	275	0.57588	4.06E-05	2.3E-05	6.05E-04	1.41E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
276	276	0.63904	4.06E-05	2.6E-05	6.05E-04	1.57E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
277	277	0.71122	4.06E-05	2.9E-05	6.05E-04	1.75E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
278	278	0.79597	4.06E-05	3.2E-05	6.05E-04	1.95E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
279	279	0.89365	4.06E-05	3.6E-05	6.05E-04	2.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
280	280	1.0053	4.06E-05	4.1E-05	6.05E-04	2.47E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
281	281	1.28154	4.06E-05	5.2E-05	6.05E-04	3.15E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
282	282	1.4423	4.06E-05	5.9E-05	6.05E-04	3.54E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
283	283	1.61204	4.06E-05	6.5E-05	6.05E-04	3.96E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
284	284	1.77871	4.06E-05	7.2E-05	6.05E-04	4.37E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
285	285	1.92051	4.06E-05	7.8E-05	6.05E-04	4.72E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
286	286	2.01266	4.06E-05	8.2E-05	6.05E-04	4.94E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
287	287	2.15638	4.06E-05	8.8E-05	6.05E-04	5.30E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
288	288	2.19975	4.06E-05	8.9E-05	6.05E-04	5.40E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
291	291	0.55401	4.06E-05	2.2E-05	6.05E-04	1.36E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
292	292	0.6161	4.06E-05	2.5E-05	6.05E-04	1.51E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
293	293	0.68938	4.06E-05	2.8E-05	6.05E-04	1.69E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
294	294	0.77584	4.06E-05	3.1E-05	6.05E-04	1.91E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
295	295	0.87783	4.06E-05	3.6E-05	6.05E-04	2.16E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
296	296	1.00008	4.06E-05	4.1E-05	6.05E-04	2.46E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
297	297	1.14669	4.06E-05	4.7E-05	6.05E-04	2.82E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
298	298	1.52731	4.06E-05	6.2E-05	6.05E-04	3.75E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
299	299	1.76956	4.06E-05	7.2E-05	6.05E-04	4.35E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
300	300	2.0395	4.06E-05	8.3E-05	6.05E-04	5.01E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
301	301	2.32561	4.06E-05	9.4E-05	6.05E-04	5.71E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Travel Onsite

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
302	302	2.57987	4.06E-05	1.0E-04	6.05E-04	6.34E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
303	303	2.74291	4.06E-05	1.1E-04	6.05E-04	6.74E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
304	304	2.99104	4.06E-05	1.2E-04	6.05E-04	7.34E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
305	305	2.98186	4.06E-05	1.2E-04	6.05E-04	7.32E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
308	308	0.5853	4.06E-05	2.4E-05	6.05E-04	1.44E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
309	309	0.65571	4.06E-05	2.7E-05	6.05E-04	1.61E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
310	310	0.73978	4.06E-05	3.0E-05	6.05E-04	1.82E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
311	311	0.84133	4.06E-05	3.4E-05	6.05E-04	2.07E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
312	312	0.96486	4.06E-05	3.9E-05	6.05E-04	2.37E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
313	313	1.11591	4.06E-05	4.5E-05	6.05E-04	2.74E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
314	314	1.30355	4.06E-05	5.3E-05	6.05E-04	3.20E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
315	315	1.832	4.06E-05	7.4E-05	6.05E-04	4.50E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
316	316	2.20544	4.06E-05	9.0E-05	6.05E-04	5.42E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
317	317	2.65809	4.06E-05	1.1E-04	6.05E-04	6.53E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
318	318	3.19566	4.06E-05	1.3E-04	6.05E-04	7.85E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
319	319	3.71929	4.06E-05	1.5E-04	6.05E-04	9.13E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
320	320	4.06723	4.06E-05	1.7E-04	6.05E-04	9.99E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
321	321	4.36111	4.06E-05	1.8E-04	6.05E-04	1.07E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
322	322	4.09767	4.06E-05	1.7E-04	6.05E-04	1.01E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
325	325	0.61414	4.06E-05	2.5E-05	6.05E-04	1.51E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
326	326	0.69272	4.06E-05	2.8E-05	6.05E-04	1.70E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
327	327	0.78792	4.06E-05	3.2E-05	6.05E-04	1.93E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
328	328	0.90515	4.06E-05	3.7E-05	6.05E-04	2.22E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
329	329	1.04994	4.06E-05	4.3E-05	6.05E-04	2.58E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
330	330	1.23392	4.06E-05	5.0E-05	6.05E-04	3.03E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
331	331	1.46973	4.06E-05	6.0E-05	6.05E-04	3.61E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
332	332	1.77758	4.06E-05	7.2E-05	6.05E-04	4.36E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
333	333	2.19274	4.06E-05	8.9E-05	6.05E-04	5.38E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
334	334	2.7602	4.06E-05	1.1E-04	6.05E-04	6.78E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
335	335	3.5555	4.06E-05	1.4E-04	6.05E-04	8.73E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
336	336	4.66468	4.06E-05	1.9E-04	6.05E-04	1.15E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Travel Onsite

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	6.04181	4.06E-05	2.5E-04	6.05E-04	1.48E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
338	338	7.02106	4.06E-05	2.8E-04	6.05E-04	1.72E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
339	339	7.30847	4.06E-05	3.0E-04	6.05E-04	1.79E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
340	340	6.45578	4.06E-05	2.6E-04	6.05E-04	1.59E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
341	341	5.49275	4.06E-05	2.2E-04	6.05E-04	1.35E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
349	349	1.12958	4.06E-05	4.6E-05	6.05E-04	2.77E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
350	350	1.34575	4.06E-05	5.5E-05	6.05E-04	3.30E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
351	351	1.63144	4.06E-05	6.6E-05	6.05E-04	4.01E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
352	352	2.02236	4.06E-05	8.2E-05	6.05E-04	4.97E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
353	353	12.16799	4.06E-05	4.9E-04	6.05E-04	2.99E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
354	354	8.9629	4.06E-05	3.6E-04	6.05E-04	2.20E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
355	355	6.86407	4.06E-05	2.8E-04	6.05E-04	1.69E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
364	364	1.44103	4.06E-05	5.8E-05	6.05E-04	3.54E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
365	365	1.77415	4.06E-05	7.2E-05	6.05E-04	4.36E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
366	366	2.24561	4.06E-05	9.1E-05	6.05E-04	5.51E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
367	367	16.8147	4.06E-05	6.8E-04	6.05E-04	4.13E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
368	368	10.99915	4.06E-05	4.5E-04	6.05E-04	2.70E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
369	369	7.87489	4.06E-05	3.2E-04	6.05E-04	1.93E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
377	377	1.50958	4.06E-05	6.1E-05	6.05E-04	3.71E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
378	378	1.87887	4.06E-05	7.6E-05	6.05E-04	4.61E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
379	379	2.41105	4.06E-05	9.8E-05	6.05E-04	5.92E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
380	380	19.87692	4.06E-05	8.1E-04	6.05E-04	4.88E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
381	381	12.30369	4.06E-05	5.0E-04	6.05E-04	3.02E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
382	382	8.44954	4.06E-05	3.4E-04	6.05E-04	2.07E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
391	391	1.93236	4.06E-05	7.8E-05	6.05E-04	4.75E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
392	392	2.49234	4.06E-05	1.0E-04	6.05E-04	6.12E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
393	393	22.29711	4.06E-05	9.0E-04	6.05E-04	5.48E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
394	394	13.12742	4.06E-05	5.3E-04	6.05E-04	3.22E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
395	395	8.59354	4.06E-05	3.5E-04	6.05E-04	2.11E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
405	405	1.93094	4.06E-05	7.8E-05	6.05E-04	4.74E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
406	406	2.49197	4.06E-05	1.0E-04	6.05E-04	6.12E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Travel Onsite

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	3.35305	4.06E-05	1.4E-04	6.05E-04	8.23E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
408	408	24.20889	4.06E-05	9.8E-04	6.05E-04	5.94E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
409	409	13.19824	4.06E-05	5.4E-04	6.05E-04	3.24E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
410	410	8.15495	4.06E-05	3.3E-04	6.05E-04	2.00E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
421	421	2.40525	4.06E-05	9.8E-05	6.05E-04	5.91E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
422	422	3.20022	4.06E-05	1.3E-04	6.05E-04	7.86E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
423	423	24.16432	4.06E-05	9.8E-04	6.05E-04	5.93E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
424	424	11.85452	4.06E-05	4.8E-04	6.05E-04	2.91E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
425	425	7.02668	4.06E-05	2.9E-04	6.05E-04	1.73E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
435	435	2.25169	4.06E-05	9.1E-05	6.05E-04	5.53E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
436	436	2.94658	4.06E-05	1.2E-04	6.05E-04	7.24E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
437	437	9.14611	4.06E-05	3.7E-04	6.05E-04	2.25E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
438	438	5.61797	4.06E-05	2.3E-04	6.05E-04	1.38E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
449	449	2.06028	4.06E-05	8.4E-05	6.05E-04	5.06E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
450	450	2.6369	4.06E-05	1.1E-04	6.05E-04	6.48E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
451	451	3.4884	4.06E-05	1.4E-04	6.05E-04	8.57E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
452	452	6.94554	4.06E-05	2.8E-04	6.05E-04	1.71E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
453	453	4.55144	4.06E-05	1.8E-04	6.05E-04	1.12E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
464	464	2.31573	4.06E-05	9.4E-05	6.05E-04	5.69E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
465	465	2.96176	4.06E-05	1.2E-04	6.05E-04	7.27E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
466	466	12.20745	4.06E-05	5.0E-04	6.05E-04	3.00E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
467	467	5.53793	4.06E-05	2.2E-04	6.05E-04	1.36E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
468	468	3.81669	4.06E-05	1.5E-04	6.05E-04	9.37E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
479	479	2.00598	4.06E-05	8.1E-05	6.05E-04	4.93E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
480	480	2.49371	4.06E-05	1.0E-04	6.05E-04	6.12E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
481	481	3.15554	4.06E-05	1.3E-04	6.05E-04	7.75E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
482	482	4.09677	4.06E-05	1.7E-04	6.05E-04	1.01E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
483	483	5.37607	4.06E-05	2.2E-04	6.05E-04	1.32E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
484	484	6.822	4.06E-05	2.8E-04	6.05E-04	1.68E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
485	485	7.26558	4.06E-05	2.9E-04	6.05E-04	1.78E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
486	486	6.06001	4.06E-05	2.5E-04	6.05E-04	1.49E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Travel Onsite

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
487	487	4.44633	4.06E-05	1.8E-04	6.05E-04	1.09E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
488	488	3.23847	4.06E-05	1.3E-04	6.05E-04	7.95E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
501	501	2.09605	4.06E-05	8.5E-05	6.05E-04	5.15E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
502	502	2.5762	4.06E-05	1.0E-04	6.05E-04	6.33E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
503	503	3.19122	4.06E-05	1.3E-04	6.05E-04	7.84E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
504	504	3.94184	4.06E-05	1.6E-04	6.05E-04	9.68E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
505	505	4.662	4.06E-05	1.9E-04	6.05E-04	1.14E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
506	506	4.91337	4.06E-05	2.0E-04	6.05E-04	1.21E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
507	507	4.43229	4.06E-05	1.8E-04	6.05E-04	1.09E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
508	508	2.75757	4.06E-05	1.1E-04	6.05E-04	6.77E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
520	520	1.78618	4.06E-05	7.2E-05	6.05E-04	4.39E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
521	521	2.11407	4.06E-05	8.6E-05	6.05E-04	5.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
522	522	2.54392	4.06E-05	1.0E-04	6.05E-04	6.25E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
523	523	3.0097	4.06E-05	1.2E-04	6.05E-04	7.39E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
524	524	3.4208	4.06E-05	1.4E-04	6.05E-04	8.40E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
525	525	3.58271	4.06E-05	1.5E-04	6.05E-04	8.80E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
526	526	3.36891	4.06E-05	1.4E-04	6.05E-04	8.27E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
527	527	2.34927	4.06E-05	9.5E-05	6.05E-04	5.77E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
539	539	1.53501	4.06E-05	6.2E-05	6.05E-04	3.77E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
540	540	1.78118	4.06E-05	7.2E-05	6.05E-04	4.37E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
541	541	2.06344	4.06E-05	8.4E-05	6.05E-04	5.07E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
542	542	2.36667	4.06E-05	9.6E-05	6.05E-04	5.81E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
543	543	2.633	4.06E-05	1.1E-04	6.05E-04	6.47E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
544	544	2.74525	4.06E-05	1.1E-04	6.05E-04	6.74E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
545	545	2.64113	4.06E-05	1.1E-04	6.05E-04	6.49E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
546	546	2.0062	4.06E-05	8.1E-05	6.05E-04	4.93E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
560	560	1.51393	4.06E-05	6.1E-05	6.05E-04	3.72E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
561	561	1.72027	4.06E-05	7.0E-05	6.05E-04	4.22E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
562	562	1.9257	4.06E-05	7.8E-05	6.05E-04	4.73E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
563	563	2.08686	4.06E-05	8.5E-05	6.05E-04	5.12E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
564	564	2.17665	4.06E-05	8.8E-05	6.05E-04	5.34E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Travel Onsite

<i>Cancer Risk from 2-16 years - Construction</i>											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	2.13369	4.06E-05	8.7E-05	6.05E-04	5.24E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
566	566	1.72409	4.06E-05	7.0E-05	6.05E-04	4.23E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
579	579	1.30055	4.06E-05	5.3E-05	6.05E-04	3.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
580	580	1.45173	4.06E-05	5.9E-05	6.05E-04	3.56E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
581	581	1.60002	4.06E-05	6.5E-05	6.05E-04	3.93E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
582	582	1.71925	4.06E-05	7.0E-05	6.05E-04	4.22E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
583	583	1.77955	4.06E-05	7.2E-05	6.05E-04	4.37E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
584	584	1.75634	4.06E-05	7.1E-05	6.05E-04	4.31E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
585	585	1.60092	4.06E-05	6.5E-05	6.05E-04	3.93E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
598	598	1.12913	4.06E-05	4.6E-05	6.05E-04	2.77E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
599	599	1.24141	4.06E-05	5.0E-05	6.05E-04	3.05E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
600	600	1.34959	4.06E-05	5.5E-05	6.05E-04	3.31E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
601	601	1.43729	4.06E-05	5.8E-05	6.05E-04	3.53E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
602	602	1.48465	4.06E-05	6.0E-05	6.05E-04	3.65E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
603	603	1.47643	4.06E-05	6.0E-05	6.05E-04	3.63E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
604	604	1.40782	4.06E-05	5.7E-05	6.05E-04	3.46E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
0	0	0	4.06E-05	0.0E+00	6.05E-04	0.00E+00	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Travel Onsite

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.12126	4.06E-05	4.9E-06	2.50E-04	1.23E-09	14	1.15E-02	1.98E-10	1.0E+06	2.0E-04
2	2	0.12556	4.06E-05	5.1E-06	2.50E-04	1.28E-09	14	1.15E-02	2.05E-10	1.0E+06	2.0E-04
3	3	0.13001	4.06E-05	5.3E-06	2.50E-04	1.32E-09	14	1.15E-02	2.12E-10	1.0E+06	2.1E-04
4	4	0.13465	4.06E-05	5.5E-06	2.50E-04	1.37E-09	14	1.15E-02	2.20E-10	1.0E+06	2.2E-04
5	5	0.1395	4.06E-05	5.7E-06	2.50E-04	1.42E-09	14	1.15E-02	2.28E-10	1.0E+06	2.3E-04
6	6	0.14463	4.06E-05	5.9E-06	2.50E-04	1.47E-09	14	1.15E-02	2.36E-10	1.0E+06	2.4E-04
7	7	0.14997	4.06E-05	6.1E-06	2.50E-04	1.52E-09	14	1.15E-02	2.45E-10	1.0E+06	2.4E-04
8	8	0.15548	4.06E-05	6.3E-06	2.50E-04	1.58E-09	14	1.15E-02	2.54E-10	1.0E+06	2.5E-04
9	9	0.16122	4.06E-05	6.5E-06	2.50E-04	1.64E-09	14	1.15E-02	2.63E-10	1.0E+06	2.6E-04
10	10	0.16717	4.06E-05	6.8E-06	2.50E-04	1.70E-09	14	1.15E-02	2.73E-10	1.0E+06	2.7E-04
11	11	0.17332	4.06E-05	7.0E-06	2.50E-04	1.76E-09	14	1.15E-02	2.83E-10	1.0E+06	2.8E-04
12	12	0.17965	4.06E-05	7.3E-06	2.50E-04	1.82E-09	14	1.15E-02	2.93E-10	1.0E+06	2.9E-04
13	13	0.18621	4.06E-05	7.6E-06	2.50E-04	1.89E-09	14	1.15E-02	3.04E-10	1.0E+06	3.0E-04
14	14	0.19293	4.06E-05	7.8E-06	2.50E-04	1.96E-09	14	1.15E-02	3.15E-10	1.0E+06	3.1E-04
15	15	0.19982	4.06E-05	8.1E-06	2.50E-04	2.03E-09	14	1.15E-02	3.26E-10	1.0E+06	3.3E-04
16	16	0.2068	4.06E-05	8.4E-06	2.50E-04	2.10E-09	14	1.15E-02	3.37E-10	1.0E+06	3.4E-04
17	17	0.21392	4.06E-05	8.7E-06	2.50E-04	2.17E-09	14	1.15E-02	3.49E-10	1.0E+06	3.5E-04
18	18	0.22103	4.06E-05	9.0E-06	2.50E-04	2.24E-09	14	1.15E-02	3.61E-10	1.0E+06	3.6E-04
19	19	0.22814	4.06E-05	9.3E-06	2.50E-04	2.32E-09	14	1.15E-02	3.72E-10	1.0E+06	3.7E-04
20	20	0.23517	4.06E-05	9.5E-06	2.50E-04	2.39E-09	14	1.15E-02	3.84E-10	1.0E+06	3.8E-04
21	21	0.24202	4.06E-05	9.8E-06	2.50E-04	2.46E-09	14	1.15E-02	3.95E-10	1.0E+06	3.9E-04
22	22	0.24864	4.06E-05	1.0E-05	2.50E-04	2.53E-09	14	1.15E-02	4.06E-10	1.0E+06	4.1E-04
23	23	0.2549	4.06E-05	1.0E-05	2.50E-04	2.59E-09	14	1.15E-02	4.16E-10	1.0E+06	4.2E-04
24	24	0.26073	4.06E-05	1.1E-05	2.50E-04	2.65E-09	14	1.15E-02	4.25E-10	1.0E+06	4.3E-04
25	25	0.26606	4.06E-05	1.1E-05	2.50E-04	2.70E-09	14	1.15E-02	4.34E-10	1.0E+06	4.3E-04
26	26	0.27081	4.06E-05	1.1E-05	2.50E-04	2.75E-09	14	1.15E-02	4.42E-10	1.0E+06	4.4E-04
27	27	0.27493	4.06E-05	1.1E-05	2.50E-04	2.79E-09	14	1.15E-02	4.48E-10	1.0E+06	4.5E-04
28	28	0.27832	4.06E-05	1.1E-05	2.50E-04	2.83E-09	14	1.15E-02	4.54E-10	1.0E+06	4.5E-04
29	29	0.281	4.06E-05	1.1E-05	2.50E-04	2.85E-09	14	1.15E-02	4.58E-10	1.0E+06	4.6E-04
30	30	0.28295	4.06E-05	1.1E-05	2.50E-04	2.87E-09	14	1.15E-02	4.62E-10	1.0E+06	4.6E-04
31	31	0.28417	4.06E-05	1.2E-05	2.50E-04	2.89E-09	14	1.15E-02	4.64E-10	1.0E+06	4.6E-04

Via Oro
Risk From Travel Onsite

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.28469	4.06E-05	1.2E-05	2.50E-04	2.89E-09	14	1.15E-02	4.64E-10	1.0E+06	4.6E-04
55	55	0.26742	4.06E-05	1.1E-05	2.50E-04	2.72E-09	14	1.15E-02	4.36E-10	1.0E+06	4.4E-04
56	56	0.27471	4.06E-05	1.1E-05	2.50E-04	2.79E-09	14	1.15E-02	4.48E-10	1.0E+06	4.5E-04
57	57	0.2816	4.06E-05	1.1E-05	2.50E-04	2.86E-09	14	1.15E-02	4.59E-10	1.0E+06	4.6E-04
58	58	0.28787	4.06E-05	1.2E-05	2.50E-04	2.92E-09	14	1.15E-02	4.70E-10	1.0E+06	4.7E-04
59	59	0.29342	4.06E-05	1.2E-05	2.50E-04	2.98E-09	14	1.15E-02	4.79E-10	1.0E+06	4.8E-04
60	60	0.29817	4.06E-05	1.2E-05	2.50E-04	3.03E-09	14	1.15E-02	4.86E-10	1.0E+06	4.9E-04
61	61	0.30216	4.06E-05	1.2E-05	2.50E-04	3.07E-09	14	1.15E-02	4.93E-10	1.0E+06	4.9E-04
62	62	0.30524	4.06E-05	1.2E-05	2.50E-04	3.10E-09	14	1.15E-02	4.98E-10	1.0E+06	5.0E-04
63	63	0.30747	4.06E-05	1.2E-05	2.50E-04	3.12E-09	14	1.15E-02	5.02E-10	1.0E+06	5.0E-04
64	64	0.30882	4.06E-05	1.3E-05	2.50E-04	3.14E-09	14	1.15E-02	5.04E-10	1.0E+06	5.0E-04
65	65	0.30937	4.06E-05	1.3E-05	2.50E-04	3.14E-09	14	1.15E-02	5.05E-10	1.0E+06	5.0E-04
66	66	0.30943	4.06E-05	1.3E-05	2.50E-04	3.14E-09	14	1.15E-02	5.05E-10	1.0E+06	5.0E-04
67	67	0.12907	4.06E-05	5.2E-06	2.50E-04	1.31E-09	14	1.15E-02	2.11E-10	1.0E+06	2.1E-04
68	68	0.13402	4.06E-05	5.4E-06	2.50E-04	1.36E-09	14	1.15E-02	2.19E-10	1.0E+06	2.2E-04
69	69	0.13922	4.06E-05	5.7E-06	2.50E-04	1.41E-09	14	1.15E-02	2.27E-10	1.0E+06	2.3E-04
70	70	0.14467	4.06E-05	5.9E-06	2.50E-04	1.47E-09	14	1.15E-02	2.36E-10	1.0E+06	2.4E-04
71	71	0.15034	4.06E-05	6.1E-06	2.50E-04	1.53E-09	14	1.15E-02	2.45E-10	1.0E+06	2.5E-04
72	72	0.15639	4.06E-05	6.3E-06	2.50E-04	1.59E-09	14	1.15E-02	2.55E-10	1.0E+06	2.6E-04
73	73	0.16271	4.06E-05	6.6E-06	2.50E-04	1.65E-09	14	1.15E-02	2.65E-10	1.0E+06	2.7E-04
74	74	0.16932	4.06E-05	6.9E-06	2.50E-04	1.72E-09	14	1.15E-02	2.76E-10	1.0E+06	2.8E-04
75	75	0.17621	4.06E-05	7.2E-06	2.50E-04	1.79E-09	14	1.15E-02	2.87E-10	1.0E+06	2.9E-04
76	76	0.18343	4.06E-05	7.4E-06	2.50E-04	1.86E-09	14	1.15E-02	2.99E-10	1.0E+06	3.0E-04
77	77	0.19099	4.06E-05	7.8E-06	2.50E-04	1.94E-09	14	1.15E-02	3.12E-10	1.0E+06	3.1E-04
78	78	0.19891	4.06E-05	8.1E-06	2.50E-04	2.02E-09	14	1.15E-02	3.24E-10	1.0E+06	3.2E-04
79	79	0.24228	4.06E-05	9.8E-06	2.50E-04	2.46E-09	14	1.15E-02	3.95E-10	1.0E+06	4.0E-04
80	80	0.25154	4.06E-05	1.0E-05	2.50E-04	2.55E-09	14	1.15E-02	4.10E-10	1.0E+06	4.1E-04
81	81	0.26097	4.06E-05	1.1E-05	2.50E-04	2.65E-09	14	1.15E-02	4.26E-10	1.0E+06	4.3E-04
82	82	0.27033	4.06E-05	1.1E-05	2.50E-04	2.75E-09	14	1.15E-02	4.41E-10	1.0E+06	4.4E-04
83	83	0.27961	4.06E-05	1.1E-05	2.50E-04	2.84E-09	14	1.15E-02	4.56E-10	1.0E+06	4.6E-04
84	84	0.28857	4.06E-05	1.2E-05	2.50E-04	2.93E-09	14	1.15E-02	4.71E-10	1.0E+06	4.7E-04

Via Oro
Risk From Travel Onsite

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	85	0.29718	4.06E-05	1.2E-05	2.50E-04	3.02E-09	14	1.15E-02	4.85E-10	1.0E+06	4.8E-04
86	86	0.30527	4.06E-05	1.2E-05	2.50E-04	3.10E-09	14	1.15E-02	4.98E-10	1.0E+06	5.0E-04
87	87	0.31265	4.06E-05	1.3E-05	2.50E-04	3.18E-09	14	1.15E-02	5.10E-10	1.0E+06	5.1E-04
88	88	0.31924	4.06E-05	1.3E-05	2.50E-04	3.24E-09	14	1.15E-02	5.21E-10	1.0E+06	5.2E-04
89	89	0.32485	4.06E-05	1.3E-05	2.50E-04	3.30E-09	14	1.15E-02	5.30E-10	1.0E+06	5.3E-04
90	90	0.32947	4.06E-05	1.3E-05	2.50E-04	3.35E-09	14	1.15E-02	5.37E-10	1.0E+06	5.4E-04
91	91	0.33314	4.06E-05	1.4E-05	2.50E-04	3.38E-09	14	1.15E-02	5.43E-10	1.0E+06	5.4E-04
92	92	0.33561	4.06E-05	1.4E-05	2.50E-04	3.41E-09	14	1.15E-02	5.47E-10	1.0E+06	5.5E-04
93	93	0.33719	4.06E-05	1.4E-05	2.50E-04	3.42E-09	14	1.15E-02	5.50E-10	1.0E+06	5.5E-04
96	96	0.32935	4.06E-05	1.3E-05	2.50E-04	3.35E-09	14	1.15E-02	5.37E-10	1.0E+06	5.4E-04
97	97	0.32028	4.06E-05	1.3E-05	2.50E-04	3.25E-09	14	1.15E-02	5.22E-10	1.0E+06	5.2E-04
98	98	0.34886	4.06E-05	1.4E-05	2.50E-04	3.54E-09	14	1.15E-02	5.69E-10	1.0E+06	5.7E-04
99	99	0.35566	4.06E-05	1.4E-05	2.50E-04	3.61E-09	14	1.15E-02	5.80E-10	1.0E+06	5.8E-04
100	100	0.36116	4.06E-05	1.5E-05	2.50E-04	3.67E-09	14	1.15E-02	5.89E-10	1.0E+06	5.9E-04
101	101	0.36534	4.06E-05	1.5E-05	2.50E-04	3.71E-09	14	1.15E-02	5.96E-10	1.0E+06	6.0E-04
102	102	0.36832	4.06E-05	1.5E-05	2.50E-04	3.74E-09	14	1.15E-02	6.01E-10	1.0E+06	6.0E-04
106	106	0.13174	4.06E-05	5.3E-06	2.50E-04	1.34E-09	14	1.15E-02	2.15E-10	1.0E+06	2.1E-04
107	107	0.13718	4.06E-05	5.6E-06	2.50E-04	1.39E-09	14	1.15E-02	2.24E-10	1.0E+06	2.2E-04
108	108	0.14286	4.06E-05	5.8E-06	2.50E-04	1.45E-09	14	1.15E-02	2.33E-10	1.0E+06	2.3E-04
109	109	0.14886	4.06E-05	6.0E-06	2.50E-04	1.51E-09	14	1.15E-02	2.43E-10	1.0E+06	2.4E-04
110	110	0.15522	4.06E-05	6.3E-06	2.50E-04	1.58E-09	14	1.15E-02	2.53E-10	1.0E+06	2.5E-04
111	111	0.16187	4.06E-05	6.6E-06	2.50E-04	1.64E-09	14	1.15E-02	2.64E-10	1.0E+06	2.6E-04
112	112	0.16904	4.06E-05	6.9E-06	2.50E-04	1.72E-09	14	1.15E-02	2.76E-10	1.0E+06	2.8E-04
113	113	0.17654	4.06E-05	7.2E-06	2.50E-04	1.79E-09	14	1.15E-02	2.88E-10	1.0E+06	2.9E-04
114	114	0.18447	4.06E-05	7.5E-06	2.50E-04	1.87E-09	14	1.15E-02	3.01E-10	1.0E+06	3.0E-04
115	115	0.1928	4.06E-05	7.8E-06	2.50E-04	1.96E-09	14	1.15E-02	3.14E-10	1.0E+06	3.1E-04
116	116	0.20152	4.06E-05	8.2E-06	2.50E-04	2.05E-09	14	1.15E-02	3.29E-10	1.0E+06	3.3E-04
117	117	0.21084	4.06E-05	8.6E-06	2.50E-04	2.14E-09	14	1.15E-02	3.44E-10	1.0E+06	3.4E-04
118	118	0.22064	4.06E-05	9.0E-06	2.50E-04	2.24E-09	14	1.15E-02	3.60E-10	1.0E+06	3.6E-04
124	124	0.13553	4.06E-05	5.5E-06	2.50E-04	1.38E-09	14	1.15E-02	2.21E-10	1.0E+06	2.2E-04
125	125	0.14126	4.06E-05	5.7E-06	2.50E-04	1.43E-09	14	1.15E-02	2.30E-10	1.0E+06	2.3E-04

Via Oro
Risk From Travel Onsite

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	126	0.14734	4.06E-05	6.0E-06	2.50E-04	1.50E-09	14	1.15E-02	2.40E-10	1.0E+06	2.4E-04
127	127	0.15378	4.06E-05	6.2E-06	2.50E-04	1.56E-09	14	1.15E-02	2.51E-10	1.0E+06	2.5E-04
128	128	0.16062	4.06E-05	6.5E-06	2.50E-04	1.63E-09	14	1.15E-02	2.62E-10	1.0E+06	2.6E-04
129	129	0.16783	4.06E-05	6.8E-06	2.50E-04	1.70E-09	14	1.15E-02	2.74E-10	1.0E+06	2.7E-04
130	130	0.1756	4.06E-05	7.1E-06	2.50E-04	1.78E-09	14	1.15E-02	2.86E-10	1.0E+06	2.9E-04
131	131	0.18381	4.06E-05	7.5E-06	2.50E-04	1.87E-09	14	1.15E-02	3.00E-10	1.0E+06	3.0E-04
132	132	0.19252	4.06E-05	7.8E-06	2.50E-04	1.96E-09	14	1.15E-02	3.14E-10	1.0E+06	3.1E-04
133	133	0.2017	4.06E-05	8.2E-06	2.50E-04	2.05E-09	14	1.15E-02	3.29E-10	1.0E+06	3.3E-04
134	134	0.21151	4.06E-05	8.6E-06	2.50E-04	2.15E-09	14	1.15E-02	3.45E-10	1.0E+06	3.5E-04
135	135	0.22183	4.06E-05	9.0E-06	2.50E-04	2.25E-09	14	1.15E-02	3.62E-10	1.0E+06	3.6E-04
136	136	0.23272	4.06E-05	9.4E-06	2.50E-04	2.36E-09	14	1.15E-02	3.80E-10	1.0E+06	3.8E-04
137	137	0.24414	4.06E-05	9.9E-06	2.50E-04	2.48E-09	14	1.15E-02	3.98E-10	1.0E+06	4.0E-04
138	138	0.25634	4.06E-05	1.0E-05	2.50E-04	2.60E-09	14	1.15E-02	4.18E-10	1.0E+06	4.2E-04
141	141	0.13928	4.06E-05	5.7E-06	2.50E-04	1.41E-09	14	1.15E-02	2.27E-10	1.0E+06	2.3E-04
142	142	0.14539	4.06E-05	5.9E-06	2.50E-04	1.48E-09	14	1.15E-02	2.37E-10	1.0E+06	2.4E-04
143	143	0.15188	4.06E-05	6.2E-06	2.50E-04	1.54E-09	14	1.15E-02	2.48E-10	1.0E+06	2.5E-04
144	144	0.15878	4.06E-05	6.4E-06	2.50E-04	1.61E-09	14	1.15E-02	2.59E-10	1.0E+06	2.6E-04
145	145	0.16614	4.06E-05	6.7E-06	2.50E-04	1.69E-09	14	1.15E-02	2.71E-10	1.0E+06	2.7E-04
146	146	0.17393	4.06E-05	7.1E-06	2.50E-04	1.77E-09	14	1.15E-02	2.84E-10	1.0E+06	2.8E-04
147	147	0.18235	4.06E-05	7.4E-06	2.50E-04	1.85E-09	14	1.15E-02	2.97E-10	1.0E+06	3.0E-04
148	148	0.19128	4.06E-05	7.8E-06	2.50E-04	1.94E-09	14	1.15E-02	3.12E-10	1.0E+06	3.1E-04
149	149	0.20081	4.06E-05	8.1E-06	2.50E-04	2.04E-09	14	1.15E-02	3.28E-10	1.0E+06	3.3E-04
150	150	0.21094	4.06E-05	8.6E-06	2.50E-04	2.14E-09	14	1.15E-02	3.44E-10	1.0E+06	3.4E-04
151	151	0.22175	4.06E-05	9.0E-06	2.50E-04	2.25E-09	14	1.15E-02	3.62E-10	1.0E+06	3.6E-04
152	152	0.23326	4.06E-05	9.5E-06	2.50E-04	2.37E-09	14	1.15E-02	3.80E-10	1.0E+06	3.8E-04
153	153	0.24548	4.06E-05	1.0E-05	2.50E-04	2.49E-09	14	1.15E-02	4.00E-10	1.0E+06	4.0E-04
154	154	0.25835	4.06E-05	1.0E-05	2.50E-04	2.62E-09	14	1.15E-02	4.21E-10	1.0E+06	4.2E-04
155	155	0.27204	4.06E-05	1.1E-05	2.50E-04	2.76E-09	14	1.15E-02	4.44E-10	1.0E+06	4.4E-04
164	164	0.27343	4.06E-05	1.1E-05	2.50E-04	2.78E-09	14	1.15E-02	4.46E-10	1.0E+06	4.5E-04
165	165	0.2889	4.06E-05	1.2E-05	2.50E-04	2.93E-09	14	1.15E-02	4.71E-10	1.0E+06	4.7E-04
166	166	0.30557	4.06E-05	1.2E-05	2.50E-04	3.10E-09	14	1.15E-02	4.98E-10	1.0E+06	5.0E-04

Via Oro
Risk From Travel Onsite

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	0.28934	4.06E-05	1.2E-05	2.50E-04	2.94E-09	14	1.15E-02	4.72E-10	1.0E+06	4.7E-04
179	179	0.30694	4.06E-05	1.2E-05	2.50E-04	3.12E-09	14	1.15E-02	5.01E-10	1.0E+06	5.0E-04
180	180	0.32599	4.06E-05	1.3E-05	2.50E-04	3.31E-09	14	1.15E-02	5.32E-10	1.0E+06	5.3E-04
192	192	0.30611	4.06E-05	1.2E-05	2.50E-04	3.11E-09	14	1.15E-02	4.99E-10	1.0E+06	5.0E-04
193	193	0.32619	4.06E-05	1.3E-05	2.50E-04	3.31E-09	14	1.15E-02	5.32E-10	1.0E+06	5.3E-04
194	194	0.34788	4.06E-05	1.4E-05	2.50E-04	3.53E-09	14	1.15E-02	5.67E-10	1.0E+06	5.7E-04
207	207	0.32356	4.06E-05	1.3E-05	2.50E-04	3.29E-09	14	1.15E-02	5.28E-10	1.0E+06	5.3E-04
208	208	0.34632	4.06E-05	1.4E-05	2.50E-04	3.52E-09	14	1.15E-02	5.65E-10	1.0E+06	5.6E-04
209	209	0.37122	4.06E-05	1.5E-05	2.50E-04	3.77E-09	14	1.15E-02	6.06E-10	1.0E+06	6.1E-04
223	223	0.3416	4.06E-05	1.4E-05	2.50E-04	3.47E-09	14	1.15E-02	5.57E-10	1.0E+06	5.6E-04
224	224	0.36731	4.06E-05	1.5E-05	2.50E-04	3.73E-09	14	1.15E-02	5.99E-10	1.0E+06	6.0E-04
225	225	0.39557	4.06E-05	1.6E-05	2.50E-04	4.02E-09	14	1.15E-02	6.45E-10	1.0E+06	6.5E-04
239	239	0.36011	4.06E-05	1.5E-05	2.50E-04	3.66E-09	14	1.15E-02	5.87E-10	1.0E+06	5.9E-04
240	240	0.38904	4.06E-05	1.6E-05	2.50E-04	3.95E-09	14	1.15E-02	6.35E-10	1.0E+06	6.3E-04
241	241	0.42133	4.06E-05	1.7E-05	2.50E-04	4.28E-09	14	1.15E-02	6.87E-10	1.0E+06	6.9E-04
255	255	0.37874	4.06E-05	1.5E-05	2.50E-04	3.85E-09	14	1.15E-02	6.18E-10	1.0E+06	6.2E-04
256	256	0.41114	4.06E-05	1.7E-05	2.50E-04	4.18E-09	14	1.15E-02	6.71E-10	1.0E+06	6.7E-04
272	272	0.39707	4.06E-05	1.6E-05	2.50E-04	4.03E-09	14	1.15E-02	6.48E-10	1.0E+06	6.5E-04
273	273	0.43324	4.06E-05	1.8E-05	2.50E-04	4.40E-09	14	1.15E-02	7.07E-10	1.0E+06	7.1E-04
289	289	0.41485	4.06E-05	1.7E-05	2.50E-04	4.21E-09	14	1.15E-02	6.77E-10	1.0E+06	6.8E-04
290	290	0.45476	4.06E-05	1.8E-05	2.50E-04	4.62E-09	14	1.15E-02	7.42E-10	1.0E+06	7.4E-04
306	306	0.4314	4.06E-05	1.8E-05	2.50E-04	4.38E-09	14	1.15E-02	7.04E-10	1.0E+06	7.0E-04
307	307	0.47503	4.06E-05	1.9E-05	2.50E-04	4.82E-09	14	1.15E-02	7.75E-10	1.0E+06	7.7E-04
323	323	0.44616	4.06E-05	1.8E-05	2.50E-04	4.53E-09	14	1.15E-02	7.28E-10	1.0E+06	7.3E-04
324	324	0.4933	4.06E-05	2.0E-05	2.50E-04	5.01E-09	14	1.15E-02	8.05E-10	1.0E+06	8.0E-04
342	342	0.45857	4.06E-05	1.9E-05	2.50E-04	4.66E-09	14	1.15E-02	7.48E-10	1.0E+06	7.5E-04
343	343	0.5088	4.06E-05	2.1E-05	2.50E-04	5.17E-09	14	1.15E-02	8.30E-10	1.0E+06	8.3E-04
344	344	0.5681	4.06E-05	2.3E-05	2.50E-04	5.77E-09	14	1.15E-02	9.27E-10	1.0E+06	9.3E-04
356	356	0.46806	4.06E-05	1.9E-05	2.50E-04	4.75E-09	14	1.15E-02	7.64E-10	1.0E+06	7.6E-04
357	357	0.52069	4.06E-05	2.1E-05	2.50E-04	5.29E-09	14	1.15E-02	8.49E-10	1.0E+06	8.5E-04
358	358	0.58338	4.06E-05	2.4E-05	2.50E-04	5.93E-09	14	1.15E-02	9.52E-10	1.0E+06	9.5E-04

Via Oro
Risk From Travel Onsite

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	0.47432	4.06E-05	1.9E-05	2.50E-04	4.82E-09	14	1.15E-02	7.74E-10	1.0E+06	7.7E-04
371	371	0.52862	4.06E-05	2.1E-05	2.50E-04	5.37E-09	14	1.15E-02	8.62E-10	1.0E+06	8.6E-04
372	372	0.5936	4.06E-05	2.4E-05	2.50E-04	6.03E-09	14	1.15E-02	9.68E-10	1.0E+06	9.7E-04
383	383	0.47712	4.06E-05	1.9E-05	2.50E-04	4.85E-09	14	1.15E-02	7.78E-10	1.0E+06	7.8E-04
384	384	0.53227	4.06E-05	2.2E-05	2.50E-04	5.41E-09	14	1.15E-02	8.68E-10	1.0E+06	8.7E-04
385	385	0.59839	4.06E-05	2.4E-05	2.50E-04	6.08E-09	14	1.15E-02	9.76E-10	1.0E+06	9.8E-04
396	396	0.47655	4.06E-05	1.9E-05	2.50E-04	4.84E-09	14	1.15E-02	7.77E-10	1.0E+06	7.8E-04
397	397	0.53168	4.06E-05	2.2E-05	2.50E-04	5.40E-09	14	1.15E-02	8.67E-10	1.0E+06	8.7E-04
398	398	0.59776	4.06E-05	2.4E-05	2.50E-04	6.07E-09	14	1.15E-02	9.75E-10	1.0E+06	9.8E-04
399	399	0.67801	4.06E-05	2.8E-05	2.50E-04	6.89E-09	14	1.15E-02	1.11E-09	1.0E+06	1.1E-03
411	411	0.47283	4.06E-05	1.9E-05	2.50E-04	4.80E-09	14	1.15E-02	7.71E-10	1.0E+06	7.7E-04
412	412	0.52713	4.06E-05	2.1E-05	2.50E-04	5.35E-09	14	1.15E-02	8.60E-10	1.0E+06	8.6E-04
413	413	0.59222	4.06E-05	2.4E-05	2.50E-04	6.02E-09	14	1.15E-02	9.66E-10	1.0E+06	9.7E-04
414	414	0.67089	4.06E-05	2.7E-05	2.50E-04	6.81E-09	14	1.15E-02	1.09E-09	1.0E+06	1.1E-03
426	426	0.46641	4.06E-05	1.9E-05	2.50E-04	4.74E-09	14	1.15E-02	7.61E-10	1.0E+06	7.6E-04
427	427	0.51922	4.06E-05	2.1E-05	2.50E-04	5.27E-09	14	1.15E-02	8.47E-10	1.0E+06	8.5E-04
428	428	0.58215	4.06E-05	2.4E-05	2.50E-04	5.91E-09	14	1.15E-02	9.50E-10	1.0E+06	9.5E-04
429	429	0.65817	4.06E-05	2.7E-05	2.50E-04	6.69E-09	14	1.15E-02	1.07E-09	1.0E+06	1.1E-03
439	439	0.45769	4.06E-05	1.9E-05	2.50E-04	4.65E-09	14	1.15E-02	7.47E-10	1.0E+06	7.5E-04
440	440	0.50847	4.06E-05	2.1E-05	2.50E-04	5.16E-09	14	1.15E-02	8.29E-10	1.0E+06	8.3E-04
441	441	0.56873	4.06E-05	2.3E-05	2.50E-04	5.78E-09	14	1.15E-02	9.28E-10	1.0E+06	9.3E-04
442	442	0.64102	4.06E-05	2.6E-05	2.50E-04	6.51E-09	14	1.15E-02	1.05E-09	1.0E+06	1.0E-03
443	443	0.72881	4.06E-05	3.0E-05	2.50E-04	7.40E-09	14	1.15E-02	1.19E-09	1.0E+06	1.2E-03
454	454	0.44719	4.06E-05	1.8E-05	2.50E-04	4.54E-09	14	1.15E-02	7.29E-10	1.0E+06	7.3E-04
455	455	0.49552	4.06E-05	2.0E-05	2.50E-04	5.03E-09	14	1.15E-02	8.08E-10	1.0E+06	8.1E-04
456	456	0.55252	4.06E-05	2.2E-05	2.50E-04	5.61E-09	14	1.15E-02	9.01E-10	1.0E+06	9.0E-04
457	457	0.6204	4.06E-05	2.5E-05	2.50E-04	6.30E-09	14	1.15E-02	1.01E-09	1.0E+06	1.0E-03
458	458	0.70209	4.06E-05	2.8E-05	2.50E-04	7.13E-09	14	1.15E-02	1.15E-09	1.0E+06	1.1E-03
469	469	0.43526	4.06E-05	1.8E-05	2.50E-04	4.42E-09	14	1.15E-02	7.10E-10	1.0E+06	7.1E-04
470	470	0.4808	4.06E-05	2.0E-05	2.50E-04	4.88E-09	14	1.15E-02	7.84E-10	1.0E+06	7.8E-04
471	471	0.53418	4.06E-05	2.2E-05	2.50E-04	5.43E-09	14	1.15E-02	8.71E-10	1.0E+06	8.7E-04

Via Oro
Risk From Travel Onsite

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	0.59716	4.06E-05	2.4E-05	2.50E-04	6.07E-09	14	1.15E-02	9.74E-10	1.0E+06	9.7E-04
473	473	0.67215	4.06E-05	2.7E-05	2.50E-04	6.83E-09	14	1.15E-02	1.10E-09	1.0E+06	1.1E-03
489	489	0.42232	4.06E-05	1.7E-05	2.50E-04	4.29E-09	14	1.15E-02	6.89E-10	1.0E+06	6.9E-04
490	490	0.4649	4.06E-05	1.9E-05	2.50E-04	4.72E-09	14	1.15E-02	7.58E-10	1.0E+06	7.6E-04
491	491	0.51437	4.06E-05	2.1E-05	2.50E-04	5.22E-09	14	1.15E-02	8.39E-10	1.0E+06	8.4E-04
492	492	0.5722	4.06E-05	2.3E-05	2.50E-04	5.81E-09	14	1.15E-02	9.33E-10	1.0E+06	9.3E-04
493	493	0.6403	4.06E-05	2.6E-05	2.50E-04	6.50E-09	14	1.15E-02	1.04E-09	1.0E+06	1.0E-03
494	494	0.72107	4.06E-05	2.9E-05	2.50E-04	7.32E-09	14	1.15E-02	1.18E-09	1.0E+06	1.2E-03
509	509	0.40848	4.06E-05	1.7E-05	2.50E-04	4.15E-09	14	1.15E-02	6.66E-10	1.0E+06	6.7E-04
510	510	0.44798	4.06E-05	1.8E-05	2.50E-04	4.55E-09	14	1.15E-02	7.31E-10	1.0E+06	7.3E-04
511	511	0.49341	4.06E-05	2.0E-05	2.50E-04	5.01E-09	14	1.15E-02	8.05E-10	1.0E+06	8.0E-04
512	512	0.546	4.06E-05	2.2E-05	2.50E-04	5.55E-09	14	1.15E-02	8.91E-10	1.0E+06	8.9E-04
513	513	0.60721	4.06E-05	2.5E-05	2.50E-04	6.17E-09	14	1.15E-02	9.90E-10	1.0E+06	9.9E-04
514	514	0.67882	4.06E-05	2.8E-05	2.50E-04	6.89E-09	14	1.15E-02	1.11E-09	1.0E+06	1.1E-03
515	515	0.86332	4.06E-05	3.5E-05	2.50E-04	8.77E-09	14	1.15E-02	1.41E-09	1.0E+06	1.4E-03
516	516	0.98287	4.06E-05	4.0E-05	2.50E-04	9.98E-09	14	1.15E-02	1.60E-09	1.0E+06	1.6E-03
517	517	1.12744	4.06E-05	4.6E-05	2.50E-04	1.15E-08	14	1.15E-02	1.84E-09	1.0E+06	1.8E-03
518	518	1.30392	4.06E-05	5.3E-05	2.50E-04	1.32E-08	14	1.15E-02	2.13E-09	1.0E+06	2.1E-03
519	519	1.52214	4.06E-05	6.2E-05	2.50E-04	1.55E-08	14	1.15E-02	2.48E-09	1.0E+06	2.5E-03
528	528	0.39399	4.06E-05	1.6E-05	2.50E-04	4.00E-09	14	1.15E-02	6.43E-10	1.0E+06	6.4E-04
529	529	0.43034	4.06E-05	1.7E-05	2.50E-04	4.37E-09	14	1.15E-02	7.02E-10	1.0E+06	7.0E-04
530	530	0.47176	4.06E-05	1.9E-05	2.50E-04	4.79E-09	14	1.15E-02	7.70E-10	1.0E+06	7.7E-04
531	531	0.51917	4.06E-05	2.1E-05	2.50E-04	5.27E-09	14	1.15E-02	8.47E-10	1.0E+06	8.5E-04
532	532	0.57371	4.06E-05	2.3E-05	2.50E-04	5.83E-09	14	1.15E-02	9.36E-10	1.0E+06	9.4E-04
533	533	0.63671	4.06E-05	2.6E-05	2.50E-04	6.47E-09	14	1.15E-02	1.04E-09	1.0E+06	1.0E-03
534	534	0.79526	4.06E-05	3.2E-05	2.50E-04	8.08E-09	14	1.15E-02	1.30E-09	1.0E+06	1.3E-03
535	535	0.89563	4.06E-05	3.6E-05	2.50E-04	9.10E-09	14	1.15E-02	1.46E-09	1.0E+06	1.5E-03
536	536	1.01524	4.06E-05	4.1E-05	2.50E-04	1.03E-08	14	1.15E-02	1.66E-09	1.0E+06	1.7E-03
537	537	1.15731	4.06E-05	4.7E-05	2.50E-04	1.18E-08	14	1.15E-02	1.89E-09	1.0E+06	1.9E-03
538	538	1.32841	4.06E-05	5.4E-05	2.50E-04	1.35E-08	14	1.15E-02	2.17E-09	1.0E+06	2.2E-03
547	547	0.37904	4.06E-05	1.5E-05	2.50E-04	3.85E-09	14	1.15E-02	6.18E-10	1.0E+06	6.2E-04

Via Oro
Risk From Travel Onsite

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.41225	4.06E-05	1.7E-05	2.50E-04	4.19E-09	14	1.15E-02	6.72E-10	1.0E+06	6.7E-04
549	549	0.44972	4.06E-05	1.8E-05	2.50E-04	4.57E-09	14	1.15E-02	7.34E-10	1.0E+06	7.3E-04
550	550	0.49221	4.06E-05	2.0E-05	2.50E-04	5.00E-09	14	1.15E-02	8.03E-10	1.0E+06	8.0E-04
551	551	0.54049	4.06E-05	2.2E-05	2.50E-04	5.49E-09	14	1.15E-02	8.82E-10	1.0E+06	8.8E-04
552	552	0.59561	4.06E-05	2.4E-05	2.50E-04	6.05E-09	14	1.15E-02	9.72E-10	1.0E+06	9.7E-04
553	553	0.65887	4.06E-05	2.7E-05	2.50E-04	6.69E-09	14	1.15E-02	1.07E-09	1.0E+06	1.1E-03
554	554	0.73167	4.06E-05	3.0E-05	2.50E-04	7.43E-09	14	1.15E-02	1.19E-09	1.0E+06	1.2E-03
555	555	0.81633	4.06E-05	3.3E-05	2.50E-04	8.29E-09	14	1.15E-02	1.33E-09	1.0E+06	1.3E-03
556	556	0.91565	4.06E-05	3.7E-05	2.50E-04	9.30E-09	14	1.15E-02	1.49E-09	1.0E+06	1.5E-03
557	557	1.03128	4.06E-05	4.2E-05	2.50E-04	1.05E-08	14	1.15E-02	1.68E-09	1.0E+06	1.7E-03
558	558	1.16842	4.06E-05	4.7E-05	2.50E-04	1.19E-08	14	1.15E-02	1.91E-09	1.0E+06	1.9E-03
559	559	1.32854	4.06E-05	5.4E-05	2.50E-04	1.35E-08	14	1.15E-02	2.17E-09	1.0E+06	2.2E-03
567	567	0.36376	4.06E-05	1.5E-05	2.50E-04	3.69E-09	14	1.15E-02	5.93E-10	1.0E+06	5.9E-04
568	568	0.39391	4.06E-05	1.6E-05	2.50E-04	4.00E-09	14	1.15E-02	6.43E-10	1.0E+06	6.4E-04
569	569	0.42764	4.06E-05	1.7E-05	2.50E-04	4.34E-09	14	1.15E-02	6.98E-10	1.0E+06	7.0E-04
570	570	0.46549	4.06E-05	1.9E-05	2.50E-04	4.73E-09	14	1.15E-02	7.59E-10	1.0E+06	7.6E-04
571	571	0.50811	4.06E-05	2.1E-05	2.50E-04	5.16E-09	14	1.15E-02	8.29E-10	1.0E+06	8.3E-04
572	572	0.55629	4.06E-05	2.3E-05	2.50E-04	5.65E-09	14	1.15E-02	9.07E-10	1.0E+06	9.1E-04
573	573	0.61099	4.06E-05	2.5E-05	2.50E-04	6.21E-09	14	1.15E-02	9.97E-10	1.0E+06	1.0E-03
574	574	0.74495	4.06E-05	3.0E-05	2.50E-04	7.57E-09	14	1.15E-02	1.22E-09	1.0E+06	1.2E-03
575	575	0.82783	4.06E-05	3.4E-05	2.50E-04	8.41E-09	14	1.15E-02	1.35E-09	1.0E+06	1.4E-03
576	576	0.9236	4.06E-05	3.7E-05	2.50E-04	9.38E-09	14	1.15E-02	1.51E-09	1.0E+06	1.5E-03
577	577	1.03411	4.06E-05	4.2E-05	2.50E-04	1.05E-08	14	1.15E-02	1.69E-09	1.0E+06	1.7E-03
578	578	1.16036	4.06E-05	4.7E-05	2.50E-04	1.18E-08	14	1.15E-02	1.89E-09	1.0E+06	1.9E-03
586	586	0.34838	4.06E-05	1.4E-05	2.50E-04	3.54E-09	14	1.15E-02	5.68E-10	1.0E+06	5.7E-04
587	587	0.37563	4.06E-05	1.5E-05	2.50E-04	3.82E-09	14	1.15E-02	6.13E-10	1.0E+06	6.1E-04
588	588	0.40586	4.06E-05	1.6E-05	2.50E-04	4.12E-09	14	1.15E-02	6.62E-10	1.0E+06	6.6E-04
589	589	0.4395	4.06E-05	1.8E-05	2.50E-04	4.46E-09	14	1.15E-02	7.17E-10	1.0E+06	7.2E-04
590	590	0.47705	4.06E-05	1.9E-05	2.50E-04	4.85E-09	14	1.15E-02	7.78E-10	1.0E+06	7.8E-04
591	591	0.51915	4.06E-05	2.1E-05	2.50E-04	5.27E-09	14	1.15E-02	8.47E-10	1.0E+06	8.5E-04
592	592	0.56655	4.06E-05	2.3E-05	2.50E-04	5.75E-09	14	1.15E-02	9.24E-10	1.0E+06	9.2E-04

Via Oro
Risk From Travel Onsite

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	0.68112	4.06E-05	2.8E-05	2.50E-04	6.92E-09	14	1.15E-02	1.11E-09	1.0E+06	1.1E-03
594	594	0.75094	4.06E-05	3.0E-05	2.50E-04	7.63E-09	14	1.15E-02	1.22E-09	1.0E+06	1.2E-03
595	595	0.83009	4.06E-05	3.4E-05	2.50E-04	8.43E-09	14	1.15E-02	1.35E-09	1.0E+06	1.4E-03
596	596	0.91967	4.06E-05	3.7E-05	2.50E-04	9.34E-09	14	1.15E-02	1.50E-09	1.0E+06	1.5E-03
597	597	1.01991	4.06E-05	4.1E-05	2.50E-04	1.04E-08	14	1.15E-02	1.66E-09	1.0E+06	1.7E-03
345	345	0.6392	4.06E-05	2.6E-05	2.50E-04	6.49E-09	14	1.15E-02	1.04E-09	1.0E+06	1.0E-03
346	346	0.72522	4.06E-05	2.9E-05	2.50E-04	7.37E-09	14	1.15E-02	1.18E-09	1.0E+06	1.2E-03
347	347	0.83091	4.06E-05	3.4E-05	2.50E-04	8.44E-09	14	1.15E-02	1.36E-09	1.0E+06	1.4E-03
348	348	0.96264	4.06E-05	3.9E-05	2.50E-04	9.78E-09	14	1.15E-02	1.57E-09	1.0E+06	1.6E-03
359	359	0.65898	4.06E-05	2.7E-05	2.50E-04	6.69E-09	14	1.15E-02	1.07E-09	1.0E+06	1.1E-03
360	360	0.75128	4.06E-05	3.0E-05	2.50E-04	7.63E-09	14	1.15E-02	1.23E-09	1.0E+06	1.2E-03
361	361	0.86567	4.06E-05	3.5E-05	2.50E-04	8.79E-09	14	1.15E-02	1.41E-09	1.0E+06	1.4E-03
362	362	1.00953	4.06E-05	4.1E-05	2.50E-04	1.03E-08	14	1.15E-02	1.65E-09	1.0E+06	1.6E-03
363	363	1.19556	4.06E-05	4.9E-05	2.50E-04	1.21E-08	14	1.15E-02	1.95E-09	1.0E+06	2.0E-03
373	373	0.769	4.06E-05	3.1E-05	2.50E-04	7.81E-09	14	1.15E-02	1.25E-09	1.0E+06	1.3E-03
374	374	0.88953	4.06E-05	3.6E-05	2.50E-04	9.03E-09	14	1.15E-02	1.45E-09	1.0E+06	1.5E-03
375	375	1.04238	4.06E-05	4.2E-05	2.50E-04	1.06E-08	14	1.15E-02	1.70E-09	1.0E+06	1.7E-03
376	376	1.24186	4.06E-05	5.0E-05	2.50E-04	1.26E-08	14	1.15E-02	2.03E-09	1.0E+06	2.0E-03
386	386	0.7776	4.06E-05	3.2E-05	2.50E-04	7.90E-09	14	1.15E-02	1.27E-09	1.0E+06	1.3E-03
387	387	0.90142	4.06E-05	3.7E-05	2.50E-04	9.16E-09	14	1.15E-02	1.47E-09	1.0E+06	1.5E-03
388	388	1.05901	4.06E-05	4.3E-05	2.50E-04	1.08E-08	14	1.15E-02	1.73E-09	1.0E+06	1.7E-03
389	389	1.26564	4.06E-05	5.1E-05	2.50E-04	1.29E-08	14	1.15E-02	2.06E-09	1.0E+06	2.1E-03
390	390	1.54478	4.06E-05	6.3E-05	2.50E-04	1.57E-08	14	1.15E-02	2.52E-09	1.0E+06	2.5E-03
400	400	0.77693	4.06E-05	3.2E-05	2.50E-04	7.89E-09	14	1.15E-02	1.27E-09	1.0E+06	1.3E-03
401	401	0.9006	4.06E-05	3.7E-05	2.50E-04	9.15E-09	14	1.15E-02	1.47E-09	1.0E+06	1.5E-03
402	402	1.05881	4.06E-05	4.3E-05	2.50E-04	1.08E-08	14	1.15E-02	1.73E-09	1.0E+06	1.7E-03
403	403	1.265	4.06E-05	5.1E-05	2.50E-04	1.28E-08	14	1.15E-02	2.06E-09	1.0E+06	2.1E-03
404	404	1.54274	4.06E-05	6.3E-05	2.50E-04	1.57E-08	14	1.15E-02	2.52E-09	1.0E+06	2.5E-03
415	415	0.76775	4.06E-05	3.1E-05	2.50E-04	7.80E-09	14	1.15E-02	1.25E-09	1.0E+06	1.3E-03
416	416	0.88873	4.06E-05	3.6E-05	2.50E-04	9.03E-09	14	1.15E-02	1.45E-09	1.0E+06	1.4E-03
417	417	1.04217	4.06E-05	4.2E-05	2.50E-04	1.06E-08	14	1.15E-02	1.70E-09	1.0E+06	1.7E-03

Via Oro
Risk From Travel Onsite

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	1.24273	4.06E-05	5.0E-05	2.50E-04	1.26E-08	14	1.15E-02	2.03E-09	1.0E+06	2.0E-03
419	419	1.50965	4.06E-05	6.1E-05	2.50E-04	1.53E-08	14	1.15E-02	2.46E-09	1.0E+06	2.5E-03
420	420	1.87441	4.06E-05	7.6E-05	2.50E-04	1.90E-08	14	1.15E-02	3.06E-09	1.0E+06	3.1E-03
430	430	0.86668	4.06E-05	3.5E-05	2.50E-04	8.80E-09	14	1.15E-02	1.41E-09	1.0E+06	1.4E-03
431	431	1.01244	4.06E-05	4.1E-05	2.50E-04	1.03E-08	14	1.15E-02	1.65E-09	1.0E+06	1.7E-03
432	432	1.20012	4.06E-05	4.9E-05	2.50E-04	1.22E-08	14	1.15E-02	1.96E-09	1.0E+06	2.0E-03
433	433	1.44756	4.06E-05	5.9E-05	2.50E-04	1.47E-08	14	1.15E-02	2.36E-09	1.0E+06	2.4E-03
434	434	1.78342	4.06E-05	7.2E-05	2.50E-04	1.81E-08	14	1.15E-02	2.91E-09	1.0E+06	2.9E-03
444	444	0.83685	4.06E-05	3.4E-05	2.50E-04	8.50E-09	14	1.15E-02	1.37E-09	1.0E+06	1.4E-03
445	445	0.97195	4.06E-05	3.9E-05	2.50E-04	9.87E-09	14	1.15E-02	1.59E-09	1.0E+06	1.6E-03
446	446	1.14338	4.06E-05	4.6E-05	2.50E-04	1.16E-08	14	1.15E-02	1.87E-09	1.0E+06	1.9E-03
447	447	1.36554	4.06E-05	5.5E-05	2.50E-04	1.39E-08	14	1.15E-02	2.23E-09	1.0E+06	2.2E-03
448	448	1.66082	4.06E-05	6.7E-05	2.50E-04	1.69E-08	14	1.15E-02	2.71E-09	1.0E+06	2.7E-03
459	459	0.92415	4.06E-05	3.8E-05	2.50E-04	9.39E-09	14	1.15E-02	1.51E-09	1.0E+06	1.5E-03
460	460	1.07742	4.06E-05	4.4E-05	2.50E-04	1.09E-08	14	1.15E-02	1.76E-09	1.0E+06	1.8E-03
461	461	1.27229	4.06E-05	5.2E-05	2.50E-04	1.29E-08	14	1.15E-02	2.08E-09	1.0E+06	2.1E-03
462	462	1.52478	4.06E-05	6.2E-05	2.50E-04	1.55E-08	14	1.15E-02	2.49E-09	1.0E+06	2.5E-03
463	463	1.85847	4.06E-05	7.5E-05	2.50E-04	1.89E-08	14	1.15E-02	3.03E-09	1.0E+06	3.0E-03
474	474	0.87196	4.06E-05	3.5E-05	2.50E-04	8.86E-09	14	1.15E-02	1.42E-09	1.0E+06	1.4E-03
475	475	1.00647	4.06E-05	4.1E-05	2.50E-04	1.02E-08	14	1.15E-02	1.64E-09	1.0E+06	1.6E-03
476	476	1.17416	4.06E-05	4.8E-05	2.50E-04	1.19E-08	14	1.15E-02	1.92E-09	1.0E+06	1.9E-03
477	477	1.38562	4.06E-05	5.6E-05	2.50E-04	1.41E-08	14	1.15E-02	2.26E-09	1.0E+06	2.3E-03
478	478	1.65712	4.06E-05	6.7E-05	2.50E-04	1.68E-08	14	1.15E-02	2.70E-09	1.0E+06	2.7E-03
495	495	0.81768	4.06E-05	3.3E-05	2.50E-04	8.31E-09	14	1.15E-02	1.33E-09	1.0E+06	1.3E-03
496	496	0.93423	4.06E-05	3.8E-05	2.50E-04	9.49E-09	14	1.15E-02	1.52E-09	1.0E+06	1.5E-03
497	497	1.07651	4.06E-05	4.4E-05	2.50E-04	1.09E-08	14	1.15E-02	1.76E-09	1.0E+06	1.8E-03
498	498	1.25193	4.06E-05	5.1E-05	2.50E-04	1.27E-08	14	1.15E-02	2.04E-09	1.0E+06	2.0E-03
499	499	1.47079	4.06E-05	6.0E-05	2.50E-04	1.49E-08	14	1.15E-02	2.40E-09	1.0E+06	2.4E-03
500	500	1.74769	4.06E-05	7.1E-05	2.50E-04	1.78E-08	14	1.15E-02	2.85E-09	1.0E+06	2.9E-03

Via Oro
Risk From Travel Onsite

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	0.26897	4.06E-05	1.1E-05	2.50E-04	2.73E-09	25	1.15E-02	7.83E-10	1.0E+06	7.8E-04
140	140	0.28229	4.06E-05	1.1E-05	2.50E-04	2.87E-09	25	1.15E-02	8.22E-10	1.0E+06	8.2E-04
156	156	0.2866	4.06E-05	1.2E-05	2.50E-04	2.91E-09	25	1.15E-02	8.35E-10	1.0E+06	8.3E-04
157	157	0.30179	4.06E-05	1.2E-05	2.50E-04	3.07E-09	25	1.15E-02	8.79E-10	1.0E+06	8.8E-04
158	158	0.31785	4.06E-05	1.3E-05	2.50E-04	3.23E-09	25	1.15E-02	9.26E-10	1.0E+06	9.3E-04
159	159	0.33461	4.06E-05	1.4E-05	2.50E-04	3.40E-09	25	1.15E-02	9.75E-10	1.0E+06	9.7E-04
160	160	0.35175	4.06E-05	1.4E-05	2.50E-04	3.57E-09	25	1.15E-02	1.02E-09	1.0E+06	1.0E-03
161	161	0.38761	4.06E-05	1.6E-05	2.50E-04	3.94E-09	25	1.15E-02	1.13E-09	1.0E+06	1.1E-03
162	162	0.40573	4.06E-05	1.6E-05	2.50E-04	4.12E-09	25	1.15E-02	1.18E-09	1.0E+06	1.2E-03
163	163	0.42337	4.06E-05	1.7E-05	2.50E-04	4.30E-09	25	1.15E-02	1.23E-09	1.0E+06	1.2E-03
167	167	0.32279	4.06E-05	1.3E-05	2.50E-04	3.28E-09	25	1.15E-02	9.40E-10	1.0E+06	9.4E-04
168	168	0.34183	4.06E-05	1.4E-05	2.50E-04	3.47E-09	25	1.15E-02	9.96E-10	1.0E+06	1.0E-03
169	169	0.36132	4.06E-05	1.5E-05	2.50E-04	3.67E-09	25	1.15E-02	1.05E-09	1.0E+06	1.1E-03
170	170	0.38164	4.06E-05	1.5E-05	2.50E-04	3.88E-09	25	1.15E-02	1.11E-09	1.0E+06	1.1E-03
171	171	0.40269	4.06E-05	1.6E-05	2.50E-04	4.09E-09	25	1.15E-02	1.17E-09	1.0E+06	1.2E-03
172	172	0.42453	4.06E-05	1.7E-05	2.50E-04	4.31E-09	25	1.15E-02	1.24E-09	1.0E+06	1.2E-03
173	173	0.44644	4.06E-05	1.8E-05	2.50E-04	4.53E-09	25	1.15E-02	1.30E-09	1.0E+06	1.3E-03
174	174	0.46825	4.06E-05	1.9E-05	2.50E-04	4.76E-09	25	1.15E-02	1.36E-09	1.0E+06	1.4E-03
175	175	0.48943	4.06E-05	2.0E-05	2.50E-04	4.97E-09	25	1.15E-02	1.43E-09	1.0E+06	1.4E-03
176	176	0.50939	4.06E-05	2.1E-05	2.50E-04	5.17E-09	25	1.15E-02	1.48E-09	1.0E+06	1.5E-03
177	177	0.52731	4.06E-05	2.1E-05	2.50E-04	5.36E-09	25	1.15E-02	1.54E-09	1.0E+06	1.5E-03
181	181	0.36807	4.06E-05	1.5E-05	2.50E-04	3.74E-09	25	1.15E-02	1.07E-09	1.0E+06	1.1E-03
182	182	0.39097	4.06E-05	1.6E-05	2.50E-04	3.97E-09	25	1.15E-02	1.14E-09	1.0E+06	1.1E-03
183	183	0.41518	4.06E-05	1.7E-05	2.50E-04	4.22E-09	25	1.15E-02	1.21E-09	1.0E+06	1.2E-03
184	184	0.44041	4.06E-05	1.8E-05	2.50E-04	4.47E-09	25	1.15E-02	1.28E-09	1.0E+06	1.3E-03
185	185	0.46676	4.06E-05	1.9E-05	2.50E-04	4.74E-09	25	1.15E-02	1.36E-09	1.0E+06	1.4E-03
186	186	0.49375	4.06E-05	2.0E-05	2.50E-04	5.02E-09	25	1.15E-02	1.44E-09	1.0E+06	1.4E-03
187	187	0.52067	4.06E-05	2.1E-05	2.50E-04	5.29E-09	25	1.15E-02	1.52E-09	1.0E+06	1.5E-03
188	188	0.54729	4.06E-05	2.2E-05	2.50E-04	5.56E-09	25	1.15E-02	1.59E-09	1.0E+06	1.6E-03
189	189	0.57262	4.06E-05	2.3E-05	2.50E-04	5.82E-09	25	1.15E-02	1.67E-09	1.0E+06	1.7E-03
190	190	0.59558	4.06E-05	2.4E-05	2.50E-04	6.05E-09	25	1.15E-02	1.73E-09	1.0E+06	1.7E-03

Via Oro
Risk From Travel Onsite

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	0.6153	4.06E-05	2.5E-05	2.50E-04	6.25E-09	25	1.15E-02	1.79E-09	1.0E+06	1.8E-03
195	195	0.3968	4.06E-05	1.6E-05	2.50E-04	4.03E-09	25	1.15E-02	1.16E-09	1.0E+06	1.2E-03
196	196	0.42388	4.06E-05	1.7E-05	2.50E-04	4.31E-09	25	1.15E-02	1.23E-09	1.0E+06	1.2E-03
197	197	0.45274	4.06E-05	1.8E-05	2.50E-04	4.60E-09	25	1.15E-02	1.32E-09	1.0E+06	1.3E-03
198	198	0.48327	4.06E-05	2.0E-05	2.50E-04	4.91E-09	25	1.15E-02	1.41E-09	1.0E+06	1.4E-03
199	199	0.51548	4.06E-05	2.1E-05	2.50E-04	5.24E-09	25	1.15E-02	1.50E-09	1.0E+06	1.5E-03
200	200	0.54882	4.06E-05	2.2E-05	2.50E-04	5.57E-09	25	1.15E-02	1.60E-09	1.0E+06	1.6E-03
201	201	0.58277	4.06E-05	2.4E-05	2.50E-04	5.92E-09	25	1.15E-02	1.70E-09	1.0E+06	1.7E-03
202	202	0.61656	4.06E-05	2.5E-05	2.50E-04	6.26E-09	25	1.15E-02	1.80E-09	1.0E+06	1.8E-03
203	203	0.64907	4.06E-05	2.6E-05	2.50E-04	6.59E-09	25	1.15E-02	1.89E-09	1.0E+06	1.9E-03
204	204	0.67894	4.06E-05	2.8E-05	2.50E-04	6.90E-09	25	1.15E-02	1.98E-09	1.0E+06	2.0E-03
205	205	0.70495	4.06E-05	2.9E-05	2.50E-04	7.16E-09	25	1.15E-02	2.05E-09	1.0E+06	2.1E-03
206	206	0.72589	4.06E-05	2.9E-05	2.50E-04	7.37E-09	25	1.15E-02	2.11E-09	1.0E+06	2.1E-03
210	210	0.39746	4.06E-05	1.6E-05	2.50E-04	4.04E-09	25	1.15E-02	1.16E-09	1.0E+06	1.2E-03
211	211	0.42811	4.06E-05	1.7E-05	2.50E-04	4.35E-09	25	1.15E-02	1.25E-09	1.0E+06	1.2E-03
212	212	0.46015	4.06E-05	1.9E-05	2.50E-04	4.67E-09	25	1.15E-02	1.34E-09	1.0E+06	1.3E-03
213	213	0.49485	4.06E-05	2.0E-05	2.50E-04	5.03E-09	25	1.15E-02	1.44E-09	1.0E+06	1.4E-03
214	214	0.57165	4.06E-05	2.3E-05	2.50E-04	5.81E-09	25	1.15E-02	1.67E-09	1.0E+06	1.7E-03
215	215	0.61334	4.06E-05	2.5E-05	2.50E-04	6.23E-09	25	1.15E-02	1.79E-09	1.0E+06	1.8E-03
216	216	0.6564	4.06E-05	2.7E-05	2.50E-04	6.67E-09	25	1.15E-02	1.91E-09	1.0E+06	1.9E-03
217	217	0.70009	4.06E-05	2.8E-05	2.50E-04	7.11E-09	25	1.15E-02	2.04E-09	1.0E+06	2.0E-03
218	218	0.74278	4.06E-05	3.0E-05	2.50E-04	7.54E-09	25	1.15E-02	2.16E-09	1.0E+06	2.2E-03
219	219	0.78257	4.06E-05	3.2E-05	2.50E-04	7.95E-09	25	1.15E-02	2.28E-09	1.0E+06	2.3E-03
220	220	0.81754	4.06E-05	3.3E-05	2.50E-04	8.30E-09	25	1.15E-02	2.38E-09	1.0E+06	2.4E-03
221	221	0.8455	4.06E-05	3.4E-05	2.50E-04	8.59E-09	25	1.15E-02	2.46E-09	1.0E+06	2.5E-03
222	222	0.86565	4.06E-05	3.5E-05	2.50E-04	8.79E-09	25	1.15E-02	2.52E-09	1.0E+06	2.5E-03
226	226	0.42679	4.06E-05	1.7E-05	2.50E-04	4.33E-09	25	1.15E-02	1.24E-09	1.0E+06	1.2E-03
227	227	0.46196	4.06E-05	1.9E-05	2.50E-04	4.69E-09	25	1.15E-02	1.35E-09	1.0E+06	1.3E-03
228	228	0.50005	4.06E-05	2.0E-05	2.50E-04	5.08E-09	25	1.15E-02	1.46E-09	1.0E+06	1.5E-03
229	229	0.5418	4.06E-05	2.2E-05	2.50E-04	5.50E-09	25	1.15E-02	1.58E-09	1.0E+06	1.6E-03
230	230	0.58728	4.06E-05	2.4E-05	2.50E-04	5.96E-09	25	1.15E-02	1.71E-09	1.0E+06	1.7E-03

Via Oro
Risk From Travel Onsite

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	0.63631	4.06E-05	2.6E-05	2.50E-04	6.46E-09	25	1.15E-02	1.85E-09	1.0E+06	1.9E-03
232	232	0.68911	4.06E-05	2.8E-05	2.50E-04	7.00E-09	25	1.15E-02	2.01E-09	1.0E+06	2.0E-03
233	233	0.80223	4.06E-05	3.3E-05	2.50E-04	8.15E-09	25	1.15E-02	2.34E-09	1.0E+06	2.3E-03
234	234	0.85963	4.06E-05	3.5E-05	2.50E-04	8.73E-09	25	1.15E-02	2.50E-09	1.0E+06	2.5E-03
235	235	0.91413	4.06E-05	3.7E-05	2.50E-04	9.28E-09	25	1.15E-02	2.66E-09	1.0E+06	2.7E-03
236	236	0.96239	4.06E-05	3.9E-05	2.50E-04	9.77E-09	25	1.15E-02	2.80E-09	1.0E+06	2.8E-03
237	237	1.00128	4.06E-05	4.1E-05	2.50E-04	1.02E-08	25	1.15E-02	2.92E-09	1.0E+06	2.9E-03
238	238	1.02846	4.06E-05	4.2E-05	2.50E-04	1.04E-08	25	1.15E-02	3.00E-09	1.0E+06	3.0E-03
242	242	0.45735	4.06E-05	1.9E-05	2.50E-04	4.65E-09	25	1.15E-02	1.33E-09	1.0E+06	1.3E-03
243	243	0.49805	4.06E-05	2.0E-05	2.50E-04	5.06E-09	25	1.15E-02	1.45E-09	1.0E+06	1.5E-03
244	244	0.54295	4.06E-05	2.2E-05	2.50E-04	5.51E-09	25	1.15E-02	1.58E-09	1.0E+06	1.6E-03
245	245	0.59353	4.06E-05	2.4E-05	2.50E-04	6.03E-09	25	1.15E-02	1.73E-09	1.0E+06	1.7E-03
246	246	0.64956	4.06E-05	2.6E-05	2.50E-04	6.60E-09	25	1.15E-02	1.89E-09	1.0E+06	1.9E-03
247	247	0.71133	4.06E-05	2.9E-05	2.50E-04	7.22E-09	25	1.15E-02	2.07E-09	1.0E+06	2.1E-03
248	248	0.77878	4.06E-05	3.2E-05	2.50E-04	7.91E-09	25	1.15E-02	2.27E-09	1.0E+06	2.3E-03
249	249	0.92825	4.06E-05	3.8E-05	2.50E-04	9.43E-09	25	1.15E-02	2.70E-09	1.0E+06	2.7E-03
250	250	1.0067	4.06E-05	4.1E-05	2.50E-04	1.02E-08	25	1.15E-02	2.93E-09	1.0E+06	2.9E-03
251	251	1.08365	4.06E-05	4.4E-05	2.50E-04	1.10E-08	25	1.15E-02	3.16E-09	1.0E+06	3.2E-03
252	252	1.15338	4.06E-05	4.7E-05	2.50E-04	1.17E-08	25	1.15E-02	3.36E-09	1.0E+06	3.4E-03
253	253	1.20987	4.06E-05	4.9E-05	2.50E-04	1.23E-08	25	1.15E-02	3.52E-09	1.0E+06	3.5E-03
254	254	1.24836	4.06E-05	5.1E-05	2.50E-04	1.27E-08	25	1.15E-02	3.64E-09	1.0E+06	3.6E-03
257	257	0.48913	4.06E-05	2.0E-05	2.50E-04	4.97E-09	25	1.15E-02	1.42E-09	1.0E+06	1.4E-03
258	258	0.5363	4.06E-05	2.2E-05	2.50E-04	5.45E-09	25	1.15E-02	1.56E-09	1.0E+06	1.6E-03
259	259	0.58994	4.06E-05	2.4E-05	2.50E-04	5.99E-09	25	1.15E-02	1.72E-09	1.0E+06	1.7E-03
260	260	0.64979	4.06E-05	2.6E-05	2.50E-04	6.60E-09	25	1.15E-02	1.89E-09	1.0E+06	1.9E-03
261	261	0.71937	4.06E-05	2.9E-05	2.50E-04	7.31E-09	25	1.15E-02	2.10E-09	1.0E+06	2.1E-03
262	262	0.79695	4.06E-05	3.2E-05	2.50E-04	8.09E-09	25	1.15E-02	2.32E-09	1.0E+06	2.3E-03
263	263	0.88397	4.06E-05	3.6E-05	2.50E-04	8.98E-09	25	1.15E-02	2.57E-09	1.0E+06	2.6E-03
264	264	1.08562	4.06E-05	4.4E-05	2.50E-04	1.10E-08	25	1.15E-02	3.16E-09	1.0E+06	3.2E-03
265	265	1.19666	4.06E-05	4.9E-05	2.50E-04	1.22E-08	25	1.15E-02	3.49E-09	1.0E+06	3.5E-03
266	266	1.30881	4.06E-05	5.3E-05	2.50E-04	1.33E-08	25	1.15E-02	3.81E-09	1.0E+06	3.8E-03

Via Oro
Risk From Travel Onsite

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	1.4131	4.06E-05	5.7E-05	2.50E-04	1.44E-08	25	1.15E-02	4.12E-09	1.0E+06	4.1E-03
268	268	1.49877	4.06E-05	6.1E-05	2.50E-04	1.52E-08	25	1.15E-02	4.37E-09	1.0E+06	4.4E-03
269	269	1.55648	4.06E-05	6.3E-05	2.50E-04	1.58E-08	25	1.15E-02	4.53E-09	1.0E+06	4.5E-03
270	270	1.63938	4.06E-05	6.7E-05	2.50E-04	1.67E-08	25	1.15E-02	4.78E-09	1.0E+06	4.8E-03
271	271	1.67549	4.06E-05	6.8E-05	2.50E-04	1.70E-08	25	1.15E-02	4.88E-09	1.0E+06	4.9E-03
274	274	0.52162	4.06E-05	2.1E-05	2.50E-04	5.30E-09	25	1.15E-02	1.52E-09	1.0E+06	1.5E-03
275	275	0.57588	4.06E-05	2.3E-05	2.50E-04	5.85E-09	25	1.15E-02	1.68E-09	1.0E+06	1.7E-03
276	276	0.63904	4.06E-05	2.6E-05	2.50E-04	6.49E-09	25	1.15E-02	1.86E-09	1.0E+06	1.9E-03
277	277	0.71122	4.06E-05	2.9E-05	2.50E-04	7.22E-09	25	1.15E-02	2.07E-09	1.0E+06	2.1E-03
278	278	0.79597	4.06E-05	3.2E-05	2.50E-04	8.08E-09	25	1.15E-02	2.32E-09	1.0E+06	2.3E-03
279	279	0.89365	4.06E-05	3.6E-05	2.50E-04	9.08E-09	25	1.15E-02	2.60E-09	1.0E+06	2.6E-03
280	280	1.0053	4.06E-05	4.1E-05	2.50E-04	1.02E-08	25	1.15E-02	2.93E-09	1.0E+06	2.9E-03
281	281	1.28154	4.06E-05	5.2E-05	2.50E-04	1.30E-08	25	1.15E-02	3.73E-09	1.0E+06	3.7E-03
282	282	1.4423	4.06E-05	5.9E-05	2.50E-04	1.46E-08	25	1.15E-02	4.20E-09	1.0E+06	4.2E-03
283	283	1.61204	4.06E-05	6.5E-05	2.50E-04	1.64E-08	25	1.15E-02	4.70E-09	1.0E+06	4.7E-03
284	284	1.77871	4.06E-05	7.2E-05	2.50E-04	1.81E-08	25	1.15E-02	5.18E-09	1.0E+06	5.2E-03
285	285	1.92051	4.06E-05	7.8E-05	2.50E-04	1.95E-08	25	1.15E-02	5.59E-09	1.0E+06	5.6E-03
286	286	2.01266	4.06E-05	8.2E-05	2.50E-04	2.04E-08	25	1.15E-02	5.86E-09	1.0E+06	5.9E-03
287	287	2.15638	4.06E-05	8.8E-05	2.50E-04	2.19E-08	25	1.15E-02	6.28E-09	1.0E+06	6.3E-03
288	288	2.19975	4.06E-05	8.9E-05	2.50E-04	2.23E-08	25	1.15E-02	6.41E-09	1.0E+06	6.4E-03
291	291	0.55401	4.06E-05	2.2E-05	2.50E-04	5.63E-09	25	1.15E-02	1.61E-09	1.0E+06	1.6E-03
292	292	0.6161	4.06E-05	2.5E-05	2.50E-04	6.26E-09	25	1.15E-02	1.79E-09	1.0E+06	1.8E-03
293	293	0.68938	4.06E-05	2.8E-05	2.50E-04	7.00E-09	25	1.15E-02	2.01E-09	1.0E+06	2.0E-03
294	294	0.77584	4.06E-05	3.1E-05	2.50E-04	7.88E-09	25	1.15E-02	2.26E-09	1.0E+06	2.3E-03
295	295	0.87783	4.06E-05	3.6E-05	2.50E-04	8.92E-09	25	1.15E-02	2.56E-09	1.0E+06	2.6E-03
296	296	1.00008	4.06E-05	4.1E-05	2.50E-04	1.02E-08	25	1.15E-02	2.91E-09	1.0E+06	2.9E-03
297	297	1.14669	4.06E-05	4.7E-05	2.50E-04	1.16E-08	25	1.15E-02	3.34E-09	1.0E+06	3.3E-03
298	298	1.52731	4.06E-05	6.2E-05	2.50E-04	1.55E-08	25	1.15E-02	4.45E-09	1.0E+06	4.4E-03
299	299	1.76956	4.06E-05	7.2E-05	2.50E-04	1.80E-08	25	1.15E-02	5.15E-09	1.0E+06	5.2E-03
300	300	2.0395	4.06E-05	8.3E-05	2.50E-04	2.07E-08	25	1.15E-02	5.94E-09	1.0E+06	5.9E-03
301	301	2.32561	4.06E-05	9.4E-05	2.50E-04	2.36E-08	25	1.15E-02	6.77E-09	1.0E+06	6.8E-03

Via Oro
Risk From Travel Onsite

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	302	2.57987	4.06E-05	1.0E-04	2.50E-04	2.62E-08	25	1.15E-02	7.51E-09	1.0E+06	7.5E-03
303	303	2.74291	4.06E-05	1.1E-04	2.50E-04	2.79E-08	25	1.15E-02	7.99E-09	1.0E+06	8.0E-03
304	304	2.99104	4.06E-05	1.2E-04	2.50E-04	3.04E-08	25	1.15E-02	8.71E-09	1.0E+06	8.7E-03
305	305	2.98186	4.06E-05	1.2E-04	2.50E-04	3.03E-08	25	1.15E-02	8.69E-09	1.0E+06	8.7E-03
308	308	0.5853	4.06E-05	2.4E-05	2.50E-04	5.94E-09	25	1.15E-02	1.70E-09	1.0E+06	1.7E-03
309	309	0.65571	4.06E-05	2.7E-05	2.50E-04	6.66E-09	25	1.15E-02	1.91E-09	1.0E+06	1.9E-03
310	310	0.73978	4.06E-05	3.0E-05	2.50E-04	7.51E-09	25	1.15E-02	2.15E-09	1.0E+06	2.2E-03
311	311	0.84133	4.06E-05	3.4E-05	2.50E-04	8.55E-09	25	1.15E-02	2.45E-09	1.0E+06	2.5E-03
312	312	0.96486	4.06E-05	3.9E-05	2.50E-04	9.80E-09	25	1.15E-02	2.81E-09	1.0E+06	2.8E-03
313	313	1.11591	4.06E-05	4.5E-05	2.50E-04	1.13E-08	25	1.15E-02	3.25E-09	1.0E+06	3.3E-03
314	314	1.30355	4.06E-05	5.3E-05	2.50E-04	1.32E-08	25	1.15E-02	3.80E-09	1.0E+06	3.8E-03
315	315	1.832	4.06E-05	7.4E-05	2.50E-04	1.86E-08	25	1.15E-02	5.34E-09	1.0E+06	5.3E-03
316	316	2.20544	4.06E-05	9.0E-05	2.50E-04	2.24E-08	25	1.15E-02	6.42E-09	1.0E+06	6.4E-03
317	317	2.65809	4.06E-05	1.1E-04	2.50E-04	2.70E-08	25	1.15E-02	7.74E-09	1.0E+06	7.7E-03
318	318	3.19566	4.06E-05	1.3E-04	2.50E-04	3.25E-08	25	1.15E-02	9.31E-09	1.0E+06	9.3E-03
319	319	3.71929	4.06E-05	1.5E-04	2.50E-04	3.78E-08	25	1.15E-02	1.08E-08	1.0E+06	1.1E-02
320	320	4.06723	4.06E-05	1.7E-04	2.50E-04	4.13E-08	25	1.15E-02	1.18E-08	1.0E+06	1.2E-02
321	321	4.36111	4.06E-05	1.8E-04	2.50E-04	4.43E-08	25	1.15E-02	1.27E-08	1.0E+06	1.3E-02
322	322	4.09767	4.06E-05	1.7E-04	2.50E-04	4.16E-08	25	1.15E-02	1.19E-08	1.0E+06	1.2E-02
325	325	0.61414	4.06E-05	2.5E-05	2.50E-04	6.24E-09	25	1.15E-02	1.79E-09	1.0E+06	1.8E-03
326	326	0.69272	4.06E-05	2.8E-05	2.50E-04	7.04E-09	25	1.15E-02	2.02E-09	1.0E+06	2.0E-03
327	327	0.78792	4.06E-05	3.2E-05	2.50E-04	8.00E-09	25	1.15E-02	2.30E-09	1.0E+06	2.3E-03
328	328	0.90515	4.06E-05	3.7E-05	2.50E-04	9.19E-09	25	1.15E-02	2.64E-09	1.0E+06	2.6E-03
329	329	1.04994	4.06E-05	4.3E-05	2.50E-04	1.07E-08	25	1.15E-02	3.06E-09	1.0E+06	3.1E-03
330	330	1.23392	4.06E-05	5.0E-05	2.50E-04	1.25E-08	25	1.15E-02	3.59E-09	1.0E+06	3.6E-03
331	331	1.46973	4.06E-05	6.0E-05	2.50E-04	1.49E-08	25	1.15E-02	4.28E-09	1.0E+06	4.3E-03
332	332	1.77758	4.06E-05	7.2E-05	2.50E-04	1.81E-08	25	1.15E-02	5.18E-09	1.0E+06	5.2E-03
333	333	2.19274	4.06E-05	8.9E-05	2.50E-04	2.23E-08	25	1.15E-02	6.39E-09	1.0E+06	6.4E-03
334	334	2.7602	4.06E-05	1.1E-04	2.50E-04	2.80E-08	25	1.15E-02	8.04E-09	1.0E+06	8.0E-03
335	335	3.5555	4.06E-05	1.4E-04	2.50E-04	3.61E-08	25	1.15E-02	1.04E-08	1.0E+06	1.0E-02
336	336	4.66468	4.06E-05	1.9E-04	2.50E-04	4.74E-08	25	1.15E-02	1.36E-08	1.0E+06	1.4E-02

Via Oro
Risk From Travel Onsite

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	6.04181	4.06E-05	2.5E-04	2.50E-04	6.14E-08	25	1.15E-02	1.76E-08	1.0E+06	1.8E-02
338	338	7.02106	4.06E-05	2.8E-04	2.50E-04	7.13E-08	25	1.15E-02	2.05E-08	1.0E+06	2.0E-02
339	339	7.30847	4.06E-05	3.0E-04	2.50E-04	7.42E-08	25	1.15E-02	2.13E-08	1.0E+06	2.1E-02
340	340	6.45578	4.06E-05	2.6E-04	2.50E-04	6.56E-08	25	1.15E-02	1.88E-08	1.0E+06	1.9E-02
341	341	5.49275	4.06E-05	2.2E-04	2.50E-04	5.58E-08	25	1.15E-02	1.60E-08	1.0E+06	1.6E-02
349	349	1.12958	4.06E-05	4.6E-05	2.50E-04	1.15E-08	25	1.15E-02	3.29E-09	1.0E+06	3.3E-03
350	350	1.34575	4.06E-05	5.5E-05	2.50E-04	1.37E-08	25	1.15E-02	3.92E-09	1.0E+06	3.9E-03
351	351	1.63144	4.06E-05	6.6E-05	2.50E-04	1.66E-08	25	1.15E-02	4.75E-09	1.0E+06	4.8E-03
352	352	2.02236	4.06E-05	8.2E-05	2.50E-04	2.05E-08	25	1.15E-02	5.89E-09	1.0E+06	5.9E-03
353	353	12.16799	4.06E-05	4.9E-04	2.50E-04	1.24E-07	25	1.15E-02	3.54E-08	1.0E+06	3.5E-02
354	354	8.9629	4.06E-05	3.6E-04	2.50E-04	9.10E-08	25	1.15E-02	2.61E-08	1.0E+06	2.6E-02
355	355	6.86407	4.06E-05	2.8E-04	2.50E-04	6.97E-08	25	1.15E-02	2.00E-08	1.0E+06	2.0E-02
364	364	1.44103	4.06E-05	5.8E-05	2.50E-04	1.46E-08	25	1.15E-02	4.20E-09	1.0E+06	4.2E-03
365	365	1.77415	4.06E-05	7.2E-05	2.50E-04	1.80E-08	25	1.15E-02	5.17E-09	1.0E+06	5.2E-03
366	366	2.24561	4.06E-05	9.1E-05	2.50E-04	2.28E-08	25	1.15E-02	6.54E-09	1.0E+06	6.5E-03
367	367	16.8147	4.06E-05	6.8E-04	2.50E-04	1.71E-07	25	1.15E-02	4.90E-08	1.0E+06	4.9E-02
368	368	10.99915	4.06E-05	4.5E-04	2.50E-04	1.12E-07	25	1.15E-02	3.20E-08	1.0E+06	3.2E-02
369	369	7.87489	4.06E-05	3.2E-04	2.50E-04	8.00E-08	25	1.15E-02	2.29E-08	1.0E+06	2.3E-02
377	377	1.50958	4.06E-05	6.1E-05	2.50E-04	1.53E-08	25	1.15E-02	4.40E-09	1.0E+06	4.4E-03
378	378	1.87887	4.06E-05	7.6E-05	2.50E-04	1.91E-08	25	1.15E-02	5.47E-09	1.0E+06	5.5E-03
379	379	2.41105	4.06E-05	9.8E-05	2.50E-04	2.45E-08	25	1.15E-02	7.02E-09	1.0E+06	7.0E-03
380	380	19.87692	4.06E-05	8.1E-04	2.50E-04	2.02E-07	25	1.15E-02	5.79E-08	1.0E+06	5.8E-02
381	381	12.30369	4.06E-05	5.0E-04	2.50E-04	1.25E-07	25	1.15E-02	3.58E-08	1.0E+06	3.6E-02
382	382	8.44954	4.06E-05	3.4E-04	2.50E-04	8.58E-08	25	1.15E-02	2.46E-08	1.0E+06	2.5E-02
391	391	1.93236	4.06E-05	7.8E-05	2.50E-04	1.96E-08	25	1.15E-02	5.63E-09	1.0E+06	5.6E-03
392	392	2.49234	4.06E-05	1.0E-04	2.50E-04	2.53E-08	25	1.15E-02	7.26E-09	1.0E+06	7.3E-03
393	393	22.29711	4.06E-05	9.0E-04	2.50E-04	2.26E-07	25	1.15E-02	6.49E-08	1.0E+06	6.5E-02
394	394	13.12742	4.06E-05	5.3E-04	2.50E-04	1.33E-07	25	1.15E-02	3.82E-08	1.0E+06	3.8E-02
395	395	8.59354	4.06E-05	3.5E-04	2.50E-04	8.73E-08	25	1.15E-02	2.50E-08	1.0E+06	2.5E-02
405	405	1.93094	4.06E-05	7.8E-05	2.50E-04	1.96E-08	25	1.15E-02	5.62E-09	1.0E+06	5.6E-03
406	406	2.49197	4.06E-05	1.0E-04	2.50E-04	2.53E-08	25	1.15E-02	7.26E-09	1.0E+06	7.3E-03

Via Oro
Risk From Travel Onsite

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	3.35305	4.06E-05	1.4E-04	2.50E-04	3.41E-08	25	1.15E-02	9.77E-09	1.0E+06	9.8E-03
408	408	24.20889	4.06E-05	9.8E-04	2.50E-04	2.46E-07	25	1.15E-02	7.05E-08	1.0E+06	7.1E-02
409	409	13.19824	4.06E-05	5.4E-04	2.50E-04	1.34E-07	25	1.15E-02	3.84E-08	1.0E+06	3.8E-02
410	410	8.15495	4.06E-05	3.3E-04	2.50E-04	8.28E-08	25	1.15E-02	2.38E-08	1.0E+06	2.4E-02
421	421	2.40525	4.06E-05	9.8E-05	2.50E-04	2.44E-08	25	1.15E-02	7.01E-09	1.0E+06	7.0E-03
422	422	3.20022	4.06E-05	1.3E-04	2.50E-04	3.25E-08	25	1.15E-02	9.32E-09	1.0E+06	9.3E-03
423	423	24.16432	4.06E-05	9.8E-04	2.50E-04	2.45E-07	25	1.15E-02	7.04E-08	1.0E+06	7.0E-02
424	424	11.85452	4.06E-05	4.8E-04	2.50E-04	1.20E-07	25	1.15E-02	3.45E-08	1.0E+06	3.5E-02
425	425	7.02668	4.06E-05	2.9E-04	2.50E-04	7.14E-08	25	1.15E-02	2.05E-08	1.0E+06	2.0E-02
435	435	2.25169	4.06E-05	9.1E-05	2.50E-04	2.29E-08	25	1.15E-02	6.56E-09	1.0E+06	6.6E-03
436	436	2.94658	4.06E-05	1.2E-04	2.50E-04	2.99E-08	25	1.15E-02	8.58E-09	1.0E+06	8.6E-03
437	437	9.14611	4.06E-05	3.7E-04	2.50E-04	9.29E-08	25	1.15E-02	2.66E-08	1.0E+06	2.7E-02
438	438	5.61797	4.06E-05	2.3E-04	2.50E-04	5.71E-08	25	1.15E-02	1.64E-08	1.0E+06	1.6E-02
449	449	2.06028	4.06E-05	8.4E-05	2.50E-04	2.09E-08	25	1.15E-02	6.00E-09	1.0E+06	6.0E-03
450	450	2.6369	4.06E-05	1.1E-04	2.50E-04	2.68E-08	25	1.15E-02	7.68E-09	1.0E+06	7.7E-03
451	451	3.4884	4.06E-05	1.4E-04	2.50E-04	3.54E-08	25	1.15E-02	1.02E-08	1.0E+06	1.0E-02
452	452	6.94554	4.06E-05	2.8E-04	2.50E-04	7.05E-08	25	1.15E-02	2.02E-08	1.0E+06	2.0E-02
453	453	4.55144	4.06E-05	1.8E-04	2.50E-04	4.62E-08	25	1.15E-02	1.33E-08	1.0E+06	1.3E-02
464	464	2.31573	4.06E-05	9.4E-05	2.50E-04	2.35E-08	25	1.15E-02	6.75E-09	1.0E+06	6.7E-03
465	465	2.96176	4.06E-05	1.2E-04	2.50E-04	3.01E-08	25	1.15E-02	8.63E-09	1.0E+06	8.6E-03
466	466	12.20745	4.06E-05	5.0E-04	2.50E-04	1.24E-07	25	1.15E-02	3.56E-08	1.0E+06	3.6E-02
467	467	5.53793	4.06E-05	2.2E-04	2.50E-04	5.62E-08	25	1.15E-02	1.61E-08	1.0E+06	1.6E-02
468	468	3.81669	4.06E-05	1.5E-04	2.50E-04	3.88E-08	25	1.15E-02	1.11E-08	1.0E+06	1.1E-02
479	479	2.00598	4.06E-05	8.1E-05	2.50E-04	2.04E-08	25	1.15E-02	5.84E-09	1.0E+06	5.8E-03
480	480	2.49371	4.06E-05	1.0E-04	2.50E-04	2.53E-08	25	1.15E-02	7.26E-09	1.0E+06	7.3E-03
481	481	3.15554	4.06E-05	1.3E-04	2.50E-04	3.21E-08	25	1.15E-02	9.19E-09	1.0E+06	9.2E-03
482	482	4.09677	4.06E-05	1.7E-04	2.50E-04	4.16E-08	25	1.15E-02	1.19E-08	1.0E+06	1.2E-02
483	483	5.37607	4.06E-05	2.2E-04	2.50E-04	5.46E-08	25	1.15E-02	1.57E-08	1.0E+06	1.6E-02
484	484	6.822	4.06E-05	2.8E-04	2.50E-04	6.93E-08	25	1.15E-02	1.99E-08	1.0E+06	2.0E-02
485	485	7.26558	4.06E-05	2.9E-04	2.50E-04	7.38E-08	25	1.15E-02	2.12E-08	1.0E+06	2.1E-02
486	486	6.06001	4.06E-05	2.5E-04	2.50E-04	6.16E-08	25	1.15E-02	1.77E-08	1.0E+06	1.8E-02

Via Oro
Risk From Travel Onsite

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	487	4.44633	4.06E-05	1.8E-04	2.50E-04	4.52E-08	25	1.15E-02	1.30E-08	1.0E+06	1.3E-02
488	488	3.23847	4.06E-05	1.3E-04	2.50E-04	3.29E-08	25	1.15E-02	9.43E-09	1.0E+06	9.4E-03
501	501	2.09605	4.06E-05	8.5E-05	2.50E-04	2.13E-08	25	1.15E-02	6.11E-09	1.0E+06	6.1E-03
502	502	2.5762	4.06E-05	1.0E-04	2.50E-04	2.62E-08	25	1.15E-02	7.50E-09	1.0E+06	7.5E-03
503	503	3.19122	4.06E-05	1.3E-04	2.50E-04	3.24E-08	25	1.15E-02	9.30E-09	1.0E+06	9.3E-03
504	504	3.94184	4.06E-05	1.6E-04	2.50E-04	4.00E-08	25	1.15E-02	1.15E-08	1.0E+06	1.1E-02
505	505	4.662	4.06E-05	1.9E-04	2.50E-04	4.74E-08	25	1.15E-02	1.36E-08	1.0E+06	1.4E-02
506	506	4.91337	4.06E-05	2.0E-04	2.50E-04	4.99E-08	25	1.15E-02	1.43E-08	1.0E+06	1.4E-02
507	507	4.43229	4.06E-05	1.8E-04	2.50E-04	4.50E-08	25	1.15E-02	1.29E-08	1.0E+06	1.3E-02
508	508	2.75757	4.06E-05	1.1E-04	2.50E-04	2.80E-08	25	1.15E-02	8.03E-09	1.0E+06	8.0E-03
520	520	1.78618	4.06E-05	7.2E-05	2.50E-04	1.81E-08	25	1.15E-02	5.20E-09	1.0E+06	5.2E-03
521	521	2.11407	4.06E-05	8.6E-05	2.50E-04	2.15E-08	25	1.15E-02	6.16E-09	1.0E+06	6.2E-03
522	522	2.54392	4.06E-05	1.0E-04	2.50E-04	2.58E-08	25	1.15E-02	7.41E-09	1.0E+06	7.4E-03
523	523	3.0097	4.06E-05	1.2E-04	2.50E-04	3.06E-08	25	1.15E-02	8.77E-09	1.0E+06	8.8E-03
524	524	3.4208	4.06E-05	1.4E-04	2.50E-04	3.47E-08	25	1.15E-02	9.96E-09	1.0E+06	1.0E-02
525	525	3.58271	4.06E-05	1.5E-04	2.50E-04	3.64E-08	25	1.15E-02	1.04E-08	1.0E+06	1.0E-02
526	526	3.36891	4.06E-05	1.4E-04	2.50E-04	3.42E-08	25	1.15E-02	9.81E-09	1.0E+06	9.8E-03
527	527	2.34927	4.06E-05	9.5E-05	2.50E-04	2.39E-08	25	1.15E-02	6.84E-09	1.0E+06	6.8E-03
539	539	1.53501	4.06E-05	6.2E-05	2.50E-04	1.56E-08	25	1.15E-02	4.47E-09	1.0E+06	4.5E-03
540	540	1.78118	4.06E-05	7.2E-05	2.50E-04	1.81E-08	25	1.15E-02	5.19E-09	1.0E+06	5.2E-03
541	541	2.06344	4.06E-05	8.4E-05	2.50E-04	2.10E-08	25	1.15E-02	6.01E-09	1.0E+06	6.0E-03
542	542	2.36667	4.06E-05	9.6E-05	2.50E-04	2.40E-08	25	1.15E-02	6.89E-09	1.0E+06	6.9E-03
543	543	2.633	4.06E-05	1.1E-04	2.50E-04	2.67E-08	25	1.15E-02	7.67E-09	1.0E+06	7.7E-03
544	544	2.74525	4.06E-05	1.1E-04	2.50E-04	2.79E-08	25	1.15E-02	8.00E-09	1.0E+06	8.0E-03
545	545	2.64113	4.06E-05	1.1E-04	2.50E-04	2.68E-08	25	1.15E-02	7.69E-09	1.0E+06	7.7E-03
546	546	2.0062	4.06E-05	8.1E-05	2.50E-04	2.04E-08	25	1.15E-02	5.84E-09	1.0E+06	5.8E-03
560	560	1.51393	4.06E-05	6.1E-05	2.50E-04	1.54E-08	25	1.15E-02	4.41E-09	1.0E+06	4.4E-03
561	561	1.72027	4.06E-05	7.0E-05	2.50E-04	1.75E-08	25	1.15E-02	5.01E-09	1.0E+06	5.0E-03
562	562	1.9257	4.06E-05	7.8E-05	2.50E-04	1.96E-08	25	1.15E-02	5.61E-09	1.0E+06	5.6E-03
563	563	2.08686	4.06E-05	8.5E-05	2.50E-04	2.12E-08	25	1.15E-02	6.08E-09	1.0E+06	6.1E-03
564	564	2.17665	4.06E-05	8.8E-05	2.50E-04	2.21E-08	25	1.15E-02	6.34E-09	1.0E+06	6.3E-03

Via Oro
Risk From Travel Onsite

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	2.13369	4.06E-05	8.7E-05	2.50E-04	2.17E-08	25	1.15E-02	6.22E-09	1.0E+06	6.2E-03
566	566	1.72409	4.06E-05	7.0E-05	2.50E-04	1.75E-08	25	1.15E-02	5.02E-09	1.0E+06	5.0E-03
579	579	1.30055	4.06E-05	5.3E-05	2.50E-04	1.32E-08	25	1.15E-02	3.79E-09	1.0E+06	3.8E-03
580	580	1.45173	4.06E-05	5.9E-05	2.50E-04	1.47E-08	25	1.15E-02	4.23E-09	1.0E+06	4.2E-03
581	581	1.60002	4.06E-05	6.5E-05	2.50E-04	1.63E-08	25	1.15E-02	4.66E-09	1.0E+06	4.7E-03
582	582	1.71925	4.06E-05	7.0E-05	2.50E-04	1.75E-08	25	1.15E-02	5.01E-09	1.0E+06	5.0E-03
583	583	1.77955	4.06E-05	7.2E-05	2.50E-04	1.81E-08	25	1.15E-02	5.18E-09	1.0E+06	5.2E-03
584	584	1.75634	4.06E-05	7.1E-05	2.50E-04	1.78E-08	25	1.15E-02	5.12E-09	1.0E+06	5.1E-03
585	585	1.60092	4.06E-05	6.5E-05	2.50E-04	1.63E-08	25	1.15E-02	4.66E-09	1.0E+06	4.7E-03
598	598	1.12913	4.06E-05	4.6E-05	2.50E-04	1.15E-08	25	1.15E-02	3.29E-09	1.0E+06	3.3E-03
599	599	1.24141	4.06E-05	5.0E-05	2.50E-04	1.26E-08	25	1.15E-02	3.62E-09	1.0E+06	3.6E-03
600	600	1.34959	4.06E-05	5.5E-05	2.50E-04	1.37E-08	25	1.15E-02	3.93E-09	1.0E+06	3.9E-03
601	601	1.43729	4.06E-05	5.8E-05	2.50E-04	1.46E-08	25	1.15E-02	4.19E-09	1.0E+06	4.2E-03
602	602	1.48465	4.06E-05	6.0E-05	2.50E-04	1.51E-08	25	1.15E-02	4.32E-09	1.0E+06	4.3E-03
603	603	1.47643	4.06E-05	6.0E-05	2.50E-04	1.50E-08	25	1.15E-02	4.30E-09	1.0E+06	4.3E-03
604	604	1.40782	4.06E-05	5.7E-05	2.50E-04	1.43E-08	25	1.15E-02	4.10E-09	1.0E+06	4.1E-03
0	0	0	4.06E-05	0.0E+00	2.50E-04	0.00E+00	25	1.15E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Travel Onsite

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
1	1	3.8E-03	Max	Receptor #		5	9.84E-07	Max
2	2	4.0E-03	0.048	519	Res	5	1.02E-06	1.235E-05
3	3	4.1E-03	0.059	420	School	5	1.06E-06	1.521E-05
4	4	4.3E-03	0.071	408	Worker	5	1.09E-06	1.965E-04
5	5	4.4E-03				5	1.13E-06	
6	6	4.6E-03				5	1.17E-06	
7	7	4.8E-03				5	1.22E-06	
8	8	4.9E-03				5	1.26E-06	
9	9	5.1E-03				5	1.31E-06	
10	10	5.3E-03				5	1.36E-06	
11	11	5.5E-03				5	1.41E-06	
12	12	5.7E-03				5	1.46E-06	
13	13	5.9E-03				5	1.51E-06	
14	14	6.1E-03				5	1.57E-06	
15	15	6.3E-03				5	1.62E-06	
16	16	6.6E-03				5	1.68E-06	
17	17	6.8E-03				5	1.74E-06	
18	18	7.0E-03				5	1.79E-06	
19	19	7.2E-03				5	1.85E-06	
20	20	7.5E-03				5	1.91E-06	
21	21	7.7E-03				5	1.96E-06	
22	22	7.9E-03				5	2.02E-06	
23	23	8.1E-03				5	2.07E-06	
24	24	8.3E-03				5	2.12E-06	
25	25	8.4E-03				5	2.16E-06	
26	26	8.6E-03				5	2.20E-06	
27	27	8.7E-03				5	2.23E-06	
28	28	8.8E-03				5	2.26E-06	
29	29	8.9E-03				5	2.28E-06	
30	30	9.0E-03				5	2.30E-06	
31	31	9.0E-03				5	2.31E-06	

Via Oro
Risk From Travel Onsite

		<i>Max Cancer Risk</i>		<i>Cancer Risk</i>		<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad
32	32	9.0E-03				5	2.31E-06
55	55	8.5E-03				5	2.17E-06
56	56	8.7E-03				5	2.23E-06
57	57	8.9E-03				5	2.29E-06
58	58	9.1E-03				5	2.34E-06
59	59	9.3E-03				5	2.38E-06
60	60	9.5E-03				5	2.42E-06
61	61	9.6E-03				5	2.45E-06
62	62	9.7E-03				5	2.48E-06
63	63	9.8E-03				5	2.50E-06
64	64	9.8E-03				5	2.51E-06
65	65	9.8E-03				5	2.51E-06
66	66	9.8E-03				5	2.51E-06
67	67	4.1E-03				5	1.05E-06
68	68	4.3E-03				5	1.09E-06
69	69	4.4E-03				5	1.13E-06
70	70	4.6E-03				5	1.17E-06
71	71	4.8E-03				5	1.22E-06
72	72	5.0E-03				5	1.27E-06
73	73	5.2E-03				5	1.32E-06
74	74	5.4E-03				5	1.37E-06
75	75	5.6E-03				5	1.43E-06
76	76	5.8E-03				5	1.49E-06
77	77	6.1E-03				5	1.55E-06
78	78	6.3E-03				5	1.61E-06
79	79	7.7E-03				5	1.97E-06
80	80	8.0E-03				5	2.04E-06
81	81	8.3E-03				5	2.12E-06
82	82	8.6E-03				5	2.19E-06
83	83	8.9E-03				5	2.27E-06
84	84	9.2E-03				5	2.34E-06

Via Oro
Risk From Travel Onsite

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
85	85	9.4E-03	5	2.41E-06	
86	86	9.7E-03	5	2.48E-06	
87	87	9.9E-03	5	2.54E-06	
88	88	1.0E-02	5	2.59E-06	
89	89	1.0E-02	5	2.64E-06	
90	90	1.0E-02	5	2.67E-06	
91	91	1.1E-02	5	2.70E-06	
92	92	1.1E-02	5	2.72E-06	
93	93	1.1E-02	5	2.74E-06	
96	96	1.0E-02	5	2.67E-06	
97	97	1.0E-02	5	2.60E-06	
98	98	1.1E-02	5	2.83E-06	
99	99	1.1E-02	5	2.89E-06	
100	100	1.1E-02	5	2.93E-06	
101	101	1.2E-02	5	2.97E-06	
102	102	1.2E-02	5	2.99E-06	
106	106	4.2E-03	5	1.07E-06	
107	107	4.4E-03	5	1.11E-06	
108	108	4.5E-03	5	1.16E-06	
109	109	4.7E-03	5	1.21E-06	
110	110	4.9E-03	5	1.26E-06	
111	111	5.1E-03	5	1.31E-06	
112	112	5.4E-03	5	1.37E-06	
113	113	5.6E-03	5	1.43E-06	
114	114	5.9E-03	5	1.50E-06	
115	115	6.1E-03	5	1.56E-06	
116	116	6.4E-03	5	1.64E-06	
117	117	6.7E-03	5	1.71E-06	
118	118	7.0E-03	5	1.79E-06	
124	124	4.3E-03	5	1.10E-06	
125	125	4.5E-03	5	1.15E-06	

Via Oro
Risk From Travel Onsite

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
126	126	4.7E-03	5	1.20E-06	
127	127	4.9E-03	5	1.25E-06	
128	128	5.1E-03	5	1.30E-06	
129	129	5.3E-03	5	1.36E-06	
130	130	5.6E-03	5	1.43E-06	
131	131	5.8E-03	5	1.49E-06	
132	132	6.1E-03	5	1.56E-06	
133	133	6.4E-03	5	1.64E-06	
134	134	6.7E-03	5	1.72E-06	
135	135	7.0E-03	5	1.80E-06	
136	136	7.4E-03	5	1.89E-06	
137	137	7.7E-03	5	1.98E-06	
138	138	8.1E-03	5	2.08E-06	
141	141	4.4E-03	5	1.13E-06	
142	142	4.6E-03	5	1.18E-06	
143	143	4.8E-03	5	1.23E-06	
144	144	5.0E-03	5	1.29E-06	
145	145	5.3E-03	5	1.35E-06	
146	146	5.5E-03	5	1.41E-06	
147	147	5.8E-03	5	1.48E-06	
148	148	6.1E-03	5	1.55E-06	
149	149	6.4E-03	5	1.63E-06	
150	150	6.7E-03	5	1.71E-06	
151	151	7.0E-03	5	1.80E-06	
152	152	7.4E-03	5	1.89E-06	
153	153	7.8E-03	5	1.99E-06	
154	154	8.2E-03	5	2.10E-06	
155	155	8.6E-03	5	2.21E-06	
164	164	8.7E-03	5	2.22E-06	
165	165	9.2E-03	5	2.34E-06	
166	166	9.7E-03	5	2.48E-06	

Via Oro
Risk From Travel Onsite

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
178	178	9.2E-03	5	2.35E-06	
179	179	9.7E-03	5	2.49E-06	
180	180	1.0E-02	5	2.65E-06	
192	192	9.7E-03	5	2.48E-06	
193	193	1.0E-02	5	2.65E-06	
194	194	1.1E-02	5	2.82E-06	
207	207	1.0E-02	5	2.63E-06	
208	208	1.1E-02	5	2.81E-06	
209	209	1.2E-02	5	3.01E-06	
223	223	1.1E-02	5	2.77E-06	
224	224	1.2E-02	5	2.98E-06	
225	225	1.3E-02	5	3.21E-06	
239	239	1.1E-02	5	2.92E-06	
240	240	1.2E-02	5	3.16E-06	
241	241	1.3E-02	5	3.42E-06	
255	255	1.2E-02	5	3.07E-06	
256	256	1.3E-02	5	3.34E-06	
272	272	1.3E-02	5	3.22E-06	
273	273	1.4E-02	5	3.52E-06	
289	289	1.3E-02	5	3.37E-06	
290	290	1.4E-02	5	3.69E-06	
306	306	1.4E-02	5	3.50E-06	
307	307	1.5E-02	5	3.86E-06	
323	323	1.4E-02	5	3.62E-06	
324	324	1.6E-02	5	4.00E-06	
342	342	1.5E-02	5	3.72E-06	
343	343	1.6E-02	5	4.13E-06	
344	344	1.8E-02	5	4.61E-06	
356	356	1.5E-02	5	3.80E-06	
357	357	1.7E-02	5	4.23E-06	
358	358	1.9E-02	5	4.74E-06	

Via Oro
Risk From Travel Onsite

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
370	370	1.5E-02	5	3.85E-06	
371	371	1.7E-02	5	4.29E-06	
372	372	1.9E-02	5	4.82E-06	
383	383	1.5E-02	5	3.87E-06	
384	384	1.7E-02	5	4.32E-06	
385	385	1.9E-02	5	4.86E-06	
396	396	1.5E-02	5	3.87E-06	
397	397	1.7E-02	5	4.32E-06	
398	398	1.9E-02	5	4.85E-06	
399	399	2.2E-02	5	5.50E-06	
411	411	1.5E-02	5	3.84E-06	
412	412	1.7E-02	5	4.28E-06	
413	413	1.9E-02	5	4.81E-06	
414	414	2.1E-02	5	5.45E-06	
426	426	1.5E-02	5	3.79E-06	
427	427	1.6E-02	5	4.21E-06	
428	428	1.8E-02	5	4.73E-06	
429	429	2.1E-02	5	5.34E-06	
439	439	1.5E-02	5	3.71E-06	
440	440	1.6E-02	5	4.13E-06	
441	441	1.8E-02	5	4.62E-06	
442	442	2.0E-02	5	5.20E-06	
443	443	2.3E-02	5	5.92E-06	
454	454	1.4E-02	5	3.63E-06	
455	455	1.6E-02	5	4.02E-06	
456	456	1.8E-02	5	4.48E-06	
457	457	2.0E-02	5	5.04E-06	
458	458	2.2E-02	5	5.70E-06	
469	469	1.4E-02	5	3.53E-06	
470	470	1.5E-02	5	3.90E-06	
471	471	1.7E-02	5	4.34E-06	

Via Oro
Risk From Travel Onsite

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
472	472	1.9E-02	5	4.85E-06	
473	473	2.1E-02	5	5.46E-06	
489	489	1.3E-02	5	3.43E-06	
490	490	1.5E-02	5	3.77E-06	
491	491	1.6E-02	5	4.17E-06	
492	492	1.8E-02	5	4.64E-06	
493	493	2.0E-02	5	5.20E-06	
494	494	2.3E-02	5	5.85E-06	
509	509	1.3E-02	5	3.32E-06	
510	510	1.4E-02	5	3.64E-06	
511	511	1.6E-02	5	4.00E-06	
512	512	1.7E-02	5	4.43E-06	
513	513	1.9E-02	5	4.93E-06	
514	514	2.2E-02	5	5.51E-06	
515	515	2.7E-02	5	7.01E-06	
516	516	3.1E-02	5	7.98E-06	
517	517	3.6E-02	5	9.15E-06	
518	518	4.1E-02	5	1.06E-05	
519	519	4.8E-02	5	1.24E-05	
528	528	1.2E-02	5	3.20E-06	
529	529	1.4E-02	5	3.49E-06	
530	530	1.5E-02	5	3.83E-06	
531	531	1.6E-02	5	4.21E-06	
532	532	1.8E-02	5	4.66E-06	
533	533	2.0E-02	5	5.17E-06	
534	534	2.5E-02	5	6.45E-06	
535	535	2.8E-02	5	7.27E-06	
536	536	3.2E-02	5	8.24E-06	
537	537	3.7E-02	5	9.39E-06	
538	538	4.2E-02	5	1.08E-05	
547	547	1.2E-02	5	3.08E-06	

Via Oro
Risk From Travel Onsite

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
548	548	1.3E-02	5	3.35E-06	
549	549	1.4E-02	5	3.65E-06	
550	550	1.6E-02	5	4.00E-06	
551	551	1.7E-02	5	4.39E-06	
552	552	1.9E-02	5	4.83E-06	
553	553	2.1E-02	5	5.35E-06	
554	554	2.3E-02	5	5.94E-06	
555	555	2.6E-02	5	6.63E-06	
556	556	2.9E-02	5	7.43E-06	
557	557	3.3E-02	5	8.37E-06	
558	558	3.7E-02	5	9.48E-06	
559	559	4.2E-02	5	1.08E-05	
567	567	1.2E-02	5	2.95E-06	
568	568	1.2E-02	5	3.20E-06	
569	569	1.4E-02	5	3.47E-06	
570	570	1.5E-02	5	3.78E-06	
571	571	1.6E-02	5	4.12E-06	
572	572	1.8E-02	5	4.52E-06	
573	573	1.9E-02	5	4.96E-06	
574	574	2.4E-02	5	6.05E-06	
575	575	2.6E-02	5	6.72E-06	
576	576	2.9E-02	5	7.50E-06	
577	577	3.3E-02	5	8.39E-06	
578	578	3.7E-02	5	9.42E-06	
586	586	1.1E-02	5	2.83E-06	
587	587	1.2E-02	5	3.05E-06	
588	588	1.3E-02	5	3.29E-06	
589	589	1.4E-02	5	3.57E-06	
590	590	1.5E-02	5	3.87E-06	
591	591	1.6E-02	5	4.21E-06	
592	592	1.8E-02	5	4.60E-06	

Via Oro
Risk From Travel Onsite

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
593	593	2.2E-02	5	5.53E-06	
594	594	2.4E-02	5	6.10E-06	
595	595	2.6E-02	5	6.74E-06	
596	596	2.9E-02	5	7.46E-06	
597	597	3.2E-02	5	8.28E-06	
345	345	2.0E-02	5	5.19E-06	
346	346	2.3E-02	5	5.89E-06	
347	347	2.6E-02	5	6.74E-06	
348	348	3.1E-02	5	7.81E-06	
359	359	2.1E-02	5	5.35E-06	
360	360	2.4E-02	5	6.10E-06	
361	361	2.7E-02	5	7.03E-06	
362	362	3.2E-02	5	8.19E-06	
363	363	3.8E-02	5	9.70E-06	
373	373	2.4E-02	5	6.24E-06	
374	374	2.8E-02	5	7.22E-06	
375	375	3.3E-02	5	8.46E-06	
376	376	3.9E-02	5	1.01E-05	
386	386	2.5E-02	5	6.31E-06	
387	387	2.9E-02	5	7.32E-06	
388	388	3.4E-02	5	8.60E-06	
389	389	4.0E-02	5	1.03E-05	
390	390	4.9E-02	5	1.25E-05	
400	400	2.5E-02	5	6.31E-06	
401	401	2.9E-02	5	7.31E-06	
402	402	3.4E-02	5	8.59E-06	
403	403	4.0E-02	5	1.03E-05	
404	404	4.9E-02	5	1.25E-05	
415	415	2.4E-02	5	6.23E-06	
416	416	2.8E-02	5	7.21E-06	
417	417	3.3E-02	5	8.46E-06	

Via Oro
Risk From Travel Onsite

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
418	418	3.9E-02	5	1.01E-05	
419	419	4.8E-02	5	1.23E-05	
420	420	5.9E-02	5	1.52E-05	
430	430	2.7E-02	5	7.03E-06	
431	431	3.2E-02	5	8.22E-06	
432	432	3.8E-02	5	9.74E-06	
433	433	4.6E-02	5	1.17E-05	
434	434	5.7E-02	5	1.45E-05	
444	444	2.7E-02	5	6.79E-06	
445	445	3.1E-02	5	7.89E-06	
446	446	3.6E-02	5	9.28E-06	
447	447	4.3E-02	5	1.11E-05	
448	448	5.3E-02	5	1.35E-05	
459	459	2.9E-02	5	7.50E-06	
460	460	3.4E-02	5	8.75E-06	
461	461	4.0E-02	5	1.03E-05	
462	462	4.8E-02	5	1.24E-05	
463	463	5.9E-02	5	1.51E-05	
474	474	2.8E-02	5	7.08E-06	
475	475	3.2E-02	5	8.17E-06	
476	476	3.7E-02	5	9.53E-06	
477	477	4.4E-02	5	1.12E-05	
478	478	5.3E-02	5	1.35E-05	
495	495	2.6E-02	5	6.64E-06	
496	496	3.0E-02	5	7.58E-06	
497	497	3.4E-02	5	8.74E-06	
498	498	4.0E-02	5	1.02E-05	
499	499	4.7E-02	5	1.19E-05	
500	500	5.5E-02	5	1.42E-05	

Via Oro
Risk From Travel Onsite

Receptor #	Receptor #	Max Cancer Risk		Chronic Non Cancer Risk	
		Total Risk/ Million	Cancer Risk	REL	HI Offroad
139	139	7.8E-04		5	2.18E-06
140	140	8.2E-04		5	2.29E-06
156	156	8.3E-04		5	2.33E-06
157	157	8.8E-04		5	2.45E-06
158	158	9.3E-04		5	2.58E-06
159	159	9.7E-04		5	2.72E-06
160	160	1.0E-03		5	2.86E-06
161	161	1.1E-03		5	3.15E-06
162	162	1.2E-03		5	3.29E-06
163	163	1.2E-03		5	3.44E-06
167	167	9.4E-04		5	2.62E-06
168	168	1.0E-03		5	2.77E-06
169	169	1.1E-03		5	2.93E-06
170	170	1.1E-03		5	3.10E-06
171	171	1.2E-03		5	3.27E-06
172	172	1.2E-03		5	3.45E-06
173	173	1.3E-03		5	3.62E-06
174	174	1.4E-03		5	3.80E-06
175	175	1.4E-03		5	3.97E-06
176	176	1.5E-03		5	4.13E-06
177	177	1.5E-03		5	4.28E-06
181	181	1.1E-03		5	2.99E-06
182	182	1.1E-03		5	3.17E-06
183	183	1.2E-03		5	3.37E-06
184	184	1.3E-03		5	3.57E-06
185	185	1.4E-03		5	3.79E-06
186	186	1.4E-03		5	4.01E-06
187	187	1.5E-03		5	4.23E-06
188	188	1.6E-03		5	4.44E-06
189	189	1.7E-03		5	4.65E-06
190	190	1.7E-03		5	4.83E-06

Via Oro
Risk From Travel Onsite

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
191	191	1.8E-03	5	4.99E-06	
195	195	1.2E-03	5	3.22E-06	
196	196	1.2E-03	5	3.44E-06	
197	197	1.3E-03	5	3.67E-06	
198	198	1.4E-03	5	3.92E-06	
199	199	1.5E-03	5	4.18E-06	
200	200	1.6E-03	5	4.45E-06	
201	201	1.7E-03	5	4.73E-06	
202	202	1.8E-03	5	5.00E-06	
203	203	1.9E-03	5	5.27E-06	
204	204	2.0E-03	5	5.51E-06	
205	205	2.1E-03	5	5.72E-06	
206	206	2.1E-03	5	5.89E-06	
210	210	1.2E-03	5	3.23E-06	
211	211	1.2E-03	5	3.47E-06	
212	212	1.3E-03	5	3.73E-06	
213	213	1.4E-03	5	4.02E-06	
214	214	1.7E-03	5	4.64E-06	
215	215	1.8E-03	5	4.98E-06	
216	216	1.9E-03	5	5.33E-06	
217	217	2.0E-03	5	5.68E-06	
218	218	2.2E-03	5	6.03E-06	
219	219	2.3E-03	5	6.35E-06	
220	220	2.4E-03	5	6.64E-06	
221	221	2.5E-03	5	6.86E-06	
222	222	2.5E-03	5	7.03E-06	
226	226	1.2E-03	5	3.46E-06	
227	227	1.3E-03	5	3.75E-06	
228	228	1.5E-03	5	4.06E-06	
229	229	1.6E-03	5	4.40E-06	
230	230	1.7E-03	5	4.77E-06	

Via Oro
Risk From Travel Onsite

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
231	231	1.9E-03	5	5.16E-06	
232	232	2.0E-03	5	5.59E-06	
233	233	2.3E-03	5	6.51E-06	
234	234	2.5E-03	5	6.98E-06	
235	235	2.7E-03	5	7.42E-06	
236	236	2.8E-03	5	7.81E-06	
237	237	2.9E-03	5	8.13E-06	
238	238	3.0E-03	5	8.35E-06	
242	242	1.3E-03	5	3.71E-06	
243	243	1.5E-03	5	4.04E-06	
244	244	1.6E-03	5	4.41E-06	
245	245	1.7E-03	5	4.82E-06	
246	246	1.9E-03	5	5.27E-06	
247	247	2.1E-03	5	5.77E-06	
248	248	2.3E-03	5	6.32E-06	
249	249	2.7E-03	5	7.53E-06	
250	250	2.9E-03	5	8.17E-06	
251	251	3.2E-03	5	8.80E-06	
252	252	3.4E-03	5	9.36E-06	
253	253	3.5E-03	5	9.82E-06	
254	254	3.6E-03	5	1.01E-05	
257	257	1.4E-03	5	3.97E-06	
258	258	1.6E-03	5	4.35E-06	
259	259	1.7E-03	5	4.79E-06	
260	260	1.9E-03	5	5.27E-06	
261	261	2.1E-03	5	5.84E-06	
262	262	2.3E-03	5	6.47E-06	
263	263	2.6E-03	5	7.17E-06	
264	264	3.2E-03	5	8.81E-06	
265	265	3.5E-03	5	9.71E-06	
266	266	3.8E-03	5	1.06E-05	

Via Oro
Risk From Travel Onsite

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
267	267	4.1E-03	5	1.15E-05	
268	268	4.4E-03	5	1.22E-05	
269	269	4.5E-03	5	1.26E-05	
270	270	4.8E-03	5	1.33E-05	
271	271	4.9E-03	5	1.36E-05	
274	274	1.5E-03	5	4.23E-06	
275	275	1.7E-03	5	4.67E-06	
276	276	1.9E-03	5	5.19E-06	
277	277	2.1E-03	5	5.77E-06	
278	278	2.3E-03	5	6.46E-06	
279	279	2.6E-03	5	7.25E-06	
280	280	2.9E-03	5	8.16E-06	
281	281	3.7E-03	5	1.04E-05	
282	282	4.2E-03	5	1.17E-05	
283	283	4.7E-03	5	1.31E-05	
284	284	5.2E-03	5	1.44E-05	
285	285	5.6E-03	5	1.56E-05	
286	286	5.9E-03	5	1.63E-05	
287	287	6.3E-03	5	1.75E-05	
288	288	6.4E-03	5	1.79E-05	
291	291	1.6E-03	5	4.50E-06	
292	292	1.8E-03	5	5.00E-06	
293	293	2.0E-03	5	5.60E-06	
294	294	2.3E-03	5	6.30E-06	
295	295	2.6E-03	5	7.13E-06	
296	296	2.9E-03	5	8.12E-06	
297	297	3.3E-03	5	9.31E-06	
298	298	4.4E-03	5	1.24E-05	
299	299	5.2E-03	5	1.44E-05	
300	300	5.9E-03	5	1.66E-05	
301	301	6.8E-03	5	1.89E-05	

Via Oro
Risk From Travel Onsite

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
302	302	7.5E-03	5	2.09E-05	
303	303	8.0E-03	5	2.23E-05	
304	304	8.7E-03	5	2.43E-05	
305	305	8.7E-03	5	2.42E-05	
308	308	1.7E-03	5	4.75E-06	
309	309	1.9E-03	5	5.32E-06	
310	310	2.2E-03	5	6.00E-06	
311	311	2.5E-03	5	6.83E-06	
312	312	2.8E-03	5	7.83E-06	
313	313	3.3E-03	5	9.06E-06	
314	314	3.8E-03	5	1.06E-05	
315	315	5.3E-03	5	1.49E-05	
316	316	6.4E-03	5	1.79E-05	
317	317	7.7E-03	5	2.16E-05	
318	318	9.3E-03	5	2.59E-05	
319	319	1.1E-02	5	3.02E-05	
320	320	1.2E-02	5	3.30E-05	
321	321	1.3E-02	5	3.54E-05	
322	322	1.2E-02	5	3.33E-05	
325	325	1.8E-03	5	4.98E-06	
326	326	2.0E-03	5	5.62E-06	
327	327	2.3E-03	5	6.40E-06	
328	328	2.6E-03	5	7.35E-06	
329	329	3.1E-03	5	8.52E-06	
330	330	3.6E-03	5	1.00E-05	
331	331	4.3E-03	5	1.19E-05	
332	332	5.2E-03	5	1.44E-05	
333	333	6.4E-03	5	1.78E-05	
334	334	8.0E-03	5	2.24E-05	
335	335	1.0E-02	5	2.89E-05	
336	336	1.4E-02	5	3.79E-05	

Via Oro
Risk From Travel Onsite

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
337	337	1.8E-02	5	4.90E-05	
338	338	2.0E-02	5	5.70E-05	
339	339	2.1E-02	5	5.93E-05	
340	340	1.9E-02	5	5.24E-05	
341	341	1.6E-02	5	4.46E-05	
349	349	3.3E-03	5	9.17E-06	
350	350	3.9E-03	5	1.09E-05	
351	351	4.8E-03	5	1.32E-05	
352	352	5.9E-03	5	1.64E-05	
353	353	3.5E-02	5	9.88E-05	
354	354	2.6E-02	5	7.27E-05	
355	355	2.0E-02	5	5.57E-05	
364	364	4.2E-03	5	1.17E-05	
365	365	5.2E-03	5	1.44E-05	
366	366	6.5E-03	5	1.82E-05	
367	367	4.9E-02	5	1.36E-04	
368	368	3.2E-02	5	8.93E-05	
369	369	2.3E-02	5	6.39E-05	
377	377	4.4E-03	5	1.23E-05	
378	378	5.5E-03	5	1.53E-05	
379	379	7.0E-03	5	1.96E-05	
380	380	5.8E-02	5	1.61E-04	
381	381	3.6E-02	5	9.99E-05	
382	382	2.5E-02	5	6.86E-05	
391	391	5.6E-03	5	1.57E-05	
392	392	7.3E-03	5	2.02E-05	
393	393	6.5E-02	5	1.81E-04	
394	394	3.8E-02	5	1.07E-04	
395	395	2.5E-02	5	6.98E-05	
405	405	5.6E-03	5	1.57E-05	
406	406	7.3E-03	5	2.02E-05	

Via Oro
Risk From Travel Onsite

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
407	407	9.8E-03	5	2.72E-05	
408	408	7.1E-02	5	1.96E-04	
409	409	3.8E-02	5	1.07E-04	
410	410	2.4E-02	5	6.62E-05	
421	421	7.0E-03	5	1.95E-05	
422	422	9.3E-03	5	2.60E-05	
423	423	7.0E-02	5	1.96E-04	
424	424	3.5E-02	5	9.62E-05	
425	425	2.0E-02	5	5.70E-05	
435	435	6.6E-03	5	1.83E-05	
436	436	8.6E-03	5	2.39E-05	
437	437	2.7E-02	5	7.42E-05	
438	438	1.6E-02	5	4.56E-05	
449	449	6.0E-03	5	1.67E-05	
450	450	7.7E-03	5	2.14E-05	
451	451	1.0E-02	5	2.83E-05	
452	452	2.0E-02	5	5.64E-05	
453	453	1.3E-02	5	3.69E-05	
464	464	6.7E-03	5	1.88E-05	
465	465	8.6E-03	5	2.40E-05	
466	466	3.6E-02	5	9.91E-05	
467	467	1.6E-02	5	4.49E-05	
468	468	1.1E-02	5	3.10E-05	
479	479	5.8E-03	5	1.63E-05	
480	480	7.3E-03	5	2.02E-05	
481	481	9.2E-03	5	2.56E-05	
482	482	1.2E-02	5	3.33E-05	
483	483	1.6E-02	5	4.36E-05	
484	484	2.0E-02	5	5.54E-05	
485	485	2.1E-02	5	5.90E-05	
486	486	1.8E-02	5	4.92E-05	

Via Oro
Risk From Travel Onsite

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
487	487	1.3E-02	5	3.61E-05	
488	488	9.4E-03	5	2.63E-05	
501	501	6.1E-03	5	1.70E-05	
502	502	7.5E-03	5	2.09E-05	
503	503	9.3E-03	5	2.59E-05	
504	504	1.1E-02	5	3.20E-05	
505	505	1.4E-02	5	3.78E-05	
506	506	1.4E-02	5	3.99E-05	
507	507	1.3E-02	5	3.60E-05	
508	508	8.0E-03	5	2.24E-05	
520	520	5.2E-03	5	1.45E-05	
521	521	6.2E-03	5	1.72E-05	
522	522	7.4E-03	5	2.06E-05	
523	523	8.8E-03	5	2.44E-05	
524	524	1.0E-02	5	2.78E-05	
525	525	1.0E-02	5	2.91E-05	
526	526	9.8E-03	5	2.73E-05	
527	527	6.8E-03	5	1.91E-05	
539	539	4.5E-03	5	1.25E-05	
540	540	5.2E-03	5	1.45E-05	
541	541	6.0E-03	5	1.67E-05	
542	542	6.9E-03	5	1.92E-05	
543	543	7.7E-03	5	2.14E-05	
544	544	8.0E-03	5	2.23E-05	
545	545	7.7E-03	5	2.14E-05	
546	546	5.8E-03	5	1.63E-05	
560	560	4.4E-03	5	1.23E-05	
561	561	5.0E-03	5	1.40E-05	
562	562	5.6E-03	5	1.56E-05	
563	563	6.1E-03	5	1.69E-05	
564	564	6.3E-03	5	1.77E-05	

Via Oro
Risk From Travel Onsite

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
565	565	6.2E-03				5	1.73E-05	
566	566	5.0E-03				5	1.40E-05	
579	579	3.8E-03				5	1.06E-05	
580	580	4.2E-03				5	1.18E-05	
581	581	4.7E-03				5	1.30E-05	
582	582	5.0E-03				5	1.40E-05	
583	583	5.2E-03				5	1.44E-05	
584	584	5.1E-03				5	1.43E-05	
585	585	4.7E-03				5	1.30E-05	
598	598	3.3E-03				5	9.16E-06	
599	599	3.6E-03				5	1.01E-05	
600	600	3.9E-03				5	1.10E-05	
601	601	4.2E-03				5	1.17E-05	
602	602	4.3E-03				5	1.21E-05	
603	603	4.3E-03				5	1.20E-05	
604	604	4.1E-03				5	1.14E-05	
0	0	0.0E+00				5	0.00E+00	

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	Cancer Risk from 3rd Trimester - Construction								
		g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.12126	4.28E-05	5.2E-06	3.46E-04	1.80E-09	0.25	1.57E-01	7.05E-11	1.0E+06	7.1E-05
2	0.12556	4.28E-05	5.4E-06	3.46E-04	1.86E-09	0.25	1.57E-01	7.30E-11	1.0E+06	7.3E-05
3	0.13001	4.28E-05	5.6E-06	3.46E-04	1.93E-09	0.25	1.57E-01	7.56E-11	1.0E+06	7.6E-05
4	0.13465	4.28E-05	5.8E-06	3.46E-04	1.99E-09	0.25	1.57E-01	7.83E-11	1.0E+06	7.8E-05
5	0.1395	4.28E-05	6.0E-06	3.46E-04	2.07E-09	0.25	1.57E-01	8.12E-11	1.0E+06	8.1E-05
6	0.14463	4.28E-05	6.2E-06	3.46E-04	2.14E-09	0.25	1.57E-01	8.41E-11	1.0E+06	8.4E-05
7	0.14997	4.28E-05	6.4E-06	3.46E-04	2.22E-09	0.25	1.57E-01	8.73E-11	1.0E+06	8.7E-05
8	0.15548	4.28E-05	6.7E-06	3.46E-04	2.30E-09	0.25	1.57E-01	9.05E-11	1.0E+06	9.0E-05
9	0.16122	4.28E-05	6.9E-06	3.46E-04	2.39E-09	0.25	1.57E-01	9.38E-11	1.0E+06	9.4E-05
10	0.16717	4.28E-05	7.2E-06	3.46E-04	2.48E-09	0.25	1.57E-01	9.73E-11	1.0E+06	9.7E-05
11	0.17332	4.28E-05	7.4E-06	3.46E-04	2.57E-09	0.25	1.57E-01	1.01E-10	1.0E+06	1.0E-04
12	0.17965	4.28E-05	7.7E-06	3.46E-04	2.66E-09	0.25	1.57E-01	1.05E-10	1.0E+06	1.0E-04
13	0.18621	4.28E-05	8.0E-06	3.46E-04	2.76E-09	0.25	1.57E-01	1.08E-10	1.0E+06	1.1E-04
14	0.19293	4.28E-05	8.3E-06	3.46E-04	2.86E-09	0.25	1.57E-01	1.12E-10	1.0E+06	1.1E-04
15	0.19982	4.28E-05	8.5E-06	3.46E-04	2.96E-09	0.25	1.57E-01	1.16E-10	1.0E+06	1.2E-04
16	0.2068	4.28E-05	8.8E-06	3.46E-04	3.06E-09	0.25	1.57E-01	1.20E-10	1.0E+06	1.2E-04
17	0.21392	4.28E-05	9.2E-06	3.46E-04	3.17E-09	0.25	1.57E-01	1.24E-10	1.0E+06	1.2E-04
18	0.22103	4.28E-05	9.5E-06	3.46E-04	3.27E-09	0.25	1.57E-01	1.29E-10	1.0E+06	1.3E-04
19	0.22814	4.28E-05	9.8E-06	3.46E-04	3.38E-09	0.25	1.57E-01	1.33E-10	1.0E+06	1.3E-04
20	0.23517	4.28E-05	1.0E-05	3.46E-04	3.48E-09	0.25	1.57E-01	1.37E-10	1.0E+06	1.4E-04
21	0.24202	4.28E-05	1.0E-05	3.46E-04	3.58E-09	0.25	1.57E-01	1.41E-10	1.0E+06	1.4E-04
22	0.24864	4.28E-05	1.1E-05	3.46E-04	3.68E-09	0.25	1.57E-01	1.45E-10	1.0E+06	1.4E-04
23	0.2549	4.28E-05	1.1E-05	3.46E-04	3.77E-09	0.25	1.57E-01	1.48E-10	1.0E+06	1.5E-04
24	0.26073	4.28E-05	1.1E-05	3.46E-04	3.86E-09	0.25	1.57E-01	1.52E-10	1.0E+06	1.5E-04
25	0.26606	4.28E-05	1.1E-05	3.46E-04	3.94E-09	0.25	1.57E-01	1.55E-10	1.0E+06	1.5E-04
26	0.27081	4.28E-05	1.2E-05	3.46E-04	4.01E-09	0.25	1.57E-01	1.58E-10	1.0E+06	1.6E-04
27	0.27493	4.28E-05	1.2E-05	3.46E-04	4.07E-09	0.25	1.57E-01	1.60E-10	1.0E+06	1.6E-04
28	0.27832	4.28E-05	1.2E-05	3.46E-04	4.12E-09	0.25	1.57E-01	1.62E-10	1.0E+06	1.6E-04
29	0.281	4.28E-05	1.2E-05	3.46E-04	4.16E-09	0.25	1.57E-01	1.63E-10	1.0E+06	1.6E-04
30	0.28295	4.28E-05	1.2E-05	3.46E-04	4.19E-09	0.25	1.57E-01	1.65E-10	1.0E+06	1.6E-04
31	0.28417	4.28E-05	1.2E-05	3.46E-04	4.21E-09	0.25	1.57E-01	1.65E-10	1.0E+06	1.7E-04

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.28469	4.28E-05	1.2E-05	3.46E-04	4.22E-09	0.25	1.57E-01	1.66E-10	1.0E+06	1.7E-04
55	0.26742	4.28E-05	1.1E-05	3.46E-04	3.96E-09	0.25	1.57E-01	1.56E-10	1.0E+06	1.6E-04
56	0.27471	4.28E-05	1.2E-05	3.46E-04	4.07E-09	0.25	1.57E-01	1.60E-10	1.0E+06	1.6E-04
57	0.2816	4.28E-05	1.2E-05	3.46E-04	4.17E-09	0.25	1.57E-01	1.64E-10	1.0E+06	1.6E-04
58	0.28787	4.28E-05	1.2E-05	3.46E-04	4.26E-09	0.25	1.57E-01	1.67E-10	1.0E+06	1.7E-04
59	0.29342	4.28E-05	1.3E-05	3.46E-04	4.35E-09	0.25	1.57E-01	1.71E-10	1.0E+06	1.7E-04
60	0.29817	4.28E-05	1.3E-05	3.46E-04	4.42E-09	0.25	1.57E-01	1.73E-10	1.0E+06	1.7E-04
61	0.30216	4.28E-05	1.3E-05	3.46E-04	4.47E-09	0.25	1.57E-01	1.76E-10	1.0E+06	1.8E-04
62	0.30524	4.28E-05	1.3E-05	3.46E-04	4.52E-09	0.25	1.57E-01	1.78E-10	1.0E+06	1.8E-04
63	0.30747	4.28E-05	1.3E-05	3.46E-04	4.55E-09	0.25	1.57E-01	1.79E-10	1.0E+06	1.8E-04
64	0.30882	4.28E-05	1.3E-05	3.46E-04	4.57E-09	0.25	1.57E-01	1.80E-10	1.0E+06	1.8E-04
65	0.30937	4.28E-05	1.3E-05	3.46E-04	4.58E-09	0.25	1.57E-01	1.80E-10	1.0E+06	1.8E-04
66	0.30943	4.28E-05	1.3E-05	3.46E-04	4.58E-09	0.25	1.57E-01	1.80E-10	1.0E+06	1.8E-04
67	0.12907	4.28E-05	5.5E-06	3.46E-04	1.91E-09	0.25	1.57E-01	7.51E-11	1.0E+06	7.5E-05
68	0.13402	4.28E-05	5.7E-06	3.46E-04	1.98E-09	0.25	1.57E-01	7.80E-11	1.0E+06	7.8E-05
69	0.13922	4.28E-05	6.0E-06	3.46E-04	2.06E-09	0.25	1.57E-01	8.10E-11	1.0E+06	8.1E-05
70	0.14467	4.28E-05	6.2E-06	3.46E-04	2.14E-09	0.25	1.57E-01	8.42E-11	1.0E+06	8.4E-05
71	0.15034	4.28E-05	6.4E-06	3.46E-04	2.23E-09	0.25	1.57E-01	8.75E-11	1.0E+06	8.7E-05
72	0.15639	4.28E-05	6.7E-06	3.46E-04	2.32E-09	0.25	1.57E-01	9.10E-11	1.0E+06	9.1E-05
73	0.16271	4.28E-05	7.0E-06	3.46E-04	2.41E-09	0.25	1.57E-01	9.47E-11	1.0E+06	9.5E-05
74	0.16932	4.28E-05	7.2E-06	3.46E-04	2.51E-09	0.25	1.57E-01	9.85E-11	1.0E+06	9.9E-05
75	0.17621	4.28E-05	7.5E-06	3.46E-04	2.61E-09	0.25	1.57E-01	1.03E-10	1.0E+06	1.0E-04
76	0.18343	4.28E-05	7.8E-06	3.46E-04	2.72E-09	0.25	1.57E-01	1.07E-10	1.0E+06	1.1E-04
77	0.19099	4.28E-05	8.2E-06	3.46E-04	2.83E-09	0.25	1.57E-01	1.11E-10	1.0E+06	1.1E-04
78	0.19891	4.28E-05	8.5E-06	3.46E-04	2.95E-09	0.25	1.57E-01	1.16E-10	1.0E+06	1.2E-04
79	0.24228	4.28E-05	1.0E-05	3.46E-04	3.59E-09	0.25	1.57E-01	1.41E-10	1.0E+06	1.4E-04
80	0.25154	4.28E-05	1.1E-05	3.46E-04	3.73E-09	0.25	1.57E-01	1.46E-10	1.0E+06	1.5E-04
81	0.26097	4.28E-05	1.1E-05	3.46E-04	3.86E-09	0.25	1.57E-01	1.52E-10	1.0E+06	1.5E-04
82	0.27033	4.28E-05	1.2E-05	3.46E-04	4.00E-09	0.25	1.57E-01	1.57E-10	1.0E+06	1.6E-04
83	0.27961	4.28E-05	1.2E-05	3.46E-04	4.14E-09	0.25	1.57E-01	1.63E-10	1.0E+06	1.6E-04
84	0.28857	4.28E-05	1.2E-05	3.46E-04	4.27E-09	0.25	1.57E-01	1.68E-10	1.0E+06	1.7E-04

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	0.29718	4.28E-05	1.3E-05	3.46E-04	4.40E-09	0.25	1.57E-01	1.73E-10	1.0E+06	1.7E-04
86	0.30527	4.28E-05	1.3E-05	3.46E-04	4.52E-09	0.25	1.57E-01	1.78E-10	1.0E+06	1.8E-04
87	0.31265	4.28E-05	1.3E-05	3.46E-04	4.63E-09	0.25	1.57E-01	1.82E-10	1.0E+06	1.8E-04
88	0.31924	4.28E-05	1.4E-05	3.46E-04	4.73E-09	0.25	1.57E-01	1.86E-10	1.0E+06	1.9E-04
89	0.32485	4.28E-05	1.4E-05	3.46E-04	4.81E-09	0.25	1.57E-01	1.89E-10	1.0E+06	1.9E-04
90	0.32947	4.28E-05	1.4E-05	3.46E-04	4.88E-09	0.25	1.57E-01	1.92E-10	1.0E+06	1.9E-04
91	0.33314	4.28E-05	1.4E-05	3.46E-04	4.93E-09	0.25	1.57E-01	1.94E-10	1.0E+06	1.9E-04
92	0.33561	4.28E-05	1.4E-05	3.46E-04	4.97E-09	0.25	1.57E-01	1.95E-10	1.0E+06	2.0E-04
93	0.33719	4.28E-05	1.4E-05	3.46E-04	4.99E-09	0.25	1.57E-01	1.96E-10	1.0E+06	2.0E-04
96	0.32935	4.28E-05	1.4E-05	3.46E-04	4.88E-09	0.25	1.57E-01	1.92E-10	1.0E+06	1.9E-04
97	0.32028	4.28E-05	1.4E-05	3.46E-04	4.74E-09	0.25	1.57E-01	1.86E-10	1.0E+06	1.9E-04
98	0.34886	4.28E-05	1.5E-05	3.46E-04	5.17E-09	0.25	1.57E-01	2.03E-10	1.0E+06	2.0E-04
99	0.35566	4.28E-05	1.5E-05	3.46E-04	5.27E-09	0.25	1.57E-01	2.07E-10	1.0E+06	2.1E-04
100	0.36116	4.28E-05	1.5E-05	3.46E-04	5.35E-09	0.25	1.57E-01	2.10E-10	1.0E+06	2.1E-04
101	0.36534	4.28E-05	1.6E-05	3.46E-04	5.41E-09	0.25	1.57E-01	2.13E-10	1.0E+06	2.1E-04
102	0.36832	4.28E-05	1.6E-05	3.46E-04	5.45E-09	0.25	1.57E-01	2.14E-10	1.0E+06	2.1E-04
106	0.13174	4.28E-05	5.6E-06	3.46E-04	1.95E-09	0.25	1.57E-01	7.66E-11	1.0E+06	7.7E-05
107	0.13718	4.28E-05	5.9E-06	3.46E-04	2.03E-09	0.25	1.57E-01	7.98E-11	1.0E+06	8.0E-05
108	0.14286	4.28E-05	6.1E-06	3.46E-04	2.12E-09	0.25	1.57E-01	8.31E-11	1.0E+06	8.3E-05
109	0.14886	4.28E-05	6.4E-06	3.46E-04	2.20E-09	0.25	1.57E-01	8.66E-11	1.0E+06	8.7E-05
110	0.15522	4.28E-05	6.6E-06	3.46E-04	2.30E-09	0.25	1.57E-01	9.03E-11	1.0E+06	9.0E-05
111	0.16187	4.28E-05	6.9E-06	3.46E-04	2.40E-09	0.25	1.57E-01	9.42E-11	1.0E+06	9.4E-05
112	0.16904	4.28E-05	7.2E-06	3.46E-04	2.50E-09	0.25	1.57E-01	9.83E-11	1.0E+06	9.8E-05
113	0.17654	4.28E-05	7.6E-06	3.46E-04	2.61E-09	0.25	1.57E-01	1.03E-10	1.0E+06	1.0E-04
114	0.18447	4.28E-05	7.9E-06	3.46E-04	2.73E-09	0.25	1.57E-01	1.07E-10	1.0E+06	1.1E-04
115	0.1928	4.28E-05	8.2E-06	3.46E-04	2.86E-09	0.25	1.57E-01	1.12E-10	1.0E+06	1.1E-04
116	0.20152	4.28E-05	8.6E-06	3.46E-04	2.98E-09	0.25	1.57E-01	1.17E-10	1.0E+06	1.2E-04
117	0.21084	4.28E-05	9.0E-06	3.46E-04	3.12E-09	0.25	1.57E-01	1.23E-10	1.0E+06	1.2E-04
118	0.22064	4.28E-05	9.4E-06	3.46E-04	3.27E-09	0.25	1.57E-01	1.28E-10	1.0E+06	1.3E-04
124	0.13553	4.28E-05	5.8E-06	3.46E-04	2.01E-09	0.25	1.57E-01	7.88E-11	1.0E+06	7.9E-05
125	0.14126	4.28E-05	6.0E-06	3.46E-04	2.09E-09	0.25	1.57E-01	8.22E-11	1.0E+06	8.2E-05

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.14734	4.28E-05	6.3E-06	3.46E-04	2.18E-09	0.25	1.57E-01	8.57E-11	1.0E+06	8.6E-05
127	0.15378	4.28E-05	6.6E-06	3.46E-04	2.28E-09	0.25	1.57E-01	8.95E-11	1.0E+06	8.9E-05
128	0.16062	4.28E-05	6.9E-06	3.46E-04	2.38E-09	0.25	1.57E-01	9.34E-11	1.0E+06	9.3E-05
129	0.16783	4.28E-05	7.2E-06	3.46E-04	2.49E-09	0.25	1.57E-01	9.76E-11	1.0E+06	9.8E-05
130	0.1756	4.28E-05	7.5E-06	3.46E-04	2.60E-09	0.25	1.57E-01	1.02E-10	1.0E+06	1.0E-04
131	0.18381	4.28E-05	7.9E-06	3.46E-04	2.72E-09	0.25	1.57E-01	1.07E-10	1.0E+06	1.1E-04
132	0.19252	4.28E-05	8.2E-06	3.46E-04	2.85E-09	0.25	1.57E-01	1.12E-10	1.0E+06	1.1E-04
133	0.2017	4.28E-05	8.6E-06	3.46E-04	2.99E-09	0.25	1.57E-01	1.17E-10	1.0E+06	1.2E-04
134	0.21151	4.28E-05	9.0E-06	3.46E-04	3.13E-09	0.25	1.57E-01	1.23E-10	1.0E+06	1.2E-04
135	0.22183	4.28E-05	9.5E-06	3.46E-04	3.29E-09	0.25	1.57E-01	1.29E-10	1.0E+06	1.3E-04
136	0.23272	4.28E-05	1.0E-05	3.46E-04	3.45E-09	0.25	1.57E-01	1.35E-10	1.0E+06	1.4E-04
137	0.24414	4.28E-05	1.0E-05	3.46E-04	3.62E-09	0.25	1.57E-01	1.42E-10	1.0E+06	1.4E-04
138	0.25634	4.28E-05	1.1E-05	3.46E-04	3.80E-09	0.25	1.57E-01	1.49E-10	1.0E+06	1.5E-04
141	0.13928	4.28E-05	6.0E-06	3.46E-04	2.06E-09	0.25	1.57E-01	8.10E-11	1.0E+06	8.1E-05
142	0.14539	4.28E-05	6.2E-06	3.46E-04	2.15E-09	0.25	1.57E-01	8.46E-11	1.0E+06	8.5E-05
143	0.15188	4.28E-05	6.5E-06	3.46E-04	2.25E-09	0.25	1.57E-01	8.84E-11	1.0E+06	8.8E-05
144	0.15878	4.28E-05	6.8E-06	3.46E-04	2.35E-09	0.25	1.57E-01	9.24E-11	1.0E+06	9.2E-05
145	0.16614	4.28E-05	7.1E-06	3.46E-04	2.46E-09	0.25	1.57E-01	9.67E-11	1.0E+06	9.7E-05
146	0.17393	4.28E-05	7.4E-06	3.46E-04	2.58E-09	0.25	1.57E-01	1.01E-10	1.0E+06	1.0E-04
147	0.18235	4.28E-05	7.8E-06	3.46E-04	2.70E-09	0.25	1.57E-01	1.06E-10	1.0E+06	1.1E-04
148	0.19128	4.28E-05	8.2E-06	3.46E-04	2.83E-09	0.25	1.57E-01	1.11E-10	1.0E+06	1.1E-04
149	0.20081	4.28E-05	8.6E-06	3.46E-04	2.97E-09	0.25	1.57E-01	1.17E-10	1.0E+06	1.2E-04
150	0.21094	4.28E-05	9.0E-06	3.46E-04	3.12E-09	0.25	1.57E-01	1.23E-10	1.0E+06	1.2E-04
151	0.22175	4.28E-05	9.5E-06	3.46E-04	3.28E-09	0.25	1.57E-01	1.29E-10	1.0E+06	1.3E-04
152	0.23326	4.28E-05	1.0E-05	3.46E-04	3.45E-09	0.25	1.57E-01	1.36E-10	1.0E+06	1.4E-04
153	0.24548	4.28E-05	1.1E-05	3.46E-04	3.64E-09	0.25	1.57E-01	1.43E-10	1.0E+06	1.4E-04
154	0.25835	4.28E-05	1.1E-05	3.46E-04	3.83E-09	0.25	1.57E-01	1.50E-10	1.0E+06	1.5E-04
155	0.27204	4.28E-05	1.2E-05	3.46E-04	4.03E-09	0.25	1.57E-01	1.58E-10	1.0E+06	1.6E-04
164	0.27343	4.28E-05	1.2E-05	3.46E-04	4.05E-09	0.25	1.57E-01	1.59E-10	1.0E+06	1.6E-04
165	0.2889	4.28E-05	1.2E-05	3.46E-04	4.28E-09	0.25	1.57E-01	1.68E-10	1.0E+06	1.7E-04
166	0.30557	4.28E-05	1.3E-05	3.46E-04	4.53E-09	0.25	1.57E-01	1.78E-10	1.0E+06	1.8E-04

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	0.28934	4.28E-05	1.2E-05	3.46E-04	4.28E-09	0.25	1.57E-01	1.68E-10	1.0E+06	1.7E-04
179	0.30694	4.28E-05	1.3E-05	3.46E-04	4.55E-09	0.25	1.57E-01	1.79E-10	1.0E+06	1.8E-04
180	0.32599	4.28E-05	1.4E-05	3.46E-04	4.83E-09	0.25	1.57E-01	1.90E-10	1.0E+06	1.9E-04
192	0.30611	4.28E-05	1.3E-05	3.46E-04	4.53E-09	0.25	1.57E-01	1.78E-10	1.0E+06	1.8E-04
193	0.32619	4.28E-05	1.4E-05	3.46E-04	4.83E-09	0.25	1.57E-01	1.90E-10	1.0E+06	1.9E-04
194	0.34788	4.28E-05	1.5E-05	3.46E-04	5.15E-09	0.25	1.57E-01	2.02E-10	1.0E+06	2.0E-04
207	0.32356	4.28E-05	1.4E-05	3.46E-04	4.79E-09	0.25	1.57E-01	1.88E-10	1.0E+06	1.9E-04
208	0.34632	4.28E-05	1.5E-05	3.46E-04	5.13E-09	0.25	1.57E-01	2.01E-10	1.0E+06	2.0E-04
209	0.37122	4.28E-05	1.6E-05	3.46E-04	5.50E-09	0.25	1.57E-01	2.16E-10	1.0E+06	2.2E-04
223	0.3416	4.28E-05	1.5E-05	3.46E-04	5.06E-09	0.25	1.57E-01	1.99E-10	1.0E+06	2.0E-04
224	0.36731	4.28E-05	1.6E-05	3.46E-04	5.44E-09	0.25	1.57E-01	2.14E-10	1.0E+06	2.1E-04
225	0.39557	4.28E-05	1.7E-05	3.46E-04	5.86E-09	0.25	1.57E-01	2.30E-10	1.0E+06	2.3E-04
239	0.36011	4.28E-05	1.5E-05	3.46E-04	5.33E-09	0.25	1.57E-01	2.10E-10	1.0E+06	2.1E-04
240	0.38904	4.28E-05	1.7E-05	3.46E-04	5.76E-09	0.25	1.57E-01	2.26E-10	1.0E+06	2.3E-04
241	0.42133	4.28E-05	1.8E-05	3.46E-04	6.24E-09	0.25	1.57E-01	2.45E-10	1.0E+06	2.5E-04
255	0.37874	4.28E-05	1.6E-05	3.46E-04	5.61E-09	0.25	1.57E-01	2.20E-10	1.0E+06	2.2E-04
256	0.41114	4.28E-05	1.8E-05	3.46E-04	6.09E-09	0.25	1.57E-01	2.39E-10	1.0E+06	2.4E-04
272	0.39707	4.28E-05	1.7E-05	3.46E-04	5.88E-09	0.25	1.57E-01	2.31E-10	1.0E+06	2.3E-04
273	0.43324	4.28E-05	1.9E-05	3.46E-04	6.42E-09	0.25	1.57E-01	2.52E-10	1.0E+06	2.5E-04
289	0.41485	4.28E-05	1.8E-05	3.46E-04	6.14E-09	0.25	1.57E-01	2.41E-10	1.0E+06	2.4E-04
290	0.45476	4.28E-05	1.9E-05	3.46E-04	6.73E-09	0.25	1.57E-01	2.65E-10	1.0E+06	2.6E-04
306	0.4314	4.28E-05	1.8E-05	3.46E-04	6.39E-09	0.25	1.57E-01	2.51E-10	1.0E+06	2.5E-04
307	0.47503	4.28E-05	2.0E-05	3.46E-04	7.03E-09	0.25	1.57E-01	2.76E-10	1.0E+06	2.8E-04
323	0.44616	4.28E-05	1.9E-05	3.46E-04	6.61E-09	0.25	1.57E-01	2.60E-10	1.0E+06	2.6E-04
324	0.4933	4.28E-05	2.1E-05	3.46E-04	7.31E-09	0.25	1.57E-01	2.87E-10	1.0E+06	2.9E-04
342	0.45857	4.28E-05	2.0E-05	3.46E-04	6.79E-09	0.25	1.57E-01	2.67E-10	1.0E+06	2.7E-04
343	0.5088	4.28E-05	2.2E-05	3.46E-04	7.53E-09	0.25	1.57E-01	2.96E-10	1.0E+06	3.0E-04
344	0.5681	4.28E-05	2.4E-05	3.46E-04	8.41E-09	0.25	1.57E-01	3.31E-10	1.0E+06	3.3E-04
356	0.46806	4.28E-05	2.0E-05	3.46E-04	6.93E-09	0.25	1.57E-01	2.72E-10	1.0E+06	2.7E-04
357	0.52069	4.28E-05	2.2E-05	3.46E-04	7.71E-09	0.25	1.57E-01	3.03E-10	1.0E+06	3.0E-04
358	0.58338	4.28E-05	2.5E-05	3.46E-04	8.64E-09	0.25	1.57E-01	3.39E-10	1.0E+06	3.4E-04

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.47432	4.28E-05	2.0E-05	3.46E-04	7.02E-09	0.25	1.57E-01	2.76E-10	1.0E+06	2.8E-04
371	0.52862	4.28E-05	2.3E-05	3.46E-04	7.83E-09	0.25	1.57E-01	3.08E-10	1.0E+06	3.1E-04
372	0.5936	4.28E-05	2.5E-05	3.46E-04	8.79E-09	0.25	1.57E-01	3.45E-10	1.0E+06	3.5E-04
383	0.47712	4.28E-05	2.0E-05	3.46E-04	7.07E-09	0.25	1.57E-01	2.78E-10	1.0E+06	2.8E-04
384	0.53227	4.28E-05	2.3E-05	3.46E-04	7.88E-09	0.25	1.57E-01	3.10E-10	1.0E+06	3.1E-04
385	0.59839	4.28E-05	2.6E-05	3.46E-04	8.86E-09	0.25	1.57E-01	3.48E-10	1.0E+06	3.5E-04
396	0.47655	4.28E-05	2.0E-05	3.46E-04	7.06E-09	0.25	1.57E-01	2.77E-10	1.0E+06	2.8E-04
397	0.53168	4.28E-05	2.3E-05	3.46E-04	7.87E-09	0.25	1.57E-01	3.09E-10	1.0E+06	3.1E-04
398	0.59776	4.28E-05	2.6E-05	3.46E-04	8.85E-09	0.25	1.57E-01	3.48E-10	1.0E+06	3.5E-04
399	0.67801	4.28E-05	2.9E-05	3.46E-04	1.00E-08	0.25	1.57E-01	3.94E-10	1.0E+06	3.9E-04
411	0.47283	4.28E-05	2.0E-05	3.46E-04	7.00E-09	0.25	1.57E-01	2.75E-10	1.0E+06	2.8E-04
412	0.52713	4.28E-05	2.3E-05	3.46E-04	7.81E-09	0.25	1.57E-01	3.07E-10	1.0E+06	3.1E-04
413	0.59222	4.28E-05	2.5E-05	3.46E-04	8.77E-09	0.25	1.57E-01	3.45E-10	1.0E+06	3.4E-04
414	0.67089	4.28E-05	2.9E-05	3.46E-04	9.94E-09	0.25	1.57E-01	3.90E-10	1.0E+06	3.9E-04
426	0.46641	4.28E-05	2.0E-05	3.46E-04	6.91E-09	0.25	1.57E-01	2.71E-10	1.0E+06	2.7E-04
427	0.51922	4.28E-05	2.2E-05	3.46E-04	7.69E-09	0.25	1.57E-01	3.02E-10	1.0E+06	3.0E-04
428	0.58215	4.28E-05	2.5E-05	3.46E-04	8.62E-09	0.25	1.57E-01	3.39E-10	1.0E+06	3.4E-04
429	0.65817	4.28E-05	2.8E-05	3.46E-04	9.75E-09	0.25	1.57E-01	3.83E-10	1.0E+06	3.8E-04
439	0.45769	4.28E-05	2.0E-05	3.46E-04	6.78E-09	0.25	1.57E-01	2.66E-10	1.0E+06	2.7E-04
440	0.50847	4.28E-05	2.2E-05	3.46E-04	7.53E-09	0.25	1.57E-01	2.96E-10	1.0E+06	3.0E-04
441	0.56873	4.28E-05	2.4E-05	3.46E-04	8.42E-09	0.25	1.57E-01	3.31E-10	1.0E+06	3.3E-04
442	0.64102	4.28E-05	2.7E-05	3.46E-04	9.49E-09	0.25	1.57E-01	3.73E-10	1.0E+06	3.7E-04
443	0.72881	4.28E-05	3.1E-05	3.46E-04	1.08E-08	0.25	1.57E-01	4.24E-10	1.0E+06	4.2E-04
454	0.44719	4.28E-05	1.9E-05	3.46E-04	6.62E-09	0.25	1.57E-01	2.60E-10	1.0E+06	2.6E-04
455	0.49552	4.28E-05	2.1E-05	3.46E-04	7.34E-09	0.25	1.57E-01	2.88E-10	1.0E+06	2.9E-04
456	0.55252	4.28E-05	2.4E-05	3.46E-04	8.18E-09	0.25	1.57E-01	3.21E-10	1.0E+06	3.2E-04
457	0.6204	4.28E-05	2.7E-05	3.46E-04	9.19E-09	0.25	1.57E-01	3.61E-10	1.0E+06	3.6E-04
458	0.70209	4.28E-05	3.0E-05	3.46E-04	1.04E-08	0.25	1.57E-01	4.08E-10	1.0E+06	4.1E-04
469	0.43526	4.28E-05	1.9E-05	3.46E-04	6.45E-09	0.25	1.57E-01	2.53E-10	1.0E+06	2.5E-04
470	0.4808	4.28E-05	2.1E-05	3.46E-04	7.12E-09	0.25	1.57E-01	2.80E-10	1.0E+06	2.8E-04
471	0.53418	4.28E-05	2.3E-05	3.46E-04	7.91E-09	0.25	1.57E-01	3.11E-10	1.0E+06	3.1E-04

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.59716	4.28E-05	2.6E-05	3.46E-04	8.84E-09	0.25	1.57E-01	3.47E-10	1.0E+06	3.5E-04
473	0.67215	4.28E-05	2.9E-05	3.46E-04	9.95E-09	0.25	1.57E-01	3.91E-10	1.0E+06	3.9E-04
489	0.42232	4.28E-05	1.8E-05	3.46E-04	6.25E-09	0.25	1.57E-01	2.46E-10	1.0E+06	2.5E-04
490	0.4649	4.28E-05	2.0E-05	3.46E-04	6.88E-09	0.25	1.57E-01	2.70E-10	1.0E+06	2.7E-04
491	0.51437	4.28E-05	2.2E-05	3.46E-04	7.62E-09	0.25	1.57E-01	2.99E-10	1.0E+06	3.0E-04
492	0.5722	4.28E-05	2.4E-05	3.46E-04	8.47E-09	0.25	1.57E-01	3.33E-10	1.0E+06	3.3E-04
493	0.6403	4.28E-05	2.7E-05	3.46E-04	9.48E-09	0.25	1.57E-01	3.73E-10	1.0E+06	3.7E-04
494	0.72107	4.28E-05	3.1E-05	3.46E-04	1.07E-08	0.25	1.57E-01	4.20E-10	1.0E+06	4.2E-04
509	0.40848	4.28E-05	1.7E-05	3.46E-04	6.05E-09	0.25	1.57E-01	2.38E-10	1.0E+06	2.4E-04
510	0.44798	4.28E-05	1.9E-05	3.46E-04	6.63E-09	0.25	1.57E-01	2.61E-10	1.0E+06	2.6E-04
511	0.49341	4.28E-05	2.1E-05	3.46E-04	7.31E-09	0.25	1.57E-01	2.87E-10	1.0E+06	2.9E-04
512	0.546	4.28E-05	2.3E-05	3.46E-04	8.09E-09	0.25	1.57E-01	3.18E-10	1.0E+06	3.2E-04
513	0.60721	4.28E-05	2.6E-05	3.46E-04	8.99E-09	0.25	1.57E-01	3.53E-10	1.0E+06	3.5E-04
514	0.67882	4.28E-05	2.9E-05	3.46E-04	1.01E-08	0.25	1.57E-01	3.95E-10	1.0E+06	3.9E-04
515	0.86332	4.28E-05	3.7E-05	3.46E-04	1.28E-08	0.25	1.57E-01	5.02E-10	1.0E+06	5.0E-04
516	0.98287	4.28E-05	4.2E-05	3.46E-04	1.46E-08	0.25	1.57E-01	5.72E-10	1.0E+06	5.7E-04
517	1.12744	4.28E-05	4.8E-05	3.46E-04	1.67E-08	0.25	1.57E-01	6.56E-10	1.0E+06	6.6E-04
518	1.30392	4.28E-05	5.6E-05	3.46E-04	1.93E-08	0.25	1.57E-01	7.59E-10	1.0E+06	7.6E-04
519	1.52214	4.28E-05	6.5E-05	3.46E-04	2.25E-08	0.25	1.57E-01	8.86E-10	1.0E+06	8.9E-04
528	0.39399	4.28E-05	1.7E-05	3.46E-04	5.83E-09	0.25	1.57E-01	2.29E-10	1.0E+06	2.3E-04
529	0.43034	4.28E-05	1.8E-05	3.46E-04	6.37E-09	0.25	1.57E-01	2.50E-10	1.0E+06	2.5E-04
530	0.47176	4.28E-05	2.0E-05	3.46E-04	6.99E-09	0.25	1.57E-01	2.74E-10	1.0E+06	2.7E-04
531	0.51917	4.28E-05	2.2E-05	3.46E-04	7.69E-09	0.25	1.57E-01	3.02E-10	1.0E+06	3.0E-04
532	0.57371	4.28E-05	2.5E-05	3.46E-04	8.50E-09	0.25	1.57E-01	3.34E-10	1.0E+06	3.3E-04
533	0.63671	4.28E-05	2.7E-05	3.46E-04	9.43E-09	0.25	1.57E-01	3.70E-10	1.0E+06	3.7E-04
534	0.79526	4.28E-05	3.4E-05	3.46E-04	1.18E-08	0.25	1.57E-01	4.63E-10	1.0E+06	4.6E-04
535	0.89563	4.28E-05	3.8E-05	3.46E-04	1.33E-08	0.25	1.57E-01	5.21E-10	1.0E+06	5.2E-04
536	1.01524	4.28E-05	4.3E-05	3.46E-04	1.50E-08	0.25	1.57E-01	5.91E-10	1.0E+06	5.9E-04
537	1.15731	4.28E-05	5.0E-05	3.46E-04	1.71E-08	0.25	1.57E-01	6.73E-10	1.0E+06	6.7E-04
538	1.32841	4.28E-05	5.7E-05	3.46E-04	1.97E-08	0.25	1.57E-01	7.73E-10	1.0E+06	7.7E-04
547	0.37904	4.28E-05	1.6E-05	3.46E-04	5.61E-09	0.25	1.57E-01	2.21E-10	1.0E+06	2.2E-04

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.41225	4.28E-05	1.8E-05	3.46E-04	6.11E-09	0.25	1.57E-01	2.40E-10	1.0E+06	2.4E-04
549	0.44972	4.28E-05	1.9E-05	3.46E-04	6.66E-09	0.25	1.57E-01	2.62E-10	1.0E+06	2.6E-04
550	0.49221	4.28E-05	2.1E-05	3.46E-04	7.29E-09	0.25	1.57E-01	2.86E-10	1.0E+06	2.9E-04
551	0.54049	4.28E-05	2.3E-05	3.46E-04	8.00E-09	0.25	1.57E-01	3.14E-10	1.0E+06	3.1E-04
552	0.59561	4.28E-05	2.5E-05	3.46E-04	8.82E-09	0.25	1.57E-01	3.47E-10	1.0E+06	3.5E-04
553	0.65887	4.28E-05	2.8E-05	3.46E-04	9.76E-09	0.25	1.57E-01	3.83E-10	1.0E+06	3.8E-04
554	0.73167	4.28E-05	3.1E-05	3.46E-04	1.08E-08	0.25	1.57E-01	4.26E-10	1.0E+06	4.3E-04
555	0.81633	4.28E-05	3.5E-05	3.46E-04	1.21E-08	0.25	1.57E-01	4.75E-10	1.0E+06	4.7E-04
556	0.91565	4.28E-05	3.9E-05	3.46E-04	1.36E-08	0.25	1.57E-01	5.33E-10	1.0E+06	5.3E-04
557	1.03128	4.28E-05	4.4E-05	3.46E-04	1.53E-08	0.25	1.57E-01	6.00E-10	1.0E+06	6.0E-04
558	1.16842	4.28E-05	5.0E-05	3.46E-04	1.73E-08	0.25	1.57E-01	6.80E-10	1.0E+06	6.8E-04
559	1.32854	4.28E-05	5.7E-05	3.46E-04	1.97E-08	0.25	1.57E-01	7.73E-10	1.0E+06	7.7E-04
567	0.36376	4.28E-05	1.6E-05	3.46E-04	5.39E-09	0.25	1.57E-01	2.12E-10	1.0E+06	2.1E-04
568	0.39391	4.28E-05	1.7E-05	3.46E-04	5.83E-09	0.25	1.57E-01	2.29E-10	1.0E+06	2.3E-04
569	0.42764	4.28E-05	1.8E-05	3.46E-04	6.33E-09	0.25	1.57E-01	2.49E-10	1.0E+06	2.5E-04
570	0.46549	4.28E-05	2.0E-05	3.46E-04	6.89E-09	0.25	1.57E-01	2.71E-10	1.0E+06	2.7E-04
571	0.50811	4.28E-05	2.2E-05	3.46E-04	7.52E-09	0.25	1.57E-01	2.96E-10	1.0E+06	3.0E-04
572	0.55629	4.28E-05	2.4E-05	3.46E-04	8.24E-09	0.25	1.57E-01	3.24E-10	1.0E+06	3.2E-04
573	0.61099	4.28E-05	2.6E-05	3.46E-04	9.05E-09	0.25	1.57E-01	3.55E-10	1.0E+06	3.6E-04
574	0.74495	4.28E-05	3.2E-05	3.46E-04	1.10E-08	0.25	1.57E-01	4.33E-10	1.0E+06	4.3E-04
575	0.82783	4.28E-05	3.5E-05	3.46E-04	1.23E-08	0.25	1.57E-01	4.82E-10	1.0E+06	4.8E-04
576	0.9236	4.28E-05	4.0E-05	3.46E-04	1.37E-08	0.25	1.57E-01	5.37E-10	1.0E+06	5.4E-04
577	1.03411	4.28E-05	4.4E-05	3.46E-04	1.53E-08	0.25	1.57E-01	6.02E-10	1.0E+06	6.0E-04
578	1.16036	4.28E-05	5.0E-05	3.46E-04	1.72E-08	0.25	1.57E-01	6.75E-10	1.0E+06	6.8E-04
586	0.34838	4.28E-05	1.5E-05	3.46E-04	5.16E-09	0.25	1.57E-01	2.03E-10	1.0E+06	2.0E-04
587	0.37563	4.28E-05	1.6E-05	3.46E-04	5.56E-09	0.25	1.57E-01	2.19E-10	1.0E+06	2.2E-04
588	0.40586	4.28E-05	1.7E-05	3.46E-04	6.01E-09	0.25	1.57E-01	2.36E-10	1.0E+06	2.4E-04
589	0.4395	4.28E-05	1.9E-05	3.46E-04	6.51E-09	0.25	1.57E-01	2.56E-10	1.0E+06	2.6E-04
590	0.47705	4.28E-05	2.0E-05	3.46E-04	7.06E-09	0.25	1.57E-01	2.78E-10	1.0E+06	2.8E-04
591	0.51915	4.28E-05	2.2E-05	3.46E-04	7.69E-09	0.25	1.57E-01	3.02E-10	1.0E+06	3.0E-04
592	0.56655	4.28E-05	2.4E-05	3.46E-04	8.39E-09	0.25	1.57E-01	3.30E-10	1.0E+06	3.3E-04

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.68112	4.28E-05	2.9E-05	3.46E-04	1.01E-08	0.25	1.57E-01	3.96E-10	1.0E+06	4.0E-04
594	0.75094	4.28E-05	3.2E-05	3.46E-04	1.11E-08	0.25	1.57E-01	4.37E-10	1.0E+06	4.4E-04
595	0.83009	4.28E-05	3.6E-05	3.46E-04	1.23E-08	0.25	1.57E-01	4.83E-10	1.0E+06	4.8E-04
596	0.91967	4.28E-05	3.9E-05	3.46E-04	1.36E-08	0.25	1.57E-01	5.35E-10	1.0E+06	5.4E-04
597	1.01991	4.28E-05	4.4E-05	3.46E-04	1.51E-08	0.25	1.57E-01	5.93E-10	1.0E+06	5.9E-04
345	0.6392	4.28E-05	2.7E-05	3.46E-04	9.47E-09	0.25	1.57E-01	3.72E-10	1.0E+06	3.7E-04
346	0.72522	4.28E-05	3.1E-05	3.46E-04	1.07E-08	0.25	1.57E-01	4.22E-10	1.0E+06	4.2E-04
347	0.83091	4.28E-05	3.6E-05	3.46E-04	1.23E-08	0.25	1.57E-01	4.83E-10	1.0E+06	4.8E-04
348	0.96264	4.28E-05	4.1E-05	3.46E-04	1.43E-08	0.25	1.57E-01	5.60E-10	1.0E+06	5.6E-04
359	0.65898	4.28E-05	2.8E-05	3.46E-04	9.76E-09	0.25	1.57E-01	3.83E-10	1.0E+06	3.8E-04
360	0.75128	4.28E-05	3.2E-05	3.46E-04	1.11E-08	0.25	1.57E-01	4.37E-10	1.0E+06	4.4E-04
361	0.86567	4.28E-05	3.7E-05	3.46E-04	1.28E-08	0.25	1.57E-01	5.04E-10	1.0E+06	5.0E-04
362	1.00953	4.28E-05	4.3E-05	3.46E-04	1.50E-08	0.25	1.57E-01	5.87E-10	1.0E+06	5.9E-04
363	1.19556	4.28E-05	5.1E-05	3.46E-04	1.77E-08	0.25	1.57E-01	6.96E-10	1.0E+06	7.0E-04
373	0.769	4.28E-05	3.3E-05	3.46E-04	1.14E-08	0.25	1.57E-01	4.47E-10	1.0E+06	4.5E-04
374	0.88953	4.28E-05	3.8E-05	3.46E-04	1.32E-08	0.25	1.57E-01	5.18E-10	1.0E+06	5.2E-04
375	1.04238	4.28E-05	4.5E-05	3.46E-04	1.54E-08	0.25	1.57E-01	6.06E-10	1.0E+06	6.1E-04
376	1.24186	4.28E-05	5.3E-05	3.46E-04	1.84E-08	0.25	1.57E-01	7.22E-10	1.0E+06	7.2E-04
386	0.7776	4.28E-05	3.3E-05	3.46E-04	1.15E-08	0.25	1.57E-01	4.52E-10	1.0E+06	4.5E-04
387	0.90142	4.28E-05	3.9E-05	3.46E-04	1.33E-08	0.25	1.57E-01	5.24E-10	1.0E+06	5.2E-04
388	1.05901	4.28E-05	4.5E-05	3.46E-04	1.57E-08	0.25	1.57E-01	6.16E-10	1.0E+06	6.2E-04
389	1.26564	4.28E-05	5.4E-05	3.46E-04	1.87E-08	0.25	1.57E-01	7.36E-10	1.0E+06	7.4E-04
390	1.54478	4.28E-05	6.6E-05	3.46E-04	2.29E-08	0.25	1.57E-01	8.99E-10	1.0E+06	9.0E-04
400	0.77693	4.28E-05	3.3E-05	3.46E-04	1.15E-08	0.25	1.57E-01	4.52E-10	1.0E+06	4.5E-04
401	0.9006	4.28E-05	3.9E-05	3.46E-04	1.33E-08	0.25	1.57E-01	5.24E-10	1.0E+06	5.2E-04
402	1.05881	4.28E-05	4.5E-05	3.46E-04	1.57E-08	0.25	1.57E-01	6.16E-10	1.0E+06	6.2E-04
403	1.265	4.28E-05	5.4E-05	3.46E-04	1.87E-08	0.25	1.57E-01	7.36E-10	1.0E+06	7.4E-04
404	1.54274	4.28E-05	6.6E-05	3.46E-04	2.28E-08	0.25	1.57E-01	8.98E-10	1.0E+06	9.0E-04
415	0.76775	4.28E-05	3.3E-05	3.46E-04	1.14E-08	0.25	1.57E-01	4.47E-10	1.0E+06	4.5E-04
416	0.88873	4.28E-05	3.8E-05	3.46E-04	1.32E-08	0.25	1.57E-01	5.17E-10	1.0E+06	5.2E-04
417	1.04217	4.28E-05	4.5E-05	3.46E-04	1.54E-08	0.25	1.57E-01	6.06E-10	1.0E+06	6.1E-04

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	1.24273	4.28E-05	5.3E-05	3.46E-04	1.84E-08	0.25	1.57E-01	7.23E-10	1.0E+06	7.2E-04
419	1.50965	4.28E-05	6.5E-05	3.46E-04	2.24E-08	0.25	1.57E-01	8.78E-10	1.0E+06	8.8E-04
420	1.87441	4.28E-05	8.0E-05	3.46E-04	2.78E-08	0.25	1.57E-01	1.09E-09	1.0E+06	1.1E-03
430	0.86668	4.28E-05	3.7E-05	3.46E-04	1.28E-08	0.25	1.57E-01	5.04E-10	1.0E+06	5.0E-04
431	1.01244	4.28E-05	4.3E-05	3.46E-04	1.50E-08	0.25	1.57E-01	5.89E-10	1.0E+06	5.9E-04
432	1.20012	4.28E-05	5.1E-05	3.46E-04	1.78E-08	0.25	1.57E-01	6.98E-10	1.0E+06	7.0E-04
433	1.44756	4.28E-05	6.2E-05	3.46E-04	2.14E-08	0.25	1.57E-01	8.42E-10	1.0E+06	8.4E-04
434	1.78342	4.28E-05	7.6E-05	3.46E-04	2.64E-08	0.25	1.57E-01	1.04E-09	1.0E+06	1.0E-03
444	0.83685	4.28E-05	3.6E-05	3.46E-04	1.24E-08	0.25	1.57E-01	4.87E-10	1.0E+06	4.9E-04
445	0.97195	4.28E-05	4.2E-05	3.46E-04	1.44E-08	0.25	1.57E-01	5.65E-10	1.0E+06	5.7E-04
446	1.14338	4.28E-05	4.9E-05	3.46E-04	1.69E-08	0.25	1.57E-01	6.65E-10	1.0E+06	6.7E-04
447	1.36554	4.28E-05	5.8E-05	3.46E-04	2.02E-08	0.25	1.57E-01	7.94E-10	1.0E+06	7.9E-04
448	1.66082	4.28E-05	7.1E-05	3.46E-04	2.46E-08	0.25	1.57E-01	9.66E-10	1.0E+06	9.7E-04
459	0.92415	4.28E-05	4.0E-05	3.46E-04	1.37E-08	0.25	1.57E-01	5.38E-10	1.0E+06	5.4E-04
460	1.07742	4.28E-05	4.6E-05	3.46E-04	1.60E-08	0.25	1.57E-01	6.27E-10	1.0E+06	6.3E-04
461	1.27229	4.28E-05	5.4E-05	3.46E-04	1.88E-08	0.25	1.57E-01	7.40E-10	1.0E+06	7.4E-04
462	1.52478	4.28E-05	6.5E-05	3.46E-04	2.26E-08	0.25	1.57E-01	8.87E-10	1.0E+06	8.9E-04
463	1.85847	4.28E-05	8.0E-05	3.46E-04	2.75E-08	0.25	1.57E-01	1.08E-09	1.0E+06	1.1E-03
474	0.87196	4.28E-05	3.7E-05	3.46E-04	1.29E-08	0.25	1.57E-01	5.07E-10	1.0E+06	5.1E-04
475	1.00647	4.28E-05	4.3E-05	3.46E-04	1.49E-08	0.25	1.57E-01	5.86E-10	1.0E+06	5.9E-04
476	1.17416	4.28E-05	5.0E-05	3.46E-04	1.74E-08	0.25	1.57E-01	6.83E-10	1.0E+06	6.8E-04
477	1.38562	4.28E-05	5.9E-05	3.46E-04	2.05E-08	0.25	1.57E-01	8.06E-10	1.0E+06	8.1E-04
478	1.65712	4.28E-05	7.1E-05	3.46E-04	2.45E-08	0.25	1.57E-01	9.64E-10	1.0E+06	9.6E-04
495	0.81768	4.28E-05	3.5E-05	3.46E-04	1.21E-08	0.25	1.57E-01	4.76E-10	1.0E+06	4.8E-04
496	0.93423	4.28E-05	4.0E-05	3.46E-04	1.38E-08	0.25	1.57E-01	5.44E-10	1.0E+06	5.4E-04
497	1.07651	4.28E-05	4.6E-05	3.46E-04	1.59E-08	0.25	1.57E-01	6.26E-10	1.0E+06	6.3E-04
498	1.25193	4.28E-05	5.4E-05	3.46E-04	1.85E-08	0.25	1.57E-01	7.28E-10	1.0E+06	7.3E-04
499	1.47079	4.28E-05	6.3E-05	3.46E-04	2.18E-08	0.25	1.57E-01	8.56E-10	1.0E+06	8.6E-04
500	1.74769	4.28E-05	7.5E-05	3.46E-04	2.59E-08	0.25	1.57E-01	1.02E-09	1.0E+06	1.0E-03

Via Oro
Risk From Idling in Truck Parking [Idle1]

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose		Risk		Constant 2	Risk/ Million	
				Constant	Dose	ED	Constant			
139	0.26897	4.28E-05	1.2E-05	3.46E-04	3.98E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
140	0.28229	4.28E-05	1.2E-05	3.46E-04	4.18E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
156	0.2866	4.28E-05	1.2E-05	3.46E-04	4.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
157	0.30179	4.28E-05	1.3E-05	3.46E-04	4.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
158	0.31785	4.28E-05	1.4E-05	3.46E-04	4.71E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
159	0.33461	4.28E-05	1.4E-05	3.46E-04	4.96E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
160	0.35175	4.28E-05	1.5E-05	3.46E-04	5.21E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
161	0.38761	4.28E-05	1.7E-05	3.46E-04	5.74E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
162	0.40573	4.28E-05	1.7E-05	3.46E-04	6.01E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
163	0.42337	4.28E-05	1.8E-05	3.46E-04	6.27E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
167	0.32279	4.28E-05	1.4E-05	3.46E-04	4.78E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
168	0.34183	4.28E-05	1.5E-05	3.46E-04	5.06E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
169	0.36132	4.28E-05	1.5E-05	3.46E-04	5.35E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
170	0.38164	4.28E-05	1.6E-05	3.46E-04	5.65E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
171	0.40269	4.28E-05	1.7E-05	3.46E-04	5.96E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
172	0.42453	4.28E-05	1.8E-05	3.46E-04	6.29E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
173	0.44644	4.28E-05	1.9E-05	3.46E-04	6.61E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
174	0.46825	4.28E-05	2.0E-05	3.46E-04	6.93E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
175	0.48943	4.28E-05	2.1E-05	3.46E-04	7.25E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
176	0.50939	4.28E-05	2.2E-05	3.46E-04	7.54E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
177	0.52731	4.28E-05	2.3E-05	3.46E-04	7.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
181	0.36807	4.28E-05	1.6E-05	3.46E-04	5.45E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
182	0.39097	4.28E-05	1.7E-05	3.46E-04	5.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
183	0.41518	4.28E-05	1.8E-05	3.46E-04	6.15E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
184	0.44041	4.28E-05	1.9E-05	3.46E-04	6.52E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
185	0.46676	4.28E-05	2.0E-05	3.46E-04	6.91E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
186	0.49375	4.28E-05	2.1E-05	3.46E-04	7.31E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
187	0.52067	4.28E-05	2.2E-05	3.46E-04	7.71E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
188	0.54729	4.28E-05	2.3E-05	3.46E-04	8.10E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
189	0.57262	4.28E-05	2.4E-05	3.46E-04	8.48E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
190	0.59558	4.28E-05	2.5E-05	3.46E-04	8.82E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	0.6153	4.28E-05	2.6E-05	3.46E-04	9.11E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	0.3968	4.28E-05	1.7E-05	3.46E-04	5.88E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	0.42388	4.28E-05	1.8E-05	3.46E-04	6.28E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	0.45274	4.28E-05	1.9E-05	3.46E-04	6.70E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	0.48327	4.28E-05	2.1E-05	3.46E-04	7.16E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	0.51548	4.28E-05	2.2E-05	3.46E-04	7.63E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	0.54882	4.28E-05	2.3E-05	3.46E-04	8.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	0.58277	4.28E-05	2.5E-05	3.46E-04	8.63E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	0.61656	4.28E-05	2.6E-05	3.46E-04	9.13E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	0.64907	4.28E-05	2.8E-05	3.46E-04	9.61E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	0.67894	4.28E-05	2.9E-05	3.46E-04	1.01E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	0.70495	4.28E-05	3.0E-05	3.46E-04	1.04E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	0.72589	4.28E-05	3.1E-05	3.46E-04	1.07E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	0.39746	4.28E-05	1.7E-05	3.46E-04	5.89E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	0.42811	4.28E-05	1.8E-05	3.46E-04	6.34E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	0.46015	4.28E-05	2.0E-05	3.46E-04	6.81E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	0.49485	4.28E-05	2.1E-05	3.46E-04	7.33E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	0.57165	4.28E-05	2.4E-05	3.46E-04	8.47E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	0.61334	4.28E-05	2.6E-05	3.46E-04	9.08E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	0.6564	4.28E-05	2.8E-05	3.46E-04	9.72E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	0.70009	4.28E-05	3.0E-05	3.46E-04	1.04E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	0.74278	4.28E-05	3.2E-05	3.46E-04	1.10E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	0.78257	4.28E-05	3.3E-05	3.46E-04	1.16E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	0.81754	4.28E-05	3.5E-05	3.46E-04	1.21E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	0.8455	4.28E-05	3.6E-05	3.46E-04	1.25E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	0.86565	4.28E-05	3.7E-05	3.46E-04	1.28E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	0.42679	4.28E-05	1.8E-05	3.46E-04	6.32E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	0.46196	4.28E-05	2.0E-05	3.46E-04	6.84E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	0.50005	4.28E-05	2.1E-05	3.46E-04	7.41E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	0.5418	4.28E-05	2.3E-05	3.46E-04	8.02E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	0.58728	4.28E-05	2.5E-05	3.46E-04	8.70E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	0.63631	4.28E-05	2.7E-05	3.46E-04	9.42E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	0.68911	4.28E-05	2.9E-05	3.46E-04	1.02E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	0.80223	4.28E-05	3.4E-05	3.46E-04	1.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	0.85963	4.28E-05	3.7E-05	3.46E-04	1.27E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	0.91413	4.28E-05	3.9E-05	3.46E-04	1.35E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	0.96239	4.28E-05	4.1E-05	3.46E-04	1.43E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	1.00128	4.28E-05	4.3E-05	3.46E-04	1.48E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	1.02846	4.28E-05	4.4E-05	3.46E-04	1.52E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	0.45735	4.28E-05	2.0E-05	3.46E-04	6.77E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	0.49805	4.28E-05	2.1E-05	3.46E-04	7.38E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	0.54295	4.28E-05	2.3E-05	3.46E-04	8.04E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	0.59353	4.28E-05	2.5E-05	3.46E-04	8.79E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	0.64956	4.28E-05	2.8E-05	3.46E-04	9.62E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	0.71133	4.28E-05	3.0E-05	3.46E-04	1.05E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	0.77878	4.28E-05	3.3E-05	3.46E-04	1.15E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	0.92825	4.28E-05	4.0E-05	3.46E-04	1.37E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	1.0067	4.28E-05	4.3E-05	3.46E-04	1.49E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	1.08365	4.28E-05	4.6E-05	3.46E-04	1.60E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	1.15338	4.28E-05	4.9E-05	3.46E-04	1.71E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	1.20987	4.28E-05	5.2E-05	3.46E-04	1.79E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	1.24836	4.28E-05	5.3E-05	3.46E-04	1.85E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	0.48913	4.28E-05	2.1E-05	3.46E-04	7.24E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	0.5363	4.28E-05	2.3E-05	3.46E-04	7.94E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	0.58994	4.28E-05	2.5E-05	3.46E-04	8.74E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	0.64979	4.28E-05	2.8E-05	3.46E-04	9.62E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	0.71937	4.28E-05	3.1E-05	3.46E-04	1.07E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	0.79695	4.28E-05	3.4E-05	3.46E-04	1.18E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	0.88397	4.28E-05	3.8E-05	3.46E-04	1.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	1.08562	4.28E-05	4.6E-05	3.46E-04	1.61E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	1.19666	4.28E-05	5.1E-05	3.46E-04	1.77E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	1.30881	4.28E-05	5.6E-05	3.46E-04	1.94E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	1.4131	4.28E-05	6.0E-05	3.46E-04	2.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	1.49877	4.28E-05	6.4E-05	3.46E-04	2.22E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	1.55648	4.28E-05	6.7E-05	3.46E-04	2.30E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	1.63938	4.28E-05	7.0E-05	3.46E-04	2.43E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	1.67549	4.28E-05	7.2E-05	3.46E-04	2.48E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	0.52162	4.28E-05	2.2E-05	3.46E-04	7.72E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	0.57588	4.28E-05	2.5E-05	3.46E-04	8.53E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	0.63904	4.28E-05	2.7E-05	3.46E-04	9.46E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	0.71122	4.28E-05	3.0E-05	3.46E-04	1.05E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	0.79597	4.28E-05	3.4E-05	3.46E-04	1.18E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	0.89365	4.28E-05	3.8E-05	3.46E-04	1.32E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	1.0053	4.28E-05	4.3E-05	3.46E-04	1.49E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	1.28154	4.28E-05	5.5E-05	3.46E-04	1.90E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	1.4423	4.28E-05	6.2E-05	3.46E-04	2.14E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	1.61204	4.28E-05	6.9E-05	3.46E-04	2.39E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	1.77871	4.28E-05	7.6E-05	3.46E-04	2.63E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	1.92051	4.28E-05	8.2E-05	3.46E-04	2.84E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	2.01266	4.28E-05	8.6E-05	3.46E-04	2.98E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	2.15638	4.28E-05	9.2E-05	3.46E-04	3.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	2.19975	4.28E-05	9.4E-05	3.46E-04	3.26E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	0.55401	4.28E-05	2.4E-05	3.46E-04	8.20E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	0.6161	4.28E-05	2.6E-05	3.46E-04	9.12E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	0.68938	4.28E-05	2.9E-05	3.46E-04	1.02E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	0.77584	4.28E-05	3.3E-05	3.46E-04	1.15E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	0.87783	4.28E-05	3.8E-05	3.46E-04	1.30E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	1.00008	4.28E-05	4.3E-05	3.46E-04	1.48E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	1.14669	4.28E-05	4.9E-05	3.46E-04	1.70E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	1.52731	4.28E-05	6.5E-05	3.46E-04	2.26E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	1.76956	4.28E-05	7.6E-05	3.46E-04	2.62E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	2.0395	4.28E-05	8.7E-05	3.46E-04	3.02E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	2.32561	4.28E-05	9.9E-05	3.46E-04	3.44E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	2.57987	4.28E-05	1.1E-04	3.46E-04	3.82E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	2.74291	4.28E-05	1.2E-04	3.46E-04	4.06E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	2.99104	4.28E-05	1.3E-04	3.46E-04	4.43E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	2.98186	4.28E-05	1.3E-04	3.46E-04	4.42E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	0.5853	4.28E-05	2.5E-05	3.46E-04	8.67E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	0.65571	4.28E-05	2.8E-05	3.46E-04	9.71E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	0.73978	4.28E-05	3.2E-05	3.46E-04	1.10E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	0.84133	4.28E-05	3.6E-05	3.46E-04	1.25E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	0.96486	4.28E-05	4.1E-05	3.46E-04	1.43E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	1.11591	4.28E-05	4.8E-05	3.46E-04	1.65E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	1.30355	4.28E-05	5.6E-05	3.46E-04	1.93E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	1.832	4.28E-05	7.8E-05	3.46E-04	2.71E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	2.20544	4.28E-05	9.4E-05	3.46E-04	3.27E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	2.65809	4.28E-05	1.1E-04	3.46E-04	3.94E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	3.19566	4.28E-05	1.4E-04	3.46E-04	4.73E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	3.71929	4.28E-05	1.6E-04	3.46E-04	5.51E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	4.06723	4.28E-05	1.7E-04	3.46E-04	6.02E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	4.36111	4.28E-05	1.9E-04	3.46E-04	6.46E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	4.09767	4.28E-05	1.8E-04	3.46E-04	6.07E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	0.61414	4.28E-05	2.6E-05	3.46E-04	9.09E-09	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	0.69272	4.28E-05	3.0E-05	3.46E-04	1.03E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	0.78792	4.28E-05	3.4E-05	3.46E-04	1.17E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	0.90515	4.28E-05	3.9E-05	3.46E-04	1.34E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	1.04994	4.28E-05	4.5E-05	3.46E-04	1.55E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	1.23392	4.28E-05	5.3E-05	3.46E-04	1.83E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	1.46973	4.28E-05	6.3E-05	3.46E-04	2.18E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	1.77758	4.28E-05	7.6E-05	3.46E-04	2.63E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	2.19274	4.28E-05	9.4E-05	3.46E-04	3.25E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	2.7602	4.28E-05	1.2E-04	3.46E-04	4.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	3.5555	4.28E-05	1.5E-04	3.46E-04	5.27E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	4.66468	4.28E-05	2.0E-04	3.46E-04	6.91E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	6.04181	4.28E-05	2.6E-04	3.46E-04	8.95E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	7.02106	4.28E-05	3.0E-04	3.46E-04	1.04E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	7.30847	4.28E-05	3.1E-04	3.46E-04	1.08E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	6.45578	4.28E-05	2.8E-04	3.46E-04	9.56E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	5.49275	4.28E-05	2.3E-04	3.46E-04	8.13E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	1.12958	4.28E-05	4.8E-05	3.46E-04	1.67E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	1.34575	4.28E-05	5.8E-05	3.46E-04	1.99E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	1.63144	4.28E-05	7.0E-05	3.46E-04	2.42E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	2.02236	4.28E-05	8.7E-05	3.46E-04	2.99E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	12.16799	4.28E-05	5.2E-04	3.46E-04	1.80E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	8.9629	4.28E-05	3.8E-04	3.46E-04	1.33E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	6.86407	4.28E-05	2.9E-04	3.46E-04	1.02E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	1.44103	4.28E-05	6.2E-05	3.46E-04	2.13E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	1.77415	4.28E-05	7.6E-05	3.46E-04	2.63E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	2.24561	4.28E-05	9.6E-05	3.46E-04	3.33E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	16.8147	4.28E-05	7.2E-04	3.46E-04	2.49E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	10.99915	4.28E-05	4.7E-04	3.46E-04	1.63E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	7.87489	4.28E-05	3.4E-04	3.46E-04	1.17E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	1.50958	4.28E-05	6.5E-05	3.46E-04	2.24E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	1.87887	4.28E-05	8.0E-05	3.46E-04	2.78E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	2.41105	4.28E-05	1.0E-04	3.46E-04	3.57E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	19.87692	4.28E-05	8.5E-04	3.46E-04	2.94E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	12.30369	4.28E-05	5.3E-04	3.46E-04	1.82E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	8.44954	4.28E-05	3.6E-04	3.46E-04	1.25E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	1.93236	4.28E-05	8.3E-05	3.46E-04	2.86E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	2.49234	4.28E-05	1.1E-04	3.46E-04	3.69E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	22.29711	4.28E-05	9.5E-04	3.46E-04	3.30E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	13.12742	4.28E-05	5.6E-04	3.46E-04	1.94E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	8.59354	4.28E-05	3.7E-04	3.46E-04	1.27E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	1.93094	4.28E-05	8.3E-05	3.46E-04	2.86E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	2.49197	4.28E-05	1.1E-04	3.46E-04	3.69E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	3.35305	4.28E-05	1.4E-04	3.46E-04	4.97E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	24.20889	4.28E-05	1.0E-03	3.46E-04	3.59E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	13.19824	4.28E-05	5.6E-04	3.46E-04	1.95E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	8.15495	4.28E-05	3.5E-04	3.46E-04	1.21E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	2.40525	4.28E-05	1.0E-04	3.46E-04	3.56E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	3.20022	4.28E-05	1.4E-04	3.46E-04	4.74E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	24.16432	4.28E-05	1.0E-03	3.46E-04	3.58E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	11.85452	4.28E-05	5.1E-04	3.46E-04	1.76E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	7.02668	4.28E-05	3.0E-04	3.46E-04	1.04E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	2.25169	4.28E-05	9.6E-05	3.46E-04	3.33E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	2.94658	4.28E-05	1.3E-04	3.46E-04	4.36E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	9.14611	4.28E-05	3.9E-04	3.46E-04	1.35E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	5.61797	4.28E-05	2.4E-04	3.46E-04	8.32E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	2.06028	4.28E-05	8.8E-05	3.46E-04	3.05E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	2.6369	4.28E-05	1.1E-04	3.46E-04	3.90E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	3.4884	4.28E-05	1.5E-04	3.46E-04	5.17E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	6.94554	4.28E-05	3.0E-04	3.46E-04	1.03E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	4.55144	4.28E-05	1.9E-04	3.46E-04	6.74E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	2.31573	4.28E-05	9.9E-05	3.46E-04	3.43E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	2.96176	4.28E-05	1.3E-04	3.46E-04	4.39E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	12.20745	4.28E-05	5.2E-04	3.46E-04	1.81E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	5.53793	4.28E-05	2.4E-04	3.46E-04	8.20E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	3.81669	4.28E-05	1.6E-04	3.46E-04	5.65E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	2.00598	4.28E-05	8.6E-05	3.46E-04	2.97E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	2.49371	4.28E-05	1.1E-04	3.46E-04	3.69E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	3.15554	4.28E-05	1.3E-04	3.46E-04	4.67E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	4.09677	4.28E-05	1.8E-04	3.46E-04	6.07E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	5.37607	4.28E-05	2.3E-04	3.46E-04	7.96E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	6.822	4.28E-05	2.9E-04	3.46E-04	1.01E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	7.26558	4.28E-05	3.1E-04	3.46E-04	1.08E-07	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	6.06001	4.28E-05	2.6E-04	3.46E-04	8.97E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	4.44633	4.28E-05	1.9E-04	3.46E-04	6.58E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	3.23847	4.28E-05	1.4E-04	3.46E-04	4.80E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	2.09605	4.28E-05	9.0E-05	3.46E-04	3.10E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	2.5762	4.28E-05	1.1E-04	3.46E-04	3.82E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	3.19122	4.28E-05	1.4E-04	3.46E-04	4.73E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	3.94184	4.28E-05	1.7E-04	3.46E-04	5.84E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	4.662	4.28E-05	2.0E-04	3.46E-04	6.90E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	4.91337	4.28E-05	2.1E-04	3.46E-04	7.28E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	4.43229	4.28E-05	1.9E-04	3.46E-04	6.56E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	2.75757	4.28E-05	1.2E-04	3.46E-04	4.08E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	1.78618	4.28E-05	7.6E-05	3.46E-04	2.65E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	2.11407	4.28E-05	9.0E-05	3.46E-04	3.13E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	2.54392	4.28E-05	1.1E-04	3.46E-04	3.77E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	3.0097	4.28E-05	1.3E-04	3.46E-04	4.46E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	3.4208	4.28E-05	1.5E-04	3.46E-04	5.07E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	3.58271	4.28E-05	1.5E-04	3.46E-04	5.31E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	3.36891	4.28E-05	1.4E-04	3.46E-04	4.99E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	2.34927	4.28E-05	1.0E-04	3.46E-04	3.48E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	1.53501	4.28E-05	6.6E-05	3.46E-04	2.27E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	1.78118	4.28E-05	7.6E-05	3.46E-04	2.64E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	2.06344	4.28E-05	8.8E-05	3.46E-04	3.06E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	2.36667	4.28E-05	1.0E-04	3.46E-04	3.50E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	2.633	4.28E-05	1.1E-04	3.46E-04	3.90E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	2.74525	4.28E-05	1.2E-04	3.46E-04	4.07E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	2.64113	4.28E-05	1.1E-04	3.46E-04	3.91E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	2.0062	4.28E-05	8.6E-05	3.46E-04	2.97E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	1.51393	4.28E-05	6.5E-05	3.46E-04	2.24E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	1.72027	4.28E-05	7.4E-05	3.46E-04	2.55E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	1.9257	4.28E-05	8.2E-05	3.46E-04	2.85E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	2.08686	4.28E-05	8.9E-05	3.46E-04	3.09E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	2.17665	4.28E-05	9.3E-05	3.46E-04	3.22E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	2.13369	4.28E-05	9.1E-05	3.46E-04	3.16E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	1.72409	4.28E-05	7.4E-05	3.46E-04	2.55E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	1.30055	4.28E-05	5.6E-05	3.46E-04	1.93E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	1.45173	4.28E-05	6.2E-05	3.46E-04	2.15E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	1.60002	4.28E-05	6.8E-05	3.46E-04	2.37E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	1.71925	4.28E-05	7.4E-05	3.46E-04	2.55E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	1.77955	4.28E-05	7.6E-05	3.46E-04	2.64E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	1.75634	4.28E-05	7.5E-05	3.46E-04	2.60E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	1.60092	4.28E-05	6.8E-05	3.46E-04	2.37E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	1.12913	4.28E-05	4.8E-05	3.46E-04	1.67E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	1.24141	4.28E-05	5.3E-05	3.46E-04	1.84E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	1.34959	4.28E-05	5.8E-05	3.46E-04	2.00E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	1.43729	4.28E-05	6.1E-05	3.46E-04	2.13E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	1.48465	4.28E-05	6.4E-05	3.46E-04	2.20E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	1.47643	4.28E-05	6.3E-05	3.46E-04	2.19E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	1.40782	4.28E-05	6.0E-05	3.46E-04	2.08E-08	0.00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	Cancer Risk from Birth to 2 years - Construction								
		g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.12126	4.28E-05	5.2E-06	1.05E-03	5.42E-09	2	1.57E-01	1.70E-09	1.0E+06	1.7E-03
2	0.12556	4.28E-05	5.4E-06	1.05E-03	5.61E-09	2	1.57E-01	1.76E-09	1.0E+06	1.8E-03
3	0.13001	4.28E-05	5.6E-06	1.05E-03	5.81E-09	2	1.57E-01	1.83E-09	1.0E+06	1.8E-03
4	0.13465	4.28E-05	5.8E-06	1.05E-03	6.02E-09	2	1.57E-01	1.89E-09	1.0E+06	1.9E-03
5	0.1395	4.28E-05	6.0E-06	1.05E-03	6.24E-09	2	1.57E-01	1.96E-09	1.0E+06	2.0E-03
6	0.14463	4.28E-05	6.2E-06	1.05E-03	6.47E-09	2	1.57E-01	2.03E-09	1.0E+06	2.0E-03
7	0.14997	4.28E-05	6.4E-06	1.05E-03	6.71E-09	2	1.57E-01	2.11E-09	1.0E+06	2.1E-03
8	0.15548	4.28E-05	6.7E-06	1.05E-03	6.95E-09	2	1.57E-01	2.18E-09	1.0E+06	2.2E-03
9	0.16122	4.28E-05	6.9E-06	1.05E-03	7.21E-09	2	1.57E-01	2.27E-09	1.0E+06	2.3E-03
10	0.16717	4.28E-05	7.2E-06	1.05E-03	7.47E-09	2	1.57E-01	2.35E-09	1.0E+06	2.3E-03
11	0.17332	4.28E-05	7.4E-06	1.05E-03	7.75E-09	2	1.57E-01	2.44E-09	1.0E+06	2.4E-03
12	0.17965	4.28E-05	7.7E-06	1.05E-03	8.03E-09	2	1.57E-01	2.52E-09	1.0E+06	2.5E-03
13	0.18621	4.28E-05	8.0E-06	1.05E-03	8.33E-09	2	1.57E-01	2.62E-09	1.0E+06	2.6E-03
14	0.19293	4.28E-05	8.3E-06	1.05E-03	8.63E-09	2	1.57E-01	2.71E-09	1.0E+06	2.7E-03
15	0.19982	4.28E-05	8.5E-06	1.05E-03	8.93E-09	2	1.57E-01	2.81E-09	1.0E+06	2.8E-03
16	0.2068	4.28E-05	8.8E-06	1.05E-03	9.25E-09	2	1.57E-01	2.91E-09	1.0E+06	2.9E-03
17	0.21392	4.28E-05	9.2E-06	1.05E-03	9.57E-09	2	1.57E-01	3.01E-09	1.0E+06	3.0E-03
18	0.22103	4.28E-05	9.5E-06	1.05E-03	9.88E-09	2	1.57E-01	3.11E-09	1.0E+06	3.1E-03
19	0.22814	4.28E-05	9.8E-06	1.05E-03	1.02E-08	2	1.57E-01	3.21E-09	1.0E+06	3.2E-03
20	0.23517	4.28E-05	1.0E-05	1.05E-03	1.05E-08	2	1.57E-01	3.30E-09	1.0E+06	3.3E-03
21	0.24202	4.28E-05	1.0E-05	1.05E-03	1.08E-08	2	1.57E-01	3.40E-09	1.0E+06	3.4E-03
22	0.24864	4.28E-05	1.1E-05	1.05E-03	1.11E-08	2	1.57E-01	3.49E-09	1.0E+06	3.5E-03
23	0.2549	4.28E-05	1.1E-05	1.05E-03	1.14E-08	2	1.57E-01	3.58E-09	1.0E+06	3.6E-03
24	0.26073	4.28E-05	1.1E-05	1.05E-03	1.17E-08	2	1.57E-01	3.66E-09	1.0E+06	3.7E-03
25	0.26606	4.28E-05	1.1E-05	1.05E-03	1.19E-08	2	1.57E-01	3.74E-09	1.0E+06	3.7E-03
26	0.27081	4.28E-05	1.2E-05	1.05E-03	1.21E-08	2	1.57E-01	3.81E-09	1.0E+06	3.8E-03
27	0.27493	4.28E-05	1.2E-05	1.05E-03	1.23E-08	2	1.57E-01	3.86E-09	1.0E+06	3.9E-03
28	0.27832	4.28E-05	1.2E-05	1.05E-03	1.24E-08	2	1.57E-01	3.91E-09	1.0E+06	3.9E-03
29	0.281	4.28E-05	1.2E-05	1.05E-03	1.26E-08	2	1.57E-01	3.95E-09	1.0E+06	3.9E-03
30	0.28295	4.28E-05	1.2E-05	1.05E-03	1.27E-08	2	1.57E-01	3.98E-09	1.0E+06	4.0E-03
31	0.28417	4.28E-05	1.2E-05	1.05E-03	1.27E-08	2	1.57E-01	3.99E-09	1.0E+06	4.0E-03

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.28469	4.28E-05	1.2E-05	1.05E-03	1.27E-08	2	1.57E-01	4.00E-09	1.0E+06	4.0E-03
55	0.26742	4.28E-05	1.1E-05	1.05E-03	1.20E-08	2	1.57E-01	3.76E-09	1.0E+06	3.8E-03
56	0.27471	4.28E-05	1.2E-05	1.05E-03	1.23E-08	2	1.57E-01	3.86E-09	1.0E+06	3.9E-03
57	0.2816	4.28E-05	1.2E-05	1.05E-03	1.26E-08	2	1.57E-01	3.96E-09	1.0E+06	4.0E-03
58	0.28787	4.28E-05	1.2E-05	1.05E-03	1.29E-08	2	1.57E-01	4.05E-09	1.0E+06	4.0E-03
59	0.29342	4.28E-05	1.3E-05	1.05E-03	1.31E-08	2	1.57E-01	4.12E-09	1.0E+06	4.1E-03
60	0.29817	4.28E-05	1.3E-05	1.05E-03	1.33E-08	2	1.57E-01	4.19E-09	1.0E+06	4.2E-03
61	0.30216	4.28E-05	1.3E-05	1.05E-03	1.35E-08	2	1.57E-01	4.25E-09	1.0E+06	4.2E-03
62	0.30524	4.28E-05	1.3E-05	1.05E-03	1.36E-08	2	1.57E-01	4.29E-09	1.0E+06	4.3E-03
63	0.30747	4.28E-05	1.3E-05	1.05E-03	1.37E-08	2	1.57E-01	4.32E-09	1.0E+06	4.3E-03
64	0.30882	4.28E-05	1.3E-05	1.05E-03	1.38E-08	2	1.57E-01	4.34E-09	1.0E+06	4.3E-03
65	0.30937	4.28E-05	1.3E-05	1.05E-03	1.38E-08	2	1.57E-01	4.35E-09	1.0E+06	4.3E-03
66	0.30943	4.28E-05	1.3E-05	1.05E-03	1.38E-08	2	1.57E-01	4.35E-09	1.0E+06	4.3E-03
67	0.12907	4.28E-05	5.5E-06	1.05E-03	5.77E-09	2	1.57E-01	1.81E-09	1.0E+06	1.8E-03
68	0.13402	4.28E-05	5.7E-06	1.05E-03	5.99E-09	2	1.57E-01	1.88E-09	1.0E+06	1.9E-03
69	0.13922	4.28E-05	6.0E-06	1.05E-03	6.23E-09	2	1.57E-01	1.96E-09	1.0E+06	2.0E-03
70	0.14467	4.28E-05	6.2E-06	1.05E-03	6.47E-09	2	1.57E-01	2.03E-09	1.0E+06	2.0E-03
71	0.15034	4.28E-05	6.4E-06	1.05E-03	6.72E-09	2	1.57E-01	2.11E-09	1.0E+06	2.1E-03
72	0.15639	4.28E-05	6.7E-06	1.05E-03	6.99E-09	2	1.57E-01	2.20E-09	1.0E+06	2.2E-03
73	0.16271	4.28E-05	7.0E-06	1.05E-03	7.28E-09	2	1.57E-01	2.29E-09	1.0E+06	2.3E-03
74	0.16932	4.28E-05	7.2E-06	1.05E-03	7.57E-09	2	1.57E-01	2.38E-09	1.0E+06	2.4E-03
75	0.17621	4.28E-05	7.5E-06	1.05E-03	7.88E-09	2	1.57E-01	2.48E-09	1.0E+06	2.5E-03
76	0.18343	4.28E-05	7.8E-06	1.05E-03	8.20E-09	2	1.57E-01	2.58E-09	1.0E+06	2.6E-03
77	0.19099	4.28E-05	8.2E-06	1.05E-03	8.54E-09	2	1.57E-01	2.68E-09	1.0E+06	2.7E-03
78	0.19891	4.28E-05	8.5E-06	1.05E-03	8.89E-09	2	1.57E-01	2.80E-09	1.0E+06	2.8E-03
79	0.24228	4.28E-05	1.0E-05	1.05E-03	1.08E-08	2	1.57E-01	3.40E-09	1.0E+06	3.4E-03
80	0.25154	4.28E-05	1.1E-05	1.05E-03	1.12E-08	2	1.57E-01	3.53E-09	1.0E+06	3.5E-03
81	0.26097	4.28E-05	1.1E-05	1.05E-03	1.17E-08	2	1.57E-01	3.67E-09	1.0E+06	3.7E-03
82	0.27033	4.28E-05	1.2E-05	1.05E-03	1.21E-08	2	1.57E-01	3.80E-09	1.0E+06	3.8E-03
83	0.27961	4.28E-05	1.2E-05	1.05E-03	1.25E-08	2	1.57E-01	3.93E-09	1.0E+06	3.9E-03
84	0.28857	4.28E-05	1.2E-05	1.05E-03	1.29E-08	2	1.57E-01	4.06E-09	1.0E+06	4.1E-03

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	0.29718	4.28E-05	1.3E-05	1.05E-03	1.33E-08	2	1.57E-01	4.18E-09	1.0E+06	4.2E-03
86	0.30527	4.28E-05	1.3E-05	1.05E-03	1.36E-08	2	1.57E-01	4.29E-09	1.0E+06	4.3E-03
87	0.31265	4.28E-05	1.3E-05	1.05E-03	1.40E-08	2	1.57E-01	4.39E-09	1.0E+06	4.4E-03
88	0.31924	4.28E-05	1.4E-05	1.05E-03	1.43E-08	2	1.57E-01	4.49E-09	1.0E+06	4.5E-03
89	0.32485	4.28E-05	1.4E-05	1.05E-03	1.45E-08	2	1.57E-01	4.57E-09	1.0E+06	4.6E-03
90	0.32947	4.28E-05	1.4E-05	1.05E-03	1.47E-08	2	1.57E-01	4.63E-09	1.0E+06	4.6E-03
91	0.33314	4.28E-05	1.4E-05	1.05E-03	1.49E-08	2	1.57E-01	4.68E-09	1.0E+06	4.7E-03
92	0.33561	4.28E-05	1.4E-05	1.05E-03	1.50E-08	2	1.57E-01	4.72E-09	1.0E+06	4.7E-03
93	0.33719	4.28E-05	1.4E-05	1.05E-03	1.51E-08	2	1.57E-01	4.74E-09	1.0E+06	4.7E-03
96	0.32935	4.28E-05	1.4E-05	1.05E-03	1.47E-08	2	1.57E-01	4.63E-09	1.0E+06	4.6E-03
97	0.32028	4.28E-05	1.4E-05	1.05E-03	1.43E-08	2	1.57E-01	4.50E-09	1.0E+06	4.5E-03
98	0.34886	4.28E-05	1.5E-05	1.05E-03	1.56E-08	2	1.57E-01	4.90E-09	1.0E+06	4.9E-03
99	0.35566	4.28E-05	1.5E-05	1.05E-03	1.59E-08	2	1.57E-01	5.00E-09	1.0E+06	5.0E-03
100	0.36116	4.28E-05	1.5E-05	1.05E-03	1.61E-08	2	1.57E-01	5.08E-09	1.0E+06	5.1E-03
101	0.36534	4.28E-05	1.6E-05	1.05E-03	1.63E-08	2	1.57E-01	5.13E-09	1.0E+06	5.1E-03
102	0.36832	4.28E-05	1.6E-05	1.05E-03	1.65E-08	2	1.57E-01	5.18E-09	1.0E+06	5.2E-03
106	0.13174	4.28E-05	5.6E-06	1.05E-03	5.89E-09	2	1.57E-01	1.85E-09	1.0E+06	1.9E-03
107	0.13718	4.28E-05	5.9E-06	1.05E-03	6.13E-09	2	1.57E-01	1.93E-09	1.0E+06	1.9E-03
108	0.14286	4.28E-05	6.1E-06	1.05E-03	6.39E-09	2	1.57E-01	2.01E-09	1.0E+06	2.0E-03
109	0.14886	4.28E-05	6.4E-06	1.05E-03	6.66E-09	2	1.57E-01	2.09E-09	1.0E+06	2.1E-03
110	0.15522	4.28E-05	6.6E-06	1.05E-03	6.94E-09	2	1.57E-01	2.18E-09	1.0E+06	2.2E-03
111	0.16187	4.28E-05	6.9E-06	1.05E-03	7.24E-09	2	1.57E-01	2.27E-09	1.0E+06	2.3E-03
112	0.16904	4.28E-05	7.2E-06	1.05E-03	7.56E-09	2	1.57E-01	2.38E-09	1.0E+06	2.4E-03
113	0.17654	4.28E-05	7.6E-06	1.05E-03	7.89E-09	2	1.57E-01	2.48E-09	1.0E+06	2.5E-03
114	0.18447	4.28E-05	7.9E-06	1.05E-03	8.25E-09	2	1.57E-01	2.59E-09	1.0E+06	2.6E-03
115	0.1928	4.28E-05	8.2E-06	1.05E-03	8.62E-09	2	1.57E-01	2.71E-09	1.0E+06	2.7E-03
116	0.20152	4.28E-05	8.6E-06	1.05E-03	9.01E-09	2	1.57E-01	2.83E-09	1.0E+06	2.8E-03
117	0.21084	4.28E-05	9.0E-06	1.05E-03	9.43E-09	2	1.57E-01	2.96E-09	1.0E+06	3.0E-03
118	0.22064	4.28E-05	9.4E-06	1.05E-03	9.87E-09	2	1.57E-01	3.10E-09	1.0E+06	3.1E-03
124	0.13553	4.28E-05	5.8E-06	1.05E-03	6.06E-09	2	1.57E-01	1.90E-09	1.0E+06	1.9E-03
125	0.14126	4.28E-05	6.0E-06	1.05E-03	6.32E-09	2	1.57E-01	1.99E-09	1.0E+06	2.0E-03

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.14734	4.28E-05	6.3E-06	1.05E-03	6.59E-09	2	1.57E-01	2.07E-09	1.0E+06	2.1E-03
127	0.15378	4.28E-05	6.6E-06	1.05E-03	6.88E-09	2	1.57E-01	2.16E-09	1.0E+06	2.2E-03
128	0.16062	4.28E-05	6.9E-06	1.05E-03	7.18E-09	2	1.57E-01	2.26E-09	1.0E+06	2.3E-03
129	0.16783	4.28E-05	7.2E-06	1.05E-03	7.50E-09	2	1.57E-01	2.36E-09	1.0E+06	2.4E-03
130	0.1756	4.28E-05	7.5E-06	1.05E-03	7.85E-09	2	1.57E-01	2.47E-09	1.0E+06	2.5E-03
131	0.18381	4.28E-05	7.9E-06	1.05E-03	8.22E-09	2	1.57E-01	2.58E-09	1.0E+06	2.6E-03
132	0.19252	4.28E-05	8.2E-06	1.05E-03	8.61E-09	2	1.57E-01	2.71E-09	1.0E+06	2.7E-03
133	0.2017	4.28E-05	8.6E-06	1.05E-03	9.02E-09	2	1.57E-01	2.83E-09	1.0E+06	2.8E-03
134	0.21151	4.28E-05	9.0E-06	1.05E-03	9.46E-09	2	1.57E-01	2.97E-09	1.0E+06	3.0E-03
135	0.22183	4.28E-05	9.5E-06	1.05E-03	9.92E-09	2	1.57E-01	3.12E-09	1.0E+06	3.1E-03
136	0.23272	4.28E-05	1.0E-05	1.05E-03	1.04E-08	2	1.57E-01	3.27E-09	1.0E+06	3.3E-03
137	0.24414	4.28E-05	1.0E-05	1.05E-03	1.09E-08	2	1.57E-01	3.43E-09	1.0E+06	3.4E-03
138	0.25634	4.28E-05	1.1E-05	1.05E-03	1.15E-08	2	1.57E-01	3.60E-09	1.0E+06	3.6E-03
141	0.13928	4.28E-05	6.0E-06	1.05E-03	6.23E-09	2	1.57E-01	1.96E-09	1.0E+06	2.0E-03
142	0.14539	4.28E-05	6.2E-06	1.05E-03	6.50E-09	2	1.57E-01	2.04E-09	1.0E+06	2.0E-03
143	0.15188	4.28E-05	6.5E-06	1.05E-03	6.79E-09	2	1.57E-01	2.13E-09	1.0E+06	2.1E-03
144	0.15878	4.28E-05	6.8E-06	1.05E-03	7.10E-09	2	1.57E-01	2.23E-09	1.0E+06	2.2E-03
145	0.16614	4.28E-05	7.1E-06	1.05E-03	7.43E-09	2	1.57E-01	2.33E-09	1.0E+06	2.3E-03
146	0.17393	4.28E-05	7.4E-06	1.05E-03	7.78E-09	2	1.57E-01	2.44E-09	1.0E+06	2.4E-03
147	0.18235	4.28E-05	7.8E-06	1.05E-03	8.15E-09	2	1.57E-01	2.56E-09	1.0E+06	2.6E-03
148	0.19128	4.28E-05	8.2E-06	1.05E-03	8.55E-09	2	1.57E-01	2.69E-09	1.0E+06	2.7E-03
149	0.20081	4.28E-05	8.6E-06	1.05E-03	8.98E-09	2	1.57E-01	2.82E-09	1.0E+06	2.8E-03
150	0.21094	4.28E-05	9.0E-06	1.05E-03	9.43E-09	2	1.57E-01	2.96E-09	1.0E+06	3.0E-03
151	0.22175	4.28E-05	9.5E-06	1.05E-03	9.92E-09	2	1.57E-01	3.12E-09	1.0E+06	3.1E-03
152	0.23326	4.28E-05	1.0E-05	1.05E-03	1.04E-08	2	1.57E-01	3.28E-09	1.0E+06	3.3E-03
153	0.24548	4.28E-05	1.1E-05	1.05E-03	1.10E-08	2	1.57E-01	3.45E-09	1.0E+06	3.4E-03
154	0.25835	4.28E-05	1.1E-05	1.05E-03	1.16E-08	2	1.57E-01	3.63E-09	1.0E+06	3.6E-03
155	0.27204	4.28E-05	1.2E-05	1.05E-03	1.22E-08	2	1.57E-01	3.82E-09	1.0E+06	3.8E-03
164	0.27343	4.28E-05	1.2E-05	1.05E-03	1.22E-08	2	1.57E-01	3.84E-09	1.0E+06	3.8E-03
165	0.2889	4.28E-05	1.2E-05	1.05E-03	1.29E-08	2	1.57E-01	4.06E-09	1.0E+06	4.1E-03
166	0.30557	4.28E-05	1.3E-05	1.05E-03	1.37E-08	2	1.57E-01	4.29E-09	1.0E+06	4.3E-03

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	0.28934	4.28E-05	1.2E-05	1.05E-03	1.29E-08	2	1.57E-01	4.07E-09	1.0E+06	4.1E-03
179	0.30694	4.28E-05	1.3E-05	1.05E-03	1.37E-08	2	1.57E-01	4.31E-09	1.0E+06	4.3E-03
180	0.32599	4.28E-05	1.4E-05	1.05E-03	1.46E-08	2	1.57E-01	4.58E-09	1.0E+06	4.6E-03
192	0.30611	4.28E-05	1.3E-05	1.05E-03	1.37E-08	2	1.57E-01	4.30E-09	1.0E+06	4.3E-03
193	0.32619	4.28E-05	1.4E-05	1.05E-03	1.46E-08	2	1.57E-01	4.58E-09	1.0E+06	4.6E-03
194	0.34788	4.28E-05	1.5E-05	1.05E-03	1.56E-08	2	1.57E-01	4.89E-09	1.0E+06	4.9E-03
207	0.32356	4.28E-05	1.4E-05	1.05E-03	1.45E-08	2	1.57E-01	4.55E-09	1.0E+06	4.5E-03
208	0.34632	4.28E-05	1.5E-05	1.05E-03	1.55E-08	2	1.57E-01	4.87E-09	1.0E+06	4.9E-03
209	0.37122	4.28E-05	1.6E-05	1.05E-03	1.66E-08	2	1.57E-01	5.22E-09	1.0E+06	5.2E-03
223	0.3416	4.28E-05	1.5E-05	1.05E-03	1.53E-08	2	1.57E-01	4.80E-09	1.0E+06	4.8E-03
224	0.36731	4.28E-05	1.6E-05	1.05E-03	1.64E-08	2	1.57E-01	5.16E-09	1.0E+06	5.2E-03
225	0.39557	4.28E-05	1.7E-05	1.05E-03	1.77E-08	2	1.57E-01	5.56E-09	1.0E+06	5.6E-03
239	0.36011	4.28E-05	1.5E-05	1.05E-03	1.61E-08	2	1.57E-01	5.06E-09	1.0E+06	5.1E-03
240	0.38904	4.28E-05	1.7E-05	1.05E-03	1.74E-08	2	1.57E-01	5.47E-09	1.0E+06	5.5E-03
241	0.42133	4.28E-05	1.8E-05	1.05E-03	1.88E-08	2	1.57E-01	5.92E-09	1.0E+06	5.9E-03
255	0.37874	4.28E-05	1.6E-05	1.05E-03	1.69E-08	2	1.57E-01	5.32E-09	1.0E+06	5.3E-03
256	0.41114	4.28E-05	1.8E-05	1.05E-03	1.84E-08	2	1.57E-01	5.78E-09	1.0E+06	5.8E-03
272	0.39707	4.28E-05	1.7E-05	1.05E-03	1.78E-08	2	1.57E-01	5.58E-09	1.0E+06	5.6E-03
273	0.43324	4.28E-05	1.9E-05	1.05E-03	1.94E-08	2	1.57E-01	6.09E-09	1.0E+06	6.1E-03
289	0.41485	4.28E-05	1.8E-05	1.05E-03	1.85E-08	2	1.57E-01	5.83E-09	1.0E+06	5.8E-03
290	0.45476	4.28E-05	1.9E-05	1.05E-03	2.03E-08	2	1.57E-01	6.39E-09	1.0E+06	6.4E-03
306	0.4314	4.28E-05	1.8E-05	1.05E-03	1.93E-08	2	1.57E-01	6.06E-09	1.0E+06	6.1E-03
307	0.47503	4.28E-05	2.0E-05	1.05E-03	2.12E-08	2	1.57E-01	6.68E-09	1.0E+06	6.7E-03
323	0.44616	4.28E-05	1.9E-05	1.05E-03	1.99E-08	2	1.57E-01	6.27E-09	1.0E+06	6.3E-03
324	0.4933	4.28E-05	2.1E-05	1.05E-03	2.21E-08	2	1.57E-01	6.93E-09	1.0E+06	6.9E-03
342	0.45857	4.28E-05	2.0E-05	1.05E-03	2.05E-08	2	1.57E-01	6.44E-09	1.0E+06	6.4E-03
343	0.5088	4.28E-05	2.2E-05	1.05E-03	2.28E-08	2	1.57E-01	7.15E-09	1.0E+06	7.2E-03
344	0.5681	4.28E-05	2.4E-05	1.05E-03	2.54E-08	2	1.57E-01	7.98E-09	1.0E+06	8.0E-03
356	0.46806	4.28E-05	2.0E-05	1.05E-03	2.09E-08	2	1.57E-01	6.58E-09	1.0E+06	6.6E-03
357	0.52069	4.28E-05	2.2E-05	1.05E-03	2.33E-08	2	1.57E-01	7.32E-09	1.0E+06	7.3E-03
358	0.58338	4.28E-05	2.5E-05	1.05E-03	2.61E-08	2	1.57E-01	8.20E-09	1.0E+06	8.2E-03

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.47432	4.28E-05	2.0E-05	1.05E-03	2.12E-08	2	1.57E-01	6.67E-09	1.0E+06	6.7E-03
371	0.52862	4.28E-05	2.3E-05	1.05E-03	2.36E-08	2	1.57E-01	7.43E-09	1.0E+06	7.4E-03
372	0.5936	4.28E-05	2.5E-05	1.05E-03	2.65E-08	2	1.57E-01	8.34E-09	1.0E+06	8.3E-03
383	0.47712	4.28E-05	2.0E-05	1.05E-03	2.13E-08	2	1.57E-01	6.70E-09	1.0E+06	6.7E-03
384	0.53227	4.28E-05	2.3E-05	1.05E-03	2.38E-08	2	1.57E-01	7.48E-09	1.0E+06	7.5E-03
385	0.59839	4.28E-05	2.6E-05	1.05E-03	2.68E-08	2	1.57E-01	8.41E-09	1.0E+06	8.4E-03
396	0.47655	4.28E-05	2.0E-05	1.05E-03	2.13E-08	2	1.57E-01	6.70E-09	1.0E+06	6.7E-03
397	0.53168	4.28E-05	2.3E-05	1.05E-03	2.38E-08	2	1.57E-01	7.47E-09	1.0E+06	7.5E-03
398	0.59776	4.28E-05	2.6E-05	1.05E-03	2.67E-08	2	1.57E-01	8.40E-09	1.0E+06	8.4E-03
399	0.67801	4.28E-05	2.9E-05	1.05E-03	3.03E-08	2	1.57E-01	9.53E-09	1.0E+06	9.5E-03
411	0.47283	4.28E-05	2.0E-05	1.05E-03	2.11E-08	2	1.57E-01	6.64E-09	1.0E+06	6.6E-03
412	0.52713	4.28E-05	2.3E-05	1.05E-03	2.36E-08	2	1.57E-01	7.41E-09	1.0E+06	7.4E-03
413	0.59222	4.28E-05	2.5E-05	1.05E-03	2.65E-08	2	1.57E-01	8.32E-09	1.0E+06	8.3E-03
414	0.67089	4.28E-05	2.9E-05	1.05E-03	3.00E-08	2	1.57E-01	9.43E-09	1.0E+06	9.4E-03
426	0.46641	4.28E-05	2.0E-05	1.05E-03	2.09E-08	2	1.57E-01	6.55E-09	1.0E+06	6.6E-03
427	0.51922	4.28E-05	2.2E-05	1.05E-03	2.32E-08	2	1.57E-01	7.30E-09	1.0E+06	7.3E-03
428	0.58215	4.28E-05	2.5E-05	1.05E-03	2.60E-08	2	1.57E-01	8.18E-09	1.0E+06	8.2E-03
429	0.65817	4.28E-05	2.8E-05	1.05E-03	2.94E-08	2	1.57E-01	9.25E-09	1.0E+06	9.2E-03
439	0.45769	4.28E-05	2.0E-05	1.05E-03	2.05E-08	2	1.57E-01	6.43E-09	1.0E+06	6.4E-03
440	0.50847	4.28E-05	2.2E-05	1.05E-03	2.27E-08	2	1.57E-01	7.15E-09	1.0E+06	7.1E-03
441	0.56873	4.28E-05	2.4E-05	1.05E-03	2.54E-08	2	1.57E-01	7.99E-09	1.0E+06	8.0E-03
442	0.64102	4.28E-05	2.7E-05	1.05E-03	2.87E-08	2	1.57E-01	9.01E-09	1.0E+06	9.0E-03
443	0.72881	4.28E-05	3.1E-05	1.05E-03	3.26E-08	2	1.57E-01	1.02E-08	1.0E+06	1.0E-02
454	0.44719	4.28E-05	1.9E-05	1.05E-03	2.00E-08	2	1.57E-01	6.28E-09	1.0E+06	6.3E-03
455	0.49552	4.28E-05	2.1E-05	1.05E-03	2.22E-08	2	1.57E-01	6.96E-09	1.0E+06	7.0E-03
456	0.55252	4.28E-05	2.4E-05	1.05E-03	2.47E-08	2	1.57E-01	7.76E-09	1.0E+06	7.8E-03
457	0.6204	4.28E-05	2.7E-05	1.05E-03	2.77E-08	2	1.57E-01	8.72E-09	1.0E+06	8.7E-03
458	0.70209	4.28E-05	3.0E-05	1.05E-03	3.14E-08	2	1.57E-01	9.87E-09	1.0E+06	9.9E-03
469	0.43526	4.28E-05	1.9E-05	1.05E-03	1.95E-08	2	1.57E-01	6.12E-09	1.0E+06	6.1E-03
470	0.4808	4.28E-05	2.1E-05	1.05E-03	2.15E-08	2	1.57E-01	6.76E-09	1.0E+06	6.8E-03
471	0.53418	4.28E-05	2.3E-05	1.05E-03	2.39E-08	2	1.57E-01	7.51E-09	1.0E+06	7.5E-03

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.59716	4.28E-05	2.6E-05	1.05E-03	2.67E-08	2	1.57E-01	8.39E-09	1.0E+06	8.4E-03
473	0.67215	4.28E-05	2.9E-05	1.05E-03	3.01E-08	2	1.57E-01	9.45E-09	1.0E+06	9.4E-03
489	0.42232	4.28E-05	1.8E-05	1.05E-03	1.89E-08	2	1.57E-01	5.93E-09	1.0E+06	5.9E-03
490	0.4649	4.28E-05	2.0E-05	1.05E-03	2.08E-08	2	1.57E-01	6.53E-09	1.0E+06	6.5E-03
491	0.51437	4.28E-05	2.2E-05	1.05E-03	2.30E-08	2	1.57E-01	7.23E-09	1.0E+06	7.2E-03
492	0.5722	4.28E-05	2.4E-05	1.05E-03	2.56E-08	2	1.57E-01	8.04E-09	1.0E+06	8.0E-03
493	0.6403	4.28E-05	2.7E-05	1.05E-03	2.86E-08	2	1.57E-01	9.00E-09	1.0E+06	9.0E-03
494	0.72107	4.28E-05	3.1E-05	1.05E-03	3.22E-08	2	1.57E-01	1.01E-08	1.0E+06	1.0E-02
509	0.40848	4.28E-05	1.7E-05	1.05E-03	1.83E-08	2	1.57E-01	5.74E-09	1.0E+06	5.7E-03
510	0.44798	4.28E-05	1.9E-05	1.05E-03	2.00E-08	2	1.57E-01	6.30E-09	1.0E+06	6.3E-03
511	0.49341	4.28E-05	2.1E-05	1.05E-03	2.21E-08	2	1.57E-01	6.93E-09	1.0E+06	6.9E-03
512	0.546	4.28E-05	2.3E-05	1.05E-03	2.44E-08	2	1.57E-01	7.67E-09	1.0E+06	7.7E-03
513	0.60721	4.28E-05	2.6E-05	1.05E-03	2.72E-08	2	1.57E-01	8.53E-09	1.0E+06	8.5E-03
514	0.67882	4.28E-05	2.9E-05	1.05E-03	3.04E-08	2	1.57E-01	9.54E-09	1.0E+06	9.5E-03
515	0.86332	4.28E-05	3.7E-05	1.05E-03	3.86E-08	2	1.57E-01	1.21E-08	1.0E+06	1.2E-02
516	0.98287	4.28E-05	4.2E-05	1.05E-03	4.39E-08	2	1.57E-01	1.38E-08	1.0E+06	1.4E-02
517	1.12744	4.28E-05	4.8E-05	1.05E-03	5.04E-08	2	1.57E-01	1.58E-08	1.0E+06	1.6E-02
518	1.30392	4.28E-05	5.6E-05	1.05E-03	5.83E-08	2	1.57E-01	1.83E-08	1.0E+06	1.8E-02
519	1.52214	4.28E-05	6.5E-05	1.05E-03	6.81E-08	2	1.57E-01	2.14E-08	1.0E+06	2.1E-02
528	0.39399	4.28E-05	1.7E-05	1.05E-03	1.76E-08	2	1.57E-01	5.54E-09	1.0E+06	5.5E-03
529	0.43034	4.28E-05	1.8E-05	1.05E-03	1.92E-08	2	1.57E-01	6.05E-09	1.0E+06	6.0E-03
530	0.47176	4.28E-05	2.0E-05	1.05E-03	2.11E-08	2	1.57E-01	6.63E-09	1.0E+06	6.6E-03
531	0.51917	4.28E-05	2.2E-05	1.05E-03	2.32E-08	2	1.57E-01	7.30E-09	1.0E+06	7.3E-03
532	0.57371	4.28E-05	2.5E-05	1.05E-03	2.57E-08	2	1.57E-01	8.06E-09	1.0E+06	8.1E-03
533	0.63671	4.28E-05	2.7E-05	1.05E-03	2.85E-08	2	1.57E-01	8.95E-09	1.0E+06	8.9E-03
534	0.79526	4.28E-05	3.4E-05	1.05E-03	3.56E-08	2	1.57E-01	1.12E-08	1.0E+06	1.1E-02
535	0.89563	4.28E-05	3.8E-05	1.05E-03	4.00E-08	2	1.57E-01	1.26E-08	1.0E+06	1.3E-02
536	1.01524	4.28E-05	4.3E-05	1.05E-03	4.54E-08	2	1.57E-01	1.43E-08	1.0E+06	1.4E-02
537	1.15731	4.28E-05	5.0E-05	1.05E-03	5.17E-08	2	1.57E-01	1.63E-08	1.0E+06	1.6E-02
538	1.32841	4.28E-05	5.7E-05	1.05E-03	5.94E-08	2	1.57E-01	1.87E-08	1.0E+06	1.9E-02
547	0.37904	4.28E-05	1.6E-05	1.05E-03	1.69E-08	2	1.57E-01	5.33E-09	1.0E+06	5.3E-03

Via Oro
Risk From Idling in Truck Parking [Idle1]

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.41225	4.28E-05	1.8E-05	1.05E-03	1.84E-08	2	1.57E-01	5.79E-09	1.0E+06	5.8E-03
549	0.44972	4.28E-05	1.9E-05	1.05E-03	2.01E-08	2	1.57E-01	6.32E-09	1.0E+06	6.3E-03
550	0.49221	4.28E-05	2.1E-05	1.05E-03	2.20E-08	2	1.57E-01	6.92E-09	1.0E+06	6.9E-03
551	0.54049	4.28E-05	2.3E-05	1.05E-03	2.42E-08	2	1.57E-01	7.60E-09	1.0E+06	7.6E-03
552	0.59561	4.28E-05	2.5E-05	1.05E-03	2.66E-08	2	1.57E-01	8.37E-09	1.0E+06	8.4E-03
553	0.65887	4.28E-05	2.8E-05	1.05E-03	2.95E-08	2	1.57E-01	9.26E-09	1.0E+06	9.3E-03
554	0.73167	4.28E-05	3.1E-05	1.05E-03	3.27E-08	2	1.57E-01	1.03E-08	1.0E+06	1.0E-02
555	0.81633	4.28E-05	3.5E-05	1.05E-03	3.65E-08	2	1.57E-01	1.15E-08	1.0E+06	1.1E-02
556	0.91565	4.28E-05	3.9E-05	1.05E-03	4.09E-08	2	1.57E-01	1.29E-08	1.0E+06	1.3E-02
557	1.03128	4.28E-05	4.4E-05	1.05E-03	4.61E-08	2	1.57E-01	1.45E-08	1.0E+06	1.4E-02
558	1.16842	4.28E-05	5.0E-05	1.05E-03	5.22E-08	2	1.57E-01	1.64E-08	1.0E+06	1.6E-02
559	1.32854	4.28E-05	5.7E-05	1.05E-03	5.94E-08	2	1.57E-01	1.87E-08	1.0E+06	1.9E-02
567	0.36376	4.28E-05	1.6E-05	1.05E-03	1.63E-08	2	1.57E-01	5.11E-09	1.0E+06	5.1E-03
568	0.39391	4.28E-05	1.7E-05	1.05E-03	1.76E-08	2	1.57E-01	5.54E-09	1.0E+06	5.5E-03
569	0.42764	4.28E-05	1.8E-05	1.05E-03	1.91E-08	2	1.57E-01	6.01E-09	1.0E+06	6.0E-03
570	0.46549	4.28E-05	2.0E-05	1.05E-03	2.08E-08	2	1.57E-01	6.54E-09	1.0E+06	6.5E-03
571	0.50811	4.28E-05	2.2E-05	1.05E-03	2.27E-08	2	1.57E-01	7.14E-09	1.0E+06	7.1E-03
572	0.55629	4.28E-05	2.4E-05	1.05E-03	2.49E-08	2	1.57E-01	7.82E-09	1.0E+06	7.8E-03
573	0.61099	4.28E-05	2.6E-05	1.05E-03	2.73E-08	2	1.57E-01	8.59E-09	1.0E+06	8.6E-03
574	0.74495	4.28E-05	3.2E-05	1.05E-03	3.33E-08	2	1.57E-01	1.05E-08	1.0E+06	1.0E-02
575	0.82783	4.28E-05	3.5E-05	1.05E-03	3.70E-08	2	1.57E-01	1.16E-08	1.0E+06	1.2E-02
576	0.9236	4.28E-05	4.0E-05	1.05E-03	4.13E-08	2	1.57E-01	1.30E-08	1.0E+06	1.3E-02
577	1.03411	4.28E-05	4.4E-05	1.05E-03	4.62E-08	2	1.57E-01	1.45E-08	1.0E+06	1.5E-02
578	1.16036	4.28E-05	5.0E-05	1.05E-03	5.19E-08	2	1.57E-01	1.63E-08	1.0E+06	1.6E-02
586	0.34838	4.28E-05	1.5E-05	1.05E-03	1.56E-08	2	1.57E-01	4.90E-09	1.0E+06	4.9E-03
587	0.37563	4.28E-05	1.6E-05	1.05E-03	1.68E-08	2	1.57E-01	5.28E-09	1.0E+06	5.3E-03
588	0.40586	4.28E-05	1.7E-05	1.05E-03	1.81E-08	2	1.57E-01	5.70E-09	1.0E+06	5.7E-03
589	0.4395	4.28E-05	1.9E-05	1.05E-03	1.97E-08	2	1.57E-01	6.18E-09	1.0E+06	6.2E-03
590	0.47705	4.28E-05	2.0E-05	1.05E-03	2.13E-08	2	1.57E-01	6.70E-09	1.0E+06	6.7E-03
591	0.51915	4.28E-05	2.2E-05	1.05E-03	2.32E-08	2	1.57E-01	7.30E-09	1.0E+06	7.3E-03
592	0.56655	4.28E-05	2.4E-05	1.05E-03	2.53E-08	2	1.57E-01	7.96E-09	1.0E+06	8.0E-03

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.68112	4.28E-05	2.9E-05	1.05E-03	3.05E-08	2	1.57E-01	9.57E-09	1.0E+06	9.6E-03
594	0.75094	4.28E-05	3.2E-05	1.05E-03	3.36E-08	2	1.57E-01	1.06E-08	1.0E+06	1.1E-02
595	0.83009	4.28E-05	3.6E-05	1.05E-03	3.71E-08	2	1.57E-01	1.17E-08	1.0E+06	1.2E-02
596	0.91967	4.28E-05	3.9E-05	1.05E-03	4.11E-08	2	1.57E-01	1.29E-08	1.0E+06	1.3E-02
597	1.01991	4.28E-05	4.4E-05	1.05E-03	4.56E-08	2	1.57E-01	1.43E-08	1.0E+06	1.4E-02
345	0.6392	4.28E-05	2.7E-05	1.05E-03	2.86E-08	2	1.57E-01	8.98E-09	1.0E+06	9.0E-03
346	0.72522	4.28E-05	3.1E-05	1.05E-03	3.24E-08	2	1.57E-01	1.02E-08	1.0E+06	1.0E-02
347	0.83091	4.28E-05	3.6E-05	1.05E-03	3.72E-08	2	1.57E-01	1.17E-08	1.0E+06	1.2E-02
348	0.96264	4.28E-05	4.1E-05	1.05E-03	4.30E-08	2	1.57E-01	1.35E-08	1.0E+06	1.4E-02
359	0.65898	4.28E-05	2.8E-05	1.05E-03	2.95E-08	2	1.57E-01	9.26E-09	1.0E+06	9.3E-03
360	0.75128	4.28E-05	3.2E-05	1.05E-03	3.36E-08	2	1.57E-01	1.06E-08	1.0E+06	1.1E-02
361	0.86567	4.28E-05	3.7E-05	1.05E-03	3.87E-08	2	1.57E-01	1.22E-08	1.0E+06	1.2E-02
362	1.00953	4.28E-05	4.3E-05	1.05E-03	4.51E-08	2	1.57E-01	1.42E-08	1.0E+06	1.4E-02
363	1.19556	4.28E-05	5.1E-05	1.05E-03	5.35E-08	2	1.57E-01	1.68E-08	1.0E+06	1.7E-02
373	0.769	4.28E-05	3.3E-05	1.05E-03	3.44E-08	2	1.57E-01	1.08E-08	1.0E+06	1.1E-02
374	0.88953	4.28E-05	3.8E-05	1.05E-03	3.98E-08	2	1.57E-01	1.25E-08	1.0E+06	1.3E-02
375	1.04238	4.28E-05	4.5E-05	1.05E-03	4.66E-08	2	1.57E-01	1.46E-08	1.0E+06	1.5E-02
376	1.24186	4.28E-05	5.3E-05	1.05E-03	5.55E-08	2	1.57E-01	1.75E-08	1.0E+06	1.7E-02
386	0.7776	4.28E-05	3.3E-05	1.05E-03	3.48E-08	2	1.57E-01	1.09E-08	1.0E+06	1.1E-02
387	0.90142	4.28E-05	3.9E-05	1.05E-03	4.03E-08	2	1.57E-01	1.27E-08	1.0E+06	1.3E-02
388	1.05901	4.28E-05	4.5E-05	1.05E-03	4.74E-08	2	1.57E-01	1.49E-08	1.0E+06	1.5E-02
389	1.26564	4.28E-05	5.4E-05	1.05E-03	5.66E-08	2	1.57E-01	1.78E-08	1.0E+06	1.8E-02
390	1.54478	4.28E-05	6.6E-05	1.05E-03	6.91E-08	2	1.57E-01	2.17E-08	1.0E+06	2.2E-02
400	0.77693	4.28E-05	3.3E-05	1.05E-03	3.47E-08	2	1.57E-01	1.09E-08	1.0E+06	1.1E-02
401	0.9006	4.28E-05	3.9E-05	1.05E-03	4.03E-08	2	1.57E-01	1.27E-08	1.0E+06	1.3E-02
402	1.05881	4.28E-05	4.5E-05	1.05E-03	4.73E-08	2	1.57E-01	1.49E-08	1.0E+06	1.5E-02
403	1.265	4.28E-05	5.4E-05	1.05E-03	5.66E-08	2	1.57E-01	1.78E-08	1.0E+06	1.8E-02
404	1.54274	4.28E-05	6.6E-05	1.05E-03	6.90E-08	2	1.57E-01	2.17E-08	1.0E+06	2.2E-02
415	0.76775	4.28E-05	3.3E-05	1.05E-03	3.43E-08	2	1.57E-01	1.08E-08	1.0E+06	1.1E-02
416	0.88873	4.28E-05	3.8E-05	1.05E-03	3.97E-08	2	1.57E-01	1.25E-08	1.0E+06	1.2E-02
417	1.04217	4.28E-05	4.5E-05	1.05E-03	4.66E-08	2	1.57E-01	1.46E-08	1.0E+06	1.5E-02

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	1.24273	4.28E-05	5.3E-05	1.05E-03	5.56E-08	2	1.57E-01	1.75E-08	1.0E+06	1.7E-02
419	1.50965	4.28E-05	6.5E-05	1.05E-03	6.75E-08	2	1.57E-01	2.12E-08	1.0E+06	2.1E-02
420	1.87441	4.28E-05	8.0E-05	1.05E-03	8.38E-08	2	1.57E-01	2.63E-08	1.0E+06	2.6E-02
430	0.86668	4.28E-05	3.7E-05	1.05E-03	3.88E-08	2	1.57E-01	1.22E-08	1.0E+06	1.2E-02
431	1.01244	4.28E-05	4.3E-05	1.05E-03	4.53E-08	2	1.57E-01	1.42E-08	1.0E+06	1.4E-02
432	1.20012	4.28E-05	5.1E-05	1.05E-03	5.37E-08	2	1.57E-01	1.69E-08	1.0E+06	1.7E-02
433	1.44756	4.28E-05	6.2E-05	1.05E-03	6.47E-08	2	1.57E-01	2.03E-08	1.0E+06	2.0E-02
434	1.78342	4.28E-05	7.6E-05	1.05E-03	7.97E-08	2	1.57E-01	2.51E-08	1.0E+06	2.5E-02
444	0.83685	4.28E-05	3.6E-05	1.05E-03	3.74E-08	2	1.57E-01	1.18E-08	1.0E+06	1.2E-02
445	0.97195	4.28E-05	4.2E-05	1.05E-03	4.35E-08	2	1.57E-01	1.37E-08	1.0E+06	1.4E-02
446	1.14338	4.28E-05	4.9E-05	1.05E-03	5.11E-08	2	1.57E-01	1.61E-08	1.0E+06	1.6E-02
447	1.36554	4.28E-05	5.8E-05	1.05E-03	6.11E-08	2	1.57E-01	1.92E-08	1.0E+06	1.9E-02
448	1.66082	4.28E-05	7.1E-05	1.05E-03	7.43E-08	2	1.57E-01	2.33E-08	1.0E+06	2.3E-02
459	0.92415	4.28E-05	4.0E-05	1.05E-03	4.13E-08	2	1.57E-01	1.30E-08	1.0E+06	1.3E-02
460	1.07742	4.28E-05	4.6E-05	1.05E-03	4.82E-08	2	1.57E-01	1.51E-08	1.0E+06	1.5E-02
461	1.27229	4.28E-05	5.4E-05	1.05E-03	5.69E-08	2	1.57E-01	1.79E-08	1.0E+06	1.8E-02
462	1.52478	4.28E-05	6.5E-05	1.05E-03	6.82E-08	2	1.57E-01	2.14E-08	1.0E+06	2.1E-02
463	1.85847	4.28E-05	8.0E-05	1.05E-03	8.31E-08	2	1.57E-01	2.61E-08	1.0E+06	2.6E-02
474	0.87196	4.28E-05	3.7E-05	1.05E-03	3.90E-08	2	1.57E-01	1.23E-08	1.0E+06	1.2E-02
475	1.00647	4.28E-05	4.3E-05	1.05E-03	4.50E-08	2	1.57E-01	1.41E-08	1.0E+06	1.4E-02
476	1.17416	4.28E-05	5.0E-05	1.05E-03	5.25E-08	2	1.57E-01	1.65E-08	1.0E+06	1.7E-02
477	1.38562	4.28E-05	5.9E-05	1.05E-03	6.20E-08	2	1.57E-01	1.95E-08	1.0E+06	1.9E-02
478	1.65712	4.28E-05	7.1E-05	1.05E-03	7.41E-08	2	1.57E-01	2.33E-08	1.0E+06	2.3E-02
495	0.81768	4.28E-05	3.5E-05	1.05E-03	3.66E-08	2	1.57E-01	1.15E-08	1.0E+06	1.1E-02
496	0.93423	4.28E-05	4.0E-05	1.05E-03	4.18E-08	2	1.57E-01	1.31E-08	1.0E+06	1.3E-02
497	1.07651	4.28E-05	4.6E-05	1.05E-03	4.81E-08	2	1.57E-01	1.51E-08	1.0E+06	1.5E-02
498	1.25193	4.28E-05	5.4E-05	1.05E-03	5.60E-08	2	1.57E-01	1.76E-08	1.0E+06	1.8E-02
499	1.47079	4.28E-05	6.3E-05	1.05E-03	6.58E-08	2	1.57E-01	2.07E-08	1.0E+06	2.1E-02
500	1.74769	4.28E-05	7.5E-05	1.05E-03	7.81E-08	2	1.57E-01	2.46E-08	1.0E+06	2.5E-02

Via Oro
Risk From Idling in Truck Parking [Idle1]

		Cancer Risk from Birth to 2 years - Construction									
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million	
139	0.26897	4.28E-05	1.2E-05	1.05E-03	1.20E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	0.28229	4.28E-05	1.2E-05	1.05E-03	1.26E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	0.2866	4.28E-05	1.2E-05	1.05E-03	1.28E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	0.30179	4.28E-05	1.3E-05	1.05E-03	1.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	0.31785	4.28E-05	1.4E-05	1.05E-03	1.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	0.33461	4.28E-05	1.4E-05	1.05E-03	1.50E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	0.35175	4.28E-05	1.5E-05	1.05E-03	1.57E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	0.38761	4.28E-05	1.7E-05	1.05E-03	1.73E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	0.40573	4.28E-05	1.7E-05	1.05E-03	1.81E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	0.42337	4.28E-05	1.8E-05	1.05E-03	1.89E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	0.32279	4.28E-05	1.4E-05	1.05E-03	1.44E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	0.34183	4.28E-05	1.5E-05	1.05E-03	1.53E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	0.36132	4.28E-05	1.5E-05	1.05E-03	1.62E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	0.38164	4.28E-05	1.6E-05	1.05E-03	1.71E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	0.40269	4.28E-05	1.7E-05	1.05E-03	1.80E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	0.42453	4.28E-05	1.8E-05	1.05E-03	1.90E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	0.44644	4.28E-05	1.9E-05	1.05E-03	2.00E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	0.46825	4.28E-05	2.0E-05	1.05E-03	2.09E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	0.48943	4.28E-05	2.1E-05	1.05E-03	2.19E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	0.50939	4.28E-05	2.2E-05	1.05E-03	2.28E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	0.52731	4.28E-05	2.3E-05	1.05E-03	2.36E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	0.36807	4.28E-05	1.6E-05	1.05E-03	1.65E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	0.39097	4.28E-05	1.7E-05	1.05E-03	1.75E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	0.41518	4.28E-05	1.8E-05	1.05E-03	1.86E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	0.44041	4.28E-05	1.9E-05	1.05E-03	1.97E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	0.46676	4.28E-05	2.0E-05	1.05E-03	2.09E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	0.49375	4.28E-05	2.1E-05	1.05E-03	2.21E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	0.52067	4.28E-05	2.2E-05	1.05E-03	2.33E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	0.54729	4.28E-05	2.3E-05	1.05E-03	2.45E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	0.57262	4.28E-05	2.4E-05	1.05E-03	2.56E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	0.59558	4.28E-05	2.5E-05	1.05E-03	2.66E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	0.6153	4.28E-05	2.6E-05	1.05E-03	2.75E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	0.3968	4.28E-05	1.7E-05	1.05E-03	1.77E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	0.42388	4.28E-05	1.8E-05	1.05E-03	1.90E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	0.45274	4.28E-05	1.9E-05	1.05E-03	2.02E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	0.48327	4.28E-05	2.1E-05	1.05E-03	2.16E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	0.51548	4.28E-05	2.2E-05	1.05E-03	2.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	0.54882	4.28E-05	2.3E-05	1.05E-03	2.45E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	0.58277	4.28E-05	2.5E-05	1.05E-03	2.61E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	0.61656	4.28E-05	2.6E-05	1.05E-03	2.76E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	0.64907	4.28E-05	2.8E-05	1.05E-03	2.90E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	0.67894	4.28E-05	2.9E-05	1.05E-03	3.04E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	0.70495	4.28E-05	3.0E-05	1.05E-03	3.15E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	0.72589	4.28E-05	3.1E-05	1.05E-03	3.25E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	0.39746	4.28E-05	1.7E-05	1.05E-03	1.78E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	0.42811	4.28E-05	1.8E-05	1.05E-03	1.91E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	0.46015	4.28E-05	2.0E-05	1.05E-03	2.06E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	0.49485	4.28E-05	2.1E-05	1.05E-03	2.21E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	0.57165	4.28E-05	2.4E-05	1.05E-03	2.56E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	0.61334	4.28E-05	2.6E-05	1.05E-03	2.74E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	0.6564	4.28E-05	2.8E-05	1.05E-03	2.94E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	0.70009	4.28E-05	3.0E-05	1.05E-03	3.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	0.74278	4.28E-05	3.2E-05	1.05E-03	3.32E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	0.78257	4.28E-05	3.3E-05	1.05E-03	3.50E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	0.81754	4.28E-05	3.5E-05	1.05E-03	3.66E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	0.8455	4.28E-05	3.6E-05	1.05E-03	3.78E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	0.86565	4.28E-05	3.7E-05	1.05E-03	3.87E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	0.42679	4.28E-05	1.8E-05	1.05E-03	1.91E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	0.46196	4.28E-05	2.0E-05	1.05E-03	2.07E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	0.50005	4.28E-05	2.1E-05	1.05E-03	2.24E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	0.5418	4.28E-05	2.3E-05	1.05E-03	2.42E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	0.58728	4.28E-05	2.5E-05	1.05E-03	2.63E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	0.63631	4.28E-05	2.7E-05	1.05E-03	2.85E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	0.68911	4.28E-05	2.9E-05	1.05E-03	3.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	0.80223	4.28E-05	3.4E-05	1.05E-03	3.59E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	0.85963	4.28E-05	3.7E-05	1.05E-03	3.84E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	0.91413	4.28E-05	3.9E-05	1.05E-03	4.09E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	0.96239	4.28E-05	4.1E-05	1.05E-03	4.30E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	1.00128	4.28E-05	4.3E-05	1.05E-03	4.48E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	1.02846	4.28E-05	4.4E-05	1.05E-03	4.60E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	0.45735	4.28E-05	2.0E-05	1.05E-03	2.05E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	0.49805	4.28E-05	2.1E-05	1.05E-03	2.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	0.54295	4.28E-05	2.3E-05	1.05E-03	2.43E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	0.59353	4.28E-05	2.5E-05	1.05E-03	2.65E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	0.64956	4.28E-05	2.8E-05	1.05E-03	2.90E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	0.71133	4.28E-05	3.0E-05	1.05E-03	3.18E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	0.77878	4.28E-05	3.3E-05	1.05E-03	3.48E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	0.92825	4.28E-05	4.0E-05	1.05E-03	4.15E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	1.0067	4.28E-05	4.3E-05	1.05E-03	4.50E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	1.08365	4.28E-05	4.6E-05	1.05E-03	4.85E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	1.15338	4.28E-05	4.9E-05	1.05E-03	5.16E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	1.20987	4.28E-05	5.2E-05	1.05E-03	5.41E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	1.24836	4.28E-05	5.3E-05	1.05E-03	5.58E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	0.48913	4.28E-05	2.1E-05	1.05E-03	2.19E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	0.5363	4.28E-05	2.3E-05	1.05E-03	2.40E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	0.58994	4.28E-05	2.5E-05	1.05E-03	2.64E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	0.64979	4.28E-05	2.8E-05	1.05E-03	2.91E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	0.71937	4.28E-05	3.1E-05	1.05E-03	3.22E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	0.79695	4.28E-05	3.4E-05	1.05E-03	3.56E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	0.88397	4.28E-05	3.8E-05	1.05E-03	3.95E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	1.08562	4.28E-05	4.6E-05	1.05E-03	4.85E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	1.19666	4.28E-05	5.1E-05	1.05E-03	5.35E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	1.30881	4.28E-05	5.6E-05	1.05E-03	5.85E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	1.4131	4.28E-05	6.0E-05	1.05E-03	6.32E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	1.49877	4.28E-05	6.4E-05	1.05E-03	6.70E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	1.55648	4.28E-05	6.7E-05	1.05E-03	6.96E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	1.63938	4.28E-05	7.0E-05	1.05E-03	7.33E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	1.67549	4.28E-05	7.2E-05	1.05E-03	7.49E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	0.52162	4.28E-05	2.2E-05	1.05E-03	2.33E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	0.57588	4.28E-05	2.5E-05	1.05E-03	2.58E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	0.63904	4.28E-05	2.7E-05	1.05E-03	2.86E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	0.71122	4.28E-05	3.0E-05	1.05E-03	3.18E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	0.79597	4.28E-05	3.4E-05	1.05E-03	3.56E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	0.89365	4.28E-05	3.8E-05	1.05E-03	4.00E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	1.0053	4.28E-05	4.3E-05	1.05E-03	4.50E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	1.28154	4.28E-05	5.5E-05	1.05E-03	5.73E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	1.4423	4.28E-05	6.2E-05	1.05E-03	6.45E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	1.61204	4.28E-05	6.9E-05	1.05E-03	7.21E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	1.77871	4.28E-05	7.6E-05	1.05E-03	7.95E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	1.92051	4.28E-05	8.2E-05	1.05E-03	8.59E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	2.01266	4.28E-05	8.6E-05	1.05E-03	9.00E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	2.15638	4.28E-05	9.2E-05	1.05E-03	9.64E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	2.19975	4.28E-05	9.4E-05	1.05E-03	9.84E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	0.55401	4.28E-05	2.4E-05	1.05E-03	2.48E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	0.6161	4.28E-05	2.6E-05	1.05E-03	2.75E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	0.68938	4.28E-05	2.9E-05	1.05E-03	3.08E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	0.77584	4.28E-05	3.3E-05	1.05E-03	3.47E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	0.87783	4.28E-05	3.8E-05	1.05E-03	3.93E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	1.00008	4.28E-05	4.3E-05	1.05E-03	4.47E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	1.14669	4.28E-05	4.9E-05	1.05E-03	5.13E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	1.52731	4.28E-05	6.5E-05	1.05E-03	6.83E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	1.76956	4.28E-05	7.6E-05	1.05E-03	7.91E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	2.0395	4.28E-05	8.7E-05	1.05E-03	9.12E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	2.32561	4.28E-05	9.9E-05	1.05E-03	1.04E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	2.57987	4.28E-05	1.1E-04	1.05E-03	1.15E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	2.74291	4.28E-05	1.2E-04	1.05E-03	1.23E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	2.99104	4.28E-05	1.3E-04	1.05E-03	1.34E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	2.98186	4.28E-05	1.3E-04	1.05E-03	1.33E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	0.5853	4.28E-05	2.5E-05	1.05E-03	2.62E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	0.65571	4.28E-05	2.8E-05	1.05E-03	2.93E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	0.73978	4.28E-05	3.2E-05	1.05E-03	3.31E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	0.84133	4.28E-05	3.6E-05	1.05E-03	3.76E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	0.96486	4.28E-05	4.1E-05	1.05E-03	4.31E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	1.11591	4.28E-05	4.8E-05	1.05E-03	4.99E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	1.30355	4.28E-05	5.6E-05	1.05E-03	5.83E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	1.832	4.28E-05	7.8E-05	1.05E-03	8.19E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	2.20544	4.28E-05	9.4E-05	1.05E-03	9.86E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	2.65809	4.28E-05	1.1E-04	1.05E-03	1.19E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	3.19566	4.28E-05	1.4E-04	1.05E-03	1.43E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	3.71929	4.28E-05	1.6E-04	1.05E-03	1.66E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	4.06723	4.28E-05	1.7E-04	1.05E-03	1.82E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	4.36111	4.28E-05	1.9E-04	1.05E-03	1.95E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	4.09767	4.28E-05	1.8E-04	1.05E-03	1.83E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	0.61414	4.28E-05	2.6E-05	1.05E-03	2.75E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	0.69272	4.28E-05	3.0E-05	1.05E-03	3.10E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	0.78792	4.28E-05	3.4E-05	1.05E-03	3.52E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	0.90515	4.28E-05	3.9E-05	1.05E-03	4.05E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	1.04994	4.28E-05	4.5E-05	1.05E-03	4.69E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	1.23392	4.28E-05	5.3E-05	1.05E-03	5.52E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	1.46973	4.28E-05	6.3E-05	1.05E-03	6.57E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	1.77758	4.28E-05	7.6E-05	1.05E-03	7.95E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	2.19274	4.28E-05	9.4E-05	1.05E-03	9.80E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	2.7602	4.28E-05	1.2E-04	1.05E-03	1.23E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	3.5555	4.28E-05	1.5E-04	1.05E-03	1.59E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	4.66468	4.28E-05	2.0E-04	1.05E-03	2.09E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	6.04181	4.28E-05	2.6E-04	1.05E-03	2.70E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	7.02106	4.28E-05	3.0E-04	1.05E-03	3.14E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	7.30847	4.28E-05	3.1E-04	1.05E-03	3.27E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	6.45578	4.28E-05	2.8E-04	1.05E-03	2.89E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	5.49275	4.28E-05	2.3E-04	1.05E-03	2.46E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	1.12958	4.28E-05	4.8E-05	1.05E-03	5.05E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	1.34575	4.28E-05	5.8E-05	1.05E-03	6.02E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	1.63144	4.28E-05	7.0E-05	1.05E-03	7.29E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	2.02236	4.28E-05	8.7E-05	1.05E-03	9.04E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	12.16799	4.28E-05	5.2E-04	1.05E-03	5.44E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	8.9629	4.28E-05	3.8E-04	1.05E-03	4.01E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	6.86407	4.28E-05	2.9E-04	1.05E-03	3.07E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	1.44103	4.28E-05	6.2E-05	1.05E-03	6.44E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	1.77415	4.28E-05	7.6E-05	1.05E-03	7.93E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	2.24561	4.28E-05	9.6E-05	1.05E-03	1.00E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	16.8147	4.28E-05	7.2E-04	1.05E-03	7.52E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	10.99915	4.28E-05	4.7E-04	1.05E-03	4.92E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	7.87489	4.28E-05	3.4E-04	1.05E-03	3.52E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	1.50958	4.28E-05	6.5E-05	1.05E-03	6.75E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	1.87887	4.28E-05	8.0E-05	1.05E-03	8.40E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	2.41105	4.28E-05	1.0E-04	1.05E-03	1.08E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	19.87692	4.28E-05	8.5E-04	1.05E-03	8.89E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	12.30369	4.28E-05	5.3E-04	1.05E-03	5.50E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	8.44954	4.28E-05	3.6E-04	1.05E-03	3.78E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	1.93236	4.28E-05	8.3E-05	1.05E-03	8.64E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	2.49234	4.28E-05	1.1E-04	1.05E-03	1.11E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	22.29711	4.28E-05	9.5E-04	1.05E-03	9.97E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	13.12742	4.28E-05	5.6E-04	1.05E-03	5.87E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	8.59354	4.28E-05	3.7E-04	1.05E-03	3.84E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	1.93094	4.28E-05	8.3E-05	1.05E-03	8.63E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	2.49197	4.28E-05	1.1E-04	1.05E-03	1.11E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	3.35305	4.28E-05	1.4E-04	1.05E-03	1.50E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	24.20889	4.28E-05	1.0E-03	1.05E-03	1.08E-06	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	13.19824	4.28E-05	5.6E-04	1.05E-03	5.90E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	8.15495	4.28E-05	3.5E-04	1.05E-03	3.65E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	2.40525	4.28E-05	1.0E-04	1.05E-03	1.08E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	3.20022	4.28E-05	1.4E-04	1.05E-03	1.43E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	24.16432	4.28E-05	1.0E-03	1.05E-03	1.08E-06	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	11.85452	4.28E-05	5.1E-04	1.05E-03	5.30E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	7.02668	4.28E-05	3.0E-04	1.05E-03	3.14E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	2.25169	4.28E-05	9.6E-05	1.05E-03	1.01E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	2.94658	4.28E-05	1.3E-04	1.05E-03	1.32E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	9.14611	4.28E-05	3.9E-04	1.05E-03	4.09E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	5.61797	4.28E-05	2.4E-04	1.05E-03	2.51E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	2.06028	4.28E-05	8.8E-05	1.05E-03	9.21E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	2.6369	4.28E-05	1.1E-04	1.05E-03	1.18E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	3.4884	4.28E-05	1.5E-04	1.05E-03	1.56E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	6.94554	4.28E-05	3.0E-04	1.05E-03	3.11E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	4.55144	4.28E-05	1.9E-04	1.05E-03	2.04E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	2.31573	4.28E-05	9.9E-05	1.05E-03	1.04E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	2.96176	4.28E-05	1.3E-04	1.05E-03	1.32E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	12.20745	4.28E-05	5.2E-04	1.05E-03	5.46E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	5.53793	4.28E-05	2.4E-04	1.05E-03	2.48E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	3.81669	4.28E-05	1.6E-04	1.05E-03	1.71E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	2.00598	4.28E-05	8.6E-05	1.05E-03	8.97E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	2.49371	4.28E-05	1.1E-04	1.05E-03	1.12E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	3.15554	4.28E-05	1.3E-04	1.05E-03	1.41E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	4.09677	4.28E-05	1.8E-04	1.05E-03	1.83E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	5.37607	4.28E-05	2.3E-04	1.05E-03	2.40E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	6.822	4.28E-05	2.9E-04	1.05E-03	3.05E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	7.26558	4.28E-05	3.1E-04	1.05E-03	3.25E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	6.06001	4.28E-05	2.6E-04	1.05E-03	2.71E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	4.44633	4.28E-05	1.9E-04	1.05E-03	1.99E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	3.23847	4.28E-05	1.4E-04	1.05E-03	1.45E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	2.09605	4.28E-05	9.0E-05	1.05E-03	9.37E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	2.5762	4.28E-05	1.1E-04	1.05E-03	1.15E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	3.19122	4.28E-05	1.4E-04	1.05E-03	1.43E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	3.94184	4.28E-05	1.7E-04	1.05E-03	1.76E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	4.662	4.28E-05	2.0E-04	1.05E-03	2.08E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	4.91337	4.28E-05	2.1E-04	1.05E-03	2.20E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	4.43229	4.28E-05	1.9E-04	1.05E-03	1.98E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	2.75757	4.28E-05	1.2E-04	1.05E-03	1.23E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	1.78618	4.28E-05	7.6E-05	1.05E-03	7.99E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	2.11407	4.28E-05	9.0E-05	1.05E-03	9.45E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	2.54392	4.28E-05	1.1E-04	1.05E-03	1.14E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	3.0097	4.28E-05	1.3E-04	1.05E-03	1.35E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	3.4208	4.28E-05	1.5E-04	1.05E-03	1.53E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	3.58271	4.28E-05	1.5E-04	1.05E-03	1.60E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	3.36891	4.28E-05	1.4E-04	1.05E-03	1.51E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	2.34927	4.28E-05	1.0E-04	1.05E-03	1.05E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	1.53501	4.28E-05	6.6E-05	1.05E-03	6.86E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	1.78118	4.28E-05	7.6E-05	1.05E-03	7.96E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	2.06344	4.28E-05	8.8E-05	1.05E-03	9.23E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	2.36667	4.28E-05	1.0E-04	1.05E-03	1.06E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	2.633	4.28E-05	1.1E-04	1.05E-03	1.18E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	2.74525	4.28E-05	1.2E-04	1.05E-03	1.23E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	2.64113	4.28E-05	1.1E-04	1.05E-03	1.18E-07	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	2.0062	4.28E-05	8.6E-05	1.05E-03	8.97E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	1.51393	4.28E-05	6.5E-05	1.05E-03	6.77E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	1.72027	4.28E-05	7.4E-05	1.05E-03	7.69E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	1.9257	4.28E-05	8.2E-05	1.05E-03	8.61E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	2.08686	4.28E-05	8.9E-05	1.05E-03	9.33E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	2.17665	4.28E-05	9.3E-05	1.05E-03	9.73E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Truck Parking [Idle1]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	2.13369	4.28E-05	9.1E-05	1.05E-03	9.54E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	1.72409	4.28E-05	7.4E-05	1.05E-03	7.71E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	1.30055	4.28E-05	5.6E-05	1.05E-03	5.82E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	1.45173	4.28E-05	6.2E-05	1.05E-03	6.49E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	1.60002	4.28E-05	6.8E-05	1.05E-03	7.15E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	1.71925	4.28E-05	7.4E-05	1.05E-03	7.69E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	1.77955	4.28E-05	7.6E-05	1.05E-03	7.96E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	1.75634	4.28E-05	7.5E-05	1.05E-03	7.85E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	1.60092	4.28E-05	6.8E-05	1.05E-03	7.16E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	1.12913	4.28E-05	4.8E-05	1.05E-03	5.05E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	1.24141	4.28E-05	5.3E-05	1.05E-03	5.55E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	1.34959	4.28E-05	5.8E-05	1.05E-03	6.03E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	1.43729	4.28E-05	6.1E-05	1.05E-03	6.43E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	1.48465	4.28E-05	6.4E-05	1.05E-03	6.64E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	1.47643	4.28E-05	6.3E-05	1.05E-03	6.60E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	1.40782	4.28E-05	6.0E-05	1.05E-03	6.29E-08	0	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.12126	4.28E-05	5.2E-06	6.05E-04	3.14E-09	14	4.71E-02	2.07E-09	1.0E+06	2.1E-03
2	2	0.12556	4.28E-05	5.4E-06	6.05E-04	3.25E-09	14	4.71E-02	2.15E-09	1.0E+06	2.1E-03
3	3	0.13001	4.28E-05	5.6E-06	6.05E-04	3.37E-09	14	4.71E-02	2.22E-09	1.0E+06	2.2E-03
4	4	0.13465	4.28E-05	5.8E-06	6.05E-04	3.49E-09	14	4.71E-02	2.30E-09	1.0E+06	2.3E-03
5	5	0.1395	4.28E-05	6.0E-06	6.05E-04	3.61E-09	14	4.71E-02	2.38E-09	1.0E+06	2.4E-03
6	6	0.14463	4.28E-05	6.2E-06	6.05E-04	3.74E-09	14	4.71E-02	2.47E-09	1.0E+06	2.5E-03
7	7	0.14997	4.28E-05	6.4E-06	6.05E-04	3.88E-09	14	4.71E-02	2.56E-09	1.0E+06	2.6E-03
8	8	0.15548	4.28E-05	6.7E-06	6.05E-04	4.02E-09	14	4.71E-02	2.66E-09	1.0E+06	2.7E-03
9	9	0.16122	4.28E-05	6.9E-06	6.05E-04	4.17E-09	14	4.71E-02	2.75E-09	1.0E+06	2.8E-03
10	10	0.16717	4.28E-05	7.2E-06	6.05E-04	4.33E-09	14	4.71E-02	2.86E-09	1.0E+06	2.9E-03
11	11	0.17332	4.28E-05	7.4E-06	6.05E-04	4.49E-09	14	4.71E-02	2.96E-09	1.0E+06	3.0E-03
12	12	0.17965	4.28E-05	7.7E-06	6.05E-04	4.65E-09	14	4.71E-02	3.07E-09	1.0E+06	3.1E-03
13	13	0.18621	4.28E-05	8.0E-06	6.05E-04	4.82E-09	14	4.71E-02	3.18E-09	1.0E+06	3.2E-03
14	14	0.19293	4.28E-05	8.3E-06	6.05E-04	4.99E-09	14	4.71E-02	3.30E-09	1.0E+06	3.3E-03
15	15	0.19982	4.28E-05	8.5E-06	6.05E-04	5.17E-09	14	4.71E-02	3.41E-09	1.0E+06	3.4E-03
16	16	0.2068	4.28E-05	8.8E-06	6.05E-04	5.35E-09	14	4.71E-02	3.53E-09	1.0E+06	3.5E-03
17	17	0.21392	4.28E-05	9.2E-06	6.05E-04	5.54E-09	14	4.71E-02	3.65E-09	1.0E+06	3.7E-03
18	18	0.22103	4.28E-05	9.5E-06	6.05E-04	5.72E-09	14	4.71E-02	3.78E-09	1.0E+06	3.8E-03
19	19	0.22814	4.28E-05	9.8E-06	6.05E-04	5.91E-09	14	4.71E-02	3.90E-09	1.0E+06	3.9E-03
20	20	0.23517	4.28E-05	1.0E-05	6.05E-04	6.09E-09	14	4.71E-02	4.02E-09	1.0E+06	4.0E-03
21	21	0.24202	4.28E-05	1.0E-05	6.05E-04	6.26E-09	14	4.71E-02	4.13E-09	1.0E+06	4.1E-03
22	22	0.24864	4.28E-05	1.1E-05	6.05E-04	6.44E-09	14	4.71E-02	4.25E-09	1.0E+06	4.2E-03
23	23	0.2549	4.28E-05	1.1E-05	6.05E-04	6.60E-09	14	4.71E-02	4.35E-09	1.0E+06	4.4E-03
24	24	0.26073	4.28E-05	1.1E-05	6.05E-04	6.75E-09	14	4.71E-02	4.45E-09	1.0E+06	4.5E-03
25	25	0.26606	4.28E-05	1.1E-05	6.05E-04	6.89E-09	14	4.71E-02	4.55E-09	1.0E+06	4.5E-03
26	26	0.27081	4.28E-05	1.2E-05	6.05E-04	7.01E-09	14	4.71E-02	4.63E-09	1.0E+06	4.6E-03
27	27	0.27493	4.28E-05	1.2E-05	6.05E-04	7.12E-09	14	4.71E-02	4.70E-09	1.0E+06	4.7E-03
28	28	0.27832	4.28E-05	1.2E-05	6.05E-04	7.20E-09	14	4.71E-02	4.75E-09	1.0E+06	4.8E-03
29	29	0.281	4.28E-05	1.2E-05	6.05E-04	7.27E-09	14	4.71E-02	4.80E-09	1.0E+06	4.8E-03
30	30	0.28295	4.28E-05	1.2E-05	6.05E-04	7.32E-09	14	4.71E-02	4.83E-09	1.0E+06	4.8E-03
31	31	0.28417	4.28E-05	1.2E-05	6.05E-04	7.36E-09	14	4.71E-02	4.85E-09	1.0E+06	4.9E-03

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.28469	4.28E-05	1.2E-05	6.05E-04	7.37E-09	14	4.71E-02	4.86E-09	1.0E+06	4.9E-03
55	55	0.26742	4.28E-05	1.1E-05	6.05E-04	6.92E-09	14	4.71E-02	4.57E-09	1.0E+06	4.6E-03
56	56	0.27471	4.28E-05	1.2E-05	6.05E-04	7.11E-09	14	4.71E-02	4.69E-09	1.0E+06	4.7E-03
57	57	0.2816	4.28E-05	1.2E-05	6.05E-04	7.29E-09	14	4.71E-02	4.81E-09	1.0E+06	4.8E-03
58	58	0.28787	4.28E-05	1.2E-05	6.05E-04	7.45E-09	14	4.71E-02	4.92E-09	1.0E+06	4.9E-03
59	59	0.29342	4.28E-05	1.3E-05	6.05E-04	7.60E-09	14	4.71E-02	5.01E-09	1.0E+06	5.0E-03
60	60	0.29817	4.28E-05	1.3E-05	6.05E-04	7.72E-09	14	4.71E-02	5.09E-09	1.0E+06	5.1E-03
61	61	0.30216	4.28E-05	1.3E-05	6.05E-04	7.82E-09	14	4.71E-02	5.16E-09	1.0E+06	5.2E-03
62	62	0.30524	4.28E-05	1.3E-05	6.05E-04	7.90E-09	14	4.71E-02	5.21E-09	1.0E+06	5.2E-03
63	63	0.30747	4.28E-05	1.3E-05	6.05E-04	7.96E-09	14	4.71E-02	5.25E-09	1.0E+06	5.3E-03
64	64	0.30882	4.28E-05	1.3E-05	6.05E-04	7.99E-09	14	4.71E-02	5.28E-09	1.0E+06	5.3E-03
65	65	0.30937	4.28E-05	1.3E-05	6.05E-04	8.01E-09	14	4.71E-02	5.29E-09	1.0E+06	5.3E-03
66	66	0.30943	4.28E-05	1.3E-05	6.05E-04	8.01E-09	14	4.71E-02	5.29E-09	1.0E+06	5.3E-03
67	67	0.12907	4.28E-05	5.5E-06	6.05E-04	3.34E-09	14	4.71E-02	2.21E-09	1.0E+06	2.2E-03
68	68	0.13402	4.28E-05	5.7E-06	6.05E-04	3.47E-09	14	4.71E-02	2.29E-09	1.0E+06	2.3E-03
69	69	0.13922	4.28E-05	6.0E-06	6.05E-04	3.60E-09	14	4.71E-02	2.38E-09	1.0E+06	2.4E-03
70	70	0.14467	4.28E-05	6.2E-06	6.05E-04	3.74E-09	14	4.71E-02	2.47E-09	1.0E+06	2.5E-03
71	71	0.15034	4.28E-05	6.4E-06	6.05E-04	3.89E-09	14	4.71E-02	2.57E-09	1.0E+06	2.6E-03
72	72	0.15639	4.28E-05	6.7E-06	6.05E-04	4.05E-09	14	4.71E-02	2.67E-09	1.0E+06	2.7E-03
73	73	0.16271	4.28E-05	7.0E-06	6.05E-04	4.21E-09	14	4.71E-02	2.78E-09	1.0E+06	2.8E-03
74	74	0.16932	4.28E-05	7.2E-06	6.05E-04	4.38E-09	14	4.71E-02	2.89E-09	1.0E+06	2.9E-03
75	75	0.17621	4.28E-05	7.5E-06	6.05E-04	4.56E-09	14	4.71E-02	3.01E-09	1.0E+06	3.0E-03
76	76	0.18343	4.28E-05	7.8E-06	6.05E-04	4.75E-09	14	4.71E-02	3.13E-09	1.0E+06	3.1E-03
77	77	0.19099	4.28E-05	8.2E-06	6.05E-04	4.94E-09	14	4.71E-02	3.26E-09	1.0E+06	3.3E-03
78	78	0.19891	4.28E-05	8.5E-06	6.05E-04	5.15E-09	14	4.71E-02	3.40E-09	1.0E+06	3.4E-03
79	79	0.24228	4.28E-05	1.0E-05	6.05E-04	6.27E-09	14	4.71E-02	4.14E-09	1.0E+06	4.1E-03
80	80	0.25154	4.28E-05	1.1E-05	6.05E-04	6.51E-09	14	4.71E-02	4.30E-09	1.0E+06	4.3E-03
81	81	0.26097	4.28E-05	1.1E-05	6.05E-04	6.76E-09	14	4.71E-02	4.46E-09	1.0E+06	4.5E-03
82	82	0.27033	4.28E-05	1.2E-05	6.05E-04	7.00E-09	14	4.71E-02	4.62E-09	1.0E+06	4.6E-03
83	83	0.27961	4.28E-05	1.2E-05	6.05E-04	7.24E-09	14	4.71E-02	4.78E-09	1.0E+06	4.8E-03
84	84	0.28857	4.28E-05	1.2E-05	6.05E-04	7.47E-09	14	4.71E-02	4.93E-09	1.0E+06	4.9E-03

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
85	85	0.29718	4.28E-05	1.3E-05	6.05E-04	7.69E-09	14	4.71E-02	5.08E-09	1.0E+06	5.1E-03
86	86	0.30527	4.28E-05	1.3E-05	6.05E-04	7.90E-09	14	4.71E-02	5.22E-09	1.0E+06	5.2E-03
87	87	0.31265	4.28E-05	1.3E-05	6.05E-04	8.09E-09	14	4.71E-02	5.34E-09	1.0E+06	5.3E-03
88	88	0.31924	4.28E-05	1.4E-05	6.05E-04	8.26E-09	14	4.71E-02	5.45E-09	1.0E+06	5.5E-03
89	89	0.32485	4.28E-05	1.4E-05	6.05E-04	8.41E-09	14	4.71E-02	5.55E-09	1.0E+06	5.5E-03
90	90	0.32947	4.28E-05	1.4E-05	6.05E-04	8.53E-09	14	4.71E-02	5.63E-09	1.0E+06	5.6E-03
91	91	0.33314	4.28E-05	1.4E-05	6.05E-04	8.62E-09	14	4.71E-02	5.69E-09	1.0E+06	5.7E-03
92	92	0.33561	4.28E-05	1.4E-05	6.05E-04	8.69E-09	14	4.71E-02	5.73E-09	1.0E+06	5.7E-03
93	93	0.33719	4.28E-05	1.4E-05	6.05E-04	8.73E-09	14	4.71E-02	5.76E-09	1.0E+06	5.8E-03
96	96	0.32935	4.28E-05	1.4E-05	6.05E-04	8.53E-09	14	4.71E-02	5.63E-09	1.0E+06	5.6E-03
97	97	0.32028	4.28E-05	1.4E-05	6.05E-04	8.29E-09	14	4.71E-02	5.47E-09	1.0E+06	5.5E-03
98	98	0.34886	4.28E-05	1.5E-05	6.05E-04	9.03E-09	14	4.71E-02	5.96E-09	1.0E+06	6.0E-03
99	99	0.35566	4.28E-05	1.5E-05	6.05E-04	9.21E-09	14	4.71E-02	6.08E-09	1.0E+06	6.1E-03
100	100	0.36116	4.28E-05	1.5E-05	6.05E-04	9.35E-09	14	4.71E-02	6.17E-09	1.0E+06	6.2E-03
101	101	0.36534	4.28E-05	1.6E-05	6.05E-04	9.46E-09	14	4.71E-02	6.24E-09	1.0E+06	6.2E-03
102	102	0.36832	4.28E-05	1.6E-05	6.05E-04	9.53E-09	14	4.71E-02	6.29E-09	1.0E+06	6.3E-03
106	106	0.13174	4.28E-05	5.6E-06	6.05E-04	3.41E-09	14	4.71E-02	2.25E-09	1.0E+06	2.3E-03
107	107	0.13718	4.28E-05	5.9E-06	6.05E-04	3.55E-09	14	4.71E-02	2.34E-09	1.0E+06	2.3E-03
108	108	0.14286	4.28E-05	6.1E-06	6.05E-04	3.70E-09	14	4.71E-02	2.44E-09	1.0E+06	2.4E-03
109	109	0.14886	4.28E-05	6.4E-06	6.05E-04	3.85E-09	14	4.71E-02	2.54E-09	1.0E+06	2.5E-03
110	110	0.15522	4.28E-05	6.6E-06	6.05E-04	4.02E-09	14	4.71E-02	2.65E-09	1.0E+06	2.7E-03
111	111	0.16187	4.28E-05	6.9E-06	6.05E-04	4.19E-09	14	4.71E-02	2.77E-09	1.0E+06	2.8E-03
112	112	0.16904	4.28E-05	7.2E-06	6.05E-04	4.38E-09	14	4.71E-02	2.89E-09	1.0E+06	2.9E-03
113	113	0.17654	4.28E-05	7.6E-06	6.05E-04	4.57E-09	14	4.71E-02	3.02E-09	1.0E+06	3.0E-03
114	114	0.18447	4.28E-05	7.9E-06	6.05E-04	4.78E-09	14	4.71E-02	3.15E-09	1.0E+06	3.2E-03
115	115	0.1928	4.28E-05	8.2E-06	6.05E-04	4.99E-09	14	4.71E-02	3.29E-09	1.0E+06	3.3E-03
116	116	0.20152	4.28E-05	8.6E-06	6.05E-04	5.22E-09	14	4.71E-02	3.44E-09	1.0E+06	3.4E-03
117	117	0.21084	4.28E-05	9.0E-06	6.05E-04	5.46E-09	14	4.71E-02	3.60E-09	1.0E+06	3.6E-03
118	118	0.22064	4.28E-05	9.4E-06	6.05E-04	5.71E-09	14	4.71E-02	3.77E-09	1.0E+06	3.8E-03
124	124	0.13553	4.28E-05	5.8E-06	6.05E-04	3.51E-09	14	4.71E-02	2.32E-09	1.0E+06	2.3E-03
125	125	0.14126	4.28E-05	6.0E-06	6.05E-04	3.66E-09	14	4.71E-02	2.41E-09	1.0E+06	2.4E-03

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
126	126	0.14734	4.28E-05	6.3E-06	6.05E-04	3.81E-09	14	4.71E-02	2.52E-09	1.0E+06	2.5E-03
127	127	0.15378	4.28E-05	6.6E-06	6.05E-04	3.98E-09	14	4.71E-02	2.63E-09	1.0E+06	2.6E-03
128	128	0.16062	4.28E-05	6.9E-06	6.05E-04	4.16E-09	14	4.71E-02	2.74E-09	1.0E+06	2.7E-03
129	129	0.16783	4.28E-05	7.2E-06	6.05E-04	4.34E-09	14	4.71E-02	2.87E-09	1.0E+06	2.9E-03
130	130	0.1756	4.28E-05	7.5E-06	6.05E-04	4.55E-09	14	4.71E-02	3.00E-09	1.0E+06	3.0E-03
131	131	0.18381	4.28E-05	7.9E-06	6.05E-04	4.76E-09	14	4.71E-02	3.14E-09	1.0E+06	3.1E-03
132	132	0.19252	4.28E-05	8.2E-06	6.05E-04	4.98E-09	14	4.71E-02	3.29E-09	1.0E+06	3.3E-03
133	133	0.2017	4.28E-05	8.6E-06	6.05E-04	5.22E-09	14	4.71E-02	3.45E-09	1.0E+06	3.4E-03
134	134	0.21151	4.28E-05	9.0E-06	6.05E-04	5.47E-09	14	4.71E-02	3.61E-09	1.0E+06	3.6E-03
135	135	0.22183	4.28E-05	9.5E-06	6.05E-04	5.74E-09	14	4.71E-02	3.79E-09	1.0E+06	3.8E-03
136	136	0.23272	4.28E-05	1.0E-05	6.05E-04	6.02E-09	14	4.71E-02	3.98E-09	1.0E+06	4.0E-03
137	137	0.24414	4.28E-05	1.0E-05	6.05E-04	6.32E-09	14	4.71E-02	4.17E-09	1.0E+06	4.2E-03
138	138	0.25634	4.28E-05	1.1E-05	6.05E-04	6.64E-09	14	4.71E-02	4.38E-09	1.0E+06	4.4E-03
141	141	0.13928	4.28E-05	6.0E-06	6.05E-04	3.61E-09	14	4.71E-02	2.38E-09	1.0E+06	2.4E-03
142	142	0.14539	4.28E-05	6.2E-06	6.05E-04	3.76E-09	14	4.71E-02	2.48E-09	1.0E+06	2.5E-03
143	143	0.15188	4.28E-05	6.5E-06	6.05E-04	3.93E-09	14	4.71E-02	2.59E-09	1.0E+06	2.6E-03
144	144	0.15878	4.28E-05	6.8E-06	6.05E-04	4.11E-09	14	4.71E-02	2.71E-09	1.0E+06	2.7E-03
145	145	0.16614	4.28E-05	7.1E-06	6.05E-04	4.30E-09	14	4.71E-02	2.84E-09	1.0E+06	2.8E-03
146	146	0.17393	4.28E-05	7.4E-06	6.05E-04	4.50E-09	14	4.71E-02	2.97E-09	1.0E+06	3.0E-03
147	147	0.18235	4.28E-05	7.8E-06	6.05E-04	4.72E-09	14	4.71E-02	3.12E-09	1.0E+06	3.1E-03
148	148	0.19128	4.28E-05	8.2E-06	6.05E-04	4.95E-09	14	4.71E-02	3.27E-09	1.0E+06	3.3E-03
149	149	0.20081	4.28E-05	8.6E-06	6.05E-04	5.20E-09	14	4.71E-02	3.43E-09	1.0E+06	3.4E-03
150	150	0.21094	4.28E-05	9.0E-06	6.05E-04	5.46E-09	14	4.71E-02	3.60E-09	1.0E+06	3.6E-03
151	151	0.22175	4.28E-05	9.5E-06	6.05E-04	5.74E-09	14	4.71E-02	3.79E-09	1.0E+06	3.8E-03
152	152	0.23326	4.28E-05	1.0E-05	6.05E-04	6.04E-09	14	4.71E-02	3.99E-09	1.0E+06	4.0E-03
153	153	0.24548	4.28E-05	1.1E-05	6.05E-04	6.35E-09	14	4.71E-02	4.19E-09	1.0E+06	4.2E-03
154	154	0.25835	4.28E-05	1.1E-05	6.05E-04	6.69E-09	14	4.71E-02	4.41E-09	1.0E+06	4.4E-03
155	155	0.27204	4.28E-05	1.2E-05	6.05E-04	7.04E-09	14	4.71E-02	4.65E-09	1.0E+06	4.6E-03
164	164	0.27343	4.28E-05	1.2E-05	6.05E-04	7.08E-09	14	4.71E-02	4.67E-09	1.0E+06	4.7E-03
165	165	0.2889	4.28E-05	1.2E-05	6.05E-04	7.48E-09	14	4.71E-02	4.94E-09	1.0E+06	4.9E-03
166	166	0.30557	4.28E-05	1.3E-05	6.05E-04	7.91E-09	14	4.71E-02	5.22E-09	1.0E+06	5.2E-03

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	0.28934	4.28E-05	1.2E-05	6.05E-04	7.49E-09	14	4.71E-02	4.94E-09	1.0E+06	4.9E-03
179	179	0.30694	4.28E-05	1.3E-05	6.05E-04	7.95E-09	14	4.71E-02	5.24E-09	1.0E+06	5.2E-03
180	180	0.32599	4.28E-05	1.4E-05	6.05E-04	8.44E-09	14	4.71E-02	5.57E-09	1.0E+06	5.6E-03
192	192	0.30611	4.28E-05	1.3E-05	6.05E-04	7.92E-09	14	4.71E-02	5.23E-09	1.0E+06	5.2E-03
193	193	0.32619	4.28E-05	1.4E-05	6.05E-04	8.44E-09	14	4.71E-02	5.57E-09	1.0E+06	5.6E-03
194	194	0.34788	4.28E-05	1.5E-05	6.05E-04	9.00E-09	14	4.71E-02	5.94E-09	1.0E+06	5.9E-03
207	207	0.32356	4.28E-05	1.4E-05	6.05E-04	8.38E-09	14	4.71E-02	5.53E-09	1.0E+06	5.5E-03
208	208	0.34632	4.28E-05	1.5E-05	6.05E-04	8.96E-09	14	4.71E-02	5.92E-09	1.0E+06	5.9E-03
209	209	0.37122	4.28E-05	1.6E-05	6.05E-04	9.61E-09	14	4.71E-02	6.34E-09	1.0E+06	6.3E-03
223	223	0.3416	4.28E-05	1.5E-05	6.05E-04	8.84E-09	14	4.71E-02	5.84E-09	1.0E+06	5.8E-03
224	224	0.36731	4.28E-05	1.6E-05	6.05E-04	9.51E-09	14	4.71E-02	6.28E-09	1.0E+06	6.3E-03
225	225	0.39557	4.28E-05	1.7E-05	6.05E-04	1.02E-08	14	4.71E-02	6.76E-09	1.0E+06	6.8E-03
239	239	0.36011	4.28E-05	1.5E-05	6.05E-04	9.32E-09	14	4.71E-02	6.15E-09	1.0E+06	6.2E-03
240	240	0.38904	4.28E-05	1.7E-05	6.05E-04	1.01E-08	14	4.71E-02	6.65E-09	1.0E+06	6.6E-03
241	241	0.42133	4.28E-05	1.8E-05	6.05E-04	1.09E-08	14	4.71E-02	7.20E-09	1.0E+06	7.2E-03
255	255	0.37874	4.28E-05	1.6E-05	6.05E-04	9.80E-09	14	4.71E-02	6.47E-09	1.0E+06	6.5E-03
256	256	0.41114	4.28E-05	1.8E-05	6.05E-04	1.06E-08	14	4.71E-02	7.02E-09	1.0E+06	7.0E-03
272	272	0.39707	4.28E-05	1.7E-05	6.05E-04	1.03E-08	14	4.71E-02	6.78E-09	1.0E+06	6.8E-03
273	273	0.43324	4.28E-05	1.9E-05	6.05E-04	1.12E-08	14	4.71E-02	7.40E-09	1.0E+06	7.4E-03
289	289	0.41485	4.28E-05	1.8E-05	6.05E-04	1.07E-08	14	4.71E-02	7.09E-09	1.0E+06	7.1E-03
290	290	0.45476	4.28E-05	1.9E-05	6.05E-04	1.18E-08	14	4.71E-02	7.77E-09	1.0E+06	7.8E-03
306	306	0.4314	4.28E-05	1.8E-05	6.05E-04	1.12E-08	14	4.71E-02	7.37E-09	1.0E+06	7.4E-03
307	307	0.47503	4.28E-05	2.0E-05	6.05E-04	1.23E-08	14	4.71E-02	8.12E-09	1.0E+06	8.1E-03
323	323	0.44616	4.28E-05	1.9E-05	6.05E-04	1.15E-08	14	4.71E-02	7.62E-09	1.0E+06	7.6E-03
324	324	0.4933	4.28E-05	2.1E-05	6.05E-04	1.28E-08	14	4.71E-02	8.43E-09	1.0E+06	8.4E-03
342	342	0.45857	4.28E-05	2.0E-05	6.05E-04	1.19E-08	14	4.71E-02	7.83E-09	1.0E+06	7.8E-03
343	343	0.5088	4.28E-05	2.2E-05	6.05E-04	1.32E-08	14	4.71E-02	8.69E-09	1.0E+06	8.7E-03
344	344	0.5681	4.28E-05	2.4E-05	6.05E-04	1.47E-08	14	4.71E-02	9.71E-09	1.0E+06	9.7E-03
356	356	0.46806	4.28E-05	2.0E-05	6.05E-04	1.21E-08	14	4.71E-02	8.00E-09	1.0E+06	8.0E-03
357	357	0.52069	4.28E-05	2.2E-05	6.05E-04	1.35E-08	14	4.71E-02	8.90E-09	1.0E+06	8.9E-03
358	358	0.58338	4.28E-05	2.5E-05	6.05E-04	1.51E-08	14	4.71E-02	9.97E-09	1.0E+06	1.0E-02

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	0.47432	4.28E-05	2.0E-05	6.05E-04	1.23E-08	14	4.71E-02	8.10E-09	1.0E+06	8.1E-03
371	371	0.52862	4.28E-05	2.3E-05	6.05E-04	1.37E-08	14	4.71E-02	9.03E-09	1.0E+06	9.0E-03
372	372	0.5936	4.28E-05	2.5E-05	6.05E-04	1.54E-08	14	4.71E-02	1.01E-08	1.0E+06	1.0E-02
383	383	0.47712	4.28E-05	2.0E-05	6.05E-04	1.24E-08	14	4.71E-02	8.15E-09	1.0E+06	8.2E-03
384	384	0.53227	4.28E-05	2.3E-05	6.05E-04	1.38E-08	14	4.71E-02	9.09E-09	1.0E+06	9.1E-03
385	385	0.59839	4.28E-05	2.6E-05	6.05E-04	1.55E-08	14	4.71E-02	1.02E-08	1.0E+06	1.0E-02
396	396	0.47655	4.28E-05	2.0E-05	6.05E-04	1.23E-08	14	4.71E-02	8.14E-09	1.0E+06	8.1E-03
397	397	0.53168	4.28E-05	2.3E-05	6.05E-04	1.38E-08	14	4.71E-02	9.08E-09	1.0E+06	9.1E-03
398	398	0.59776	4.28E-05	2.6E-05	6.05E-04	1.55E-08	14	4.71E-02	1.02E-08	1.0E+06	1.0E-02
399	399	0.67801	4.28E-05	2.9E-05	6.05E-04	1.76E-08	14	4.71E-02	1.16E-08	1.0E+06	1.2E-02
411	411	0.47283	4.28E-05	2.0E-05	6.05E-04	1.22E-08	14	4.71E-02	8.08E-09	1.0E+06	8.1E-03
412	412	0.52713	4.28E-05	2.3E-05	6.05E-04	1.36E-08	14	4.71E-02	9.01E-09	1.0E+06	9.0E-03
413	413	0.59222	4.28E-05	2.5E-05	6.05E-04	1.53E-08	14	4.71E-02	1.01E-08	1.0E+06	1.0E-02
414	414	0.67089	4.28E-05	2.9E-05	6.05E-04	1.74E-08	14	4.71E-02	1.15E-08	1.0E+06	1.1E-02
426	426	0.46641	4.28E-05	2.0E-05	6.05E-04	1.21E-08	14	4.71E-02	7.97E-09	1.0E+06	8.0E-03
427	427	0.51922	4.28E-05	2.2E-05	6.05E-04	1.34E-08	14	4.71E-02	8.87E-09	1.0E+06	8.9E-03
428	428	0.58215	4.28E-05	2.5E-05	6.05E-04	1.51E-08	14	4.71E-02	9.95E-09	1.0E+06	9.9E-03
429	429	0.65817	4.28E-05	2.8E-05	6.05E-04	1.70E-08	14	4.71E-02	1.12E-08	1.0E+06	1.1E-02
439	439	0.45769	4.28E-05	2.0E-05	6.05E-04	1.18E-08	14	4.71E-02	7.82E-09	1.0E+06	7.8E-03
440	440	0.50847	4.28E-05	2.2E-05	6.05E-04	1.32E-08	14	4.71E-02	8.69E-09	1.0E+06	8.7E-03
441	441	0.56873	4.28E-05	2.4E-05	6.05E-04	1.47E-08	14	4.71E-02	9.72E-09	1.0E+06	9.7E-03
442	442	0.64102	4.28E-05	2.7E-05	6.05E-04	1.66E-08	14	4.71E-02	1.10E-08	1.0E+06	1.1E-02
443	443	0.72881	4.28E-05	3.1E-05	6.05E-04	1.89E-08	14	4.71E-02	1.25E-08	1.0E+06	1.2E-02
454	454	0.44719	4.28E-05	1.9E-05	6.05E-04	1.16E-08	14	4.71E-02	7.64E-09	1.0E+06	7.6E-03
455	455	0.49552	4.28E-05	2.1E-05	6.05E-04	1.28E-08	14	4.71E-02	8.47E-09	1.0E+06	8.5E-03
456	456	0.55252	4.28E-05	2.4E-05	6.05E-04	1.43E-08	14	4.71E-02	9.44E-09	1.0E+06	9.4E-03
457	457	0.6204	4.28E-05	2.7E-05	6.05E-04	1.61E-08	14	4.71E-02	1.06E-08	1.0E+06	1.1E-02
458	458	0.70209	4.28E-05	3.0E-05	6.05E-04	1.82E-08	14	4.71E-02	1.20E-08	1.0E+06	1.2E-02
469	469	0.43526	4.28E-05	1.9E-05	6.05E-04	1.13E-08	14	4.71E-02	7.44E-09	1.0E+06	7.4E-03
470	470	0.4808	4.28E-05	2.1E-05	6.05E-04	1.24E-08	14	4.71E-02	8.21E-09	1.0E+06	8.2E-03
471	471	0.53418	4.28E-05	2.3E-05	6.05E-04	1.38E-08	14	4.71E-02	9.13E-09	1.0E+06	9.1E-03

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	0.59716	4.28E-05	2.6E-05	6.05E-04	1.55E-08	14	4.71E-02	1.02E-08	1.0E+06	1.0E-02
473	473	0.67215	4.28E-05	2.9E-05	6.05E-04	1.74E-08	14	4.71E-02	1.15E-08	1.0E+06	1.1E-02
489	489	0.42232	4.28E-05	1.8E-05	6.05E-04	1.09E-08	14	4.71E-02	7.21E-09	1.0E+06	7.2E-03
490	490	0.4649	4.28E-05	2.0E-05	6.05E-04	1.20E-08	14	4.71E-02	7.94E-09	1.0E+06	7.9E-03
491	491	0.51437	4.28E-05	2.2E-05	6.05E-04	1.33E-08	14	4.71E-02	8.79E-09	1.0E+06	8.8E-03
492	492	0.5722	4.28E-05	2.4E-05	6.05E-04	1.48E-08	14	4.71E-02	9.78E-09	1.0E+06	9.8E-03
493	493	0.6403	4.28E-05	2.7E-05	6.05E-04	1.66E-08	14	4.71E-02	1.09E-08	1.0E+06	1.1E-02
494	494	0.72107	4.28E-05	3.1E-05	6.05E-04	1.87E-08	14	4.71E-02	1.23E-08	1.0E+06	1.2E-02
509	509	0.40848	4.28E-05	1.7E-05	6.05E-04	1.06E-08	14	4.71E-02	6.98E-09	1.0E+06	7.0E-03
510	510	0.44798	4.28E-05	1.9E-05	6.05E-04	1.16E-08	14	4.71E-02	7.65E-09	1.0E+06	7.7E-03
511	511	0.49341	4.28E-05	2.1E-05	6.05E-04	1.28E-08	14	4.71E-02	8.43E-09	1.0E+06	8.4E-03
512	512	0.546	4.28E-05	2.3E-05	6.05E-04	1.41E-08	14	4.71E-02	9.33E-09	1.0E+06	9.3E-03
513	513	0.60721	4.28E-05	2.6E-05	6.05E-04	1.57E-08	14	4.71E-02	1.04E-08	1.0E+06	1.0E-02
514	514	0.67882	4.28E-05	2.9E-05	6.05E-04	1.76E-08	14	4.71E-02	1.16E-08	1.0E+06	1.2E-02
515	515	0.86332	4.28E-05	3.7E-05	6.05E-04	2.23E-08	14	4.71E-02	1.47E-08	1.0E+06	1.5E-02
516	516	0.98287	4.28E-05	4.2E-05	6.05E-04	2.54E-08	14	4.71E-02	1.68E-08	1.0E+06	1.7E-02
517	517	1.12744	4.28E-05	4.8E-05	6.05E-04	2.92E-08	14	4.71E-02	1.93E-08	1.0E+06	1.9E-02
518	518	1.30392	4.28E-05	5.6E-05	6.05E-04	3.38E-08	14	4.71E-02	2.23E-08	1.0E+06	2.2E-02
519	519	1.52214	4.28E-05	6.5E-05	6.05E-04	3.94E-08	14	4.71E-02	2.60E-08	1.0E+06	2.6E-02
528	528	0.39399	4.28E-05	1.7E-05	6.05E-04	1.02E-08	14	4.71E-02	6.73E-09	1.0E+06	6.7E-03
529	529	0.43034	4.28E-05	1.8E-05	6.05E-04	1.11E-08	14	4.71E-02	7.35E-09	1.0E+06	7.4E-03
530	530	0.47176	4.28E-05	2.0E-05	6.05E-04	1.22E-08	14	4.71E-02	8.06E-09	1.0E+06	8.1E-03
531	531	0.51917	4.28E-05	2.2E-05	6.05E-04	1.34E-08	14	4.71E-02	8.87E-09	1.0E+06	8.9E-03
532	532	0.57371	4.28E-05	2.5E-05	6.05E-04	1.49E-08	14	4.71E-02	9.80E-09	1.0E+06	9.8E-03
533	533	0.63671	4.28E-05	2.7E-05	6.05E-04	1.65E-08	14	4.71E-02	1.09E-08	1.0E+06	1.1E-02
534	534	0.79526	4.28E-05	3.4E-05	6.05E-04	2.06E-08	14	4.71E-02	1.36E-08	1.0E+06	1.4E-02
535	535	0.89563	4.28E-05	3.8E-05	6.05E-04	2.32E-08	14	4.71E-02	1.53E-08	1.0E+06	1.5E-02
536	536	1.01524	4.28E-05	4.3E-05	6.05E-04	2.63E-08	14	4.71E-02	1.73E-08	1.0E+06	1.7E-02
537	537	1.15731	4.28E-05	5.0E-05	6.05E-04	3.00E-08	14	4.71E-02	1.98E-08	1.0E+06	2.0E-02
538	538	1.32841	4.28E-05	5.7E-05	6.05E-04	3.44E-08	14	4.71E-02	2.27E-08	1.0E+06	2.3E-02
547	547	0.37904	4.28E-05	1.6E-05	6.05E-04	9.81E-09	14	4.71E-02	6.48E-09	1.0E+06	6.5E-03

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.41225	4.28E-05	1.8E-05	6.05E-04	1.07E-08	14	4.71E-02	7.04E-09	1.0E+06	7.0E-03
549	549	0.44972	4.28E-05	1.9E-05	6.05E-04	1.16E-08	14	4.71E-02	7.68E-09	1.0E+06	7.7E-03
550	550	0.49221	4.28E-05	2.1E-05	6.05E-04	1.27E-08	14	4.71E-02	8.41E-09	1.0E+06	8.4E-03
551	551	0.54049	4.28E-05	2.3E-05	6.05E-04	1.40E-08	14	4.71E-02	9.23E-09	1.0E+06	9.2E-03
552	552	0.59561	4.28E-05	2.5E-05	6.05E-04	1.54E-08	14	4.71E-02	1.02E-08	1.0E+06	1.0E-02
553	553	0.65887	4.28E-05	2.8E-05	6.05E-04	1.71E-08	14	4.71E-02	1.13E-08	1.0E+06	1.1E-02
554	554	0.73167	4.28E-05	3.1E-05	6.05E-04	1.89E-08	14	4.71E-02	1.25E-08	1.0E+06	1.2E-02
555	555	0.81633	4.28E-05	3.5E-05	6.05E-04	2.11E-08	14	4.71E-02	1.39E-08	1.0E+06	1.4E-02
556	556	0.91565	4.28E-05	3.9E-05	6.05E-04	2.37E-08	14	4.71E-02	1.56E-08	1.0E+06	1.6E-02
557	557	1.03128	4.28E-05	4.4E-05	6.05E-04	2.67E-08	14	4.71E-02	1.76E-08	1.0E+06	1.8E-02
558	558	1.16842	4.28E-05	5.0E-05	6.05E-04	3.02E-08	14	4.71E-02	2.00E-08	1.0E+06	2.0E-02
559	559	1.32854	4.28E-05	5.7E-05	6.05E-04	3.44E-08	14	4.71E-02	2.27E-08	1.0E+06	2.3E-02
567	567	0.36376	4.28E-05	1.6E-05	6.05E-04	9.42E-09	14	4.71E-02	6.21E-09	1.0E+06	6.2E-03
568	568	0.39391	4.28E-05	1.7E-05	6.05E-04	1.02E-08	14	4.71E-02	6.73E-09	1.0E+06	6.7E-03
569	569	0.42764	4.28E-05	1.8E-05	6.05E-04	1.11E-08	14	4.71E-02	7.31E-09	1.0E+06	7.3E-03
570	570	0.46549	4.28E-05	2.0E-05	6.05E-04	1.20E-08	14	4.71E-02	7.95E-09	1.0E+06	8.0E-03
571	571	0.50811	4.28E-05	2.2E-05	6.05E-04	1.32E-08	14	4.71E-02	8.68E-09	1.0E+06	8.7E-03
572	572	0.55629	4.28E-05	2.4E-05	6.05E-04	1.44E-08	14	4.71E-02	9.50E-09	1.0E+06	9.5E-03
573	573	0.61099	4.28E-05	2.6E-05	6.05E-04	1.58E-08	14	4.71E-02	1.04E-08	1.0E+06	1.0E-02
574	574	0.74495	4.28E-05	3.2E-05	6.05E-04	1.93E-08	14	4.71E-02	1.27E-08	1.0E+06	1.3E-02
575	575	0.82783	4.28E-05	3.5E-05	6.05E-04	2.14E-08	14	4.71E-02	1.41E-08	1.0E+06	1.4E-02
576	576	0.9236	4.28E-05	4.0E-05	6.05E-04	2.39E-08	14	4.71E-02	1.58E-08	1.0E+06	1.6E-02
577	577	1.03411	4.28E-05	4.4E-05	6.05E-04	2.68E-08	14	4.71E-02	1.77E-08	1.0E+06	1.8E-02
578	578	1.16036	4.28E-05	5.0E-05	6.05E-04	3.00E-08	14	4.71E-02	1.98E-08	1.0E+06	2.0E-02
586	586	0.34838	4.28E-05	1.5E-05	6.05E-04	9.02E-09	14	4.71E-02	5.95E-09	1.0E+06	6.0E-03
587	587	0.37563	4.28E-05	1.6E-05	6.05E-04	9.72E-09	14	4.71E-02	6.42E-09	1.0E+06	6.4E-03
588	588	0.40586	4.28E-05	1.7E-05	6.05E-04	1.05E-08	14	4.71E-02	6.93E-09	1.0E+06	6.9E-03
589	589	0.4395	4.28E-05	1.9E-05	6.05E-04	1.14E-08	14	4.71E-02	7.51E-09	1.0E+06	7.5E-03
590	590	0.47705	4.28E-05	2.0E-05	6.05E-04	1.23E-08	14	4.71E-02	8.15E-09	1.0E+06	8.1E-03
591	591	0.51915	4.28E-05	2.2E-05	6.05E-04	1.34E-08	14	4.71E-02	8.87E-09	1.0E+06	8.9E-03
592	592	0.56655	4.28E-05	2.4E-05	6.05E-04	1.47E-08	14	4.71E-02	9.68E-09	1.0E+06	9.7E-03

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	0.68112	4.28E-05	2.9E-05	6.05E-04	1.76E-08	14	4.71E-02	1.16E-08	1.0E+06	1.2E-02
594	594	0.75094	4.28E-05	3.2E-05	6.05E-04	1.94E-08	14	4.71E-02	1.28E-08	1.0E+06	1.3E-02
595	595	0.83009	4.28E-05	3.6E-05	6.05E-04	2.15E-08	14	4.71E-02	1.42E-08	1.0E+06	1.4E-02
596	596	0.91967	4.28E-05	3.9E-05	6.05E-04	2.38E-08	14	4.71E-02	1.57E-08	1.0E+06	1.6E-02
597	597	1.01991	4.28E-05	4.4E-05	6.05E-04	2.64E-08	14	4.71E-02	1.74E-08	1.0E+06	1.7E-02
345	345	0.6392	4.28E-05	2.7E-05	6.05E-04	1.65E-08	14	4.71E-02	1.09E-08	1.0E+06	1.1E-02
346	346	0.72522	4.28E-05	3.1E-05	6.05E-04	1.88E-08	14	4.71E-02	1.24E-08	1.0E+06	1.2E-02
347	347	0.83091	4.28E-05	3.6E-05	6.05E-04	2.15E-08	14	4.71E-02	1.42E-08	1.0E+06	1.4E-02
348	348	0.96264	4.28E-05	4.1E-05	6.05E-04	2.49E-08	14	4.71E-02	1.64E-08	1.0E+06	1.6E-02
359	359	0.65898	4.28E-05	2.8E-05	6.05E-04	1.71E-08	14	4.71E-02	1.13E-08	1.0E+06	1.1E-02
360	360	0.75128	4.28E-05	3.2E-05	6.05E-04	1.94E-08	14	4.71E-02	1.28E-08	1.0E+06	1.3E-02
361	361	0.86567	4.28E-05	3.7E-05	6.05E-04	2.24E-08	14	4.71E-02	1.48E-08	1.0E+06	1.5E-02
362	362	1.00953	4.28E-05	4.3E-05	6.05E-04	2.61E-08	14	4.71E-02	1.72E-08	1.0E+06	1.7E-02
363	363	1.19556	4.28E-05	5.1E-05	6.05E-04	3.09E-08	14	4.71E-02	2.04E-08	1.0E+06	2.0E-02
373	373	0.769	4.28E-05	3.3E-05	6.05E-04	1.99E-08	14	4.71E-02	1.31E-08	1.0E+06	1.3E-02
374	374	0.88953	4.28E-05	3.8E-05	6.05E-04	2.30E-08	14	4.71E-02	1.52E-08	1.0E+06	1.5E-02
375	375	1.04238	4.28E-05	4.5E-05	6.05E-04	2.70E-08	14	4.71E-02	1.78E-08	1.0E+06	1.8E-02
376	376	1.24186	4.28E-05	5.3E-05	6.05E-04	3.21E-08	14	4.71E-02	2.12E-08	1.0E+06	2.1E-02
386	386	0.7776	4.28E-05	3.3E-05	6.05E-04	2.01E-08	14	4.71E-02	1.33E-08	1.0E+06	1.3E-02
387	387	0.90142	4.28E-05	3.9E-05	6.05E-04	2.33E-08	14	4.71E-02	1.54E-08	1.0E+06	1.5E-02
388	388	1.05901	4.28E-05	4.5E-05	6.05E-04	2.74E-08	14	4.71E-02	1.81E-08	1.0E+06	1.8E-02
389	389	1.26564	4.28E-05	5.4E-05	6.05E-04	3.28E-08	14	4.71E-02	2.16E-08	1.0E+06	2.2E-02
390	390	1.54478	4.28E-05	6.6E-05	6.05E-04	4.00E-08	14	4.71E-02	2.64E-08	1.0E+06	2.6E-02
400	400	0.77693	4.28E-05	3.3E-05	6.05E-04	2.01E-08	14	4.71E-02	1.33E-08	1.0E+06	1.3E-02
401	401	0.9006	4.28E-05	3.9E-05	6.05E-04	2.33E-08	14	4.71E-02	1.54E-08	1.0E+06	1.5E-02
402	402	1.05881	4.28E-05	4.5E-05	6.05E-04	2.74E-08	14	4.71E-02	1.81E-08	1.0E+06	1.8E-02
403	403	1.265	4.28E-05	5.4E-05	6.05E-04	3.27E-08	14	4.71E-02	2.16E-08	1.0E+06	2.2E-02
404	404	1.54274	4.28E-05	6.6E-05	6.05E-04	3.99E-08	14	4.71E-02	2.64E-08	1.0E+06	2.6E-02
415	415	0.76775	4.28E-05	3.3E-05	6.05E-04	1.99E-08	14	4.71E-02	1.31E-08	1.0E+06	1.3E-02
416	416	0.88873	4.28E-05	3.8E-05	6.05E-04	2.30E-08	14	4.71E-02	1.52E-08	1.0E+06	1.5E-02
417	417	1.04217	4.28E-05	4.5E-05	6.05E-04	2.70E-08	14	4.71E-02	1.78E-08	1.0E+06	1.8E-02

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	1.24273	4.28E-05	5.3E-05	6.05E-04	3.22E-08	14	4.71E-02	2.12E-08	1.0E+06	2.1E-02
419	419	1.50965	4.28E-05	6.5E-05	6.05E-04	3.91E-08	14	4.71E-02	2.58E-08	1.0E+06	2.6E-02
420	420	1.87441	4.28E-05	8.0E-05	6.05E-04	4.85E-08	14	4.71E-02	3.20E-08	1.0E+06	3.2E-02
430	430	0.86668	4.28E-05	3.7E-05	6.05E-04	2.24E-08	14	4.71E-02	1.48E-08	1.0E+06	1.5E-02
431	431	1.01244	4.28E-05	4.3E-05	6.05E-04	2.62E-08	14	4.71E-02	1.73E-08	1.0E+06	1.7E-02
432	432	1.20012	4.28E-05	5.1E-05	6.05E-04	3.11E-08	14	4.71E-02	2.05E-08	1.0E+06	2.1E-02
433	433	1.44756	4.28E-05	6.2E-05	6.05E-04	3.75E-08	14	4.71E-02	2.47E-08	1.0E+06	2.5E-02
434	434	1.78342	4.28E-05	7.6E-05	6.05E-04	4.62E-08	14	4.71E-02	3.05E-08	1.0E+06	3.0E-02
444	444	0.83685	4.28E-05	3.6E-05	6.05E-04	2.17E-08	14	4.71E-02	1.43E-08	1.0E+06	1.4E-02
445	445	0.97195	4.28E-05	4.2E-05	6.05E-04	2.52E-08	14	4.71E-02	1.66E-08	1.0E+06	1.7E-02
446	446	1.14338	4.28E-05	4.9E-05	6.05E-04	2.96E-08	14	4.71E-02	1.95E-08	1.0E+06	2.0E-02
447	447	1.36554	4.28E-05	5.8E-05	6.05E-04	3.53E-08	14	4.71E-02	2.33E-08	1.0E+06	2.3E-02
448	448	1.66082	4.28E-05	7.1E-05	6.05E-04	4.30E-08	14	4.71E-02	2.84E-08	1.0E+06	2.8E-02
459	459	0.92415	4.28E-05	4.0E-05	6.05E-04	2.39E-08	14	4.71E-02	1.58E-08	1.0E+06	1.6E-02
460	460	1.07742	4.28E-05	4.6E-05	6.05E-04	2.79E-08	14	4.71E-02	1.84E-08	1.0E+06	1.8E-02
461	461	1.27229	4.28E-05	5.4E-05	6.05E-04	3.29E-08	14	4.71E-02	2.17E-08	1.0E+06	2.2E-02
462	462	1.52478	4.28E-05	6.5E-05	6.05E-04	3.95E-08	14	4.71E-02	2.60E-08	1.0E+06	2.6E-02
463	463	1.85847	4.28E-05	8.0E-05	6.05E-04	4.81E-08	14	4.71E-02	3.18E-08	1.0E+06	3.2E-02
474	474	0.87196	4.28E-05	3.7E-05	6.05E-04	2.26E-08	14	4.71E-02	1.49E-08	1.0E+06	1.5E-02
475	475	1.00647	4.28E-05	4.3E-05	6.05E-04	2.61E-08	14	4.71E-02	1.72E-08	1.0E+06	1.7E-02
476	476	1.17416	4.28E-05	5.0E-05	6.05E-04	3.04E-08	14	4.71E-02	2.01E-08	1.0E+06	2.0E-02
477	477	1.38562	4.28E-05	5.9E-05	6.05E-04	3.59E-08	14	4.71E-02	2.37E-08	1.0E+06	2.4E-02
478	478	1.65712	4.28E-05	7.1E-05	6.05E-04	4.29E-08	14	4.71E-02	2.83E-08	1.0E+06	2.8E-02
495	495	0.81768	4.28E-05	3.5E-05	6.05E-04	2.12E-08	14	4.71E-02	1.40E-08	1.0E+06	1.4E-02
496	496	0.93423	4.28E-05	4.0E-05	6.05E-04	2.42E-08	14	4.71E-02	1.60E-08	1.0E+06	1.6E-02
497	497	1.07651	4.28E-05	4.6E-05	6.05E-04	2.79E-08	14	4.71E-02	1.84E-08	1.0E+06	1.8E-02
498	498	1.25193	4.28E-05	5.4E-05	6.05E-04	3.24E-08	14	4.71E-02	2.14E-08	1.0E+06	2.1E-02
499	499	1.47079	4.28E-05	6.3E-05	6.05E-04	3.81E-08	14	4.71E-02	2.51E-08	1.0E+06	2.5E-02
500	500	1.74769	4.28E-05	7.5E-05	6.05E-04	4.52E-08	14	4.71E-02	2.99E-08	1.0E+06	3.0E-02

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	0.26897	4.28E-05	1.2E-05	6.05E-04	6.96E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
140	140	0.28229	4.28E-05	1.2E-05	6.05E-04	7.31E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
156	156	0.2866	4.28E-05	1.2E-05	6.05E-04	7.42E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
157	157	0.30179	4.28E-05	1.3E-05	6.05E-04	7.81E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
158	158	0.31785	4.28E-05	1.4E-05	6.05E-04	8.23E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
159	159	0.33461	4.28E-05	1.4E-05	6.05E-04	8.66E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
160	160	0.35175	4.28E-05	1.5E-05	6.05E-04	9.11E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
161	161	0.38761	4.28E-05	1.7E-05	6.05E-04	1.00E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
162	162	0.40573	4.28E-05	1.7E-05	6.05E-04	1.05E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
163	163	0.42337	4.28E-05	1.8E-05	6.05E-04	1.10E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
167	167	0.32279	4.28E-05	1.4E-05	6.05E-04	8.36E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
168	168	0.34183	4.28E-05	1.5E-05	6.05E-04	8.85E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
169	169	0.36132	4.28E-05	1.5E-05	6.05E-04	9.35E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
170	170	0.38164	4.28E-05	1.6E-05	6.05E-04	9.88E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
171	171	0.40269	4.28E-05	1.7E-05	6.05E-04	1.04E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
172	172	0.42453	4.28E-05	1.8E-05	6.05E-04	1.10E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
173	173	0.44644	4.28E-05	1.9E-05	6.05E-04	1.16E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
174	174	0.46825	4.28E-05	2.0E-05	6.05E-04	1.21E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
175	175	0.48943	4.28E-05	2.1E-05	6.05E-04	1.27E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
176	176	0.50939	4.28E-05	2.2E-05	6.05E-04	1.32E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
177	177	0.52731	4.28E-05	2.3E-05	6.05E-04	1.36E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
181	181	0.36807	4.28E-05	1.6E-05	6.05E-04	9.53E-09	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
182	182	0.39097	4.28E-05	1.7E-05	6.05E-04	1.01E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
183	183	0.41518	4.28E-05	1.8E-05	6.05E-04	1.07E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
184	184	0.44041	4.28E-05	1.9E-05	6.05E-04	1.14E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
185	185	0.46676	4.28E-05	2.0E-05	6.05E-04	1.21E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
186	186	0.49375	4.28E-05	2.1E-05	6.05E-04	1.28E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
187	187	0.52067	4.28E-05	2.2E-05	6.05E-04	1.35E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
188	188	0.54729	4.28E-05	2.3E-05	6.05E-04	1.42E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
189	189	0.57262	4.28E-05	2.4E-05	6.05E-04	1.48E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
190	190	0.59558	4.28E-05	2.5E-05	6.05E-04	1.54E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	0.6153	4.28E-05	2.6E-05	6.05E-04	1.59E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
195	195	0.3968	4.28E-05	1.7E-05	6.05E-04	1.03E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
196	196	0.42388	4.28E-05	1.8E-05	6.05E-04	1.10E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
197	197	0.45274	4.28E-05	1.9E-05	6.05E-04	1.17E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
198	198	0.48327	4.28E-05	2.1E-05	6.05E-04	1.25E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
199	199	0.51548	4.28E-05	2.2E-05	6.05E-04	1.33E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
200	200	0.54882	4.28E-05	2.3E-05	6.05E-04	1.42E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
201	201	0.58277	4.28E-05	2.5E-05	6.05E-04	1.51E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
202	202	0.61656	4.28E-05	2.6E-05	6.05E-04	1.60E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
203	203	0.64907	4.28E-05	2.8E-05	6.05E-04	1.68E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
204	204	0.67894	4.28E-05	2.9E-05	6.05E-04	1.76E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
205	205	0.70495	4.28E-05	3.0E-05	6.05E-04	1.82E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
206	206	0.72589	4.28E-05	3.1E-05	6.05E-04	1.88E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
210	210	0.39746	4.28E-05	1.7E-05	6.05E-04	1.03E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
211	211	0.42811	4.28E-05	1.8E-05	6.05E-04	1.11E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
212	212	0.46015	4.28E-05	2.0E-05	6.05E-04	1.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
213	213	0.49485	4.28E-05	2.1E-05	6.05E-04	1.28E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
214	214	0.57165	4.28E-05	2.4E-05	6.05E-04	1.48E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
215	215	0.61334	4.28E-05	2.6E-05	6.05E-04	1.59E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
216	216	0.6564	4.28E-05	2.8E-05	6.05E-04	1.70E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
217	217	0.70009	4.28E-05	3.0E-05	6.05E-04	1.81E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
218	218	0.74278	4.28E-05	3.2E-05	6.05E-04	1.92E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
219	219	0.78257	4.28E-05	3.3E-05	6.05E-04	2.03E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
220	220	0.81754	4.28E-05	3.5E-05	6.05E-04	2.12E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
221	221	0.8455	4.28E-05	3.6E-05	6.05E-04	2.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
222	222	0.86565	4.28E-05	3.7E-05	6.05E-04	2.24E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
226	226	0.42679	4.28E-05	1.8E-05	6.05E-04	1.10E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
227	227	0.46196	4.28E-05	2.0E-05	6.05E-04	1.20E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
228	228	0.50005	4.28E-05	2.1E-05	6.05E-04	1.29E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
229	229	0.5418	4.28E-05	2.3E-05	6.05E-04	1.40E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
230	230	0.58728	4.28E-05	2.5E-05	6.05E-04	1.52E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	0.63631	4.28E-05	2.7E-05	6.05E-04	1.65E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
232	232	0.68911	4.28E-05	2.9E-05	6.05E-04	1.78E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
233	233	0.80223	4.28E-05	3.4E-05	6.05E-04	2.08E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
234	234	0.85963	4.28E-05	3.7E-05	6.05E-04	2.23E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
235	235	0.91413	4.28E-05	3.9E-05	6.05E-04	2.37E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
236	236	0.96239	4.28E-05	4.1E-05	6.05E-04	2.49E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
237	237	1.00128	4.28E-05	4.3E-05	6.05E-04	2.59E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
238	238	1.02846	4.28E-05	4.4E-05	6.05E-04	2.66E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
242	242	0.45735	4.28E-05	2.0E-05	6.05E-04	1.18E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
243	243	0.49805	4.28E-05	2.1E-05	6.05E-04	1.29E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
244	244	0.54295	4.28E-05	2.3E-05	6.05E-04	1.41E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
245	245	0.59353	4.28E-05	2.5E-05	6.05E-04	1.54E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
246	246	0.64956	4.28E-05	2.8E-05	6.05E-04	1.68E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
247	247	0.71133	4.28E-05	3.0E-05	6.05E-04	1.84E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
248	248	0.77878	4.28E-05	3.3E-05	6.05E-04	2.02E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
249	249	0.92825	4.28E-05	4.0E-05	6.05E-04	2.40E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
250	250	1.0067	4.28E-05	4.3E-05	6.05E-04	2.61E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
251	251	1.08365	4.28E-05	4.6E-05	6.05E-04	2.81E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
252	252	1.15338	4.28E-05	4.9E-05	6.05E-04	2.99E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
253	253	1.20987	4.28E-05	5.2E-05	6.05E-04	3.13E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
254	254	1.24836	4.28E-05	5.3E-05	6.05E-04	3.23E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
257	257	0.48913	4.28E-05	2.1E-05	6.05E-04	1.27E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
258	258	0.5363	4.28E-05	2.3E-05	6.05E-04	1.39E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
259	259	0.58994	4.28E-05	2.5E-05	6.05E-04	1.53E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
260	260	0.64979	4.28E-05	2.8E-05	6.05E-04	1.68E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
261	261	0.71937	4.28E-05	3.1E-05	6.05E-04	1.86E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
262	262	0.79695	4.28E-05	3.4E-05	6.05E-04	2.06E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
263	263	0.88397	4.28E-05	3.8E-05	6.05E-04	2.29E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
264	264	1.08562	4.28E-05	4.6E-05	6.05E-04	2.81E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
265	265	1.19666	4.28E-05	5.1E-05	6.05E-04	3.10E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
266	266	1.30881	4.28E-05	5.6E-05	6.05E-04	3.39E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	1.4131	4.28E-05	6.0E-05	6.05E-04	3.66E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
268	268	1.49877	4.28E-05	6.4E-05	6.05E-04	3.88E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
269	269	1.55648	4.28E-05	6.7E-05	6.05E-04	4.03E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
270	270	1.63938	4.28E-05	7.0E-05	6.05E-04	4.24E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
271	271	1.67549	4.28E-05	7.2E-05	6.05E-04	4.34E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
274	274	0.52162	4.28E-05	2.2E-05	6.05E-04	1.35E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
275	275	0.57588	4.28E-05	2.5E-05	6.05E-04	1.49E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
276	276	0.63904	4.28E-05	2.7E-05	6.05E-04	1.65E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
277	277	0.71122	4.28E-05	3.0E-05	6.05E-04	1.84E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
278	278	0.79597	4.28E-05	3.4E-05	6.05E-04	2.06E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
279	279	0.89365	4.28E-05	3.8E-05	6.05E-04	2.31E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
280	280	1.0053	4.28E-05	4.3E-05	6.05E-04	2.60E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
281	281	1.28154	4.28E-05	5.5E-05	6.05E-04	3.32E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
282	282	1.4423	4.28E-05	6.2E-05	6.05E-04	3.73E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
283	283	1.61204	4.28E-05	6.9E-05	6.05E-04	4.17E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
284	284	1.77871	4.28E-05	7.6E-05	6.05E-04	4.60E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
285	285	1.92051	4.28E-05	8.2E-05	6.05E-04	4.97E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
286	286	2.01266	4.28E-05	8.6E-05	6.05E-04	5.21E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
287	287	2.15638	4.28E-05	9.2E-05	6.05E-04	5.58E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
288	288	2.19975	4.28E-05	9.4E-05	6.05E-04	5.69E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
291	291	0.55401	4.28E-05	2.4E-05	6.05E-04	1.43E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
292	292	0.6161	4.28E-05	2.6E-05	6.05E-04	1.59E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
293	293	0.68938	4.28E-05	2.9E-05	6.05E-04	1.78E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
294	294	0.77584	4.28E-05	3.3E-05	6.05E-04	2.01E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
295	295	0.87783	4.28E-05	3.8E-05	6.05E-04	2.27E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
296	296	1.00008	4.28E-05	4.3E-05	6.05E-04	2.59E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
297	297	1.14669	4.28E-05	4.9E-05	6.05E-04	2.97E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
298	298	1.52731	4.28E-05	6.5E-05	6.05E-04	3.95E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
299	299	1.76956	4.28E-05	7.6E-05	6.05E-04	4.58E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
300	300	2.0395	4.28E-05	8.7E-05	6.05E-04	5.28E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
301	301	2.32561	4.28E-05	9.9E-05	6.05E-04	6.02E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	302	2.57987	4.28E-05	1.1E-04	6.05E-04	6.68E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
303	303	2.74291	4.28E-05	1.2E-04	6.05E-04	7.10E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
304	304	2.99104	4.28E-05	1.3E-04	6.05E-04	7.74E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
305	305	2.98186	4.28E-05	1.3E-04	6.05E-04	7.72E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
308	308	0.5853	4.28E-05	2.5E-05	6.05E-04	1.52E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
309	309	0.65571	4.28E-05	2.8E-05	6.05E-04	1.70E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
310	310	0.73978	4.28E-05	3.2E-05	6.05E-04	1.91E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
311	311	0.84133	4.28E-05	3.6E-05	6.05E-04	2.18E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
312	312	0.96486	4.28E-05	4.1E-05	6.05E-04	2.50E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
313	313	1.11591	4.28E-05	4.8E-05	6.05E-04	2.89E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
314	314	1.30355	4.28E-05	5.6E-05	6.05E-04	3.37E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
315	315	1.832	4.28E-05	7.8E-05	6.05E-04	4.74E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
316	316	2.20544	4.28E-05	9.4E-05	6.05E-04	5.71E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
317	317	2.65809	4.28E-05	1.1E-04	6.05E-04	6.88E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
318	318	3.19566	4.28E-05	1.4E-04	6.05E-04	8.27E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
319	319	3.71929	4.28E-05	1.6E-04	6.05E-04	9.63E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
320	320	4.06723	4.28E-05	1.7E-04	6.05E-04	1.05E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
321	321	4.36111	4.28E-05	1.9E-04	6.05E-04	1.13E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
322	322	4.09767	4.28E-05	1.8E-04	6.05E-04	1.06E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
325	325	0.61414	4.28E-05	2.6E-05	6.05E-04	1.59E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
326	326	0.69272	4.28E-05	3.0E-05	6.05E-04	1.79E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
327	327	0.78792	4.28E-05	3.4E-05	6.05E-04	2.04E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
328	328	0.90515	4.28E-05	3.9E-05	6.05E-04	2.34E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
329	329	1.04994	4.28E-05	4.5E-05	6.05E-04	2.72E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
330	330	1.23392	4.28E-05	5.3E-05	6.05E-04	3.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
331	331	1.46973	4.28E-05	6.3E-05	6.05E-04	3.80E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
332	332	1.77758	4.28E-05	7.6E-05	6.05E-04	4.60E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
333	333	2.19274	4.28E-05	9.4E-05	6.05E-04	5.68E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
334	334	2.7602	4.28E-05	1.2E-04	6.05E-04	7.14E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
335	335	3.5555	4.28E-05	1.5E-04	6.05E-04	9.20E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
336	336	4.66468	4.28E-05	2.0E-04	6.05E-04	1.21E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	6.04181	4.28E-05	2.6E-04	6.05E-04	1.56E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
338	338	7.02106	4.28E-05	3.0E-04	6.05E-04	1.82E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
339	339	7.30847	4.28E-05	3.1E-04	6.05E-04	1.89E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
340	340	6.45578	4.28E-05	2.8E-04	6.05E-04	1.67E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
341	341	5.49275	4.28E-05	2.3E-04	6.05E-04	1.42E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
349	349	1.12958	4.28E-05	4.8E-05	6.05E-04	2.92E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
350	350	1.34575	4.28E-05	5.8E-05	6.05E-04	3.48E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
351	351	1.63144	4.28E-05	7.0E-05	6.05E-04	4.22E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
352	352	2.02236	4.28E-05	8.7E-05	6.05E-04	5.23E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
353	353	12.16799	4.28E-05	5.2E-04	6.05E-04	3.15E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
354	354	8.9629	4.28E-05	3.8E-04	6.05E-04	2.32E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
355	355	6.86407	4.28E-05	2.9E-04	6.05E-04	1.78E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
364	364	1.44103	4.28E-05	6.2E-05	6.05E-04	3.73E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
365	365	1.77415	4.28E-05	7.6E-05	6.05E-04	4.59E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
366	366	2.24561	4.28E-05	9.6E-05	6.05E-04	5.81E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
367	367	16.8147	4.28E-05	7.2E-04	6.05E-04	4.35E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
368	368	10.99915	4.28E-05	4.7E-04	6.05E-04	2.85E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
369	369	7.87489	4.28E-05	3.4E-04	6.05E-04	2.04E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
377	377	1.50958	4.28E-05	6.5E-05	6.05E-04	3.91E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
378	378	1.87887	4.28E-05	8.0E-05	6.05E-04	4.86E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
379	379	2.41105	4.28E-05	1.0E-04	6.05E-04	6.24E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
380	380	19.87692	4.28E-05	8.5E-04	6.05E-04	5.15E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
381	381	12.30369	4.28E-05	5.3E-04	6.05E-04	3.18E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
382	382	8.44954	4.28E-05	3.6E-04	6.05E-04	2.19E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
391	391	1.93236	4.28E-05	8.3E-05	6.05E-04	5.00E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
392	392	2.49234	4.28E-05	1.1E-04	6.05E-04	6.45E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
393	393	22.29711	4.28E-05	9.5E-04	6.05E-04	5.77E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
394	394	13.12742	4.28E-05	5.6E-04	6.05E-04	3.40E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
395	395	8.59354	4.28E-05	3.7E-04	6.05E-04	2.22E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
405	405	1.93094	4.28E-05	8.3E-05	6.05E-04	5.00E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
406	406	2.49197	4.28E-05	1.1E-04	6.05E-04	6.45E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	3.35305	4.28E-05	1.4E-04	6.05E-04	8.68E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
408	408	24.20889	4.28E-05	1.0E-03	6.05E-04	6.27E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
409	409	13.19824	4.28E-05	5.6E-04	6.05E-04	3.42E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
410	410	8.15495	4.28E-05	3.5E-04	6.05E-04	2.11E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
421	421	2.40525	4.28E-05	1.0E-04	6.05E-04	6.23E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
422	422	3.20022	4.28E-05	1.4E-04	6.05E-04	8.28E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
423	423	24.16432	4.28E-05	1.0E-03	6.05E-04	6.25E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
424	424	11.85452	4.28E-05	5.1E-04	6.05E-04	3.07E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
425	425	7.02668	4.28E-05	3.0E-04	6.05E-04	1.82E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
435	435	2.25169	4.28E-05	9.6E-05	6.05E-04	5.83E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
436	436	2.94658	4.28E-05	1.3E-04	6.05E-04	7.63E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
437	437	9.14611	4.28E-05	3.9E-04	6.05E-04	2.37E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
438	438	5.61797	4.28E-05	2.4E-04	6.05E-04	1.45E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
449	449	2.06028	4.28E-05	8.8E-05	6.05E-04	5.33E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
450	450	2.6369	4.28E-05	1.1E-04	6.05E-04	6.83E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
451	451	3.4884	4.28E-05	1.5E-04	6.05E-04	9.03E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
452	452	6.94554	4.28E-05	3.0E-04	6.05E-04	1.80E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
453	453	4.55144	4.28E-05	1.9E-04	6.05E-04	1.18E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
464	464	2.31573	4.28E-05	9.9E-05	6.05E-04	5.99E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
465	465	2.96176	4.28E-05	1.3E-04	6.05E-04	7.67E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
466	466	12.20745	4.28E-05	5.2E-04	6.05E-04	3.16E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
467	467	5.53793	4.28E-05	2.4E-04	6.05E-04	1.43E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
468	468	3.81669	4.28E-05	1.6E-04	6.05E-04	9.88E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
479	479	2.00598	4.28E-05	8.6E-05	6.05E-04	5.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
480	480	2.49371	4.28E-05	1.1E-04	6.05E-04	6.45E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
481	481	3.15554	4.28E-05	1.3E-04	6.05E-04	8.17E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
482	482	4.09677	4.28E-05	1.8E-04	6.05E-04	1.06E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
483	483	5.37607	4.28E-05	2.3E-04	6.05E-04	1.39E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
484	484	6.822	4.28E-05	2.9E-04	6.05E-04	1.77E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
485	485	7.26558	4.28E-05	3.1E-04	6.05E-04	1.88E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
486	486	6.06001	4.28E-05	2.6E-04	6.05E-04	1.57E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Constant	Dose	ED	Constant	Risk	Constant 2	Risk/ Million
487	487	4.44633	4.28E-05	1.9E-04	6.05E-04	1.15E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
488	488	3.23847	4.28E-05	1.4E-04	6.05E-04	8.38E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
501	501	2.09605	4.28E-05	9.0E-05	6.05E-04	5.43E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
502	502	2.5762	4.28E-05	1.1E-04	6.05E-04	6.67E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
503	503	3.19122	4.28E-05	1.4E-04	6.05E-04	8.26E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
504	504	3.94184	4.28E-05	1.7E-04	6.05E-04	1.02E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
505	505	4.662	4.28E-05	2.0E-04	6.05E-04	1.21E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
506	506	4.91337	4.28E-05	2.1E-04	6.05E-04	1.27E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
507	507	4.43229	4.28E-05	1.9E-04	6.05E-04	1.15E-07	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
508	508	2.75757	4.28E-05	1.2E-04	6.05E-04	7.14E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
520	520	1.78618	4.28E-05	7.6E-05	6.05E-04	4.62E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
521	521	2.11407	4.28E-05	9.0E-05	6.05E-04	5.47E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
522	522	2.54392	4.28E-05	1.1E-04	6.05E-04	6.58E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
523	523	3.0097	4.28E-05	1.3E-04	6.05E-04	7.79E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
524	524	3.4208	4.28E-05	1.5E-04	6.05E-04	8.85E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
525	525	3.58271	4.28E-05	1.5E-04	6.05E-04	9.27E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
526	526	3.36891	4.28E-05	1.4E-04	6.05E-04	8.72E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
527	527	2.34927	4.28E-05	1.0E-04	6.05E-04	6.08E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
539	539	1.53501	4.28E-05	6.6E-05	6.05E-04	3.97E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
540	540	1.78118	4.28E-05	7.6E-05	6.05E-04	4.61E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
541	541	2.06344	4.28E-05	8.8E-05	6.05E-04	5.34E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
542	542	2.36667	4.28E-05	1.0E-04	6.05E-04	6.13E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
543	543	2.633	4.28E-05	1.1E-04	6.05E-04	6.82E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
544	544	2.74525	4.28E-05	1.2E-04	6.05E-04	7.11E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
545	545	2.64113	4.28E-05	1.1E-04	6.05E-04	6.84E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
546	546	2.0062	4.28E-05	8.6E-05	6.05E-04	5.19E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
560	560	1.51393	4.28E-05	6.5E-05	6.05E-04	3.92E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
561	561	1.72027	4.28E-05	7.4E-05	6.05E-04	4.45E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
562	562	1.9257	4.28E-05	8.2E-05	6.05E-04	4.98E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
563	563	2.08686	4.28E-05	8.9E-05	6.05E-04	5.40E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
564	564	2.17665	4.28E-05	9.3E-05	6.05E-04	5.63E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Truck Parking [Idle1]

<i>Cancer Risk from 2-16 years - Construction</i>											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	2.13369	4.28E-05	9.1E-05	6.05E-04	5.52E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
566	566	1.72409	4.28E-05	7.4E-05	6.05E-04	4.46E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
579	579	1.30055	4.28E-05	5.6E-05	6.05E-04	3.37E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
580	580	1.45173	4.28E-05	6.2E-05	6.05E-04	3.76E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
581	581	1.60002	4.28E-05	6.8E-05	6.05E-04	4.14E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
582	582	1.71925	4.28E-05	7.4E-05	6.05E-04	4.45E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
583	583	1.77955	4.28E-05	7.6E-05	6.05E-04	4.61E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
584	584	1.75634	4.28E-05	7.5E-05	6.05E-04	4.55E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
585	585	1.60092	4.28E-05	6.8E-05	6.05E-04	4.14E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
598	598	1.12913	4.28E-05	4.8E-05	6.05E-04	2.92E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
599	599	1.24141	4.28E-05	5.3E-05	6.05E-04	3.21E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
600	600	1.34959	4.28E-05	5.8E-05	6.05E-04	3.49E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
601	601	1.43729	4.28E-05	6.1E-05	6.05E-04	3.72E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
602	602	1.48465	4.28E-05	6.4E-05	6.05E-04	3.84E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
603	603	1.47643	4.28E-05	6.3E-05	6.05E-04	3.82E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00
604	604	1.40782	4.28E-05	6.0E-05	6.05E-04	3.64E-08	0	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.12126	4.28E-05	5.2E-06	2.50E-04	1.30E-09	14	1.15E-02	2.09E-10	1.0E+06	2.1E-04
2	2	0.12556	4.28E-05	5.4E-06	2.50E-04	1.34E-09	14	1.15E-02	2.16E-10	1.0E+06	2.2E-04
3	3	0.13001	4.28E-05	5.6E-06	2.50E-04	1.39E-09	14	1.15E-02	2.24E-10	1.0E+06	2.2E-04
4	4	0.13465	4.28E-05	5.8E-06	2.50E-04	1.44E-09	14	1.15E-02	2.32E-10	1.0E+06	2.3E-04
5	5	0.1395	4.28E-05	6.0E-06	2.50E-04	1.49E-09	14	1.15E-02	2.40E-10	1.0E+06	2.4E-04
6	6	0.14463	4.28E-05	6.2E-06	2.50E-04	1.55E-09	14	1.15E-02	2.49E-10	1.0E+06	2.5E-04
7	7	0.14997	4.28E-05	6.4E-06	2.50E-04	1.61E-09	14	1.15E-02	2.58E-10	1.0E+06	2.6E-04
8	8	0.15548	4.28E-05	6.7E-06	2.50E-04	1.66E-09	14	1.15E-02	2.67E-10	1.0E+06	2.7E-04
9	9	0.16122	4.28E-05	6.9E-06	2.50E-04	1.73E-09	14	1.15E-02	2.77E-10	1.0E+06	2.8E-04
10	10	0.16717	4.28E-05	7.2E-06	2.50E-04	1.79E-09	14	1.15E-02	2.87E-10	1.0E+06	2.9E-04
11	11	0.17332	4.28E-05	7.4E-06	2.50E-04	1.86E-09	14	1.15E-02	2.98E-10	1.0E+06	3.0E-04
12	12	0.17965	4.28E-05	7.7E-06	2.50E-04	1.92E-09	14	1.15E-02	3.09E-10	1.0E+06	3.1E-04
13	13	0.18621	4.28E-05	8.0E-06	2.50E-04	1.99E-09	14	1.15E-02	3.20E-10	1.0E+06	3.2E-04
14	14	0.19293	4.28E-05	8.3E-06	2.50E-04	2.07E-09	14	1.15E-02	3.32E-10	1.0E+06	3.3E-04
15	15	0.19982	4.28E-05	8.5E-06	2.50E-04	2.14E-09	14	1.15E-02	3.44E-10	1.0E+06	3.4E-04
16	16	0.2068	4.28E-05	8.8E-06	2.50E-04	2.21E-09	14	1.15E-02	3.56E-10	1.0E+06	3.6E-04
17	17	0.21392	4.28E-05	9.2E-06	2.50E-04	2.29E-09	14	1.15E-02	3.68E-10	1.0E+06	3.7E-04
18	18	0.22103	4.28E-05	9.5E-06	2.50E-04	2.37E-09	14	1.15E-02	3.80E-10	1.0E+06	3.8E-04
19	19	0.22814	4.28E-05	9.8E-06	2.50E-04	2.44E-09	14	1.15E-02	3.92E-10	1.0E+06	3.9E-04
20	20	0.23517	4.28E-05	1.0E-05	2.50E-04	2.52E-09	14	1.15E-02	4.04E-10	1.0E+06	4.0E-04
21	21	0.24202	4.28E-05	1.0E-05	2.50E-04	2.59E-09	14	1.15E-02	4.16E-10	1.0E+06	4.2E-04
22	22	0.24864	4.28E-05	1.1E-05	2.50E-04	2.66E-09	14	1.15E-02	4.28E-10	1.0E+06	4.3E-04
23	23	0.2549	4.28E-05	1.1E-05	2.50E-04	2.73E-09	14	1.15E-02	4.38E-10	1.0E+06	4.4E-04
24	24	0.26073	4.28E-05	1.1E-05	2.50E-04	2.79E-09	14	1.15E-02	4.48E-10	1.0E+06	4.5E-04
25	25	0.26606	4.28E-05	1.1E-05	2.50E-04	2.85E-09	14	1.15E-02	4.57E-10	1.0E+06	4.6E-04
26	26	0.27081	4.28E-05	1.2E-05	2.50E-04	2.90E-09	14	1.15E-02	4.66E-10	1.0E+06	4.7E-04
27	27	0.27493	4.28E-05	1.2E-05	2.50E-04	2.94E-09	14	1.15E-02	4.73E-10	1.0E+06	4.7E-04
28	28	0.27832	4.28E-05	1.2E-05	2.50E-04	2.98E-09	14	1.15E-02	4.79E-10	1.0E+06	4.8E-04
29	29	0.281	4.28E-05	1.2E-05	2.50E-04	3.01E-09	14	1.15E-02	4.83E-10	1.0E+06	4.8E-04
30	30	0.28295	4.28E-05	1.2E-05	2.50E-04	3.03E-09	14	1.15E-02	4.87E-10	1.0E+06	4.9E-04
31	31	0.28417	4.28E-05	1.2E-05	2.50E-04	3.04E-09	14	1.15E-02	4.89E-10	1.0E+06	4.9E-04

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.28469	4.28E-05	1.2E-05	2.50E-04	3.05E-09	14	1.15E-02	4.90E-10	1.0E+06	4.9E-04
55	55	0.26742	4.28E-05	1.1E-05	2.50E-04	2.86E-09	14	1.15E-02	4.60E-10	1.0E+06	4.6E-04
56	56	0.27471	4.28E-05	1.2E-05	2.50E-04	2.94E-09	14	1.15E-02	4.72E-10	1.0E+06	4.7E-04
57	57	0.2816	4.28E-05	1.2E-05	2.50E-04	3.02E-09	14	1.15E-02	4.84E-10	1.0E+06	4.8E-04
58	58	0.28787	4.28E-05	1.2E-05	2.50E-04	3.08E-09	14	1.15E-02	4.95E-10	1.0E+06	4.9E-04
59	59	0.29342	4.28E-05	1.3E-05	2.50E-04	3.14E-09	14	1.15E-02	5.05E-10	1.0E+06	5.0E-04
60	60	0.29817	4.28E-05	1.3E-05	2.50E-04	3.19E-09	14	1.15E-02	5.13E-10	1.0E+06	5.1E-04
61	61	0.30216	4.28E-05	1.3E-05	2.50E-04	3.24E-09	14	1.15E-02	5.20E-10	1.0E+06	5.2E-04
62	62	0.30524	4.28E-05	1.3E-05	2.50E-04	3.27E-09	14	1.15E-02	5.25E-10	1.0E+06	5.2E-04
63	63	0.30747	4.28E-05	1.3E-05	2.50E-04	3.29E-09	14	1.15E-02	5.29E-10	1.0E+06	5.3E-04
64	64	0.30882	4.28E-05	1.3E-05	2.50E-04	3.31E-09	14	1.15E-02	5.31E-10	1.0E+06	5.3E-04
65	65	0.30937	4.28E-05	1.3E-05	2.50E-04	3.31E-09	14	1.15E-02	5.32E-10	1.0E+06	5.3E-04
66	66	0.30943	4.28E-05	1.3E-05	2.50E-04	3.31E-09	14	1.15E-02	5.32E-10	1.0E+06	5.3E-04
67	67	0.12907	4.28E-05	5.5E-06	2.50E-04	1.38E-09	14	1.15E-02	2.22E-10	1.0E+06	2.2E-04
68	68	0.13402	4.28E-05	5.7E-06	2.50E-04	1.43E-09	14	1.15E-02	2.30E-10	1.0E+06	2.3E-04
69	69	0.13922	4.28E-05	6.0E-06	2.50E-04	1.49E-09	14	1.15E-02	2.39E-10	1.0E+06	2.4E-04
70	70	0.14467	4.28E-05	6.2E-06	2.50E-04	1.55E-09	14	1.15E-02	2.49E-10	1.0E+06	2.5E-04
71	71	0.15034	4.28E-05	6.4E-06	2.50E-04	1.61E-09	14	1.15E-02	2.59E-10	1.0E+06	2.6E-04
72	72	0.15639	4.28E-05	6.7E-06	2.50E-04	1.67E-09	14	1.15E-02	2.69E-10	1.0E+06	2.7E-04
73	73	0.16271	4.28E-05	7.0E-06	2.50E-04	1.74E-09	14	1.15E-02	2.80E-10	1.0E+06	2.8E-04
74	74	0.16932	4.28E-05	7.2E-06	2.50E-04	1.81E-09	14	1.15E-02	2.91E-10	1.0E+06	2.9E-04
75	75	0.17621	4.28E-05	7.5E-06	2.50E-04	1.89E-09	14	1.15E-02	3.03E-10	1.0E+06	3.0E-04
76	76	0.18343	4.28E-05	7.8E-06	2.50E-04	1.96E-09	14	1.15E-02	3.15E-10	1.0E+06	3.2E-04
77	77	0.19099	4.28E-05	8.2E-06	2.50E-04	2.04E-09	14	1.15E-02	3.28E-10	1.0E+06	3.3E-04
78	78	0.19891	4.28E-05	8.5E-06	2.50E-04	2.13E-09	14	1.15E-02	3.42E-10	1.0E+06	3.4E-04
79	79	0.24228	4.28E-05	1.0E-05	2.50E-04	2.59E-09	14	1.15E-02	4.17E-10	1.0E+06	4.2E-04
80	80	0.25154	4.28E-05	1.1E-05	2.50E-04	2.69E-09	14	1.15E-02	4.33E-10	1.0E+06	4.3E-04
81	81	0.26097	4.28E-05	1.1E-05	2.50E-04	2.79E-09	14	1.15E-02	4.49E-10	1.0E+06	4.5E-04
82	82	0.27033	4.28E-05	1.2E-05	2.50E-04	2.89E-09	14	1.15E-02	4.65E-10	1.0E+06	4.6E-04
83	83	0.27961	4.28E-05	1.2E-05	2.50E-04	2.99E-09	14	1.15E-02	4.81E-10	1.0E+06	4.8E-04
84	84	0.28857	4.28E-05	1.2E-05	2.50E-04	3.09E-09	14	1.15E-02	4.96E-10	1.0E+06	5.0E-04

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	85	0.29718	4.28E-05	1.3E-05	2.50E-04	3.18E-09	14	1.15E-02	5.11E-10	1.0E+06	5.1E-04
86	86	0.30527	4.28E-05	1.3E-05	2.50E-04	3.27E-09	14	1.15E-02	5.25E-10	1.0E+06	5.2E-04
87	87	0.31265	4.28E-05	1.3E-05	2.50E-04	3.35E-09	14	1.15E-02	5.38E-10	1.0E+06	5.4E-04
88	88	0.31924	4.28E-05	1.4E-05	2.50E-04	3.42E-09	14	1.15E-02	5.49E-10	1.0E+06	5.5E-04
89	89	0.32485	4.28E-05	1.4E-05	2.50E-04	3.48E-09	14	1.15E-02	5.59E-10	1.0E+06	5.6E-04
90	90	0.32947	4.28E-05	1.4E-05	2.50E-04	3.53E-09	14	1.15E-02	5.67E-10	1.0E+06	5.7E-04
91	91	0.33314	4.28E-05	1.4E-05	2.50E-04	3.57E-09	14	1.15E-02	5.73E-10	1.0E+06	5.7E-04
92	92	0.33561	4.28E-05	1.4E-05	2.50E-04	3.59E-09	14	1.15E-02	5.77E-10	1.0E+06	5.8E-04
93	93	0.33719	4.28E-05	1.4E-05	2.50E-04	3.61E-09	14	1.15E-02	5.80E-10	1.0E+06	5.8E-04
96	96	0.32935	4.28E-05	1.4E-05	2.50E-04	3.53E-09	14	1.15E-02	5.66E-10	1.0E+06	5.7E-04
97	97	0.32028	4.28E-05	1.4E-05	2.50E-04	3.43E-09	14	1.15E-02	5.51E-10	1.0E+06	5.5E-04
98	98	0.34886	4.28E-05	1.5E-05	2.50E-04	3.74E-09	14	1.15E-02	6.00E-10	1.0E+06	6.0E-04
99	99	0.35566	4.28E-05	1.5E-05	2.50E-04	3.81E-09	14	1.15E-02	6.12E-10	1.0E+06	6.1E-04
100	100	0.36116	4.28E-05	1.5E-05	2.50E-04	3.87E-09	14	1.15E-02	6.21E-10	1.0E+06	6.2E-04
101	101	0.36534	4.28E-05	1.6E-05	2.50E-04	3.91E-09	14	1.15E-02	6.28E-10	1.0E+06	6.3E-04
102	102	0.36832	4.28E-05	1.6E-05	2.50E-04	3.94E-09	14	1.15E-02	6.33E-10	1.0E+06	6.3E-04
106	106	0.13174	4.28E-05	5.6E-06	2.50E-04	1.41E-09	14	1.15E-02	2.27E-10	1.0E+06	2.3E-04
107	107	0.13718	4.28E-05	5.9E-06	2.50E-04	1.47E-09	14	1.15E-02	2.36E-10	1.0E+06	2.4E-04
108	108	0.14286	4.28E-05	6.1E-06	2.50E-04	1.53E-09	14	1.15E-02	2.46E-10	1.0E+06	2.5E-04
109	109	0.14886	4.28E-05	6.4E-06	2.50E-04	1.59E-09	14	1.15E-02	2.56E-10	1.0E+06	2.6E-04
110	110	0.15522	4.28E-05	6.6E-06	2.50E-04	1.66E-09	14	1.15E-02	2.67E-10	1.0E+06	2.7E-04
111	111	0.16187	4.28E-05	6.9E-06	2.50E-04	1.73E-09	14	1.15E-02	2.78E-10	1.0E+06	2.8E-04
112	112	0.16904	4.28E-05	7.2E-06	2.50E-04	1.81E-09	14	1.15E-02	2.91E-10	1.0E+06	2.9E-04
113	113	0.17654	4.28E-05	7.6E-06	2.50E-04	1.89E-09	14	1.15E-02	3.04E-10	1.0E+06	3.0E-04
114	114	0.18447	4.28E-05	7.9E-06	2.50E-04	1.98E-09	14	1.15E-02	3.17E-10	1.0E+06	3.2E-04
115	115	0.1928	4.28E-05	8.2E-06	2.50E-04	2.06E-09	14	1.15E-02	3.32E-10	1.0E+06	3.3E-04
116	116	0.20152	4.28E-05	8.6E-06	2.50E-04	2.16E-09	14	1.15E-02	3.47E-10	1.0E+06	3.5E-04
117	117	0.21084	4.28E-05	9.0E-06	2.50E-04	2.26E-09	14	1.15E-02	3.63E-10	1.0E+06	3.6E-04
118	118	0.22064	4.28E-05	9.4E-06	2.50E-04	2.36E-09	14	1.15E-02	3.79E-10	1.0E+06	3.8E-04
124	124	0.13553	4.28E-05	5.8E-06	2.50E-04	1.45E-09	14	1.15E-02	2.33E-10	1.0E+06	2.3E-04
125	125	0.14126	4.28E-05	6.0E-06	2.50E-04	1.51E-09	14	1.15E-02	2.43E-10	1.0E+06	2.4E-04

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	126	0.14734	4.28E-05	6.3E-06	2.50E-04	1.58E-09	14	1.15E-02	2.53E-10	1.0E+06	2.5E-04
127	127	0.15378	4.28E-05	6.6E-06	2.50E-04	1.65E-09	14	1.15E-02	2.64E-10	1.0E+06	2.6E-04
128	128	0.16062	4.28E-05	6.9E-06	2.50E-04	1.72E-09	14	1.15E-02	2.76E-10	1.0E+06	2.8E-04
129	129	0.16783	4.28E-05	7.2E-06	2.50E-04	1.80E-09	14	1.15E-02	2.89E-10	1.0E+06	2.9E-04
130	130	0.1756	4.28E-05	7.5E-06	2.50E-04	1.88E-09	14	1.15E-02	3.02E-10	1.0E+06	3.0E-04
131	131	0.18381	4.28E-05	7.9E-06	2.50E-04	1.97E-09	14	1.15E-02	3.16E-10	1.0E+06	3.2E-04
132	132	0.19252	4.28E-05	8.2E-06	2.50E-04	2.06E-09	14	1.15E-02	3.31E-10	1.0E+06	3.3E-04
133	133	0.2017	4.28E-05	8.6E-06	2.50E-04	2.16E-09	14	1.15E-02	3.47E-10	1.0E+06	3.5E-04
134	134	0.21151	4.28E-05	9.0E-06	2.50E-04	2.26E-09	14	1.15E-02	3.64E-10	1.0E+06	3.6E-04
135	135	0.22183	4.28E-05	9.5E-06	2.50E-04	2.38E-09	14	1.15E-02	3.81E-10	1.0E+06	3.8E-04
136	136	0.23272	4.28E-05	1.0E-05	2.50E-04	2.49E-09	14	1.15E-02	4.00E-10	1.0E+06	4.0E-04
137	137	0.24414	4.28E-05	1.0E-05	2.50E-04	2.61E-09	14	1.15E-02	4.20E-10	1.0E+06	4.2E-04
138	138	0.25634	4.28E-05	1.1E-05	2.50E-04	2.74E-09	14	1.15E-02	4.41E-10	1.0E+06	4.4E-04
141	141	0.13928	4.28E-05	6.0E-06	2.50E-04	1.49E-09	14	1.15E-02	2.39E-10	1.0E+06	2.4E-04
142	142	0.14539	4.28E-05	6.2E-06	2.50E-04	1.56E-09	14	1.15E-02	2.50E-10	1.0E+06	2.5E-04
143	143	0.15188	4.28E-05	6.5E-06	2.50E-04	1.63E-09	14	1.15E-02	2.61E-10	1.0E+06	2.6E-04
144	144	0.15878	4.28E-05	6.8E-06	2.50E-04	1.70E-09	14	1.15E-02	2.73E-10	1.0E+06	2.7E-04
145	145	0.16614	4.28E-05	7.1E-06	2.50E-04	1.78E-09	14	1.15E-02	2.86E-10	1.0E+06	2.9E-04
146	146	0.17393	4.28E-05	7.4E-06	2.50E-04	1.86E-09	14	1.15E-02	2.99E-10	1.0E+06	3.0E-04
147	147	0.18235	4.28E-05	7.8E-06	2.50E-04	1.95E-09	14	1.15E-02	3.14E-10	1.0E+06	3.1E-04
148	148	0.19128	4.28E-05	8.2E-06	2.50E-04	2.05E-09	14	1.15E-02	3.29E-10	1.0E+06	3.3E-04
149	149	0.20081	4.28E-05	8.6E-06	2.50E-04	2.15E-09	14	1.15E-02	3.45E-10	1.0E+06	3.5E-04
150	150	0.21094	4.28E-05	9.0E-06	2.50E-04	2.26E-09	14	1.15E-02	3.63E-10	1.0E+06	3.6E-04
151	151	0.22175	4.28E-05	9.5E-06	2.50E-04	2.37E-09	14	1.15E-02	3.81E-10	1.0E+06	3.8E-04
152	152	0.23326	4.28E-05	1.0E-05	2.50E-04	2.50E-09	14	1.15E-02	4.01E-10	1.0E+06	4.0E-04
153	153	0.24548	4.28E-05	1.1E-05	2.50E-04	2.63E-09	14	1.15E-02	4.22E-10	1.0E+06	4.2E-04
154	154	0.25835	4.28E-05	1.1E-05	2.50E-04	2.77E-09	14	1.15E-02	4.44E-10	1.0E+06	4.4E-04
155	155	0.27204	4.28E-05	1.2E-05	2.50E-04	2.91E-09	14	1.15E-02	4.68E-10	1.0E+06	4.7E-04
164	164	0.27343	4.28E-05	1.2E-05	2.50E-04	2.93E-09	14	1.15E-02	4.70E-10	1.0E+06	4.7E-04
165	165	0.2889	4.28E-05	1.2E-05	2.50E-04	3.09E-09	14	1.15E-02	4.97E-10	1.0E+06	5.0E-04
166	166	0.30557	4.28E-05	1.3E-05	2.50E-04	3.27E-09	14	1.15E-02	5.25E-10	1.0E+06	5.3E-04

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	0.28934	4.28E-05	1.2E-05	2.50E-04	3.10E-09	14	1.15E-02	4.98E-10	1.0E+06	5.0E-04
179	179	0.30694	4.28E-05	1.3E-05	2.50E-04	3.29E-09	14	1.15E-02	5.28E-10	1.0E+06	5.3E-04
180	180	0.32599	4.28E-05	1.4E-05	2.50E-04	3.49E-09	14	1.15E-02	5.61E-10	1.0E+06	5.6E-04
192	192	0.30611	4.28E-05	1.3E-05	2.50E-04	3.28E-09	14	1.15E-02	5.26E-10	1.0E+06	5.3E-04
193	193	0.32619	4.28E-05	1.4E-05	2.50E-04	3.49E-09	14	1.15E-02	5.61E-10	1.0E+06	5.6E-04
194	194	0.34788	4.28E-05	1.5E-05	2.50E-04	3.72E-09	14	1.15E-02	5.98E-10	1.0E+06	6.0E-04
207	207	0.32356	4.28E-05	1.4E-05	2.50E-04	3.46E-09	14	1.15E-02	5.56E-10	1.0E+06	5.6E-04
208	208	0.34632	4.28E-05	1.5E-05	2.50E-04	3.71E-09	14	1.15E-02	5.96E-10	1.0E+06	6.0E-04
209	209	0.37122	4.28E-05	1.6E-05	2.50E-04	3.97E-09	14	1.15E-02	6.38E-10	1.0E+06	6.4E-04
223	223	0.3416	4.28E-05	1.5E-05	2.50E-04	3.66E-09	14	1.15E-02	5.87E-10	1.0E+06	5.9E-04
224	224	0.36731	4.28E-05	1.6E-05	2.50E-04	3.93E-09	14	1.15E-02	6.32E-10	1.0E+06	6.3E-04
225	225	0.39557	4.28E-05	1.7E-05	2.50E-04	4.24E-09	14	1.15E-02	6.80E-10	1.0E+06	6.8E-04
239	239	0.36011	4.28E-05	1.5E-05	2.50E-04	3.86E-09	14	1.15E-02	6.19E-10	1.0E+06	6.2E-04
240	240	0.38904	4.28E-05	1.7E-05	2.50E-04	4.17E-09	14	1.15E-02	6.69E-10	1.0E+06	6.7E-04
241	241	0.42133	4.28E-05	1.8E-05	2.50E-04	4.51E-09	14	1.15E-02	7.24E-10	1.0E+06	7.2E-04
255	255	0.37874	4.28E-05	1.6E-05	2.50E-04	4.06E-09	14	1.15E-02	6.51E-10	1.0E+06	6.5E-04
256	256	0.41114	4.28E-05	1.8E-05	2.50E-04	4.40E-09	14	1.15E-02	7.07E-10	1.0E+06	7.1E-04
272	272	0.39707	4.28E-05	1.7E-05	2.50E-04	4.25E-09	14	1.15E-02	6.83E-10	1.0E+06	6.8E-04
273	273	0.43324	4.28E-05	1.9E-05	2.50E-04	4.64E-09	14	1.15E-02	7.45E-10	1.0E+06	7.4E-04
289	289	0.41485	4.28E-05	1.8E-05	2.50E-04	4.44E-09	14	1.15E-02	7.13E-10	1.0E+06	7.1E-04
290	290	0.45476	4.28E-05	1.9E-05	2.50E-04	4.87E-09	14	1.15E-02	7.82E-10	1.0E+06	7.8E-04
306	306	0.4314	4.28E-05	1.8E-05	2.50E-04	4.62E-09	14	1.15E-02	7.42E-10	1.0E+06	7.4E-04
307	307	0.47503	4.28E-05	2.0E-05	2.50E-04	5.09E-09	14	1.15E-02	8.17E-10	1.0E+06	8.2E-04
323	323	0.44616	4.28E-05	1.9E-05	2.50E-04	4.78E-09	14	1.15E-02	7.67E-10	1.0E+06	7.7E-04
324	324	0.4933	4.28E-05	2.1E-05	2.50E-04	5.28E-09	14	1.15E-02	8.48E-10	1.0E+06	8.5E-04
342	342	0.45857	4.28E-05	2.0E-05	2.50E-04	4.91E-09	14	1.15E-02	7.89E-10	1.0E+06	7.9E-04
343	343	0.5088	4.28E-05	2.2E-05	2.50E-04	5.45E-09	14	1.15E-02	8.75E-10	1.0E+06	8.7E-04
344	344	0.5681	4.28E-05	2.4E-05	2.50E-04	6.08E-09	14	1.15E-02	9.77E-10	1.0E+06	9.8E-04
356	356	0.46806	4.28E-05	2.0E-05	2.50E-04	5.01E-09	14	1.15E-02	8.05E-10	1.0E+06	8.0E-04
357	357	0.52069	4.28E-05	2.2E-05	2.50E-04	5.57E-09	14	1.15E-02	8.95E-10	1.0E+06	9.0E-04
358	358	0.58338	4.28E-05	2.5E-05	2.50E-04	6.25E-09	14	1.15E-02	1.00E-09	1.0E+06	1.0E-03

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	0.47432	4.28E-05	2.0E-05	2.50E-04	5.08E-09	14	1.15E-02	8.16E-10	1.0E+06	8.2E-04
371	371	0.52862	4.28E-05	2.3E-05	2.50E-04	5.66E-09	14	1.15E-02	9.09E-10	1.0E+06	9.1E-04
372	372	0.5936	4.28E-05	2.5E-05	2.50E-04	6.36E-09	14	1.15E-02	1.02E-09	1.0E+06	1.0E-03
383	383	0.47712	4.28E-05	2.0E-05	2.50E-04	5.11E-09	14	1.15E-02	8.20E-10	1.0E+06	8.2E-04
384	384	0.53227	4.28E-05	2.3E-05	2.50E-04	5.70E-09	14	1.15E-02	9.15E-10	1.0E+06	9.2E-04
385	385	0.59839	4.28E-05	2.6E-05	2.50E-04	6.41E-09	14	1.15E-02	1.03E-09	1.0E+06	1.0E-03
396	396	0.47655	4.28E-05	2.0E-05	2.50E-04	5.10E-09	14	1.15E-02	8.19E-10	1.0E+06	8.2E-04
397	397	0.53168	4.28E-05	2.3E-05	2.50E-04	5.69E-09	14	1.15E-02	9.14E-10	1.0E+06	9.1E-04
398	398	0.59776	4.28E-05	2.6E-05	2.50E-04	6.40E-09	14	1.15E-02	1.03E-09	1.0E+06	1.0E-03
399	399	0.67801	4.28E-05	2.9E-05	2.50E-04	7.26E-09	14	1.15E-02	1.17E-09	1.0E+06	1.2E-03
411	411	0.47283	4.28E-05	2.0E-05	2.50E-04	5.06E-09	14	1.15E-02	8.13E-10	1.0E+06	8.1E-04
412	412	0.52713	4.28E-05	2.3E-05	2.50E-04	5.64E-09	14	1.15E-02	9.06E-10	1.0E+06	9.1E-04
413	413	0.59222	4.28E-05	2.5E-05	2.50E-04	6.34E-09	14	1.15E-02	1.02E-09	1.0E+06	1.0E-03
414	414	0.67089	4.28E-05	2.9E-05	2.50E-04	7.18E-09	14	1.15E-02	1.15E-09	1.0E+06	1.2E-03
426	426	0.46641	4.28E-05	2.0E-05	2.50E-04	4.99E-09	14	1.15E-02	8.02E-10	1.0E+06	8.0E-04
427	427	0.51922	4.28E-05	2.2E-05	2.50E-04	5.56E-09	14	1.15E-02	8.93E-10	1.0E+06	8.9E-04
428	428	0.58215	4.28E-05	2.5E-05	2.50E-04	6.23E-09	14	1.15E-02	1.00E-09	1.0E+06	1.0E-03
429	429	0.65817	4.28E-05	2.8E-05	2.50E-04	7.05E-09	14	1.15E-02	1.13E-09	1.0E+06	1.1E-03
439	439	0.45769	4.28E-05	2.0E-05	2.50E-04	4.90E-09	14	1.15E-02	7.87E-10	1.0E+06	7.9E-04
440	440	0.50847	4.28E-05	2.2E-05	2.50E-04	5.44E-09	14	1.15E-02	8.74E-10	1.0E+06	8.7E-04
441	441	0.56873	4.28E-05	2.4E-05	2.50E-04	6.09E-09	14	1.15E-02	9.78E-10	1.0E+06	9.8E-04
442	442	0.64102	4.28E-05	2.7E-05	2.50E-04	6.86E-09	14	1.15E-02	1.10E-09	1.0E+06	1.1E-03
443	443	0.72881	4.28E-05	3.1E-05	2.50E-04	7.80E-09	14	1.15E-02	1.25E-09	1.0E+06	1.3E-03
454	454	0.44719	4.28E-05	1.9E-05	2.50E-04	4.79E-09	14	1.15E-02	7.69E-10	1.0E+06	7.7E-04
455	455	0.49552	4.28E-05	2.1E-05	2.50E-04	5.31E-09	14	1.15E-02	8.52E-10	1.0E+06	8.5E-04
456	456	0.55252	4.28E-05	2.4E-05	2.50E-04	5.92E-09	14	1.15E-02	9.50E-10	1.0E+06	9.5E-04
457	457	0.6204	4.28E-05	2.7E-05	2.50E-04	6.64E-09	14	1.15E-02	1.07E-09	1.0E+06	1.1E-03
458	458	0.70209	4.28E-05	3.0E-05	2.50E-04	7.52E-09	14	1.15E-02	1.21E-09	1.0E+06	1.2E-03
469	469	0.43526	4.28E-05	1.9E-05	2.50E-04	4.66E-09	14	1.15E-02	7.48E-10	1.0E+06	7.5E-04
470	470	0.4808	4.28E-05	2.1E-05	2.50E-04	5.15E-09	14	1.15E-02	8.27E-10	1.0E+06	8.3E-04
471	471	0.53418	4.28E-05	2.3E-05	2.50E-04	5.72E-09	14	1.15E-02	9.19E-10	1.0E+06	9.2E-04

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	0.59716	4.28E-05	2.6E-05	2.50E-04	6.39E-09	14	1.15E-02	1.03E-09	1.0E+06	1.0E-03
473	473	0.67215	4.28E-05	2.9E-05	2.50E-04	7.20E-09	14	1.15E-02	1.16E-09	1.0E+06	1.2E-03
489	489	0.42232	4.28E-05	1.8E-05	2.50E-04	4.52E-09	14	1.15E-02	7.26E-10	1.0E+06	7.3E-04
490	490	0.4649	4.28E-05	2.0E-05	2.50E-04	4.98E-09	14	1.15E-02	7.99E-10	1.0E+06	8.0E-04
491	491	0.51437	4.28E-05	2.2E-05	2.50E-04	5.51E-09	14	1.15E-02	8.84E-10	1.0E+06	8.8E-04
492	492	0.5722	4.28E-05	2.4E-05	2.50E-04	6.13E-09	14	1.15E-02	9.84E-10	1.0E+06	9.8E-04
493	493	0.6403	4.28E-05	2.7E-05	2.50E-04	6.86E-09	14	1.15E-02	1.10E-09	1.0E+06	1.1E-03
494	494	0.72107	4.28E-05	3.1E-05	2.50E-04	7.72E-09	14	1.15E-02	1.24E-09	1.0E+06	1.2E-03
509	509	0.40848	4.28E-05	1.7E-05	2.50E-04	4.37E-09	14	1.15E-02	7.02E-10	1.0E+06	7.0E-04
510	510	0.44798	4.28E-05	1.9E-05	2.50E-04	4.80E-09	14	1.15E-02	7.70E-10	1.0E+06	7.7E-04
511	511	0.49341	4.28E-05	2.1E-05	2.50E-04	5.28E-09	14	1.15E-02	8.48E-10	1.0E+06	8.5E-04
512	512	0.546	4.28E-05	2.3E-05	2.50E-04	5.85E-09	14	1.15E-02	9.39E-10	1.0E+06	9.4E-04
513	513	0.60721	4.28E-05	2.6E-05	2.50E-04	6.50E-09	14	1.15E-02	1.04E-09	1.0E+06	1.0E-03
514	514	0.67882	4.28E-05	2.9E-05	2.50E-04	7.27E-09	14	1.15E-02	1.17E-09	1.0E+06	1.2E-03
515	515	0.86332	4.28E-05	3.7E-05	2.50E-04	9.24E-09	14	1.15E-02	1.48E-09	1.0E+06	1.5E-03
516	516	0.98287	4.28E-05	4.2E-05	2.50E-04	1.05E-08	14	1.15E-02	1.69E-09	1.0E+06	1.7E-03
517	517	1.12744	4.28E-05	4.8E-05	2.50E-04	1.21E-08	14	1.15E-02	1.94E-09	1.0E+06	1.9E-03
518	518	1.30392	4.28E-05	5.6E-05	2.50E-04	1.40E-08	14	1.15E-02	2.24E-09	1.0E+06	2.2E-03
519	519	1.52214	4.28E-05	6.5E-05	2.50E-04	1.63E-08	14	1.15E-02	2.62E-09	1.0E+06	2.6E-03
528	528	0.39399	4.28E-05	1.7E-05	2.50E-04	4.22E-09	14	1.15E-02	6.77E-10	1.0E+06	6.8E-04
529	529	0.43034	4.28E-05	1.8E-05	2.50E-04	4.61E-09	14	1.15E-02	7.40E-10	1.0E+06	7.4E-04
530	530	0.47176	4.28E-05	2.0E-05	2.50E-04	5.05E-09	14	1.15E-02	8.11E-10	1.0E+06	8.1E-04
531	531	0.51917	4.28E-05	2.2E-05	2.50E-04	5.56E-09	14	1.15E-02	8.93E-10	1.0E+06	8.9E-04
532	532	0.57371	4.28E-05	2.5E-05	2.50E-04	6.14E-09	14	1.15E-02	9.87E-10	1.0E+06	9.9E-04
533	533	0.63671	4.28E-05	2.7E-05	2.50E-04	6.82E-09	14	1.15E-02	1.09E-09	1.0E+06	1.1E-03
534	534	0.79526	4.28E-05	3.4E-05	2.50E-04	8.51E-09	14	1.15E-02	1.37E-09	1.0E+06	1.4E-03
535	535	0.89563	4.28E-05	3.8E-05	2.50E-04	9.59E-09	14	1.15E-02	1.54E-09	1.0E+06	1.5E-03
536	536	1.01524	4.28E-05	4.3E-05	2.50E-04	1.09E-08	14	1.15E-02	1.75E-09	1.0E+06	1.7E-03
537	537	1.15731	4.28E-05	5.0E-05	2.50E-04	1.24E-08	14	1.15E-02	1.99E-09	1.0E+06	2.0E-03
538	538	1.32841	4.28E-05	5.7E-05	2.50E-04	1.42E-08	14	1.15E-02	2.28E-09	1.0E+06	2.3E-03
547	547	0.37904	4.28E-05	1.6E-05	2.50E-04	4.06E-09	14	1.15E-02	6.52E-10	1.0E+06	6.5E-04

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.41225	4.28E-05	1.8E-05	2.50E-04	4.41E-09	14	1.15E-02	7.09E-10	1.0E+06	7.1E-04
549	549	0.44972	4.28E-05	1.9E-05	2.50E-04	4.82E-09	14	1.15E-02	7.73E-10	1.0E+06	7.7E-04
550	550	0.49221	4.28E-05	2.1E-05	2.50E-04	5.27E-09	14	1.15E-02	8.46E-10	1.0E+06	8.5E-04
551	551	0.54049	4.28E-05	2.3E-05	2.50E-04	5.79E-09	14	1.15E-02	9.29E-10	1.0E+06	9.3E-04
552	552	0.59561	4.28E-05	2.5E-05	2.50E-04	6.38E-09	14	1.15E-02	1.02E-09	1.0E+06	1.0E-03
553	553	0.65887	4.28E-05	2.8E-05	2.50E-04	7.05E-09	14	1.15E-02	1.13E-09	1.0E+06	1.1E-03
554	554	0.73167	4.28E-05	3.1E-05	2.50E-04	7.83E-09	14	1.15E-02	1.26E-09	1.0E+06	1.3E-03
555	555	0.81633	4.28E-05	3.5E-05	2.50E-04	8.74E-09	14	1.15E-02	1.40E-09	1.0E+06	1.4E-03
556	556	0.91565	4.28E-05	3.9E-05	2.50E-04	9.80E-09	14	1.15E-02	1.57E-09	1.0E+06	1.6E-03
557	557	1.03128	4.28E-05	4.4E-05	2.50E-04	1.10E-08	14	1.15E-02	1.77E-09	1.0E+06	1.8E-03
558	558	1.16842	4.28E-05	5.0E-05	2.50E-04	1.25E-08	14	1.15E-02	2.01E-09	1.0E+06	2.0E-03
559	559	1.32854	4.28E-05	5.7E-05	2.50E-04	1.42E-08	14	1.15E-02	2.28E-09	1.0E+06	2.3E-03
567	567	0.36376	4.28E-05	1.6E-05	2.50E-04	3.89E-09	14	1.15E-02	6.25E-10	1.0E+06	6.3E-04
568	568	0.39391	4.28E-05	1.7E-05	2.50E-04	4.22E-09	14	1.15E-02	6.77E-10	1.0E+06	6.8E-04
569	569	0.42764	4.28E-05	1.8E-05	2.50E-04	4.58E-09	14	1.15E-02	7.35E-10	1.0E+06	7.4E-04
570	570	0.46549	4.28E-05	2.0E-05	2.50E-04	4.98E-09	14	1.15E-02	8.00E-10	1.0E+06	8.0E-04
571	571	0.50811	4.28E-05	2.2E-05	2.50E-04	5.44E-09	14	1.15E-02	8.74E-10	1.0E+06	8.7E-04
572	572	0.55629	4.28E-05	2.4E-05	2.50E-04	5.96E-09	14	1.15E-02	9.57E-10	1.0E+06	9.6E-04
573	573	0.61099	4.28E-05	2.6E-05	2.50E-04	6.54E-09	14	1.15E-02	1.05E-09	1.0E+06	1.1E-03
574	574	0.74495	4.28E-05	3.2E-05	2.50E-04	7.98E-09	14	1.15E-02	1.28E-09	1.0E+06	1.3E-03
575	575	0.82783	4.28E-05	3.5E-05	2.50E-04	8.86E-09	14	1.15E-02	1.42E-09	1.0E+06	1.4E-03
576	576	0.9236	4.28E-05	4.0E-05	2.50E-04	9.89E-09	14	1.15E-02	1.59E-09	1.0E+06	1.6E-03
577	577	1.03411	4.28E-05	4.4E-05	2.50E-04	1.11E-08	14	1.15E-02	1.78E-09	1.0E+06	1.8E-03
578	578	1.16036	4.28E-05	5.0E-05	2.50E-04	1.24E-08	14	1.15E-02	2.00E-09	1.0E+06	2.0E-03
586	586	0.34838	4.28E-05	1.5E-05	2.50E-04	3.73E-09	14	1.15E-02	5.99E-10	1.0E+06	6.0E-04
587	587	0.37563	4.28E-05	1.6E-05	2.50E-04	4.02E-09	14	1.15E-02	6.46E-10	1.0E+06	6.5E-04
588	588	0.40586	4.28E-05	1.7E-05	2.50E-04	4.35E-09	14	1.15E-02	6.98E-10	1.0E+06	7.0E-04
589	589	0.4395	4.28E-05	1.9E-05	2.50E-04	4.71E-09	14	1.15E-02	7.56E-10	1.0E+06	7.6E-04
590	590	0.47705	4.28E-05	2.0E-05	2.50E-04	5.11E-09	14	1.15E-02	8.20E-10	1.0E+06	8.2E-04
591	591	0.51915	4.28E-05	2.2E-05	2.50E-04	5.56E-09	14	1.15E-02	8.93E-10	1.0E+06	8.9E-04
592	592	0.56655	4.28E-05	2.4E-05	2.50E-04	6.07E-09	14	1.15E-02	9.74E-10	1.0E+06	9.7E-04

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	0.68112	4.28E-05	2.9E-05	2.50E-04	7.29E-09	14	1.15E-02	1.17E-09	1.0E+06	1.2E-03
594	594	0.75094	4.28E-05	3.2E-05	2.50E-04	8.04E-09	14	1.15E-02	1.29E-09	1.0E+06	1.3E-03
595	595	0.83009	4.28E-05	3.6E-05	2.50E-04	8.89E-09	14	1.15E-02	1.43E-09	1.0E+06	1.4E-03
596	596	0.91967	4.28E-05	3.9E-05	2.50E-04	9.85E-09	14	1.15E-02	1.58E-09	1.0E+06	1.6E-03
597	597	1.01991	4.28E-05	4.4E-05	2.50E-04	1.09E-08	14	1.15E-02	1.75E-09	1.0E+06	1.8E-03
345	345	0.6392	4.28E-05	2.7E-05	2.50E-04	6.84E-09	14	1.15E-02	1.10E-09	1.0E+06	1.1E-03
346	346	0.72522	4.28E-05	3.1E-05	2.50E-04	7.76E-09	14	1.15E-02	1.25E-09	1.0E+06	1.2E-03
347	347	0.83091	4.28E-05	3.6E-05	2.50E-04	8.90E-09	14	1.15E-02	1.43E-09	1.0E+06	1.4E-03
348	348	0.96264	4.28E-05	4.1E-05	2.50E-04	1.03E-08	14	1.15E-02	1.66E-09	1.0E+06	1.7E-03
359	359	0.65898	4.28E-05	2.8E-05	2.50E-04	7.06E-09	14	1.15E-02	1.13E-09	1.0E+06	1.1E-03
360	360	0.75128	4.28E-05	3.2E-05	2.50E-04	8.04E-09	14	1.15E-02	1.29E-09	1.0E+06	1.3E-03
361	361	0.86567	4.28E-05	3.7E-05	2.50E-04	9.27E-09	14	1.15E-02	1.49E-09	1.0E+06	1.5E-03
362	362	1.00953	4.28E-05	4.3E-05	2.50E-04	1.08E-08	14	1.15E-02	1.74E-09	1.0E+06	1.7E-03
363	363	1.19556	4.28E-05	5.1E-05	2.50E-04	1.28E-08	14	1.15E-02	2.06E-09	1.0E+06	2.1E-03
373	373	0.769	4.28E-05	3.3E-05	2.50E-04	8.23E-09	14	1.15E-02	1.32E-09	1.0E+06	1.3E-03
374	374	0.88953	4.28E-05	3.8E-05	2.50E-04	9.52E-09	14	1.15E-02	1.53E-09	1.0E+06	1.5E-03
375	375	1.04238	4.28E-05	4.5E-05	2.50E-04	1.12E-08	14	1.15E-02	1.79E-09	1.0E+06	1.8E-03
376	376	1.24186	4.28E-05	5.3E-05	2.50E-04	1.33E-08	14	1.15E-02	2.14E-09	1.0E+06	2.1E-03
386	386	0.7776	4.28E-05	3.3E-05	2.50E-04	8.33E-09	14	1.15E-02	1.34E-09	1.0E+06	1.3E-03
387	387	0.90142	4.28E-05	3.9E-05	2.50E-04	9.65E-09	14	1.15E-02	1.55E-09	1.0E+06	1.6E-03
388	388	1.05901	4.28E-05	4.5E-05	2.50E-04	1.13E-08	14	1.15E-02	1.82E-09	1.0E+06	1.8E-03
389	389	1.26564	4.28E-05	5.4E-05	2.50E-04	1.36E-08	14	1.15E-02	2.18E-09	1.0E+06	2.2E-03
390	390	1.54478	4.28E-05	6.6E-05	2.50E-04	1.65E-08	14	1.15E-02	2.66E-09	1.0E+06	2.7E-03
400	400	0.77693	4.28E-05	3.3E-05	2.50E-04	8.32E-09	14	1.15E-02	1.34E-09	1.0E+06	1.3E-03
401	401	0.9006	4.28E-05	3.9E-05	2.50E-04	9.64E-09	14	1.15E-02	1.55E-09	1.0E+06	1.5E-03
402	402	1.05881	4.28E-05	4.5E-05	2.50E-04	1.13E-08	14	1.15E-02	1.82E-09	1.0E+06	1.8E-03
403	403	1.265	4.28E-05	5.4E-05	2.50E-04	1.35E-08	14	1.15E-02	2.18E-09	1.0E+06	2.2E-03
404	404	1.54274	4.28E-05	6.6E-05	2.50E-04	1.65E-08	14	1.15E-02	2.65E-09	1.0E+06	2.7E-03
415	415	0.76775	4.28E-05	3.3E-05	2.50E-04	8.22E-09	14	1.15E-02	1.32E-09	1.0E+06	1.3E-03
416	416	0.88873	4.28E-05	3.8E-05	2.50E-04	9.52E-09	14	1.15E-02	1.53E-09	1.0E+06	1.5E-03
417	417	1.04217	4.28E-05	4.5E-05	2.50E-04	1.12E-08	14	1.15E-02	1.79E-09	1.0E+06	1.8E-03

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	1.24273	4.28E-05	5.3E-05	2.50E-04	1.33E-08	14	1.15E-02	2.14E-09	1.0E+06	2.1E-03
419	419	1.50965	4.28E-05	6.5E-05	2.50E-04	1.62E-08	14	1.15E-02	2.60E-09	1.0E+06	2.6E-03
420	420	1.87441	4.28E-05	8.0E-05	2.50E-04	2.01E-08	14	1.15E-02	3.22E-09	1.0E+06	3.2E-03
430	430	0.86668	4.28E-05	3.7E-05	2.50E-04	9.28E-09	14	1.15E-02	1.49E-09	1.0E+06	1.5E-03
431	431	1.01244	4.28E-05	4.3E-05	2.50E-04	1.08E-08	14	1.15E-02	1.74E-09	1.0E+06	1.7E-03
432	432	1.20012	4.28E-05	5.1E-05	2.50E-04	1.28E-08	14	1.15E-02	2.06E-09	1.0E+06	2.1E-03
433	433	1.44756	4.28E-05	6.2E-05	2.50E-04	1.55E-08	14	1.15E-02	2.49E-09	1.0E+06	2.5E-03
434	434	1.78342	4.28E-05	7.6E-05	2.50E-04	1.91E-08	14	1.15E-02	3.07E-09	1.0E+06	3.1E-03
444	444	0.83685	4.28E-05	3.6E-05	2.50E-04	8.96E-09	14	1.15E-02	1.44E-09	1.0E+06	1.4E-03
445	445	0.97195	4.28E-05	4.2E-05	2.50E-04	1.04E-08	14	1.15E-02	1.67E-09	1.0E+06	1.7E-03
446	446	1.14338	4.28E-05	4.9E-05	2.50E-04	1.22E-08	14	1.15E-02	1.97E-09	1.0E+06	2.0E-03
447	447	1.36554	4.28E-05	5.8E-05	2.50E-04	1.46E-08	14	1.15E-02	2.35E-09	1.0E+06	2.3E-03
448	448	1.66082	4.28E-05	7.1E-05	2.50E-04	1.78E-08	14	1.15E-02	2.86E-09	1.0E+06	2.9E-03
459	459	0.92415	4.28E-05	4.0E-05	2.50E-04	9.89E-09	14	1.15E-02	1.59E-09	1.0E+06	1.6E-03
460	460	1.07742	4.28E-05	4.6E-05	2.50E-04	1.15E-08	14	1.15E-02	1.85E-09	1.0E+06	1.9E-03
461	461	1.27229	4.28E-05	5.4E-05	2.50E-04	1.36E-08	14	1.15E-02	2.19E-09	1.0E+06	2.2E-03
462	462	1.52478	4.28E-05	6.5E-05	2.50E-04	1.63E-08	14	1.15E-02	2.62E-09	1.0E+06	2.6E-03
463	463	1.85847	4.28E-05	8.0E-05	2.50E-04	1.99E-08	14	1.15E-02	3.20E-09	1.0E+06	3.2E-03
474	474	0.87196	4.28E-05	3.7E-05	2.50E-04	9.34E-09	14	1.15E-02	1.50E-09	1.0E+06	1.5E-03
475	475	1.00647	4.28E-05	4.3E-05	2.50E-04	1.08E-08	14	1.15E-02	1.73E-09	1.0E+06	1.7E-03
476	476	1.17416	4.28E-05	5.0E-05	2.50E-04	1.26E-08	14	1.15E-02	2.02E-09	1.0E+06	2.0E-03
477	477	1.38562	4.28E-05	5.9E-05	2.50E-04	1.48E-08	14	1.15E-02	2.38E-09	1.0E+06	2.4E-03
478	478	1.65712	4.28E-05	7.1E-05	2.50E-04	1.77E-08	14	1.15E-02	2.85E-09	1.0E+06	2.8E-03
495	495	0.81768	4.28E-05	3.5E-05	2.50E-04	8.75E-09	14	1.15E-02	1.41E-09	1.0E+06	1.4E-03
496	496	0.93423	4.28E-05	4.0E-05	2.50E-04	1.00E-08	14	1.15E-02	1.61E-09	1.0E+06	1.6E-03
497	497	1.07651	4.28E-05	4.6E-05	2.50E-04	1.15E-08	14	1.15E-02	1.85E-09	1.0E+06	1.9E-03
498	498	1.25193	4.28E-05	5.4E-05	2.50E-04	1.34E-08	14	1.15E-02	2.15E-09	1.0E+06	2.2E-03
499	499	1.47079	4.28E-05	6.3E-05	2.50E-04	1.57E-08	14	1.15E-02	2.53E-09	1.0E+06	2.5E-03
500	500	1.74769	4.28E-05	7.5E-05	2.50E-04	1.87E-08	14	1.15E-02	3.01E-09	1.0E+06	3.0E-03

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	0.26897	4.28E-05	1.2E-05	2.50E-04	2.88E-09	25	1.15E-02	8.26E-10	1.0E+06	8.3E-04
140	140	0.28229	4.28E-05	1.2E-05	2.50E-04	3.02E-09	25	1.15E-02	8.67E-10	1.0E+06	8.7E-04
156	156	0.2866	4.28E-05	1.2E-05	2.50E-04	3.07E-09	25	1.15E-02	8.80E-10	1.0E+06	8.8E-04
157	157	0.30179	4.28E-05	1.3E-05	2.50E-04	3.23E-09	25	1.15E-02	9.27E-10	1.0E+06	9.3E-04
158	158	0.31785	4.28E-05	1.4E-05	2.50E-04	3.40E-09	25	1.15E-02	9.76E-10	1.0E+06	9.8E-04
159	159	0.33461	4.28E-05	1.4E-05	2.50E-04	3.58E-09	25	1.15E-02	1.03E-09	1.0E+06	1.0E-03
160	160	0.35175	4.28E-05	1.5E-05	2.50E-04	3.77E-09	25	1.15E-02	1.08E-09	1.0E+06	1.1E-03
161	161	0.38761	4.28E-05	1.7E-05	2.50E-04	4.15E-09	25	1.15E-02	1.19E-09	1.0E+06	1.2E-03
162	162	0.40573	4.28E-05	1.7E-05	2.50E-04	4.34E-09	25	1.15E-02	1.25E-09	1.0E+06	1.2E-03
163	163	0.42337	4.28E-05	1.8E-05	2.50E-04	4.53E-09	25	1.15E-02	1.30E-09	1.0E+06	1.3E-03
167	167	0.32279	4.28E-05	1.4E-05	2.50E-04	3.46E-09	25	1.15E-02	9.91E-10	1.0E+06	9.9E-04
168	168	0.34183	4.28E-05	1.5E-05	2.50E-04	3.66E-09	25	1.15E-02	1.05E-09	1.0E+06	1.0E-03
169	169	0.36132	4.28E-05	1.5E-05	2.50E-04	3.87E-09	25	1.15E-02	1.11E-09	1.0E+06	1.1E-03
170	170	0.38164	4.28E-05	1.6E-05	2.50E-04	4.09E-09	25	1.15E-02	1.17E-09	1.0E+06	1.2E-03
171	171	0.40269	4.28E-05	1.7E-05	2.50E-04	4.31E-09	25	1.15E-02	1.24E-09	1.0E+06	1.2E-03
172	172	0.42453	4.28E-05	1.8E-05	2.50E-04	4.55E-09	25	1.15E-02	1.30E-09	1.0E+06	1.3E-03
173	173	0.44644	4.28E-05	1.9E-05	2.50E-04	4.78E-09	25	1.15E-02	1.37E-09	1.0E+06	1.4E-03
174	174	0.46825	4.28E-05	2.0E-05	2.50E-04	5.01E-09	25	1.15E-02	1.44E-09	1.0E+06	1.4E-03
175	175	0.48943	4.28E-05	2.1E-05	2.50E-04	5.24E-09	25	1.15E-02	1.50E-09	1.0E+06	1.5E-03
176	176	0.50939	4.28E-05	2.2E-05	2.50E-04	5.45E-09	25	1.15E-02	1.56E-09	1.0E+06	1.6E-03
177	177	0.52731	4.28E-05	2.3E-05	2.50E-04	5.65E-09	25	1.15E-02	1.62E-09	1.0E+06	1.6E-03
181	181	0.36807	4.28E-05	1.6E-05	2.50E-04	3.94E-09	25	1.15E-02	1.13E-09	1.0E+06	1.1E-03
182	182	0.39097	4.28E-05	1.7E-05	2.50E-04	4.19E-09	25	1.15E-02	1.20E-09	1.0E+06	1.2E-03
183	183	0.41518	4.28E-05	1.8E-05	2.50E-04	4.45E-09	25	1.15E-02	1.27E-09	1.0E+06	1.3E-03
184	184	0.44041	4.28E-05	1.9E-05	2.50E-04	4.72E-09	25	1.15E-02	1.35E-09	1.0E+06	1.4E-03
185	185	0.46676	4.28E-05	2.0E-05	2.50E-04	5.00E-09	25	1.15E-02	1.43E-09	1.0E+06	1.4E-03
186	186	0.49375	4.28E-05	2.1E-05	2.50E-04	5.29E-09	25	1.15E-02	1.52E-09	1.0E+06	1.5E-03
187	187	0.52067	4.28E-05	2.2E-05	2.50E-04	5.57E-09	25	1.15E-02	1.60E-09	1.0E+06	1.6E-03
188	188	0.54729	4.28E-05	2.3E-05	2.50E-04	5.86E-09	25	1.15E-02	1.68E-09	1.0E+06	1.7E-03
189	189	0.57262	4.28E-05	2.4E-05	2.50E-04	6.13E-09	25	1.15E-02	1.76E-09	1.0E+06	1.8E-03
190	190	0.59558	4.28E-05	2.5E-05	2.50E-04	6.38E-09	25	1.15E-02	1.83E-09	1.0E+06	1.8E-03

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	0.6153	4.28E-05	2.6E-05	2.50E-04	6.59E-09	25	1.15E-02	1.89E-09	1.0E+06	1.9E-03
195	195	0.3968	4.28E-05	1.7E-05	2.50E-04	4.25E-09	25	1.15E-02	1.22E-09	1.0E+06	1.2E-03
196	196	0.42388	4.28E-05	1.8E-05	2.50E-04	4.54E-09	25	1.15E-02	1.30E-09	1.0E+06	1.3E-03
197	197	0.45274	4.28E-05	1.9E-05	2.50E-04	4.85E-09	25	1.15E-02	1.39E-09	1.0E+06	1.4E-03
198	198	0.48327	4.28E-05	2.1E-05	2.50E-04	5.17E-09	25	1.15E-02	1.48E-09	1.0E+06	1.5E-03
199	199	0.51548	4.28E-05	2.2E-05	2.50E-04	5.52E-09	25	1.15E-02	1.58E-09	1.0E+06	1.6E-03
200	200	0.54882	4.28E-05	2.3E-05	2.50E-04	5.88E-09	25	1.15E-02	1.69E-09	1.0E+06	1.7E-03
201	201	0.58277	4.28E-05	2.5E-05	2.50E-04	6.24E-09	25	1.15E-02	1.79E-09	1.0E+06	1.8E-03
202	202	0.61656	4.28E-05	2.6E-05	2.50E-04	6.60E-09	25	1.15E-02	1.89E-09	1.0E+06	1.9E-03
203	203	0.64907	4.28E-05	2.8E-05	2.50E-04	6.95E-09	25	1.15E-02	1.99E-09	1.0E+06	2.0E-03
204	204	0.67894	4.28E-05	2.9E-05	2.50E-04	7.27E-09	25	1.15E-02	2.08E-09	1.0E+06	2.1E-03
205	205	0.70495	4.28E-05	3.0E-05	2.50E-04	7.55E-09	25	1.15E-02	2.16E-09	1.0E+06	2.2E-03
206	206	0.72589	4.28E-05	3.1E-05	2.50E-04	7.77E-09	25	1.15E-02	2.23E-09	1.0E+06	2.2E-03
210	210	0.39746	4.28E-05	1.7E-05	2.50E-04	4.26E-09	25	1.15E-02	1.22E-09	1.0E+06	1.2E-03
211	211	0.42811	4.28E-05	1.8E-05	2.50E-04	4.58E-09	25	1.15E-02	1.31E-09	1.0E+06	1.3E-03
212	212	0.46015	4.28E-05	2.0E-05	2.50E-04	4.93E-09	25	1.15E-02	1.41E-09	1.0E+06	1.4E-03
213	213	0.49485	4.28E-05	2.1E-05	2.50E-04	5.30E-09	25	1.15E-02	1.52E-09	1.0E+06	1.5E-03
214	214	0.57165	4.28E-05	2.4E-05	2.50E-04	6.12E-09	25	1.15E-02	1.76E-09	1.0E+06	1.8E-03
215	215	0.61334	4.28E-05	2.6E-05	2.50E-04	6.57E-09	25	1.15E-02	1.88E-09	1.0E+06	1.9E-03
216	216	0.6564	4.28E-05	2.8E-05	2.50E-04	7.03E-09	25	1.15E-02	2.02E-09	1.0E+06	2.0E-03
217	217	0.70009	4.28E-05	3.0E-05	2.50E-04	7.50E-09	25	1.15E-02	2.15E-09	1.0E+06	2.1E-03
218	218	0.74278	4.28E-05	3.2E-05	2.50E-04	7.95E-09	25	1.15E-02	2.28E-09	1.0E+06	2.3E-03
219	219	0.78257	4.28E-05	3.3E-05	2.50E-04	8.38E-09	25	1.15E-02	2.40E-09	1.0E+06	2.4E-03
220	220	0.81754	4.28E-05	3.5E-05	2.50E-04	8.75E-09	25	1.15E-02	2.51E-09	1.0E+06	2.5E-03
221	221	0.8455	4.28E-05	3.6E-05	2.50E-04	9.05E-09	25	1.15E-02	2.60E-09	1.0E+06	2.6E-03
222	222	0.86565	4.28E-05	3.7E-05	2.50E-04	9.27E-09	25	1.15E-02	2.66E-09	1.0E+06	2.7E-03
226	226	0.42679	4.28E-05	1.8E-05	2.50E-04	4.57E-09	25	1.15E-02	1.31E-09	1.0E+06	1.3E-03
227	227	0.46196	4.28E-05	2.0E-05	2.50E-04	4.95E-09	25	1.15E-02	1.42E-09	1.0E+06	1.4E-03
228	228	0.50005	4.28E-05	2.1E-05	2.50E-04	5.35E-09	25	1.15E-02	1.54E-09	1.0E+06	1.5E-03
229	229	0.5418	4.28E-05	2.3E-05	2.50E-04	5.80E-09	25	1.15E-02	1.66E-09	1.0E+06	1.7E-03
230	230	0.58728	4.28E-05	2.5E-05	2.50E-04	6.29E-09	25	1.15E-02	1.80E-09	1.0E+06	1.8E-03

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	0.63631	4.28E-05	2.7E-05	2.50E-04	6.81E-09	25	1.15E-02	1.95E-09	1.0E+06	2.0E-03
232	232	0.68911	4.28E-05	2.9E-05	2.50E-04	7.38E-09	25	1.15E-02	2.12E-09	1.0E+06	2.1E-03
233	233	0.80223	4.28E-05	3.4E-05	2.50E-04	8.59E-09	25	1.15E-02	2.46E-09	1.0E+06	2.5E-03
234	234	0.85963	4.28E-05	3.7E-05	2.50E-04	9.20E-09	25	1.15E-02	2.64E-09	1.0E+06	2.6E-03
235	235	0.91413	4.28E-05	3.9E-05	2.50E-04	9.79E-09	25	1.15E-02	2.81E-09	1.0E+06	2.8E-03
236	236	0.96239	4.28E-05	4.1E-05	2.50E-04	1.03E-08	25	1.15E-02	2.96E-09	1.0E+06	3.0E-03
237	237	1.00128	4.28E-05	4.3E-05	2.50E-04	1.07E-08	25	1.15E-02	3.07E-09	1.0E+06	3.1E-03
238	238	1.02846	4.28E-05	4.4E-05	2.50E-04	1.10E-08	25	1.15E-02	3.16E-09	1.0E+06	3.2E-03
242	242	0.45735	4.28E-05	2.0E-05	2.50E-04	4.90E-09	25	1.15E-02	1.40E-09	1.0E+06	1.4E-03
243	243	0.49805	4.28E-05	2.1E-05	2.50E-04	5.33E-09	25	1.15E-02	1.53E-09	1.0E+06	1.5E-03
244	244	0.54295	4.28E-05	2.3E-05	2.50E-04	5.81E-09	25	1.15E-02	1.67E-09	1.0E+06	1.7E-03
245	245	0.59353	4.28E-05	2.5E-05	2.50E-04	6.35E-09	25	1.15E-02	1.82E-09	1.0E+06	1.8E-03
246	246	0.64956	4.28E-05	2.8E-05	2.50E-04	6.95E-09	25	1.15E-02	1.99E-09	1.0E+06	2.0E-03
247	247	0.71133	4.28E-05	3.0E-05	2.50E-04	7.62E-09	25	1.15E-02	2.18E-09	1.0E+06	2.2E-03
248	248	0.77878	4.28E-05	3.3E-05	2.50E-04	8.34E-09	25	1.15E-02	2.39E-09	1.0E+06	2.4E-03
249	249	0.92825	4.28E-05	4.0E-05	2.50E-04	9.94E-09	25	1.15E-02	2.85E-09	1.0E+06	2.9E-03
250	250	1.0067	4.28E-05	4.3E-05	2.50E-04	1.08E-08	25	1.15E-02	3.09E-09	1.0E+06	3.1E-03
251	251	1.08365	4.28E-05	4.6E-05	2.50E-04	1.16E-08	25	1.15E-02	3.33E-09	1.0E+06	3.3E-03
252	252	1.15338	4.28E-05	4.9E-05	2.50E-04	1.23E-08	25	1.15E-02	3.54E-09	1.0E+06	3.5E-03
253	253	1.20987	4.28E-05	5.2E-05	2.50E-04	1.30E-08	25	1.15E-02	3.71E-09	1.0E+06	3.7E-03
254	254	1.24836	4.28E-05	5.3E-05	2.50E-04	1.34E-08	25	1.15E-02	3.83E-09	1.0E+06	3.8E-03
257	257	0.48913	4.28E-05	2.1E-05	2.50E-04	5.24E-09	25	1.15E-02	1.50E-09	1.0E+06	1.5E-03
258	258	0.5363	4.28E-05	2.3E-05	2.50E-04	5.74E-09	25	1.15E-02	1.65E-09	1.0E+06	1.6E-03
259	259	0.58994	4.28E-05	2.5E-05	2.50E-04	6.32E-09	25	1.15E-02	1.81E-09	1.0E+06	1.8E-03
260	260	0.64979	4.28E-05	2.8E-05	2.50E-04	6.96E-09	25	1.15E-02	2.00E-09	1.0E+06	2.0E-03
261	261	0.71937	4.28E-05	3.1E-05	2.50E-04	7.70E-09	25	1.15E-02	2.21E-09	1.0E+06	2.2E-03
262	262	0.79695	4.28E-05	3.4E-05	2.50E-04	8.53E-09	25	1.15E-02	2.45E-09	1.0E+06	2.4E-03
263	263	0.88397	4.28E-05	3.8E-05	2.50E-04	9.46E-09	25	1.15E-02	2.71E-09	1.0E+06	2.7E-03
264	264	1.08562	4.28E-05	4.6E-05	2.50E-04	1.16E-08	25	1.15E-02	3.33E-09	1.0E+06	3.3E-03
265	265	1.19666	4.28E-05	5.1E-05	2.50E-04	1.28E-08	25	1.15E-02	3.67E-09	1.0E+06	3.7E-03
266	266	1.30881	4.28E-05	5.6E-05	2.50E-04	1.40E-08	25	1.15E-02	4.02E-09	1.0E+06	4.0E-03

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	1.4131	4.28E-05	6.0E-05	2.50E-04	1.51E-08	25	1.15E-02	4.34E-09	1.0E+06	4.3E-03
268	268	1.49877	4.28E-05	6.4E-05	2.50E-04	1.60E-08	25	1.15E-02	4.60E-09	1.0E+06	4.6E-03
269	269	1.55648	4.28E-05	6.7E-05	2.50E-04	1.67E-08	25	1.15E-02	4.78E-09	1.0E+06	4.8E-03
270	270	1.63938	4.28E-05	7.0E-05	2.50E-04	1.76E-08	25	1.15E-02	5.03E-09	1.0E+06	5.0E-03
271	271	1.67549	4.28E-05	7.2E-05	2.50E-04	1.79E-08	25	1.15E-02	5.14E-09	1.0E+06	5.1E-03
274	274	0.52162	4.28E-05	2.2E-05	2.50E-04	5.58E-09	25	1.15E-02	1.60E-09	1.0E+06	1.6E-03
275	275	0.57588	4.28E-05	2.5E-05	2.50E-04	6.17E-09	25	1.15E-02	1.77E-09	1.0E+06	1.8E-03
276	276	0.63904	4.28E-05	2.7E-05	2.50E-04	6.84E-09	25	1.15E-02	1.96E-09	1.0E+06	2.0E-03
277	277	0.71122	4.28E-05	3.0E-05	2.50E-04	7.61E-09	25	1.15E-02	2.18E-09	1.0E+06	2.2E-03
278	278	0.79597	4.28E-05	3.4E-05	2.50E-04	8.52E-09	25	1.15E-02	2.44E-09	1.0E+06	2.4E-03
279	279	0.89365	4.28E-05	3.8E-05	2.50E-04	9.57E-09	25	1.15E-02	2.74E-09	1.0E+06	2.7E-03
280	280	1.0053	4.28E-05	4.3E-05	2.50E-04	1.08E-08	25	1.15E-02	3.09E-09	1.0E+06	3.1E-03
281	281	1.28154	4.28E-05	5.5E-05	2.50E-04	1.37E-08	25	1.15E-02	3.94E-09	1.0E+06	3.9E-03
282	282	1.4423	4.28E-05	6.2E-05	2.50E-04	1.54E-08	25	1.15E-02	4.43E-09	1.0E+06	4.4E-03
283	283	1.61204	4.28E-05	6.9E-05	2.50E-04	1.73E-08	25	1.15E-02	4.95E-09	1.0E+06	4.9E-03
284	284	1.77871	4.28E-05	7.6E-05	2.50E-04	1.90E-08	25	1.15E-02	5.46E-09	1.0E+06	5.5E-03
285	285	1.92051	4.28E-05	8.2E-05	2.50E-04	2.06E-08	25	1.15E-02	5.90E-09	1.0E+06	5.9E-03
286	286	2.01266	4.28E-05	8.6E-05	2.50E-04	2.15E-08	25	1.15E-02	6.18E-09	1.0E+06	6.2E-03
287	287	2.15638	4.28E-05	9.2E-05	2.50E-04	2.31E-08	25	1.15E-02	6.62E-09	1.0E+06	6.6E-03
288	288	2.19975	4.28E-05	9.4E-05	2.50E-04	2.36E-08	25	1.15E-02	6.75E-09	1.0E+06	6.8E-03
291	291	0.55401	4.28E-05	2.4E-05	2.50E-04	5.93E-09	25	1.15E-02	1.70E-09	1.0E+06	1.7E-03
292	292	0.6161	4.28E-05	2.6E-05	2.50E-04	6.60E-09	25	1.15E-02	1.89E-09	1.0E+06	1.9E-03
293	293	0.68938	4.28E-05	2.9E-05	2.50E-04	7.38E-09	25	1.15E-02	2.12E-09	1.0E+06	2.1E-03
294	294	0.77584	4.28E-05	3.3E-05	2.50E-04	8.31E-09	25	1.15E-02	2.38E-09	1.0E+06	2.4E-03
295	295	0.87783	4.28E-05	3.8E-05	2.50E-04	9.40E-09	25	1.15E-02	2.70E-09	1.0E+06	2.7E-03
296	296	1.00008	4.28E-05	4.3E-05	2.50E-04	1.07E-08	25	1.15E-02	3.07E-09	1.0E+06	3.1E-03
297	297	1.14669	4.28E-05	4.9E-05	2.50E-04	1.23E-08	25	1.15E-02	3.52E-09	1.0E+06	3.5E-03
298	298	1.52731	4.28E-05	6.5E-05	2.50E-04	1.64E-08	25	1.15E-02	4.69E-09	1.0E+06	4.7E-03
299	299	1.76956	4.28E-05	7.6E-05	2.50E-04	1.89E-08	25	1.15E-02	5.43E-09	1.0E+06	5.4E-03
300	300	2.0395	4.28E-05	8.7E-05	2.50E-04	2.18E-08	25	1.15E-02	6.26E-09	1.0E+06	6.3E-03
301	301	2.32561	4.28E-05	9.9E-05	2.50E-04	2.49E-08	25	1.15E-02	7.14E-09	1.0E+06	7.1E-03

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	302	2.57987	4.28E-05	1.1E-04	2.50E-04	2.76E-08	25	1.15E-02	7.92E-09	1.0E+06	7.9E-03
303	303	2.74291	4.28E-05	1.2E-04	2.50E-04	2.94E-08	25	1.15E-02	8.42E-09	1.0E+06	8.4E-03
304	304	2.99104	4.28E-05	1.3E-04	2.50E-04	3.20E-08	25	1.15E-02	9.18E-09	1.0E+06	9.2E-03
305	305	2.98186	4.28E-05	1.3E-04	2.50E-04	3.19E-08	25	1.15E-02	9.16E-09	1.0E+06	9.2E-03
308	308	0.5853	4.28E-05	2.5E-05	2.50E-04	6.27E-09	25	1.15E-02	1.80E-09	1.0E+06	1.8E-03
309	309	0.65571	4.28E-05	2.8E-05	2.50E-04	7.02E-09	25	1.15E-02	2.01E-09	1.0E+06	2.0E-03
310	310	0.73978	4.28E-05	3.2E-05	2.50E-04	7.92E-09	25	1.15E-02	2.27E-09	1.0E+06	2.3E-03
311	311	0.84133	4.28E-05	3.6E-05	2.50E-04	9.01E-09	25	1.15E-02	2.58E-09	1.0E+06	2.6E-03
312	312	0.96486	4.28E-05	4.1E-05	2.50E-04	1.03E-08	25	1.15E-02	2.96E-09	1.0E+06	3.0E-03
313	313	1.11591	4.28E-05	4.8E-05	2.50E-04	1.19E-08	25	1.15E-02	3.43E-09	1.0E+06	3.4E-03
314	314	1.30355	4.28E-05	5.6E-05	2.50E-04	1.40E-08	25	1.15E-02	4.00E-09	1.0E+06	4.0E-03
315	315	1.832	4.28E-05	7.8E-05	2.50E-04	1.96E-08	25	1.15E-02	5.63E-09	1.0E+06	5.6E-03
316	316	2.20544	4.28E-05	9.4E-05	2.50E-04	2.36E-08	25	1.15E-02	6.77E-09	1.0E+06	6.8E-03
317	317	2.65809	4.28E-05	1.1E-04	2.50E-04	2.85E-08	25	1.15E-02	8.16E-09	1.0E+06	8.2E-03
318	318	3.19566	4.28E-05	1.4E-04	2.50E-04	3.42E-08	25	1.15E-02	9.81E-09	1.0E+06	9.8E-03
319	319	3.71929	4.28E-05	1.6E-04	2.50E-04	3.98E-08	25	1.15E-02	1.14E-08	1.0E+06	1.1E-02
320	320	4.06723	4.28E-05	1.7E-04	2.50E-04	4.35E-08	25	1.15E-02	1.25E-08	1.0E+06	1.2E-02
321	321	4.36111	4.28E-05	1.9E-04	2.50E-04	4.67E-08	25	1.15E-02	1.34E-08	1.0E+06	1.3E-02
322	322	4.09767	4.28E-05	1.8E-04	2.50E-04	4.39E-08	25	1.15E-02	1.26E-08	1.0E+06	1.3E-02
325	325	0.61414	4.28E-05	2.6E-05	2.50E-04	6.58E-09	25	1.15E-02	1.89E-09	1.0E+06	1.9E-03
326	326	0.69272	4.28E-05	3.0E-05	2.50E-04	7.42E-09	25	1.15E-02	2.13E-09	1.0E+06	2.1E-03
327	327	0.78792	4.28E-05	3.4E-05	2.50E-04	8.44E-09	25	1.15E-02	2.42E-09	1.0E+06	2.4E-03
328	328	0.90515	4.28E-05	3.9E-05	2.50E-04	9.69E-09	25	1.15E-02	2.78E-09	1.0E+06	2.8E-03
329	329	1.04994	4.28E-05	4.5E-05	2.50E-04	1.12E-08	25	1.15E-02	3.22E-09	1.0E+06	3.2E-03
330	330	1.23392	4.28E-05	5.3E-05	2.50E-04	1.32E-08	25	1.15E-02	3.79E-09	1.0E+06	3.8E-03
331	331	1.46973	4.28E-05	6.3E-05	2.50E-04	1.57E-08	25	1.15E-02	4.51E-09	1.0E+06	4.5E-03
332	332	1.77758	4.28E-05	7.6E-05	2.50E-04	1.90E-08	25	1.15E-02	5.46E-09	1.0E+06	5.5E-03
333	333	2.19274	4.28E-05	9.4E-05	2.50E-04	2.35E-08	25	1.15E-02	6.73E-09	1.0E+06	6.7E-03
334	334	2.7602	4.28E-05	1.2E-04	2.50E-04	2.96E-08	25	1.15E-02	8.48E-09	1.0E+06	8.5E-03
335	335	3.5555	4.28E-05	1.5E-04	2.50E-04	3.81E-08	25	1.15E-02	1.09E-08	1.0E+06	1.1E-02
336	336	4.66468	4.28E-05	2.0E-04	2.50E-04	4.99E-08	25	1.15E-02	1.43E-08	1.0E+06	1.4E-02

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	6.04181	4.28E-05	2.6E-04	2.50E-04	6.47E-08	25	1.15E-02	1.86E-08	1.0E+06	1.9E-02
338	338	7.02106	4.28E-05	3.0E-04	2.50E-04	7.52E-08	25	1.15E-02	2.16E-08	1.0E+06	2.2E-02
339	339	7.30847	4.28E-05	3.1E-04	2.50E-04	7.83E-08	25	1.15E-02	2.24E-08	1.0E+06	2.2E-02
340	340	6.45578	4.28E-05	2.8E-04	2.50E-04	6.91E-08	25	1.15E-02	1.98E-08	1.0E+06	2.0E-02
341	341	5.49275	4.28E-05	2.3E-04	2.50E-04	5.88E-08	25	1.15E-02	1.69E-08	1.0E+06	1.7E-02
349	349	1.12958	4.28E-05	4.8E-05	2.50E-04	1.21E-08	25	1.15E-02	3.47E-09	1.0E+06	3.5E-03
350	350	1.34575	4.28E-05	5.8E-05	2.50E-04	1.44E-08	25	1.15E-02	4.13E-09	1.0E+06	4.1E-03
351	351	1.63144	4.28E-05	7.0E-05	2.50E-04	1.75E-08	25	1.15E-02	5.01E-09	1.0E+06	5.0E-03
352	352	2.02236	4.28E-05	8.7E-05	2.50E-04	2.17E-08	25	1.15E-02	6.21E-09	1.0E+06	6.2E-03
353	353	12.16799	4.28E-05	5.2E-04	2.50E-04	1.30E-07	25	1.15E-02	3.74E-08	1.0E+06	3.7E-02
354	354	8.9629	4.28E-05	3.8E-04	2.50E-04	9.60E-08	25	1.15E-02	2.75E-08	1.0E+06	2.8E-02
355	355	6.86407	4.28E-05	2.9E-04	2.50E-04	7.35E-08	25	1.15E-02	2.11E-08	1.0E+06	2.1E-02
364	364	1.44103	4.28E-05	6.2E-05	2.50E-04	1.54E-08	25	1.15E-02	4.42E-09	1.0E+06	4.4E-03
365	365	1.77415	4.28E-05	7.6E-05	2.50E-04	1.90E-08	25	1.15E-02	5.45E-09	1.0E+06	5.4E-03
366	366	2.24561	4.28E-05	9.6E-05	2.50E-04	2.40E-08	25	1.15E-02	6.90E-09	1.0E+06	6.9E-03
367	367	16.8147	4.28E-05	7.2E-04	2.50E-04	1.80E-07	25	1.15E-02	5.16E-08	1.0E+06	5.2E-02
368	368	10.99915	4.28E-05	4.7E-04	2.50E-04	1.18E-07	25	1.15E-02	3.38E-08	1.0E+06	3.4E-02
369	369	7.87489	4.28E-05	3.4E-04	2.50E-04	8.43E-08	25	1.15E-02	2.42E-08	1.0E+06	2.4E-02
377	377	1.50958	4.28E-05	6.5E-05	2.50E-04	1.62E-08	25	1.15E-02	4.64E-09	1.0E+06	4.6E-03
378	378	1.87887	4.28E-05	8.0E-05	2.50E-04	2.01E-08	25	1.15E-02	5.77E-09	1.0E+06	5.8E-03
379	379	2.41105	4.28E-05	1.0E-04	2.50E-04	2.58E-08	25	1.15E-02	7.40E-09	1.0E+06	7.4E-03
380	380	19.87692	4.28E-05	8.5E-04	2.50E-04	2.13E-07	25	1.15E-02	6.10E-08	1.0E+06	6.1E-02
381	381	12.30369	4.28E-05	5.3E-04	2.50E-04	1.32E-07	25	1.15E-02	3.78E-08	1.0E+06	3.8E-02
382	382	8.44954	4.28E-05	3.6E-04	2.50E-04	9.05E-08	25	1.15E-02	2.59E-08	1.0E+06	2.6E-02
391	391	1.93236	4.28E-05	8.3E-05	2.50E-04	2.07E-08	25	1.15E-02	5.93E-09	1.0E+06	5.9E-03
392	392	2.49234	4.28E-05	1.1E-04	2.50E-04	2.67E-08	25	1.15E-02	7.65E-09	1.0E+06	7.7E-03
393	393	22.29711	4.28E-05	9.5E-04	2.50E-04	2.39E-07	25	1.15E-02	6.85E-08	1.0E+06	6.8E-02
394	394	13.12742	4.28E-05	5.6E-04	2.50E-04	1.41E-07	25	1.15E-02	4.03E-08	1.0E+06	4.0E-02
395	395	8.59354	4.28E-05	3.7E-04	2.50E-04	9.20E-08	25	1.15E-02	2.64E-08	1.0E+06	2.6E-02
405	405	1.93094	4.28E-05	8.3E-05	2.50E-04	2.07E-08	25	1.15E-02	5.93E-09	1.0E+06	5.9E-03
406	406	2.49197	4.28E-05	1.1E-04	2.50E-04	2.67E-08	25	1.15E-02	7.65E-09	1.0E+06	7.7E-03

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	3.35305	4.28E-05	1.4E-04	2.50E-04	3.59E-08	25	1.15E-02	1.03E-08	1.0E+06	1.0E-02
408	408	24.20889	4.28E-05	1.0E-03	2.50E-04	2.59E-07	25	1.15E-02	7.43E-08	1.0E+06	7.4E-02
409	409	13.19824	4.28E-05	5.6E-04	2.50E-04	1.41E-07	25	1.15E-02	4.05E-08	1.0E+06	4.1E-02
410	410	8.15495	4.28E-05	3.5E-04	2.50E-04	8.73E-08	25	1.15E-02	2.50E-08	1.0E+06	2.5E-02
421	421	2.40525	4.28E-05	1.0E-04	2.50E-04	2.58E-08	25	1.15E-02	7.39E-09	1.0E+06	7.4E-03
422	422	3.20022	4.28E-05	1.4E-04	2.50E-04	3.43E-08	25	1.15E-02	9.83E-09	1.0E+06	9.8E-03
423	423	24.16432	4.28E-05	1.0E-03	2.50E-04	2.59E-07	25	1.15E-02	7.42E-08	1.0E+06	7.4E-02
424	424	11.85452	4.28E-05	5.1E-04	2.50E-04	1.27E-07	25	1.15E-02	3.64E-08	1.0E+06	3.6E-02
425	425	7.02668	4.28E-05	3.0E-04	2.50E-04	7.52E-08	25	1.15E-02	2.16E-08	1.0E+06	2.2E-02
435	435	2.25169	4.28E-05	9.6E-05	2.50E-04	2.41E-08	25	1.15E-02	6.91E-09	1.0E+06	6.9E-03
436	436	2.94658	4.28E-05	1.3E-04	2.50E-04	3.15E-08	25	1.15E-02	9.05E-09	1.0E+06	9.0E-03
437	437	9.14611	4.28E-05	3.9E-04	2.50E-04	9.79E-08	25	1.15E-02	2.81E-08	1.0E+06	2.8E-02
438	438	5.61797	4.28E-05	2.4E-04	2.50E-04	6.02E-08	25	1.15E-02	1.73E-08	1.0E+06	1.7E-02
449	449	2.06028	4.28E-05	8.8E-05	2.50E-04	2.21E-08	25	1.15E-02	6.33E-09	1.0E+06	6.3E-03
450	450	2.6369	4.28E-05	1.1E-04	2.50E-04	2.82E-08	25	1.15E-02	8.10E-09	1.0E+06	8.1E-03
451	451	3.4884	4.28E-05	1.5E-04	2.50E-04	3.73E-08	25	1.15E-02	1.07E-08	1.0E+06	1.1E-02
452	452	6.94554	4.28E-05	3.0E-04	2.50E-04	7.44E-08	25	1.15E-02	2.13E-08	1.0E+06	2.1E-02
453	453	4.55144	4.28E-05	1.9E-04	2.50E-04	4.87E-08	25	1.15E-02	1.40E-08	1.0E+06	1.4E-02
464	464	2.31573	4.28E-05	9.9E-05	2.50E-04	2.48E-08	25	1.15E-02	7.11E-09	1.0E+06	7.1E-03
465	465	2.96176	4.28E-05	1.3E-04	2.50E-04	3.17E-08	25	1.15E-02	9.09E-09	1.0E+06	9.1E-03
466	466	12.20745	4.28E-05	5.2E-04	2.50E-04	1.31E-07	25	1.15E-02	3.75E-08	1.0E+06	3.7E-02
467	467	5.53793	4.28E-05	2.4E-04	2.50E-04	5.93E-08	25	1.15E-02	1.70E-08	1.0E+06	1.7E-02
468	468	3.81669	4.28E-05	1.6E-04	2.50E-04	4.09E-08	25	1.15E-02	1.17E-08	1.0E+06	1.2E-02
479	479	2.00598	4.28E-05	8.6E-05	2.50E-04	2.15E-08	25	1.15E-02	6.16E-09	1.0E+06	6.2E-03
480	480	2.49371	4.28E-05	1.1E-04	2.50E-04	2.67E-08	25	1.15E-02	7.66E-09	1.0E+06	7.7E-03
481	481	3.15554	4.28E-05	1.3E-04	2.50E-04	3.38E-08	25	1.15E-02	9.69E-09	1.0E+06	9.7E-03
482	482	4.09677	4.28E-05	1.8E-04	2.50E-04	4.39E-08	25	1.15E-02	1.26E-08	1.0E+06	1.3E-02
483	483	5.37607	4.28E-05	2.3E-04	2.50E-04	5.76E-08	25	1.15E-02	1.65E-08	1.0E+06	1.7E-02
484	484	6.822	4.28E-05	2.9E-04	2.50E-04	7.30E-08	25	1.15E-02	2.09E-08	1.0E+06	2.1E-02
485	485	7.26558	4.28E-05	3.1E-04	2.50E-04	7.78E-08	25	1.15E-02	2.23E-08	1.0E+06	2.2E-02
486	486	6.06001	4.28E-05	2.6E-04	2.50E-04	6.49E-08	25	1.15E-02	1.86E-08	1.0E+06	1.9E-02

Via Oro
Risk From Idling in Truck Parking [Idle1]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	487	4.44633	4.28E-05	1.9E-04	2.50E-04	4.76E-08	25	1.15E-02	1.37E-08	1.0E+06	1.4E-02
488	488	3.23847	4.28E-05	1.4E-04	2.50E-04	3.47E-08	25	1.15E-02	9.94E-09	1.0E+06	9.9E-03
501	501	2.09605	4.28E-05	9.0E-05	2.50E-04	2.24E-08	25	1.15E-02	6.44E-09	1.0E+06	6.4E-03
502	502	2.5762	4.28E-05	1.1E-04	2.50E-04	2.76E-08	25	1.15E-02	7.91E-09	1.0E+06	7.9E-03
503	503	3.19122	4.28E-05	1.4E-04	2.50E-04	3.42E-08	25	1.15E-02	9.80E-09	1.0E+06	9.8E-03
504	504	3.94184	4.28E-05	1.7E-04	2.50E-04	4.22E-08	25	1.15E-02	1.21E-08	1.0E+06	1.2E-02
505	505	4.662	4.28E-05	2.0E-04	2.50E-04	4.99E-08	25	1.15E-02	1.43E-08	1.0E+06	1.4E-02
506	506	4.91337	4.28E-05	2.1E-04	2.50E-04	5.26E-08	25	1.15E-02	1.51E-08	1.0E+06	1.5E-02
507	507	4.43229	4.28E-05	1.9E-04	2.50E-04	4.75E-08	25	1.15E-02	1.36E-08	1.0E+06	1.4E-02
508	508	2.75757	4.28E-05	1.2E-04	2.50E-04	2.95E-08	25	1.15E-02	8.47E-09	1.0E+06	8.5E-03
520	520	1.78618	4.28E-05	7.6E-05	2.50E-04	1.91E-08	25	1.15E-02	5.48E-09	1.0E+06	5.5E-03
521	521	2.11407	4.28E-05	9.0E-05	2.50E-04	2.26E-08	25	1.15E-02	6.49E-09	1.0E+06	6.5E-03
522	522	2.54392	4.28E-05	1.1E-04	2.50E-04	2.72E-08	25	1.15E-02	7.81E-09	1.0E+06	7.8E-03
523	523	3.0097	4.28E-05	1.3E-04	2.50E-04	3.22E-08	25	1.15E-02	9.24E-09	1.0E+06	9.2E-03
524	524	3.4208	4.28E-05	1.5E-04	2.50E-04	3.66E-08	25	1.15E-02	1.05E-08	1.0E+06	1.1E-02
525	525	3.58271	4.28E-05	1.5E-04	2.50E-04	3.84E-08	25	1.15E-02	1.10E-08	1.0E+06	1.1E-02
526	526	3.36891	4.28E-05	1.4E-04	2.50E-04	3.61E-08	25	1.15E-02	1.03E-08	1.0E+06	1.0E-02
527	527	2.34927	4.28E-05	1.0E-04	2.50E-04	2.52E-08	25	1.15E-02	7.21E-09	1.0E+06	7.2E-03
539	539	1.53501	4.28E-05	6.6E-05	2.50E-04	1.64E-08	25	1.15E-02	4.71E-09	1.0E+06	4.7E-03
540	540	1.78118	4.28E-05	7.6E-05	2.50E-04	1.91E-08	25	1.15E-02	5.47E-09	1.0E+06	5.5E-03
541	541	2.06344	4.28E-05	8.8E-05	2.50E-04	2.21E-08	25	1.15E-02	6.34E-09	1.0E+06	6.3E-03
542	542	2.36667	4.28E-05	1.0E-04	2.50E-04	2.53E-08	25	1.15E-02	7.27E-09	1.0E+06	7.3E-03
543	543	2.633	4.28E-05	1.1E-04	2.50E-04	2.82E-08	25	1.15E-02	8.08E-09	1.0E+06	8.1E-03
544	544	2.74525	4.28E-05	1.2E-04	2.50E-04	2.94E-08	25	1.15E-02	8.43E-09	1.0E+06	8.4E-03
545	545	2.64113	4.28E-05	1.1E-04	2.50E-04	2.83E-08	25	1.15E-02	8.11E-09	1.0E+06	8.1E-03
546	546	2.0062	4.28E-05	8.6E-05	2.50E-04	2.15E-08	25	1.15E-02	6.16E-09	1.0E+06	6.2E-03
560	560	1.51393	4.28E-05	6.5E-05	2.50E-04	1.62E-08	25	1.15E-02	4.65E-09	1.0E+06	4.6E-03
561	561	1.72027	4.28E-05	7.4E-05	2.50E-04	1.84E-08	25	1.15E-02	5.28E-09	1.0E+06	5.3E-03
562	562	1.9257	4.28E-05	8.2E-05	2.50E-04	2.06E-08	25	1.15E-02	5.91E-09	1.0E+06	5.9E-03
563	563	2.08686	4.28E-05	8.9E-05	2.50E-04	2.23E-08	25	1.15E-02	6.41E-09	1.0E+06	6.4E-03
564	564	2.17665	4.28E-05	9.3E-05	2.50E-04	2.33E-08	25	1.15E-02	6.68E-09	1.0E+06	6.7E-03

Via Oro
Risk From Idling in Truck Parking [Idle1]

<i>Cancer Risk from 16-30 years - Construction</i>											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	2.13369	4.28E-05	9.1E-05	2.50E-04	2.28E-08	25	1.15E-02	6.55E-09	1.0E+06	6.6E-03
566	566	1.72409	4.28E-05	7.4E-05	2.50E-04	1.85E-08	25	1.15E-02	5.29E-09	1.0E+06	5.3E-03
579	579	1.30055	4.28E-05	5.6E-05	2.50E-04	1.39E-08	25	1.15E-02	3.99E-09	1.0E+06	4.0E-03
580	580	1.45173	4.28E-05	6.2E-05	2.50E-04	1.55E-08	25	1.15E-02	4.46E-09	1.0E+06	4.5E-03
581	581	1.60002	4.28E-05	6.8E-05	2.50E-04	1.71E-08	25	1.15E-02	4.91E-09	1.0E+06	4.9E-03
582	582	1.71925	4.28E-05	7.4E-05	2.50E-04	1.84E-08	25	1.15E-02	5.28E-09	1.0E+06	5.3E-03
583	583	1.77955	4.28E-05	7.6E-05	2.50E-04	1.91E-08	25	1.15E-02	5.46E-09	1.0E+06	5.5E-03
584	584	1.75634	4.28E-05	7.5E-05	2.50E-04	1.88E-08	25	1.15E-02	5.39E-09	1.0E+06	5.4E-03
585	585	1.60092	4.28E-05	6.8E-05	2.50E-04	1.71E-08	25	1.15E-02	4.92E-09	1.0E+06	4.9E-03
598	598	1.12913	4.28E-05	4.8E-05	2.50E-04	1.21E-08	25	1.15E-02	3.47E-09	1.0E+06	3.5E-03
599	599	1.24141	4.28E-05	5.3E-05	2.50E-04	1.33E-08	25	1.15E-02	3.81E-09	1.0E+06	3.8E-03
600	600	1.34959	4.28E-05	5.8E-05	2.50E-04	1.44E-08	25	1.15E-02	4.14E-09	1.0E+06	4.1E-03
601	601	1.43729	4.28E-05	6.1E-05	2.50E-04	1.54E-08	25	1.15E-02	4.41E-09	1.0E+06	4.4E-03
602	602	1.48465	4.28E-05	6.4E-05	2.50E-04	1.59E-08	25	1.15E-02	4.56E-09	1.0E+06	4.6E-03
603	603	1.47643	4.28E-05	6.3E-05	2.50E-04	1.58E-08	25	1.15E-02	4.53E-09	1.0E+06	4.5E-03
604	604	1.40782	4.28E-05	6.0E-05	2.50E-04	1.51E-08	25	1.15E-02	4.32E-09	1.0E+06	4.3E-03

Via Oro
Risk From Idling in Truck Parking [Idle1]

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
1	1	4.1E-03	5	1.04E-06	
2	2	4.2E-03	5	1.07E-06	
3	3	4.3E-03	5	1.11E-06	
4	4	4.5E-03	5	1.15E-06	
5	5	4.7E-03	5	1.19E-06	
6	6	4.8E-03	5	1.24E-06	
7	7	5.0E-03	5	1.28E-06	
8	8	5.2E-03	5	1.33E-06	
9	9	5.4E-03	5	1.38E-06	
10	10	5.6E-03	5	1.43E-06	
11	11	5.8E-03	5	1.48E-06	
12	12	6.0E-03	5	1.54E-06	
13	13	6.2E-03	5	1.59E-06	
14	14	6.5E-03	5	1.65E-06	
15	15	6.7E-03	5	1.71E-06	
16	16	6.9E-03	5	1.77E-06	
17	17	7.2E-03	5	1.83E-06	
18	18	7.4E-03	5	1.89E-06	
19	19	7.6E-03	5	1.95E-06	
20	20	7.9E-03	5	2.01E-06	
21	21	8.1E-03	5	2.07E-06	
22	22	8.3E-03	5	2.13E-06	
23	23	8.5E-03	5	2.18E-06	
24	24	8.7E-03	5	2.23E-06	
25	25	8.9E-03	5	2.28E-06	
26	26	9.1E-03	5	2.32E-06	
27	27	9.2E-03	5	2.35E-06	
28	28	9.3E-03	5	2.38E-06	
29	29	9.4E-03	5	2.40E-06	
30	30	9.5E-03	5	2.42E-06	
31	31	9.5E-03	5	2.43E-06	

Max	Receptor #	
0.051	519	Res
0.063	420	School
0.074	408	Worker

Max	Receptor #	
1.302E-05	519	Res
1.604E-05	420	School
2.071E-04	408	Worker

Via Oro
Risk From Idling in Truck Parking [Idle1]

		<i>Max Cancer Risk</i>		<i>Cancer Risk</i>		<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad
32	32	9.5E-03				5	2.44E-06
55	55	8.9E-03				5	2.29E-06
56	56	9.2E-03				5	2.35E-06
57	57	9.4E-03				5	2.41E-06
58	58	9.6E-03				5	2.46E-06
59	59	9.8E-03				5	2.51E-06
60	60	1.0E-02				5	2.55E-06
61	61	1.0E-02				5	2.59E-06
62	62	1.0E-02				5	2.61E-06
63	63	1.0E-02				5	2.63E-06
64	64	1.0E-02				5	2.64E-06
65	65	1.0E-02				5	2.65E-06
66	66	1.0E-02				5	2.65E-06
67	67	4.3E-03				5	1.10E-06
68	68	4.5E-03				5	1.15E-06
69	69	4.7E-03				5	1.19E-06
70	70	4.8E-03				5	1.24E-06
71	71	5.0E-03				5	1.29E-06
72	72	5.2E-03				5	1.34E-06
73	73	5.4E-03				5	1.39E-06
74	74	5.7E-03				5	1.45E-06
75	75	5.9E-03				5	1.51E-06
76	76	6.1E-03				5	1.57E-06
77	77	6.4E-03				5	1.63E-06
78	78	6.7E-03				5	1.70E-06
79	79	8.1E-03				5	2.07E-06
80	80	8.4E-03				5	2.15E-06
81	81	8.7E-03				5	2.23E-06
82	82	9.0E-03				5	2.31E-06
83	83	9.3E-03				5	2.39E-06
84	84	9.6E-03				5	2.47E-06

Via Oro
Risk From Idling in Truck Parking [Idle1]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
85	85	9.9E-03	5	2.54E-06	
86	86	1.0E-02	5	2.61E-06	
87	87	1.0E-02	5	2.68E-06	
88	88	1.1E-02	5	2.73E-06	
89	89	1.1E-02	5	2.78E-06	
90	90	1.1E-02	5	2.82E-06	
91	91	1.1E-02	5	2.85E-06	
92	92	1.1E-02	5	2.87E-06	
93	93	1.1E-02	5	2.89E-06	
96	96	1.1E-02	5	2.82E-06	
97	97	1.1E-02	5	2.74E-06	
98	98	1.2E-02	5	2.98E-06	
99	99	1.2E-02	5	3.04E-06	
100	100	1.2E-02	5	3.09E-06	
101	101	1.2E-02	5	3.13E-06	
102	102	1.2E-02	5	3.15E-06	
106	106	4.4E-03	5	1.13E-06	
107	107	4.6E-03	5	1.17E-06	
108	108	4.8E-03	5	1.22E-06	
109	109	5.0E-03	5	1.27E-06	
110	110	5.2E-03	5	1.33E-06	
111	111	5.4E-03	5	1.38E-06	
112	112	5.7E-03	5	1.45E-06	
113	113	5.9E-03	5	1.51E-06	
114	114	6.2E-03	5	1.58E-06	
115	115	6.4E-03	5	1.65E-06	
116	116	6.7E-03	5	1.72E-06	
117	117	7.1E-03	5	1.80E-06	
118	118	7.4E-03	5	1.89E-06	
124	124	4.5E-03	5	1.16E-06	
125	125	4.7E-03	5	1.21E-06	

Via Oro
Risk From Idling in Truck Parking [Idle1]

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
126	126	4.9E-03	5	1.26E-06	
127	127	5.1E-03	5	1.32E-06	
128	128	5.4E-03	5	1.37E-06	
129	129	5.6E-03	5	1.44E-06	
130	130	5.9E-03	5	1.50E-06	
131	131	6.1E-03	5	1.57E-06	
132	132	6.4E-03	5	1.65E-06	
133	133	6.7E-03	5	1.73E-06	
134	134	7.1E-03	5	1.81E-06	
135	135	7.4E-03	5	1.90E-06	
136	136	7.8E-03	5	1.99E-06	
137	137	8.2E-03	5	2.09E-06	
138	138	8.6E-03	5	2.19E-06	
141	141	4.7E-03	5	1.19E-06	
142	142	4.9E-03	5	1.24E-06	
143	143	5.1E-03	5	1.30E-06	
144	144	5.3E-03	5	1.36E-06	
145	145	5.6E-03	5	1.42E-06	
146	146	5.8E-03	5	1.49E-06	
147	147	6.1E-03	5	1.56E-06	
148	148	6.4E-03	5	1.64E-06	
149	149	6.7E-03	5	1.72E-06	
150	150	7.1E-03	5	1.80E-06	
151	151	7.4E-03	5	1.90E-06	
152	152	7.8E-03	5	2.00E-06	
153	153	8.2E-03	5	2.10E-06	
154	154	8.6E-03	5	2.21E-06	
155	155	9.1E-03	5	2.33E-06	
164	164	9.1E-03	5	2.34E-06	
165	165	9.7E-03	5	2.47E-06	
166	166	1.0E-02	5	2.61E-06	

Via Oro
Risk From Idling in Truck Parking [Idle1]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
178	178	9.7E-03	5	2.48E-06	
179	179	1.0E-02	5	2.63E-06	
180	180	1.1E-02	5	2.79E-06	
192	192	1.0E-02	5	2.62E-06	
193	193	1.1E-02	5	2.79E-06	
194	194	1.2E-02	5	2.98E-06	
207	207	1.1E-02	5	2.77E-06	
208	208	1.2E-02	5	2.96E-06	
209	209	1.2E-02	5	3.18E-06	
223	223	1.1E-02	5	2.92E-06	
224	224	1.2E-02	5	3.14E-06	
225	225	1.3E-02	5	3.38E-06	
239	239	1.2E-02	5	3.08E-06	
240	240	1.3E-02	5	3.33E-06	
241	241	1.4E-02	5	3.60E-06	
255	255	1.3E-02	5	3.24E-06	
256	256	1.4E-02	5	3.52E-06	
272	272	1.3E-02	5	3.40E-06	
273	273	1.4E-02	5	3.71E-06	
289	289	1.4E-02	5	3.55E-06	
290	290	1.5E-02	5	3.89E-06	
306	306	1.4E-02	5	3.69E-06	
307	307	1.6E-02	5	4.06E-06	
323	323	1.5E-02	5	3.82E-06	
324	324	1.6E-02	5	4.22E-06	
342	342	1.5E-02	5	3.92E-06	
343	343	1.7E-02	5	4.35E-06	
344	344	1.9E-02	5	4.86E-06	
356	356	1.6E-02	5	4.00E-06	
357	357	1.7E-02	5	4.46E-06	
358	358	2.0E-02	5	4.99E-06	

Via Oro
Risk From Idling in Truck Parking [Idle1]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
370	370	1.6E-02	5	4.06E-06	
371	371	1.8E-02	5	4.52E-06	
372	372	2.0E-02	5	5.08E-06	
383	383	1.6E-02	5	4.08E-06	
384	384	1.8E-02	5	4.55E-06	
385	385	2.0E-02	5	5.12E-06	
396	396	1.6E-02	5	4.08E-06	
397	397	1.8E-02	5	4.55E-06	
398	398	2.0E-02	5	5.11E-06	
399	399	2.3E-02	5	5.80E-06	
411	411	1.6E-02	5	4.05E-06	
412	412	1.8E-02	5	4.51E-06	
413	413	2.0E-02	5	5.07E-06	
414	414	2.2E-02	5	5.74E-06	
426	426	1.6E-02	5	3.99E-06	
427	427	1.7E-02	5	4.44E-06	
428	428	1.9E-02	5	4.98E-06	
429	429	2.2E-02	5	5.63E-06	
439	439	1.5E-02	5	3.92E-06	
440	440	1.7E-02	5	4.35E-06	
441	441	1.9E-02	5	4.87E-06	
442	442	2.1E-02	5	5.48E-06	
443	443	2.4E-02	5	6.24E-06	
454	454	1.5E-02	5	3.83E-06	
455	455	1.7E-02	5	4.24E-06	
456	456	1.8E-02	5	4.73E-06	
457	457	2.1E-02	5	5.31E-06	
458	458	2.3E-02	5	6.01E-06	
469	469	1.5E-02	5	3.72E-06	
470	470	1.6E-02	5	4.11E-06	
471	471	1.8E-02	5	4.57E-06	

Via Oro
Risk From Idling in Truck Parking [Idle1]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
472	472	2.0E-02	5	5.11E-06	
473	473	2.2E-02	5	5.75E-06	
489	489	1.4E-02	5	3.61E-06	
490	490	1.6E-02	5	3.98E-06	
491	491	1.7E-02	5	4.40E-06	
492	492	1.9E-02	5	4.90E-06	
493	493	2.1E-02	5	5.48E-06	
494	494	2.4E-02	5	6.17E-06	
509	509	1.4E-02	5	3.49E-06	
510	510	1.5E-02	5	3.83E-06	
511	511	1.6E-02	5	4.22E-06	
512	512	1.8E-02	5	4.67E-06	
513	513	2.0E-02	5	5.20E-06	
514	514	2.3E-02	5	5.81E-06	
515	515	2.9E-02	5	7.39E-06	
516	516	3.3E-02	5	8.41E-06	
517	517	3.8E-02	5	9.65E-06	
518	518	4.4E-02	5	1.12E-05	
519	519	5.1E-02	5	1.30E-05	
528	528	1.3E-02	5	3.37E-06	
529	529	1.4E-02	5	3.68E-06	
530	530	1.6E-02	5	4.04E-06	
531	531	1.7E-02	5	4.44E-06	
532	532	1.9E-02	5	4.91E-06	
533	533	2.1E-02	5	5.45E-06	
534	534	2.7E-02	5	6.80E-06	
535	535	3.0E-02	5	7.66E-06	
536	536	3.4E-02	5	8.69E-06	
537	537	3.9E-02	5	9.90E-06	
538	538	4.4E-02	5	1.14E-05	
547	547	1.3E-02	5	3.24E-06	

Via Oro
Risk From Idling in Truck Parking [Idle1]

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
548	548	1.4E-02				5	3.53E-06	
549	549	1.5E-02				5	3.85E-06	
550	550	1.6E-02				5	4.21E-06	
551	551	1.8E-02				5	4.62E-06	
552	552	2.0E-02				5	5.10E-06	
553	553	2.2E-02				5	5.64E-06	
554	554	2.4E-02				5	6.26E-06	
555	555	2.7E-02				5	6.98E-06	
556	556	3.1E-02				5	7.83E-06	
557	557	3.4E-02				5	8.82E-06	
558	558	3.9E-02				5	1.00E-05	
559	559	4.4E-02				5	1.14E-05	
567	567	1.2E-02				5	3.11E-06	
568	568	1.3E-02				5	3.37E-06	
569	569	1.4E-02				5	3.66E-06	
570	570	1.6E-02				5	3.98E-06	
571	571	1.7E-02				5	4.35E-06	
572	572	1.9E-02				5	4.76E-06	
573	573	2.0E-02				5	5.23E-06	
574	574	2.5E-02				5	6.37E-06	
575	575	2.8E-02				5	7.08E-06	
576	576	3.1E-02				5	7.90E-06	
577	577	3.5E-02				5	8.85E-06	
578	578	3.9E-02				5	9.93E-06	
586	586	1.2E-02				5	2.98E-06	
587	587	1.3E-02				5	3.21E-06	
588	588	1.4E-02				5	3.47E-06	
589	589	1.5E-02				5	3.76E-06	
590	590	1.6E-02				5	4.08E-06	
591	591	1.7E-02				5	4.44E-06	
592	592	1.9E-02				5	4.85E-06	

Via Oro
Risk From Idling in Truck Parking [Idle1]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
593	593	2.3E-02	5	5.83E-06	
594	594	2.5E-02	5	6.43E-06	
595	595	2.8E-02	5	7.10E-06	
596	596	3.1E-02	5	7.87E-06	
597	597	3.4E-02	5	8.73E-06	
345	345	2.1E-02	5	5.47E-06	
346	346	2.4E-02	5	6.21E-06	
347	347	2.8E-02	5	7.11E-06	
348	348	3.2E-02	5	8.24E-06	
359	359	2.2E-02	5	5.64E-06	
360	360	2.5E-02	5	6.43E-06	
361	361	2.9E-02	5	7.41E-06	
362	362	3.4E-02	5	8.64E-06	
363	363	4.0E-02	5	1.02E-05	
373	373	2.6E-02	5	6.58E-06	
374	374	3.0E-02	5	7.61E-06	
375	375	3.5E-02	5	8.92E-06	
376	376	4.2E-02	5	1.06E-05	
386	386	2.6E-02	5	6.65E-06	
387	387	3.0E-02	5	7.71E-06	
388	388	3.5E-02	5	9.06E-06	
389	389	4.2E-02	5	1.08E-05	
390	390	5.2E-02	5	1.32E-05	
400	400	2.6E-02	5	6.65E-06	
401	401	3.0E-02	5	7.71E-06	
402	402	3.5E-02	5	9.06E-06	
403	403	4.2E-02	5	1.08E-05	
404	404	5.2E-02	5	1.32E-05	
415	415	2.6E-02	5	6.57E-06	
416	416	3.0E-02	5	7.60E-06	
417	417	3.5E-02	5	8.92E-06	

Via Oro
Risk From Idling in Truck Parking [Idle1]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
418	418	4.2E-02	5	1.06E-05	
419	419	5.0E-02	5	1.29E-05	
420	420	6.3E-02	5	1.60E-05	
430	430	2.9E-02	5	7.42E-06	
431	431	3.4E-02	5	8.66E-06	
432	432	4.0E-02	5	1.03E-05	
433	433	4.8E-02	5	1.24E-05	
434	434	6.0E-02	5	1.53E-05	
444	444	2.8E-02	5	7.16E-06	
445	445	3.3E-02	5	8.32E-06	
446	446	3.8E-02	5	9.78E-06	
447	447	4.6E-02	5	1.17E-05	
448	448	5.6E-02	5	1.42E-05	
459	459	3.1E-02	5	7.91E-06	
460	460	3.6E-02	5	9.22E-06	
461	461	4.3E-02	5	1.09E-05	
462	462	5.1E-02	5	1.30E-05	
463	463	6.2E-02	5	1.59E-05	
474	474	2.9E-02	5	7.46E-06	
475	475	3.4E-02	5	8.61E-06	
476	476	3.9E-02	5	1.00E-05	
477	477	4.6E-02	5	1.19E-05	
478	478	5.5E-02	5	1.42E-05	
495	495	2.7E-02	5	7.00E-06	
496	496	3.1E-02	5	7.99E-06	
497	497	3.6E-02	5	9.21E-06	
498	498	4.2E-02	5	1.07E-05	
499	499	4.9E-02	5	1.26E-05	
500	500	5.8E-02	5	1.50E-05	

Via Oro
Risk From Idling in Truck Parking [Idle1]

		<i>Max Cancer Risk Cancer Risk</i>		<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million		REL	HI Offroad
139	139	8.3E-04		5	2.30E-06
140	140	8.7E-04		5	2.42E-06
156	156	8.8E-04		5	2.45E-06
157	157	9.3E-04		5	2.58E-06
158	158	9.8E-04		5	2.72E-06
159	159	1.0E-03		5	2.86E-06
160	160	1.1E-03		5	3.01E-06
161	161	1.2E-03		5	3.32E-06
162	162	1.2E-03		5	3.47E-06
163	163	1.3E-03		5	3.62E-06
167	167	9.9E-04		5	2.76E-06
168	168	1.0E-03		5	2.92E-06
169	169	1.1E-03		5	3.09E-06
170	170	1.2E-03		5	3.27E-06
171	171	1.2E-03		5	3.45E-06
172	172	1.3E-03		5	3.63E-06
173	173	1.4E-03		5	3.82E-06
174	174	1.4E-03		5	4.01E-06
175	175	1.5E-03		5	4.19E-06
176	176	1.6E-03		5	4.36E-06
177	177	1.6E-03		5	4.51E-06
181	181	1.1E-03		5	3.15E-06
182	182	1.2E-03		5	3.35E-06
183	183	1.3E-03		5	3.55E-06
184	184	1.4E-03		5	3.77E-06
185	185	1.4E-03		5	3.99E-06
186	186	1.5E-03		5	4.22E-06
187	187	1.6E-03		5	4.45E-06
188	188	1.7E-03		5	4.68E-06
189	189	1.8E-03		5	4.90E-06
190	190	1.8E-03		5	5.10E-06

Via Oro
Risk From Idling in Truck Parking [Idle1]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
191	191	1.9E-03	5	5.26E-06	
195	195	1.2E-03	5	3.40E-06	
196	196	1.3E-03	5	3.63E-06	
197	197	1.4E-03	5	3.87E-06	
198	198	1.5E-03	5	4.13E-06	
199	199	1.6E-03	5	4.41E-06	
200	200	1.7E-03	5	4.70E-06	
201	201	1.8E-03	5	4.99E-06	
202	202	1.9E-03	5	5.28E-06	
203	203	2.0E-03	5	5.55E-06	
204	204	2.1E-03	5	5.81E-06	
205	205	2.2E-03	5	6.03E-06	
206	206	2.2E-03	5	6.21E-06	
210	210	1.2E-03	5	3.40E-06	
211	211	1.3E-03	5	3.66E-06	
212	212	1.4E-03	5	3.94E-06	
213	213	1.5E-03	5	4.23E-06	
214	214	1.8E-03	5	4.89E-06	
215	215	1.9E-03	5	5.25E-06	
216	216	2.0E-03	5	5.62E-06	
217	217	2.1E-03	5	5.99E-06	
218	218	2.3E-03	5	6.36E-06	
219	219	2.4E-03	5	6.70E-06	
220	220	2.5E-03	5	6.99E-06	
221	221	2.6E-03	5	7.23E-06	
222	222	2.7E-03	5	7.41E-06	
226	226	1.3E-03	5	3.65E-06	
227	227	1.4E-03	5	3.95E-06	
228	228	1.5E-03	5	4.28E-06	
229	229	1.7E-03	5	4.64E-06	
230	230	1.8E-03	5	5.02E-06	

Via Oro
Risk From Idling in Truck Parking [Idle1]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
231	231	2.0E-03	5	5.44E-06	
232	232	2.1E-03	5	5.90E-06	
233	233	2.5E-03	5	6.86E-06	
234	234	2.6E-03	5	7.36E-06	
235	235	2.8E-03	5	7.82E-06	
236	236	3.0E-03	5	8.23E-06	
237	237	3.1E-03	5	8.57E-06	
238	238	3.2E-03	5	8.80E-06	
242	242	1.4E-03	5	3.91E-06	
243	243	1.5E-03	5	4.26E-06	
244	244	1.7E-03	5	4.65E-06	
245	245	1.8E-03	5	5.08E-06	
246	246	2.0E-03	5	5.56E-06	
247	247	2.2E-03	5	6.09E-06	
248	248	2.4E-03	5	6.66E-06	
249	249	2.9E-03	5	7.94E-06	
250	250	3.1E-03	5	8.61E-06	
251	251	3.3E-03	5	9.27E-06	
252	252	3.5E-03	5	9.87E-06	
253	253	3.7E-03	5	1.04E-05	
254	254	3.8E-03	5	1.07E-05	
257	257	1.5E-03	5	4.19E-06	
258	258	1.6E-03	5	4.59E-06	
259	259	1.8E-03	5	5.05E-06	
260	260	2.0E-03	5	5.56E-06	
261	261	2.2E-03	5	6.15E-06	
262	262	2.4E-03	5	6.82E-06	
263	263	2.7E-03	5	7.56E-06	
264	264	3.3E-03	5	9.29E-06	
265	265	3.7E-03	5	1.02E-05	
266	266	4.0E-03	5	1.12E-05	

Via Oro
Risk From Idling in Truck Parking [Idle1]

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
267	267	4.3E-03				5	1.21E-05	
268	268	4.6E-03				5	1.28E-05	
269	269	4.8E-03				5	1.33E-05	
270	270	5.0E-03				5	1.40E-05	
271	271	5.1E-03				5	1.43E-05	
274	274	1.6E-03				5	4.46E-06	
275	275	1.8E-03				5	4.93E-06	
276	276	2.0E-03				5	5.47E-06	
277	277	2.2E-03				5	6.09E-06	
278	278	2.4E-03				5	6.81E-06	
279	279	2.7E-03				5	7.65E-06	
280	280	3.1E-03				5	8.60E-06	
281	281	3.9E-03				5	1.10E-05	
282	282	4.4E-03				5	1.23E-05	
283	283	4.9E-03				5	1.38E-05	
284	284	5.5E-03				5	1.52E-05	
285	285	5.9E-03				5	1.64E-05	
286	286	6.2E-03				5	1.72E-05	
287	287	6.6E-03				5	1.85E-05	
288	288	6.8E-03				5	1.88E-05	
291	291	1.7E-03				5	4.74E-06	
292	292	1.9E-03				5	5.27E-06	
293	293	2.1E-03				5	5.90E-06	
294	294	2.4E-03				5	6.64E-06	
295	295	2.7E-03				5	7.51E-06	
296	296	3.1E-03				5	8.56E-06	
297	297	3.5E-03				5	9.81E-06	
298	298	4.7E-03				5	1.31E-05	
299	299	5.4E-03				5	1.51E-05	
300	300	6.3E-03				5	1.75E-05	
301	301	7.1E-03				5	1.99E-05	

Via Oro
Risk From Idling in Truck Parking [Idle1]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
302	302	7.9E-03	5	2.21E-05	
303	303	8.4E-03	5	2.35E-05	
304	304	9.2E-03	5	2.56E-05	
305	305	9.2E-03	5	2.55E-05	
308	308	1.8E-03	5	5.01E-06	
309	309	2.0E-03	5	5.61E-06	
310	310	2.3E-03	5	6.33E-06	
311	311	2.6E-03	5	7.20E-06	
312	312	3.0E-03	5	8.26E-06	
313	313	3.4E-03	5	9.55E-06	
314	314	4.0E-03	5	1.12E-05	
315	315	5.6E-03	5	1.57E-05	
316	316	6.8E-03	5	1.89E-05	
317	317	8.2E-03	5	2.27E-05	
318	318	9.8E-03	5	2.73E-05	
319	319	1.1E-02	5	3.18E-05	
320	320	1.2E-02	5	3.48E-05	
321	321	1.3E-02	5	3.73E-05	
322	322	1.3E-02	5	3.51E-05	
325	325	1.9E-03	5	5.25E-06	
326	326	2.1E-03	5	5.93E-06	
327	327	2.4E-03	5	6.74E-06	
328	328	2.8E-03	5	7.74E-06	
329	329	3.2E-03	5	8.98E-06	
330	330	3.8E-03	5	1.06E-05	
331	331	4.5E-03	5	1.26E-05	
332	332	5.5E-03	5	1.52E-05	
333	333	6.7E-03	5	1.88E-05	
334	334	8.5E-03	5	2.36E-05	
335	335	1.1E-02	5	3.04E-05	
336	336	1.4E-02	5	3.99E-05	

Via Oro
Risk From Idling in Truck Parking [Idle1]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
337	337	1.9E-02	5	5.17E-05	
338	338	2.2E-02	5	6.01E-05	
339	339	2.2E-02	5	6.25E-05	
340	340	2.0E-02	5	5.52E-05	
341	341	1.7E-02	5	4.70E-05	
349	349	3.5E-03	5	9.66E-06	
350	350	4.1E-03	5	1.15E-05	
351	351	5.0E-03	5	1.40E-05	
352	352	6.2E-03	5	1.73E-05	
353	353	3.7E-02	5	1.04E-04	
354	354	2.8E-02	5	7.67E-05	
355	355	2.1E-02	5	5.87E-05	
364	364	4.4E-03	5	1.23E-05	
365	365	5.4E-03	5	1.52E-05	
366	366	6.9E-03	5	1.92E-05	
367	367	5.2E-02	5	1.44E-04	
368	368	3.4E-02	5	9.41E-05	
369	369	2.4E-02	5	6.74E-05	
377	377	4.6E-03	5	1.29E-05	
378	378	5.8E-03	5	1.61E-05	
379	379	7.4E-03	5	2.06E-05	
380	380	6.1E-02	5	1.70E-04	
381	381	3.8E-02	5	1.05E-04	
382	382	2.6E-02	5	7.23E-05	
391	391	5.9E-03	5	1.65E-05	
392	392	7.7E-03	5	2.13E-05	
393	393	6.8E-02	5	1.91E-04	
394	394	4.0E-02	5	1.12E-04	
395	395	2.6E-02	5	7.35E-05	
405	405	5.9E-03	5	1.65E-05	
406	406	7.7E-03	5	2.13E-05	

Via Oro
Risk From Idling in Truck Parking [Idle1]

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
407	407	1.0E-02				5	2.87E-05	
408	408	7.4E-02				5	2.07E-04	
409	409	4.1E-02				5	1.13E-04	
410	410	2.5E-02				5	6.98E-05	
421	421	7.4E-03				5	2.06E-05	
422	422	9.8E-03				5	2.74E-05	
423	423	7.4E-02				5	2.07E-04	
424	424	3.6E-02				5	1.01E-04	
425	425	2.2E-02				5	6.01E-05	
435	435	6.9E-03				5	1.93E-05	
436	436	9.0E-03				5	2.52E-05	
437	437	2.8E-02				5	7.83E-05	
438	438	1.7E-02				5	4.81E-05	
449	449	6.3E-03				5	1.76E-05	
450	450	8.1E-03				5	2.26E-05	
451	451	1.1E-02				5	2.98E-05	
452	452	2.1E-02				5	5.94E-05	
453	453	1.4E-02				5	3.89E-05	
464	464	7.1E-03				5	1.98E-05	
465	465	9.1E-03				5	2.53E-05	
466	466	3.7E-02				5	1.04E-04	
467	467	1.7E-02				5	4.74E-05	
468	468	1.2E-02				5	3.27E-05	
479	479	6.2E-03				5	1.72E-05	
480	480	7.7E-03				5	2.13E-05	
481	481	9.7E-03				5	2.70E-05	
482	482	1.3E-02				5	3.51E-05	
483	483	1.7E-02				5	4.60E-05	
484	484	2.1E-02				5	5.84E-05	
485	485	2.2E-02				5	6.22E-05	
486	486	1.9E-02				5	5.18E-05	

Via Oro
Risk From Idling in Truck Parking [Idle1]

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
487	487	1.4E-02				5	3.80E-05	
488	488	9.9E-03				5	2.77E-05	
501	501	6.4E-03				5	1.79E-05	
502	502	7.9E-03				5	2.20E-05	
503	503	9.8E-03				5	2.73E-05	
504	504	1.2E-02				5	3.37E-05	
505	505	1.4E-02				5	3.99E-05	
506	506	1.5E-02				5	4.20E-05	
507	507	1.4E-02				5	3.79E-05	
508	508	8.5E-03				5	2.36E-05	
520	520	5.5E-03				5	1.53E-05	
521	521	6.5E-03				5	1.81E-05	
522	522	7.8E-03				5	2.18E-05	
523	523	9.2E-03				5	2.58E-05	
524	524	1.1E-02				5	2.93E-05	
525	525	1.1E-02				5	3.07E-05	
526	526	1.0E-02				5	2.88E-05	
527	527	7.2E-03				5	2.01E-05	
539	539	4.7E-03				5	1.31E-05	
540	540	5.5E-03				5	1.52E-05	
541	541	6.3E-03				5	1.77E-05	
542	542	7.3E-03				5	2.02E-05	
543	543	8.1E-03				5	2.25E-05	
544	544	8.4E-03				5	2.35E-05	
545	545	8.1E-03				5	2.26E-05	
546	546	6.2E-03				5	1.72E-05	
560	560	4.6E-03				5	1.30E-05	
561	561	5.3E-03				5	1.47E-05	
562	562	5.9E-03				5	1.65E-05	
563	563	6.4E-03				5	1.79E-05	
564	564	6.7E-03				5	1.86E-05	

Via Oro
Risk From Idling in Truck Parking [Idle1]

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
565	565	6.6E-03				5	1.83E-05	
566	566	5.3E-03				5	1.48E-05	
579	579	4.0E-03				5	1.11E-05	
580	580	4.5E-03				5	1.24E-05	
581	581	4.9E-03				5	1.37E-05	
582	582	5.3E-03				5	1.47E-05	
583	583	5.5E-03				5	1.52E-05	
584	584	5.4E-03				5	1.50E-05	
585	585	4.9E-03				5	1.37E-05	
598	598	3.5E-03				5	9.66E-06	
599	599	3.8E-03				5	1.06E-05	
600	600	4.1E-03				5	1.15E-05	
601	601	4.4E-03				5	1.23E-05	
602	602	4.6E-03				5	1.27E-05	
603	603	4.5E-03				5	1.26E-05	
604	604	4.3E-03				5	1.20E-05	

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	Cancer Risk from 3rd Trimester - Construction								
		g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.12587	2.14E-05	2.7E-06	3.46E-04	9.32E-10	2.50E-01	1.57E-01	3.66E-11	1.0E+06	3.7E-05
2	0.13034	2.14E-05	2.8E-06	3.46E-04	9.65E-10	2.50E-01	1.57E-01	3.79E-11	1.0E+06	3.8E-05
3	0.13496	2.14E-05	2.9E-06	3.46E-04	9.99E-10	2.50E-01	1.57E-01	3.93E-11	1.0E+06	3.9E-05
4	0.13977	2.14E-05	3.0E-06	3.46E-04	1.03E-09	2.50E-01	1.57E-01	4.07E-11	1.0E+06	4.1E-05
5	0.1448	2.14E-05	3.1E-06	3.46E-04	1.07E-09	2.50E-01	1.57E-01	4.21E-11	1.0E+06	4.2E-05
6	0.1501	2.14E-05	3.2E-06	3.46E-04	1.11E-09	2.50E-01	1.57E-01	4.37E-11	1.0E+06	4.4E-05
7	0.15561	2.14E-05	3.3E-06	3.46E-04	1.15E-09	2.50E-01	1.57E-01	4.53E-11	1.0E+06	4.5E-05
8	0.16129	2.14E-05	3.5E-06	3.46E-04	1.19E-09	2.50E-01	1.57E-01	4.69E-11	1.0E+06	4.7E-05
9	0.16718	2.14E-05	3.6E-06	3.46E-04	1.24E-09	2.50E-01	1.57E-01	4.86E-11	1.0E+06	4.9E-05
10	0.17327	2.14E-05	3.7E-06	3.46E-04	1.28E-09	2.50E-01	1.57E-01	5.04E-11	1.0E+06	5.0E-05
11	0.17954	2.14E-05	3.8E-06	3.46E-04	1.33E-09	2.50E-01	1.57E-01	5.22E-11	1.0E+06	5.2E-05
12	0.18596	2.14E-05	4.0E-06	3.46E-04	1.38E-09	2.50E-01	1.57E-01	5.41E-11	1.0E+06	5.4E-05
13	0.1926	2.14E-05	4.1E-06	3.46E-04	1.43E-09	2.50E-01	1.57E-01	5.60E-11	1.0E+06	5.6E-05
14	0.19935	2.14E-05	4.3E-06	3.46E-04	1.48E-09	2.50E-01	1.57E-01	5.80E-11	1.0E+06	5.8E-05
15	0.20622	2.14E-05	4.4E-06	3.46E-04	1.53E-09	2.50E-01	1.57E-01	6.00E-11	1.0E+06	6.0E-05
16	0.21312	2.14E-05	4.6E-06	3.46E-04	1.58E-09	2.50E-01	1.57E-01	6.20E-11	1.0E+06	6.2E-05
17	0.2201	2.14E-05	4.7E-06	3.46E-04	1.63E-09	2.50E-01	1.57E-01	6.40E-11	1.0E+06	6.4E-05
18	0.22697	2.14E-05	4.9E-06	3.46E-04	1.68E-09	2.50E-01	1.57E-01	6.60E-11	1.0E+06	6.6E-05
19	0.23375	2.14E-05	5.0E-06	3.46E-04	1.73E-09	2.50E-01	1.57E-01	6.80E-11	1.0E+06	6.8E-05
20	0.24035	2.14E-05	5.1E-06	3.46E-04	1.78E-09	2.50E-01	1.57E-01	6.99E-11	1.0E+06	7.0E-05
21	0.24665	2.14E-05	5.3E-06	3.46E-04	1.83E-09	2.50E-01	1.57E-01	7.17E-11	1.0E+06	7.2E-05
22	0.2526	2.14E-05	5.4E-06	3.46E-04	1.87E-09	2.50E-01	1.57E-01	7.35E-11	1.0E+06	7.3E-05
23	0.2581	2.14E-05	5.5E-06	3.46E-04	1.91E-09	2.50E-01	1.57E-01	7.51E-11	1.0E+06	7.5E-05
24	0.26306	2.14E-05	5.6E-06	3.46E-04	1.95E-09	2.50E-01	1.57E-01	7.65E-11	1.0E+06	7.7E-05
25	0.26746	2.14E-05	5.7E-06	3.46E-04	1.98E-09	2.50E-01	1.57E-01	7.78E-11	1.0E+06	7.8E-05
26	0.27121	2.14E-05	5.8E-06	3.46E-04	2.01E-09	2.50E-01	1.57E-01	7.89E-11	1.0E+06	7.9E-05
27	0.27429	2.14E-05	5.9E-06	3.46E-04	2.03E-09	2.50E-01	1.57E-01	7.98E-11	1.0E+06	8.0E-05
28	0.27664	2.14E-05	5.9E-06	3.46E-04	2.05E-09	2.50E-01	1.57E-01	8.05E-11	1.0E+06	8.0E-05
29	0.2783	2.14E-05	6.0E-06	3.46E-04	2.06E-09	2.50E-01	1.57E-01	8.10E-11	1.0E+06	8.1E-05
30	0.2793	2.14E-05	6.0E-06	3.46E-04	2.07E-09	2.50E-01	1.57E-01	8.12E-11	1.0E+06	8.1E-05
31	0.27969	2.14E-05	6.0E-06	3.46E-04	2.07E-09	2.50E-01	1.57E-01	8.14E-11	1.0E+06	8.1E-05

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.27955	2.14E-05	6.0E-06	3.46E-04	2.07E-09	2.50E-01	1.57E-01	8.13E-11	1.0E+06	8.1E-05
55	0.27226	2.14E-05	5.8E-06	3.46E-04	2.02E-09	2.50E-01	1.57E-01	7.92E-11	1.0E+06	7.9E-05
56	0.27867	2.14E-05	6.0E-06	3.46E-04	2.06E-09	2.50E-01	1.57E-01	8.11E-11	1.0E+06	8.1E-05
57	0.28456	2.14E-05	6.1E-06	3.46E-04	2.11E-09	2.50E-01	1.57E-01	8.28E-11	1.0E+06	8.3E-05
58	0.28973	2.14E-05	6.2E-06	3.46E-04	2.15E-09	2.50E-01	1.57E-01	8.43E-11	1.0E+06	8.4E-05
59	0.29408	2.14E-05	6.3E-06	3.46E-04	2.18E-09	2.50E-01	1.57E-01	8.55E-11	1.0E+06	8.6E-05
60	0.29759	2.14E-05	6.4E-06	3.46E-04	2.20E-09	2.50E-01	1.57E-01	8.66E-11	1.0E+06	8.7E-05
61	0.30032	2.14E-05	6.4E-06	3.46E-04	2.22E-09	2.50E-01	1.57E-01	8.74E-11	1.0E+06	8.7E-05
62	0.30219	2.14E-05	6.5E-06	3.46E-04	2.24E-09	2.50E-01	1.57E-01	8.79E-11	1.0E+06	8.8E-05
63	0.30329	2.14E-05	6.5E-06	3.46E-04	2.25E-09	2.50E-01	1.57E-01	8.82E-11	1.0E+06	8.8E-05
64	0.30367	2.14E-05	6.5E-06	3.46E-04	2.25E-09	2.50E-01	1.57E-01	8.83E-11	1.0E+06	8.8E-05
65	0.30348	2.14E-05	6.5E-06	3.46E-04	2.25E-09	2.50E-01	1.57E-01	8.83E-11	1.0E+06	8.8E-05
66	0.30312	2.14E-05	6.5E-06	3.46E-04	2.24E-09	2.50E-01	1.57E-01	8.82E-11	1.0E+06	8.8E-05
67	0.13447	2.14E-05	2.9E-06	3.46E-04	9.96E-10	2.50E-01	1.57E-01	3.91E-11	1.0E+06	3.9E-05
68	0.13968	2.14E-05	3.0E-06	3.46E-04	1.03E-09	2.50E-01	1.57E-01	4.06E-11	1.0E+06	4.1E-05
69	0.14512	2.14E-05	3.1E-06	3.46E-04	1.07E-09	2.50E-01	1.57E-01	4.22E-11	1.0E+06	4.2E-05
70	0.15083	2.14E-05	3.2E-06	3.46E-04	1.12E-09	2.50E-01	1.57E-01	4.39E-11	1.0E+06	4.4E-05
71	0.15675	2.14E-05	3.4E-06	3.46E-04	1.16E-09	2.50E-01	1.57E-01	4.56E-11	1.0E+06	4.6E-05
72	0.16306	2.14E-05	3.5E-06	3.46E-04	1.21E-09	2.50E-01	1.57E-01	4.74E-11	1.0E+06	4.7E-05
73	0.16964	2.14E-05	3.6E-06	3.46E-04	1.26E-09	2.50E-01	1.57E-01	4.93E-11	1.0E+06	4.9E-05
74	0.1765	2.14E-05	3.8E-06	3.46E-04	1.31E-09	2.50E-01	1.57E-01	5.13E-11	1.0E+06	5.1E-05
75	0.18364	2.14E-05	3.9E-06	3.46E-04	1.36E-09	2.50E-01	1.57E-01	5.34E-11	1.0E+06	5.3E-05
76	0.1911	2.14E-05	4.1E-06	3.46E-04	1.42E-09	2.50E-01	1.57E-01	5.56E-11	1.0E+06	5.6E-05
77	0.19888	2.14E-05	4.3E-06	3.46E-04	1.47E-09	2.50E-01	1.57E-01	5.79E-11	1.0E+06	5.8E-05
78	0.20702	2.14E-05	4.4E-06	3.46E-04	1.53E-09	2.50E-01	1.57E-01	6.02E-11	1.0E+06	6.0E-05
79	0.2507	2.14E-05	5.4E-06	3.46E-04	1.86E-09	2.50E-01	1.57E-01	7.29E-11	1.0E+06	7.3E-05
80	0.25976	2.14E-05	5.6E-06	3.46E-04	1.92E-09	2.50E-01	1.57E-01	7.56E-11	1.0E+06	7.6E-05
81	0.26888	2.14E-05	5.8E-06	3.46E-04	1.99E-09	2.50E-01	1.57E-01	7.82E-11	1.0E+06	7.8E-05
82	0.27775	2.14E-05	5.9E-06	3.46E-04	2.06E-09	2.50E-01	1.57E-01	8.08E-11	1.0E+06	8.1E-05
83	0.28639	2.14E-05	6.1E-06	3.46E-04	2.12E-09	2.50E-01	1.57E-01	8.33E-11	1.0E+06	8.3E-05
84	0.29451	2.14E-05	6.3E-06	3.46E-04	2.18E-09	2.50E-01	1.57E-01	8.57E-11	1.0E+06	8.6E-05

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	0.30211	2.14E-05	6.5E-06	3.46E-04	2.24E-09	2.50E-01	1.57E-01	8.79E-11	1.0E+06	8.8E-05
86	0.30903	2.14E-05	6.6E-06	3.46E-04	2.29E-09	2.50E-01	1.57E-01	8.99E-11	1.0E+06	9.0E-05
87	0.3151	2.14E-05	6.7E-06	3.46E-04	2.33E-09	2.50E-01	1.57E-01	9.17E-11	1.0E+06	9.2E-05
88	0.32026	2.14E-05	6.9E-06	3.46E-04	2.37E-09	2.50E-01	1.57E-01	9.32E-11	1.0E+06	9.3E-05
89	0.32437	2.14E-05	6.9E-06	3.46E-04	2.40E-09	2.50E-01	1.57E-01	9.44E-11	1.0E+06	9.4E-05
90	0.32746	2.14E-05	7.0E-06	3.46E-04	2.42E-09	2.50E-01	1.57E-01	9.53E-11	1.0E+06	9.5E-05
91	0.32966	2.14E-05	7.1E-06	3.46E-04	2.44E-09	2.50E-01	1.57E-01	9.59E-11	1.0E+06	9.6E-05
92	0.33077	2.14E-05	7.1E-06	3.46E-04	2.45E-09	2.50E-01	1.57E-01	9.62E-11	1.0E+06	9.6E-05
93	0.33123	2.14E-05	7.1E-06	3.46E-04	2.45E-09	2.50E-01	1.57E-01	9.64E-11	1.0E+06	9.6E-05
96	0.33577	2.14E-05	7.2E-06	3.46E-04	2.49E-09	2.50E-01	1.57E-01	9.77E-11	1.0E+06	9.8E-05
97	0.33667	2.14E-05	7.2E-06	3.46E-04	2.49E-09	2.50E-01	1.57E-01	9.79E-11	1.0E+06	9.8E-05
98	0.35037	2.14E-05	7.5E-06	3.46E-04	2.59E-09	2.50E-01	1.57E-01	1.02E-10	1.0E+06	1.0E-04
99	0.35534	2.14E-05	7.6E-06	3.46E-04	2.63E-09	2.50E-01	1.57E-01	1.03E-10	1.0E+06	1.0E-04
100	0.35897	2.14E-05	7.7E-06	3.46E-04	2.66E-09	2.50E-01	1.57E-01	1.04E-10	1.0E+06	1.0E-04
101	0.36134	2.14E-05	7.7E-06	3.46E-04	2.68E-09	2.50E-01	1.57E-01	1.05E-10	1.0E+06	1.1E-04
102	0.36274	2.14E-05	7.8E-06	3.46E-04	2.69E-09	2.50E-01	1.57E-01	1.06E-10	1.0E+06	1.1E-04
106	0.13776	2.14E-05	2.9E-06	3.46E-04	1.02E-09	2.50E-01	1.57E-01	4.01E-11	1.0E+06	4.0E-05
107	0.14351	2.14E-05	3.1E-06	3.46E-04	1.06E-09	2.50E-01	1.57E-01	4.17E-11	1.0E+06	4.2E-05
108	0.14953	2.14E-05	3.2E-06	3.46E-04	1.11E-09	2.50E-01	1.57E-01	4.35E-11	1.0E+06	4.3E-05
109	0.15587	2.14E-05	3.3E-06	3.46E-04	1.15E-09	2.50E-01	1.57E-01	4.53E-11	1.0E+06	4.5E-05
110	0.16259	2.14E-05	3.5E-06	3.46E-04	1.20E-09	2.50E-01	1.57E-01	4.73E-11	1.0E+06	4.7E-05
111	0.16961	2.14E-05	3.6E-06	3.46E-04	1.26E-09	2.50E-01	1.57E-01	4.93E-11	1.0E+06	4.9E-05
112	0.17718	2.14E-05	3.8E-06	3.46E-04	1.31E-09	2.50E-01	1.57E-01	5.15E-11	1.0E+06	5.2E-05
113	0.18507	2.14E-05	4.0E-06	3.46E-04	1.37E-09	2.50E-01	1.57E-01	5.38E-11	1.0E+06	5.4E-05
114	0.1934	2.14E-05	4.1E-06	3.46E-04	1.43E-09	2.50E-01	1.57E-01	5.63E-11	1.0E+06	5.6E-05
115	0.20212	2.14E-05	4.3E-06	3.46E-04	1.50E-09	2.50E-01	1.57E-01	5.88E-11	1.0E+06	5.9E-05
116	0.21123	2.14E-05	4.5E-06	3.46E-04	1.56E-09	2.50E-01	1.57E-01	6.14E-11	1.0E+06	6.1E-05
117	0.22094	2.14E-05	4.7E-06	3.46E-04	1.64E-09	2.50E-01	1.57E-01	6.43E-11	1.0E+06	6.4E-05
118	0.23111	2.14E-05	4.9E-06	3.46E-04	1.71E-09	2.50E-01	1.57E-01	6.72E-11	1.0E+06	6.7E-05
124	0.14199	2.14E-05	3.0E-06	3.46E-04	1.05E-09	2.50E-01	1.57E-01	4.13E-11	1.0E+06	4.1E-05
125	0.14809	2.14E-05	3.2E-06	3.46E-04	1.10E-09	2.50E-01	1.57E-01	4.31E-11	1.0E+06	4.3E-05

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.15455	2.14E-05	3.3E-06	3.46E-04	1.14E-09	2.50E-01	1.57E-01	4.50E-11	1.0E+06	4.5E-05
127	0.16141	2.14E-05	3.5E-06	3.46E-04	1.20E-09	2.50E-01	1.57E-01	4.70E-11	1.0E+06	4.7E-05
128	0.16868	2.14E-05	3.6E-06	3.46E-04	1.25E-09	2.50E-01	1.57E-01	4.91E-11	1.0E+06	4.9E-05
129	0.17633	2.14E-05	3.8E-06	3.46E-04	1.31E-09	2.50E-01	1.57E-01	5.13E-11	1.0E+06	5.1E-05
130	0.18457	2.14E-05	3.9E-06	3.46E-04	1.37E-09	2.50E-01	1.57E-01	5.37E-11	1.0E+06	5.4E-05
131	0.19326	2.14E-05	4.1E-06	3.46E-04	1.43E-09	2.50E-01	1.57E-01	5.62E-11	1.0E+06	5.6E-05
132	0.20248	2.14E-05	4.3E-06	3.46E-04	1.50E-09	2.50E-01	1.57E-01	5.89E-11	1.0E+06	5.9E-05
133	0.21216	2.14E-05	4.5E-06	3.46E-04	1.57E-09	2.50E-01	1.57E-01	6.17E-11	1.0E+06	6.2E-05
134	0.22249	2.14E-05	4.8E-06	3.46E-04	1.65E-09	2.50E-01	1.57E-01	6.47E-11	1.0E+06	6.5E-05
135	0.23331	2.14E-05	5.0E-06	3.46E-04	1.73E-09	2.50E-01	1.57E-01	6.79E-11	1.0E+06	6.8E-05
136	0.24469	2.14E-05	5.2E-06	3.46E-04	1.81E-09	2.50E-01	1.57E-01	7.12E-11	1.0E+06	7.1E-05
137	0.25657	2.14E-05	5.5E-06	3.46E-04	1.90E-09	2.50E-01	1.57E-01	7.46E-11	1.0E+06	7.5E-05
138	0.26923	2.14E-05	5.8E-06	3.46E-04	1.99E-09	2.50E-01	1.57E-01	7.83E-11	1.0E+06	7.8E-05
141	0.14622	2.14E-05	3.1E-06	3.46E-04	1.08E-09	2.50E-01	1.57E-01	4.25E-11	1.0E+06	4.3E-05
142	0.15275	2.14E-05	3.3E-06	3.46E-04	1.13E-09	2.50E-01	1.57E-01	4.44E-11	1.0E+06	4.4E-05
143	0.15968	2.14E-05	3.4E-06	3.46E-04	1.18E-09	2.50E-01	1.57E-01	4.64E-11	1.0E+06	4.6E-05
144	0.16707	2.14E-05	3.6E-06	3.46E-04	1.24E-09	2.50E-01	1.57E-01	4.86E-11	1.0E+06	4.9E-05
145	0.17493	2.14E-05	3.7E-06	3.46E-04	1.30E-09	2.50E-01	1.57E-01	5.09E-11	1.0E+06	5.1E-05
146	0.18325	2.14E-05	3.9E-06	3.46E-04	1.36E-09	2.50E-01	1.57E-01	5.33E-11	1.0E+06	5.3E-05
147	0.19224	2.14E-05	4.1E-06	3.46E-04	1.42E-09	2.50E-01	1.57E-01	5.59E-11	1.0E+06	5.6E-05
148	0.20175	2.14E-05	4.3E-06	3.46E-04	1.49E-09	2.50E-01	1.57E-01	5.87E-11	1.0E+06	5.9E-05
149	0.2119	2.14E-05	4.5E-06	3.46E-04	1.57E-09	2.50E-01	1.57E-01	6.16E-11	1.0E+06	6.2E-05
150	0.22266	2.14E-05	4.8E-06	3.46E-04	1.65E-09	2.50E-01	1.57E-01	6.48E-11	1.0E+06	6.5E-05
151	0.23413	2.14E-05	5.0E-06	3.46E-04	1.73E-09	2.50E-01	1.57E-01	6.81E-11	1.0E+06	6.8E-05
152	0.24629	2.14E-05	5.3E-06	3.46E-04	1.82E-09	2.50E-01	1.57E-01	7.16E-11	1.0E+06	7.2E-05
153	0.25918	2.14E-05	5.5E-06	3.46E-04	1.92E-09	2.50E-01	1.57E-01	7.54E-11	1.0E+06	7.5E-05
154	0.27267	2.14E-05	5.8E-06	3.46E-04	2.02E-09	2.50E-01	1.57E-01	7.93E-11	1.0E+06	7.9E-05
155	0.28698	2.14E-05	6.1E-06	3.46E-04	2.12E-09	2.50E-01	1.57E-01	8.35E-11	1.0E+06	8.3E-05
164	0.28996	2.14E-05	6.2E-06	3.46E-04	2.15E-09	2.50E-01	1.57E-01	8.43E-11	1.0E+06	8.4E-05
165	0.30628	2.14E-05	6.6E-06	3.46E-04	2.27E-09	2.50E-01	1.57E-01	8.91E-11	1.0E+06	8.9E-05
166	0.32378	2.14E-05	6.9E-06	3.46E-04	2.40E-09	2.50E-01	1.57E-01	9.42E-11	1.0E+06	9.4E-05

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	0.30842	2.14E-05	6.6E-06	3.46E-04	2.28E-09	2.50E-01	1.57E-01	8.97E-11	1.0E+06	9.0E-05
179	0.32719	2.14E-05	7.0E-06	3.46E-04	2.42E-09	2.50E-01	1.57E-01	9.52E-11	1.0E+06	9.5E-05
180	0.3474	2.14E-05	7.4E-06	3.46E-04	2.57E-09	2.50E-01	1.57E-01	1.01E-10	1.0E+06	1.0E-04
192	0.32814	2.14E-05	7.0E-06	3.46E-04	2.43E-09	2.50E-01	1.57E-01	9.55E-11	1.0E+06	9.5E-05
193	0.34981	2.14E-05	7.5E-06	3.46E-04	2.59E-09	2.50E-01	1.57E-01	1.02E-10	1.0E+06	1.0E-04
194	0.37312	2.14E-05	8.0E-06	3.46E-04	2.76E-09	2.50E-01	1.57E-01	1.09E-10	1.0E+06	1.1E-04
207	0.34893	2.14E-05	7.5E-06	3.46E-04	2.58E-09	2.50E-01	1.57E-01	1.02E-10	1.0E+06	1.0E-04
208	0.37383	2.14E-05	8.0E-06	3.46E-04	2.77E-09	2.50E-01	1.57E-01	1.09E-10	1.0E+06	1.1E-04
209	0.40098	2.14E-05	8.6E-06	3.46E-04	2.97E-09	2.50E-01	1.57E-01	1.17E-10	1.0E+06	1.2E-04
223	0.37073	2.14E-05	7.9E-06	3.46E-04	2.75E-09	2.50E-01	1.57E-01	1.08E-10	1.0E+06	1.1E-04
224	0.39926	2.14E-05	8.5E-06	3.46E-04	2.96E-09	2.50E-01	1.57E-01	1.16E-10	1.0E+06	1.2E-04
225	0.43056	2.14E-05	9.2E-06	3.46E-04	3.19E-09	2.50E-01	1.57E-01	1.25E-10	1.0E+06	1.3E-04
239	0.39344	2.14E-05	8.4E-06	3.46E-04	2.91E-09	2.50E-01	1.57E-01	1.14E-10	1.0E+06	1.1E-04
240	0.42603	2.14E-05	9.1E-06	3.46E-04	3.15E-09	2.50E-01	1.57E-01	1.24E-10	1.0E+06	1.2E-04
241	0.46241	2.14E-05	9.9E-06	3.46E-04	3.42E-09	2.50E-01	1.57E-01	1.35E-10	1.0E+06	1.3E-04
255	0.41664	2.14E-05	8.9E-06	3.46E-04	3.09E-09	2.50E-01	1.57E-01	1.21E-10	1.0E+06	1.2E-04
256	0.45372	2.14E-05	9.7E-06	3.46E-04	3.36E-09	2.50E-01	1.57E-01	1.32E-10	1.0E+06	1.3E-04
272	0.43985	2.14E-05	9.4E-06	3.46E-04	3.26E-09	2.50E-01	1.57E-01	1.28E-10	1.0E+06	1.3E-04
273	0.48191	2.14E-05	1.0E-05	3.46E-04	3.57E-09	2.50E-01	1.57E-01	1.40E-10	1.0E+06	1.4E-04
289	0.46274	2.14E-05	9.9E-06	3.46E-04	3.43E-09	2.50E-01	1.57E-01	1.35E-10	1.0E+06	1.3E-04
290	0.50987	2.14E-05	1.1E-05	3.46E-04	3.78E-09	2.50E-01	1.57E-01	1.48E-10	1.0E+06	1.5E-04
306	0.48445	2.14E-05	1.0E-05	3.46E-04	3.59E-09	2.50E-01	1.57E-01	1.41E-10	1.0E+06	1.4E-04
307	0.53674	2.14E-05	1.1E-05	3.46E-04	3.97E-09	2.50E-01	1.57E-01	1.56E-10	1.0E+06	1.6E-04
323	0.5042	2.14E-05	1.1E-05	3.46E-04	3.73E-09	2.50E-01	1.57E-01	1.47E-10	1.0E+06	1.5E-04
324	0.56147	2.14E-05	1.2E-05	3.46E-04	4.16E-09	2.50E-01	1.57E-01	1.63E-10	1.0E+06	1.6E-04
342	0.5212	2.14E-05	1.1E-05	3.46E-04	3.86E-09	2.50E-01	1.57E-01	1.52E-10	1.0E+06	1.5E-04
343	0.58296	2.14E-05	1.2E-05	3.46E-04	4.32E-09	2.50E-01	1.57E-01	1.70E-10	1.0E+06	1.7E-04
344	0.65679	2.14E-05	1.4E-05	3.46E-04	4.86E-09	2.50E-01	1.57E-01	1.91E-10	1.0E+06	1.9E-04
356	0.53459	2.14E-05	1.1E-05	3.46E-04	3.96E-09	2.50E-01	1.57E-01	1.56E-10	1.0E+06	1.6E-04
357	0.59994	2.14E-05	1.3E-05	3.46E-04	4.44E-09	2.50E-01	1.57E-01	1.75E-10	1.0E+06	1.7E-04
358	0.67891	2.14E-05	1.5E-05	3.46E-04	5.03E-09	2.50E-01	1.57E-01	1.97E-10	1.0E+06	2.0E-04

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.54387	2.14E-05	1.2E-05	3.46E-04	4.03E-09	2.50E-01	1.57E-01	1.58E-10	1.0E+06	1.6E-04
371	0.61184	2.14E-05	1.3E-05	3.46E-04	4.53E-09	2.50E-01	1.57E-01	1.78E-10	1.0E+06	1.8E-04
372	0.69444	2.14E-05	1.5E-05	3.46E-04	5.14E-09	2.50E-01	1.57E-01	2.02E-10	1.0E+06	2.0E-04
383	0.54866	2.14E-05	1.2E-05	3.46E-04	4.06E-09	2.50E-01	1.57E-01	1.60E-10	1.0E+06	1.6E-04
384	0.61809	2.14E-05	1.3E-05	3.46E-04	4.58E-09	2.50E-01	1.57E-01	1.80E-10	1.0E+06	1.8E-04
385	0.70266	2.14E-05	1.5E-05	3.46E-04	5.20E-09	2.50E-01	1.57E-01	2.04E-10	1.0E+06	2.0E-04
396	0.54897	2.14E-05	1.2E-05	3.46E-04	4.06E-09	2.50E-01	1.57E-01	1.60E-10	1.0E+06	1.6E-04
397	0.61862	2.14E-05	1.3E-05	3.46E-04	4.58E-09	2.50E-01	1.57E-01	1.80E-10	1.0E+06	1.8E-04
398	0.70346	2.14E-05	1.5E-05	3.46E-04	5.21E-09	2.50E-01	1.57E-01	2.05E-10	1.0E+06	2.0E-04
399	0.80843	2.14E-05	1.7E-05	3.46E-04	5.99E-09	2.50E-01	1.57E-01	2.35E-10	1.0E+06	2.4E-04
411	0.54505	2.14E-05	1.2E-05	3.46E-04	4.04E-09	2.50E-01	1.57E-01	1.59E-10	1.0E+06	1.6E-04
412	0.61372	2.14E-05	1.3E-05	3.46E-04	4.54E-09	2.50E-01	1.57E-01	1.79E-10	1.0E+06	1.8E-04
413	0.69742	2.14E-05	1.5E-05	3.46E-04	5.16E-09	2.50E-01	1.57E-01	2.03E-10	1.0E+06	2.0E-04
414	0.80038	2.14E-05	1.7E-05	3.46E-04	5.93E-09	2.50E-01	1.57E-01	2.33E-10	1.0E+06	2.3E-04
426	0.53745	2.14E-05	1.1E-05	3.46E-04	3.98E-09	2.50E-01	1.57E-01	1.56E-10	1.0E+06	1.6E-04
427	0.60418	2.14E-05	1.3E-05	3.46E-04	4.47E-09	2.50E-01	1.57E-01	1.76E-10	1.0E+06	1.8E-04
428	0.68492	2.14E-05	1.5E-05	3.46E-04	5.07E-09	2.50E-01	1.57E-01	1.99E-10	1.0E+06	2.0E-04
429	0.78419	2.14E-05	1.7E-05	3.46E-04	5.81E-09	2.50E-01	1.57E-01	2.28E-10	1.0E+06	2.3E-04
439	0.5267	2.14E-05	1.1E-05	3.46E-04	3.90E-09	2.50E-01	1.57E-01	1.53E-10	1.0E+06	1.5E-04
440	0.59064	2.14E-05	1.3E-05	3.46E-04	4.37E-09	2.50E-01	1.57E-01	1.72E-10	1.0E+06	1.7E-04
441	0.66764	2.14E-05	1.4E-05	3.46E-04	4.94E-09	2.50E-01	1.57E-01	1.94E-10	1.0E+06	1.9E-04
442	0.76151	2.14E-05	1.6E-05	3.46E-04	5.64E-09	2.50E-01	1.57E-01	2.22E-10	1.0E+06	2.2E-04
443	0.87764	2.14E-05	1.9E-05	3.46E-04	6.50E-09	2.50E-01	1.57E-01	2.55E-10	1.0E+06	2.6E-04
454	0.51347	2.14E-05	1.1E-05	3.46E-04	3.80E-09	2.50E-01	1.57E-01	1.49E-10	1.0E+06	1.5E-04
455	0.574	2.14E-05	1.2E-05	3.46E-04	4.25E-09	2.50E-01	1.57E-01	1.67E-10	1.0E+06	1.7E-04
456	0.64635	2.14E-05	1.4E-05	3.46E-04	4.79E-09	2.50E-01	1.57E-01	1.88E-10	1.0E+06	1.9E-04
457	0.73378	2.14E-05	1.6E-05	3.46E-04	5.43E-09	2.50E-01	1.57E-01	2.13E-10	1.0E+06	2.1E-04
458	0.84072	2.14E-05	1.8E-05	3.46E-04	6.23E-09	2.50E-01	1.57E-01	2.45E-10	1.0E+06	2.4E-04
469	0.49827	2.14E-05	1.1E-05	3.46E-04	3.69E-09	2.50E-01	1.57E-01	1.45E-10	1.0E+06	1.4E-04
470	0.55487	2.14E-05	1.2E-05	3.46E-04	4.11E-09	2.50E-01	1.57E-01	1.61E-10	1.0E+06	1.6E-04
471	0.62203	2.14E-05	1.3E-05	3.46E-04	4.61E-09	2.50E-01	1.57E-01	1.81E-10	1.0E+06	1.8E-04

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.7023	2.14E-05	1.5E-05	3.46E-04	5.20E-09	2.50E-01	1.57E-01	2.04E-10	1.0E+06	2.0E-04
473	0.79925	2.14E-05	1.7E-05	3.46E-04	5.92E-09	2.50E-01	1.57E-01	2.32E-10	1.0E+06	2.3E-04
489	0.48168	2.14E-05	1.0E-05	3.46E-04	3.57E-09	2.50E-01	1.57E-01	1.40E-10	1.0E+06	1.4E-04
490	0.53418	2.14E-05	1.1E-05	3.46E-04	3.96E-09	2.50E-01	1.57E-01	1.55E-10	1.0E+06	1.6E-04
491	0.59579	2.14E-05	1.3E-05	3.46E-04	4.41E-09	2.50E-01	1.57E-01	1.73E-10	1.0E+06	1.7E-04
492	0.66865	2.14E-05	1.4E-05	3.46E-04	4.95E-09	2.50E-01	1.57E-01	1.95E-10	1.0E+06	1.9E-04
493	0.75554	2.14E-05	1.6E-05	3.46E-04	5.59E-09	2.50E-01	1.57E-01	2.20E-10	1.0E+06	2.2E-04
494	0.86011	2.14E-05	1.8E-05	3.46E-04	6.37E-09	2.50E-01	1.57E-01	2.50E-10	1.0E+06	2.5E-04
509	0.46394	2.14E-05	9.9E-06	3.46E-04	3.44E-09	2.50E-01	1.57E-01	1.35E-10	1.0E+06	1.3E-04
510	0.51217	2.14E-05	1.1E-05	3.46E-04	3.79E-09	2.50E-01	1.57E-01	1.49E-10	1.0E+06	1.5E-04
511	0.56813	2.14E-05	1.2E-05	3.46E-04	4.21E-09	2.50E-01	1.57E-01	1.65E-10	1.0E+06	1.7E-04
512	0.63358	2.14E-05	1.4E-05	3.46E-04	4.69E-09	2.50E-01	1.57E-01	1.84E-10	1.0E+06	1.8E-04
513	0.71066	2.14E-05	1.5E-05	3.46E-04	5.26E-09	2.50E-01	1.57E-01	2.07E-10	1.0E+06	2.1E-04
514	0.80196	2.14E-05	1.7E-05	3.46E-04	5.94E-09	2.50E-01	1.57E-01	2.33E-10	1.0E+06	2.3E-04
515	1.043	2.14E-05	2.2E-05	3.46E-04	7.72E-09	2.50E-01	1.57E-01	3.03E-10	1.0E+06	3.0E-04
516	1.20376	2.14E-05	2.6E-05	3.46E-04	8.91E-09	2.50E-01	1.57E-01	3.50E-10	1.0E+06	3.5E-04
517	1.40207	2.14E-05	3.0E-05	3.46E-04	1.04E-08	2.50E-01	1.57E-01	4.08E-10	1.0E+06	4.1E-04
518	1.64941	2.14E-05	3.5E-05	3.46E-04	1.22E-08	2.50E-01	1.57E-01	4.80E-10	1.0E+06	4.8E-04
519	1.96158	2.14E-05	4.2E-05	3.46E-04	1.45E-08	2.50E-01	1.57E-01	5.71E-10	1.0E+06	5.7E-04
528	0.44543	2.14E-05	9.5E-06	3.46E-04	3.30E-09	2.50E-01	1.57E-01	1.30E-10	1.0E+06	1.3E-04
529	0.48938	2.14E-05	1.0E-05	3.46E-04	3.62E-09	2.50E-01	1.57E-01	1.42E-10	1.0E+06	1.4E-04
530	0.53986	2.14E-05	1.2E-05	3.46E-04	4.00E-09	2.50E-01	1.57E-01	1.57E-10	1.0E+06	1.6E-04
531	0.59815	2.14E-05	1.3E-05	3.46E-04	4.43E-09	2.50E-01	1.57E-01	1.74E-10	1.0E+06	1.7E-04
532	0.66591	2.14E-05	1.4E-05	3.46E-04	4.93E-09	2.50E-01	1.57E-01	1.94E-10	1.0E+06	1.9E-04
533	0.74509	2.14E-05	1.6E-05	3.46E-04	5.52E-09	2.50E-01	1.57E-01	2.17E-10	1.0E+06	2.2E-04
534	0.94875	2.14E-05	2.0E-05	3.46E-04	7.03E-09	2.50E-01	1.57E-01	2.76E-10	1.0E+06	2.8E-04
535	1.0806	2.14E-05	2.3E-05	3.46E-04	8.00E-09	2.50E-01	1.57E-01	3.14E-10	1.0E+06	3.1E-04
536	1.24017	2.14E-05	2.7E-05	3.46E-04	9.18E-09	2.50E-01	1.57E-01	3.61E-10	1.0E+06	3.6E-04
537	1.43239	2.14E-05	3.1E-05	3.46E-04	1.06E-08	2.50E-01	1.57E-01	4.17E-10	1.0E+06	4.2E-04
538	1.6664	2.14E-05	3.6E-05	3.46E-04	1.23E-08	2.50E-01	1.57E-01	4.85E-10	1.0E+06	4.8E-04
547	0.42647	2.14E-05	9.1E-06	3.46E-04	3.16E-09	2.50E-01	1.57E-01	1.24E-10	1.0E+06	1.2E-04

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.46624	2.14E-05	1.0E-05	3.46E-04	3.45E-09	2.50E-01	1.57E-01	1.36E-10	1.0E+06	1.4E-04
549	0.5114	2.14E-05	1.1E-05	3.46E-04	3.79E-09	2.50E-01	1.57E-01	1.49E-10	1.0E+06	1.5E-04
550	0.56308	2.14E-05	1.2E-05	3.46E-04	4.17E-09	2.50E-01	1.57E-01	1.64E-10	1.0E+06	1.6E-04
551	0.62233	2.14E-05	1.3E-05	3.46E-04	4.61E-09	2.50E-01	1.57E-01	1.81E-10	1.0E+06	1.8E-04
552	0.6907	2.14E-05	1.5E-05	3.46E-04	5.11E-09	2.50E-01	1.57E-01	2.01E-10	1.0E+06	2.0E-04
553	0.77006	2.14E-05	1.6E-05	3.46E-04	5.70E-09	2.50E-01	1.57E-01	2.24E-10	1.0E+06	2.2E-04
554	0.86265	2.14E-05	1.8E-05	3.46E-04	6.39E-09	2.50E-01	1.57E-01	2.51E-10	1.0E+06	2.5E-04
555	0.97156	2.14E-05	2.1E-05	3.46E-04	7.19E-09	2.50E-01	1.57E-01	2.83E-10	1.0E+06	2.8E-04
556	1.10059	2.14E-05	2.4E-05	3.46E-04	8.15E-09	2.50E-01	1.57E-01	3.20E-10	1.0E+06	3.2E-04
557	1.2524	2.14E-05	2.7E-05	3.46E-04	9.27E-09	2.50E-01	1.57E-01	3.64E-10	1.0E+06	3.6E-04
558	1.43286	2.14E-05	3.1E-05	3.46E-04	1.06E-08	2.50E-01	1.57E-01	4.17E-10	1.0E+06	4.2E-04
559	1.64116	2.14E-05	3.5E-05	3.46E-04	1.22E-08	2.50E-01	1.57E-01	4.77E-10	1.0E+06	4.8E-04
567	0.40727	2.14E-05	8.7E-06	3.46E-04	3.02E-09	2.50E-01	1.57E-01	1.18E-10	1.0E+06	1.2E-04
568	0.44303	2.14E-05	9.5E-06	3.46E-04	3.28E-09	2.50E-01	1.57E-01	1.29E-10	1.0E+06	1.3E-04
569	0.4833	2.14E-05	1.0E-05	3.46E-04	3.58E-09	2.50E-01	1.57E-01	1.41E-10	1.0E+06	1.4E-04
570	0.52883	2.14E-05	1.1E-05	3.46E-04	3.92E-09	2.50E-01	1.57E-01	1.54E-10	1.0E+06	1.5E-04
571	0.58056	2.14E-05	1.2E-05	3.46E-04	4.30E-09	2.50E-01	1.57E-01	1.69E-10	1.0E+06	1.7E-04
572	0.63958	2.14E-05	1.4E-05	3.46E-04	4.74E-09	2.50E-01	1.57E-01	1.86E-10	1.0E+06	1.9E-04
573	0.70729	2.14E-05	1.5E-05	3.46E-04	5.24E-09	2.50E-01	1.57E-01	2.06E-10	1.0E+06	2.1E-04
574	0.87569	2.14E-05	1.9E-05	3.46E-04	6.48E-09	2.50E-01	1.57E-01	2.55E-10	1.0E+06	2.5E-04
575	0.98087	2.14E-05	2.1E-05	3.46E-04	7.26E-09	2.50E-01	1.57E-01	2.85E-10	1.0E+06	2.9E-04
576	1.10279	2.14E-05	2.4E-05	3.46E-04	8.17E-09	2.50E-01	1.57E-01	3.21E-10	1.0E+06	3.2E-04
577	1.24296	2.14E-05	2.7E-05	3.46E-04	9.20E-09	2.50E-01	1.57E-01	3.62E-10	1.0E+06	3.6E-04
578	1.40032	2.14E-05	3.0E-05	3.46E-04	1.04E-08	2.50E-01	1.57E-01	4.07E-10	1.0E+06	4.1E-04
586	0.38816	2.14E-05	8.3E-06	3.46E-04	2.87E-09	2.50E-01	1.57E-01	1.13E-10	1.0E+06	1.1E-04
587	0.42021	2.14E-05	9.0E-06	3.46E-04	3.11E-09	2.50E-01	1.57E-01	1.22E-10	1.0E+06	1.2E-04
588	0.45598	2.14E-05	9.8E-06	3.46E-04	3.38E-09	2.50E-01	1.57E-01	1.33E-10	1.0E+06	1.3E-04
589	0.49608	2.14E-05	1.1E-05	3.46E-04	3.67E-09	2.50E-01	1.57E-01	1.44E-10	1.0E+06	1.4E-04
590	0.54122	2.14E-05	1.2E-05	3.46E-04	4.01E-09	2.50E-01	1.57E-01	1.57E-10	1.0E+06	1.6E-04
591	0.59224	2.14E-05	1.3E-05	3.46E-04	4.39E-09	2.50E-01	1.57E-01	1.72E-10	1.0E+06	1.7E-04
592	0.65019	2.14E-05	1.4E-05	3.46E-04	4.81E-09	2.50E-01	1.57E-01	1.89E-10	1.0E+06	1.9E-04

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.79179	2.14E-05	1.7E-05	3.46E-04	5.86E-09	2.50E-01	1.57E-01	2.30E-10	1.0E+06	2.3E-04
594	0.87839	2.14E-05	1.9E-05	3.46E-04	6.50E-09	2.50E-01	1.57E-01	2.56E-10	1.0E+06	2.6E-04
595	0.97656	2.14E-05	2.1E-05	3.46E-04	7.23E-09	2.50E-01	1.57E-01	2.84E-10	1.0E+06	2.8E-04
596	1.08654	2.14E-05	2.3E-05	3.46E-04	8.05E-09	2.50E-01	1.57E-01	3.16E-10	1.0E+06	3.2E-04
597	1.20657	2.14E-05	2.6E-05	3.46E-04	8.93E-09	2.50E-01	1.57E-01	3.51E-10	1.0E+06	3.5E-04
345	0.74661	2.14E-05	1.6E-05	3.46E-04	5.53E-09	2.50E-01	1.57E-01	2.17E-10	1.0E+06	2.2E-04
346	0.8571	2.14E-05	1.8E-05	3.46E-04	6.35E-09	2.50E-01	1.57E-01	2.49E-10	1.0E+06	2.5E-04
347	0.99553	2.14E-05	2.1E-05	3.46E-04	7.37E-09	2.50E-01	1.57E-01	2.90E-10	1.0E+06	2.9E-04
348	1.17212	2.14E-05	2.5E-05	3.46E-04	8.68E-09	2.50E-01	1.57E-01	3.41E-10	1.0E+06	3.4E-04
359	0.77574	2.14E-05	1.7E-05	3.46E-04	5.74E-09	2.50E-01	1.57E-01	2.26E-10	1.0E+06	2.3E-04
360	0.89631	2.14E-05	1.9E-05	3.46E-04	6.64E-09	2.50E-01	1.57E-01	2.61E-10	1.0E+06	2.6E-04
361	1.04893	2.14E-05	2.2E-05	3.46E-04	7.77E-09	2.50E-01	1.57E-01	3.05E-10	1.0E+06	3.1E-04
362	1.24639	2.14E-05	2.7E-05	3.46E-04	9.23E-09	2.50E-01	1.57E-01	3.63E-10	1.0E+06	3.6E-04
363	1.50986	2.14E-05	3.2E-05	3.46E-04	1.12E-08	2.50E-01	1.57E-01	4.39E-10	1.0E+06	4.4E-04
373	0.92401	2.14E-05	2.0E-05	3.46E-04	6.84E-09	2.50E-01	1.57E-01	2.69E-10	1.0E+06	2.7E-04
374	1.08722	2.14E-05	2.3E-05	3.46E-04	8.05E-09	2.50E-01	1.57E-01	3.16E-10	1.0E+06	3.2E-04
375	1.30021	2.14E-05	2.8E-05	3.46E-04	9.63E-09	2.50E-01	1.57E-01	3.78E-10	1.0E+06	3.8E-04
376	1.58816	2.14E-05	3.4E-05	3.46E-04	1.18E-08	2.50E-01	1.57E-01	4.62E-10	1.0E+06	4.6E-04
386	0.93901	2.14E-05	2.0E-05	3.46E-04	6.95E-09	2.50E-01	1.57E-01	2.73E-10	1.0E+06	2.7E-04
387	1.10812	2.14E-05	2.4E-05	3.46E-04	8.21E-09	2.50E-01	1.57E-01	3.22E-10	1.0E+06	3.2E-04
388	1.3299	2.14E-05	2.8E-05	3.46E-04	9.85E-09	2.50E-01	1.57E-01	3.87E-10	1.0E+06	3.9E-04
389	1.63126	2.14E-05	3.5E-05	3.46E-04	1.21E-08	2.50E-01	1.57E-01	4.75E-10	1.0E+06	4.7E-04
390	2.05682	2.14E-05	4.4E-05	3.46E-04	1.52E-08	2.50E-01	1.57E-01	5.98E-10	1.0E+06	6.0E-04
400	0.94065	2.14E-05	2.0E-05	3.46E-04	6.97E-09	2.50E-01	1.57E-01	2.74E-10	1.0E+06	2.7E-04
401	1.11047	2.14E-05	2.4E-05	3.46E-04	8.22E-09	2.50E-01	1.57E-01	3.23E-10	1.0E+06	3.2E-04
402	1.3339	2.14E-05	2.9E-05	3.46E-04	9.88E-09	2.50E-01	1.57E-01	3.88E-10	1.0E+06	3.9E-04
403	1.63561	2.14E-05	3.5E-05	3.46E-04	1.21E-08	2.50E-01	1.57E-01	4.76E-10	1.0E+06	4.8E-04
404	2.05987	2.14E-05	4.4E-05	3.46E-04	1.53E-08	2.50E-01	1.57E-01	5.99E-10	1.0E+06	6.0E-04
415	0.9299	2.14E-05	2.0E-05	3.46E-04	6.89E-09	2.50E-01	1.57E-01	2.71E-10	1.0E+06	2.7E-04
416	1.09576	2.14E-05	2.3E-05	3.46E-04	8.11E-09	2.50E-01	1.57E-01	3.19E-10	1.0E+06	3.2E-04
417	1.31242	2.14E-05	2.8E-05	3.46E-04	9.72E-09	2.50E-01	1.57E-01	3.82E-10	1.0E+06	3.8E-04

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	1.60468	2.14E-05	3.4E-05	3.46E-04	1.19E-08	2.50E-01	1.57E-01	4.67E-10	1.0E+06	4.7E-04
419	2.00962	2.14E-05	4.3E-05	3.46E-04	1.49E-08	2.50E-01	1.57E-01	5.85E-10	1.0E+06	5.8E-04
420	2.59258	2.14E-05	5.5E-05	3.46E-04	1.92E-08	2.50E-01	1.57E-01	7.54E-10	1.0E+06	7.5E-04
430	1.0658	2.14E-05	2.3E-05	3.46E-04	7.89E-09	2.50E-01	1.57E-01	3.10E-10	1.0E+06	3.1E-04
431	1.26977	2.14E-05	2.7E-05	3.46E-04	9.40E-09	2.50E-01	1.57E-01	3.69E-10	1.0E+06	3.7E-04
432	1.54091	2.14E-05	3.3E-05	3.46E-04	1.14E-08	2.50E-01	1.57E-01	4.48E-10	1.0E+06	4.5E-04
433	1.91211	2.14E-05	4.1E-05	3.46E-04	1.42E-08	2.50E-01	1.57E-01	5.56E-10	1.0E+06	5.6E-04
434	2.44022	2.14E-05	5.2E-05	3.46E-04	1.81E-08	2.50E-01	1.57E-01	7.10E-10	1.0E+06	7.1E-04
444	1.02359	2.14E-05	2.2E-05	3.46E-04	7.58E-09	2.50E-01	1.57E-01	2.98E-10	1.0E+06	3.0E-04
445	1.2107	2.14E-05	2.6E-05	3.46E-04	8.96E-09	2.50E-01	1.57E-01	3.52E-10	1.0E+06	3.5E-04
446	1.45478	2.14E-05	3.1E-05	3.46E-04	1.08E-08	2.50E-01	1.57E-01	4.23E-10	1.0E+06	4.2E-04
447	1.78218	2.14E-05	3.8E-05	3.46E-04	1.32E-08	2.50E-01	1.57E-01	5.18E-10	1.0E+06	5.2E-04
448	2.23662	2.14E-05	4.8E-05	3.46E-04	1.66E-08	2.50E-01	1.57E-01	6.51E-10	1.0E+06	6.5E-04
459	1.14062	2.14E-05	2.4E-05	3.46E-04	8.45E-09	2.50E-01	1.57E-01	3.32E-10	1.0E+06	3.3E-04
460	1.35499	2.14E-05	2.9E-05	3.46E-04	1.00E-08	2.50E-01	1.57E-01	3.94E-10	1.0E+06	3.9E-04
461	1.63617	2.14E-05	3.5E-05	3.46E-04	1.21E-08	2.50E-01	1.57E-01	4.76E-10	1.0E+06	4.8E-04
462	2.01482	2.14E-05	4.3E-05	3.46E-04	1.49E-08	2.50E-01	1.57E-01	5.86E-10	1.0E+06	5.9E-04
463	2.54037	2.14E-05	5.4E-05	3.46E-04	1.88E-08	2.50E-01	1.57E-01	7.39E-10	1.0E+06	7.4E-04
474	1.06489	2.14E-05	2.3E-05	3.46E-04	7.88E-09	2.50E-01	1.57E-01	3.10E-10	1.0E+06	3.1E-04
475	1.2494	2.14E-05	2.7E-05	3.46E-04	9.25E-09	2.50E-01	1.57E-01	3.63E-10	1.0E+06	3.6E-04
476	1.48549	2.14E-05	3.2E-05	3.46E-04	1.10E-08	2.50E-01	1.57E-01	4.32E-10	1.0E+06	4.3E-04
477	1.79362	2.14E-05	3.8E-05	3.46E-04	1.33E-08	2.50E-01	1.57E-01	5.22E-10	1.0E+06	5.2E-04
478	2.20447	2.14E-05	4.7E-05	3.46E-04	1.63E-08	2.50E-01	1.57E-01	6.41E-10	1.0E+06	6.4E-04
495	0.98734	2.14E-05	2.1E-05	3.46E-04	7.31E-09	2.50E-01	1.57E-01	2.87E-10	1.0E+06	2.9E-04
496	1.14405	2.14E-05	2.4E-05	3.46E-04	8.47E-09	2.50E-01	1.57E-01	3.33E-10	1.0E+06	3.3E-04
497	1.33964	2.14E-05	2.9E-05	3.46E-04	9.92E-09	2.50E-01	1.57E-01	3.90E-10	1.0E+06	3.9E-04
498	1.58744	2.14E-05	3.4E-05	3.46E-04	1.18E-08	2.50E-01	1.57E-01	4.62E-10	1.0E+06	4.6E-04
499	1.90598	2.14E-05	4.1E-05	3.46E-04	1.41E-08	2.50E-01	1.57E-01	5.54E-10	1.0E+06	5.5E-04
500	2.32121	2.14E-05	5.0E-05	3.46E-04	1.72E-08	2.50E-01	1.57E-01	6.75E-10	1.0E+06	6.8E-04

Via Oro
Risk From Idling in Bays [Idle2]

		Cancer Risk from 3rd Trimester - Construction									
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
139	0.28223	2.14E-05	6.0E-06	3.46E-04	2.09E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	0.29587	2.14E-05	6.3E-06	3.46E-04	2.19E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	0.30211	2.14E-05	6.5E-06	3.46E-04	2.24E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	0.31779	2.14E-05	6.8E-06	3.46E-04	2.35E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	0.33425	2.14E-05	7.1E-06	3.46E-04	2.47E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	0.35127	2.14E-05	7.5E-06	3.46E-04	2.60E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	0.36839	2.14E-05	7.9E-06	3.46E-04	2.73E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	0.40331	2.14E-05	8.6E-06	3.46E-04	2.99E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	0.42031	2.14E-05	9.0E-06	3.46E-04	3.11E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	0.43624	2.14E-05	9.3E-06	3.46E-04	3.23E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	0.34169	2.14E-05	7.3E-06	3.46E-04	2.53E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	0.36146	2.14E-05	7.7E-06	3.46E-04	2.68E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	0.38143	2.14E-05	8.2E-06	3.46E-04	2.82E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	0.40199	2.14E-05	8.6E-06	3.46E-04	2.98E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	0.42295	2.14E-05	9.0E-06	3.46E-04	3.13E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	0.44429	2.14E-05	9.5E-06	3.46E-04	3.29E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	0.46512	2.14E-05	9.9E-06	3.46E-04	3.44E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	0.48509	2.14E-05	1.0E-05	3.46E-04	3.59E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	0.50363	2.14E-05	1.1E-05	3.46E-04	3.73E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	0.52011	2.14E-05	1.1E-05	3.46E-04	3.85E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	0.53385	2.14E-05	1.1E-05	3.46E-04	3.95E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	0.39166	2.14E-05	8.4E-06	3.46E-04	2.90E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	0.41545	2.14E-05	8.9E-06	3.46E-04	3.08E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	0.44024	2.14E-05	9.4E-06	3.46E-04	3.26E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	0.46568	2.14E-05	1.0E-05	3.46E-04	3.45E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	0.49178	2.14E-05	1.1E-05	3.46E-04	3.64E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	0.5178	2.14E-05	1.1E-05	3.46E-04	3.83E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	0.54286	2.14E-05	1.2E-05	3.46E-04	4.02E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	0.56641	2.14E-05	1.2E-05	3.46E-04	4.19E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	0.58747	2.14E-05	1.3E-05	3.46E-04	4.35E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	0.60511	2.14E-05	1.3E-05	3.46E-04	4.48E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	0.61873	2.14E-05	1.3E-05	3.46E-04	4.58E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	0.42526	2.14E-05	9.1E-06	3.46E-04	3.15E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	0.45377	2.14E-05	9.7E-06	3.46E-04	3.36E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	0.48383	2.14E-05	1.0E-05	3.46E-04	3.58E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	0.51507	2.14E-05	1.1E-05	3.46E-04	3.81E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	0.54751	2.14E-05	1.2E-05	3.46E-04	4.05E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	0.58019	2.14E-05	1.2E-05	3.46E-04	4.30E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	0.61224	2.14E-05	1.3E-05	3.46E-04	4.53E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	0.6426	2.14E-05	1.4E-05	3.46E-04	4.76E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	0.66993	2.14E-05	1.4E-05	3.46E-04	4.96E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	0.69296	2.14E-05	1.5E-05	3.46E-04	5.13E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	0.71084	2.14E-05	1.5E-05	3.46E-04	5.26E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	0.72309	2.14E-05	1.5E-05	3.46E-04	5.35E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	0.42937	2.14E-05	9.2E-06	3.46E-04	3.18E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	0.4626	2.14E-05	9.9E-06	3.46E-04	3.43E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	0.49691	2.14E-05	1.1E-05	3.46E-04	3.68E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	0.53363	2.14E-05	1.1E-05	3.46E-04	3.95E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	0.61307	2.14E-05	1.3E-05	3.46E-04	4.54E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	0.65477	2.14E-05	1.4E-05	3.46E-04	4.85E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	0.69624	2.14E-05	1.5E-05	3.46E-04	5.16E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	0.7363	2.14E-05	1.6E-05	3.46E-04	5.45E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	0.77275	2.14E-05	1.7E-05	3.46E-04	5.72E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	0.80362	2.14E-05	1.7E-05	3.46E-04	5.95E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	0.82746	2.14E-05	1.8E-05	3.46E-04	6.13E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	0.84329	2.14E-05	1.8E-05	3.46E-04	6.24E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	0.85273	2.14E-05	1.8E-05	3.46E-04	6.31E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	0.46501	2.14E-05	9.9E-06	3.46E-04	3.44E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	0.50373	2.14E-05	1.1E-05	3.46E-04	3.73E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	0.54536	2.14E-05	1.2E-05	3.46E-04	4.04E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	0.59046	2.14E-05	1.3E-05	3.46E-04	4.37E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	0.639	2.14E-05	1.4E-05	3.46E-04	4.73E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Bays [Idle2]

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	0.6906	2.14E-05	1.5E-05	3.46E-04	5.11E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	0.74471	2.14E-05	1.6E-05	3.46E-04	5.51E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	0.85367	2.14E-05	1.8E-05	3.46E-04	6.32E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	0.90384	2.14E-05	1.9E-05	3.46E-04	6.69E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	0.9466	2.14E-05	2.0E-05	3.46E-04	7.01E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	0.97919	2.14E-05	2.1E-05	3.46E-04	7.25E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	1.00055	2.14E-05	2.1E-05	3.46E-04	7.41E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	1.01235	2.14E-05	2.2E-05	3.46E-04	7.50E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	0.50293	2.14E-05	1.1E-05	3.46E-04	3.72E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	0.54862	2.14E-05	1.2E-05	3.46E-04	4.06E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	0.59883	2.14E-05	1.3E-05	3.46E-04	4.43E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	0.65498	2.14E-05	1.4E-05	3.46E-04	4.85E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	0.7164	2.14E-05	1.5E-05	3.46E-04	5.30E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	0.78306	2.14E-05	1.7E-05	3.46E-04	5.80E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	0.85423	2.14E-05	1.8E-05	3.46E-04	6.33E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	1.0033	2.14E-05	2.1E-05	3.46E-04	7.43E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	1.07398	2.14E-05	2.3E-05	3.46E-04	7.95E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	1.13565	2.14E-05	2.4E-05	3.46E-04	8.41E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	1.18245	2.14E-05	2.5E-05	3.46E-04	8.76E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	1.21265	2.14E-05	2.6E-05	3.46E-04	8.98E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	1.2288	2.14E-05	2.6E-05	3.46E-04	9.10E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	0.5432	2.14E-05	1.2E-05	3.46E-04	4.02E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	0.59735	2.14E-05	1.3E-05	3.46E-04	4.42E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	0.65893	2.14E-05	1.4E-05	3.46E-04	4.88E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	0.72713	2.14E-05	1.6E-05	3.46E-04	5.38E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	0.80594	2.14E-05	1.7E-05	3.46E-04	5.97E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	0.89264	2.14E-05	1.9E-05	3.46E-04	6.61E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	0.98806	2.14E-05	2.1E-05	3.46E-04	7.32E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	1.19764	2.14E-05	2.6E-05	3.46E-04	8.87E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	1.30209	2.14E-05	2.8E-05	3.46E-04	9.64E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	1.39482	2.14E-05	3.0E-05	3.46E-04	1.03E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	1.46533	2.14E-05	3.1E-05	3.46E-04	1.09E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	1.50931	2.14E-05	3.2E-05	3.46E-04	1.12E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	1.53357	2.14E-05	3.3E-05	3.46E-04	1.14E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	1.61774	2.14E-05	3.5E-05	3.46E-04	1.20E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	1.63493	2.14E-05	3.5E-05	3.46E-04	1.21E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	0.58529	2.14E-05	1.3E-05	3.46E-04	4.33E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	0.64904	2.14E-05	1.4E-05	3.46E-04	4.81E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	0.72345	2.14E-05	1.5E-05	3.46E-04	5.36E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	0.8086	2.14E-05	1.7E-05	3.46E-04	5.99E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	0.90824	2.14E-05	1.9E-05	3.46E-04	6.73E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	1.02226	2.14E-05	2.2E-05	3.46E-04	7.57E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	1.15059	2.14E-05	2.5E-05	3.46E-04	8.52E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	1.45449	2.14E-05	3.1E-05	3.46E-04	1.08E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	1.615	2.14E-05	3.5E-05	3.46E-04	1.20E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	1.76328	2.14E-05	3.8E-05	3.46E-04	1.31E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	1.87904	2.14E-05	4.0E-05	3.46E-04	1.39E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	1.94888	2.14E-05	4.2E-05	3.46E-04	1.44E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	1.98931	2.14E-05	4.3E-05	3.46E-04	1.47E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	2.09966	2.14E-05	4.5E-05	3.46E-04	1.55E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	2.08215	2.14E-05	4.5E-05	3.46E-04	1.54E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	0.62822	2.14E-05	1.3E-05	3.46E-04	4.65E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	0.70295	2.14E-05	1.5E-05	3.46E-04	5.21E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	0.79173	2.14E-05	1.7E-05	3.46E-04	5.86E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	0.89738	2.14E-05	1.9E-05	3.46E-04	6.64E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	1.02207	2.14E-05	2.2E-05	3.46E-04	7.57E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	1.17197	2.14E-05	2.5E-05	3.46E-04	8.68E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	1.3513	2.14E-05	2.9E-05	3.46E-04	1.00E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	1.80245	2.14E-05	3.9E-05	3.46E-04	1.33E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	2.06811	2.14E-05	4.4E-05	3.46E-04	1.53E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	2.3253	2.14E-05	5.0E-05	3.46E-04	1.72E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	2.53433	2.14E-05	5.4E-05	3.46E-04	1.88E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	2.65413	2.14E-05	5.7E-05	3.46E-04	1.97E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	2.7321	2.14E-05	5.8E-05	3.46E-04	2.02E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	2.78786	2.14E-05	6.0E-05	3.46E-04	2.06E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	2.66405	2.14E-05	5.7E-05	3.46E-04	1.97E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	0.6707	2.14E-05	1.4E-05	3.46E-04	4.97E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	0.75749	2.14E-05	1.6E-05	3.46E-04	5.61E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	0.86222	2.14E-05	1.8E-05	3.46E-04	6.38E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	0.9906	2.14E-05	2.1E-05	3.46E-04	7.33E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	1.14821	2.14E-05	2.5E-05	3.46E-04	8.50E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	1.34359	2.14E-05	2.9E-05	3.46E-04	9.95E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	1.58892	2.14E-05	3.4E-05	3.46E-04	1.18E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	2.2828	2.14E-05	4.9E-05	3.46E-04	1.69E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	2.754	2.14E-05	5.9E-05	3.46E-04	2.04E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	3.25973	2.14E-05	7.0E-05	3.46E-04	2.41E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	3.69955	2.14E-05	7.9E-05	3.46E-04	2.74E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	3.93695	2.14E-05	8.4E-05	3.46E-04	2.92E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	4.1077	2.14E-05	8.8E-05	3.46E-04	3.04E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	3.70838	2.14E-05	7.9E-05	3.46E-04	2.75E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	3.35903	2.14E-05	7.2E-05	3.46E-04	2.49E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	0.71083	2.14E-05	1.5E-05	3.46E-04	5.26E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	0.80983	2.14E-05	1.7E-05	3.46E-04	6.00E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	0.93164	2.14E-05	2.0E-05	3.46E-04	6.90E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	1.08446	2.14E-05	2.3E-05	3.46E-04	8.03E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	1.27728	2.14E-05	2.7E-05	3.46E-04	9.46E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	1.52745	2.14E-05	3.3E-05	3.46E-04	1.13E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	1.85783	2.14E-05	4.0E-05	3.46E-04	1.38E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	2.30347	2.14E-05	4.9E-05	3.46E-04	1.71E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	2.92908	2.14E-05	6.3E-05	3.46E-04	2.17E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	3.80958	2.14E-05	8.1E-05	3.46E-04	2.82E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	5.01108	2.14E-05	1.1E-04	3.46E-04	3.71E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	6.24018	2.14E-05	1.3E-04	3.46E-04	4.62E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	6.88395	2.14E-05	1.5E-04	3.46E-04	5.10E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	7.01671	2.14E-05	1.5E-04	3.46E-04	5.20E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	5.61006	2.14E-05	1.2E-04	3.46E-04	4.15E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	4.79398	2.14E-05	1.0E-04	3.46E-04	3.55E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	4.08422	2.14E-05	8.7E-05	3.46E-04	3.02E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	1.40234	2.14E-05	3.0E-05	3.46E-04	1.04E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	1.71051	2.14E-05	3.7E-05	3.46E-04	1.27E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	2.13697	2.14E-05	4.6E-05	3.46E-04	1.58E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	2.75413	2.14E-05	5.9E-05	3.46E-04	2.04E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	7.40605	2.14E-05	1.6E-04	3.46E-04	5.48E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	5.85191	2.14E-05	1.3E-04	3.46E-04	4.33E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	4.72166	2.14E-05	1.0E-04	3.46E-04	3.50E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	1.87212	2.14E-05	4.0E-05	3.46E-04	1.39E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	2.3911	2.14E-05	5.1E-05	3.46E-04	1.77E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	3.18501	2.14E-05	6.8E-05	3.46E-04	2.36E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	8.96845	2.14E-05	1.9E-04	3.46E-04	6.64E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	6.70424	2.14E-05	1.4E-04	3.46E-04	4.96E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	5.18569	2.14E-05	1.1E-04	3.46E-04	3.84E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	1.99204	2.14E-05	4.3E-05	3.46E-04	1.48E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	2.58244	2.14E-05	5.5E-05	3.46E-04	1.91E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	3.50529	2.14E-05	7.5E-05	3.46E-04	2.60E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	10.1845	2.14E-05	2.2E-04	3.46E-04	7.54E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	7.28319	2.14E-05	1.6E-04	3.46E-04	5.39E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	5.43453	2.14E-05	1.2E-04	3.46E-04	4.02E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	2.6825	2.14E-05	5.7E-05	3.46E-04	1.99E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	3.65682	2.14E-05	7.8E-05	3.46E-04	2.71E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	11.07382	2.14E-05	2.4E-04	3.46E-04	8.20E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	7.57366	2.14E-05	1.6E-04	3.46E-04	5.61E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	5.4365	2.14E-05	1.2E-04	3.46E-04	4.03E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	2.6853	2.14E-05	5.7E-05	3.46E-04	1.99E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	3.65387	2.14E-05	7.8E-05	3.46E-04	2.71E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	5.28088	2.14E-05	1.1E-04	3.46E-04	3.91E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	11.48422	2.14E-05	2.5E-04	3.46E-04	8.50E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	7.42787	2.14E-05	1.6E-04	3.46E-04	5.50E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	5.13666	2.14E-05	1.1E-04	3.46E-04	3.80E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	3.4969	2.14E-05	7.5E-05	3.46E-04	2.59E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	4.97228	2.14E-05	1.1E-04	3.46E-04	3.68E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	10.95252	2.14E-05	2.3E-04	3.46E-04	8.11E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	6.71695	2.14E-05	1.4E-04	3.46E-04	4.97E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	4.54523	2.14E-05	9.7E-05	3.46E-04	3.37E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	3.22356	2.14E-05	6.9E-05	3.46E-04	2.39E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	4.48408	2.14E-05	9.6E-05	3.46E-04	3.32E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	5.57665	2.14E-05	1.2E-04	3.46E-04	4.13E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	3.82462	2.14E-05	8.2E-05	3.46E-04	2.83E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	2.88702	2.14E-05	6.2E-05	3.46E-04	2.14E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	3.89712	2.14E-05	8.3E-05	3.46E-04	2.89E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	5.55432	2.14E-05	1.2E-04	3.46E-04	4.11E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	4.50046	2.14E-05	9.6E-05	3.46E-04	3.33E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	3.2082	2.14E-05	6.9E-05	3.46E-04	2.38E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	3.30541	2.14E-05	7.1E-05	3.46E-04	2.45E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	4.47485	2.14E-05	9.6E-05	3.46E-04	3.31E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	8.97029	2.14E-05	1.9E-04	3.46E-04	6.64E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	3.75442	2.14E-05	8.0E-05	3.46E-04	2.78E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	2.75909	2.14E-05	5.9E-05	3.46E-04	2.04E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	2.75542	2.14E-05	5.9E-05	3.46E-04	2.04E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	3.57033	2.14E-05	7.6E-05	3.46E-04	2.64E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	4.73885	2.14E-05	1.0E-04	3.46E-04	3.51E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	6.46328	2.14E-05	1.4E-04	3.46E-04	4.79E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	8.44194	2.14E-05	1.8E-04	3.46E-04	6.25E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	8.60219	2.14E-05	1.8E-04	3.46E-04	6.37E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	6.47564	2.14E-05	1.4E-04	3.46E-04	4.79E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	4.47423	2.14E-05	9.6E-05	3.46E-04	3.31E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	3.20215	2.14E-05	6.8E-05	3.46E-04	2.37E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	2.40951	2.14E-05	5.2E-05	3.46E-04	1.78E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	2.85958	2.14E-05	6.1E-05	3.46E-04	2.12E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	3.62201	2.14E-05	7.7E-05	3.46E-04	2.68E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	4.56577	2.14E-05	9.8E-05	3.46E-04	3.38E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	5.44859	2.14E-05	1.2E-04	3.46E-04	4.03E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	5.58679	2.14E-05	1.2E-04	3.46E-04	4.14E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	4.75255	2.14E-05	1.0E-04	3.46E-04	3.52E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	3.63846	2.14E-05	7.8E-05	3.46E-04	2.69E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	2.12201	2.14E-05	4.5E-05	3.46E-04	1.57E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	2.34367	2.14E-05	5.0E-05	3.46E-04	1.74E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	2.81705	2.14E-05	6.0E-05	3.46E-04	2.09E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	3.39833	2.14E-05	7.3E-05	3.46E-04	2.52E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	3.86855	2.14E-05	8.3E-05	3.46E-04	2.86E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	3.9752	2.14E-05	8.5E-05	3.46E-04	2.94E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	3.59884	2.14E-05	7.7E-05	3.46E-04	2.66E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	2.96582	2.14E-05	6.3E-05	3.46E-04	2.20E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	1.87523	2.14E-05	4.0E-05	3.46E-04	1.39E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	1.94944	2.14E-05	4.2E-05	3.46E-04	1.44E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	2.27866	2.14E-05	4.9E-05	3.46E-04	1.69E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	2.62289	2.14E-05	5.6E-05	3.46E-04	1.94E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	2.9058	2.14E-05	6.2E-05	3.46E-04	2.15E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	2.99625	2.14E-05	6.4E-05	3.46E-04	2.22E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	2.81072	2.14E-05	6.0E-05	3.46E-04	2.08E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	2.43278	2.14E-05	5.2E-05	3.46E-04	1.80E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	1.6595	2.14E-05	3.5E-05	3.46E-04	1.23E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	1.8736	2.14E-05	4.0E-05	3.46E-04	1.39E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	2.10729	2.14E-05	4.5E-05	3.46E-04	1.56E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	2.28701	2.14E-05	4.9E-05	3.46E-04	1.69E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	2.34089	2.14E-05	5.0E-05	3.46E-04	1.73E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	2.25173	2.14E-05	4.8E-05	3.46E-04	1.67E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from 3rd Trimester - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	2.02909	2.14E-05	4.3E-05	3.46E-04	1.50E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	1.47414	2.14E-05	3.2E-05	3.46E-04	1.09E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	1.5669	2.14E-05	3.4E-05	3.46E-04	1.16E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	1.72906	2.14E-05	3.7E-05	3.46E-04	1.28E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	1.85463	2.14E-05	4.0E-05	3.46E-04	1.37E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	1.90301	2.14E-05	4.1E-05	3.46E-04	1.41E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	1.85048	2.14E-05	4.0E-05	3.46E-04	1.37E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	1.70567	2.14E-05	3.6E-05	3.46E-04	1.26E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	1.427	2.14E-05	3.1E-05	3.46E-04	1.06E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	1.33103	2.14E-05	2.8E-05	3.46E-04	9.86E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	1.44648	2.14E-05	3.1E-05	3.46E-04	1.07E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	1.53631	2.14E-05	3.3E-05	3.46E-04	1.14E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	1.57574	2.14E-05	3.4E-05	3.46E-04	1.17E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	1.54791	2.14E-05	3.3E-05	3.46E-04	1.15E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	1.45548	2.14E-05	3.1E-05	3.46E-04	1.08E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	1.31763	2.14E-05	2.8E-05	3.46E-04	9.76E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	2.14E-05	0.0E+00	3.46E-04	0.00E+00	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.12587	2.14E-05	2.7E-06	1.05E-03	2.81E-09	2.00E+00	1.57E-01	8.84E-10	1.0E+06	8.8E-04
2	0.13034	2.14E-05	2.8E-06	1.05E-03	2.91E-09	2.00E+00	1.57E-01	9.16E-10	1.0E+06	9.2E-04
3	0.13496	2.14E-05	2.9E-06	1.05E-03	3.02E-09	2.00E+00	1.57E-01	9.48E-10	1.0E+06	9.5E-04
4	0.13977	2.14E-05	3.0E-06	1.05E-03	3.12E-09	2.00E+00	1.57E-01	9.82E-10	1.0E+06	9.8E-04
5	0.1448	2.14E-05	3.1E-06	1.05E-03	3.24E-09	2.00E+00	1.57E-01	1.02E-09	1.0E+06	1.0E-03
6	0.1501	2.14E-05	3.2E-06	1.05E-03	3.36E-09	2.00E+00	1.57E-01	1.05E-09	1.0E+06	1.1E-03
7	0.15561	2.14E-05	3.3E-06	1.05E-03	3.48E-09	2.00E+00	1.57E-01	1.09E-09	1.0E+06	1.1E-03
8	0.16129	2.14E-05	3.5E-06	1.05E-03	3.61E-09	2.00E+00	1.57E-01	1.13E-09	1.0E+06	1.1E-03
9	0.16718	2.14E-05	3.6E-06	1.05E-03	3.74E-09	2.00E+00	1.57E-01	1.17E-09	1.0E+06	1.2E-03
10	0.17327	2.14E-05	3.7E-06	1.05E-03	3.87E-09	2.00E+00	1.57E-01	1.22E-09	1.0E+06	1.2E-03
11	0.17954	2.14E-05	3.8E-06	1.05E-03	4.01E-09	2.00E+00	1.57E-01	1.26E-09	1.0E+06	1.3E-03
12	0.18596	2.14E-05	4.0E-06	1.05E-03	4.16E-09	2.00E+00	1.57E-01	1.31E-09	1.0E+06	1.3E-03
13	0.1926	2.14E-05	4.1E-06	1.05E-03	4.31E-09	2.00E+00	1.57E-01	1.35E-09	1.0E+06	1.4E-03
14	0.19935	2.14E-05	4.3E-06	1.05E-03	4.46E-09	2.00E+00	1.57E-01	1.40E-09	1.0E+06	1.4E-03
15	0.20622	2.14E-05	4.4E-06	1.05E-03	4.61E-09	2.00E+00	1.57E-01	1.45E-09	1.0E+06	1.4E-03
16	0.21312	2.14E-05	4.6E-06	1.05E-03	4.76E-09	2.00E+00	1.57E-01	1.50E-09	1.0E+06	1.5E-03
17	0.2201	2.14E-05	4.7E-06	1.05E-03	4.92E-09	2.00E+00	1.57E-01	1.55E-09	1.0E+06	1.5E-03
18	0.22697	2.14E-05	4.9E-06	1.05E-03	5.07E-09	2.00E+00	1.57E-01	1.59E-09	1.0E+06	1.6E-03
19	0.23375	2.14E-05	5.0E-06	1.05E-03	5.23E-09	2.00E+00	1.57E-01	1.64E-09	1.0E+06	1.6E-03
20	0.24035	2.14E-05	5.1E-06	1.05E-03	5.37E-09	2.00E+00	1.57E-01	1.69E-09	1.0E+06	1.7E-03
21	0.24665	2.14E-05	5.3E-06	1.05E-03	5.51E-09	2.00E+00	1.57E-01	1.73E-09	1.0E+06	1.7E-03
22	0.2526	2.14E-05	5.4E-06	1.05E-03	5.65E-09	2.00E+00	1.57E-01	1.77E-09	1.0E+06	1.8E-03
23	0.2581	2.14E-05	5.5E-06	1.05E-03	5.77E-09	2.00E+00	1.57E-01	1.81E-09	1.0E+06	1.8E-03
24	0.26306	2.14E-05	5.6E-06	1.05E-03	5.88E-09	2.00E+00	1.57E-01	1.85E-09	1.0E+06	1.8E-03
25	0.26746	2.14E-05	5.7E-06	1.05E-03	5.98E-09	2.00E+00	1.57E-01	1.88E-09	1.0E+06	1.9E-03
26	0.27121	2.14E-05	5.8E-06	1.05E-03	6.06E-09	2.00E+00	1.57E-01	1.91E-09	1.0E+06	1.9E-03
27	0.27429	2.14E-05	5.9E-06	1.05E-03	6.13E-09	2.00E+00	1.57E-01	1.93E-09	1.0E+06	1.9E-03
28	0.27664	2.14E-05	5.9E-06	1.05E-03	6.18E-09	2.00E+00	1.57E-01	1.94E-09	1.0E+06	1.9E-03
29	0.2783	2.14E-05	6.0E-06	1.05E-03	6.22E-09	2.00E+00	1.57E-01	1.96E-09	1.0E+06	2.0E-03
30	0.2793	2.14E-05	6.0E-06	1.05E-03	6.24E-09	2.00E+00	1.57E-01	1.96E-09	1.0E+06	2.0E-03
31	0.27969	2.14E-05	6.0E-06	1.05E-03	6.25E-09	2.00E+00	1.57E-01	1.97E-09	1.0E+06	2.0E-03

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.27955	2.14E-05	6.0E-06	1.05E-03	6.25E-09	2.00E+00	1.57E-01	1.96E-09	1.0E+06	2.0E-03
55	0.27226	2.14E-05	5.8E-06	1.05E-03	6.09E-09	2.00E+00	1.57E-01	1.91E-09	1.0E+06	1.9E-03
56	0.27867	2.14E-05	6.0E-06	1.05E-03	6.23E-09	2.00E+00	1.57E-01	1.96E-09	1.0E+06	2.0E-03
57	0.28456	2.14E-05	6.1E-06	1.05E-03	6.36E-09	2.00E+00	1.57E-01	2.00E-09	1.0E+06	2.0E-03
58	0.28973	2.14E-05	6.2E-06	1.05E-03	6.48E-09	2.00E+00	1.57E-01	2.04E-09	1.0E+06	2.0E-03
59	0.29408	2.14E-05	6.3E-06	1.05E-03	6.57E-09	2.00E+00	1.57E-01	2.07E-09	1.0E+06	2.1E-03
60	0.29759	2.14E-05	6.4E-06	1.05E-03	6.65E-09	2.00E+00	1.57E-01	2.09E-09	1.0E+06	2.1E-03
61	0.30032	2.14E-05	6.4E-06	1.05E-03	6.71E-09	2.00E+00	1.57E-01	2.11E-09	1.0E+06	2.1E-03
62	0.30219	2.14E-05	6.5E-06	1.05E-03	6.76E-09	2.00E+00	1.57E-01	2.12E-09	1.0E+06	2.1E-03
63	0.30329	2.14E-05	6.5E-06	1.05E-03	6.78E-09	2.00E+00	1.57E-01	2.13E-09	1.0E+06	2.1E-03
64	0.30367	2.14E-05	6.5E-06	1.05E-03	6.79E-09	2.00E+00	1.57E-01	2.13E-09	1.0E+06	2.1E-03
65	0.30348	2.14E-05	6.5E-06	1.05E-03	6.78E-09	2.00E+00	1.57E-01	2.13E-09	1.0E+06	2.1E-03
66	0.30312	2.14E-05	6.5E-06	1.05E-03	6.78E-09	2.00E+00	1.57E-01	2.13E-09	1.0E+06	2.1E-03
67	0.13447	2.14E-05	2.9E-06	1.05E-03	3.01E-09	2.00E+00	1.57E-01	9.45E-10	1.0E+06	9.4E-04
68	0.13968	2.14E-05	3.0E-06	1.05E-03	3.12E-09	2.00E+00	1.57E-01	9.81E-10	1.0E+06	9.8E-04
69	0.14512	2.14E-05	3.1E-06	1.05E-03	3.24E-09	2.00E+00	1.57E-01	1.02E-09	1.0E+06	1.0E-03
70	0.15083	2.14E-05	3.2E-06	1.05E-03	3.37E-09	2.00E+00	1.57E-01	1.06E-09	1.0E+06	1.1E-03
71	0.15675	2.14E-05	3.4E-06	1.05E-03	3.50E-09	2.00E+00	1.57E-01	1.10E-09	1.0E+06	1.1E-03
72	0.16306	2.14E-05	3.5E-06	1.05E-03	3.65E-09	2.00E+00	1.57E-01	1.15E-09	1.0E+06	1.1E-03
73	0.16964	2.14E-05	3.6E-06	1.05E-03	3.79E-09	2.00E+00	1.57E-01	1.19E-09	1.0E+06	1.2E-03
74	0.1765	2.14E-05	3.8E-06	1.05E-03	3.95E-09	2.00E+00	1.57E-01	1.24E-09	1.0E+06	1.2E-03
75	0.18364	2.14E-05	3.9E-06	1.05E-03	4.11E-09	2.00E+00	1.57E-01	1.29E-09	1.0E+06	1.3E-03
76	0.1911	2.14E-05	4.1E-06	1.05E-03	4.27E-09	2.00E+00	1.57E-01	1.34E-09	1.0E+06	1.3E-03
77	0.19888	2.14E-05	4.3E-06	1.05E-03	4.45E-09	2.00E+00	1.57E-01	1.40E-09	1.0E+06	1.4E-03
78	0.20702	2.14E-05	4.4E-06	1.05E-03	4.63E-09	2.00E+00	1.57E-01	1.45E-09	1.0E+06	1.5E-03
79	0.2507	2.14E-05	5.4E-06	1.05E-03	5.60E-09	2.00E+00	1.57E-01	1.76E-09	1.0E+06	1.8E-03
80	0.25976	2.14E-05	5.6E-06	1.05E-03	5.81E-09	2.00E+00	1.57E-01	1.83E-09	1.0E+06	1.8E-03
81	0.26888	2.14E-05	5.8E-06	1.05E-03	6.01E-09	2.00E+00	1.57E-01	1.89E-09	1.0E+06	1.9E-03
82	0.27775	2.14E-05	5.9E-06	1.05E-03	6.21E-09	2.00E+00	1.57E-01	1.95E-09	1.0E+06	2.0E-03
83	0.28639	2.14E-05	6.1E-06	1.05E-03	6.40E-09	2.00E+00	1.57E-01	2.01E-09	1.0E+06	2.0E-03
84	0.29451	2.14E-05	6.3E-06	1.05E-03	6.58E-09	2.00E+00	1.57E-01	2.07E-09	1.0E+06	2.1E-03

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	0.30211	2.14E-05	6.5E-06	1.05E-03	6.75E-09	2.00E+00	1.57E-01	2.12E-09	1.0E+06	2.1E-03
86	0.30903	2.14E-05	6.6E-06	1.05E-03	6.91E-09	2.00E+00	1.57E-01	2.17E-09	1.0E+06	2.2E-03
87	0.3151	2.14E-05	6.7E-06	1.05E-03	7.04E-09	2.00E+00	1.57E-01	2.21E-09	1.0E+06	2.2E-03
88	0.32026	2.14E-05	6.9E-06	1.05E-03	7.16E-09	2.00E+00	1.57E-01	2.25E-09	1.0E+06	2.3E-03
89	0.32437	2.14E-05	6.9E-06	1.05E-03	7.25E-09	2.00E+00	1.57E-01	2.28E-09	1.0E+06	2.3E-03
90	0.32746	2.14E-05	7.0E-06	1.05E-03	7.32E-09	2.00E+00	1.57E-01	2.30E-09	1.0E+06	2.3E-03
91	0.32966	2.14E-05	7.1E-06	1.05E-03	7.37E-09	2.00E+00	1.57E-01	2.32E-09	1.0E+06	2.3E-03
92	0.33077	2.14E-05	7.1E-06	1.05E-03	7.40E-09	2.00E+00	1.57E-01	2.32E-09	1.0E+06	2.3E-03
93	0.33123	2.14E-05	7.1E-06	1.05E-03	7.41E-09	2.00E+00	1.57E-01	2.33E-09	1.0E+06	2.3E-03
96	0.33577	2.14E-05	7.2E-06	1.05E-03	7.51E-09	2.00E+00	1.57E-01	2.36E-09	1.0E+06	2.4E-03
97	0.33667	2.14E-05	7.2E-06	1.05E-03	7.53E-09	2.00E+00	1.57E-01	2.37E-09	1.0E+06	2.4E-03
98	0.35037	2.14E-05	7.5E-06	1.05E-03	7.83E-09	2.00E+00	1.57E-01	2.46E-09	1.0E+06	2.5E-03
99	0.35534	2.14E-05	7.6E-06	1.05E-03	7.94E-09	2.00E+00	1.57E-01	2.50E-09	1.0E+06	2.5E-03
100	0.35897	2.14E-05	7.7E-06	1.05E-03	8.03E-09	2.00E+00	1.57E-01	2.52E-09	1.0E+06	2.5E-03
101	0.36134	2.14E-05	7.7E-06	1.05E-03	8.08E-09	2.00E+00	1.57E-01	2.54E-09	1.0E+06	2.5E-03
102	0.36274	2.14E-05	7.8E-06	1.05E-03	8.11E-09	2.00E+00	1.57E-01	2.55E-09	1.0E+06	2.5E-03
106	0.13776	2.14E-05	2.9E-06	1.05E-03	3.08E-09	2.00E+00	1.57E-01	9.68E-10	1.0E+06	9.7E-04
107	0.14351	2.14E-05	3.1E-06	1.05E-03	3.21E-09	2.00E+00	1.57E-01	1.01E-09	1.0E+06	1.0E-03
108	0.14953	2.14E-05	3.2E-06	1.05E-03	3.34E-09	2.00E+00	1.57E-01	1.05E-09	1.0E+06	1.1E-03
109	0.15587	2.14E-05	3.3E-06	1.05E-03	3.48E-09	2.00E+00	1.57E-01	1.10E-09	1.0E+06	1.1E-03
110	0.16259	2.14E-05	3.5E-06	1.05E-03	3.64E-09	2.00E+00	1.57E-01	1.14E-09	1.0E+06	1.1E-03
111	0.16961	2.14E-05	3.6E-06	1.05E-03	3.79E-09	2.00E+00	1.57E-01	1.19E-09	1.0E+06	1.2E-03
112	0.17718	2.14E-05	3.8E-06	1.05E-03	3.96E-09	2.00E+00	1.57E-01	1.24E-09	1.0E+06	1.2E-03
113	0.18507	2.14E-05	4.0E-06	1.05E-03	4.14E-09	2.00E+00	1.57E-01	1.30E-09	1.0E+06	1.3E-03
114	0.1934	2.14E-05	4.1E-06	1.05E-03	4.32E-09	2.00E+00	1.57E-01	1.36E-09	1.0E+06	1.4E-03
115	0.20212	2.14E-05	4.3E-06	1.05E-03	4.52E-09	2.00E+00	1.57E-01	1.42E-09	1.0E+06	1.4E-03
116	0.21123	2.14E-05	4.5E-06	1.05E-03	4.72E-09	2.00E+00	1.57E-01	1.48E-09	1.0E+06	1.5E-03
117	0.22094	2.14E-05	4.7E-06	1.05E-03	4.94E-09	2.00E+00	1.57E-01	1.55E-09	1.0E+06	1.6E-03
118	0.23111	2.14E-05	4.9E-06	1.05E-03	5.17E-09	2.00E+00	1.57E-01	1.62E-09	1.0E+06	1.6E-03
124	0.14199	2.14E-05	3.0E-06	1.05E-03	3.17E-09	2.00E+00	1.57E-01	9.98E-10	1.0E+06	1.0E-03
125	0.14809	2.14E-05	3.2E-06	1.05E-03	3.31E-09	2.00E+00	1.57E-01	1.04E-09	1.0E+06	1.0E-03

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	0.15455	2.14E-05	3.3E-06	1.05E-03	3.46E-09	2.00E+00	1.57E-01	1.09E-09	1.0E+06	1.1E-03
127	0.16141	2.14E-05	3.5E-06	1.05E-03	3.61E-09	2.00E+00	1.57E-01	1.13E-09	1.0E+06	1.1E-03
128	0.16868	2.14E-05	3.6E-06	1.05E-03	3.77E-09	2.00E+00	1.57E-01	1.19E-09	1.0E+06	1.2E-03
129	0.17633	2.14E-05	3.8E-06	1.05E-03	3.94E-09	2.00E+00	1.57E-01	1.24E-09	1.0E+06	1.2E-03
130	0.18457	2.14E-05	3.9E-06	1.05E-03	4.13E-09	2.00E+00	1.57E-01	1.30E-09	1.0E+06	1.3E-03
131	0.19326	2.14E-05	4.1E-06	1.05E-03	4.32E-09	2.00E+00	1.57E-01	1.36E-09	1.0E+06	1.4E-03
132	0.20248	2.14E-05	4.3E-06	1.05E-03	4.53E-09	2.00E+00	1.57E-01	1.42E-09	1.0E+06	1.4E-03
133	0.21216	2.14E-05	4.5E-06	1.05E-03	4.74E-09	2.00E+00	1.57E-01	1.49E-09	1.0E+06	1.5E-03
134	0.22249	2.14E-05	4.8E-06	1.05E-03	4.97E-09	2.00E+00	1.57E-01	1.56E-09	1.0E+06	1.6E-03
135	0.23331	2.14E-05	5.0E-06	1.05E-03	5.22E-09	2.00E+00	1.57E-01	1.64E-09	1.0E+06	1.6E-03
136	0.24469	2.14E-05	5.2E-06	1.05E-03	5.47E-09	2.00E+00	1.57E-01	1.72E-09	1.0E+06	1.7E-03
137	0.25657	2.14E-05	5.5E-06	1.05E-03	5.74E-09	2.00E+00	1.57E-01	1.80E-09	1.0E+06	1.8E-03
138	0.26923	2.14E-05	5.8E-06	1.05E-03	6.02E-09	2.00E+00	1.57E-01	1.89E-09	1.0E+06	1.9E-03
141	0.14622	2.14E-05	3.1E-06	1.05E-03	3.27E-09	2.00E+00	1.57E-01	1.03E-09	1.0E+06	1.0E-03
142	0.15275	2.14E-05	3.3E-06	1.05E-03	3.42E-09	2.00E+00	1.57E-01	1.07E-09	1.0E+06	1.1E-03
143	0.15968	2.14E-05	3.4E-06	1.05E-03	3.57E-09	2.00E+00	1.57E-01	1.12E-09	1.0E+06	1.1E-03
144	0.16707	2.14E-05	3.6E-06	1.05E-03	3.74E-09	2.00E+00	1.57E-01	1.17E-09	1.0E+06	1.2E-03
145	0.17493	2.14E-05	3.7E-06	1.05E-03	3.91E-09	2.00E+00	1.57E-01	1.23E-09	1.0E+06	1.2E-03
146	0.18325	2.14E-05	3.9E-06	1.05E-03	4.10E-09	2.00E+00	1.57E-01	1.29E-09	1.0E+06	1.3E-03
147	0.19224	2.14E-05	4.1E-06	1.05E-03	4.30E-09	2.00E+00	1.57E-01	1.35E-09	1.0E+06	1.4E-03
148	0.20175	2.14E-05	4.3E-06	1.05E-03	4.51E-09	2.00E+00	1.57E-01	1.42E-09	1.0E+06	1.4E-03
149	0.2119	2.14E-05	4.5E-06	1.05E-03	4.74E-09	2.00E+00	1.57E-01	1.49E-09	1.0E+06	1.5E-03
150	0.22266	2.14E-05	4.8E-06	1.05E-03	4.98E-09	2.00E+00	1.57E-01	1.56E-09	1.0E+06	1.6E-03
151	0.23413	2.14E-05	5.0E-06	1.05E-03	5.23E-09	2.00E+00	1.57E-01	1.65E-09	1.0E+06	1.6E-03
152	0.24629	2.14E-05	5.3E-06	1.05E-03	5.51E-09	2.00E+00	1.57E-01	1.73E-09	1.0E+06	1.7E-03
153	0.25918	2.14E-05	5.5E-06	1.05E-03	5.79E-09	2.00E+00	1.57E-01	1.82E-09	1.0E+06	1.8E-03
154	0.27267	2.14E-05	5.8E-06	1.05E-03	6.10E-09	2.00E+00	1.57E-01	1.92E-09	1.0E+06	1.9E-03
155	0.28698	2.14E-05	6.1E-06	1.05E-03	6.42E-09	2.00E+00	1.57E-01	2.02E-09	1.0E+06	2.0E-03
164	0.28996	2.14E-05	6.2E-06	1.05E-03	6.48E-09	2.00E+00	1.57E-01	2.04E-09	1.0E+06	2.0E-03
165	0.30628	2.14E-05	6.6E-06	1.05E-03	6.85E-09	2.00E+00	1.57E-01	2.15E-09	1.0E+06	2.2E-03
166	0.32378	2.14E-05	6.9E-06	1.05E-03	7.24E-09	2.00E+00	1.57E-01	2.28E-09	1.0E+06	2.3E-03

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	0.30842	2.14E-05	6.6E-06	1.05E-03	6.90E-09	2.00E+00	1.57E-01	2.17E-09	1.0E+06	2.2E-03
179	0.32719	2.14E-05	7.0E-06	1.05E-03	7.32E-09	2.00E+00	1.57E-01	2.30E-09	1.0E+06	2.3E-03
180	0.3474	2.14E-05	7.4E-06	1.05E-03	7.77E-09	2.00E+00	1.57E-01	2.44E-09	1.0E+06	2.4E-03
192	0.32814	2.14E-05	7.0E-06	1.05E-03	7.34E-09	2.00E+00	1.57E-01	2.31E-09	1.0E+06	2.3E-03
193	0.34981	2.14E-05	7.5E-06	1.05E-03	7.82E-09	2.00E+00	1.57E-01	2.46E-09	1.0E+06	2.5E-03
194	0.37312	2.14E-05	8.0E-06	1.05E-03	8.34E-09	2.00E+00	1.57E-01	2.62E-09	1.0E+06	2.6E-03
207	0.34893	2.14E-05	7.5E-06	1.05E-03	7.80E-09	2.00E+00	1.57E-01	2.45E-09	1.0E+06	2.5E-03
208	0.37383	2.14E-05	8.0E-06	1.05E-03	8.36E-09	2.00E+00	1.57E-01	2.63E-09	1.0E+06	2.6E-03
209	0.40098	2.14E-05	8.6E-06	1.05E-03	8.96E-09	2.00E+00	1.57E-01	2.82E-09	1.0E+06	2.8E-03
223	0.37073	2.14E-05	7.9E-06	1.05E-03	8.29E-09	2.00E+00	1.57E-01	2.60E-09	1.0E+06	2.6E-03
224	0.39926	2.14E-05	8.5E-06	1.05E-03	8.93E-09	2.00E+00	1.57E-01	2.81E-09	1.0E+06	2.8E-03
225	0.43056	2.14E-05	9.2E-06	1.05E-03	9.63E-09	2.00E+00	1.57E-01	3.03E-09	1.0E+06	3.0E-03
239	0.39344	2.14E-05	8.4E-06	1.05E-03	8.80E-09	2.00E+00	1.57E-01	2.76E-09	1.0E+06	2.8E-03
240	0.42603	2.14E-05	9.1E-06	1.05E-03	9.52E-09	2.00E+00	1.57E-01	2.99E-09	1.0E+06	3.0E-03
241	0.46241	2.14E-05	9.9E-06	1.05E-03	1.03E-08	2.00E+00	1.57E-01	3.25E-09	1.0E+06	3.2E-03
255	0.41664	2.14E-05	8.9E-06	1.05E-03	9.31E-09	2.00E+00	1.57E-01	2.93E-09	1.0E+06	2.9E-03
256	0.45372	2.14E-05	9.7E-06	1.05E-03	1.01E-08	2.00E+00	1.57E-01	3.19E-09	1.0E+06	3.2E-03
272	0.43985	2.14E-05	9.4E-06	1.05E-03	9.83E-09	2.00E+00	1.57E-01	3.09E-09	1.0E+06	3.1E-03
273	0.48191	2.14E-05	1.0E-05	1.05E-03	1.08E-08	2.00E+00	1.57E-01	3.39E-09	1.0E+06	3.4E-03
289	0.46274	2.14E-05	9.9E-06	1.05E-03	1.03E-08	2.00E+00	1.57E-01	3.25E-09	1.0E+06	3.3E-03
290	0.50987	2.14E-05	1.1E-05	1.05E-03	1.14E-08	2.00E+00	1.57E-01	3.58E-09	1.0E+06	3.6E-03
306	0.48445	2.14E-05	1.0E-05	1.05E-03	1.08E-08	2.00E+00	1.57E-01	3.40E-09	1.0E+06	3.4E-03
307	0.53674	2.14E-05	1.1E-05	1.05E-03	1.20E-08	2.00E+00	1.57E-01	3.77E-09	1.0E+06	3.8E-03
323	0.5042	2.14E-05	1.1E-05	1.05E-03	1.13E-08	2.00E+00	1.57E-01	3.54E-09	1.0E+06	3.5E-03
324	0.56147	2.14E-05	1.2E-05	1.05E-03	1.26E-08	2.00E+00	1.57E-01	3.95E-09	1.0E+06	3.9E-03
342	0.5212	2.14E-05	1.1E-05	1.05E-03	1.17E-08	2.00E+00	1.57E-01	3.66E-09	1.0E+06	3.7E-03
343	0.58296	2.14E-05	1.2E-05	1.05E-03	1.30E-08	2.00E+00	1.57E-01	4.10E-09	1.0E+06	4.1E-03
344	0.65679	2.14E-05	1.4E-05	1.05E-03	1.47E-08	2.00E+00	1.57E-01	4.61E-09	1.0E+06	4.6E-03
356	0.53459	2.14E-05	1.1E-05	1.05E-03	1.20E-08	2.00E+00	1.57E-01	3.76E-09	1.0E+06	3.8E-03
357	0.59994	2.14E-05	1.3E-05	1.05E-03	1.34E-08	2.00E+00	1.57E-01	4.22E-09	1.0E+06	4.2E-03
358	0.67891	2.14E-05	1.5E-05	1.05E-03	1.52E-08	2.00E+00	1.57E-01	4.77E-09	1.0E+06	4.8E-03

Via Oro
Risk From Idling in Bays [Idle2]

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	0.54387	2.14E-05	1.2E-05	1.05E-03	1.22E-08	2.00E+00	1.57E-01	3.82E-09	1.0E+06	3.8E-03
371	0.61184	2.14E-05	1.3E-05	1.05E-03	1.37E-08	2.00E+00	1.57E-01	4.30E-09	1.0E+06	4.3E-03
372	0.69444	2.14E-05	1.5E-05	1.05E-03	1.55E-08	2.00E+00	1.57E-01	4.88E-09	1.0E+06	4.9E-03
383	0.54866	2.14E-05	1.2E-05	1.05E-03	1.23E-08	2.00E+00	1.57E-01	3.86E-09	1.0E+06	3.9E-03
384	0.61809	2.14E-05	1.3E-05	1.05E-03	1.38E-08	2.00E+00	1.57E-01	4.34E-09	1.0E+06	4.3E-03
385	0.70266	2.14E-05	1.5E-05	1.05E-03	1.57E-08	2.00E+00	1.57E-01	4.94E-09	1.0E+06	4.9E-03
396	0.54897	2.14E-05	1.2E-05	1.05E-03	1.23E-08	2.00E+00	1.57E-01	3.86E-09	1.0E+06	3.9E-03
397	0.61862	2.14E-05	1.3E-05	1.05E-03	1.38E-08	2.00E+00	1.57E-01	4.35E-09	1.0E+06	4.3E-03
398	0.70346	2.14E-05	1.5E-05	1.05E-03	1.57E-08	2.00E+00	1.57E-01	4.94E-09	1.0E+06	4.9E-03
399	0.80843	2.14E-05	1.7E-05	1.05E-03	1.81E-08	2.00E+00	1.57E-01	5.68E-09	1.0E+06	5.7E-03
411	0.54505	2.14E-05	1.2E-05	1.05E-03	1.22E-08	2.00E+00	1.57E-01	3.83E-09	1.0E+06	3.8E-03
412	0.61372	2.14E-05	1.3E-05	1.05E-03	1.37E-08	2.00E+00	1.57E-01	4.31E-09	1.0E+06	4.3E-03
413	0.69742	2.14E-05	1.5E-05	1.05E-03	1.56E-08	2.00E+00	1.57E-01	4.90E-09	1.0E+06	4.9E-03
414	0.80038	2.14E-05	1.7E-05	1.05E-03	1.79E-08	2.00E+00	1.57E-01	5.62E-09	1.0E+06	5.6E-03
426	0.53745	2.14E-05	1.1E-05	1.05E-03	1.20E-08	2.00E+00	1.57E-01	3.78E-09	1.0E+06	3.8E-03
427	0.60418	2.14E-05	1.3E-05	1.05E-03	1.35E-08	2.00E+00	1.57E-01	4.25E-09	1.0E+06	4.2E-03
428	0.68492	2.14E-05	1.5E-05	1.05E-03	1.53E-08	2.00E+00	1.57E-01	4.81E-09	1.0E+06	4.8E-03
429	0.78419	2.14E-05	1.7E-05	1.05E-03	1.75E-08	2.00E+00	1.57E-01	5.51E-09	1.0E+06	5.5E-03
439	0.5267	2.14E-05	1.1E-05	1.05E-03	1.18E-08	2.00E+00	1.57E-01	3.70E-09	1.0E+06	3.7E-03
440	0.59064	2.14E-05	1.3E-05	1.05E-03	1.32E-08	2.00E+00	1.57E-01	4.15E-09	1.0E+06	4.2E-03
441	0.66764	2.14E-05	1.4E-05	1.05E-03	1.49E-08	2.00E+00	1.57E-01	4.69E-09	1.0E+06	4.7E-03
442	0.76151	2.14E-05	1.6E-05	1.05E-03	1.70E-08	2.00E+00	1.57E-01	5.35E-09	1.0E+06	5.4E-03
443	0.87764	2.14E-05	1.9E-05	1.05E-03	1.96E-08	2.00E+00	1.57E-01	6.17E-09	1.0E+06	6.2E-03
454	0.51347	2.14E-05	1.1E-05	1.05E-03	1.15E-08	2.00E+00	1.57E-01	3.61E-09	1.0E+06	3.6E-03
455	0.574	2.14E-05	1.2E-05	1.05E-03	1.28E-08	2.00E+00	1.57E-01	4.03E-09	1.0E+06	4.0E-03
456	0.64635	2.14E-05	1.4E-05	1.05E-03	1.45E-08	2.00E+00	1.57E-01	4.54E-09	1.0E+06	4.5E-03
457	0.73378	2.14E-05	1.6E-05	1.05E-03	1.64E-08	2.00E+00	1.57E-01	5.16E-09	1.0E+06	5.2E-03
458	0.84072	2.14E-05	1.8E-05	1.05E-03	1.88E-08	2.00E+00	1.57E-01	5.91E-09	1.0E+06	5.9E-03
469	0.49827	2.14E-05	1.1E-05	1.05E-03	1.11E-08	2.00E+00	1.57E-01	3.50E-09	1.0E+06	3.5E-03
470	0.55487	2.14E-05	1.2E-05	1.05E-03	1.24E-08	2.00E+00	1.57E-01	3.90E-09	1.0E+06	3.9E-03
471	0.62203	2.14E-05	1.3E-05	1.05E-03	1.39E-08	2.00E+00	1.57E-01	4.37E-09	1.0E+06	4.4E-03

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	0.7023	2.14E-05	1.5E-05	1.05E-03	1.57E-08	2.00E+00	1.57E-01	4.93E-09	1.0E+06	4.9E-03
473	0.79925	2.14E-05	1.7E-05	1.05E-03	1.79E-08	2.00E+00	1.57E-01	5.62E-09	1.0E+06	5.6E-03
489	0.48168	2.14E-05	1.0E-05	1.05E-03	1.08E-08	2.00E+00	1.57E-01	3.38E-09	1.0E+06	3.4E-03
490	0.53418	2.14E-05	1.1E-05	1.05E-03	1.19E-08	2.00E+00	1.57E-01	3.75E-09	1.0E+06	3.8E-03
491	0.59579	2.14E-05	1.3E-05	1.05E-03	1.33E-08	2.00E+00	1.57E-01	4.19E-09	1.0E+06	4.2E-03
492	0.66865	2.14E-05	1.4E-05	1.05E-03	1.49E-08	2.00E+00	1.57E-01	4.70E-09	1.0E+06	4.7E-03
493	0.75554	2.14E-05	1.6E-05	1.05E-03	1.69E-08	2.00E+00	1.57E-01	5.31E-09	1.0E+06	5.3E-03
494	0.86011	2.14E-05	1.8E-05	1.05E-03	1.92E-08	2.00E+00	1.57E-01	6.04E-09	1.0E+06	6.0E-03
509	0.46394	2.14E-05	9.9E-06	1.05E-03	1.04E-08	2.00E+00	1.57E-01	3.26E-09	1.0E+06	3.3E-03
510	0.51217	2.14E-05	1.1E-05	1.05E-03	1.15E-08	2.00E+00	1.57E-01	3.60E-09	1.0E+06	3.6E-03
511	0.56813	2.14E-05	1.2E-05	1.05E-03	1.27E-08	2.00E+00	1.57E-01	3.99E-09	1.0E+06	4.0E-03
512	0.63358	2.14E-05	1.4E-05	1.05E-03	1.42E-08	2.00E+00	1.57E-01	4.45E-09	1.0E+06	4.5E-03
513	0.71066	2.14E-05	1.5E-05	1.05E-03	1.59E-08	2.00E+00	1.57E-01	4.99E-09	1.0E+06	5.0E-03
514	0.80196	2.14E-05	1.7E-05	1.05E-03	1.79E-08	2.00E+00	1.57E-01	5.63E-09	1.0E+06	5.6E-03
515	1.043	2.14E-05	2.2E-05	1.05E-03	2.33E-08	2.00E+00	1.57E-01	7.33E-09	1.0E+06	7.3E-03
516	1.20376	2.14E-05	2.6E-05	1.05E-03	2.69E-08	2.00E+00	1.57E-01	8.46E-09	1.0E+06	8.5E-03
517	1.40207	2.14E-05	3.0E-05	1.05E-03	3.13E-08	2.00E+00	1.57E-01	9.85E-09	1.0E+06	9.9E-03
518	1.64941	2.14E-05	3.5E-05	1.05E-03	3.69E-08	2.00E+00	1.57E-01	1.16E-08	1.0E+06	1.2E-02
519	1.96158	2.14E-05	4.2E-05	1.05E-03	4.39E-08	2.00E+00	1.57E-01	1.38E-08	1.0E+06	1.4E-02
528	0.44543	2.14E-05	9.5E-06	1.05E-03	9.96E-09	2.00E+00	1.57E-01	3.13E-09	1.0E+06	3.1E-03
529	0.48938	2.14E-05	1.0E-05	1.05E-03	1.09E-08	2.00E+00	1.57E-01	3.44E-09	1.0E+06	3.4E-03
530	0.53986	2.14E-05	1.2E-05	1.05E-03	1.21E-08	2.00E+00	1.57E-01	3.79E-09	1.0E+06	3.8E-03
531	0.59815	2.14E-05	1.3E-05	1.05E-03	1.34E-08	2.00E+00	1.57E-01	4.20E-09	1.0E+06	4.2E-03
532	0.66591	2.14E-05	1.4E-05	1.05E-03	1.49E-08	2.00E+00	1.57E-01	4.68E-09	1.0E+06	4.7E-03
533	0.74509	2.14E-05	1.6E-05	1.05E-03	1.67E-08	2.00E+00	1.57E-01	5.24E-09	1.0E+06	5.2E-03
534	0.94875	2.14E-05	2.0E-05	1.05E-03	2.12E-08	2.00E+00	1.57E-01	6.67E-09	1.0E+06	6.7E-03
535	1.0806	2.14E-05	2.3E-05	1.05E-03	2.42E-08	2.00E+00	1.57E-01	7.59E-09	1.0E+06	7.6E-03
536	1.24017	2.14E-05	2.7E-05	1.05E-03	2.77E-08	2.00E+00	1.57E-01	8.71E-09	1.0E+06	8.7E-03
537	1.43239	2.14E-05	3.1E-05	1.05E-03	3.20E-08	2.00E+00	1.57E-01	1.01E-08	1.0E+06	1.0E-02
538	1.6664	2.14E-05	3.6E-05	1.05E-03	3.73E-08	2.00E+00	1.57E-01	1.17E-08	1.0E+06	1.2E-02
547	0.42647	2.14E-05	9.1E-06	1.05E-03	9.53E-09	2.00E+00	1.57E-01	3.00E-09	1.0E+06	3.0E-03

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	0.46624	2.14E-05	1.0E-05	1.05E-03	1.04E-08	2.00E+00	1.57E-01	3.28E-09	1.0E+06	3.3E-03
549	0.5114	2.14E-05	1.1E-05	1.05E-03	1.14E-08	2.00E+00	1.57E-01	3.59E-09	1.0E+06	3.6E-03
550	0.56308	2.14E-05	1.2E-05	1.05E-03	1.26E-08	2.00E+00	1.57E-01	3.96E-09	1.0E+06	4.0E-03
551	0.62233	2.14E-05	1.3E-05	1.05E-03	1.39E-08	2.00E+00	1.57E-01	4.37E-09	1.0E+06	4.4E-03
552	0.6907	2.14E-05	1.5E-05	1.05E-03	1.54E-08	2.00E+00	1.57E-01	4.85E-09	1.0E+06	4.9E-03
553	0.77006	2.14E-05	1.6E-05	1.05E-03	1.72E-08	2.00E+00	1.57E-01	5.41E-09	1.0E+06	5.4E-03
554	0.86265	2.14E-05	1.8E-05	1.05E-03	1.93E-08	2.00E+00	1.57E-01	6.06E-09	1.0E+06	6.1E-03
555	0.97156	2.14E-05	2.1E-05	1.05E-03	2.17E-08	2.00E+00	1.57E-01	6.83E-09	1.0E+06	6.8E-03
556	1.10059	2.14E-05	2.4E-05	1.05E-03	2.46E-08	2.00E+00	1.57E-01	7.73E-09	1.0E+06	7.7E-03
557	1.2524	2.14E-05	2.7E-05	1.05E-03	2.80E-08	2.00E+00	1.57E-01	8.80E-09	1.0E+06	8.8E-03
558	1.43286	2.14E-05	3.1E-05	1.05E-03	3.20E-08	2.00E+00	1.57E-01	1.01E-08	1.0E+06	1.0E-02
559	1.64116	2.14E-05	3.5E-05	1.05E-03	3.67E-08	2.00E+00	1.57E-01	1.15E-08	1.0E+06	1.2E-02
567	0.40727	2.14E-05	8.7E-06	1.05E-03	9.11E-09	2.00E+00	1.57E-01	2.86E-09	1.0E+06	2.9E-03
568	0.44303	2.14E-05	9.5E-06	1.05E-03	9.90E-09	2.00E+00	1.57E-01	3.11E-09	1.0E+06	3.1E-03
569	0.4833	2.14E-05	1.0E-05	1.05E-03	1.08E-08	2.00E+00	1.57E-01	3.40E-09	1.0E+06	3.4E-03
570	0.52883	2.14E-05	1.1E-05	1.05E-03	1.18E-08	2.00E+00	1.57E-01	3.72E-09	1.0E+06	3.7E-03
571	0.58056	2.14E-05	1.2E-05	1.05E-03	1.30E-08	2.00E+00	1.57E-01	4.08E-09	1.0E+06	4.1E-03
572	0.63958	2.14E-05	1.4E-05	1.05E-03	1.43E-08	2.00E+00	1.57E-01	4.49E-09	1.0E+06	4.5E-03
573	0.70729	2.14E-05	1.5E-05	1.05E-03	1.58E-08	2.00E+00	1.57E-01	4.97E-09	1.0E+06	5.0E-03
574	0.87569	2.14E-05	1.9E-05	1.05E-03	1.96E-08	2.00E+00	1.57E-01	6.15E-09	1.0E+06	6.2E-03
575	0.98087	2.14E-05	2.1E-05	1.05E-03	2.19E-08	2.00E+00	1.57E-01	6.89E-09	1.0E+06	6.9E-03
576	1.10279	2.14E-05	2.4E-05	1.05E-03	2.47E-08	2.00E+00	1.57E-01	7.75E-09	1.0E+06	7.7E-03
577	1.24296	2.14E-05	2.7E-05	1.05E-03	2.78E-08	2.00E+00	1.57E-01	8.73E-09	1.0E+06	8.7E-03
578	1.40032	2.14E-05	3.0E-05	1.05E-03	3.13E-08	2.00E+00	1.57E-01	9.84E-09	1.0E+06	9.8E-03
586	0.38816	2.14E-05	8.3E-06	1.05E-03	8.68E-09	2.00E+00	1.57E-01	2.73E-09	1.0E+06	2.7E-03
587	0.42021	2.14E-05	9.0E-06	1.05E-03	9.39E-09	2.00E+00	1.57E-01	2.95E-09	1.0E+06	3.0E-03
588	0.45598	2.14E-05	9.8E-06	1.05E-03	1.02E-08	2.00E+00	1.57E-01	3.20E-09	1.0E+06	3.2E-03
589	0.49608	2.14E-05	1.1E-05	1.05E-03	1.11E-08	2.00E+00	1.57E-01	3.49E-09	1.0E+06	3.5E-03
590	0.54122	2.14E-05	1.2E-05	1.05E-03	1.21E-08	2.00E+00	1.57E-01	3.80E-09	1.0E+06	3.8E-03
591	0.59224	2.14E-05	1.3E-05	1.05E-03	1.32E-08	2.00E+00	1.57E-01	4.16E-09	1.0E+06	4.2E-03
592	0.65019	2.14E-05	1.4E-05	1.05E-03	1.45E-08	2.00E+00	1.57E-01	4.57E-09	1.0E+06	4.6E-03

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	0.79179	2.14E-05	1.7E-05	1.05E-03	1.77E-08	2.00E+00	1.57E-01	5.56E-09	1.0E+06	5.6E-03
594	0.87839	2.14E-05	1.9E-05	1.05E-03	1.96E-08	2.00E+00	1.57E-01	6.17E-09	1.0E+06	6.2E-03
595	0.97656	2.14E-05	2.1E-05	1.05E-03	2.18E-08	2.00E+00	1.57E-01	6.86E-09	1.0E+06	6.9E-03
596	1.08654	2.14E-05	2.3E-05	1.05E-03	2.43E-08	2.00E+00	1.57E-01	7.63E-09	1.0E+06	7.6E-03
597	1.20657	2.14E-05	2.6E-05	1.05E-03	2.70E-08	2.00E+00	1.57E-01	8.48E-09	1.0E+06	8.5E-03
345	0.74661	2.14E-05	1.6E-05	1.05E-03	1.67E-08	2.00E+00	1.57E-01	5.25E-09	1.0E+06	5.2E-03
346	0.8571	2.14E-05	1.8E-05	1.05E-03	1.92E-08	2.00E+00	1.57E-01	6.02E-09	1.0E+06	6.0E-03
347	0.99553	2.14E-05	2.1E-05	1.05E-03	2.23E-08	2.00E+00	1.57E-01	7.00E-09	1.0E+06	7.0E-03
348	1.17212	2.14E-05	2.5E-05	1.05E-03	2.62E-08	2.00E+00	1.57E-01	8.24E-09	1.0E+06	8.2E-03
359	0.77574	2.14E-05	1.7E-05	1.05E-03	1.73E-08	2.00E+00	1.57E-01	5.45E-09	1.0E+06	5.5E-03
360	0.89631	2.14E-05	1.9E-05	1.05E-03	2.00E-08	2.00E+00	1.57E-01	6.30E-09	1.0E+06	6.3E-03
361	1.04893	2.14E-05	2.2E-05	1.05E-03	2.35E-08	2.00E+00	1.57E-01	7.37E-09	1.0E+06	7.4E-03
362	1.24639	2.14E-05	2.7E-05	1.05E-03	2.79E-08	2.00E+00	1.57E-01	8.76E-09	1.0E+06	8.8E-03
363	1.50986	2.14E-05	3.2E-05	1.05E-03	3.38E-08	2.00E+00	1.57E-01	1.06E-08	1.0E+06	1.1E-02
373	0.92401	2.14E-05	2.0E-05	1.05E-03	2.07E-08	2.00E+00	1.57E-01	6.49E-09	1.0E+06	6.5E-03
374	1.08722	2.14E-05	2.3E-05	1.05E-03	2.43E-08	2.00E+00	1.57E-01	7.64E-09	1.0E+06	7.6E-03
375	1.30021	2.14E-05	2.8E-05	1.05E-03	2.91E-08	2.00E+00	1.57E-01	9.14E-09	1.0E+06	9.1E-03
376	1.58816	2.14E-05	3.4E-05	1.05E-03	3.55E-08	2.00E+00	1.57E-01	1.12E-08	1.0E+06	1.1E-02
386	0.93901	2.14E-05	2.0E-05	1.05E-03	2.10E-08	2.00E+00	1.57E-01	6.60E-09	1.0E+06	6.6E-03
387	1.10812	2.14E-05	2.4E-05	1.05E-03	2.48E-08	2.00E+00	1.57E-01	7.79E-09	1.0E+06	7.8E-03
388	1.3299	2.14E-05	2.8E-05	1.05E-03	2.97E-08	2.00E+00	1.57E-01	9.34E-09	1.0E+06	9.3E-03
389	1.63126	2.14E-05	3.5E-05	1.05E-03	3.65E-08	2.00E+00	1.57E-01	1.15E-08	1.0E+06	1.1E-02
390	2.05682	2.14E-05	4.4E-05	1.05E-03	4.60E-08	2.00E+00	1.57E-01	1.45E-08	1.0E+06	1.4E-02
400	0.94065	2.14E-05	2.0E-05	1.05E-03	2.10E-08	2.00E+00	1.57E-01	6.61E-09	1.0E+06	6.6E-03
401	1.11047	2.14E-05	2.4E-05	1.05E-03	2.48E-08	2.00E+00	1.57E-01	7.80E-09	1.0E+06	7.8E-03
402	1.3339	2.14E-05	2.9E-05	1.05E-03	2.98E-08	2.00E+00	1.57E-01	9.37E-09	1.0E+06	9.4E-03
403	1.63561	2.14E-05	3.5E-05	1.05E-03	3.66E-08	2.00E+00	1.57E-01	1.15E-08	1.0E+06	1.1E-02
404	2.05987	2.14E-05	4.4E-05	1.05E-03	4.61E-08	2.00E+00	1.57E-01	1.45E-08	1.0E+06	1.4E-02
415	0.9299	2.14E-05	2.0E-05	1.05E-03	2.08E-08	2.00E+00	1.57E-01	6.53E-09	1.0E+06	6.5E-03
416	1.09576	2.14E-05	2.3E-05	1.05E-03	2.45E-08	2.00E+00	1.57E-01	7.70E-09	1.0E+06	7.7E-03
417	1.31242	2.14E-05	2.8E-05	1.05E-03	2.93E-08	2.00E+00	1.57E-01	9.22E-09	1.0E+06	9.2E-03

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	1.60468	2.14E-05	3.4E-05	1.05E-03	3.59E-08	2.00E+00	1.57E-01	1.13E-08	1.0E+06	1.1E-02
419	2.00962	2.14E-05	4.3E-05	1.05E-03	4.49E-08	2.00E+00	1.57E-01	1.41E-08	1.0E+06	1.4E-02
420	2.59258	2.14E-05	5.5E-05	1.05E-03	5.80E-08	2.00E+00	1.57E-01	1.82E-08	1.0E+06	1.8E-02
430	1.0658	2.14E-05	2.3E-05	1.05E-03	2.38E-08	2.00E+00	1.57E-01	7.49E-09	1.0E+06	7.5E-03
431	1.26977	2.14E-05	2.7E-05	1.05E-03	2.84E-08	2.00E+00	1.57E-01	8.92E-09	1.0E+06	8.9E-03
432	1.54091	2.14E-05	3.3E-05	1.05E-03	3.45E-08	2.00E+00	1.57E-01	1.08E-08	1.0E+06	1.1E-02
433	1.91211	2.14E-05	4.1E-05	1.05E-03	4.27E-08	2.00E+00	1.57E-01	1.34E-08	1.0E+06	1.3E-02
434	2.44022	2.14E-05	5.2E-05	1.05E-03	5.46E-08	2.00E+00	1.57E-01	1.71E-08	1.0E+06	1.7E-02
444	1.02359	2.14E-05	2.2E-05	1.05E-03	2.29E-08	2.00E+00	1.57E-01	7.19E-09	1.0E+06	7.2E-03
445	1.2107	2.14E-05	2.6E-05	1.05E-03	2.71E-08	2.00E+00	1.57E-01	8.51E-09	1.0E+06	8.5E-03
446	1.45478	2.14E-05	3.1E-05	1.05E-03	3.25E-08	2.00E+00	1.57E-01	1.02E-08	1.0E+06	1.0E-02
447	1.78218	2.14E-05	3.8E-05	1.05E-03	3.98E-08	2.00E+00	1.57E-01	1.25E-08	1.0E+06	1.3E-02
448	2.23662	2.14E-05	4.8E-05	1.05E-03	5.00E-08	2.00E+00	1.57E-01	1.57E-08	1.0E+06	1.6E-02
459	1.14062	2.14E-05	2.4E-05	1.05E-03	2.55E-08	2.00E+00	1.57E-01	8.01E-09	1.0E+06	8.0E-03
460	1.35499	2.14E-05	2.9E-05	1.05E-03	3.03E-08	2.00E+00	1.57E-01	9.52E-09	1.0E+06	9.5E-03
461	1.63617	2.14E-05	3.5E-05	1.05E-03	3.66E-08	2.00E+00	1.57E-01	1.15E-08	1.0E+06	1.1E-02
462	2.01482	2.14E-05	4.3E-05	1.05E-03	4.50E-08	2.00E+00	1.57E-01	1.42E-08	1.0E+06	1.4E-02
463	2.54037	2.14E-05	5.4E-05	1.05E-03	5.68E-08	2.00E+00	1.57E-01	1.78E-08	1.0E+06	1.8E-02
474	1.06489	2.14E-05	2.3E-05	1.05E-03	2.38E-08	2.00E+00	1.57E-01	7.48E-09	1.0E+06	7.5E-03
475	1.2494	2.14E-05	2.7E-05	1.05E-03	2.79E-08	2.00E+00	1.57E-01	8.78E-09	1.0E+06	8.8E-03
476	1.48549	2.14E-05	3.2E-05	1.05E-03	3.32E-08	2.00E+00	1.57E-01	1.04E-08	1.0E+06	1.0E-02
477	1.79362	2.14E-05	3.8E-05	1.05E-03	4.01E-08	2.00E+00	1.57E-01	1.26E-08	1.0E+06	1.3E-02
478	2.20447	2.14E-05	4.7E-05	1.05E-03	4.93E-08	2.00E+00	1.57E-01	1.55E-08	1.0E+06	1.5E-02
495	0.98734	2.14E-05	2.1E-05	1.05E-03	2.21E-08	2.00E+00	1.57E-01	6.94E-09	1.0E+06	6.9E-03
496	1.14405	2.14E-05	2.4E-05	1.05E-03	2.56E-08	2.00E+00	1.57E-01	8.04E-09	1.0E+06	8.0E-03
497	1.33964	2.14E-05	2.9E-05	1.05E-03	3.00E-08	2.00E+00	1.57E-01	9.41E-09	1.0E+06	9.4E-03
498	1.58744	2.14E-05	3.4E-05	1.05E-03	3.55E-08	2.00E+00	1.57E-01	1.12E-08	1.0E+06	1.1E-02
499	1.90598	2.14E-05	4.1E-05	1.05E-03	4.26E-08	2.00E+00	1.57E-01	1.34E-08	1.0E+06	1.3E-02
500	2.32121	2.14E-05	5.0E-05	1.05E-03	5.19E-08	2.00E+00	1.57E-01	1.63E-08	1.0E+06	1.6E-02

Via Oro
Risk From Idling in Bays [Idle2]

		Cancer Risk from Birth to 2 years - Construction									
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
139	0.28223	2.14E-05	6.0E-06	1.05E-03	6.31E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
140	0.29587	2.14E-05	6.3E-06	1.05E-03	6.61E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
156	0.30211	2.14E-05	6.5E-06	1.05E-03	6.75E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
157	0.31779	2.14E-05	6.8E-06	1.05E-03	7.10E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
158	0.33425	2.14E-05	7.1E-06	1.05E-03	7.47E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
159	0.35127	2.14E-05	7.5E-06	1.05E-03	7.85E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
160	0.36839	2.14E-05	7.9E-06	1.05E-03	8.24E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
161	0.40331	2.14E-05	8.6E-06	1.05E-03	9.02E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
162	0.42031	2.14E-05	9.0E-06	1.05E-03	9.40E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
163	0.43624	2.14E-05	9.3E-06	1.05E-03	9.75E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
167	0.34169	2.14E-05	7.3E-06	1.05E-03	7.64E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
168	0.36146	2.14E-05	7.7E-06	1.05E-03	8.08E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
169	0.38143	2.14E-05	8.2E-06	1.05E-03	8.53E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
170	0.40199	2.14E-05	8.6E-06	1.05E-03	8.99E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
171	0.42295	2.14E-05	9.0E-06	1.05E-03	9.46E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
172	0.44429	2.14E-05	9.5E-06	1.05E-03	9.93E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
173	0.46512	2.14E-05	9.9E-06	1.05E-03	1.04E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
174	0.48509	2.14E-05	1.0E-05	1.05E-03	1.08E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
175	0.50363	2.14E-05	1.1E-05	1.05E-03	1.13E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
176	0.52011	2.14E-05	1.1E-05	1.05E-03	1.16E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
177	0.53385	2.14E-05	1.1E-05	1.05E-03	1.19E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
181	0.39166	2.14E-05	8.4E-06	1.05E-03	8.76E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
182	0.41545	2.14E-05	8.9E-06	1.05E-03	9.29E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
183	0.44024	2.14E-05	9.4E-06	1.05E-03	9.84E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
184	0.46568	2.14E-05	1.0E-05	1.05E-03	1.04E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
185	0.49178	2.14E-05	1.1E-05	1.05E-03	1.10E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
186	0.5178	2.14E-05	1.1E-05	1.05E-03	1.16E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
187	0.54286	2.14E-05	1.2E-05	1.05E-03	1.21E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
188	0.56641	2.14E-05	1.2E-05	1.05E-03	1.27E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
189	0.58747	2.14E-05	1.3E-05	1.05E-03	1.31E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	
190	0.60511	2.14E-05	1.3E-05	1.05E-03	1.35E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00	

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	0.61873	2.14E-05	1.3E-05	1.05E-03	1.38E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	0.42526	2.14E-05	9.1E-06	1.05E-03	9.51E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	0.45377	2.14E-05	9.7E-06	1.05E-03	1.01E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	0.48383	2.14E-05	1.0E-05	1.05E-03	1.08E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	0.51507	2.14E-05	1.1E-05	1.05E-03	1.15E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	0.54751	2.14E-05	1.2E-05	1.05E-03	1.22E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	0.58019	2.14E-05	1.2E-05	1.05E-03	1.30E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	0.61224	2.14E-05	1.3E-05	1.05E-03	1.37E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	0.6426	2.14E-05	1.4E-05	1.05E-03	1.44E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	0.66993	2.14E-05	1.4E-05	1.05E-03	1.50E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	0.69296	2.14E-05	1.5E-05	1.05E-03	1.55E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	0.71084	2.14E-05	1.5E-05	1.05E-03	1.59E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	0.72309	2.14E-05	1.5E-05	1.05E-03	1.62E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	0.42937	2.14E-05	9.2E-06	1.05E-03	9.60E-09	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	0.4626	2.14E-05	9.9E-06	1.05E-03	1.03E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	0.49691	2.14E-05	1.1E-05	1.05E-03	1.11E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	0.53363	2.14E-05	1.1E-05	1.05E-03	1.19E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	0.61307	2.14E-05	1.3E-05	1.05E-03	1.37E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	0.65477	2.14E-05	1.4E-05	1.05E-03	1.46E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	0.69624	2.14E-05	1.5E-05	1.05E-03	1.56E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	0.7363	2.14E-05	1.6E-05	1.05E-03	1.65E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
218	0.77275	2.14E-05	1.7E-05	1.05E-03	1.73E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	0.80362	2.14E-05	1.7E-05	1.05E-03	1.80E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	0.82746	2.14E-05	1.8E-05	1.05E-03	1.85E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	0.84329	2.14E-05	1.8E-05	1.05E-03	1.89E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	0.85273	2.14E-05	1.8E-05	1.05E-03	1.91E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	0.46501	2.14E-05	9.9E-06	1.05E-03	1.04E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	0.50373	2.14E-05	1.1E-05	1.05E-03	1.13E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	0.54536	2.14E-05	1.2E-05	1.05E-03	1.22E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	0.59046	2.14E-05	1.3E-05	1.05E-03	1.32E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	0.639	2.14E-05	1.4E-05	1.05E-03	1.43E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	0.6906	2.14E-05	1.5E-05	1.05E-03	1.54E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	0.74471	2.14E-05	1.6E-05	1.05E-03	1.66E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	0.85367	2.14E-05	1.8E-05	1.05E-03	1.91E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	0.90384	2.14E-05	1.9E-05	1.05E-03	2.02E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	0.9466	2.14E-05	2.0E-05	1.05E-03	2.12E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	0.97919	2.14E-05	2.1E-05	1.05E-03	2.19E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	1.00055	2.14E-05	2.1E-05	1.05E-03	2.24E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	1.01235	2.14E-05	2.2E-05	1.05E-03	2.26E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	0.50293	2.14E-05	1.1E-05	1.05E-03	1.12E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	0.54862	2.14E-05	1.2E-05	1.05E-03	1.23E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	0.59883	2.14E-05	1.3E-05	1.05E-03	1.34E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	0.65498	2.14E-05	1.4E-05	1.05E-03	1.46E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	0.7164	2.14E-05	1.5E-05	1.05E-03	1.60E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	0.78306	2.14E-05	1.7E-05	1.05E-03	1.75E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	0.85423	2.14E-05	1.8E-05	1.05E-03	1.91E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
249	1.0033	2.14E-05	2.1E-05	1.05E-03	2.24E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	1.07398	2.14E-05	2.3E-05	1.05E-03	2.40E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	1.13565	2.14E-05	2.4E-05	1.05E-03	2.54E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	1.18245	2.14E-05	2.5E-05	1.05E-03	2.64E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	1.21265	2.14E-05	2.6E-05	1.05E-03	2.71E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	1.2288	2.14E-05	2.6E-05	1.05E-03	2.75E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	0.5432	2.14E-05	1.2E-05	1.05E-03	1.21E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	0.59735	2.14E-05	1.3E-05	1.05E-03	1.34E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	0.65893	2.14E-05	1.4E-05	1.05E-03	1.47E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	0.72713	2.14E-05	1.6E-05	1.05E-03	1.63E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	0.80594	2.14E-05	1.7E-05	1.05E-03	1.80E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	0.89264	2.14E-05	1.9E-05	1.05E-03	2.00E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	0.98806	2.14E-05	2.1E-05	1.05E-03	2.21E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	1.19764	2.14E-05	2.6E-05	1.05E-03	2.68E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	1.30209	2.14E-05	2.8E-05	1.05E-03	2.91E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	1.39482	2.14E-05	3.0E-05	1.05E-03	3.12E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	1.46533	2.14E-05	3.1E-05	1.05E-03	3.28E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	1.50931	2.14E-05	3.2E-05	1.05E-03	3.37E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	1.53357	2.14E-05	3.3E-05	1.05E-03	3.43E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	1.61774	2.14E-05	3.5E-05	1.05E-03	3.62E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	1.63493	2.14E-05	3.5E-05	1.05E-03	3.66E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	0.58529	2.14E-05	1.3E-05	1.05E-03	1.31E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	0.64904	2.14E-05	1.4E-05	1.05E-03	1.45E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	0.72345	2.14E-05	1.5E-05	1.05E-03	1.62E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	0.8086	2.14E-05	1.7E-05	1.05E-03	1.81E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	0.90824	2.14E-05	1.9E-05	1.05E-03	2.03E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	1.02226	2.14E-05	2.2E-05	1.05E-03	2.29E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
280	1.15059	2.14E-05	2.5E-05	1.05E-03	2.57E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	1.45449	2.14E-05	3.1E-05	1.05E-03	3.25E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	1.615	2.14E-05	3.5E-05	1.05E-03	3.61E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	1.76328	2.14E-05	3.8E-05	1.05E-03	3.94E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	1.87904	2.14E-05	4.0E-05	1.05E-03	4.20E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	1.94888	2.14E-05	4.2E-05	1.05E-03	4.36E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	1.98931	2.14E-05	4.3E-05	1.05E-03	4.45E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	2.09966	2.14E-05	4.5E-05	1.05E-03	4.69E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	2.08215	2.14E-05	4.5E-05	1.05E-03	4.66E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	0.62822	2.14E-05	1.3E-05	1.05E-03	1.40E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	0.70295	2.14E-05	1.5E-05	1.05E-03	1.57E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	0.79173	2.14E-05	1.7E-05	1.05E-03	1.77E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	0.89738	2.14E-05	1.9E-05	1.05E-03	2.01E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	1.02207	2.14E-05	2.2E-05	1.05E-03	2.29E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	1.17197	2.14E-05	2.5E-05	1.05E-03	2.62E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	1.3513	2.14E-05	2.9E-05	1.05E-03	3.02E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	1.80245	2.14E-05	3.9E-05	1.05E-03	4.03E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	2.06811	2.14E-05	4.4E-05	1.05E-03	4.62E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	2.3253	2.14E-05	5.0E-05	1.05E-03	5.20E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	2.53433	2.14E-05	5.4E-05	1.05E-03	5.67E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	2.65413	2.14E-05	5.7E-05	1.05E-03	5.93E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	2.7321	2.14E-05	5.8E-05	1.05E-03	6.11E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	2.78786	2.14E-05	6.0E-05	1.05E-03	6.23E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	2.66405	2.14E-05	5.7E-05	1.05E-03	5.96E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	0.6707	2.14E-05	1.4E-05	1.05E-03	1.50E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	0.75749	2.14E-05	1.6E-05	1.05E-03	1.69E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	0.86222	2.14E-05	1.8E-05	1.05E-03	1.93E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
311	0.9906	2.14E-05	2.1E-05	1.05E-03	2.21E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	1.14821	2.14E-05	2.5E-05	1.05E-03	2.57E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	1.34359	2.14E-05	2.9E-05	1.05E-03	3.00E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	1.58892	2.14E-05	3.4E-05	1.05E-03	3.55E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	2.2828	2.14E-05	4.9E-05	1.05E-03	5.10E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	2.754	2.14E-05	5.9E-05	1.05E-03	6.16E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	3.25973	2.14E-05	7.0E-05	1.05E-03	7.29E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	3.69955	2.14E-05	7.9E-05	1.05E-03	8.27E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	3.93695	2.14E-05	8.4E-05	1.05E-03	8.80E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	4.1077	2.14E-05	8.8E-05	1.05E-03	9.18E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	3.70838	2.14E-05	7.9E-05	1.05E-03	8.29E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	3.35903	2.14E-05	7.2E-05	1.05E-03	7.51E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	0.71083	2.14E-05	1.5E-05	1.05E-03	1.59E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	0.80983	2.14E-05	1.7E-05	1.05E-03	1.81E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	0.93164	2.14E-05	2.0E-05	1.05E-03	2.08E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	1.08446	2.14E-05	2.3E-05	1.05E-03	2.42E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	1.27728	2.14E-05	2.7E-05	1.05E-03	2.86E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	1.52745	2.14E-05	3.3E-05	1.05E-03	3.41E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	1.85783	2.14E-05	4.0E-05	1.05E-03	4.15E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	2.30347	2.14E-05	4.9E-05	1.05E-03	5.15E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	2.92908	2.14E-05	6.3E-05	1.05E-03	6.55E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	3.80958	2.14E-05	8.1E-05	1.05E-03	8.52E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	5.01108	2.14E-05	1.1E-04	1.05E-03	1.12E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	6.24018	2.14E-05	1.3E-04	1.05E-03	1.40E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	6.88395	2.14E-05	1.5E-04	1.05E-03	1.54E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	7.01671	2.14E-05	1.5E-04	1.05E-03	1.57E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	5.61006	2.14E-05	1.2E-04	1.05E-03	1.25E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	4.79398	2.14E-05	1.0E-04	1.05E-03	1.07E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	4.08422	2.14E-05	8.7E-05	1.05E-03	9.13E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	1.40234	2.14E-05	3.0E-05	1.05E-03	3.14E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	1.71051	2.14E-05	3.7E-05	1.05E-03	3.82E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	2.13697	2.14E-05	4.6E-05	1.05E-03	4.78E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	2.75413	2.14E-05	5.9E-05	1.05E-03	6.16E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	7.40605	2.14E-05	1.6E-04	1.05E-03	1.66E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	5.85191	2.14E-05	1.3E-04	1.05E-03	1.31E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	4.72166	2.14E-05	1.0E-04	1.05E-03	1.06E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	1.87212	2.14E-05	4.0E-05	1.05E-03	4.19E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	2.3911	2.14E-05	5.1E-05	1.05E-03	5.35E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	3.18501	2.14E-05	6.8E-05	1.05E-03	7.12E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	8.96845	2.14E-05	1.9E-04	1.05E-03	2.01E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	6.70424	2.14E-05	1.4E-04	1.05E-03	1.50E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	5.18569	2.14E-05	1.1E-04	1.05E-03	1.16E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	1.99204	2.14E-05	4.3E-05	1.05E-03	4.45E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	2.58244	2.14E-05	5.5E-05	1.05E-03	5.77E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	3.50529	2.14E-05	7.5E-05	1.05E-03	7.84E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	10.1845	2.14E-05	2.2E-04	1.05E-03	2.28E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	7.28319	2.14E-05	1.6E-04	1.05E-03	1.63E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	5.43453	2.14E-05	1.2E-04	1.05E-03	1.22E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	2.6825	2.14E-05	5.7E-05	1.05E-03	6.00E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	3.65682	2.14E-05	7.8E-05	1.05E-03	8.18E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	11.07382	2.14E-05	2.4E-04	1.05E-03	2.48E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	7.57366	2.14E-05	1.6E-04	1.05E-03	1.69E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	5.4365	2.14E-05	1.2E-04	1.05E-03	1.22E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	2.6853	2.14E-05	5.7E-05	1.05E-03	6.00E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	3.65387	2.14E-05	7.8E-05	1.05E-03	8.17E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	5.28088	2.14E-05	1.1E-04	1.05E-03	1.18E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	11.48422	2.14E-05	2.5E-04	1.05E-03	2.57E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	7.42787	2.14E-05	1.6E-04	1.05E-03	1.66E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	5.13666	2.14E-05	1.1E-04	1.05E-03	1.15E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	3.4969	2.14E-05	7.5E-05	1.05E-03	7.82E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	4.97228	2.14E-05	1.1E-04	1.05E-03	1.11E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	10.95252	2.14E-05	2.3E-04	1.05E-03	2.45E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	6.71695	2.14E-05	1.4E-04	1.05E-03	1.50E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	4.54523	2.14E-05	9.7E-05	1.05E-03	1.02E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
435	3.22356	2.14E-05	6.9E-05	1.05E-03	7.21E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	4.48408	2.14E-05	9.6E-05	1.05E-03	1.00E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	5.57665	2.14E-05	1.2E-04	1.05E-03	1.25E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	3.82462	2.14E-05	8.2E-05	1.05E-03	8.55E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	2.88702	2.14E-05	6.2E-05	1.05E-03	6.45E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	3.89712	2.14E-05	8.3E-05	1.05E-03	8.71E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	5.55432	2.14E-05	1.2E-04	1.05E-03	1.24E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	4.50046	2.14E-05	9.6E-05	1.05E-03	1.01E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	3.2082	2.14E-05	6.9E-05	1.05E-03	7.17E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	3.30541	2.14E-05	7.1E-05	1.05E-03	7.39E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	4.47485	2.14E-05	9.6E-05	1.05E-03	1.00E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
466	8.97029	2.14E-05	1.9E-04	1.05E-03	2.01E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	3.75442	2.14E-05	8.0E-05	1.05E-03	8.39E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	2.75909	2.14E-05	5.9E-05	1.05E-03	6.17E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	2.75542	2.14E-05	5.9E-05	1.05E-03	6.16E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	3.57033	2.14E-05	7.6E-05	1.05E-03	7.98E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	4.73885	2.14E-05	1.0E-04	1.05E-03	1.06E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	6.46328	2.14E-05	1.4E-04	1.05E-03	1.45E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	8.44194	2.14E-05	1.8E-04	1.05E-03	1.89E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	8.60219	2.14E-05	1.8E-04	1.05E-03	1.92E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
485	6.47564	2.14E-05	1.4E-04	1.05E-03	1.45E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
486	4.47423	2.14E-05	9.6E-05	1.05E-03	1.00E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	3.20215	2.14E-05	6.8E-05	1.05E-03	7.16E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
488	2.40951	2.14E-05	5.2E-05	1.05E-03	5.39E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
501	2.85958	2.14E-05	6.1E-05	1.05E-03	6.39E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
502	3.62201	2.14E-05	7.7E-05	1.05E-03	8.10E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
503	4.56577	2.14E-05	9.8E-05	1.05E-03	1.02E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
504	5.44859	2.14E-05	1.2E-04	1.05E-03	1.22E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
505	5.58679	2.14E-05	1.2E-04	1.05E-03	1.25E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
506	4.75255	2.14E-05	1.0E-04	1.05E-03	1.06E-07	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
507	3.63846	2.14E-05	7.8E-05	1.05E-03	8.13E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
508	2.12201	2.14E-05	4.5E-05	1.05E-03	4.74E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
520	2.34367	2.14E-05	5.0E-05	1.05E-03	5.24E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
521	2.81705	2.14E-05	6.0E-05	1.05E-03	6.30E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
522	3.39833	2.14E-05	7.3E-05	1.05E-03	7.60E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
523	3.86855	2.14E-05	8.3E-05	1.05E-03	8.65E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
524	3.9752	2.14E-05	8.5E-05	1.05E-03	8.89E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
525	3.59884	2.14E-05	7.7E-05	1.05E-03	8.05E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
526	2.96582	2.14E-05	6.3E-05	1.05E-03	6.63E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
527	1.87523	2.14E-05	4.0E-05	1.05E-03	4.19E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
539	1.94944	2.14E-05	4.2E-05	1.05E-03	4.36E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
540	2.27866	2.14E-05	4.9E-05	1.05E-03	5.09E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
541	2.62289	2.14E-05	5.6E-05	1.05E-03	5.86E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
542	2.9058	2.14E-05	6.2E-05	1.05E-03	6.50E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
543	2.99625	2.14E-05	6.4E-05	1.05E-03	6.70E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
544	2.81072	2.14E-05	6.0E-05	1.05E-03	6.28E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
545	2.43278	2.14E-05	5.2E-05	1.05E-03	5.44E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
546	1.6595	2.14E-05	3.5E-05	1.05E-03	3.71E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
560	1.8736	2.14E-05	4.0E-05	1.05E-03	4.19E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
561	2.10729	2.14E-05	4.5E-05	1.05E-03	4.71E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
562	2.28701	2.14E-05	4.9E-05	1.05E-03	5.11E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
563	2.34089	2.14E-05	5.0E-05	1.05E-03	5.23E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
564	2.25173	2.14E-05	4.8E-05	1.05E-03	5.03E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Conc	g/sec	Cair	Cancer Risk from Birth to 2 years - Construction						
				Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	2.02909	2.14E-05	4.3E-05	1.05E-03	4.54E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
566	1.47414	2.14E-05	3.2E-05	1.05E-03	3.30E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
579	1.5669	2.14E-05	3.4E-05	1.05E-03	3.50E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
580	1.72906	2.14E-05	3.7E-05	1.05E-03	3.87E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
581	1.85463	2.14E-05	4.0E-05	1.05E-03	4.15E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
582	1.90301	2.14E-05	4.1E-05	1.05E-03	4.25E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
583	1.85048	2.14E-05	4.0E-05	1.05E-03	4.14E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
584	1.70567	2.14E-05	3.6E-05	1.05E-03	3.81E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
585	1.427	2.14E-05	3.1E-05	1.05E-03	3.19E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
598	1.33103	2.14E-05	2.8E-05	1.05E-03	2.98E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
599	1.44648	2.14E-05	3.1E-05	1.05E-03	3.23E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
600	1.53631	2.14E-05	3.3E-05	1.05E-03	3.43E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
601	1.57574	2.14E-05	3.4E-05	1.05E-03	3.52E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
602	1.54791	2.14E-05	3.3E-05	1.05E-03	3.46E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
603	1.45548	2.14E-05	3.1E-05	1.05E-03	3.25E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
604	1.31763	2.14E-05	2.8E-05	1.05E-03	2.95E-08	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00
0	0	2.14E-05	0.0E+00	1.05E-03	0.00E+00	0.00E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.12587	2.14E-05	2.7E-06	6.05E-04	1.63E-09	1.40E+01	4.71E-02	1.08E-09	1.0E+06	1.1E-03
2	2	0.13034	2.14E-05	2.8E-06	6.05E-04	1.69E-09	1.40E+01	4.71E-02	1.11E-09	1.0E+06	1.1E-03
3	3	0.13496	2.14E-05	2.9E-06	6.05E-04	1.75E-09	1.40E+01	4.71E-02	1.15E-09	1.0E+06	1.2E-03
4	4	0.13977	2.14E-05	3.0E-06	6.05E-04	1.81E-09	1.40E+01	4.71E-02	1.19E-09	1.0E+06	1.2E-03
5	5	0.1448	2.14E-05	3.1E-06	6.05E-04	1.87E-09	1.40E+01	4.71E-02	1.24E-09	1.0E+06	1.2E-03
6	6	0.1501	2.14E-05	3.2E-06	6.05E-04	1.94E-09	1.40E+01	4.71E-02	1.28E-09	1.0E+06	1.3E-03
7	7	0.15561	2.14E-05	3.3E-06	6.05E-04	2.01E-09	1.40E+01	4.71E-02	1.33E-09	1.0E+06	1.3E-03
8	8	0.16129	2.14E-05	3.5E-06	6.05E-04	2.09E-09	1.40E+01	4.71E-02	1.38E-09	1.0E+06	1.4E-03
9	9	0.16718	2.14E-05	3.6E-06	6.05E-04	2.16E-09	1.40E+01	4.71E-02	1.43E-09	1.0E+06	1.4E-03
10	10	0.17327	2.14E-05	3.7E-06	6.05E-04	2.24E-09	1.40E+01	4.71E-02	1.48E-09	1.0E+06	1.5E-03
11	11	0.17954	2.14E-05	3.8E-06	6.05E-04	2.32E-09	1.40E+01	4.71E-02	1.53E-09	1.0E+06	1.5E-03
12	12	0.18596	2.14E-05	4.0E-06	6.05E-04	2.41E-09	1.40E+01	4.71E-02	1.59E-09	1.0E+06	1.6E-03
13	13	0.1926	2.14E-05	4.1E-06	6.05E-04	2.49E-09	1.40E+01	4.71E-02	1.65E-09	1.0E+06	1.6E-03
14	14	0.19935	2.14E-05	4.3E-06	6.05E-04	2.58E-09	1.40E+01	4.71E-02	1.70E-09	1.0E+06	1.7E-03
15	15	0.20622	2.14E-05	4.4E-06	6.05E-04	2.67E-09	1.40E+01	4.71E-02	1.76E-09	1.0E+06	1.8E-03
16	16	0.21312	2.14E-05	4.6E-06	6.05E-04	2.76E-09	1.40E+01	4.71E-02	1.82E-09	1.0E+06	1.8E-03
17	17	0.2201	2.14E-05	4.7E-06	6.05E-04	2.85E-09	1.40E+01	4.71E-02	1.88E-09	1.0E+06	1.9E-03
18	18	0.22697	2.14E-05	4.9E-06	6.05E-04	2.94E-09	1.40E+01	4.71E-02	1.94E-09	1.0E+06	1.9E-03
19	19	0.23375	2.14E-05	5.0E-06	6.05E-04	3.03E-09	1.40E+01	4.71E-02	2.00E-09	1.0E+06	2.0E-03
20	20	0.24035	2.14E-05	5.1E-06	6.05E-04	3.11E-09	1.40E+01	4.71E-02	2.05E-09	1.0E+06	2.1E-03
21	21	0.24665	2.14E-05	5.3E-06	6.05E-04	3.19E-09	1.40E+01	4.71E-02	2.11E-09	1.0E+06	2.1E-03
22	22	0.2526	2.14E-05	5.4E-06	6.05E-04	3.27E-09	1.40E+01	4.71E-02	2.16E-09	1.0E+06	2.2E-03
23	23	0.2581	2.14E-05	5.5E-06	6.05E-04	3.34E-09	1.40E+01	4.71E-02	2.20E-09	1.0E+06	2.2E-03
24	24	0.26306	2.14E-05	5.6E-06	6.05E-04	3.40E-09	1.40E+01	4.71E-02	2.25E-09	1.0E+06	2.2E-03
25	25	0.26746	2.14E-05	5.7E-06	6.05E-04	3.46E-09	1.40E+01	4.71E-02	2.28E-09	1.0E+06	2.3E-03
26	26	0.27121	2.14E-05	5.8E-06	6.05E-04	3.51E-09	1.40E+01	4.71E-02	2.32E-09	1.0E+06	2.3E-03
27	27	0.27429	2.14E-05	5.9E-06	6.05E-04	3.55E-09	1.40E+01	4.71E-02	2.34E-09	1.0E+06	2.3E-03
28	28	0.27664	2.14E-05	5.9E-06	6.05E-04	3.58E-09	1.40E+01	4.71E-02	2.36E-09	1.0E+06	2.4E-03
29	29	0.2783	2.14E-05	6.0E-06	6.05E-04	3.60E-09	1.40E+01	4.71E-02	2.38E-09	1.0E+06	2.4E-03
30	30	0.2793	2.14E-05	6.0E-06	6.05E-04	3.61E-09	1.40E+01	4.71E-02	2.39E-09	1.0E+06	2.4E-03
31	31	0.27969	2.14E-05	6.0E-06	6.05E-04	3.62E-09	1.40E+01	4.71E-02	2.39E-09	1.0E+06	2.4E-03

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.27955	2.14E-05	6.0E-06	6.05E-04	3.62E-09	1.40E+01	4.71E-02	2.39E-09	1.0E+06	2.4E-03
55	55	0.27226	2.14E-05	5.8E-06	6.05E-04	3.52E-09	1.40E+01	4.71E-02	2.33E-09	1.0E+06	2.3E-03
56	56	0.27867	2.14E-05	6.0E-06	6.05E-04	3.61E-09	1.40E+01	4.71E-02	2.38E-09	1.0E+06	2.4E-03
57	57	0.28456	2.14E-05	6.1E-06	6.05E-04	3.68E-09	1.40E+01	4.71E-02	2.43E-09	1.0E+06	2.4E-03
58	58	0.28973	2.14E-05	6.2E-06	6.05E-04	3.75E-09	1.40E+01	4.71E-02	2.47E-09	1.0E+06	2.5E-03
59	59	0.29408	2.14E-05	6.3E-06	6.05E-04	3.81E-09	1.40E+01	4.71E-02	2.51E-09	1.0E+06	2.5E-03
60	60	0.29759	2.14E-05	6.4E-06	6.05E-04	3.85E-09	1.40E+01	4.71E-02	2.54E-09	1.0E+06	2.5E-03
61	61	0.30032	2.14E-05	6.4E-06	6.05E-04	3.89E-09	1.40E+01	4.71E-02	2.57E-09	1.0E+06	2.6E-03
62	62	0.30219	2.14E-05	6.5E-06	6.05E-04	3.91E-09	1.40E+01	4.71E-02	2.58E-09	1.0E+06	2.6E-03
63	63	0.30329	2.14E-05	6.5E-06	6.05E-04	3.93E-09	1.40E+01	4.71E-02	2.59E-09	1.0E+06	2.6E-03
64	64	0.30367	2.14E-05	6.5E-06	6.05E-04	3.93E-09	1.40E+01	4.71E-02	2.59E-09	1.0E+06	2.6E-03
65	65	0.30348	2.14E-05	6.5E-06	6.05E-04	3.93E-09	1.40E+01	4.71E-02	2.59E-09	1.0E+06	2.6E-03
66	66	0.30312	2.14E-05	6.5E-06	6.05E-04	3.92E-09	1.40E+01	4.71E-02	2.59E-09	1.0E+06	2.6E-03
67	67	0.13447	2.14E-05	2.9E-06	6.05E-04	1.74E-09	1.40E+01	4.71E-02	1.15E-09	1.0E+06	1.1E-03
68	68	0.13968	2.14E-05	3.0E-06	6.05E-04	1.81E-09	1.40E+01	4.71E-02	1.19E-09	1.0E+06	1.2E-03
69	69	0.14512	2.14E-05	3.1E-06	6.05E-04	1.88E-09	1.40E+01	4.71E-02	1.24E-09	1.0E+06	1.2E-03
70	70	0.15083	2.14E-05	3.2E-06	6.05E-04	1.95E-09	1.40E+01	4.71E-02	1.29E-09	1.0E+06	1.3E-03
71	71	0.15675	2.14E-05	3.4E-06	6.05E-04	2.03E-09	1.40E+01	4.71E-02	1.34E-09	1.0E+06	1.3E-03
72	72	0.16306	2.14E-05	3.5E-06	6.05E-04	2.11E-09	1.40E+01	4.71E-02	1.39E-09	1.0E+06	1.4E-03
73	73	0.16964	2.14E-05	3.6E-06	6.05E-04	2.20E-09	1.40E+01	4.71E-02	1.45E-09	1.0E+06	1.4E-03
74	74	0.1765	2.14E-05	3.8E-06	6.05E-04	2.28E-09	1.40E+01	4.71E-02	1.51E-09	1.0E+06	1.5E-03
75	75	0.18364	2.14E-05	3.9E-06	6.05E-04	2.38E-09	1.40E+01	4.71E-02	1.57E-09	1.0E+06	1.6E-03
76	76	0.1911	2.14E-05	4.1E-06	6.05E-04	2.47E-09	1.40E+01	4.71E-02	1.63E-09	1.0E+06	1.6E-03
77	77	0.19888	2.14E-05	4.3E-06	6.05E-04	2.57E-09	1.40E+01	4.71E-02	1.70E-09	1.0E+06	1.7E-03
78	78	0.20702	2.14E-05	4.4E-06	6.05E-04	2.68E-09	1.40E+01	4.71E-02	1.77E-09	1.0E+06	1.8E-03
79	79	0.2507	2.14E-05	5.4E-06	6.05E-04	3.24E-09	1.40E+01	4.71E-02	2.14E-09	1.0E+06	2.1E-03
80	80	0.25976	2.14E-05	5.6E-06	6.05E-04	3.36E-09	1.40E+01	4.71E-02	2.22E-09	1.0E+06	2.2E-03
81	81	0.26888	2.14E-05	5.8E-06	6.05E-04	3.48E-09	1.40E+01	4.71E-02	2.30E-09	1.0E+06	2.3E-03
82	82	0.27775	2.14E-05	5.9E-06	6.05E-04	3.59E-09	1.40E+01	4.71E-02	2.37E-09	1.0E+06	2.4E-03
83	83	0.28639	2.14E-05	6.1E-06	6.05E-04	3.71E-09	1.40E+01	4.71E-02	2.45E-09	1.0E+06	2.4E-03
84	84	0.29451	2.14E-05	6.3E-06	6.05E-04	3.81E-09	1.40E+01	4.71E-02	2.52E-09	1.0E+06	2.5E-03

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	85	0.30211	2.14E-05	6.5E-06	6.05E-04	3.91E-09	1.40E+01	4.71E-02	2.58E-09	1.0E+06	2.6E-03
86	86	0.30903	2.14E-05	6.6E-06	6.05E-04	4.00E-09	1.40E+01	4.71E-02	2.64E-09	1.0E+06	2.6E-03
87	87	0.3151	2.14E-05	6.7E-06	6.05E-04	4.08E-09	1.40E+01	4.71E-02	2.69E-09	1.0E+06	2.7E-03
88	88	0.32026	2.14E-05	6.9E-06	6.05E-04	4.14E-09	1.40E+01	4.71E-02	2.74E-09	1.0E+06	2.7E-03
89	89	0.32437	2.14E-05	6.9E-06	6.05E-04	4.20E-09	1.40E+01	4.71E-02	2.77E-09	1.0E+06	2.8E-03
90	90	0.32746	2.14E-05	7.0E-06	6.05E-04	4.24E-09	1.40E+01	4.71E-02	2.80E-09	1.0E+06	2.8E-03
91	91	0.32966	2.14E-05	7.1E-06	6.05E-04	4.27E-09	1.40E+01	4.71E-02	2.82E-09	1.0E+06	2.8E-03
92	92	0.33077	2.14E-05	7.1E-06	6.05E-04	4.28E-09	1.40E+01	4.71E-02	2.83E-09	1.0E+06	2.8E-03
93	93	0.33123	2.14E-05	7.1E-06	6.05E-04	4.29E-09	1.40E+01	4.71E-02	2.83E-09	1.0E+06	2.8E-03
96	96	0.33577	2.14E-05	7.2E-06	6.05E-04	4.35E-09	1.40E+01	4.71E-02	2.87E-09	1.0E+06	2.9E-03
97	97	0.33667	2.14E-05	7.2E-06	6.05E-04	4.36E-09	1.40E+01	4.71E-02	2.88E-09	1.0E+06	2.9E-03
98	98	0.35037	2.14E-05	7.5E-06	6.05E-04	4.53E-09	1.40E+01	4.71E-02	2.99E-09	1.0E+06	3.0E-03
99	99	0.35534	2.14E-05	7.6E-06	6.05E-04	4.60E-09	1.40E+01	4.71E-02	3.04E-09	1.0E+06	3.0E-03
100	100	0.35897	2.14E-05	7.7E-06	6.05E-04	4.65E-09	1.40E+01	4.71E-02	3.07E-09	1.0E+06	3.1E-03
101	101	0.36134	2.14E-05	7.7E-06	6.05E-04	4.68E-09	1.40E+01	4.71E-02	3.09E-09	1.0E+06	3.1E-03
102	102	0.36274	2.14E-05	7.8E-06	6.05E-04	4.69E-09	1.40E+01	4.71E-02	3.10E-09	1.0E+06	3.1E-03
106	106	0.13776	2.14E-05	2.9E-06	6.05E-04	1.78E-09	1.40E+01	4.71E-02	1.18E-09	1.0E+06	1.2E-03
107	107	0.14351	2.14E-05	3.1E-06	6.05E-04	1.86E-09	1.40E+01	4.71E-02	1.23E-09	1.0E+06	1.2E-03
108	108	0.14953	2.14E-05	3.2E-06	6.05E-04	1.94E-09	1.40E+01	4.71E-02	1.28E-09	1.0E+06	1.3E-03
109	109	0.15587	2.14E-05	3.3E-06	6.05E-04	2.02E-09	1.40E+01	4.71E-02	1.33E-09	1.0E+06	1.3E-03
110	110	0.16259	2.14E-05	3.5E-06	6.05E-04	2.10E-09	1.40E+01	4.71E-02	1.39E-09	1.0E+06	1.4E-03
111	111	0.16961	2.14E-05	3.6E-06	6.05E-04	2.20E-09	1.40E+01	4.71E-02	1.45E-09	1.0E+06	1.4E-03
112	112	0.17718	2.14E-05	3.8E-06	6.05E-04	2.29E-09	1.40E+01	4.71E-02	1.51E-09	1.0E+06	1.5E-03
113	113	0.18507	2.14E-05	4.0E-06	6.05E-04	2.40E-09	1.40E+01	4.71E-02	1.58E-09	1.0E+06	1.6E-03
114	114	0.1934	2.14E-05	4.1E-06	6.05E-04	2.50E-09	1.40E+01	4.71E-02	1.65E-09	1.0E+06	1.7E-03
115	115	0.20212	2.14E-05	4.3E-06	6.05E-04	2.62E-09	1.40E+01	4.71E-02	1.73E-09	1.0E+06	1.7E-03
116	116	0.21123	2.14E-05	4.5E-06	6.05E-04	2.73E-09	1.40E+01	4.71E-02	1.80E-09	1.0E+06	1.8E-03
117	117	0.22094	2.14E-05	4.7E-06	6.05E-04	2.86E-09	1.40E+01	4.71E-02	1.89E-09	1.0E+06	1.9E-03
118	118	0.23111	2.14E-05	4.9E-06	6.05E-04	2.99E-09	1.40E+01	4.71E-02	1.97E-09	1.0E+06	2.0E-03
124	124	0.14199	2.14E-05	3.0E-06	6.05E-04	1.84E-09	1.40E+01	4.71E-02	1.21E-09	1.0E+06	1.2E-03
125	125	0.14809	2.14E-05	3.2E-06	6.05E-04	1.92E-09	1.40E+01	4.71E-02	1.26E-09	1.0E+06	1.3E-03

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	126	0.15455	2.14E-05	3.3E-06	6.05E-04	2.00E-09	1.40E+01	4.71E-02	1.32E-09	1.0E+06	1.3E-03
127	127	0.16141	2.14E-05	3.5E-06	6.05E-04	2.09E-09	1.40E+01	4.71E-02	1.38E-09	1.0E+06	1.4E-03
128	128	0.16868	2.14E-05	3.6E-06	6.05E-04	2.18E-09	1.40E+01	4.71E-02	1.44E-09	1.0E+06	1.4E-03
129	129	0.17633	2.14E-05	3.8E-06	6.05E-04	2.28E-09	1.40E+01	4.71E-02	1.51E-09	1.0E+06	1.5E-03
130	130	0.18457	2.14E-05	3.9E-06	6.05E-04	2.39E-09	1.40E+01	4.71E-02	1.58E-09	1.0E+06	1.6E-03
131	131	0.19326	2.14E-05	4.1E-06	6.05E-04	2.50E-09	1.40E+01	4.71E-02	1.65E-09	1.0E+06	1.7E-03
132	132	0.20248	2.14E-05	4.3E-06	6.05E-04	2.62E-09	1.40E+01	4.71E-02	1.73E-09	1.0E+06	1.7E-03
133	133	0.21216	2.14E-05	4.5E-06	6.05E-04	2.75E-09	1.40E+01	4.71E-02	1.81E-09	1.0E+06	1.8E-03
134	134	0.22249	2.14E-05	4.8E-06	6.05E-04	2.88E-09	1.40E+01	4.71E-02	1.90E-09	1.0E+06	1.9E-03
135	135	0.23331	2.14E-05	5.0E-06	6.05E-04	3.02E-09	1.40E+01	4.71E-02	1.99E-09	1.0E+06	2.0E-03
136	136	0.24469	2.14E-05	5.2E-06	6.05E-04	3.17E-09	1.40E+01	4.71E-02	2.09E-09	1.0E+06	2.1E-03
137	137	0.25657	2.14E-05	5.5E-06	6.05E-04	3.32E-09	1.40E+01	4.71E-02	2.19E-09	1.0E+06	2.2E-03
138	138	0.26923	2.14E-05	5.8E-06	6.05E-04	3.48E-09	1.40E+01	4.71E-02	2.30E-09	1.0E+06	2.3E-03
141	141	0.14622	2.14E-05	3.1E-06	6.05E-04	1.89E-09	1.40E+01	4.71E-02	1.25E-09	1.0E+06	1.2E-03
142	142	0.15275	2.14E-05	3.3E-06	6.05E-04	1.98E-09	1.40E+01	4.71E-02	1.30E-09	1.0E+06	1.3E-03
143	143	0.15968	2.14E-05	3.4E-06	6.05E-04	2.07E-09	1.40E+01	4.71E-02	1.36E-09	1.0E+06	1.4E-03
144	144	0.16707	2.14E-05	3.6E-06	6.05E-04	2.16E-09	1.40E+01	4.71E-02	1.43E-09	1.0E+06	1.4E-03
145	145	0.17493	2.14E-05	3.7E-06	6.05E-04	2.26E-09	1.40E+01	4.71E-02	1.49E-09	1.0E+06	1.5E-03
146	146	0.18325	2.14E-05	3.9E-06	6.05E-04	2.37E-09	1.40E+01	4.71E-02	1.57E-09	1.0E+06	1.6E-03
147	147	0.19224	2.14E-05	4.1E-06	6.05E-04	2.49E-09	1.40E+01	4.71E-02	1.64E-09	1.0E+06	1.6E-03
148	148	0.20175	2.14E-05	4.3E-06	6.05E-04	2.61E-09	1.40E+01	4.71E-02	1.72E-09	1.0E+06	1.7E-03
149	149	0.2119	2.14E-05	4.5E-06	6.05E-04	2.74E-09	1.40E+01	4.71E-02	1.81E-09	1.0E+06	1.8E-03
150	150	0.22266	2.14E-05	4.8E-06	6.05E-04	2.88E-09	1.40E+01	4.71E-02	1.90E-09	1.0E+06	1.9E-03
151	151	0.23413	2.14E-05	5.0E-06	6.05E-04	3.03E-09	1.40E+01	4.71E-02	2.00E-09	1.0E+06	2.0E-03
152	152	0.24629	2.14E-05	5.3E-06	6.05E-04	3.19E-09	1.40E+01	4.71E-02	2.10E-09	1.0E+06	2.1E-03
153	153	0.25918	2.14E-05	5.5E-06	6.05E-04	3.35E-09	1.40E+01	4.71E-02	2.21E-09	1.0E+06	2.2E-03
154	154	0.27267	2.14E-05	5.8E-06	6.05E-04	3.53E-09	1.40E+01	4.71E-02	2.33E-09	1.0E+06	2.3E-03
155	155	0.28698	2.14E-05	6.1E-06	6.05E-04	3.71E-09	1.40E+01	4.71E-02	2.45E-09	1.0E+06	2.5E-03
164	164	0.28996	2.14E-05	6.2E-06	6.05E-04	3.75E-09	1.40E+01	4.71E-02	2.48E-09	1.0E+06	2.5E-03
165	165	0.30628	2.14E-05	6.6E-06	6.05E-04	3.96E-09	1.40E+01	4.71E-02	2.62E-09	1.0E+06	2.6E-03
166	166	0.32378	2.14E-05	6.9E-06	6.05E-04	4.19E-09	1.40E+01	4.71E-02	2.77E-09	1.0E+06	2.8E-03

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	0.30842	2.14E-05	6.6E-06	6.05E-04	3.99E-09	1.40E+01	4.71E-02	2.63E-09	1.0E+06	2.6E-03
179	179	0.32719	2.14E-05	7.0E-06	6.05E-04	4.23E-09	1.40E+01	4.71E-02	2.79E-09	1.0E+06	2.8E-03
180	180	0.3474	2.14E-05	7.4E-06	6.05E-04	4.50E-09	1.40E+01	4.71E-02	2.97E-09	1.0E+06	3.0E-03
192	192	0.32814	2.14E-05	7.0E-06	6.05E-04	4.25E-09	1.40E+01	4.71E-02	2.80E-09	1.0E+06	2.8E-03
193	193	0.34981	2.14E-05	7.5E-06	6.05E-04	4.53E-09	1.40E+01	4.71E-02	2.99E-09	1.0E+06	3.0E-03
194	194	0.37312	2.14E-05	8.0E-06	6.05E-04	4.83E-09	1.40E+01	4.71E-02	3.19E-09	1.0E+06	3.2E-03
207	207	0.34893	2.14E-05	7.5E-06	6.05E-04	4.52E-09	1.40E+01	4.71E-02	2.98E-09	1.0E+06	3.0E-03
208	208	0.37383	2.14E-05	8.0E-06	6.05E-04	4.84E-09	1.40E+01	4.71E-02	3.19E-09	1.0E+06	3.2E-03
209	209	0.40098	2.14E-05	8.6E-06	6.05E-04	5.19E-09	1.40E+01	4.71E-02	3.43E-09	1.0E+06	3.4E-03
223	223	0.37073	2.14E-05	7.9E-06	6.05E-04	4.80E-09	1.40E+01	4.71E-02	3.17E-09	1.0E+06	3.2E-03
224	224	0.39926	2.14E-05	8.5E-06	6.05E-04	5.17E-09	1.40E+01	4.71E-02	3.41E-09	1.0E+06	3.4E-03
225	225	0.43056	2.14E-05	9.2E-06	6.05E-04	5.57E-09	1.40E+01	4.71E-02	3.68E-09	1.0E+06	3.7E-03
239	239	0.39344	2.14E-05	8.4E-06	6.05E-04	5.09E-09	1.40E+01	4.71E-02	3.36E-09	1.0E+06	3.4E-03
240	240	0.42603	2.14E-05	9.1E-06	6.05E-04	5.51E-09	1.40E+01	4.71E-02	3.64E-09	1.0E+06	3.6E-03
241	241	0.46241	2.14E-05	9.9E-06	6.05E-04	5.98E-09	1.40E+01	4.71E-02	3.95E-09	1.0E+06	3.9E-03
255	255	0.41664	2.14E-05	8.9E-06	6.05E-04	5.39E-09	1.40E+01	4.71E-02	3.56E-09	1.0E+06	3.6E-03
256	256	0.45372	2.14E-05	9.7E-06	6.05E-04	5.87E-09	1.40E+01	4.71E-02	3.88E-09	1.0E+06	3.9E-03
272	272	0.43985	2.14E-05	9.4E-06	6.05E-04	5.69E-09	1.40E+01	4.71E-02	3.76E-09	1.0E+06	3.8E-03
273	273	0.48191	2.14E-05	1.0E-05	6.05E-04	6.24E-09	1.40E+01	4.71E-02	4.12E-09	1.0E+06	4.1E-03
289	289	0.46274	2.14E-05	9.9E-06	6.05E-04	5.99E-09	1.40E+01	4.71E-02	3.95E-09	1.0E+06	4.0E-03
290	290	0.50987	2.14E-05	1.1E-05	6.05E-04	6.60E-09	1.40E+01	4.71E-02	4.36E-09	1.0E+06	4.4E-03
306	306	0.48445	2.14E-05	1.0E-05	6.05E-04	6.27E-09	1.40E+01	4.71E-02	4.14E-09	1.0E+06	4.1E-03
307	307	0.53674	2.14E-05	1.1E-05	6.05E-04	6.95E-09	1.40E+01	4.71E-02	4.58E-09	1.0E+06	4.6E-03
323	323	0.5042	2.14E-05	1.1E-05	6.05E-04	6.53E-09	1.40E+01	4.71E-02	4.31E-09	1.0E+06	4.3E-03
324	324	0.56147	2.14E-05	1.2E-05	6.05E-04	7.27E-09	1.40E+01	4.71E-02	4.80E-09	1.0E+06	4.8E-03
342	342	0.5212	2.14E-05	1.1E-05	6.05E-04	6.75E-09	1.40E+01	4.71E-02	4.45E-09	1.0E+06	4.5E-03
343	343	0.58296	2.14E-05	1.2E-05	6.05E-04	7.54E-09	1.40E+01	4.71E-02	4.98E-09	1.0E+06	5.0E-03
344	344	0.65679	2.14E-05	1.4E-05	6.05E-04	8.50E-09	1.40E+01	4.71E-02	5.61E-09	1.0E+06	5.6E-03
356	356	0.53459	2.14E-05	1.1E-05	6.05E-04	6.92E-09	1.40E+01	4.71E-02	4.57E-09	1.0E+06	4.6E-03
357	357	0.59994	2.14E-05	1.3E-05	6.05E-04	7.76E-09	1.40E+01	4.71E-02	5.12E-09	1.0E+06	5.1E-03
358	358	0.67891	2.14E-05	1.5E-05	6.05E-04	8.79E-09	1.40E+01	4.71E-02	5.80E-09	1.0E+06	5.8E-03

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	0.54387	2.14E-05	1.2E-05	6.05E-04	7.04E-09	1.40E+01	4.71E-02	4.65E-09	1.0E+06	4.6E-03
371	371	0.61184	2.14E-05	1.3E-05	6.05E-04	7.92E-09	1.40E+01	4.71E-02	5.23E-09	1.0E+06	5.2E-03
372	372	0.69444	2.14E-05	1.5E-05	6.05E-04	8.99E-09	1.40E+01	4.71E-02	5.93E-09	1.0E+06	5.9E-03
383	383	0.54866	2.14E-05	1.2E-05	6.05E-04	7.10E-09	1.40E+01	4.71E-02	4.69E-09	1.0E+06	4.7E-03
384	384	0.61809	2.14E-05	1.3E-05	6.05E-04	8.00E-09	1.40E+01	4.71E-02	5.28E-09	1.0E+06	5.3E-03
385	385	0.70266	2.14E-05	1.5E-05	6.05E-04	9.09E-09	1.40E+01	4.71E-02	6.00E-09	1.0E+06	6.0E-03
396	396	0.54897	2.14E-05	1.2E-05	6.05E-04	7.11E-09	1.40E+01	4.71E-02	4.69E-09	1.0E+06	4.7E-03
397	397	0.61862	2.14E-05	1.3E-05	6.05E-04	8.01E-09	1.40E+01	4.71E-02	5.28E-09	1.0E+06	5.3E-03
398	398	0.70346	2.14E-05	1.5E-05	6.05E-04	9.10E-09	1.40E+01	4.71E-02	6.01E-09	1.0E+06	6.0E-03
399	399	0.80843	2.14E-05	1.7E-05	6.05E-04	1.05E-08	1.40E+01	4.71E-02	6.91E-09	1.0E+06	6.9E-03
411	411	0.54505	2.14E-05	1.2E-05	6.05E-04	7.05E-09	1.40E+01	4.71E-02	4.66E-09	1.0E+06	4.7E-03
412	412	0.61372	2.14E-05	1.3E-05	6.05E-04	7.94E-09	1.40E+01	4.71E-02	5.24E-09	1.0E+06	5.2E-03
413	413	0.69742	2.14E-05	1.5E-05	6.05E-04	9.03E-09	1.40E+01	4.71E-02	5.96E-09	1.0E+06	6.0E-03
414	414	0.80038	2.14E-05	1.7E-05	6.05E-04	1.04E-08	1.40E+01	4.71E-02	6.84E-09	1.0E+06	6.8E-03
426	426	0.53745	2.14E-05	1.1E-05	6.05E-04	6.96E-09	1.40E+01	4.71E-02	4.59E-09	1.0E+06	4.6E-03
427	427	0.60418	2.14E-05	1.3E-05	6.05E-04	7.82E-09	1.40E+01	4.71E-02	5.16E-09	1.0E+06	5.2E-03
428	428	0.68492	2.14E-05	1.5E-05	6.05E-04	8.86E-09	1.40E+01	4.71E-02	5.85E-09	1.0E+06	5.9E-03
429	429	0.78419	2.14E-05	1.7E-05	6.05E-04	1.01E-08	1.40E+01	4.71E-02	6.70E-09	1.0E+06	6.7E-03
439	439	0.5267	2.14E-05	1.1E-05	6.05E-04	6.82E-09	1.40E+01	4.71E-02	4.50E-09	1.0E+06	4.5E-03
440	440	0.59064	2.14E-05	1.3E-05	6.05E-04	7.64E-09	1.40E+01	4.71E-02	5.05E-09	1.0E+06	5.0E-03
441	441	0.66764	2.14E-05	1.4E-05	6.05E-04	8.64E-09	1.40E+01	4.71E-02	5.70E-09	1.0E+06	5.7E-03
442	442	0.76151	2.14E-05	1.6E-05	6.05E-04	9.86E-09	1.40E+01	4.71E-02	6.50E-09	1.0E+06	6.5E-03
443	443	0.87764	2.14E-05	1.9E-05	6.05E-04	1.14E-08	1.40E+01	4.71E-02	7.50E-09	1.0E+06	7.5E-03
454	454	0.51347	2.14E-05	1.1E-05	6.05E-04	6.65E-09	1.40E+01	4.71E-02	4.39E-09	1.0E+06	4.4E-03
455	455	0.574	2.14E-05	1.2E-05	6.05E-04	7.43E-09	1.40E+01	4.71E-02	4.90E-09	1.0E+06	4.9E-03
456	456	0.64635	2.14E-05	1.4E-05	6.05E-04	8.37E-09	1.40E+01	4.71E-02	5.52E-09	1.0E+06	5.5E-03
457	457	0.73378	2.14E-05	1.6E-05	6.05E-04	9.50E-09	1.40E+01	4.71E-02	6.27E-09	1.0E+06	6.3E-03
458	458	0.84072	2.14E-05	1.8E-05	6.05E-04	1.09E-08	1.40E+01	4.71E-02	7.18E-09	1.0E+06	7.2E-03
469	469	0.49827	2.14E-05	1.1E-05	6.05E-04	6.45E-09	1.40E+01	4.71E-02	4.26E-09	1.0E+06	4.3E-03
470	470	0.55487	2.14E-05	1.2E-05	6.05E-04	7.18E-09	1.40E+01	4.71E-02	4.74E-09	1.0E+06	4.7E-03
471	471	0.62203	2.14E-05	1.3E-05	6.05E-04	8.05E-09	1.40E+01	4.71E-02	5.31E-09	1.0E+06	5.3E-03

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	0.7023	2.14E-05	1.5E-05	6.05E-04	9.09E-09	1.40E+01	4.71E-02	6.00E-09	1.0E+06	6.0E-03
473	473	0.79925	2.14E-05	1.7E-05	6.05E-04	1.03E-08	1.40E+01	4.71E-02	6.83E-09	1.0E+06	6.8E-03
489	489	0.48168	2.14E-05	1.0E-05	6.05E-04	6.23E-09	1.40E+01	4.71E-02	4.11E-09	1.0E+06	4.1E-03
490	490	0.53418	2.14E-05	1.1E-05	6.05E-04	6.91E-09	1.40E+01	4.71E-02	4.56E-09	1.0E+06	4.6E-03
491	491	0.59579	2.14E-05	1.3E-05	6.05E-04	7.71E-09	1.40E+01	4.71E-02	5.09E-09	1.0E+06	5.1E-03
492	492	0.66865	2.14E-05	1.4E-05	6.05E-04	8.65E-09	1.40E+01	4.71E-02	5.71E-09	1.0E+06	5.7E-03
493	493	0.75554	2.14E-05	1.6E-05	6.05E-04	9.78E-09	1.40E+01	4.71E-02	6.45E-09	1.0E+06	6.5E-03
494	494	0.86011	2.14E-05	1.8E-05	6.05E-04	1.11E-08	1.40E+01	4.71E-02	7.35E-09	1.0E+06	7.3E-03
509	509	0.46394	2.14E-05	9.9E-06	6.05E-04	6.00E-09	1.40E+01	4.71E-02	3.96E-09	1.0E+06	4.0E-03
510	510	0.51217	2.14E-05	1.1E-05	6.05E-04	6.63E-09	1.40E+01	4.71E-02	4.37E-09	1.0E+06	4.4E-03
511	511	0.56813	2.14E-05	1.2E-05	6.05E-04	7.35E-09	1.40E+01	4.71E-02	4.85E-09	1.0E+06	4.9E-03
512	512	0.63358	2.14E-05	1.4E-05	6.05E-04	8.20E-09	1.40E+01	4.71E-02	5.41E-09	1.0E+06	5.4E-03
513	513	0.71066	2.14E-05	1.5E-05	6.05E-04	9.20E-09	1.40E+01	4.71E-02	6.07E-09	1.0E+06	6.1E-03
514	514	0.80196	2.14E-05	1.7E-05	6.05E-04	1.04E-08	1.40E+01	4.71E-02	6.85E-09	1.0E+06	6.9E-03
515	515	1.043	2.14E-05	2.2E-05	6.05E-04	1.35E-08	1.40E+01	4.71E-02	8.91E-09	1.0E+06	8.9E-03
516	516	1.20376	2.14E-05	2.6E-05	6.05E-04	1.56E-08	1.40E+01	4.71E-02	1.03E-08	1.0E+06	1.0E-02
517	517	1.40207	2.14E-05	3.0E-05	6.05E-04	1.81E-08	1.40E+01	4.71E-02	1.20E-08	1.0E+06	1.2E-02
518	518	1.64941	2.14E-05	3.5E-05	6.05E-04	2.13E-08	1.40E+01	4.71E-02	1.41E-08	1.0E+06	1.4E-02
519	519	1.96158	2.14E-05	4.2E-05	6.05E-04	2.54E-08	1.40E+01	4.71E-02	1.68E-08	1.0E+06	1.7E-02
528	528	0.44543	2.14E-05	9.5E-06	6.05E-04	5.76E-09	1.40E+01	4.71E-02	3.80E-09	1.0E+06	3.8E-03
529	529	0.48938	2.14E-05	1.0E-05	6.05E-04	6.33E-09	1.40E+01	4.71E-02	4.18E-09	1.0E+06	4.2E-03
530	530	0.53986	2.14E-05	1.2E-05	6.05E-04	6.99E-09	1.40E+01	4.71E-02	4.61E-09	1.0E+06	4.6E-03
531	531	0.59815	2.14E-05	1.3E-05	6.05E-04	7.74E-09	1.40E+01	4.71E-02	5.11E-09	1.0E+06	5.1E-03
532	532	0.66591	2.14E-05	1.4E-05	6.05E-04	8.62E-09	1.40E+01	4.71E-02	5.69E-09	1.0E+06	5.7E-03
533	533	0.74509	2.14E-05	1.6E-05	6.05E-04	9.64E-09	1.40E+01	4.71E-02	6.36E-09	1.0E+06	6.4E-03
534	534	0.94875	2.14E-05	2.0E-05	6.05E-04	1.23E-08	1.40E+01	4.71E-02	8.10E-09	1.0E+06	8.1E-03
535	535	1.0806	2.14E-05	2.3E-05	6.05E-04	1.40E-08	1.40E+01	4.71E-02	9.23E-09	1.0E+06	9.2E-03
536	536	1.24017	2.14E-05	2.7E-05	6.05E-04	1.61E-08	1.40E+01	4.71E-02	1.06E-08	1.0E+06	1.1E-02
537	537	1.43239	2.14E-05	3.1E-05	6.05E-04	1.85E-08	1.40E+01	4.71E-02	1.22E-08	1.0E+06	1.2E-02
538	538	1.6664	2.14E-05	3.6E-05	6.05E-04	2.16E-08	1.40E+01	4.71E-02	1.42E-08	1.0E+06	1.4E-02
547	547	0.42647	2.14E-05	9.1E-06	6.05E-04	5.52E-09	1.40E+01	4.71E-02	3.64E-09	1.0E+06	3.6E-03

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.46624	2.14E-05	1.0E-05	6.05E-04	6.03E-09	1.40E+01	4.71E-02	3.98E-09	1.0E+06	4.0E-03
549	549	0.5114	2.14E-05	1.1E-05	6.05E-04	6.62E-09	1.40E+01	4.71E-02	4.37E-09	1.0E+06	4.4E-03
550	550	0.56308	2.14E-05	1.2E-05	6.05E-04	7.29E-09	1.40E+01	4.71E-02	4.81E-09	1.0E+06	4.8E-03
551	551	0.62233	2.14E-05	1.3E-05	6.05E-04	8.05E-09	1.40E+01	4.71E-02	5.32E-09	1.0E+06	5.3E-03
552	552	0.6907	2.14E-05	1.5E-05	6.05E-04	8.94E-09	1.40E+01	4.71E-02	5.90E-09	1.0E+06	5.9E-03
553	553	0.77006	2.14E-05	1.6E-05	6.05E-04	9.97E-09	1.40E+01	4.71E-02	6.58E-09	1.0E+06	6.6E-03
554	554	0.86265	2.14E-05	1.8E-05	6.05E-04	1.12E-08	1.40E+01	4.71E-02	7.37E-09	1.0E+06	7.4E-03
555	555	0.97156	2.14E-05	2.1E-05	6.05E-04	1.26E-08	1.40E+01	4.71E-02	8.30E-09	1.0E+06	8.3E-03
556	556	1.10059	2.14E-05	2.4E-05	6.05E-04	1.42E-08	1.40E+01	4.71E-02	9.40E-09	1.0E+06	9.4E-03
557	557	1.2524	2.14E-05	2.7E-05	6.05E-04	1.62E-08	1.40E+01	4.71E-02	1.07E-08	1.0E+06	1.1E-02
558	558	1.43286	2.14E-05	3.1E-05	6.05E-04	1.85E-08	1.40E+01	4.71E-02	1.22E-08	1.0E+06	1.2E-02
559	559	1.64116	2.14E-05	3.5E-05	6.05E-04	2.12E-08	1.40E+01	4.71E-02	1.40E-08	1.0E+06	1.4E-02
567	567	0.40727	2.14E-05	8.7E-06	6.05E-04	5.27E-09	1.40E+01	4.71E-02	3.48E-09	1.0E+06	3.5E-03
568	568	0.44303	2.14E-05	9.5E-06	6.05E-04	5.73E-09	1.40E+01	4.71E-02	3.78E-09	1.0E+06	3.8E-03
569	569	0.4833	2.14E-05	1.0E-05	6.05E-04	6.26E-09	1.40E+01	4.71E-02	4.13E-09	1.0E+06	4.1E-03
570	570	0.52883	2.14E-05	1.1E-05	6.05E-04	6.84E-09	1.40E+01	4.71E-02	4.52E-09	1.0E+06	4.5E-03
571	571	0.58056	2.14E-05	1.2E-05	6.05E-04	7.51E-09	1.40E+01	4.71E-02	4.96E-09	1.0E+06	5.0E-03
572	572	0.63958	2.14E-05	1.4E-05	6.05E-04	8.28E-09	1.40E+01	4.71E-02	5.46E-09	1.0E+06	5.5E-03
573	573	0.70729	2.14E-05	1.5E-05	6.05E-04	9.15E-09	1.40E+01	4.71E-02	6.04E-09	1.0E+06	6.0E-03
574	574	0.87569	2.14E-05	1.9E-05	6.05E-04	1.13E-08	1.40E+01	4.71E-02	7.48E-09	1.0E+06	7.5E-03
575	575	0.98087	2.14E-05	2.1E-05	6.05E-04	1.27E-08	1.40E+01	4.71E-02	8.38E-09	1.0E+06	8.4E-03
576	576	1.10279	2.14E-05	2.4E-05	6.05E-04	1.43E-08	1.40E+01	4.71E-02	9.42E-09	1.0E+06	9.4E-03
577	577	1.24296	2.14E-05	2.7E-05	6.05E-04	1.61E-08	1.40E+01	4.71E-02	1.06E-08	1.0E+06	1.1E-02
578	578	1.40032	2.14E-05	3.0E-05	6.05E-04	1.81E-08	1.40E+01	4.71E-02	1.20E-08	1.0E+06	1.2E-02
586	586	0.38816	2.14E-05	8.3E-06	6.05E-04	5.02E-09	1.40E+01	4.71E-02	3.32E-09	1.0E+06	3.3E-03
587	587	0.42021	2.14E-05	9.0E-06	6.05E-04	5.44E-09	1.40E+01	4.71E-02	3.59E-09	1.0E+06	3.6E-03
588	588	0.45598	2.14E-05	9.8E-06	6.05E-04	5.90E-09	1.40E+01	4.71E-02	3.90E-09	1.0E+06	3.9E-03
589	589	0.49608	2.14E-05	1.1E-05	6.05E-04	6.42E-09	1.40E+01	4.71E-02	4.24E-09	1.0E+06	4.2E-03
590	590	0.54122	2.14E-05	1.2E-05	6.05E-04	7.00E-09	1.40E+01	4.71E-02	4.62E-09	1.0E+06	4.6E-03
591	591	0.59224	2.14E-05	1.3E-05	6.05E-04	7.67E-09	1.40E+01	4.71E-02	5.06E-09	1.0E+06	5.1E-03
592	592	0.65019	2.14E-05	1.4E-05	6.05E-04	8.42E-09	1.40E+01	4.71E-02	5.55E-09	1.0E+06	5.6E-03

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	0.79179	2.14E-05	1.7E-05	6.05E-04	1.02E-08	1.40E+01	4.71E-02	6.76E-09	1.0E+06	6.8E-03
594	594	0.87839	2.14E-05	1.9E-05	6.05E-04	1.14E-08	1.40E+01	4.71E-02	7.50E-09	1.0E+06	7.5E-03
595	595	0.97656	2.14E-05	2.1E-05	6.05E-04	1.26E-08	1.40E+01	4.71E-02	8.34E-09	1.0E+06	8.3E-03
596	596	1.08654	2.14E-05	2.3E-05	6.05E-04	1.41E-08	1.40E+01	4.71E-02	9.28E-09	1.0E+06	9.3E-03
597	597	1.20657	2.14E-05	2.6E-05	6.05E-04	1.56E-08	1.40E+01	4.71E-02	1.03E-08	1.0E+06	1.0E-02
345	345	0.74661	2.14E-05	1.6E-05	6.05E-04	9.66E-09	1.40E+01	4.71E-02	6.38E-09	1.0E+06	6.4E-03
346	346	0.8571	2.14E-05	1.8E-05	6.05E-04	1.11E-08	1.40E+01	4.71E-02	7.32E-09	1.0E+06	7.3E-03
347	347	0.99553	2.14E-05	2.1E-05	6.05E-04	1.29E-08	1.40E+01	4.71E-02	8.50E-09	1.0E+06	8.5E-03
348	348	1.17212	2.14E-05	2.5E-05	6.05E-04	1.52E-08	1.40E+01	4.71E-02	1.00E-08	1.0E+06	1.0E-02
359	359	0.77574	2.14E-05	1.7E-05	6.05E-04	1.00E-08	1.40E+01	4.71E-02	6.63E-09	1.0E+06	6.6E-03
360	360	0.89631	2.14E-05	1.9E-05	6.05E-04	1.16E-08	1.40E+01	4.71E-02	7.66E-09	1.0E+06	7.7E-03
361	361	1.04893	2.14E-05	2.2E-05	6.05E-04	1.36E-08	1.40E+01	4.71E-02	8.96E-09	1.0E+06	9.0E-03
362	362	1.24639	2.14E-05	2.7E-05	6.05E-04	1.61E-08	1.40E+01	4.71E-02	1.06E-08	1.0E+06	1.1E-02
363	363	1.50986	2.14E-05	3.2E-05	6.05E-04	1.95E-08	1.40E+01	4.71E-02	1.29E-08	1.0E+06	1.3E-02
373	373	0.92401	2.14E-05	2.0E-05	6.05E-04	1.20E-08	1.40E+01	4.71E-02	7.89E-09	1.0E+06	7.9E-03
374	374	1.08722	2.14E-05	2.3E-05	6.05E-04	1.41E-08	1.40E+01	4.71E-02	9.29E-09	1.0E+06	9.3E-03
375	375	1.30021	2.14E-05	2.8E-05	6.05E-04	1.68E-08	1.40E+01	4.71E-02	1.11E-08	1.0E+06	1.1E-02
376	376	1.58816	2.14E-05	3.4E-05	6.05E-04	2.06E-08	1.40E+01	4.71E-02	1.36E-08	1.0E+06	1.4E-02
386	386	0.93901	2.14E-05	2.0E-05	6.05E-04	1.22E-08	1.40E+01	4.71E-02	8.02E-09	1.0E+06	8.0E-03
387	387	1.10812	2.14E-05	2.4E-05	6.05E-04	1.43E-08	1.40E+01	4.71E-02	9.47E-09	1.0E+06	9.5E-03
388	388	1.3299	2.14E-05	2.8E-05	6.05E-04	1.72E-08	1.40E+01	4.71E-02	1.14E-08	1.0E+06	1.1E-02
389	389	1.63126	2.14E-05	3.5E-05	6.05E-04	2.11E-08	1.40E+01	4.71E-02	1.39E-08	1.0E+06	1.4E-02
390	390	2.05682	2.14E-05	4.4E-05	6.05E-04	2.66E-08	1.40E+01	4.71E-02	1.76E-08	1.0E+06	1.8E-02
400	400	0.94065	2.14E-05	2.0E-05	6.05E-04	1.22E-08	1.40E+01	4.71E-02	8.04E-09	1.0E+06	8.0E-03
401	401	1.11047	2.14E-05	2.4E-05	6.05E-04	1.44E-08	1.40E+01	4.71E-02	9.49E-09	1.0E+06	9.5E-03
402	402	1.3339	2.14E-05	2.9E-05	6.05E-04	1.73E-08	1.40E+01	4.71E-02	1.14E-08	1.0E+06	1.1E-02
403	403	1.63561	2.14E-05	3.5E-05	6.05E-04	2.12E-08	1.40E+01	4.71E-02	1.40E-08	1.0E+06	1.4E-02
404	404	2.05987	2.14E-05	4.4E-05	6.05E-04	2.67E-08	1.40E+01	4.71E-02	1.76E-08	1.0E+06	1.8E-02
415	415	0.9299	2.14E-05	2.0E-05	6.05E-04	1.20E-08	1.40E+01	4.71E-02	7.94E-09	1.0E+06	7.9E-03
416	416	1.09576	2.14E-05	2.3E-05	6.05E-04	1.42E-08	1.40E+01	4.71E-02	9.36E-09	1.0E+06	9.4E-03
417	417	1.31242	2.14E-05	2.8E-05	6.05E-04	1.70E-08	1.40E+01	4.71E-02	1.12E-08	1.0E+06	1.1E-02

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	1.60468	2.14E-05	3.4E-05	6.05E-04	2.08E-08	1.40E+01	4.71E-02	1.37E-08	1.0E+06	1.4E-02
419	419	2.00962	2.14E-05	4.3E-05	6.05E-04	2.60E-08	1.40E+01	4.71E-02	1.72E-08	1.0E+06	1.7E-02
420	420	2.59258	2.14E-05	5.5E-05	6.05E-04	3.36E-08	1.40E+01	4.71E-02	2.21E-08	1.0E+06	2.2E-02
430	430	1.0658	2.14E-05	2.3E-05	6.05E-04	1.38E-08	1.40E+01	4.71E-02	9.10E-09	1.0E+06	9.1E-03
431	431	1.26977	2.14E-05	2.7E-05	6.05E-04	1.64E-08	1.40E+01	4.71E-02	1.08E-08	1.0E+06	1.1E-02
432	432	1.54091	2.14E-05	3.3E-05	6.05E-04	1.99E-08	1.40E+01	4.71E-02	1.32E-08	1.0E+06	1.3E-02
433	433	1.91211	2.14E-05	4.1E-05	6.05E-04	2.47E-08	1.40E+01	4.71E-02	1.63E-08	1.0E+06	1.6E-02
434	434	2.44022	2.14E-05	5.2E-05	6.05E-04	3.16E-08	1.40E+01	4.71E-02	2.08E-08	1.0E+06	2.1E-02
444	444	1.02359	2.14E-05	2.2E-05	6.05E-04	1.32E-08	1.40E+01	4.71E-02	8.74E-09	1.0E+06	8.7E-03
445	445	1.2107	2.14E-05	2.6E-05	6.05E-04	1.57E-08	1.40E+01	4.71E-02	1.03E-08	1.0E+06	1.0E-02
446	446	1.45478	2.14E-05	3.1E-05	6.05E-04	1.88E-08	1.40E+01	4.71E-02	1.24E-08	1.0E+06	1.2E-02
447	447	1.78218	2.14E-05	3.8E-05	6.05E-04	2.31E-08	1.40E+01	4.71E-02	1.52E-08	1.0E+06	1.5E-02
448	448	2.23662	2.14E-05	4.8E-05	6.05E-04	2.89E-08	1.40E+01	4.71E-02	1.91E-08	1.0E+06	1.9E-02
459	459	1.14062	2.14E-05	2.4E-05	6.05E-04	1.48E-08	1.40E+01	4.71E-02	9.74E-09	1.0E+06	9.7E-03
460	460	1.35499	2.14E-05	2.9E-05	6.05E-04	1.75E-08	1.40E+01	4.71E-02	1.16E-08	1.0E+06	1.2E-02
461	461	1.63617	2.14E-05	3.5E-05	6.05E-04	2.12E-08	1.40E+01	4.71E-02	1.40E-08	1.0E+06	1.4E-02
462	462	2.01482	2.14E-05	4.3E-05	6.05E-04	2.61E-08	1.40E+01	4.71E-02	1.72E-08	1.0E+06	1.7E-02
463	463	2.54037	2.14E-05	5.4E-05	6.05E-04	3.29E-08	1.40E+01	4.71E-02	2.17E-08	1.0E+06	2.2E-02
474	474	1.06489	2.14E-05	2.3E-05	6.05E-04	1.38E-08	1.40E+01	4.71E-02	9.10E-09	1.0E+06	9.1E-03
475	475	1.2494	2.14E-05	2.7E-05	6.05E-04	1.62E-08	1.40E+01	4.71E-02	1.07E-08	1.0E+06	1.1E-02
476	476	1.48549	2.14E-05	3.2E-05	6.05E-04	1.92E-08	1.40E+01	4.71E-02	1.27E-08	1.0E+06	1.3E-02
477	477	1.79362	2.14E-05	3.8E-05	6.05E-04	2.32E-08	1.40E+01	4.71E-02	1.53E-08	1.0E+06	1.5E-02
478	478	2.20447	2.14E-05	4.7E-05	6.05E-04	2.85E-08	1.40E+01	4.71E-02	1.88E-08	1.0E+06	1.9E-02
495	495	0.98734	2.14E-05	2.1E-05	6.05E-04	1.28E-08	1.40E+01	4.71E-02	8.43E-09	1.0E+06	8.4E-03
496	496	1.14405	2.14E-05	2.4E-05	6.05E-04	1.48E-08	1.40E+01	4.71E-02	9.77E-09	1.0E+06	9.8E-03
497	497	1.33964	2.14E-05	2.9E-05	6.05E-04	1.73E-08	1.40E+01	4.71E-02	1.14E-08	1.0E+06	1.1E-02
498	498	1.58744	2.14E-05	3.4E-05	6.05E-04	2.05E-08	1.40E+01	4.71E-02	1.36E-08	1.0E+06	1.4E-02
499	499	1.90598	2.14E-05	4.1E-05	6.05E-04	2.47E-08	1.40E+01	4.71E-02	1.63E-08	1.0E+06	1.6E-02
500	500	2.32121	2.14E-05	5.0E-05	6.05E-04	3.00E-08	1.40E+01	4.71E-02	1.98E-08	1.0E+06	2.0E-02

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	0.28223	2.14E-05	6.0E-06	6.05E-04	3.65E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
140	140	0.29587	2.14E-05	6.3E-06	6.05E-04	3.83E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
156	156	0.30211	2.14E-05	6.5E-06	6.05E-04	3.91E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
157	157	0.31779	2.14E-05	6.8E-06	6.05E-04	4.11E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
158	158	0.33425	2.14E-05	7.1E-06	6.05E-04	4.33E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
159	159	0.35127	2.14E-05	7.5E-06	6.05E-04	4.55E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
160	160	0.36839	2.14E-05	7.9E-06	6.05E-04	4.77E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
161	161	0.40331	2.14E-05	8.6E-06	6.05E-04	5.22E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
162	162	0.42031	2.14E-05	9.0E-06	6.05E-04	5.44E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
163	163	0.43624	2.14E-05	9.3E-06	6.05E-04	5.65E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
167	167	0.34169	2.14E-05	7.3E-06	6.05E-04	4.42E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
168	168	0.36146	2.14E-05	7.7E-06	6.05E-04	4.68E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
169	169	0.38143	2.14E-05	8.2E-06	6.05E-04	4.94E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
170	170	0.40199	2.14E-05	8.6E-06	6.05E-04	5.20E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
171	171	0.42295	2.14E-05	9.0E-06	6.05E-04	5.47E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
172	172	0.44429	2.14E-05	9.5E-06	6.05E-04	5.75E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
173	173	0.46512	2.14E-05	9.9E-06	6.05E-04	6.02E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
174	174	0.48509	2.14E-05	1.0E-05	6.05E-04	6.28E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
175	175	0.50363	2.14E-05	1.1E-05	6.05E-04	6.52E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
176	176	0.52011	2.14E-05	1.1E-05	6.05E-04	6.73E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
177	177	0.53385	2.14E-05	1.1E-05	6.05E-04	6.91E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
181	181	0.39166	2.14E-05	8.4E-06	6.05E-04	5.07E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
182	182	0.41545	2.14E-05	8.9E-06	6.05E-04	5.38E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
183	183	0.44024	2.14E-05	9.4E-06	6.05E-04	5.70E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
184	184	0.46568	2.14E-05	1.0E-05	6.05E-04	6.03E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
185	185	0.49178	2.14E-05	1.1E-05	6.05E-04	6.36E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
186	186	0.5178	2.14E-05	1.1E-05	6.05E-04	6.70E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
187	187	0.54286	2.14E-05	1.2E-05	6.05E-04	7.03E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
188	188	0.56641	2.14E-05	1.2E-05	6.05E-04	7.33E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
189	189	0.58747	2.14E-05	1.3E-05	6.05E-04	7.60E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
190	190	0.60511	2.14E-05	1.3E-05	6.05E-04	7.83E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	0.61873	2.14E-05	1.3E-05	6.05E-04	8.01E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
195	195	0.42526	2.14E-05	9.1E-06	6.05E-04	5.50E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
196	196	0.45377	2.14E-05	9.7E-06	6.05E-04	5.87E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
197	197	0.48383	2.14E-05	1.0E-05	6.05E-04	6.26E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
198	198	0.51507	2.14E-05	1.1E-05	6.05E-04	6.67E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
199	199	0.54751	2.14E-05	1.2E-05	6.05E-04	7.09E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
200	200	0.58019	2.14E-05	1.2E-05	6.05E-04	7.51E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
201	201	0.61224	2.14E-05	1.3E-05	6.05E-04	7.92E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
202	202	0.6426	2.14E-05	1.4E-05	6.05E-04	8.32E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
203	203	0.66993	2.14E-05	1.4E-05	6.05E-04	8.67E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
204	204	0.69296	2.14E-05	1.5E-05	6.05E-04	8.97E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
205	205	0.71084	2.14E-05	1.5E-05	6.05E-04	9.20E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
206	206	0.72309	2.14E-05	1.5E-05	6.05E-04	9.36E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
210	210	0.42937	2.14E-05	9.2E-06	6.05E-04	5.56E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
211	211	0.4626	2.14E-05	9.9E-06	6.05E-04	5.99E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
212	212	0.49691	2.14E-05	1.1E-05	6.05E-04	6.43E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
213	213	0.53363	2.14E-05	1.1E-05	6.05E-04	6.91E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
214	214	0.61307	2.14E-05	1.3E-05	6.05E-04	7.93E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
215	215	0.65477	2.14E-05	1.4E-05	6.05E-04	8.47E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
216	216	0.69624	2.14E-05	1.5E-05	6.05E-04	9.01E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
217	217	0.7363	2.14E-05	1.6E-05	6.05E-04	9.53E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
218	218	0.77275	2.14E-05	1.7E-05	6.05E-04	1.00E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
219	219	0.80362	2.14E-05	1.7E-05	6.05E-04	1.04E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
220	220	0.82746	2.14E-05	1.8E-05	6.05E-04	1.07E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
221	221	0.84329	2.14E-05	1.8E-05	6.05E-04	1.09E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
222	222	0.85273	2.14E-05	1.8E-05	6.05E-04	1.10E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
226	226	0.46501	2.14E-05	9.9E-06	6.05E-04	6.02E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
227	227	0.50373	2.14E-05	1.1E-05	6.05E-04	6.52E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
228	228	0.54536	2.14E-05	1.2E-05	6.05E-04	7.06E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
229	229	0.59046	2.14E-05	1.3E-05	6.05E-04	7.64E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
230	230	0.639	2.14E-05	1.4E-05	6.05E-04	8.27E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	0.6906	2.14E-05	1.5E-05	6.05E-04	8.94E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
232	232	0.74471	2.14E-05	1.6E-05	6.05E-04	9.64E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
233	233	0.85367	2.14E-05	1.8E-05	6.05E-04	1.10E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
234	234	0.90384	2.14E-05	1.9E-05	6.05E-04	1.17E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
235	235	0.9466	2.14E-05	2.0E-05	6.05E-04	1.23E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
236	236	0.97919	2.14E-05	2.1E-05	6.05E-04	1.27E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
237	237	1.00055	2.14E-05	2.1E-05	6.05E-04	1.29E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
238	238	1.01235	2.14E-05	2.2E-05	6.05E-04	1.31E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
242	242	0.50293	2.14E-05	1.1E-05	6.05E-04	6.51E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
243	243	0.54862	2.14E-05	1.2E-05	6.05E-04	7.10E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
244	244	0.59883	2.14E-05	1.3E-05	6.05E-04	7.75E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
245	245	0.65498	2.14E-05	1.4E-05	6.05E-04	8.48E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
246	246	0.7164	2.14E-05	1.5E-05	6.05E-04	9.27E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
247	247	0.78306	2.14E-05	1.7E-05	6.05E-04	1.01E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
248	248	0.85423	2.14E-05	1.8E-05	6.05E-04	1.11E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
249	249	1.0033	2.14E-05	2.1E-05	6.05E-04	1.30E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
250	250	1.07398	2.14E-05	2.3E-05	6.05E-04	1.39E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
251	251	1.13565	2.14E-05	2.4E-05	6.05E-04	1.47E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
252	252	1.18245	2.14E-05	2.5E-05	6.05E-04	1.53E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
253	253	1.21265	2.14E-05	2.6E-05	6.05E-04	1.57E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
254	254	1.2288	2.14E-05	2.6E-05	6.05E-04	1.59E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
257	257	0.5432	2.14E-05	1.2E-05	6.05E-04	7.03E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
258	258	0.59735	2.14E-05	1.3E-05	6.05E-04	7.73E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
259	259	0.65893	2.14E-05	1.4E-05	6.05E-04	8.53E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
260	260	0.72713	2.14E-05	1.6E-05	6.05E-04	9.41E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
261	261	0.80594	2.14E-05	1.7E-05	6.05E-04	1.04E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
262	262	0.89264	2.14E-05	1.9E-05	6.05E-04	1.16E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
263	263	0.98806	2.14E-05	2.1E-05	6.05E-04	1.28E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
264	264	1.19764	2.14E-05	2.6E-05	6.05E-04	1.55E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
265	265	1.30209	2.14E-05	2.8E-05	6.05E-04	1.69E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
266	266	1.39482	2.14E-05	3.0E-05	6.05E-04	1.81E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	1.46533	2.14E-05	3.1E-05	6.05E-04	1.90E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
268	268	1.50931	2.14E-05	3.2E-05	6.05E-04	1.95E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
269	269	1.53357	2.14E-05	3.3E-05	6.05E-04	1.98E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
270	270	1.61774	2.14E-05	3.5E-05	6.05E-04	2.09E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
271	271	1.63493	2.14E-05	3.5E-05	6.05E-04	2.12E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
274	274	0.58529	2.14E-05	1.3E-05	6.05E-04	7.58E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
275	275	0.64904	2.14E-05	1.4E-05	6.05E-04	8.40E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
276	276	0.72345	2.14E-05	1.5E-05	6.05E-04	9.36E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
277	277	0.8086	2.14E-05	1.7E-05	6.05E-04	1.05E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
278	278	0.90824	2.14E-05	1.9E-05	6.05E-04	1.18E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
279	279	1.02226	2.14E-05	2.2E-05	6.05E-04	1.32E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
280	280	1.15059	2.14E-05	2.5E-05	6.05E-04	1.49E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
281	281	1.45449	2.14E-05	3.1E-05	6.05E-04	1.88E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
282	282	1.615	2.14E-05	3.5E-05	6.05E-04	2.09E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
283	283	1.76328	2.14E-05	3.8E-05	6.05E-04	2.28E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
284	284	1.87904	2.14E-05	4.0E-05	6.05E-04	2.43E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
285	285	1.94888	2.14E-05	4.2E-05	6.05E-04	2.52E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
286	286	1.98931	2.14E-05	4.3E-05	6.05E-04	2.57E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
287	287	2.09966	2.14E-05	4.5E-05	6.05E-04	2.72E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
288	288	2.08215	2.14E-05	4.5E-05	6.05E-04	2.69E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
291	291	0.62822	2.14E-05	1.3E-05	6.05E-04	8.13E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
292	292	0.70295	2.14E-05	1.5E-05	6.05E-04	9.10E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
293	293	0.79173	2.14E-05	1.7E-05	6.05E-04	1.02E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
294	294	0.89738	2.14E-05	1.9E-05	6.05E-04	1.16E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
295	295	1.02207	2.14E-05	2.2E-05	6.05E-04	1.32E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
296	296	1.17197	2.14E-05	2.5E-05	6.05E-04	1.52E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
297	297	1.3513	2.14E-05	2.9E-05	6.05E-04	1.75E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
298	298	1.80245	2.14E-05	3.9E-05	6.05E-04	2.33E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
299	299	2.06811	2.14E-05	4.4E-05	6.05E-04	2.68E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
300	300	2.3253	2.14E-05	5.0E-05	6.05E-04	3.01E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
301	301	2.53433	2.14E-05	5.4E-05	6.05E-04	3.28E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	302	2.65413	2.14E-05	5.7E-05	6.05E-04	3.44E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
303	303	2.7321	2.14E-05	5.8E-05	6.05E-04	3.54E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
304	304	2.78786	2.14E-05	6.0E-05	6.05E-04	3.61E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
305	305	2.66405	2.14E-05	5.7E-05	6.05E-04	3.45E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
308	308	0.6707	2.14E-05	1.4E-05	6.05E-04	8.68E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
309	309	0.75749	2.14E-05	1.6E-05	6.05E-04	9.80E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
310	310	0.86222	2.14E-05	1.8E-05	6.05E-04	1.12E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
311	311	0.9906	2.14E-05	2.1E-05	6.05E-04	1.28E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
312	312	1.14821	2.14E-05	2.5E-05	6.05E-04	1.49E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
313	313	1.34359	2.14E-05	2.9E-05	6.05E-04	1.74E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
314	314	1.58892	2.14E-05	3.4E-05	6.05E-04	2.06E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
315	315	2.2828	2.14E-05	4.9E-05	6.05E-04	2.95E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
316	316	2.754	2.14E-05	5.9E-05	6.05E-04	3.56E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
317	317	3.25973	2.14E-05	7.0E-05	6.05E-04	4.22E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
318	318	3.69955	2.14E-05	7.9E-05	6.05E-04	4.79E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
319	319	3.93695	2.14E-05	8.4E-05	6.05E-04	5.10E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
320	320	4.1077	2.14E-05	8.8E-05	6.05E-04	5.32E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
321	321	3.70838	2.14E-05	7.9E-05	6.05E-04	4.80E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
322	322	3.35903	2.14E-05	7.2E-05	6.05E-04	4.35E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
325	325	0.71083	2.14E-05	1.5E-05	6.05E-04	9.20E-09	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
326	326	0.80983	2.14E-05	1.7E-05	6.05E-04	1.05E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
327	327	0.93164	2.14E-05	2.0E-05	6.05E-04	1.21E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
328	328	1.08446	2.14E-05	2.3E-05	6.05E-04	1.40E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
329	329	1.27728	2.14E-05	2.7E-05	6.05E-04	1.65E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
330	330	1.52745	2.14E-05	3.3E-05	6.05E-04	1.98E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
331	331	1.85783	2.14E-05	4.0E-05	6.05E-04	2.40E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
332	332	2.30347	2.14E-05	4.9E-05	6.05E-04	2.98E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
333	333	2.92908	2.14E-05	6.3E-05	6.05E-04	3.79E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
334	334	3.80958	2.14E-05	8.1E-05	6.05E-04	4.93E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
335	335	5.01108	2.14E-05	1.1E-04	6.05E-04	6.49E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
336	336	6.24018	2.14E-05	1.3E-04	6.05E-04	8.08E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	6.88395	2.14E-05	1.5E-04	6.05E-04	8.91E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
338	338	7.01671	2.14E-05	1.5E-04	6.05E-04	9.08E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
339	339	5.61006	2.14E-05	1.2E-04	6.05E-04	7.26E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
340	340	4.79398	2.14E-05	1.0E-04	6.05E-04	6.20E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
341	341	4.08422	2.14E-05	8.7E-05	6.05E-04	5.29E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
349	349	1.40234	2.14E-05	3.0E-05	6.05E-04	1.81E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
350	350	1.71051	2.14E-05	3.7E-05	6.05E-04	2.21E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
351	351	2.13697	2.14E-05	4.6E-05	6.05E-04	2.77E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
352	352	2.75413	2.14E-05	5.9E-05	6.05E-04	3.56E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
353	353	7.40605	2.14E-05	1.6E-04	6.05E-04	9.59E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
354	354	5.85191	2.14E-05	1.3E-04	6.05E-04	7.57E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
355	355	4.72166	2.14E-05	1.0E-04	6.05E-04	6.11E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
364	364	1.87212	2.14E-05	4.0E-05	6.05E-04	2.42E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
365	365	2.3911	2.14E-05	5.1E-05	6.05E-04	3.09E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
366	366	3.18501	2.14E-05	6.8E-05	6.05E-04	4.12E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
367	367	8.96845	2.14E-05	1.9E-04	6.05E-04	1.16E-07	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
368	368	6.70424	2.14E-05	1.4E-04	6.05E-04	8.68E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
369	369	5.18569	2.14E-05	1.1E-04	6.05E-04	6.71E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
377	377	1.99204	2.14E-05	4.3E-05	6.05E-04	2.58E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
378	378	2.58244	2.14E-05	5.5E-05	6.05E-04	3.34E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
379	379	3.50529	2.14E-05	7.5E-05	6.05E-04	4.54E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
380	380	10.1845	2.14E-05	2.2E-04	6.05E-04	1.32E-07	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
381	381	7.28319	2.14E-05	1.6E-04	6.05E-04	9.43E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
382	382	5.43453	2.14E-05	1.2E-04	6.05E-04	7.03E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
391	391	2.6825	2.14E-05	5.7E-05	6.05E-04	3.47E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
392	392	3.65682	2.14E-05	7.8E-05	6.05E-04	4.73E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
393	393	11.07382	2.14E-05	2.4E-04	6.05E-04	1.43E-07	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
394	394	7.57366	2.14E-05	1.6E-04	6.05E-04	9.80E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
395	395	5.4365	2.14E-05	1.2E-04	6.05E-04	7.04E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
405	405	2.6853	2.14E-05	5.7E-05	6.05E-04	3.48E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
406	406	3.65387	2.14E-05	7.8E-05	6.05E-04	4.73E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	5.28088	2.14E-05	1.1E-04	6.05E-04	6.83E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
408	408	11.48422	2.14E-05	2.5E-04	6.05E-04	1.49E-07	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
409	409	7.42787	2.14E-05	1.6E-04	6.05E-04	9.61E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
410	410	5.13666	2.14E-05	1.1E-04	6.05E-04	6.65E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
421	421	3.4969	2.14E-05	7.5E-05	6.05E-04	4.53E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
422	422	4.97228	2.14E-05	1.1E-04	6.05E-04	6.44E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
423	423	10.95252	2.14E-05	2.3E-04	6.05E-04	1.42E-07	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
424	424	6.71695	2.14E-05	1.4E-04	6.05E-04	8.69E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
425	425	4.54523	2.14E-05	9.7E-05	6.05E-04	5.88E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
435	435	3.22356	2.14E-05	6.9E-05	6.05E-04	4.17E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
436	436	4.48408	2.14E-05	9.6E-05	6.05E-04	5.80E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
437	437	5.57665	2.14E-05	1.2E-04	6.05E-04	7.22E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
438	438	3.82462	2.14E-05	8.2E-05	6.05E-04	4.95E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
449	449	2.88702	2.14E-05	6.2E-05	6.05E-04	3.74E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
450	450	3.89712	2.14E-05	8.3E-05	6.05E-04	5.04E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
451	451	5.55432	2.14E-05	1.2E-04	6.05E-04	7.19E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
452	452	4.50046	2.14E-05	9.6E-05	6.05E-04	5.82E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
453	453	3.2082	2.14E-05	6.9E-05	6.05E-04	4.15E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
464	464	3.30541	2.14E-05	7.1E-05	6.05E-04	4.28E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
465	465	4.47485	2.14E-05	9.6E-05	6.05E-04	5.79E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
466	466	8.97029	2.14E-05	1.9E-04	6.05E-04	1.16E-07	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
467	467	3.75442	2.14E-05	8.0E-05	6.05E-04	4.86E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
468	468	2.75909	2.14E-05	5.9E-05	6.05E-04	3.57E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
479	479	2.75542	2.14E-05	5.9E-05	6.05E-04	3.57E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
480	480	3.57033	2.14E-05	7.6E-05	6.05E-04	4.62E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
481	481	4.73885	2.14E-05	1.0E-04	6.05E-04	6.13E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
482	482	6.46328	2.14E-05	1.4E-04	6.05E-04	8.37E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
483	483	8.44194	2.14E-05	1.8E-04	6.05E-04	1.09E-07	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
484	484	8.60219	2.14E-05	1.8E-04	6.05E-04	1.11E-07	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
485	485	6.47564	2.14E-05	1.4E-04	6.05E-04	8.38E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
486	486	4.47423	2.14E-05	9.6E-05	6.05E-04	5.79E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 2-16 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	487	3.20215	2.14E-05	6.8E-05	6.05E-04	4.14E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
488	488	2.40951	2.14E-05	5.2E-05	6.05E-04	3.12E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
501	501	2.85958	2.14E-05	6.1E-05	6.05E-04	3.70E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
502	502	3.62201	2.14E-05	7.7E-05	6.05E-04	4.69E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
503	503	4.56577	2.14E-05	9.8E-05	6.05E-04	5.91E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
504	504	5.44859	2.14E-05	1.2E-04	6.05E-04	7.05E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
505	505	5.58679	2.14E-05	1.2E-04	6.05E-04	7.23E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
506	506	4.75255	2.14E-05	1.0E-04	6.05E-04	6.15E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
507	507	3.63846	2.14E-05	7.8E-05	6.05E-04	4.71E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
508	508	2.12201	2.14E-05	4.5E-05	6.05E-04	2.75E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
520	520	2.34367	2.14E-05	5.0E-05	6.05E-04	3.03E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
521	521	2.81705	2.14E-05	6.0E-05	6.05E-04	3.65E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
522	522	3.39833	2.14E-05	7.3E-05	6.05E-04	4.40E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
523	523	3.86855	2.14E-05	8.3E-05	6.05E-04	5.01E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
524	524	3.9752	2.14E-05	8.5E-05	6.05E-04	5.14E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
525	525	3.59884	2.14E-05	7.7E-05	6.05E-04	4.66E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
526	526	2.96582	2.14E-05	6.3E-05	6.05E-04	3.84E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
527	527	1.87523	2.14E-05	4.0E-05	6.05E-04	2.43E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
539	539	1.94944	2.14E-05	4.2E-05	6.05E-04	2.52E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
540	540	2.27866	2.14E-05	4.9E-05	6.05E-04	2.95E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
541	541	2.62289	2.14E-05	5.6E-05	6.05E-04	3.39E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
542	542	2.9058	2.14E-05	6.2E-05	6.05E-04	3.76E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
543	543	2.99625	2.14E-05	6.4E-05	6.05E-04	3.88E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
544	544	2.81072	2.14E-05	6.0E-05	6.05E-04	3.64E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
545	545	2.43278	2.14E-05	5.2E-05	6.05E-04	3.15E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
546	546	1.6595	2.14E-05	3.5E-05	6.05E-04	2.15E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
560	560	1.8736	2.14E-05	4.0E-05	6.05E-04	2.42E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
561	561	2.10729	2.14E-05	4.5E-05	6.05E-04	2.73E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
562	562	2.28701	2.14E-05	4.9E-05	6.05E-04	2.96E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
563	563	2.34089	2.14E-05	5.0E-05	6.05E-04	3.03E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
564	564	2.25173	2.14E-05	4.8E-05	6.05E-04	2.91E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Bays [Idle2]

<i>Cancer Risk from 2-16 years - Construction</i>											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	2.02909	2.14E-05	4.3E-05	6.05E-04	2.63E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
566	566	1.47414	2.14E-05	3.2E-05	6.05E-04	1.91E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
579	579	1.5669	2.14E-05	3.4E-05	6.05E-04	2.03E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
580	580	1.72906	2.14E-05	3.7E-05	6.05E-04	2.24E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
581	581	1.85463	2.14E-05	4.0E-05	6.05E-04	2.40E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
582	582	1.90301	2.14E-05	4.1E-05	6.05E-04	2.46E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
583	583	1.85048	2.14E-05	4.0E-05	6.05E-04	2.39E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
584	584	1.70567	2.14E-05	3.6E-05	6.05E-04	2.21E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
585	585	1.427	2.14E-05	3.1E-05	6.05E-04	1.85E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
598	598	1.33103	2.14E-05	2.8E-05	6.05E-04	1.72E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
599	599	1.44648	2.14E-05	3.1E-05	6.05E-04	1.87E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
600	600	1.53631	2.14E-05	3.3E-05	6.05E-04	1.99E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
601	601	1.57574	2.14E-05	3.4E-05	6.05E-04	2.04E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
602	602	1.54791	2.14E-05	3.3E-05	6.05E-04	2.00E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
603	603	1.45548	2.14E-05	3.1E-05	6.05E-04	1.88E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
604	604	1.31763	2.14E-05	2.8E-05	6.05E-04	1.71E-08	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00
0	0	0	2.14E-05	0.0E+00	6.05E-04	0.00E+00	0.00E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.12587	2.14E-05	2.7E-06	2.50E-04	6.74E-10	1.40E+01	1.15E-02	1.08E-10	1.0E+06	1.1E-04
2	2	0.13034	2.14E-05	2.8E-06	2.50E-04	6.98E-10	1.40E+01	1.15E-02	1.12E-10	1.0E+06	1.1E-04
3	3	0.13496	2.14E-05	2.9E-06	2.50E-04	7.22E-10	1.40E+01	1.15E-02	1.16E-10	1.0E+06	1.2E-04
4	4	0.13977	2.14E-05	3.0E-06	2.50E-04	7.48E-10	1.40E+01	1.15E-02	1.20E-10	1.0E+06	1.2E-04
5	5	0.1448	2.14E-05	3.1E-06	2.50E-04	7.75E-10	1.40E+01	1.15E-02	1.24E-10	1.0E+06	1.2E-04
6	6	0.1501	2.14E-05	3.2E-06	2.50E-04	8.04E-10	1.40E+01	1.15E-02	1.29E-10	1.0E+06	1.3E-04
7	7	0.15561	2.14E-05	3.3E-06	2.50E-04	8.33E-10	1.40E+01	1.15E-02	1.34E-10	1.0E+06	1.3E-04
8	8	0.16129	2.14E-05	3.5E-06	2.50E-04	8.63E-10	1.40E+01	1.15E-02	1.39E-10	1.0E+06	1.4E-04
9	9	0.16718	2.14E-05	3.6E-06	2.50E-04	8.95E-10	1.40E+01	1.15E-02	1.44E-10	1.0E+06	1.4E-04
10	10	0.17327	2.14E-05	3.7E-06	2.50E-04	9.28E-10	1.40E+01	1.15E-02	1.49E-10	1.0E+06	1.5E-04
11	11	0.17954	2.14E-05	3.8E-06	2.50E-04	9.61E-10	1.40E+01	1.15E-02	1.54E-10	1.0E+06	1.5E-04
12	12	0.18596	2.14E-05	4.0E-06	2.50E-04	9.96E-10	1.40E+01	1.15E-02	1.60E-10	1.0E+06	1.6E-04
13	13	0.1926	2.14E-05	4.1E-06	2.50E-04	1.03E-09	1.40E+01	1.15E-02	1.66E-10	1.0E+06	1.7E-04
14	14	0.19935	2.14E-05	4.3E-06	2.50E-04	1.07E-09	1.40E+01	1.15E-02	1.71E-10	1.0E+06	1.7E-04
15	15	0.20622	2.14E-05	4.4E-06	2.50E-04	1.10E-09	1.40E+01	1.15E-02	1.77E-10	1.0E+06	1.8E-04
16	16	0.21312	2.14E-05	4.6E-06	2.50E-04	1.14E-09	1.40E+01	1.15E-02	1.83E-10	1.0E+06	1.8E-04
17	17	0.2201	2.14E-05	4.7E-06	2.50E-04	1.18E-09	1.40E+01	1.15E-02	1.89E-10	1.0E+06	1.9E-04
18	18	0.22697	2.14E-05	4.9E-06	2.50E-04	1.22E-09	1.40E+01	1.15E-02	1.95E-10	1.0E+06	2.0E-04
19	19	0.23375	2.14E-05	5.0E-06	2.50E-04	1.25E-09	1.40E+01	1.15E-02	2.01E-10	1.0E+06	2.0E-04
20	20	0.24035	2.14E-05	5.1E-06	2.50E-04	1.29E-09	1.40E+01	1.15E-02	2.07E-10	1.0E+06	2.1E-04
21	21	0.24665	2.14E-05	5.3E-06	2.50E-04	1.32E-09	1.40E+01	1.15E-02	2.12E-10	1.0E+06	2.1E-04
22	22	0.2526	2.14E-05	5.4E-06	2.50E-04	1.35E-09	1.40E+01	1.15E-02	2.17E-10	1.0E+06	2.2E-04
23	23	0.2581	2.14E-05	5.5E-06	2.50E-04	1.38E-09	1.40E+01	1.15E-02	2.22E-10	1.0E+06	2.2E-04
24	24	0.26306	2.14E-05	5.6E-06	2.50E-04	1.41E-09	1.40E+01	1.15E-02	2.26E-10	1.0E+06	2.3E-04
25	25	0.26746	2.14E-05	5.7E-06	2.50E-04	1.43E-09	1.40E+01	1.15E-02	2.30E-10	1.0E+06	2.3E-04
26	26	0.27121	2.14E-05	5.8E-06	2.50E-04	1.45E-09	1.40E+01	1.15E-02	2.33E-10	1.0E+06	2.3E-04
27	27	0.27429	2.14E-05	5.9E-06	2.50E-04	1.47E-09	1.40E+01	1.15E-02	2.36E-10	1.0E+06	2.4E-04
28	28	0.27664	2.14E-05	5.9E-06	2.50E-04	1.48E-09	1.40E+01	1.15E-02	2.38E-10	1.0E+06	2.4E-04
29	29	0.2783	2.14E-05	6.0E-06	2.50E-04	1.49E-09	1.40E+01	1.15E-02	2.39E-10	1.0E+06	2.4E-04
30	30	0.2793	2.14E-05	6.0E-06	2.50E-04	1.50E-09	1.40E+01	1.15E-02	2.40E-10	1.0E+06	2.4E-04
31	31	0.27969	2.14E-05	6.0E-06	2.50E-04	1.50E-09	1.40E+01	1.15E-02	2.40E-10	1.0E+06	2.4E-04

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.27955	2.14E-05	6.0E-06	2.50E-04	1.50E-09	1.40E+01	1.15E-02	2.40E-10	1.0E+06	2.4E-04
55	55	0.27226	2.14E-05	5.8E-06	2.50E-04	1.46E-09	1.40E+01	1.15E-02	2.34E-10	1.0E+06	2.3E-04
56	56	0.27867	2.14E-05	6.0E-06	2.50E-04	1.49E-09	1.40E+01	1.15E-02	2.40E-10	1.0E+06	2.4E-04
57	57	0.28456	2.14E-05	6.1E-06	2.50E-04	1.52E-09	1.40E+01	1.15E-02	2.45E-10	1.0E+06	2.4E-04
58	58	0.28973	2.14E-05	6.2E-06	2.50E-04	1.55E-09	1.40E+01	1.15E-02	2.49E-10	1.0E+06	2.5E-04
59	59	0.29408	2.14E-05	6.3E-06	2.50E-04	1.57E-09	1.40E+01	1.15E-02	2.53E-10	1.0E+06	2.5E-04
60	60	0.29759	2.14E-05	6.4E-06	2.50E-04	1.59E-09	1.40E+01	1.15E-02	2.56E-10	1.0E+06	2.6E-04
61	61	0.30032	2.14E-05	6.4E-06	2.50E-04	1.61E-09	1.40E+01	1.15E-02	2.58E-10	1.0E+06	2.6E-04
62	62	0.30219	2.14E-05	6.5E-06	2.50E-04	1.62E-09	1.40E+01	1.15E-02	2.60E-10	1.0E+06	2.6E-04
63	63	0.30329	2.14E-05	6.5E-06	2.50E-04	1.62E-09	1.40E+01	1.15E-02	2.61E-10	1.0E+06	2.6E-04
64	64	0.30367	2.14E-05	6.5E-06	2.50E-04	1.63E-09	1.40E+01	1.15E-02	2.61E-10	1.0E+06	2.6E-04
65	65	0.30348	2.14E-05	6.5E-06	2.50E-04	1.62E-09	1.40E+01	1.15E-02	2.61E-10	1.0E+06	2.6E-04
66	66	0.30312	2.14E-05	6.5E-06	2.50E-04	1.62E-09	1.40E+01	1.15E-02	2.61E-10	1.0E+06	2.6E-04
67	67	0.13447	2.14E-05	2.9E-06	2.50E-04	7.20E-10	1.40E+01	1.15E-02	1.16E-10	1.0E+06	1.2E-04
68	68	0.13968	2.14E-05	3.0E-06	2.50E-04	7.48E-10	1.40E+01	1.15E-02	1.20E-10	1.0E+06	1.2E-04
69	69	0.14512	2.14E-05	3.1E-06	2.50E-04	7.77E-10	1.40E+01	1.15E-02	1.25E-10	1.0E+06	1.2E-04
70	70	0.15083	2.14E-05	3.2E-06	2.50E-04	8.07E-10	1.40E+01	1.15E-02	1.30E-10	1.0E+06	1.3E-04
71	71	0.15675	2.14E-05	3.4E-06	2.50E-04	8.39E-10	1.40E+01	1.15E-02	1.35E-10	1.0E+06	1.3E-04
72	72	0.16306	2.14E-05	3.5E-06	2.50E-04	8.73E-10	1.40E+01	1.15E-02	1.40E-10	1.0E+06	1.4E-04
73	73	0.16964	2.14E-05	3.6E-06	2.50E-04	9.08E-10	1.40E+01	1.15E-02	1.46E-10	1.0E+06	1.5E-04
74	74	0.1765	2.14E-05	3.8E-06	2.50E-04	9.45E-10	1.40E+01	1.15E-02	1.52E-10	1.0E+06	1.5E-04
75	75	0.18364	2.14E-05	3.9E-06	2.50E-04	9.83E-10	1.40E+01	1.15E-02	1.58E-10	1.0E+06	1.6E-04
76	76	0.1911	2.14E-05	4.1E-06	2.50E-04	1.02E-09	1.40E+01	1.15E-02	1.64E-10	1.0E+06	1.6E-04
77	77	0.19888	2.14E-05	4.3E-06	2.50E-04	1.06E-09	1.40E+01	1.15E-02	1.71E-10	1.0E+06	1.7E-04
78	78	0.20702	2.14E-05	4.4E-06	2.50E-04	1.11E-09	1.40E+01	1.15E-02	1.78E-10	1.0E+06	1.8E-04
79	79	0.2507	2.14E-05	5.4E-06	2.50E-04	1.34E-09	1.40E+01	1.15E-02	2.16E-10	1.0E+06	2.2E-04
80	80	0.25976	2.14E-05	5.6E-06	2.50E-04	1.39E-09	1.40E+01	1.15E-02	2.23E-10	1.0E+06	2.2E-04
81	81	0.26888	2.14E-05	5.8E-06	2.50E-04	1.44E-09	1.40E+01	1.15E-02	2.31E-10	1.0E+06	2.3E-04
82	82	0.27775	2.14E-05	5.9E-06	2.50E-04	1.49E-09	1.40E+01	1.15E-02	2.39E-10	1.0E+06	2.4E-04
83	83	0.28639	2.14E-05	6.1E-06	2.50E-04	1.53E-09	1.40E+01	1.15E-02	2.46E-10	1.0E+06	2.5E-04
84	84	0.29451	2.14E-05	6.3E-06	2.50E-04	1.58E-09	1.40E+01	1.15E-02	2.53E-10	1.0E+06	2.5E-04

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
85	85	0.30211	2.14E-05	6.5E-06	2.50E-04	1.62E-09	1.40E+01	1.15E-02	2.60E-10	1.0E+06	2.6E-04
86	86	0.30903	2.14E-05	6.6E-06	2.50E-04	1.65E-09	1.40E+01	1.15E-02	2.66E-10	1.0E+06	2.7E-04
87	87	0.3151	2.14E-05	6.7E-06	2.50E-04	1.69E-09	1.40E+01	1.15E-02	2.71E-10	1.0E+06	2.7E-04
88	88	0.32026	2.14E-05	6.9E-06	2.50E-04	1.71E-09	1.40E+01	1.15E-02	2.75E-10	1.0E+06	2.8E-04
89	89	0.32437	2.14E-05	6.9E-06	2.50E-04	1.74E-09	1.40E+01	1.15E-02	2.79E-10	1.0E+06	2.8E-04
90	90	0.32746	2.14E-05	7.0E-06	2.50E-04	1.75E-09	1.40E+01	1.15E-02	2.82E-10	1.0E+06	2.8E-04
91	91	0.32966	2.14E-05	7.1E-06	2.50E-04	1.76E-09	1.40E+01	1.15E-02	2.83E-10	1.0E+06	2.8E-04
92	92	0.33077	2.14E-05	7.1E-06	2.50E-04	1.77E-09	1.40E+01	1.15E-02	2.84E-10	1.0E+06	2.8E-04
93	93	0.33123	2.14E-05	7.1E-06	2.50E-04	1.77E-09	1.40E+01	1.15E-02	2.85E-10	1.0E+06	2.8E-04
96	96	0.33577	2.14E-05	7.2E-06	2.50E-04	1.80E-09	1.40E+01	1.15E-02	2.89E-10	1.0E+06	2.9E-04
97	97	0.33667	2.14E-05	7.2E-06	2.50E-04	1.80E-09	1.40E+01	1.15E-02	2.89E-10	1.0E+06	2.9E-04
98	98	0.35037	2.14E-05	7.5E-06	2.50E-04	1.88E-09	1.40E+01	1.15E-02	3.01E-10	1.0E+06	3.0E-04
99	99	0.35534	2.14E-05	7.6E-06	2.50E-04	1.90E-09	1.40E+01	1.15E-02	3.06E-10	1.0E+06	3.1E-04
100	100	0.35897	2.14E-05	7.7E-06	2.50E-04	1.92E-09	1.40E+01	1.15E-02	3.09E-10	1.0E+06	3.1E-04
101	101	0.36134	2.14E-05	7.7E-06	2.50E-04	1.93E-09	1.40E+01	1.15E-02	3.11E-10	1.0E+06	3.1E-04
102	102	0.36274	2.14E-05	7.8E-06	2.50E-04	1.94E-09	1.40E+01	1.15E-02	3.12E-10	1.0E+06	3.1E-04
106	106	0.13776	2.14E-05	2.9E-06	2.50E-04	7.37E-10	1.40E+01	1.15E-02	1.18E-10	1.0E+06	1.2E-04
107	107	0.14351	2.14E-05	3.1E-06	2.50E-04	7.68E-10	1.40E+01	1.15E-02	1.23E-10	1.0E+06	1.2E-04
108	108	0.14953	2.14E-05	3.2E-06	2.50E-04	8.00E-10	1.40E+01	1.15E-02	1.29E-10	1.0E+06	1.3E-04
109	109	0.15587	2.14E-05	3.3E-06	2.50E-04	8.34E-10	1.40E+01	1.15E-02	1.34E-10	1.0E+06	1.3E-04
110	110	0.16259	2.14E-05	3.5E-06	2.50E-04	8.70E-10	1.40E+01	1.15E-02	1.40E-10	1.0E+06	1.4E-04
111	111	0.16961	2.14E-05	3.6E-06	2.50E-04	9.08E-10	1.40E+01	1.15E-02	1.46E-10	1.0E+06	1.5E-04
112	112	0.17718	2.14E-05	3.8E-06	2.50E-04	9.49E-10	1.40E+01	1.15E-02	1.52E-10	1.0E+06	1.5E-04
113	113	0.18507	2.14E-05	4.0E-06	2.50E-04	9.91E-10	1.40E+01	1.15E-02	1.59E-10	1.0E+06	1.6E-04
114	114	0.1934	2.14E-05	4.1E-06	2.50E-04	1.04E-09	1.40E+01	1.15E-02	1.66E-10	1.0E+06	1.7E-04
115	115	0.20212	2.14E-05	4.3E-06	2.50E-04	1.08E-09	1.40E+01	1.15E-02	1.74E-10	1.0E+06	1.7E-04
116	116	0.21123	2.14E-05	4.5E-06	2.50E-04	1.13E-09	1.40E+01	1.15E-02	1.82E-10	1.0E+06	1.8E-04
117	117	0.22094	2.14E-05	4.7E-06	2.50E-04	1.18E-09	1.40E+01	1.15E-02	1.90E-10	1.0E+06	1.9E-04
118	118	0.23111	2.14E-05	4.9E-06	2.50E-04	1.24E-09	1.40E+01	1.15E-02	1.99E-10	1.0E+06	2.0E-04
124	124	0.14199	2.14E-05	3.0E-06	2.50E-04	7.60E-10	1.40E+01	1.15E-02	1.22E-10	1.0E+06	1.2E-04
125	125	0.14809	2.14E-05	3.2E-06	2.50E-04	7.93E-10	1.40E+01	1.15E-02	1.27E-10	1.0E+06	1.3E-04

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
126	126	0.15455	2.14E-05	3.3E-06	2.50E-04	8.27E-10	1.40E+01	1.15E-02	1.33E-10	1.0E+06	1.3E-04
127	127	0.16141	2.14E-05	3.5E-06	2.50E-04	8.64E-10	1.40E+01	1.15E-02	1.39E-10	1.0E+06	1.4E-04
128	128	0.16868	2.14E-05	3.6E-06	2.50E-04	9.03E-10	1.40E+01	1.15E-02	1.45E-10	1.0E+06	1.5E-04
129	129	0.17633	2.14E-05	3.8E-06	2.50E-04	9.44E-10	1.40E+01	1.15E-02	1.52E-10	1.0E+06	1.5E-04
130	130	0.18457	2.14E-05	3.9E-06	2.50E-04	9.88E-10	1.40E+01	1.15E-02	1.59E-10	1.0E+06	1.6E-04
131	131	0.19326	2.14E-05	4.1E-06	2.50E-04	1.03E-09	1.40E+01	1.15E-02	1.66E-10	1.0E+06	1.7E-04
132	132	0.20248	2.14E-05	4.3E-06	2.50E-04	1.08E-09	1.40E+01	1.15E-02	1.74E-10	1.0E+06	1.7E-04
133	133	0.21216	2.14E-05	4.5E-06	2.50E-04	1.14E-09	1.40E+01	1.15E-02	1.82E-10	1.0E+06	1.8E-04
134	134	0.22249	2.14E-05	4.8E-06	2.50E-04	1.19E-09	1.40E+01	1.15E-02	1.91E-10	1.0E+06	1.9E-04
135	135	0.23331	2.14E-05	5.0E-06	2.50E-04	1.25E-09	1.40E+01	1.15E-02	2.01E-10	1.0E+06	2.0E-04
136	136	0.24469	2.14E-05	5.2E-06	2.50E-04	1.31E-09	1.40E+01	1.15E-02	2.10E-10	1.0E+06	2.1E-04
137	137	0.25657	2.14E-05	5.5E-06	2.50E-04	1.37E-09	1.40E+01	1.15E-02	2.21E-10	1.0E+06	2.2E-04
138	138	0.26923	2.14E-05	5.8E-06	2.50E-04	1.44E-09	1.40E+01	1.15E-02	2.31E-10	1.0E+06	2.3E-04
141	141	0.14622	2.14E-05	3.1E-06	2.50E-04	7.83E-10	1.40E+01	1.15E-02	1.26E-10	1.0E+06	1.3E-04
142	142	0.15275	2.14E-05	3.3E-06	2.50E-04	8.18E-10	1.40E+01	1.15E-02	1.31E-10	1.0E+06	1.3E-04
143	143	0.15968	2.14E-05	3.4E-06	2.50E-04	8.55E-10	1.40E+01	1.15E-02	1.37E-10	1.0E+06	1.4E-04
144	144	0.16707	2.14E-05	3.6E-06	2.50E-04	8.94E-10	1.40E+01	1.15E-02	1.44E-10	1.0E+06	1.4E-04
145	145	0.17493	2.14E-05	3.7E-06	2.50E-04	9.36E-10	1.40E+01	1.15E-02	1.50E-10	1.0E+06	1.5E-04
146	146	0.18325	2.14E-05	3.9E-06	2.50E-04	9.81E-10	1.40E+01	1.15E-02	1.58E-10	1.0E+06	1.6E-04
147	147	0.19224	2.14E-05	4.1E-06	2.50E-04	1.03E-09	1.40E+01	1.15E-02	1.65E-10	1.0E+06	1.7E-04
148	148	0.20175	2.14E-05	4.3E-06	2.50E-04	1.08E-09	1.40E+01	1.15E-02	1.73E-10	1.0E+06	1.7E-04
149	149	0.2119	2.14E-05	4.5E-06	2.50E-04	1.13E-09	1.40E+01	1.15E-02	1.82E-10	1.0E+06	1.8E-04
150	150	0.22266	2.14E-05	4.8E-06	2.50E-04	1.19E-09	1.40E+01	1.15E-02	1.91E-10	1.0E+06	1.9E-04
151	151	0.23413	2.14E-05	5.0E-06	2.50E-04	1.25E-09	1.40E+01	1.15E-02	2.01E-10	1.0E+06	2.0E-04
152	152	0.24629	2.14E-05	5.3E-06	2.50E-04	1.32E-09	1.40E+01	1.15E-02	2.12E-10	1.0E+06	2.1E-04
153	153	0.25918	2.14E-05	5.5E-06	2.50E-04	1.39E-09	1.40E+01	1.15E-02	2.23E-10	1.0E+06	2.2E-04
154	154	0.27267	2.14E-05	5.8E-06	2.50E-04	1.46E-09	1.40E+01	1.15E-02	2.34E-10	1.0E+06	2.3E-04
155	155	0.28698	2.14E-05	6.1E-06	2.50E-04	1.54E-09	1.40E+01	1.15E-02	2.47E-10	1.0E+06	2.5E-04
164	164	0.28996	2.14E-05	6.2E-06	2.50E-04	1.55E-09	1.40E+01	1.15E-02	2.49E-10	1.0E+06	2.5E-04
165	165	0.30628	2.14E-05	6.6E-06	2.50E-04	1.64E-09	1.40E+01	1.15E-02	2.63E-10	1.0E+06	2.6E-04
166	166	0.32378	2.14E-05	6.9E-06	2.50E-04	1.73E-09	1.40E+01	1.15E-02	2.78E-10	1.0E+06	2.8E-04

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
178	178	0.30842	2.14E-05	6.6E-06	2.50E-04	1.65E-09	1.40E+01	1.15E-02	2.65E-10	1.0E+06	2.7E-04
179	179	0.32719	2.14E-05	7.0E-06	2.50E-04	1.75E-09	1.40E+01	1.15E-02	2.81E-10	1.0E+06	2.8E-04
180	180	0.3474	2.14E-05	7.4E-06	2.50E-04	1.86E-09	1.40E+01	1.15E-02	2.99E-10	1.0E+06	3.0E-04
192	192	0.32814	2.14E-05	7.0E-06	2.50E-04	1.76E-09	1.40E+01	1.15E-02	2.82E-10	1.0E+06	2.8E-04
193	193	0.34981	2.14E-05	7.5E-06	2.50E-04	1.87E-09	1.40E+01	1.15E-02	3.01E-10	1.0E+06	3.0E-04
194	194	0.37312	2.14E-05	8.0E-06	2.50E-04	2.00E-09	1.40E+01	1.15E-02	3.21E-10	1.0E+06	3.2E-04
207	207	0.34893	2.14E-05	7.5E-06	2.50E-04	1.87E-09	1.40E+01	1.15E-02	3.00E-10	1.0E+06	3.0E-04
208	208	0.37383	2.14E-05	8.0E-06	2.50E-04	2.00E-09	1.40E+01	1.15E-02	3.21E-10	1.0E+06	3.2E-04
209	209	0.40098	2.14E-05	8.6E-06	2.50E-04	2.15E-09	1.40E+01	1.15E-02	3.45E-10	1.0E+06	3.4E-04
223	223	0.37073	2.14E-05	7.9E-06	2.50E-04	1.98E-09	1.40E+01	1.15E-02	3.19E-10	1.0E+06	3.2E-04
224	224	0.39926	2.14E-05	8.5E-06	2.50E-04	2.14E-09	1.40E+01	1.15E-02	3.43E-10	1.0E+06	3.4E-04
225	225	0.43056	2.14E-05	9.2E-06	2.50E-04	2.30E-09	1.40E+01	1.15E-02	3.70E-10	1.0E+06	3.7E-04
239	239	0.39344	2.14E-05	8.4E-06	2.50E-04	2.11E-09	1.40E+01	1.15E-02	3.38E-10	1.0E+06	3.4E-04
240	240	0.42603	2.14E-05	9.1E-06	2.50E-04	2.28E-09	1.40E+01	1.15E-02	3.66E-10	1.0E+06	3.7E-04
241	241	0.46241	2.14E-05	9.9E-06	2.50E-04	2.48E-09	1.40E+01	1.15E-02	3.98E-10	1.0E+06	4.0E-04
255	255	0.41664	2.14E-05	8.9E-06	2.50E-04	2.23E-09	1.40E+01	1.15E-02	3.58E-10	1.0E+06	3.6E-04
256	256	0.45372	2.14E-05	9.7E-06	2.50E-04	2.43E-09	1.40E+01	1.15E-02	3.90E-10	1.0E+06	3.9E-04
272	272	0.43985	2.14E-05	9.4E-06	2.50E-04	2.35E-09	1.40E+01	1.15E-02	3.78E-10	1.0E+06	3.8E-04
273	273	0.48191	2.14E-05	1.0E-05	2.50E-04	2.58E-09	1.40E+01	1.15E-02	4.14E-10	1.0E+06	4.1E-04
289	289	0.46274	2.14E-05	9.9E-06	2.50E-04	2.48E-09	1.40E+01	1.15E-02	3.98E-10	1.0E+06	4.0E-04
290	290	0.50987	2.14E-05	1.1E-05	2.50E-04	2.73E-09	1.40E+01	1.15E-02	4.38E-10	1.0E+06	4.4E-04
306	306	0.48445	2.14E-05	1.0E-05	2.50E-04	2.59E-09	1.40E+01	1.15E-02	4.17E-10	1.0E+06	4.2E-04
307	307	0.53674	2.14E-05	1.1E-05	2.50E-04	2.87E-09	1.40E+01	1.15E-02	4.61E-10	1.0E+06	4.6E-04
323	323	0.5042	2.14E-05	1.1E-05	2.50E-04	2.70E-09	1.40E+01	1.15E-02	4.33E-10	1.0E+06	4.3E-04
324	324	0.56147	2.14E-05	1.2E-05	2.50E-04	3.01E-09	1.40E+01	1.15E-02	4.83E-10	1.0E+06	4.8E-04
342	342	0.5212	2.14E-05	1.1E-05	2.50E-04	2.79E-09	1.40E+01	1.15E-02	4.48E-10	1.0E+06	4.5E-04
343	343	0.58296	2.14E-05	1.2E-05	2.50E-04	3.12E-09	1.40E+01	1.15E-02	5.01E-10	1.0E+06	5.0E-04
344	344	0.65679	2.14E-05	1.4E-05	2.50E-04	3.52E-09	1.40E+01	1.15E-02	5.65E-10	1.0E+06	5.6E-04
356	356	0.53459	2.14E-05	1.1E-05	2.50E-04	2.86E-09	1.40E+01	1.15E-02	4.60E-10	1.0E+06	4.6E-04
357	357	0.59994	2.14E-05	1.3E-05	2.50E-04	3.21E-09	1.40E+01	1.15E-02	5.16E-10	1.0E+06	5.2E-04
358	358	0.67891	2.14E-05	1.5E-05	2.50E-04	3.63E-09	1.40E+01	1.15E-02	5.84E-10	1.0E+06	5.8E-04

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
370	370	0.54387	2.14E-05	1.2E-05	2.50E-04	2.91E-09	1.40E+01	1.15E-02	4.68E-10	1.0E+06	4.7E-04
371	371	0.61184	2.14E-05	1.3E-05	2.50E-04	3.28E-09	1.40E+01	1.15E-02	5.26E-10	1.0E+06	5.3E-04
372	372	0.69444	2.14E-05	1.5E-05	2.50E-04	3.72E-09	1.40E+01	1.15E-02	5.97E-10	1.0E+06	6.0E-04
383	383	0.54866	2.14E-05	1.2E-05	2.50E-04	2.94E-09	1.40E+01	1.15E-02	4.72E-10	1.0E+06	4.7E-04
384	384	0.61809	2.14E-05	1.3E-05	2.50E-04	3.31E-09	1.40E+01	1.15E-02	5.31E-10	1.0E+06	5.3E-04
385	385	0.70266	2.14E-05	1.5E-05	2.50E-04	3.76E-09	1.40E+01	1.15E-02	6.04E-10	1.0E+06	6.0E-04
396	396	0.54897	2.14E-05	1.2E-05	2.50E-04	2.94E-09	1.40E+01	1.15E-02	4.72E-10	1.0E+06	4.7E-04
397	397	0.61862	2.14E-05	1.3E-05	2.50E-04	3.31E-09	1.40E+01	1.15E-02	5.32E-10	1.0E+06	5.3E-04
398	398	0.70346	2.14E-05	1.5E-05	2.50E-04	3.77E-09	1.40E+01	1.15E-02	6.05E-10	1.0E+06	6.0E-04
399	399	0.80843	2.14E-05	1.7E-05	2.50E-04	4.33E-09	1.40E+01	1.15E-02	6.95E-10	1.0E+06	7.0E-04
411	411	0.54505	2.14E-05	1.2E-05	2.50E-04	2.92E-09	1.40E+01	1.15E-02	4.69E-10	1.0E+06	4.7E-04
412	412	0.61372	2.14E-05	1.3E-05	2.50E-04	3.29E-09	1.40E+01	1.15E-02	5.28E-10	1.0E+06	5.3E-04
413	413	0.69742	2.14E-05	1.5E-05	2.50E-04	3.73E-09	1.40E+01	1.15E-02	6.00E-10	1.0E+06	6.0E-04
414	414	0.80038	2.14E-05	1.7E-05	2.50E-04	4.28E-09	1.40E+01	1.15E-02	6.88E-10	1.0E+06	6.9E-04
426	426	0.53745	2.14E-05	1.1E-05	2.50E-04	2.88E-09	1.40E+01	1.15E-02	4.62E-10	1.0E+06	4.6E-04
427	427	0.60418	2.14E-05	1.3E-05	2.50E-04	3.23E-09	1.40E+01	1.15E-02	5.19E-10	1.0E+06	5.2E-04
428	428	0.68492	2.14E-05	1.5E-05	2.50E-04	3.67E-09	1.40E+01	1.15E-02	5.89E-10	1.0E+06	5.9E-04
429	429	0.78419	2.14E-05	1.7E-05	2.50E-04	4.20E-09	1.40E+01	1.15E-02	6.74E-10	1.0E+06	6.7E-04
439	439	0.5267	2.14E-05	1.1E-05	2.50E-04	2.82E-09	1.40E+01	1.15E-02	4.53E-10	1.0E+06	4.5E-04
440	440	0.59064	2.14E-05	1.3E-05	2.50E-04	3.16E-09	1.40E+01	1.15E-02	5.08E-10	1.0E+06	5.1E-04
441	441	0.66764	2.14E-05	1.4E-05	2.50E-04	3.57E-09	1.40E+01	1.15E-02	5.74E-10	1.0E+06	5.7E-04
442	442	0.76151	2.14E-05	1.6E-05	2.50E-04	4.08E-09	1.40E+01	1.15E-02	6.55E-10	1.0E+06	6.5E-04
443	443	0.87764	2.14E-05	1.9E-05	2.50E-04	4.70E-09	1.40E+01	1.15E-02	7.55E-10	1.0E+06	7.5E-04
454	454	0.51347	2.14E-05	1.1E-05	2.50E-04	2.75E-09	1.40E+01	1.15E-02	4.41E-10	1.0E+06	4.4E-04
455	455	0.574	2.14E-05	1.2E-05	2.50E-04	3.07E-09	1.40E+01	1.15E-02	4.94E-10	1.0E+06	4.9E-04
456	456	0.64635	2.14E-05	1.4E-05	2.50E-04	3.46E-09	1.40E+01	1.15E-02	5.56E-10	1.0E+06	5.6E-04
457	457	0.73378	2.14E-05	1.6E-05	2.50E-04	3.93E-09	1.40E+01	1.15E-02	6.31E-10	1.0E+06	6.3E-04
458	458	0.84072	2.14E-05	1.8E-05	2.50E-04	4.50E-09	1.40E+01	1.15E-02	7.23E-10	1.0E+06	7.2E-04
469	469	0.49827	2.14E-05	1.1E-05	2.50E-04	2.67E-09	1.40E+01	1.15E-02	4.28E-10	1.0E+06	4.3E-04
470	470	0.55487	2.14E-05	1.2E-05	2.50E-04	2.97E-09	1.40E+01	1.15E-02	4.77E-10	1.0E+06	4.8E-04
471	471	0.62203	2.14E-05	1.3E-05	2.50E-04	3.33E-09	1.40E+01	1.15E-02	5.35E-10	1.0E+06	5.3E-04

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
472	472	0.7023	2.14E-05	1.5E-05	2.50E-04	3.76E-09	1.40E+01	1.15E-02	6.04E-10	1.0E+06	6.0E-04
473	473	0.79925	2.14E-05	1.7E-05	2.50E-04	4.28E-09	1.40E+01	1.15E-02	6.87E-10	1.0E+06	6.9E-04
489	489	0.48168	2.14E-05	1.0E-05	2.50E-04	2.58E-09	1.40E+01	1.15E-02	4.14E-10	1.0E+06	4.1E-04
490	490	0.53418	2.14E-05	1.1E-05	2.50E-04	2.86E-09	1.40E+01	1.15E-02	4.59E-10	1.0E+06	4.6E-04
491	491	0.59579	2.14E-05	1.3E-05	2.50E-04	3.19E-09	1.40E+01	1.15E-02	5.12E-10	1.0E+06	5.1E-04
492	492	0.66865	2.14E-05	1.4E-05	2.50E-04	3.58E-09	1.40E+01	1.15E-02	5.75E-10	1.0E+06	5.7E-04
493	493	0.75554	2.14E-05	1.6E-05	2.50E-04	4.04E-09	1.40E+01	1.15E-02	6.50E-10	1.0E+06	6.5E-04
494	494	0.86011	2.14E-05	1.8E-05	2.50E-04	4.60E-09	1.40E+01	1.15E-02	7.39E-10	1.0E+06	7.4E-04
509	509	0.46394	2.14E-05	9.9E-06	2.50E-04	2.48E-09	1.40E+01	1.15E-02	3.99E-10	1.0E+06	4.0E-04
510	510	0.51217	2.14E-05	1.1E-05	2.50E-04	2.74E-09	1.40E+01	1.15E-02	4.40E-10	1.0E+06	4.4E-04
511	511	0.56813	2.14E-05	1.2E-05	2.50E-04	3.04E-09	1.40E+01	1.15E-02	4.88E-10	1.0E+06	4.9E-04
512	512	0.63358	2.14E-05	1.4E-05	2.50E-04	3.39E-09	1.40E+01	1.15E-02	5.45E-10	1.0E+06	5.4E-04
513	513	0.71066	2.14E-05	1.5E-05	2.50E-04	3.80E-09	1.40E+01	1.15E-02	6.11E-10	1.0E+06	6.1E-04
514	514	0.80196	2.14E-05	1.7E-05	2.50E-04	4.29E-09	1.40E+01	1.15E-02	6.89E-10	1.0E+06	6.9E-04
515	515	1.043	2.14E-05	2.2E-05	2.50E-04	5.58E-09	1.40E+01	1.15E-02	8.97E-10	1.0E+06	9.0E-04
516	516	1.20376	2.14E-05	2.6E-05	2.50E-04	6.44E-09	1.40E+01	1.15E-02	1.03E-09	1.0E+06	1.0E-03
517	517	1.40207	2.14E-05	3.0E-05	2.50E-04	7.51E-09	1.40E+01	1.15E-02	1.21E-09	1.0E+06	1.2E-03
518	518	1.64941	2.14E-05	3.5E-05	2.50E-04	8.83E-09	1.40E+01	1.15E-02	1.42E-09	1.0E+06	1.4E-03
519	519	1.96158	2.14E-05	4.2E-05	2.50E-04	1.05E-08	1.40E+01	1.15E-02	1.69E-09	1.0E+06	1.7E-03
528	528	0.44543	2.14E-05	9.5E-06	2.50E-04	2.38E-09	1.40E+01	1.15E-02	3.83E-10	1.0E+06	3.8E-04
529	529	0.48938	2.14E-05	1.0E-05	2.50E-04	2.62E-09	1.40E+01	1.15E-02	4.21E-10	1.0E+06	4.2E-04
530	530	0.53986	2.14E-05	1.2E-05	2.50E-04	2.89E-09	1.40E+01	1.15E-02	4.64E-10	1.0E+06	4.6E-04
531	531	0.59815	2.14E-05	1.3E-05	2.50E-04	3.20E-09	1.40E+01	1.15E-02	5.14E-10	1.0E+06	5.1E-04
532	532	0.66591	2.14E-05	1.4E-05	2.50E-04	3.56E-09	1.40E+01	1.15E-02	5.73E-10	1.0E+06	5.7E-04
533	533	0.74509	2.14E-05	1.6E-05	2.50E-04	3.99E-09	1.40E+01	1.15E-02	6.41E-10	1.0E+06	6.4E-04
534	534	0.94875	2.14E-05	2.0E-05	2.50E-04	5.08E-09	1.40E+01	1.15E-02	8.16E-10	1.0E+06	8.2E-04
535	535	1.0806	2.14E-05	2.3E-05	2.50E-04	5.78E-09	1.40E+01	1.15E-02	9.29E-10	1.0E+06	9.3E-04
536	536	1.24017	2.14E-05	2.7E-05	2.50E-04	6.64E-09	1.40E+01	1.15E-02	1.07E-09	1.0E+06	1.1E-03
537	537	1.43239	2.14E-05	3.1E-05	2.50E-04	7.67E-09	1.40E+01	1.15E-02	1.23E-09	1.0E+06	1.2E-03
538	538	1.6664	2.14E-05	3.6E-05	2.50E-04	8.92E-09	1.40E+01	1.15E-02	1.43E-09	1.0E+06	1.4E-03
547	547	0.42647	2.14E-05	9.1E-06	2.50E-04	2.28E-09	1.40E+01	1.15E-02	3.67E-10	1.0E+06	3.7E-04

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
548	548	0.46624	2.14E-05	1.0E-05	2.50E-04	2.50E-09	1.40E+01	1.15E-02	4.01E-10	1.0E+06	4.0E-04
549	549	0.5114	2.14E-05	1.1E-05	2.50E-04	2.74E-09	1.40E+01	1.15E-02	4.40E-10	1.0E+06	4.4E-04
550	550	0.56308	2.14E-05	1.2E-05	2.50E-04	3.01E-09	1.40E+01	1.15E-02	4.84E-10	1.0E+06	4.8E-04
551	551	0.62233	2.14E-05	1.3E-05	2.50E-04	3.33E-09	1.40E+01	1.15E-02	5.35E-10	1.0E+06	5.4E-04
552	552	0.6907	2.14E-05	1.5E-05	2.50E-04	3.70E-09	1.40E+01	1.15E-02	5.94E-10	1.0E+06	5.9E-04
553	553	0.77006	2.14E-05	1.6E-05	2.50E-04	4.12E-09	1.40E+01	1.15E-02	6.62E-10	1.0E+06	6.6E-04
554	554	0.86265	2.14E-05	1.8E-05	2.50E-04	4.62E-09	1.40E+01	1.15E-02	7.42E-10	1.0E+06	7.4E-04
555	555	0.97156	2.14E-05	2.1E-05	2.50E-04	5.20E-09	1.40E+01	1.15E-02	8.35E-10	1.0E+06	8.4E-04
556	556	1.10059	2.14E-05	2.4E-05	2.50E-04	5.89E-09	1.40E+01	1.15E-02	9.46E-10	1.0E+06	9.5E-04
557	557	1.2524	2.14E-05	2.7E-05	2.50E-04	6.70E-09	1.40E+01	1.15E-02	1.08E-09	1.0E+06	1.1E-03
558	558	1.43286	2.14E-05	3.1E-05	2.50E-04	7.67E-09	1.40E+01	1.15E-02	1.23E-09	1.0E+06	1.2E-03
559	559	1.64116	2.14E-05	3.5E-05	2.50E-04	8.79E-09	1.40E+01	1.15E-02	1.41E-09	1.0E+06	1.4E-03
567	567	0.40727	2.14E-05	8.7E-06	2.50E-04	2.18E-09	1.40E+01	1.15E-02	3.50E-10	1.0E+06	3.5E-04
568	568	0.44303	2.14E-05	9.5E-06	2.50E-04	2.37E-09	1.40E+01	1.15E-02	3.81E-10	1.0E+06	3.8E-04
569	569	0.4833	2.14E-05	1.0E-05	2.50E-04	2.59E-09	1.40E+01	1.15E-02	4.16E-10	1.0E+06	4.2E-04
570	570	0.52883	2.14E-05	1.1E-05	2.50E-04	2.83E-09	1.40E+01	1.15E-02	4.55E-10	1.0E+06	4.5E-04
571	571	0.58056	2.14E-05	1.2E-05	2.50E-04	3.11E-09	1.40E+01	1.15E-02	4.99E-10	1.0E+06	5.0E-04
572	572	0.63958	2.14E-05	1.4E-05	2.50E-04	3.42E-09	1.40E+01	1.15E-02	5.50E-10	1.0E+06	5.5E-04
573	573	0.70729	2.14E-05	1.5E-05	2.50E-04	3.79E-09	1.40E+01	1.15E-02	6.08E-10	1.0E+06	6.1E-04
574	574	0.87569	2.14E-05	1.9E-05	2.50E-04	4.69E-09	1.40E+01	1.15E-02	7.53E-10	1.0E+06	7.5E-04
575	575	0.98087	2.14E-05	2.1E-05	2.50E-04	5.25E-09	1.40E+01	1.15E-02	8.43E-10	1.0E+06	8.4E-04
576	576	1.10279	2.14E-05	2.4E-05	2.50E-04	5.90E-09	1.40E+01	1.15E-02	9.48E-10	1.0E+06	9.5E-04
577	577	1.24296	2.14E-05	2.7E-05	2.50E-04	6.65E-09	1.40E+01	1.15E-02	1.07E-09	1.0E+06	1.1E-03
578	578	1.40032	2.14E-05	3.0E-05	2.50E-04	7.50E-09	1.40E+01	1.15E-02	1.20E-09	1.0E+06	1.2E-03
586	586	0.38816	2.14E-05	8.3E-06	2.50E-04	2.08E-09	1.40E+01	1.15E-02	3.34E-10	1.0E+06	3.3E-04
587	587	0.42021	2.14E-05	9.0E-06	2.50E-04	2.25E-09	1.40E+01	1.15E-02	3.61E-10	1.0E+06	3.6E-04
588	588	0.45598	2.14E-05	9.8E-06	2.50E-04	2.44E-09	1.40E+01	1.15E-02	3.92E-10	1.0E+06	3.9E-04
589	589	0.49608	2.14E-05	1.1E-05	2.50E-04	2.66E-09	1.40E+01	1.15E-02	4.27E-10	1.0E+06	4.3E-04
590	590	0.54122	2.14E-05	1.2E-05	2.50E-04	2.90E-09	1.40E+01	1.15E-02	4.65E-10	1.0E+06	4.7E-04
591	591	0.59224	2.14E-05	1.3E-05	2.50E-04	3.17E-09	1.40E+01	1.15E-02	5.09E-10	1.0E+06	5.1E-04
592	592	0.65019	2.14E-05	1.4E-05	2.50E-04	3.48E-09	1.40E+01	1.15E-02	5.59E-10	1.0E+06	5.6E-04

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
593	593	0.79179	2.14E-05	1.7E-05	2.50E-04	4.24E-09	1.40E+01	1.15E-02	6.81E-10	1.0E+06	6.8E-04
594	594	0.87839	2.14E-05	1.9E-05	2.50E-04	4.70E-09	1.40E+01	1.15E-02	7.55E-10	1.0E+06	7.6E-04
595	595	0.97656	2.14E-05	2.1E-05	2.50E-04	5.23E-09	1.40E+01	1.15E-02	8.40E-10	1.0E+06	8.4E-04
596	596	1.08654	2.14E-05	2.3E-05	2.50E-04	5.82E-09	1.40E+01	1.15E-02	9.34E-10	1.0E+06	9.3E-04
597	597	1.20657	2.14E-05	2.6E-05	2.50E-04	6.46E-09	1.40E+01	1.15E-02	1.04E-09	1.0E+06	1.0E-03
345	345	0.74661	2.14E-05	1.6E-05	2.50E-04	4.00E-09	1.40E+01	1.15E-02	6.42E-10	1.0E+06	6.4E-04
346	346	0.8571	2.14E-05	1.8E-05	2.50E-04	4.59E-09	1.40E+01	1.15E-02	7.37E-10	1.0E+06	7.4E-04
347	347	0.99553	2.14E-05	2.1E-05	2.50E-04	5.33E-09	1.40E+01	1.15E-02	8.56E-10	1.0E+06	8.6E-04
348	348	1.17212	2.14E-05	2.5E-05	2.50E-04	6.27E-09	1.40E+01	1.15E-02	1.01E-09	1.0E+06	1.0E-03
359	359	0.77574	2.14E-05	1.7E-05	2.50E-04	4.15E-09	1.40E+01	1.15E-02	6.67E-10	1.0E+06	6.7E-04
360	360	0.89631	2.14E-05	1.9E-05	2.50E-04	4.80E-09	1.40E+01	1.15E-02	7.71E-10	1.0E+06	7.7E-04
361	361	1.04893	2.14E-05	2.2E-05	2.50E-04	5.62E-09	1.40E+01	1.15E-02	9.02E-10	1.0E+06	9.0E-04
362	362	1.24639	2.14E-05	2.7E-05	2.50E-04	6.67E-09	1.40E+01	1.15E-02	1.07E-09	1.0E+06	1.1E-03
363	363	1.50986	2.14E-05	3.2E-05	2.50E-04	8.08E-09	1.40E+01	1.15E-02	1.30E-09	1.0E+06	1.3E-03
373	373	0.92401	2.14E-05	2.0E-05	2.50E-04	4.95E-09	1.40E+01	1.15E-02	7.94E-10	1.0E+06	7.9E-04
374	374	1.08722	2.14E-05	2.3E-05	2.50E-04	5.82E-09	1.40E+01	1.15E-02	9.35E-10	1.0E+06	9.3E-04
375	375	1.30021	2.14E-05	2.8E-05	2.50E-04	6.96E-09	1.40E+01	1.15E-02	1.12E-09	1.0E+06	1.1E-03
376	376	1.58816	2.14E-05	3.4E-05	2.50E-04	8.50E-09	1.40E+01	1.15E-02	1.37E-09	1.0E+06	1.4E-03
386	386	0.93901	2.14E-05	2.0E-05	2.50E-04	5.03E-09	1.40E+01	1.15E-02	8.07E-10	1.0E+06	8.1E-04
387	387	1.10812	2.14E-05	2.4E-05	2.50E-04	5.93E-09	1.40E+01	1.15E-02	9.53E-10	1.0E+06	9.5E-04
388	388	1.3299	2.14E-05	2.8E-05	2.50E-04	7.12E-09	1.40E+01	1.15E-02	1.14E-09	1.0E+06	1.1E-03
389	389	1.63126	2.14E-05	3.5E-05	2.50E-04	8.73E-09	1.40E+01	1.15E-02	1.40E-09	1.0E+06	1.4E-03
390	390	2.05682	2.14E-05	4.4E-05	2.50E-04	1.10E-08	1.40E+01	1.15E-02	1.77E-09	1.0E+06	1.8E-03
400	400	0.94065	2.14E-05	2.0E-05	2.50E-04	5.04E-09	1.40E+01	1.15E-02	8.09E-10	1.0E+06	8.1E-04
401	401	1.11047	2.14E-05	2.4E-05	2.50E-04	5.94E-09	1.40E+01	1.15E-02	9.55E-10	1.0E+06	9.5E-04
402	402	1.3339	2.14E-05	2.9E-05	2.50E-04	7.14E-09	1.40E+01	1.15E-02	1.15E-09	1.0E+06	1.1E-03
403	403	1.63561	2.14E-05	3.5E-05	2.50E-04	8.76E-09	1.40E+01	1.15E-02	1.41E-09	1.0E+06	1.4E-03
404	404	2.05987	2.14E-05	4.4E-05	2.50E-04	1.10E-08	1.40E+01	1.15E-02	1.77E-09	1.0E+06	1.8E-03
415	415	0.9299	2.14E-05	2.0E-05	2.50E-04	4.98E-09	1.40E+01	1.15E-02	7.99E-10	1.0E+06	8.0E-04
416	416	1.09576	2.14E-05	2.3E-05	2.50E-04	5.87E-09	1.40E+01	1.15E-02	9.42E-10	1.0E+06	9.4E-04
417	417	1.31242	2.14E-05	2.8E-05	2.50E-04	7.03E-09	1.40E+01	1.15E-02	1.13E-09	1.0E+06	1.1E-03

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
418	418	1.60468	2.14E-05	3.4E-05	2.50E-04	8.59E-09	1.40E+01	1.15E-02	1.38E-09	1.0E+06	1.4E-03
419	419	2.00962	2.14E-05	4.3E-05	2.50E-04	1.08E-08	1.40E+01	1.15E-02	1.73E-09	1.0E+06	1.7E-03
420	420	2.59258	2.14E-05	5.5E-05	2.50E-04	1.39E-08	1.40E+01	1.15E-02	2.23E-09	1.0E+06	2.2E-03
430	430	1.0658	2.14E-05	2.3E-05	2.50E-04	5.71E-09	1.40E+01	1.15E-02	9.16E-10	1.0E+06	9.2E-04
431	431	1.26977	2.14E-05	2.7E-05	2.50E-04	6.80E-09	1.40E+01	1.15E-02	1.09E-09	1.0E+06	1.1E-03
432	432	1.54091	2.14E-05	3.3E-05	2.50E-04	8.25E-09	1.40E+01	1.15E-02	1.32E-09	1.0E+06	1.3E-03
433	433	1.91211	2.14E-05	4.1E-05	2.50E-04	1.02E-08	1.40E+01	1.15E-02	1.64E-09	1.0E+06	1.6E-03
434	434	2.44022	2.14E-05	5.2E-05	2.50E-04	1.31E-08	1.40E+01	1.15E-02	2.10E-09	1.0E+06	2.1E-03
444	444	1.02359	2.14E-05	2.2E-05	2.50E-04	5.48E-09	1.40E+01	1.15E-02	8.80E-10	1.0E+06	8.8E-04
445	445	1.2107	2.14E-05	2.6E-05	2.50E-04	6.48E-09	1.40E+01	1.15E-02	1.04E-09	1.0E+06	1.0E-03
446	446	1.45478	2.14E-05	3.1E-05	2.50E-04	7.79E-09	1.40E+01	1.15E-02	1.25E-09	1.0E+06	1.3E-03
447	447	1.78218	2.14E-05	3.8E-05	2.50E-04	9.54E-09	1.40E+01	1.15E-02	1.53E-09	1.0E+06	1.5E-03
448	448	2.23662	2.14E-05	4.8E-05	2.50E-04	1.20E-08	1.40E+01	1.15E-02	1.92E-09	1.0E+06	1.9E-03
459	459	1.14062	2.14E-05	2.4E-05	2.50E-04	6.11E-09	1.40E+01	1.15E-02	9.81E-10	1.0E+06	9.8E-04
460	460	1.35499	2.14E-05	2.9E-05	2.50E-04	7.25E-09	1.40E+01	1.15E-02	1.16E-09	1.0E+06	1.2E-03
461	461	1.63617	2.14E-05	3.5E-05	2.50E-04	8.76E-09	1.40E+01	1.15E-02	1.41E-09	1.0E+06	1.4E-03
462	462	2.01482	2.14E-05	4.3E-05	2.50E-04	1.08E-08	1.40E+01	1.15E-02	1.73E-09	1.0E+06	1.7E-03
463	463	2.54037	2.14E-05	5.4E-05	2.50E-04	1.36E-08	1.40E+01	1.15E-02	2.18E-09	1.0E+06	2.2E-03
474	474	1.06489	2.14E-05	2.3E-05	2.50E-04	5.70E-09	1.40E+01	1.15E-02	9.16E-10	1.0E+06	9.2E-04
475	475	1.2494	2.14E-05	2.7E-05	2.50E-04	6.69E-09	1.40E+01	1.15E-02	1.07E-09	1.0E+06	1.1E-03
476	476	1.48549	2.14E-05	3.2E-05	2.50E-04	7.95E-09	1.40E+01	1.15E-02	1.28E-09	1.0E+06	1.3E-03
477	477	1.79362	2.14E-05	3.8E-05	2.50E-04	9.60E-09	1.40E+01	1.15E-02	1.54E-09	1.0E+06	1.5E-03
478	478	2.20447	2.14E-05	4.7E-05	2.50E-04	1.18E-08	1.40E+01	1.15E-02	1.90E-09	1.0E+06	1.9E-03
495	495	0.98734	2.14E-05	2.1E-05	2.50E-04	5.29E-09	1.40E+01	1.15E-02	8.49E-10	1.0E+06	8.5E-04
496	496	1.14405	2.14E-05	2.4E-05	2.50E-04	6.12E-09	1.40E+01	1.15E-02	9.84E-10	1.0E+06	9.8E-04
497	497	1.33964	2.14E-05	2.9E-05	2.50E-04	7.17E-09	1.40E+01	1.15E-02	1.15E-09	1.0E+06	1.2E-03
498	498	1.58744	2.14E-05	3.4E-05	2.50E-04	8.50E-09	1.40E+01	1.15E-02	1.36E-09	1.0E+06	1.4E-03
499	499	1.90598	2.14E-05	4.1E-05	2.50E-04	1.02E-08	1.40E+01	1.15E-02	1.64E-09	1.0E+06	1.6E-03
500	500	2.32121	2.14E-05	5.0E-05	2.50E-04	1.24E-08	1.40E+01	1.15E-02	2.00E-09	1.0E+06	2.0E-03

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
139	139	0.28223	2.14E-05	6.0E-06	2.50E-04	1.51E-09	2.50E+01	1.15E-02	4.33E-10	1.0E+06	4.3E-04
140	140	0.29587	2.14E-05	6.3E-06	2.50E-04	1.58E-09	2.50E+01	1.15E-02	4.54E-10	1.0E+06	4.5E-04
156	156	0.30211	2.14E-05	6.5E-06	2.50E-04	1.62E-09	2.50E+01	1.15E-02	4.64E-10	1.0E+06	4.6E-04
157	157	0.31779	2.14E-05	6.8E-06	2.50E-04	1.70E-09	2.50E+01	1.15E-02	4.88E-10	1.0E+06	4.9E-04
158	158	0.33425	2.14E-05	7.1E-06	2.50E-04	1.79E-09	2.50E+01	1.15E-02	5.13E-10	1.0E+06	5.1E-04
159	159	0.35127	2.14E-05	7.5E-06	2.50E-04	1.88E-09	2.50E+01	1.15E-02	5.39E-10	1.0E+06	5.4E-04
160	160	0.36839	2.14E-05	7.9E-06	2.50E-04	1.97E-09	2.50E+01	1.15E-02	5.66E-10	1.0E+06	5.7E-04
161	161	0.40331	2.14E-05	8.6E-06	2.50E-04	2.16E-09	2.50E+01	1.15E-02	6.19E-10	1.0E+06	6.2E-04
162	162	0.42031	2.14E-05	9.0E-06	2.50E-04	2.25E-09	2.50E+01	1.15E-02	6.45E-10	1.0E+06	6.5E-04
163	163	0.43624	2.14E-05	9.3E-06	2.50E-04	2.34E-09	2.50E+01	1.15E-02	6.70E-10	1.0E+06	6.7E-04
167	167	0.34169	2.14E-05	7.3E-06	2.50E-04	1.83E-09	2.50E+01	1.15E-02	5.25E-10	1.0E+06	5.2E-04
168	168	0.36146	2.14E-05	7.7E-06	2.50E-04	1.94E-09	2.50E+01	1.15E-02	5.55E-10	1.0E+06	5.5E-04
169	169	0.38143	2.14E-05	8.2E-06	2.50E-04	2.04E-09	2.50E+01	1.15E-02	5.86E-10	1.0E+06	5.9E-04
170	170	0.40199	2.14E-05	8.6E-06	2.50E-04	2.15E-09	2.50E+01	1.15E-02	6.17E-10	1.0E+06	6.2E-04
171	171	0.42295	2.14E-05	9.0E-06	2.50E-04	2.26E-09	2.50E+01	1.15E-02	6.49E-10	1.0E+06	6.5E-04
172	172	0.44429	2.14E-05	9.5E-06	2.50E-04	2.38E-09	2.50E+01	1.15E-02	6.82E-10	1.0E+06	6.8E-04
173	173	0.46512	2.14E-05	9.9E-06	2.50E-04	2.49E-09	2.50E+01	1.15E-02	7.14E-10	1.0E+06	7.1E-04
174	174	0.48509	2.14E-05	1.0E-05	2.50E-04	2.60E-09	2.50E+01	1.15E-02	7.45E-10	1.0E+06	7.4E-04
175	175	0.50363	2.14E-05	1.1E-05	2.50E-04	2.70E-09	2.50E+01	1.15E-02	7.73E-10	1.0E+06	7.7E-04
176	176	0.52011	2.14E-05	1.1E-05	2.50E-04	2.78E-09	2.50E+01	1.15E-02	7.99E-10	1.0E+06	8.0E-04
177	177	0.53385	2.14E-05	1.1E-05	2.50E-04	2.86E-09	2.50E+01	1.15E-02	8.20E-10	1.0E+06	8.2E-04
181	181	0.39166	2.14E-05	8.4E-06	2.50E-04	2.10E-09	2.50E+01	1.15E-02	6.01E-10	1.0E+06	6.0E-04
182	182	0.41545	2.14E-05	8.9E-06	2.50E-04	2.22E-09	2.50E+01	1.15E-02	6.38E-10	1.0E+06	6.4E-04
183	183	0.44024	2.14E-05	9.4E-06	2.50E-04	2.36E-09	2.50E+01	1.15E-02	6.76E-10	1.0E+06	6.8E-04
184	184	0.46568	2.14E-05	1.0E-05	2.50E-04	2.49E-09	2.50E+01	1.15E-02	7.15E-10	1.0E+06	7.1E-04
185	185	0.49178	2.14E-05	1.1E-05	2.50E-04	2.63E-09	2.50E+01	1.15E-02	7.55E-10	1.0E+06	7.6E-04
186	186	0.5178	2.14E-05	1.1E-05	2.50E-04	2.77E-09	2.50E+01	1.15E-02	7.95E-10	1.0E+06	7.9E-04
187	187	0.54286	2.14E-05	1.2E-05	2.50E-04	2.91E-09	2.50E+01	1.15E-02	8.33E-10	1.0E+06	8.3E-04
188	188	0.56641	2.14E-05	1.2E-05	2.50E-04	3.03E-09	2.50E+01	1.15E-02	8.70E-10	1.0E+06	8.7E-04
189	189	0.58747	2.14E-05	1.3E-05	2.50E-04	3.14E-09	2.50E+01	1.15E-02	9.02E-10	1.0E+06	9.0E-04
190	190	0.60511	2.14E-05	1.3E-05	2.50E-04	3.24E-09	2.50E+01	1.15E-02	9.29E-10	1.0E+06	9.3E-04

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
191	191	0.61873	2.14E-05	1.3E-05	2.50E-04	3.31E-09	2.50E+01	1.15E-02	9.50E-10	1.0E+06	9.5E-04
195	195	0.42526	2.14E-05	9.1E-06	2.50E-04	2.28E-09	2.50E+01	1.15E-02	6.53E-10	1.0E+06	6.5E-04
196	196	0.45377	2.14E-05	9.7E-06	2.50E-04	2.43E-09	2.50E+01	1.15E-02	6.97E-10	1.0E+06	7.0E-04
197	197	0.48383	2.14E-05	1.0E-05	2.50E-04	2.59E-09	2.50E+01	1.15E-02	7.43E-10	1.0E+06	7.4E-04
198	198	0.51507	2.14E-05	1.1E-05	2.50E-04	2.76E-09	2.50E+01	1.15E-02	7.91E-10	1.0E+06	7.9E-04
199	199	0.54751	2.14E-05	1.2E-05	2.50E-04	2.93E-09	2.50E+01	1.15E-02	8.41E-10	1.0E+06	8.4E-04
200	200	0.58019	2.14E-05	1.2E-05	2.50E-04	3.11E-09	2.50E+01	1.15E-02	8.91E-10	1.0E+06	8.9E-04
201	201	0.61224	2.14E-05	1.3E-05	2.50E-04	3.28E-09	2.50E+01	1.15E-02	9.40E-10	1.0E+06	9.4E-04
202	202	0.6426	2.14E-05	1.4E-05	2.50E-04	3.44E-09	2.50E+01	1.15E-02	9.87E-10	1.0E+06	9.9E-04
203	203	0.66993	2.14E-05	1.4E-05	2.50E-04	3.59E-09	2.50E+01	1.15E-02	1.03E-09	1.0E+06	1.0E-03
204	204	0.69296	2.14E-05	1.5E-05	2.50E-04	3.71E-09	2.50E+01	1.15E-02	1.06E-09	1.0E+06	1.1E-03
205	205	0.71084	2.14E-05	1.5E-05	2.50E-04	3.81E-09	2.50E+01	1.15E-02	1.09E-09	1.0E+06	1.1E-03
206	206	0.72309	2.14E-05	1.5E-05	2.50E-04	3.87E-09	2.50E+01	1.15E-02	1.11E-09	1.0E+06	1.1E-03
210	210	0.42937	2.14E-05	9.2E-06	2.50E-04	2.30E-09	2.50E+01	1.15E-02	6.59E-10	1.0E+06	6.6E-04
211	211	0.4626	2.14E-05	9.9E-06	2.50E-04	2.48E-09	2.50E+01	1.15E-02	7.10E-10	1.0E+06	7.1E-04
212	212	0.49691	2.14E-05	1.1E-05	2.50E-04	2.66E-09	2.50E+01	1.15E-02	7.63E-10	1.0E+06	7.6E-04
213	213	0.53363	2.14E-05	1.1E-05	2.50E-04	2.86E-09	2.50E+01	1.15E-02	8.19E-10	1.0E+06	8.2E-04
214	214	0.61307	2.14E-05	1.3E-05	2.50E-04	3.28E-09	2.50E+01	1.15E-02	9.41E-10	1.0E+06	9.4E-04
215	215	0.65477	2.14E-05	1.4E-05	2.50E-04	3.51E-09	2.50E+01	1.15E-02	1.01E-09	1.0E+06	1.0E-03
216	216	0.69624	2.14E-05	1.5E-05	2.50E-04	3.73E-09	2.50E+01	1.15E-02	1.07E-09	1.0E+06	1.1E-03
217	217	0.7363	2.14E-05	1.6E-05	2.50E-04	3.94E-09	2.50E+01	1.15E-02	1.13E-09	1.0E+06	1.1E-03
218	218	0.77275	2.14E-05	1.7E-05	2.50E-04	4.14E-09	2.50E+01	1.15E-02	1.19E-09	1.0E+06	1.2E-03
219	219	0.80362	2.14E-05	1.7E-05	2.50E-04	4.30E-09	2.50E+01	1.15E-02	1.23E-09	1.0E+06	1.2E-03
220	220	0.82746	2.14E-05	1.8E-05	2.50E-04	4.43E-09	2.50E+01	1.15E-02	1.27E-09	1.0E+06	1.3E-03
221	221	0.84329	2.14E-05	1.8E-05	2.50E-04	4.51E-09	2.50E+01	1.15E-02	1.29E-09	1.0E+06	1.3E-03
222	222	0.85273	2.14E-05	1.8E-05	2.50E-04	4.57E-09	2.50E+01	1.15E-02	1.31E-09	1.0E+06	1.3E-03
226	226	0.46501	2.14E-05	9.9E-06	2.50E-04	2.49E-09	2.50E+01	1.15E-02	7.14E-10	1.0E+06	7.1E-04
227	227	0.50373	2.14E-05	1.1E-05	2.50E-04	2.70E-09	2.50E+01	1.15E-02	7.73E-10	1.0E+06	7.7E-04
228	228	0.54536	2.14E-05	1.2E-05	2.50E-04	2.92E-09	2.50E+01	1.15E-02	8.37E-10	1.0E+06	8.4E-04
229	229	0.59046	2.14E-05	1.3E-05	2.50E-04	3.16E-09	2.50E+01	1.15E-02	9.07E-10	1.0E+06	9.1E-04
230	230	0.639	2.14E-05	1.4E-05	2.50E-04	3.42E-09	2.50E+01	1.15E-02	9.81E-10	1.0E+06	9.8E-04

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
231	231	0.6906	2.14E-05	1.5E-05	2.50E-04	3.70E-09	2.50E+01	1.15E-02	1.06E-09	1.0E+06	1.1E-03
232	232	0.74471	2.14E-05	1.6E-05	2.50E-04	3.99E-09	2.50E+01	1.15E-02	1.14E-09	1.0E+06	1.1E-03
233	233	0.85367	2.14E-05	1.8E-05	2.50E-04	4.57E-09	2.50E+01	1.15E-02	1.31E-09	1.0E+06	1.3E-03
234	234	0.90384	2.14E-05	1.9E-05	2.50E-04	4.84E-09	2.50E+01	1.15E-02	1.39E-09	1.0E+06	1.4E-03
235	235	0.9466	2.14E-05	2.0E-05	2.50E-04	5.07E-09	2.50E+01	1.15E-02	1.45E-09	1.0E+06	1.5E-03
236	236	0.97919	2.14E-05	2.1E-05	2.50E-04	5.24E-09	2.50E+01	1.15E-02	1.50E-09	1.0E+06	1.5E-03
237	237	1.00055	2.14E-05	2.1E-05	2.50E-04	5.36E-09	2.50E+01	1.15E-02	1.54E-09	1.0E+06	1.5E-03
238	238	1.01235	2.14E-05	2.2E-05	2.50E-04	5.42E-09	2.50E+01	1.15E-02	1.55E-09	1.0E+06	1.6E-03
242	242	0.50293	2.14E-05	1.1E-05	2.50E-04	2.69E-09	2.50E+01	1.15E-02	7.72E-10	1.0E+06	7.7E-04
243	243	0.54862	2.14E-05	1.2E-05	2.50E-04	2.94E-09	2.50E+01	1.15E-02	8.42E-10	1.0E+06	8.4E-04
244	244	0.59883	2.14E-05	1.3E-05	2.50E-04	3.21E-09	2.50E+01	1.15E-02	9.19E-10	1.0E+06	9.2E-04
245	245	0.65498	2.14E-05	1.4E-05	2.50E-04	3.51E-09	2.50E+01	1.15E-02	1.01E-09	1.0E+06	1.0E-03
246	246	0.7164	2.14E-05	1.5E-05	2.50E-04	3.84E-09	2.50E+01	1.15E-02	1.10E-09	1.0E+06	1.1E-03
247	247	0.78306	2.14E-05	1.7E-05	2.50E-04	4.19E-09	2.50E+01	1.15E-02	1.20E-09	1.0E+06	1.2E-03
248	248	0.85423	2.14E-05	1.8E-05	2.50E-04	4.57E-09	2.50E+01	1.15E-02	1.31E-09	1.0E+06	1.3E-03
249	249	1.0033	2.14E-05	2.1E-05	2.50E-04	5.37E-09	2.50E+01	1.15E-02	1.54E-09	1.0E+06	1.5E-03
250	250	1.07398	2.14E-05	2.3E-05	2.50E-04	5.75E-09	2.50E+01	1.15E-02	1.65E-09	1.0E+06	1.6E-03
251	251	1.13565	2.14E-05	2.4E-05	2.50E-04	6.08E-09	2.50E+01	1.15E-02	1.74E-09	1.0E+06	1.7E-03
252	252	1.18245	2.14E-05	2.5E-05	2.50E-04	6.33E-09	2.50E+01	1.15E-02	1.82E-09	1.0E+06	1.8E-03
253	253	1.21265	2.14E-05	2.6E-05	2.50E-04	6.49E-09	2.50E+01	1.15E-02	1.86E-09	1.0E+06	1.9E-03
254	254	1.2288	2.14E-05	2.6E-05	2.50E-04	6.58E-09	2.50E+01	1.15E-02	1.89E-09	1.0E+06	1.9E-03
257	257	0.5432	2.14E-05	1.2E-05	2.50E-04	2.91E-09	2.50E+01	1.15E-02	8.34E-10	1.0E+06	8.3E-04
258	258	0.59735	2.14E-05	1.3E-05	2.50E-04	3.20E-09	2.50E+01	1.15E-02	9.17E-10	1.0E+06	9.2E-04
259	259	0.65893	2.14E-05	1.4E-05	2.50E-04	3.53E-09	2.50E+01	1.15E-02	1.01E-09	1.0E+06	1.0E-03
260	260	0.72713	2.14E-05	1.6E-05	2.50E-04	3.89E-09	2.50E+01	1.15E-02	1.12E-09	1.0E+06	1.1E-03
261	261	0.80594	2.14E-05	1.7E-05	2.50E-04	4.31E-09	2.50E+01	1.15E-02	1.24E-09	1.0E+06	1.2E-03
262	262	0.89264	2.14E-05	1.9E-05	2.50E-04	4.78E-09	2.50E+01	1.15E-02	1.37E-09	1.0E+06	1.4E-03
263	263	0.98806	2.14E-05	2.1E-05	2.50E-04	5.29E-09	2.50E+01	1.15E-02	1.52E-09	1.0E+06	1.5E-03
264	264	1.19764	2.14E-05	2.6E-05	2.50E-04	6.41E-09	2.50E+01	1.15E-02	1.84E-09	1.0E+06	1.8E-03
265	265	1.30209	2.14E-05	2.8E-05	2.50E-04	6.97E-09	2.50E+01	1.15E-02	2.00E-09	1.0E+06	2.0E-03
266	266	1.39482	2.14E-05	3.0E-05	2.50E-04	7.47E-09	2.50E+01	1.15E-02	2.14E-09	1.0E+06	2.1E-03

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
267	267	1.46533	2.14E-05	3.1E-05	2.50E-04	7.84E-09	2.50E+01	1.15E-02	2.25E-09	1.0E+06	2.2E-03
268	268	1.50931	2.14E-05	3.2E-05	2.50E-04	8.08E-09	2.50E+01	1.15E-02	2.32E-09	1.0E+06	2.3E-03
269	269	1.53357	2.14E-05	3.3E-05	2.50E-04	8.21E-09	2.50E+01	1.15E-02	2.35E-09	1.0E+06	2.4E-03
270	270	1.61774	2.14E-05	3.5E-05	2.50E-04	8.66E-09	2.50E+01	1.15E-02	2.48E-09	1.0E+06	2.5E-03
271	271	1.63493	2.14E-05	3.5E-05	2.50E-04	8.75E-09	2.50E+01	1.15E-02	2.51E-09	1.0E+06	2.5E-03
274	274	0.58529	2.14E-05	1.3E-05	2.50E-04	3.13E-09	2.50E+01	1.15E-02	8.99E-10	1.0E+06	9.0E-04
275	275	0.64904	2.14E-05	1.4E-05	2.50E-04	3.47E-09	2.50E+01	1.15E-02	9.96E-10	1.0E+06	1.0E-03
276	276	0.72345	2.14E-05	1.5E-05	2.50E-04	3.87E-09	2.50E+01	1.15E-02	1.11E-09	1.0E+06	1.1E-03
277	277	0.8086	2.14E-05	1.7E-05	2.50E-04	4.33E-09	2.50E+01	1.15E-02	1.24E-09	1.0E+06	1.2E-03
278	278	0.90824	2.14E-05	1.9E-05	2.50E-04	4.86E-09	2.50E+01	1.15E-02	1.39E-09	1.0E+06	1.4E-03
279	279	1.02226	2.14E-05	2.2E-05	2.50E-04	5.47E-09	2.50E+01	1.15E-02	1.57E-09	1.0E+06	1.6E-03
280	280	1.15059	2.14E-05	2.5E-05	2.50E-04	6.16E-09	2.50E+01	1.15E-02	1.77E-09	1.0E+06	1.8E-03
281	281	1.45449	2.14E-05	3.1E-05	2.50E-04	7.79E-09	2.50E+01	1.15E-02	2.23E-09	1.0E+06	2.2E-03
282	282	1.615	2.14E-05	3.5E-05	2.50E-04	8.65E-09	2.50E+01	1.15E-02	2.48E-09	1.0E+06	2.5E-03
283	283	1.76328	2.14E-05	3.8E-05	2.50E-04	9.44E-09	2.50E+01	1.15E-02	2.71E-09	1.0E+06	2.7E-03
284	284	1.87904	2.14E-05	4.0E-05	2.50E-04	1.01E-08	2.50E+01	1.15E-02	2.88E-09	1.0E+06	2.9E-03
285	285	1.94888	2.14E-05	4.2E-05	2.50E-04	1.04E-08	2.50E+01	1.15E-02	2.99E-09	1.0E+06	3.0E-03
286	286	1.98931	2.14E-05	4.3E-05	2.50E-04	1.06E-08	2.50E+01	1.15E-02	3.05E-09	1.0E+06	3.1E-03
287	287	2.09966	2.14E-05	4.5E-05	2.50E-04	1.12E-08	2.50E+01	1.15E-02	3.22E-09	1.0E+06	3.2E-03
288	288	2.08215	2.14E-05	4.5E-05	2.50E-04	1.11E-08	2.50E+01	1.15E-02	3.20E-09	1.0E+06	3.2E-03
291	291	0.62822	2.14E-05	1.3E-05	2.50E-04	3.36E-09	2.50E+01	1.15E-02	9.64E-10	1.0E+06	9.6E-04
292	292	0.70295	2.14E-05	1.5E-05	2.50E-04	3.76E-09	2.50E+01	1.15E-02	1.08E-09	1.0E+06	1.1E-03
293	293	0.79173	2.14E-05	1.7E-05	2.50E-04	4.24E-09	2.50E+01	1.15E-02	1.22E-09	1.0E+06	1.2E-03
294	294	0.89738	2.14E-05	1.9E-05	2.50E-04	4.80E-09	2.50E+01	1.15E-02	1.38E-09	1.0E+06	1.4E-03
295	295	1.02207	2.14E-05	2.2E-05	2.50E-04	5.47E-09	2.50E+01	1.15E-02	1.57E-09	1.0E+06	1.6E-03
296	296	1.17197	2.14E-05	2.5E-05	2.50E-04	6.27E-09	2.50E+01	1.15E-02	1.80E-09	1.0E+06	1.8E-03
297	297	1.3513	2.14E-05	2.9E-05	2.50E-04	7.23E-09	2.50E+01	1.15E-02	2.07E-09	1.0E+06	2.1E-03
298	298	1.80245	2.14E-05	3.9E-05	2.50E-04	9.65E-09	2.50E+01	1.15E-02	2.77E-09	1.0E+06	2.8E-03
299	299	2.06811	2.14E-05	4.4E-05	2.50E-04	1.11E-08	2.50E+01	1.15E-02	3.18E-09	1.0E+06	3.2E-03
300	300	2.3253	2.14E-05	5.0E-05	2.50E-04	1.24E-08	2.50E+01	1.15E-02	3.57E-09	1.0E+06	3.6E-03
301	301	2.53433	2.14E-05	5.4E-05	2.50E-04	1.36E-08	2.50E+01	1.15E-02	3.89E-09	1.0E+06	3.9E-03

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
302	302	2.65413	2.14E-05	5.7E-05	2.50E-04	1.42E-08	2.50E+01	1.15E-02	4.07E-09	1.0E+06	4.1E-03
303	303	2.7321	2.14E-05	5.8E-05	2.50E-04	1.46E-08	2.50E+01	1.15E-02	4.19E-09	1.0E+06	4.2E-03
304	304	2.78786	2.14E-05	6.0E-05	2.50E-04	1.49E-08	2.50E+01	1.15E-02	4.28E-09	1.0E+06	4.3E-03
305	305	2.66405	2.14E-05	5.7E-05	2.50E-04	1.43E-08	2.50E+01	1.15E-02	4.09E-09	1.0E+06	4.1E-03
308	308	0.6707	2.14E-05	1.4E-05	2.50E-04	3.59E-09	2.50E+01	1.15E-02	1.03E-09	1.0E+06	1.0E-03
309	309	0.75749	2.14E-05	1.6E-05	2.50E-04	4.06E-09	2.50E+01	1.15E-02	1.16E-09	1.0E+06	1.2E-03
310	310	0.86222	2.14E-05	1.8E-05	2.50E-04	4.62E-09	2.50E+01	1.15E-02	1.32E-09	1.0E+06	1.3E-03
311	311	0.9906	2.14E-05	2.1E-05	2.50E-04	5.30E-09	2.50E+01	1.15E-02	1.52E-09	1.0E+06	1.5E-03
312	312	1.14821	2.14E-05	2.5E-05	2.50E-04	6.15E-09	2.50E+01	1.15E-02	1.76E-09	1.0E+06	1.8E-03
313	313	1.34359	2.14E-05	2.9E-05	2.50E-04	7.19E-09	2.50E+01	1.15E-02	2.06E-09	1.0E+06	2.1E-03
314	314	1.58892	2.14E-05	3.4E-05	2.50E-04	8.51E-09	2.50E+01	1.15E-02	2.44E-09	1.0E+06	2.4E-03
315	315	2.2828	2.14E-05	4.9E-05	2.50E-04	1.22E-08	2.50E+01	1.15E-02	3.50E-09	1.0E+06	3.5E-03
316	316	2.754	2.14E-05	5.9E-05	2.50E-04	1.47E-08	2.50E+01	1.15E-02	4.23E-09	1.0E+06	4.2E-03
317	317	3.25973	2.14E-05	7.0E-05	2.50E-04	1.75E-08	2.50E+01	1.15E-02	5.00E-09	1.0E+06	5.0E-03
318	318	3.69955	2.14E-05	7.9E-05	2.50E-04	1.98E-08	2.50E+01	1.15E-02	5.68E-09	1.0E+06	5.7E-03
319	319	3.93695	2.14E-05	8.4E-05	2.50E-04	2.11E-08	2.50E+01	1.15E-02	6.04E-09	1.0E+06	6.0E-03
320	320	4.1077	2.14E-05	8.8E-05	2.50E-04	2.20E-08	2.50E+01	1.15E-02	6.31E-09	1.0E+06	6.3E-03
321	321	3.70838	2.14E-05	7.9E-05	2.50E-04	1.99E-08	2.50E+01	1.15E-02	5.69E-09	1.0E+06	5.7E-03
322	322	3.35903	2.14E-05	7.2E-05	2.50E-04	1.80E-08	2.50E+01	1.15E-02	5.16E-09	1.0E+06	5.2E-03
325	325	0.71083	2.14E-05	1.5E-05	2.50E-04	3.81E-09	2.50E+01	1.15E-02	1.09E-09	1.0E+06	1.1E-03
326	326	0.80983	2.14E-05	1.7E-05	2.50E-04	4.34E-09	2.50E+01	1.15E-02	1.24E-09	1.0E+06	1.2E-03
327	327	0.93164	2.14E-05	2.0E-05	2.50E-04	4.99E-09	2.50E+01	1.15E-02	1.43E-09	1.0E+06	1.4E-03
328	328	1.08446	2.14E-05	2.3E-05	2.50E-04	5.81E-09	2.50E+01	1.15E-02	1.66E-09	1.0E+06	1.7E-03
329	329	1.27728	2.14E-05	2.7E-05	2.50E-04	6.84E-09	2.50E+01	1.15E-02	1.96E-09	1.0E+06	2.0E-03
330	330	1.52745	2.14E-05	3.3E-05	2.50E-04	8.18E-09	2.50E+01	1.15E-02	2.35E-09	1.0E+06	2.3E-03
331	331	1.85783	2.14E-05	4.0E-05	2.50E-04	9.95E-09	2.50E+01	1.15E-02	2.85E-09	1.0E+06	2.9E-03
332	332	2.30347	2.14E-05	4.9E-05	2.50E-04	1.23E-08	2.50E+01	1.15E-02	3.54E-09	1.0E+06	3.5E-03
333	333	2.92908	2.14E-05	6.3E-05	2.50E-04	1.57E-08	2.50E+01	1.15E-02	4.50E-09	1.0E+06	4.5E-03
334	334	3.80958	2.14E-05	8.1E-05	2.50E-04	2.04E-08	2.50E+01	1.15E-02	5.85E-09	1.0E+06	5.8E-03
335	335	5.01108	2.14E-05	1.1E-04	2.50E-04	2.68E-08	2.50E+01	1.15E-02	7.69E-09	1.0E+06	7.7E-03
336	336	6.24018	2.14E-05	1.3E-04	2.50E-04	3.34E-08	2.50E+01	1.15E-02	9.58E-09	1.0E+06	9.6E-03

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 16-30 years - Construction											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
337	337	6.88395	2.14E-05	1.5E-04	2.50E-04	3.69E-08	2.50E+01	1.15E-02	1.06E-08	1.0E+06	1.1E-02
338	338	7.01671	2.14E-05	1.5E-04	2.50E-04	3.76E-08	2.50E+01	1.15E-02	1.08E-08	1.0E+06	1.1E-02
339	339	5.61006	2.14E-05	1.2E-04	2.50E-04	3.00E-08	2.50E+01	1.15E-02	8.61E-09	1.0E+06	8.6E-03
340	340	4.79398	2.14E-05	1.0E-04	2.50E-04	2.57E-08	2.50E+01	1.15E-02	7.36E-09	1.0E+06	7.4E-03
341	341	4.08422	2.14E-05	8.7E-05	2.50E-04	2.19E-08	2.50E+01	1.15E-02	6.27E-09	1.0E+06	6.3E-03
349	349	1.40234	2.14E-05	3.0E-05	2.50E-04	7.51E-09	2.50E+01	1.15E-02	2.15E-09	1.0E+06	2.2E-03
350	350	1.71051	2.14E-05	3.7E-05	2.50E-04	9.16E-09	2.50E+01	1.15E-02	2.63E-09	1.0E+06	2.6E-03
351	351	2.13697	2.14E-05	4.6E-05	2.50E-04	1.14E-08	2.50E+01	1.15E-02	3.28E-09	1.0E+06	3.3E-03
352	352	2.75413	2.14E-05	5.9E-05	2.50E-04	1.47E-08	2.50E+01	1.15E-02	4.23E-09	1.0E+06	4.2E-03
353	353	7.40605	2.14E-05	1.6E-04	2.50E-04	3.96E-08	2.50E+01	1.15E-02	1.14E-08	1.0E+06	1.1E-02
354	354	5.85191	2.14E-05	1.3E-04	2.50E-04	3.13E-08	2.50E+01	1.15E-02	8.98E-09	1.0E+06	9.0E-03
355	355	4.72166	2.14E-05	1.0E-04	2.50E-04	2.53E-08	2.50E+01	1.15E-02	7.25E-09	1.0E+06	7.2E-03
364	364	1.87212	2.14E-05	4.0E-05	2.50E-04	1.00E-08	2.50E+01	1.15E-02	2.87E-09	1.0E+06	2.9E-03
365	365	2.3911	2.14E-05	5.1E-05	2.50E-04	1.28E-08	2.50E+01	1.15E-02	3.67E-09	1.0E+06	3.7E-03
366	366	3.18501	2.14E-05	6.8E-05	2.50E-04	1.71E-08	2.50E+01	1.15E-02	4.89E-09	1.0E+06	4.9E-03
367	367	8.96845	2.14E-05	1.9E-04	2.50E-04	4.80E-08	2.50E+01	1.15E-02	1.38E-08	1.0E+06	1.4E-02
368	368	6.70424	2.14E-05	1.4E-04	2.50E-04	3.59E-08	2.50E+01	1.15E-02	1.03E-08	1.0E+06	1.0E-02
369	369	5.18569	2.14E-05	1.1E-04	2.50E-04	2.78E-08	2.50E+01	1.15E-02	7.96E-09	1.0E+06	8.0E-03
377	377	1.99204	2.14E-05	4.3E-05	2.50E-04	1.07E-08	2.50E+01	1.15E-02	3.06E-09	1.0E+06	3.1E-03
378	378	2.58244	2.14E-05	5.5E-05	2.50E-04	1.38E-08	2.50E+01	1.15E-02	3.96E-09	1.0E+06	4.0E-03
379	379	3.50529	2.14E-05	7.5E-05	2.50E-04	1.88E-08	2.50E+01	1.15E-02	5.38E-09	1.0E+06	5.4E-03
380	380	10.1845	2.14E-05	2.2E-04	2.50E-04	5.45E-08	2.50E+01	1.15E-02	1.56E-08	1.0E+06	1.6E-02
381	381	7.28319	2.14E-05	1.6E-04	2.50E-04	3.90E-08	2.50E+01	1.15E-02	1.12E-08	1.0E+06	1.1E-02
382	382	5.43453	2.14E-05	1.2E-04	2.50E-04	2.91E-08	2.50E+01	1.15E-02	8.34E-09	1.0E+06	8.3E-03
391	391	2.6825	2.14E-05	5.7E-05	2.50E-04	1.44E-08	2.50E+01	1.15E-02	4.12E-09	1.0E+06	4.1E-03
392	392	3.65682	2.14E-05	7.8E-05	2.50E-04	1.96E-08	2.50E+01	1.15E-02	5.61E-09	1.0E+06	5.6E-03
393	393	11.07382	2.14E-05	2.4E-04	2.50E-04	5.93E-08	2.50E+01	1.15E-02	1.70E-08	1.0E+06	1.7E-02
394	394	7.57366	2.14E-05	1.6E-04	2.50E-04	4.05E-08	2.50E+01	1.15E-02	1.16E-08	1.0E+06	1.2E-02
395	395	5.4365	2.14E-05	1.2E-04	2.50E-04	2.91E-08	2.50E+01	1.15E-02	8.35E-09	1.0E+06	8.3E-03
405	405	2.6853	2.14E-05	5.7E-05	2.50E-04	1.44E-08	2.50E+01	1.15E-02	4.12E-09	1.0E+06	4.1E-03
406	406	3.65387	2.14E-05	7.8E-05	2.50E-04	1.96E-08	2.50E+01	1.15E-02	5.61E-09	1.0E+06	5.6E-03

Via Oro
Risk From Idling in Bays [Idle2]

<i>Cancer Risk from 16-30 years - Construction</i>											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
407	407	5.28088	2.14E-05	1.1E-04	2.50E-04	2.83E-08	2.50E+01	1.15E-02	8.11E-09	1.0E+06	8.1E-03
408	408	11.48422	2.14E-05	2.5E-04	2.50E-04	6.15E-08	2.50E+01	1.15E-02	1.76E-08	1.0E+06	1.8E-02
409	409	7.42787	2.14E-05	1.6E-04	2.50E-04	3.98E-08	2.50E+01	1.15E-02	1.14E-08	1.0E+06	1.1E-02
410	410	5.13666	2.14E-05	1.1E-04	2.50E-04	2.75E-08	2.50E+01	1.15E-02	7.89E-09	1.0E+06	7.9E-03
421	421	3.4969	2.14E-05	7.5E-05	2.50E-04	1.87E-08	2.50E+01	1.15E-02	5.37E-09	1.0E+06	5.4E-03
422	422	4.97228	2.14E-05	1.1E-04	2.50E-04	2.66E-08	2.50E+01	1.15E-02	7.63E-09	1.0E+06	7.6E-03
423	423	10.95252	2.14E-05	2.3E-04	2.50E-04	5.86E-08	2.50E+01	1.15E-02	1.68E-08	1.0E+06	1.7E-02
424	424	6.71695	2.14E-05	1.4E-04	2.50E-04	3.60E-08	2.50E+01	1.15E-02	1.03E-08	1.0E+06	1.0E-02
425	425	4.54523	2.14E-05	9.7E-05	2.50E-04	2.43E-08	2.50E+01	1.15E-02	6.98E-09	1.0E+06	7.0E-03
435	435	3.22356	2.14E-05	6.9E-05	2.50E-04	1.73E-08	2.50E+01	1.15E-02	4.95E-09	1.0E+06	4.9E-03
436	436	4.48408	2.14E-05	9.6E-05	2.50E-04	2.40E-08	2.50E+01	1.15E-02	6.88E-09	1.0E+06	6.9E-03
437	437	5.57665	2.14E-05	1.2E-04	2.50E-04	2.99E-08	2.50E+01	1.15E-02	8.56E-09	1.0E+06	8.6E-03
438	438	3.82462	2.14E-05	8.2E-05	2.50E-04	2.05E-08	2.50E+01	1.15E-02	5.87E-09	1.0E+06	5.9E-03
449	449	2.88702	2.14E-05	6.2E-05	2.50E-04	1.55E-08	2.50E+01	1.15E-02	4.43E-09	1.0E+06	4.4E-03
450	450	3.89712	2.14E-05	8.3E-05	2.50E-04	2.09E-08	2.50E+01	1.15E-02	5.98E-09	1.0E+06	6.0E-03
451	451	5.55432	2.14E-05	1.2E-04	2.50E-04	2.97E-08	2.50E+01	1.15E-02	8.53E-09	1.0E+06	8.5E-03
452	452	4.50046	2.14E-05	9.6E-05	2.50E-04	2.41E-08	2.50E+01	1.15E-02	6.91E-09	1.0E+06	6.9E-03
453	453	3.2082	2.14E-05	6.9E-05	2.50E-04	1.72E-08	2.50E+01	1.15E-02	4.93E-09	1.0E+06	4.9E-03
464	464	3.30541	2.14E-05	7.1E-05	2.50E-04	1.77E-08	2.50E+01	1.15E-02	5.07E-09	1.0E+06	5.1E-03
465	465	4.47485	2.14E-05	9.6E-05	2.50E-04	2.40E-08	2.50E+01	1.15E-02	6.87E-09	1.0E+06	6.9E-03
466	466	8.97029	2.14E-05	1.9E-04	2.50E-04	4.80E-08	2.50E+01	1.15E-02	1.38E-08	1.0E+06	1.4E-02
467	467	3.75442	2.14E-05	8.0E-05	2.50E-04	2.01E-08	2.50E+01	1.15E-02	5.76E-09	1.0E+06	5.8E-03
468	468	2.75909	2.14E-05	5.9E-05	2.50E-04	1.48E-08	2.50E+01	1.15E-02	4.24E-09	1.0E+06	4.2E-03
479	479	2.75542	2.14E-05	5.9E-05	2.50E-04	1.48E-08	2.50E+01	1.15E-02	4.23E-09	1.0E+06	4.2E-03
480	480	3.57033	2.14E-05	7.6E-05	2.50E-04	1.91E-08	2.50E+01	1.15E-02	5.48E-09	1.0E+06	5.5E-03
481	481	4.73885	2.14E-05	1.0E-04	2.50E-04	2.54E-08	2.50E+01	1.15E-02	7.28E-09	1.0E+06	7.3E-03
482	482	6.46328	2.14E-05	1.4E-04	2.50E-04	3.46E-08	2.50E+01	1.15E-02	9.92E-09	1.0E+06	9.9E-03
483	483	8.44194	2.14E-05	1.8E-04	2.50E-04	4.52E-08	2.50E+01	1.15E-02	1.30E-08	1.0E+06	1.3E-02
484	484	8.60219	2.14E-05	1.8E-04	2.50E-04	4.61E-08	2.50E+01	1.15E-02	1.32E-08	1.0E+06	1.3E-02
485	485	6.47564	2.14E-05	1.4E-04	2.50E-04	3.47E-08	2.50E+01	1.15E-02	9.94E-09	1.0E+06	9.9E-03
486	486	4.47423	2.14E-05	9.6E-05	2.50E-04	2.40E-08	2.50E+01	1.15E-02	6.87E-09	1.0E+06	6.9E-03

Via Oro
Risk From Idling in Bays [Idle2]

Cancer Risk from 16-30 years - Construction

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
487	487	3.20215	2.14E-05	6.8E-05	2.50E-04	1.71E-08	2.50E+01	1.15E-02	4.92E-09	1.0E+06	4.9E-03
488	488	2.40951	2.14E-05	5.2E-05	2.50E-04	1.29E-08	2.50E+01	1.15E-02	3.70E-09	1.0E+06	3.7E-03
501	501	2.85958	2.14E-05	6.1E-05	2.50E-04	1.53E-08	2.50E+01	1.15E-02	4.39E-09	1.0E+06	4.4E-03
502	502	3.62201	2.14E-05	7.7E-05	2.50E-04	1.94E-08	2.50E+01	1.15E-02	5.56E-09	1.0E+06	5.6E-03
503	503	4.56577	2.14E-05	9.8E-05	2.50E-04	2.44E-08	2.50E+01	1.15E-02	7.01E-09	1.0E+06	7.0E-03
504	504	5.44859	2.14E-05	1.2E-04	2.50E-04	2.92E-08	2.50E+01	1.15E-02	8.37E-09	1.0E+06	8.4E-03
505	505	5.58679	2.14E-05	1.2E-04	2.50E-04	2.99E-08	2.50E+01	1.15E-02	8.58E-09	1.0E+06	8.6E-03
506	506	4.75255	2.14E-05	1.0E-04	2.50E-04	2.54E-08	2.50E+01	1.15E-02	7.30E-09	1.0E+06	7.3E-03
507	507	3.63846	2.14E-05	7.8E-05	2.50E-04	1.95E-08	2.50E+01	1.15E-02	5.59E-09	1.0E+06	5.6E-03
508	508	2.12201	2.14E-05	4.5E-05	2.50E-04	1.14E-08	2.50E+01	1.15E-02	3.26E-09	1.0E+06	3.3E-03
520	520	2.34367	2.14E-05	5.0E-05	2.50E-04	1.25E-08	2.50E+01	1.15E-02	3.60E-09	1.0E+06	3.6E-03
521	521	2.81705	2.14E-05	6.0E-05	2.50E-04	1.51E-08	2.50E+01	1.15E-02	4.32E-09	1.0E+06	4.3E-03
522	522	3.39833	2.14E-05	7.3E-05	2.50E-04	1.82E-08	2.50E+01	1.15E-02	5.22E-09	1.0E+06	5.2E-03
523	523	3.86855	2.14E-05	8.3E-05	2.50E-04	2.07E-08	2.50E+01	1.15E-02	5.94E-09	1.0E+06	5.9E-03
524	524	3.9752	2.14E-05	8.5E-05	2.50E-04	2.13E-08	2.50E+01	1.15E-02	6.10E-09	1.0E+06	6.1E-03
525	525	3.59884	2.14E-05	7.7E-05	2.50E-04	1.93E-08	2.50E+01	1.15E-02	5.53E-09	1.0E+06	5.5E-03
526	526	2.96582	2.14E-05	6.3E-05	2.50E-04	1.59E-08	2.50E+01	1.15E-02	4.55E-09	1.0E+06	4.6E-03
527	527	1.87523	2.14E-05	4.0E-05	2.50E-04	1.00E-08	2.50E+01	1.15E-02	2.88E-09	1.0E+06	2.9E-03
539	539	1.94944	2.14E-05	4.2E-05	2.50E-04	1.04E-08	2.50E+01	1.15E-02	2.99E-09	1.0E+06	3.0E-03
540	540	2.27866	2.14E-05	4.9E-05	2.50E-04	1.22E-08	2.50E+01	1.15E-02	3.50E-09	1.0E+06	3.5E-03
541	541	2.62289	2.14E-05	5.6E-05	2.50E-04	1.40E-08	2.50E+01	1.15E-02	4.03E-09	1.0E+06	4.0E-03
542	542	2.9058	2.14E-05	6.2E-05	2.50E-04	1.56E-08	2.50E+01	1.15E-02	4.46E-09	1.0E+06	4.5E-03
543	543	2.99625	2.14E-05	6.4E-05	2.50E-04	1.60E-08	2.50E+01	1.15E-02	4.60E-09	1.0E+06	4.6E-03
544	544	2.81072	2.14E-05	6.0E-05	2.50E-04	1.50E-08	2.50E+01	1.15E-02	4.32E-09	1.0E+06	4.3E-03
545	545	2.43278	2.14E-05	5.2E-05	2.50E-04	1.30E-08	2.50E+01	1.15E-02	3.73E-09	1.0E+06	3.7E-03
546	546	1.6595	2.14E-05	3.5E-05	2.50E-04	8.88E-09	2.50E+01	1.15E-02	2.55E-09	1.0E+06	2.5E-03
560	560	1.8736	2.14E-05	4.0E-05	2.50E-04	1.00E-08	2.50E+01	1.15E-02	2.88E-09	1.0E+06	2.9E-03
561	561	2.10729	2.14E-05	4.5E-05	2.50E-04	1.13E-08	2.50E+01	1.15E-02	3.24E-09	1.0E+06	3.2E-03
562	562	2.28701	2.14E-05	4.9E-05	2.50E-04	1.22E-08	2.50E+01	1.15E-02	3.51E-09	1.0E+06	3.5E-03
563	563	2.34089	2.14E-05	5.0E-05	2.50E-04	1.25E-08	2.50E+01	1.15E-02	3.59E-09	1.0E+06	3.6E-03
564	564	2.25173	2.14E-05	4.8E-05	2.50E-04	1.21E-08	2.50E+01	1.15E-02	3.46E-09	1.0E+06	3.5E-03

Via Oro
Risk From Idling in Bays [Idle2]

<i>Cancer Risk from 16-30 years - Construction</i>											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
565	565	2.02909	2.14E-05	4.3E-05	2.50E-04	1.09E-08	2.50E+01	1.15E-02	3.12E-09	1.0E+06	3.1E-03
566	566	1.47414	2.14E-05	3.2E-05	2.50E-04	7.89E-09	2.50E+01	1.15E-02	2.26E-09	1.0E+06	2.3E-03
579	579	1.5669	2.14E-05	3.4E-05	2.50E-04	8.39E-09	2.50E+01	1.15E-02	2.41E-09	1.0E+06	2.4E-03
580	580	1.72906	2.14E-05	3.7E-05	2.50E-04	9.26E-09	2.50E+01	1.15E-02	2.65E-09	1.0E+06	2.7E-03
581	581	1.85463	2.14E-05	4.0E-05	2.50E-04	9.93E-09	2.50E+01	1.15E-02	2.85E-09	1.0E+06	2.8E-03
582	582	1.90301	2.14E-05	4.1E-05	2.50E-04	1.02E-08	2.50E+01	1.15E-02	2.92E-09	1.0E+06	2.9E-03
583	583	1.85048	2.14E-05	4.0E-05	2.50E-04	9.91E-09	2.50E+01	1.15E-02	2.84E-09	1.0E+06	2.8E-03
584	584	1.70567	2.14E-05	3.6E-05	2.50E-04	9.13E-09	2.50E+01	1.15E-02	2.62E-09	1.0E+06	2.6E-03
585	585	1.427	2.14E-05	3.1E-05	2.50E-04	7.64E-09	2.50E+01	1.15E-02	2.19E-09	1.0E+06	2.2E-03
598	598	1.33103	2.14E-05	2.8E-05	2.50E-04	7.13E-09	2.50E+01	1.15E-02	2.04E-09	1.0E+06	2.0E-03
599	599	1.44648	2.14E-05	3.1E-05	2.50E-04	7.74E-09	2.50E+01	1.15E-02	2.22E-09	1.0E+06	2.2E-03
600	600	1.53631	2.14E-05	3.3E-05	2.50E-04	8.22E-09	2.50E+01	1.15E-02	2.36E-09	1.0E+06	2.4E-03
601	601	1.57574	2.14E-05	3.4E-05	2.50E-04	8.44E-09	2.50E+01	1.15E-02	2.42E-09	1.0E+06	2.4E-03
602	602	1.54791	2.14E-05	3.3E-05	2.50E-04	8.29E-09	2.50E+01	1.15E-02	2.38E-09	1.0E+06	2.4E-03
603	603	1.45548	2.14E-05	3.1E-05	2.50E-04	7.79E-09	2.50E+01	1.15E-02	2.23E-09	1.0E+06	2.2E-03
604	604	1.31763	2.14E-05	2.8E-05	2.50E-04	7.05E-09	2.50E+01	1.15E-02	2.02E-09	1.0E+06	2.0E-03
0	0	0	2.14E-05	0.0E+00	2.50E-04	0.00E+00	2.50E+01	1.15E-02	0.00E+00	1.0E+06	0.0E+00

Via Oro
Risk From Idling in Bays [Idle2]

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
1	1	2.1E-03	5	5.38E-07	
2	2	2.2E-03	5	5.58E-07	
3	3	2.3E-03	5	5.77E-07	
4	4	2.3E-03	5	5.98E-07	
5	5	2.4E-03	5	6.19E-07	
6	6	2.5E-03	5	6.42E-07	
7	7	2.6E-03	5	6.66E-07	
8	8	2.7E-03	5	6.90E-07	
9	9	2.8E-03	5	7.15E-07	
10	10	2.9E-03	5	7.41E-07	
11	11	3.0E-03	5	7.68E-07	
12	12	3.1E-03	5	7.96E-07	
13	13	3.2E-03	5	8.24E-07	
14	14	3.3E-03	5	8.53E-07	
15	15	3.4E-03	5	8.82E-07	
16	16	3.6E-03	5	9.12E-07	
17	17	3.7E-03	5	9.42E-07	
18	18	3.8E-03	5	9.71E-07	
19	19	3.9E-03	5	1.00E-06	
20	20	4.0E-03	5	1.03E-06	
21	21	4.1E-03	5	1.06E-06	
22	22	4.2E-03	5	1.08E-06	
23	23	4.3E-03	5	1.10E-06	
24	24	4.4E-03	5	1.13E-06	
25	25	4.5E-03	5	1.14E-06	
26	26	4.5E-03	5	1.16E-06	
27	27	4.6E-03	5	1.17E-06	
28	28	4.6E-03	5	1.18E-06	
29	29	4.7E-03	5	1.19E-06	
30	30	4.7E-03	5	1.19E-06	
31	31	4.7E-03	5	1.20E-06	

Max	Receptor #	
0.033	519	Res
0.043	420	School
0.018	408	Worker

Max	Receptor #	
8.392E-06	519	Res
1.109E-05	420	School
4.913E-05	408	Worker

Via Oro
Risk From Idling in Bays [Idle2]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
32	32	4.7E-03	5	1.20E-06	
55	55	4.6E-03	5	1.16E-06	
56	56	4.7E-03	5	1.19E-06	
57	57	4.8E-03	5	1.22E-06	
58	58	4.8E-03	5	1.24E-06	
59	59	4.9E-03	5	1.26E-06	
60	60	5.0E-03	5	1.27E-06	
61	61	5.0E-03	5	1.28E-06	
62	62	5.1E-03	5	1.29E-06	
63	63	5.1E-03	5	1.30E-06	
64	64	5.1E-03	5	1.30E-06	
65	65	5.1E-03	5	1.30E-06	
66	66	5.1E-03	5	1.30E-06	
67	67	2.2E-03	5	5.75E-07	
68	68	2.3E-03	5	5.98E-07	
69	69	2.4E-03	5	6.21E-07	
70	70	2.5E-03	5	6.45E-07	
71	71	2.6E-03	5	6.71E-07	
72	72	2.7E-03	5	6.98E-07	
73	73	2.8E-03	5	7.26E-07	
74	74	3.0E-03	5	7.55E-07	
75	75	3.1E-03	5	7.86E-07	
76	76	3.2E-03	5	8.18E-07	
77	77	3.3E-03	5	8.51E-07	
78	78	3.5E-03	5	8.86E-07	
79	79	4.2E-03	5	1.07E-06	
80	80	4.3E-03	5	1.11E-06	
81	81	4.5E-03	5	1.15E-06	
82	82	4.6E-03	5	1.19E-06	
83	83	4.8E-03	5	1.23E-06	
84	84	4.9E-03	5	1.26E-06	

Via Oro
Risk From Idling in Bays [Idle2]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad
85	85	5.1E-03	5	1.29E-06
86	86	5.2E-03	5	1.32E-06
87	87	5.3E-03	5	1.35E-06
88	88	5.4E-03	5	1.37E-06
89	89	5.4E-03	5	1.39E-06
90	90	5.5E-03	5	1.40E-06
91	91	5.5E-03	5	1.41E-06
92	92	5.5E-03	5	1.42E-06
93	93	5.5E-03	5	1.42E-06
96	96	5.6E-03	5	1.44E-06
97	97	5.6E-03	5	1.44E-06
98	98	5.9E-03	5	1.50E-06
99	99	5.9E-03	5	1.52E-06
100	100	6.0E-03	5	1.54E-06
101	101	6.0E-03	5	1.55E-06
102	102	6.1E-03	5	1.55E-06
106	106	2.3E-03	5	5.89E-07
107	107	2.4E-03	5	6.14E-07
108	108	2.5E-03	5	6.40E-07
109	109	2.6E-03	5	6.67E-07
110	110	2.7E-03	5	6.96E-07
111	111	2.8E-03	5	7.26E-07
112	112	3.0E-03	5	7.58E-07
113	113	3.1E-03	5	7.92E-07
114	114	3.2E-03	5	8.27E-07
115	115	3.4E-03	5	8.65E-07
116	116	3.5E-03	5	9.04E-07
117	117	3.7E-03	5	9.45E-07
118	118	3.9E-03	5	9.89E-07
124	124	2.4E-03	5	6.07E-07
125	125	2.5E-03	5	6.34E-07

Via Oro
Risk From Idling in Bays [Idle2]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
126	126	2.6E-03	5	6.61E-07	
127	127	2.7E-03	5	6.91E-07	
128	128	2.8E-03	5	7.22E-07	
129	129	2.9E-03	5	7.54E-07	
130	130	3.1E-03	5	7.90E-07	
131	131	3.2E-03	5	8.27E-07	
132	132	3.4E-03	5	8.66E-07	
133	133	3.5E-03	5	9.08E-07	
134	134	3.7E-03	5	9.52E-07	
135	135	3.9E-03	5	9.98E-07	
136	136	4.1E-03	5	1.05E-06	
137	137	4.3E-03	5	1.10E-06	
138	138	4.5E-03	5	1.15E-06	
141	141	2.4E-03	5	6.26E-07	
142	142	2.6E-03	5	6.53E-07	
143	143	2.7E-03	5	6.83E-07	
144	144	2.8E-03	5	7.15E-07	
145	145	2.9E-03	5	7.48E-07	
146	146	3.1E-03	5	7.84E-07	
147	147	3.2E-03	5	8.22E-07	
148	148	3.4E-03	5	8.63E-07	
149	149	3.5E-03	5	9.07E-07	
150	150	3.7E-03	5	9.53E-07	
151	151	3.9E-03	5	1.00E-06	
152	152	4.1E-03	5	1.05E-06	
153	153	4.3E-03	5	1.11E-06	
154	154	4.6E-03	5	1.17E-06	
155	155	4.8E-03	5	1.23E-06	
164	164	4.8E-03	5	1.24E-06	
165	165	5.1E-03	5	1.31E-06	
166	166	5.4E-03	5	1.39E-06	

Via Oro
Risk From Idling in Bays [Idle2]

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
178	178	5.2E-03				5	1.32E-06	
179	179	5.5E-03				5	1.40E-06	
180	180	5.8E-03				5	1.49E-06	
192	192	5.5E-03				5	1.40E-06	
193	193	5.8E-03				5	1.50E-06	
194	194	6.2E-03				5	1.60E-06	
207	207	5.8E-03				5	1.49E-06	
208	208	6.3E-03				5	1.60E-06	
209	209	6.7E-03				5	1.72E-06	
223	223	6.2E-03				5	1.59E-06	
224	224	6.7E-03				5	1.71E-06	
225	225	7.2E-03				5	1.84E-06	
239	239	6.6E-03				5	1.68E-06	
240	240	7.1E-03				5	1.82E-06	
241	241	7.7E-03				5	1.98E-06	
255	255	7.0E-03				5	1.78E-06	
256	256	7.6E-03				5	1.94E-06	
272	272	7.4E-03				5	1.88E-06	
273	273	8.1E-03				5	2.06E-06	
289	289	7.7E-03				5	1.98E-06	
290	290	8.5E-03				5	2.18E-06	
306	306	8.1E-03				5	2.07E-06	
307	307	9.0E-03				5	2.30E-06	
323	323	8.4E-03				5	2.16E-06	
324	324	9.4E-03				5	2.40E-06	
342	342	8.7E-03				5	2.23E-06	
343	343	9.7E-03				5	2.49E-06	
344	344	1.1E-02				5	2.81E-06	
356	356	8.9E-03				5	2.29E-06	
357	357	1.0E-02				5	2.57E-06	
358	358	1.1E-02				5	2.90E-06	

Via Oro
Risk From Idling in Bays [Idle2]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
370	370	9.1E-03	5	2.33E-06	
371	371	1.0E-02	5	2.62E-06	
372	372	1.2E-02	5	2.97E-06	
383	383	9.2E-03	5	2.35E-06	
384	384	1.0E-02	5	2.64E-06	
385	385	1.2E-02	5	3.01E-06	
396	396	9.2E-03	5	2.35E-06	
397	397	1.0E-02	5	2.65E-06	
398	398	1.2E-02	5	3.01E-06	
399	399	1.4E-02	5	3.46E-06	
411	411	9.1E-03	5	2.33E-06	
412	412	1.0E-02	5	2.63E-06	
413	413	1.2E-02	5	2.98E-06	
414	414	1.3E-02	5	3.42E-06	
426	426	9.0E-03	5	2.30E-06	
427	427	1.0E-02	5	2.58E-06	
428	428	1.1E-02	5	2.93E-06	
429	429	1.3E-02	5	3.35E-06	
439	439	8.8E-03	5	2.25E-06	
440	440	9.9E-03	5	2.53E-06	
441	441	1.1E-02	5	2.86E-06	
442	442	1.3E-02	5	3.26E-06	
443	443	1.5E-02	5	3.75E-06	
454	454	8.6E-03	5	2.20E-06	
455	455	9.6E-03	5	2.46E-06	
456	456	1.1E-02	5	2.77E-06	
457	457	1.2E-02	5	3.14E-06	
458	458	1.4E-02	5	3.60E-06	
469	469	8.3E-03	5	2.13E-06	
470	470	9.3E-03	5	2.37E-06	
471	471	1.0E-02	5	2.66E-06	

Via Oro
Risk From Idling in Bays [Idle2]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
472	472	1.2E-02	5	3.00E-06	
473	473	1.3E-02	5	3.42E-06	
489	489	8.1E-03	5	2.06E-06	
490	490	8.9E-03	5	2.29E-06	
491	491	1.0E-02	5	2.55E-06	
492	492	1.1E-02	5	2.86E-06	
493	493	1.3E-02	5	3.23E-06	
494	494	1.4E-02	5	3.68E-06	
509	509	7.8E-03	5	1.98E-06	
510	510	8.6E-03	5	2.19E-06	
511	511	9.5E-03	5	2.43E-06	
512	512	1.1E-02	5	2.71E-06	
513	513	1.2E-02	5	3.04E-06	
514	514	1.3E-02	5	3.43E-06	
515	515	1.7E-02	5	4.46E-06	
516	516	2.0E-02	5	5.15E-06	
517	517	2.3E-02	5	6.00E-06	
518	518	2.8E-02	5	7.06E-06	
519	519	3.3E-02	5	8.39E-06	
528	528	7.4E-03	5	1.91E-06	
529	529	8.2E-03	5	2.09E-06	
530	530	9.0E-03	5	2.31E-06	
531	531	1.0E-02	5	2.56E-06	
532	532	1.1E-02	5	2.85E-06	
533	533	1.2E-02	5	3.19E-06	
534	534	1.6E-02	5	4.06E-06	
535	535	1.8E-02	5	4.62E-06	
536	536	2.1E-02	5	5.31E-06	
537	537	2.4E-02	5	6.13E-06	
538	538	2.8E-02	5	7.13E-06	
547	547	7.1E-03	5	1.82E-06	

Via Oro
Risk From Idling in Bays [Idle2]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
548	548	7.8E-03	5	1.99E-06	
549	549	8.6E-03	5	2.19E-06	
550	550	9.4E-03	5	2.41E-06	
551	551	1.0E-02	5	2.66E-06	
552	552	1.2E-02	5	2.95E-06	
553	553	1.3E-02	5	3.29E-06	
554	554	1.4E-02	5	3.69E-06	
555	555	1.6E-02	5	4.16E-06	
556	556	1.8E-02	5	4.71E-06	
557	557	2.1E-02	5	5.36E-06	
558	558	2.4E-02	5	6.13E-06	
559	559	2.7E-02	5	7.02E-06	
567	567	6.8E-03	5	1.74E-06	
568	568	7.4E-03	5	1.90E-06	
569	569	8.1E-03	5	2.07E-06	
570	570	8.8E-03	5	2.26E-06	
571	571	9.7E-03	5	2.48E-06	
572	572	1.1E-02	5	2.74E-06	
573	573	1.2E-02	5	3.03E-06	
574	574	1.5E-02	5	3.75E-06	
575	575	1.6E-02	5	4.20E-06	
576	576	1.8E-02	5	4.72E-06	
577	577	2.1E-02	5	5.32E-06	
578	578	2.3E-02	5	5.99E-06	
586	586	6.5E-03	5	1.66E-06	
587	587	7.0E-03	5	1.80E-06	
588	588	7.6E-03	5	1.95E-06	
589	589	8.3E-03	5	2.12E-06	
590	590	9.0E-03	5	2.32E-06	
591	591	9.9E-03	5	2.53E-06	
592	592	1.1E-02	5	2.78E-06	

Via Oro
Risk From Idling in Bays [Idle2]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
593	593	1.3E-02	5	3.39E-06	
594	594	1.5E-02	5	3.76E-06	
595	595	1.6E-02	5	4.18E-06	
596	596	1.8E-02	5	4.65E-06	
597	597	2.0E-02	5	5.16E-06	
345	345	1.2E-02	5	3.19E-06	
346	346	1.4E-02	5	3.67E-06	
347	347	1.7E-02	5	4.26E-06	
348	348	2.0E-02	5	5.01E-06	
359	359	1.3E-02	5	3.32E-06	
360	360	1.5E-02	5	3.83E-06	
361	361	1.8E-02	5	4.49E-06	
362	362	2.1E-02	5	5.33E-06	
363	363	2.5E-02	5	6.46E-06	
373	373	1.5E-02	5	3.95E-06	
374	374	1.8E-02	5	4.65E-06	
375	375	2.2E-02	5	5.56E-06	
376	376	2.7E-02	5	6.79E-06	
386	386	1.6E-02	5	4.02E-06	
387	387	1.9E-02	5	4.74E-06	
388	388	2.2E-02	5	5.69E-06	
389	389	2.7E-02	5	6.98E-06	
390	390	3.4E-02	5	8.80E-06	
400	400	1.6E-02	5	4.02E-06	
401	401	1.9E-02	5	4.75E-06	
402	402	2.2E-02	5	5.71E-06	
403	403	2.7E-02	5	7.00E-06	
404	404	3.4E-02	5	8.81E-06	
415	415	1.6E-02	5	3.98E-06	
416	416	1.8E-02	5	4.69E-06	
417	417	2.2E-02	5	5.61E-06	

Via Oro
Risk From Idling in Bays [Idle2]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
418	418	2.7E-02	5	6.86E-06	
419	419	3.4E-02	5	8.60E-06	
420	420	4.3E-02	5	1.11E-05	
430	430	1.8E-02	5	4.56E-06	
431	431	2.1E-02	5	5.43E-06	
432	432	2.6E-02	5	6.59E-06	
433	433	3.2E-02	5	8.18E-06	
434	434	4.1E-02	5	1.04E-05	
444	444	1.7E-02	5	4.38E-06	
445	445	2.0E-02	5	5.18E-06	
446	446	2.4E-02	5	6.22E-06	
447	447	3.0E-02	5	7.62E-06	
448	448	3.7E-02	5	9.57E-06	
459	459	1.9E-02	5	4.88E-06	
460	460	2.3E-02	5	5.80E-06	
461	461	2.7E-02	5	7.00E-06	
462	462	3.4E-02	5	8.62E-06	
463	463	4.2E-02	5	1.09E-05	
474	474	1.8E-02	5	4.56E-06	
475	475	2.1E-02	5	5.34E-06	
476	476	2.5E-02	5	6.35E-06	
477	477	3.0E-02	5	7.67E-06	
478	478	3.7E-02	5	9.43E-06	
495	495	1.7E-02	5	4.22E-06	
496	496	1.9E-02	5	4.89E-06	
497	497	2.2E-02	5	5.73E-06	
498	498	2.7E-02	5	6.79E-06	
499	499	3.2E-02	5	8.15E-06	
500	500	3.9E-02	5	9.93E-06	

Via Oro
Risk From Idling in Bays [Idle2]

Receptor #	Receptor #	Max Cancer Risk		Chronic Non Cancer Risk	
		Total Risk/ Million	Cancer Risk	REL	HI Offroad
139	139	4.3E-04		5	1.21E-06
140	140	4.5E-04		5	1.27E-06
156	156	4.6E-04		5	1.29E-06
157	157	4.9E-04		5	1.36E-06
158	158	5.1E-04		5	1.43E-06
159	159	5.4E-04		5	1.50E-06
160	160	5.7E-04		5	1.58E-06
161	161	6.2E-04		5	1.73E-06
162	162	6.5E-04		5	1.80E-06
163	163	6.7E-04		5	1.87E-06
167	167	5.2E-04		5	1.46E-06
168	168	5.5E-04		5	1.55E-06
169	169	5.9E-04		5	1.63E-06
170	170	6.2E-04		5	1.72E-06
171	171	6.5E-04		5	1.81E-06
172	172	6.8E-04		5	1.90E-06
173	173	7.1E-04		5	1.99E-06
174	174	7.4E-04		5	2.08E-06
175	175	7.7E-04		5	2.15E-06
176	176	8.0E-04		5	2.23E-06
177	177	8.2E-04		5	2.28E-06
181	181	6.0E-04		5	1.68E-06
182	182	6.4E-04		5	1.78E-06
183	183	6.8E-04		5	1.88E-06
184	184	7.1E-04		5	1.99E-06
185	185	7.6E-04		5	2.10E-06
186	186	7.9E-04		5	2.22E-06
187	187	8.3E-04		5	2.32E-06
188	188	8.7E-04		5	2.42E-06
189	189	9.0E-04		5	2.51E-06
190	190	9.3E-04		5	2.59E-06

Via Oro
Risk From Idling in Bays [Idle2]

		<i>Max Cancer Risk</i>		<i>Chronic Non Cancer Risk</i>	
Receptor #	Receptor #	Total Risk/ Million		REL	HI Offroad
191	191	9.5E-04		5	2.65E-06
195	195	6.5E-04		5	1.82E-06
196	196	7.0E-04		5	1.94E-06
197	197	7.4E-04		5	2.07E-06
198	198	7.9E-04		5	2.20E-06
199	199	8.4E-04		5	2.34E-06
200	200	8.9E-04		5	2.48E-06
201	201	9.4E-04		5	2.62E-06
202	202	9.9E-04		5	2.75E-06
203	203	1.0E-03		5	2.87E-06
204	204	1.1E-03		5	2.96E-06
205	205	1.1E-03		5	3.04E-06
206	206	1.1E-03		5	3.09E-06
210	210	6.6E-04		5	1.84E-06
211	211	7.1E-04		5	1.98E-06
212	212	7.6E-04		5	2.13E-06
213	213	8.2E-04		5	2.28E-06
214	214	9.4E-04		5	2.62E-06
215	215	1.0E-03		5	2.80E-06
216	216	1.1E-03		5	2.98E-06
217	217	1.1E-03		5	3.15E-06
218	218	1.2E-03		5	3.31E-06
219	219	1.2E-03		5	3.44E-06
220	220	1.3E-03		5	3.54E-06
221	221	1.3E-03		5	3.61E-06
222	222	1.3E-03		5	3.65E-06
226	226	7.1E-04		5	1.99E-06
227	227	7.7E-04		5	2.15E-06
228	228	8.4E-04		5	2.33E-06
229	229	9.1E-04		5	2.53E-06
230	230	9.8E-04		5	2.73E-06

Via Oro
Risk From Idling in Bays [Idle2]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
231	231	1.1E-03	5	2.95E-06	
232	232	1.1E-03	5	3.19E-06	
233	233	1.3E-03	5	3.65E-06	
234	234	1.4E-03	5	3.87E-06	
235	235	1.5E-03	5	4.05E-06	
236	236	1.5E-03	5	4.19E-06	
237	237	1.5E-03	5	4.28E-06	
238	238	1.6E-03	5	4.33E-06	
242	242	7.7E-04	5	2.15E-06	
243	243	8.4E-04	5	2.35E-06	
244	244	9.2E-04	5	2.56E-06	
245	245	1.0E-03	5	2.80E-06	
246	246	1.1E-03	5	3.06E-06	
247	247	1.2E-03	5	3.35E-06	
248	248	1.3E-03	5	3.65E-06	
249	249	1.5E-03	5	4.29E-06	
250	250	1.6E-03	5	4.59E-06	
251	251	1.7E-03	5	4.86E-06	
252	252	1.8E-03	5	5.06E-06	
253	253	1.9E-03	5	5.19E-06	
254	254	1.9E-03	5	5.26E-06	
257	257	8.3E-04	5	2.32E-06	
258	258	9.2E-04	5	2.56E-06	
259	259	1.0E-03	5	2.82E-06	
260	260	1.1E-03	5	3.11E-06	
261	261	1.2E-03	5	3.45E-06	
262	262	1.4E-03	5	3.82E-06	
263	263	1.5E-03	5	4.23E-06	
264	264	1.8E-03	5	5.12E-06	
265	265	2.0E-03	5	5.57E-06	
266	266	2.1E-03	5	5.97E-06	

Via Oro
Risk From Idling in Bays [Idle2]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
267	267	2.2E-03	5	6.27E-06	
268	268	2.3E-03	5	6.46E-06	
269	269	2.4E-03	5	6.56E-06	
270	270	2.5E-03	5	6.92E-06	
271	271	2.5E-03	5	6.99E-06	
274	274	9.0E-04	5	2.50E-06	
275	275	1.0E-03	5	2.78E-06	
276	276	1.1E-03	5	3.09E-06	
277	277	1.2E-03	5	3.46E-06	
278	278	1.4E-03	5	3.89E-06	
279	279	1.6E-03	5	4.37E-06	
280	280	1.8E-03	5	4.92E-06	
281	281	2.2E-03	5	6.22E-06	
282	282	2.5E-03	5	6.91E-06	
283	283	2.7E-03	5	7.54E-06	
284	284	2.9E-03	5	8.04E-06	
285	285	3.0E-03	5	8.34E-06	
286	286	3.1E-03	5	8.51E-06	
287	287	3.2E-03	5	8.98E-06	
288	288	3.2E-03	5	8.91E-06	
291	291	9.6E-04	5	2.69E-06	
292	292	1.1E-03	5	3.01E-06	
293	293	1.2E-03	5	3.39E-06	
294	294	1.4E-03	5	3.84E-06	
295	295	1.6E-03	5	4.37E-06	
296	296	1.8E-03	5	5.01E-06	
297	297	2.1E-03	5	5.78E-06	
298	298	2.8E-03	5	7.71E-06	
299	299	3.2E-03	5	8.85E-06	
300	300	3.6E-03	5	9.95E-06	
301	301	3.9E-03	5	1.08E-05	

Via Oro
Risk From Idling in Bays [Idle2]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
302	302	4.1E-03	5	1.14E-05	
303	303	4.2E-03	5	1.17E-05	
304	304	4.3E-03	5	1.19E-05	
305	305	4.1E-03	5	1.14E-05	
308	308	1.0E-03	5	2.87E-06	
309	309	1.2E-03	5	3.24E-06	
310	310	1.3E-03	5	3.69E-06	
311	311	1.5E-03	5	4.24E-06	
312	312	1.8E-03	5	4.91E-06	
313	313	2.1E-03	5	5.75E-06	
314	314	2.4E-03	5	6.80E-06	
315	315	3.5E-03	5	9.77E-06	
316	316	4.2E-03	5	1.18E-05	
317	317	5.0E-03	5	1.39E-05	
318	318	5.7E-03	5	1.58E-05	
319	319	6.0E-03	5	1.68E-05	
320	320	6.3E-03	5	1.76E-05	
321	321	5.7E-03	5	1.59E-05	
322	322	5.2E-03	5	1.44E-05	
325	325	1.1E-03	5	3.04E-06	
326	326	1.2E-03	5	3.46E-06	
327	327	1.4E-03	5	3.99E-06	
328	328	1.7E-03	5	4.64E-06	
329	329	2.0E-03	5	5.46E-06	
330	330	2.3E-03	5	6.53E-06	
331	331	2.9E-03	5	7.95E-06	
332	332	3.5E-03	5	9.85E-06	
333	333	4.5E-03	5	1.25E-05	
334	334	5.8E-03	5	1.63E-05	
335	335	7.7E-03	5	2.14E-05	
336	336	9.6E-03	5	2.67E-05	

Via Oro
Risk From Idling in Bays [Idle2]

<i>Max Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
337	337	1.1E-02	5	2.94E-05	
338	338	1.1E-02	5	3.00E-05	
339	339	8.6E-03	5	2.40E-05	
340	340	7.4E-03	5	2.05E-05	
341	341	6.3E-03	5	1.75E-05	
349	349	2.2E-03	5	6.00E-06	
350	350	2.6E-03	5	7.32E-06	
351	351	3.3E-03	5	9.14E-06	
352	352	4.2E-03	5	1.18E-05	
353	353	1.1E-02	5	3.17E-05	
354	354	9.0E-03	5	2.50E-05	
355	355	7.2E-03	5	2.02E-05	
364	364	2.9E-03	5	8.01E-06	
365	365	3.7E-03	5	1.02E-05	
366	366	4.9E-03	5	1.36E-05	
367	367	1.4E-02	5	3.84E-05	
368	368	1.0E-02	5	2.87E-05	
369	369	8.0E-03	5	2.22E-05	
377	377	3.1E-03	5	8.52E-06	
378	378	4.0E-03	5	1.10E-05	
379	379	5.4E-03	5	1.50E-05	
380	380	1.6E-02	5	4.36E-05	
381	381	1.1E-02	5	3.12E-05	
382	382	8.3E-03	5	2.32E-05	
391	391	4.1E-03	5	1.15E-05	
392	392	5.6E-03	5	1.56E-05	
393	393	1.7E-02	5	4.74E-05	
394	394	1.2E-02	5	3.24E-05	
395	395	8.3E-03	5	2.33E-05	
405	405	4.1E-03	5	1.15E-05	
406	406	5.6E-03	5	1.56E-05	

Via Oro
Risk From Idling in Bays [Idle2]

Max Cancer Risk Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
407	407	8.1E-03	5	2.26E-05	
408	408	1.8E-02	5	4.91E-05	
409	409	1.1E-02	5	3.18E-05	
410	410	7.9E-03	5	2.20E-05	
421	421	5.4E-03	5	1.50E-05	
422	422	7.6E-03	5	2.13E-05	
423	423	1.7E-02	5	4.69E-05	
424	424	1.0E-02	5	2.87E-05	
425	425	7.0E-03	5	1.94E-05	
435	435	4.9E-03	5	1.38E-05	
436	436	6.9E-03	5	1.92E-05	
437	437	8.6E-03	5	2.39E-05	
438	438	5.9E-03	5	1.64E-05	
449	449	4.4E-03	5	1.24E-05	
450	450	6.0E-03	5	1.67E-05	
451	451	8.5E-03	5	2.38E-05	
452	452	6.9E-03	5	1.93E-05	
453	453	4.9E-03	5	1.37E-05	
464	464	5.1E-03	5	1.41E-05	
465	465	6.9E-03	5	1.91E-05	
466	466	1.4E-02	5	3.84E-05	
467	467	5.8E-03	5	1.61E-05	
468	468	4.2E-03	5	1.18E-05	
479	479	4.2E-03	5	1.18E-05	
480	480	5.5E-03	5	1.53E-05	
481	481	7.3E-03	5	2.03E-05	
482	482	9.9E-03	5	2.77E-05	
483	483	1.3E-02	5	3.61E-05	
484	484	1.3E-02	5	3.68E-05	
485	485	9.9E-03	5	2.77E-05	
486	486	6.9E-03	5	1.91E-05	

Via Oro
Risk From Idling in Bays [Idle2]

Max Cancer Risk			Chronic Non Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million	REL	HI Offroad	
487	487	4.9E-03	5	1.37E-05	
488	488	3.7E-03	5	1.03E-05	
501	501	4.4E-03	5	1.22E-05	
502	502	5.6E-03	5	1.55E-05	
503	503	7.0E-03	5	1.95E-05	
504	504	8.4E-03	5	2.33E-05	
505	505	8.6E-03	5	2.39E-05	
506	506	7.3E-03	5	2.03E-05	
507	507	5.6E-03	5	1.56E-05	
508	508	3.3E-03	5	9.08E-06	
520	520	3.6E-03	5	1.00E-05	
521	521	4.3E-03	5	1.21E-05	
522	522	5.2E-03	5	1.45E-05	
523	523	5.9E-03	5	1.65E-05	
524	524	6.1E-03	5	1.70E-05	
525	525	5.5E-03	5	1.54E-05	
526	526	4.6E-03	5	1.27E-05	
527	527	2.9E-03	5	8.02E-06	
539	539	3.0E-03	5	8.34E-06	
540	540	3.5E-03	5	9.75E-06	
541	541	4.0E-03	5	1.12E-05	
542	542	4.5E-03	5	1.24E-05	
543	543	4.6E-03	5	1.28E-05	
544	544	4.3E-03	5	1.20E-05	
545	545	3.7E-03	5	1.04E-05	
546	546	2.5E-03	5	7.10E-06	
560	560	2.9E-03	5	8.02E-06	
561	561	3.2E-03	5	9.02E-06	
562	562	3.5E-03	5	9.78E-06	
563	563	3.6E-03	5	1.00E-05	
564	564	3.5E-03	5	9.63E-06	

Via Oro
Risk From Idling in Bays [Idle2]

<i>Max Cancer Risk</i>			<i>Cancer Risk</i>			<i>Chronic Non Cancer Risk</i>		
Receptor #	Receptor #	Total Risk/ Million				REL	HI Offroad	
565	565	3.1E-03				5	8.68E-06	
566	566	2.3E-03				5	6.31E-06	
579	579	2.4E-03				5	6.70E-06	
580	580	2.7E-03				5	7.40E-06	
581	581	2.8E-03				5	7.93E-06	
582	582	2.9E-03				5	8.14E-06	
583	583	2.8E-03				5	7.92E-06	
584	584	2.6E-03				5	7.30E-06	
585	585	2.2E-03				5	6.10E-06	
598	598	2.0E-03				5	5.69E-06	
599	599	2.2E-03				5	6.19E-06	
600	600	2.4E-03				5	6.57E-06	
601	601	2.4E-03				5	6.74E-06	
602	602	2.4E-03				5	6.62E-06	
603	603	2.2E-03				5	6.23E-06	
604	604	2.0E-03				5	5.64E-06	
0	0	0.0E+00				5	0.00E+00	

Discrete Re X	Y	Concentrat	Elevation (Z	Hill Heights	Flagpole (Z	Averagin Pe
1 UCART1	386689	3743302	0.0297	8.33	8.33	0 PERIOD
2 UCART1	386739	3743302	0.03062	8.37	8.37	0 PERIOD
3 UCART1	386789	3743302	0.03157	7.74	7.74	0 PERIOD
4 UCART1	386839	3743302	0.03256	7.23	7.23	0 PERIOD
5 UCART1	386889	3743302	0.0336	6.87	6.87	0 PERIOD
6 UCART1	386939	3743302	0.0347	7.45	7.45	0 PERIOD
7 UCART1	386989	3743302	0.03584	7.96	7.96	0 PERIOD
8 UCART1	387039	3743302	0.03703	8.07	8.07	0 PERIOD
9 UCART1	387089	3743302	0.03828	8.3	8.3	0 PERIOD
10 UCART1	387139	3743302	0.03958	8.51	8.51	0 PERIOD
11 UCART1	387189	3743302	0.04093	8.55	8.55	0 PERIOD
12 UCART1	387239	3743302	0.04233	8.39	8.39	0 PERIOD
13 UCART1	387289	3743302	0.04379	8.67	8.67	0 PERIOD
14 UCART1	387339	3743302	0.0453	8.71	8.71	0 PERIOD
15 UCART1	387389	3743302	0.04686	8.9	8.9	0 PERIOD
16 UCART1	387439	3743302	0.04845	8.74	8.74	0 PERIOD
17 UCART1	387489	3743302	0.05007	9.13	9.13	0 PERIOD
18 UCART1	387539	3743302	0.05171	8.98	8.98	0 PERIOD
19 UCART1	387589	3743302	0.05336	8.97	8.97	0 PERIOD
20 UCART1	387639	3743302	0.055	9.07	9.07	0 PERIOD
21 UCART1	387689	3743302	0.05661	9.04	9.04	0 PERIOD
22 UCART1	387739	3743302	0.05817	9.17	9.17	0 PERIOD
23 UCART1	387789	3743302	0.05966	9.15	9.15	0 PERIOD
24 UCART1	387839	3743302	0.06105	9.08	9.08	0 PERIOD
25 UCART1	387889	3743302	0.06231	9.14	9.14	0 PERIOD
26 UCART1	387939	3743302	0.06341	9.26	9.26	0 PERIOD
27 UCART1	387989	3743302	0.06434	9.45	9.45	0 PERIOD
28 UCART1	388039	3743302	0.06507	9.45	9.45	0 PERIOD
29 UCART1	388089	3743302	0.0656	9.59	9.59	0 PERIOD
30 UCART1	388139	3743302	0.06593	9.8	9.8	0 PERIOD
31 UCART1	388189	3743302	0.06606	9.81	9.81	0 PERIOD
32 UCART1	388239	3743302	0.06601	9.45	15.16	0 PERIOD
55 UCART1	387739	3743352	0.06308	9.17	9.17	0 PERIOD
56 UCART1	387789	3743352	0.06482	9.06	9.06	0 PERIOD
57 UCART1	387839	3743352	0.06645	9.46	9.46	0 PERIOD
58 UCART1	387889	3743352	0.06793	9.7	9.7	0 PERIOD
59 UCART1	387939	3743352	0.06921	9.6	9.6	0 PERIOD
60 UCART1	387989	3743352	0.07028	9.34	9.34	0 PERIOD
61 UCART1	388039	3743352	0.07112	9.61	9.61	0 PERIOD
62 UCART1	388089	3743352	0.0717	9.63	9.63	0 PERIOD
63 UCART1	388139	3743352	0.07205	9.86	9.86	0 PERIOD
64 UCART1	388189	3743352	0.07216	9.86	9.86	0 PERIOD
65 UCART1	388239	3743352	0.07206	9.5	9.5	0 PERIOD
66 UCART1	388289	3743352	0.07179	10.24	10.24	0 PERIOD
67 UCART1	386689	3743402	0.0321	8.3	15.33	0 PERIOD
68 UCART1	386739	3743402	0.03321	8.51	14.51	0 PERIOD

69	UCART1	386789	3743402	0.03437	8.42	13.26	0 PERIOD
70	UCART1	386839	3743402	0.03558	8.31	13.12	0 PERIOD
71	UCART1	386889	3743402	0.03683	7.49	14.08	0 PERIOD
72	UCART1	386939	3743402	0.03817	8.01	14.79	0 PERIOD
73	UCART1	386989	3743402	0.03957	8.2	15.47	0 PERIOD
74	UCART1	387039	3743402	0.04103	8.18	16.55	0 PERIOD
75	UCART1	387089	3743402	0.04257	8.04	17.2	0 PERIOD
76	UCART1	387139	3743402	0.04418	8.13	17.87	0 PERIOD
77	UCART1	387189	3743402	0.04588	8.44	18.64	0 PERIOD
78	UCART1	387239	3743402	0.04767	9.37	18.64	0 PERIOD
79	UCART1	387489	3743402	0.0577	9.24	17.62	0 PERIOD
80	UCART1	387539	3743402	0.05989	8.91	16.08	0 PERIOD
81	UCART1	387589	3743402	0.06212	9.36	14.32	0 PERIOD
82	UCART1	387639	3743402	0.06435	9.28	12.51	0 PERIOD
83	UCART1	387689	3743402	0.06657	9.62	9.62	0 PERIOD
84	UCART1	387739	3743402	0.06872	9.42	9.42	0 PERIOD
85	UCART1	387789	3743402	0.07079	9.56	9.56	0 PERIOD
86	UCART1	387839	3743402	0.07272	9.83	17.37	0 PERIOD
87	UCART1	387889	3743402	0.07446	9.85	19.07	0 PERIOD
88	UCART1	387939	3743402	0.07597	9.95	19.57	0 PERIOD
89	UCART1	387989	3743402	0.07722	9.67	19.57	0 PERIOD
90	UCART1	388039	3743402	0.07817	9.47	9.47	0 PERIOD
91	UCART1	388089	3743402	0.07883	9.93	9.93	0 PERIOD
92	UCART1	388139	3743402	0.07919	9.55	9.55	0 PERIOD
93	UCART1	388189	3743402	0.07927	10.02	10.02	0 PERIOD
96	UCART1	387839	3743452	0.07858	14.93	17.37	0 PERIOD
97	UCART1	387889	3743452	0.08009	15.08	16.91	0 PERIOD
98	UCART1	387939	3743452	0.08391	9.77	19.57	0 PERIOD
99	UCART1	387989	3743452	0.08539	10.14	19.57	0 PERIOD
100	UCART1	388039	3743452	0.0865	9.93	19.57	0 PERIOD
101	UCART1	388089	3743452	0.08723	9.6	18.03	0 PERIOD
102	UCART1	388139	3743452	0.08758	10.7	10.7	0 PERIOD
106	UCART1	386639	3743502	0.03331	13.11	13.11	0 PERIOD
107	UCART1	386689	3743502	0.03466	8.85	15.9	0 PERIOD
108	UCART1	386739	3743502	0.036	8.95	14.62	0 PERIOD
109	UCART1	386789	3743502	0.0374	8.75	13.65	0 PERIOD
110	UCART1	386839	3743502	0.03889	8.76	13.04	0 PERIOD
111	UCART1	386889	3743502	0.04044	7.83	13.99	0 PERIOD
112	UCART1	386939	3743502	0.0421	8.72	14.72	0 PERIOD
113	UCART1	386989	3743502	0.04384	8.55	15.41	0 PERIOD
114	UCART1	387039	3743502	0.04567	8.57	16.11	0 PERIOD
115	UCART1	387089	3743502	0.04761	8.18	17.15	0 PERIOD
116	UCART1	387139	3743502	0.04964	7.41	17.87	0 PERIOD
117	UCART1	387189	3743502	0.05181	7.77	18.64	0 PERIOD
118	UCART1	387239	3743502	0.0541	8.12	18.64	0 PERIOD
124	UCART1	386639	3743552	0.03458	8.26	16.59	0 PERIOD
125	UCART1	386689	3743552	0.03597	8.42	8.42	0 PERIOD

126 UCART1	386739	3743552	0.03744	8.43	8.43	0 PERIOD
127 UCART1	386789	3743552	0.03899	8.41	8.41	0 PERIOD
128 UCART1	386839	3743552	0.04063	8.42	8.42	0 PERIOD
129 UCART1	386889	3743552	0.04236	7.78	7.78	0 PERIOD
130 UCART1	386939	3743552	0.04422	8.45	8.45	0 PERIOD
131 UCART1	386989	3743552	0.04617	8.62	8.62	0 PERIOD
132 UCART1	387039	3743552	0.04824	8.9	8.9	0 PERIOD
133 UCART1	387089	3743552	0.05043	8.59	8.59	0 PERIOD
134 UCART1	387139	3743552	0.05276	9.09	9.09	0 PERIOD
135 UCART1	387189	3743552	0.05523	8.96	8.96	0 PERIOD
136 UCART1	387239	3743552	0.05784	8.85	17.88	0 PERIOD
137 UCART1	387289	3743552	0.06059	8.29	17.96	0 PERIOD
138 UCART1	387339	3743552	0.06354	9.04	17.98	0 PERIOD
141 UCART1	386639	3743602	0.03578	8.15	8.15	0 PERIOD
142 UCART1	386689	3743602	0.0373	8.4	8.4	0 PERIOD
143 UCART1	386739	3743602	0.03891	8.45	8.45	0 PERIOD
144 UCART1	386789	3743602	0.04062	8.5	8.5	0 PERIOD
145 UCART1	386839	3743602	0.04244	8.46	8.46	0 PERIOD
146 UCART1	386889	3743602	0.04436	7.92	7.92	0 PERIOD
147 UCART1	386939	3743602	0.04643	8.54	8.54	0 PERIOD
148 UCART1	386989	3743602	0.04863	8.62	8.62	0 PERIOD
149 UCART1	387039	3743602	0.05097	8.82	8.82	0 PERIOD
150 UCART1	387089	3743602	0.05345	8.78	8.78	0 PERIOD
151 UCART1	387139	3743602	0.05611	8.96	8.96	0 PERIOD
152 UCART1	387189	3743602	0.05894	9.12	9.12	0 PERIOD
153 UCART1	387239	3743602	0.06195	9.26	9.26	0 PERIOD
154 UCART1	387289	3743602	0.06514	8.64	8.64	0 PERIOD
155 UCART1	387339	3743602	0.06855	8.62	8.62	0 PERIOD
164 UCART1	387289	3743652	0.07017	8.83	8.83	0 PERIOD
165 UCART1	387339	3743652	0.07416	8.44	8.44	0 PERIOD
166 UCART1	387389	3743652	0.07845	9.12	9.12	0 PERIOD
178 UCART1	387289	3743702	0.07572	8.78	8.78	0 PERIOD
179 UCART1	387339	3743702	0.08043	8.51	8.51	0 PERIOD
180 UCART1	387389	3743702	0.08553	9	9	0 PERIOD
192 UCART1	387289	3743752	0.08181	8.96	8.96	0 PERIOD
193 UCART1	387339	3743752	0.08742	9.08	9.08	0 PERIOD
194 UCART1	387389	3743752	0.09352	9.02	9.02	0 PERIOD
207 UCART1	387289	3743802	0.08842	8.85	8.85	0 PERIOD
208 UCART1	387339	3743802	0.09511	8.97	8.97	0 PERIOD
209 UCART1	387389	3743802	0.10248	9.17	9.17	0 PERIOD
223 UCART1	387289	3743852	0.09551	8.79	8.79	0 PERIOD
224 UCART1	387339	3743852	0.10349	8.81	8.81	0 PERIOD
225 UCART1	387389	3743852	0.1124	8.45	8.45	0 PERIOD
239 UCART1	387289	3743902	0.103	9.06	9.06	0 PERIOD
240 UCART1	387339	3743902	0.11251	8.95	8.95	0 PERIOD
241 UCART1	387389	3743902	0.12331	8.85	8.85	0 PERIOD
255 UCART1	387289	3743952	0.11074	9.25	9.25	0 PERIOD

256 UCART1	387339	3743952	0.12199	9.08	9.08	0 PERIOD
272 UCART1	387289	3744002	0.1185	9.12	9.12	0 PERIOD
273 UCART1	387339	3744002	0.13169	9.31	9.31	0 PERIOD
289 UCART1	387289	3744052	0.12602	9.38	9.38	0 PERIOD
290 UCART1	387339	3744052	0.14123	9.5	9.5	0 PERIOD
306 UCART1	387289	3744102	0.13294	9.49	9.49	0 PERIOD
307 UCART1	387339	3744102	0.15016	9.68	9.68	0 PERIOD
323 UCART1	387289	3744152	0.1389	9.54	9.54	0 PERIOD
324 UCART1	387339	3744152	0.15795	9.79	9.79	0 PERIOD
342 UCART1	387289	3744202	0.14356	9.64	9.64	0 PERIOD
343 UCART1	387339	3744202	0.16411	9.97	9.97	0 PERIOD
344 UCART1	387389	3744202	0.18982	9.71	9.71	0 PERIOD
356 UCART1	387289	3744252	0.14667	9.59	9.59	0 PERIOD
357 UCART1	387339	3744252	0.16825	9.71	9.71	0 PERIOD
358 UCART1	387389	3744252	0.19544	9.8	9.8	0 PERIOD
370 UCART1	387289	3744302	0.1481	9.63	9.63	0 PERIOD
371 UCART1	387339	3744302	0.17021	9.7	9.7	0 PERIOD
372 UCART1	387389	3744302	0.19813	9.83	9.83	0 PERIOD
383 UCART1	387289	3744352	0.14788	9.61	9.61	0 PERIOD
384 UCART1	387339	3744352	0.17002	9.73	9.73	0 PERIOD
385 UCART1	387389	3744352	0.19796	9.83	9.83	0 PERIOD
396 UCART1	387289	3744402	0.14614	9.64	9.64	0 PERIOD
397 UCART1	387339	3744402	0.16784	9.77	9.77	0 PERIOD
398 UCART1	387389	3744402	0.19517	9.82	9.82	0 PERIOD
399 UCART1	387439	3744402	0.23024	9.88	9.88	0 PERIOD
411 UCART1	387289	3744452	0.14308	9.61	9.61	0 PERIOD
412 UCART1	387339	3744452	0.16397	9.7	9.7	0 PERIOD
413 UCART1	387389	3744452	0.19015	10.1	10.1	0 PERIOD
414 UCART1	387439	3744452	0.22354	9.87	9.87	0 PERIOD
426 UCART1	387289	3744502	0.13895	9.7	9.7	0 PERIOD
427 UCART1	387339	3744502	0.15871	9.85	9.85	0 PERIOD
428 UCART1	387389	3744502	0.18331	9.75	9.75	0 PERIOD
429 UCART1	387439	3744502	0.21446	9.81	9.81	0 PERIOD
439 UCART1	387289	3744552	0.13398	9.69	9.69	0 PERIOD
440 UCART1	387339	3744552	0.15241	9.87	9.87	0 PERIOD
441 UCART1	387389	3744552	0.17516	9.95	9.95	0 PERIOD
442 UCART1	387439	3744552	0.20368	9.94	9.94	0 PERIOD
443 UCART1	387489	3744552	0.2401	9.97	9.97	0 PERIOD
454 UCART1	387289	3744602	0.12844	9.77	9.77	0 PERIOD
455 UCART1	387339	3744602	0.1454	9.98	9.98	0 PERIOD
456 UCART1	387389	3744602	0.16613	10.12	10.12	0 PERIOD
457 UCART1	387439	3744602	0.19185	10.15	10.15	0 PERIOD
458 UCART1	387489	3744602	0.22431	10.14	10.14	0 PERIOD
469 UCART1	387289	3744652	0.12254	9.74	9.74	0 PERIOD
470 UCART1	387339	3744652	0.13798	9.81	9.81	0 PERIOD
471 UCART1	387389	3744652	0.15667	10.02	10.02	0 PERIOD
472 UCART1	387439	3744652	0.1796	10.04	10.04	0 PERIOD

473 UCART1	387489	3744652	0.20816	9.99	9.99	0 PERIOD
489 UCART1	387289	3744702	0.11649	9.98	9.98	0 PERIOD
490 UCART1	387339	3744702	0.13044	10.15	10.15	0 PERIOD
491 UCART1	387389	3744702	0.14715	10.25	10.25	0 PERIOD
492 UCART1	387439	3744702	0.16742	10.31	10.31	0 PERIOD
493 UCART1	387489	3744702	0.19235	10.37	10.37	0 PERIOD
494 UCART1	387539	3744702	0.22355	10.33	10.33	0 PERIOD
509 UCART1	387289	3744752	0.11045	9.96	9.96	0 PERIOD
510 UCART1	387339	3744752	0.12297	10.2	10.2	0 PERIOD
511 UCART1	387389	3744752	0.13783	10.15	10.15	0 PERIOD
512 UCART1	387439	3744752	0.15566	10.22	10.22	0 PERIOD
513 UCART1	387489	3744752	0.17731	10.49	10.49	0 PERIOD
514 UCART1	387539	3744752	0.20404	10.41	10.41	0 PERIOD
515 UCART1	387639	3744752	0.2807	10.4	10.4	0 PERIOD
516 UCART1	387689	3744752	0.33697	10.88	10.88	0 PERIOD
517 UCART1	387739	3744752	0.41299	10.98	10.98	0 PERIOD
518 UCART1	387789	3744752	0.51796	11.05	11.05	0 PERIOD
519 UCART1	387839	3744752	0.66655	10.95	10.95	0 PERIOD
528 UCART1	387289	3744802	0.10452	9.93	9.93	0 PERIOD
529 UCART1	387339	3744802	0.11573	10.17	10.17	0 PERIOD
530 UCART1	387389	3744802	0.12889	10.25	10.25	0 PERIOD
531 UCART1	387439	3744802	0.14452	10.23	10.23	0 PERIOD
532 UCART1	387489	3744802	0.16329	10.36	10.36	0 PERIOD
533 UCART1	387539	3744802	0.18614	10.43	10.43	0 PERIOD
534 UCART1	387639	3744802	0.24993	10.79	10.79	0 PERIOD
535 UCART1	387689	3744802	0.29541	11.07	11.07	0 PERIOD
536 UCART1	387739	3744802	0.35583	10.91	10.91	0 PERIOD
537 UCART1	387789	3744802	0.43528	11.26	11.26	0 PERIOD
538 UCART1	387839	3744802	0.54262	11.47	11.47	0 PERIOD
547 UCART1	387289	3744852	0.09878	10	10	0 PERIOD
548 UCART1	387339	3744852	0.10878	10.27	10.27	0 PERIOD
549 UCART1	387389	3744852	0.12042	10.18	10.18	0 PERIOD
550 UCART1	387439	3744852	0.1341	10.45	10.45	0 PERIOD
551 UCART1	387489	3744852	0.15035	10.45	10.45	0 PERIOD
552 UCART1	387539	3744852	0.16989	10.54	10.54	0 PERIOD
553 UCART1	387589	3744852	0.19376	10.57	10.57	0 PERIOD
554 UCART1	387639	3744852	0.22323	10.92	10.92	0 PERIOD
555 UCART1	387689	3744852	0.2606	10.98	10.98	0 PERIOD
556 UCART1	387739	3744852	0.30907	10.63	10.63	0 PERIOD
557 UCART1	387789	3744852	0.37089	11.2	11.2	0 PERIOD
558 UCART1	387839	3744852	0.45244	11.16	11.16	0 PERIOD
559 UCART1	387889	3744852	0.55409	11.43	11.43	0 PERIOD
567 UCART1	387289	3744902	0.09328	9.94	9.94	0 PERIOD
568 UCART1	387339	3744902	0.10218	10.13	10.13	0 PERIOD
569 UCART1	387389	3744902	0.11246	10.21	10.21	0 PERIOD
570 UCART1	387439	3744902	0.12444	10.26	10.26	0 PERIOD
571 UCART1	387489	3744902	0.13852	10.37	10.37	0 PERIOD

572 UCART1	387539	3744902	0.15529	10.42	10.42	0 PERIOD
573 UCART1	387589	3744902	0.17553	10.52	10.52	0 PERIOD
574 UCART1	387689	3744902	0.2311	10.91	10.91	0 PERIOD
575 UCART1	387739	3744902	0.27035	10.63	10.63	0 PERIOD
576 UCART1	387789	3744902	0.32012	10.5	10.5	0 PERIOD
577 UCART1	387839	3744902	0.38282	10.58	10.58	0 PERIOD
578 UCART1	387889	3744902	0.45874	10.83	10.83	0 PERIOD
586 UCART1	387289	3744952	0.08804	10.21	10.21	0 PERIOD
587 UCART1	387339	3744952	0.09595	10.5	10.5	0 PERIOD
588 UCART1	387389	3744952	0.10503	10.48	10.48	0 PERIOD
589 UCART1	387439	3744952	0.11551	10.54	10.54	0 PERIOD
590 UCART1	387489	3744952	0.12773	10.61	10.61	0 PERIOD
591 UCART1	387539	3744952	0.14215	10.71	10.71	0 PERIOD
592 UCART1	387589	3744952	0.15939	10.8	10.8	0 PERIOD
593 UCART1	387689	3744952	0.20599	11.01	11.01	0 PERIOD
594 UCART1	387739	3744952	0.2383	10.6	10.6	0 PERIOD
595 UCART1	387789	3744952	0.2782	10.8	10.8	0 PERIOD
596 UCART1	387839	3744952	0.32718	10.99	10.99	0 PERIOD
597 UCART1	387889	3744952	0.3851	11.02	11.02	0 PERIOD
345 UCART1	387439	3744202	0.2227	9.8	9.8	0 PERIOD
346 UCART1	387489	3744202	0.26583	9.74	9.74	0 PERIOD
347 UCART1	387539	3744202	0.32435	9.9	9.9	0 PERIOD
348 UCART1	387589	3744202	0.40749	10.15	10.15	0 PERIOD
359 UCART1	387439	3744252	0.23043	10.02	10.02	0 PERIOD
360 UCART1	387489	3744252	0.27662	10.55	10.55	0 PERIOD
361 UCART1	387539	3744252	0.33997	10.41	10.41	0 PERIOD
362 UCART1	387589	3744252	0.42974	10.96	10.96	0 PERIOD
363 UCART1	387639	3744252	0.56883	10.68	10.68	0 PERIOD
373 UCART1	387489	3744302	0.28188	10.27	10.27	0 PERIOD
374 UCART1	387539	3744302	0.34692	10.68	10.68	0 PERIOD
375 UCART1	387589	3744302	0.43896	11.15	11.15	0 PERIOD
376 UCART1	387639	3744302	0.57944	11.12	11.12	0 PERIOD
386 UCART1	387489	3744352	0.28155	10.26	10.26	0 PERIOD
387 UCART1	387539	3744352	0.3462	10.59	10.59	0 PERIOD
388 UCART1	387589	3744352	0.43672	11.12	11.12	0 PERIOD
389 UCART1	387639	3744352	0.57256	11.14	11.14	0 PERIOD
390 UCART1	387689	3744352	0.79338	10.65	10.65	0 PERIOD
400 UCART1	387489	3744402	0.27635	10.06	10.06	0 PERIOD
401 UCART1	387539	3744402	0.33816	10.89	10.89	0 PERIOD
402 UCART1	387589	3744402	0.4252	10.86	10.86	0 PERIOD
403 UCART1	387639	3744402	0.55138	11.19	11.19	0 PERIOD
404 UCART1	387689	3744402	0.74962	11.22	11.22	0 PERIOD
415 UCART1	387489	3744452	0.26709	10.07	10.07	0 PERIOD
416 UCART1	387539	3744452	0.32536	10.4	10.4	0 PERIOD
417 UCART1	387589	3744452	0.40519	10.94	10.94	0 PERIOD
418 UCART1	387639	3744452	0.52201	10.51	10.51	0 PERIOD
419 UCART1	387689	3744452	0.6999	9.98	9.98	0 PERIOD

420 UCART1	387739	3744452	0.9853	11.6	11.6	0 PERIOD
430 UCART1	387539	3744502	0.3078	10.59	10.59	0 PERIOD
431 UCART1	387589	3744502	0.38049	10.28	10.28	0 PERIOD
432 UCART1	387639	3744502	0.48348	10.18	10.18	0 PERIOD
433 UCART1	387689	3744502	0.63759	10.07	10.07	0 PERIOD
434 UCART1	387739	3744502	0.88507	10.18	10.18	0 PERIOD
444 UCART1	387539	3744552	0.28768	10.03	10.03	0 PERIOD
445 UCART1	387589	3744552	0.35159	10.44	10.44	0 PERIOD
446 UCART1	387639	3744552	0.44074	10.24	10.24	0 PERIOD
447 UCART1	387689	3744552	0.57096	10.04	10.04	0 PERIOD
448 UCART1	387739	3744552	0.77323	10.13	10.13	0 PERIOD
459 UCART1	387589	3744602	0.32138	10.38	10.38	0 PERIOD
460 UCART1	387639	3744602	0.39688	10.36	10.36	0 PERIOD
461 UCART1	387689	3744602	0.50434	10.42	10.42	0 PERIOD
462 UCART1	387739	3744602	0.66519	10.56	10.56	0 PERIOD
463 UCART1	387789	3744602	0.9199	11.04	11.04	0 PERIOD
474 UCART1	387589	3744652	0.29149	10.54	10.54	0 PERIOD
475 UCART1	387639	3744652	0.3544	10.66	10.66	0 PERIOD
476 UCART1	387689	3744652	0.44175	10.44	10.44	0 PERIOD
477 UCART1	387739	3744652	0.56696	10.82	10.82	0 PERIOD
478 UCART1	387789	3744652	0.75502	11.15	11.15	0 PERIOD
495 UCART1	387589	3744702	0.26339	10.34	10.34	0 PERIOD
496 UCART1	387639	3744702	0.31542	10.67	10.67	0 PERIOD
497 UCART1	387689	3744702	0.38568	10.63	10.63	0 PERIOD
498 UCART1	387739	3744702	0.48315	10.78	10.78	0 PERIOD
499 UCART1	387789	3744702	0.62238	11.1	11.1	0 PERIOD
500 UCART1	387839	3744702	0.82822	11.47	11.47	0 PERIOD
139 UCART1	387389	3743552	0.06663	8.65	17.8	0 PERIOD
140 UCART1	387439	3743552	0.0699	9.05	15.39	0 PERIOD
156 UCART1	387389	3743602	0.07218	9.12	9.12	0 PERIOD
157 UCART1	387439	3743602	0.07602	8.93	8.93	0 PERIOD
158 UCART1	387489	3743602	0.08009	9.47	9.47	0 PERIOD
159 UCART1	387539	3743602	0.08436	10.32	10.32	0 PERIOD
160 UCART1	387589	3743602	0.08879	9.4	9.4	0 PERIOD
161 UCART1	387689	3743602	0.09804	9.83	9.83	0 PERIOD
162 UCART1	387739	3743602	0.10269	10.18	10.18	0 PERIOD
163 UCART1	387789	3743602	0.10719	9.53	9.53	0 PERIOD
167 UCART1	387439	3743652	0.08296	7.78	9.25	0 PERIOD
168 UCART1	387489	3743652	0.08789	10.31	10.31	0 PERIOD
169 UCART1	387539	3743652	0.09303	10.15	10.15	0 PERIOD
170 UCART1	387589	3743652	0.09843	9.79	9.79	0 PERIOD
171 UCART1	387639	3743652	0.10406	9.46	9.46	0 PERIOD
172 UCART1	387689	3743652	0.10985	10.21	10.21	0 PERIOD
173 UCART1	387739	3743652	0.11559	10.69	10.69	0 PERIOD
174 UCART1	387789	3743652	0.12128	10.69	10.69	0 PERIOD
175 UCART1	387839	3743652	0.12668	10.63	10.63	0 PERIOD
176 UCART1	387889	3743652	0.13159	10.44	10.44	0 PERIOD

177 UCART1	387939	3743652	0.13573	9.84	20.78	0 PERIOD
181 UCART1	387489	3743702	0.0969	10.37	10.37	0 PERIOD
182 UCART1	387539	3743702	0.10314	10.61	10.61	0 PERIOD
183 UCART1	387589	3743702	0.10985	10.23	10.23	0 PERIOD
184 UCART1	387639	3743702	0.11685	9.64	9.64	0 PERIOD
185 UCART1	387689	3743702	0.12414	9.9	9.9	0 PERIOD
186 UCART1	387739	3743702	0.13152	10.42	10.42	0 PERIOD
187 UCART1	387789	3743702	0.13868	10.82	10.82	0 PERIOD
188 UCART1	387839	3743702	0.14569	10.68	10.68	0 PERIOD
189 UCART1	387889	3743702	0.15206	10.4	10.4	0 PERIOD
190 UCART1	387939	3743702	0.15738	10.02	10.02	0 PERIOD
191 UCART1	387989	3743702	0.16146	9.59	20.78	0 PERIOD
195 UCART1	387489	3743752	0.10736	10.29	10.29	0 PERIOD
196 UCART1	387539	3743752	0.11509	10.52	10.52	0 PERIOD
197 UCART1	387589	3743752	0.12341	10.59	10.59	0 PERIOD
198 UCART1	387639	3743752	0.13233	9.77	9.77	0 PERIOD
199 UCART1	387689	3743752	0.14166	10.16	10.16	0 PERIOD
200 UCART1	387739	3743752	0.15125	10.3	10.3	0 PERIOD
201 UCART1	387789	3743752	0.16083	10.16	10.16	0 PERIOD
202 UCART1	387839	3743752	0.17001	10.11	10.11	0 PERIOD
203 UCART1	387889	3743752	0.17832	9.97	9.97	0 PERIOD
204 UCART1	387939	3743752	0.1853	9.74	9.74	0 PERIOD
205 UCART1	387989	3743752	0.19058	9.68	20.78	0 PERIOD
206 UCART1	388039	3743752	0.19393	9.71	20.78	0 PERIOD
210 UCART1	387439	3743802	0.11044	6.91	9.51	0 PERIOD
211 UCART1	387489	3743802	0.11946	10.54	10.54	0 PERIOD
212 UCART1	387539	3743802	0.12914	10.68	10.68	0 PERIOD
213 UCART1	387589	3743802	0.13977	10.51	10.51	0 PERIOD
214 UCART1	387689	3743802	0.16345	10.16	10.16	0 PERIOD
215 UCART1	387739	3743802	0.17619	10.19	10.19	0 PERIOD
216 UCART1	387789	3743802	0.18908	9.82	9.82	0 PERIOD
217 UCART1	387839	3743802	0.20154	9.88	9.88	0 PERIOD
218 UCART1	387889	3743802	0.21285	9.79	9.79	0 PERIOD
219 UCART1	387939	3743802	0.22229	9.61	9.61	0 PERIOD
220 UCART1	387989	3743802	0.22928	9.59	20.18	0 PERIOD
221 UCART1	388039	3743802	0.23347	9.45	20.18	0 PERIOD
222 UCART1	388089	3743802	0.23463	10.75	20.18	0 PERIOD
226 UCART1	387439	3743852	0.12234	8.19	8.19	0 PERIOD
227 UCART1	387489	3743852	0.13352	10.01	10.01	0 PERIOD
228 UCART1	387539	3743852	0.14584	10.54	10.54	0 PERIOD
229 UCART1	387589	3743852	0.15957	10.26	10.26	0 PERIOD
230 UCART1	387639	3743852	0.17462	10.12	10.12	0 PERIOD
231 UCART1	387689	3743852	0.19059	10.92	10.92	0 PERIOD
232 UCART1	387739	3743852	0.20809	10.77	10.77	0 PERIOD
233 UCART1	387839	3743852	0.24383	9.96	9.96	0 PERIOD
234 UCART1	387889	3743852	0.25978	10.15	10.15	0 PERIOD
235 UCART1	387939	3743852	0.27299	9.99	9.99	0 PERIOD

236	UCART1	387989	3743852	0.28252	9.77	9.77	0 PERIOD
237	UCART1	388039	3743852	0.28784	9.69	9.69	0 PERIOD
238	UCART1	388089	3743852	0.28884	9.69	19.13	0 PERIOD
242	UCART1	387439	3743902	0.13558	8.62	8.62	0 PERIOD
243	UCART1	387489	3743902	0.1496	9.44	9.44	0 PERIOD
244	UCART1	387539	3743902	0.16486	11.48	11.48	0 PERIOD
245	UCART1	387589	3743902	0.18312	11	11	0 PERIOD
246	UCART1	387639	3743902	0.20356	10.7	10.7	0 PERIOD
247	UCART1	387689	3743902	0.22624	10.53	10.53	0 PERIOD
248	UCART1	387739	3743902	0.25101	10.27	10.27	0 PERIOD
249	UCART1	387839	3743902	0.30237	10.63	10.63	0 PERIOD
250	UCART1	387889	3743902	0.32558	10.79	10.79	0 PERIOD
251	UCART1	387939	3743902	0.34508	10.68	10.68	0 PERIOD
252	UCART1	387989	3743902	0.35899	9.98	9.98	0 PERIOD
253	UCART1	388039	3743902	0.3657	10.35	10.35	0 PERIOD
254	UCART1	388089	3743902	0.36553	9.96	9.96	0 PERIOD
257	UCART1	387439	3743952	0.15013	8.91	8.91	0 PERIOD
258	UCART1	387489	3743952	0.16778	9.34	9.34	0 PERIOD
259	UCART1	387539	3743952	0.18826	10.67	10.67	0 PERIOD
260	UCART1	387589	3743952	0.21119	11.69	11.69	0 PERIOD
261	UCART1	387639	3743952	0.24033	10.37	10.37	0 PERIOD
262	UCART1	387689	3743952	0.27257	10.17	10.17	0 PERIOD
263	UCART1	387739	3743952	0.30901	10.09	10.09	0 PERIOD
264	UCART1	387839	3743952	0.38883	10.31	10.31	0 PERIOD
265	UCART1	387889	3743952	0.42538	10.53	10.53	0 PERIOD
266	UCART1	387939	3743952	0.45533	10.41	10.41	0 PERIOD
267	UCART1	387989	3743952	0.47529	10.12	10.12	0 PERIOD
268	UCART1	388039	3743952	0.48327	10.54	10.54	0 PERIOD
269	UCART1	388089	3743952	0.47972	9.89	9.89	0 PERIOD
270	UCART1	388239	3743952	0.41534	10.19	10.19	0 PERIOD
271	UCART1	388289	3743952	0.38572	10.15	10.15	0 PERIOD
274	UCART1	387439	3744002	0.16569	9.15	9.15	0 PERIOD
275	UCART1	387489	3744002	0.18778	9.03	9.03	0 PERIOD
276	UCART1	387539	3744002	0.21449	9.87	9.87	0 PERIOD
277	UCART1	387589	3744002	0.2458	11.34	11.34	0 PERIOD
278	UCART1	387639	3744002	0.28575	10.73	10.73	0 PERIOD
279	UCART1	387689	3744002	0.33325	10.71	10.71	0 PERIOD
280	UCART1	387739	3744002	0.38759	11.43	11.43	0 PERIOD
281	UCART1	387839	3744002	0.52116	11.04	11.04	0 PERIOD
282	UCART1	387889	3744002	0.58294	11.15	11.15	0 PERIOD
283	UCART1	387939	3744002	0.63209	11.17	11.17	0 PERIOD
284	UCART1	387989	3744002	0.66432	10.93	10.93	0 PERIOD
285	UCART1	388039	3744002	0.67476	10.52	10.52	0 PERIOD
286	UCART1	388089	3744002	0.66044	9.72	9.72	0 PERIOD
287	UCART1	388239	3744002	0.52728	11.06	11.06	0 PERIOD
288	UCART1	388289	3744002	0.4762	9.88	9.88	0 PERIOD
291	UCART1	387439	3744052	0.1817	9.28	9.28	0 PERIOD

292 UCART1	387489	3744052	0.20901	9.01	9.01	0 PERIOD
293 UCART1	387539	3744052	0.24319	9.35	9.35	0 PERIOD
294 UCART1	387589	3744052	0.28587	11.01	11.01	0 PERIOD
295 UCART1	387639	3744052	0.34053	11.39	11.39	0 PERIOD
296 UCART1	387689	3744052	0.4128	11.28	11.28	0 PERIOD
297 UCART1	387739	3744052	0.50796	10.98	10.98	0 PERIOD
298 UCART1	387839	3744052	0.7543	11.26	11.26	0 PERIOD
299 UCART1	387889	3744052	0.87558	11.08	11.08	0 PERIOD
300 UCART1	387939	3744052	0.96299	11.27	11.27	0 PERIOD
301 UCART1	387989	3744052	1.01683	10.82	10.82	0 PERIOD
302 UCART1	388039	3744052	1.02096	10.37	10.37	0 PERIOD
303 UCART1	388089	3744052	0.97241	9.6	9.6	0 PERIOD
304 UCART1	388239	3744052	0.67919	10.68	10.68	0 PERIOD
305 UCART1	388289	3744052	0.58734	10.08	10.08	0 PERIOD
308 UCART1	387439	3744102	0.1973	9.45	9.45	0 PERIOD
309 UCART1	387489	3744102	0.2303	9.34	9.34	0 PERIOD
310 UCART1	387539	3744102	0.27297	9.3	9.3	0 PERIOD
311 UCART1	387589	3744102	0.32907	10.96	10.96	0 PERIOD
312 UCART1	387639	3744102	0.40771	10.61	10.61	0 PERIOD
313 UCART1	387689	3744102	0.51965	10.82	10.82	0 PERIOD
314 UCART1	387739	3744102	0.69071	10.76	10.76	0 PERIOD
315 UCART1	387839	3744102	1.2766	11.01	11.01	0 PERIOD
316 UCART1	387889	3744102	1.56579	10.3	10.3	0 PERIOD
317 UCART1	387939	3744102	1.72059	11.05	11.05	0 PERIOD
318 UCART1	387989	3744102	1.80825	10.48	10.48	0 PERIOD
319 UCART1	388039	3744102	1.77443	10.07	10.07	0 PERIOD
320 UCART1	388089	3744102	1.606	9.88	9.88	0 PERIOD
321 UCART1	388239	3744102	0.8711	10.47	14.26	0 PERIOD
322 UCART1	388289	3744102	0.71344	10.44	10.44	0 PERIOD
325 UCART1	387439	3744152	0.21135	9.54	9.54	0 PERIOD
326 UCART1	387489	3744152	0.24986	9.52	9.52	0 PERIOD
327 UCART1	387539	3744152	0.30113	9.53	9.53	0 PERIOD
328 UCART1	387589	3744152	0.37218	10.28	10.28	0 PERIOD
329 UCART1	387639	3744152	0.47485	10.98	10.98	0 PERIOD
330 UCART1	387689	3744152	0.64308	10.18	10.18	0 PERIOD
331 UCART1	387739	3744152	0.95803	10.17	10.17	0 PERIOD
332 UCART1	387789	3744152	1.79371	9.62	9.62	0 PERIOD
333 UCART1	387839	3744152	2.9141	10.22	10.22	0 PERIOD
334 UCART1	387889	3744152	3.55228	10.01	10.01	0 PERIOD
335 UCART1	387939	3744152	3.84223	10.15	10.15	0 PERIOD
336 UCART1	387989	3744152	3.95507	10.05	10.05	0 PERIOD
337 UCART1	388039	3744152	3.84857	9.93	9.93	0 PERIOD
338 UCART1	388089	3744152	3.59119	9.24	9.24	0 PERIOD
339 UCART1	388189	3744152	1.47281	11.05	11.05	0 PERIOD
340 UCART1	388239	3744152	1.08422	10.64	10.64	0 PERIOD
341 UCART1	388289	3744152	0.84001	10.61	10.61	0 PERIOD
349 UCART1	387639	3744202	0.53347	10.55	10.55	0 PERIOD

350 UCART1	387689	3744202	0.74819	10.38	10.38	0 PERIOD
351 UCART1	387739	3744202	1.19448	10.94	10.94	0 PERIOD
352 UCART1	387789	3744202	2.89095	9.47	9.47	0 PERIOD
353 UCART1	388189	3744202	1.88579	11.07	11.07	0 PERIOD
354 UCART1	388239	3744202	1.28314	10.59	10.59	0 PERIOD
355 UCART1	388289	3744202	0.95264	10.48	10.48	0 PERIOD
364 UCART1	387689	3744252	0.80495	10.41	10.41	0 PERIOD
365 UCART1	387739	3744252	1.28882	9.91	9.91	0 PERIOD
366 UCART1	387789	3744252	2.83251	10	10	0 PERIOD
367 UCART1	388189	3744252	2.25892	10.79	10.79	0 PERIOD
368 UCART1	388239	3744252	1.45272	10.72	10.72	0 PERIOD
369 UCART1	388289	3744252	1.04608	10.5	10.5	0 PERIOD
377 UCART1	387689	3744302	0.8143	10.62	10.62	0 PERIOD
378 UCART1	387739	3744302	1.26331	10.35	10.35	0 PERIOD
379 UCART1	387789	3744302	2.40763	10.55	10.55	0 PERIOD
380 UCART1	388189	3744302	2.607	11.19	11.19	0 PERIOD
381 UCART1	388239	3744302	1.59345	11.79	11.79	0 PERIOD
382 UCART1	388289	3744302	1.11861	11.22	11.22	0 PERIOD
391 UCART1	387739	3744352	1.18902	10.65	10.65	0 PERIOD
392 UCART1	387789	3744352	2.04084	11.28	11.28	0 PERIOD
393 UCART1	388189	3744352	2.94249	11.5	11.5	0 PERIOD
394 UCART1	388239	3744352	1.73071	11.74	11.74	0 PERIOD
395 UCART1	388289	3744352	1.17565	11.08	11.08	0 PERIOD
405 UCART1	387739	3744402	1.09668	10.72	10.72	0 PERIOD
406 UCART1	387789	3744402	1.78264	10.77	10.77	0 PERIOD
407 UCART1	387839	3744402	3.56443	10.37	10.37	0 PERIOD
408 UCART1	388189	3744402	3.28113	11.31	11.31	0 PERIOD
409 UCART1	388239	3744402	1.83749	11.82	11.82	0 PERIOD
410 UCART1	388289	3744402	1.20616	10.48	10.48	0 PERIOD
421 UCART1	387789	3744452	1.54138	10.83	10.83	0 PERIOD
422 UCART1	387839	3744452	2.78266	10.84	10.84	0 PERIOD
423 UCART1	388189	3744452	3.57021	11.35	11.35	0 PERIOD
424 UCART1	388239	3744452	1.8844	11.73	11.73	0 PERIOD
425 UCART1	388289	3744452	1.18917	10.47	10.47	0 PERIOD
435 UCART1	387789	3744502	1.31314	11.29	11.29	0 PERIOD
436 UCART1	387839	3744502	2.22012	10.65	10.65	0 PERIOD
437 UCART1	388239	3744502	1.82921	11.44	11.44	0 PERIOD
438 UCART1	388289	3744502	1.10856	11.28	11.28	0 PERIOD
449 UCART1	387789	3744552	1.10375	11.54	11.54	0 PERIOD
450 UCART1	387839	3744552	1.75996	10.34	10.34	0 PERIOD
451 UCART1	387889	3744552	3.33818	10.61	10.61	0 PERIOD
452 UCART1	388239	3744552	1.60872	11.54	11.54	0 PERIOD
453 UCART1	388289	3744552	0.97845	11.57	11.57	0 PERIOD
464 UCART1	387839	3744602	1.37016	10.93	10.93	0 PERIOD
465 UCART1	387889	3744602	2.30263	10.86	10.86	0 PERIOD
466 UCART1	388139	3744602	4.86042	10.82	10.82	0 PERIOD
467 UCART1	388239	3744602	1.33766	11.46	11.46	0 PERIOD

468 UCART1	388289	3744602	0.85143	11.55	11.55	0 PERIOD
479 UCART1	387839	3744652	1.04335	12.53	13.86	0 PERIOD
480 UCART1	387889	3744652	1.58467	11.4	11.4	0 PERIOD
481 UCART1	387939	3744652	2.59449	11.44	11.44	0 PERIOD
482 UCART1	387989	3744652	3.77934	10.81	10.81	0 PERIOD
483 UCART1	388039	3744652	3.75696	11.38	11.38	0 PERIOD
484 UCART1	388089	3744652	3.32743	11.05	11.05	0 PERIOD
485 UCART1	388139	3744652	2.65322	11.19	11.19	0 PERIOD
486 UCART1	388189	3744652	1.79639	11	11	0 PERIOD
487 UCART1	388239	3744652	1.13343	11.16	11.16	0 PERIOD
488 UCART1	388289	3744652	0.75363	11.58	11.58	0 PERIOD
501 UCART1	387889	3744702	1.13306	12.84	12.84	0 PERIOD
502 UCART1	387939	3744702	1.62685	11.25	11.25	0 PERIOD
503 UCART1	387989	3744702	2.10731	10.76	10.76	0 PERIOD
504 UCART1	388039	3744702	2.2594	10.95	10.95	0 PERIOD
505 UCART1	388089	3744702	2.11935	11.08	11.08	0 PERIOD
506 UCART1	388139	3744702	1.79572	11.27	11.27	0 PERIOD
507 UCART1	388189	3744702	1.36447	10.97	10.97	0 PERIOD
508 UCART1	388289	3744702	0.67568	11.47	11.47	0 PERIOD
520 UCART1	387889	3744752	0.86595	12.28	12.28	0 PERIOD
521 UCART1	387939	3744752	1.12784	13.3	13.3	0 PERIOD
522 UCART1	387989	3744752	1.40663	11.13	11.13	0 PERIOD
523 UCART1	388039	3744752	1.53599	11.13	11.13	0 PERIOD
524 UCART1	388089	3744752	1.49691	11.29	11.29	0 PERIOD
525 UCART1	388139	3744752	1.32596	11.44	11.44	0 PERIOD
526 UCART1	388189	3744752	1.07668	11.26	11.26	0 PERIOD
527 UCART1	388289	3744752	0.6058	11.48	11.48	0 PERIOD
539 UCART1	387889	3744802	0.68491	11.61	11.61	0 PERIOD
540 UCART1	387939	3744802	0.85547	11.93	11.93	0 PERIOD
541 UCART1	387989	3744802	1.01655	12.61	12.61	0 PERIOD
542 UCART1	388039	3744802	1.11469	12.67	14.55	0 PERIOD
543 UCART1	388089	3744802	1.11822	11.61	11.61	0 PERIOD
544 UCART1	388139	3744802	1.02519	11.78	11.78	0 PERIOD
545 UCART1	388189	3744802	0.86877	12.53	12.53	0 PERIOD
546 UCART1	388289	3744802	0.54176	11.64	11.64	0 PERIOD
560 UCART1	387939	3744852	0.67142	11.53	11.53	0 PERIOD
561 UCART1	387989	3744852	0.78316	11.44	11.44	0 PERIOD
562 UCART1	388039	3744852	0.85495	11.95	11.95	0 PERIOD
563 UCART1	388089	3744852	0.86079	13.84	15.6	0 PERIOD
564 UCART1	388139	3744852	0.81475	12.77	16.25	0 PERIOD
565 UCART1	388189	3744852	0.72132	11.46	16.25	0 PERIOD
566 UCART1	388289	3744852	0.48594	11.05	17.72	0 PERIOD
579 UCART1	387939	3744902	0.54212	11.35	11.35	0 PERIOD
580 UCART1	387989	3744902	0.62185	11.33	11.33	0 PERIOD
581 UCART1	388039	3744902	0.67804	11.19	11.19	0 PERIOD
582 UCART1	388089	3744902	0.69409	11.57	11.57	0 PERIOD
583 UCART1	388139	3744902	0.66642	12.02	16.25	0 PERIOD

584 UCART1	388189	3744902	0.60285	12.41	16.11	0 PERIOD
585 UCART1	388239	3744902	0.494	15.8	16.17	0 PERIOD
598 UCART1	387939	3744952	0.44808	10.98	10.98	0 PERIOD
599 UCART1	387989	3744952	0.50651	11.41	11.41	0 PERIOD
600 UCART1	388039	3744952	0.55009	11.45	11.45	0 PERIOD
601 UCART1	388089	3744952	0.56737	11.52	11.52	0 PERIOD
602 UCART1	388139	3744952	0.55377	11.69	11.69	0 PERIOD
603 UCART1	388189	3744952	0.51334	11.47	11.47	0 PERIOD
604 UCART1	388239	3744952	0.45398	11.63	11.63	0 PERIOD

Source Gro Num Hours (NUM HRS)

		Con1	Con2	Con3
CON1	43848	0.0297	0.03023	0.0296
CON1	43848	0.03062	0.03117	0.03052
CON1	43848	0.03157	0.03214	0.03147
CON1	43848	0.03256	0.03315	0.03246
CON1	43848	0.0336	0.0342	0.0335
CON1	43848	0.0347	0.03532	0.0346
CON1	43848	0.03584	0.03649	0.03575
CON1	43848	0.03703	0.0377	0.03694
CON1	43848	0.03828	0.03897	0.03818
CON1	43848	0.03958	0.04029	0.03949
CON1	43848	0.04093	0.04167	0.04084
CON1	43848	0.04233	0.0431	0.04225
CON1	43848	0.04379	0.04458	0.04371
CON1	43848	0.0453	0.04611	0.04523
CON1	43848	0.04686	0.04768	0.04679
CON1	43848	0.04845	0.04927	0.04838
CON1	43848	0.05007	0.0509	0.05002
CON1	43848	0.05171	0.05254	0.05167
CON1	43848	0.05336	0.05417	0.05332
CON1	43848	0.055	0.05579	0.05497
CON1	43848	0.05661	0.05737	0.05659
CON1	43848	0.05817	0.05889	0.05817
CON1	43848	0.05966	0.06032	0.05966
CON1	43848	0.06105	0.06164	0.06105
CON1	43848	0.06231	0.06282	0.06231
CON1	43848	0.06341	0.06382	0.06342
CON1	43848	0.06434	0.06464	0.06435
CON1	43848	0.06507	0.06525	0.06508
CON1	43848	0.0656	0.06565	0.0656
CON1	43848	0.06593	0.06585	0.06593
CON1	43848	0.06606	0.06587	0.06606
CON1	43848	0.06601	0.06571	0.06601
CON1	43848	0.06308	0.0639	0.0631
CON1	43848	0.06482	0.06557	0.06486
CON1	43848	0.06645	0.06713	0.0665
CON1	43848	0.06793	0.0685	0.06798
CON1	43848	0.06921	0.06967	0.06926
CON1	43848	0.07028	0.0706	0.07033
CON1	43848	0.07112	0.07129	0.07116
CON1	43848	0.0717	0.07172	0.07175
CON1	43848	0.07205	0.07192	0.07209
CON1	43848	0.07216	0.07189	0.0722
CON1	43848	0.07206	0.07166	0.07209
CON1	43848	0.07179	0.07129	0.07181
CON1	43848	0.0321	0.03274	0.03198
CON1	43848	0.03321	0.03387	0.03309

CON1	43848	0.03437	0.03505	0.03425	
CON1	43848	0.03558	0.03629	0.03546	
CON1	43848	0.03683	0.03757	0.03672	
CON1	43848	0.03817	0.03894	0.03806	
CON1	43848	0.03957	0.04036	0.03946	
CON1	43848	0.04103	0.04186	0.04093	
CON1	43848	0.04257	0.04342	0.04247	
CON1	43848	0.04418	0.04507	0.04409	
CON1	43848	0.04588	0.0468	0.04579	
CON1	43848	0.04767	0.04862	0.04759	
CON1	43848	0.0577	0.05877	0.05769	
CON1	43848	0.05989	0.06096	0.05989	
CON1	43848	0.06212	0.06318	0.06214	
CON1	43848	0.06435	0.06539	0.06439	
CON1	43848	0.06657	0.06757	0.06663	
CON1	43848	0.06872	0.06967	0.0688	
CON1	43848	0.07079	0.07166	0.07088	
CON1	43848	0.07272	0.07349	0.07282	
CON1	43848	0.07446	0.07511	0.07457	
CON1	43848	0.07597	0.07648	0.07608	
CON1	43848	0.07722	0.07756	0.07733	
CON1	43848	0.07817	0.07833	0.07828	
CON1	43848	0.07883	0.07881	0.07894	
CON1	43848	0.07919	0.07898	0.07928	
CON1	43848	0.07927	0.07889	0.07936	
CON1	43848	0.07858	0.07971	0.07869	
CON1	43848	0.08009	0.081	0.08007	
CON1	43848	0.08391	0.08448	0.08412	
CON1	43848	0.08539	0.08575	0.08559	
CON1	43848	0.0865	0.08664	0.0867	
CON1	43848	0.08723	0.08714	0.08742	
CON1	43848	0.08758	0.08726	0.08775	
CON1	43848	0.03331	0.03405	0.03317	
CON1	43848	0.03466	0.03544	0.03452	
CON1	43848	0.036	0.03681	0.03585	
CON1	43848	0.0374	0.03825	0.03726	
CON1	43848	0.03889	0.03977	0.03874	
CON1	43848	0.04044	0.04135	0.0403	
CON1	43848	0.0421	0.04305	0.04196	
CON1	43848	0.04384	0.04483	0.04371	
CON1	43848	0.04567	0.04671	0.04555	
CON1	43848	0.04761	0.04868	0.0475	
CON1	43848	0.04964	0.05075	0.04954	
CON1	43848	0.05181	0.05297	0.05172	
CON1	43848	0.0541	0.0553	0.05403	
CON1	43848	0.03458	0.03539	0.03443	
CON1	43848	0.03597	0.03682	0.03581	

CON1	43848	0.03744	0.03833	0.03728
CON1	43848	0.03899	0.03993	0.03883
CON1	43848	0.04063	0.04161	0.04047
CON1	43848	0.04236	0.04339	0.04221
CON1	43848	0.04422	0.04529	0.04406
CON1	43848	0.04617	0.04729	0.04603
CON1	43848	0.04824	0.04941	0.04811
CON1	43848	0.05043	0.05165	0.05031
CON1	43848	0.05276	0.05403	0.05266
CON1	43848	0.05523	0.05655	0.05514
CON1	43848	0.05784	0.05921	0.05778
CON1	43848	0.06059	0.06202	0.06056
CON1	43848	0.06354	0.06502	0.06354
CON1	43848	0.03578	0.03667	0.03561
CON1	43848	0.0373	0.03823	0.03713
CON1	43848	0.03891	0.03989	0.03873
CON1	43848	0.04062	0.04166	0.04044
CON1	43848	0.04244	0.04353	0.04226
CON1	43848	0.04436	0.04551	0.04419
CON1	43848	0.04643	0.04764	0.04626
CON1	43848	0.04863	0.04989	0.04847
CON1	43848	0.05097	0.05229	0.05082
CON1	43848	0.05345	0.05484	0.05332
CON1	43848	0.05611	0.05756	0.056
CON1	43848	0.05894	0.06045	0.05885
CON1	43848	0.06195	0.06353	0.06189
CON1	43848	0.06514	0.06679	0.06512
CON1	43848	0.06855	0.07026	0.06857
CON1	43848	0.07017	0.07209	0.07017
CON1	43848	0.07416	0.07615	0.07422
CON1	43848	0.07845	0.08052	0.07858
CON1	43848	0.07572	0.07796	0.07573
CON1	43848	0.08043	0.08278	0.08052
CON1	43848	0.08553	0.08798	0.08572
CON1	43848	0.08181	0.08446	0.08182
CON1	43848	0.08742	0.09022	0.08754
CON1	43848	0.09352	0.09645	0.09377
CON1	43848	0.08842	0.09157	0.08841
CON1	43848	0.09511	0.09846	0.09524
CON1	43848	0.10248	0.10603	0.10279
CON1	43848	0.09551	0.09926	0.09547
CON1	43848	0.10349	0.10753	0.10362
CON1	43848	0.1124	0.11672	0.11276
CON1	43848	0.103	0.10746	0.10291
CON1	43848	0.11251	0.11738	0.1126
CON1	43848	0.12331	0.12859	0.12368
CON1	43848	0.11074	0.11601	0.11054

CON1	43848	0.12199	0.12784	0.122
CON1	43848	0.1185	0.12469	0.11815
CON1	43848	0.13169	0.13868	0.13155
CON1	43848	0.12602	0.13322	0.12546
CON1	43848	0.14123	0.1495	0.14085
CON1	43848	0.13294	0.1412	0.13211
CON1	43848	0.15016	0.15982	0.14944
CON1	43848	0.1389	0.14821	0.13773
CON1	43848	0.15795	0.16903	0.15678
CON1	43848	0.14356	0.15384	0.14204
CON1	43848	0.16411	0.17651	0.16242
CON1	43848	0.18982	0.20495	0.18803
CON1	43848	0.14667	0.15773	0.14482
CON1	43848	0.16825	0.18176	0.16608
CON1	43848	0.19544	0.21216	0.19291
CON1	43848	0.1481	0.15971	0.14604
CON1	43848	0.17021	0.18449	0.1677
CON1	43848	0.19813	0.21598	0.19505
CON1	43848	0.14788	0.15971	0.14575
CON1	43848	0.17002	0.18464	0.16737
CON1	43848	0.19796	0.21634	0.19463
CON1	43848	0.14614	0.15789	0.14411
CON1	43848	0.16784	0.18239	0.16531
CON1	43848	0.19517	0.21347	0.19195
CON1	43848	0.23024	0.25373	0.22608
CON1	43848	0.14308	0.15447	0.14129
CON1	43848	0.16397	0.17804	0.16173
CON1	43848	0.19015	0.20782	0.18731
CON1	43848	0.22354	0.24616	0.21986
CON1	43848	0.13895	0.14976	0.13745
CON1	43848	0.15871	0.17201	0.15687
CON1	43848	0.18331	0.19993	0.18099
CON1	43848	0.21446	0.2356	0.21148
CON1	43848	0.13398	0.14408	0.13279
CON1	43848	0.15241	0.16475	0.15096
CON1	43848	0.17516	0.19045	0.17336
CON1	43848	0.20368	0.22294	0.20143
CON1	43848	0.2401	0.26482	0.23728
CON1	43848	0.12844	0.13775	0.12751
CON1	43848	0.1454	0.15669	0.14428
CON1	43848	0.16613	0.17999	0.16479
CON1	43848	0.19185	0.20909	0.19025
CON1	43848	0.22431	0.24609	0.22243
CON1	43848	0.12254	0.13106	0.12182
CON1	43848	0.13798	0.1482	0.13713
CON1	43848	0.15667	0.16908	0.1557
CON1	43848	0.1796	0.19482	0.17851

CON1	43848	0.20816	0.22708	0.20702
CON1	43848	0.11649	0.12424	0.11592
CON1	43848	0.13044	0.13964	0.12979
CON1	43848	0.14715	0.15817	0.14645
CON1	43848	0.16742	0.18075	0.16671
CON1	43848	0.19235	0.20864	0.19174
CON1	43848	0.22355	0.2437	0.22325
CON1	43848	0.11045	0.11745	0.10999
CON1	43848	0.12297	0.1312	0.12248
CON1	43848	0.13783	0.14757	0.13735
CON1	43848	0.15566	0.16727	0.15526
CON1	43848	0.17731	0.19126	0.17709
CON1	43848	0.20404	0.22097	0.20424
CON1	43848	0.2807	0.30678	0.283
CON1	43848	0.33697	0.37036	0.34137
CON1	43848	0.41299	0.4571	0.42067
CON1	43848	0.51796	0.57842	0.53066
CON1	43848	0.66655	0.75145	0.68744
CON1	43848	0.10452	0.11082	0.10416
CON1	43848	0.11573	0.12305	0.11537
CON1	43848	0.12889	0.13745	0.1286
CON1	43848	0.14452	0.15457	0.14437
CON1	43848	0.16329	0.17519	0.1634
CON1	43848	0.18614	0.20035	0.18671
CON1	43848	0.24993	0.27108	0.25236
CON1	43848	0.29541	0.32198	0.29948
CON1	43848	0.35583	0.39049	0.36216
CON1	43848	0.43528	0.48144	0.44473
CON1	43848	0.54262	0.60461	0.55683
CON1	43848	0.09878	0.10443	0.09852
CON1	43848	0.10878	0.11526	0.10857
CON1	43848	0.12042	0.1279	0.12031
CON1	43848	0.1341	0.14277	0.13416
CON1	43848	0.15035	0.16048	0.1507
CON1	43848	0.16989	0.18183	0.17069
CON1	43848	0.19376	0.20802	0.19522
CON1	43848	0.22323	0.24055	0.22557
CON1	43848	0.2606	0.28221	0.26414
CON1	43848	0.30907	0.3369	0.31413
CON1	43848	0.37089	0.40712	0.3779
CON1	43848	0.45244	0.49947	0.46247
CON1	43848	0.55409	0.61058	0.56965
CON1	43848	0.09328	0.09831	0.09312
CON1	43848	0.10218	0.10789	0.1021
CON1	43848	0.11246	0.11897	0.1125
CON1	43848	0.12444	0.1319	0.12467
CON1	43848	0.13852	0.14714	0.13904

CON1	43848	0.15529	0.16536	0.15621
CON1	43848	0.17553	0.18747	0.17699
CON1	43848	0.2311	0.24896	0.23406
CON1	43848	0.27035	0.29304	0.27432
CON1	43848	0.32012	0.34921	0.32539
CON1	43848	0.38282	0.41933	0.3901
CON1	43848	0.45874	0.50135	0.46964
CON1	43848	0.08804	0.0925	0.08798
CON1	43848	0.09595	0.10097	0.09598
CON1	43848	0.10503	0.11069	0.10519
CON1	43848	0.11551	0.12195	0.11586
CON1	43848	0.12773	0.13512	0.12834
CON1	43848	0.14215	0.15072	0.14309
CON1	43848	0.15939	0.1695	0.16074
CON1	43848	0.20599	0.22092	0.20841
CON1	43848	0.2383	0.25706	0.24141
CON1	43848	0.2782	0.30171	0.2822
CON1	43848	0.32718	0.35586	0.33259
CON1	43848	0.3851	0.41784	0.39298
CON1	43848	0.2227	0.24137	0.22095
CON1	43848	0.26583	0.28917	0.26452
CON1	43848	0.32435	0.35394	0.32439
CON1	43848	0.40749	0.44547	0.41111
CON1	43848	0.23043	0.25144	0.22755
CON1	43848	0.27662	0.3035	0.27347
CON1	43848	0.33997	0.37508	0.33702
CON1	43848	0.42974	0.47671	0.42805
CON1	43848	0.56883	0.63391	0.57228
CON1	43848	0.28188	0.31136	0.27723
CON1	43848	0.34692	0.38621	0.34123
CON1	43848	0.43896	0.49277	0.43228
CON1	43848	0.57944	0.65646	0.57277
CON1	43848	0.28155	0.31239	0.27607
CON1	43848	0.3462	0.38773	0.33894
CON1	43848	0.43672	0.49431	0.42694
CON1	43848	0.57256	0.65617	0.55942
CON1	43848	0.79338	0.92241	0.77678
CON1	43848	0.27635	0.30719	0.27085
CON1	43848	0.33816	0.37974	0.33061
CON1	43848	0.4252	0.48326	0.41466
CON1	43848	0.55138	0.63557	0.53632
CON1	43848	0.74962	0.87893	0.72827
CON1	43848	0.26709	0.29671	0.26222
CON1	43848	0.32536	0.36519	0.31872
CON1	43848	0.40519	0.46038	0.39585
CON1	43848	0.52201	0.60194	0.5089
CON1	43848	0.6999	0.8217	0.6818

CON1	43848	0.9853	1.18327	0.96165	
CON1	43848	0.3078	0.34435	0.30262	
CON1	43848	0.38049	0.4306	0.37363	
CON1	43848	0.48348	0.55478	0.47448	
CON1	43848	0.63759	0.74427	0.62644	
CON1	43848	0.88507	1.05677	0.87307	
CON1	43848	0.28768	0.32009	0.28417	
CON1	43848	0.35159	0.3952	0.34735	
CON1	43848	0.44074	0.50138	0.43609	
CON1	43848	0.57096	0.65915	0.56701	
CON1	43848	0.77323	0.91002	0.77299	
CON1	43848	0.32138	0.35824	0.31934	
CON1	43848	0.39688	0.44673	0.39559	
CON1	43848	0.50434	0.5743	0.50538	
CON1	43848	0.66519	0.76859	0.67198	
CON1	43848	0.9199	1.0833	0.94043	
CON1	43848	0.29149	0.32214	0.29095	
CON1	43848	0.3544	0.39466	0.35513	
CON1	43848	0.44175	0.49626	0.44528	
CON1	43848	0.56696	0.64368	0.57601	
CON1	43848	0.75502	0.86818	0.77532	
CON1	43848	0.26339	0.28868	0.2638	
CON1	43848	0.31542	0.34778	0.31721	
CON1	43848	0.38568	0.42817	0.39005	
CON1	43848	0.48315	0.54081	0.49198	
CON1	43848	0.62238	0.70359	0.63899	
CON1	43848	0.82822	0.94704	0.85915	
CON1	43848	0.06663	0.06816	0.06666	
CON1	43848	0.0699	0.07148	0.06997	
CON1	43848	0.07218	0.07396	0.07226	
CON1	43848	0.07602	0.07785	0.07615	
CON1	43848	0.08009	0.08197	0.08028	
CON1	43848	0.08436	0.08628	0.08463	
CON1	43848	0.08879	0.09072	0.08914	
CON1	43848	0.09804	0.09992	0.09856	
CON1	43848	0.10269	0.10448	0.1033	
CON1	43848	0.10719	0.10884	0.10789	
CON1	43848	0.08296	0.08511	0.08318	
CON1	43848	0.08789	0.0901	0.08819	
CON1	43848	0.09303	0.0953	0.09344	
CON1	43848	0.09843	0.10073	0.09896	
CON1	43848	0.10406	0.10635	0.10472	
CON1	43848	0.10985	0.1121	0.11064	
CON1	43848	0.11559	0.11775	0.1165	
CON1	43848	0.12128	0.12327	0.12232	
CON1	43848	0.12668	0.12841	0.12783	
CON1	43848	0.13159	0.13295	0.13281	

CON1	43848	0.13573	0.13662	0.13698
CON1	43848	0.0969	0.09954	0.09734
CON1	43848	0.10314	0.10585	0.10374
CON1	43848	0.10985	0.1126	0.11063
CON1	43848	0.11685	0.11961	0.11783
CON1	43848	0.12414	0.12685	0.12533
CON1	43848	0.13152	0.13413	0.13292
CON1	43848	0.13868	0.14109	0.14025
CON1	43848	0.14569	0.14778	0.14744
CON1	43848	0.15206	0.15367	0.15394
CON1	43848	0.15738	0.15837	0.15931
CON1	43848	0.16146	0.16169	0.16338
CON1	43848	0.10736	0.11054	0.10798
CON1	43848	0.11509	0.11838	0.11595
CON1	43848	0.12341	0.12675	0.12453
CON1	43848	0.13233	0.13568	0.13377
CON1	43848	0.14166	0.14497	0.14344
CON1	43848	0.15125	0.15443	0.15338
CON1	43848	0.16083	0.16376	0.16329
CON1	43848	0.17001	0.17252	0.17275
CON1	43848	0.17832	0.18022	0.18125
CON1	43848	0.1853	0.18636	0.18831
CON1	43848	0.19058	0.1906	0.19357
CON1	43848	0.19393	0.19276	0.19682
CON1	43848	0.11044	0.11417	0.11099
CON1	43848	0.11946	0.12337	0.1203
CON1	43848	0.12914	0.13318	0.13032
CON1	43848	0.13977	0.1439	0.14139
CON1	43848	0.16345	0.16754	0.16613
CON1	43848	0.17619	0.18011	0.17946
CON1	43848	0.18908	0.19267	0.19292
CON1	43848	0.20154	0.20459	0.20586
CON1	43848	0.21285	0.21509	0.21751
CON1	43848	0.22229	0.22337	0.22711
CON1	43848	0.22928	0.22887	0.23407
CON1	43848	0.23347	0.23135	0.23807
CON1	43848	0.23463	0.23084	0.23886
CON1	43848	0.12234	0.12693	0.12301
CON1	43848	0.13352	0.13837	0.13462
CON1	43848	0.14584	0.1509	0.14745
CON1	43848	0.15957	0.16475	0.16187
CON1	43848	0.17462	0.17985	0.17774
CON1	43848	0.19059	0.19574	0.19457
CON1	43848	0.20809	0.21301	0.21312
CON1	43848	0.24383	0.24754	0.25086
CON1	43848	0.25978	0.26237	0.26744
CON1	43848	0.27299	0.27394	0.28094

CON1	43848	0.28252	0.28126	0.29043
CON1	43848	0.28784	0.28398	0.29538
CON1	43848	0.28884	0.28245	0.29572
CON1	43848	0.13558	0.14128	0.13637
CON1	43848	0.1496	0.1557	0.15096
CON1	43848	0.16486	0.17123	0.16695
CON1	43848	0.18312	0.18977	0.18625
CON1	43848	0.20356	0.21032	0.20805
CON1	43848	0.22624	0.23287	0.2324
CON1	43848	0.25101	0.25722	0.25913
CON1	43848	0.30237	0.30686	0.3142
CON1	43848	0.32558	0.32848	0.3386
CON1	43848	0.34508	0.34558	0.35872
CON1	43848	0.35899	0.35596	0.37263
CON1	43848	0.3657	0.35858	0.37858
CON1	43848	0.36553	0.35448	0.37694
CON1	43848	0.15013	0.15723	0.15097
CON1	43848	0.16778	0.1755	0.16938
CON1	43848	0.18826	0.19656	0.19095
CON1	43848	0.21119	0.2198	0.2154
CON1	43848	0.24033	0.2492	0.24687
CON1	43848	0.27257	0.28123	0.28211
CON1	43848	0.30901	0.31696	0.32228
CON1	43848	0.38883	0.39375	0.4102
CON1	43848	0.42538	0.428	0.44938
CON1	43848	0.45533	0.4542	0.4806
CON1	43848	0.47529	0.46851	0.50037
CON1	43848	0.48327	0.46966	0.50642
CON1	43848	0.47972	0.45965	0.49919
CON1	43848	0.41534	0.39054	0.42091
CON1	43848	0.38572	0.36233	0.38777
CON1	43848	0.16569	0.17452	0.16649
CON1	43848	0.18778	0.19761	0.18955
CON1	43848	0.21449	0.22528	0.21778
CON1	43848	0.2458	0.25729	0.25135
CON1	43848	0.28575	0.2977	0.29496
CON1	43848	0.33325	0.34485	0.3478
CON1	43848	0.38759	0.39761	0.40927
CON1	43848	0.52116	0.52517	0.56187
CON1	43848	0.58294	0.58317	0.63037
CON1	43848	0.63209	0.62671	0.68234
CON1	43848	0.66432	0.64939	0.71413
CON1	43848	0.67476	0.64683	0.71946
CON1	43848	0.66044	0.62106	0.69443
CON1	43848	0.52728	0.48572	0.53127
CON1	43848	0.4762	0.43897	0.47517
CON1	43848	0.1817	0.19262	0.18229

CON1	43848	0.20901	0.2215	0.21072
CON1	43848	0.24319	0.25729	0.24683
CON1	43848	0.28587	0.30141	0.29273
CON1	43848	0.34053	0.3568	0.35301
CON1	43848	0.4128	0.4283	0.43487
CON1	43848	0.50796	0.51963	0.54585
CON1	43848	0.7543	0.74864	0.84306
CON1	43848	0.87558	0.86402	0.98539
CON1	43848	0.96299	0.9446	1.08037
CON1	43848	1.01683	0.98164	1.13186
CON1	43848	1.02096	0.95643	1.11565
CON1	43848	0.97241	0.88334	1.03156
CON1	43848	0.67919	0.60586	0.67594
CON1	43848	0.58734	0.52765	0.57921
CON1	43848	0.1973	0.21065	0.19741
CON1	43848	0.2303	0.24602	0.23155
CON1	43848	0.27297	0.29138	0.27643
CON1	43848	0.32907	0.35023	0.33665
CON1	43848	0.40771	0.43095	0.42367
CON1	43848	0.51965	0.54158	0.55223
CON1	43848	0.69071	0.70021	0.75782
CON1	43848	1.2766	1.19783	1.52435
CON1	43848	1.56579	1.48064	1.90133
CON1	43848	1.72059	1.65696	2.06836
CON1	43848	1.80825	1.71766	2.14622
CON1	43848	1.77443	1.57894	2.01534
CON1	43848	1.606	1.33355	1.69212
CON1	43848	0.8711	0.74311	0.85035
CON1	43848	0.71344	0.6219	0.69378
CON1	43848	0.21135	0.22736	0.21067
CON1	43848	0.24986	0.26931	0.25012
CON1	43848	0.30113	0.32484	0.30345
CON1	43848	0.37218	0.40097	0.37903
CON1	43848	0.47485	0.50882	0.4917
CON1	43848	0.64308	0.67836	0.68508
CON1	43848	0.95803	0.96632	1.06798
CON1	43848	1.79371	1.53155	2.12938
CON1	43848	2.9141	2.49764	3.94613
CON1	43848	3.55228	3.38863	4.96563
CON1	43848	3.84223	4.00318	5.08943
CON1	43848	3.95507	4.19322	5.31849
CON1	43848	3.84857	3.21056	5.41289
CON1	43848	3.59119	2.08588	3.23417
CON1	43848	1.47281	1.12173	1.39483
CON1	43848	1.08422	0.88298	1.03756
CON1	43848	0.84001	0.71212	0.80753
CON1	43848	0.53347	0.58267	0.5463

CON1	43848	0.74819	0.81078	0.78754
CON1	43848	1.19448	1.26255	1.32297
CON1	43848	2.89095	2.80392	3.4982
CON1	43848	1.88579	1.33683	1.73674
CON1	43848	1.28314	1.01027	1.21391
CON1	43848	0.95264	0.79025	0.9109
CON1	43848	0.80495	0.8989	0.82561
CON1	43848	1.28882	1.43359	1.3742
CON1	43848	2.83251	3.08958	3.27852
CON1	43848	2.25892	1.52938	2.04934
CON1	43848	1.45272	1.11609	1.36879
CON1	43848	1.04608	0.85077	1.00108
CON1	43848	0.8143	0.9313	0.81225
CON1	43848	1.26331	1.45535	1.28674
CON1	43848	2.40763	2.78384	2.58131
CON1	43848	2.607	1.68983	2.34425
CON1	43848	1.59345	1.18947	1.50243
CON1	43848	1.11861	0.88725	1.07795
CON1	43848	1.18902	1.4046	1.17529
CON1	43848	2.04084	2.4607	2.07803
CON1	43848	2.94249	1.8176	2.67529
CON1	43848	1.73071	1.23835	1.65168
CON1	43848	1.17565	0.90088	1.15312
CON1	43848	1.09668	1.31359	1.06989
CON1	43848	1.78264	2.19931	1.76567
CON1	43848	3.56443	4.63115	3.66976
CON1	43848	3.28113	1.90593	3.07216
CON1	43848	1.83749	1.24613	1.80807
CON1	43848	1.20616	0.886	1.22348
CON1	43848	1.54138	1.91514	1.5162
CON1	43848	2.78266	3.65027	2.78863
CON1	43848	3.57021	1.91636	3.58855
CON1	43848	1.8844	1.20342	1.97457
CON1	43848	1.18917	0.83643	1.26667
CON1	43848	1.31314	1.61923	1.30479
CON1	43848	2.22012	2.89227	2.24203
CON1	43848	1.82921	1.10318	2.09235
CON1	43848	1.10856	0.75637	1.23807
CON1	43848	1.10375	1.33397	1.11511
CON1	43848	1.75996	2.22681	1.81429
CON1	43848	3.33818	4.62436	3.64851
CON1	43848	1.60872	0.96539	1.93326
CON1	43848	0.97845	0.67079	1.10895
CON1	43848	1.37016	1.65812	1.42926
CON1	43848	2.30263	2.88781	2.50714
CON1	43848	4.86042	2.30461	6.23424
CON1	43848	1.33766	0.84856	1.5739

CON1	43848	0.85143	0.60039	0.95236
CON1	43848	1.04335	1.21759	1.08776
CON1	43848	1.58467	1.86979	1.69613
CON1	43848	2.59449	2.84538	2.90419
CON1	43848	3.77934	3.42499	4.52603
CON1	43848	3.75696	3.23006	4.62248
CON1	43848	3.32743	2.58437	4.08111
CON1	43848	2.65322	1.75683	3.22412
CON1	43848	1.79639	1.13314	2.16655
CON1	43848	1.13343	0.7631	1.30879
CON1	43848	0.75363	0.54606	0.83473
CON1	43848	1.13306	1.30182	1.19298
CON1	43848	1.62685	1.78968	1.76423
CON1	43848	2.10731	2.11833	2.37614
CON1	43848	2.2594	2.109	2.61124
CON1	43848	2.11935	1.81239	2.46778
CON1	43848	1.79572	1.37606	2.09127
CON1	43848	1.36447	0.97652	1.57839
CON1	43848	0.67568	0.50352	0.74345
CON1	43848	0.86595	0.97704	0.90207
CON1	43848	1.12784	1.24017	1.19662
CON1	43848	1.40663	1.45908	1.53238
CON1	43848	1.53599	1.49343	1.7077
CON1	43848	1.49691	1.35139	1.68315
CON1	43848	1.32596	1.10148	1.49749
CON1	43848	1.07668	0.83827	1.21273
CON1	43848	0.6058	0.46595	0.6618
CON1	43848	0.68491	0.76251	0.70811
CON1	43848	0.85547	0.93408	0.89629
CON1	43848	1.01655	1.06684	1.08388
CON1	43848	1.11469	1.10934	1.20837
CON1	43848	1.11822	1.04535	1.22667
CON1	43848	1.02519	0.89638	1.13169
CON1	43848	0.86877	0.7165	0.95945
CON1	43848	0.54176	0.43046	0.58738
CON1	43848	0.67142	0.72857	0.69715
CON1	43848	0.78316	0.82397	0.82393
CON1	43848	0.85495	0.86183	0.91134
CON1	43848	0.86079	0.82465	0.92714
CON1	43848	0.81475	0.73798	0.88387
CON1	43848	0.72132	0.62155	0.78437
CON1	43848	0.48594	0.39856	0.52297
CON1	43848	0.54212	0.58491	0.55925
CON1	43848	0.62185	0.65452	0.64799
CON1	43848	0.67804	0.68893	0.71413
CON1	43848	0.69409	0.67572	0.73792
CON1	43848	0.66642	0.61931	0.71335

CON1	43848	0.60285	0.536	0.64749
CON1	43848	0.494	0.42093	0.53044
CON1	43848	0.44808	0.48095	0.46001
CON1	43848	0.50651	0.53269	0.52412
CON1	43848	0.55009	0.56185	0.57421
CON1	43848	0.56737	0.55903	0.5971
CON1	43848	0.55377	0.52451	0.58654
CON1	43848	0.51334	0.46791	0.54583
CON1	43848	0.45398	0.40063	0.48309

IDLE1	IDLE2	A	B	C	D	E	F
0.12126	0.12587	0.15726	0.21235	0.20389	0.29389	0.39631	0.45588
0.12556	0.13034	0.16411	0.22215	0.21492	0.31598	0.43464	0.50584
0.13001	0.13496	0.1713	0.23232	0.2267	0.34048	0.47879	0.56476
0.13465	0.13977	0.1789	0.24292	0.23938	0.3679	0.53022	0.63522
0.1395	0.1448	0.18692	0.25396	0.25304	0.39872	0.59063	0.72054
0.14463	0.1501	0.1955	0.26561	0.26793	0.43386	0.66284	0.82615
0.14997	0.15561	0.20451	0.2776	0.28393	0.47351	0.74891	0.95761
0.15548	0.16129	0.21395	0.28981	0.30103	0.51814	0.85203	1.12359
0.16122	0.16718	0.22386	0.30224	0.31938	0.56872	0.97695	1.33796
0.16717	0.17327	0.23423	0.31475	0.339	0.62592	1.12894	1.62059
0.17332	0.17954	0.24504	0.32716	0.35986	0.69036	1.31399	2.00202
0.17965	0.18596	0.25626	0.3393	0.38195	0.7626	1.53825	2.53083
0.18621	0.1926	0.26796	0.35114	0.4054	0.84361	1.80823	3.29165
0.19293	0.19935	0.27998	0.36232	0.42989	0.93267	2.12258	4.42219
0.19982	0.20622	0.29234	0.37271	0.45538	1.02919	2.47141	6.17586
0.2068	0.21312	0.30484	0.38202	0.48138	1.12994	2.82197	8.9909
0.21392	0.2201	0.31753	0.39029	0.5078	1.2315	3.12792	13.16918
0.22103	0.22697	0.33006	0.39713	0.53362	1.32448	3.35132	16.84858
0.22814	0.23375	0.34236	0.40265	0.55833	1.40082	3.5147	15.79076
0.23517	0.24035	0.35423	0.40685	0.58107	1.45386	3.64395	12.3186
0.24202	0.24665	0.36541	0.40979	0.60082	1.48639	3.72415	9.22867
0.24864	0.2526	0.37573	0.41178	0.61695	1.51372	3.7229	6.92863
0.2549	0.2581	0.38492	0.41303	0.62878	1.5459	3.61363	5.26854
0.26073	0.26306	0.39282	0.41399	0.63627	1.57817	3.39793	4.06949
0.26606	0.26746	0.39934	0.4151	0.64015	1.59845	3.10425	3.1955
0.27081	0.27121	0.40438	0.41674	0.64185	1.59795	2.77138	2.55061
0.27493	0.27429	0.40796	0.41922	0.64337	1.57495	2.43404	2.06825
0.27832	0.27664	0.41014	0.42266	0.64658	1.53194	2.11598	1.70265
0.281	0.2783	0.41125	0.42715	0.65279	1.47351	1.82984	1.42117
0.28295	0.2793	0.41163	0.4325	0.66194	1.40367	1.58007	1.2014
0.28417	0.27969	0.41171	0.43837	0.67286	1.32583	1.36609	1.02783
0.28469	0.27955	0.41201	0.44428	0.68379	1.24299	1.18486	0.88916
0.26742	0.27226	0.41362	0.4572	0.70895	1.96841	5.22556	7.39859
0.27471	0.27867	0.42474	0.4589	0.72426	2.02002	4.79792	5.30522
0.2816	0.28456	0.43445	0.46054	0.73408	2.05097	4.25044	3.94329
0.28787	0.28973	0.44237	0.46242	0.73904	2.04148	3.66474	3.02102
0.29342	0.29408	0.44837	0.46497	0.74151	1.99197	3.10641	2.37617
0.29817	0.29759	0.45252	0.46851	0.74458	1.91229	2.61117	1.91181
0.30216	0.30032	0.45516	0.47332	0.75105	1.81404	2.1904	1.56736
0.30524	0.30219	0.45646	0.4791	0.76114	1.70412	1.84179	1.30743
0.30747	0.30329	0.45705	0.48559	0.77394	1.58848	1.55659	1.10652
0.30882	0.30367	0.45748	0.49224	0.78702	1.47053	1.3245	0.94908
0.30937	0.30348	0.45842	0.49838	0.79774	1.3532	1.1358	0.82383
0.30943	0.30312	0.46069	0.50355	0.8043	1.23958	0.98113	0.72115
0.12907	0.13447	0.16849	0.23502	0.21945	0.31497	0.41851	0.46884
0.13402	0.13968	0.17653	0.24733	0.23249	0.34088	0.46218	0.52243

0.13922	0.14512		0.18507	0.26031	0.24665	0.37017	0.51346	0.58644
0.14467	0.15083		0.19417	0.27402	0.26207	0.40351	0.57436	0.66394
0.15034	0.15675		0.20379	0.28829	0.27874	0.44137	0.64702	0.75859
0.15639	0.16306		0.21419	0.30356	0.29722	0.48554	0.73628	0.87783
0.16271	0.16964		0.22521	0.31942	0.31733	0.53652	0.84601	1.02923
0.16932	0.1765		0.2369	0.33583	0.33924	0.59574	0.98312	1.22595
0.17621	0.18364		0.24928	0.35271	0.36312	0.66496	1.15752	1.48855
0.18343	0.1911		0.26242	0.36999	0.38924	0.74661	1.38434	1.8516
0.19099	0.19888		0.27634	0.3875	0.41774	0.84339	1.68591	2.37427
0.19891	0.20702		0.2911	0.4051	0.44888	0.95889	2.096	3.16368
0.24228	0.2507		0.37378	0.47935	0.63835	1.90831	7.26509	12.58766
0.25154	0.25976		0.3914	0.4894	0.68063	2.15537	8.33716	14.49872
0.26097	0.26888		0.40913	0.4977	0.72279	2.37429	8.96787	37.65877
0.27033	0.27775		0.42631	0.50384	0.76221	2.52078	8.9246	18.12006
0.27961	0.28639		0.44281	0.50839	0.79747	2.61877	8.31648	10.7035
0.28857	0.29451		0.45801	0.51149	0.82587	2.71316	7.34765	6.99614
0.29718	0.30211		0.47174	0.51398	0.84655	2.7673	6.20569	4.87884
0.30527	0.30903		0.4836	0.51641	0.85917	2.73549	5.08015	3.57268
0.31265	0.3151		0.49324	0.51931	0.86555	2.62596	4.09355	2.72117
0.31924	0.32026		0.50059	0.5232	0.86989	2.47032	3.2869	2.13813
0.32485	0.32437		0.50561	0.52825	0.87644	2.29455	2.65085	1.72523
0.32947	0.32746		0.50865	0.53447	0.88754	2.11444	2.15768	1.42175
0.33314	0.32966		0.51039	0.54169	0.90281	1.93759	1.77573	1.19125
0.33561	0.33077		0.51121	0.54904	0.91845	1.76529	1.47965	1.01509
0.33719	0.33123		0.51236	0.55607	0.93141	1.60122	1.2471	0.8749
0.32935	0.33577		0.5028	0.5856	0.95435	4.03245	6.19055	2.818
0.32028	0.33667		0.5003	0.59453	0.98106	3.67271	4.55601	2.14823
0.34886	0.35037		0.56317	0.59433	1.04045	3.00211	3.23801	1.89893
0.35566	0.35534		0.56945	0.60125	1.05332	2.69414	2.5324	1.54511
0.36116	0.35897		0.57325	0.60913	1.07146	2.41321	2.02317	1.28553
0.36534	0.36134		0.57531	0.61736	1.09088	2.15654	1.64837	1.08822
0.36832	0.36274		0.57679	0.62512	1.1058	1.9218	1.36421	0.93181
0.13174	0.13776		0.17118	0.24548	0.2208	0.30649	0.3895	0.42136
0.13718	0.14351		0.18002	0.26016	0.23488	0.3327	0.43048	0.46829
0.14286	0.14953		0.18935	0.27562	0.25006	0.36207	0.47724	0.52198
0.14886	0.15587		0.19936	0.29216	0.26674	0.3957	0.5327	0.58628
0.15522	0.16259		0.21016	0.30991	0.28515	0.43459	0.59938	0.66428
0.16187	0.16961		0.22167	0.32866	0.30533	0.47947	0.68001	0.75975
0.16904	0.17718		0.2343	0.34907	0.32807	0.53297	0.78086	0.88045
0.17654	0.18507		0.24776	0.37045	0.35308	0.59578	0.907	1.03374
0.18447	0.1934		0.26227	0.39304	0.38096	0.67099	1.06929	1.23423
0.1928	0.20212		0.27781	0.41656	0.41187	0.76154	1.28266	1.50309
0.20152	0.21123		0.29438	0.44075	0.44614	0.8716	1.57133	1.8754
0.21084	0.22094		0.31241	0.46611	0.48492	1.00979	1.98388	2.4219
0.22064	0.23111		0.33167	0.49176	0.52822	1.18376	2.59948	3.26529
0.13553	0.14199		0.17644	0.25743	0.22743	0.31256	0.39167	0.41874
0.14126	0.14809		0.18573	0.27343	0.2422	0.33946	0.43181	0.46324

0.14734	0.15455	0.19574	0.29073	0.25847	0.37023	0.479	0.51579
0.15378	0.16141	0.20656	0.30943	0.27647	0.4057	0.5351	0.57858
0.16062	0.16868	0.21827	0.32965	0.29644	0.44693	0.60264	0.65456
0.16783	0.17633	0.23086	0.35125	0.31852	0.49492	0.68462	0.74732
0.1756	0.18457	0.24468	0.37485	0.34349	0.55237	0.78716	0.86391
0.18381	0.19326	0.25959	0.39996	0.37131	0.62077	0.91626	1.01158
0.19252	0.20248	0.27576	0.42674	0.4026	0.70357	1.08306	1.20331
0.2017	0.21216	0.2932	0.45488	0.43765	0.80458	1.30363	1.45851
0.21151	0.22249	0.31221	0.4847	0.4775	0.93109	1.60732	1.81048
0.22183	0.23331	0.33265	0.51539	0.52237	1.09058	2.04097	2.31438
0.23272	0.24469	0.35469	0.54675	0.57322	1.29666	2.69772	3.07488
0.24414	0.25657	0.37826	0.57792	0.63056	1.56789	3.76938	4.30283
0.25634	0.26923	0.40388	0.60925	0.69649	1.94213	5.76874	6.53452
0.13928	0.14622	0.1815	0.26942	0.23351	0.31685	0.39037	0.41256
0.14539	0.15275	0.19142	0.28719	0.24921	0.34467	0.43032	0.45574
0.15188	0.15968	0.20215	0.30655	0.26658	0.37658	0.47725	0.50657
0.15878	0.16707	0.2138	0.32767	0.28589	0.41354	0.53303	0.56708
0.16614	0.17493	0.22646	0.35068	0.30743	0.45664	0.60008	0.63991
0.17393	0.18325	0.24016	0.37556	0.33143	0.50717	0.68151	0.72841
0.18235	0.19224	0.25527	0.40295	0.35872	0.56793	0.78311	0.83872
0.19128	0.20175	0.27168	0.4324	0.38937	0.64079	0.91083	0.97716
0.20081	0.2119	0.28961	0.46417	0.42415	0.7298	1.07555	1.15486
0.21094	0.22266	0.30915	0.49807	0.46365	0.8399	1.29316	1.388
0.22175	0.23413	0.33053	0.53416	0.50889	0.97901	1.59067	1.70256
0.23326	0.24629	0.35386	0.57204	0.56078	1.15821	2.01363	2.14081
0.24548	0.25918	0.37926	0.61122	0.62054	1.39491	2.64693	2.77678
0.25835	0.27267	0.40667	0.65051	0.68909	1.71511	3.66067	3.75203
0.27204	0.28698	0.4365	0.68979	0.76884	2.1698	5.4575	5.36547
0.27343	0.28996	0.4372	0.73768	0.75051	1.82723	3.34375	3.17314
0.2889	0.30628	0.47217	0.78812	0.84671	2.34863	4.74343	4.27347
0.30557	0.32378	0.5108	0.83822	0.96252	3.16177	7.26315	6.05606
0.28934	0.30842	0.46968	0.84333	0.81289	1.88802	2.94641	2.65797
0.30694	0.32719	0.51089	0.90992	0.92806	2.44868	3.97722	3.41062
0.32599	0.3474	0.55694	0.97651	1.07	3.33572	5.62883	4.49811
0.30611	0.32814	0.50398	0.97331	0.87396	1.89121	2.55259	2.23194
0.32619	0.34981	0.55258	1.06353	1.00978	2.45444	3.30114	2.75778
0.34788	0.37312	0.6073	1.15367	1.17994	3.3349	4.39057	3.44958
0.32356	0.34893	0.5394	1.13431	0.92987	1.83773	2.19692	1.88852
0.34632	0.37383	0.59621	1.25856	1.08556	2.36329	2.74044	2.26388
0.37122	0.40098	0.66151	1.38591	1.28546	3.16848	3.47844	2.72283
0.3416	0.37073	0.57529	1.33665	0.97741	1.74139	1.89153	1.61307
0.36731	0.39926	0.64116	1.51234	1.15079	2.20418	2.29123	1.88669
0.39557	0.43056	0.71797	1.6956	1.37623	2.88323	2.80265	2.20205
0.36011	0.39344	0.61072	1.59464	1.01377	1.61959	1.6357	1.39094
0.38904	0.42603	0.68632	1.85174	1.20121	2.01099	1.93453	1.59421
0.42133	0.46241	0.77659	2.1319	1.44897	2.56397	2.30071	1.81828
0.37874	0.41664	0.64393	1.92495	1.03615	1.48591	1.42268	1.20997

0.41114	0.45372	0.72956	2.31762	1.23272	1.80857	1.64994	1.36372
0.39707	0.43985	0.67285	2.34497	1.04307	1.35095	1.24557	1.06144
0.43324	0.48191	0.76829	2.9793	1.24349	1.61398	1.42109	1.17917
0.41485	0.46274	0.69575	2.86239	1.0354	1.22279	1.09791	0.9378
0.45476	0.50987	0.7993	3.94506	1.23302	1.43527	1.23505	1.02945
0.4314	0.48445	0.71047	3.40677	1.01363	1.10407	0.97399	0.83438
0.47503	0.53674	0.81972	5.30109	1.2029	1.27591	1.08238	0.90654
0.44616	0.5042	0.71607	3.74366	0.98003	0.99664	0.86936	0.7471
0.4933	0.56147	0.82775	6.49247	1.15627	1.13616	0.95589	0.8047
0.45857	0.5212	0.71272	3.63622	0.9375	0.90088	0.78031	0.67274
0.5088	0.58296	0.82348	6.07955	1.09759	1.01486	0.84994	0.71922
0.5681	0.65679	0.96461	14.01577	1.30327	1.14827	0.92327	0.7653
0.46806	0.53459	0.70146	3.21954	0.88881	0.81616	0.70411	0.60916
0.52069	0.59994	0.80837	4.84764	1.03119	0.90997	0.7612	0.64743
0.58338	0.67891	0.94404	8.18	1.21112	1.01777	0.81958	0.68444
0.47432	0.54387	0.68414	2.75083	0.83678	0.74164	0.63836	0.55417
0.52862	0.61184	0.78524	3.80691	0.96146	0.81945	0.68532	0.58585
0.5936	0.69444	0.91232	5.50099	1.11599	0.90727	0.73267	0.61623
0.47712	0.54866	0.66238	2.33392	0.78343	0.6761	0.58136	0.50646
0.53227	0.61809	0.75642	3.04001	0.89136	0.74112	0.62024	0.53285
0.59839	0.70266	0.87306	4.02714	1.02245	0.81326	0.6591	0.55812
0.47655	0.54897	0.63756	1.98702	0.73047	0.61843	0.53161	0.46473
0.53168	0.61862	0.72375	2.47633	0.82311	0.67309	0.56406	0.48693
0.59776	0.70346	0.82897	3.1043	0.93355	0.73279	0.59628	0.50818
0.67801	0.80843	0.95895	3.81123	1.06654	0.79693	0.62715	0.52753
0.47283	0.54505	0.61056	1.70341	0.6791	0.56753	0.48802	0.42811
0.52713	0.61372	0.68844	2.05369	0.75827	0.61374	0.51535	0.44698
0.59222	0.69742	0.78204	2.4783	0.85125	0.66349	0.54198	0.46473
0.67089	0.80038	0.89515	2.94148	0.96101	0.71615	0.56792	0.48134
0.46641	0.53745	0.58209	1.47206	0.63034	0.5225	0.44956	0.39571
0.51922	0.60418	0.65166	1.73008	0.698	0.56177	0.47264	0.4118
0.58215	0.68492	0.73367	2.02999	0.77625	0.60347	0.49544	0.42726
0.65817	0.78419	0.8311	2.35005	0.86745	0.64705	0.51702	0.44129
0.45769	0.5267	0.55267	1.28233	0.58471	0.48248	0.41554	0.36702
0.50847	0.59064	0.61418	1.47703	0.64271	0.51601	0.43522	0.38087
0.56873	0.66764	0.68561	1.6966	0.70905	0.55119	0.45446	0.39407
0.64102	0.76151	0.76898	1.92667	0.7853	0.58752	0.47278	0.4062
0.72881	0.87764	0.86694	2.14228	0.87312	0.62421	0.48939	0.41653
0.44719	0.51347	0.52296	1.12582	0.54262	0.44681	0.38527	0.34142
0.49552	0.574	0.57698	1.27583	0.59257	0.47555	0.40213	0.3534
0.55252	0.64635	0.63886	1.44092	0.64914	0.5054	0.41855	0.36482
0.6204	0.73378	0.71014	1.61156	0.71336	0.5359	0.43417	0.37533
0.70209	0.84072	0.79275	1.77164	0.78619	0.56644	0.4484	0.38437
0.43526	0.49827	0.4935	0.99565	0.5041	0.41489	0.3583	0.31855
0.4808	0.55487	0.54077	1.11329	0.54734	0.43965	0.37293	0.32907
0.53418	0.62203	0.59441	1.24043	0.59589	0.46511	0.38704	0.339
0.59716	0.7023	0.6555	1.37014	0.65032	0.49091	0.40049	0.34819

0.67215	0.79925	0.72554	1.49168	0.7111	0.51655	0.41278	0.35615
0.42232	0.48168	0.4649	0.88663	0.46908	0.38625	0.33403	0.29792
0.4649	0.53418	0.5063	0.98028	0.50674	0.40764	0.34668	0.30711
0.51437	0.59579	0.55285	1.07984	0.54859	0.42946	0.35895	0.31587
0.5722	0.66865	0.60546	1.18042	0.59495	0.4514	0.37059	0.32393
0.6403	0.75554	0.66523	1.27451	0.64595	0.47307	0.3812	0.33092
0.72107	0.86011	0.7334	1.35313	0.70138	0.49393	0.39031	0.33644
0.40848	0.46394	0.43749	0.79446	0.43728	0.36044	0.3123	0.27941
0.44798	0.51217	0.47384	0.87005	0.47023	0.37901	0.32332	0.2875
0.49341	0.56813	0.51445	0.94946	0.5065	0.39783	0.33409	0.29528
0.546	0.63358	0.56003	1.02882	0.5462	0.41662	0.34424	0.30241
0.60721	0.71066	0.61131	1.10267	0.58913	0.43504	0.35342	0.30855
0.67882	0.80196	0.66929	1.16507	0.63517	0.45277	0.36144	0.31352
0.86332	1.043	0.80727	1.23028	0.7324	0.48314	0.3714	0.31807
0.98287	1.20376	0.8864	1.22504	0.77984	0.49372	0.37217	0.31689
1.12744	1.40207	0.97166	1.19469	0.8235	0.50009	0.36994	0.31345
1.30392	1.64941	1.05936	1.1412	0.85859	0.50118	0.36446	0.30764
1.52214	1.96158	1.14441	1.0692	0.88001	0.49649	0.35589	0.2997
0.39399	0.44543	0.41158	0.71599	0.40845	0.33714	0.2927	0.26267
0.43034	0.48938	0.44364	0.77776	0.43739	0.35332	0.30238	0.26984
0.47176	0.53986	0.47925	0.84178	0.46892	0.3696	0.31178	0.27671
0.51917	0.59815	0.51896	0.90536	0.50304	0.3858	0.32072	0.28307
0.57371	0.66591	0.56333	0.96443	0.53949	0.40163	0.32884	0.2886
0.63671	0.74509	0.61286	1.01444	0.57786	0.41678	0.33587	0.29305
0.79526	0.94875	0.7279	1.06877	0.6571	0.44269	0.34476	0.29729
0.89563	1.0806	0.79271	1.06698	0.69542	0.45191	0.34577	0.29657
1.01524	1.24017	0.86165	1.04561	0.73077	0.45779	0.34427	0.2939
1.15731	1.43239	0.9306	1.00475	0.7588	0.45905	0.33977	0.28899
1.32841	1.6664	0.99669	0.94849	0.77648	0.45551	0.33257	0.28218
0.37904	0.42647	0.38735	0.64867	0.38228	0.31602	0.27493	0.24744
0.41225	0.46624	0.41574	0.69959	0.40777	0.33017	0.28346	0.25383
0.44972	0.5114	0.44714	0.75196	0.43529	0.34435	0.2918	0.26
0.49221	0.56308	0.4819	0.80331	0.46464	0.35834	0.2996	0.26561
0.54049	0.62233	0.52044	0.85116	0.49569	0.37203	0.30682	0.27061
0.59561	0.6907	0.56297	0.89179	0.52791	0.38508	0.31306	0.27463
0.65887	0.77006	0.60962	0.92174	0.56081	0.39712	0.318	0.27744
0.73167	0.86265	0.65978	0.93763	0.59331	0.40744	0.32114	0.27868
0.81633	0.97156	0.71345	0.93822	0.6248	0.41562	0.32233	0.27831
0.91565	1.10059	0.76977	0.92314	0.65378	0.42099	0.32137	0.27625
1.03128	1.2524	0.82478	0.89177	0.67658	0.42238	0.31767	0.27211
1.16842	1.43286	0.87788	0.84807	0.69187	0.41997	0.31178	0.26639
1.32854	1.64116	0.92358	0.79416	0.69604	0.41318	0.30357	0.25905
0.36376	0.40727	0.36481	0.59049	0.35848	0.29684	0.25883	0.23362
0.39391	0.44303	0.39009	0.63297	0.38101	0.30928	0.26642	0.23935
0.42764	0.4833	0.4179	0.6761	0.40507	0.32166	0.27377	0.24484
0.46549	0.52883	0.44852	0.71832	0.4305	0.33388	0.28075	0.24993
0.50811	0.58056	0.48215	0.75738	0.45703	0.34576	0.28714	0.25441

0.55629	0.63958	0.51891	0.79079	0.48429	0.3571	0.29272	0.25808
0.61099	0.70729	0.55867	0.81576	0.5118	0.36753	0.29716	0.26068
0.74495	0.87569	0.6455	0.83165	0.56483	0.38375	0.30133	0.26179
0.82783	0.98087	0.69164	0.82088	0.58871	0.38859	0.30071	0.26015
0.9236	1.10279	0.73725	0.79747	0.60822	0.39035	0.29794	0.25686
1.03411	1.24296	0.78003	0.76292	0.6212	0.38865	0.293	0.25197
1.16036	1.40032	0.81702	0.71964	0.62564	0.3833	0.28603	0.24563
0.34838	0.38816	0.34396	0.53986	0.3368	0.27937	0.2441	0.22092
0.37563	0.42021	0.36653	0.5754	0.35669	0.2903	0.25082	0.22605
0.40586	0.45598	0.39127	0.61134	0.37779	0.30118	0.25739	0.23101
0.4395	0.49608	0.41829	0.64627	0.39984	0.31186	0.26361	0.2356
0.47705	0.54122	0.44771	0.67856	0.4226	0.32225	0.26933	0.23967
0.51915	0.59224	0.4795	0.70623	0.44574	0.33213	0.27432	0.243
0.56655	0.65019	0.51353	0.72724	0.46891	0.34124	0.27835	0.24542
0.68112	0.79179	0.58669	0.74236	0.51336	0.35557	0.28238	0.24675
0.75094	0.87839	0.62502	0.73491	0.5334	0.36002	0.28209	0.2455
0.83009	0.97656	0.6621	0.71668	0.54961	0.36174	0.27979	0.24269
0.91967	1.08654	0.6969	0.6892	0.56074	0.36057	0.27564	0.2385
1.01991	1.20657	0.72745	0.65433	0.56531	0.35639	0.26978	0.23306
0.6392	0.74661	1.14974	31.6436	1.57495	1.30379	0.9954	0.80697
0.72522	0.8571	1.39977	37.70403	1.94419	1.48145	1.06206	0.84115
0.83091	0.99553	1.75186	39.2332	2.46715	1.67644	1.11535	0.86268
0.96264	1.17212	2.27372	39.19156	3.24776	1.87384	1.14733	0.86764
0.65898	0.77574	1.12034	13.08024	1.44326	1.14039	0.87655	0.71803
0.75128	0.89631	1.35529	16.22102	1.74919	1.27639	0.92801	0.74514
0.86567	1.04893	1.68089	17.48734	2.16727	1.42218	0.97081	0.76375
1.00953	1.24639	2.14647	17.83663	2.75344	1.56496	0.9965	0.76885
1.19556	1.50986	2.86256	17.69177	3.63329	1.68997	1.00265	0.76045
0.769	0.92401	1.28863	9.3724	1.56008	1.11135	0.82014	0.66656
0.88953	1.08722	1.57491	10.28804	1.88564	1.22183	0.85373	0.68175
1.04238	1.30021	1.9704	10.60684	2.32071	1.32838	0.87519	0.6871
1.24186	1.58816	2.54253	10.53579	2.92594	1.42078	0.88146	0.68159
0.7776	0.93901	1.20826	6.20684	1.38473	0.97606	0.73023	0.60005
0.90142	1.10812	1.45345	6.84873	1.63827	1.06185	0.75776	0.61317
1.05901	1.3299	1.77802	7.11549	1.96199	1.1432	0.77569	0.61837
1.26564	1.63126	2.22339	7.09486	2.38686	1.21339	0.78198	0.61499
1.54478	2.05682	2.85515	6.82497	2.94578	1.26178	0.77454	0.60256
0.77693	0.94065	1.12146	4.45344	1.22836	0.86416	0.65502	0.54364
0.9006	1.11047	1.3257	4.90114	1.42547	0.93124	0.6772	0.55455
1.05881	1.3339	1.58959	5.12058	1.67161	0.99549	0.69307	0.56003
1.265	1.63561	1.93221	5.12602	1.97512	1.04942	0.69885	0.55791
1.54274	2.05987	2.39059	4.94528	2.34508	1.087	0.69365	0.54828
0.76775	0.9299	1.03331	3.37031	1.09193	0.77053	0.59107	0.49507
0.88873	1.09576	1.20346	3.69022	1.24865	0.82458	0.61011	0.50493
1.04217	1.31242	1.41368	3.86092	1.43544	0.87486	0.62311	0.50966
1.24273	1.60468	1.6832	3.88783	1.66131	0.91852	0.6294	0.50917
1.50965	2.00962	2.02662	3.7737	1.91911	0.949	0.62667	0.50231

1.87441	2.59258		2.45362	3.51293	2.17594	0.95965	0.61253	0.48784
0.86668	1.0658		1.08752	2.88099	1.09897	0.73509	0.55234	0.46158
1.01244	1.26977		1.25861	3.0175	1.24567	0.77613	0.56428	0.46656
1.20012	1.54091		1.46851	3.04782	1.41345	0.81088	0.56988	0.46654
1.44756	1.91211		1.72799	2.97421	1.59687	0.83566	0.56818	0.46123
1.78342	2.44022		2.04518	2.80201	1.77747	0.84668	0.55854	0.45055
0.83685	1.02359		0.98289	2.31474	0.97405	0.66006	0.50331	0.42429
0.97195	1.2107		1.12118	2.4215	1.08859	0.69322	0.51316	0.42851
1.14338	1.45478		1.28754	2.4525	1.21622	0.72162	0.51846	0.42906
1.36554	1.78218		1.48711	2.40625	1.3507	0.74219	0.51781	0.42517
1.66082	2.23662		1.72242	2.28683	1.47938	0.75207	0.51055	0.41668
0.92415	1.14062		1.00232	1.98654	0.95916	0.62345	0.46914	0.39528
1.07742	1.35499		1.13556	2.0157	1.05744	0.64685	0.47394	0.39607
1.27229	1.63617		1.29132	1.98679	1.15829	0.66404	0.47383	0.39312
1.52478	2.01482		1.46916	1.90271	1.25278	0.67285	0.46835	0.38634
1.85847	2.54037		1.66171	1.7704	1.32636	0.67132	0.45737	0.37584
0.87196	1.06489		0.89952	1.65924	0.85099	0.56401	0.4307	0.36588
1.00647	1.2494		1.00711	1.68558	0.92773	0.5835	0.43507	0.36685
1.17416	1.48549		1.13086	1.66881	1.00541	0.59819	0.4356	0.36483
1.38562	1.79362		1.26725	1.60874	1.07646	0.60595	0.43137	0.35931
1.65712	2.20447		1.41265	1.51197	1.13259	0.60562	0.42267	0.35072
0.81768	0.98734		0.81116	1.40744	0.76038	0.51314	0.39722	0.33998
0.93423	1.14405		0.89895	1.43081	0.82109	0.52952	0.40117	0.34102
1.07651	1.33964		0.99773	1.42133	0.88156	0.54202	0.40193	0.33954
1.25193	1.58744		1.10504	1.37883	0.93682	0.54908	0.39888	0.33521
1.47079	1.90598		1.2167	1.30699	0.98055	0.54953	0.39191	0.3281
1.74769	2.32121		1.32538	1.21222	1.00545	0.54278	0.38132	0.31854
0.26897	0.28223		0.43085	0.63846	0.77015	2.46483	10.29733	11.36723
0.28229	0.29587		0.45969	0.66587	0.85373	3.24383	27.08521	27.72538
0.2866	0.30211		0.46885	0.72799	0.86185	2.85011	9.16114	8.37497
0.30179	0.31779		0.50328	0.76295	0.96886	3.92834	18.90263	14.88904
0.31785	0.33425		0.5402	0.79463	1.09321	5.85299	43.93117	23.24334
0.33461	0.35127		0.57902	0.82138	1.23469	9.94451	51.30754	19.42704
0.35175	0.36839		0.61896	0.84283	1.39217	24.05094	17.05985	11.93012
0.38761	0.40331		0.7007	0.87417	1.73328	24.43475	20.23694	4.9084
0.40573	0.42031		0.73982	0.88615	1.8836	12.96517	9.56157	3.49033
0.42337	0.43624		0.77556	0.89723	1.98896	8.92932	5.82335	2.6378
0.32279	0.34169		0.55174	0.88282	1.09775	4.49156	12.12227	8.86636
0.34183	0.36146		0.5978	0.92656	1.26633	7.12194	20.8188	11.61395
0.36132	0.38143		0.64588	0.96226	1.46462	13.39987	31.10233	11.16759
0.38164	0.40199		0.69649	0.99157	1.69944	13.9749	38.5138	8.37629
0.40269	0.42295		0.74872	1.01526	1.96982	20.81454	29.15419	5.82823
0.42453	0.44429		0.80186	1.03555	2.26494	26.28054	13.21084	4.09348
0.44644	0.46512		0.85294	1.05272	2.53849	14.65331	7.083	3.00555
0.46825	0.48509		0.90091	1.06904	2.73932	10.37492	4.6065	2.31134
0.48943	0.50363		0.94316	1.08478	2.85624	8.06011	3.29227	1.84245
0.50939	0.52011		0.97787	1.09977	2.95865	6.46126	2.49186	1.51009

0.52731	0.53385	1.00363	1.1128	3.01946	5.16324	1.96457	1.2655
0.36807	0.39166	0.66346	1.09622	1.46485	7.89915	12.14283	7.1501
0.39097	0.41545	0.72358	1.14493	1.74095	15.76044	16.11501	7.19352
0.41518	0.44024	0.78854	1.18654	2.09592	17.90575	18.01891	6.05203
0.44041	0.46568	0.85654	1.22089	2.54568	25.12076	15.0364	4.62771
0.46676	0.49178	0.92676	1.25066	3.10057	28.05172	9.44698	3.45351
0.49375	0.5178	0.99616	1.27643	3.69985	17.78974	5.73349	2.61965
0.52067	0.54286	1.06085	1.29872	4.16167	13.2597	3.8619	2.05064
0.54729	0.56641	1.11936	1.31865	4.44986	10.28499	2.83606	1.65767
0.57262	0.58747	1.16768	1.33468	4.60315	7.77889	2.19348	1.37388
0.59558	0.60511	1.2036	1.34479	4.45777	5.71622	1.75704	1.16122
0.6153	0.61873	1.22864	1.34615	4.09102	4.20628	1.44394	0.99679
0.3968	0.42526	0.73818	1.32044	1.68265	7.85266	7.92432	4.90926
0.42388	0.45377	0.81443	1.38978	2.06154	15.64437	9.78779	5.02499
0.45274	0.48383	0.89801	1.44973	2.58496	30.43606	10.5415	4.51366
0.48327	0.51507	0.98835	1.50194	3.34037	29.18489	9.35103	3.70665
0.51548	0.54751	1.08321	1.54696	4.46171	37.73488	6.88129	2.91533
0.54882	0.58019	1.17909	1.58464	6.09633	27.99209	4.69995	2.29033
0.58277	0.61224	1.27138	1.61481	7.82306	21.83658	3.32246	1.83331
0.61656	0.6426	1.35433	1.63595	8.64887	14.81121	2.49027	1.50084
0.64907	0.66993	1.42286	1.64682	7.9084	9.07537	1.9559	1.25555
0.67894	0.69296	1.47462	1.64523	6.59578	5.7861	1.58723	1.06947
0.70495	0.71084	1.51259	1.6283	5.42084	3.9607	1.31792	0.92377
0.72589	0.72309	1.54285	1.59281	4.48301	2.88232	1.11452	0.80726
0.39746	0.42937	0.73399	1.50141	1.53935	4.4454	4.42461	3.21209
0.42811	0.4626	0.82229	1.62516	1.90312	6.99412	5.55569	3.60315
0.46015	0.49691	0.91941	1.72796	2.40073	12.70821	6.55126	3.71402
0.49485	0.53363	1.02925	1.82015	3.14059	31.2107	6.9513	3.47379
0.57165	0.61307	1.28181	1.9703	6.51783	23.8025	5.17082	2.47225
0.61334	0.65477	1.41813	2.02343	11.7359	20.55655	3.8595	2.00678
0.6564	0.69624	1.55222	2.0576	9.13055	23.436	2.87063	1.64133
0.70009	0.7363	1.67519	2.0718	21.76746	19.01356	2.20158	1.36133
0.74278	0.77275	1.7778	2.06486	12.99165	8.41511	1.75388	1.14963
0.78257	0.80362	1.85682	2.03499	8.91151	4.97519	1.43923	0.98665
0.81754	0.82746	1.91722	1.97932	6.62629	3.38314	1.207	0.85781
0.8455	0.84329	1.9664	1.89547	5.15461	2.48918	1.02974	0.75432
0.86565	0.85273	2.01078	1.78696	4.1243	1.92694	0.88823	0.66764
0.42679	0.46501	0.80811	1.87782	1.67862	3.94527	3.43146	2.525
0.46196	0.50373	0.91607	2.05838	2.10703	5.80339	4.11826	2.7756
0.50005	0.54536	1.04047	2.21805	2.72217	9.33877	4.69472	2.86448
0.5418	0.59046	1.18555	2.36622	3.68368	16.86266	4.93943	2.74756
0.58728	0.639	1.35157	2.49683	5.33895	30.35765	4.67814	2.46271
0.63631	0.6906	1.53513	2.59813	8.71013	39.80131	3.99107	2.10153
0.68911	0.74471	1.73576	2.66763	19.12937	24.13355	3.17742	1.75785
0.80223	0.85367	2.13241	2.682	37.43557	12.48824	1.95226	1.23639
0.85963	0.90384	2.29523	2.63012	16.95043	6.15271	1.57688	1.05341
0.91413	0.9466	2.42471	2.53933	10.5792	3.93918	1.30824	0.91082

0.96239	0.97919	2.52645	2.408	7.45665	2.81542	1.10784	0.79727
1.00128	1.00055	2.60866	2.24018	5.5857	2.14186	0.95266	0.70488
1.02846	1.01235	2.67268	2.04693	4.33411	1.6983	0.82956	0.62854
0.45735	0.50293	0.88491	2.4174	1.78599	3.37872	2.72732	2.03908
0.49805	0.54862	1.01709	2.70157	2.26785	4.6661	3.17243	2.21159
0.54295	0.59883	1.17416	2.9599	2.97225	6.74397	3.52077	2.27558
0.59353	0.65498	1.36727	3.21486	4.11132	10.19518	3.68897	2.22023
0.64956	0.7164	1.59839	3.43153	6.12343	14.5819	3.56096	2.04537
0.71133	0.78306	1.86956	3.58556	10.35873	17.29797	3.16737	1.80287
0.77878	0.85423	2.17631	3.65764	23.253	16.84674	2.64755	1.54895
0.92825	1.0033	2.81438	3.55087	44.27674	8.19032	1.73175	1.1231
1.0067	1.07398	3.0883	3.39598	19.32476	4.83136	1.42158	0.96656
1.08365	1.13565	3.31867	3.18149	11.59906	3.2657	1.19177	0.84183
1.15338	1.18245	3.50653	2.91082	7.93225	2.41833	1.01903	0.74213
1.20987	1.21265	3.63905	2.6041	5.77719	1.88507	0.88159	0.65891
1.24836	1.2288	3.70823	2.28826	4.37196	1.5221	0.7733	0.59075
0.48913	0.5432	0.96221	3.24779	1.85474	2.85743	2.2171	1.68401
0.5363	0.59735	1.12272	3.73534	2.37204	3.74424	2.51736	1.80703
0.58994	0.65893	1.3241	4.2141	3.14863	5.03996	2.75377	1.86125
0.64979	0.72713	1.57457	4.63866	4.37781	6.78429	2.86176	1.82981
0.71937	0.80594	1.90238	5.01032	6.62452	8.74606	2.80471	1.72351
0.79695	0.89264	2.30609	5.21183	11.28156	9.91	2.56673	1.55622
0.88397	0.98806	2.79492	5.23746	24.87597	9.67904	2.2241	1.3674
1.08562	1.19764	3.91303	4.82094	48.20937	5.83763	1.5449	1.02487
1.19666	1.30209	4.4271	4.44447	20.891	3.95027	1.28883	0.89063
1.30881	1.39482	4.87748	3.97726	12.19131	2.80293	1.09188	0.78129
1.4131	1.46533	5.22296	3.45444	8.08551	2.12324	0.93971	0.69199
1.49877	1.50931	5.40086	2.93428	5.72719	1.6836	0.81822	0.61732
1.55648	1.53357	5.39386	2.46163	4.23615	1.37904	0.72228	0.5561
1.63938	1.61774	4.30458	1.45221	2.02939	0.85165	0.51952	0.41967
1.67549	1.63493	3.71926	1.23289	1.65796	0.7452	0.47161	0.38584
0.52162	0.58529	1.03514	4.65784	1.87933	2.41289	1.83695	1.41644
0.57588	0.64904	1.2257	5.59237	2.40765	3.02859	2.04723	1.50741
0.63904	0.72345	1.47655	6.54527	3.2114	3.85736	2.21505	1.55297
0.71122	0.8086	1.80455	7.3131	4.48652	4.8595	2.29257	1.53719
0.79597	0.90824	2.25665	7.8709	6.79205	5.87989	2.26408	1.46753
0.89365	1.02226	2.86806	8.08193	11.56744	6.48815	2.11489	1.35005
1.0053	1.15059	3.67156	7.92368	24.93802	6.38339	1.88028	1.2071
1.28154	1.45449	5.8227	6.75703	49.77326	4.38936	1.37605	0.93398
1.4423	1.615	6.91729	5.87143	21.49075	3.24855	1.16733	0.82007
1.61204	1.76328	7.89491	4.88351	12.21367	2.42149	0.99949	0.72449
1.77871	1.87904	8.53928	3.93896	7.85042	1.87964	0.86686	0.64529
1.92051	1.94888	8.65789	3.13988	5.42064	1.51538	0.76107	0.57933
2.01266	1.98931	8.24756	2.50859	3.93292	1.25583	0.6756	0.5241
2.15638	2.09966	5.24029	1.37471	1.85002	0.79451	0.49153	0.39897
2.19975	2.08215	4.19894	1.15701	1.51589	0.70016	0.44857	0.36841
0.55401	0.62822	1.09671	7.52043	1.85792	2.04553	1.54671	1.20951

0.6161	0.70295	1.31643	9.68706	2.37442	2.48253	1.69876	1.2786
0.68938	0.79173	1.61538	11.63073	3.15574	3.03027	1.82041	1.31649
0.77584	0.89738	2.03178	12.97178	4.40911	3.65293	1.87984	1.30996
0.87783	1.02207	2.63575	13.67129	6.62766	4.23822	1.86484	1.26235
1.00008	1.17197	3.55501	13.795	11.27917	4.59925	1.76977	1.17937
1.14669	1.3513	4.98925	13.25751	24.59712	4.56713	1.61172	1.07452
1.52731	1.80245	9.804	9.99981	50.07272	3.43074	1.23047	0.85367
1.76956	2.06811	12.6976	7.73637	21.15449	2.70583	1.06126	0.75746
2.0395	2.3253	14.99651	5.68333	11.54567	2.1073	0.91833	0.67384
2.32561	2.53433	15.9934	4.16271	7.18531	1.67702	0.80309	0.60378
2.57987	2.65413	15.32996	3.11324	4.86554	1.3711	0.70929	0.54451
2.74291	2.7321	13.3397	2.3932	3.503	1.14779	0.63261	0.49443
2.99104	2.78786	5.90149	1.26431	1.66857	0.74338	0.46614	0.38008
2.98186	2.66405	4.35477	1.06376	1.37659	0.65835	0.42648	0.35167
0.5853	0.6707	1.13938	16.35316	1.79413	1.74616	1.32032	1.04595
0.65571	0.75749	1.38209	22.5698	2.27729	2.06378	1.43337	1.09962
0.73978	0.86222	1.72018	26.07239	2.99718	2.43957	1.52372	1.13096
0.84133	0.9906	2.21311	28.12116	4.14529	2.8459	1.57006	1.12965
0.96486	1.14821	2.98489	29.01248	6.18893	3.21893	1.56732	1.0996
1.11591	1.34359	4.28799	29.04454	10.44421	3.44647	1.50429	1.03948
1.30355	1.58892	6.79362	27.80887	22.83291	3.442	1.39305	0.95992
1.832	2.2828	21.89608	15.97383	48.25536	2.75976	1.10442	0.78238
2.20544	2.754	31.96099	9.34896	19.00365	2.27989	0.96804	0.70164
2.65809	3.25973	36.62356	5.79472	9.94072	1.84274	0.84574	0.62799
3.19566	3.69955	37.23636	3.91326	6.12238	1.50179	0.74561	0.56595
3.71929	3.93695	32.50911	2.82757	4.16398	1.24496	0.66229	0.51256
4.06723	4.1077	23.3224	2.14863	3.03351	1.05248	0.59282	0.46662
4.36111	3.70838	5.82188	1.14559	1.50137	0.6959	0.44218	0.36219
4.09767	3.35903	4.05076	0.97022	1.25111	0.61931	0.40554	0.33574
0.61414	0.71083	1.15727	8.56935	1.69574	1.50251	1.14063	0.91455
0.69272	0.80983	1.41067	18.24856	2.12688	1.73788	1.22648	0.95693
0.78792	0.93164	1.76839	21.42517	2.75624	2.00495	1.29532	0.98288
0.90515	1.08446	2.3034	29.52334	3.73993	2.28401	1.33394	0.98583
1.04994	1.27728	3.15826	25.22722	5.40989	2.52913	1.33362	0.96429
1.23392	1.52745	4.73433	22.34156	8.83729	2.68562	1.29408	0.92229
1.46973	1.85783	8.29527	20.01559	18.59129	2.6942	1.21488	0.86174
1.77758	2.30347	21.65325	25.6862	28.63099	2.54303	1.11111	0.79233
2.19274	2.92908	14.55377	20.15965	20.57544	2.26806	0.99512	0.719
2.7602	3.80958	33.98262	8.3698	14.23375	1.9381	0.88319	0.64998
3.5555	5.01108	41.08412	4.88057	7.7589	1.61851	0.78118	0.58674
4.66468	6.24018	39.42527	3.29979	4.97426	1.34754	0.69335	0.5312
6.04181	6.88395	29.16927	2.42096	3.49658	1.13323	0.61908	0.48292
7.02106	7.01671	39.59032	1.87013	2.61095	0.96716	0.55685	0.44154
7.30847	5.61006	7.81161	1.23427	1.64148	0.73465	0.45782	0.37263
6.45578	4.79398	4.93117	1.03901	1.35791	0.65187	0.41948	0.34519
5.49275	4.08422	3.43934	0.88875	1.14392	0.58299	0.38589	0.32076
1.12958	1.40234	3.10451	38.67467	4.49967	2.04544	1.1507	0.85363

1.34575	1.71051	4.58659	37.59395	6.77399	2.15527	1.12342	0.8222
1.63144	2.13697	7.70459	34.97104	11.75491	2.16833	1.06532	0.77508
2.02236	2.75413	17.11285	27.36317	22.81215	2.07662	0.98868	0.72118
12.16799	7.40605	5.8574	1.11946	1.47982	0.68554	0.43341	0.3546
8.9629	5.85191	3.94703	0.95315	1.23852	0.61145	0.39835	0.32931
6.86407	4.72166	2.87257	0.82285	1.05345	0.54936	0.36753	0.30672
1.44103	1.87212	4.03691	17.02896	5.02682	1.77099	0.98463	0.73743
1.77415	2.3911	6.15762	15.53378	7.35731	1.787	0.94371	0.70221
2.24561	3.18501	10.51406	12.42997	10.17878	1.72879	0.88369	0.65768
16.8147	8.96845	4.70129	1.02973	1.34556	0.64105	0.41091	0.33789
10.99915	6.70424	3.2955	0.88398	1.13595	0.57407	0.3785	0.31432
7.87489	5.18569	2.47484	0.76895	0.97442	0.51804	0.35019	0.29342
1.50958	1.99204	3.41052	10.12106	3.79307	1.48302	0.86993	0.66482
1.87887	2.58244	4.78983	9.22071	4.97819	1.49899	0.83967	0.63734
2.41105	3.50529	7.03957	7.64992	6.10344	1.46197	0.79349	0.60156
19.87692	10.1845	3.92537	0.95345	1.22664	0.59955	0.38958	0.32196
12.30369	7.28319	2.82489	0.82373	1.04288	0.53868	0.35949	0.29992
8.44954	5.43453	2.17214	0.7218	0.90242	0.48848	0.3336	0.28066
1.93236	2.6825	3.7651	6.25349	3.6103	1.27658	0.75184	0.58091
2.49234	3.65682	5.04792	5.34478	4.17442	1.25225	0.71564	0.55174
22.29711	11.07382	3.31793	0.88592	1.12191	0.56162	0.36979	0.3071
13.12742	7.57366	2.4698	0.77134	0.96255	0.50714	0.34229	0.2868
8.59354	5.4365	1.93351	0.67996	0.83874	0.46163	0.3184	0.26892
1.93094	2.6853	3.01656	4.57746	2.75489	1.10142	0.67726	0.53168
2.49197	3.65387	3.82615	4.01145	3.08427	1.08665	0.64963	0.5085
3.35305	5.28088	4.75445	3.31597	3.17387	1.0441	0.61417	0.48128
24.20889	11.48422	2.82367	0.82547	1.03028	0.52733	0.35162	0.29337
13.19824	7.42787	2.17139	0.72296	0.88989	0.47792	0.32616	0.27445
8.15495	5.13666	1.73524	0.64145	0.78135	0.43695	0.30433	0.258
2.40525	3.4969	2.99613	3.1445	2.3903	0.95173	0.59165	0.46958
3.20022	4.97228	3.57969	2.68562	2.46336	0.92084	0.5628	0.44674
24.16432	10.95252	2.41134	0.76983	0.94758	0.49553	0.33455	0.2804
11.85452	6.71695	1.91654	0.67845	0.82463	0.45107	0.31114	0.26289
7.02668	4.54523	1.55944	0.60496	0.72814	0.41372	0.2909	0.24754
2.25169	3.22356	2.40825	2.54039	1.9161	0.84044	0.5407	0.43461
2.94658	4.48408	2.80368	2.22582	1.97656	0.81865	0.51785	0.41595
9.14611	5.57665	1.69698	0.63747	0.76586	0.42636	0.29716	0.25207
5.61797	3.82462	1.40129	0.57026	0.67851	0.39173	0.27801	0.23746
2.06028	2.88702	1.98041	2.10044	1.57686	0.74813	0.49616	0.40345
2.6369	3.89712	2.25913	1.87753	1.62656	0.7327	0.47799	0.38816
3.4884	5.55432	2.49746	1.63131	1.60061	0.70359	0.45465	0.36971
6.94554	4.50046	1.50465	0.59909	0.71176	0.40317	0.2839	0.24176
4.55144	3.2082	1.26461	0.53822	0.63379	0.37154	0.26609	0.22809
2.31573	3.30541	1.85823	1.60474	1.36447	0.65936	0.44197	0.36257
2.96176	4.47485	2.0305	1.42093	1.35315	0.63701	0.4227	0.34698
12.20745	8.97029	1.78808	0.7097	0.84332	0.4502	0.30982	0.26124
5.53793	3.75442	1.33914	0.56375	0.66276	0.38175	0.27151	0.23209

3.81669	2.75909	1.14473	0.50858	0.59326	0.35291	0.25498	0.21932
2.00598	2.75542	1.55205	1.38395	1.16046	0.59558	0.40926	0.33896
2.49371	3.57033	1.68359	1.24722	1.15941	0.57916	0.39374	0.32608
3.15554	4.73885	1.772	1.10368	1.11897	0.55432	0.37507	0.31125
4.09677	6.46328	1.80664	0.96958	1.04921	0.52449	0.35526	0.29587
5.37607	8.44194	1.77207	0.84846	0.95913	0.49063	0.33439	0.27991
6.822	8.60219	1.67816	0.7468	0.86467	0.45643	0.31425	0.26458
7.26558	6.47564	1.53526	0.66126	0.77297	0.42266	0.29481	0.24978
6.06001	4.47423	1.36792	0.5906	0.69058	0.3911	0.27673	0.23596
4.44633	3.20215	1.19657	0.5312	0.61827	0.36194	0.25994	0.22302
3.23847	2.40951	1.03819	0.48089	0.556	0.33551	0.2445	0.21102
2.09605	2.85958	1.41642	1.10045	1.00349	0.52814	0.36715	0.30662
2.5762	3.62201	1.49015	0.99063	0.97949	0.50935	0.35199	0.29431
3.19122	4.56577	1.51981	0.88128	0.92906	0.48472	0.33477	0.28072
3.94184	5.44859	1.50051	0.78052	0.86117	0.45652	0.31657	0.26658
4.662	5.58679	1.43492	0.69245	0.78566	0.42694	0.29843	0.2526
4.91337	4.75255	1.33147	0.6173	0.71006	0.39747	0.28087	0.23907
4.43229	3.63846	1.20605	0.55438	0.64018	0.36956	0.26442	0.22638
2.75757	2.12201	0.94393	0.45516	0.52189	0.31932	0.23466	0.2032
1.78618	2.34367	1.21467	0.9818	0.88084	0.48497	0.34397	0.28947
2.11407	2.81705	1.26524	0.88906	0.86137	0.46815	0.32996	0.27794
2.54392	3.39833	1.29592	0.80296	0.82733	0.44895	0.31573	0.26649
3.0097	3.86855	1.28577	0.71858	0.77559	0.42528	0.29979	0.25393
3.4208	3.9752	1.24007	0.64282	0.71548	0.39988	0.28361	0.2413
3.58271	3.59884	1.16437	0.57692	0.65328	0.37419	0.26778	0.22897
3.36891	2.96582	1.06895	0.52072	0.59386	0.34939	0.25274	0.21726
2.34927	1.87523	0.85992	0.4311	0.49032	0.30413	0.22534	0.19576
1.53501	1.94944	1.05431	0.88113	0.78025	0.44701	0.32292	0.27371
1.78118	2.27866	1.09634	0.80738	0.76789	0.43372	0.31117	0.26385
2.06344	2.62289	1.11604	0.73212	0.73968	0.41626	0.2978	0.25296
2.36667	2.9058	1.11128	0.66114	0.6998	0.39625	0.28376	0.24174
2.633	2.99625	1.08186	0.59757	0.65324	0.37508	0.26974	0.23065
2.74525	2.81072	1.02575	0.53971	0.60195	0.35263	0.25545	0.21941
2.64113	2.43278	0.95087	0.48882	0.55064	0.33022	0.24149	0.20843
2.0062	1.6595	0.78502	0.40858	0.46105	0.28985	0.2165	0.18868
1.51393	1.8736	0.95801	0.7345	0.688	0.40243	0.29354	0.25049
1.72027	2.10729	0.97653	0.67306	0.66777	0.38825	0.28214	0.24106
1.9257	2.28701	0.97425	0.61239	0.6364	0.37107	0.26961	0.23091
2.08686	2.34089	0.94836	0.55431	0.59613	0.35146	0.25298	0.21194
2.17665	2.25173	0.90883	0.50494	0.55512	0.33244	0.24372	0.21026
2.13369	2.02909	0.85424	0.46129	0.51352	0.31345	0.23154	0.20059
1.72409	1.47414	0.71947	0.388	0.43455	0.27673	0.20832	0.1821
1.30055	1.5669	0.84461	0.67042	0.62005	0.37434	0.27728	0.23805
1.45173	1.72906	0.86055	0.61916	0.60489	0.36246	0.26732	0.22969
1.60002	1.85463	0.86141	0.56831	0.58091	0.34812	0.25644	0.22075
1.71925	1.90301	0.84509	0.51949	0.54977	0.33182	0.24489	0.2114
1.77955	1.85048	0.81304	0.47455	0.51451	0.31453	0.23317	0.20199

1.75634	1.70567	0.76826	0.43428	0.47788	0.29703	0.22165	0.19276
1.60092	1.427	0.67642	0.36005	0.40919	0.25873	0.19105	0.16602
1.12913	1.33103	0.75104	0.61426	0.56209	0.3492	0.26237	0.22653
1.24141	1.44648	0.76432	0.57098	0.55041	0.33908	0.25355	0.21903
1.34959	1.53631	0.7662	0.52755	0.53147	0.32681	0.2439	0.211
1.43729	1.57574	0.75499	0.48552	0.5065	0.31283	0.23365	0.20261
1.48465	1.54791	0.73094	0.44618	0.47745	0.29777	0.22314	0.19408
1.47643	1.45548	0.69647	0.4106	0.44677	0.28243	0.21277	0.1857
1.40782	1.31763	0.65369	0.37846	0.41574	0.26707	0.20259	0.17748

G	H	I	J	K	L	M	N	O
0.59113	2.88096	0.37518	0.32223	2.78472	0.36388	0.11824	13.27717	0.22449
0.67145	3.26394	0.41084	0.35468	2.8255	0.39186	0.1215	14.55208	0.24018
0.77053	3.59801	0.45174	0.39288	2.83012	0.42295	0.12476	15.06129	0.25756
0.89549	3.88086	0.49941	0.439	2.83985	0.45749	0.12804	15.39379	0.27708
1.05679	4.10261	0.55548	0.4958	2.84304	0.49595	0.13134	15.72103	0.29914
1.27288	4.29839	0.62301	0.5686	2.87648	0.53897	0.13469	12.45757	0.32454
1.56989	4.42755	0.70387	0.66287	2.91815	0.58682	0.138	12.77993	0.35353
1.99562	4.49067	0.80118	0.7886	2.95293	0.64005	0.14121	13.06631	0.38665
2.64603	4.52223	0.92042	0.96581	2.99211	0.69904	0.14432	13.32534	0.425
3.72691	4.52342	1.06788	1.23102	3.02874	0.76399	0.14728	13.55262	0.46965
5.76976	4.48835	1.25169	1.66015	3.0561	0.83481	0.15006	13.73981	0.52187
10.55009	4.41288	1.48235	2.41264	3.07126	0.91068	0.15262	13.86074	0.58329
9.96513	4.31862	1.77614	3.62562	3.09072	0.98911	0.15497	13.93781	0.65666
9.10082	4.16773	2.14385	4.68367	3.08774	1.06658	0.15705	13.89449	0.7439
18.27209	3.96908	2.59643	5.02433	3.07303	1.13635	0.15885	8.07737	0.84837
20.7462	3.6978	3.11677	5.00217	3.02427	1.19105	0.16034	7.39955	0.9722
18.04186	3.39502	3.66451	4.95029	2.96783	1.22433	0.16159	5.6887	1.1197
19.66508	3.04671	4.11962	4.84845	2.87885	1.24428	0.16251	5.7205	1.28884
20.75422	2.6957	4.44192	4.74873	2.78116	1.26577	0.16319	5.74825	1.47797
10.83808	2.34854	4.67473	4.65211	2.67448	1.29337	0.16367	3.3418	1.6784
6.54683	2.00958	4.81034	4.54504	2.5624	1.31593	0.16398	2.23651	1.87664
4.38551	1.69878	4.80941	4.41879	2.46074	1.32065	0.16422	1.6375	2.06784
3.15537	1.42711	4.6341	4.24082	2.37214	1.30351	0.16443	1.27151	2.25215
2.38899	1.20007	4.29868	4.00397	2.30388	1.26654	0.16468	1.02795	2.42844
1.87837	1.01531	3.85732	3.72155	2.26404	1.21471	0.16504	0.85548	2.58592
1.52028	0.86626	3.37372	3.40921	2.26101	1.15352	0.16553	0.72766	2.70839
1.25867	0.74618	2.90112	3.08581	2.30907	1.08741	0.16616	0.62948	2.78647
1.06193	0.64876	2.47038	2.76723	2.42853	1.01981	0.16691	0.5522	2.81648
0.9095	0.56951	2.09645	2.47352	2.66523	0.95271	0.16776	0.48975	2.80588
0.78895	0.50438	1.78026	2.20856	3.11771	0.88759	0.16867	0.43841	2.7593
0.69217	0.4502	1.51663	1.97105	4.07838	0.8407	0.16958	0.3957	2.68002
0.61334	0.40464	1.29845	1.75974	6.89023	0.76684	0.17044	0.35975	2.57333
3.62477	1.76867	7.14337	6.73471	3.15817	1.66235	0.17569	1.41184	2.80011
2.67539	1.42537	6.40282	6.31873	2.99452	1.58897	0.17599	1.12179	3.10482
2.06847	1.16684	5.51782	5.7972	2.87899	1.49603	0.17642	0.92271	3.3839
1.65438	0.96993	4.61235	5.18454	2.80693	1.39524	0.17696	0.77843	3.59233
1.35944	0.81851	3.78984	4.536	2.79306	1.29367	0.17764	0.6699	3.7095
1.14047	0.7008	3.09549	3.92111	2.8625	1.19506	0.17845	0.5853	3.74365
0.97155	0.60858	2.53459	3.3959	3.06634	1.10111	0.1794	0.5171	3.72373
0.83958	0.53439	2.08713	2.93905	3.48347	1.01345	0.1804	0.46162	3.65256
0.73371	0.47416	1.73395	2.55467	4.34036	0.94862	0.18141	0.41544	3.54705
0.64784	0.42431	1.45445	2.22762	6.32474	0.87111	0.18236	0.37669	3.40606
0.57725	0.3825	1.2322	1.94999	10.58539	0.78877	0.18319	0.34382	3.23281
0.51737	0.34757	1.05526	1.72376	12.88427	0.73534	0.1839	0.31513	3.05349
0.58733	7.74018	0.39095	0.32898	11.63611	0.4063	0.1295	14.61761	0.23136
0.66699	6.36194	0.43039	0.36315	11.65623	0.44184	0.13353	15.15671	0.24832

0.76549	7.55667	0.47645	0.40393	10.36065	0.48217	0.13763	15.48465	0.26736
0.88974	7.586	0.53092	0.4536	8.40013	0.5281	0.1418	15.67886	0.28893
1.0491	7.42025	0.59534	0.51459	8.06122	0.58069	0.14595	15.69465	0.31326
1.26239	8.46186	0.6747	0.5942	8.18189	0.64115	0.15024	15.5407	0.3417
1.55436	5.65296	0.77174	0.69891	8.16688	0.711	0.15449	15.25369	0.37449
1.97191	7.68909	0.89243	0.84313	8.21402	0.7922	0.15865	14.94789	0.41267
2.6041	7.81836	1.0454	1.05472	8.28958	0.88708	0.1627	14.59618	0.4576
3.64275	8.36943	1.24454	1.39793	8.41119	0.99834	0.16661	14.26011	0.5113
5.56438	7.51341	1.51078	2.05001	8.5605	1.12913	0.17033	13.95302	0.5763
9.89276	7.60375	1.8804	3.73645	8.77192	1.28158	0.17382	13.58992	0.65648
35.86817	7.01814	9.16109	14.92071	7.41944	2.20312	0.18542	9.9219	1.53048
24.60089	5.7242	11.98773	16.66452	6.77678	2.29586	0.18652	6.45582	1.89876
11.68959	4.35949	13.98856	14.84471	6.0192	2.36277	0.18737	3.42456	2.37895
6.39607	3.16013	14.04741	14.12227	5.34341	2.34577	0.18793	2.17273	2.94401
4.18603	2.31491	12.6807	13.9777	4.85701	2.23674	0.18838	1.57961	3.5479
3.0195	1.74102	10.66641	13.03304	4.41811	2.0785	0.18876	1.23392	4.1433
2.29803	1.35664	8.57595	11.43594	4.07706	1.90198	0.18923	1.00328	4.69075
1.81711	1.09071	6.68165	9.71533	3.82948	1.76044	0.18984	0.83922	5.08085
1.47998	0.89966	5.14036	7.92452	3.67734	1.59734	0.1906	0.71743	5.26077
1.23212	0.75857	3.96799	6.39431	3.64505	1.44714	0.19153	0.62324	5.27547
1.04515	0.65072	3.09724	5.17619	3.75593	1.28506	0.19256	0.54885	5.17708
0.89933	0.56664	2.45633	4.24716	4.11497	1.16586	0.19366	0.48839	5.02976
0.78231	0.50003	1.98264	3.53953	5.01013	1.07636	0.1948	0.43802	4.8739
0.68877	0.44527	1.62531	2.96198	7.14861	0.96322	0.19582	0.3963	4.67348
0.61099	0.40044	1.3541	2.51912	8.50875	0.8887	0.19673	0.36051	4.46816
1.39271	0.98832	7.53608	13.6056	5.65214	2.3241	0.20847	0.66375	8.35353
1.14879	0.81252	5.40696	16.6024	5.31018	2.05352	0.21162	0.57214	8.20378
1.13226	0.69658	3.8142	9.97679	5.29013	1.51505	0.20755	0.58539	7.81098
0.9674	0.60271	2.89511	7.35374	5.49899	1.37468	0.20882	0.51819	7.43196
0.83862	0.52846	2.26072	5.55346	6.30837	1.22801	0.21006	0.46356	7.06454
0.73521	0.4687	1.81057	4.31471	8.81101	1.08713	0.21118	0.41808	6.74205
0.64908	0.42047	1.48327	3.4841	9.56952	0.99812	0.21213	0.37897	6.52484
0.50176	4.62375	0.36239	0.29984	3.75863	0.4109	0.13745	3.80169	0.21951
0.56464	5.54336	0.39742	0.32758	4.77482	0.4485	0.14242	4.48745	0.23503
0.63768	5.34166	0.43848	0.36106	5.23064	0.49246	0.14746	4.83893	0.25268
0.72695	5.14682	0.4867	0.4008	5.80019	0.54337	0.15263	5.06019	0.27259
0.83773	5.16406	0.54422	0.44902	6.44402	0.60262	0.15797	5.20184	0.29532
0.97668	8.21374	0.61268	0.50745	6.4599	0.67236	0.16334	5.29025	0.32107
1.15741	5.02987	0.69818	0.58313	6.36792	0.75465	0.16896	5.32764	0.35152
1.39381	5.02548	0.80309	0.67941	6.15246	0.85346	0.17454	5.33048	0.38665
1.71284	5.32097	0.93609	0.80812	6.03093	0.97315	0.18012	5.30456	0.42817
2.15428	7.94733	1.10715	0.98523	5.88804	1.12076	0.18557	5.25978	0.47748
2.78431	4.68541	1.3325	1.23993	5.74354	1.30574	0.19078	5.18609	0.53675
3.74049	4.82365	1.64747	1.64377	5.71958	1.54287	0.1959	5.10465	0.61086
5.23591	7.75923	2.10069	2.32759	5.75311	1.8564	0.20066	4.99878	0.70404
0.4912	6.11924	0.36152	0.29627	2.30412	0.42685	0.14407	2.77265	0.21963
0.54849	9.35725	0.39664	0.32399	2.84028	0.46854	0.14951	3.17488	0.23541

0.61701	8.7369	0.43757	0.3564	3.17198	0.51684	0.15517	3.4525	0.25316
0.69994	8.45661	0.48576	0.39481	3.44784	0.5732	0.16103	3.63621	0.27324
0.80157	8.42365	0.54315	0.44095	3.68993	0.63952	0.16709	3.75788	0.29614
0.92714	8.31591	0.61169	0.49654	3.75466	0.71837	0.17326	3.83531	0.32222
1.08677	8.12311	0.69679	0.56704	3.78019	0.81289	0.17972	3.87919	0.35292
1.29048	7.89783	0.80188	0.65574	3.75682	0.92785	0.18622	3.89335	0.38861
1.55569	7.77169	0.93503	0.77106	3.74202	1.06965	0.19277	3.8839	0.43087
1.90738	7.59757	1.10604	0.92336	3.6968	1.24878	0.19921	3.85854	0.48113
2.38646	7.55104	1.33549	1.13617	3.69938	1.4783	0.20558	3.81264	0.54275
3.05561	7.4838	1.64852	1.43899	3.6795	1.78506	0.21161	3.7513	0.61847
3.99614	7.52552	2.0966	1.89059	3.68606	2.21187	0.21723	3.66911	0.71415
5.20427	7.60435	2.7679	2.53174	3.70087	2.8486	0.22225	3.56063	0.83755
6.43878	7.86768	3.88297	3.30986	3.78452	3.88762	0.22683	3.41762	1.006
0.47679	5.56898	0.35907	0.29244	1.6544	0.44216	0.15102	2.12296	0.21925
0.53046	5.55402	0.39376	0.31926	1.97556	0.48714	0.15712	2.4075	0.23502
0.59404	5.45142	0.43412	0.35043	2.21325	0.53962	0.16349	2.62339	0.25273
0.67011	5.39118	0.48158	0.38712	2.39385	0.60136	0.17014	2.77572	0.27279
0.76192	5.37199	0.53793	0.43072	2.53218	0.6747	0.17706	2.88049	0.29563
0.87345	5.32162	0.6052	0.48276	2.60023	0.76279	0.18417	2.94987	0.32168
1.01191	5.29223	0.68833	0.54755	2.64494	0.86965	0.19165	2.99124	0.35228
1.18384	5.22669	0.79055	0.62728	2.65778	1.00147	0.19923	3.00965	0.38784
1.40073	5.17377	0.91946	0.72811	2.66678	1.16675	0.20694	3.00837	0.42993
1.67811	5.11162	1.08473	0.85736	2.66714	1.37904	0.21462	2.99123	0.48018
2.03934	5.06933	1.30303	1.0282	2.67347	1.65861	0.22222	2.95811	0.54136
2.51638	5.04246	1.59933	1.25915	2.68355	2.04119	0.22953	2.90915	0.61698
3.13763	5.04082	2.01619	1.57541	2.70224	2.59292	0.23638	2.84263	0.71248
3.88307	5.01468	2.62185	1.98269	2.71283	3.46284	0.24248	2.75792	0.83523
4.62277	5.02952	3.56745	2.4515	2.7513	5.00163	0.24788	2.64546	1.00078
3.01562	3.65442	2.40069	1.62309	2.12371	4.09719	0.26633	2.21752	0.81823
3.49033	3.60826	3.15507	1.93678	2.14903	6.17009	0.27289	2.12781	0.97397
3.84371	3.58192	4.33777	2.25618	2.20433	11.1669	0.2785	2.01263	1.19112
2.41354	2.81362	2.15133	1.369	1.72973	4.74111	0.29484	1.83242	0.79033
2.73441	2.75924	2.73793	1.59528	1.75238	7.38847	0.30314	1.75969	0.93249
2.97757	2.69882	3.59407	1.8276	1.79013	14.40203	0.31007	1.66809	1.12426
1.97784	2.25421	1.90698	1.18121	1.45092	5.38752	0.32966	1.54552	0.75593
2.20339	2.20371	2.36002	1.35327	1.47232	8.6827	0.34052	1.48568	0.88296
2.37631	2.1332	2.97652	1.52812	1.49734	12.64396	0.3492	1.41218	1.04697
1.65189	1.85459	1.68006	1.0352	1.24076	6.05638	0.37293	1.32527	0.71714
1.8154	1.8069	2.02693	1.16935	1.25851	10.23666	0.38745	1.27587	0.82801
1.94209	1.74437	2.47973	1.30758	1.27928	15.31971	0.39901	1.21546	0.96742
1.40148	1.55944	1.47913	0.91891	1.07802	6.73893	0.42831	1.15142	0.67661
1.52316	1.51594	1.74632	1.02614	1.09263	12.10547	0.44854	1.11038	0.77233
1.6183	1.45829	2.07944	1.13604	1.10749	18.5802	0.46414	1.06089	0.88885
1.20484	1.33496	1.30582	0.82438	0.949	7.41497	0.50183	1.01109	0.63624
1.29742	1.29613	1.51406	0.91192	0.9611	14.37832	0.53174	0.97683	0.71861
1.37049	1.24735	1.76688	1.00277	0.9739	13.9368	0.55482	0.93557	0.81741
1.0475	1.15814	1.15691	0.74535	0.84342	8.02516	0.60351	0.89612	0.59675

1.11936	1.12412	1.32129	0.81809	0.85369	17.09985	0.6517	0.86732	0.6677
0.91977	1.01551	1.02929	0.67799	0.75525	8.41761	0.75188	0.80085	0.55877
0.97629	0.98665	1.1611	0.73964	0.76459	12.74015	0.84057	0.77611	0.6203
0.81432	0.8997	0.92084	0.62048	0.68147	8.39723	0.98394	0.72029	0.5232
0.85949	0.87447	1.02703	0.67289	0.68945	13.04529	1.18206	0.69925	0.57646
0.72646	0.80343	0.82772	0.57036	0.6184	7.7813	1.35624	0.6519	0.48985
0.76301	0.78154	0.91411	0.61538	0.6254	12.10727	1.95825	0.63382	0.53614
0.65254	0.72252	0.74749	0.52634	0.56407	6.50358	1.851	0.59325	0.4588
0.68247	0.7035	0.81829	0.56527	0.57025	14.66352	1.77214	0.57766	0.49917
0.58963	0.65386	0.67807	0.48742	0.51694	4.92728	2.19314	0.54244	0.43006
0.61439	0.63731	0.7365	0.52129	0.52244	8.77619	4.91826	0.52894	0.46538
0.63542	0.61718	0.79805	0.55611	0.52711	6.71476	2.4488	0.51339	0.50432
0.53582	0.59491	0.61759	0.45268	0.47567	3.63231	2.27839	0.49826	0.40345
0.55677	0.58031	0.66606	0.48215	0.4805	5.21489	4.41133	0.48673	0.43437
0.57422	0.563	0.71652	0.51263	0.48476	6.7265	3.53719	0.47302	0.46834
0.48925	0.54401	0.56473	0.42159	0.4394	2.74627	2.23575	0.45942	0.37895
0.50702	0.5312	0.60522	0.44739	0.44374	3.50872	3.86252	0.44946	0.40616
0.52186	0.51609	0.64687	0.47406	0.44754	4.11841	3.74409	0.43751	0.43583
0.44878	0.49965	0.51826	0.39356	0.4073	2.1479	2.14505	0.42516	0.35637
0.46391	0.48842	0.55232	0.41628	0.41125	2.56895	3.41742	0.41648	0.38043
0.47668	0.47517	0.58695	0.43966	0.41465	2.8865	6.86961	0.40608	0.40645
0.41332	0.46078	0.47724	0.36823	0.37876	1.73073	2.04161	0.39473	0.3356
0.42633	0.4509	0.50605	0.38829	0.38238	1.98761	3.06694	0.38717	0.35694
0.43741	0.43924	0.53507	0.40886	0.38545	2.17895	5.46314	0.3781	0.37985
0.44577	0.42587	0.56365	0.42977	0.38803	2.20871	4.73703	0.36758	0.40433
0.38212	0.42646	0.44086	0.34522	0.35326	1.42933	1.93795	0.36761	0.31647
0.39341	0.41775	0.46537	0.36298	0.35657	1.59802	2.78487	0.36104	0.33546
0.40289	0.40757	0.48991	0.38126	0.35945	1.72348	4.56385	0.35293	0.3558
0.41043	0.39571	0.51386	0.39962	0.36171	1.75826	7.00861	0.3438	0.37726
0.35445	0.39606	0.4085	0.32432	0.33039	1.20395	1.83931	0.34327	0.29888
0.36427	0.38838	0.42947	0.34012	0.33347	1.32205	2.55353	0.3375	0.31586
0.37281	0.37925	0.45028	0.3562	0.33601	1.40869	3.92743	0.33057	0.33383
0.37938	0.36885	0.47058	0.37253	0.33812	1.44159	7.58406	0.32241	0.35282
0.32987	0.36892	0.37957	0.30521	0.30978	1.03091	1.74606	0.32141	0.28267
0.33848	0.36214	0.39761	0.31932	0.31264	1.11651	2.35693	0.31635	0.29789
0.34594	0.3541	0.41544	0.33369	0.31501	1.18063	3.45878	0.31019	0.31393
0.35183	0.34486	0.43275	0.34819	0.31693	1.20862	6.02676	0.30299	0.33076
0.35566	0.33451	0.44912	0.36271	0.31841	1.19122	8.23131	0.2948	0.34832
0.30788	0.34464	0.35365	0.28777	0.29115	0.89463	1.65913	0.30163	0.26773
0.31546	0.33864	0.36925	0.30041	0.29381	0.95876	2.18787	0.2972	0.28142
0.32206	0.33151	0.3846	0.31326	0.29602	1.0073	3.09169	0.29174	0.29578
0.32733	0.3233	0.39947	0.32621	0.29779	1.03135	4.98489	0.28535	0.31076
0.33088	0.31409	0.41351	0.33914	0.29912	1.02404	7.20481	0.27808	0.3263
0.28818	0.32277	0.33031	0.27177	0.27423	0.78538	1.57763	0.28375	0.25393
0.29495	0.31743	0.34386	0.28309	0.2767	0.83505	2.03898	0.2799	0.26625
0.30081	0.3111	0.35717	0.29463	0.27876	0.87278	2.79392	0.27506	0.27914
0.30557	0.30378	0.37004	0.30623	0.28039	0.89332	4.24598	0.26939	0.29252

0.30886	0.29556	0.38218	0.31779	0.2816	0.89152	6.08463	0.26291	0.30632
0.27035	0.30307	0.30927	0.25713	0.25886	0.69682	1.50215	0.26741	0.2412
0.27636	0.29834	0.32111	0.26736	0.26118	0.73491	1.9089	0.26401	0.25235
0.28164	0.29269	0.3327	0.27772	0.26309	0.76509	2.54865	0.25976	0.26394
0.28593	0.28616	0.34389	0.28815	0.2646	0.78262	3.69984	0.2547	0.27593
0.28894	0.27881	0.35445	0.29855	0.26572	0.78372	6.42365	0.24889	0.28824
0.29045	0.27071	0.36404	0.30877	0.26643	0.76737	6.2219	0.24242	0.3008
0.2543	0.28517	0.29021	0.24363	0.24479	0.62292	1.43104	0.25259	0.22939
0.25967	0.28098	0.3006	0.25289	0.24697	0.65335	1.7919	0.24958	0.2395
0.26446	0.27591	0.31075	0.26223	0.24874	0.678	2.3405	0.24585	0.24994
0.26836	0.27007	0.32055	0.27163	0.25015	0.69303	3.27483	0.24134	0.26071
0.27109	0.26351	0.3298	0.28101	0.2512	0.69552	5.24429	0.23609	0.27175
0.27259	0.25622	0.33822	0.2902	0.25184	0.68487	7.29737	0.23029	0.28293
0.2709	0.23993	0.35087	0.30766	0.25197	0.6285	8.05811	0.21706	0.30537
0.26744	0.23116	0.35411	0.31577	0.25146	0.58819	4.7626	0.20974	0.31634
0.26246	0.22207	0.35478	0.3232	0.25049	0.54605	3.37153	0.20223	0.32679
0.25601	0.21284	0.35255	0.32988	0.24908	0.5027	2.60126	0.19458	0.33649
0.24835	0.20359	0.34736	0.3357	0.2472	0.46461	2.11109	0.1869	0.34515
0.23974	0.2689	0.2729	0.23119	0.2319	0.56093	1.36445	0.23903	0.21844
0.24457	0.26517	0.28207	0.23959	0.23395	0.58571	1.68652	0.23639	0.22762
0.24887	0.26066	0.29101	0.24807	0.23563	0.60589	2.16274	0.23305	0.23708
0.25244	0.25541	0.29964	0.25655	0.23693	0.61894	2.93668	0.22905	0.24677
0.25502	0.2495	0.30779	0.265	0.23789	0.62243	4.42872	0.22437	0.25666
0.25645	0.24295	0.31522	0.27329	0.23848	0.61543	6.19365	0.21911	0.26666
0.25521	0.22827	0.32648	0.28902	0.23858	0.57216	7.13688	0.20706	0.28665
0.25237	0.2203	0.32951	0.29622	0.23806	0.53933	5.5094	0.20045	0.29635
0.24819	0.21203	0.33038	0.30278	0.23712	0.50553	3.74258	0.19365	0.30558
0.24255	0.20363	0.32871	0.30871	0.23579	0.46821	2.82266	0.18659	0.31417
0.23578	0.19519	0.32448	0.31382	0.23404	0.43316	2.25843	0.17948	0.32187
0.22647	0.25407	0.25715	0.21973	0.22007	0.50827	1.30214	0.22657	0.20827
0.23082	0.25075	0.26527	0.22737	0.22201	0.52871	1.59127	0.22425	0.21664
0.23476	0.24669	0.27318	0.23505	0.22356	0.54571	2.00786	0.22132	0.2252
0.23796	0.24201	0.28082	0.24278	0.22481	0.55677	2.6613	0.21768	0.23397
0.24039	0.23667	0.28804	0.25041	0.22569	0.56075	3.83448	0.2135	0.24286
0.24178	0.23077	0.29463	0.25789	0.22623	0.55633	6.63419	0.20876	0.25183
0.24204	0.22433	0.30031	0.26512	0.22642	0.54363	5.84912	0.20353	0.26079
0.24097	0.21747	0.30472	0.27203	0.22628	0.52327	5.00655	0.19783	0.26966
0.23865	0.21022	0.30757	0.27846	0.22577	0.49765	6.52628	0.19184	0.27827
0.23513	0.20268	0.30856	0.28428	0.22486	0.46974	4.19315	0.18565	0.28646
0.2302	0.19502	0.30735	0.28956	0.22363	0.43721	3.08044	0.17914	0.29411
0.22432	0.18727	0.30396	0.29404	0.22199	0.40715	2.42719	0.17264	0.30096
0.21749	0.17958	0.29833	0.29774	0.21997	0.37794	1.99472	0.16609	0.30684
0.21437	0.24048	0.24277	0.20912	0.20918	0.46328	1.24329	0.21514	0.19881
0.21834	0.23752	0.25	0.21608	0.21099	0.48043	1.50394	0.21312	0.20643
0.22189	0.23391	0.25703	0.22309	0.21247	0.49466	1.87194	0.21049	0.21422
0.22487	0.22967	0.26383	0.23008	0.21362	0.50448	2.42964	0.20727	0.22215
0.22711	0.22487	0.27025	0.23701	0.21445	0.50847	3.37818	0.20349	0.23017

0.22847	0.21952	0.27613	0.24378	0.21494	0.50586	5.38365	0.19921	0.23823
0.22881	0.2137	0.28123	0.25032	0.21512	0.49639	5.50734	0.19446	0.24627
0.22608	0.20087	0.28789	0.26231	0.21447	0.45975	7.97979	0.1838	0.26189
0.22306	0.19398	0.28894	0.26752	0.21362	0.43651	4.75661	0.17813	0.26919
0.2189	0.18694	0.28815	0.27215	0.21243	0.41117	3.38328	0.17224	0.27598
0.21372	0.17983	0.28541	0.27613	0.21091	0.38531	2.61788	0.16623	0.28211
0.20766	0.17274	0.28072	0.27939	0.20905	0.35896	2.12701	0.16016	0.2874
0.20323	0.22806	0.22962	0.19932	0.19914	0.42421	1.18814	0.20455	0.19002
0.20682	0.22543	0.23607	0.2057	0.20086	0.43864	1.42437	0.20275	0.19699
0.21009	0.22217	0.24236	0.21208	0.20225	0.45084	1.75146	0.20044	0.20407
0.21283	0.21836	0.24843	0.21845	0.20333	0.45944	2.23393	0.19756	0.21126
0.21492	0.21401	0.25417	0.22475	0.2041	0.46342	3.01806	0.19416	0.21852
0.21623	0.20917	0.25944	0.23089	0.20456	0.46229	4.53588	0.19027	0.22578
0.21665	0.20387	0.26402	0.2368	0.20471	0.45511	6.28005	0.18596	0.23301
0.21448	0.19217	0.27015	0.24759	0.20408	0.42573	6.78511	0.17626	0.24699
0.21193	0.18587	0.27126	0.25225	0.20327	0.40649	5.49127	0.17108	0.25352
0.20827	0.17942	0.27074	0.25643	0.20217	0.38411	3.75299	0.16562	0.25963
0.20369	0.17289	0.26852	0.25998	0.20075	0.36139	2.8399	0.16005	0.26513
0.19836	0.16633	0.2646	0.26284	0.19901	0.33906	2.27474	0.15446	0.26989
0.6499	0.59411	0.8613	0.59191	0.53146	10.46487	5.10388	0.49521	0.54754
0.65657	0.56784	0.9232	0.62794	0.53526	5.85363	4.61822	0.475	0.59492
0.65378	0.53882	0.97954	0.66409	0.53868	3.93137	3.06093	0.45281	0.64656
0.64121	0.50748	1.0243	0.70013	0.54158	2.90115	2.30005	0.42916	0.70189
0.5866	0.54307	0.76761	0.54384	0.48856	6.0333	7.04259	0.45716	0.50558
0.59232	0.52067	0.81705	0.57548	0.49197	4.34781	6.06177	0.43925	0.54615
0.59119	0.49558	0.86183	0.60674	0.49465	3.18156	3.70127	0.42018	0.58961
0.58152	0.46876	0.89742	0.6381	0.49696	2.44094	2.6629	0.39943	0.63593
0.56494	0.44032	0.91946	0.66882	0.49838	1.94972	2.08572	0.37831	0.68387
0.5382	0.47918	0.72861	0.52875	0.45368	3.31693	8.11364	0.40825	0.50278
0.53757	0.45767	0.76469	0.5562	0.45604	2.61825	4.45679	0.39129	0.53988
0.53035	0.43444	0.79357	0.58338	0.45782	2.08513	3.06369	0.37317	0.57892
0.5171	0.4099	0.81199	0.61003	0.45887	1.70163	2.33678	0.35452	0.61919
0.49126	0.44294	0.65414	0.48752	0.42003	2.58378	6.61635	0.38048	0.46446
0.49137	0.4242	0.68367	0.51146	0.42199	2.17408	5.39873	0.36562	0.49623
0.48592	0.40401	0.70746	0.53516	0.42342	1.79823	3.51857	0.34965	0.52947
0.4754	0.38263	0.72307	0.55829	0.42414	1.50141	2.61061	0.33317	0.56355
0.46025	0.36058	0.72792	0.58078	0.42408	1.27521	2.07543	0.31647	0.59762
0.45057	0.41092	0.59086	0.45082	0.39016	2.06365	7.8954	0.35569	0.43036
0.45085	0.39462	0.61524	0.47196	0.39192	1.81695	6.6028	0.34238	0.45786
0.44712	0.37685	0.63522	0.49252	0.39298	1.56105	4.05454	0.32851	0.48629
0.43857	0.35818	0.64848	0.51275	0.3935	1.32984	2.9139	0.31378	0.51538
0.42592	0.33888	0.65323	0.53239	0.39332	1.14067	2.27219	0.29874	0.54441
0.41485	0.38255	0.53664	0.41817	0.36359	1.686	6.3341	0.33331	0.39998
0.41575	0.36813	0.55712	0.43664	0.36502	1.5369	8.35793	0.32172	0.42378
0.41274	0.3526	0.57386	0.45484	0.36596	1.35733	4.69809	0.3092	0.44839
0.4063	0.33603	0.58549	0.47232	0.3662	1.18857	3.26673	0.29637	0.47328
0.39617	0.31887	0.59019	0.48916	0.36579	1.0392	2.49496	0.28311	0.49797

0.38179	0.30188	0.58645	0.50613	0.36494	0.8984	2.00973	0.26898	0.52219
0.38445	0.34453	0.50711	0.40532	0.34107	1.31134	7.07653	0.30274	0.39358
0.38264	0.33066	0.52147	0.42114	0.34172	1.18913	5.52917	0.29189	0.41481
0.37737	0.31604	0.53152	0.43657	0.34187	1.06018	3.67078	0.28032	0.43635
0.36887	0.30089	0.53601	0.45142	0.34144	0.93938	2.73901	0.26832	0.4577
0.35739	0.28555	0.53394	0.46569	0.34041	0.83167	2.17987	0.25603	0.47832
0.35703	0.32316	0.46389	0.3771	0.31945	1.13218	5.22363	0.28574	0.36648
0.35551	0.31097	0.47618	0.39129	0.32007	1.04484	6.61632	0.27582	0.38513
0.35136	0.29796	0.48498	0.40487	0.32011	0.94771	4.15266	0.2655	0.40382
0.34437	0.28444	0.48925	0.41788	0.3196	0.85158	3.01542	0.25474	0.42229
0.33472	0.27072	0.48815	0.43029	0.31855	0.76221	2.36177	0.24366	0.44012
0.33137	0.29308	0.43684	0.3645	0.30052	0.92402	8.1652	0.26118	0.35861
0.32801	0.2815	0.44459	0.37657	0.3005	0.85014	4.74911	0.25186	0.37497
0.32215	0.26944	0.4486	0.3881	0.29999	0.77305	3.33824	0.24211	0.39109
0.31398	0.25712	0.44818	0.39897	0.29895	0.69896	2.56572	0.23209	0.40658
0.30374	0.24477	0.44289	0.40909	0.29734	0.62649	2.0766	0.22189	0.421
0.30965	0.27683	0.40243	0.34047	0.28284	0.82168	7.40758	0.24768	0.33488
0.30693	0.26647	0.40928	0.35122	0.28279	0.76482	5.51831	0.23926	0.34924
0.30216	0.25561	0.41306	0.36136	0.28223	0.70428	3.72049	0.23052	0.36331
0.29517	0.24454	0.41311	0.37094	0.28122	0.64144	2.79583	0.22138	0.37686
0.28641	0.23336	0.40911	0.37971	0.27967	0.581	2.23213	0.21214	0.38943
0.2902	0.26194	0.37217	0.31874	0.26675	0.73544	5.03774	0.23535	0.31348
0.28799	0.25265	0.37827	0.32835	0.26667	0.69166	6.56353	0.2277	0.32616
0.28399	0.24289	0.38179	0.33738	0.26612	0.64307	4.18485	0.21975	0.33854
0.27811	0.23287	0.3822	0.34578	0.26512	0.59145	3.06221	0.21149	0.35041
0.27057	0.22273	0.37919	0.35344	0.26365	0.54002	2.40575	0.20306	0.36143
0.26167	0.21263	0.37268	0.36019	0.26165	0.49331	1.97475	0.19461	0.37126
7.28168	8.09746	5.86389	3.98712	3.85821	5.9902	0.2305	3.22931	1.24007
7.49507	5.3711	10.10944	4.58615	4.07717	6.25841	0.23353	2.97359	1.59485
5.15631	5.09204	5.15834	2.90948	2.82846	8.46083	0.25244	2.49884	1.23468
5.32784	5.10686	8.03778	3.29945	2.92821	12.39535	0.25592	2.31049	1.58185
5.08847	4.95545	13.96484	3.6549	3.09361	8.16831	0.2586	2.06867	2.15745
4.48746	4.07996	25.03145	3.96939	3.31459	16.15119	0.26051	1.78029	3.26781
3.70423	2.74553	42.67091	4.20248	3.54042	8.3914	0.26187	1.48621	6.1827
2.27586	1.35692	30.07988	4.6772	4.2713	4.22029	0.2646	1.00232	21.08855
1.80386	1.07034	12.18915	4.98099	4.81523	3.31048	0.26627	0.84027	20.71936
1.4729	0.87838	6.93069	5.39254	5.38812	2.65622	0.26811	0.72075	22.92655
3.97612	3.44511	6.19083	2.52379	2.24797	10.16422	0.28239	1.86912	1.49633
3.84712	3.27493	9.54718	2.79974	2.37066	11.22706	0.28589	1.68899	1.99096
3.49197	2.7745	14.53139	3.01681	2.48011	15.35931	0.28811	1.48722	2.81631
2.99181	2.11973	21.17115	3.2054	2.61175	8.44339	0.28989	1.2759	4.44743
2.46097	1.56774	27.24809	3.38205	2.76877	5.68282	0.29163	1.07775	7.72008
1.98429	1.20482	17.82209	3.58526	2.97079	4.25558	0.29371	0.90709	9.85432
1.60941	0.96966	9.14328	3.83597	3.19852	3.31695	0.29593	0.77214	10.63644
1.33038	0.80828	5.54273	4.18957	3.42636	2.67555	0.2983	0.66802	11.78887
1.12147	0.69049	3.8113	4.76423	3.60611	2.2186	0.30052	0.58628	13.53461
0.9619	0.60023	2.8171	5.79119	3.7193	1.86939	0.30232	0.52079	15.68505

0.83726	0.52849	2.18109	7.8551	3.75043	1.59709	0.30342	0.46736	17.92374
3.01304	2.40937	6.77211	2.24213	1.89997	12.33289	0.31905	1.41926	1.77322
2.79015	2.09853	9.30007	2.41556	1.97021	13.92163	0.32174	1.26814	2.35459
2.46155	1.71046	12.09527	2.57079	2.04943	8.28924	0.32423	1.11113	3.2992
2.09308	1.34891	13.53319	2.71966	2.13872	5.63439	0.32677	0.96043	4.68754
1.74111	1.07594	10.96411	2.88838	2.2452	4.19359	0.32965	0.82537	5.92647
1.44352	0.88367	7.08011	3.10111	2.36047	3.26716	0.33256	0.71262	6.70974
1.20919	0.74599	4.60996	3.39751	2.469	2.61673	0.33514	0.62199	7.4167
1.02971	0.64317	3.26405	3.84571	2.5501	2.16249	0.33719	0.54985	8.22019
0.89008	0.5633	2.46467	4.59245	2.5937	1.82764	0.33829	0.49125	9.0857
0.77927	0.49931	1.94202	5.9831	2.59135	1.55507	0.33821	0.44277	9.92021
0.68942	0.44692	1.57659	9.22263	2.5218	1.34207	0.33688	0.40198	10.63253
2.42353	1.88927	4.9947	1.85525	1.57325	23.90888	0.36039	1.21699	1.5631
2.28157	1.67699	6.39645	1.99775	1.61953	12.40007	0.36392	1.10089	1.98022
2.05739	1.42358	7.75155	2.13107	1.67194	7.78557	0.36734	0.97925	2.57794
1.79647	1.17284	8.30643	2.25993	1.72629	5.50208	0.37111	0.86188	3.34691
1.53138	0.96669	7.32369	2.40787	1.78974	4.0791	0.3749	0.75257	4.10786
1.29692	0.80871	5.45985	2.58794	1.85247	3.18889	0.37821	0.65878	4.70057
1.10384	0.69026	3.8709	2.8296	1.90781	2.57203	0.38053	0.58107	5.18885
0.94899	0.60015	2.83419	3.18731	1.94795	2.11765	0.38141	0.51703	5.6595
0.82592	0.52927	2.17855	3.75458	1.96513	1.77164	0.38065	0.46421	6.11466
0.7271	0.47195	1.74068	4.74043	1.95372	1.50959	0.37822	0.42014	6.517
0.64609	0.42476	1.43074	6.75589	1.90682	1.29176	0.3743	0.38269	6.82848
0.57874	0.38519	1.2011	12.29663	1.8188	1.11537	0.36907	0.35053	6.95779
2.00556	1.64276	3.04152	1.4326	1.2921	14.54919	0.40602	1.14394	1.13765
1.98994	1.54488	3.81391	1.57289	1.33452	20.09995	0.41332	1.05888	1.37867
1.89817	1.39076	4.64776	1.69253	1.36607	11.14904	0.41826	0.96767	1.6861
1.74421	1.21149	5.38705	1.80653	1.40035	7.37226	0.42339	0.87227	2.09131
1.35401	0.87161	5.2285	2.04848	1.47488	3.95082	0.43287	0.68904	3.07876
1.16792	0.74223	4.25402	2.20253	1.51156	3.08859	0.43556	0.61024	3.51048
1.00839	0.64055	3.24533	2.40234	1.5416	2.48571	0.43601	0.54323	3.86757
0.87525	0.56148	2.4724	2.69068	1.56226	2.03785	0.43405	0.48643	4.18416
0.76716	0.49829	1.93837	3.12708	1.56764	1.70905	0.42977	0.43893	4.46353
0.67915	0.44669	1.56873	3.84023	1.5542	1.44235	0.42347	0.39889	4.69178
0.60638	0.40387	1.30291	5.14448	1.51869	1.23061	0.41558	0.36463	4.84836
0.54571	0.36759	1.10352	7.88202	1.45778	1.06054	0.40645	0.33515	4.88911
0.49318	0.33709	0.94962	16.16552	1.37622	0.90743	0.39655	0.30893	4.81115
1.67024	1.38459	2.49324	1.24505	1.12456	14.64509	0.4751	1.00252	1.0333
1.66556	1.29726	2.99779	1.35588	1.14986	17.95395	0.48421	0.93412	1.22013
1.60396	1.18209	3.52414	1.45847	1.17312	10.40728	0.49147	0.86009	1.45313
1.49611	1.04926	3.96501	1.55677	1.19639	6.98265	0.49886	0.78354	1.74196
1.35575	0.91388	4.14033	1.6573	1.22085	5.02588	0.50483	0.70654	2.07737
1.2004	0.79012	3.92093	1.77056	1.2465	3.74657	0.5076	0.63209	2.42603
1.05259	0.68354	3.37363	1.902	1.26851	2.92762	0.50726	0.56568	2.74197
0.80787	0.5265	2.1602	2.29675	1.29508	1.93489	0.49573	0.45792	3.23634
0.71277	0.47018	1.73158	2.63549	1.2952	1.60543	0.48558	0.41506	3.42767
0.63453	0.42354	1.42007	3.15641	1.28189	1.35208	0.47349	0.37872	3.57312

0.56944	0.38441	1.19065	4.02549	1.25332	1.16039	0.46012	0.34751	3.66102
0.51453	0.35119	1.01671	5.63281	1.20847	0.99943	0.446	0.32037	3.67498
0.46772	0.32261	0.88082	9.20662	1.14799	0.86909	0.43156	0.29659	3.59816
1.41253	1.18574	2.06769	1.09355	0.98736	21.73997	0.5706	0.88744	0.93685
1.4147	1.11231	2.41334	1.18473	1.00425	16.05149	0.58368	0.83221	1.08496
1.36966	1.02509	2.7599	1.27473	1.02318	9.41315	0.59383	0.76942	1.26586
1.29362	0.92296	3.04318	1.36018	1.03941	6.4947	0.60331	0.70735	1.48057
1.18978	0.81782	3.16299	1.44764	1.0558	4.71212	0.60742	0.64424	1.72272
1.07205	0.71824	3.04962	1.54279	1.07147	3.57842	0.60493	0.58311	1.97305
0.95382	0.63008	2.72571	1.65309	1.08495	2.78764	0.59633	0.52661	2.20763
0.74581	0.4948	1.88913	1.97682	1.0998	1.80842	0.56585	0.43115	2.58524
0.66283	0.44425	1.54948	2.23491	1.09679	1.48725	0.54692	0.39272	2.72347
0.59332	0.40205	1.28875	2.61263	1.0843	1.25178	0.52703	0.35973	2.82428
0.53536	0.36614	1.09112	3.18741	1.06056	1.07696	0.50678	0.3314	2.87816
0.48525	0.33583	0.9387	4.17468	1.02618	0.92761	0.48674	0.30625	2.8842
0.44296	0.3093	0.81851	6.00178	0.97997	0.80915	0.46715	0.2844	2.82388
1.21091	1.03087	1.73865	0.97043	0.87522	19.67747	0.71387	0.79255	0.85094
1.21605	0.96996	1.98377	1.04718	0.88747	14.33459	0.73486	0.74691	0.97037
1.187	0.89973	2.22397	1.12392	0.90104	8.83421	0.74961	0.69584	1.11287
1.12873	0.82048	2.41171	1.1993	0.91351	5.98388	0.75246	0.6425	1.27636
1.05301	0.73628	2.50031	1.27381	0.92418	4.42519	0.74634	0.59111	1.45702
0.96144	0.65568	2.44053	1.35506	0.9345	3.33448	0.72784	0.53954	1.64355
0.866	0.58243	2.24072	1.44786	0.94302	2.58727	0.70241	0.49094	1.82163
0.69116	0.46502	1.65626	1.70475	0.94997	1.67359	0.64277	0.40709	2.1125
0.61848	0.41983	1.38948	1.89802	0.94561	1.38654	0.61224	0.37246	2.21727
0.55659	0.38157	1.17262	2.16446	0.93407	1.16907	0.58262	0.34243	2.29086
0.50399	0.34894	1.00221	2.54599	0.91449	1.00018	0.55432	0.31628	2.32938
0.45847	0.32109	0.86831	3.12752	0.88688	0.86406	0.52762	0.29307	2.3306
0.42006	0.29652	0.76169	4.00892	0.85044	0.75708	0.50252	0.27292	2.28353
0.33055	0.2394	0.54329	3.708	0.7062	0.53233	0.43677	0.22395	1.88214
0.30741	0.22427	0.49214	2.16487	0.65212	0.48029	0.4177	0.21077	1.67671
1.05027	0.90736	1.48055	0.86855	0.78224	25.14308	0.95595	0.71313	0.77483
1.05688	0.85613	1.65855	0.93331	0.79102	12.99252	0.9877	0.67524	0.87185
1.03843	0.79864	1.83019	0.99891	0.80094	8.1596	0.99371	0.63309	0.98541
0.99497	0.7354	1.96318	1.06484	0.8107	5.5174	0.96739	0.58786	1.11376
0.93641	0.66779	2.0288	1.12994	0.81842	4.01966	0.92617	0.5439	1.25251
0.86439	0.60172	1.99797	1.19968	0.8254	3.01602	0.87524	0.49993	1.39555
0.78603	0.5405	1.87011	1.27881	0.83091	2.30961	0.8218	0.45746	1.53383
0.64001	0.438	1.45565	1.482	0.83282	1.50348	0.72307	0.38417	1.76149
0.5768	0.39742	1.24686	1.62584	0.82765	1.24999	0.67879	0.3531	1.84314
0.52176	0.36276	1.06783	1.81454	0.81713	1.05782	0.63833	0.32577	1.89993
0.47446	0.33295	0.92199	2.06528	0.80052	0.91673	0.60153	0.3018	1.92896
0.43377	0.30709	0.80481	2.39915	0.77748	0.80437	0.56797	0.28069	1.9269
0.39874	0.28433	0.70995	2.82847	0.74797	0.71383	0.53721	0.26205	1.89013
0.31587	0.23132	0.51321	2.64448	0.63214	0.49471	0.45984	0.21612	1.58978
0.29482	0.21693	0.46668	1.8059	0.58783	0.45689	0.43811	0.20395	1.434
0.92021	0.80672	1.27493	0.78276	0.70402	23.03969	1.4526	0.64592	0.70736

0.92737	0.76374	1.40769	0.8382	0.7108	11.82732	1.45278	0.61397	0.7873
0.91568	0.71579	1.53303	0.89415	0.71796	7.36294	1.37076	0.57877	0.87866
0.88333	0.66426	1.63104	0.95156	0.72557	4.9507	1.25617	0.54031	0.98116
0.83703	0.60917	1.68064	1.00846	0.73137	3.53637	1.14197	0.50209	1.09016
0.78037	0.55418	1.66598	1.06775	0.73598	2.65933	1.03951	0.46452	1.20195
0.71822	0.50201	1.58338	1.13214	0.73902	2.08833	0.94991	0.42845	1.30998
0.59422	0.41284	1.28457	1.29365	0.73821	1.36306	0.80399	0.36325	1.49154
0.53938	0.37641	1.12159	1.39976	0.73279	1.14366	0.74515	0.33541	1.55664
0.49032	0.34499	0.97433	1.53279	0.7232	0.97319	0.69334	0.31044	1.60178
0.44789	0.31767	0.85001	1.69645	0.70883	0.85	0.64789	0.28852	1.62429
0.4109	0.29383	0.74728	1.89569	0.6895	0.75016	0.6074	0.26902	1.62236
0.37881	0.27277	0.66279	2.11831	0.66515	0.66917	0.57105	0.25171	1.59378
0.30239	0.22334	0.48525	1.96766	0.57024	0.47419	0.48243	0.20883	1.36278
0.28268	0.20991	0.44279	1.51403	0.53368	0.43507	0.45807	0.1973	1.24422
0.81335	0.72347	1.10903	0.70971	0.63764	21.81583	2.74495	0.58832	0.64764
0.82062	0.68737	1.21035	0.75769	0.64322	10.4555	2.28773	0.56105	0.71435
0.81316	0.64694	1.30411	0.80562	0.64847	6.29666	1.89059	0.53127	0.78879
0.78897	0.60409	1.37789	0.85523	0.65427	4.22443	1.59668	0.4984	0.87155
0.75416	0.55789	1.41792	0.90349	0.65817	3.08621	1.37843	0.46618	0.9583
0.70873	0.51183	1.4118	0.95394	0.66135	2.34561	1.21044	0.4335	1.04722
0.65778	0.46745	1.3567	1.00754	0.66304	1.85382	1.07851	0.4019	1.13338
0.55304	0.38949	1.13886	1.13511	0.66051	1.24835	0.88382	0.3441	1.27975
0.50567	0.35668	1.01142	1.21283	0.65494	1.06629	0.81033	0.31919	1.33221
0.46156	0.32832	0.89052	1.30847	0.64639	0.89976	0.74723	0.29619	1.36941
0.42344	0.30325	0.78482	1.41718	0.6338	0.79689	0.6932	0.27608	1.38753
0.38974	0.28126	0.69496	1.54002	0.61733	0.70212	0.6459	0.25803	1.38619
0.35999	0.2619	0.6198	1.66456	0.59711	0.6238	0.60422	0.24179	1.36471
0.28958	0.21568	0.45912	1.54164	0.51799	0.45526	0.50452	0.20179	1.18381
0.27109	0.20316	0.42033	1.27676	0.48747	0.41505	0.47761	0.19087	1.09175
0.72461	0.65349	0.97338	0.64666	0.58065	9.57866	5.68947	0.53862	0.5946
0.73158	0.62286	1.05199	0.68824	0.58526	8.20821	3.4167	0.51516	0.65064
0.72694	0.58873	1.12399	0.72979	0.58944	5.01843	2.47249	0.48958	0.71231
0.70965	0.55218	1.18101	0.77191	0.59348	3.50143	1.94965	0.46191	0.77952
0.68146	0.51369	1.21278	0.81415	0.59667	2.61121	1.61239	0.43339	0.85023
0.64623	0.4742	1.21223	0.85598	0.59836	2.05626	1.37902	0.40563	0.92146
0.60447	0.43614	1.17504	0.90046	0.59913	1.65686	1.20479	0.3779	0.99108
0.56066	0.40016	1.10561	0.94744	0.59807	1.3768	1.06966	0.35165	1.05459
0.51596	0.36773	1.01436	1.00132	0.59554	1.14824	0.96218	0.32655	1.11031
0.47418	0.3384	0.91394	1.06043	0.59027	0.98169	0.87393	0.30382	1.1538
0.43547	0.31254	0.81533	1.12811	0.58237	0.84964	0.80023	0.28304	1.18421
0.40078	0.28965	0.72548	1.20297	0.57138	0.74461	0.73762	0.26438	1.19964
0.36993	0.26943	0.64714	1.28182	0.55727	0.65907	0.68371	0.24758	1.19927
0.34287	0.25136	0.58022	1.35143	0.53989	0.59323	0.63654	0.2326	1.18185
0.29639	0.22138	0.47575	1.36867	0.49786	0.46845	0.55888	0.20616	1.10214
0.27735	0.20837	0.43476	1.25609	0.47342	0.43404	0.52626	0.19499	1.03978
0.26015	0.19662	0.39924	1.08851	0.44759	0.39692	0.49686	0.18471	0.96671
0.61941	0.47463	1.05056	0.73623	0.54382	2.24835	1.84651	0.40455	0.75987

0.59058	0.44104	1.05257	0.77224	0.54499	1.80361	1.54528	0.37996	0.81837
0.55576	0.4083	1.0271	0.80987	0.54527	1.46989	1.32855	0.3553	0.8756
0.5198	0.37652	0.97669	0.84717	0.54351	1.24759	1.16613	0.33246	0.92725
0.28355	0.21353	0.44956	1.12744	0.4558	0.44611	0.58341	0.19899	0.97141
0.26587	0.20133	0.4121	1.0524	0.43497	0.41472	0.54785	0.1885	0.92148
0.24985	0.19027	0.37951	0.93965	0.41289	0.38042	0.51597	0.17883	0.86269
0.54176	0.41131	0.92307	0.69944	0.49899	1.5992	1.71445	0.35679	0.73224
0.51381	0.38254	0.90585	0.73012	0.49852	1.33517	1.4553	0.33547	0.77907
0.48244	0.35507	0.86859	0.76215	0.49701	1.12928	1.26406	0.31448	0.82273
0.27158	0.20599	0.42536	0.95369	0.41944	0.4296	0.60795	0.19218	0.86336
0.25499	0.19459	0.391	0.90093	0.40154	0.39332	0.56937	0.18225	0.8231
0.24005	0.18418	0.36105	0.82123	0.3825	0.36473	0.53499	0.17316	0.77526
0.49849	0.38466	0.81654	0.63617	0.45907	1.42592	1.88979	0.33565	0.6596
0.47523	0.35956	0.80482	0.66227	0.45839	1.20569	1.58472	0.31666	0.69882
0.44868	0.33534	0.77708	0.68888	0.45673	1.03065	1.36328	0.29788	0.73537
0.26011	0.19886	0.40277	0.82335	0.38776	0.4057	0.6324	0.18557	0.77311
0.24447	0.1882	0.37116	0.78455	0.37216	0.37084	0.59058	0.17614	0.74025
0.23062	0.17838	0.34372	0.72591	0.35572	0.34304	0.5539	0.16763	0.70107
0.44076	0.33858	0.71996	0.60311	0.42327	1.08991	1.71908	0.29946	0.63072
0.41804	0.31716	0.699	0.62552	0.42155	0.93341	1.46449	0.2825	0.66158
0.24934	0.19204	0.38179	0.72162	0.35991	0.38659	0.65694	0.17928	0.69667
0.23484	0.18199	0.35291	0.69174	0.34632	0.35516	0.61222	0.17045	0.66965
0.22189	0.17273	0.32761	0.64728	0.33193	0.3295	0.57297	0.16243	0.63721
0.40994	0.31936	0.64809	0.55133	0.39232	0.99206	1.8613	0.28373	0.57241
0.39095	0.30024	0.63243	0.56997	0.39051	0.86479	1.57271	0.26866	0.5985
0.37052	0.28175	0.60742	0.58788	0.38765	0.76443	1.36034	0.25413	0.62137
0.23932	0.18549	0.36237	0.64007	0.33532	0.36969	0.68189	0.17336	0.63137
0.22571	0.17606	0.33584	0.61656	0.32335	0.33995	0.63389	0.16499	0.60899
0.21372	0.16727	0.31258	0.58177	0.31068	0.32206	0.59214	0.1575	0.58188
0.36603	0.28471	0.57483	0.52173	0.36311	0.79639	1.68547	0.25566	0.54441
0.34821	0.26814	0.55506	0.53679	0.36043	0.70517	1.44712	0.24238	0.56408
0.22982	0.17926	0.3442	0.57348	0.31344	0.35312	0.70695	0.16766	0.5751
0.21713	0.17036	0.31994	0.55451	0.30286	0.32581	0.65579	0.15979	0.55649
0.20587	0.16208	0.29846	0.52687	0.29163	0.30906	0.61129	0.1527	0.53375
0.34318	0.2704	0.52475	0.47951	0.33875	0.73035	1.80439	0.24347	0.49763
0.32803	0.25539	0.50921	0.49196	0.33617	0.65595	1.53927	0.23158	0.5145
0.20905	0.16491	0.30509	0.50251	0.28449	0.31272	0.67795	0.15484	0.51072
0.19827	0.15715	0.28514	0.48035	0.27449	0.29116	0.63039	0.14801	0.4916
0.32243	0.25713	0.48106	0.44223	0.31695	0.67467	1.93301	0.23221	0.45681
0.30951	0.2435	0.46879	0.45261	0.31447	0.6133	1.63707	0.22151	0.47137
0.29503	0.2305	0.45133	0.46224	0.31136	0.55292	1.41486	0.21074	0.48361
0.20133	0.15971	0.2911	0.45842	0.26789	0.29953	0.70012	0.15006	0.47052
0.19117	0.15239	0.27267	0.44022	0.25895	0.27916	0.64961	0.14357	0.45433
0.29217	0.23252	0.43292	0.41814	0.29507	0.56865	1.7409	0.2119	0.43376
0.27955	0.22063	0.41863	0.42609	0.29215	0.51573	1.49502	0.2021	0.44443
0.2156	0.17023	0.31655	0.43814	0.26732	0.33576	0.85541	0.15925	0.45393
0.19405	0.15472	0.278	0.42056	0.25287	0.2873	0.72259	0.1455	0.43505

0.1845	0.1478	0.26099	0.4054	0.24484	0.26822	0.66905	0.13934	0.42127
0.2759	0.22231	0.40072	0.38757	0.27746	0.52331	1.84752	0.20193	0.40044
0.26511	0.21139	0.38927	0.39422	0.27483	0.48063	1.57956	0.19392	0.41
0.25336	0.20093	0.37434	0.39967	0.27151	0.43903	1.37329	0.18516	0.41722
0.24157	0.19093	0.35721	0.40354	0.26758	0.40606	1.21257	0.17684	0.42194
0.22956	0.18158	0.33854	0.40577	0.26307	0.37063	1.0822	0.16874	0.424
0.21815	0.17278	0.31952	0.40568	0.25795	0.34303	0.97573	0.16121	0.42317
0.20716	0.1646	0.30068	0.40295	0.25225	0.31783	0.88636	0.15407	0.41945
0.19687	0.15699	0.28267	0.39705	0.24599	0.29807	0.81063	0.14742	0.41286
0.18719	0.14994	0.26572	0.38774	0.23922	0.27602	0.74538	0.14116	0.40357
0.17816	0.14341	0.25	0.375	0.23198	0.25772	0.68857	0.13529	0.39179
0.25149	0.20171	0.36256	0.36591	0.25901	0.44473	1.66598	0.18384	0.37932
0.24146	0.19304	0.35041	0.37039	0.25608	0.41489	1.44449	0.17826	0.386
0.2308	0.1838	0.33573	0.3735	0.25248	0.38472	1.26911	0.17052	0.3903
0.21998	0.17508	0.31956	0.37512	0.24836	0.35511	1.12855	0.16301	0.39232
0.2094	0.16688	0.30273	0.37483	0.24371	0.32688	1.01378	0.15589	0.39186
0.19924	0.15922	0.2859	0.37228	0.23854	0.30353	0.91821	0.14917	0.38887
0.18969	0.15204	0.26962	0.36708	0.23288	0.28539	0.83761	0.14291	0.38337
0.17215	0.13919	0.23965	0.34824	0.22022	0.24791	0.70827	0.13142	0.36541
0.23937	0.19454	0.33905	0.34067	0.24482	0.42228	1.76649	0.17904	0.35245
0.2298	0.18464	0.32811	0.34442	0.24188	0.3829	1.51407	0.16704	0.35797
0.22061	0.17708	0.31601	0.347	0.23876	0.36235	1.32829	0.16447	0.36226
0.21081	0.16896	0.30196	0.34819	0.23499	0.33558	1.17644	0.15748	0.36421
0.20111	0.16129	0.28711	0.34775	0.23075	0.31145	1.05305	0.15081	0.36403
0.19172	0.15408	0.27207	0.34538	0.22605	0.28994	0.95088	0.14449	0.36164
0.18282	0.14733	0.25735	0.34081	0.22091	0.27118	0.86501	0.13856	0.35706
0.16643	0.13515	0.22988	0.32455	0.20942	0.23841	0.72802	0.1277	0.3417
0.2281	0.18682	0.31775	0.31805	0.23186	0.40034	1.87623	0.17241	0.32842
0.2197	0.17865	0.30871	0.3213	0.22925	0.36984	1.59917	0.16543	0.3336
0.21082	0.17076	0.29769	0.32343	0.22616	0.3401	1.38833	0.15731	0.33712
0.2019	0.16234	0.28544	0.32432	0.2227	0.31553	1.22437	0.1502	0.339
0.19325	0.15597	0.27257	0.32379	0.21891	0.29683	1.09376	0.14595	0.33918
0.18458	0.1492	0.25912	0.32162	0.21461	0.27691	0.98436	0.14	0.33728
0.17615	0.14286	0.24565	0.31757	0.20987	0.25668	0.89202	0.13373	0.33335
0.16096	0.13129	0.22064	0.30347	0.19948	0.22919	0.74776	0.12412	0.32029
0.21002	0.17202	0.29069	0.30053	0.21757	0.35094	1.68777	0.15963	0.31153
0.20215	0.16467	0.28134	0.30233	0.21478	0.32644	1.45829	0.15335	0.31487
0.19395	0.15763	0.27058	0.30303	0.21159	0.30331	1.27887	0.14719	0.31667
0.17706	0.14994	0.25856	0.30215	0.20772	0.27311	1.1326	0.13039	0.31651
0.17771	0.14376	0.24685	0.30046	0.20406	0.26054	1.01787	0.1339	0.31528
0.17019	0.1385	0.23503	0.29689	0.19987	0.24915	0.92166	0.13048	0.31223
0.15585	0.12755	0.21199	0.28455	0.19032	0.22131	0.76776	0.12075	0.30091
0.20091	0.16576	0.27418	0.28185	0.20683	0.33297	1.78369	0.15412	0.29167
0.19379	0.15893	0.2661	0.28338	0.20426	0.31066	1.53081	0.14824	0.29475
0.18644	0.15234	0.25677	0.28393	0.20135	0.29038	1.33623	0.14255	0.29651
0.17892	0.14605	0.2465	0.28338	0.19809	0.27123	1.18114	0.137	0.29686
0.17147	0.14007	0.2357	0.28159	0.19447	0.25376	1.05479	0.13168	0.29569

0.16422	0.13441	0.22475	0.2784	0.19053	0.2367	0.94995	0.1261	0.29298
0.14148	0.12688	0.20697	0.27141	0.18517	0.19664	0.82723	0.10616	0.28669
0.19239	0.15984	0.25906	0.26497	0.19695	0.31766	1.88937	0.14891	0.27376
0.1859	0.1535	0.25204	0.26632	0.19458	0.29566	1.60874	0.14337	0.27661
0.17917	0.14735	0.24385	0.26677	0.19189	0.27688	1.3956	0.13802	0.27831
0.17232	0.14143	0.23479	0.26623	0.1889	0.25962	1.22778	0.13284	0.27875
0.16547	0.1358	0.22516	0.26461	0.18559	0.24375	1.0921	0.12784	0.27788
0.15881	0.13043	0.21533	0.26177	0.182	0.22974	0.98049	0.12311	0.27567
0.15232	0.12537	0.20549	0.25766	0.17812	0.21659	0.88657	0.11857	0.27211

	Discrete Re X	Y	Concentrat	Elevation (Z Hill	Heights Flagpole (Z	Averagin Pe	
345	UCART1	387439	3744202	0.2227	9.8	9.8	0 PERIOD
346	UCART1	387489	3744202	0.26583	9.74	9.74	0 PERIOD
347	UCART1	387539	3744202	0.32435	9.9	9.9	0 PERIOD
348	UCART1	387589	3744202	0.40749	10.15	10.15	0 PERIOD
359	UCART1	387439	3744252	0.23043	10.02	10.02	0 PERIOD
360	UCART1	387489	3744252	0.27662	10.55	10.55	0 PERIOD
361	UCART1	387539	3744252	0.33997	10.41	10.41	0 PERIOD
362	UCART1	387589	3744252	0.42974	10.96	10.96	0 PERIOD
363	UCART1	387639	3744252	0.56883	10.68	10.68	0 PERIOD
373	UCART1	387489	3744302	0.28188	10.27	10.27	0 PERIOD
374	UCART1	387539	3744302	0.34692	10.68	10.68	0 PERIOD
375	UCART1	387589	3744302	0.43896	11.15	11.15	0 PERIOD
376	UCART1	387639	3744302	0.57944	11.12	11.12	0 PERIOD
386	UCART1	387489	3744352	0.28155	10.26	10.26	0 PERIOD
387	UCART1	387539	3744352	0.3462	10.59	10.59	0 PERIOD
388	UCART1	387589	3744352	0.43672	11.12	11.12	0 PERIOD
389	UCART1	387639	3744352	0.57256	11.14	11.14	0 PERIOD
390	UCART1	387689	3744352	0.79338	10.65	10.65	0 PERIOD
400	UCART1	387489	3744402	0.27635	10.06	10.06	0 PERIOD
401	UCART1	387539	3744402	0.33816	10.89	10.89	0 PERIOD
402	UCART1	387589	3744402	0.4252	10.86	10.86	0 PERIOD
403	UCART1	387639	3744402	0.55138	11.19	11.19	0 PERIOD
404	UCART1	387689	3744402	0.74962	11.22	11.22	0 PERIOD
415	UCART1	387489	3744452	0.26709	10.07	10.07	0 PERIOD
416	UCART1	387539	3744452	0.32536	10.4	10.4	0 PERIOD
417	UCART1	387589	3744452	0.40519	10.94	10.94	0 PERIOD
418	UCART1	387639	3744452	0.52201	10.51	10.51	0 PERIOD
419	UCART1	387689	3744452	0.6999	9.98	9.98	0 PERIOD
420	UCART1	387739	3744452	0.9853	11.6	11.6	0 PERIOD
430	UCART1	387539	3744502	0.3078	10.59	10.59	0 PERIOD
431	UCART1	387589	3744502	0.38049	10.28	10.28	0 PERIOD
432	UCART1	387639	3744502	0.48348	10.18	10.18	0 PERIOD
433	UCART1	387689	3744502	0.63759	10.07	10.07	0 PERIOD
434	UCART1	387739	3744502	0.88507	10.18	10.18	0 PERIOD
444	UCART1	387539	3744552	0.28768	10.03	10.03	0 PERIOD
445	UCART1	387589	3744552	0.35159	10.44	10.44	0 PERIOD
446	UCART1	387639	3744552	0.44074	10.24	10.24	0 PERIOD
447	UCART1	387689	3744552	0.57096	10.04	10.04	0 PERIOD
448	UCART1	387739	3744552	0.77323	10.13	10.13	0 PERIOD
459	UCART1	387589	3744602	0.32138	10.38	10.38	0 PERIOD
460	UCART1	387639	3744602	0.39688	10.36	10.36	0 PERIOD
461	UCART1	387689	3744602	0.50434	10.42	10.42	0 PERIOD
462	UCART1	387739	3744602	0.66519	10.56	10.56	0 PERIOD
463	UCART1	387789	3744602	0.9199	11.04	11.04	0 PERIOD
474	UCART1	387589	3744652	0.29149	10.54	10.54	0 PERIOD
475	UCART1	387639	3744652	0.3544	10.66	10.66	0 PERIOD

476 UCART1	387689	3744652	0.44175	10.44	10.44	0 PERIOD
477 UCART1	387739	3744652	0.56696	10.82	10.82	0 PERIOD
478 UCART1	387789	3744652	0.75502	11.15	11.15	0 PERIOD
495 UCART1	387589	3744702	0.26339	10.34	10.34	0 PERIOD
496 UCART1	387639	3744702	0.31542	10.67	10.67	0 PERIOD
497 UCART1	387689	3744702	0.38568	10.63	10.63	0 PERIOD
498 UCART1	387739	3744702	0.48315	10.78	10.78	0 PERIOD
499 UCART1	387789	3744702	0.62238	11.1	11.1	0 PERIOD
500 UCART1	387839	3744702	0.82822	11.47	11.47	0 PERIOD

Source Gro Num Hours (NUM HRS)

		Con1	Con2	Con3
CON1	43848	0.2227	0.24137	0.22095
CON1	43848	0.26583	0.28917	0.26452
CON1	43848	0.32435	0.35394	0.32439
CON1	43848	0.40749	0.44547	0.41111
CON1	43848	0.23043	0.25144	0.22755
CON1	43848	0.27662	0.3035	0.27347
CON1	43848	0.33997	0.37508	0.33702
CON1	43848	0.42974	0.47671	0.42805
CON1	43848	0.56883	0.63391	0.57228
CON1	43848	0.28188	0.31136	0.27723
CON1	43848	0.34692	0.38621	0.34123
CON1	43848	0.43896	0.49277	0.43228
CON1	43848	0.57944	0.65646	0.57277
CON1	43848	0.28155	0.31239	0.27607
CON1	43848	0.3462	0.38773	0.33894
CON1	43848	0.43672	0.49431	0.42694
CON1	43848	0.57256	0.65617	0.55942
CON1	43848	0.79338	0.92241	0.77678
CON1	43848	0.27635	0.30719	0.27085
CON1	43848	0.33816	0.37974	0.33061
CON1	43848	0.4252	0.48326	0.41466
CON1	43848	0.55138	0.63557	0.53632
CON1	43848	0.74962	0.87893	0.72827
CON1	43848	0.26709	0.29671	0.26222
CON1	43848	0.32536	0.36519	0.31872
CON1	43848	0.40519	0.46038	0.39585
CON1	43848	0.52201	0.60194	0.5089
CON1	43848	0.6999	0.8217	0.6818
CON1	43848	0.9853	1.18327	0.96165
CON1	43848	0.3078	0.34435	0.30262
CON1	43848	0.38049	0.4306	0.37363
CON1	43848	0.48348	0.55478	0.47448
CON1	43848	0.63759	0.74427	0.62644
CON1	43848	0.88507	1.05677	0.87307
CON1	43848	0.28768	0.32009	0.28417
CON1	43848	0.35159	0.3952	0.34735
CON1	43848	0.44074	0.50138	0.43609
CON1	43848	0.57096	0.65915	0.56701
CON1	43848	0.77323	0.91002	0.77299
CON1	43848	0.32138	0.35824	0.31934
CON1	43848	0.39688	0.44673	0.39559
CON1	43848	0.50434	0.5743	0.50538
CON1	43848	0.66519	0.76859	0.67198
CON1	43848	0.9199	1.0833	0.94043
CON1	43848	0.29149	0.32214	0.29095
CON1	43848	0.3544	0.39466	0.35513

CON1	43848	0.44175	0.49626	0.44528	
CON1	43848	0.56696	0.64368	0.57601	
CON1	43848	0.75502	0.86818	0.77532	
CON1	43848	0.26339	0.28868	0.2638	
CON1	43848	0.31542	0.34778	0.31721	
CON1	43848	0.38568	0.42817	0.39005	
CON1	43848	0.48315	0.54081	0.49198	
CON1	43848	0.62238	0.70359	0.63899	
CON1	43848	0.82822	0.94704	0.85915	

IDLE1	IDLE2		A	B	C	D	E	F
0.6392	0.74661		1.14974	31.6436	1.57495	1.30379	0.9954	0.80697
0.72522	0.8571		1.39977	37.70403	1.94419	1.48145	1.06206	0.84115
0.83091	0.99553		1.75186	39.2332	2.46715	1.67644	1.11535	0.86268
0.96264	1.17212		2.27372	39.19156	3.24776	1.87384	1.14733	0.86764
0.65898	0.77574		1.12034	13.08024	1.44326	1.14039	0.87655	0.71803
0.75128	0.89631		1.35529	16.22102	1.74919	1.27639	0.92801	0.74514
0.86567	1.04893		1.68089	17.48734	2.16727	1.42218	0.97081	0.76375
1.00953	1.24639		2.14647	17.83663	2.75344	1.56496	0.9965	0.76885
1.19556	1.50986		2.86256	17.69177	3.63329	1.68997	1.00265	0.76045
0.769	0.92401		1.28863	9.3724	1.56008	1.11135	0.82014	0.66656
0.88953	1.08722		1.57491	10.28804	1.88564	1.22183	0.85373	0.68175
1.04238	1.30021		1.9704	10.60684	2.32071	1.32838	0.87519	0.6871
1.24186	1.58816		2.54253	10.53579	2.92594	1.42078	0.88146	0.68159
0.7776	0.93901		1.20826	6.20684	1.38473	0.97606	0.73023	0.60005
0.90142	1.10812		1.45345	6.84873	1.63827	1.06185	0.75776	0.61317
1.05901	1.3299		1.77802	7.11549	1.96199	1.1432	0.77569	0.61837
1.26564	1.63126		2.22339	7.09486	2.38686	1.21339	0.78198	0.61499
1.54478	2.05682		2.85515	6.82497	2.94578	1.26178	0.77454	0.60256
0.77693	0.94065		1.12146	4.45344	1.22836	0.86416	0.65502	0.54364
0.9006	1.11047		1.3257	4.90114	1.42547	0.93124	0.6772	0.55455
1.05881	1.3339		1.58959	5.12058	1.67161	0.99549	0.69307	0.56003
1.265	1.63561		1.93221	5.12602	1.97512	1.04942	0.69885	0.55791
1.54274	2.05987		2.39059	4.94528	2.34508	1.087	0.69365	0.54828
0.76775	0.9299		1.03331	3.37031	1.09193	0.77053	0.59107	0.49507
0.88873	1.09576		1.20346	3.69022	1.24865	0.82458	0.61011	0.50493
1.04217	1.31242		1.41368	3.86092	1.43544	0.87486	0.62311	0.50966
1.24273	1.60468		1.6832	3.88783	1.66131	0.91852	0.6294	0.50917
1.50965	2.00962		2.02662	3.7737	1.91911	0.949	0.62667	0.50231
1.87441	2.59258		2.45362	3.51293	2.17594	0.95965	0.61253	0.48784
0.86668	1.0658		1.08752	2.88099	1.09897	0.73509	0.55234	0.46158
1.01244	1.26977		1.25861	3.0175	1.24567	0.77613	0.56428	0.46656
1.20012	1.54091		1.46851	3.04782	1.41345	0.81088	0.56988	0.46654
1.44756	1.91211		1.72799	2.97421	1.59687	0.83566	0.56818	0.46123
1.78342	2.44022		2.04518	2.80201	1.77747	0.84668	0.55854	0.45055
0.83685	1.02359		0.98289	2.31474	0.97405	0.66006	0.50331	0.42429
0.97195	1.2107		1.12118	2.4215	1.08859	0.69322	0.51316	0.42851
1.14338	1.45478		1.28754	2.4525	1.21622	0.72162	0.51846	0.42906
1.36554	1.78218		1.48711	2.40625	1.3507	0.74219	0.51781	0.42517
1.66082	2.23662		1.72242	2.28683	1.47938	0.75207	0.51055	0.41668
0.92415	1.14062		1.00232	1.98654	0.95916	0.62345	0.46914	0.39528
1.07742	1.35499		1.13556	2.0157	1.05744	0.64685	0.47394	0.39607
1.27229	1.63617		1.29132	1.98679	1.15829	0.66404	0.47383	0.39312
1.52478	2.01482		1.46916	1.90271	1.25278	0.67285	0.46835	0.38634
1.85847	2.54037		1.66171	1.7704	1.32636	0.67132	0.45737	0.37584
0.87196	1.06489		0.89952	1.65924	0.85099	0.56401	0.4307	0.36588
1.00647	1.2494		1.00711	1.68558	0.92773	0.5835	0.43507	0.36685

1.17416	1.48549		1.13086	1.66881	1.00541	0.59819	0.4356	0.36483
1.38562	1.79362		1.26725	1.60874	1.07646	0.60595	0.43137	0.35931
1.65712	2.20447		1.41265	1.51197	1.13259	0.60562	0.42267	0.35072
0.81768	0.98734		0.81116	1.40744	0.76038	0.51314	0.39722	0.33998
0.93423	1.14405		0.89895	1.43081	0.82109	0.52952	0.40117	0.34102
1.07651	1.33964		0.99773	1.42133	0.88156	0.54202	0.40193	0.33954
1.25193	1.58744		1.10504	1.37883	0.93682	0.54908	0.39888	0.33521
1.47079	1.90598		1.2167	1.30699	0.98055	0.54953	0.39191	0.3281
1.74769	2.32121		1.32538	1.21222	1.00545	0.54278	0.38132	0.31854

G	H	I	J	K	L	M	N	O
0.6499	0.59411	0.8613	0.59191	0.53146	10.46487	5.10388	0.49521	0.54754
0.65657	0.56784	0.9232	0.62794	0.53526	5.85363	4.61822	0.475	0.59492
0.65378	0.53882	0.97954	0.66409	0.53868	3.93137	3.06093	0.45281	0.64656
0.64121	0.50748	1.0243	0.70013	0.54158	2.90115	2.30005	0.42916	0.70189
0.5866	0.54307	0.76761	0.54384	0.48856	6.0333	7.04259	0.45716	0.50558
0.59232	0.52067	0.81705	0.57548	0.49197	4.34781	6.06177	0.43925	0.54615
0.59119	0.49558	0.86183	0.60674	0.49465	3.18156	3.70127	0.42018	0.58961
0.58152	0.46876	0.89742	0.6381	0.49696	2.44094	2.6629	0.39943	0.63593
0.56494	0.44032	0.91946	0.66882	0.49838	1.94972	2.08572	0.37831	0.68387
0.5382	0.47918	0.72861	0.52875	0.45368	3.31693	8.11364	0.40825	0.50278
0.53757	0.45767	0.76469	0.5562	0.45604	2.61825	4.45679	0.39129	0.53988
0.53035	0.43444	0.79357	0.58338	0.45782	2.08513	3.06369	0.37317	0.57892
0.5171	0.4099	0.81199	0.61003	0.45887	1.70163	2.33678	0.35452	0.61919
0.49126	0.44294	0.65414	0.48752	0.42003	2.58378	6.61635	0.38048	0.46446
0.49137	0.4242	0.68367	0.51146	0.42199	2.17408	5.39873	0.36562	0.49623
0.48592	0.40401	0.70746	0.53516	0.42342	1.79823	3.51857	0.34965	0.52947
0.4754	0.38263	0.72307	0.55829	0.42414	1.50141	2.61061	0.33317	0.56355
0.46025	0.36058	0.72792	0.58078	0.42408	1.27521	2.07543	0.31647	0.59762
0.45057	0.41092	0.59086	0.45082	0.39016	2.06365	7.8954	0.35569	0.43036
0.45085	0.39462	0.61524	0.47196	0.39192	1.81695	6.6028	0.34238	0.45786
0.44712	0.37685	0.63522	0.49252	0.39298	1.56105	4.05454	0.32851	0.48629
0.43857	0.35818	0.64848	0.51275	0.3935	1.32984	2.9139	0.31378	0.51538
0.42592	0.33888	0.65323	0.53239	0.39332	1.14067	2.27219	0.29874	0.54441
0.41485	0.38255	0.53664	0.41817	0.36359	1.686	6.3341	0.33331	0.39998
0.41575	0.36813	0.55712	0.43664	0.36502	1.5369	8.35793	0.32172	0.42378
0.41274	0.3526	0.57386	0.45484	0.36596	1.35733	4.69809	0.3092	0.44839
0.4063	0.33603	0.58549	0.47232	0.3662	1.18857	3.26673	0.29637	0.47328
0.39617	0.31887	0.59019	0.48916	0.36579	1.0392	2.49496	0.28311	0.49797
0.38179	0.30188	0.58645	0.50613	0.36494	0.8984	2.00973	0.26898	0.52219
0.38445	0.34453	0.50711	0.40532	0.34107	1.31134	7.07653	0.30274	0.39358
0.38264	0.33066	0.52147	0.42114	0.34172	1.18913	5.52917	0.29189	0.41481
0.37737	0.31604	0.53152	0.43657	0.34187	1.06018	3.67078	0.28032	0.43635
0.36887	0.30089	0.53601	0.45142	0.34144	0.93938	2.73901	0.26832	0.4577
0.35739	0.28555	0.53394	0.46569	0.34041	0.83167	2.17987	0.25603	0.47832
0.35703	0.32316	0.46389	0.3771	0.31945	1.13218	5.22363	0.28574	0.36648
0.35551	0.31097	0.47618	0.39129	0.32007	1.04484	6.61632	0.27582	0.38513
0.35136	0.29796	0.48498	0.40487	0.32011	0.94771	4.15266	0.2655	0.40382
0.34437	0.28444	0.48925	0.41788	0.3196	0.85158	3.01542	0.25474	0.42229
0.33472	0.27072	0.48815	0.43029	0.31855	0.76221	2.36177	0.24366	0.44012
0.33137	0.29308	0.43684	0.3645	0.30052	0.92402	8.1652	0.26118	0.35861
0.32801	0.2815	0.44459	0.37657	0.3005	0.85014	4.74911	0.25186	0.37497
0.32215	0.26944	0.4486	0.3881	0.29999	0.77305	3.33824	0.24211	0.39109
0.31398	0.25712	0.44818	0.39897	0.29895	0.69896	2.56572	0.23209	0.40658
0.30374	0.24477	0.44289	0.40909	0.29734	0.62649	2.0766	0.22189	0.421
0.30965	0.27683	0.40243	0.34047	0.28284	0.82168	7.40758	0.24768	0.33488
0.30693	0.26647	0.40928	0.35122	0.28279	0.76482	5.51831	0.23926	0.34924

0.30216	0.25561	0.41306	0.36136	0.28223	0.70428	3.72049	0.23052	0.36331
0.29517	0.24454	0.41311	0.37094	0.28122	0.64144	2.79583	0.22138	0.37686
0.28641	0.23336	0.40911	0.37971	0.27967	0.581	2.23213	0.21214	0.38943
0.2902	0.26194	0.37217	0.31874	0.26675	0.73544	5.03774	0.23535	0.31348
0.28799	0.25265	0.37827	0.32835	0.26667	0.69166	6.56353	0.2277	0.32616
0.28399	0.24289	0.38179	0.33738	0.26612	0.64307	4.18485	0.21975	0.33854
0.27811	0.23287	0.3822	0.34578	0.26512	0.59145	3.06221	0.21149	0.35041
0.27057	0.22273	0.37919	0.35344	0.26365	0.54002	2.40575	0.20306	0.36143
0.26167	0.21263	0.37268	0.36019	0.26165	0.49331	1.97475	0.19461	0.37126

	Discrete Re X	Y	Concentrat	Elevation (Z	Hill Heights	Flagpole (Z	Averagin P
139	UCART1	387389	3743552	0.06663	8.65	17.8	0 PERIOD
140	UCART1	387439	3743552	0.0699	9.05	15.39	0 PERIOD
156	UCART1	387389	3743602	0.07218	9.12	9.12	0 PERIOD
157	UCART1	387439	3743602	0.07602	8.93	8.93	0 PERIOD
158	UCART1	387489	3743602	0.08009	9.47	9.47	0 PERIOD
159	UCART1	387539	3743602	0.08436	10.32	10.32	0 PERIOD
160	UCART1	387589	3743602	0.08879	9.4	9.4	0 PERIOD
161	UCART1	387689	3743602	0.09804	9.83	9.83	0 PERIOD
162	UCART1	387739	3743602	0.10269	10.18	10.18	0 PERIOD
163	UCART1	387789	3743602	0.10719	9.53	9.53	0 PERIOD
167	UCART1	387439	3743652	0.08296	7.78	9.25	0 PERIOD
168	UCART1	387489	3743652	0.08789	10.31	10.31	0 PERIOD
169	UCART1	387539	3743652	0.09303	10.15	10.15	0 PERIOD
170	UCART1	387589	3743652	0.09843	9.79	9.79	0 PERIOD
171	UCART1	387639	3743652	0.10406	9.46	9.46	0 PERIOD
172	UCART1	387689	3743652	0.10985	10.21	10.21	0 PERIOD
173	UCART1	387739	3743652	0.11559	10.69	10.69	0 PERIOD
174	UCART1	387789	3743652	0.12128	10.69	10.69	0 PERIOD
175	UCART1	387839	3743652	0.12668	10.63	10.63	0 PERIOD
176	UCART1	387889	3743652	0.13159	10.44	10.44	0 PERIOD
177	UCART1	387939	3743652	0.13573	9.84	20.78	0 PERIOD
181	UCART1	387489	3743702	0.0969	10.37	10.37	0 PERIOD
182	UCART1	387539	3743702	0.10314	10.61	10.61	0 PERIOD
183	UCART1	387589	3743702	0.10985	10.23	10.23	0 PERIOD
184	UCART1	387639	3743702	0.11685	9.64	9.64	0 PERIOD
185	UCART1	387689	3743702	0.12414	9.9	9.9	0 PERIOD
186	UCART1	387739	3743702	0.13152	10.42	10.42	0 PERIOD
187	UCART1	387789	3743702	0.13868	10.82	10.82	0 PERIOD
188	UCART1	387839	3743702	0.14569	10.68	10.68	0 PERIOD
189	UCART1	387889	3743702	0.15206	10.4	10.4	0 PERIOD
190	UCART1	387939	3743702	0.15738	10.02	10.02	0 PERIOD
191	UCART1	387989	3743702	0.16146	9.59	20.78	0 PERIOD
195	UCART1	387489	3743752	0.10736	10.29	10.29	0 PERIOD
196	UCART1	387539	3743752	0.11509	10.52	10.52	0 PERIOD
197	UCART1	387589	3743752	0.12341	10.59	10.59	0 PERIOD
198	UCART1	387639	3743752	0.13233	9.77	9.77	0 PERIOD
199	UCART1	387689	3743752	0.14166	10.16	10.16	0 PERIOD
200	UCART1	387739	3743752	0.15125	10.3	10.3	0 PERIOD
201	UCART1	387789	3743752	0.16083	10.16	10.16	0 PERIOD
202	UCART1	387839	3743752	0.17001	10.11	10.11	0 PERIOD
203	UCART1	387889	3743752	0.17832	9.97	9.97	0 PERIOD
204	UCART1	387939	3743752	0.1853	9.74	9.74	0 PERIOD
205	UCART1	387989	3743752	0.19058	9.68	20.78	0 PERIOD
206	UCART1	388039	3743752	0.19393	9.71	20.78	0 PERIOD
210	UCART1	387439	3743802	0.11044	6.91	9.51	0 PERIOD
211	UCART1	387489	3743802	0.11946	10.54	10.54	0 PERIOD

212 UCART1	387539	3743802	0.12914	10.68	10.68	0 PERIOD
213 UCART1	387589	3743802	0.13977	10.51	10.51	0 PERIOD
214 UCART1	387689	3743802	0.16345	10.16	10.16	0 PERIOD
215 UCART1	387739	3743802	0.17619	10.19	10.19	0 PERIOD
216 UCART1	387789	3743802	0.18908	9.82	9.82	0 PERIOD
217 UCART1	387839	3743802	0.20154	9.88	9.88	0 PERIOD
218 UCART1	387889	3743802	0.21285	9.79	9.79	0 PERIOD
219 UCART1	387939	3743802	0.22229	9.61	9.61	0 PERIOD
220 UCART1	387989	3743802	0.22928	9.59	20.18	0 PERIOD
221 UCART1	388039	3743802	0.23347	9.45	20.18	0 PERIOD
222 UCART1	388089	3743802	0.23463	10.75	20.18	0 PERIOD
226 UCART1	387439	3743852	0.12234	8.19	8.19	0 PERIOD
227 UCART1	387489	3743852	0.13352	10.01	10.01	0 PERIOD
228 UCART1	387539	3743852	0.14584	10.54	10.54	0 PERIOD
229 UCART1	387589	3743852	0.15957	10.26	10.26	0 PERIOD
230 UCART1	387639	3743852	0.17462	10.12	10.12	0 PERIOD
231 UCART1	387689	3743852	0.19059	10.92	10.92	0 PERIOD
232 UCART1	387739	3743852	0.20809	10.77	10.77	0 PERIOD
233 UCART1	387839	3743852	0.24383	9.96	9.96	0 PERIOD
234 UCART1	387889	3743852	0.25978	10.15	10.15	0 PERIOD
235 UCART1	387939	3743852	0.27299	9.99	9.99	0 PERIOD
236 UCART1	387989	3743852	0.28252	9.77	9.77	0 PERIOD
237 UCART1	388039	3743852	0.28784	9.69	9.69	0 PERIOD
238 UCART1	388089	3743852	0.28884	9.69	19.13	0 PERIOD
242 UCART1	387439	3743902	0.13558	8.62	8.62	0 PERIOD
243 UCART1	387489	3743902	0.1496	9.44	9.44	0 PERIOD
244 UCART1	387539	3743902	0.16486	11.48	11.48	0 PERIOD
245 UCART1	387589	3743902	0.18312	11	11	0 PERIOD
246 UCART1	387639	3743902	0.20356	10.7	10.7	0 PERIOD
247 UCART1	387689	3743902	0.22624	10.53	10.53	0 PERIOD
248 UCART1	387739	3743902	0.25101	10.27	10.27	0 PERIOD
249 UCART1	387839	3743902	0.30237	10.63	10.63	0 PERIOD
250 UCART1	387889	3743902	0.32558	10.79	10.79	0 PERIOD
251 UCART1	387939	3743902	0.34508	10.68	10.68	0 PERIOD
252 UCART1	387989	3743902	0.35899	9.98	9.98	0 PERIOD
253 UCART1	388039	3743902	0.3657	10.35	10.35	0 PERIOD
254 UCART1	388089	3743902	0.36553	9.96	9.96	0 PERIOD
257 UCART1	387439	3743952	0.15013	8.91	8.91	0 PERIOD
258 UCART1	387489	3743952	0.16778	9.34	9.34	0 PERIOD
259 UCART1	387539	3743952	0.18826	10.67	10.67	0 PERIOD
260 UCART1	387589	3743952	0.21119	11.69	11.69	0 PERIOD
261 UCART1	387639	3743952	0.24033	10.37	10.37	0 PERIOD
262 UCART1	387689	3743952	0.27257	10.17	10.17	0 PERIOD
263 UCART1	387739	3743952	0.30901	10.09	10.09	0 PERIOD
264 UCART1	387839	3743952	0.38883	10.31	10.31	0 PERIOD
265 UCART1	387889	3743952	0.42538	10.53	10.53	0 PERIOD
266 UCART1	387939	3743952	0.45533	10.41	10.41	0 PERIOD

267	UCART1	387989	3743952	0.47529	10.12	10.12	0 PERIOD
268	UCART1	388039	3743952	0.48327	10.54	10.54	0 PERIOD
269	UCART1	388089	3743952	0.47972	9.89	9.89	0 PERIOD
270	UCART1	388239	3743952	0.41534	10.19	10.19	0 PERIOD
271	UCART1	388289	3743952	0.38572	10.15	10.15	0 PERIOD
274	UCART1	387439	3744002	0.16569	9.15	9.15	0 PERIOD
275	UCART1	387489	3744002	0.18778	9.03	9.03	0 PERIOD
276	UCART1	387539	3744002	0.21449	9.87	9.87	0 PERIOD
277	UCART1	387589	3744002	0.2458	11.34	11.34	0 PERIOD
278	UCART1	387639	3744002	0.28575	10.73	10.73	0 PERIOD
279	UCART1	387689	3744002	0.33325	10.71	10.71	0 PERIOD
280	UCART1	387739	3744002	0.38759	11.43	11.43	0 PERIOD
281	UCART1	387839	3744002	0.52116	11.04	11.04	0 PERIOD
282	UCART1	387889	3744002	0.58294	11.15	11.15	0 PERIOD
283	UCART1	387939	3744002	0.63209	11.17	11.17	0 PERIOD
284	UCART1	387989	3744002	0.66432	10.93	10.93	0 PERIOD
285	UCART1	388039	3744002	0.67476	10.52	10.52	0 PERIOD
286	UCART1	388089	3744002	0.66044	9.72	9.72	0 PERIOD
287	UCART1	388239	3744002	0.52728	11.06	11.06	0 PERIOD
288	UCART1	388289	3744002	0.4762	9.88	9.88	0 PERIOD
291	UCART1	387439	3744052	0.1817	9.28	9.28	0 PERIOD
292	UCART1	387489	3744052	0.20901	9.01	9.01	0 PERIOD
293	UCART1	387539	3744052	0.24319	9.35	9.35	0 PERIOD
294	UCART1	387589	3744052	0.28587	11.01	11.01	0 PERIOD
295	UCART1	387639	3744052	0.34053	11.39	11.39	0 PERIOD
296	UCART1	387689	3744052	0.4128	11.28	11.28	0 PERIOD
297	UCART1	387739	3744052	0.50796	10.98	10.98	0 PERIOD
298	UCART1	387839	3744052	0.7543	11.26	11.26	0 PERIOD
299	UCART1	387889	3744052	0.87558	11.08	11.08	0 PERIOD
300	UCART1	387939	3744052	0.96299	11.27	11.27	0 PERIOD
301	UCART1	387989	3744052	1.01683	10.82	10.82	0 PERIOD
302	UCART1	388039	3744052	1.02096	10.37	10.37	0 PERIOD
303	UCART1	388089	3744052	0.97241	9.6	9.6	0 PERIOD
304	UCART1	388239	3744052	0.67919	10.68	10.68	0 PERIOD
305	UCART1	388289	3744052	0.58734	10.08	10.08	0 PERIOD
308	UCART1	387439	3744102	0.1973	9.45	9.45	0 PERIOD
309	UCART1	387489	3744102	0.2303	9.34	9.34	0 PERIOD
310	UCART1	387539	3744102	0.27297	9.3	9.3	0 PERIOD
311	UCART1	387589	3744102	0.32907	10.96	10.96	0 PERIOD
312	UCART1	387639	3744102	0.40771	10.61	10.61	0 PERIOD
313	UCART1	387689	3744102	0.51965	10.82	10.82	0 PERIOD
314	UCART1	387739	3744102	0.69071	10.76	10.76	0 PERIOD
315	UCART1	387839	3744102	1.2766	11.01	11.01	0 PERIOD
316	UCART1	387889	3744102	1.56579	10.3	10.3	0 PERIOD
317	UCART1	387939	3744102	1.72059	11.05	11.05	0 PERIOD
318	UCART1	387989	3744102	1.80825	10.48	10.48	0 PERIOD
319	UCART1	388039	3744102	1.77443	10.07	10.07	0 PERIOD

320 UCART1	388089	3744102	1.606	9.88	9.88	0 PERIOD
321 UCART1	388239	3744102	0.8711	10.47	14.26	0 PERIOD
322 UCART1	388289	3744102	0.71344	10.44	10.44	0 PERIOD
325 UCART1	387439	3744152	0.21135	9.54	9.54	0 PERIOD
326 UCART1	387489	3744152	0.24986	9.52	9.52	0 PERIOD
327 UCART1	387539	3744152	0.30113	9.53	9.53	0 PERIOD
328 UCART1	387589	3744152	0.37218	10.28	10.28	0 PERIOD
329 UCART1	387639	3744152	0.47485	10.98	10.98	0 PERIOD
330 UCART1	387689	3744152	0.64308	10.18	10.18	0 PERIOD
331 UCART1	387739	3744152	0.95803	10.17	10.17	0 PERIOD
332 UCART1	387789	3744152	1.79371	9.62	9.62	0 PERIOD
333 UCART1	387839	3744152	2.9141	10.22	10.22	0 PERIOD
334 UCART1	387889	3744152	3.55228	10.01	10.01	0 PERIOD
335 UCART1	387939	3744152	3.84223	10.15	10.15	0 PERIOD
336 UCART1	387989	3744152	3.95507	10.05	10.05	0 PERIOD
337 UCART1	388039	3744152	3.84857	9.93	9.93	0 PERIOD
338 UCART1	388089	3744152	3.59119	9.24	9.24	0 PERIOD
339 UCART1	388189	3744152	1.47281	11.05	11.05	0 PERIOD
340 UCART1	388239	3744152	1.08422	10.64	10.64	0 PERIOD
341 UCART1	388289	3744152	0.84001	10.61	10.61	0 PERIOD
349 UCART1	387639	3744202	0.53347	10.55	10.55	0 PERIOD
350 UCART1	387689	3744202	0.74819	10.38	10.38	0 PERIOD
351 UCART1	387739	3744202	1.19448	10.94	10.94	0 PERIOD
352 UCART1	387789	3744202	2.89095	9.47	9.47	0 PERIOD
353 UCART1	388189	3744202	1.88579	11.07	11.07	0 PERIOD
354 UCART1	388239	3744202	1.28314	10.59	10.59	0 PERIOD
355 UCART1	388289	3744202	0.95264	10.48	10.48	0 PERIOD
364 UCART1	387689	3744252	0.80495	10.41	10.41	0 PERIOD
365 UCART1	387739	3744252	1.28882	9.91	9.91	0 PERIOD
366 UCART1	387789	3744252	2.83251	10	10	0 PERIOD
367 UCART1	388189	3744252	2.25892	10.79	10.79	0 PERIOD
368 UCART1	388239	3744252	1.45272	10.72	10.72	0 PERIOD
369 UCART1	388289	3744252	1.04608	10.5	10.5	0 PERIOD
377 UCART1	387689	3744302	0.8143	10.62	10.62	0 PERIOD
378 UCART1	387739	3744302	1.26331	10.35	10.35	0 PERIOD
379 UCART1	387789	3744302	2.40763	10.55	10.55	0 PERIOD
380 UCART1	388189	3744302	2.607	11.19	11.19	0 PERIOD
381 UCART1	388239	3744302	1.59345	11.79	11.79	0 PERIOD
382 UCART1	388289	3744302	1.11861	11.22	11.22	0 PERIOD
391 UCART1	387739	3744352	1.18902	10.65	10.65	0 PERIOD
392 UCART1	387789	3744352	2.04084	11.28	11.28	0 PERIOD
393 UCART1	388189	3744352	2.94249	11.5	11.5	0 PERIOD
394 UCART1	388239	3744352	1.73071	11.74	11.74	0 PERIOD
395 UCART1	388289	3744352	1.17565	11.08	11.08	0 PERIOD
405 UCART1	387739	3744402	1.09668	10.72	10.72	0 PERIOD
406 UCART1	387789	3744402	1.78264	10.77	10.77	0 PERIOD
407 UCART1	387839	3744402	3.56443	10.37	10.37	0 PERIOD

408 UCART1	388189	3744402	3.28113	11.31	11.31	0 PERIOD
409 UCART1	388239	3744402	1.83749	11.82	11.82	0 PERIOD
410 UCART1	388289	3744402	1.20616	10.48	10.48	0 PERIOD
421 UCART1	387789	3744452	1.54138	10.83	10.83	0 PERIOD
422 UCART1	387839	3744452	2.78266	10.84	10.84	0 PERIOD
423 UCART1	388189	3744452	3.57021	11.35	11.35	0 PERIOD
424 UCART1	388239	3744452	1.8844	11.73	11.73	0 PERIOD
425 UCART1	388289	3744452	1.18917	10.47	10.47	0 PERIOD
435 UCART1	387789	3744502	1.31314	11.29	11.29	0 PERIOD
436 UCART1	387839	3744502	2.22012	10.65	10.65	0 PERIOD
437 UCART1	388239	3744502	1.82921	11.44	11.44	0 PERIOD
438 UCART1	388289	3744502	1.10856	11.28	11.28	0 PERIOD
449 UCART1	387789	3744552	1.10375	11.54	11.54	0 PERIOD
450 UCART1	387839	3744552	1.75996	10.34	10.34	0 PERIOD
451 UCART1	387889	3744552	3.33818	10.61	10.61	0 PERIOD
452 UCART1	388239	3744552	1.60872	11.54	11.54	0 PERIOD
453 UCART1	388289	3744552	0.97845	11.57	11.57	0 PERIOD
464 UCART1	387839	3744602	1.37016	10.93	10.93	0 PERIOD
465 UCART1	387889	3744602	2.30263	10.86	10.86	0 PERIOD
466 UCART1	388139	3744602	4.86042	10.82	10.82	0 PERIOD
467 UCART1	388239	3744602	1.33766	11.46	11.46	0 PERIOD
468 UCART1	388289	3744602	0.85143	11.55	11.55	0 PERIOD
479 UCART1	387839	3744652	1.04335	12.53	13.86	0 PERIOD
480 UCART1	387889	3744652	1.58467	11.4	11.4	0 PERIOD
481 UCART1	387939	3744652	2.59449	11.44	11.44	0 PERIOD
482 UCART1	387989	3744652	3.77934	10.81	10.81	0 PERIOD
483 UCART1	388039	3744652	3.75696	11.38	11.38	0 PERIOD
484 UCART1	388089	3744652	3.32743	11.05	11.05	0 PERIOD
485 UCART1	388139	3744652	2.65322	11.19	11.19	0 PERIOD
486 UCART1	388189	3744652	1.79639	11	11	0 PERIOD
487 UCART1	388239	3744652	1.13343	11.16	11.16	0 PERIOD
488 UCART1	388289	3744652	0.75363	11.58	11.58	0 PERIOD
501 UCART1	387889	3744702	1.13306	12.84	12.84	0 PERIOD
502 UCART1	387939	3744702	1.62685	11.25	11.25	0 PERIOD
503 UCART1	387989	3744702	2.10731	10.76	10.76	0 PERIOD
504 UCART1	388039	3744702	2.2594	10.95	10.95	0 PERIOD
505 UCART1	388089	3744702	2.11935	11.08	11.08	0 PERIOD
506 UCART1	388139	3744702	1.79572	11.27	11.27	0 PERIOD
507 UCART1	388189	3744702	1.36447	10.97	10.97	0 PERIOD
508 UCART1	388289	3744702	0.67568	11.47	11.47	0 PERIOD
520 UCART1	387889	3744752	0.86595	12.28	12.28	0 PERIOD
521 UCART1	387939	3744752	1.12784	13.3	13.3	0 PERIOD
522 UCART1	387989	3744752	1.40663	11.13	11.13	0 PERIOD
523 UCART1	388039	3744752	1.53599	11.13	11.13	0 PERIOD
524 UCART1	388089	3744752	1.49691	11.29	11.29	0 PERIOD
525 UCART1	388139	3744752	1.32596	11.44	11.44	0 PERIOD
526 UCART1	388189	3744752	1.07668	11.26	11.26	0 PERIOD

527 UCART1	388289	3744752	0.6058	11.48	11.48	0 PERIOD
539 UCART1	387889	3744802	0.68491	11.61	11.61	0 PERIOD
540 UCART1	387939	3744802	0.85547	11.93	11.93	0 PERIOD
541 UCART1	387989	3744802	1.01655	12.61	12.61	0 PERIOD
542 UCART1	388039	3744802	1.11469	12.67	14.55	0 PERIOD
543 UCART1	388089	3744802	1.11822	11.61	11.61	0 PERIOD
544 UCART1	388139	3744802	1.02519	11.78	11.78	0 PERIOD
545 UCART1	388189	3744802	0.86877	12.53	12.53	0 PERIOD
546 UCART1	388289	3744802	0.54176	11.64	11.64	0 PERIOD
560 UCART1	387939	3744852	0.67142	11.53	11.53	0 PERIOD
561 UCART1	387989	3744852	0.78316	11.44	11.44	0 PERIOD
562 UCART1	388039	3744852	0.85495	11.95	11.95	0 PERIOD
563 UCART1	388089	3744852	0.86079	13.84	15.6	0 PERIOD
564 UCART1	388139	3744852	0.81475	12.77	16.25	0 PERIOD
565 UCART1	388189	3744852	0.72132	11.46	16.25	0 PERIOD
566 UCART1	388289	3744852	0.48594	11.05	17.72	0 PERIOD
579 UCART1	387939	3744902	0.54212	11.35	11.35	0 PERIOD
580 UCART1	387989	3744902	0.62185	11.33	11.33	0 PERIOD
581 UCART1	388039	3744902	0.67804	11.19	11.19	0 PERIOD
582 UCART1	388089	3744902	0.69409	11.57	11.57	0 PERIOD
583 UCART1	388139	3744902	0.66642	12.02	16.25	0 PERIOD
584 UCART1	388189	3744902	0.60285	12.41	16.11	0 PERIOD
585 UCART1	388239	3744902	0.494	15.8	16.17	0 PERIOD
598 UCART1	387939	3744952	0.44808	10.98	10.98	0 PERIOD
599 UCART1	387989	3744952	0.50651	11.41	11.41	0 PERIOD
600 UCART1	388039	3744952	0.55009	11.45	11.45	0 PERIOD
601 UCART1	388089	3744952	0.56737	11.52	11.52	0 PERIOD
602 UCART1	388139	3744952	0.55377	11.69	11.69	0 PERIOD
603 UCART1	388189	3744952	0.51334	11.47	11.47	0 PERIOD
604 UCART1	388239	3744952	0.45398	11.63	11.63	0 PERIOD

Source Gro Num Hours (NUM HRS)		Con1	Con2	Con3
CON1	43848	0.06663	0.06816	0.06666
CON1	43848	0.0699	0.07148	0.06997
CON1	43848	0.07218	0.07396	0.07226
CON1	43848	0.07602	0.07785	0.07615
CON1	43848	0.08009	0.08197	0.08028
CON1	43848	0.08436	0.08628	0.08463
CON1	43848	0.08879	0.09072	0.08914
CON1	43848	0.09804	0.09992	0.09856
CON1	43848	0.10269	0.10448	0.1033
CON1	43848	0.10719	0.10884	0.10789
CON1	43848	0.08296	0.08511	0.08318
CON1	43848	0.08789	0.0901	0.08819
CON1	43848	0.09303	0.0953	0.09344
CON1	43848	0.09843	0.10073	0.09896
CON1	43848	0.10406	0.10635	0.10472
CON1	43848	0.10985	0.1121	0.11064
CON1	43848	0.11559	0.11775	0.1165
CON1	43848	0.12128	0.12327	0.12232
CON1	43848	0.12668	0.12841	0.12783
CON1	43848	0.13159	0.13295	0.13281
CON1	43848	0.13573	0.13662	0.13698
CON1	43848	0.0969	0.09954	0.09734
CON1	43848	0.10314	0.10585	0.10374
CON1	43848	0.10985	0.1126	0.11063
CON1	43848	0.11685	0.11961	0.11783
CON1	43848	0.12414	0.12685	0.12533
CON1	43848	0.13152	0.13413	0.13292
CON1	43848	0.13868	0.14109	0.14025
CON1	43848	0.14569	0.14778	0.14744
CON1	43848	0.15206	0.15367	0.15394
CON1	43848	0.15738	0.15837	0.15931
CON1	43848	0.16146	0.16169	0.16338
CON1	43848	0.10736	0.11054	0.10798
CON1	43848	0.11509	0.11838	0.11595
CON1	43848	0.12341	0.12675	0.12453
CON1	43848	0.13233	0.13568	0.13377
CON1	43848	0.14166	0.14497	0.14344
CON1	43848	0.15125	0.15443	0.15338
CON1	43848	0.16083	0.16376	0.16329
CON1	43848	0.17001	0.17252	0.17275
CON1	43848	0.17832	0.18022	0.18125
CON1	43848	0.1853	0.18636	0.18831
CON1	43848	0.19058	0.1906	0.19357
CON1	43848	0.19393	0.19276	0.19682
CON1	43848	0.11044	0.11417	0.11099
CON1	43848	0.11946	0.12337	0.1203

CON1	43848	0.12914	0.13318	0.13032
CON1	43848	0.13977	0.1439	0.14139
CON1	43848	0.16345	0.16754	0.16613
CON1	43848	0.17619	0.18011	0.17946
CON1	43848	0.18908	0.19267	0.19292
CON1	43848	0.20154	0.20459	0.20586
CON1	43848	0.21285	0.21509	0.21751
CON1	43848	0.22229	0.22337	0.22711
CON1	43848	0.22928	0.22887	0.23407
CON1	43848	0.23347	0.23135	0.23807
CON1	43848	0.23463	0.23084	0.23886
CON1	43848	0.12234	0.12693	0.12301
CON1	43848	0.13352	0.13837	0.13462
CON1	43848	0.14584	0.1509	0.14745
CON1	43848	0.15957	0.16475	0.16187
CON1	43848	0.17462	0.17985	0.17774
CON1	43848	0.19059	0.19574	0.19457
CON1	43848	0.20809	0.21301	0.21312
CON1	43848	0.24383	0.24754	0.25086
CON1	43848	0.25978	0.26237	0.26744
CON1	43848	0.27299	0.27394	0.28094
CON1	43848	0.28252	0.28126	0.29043
CON1	43848	0.28784	0.28398	0.29538
CON1	43848	0.28884	0.28245	0.29572
CON1	43848	0.13558	0.14128	0.13637
CON1	43848	0.1496	0.1557	0.15096
CON1	43848	0.16486	0.17123	0.16695
CON1	43848	0.18312	0.18977	0.18625
CON1	43848	0.20356	0.21032	0.20805
CON1	43848	0.22624	0.23287	0.2324
CON1	43848	0.25101	0.25722	0.25913
CON1	43848	0.30237	0.30686	0.3142
CON1	43848	0.32558	0.32848	0.3386
CON1	43848	0.34508	0.34558	0.35872
CON1	43848	0.35899	0.35596	0.37263
CON1	43848	0.3657	0.35858	0.37858
CON1	43848	0.36553	0.35448	0.37694
CON1	43848	0.15013	0.15723	0.15097
CON1	43848	0.16778	0.1755	0.16938
CON1	43848	0.18826	0.19656	0.19095
CON1	43848	0.21119	0.2198	0.2154
CON1	43848	0.24033	0.2492	0.24687
CON1	43848	0.27257	0.28123	0.28211
CON1	43848	0.30901	0.31696	0.32228
CON1	43848	0.38883	0.39375	0.4102
CON1	43848	0.42538	0.428	0.44938
CON1	43848	0.45533	0.4542	0.4806

CON1	43848	0.47529	0.46851	0.50037
CON1	43848	0.48327	0.46966	0.50642
CON1	43848	0.47972	0.45965	0.49919
CON1	43848	0.41534	0.39054	0.42091
CON1	43848	0.38572	0.36233	0.38777
CON1	43848	0.16569	0.17452	0.16649
CON1	43848	0.18778	0.19761	0.18955
CON1	43848	0.21449	0.22528	0.21778
CON1	43848	0.2458	0.25729	0.25135
CON1	43848	0.28575	0.2977	0.29496
CON1	43848	0.33325	0.34485	0.3478
CON1	43848	0.38759	0.39761	0.40927
CON1	43848	0.52116	0.52517	0.56187
CON1	43848	0.58294	0.58317	0.63037
CON1	43848	0.63209	0.62671	0.68234
CON1	43848	0.66432	0.64939	0.71413
CON1	43848	0.67476	0.64683	0.71946
CON1	43848	0.66044	0.62106	0.69443
CON1	43848	0.52728	0.48572	0.53127
CON1	43848	0.4762	0.43897	0.47517
CON1	43848	0.1817	0.19262	0.18229
CON1	43848	0.20901	0.2215	0.21072
CON1	43848	0.24319	0.25729	0.24683
CON1	43848	0.28587	0.30141	0.29273
CON1	43848	0.34053	0.3568	0.35301
CON1	43848	0.4128	0.4283	0.43487
CON1	43848	0.50796	0.51963	0.54585
CON1	43848	0.7543	0.74864	0.84306
CON1	43848	0.87558	0.86402	0.98539
CON1	43848	0.96299	0.9446	1.08037
CON1	43848	1.01683	0.98164	1.13186
CON1	43848	1.02096	0.95643	1.11565
CON1	43848	0.97241	0.88334	1.03156
CON1	43848	0.67919	0.60586	0.67594
CON1	43848	0.58734	0.52765	0.57921
CON1	43848	0.1973	0.21065	0.19741
CON1	43848	0.2303	0.24602	0.23155
CON1	43848	0.27297	0.29138	0.27643
CON1	43848	0.32907	0.35023	0.33665
CON1	43848	0.40771	0.43095	0.42367
CON1	43848	0.51965	0.54158	0.55223
CON1	43848	0.69071	0.70021	0.75782
CON1	43848	1.2766	1.19783	1.52435
CON1	43848	1.56579	1.48064	1.90133
CON1	43848	1.72059	1.65696	2.06836
CON1	43848	1.80825	1.71766	2.14622
CON1	43848	1.77443	1.57894	2.01534

CON1	43848	1.606	1.33355	1.69212
CON1	43848	0.8711	0.74311	0.85035
CON1	43848	0.71344	0.6219	0.69378
CON1	43848	0.21135	0.22736	0.21067
CON1	43848	0.24986	0.26931	0.25012
CON1	43848	0.30113	0.32484	0.30345
CON1	43848	0.37218	0.40097	0.37903
CON1	43848	0.47485	0.50882	0.4917
CON1	43848	0.64308	0.67836	0.68508
CON1	43848	0.95803	0.96632	1.06798
CON1	43848	1.79371	1.53155	2.12938
CON1	43848	2.9141	2.49764	3.94613
CON1	43848	3.55228	3.38863	4.96563
CON1	43848	3.84223	4.00318	5.08943
CON1	43848	3.95507	4.19322	5.31849
CON1	43848	3.84857	3.21056	5.41289
CON1	43848	3.59119	2.08588	3.23417
CON1	43848	1.47281	1.12173	1.39483
CON1	43848	1.08422	0.88298	1.03756
CON1	43848	0.84001	0.71212	0.80753
CON1	43848	0.53347	0.58267	0.5463
CON1	43848	0.74819	0.81078	0.78754
CON1	43848	1.19448	1.26255	1.32297
CON1	43848	2.89095	2.80392	3.4982
CON1	43848	1.88579	1.33683	1.73674
CON1	43848	1.28314	1.01027	1.21391
CON1	43848	0.95264	0.79025	0.9109
CON1	43848	0.80495	0.8989	0.82561
CON1	43848	1.28882	1.43359	1.3742
CON1	43848	2.83251	3.08958	3.27852
CON1	43848	2.25892	1.52938	2.04934
CON1	43848	1.45272	1.11609	1.36879
CON1	43848	1.04608	0.85077	1.00108
CON1	43848	0.8143	0.9313	0.81225
CON1	43848	1.26331	1.45535	1.28674
CON1	43848	2.40763	2.78384	2.58131
CON1	43848	2.607	1.68983	2.34425
CON1	43848	1.59345	1.18947	1.50243
CON1	43848	1.11861	0.88725	1.07795
CON1	43848	1.18902	1.4046	1.17529
CON1	43848	2.04084	2.4607	2.07803
CON1	43848	2.94249	1.8176	2.67529
CON1	43848	1.73071	1.23835	1.65168
CON1	43848	1.17565	0.90088	1.15312
CON1	43848	1.09668	1.31359	1.06989
CON1	43848	1.78264	2.19931	1.76567
CON1	43848	3.56443	4.63115	3.66976

CON1	43848	3.28113	1.90593	3.07216
CON1	43848	1.83749	1.24613	1.80807
CON1	43848	1.20616	0.886	1.22348
CON1	43848	1.54138	1.91514	1.5162
CON1	43848	2.78266	3.65027	2.78863
CON1	43848	3.57021	1.91636	3.58855
CON1	43848	1.8844	1.20342	1.97457
CON1	43848	1.18917	0.83643	1.26667
CON1	43848	1.31314	1.61923	1.30479
CON1	43848	2.22012	2.89227	2.24203
CON1	43848	1.82921	1.10318	2.09235
CON1	43848	1.10856	0.75637	1.23807
CON1	43848	1.10375	1.33397	1.11511
CON1	43848	1.75996	2.22681	1.81429
CON1	43848	3.33818	4.62436	3.64851
CON1	43848	1.60872	0.96539	1.93326
CON1	43848	0.97845	0.67079	1.10895
CON1	43848	1.37016	1.65812	1.42926
CON1	43848	2.30263	2.88781	2.50714
CON1	43848	4.86042	2.30461	6.23424
CON1	43848	1.33766	0.84856	1.5739
CON1	43848	0.85143	0.60039	0.95236
CON1	43848	1.04335	1.21759	1.08776
CON1	43848	1.58467	1.86979	1.69613
CON1	43848	2.59449	2.84538	2.90419
CON1	43848	3.77934	3.42499	4.52603
CON1	43848	3.75696	3.23006	4.62248
CON1	43848	3.32743	2.58437	4.08111
CON1	43848	2.65322	1.75683	3.22412
CON1	43848	1.79639	1.13314	2.16655
CON1	43848	1.13343	0.7631	1.30879
CON1	43848	0.75363	0.54606	0.83473
CON1	43848	1.13306	1.30182	1.19298
CON1	43848	1.62685	1.78968	1.76423
CON1	43848	2.10731	2.11833	2.37614
CON1	43848	2.2594	2.109	2.61124
CON1	43848	2.11935	1.81239	2.46778
CON1	43848	1.79572	1.37606	2.09127
CON1	43848	1.36447	0.97652	1.57839
CON1	43848	0.67568	0.50352	0.74345
CON1	43848	0.86595	0.97704	0.90207
CON1	43848	1.12784	1.24017	1.19662
CON1	43848	1.40663	1.45908	1.53238
CON1	43848	1.53599	1.49343	1.7077
CON1	43848	1.49691	1.35139	1.68315
CON1	43848	1.32596	1.10148	1.49749
CON1	43848	1.07668	0.83827	1.21273

CON1	43848	0.6058	0.46595	0.6618
CON1	43848	0.68491	0.76251	0.70811
CON1	43848	0.85547	0.93408	0.89629
CON1	43848	1.01655	1.06684	1.08388
CON1	43848	1.11469	1.10934	1.20837
CON1	43848	1.11822	1.04535	1.22667
CON1	43848	1.02519	0.89638	1.13169
CON1	43848	0.86877	0.7165	0.95945
CON1	43848	0.54176	0.43046	0.58738
CON1	43848	0.67142	0.72857	0.69715
CON1	43848	0.78316	0.82397	0.82393
CON1	43848	0.85495	0.86183	0.91134
CON1	43848	0.86079	0.82465	0.92714
CON1	43848	0.81475	0.73798	0.88387
CON1	43848	0.72132	0.62155	0.78437
CON1	43848	0.48594	0.39856	0.52297
CON1	43848	0.54212	0.58491	0.55925
CON1	43848	0.62185	0.65452	0.64799
CON1	43848	0.67804	0.68893	0.71413
CON1	43848	0.69409	0.67572	0.73792
CON1	43848	0.66642	0.61931	0.71335
CON1	43848	0.60285	0.536	0.64749
CON1	43848	0.494	0.42093	0.53044
CON1	43848	0.44808	0.48095	0.46001
CON1	43848	0.50651	0.53269	0.52412
CON1	43848	0.55009	0.56185	0.57421
CON1	43848	0.56737	0.55903	0.5971
CON1	43848	0.55377	0.52451	0.58654
CON1	43848	0.51334	0.46791	0.54583
CON1	43848	0.45398	0.40063	0.48309

IDLE1	IDLE2	A	B	C	D	E	F
0.26897	0.28223	0.43085	0.63846	0.77015	2.46483	10.29733	11.36723
0.28229	0.29587	0.45969	0.66587	0.85373	3.24383	27.08521	27.72538
0.2866	0.30211	0.46885	0.72799	0.86185	2.85011	9.16114	8.37497
0.30179	0.31779	0.50328	0.76295	0.96886	3.92834	18.90263	14.88904
0.31785	0.33425	0.5402	0.79463	1.09321	5.85299	43.93117	23.24334
0.33461	0.35127	0.57902	0.82138	1.23469	9.94451	51.30754	19.42704
0.35175	0.36839	0.61896	0.84283	1.39217	24.05094	17.05985	11.93012
0.38761	0.40331	0.7007	0.87417	1.73328	24.43475	20.23694	4.9084
0.40573	0.42031	0.73982	0.88615	1.8836	12.96517	9.56157	3.49033
0.42337	0.43624	0.77556	0.89723	1.98896	8.92932	5.82335	2.6378
0.32279	0.34169	0.55174	0.88282	1.09775	4.49156	12.12227	8.86636
0.34183	0.36146	0.5978	0.92656	1.26633	7.12194	20.8188	11.61395
0.36132	0.38143	0.64588	0.96226	1.46462	13.39987	31.10233	11.16759
0.38164	0.40199	0.69649	0.99157	1.69944	13.9749	38.5138	8.37629
0.40269	0.42295	0.74872	1.01526	1.96982	20.81454	29.15419	5.82823
0.42453	0.44429	0.80186	1.03555	2.26494	26.28054	13.21084	4.09348
0.44644	0.46512	0.85294	1.05272	2.53849	14.65331	7.083	3.00555
0.46825	0.48509	0.90091	1.06904	2.73932	10.37492	4.6065	2.31134
0.48943	0.50363	0.94316	1.08478	2.85624	8.06011	3.29227	1.84245
0.50939	0.52011	0.97787	1.09977	2.95865	6.46126	2.49186	1.51009
0.52731	0.53385	1.00363	1.1128	3.01946	5.16324	1.96457	1.2655
0.36807	0.39166	0.66346	1.09622	1.46485	7.89915	12.14283	7.1501
0.39097	0.41545	0.72358	1.14493	1.74095	15.76044	16.11501	7.19352
0.41518	0.44024	0.78854	1.18654	2.09592	17.90575	18.01891	6.05203
0.44041	0.46568	0.85654	1.22089	2.54568	25.12076	15.0364	4.62771
0.46676	0.49178	0.92676	1.25066	3.10057	28.05172	9.44698	3.45351
0.49375	0.5178	0.99616	1.27643	3.69985	17.78974	5.73349	2.61965
0.52067	0.54286	1.06085	1.29872	4.16167	13.2597	3.8619	2.05064
0.54729	0.56641	1.11936	1.31865	4.44986	10.28499	2.83606	1.65767
0.57262	0.58747	1.16768	1.33468	4.60315	7.77889	2.19348	1.37388
0.59558	0.60511	1.2036	1.34479	4.45777	5.71622	1.75704	1.16122
0.6153	0.61873	1.22864	1.34615	4.09102	4.20628	1.44394	0.99679
0.3968	0.42526	0.73818	1.32044	1.68265	7.85266	7.92432	4.90926
0.42388	0.45377	0.81443	1.38978	2.06154	15.64437	9.78779	5.02499
0.45274	0.48383	0.89801	1.44973	2.58496	30.43606	10.5415	4.51366
0.48327	0.51507	0.98835	1.50194	3.34037	29.18489	9.35103	3.70665
0.51548	0.54751	1.08321	1.54696	4.46171	37.73488	6.88129	2.91533
0.54882	0.58019	1.17909	1.58464	6.09633	27.99209	4.69995	2.29033
0.58277	0.61224	1.27138	1.61481	7.82306	21.83658	3.32246	1.83331
0.61656	0.6426	1.35433	1.63595	8.64887	14.81121	2.49027	1.50084
0.64907	0.66993	1.42286	1.64682	7.9084	9.07537	1.9559	1.25555
0.67894	0.69296	1.47462	1.64523	6.59578	5.7861	1.58723	1.06947
0.70495	0.71084	1.51259	1.6283	5.42084	3.9607	1.31792	0.92377
0.72589	0.72309	1.54285	1.59281	4.48301	2.88232	1.11452	0.80726
0.39746	0.42937	0.73399	1.50141	1.53935	4.4454	4.42461	3.21209
0.42811	0.4626	0.82229	1.62516	1.90312	6.99412	5.55569	3.60315

0.46015	0.49691	0.91941	1.72796	2.40073	12.70821	6.55126	3.71402
0.49485	0.53363	1.02925	1.82015	3.14059	31.2107	6.9513	3.47379
0.57165	0.61307	1.28181	1.9703	6.51783	23.8025	5.17082	2.47225
0.61334	0.65477	1.41813	2.02343	11.7359	20.55655	3.8595	2.00678
0.6564	0.69624	1.55222	2.0576	9.13055	23.436	2.87063	1.64133
0.70009	0.7363	1.67519	2.0718	21.76746	19.01356	2.20158	1.36133
0.74278	0.77275	1.7778	2.06486	12.99165	8.41511	1.75388	1.14963
0.78257	0.80362	1.85682	2.03499	8.91151	4.97519	1.43923	0.98665
0.81754	0.82746	1.91722	1.97932	6.62629	3.38314	1.207	0.85781
0.8455	0.84329	1.9664	1.89547	5.15461	2.48918	1.02974	0.75432
0.86565	0.85273	2.01078	1.78696	4.1243	1.92694	0.88823	0.66764
0.42679	0.46501	0.80811	1.87782	1.67862	3.94527	3.43146	2.525
0.46196	0.50373	0.91607	2.05838	2.10703	5.80339	4.11826	2.7756
0.50005	0.54536	1.04047	2.21805	2.72217	9.33877	4.69472	2.86448
0.5418	0.59046	1.18555	2.36622	3.68368	16.86266	4.93943	2.74756
0.58728	0.639	1.35157	2.49683	5.33895	30.35765	4.67814	2.46271
0.63631	0.6906	1.53513	2.59813	8.71013	39.80131	3.99107	2.10153
0.68911	0.74471	1.73576	2.66763	19.12937	24.13355	3.17742	1.75785
0.80223	0.85367	2.13241	2.682	37.43557	12.48824	1.95226	1.23639
0.85963	0.90384	2.29523	2.63012	16.95043	6.15271	1.57688	1.05341
0.91413	0.9466	2.42471	2.53933	10.5792	3.93918	1.30824	0.91082
0.96239	0.97919	2.52645	2.408	7.45665	2.81542	1.10784	0.79727
1.00128	1.00055	2.60866	2.24018	5.5857	2.14186	0.95266	0.70488
1.02846	1.01235	2.67268	2.04693	4.33411	1.6983	0.82956	0.62854
0.45735	0.50293	0.88491	2.4174	1.78599	3.37872	2.72732	2.03908
0.49805	0.54862	1.01709	2.70157	2.26785	4.6661	3.17243	2.21159
0.54295	0.59883	1.17416	2.9599	2.97225	6.74397	3.52077	2.27558
0.59353	0.65498	1.36727	3.21486	4.11132	10.19518	3.68897	2.22023
0.64956	0.7164	1.59839	3.43153	6.12343	14.5819	3.56096	2.04537
0.71133	0.78306	1.86956	3.58556	10.35873	17.29797	3.16737	1.80287
0.77878	0.85423	2.17631	3.65764	23.253	16.84674	2.64755	1.54895
0.92825	1.0033	2.81438	3.55087	44.27674	8.19032	1.73175	1.1231
1.0067	1.07398	3.0883	3.39598	19.32476	4.83136	1.42158	0.96656
1.08365	1.13565	3.31867	3.18149	11.59906	3.2657	1.19177	0.84183
1.15338	1.18245	3.50653	2.91082	7.93225	2.41833	1.01903	0.74213
1.20987	1.21265	3.63905	2.6041	5.77719	1.88507	0.88159	0.65891
1.24836	1.2288	3.70823	2.28826	4.37196	1.5221	0.7733	0.59075
0.48913	0.5432	0.96221	3.24779	1.85474	2.85743	2.2171	1.68401
0.5363	0.59735	1.12272	3.73534	2.37204	3.74424	2.51736	1.80703
0.58994	0.65893	1.3241	4.2141	3.14863	5.03996	2.75377	1.86125
0.64979	0.72713	1.57457	4.63866	4.37781	6.78429	2.86176	1.82981
0.71937	0.80594	1.90238	5.01032	6.62452	8.74606	2.80471	1.72351
0.79695	0.89264	2.30609	5.21183	11.28156	9.91	2.56673	1.55622
0.88397	0.98806	2.79492	5.23746	24.87597	9.67904	2.2241	1.3674
1.08562	1.19764	3.91303	4.82094	48.20937	5.83763	1.5449	1.02487
1.19666	1.30209	4.4271	4.44447	20.891	3.95027	1.28883	0.89063
1.30881	1.39482	4.87748	3.97726	12.19131	2.80293	1.09188	0.78129

1.4131	1.46533	5.22296	3.45444	8.08551	2.12324	0.93971	0.69199
1.49877	1.50931	5.40086	2.93428	5.72719	1.6836	0.81822	0.61732
1.55648	1.53357	5.39386	2.46163	4.23615	1.37904	0.72228	0.5561
1.63938	1.61774	4.30458	1.45221	2.02939	0.85165	0.51952	0.41967
1.67549	1.63493	3.71926	1.23289	1.65796	0.7452	0.47161	0.38584
0.52162	0.58529	1.03514	4.65784	1.87933	2.41289	1.83695	1.41644
0.57588	0.64904	1.2257	5.59237	2.40765	3.02859	2.04723	1.50741
0.63904	0.72345	1.47655	6.54527	3.2114	3.85736	2.21505	1.55297
0.71122	0.8086	1.80455	7.3131	4.48652	4.8595	2.29257	1.53719
0.79597	0.90824	2.25665	7.8709	6.79205	5.87989	2.26408	1.46753
0.89365	1.02226	2.86806	8.08193	11.56744	6.48815	2.11489	1.35005
1.0053	1.15059	3.67156	7.92368	24.93802	6.38339	1.88028	1.2071
1.28154	1.45449	5.8227	6.75703	49.77326	4.38936	1.37605	0.93398
1.4423	1.615	6.91729	5.87143	21.49075	3.24855	1.16733	0.82007
1.61204	1.76328	7.89491	4.88351	12.21367	2.42149	0.99949	0.72449
1.77871	1.87904	8.53928	3.93896	7.85042	1.87964	0.86686	0.64529
1.92051	1.94888	8.65789	3.13988	5.42064	1.51538	0.76107	0.57933
2.01266	1.98931	8.24756	2.50859	3.93292	1.25583	0.6756	0.5241
2.15638	2.09966	5.24029	1.37471	1.85002	0.79451	0.49153	0.39897
2.19975	2.08215	4.19894	1.15701	1.51589	0.70016	0.44857	0.36841
0.55401	0.62822	1.09671	7.52043	1.85792	2.04553	1.54671	1.20951
0.6161	0.70295	1.31643	9.68706	2.37442	2.48253	1.69876	1.2786
0.68938	0.79173	1.61538	11.63073	3.15574	3.03027	1.82041	1.31649
0.77584	0.89738	2.03178	12.97178	4.40911	3.65293	1.87984	1.30996
0.87783	1.02207	2.63575	13.67129	6.62766	4.23822	1.86484	1.26235
1.00008	1.17197	3.55501	13.795	11.27917	4.59925	1.76977	1.17937
1.14669	1.3513	4.98925	13.25751	24.59712	4.56713	1.61172	1.07452
1.52731	1.80245	9.804	9.99981	50.07272	3.43074	1.23047	0.85367
1.76956	2.06811	12.6976	7.73637	21.15449	2.70583	1.06126	0.75746
2.0395	2.3253	14.99651	5.68333	11.54567	2.1073	0.91833	0.67384
2.32561	2.53433	15.9934	4.16271	7.18531	1.67702	0.80309	0.60378
2.57987	2.65413	15.32996	3.11324	4.86554	1.3711	0.70929	0.54451
2.74291	2.7321	13.3397	2.3932	3.503	1.14779	0.63261	0.49443
2.99104	2.78786	5.90149	1.26431	1.66857	0.74338	0.46614	0.38008
2.98186	2.66405	4.35477	1.06376	1.37659	0.65835	0.42648	0.35167
0.5853	0.6707	1.13938	16.35316	1.79413	1.74616	1.32032	1.04595
0.65571	0.75749	1.38209	22.5698	2.27729	2.06378	1.43337	1.09962
0.73978	0.86222	1.72018	26.07239	2.99718	2.43957	1.52372	1.13096
0.84133	0.9906	2.21311	28.12116	4.14529	2.8459	1.57006	1.12965
0.96486	1.14821	2.98489	29.01248	6.18893	3.21893	1.56732	1.0996
1.11591	1.34359	4.28799	29.04454	10.44421	3.44647	1.50429	1.03948
1.30355	1.58892	6.79362	27.80887	22.83291	3.442	1.39305	0.95992
1.832	2.2828	21.89608	15.97383	48.25536	2.75976	1.10442	0.78238
2.20544	2.754	31.96099	9.34896	19.00365	2.27989	0.96804	0.70164
2.65809	3.25973	36.62356	5.79472	9.94072	1.84274	0.84574	0.62799
3.19566	3.69955	37.23636	3.91326	6.12238	1.50179	0.74561	0.56595
3.71929	3.93695	32.50911	2.82757	4.16398	1.24496	0.66229	0.51256

4.06723	4.1077	23.3224	2.14863	3.03351	1.05248	0.59282	0.46662
4.36111	3.70838	5.82188	1.14559	1.50137	0.6959	0.44218	0.36219
4.09767	3.35903	4.05076	0.97022	1.25111	0.61931	0.40554	0.33574
0.61414	0.71083	1.15727	8.56935	1.69574	1.50251	1.14063	0.91455
0.69272	0.80983	1.41067	18.24856	2.12688	1.73788	1.22648	0.95693
0.78792	0.93164	1.76839	21.42517	2.75624	2.00495	1.29532	0.98288
0.90515	1.08446	2.3034	29.52334	3.73993	2.28401	1.33394	0.98583
1.04994	1.27728	3.15826	25.22722	5.40989	2.52913	1.33362	0.96429
1.23392	1.52745	4.73433	22.34156	8.83729	2.68562	1.29408	0.92229
1.46973	1.85783	8.29527	20.01559	18.59129	2.6942	1.21488	0.86174
1.77758	2.30347	21.65325	25.6862	28.63099	2.54303	1.11111	0.79233
2.19274	2.92908	14.55377	20.15965	20.57544	2.26806	0.99512	0.719
2.7602	3.80958	33.98262	8.3698	14.23375	1.9381	0.88319	0.64998
3.5555	5.01108	41.08412	4.88057	7.7589	1.61851	0.78118	0.58674
4.66468	6.24018	39.42527	3.29979	4.97426	1.34754	0.69335	0.5312
6.04181	6.88395	29.16927	2.42096	3.49658	1.13323	0.61908	0.48292
7.02106	7.01671	39.59032	1.87013	2.61095	0.96716	0.55685	0.44154
7.30847	5.61006	7.81161	1.23427	1.64148	0.73465	0.45782	0.37263
6.45578	4.79398	4.93117	1.03901	1.35791	0.65187	0.41948	0.34519
5.49275	4.08422	3.43934	0.88875	1.14392	0.58299	0.38589	0.32076
1.12958	1.40234	3.10451	38.67467	4.49967	2.04544	1.1507	0.85363
1.34575	1.71051	4.58659	37.59395	6.77399	2.15527	1.12342	0.8222
1.63144	2.13697	7.70459	34.97104	11.75491	2.16833	1.06532	0.77508
2.02236	2.75413	17.11285	27.36317	22.81215	2.07662	0.98868	0.72118
12.16799	7.40605	5.8574	1.11946	1.47982	0.68554	0.43341	0.3546
8.9629	5.85191	3.94703	0.95315	1.23852	0.61145	0.39835	0.32931
6.86407	4.72166	2.87257	0.82285	1.05345	0.54936	0.36753	0.30672
1.44103	1.87212	4.03691	17.02896	5.02682	1.77099	0.98463	0.73743
1.77415	2.3911	6.15762	15.53378	7.35731	1.787	0.94371	0.70221
2.24561	3.18501	10.51406	12.42997	10.17878	1.72879	0.88369	0.65768
16.8147	8.96845	4.70129	1.02973	1.34556	0.64105	0.41091	0.33789
10.99915	6.70424	3.2955	0.88398	1.13595	0.57407	0.3785	0.31432
7.87489	5.18569	2.47484	0.76895	0.97442	0.51804	0.35019	0.29342
1.50958	1.99204	3.41052	10.12106	3.79307	1.48302	0.86993	0.66482
1.87887	2.58244	4.78983	9.22071	4.97819	1.49899	0.83967	0.63734
2.41105	3.50529	7.03957	7.64992	6.10344	1.46197	0.79349	0.60156
19.87692	10.1845	3.92537	0.95345	1.22664	0.59955	0.38958	0.32196
12.30369	7.28319	2.82489	0.82373	1.04288	0.53868	0.35949	0.29992
8.44954	5.43453	2.17214	0.7218	0.90242	0.48848	0.3336	0.28066
1.93236	2.6825	3.7651	6.25349	3.6103	1.27658	0.75184	0.58091
2.49234	3.65682	5.04792	5.34478	4.17442	1.25225	0.71564	0.55174
22.29711	11.07382	3.31793	0.88592	1.12191	0.56162	0.36979	0.3071
13.12742	7.57366	2.4698	0.77134	0.96255	0.50714	0.34229	0.2868
8.59354	5.4365	1.93351	0.67996	0.83874	0.46163	0.3184	0.26892
1.93094	2.6853	3.01656	4.57746	2.75489	1.10142	0.67726	0.53168
2.49197	3.65387	3.82615	4.01145	3.08427	1.08665	0.64963	0.5085
3.35305	5.28088	4.75445	3.31597	3.17387	1.0441	0.61417	0.48128

24.20889	11.48422	2.82367	0.82547	1.03028	0.52733	0.35162	0.29337
13.19824	7.42787	2.17139	0.72296	0.88989	0.47792	0.32616	0.27445
8.15495	5.13666	1.73524	0.64145	0.78135	0.43695	0.30433	0.258
2.40525	3.4969	2.99613	3.1445	2.3903	0.95173	0.59165	0.46958
3.20022	4.97228	3.57969	2.68562	2.46336	0.92084	0.5628	0.44674
24.16432	10.95252	2.41134	0.76983	0.94758	0.49553	0.33455	0.2804
11.85452	6.71695	1.91654	0.67845	0.82463	0.45107	0.31114	0.26289
7.02668	4.54523	1.55944	0.60496	0.72814	0.41372	0.2909	0.24754
2.25169	3.22356	2.40825	2.54039	1.9161	0.84044	0.5407	0.43461
2.94658	4.48408	2.80368	2.22582	1.97656	0.81865	0.51785	0.41595
9.14611	5.57665	1.69698	0.63747	0.76586	0.42636	0.29716	0.25207
5.61797	3.82462	1.40129	0.57026	0.67851	0.39173	0.27801	0.23746
2.06028	2.88702	1.98041	2.10044	1.57686	0.74813	0.49616	0.40345
2.6369	3.89712	2.25913	1.87753	1.62656	0.7327	0.47799	0.38816
3.4884	5.55432	2.49746	1.63131	1.60061	0.70359	0.45465	0.36971
6.94554	4.50046	1.50465	0.59909	0.71176	0.40317	0.2839	0.24176
4.55144	3.2082	1.26461	0.53822	0.63379	0.37154	0.26609	0.22809
2.31573	3.30541	1.85823	1.60474	1.36447	0.65936	0.44197	0.36257
2.96176	4.47485	2.0305	1.42093	1.35315	0.63701	0.4227	0.34698
12.20745	8.97029	1.78808	0.7097	0.84332	0.4502	0.30982	0.26124
5.53793	3.75442	1.33914	0.56375	0.66276	0.38175	0.27151	0.23209
3.81669	2.75909	1.14473	0.50858	0.59326	0.35291	0.25498	0.21932
2.00598	2.75542	1.55205	1.38395	1.16046	0.59558	0.40926	0.33896
2.49371	3.57033	1.68359	1.24722	1.15941	0.57916	0.39374	0.32608
3.15554	4.73885	1.772	1.10368	1.11897	0.55432	0.37507	0.31125
4.09677	6.46328	1.80664	0.96958	1.04921	0.52449	0.35526	0.29587
5.37607	8.44194	1.77207	0.84846	0.95913	0.49063	0.33439	0.27991
6.822	8.60219	1.67816	0.7468	0.86467	0.45643	0.31425	0.26458
7.26558	6.47564	1.53526	0.66126	0.77297	0.42266	0.29481	0.24978
6.06001	4.47423	1.36792	0.5906	0.69058	0.3911	0.27673	0.23596
4.44633	3.20215	1.19657	0.5312	0.61827	0.36194	0.25994	0.22302
3.23847	2.40951	1.03819	0.48089	0.556	0.33551	0.2445	0.21102
2.09605	2.85958	1.41642	1.10045	1.00349	0.52814	0.36715	0.30662
2.5762	3.62201	1.49015	0.99063	0.97949	0.50935	0.35199	0.29431
3.19122	4.56577	1.51981	0.88128	0.92906	0.48472	0.33477	0.28072
3.94184	5.44859	1.50051	0.78052	0.86117	0.45652	0.31657	0.26658
4.662	5.58679	1.43492	0.69245	0.78566	0.42694	0.29843	0.2526
4.91337	4.75255	1.33147	0.6173	0.71006	0.39747	0.28087	0.23907
4.43229	3.63846	1.20605	0.55438	0.64018	0.36956	0.26442	0.22638
2.75757	2.12201	0.94393	0.45516	0.52189	0.31932	0.23466	0.2032
1.78618	2.34367	1.21467	0.9818	0.88084	0.48497	0.34397	0.28947
2.11407	2.81705	1.26524	0.88906	0.86137	0.46815	0.32996	0.27794
2.54392	3.39833	1.29592	0.80296	0.82733	0.44895	0.31573	0.26649
3.0097	3.86855	1.28577	0.71858	0.77559	0.42528	0.29979	0.25393
3.4208	3.9752	1.24007	0.64282	0.71548	0.39988	0.28361	0.2413
3.58271	3.59884	1.16437	0.57692	0.65328	0.37419	0.26778	0.22897
3.36891	2.96582	1.06895	0.52072	0.59386	0.34939	0.25274	0.21726

2.34927	1.87523	0.85992	0.4311	0.49032	0.30413	0.22534	0.19576
1.53501	1.94944	1.05431	0.88113	0.78025	0.44701	0.32292	0.27371
1.78118	2.27866	1.09634	0.80738	0.76789	0.43372	0.31117	0.26385
2.06344	2.62289	1.11604	0.73212	0.73968	0.41626	0.2978	0.25296
2.36667	2.9058	1.11128	0.66114	0.6998	0.39625	0.28376	0.24174
2.633	2.99625	1.08186	0.59757	0.65324	0.37508	0.26974	0.23065
2.74525	2.81072	1.02575	0.53971	0.60195	0.35263	0.25545	0.21941
2.64113	2.43278	0.95087	0.48882	0.55064	0.33022	0.24149	0.20843
2.0062	1.6595	0.78502	0.40858	0.46105	0.28985	0.2165	0.18868
1.51393	1.8736	0.95801	0.7345	0.688	0.40243	0.29354	0.25049
1.72027	2.10729	0.97653	0.67306	0.66777	0.38825	0.28214	0.24106
1.9257	2.28701	0.97425	0.61239	0.6364	0.37107	0.26961	0.23091
2.08686	2.34089	0.94836	0.55431	0.59613	0.35146	0.25298	0.21194
2.17665	2.25173	0.90883	0.50494	0.55512	0.33244	0.24372	0.21026
2.13369	2.02909	0.85424	0.46129	0.51352	0.31345	0.23154	0.20059
1.72409	1.47414	0.71947	0.388	0.43455	0.27673	0.20832	0.1821
1.30055	1.5669	0.84461	0.67042	0.62005	0.37434	0.27728	0.23805
1.45173	1.72906	0.86055	0.61916	0.60489	0.36246	0.26732	0.22969
1.60002	1.85463	0.86141	0.56831	0.58091	0.34812	0.25644	0.22075
1.71925	1.90301	0.84509	0.51949	0.54977	0.33182	0.24489	0.2114
1.77955	1.85048	0.81304	0.47455	0.51451	0.31453	0.23317	0.20199
1.75634	1.70567	0.76826	0.43428	0.47788	0.29703	0.22165	0.19276
1.60092	1.427	0.67642	0.36005	0.40919	0.25873	0.19105	0.16602
1.12913	1.33103	0.75104	0.61426	0.56209	0.3492	0.26237	0.22653
1.24141	1.44648	0.76432	0.57098	0.55041	0.33908	0.25355	0.21903
1.34959	1.53631	0.7662	0.52755	0.53147	0.32681	0.2439	0.211
1.43729	1.57574	0.75499	0.48552	0.5065	0.31283	0.23365	0.20261
1.48465	1.54791	0.73094	0.44618	0.47745	0.29777	0.22314	0.19408
1.47643	1.45548	0.69647	0.4106	0.44677	0.28243	0.21277	0.1857
1.40782	1.31763	0.65369	0.37846	0.41574	0.26707	0.20259	0.17748

G	H	I	J	K	L	M	N	O
7.28168	8.09746	5.86389	3.98712	3.85821	5.9902	0.2305	3.22931	1.24007
7.49507	5.3711	10.10944	4.58615	4.07717	6.25841	0.23353	2.97359	1.59485
5.15631	5.09204	5.15834	2.90948	2.82846	8.46083	0.25244	2.49884	1.23468
5.32784	5.10686	8.03778	3.29945	2.92821	12.39535	0.25592	2.31049	1.58185
5.08847	4.95545	13.96484	3.6549	3.09361	8.16831	0.2586	2.06867	2.15745
4.48746	4.07996	25.03145	3.96939	3.31459	16.15119	0.26051	1.78029	3.26781
3.70423	2.74553	42.67091	4.20248	3.54042	8.3914	0.26187	1.48621	6.1827
2.27586	1.35692	30.07988	4.6772	4.2713	4.22029	0.2646	1.00232	21.08855
1.80386	1.07034	12.18915	4.98099	4.81523	3.31048	0.26627	0.84027	20.71936
1.4729	0.87838	6.93069	5.39254	5.38812	2.65622	0.26811	0.72075	22.92655
3.97612	3.44511	6.19083	2.52379	2.24797	10.16422	0.28239	1.86912	1.49633
3.84712	3.27493	9.54718	2.79974	2.37066	11.22706	0.28589	1.68899	1.99096
3.49197	2.7745	14.53139	3.01681	2.48011	15.35931	0.28811	1.48722	2.81631
2.99181	2.11973	21.17115	3.2054	2.61175	8.44339	0.28989	1.2759	4.44743
2.46097	1.56774	27.24809	3.38205	2.76877	5.68282	0.29163	1.07775	7.72008
1.98429	1.20482	17.82209	3.58526	2.97079	4.25558	0.29371	0.90709	9.85432
1.60941	0.96966	9.14328	3.83597	3.19852	3.31695	0.29593	0.77214	10.63644
1.33038	0.80828	5.54273	4.18957	3.42636	2.67555	0.2983	0.66802	11.78887
1.12147	0.69049	3.8113	4.76423	3.60611	2.2186	0.30052	0.58628	13.53461
0.9619	0.60023	2.8171	5.79119	3.7193	1.86939	0.30232	0.52079	15.68505
0.83726	0.52849	2.18109	7.8551	3.75043	1.59709	0.30342	0.46736	17.92374
3.01304	2.40937	6.77211	2.24213	1.89997	12.33289	0.31905	1.41926	1.77322
2.79015	2.09853	9.30007	2.41556	1.97021	13.92163	0.32174	1.26814	2.35459
2.46155	1.71046	12.09527	2.57079	2.04943	8.28924	0.32423	1.11113	3.2992
2.09308	1.34891	13.53319	2.71966	2.13872	5.63439	0.32677	0.96043	4.68754
1.74111	1.07594	10.96411	2.88838	2.2452	4.19359	0.32965	0.82537	5.92647
1.44352	0.88367	7.08011	3.10111	2.36047	3.26716	0.33256	0.71262	6.70974
1.20919	0.74599	4.60996	3.39751	2.469	2.61673	0.33514	0.62199	7.4167
1.02971	0.64317	3.26405	3.84571	2.5501	2.16249	0.33719	0.54985	8.22019
0.89008	0.5633	2.46467	4.59245	2.5937	1.82764	0.33829	0.49125	9.0857
0.77927	0.49931	1.94202	5.9831	2.59135	1.55507	0.33821	0.44277	9.92021
0.68942	0.44692	1.57659	9.22263	2.5218	1.34207	0.33688	0.40198	10.63253
2.42353	1.88927	4.9947	1.85525	1.57325	23.90888	0.36039	1.21699	1.5631
2.28157	1.67699	6.39645	1.99775	1.61953	12.40007	0.36392	1.10089	1.98022
2.05739	1.42358	7.75155	2.13107	1.67194	7.78557	0.36734	0.97925	2.57794
1.79647	1.17284	8.30643	2.25993	1.72629	5.50208	0.37111	0.86188	3.34691
1.53138	0.96669	7.32369	2.40787	1.78974	4.0791	0.3749	0.75257	4.10786
1.29692	0.80871	5.45985	2.58794	1.85247	3.18889	0.37821	0.65878	4.70057
1.10384	0.69026	3.8709	2.8296	1.90781	2.57203	0.38053	0.58107	5.18885
0.94899	0.60015	2.83419	3.18731	1.94795	2.11765	0.38141	0.51703	5.6595
0.82592	0.52927	2.17855	3.75458	1.96513	1.77164	0.38065	0.46421	6.11466
0.7271	0.47195	1.74068	4.74043	1.95372	1.50959	0.37822	0.42014	6.517
0.64609	0.42476	1.43074	6.75589	1.90682	1.29176	0.3743	0.38269	6.82848
0.57874	0.38519	1.2011	12.29663	1.8188	1.11537	0.36907	0.35053	6.95779
2.00556	1.64276	3.04152	1.4326	1.2921	14.54919	0.40602	1.14394	1.13765
1.98994	1.54488	3.81391	1.57289	1.33452	20.09995	0.41332	1.05888	1.37867

1.89817	1.39076	4.64776	1.69253	1.36607	11.14904	0.41826	0.96767	1.6861
1.74421	1.21149	5.38705	1.80653	1.40035	7.37226	0.42339	0.87227	2.09131
1.35401	0.87161	5.2285	2.04848	1.47488	3.95082	0.43287	0.68904	3.07876
1.16792	0.74223	4.25402	2.20253	1.51156	3.08859	0.43556	0.61024	3.51048
1.00839	0.64055	3.24533	2.40234	1.5416	2.48571	0.43601	0.54323	3.86757
0.87525	0.56148	2.4724	2.69068	1.56226	2.03785	0.43405	0.48643	4.18416
0.76716	0.49829	1.93837	3.12708	1.56764	1.70905	0.42977	0.43893	4.46353
0.67915	0.44669	1.56873	3.84023	1.5542	1.44235	0.42347	0.39889	4.69178
0.60638	0.40387	1.30291	5.14448	1.51869	1.23061	0.41558	0.36463	4.84836
0.54571	0.36759	1.10352	7.88202	1.45778	1.06054	0.40645	0.33515	4.88911
0.49318	0.33709	0.94962	16.16552	1.37622	0.90743	0.39655	0.30893	4.81115
1.67024	1.38459	2.49324	1.24505	1.12456	14.64509	0.4751	1.00252	1.0333
1.66556	1.29726	2.99779	1.35588	1.14986	17.95395	0.48421	0.93412	1.22013
1.60396	1.18209	3.52414	1.45847	1.17312	10.40728	0.49147	0.86009	1.45313
1.49611	1.04926	3.96501	1.55677	1.19639	6.98265	0.49886	0.78354	1.74196
1.35575	0.91388	4.14033	1.6573	1.22085	5.02588	0.50483	0.70654	2.07737
1.2004	0.79012	3.92093	1.77056	1.2465	3.74657	0.5076	0.63209	2.42603
1.05259	0.68354	3.37363	1.902	1.26851	2.92762	0.50726	0.56568	2.74197
0.80787	0.5265	2.1602	2.29675	1.29508	1.93489	0.49573	0.45792	3.23634
0.71277	0.47018	1.73158	2.63549	1.2952	1.60543	0.48558	0.41506	3.42767
0.63453	0.42354	1.42007	3.15641	1.28189	1.35208	0.47349	0.37872	3.57312
0.56944	0.38441	1.19065	4.02549	1.25332	1.16039	0.46012	0.34751	3.66102
0.51453	0.35119	1.01671	5.63281	1.20847	0.99943	0.446	0.32037	3.67498
0.46772	0.32261	0.88082	9.20662	1.14799	0.86909	0.43156	0.29659	3.59816
1.41253	1.18574	2.06769	1.09355	0.98736	21.73997	0.5706	0.88744	0.93685
1.4147	1.11231	2.41334	1.18473	1.00425	16.05149	0.58368	0.83221	1.08496
1.36966	1.02509	2.7599	1.27473	1.02318	9.41315	0.59383	0.76942	1.26586
1.29362	0.92296	3.04318	1.36018	1.03941	6.4947	0.60331	0.70735	1.48057
1.18978	0.81782	3.16299	1.44764	1.0558	4.71212	0.60742	0.64424	1.72272
1.07205	0.71824	3.04962	1.54279	1.07147	3.57842	0.60493	0.58311	1.97305
0.95382	0.63008	2.72571	1.65309	1.08495	2.78764	0.59633	0.52661	2.20763
0.74581	0.4948	1.88913	1.97682	1.0998	1.80842	0.56585	0.43115	2.58524
0.66283	0.44425	1.54948	2.23491	1.09679	1.48725	0.54692	0.39272	2.72347
0.59332	0.40205	1.28875	2.61263	1.0843	1.25178	0.52703	0.35973	2.82428
0.53536	0.36614	1.09112	3.18741	1.06056	1.07696	0.50678	0.3314	2.87816
0.48525	0.33583	0.9387	4.17468	1.02618	0.92761	0.48674	0.30625	2.8842
0.44296	0.3093	0.81851	6.00178	0.97997	0.80915	0.46715	0.2844	2.82388
1.21091	1.03087	1.73865	0.97043	0.87522	19.67747	0.71387	0.79255	0.85094
1.21605	0.96996	1.98377	1.04718	0.88747	14.33459	0.73486	0.74691	0.97037
1.187	0.89973	2.22397	1.12392	0.90104	8.83421	0.74961	0.69584	1.11287
1.12873	0.82048	2.41171	1.1993	0.91351	5.98388	0.75246	0.6425	1.27636
1.05301	0.73628	2.50031	1.27381	0.92418	4.42519	0.74634	0.59111	1.45702
0.96144	0.65568	2.44053	1.35506	0.9345	3.33448	0.72784	0.53954	1.64355
0.866	0.58243	2.24072	1.44786	0.94302	2.58727	0.70241	0.49094	1.82163
0.69116	0.46502	1.65626	1.70475	0.94997	1.67359	0.64277	0.40709	2.1125
0.61848	0.41983	1.38948	1.89802	0.94561	1.38654	0.61224	0.37246	2.21727
0.55659	0.38157	1.17262	2.16446	0.93407	1.16907	0.58262	0.34243	2.29086

0.50399	0.34894	1.00221	2.54599	0.91449	1.00018	0.55432	0.31628	2.32938
0.45847	0.32109	0.86831	3.12752	0.88688	0.86406	0.52762	0.29307	2.3306
0.42006	0.29652	0.76169	4.00892	0.85044	0.75708	0.50252	0.27292	2.28353
0.33055	0.2394	0.54329	3.708	0.7062	0.53233	0.43677	0.22395	1.88214
0.30741	0.22427	0.49214	2.16487	0.65212	0.48029	0.4177	0.21077	1.67671
1.05027	0.90736	1.48055	0.86855	0.78224	25.14308	0.95595	0.71313	0.77483
1.05688	0.85613	1.65855	0.93331	0.79102	12.99252	0.9877	0.67524	0.87185
1.03843	0.79864	1.83019	0.99891	0.80094	8.1596	0.99371	0.63309	0.98541
0.99497	0.7354	1.96318	1.06484	0.8107	5.5174	0.96739	0.58786	1.11376
0.93641	0.66779	2.0288	1.12994	0.81842	4.01966	0.92617	0.5439	1.25251
0.86439	0.60172	1.99797	1.19968	0.8254	3.01602	0.87524	0.49993	1.39555
0.78603	0.5405	1.87011	1.27881	0.83091	2.30961	0.8218	0.45746	1.53383
0.64001	0.438	1.45565	1.482	0.83282	1.50348	0.72307	0.38417	1.76149
0.5768	0.39742	1.24686	1.62584	0.82765	1.24999	0.67879	0.3531	1.84314
0.52176	0.36276	1.06783	1.81454	0.81713	1.05782	0.63833	0.32577	1.89993
0.47446	0.33295	0.92199	2.06528	0.80052	0.91673	0.60153	0.3018	1.92896
0.43377	0.30709	0.80481	2.39915	0.77748	0.80437	0.56797	0.28069	1.9269
0.39874	0.28433	0.70995	2.82847	0.74797	0.71383	0.53721	0.26205	1.89013
0.31587	0.23132	0.51321	2.64448	0.63214	0.49471	0.45984	0.21612	1.58978
0.29482	0.21693	0.46668	1.8059	0.58783	0.45689	0.43811	0.20395	1.434
0.92021	0.80672	1.27493	0.78276	0.70402	23.03969	1.4526	0.64592	0.70736
0.92737	0.76374	1.40769	0.8382	0.7108	11.82732	1.45278	0.61397	0.7873
0.91568	0.71579	1.53303	0.89415	0.71796	7.36294	1.37076	0.57877	0.87866
0.88333	0.66426	1.63104	0.95156	0.72557	4.9507	1.25617	0.54031	0.98116
0.83703	0.60917	1.68064	1.00846	0.73137	3.53637	1.14197	0.50209	1.09016
0.78037	0.55418	1.66598	1.06775	0.73598	2.65933	1.03951	0.46452	1.20195
0.71822	0.50201	1.58338	1.13214	0.73902	2.08833	0.94991	0.42845	1.30998
0.59422	0.41284	1.28457	1.29365	0.73821	1.36306	0.80399	0.36325	1.49154
0.53938	0.37641	1.12159	1.39976	0.73279	1.14366	0.74515	0.33541	1.55664
0.49032	0.34499	0.97433	1.53279	0.7232	0.97319	0.69334	0.31044	1.60178
0.44789	0.31767	0.85001	1.69645	0.70883	0.85	0.64789	0.28852	1.62429
0.4109	0.29383	0.74728	1.89569	0.6895	0.75016	0.6074	0.26902	1.62236
0.37881	0.27277	0.66279	2.11831	0.66515	0.66917	0.57105	0.25171	1.59378
0.30239	0.22334	0.48525	1.96766	0.57024	0.47419	0.48243	0.20883	1.36278
0.28268	0.20991	0.44279	1.51403	0.53368	0.43507	0.45807	0.1973	1.24422
0.81335	0.72347	1.10903	0.70971	0.63764	21.81583	2.74495	0.58832	0.64764
0.82062	0.68737	1.21035	0.75769	0.64322	10.4555	2.28773	0.56105	0.71435
0.81316	0.64694	1.30411	0.80562	0.64847	6.29666	1.89059	0.53127	0.78879
0.78897	0.60409	1.37789	0.85523	0.65427	4.22443	1.59668	0.4984	0.87155
0.75416	0.55789	1.41792	0.90349	0.65817	3.08621	1.37843	0.46618	0.9583
0.70873	0.51183	1.4118	0.95394	0.66135	2.34561	1.21044	0.4335	1.04722
0.65778	0.46745	1.3567	1.00754	0.66304	1.85382	1.07851	0.4019	1.13338
0.55304	0.38949	1.13886	1.13511	0.66051	1.24835	0.88382	0.3441	1.27975
0.50567	0.35668	1.01142	1.21283	0.65494	1.06629	0.81033	0.31919	1.33221
0.46156	0.32832	0.89052	1.30847	0.64639	0.89976	0.74723	0.29619	1.36941
0.42344	0.30325	0.78482	1.41718	0.6338	0.79689	0.6932	0.27608	1.38753
0.38974	0.28126	0.69496	1.54002	0.61733	0.70212	0.6459	0.25803	1.38619

0.35999	0.2619	0.6198	1.66456	0.59711	0.6238	0.60422	0.24179	1.36471
0.28958	0.21568	0.45912	1.54164	0.51799	0.45526	0.50452	0.20179	1.18381
0.27109	0.20316	0.42033	1.27676	0.48747	0.41505	0.47761	0.19087	1.09175
0.72461	0.65349	0.97338	0.64666	0.58065	9.57866	5.68947	0.53862	0.5946
0.73158	0.62286	1.05199	0.68824	0.58526	8.20821	3.4167	0.51516	0.65064
0.72694	0.58873	1.12399	0.72979	0.58944	5.01843	2.47249	0.48958	0.71231
0.70965	0.55218	1.18101	0.77191	0.59348	3.50143	1.94965	0.46191	0.77952
0.68146	0.51369	1.21278	0.81415	0.59667	2.61121	1.61239	0.43339	0.85023
0.64623	0.4742	1.21223	0.85598	0.59836	2.05626	1.37902	0.40563	0.92146
0.60447	0.43614	1.17504	0.90046	0.59913	1.65686	1.20479	0.3779	0.99108
0.56066	0.40016	1.10561	0.94744	0.59807	1.3768	1.06966	0.35165	1.05459
0.51596	0.36773	1.01436	1.00132	0.59554	1.14824	0.96218	0.32655	1.11031
0.47418	0.3384	0.91394	1.06043	0.59027	0.98169	0.87393	0.30382	1.1538
0.43547	0.31254	0.81533	1.12811	0.58237	0.84964	0.80023	0.28304	1.18421
0.40078	0.28965	0.72548	1.20297	0.57138	0.74461	0.73762	0.26438	1.19964
0.36993	0.26943	0.64714	1.28182	0.55727	0.65907	0.68371	0.24758	1.19927
0.34287	0.25136	0.58022	1.35143	0.53989	0.59323	0.63654	0.2326	1.18185
0.29639	0.22138	0.47575	1.36867	0.49786	0.46845	0.55888	0.20616	1.10214
0.27735	0.20837	0.43476	1.25609	0.47342	0.43404	0.52626	0.19499	1.03978
0.26015	0.19662	0.39924	1.08851	0.44759	0.39692	0.49686	0.18471	0.96671
0.61941	0.47463	1.05056	0.73623	0.54382	2.24835	1.84651	0.40455	0.75987
0.59058	0.44104	1.05257	0.77224	0.54499	1.80361	1.54528	0.37996	0.81837
0.55576	0.4083	1.0271	0.80987	0.54527	1.46989	1.32855	0.3553	0.8756
0.5198	0.37652	0.97669	0.84717	0.54351	1.24759	1.16613	0.33246	0.92725
0.28355	0.21353	0.44956	1.12744	0.4558	0.44611	0.58341	0.19899	0.97141
0.26587	0.20133	0.4121	1.0524	0.43497	0.41472	0.54785	0.1885	0.92148
0.24985	0.19027	0.37951	0.93965	0.41289	0.38042	0.51597	0.17883	0.86269
0.54176	0.41131	0.92307	0.69944	0.49899	1.5992	1.71445	0.35679	0.73224
0.51381	0.38254	0.90585	0.73012	0.49852	1.33517	1.4553	0.33547	0.77907
0.48244	0.35507	0.86859	0.76215	0.49701	1.12928	1.26406	0.31448	0.82273
0.27158	0.20599	0.42536	0.95369	0.41944	0.4296	0.60795	0.19218	0.86336
0.25499	0.19459	0.391	0.90093	0.40154	0.39332	0.56937	0.18225	0.8231
0.24005	0.18418	0.36105	0.82123	0.3825	0.36473	0.53499	0.17316	0.77526
0.49849	0.38466	0.81654	0.63617	0.45907	1.42592	1.88979	0.33565	0.6596
0.47523	0.35956	0.80482	0.66227	0.45839	1.20569	1.58472	0.31666	0.69882
0.44868	0.33534	0.77708	0.68888	0.45673	1.03065	1.36328	0.29788	0.73537
0.26011	0.19886	0.40277	0.82335	0.38776	0.4057	0.6324	0.18557	0.77311
0.24447	0.1882	0.37116	0.78455	0.37216	0.37084	0.59058	0.17614	0.74025
0.23062	0.17838	0.34372	0.72591	0.35572	0.34304	0.5539	0.16763	0.70107
0.44076	0.33858	0.71996	0.60311	0.42327	1.08991	1.71908	0.29946	0.63072
0.41804	0.31716	0.699	0.62552	0.42155	0.93341	1.46449	0.2825	0.66158
0.24934	0.19204	0.38179	0.72162	0.35991	0.38659	0.65694	0.17928	0.69667
0.23484	0.18199	0.35291	0.69174	0.34632	0.35516	0.61222	0.17045	0.66965
0.22189	0.17273	0.32761	0.64728	0.33193	0.3295	0.57297	0.16243	0.63721
0.40994	0.31936	0.64809	0.55133	0.39232	0.99206	1.8613	0.28373	0.57241
0.39095	0.30024	0.63243	0.56997	0.39051	0.86479	1.57271	0.26866	0.5985
0.37052	0.28175	0.60742	0.58788	0.38765	0.76443	1.36034	0.25413	0.62137

0.23932	0.18549	0.36237	0.64007	0.33532	0.36969	0.68189	0.17336	0.63137
0.22571	0.17606	0.33584	0.61656	0.32335	0.33995	0.63389	0.16499	0.60899
0.21372	0.16727	0.31258	0.58177	0.31068	0.32206	0.59214	0.1575	0.58188
0.36603	0.28471	0.57483	0.52173	0.36311	0.79639	1.68547	0.25566	0.54441
0.34821	0.26814	0.55506	0.53679	0.36043	0.70517	1.44712	0.24238	0.56408
0.22982	0.17926	0.3442	0.57348	0.31344	0.35312	0.70695	0.16766	0.5751
0.21713	0.17036	0.31994	0.55451	0.30286	0.32581	0.65579	0.15979	0.55649
0.20587	0.16208	0.29846	0.52687	0.29163	0.30906	0.61129	0.1527	0.53375
0.34318	0.2704	0.52475	0.47951	0.33875	0.73035	1.80439	0.24347	0.49763
0.32803	0.25539	0.50921	0.49196	0.33617	0.65595	1.53927	0.23158	0.5145
0.20905	0.16491	0.30509	0.50251	0.28449	0.31272	0.67795	0.15484	0.51072
0.19827	0.15715	0.28514	0.48035	0.27449	0.29116	0.63039	0.14801	0.4916
0.32243	0.25713	0.48106	0.44223	0.31695	0.67467	1.93301	0.23221	0.45681
0.30951	0.2435	0.46879	0.45261	0.31447	0.6133	1.63707	0.22151	0.47137
0.29503	0.2305	0.45133	0.46224	0.31136	0.55292	1.41486	0.21074	0.48361
0.20133	0.15971	0.2911	0.45842	0.26789	0.29953	0.70012	0.15006	0.47052
0.19117	0.15239	0.27267	0.44022	0.25895	0.27916	0.64961	0.14357	0.45433
0.29217	0.23252	0.43292	0.41814	0.29507	0.56865	1.7409	0.2119	0.43376
0.27955	0.22063	0.41863	0.42609	0.29215	0.51573	1.49502	0.2021	0.44443
0.2156	0.17023	0.31655	0.43814	0.26732	0.33576	0.85541	0.15925	0.45393
0.19405	0.15472	0.278	0.42056	0.25287	0.2873	0.72259	0.1455	0.43505
0.1845	0.1478	0.26099	0.4054	0.24484	0.26822	0.66905	0.13934	0.42127
0.2759	0.22231	0.40072	0.38757	0.27746	0.52331	1.84752	0.20193	0.40044
0.26511	0.21139	0.38927	0.39422	0.27483	0.48063	1.57956	0.19392	0.41
0.25336	0.20093	0.37434	0.39967	0.27151	0.43903	1.37329	0.18516	0.41722
0.24157	0.19093	0.35721	0.40354	0.26758	0.40606	1.21257	0.17684	0.42194
0.22956	0.18158	0.33854	0.40577	0.26307	0.37063	1.0822	0.16874	0.424
0.21815	0.17278	0.31952	0.40568	0.25795	0.34303	0.97573	0.16121	0.42317
0.20716	0.1646	0.30068	0.40295	0.25225	0.31783	0.88636	0.15407	0.41945
0.19687	0.15699	0.28267	0.39705	0.24599	0.29807	0.81063	0.14742	0.41286
0.18719	0.14994	0.26572	0.38774	0.23922	0.27602	0.74538	0.14116	0.40357
0.17816	0.14341	0.25	0.375	0.23198	0.25772	0.68857	0.13529	0.39179
0.25149	0.20171	0.36256	0.36591	0.25901	0.44473	1.66598	0.18384	0.37932
0.24146	0.19304	0.35041	0.37039	0.25608	0.41489	1.44449	0.17826	0.386
0.2308	0.1838	0.33573	0.3735	0.25248	0.38472	1.26911	0.17052	0.3903
0.21998	0.17508	0.31956	0.37512	0.24836	0.35511	1.12855	0.16301	0.39232
0.2094	0.16688	0.30273	0.37483	0.24371	0.32688	1.01378	0.15589	0.39186
0.19924	0.15922	0.2859	0.37228	0.23854	0.30353	0.91821	0.14917	0.38887
0.18969	0.15204	0.26962	0.36708	0.23288	0.28539	0.83761	0.14291	0.38337
0.17215	0.13919	0.23965	0.34824	0.22022	0.24791	0.70827	0.13142	0.36541
0.23937	0.19454	0.33905	0.34067	0.24482	0.42228	1.76649	0.17904	0.35245
0.2298	0.18464	0.32811	0.34442	0.24188	0.3829	1.51407	0.16704	0.35797
0.22061	0.17708	0.31601	0.347	0.23876	0.36235	1.32829	0.16447	0.36226
0.21081	0.16896	0.30196	0.34819	0.23499	0.33558	1.17644	0.15748	0.36421
0.20111	0.16129	0.28711	0.34775	0.23075	0.31145	1.05305	0.15081	0.36403
0.19172	0.15408	0.27207	0.34538	0.22605	0.28994	0.95088	0.14449	0.36164
0.18282	0.14733	0.25735	0.34081	0.22091	0.27118	0.86501	0.13856	0.35706

0.16643	0.13515	0.22988	0.32455	0.20942	0.23841	0.72802	0.1277	0.3417
0.2281	0.18682	0.31775	0.31805	0.23186	0.40034	1.87623	0.17241	0.32842
0.2197	0.17865	0.30871	0.3213	0.22925	0.36984	1.59917	0.16543	0.3336
0.21082	0.17076	0.29769	0.32343	0.22616	0.3401	1.38833	0.15731	0.33712
0.2019	0.16234	0.28544	0.32432	0.2227	0.31553	1.22437	0.1502	0.339
0.19325	0.15597	0.27257	0.32379	0.21891	0.29683	1.09376	0.14595	0.33918
0.18458	0.1492	0.25912	0.32162	0.21461	0.27691	0.98436	0.14	0.33728
0.17615	0.14286	0.24565	0.31757	0.20987	0.25668	0.89202	0.13373	0.33335
0.16096	0.13129	0.22064	0.30347	0.19948	0.22919	0.74776	0.12412	0.32029
0.21002	0.17202	0.29069	0.30053	0.21757	0.35094	1.68777	0.15963	0.31153
0.20215	0.16467	0.28134	0.30233	0.21478	0.32644	1.45829	0.15335	0.31487
0.19395	0.15763	0.27058	0.30303	0.21159	0.30331	1.27887	0.14719	0.31667
0.17706	0.14994	0.25856	0.30215	0.20772	0.27311	1.1326	0.13039	0.31651
0.17771	0.14376	0.24685	0.30046	0.20406	0.26054	1.01787	0.1339	0.31528
0.17019	0.1385	0.23503	0.29689	0.19987	0.24915	0.92166	0.13048	0.31223
0.15585	0.12755	0.21199	0.28455	0.19032	0.22131	0.76776	0.12075	0.30091
0.20091	0.16576	0.27418	0.28185	0.20683	0.33297	1.78369	0.15412	0.29167
0.19379	0.15893	0.2661	0.28338	0.20426	0.31066	1.53081	0.14824	0.29475
0.18644	0.15234	0.25677	0.28393	0.20135	0.29038	1.33623	0.14255	0.29651
0.17892	0.14605	0.2465	0.28338	0.19809	0.27123	1.18114	0.137	0.29686
0.17147	0.14007	0.2357	0.28159	0.19447	0.25376	1.05479	0.13168	0.29569
0.16422	0.13441	0.22475	0.2784	0.19053	0.2367	0.94995	0.1261	0.29298
0.14148	0.12688	0.20697	0.27141	0.18517	0.19664	0.82723	0.10616	0.28669
0.19239	0.15984	0.25906	0.26497	0.19695	0.31766	1.88937	0.14891	0.27376
0.1859	0.1535	0.25204	0.26632	0.19458	0.29566	1.60874	0.14337	0.27661
0.17917	0.14735	0.24385	0.26677	0.19189	0.27688	1.3956	0.13802	0.27831
0.17232	0.14143	0.23479	0.26623	0.1889	0.25962	1.22778	0.13284	0.27875
0.16547	0.1358	0.22516	0.26461	0.18559	0.24375	1.0921	0.12784	0.27788
0.15881	0.13043	0.21533	0.26177	0.182	0.22974	0.98049	0.12311	0.27567
0.15232	0.12537	0.20549	0.25766	0.17812	0.21659	0.88657	0.11857	0.27211

	Discrete Re X	Y	Concentrat	Elevation (Z	Hill Heights	Flagpole (Z	Averagin Pe
1	UCART1	386689	3743302	0.0297	8.33	8.33	0 PERIOD
2	UCART1	386739	3743302	0.03062	8.37	8.37	0 PERIOD
3	UCART1	386789	3743302	0.03157	7.74	7.74	0 PERIOD
4	UCART1	386839	3743302	0.03256	7.23	7.23	0 PERIOD
5	UCART1	386889	3743302	0.0336	6.87	6.87	0 PERIOD
6	UCART1	386939	3743302	0.0347	7.45	7.45	0 PERIOD
7	UCART1	386989	3743302	0.03584	7.96	7.96	0 PERIOD
8	UCART1	387039	3743302	0.03703	8.07	8.07	0 PERIOD
9	UCART1	387089	3743302	0.03828	8.3	8.3	0 PERIOD
10	UCART1	387139	3743302	0.03958	8.51	8.51	0 PERIOD
11	UCART1	387189	3743302	0.04093	8.55	8.55	0 PERIOD
12	UCART1	387239	3743302	0.04233	8.39	8.39	0 PERIOD
13	UCART1	387289	3743302	0.04379	8.67	8.67	0 PERIOD
14	UCART1	387339	3743302	0.0453	8.71	8.71	0 PERIOD
15	UCART1	387389	3743302	0.04686	8.9	8.9	0 PERIOD
16	UCART1	387439	3743302	0.04845	8.74	8.74	0 PERIOD
17	UCART1	387489	3743302	0.05007	9.13	9.13	0 PERIOD
18	UCART1	387539	3743302	0.05171	8.98	8.98	0 PERIOD
19	UCART1	387589	3743302	0.05336	8.97	8.97	0 PERIOD
20	UCART1	387639	3743302	0.055	9.07	9.07	0 PERIOD
21	UCART1	387689	3743302	0.05661	9.04	9.04	0 PERIOD
22	UCART1	387739	3743302	0.05817	9.17	9.17	0 PERIOD
23	UCART1	387789	3743302	0.05966	9.15	9.15	0 PERIOD
24	UCART1	387839	3743302	0.06105	9.08	9.08	0 PERIOD
25	UCART1	387889	3743302	0.06231	9.14	9.14	0 PERIOD
26	UCART1	387939	3743302	0.06341	9.26	9.26	0 PERIOD
27	UCART1	387989	3743302	0.06434	9.45	9.45	0 PERIOD
28	UCART1	388039	3743302	0.06507	9.45	9.45	0 PERIOD
29	UCART1	388089	3743302	0.0656	9.59	9.59	0 PERIOD
30	UCART1	388139	3743302	0.06593	9.8	9.8	0 PERIOD
31	UCART1	388189	3743302	0.06606	9.81	9.81	0 PERIOD
32	UCART1	388239	3743302	0.06601	9.45	15.16	0 PERIOD
33	UCART1	388289	3743302	0.06578	10.99	15.16	0 PERIOD
34	UCART1	386689	3743352	0.03088	8.41	8.41	0 PERIOD
35	UCART1	386739	3743352	0.03189	8.41	8.41	0 PERIOD
36	UCART1	386789	3743352	0.03294	8.25	8.25	0 PERIOD
37	UCART1	386839	3743352	0.03403	7.81	7.81	0 PERIOD
38	UCART1	386889	3743352	0.03517	7.39	7.39	0 PERIOD
39	UCART1	386939	3743352	0.03637	7.51	7.51	0 PERIOD
40	UCART1	386989	3743352	0.03763	7.74	7.74	0 PERIOD
41	UCART1	387039	3743352	0.03896	8.15	8.15	0 PERIOD
42	UCART1	387089	3743352	0.04034	8.34	8.34	0 PERIOD
43	UCART1	387139	3743352	0.04178	8.4	8.4	0 PERIOD
44	UCART1	387189	3743352	0.04329	8.46	17.87	0 PERIOD
45	UCART1	387239	3743352	0.04487	8.67	18.64	0 PERIOD
46	UCART1	387289	3743352	0.04651	8.68	18.81	0 PERIOD

47 UCART1	387339	3743352	0.04822	8.67	18.81	0 PERIOD
48 UCART1	387389	3743352	0.04998	8.71	18.81	0 PERIOD
49 UCART1	387439	3743352	0.0518	8.74	18.46	0 PERIOD
50 UCART1	387489	3743352	0.05366	8.83	8.83	0 PERIOD
51 UCART1	387539	3743352	0.05555	8.86	8.86	0 PERIOD
52 UCART1	387589	3743352	0.05746	8.87	8.87	0 PERIOD
53 UCART1	387639	3743352	0.05936	8.94	8.94	0 PERIOD
54 UCART1	387689	3743352	0.06125	8.98	8.98	0 PERIOD
55 UCART1	387739	3743352	0.06308	9.17	9.17	0 PERIOD
56 UCART1	387789	3743352	0.06482	9.06	9.06	0 PERIOD
57 UCART1	387839	3743352	0.06645	9.46	9.46	0 PERIOD
58 UCART1	387889	3743352	0.06793	9.7	9.7	0 PERIOD
59 UCART1	387939	3743352	0.06921	9.6	9.6	0 PERIOD
60 UCART1	387989	3743352	0.07028	9.34	9.34	0 PERIOD
61 UCART1	388039	3743352	0.07112	9.61	9.61	0 PERIOD
62 UCART1	388089	3743352	0.0717	9.63	9.63	0 PERIOD
63 UCART1	388139	3743352	0.07205	9.86	9.86	0 PERIOD
64 UCART1	388189	3743352	0.07216	9.86	9.86	0 PERIOD
65 UCART1	388239	3743352	0.07206	9.5	9.5	0 PERIOD
66 UCART1	388289	3743352	0.07179	10.24	10.24	0 PERIOD
67 UCART1	386689	3743402	0.0321	8.3	15.33	0 PERIOD
68 UCART1	386739	3743402	0.03321	8.51	14.51	0 PERIOD
69 UCART1	386789	3743402	0.03437	8.42	13.26	0 PERIOD
70 UCART1	386839	3743402	0.03558	8.31	13.12	0 PERIOD
71 UCART1	386889	3743402	0.03683	7.49	14.08	0 PERIOD
72 UCART1	386939	3743402	0.03817	8.01	14.79	0 PERIOD
73 UCART1	386989	3743402	0.03957	8.2	15.47	0 PERIOD
74 UCART1	387039	3743402	0.04103	8.18	16.55	0 PERIOD
75 UCART1	387089	3743402	0.04257	8.04	17.2	0 PERIOD
76 UCART1	387139	3743402	0.04418	8.13	17.87	0 PERIOD
77 UCART1	387189	3743402	0.04588	8.44	18.64	0 PERIOD
78 UCART1	387239	3743402	0.04767	9.37	18.64	0 PERIOD
79 UCART1	387489	3743402	0.0577	9.24	17.62	0 PERIOD
80 UCART1	387539	3743402	0.05989	8.91	16.08	0 PERIOD
81 UCART1	387589	3743402	0.06212	9.36	14.32	0 PERIOD
82 UCART1	387639	3743402	0.06435	9.28	12.51	0 PERIOD
83 UCART1	387689	3743402	0.06657	9.62	9.62	0 PERIOD
84 UCART1	387739	3743402	0.06872	9.42	9.42	0 PERIOD
85 UCART1	387789	3743402	0.07079	9.56	9.56	0 PERIOD
86 UCART1	387839	3743402	0.07272	9.83	17.37	0 PERIOD
87 UCART1	387889	3743402	0.07446	9.85	19.07	0 PERIOD
88 UCART1	387939	3743402	0.07597	9.95	19.57	0 PERIOD
89 UCART1	387989	3743402	0.07722	9.67	19.57	0 PERIOD
90 UCART1	388039	3743402	0.07817	9.47	9.47	0 PERIOD
91 UCART1	388089	3743402	0.07883	9.93	9.93	0 PERIOD
92 UCART1	388139	3743402	0.07919	9.55	9.55	0 PERIOD
93 UCART1	388189	3743402	0.07927	10.02	10.02	0 PERIOD

94 UCART1	388239	3743402	0.0791	10.29	14.47	0 PERIOD
95 UCART1	388289	3743402	0.07859	11.37	14.47	0 PERIOD
96 UCART1	387839	3743452	0.07858	14.93	17.37	0 PERIOD
97 UCART1	387889	3743452	0.08009	15.08	16.91	0 PERIOD
98 UCART1	387939	3743452	0.08391	9.77	19.57	0 PERIOD
99 UCART1	387989	3743452	0.08539	10.14	19.57	0 PERIOD
100 UCART1	388039	3743452	0.0865	9.93	19.57	0 PERIOD
101 UCART1	388089	3743452	0.08723	9.6	18.03	0 PERIOD
102 UCART1	388139	3743452	0.08758	10.7	10.7	0 PERIOD
103 UCART1	388189	3743452	0.08739	11.78	11.78	0 PERIOD
104 UCART1	388239	3743452	0.08726	11.1	11.1	0 PERIOD
105 UCART1	388289	3743452	0.0868	10.6	10.6	0 PERIOD
106 UCART1	386639	3743502	0.03331	13.11	13.11	0 PERIOD
107 UCART1	386689	3743502	0.03466	8.85	15.9	0 PERIOD
108 UCART1	386739	3743502	0.036	8.95	14.62	0 PERIOD
109 UCART1	386789	3743502	0.0374	8.75	13.65	0 PERIOD
110 UCART1	386839	3743502	0.03889	8.76	13.04	0 PERIOD
111 UCART1	386889	3743502	0.04044	7.83	13.99	0 PERIOD
112 UCART1	386939	3743502	0.0421	8.72	14.72	0 PERIOD
113 UCART1	386989	3743502	0.04384	8.55	15.41	0 PERIOD
114 UCART1	387039	3743502	0.04567	8.57	16.11	0 PERIOD
115 UCART1	387089	3743502	0.04761	8.18	17.15	0 PERIOD
116 UCART1	387139	3743502	0.04964	7.41	17.87	0 PERIOD
117 UCART1	387189	3743502	0.05181	7.77	18.64	0 PERIOD
118 UCART1	387239	3743502	0.0541	8.12	18.64	0 PERIOD
119 UCART1	388089	3743502	0.09645	13.67	18.03	0 PERIOD
120 UCART1	388139	3743502	0.09704	12.85	18.03	0 PERIOD
121 UCART1	388189	3743502	0.09698	12.95	14.84	0 PERIOD
122 UCART1	388239	3743502	0.09706	10.9	16.95	0 PERIOD
123 UCART1	388289	3743502	0.09636	10.64	17.39	0 PERIOD
124 UCART1	386639	3743552	0.03458	8.26	16.59	0 PERIOD
125 UCART1	386689	3743552	0.03597	8.42	8.42	0 PERIOD
126 UCART1	386739	3743552	0.03744	8.43	8.43	0 PERIOD
127 UCART1	386789	3743552	0.03899	8.41	8.41	0 PERIOD
128 UCART1	386839	3743552	0.04063	8.42	8.42	0 PERIOD
129 UCART1	386889	3743552	0.04236	7.78	7.78	0 PERIOD
130 UCART1	386939	3743552	0.04422	8.45	8.45	0 PERIOD
131 UCART1	386989	3743552	0.04617	8.62	8.62	0 PERIOD
132 UCART1	387039	3743552	0.04824	8.9	8.9	0 PERIOD
133 UCART1	387089	3743552	0.05043	8.59	8.59	0 PERIOD
134 UCART1	387139	3743552	0.05276	9.09	9.09	0 PERIOD
135 UCART1	387189	3743552	0.05523	8.96	8.96	0 PERIOD
136 UCART1	387239	3743552	0.05784	8.85	17.88	0 PERIOD
137 UCART1	387289	3743552	0.06059	8.29	17.96	0 PERIOD
138 UCART1	387339	3743552	0.06354	9.04	17.98	0 PERIOD
139 UCART1	387389	3743552	0.06663	8.65	17.8	0 PERIOD
140 UCART1	387439	3743552	0.0699	9.05	15.39	0 PERIOD

141	UCART1	386639	3743602	0.03578	8.15	8.15	0 PERIOD
142	UCART1	386689	3743602	0.0373	8.4	8.4	0 PERIOD
143	UCART1	386739	3743602	0.03891	8.45	8.45	0 PERIOD
144	UCART1	386789	3743602	0.04062	8.5	8.5	0 PERIOD
145	UCART1	386839	3743602	0.04244	8.46	8.46	0 PERIOD
146	UCART1	386889	3743602	0.04436	7.92	7.92	0 PERIOD
147	UCART1	386939	3743602	0.04643	8.54	8.54	0 PERIOD
148	UCART1	386989	3743602	0.04863	8.62	8.62	0 PERIOD
149	UCART1	387039	3743602	0.05097	8.82	8.82	0 PERIOD
150	UCART1	387089	3743602	0.05345	8.78	8.78	0 PERIOD
151	UCART1	387139	3743602	0.05611	8.96	8.96	0 PERIOD
152	UCART1	387189	3743602	0.05894	9.12	9.12	0 PERIOD
153	UCART1	387239	3743602	0.06195	9.26	9.26	0 PERIOD
154	UCART1	387289	3743602	0.06514	8.64	8.64	0 PERIOD
155	UCART1	387339	3743602	0.06855	8.62	8.62	0 PERIOD
156	UCART1	387389	3743602	0.07218	9.12	9.12	0 PERIOD
157	UCART1	387439	3743602	0.07602	8.93	8.93	0 PERIOD
158	UCART1	387489	3743602	0.08009	9.47	9.47	0 PERIOD
159	UCART1	387539	3743602	0.08436	10.32	10.32	0 PERIOD
160	UCART1	387589	3743602	0.08879	9.4	9.4	0 PERIOD
161	UCART1	387689	3743602	0.09804	9.83	9.83	0 PERIOD
162	UCART1	387739	3743602	0.10269	10.18	10.18	0 PERIOD
163	UCART1	387789	3743602	0.10719	9.53	9.53	0 PERIOD
164	UCART1	387289	3743652	0.07017	8.83	8.83	0 PERIOD
165	UCART1	387339	3743652	0.07416	8.44	8.44	0 PERIOD
166	UCART1	387389	3743652	0.07845	9.12	9.12	0 PERIOD
167	UCART1	387439	3743652	0.08296	7.78	9.25	0 PERIOD
168	UCART1	387489	3743652	0.08789	10.31	10.31	0 PERIOD
169	UCART1	387539	3743652	0.09303	10.15	10.15	0 PERIOD
170	UCART1	387589	3743652	0.09843	9.79	9.79	0 PERIOD
171	UCART1	387639	3743652	0.10406	9.46	9.46	0 PERIOD
172	UCART1	387689	3743652	0.10985	10.21	10.21	0 PERIOD
173	UCART1	387739	3743652	0.11559	10.69	10.69	0 PERIOD
174	UCART1	387789	3743652	0.12128	10.69	10.69	0 PERIOD
175	UCART1	387839	3743652	0.12668	10.63	10.63	0 PERIOD
176	UCART1	387889	3743652	0.13159	10.44	10.44	0 PERIOD
177	UCART1	387939	3743652	0.13573	9.84	20.78	0 PERIOD
178	UCART1	387289	3743702	0.07572	8.78	8.78	0 PERIOD
179	UCART1	387339	3743702	0.08043	8.51	8.51	0 PERIOD
180	UCART1	387389	3743702	0.08553	9	9	0 PERIOD
181	UCART1	387489	3743702	0.0969	10.37	10.37	0 PERIOD
182	UCART1	387539	3743702	0.10314	10.61	10.61	0 PERIOD
183	UCART1	387589	3743702	0.10985	10.23	10.23	0 PERIOD
184	UCART1	387639	3743702	0.11685	9.64	9.64	0 PERIOD
185	UCART1	387689	3743702	0.12414	9.9	9.9	0 PERIOD
186	UCART1	387739	3743702	0.13152	10.42	10.42	0 PERIOD
187	UCART1	387789	3743702	0.13868	10.82	10.82	0 PERIOD

188	UCART1	387839	3743702	0.14569	10.68	10.68	0 PERIOD
189	UCART1	387889	3743702	0.15206	10.4	10.4	0 PERIOD
190	UCART1	387939	3743702	0.15738	10.02	10.02	0 PERIOD
191	UCART1	387989	3743702	0.16146	9.59	20.78	0 PERIOD
192	UCART1	387289	3743752	0.08181	8.96	8.96	0 PERIOD
193	UCART1	387339	3743752	0.08742	9.08	9.08	0 PERIOD
194	UCART1	387389	3743752	0.09352	9.02	9.02	0 PERIOD
195	UCART1	387489	3743752	0.10736	10.29	10.29	0 PERIOD
196	UCART1	387539	3743752	0.11509	10.52	10.52	0 PERIOD
197	UCART1	387589	3743752	0.12341	10.59	10.59	0 PERIOD
198	UCART1	387639	3743752	0.13233	9.77	9.77	0 PERIOD
199	UCART1	387689	3743752	0.14166	10.16	10.16	0 PERIOD
200	UCART1	387739	3743752	0.15125	10.3	10.3	0 PERIOD
201	UCART1	387789	3743752	0.16083	10.16	10.16	0 PERIOD
202	UCART1	387839	3743752	0.17001	10.11	10.11	0 PERIOD
203	UCART1	387889	3743752	0.17832	9.97	9.97	0 PERIOD
204	UCART1	387939	3743752	0.1853	9.74	9.74	0 PERIOD
205	UCART1	387989	3743752	0.19058	9.68	20.78	0 PERIOD
206	UCART1	388039	3743752	0.19393	9.71	20.78	0 PERIOD
207	UCART1	387289	3743802	0.08842	8.85	8.85	0 PERIOD
208	UCART1	387339	3743802	0.09511	8.97	8.97	0 PERIOD
209	UCART1	387389	3743802	0.10248	9.17	9.17	0 PERIOD
210	UCART1	387439	3743802	0.11044	6.91	9.51	0 PERIOD
211	UCART1	387489	3743802	0.11946	10.54	10.54	0 PERIOD
212	UCART1	387539	3743802	0.12914	10.68	10.68	0 PERIOD
213	UCART1	387589	3743802	0.13977	10.51	10.51	0 PERIOD
214	UCART1	387689	3743802	0.16345	10.16	10.16	0 PERIOD
215	UCART1	387739	3743802	0.17619	10.19	10.19	0 PERIOD
216	UCART1	387789	3743802	0.18908	9.82	9.82	0 PERIOD
217	UCART1	387839	3743802	0.20154	9.88	9.88	0 PERIOD
218	UCART1	387889	3743802	0.21285	9.79	9.79	0 PERIOD
219	UCART1	387939	3743802	0.22229	9.61	9.61	0 PERIOD
220	UCART1	387989	3743802	0.22928	9.59	20.18	0 PERIOD
221	UCART1	388039	3743802	0.23347	9.45	20.18	0 PERIOD
222	UCART1	388089	3743802	0.23463	10.75	20.18	0 PERIOD
223	UCART1	387289	3743852	0.09551	8.79	8.79	0 PERIOD
224	UCART1	387339	3743852	0.10349	8.81	8.81	0 PERIOD
225	UCART1	387389	3743852	0.1124	8.45	8.45	0 PERIOD
226	UCART1	387439	3743852	0.12234	8.19	8.19	0 PERIOD
227	UCART1	387489	3743852	0.13352	10.01	10.01	0 PERIOD
228	UCART1	387539	3743852	0.14584	10.54	10.54	0 PERIOD
229	UCART1	387589	3743852	0.15957	10.26	10.26	0 PERIOD
230	UCART1	387639	3743852	0.17462	10.12	10.12	0 PERIOD
231	UCART1	387689	3743852	0.19059	10.92	10.92	0 PERIOD
232	UCART1	387739	3743852	0.20809	10.77	10.77	0 PERIOD
233	UCART1	387839	3743852	0.24383	9.96	9.96	0 PERIOD
234	UCART1	387889	3743852	0.25978	10.15	10.15	0 PERIOD

235 UCART1	387939	3743852	0.27299	9.99	9.99	0 PERIOD
236 UCART1	387989	3743852	0.28252	9.77	9.77	0 PERIOD
237 UCART1	388039	3743852	0.28784	9.69	9.69	0 PERIOD
238 UCART1	388089	3743852	0.28884	9.69	19.13	0 PERIOD
239 UCART1	387289	3743902	0.103	9.06	9.06	0 PERIOD
240 UCART1	387339	3743902	0.11251	8.95	8.95	0 PERIOD
241 UCART1	387389	3743902	0.12331	8.85	8.85	0 PERIOD
242 UCART1	387439	3743902	0.13558	8.62	8.62	0 PERIOD
243 UCART1	387489	3743902	0.1496	9.44	9.44	0 PERIOD
244 UCART1	387539	3743902	0.16486	11.48	11.48	0 PERIOD
245 UCART1	387589	3743902	0.18312	11	11	0 PERIOD
246 UCART1	387639	3743902	0.20356	10.7	10.7	0 PERIOD
247 UCART1	387689	3743902	0.22624	10.53	10.53	0 PERIOD
248 UCART1	387739	3743902	0.25101	10.27	10.27	0 PERIOD
249 UCART1	387839	3743902	0.30237	10.63	10.63	0 PERIOD
250 UCART1	387889	3743902	0.32558	10.79	10.79	0 PERIOD
251 UCART1	387939	3743902	0.34508	10.68	10.68	0 PERIOD
252 UCART1	387989	3743902	0.35899	9.98	9.98	0 PERIOD
253 UCART1	388039	3743902	0.3657	10.35	10.35	0 PERIOD
254 UCART1	388089	3743902	0.36553	9.96	9.96	0 PERIOD
255 UCART1	387289	3743952	0.11074	9.25	9.25	0 PERIOD
256 UCART1	387339	3743952	0.12199	9.08	9.08	0 PERIOD
257 UCART1	387439	3743952	0.15013	8.91	8.91	0 PERIOD
258 UCART1	387489	3743952	0.16778	9.34	9.34	0 PERIOD
259 UCART1	387539	3743952	0.18826	10.67	10.67	0 PERIOD
260 UCART1	387589	3743952	0.21119	11.69	11.69	0 PERIOD
261 UCART1	387639	3743952	0.24033	10.37	10.37	0 PERIOD
262 UCART1	387689	3743952	0.27257	10.17	10.17	0 PERIOD
263 UCART1	387739	3743952	0.30901	10.09	10.09	0 PERIOD
264 UCART1	387839	3743952	0.38883	10.31	10.31	0 PERIOD
265 UCART1	387889	3743952	0.42538	10.53	10.53	0 PERIOD
266 UCART1	387939	3743952	0.45533	10.41	10.41	0 PERIOD
267 UCART1	387989	3743952	0.47529	10.12	10.12	0 PERIOD
268 UCART1	388039	3743952	0.48327	10.54	10.54	0 PERIOD
269 UCART1	388089	3743952	0.47972	9.89	9.89	0 PERIOD
270 UCART1	388239	3743952	0.41534	10.19	10.19	0 PERIOD
271 UCART1	388289	3743952	0.38572	10.15	10.15	0 PERIOD
272 UCART1	387289	3744002	0.1185	9.12	9.12	0 PERIOD
273 UCART1	387339	3744002	0.13169	9.31	9.31	0 PERIOD
274 UCART1	387439	3744002	0.16569	9.15	9.15	0 PERIOD
275 UCART1	387489	3744002	0.18778	9.03	9.03	0 PERIOD
276 UCART1	387539	3744002	0.21449	9.87	9.87	0 PERIOD
277 UCART1	387589	3744002	0.2458	11.34	11.34	0 PERIOD
278 UCART1	387639	3744002	0.28575	10.73	10.73	0 PERIOD
279 UCART1	387689	3744002	0.33325	10.71	10.71	0 PERIOD
280 UCART1	387739	3744002	0.38759	11.43	11.43	0 PERIOD
281 UCART1	387839	3744002	0.52116	11.04	11.04	0 PERIOD

282	UCART1	387889	3744002	0.58294	11.15	11.15	0 PERIOD
283	UCART1	387939	3744002	0.63209	11.17	11.17	0 PERIOD
284	UCART1	387989	3744002	0.66432	10.93	10.93	0 PERIOD
285	UCART1	388039	3744002	0.67476	10.52	10.52	0 PERIOD
286	UCART1	388089	3744002	0.66044	9.72	9.72	0 PERIOD
287	UCART1	388239	3744002	0.52728	11.06	11.06	0 PERIOD
288	UCART1	388289	3744002	0.4762	9.88	9.88	0 PERIOD
289	UCART1	387289	3744052	0.12602	9.38	9.38	0 PERIOD
290	UCART1	387339	3744052	0.14123	9.5	9.5	0 PERIOD
291	UCART1	387439	3744052	0.1817	9.28	9.28	0 PERIOD
292	UCART1	387489	3744052	0.20901	9.01	9.01	0 PERIOD
293	UCART1	387539	3744052	0.24319	9.35	9.35	0 PERIOD
294	UCART1	387589	3744052	0.28587	11.01	11.01	0 PERIOD
295	UCART1	387639	3744052	0.34053	11.39	11.39	0 PERIOD
296	UCART1	387689	3744052	0.4128	11.28	11.28	0 PERIOD
297	UCART1	387739	3744052	0.50796	10.98	10.98	0 PERIOD
298	UCART1	387839	3744052	0.7543	11.26	11.26	0 PERIOD
299	UCART1	387889	3744052	0.87558	11.08	11.08	0 PERIOD
300	UCART1	387939	3744052	0.96299	11.27	11.27	0 PERIOD
301	UCART1	387989	3744052	1.01683	10.82	10.82	0 PERIOD
302	UCART1	388039	3744052	1.02096	10.37	10.37	0 PERIOD
303	UCART1	388089	3744052	0.97241	9.6	9.6	0 PERIOD
304	UCART1	388239	3744052	0.67919	10.68	10.68	0 PERIOD
305	UCART1	388289	3744052	0.58734	10.08	10.08	0 PERIOD
306	UCART1	387289	3744102	0.13294	9.49	9.49	0 PERIOD
307	UCART1	387339	3744102	0.15016	9.68	9.68	0 PERIOD
308	UCART1	387439	3744102	0.1973	9.45	9.45	0 PERIOD
309	UCART1	387489	3744102	0.2303	9.34	9.34	0 PERIOD
310	UCART1	387539	3744102	0.27297	9.3	9.3	0 PERIOD
311	UCART1	387589	3744102	0.32907	10.96	10.96	0 PERIOD
312	UCART1	387639	3744102	0.40771	10.61	10.61	0 PERIOD
313	UCART1	387689	3744102	0.51965	10.82	10.82	0 PERIOD
314	UCART1	387739	3744102	0.69071	10.76	10.76	0 PERIOD
315	UCART1	387839	3744102	1.2766	11.01	11.01	0 PERIOD
316	UCART1	387889	3744102	1.56579	10.3	10.3	0 PERIOD
317	UCART1	387939	3744102	1.72059	11.05	11.05	0 PERIOD
318	UCART1	387989	3744102	1.80825	10.48	10.48	0 PERIOD
319	UCART1	388039	3744102	1.77443	10.07	10.07	0 PERIOD
320	UCART1	388089	3744102	1.606	9.88	9.88	0 PERIOD
321	UCART1	388239	3744102	0.8711	10.47	14.26	0 PERIOD
322	UCART1	388289	3744102	0.71344	10.44	10.44	0 PERIOD
323	UCART1	387289	3744152	0.1389	9.54	9.54	0 PERIOD
324	UCART1	387339	3744152	0.15795	9.79	9.79	0 PERIOD
325	UCART1	387439	3744152	0.21135	9.54	9.54	0 PERIOD
326	UCART1	387489	3744152	0.24986	9.52	9.52	0 PERIOD
327	UCART1	387539	3744152	0.30113	9.53	9.53	0 PERIOD
328	UCART1	387589	3744152	0.37218	10.28	10.28	0 PERIOD

329	UCART1	387639	3744152	0.47485	10.98	10.98	0 PERIOD
330	UCART1	387689	3744152	0.64308	10.18	10.18	0 PERIOD
331	UCART1	387739	3744152	0.95803	10.17	10.17	0 PERIOD
332	UCART1	387789	3744152	1.79371	9.62	9.62	0 PERIOD
333	UCART1	387839	3744152	2.9141	10.22	10.22	0 PERIOD
334	UCART1	387889	3744152	3.55228	10.01	10.01	0 PERIOD
335	UCART1	387939	3744152	3.84223	10.15	10.15	0 PERIOD
336	UCART1	387989	3744152	3.95507	10.05	10.05	0 PERIOD
337	UCART1	388039	3744152	3.84857	9.93	9.93	0 PERIOD
338	UCART1	388089	3744152	3.59119	9.24	9.24	0 PERIOD
339	UCART1	388189	3744152	1.47281	11.05	11.05	0 PERIOD
340	UCART1	388239	3744152	1.08422	10.64	10.64	0 PERIOD
341	UCART1	388289	3744152	0.84001	10.61	10.61	0 PERIOD
342	UCART1	387289	3744202	0.14356	9.64	9.64	0 PERIOD
343	UCART1	387339	3744202	0.16411	9.97	9.97	0 PERIOD
344	UCART1	387389	3744202	0.18982	9.71	9.71	0 PERIOD
345	UCART1	387439	3744202	0.2227	9.8	9.8	0 PERIOD
346	UCART1	387489	3744202	0.26583	9.74	9.74	0 PERIOD
347	UCART1	387539	3744202	0.32435	9.9	9.9	0 PERIOD
348	UCART1	387589	3744202	0.40749	10.15	10.15	0 PERIOD
349	UCART1	387639	3744202	0.53347	10.55	10.55	0 PERIOD
350	UCART1	387689	3744202	0.74819	10.38	10.38	0 PERIOD
351	UCART1	387739	3744202	1.19448	10.94	10.94	0 PERIOD
352	UCART1	387789	3744202	2.89095	9.47	9.47	0 PERIOD
353	UCART1	388189	3744202	1.88579	11.07	11.07	0 PERIOD
354	UCART1	388239	3744202	1.28314	10.59	10.59	0 PERIOD
355	UCART1	388289	3744202	0.95264	10.48	10.48	0 PERIOD
356	UCART1	387289	3744252	0.14667	9.59	9.59	0 PERIOD
357	UCART1	387339	3744252	0.16825	9.71	9.71	0 PERIOD
358	UCART1	387389	3744252	0.19544	9.8	9.8	0 PERIOD
359	UCART1	387439	3744252	0.23043	10.02	10.02	0 PERIOD
360	UCART1	387489	3744252	0.27662	10.55	10.55	0 PERIOD
361	UCART1	387539	3744252	0.33997	10.41	10.41	0 PERIOD
362	UCART1	387589	3744252	0.42974	10.96	10.96	0 PERIOD
363	UCART1	387639	3744252	0.56883	10.68	10.68	0 PERIOD
364	UCART1	387689	3744252	0.80495	10.41	10.41	0 PERIOD
365	UCART1	387739	3744252	1.28882	9.91	9.91	0 PERIOD
366	UCART1	387789	3744252	2.83251	10	10	0 PERIOD
367	UCART1	388189	3744252	2.25892	10.79	10.79	0 PERIOD
368	UCART1	388239	3744252	1.45272	10.72	10.72	0 PERIOD
369	UCART1	388289	3744252	1.04608	10.5	10.5	0 PERIOD
370	UCART1	387289	3744302	0.1481	9.63	9.63	0 PERIOD
371	UCART1	387339	3744302	0.17021	9.7	9.7	0 PERIOD
372	UCART1	387389	3744302	0.19813	9.83	9.83	0 PERIOD
373	UCART1	387489	3744302	0.28188	10.27	10.27	0 PERIOD
374	UCART1	387539	3744302	0.34692	10.68	10.68	0 PERIOD
375	UCART1	387589	3744302	0.43896	11.15	11.15	0 PERIOD

376 UCART1	387639	3744302	0.57944	11.12	11.12	0 PERIOD
377 UCART1	387689	3744302	0.8143	10.62	10.62	0 PERIOD
378 UCART1	387739	3744302	1.26331	10.35	10.35	0 PERIOD
379 UCART1	387789	3744302	2.40763	10.55	10.55	0 PERIOD
380 UCART1	388189	3744302	2.607	11.19	11.19	0 PERIOD
381 UCART1	388239	3744302	1.59345	11.79	11.79	0 PERIOD
382 UCART1	388289	3744302	1.11861	11.22	11.22	0 PERIOD
383 UCART1	387289	3744352	0.14788	9.61	9.61	0 PERIOD
384 UCART1	387339	3744352	0.17002	9.73	9.73	0 PERIOD
385 UCART1	387389	3744352	0.19796	9.83	9.83	0 PERIOD
386 UCART1	387489	3744352	0.28155	10.26	10.26	0 PERIOD
387 UCART1	387539	3744352	0.3462	10.59	10.59	0 PERIOD
388 UCART1	387589	3744352	0.43672	11.12	11.12	0 PERIOD
389 UCART1	387639	3744352	0.57256	11.14	11.14	0 PERIOD
390 UCART1	387689	3744352	0.79338	10.65	10.65	0 PERIOD
391 UCART1	387739	3744352	1.18902	10.65	10.65	0 PERIOD
392 UCART1	387789	3744352	2.04084	11.28	11.28	0 PERIOD
393 UCART1	388189	3744352	2.94249	11.5	11.5	0 PERIOD
394 UCART1	388239	3744352	1.73071	11.74	11.74	0 PERIOD
395 UCART1	388289	3744352	1.17565	11.08	11.08	0 PERIOD
396 UCART1	387289	3744402	0.14614	9.64	9.64	0 PERIOD
397 UCART1	387339	3744402	0.16784	9.77	9.77	0 PERIOD
398 UCART1	387389	3744402	0.19517	9.82	9.82	0 PERIOD
399 UCART1	387439	3744402	0.23024	9.88	9.88	0 PERIOD
400 UCART1	387489	3744402	0.27635	10.06	10.06	0 PERIOD
401 UCART1	387539	3744402	0.33816	10.89	10.89	0 PERIOD
402 UCART1	387589	3744402	0.4252	10.86	10.86	0 PERIOD
403 UCART1	387639	3744402	0.55138	11.19	11.19	0 PERIOD
404 UCART1	387689	3744402	0.74962	11.22	11.22	0 PERIOD
405 UCART1	387739	3744402	1.09668	10.72	10.72	0 PERIOD
406 UCART1	387789	3744402	1.78264	10.77	10.77	0 PERIOD
407 UCART1	387839	3744402	3.56443	10.37	10.37	0 PERIOD
408 UCART1	388189	3744402	3.28113	11.31	11.31	0 PERIOD
409 UCART1	388239	3744402	1.83749	11.82	11.82	0 PERIOD
410 UCART1	388289	3744402	1.20616	10.48	10.48	0 PERIOD
411 UCART1	387289	3744452	0.14308	9.61	9.61	0 PERIOD
412 UCART1	387339	3744452	0.16397	9.7	9.7	0 PERIOD
413 UCART1	387389	3744452	0.19015	10.1	10.1	0 PERIOD
414 UCART1	387439	3744452	0.22354	9.87	9.87	0 PERIOD
415 UCART1	387489	3744452	0.26709	10.07	10.07	0 PERIOD
416 UCART1	387539	3744452	0.32536	10.4	10.4	0 PERIOD
417 UCART1	387589	3744452	0.40519	10.94	10.94	0 PERIOD
418 UCART1	387639	3744452	0.52201	10.51	10.51	0 PERIOD
419 UCART1	387689	3744452	0.6999	9.98	9.98	0 PERIOD
420 UCART1	387739	3744452	0.9853	11.6	11.6	0 PERIOD
421 UCART1	387789	3744452	1.54138	10.83	10.83	0 PERIOD
422 UCART1	387839	3744452	2.78266	10.84	10.84	0 PERIOD

423 UCART1	388189	3744452	3.57021	11.35	11.35	0 PERIOD
424 UCART1	388239	3744452	1.8844	11.73	11.73	0 PERIOD
425 UCART1	388289	3744452	1.18917	10.47	10.47	0 PERIOD
426 UCART1	387289	3744502	0.13895	9.7	9.7	0 PERIOD
427 UCART1	387339	3744502	0.15871	9.85	9.85	0 PERIOD
428 UCART1	387389	3744502	0.18331	9.75	9.75	0 PERIOD
429 UCART1	387439	3744502	0.21446	9.81	9.81	0 PERIOD
430 UCART1	387539	3744502	0.3078	10.59	10.59	0 PERIOD
431 UCART1	387589	3744502	0.38049	10.28	10.28	0 PERIOD
432 UCART1	387639	3744502	0.48348	10.18	10.18	0 PERIOD
433 UCART1	387689	3744502	0.63759	10.07	10.07	0 PERIOD
434 UCART1	387739	3744502	0.88507	10.18	10.18	0 PERIOD
435 UCART1	387789	3744502	1.31314	11.29	11.29	0 PERIOD
436 UCART1	387839	3744502	2.22012	10.65	10.65	0 PERIOD
437 UCART1	388239	3744502	1.82921	11.44	11.44	0 PERIOD
438 UCART1	388289	3744502	1.10856	11.28	11.28	0 PERIOD
439 UCART1	387289	3744552	0.13398	9.69	9.69	0 PERIOD
440 UCART1	387339	3744552	0.15241	9.87	9.87	0 PERIOD
441 UCART1	387389	3744552	0.17516	9.95	9.95	0 PERIOD
442 UCART1	387439	3744552	0.20368	9.94	9.94	0 PERIOD
443 UCART1	387489	3744552	0.2401	9.97	9.97	0 PERIOD
444 UCART1	387539	3744552	0.28768	10.03	10.03	0 PERIOD
445 UCART1	387589	3744552	0.35159	10.44	10.44	0 PERIOD
446 UCART1	387639	3744552	0.44074	10.24	10.24	0 PERIOD
447 UCART1	387689	3744552	0.57096	10.04	10.04	0 PERIOD
448 UCART1	387739	3744552	0.77323	10.13	10.13	0 PERIOD
449 UCART1	387789	3744552	1.10375	11.54	11.54	0 PERIOD
450 UCART1	387839	3744552	1.75996	10.34	10.34	0 PERIOD
451 UCART1	387889	3744552	3.33818	10.61	10.61	0 PERIOD
452 UCART1	388239	3744552	1.60872	11.54	11.54	0 PERIOD
453 UCART1	388289	3744552	0.97845	11.57	11.57	0 PERIOD
454 UCART1	387289	3744602	0.12844	9.77	9.77	0 PERIOD
455 UCART1	387339	3744602	0.1454	9.98	9.98	0 PERIOD
456 UCART1	387389	3744602	0.16613	10.12	10.12	0 PERIOD
457 UCART1	387439	3744602	0.19185	10.15	10.15	0 PERIOD
458 UCART1	387489	3744602	0.22431	10.14	10.14	0 PERIOD
459 UCART1	387589	3744602	0.32138	10.38	10.38	0 PERIOD
460 UCART1	387639	3744602	0.39688	10.36	10.36	0 PERIOD
461 UCART1	387689	3744602	0.50434	10.42	10.42	0 PERIOD
462 UCART1	387739	3744602	0.66519	10.56	10.56	0 PERIOD
463 UCART1	387789	3744602	0.9199	11.04	11.04	0 PERIOD
464 UCART1	387839	3744602	1.37016	10.93	10.93	0 PERIOD
465 UCART1	387889	3744602	2.30263	10.86	10.86	0 PERIOD
466 UCART1	388139	3744602	4.86042	10.82	10.82	0 PERIOD
467 UCART1	388239	3744602	1.33766	11.46	11.46	0 PERIOD
468 UCART1	388289	3744602	0.85143	11.55	11.55	0 PERIOD
469 UCART1	387289	3744652	0.12254	9.74	9.74	0 PERIOD

470 UCART1	387339	3744652	0.13798	9.81	9.81	0 PERIOD
471 UCART1	387389	3744652	0.15667	10.02	10.02	0 PERIOD
472 UCART1	387439	3744652	0.1796	10.04	10.04	0 PERIOD
473 UCART1	387489	3744652	0.20816	9.99	9.99	0 PERIOD
474 UCART1	387589	3744652	0.29149	10.54	10.54	0 PERIOD
475 UCART1	387639	3744652	0.3544	10.66	10.66	0 PERIOD
476 UCART1	387689	3744652	0.44175	10.44	10.44	0 PERIOD
477 UCART1	387739	3744652	0.56696	10.82	10.82	0 PERIOD
478 UCART1	387789	3744652	0.75502	11.15	11.15	0 PERIOD
479 UCART1	387839	3744652	1.04335	12.53	13.86	0 PERIOD
480 UCART1	387889	3744652	1.58467	11.4	11.4	0 PERIOD
481 UCART1	387939	3744652	2.59449	11.44	11.44	0 PERIOD
482 UCART1	387989	3744652	3.77934	10.81	10.81	0 PERIOD
483 UCART1	388039	3744652	3.75696	11.38	11.38	0 PERIOD
484 UCART1	388089	3744652	3.32743	11.05	11.05	0 PERIOD
485 UCART1	388139	3744652	2.65322	11.19	11.19	0 PERIOD
486 UCART1	388189	3744652	1.79639	11	11	0 PERIOD
487 UCART1	388239	3744652	1.13343	11.16	11.16	0 PERIOD
488 UCART1	388289	3744652	0.75363	11.58	11.58	0 PERIOD
489 UCART1	387289	3744702	0.11649	9.98	9.98	0 PERIOD
490 UCART1	387339	3744702	0.13044	10.15	10.15	0 PERIOD
491 UCART1	387389	3744702	0.14715	10.25	10.25	0 PERIOD
492 UCART1	387439	3744702	0.16742	10.31	10.31	0 PERIOD
493 UCART1	387489	3744702	0.19235	10.37	10.37	0 PERIOD
494 UCART1	387539	3744702	0.22355	10.33	10.33	0 PERIOD
495 UCART1	387589	3744702	0.26339	10.34	10.34	0 PERIOD
496 UCART1	387639	3744702	0.31542	10.67	10.67	0 PERIOD
497 UCART1	387689	3744702	0.38568	10.63	10.63	0 PERIOD
498 UCART1	387739	3744702	0.48315	10.78	10.78	0 PERIOD
499 UCART1	387789	3744702	0.62238	11.1	11.1	0 PERIOD
500 UCART1	387839	3744702	0.82822	11.47	11.47	0 PERIOD
501 UCART1	387889	3744702	1.13306	12.84	12.84	0 PERIOD
502 UCART1	387939	3744702	1.62685	11.25	11.25	0 PERIOD
503 UCART1	387989	3744702	2.10731	10.76	10.76	0 PERIOD
504 UCART1	388039	3744702	2.2594	10.95	10.95	0 PERIOD
505 UCART1	388089	3744702	2.11935	11.08	11.08	0 PERIOD
506 UCART1	388139	3744702	1.79572	11.27	11.27	0 PERIOD
507 UCART1	388189	3744702	1.36447	10.97	10.97	0 PERIOD
508 UCART1	388289	3744702	0.67568	11.47	11.47	0 PERIOD
509 UCART1	387289	3744752	0.11045	9.96	9.96	0 PERIOD
510 UCART1	387339	3744752	0.12297	10.2	10.2	0 PERIOD
511 UCART1	387389	3744752	0.13783	10.15	10.15	0 PERIOD
512 UCART1	387439	3744752	0.15566	10.22	10.22	0 PERIOD
513 UCART1	387489	3744752	0.17731	10.49	10.49	0 PERIOD
514 UCART1	387539	3744752	0.20404	10.41	10.41	0 PERIOD
515 UCART1	387639	3744752	0.2807	10.4	10.4	0 PERIOD
516 UCART1	387689	3744752	0.33697	10.88	10.88	0 PERIOD

517 UCART1	387739	3744752	0.41299	10.98	10.98	0 PERIOD
518 UCART1	387789	3744752	0.51796	11.05	11.05	0 PERIOD
519 UCART1	387839	3744752	0.66655	10.95	10.95	0 PERIOD
520 UCART1	387889	3744752	0.86595	12.28	12.28	0 PERIOD
521 UCART1	387939	3744752	1.12784	13.3	13.3	0 PERIOD
522 UCART1	387989	3744752	1.40663	11.13	11.13	0 PERIOD
523 UCART1	388039	3744752	1.53599	11.13	11.13	0 PERIOD
524 UCART1	388089	3744752	1.49691	11.29	11.29	0 PERIOD
525 UCART1	388139	3744752	1.32596	11.44	11.44	0 PERIOD
526 UCART1	388189	3744752	1.07668	11.26	11.26	0 PERIOD
527 UCART1	388289	3744752	0.6058	11.48	11.48	0 PERIOD
528 UCART1	387289	3744802	0.10452	9.93	9.93	0 PERIOD
529 UCART1	387339	3744802	0.11573	10.17	10.17	0 PERIOD
530 UCART1	387389	3744802	0.12889	10.25	10.25	0 PERIOD
531 UCART1	387439	3744802	0.14452	10.23	10.23	0 PERIOD
532 UCART1	387489	3744802	0.16329	10.36	10.36	0 PERIOD
533 UCART1	387539	3744802	0.18614	10.43	10.43	0 PERIOD
534 UCART1	387639	3744802	0.24993	10.79	10.79	0 PERIOD
535 UCART1	387689	3744802	0.29541	11.07	11.07	0 PERIOD
536 UCART1	387739	3744802	0.35583	10.91	10.91	0 PERIOD
537 UCART1	387789	3744802	0.43528	11.26	11.26	0 PERIOD
538 UCART1	387839	3744802	0.54262	11.47	11.47	0 PERIOD
539 UCART1	387889	3744802	0.68491	11.61	11.61	0 PERIOD
540 UCART1	387939	3744802	0.85547	11.93	11.93	0 PERIOD
541 UCART1	387989	3744802	1.01655	12.61	12.61	0 PERIOD
542 UCART1	388039	3744802	1.11469	12.67	14.55	0 PERIOD
543 UCART1	388089	3744802	1.11822	11.61	11.61	0 PERIOD
544 UCART1	388139	3744802	1.02519	11.78	11.78	0 PERIOD
545 UCART1	388189	3744802	0.86877	12.53	12.53	0 PERIOD
546 UCART1	388289	3744802	0.54176	11.64	11.64	0 PERIOD
547 UCART1	387289	3744852	0.09878	10	10	0 PERIOD
548 UCART1	387339	3744852	0.10878	10.27	10.27	0 PERIOD
549 UCART1	387389	3744852	0.12042	10.18	10.18	0 PERIOD
550 UCART1	387439	3744852	0.1341	10.45	10.45	0 PERIOD
551 UCART1	387489	3744852	0.15035	10.45	10.45	0 PERIOD
552 UCART1	387539	3744852	0.16989	10.54	10.54	0 PERIOD
553 UCART1	387589	3744852	0.19376	10.57	10.57	0 PERIOD
554 UCART1	387639	3744852	0.22323	10.92	10.92	0 PERIOD
555 UCART1	387689	3744852	0.2606	10.98	10.98	0 PERIOD
556 UCART1	387739	3744852	0.30907	10.63	10.63	0 PERIOD
557 UCART1	387789	3744852	0.37089	11.2	11.2	0 PERIOD
558 UCART1	387839	3744852	0.45244	11.16	11.16	0 PERIOD
559 UCART1	387889	3744852	0.55409	11.43	11.43	0 PERIOD
560 UCART1	387939	3744852	0.67142	11.53	11.53	0 PERIOD
561 UCART1	387989	3744852	0.78316	11.44	11.44	0 PERIOD
562 UCART1	388039	3744852	0.85495	11.95	11.95	0 PERIOD
563 UCART1	388089	3744852	0.86079	13.84	15.6	0 PERIOD

564 UCART1	388139	3744852	0.81475	12.77	16.25	0 PERIOD
565 UCART1	388189	3744852	0.72132	11.46	16.25	0 PERIOD
566 UCART1	388289	3744852	0.48594	11.05	17.72	0 PERIOD
567 UCART1	387289	3744902	0.09328	9.94	9.94	0 PERIOD
568 UCART1	387339	3744902	0.10218	10.13	10.13	0 PERIOD
569 UCART1	387389	3744902	0.11246	10.21	10.21	0 PERIOD
570 UCART1	387439	3744902	0.12444	10.26	10.26	0 PERIOD
571 UCART1	387489	3744902	0.13852	10.37	10.37	0 PERIOD
572 UCART1	387539	3744902	0.15529	10.42	10.42	0 PERIOD
573 UCART1	387589	3744902	0.17553	10.52	10.52	0 PERIOD
574 UCART1	387689	3744902	0.2311	10.91	10.91	0 PERIOD
575 UCART1	387739	3744902	0.27035	10.63	10.63	0 PERIOD
576 UCART1	387789	3744902	0.32012	10.5	10.5	0 PERIOD
577 UCART1	387839	3744902	0.38282	10.58	10.58	0 PERIOD
578 UCART1	387889	3744902	0.45874	10.83	10.83	0 PERIOD
579 UCART1	387939	3744902	0.54212	11.35	11.35	0 PERIOD
580 UCART1	387989	3744902	0.62185	11.33	11.33	0 PERIOD
581 UCART1	388039	3744902	0.67804	11.19	11.19	0 PERIOD
582 UCART1	388089	3744902	0.69409	11.57	11.57	0 PERIOD
583 UCART1	388139	3744902	0.66642	12.02	16.25	0 PERIOD
584 UCART1	388189	3744902	0.60285	12.41	16.11	0 PERIOD
585 UCART1	388239	3744902	0.494	15.8	16.17	0 PERIOD
586 UCART1	387289	3744952	0.08804	10.21	10.21	0 PERIOD
587 UCART1	387339	3744952	0.09595	10.5	10.5	0 PERIOD
588 UCART1	387389	3744952	0.10503	10.48	10.48	0 PERIOD
589 UCART1	387439	3744952	0.11551	10.54	10.54	0 PERIOD
590 UCART1	387489	3744952	0.12773	10.61	10.61	0 PERIOD
591 UCART1	387539	3744952	0.14215	10.71	10.71	0 PERIOD
592 UCART1	387589	3744952	0.15939	10.8	10.8	0 PERIOD
593 UCART1	387689	3744952	0.20599	11.01	11.01	0 PERIOD
594 UCART1	387739	3744952	0.2383	10.6	10.6	0 PERIOD
595 UCART1	387789	3744952	0.2782	10.8	10.8	0 PERIOD
596 UCART1	387839	3744952	0.32718	10.99	10.99	0 PERIOD
597 UCART1	387889	3744952	0.3851	11.02	11.02	0 PERIOD
598 UCART1	387939	3744952	0.44808	10.98	10.98	0 PERIOD
599 UCART1	387989	3744952	0.50651	11.41	11.41	0 PERIOD
600 UCART1	388039	3744952	0.55009	11.45	11.45	0 PERIOD
601 UCART1	388089	3744952	0.56737	11.52	11.52	0 PERIOD
602 UCART1	388139	3744952	0.55377	11.69	11.69	0 PERIOD
603 UCART1	388189	3744952	0.51334	11.47	11.47	0 PERIOD
604 UCART1	388239	3744952	0.45398	11.63	11.63	0 PERIOD

Source Gro Num Hours (NUM HRS)

			Con1	Con2	Con3
CON1	43848		0.0297	0.03023	0.0296
CON1	43848		0.03062	0.03117	0.03052
CON1	43848		0.03157	0.03214	0.03147
CON1	43848		0.03256	0.03315	0.03246
CON1	43848		0.0336	0.0342	0.0335
CON1	43848		0.0347	0.03532	0.0346
CON1	43848		0.03584	0.03649	0.03575
CON1	43848		0.03703	0.0377	0.03694
CON1	43848		0.03828	0.03897	0.03818
CON1	43848		0.03958	0.04029	0.03949
CON1	43848		0.04093	0.04167	0.04084
CON1	43848		0.04233	0.0431	0.04225
CON1	43848		0.04379	0.04458	0.04371
CON1	43848		0.0453	0.04611	0.04523
CON1	43848		0.04686	0.04768	0.04679
CON1	43848		0.04845	0.04927	0.04838
CON1	43848		0.05007	0.0509	0.05002
CON1	43848		0.05171	0.05254	0.05167
CON1	43848		0.05336	0.05417	0.05332
CON1	43848		0.055	0.05579	0.05497
CON1	43848		0.05661	0.05737	0.05659
CON1	43848		0.05817	0.05889	0.05817
CON1	43848		0.05966	0.06032	0.05966
CON1	43848		0.06105	0.06164	0.06105
CON1	43848		0.06231	0.06282	0.06231
CON1	43848		0.06341	0.06382	0.06342
CON1	43848		0.06434	0.06464	0.06435
CON1	43848		0.06507	0.06525	0.06508
CON1	43848		0.0656	0.06565	0.0656
CON1	43848		0.06593	0.06585	0.06593
CON1	43848		0.06606	0.06587	0.06606
CON1	43848		0.06601	0.06571	0.06601
CON1	43848		0.06578	0.0654	0.06577
CON1	43848		0.03088	0.03146	0.03077
CON1	43848	On freeway	0.03189	0.03249	0.03178
CON1	43848		0.03294	0.03356	0.03283
CON1	43848		0.03403	0.03467	0.03392
CON1	43848		0.03517	0.03584	0.03506
CON1	43848		0.03637	0.03706	0.03627
CON1	43848		0.03763	0.03835	0.03753
CON1	43848		0.03896	0.0397	0.03886
CON1	43848		0.04034	0.04111	0.04024
CON1	43848		0.04178	0.04258	0.04169
CON1	43848		0.04329	0.04412	0.0432
CON1	43848		0.04487	0.04572	0.04479
CON1	43848		0.04651	0.04739	0.04644

CON1	43848	0.04822	0.04912	0.04815	
CON1	43848	0.04998	0.0509	0.04992	
CON1	43848	0.0518	0.05273	0.05175	
CON1	43848	0.05366	0.0546	0.05362	
CON1	43848	0.05555	0.05649	0.05553	
CON1	43848	0.05746	0.05838	0.05745	
CON1	43848	0.05936	0.06027	0.05937	
CON1	43848	0.06125	0.06211	0.06126	
CON1	43848	0.06308	0.0639	0.0631	
CON1	43848	0.06482	0.06557	0.06486	
CON1	43848	0.06645	0.06713	0.0665	
CON1	43848	0.06793	0.0685	0.06798	
CON1	43848	0.06921	0.06967	0.06926	
CON1	43848	0.07028	0.0706	0.07033	
CON1	43848	0.07112	0.07129	0.07116	
CON1	43848	0.0717	0.07172	0.07175	
CON1	43848	0.07205	0.07192	0.07209	
CON1	43848	0.07216	0.07189	0.0722	
CON1	43848	0.07206	0.07166	0.07209	
CON1	43848	0.07179	0.07129	0.07181	
CON1	43848	0.0321	0.03274	0.03198	
CON1	43848	0.03321	0.03387	0.03309	
CON1	43848	0.03437	0.03505	0.03425	
CON1	43848	0.03558	0.03629	0.03546	
CON1	43848	0.03683	0.03757	0.03672	
CON1	43848	0.03817	0.03894	0.03806	
CON1	43848	0.03957	0.04036	0.03946	
CON1	43848	0.04103	0.04186	0.04093	
CON1	43848	0.04257	0.04342	0.04247	
CON1	43848	0.04418	0.04507	0.04409	
CON1	43848	0.04588	0.0468	0.04579	
CON1	43848	0.04767	0.04862	0.04759	
CON1	43848	0.0577	0.05877	0.05769	
CON1	43848	0.05989	0.06096	0.05989	
CON1	43848	0.06212	0.06318	0.06214	
CON1	43848	0.06435	0.06539	0.06439	
CON1	43848	0.06657	0.06757	0.06663	
CON1	43848	0.06872	0.06967	0.0688	
CON1	43848	0.07079	0.07166	0.07088	
CON1	43848	0.07272	0.07349	0.07282	
CON1	43848	0.07446	0.07511	0.07457	
CON1	43848	0.07597	0.07648	0.07608	
CON1	43848	0.07722	0.07756	0.07733	
CON1	43848	0.07817	0.07833	0.07828	
CON1	43848	0.07883	0.07881	0.07894	
CON1	43848	0.07919	0.07898	0.07928	
CON1	43848	0.07927	0.07889	0.07936	

CON1	43848	0.0791	0.07857	0.07918	
CON1	43848	0.07859	0.07795	0.07866	
CON1	43848	0.07858	0.07971	0.07869	
CON1	43848	0.08009	0.081	0.08007	
CON1	43848	0.08391	0.08448	0.08412	
CON1	43848	0.08539	0.08575	0.08559	
CON1	43848	0.0865	0.08664	0.0867	
CON1	43848	0.08723	0.08714	0.08742	
CON1	43848	0.08758	0.08726	0.08775	
CON1	43848	0.08739	0.08687	0.08754	
CON1	43848	0.08726	0.08656	0.0874	
CON1	43848	0.0868	0.08596	0.08693	
CON1	43848	0.03331	0.03405	0.03317	
CON1	43848	0.03466	0.03544	0.03452	
CON1	43848	0.036	0.03681	0.03585	
CON1	43848	0.0374	0.03825	0.03726	
CON1	43848	0.03889	0.03977	0.03874	
CON1	43848	0.04044	0.04135	0.0403	
CON1	43848	0.0421	0.04305	0.04196	
CON1	43848	0.04384	0.04483	0.04371	
CON1	43848	0.04567	0.04671	0.04555	
CON1	43848	0.04761	0.04868	0.0475	
CON1	43848	0.04964	0.05075	0.04954	
CON1	43848	0.05181	0.05297	0.05172	
CON1	43848	0.0541	0.0553	0.05403	
CON1	43848	0.09645	0.09627	0.09674	
CON1	43848	0.09704	0.09657	0.09731	
CON1	43848	0.09698	0.09626	0.09723	
CON1	43848	0.09706	0.09613	0.0973	
CON1	43848	0.09636	0.09526	0.09659	
CON1	43848	0.03458	0.03539	0.03443	
CON1	43848	0.03597	0.03682	0.03581	
CON1	43848	0.03744	0.03833	0.03728	
CON1	43848	0.03899	0.03993	0.03883	
CON1	43848	0.04063	0.04161	0.04047	
CON1	43848	0.04236	0.04339	0.04221	
CON1	43848	0.04422	0.04529	0.04406	
CON1	43848	0.04617	0.04729	0.04603	
CON1	43848	0.04824	0.04941	0.04811	
CON1	43848	0.05043	0.05165	0.05031	
CON1	43848	0.05276	0.05403	0.05266	
CON1	43848	0.05523	0.05655	0.05514	
CON1	43848	0.05784	0.05921	0.05778	
CON1	43848	0.06059	0.06202	0.06056	
CON1	43848	0.06354	0.06502	0.06354	
CON1	43848	0.06663	0.06816	0.06666	
CON1	43848	0.0699	0.07148	0.06997	

CON1	43848	0.03578	0.03667	0.03561	
CON1	43848	0.0373	0.03823	0.03713	
CON1	43848	0.03891	0.03989	0.03873	
CON1	43848	0.04062	0.04166	0.04044	
CON1	43848	0.04244	0.04353	0.04226	
CON1	43848	0.04436	0.04551	0.04419	
CON1	43848	0.04643	0.04764	0.04626	
CON1	43848	0.04863	0.04989	0.04847	
CON1	43848	0.05097	0.05229	0.05082	
CON1	43848	0.05345	0.05484	0.05332	
CON1	43848	0.05611	0.05756	0.056	
CON1	43848	0.05894	0.06045	0.05885	
CON1	43848	0.06195	0.06353	0.06189	
CON1	43848	0.06514	0.06679	0.06512	
CON1	43848	0.06855	0.07026	0.06857	
CON1	43848	0.07218	0.07396	0.07226	
CON1	43848	0.07602	0.07785	0.07615	
CON1	43848	0.08009	0.08197	0.08028	
CON1	43848	0.08436	0.08628	0.08463	
CON1	43848	0.08879	0.09072	0.08914	
CON1	43848	0.09804	0.09992	0.09856	
CON1	43848	0.10269	0.10448	0.1033	
CON1	43848	0.10719	0.10884	0.10789	
CON1	43848	0.07017	0.07209	0.07017	
CON1	43848	0.07416	0.07615	0.07422	
CON1	43848	0.07845	0.08052	0.07858	
CON1	43848	0.08296	0.08511	0.08318	
CON1	43848	0.08789	0.0901	0.08819	
CON1	43848	0.09303	0.0953	0.09344	
CON1	43848	0.09843	0.10073	0.09896	
CON1	43848	0.10406	0.10635	0.10472	
CON1	43848	0.10985	0.1121	0.11064	
CON1	43848	0.11559	0.11775	0.1165	
CON1	43848	0.12128	0.12327	0.12232	
CON1	43848	0.12668	0.12841	0.12783	
CON1	43848	0.13159	0.13295	0.13281	
CON1	43848	0.13573	0.13662	0.13698	
CON1	43848	0.07572	0.07796	0.07573	
CON1	43848	0.08043	0.08278	0.08052	
CON1	43848	0.08553	0.08798	0.08572	
CON1	43848	0.0969	0.09954	0.09734	
CON1	43848	0.10314	0.10585	0.10374	
CON1	43848	0.10985	0.1126	0.11063	
CON1	43848	0.11685	0.11961	0.11783	
CON1	43848	0.12414	0.12685	0.12533	
CON1	43848	0.13152	0.13413	0.13292	
CON1	43848	0.13868	0.14109	0.14025	

CON1	43848	0.14569	0.14778	0.14744	
CON1	43848	0.15206	0.15367	0.15394	
CON1	43848	0.15738	0.15837	0.15931	
CON1	43848	0.16146	0.16169	0.16338	
CON1	43848	0.08181	0.08446	0.08182	
CON1	43848	0.08742	0.09022	0.08754	
CON1	43848	0.09352	0.09645	0.09377	
CON1	43848	0.10736	0.11054	0.10798	
CON1	43848	0.11509	0.11838	0.11595	
CON1	43848	0.12341	0.12675	0.12453	
CON1	43848	0.13233	0.13568	0.13377	
CON1	43848	0.14166	0.14497	0.14344	
CON1	43848	0.15125	0.15443	0.15338	
CON1	43848	0.16083	0.16376	0.16329	
CON1	43848	0.17001	0.17252	0.17275	
CON1	43848	0.17832	0.18022	0.18125	
CON1	43848	0.1853	0.18636	0.18831	
CON1	43848	0.19058	0.1906	0.19357	
CON1	43848	0.19393	0.19276	0.19682	
CON1	43848	0.08842	0.09157	0.08841	
CON1	43848	0.09511	0.09846	0.09524	
CON1	43848	0.10248	0.10603	0.10279	
CON1	43848	0.11044	0.11417	0.11099	
CON1	43848	0.11946	0.12337	0.1203	
CON1	43848	0.12914	0.13318	0.13032	
CON1	43848	0.13977	0.1439	0.14139	
CON1	43848	0.16345	0.16754	0.16613	
CON1	43848	0.17619	0.18011	0.17946	
CON1	43848	0.18908	0.19267	0.19292	
CON1	43848	0.20154	0.20459	0.20586	
CON1	43848	0.21285	0.21509	0.21751	
CON1	43848	0.22229	0.22337	0.22711	
CON1	43848	0.22928	0.22887	0.23407	
CON1	43848	0.23347	0.23135	0.23807	
CON1	43848	0.23463	0.23084	0.23886	
CON1	43848	0.09551	0.09926	0.09547	
CON1	43848	0.10349	0.10753	0.10362	
CON1	43848	0.1124	0.11672	0.11276	
CON1	43848	0.12234	0.12693	0.12301	
CON1	43848	0.13352	0.13837	0.13462	
CON1	43848	0.14584	0.1509	0.14745	
CON1	43848	0.15957	0.16475	0.16187	
CON1	43848	0.17462	0.17985	0.17774	
CON1	43848	0.19059	0.19574	0.19457	
CON1	43848	0.20809	0.21301	0.21312	
CON1	43848	0.24383	0.24754	0.25086	
CON1	43848	0.25978	0.26237	0.26744	

CON1	43848	0.27299	0.27394	0.28094	
CON1	43848	0.28252	0.28126	0.29043	
CON1	43848	0.28784	0.28398	0.29538	
CON1	43848	0.28884	0.28245	0.29572	
CON1	43848	0.103	0.10746	0.10291	
CON1	43848	0.11251	0.11738	0.1126	
CON1	43848	0.12331	0.12859	0.12368	
CON1	43848	0.13558	0.14128	0.13637	
CON1	43848	0.1496	0.1557	0.15096	
CON1	43848	0.16486	0.17123	0.16695	
CON1	43848	0.18312	0.18977	0.18625	
CON1	43848	0.20356	0.21032	0.20805	
CON1	43848	0.22624	0.23287	0.2324	
CON1	43848	0.25101	0.25722	0.25913	
CON1	43848	0.30237	0.30686	0.3142	
CON1	43848	0.32558	0.32848	0.3386	
CON1	43848	0.34508	0.34558	0.35872	
CON1	43848	0.35899	0.35596	0.37263	
CON1	43848	0.3657	0.35858	0.37858	
CON1	43848	0.36553	0.35448	0.37694	
CON1	43848	0.11074	0.11601	0.11054	
CON1	43848	0.12199	0.12784	0.122	
CON1	43848	0.15013	0.15723	0.15097	
CON1	43848	0.16778	0.1755	0.16938	
CON1	43848	0.18826	0.19656	0.19095	
CON1	43848	0.21119	0.2198	0.2154	
CON1	43848	0.24033	0.2492	0.24687	
CON1	43848	0.27257	0.28123	0.28211	
CON1	43848	0.30901	0.31696	0.32228	
CON1	43848	0.38883	0.39375	0.4102	
CON1	43848	0.42538	0.428	0.44938	
CON1	43848	0.45533	0.4542	0.4806	
CON1	43848	0.47529	0.46851	0.50037	
CON1	43848	0.48327	0.46966	0.50642	
CON1	43848	0.47972	0.45965	0.49919	
CON1	43848	0.41534	0.39054	0.42091	
CON1	43848	0.38572	0.36233	0.38777	
CON1	43848	0.1185	0.12469	0.11815	
CON1	43848	0.13169	0.13868	0.13155	
CON1	43848	0.16569	0.17452	0.16649	
CON1	43848	0.18778	0.19761	0.18955	
CON1	43848	0.21449	0.22528	0.21778	
CON1	43848	0.2458	0.25729	0.25135	
CON1	43848	0.28575	0.2977	0.29496	
CON1	43848	0.33325	0.34485	0.3478	
CON1	43848	0.38759	0.39761	0.40927	
CON1	43848	0.52116	0.52517	0.56187	

CON1	43848	0.58294	0.58317	0.63037	
CON1	43848	0.63209	0.62671	0.68234	
CON1	43848	0.66432	0.64939	0.71413	
CON1	43848	0.67476	0.64683	0.71946	
CON1	43848	0.66044	0.62106	0.69443	
CON1	43848	0.52728	0.48572	0.53127	
CON1	43848	0.4762	0.43897	0.47517	
CON1	43848	0.12602	0.13322	0.12546	
CON1	43848	0.14123	0.1495	0.14085	
CON1	43848	0.1817	0.19262	0.18229	
CON1	43848	0.20901	0.2215	0.21072	
CON1	43848	0.24319	0.25729	0.24683	
CON1	43848	0.28587	0.30141	0.29273	
CON1	43848	0.34053	0.3568	0.35301	
CON1	43848	0.4128	0.4283	0.43487	
CON1	43848	0.50796	0.51963	0.54585	
CON1	43848	0.7543	0.74864	0.84306	
CON1	43848	0.87558	0.86402	0.98539	
CON1	43848	0.96299	0.9446	1.08037	
CON1	43848	1.01683	0.98164	1.13186	
CON1	43848	1.02096	0.95643	1.11565	
CON1	43848	0.97241	0.88334	1.03156	
CON1	43848	0.67919	0.60586	0.67594	
CON1	43848	0.58734	0.52765	0.57921	
CON1	43848	0.13294	0.1412	0.13211	
CON1	43848	0.15016	0.15982	0.14944	
CON1	43848	0.1973	0.21065	0.19741	
CON1	43848	0.2303	0.24602	0.23155	
CON1	43848	0.27297	0.29138	0.27643	
CON1	43848	0.32907	0.35023	0.33665	
CON1	43848	0.40771	0.43095	0.42367	
CON1	43848	0.51965	0.54158	0.55223	
CON1	43848	0.69071	0.70021	0.75782	
CON1	43848	1.2766	1.19783	1.52435	
CON1	43848	1.56579	1.48064	1.90133	
CON1	43848	1.72059	1.65696	2.06836	
CON1	43848	1.80825	1.71766	2.14622	
CON1	43848	1.77443	1.57894	2.01534	
CON1	43848	1.606	1.33355	1.69212	
CON1	43848	0.8711	0.74311	0.85035	
CON1	43848	0.71344	0.6219	0.69378	
CON1	43848	0.1389	0.14821	0.13773	
CON1	43848	0.15795	0.16903	0.15678	
CON1	43848	0.21135	0.22736	0.21067	
CON1	43848	0.24986	0.26931	0.25012	
CON1	43848	0.30113	0.32484	0.30345	
CON1	43848	0.37218	0.40097	0.37903	

CON1	43848	0.47485	0.50882	0.4917	
CON1	43848	0.64308	0.67836	0.68508	
CON1	43848	0.95803	0.96632	1.06798	
CON1	43848	1.79371	1.53155	2.12938	
CON1	43848	2.9141	2.49764	3.94613	
CON1	43848	3.55228	3.38863	4.96563	
CON1	43848	3.84223	4.00318	5.08943	
CON1	43848	3.95507	4.19322	5.31849	
CON1	43848	3.84857	3.21056	5.41289	
CON1	43848	3.59119	2.08588	3.23417	
CON1	43848	1.47281	1.12173	1.39483	
CON1	43848	1.08422	0.88298	1.03756	
CON1	43848	0.84001	0.71212	0.80753	
CON1	43848	0.14356	0.15384	0.14204	
CON1	43848	0.16411	0.17651	0.16242	
CON1	43848	0.18982	0.20495	0.18803	
CON1	43848	0.2227	0.24137	0.22095	
CON1	43848	0.26583	0.28917	0.26452	
CON1	43848	0.32435	0.35394	0.32439	
CON1	43848	0.40749	0.44547	0.41111	
CON1	43848	0.53347	0.58267	0.5463	
CON1	43848	0.74819	0.81078	0.78754	
CON1	43848	1.19448	1.26255	1.32297	
CON1	43848	2.89095	2.80392	3.4982	
CON1	43848	1.88579	1.33683	1.73674	
CON1	43848	1.28314	1.01027	1.21391	
CON1	43848	0.95264	0.79025	0.9109	
CON1	43848	0.14667	0.15773	0.14482	
CON1	43848	0.16825	0.18176	0.16608	
CON1	43848	0.19544	0.21216	0.19291	
CON1	43848	0.23043	0.25144	0.22755	
CON1	43848	0.27662	0.3035	0.27347	
CON1	43848	0.33997	0.37508	0.33702	
CON1	43848	0.42974	0.47671	0.42805	
CON1	43848	0.56883	0.63391	0.57228	
CON1	43848	0.80495	0.8989	0.82561	
CON1	43848	1.28882	1.43359	1.3742	
CON1	43848	2.83251	3.08958	3.27852	
CON1	43848	2.25892	1.52938	2.04934	
CON1	43848	1.45272	1.11609	1.36879	
CON1	43848	1.04608	0.85077	1.00108	
CON1	43848	0.1481	0.15971	0.14604	
CON1	43848	0.17021	0.18449	0.1677	
CON1	43848	0.19813	0.21598	0.19505	
CON1	43848	0.28188	0.31136	0.27723	
CON1	43848	0.34692	0.38621	0.34123	
CON1	43848	0.43896	0.49277	0.43228	

CON1	43848	0.57944	0.65646	0.57277	
CON1	43848	0.8143	0.9313	0.81225	
CON1	43848	1.26331	1.45535	1.28674	
CON1	43848	2.40763	2.78384	2.58131	
CON1	43848	2.607	1.68983	2.34425	
CON1	43848	1.59345	1.18947	1.50243	
CON1	43848	1.11861	0.88725	1.07795	
CON1	43848	0.14788	0.15971	0.14575	
CON1	43848	0.17002	0.18464	0.16737	
CON1	43848	0.19796	0.21634	0.19463	
CON1	43848	0.28155	0.31239	0.27607	
CON1	43848	0.3462	0.38773	0.33894	
CON1	43848	0.43672	0.49431	0.42694	
CON1	43848	0.57256	0.65617	0.55942	
CON1	43848	0.79338	0.92241	0.77678	
CON1	43848	1.18902	1.4046	1.17529	
CON1	43848	2.04084	2.4607	2.07803	
CON1	43848	2.94249	1.8176	2.67529	
CON1	43848	1.73071	1.23835	1.65168	
CON1	43848	1.17565	0.90088	1.15312	
CON1	43848	0.14614	0.15789	0.14411	
CON1	43848	0.16784	0.18239	0.16531	
CON1	43848	0.19517	0.21347	0.19195	
CON1	43848	0.23024	0.25373	0.22608	
CON1	43848	0.27635	0.30719	0.27085	
CON1	43848	0.33816	0.37974	0.33061	
CON1	43848	0.4252	0.48326	0.41466	
CON1	43848	0.55138	0.63557	0.53632	
CON1	43848	0.74962	0.87893	0.72827	
CON1	43848	1.09668	1.31359	1.06989	
CON1	43848	1.78264	2.19931	1.76567	
CON1	43848	3.56443	4.63115	3.66976	
CON1	43848	3.28113	1.90593	3.07216	
CON1	43848	1.83749	1.24613	1.80807	
CON1	43848	1.20616	0.886	1.22348	
CON1	43848	0.14308	0.15447	0.14129	
CON1	43848	0.16397	0.17804	0.16173	
CON1	43848	0.19015	0.20782	0.18731	
CON1	43848	0.22354	0.24616	0.21986	
CON1	43848	0.26709	0.29671	0.26222	
CON1	43848	0.32536	0.36519	0.31872	
CON1	43848	0.40519	0.46038	0.39585	
CON1	43848	0.52201	0.60194	0.5089	
CON1	43848	0.6999	0.8217	0.6818	
CON1	43848	0.9853	1.18327	0.96165	
CON1	43848	1.54138	1.91514	1.5162	
CON1	43848	2.78266	3.65027	2.78863	

CON1	43848	3.57021	1.91636	3.58855	
CON1	43848	1.8844	1.20342	1.97457	
CON1	43848	1.18917	0.83643	1.26667	
CON1	43848	0.13895	0.14976	0.13745	
CON1	43848	0.15871	0.17201	0.15687	
CON1	43848	0.18331	0.19993	0.18099	
CON1	43848	0.21446	0.2356	0.21148	
CON1	43848	0.3078	0.34435	0.30262	
CON1	43848	0.38049	0.4306	0.37363	
CON1	43848	0.48348	0.55478	0.47448	
CON1	43848	0.63759	0.74427	0.62644	
CON1	43848	0.88507	1.05677	0.87307	
CON1	43848	1.31314	1.61923	1.30479	
CON1	43848	2.22012	2.89227	2.24203	
CON1	43848	1.82921	1.10318	2.09235	
CON1	43848	1.10856	0.75637	1.23807	
CON1	43848	0.13398	0.14408	0.13279	
CON1	43848	0.15241	0.16475	0.15096	
CON1	43848	0.17516	0.19045	0.17336	
CON1	43848	0.20368	0.22294	0.20143	
CON1	43848	0.2401	0.26482	0.23728	
CON1	43848	0.28768	0.32009	0.28417	
CON1	43848	0.35159	0.3952	0.34735	
CON1	43848	0.44074	0.50138	0.43609	
CON1	43848	0.57096	0.65915	0.56701	
CON1	43848	0.77323	0.91002	0.77299	
CON1	43848	1.10375	1.33397	1.11511	
CON1	43848	1.75996	2.22681	1.81429	
CON1	43848	3.33818	4.62436	3.64851	
CON1	43848	1.60872	0.96539	1.93326	
CON1	43848	0.97845	0.67079	1.10895	
CON1	43848	0.12844	0.13775	0.12751	
CON1	43848	0.1454	0.15669	0.14428	
CON1	43848	0.16613	0.17999	0.16479	
CON1	43848	0.19185	0.20909	0.19025	
CON1	43848	0.22431	0.24609	0.22243	
CON1	43848	0.32138	0.35824	0.31934	
CON1	43848	0.39688	0.44673	0.39559	
CON1	43848	0.50434	0.5743	0.50538	
CON1	43848	0.66519	0.76859	0.67198	
CON1	43848	0.9199	1.0833	0.94043	
CON1	43848	1.37016	1.65812	1.42926	
CON1	43848	2.30263	2.88781	2.50714	
CON1	43848	4.86042	2.30461	6.23424	
CON1	43848	1.33766	0.84856	1.5739	
CON1	43848	0.85143	0.60039	0.95236	
CON1	43848	0.12254	0.13106	0.12182	

CON1	43848	0.13798	0.1482	0.13713	
CON1	43848	0.15667	0.16908	0.1557	
CON1	43848	0.1796	0.19482	0.17851	
CON1	43848	0.20816	0.22708	0.20702	
CON1	43848	0.29149	0.32214	0.29095	
CON1	43848	0.3544	0.39466	0.35513	
CON1	43848	0.44175	0.49626	0.44528	
CON1	43848	0.56696	0.64368	0.57601	
CON1	43848	0.75502	0.86818	0.77532	
CON1	43848	1.04335	1.21759	1.08776	
CON1	43848	1.58467	1.86979	1.69613	
CON1	43848	2.59449	2.84538	2.90419	
CON1	43848	3.77934	3.42499	4.52603	
CON1	43848	3.75696	3.23006	4.62248	
CON1	43848	3.32743	2.58437	4.08111	
CON1	43848	2.65322	1.75683	3.22412	
CON1	43848	1.79639	1.13314	2.16655	
CON1	43848	1.13343	0.7631	1.30879	
CON1	43848	0.75363	0.54606	0.83473	
CON1	43848	0.11649	0.12424	0.11592	
CON1	43848	0.13044	0.13964	0.12979	
CON1	43848	0.14715	0.15817	0.14645	
CON1	43848	0.16742	0.18075	0.16671	
CON1	43848	0.19235	0.20864	0.19174	
CON1	43848	0.22355	0.2437	0.22325	
CON1	43848	0.26339	0.28868	0.2638	
CON1	43848	0.31542	0.34778	0.31721	
CON1	43848	0.38568	0.42817	0.39005	
CON1	43848	0.48315	0.54081	0.49198	
CON1	43848	0.62238	0.70359	0.63899	
CON1	43848	0.82822	0.94704	0.85915	
CON1	43848	1.13306	1.30182	1.19298	
CON1	43848	1.62685	1.78968	1.76423	
CON1	43848	2.10731	2.11833	2.37614	
CON1	43848	2.2594	2.109	2.61124	
CON1	43848	2.11935	1.81239	2.46778	
CON1	43848	1.79572	1.37606	2.09127	
CON1	43848	1.36447	0.97652	1.57839	
CON1	43848	0.67568	0.50352	0.74345	
CON1	43848	0.11045	0.11745	0.10999	
CON1	43848	0.12297	0.1312	0.12248	
CON1	43848	0.13783	0.14757	0.13735	
CON1	43848	0.15566	0.16727	0.15526	
CON1	43848	0.17731	0.19126	0.17709	
CON1	43848	0.20404	0.22097	0.20424	
CON1	43848	0.2807	0.30678	0.283	
CON1	43848	0.33697	0.37036	0.34137	

CON1	43848	0.41299	0.4571	0.42067	
CON1	43848	0.51796	0.57842	0.53066	
CON1	43848	0.66655	0.75145	0.68744	
CON1	43848	0.86595	0.97704	0.90207	
CON1	43848	1.12784	1.24017	1.19662	
CON1	43848	1.40663	1.45908	1.53238	
CON1	43848	1.53599	1.49343	1.7077	
CON1	43848	1.49691	1.35139	1.68315	
CON1	43848	1.32596	1.10148	1.49749	
CON1	43848	1.07668	0.83827	1.21273	
CON1	43848	0.6058	0.46595	0.6618	
CON1	43848	0.10452	0.11082	0.10416	
CON1	43848	0.11573	0.12305	0.11537	
CON1	43848	0.12889	0.13745	0.1286	
CON1	43848	0.14452	0.15457	0.14437	
CON1	43848	0.16329	0.17519	0.1634	
CON1	43848	0.18614	0.20035	0.18671	
CON1	43848	0.24993	0.27108	0.25236	
CON1	43848	0.29541	0.32198	0.29948	
CON1	43848	0.35583	0.39049	0.36216	
CON1	43848	0.43528	0.48144	0.44473	
CON1	43848	0.54262	0.60461	0.55683	
CON1	43848	0.68491	0.76251	0.70811	
CON1	43848	0.85547	0.93408	0.89629	
CON1	43848	1.01655	1.06684	1.08388	
CON1	43848	1.11469	1.10934	1.20837	
CON1	43848	1.11822	1.04535	1.22667	
CON1	43848	1.02519	0.89638	1.13169	
CON1	43848	0.86877	0.7165	0.95945	
CON1	43848	0.54176	0.43046	0.58738	
CON1	43848	0.09878	0.10443	0.09852	
CON1	43848	0.10878	0.11526	0.10857	
CON1	43848	0.12042	0.1279	0.12031	
CON1	43848	0.1341	0.14277	0.13416	
CON1	43848	0.15035	0.16048	0.1507	
CON1	43848	0.16989	0.18183	0.17069	
CON1	43848	0.19376	0.20802	0.19522	
CON1	43848	0.22323	0.24055	0.22557	
CON1	43848	0.2606	0.28221	0.26414	
CON1	43848	0.30907	0.3369	0.31413	
CON1	43848	0.37089	0.40712	0.3779	
CON1	43848	0.45244	0.49947	0.46247	
CON1	43848	0.55409	0.61058	0.56965	
CON1	43848	0.67142	0.72857	0.69715	
CON1	43848	0.78316	0.82397	0.82393	
CON1	43848	0.85495	0.86183	0.91134	
CON1	43848	0.86079	0.82465	0.92714	

CON1	43848	0.81475	0.73798	0.88387
CON1	43848	0.72132	0.62155	0.78437
CON1	43848	0.48594	0.39856	0.52297
CON1	43848	0.09328	0.09831	0.09312
CON1	43848	0.10218	0.10789	0.1021
CON1	43848	0.11246	0.11897	0.1125
CON1	43848	0.12444	0.1319	0.12467
CON1	43848	0.13852	0.14714	0.13904
CON1	43848	0.15529	0.16536	0.15621
CON1	43848	0.17553	0.18747	0.17699
CON1	43848	0.2311	0.24896	0.23406
CON1	43848	0.27035	0.29304	0.27432
CON1	43848	0.32012	0.34921	0.32539
CON1	43848	0.38282	0.41933	0.3901
CON1	43848	0.45874	0.50135	0.46964
CON1	43848	0.54212	0.58491	0.55925
CON1	43848	0.62185	0.65452	0.64799
CON1	43848	0.67804	0.68893	0.71413
CON1	43848	0.69409	0.67572	0.73792
CON1	43848	0.66642	0.61931	0.71335
CON1	43848	0.60285	0.536	0.64749
CON1	43848	0.494	0.42093	0.53044
CON1	43848	0.08804	0.0925	0.08798
CON1	43848	0.09595	0.10097	0.09598
CON1	43848	0.10503	0.11069	0.10519
CON1	43848	0.11551	0.12195	0.11586
CON1	43848	0.12773	0.13512	0.12834
CON1	43848	0.14215	0.15072	0.14309
CON1	43848	0.15939	0.1695	0.16074
CON1	43848	0.20599	0.22092	0.20841
CON1	43848	0.2383	0.25706	0.24141
CON1	43848	0.2782	0.30171	0.2822
CON1	43848	0.32718	0.35586	0.33259
CON1	43848	0.3851	0.41784	0.39298
CON1	43848	0.44808	0.48095	0.46001
CON1	43848	0.50651	0.53269	0.52412
CON1	43848	0.55009	0.56185	0.57421
CON1	43848	0.56737	0.55903	0.5971
CON1	43848	0.55377	0.52451	0.58654
CON1	43848	0.51334	0.46791	0.54583
CON1	43848	0.45398	0.40063	0.48309

IDLE1	IDLE2		A	B	C	D	E	F
0.12126	0.12587		0.15726	0.21235	0.20389	0.29389	0.39631	0.45588
0.12556	0.13034		0.16411	0.22215	0.21492	0.31598	0.43464	0.50584
0.13001	0.13496		0.1713	0.23232	0.2267	0.34048	0.47879	0.56476
0.13465	0.13977		0.1789	0.24292	0.23938	0.3679	0.53022	0.63522
0.1395	0.1448		0.18692	0.25396	0.25304	0.39872	0.59063	0.72054
0.14463	0.1501		0.1955	0.26561	0.26793	0.43386	0.66284	0.82615
0.14997	0.15561		0.20451	0.2776	0.28393	0.47351	0.74891	0.95761
0.15548	0.16129		0.21395	0.28981	0.30103	0.51814	0.85203	1.12359
0.16122	0.16718		0.22386	0.30224	0.31938	0.56872	0.97695	1.33796
0.16717	0.17327		0.23423	0.31475	0.339	0.62592	1.12894	1.62059
0.17332	0.17954		0.24504	0.32716	0.35986	0.69036	1.31399	2.00202
0.17965	0.18596		0.25626	0.3393	0.38195	0.7626	1.53825	2.53083
0.18621	0.1926		0.26796	0.35114	0.4054	0.84361	1.80823	3.29165
0.19293	0.19935		0.27998	0.36232	0.42989	0.93267	2.12258	4.42219
0.19982	0.20622		0.29234	0.37271	0.45538	1.02919	2.47141	6.17586
0.2068	0.21312		0.30484	0.38202	0.48138	1.12994	2.82197	8.9909
0.21392	0.2201		0.31753	0.39029	0.5078	1.2315	3.12792	13.16918
0.22103	0.22697		0.33006	0.39713	0.53362	1.32448	3.35132	16.84858
0.22814	0.23375		0.34236	0.40265	0.55833	1.40082	3.5147	15.79076
0.23517	0.24035		0.35423	0.40685	0.58107	1.45386	3.64395	12.3186
0.24202	0.24665		0.36541	0.40979	0.60082	1.48639	3.72415	9.22867
0.24864	0.2526		0.37573	0.41178	0.61695	1.51372	3.7229	6.92863
0.2549	0.2581		0.38492	0.41303	0.62878	1.5459	3.61363	5.26854
0.26073	0.26306		0.39282	0.41399	0.63627	1.57817	3.39793	4.06949
0.26606	0.26746		0.39934	0.4151	0.64015	1.59845	3.10425	3.1955
0.27081	0.27121		0.40438	0.41674	0.64185	1.59795	2.77138	2.55061
0.27493	0.27429		0.40796	0.41922	0.64337	1.57495	2.43404	2.06825
0.27832	0.27664		0.41014	0.42266	0.64658	1.53194	2.11598	1.70265
0.281	0.2783		0.41125	0.42715	0.65279	1.47351	1.82984	1.42117
0.28295	0.2793		0.41163	0.4325	0.66194	1.40367	1.58007	1.2014
0.28417	0.27969		0.41171	0.43837	0.67286	1.32583	1.36609	1.02783
0.28469	0.27955		0.41201	0.44428	0.68379	1.24299	1.18486	0.88916
0.28474	0.27921		0.41306	0.44976	0.69281	1.15826	1.03138	0.77477
0.12513	0.13012		0.16283	0.22339	0.21166	0.30475	0.40852	0.46407
0.12974	0.13494		0.17025	0.23435	0.22366	0.32873	0.44968	0.51621
0.13456	0.13997		0.17811	0.24586	0.23662	0.35567	0.49769	0.57829
0.13959	0.1452		0.18643	0.25789	0.25061	0.386	0.55408	0.65295
0.14484	0.15067		0.19523	0.27046	0.26575	0.42036	0.62102	0.74403
0.15038	0.15642		0.20462	0.28367	0.28227	0.45973	0.70173	0.85738
0.15617	0.16242		0.21457	0.2974	0.30019	0.50479	0.79977	1.00049
0.16224	0.16869		0.22512	0.3116	0.31964	0.55662	0.92033	1.18491
0.16854	0.17518		0.23621	0.32608	0.34062	0.61613	1.0699	1.42751
0.17508	0.18191		0.24786	0.34072	0.36323	0.68468	1.25785	1.75583
0.18188	0.18888		0.26009	0.35538	0.38757	0.7638	1.49685	2.21547
0.18894	0.19608		0.27292	0.36991	0.41372	0.8552	1.80347	2.88646
0.19623	0.20348		0.28627	0.38398	0.44157	0.95995	2.19562	3.91556

0.20374	0.21107		0.30011	0.39737	0.47109	1.07925	2.68984	5.60632
0.21146	0.21882		0.3144	0.40986	0.50212	1.21321	3.28557	8.68126
0.21936	0.22668		0.32902	0.42115	0.53436	1.35953	3.93469	15.41661
0.22741	0.23461		0.34387	0.43107	0.56733	1.51221	4.52451	13.13284
0.23554	0.24251		0.35873	0.43939	0.60024	1.65872	4.97142	16.21094
0.24368	0.25033		0.37339	0.44605	0.6321	1.78119	5.30002	30.33055
0.25178	0.25796		0.38762	0.4511	0.66173	1.86485	5.48224	16.95021
0.25972	0.2653		0.40111	0.4547	0.68772	1.91752	5.46159	10.81256
0.26742	0.27226		0.41362	0.4572	0.70895	1.96841	5.22556	7.39859
0.27471	0.27867		0.42474	0.4589	0.72426	2.02002	4.79792	5.30522
0.2816	0.28456		0.43445	0.46054	0.73408	2.05097	4.25044	3.94329
0.28787	0.28973		0.44237	0.46242	0.73904	2.04148	3.66474	3.02102
0.29342	0.29408		0.44837	0.46497	0.74151	1.99197	3.10641	2.37617
0.29817	0.29759		0.45252	0.46851	0.74458	1.91229	2.61117	1.91181
0.30216	0.30032		0.45516	0.47332	0.75105	1.81404	2.1904	1.56736
0.30524	0.30219		0.45646	0.4791	0.76114	1.70412	1.84179	1.30743
0.30747	0.30329		0.45705	0.48559	0.77394	1.58848	1.55659	1.10652
0.30882	0.30367		0.45748	0.49224	0.78702	1.47053	1.3245	0.94908
0.30937	0.30348		0.45842	0.49838	0.79774	1.3532	1.1358	0.82383
0.30943	0.30312		0.46069	0.50355	0.8043	1.23958	0.98113	0.72115
0.12907	0.13447		0.16849	0.23502	0.21945	0.31497	0.41851	0.46884
0.13402	0.13968		0.17653	0.24733	0.23249	0.34088	0.46218	0.52243
0.13922	0.14512		0.18507	0.26031	0.24665	0.37017	0.51346	0.58644
0.14467	0.15083		0.19417	0.27402	0.26207	0.40351	0.57436	0.66394
0.15034	0.15675		0.20379	0.28829	0.27874	0.44137	0.64702	0.75859
0.15639	0.16306		0.21419	0.30356	0.29722	0.48554	0.73628	0.87783
0.16271	0.16964		0.22521	0.31942	0.31733	0.53652	0.84601	1.02923
0.16932	0.1765		0.2369	0.33583	0.33924	0.59574	0.98312	1.22595
0.17621	0.18364		0.24928	0.35271	0.36312	0.66496	1.15752	1.48855
0.18343	0.1911		0.26242	0.36999	0.38924	0.74661	1.38434	1.8516
0.19099	0.19888		0.27634	0.3875	0.41774	0.84339	1.68591	2.37427
0.19891	0.20702		0.2911	0.4051	0.44888	0.95889	2.096	3.16368
0.24228	0.2507		0.37378	0.47935	0.63835	1.90831	7.26509	12.58766
0.25154	0.25976		0.3914	0.4894	0.68063	2.15537	8.33716	14.49872
0.26097	0.26888		0.40913	0.4977	0.72279	2.37429	8.96787	37.65877
0.27033	0.27775		0.42631	0.50384	0.76221	2.52078	8.9246	18.12006
0.27961	0.28639		0.44281	0.50839	0.79747	2.61877	8.31648	10.7035
0.28857	0.29451		0.45801	0.51149	0.82587	2.71316	7.34765	6.99614
0.29718	0.30211		0.47174	0.51398	0.84655	2.7673	6.20569	4.87884
0.30527	0.30903		0.4836	0.51641	0.85917	2.73549	5.08015	3.57268
0.31265	0.3151		0.49324	0.51931	0.86555	2.62596	4.09355	2.72117
0.31924	0.32026		0.50059	0.5232	0.86989	2.47032	3.2869	2.13813
0.32485	0.32437		0.50561	0.52825	0.87644	2.29455	2.65085	1.72523
0.32947	0.32746		0.50865	0.53447	0.88754	2.11444	2.15768	1.42175
0.33314	0.32966		0.51039	0.54169	0.90281	1.93759	1.77573	1.19125
0.33561	0.33077		0.51121	0.54904	0.91845	1.76529	1.47965	1.01509
0.33719	0.33123		0.51236	0.55607	0.93141	1.60122	1.2471	0.8749

0.33782	0.33106		0.51441	0.56173	0.938	1.44603	1.06319	0.76292
0.33759	0.33047		0.51764	0.56504	0.93553	1.301	0.91515	0.67101
0.32935	0.33577		0.5028	0.5856	0.95435	4.03245	6.19055	2.818
0.32028	0.33667		0.5003	0.59453	0.98106	3.67271	4.55601	2.14823
0.34886	0.35037		0.56317	0.59433	1.04045	3.00211	3.23801	1.89893
0.35566	0.35534		0.56945	0.60125	1.05332	2.69414	2.5324	1.54511
0.36116	0.35897		0.57325	0.60913	1.07146	2.41321	2.02317	1.28553
0.36534	0.36134		0.57531	0.61736	1.09088	2.15654	1.64837	1.08822
0.36832	0.36274		0.57679	0.62512	1.1058	1.9218	1.36421	0.93181
0.36971	0.36284		0.57822	0.63089	1.11054	1.70579	1.14648	0.80798
0.37058	0.36283		0.58233	0.63514	1.10658	1.51216	0.97975	0.71025
0.37058	0.36249		0.58846	0.63593	1.08982	1.33804	0.84717	0.62973
0.13174	0.13776		0.17118	0.24548	0.2208	0.30649	0.3895	0.42136
0.13718	0.14351		0.18002	0.26016	0.23488	0.3327	0.43048	0.46829
0.14286	0.14953		0.18935	0.27562	0.25006	0.36207	0.47724	0.52198
0.14886	0.15587		0.19936	0.29216	0.26674	0.3957	0.5327	0.58628
0.15522	0.16259		0.21016	0.30991	0.28515	0.43459	0.59938	0.66428
0.16187	0.16961		0.22167	0.32866	0.30533	0.47947	0.68001	0.75975
0.16904	0.17718		0.2343	0.34907	0.32807	0.53297	0.78086	0.88045
0.17654	0.18507		0.24776	0.37045	0.35308	0.59578	0.907	1.03374
0.18447	0.1934		0.26227	0.39304	0.38096	0.67099	1.06929	1.23423
0.1928	0.20212		0.27781	0.41656	0.41187	0.76154	1.28266	1.50309
0.20152	0.21123		0.29438	0.44075	0.44614	0.8716	1.57133	1.8754
0.21084	0.22094		0.31241	0.46611	0.48492	1.00979	1.98388	2.4219
0.22064	0.23111		0.33167	0.49176	0.52822	1.18376	2.59948	3.26529
0.40189	0.39739		0.65218	0.70698	1.33486	2.33808	1.47845	0.96806
0.40568	0.39919		0.6557	0.71477	1.3429	2.04039	1.23342	0.86004
0.40757	0.39956		0.65949	0.71877	1.33103	1.7747	1.04408	0.75238
0.40907	0.40011		0.66724	0.72021	1.30564	1.54547	0.89999	0.66689
0.409	0.39988		0.67612	0.71551	1.26118	1.34474	0.78244	0.59408
0.13553	0.14199		0.17644	0.25743	0.22743	0.31256	0.39167	0.41874
0.14126	0.14809		0.18573	0.27343	0.2422	0.33946	0.43181	0.46324
0.14734	0.15455		0.19574	0.29073	0.25847	0.37023	0.479	0.51579
0.15378	0.16141		0.20656	0.30943	0.27647	0.4057	0.5351	0.57858
0.16062	0.16868		0.21827	0.32965	0.29644	0.44693	0.60264	0.65456
0.16783	0.17633		0.23086	0.35125	0.31852	0.49492	0.68462	0.74732
0.1756	0.18457		0.24468	0.37485	0.34349	0.55237	0.78716	0.86391
0.18381	0.19326		0.25959	0.39996	0.37131	0.62077	0.91626	1.01158
0.19252	0.20248		0.27576	0.42674	0.4026	0.70357	1.08306	1.20331
0.2017	0.21216		0.2932	0.45488	0.43765	0.80458	1.30363	1.45851
0.21151	0.22249		0.31221	0.4847	0.4775	0.93109	1.60732	1.81048
0.22183	0.23331		0.33265	0.51539	0.52237	1.09058	2.04097	2.31438
0.23272	0.24469		0.35469	0.54675	0.57322	1.29666	2.69772	3.07488
0.24414	0.25657		0.37826	0.57792	0.63056	1.56789	3.76938	4.30283
0.25634	0.26923		0.40388	0.60925	0.69649	1.94213	5.76874	6.53452
0.26897	0.28223		0.43085	0.63846	0.77015	2.46483	10.29733	11.36723
0.28229	0.29587		0.45969	0.66587	0.85373	3.24383	27.08521	27.72538

0.13928	0.14622		0.1815	0.26942	0.23351	0.31685	0.39037	0.41256
0.14539	0.15275		0.19142	0.28719	0.24921	0.34467	0.43032	0.45574
0.15188	0.15968		0.20215	0.30655	0.26658	0.37658	0.47725	0.50657
0.15878	0.16707		0.2138	0.32767	0.28589	0.41354	0.53303	0.56708
0.16614	0.17493		0.22646	0.35068	0.30743	0.45664	0.60008	0.63991
0.17393	0.18325		0.24016	0.37556	0.33143	0.50717	0.68151	0.72841
0.18235	0.19224		0.25527	0.40295	0.35872	0.56793	0.78311	0.83872
0.19128	0.20175		0.27168	0.4324	0.38937	0.64079	0.91083	0.97716
0.20081	0.2119		0.28961	0.46417	0.42415	0.7298	1.07555	1.15486
0.21094	0.22266		0.30915	0.49807	0.46365	0.8399	1.29316	1.388
0.22175	0.23413		0.33053	0.53416	0.50889	0.97901	1.59067	1.70256
0.23326	0.24629		0.35386	0.57204	0.56078	1.15821	2.01363	2.14081
0.24548	0.25918		0.37926	0.61122	0.62054	1.39491	2.64693	2.77678
0.25835	0.27267		0.40667	0.65051	0.68909	1.71511	3.66067	3.75203
0.27204	0.28698		0.4365	0.68979	0.76884	2.1698	5.4575	5.36547
0.2866	0.30211		0.46885	0.72799	0.86185	2.85011	9.16114	8.37497
0.30179	0.31779		0.50328	0.76295	0.96886	3.92834	18.90263	14.88904
0.31785	0.33425		0.5402	0.79463	1.09321	5.85299	43.93117	23.24334
0.33461	0.35127		0.57902	0.82138	1.23469	9.94451	51.30754	19.42704
0.35175	0.36839		0.61896	0.84283	1.39217	24.05094	17.05985	11.93012
0.38761	0.40331		0.7007	0.87417	1.73328	24.43475	20.23694	4.9084
0.40573	0.42031		0.73982	0.88615	1.8836	12.96517	9.56157	3.49033
0.42337	0.43624		0.77556	0.89723	1.98896	8.92932	5.82335	2.6378
0.27343	0.28996		0.4372	0.73768	0.75051	1.82723	3.34375	3.17314
0.2889	0.30628		0.47217	0.78812	0.84671	2.34863	4.74343	4.27347
0.30557	0.32378		0.5108	0.83822	0.96252	3.16177	7.26315	6.05606
0.32279	0.34169		0.55174	0.88282	1.09775	4.49156	12.12227	8.86636
0.34183	0.36146		0.5978	0.92656	1.26633	7.12194	20.8188	11.61395
0.36132	0.38143		0.64588	0.96226	1.46462	13.39987	31.10233	11.16759
0.38164	0.40199		0.69649	0.99157	1.69944	13.9749	38.5138	8.37629
0.40269	0.42295		0.74872	1.01526	1.96982	20.81454	29.15419	5.82823
0.42453	0.44429		0.80186	1.03555	2.26494	26.28054	13.21084	4.09348
0.44644	0.46512		0.85294	1.05272	2.53849	14.65331	7.083	3.00555
0.46825	0.48509		0.90091	1.06904	2.73932	10.37492	4.6065	2.31134
0.48943	0.50363		0.94316	1.08478	2.85624	8.06011	3.29227	1.84245
0.50939	0.52011		0.97787	1.09977	2.95865	6.46126	2.49186	1.51009
0.52731	0.53385		1.00363	1.1128	3.01946	5.16324	1.96457	1.2655
0.28934	0.30842		0.46968	0.84333	0.81289	1.88802	2.94641	2.65797
0.30694	0.32719		0.51089	0.90992	0.92806	2.44868	3.97722	3.41062
0.32599	0.3474		0.55694	0.97651	1.07	3.33572	5.62883	4.49811
0.36807	0.39166		0.66346	1.09622	1.46485	7.89915	12.14283	7.1501
0.39097	0.41545		0.72358	1.14493	1.74095	15.76044	16.11501	7.19352
0.41518	0.44024		0.78854	1.18654	2.09592	17.90575	18.01891	6.05203
0.44041	0.46568		0.85654	1.22089	2.54568	25.12076	15.0364	4.62771
0.46676	0.49178		0.92676	1.25066	3.10057	28.05172	9.44698	3.45351
0.49375	0.5178		0.99616	1.27643	3.69985	17.78974	5.73349	2.61965
0.52067	0.54286		1.06085	1.29872	4.16167	13.2597	3.8619	2.05064

0.54729	0.56641		1.11936	1.31865	4.44986	10.28499	2.83606	1.65767
0.57262	0.58747		1.16768	1.33468	4.60315	7.77889	2.19348	1.37388
0.59558	0.60511		1.2036	1.34479	4.45777	5.71622	1.75704	1.16122
0.6153	0.61873		1.22864	1.34615	4.09102	4.20628	1.44394	0.99679
0.30611	0.32814		0.50398	0.97331	0.87396	1.89121	2.55259	2.23194
0.32619	0.34981		0.55258	1.06353	1.00978	2.45444	3.30114	2.75778
0.34788	0.37312		0.6073	1.15367	1.17994	3.3349	4.39057	3.44958
0.3968	0.42526		0.73818	1.32044	1.68265	7.85266	7.92432	4.90926
0.42388	0.45377		0.81443	1.38978	2.06154	15.64437	9.78779	5.02499
0.45274	0.48383		0.89801	1.44973	2.58496	30.43606	10.5415	4.51366
0.48327	0.51507		0.98835	1.50194	3.34037	29.18489	9.35103	3.70665
0.51548	0.54751		1.08321	1.54696	4.46171	37.73488	6.88129	2.91533
0.54882	0.58019		1.17909	1.58464	6.09633	27.99209	4.69995	2.29033
0.58277	0.61224		1.27138	1.61481	7.82306	21.83658	3.32246	1.83331
0.61656	0.6426		1.35433	1.63595	8.64887	14.81121	2.49027	1.50084
0.64907	0.66993		1.42286	1.64682	7.9084	9.07537	1.9559	1.25555
0.67894	0.69296		1.47462	1.64523	6.59578	5.7861	1.58723	1.06947
0.70495	0.71084		1.51259	1.6283	5.42084	3.9607	1.31792	0.92377
0.72589	0.72309		1.54285	1.59281	4.48301	2.88232	1.11452	0.80726
0.32356	0.34893		0.5394	1.13431	0.92987	1.83773	2.19692	1.88852
0.34632	0.37383		0.59621	1.25856	1.08556	2.36329	2.74044	2.26388
0.37122	0.40098		0.66151	1.38591	1.28546	3.16848	3.47844	2.72283
0.39746	0.42937		0.73399	1.50141	1.53935	4.4454	4.42461	3.21209
0.42811	0.4626		0.82229	1.62516	1.90312	6.99412	5.55569	3.60315
0.46015	0.49691		0.91941	1.72796	2.40073	12.70821	6.55126	3.71402
0.49485	0.53363		1.02925	1.82015	3.14059	31.2107	6.9513	3.47379
0.57165	0.61307		1.28181	1.9703	6.51783	23.8025	5.17082	2.47225
0.61334	0.65477		1.41813	2.02343	11.7359	20.55655	3.8595	2.00678
0.6564	0.69624		1.55222	2.0576	9.13055	23.436	2.87063	1.64133
0.70009	0.7363		1.67519	2.0718	21.76746	19.01356	2.20158	1.36133
0.74278	0.77275		1.7778	2.06486	12.99165	8.41511	1.75388	1.14963
0.78257	0.80362		1.85682	2.03499	8.91151	4.97519	1.43923	0.98665
0.81754	0.82746		1.91722	1.97932	6.62629	3.38314	1.207	0.85781
0.8455	0.84329		1.9664	1.89547	5.15461	2.48918	1.02974	0.75432
0.86565	0.85273		2.01078	1.78696	4.1243	1.92694	0.88823	0.66764
0.3416	0.37073		0.57529	1.33665	0.97741	1.74139	1.89153	1.61307
0.36731	0.39926		0.64116	1.51234	1.15079	2.20418	2.29123	1.88669
0.39557	0.43056		0.71797	1.6956	1.37623	2.88323	2.80265	2.20205
0.42679	0.46501		0.80811	1.87782	1.67862	3.94527	3.43146	2.525
0.46196	0.50373		0.91607	2.05838	2.10703	5.80339	4.11826	2.7756
0.50005	0.54536		1.04047	2.21805	2.72217	9.33877	4.69472	2.86448
0.5418	0.59046		1.18555	2.36622	3.68368	16.86266	4.93943	2.74756
0.58728	0.639		1.35157	2.49683	5.33895	30.35765	4.67814	2.46271
0.63631	0.6906		1.53513	2.59813	8.71013	39.80131	3.99107	2.10153
0.68911	0.74471		1.73576	2.66763	19.12937	24.13355	3.17742	1.75785
0.80223	0.85367		2.13241	2.682	37.43557	12.48824	1.95226	1.23639
0.85963	0.90384		2.29523	2.63012	16.95043	6.15271	1.57688	1.05341

0.91413	0.9466		2.42471	2.53933	10.5792	3.93918	1.30824	0.91082
0.96239	0.97919		2.52645	2.408	7.45665	2.81542	1.10784	0.79727
1.00128	1.00055		2.60866	2.24018	5.5857	2.14186	0.95266	0.70488
1.02846	1.01235		2.67268	2.04693	4.33411	1.6983	0.82956	0.62854
0.36011	0.39344		0.61072	1.59464	1.01377	1.61959	1.6357	1.39094
0.38904	0.42603		0.68632	1.85174	1.20121	2.01099	1.93453	1.59421
0.42133	0.46241		0.77659	2.1319	1.44897	2.56397	2.30071	1.81828
0.45735	0.50293		0.88491	2.4174	1.78599	3.37872	2.72732	2.03908
0.49805	0.54862		1.01709	2.70157	2.26785	4.6661	3.17243	2.21159
0.54295	0.59883		1.17416	2.9599	2.97225	6.74397	3.52077	2.27558
0.59353	0.65498		1.36727	3.21486	4.11132	10.19518	3.68897	2.22023
0.64956	0.7164		1.59839	3.43153	6.12343	14.5819	3.56096	2.04537
0.71133	0.78306		1.86956	3.58556	10.35873	17.29797	3.16737	1.80287
0.77878	0.85423		2.17631	3.65764	23.253	16.84674	2.64755	1.54895
0.92825	1.0033		2.81438	3.55087	44.27674	8.19032	1.73175	1.1231
1.0067	1.07398		3.0883	3.39598	19.32476	4.83136	1.42158	0.96656
1.08365	1.13565		3.31867	3.18149	11.59906	3.2657	1.19177	0.84183
1.15338	1.18245		3.50653	2.91082	7.93225	2.41833	1.01903	0.74213
1.20987	1.21265		3.63905	2.6041	5.77719	1.88507	0.88159	0.65891
1.24836	1.2288		3.70823	2.28826	4.37196	1.5221	0.7733	0.59075
0.37874	0.41664		0.64393	1.92495	1.03615	1.48591	1.42268	1.20997
0.41114	0.45372		0.72956	2.31762	1.23272	1.80857	1.64994	1.36372
0.48913	0.5432		0.96221	3.24779	1.85474	2.85743	2.2171	1.68401
0.5363	0.59735		1.12272	3.73534	2.37204	3.74424	2.51736	1.80703
0.58994	0.65893		1.3241	4.2141	3.14863	5.03996	2.75377	1.86125
0.64979	0.72713		1.57457	4.63866	4.37781	6.78429	2.86176	1.82981
0.71937	0.80594		1.90238	5.01032	6.62452	8.74606	2.80471	1.72351
0.79695	0.89264		2.30609	5.21183	11.28156	9.91	2.56673	1.55622
0.88397	0.98806		2.79492	5.23746	24.87597	9.67904	2.2241	1.3674
1.08562	1.19764		3.91303	4.82094	48.20937	5.83763	1.5449	1.02487
1.19666	1.30209		4.4271	4.44447	20.891	3.95027	1.28883	0.89063
1.30881	1.39482		4.87748	3.97726	12.19131	2.80293	1.09188	0.78129
1.4131	1.46533		5.22296	3.45444	8.08551	2.12324	0.93971	0.69199
1.49877	1.50931		5.40086	2.93428	5.72719	1.6836	0.81822	0.61732
1.55648	1.53357		5.39386	2.46163	4.23615	1.37904	0.72228	0.5561
1.63938	1.61774		4.30458	1.45221	2.02939	0.85165	0.51952	0.41967
1.67549	1.63493		3.71926	1.23289	1.65796	0.7452	0.47161	0.38584
0.39707	0.43985		0.67285	2.34497	1.04307	1.35095	1.24557	1.06144
0.43324	0.48191		0.76829	2.9793	1.24349	1.61398	1.42109	1.17917
0.52162	0.58529		1.03514	4.65784	1.87933	2.41289	1.83695	1.41644
0.57588	0.64904		1.2257	5.59237	2.40765	3.02859	2.04723	1.50741
0.63904	0.72345		1.47655	6.54527	3.2114	3.85736	2.21505	1.55297
0.71122	0.8086		1.80455	7.3131	4.48652	4.8595	2.29257	1.53719
0.79597	0.90824		2.25665	7.8709	6.79205	5.87989	2.26408	1.46753
0.89365	1.02226		2.86806	8.08193	11.56744	6.48815	2.11489	1.35005
1.0053	1.15059		3.67156	7.92368	24.93802	6.38339	1.88028	1.2071
1.28154	1.45449		5.8227	6.75703	49.77326	4.38936	1.37605	0.93398

1.4423	1.615		6.91729	5.87143	21.49075	3.24855	1.16733	0.82007
1.61204	1.76328		7.89491	4.88351	12.21367	2.42149	0.99949	0.72449
1.77871	1.87904		8.53928	3.93896	7.85042	1.87964	0.86686	0.64529
1.92051	1.94888		8.65789	3.13988	5.42064	1.51538	0.76107	0.57933
2.01266	1.98931		8.24756	2.50859	3.93292	1.25583	0.6756	0.5241
2.15638	2.09966		5.24029	1.37471	1.85002	0.79451	0.49153	0.39897
2.19975	2.08215		4.19894	1.15701	1.51589	0.70016	0.44857	0.36841
0.41485	0.46274		0.69575	2.86239	1.0354	1.22279	1.09791	0.9378
0.45476	0.50987		0.7993	3.94506	1.23302	1.43527	1.23505	1.02945
0.55401	0.62822		1.09671	7.52043	1.85792	2.04553	1.54671	1.20951
0.6161	0.70295		1.31643	9.68706	2.37442	2.48253	1.69876	1.2786
0.68938	0.79173		1.61538	11.63073	3.15574	3.03027	1.82041	1.31649
0.77584	0.89738		2.03178	12.97178	4.40911	3.65293	1.87984	1.30996
0.87783	1.02207		2.63575	13.67129	6.62766	4.23822	1.86484	1.26235
1.00008	1.17197		3.55501	13.795	11.27917	4.59925	1.76977	1.17937
1.14669	1.3513		4.98925	13.25751	24.59712	4.56713	1.61172	1.07452
1.52731	1.80245		9.804	9.99981	50.07272	3.43074	1.23047	0.85367
1.76956	2.06811		12.6976	7.73637	21.15449	2.70583	1.06126	0.75746
2.0395	2.3253		14.99651	5.68333	11.54567	2.1073	0.91833	0.67384
2.32561	2.53433		15.9934	4.16271	7.18531	1.67702	0.80309	0.60378
2.57987	2.65413		15.32996	3.11324	4.86554	1.3711	0.70929	0.54451
2.74291	2.7321		13.3397	2.3932	3.503	1.14779	0.63261	0.49443
2.99104	2.78786		5.90149	1.26431	1.66857	0.74338	0.46614	0.38008
2.98186	2.66405		4.35477	1.06376	1.37659	0.65835	0.42648	0.35167
0.4314	0.48445		0.71047	3.40677	1.01363	1.10407	0.97399	0.83438
0.47503	0.53674		0.81972	5.30109	1.2029	1.27591	1.08238	0.90654
0.5853	0.6707		1.13938	16.35316	1.79413	1.74616	1.32032	1.04595
0.65571	0.75749		1.38209	22.5698	2.27729	2.06378	1.43337	1.09962
0.73978	0.86222		1.72018	26.07239	2.99718	2.43957	1.52372	1.13096
0.84133	0.9906		2.21311	28.12116	4.14529	2.8459	1.57006	1.12965
0.96486	1.14821		2.98489	29.01248	6.18893	3.21893	1.56732	1.0996
1.11591	1.34359		4.28799	29.04454	10.44421	3.44647	1.50429	1.03948
1.30355	1.58892		6.79362	27.80887	22.83291	3.442	1.39305	0.95992
1.832	2.2828		21.89608	15.97383	48.25536	2.75976	1.10442	0.78238
2.20544	2.754		31.96099	9.34896	19.00365	2.27989	0.96804	0.70164
2.65809	3.25973		36.62356	5.79472	9.94072	1.84274	0.84574	0.62799
3.19566	3.69955		37.23636	3.91326	6.12238	1.50179	0.74561	0.56595
3.71929	3.93695		32.50911	2.82757	4.16398	1.24496	0.66229	0.51256
4.06723	4.1077		23.3224	2.14863	3.03351	1.05248	0.59282	0.46662
4.36111	3.70838		5.82188	1.14559	1.50137	0.6959	0.44218	0.36219
4.09767	3.35903		4.05076	0.97022	1.25111	0.61931	0.40554	0.33574
0.44616	0.5042		0.71607	3.74366	0.98003	0.99664	0.86936	0.7471
0.4933	0.56147		0.82775	6.49247	1.15627	1.13616	0.95589	0.8047
0.61414	0.71083		1.15727	8.56935	1.69574	1.50251	1.14063	0.91455
0.69272	0.80983		1.41067	18.24856	2.12688	1.73788	1.22648	0.95693
0.78792	0.93164		1.76839	21.42517	2.75624	2.00495	1.29532	0.98288
0.90515	1.08446		2.3034	29.52334	3.73993	2.28401	1.33394	0.98583

1.04994	1.27728		3.15826	25.22722	5.40989	2.52913	1.33362	0.96429
1.23392	1.52745		4.73433	22.34156	8.83729	2.68562	1.29408	0.92229
1.46973	1.85783		8.29527	20.01559	18.59129	2.6942	1.21488	0.86174
1.77758	2.30347		21.65325	25.6862	28.63099	2.54303	1.11111	0.79233
2.19274	2.92908		14.55377	20.15965	20.57544	2.26806	0.99512	0.719
2.7602	3.80958		33.98262	8.3698	14.23375	1.9381	0.88319	0.64998
3.5555	5.01108		41.08412	4.88057	7.7589	1.61851	0.78118	0.58674
4.66468	6.24018		39.42527	3.29979	4.97426	1.34754	0.69335	0.5312
6.04181	6.88395		29.16927	2.42096	3.49658	1.13323	0.61908	0.48292
7.02106	7.01671		39.59032	1.87013	2.61095	0.96716	0.55685	0.44154
7.30847	5.61006		7.81161	1.23427	1.64148	0.73465	0.45782	0.37263
6.45578	4.79398		4.93117	1.03901	1.35791	0.65187	0.41948	0.34519
5.49275	4.08422		3.43934	0.88875	1.14392	0.58299	0.38589	0.32076
0.45857	0.5212		0.71272	3.63622	0.9375	0.90088	0.78031	0.67274
0.5088	0.58296		0.82348	6.07955	1.09759	1.01486	0.84994	0.71922
0.5681	0.65679		0.96461	14.01577	1.30327	1.14827	0.92327	0.7653
0.6392	0.74661		1.14974	31.6436	1.57495	1.30379	0.9954	0.80697
0.72522	0.8571		1.39977	37.70403	1.94419	1.48145	1.06206	0.84115
0.83091	0.99553		1.75186	39.2332	2.46715	1.67644	1.11535	0.86268
0.96264	1.17212		2.27372	39.19156	3.24776	1.87384	1.14733	0.86764
1.12958	1.40234		3.10451	38.67467	4.49967	2.04544	1.1507	0.85363
1.34575	1.71051		4.58659	37.59395	6.77399	2.15527	1.12342	0.8222
1.63144	2.13697		7.70459	34.97104	11.75491	2.16833	1.06532	0.77508
2.02236	2.75413		17.11285	27.36317	22.81215	2.07662	0.98868	0.72118
12.16799	7.40605		5.8574	1.11946	1.47982	0.68554	0.43341	0.3546
8.9629	5.85191		3.94703	0.95315	1.23852	0.61145	0.39835	0.32931
6.86407	4.72166		2.87257	0.82285	1.05345	0.54936	0.36753	0.30672
0.46806	0.53459		0.70146	3.21954	0.88881	0.81616	0.70411	0.60916
0.52069	0.59994		0.80837	4.84764	1.03119	0.90997	0.7612	0.64743
0.58338	0.67891		0.94404	8.18	1.21112	1.01777	0.81958	0.68444
0.65898	0.77574		1.12034	13.08024	1.44326	1.14039	0.87655	0.71803
0.75128	0.89631		1.35529	16.22102	1.74919	1.27639	0.92801	0.74514
0.86567	1.04893		1.68089	17.48734	2.16727	1.42218	0.97081	0.76375
1.00953	1.24639		2.14647	17.83663	2.75344	1.56496	0.9965	0.76885
1.19556	1.50986		2.86256	17.69177	3.63329	1.68997	1.00265	0.76045
1.44103	1.87212		4.03691	17.02896	5.02682	1.77099	0.98463	0.73743
1.77415	2.3911		6.15762	15.53378	7.35731	1.787	0.94371	0.70221
2.24561	3.18501		10.51406	12.42997	10.17878	1.72879	0.88369	0.65768
16.8147	8.96845		4.70129	1.02973	1.34556	0.64105	0.41091	0.33789
10.99915	6.70424		3.2955	0.88398	1.13595	0.57407	0.3785	0.31432
7.87489	5.18569		2.47484	0.76895	0.97442	0.51804	0.35019	0.29342
0.47432	0.54387		0.68414	2.75083	0.83678	0.74164	0.63836	0.55417
0.52862	0.61184		0.78524	3.80691	0.96146	0.81945	0.68532	0.58585
0.5936	0.69444		0.91232	5.50099	1.11599	0.90727	0.73267	0.61623
0.769	0.92401		1.28863	9.3724	1.56008	1.11135	0.82014	0.66656
0.88953	1.08722		1.57491	10.28804	1.88564	1.22183	0.85373	0.68175
1.04238	1.30021		1.9704	10.60684	2.32071	1.32838	0.87519	0.6871

1.24186	1.58816		2.54253	10.53579	2.92594	1.42078	0.88146	0.68159
1.50958	1.99204		3.41052	10.12106	3.79307	1.48302	0.86993	0.66482
1.87887	2.58244		4.78983	9.22071	4.97819	1.49899	0.83967	0.63734
2.41105	3.50529		7.03957	7.64992	6.10344	1.46197	0.79349	0.60156
19.87692	10.1845		3.92537	0.95345	1.22664	0.59955	0.38958	0.32196
12.30369	7.28319		2.82489	0.82373	1.04288	0.53868	0.35949	0.29992
8.44954	5.43453		2.17214	0.7218	0.90242	0.48848	0.3336	0.28066
0.47712	0.54866		0.66238	2.33392	0.78343	0.6761	0.58136	0.50646
0.53227	0.61809		0.75642	3.04001	0.89136	0.74112	0.62024	0.53285
0.59839	0.70266		0.87306	4.02714	1.02245	0.81326	0.6591	0.55812
0.7776	0.93901		1.20826	6.20684	1.38473	0.97606	0.73023	0.60005
0.90142	1.10812		1.45345	6.84873	1.63827	1.06185	0.75776	0.61317
1.05901	1.3299		1.77802	7.11549	1.96199	1.1432	0.77569	0.61837
1.26564	1.63126		2.22339	7.09486	2.38686	1.21339	0.78198	0.61499
1.54478	2.05682		2.85515	6.82497	2.94578	1.26178	0.77454	0.60256
1.93236	2.6825		3.7651	6.25349	3.6103	1.27658	0.75184	0.58091
2.49234	3.65682		5.04792	5.34478	4.17442	1.25225	0.71564	0.55174
22.29711	11.07382		3.31793	0.88592	1.12191	0.56162	0.36979	0.3071
13.12742	7.57366		2.4698	0.77134	0.96255	0.50714	0.34229	0.2868
8.59354	5.4365		1.93351	0.67996	0.83874	0.46163	0.3184	0.26892
0.47655	0.54897		0.63756	1.98702	0.73047	0.61843	0.53161	0.46473
0.53168	0.61862		0.72375	2.47633	0.82311	0.67309	0.56406	0.48693
0.59776	0.70346		0.82897	3.1043	0.93355	0.73279	0.59628	0.50818
0.67801	0.80843		0.95895	3.81123	1.06654	0.79693	0.62715	0.52753
0.77693	0.94065		1.12146	4.45344	1.22836	0.86416	0.65502	0.54364
0.9006	1.11047		1.3257	4.90114	1.42547	0.93124	0.6772	0.55455
1.05881	1.3339		1.58959	5.12058	1.67161	0.99549	0.69307	0.56003
1.265	1.63561		1.93221	5.12602	1.97512	1.04942	0.69885	0.55791
1.54274	2.05987		2.39059	4.94528	2.34508	1.087	0.69365	0.54828
1.93094	2.6853		3.01656	4.57746	2.75489	1.10142	0.67726	0.53168
2.49197	3.65387		3.82615	4.01145	3.08427	1.08665	0.64963	0.5085
3.35305	5.28088		4.75445	3.31597	3.17387	1.0441	0.61417	0.48128
24.20889	11.48422		2.82367	0.82547	1.03028	0.52733	0.35162	0.29337
13.19824	7.42787		2.17139	0.72296	0.88989	0.47792	0.32616	0.27445
8.15495	5.13666		1.73524	0.64145	0.78135	0.43695	0.30433	0.258
0.47283	0.54505		0.61056	1.70341	0.6791	0.56753	0.48802	0.42811
0.52713	0.61372		0.68844	2.05369	0.75827	0.61374	0.51535	0.44698
0.59222	0.69742		0.78204	2.4783	0.85125	0.66349	0.54198	0.46473
0.67089	0.80038		0.89515	2.94148	0.96101	0.71615	0.56792	0.48134
0.76775	0.9299		1.03331	3.37031	1.09193	0.77053	0.59107	0.49507
0.88873	1.09576		1.20346	3.69022	1.24865	0.82458	0.61011	0.50493
1.04217	1.31242		1.41368	3.86092	1.43544	0.87486	0.62311	0.50966
1.24273	1.60468		1.6832	3.88783	1.66131	0.91852	0.6294	0.50917
1.50965	2.00962		2.02662	3.7737	1.91911	0.949	0.62667	0.50231
1.87441	2.59258		2.45362	3.51293	2.17594	0.95965	0.61253	0.48784
2.40525	3.4969		2.99613	3.1445	2.3903	0.95173	0.59165	0.46958
3.20022	4.97228		3.57969	2.68562	2.46336	0.92084	0.5628	0.44674

24.16432	10.95252		2.41134	0.76983	0.94758	0.49553	0.33455	0.2804
11.85452	6.71695		1.91654	0.67845	0.82463	0.45107	0.31114	0.26289
7.02668	4.54523		1.55944	0.60496	0.72814	0.41372	0.2909	0.24754
0.46641	0.53745		0.58209	1.47206	0.63034	0.5225	0.44956	0.39571
0.51922	0.60418		0.65166	1.73008	0.698	0.56177	0.47264	0.4118
0.58215	0.68492		0.73367	2.02999	0.77625	0.60347	0.49544	0.42726
0.65817	0.78419		0.8311	2.35005	0.86745	0.64705	0.51702	0.44129
0.86668	1.0658		1.08752	2.88099	1.09897	0.73509	0.55234	0.46158
1.01244	1.26977		1.25861	3.0175	1.24567	0.77613	0.56428	0.46656
1.20012	1.54091		1.46851	3.04782	1.41345	0.81088	0.56988	0.46654
1.44756	1.91211		1.72799	2.97421	1.59687	0.83566	0.56818	0.46123
1.78342	2.44022		2.04518	2.80201	1.77747	0.84668	0.55854	0.45055
2.25169	3.22356		2.40825	2.54039	1.9161	0.84044	0.5407	0.43461
2.94658	4.48408		2.80368	2.22582	1.97656	0.81865	0.51785	0.41595
9.14611	5.57665		1.69698	0.63747	0.76586	0.42636	0.29716	0.25207
5.61797	3.82462		1.40129	0.57026	0.67851	0.39173	0.27801	0.23746
0.45769	0.5267		0.55267	1.28233	0.58471	0.48248	0.41554	0.36702
0.50847	0.59064		0.61418	1.47703	0.64271	0.51601	0.43522	0.38087
0.56873	0.66764		0.68561	1.6966	0.70905	0.55119	0.45446	0.39407
0.64102	0.76151		0.76898	1.92667	0.7853	0.58752	0.47278	0.4062
0.72881	0.87764		0.86694	2.14228	0.87312	0.62421	0.48939	0.41653
0.83685	1.02359		0.98289	2.31474	0.97405	0.66006	0.50331	0.42429
0.97195	1.2107		1.12118	2.4215	1.08859	0.69322	0.51316	0.42851
1.14338	1.45478		1.28754	2.4525	1.21622	0.72162	0.51846	0.42906
1.36554	1.78218		1.48711	2.40625	1.3507	0.74219	0.51781	0.42517
1.66082	2.23662		1.72242	2.28683	1.47938	0.75207	0.51055	0.41668
2.06028	2.88702		1.98041	2.10044	1.57686	0.74813	0.49616	0.40345
2.6369	3.89712		2.25913	1.87753	1.62656	0.7327	0.47799	0.38816
3.4884	5.55432		2.49746	1.63131	1.60061	0.70359	0.45465	0.36971
6.94554	4.50046		1.50465	0.59909	0.71176	0.40317	0.2839	0.24176
4.55144	3.2082		1.26461	0.53822	0.63379	0.37154	0.26609	0.22809
0.44719	0.51347		0.52296	1.12582	0.54262	0.44681	0.38527	0.34142
0.49552	0.574		0.57698	1.27583	0.59257	0.47555	0.40213	0.3534
0.55252	0.64635		0.63886	1.44092	0.64914	0.5054	0.41855	0.36482
0.6204	0.73378		0.71014	1.61156	0.71336	0.5359	0.43417	0.37533
0.70209	0.84072		0.79275	1.77164	0.78619	0.56644	0.4484	0.38437
0.92415	1.14062		1.00232	1.98654	0.95916	0.62345	0.46914	0.39528
1.07742	1.35499		1.13556	2.0157	1.05744	0.64685	0.47394	0.39607
1.27229	1.63617		1.29132	1.98679	1.15829	0.66404	0.47383	0.39312
1.52478	2.01482		1.46916	1.90271	1.25278	0.67285	0.46835	0.38634
1.85847	2.54037		1.66171	1.7704	1.32636	0.67132	0.45737	0.37584
2.31573	3.30541		1.85823	1.60474	1.36447	0.65936	0.44197	0.36257
2.96176	4.47485		2.0305	1.42093	1.35315	0.63701	0.4227	0.34698
12.20745	8.97029		1.78808	0.7097	0.84332	0.4502	0.30982	0.26124
5.53793	3.75442		1.33914	0.56375	0.66276	0.38175	0.27151	0.23209
3.81669	2.75909		1.14473	0.50858	0.59326	0.35291	0.25498	0.21932
0.43526	0.49827		0.4935	0.99565	0.5041	0.41489	0.3583	0.31855

0.4808	0.55487		0.54077	1.11329	0.54734	0.43965	0.37293	0.32907
0.53418	0.62203		0.59441	1.24043	0.59589	0.46511	0.38704	0.339
0.59716	0.7023		0.6555	1.37014	0.65032	0.49091	0.40049	0.34819
0.67215	0.79925		0.72554	1.49168	0.7111	0.51655	0.41278	0.35615
0.87196	1.06489		0.89952	1.65924	0.85099	0.56401	0.4307	0.36588
1.00647	1.2494		1.00711	1.68558	0.92773	0.5835	0.43507	0.36685
1.17416	1.48549		1.13086	1.66881	1.00541	0.59819	0.4356	0.36483
1.38562	1.79362		1.26725	1.60874	1.07646	0.60595	0.43137	0.35931
1.65712	2.20447		1.41265	1.51197	1.13259	0.60562	0.42267	0.35072
2.00598	2.75542		1.55205	1.38395	1.16046	0.59558	0.40926	0.33896
2.49371	3.57033		1.68359	1.24722	1.15941	0.57916	0.39374	0.32608
3.15554	4.73885		1.772	1.10368	1.11897	0.55432	0.37507	0.31125
4.09677	6.46328		1.80664	0.96958	1.04921	0.52449	0.35526	0.29587
5.37607	8.44194		1.77207	0.84846	0.95913	0.49063	0.33439	0.27991
6.822	8.60219		1.67816	0.7468	0.86467	0.45643	0.31425	0.26458
7.26558	6.47564		1.53526	0.66126	0.77297	0.42266	0.29481	0.24978
6.06001	4.47423		1.36792	0.5906	0.69058	0.3911	0.27673	0.23596
4.44633	3.20215		1.19657	0.5312	0.61827	0.36194	0.25994	0.22302
3.23847	2.40951		1.03819	0.48089	0.556	0.33551	0.2445	0.21102
0.42232	0.48168		0.4649	0.88663	0.46908	0.38625	0.33403	0.29792
0.4649	0.53418		0.5063	0.98028	0.50674	0.40764	0.34668	0.30711
0.51437	0.59579		0.55285	1.07984	0.54859	0.42946	0.35895	0.31587
0.5722	0.66865		0.60546	1.18042	0.59495	0.4514	0.37059	0.32393
0.6403	0.75554		0.66523	1.27451	0.64595	0.47307	0.3812	0.33092
0.72107	0.86011		0.7334	1.35313	0.70138	0.49393	0.39031	0.33644
0.81768	0.98734		0.81116	1.40744	0.76038	0.51314	0.39722	0.33998
0.93423	1.14405		0.89895	1.43081	0.82109	0.52952	0.40117	0.34102
1.07651	1.33964		0.99773	1.42133	0.88156	0.54202	0.40193	0.33954
1.25193	1.58744		1.10504	1.37883	0.93682	0.54908	0.39888	0.33521
1.47079	1.90598		1.2167	1.30699	0.98055	0.54953	0.39191	0.3281
1.74769	2.32121		1.32538	1.21222	1.00545	0.54278	0.38132	0.31854
2.09605	2.85958		1.41642	1.10045	1.00349	0.52814	0.36715	0.30662
2.5762	3.62201		1.49015	0.99063	0.97949	0.50935	0.35199	0.29431
3.19122	4.56577		1.51981	0.88128	0.92906	0.48472	0.33477	0.28072
3.94184	5.44859		1.50051	0.78052	0.86117	0.45652	0.31657	0.26658
4.662	5.58679		1.43492	0.69245	0.78566	0.42694	0.29843	0.2526
4.91337	4.75255		1.33147	0.6173	0.71006	0.39747	0.28087	0.23907
4.43229	3.63846		1.20605	0.55438	0.64018	0.36956	0.26442	0.22638
2.75757	2.12201		0.94393	0.45516	0.52189	0.31932	0.23466	0.2032
0.40848	0.46394		0.43749	0.79446	0.43728	0.36044	0.3123	0.27941
0.44798	0.51217		0.47384	0.87005	0.47023	0.37901	0.32332	0.2875
0.49341	0.56813		0.51445	0.94946	0.5065	0.39783	0.33409	0.29528
0.546	0.63358		0.56003	1.02882	0.5462	0.41662	0.34424	0.30241
0.60721	0.71066		0.61131	1.10267	0.58913	0.43504	0.35342	0.30855
0.67882	0.80196		0.66929	1.16507	0.63517	0.45277	0.36144	0.31352
0.86332	1.043		0.80727	1.23028	0.7324	0.48314	0.3714	0.31807
0.98287	1.20376		0.8864	1.22504	0.77984	0.49372	0.37217	0.31689

1.12744	1.40207		0.97166	1.19469	0.8235	0.50009	0.36994	0.31345
1.30392	1.64941		1.05936	1.1412	0.85859	0.50118	0.36446	0.30764
1.52214	1.96158		1.14441	1.0692	0.88001	0.49649	0.35589	0.2997
1.78618	2.34367		1.21467	0.9818	0.88084	0.48497	0.34397	0.28947
2.11407	2.81705		1.26524	0.88906	0.86137	0.46815	0.32996	0.27794
2.54392	3.39833		1.29592	0.80296	0.82733	0.44895	0.31573	0.26649
3.0097	3.86855		1.28577	0.71858	0.77559	0.42528	0.29979	0.25393
3.4208	3.9752		1.24007	0.64282	0.71548	0.39988	0.28361	0.2413
3.58271	3.59884		1.16437	0.57692	0.65328	0.37419	0.26778	0.22897
3.36891	2.96582		1.06895	0.52072	0.59386	0.34939	0.25274	0.21726
2.34927	1.87523		0.85992	0.4311	0.49032	0.30413	0.22534	0.19576
0.39399	0.44543		0.41158	0.71599	0.40845	0.33714	0.2927	0.26267
0.43034	0.48938		0.44364	0.77776	0.43739	0.35332	0.30238	0.26984
0.47176	0.53986		0.47925	0.84178	0.46892	0.3696	0.31178	0.27671
0.51917	0.59815		0.51896	0.90536	0.50304	0.3858	0.32072	0.28307
0.57371	0.66591		0.56333	0.96443	0.53949	0.40163	0.32884	0.2886
0.63671	0.74509		0.61286	1.01444	0.57786	0.41678	0.33587	0.29305
0.79526	0.94875		0.7279	1.06877	0.6571	0.44269	0.34476	0.29729
0.89563	1.0806		0.79271	1.06698	0.69542	0.45191	0.34577	0.29657
1.01524	1.24017		0.86165	1.04561	0.73077	0.45779	0.34427	0.2939
1.15731	1.43239		0.9306	1.00475	0.7588	0.45905	0.33977	0.28899
1.32841	1.6664		0.99669	0.94849	0.77648	0.45551	0.33257	0.28218
1.53501	1.94944		1.05431	0.88113	0.78025	0.44701	0.32292	0.27371
1.78118	2.27866		1.09634	0.80738	0.76789	0.43372	0.31117	0.26385
2.06344	2.62289		1.11604	0.73212	0.73968	0.41626	0.2978	0.25296
2.36667	2.9058		1.11128	0.66114	0.6998	0.39625	0.28376	0.24174
2.633	2.99625		1.08186	0.59757	0.65324	0.37508	0.26974	0.23065
2.74525	2.81072		1.02575	0.53971	0.60195	0.35263	0.25545	0.21941
2.64113	2.43278		0.95087	0.48882	0.55064	0.33022	0.24149	0.20843
2.0062	1.6595		0.78502	0.40858	0.46105	0.28985	0.2165	0.18868
0.37904	0.42647		0.38735	0.64867	0.38228	0.31602	0.27493	0.24744
0.41225	0.46624		0.41574	0.69959	0.40777	0.33017	0.28346	0.25383
0.44972	0.5114		0.44714	0.75196	0.43529	0.34435	0.2918	0.26
0.49221	0.56308		0.4819	0.80331	0.46464	0.35834	0.2996	0.26561
0.54049	0.62233		0.52044	0.85116	0.49569	0.37203	0.30682	0.27061
0.59561	0.6907		0.56297	0.89179	0.52791	0.38508	0.31306	0.27463
0.65887	0.77006		0.60962	0.92174	0.56081	0.39712	0.318	0.27744
0.73167	0.86265		0.65978	0.93763	0.59331	0.40744	0.32114	0.27868
0.81633	0.97156		0.71345	0.93822	0.6248	0.41562	0.32233	0.27831
0.91565	1.10059		0.76977	0.92314	0.65378	0.42099	0.32137	0.27625
1.03128	1.2524		0.82478	0.89177	0.67658	0.42238	0.31767	0.27211
1.16842	1.43286		0.87788	0.84807	0.69187	0.41997	0.31178	0.26639
1.32854	1.64116		0.92358	0.79416	0.69604	0.41318	0.30357	0.25905
1.51393	1.8736		0.95801	0.7345	0.688	0.40243	0.29354	0.25049
1.72027	2.10729		0.97653	0.67306	0.66777	0.38825	0.28214	0.24106
1.9257	2.28701		0.97425	0.61239	0.6364	0.37107	0.26961	0.23091
2.08686	2.34089		0.94836	0.55431	0.59613	0.35146	0.25298	0.21194

2.17665	2.25173		0.90883	0.50494	0.55512	0.33244	0.24372	0.21026
2.13369	2.02909		0.85424	0.46129	0.51352	0.31345	0.23154	0.20059
1.72409	1.47414		0.71947	0.388	0.43455	0.27673	0.20832	0.1821
0.36376	0.40727		0.36481	0.59049	0.35848	0.29684	0.25883	0.23362
0.39391	0.44303		0.39009	0.63297	0.38101	0.30928	0.26642	0.23935
0.42764	0.4833		0.4179	0.6761	0.40507	0.32166	0.27377	0.24484
0.46549	0.52883		0.44852	0.71832	0.4305	0.33388	0.28075	0.24993
0.50811	0.58056		0.48215	0.75738	0.45703	0.34576	0.28714	0.25441
0.55629	0.63958		0.51891	0.79079	0.48429	0.3571	0.29272	0.25808
0.61099	0.70729		0.55867	0.81576	0.5118	0.36753	0.29716	0.26068
0.74495	0.87569		0.6455	0.83165	0.56483	0.38375	0.30133	0.26179
0.82783	0.98087		0.69164	0.82088	0.58871	0.38859	0.30071	0.26015
0.9236	1.10279		0.73725	0.79747	0.60822	0.39035	0.29794	0.25686
1.03411	1.24296		0.78003	0.76292	0.6212	0.38865	0.293	0.25197
1.16036	1.40032		0.81702	0.71964	0.62564	0.3833	0.28603	0.24563
1.30055	1.5669		0.84461	0.67042	0.62005	0.37434	0.27728	0.23805
1.45173	1.72906		0.86055	0.61916	0.60489	0.36246	0.26732	0.22969
1.60002	1.85463		0.86141	0.56831	0.58091	0.34812	0.25644	0.22075
1.71925	1.90301		0.84509	0.51949	0.54977	0.33182	0.24489	0.2114
1.77955	1.85048		0.81304	0.47455	0.51451	0.31453	0.23317	0.20199
1.75634	1.70567		0.76826	0.43428	0.47788	0.29703	0.22165	0.19276
1.60092	1.427		0.67642	0.36005	0.40919	0.25873	0.19105	0.16602
0.34838	0.38816		0.34396	0.53986	0.3368	0.27937	0.2441	0.22092
0.37563	0.42021		0.36653	0.5754	0.35669	0.2903	0.25082	0.22605
0.40586	0.45598		0.39127	0.61134	0.37779	0.30118	0.25739	0.23101
0.4395	0.49608		0.41829	0.64627	0.39984	0.31186	0.26361	0.2356
0.47705	0.54122		0.44771	0.67856	0.4226	0.32225	0.26933	0.23967
0.51915	0.59224		0.4795	0.70623	0.44574	0.33213	0.27432	0.243
0.56655	0.65019		0.51353	0.72724	0.46891	0.34124	0.27835	0.24542
0.68112	0.79179		0.58669	0.74236	0.51336	0.35557	0.28238	0.24675
0.75094	0.87839		0.62502	0.73491	0.5334	0.36002	0.28209	0.2455
0.83009	0.97656		0.6621	0.71668	0.54961	0.36174	0.27979	0.24269
0.91967	1.08654		0.6969	0.6892	0.56074	0.36057	0.27564	0.2385
1.01991	1.20657		0.72745	0.65433	0.56531	0.35639	0.26978	0.23306
1.12913	1.33103		0.75104	0.61426	0.56209	0.3492	0.26237	0.22653
1.24141	1.44648		0.76432	0.57098	0.55041	0.33908	0.25355	0.21903
1.34959	1.53631		0.7662	0.52755	0.53147	0.32681	0.2439	0.211
1.43729	1.57574		0.75499	0.48552	0.5065	0.31283	0.23365	0.20261
1.48465	1.54791		0.73094	0.44618	0.47745	0.29777	0.22314	0.19408
1.47643	1.45548		0.69647	0.4106	0.44677	0.28243	0.21277	0.1857
1.40782	1.31763		0.65369	0.37846	0.41574	0.26707	0.20259	0.17748

G	H	I	J	K	L	M	N	O
0.59113	2.88096	0.37518	0.32223	2.78472	0.36388	0.11824	13.27717	0.22449
0.67145	3.26394	0.41084	0.35468	2.8255	0.39186	0.1215	14.55208	0.24018
0.77053	3.59801	0.45174	0.39288	2.83012	0.42295	0.12476	15.06129	0.25756
0.89549	3.88086	0.49941	0.439	2.83985	0.45749	0.12804	15.39379	0.27708
1.05679	4.10261	0.55548	0.4958	2.84304	0.49595	0.13134	15.72103	0.29914
1.27288	4.29839	0.62301	0.5686	2.87648	0.53897	0.13469	12.45757	0.32454
1.56989	4.42755	0.70387	0.66287	2.91815	0.58682	0.138	12.77993	0.35353
1.99562	4.49067	0.80118	0.7886	2.95293	0.64005	0.14121	13.06631	0.38665
2.64603	4.52223	0.92042	0.96581	2.99211	0.69904	0.14432	13.32534	0.425
3.72691	4.52342	1.06788	1.23102	3.02874	0.76399	0.14728	13.55262	0.46965
5.76976	4.48835	1.25169	1.66015	3.0561	0.83481	0.15006	13.73981	0.52187
10.55009	4.41288	1.48235	2.41264	3.07126	0.91068	0.15262	13.86074	0.58329
9.96513	4.31862	1.77614	3.62562	3.09072	0.98911	0.15497	13.93781	0.65666
9.10082	4.16773	2.14385	4.68367	3.08774	1.06658	0.15705	13.89449	0.7439
18.27209	3.96908	2.59643	5.02433	3.07303	1.13635	0.15885	8.07737	0.84837
20.7462	3.6978	3.11677	5.00217	3.02427	1.19105	0.16034	7.39955	0.9722
18.04186	3.39502	3.66451	4.95029	2.96783	1.22433	0.16159	5.6887	1.1197
19.66508	3.04671	4.11962	4.84845	2.87885	1.24428	0.16251	5.7205	1.28884
20.75422	2.6957	4.44192	4.74873	2.78116	1.26577	0.16319	5.74825	1.47797
10.83808	2.34854	4.67473	4.65211	2.67448	1.29337	0.16367	3.3418	1.6784
6.54683	2.00958	4.81034	4.54504	2.5624	1.31593	0.16398	2.23651	1.87664
4.38551	1.69878	4.80941	4.41879	2.46074	1.32065	0.16422	1.6375	2.06784
3.15537	1.42711	4.6341	4.24082	2.37214	1.30351	0.16443	1.27151	2.25215
2.38899	1.20007	4.29868	4.00397	2.30388	1.26654	0.16468	1.02795	2.42844
1.87837	1.01531	3.85732	3.72155	2.26404	1.21471	0.16504	0.85548	2.58592
1.52028	0.86626	3.37372	3.40921	2.26101	1.15352	0.16553	0.72766	2.70839
1.25867	0.74618	2.90112	3.08581	2.30907	1.08741	0.16616	0.62948	2.78647
1.06193	0.64876	2.47038	2.76723	2.42853	1.01981	0.16691	0.5522	2.81648
0.9095	0.56951	2.09645	2.47352	2.66523	0.95271	0.16776	0.48975	2.80588
0.78895	0.50438	1.78026	2.20856	3.11771	0.88759	0.16867	0.43841	2.7593
0.69217	0.4502	1.51663	1.97105	4.07838	0.8407	0.16958	0.3957	2.68002
0.61334	0.40464	1.29845	1.75974	6.89023	0.76684	0.17044	0.35975	2.57333
0.54643	0.36678	1.11981	1.58397	8.94313	0.73432	0.17123	0.3283	2.4643
0.59211	4.36468	0.38419	0.32675	5.28665	0.38492	0.12368	6.98353	0.22832
0.67295	5.02903	0.42189	0.3603	4.82123	0.41654	0.1273	7.92837	0.24468
0.7732	5.58784	0.46575	0.40035	4.67146	0.45205	0.13096	8.39068	0.263
0.89975	5.99976	0.51708	0.44879	4.46813	0.49202	0.13465	8.66574	0.28359
1.06343	6.29324	0.5779	0.50882	4.31416	0.53712	0.13835	8.83534	0.30694
1.28244	6.48443	0.65138	0.58592	4.30217	0.58821	0.1421	8.98068	0.3338
1.58545	6.56131	0.74074	0.68759	4.33301	0.64619	0.14583	9.05763	0.36474
2.02535	6.60474	0.85101	0.8279	4.38377	0.71204	0.1495	9.08559	0.4007
2.70489	6.60689	0.98832	1.03241	4.4262	0.78689	0.15305	9.06897	0.44258
3.8601	6.57128	1.16229	1.35929	4.46129	0.87191	0.15644	9.01338	0.49187
6.15943	6.50636	1.3871	1.96911	4.49629	0.96797	0.15963	8.92433	0.5505
12.46574	6.41836	1.68411	3.50891	4.54109	1.07509	0.16259	8.79931	0.62114
11.81081	6.26291	2.08182	5.44794	4.56259	1.19224	0.16527	8.61007	0.70674

10.87975	6.02018	2.62316	13.09852	4.54757	1.31469	0.16764	8.33953	0.81175
19.77105	5.64411	3.36039	10.11555	4.47858	1.43201	0.16968	7.91047	0.94185
20.92621	5.1454	4.32559	9.0625	4.35459	1.52748	0.17138	7.0878	1.10369
16.17037	4.57754	5.44733	8.36891	4.20787	1.58735	0.17274	4.82285	1.30482
17.38107	3.96953	6.45004	7.83329	4.02803	1.62638	0.17376	4.81245	1.55052
18.18151	3.3521	7.17177	7.43617	3.80895	1.67005	0.1745	4.79857	1.83983
8.6107	2.74917	7.59258	7.17931	3.57065	1.70484	0.17502	2.72292	2.15899
5.26712	2.20896	7.57124	6.98241	3.34761	1.70444	0.17538	1.8743	2.48233
3.62477	1.76867	7.14337	6.73471	3.15817	1.66235	0.17569	1.41184	2.80011
2.67539	1.42537	6.40282	6.31873	2.99452	1.58897	0.17599	1.12179	3.10482
2.06847	1.16684	5.51782	5.7972	2.87899	1.49603	0.17642	0.92271	3.3839
1.65438	0.96993	4.61235	5.18454	2.80693	1.39524	0.17696	0.77843	3.59233
1.35944	0.81851	3.78984	4.536	2.79306	1.29367	0.17764	0.6699	3.7095
1.14047	0.7008	3.09549	3.92111	2.8625	1.19506	0.17845	0.5853	3.74365
0.97155	0.60858	2.53459	3.3959	3.06634	1.10111	0.1794	0.5171	3.72373
0.83958	0.53439	2.08713	2.93905	3.48347	1.01345	0.1804	0.46162	3.65256
0.73371	0.47416	1.73395	2.55467	4.34036	0.94862	0.18141	0.41544	3.54705
0.64784	0.42431	1.45445	2.22762	6.32474	0.87111	0.18236	0.37669	3.40606
0.57725	0.3825	1.2322	1.94999	10.58539	0.78877	0.18319	0.34382	3.23281
0.51737	0.34757	1.05526	1.72376	12.88427	0.73534	0.1839	0.31513	3.05349
0.58733	7.74018	0.39095	0.32898	11.63611	0.4063	0.1295	14.61761	0.23136
0.66699	6.36194	0.43039	0.36315	11.65623	0.44184	0.13353	15.15671	0.24832
0.76549	7.55667	0.47645	0.40393	10.36065	0.48217	0.13763	15.48465	0.26736
0.88974	7.586	0.53092	0.4536	8.40013	0.5281	0.1418	15.67886	0.28893
1.0491	7.42025	0.59534	0.51459	8.06122	0.58069	0.14595	15.69465	0.31326
1.26239	8.46186	0.6747	0.5942	8.18189	0.64115	0.15024	15.5407	0.3417
1.55436	5.65296	0.77174	0.69891	8.16688	0.711	0.15449	15.25369	0.37449
1.97191	7.68909	0.89243	0.84313	8.21402	0.7922	0.15865	14.94789	0.41267
2.6041	7.81836	1.0454	1.05472	8.28958	0.88708	0.1627	14.59618	0.4576
3.64275	8.36943	1.24454	1.39793	8.41119	0.99834	0.16661	14.26011	0.5113
5.56438	7.51341	1.51078	2.05001	8.5605	1.12913	0.17033	13.95302	0.5763
9.89276	7.60375	1.8804	3.73645	8.77192	1.28158	0.17382	13.58992	0.65648
35.86817	7.01814	9.16109	14.92071	7.41944	2.20312	0.18542	9.9219	1.53048
24.60089	5.7242	11.98773	16.66452	6.77678	2.29586	0.18652	6.45582	1.89876
11.68959	4.35949	13.98856	14.84471	6.0192	2.36277	0.18737	3.42456	2.37895
6.39607	3.16013	14.04741	14.12227	5.34341	2.34577	0.18793	2.17273	2.94401
4.18603	2.31491	12.6807	13.9777	4.85701	2.23674	0.18838	1.57961	3.5479
3.0195	1.74102	10.66641	13.03304	4.41811	2.0785	0.18876	1.23392	4.1433
2.29803	1.35664	8.57595	11.43594	4.07706	1.90198	0.18923	1.00328	4.69075
1.81711	1.09071	6.68165	9.71533	3.82948	1.76044	0.18984	0.83922	5.08085
1.47998	0.89966	5.14036	7.92452	3.67734	1.59734	0.1906	0.71743	5.26077
1.23212	0.75857	3.96799	6.39431	3.64505	1.44714	0.19153	0.62324	5.27547
1.04515	0.65072	3.09724	5.17619	3.75593	1.28506	0.19256	0.54885	5.17708
0.89933	0.56664	2.45633	4.24716	4.11497	1.16586	0.19366	0.48839	5.02976
0.78231	0.50003	1.98264	3.53953	5.01013	1.07636	0.1948	0.43802	4.8739
0.68877	0.44527	1.62531	2.96198	7.14861	0.96322	0.19582	0.3963	4.67348
0.61099	0.40044	1.3541	2.51912	8.50875	0.8887	0.19673	0.36051	4.46816

0.54647	0.36271	1.14378	2.16248	14.65086	0.80943	0.19743	0.32991	4.21859
0.49165	0.33083	0.97825	1.87987	8.94482	0.75273	0.19781	0.30318	3.93926
1.39271	0.98832	7.53608	13.6056	5.65214	2.3241	0.20847	0.66375	8.35353
1.14879	0.81252	5.40696	16.6024	5.31018	2.05352	0.21162	0.57214	8.20378
1.13226	0.69658	3.8142	9.97679	5.29013	1.51505	0.20755	0.58539	7.81098
0.9674	0.60271	2.89511	7.35374	5.49899	1.37468	0.20882	0.51819	7.43196
0.83862	0.52846	2.26072	5.55346	6.30837	1.22801	0.21006	0.46356	7.06454
0.73521	0.4687	1.81057	4.31471	8.81101	1.08713	0.21118	0.41808	6.74205
0.64908	0.42047	1.48327	3.4841	9.56952	0.99812	0.21213	0.37897	6.52484
0.578	0.38001	1.23639	2.86932	13.01124	0.91074	0.21272	0.34566	6.28246
0.51984	0.34546	1.04816	2.3931	8.83876	0.81979	0.21317	0.31759	5.89296
0.47033	0.31596	0.90051	2.03154	5.18716	0.73251	0.21324	0.29307	5.36839
0.50176	4.62375	0.36239	0.29984	3.75863	0.4109	0.13745	3.80169	0.21951
0.56464	5.54336	0.39742	0.32758	4.77482	0.4485	0.14242	4.48745	0.23503
0.63768	5.34166	0.43848	0.36106	5.23064	0.49246	0.14746	4.83893	0.25268
0.72695	5.14682	0.4867	0.4008	5.80019	0.54337	0.15263	5.06019	0.27259
0.83773	5.16406	0.54422	0.44902	6.44402	0.60262	0.15797	5.20184	0.29532
0.97668	8.21374	0.61268	0.50745	6.4599	0.67236	0.16334	5.29025	0.32107
1.15741	5.02987	0.69818	0.58313	6.36792	0.75465	0.16896	5.32764	0.35152
1.39381	5.02548	0.80309	0.67941	6.15246	0.85346	0.17454	5.33048	0.38665
1.71284	5.32097	0.93609	0.80812	6.03093	0.97315	0.18012	5.30456	0.42817
2.15428	7.94733	1.10715	0.98523	5.88804	1.12076	0.18557	5.25978	0.47748
2.78431	4.68541	1.3325	1.23993	5.74354	1.30574	0.19078	5.18609	0.53675
3.74049	4.82365	1.64747	1.64377	5.71958	1.54287	0.1959	5.10465	0.61086
5.23591	7.75923	2.10069	2.32759	5.75311	1.8564	0.20066	4.99878	0.70404
0.67673	0.44145	1.61233	5.49937	9.92817	1.14493	0.22943	0.37145	10.36209
0.6127	0.39772	1.33344	4.12965	13.14828	1.01544	0.23023	0.35852	10.16745
0.54883	0.36077	1.12099	3.25419	7.35949	0.90424	0.2305	0.32682	10.00876
0.49642	0.33049	0.9597	2.63004	4.92551	0.79777	0.23061	0.30658	9.39541
0.45043	0.30336	0.83034	2.1957	3.42451	0.71947	0.23003	0.28349	8.32088
0.4912	6.11924	0.36152	0.29627	2.30412	0.42685	0.14407	2.77265	0.21963
0.54849	9.35725	0.39664	0.32399	2.84028	0.46854	0.14951	3.17488	0.23541
0.61701	8.7369	0.43757	0.3564	3.17198	0.51684	0.15517	3.4525	0.25316
0.69994	8.45661	0.48576	0.39481	3.44784	0.5732	0.16103	3.63621	0.27324
0.80157	8.42365	0.54315	0.44095	3.68993	0.63952	0.16709	3.75788	0.29614
0.92714	8.31591	0.61169	0.49654	3.75466	0.71837	0.17326	3.83531	0.32222
1.08677	8.12311	0.69679	0.56704	3.78019	0.81289	0.17972	3.87919	0.35292
1.29048	7.89783	0.80188	0.65574	3.75682	0.92785	0.18622	3.89335	0.38861
1.55569	7.77169	0.93503	0.77106	3.74202	1.06965	0.19277	3.8839	0.43087
1.90738	7.59757	1.10604	0.92336	3.6968	1.24878	0.19921	3.85854	0.48113
2.38646	7.55104	1.33549	1.13617	3.69938	1.4783	0.20558	3.81264	0.54275
3.05561	7.4838	1.64852	1.43899	3.6795	1.78506	0.21161	3.7513	0.61847
3.99614	7.52552	2.0966	1.89059	3.68606	2.21187	0.21723	3.66911	0.71415
5.20427	7.60435	2.7679	2.53174	3.70087	2.8486	0.22225	3.56063	0.83755
6.43878	7.86768	3.88297	3.30986	3.78452	3.88762	0.22683	3.41762	1.006
7.28168	8.09746	5.86389	3.98712	3.85821	5.9902	0.2305	3.22931	1.24007
7.49507	5.3711	10.10944	4.58615	4.07717	6.25841	0.23353	2.97359	1.59485

0.47679	5.56898	0.35907	0.29244	1.6544	0.44216	0.15102	2.12296	0.21925
0.53046	5.55402	0.39376	0.31926	1.97556	0.48714	0.15712	2.4075	0.23502
0.59404	5.45142	0.43412	0.35043	2.21325	0.53962	0.16349	2.62339	0.25273
0.67011	5.39118	0.48158	0.38712	2.39385	0.60136	0.17014	2.77572	0.27279
0.76192	5.37199	0.53793	0.43072	2.53218	0.6747	0.17706	2.88049	0.29563
0.87345	5.32162	0.6052	0.48276	2.60023	0.76279	0.18417	2.94987	0.32168
1.01191	5.29223	0.68833	0.54755	2.64494	0.86965	0.19165	2.99124	0.35228
1.18384	5.22669	0.79055	0.62728	2.65778	1.00147	0.19923	3.00965	0.38784
1.40073	5.17377	0.91946	0.72811	2.66678	1.16675	0.20694	3.00837	0.42993
1.67811	5.11162	1.08473	0.85736	2.66714	1.37904	0.21462	2.99123	0.48018
2.03934	5.06933	1.30303	1.0282	2.67347	1.65861	0.22222	2.95811	0.54136
2.51638	5.04246	1.59933	1.25915	2.68355	2.04119	0.22953	2.90915	0.61698
3.13763	5.04082	2.01619	1.57541	2.70224	2.59292	0.23638	2.84263	0.71248
3.88307	5.01468	2.62185	1.98269	2.71283	3.46284	0.24248	2.75792	0.83523
4.62277	5.02952	3.56745	2.4515	2.7513	5.00163	0.24788	2.64546	1.00078
5.15631	5.09204	5.15834	2.90948	2.82846	8.46083	0.25244	2.49884	1.23468
5.32784	5.10686	8.03778	3.29945	2.92821	12.39535	0.25592	2.31049	1.58185
5.08847	4.95545	13.96484	3.6549	3.09361	8.16831	0.2586	2.06867	2.15745
4.48746	4.07996	25.03145	3.96939	3.31459	16.15119	0.26051	1.78029	3.26781
3.70423	2.74553	42.67091	4.20248	3.54042	8.3914	0.26187	1.48621	6.1827
2.27586	1.35692	30.07988	4.6772	4.2713	4.22029	0.2646	1.00232	21.08855
1.80386	1.07034	12.18915	4.98099	4.81523	3.31048	0.26627	0.84027	20.71936
1.4729	0.87838	6.93069	5.39254	5.38812	2.65622	0.26811	0.72075	22.92655
3.01562	3.65442	2.40069	1.62309	2.12371	4.09719	0.26633	2.21752	0.81823
3.49033	3.60826	3.15507	1.93678	2.14903	6.17009	0.27289	2.12781	0.97397
3.84371	3.58192	4.33777	2.25618	2.20433	11.1669	0.2785	2.01263	1.19112
3.97612	3.44511	6.19083	2.52379	2.24797	10.16422	0.28239	1.86912	1.49633
3.84712	3.27493	9.54718	2.79974	2.37066	11.22706	0.28589	1.68899	1.99096
3.49197	2.7745	14.53139	3.01681	2.48011	15.35931	0.28811	1.48722	2.81631
2.99181	2.11973	21.17115	3.2054	2.61175	8.44339	0.28989	1.2759	4.44743
2.46097	1.56774	27.24809	3.38205	2.76877	5.68282	0.29163	1.07775	7.72008
1.98429	1.20482	17.82209	3.58526	2.97079	4.25558	0.29371	0.90709	9.85432
1.60941	0.96966	9.14328	3.83597	3.19852	3.31695	0.29593	0.77214	10.63644
1.33038	0.80828	5.54273	4.18957	3.42636	2.67555	0.2983	0.66802	11.78887
1.12147	0.69049	3.8113	4.76423	3.60611	2.2186	0.30052	0.58628	13.53461
0.9619	0.60023	2.8171	5.79119	3.7193	1.86939	0.30232	0.52079	15.68505
0.83726	0.52849	2.18109	7.8551	3.75043	1.59709	0.30342	0.46736	17.92374
2.41354	2.81362	2.15133	1.369	1.72973	4.74111	0.29484	1.83242	0.79033
2.73441	2.75924	2.73793	1.59528	1.75238	7.38847	0.30314	1.75969	0.93249
2.97757	2.69882	3.59407	1.8276	1.79013	14.40203	0.31007	1.66809	1.12426
3.01304	2.40937	6.77211	2.24213	1.89997	12.33289	0.31905	1.41926	1.77322
2.79015	2.09853	9.30007	2.41556	1.97021	13.92163	0.32174	1.26814	2.35459
2.46155	1.71046	12.09527	2.57079	2.04943	8.28924	0.32423	1.11113	3.2992
2.09308	1.34891	13.53319	2.71966	2.13872	5.63439	0.32677	0.96043	4.68754
1.74111	1.07594	10.96411	2.88838	2.2452	4.19359	0.32965	0.82537	5.92647
1.44352	0.88367	7.08011	3.10111	2.36047	3.26716	0.33256	0.71262	6.70974
1.20919	0.74599	4.60996	3.39751	2.469	2.61673	0.33514	0.62199	7.4167

1.02971	0.64317	3.26405	3.84571	2.5501	2.16249	0.33719	0.54985	8.22019
0.89008	0.5633	2.46467	4.59245	2.5937	1.82764	0.33829	0.49125	9.0857
0.77927	0.49931	1.94202	5.9831	2.59135	1.55507	0.33821	0.44277	9.92021
0.68942	0.44692	1.57659	9.22263	2.5218	1.34207	0.33688	0.40198	10.63253
1.97784	2.25421	1.90698	1.18121	1.45092	5.38752	0.32966	1.54552	0.75593
2.20339	2.20371	2.36002	1.35327	1.47232	8.6827	0.34052	1.48568	0.88296
2.37631	2.1332	2.97652	1.52812	1.49734	12.64396	0.3492	1.41218	1.04697
2.42353	1.88927	4.9947	1.85525	1.57325	23.90888	0.36039	1.21699	1.5631
2.28157	1.67699	6.39645	1.99775	1.61953	12.40007	0.36392	1.10089	1.98022
2.05739	1.42358	7.75155	2.13107	1.67194	7.78557	0.36734	0.97925	2.57794
1.79647	1.17284	8.30643	2.25993	1.72629	5.50208	0.37111	0.86188	3.34691
1.53138	0.96669	7.32369	2.40787	1.78974	4.0791	0.3749	0.75257	4.10786
1.29692	0.80871	5.45985	2.58794	1.85247	3.18889	0.37821	0.65878	4.70057
1.10384	0.69026	3.8709	2.8296	1.90781	2.57203	0.38053	0.58107	5.18885
0.94899	0.60015	2.83419	3.18731	1.94795	2.11765	0.38141	0.51703	5.6595
0.82592	0.52927	2.17855	3.75458	1.96513	1.77164	0.38065	0.46421	6.11466
0.7271	0.47195	1.74068	4.74043	1.95372	1.50959	0.37822	0.42014	6.517
0.64609	0.42476	1.43074	6.75589	1.90682	1.29176	0.3743	0.38269	6.82848
0.57874	0.38519	1.2011	12.29663	1.8188	1.11537	0.36907	0.35053	6.95779
1.65189	1.85459	1.68006	1.0352	1.24076	6.05638	0.37293	1.32527	0.71714
1.8154	1.8069	2.02693	1.16935	1.25851	10.23666	0.38745	1.27587	0.82801
1.94209	1.74437	2.47973	1.30758	1.27928	15.31971	0.39901	1.21546	0.96742
2.00556	1.64276	3.04152	1.4326	1.2921	14.54919	0.40602	1.14394	1.13765
1.98994	1.54488	3.81391	1.57289	1.33452	20.09995	0.41332	1.05888	1.37867
1.89817	1.39076	4.64776	1.69253	1.36607	11.14904	0.41826	0.96767	1.6861
1.74421	1.21149	5.38705	1.80653	1.40035	7.37226	0.42339	0.87227	2.09131
1.35401	0.87161	5.2285	2.04848	1.47488	3.95082	0.43287	0.68904	3.07876
1.16792	0.74223	4.25402	2.20253	1.51156	3.08859	0.43556	0.61024	3.51048
1.00839	0.64055	3.24533	2.40234	1.5416	2.48571	0.43601	0.54323	3.86757
0.87525	0.56148	2.4724	2.69068	1.56226	2.03785	0.43405	0.48643	4.18416
0.76716	0.49829	1.93837	3.12708	1.56764	1.70905	0.42977	0.43893	4.46353
0.67915	0.44669	1.56873	3.84023	1.5542	1.44235	0.42347	0.39889	4.69178
0.60638	0.40387	1.30291	5.14448	1.51869	1.23061	0.41558	0.36463	4.84836
0.54571	0.36759	1.10352	7.88202	1.45778	1.06054	0.40645	0.33515	4.88911
0.49318	0.33709	0.94962	16.16552	1.37622	0.90743	0.39655	0.30893	4.81115
1.40148	1.55944	1.47913	0.91891	1.07802	6.73893	0.42831	1.15142	0.67661
1.52316	1.51594	1.74632	1.02614	1.09263	12.10547	0.44854	1.11038	0.77233
1.6183	1.45829	2.07944	1.13604	1.10749	18.5802	0.46414	1.06089	0.88885
1.67024	1.38459	2.49324	1.24505	1.12456	14.64509	0.4751	1.00252	1.0333
1.66556	1.29726	2.99779	1.35588	1.14986	17.95395	0.48421	0.93412	1.22013
1.60396	1.18209	3.52414	1.45847	1.17312	10.40728	0.49147	0.86009	1.45313
1.49611	1.04926	3.96501	1.55677	1.19639	6.98265	0.49886	0.78354	1.74196
1.35575	0.91388	4.14033	1.6573	1.22085	5.02588	0.50483	0.70654	2.07737
1.2004	0.79012	3.92093	1.77056	1.2465	3.74657	0.5076	0.63209	2.42603
1.05259	0.68354	3.37363	1.902	1.26851	2.92762	0.50726	0.56568	2.74197
0.80787	0.5265	2.1602	2.29675	1.29508	1.93489	0.49573	0.45792	3.23634
0.71277	0.47018	1.73158	2.63549	1.2952	1.60543	0.48558	0.41506	3.42767

0.63453	0.42354	1.42007	3.15641	1.28189	1.35208	0.47349	0.37872	3.57312
0.56944	0.38441	1.19065	4.02549	1.25332	1.16039	0.46012	0.34751	3.66102
0.51453	0.35119	1.01671	5.63281	1.20847	0.99943	0.446	0.32037	3.67498
0.46772	0.32261	0.88082	9.20662	1.14799	0.86909	0.43156	0.29659	3.59816
1.20484	1.33496	1.30582	0.82438	0.949	7.41497	0.50183	1.01109	0.63624
1.29742	1.29613	1.51406	0.91192	0.9611	14.37832	0.53174	0.97683	0.71861
1.37049	1.24735	1.76688	1.00277	0.9739	13.9368	0.55482	0.93557	0.81741
1.41253	1.18574	2.06769	1.09355	0.98736	21.73997	0.5706	0.88744	0.93685
1.4147	1.11231	2.41334	1.18473	1.00425	16.05149	0.58368	0.83221	1.08496
1.36966	1.02509	2.7599	1.27473	1.02318	9.41315	0.59383	0.76942	1.26586
1.29362	0.92296	3.04318	1.36018	1.03941	6.4947	0.60331	0.70735	1.48057
1.18978	0.81782	3.16299	1.44764	1.0558	4.71212	0.60742	0.64424	1.72272
1.07205	0.71824	3.04962	1.54279	1.07147	3.57842	0.60493	0.58311	1.97305
0.95382	0.63008	2.72571	1.65309	1.08495	2.78764	0.59633	0.52661	2.20763
0.74581	0.4948	1.88913	1.97682	1.0998	1.80842	0.56585	0.43115	2.58524
0.66283	0.44425	1.54948	2.23491	1.09679	1.48725	0.54692	0.39272	2.72347
0.59332	0.40205	1.28875	2.61263	1.0843	1.25178	0.52703	0.35973	2.82428
0.53536	0.36614	1.09112	3.18741	1.06056	1.07696	0.50678	0.3314	2.87816
0.48525	0.33583	0.9387	4.17468	1.02618	0.92761	0.48674	0.30625	2.8842
0.44296	0.3093	0.81851	6.00178	0.97997	0.80915	0.46715	0.2844	2.82388
1.0475	1.15814	1.15691	0.74535	0.84342	8.02516	0.60351	0.89612	0.59675
1.11936	1.12412	1.32129	0.81809	0.85369	17.09985	0.6517	0.86732	0.6677
1.21091	1.03087	1.73865	0.97043	0.87522	19.67747	0.71387	0.79255	0.85094
1.21605	0.96996	1.98377	1.04718	0.88747	14.33459	0.73486	0.74691	0.97037
1.187	0.89973	2.22397	1.12392	0.90104	8.83421	0.74961	0.69584	1.11287
1.12873	0.82048	2.41171	1.1993	0.91351	5.98388	0.75246	0.6425	1.27636
1.05301	0.73628	2.50031	1.27381	0.92418	4.42519	0.74634	0.59111	1.45702
0.96144	0.65568	2.44053	1.35506	0.9345	3.33448	0.72784	0.53954	1.64355
0.866	0.58243	2.24072	1.44786	0.94302	2.58727	0.70241	0.49094	1.82163
0.69116	0.46502	1.65626	1.70475	0.94997	1.67359	0.64277	0.40709	2.1125
0.61848	0.41983	1.38948	1.89802	0.94561	1.38654	0.61224	0.37246	2.21727
0.55659	0.38157	1.17262	2.16446	0.93407	1.16907	0.58262	0.34243	2.29086
0.50399	0.34894	1.00221	2.54599	0.91449	1.00018	0.55432	0.31628	2.32938
0.45847	0.32109	0.86831	3.12752	0.88688	0.86406	0.52762	0.29307	2.3306
0.42006	0.29652	0.76169	4.00892	0.85044	0.75708	0.50252	0.27292	2.28353
0.33055	0.2394	0.54329	3.708	0.7062	0.53233	0.43677	0.22395	1.88214
0.30741	0.22427	0.49214	2.16487	0.65212	0.48029	0.4177	0.21077	1.67671
0.91977	1.01551	1.02929	0.67799	0.75525	8.41761	0.75188	0.80085	0.55877
0.97629	0.98665	1.1611	0.73964	0.76459	12.74015	0.84057	0.77611	0.6203
1.05027	0.90736	1.48055	0.86855	0.78224	25.14308	0.95595	0.71313	0.77483
1.05688	0.85613	1.65855	0.93331	0.79102	12.99252	0.9877	0.67524	0.87185
1.03843	0.79864	1.83019	0.99891	0.80094	8.1596	0.99371	0.63309	0.98541
0.99497	0.7354	1.96318	1.06484	0.8107	5.5174	0.96739	0.58786	1.11376
0.93641	0.66779	2.0288	1.12994	0.81842	4.01966	0.92617	0.5439	1.25251
0.86439	0.60172	1.99797	1.19968	0.8254	3.01602	0.87524	0.49993	1.39555
0.78603	0.5405	1.87011	1.27881	0.83091	2.30961	0.8218	0.45746	1.53383
0.64001	0.438	1.45565	1.482	0.83282	1.50348	0.72307	0.38417	1.76149

0.5768	0.39742	1.24686	1.62584	0.82765	1.24999	0.67879	0.3531	1.84314
0.52176	0.36276	1.06783	1.81454	0.81713	1.05782	0.63833	0.32577	1.89993
0.47446	0.33295	0.92199	2.06528	0.80052	0.91673	0.60153	0.3018	1.92896
0.43377	0.30709	0.80481	2.39915	0.77748	0.80437	0.56797	0.28069	1.9269
0.39874	0.28433	0.70995	2.82847	0.74797	0.71383	0.53721	0.26205	1.89013
0.31587	0.23132	0.51321	2.64448	0.63214	0.49471	0.45984	0.21612	1.58978
0.29482	0.21693	0.46668	1.8059	0.58783	0.45689	0.43811	0.20395	1.434
0.81432	0.8997	0.92084	0.62048	0.68147	8.39723	0.98394	0.72029	0.5232
0.85949	0.87447	1.02703	0.67289	0.68945	13.04529	1.18206	0.69925	0.57646
0.92021	0.80672	1.27493	0.78276	0.70402	23.03969	1.4526	0.64592	0.70736
0.92737	0.76374	1.40769	0.8382	0.7108	11.82732	1.45278	0.61397	0.7873
0.91568	0.71579	1.53303	0.89415	0.71796	7.36294	1.37076	0.57877	0.87866
0.88333	0.66426	1.63104	0.95156	0.72557	4.9507	1.25617	0.54031	0.98116
0.83703	0.60917	1.68064	1.00846	0.73137	3.53637	1.14197	0.50209	1.09016
0.78037	0.55418	1.66598	1.06775	0.73598	2.65933	1.03951	0.46452	1.20195
0.71822	0.50201	1.58338	1.13214	0.73902	2.08833	0.94991	0.42845	1.30998
0.59422	0.41284	1.28457	1.29365	0.73821	1.36306	0.80399	0.36325	1.49154
0.53938	0.37641	1.12159	1.39976	0.73279	1.14366	0.74515	0.33541	1.55664
0.49032	0.34499	0.97433	1.53279	0.7232	0.97319	0.69334	0.31044	1.60178
0.44789	0.31767	0.85001	1.69645	0.70883	0.85	0.64789	0.28852	1.62429
0.4109	0.29383	0.74728	1.89569	0.6895	0.75016	0.6074	0.26902	1.62236
0.37881	0.27277	0.66279	2.11831	0.66515	0.66917	0.57105	0.25171	1.59378
0.30239	0.22334	0.48525	1.96766	0.57024	0.47419	0.48243	0.20883	1.36278
0.28268	0.20991	0.44279	1.51403	0.53368	0.43507	0.45807	0.1973	1.24422
0.72646	0.80343	0.82772	0.57036	0.6184	7.7813	1.35624	0.6519	0.48985
0.76301	0.78154	0.91411	0.61538	0.6254	12.10727	1.95825	0.63382	0.53614
0.81335	0.72347	1.10903	0.70971	0.63764	21.81583	2.74495	0.58832	0.64764
0.82062	0.68737	1.21035	0.75769	0.64322	10.4555	2.28773	0.56105	0.71435
0.81316	0.64694	1.30411	0.80562	0.64847	6.29666	1.89059	0.53127	0.78879
0.78897	0.60409	1.37789	0.85523	0.65427	4.22443	1.59668	0.4984	0.87155
0.75416	0.55789	1.41792	0.90349	0.65817	3.08621	1.37843	0.46618	0.9583
0.70873	0.51183	1.4118	0.95394	0.66135	2.34561	1.21044	0.4335	1.04722
0.65778	0.46745	1.3567	1.00754	0.66304	1.85382	1.07851	0.4019	1.13338
0.55304	0.38949	1.13886	1.13511	0.66051	1.24835	0.88382	0.3441	1.27975
0.50567	0.35668	1.01142	1.21283	0.65494	1.06629	0.81033	0.31919	1.33221
0.46156	0.32832	0.89052	1.30847	0.64639	0.89976	0.74723	0.29619	1.36941
0.42344	0.30325	0.78482	1.41718	0.6338	0.79689	0.6932	0.27608	1.38753
0.38974	0.28126	0.69496	1.54002	0.61733	0.70212	0.6459	0.25803	1.38619
0.35999	0.2619	0.6198	1.66456	0.59711	0.6238	0.60422	0.24179	1.36471
0.28958	0.21568	0.45912	1.54164	0.51799	0.45526	0.50452	0.20179	1.18381
0.27109	0.20316	0.42033	1.27676	0.48747	0.41505	0.47761	0.19087	1.09175
0.65254	0.72252	0.74749	0.52634	0.56407	6.50358	1.851	0.59325	0.4588
0.68247	0.7035	0.81829	0.56527	0.57025	14.66352	1.77214	0.57766	0.49917
0.72461	0.65349	0.97338	0.64666	0.58065	9.57866	5.68947	0.53862	0.5946
0.73158	0.62286	1.05199	0.68824	0.58526	8.20821	3.4167	0.51516	0.65064
0.72694	0.58873	1.12399	0.72979	0.58944	5.01843	2.47249	0.48958	0.71231
0.70965	0.55218	1.18101	0.77191	0.59348	3.50143	1.94965	0.46191	0.77952

0.68146	0.51369	1.21278	0.81415	0.59667	2.61121	1.61239	0.43339	0.85023
0.64623	0.4742	1.21223	0.85598	0.59836	2.05626	1.37902	0.40563	0.92146
0.60447	0.43614	1.17504	0.90046	0.59913	1.65686	1.20479	0.3779	0.99108
0.56066	0.40016	1.10561	0.94744	0.59807	1.3768	1.06966	0.35165	1.05459
0.51596	0.36773	1.01436	1.00132	0.59554	1.14824	0.96218	0.32655	1.11031
0.47418	0.3384	0.91394	1.06043	0.59027	0.98169	0.87393	0.30382	1.1538
0.43547	0.31254	0.81533	1.12811	0.58237	0.84964	0.80023	0.28304	1.18421
0.40078	0.28965	0.72548	1.20297	0.57138	0.74461	0.73762	0.26438	1.19964
0.36993	0.26943	0.64714	1.28182	0.55727	0.65907	0.68371	0.24758	1.19927
0.34287	0.25136	0.58022	1.35143	0.53989	0.59323	0.63654	0.2326	1.18185
0.29639	0.22138	0.47575	1.36867	0.49786	0.46845	0.55888	0.20616	1.10214
0.27735	0.20837	0.43476	1.25609	0.47342	0.43404	0.52626	0.19499	1.03978
0.26015	0.19662	0.39924	1.08851	0.44759	0.39692	0.49686	0.18471	0.96671
0.58963	0.65386	0.67807	0.48742	0.51694	4.92728	2.19314	0.54244	0.43006
0.61439	0.63731	0.7365	0.52129	0.52244	8.77619	4.91826	0.52894	0.46538
0.63542	0.61718	0.79805	0.55611	0.52711	6.71476	2.4488	0.51339	0.50432
0.6499	0.59411	0.8613	0.59191	0.53146	10.46487	5.10388	0.49521	0.54754
0.65657	0.56784	0.9232	0.62794	0.53526	5.85363	4.61822	0.475	0.59492
0.65378	0.53882	0.97954	0.66409	0.53868	3.93137	3.06093	0.45281	0.64656
0.64121	0.50748	1.0243	0.70013	0.54158	2.90115	2.30005	0.42916	0.70189
0.61941	0.47463	1.05056	0.73623	0.54382	2.24835	1.84651	0.40455	0.75987
0.59058	0.44104	1.05257	0.77224	0.54499	1.80361	1.54528	0.37996	0.81837
0.55576	0.4083	1.0271	0.80987	0.54527	1.46989	1.32855	0.3553	0.8756
0.5198	0.37652	0.97669	0.84717	0.54351	1.24759	1.16613	0.33246	0.92725
0.28355	0.21353	0.44956	1.12744	0.4558	0.44611	0.58341	0.19899	0.97141
0.26587	0.20133	0.4121	1.0524	0.43497	0.41472	0.54785	0.1885	0.92148
0.24985	0.19027	0.37951	0.93965	0.41289	0.38042	0.51597	0.17883	0.86269
0.53582	0.59491	0.61759	0.45268	0.47567	3.63231	2.27839	0.49826	0.40345
0.55677	0.58031	0.66606	0.48215	0.4805	5.21489	4.41133	0.48673	0.43437
0.57422	0.563	0.71652	0.51263	0.48476	6.7265	3.53719	0.47302	0.46834
0.5866	0.54307	0.76761	0.54384	0.48856	6.0333	7.04259	0.45716	0.50558
0.59232	0.52067	0.81705	0.57548	0.49197	4.34781	6.06177	0.43925	0.54615
0.59119	0.49558	0.86183	0.60674	0.49465	3.18156	3.70127	0.42018	0.58961
0.58152	0.46876	0.89742	0.6381	0.49696	2.44094	2.6629	0.39943	0.63593
0.56494	0.44032	0.91946	0.66882	0.49838	1.94972	2.08572	0.37831	0.68387
0.54176	0.41131	0.92307	0.69944	0.49899	1.5992	1.71445	0.35679	0.73224
0.51381	0.38254	0.90585	0.73012	0.49852	1.33517	1.4553	0.33547	0.77907
0.48244	0.35507	0.86859	0.76215	0.49701	1.12928	1.26406	0.31448	0.82273
0.27158	0.20599	0.42536	0.95369	0.41944	0.4296	0.60795	0.19218	0.86336
0.25499	0.19459	0.391	0.90093	0.40154	0.39332	0.56937	0.18225	0.8231
0.24005	0.18418	0.36105	0.82123	0.3825	0.36473	0.53499	0.17316	0.77526
0.48925	0.54401	0.56473	0.42159	0.4394	2.74627	2.23575	0.45942	0.37895
0.50702	0.5312	0.60522	0.44739	0.44374	3.50872	3.86252	0.44946	0.40616
0.52186	0.51609	0.64687	0.47406	0.44754	4.11841	3.74409	0.43751	0.43583
0.5382	0.47918	0.72861	0.52875	0.45368	3.31693	8.11364	0.40825	0.50278
0.53757	0.45767	0.76469	0.5562	0.45604	2.61825	4.45679	0.39129	0.53988
0.53035	0.43444	0.79357	0.58338	0.45782	2.08513	3.06369	0.37317	0.57892

0.5171	0.4099	0.81199	0.61003	0.45887	1.70163	2.33678	0.35452	0.61919
0.49849	0.38466	0.81654	0.63617	0.45907	1.42592	1.88979	0.33565	0.6596
0.47523	0.35956	0.80482	0.66227	0.45839	1.20569	1.58472	0.31666	0.69882
0.44868	0.33534	0.77708	0.68888	0.45673	1.03065	1.36328	0.29788	0.73537
0.26011	0.19886	0.40277	0.82335	0.38776	0.4057	0.6324	0.18557	0.77311
0.24447	0.1882	0.37116	0.78455	0.37216	0.37084	0.59058	0.17614	0.74025
0.23062	0.17838	0.34372	0.72591	0.35572	0.34304	0.5539	0.16763	0.70107
0.44878	0.49965	0.51826	0.39356	0.4073	2.1479	2.14505	0.42516	0.35637
0.46391	0.48842	0.55232	0.41628	0.41125	2.56895	3.41742	0.41648	0.38043
0.47668	0.47517	0.58695	0.43966	0.41465	2.8865	6.86961	0.40608	0.40645
0.49126	0.44294	0.65414	0.48752	0.42003	2.58378	6.61635	0.38048	0.46446
0.49137	0.4242	0.68367	0.51146	0.42199	2.17408	5.39873	0.36562	0.49623
0.48592	0.40401	0.70746	0.53516	0.42342	1.79823	3.51857	0.34965	0.52947
0.4754	0.38263	0.72307	0.55829	0.42414	1.50141	2.61061	0.33317	0.56355
0.46025	0.36058	0.72792	0.58078	0.42408	1.27521	2.07543	0.31647	0.59762
0.44076	0.33858	0.71996	0.60311	0.42327	1.08991	1.71908	0.29946	0.63072
0.41804	0.31716	0.699	0.62552	0.42155	0.93341	1.46449	0.2825	0.66158
0.24934	0.19204	0.38179	0.72162	0.35991	0.38659	0.65694	0.17928	0.69667
0.23484	0.18199	0.35291	0.69174	0.34632	0.35516	0.61222	0.17045	0.66965
0.22189	0.17273	0.32761	0.64728	0.33193	0.3295	0.57297	0.16243	0.63721
0.41332	0.46078	0.47724	0.36823	0.37876	1.73073	2.04161	0.39473	0.3356
0.42633	0.4509	0.50605	0.38829	0.38238	1.98761	3.06694	0.38717	0.35694
0.43741	0.43924	0.53507	0.40886	0.38545	2.17895	5.46314	0.3781	0.37985
0.44577	0.42587	0.56365	0.42977	0.38803	2.20871	4.73703	0.36758	0.40433
0.45057	0.41092	0.59086	0.45082	0.39016	2.06365	7.8954	0.35569	0.43036
0.45085	0.39462	0.61524	0.47196	0.39192	1.81695	6.6028	0.34238	0.45786
0.44712	0.37685	0.63522	0.49252	0.39298	1.56105	4.05454	0.32851	0.48629
0.43857	0.35818	0.64848	0.51275	0.3935	1.32984	2.9139	0.31378	0.51538
0.42592	0.33888	0.65323	0.53239	0.39332	1.14067	2.27219	0.29874	0.54441
0.40994	0.31936	0.64809	0.55133	0.39232	0.99206	1.8613	0.28373	0.57241
0.39095	0.30024	0.63243	0.56997	0.39051	0.86479	1.57271	0.26866	0.5985
0.37052	0.28175	0.60742	0.58788	0.38765	0.76443	1.36034	0.25413	0.62137
0.23932	0.18549	0.36237	0.64007	0.33532	0.36969	0.68189	0.17336	0.63137
0.22571	0.17606	0.33584	0.61656	0.32335	0.33995	0.63389	0.16499	0.60899
0.21372	0.16727	0.31258	0.58177	0.31068	0.32206	0.59214	0.1575	0.58188
0.38212	0.42646	0.44086	0.34522	0.35326	1.42933	1.93795	0.36761	0.31647
0.39341	0.41775	0.46537	0.36298	0.35657	1.59802	2.78487	0.36104	0.33546
0.40289	0.40757	0.48991	0.38126	0.35945	1.72348	4.56385	0.35293	0.3558
0.41043	0.39571	0.51386	0.39962	0.36171	1.75826	7.00861	0.3438	0.37726
0.41485	0.38255	0.53664	0.41817	0.36359	1.686	6.3341	0.33331	0.39998
0.41575	0.36813	0.55712	0.43664	0.36502	1.5369	8.35793	0.32172	0.42378
0.41274	0.3526	0.57386	0.45484	0.36596	1.35733	4.69809	0.3092	0.44839
0.4063	0.33603	0.58549	0.47232	0.3662	1.18857	3.26673	0.29637	0.47328
0.39617	0.31887	0.59019	0.48916	0.36579	1.0392	2.49496	0.28311	0.49797
0.38179	0.30188	0.58645	0.50613	0.36494	0.8984	2.00973	0.26898	0.52219
0.36603	0.28471	0.57483	0.52173	0.36311	0.79639	1.68547	0.25566	0.54441
0.34821	0.26814	0.55506	0.53679	0.36043	0.70517	1.44712	0.24238	0.56408

0.22982	0.17926	0.3442	0.57348	0.31344	0.35312	0.70695	0.16766	0.5751
0.21713	0.17036	0.31994	0.55451	0.30286	0.32581	0.65579	0.15979	0.55649
0.20587	0.16208	0.29846	0.52687	0.29163	0.30906	0.61129	0.1527	0.53375
0.35445	0.39606	0.4085	0.32432	0.33039	1.20395	1.83931	0.34327	0.29888
0.36427	0.38838	0.42947	0.34012	0.33347	1.32205	2.55353	0.3375	0.31586
0.37281	0.37925	0.45028	0.3562	0.33601	1.40869	3.92743	0.33057	0.33383
0.37938	0.36885	0.47058	0.37253	0.33812	1.44159	7.58406	0.32241	0.35282
0.38445	0.34453	0.50711	0.40532	0.34107	1.31134	7.07653	0.30274	0.39358
0.38264	0.33066	0.52147	0.42114	0.34172	1.18913	5.52917	0.29189	0.41481
0.37737	0.31604	0.53152	0.43657	0.34187	1.06018	3.67078	0.28032	0.43635
0.36887	0.30089	0.53601	0.45142	0.34144	0.93938	2.73901	0.26832	0.4577
0.35739	0.28555	0.53394	0.46569	0.34041	0.83167	2.17987	0.25603	0.47832
0.34318	0.2704	0.52475	0.47951	0.33875	0.73035	1.80439	0.24347	0.49763
0.32803	0.25539	0.50921	0.49196	0.33617	0.65595	1.53927	0.23158	0.5145
0.20905	0.16491	0.30509	0.50251	0.28449	0.31272	0.67795	0.15484	0.51072
0.19827	0.15715	0.28514	0.48035	0.27449	0.29116	0.63039	0.14801	0.4916
0.32987	0.36892	0.37957	0.30521	0.30978	1.03091	1.74606	0.32141	0.28267
0.33848	0.36214	0.39761	0.31932	0.31264	1.11651	2.35693	0.31635	0.29789
0.34594	0.3541	0.41544	0.33369	0.31501	1.18063	3.45878	0.31019	0.31393
0.35183	0.34486	0.43275	0.34819	0.31693	1.20862	6.02676	0.30299	0.33076
0.35566	0.33451	0.44912	0.36271	0.31841	1.19122	8.23131	0.2948	0.34832
0.35703	0.32316	0.46389	0.3771	0.31945	1.13218	5.22363	0.28574	0.36648
0.35551	0.31097	0.47618	0.39129	0.32007	1.04484	6.61632	0.27582	0.38513
0.35136	0.29796	0.48498	0.40487	0.32011	0.94771	4.15266	0.2655	0.40382
0.34437	0.28444	0.48925	0.41788	0.3196	0.85158	3.01542	0.25474	0.42229
0.33472	0.27072	0.48815	0.43029	0.31855	0.76221	2.36177	0.24366	0.44012
0.32243	0.25713	0.48106	0.44223	0.31695	0.67467	1.93301	0.23221	0.45681
0.30951	0.2435	0.46879	0.45261	0.31447	0.6133	1.63707	0.22151	0.47137
0.29503	0.2305	0.45133	0.46224	0.31136	0.55292	1.41486	0.21074	0.48361
0.20133	0.15971	0.2911	0.45842	0.26789	0.29953	0.70012	0.15006	0.47052
0.19117	0.15239	0.27267	0.44022	0.25895	0.27916	0.64961	0.14357	0.45433
0.30788	0.34464	0.35365	0.28777	0.29115	0.89463	1.65913	0.30163	0.26773
0.31546	0.33864	0.36925	0.30041	0.29381	0.95876	2.18787	0.2972	0.28142
0.32206	0.33151	0.3846	0.31326	0.29602	1.0073	3.09169	0.29174	0.29578
0.32733	0.3233	0.39947	0.32621	0.29779	1.03135	4.98489	0.28535	0.31076
0.33088	0.31409	0.41351	0.33914	0.29912	1.02404	7.20481	0.27808	0.3263
0.33137	0.29308	0.43684	0.3645	0.30052	0.92402	8.1652	0.26118	0.35861
0.32801	0.2815	0.44459	0.37657	0.3005	0.85014	4.74911	0.25186	0.37497
0.32215	0.26944	0.4486	0.3881	0.29999	0.77305	3.33824	0.24211	0.39109
0.31398	0.25712	0.44818	0.39897	0.29895	0.69896	2.56572	0.23209	0.40658
0.30374	0.24477	0.44289	0.40909	0.29734	0.62649	2.0766	0.22189	0.421
0.29217	0.23252	0.43292	0.41814	0.29507	0.56865	1.7409	0.2119	0.43376
0.27955	0.22063	0.41863	0.42609	0.29215	0.51573	1.49502	0.2021	0.44443
0.2156	0.17023	0.31655	0.43814	0.26732	0.33576	0.85541	0.15925	0.45393
0.19405	0.15472	0.278	0.42056	0.25287	0.2873	0.72259	0.1455	0.43505
0.1845	0.1478	0.26099	0.4054	0.24484	0.26822	0.66905	0.13934	0.42127
0.28818	0.32277	0.33031	0.27177	0.27423	0.78538	1.57763	0.28375	0.25393

0.29495	0.31743	0.34386	0.28309	0.2767	0.83505	2.03898	0.2799	0.26625
0.30081	0.3111	0.35717	0.29463	0.27876	0.87278	2.79392	0.27506	0.27914
0.30557	0.30378	0.37004	0.30623	0.28039	0.89332	4.24598	0.26939	0.29252
0.30886	0.29556	0.38218	0.31779	0.2816	0.89152	6.08463	0.26291	0.30632
0.30965	0.27683	0.40243	0.34047	0.28284	0.82168	7.40758	0.24768	0.33488
0.30693	0.26647	0.40928	0.35122	0.28279	0.76482	5.51831	0.23926	0.34924
0.30216	0.25561	0.41306	0.36136	0.28223	0.70428	3.72049	0.23052	0.36331
0.29517	0.24454	0.41311	0.37094	0.28122	0.64144	2.79583	0.22138	0.37686
0.28641	0.23336	0.40911	0.37971	0.27967	0.581	2.23213	0.21214	0.38943
0.2759	0.22231	0.40072	0.38757	0.27746	0.52331	1.84752	0.20193	0.40044
0.26511	0.21139	0.38927	0.39422	0.27483	0.48063	1.57956	0.19392	0.41
0.25336	0.20093	0.37434	0.39967	0.27151	0.43903	1.37329	0.18516	0.41722
0.24157	0.19093	0.35721	0.40354	0.26758	0.40606	1.21257	0.17684	0.42194
0.22956	0.18158	0.33854	0.40577	0.26307	0.37063	1.0822	0.16874	0.424
0.21815	0.17278	0.31952	0.40568	0.25795	0.34303	0.97573	0.16121	0.42317
0.20716	0.1646	0.30068	0.40295	0.25225	0.31783	0.88636	0.15407	0.41945
0.19687	0.15699	0.28267	0.39705	0.24599	0.29807	0.81063	0.14742	0.41286
0.18719	0.14994	0.26572	0.38774	0.23922	0.27602	0.74538	0.14116	0.40357
0.17816	0.14341	0.25	0.375	0.23198	0.25772	0.68857	0.13529	0.39179
0.27035	0.30307	0.30927	0.25713	0.25886	0.69682	1.50215	0.26741	0.2412
0.27636	0.29834	0.32111	0.26736	0.26118	0.73491	1.9089	0.26401	0.25235
0.28164	0.29269	0.3327	0.27772	0.26309	0.76509	2.54865	0.25976	0.26394
0.28593	0.28616	0.34389	0.28815	0.2646	0.78262	3.69984	0.2547	0.27593
0.28894	0.27881	0.35445	0.29855	0.26572	0.78372	6.42365	0.24889	0.28824
0.29045	0.27071	0.36404	0.30877	0.26643	0.76737	6.2219	0.24242	0.3008
0.2902	0.26194	0.37217	0.31874	0.26675	0.73544	5.03774	0.23535	0.31348
0.28799	0.25265	0.37827	0.32835	0.26667	0.69166	6.56353	0.2277	0.32616
0.28399	0.24289	0.38179	0.33738	0.26612	0.64307	4.18485	0.21975	0.33854
0.27811	0.23287	0.3822	0.34578	0.26512	0.59145	3.06221	0.21149	0.35041
0.27057	0.22273	0.37919	0.35344	0.26365	0.54002	2.40575	0.20306	0.36143
0.26167	0.21263	0.37268	0.36019	0.26165	0.49331	1.97475	0.19461	0.37126
0.25149	0.20171	0.36256	0.36591	0.25901	0.44473	1.66598	0.18384	0.37932
0.24146	0.19304	0.35041	0.37039	0.25608	0.41489	1.44449	0.17826	0.386
0.2308	0.1838	0.33573	0.3735	0.25248	0.38472	1.26911	0.17052	0.3903
0.21998	0.17508	0.31956	0.37512	0.24836	0.35511	1.12855	0.16301	0.39232
0.2094	0.16688	0.30273	0.37483	0.24371	0.32688	1.01378	0.15589	0.39186
0.19924	0.15922	0.2859	0.37228	0.23854	0.30353	0.91821	0.14917	0.38887
0.18969	0.15204	0.26962	0.36708	0.23288	0.28539	0.83761	0.14291	0.38337
0.17215	0.13919	0.23965	0.34824	0.22022	0.24791	0.70827	0.13142	0.36541
0.2543	0.28517	0.29021	0.24363	0.24479	0.62292	1.43104	0.25259	0.22939
0.25967	0.28098	0.3006	0.25289	0.24697	0.65335	1.7919	0.24958	0.2395
0.26446	0.27591	0.31075	0.26223	0.24874	0.678	2.3405	0.24585	0.24994
0.26836	0.27007	0.32055	0.27163	0.25015	0.69303	3.27483	0.24134	0.26071
0.27109	0.26351	0.3298	0.28101	0.2512	0.69552	5.24429	0.23609	0.27175
0.27259	0.25622	0.33822	0.2902	0.25184	0.68487	7.29737	0.23029	0.28293
0.2709	0.23993	0.35087	0.30766	0.25197	0.6285	8.05811	0.21706	0.30537
0.26744	0.23116	0.35411	0.31577	0.25146	0.58819	4.7626	0.20974	0.31634

0.26246	0.22207	0.35478	0.3232	0.25049	0.54605	3.37153	0.20223	0.32679
0.25601	0.21284	0.35255	0.32988	0.24908	0.5027	2.60126	0.19458	0.33649
0.24835	0.20359	0.34736	0.3357	0.2472	0.46461	2.11109	0.1869	0.34515
0.23937	0.19454	0.33905	0.34067	0.24482	0.42228	1.76649	0.17904	0.35245
0.2298	0.18464	0.32811	0.34442	0.24188	0.3829	1.51407	0.16704	0.35797
0.22061	0.17708	0.31601	0.347	0.23876	0.36235	1.32829	0.16447	0.36226
0.21081	0.16896	0.30196	0.34819	0.23499	0.33558	1.17644	0.15748	0.36421
0.20111	0.16129	0.28711	0.34775	0.23075	0.31145	1.05305	0.15081	0.36403
0.19172	0.15408	0.27207	0.34538	0.22605	0.28994	0.95088	0.14449	0.36164
0.18282	0.14733	0.25735	0.34081	0.22091	0.27118	0.86501	0.13856	0.35706
0.16643	0.13515	0.22988	0.32455	0.20942	0.23841	0.72802	0.1277	0.3417
0.23974	0.2689	0.2729	0.23119	0.2319	0.56093	1.36445	0.23903	0.21844
0.24457	0.26517	0.28207	0.23959	0.23395	0.58571	1.68652	0.23639	0.22762
0.24887	0.26066	0.29101	0.24807	0.23563	0.60589	2.16274	0.23305	0.23708
0.25244	0.25541	0.29964	0.25655	0.23693	0.61894	2.93668	0.22905	0.24677
0.25502	0.2495	0.30779	0.265	0.23789	0.62243	4.42872	0.22437	0.25666
0.25645	0.24295	0.31522	0.27329	0.23848	0.61543	6.19365	0.21911	0.26666
0.25521	0.22827	0.32648	0.28902	0.23858	0.57216	7.13688	0.20706	0.28665
0.25237	0.2203	0.32951	0.29622	0.23806	0.53933	5.5094	0.20045	0.29635
0.24819	0.21203	0.33038	0.30278	0.23712	0.50553	3.74258	0.19365	0.30558
0.24255	0.20363	0.32871	0.30871	0.23579	0.46821	2.82266	0.18659	0.31417
0.23578	0.19519	0.32448	0.31382	0.23404	0.43316	2.25843	0.17948	0.32187
0.2281	0.18682	0.31775	0.31805	0.23186	0.40034	1.87623	0.17241	0.32842
0.2197	0.17865	0.30871	0.3213	0.22925	0.36984	1.59917	0.16543	0.3336
0.21082	0.17076	0.29769	0.32343	0.22616	0.3401	1.38833	0.15731	0.33712
0.2019	0.16234	0.28544	0.32432	0.2227	0.31553	1.22437	0.1502	0.339
0.19325	0.15597	0.27257	0.32379	0.21891	0.29683	1.09376	0.14595	0.33918
0.18458	0.1492	0.25912	0.32162	0.21461	0.27691	0.98436	0.14	0.33728
0.17615	0.14286	0.24565	0.31757	0.20987	0.25668	0.89202	0.13373	0.33335
0.16096	0.13129	0.22064	0.30347	0.19948	0.22919	0.74776	0.12412	0.32029
0.22647	0.25407	0.25715	0.21973	0.22007	0.50827	1.30214	0.22657	0.20827
0.23082	0.25075	0.26527	0.22737	0.22201	0.52871	1.59127	0.22425	0.21664
0.23476	0.24669	0.27318	0.23505	0.22356	0.54571	2.00786	0.22132	0.2252
0.23796	0.24201	0.28082	0.24278	0.22481	0.55677	2.6613	0.21768	0.23397
0.24039	0.23667	0.28804	0.25041	0.22569	0.56075	3.83448	0.2135	0.24286
0.24178	0.23077	0.29463	0.25789	0.22623	0.55633	6.63419	0.20876	0.25183
0.24204	0.22433	0.30031	0.26512	0.22642	0.54363	5.84912	0.20353	0.26079
0.24097	0.21747	0.30472	0.27203	0.22628	0.52327	5.00655	0.19783	0.26966
0.23865	0.21022	0.30757	0.27846	0.22577	0.49765	6.52628	0.19184	0.27827
0.23513	0.20268	0.30856	0.28428	0.22486	0.46974	4.19315	0.18565	0.28646
0.2302	0.19502	0.30735	0.28956	0.22363	0.43721	3.08044	0.17914	0.29411
0.22432	0.18727	0.30396	0.29404	0.22199	0.40715	2.42719	0.17264	0.30096
0.21749	0.17958	0.29833	0.29774	0.21997	0.37794	1.99472	0.16609	0.30684
0.21002	0.17202	0.29069	0.30053	0.21757	0.35094	1.68777	0.15963	0.31153
0.20215	0.16467	0.28134	0.30233	0.21478	0.32644	1.45829	0.15335	0.31487
0.19395	0.15763	0.27058	0.30303	0.21159	0.30331	1.27887	0.14719	0.31667
0.17706	0.14994	0.25856	0.30215	0.20772	0.27311	1.1326	0.13039	0.31651

0.17771	0.14376	0.24685	0.30046	0.20406	0.26054	1.01787	0.1339	0.31528
0.17019	0.1385	0.23503	0.29689	0.19987	0.24915	0.92166	0.13048	0.31223
0.15585	0.12755	0.21199	0.28455	0.19032	0.22131	0.76776	0.12075	0.30091
0.21437	0.24048	0.24277	0.20912	0.20918	0.46328	1.24329	0.21514	0.19881
0.21834	0.23752	0.25	0.21608	0.21099	0.48043	1.50394	0.21312	0.20643
0.22189	0.23391	0.25703	0.22309	0.21247	0.49466	1.87194	0.21049	0.21422
0.22487	0.22967	0.26383	0.23008	0.21362	0.50448	2.42964	0.20727	0.22215
0.22711	0.22487	0.27025	0.23701	0.21445	0.50847	3.37818	0.20349	0.23017
0.22847	0.21952	0.27613	0.24378	0.21494	0.50586	5.38365	0.19921	0.23823
0.22881	0.2137	0.28123	0.25032	0.21512	0.49639	5.50734	0.19446	0.24627
0.22608	0.20087	0.28789	0.26231	0.21447	0.45975	7.97979	0.1838	0.26189
0.22306	0.19398	0.28894	0.26752	0.21362	0.43651	4.75661	0.17813	0.26919
0.2189	0.18694	0.28815	0.27215	0.21243	0.41117	3.38328	0.17224	0.27598
0.21372	0.17983	0.28541	0.27613	0.21091	0.38531	2.61788	0.16623	0.28211
0.20766	0.17274	0.28072	0.27939	0.20905	0.35896	2.12701	0.16016	0.2874
0.20091	0.16576	0.27418	0.28185	0.20683	0.33297	1.78369	0.15412	0.29167
0.19379	0.15893	0.2661	0.28338	0.20426	0.31066	1.53081	0.14824	0.29475
0.18644	0.15234	0.25677	0.28393	0.20135	0.29038	1.33623	0.14255	0.29651
0.17892	0.14605	0.2465	0.28338	0.19809	0.27123	1.18114	0.137	0.29686
0.17147	0.14007	0.2357	0.28159	0.19447	0.25376	1.05479	0.13168	0.29569
0.16422	0.13441	0.22475	0.2784	0.19053	0.2367	0.94995	0.1261	0.29298
0.14148	0.12688	0.20697	0.27141	0.18517	0.19664	0.82723	0.10616	0.28669
0.20323	0.22806	0.22962	0.19932	0.19914	0.42421	1.18814	0.20455	0.19002
0.20682	0.22543	0.23607	0.2057	0.20086	0.43864	1.42437	0.20275	0.19699
0.21009	0.22217	0.24236	0.21208	0.20225	0.45084	1.75146	0.20044	0.20407
0.21283	0.21836	0.24843	0.21845	0.20333	0.45944	2.23393	0.19756	0.21126
0.21492	0.21401	0.25417	0.22475	0.2041	0.46342	3.01806	0.19416	0.21852
0.21623	0.20917	0.25944	0.23089	0.20456	0.46229	4.53588	0.19027	0.22578
0.21665	0.20387	0.26402	0.2368	0.20471	0.45511	6.28005	0.18596	0.23301
0.21448	0.19217	0.27015	0.24759	0.20408	0.42573	6.78511	0.17626	0.24699
0.21193	0.18587	0.27126	0.25225	0.20327	0.40649	5.49127	0.17108	0.25352
0.20827	0.17942	0.27074	0.25643	0.20217	0.38411	3.75299	0.16562	0.25963
0.20369	0.17289	0.26852	0.25998	0.20075	0.36139	2.8399	0.16005	0.26513
0.19836	0.16633	0.2646	0.26284	0.19901	0.33906	2.27474	0.15446	0.26989
0.19239	0.15984	0.25906	0.26497	0.19695	0.31766	1.88937	0.14891	0.27376
0.1859	0.1535	0.25204	0.26632	0.19458	0.29566	1.60874	0.14337	0.27661
0.17917	0.14735	0.24385	0.26677	0.19189	0.27688	1.3956	0.13802	0.27831
0.17232	0.14143	0.23479	0.26623	0.1889	0.25962	1.22778	0.13284	0.27875
0.16547	0.1358	0.22516	0.26461	0.18559	0.24375	1.0921	0.12784	0.27788
0.15881	0.13043	0.21533	0.26177	0.182	0.22974	0.98049	0.12311	0.27567
0.15232	0.12537	0.20549	0.25766	0.17812	0.21659	0.88657	0.11857	0.27211

Source: EMFAC2017 (v1.0.3) Emissions Inventory

Region Type: County

Region: Los Angeles

Calendar Year: 2027

Season: Annual

Vehicle Classification: EMFAC2007 Categories

Units: miles/day for VMT, tons/day for Emissions, 1000 gallons/day for Fuel Consumption, mph for Speed

Region	Calendar Year	Vehicle Category	Model Year	Speed	Fuel	VMT	NOx_RUNE	PM2.5_RUNE
LOS ANGEL	2027	HHDT	Aggregate		5 Diesel	49009.63	0.843745	0.000768
LOS ANGEL	2027	MHDT	Aggregate		5 Diesel	8515.221	0.063652	5.01E-05

ed

PM10_RUN	tons/mile	lbs/mile	lbs/hour	lbs/minute	CO2_RUNE	CH4_RUNE	N2O_RUNE
0.000803	1.63858E-08	3.27716E-05	0.000163858	2.73097E-06	193.2169	0.000337	0.030371
5.24E-05	6.15208E-09	1.23042E-05	6.15208E-05	1.02535E-06	20.39658	2.43E-05	0.003206

ROG_RUNETOG_RUNE CO_RUNEX SOx_RUNEX

0.007263 0.008269 0.12178 0.001825

0.000523 0.000596 0.007418 0.000193

Source: EMFAC2017 (v1.0.3) Emission Rates

Region Type: County

Region: Los Angeles

Calendar Year: 2027

Season: Annual

Vehicle Classification: EMFAC2007 Categories

Units: miles/day for VMT, g/mile for RUNEX, PMBW and PMTW, mph for Speed

Region	Calendar Yr	Vehicle Cat	Model Year	Speed	Fuel	VMT	PM10_RUNEX
LOS ANGEL	2027	HHDT	Aggregate	5	Diesel	49009.63	0.014865
LOS ANGEL	2027	HHDT	Aggregate	35	Diesel	634046.2	0.009054
LOS ANGEL	2027	HHDT	Aggregate	55	Diesel	914321.1	0.024734
LOS ANGEL	2027	MDV	Aggregate	5	Diesel	3407.015	0.007257
LOS ANGEL	2027	MDV	Aggregate	35	Diesel	114599.7	0.002816
LOS ANGEL	2027	MDV	Aggregate	55	Diesel	54342.33	0.002205
LOS ANGEL	2027	MHDT	Aggregate	5	Diesel	8515.221	0.005581
LOS ANGEL	2027	MHDT	Aggregate	35	Diesel	435006.4	0.003725
LOS ANGEL	2027	MHDT	Aggregate	55	Diesel	475891.1	0.00982

Via Oro EIR/HRA General Assumptions

CalEEMod Inputs that are not modeling defaults:

Project Location	County	Title: Via Ora EIR/HRA
	Los Angeles	Date: 4/3/2023
Climate Zone	7	
Urbanization	Urban	
Operational Year (Buildout)	2027	
Construction Year	2025	
Utility Company	SCE	

Land Use	Land Use Subtype	unit	Building Size	spaces	Total acreage
Industrial	Unrefrigerated-No Rail Warehouse	1000 sf	560,039	N/A	12.85672611
Parking	parking lot	spaces	default	744	13.48327389


Site Plan	square feet	acres	Spaces
------------------	--------------------	--------------	---------------

Via Oro EIR/HRA
General Assumptions

Total Lot Area	1,153,019	26.34	
Parking Passenger			570
Parking Trailer			174

**Via Oro EIR/HRA
General Assumptions**

warehouse	543,239
office	16,800




Via Oro EIR/HRA
General Assumptions



Landscape

20700



[REDACTED]

Via Oro EIR/HRA Construction Assumptions

Construction Activities:

Start Date: Jan 1, 2025

Construction Phase	Start Date	End Date	Days/Week	Total Days
Site Preparation	1/1/2025	1/30/2025	5	22
Grading	1/31/2025	4/8/25	5	48
Building Construction	4/9/2025	1/18/27	5	464
Paving	3/11/2027	5/3/27	5	37
Architetural Coating	1/18/2027	3/10/27	5	38

CalEEMod Default Schedule	Start	End	Total Days	Percent ADJ	Adjusted
Demolition	1/1/2025	2/12/2025	31		
Site Preparation	2/13/2025	3/13/2025	21	3.63%	22.1262976
Grading	3/14/2025	5/16/2025	46	7.96%	48.467128
Building Construction	5/17/2025	1/23/2027	440	76.12%	463.598616
Paving	1/24/2027	3/14/2027	35	6.06%	36.8771626
Architctural Coating	3/15/2027	5/3/2027	36	6.23%	37.9307958
Total			578		609
			605		

Notes:

Via Oro EIR/HRA
Construction Assumptions

Based on the site plan, the parking trailer spaces will be located on Via Alcalde Ave which would be abandoned. Assumed removal for parking spaces and landscaping

Via Oro EIR/HRA Construction Assumptions

Trips and VMT

Use CalEEMod Defaults

Offroad Equipment

Use CalEEMod Defaults

Dust from Material Movement

The project would import 1,000 cy

The project would remove 74,769 sf of road asphalt

	sf	inches sq	Cube inches	Cubic feet	Cubic Yard
Remove existing asphalt surfaces	74,769	10766736	43066944		
Volume				24,923	
Cubic yards of Abandon Road Asphalt					923.074074

Hauling Trips per day

5.244739057

Architectural Coatings

Based on SCAQMD Rule 1113

Via Oro EIR/HRA
Construction Assumptions

Via Oro EIR/HRA Operational Emissions

Mobile Sources

Vehicle Trips:

Operational from Mon-Friday

1,111 daily mobile trips
823 passenger Cars
63 2-Axle
51 3-Axle
174 4-Axle

Fleet Mix

LDA - 74.08%

MHD - 5.67%

HHD - 20.25%

Vehicle Emissions:

Uses CalEEMod Defaults

Vehicle Fleet Mix:

Uses CalEEMod Defaults

Road Dust:

Uses CalEEMod Defaults

Rounding

22

48

464

37

38

609

Area Sources

Hearths:

Per Applicant, no fireplaces. Zeroed emissions

Consumer Products:

Uses CalEEMod Defaults

Architectural Coating:

Uses CalEEMod Defaults

Landscape Equipment:

Uses CalEEMod Defaults

**Via Oro EIR/HRA
Operational Emissions**

Energy Use

Via Oro EIR/HRA Operational Emissions

The project would not use Natural Gas. Converted kBtu to U.S. Therms, to kWh and added to electricity def:

Default kWh	2,621,185.80
Converted kWh	3,163,948.90
Sum	5,785,134.70

Water/Wastewater

Water: Uses CalEEMod Defaults

Wastewater: Uses CalEEMod Defaults

Solid Waste

Uses CalEEMod Defaults

Off-Road Equipment None Anticipated due to residential land use development.

Stationary Sources None Anticipated due to SFR residential land use development.

Vegetation Not enough vegetation removed or added to result in a quantifiable change.

Via Oro EIR/HRA
Operational Emissions

VMT Home-Based Work Per day

4,662

4.196579658

	Construction
	Source Name
Site Preparation	Con1
Grading	Con1
Building Construction	Con2
Paving	Con3
Architetural Coating	Con2

	Operational	meters	MPH
A	Carson Street (Via Oro to Site)	16	35
B	Carson (Via Oro - Santa Fe)	20	35
C	Via Oro (Carson to hughes)	20	35
D	Hughes (Via Oro to 405/Warnock way)	20	35
E	Warnock Way (Hughes to Santa Fe)	22	35
F	Santa Fe (Warnock to Wardlow)	25	35
G	Wardlow (Santa Fe to 405 east to 710 N)	25	35
H	405 (Hughes to 47)	35	55
I	405/47 off/on ramp	8	35
J		47	28
J	405 East from Wardlow to 710 N	12	55
K	405 East from Wardlow to 710 S	12	55
L	Santa Fe (Carson to Warnock)	25	35
M	Santa Fe (Carson to E. DelAmo	25	35
N	Wardlow from Santa Fe to 405 E to 710 S	25	35
O	405 from 710 to Hughes	12	55
	Onsite Idling		

	To Site (A)	To Site (B)	to 710 N (A)	to 710 N (B)
Haul Routes	1	4	3	4
	O	A	A	A
	D	B	B	B
	C	M	L	M
	A		F	
			G	
			J	

to 710 N (C)	to 710 S (A)	to 710 S (B)	To 47 (A)	to 47 (B)
5	6	7	8	9
A	A	A	A	A
C	B	C	C	B
D	L	D	D	L
E	F	E	I	F
F	N	F	H	I
G	K	N		H
J		K		

3

A

C

D

4

A

C

D

E

F

G

5

A

B

M