(APN Numbers 182-190-015, 182-190-016, and 182-190-017)

Focused Survey for the Delhi Sands Flower-loving Fly

Roger C. Hobbs RC Hobbs Company 1110E. Chapman Avenue Suite 201 Oranges, CA, 92866 Office: (714) 633-8100 Cell: (714) 914-2500 rch.rchobbs,com

Prepared by:

Powell Environmental Consultants 146 West Broadbent Drive Riverside, CA 92507 Phone/FAX (951) 686-1497 Cellular Phone (951) 440-4235 DAJRPOWELL@msn.com

Dale A. Powell Ph.D. TE-006559-7

September 24, 2020

Focused Survey for the Delhi Sands Flower-loving Fly

September 24, 2020

Introduction

This report presents the results of a focused survey for the Delhi Sands Flower-loving Fly (*Rhaphiomidas terminatus abdominalis*) on an approximately 4.0 -acre site located in the City of Jurupa Valley, San Bernardino County. This property is under consideration for development in the future. The owner asked for focused surveys to be conducted to determine whether this proposed development would impact this federally endangered insect. This survey, the first, conducted by Powell Environmental Consulting, resulted in negative findings.

Site Description

The approximately 4.0-acre site is located in the city of Jurupa Valley, on a portion of the southern area of Section 17, Township 2 South, Range 5 West; San Bernardino Baseline and Meridian; USGS 7.5' Riverside West Quad (See Maps 1 & 2). The site is situated north of 45th Street, and north of Saxon Court, in Rubidoux, CA (APN Numbers 182-190-015, 182-190-016, and 182-190-017). It is rectangular in outline. The site is relatively flat and its elevation is approximately 840 feet above sea level. Immediately to the west and across 45th to the south are residential yards. To the north is a horse and goat paddock. To the east is an open field with primarily non-native, ruderal vegetation growing upon it. The field possesses some native vegetation.

According to a soil map (U.S. Department of Agriculture, Soil Conservation Service, Soil Survey of San Bernardino County Southwestern Part, California, 1980.) the site possesses Delhi Fine Sand (Db) (approximately 12.5% in northern area – the rest possess Ramona sandy loam, 0 to 5 percent slopes, severely eroded). The Delhi fine sands is a "nearly level to strongly sloping soil on alluvial fans that have been reworked by wind action." (U.S. Department of Agriculture, Soil Conservation Service, Soil Survey of San Bernardino County Southwestern Part, California, 1980.). Based upon my field examination I concur with the soil map. Most of the site possessed open areas of exposed soil. Across the center of the site (east to west), dividing the site into two, was a row of tamarisk trees. Less than half of the site was covered with vegetation,

Plants such as shortpod mustard (Hirschfeldia incana), Russian thistle (*Salsola tragus*), puncture vine (Tribulus terrestris), Common sunflower (*Helianthus annuus*), and non-native grasses were found growing upon the site. One of the four DSFLF "indicator plants": annual bursage (*Ambrosia acanthicarpa*) was observed growing upon the site. California buckwheat (*Eriogonum fasciculatum*), California croton (*Croton californicus*), and telegraph weed (*Heterotheca*

grandiflora) were absent from the site. Disturbances observed on the site included the invasion of non-native plant and animal species, and minor trash dumping.

Delhi Sands Flower-loving Fly Background Information

The Delhi Sands Flower-loving Fly (*Rhaphiomidas terminatus abdominalis*) (family Mydidae) was listed as an endangered species under the Endangered Species Act, as amended on September 23, 1993. The California Natural Diversity Data Base lists the DSFLF rank as being: G1T1S1 - Federally listed as being extremely endangered (G1); found only in California (T1); and as being extremely endangered in California (S1).

The Delhi Sands Flower-loving Fly is considered to be endangered primarily because of the loss of its habitat, mainly due to the habitat's conversion to agricultural, residential, and industrial uses. Its historic range has been reduced by over approximately 97% (USFWS, 1993). The fly is known only to inhabit areas where Delhi series soils are located. These soils consist of fine, sandy soils, often forming wholly or partially consolidated dunes, located in an irregular 40 square mile area, in southwestern San Bernardino and northwestern Riverside Counties (Soil Conservation Service, 1980).

Fine unconsolidated soils are required for oviposition. The female fly inserts the end of her abdomen deep into the soil to lay her eggs (Rogers and Mattoni, 1993). The life history of the larval stages are unknown, however, it is presumed, that the larvae develop underground (Greg Ballmer, D. ten weeks from late June through mid-September. The adult is approximately 1 inch long, tan to orange-brown in color, with dark brown bands and spots upon its abdomen. Its wings are hyaline. It has large green eyes and a long slender proboscis, which it has been seen to use to feed upon nectar from California buckwheat and telegraph weed. The adults frequent open areas, usually near unconsolidated soil. The adult males patrol open areas looking for females to mate with. The females are more sedentary and perch upon plants or sit upon the ground for long periods. Adults are most often observed from 9 or 10 AM until 3 or 4 PM.

The DSFLF is frequently associated with certain plants: California buckwheat (*Eriogonum fasciculatum*), California croton (*Croton californicus*), annual bursage (*Ambrosia acanthicarpa*), and telegraph weed (*Heterotheca grandiflora*), are sometimes called "indicator plants". Other native plant species also occur in DSFLF habitat: California evening primrose (*Oenothera californica*), deerweed (*Lotus scoparius*), lessinga (*Lessingia glandulifera*), rancher's fiddleneck (*Amsinckia menziesii*), sapphire woolly-star (*Eriastrum sapphirinum*), and Thurber's buckwheat (*Eriogonum thurberi*).

Delhi Sands Flower-loving Fly Recovery Plan

In 1997 the U.S. Fish and Wildlife Service issued the final recovery plan for the Delhi Sands Flower-loving Fly (USFWS, 1997). The plan establishes three recovery units: the Colton, Jurupa, and Ontario Recovery Units. The Colton Recovery Unit contains the most known habitat, followed by the Jurupa Recovery Unit. Of the three recovery units, the Ontario Recovery Unit contains the least suitable habitat. Most of the Ontario Recovery Unit's habitat has been degraded by long-term agricultural use and much of the remainder of "suitable" habitat is highly

fragmented and is in very close proximity to residential, commercial, or industrial development. While the fly is known to occur in the Ontario Recovery Unit, the possibility of using the Ontario Recovery Unit to protect the Delhi Sands Flower-loving Fly is limited because of its prior history and fragmented nature.

The 45th Street Avenue Project site is located within the Jurupa Recovery Unit.

Methods

This focused survey was initiated on July 1, 2020 and continued with biweekly site surveys until September 19, 2020. All field surveys and activities associated with this study were conducted in accordance with the Interim General Guidelines for the Delhi Sands Flower-loving Fly and conditions set forth in the surveyors 10(a)(1)(A) permits. Surveys were conducted by entomologists Dale Powell and Jun Powell (both authorized under permit TE-006559-7). Survey dates and times, ambient air temperatures, wind speed, general weather conditions, insect families/species detected, and other pertinent field data were recorded on field survey forms and are included in Table 1 and in the Appendices.

Results and Discussion

No Delhi Sands Flower-loving Flies were observed on the project site during the focused survey. No members of the family Mydidae, to which the Delhi Sands Flower-loving Fly belongs to, were observed. Members of the closely related family Asilidae were observed upon the site. These insects are frequently associated with the Delhi Sands Flower-loving Fly and can be considered indicators that the site may have potential as suitable fly habitat, even though the site has been altered by various disturbances. Only one of the four DSFLF "indicator plants": annual bursage (*Ambrosia acanthicarpa*) was observed growing upon the site.

Delhi Sands Flower-loving Fly Survey Results

Table 1. Dates, survey times, person hours, and weather conditions.

Date	Time	Minutes	Weather	Temp	Wind (mph)
		Surveyed	(at start)	(°F)	aver*/max
$7/1/20^3$	10:00-10:25	50	Hazy	70°	1/3
$7/4/20^3$	9:50-10:20	60	Clear	85°	2/4
$7/8/20^2$	9:50-10:20	30	Clear	82°	1/3
$7/11/20^3$	10:00-10:20	50	Clear	91°	2/4
$7/15/20^2$	9:50-10:20	30	Clear	75°	0/1
$7/18/20^3$	10:00-10:20	40	Clear	80°	1/3
$7/22/20^2$	9:45-10:15	30	Clear	73°	0/1
$7/25/20^3$	10:10-10:35	50	Clear	72°	0/0
$7/29/20^2$	9:50-10:20	30	Clear	85°	0/1
8/1/20 ³	10:00-10:20	40	Clear	96°	1/3
8/5/20 ³	10:10-10:35	25	Clear	74°	0/0
8/8/20 ³	10:10-10:35	50	Clear	77°	1/3
$8/12/20^2$	9:50-10:20	30	Clear	85°	0/1
$8/15/20^3$	10:15-10:35	40	20% Clouds	98°	0/0
$8/19/20^2$	9:45-10:15	30	Clear	90°	0/1
8/22/20 ³	10:05-10:30	50	Clear	91°	2/4
$8/26/20^3$	10:00-10:25	50	Clear	85°	2/4
$8/29/20^3$	10:15-10:35	40	Clear	81°	1/3
$9/2/20^3$	12:55-13:15	40	Clear	91°	3/5
9/5/20 ³	10:00-10:20	40	Clear	100°	0/0
9/9/20 ²	9:50-10:20	30	Clear	82°	2/4
9/12/20 ²	10:00-10:30	30	Hazy	80°	0/1
9/16/20 ²	9:50-10:20	30	Hazy	84°	0/1
$9/19/20^2$	9:45-10:15	30	Clear	85°	0/1

Dale PowellJun Powell

^{*} Over a 20 second period.

REFERENCES

- Emmel, T.C. and J.F. Emmel. 1973. The Butterflies of Southern California. Natural History Museum of Los Angeles. Science Series 26: 1-148.
- Hickman, J.C. (editor). 1993. The Jepson Manual: Higher Plants of California. University of California Press, Berkeley, California. 1400 pp.
- Rogers, R. and M. Mattoni. 1993. Observations on the natural history and conservation biology of the giant flower loving flies, *Rhaphiomidas* (Diptera: Apioceridae). Dipterological Research 4(1-2): 21-34.
- Scott. S. (editor). 1999. Field Guide to the Birds of North America. Third Edition. National Geographic Society, Washington D.C. 480 pp.
- U.S. Department of Agriculture, Soil Conservation Service, 1971. Soil Survey of Western Riverside Area, California. U.S. Gov. Printing Office, Washington D.C. 188 pp.
- U.S. Department of Agriculture, Soil Conservation Service, 1980. Soil Survey of San Bernardino County Southwestern Part, California. U.S. Gov. Printing Office, Washington D.C.
- U.S. Fish and Wildlife Service. 1997. Final Recovery Plan for the Delhi Sands Flower-loving Fly (*Rhaphiomidas terminatus abdominalis*). U.S. Fish and Wildlife Service, Portland, OR. 51 pp.

APPENDIX

SUBCONTRACTOR CONCURRENCE

I, Dale A. Powell, having performed focused surveys for the Delhi Sands Flower-loving Fly for the 45th Street Project site, Jurupa Valley, have entirely read and reviewed the final report for the project and concur with the statements and conclusions made.


Holy A Yourll 9/24/2020
SIGNATURE DATE

I, Jun Rong Powell, having performed focused surveys for the Delhi Sands Flower-loving Fly for the 45th Street Project site, Jurupa Valley, have entirely read and reviewed the final report for the project and concur with the statements and conclusions made.


Jun R. Powell 9/24/2020

SIGNATURE DATE

Map 1. General location of the 45th Street Project Site.



Map 2. Location of the 45th Street Project Site.



Picture 1. Overview of the site facing south from the northeast corner.



Picture 2. Overview of the site facing southwest from the northeast corner.



Picture 3. Overview of the site facing west from the northeast corner.



Picture 4. Overview of the site facing west from the southeast corner.



Picture 5. Overview of the site facing northwest from the southeast corner.



Picture 6. Overview of the site facing north from the southeast corner.



FIELD NOTES

Delhi Sands Flower-loving Fly

Dale and Jun Rong Powell

Site: 45th Street

Date		9:00	10:00	11:00	NOON	1:00	2:00	3:00
7/1/20	Temp		700					
Week	Wind		1/3	l				
-	Weath		Over (45T					
7/4	Temp		250					
Week	Wind		2/4					
1	Weath		Clear					
7/8	Temp		820					
Week	Wind		1/3					
2	Weath		cloar					
7/11	Temp		9/10					
Week	Wind		2/4					
2	Weath		cedv					
7/15	Temp		750					AMBANA
Week	Wind		0/1					
2	Weath		CLEAR					
7/18	Temp		800					
Week	Wind		113					
3	Weath		clear 73°					
7/22	Temp		73°					
Week	Wind		0/1					
7	Weath		clear					
7/25	Temp		720					
Week	Wind		do					
4.	Weath		eleas !					
7/29	Temp		250	23				
Week	Wind		0/1					
5	Weath		Clear					
8/1	Temp		960				A CONTRACT VAN	110000000000000000000000000000000000000
Week	Wind		1/3					
5	Weath		clear					
8/5	Temp		240					
Week	Wind		0/0			10.7 10.00.00		
6	Weath		elede					
8/8	Temp		77.0.					
Week	Wind		1/3					
6	Weath		clear					
9/12	Temp		85					
Week	Wind		0/1					
7	Weath		Clear					

Wind: First number is average (20 seconds) / second number is maximum.

Delhi Sands Flower-loving Fly

Dale and Jun Rong Powell

Site: 45th Street

Date		9:00	10:00	11:00	NOON	1:00	2:00	3:00
8/15/2000	Temp		740					
Week	Wind		0/0					
7	Weath		20% douds					
8/19/20	Temp		90					
Week	Wind		0/1					
8	Weath		dear					
8/22	Temp		910					
Week	Wind		2/4				,	
8	Weath		clear					
8/26	Temp		820				ļ	-
Week	Wind		2/4	10.70				
9	Weath		clear					
8/29	Temp		810					
Week	Wind		1/3					
9	Weath		eleal					
9/2	Temp				-	910		
Week	Wind					3/5		
10	Weath					clear		
9/5	Temp		1000					
Week	Wind		010					
10	Weath		cleve					
9/9	Temp		820					
Week	Wind		2/4					
11	Weath		Clear					
9/12	Temp		So					ļ
Week	Wind		0/1					
11	Weath		Haze					
9/16	Temp		840					
Week	Wind		0/1					
12	Weath		Haze 85°				-	
9119	Temp		85°				-	
Week	Wind		0/1					-
12	Weath		deav					
	Temp							
Week	Wind							-
	Weath							
	Temp							
Week	Wind							
	Weath							

Wind: First number is average (20 seconds) / second number is maximum.

Dale and Jun Rong Powell Delhi Sands Flower-loving Fly 2020 HSTh 7/18 7/22 7/25 8/8 Coleoptera Carabidae Chrysomelidae Coccinellidae V Curculionidae Rhipiphoridae Scarabaeidae Tenebrionidae Dermaptera Diptera Apioceridae Asilidae Bombyliidae 24 Calliphoridae Chironomidae Conopidae Muscidae Mydidae Sarcophagidae Stratiomyidae Syrphidae Tabanidae Tachinidae Hemiptera Anthocoridae Lygaeidae Miridae Nabidae Pentatomidae Reduviidae Scutelleridae Homoptera Aphididae Cercopidae Cicadellidae Cicadidae Membracidae

Dale and Jun Rong Powell Delhi Sands Flower-loving Fly 2020 8/19 2/22 45th 7/18 7/4 7/8 7/1 Hymenoptera Anthophoridae 10 VV Apidae Braconidae Chrysididae V Formicidae Halicitidae Ichneumonidae Mutillidae Pompilidae Scoliidae Sphecidae Vespidae Lepidoptera Danaidae Hesperiidae Lycaenidae Noctuidae Nymphalidae Papilionidae Pieridae Pyralidae Sphingidae Neuroptera Ascalaphidae Chrysopidae Hemerobiidae Myrmeleontidae Odonata Aeshnidae Coenagrionidae V Libellulidae Orthoptera V V Acrididae Gryllacrididae Gryllidae Mantidae Tettigoniidae OTHER

Delhi Sands	PP	88	44	中于	70	5	7	3							
45th	7/26	369		9/5		9/12	9/16	9/19							
Coleoptera															
Carabidae															
Chrysomelidae	10	0/	NI	1	V	V	/	V						 	
Coccinellidae															
Curculionidae															
Rhipiphoridae										12					
Scarabaeidae	T														
Tenebrionidae	V														
Dermaptera		X													
Diptera															
Apioceridae															
Asilidae	- N	VV	V	/	V	V		V		-					
Bombyliidae	V			-	1		V								
Calliphoridae															
Chironomidae															
Conopidae			1												
Muscidae	W	VV	NI	11	1	V	V	V							
Mydidae															
Sarcophagidae					1										
Stratiomyidae											100	11/10/2020			
Syrphidae															
Tabanidae															
Tachinidae	1														
	1	1													
		 	—		1	1									
Hemiptera									1						
Anthocoridae						1		0105000500				100000000000000000000000000000000000000			
Lygaeidae	1		-	1	†										
Miridae	1	1			 										
Nabidae	+	 			1	1	1								
Pentatomidae	1	<u> </u>		+	 	1					1				
Reduviidae	+	-		+	+		-		†	1					
Scutelleridae	+-	-	-	-	-	_		 		+	1				
Sculellelluae	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Homoptera
Aphididae
Cercopidae
Cicadellidae
Cicadidae
Membracidae

Hymenoptera Anthophoridae Apidae Braconidae Chrysididae Formicidae Halicitidae Ichneumonidae Mutillidae Mutillidae Mutillidae Pompilidae Sphecidae Vespidae Lepidoptera Danaidae Hesperiidae Hesperiidae Papilionidae Papilionidae Nymphalidae Papilionidae Nymphalidae Papilionidae Nymphalidae Papilionidae Nymphalidae Papilionidae Nymphalidae Papilionidae Nymphalidae Papilionidae Papilionidae Nymphalidae Papilionidae Papil	Delhi Sands 1	BB	P. F.				TIP	B	百		Т				T		
Anthophoridae Anthophoridae Anthophoridae Braconidae Chrysididae Formicidae Halicitidae Ichneumonidae Mutillidae Pompilidae Sphecidae Vespidae Vespidae Lepidoptera Danaidae Hesperiidae Lycaenidae Noctuidae Nymphalidae Pyralidae Pyralidae Pyralidae Pyralidae Pyralidae Pyralidae Pyralidae Meuroptera Ascalaphidae Hemerobiidae Hemerobiidae Mymelontidae Odonata Aesahnidae Coenagrionidae Libellulidae Gryllacrididae	45 1	8/26	8/28	7/2	9/5	9/9	9/12	9/16	9/19								
Anthophoridae Apidae Apidae Braconidae Chrysididae Formicidae Habicitidae Ichneumonidae Mutillidae Pompilidae Sooliidae Sophecidae Vespidae Lepidoptera Danaidae Hesperiidae Lycaenidae Norutidae Norutidae Papilionidae Pieridae Pyralidae Sphingidae Pieridae Pyralidae Sphingidae Pyralidae Sphingidae Pieridae Pyralidae Sphingidae Pieridae Pyralidae Sphingidae Pieridae Pier	lymenoptera								-85								
Apidae Braconidae Braconidae Formicidae Formicidae Ichneumonidae Mutilidae Pompilidae Scoliidae Sphecidae Vespidae Vespidae Vespidae Vespidae Peridae Peridae Promonidae Moctuldae Noctudae Noctudae Noctudae Noctudae Papilionidae Papilionida						7											
Braconidae Chrysididae Formicidae Halicitidae Ichneumonidae Mutillidae Pompilidae Scoliidae Sphecidae Vespidae Lepidoptera Danaidae Hesperiidae Lycaenidae Nymphalidae Pompilionidae Pompilidae Resperiidae Hesperiidae Hesperiidae Hesperiidae Nymphalidae Papilionidae Pieridae Pyralidae Sphingidae Pyralidae Mymeleonidae Hemerobiidae Hemerobiidae Hemerobiidae Hympelonidae Hemerobiidae Gryllidae Myrmeleonidae Hemerobiidae Gryllidae Gryllidae Orthoptera Acschaidae Gryllidae Gryllidae Gryllidae Gryllidae Gryllidae Mantidae		11	11	11/	. /	V	V	V	V								
Chrysididae Formicidae Halicitidae Ichneumonidae Mutilidae Pompilidae Scoliidae Scoliidae Scoliidae Sphecidae Vespidae Vespidae Vespidae Lepidoptera Danaidae Hesperiidae Lycaenidae Nymphalidae Pyralidae	raconidae																
Formicidae Halicitidae Chreumonidae Mutilidae Pompilidae Scoliidae Sphecidae Vespidae Vespidae Lepidoptera Danaidae Hesperiidae Lycaenidae Noctuidae Nortuidae Nymphalidae Pieridae Pyralidae Sphingidae Newroptera Ascalaphidae Chrysopidae Hemerobidae Mymphalidae Nymphalidae Pieridae Pyralidae Sphingidae Neuroptera Ascalaphidae Chrysopidae Libelluidae Odonata Aeshnidae Coenagrionidae Libelluidae Orthoptera Acrididae Gryllidae Mantidae Gryllidae Mantidae		1															
Halicitidae		1			j												
Ichneumonidae Mutilidae Pompilidae Sooliidae Sphecidae Vespidae Vespidae Lepidoptera Danaidae Hesperidae Lycaenidae Nymphalidae Papilionidae Pieridae Pyralidae Sphingidae Neuroptera Ascalaphidae Hemerobiidae Mymeleontidae Mymeleontidae Mymeleontidae Mymeleontidae Mymeleontidae Coenagrionidae Libellulidae Othoptera Acrididae Gryllidae Orthoptera Acrididae Gryllidae Myntalidae Gryllidae Myntalidae Gryllidae Myntalidae Gryllidae Montalidae		1./	1	1	/	1	1	V	V								
Mutilidae Pompilidae Soliidae Sphecidae Vespidae Vespidae Lepidoptera Danaidae Hesperiidae Lycaenidae Nymphalidae Papilionidae Pieridae Pyralidae Sphingidae Neuroptera Ascalaphidae Hemerobiidae Myrmeleontidae Myrmeleontidae Myrmeleontidae Coenagrionidae Libellulidae Othoptera Acrididae Gryllidae Gryllidae Gryllidae Mynthidae Gryllidae Gryllidae Mantidae Individual Indi		14	P	10			1										
Pompilidae Scoliidae Synhecidae Vespidae Vespida	Autillidae	-	-	-	-												
Scoliidae Sphecidae Vespidae Vespidae Lepidoptera Danaidae Hesperiidae Lycaenidae Nymphalidae Papilionidae Pieridae Pyralidae Sphingidae Neuroptera Ascalaphidae Hemerobiidae Myrmeleontidae Myrmeleontidae Myrmeleontidae Acshnidae Coenagrionidae Libellulidae Orthoptera Acrididae Gryllidae Mynntdidae Gryllidae Mynthidae Gryllidae Gryllidae Mynthidae My		-	-	1	-		-										
Sphecidae Vespidae Ve		+	~	1	-	-	-	1									
Vespidae Vespidae Lepidoptera Danaidae Hesperiidae Lycaenidae Nymphalidae Papilionidae Pieridae Pyralidae Sphingidae Sphingidae Neuroptera Ascalaphidae Chrysopidae Hemerobiidae Myrmeleontidae Myrmeleontidae Coenagrionidae Libellulidae Orthoptera Acrididae Gryllidae Gryllidae Gryllidae Mantidae Gryllidae Mantidae		1,	1	111	-	11	1	1/	1/	-	-						
Lepidoptera Danaidae Hesperiidae Lycaenidae Nymphalidae Papilionidae Pieridae Pyralidae Sphingidae Neuroptera Ascalaphidae Chrysopidae Hemerobiidae Myrmeleontidae Odonata Aeshnidae Coenagrionidae Libellulidae Orthoptera Acrididae Gryllidae Gryllidae Gryllidae Mantidae		1	1	133	-	1	-	V	-	-	+						
Danaidae Hesperiidae Lycaenidae Nymphalidae Nymphalidae Papilionidae Pieridae Pyralidae Sphingidae Sphingidae Neuroptera Ascalaphidae Hemerobiidae Myrmeleontidae Myrmeleontidae Odonata Aeshnidae Coenagrionidae Libellulidae Gryllidae Gryllidae Gryllidae Myntidae Mantidae Mantidae	/espidae																
Danaidae Hesperiidae Lycaenidae Nymphalidae Nymphalidae Papilionidae Pieridae Pyralidae Sphingidae Sphingidae Neuroptera Ascalaphidae Hemerobiidae Myrmeleontidae Myrmeleontidae Odonata Aeshnidae Coenagrionidae Libellulidae Gryllidae Gryllidae Gryllidae Myntidae Mantidae Mantidae																(C) (C) (C) (C)	
Danaidae Hesperiidae Lycaenidae Nymphalidae Nymphalidae Papilionidae Pieridae Pyralidae Sphingidae Sphingidae Neuroptera Ascalaphidae Hemerobiidae Myrmeleontidae Myrmeleontidae Odonata Aeshnidae Coenagrionidae Libellulidae Gryllidae Gryllidae Gryllidae Myntidae Mantidae Mantidae	_epidoptera																
Lycaenidae Noctuidae Nymphalidae Papilionidae Pieridae Pyralidae Pyralidae Sphingidae Sphingidae Neuroptera Ascalaphidae Chrysopidae Hemerobiidae Myrmeleontidae Odonata Aeshnidae Coenagrionidae Libellulidae Orthoptera Acrididae Gryllacrididae Gryllacrididae Gryllacrididae Gryllace Mantidae Mantidae									_	-	-	-	-				-
Lycaenidae Noctuidae Nymphalidae Papilionidae Pieridae Pyralidae Pyralidae Sphingidae Sphingidae Neuroptera Ascalaphidae Chrysopidae Hemerobiidae Myrmeleontidae Odonata Aeshnidae Coenagrionidae Libellulidae Orthoptera Acrididae Gryllacrididae Gryllacrididae Gryllacrididae Gryllace Mantidae Mantidae	Hesperiidae		,	111					V			-					
Noctuidae Nymphalidae Papilionidae Pieridae Pyralidae Sphingidae Neuroptera Ascalaphidae Chrysopidae Hemerobiidae Myrmeleontidae Odonata Aeshnidae Coenagrionidae Libellulidae Orthoptera Acrididae Gryllacrididae Gryllacrididae Gryllacrididae Gryllacrididae Mantidae Mantidae	ycaenidae	11	1	111	11		1/	V									
Nymphalidae Papilionidae Pieridae Pyralidae Sphingidae	Noctuidae				1000000												
Papilionidae Pieridae Pyralidae Sphingidae S																	
Pieridae Pyralidae Sphingidae Neuroptera Ascalaphidae Chrysopidae Hemerobiidae Myrmeleontidae Odonata Aeshnidae Coenagrionidae Libellulidae Orthoptera Acrididae Gryllacrididae Gryllacrididae Mantidae	Papilionidae							1									
Pyralidae Sphingidae Sphingidae Neuroptera Ascalaphidae Chrysopidae Hemerobiidae Myrmeleontidae Odonata Aeshnidae Coenagrionidae Libellulidae Orthoptera Acrididae Gryllacrididae Gryllacrididae Gryllidae Mantidae	Pieridae																
Sphingidae Neuroptera Ascalaphidae Chrysopidae Hemerobiidae Myrmeleontidae Odonata Aeshnidae Coenagrionidae Libellulidae Orthoptera Acrididae Gryllacrididae Gryllidae Mantidae		_	1														
Neuroptera Ascalaphidae Chrysopidae Hemerobiidae Myrmeleontidae Odonata Aeshnidae Coenagrionidae Libellulidae Orthoptera Acrididae Gryllacrididae Gryllidae Mantidae		1	1	1													
Ascalaphidae Chrysopidae Hemerobiidae Myrmeleontidae Odonata Aeshnidae Coenagrionidae Libellulidae Orthoptera Acrididae Gryllacrididae Gryllidae Mantidae	pringidae																
Ascalaphidae Chrysopidae Hemerobiidae Myrmeleontidae Odonata Aeshnidae Coenagrionidae Libellulidae Orthoptera Acrididae Gryllacrididae Gryllidae Mantidae	Neuroptera																
Chrysopidae Hemerobiidae Myrmeleontidae Odonata Aeshnidae Coenagrionidae Libellulidae Orthoptera Acrididae Gryllacrididae Gryllidae Mantidae	Ascalaphidae									_		-			- 702	-	-
Hemerobiidae Myrmeleontidae Odonata Aeshnidae Coenagrionidae Libellulidae Orthoptera Acrididae Gryllacrididae Gryllidae Mantidae																	-
Myrmeleontidae Odonata Aeshnidae Coenagrionidae Libellulidae Orthoptera Acrididae Gryllacrididae Gryllidae Mantidae	Hemerobiidae																_
Odonata Aeshnidae Coenagrionidae Libellulidae Orthoptera Acrididae Gryllacrididae Gryllidae Mantidae																	_
Aeshnidae Coenagrionidae Libellulidae Orthoptera Acrididae Gryllacrididae Gryllidae Mantidae										T							
Aeshnidae Coenagrionidae Libellulidae Orthoptera Acrididae Gryllacrididae Gryllidae Mantidae	Odonata																
Coenagrionidae Libellulidae Orthoptera Acrididae Gryllacrididae Gryllidae Mantidae			1			1											
Orthoptera Acrididae Gryllacrididae Gryllidae Mantidae		1	1				1										
Acrididae Gryllacrididae Gryllidae Mantidae																	
Acrididae Gryllacrididae Gryllidae Mantidae			VEN 102														
Gryllacrididae Gryllidae Mantidae							-			+		1-		1	1	 	
Gryllidae Mantidae Mantidae		-	-	-	-	-	+-	-	-	-	+-	+-					1
Mantidae		-	-		-		-	-	+	+	-	+	+-	-	-	-	-
	Gryllidae		_						-	-	+-	-	+	-	-	-	-
Tettigoniidae			-					-	-		-	-	-	-	-	-	+-
	Tettigoniidae																
OTHER	OTHER																