



Appendix F

Energy Assessment

MEMORANDUM

To: Casey Schooner, Kimley-Horn and Associates

From: Danielle Millar, Kimley-Horn and Associates

Date: December 3, 2024

Subject: Miro Way and Ayala Drive Warehouse Project – Energy Assessment

1.0 Purpose

The purpose of this technical memorandum is to evaluate potential short- and long-term energy consumption impacts of the Miro Way and Ayala Drive Warehouse Project (Project) and determine the level of impact the Project would have on the environment. As the Project site is located within the Renaissance Specific Plan Amendment area, applicable mitigation measures from the certified *Renaissance Specific Plan Amendment Recirculated Draft Subsequent Environmental Impact Report* (September 2016) (2016 RSPA EIR) have been incorporated into this analysis.

2.0 Project Summary

The Project site is located in the City of Rialto, California (City). The City encompasses approximately 22 square miles in San Bernardino County. The Project site is in the western/central area of the City, approximately 0.65 miles south of State Route (SR) 210. Specifically, the Project site is located directly west of Ayala Drive, approximately 450 linear feet north of Baseline Road, and east of Linden Avenue within the Renaissance Specific Plan Amendment (RSPA) area; refer to **Exhibit 1: Regional Vicinity**.

The approximately 35-acre Project site is comprised of Planning Areas 123, 126, and 133. The Project would include the rezone of Planning Area 123 (north of Miro Way) from School to General Commercial with a Residential Overlay. The Project would also include the rezone of Planning Areas 126 and 133 (south of Miro Way) from Park and Employment (with a designated Park Overlay) to Business Center, to allow for the development of two industrial warehouses; refer to **Exhibit 2: Site Vicinity**. The majority of the Project site is vacant and undeveloped with ruderal vegetation. Gravel piles are located on the southern portion of the Project site. Sidewalks and street lights exist at the Project boundary along Ayala Drive and Linden Avenue. Overhead electric utilities are located along the Project boundary at Linden Avenue.

Lewis-Hillwood Rialto Company, LLC (Owner) and the City of Rialto are proposing to develop an existing vacant property that would include the construction of two industrial warehouse buildings ranging from approximately 53,640 square feet (sf) to 375,075 sf, for a total of approximately 399,715 sf of warehouse space and 29,000 sf of ancillary office space on approximately 20.76 acres; refer to

Exhibit 3: Site Plan. The warehouse development would be located in Planning Areas 126 and 133 and would also include the reconfiguration and construction of Miro Way. Each building would be one level and would not exceed the maximum allowed building height of 75 feet or the maximum allowed Floor to Area ratio (FAR) of 0.50 of the Business Center District. Based on the uses being proposed, the Project would require 277 automobile parking spaces and the Project proposes 283 automobile parking spaces.

Construction and Off-Site Improvements

Access to the Project site would be provided via Miro Way and Ayala Drive. The Project would include the reconfiguration and construction of Miro Way and associated curb, gutter, and streetlight improvements. Sidewalks would be provided on the south side of Miro Way, along the Project frontage. The intersection at Ayala Drive and Miro Way would be signalized, and overhead utility lines along Linden Avenue, south of the existing signalized intersection at Miro Way and Linden Avenue, would be undergrounded.

Off-site utility and roadway improvements would extend slightly north of Miro Way and within the right-of-way of both Linden Avenue and Ayala Drive along the Project frontages. With off-site improvements, the total construction footprint is approximately 27.19 acres. Construction of the proposed Project is expected to commence in 2025 with a construction duration of approximately 13 months and would be completed in one phase of construction.

Hours of Operation

The tenant(s) of the warehouse facility has not been identified; therefore, the precise nature of facility operations cannot be determined at this time. Any future occupant would be required to adhere to the pertinent City regulations. For the purposes of this analysis, the hours of operation are assumed to be 7 days a week, 24 hours per day.

EXHIBIT 1: Regional Vicinity
Miro Way and Ayala Drive Warehouse Project
City of Rialto







EXHIBIT 2: Site Vicinity
Miro Way and Ayala Drive Warehouse Project
City of Rialto







EXHIBIT 3: Site Plan
Miro Way and Ayala Drive Warehouse Project
City of Rialto



4.0 Energy Conservation

In 1975, largely in response to the 1970's oil crisis, the California State Legislature adopted Assembly Bill 1575 (AB 1575), which created the California Energy Commission (CEC). The CEC's statutory mission is to forecast future energy needs, license thermal power plants of 50 megawatts or larger, develop energy technologies and renewable energy resources, plan for and direct State responses to energy emergencies, and, perhaps most importantly, promote energy efficiency through the adoption and enforcement of appliance and building energy efficiency standards. AB 1575 also amended Public Resources Code Section 21100(b)(3) to require Environmental Impact Reports (EIRs) to consider the wasteful, inefficient, and unnecessary consumption of energy caused by a project. Thereafter, the State Resources Agency created Appendix F, *Energy Conservation*, in the California Environmental Quality Act Guidelines (CEQA Guidelines). CEQA Guidelines Appendix F is an advisory document that assists EIR preparers in determining whether a project will result in the inefficient, wasteful, and unnecessary consumption of energy.

In addition, the California Natural Resources Agency finalized updates to the State CEQA Guidelines in December 2018. New CEQA Guidelines Section 15126.2(b) treats "wasteful, inefficient, or unnecessary" energy consumption as a significant environmental impact. As a result, energy thresholds have been incorporated into State CEQA Guidelines Appendix G. This technical memorandum has been prepared to assess energy impacts in accordance with State CEQA Guidelines Appendix G.

Environmental Setting

Energy consumption is analyzed in this technical memorandum due to the potential direct and indirect environmental Project impacts. Such impacts include the depletion of nonrenewable resources and emissions of pollutants during both construction and long-term operational phases.

Electricity Services

Southern California Edison (SCE) provides electrical services to the City through State-regulated public utility contracts. Over the past 15 years, California's electricity generation has undergone a transition. Historically, California has relied heavily on oil- and gas-fired plants to generate electricity. Spurred by regulatory measures and tax incentives, California's electrical system has become more reliant on renewable energy sources (e.g., cogeneration, wind energy, solar energy, geothermal energy, biomass conversion, transformation plants, and small hydroelectric plants). Unlike petroleum production, electricity generation is not usually tied to the location of the fuel source and can be delivered great distances via the electrical grid. The generating capacity of a unit of electricity is expressed in megawatts (MW). Net generation refers to the gross amount of energy produced by a unit, minus the

amount of energy the unit consumes. Generation is typically measured in megawatt-hours (MWh), kilowatt-hours (kWh), or gigawatt-hours (GWh).

Natural Gas Services

Southern California Gas Company (SoCalGas) provides natural gas services to the Project area. Natural gas is a hydrocarbon fuel found in reservoirs beneath the Earth's surface and is composed primarily of methane (CH₄). It is used for space and water heating, process heating and electricity generation, and as transportation fuel. Use of natural gas to generate electricity is expected to increase in coming years because it is a relatively clean alternative to other fossil fuels (e.g., oil and coal). In California and throughout the western United States, many new electrical generation plants fired by natural gas are being brought online. Thus, there is great interest in importing liquefied natural gas from other parts of the world. In 2022, California's natural gas-fired electric generation accounted for approximately 47 percent of in-State generation.¹

The City's ongoing development review process provides opportunities for privately owned utility companies to review, comment, and to provide input on all development proposals. The input facilitates a detailed project review by service purveyors to assess the potential demands for utility services on a project-by-project basis. The ability of utility providers to provide services concurrently with each project is evaluated during the development review process. Utility companies are bound by contract to update energy systems to meet any additional demand.

Energy Consumption

Energy consumption is typically quantified using the British Thermal Unit (BTU). Total energy consumption in California was 7,359 trillion BTUs in 2021 (the most recent year for which this specific data is available).² Of California's total annual energy consumption in 2021, the breakdown by sector is 38 percent transportation, 23 percent industrial, 19 percent commercial, and 20 percent residential.³ Electricity and natural gas in California are generally consumed by stationary users such as residences, commercial, and industrial uses, whereas petroleum consumption is generally accounted for by transportation-related energy use. In 2023, California's taxable gasoline sales (including aviation gasoline) accounted for 13,564,578,025 gallons of gasoline.⁴

The County's electricity consumption from 2012 to 2022 is shown in **Table 1: Electricity Consumption in San Bernardino County 2012-2022**. As indicated in **Table 1**, the County's energy consumption has steadily increased between 2012 and 2022.

¹ California Energy Commission, *2022 Total System Electric Generation*, <https://www.energy.ca.gov/data-reports/energy-almanac/california-electricity-data/2022-total-system-electric-generation>, accessed June 2024.

² U.S. Energy Information Administration, *California State Profile and Energy Estimates*, <https://www.eia.gov/state/data.php?sid=CA#ConsumptionExpenditures>, accessed June 2024.

³ Ibid.

⁴ California Department of Tax and Fee Administration, *Motor Vehicle Fuel 10 Year Reports*, <https://www.cdtfa.ca.gov/taxes-and-fees/spftrpts.htm>, accessed June 2024.

Table 1: Electricity Consumption in San Bernardino County 2012-2022	
Year	Electricity Consumption (in millions of kilowatt hours)
2012	14,308
2013	14,315
2014	14,680
2015	14,685
2016	14,902
2017	15,237
2018	15,326
2019	15,259
2020	15,910
2021	16,169
2022	16,630
Source: California Energy Commission, <i>Electricity Consumption by County</i> , http://www.ecdms.energy.ca.gov/ , accessed June 2024.	

The County's natural gas consumption from 2012 to 2022 is shown in **Table 2: Natural Gas Consumption in San Bernardino County 2012-2022**. As shown in **Table 2**, the County's natural gas consumption relatively increased from 2012 to 2022.

Table 2: Natural Gas Consumption in San Bernardino County 2012-2022	
Year	Natural Gas Consumption (in millions of therms)
2012	489
2013	511
2014	469
2015	485
2016	494
2017	493
2018	500
2019	547
2020	527
2021	561
2022	562
Source: California Energy Commission, <i>Natural Gas Consumption by County</i> , http://www.ecdms.energy.ca.gov/ , accessed June 2024.	

The County's automotive fuel consumption from 2012 to 2022 is shown in **Table 3: Automotive Fuel Consumption in San Bernardino County 2012-2022**. As shown in **Table 3**, the County's on-road automotive fuel consumption relatively increased from 2012 to 2019, decreased in 2020, and increased again in 2021. Heavy-duty vehicle fuel consumption generally increased since 2012.

Table 3: Automotive Fuel Consumption in San Bernardino County 2012-2022		
Year	On-Road Automotive Fuel Consumption (gallons)	Heavy-Duty Vehicle/Diesel Fuel Consumption (Construction Equipment) (gallons)
2012	823,824,155	221,468,396
2013	823,575,913	231,100,540
2014	833,908,390	233,757,358
2015	862,282,542	236,687,334
2016	886,951,688	251,535,041
2017	894,270,493	263,723,118
2018	894,127,745	259,783,109
2019	894,821,914	261,139,639
2020	763,765,305	265,477,739
2021	869,262,611	272,787,528
2022	867,249,837	276,240,473
Source: California Air Resources Board, EMFAC2021.		

5.0 Regulatory Setting

The following is a description of State and local environmental laws and policies related to energy consumption that are relevant to the proposed Project.

5.1 State of California

California's Energy Efficiency Standards for Residential and Non-Residential Buildings (Title 24)

Energy conservation standards for new residential and nonresidential buildings were adopted by the California Energy Resources Conservation and Development Commission (now the California Energy Commission) in June 1977 and are updated every three years (Title 24, Part 6, of the California Code of Regulations). Title 24 requires the design of building shells and building components to conserve energy. The standards are updated periodically to allow for consideration and possible incorporation of new energy efficiency technologies and methods. On June 10, 2015, the CEC adopted the 2016 Building Energy Efficiency Standards, which went into effect on January 1, 2017. On May 9, 2018, the CEC adopted the 2019 Building Energy Efficiency Standards, which took effect on January 1, 2020. On August 11, 2021, the CEC adopted the 2022 Building Energy Efficiency Standards, which went into effect on January 1, 2023.

The 2016 Standards improved upon the previous 2013 Standards for new construction of and additions and alterations to residential and nonresidential buildings. Under the 2016 Standards, residential buildings are 28 percent more energy efficient and nonresidential buildings are 5 percent more energy efficient than under the 2013 Standards. Buildings that are constructed in accordance with the 2013 Building Energy Efficiency Standards are 25 percent (residential) to 30 percent (nonresidential) more energy efficient than the prior 2008 standards as a result of better windows, insulation, lighting, ventilation systems, and other features.

The 2019 Standards improve upon the 2016 Standards. Under the 2019 Title 24 standards, residential buildings are about 7 percent more energy efficient, and when the required rooftop solar is factored in for low-rise residential construction, residential buildings that meet 2019 Title 24 standards use about 53 percent less energy than those built to meet the 2016 standards.

On August 11, 2021, the CEC adopted the 2022 Title 24 standards (2022 Energy Code). Among other updates like strengthened ventilation standards for gas cooking appliances, the 2022 Energy Code includes updated standards in three major areas:

- New electric heat pump requirements for residential uses, schools, offices, banks, libraries, retail, and grocery stores.
- The promotion of electric-ready requirements for new homes including the addition of circuitry for electric appliances, battery storage panels, and dedicated infrastructure to allow for the conversion from natural gas to electricity.
- The expansion of solar photovoltaic and battery storage standards to additional land uses including high-rise multifamily residences, hotels and motels, tenant spaces, offices, (including medical offices and clinics), retail and grocery stores, restaurants, schools, and civic uses (including theaters auditoriums, and convention centers).

The California Green Building Standards Code (California Code of Regulations, Title 24, Part 11), commonly referred to as the CALGreen Code, is a statewide mandatory construction code that was developed and adopted by the California Building Standards Commission and the California Department of Housing and Community Development. CALGreen standards require new residential and commercial buildings to comply with mandatory measures under five topical areas: planning and design; energy efficiency; water efficiency and conservation; material conservation and resource efficiency; and environmental quality. CALGreen also provides voluntary measures (CALGreen Tier 1 and Tier 2) that local governments may adopt which encourage or require additional measures in the five green building topics. The most recent update to the CALGreen Code is the 2022 California Green Building Standards Code, which took effect January 1, 2023. Projects whose permit applications are applied for on or after January 1, 2023, must comply with the 2022 Energy Code.⁵

California Public Utilities Commission Energy Efficiency Strategic Plan

The California Public Utilities Commission (CPUC) prepared an Energy Efficiency Strategic Plan in 2011 with the goal of promoting energy efficiency and a reduction in greenhouse gases. Assembly Bill 1109, adopted in 2007, also serves as a framework for lighting efficiency. This bill requires the State Energy Resources Conservation and Development Commission to adopt minimum energy efficiency standards as a means to reduce average Statewide electrical energy consumption by not less than 50 percent from the 2007 levels for indoor residential lighting and not less than 25 percent from the 2007

⁵ California Energy Commission, *2022 Building Energy Efficiency Standards*, <https://www.energy.ca.gov/programs-and-topics/programs/building-energy-efficiency-standards/2022-building-energy-efficiency>, accessed June 2024.

levels for indoor commercial and outdoor lighting by 2018. According to the Energy Efficiency Strategic Plan, lighting comprises approximately one-fourth of California's electricity use while non-residential sector exterior lighting (parking lot, area, walkway, and security lighting) usage comprises 1.4 percent of California's total electricity use, much of which occurs during limited occupancy periods.

Renewable Portfolio Standard

In 2002, California established its Renewable Portfolio Standard program with the goal of increasing the annual percentage of renewable energy in the state's electricity mix by the equivalent of at least 1 percent of sales, with an aggregate total of 20 percent by 2017. The CPUC subsequently accelerated that goal to 2010 for retail sellers of electricity (Public Utilities Code Section 399.15(b)(1)). Then-Governor Schwarzenegger signed Executive Order S-14-08 in 2008, increasing the target to 33 percent renewable energy by 2020. In September 2009, then-Governor Schwarzenegger continued California's commitment to the Renewable Portfolio Standard by signing Executive Order S-21-09, which directs the California Air Resources Board under its AB 32 authority to enact regulations to help the State meet its Renewable Portfolio Standard goal of 33 percent renewable energy by 2020. In September 2010, the California Air Resources Board adopted its Renewable Electricity Standard regulations, which require all of the State's load-serving entities to meet this target. In October 2015, then-Governor Brown signed into legislation Senate Bill 350, which requires retail sellers and publicly owned utilities to procure 50 percent of their electricity from eligible renewable energy resources by 2030. Signed in 2018, SB 100 revised SB 350's goal, revising it to achieve the 50 percent renewable resources target by December 31, 2026 and to achieve a 60 percent target by December 31, 2030. SB 100 also established a further goal to have an electric grid that is entirely powered by clean energy by 2045. Under the bill, the State cannot increase carbon emissions elsewhere in the western grid or allow resource shuffling to achieve the 100 percent carbon-free electricity target.

5.2 City of Rialto

City of Rialto Climate Adaptation Plan

The City of Rialto Climate Adaptation Plan (Rialto CAP)⁶ outlines goals to reduce energy consumption and greenhouse gas (GHG) emissions to become a more sustainable community. Goals include:

- Prevent truck routes from disproportionately impacting disadvantaged communities;
- Create a clean air checklist for new development of sensitive land uses;
- Increase use of low-emission and electric vehicles where feasible; and
- Adopt building and maintenance standards that reflect the regional best practices in reducing urban heat island effect.

⁶ City of Rialto, *Rialto Climate Adaption Plan*, <https://www.yourrialto.com/DocumentCenter/View/2248/Final-Rialto-Climate-Adaptation-Plan>, accessed June 2024.

6.0 CEQA Thresholds and Methodology

In accordance with State CEQA Guidelines, the effects of a project are evaluated to determine whether they would result in a significant adverse impact on the environment. This memorandum will focus on these effects and offer mitigation measures to reduce or avoid any significant impacts that are identified. The criteria used to determine the significance of impacts may vary depending on the nature of the project. According to State CEQA Guidelines Appendix G, the proposed Project would have a significant impact related to energy, if it would:

- Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during Project construction or operation; and/or
- Conflict with or obstruct a State or local plan for renewable energy or energy efficiency.

State CEQA Guidelines Appendix F is an advisory document that assists preparers in determining whether a project will result in the inefficient, wasteful, and unnecessary consumption of energy. The analysis relies upon State CEQA Guidelines Appendix F, which includes the following criteria to determine whether this threshold of significance is met:

- **Criterion 1:** The project's energy requirements and its energy use efficiencies by amount and fuel type for each stage of the project including construction, operation, maintenance and/or removal. If appropriate, the energy intensiveness of materials may be discussed.
- **Criterion 2:** The effects of the project on local and regional energy supplies and on requirements for additional capacity.
- **Criterion 3:** The effects of the project on peak and base period demands for electricity and other forms of energy.
- **Criterion 4:** The degree to which the project complies with existing energy standards.
- **Criterion 5:** The effects of the project on energy resources.
- **Criterion 6:** The project's projected transportation energy use requirements and its overall use of efficient transportation alternatives.

The impact analysis focuses on the three sources of energy that are relevant to the proposed Project: electricity, natural gas, and transportation fuel for vehicle trips associated with the Project as well as the fuel necessary for Project construction. The analysis of the Project's electricity and natural gas use is based on the California Emissions Estimator Model (CalEEMod), which quantifies energy use for occupancy. The results of CalEEMod are included in the Project's Air Quality Assessment, prepared by

Kimley-Horn (2024). Modeling related to Project energy use was based primarily on the default settings in CalEEMod. The amount of operational fuel use was estimated using CalEEMod outputs for the Project and CARB Emissions Factor (EMFAC) 2021 computer program for typical daily fuel use in San Bernardino County. Construction fuel was calculated based on CalEEMod emissions outputs and conversion ratios from the Climate Registry.

7.0 Impacts and Mitigation Measures

Threshold 7.1 Would the project result in wasteful, inefficient, or unnecessary consumption of energy resources?

PROPOSED WAREHOUSE DEVELOPMENT

Construction-Related Energy

The energy associated with Project construction includes electricity use associated with water utilized for dust control; diesel fuel from on-road hauling trips, vendor trips, and off-road construction diesel equipment; and gasoline fuel from on-road worker commute trips. Because construction activities typically do not require natural gas, it is not included in the following discussion. The methodology for each category is discussed below. This analysis relies on the construction equipment list and operational characteristics from CalEEMod; refer to **Appendix A: Energy Data**. Energy consumption associated with the proposed Project is summarized in **Table 4: Energy Use During Construction**.

Table 4: Energy Use During Construction			
Project Source	Total Construction Energy ⁴	San Bernardino County Annual Energy Consumption	Percentage of Countywide Consumption
Electricity Use			
Water ¹	0.0111 GWh	16,630 GWh	<0.0001%
Diesel Use			
On-Road Construction Trips ²	52,827 gallons	281,399,849 gallons	0.0188%
Off-Road Construction Equipment ³	50,918 gallons		0.0181%
Construction Diesel Total	103,745 gallons		0.0369%
Gasoline Use			
On-Road Construction Trips	23,531 gallons	828,612,797 gallons	0.0028%
Notes:			
¹ Construction water use based on acres disturbed per day during grading and site preparation and estimated water use per acre.			
² On-road mobile source fuel use based on vehicle miles traveled (VMT) from CalEEMod and fleet-average fuel consumption in gallons per mile from EMFAC2021 in San Bernardino County for construction year 2025.			
³ Construction fuel use was calculated based on CalEEMod emissions outputs and conversion ratios from the Climate Registry.			
⁴ Total Construction Energy is the combined energy usage over approximately 13 months of construction.			
Refer to Appendix A: Energy Data for assumptions used in this analysis.			

Electricity

Water for Construction Dust Control. Electricity use associated with water use for construction dust control is calculated based on total water use and the energy intensity for supply, distribution, and treatment of water. The total number of gallons of water used is calculated based on acreage disturbed during grading and site preparation, as well as the daily watering rate per acre disturbed.

- The total acres disturbed are calculated using the methodology described in Chapter 4.2 of Appendix C of the CalEEMod User's Guide, available at: <http://www.caleemod.com/>.
- The water application rate of 3,020 gallons per acre per day is from the Air and Waste Management Association's Air Pollution Engineering Manual (1992).

The energy intensity value is based on the CalEEMod default energy intensity per gallon of water for San Bernardino County. As summarized in **Table 4**, the total electricity demand associated with water use for construction dust control would be approximately 0.0111 GWh over the duration of construction.

Petroleum Fuel

On-Road Diesel Construction Trips. The diesel fuel associated with on-road construction mobile trips is calculated based on vehicle miles traveled (VMT) from vehicle trips (i.e., worker, vendor, and hauling), the CalEEMod default diesel fleet percentage, and vehicle fuel efficiency in miles per gallon (MPG). VMT for the entire construction period is calculated based on the number of trips multiplied by the trip lengths for each phase shown in CalEEMod. Construction fuel was calculated based on CalEEMod emissions outputs and conversion ratios from the Climate Registry. In summary, the total diesel fuel associated with on-road construction trips would be approximately 52,827 gallons over the duration of buildout of the Project; refer to **Table 4**.

Off-Road Diesel Construction Equipment. Similarly, the construction diesel fuel associated with the off-road construction equipment is calculated based on CalEEMod emissions outputs and conversion ratios from the Climate Registry. The total diesel fuel associated with off-road construction equipment is approximately 50,918 gallons for duration of buildout of the Project; refer to **Table 4**.

On-Road Gasoline Construction Trips. The gasoline fuel associated with on-road construction mobile trips is calculated based on VMT from vehicle trips (i.e., worker, vendor, and hauling), the CalEEMod default gasoline fleet percentage, and vehicle fuel efficiency in MPG using the same methodology as the construction on-road trip diesel fuel calculation discussed above. The total gasoline fuel associated with on-road construction trips would be approximately 23,531 gallons over the duration of buildout of the Project; refer to **Table 4**.

Construction Energy Use Conclusion

In total, construction of the Project would use approximately 0.0111 GWh of electricity, 23,531 gallons of gasoline, and 103,745 gallons of diesel. In 2022, San Bernardino County used 16,630 GWh of electricity. Project construction electricity use would represent less than 0.0001 percent of the current electricity use in San Bernardino County.

In 2025, the year Project construction is anticipated to commence, San Bernardino County is anticipated to use approximately 828,612,797 gallons of gasoline and approximately 281,399,849 gallons of diesel fuel. During construction, gasoline fuel consumption would constitute 0.0028 percent of average annual gasoline usage in the County and diesel fuel consumption would constitute 0.0369 percent of average annual diesel used in the County capacity (**CEQA Appendix F - Criterion 1**). Based on the Project's relatively low construction fuel use proportional to annual County use, the Project would not substantially affect existing energy fuel supplies or resources. New capacity or additional sources of construction fuel are not anticipated to be required.

Transportation fuels (gasoline and diesel) are produced from crude oil, which can be domestic or imported from various regions around the world. Based on current proven reserves, current crude oil production would be sufficient to meet 50 years of worldwide consumption.⁷ As such, it is expected that existing and planned transportation fuel supplies would be sufficient to serve the Project's temporary construction demand.

SCE's total energy sales are projected to be 103,561 GWh of electricity in 2025.⁸ Therefore, the Project's construction-related annual electricity consumption of 0.0111 GWh would represent less than 0.0001 percent of SCE's projected annual sales (**CEQA Appendix F - Criterion 1**). Thus, it is anticipated that SCE's existing and planned electricity capacity and electricity supplies would be sufficient to serve the Project's temporary construction electricity demand.

Furthermore, there are no unusual characteristics that would necessitate the use of construction equipment that would be less energy-efficient than at comparable construction sites in the region or State. In addition, some energy conservation would occur during construction through compliance with State requirements that equipment not in use for more than five minutes be turned off. Project construction equipment would also be required to comply with the latest EPA and CARB engine emissions standards. These engines use highly efficient combustion engines to minimize unnecessary fuel use.

The Project would have construction activities that would use energy, primarily in the form of diesel fuel (e.g., mobile construction equipment) and electricity (e.g., power tools). Contractors would be required to monitor air quality emissions of construction activities using applicable regulatory guidance such as from South Coast Air Quality Management District (SCAQMD) CEQA Guidelines.

⁷ BP Global, *Statistical Review of World Energy*, 2021.

⁸ California Energy Commission, *CED 2021 Baseline Forecast – SCE High Demand Case*, January 2023.

Additionally, construction is subject to and would comply with California regulations (e.g., California Code of Regulations, Title 13, Sections 2485 and 2449), which reduce diesel particulate matter and criteria pollutant emissions from in-use off-road diesel-fueled vehicles and limit the idling of heavy-duty construction equipment to no more than five minutes (**CEQA Appendix F - Criterion 4**). This requirement indirectly relates to construction energy conservation because when air pollutant emissions are reduced from the monitoring and the efficient use of equipment and materials, energy use is reduced. There are no aspects of the Project that would foreseeably result in the inefficient, wasteful, or unnecessary use of energy during construction activities.

Due to increasing transportation costs and fuel prices, contractors and owners have a strong financial incentive to avoid wasteful, inefficient, and unnecessary use of energy during construction. There is growing recognition among developers and retailers that sustainable construction is not prohibitively expensive and that there is a significant cost-savings potential in green building practices. Substantial reduction in energy inputs for construction materials can be achieved by selecting building materials composed of recycled materials that require substantially less energy to produce than non-recycled materials. The Project-related incremental increase in the use of energy bound in construction materials such as asphalt, steel, concrete, pipes, and manufactured or processed materials (e.g., lumber and gas) would not substantially increase demand for energy compared to overall local and regional demand for construction materials (**CEQA Appendix F - Criterion 5**). It is reasonable to assume that production of building materials such as concrete, steel, etc., would employ all reasonable energy conservation practices in the interest in minimizing the costs of business.

As described above, the Project's fuel from the entire construction period would increase fuel use in the County by less than one percent. It should be noted that the State CEQA Guidelines Appendix G and Appendix F criteria require the Project's effects on local and regional energy supplies and on the requirements for additional capacity to be addressed. A less than one percent increase in construction fuel demand is not anticipated to trigger the need for additional capacity (**CEQA Appendix F - Criterion 2**). Additionally, use of construction fuel would be temporary and would cease once the Project is fully developed. As such, Project construction would have a nominal effect on the local and regional energy supplies.

As stated above, there are no unusual characteristics that necessitate the use of construction equipment that would be less energy-efficient than at comparable construction sites in the region or State. Therefore, it is expected that construction fuel use associated with the Project would not be any more inefficient, wasteful, or unnecessary than other similar development projects of this nature. Therefore, potential impacts are considered less than significant.

Operational Energy

The energy consumption associated with Project operations would occur from building energy (electricity and natural gas) use, water use, and transportation-related fuel use. The Project is anticipated to be operational in 2026. The Project's annual energy use during operations is shown in

Table 5: Annual Energy Use During Operations. The methodology for each category is discussed below. It should be noted that Project maintenance would include activities such as repair of the warehouse buildings, landscaping, and architectural coatings, which could potentially use electricity and petroleum-based fuels. Energy uses related to Project maintenance activities are assumed to be included as part of Project operations.

Table 5: Annual Energy Use During Operations						
	Project Annual Energy Consumption	San Bernardino County Annual Energy Consumption	Percentage of Countywide Consumption	Project Annual Energy Consumption	San Bernardino County Annual Energy Consumption	Percentage of Countywide Consumption
Project Source	Unmitigated			Mitigated		
Electricity Use						
Area ^{1,3}	2.2610 GWh	16,630 GWh	0.0136%	0.0000 GWh	16,630 GWh	0.0000%
Water ¹	0.6880 GWh		0.0041%	0.6880 GWh		0.0041%
Total Electricity	2.949 GWh		0.0177%	0.6880 GWh		0.0041%
Natural Gas Use						
Area ^{1,3}	81,502 therms	562,123,065 therms	0.0145%	81,480 therms	562,123,065 therms	0.0145%
Diesel Use						
Mobile ²	469,346 gallons	281,589,289 gallons	0.1667%	469,346 gallons	281,589,289 gallons	0.1667%
Gasoline Use						
Mobile ²	116,733 gallons	811,280,390 gallons	0.0144%	116,733 gallons	811,280,390 gallons	0.0144%
Notes:						
¹ The electricity, natural gas, and water usage are based on Project-specific estimates and CalEEMod defaults.						
² Calculated based on the mobile source fuel use based on vehicle miles traveled (VMT) and fleet-average fuel consumption (in gallons per mile) from EMFAC2021 for operational year 2026.						
³ Mitigated energy consumption includes implementation of Mitigation Measure GHG-1 requires the installation of photovoltaic solar panels to offset energy emissions and Mitigation Measure GHG-2 requires buildings to meet or exceed CALGreen Tier 2 standards (refer to the Projects Greenhouse Gas Emissions Assessment).						
Refer to Appendix A: Energy Data for assumptions used in this analysis.						

Petroleum Fuel. The gasoline and diesel fuel associated with on-road vehicular trips is calculated based on total VMT calculated for the analyses within CalEEMod and average fuel efficiency from the EMFAC model. As summarized in **Table 5**, the Project's total unmitigated gasoline and diesel fuel would be approximately 116,733 gallons per year and 469,346 gallons per year, respectively.

The key drivers of transportation-related fuel consumption are job locations/commuting distance and many personal choices on when and where to drive for various purposes. Those factors are outside of the scope of the design of the proposed Project. However, the Project would include on-site electric vehicle charging stations in parking lots in compliance with CALGreen Tier 2 standards implemented through the Project's Greenhouse Gas Emissions Assessment Mitigation Measure **GHG-2**. This would encourage and support the use of electric vehicles by workers and visitors of the proposed project

and thus reduce the petroleum fuel consumption (**CEQA Appendix F - Criterion 5** and **Criterion 6**). It should be noted that a reduction in petroleum fuel consumption was not accounted for in the project operational automotive fuel consumption identified in **Table 5**. This is due to the speculative nature of assuming a quantitative reduction in fuel consumption generated by the electric vehicle charging stations. As such, the project operational automotive fuel consumption identified in **Table 5** is considered conservative.

The Project would also reduce fuel consumption through implementation of Mitigation Measure **AIR-2** from the Project's Air Quality Assessment (**CEQA Appendix F - Criterion 5** and **Criterion 6**). Mitigation Measure **AIR-2** requires the implementation of a Transportation Demand Management (TDM) program to reduce single-occupant vehicle trips and encourage public transit. It should be noted that energy consumption values shown in **Table 5** conservatively do not include reductions from Mitigation Measure **AIR-2**.

Electricity. The electricity use during Project operations is based on CalEEMod defaults. The Project's total unmitigated electricity consumption would be approximately 2.949 GWh of electricity onsite per year; refer to **Table 5**. The electricity associated with operational water use is estimated based on the annual water use and the energy intensity factor is the CalEEMod default energy intensity per gallon of water for San Bernardino County. Project area water use is based on the CalEEMod default rates. The Project would use approximately 102 million gallons annually of water annually which would require approximately 0.6880 GWh per year for conveyance and treatment. The Project's Greenhouse Gas Emissions Assessment includes Mitigation Measures **GHG-1** and **GHG-2**, which would also reduce electricity consumption (**CEQA Appendix F - Criterion 5**). Mitigation Measure **GHG-1** requires the installation of photovoltaic solar panels to offset energy emissions and Mitigation Measure **GHG-2** requires buildings to meet or exceed CALGreen Tier 2 standards. With implementation of Mitigation Measures **GHG-1** and **GHG-2**, the total mitigated electricity consumption would be approximately 0.6880 GWh per year.

Natural Gas. The methodology used to calculate the natural gas use associated with the Project is based on CalEEMod default rates. The Project's total unmitigated natural gas consumption would be approximately 81,502 therms per year; refer to **Table 5**. The Project's Greenhouse Gas Emissions Assessment includes Mitigation Measure **GHG-2**, which would reduce natural gas consumption (**CEQA Appendix F - Criterion 5**). Mitigation Measure **GHG-2** requires buildings to meet or exceed CALGreen Tier 2 standards. With implementation of Mitigation Measure **GHG-2**, the total mitigated electricity consumption would be approximately 81,480 therms per year; refer to **Table 5**.

Operational Energy Use Conclusion

As shown in **Table 5**, the Project's electricity, natural gas, and automotive fuel consumption over existing conditions is minimal (less than one percent) (**CEQA Appendix F - Criterion 1**). For the reasons described above, the Project would not place a substantial demand on regional energy supply or require significant additional capacity, or significantly increase peak and base period electricity

demand (**CEQA Appendix F – Criterion 2** and **Criterion 3**). The project would also reduce fuel, electricity, and natural gas consumption through implementation of Mitigation Measure **GHG-1** (photovoltaic solar panels), Mitigation Measure **GHG-2** (CALGreen Tier 2 standards), and Mitigation Measure **AIR-2** (TDM program) (**CEQA Appendix F - Criterion 5** and **Criterion 6**). Thus, the Project would not cause a wasteful, inefficient, and unnecessary consumption of energy during Project operations or preempt future energy development or future energy conservation. Therefore, impacts associated with operational energy use would be less than significant.

PROPOSED PA 123 REZONE

Development of PA 123 is not proposed as part of the Project. Future development projects related to PA 123 would be evaluated on a project-specific level in compliance with CEQA, as applicable.

Mitigation Measures: Refer to Mitigation Measure **AIR-2** in the Project’s Air Quality Assessment and Mitigation Measures **GHG-1** and **GHG-2** in the Project’s Greenhouse Gas Emissions Assessment.

Level of Significance: Less than significant impact.

Threshold 7.2 Would the project conflict with or obstruct a state or local plan for renewable energy or energy efficiency?

PROPOSED WAREHOUSE DEVELOPMENT

Title 24 of the California Code of Regulations contains energy efficiency standards for residential and non-residential buildings based on a state mandate to reduce California’s energy demand. Specifically, Title 24 addresses a number of energy efficiency measures that impact energy used for lighting, water heating, heating, and air conditioning, including the energy impact of the building envelope such as windows, doors, skylights, wall/floor/ceiling assemblies, attics, and roofs.

Part 6 of Title 24 specifically establishes energy efficiency standards for residential and nonresidential buildings constructed in the State of California in order to reduce energy demand and consumption. The Project would comply with Title 24, Part 6 per state regulations. In accordance with Title 24 Part 6, the Project would have: (a) sensor based lighting controls— for fixtures located near windows, the lighting would be adjusted by taking advantage of available natural light; and (b) efficient process equipment—improved technology offers significant savings through more efficient processing equipment.

Title 24, Part 11, contains voluntary and mandatory energy measures that are applicable to the Project under the California Green Building Standards Code. As discussed above, the Project would result in an increased demand for electricity, natural gas, and petroleum. In accordance with Title 24 Part 11 mandatory compliance, the Applicant would have (a) 50 percent of its construction and demolition waste diverted from landfills; (b) mandatory inspections of energy systems to ensure optimal working

efficiency; (c) low pollutant emitting exterior and interior finish materials, such as paints, carpets, vinyl flooring and particle boards; and (d) a 20% reduction in indoor water use. Compliance with all of these mandatory measures would decrease the consumption of electricity, natural gas, and petroleum.

The Project would not conflict with any of the federal, state, or local plans for renewable energy and energy efficiency. Because the Project would comply with Parts 6 and 11 of Title 24, no conflict with existing energy standards and regulations would occur (**CEQA Appendix F – Criterion 4**). Therefore, impacts associated with renewable energy or energy efficiency plans would be considered less than significant.

PROPOSED PA 123 REZONE

Development of PA 123 is not proposed as part of the Project. Future development projects related to PA 123 would be evaluated on a project-specific level in compliance with CEQA, as applicable.

Mitigation Measures: No mitigation measures are required.

Level of Significance: Less than significant impact.

8.0 References

BP Global, *Statistical Review of World Energy*, 2021.

California Air Resources Board, EMFAC2021.

California Energy Commission, *2019 Building Energy Efficiency Standards*, <https://www.energy.ca.gov/programs-and-topics/programs/building-energy-efficiency-standards/2019-building-energy-efficiency>, accessed June 2024.

California Energy Commission, *2022 Building Energy Efficiency Standards*, <https://www.energy.ca.gov/programs-and-topics/programs/building-energy-efficiency-standards/2022-building-energy-efficiency>, accessed June 2024.

California Energy Commission, *CED 2021 Baseline Forecast – SCE High Demand Case*, January 2023.

California Energy Commission, *Electricity Consumption by County*, <http://www.ecdms.energy.ca.gov/>, accessed June 2024.

California Energy Commission, *Natural Gas Consumption by County*, <http://www.ecdms.energy.ca.gov/>, accessed June 2024.

California Energy Commission, *2022 Total System Electric Generation*, <https://www.energy.ca.gov/data-reports/energy-almanac/california-electricity-data/2022-total-system-electric-generation>, accessed June 2024.

California Department of Tax and Fee Administration, *Motor Vehicle Fuel 10 Year Reports*, <https://www.cdtfa.ca.gov/taxes-and-fees/spftrpts.htm>, accessed June 2024.

California Public Utilities Commission, *Energy Efficiency Strategic Plan*, 2011.

City of Rialto, *Rialto Climate Adaption Plan*, [https://www.yourrialto.com/DocumentCenter/View/2248/Final-Rialto-Climate-Adaption-Plan](https://www.yourrialto.com/DocumentCenter/View/2248/Final-Rialto-Climate-Adaptation-Plan), accessed June 2024.

U.S. Energy Information Administration, *California State Profile and Energy Estimates*, <https://www.eia.gov/state/data.php?sid=CA#ConsumptionExpenditures>, accessed June 2024.

Appendix A

Energy Data

Construction Fuel Consumption

On-Site Diesel ¹ (off-road construction Equipment)	MTCO ₂ e	Gallons of Fuel ⁴	County Fuel in 2025 (Start of Construction)	Percent
Demolition	0	0		
Site Preparation/Grading	335	32,790		
Building Construction	190	18,627		
Paving	13	1,279		
Architectural Coating	1	131		
Total	539	52,827	281,399,849	0.0188%

Off-Site Diesel ¹ (on-road construction trips)				
Demolition	0	0		
Site Preparation/Grading	342	33,498		
Building Construction	178	17,421		
Paving	0	0		
Architectural Coating	0	0		
Total	520	50,918	281,399,849	0.0181%

Off-Site Gasoline ²				
Demolition	0	0		
Site Preparation/Grading	14	1,546		
Building Construction	187	21,261		
Paving	2	192		
Architectural Coating	5	532		
Total	207	23,531	828,612,797	0.0028%

Total Diesel Fuel		103,745	281,399,849	0.0369%
Total Gasoline Fuel		23,531	828,612,797	0.0028%
Total Construction Fuel	1,266	127,277		

Construction Phase ³	Demolition			Site Preparation			Grading/Infrastructure Improvements		
	On-Site Diesel (Off-Road)	Off-Site Diesel (Hauling/Vendor)	Off-Site Gasoline (Worker)	On-Site Diesel (Off-Road)	Off-Site Diesel (Hauling/Vendor)	Off-Site Gasoline (Worker)	On-Site Diesel (Off-Road)	Off-Site Diesel (Hauling/Vendor)	Off-Site Gasoline (Worker)
2025	0	0	0	53	0	2	264	342	11
2026	0	0	0	0	0	0	18	0	1
Total	0	0	0	53	0	2	282	342	11

Construction Phase ³	Building Construction			Paving			Architectural Coating		
	On-Site Diesel (Off-Road)	Off-Site Diesel (Hauling/Vendor)	Off-Site Gasoline (Worker)	On-Site Diesel (Off-Road)	Off-Site Diesel (Hauling/Vendor)	Off-Site Gasoline (Worker)	On-Site Diesel (Off-Road)	Off-Site Diesel (Hauling/Vendor)	Off-Site Gasoline (Worker)
2025	72	68	71	0	0	0	0	0	0
2026	118	110	115	13	0	2	1	0	5
Total	190	178	187	13	0	2	1	0	5

Notes:

¹ Fuel used for off-road, hauling, and vendor trips assumed to be diesel.

² Fuel used for worker trips assumed to be gasoline.

³ MTCO₂e rates from CalEEMod (3.0 Construction Emissions Details).

⁴ For CO₂e emissions, The Climate Registry, June 2023 Default Emission Factors, see Table 1.1 (U.S. Default Factors for Calculating CO₂ Emissions from Combustion of Transport Fuels) <https://theclimateregistry.org/wp-content/uploads/2023/06/2023-Default-Emission-Factors-Final-1.pdf>.

Climate Registry Conversion Ratios:

- Gasoline: 8.78 kg CO₂ per gallon / 1,000 kg per metric ton
- Diesel: 10.21 kg CO₂ per gallon / 1,000 kg per metric ton

Construction Water Energy

Daily Soil Disturbance ¹	3.5	acres
Days of Soil Disturbance ²	198	days
Water Concentration ³	3,020	gallons/acre
Water Energy Intensity ⁴	5,306	kWh/MG
Total Construction Water	2.09	million gallons
Construction Water Energy	11,105 0.0111	kWh GWh
San Bernardino County Annual Electricity	16,630	GWh
Percentage Increase	0.00007%	

Notes:

- ¹ Total daily acres disturbed from offroad equipment per CalEEMod (3.0 Construction Emissions Detail) and maximum SCAQMD LST values for soil-disturbing equipment.
- ² Number of days of construction with soil-disturbing equipment per CalEEMod (5.1 Construction Schedule).
- ³ Water application rate per Air and Waste Management Association's Air Pollution Engineering Manual.
- ⁴ Water energy intensity factor for subarea per CalEEMod User Guide, Appendix G, Tab G-32.

Operational Fuel

UNMITIGATED							
Vehicle Type	Percent	Annual VMT ¹	MPG ²	Annual Fuel (Gallons)	Fuel Type	SB County Gallons ³	RS Percent
Passenger Cars	1.00	2,521,437	21.6	116,733	Gas	811,280,390	0.0144%
Light/Medium Trucks	0.30	1,065,113	17.2	61,925	Diesel	281,589,289	0.0220%
Heavy Trucks/Other	0.70	2,485,265	6.1	407,420	Diesel	281,589,289	0.1447%
Trucks Total		3,550,378		469,346		281,589,289	0.1667%
Total		6,071,815					
MITIGATED							
Vehicle Type	Percent	Annual VMT ¹	MPG ²	Annual Fuel (Gallons)	Fuel Type	SB County Gallons ³	RS Percent
Passenger Cars	1.00	2,521,437	21.6	116,733	Gas	811,280,390	0.0144%
Light/Medium Trucks	0.30	1,065,113	17.2	61,925	Diesel	281,589,289	0.0220%
Heavy Trucks/Other	0.70	2,485,265	6.1	407,420	Diesel	281,589,289	0.1447%
Trucks Total		3,550,378		469,346		281,589,289	0.1667%
Total		6,071,815					

Land Use ⁵	LDA	LDT1	LDT2	MCY	MDV	LHD1	LHD2	MHD	OBUS	UBUS	SBUS	MH	HHD
Unrefrigerated Warehouse - Passenger Cars	71.5060	2.6121	12.8829	1.3924	9.7260	1.8806	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse - Trucks	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2.0000	28.0000	0.0000	0.0000	0.0000	0.0000	70.0000

Notes:

¹ Total annual operational VMT based on annual VMT from CalEEMod (5.9 Operational Mobile Sources).

² Average fuel economy derived from Department of Transportation.

³ Total annual county fuel per EMFAC 2021 model of projected operational fuel usage for Year 2026

Operational Water Energy

UNMITIGATED		
Unmitigated Indoor	99.1	million gallons
Indoor Energy Intensity Factor ¹	6,807	kWh/MG
Unmitigated Outdoor	2	million gallons
Outdoor Energy Intensity Factor ²	5,306	kWh/MG
Operational Water Energy	688,050	kWh
Operational Water Energy	0.6880	GWh
San Bernardino County Annual Electricity	16,630	GWh
Percentage Increase	0.0041%	
MITIGATED		
Mitigated Indoor	99.1	million gallons
Indoor Energy Intensity Factor ¹	6,807	kWh/MG
Mitigated Outdoor	2	million gallons
Outdoor Energy Intensity Factor ²	5,306	kWh/MG
Operational Water Energy	688,050	kWh
Operational Water Energy	0.6880	GWh
San Bernardino County Annual Electricity	16,630	GWh
Percentage Increase	0.0041%	

Land Use ³	Unmitigated (gal/year)		Mitigated (gal/year)	
	Indoor	Outdoor	Indoor	Outdoor
Unrefrigerated Warehouse	99,140,344	2,488,024	99,140,344	2,488,024
Parking Lot	0	0	0	0
Total Operational Water (MG/year)	99	2	99	2

Notes:

- ¹ Indoor water energy intensity factor for subarea per CalEEMod User Guide, Appendix G, Tab G-32. Factor includes supply, treatment, distribution, and wastewater.
- ² Outdoor water energy intensity factor for subarea per CalEEMod User Guide, Appendix G, Tab G-32. Factor includes supply, treatment, and distribution.
- ³ Operational water use values per CalEEMod (5.12 Operational Water and Wastewater Consumption).

Electricity/Natural Gas Energy

UNMITIGATED			
	Unmitigated Project Annual Energy	San Bernardino County Annual Energy ³	Percentage Increase
Electricity (kWh/yr)	2,260,954	16,629,614,195	0.0136%
Electricity (GWh/yr)	2.2610	16,630	0.0136%
Natural Gas (kBTU/yr)	8,150,163	56,212,306,500	0.0145%
Natural Gas (therms/yr)	81,502	562,123,065	0.0145%
MITIGATED			
	Mitigated Project Annual Energy	San Bernardino County Annual Energy ³	Percentage Increase
Electricity (kWh/yr)	0	16,629,614,195	0.0000%
Electricity (GWh/yr)	0.0000	16,630	0.0000%
Natural Gas (kBTU/yr)	8,147,954	56,212,306,500	0.0145%
Natural Gas (therms/yr)	81,480	562,123,065	0.0145%

Land Use	Electricity ¹ (kWh/yr)		Natural Gas ² (kBTU/yr)	
	Unmitigated	Mitigated	Unmitigated	Mitigated
Unrefrigerated Warehouse	1,980,107	0.0022	8,150,163	8,147,954
Parking Lot	280,847	0.0016	0	0
Total Energy	2,260,954	0	8,150,163	8,147,954

Notes:

- ¹ Electricity use per CalEEMod (5.11 Operational Energy Consumption).
- ² Natural Gas use per CalEEMod (5.11 Operational Energy Consumption).
- ³ County total energy values from California Energy Commission energy reports available through ecdms.energy.ca.gov. (year 2022)

Miro Way and Ayala Drive Warehouse Detailed Report

Table of Contents

- 1. Basic Project Information
 - 1.1. Basic Project Information
 - 1.2. Land Use Types
 - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
- 2. Emissions Summary
 - 2.1. Construction Emissions Compared Against Thresholds
 - 2.2. Construction Emissions by Year, Unmitigated
 - 2.3. Construction Emissions by Year, Mitigated
 - 2.4. Operations Emissions Compared Against Thresholds
 - 2.5. Operations Emissions by Sector, Unmitigated
 - 2.6. Operations Emissions by Sector, Mitigated
- 3. Construction Emissions Details
 - 3.1. Site Preparation (2025) - Unmitigated
 - 3.2. Site Preparation (2025) - Mitigated

3.3. Grading (2025) - Unmitigated

3.4. Grading (2025) - Mitigated

3.5. Building Construction (2025) - Unmitigated

3.6. Building Construction (2025) - Mitigated

3.7. Building Construction (2026) - Unmitigated

3.8. Building Construction (2026) - Mitigated

3.9. Paving (2026) - Unmitigated

3.10. Paving (2026) - Mitigated

3.11. Architectural Coating (2026) - Unmitigated

3.12. Architectural Coating (2026) - Mitigated

3.13. Infrastructure Improvements (2025) - Unmitigated

3.14. Infrastructure Improvements (2025) - Mitigated

3.15. Infrastructure Improvements (2026) - Unmitigated

3.16. Infrastructure Improvements (2026) - Mitigated

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

4.1.2. Mitigated

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

4.2.2. Electricity Emissions By Land Use - Mitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.2.4. Natural Gas Emissions By Land Use - Mitigated

4.3. Area Emissions by Source

4.3.1. Unmitigated

4.3.2. Mitigated

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

4.4.2. Mitigated

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

4.5.2. Mitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

4.6.2. Mitigated

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

4.7.2. Mitigated

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

4.8.2. Mitigated

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

4.9.2. Mitigated

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

5. Activity Data

5.1. Construction Schedule

5.2. Off-Road Equipment

5.2.1. Unmitigated

5.2.2. Mitigated

5.3. Construction Vehicles

5.3.1. Unmitigated

5.3.2. Mitigated

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

5.5. Architectural Coatings

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

5.6.2. Construction Earthmoving Control Strategies

5.7. Construction Paving

5.8. Construction Electricity Consumption and Emissions Factors

5.9. Operational Mobile Sources

5.9.1. Unmitigated

5.9.2. Mitigated

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.1.2. Mitigated

5.10.2. Architectural Coatings

5.10.3. Landscape Equipment

5.10.4. Landscape Equipment - Mitigated

5.11. Operational Energy Consumption

5.11.1. Unmitigated

5.11.2. Mitigated

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

5.12.2. Mitigated

5.13. Operational Waste Generation

5.13.1. Unmitigated

5.13.2. Mitigated

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.14.2. Mitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.15.2. Mitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1.2. Mitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.1.2. Mitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

5.18.2.2. Mitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	Miro Way and Ayala Drive Warehouse
Construction Start Date	5/1/2025
Operational Year	2026
Lead Agency	—
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	2.80
Precipitation (days)	6.40
Location	O N Ayala Dr, Rialto, CA 92376, USA
County	San Bernardino-South Coast
City	Rialto
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5331
EDFZ	10
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.23

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
------------------	------	------	-------------	-----------------------	------------------------	--------------------------------	------------	-------------

Unrefrigerated Warehouse-No Rail	429	1000sqft	13.4	428,715	154,929	0.00	—	—
Parking Lot	283	Space	7.36	0.00	0.00	0.00	—	—
Other Non-Asphalt Surfaces	6.43	Acre	6.43	0.00	0.00	0.00	—	—

1.3. User-Selected Emission Reduction Measures by Emissions Sector

Sector	#	Measure Title
Construction	C-5	Use Advanced Engine Tiers
Construction	C-13	Use Low-VOC Paints for Construction
Transportation	T-5	Implement Commute Trip Reduction Program (Voluntary)
Energy	E-1	Buildings Exceed 2019 Title 24 Building Envelope Energy Efficiency Standards
Energy	E-10-B	Establish Onsite Renewable Energy Systems: Solar Power
Waste	S-1/S-2	Implement Waste Reduction Plan
Area Sources	LL-1	Replace Gas Powered Landscape Equipment with Zero-Emission Landscape Equipment

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	5.29	190	42.8	37.2	0.13	1.37	7.89	9.26	1.27	3.99	5.25	—	17,735	17,735	1.42	1.84	24.1	18,342
Mit.	2.48	27.3	32.0	44.3	0.13	0.31	7.89	7.99	0.31	3.99	4.09	—	17,735	17,735	1.42	1.84	24.1	18,342

% Reduced	53%	86%	25%	-19%	—	77%	—	14%	76%	—	22%	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	3.72	3.67	24.0	34.8	0.05	0.90	3.15	3.92	0.83	0.76	1.57	—	8,626	8,626	0.45	0.46	0.41	8,772
Mit.	2.20	2.84	19.2	37.4	0.05	0.24	3.15	3.39	0.22	0.76	0.99	—	8,626	8,626	0.45	0.46	0.41	8,772
% Reduced	41%	23%	20%	-8%	—	74%	—	14%	73%	—	37%	—	—	—	—	—	—	—
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	1.94	12.1	14.7	15.4	0.04	0.52	2.25	2.77	0.48	0.79	1.27	—	5,194	5,194	0.35	0.42	3.15	5,331
Mit.	0.85	2.05	10.2	16.8	0.04	0.10	2.25	2.34	0.09	0.79	0.88	—	5,194	5,194	0.35	0.42	3.15	5,331
% Reduced	56%	83%	31%	-9%	—	82%	—	15%	80%	—	30%	—	—	—	—	—	—	—
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.35	2.20	2.68	2.82	0.01	0.09	0.41	0.50	0.09	0.14	0.23	—	860	860	0.06	0.07	0.52	883
Mit.	0.15	0.37	1.86	3.07	0.01	0.02	0.41	0.43	0.02	0.14	0.16	—	860	860	0.06	0.07	0.52	883
% Reduced	56%	83%	31%	-9%	—	82%	—	15%	80%	—	30%	—	—	—	—	—	—	—

2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	5.29	3.52	42.8	37.2	0.13	1.37	7.89	9.26	1.27	3.99	5.25	—	17,735	17,735	1.42	1.84	24.1	18,342
2026	2.68	190	13.9	30.9	0.04	0.43	3.43	3.86	0.40	0.83	1.23	—	7,645	7,645	0.38	0.45	15.8	7,804

Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	3.72	3.05	24.0	34.6	0.05	0.90	3.02	3.92	0.83	0.73	1.57	—	8,626	8,626	0.45	0.45	0.41	8,772
2026	3.54	3.67	22.4	34.8	0.05	0.81	3.15	3.88	0.75	0.76	1.48	—	8,542	8,542	0.35	0.46	0.38	8,686
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	1.94	1.45	14.7	15.4	0.04	0.52	2.25	2.77	0.48	0.79	1.27	—	5,194	5,194	0.35	0.42	3.15	5,331
2026	0.84	12.1	4.95	8.65	0.01	0.17	0.92	1.08	0.15	0.22	0.38	—	2,271	2,271	0.09	0.13	1.88	2,315
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	0.35	0.26	2.68	2.82	0.01	0.09	0.41	0.50	0.09	0.14	0.23	—	860	860	0.06	0.07	0.52	883
2026	0.15	2.20	0.90	1.58	< 0.005	0.03	0.17	0.20	0.03	0.04	0.07	—	376	376	0.02	0.02	0.31	383

2.3. Construction Emissions by Year, Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	2.48	1.28	32.0	44.3	0.13	0.31	7.89	7.99	0.31	3.99	4.09	—	17,735	17,735	1.42	1.84	24.1	18,342
2026	2.00	27.3	13.2	32.9	0.04	0.16	3.43	3.59	0.15	0.83	0.98	—	7,645	7,645	0.38	0.45	15.8	7,804
Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	1.92	1.62	17.1	35.9	0.05	0.18	3.02	3.20	0.17	0.73	0.90	—	8,626	8,626	0.45	0.45	0.41	8,772
2026	2.20	2.84	19.2	37.4	0.05	0.24	3.15	3.39	0.22	0.76	0.99	—	8,542	8,542	0.35	0.46	0.38	8,686
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	0.85	0.57	10.2	16.8	0.04	0.10	2.25	2.34	0.09	0.79	0.88	—	5,194	5,194	0.35	0.42	3.15	5,331
2026	0.55	2.05	4.41	9.26	0.01	0.05	0.92	0.97	0.05	0.22	0.27	—	2,271	2,271	0.09	0.13	1.88	2,315

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	0.15	0.10	1.86	3.07	0.01	0.02	0.41	0.43	0.02	0.14	0.16	—	860	860	0.06	0.07	0.52	883
2026	0.10	0.37	0.81	1.69	< 0.005	0.01	0.17	0.18	0.01	0.04	0.05	—	376	376	0.02	0.02	0.31	383

2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	7.93	15.4	32.9	55.0	0.33	0.65	13.4	14.1	0.62	3.53	4.15	407	41,505	41,912	44.1	5.22	88.3	44,658
Mit.	4.61	12.4	32.8	36.4	0.33	0.61	13.4	14.0	0.59	3.53	4.12	407	38,150	38,557	43.9	5.19	88.3	41,291
% Reduced	42%	20%	< 0.5%	34%	< 0.5%	5%	—	< 0.5%	4%	—	1%	—	8%	8%	< 0.5%	< 0.5%	—	8%
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	4.52	12.3	34.2	32.6	0.32	0.61	13.4	14.0	0.59	3.53	4.12	407	41,051	41,459	44.1	5.23	2.29	44,122
Mit.	4.52	12.3	34.2	32.5	0.32	0.61	13.4	14.0	0.59	3.53	4.12	407	37,755	38,163	43.9	5.20	2.29	40,813
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	8%	8%	< 0.5%	< 0.5%	—	7%
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	6.79	14.4	34.6	46.0	0.33	0.64	13.4	14.0	0.61	3.52	4.13	407	41,160	41,567	44.1	5.23	38.1	44,267
Mit.	4.52	12.3	34.5	33.2	0.32	0.61	13.4	14.0	0.59	3.52	4.11	407	37,823	38,231	43.9	5.21	38.1	40,918
% Reduced	33%	15%	< 0.5%	28%	—	4%	—	< 0.5%	3%	—	< 0.5%	—	8%	8%	< 0.5%	< 0.5%	—	8%
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	1.24	2.62	6.32	8.39	0.06	0.12	2.44	2.56	0.11	0.64	0.75	67.4	6,815	6,882	7.30	0.87	6.31	7,329

Mit.	0.82	2.24	6.30	6.06	0.06	0.11	2.44	2.56	0.11	0.64	0.75	67.4	6,262	6,330	7.27	0.86	6.31	6,774
% Reduced	33%	15%	< 0.5%	28%	< 0.5%	4%	—	< 0.5%	3%	—	< 0.5%	—	8%	8%	< 0.5%	< 0.5%	—	8%

2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	4.37	1.88	30.6	34.5	0.31	0.45	13.4	13.9	0.43	3.53	3.95	—	34,518	34,518	2.42	4.72	88.3	36,073
Area	3.32	13.4	0.16	18.6	< 0.005	0.03	—	0.03	0.03	—	0.03	—	76.7	76.7	< 0.005	< 0.005	—	77.0
Energy	0.24	0.12	2.19	1.84	0.01	0.17	—	0.17	0.17	—	0.17	—	5,907	5,907	0.44	0.03	—	5,927
Water	—	—	—	—	—	—	—	—	—	—	—	190	1,003	1,193	19.5	0.47	—	1,822
Waste	—	—	—	—	—	—	—	—	—	—	—	217	0.00	217	21.7	0.00	—	760
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00
Total	7.93	15.4	32.9	55.0	0.33	0.65	13.4	14.1	0.62	3.53	4.15	407	41,505	41,912	44.1	5.22	88.3	44,658
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	4.27	1.79	32.0	30.7	0.31	0.45	13.4	13.9	0.43	3.53	3.95	—	34,141	34,141	2.43	4.73	2.29	35,613
Area	—	10.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Energy	0.24	0.12	2.19	1.84	0.01	0.17	—	0.17	0.17	—	0.17	—	5,907	5,907	0.44	0.03	—	5,927
Water	—	—	—	—	—	—	—	—	—	—	—	190	1,003	1,193	19.5	0.47	—	1,822
Waste	—	—	—	—	—	—	—	—	—	—	—	217	0.00	217	21.7	0.00	—	760
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00
Total	4.52	12.3	34.2	32.6	0.32	0.61	13.4	14.0	0.59	3.53	4.12	407	41,051	41,459	44.1	5.23	2.29	44,122
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Mobile	4.28	1.79	32.3	31.4	0.31	0.45	13.4	13.8	0.43	3.52	3.94	—	34,197	34,197	2.43	4.73	38.1	35,706
Area	2.27	12.5	0.11	12.8	< 0.005	0.02	—	0.02	0.02	—	0.02	—	52.5	52.5	< 0.005	< 0.005	—	52.7
Energy	0.24	0.12	2.19	1.84	0.01	0.17	—	0.17	0.17	—	0.17	—	5,907	5,907	0.44	0.03	—	5,927
Water	—	—	—	—	—	—	—	—	—	—	—	190	1,003	1,193	19.5	0.47	—	1,822
Waste	—	—	—	—	—	—	—	—	—	—	—	217	0.00	217	21.7	0.00	—	760
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00
Total	6.79	14.4	34.6	46.0	0.33	0.64	13.4	14.0	0.61	3.52	4.13	407	41,160	41,567	44.1	5.23	38.1	44,267
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.78	0.33	5.90	5.72	0.06	0.08	2.44	2.52	0.08	0.64	0.72	—	5,662	5,662	0.40	0.78	6.31	5,911
Area	0.41	2.27	0.02	2.33	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.69	8.69	< 0.005	< 0.005	—	8.73
Energy	0.04	0.02	0.40	0.34	< 0.005	0.03	—	0.03	0.03	—	0.03	—	978	978	0.07	< 0.005	—	981
Water	—	—	—	—	—	—	—	—	—	—	—	31.5	166	197	3.24	0.08	—	302
Waste	—	—	—	—	—	—	—	—	—	—	—	36.0	0.00	36.0	3.59	0.00	—	126
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00
Total	1.24	2.62	6.32	8.39	0.06	0.12	2.44	2.56	0.11	0.64	0.75	67.4	6,815	6,882	7.30	0.87	6.31	7,329

2.6. Operations Emissions by Sector, Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	4.37	1.88	30.6	34.5	0.31	0.45	13.4	13.9	0.43	3.53	3.95	—	34,518	34,518	2.42	4.72	88.3	36,073
Area	—	10.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Energy	0.24	0.12	2.19	1.84	0.01	0.17	—	0.17	0.17	—	0.17	—	2,629	2,629	0.23	0.01	—	2,636
Water	—	—	—	—	—	—	—	—	—	—	—	190	1,003	1,193	19.5	0.47	—	1,822
Waste	—	—	—	—	—	—	—	—	—	—	—	217	0.00	217	21.7	0.00	—	760
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00

Total	4.61	12.4	32.8	36.4	0.33	0.61	13.4	14.0	0.59	3.53	4.12	407	38,150	38,557	43.9	5.19	88.3	41,291
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	4.27	1.79	32.0	30.7	0.31	0.45	13.4	13.9	0.43	3.53	3.95	—	34,141	34,141	2.43	4.73	2.29	35,613
Area	—	10.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Energy	0.24	0.12	2.19	1.84	0.01	0.17	—	0.17	0.17	—	0.17	—	2,611	2,611	0.23	< 0.005	—	2,619
Water	—	—	—	—	—	—	—	—	—	—	—	190	1,003	1,193	19.5	0.47	—	1,822
Waste	—	—	—	—	—	—	—	—	—	—	—	217	0.00	217	21.7	0.00	—	760
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00
Total	4.52	12.3	34.2	32.5	0.32	0.61	13.4	14.0	0.59	3.53	4.12	407	37,755	38,163	43.9	5.20	2.29	40,813
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	4.28	1.79	32.3	31.4	0.31	0.45	13.4	13.8	0.43	3.52	3.94	—	34,197	34,197	2.43	4.73	38.1	35,706
Area	—	10.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Energy	0.24	0.12	2.19	1.84	0.01	0.17	—	0.17	0.17	—	0.17	—	2,623	2,623	0.23	0.01	—	2,631
Water	—	—	—	—	—	—	—	—	—	—	—	190	1,003	1,193	19.5	0.47	—	1,822
Waste	—	—	—	—	—	—	—	—	—	—	—	217	0.00	217	21.7	0.00	—	760
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00
Total	4.52	12.3	34.5	33.2	0.32	0.61	13.4	14.0	0.59	3.52	4.11	407	37,823	38,231	43.9	5.21	38.1	40,918
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.78	0.33	5.90	5.72	0.06	0.08	2.44	2.52	0.08	0.64	0.72	—	5,662	5,662	0.40	0.78	6.31	5,911
Area	—	1.89	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Energy	0.04	0.02	0.40	0.34	< 0.005	0.03	—	0.03	0.03	—	0.03	—	434	434	0.04	< 0.005	—	436
Water	—	—	—	—	—	—	—	—	—	—	—	31.5	166	197	3.24	0.08	—	302
Waste	—	—	—	—	—	—	—	—	—	—	—	36.0	0.00	36.0	3.59	0.00	—	126
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00
Total	0.82	2.24	6.30	6.06	0.06	0.11	2.44	2.56	0.11	0.64	0.75	67.4	6,262	6,330	7.27	0.86	6.31	6,774

3. Construction Emissions Details

3.1. Site Preparation (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	3.94	3.31	31.6	30.2	0.05	1.37	—	1.37	1.26	—	1.26	—	5,295	5,295	0.21	0.04	—	5,314
Dust From Material Movement	—	—	—	—	—	—	7.67	7.67	—	3.94	3.94	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.24	0.20	1.91	1.82	< 0.005	0.08	—	0.08	0.08	—	0.08	—	319	319	0.01	< 0.005	—	320
Dust From Material Movement	—	—	—	—	—	—	0.46	0.46	—	0.24	0.24	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.04	0.04	0.35	0.33	< 0.005	0.02	—	0.02	0.01	—	0.01	—	52.8	52.8	< 0.005	< 0.005	—	53.0

Dust From Material Movement	—	—	—	—	—	—	0.08	0.08	—	0.04	0.04	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.09	0.08	0.08	1.36	0.00	0.00	0.23	0.23	0.00	0.05	0.05	—	247	247	0.01	0.01	0.91	250
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	< 0.005	0.01	0.07	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	13.8	13.8	< 0.005	< 0.005	0.02	14.0
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	2.29	2.29	< 0.005	< 0.005	< 0.005	2.32
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.2. Site Preparation (2025) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.64	0.64	14.7	28.3	0.05	0.10	—	0.10	0.10	—	0.10	—	5,295	5,295	0.21	0.04	—	5,314
Dust From Material Movement	—	—	—	—	—	—	7.67	7.67	—	3.94	3.94	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.04	0.04	0.89	1.71	< 0.005	0.01	—	0.01	0.01	—	0.01	—	319	319	0.01	< 0.005	—	320
Dust From Material Movement	—	—	—	—	—	—	0.46	0.46	—	0.24	0.24	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.16	0.31	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	52.8	52.8	< 0.005	< 0.005	—	53.0
Dust From Material Movement	—	—	—	—	—	—	0.08	0.08	—	0.04	0.04	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.09	0.08	0.08	1.36	0.00	0.00	0.23	0.23	0.00	0.05	0.05	—	247	247	0.01	0.01	0.91	250
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	< 0.005	0.01	0.07	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	13.8	13.8	< 0.005	< 0.005	0.02	14.0
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	2.29	2.29	< 0.005	< 0.005	< 0.005	2.32
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.3. Grading (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	3.80	3.20	29.7	28.3	0.06	1.23	—	1.23	1.14	—	1.14	—	6,599	6,599	0.27	0.05	—	6,622

Dust From Material Movement:	—	—	—	—	—	—	3.62	3.62	—	1.43	1.43	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.69	0.58	5.37	5.12	0.01	0.22	—	0.22	0.21	—	0.21	—	1,193	1,193	0.05	0.01	—	1,197
Dust From Material Movement:	—	—	—	—	—	—	0.65	0.65	—	0.26	0.26	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.13	0.11	0.98	0.93	< 0.005	0.04	—	0.04	0.04	—	0.04	—	198	198	0.01	< 0.005	—	198
Dust From Material Movement:	—	—	—	—	—	—	0.12	0.12	—	0.05	0.05	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.10	0.09	0.09	1.56	0.00	0.00	0.26	0.26	0.00	0.06	0.06	—	282	282	0.01	0.01	1.05	286
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	1.38	0.23	13.0	7.31	0.07	0.14	2.91	3.05	0.14	0.80	0.94	—	10,854	10,854	1.14	1.78	23.1	11,435

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.22	0.00	0.00	0.05	0.05	0.00	0.01	0.01	—	47.4	47.4	< 0.005	< 0.005	0.08	48.1
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.25	0.04	2.48	1.32	0.01	0.03	0.52	0.55	0.03	0.14	0.17	—	1,963	1,963	0.21	0.32	1.81	2,066
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.04	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	7.84	7.84	< 0.005	< 0.005	0.01	7.96
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.05	0.01	0.45	0.24	< 0.005	< 0.005	0.10	0.10	< 0.005	0.03	0.03	—	325	325	0.03	0.05	0.30	342

3.4. Grading (2025) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.99	0.95	18.9	35.4	0.06	0.17	—	0.17	0.17	—	0.17	—	6,599	6,599	0.27	0.05	—	6,622
Dust From Material Movement	—	—	—	—	—	—	3.62	3.62	—	1.43	1.43	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.18	0.17	3.42	6.40	0.01	0.03	—	0.03	0.03	—	0.03	—	1,193	1,193	0.05	0.01	—	1,197
Dust From Material Movement	—	—	—	—	—	—	0.65	0.65	—	0.26	0.26	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.03	0.62	1.17	< 0.005	0.01	—	0.01	0.01	—	0.01	—	198	198	0.01	< 0.005	—	198
Dust From Material Movement	—	—	—	—	—	—	0.12	0.12	—	0.05	0.05	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.10	0.09	0.09	1.56	0.00	0.00	0.26	0.26	0.00	0.06	0.06	—	282	282	0.01	0.01	1.05	286
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	1.38	0.23	13.0	7.31	0.07	0.14	2.91	3.05	0.14	0.80	0.94	—	10,854	10,854	1.14	1.78	23.1	11,435
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.22	0.00	0.00	0.05	0.05	0.00	0.01	0.01	—	47.4	47.4	< 0.005	< 0.005	0.08	48.1
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Hauling	0.25	0.04	2.48	1.32	0.01	0.03	0.52	0.55	0.03	0.14	0.17	—	1,963	1,963	0.21	0.32	1.81	2,066
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.04	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	7.84	7.84	< 0.005	< 0.005	0.01	7.96
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.05	0.01	0.45	0.24	< 0.005	< 0.005	0.10	0.10	< 0.005	0.03	0.03	—	325	325	0.03	0.05	0.30	342

3.5. Building Construction (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.35	1.13	10.4	13.0	0.02	0.43	—	0.43	0.40	—	0.40	—	2,398	2,398	0.10	0.02	—	2,406
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.24	0.20	1.88	2.35	< 0.005	0.08	—	0.08	0.07	—	0.07	—	432	432	0.02	< 0.005	—	433
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.04	0.04	0.34	0.43	< 0.005	0.01	—	0.01	0.01	—	0.01	—	71.5	71.5	< 0.005	< 0.005	—	71.7
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.86	0.77	0.87	10.6	0.00	0.00	2.35	2.35	0.00	0.55	0.55	—	2,326	2,326	0.11	0.09	0.24	2,356
Vendor	0.21	0.06	2.51	1.31	0.02	0.03	0.60	0.63	0.03	0.17	0.20	—	2,169	2,169	0.17	0.33	0.16	2,271
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.15	0.14	0.17	2.01	0.00	0.00	0.42	0.42	0.00	0.10	0.10	—	425	425	0.02	0.02	0.73	431
Vendor	0.04	0.01	0.46	0.23	< 0.005	0.01	0.11	0.11	0.01	0.03	0.04	—	390	390	0.03	0.06	0.48	409
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.03	0.37	0.00	0.00	0.08	0.08	0.00	0.02	0.02	—	70.3	70.3	< 0.005	< 0.005	0.12	71.3
Vendor	0.01	< 0.005	0.08	0.04	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	—	64.6	64.6	0.01	0.01	0.08	67.7
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.6. Building Construction (2025) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	0.62	0.56	9.21	15.0	0.02	0.11	—	0.11	0.11	—	0.11	—	2,398	2,398	0.10	0.02	—	2,406
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.11	0.10	1.66	2.70	< 0.005	0.02	—	0.02	0.02	—	0.02	—	432	432	0.02	< 0.005	—	433
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.30	0.49	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	71.5	71.5	< 0.005	< 0.005	—	71.7
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.86	0.77	0.87	10.6	0.00	0.00	2.35	2.35	0.00	0.55	0.55	—	2,326	2,326	0.11	0.09	0.24	2,356
Vendor	0.21	0.06	2.51	1.31	0.02	0.03	0.60	0.63	0.03	0.17	0.20	—	2,169	2,169	0.17	0.33	0.16	2,271
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.15	0.14	0.17	2.01	0.00	0.00	0.42	0.42	0.00	0.10	0.10	—	425	425	0.02	0.02	0.73	431
Vendor	0.04	0.01	0.46	0.23	< 0.005	0.01	0.11	0.11	0.01	0.03	0.04	—	390	390	0.03	0.06	0.48	409
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.03	0.37	0.00	0.00	0.08	0.08	0.00	0.02	0.02	—	70.3	70.3	< 0.005	< 0.005	0.12	71.3

Vendor	0.01	< 0.005	0.08	0.04	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	—	64.6	64.6	0.01	0.01	0.08	67.7
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.7. Building Construction (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.28	1.07	9.85	13.0	0.02	0.38	—	0.38	0.35	—	0.35	—	2,397	2,397	0.10	0.02	—	2,405
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.28	1.07	9.85	13.0	0.02	0.38	—	0.38	0.35	—	0.35	—	2,397	2,397	0.10	0.02	—	2,405
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.38	0.32	2.93	3.86	0.01	0.11	—	0.11	0.10	—	0.10	—	713	713	0.03	0.01	—	716
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.07	0.06	0.53	0.70	< 0.005	0.02	—	0.02	0.02	—	0.02	—	118	118	< 0.005	< 0.005	—	118
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.86	0.78	0.71	13.0	0.00	0.00	2.35	2.35	0.00	0.55	0.55	—	2,485	2,485	0.11	0.09	8.51	2,522
Vendor	0.21	0.04	2.30	1.25	0.02	0.03	0.60	0.63	0.03	0.17	0.20	—	2,131	2,131	0.15	0.33	5.63	2,239
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.82	0.73	0.79	9.79	0.00	0.00	2.35	2.35	0.00	0.55	0.55	—	2,279	2,279	0.04	0.09	0.22	2,307
Vendor	0.21	0.04	2.40	1.27	0.02	0.03	0.60	0.63	0.03	0.17	0.20	—	2,133	2,133	0.15	0.33	0.15	2,234
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.24	0.22	0.26	3.06	0.00	0.00	0.70	0.70	0.00	0.16	0.16	—	687	687	0.01	0.03	1.09	697
Vendor	0.06	0.01	0.72	0.37	< 0.005	0.01	0.18	0.19	0.01	0.05	0.06	—	634	634	0.04	0.10	0.72	665
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.04	0.05	0.56	0.00	0.00	0.13	0.13	0.00	0.03	0.03	—	114	114	< 0.005	< 0.005	0.18	115
Vendor	0.01	< 0.005	0.13	0.07	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	105	105	0.01	0.02	0.12	110
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.8. Building Construction (2026) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	0.61	0.55	9.17	15.0	0.02	0.11	—	0.11	0.10	—	0.10	—	2,397	2,397	0.10	0.02	—	2,405
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.61	0.55	9.17	15.0	0.02	0.11	—	0.11	0.10	—	0.10	—	2,397	2,397	0.10	0.02	—	2,405
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.18	0.16	2.73	4.45	0.01	0.03	—	0.03	0.03	—	0.03	—	713	713	0.03	0.01	—	716
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.03	0.50	0.81	< 0.005	0.01	—	0.01	0.01	—	0.01	—	118	118	< 0.005	< 0.005	—	118
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.86	0.78	0.71	13.0	0.00	0.00	2.35	2.35	0.00	0.55	0.55	—	2,485	2,485	0.11	0.09	8.51	2,522
Vendor	0.21	0.04	2.30	1.25	0.02	0.03	0.60	0.63	0.03	0.17	0.20	—	2,131	2,131	0.15	0.33	5.63	2,239
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.82	0.73	0.79	9.79	0.00	0.00	2.35	2.35	0.00	0.55	0.55	—	2,279	2,279	0.04	0.09	0.22	2,307

Vendor	0.21	0.04	2.40	1.27	0.02	0.03	0.60	0.63	0.03	0.17	0.20	—	2,133	2,133	0.15	0.33	0.15	2,234
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.24	0.22	0.26	3.06	0.00	0.00	0.70	0.70	0.00	0.16	0.16	—	687	687	0.01	0.03	1.09	697
Vendor	0.06	0.01	0.72	0.37	< 0.005	0.01	0.18	0.19	0.01	0.05	0.06	—	634	634	0.04	0.10	0.72	665
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.04	0.05	0.56	0.00	0.00	0.13	0.13	0.00	0.03	0.03	—	114	114	< 0.005	< 0.005	0.18	115
Vendor	0.01	< 0.005	0.13	0.07	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	105	105	0.01	0.02	0.12	110
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.9. Paving (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.91	0.76	7.12	9.94	0.01	0.32	—	0.32	0.29	—	0.29	—	1,511	1,511	0.06	0.01	—	1,516
Paving	—	1.01	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	0.05	0.04	0.37	0.52	< 0.005	0.02	—	0.02	0.02	—	0.02	—	78.6	78.6	< 0.005	< 0.005	—	78.9
Paving	—	0.05	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.07	0.09	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	13.0	13.0	< 0.005	< 0.005	—	13.1
Paving	—	0.01	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.07	0.06	0.07	0.82	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	190	190	< 0.005	0.01	0.02	192
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.04	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	10.0	10.0	< 0.005	< 0.005	0.02	10.2
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.66	1.66	< 0.005	< 0.005	< 0.005	1.68
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.10. Paving (2026) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.50	0.45	6.75	10.6	0.01	0.10	—	0.10	0.09	—	0.09	—	1,511	1,511	0.06	0.01	—	1,516
Paving	—	1.01	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.02	0.35	0.55	< 0.005	0.01	—	0.01	< 0.005	—	< 0.005	—	78.6	78.6	< 0.005	< 0.005	—	78.9
Paving	—	0.05	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.06	0.10	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	13.0	13.0	< 0.005	< 0.005	—	13.1
Paving	—	0.01	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.07	0.06	0.07	0.82	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	190	190	< 0.005	0.01	0.02	192
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.04	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	10.0	10.0	< 0.005	< 0.005	0.02	10.2
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.66	1.66	< 0.005	< 0.005	< 0.005	1.68
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.11. Architectural Coating (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.15	0.12	0.86	1.13	< 0.005	0.02	—	0.02	0.02	—	0.02	—	134	134	0.01	< 0.005	—	134
Architect ural Coatings	—	188	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.05	0.07	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.05	8.05	< 0.005	< 0.005	—	8.07
Architect ural Coatings	—	11.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	1.33	1.33	< 0.005	< 0.005	—	1.34
Architect ural Coatings	—	2.07	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.17	0.16	0.14	2.59	0.00	0.00	0.47	0.47	0.00	0.11	0.11	—	497	497	0.02	0.02	1.70	504
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.12	0.00	0.00	0.03	0.03	0.00	0.01	0.01	—	27.9	27.9	< 0.005	< 0.005	0.04	28.2

Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	4.61	4.61	< 0.005	< 0.005	0.01	4.68
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.12. Architectural Coating (2026) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.15	0.12	0.86	1.13	< 0.005	0.02	—	0.02	0.02	—	0.02	—	134	134	0.01	< 0.005	—	134
Architect ural Coatings	—	25.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.05	0.07	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.05	8.05	< 0.005	< 0.005	—	8.07
Architect ural Coatings	—	1.55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	1.33	1.33	< 0.005	< 0.005	—	1.34
Architectural Coatings	—	0.28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.17	0.16	0.14	2.59	0.00	0.00	0.47	0.47	0.00	0.11	0.11	—	497	497	0.02	0.02	1.70	504
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.12	0.00	0.00	0.03	0.03	0.00	0.01	0.01	—	27.9	27.9	< 0.005	< 0.005	0.04	28.2
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	4.61	4.61	< 0.005	< 0.005	0.01	4.68
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.13. Infrastructure Improvements (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.27	1.07	10.2	9.42	0.02	0.44	—	0.44	0.41	—	0.41	—	1,668	1,668	0.07	0.01	—	1,674
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.27	1.07	10.2	9.42	0.02	0.44	—	0.44	0.41	—	0.41	—	1,668	1,668	0.07	0.01	—	1,674
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.30	0.25	2.41	2.23	< 0.005	0.10	—	0.10	0.10	—	0.10	—	395	395	0.02	< 0.005	—	396
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.05	0.05	0.44	0.41	< 0.005	0.02	—	0.02	0.02	—	0.02	—	65.4	65.4	< 0.005	< 0.005	—	65.6
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.02	0.02	0.39	0.00	0.00	0.07	0.07	0.00	0.02	0.02	—	70.5	70.5	< 0.005	< 0.005	0.26	71.5

Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.29	0.00	0.00	0.07	0.07	0.00	0.02	0.02	—	64.6	64.6	< 0.005	< 0.005	0.01	65.4
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.07	0.00	0.00	0.02	0.02	0.00	< 0.005	< 0.005	—	15.5	15.5	< 0.005	< 0.005	0.03	15.7
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	2.57	2.57	< 0.005	< 0.005	< 0.005	2.60
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.14. Infrastructure Improvements (2025) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.20	0.20	4.52	8.76	0.02	0.03	—	0.03	0.03	—	0.03	—	1,668	1,668	0.07	0.01	—	1,674
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.20	0.20	4.52	8.76	0.02	0.03	—	0.03	0.03	—	0.03	—	1,668	1,668	0.07	0.01	—	1,674
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.05	0.05	1.07	2.07	< 0.005	0.01	—	0.01	0.01	—	0.01	—	395	395	0.02	< 0.005	—	396
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.20	0.38	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	65.4	65.4	< 0.005	< 0.005	—	65.6
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.02	0.02	0.39	0.00	0.00	0.07	0.07	0.00	0.02	0.02	—	70.5	70.5	< 0.005	< 0.005	0.26	71.5
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.29	0.00	0.00	0.07	0.07	0.00	0.02	0.02	—	64.6	64.6	< 0.005	< 0.005	0.01	65.4
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Worker	0.01	0.01	0.01	0.07	0.00	0.00	0.02	0.02	0.00	< 0.005	< 0.005	—	15.5	15.5	< 0.005	< 0.005	0.03	15.7
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	2.57	2.57	< 0.005	< 0.005	< 0.005	2.60
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.15. Infrastructure Improvements (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.21	1.01	9.38	8.97	0.02	0.40	—	0.40	0.37	—	0.37	—	1,669	1,669	0.07	0.01	—	1,675
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.08	0.07	0.61	0.58	< 0.005	0.03	—	0.03	0.02	—	0.02	—	108	108	< 0.005	< 0.005	—	108
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.11	0.11	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	17.8	17.8	< 0.005	< 0.005	—	17.9

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.27	0.00	0.00	0.07	0.07	0.00	0.02	0.02	—	63.3	63.3	< 0.005	< 0.005	0.01	64.1
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	4.14	4.14	< 0.005	< 0.005	0.01	4.20
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.69	0.69	< 0.005	< 0.005	< 0.005	0.70
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.16. Infrastructure Improvements (2026) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.20	0.20	4.52	8.76	0.02	0.03	—	0.03	0.03	—	0.03	—	1,669	1,669	0.07	0.01	—	1,675
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.29	0.57	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	108	108	< 0.005	< 0.005	—	108
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.05	0.10	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	17.8	17.8	< 0.005	< 0.005	—	17.9
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.27	0.00	0.00	0.07	0.07	0.00	0.02	0.02	—	63.3	63.3	< 0.005	< 0.005	0.01	64.1
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	4.14	4.14	< 0.005	< 0.005	0.01	4.20
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.69	0.69	< 0.005	< 0.005	< 0.005	0.70
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	2.82	0.47	29.5	15.3	0.27	0.42	8.60	9.03	0.41	2.31	2.71	—	29,787	29,787	2.30	4.61	70.9	31,290
Parking Lot	1.54	1.41	1.04	19.2	0.05	0.02	4.83	4.85	0.02	1.22	1.24	—	4,731	4,731	0.12	0.11	17.4	4,783
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	4.37	1.88	30.6	34.5	0.31	0.45	13.4	13.9	0.43	3.53	3.95	—	34,518	34,518	2.42	4.72	88.3	36,073
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Unrefrige rated Warehou se-No	2.81	0.45	30.8	15.4	0.27	0.42	8.60	9.03	0.41	2.31	2.71	—	29,793	29,793	2.30	4.61	1.84	31,228
Parking Lot	1.47	1.34	1.14	15.3	0.04	0.02	4.83	4.85	0.02	1.22	1.24	—	4,348	4,348	0.13	0.11	0.45	4,386
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	4.27	1.79	32.0	30.7	0.31	0.45	13.4	13.9	0.43	3.53	3.95	—	34,141	34,141	2.43	4.73	2.29	35,613
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrige rated Warehou se-No Rail	0.51	0.08	5.69	2.80	0.05	0.08	1.57	1.64	0.07	0.42	0.49	—	4,932	4,932	0.38	0.76	5.07	5,174
Parking Lot	0.27	0.24	0.21	2.92	0.01	< 0.005	0.88	0.88	< 0.005	0.22	0.23	—	730	730	0.02	0.02	1.24	737
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.78	0.33	5.90	5.72	0.06	0.08	2.44	2.52	0.08	0.64	0.72	—	5,662	5,662	0.40	0.78	6.31	5,911

4.1.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrige rated Warehou se-No Rail	2.82	0.47	29.5	15.3	0.27	0.42	8.60	9.03	0.41	2.31	2.71	—	29,787	29,787	2.30	4.61	70.9	31,290

Parking Lot	1.54	1.41	1.04	19.2	0.05	0.02	4.83	4.85	0.02	1.22	1.24	—	4,731	4,731	0.12	0.11	17.4	4,783
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	4.37	1.88	30.6	34.5	0.31	0.45	13.4	13.9	0.43	3.53	3.95	—	34,518	34,518	2.42	4.72	88.3	36,073
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	2.81	0.45	30.8	15.4	0.27	0.42	8.60	9.03	0.41	2.31	2.71	—	29,793	29,793	2.30	4.61	1.84	31,228
Parking Lot	1.47	1.34	1.14	15.3	0.04	0.02	4.83	4.85	0.02	1.22	1.24	—	4,348	4,348	0.13	0.11	0.45	4,386
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	4.27	1.79	32.0	30.7	0.31	0.45	13.4	13.9	0.43	3.53	3.95	—	34,141	34,141	2.43	4.73	2.29	35,613
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.51	0.08	5.69	2.80	0.05	0.08	1.57	1.64	0.07	0.42	0.49	—	4,932	4,932	0.38	0.76	5.07	5,174
Parking Lot	0.27	0.24	0.21	2.92	0.01	< 0.005	0.88	0.88	< 0.005	0.22	0.23	—	730	730	0.02	0.02	1.24	737
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.78	0.33	5.90	5.72	0.06	0.08	2.44	2.52	0.08	0.64	0.72	—	5,662	5,662	0.40	0.78	6.31	5,911

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	2,886	2,886	0.18	0.02	—	2,897
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	409	409	0.03	< 0.005	—	411
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	3,295	3,295	0.20	0.02	—	3,308
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	2,886	2,886	0.18	0.02	—	2,897
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	409	409	0.03	< 0.005	—	411
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	3,295	3,295	0.20	0.02	—	3,308
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Unrefrige rated	—	—	—	—	—	—	—	—	—	—	—	—	478	478	0.03	< 0.005	—	480
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	67.8	67.8	< 0.005	< 0.005	—	68.0
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	546	546	0.03	< 0.005	—	548

4.2.2. Electricity Emissions By Land Use - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrige rated Warehou se-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	17.5	17.5	< 0.005	< 0.005	—	17.6
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005	< 0.005	< 0.005	—	< 0.005
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	17.5	17.5	< 0.005	< 0.005	—	17.6
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrige rated Warehou se-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005	< 0.005	< 0.005	—	< 0.005

Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005	< 0.005	< 0.005	—	< 0.005
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005	< 0.005	< 0.005	—	< 0.005
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	1.99	1.99	< 0.005	< 0.005	—	1.99
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005	< 0.005	< 0.005	—	< 0.005
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	1.99	1.99	< 0.005	< 0.005	—	1.99

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.24	0.12	2.19	1.84	0.01	0.17	—	0.17	0.17	—	0.17	—	2,612	2,612	0.23	< 0.005	—	2,619
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.24	0.12	2.19	1.84	0.01	0.17	—	0.17	0.17	—	0.17	—	2,612	2,612	0.23	< 0.005	—	2,619
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.24	0.12	2.19	1.84	0.01	0.17	—	0.17	0.17	—	0.17	—	2,612	2,612	0.23	< 0.005	—	2,619
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.24	0.12	2.19	1.84	0.01	0.17	—	0.17	0.17	—	0.17	—	2,612	2,612	0.23	< 0.005	—	2,619
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.04	0.02	0.40	0.34	< 0.005	0.03	—	0.03	0.03	—	0.03	—	432	432	0.04	< 0.005	—	434
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.04	0.02	0.40	0.34	< 0.005	0.03	—	0.03	0.03	—	0.03	—	432	432	0.04	< 0.005	—	434

4.2.4. Natural Gas Emissions By Land Use - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrig rated Warehouse-No Rail	0.24	0.12	2.19	1.84	0.01	0.17	—	0.17	0.17	—	0.17	—	2,611	2,611	0.23	< 0.005	—	2,619
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.24	0.12	2.19	1.84	0.01	0.17	—	0.17	0.17	—	0.17	—	2,611	2,611	0.23	< 0.005	—	2,619
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrig rated Warehouse-No Rail	0.24	0.12	2.19	1.84	0.01	0.17	—	0.17	0.17	—	0.17	—	2,611	2,611	0.23	< 0.005	—	2,619
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.24	0.12	2.19	1.84	0.01	0.17	—	0.17	0.17	—	0.17	—	2,611	2,611	0.23	< 0.005	—	2,619
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrig rated Warehouse-No Rail	0.04	0.02	0.40	0.34	< 0.005	0.03	—	0.03	0.03	—	0.03	—	432	432	0.04	< 0.005	—	434

Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.04	0.02	0.40	0.34	< 0.005	0.03	—	0.03	0.03	—	0.03	—	432	432	0.04	< 0.005	—	434

4.3. Area Emissions by Source

4.3.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	9.22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	1.13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	3.32	3.06	0.16	18.6	< 0.005	0.03	—	0.03	0.03	—	0.03	—	76.7	76.7	< 0.005	< 0.005	—	77.0
Total	3.32	13.4	0.16	18.6	< 0.005	0.03	—	0.03	0.03	—	0.03	—	76.7	76.7	< 0.005	< 0.005	—	77.0
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	9.22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Architect ural Coatings	—	1.13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	10.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consum er Products	—	1.68	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architect ural Coatings	—	0.21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landsca pe Equipme nt	0.41	0.38	0.02	2.33	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.69	8.69	< 0.005	< 0.005	—	8.73
Total	0.41	2.27	0.02	2.33	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.69	8.69	< 0.005	< 0.005	—	8.73

4.3.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consum er Products	—	9.22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architect ural Coatings	—	1.13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	10.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Consumer	—	9.22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	1.13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	10.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	1.68	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	1.89	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	190	1,003	1,193	19.5	0.47	—	1,822
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

Total	—	—	—	—	—	—	—	—	—	—	—	190	1,003	1,193	19.5	0.47	—	1,822
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrige rated Warehou se-No Rail	—	—	—	—	—	—	—	—	—	—	—	190	1,003	1,193	19.5	0.47	—	1,822
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	190	1,003	1,193	19.5	0.47	—	1,822
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrige rated Warehou se-No Rail	—	—	—	—	—	—	—	—	—	—	—	31.5	166	197	3.24	0.08	—	302
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	31.5	166	197	3.24	0.08	—	302

4.4.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
-------------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrig- rated Warehou- se-No Rail	—	—	—	—	—	—	—	—	—	—	—	190	1,003	1,193	19.5	0.47	—	1,822
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	190	1,003	1,193	19.5	0.47	—	1,822
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrig- rated Warehou- se-No Rail	—	—	—	—	—	—	—	—	—	—	—	190	1,003	1,193	19.5	0.47	—	1,822
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	190	1,003	1,193	19.5	0.47	—	1,822
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrig- rated Warehou- se-No Rail	—	—	—	—	—	—	—	—	—	—	—	31.5	166	197	3.24	0.08	—	302
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	31.5	166	197	3.24	0.08	—	302

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	217	0.00	217	21.7	0.00	—	760
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	217	0.00	217	21.7	0.00	—	760
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	217	0.00	217	21.7	0.00	—	760
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	217	0.00	217	21.7	0.00	—	760
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	36.0	0.00	36.0	3.59	0.00	—	126
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	36.0	0.00	36.0	3.59	0.00	—	126

4.5.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	217	0.00	217	21.7	0.00	—	760
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

Total	—	—	—	—	—	—	—	—	—	—	—	217	0.00	217	21.7	0.00	—	760
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	217	0.00	217	21.7	0.00	—	760
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	217	0.00	217	21.7	0.00	—	760
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	36.0	0.00	36.0	3.59	0.00	—	126
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	36.0	0.00	36.0	3.59	0.00	—	126

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
----------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00

4.6.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Unrefrige rated Warehou Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrige rated Warehou se-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrige rated Warehou se-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipme nt Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.7.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
----------------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.8.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipme Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.9.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipme nt Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Sequest	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remove d	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Remove d	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequest ered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remove d	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Site Preparation	Site Preparation	5/1/2025	6/1/2025	5.00	22.0	—
Grading	Grading	6/2/2025	9/1/2025	5.00	66.0	—
Building Construction	Building Construction	10/1/2025	6/1/2026	5.00	174	—
Paving	Paving	2/3/2026	3/1/2026	5.00	19.0	—
Architectural Coating	Architectural Coating	5/1/2026	6/1/2026	5.00	22.0	—
Infrastructure Improvements	Trenching	9/2/2025	2/2/2026	5.00	110	—

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Site Preparation	Rubber Tired Dozers	Diesel	Average	3.00	8.00	367	0.40
Site Preparation	Tractors/Loaders/Backhoes	Diesel	Average	4.00	8.00	84.0	0.37
Grading	Excavators	Diesel	Average	2.00	8.00	36.0	0.38
Grading	Graders	Diesel	Average	1.00	8.00	148	0.41
Grading	Rubber Tired Dozers	Diesel	Average	1.00	8.00	367	0.40
Grading	Scrapers	Diesel	Average	2.00	8.00	423	0.48
Grading	Tractors/Loaders/Backhoes	Diesel	Average	2.00	8.00	84.0	0.37
Building Construction	Cranes	Diesel	Average	1.00	7.00	367	0.29
Building Construction	Forklifts	Diesel	Average	3.00	8.00	82.0	0.20
Building Construction	Generator Sets	Diesel	Average	1.00	8.00	14.0	0.74
Building Construction	Tractors/Loaders/Backhoes	Diesel	Average	3.00	7.00	84.0	0.37
Building Construction	Welders	Diesel	Average	1.00	8.00	46.0	0.45
Paving	Pavers	Diesel	Average	2.00	8.00	81.0	0.42
Paving	Paving Equipment	Diesel	Average	2.00	8.00	89.0	0.36
Paving	Rollers	Diesel	Average	2.00	8.00	36.0	0.38
Architectural Coating	Air Compressors	Diesel	Average	1.00	6.00	37.0	0.48
Infrastructure Improvements	Tractors/Loaders/Backhoes	Diesel	Average	1.00	8.00	84.0	0.37
Infrastructure Improvements	Rubber Tired Dozers	Diesel	Average	1.00	8.00	367	0.40

5.2.2. Mitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
------------	----------------	-----------	-------------	----------------	---------------	------------	-------------

Site Preparation	Rubber Tired Dozers	Diesel	Tier 4 Interim	3.00	8.00	367	0.40
Site Preparation	Tractors/Loaders/Backh oes	Diesel	Tier 4 Interim	4.00	8.00	84.0	0.37
Grading	Excavators	Diesel	Average	2.00	8.00	36.0	0.38
Grading	Graders	Diesel	Tier 4 Interim	1.00	8.00	148	0.41
Grading	Rubber Tired Dozers	Diesel	Tier 4 Interim	1.00	8.00	367	0.40
Grading	Scrapers	Diesel	Tier 4 Interim	2.00	8.00	423	0.48
Grading	Tractors/Loaders/Backh oes	Diesel	Tier 4 Interim	2.00	8.00	84.0	0.37
Building Construction	Cranes	Diesel	Tier 4 Interim	1.00	7.00	367	0.29
Building Construction	Forklifts	Diesel	Tier 4 Interim	3.00	8.00	82.0	0.20
Building Construction	Generator Sets	Diesel	Average	1.00	8.00	14.0	0.74
Building Construction	Tractors/Loaders/Backh oes	Diesel	Tier 4 Interim	3.00	7.00	84.0	0.37
Building Construction	Welders	Diesel	Average	1.00	8.00	46.0	0.45
Paving	Pavers	Diesel	Tier 4 Interim	2.00	8.00	81.0	0.42
Paving	Paving Equipment	Diesel	Tier 4 Interim	2.00	8.00	89.0	0.36
Paving	Rollers	Diesel	Average	2.00	8.00	36.0	0.38
Architectural Coating	Air Compressors	Diesel	Average	1.00	6.00	37.0	0.48
Infrastructure Improvements	Tractors/Loaders/Backh oes	Diesel	Tier 4 Interim	1.00	8.00	84.0	0.37
Infrastructure Improvements	Rubber Tired Dozers	Diesel	Tier 4 Interim	1.00	8.00	367	0.40

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Site Preparation	—	—	—	—

Site Preparation	Worker	17.5	18.5	LDA,LDT1,LDT2
Site Preparation	Vendor	—	10.2	HHDT,MHDT
Site Preparation	Hauling	0.00	20.0	HHDT
Site Preparation	Onsite truck	—	—	HHDT
Grading	—	—	—	—
Grading	Worker	20.0	18.5	LDA,LDT1,LDT2
Grading	Vendor	—	10.2	HHDT,MHDT
Grading	Hauling	157	20.0	HHDT
Grading	Onsite truck	—	—	HHDT
Building Construction	—	—	—	—
Building Construction	Worker	180	18.5	LDA,LDT1,LDT2
Building Construction	Vendor	70.3	10.2	HHDT,MHDT
Building Construction	Hauling	0.00	20.0	HHDT
Building Construction	Onsite truck	—	—	HHDT
Paving	—	—	—	—
Paving	Worker	15.0	18.5	LDA,LDT1,LDT2
Paving	Vendor	—	10.2	HHDT,MHDT
Paving	Hauling	0.00	20.0	HHDT
Paving	Onsite truck	—	—	HHDT
Architectural Coating	—	—	—	—
Architectural Coating	Worker	36.0	18.5	LDA,LDT1,LDT2
Architectural Coating	Vendor	—	10.2	HHDT,MHDT
Architectural Coating	Hauling	0.00	20.0	HHDT
Architectural Coating	Onsite truck	—	—	HHDT
Infrastructure Improvements	—	—	—	—
Infrastructure Improvements	Worker	5.00	18.5	LDA,LDT1,LDT2
Infrastructure Improvements	Vendor	—	10.2	HHDT,MHDT

Infrastructure Improvements	Hauling	0.00	20.0	HHDT
Infrastructure Improvements	Onsite truck	—	—	HHDT

5.3.2. Mitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Site Preparation	—	—	—	—
Site Preparation	Worker	17.5	18.5	LDA,LDT1,LDT2
Site Preparation	Vendor	—	10.2	HHDT,MHDT
Site Preparation	Hauling	0.00	20.0	HHDT
Site Preparation	Onsite truck	—	—	HHDT
Grading	—	—	—	—
Grading	Worker	20.0	18.5	LDA,LDT1,LDT2
Grading	Vendor	—	10.2	HHDT,MHDT
Grading	Hauling	157	20.0	HHDT
Grading	Onsite truck	—	—	HHDT
Building Construction	—	—	—	—
Building Construction	Worker	180	18.5	LDA,LDT1,LDT2
Building Construction	Vendor	70.3	10.2	HHDT,MHDT
Building Construction	Hauling	0.00	20.0	HHDT
Building Construction	Onsite truck	—	—	HHDT
Paving	—	—	—	—
Paving	Worker	15.0	18.5	LDA,LDT1,LDT2
Paving	Vendor	—	10.2	HHDT,MHDT
Paving	Hauling	0.00	20.0	HHDT
Paving	Onsite truck	—	—	HHDT
Architectural Coating	—	—	—	—
Architectural Coating	Worker	36.0	18.5	LDA,LDT1,LDT2

Architectural Coating	Vendor	—	10.2	HHDT,MHDT
Architectural Coating	Hauling	0.00	20.0	HHDT
Architectural Coating	Onsite truck	—	—	HHDT
Infrastructure Improvements	—	—	—	—
Infrastructure Improvements	Worker	5.00	18.5	LDA,LDT1,LDT2
Infrastructure Improvements	Vendor	—	10.2	HHDT,MHDT
Infrastructure Improvements	Hauling	0.00	20.0	HHDT
Infrastructure Improvements	Onsite truck	—	—	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
Architectural Coating	0.00	0.00	643,073	214,358	36,042

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (Cubic Yards)	Material Exported (Cubic Yards)	Acres Graded (acres)	Material Demolished (sq. ft.)	Acres Paved (acres)
Site Preparation	0.00	0.00	64.5	0.00	—
Grading	82,880	0.00	594	0.00	—
Paving	0.00	0.00	0.00	0.00	13.8

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	2	61%	61%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Unrefrigerated Warehouse-No Rail	0.00	0%
Parking Lot	7.36	100%
Other Non-Asphalt Surfaces	6.43	0%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2025	0.00	532	0.03	< 0.005
2026	0.00	532	0.03	< 0.005

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Unrefrigerated Warehouse-No Rail	293	293	293	106,939	9,727	9,727	9,727	3,550,378
Parking Lot	440	440	440	160,600	6,908	6,908	6,908	2,521,437
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.9.2. Mitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
---------------	---------------	----------------	--------------	------------	-------------	--------------	------------	----------

Unrefrigerated Warehouse-No Rail	293	293	293	106,939	9,727	9,727	9,727	3,550,378
Parking Lot	440	440	440	160,600	6,908	6,908	6,908	2,521,437
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.1.2. Mitigated

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
0	0.00	643,073	214,358	36,042

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.10.4. Landscape Equipment - Mitigated

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Unrefrigerated Warehouse-No Rail	1,980,107	532	0.0330	0.0040	8,150,163
Parking Lot	280,847	532	0.0330	0.0040	0.00
Other Non-Asphalt Surfaces	0.00	532	0.0330	0.0040	0.00

5.11.2. Mitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Unrefrigerated Warehouse-No Rail	< 0.005	532	0.0330	0.0040	8,147,954
Parking Lot	< 0.005	532	0.0330	0.0040	0.00
Other Non-Asphalt Surfaces	0.00	532	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Unrefrigerated Warehouse-No Rail	99,140,344	2,488,024
Parking Lot	0.00	0.00
Other Non-Asphalt Surfaces	0.00	0.00

5.12.2. Mitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Unrefrigerated Warehouse-No Rail	99,140,344	2,488,024
Parking Lot	0.00	0.00
Other Non-Asphalt Surfaces	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Unrefrigerated Warehouse-No Rail	403	—
Parking Lot	0.00	—
Other Non-Asphalt Surfaces	0.00	—

5.13.2. Mitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Unrefrigerated Warehouse-No Rail	403	—
Parking Lot	0.00	—
Other Non-Asphalt Surfaces	0.00	—

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Unrefrigerated Warehouse-No Rail	Other commercial A/C and heat pumps	R-717	0.00	7.50	7.50	7.50	25.0

5.14.2. Mitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Unrefrigerated Warehouse-No Rail	Other commercial A/C and heat pumps	R-717	0.00	7.50	7.50	7.50	25.0

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
----------------	-----------	-------------	----------------	---------------	------------	-------------

5.15.2. Mitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
----------------	-----------	-------------	----------------	---------------	------------	-------------

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
----------------	-----------	----------------	---------------	----------------	------------	-------------

5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)
----------------	-----------	--------	--------------------------	------------------------------	------------------------------

5.17. User Defined

Equipment Type	Fuel Type
—	—

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
--------------------------	----------------------	---------------	-------------

5.18.1.2. Mitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
--------------------------	----------------------	---------------	-------------

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

5.18.1.2. Mitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
-----------	--------	------------------------------	------------------------------

5.18.2.2. Mitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
-----------	--------	------------------------------	------------------------------

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	26.4	annual days of extreme heat
Extreme Precipitation	4.90	annual days with precipitation above 20 mm
Sea Level Rise	0.00	meters of inundation depth
Wildfire	0.00	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about $\frac{3}{4}$ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	1	1	3
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	98.7

AQ-PM	72.3
AQ-DPM	60.5
Drinking Water	92.8
Lead Risk Housing	26.3
Pesticides	0.00
Toxic Releases	67.4
Traffic	33.7
Effect Indicators	—
CleanUp Sites	71.6
Groundwater	0.00
Haz Waste Facilities/Generators	37.9
Impaired Water Bodies	0.00
Solid Waste	52.9
Sensitive Population	—
Asthma	83.6
Cardio-vascular	95.1
Low Birth Weights	86.3
Socioeconomic Factor Indicators	—
Education	74.2
Housing	40.9
Linguistic	46.5
Poverty	61.9
Unemployment	92.2

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
-----------	---------------------------------

Economic	—
Above Poverty	37.04606698
Employed	39.71512896
Median HI	45.59219813
Education	—
Bachelor's or higher	20.96753497
High school enrollment	5.042987296
Preschool enrollment	9.842166046
Transportation	—
Auto Access	77.83908636
Active commuting	9.200564609
Social	—
2-parent households	39.31733607
Voting	28.60259207
Neighborhood	—
Alcohol availability	77.24881304
Park access	44.57846786
Retail density	14.08956756
Supermarket access	8.674451431
Tree canopy	29.84729886
Housing	—
Homeownership	86.14140896
Housing habitability	26.21583472
Low-inc homeowner severe housing cost burden	5.82574105
Low-inc renter severe housing cost burden	5.671756705
Uncrowded housing	27.15257282
Health Outcomes	—

Insured adults	16.74579751
Arthritis	55.6
Asthma ER Admissions	12.8
High Blood Pressure	49.4
Cancer (excluding skin)	77.2
Asthma	25.7
Coronary Heart Disease	69.4
Chronic Obstructive Pulmonary Disease	50.7
Diagnosed Diabetes	31.9
Life Expectancy at Birth	32.6
Cognitively Disabled	64.4
Physically Disabled	38.4
Heart Attack ER Admissions	1.7
Mental Health Not Good	32.6
Chronic Kidney Disease	45.1
Obesity	23.9
Pedestrian Injuries	43.2
Physical Health Not Good	35.8
Stroke	45.2
Health Risk Behaviors	—
Binge Drinking	43.3
Current Smoker	37.8
No Leisure Time for Physical Activity	39.9
Climate Change Exposures	—
Wildfire Risk	0.0
SLR Inundation Area	0.0
Children	65.5

Elderly	86.8
English Speaking	50.6
Foreign-born	52.7
Outdoor Workers	79.1
Climate Change Adaptive Capacity	—
Impervious Surface Cover	61.2
Traffic Density	23.1
Traffic Access	23.0
Other Indices	—
Hardship	66.5
Other Decision Support	—
2016 Voting	36.2

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	84.0
Healthy Places Index Score for Project Location (b)	20.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	Yes
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.
 b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Land Use	Per site plan.
Construction: Construction Phases	Per construction questionnaire.
Operations: Vehicle Data	Unrefrigerated Warehouse = trucks Parking Lot = passenger cars
Operations: Fleet Mix	Traffic study fleet mix. Warehouse = trucks Parking Lot = passenger cars
Operations: Refrigerants	Project does not have cold storage. Refrigerant would comply with 17 CCR § 95374.
Construction: Off-Road Equipment	Anticipated construction equipment.
Construction: Dust From Material Movement	Per grading plans.