

APPENDIX I

NOISE MODELING DATA

Noise Measurement Field Data

Project:	Sam's Club Hesperia Project	Job Number:	094507756.1.136
Site No.:	ST-1	Date:	7/16/2024
Analyst:	Jun K., Kendall L.	Time:	11:33-11:43AM

Location: Intersection of Acacia Road and Cataba Road. Nearby 12624 Main Street, Hesperia, CA 92345

Noise Sources: Birds, distant traffic

Comments:

Results (dBA):

Leq:	Lmin:	Lmax:	Peak:
47.8	46.0	52.0	73.9

Equipment

Sound Level Meter:	LD SoundExpert LxT
Calibrator:	CAL200
Response Time:	Slow
Weighting:	A
Microphone Height:	5 feet

Weather

Temp. (degrees F):	90
Wind (mph):	4
Sky:	Clear
Bar. Pressure:	29.91 inHg
Humidity:	24%

Photo:



Measurement Report

Report Summary

Meter's File Name	ST-1.072.s	Computer's File Name	LxTse_0007061-20240716 113323-ST-1.072.ldbin		
Meter	LxT SE 0007061	Firmware	2.404		
User		Location			
Job Description					
Note					
Start Time	2024-07-16 11:33:23	Duration	0:10:00.0		
End Time	2024-07-16 11:43:23	Run Time	0:01:06.9	Pause Time	0:08:53.1
Pre-Calibration	None	Post-Calibration	None	Calibration Deviation	---

Results

Overall Metrics

LA _{eq}	47.8 dB		
LAE	66.1 dB	SEA	--- dB
EA	0.4 µPa²h		
LA _{peak}	73.9 dB	2024-07-16 11:33:28	
LAS _{max}	52.0 dB	2024-07-16 11:33:23	
LAS _{min}	46.0 dB	2024-07-16 11:33:23	
LA _{eq}	47.8 dB		
LC _{eq}	63.9 dB	LC _{eq} - LA _{eq}	16.1 dB
LA _{eq}	49.3 dB	LA _{eq} - LA _{eq}	1.5 dB

Exceedances

	Count	Duration
--	-------	----------

LAS > 85.0 dB	0	0:00:00.0
LAS > 115.0 dB	0	0:00:00.0
LApk > 135.0 dB	0	0:00:00.0
LApk > 137.0 dB	0	0:00:00.0
LApk > 140.0 dB	0	0:00:00.0

Community Noise	LDN	LDay	LNight	
	47.8 dB	47.8 dB	0.0 dB	
	LDEN	LDay	LEve	LNight
	47.8 dB	47.8 dB	--- dB	--- dB


Any Data	A		C		Z	
	Level	Time Stamp	Level	Time Stamp	Level	Time Stamp
L _{eq}	47.8 dB		63.9 dB		--- dB	
LS _(max)	52.0 dB	2024-07-16 11:33:23	--- dB	None	--- dB	None
LS _(min)	46.0 dB	2024-07-16 11:33:23	--- dB	None	--- dB	None
L _{Peak(max)}	73.9 dB	2024-07-16 11:33:28	--- dB	None	--- dB	None

Overloads	Count	Duration	OBA Count	OBA Duration
	0	0:00:00.0	0	0:00:00.0

Statistics

LAS 5.0	49.4 dB
LAS 10.0	48.9 dB
LAS 33.3	47.9 dB
LAS 50.0	47.6 dB
LAS 66.6	47.2 dB
LAS 90.0	46.8 dB

Time History



Noise Measurement Field Data

Project:	Sam's Club Hesperia Project	Job Number:	094507756.1.136
Site No.:	ST-2	Date:	7/16/2024
Analyst:	Jun K., Kendall L.	Time:	11:19-11:29AM

Location: Intersection of White Fox Trail and Cataba Road. Nearby 12624 Main Street, Hesperia, CA 92345

Noise Sources: Birds, light nearby traffic

Comments:

Results (dBA):

Leq:	Lmin:	Lmax:	Peak:
51.9	46.1	66.9	85.5

Equipment

Sound Level Meter:	LD SoundExpert LxT
Calibrator:	CAL200
Response Time:	Slow
Weighting:	A
Microphone Height:	5 feet

Weather

Temp. (degrees F):	92
Wind (mph):	4
Sky:	Clear
Bar. Pressure:	29.90 inHg
Humidity:	23%

Photo:



Measurement Report

Report Summary

Meter's File Name	ST-1.071.s	Computer's File Name	LxTse_0007061-20240716 111934-ST-1.071.ldbin		
Meter	LxT SE 0007061	Firmware	2.404		
User		Location			
Job Description					
Note					
Start Time	2024-07-16 11:19:34	Duration	0:10:00.0		
End Time	2024-07-16 11:29:34	Run Time	0:10:00.0	Pause Time	0:00:00.0
Pre-Calibration	2024-07-11 10:35:45	Post-Calibration	None	Calibration Deviation	---

Results

Overall Metrics

LA _{eq}	51.9 dB		
LAE	79.7 dB	SEA	--- dB
EA	10.3 µPa²h		
LA _{peak}	85.5 dB	2024-07-16 11:27:58	
LAS _{max}	66.9 dB	2024-07-16 11:20:48	
LAS _{min}	46.1 dB	2024-07-16 11:20:05	
LA _{eq}	51.9 dB		
LC _{eq}	66.2 dB	LC _{eq} - LA _{eq}	14.3 dB
LA _{eq}	54.0 dB	LA _{eq} - LA _{eq}	2.1 dB

Exceedances

Count Duration

LAS > 85.0 dB	0	0:00:00.0
LAS > 115.0 dB	0	0:00:00.0
LApk > 135.0 dB	0	0:00:00.0
LApk > 137.0 dB	0	0:00:00.0
LApk > 140.0 dB	0	0:00:00.0

Community Noise

L _{DN}	L _{Day}	L _{Night}	
51.9 dB	51.9 dB	0.0 dB	
L _{DEN}	L _{Day}	L _{Eve}	L _{Night}
51.9 dB	51.9 dB	--- dB	--- dB

Any Data

A		C		Z	
Level	Time Stamp	Level	Time Stamp	Level	Time Stamp
L _{eq}	51.9 dB	66.2 dB		--- dB	
LS _(max)	66.9 dB	--- dB	None	--- dB	None
LS _(min)	46.1 dB	--- dB	None	--- dB	None
L _{Peak(max)}	85.5 dB	--- dB	None	--- dB	None


Overloads

Count	Duration	OBA Count	OBA Duration
0	0:00:00.0	0	0:00:00.0

Statistics

LAS 5.0	56.2 dB
LAS 10.0	53.2 dB
LAS 33.3	50.4 dB
LAS 50.0	49.7 dB
LAS 66.6	48.9 dB
LAS 90.0	48.0 dB

Time History



Noise Measurement Field Data

Project:	Sam's Club Hesperia Project	Job Number:	094507756.1.136
Site No.:	ST-3	Date:	7/16/2024
Analyst:	Jun K., Kendall L.	Time:	11:47-11:57AM

Location: Intersection of Amargosa Road and cataba Road. Nearby 9757 Cataba Road, Hesperia, CA 92345

Noise Sources: Passing traffic

Comments:

Results (dBA):

Leq:	Lmin:	Lmax:	Peak:
58.1	48.3	70.9	81.6

Equipment

Sound Level Meter:	LD SoundExpert LxT
Calibrator:	CAL200
Response Time:	Slow
Weighting:	A
Microphone Height:	5 feet

Weather

Temp. (degrees F):	93
Wind (mph):	4
Sky:	Clear
Bar. Pressure:	29.88 inHg
Humidity:	22%

Photo:



Measurement Report

Report Summary

Meter's File Name	ST-1.073.s	Computer's File Name	LxTse_0007061-20240716 114759-ST-1.073.ldbin		
Meter	LxT SE 0007061	Firmware	2.404		
User		Location			
Job Description					
Note					
Start Time	2024-07-16 11:47:59	Duration	0:10:00.0		
End Time	2024-07-16 11:57:59	Run Time	0:10:00.0	Pause Time	0:00:00.0
Pre-Calibration	None	Post-Calibration	None	Calibration Deviation	---

Results

Overall Metrics

LA _{eq}	58.1 dB		
LAE	85.9 dB	SEA	--- dB
EA	43.0 µPa²h		
LA _{peak}	81.6 dB	2024-07-16 11:52:37	
LAS _{max}	70.9 dB	2024-07-16 11:57:59	
LAS _{min}	48.3 dB	2024-07-16 11:55:02	
LA _{eq}	58.1 dB		
LC _{eq}	69.3 dB	LC _{eq} - LA _{eq}	11.2 dB
LA _{eq}	59.1 dB	LA _{eq} - LA _{eq}	1.0 dB

Exceedances

	Count	Duration
--	-------	----------

LAS > 85.0 dB	0	0:00:00.0
LAS > 115.0 dB	0	0:00:00.0
LApk > 135.0 dB	0	0:00:00.0
LApk > 137.0 dB	0	0:00:00.0
LApk > 140.0 dB	0	0:00:00.0

Community Noise	L _{DN}	L _{Day}	L _{Night}	
	58.1 dB	58.1 dB	0.0 dB	
	L _{DEN}	L _{Day}	L _{Even}	L _{Night}
	58.1 dB	58.1 dB	--- dB	--- dB


Any Data	A		C		Z	
	Level	Time Stamp	Level	Time Stamp	Level	Time Stamp
L _{eq}	58.1 dB		69.3 dB		--- dB	
LS _(max)	70.9 dB	2024-07-16 11:57:59	--- dB	None	--- dB	None
LS _(min)	48.3 dB	2024-07-16 11:55:02	--- dB	None	--- dB	None
L _{Peak(max)}	81.6 dB	2024-07-16 11:52:37	--- dB	None	--- dB	None

Overloads	Count	Duration	OBA Count	OBA Duration
	0	0:00:00.0	0	0:00:00.0

Statistics

LAS 5.0	62.9 dB
LAS 10.0	61.2 dB
LAS 33.3	57.2 dB
LAS 50.0	54.9 dB
LAS 66.6	53.3 dB
LAS 90.0	51.0 dB

Time History



Noise Measurement Field Data

Project:	Sam's Club Hesperia Project	Job Number:	094507756.1.136
Site No.:	ST-4	Date:	7/16/2024
Analyst:	Jun K., Kendall L.	Time:	12:01-12:11PM

Location: Near the intersection of Amargosa Road and Keypoint Ave. Nearby 9750 Key Pointe Avenue, Hesperia

Noise Sources: Birds, nearby traffic

Comments:

Results (dBA):

Leq:	Lmin:	Lmax:	Peak:
62.2	49.7	73.3	87.5

Equipment

Sound Level Meter:	LD SoundExpert LxT
Calibrator:	CAL200
Response Time:	Slow
Weighting:	A
Microphone Height:	5 feet

Weather

Temp. (degrees F):	94
Wind (mph):	5
Sky:	Clear
Bar. Pressure:	29.88 inHg
Humidity:	22%

Photo:



Measurement Report

Report Summary

Meter's File Name	ST-1.074.s	Computer's File Name	LxTse_0007061-20240716 120142-ST-1.074.ldbin		
Meter	LxT SE 0007061	Firmware	2.404		
User		Location			
Job Description					
Note					
Start Time	2024-07-16 12:01:42	Duration	0:10:00.0		
End Time	2024-07-16 12:11:42	Run Time	0:10:00.0	Pause Time	0:00:00.0
Pre-Calibration	None	Post-Calibration	None	Calibration Deviation	---

Results

Overall Metrics

LA _{eq}	62.2 dB		
LAE	90.0 dB	SEA	--- dB
EA	110.6 µPa²h		
LA _{peak}	87.5 dB	2024-07-16 12:06:53	
LAS _{max}	73.3 dB	2024-07-16 12:05:29	
LAS _{min}	49.7 dB	2024-07-16 12:09:40	
LA _{eq}	62.2 dB		
LC _{eq}	72.8 dB	LC _{eq} - LA _{eq}	10.6 dB
LA _{eq}	63.8 dB	LA _{eq} - LA _{eq}	1.6 dB

Exceedances

	Count	Duration
--	-------	----------

LAS > 85.0 dB	0	0:00:00.0
LAS > 115.0 dB	0	0:00:00.0
LApk > 135.0 dB	0	0:00:00.0
LApk > 137.0 dB	0	0:00:00.0
LApk > 140.0 dB	0	0:00:00.0

Community Noise	L _{DN}	L _{Day}	L _{Night}	
	62.2 dB	62.2 dB	0.0 dB	
	L _{DEN}	L _{Day}	L _{Even}	L _{Night}
	62.2 dB	62.2 dB	--- dB	--- dB


Any Data	A		C		Z	
	Level	Time Stamp	Level	Time Stamp	Level	Time Stamp
L _{eq}	62.2 dB		72.8 dB		--- dB	
LS _(max)	73.3 dB	2024-07-16 12:05:29	--- dB	None	--- dB	None
LS _(min)	49.7 dB	2024-07-16 12:09:40	--- dB	None	--- dB	None
L _{Peak(max)}	87.5 dB	2024-07-16 12:06:53	--- dB	None	--- dB	None

Overloads	Count	Duration	OBA Count	OBA Duration
	0	0:00:00.0	0	0:00:00.0

Statistics

LAS 5.0	67.6 dB
LAS 10.0	65.9 dB
LAS 33.3	61.6 dB
LAS 50.0	58.9 dB
LAS 66.6	56.4 dB
LAS 90.0	53.7 dB

Time History



Project: Big Box Retail

Construction Noise Impact on Sensitive Receptors

Parameters

Construction Hours:	Daytime hours (7 am to 6 pm)	8
	Evening hours (7 pm to 10 pm)	0
	Nighttime hours (10 pm to 7 am)	0
Leq to L10 factor		3

		Receptor (Land Use)	Distance (feet)	Shielding	Direction		
1		Residential	50	0	N	RECEPTOR 1	
Construction Phase	Equipment Type	No. of Equip.	Acoustical Usage Factor	Reference Noise Level at 50ft per Unit, Lmax	Noise Level at Receptor 1, Lmax	Noise Level at Receptor 1, Leq	
Site Preparation	Dozer	3	40%	82	86.5	82.5	
	Tractor	4	40%	84	90.0	86.0	
	Combined LEQ					87.6	
Grading	Grader	1	40%	85	85.0	81.0	
	Dozer	1	40%	82	81.7	77.7	
	Tractor	2	40%	84	87.0	83.0	
	Excavator	2	40%	81	83.7	79.7	
	Scraper	2	40%	84	86.6	82.6	
	Combined LEQ					88.2	
Building Construction	Crane	1	16%	81	80.6	72.6	
	Forklift						
	All Other Equipment > 5 HP	3	50%	85	89.8	86.8	
	Generator	1	50%	81	80.6	77.6	
	Tractor	3	40%	84	88.8	84.8	
	Welder/Torch	1	40%	74	74.0	70.0	
Combined LEQ					89.4		
Paving	Paving Equipment						
	All Other Equipment > 5 HP	2	50%	85	88.0	85.0	
	Paver	2	50%	77	80.2	77.2	
	Roller	2	20%	80	83.0	76.0	
Combined LEQ					86.1		
Architectural Coating	Compressor (air)	1	40%	78	77.7	73.7	
	Combined LEQ					73.7	
Overlapping Phases							
Overlapping Phases	Building Construction + Paving				91.0		
Overlapping Phases	Building Construction + Arch Coating				89.5		
Maximum Noise Level					89.4		

Source for Ref. Noise Levels: RCNM, 2005

Project: Fuel Station and Car Wash
Construction Noise Impact on Sensitive Receptors

<i>Parameters</i>		
Construction Hours:	Daytime hours (7 am to 6 pm)	8
	Evening hours (7 pm to 10 pm)	0
	Nighttime hours (10 pm to 7 am)	0
Leq to L10 factor		3

		Receptor (Land Use)	Distance (feet)	Shielding	Direction		
1		Residential	50	0	N	RECEPTOR	1
			No. of Equip.	Reference Acoustical Usage Factor	Noise Level at 50ft per Unit, Lmax	Noise Level at Receptor 1, Lmax	Noise Level at Receptor 1, Leq
Construction Phase							
Equipment Type							
Site Preparation							
	Dozer	3	40%	82	86.5	82.5	
	Tractor	4	40%	84	90.0	86.0	
	Combined LEQ					87.6	
Grading							
	Grader	1	40%	85	85.0	81.0	
	Dozer	1	40%	82	81.7	77.7	
	Tractor	3	40%	84	88.8	84.8	
	Excavator	1	40%	81	80.7	76.7	
	Combined LEQ					87.3	
Building Construction							
	Crane	1	16%	81	80.6	72.6	
Forklift	All Other Equipment > 5 HP	3	50%	85	89.8	86.8	
	Generator	1	50%	81	80.6	77.6	
	Tractor	3	40%	84	88.8	84.8	
	Welder/Torch	1	40%	74	74.0	70.0	
	Combined LEQ					89.4	
Paving							
	Paver	2	50%	77	80.2	77.2	
Paving Equipment	All Other Equipment > 5 HP	2	50%	85	88.0	85.0	
	Roller	2	20%	80	83.0	76.0	
	Combined LEQ					86.1	
Architectural Coating							
	Compressor (air)	1	40%	78	77.7	73.7	
	Combined LEQ					73.7	
Infrastructure Improvements							
Trencher	All Other Equipment > 5 HP	1	50%	85	85.0	82.0	
	Paver	1	50%	77	77.2	74.2	
	Roller	1	20%	80	80.0	73.0	
	Dozer	1	40%	82	81.7	77.7	
	Combined LEQ					84.2	
Overlapping Phases							
Overlapping Phases	Grading + Infra Improvements						89.0
Overlapping Phases	Building Construction + Arch Coating						89.5
Overlapping Phases	Paving + Arch Coating						86.4
Maximum Noise Level							89.5

Source for Ref. Noise Levels: RCNM, 2005

Counts Unlimited, Inc.

Page 1

City of Hesperia
Main Street
B/ United States 395 - Interstate 15
24 Hour Directional Volume Count

PO Box 1178
Corona, CA 92878
Phone: (951) 268-6268
email: counts@countsunlimited.com

HES002
Site Code: 108-24773B

Start Time	12/3/24 Tue	Eastbound		Hour Totals		Westbound		Hour Totals		Combined Totals	
		Morning	Afternoon	Morning	Afternoon	Morning	Afternoon	Morning	Afternoon	Morning	Afternoon
12:00		22	178			36	187				
12:15		35	197			32	227				
12:30		25	173			29	170				
12:45		23	190	105	738	29	190	126	774	231	1512
01:00		21	172			26	200				
01:15		27	144			29	187				
01:30		23	171			22	200				
01:45		24	180	95	667	24	236	101	823	196	1490
02:00		34	187			23	230				
02:15		16	167			18	233				
02:30		30	171			28	239				
02:45		19	225	99	750	24	239	93	941	192	1691
03:00		28	193			36	227				
03:15		43	191			46	215				
03:30		55	197			50	247				
03:45		51	226	177	807	65	276	197	965	374	1772
04:00		52	225			55	228				
04:15		36	256			49	273				
04:30		103	189			63	268				
04:45		52	197	243	867	47	232	214	1001	457	1868
05:00		42	212			53	267				
05:15		54	197			105	253				
05:30		82	202			82	274				
05:45		88	168	266	779	65	227	305	1021	571	1800
06:00		67	152			91	183				
06:15		102	156			99	195				
06:30		133	119			100	196				
06:45		161	112	463	539	112	183	402	757	865	1296
07:00		202	91			114	163				
07:15		217	103			131	150				
07:30		214	100			162	153				
07:45		232	90	865	384	139	118	546	584	1411	968
08:00		226	59			118	94				
08:15		228	71			162	90				
08:30		220	85			128	112				
08:45		206	67	880	282	126	58	534	354	1414	636
09:00		191	65			118	101				
09:15		211	68			92	114				
09:30		198	70			130	77				
09:45		186	53	786	256	139	102	479	394	1265	650
10:00		160	75			115	156				
10:15		193	64			169	155				
10:30		171	43			155	131				
10:45		193	45	717	227	147	124	586	566	1303	793
11:00		175	47			140	116				
11:15		199	38			165	100				
11:30		204	24			179	112				
11:45		180	27	758	136	178	65	662	393	1420	529
Total		5454	6432	5454	6432	4245	8573	4245	8573	9699	15005
Combined Total		11886		11886		12818		12818		24704	
AM Peak	-	07:45	-	-	-	11:00	-	-	-	-	-
Vol.	-	906	-	-	-	662	-	-	-	-	-
P.H.F.		0.976				0.925					
PM Peak	-	-	03:30	-	-	-	03:45	-	-	-	-
Vol.	-	-	904	-	-	-	1045	-	-	-	-
P.H.F.			0.883				0.947				
Percentage		45.9%	54.1%			33.1%	66.9%				
ADT/AADT		ADT 24,704	AADT 24,704								

Counts Unlimited, Inc.

City of Hesperia
Main Street
W/ United States 395
24 Hour Directional Volume Count

PO Box 1178
Corona, CA 92878
Phone: (951) 268-6268
email: counts@countsunlimited.com

HES001
Site Code: 108-24773B

Start Time	12/3/24 Tue	Eastbound		Hour Totals		Westbound		Hour Totals		Combined Totals	
		Morning	Afternoon	Morning	Afternoon	Morning	Afternoon	Morning	Afternoon	Morning	Afternoon
12:00		11	157			17	158				
12:15		13	150			25	184				
12:30		7	159			18	151				
12:45		13	147	44	613	13	179	73	672	117	1285
01:00		10	125			17	164				
01:15		4	162			3	140				
01:30		9	135			4	182				
01:45		14	147	37	569	16	163	40	649	77	1218
02:00		18	151			0	209				
02:15		14	139			6	193				
02:30		11	177			13	181				
02:45		14	162	57	629	9	196	28	779	85	1408
03:00		20	183			14	170				
03:15		26	190			18	204				
03:30		40	169			9	183				
03:45		31	192	117	734	24	222	65	779	182	1513
04:00		53	199			30	201				
04:15		37	188			43	224				
04:30		35	164			23	205				
04:45		59	177	184	728	63	237	159	867	343	1595
05:00		37	179			54	196				
05:15		57	189			67	196				
05:30		82	157			53	228				
05:45		88	135	264	660	53	198	227	818	491	1478
06:00		73	131			79	147				
06:15		109	120			88	134				
06:30		128	91			83	157				
06:45		152	92	462	434	73	128	323	566	785	1000
07:00		173	73			94	124				
07:15		182	70			98	107				
07:30		205	90			138	111				
07:45		219	57	779	290	125	122	455	464	1234	754
08:00		224	50			86	95				
08:15		205	61			126	106				
08:30		204	53			103	105				
08:45		184	35	817	199	96	136	411	442	1228	641
09:00		164	34			120	68				
09:15		190	37			79	56				
09:30		182	30			111	98				
09:45		165	25	701	126	111	74	421	296	1122	422
10:00		153	27			92	105				
10:15		169	31			127	95				
10:30		145	30			124	112				
10:45		148	14	615	102	147	95	490	407	1105	509
11:00		143	16			134	79				
11:15		189	13			130	74				
11:30		187	19			139	44				
11:45		158	11	677	59	159	43	562	240	1239	299
Total		4754	5143	4754	5143	3254	6979	3254	6979	8008	12122
Combined Total		9897		9897		10233		10233		20130	
AM Peak	-	07:30	-	-	-	11:00	-	-	-	-	-
Vol.	-	853	-	-	-	562	-	-	-	-	-
P.H.F.		0.952				0.884					
PM Peak	-	-	03:15	-	-	-	04:00	-	-	-	-
Vol.	-	-	750	-	-	-	867	-	-	-	-
P.H.F.			0.942				0.915				
Percentage		48.0%	52.0%			31.8%	68.2%				
ADT/AADT		ADT 20,130	AADT 20,130								

Counts Unlimited, Inc.

City of Hesperia
Main Street
E/ Topaz Avenue
24 Hour Directional Volume Count

PO Box 1178
Corona, CA 92878
Phone: (951) 268-6268
email: counts@countsunlimited.com

HES004
Site Code: 108-24773B

Start Time	12/3/24 Tue	Eastbound		Hour Totals		Westbound		Hour Totals		Combined Totals	
		Morning	Afternoon	Morning	Afternoon	Morning	Afternoon	Morning	Afternoon	Morning	Afternoon
12:00		46	325			27	335				
12:15		39	316			21	313				
12:30		36	315			23	335				
12:45		37	348	158	1304	27	325	98	1308	256	2612
01:00		27	307			23	352				
01:15		14	331			32	378				
01:30		16	301			24	379				
01:45		24	354	81	1293	22	335	101	1444	182	2737
02:00		19	411			38	329				
02:15		14	413			26	359				
02:30		23	363			37	494				
02:45		10	376	66	1563	54	398	155	1580	221	3143
03:00		12	393			53	332				
03:15		15	399			86	332				
03:30		14	348			89	356				
03:45		16	331	57	1471	140	337	368	1357	425	2828
04:00		12	332			130	338				
04:15		19	361			165	359				
04:30		29	389			160	286				
04:45		32	372	92	1454	147	357	602	1340	694	2794
05:00		41	299			132	382				
05:15		56	361			151	350				
05:30		81	321			150	309				
05:45		86	336	264	1317	178	269	611	1310	875	2627
06:00		106	306			159	282				
06:15		116	299			155	250				
06:30		157	297			166	196				
06:45		176	273	555	1175	219	203	699	931	1254	2106
07:00		267	256			255	175				
07:15		315	240			313	179				
07:30		303	239			269	168				
07:45		338	238	1223	973	268	163	1105	685	2328	1658
08:00		246	189			275	151				
08:15		241	177			280	137				
08:30		238	160			237	137				
08:45		234	133	959	659	255	111	1047	536	2006	1195
09:00		249	123			254	110				
09:15		224	112			273	96				
09:30		244	123			295	99				
09:45		253	104	970	462	288	87	1110	392	2080	854
10:00		246	147			289	68				
10:15		270	141			266	64				
10:30		269	93			312	65				
10:45		279	144	1064	525	274	57	1141	254	2205	779
11:00		304	104			306	46				
11:15		290	86			372	29				
11:30		289	82			341	28				
11:45		288	68	1171	340	302	23	1321	126	2492	466
Total		6660	12536	6660	12536	8358	11263	8358	11263	15018	23799
Combined Total		19196		19196		19621		19621		38817	
AM Peak	-	07:00	-	-	-	11:00	-	-	-	-	-
Vol.	-	1223	-	-	-	1321	-	-	-	-	-
P.H.F.		0.905				0.888					
PM Peak	-	-	02:00	-	-	-	02:15	-	-	-	-
Vol.	-	-	1563	-	-	-	1583	-	-	-	-
P.H.F.			0.946				0.801				
Percentage		34.7%	65.3%			42.6%	57.4%				
ADT/AADT		ADT 38,817	AADT 38,817								

Counts Unlimited, Inc.

Page 1

City of Hesperia
Topaz Avenue
S/ Main Street
24 Hour Directional Volume Count

PO Box 1178
Corona, CA 92878
Phone: (951) 268-6268
email: counts@countsunlimited.com

HES007
Site Code: 108-24773B

Start Time	12/3/24 Tue	Northbound		Hour Totals		Southbound		Hour Totals		Combined Totals	
		Morning	Afternoon	Morning	Afternoon	Morning	Afternoon	Morning	Afternoon	Morning	Afternoon
12:00		3	60			7	56				
12:15		1	53			7	63				
12:30		4	66			8	42				
12:45		4	52	12	231	7	61	29	222	41	453
01:00		4	55			4	58				
01:15		2	56			5	57				
01:30		5	59			1	50				
01:45		3	49	14	219	2	71	12	236	26	455
02:00		3	65			6	62				
02:15		2	52			1	56				
02:30		5	64			5	84				
02:45		2	67	12	248	0	71	12	273	24	521
03:00		3	47			1	69				
03:15		15	60			5	76				
03:30		5	64			3	84				
03:45		16	56	39	227	1	90	10	319	49	546
04:00		14	54			2	76				
04:15		7	53			2	95				
04:30		14	63			4	71				
04:45		17	45	52	215	0	84	8	326	60	541
05:00		17	54			2	72				
05:15		12	47			7	102				
05:30		19	56			7	76				
05:45		26	45	74	202	8	70	24	320	98	522
06:00		28	51			8	75				
06:15		28	52			19	61				
06:30		28	38			10	64				
06:45		49	33	133	174	33	78	70	278	203	452
07:00		59	46			38	46				
07:15		71	35			66	67				
07:30		44	46			46	67				
07:45		62	39	236	166	29	51	179	231	415	397
08:00		53	29			45	50				
08:15		52	39			30	51				
08:30		49	31			35	30				
08:45		49	17	203	116	41	32	151	163	354	279
09:00		47	18			40	29				
09:15		47	16			31	17				
09:30		32	10			34	24				
09:45		56	21	182	65	39	27	144	97	326	162
10:00		46	11			34	21				
10:15		45	12			36	28				
10:30		46	9			40	15				
10:45		46	11	183	43	39	17	149	81	332	124
11:00		56	8			41	13				
11:15		52	3			58	13				
11:30		47	4			40	16				
11:45		59	6	214	21	60	11	199	53	413	74
Total		1354	1927	1354	1927	987	2599	987	2599	2341	4526
Combined Total		3281		3281		3586		3586		6867	
AM Peak	-	07:00	-	-	-	11:00	-	-	-	-	-
Vol.	-	236	-	-	-	199	-	-	-	-	-
P.H.F.		0.831				0.829					
PM Peak	-	-	02:00	-	-	-	03:30	-	-	-	-
Vol.	-	-	248	-	-	-	345	-	-	-	-
P.H.F.			0.925				0.908				
Percentage		41.3%	58.7%			27.5%	72.5%				
ADT/AADT		ADT 6,867	AADT 6,867								

Counts Unlimited, Inc.

City of Hesperia
Topaz Avenue
N/ Main Street
24 Hour Directional Volume Count

PO Box 1178
Corona, CA 92878
Phone: (951) 268-6268
email: counts@countsunlimited.com

HES006
Site Code: 108-24773B

Start Time	12/3/24 Tue	Northbound		Hour Totals		Southbound		Hour Totals		Combined Totals	
		Morning	Afternoon	Morning	Afternoon	Morning	Afternoon	Morning	Afternoon	Morning	Afternoon
12:00		4	22			4	21				
12:15		2	35			0	30				
12:30		6	30			3	30				
12:45		5	34	17	121	1	27	8	108	25	229
01:00		3	44			6	26				
01:15		2	62			0	33				
01:30		4	48			1	34				
01:45		2	63	11	217	1	98	8	191	19	408
02:00		1	30			1	50				
02:15		0	29			2	26				
02:30		1	60			2	50				
02:45		3	42	5	161	1	46	6	172	11	333
03:00		1	44			3	54				
03:15		2	44			7	48				
03:30		2	44			3	53				
03:45		3	51	8	183	10	41	23	196	31	379
04:00		3	40			10	31				
04:15		0	40			7	38				
04:30		2	35			11	30				
04:45		0	52	5	167	14	29	42	128	47	295
05:00		2	40			8	23				
05:15		1	33			12	30				
05:30		6	38			10	40				
05:45		10	29	19	140	13	24	43	117	62	257
06:00		6	30			12	20				
06:15		13	32			11	22				
06:30		19	38			20	25				
06:45		32	32	70	132	24	28	67	95	137	227
07:00		83	26			78	21				
07:15		112	22			104	12				
07:30		24	21			64	16				
07:45		38	25	257	94	35	16	281	65	538	159
08:00		30	22			34	20				
08:15		16	10			21	10				
08:30		16	13			24	16				
08:45		24	13	86	58	26	17	105	63	191	121
09:00		14	18			17	24				
09:15		12	20			22	8				
09:30		18	20			14	8				
09:45		14	15	58	73	25	14	78	54	136	127
10:00		17	6			30	7				
10:15		20	8			23	2				
10:30		21	11			30	8				
10:45		24	7	82	32	17	4	100	21	182	53
11:00		24	6			22	6				
11:15		18	5			38	3				
11:30		28	3			21	3				
11:45		26	2	96	16	27	3	108	15	204	31
Total		714	1394	714	1394	869	1225	869	1225	1583	2619
Combined Total		2108		2108		2094		2094		4202	
AM Peak	-	07:00	-	-	-	07:00	-	-	-	-	-
Vol.	-	257	-	-	-	281	-	-	-	-	-
P.H.F.		0.574				0.675					
PM Peak	-	-	01:00	-	-	-	01:45	-	-	-	-
Vol.	-	-	217	-	-	-	224	-	-	-	-
P.H.F.			0.861				0.571				
Percentage		33.9%	66.1%			41.5%	58.5%				
ADT/AADT		ADT 4,202	AADT 4,202								

Counts Unlimited, Inc

City of Hesperia
Amargosa Road
E/ Key Pointe Drive
24 Hour Directional Volume Count

PO Box 1178
Corona, CA 92878
Phone: 951-268-6268
email: counts@countsunlimited.com

HES001
Site Code: 108-24773

Start Time	9/5/24 Thu	Eastbound		Hour Totals		Westbound		Hour Totals		Combined Totals	
		Morning	Afternoon	Morning	Afternoon	Morning	Afternoon	Morning	Afternoon	Morning	Afternoon
12:00		11	90			19	103				
12:15		12	112			7	108				
12:30		4	88			7	100				
12:45		7	78	34	368	5	98	38	409	72	777
01:00		4	81			10	110				
01:15		8	110			1	104				
01:30		5	83			6	106				
01:45		2	90	19	364	6	105	23	425	42	789
02:00		2	112			1	84				
02:15		1	104			4	120				
02:30		4	104			6	128				
02:45		6	107	13	427	4	92	15	424	28	851
03:00		4	114			1	88				
03:15		4	110			6	124				
03:30		27	98			12	88				
03:45		42	101	77	423	27	74	46	374	123	797
04:00		11	97			26	128				
04:15		8	118			16	98				
04:30		8	98			18	88				
04:45		10	93	37	406	26	110	86	424	123	830
05:00		8	102			19	91				
05:15		14	98			15	113				
05:30		17	104			15	101				
05:45		23	94	62	398	22	84	71	389	133	787
06:00		12	75			18	78				
06:15		12	82			32	68				
06:30		34	81			28	88				
06:45		38	82	96	320	48	76	126	310	222	630
07:00		50	80			50	92				
07:15		58	66			42	62				
07:30		44	68			40	78				
07:45		52	56	204	270	44	68	176	300	380	570
08:00		46	68			51	74				
08:15		46	61			38	83				
08:30		63	44			46	76				
08:45		46	53	201	226	55	48	190	281	391	507
09:00		56	57			55	68				
09:15		59	56			60	69				
09:30		62	44			62	45				
09:45		76	36	253	193	63	37	240	219	493	412
10:00		82	58			76	30				
10:15		65	59			78	28				
10:30		78	40			60	23				
10:45		88	42	313	199	78	30	292	111	605	310
11:00		76	35			78	16				
11:15		80	30			73	20				
11:30		98	33			92	10				
11:45		107	14	361	112	92	10	335	56	696	168
Total		1670	3706	1670	3706	1638	3722	1638	3722	3308	7428
Combined Total		5376		5376		5360		5360		10736	
AM Peak	-	11:00	-	-	-	11:00	-	-	-	-	-
Vol.	-	361	-	-	-	335	-	-	-	-	-
P.H.F.		0.843				0.910					
PM Peak	-	-	02:30	-	-	-	01:45	-	-	-	-
Vol.	-	-	435	-	-	-	437	-	-	-	-
P.H.F.			0.954				0.854				
Percentage		31.1%	68.9%			30.6%	69.4%				
ADT/AADT		ADT 10,736	AADT 10,736								

Counts Unlimited, Inc

City of Hesperia
Key Pointe Drive
S/ Amargosa Road
24 Hour Directional Volume Count

PO Box 1178
Corona, CA 92878
Phone: 951-268-6268
email: counts@countsunlimited.com

HES003
Site Code: 108-24773

Start Time	9/5/24 Thu	Northbound		Hour Totals		Southbound		Hour Totals		Combined Totals	
		Morning	Afternoon	Morning	Afternoon	Morning	Afternoon	Morning	Afternoon	Morning	Afternoon
12:00		5	66			15	74				
12:15		10	84			6	68				
12:30		4	68			3	75				
12:45		7	50	26	268	4	63	28	280	54	548
01:00		3	54			6	66				
01:15		6	74			2	80				
01:30		4	61			6	70				
01:45		2	50	15	239	4	84	18	300	33	539
02:00		1	78			1	60				
02:15		2	70			2	79				
02:30		2	68			5	83				
02:45		4	80	9	296	3	62	11	284	20	580
03:00		4	70			0	64				
03:15		3	58			4	74				
03:30		23	61			9	56				
03:45		33	70	63	259	18	44	31	238	94	497
04:00		7	62			26	102				
04:15		6	82			13	50				
04:30		6	66			16	56				
04:45		10	65	29	275	17	74	72	282	101	557
05:00		6	80			18	56				
05:15		11	74			7	72				
05:30		12	69			10	61				
05:45		12	70	41	293	20	52	55	241	96	534
06:00		7	54			13	58				
06:15		10	61			24	56				
06:30		22	66			18	55				
06:45		32	57	71	238	30	51	85	220	156	458
07:00		38	53			38	66				
07:15		40	46			26	50				
07:30		33	51			26	52				
07:45		34	40	145	190	36	50	126	218	271	408
08:00		32	50			36	58				
08:15		31	47			26	53				
08:30		35	28			30	57				
08:45		28	45	126	170	40	33	132	201	258	371
09:00		34	48			40	51				
09:15		36	43			41	59				
09:30		42	37			32	37				
09:45		51	32	163	160	34	26	147	173	310	333
10:00		59	48			54	17				
10:15		36	46			44	17				
10:30		42	34			48	19				
10:45		60	39	197	167	51	17	197	70	394	237
11:00		51	29			54	14				
11:15		62	21			49	16				
11:30		57	26			66	8				
11:45		64	12	234	88	58	12	227	50	461	138
Total		1119	2643	1119	2643	1129	2557	1129	2557	2248	5200
Combined Total		3762		3762		3686		3686		7448	
AM Peak	-	11:00	-	-	-	11:00	-	-	-	-	-
Vol.	-	234	-	-	-	227	-	-	-	-	-
P.H.F.		0.914				0.860					
PM Peak	-	-	02:00	-	-	-	01:45	-	-	-	-
Vol.	-	-	296	-	-	-	306	-	-	-	-
P.H.F.			0.881				0.911				
Percentage		29.7%	70.3%			30.6%	69.4%				
ADT/AADT		ADT 7,448	AADT 7,448								

Counts Unlimited, Inc.

Page 1

City of Hesperia
Escondido Avenue
S/ Main Street
24 Hour Directional Volume Count

PO Box 1178
Corona, CA 92878
Phone: (951) 268-6268
email: counts@countsunlimited.com

HES005
Site Code: 108-24773B

Start Time	12/3/24 Tue	Northbound		Hour Totals		Southbound		Hour Totals		Combined Totals	
		Morning	Afternoon	Morning	Afternoon	Morning	Afternoon	Morning	Afternoon	Morning	Afternoon
12:00		5	170			31	234				
12:15		6	175			29	206				
12:30		9	178			14	242				
12:45		3	205	23	728	20	218	94	900	117	1628
01:00		7	191			15	249				
01:15		3	162			15	252				
01:30		2	144			12	227				
01:45		3	197	15	694	10	253	52	981	67	1675
02:00		4	272			19	254				
02:15		1	202			14	236				
02:30		4	91			11	252				
02:45		5	106	14	671	8	270	52	1012	66	1683
03:00		1	102			15	285				
03:15		7	94			19	273				
03:30		7	126			19	258				
03:45		11	106	26	428	26	262	79	1078	105	1506
04:00		4	86			22	296				
04:15		9	101			14	294				
04:30		3	123			28	280				
04:45		8	84	24	394	23	275	87	1145	111	1539
05:00		14	79			16	287				
05:15		5	73			29	271				
05:30		12	61			31	275				
05:45		16	56	47	269	51	258	127	1091	174	1360
06:00		16	63			41	236				
06:15		21	58			76	242				
06:30		33	62			106	226				
06:45		48	64	118	247	142	205	365	909	483	1156
07:00		86	49			184	181				
07:15		92	54			183	198				
07:30		104	47			187	186				
07:45		93	44	375	194	219	138	773	703	1148	897
08:00		78	41			202	161				
08:15		82	27			233	152				
08:30		68	20			154	158				
08:45		87	29	315	117	167	145	756	616	1071	733
09:00		61	23			150	130				
09:15		52	16			157	101				
09:30		78	18			197	102				
09:45		110	22	301	79	185	99	689	432	990	511
10:00		142	19			181	83				
10:15		106	12			192	86				
10:30		150	19			178	62				
10:45		179	16	577	66	205	57	756	288	1333	354
11:00		166	10			186	43				
11:15		175	17			219	39				
11:30		180	7			202	40				
11:45		195	7	716	41	244	32	851	154	1567	195
Total		2551	3928	2551	3928	4681	9309	4681	9309	7232	13237
Combined Total		6479		6479		13990		13990		20469	
AM Peak	-	11:00	-	-	-	11:00	-	-	-	-	-
Vol.	-	716	-	-	-	851	-	-	-	-	-
P.H.F.		0.918				0.872					
PM Peak	-	-	01:30	-	-	-	04:00	-	-	-	-
Vol.	-	-	815	-	-	-	1145	-	-	-	-
P.H.F.			0.749				0.967				
Percentage		39.4%	60.6%			33.5%	66.5%				
ADT/AADT		ADT 20,469	AADT 20,469								

Counts Unlimited, Inc

City of Hesperia
Amargosa Road
W/ Key Pointe Drive
24 Hour Directional Volume Count

PO Box 1178
Corona, CA 92878
Phone: 951-268-6268
email: counts@countsunlimited.com

HES002
Site Code: 108-24773

Start Time	9/5/24 Thu	Eastbound		Hour Totals		Westbound		Hour Totals		Combined Totals	
		Morning	Afternoon	Morning	Afternoon	Morning	Afternoon	Morning	Afternoon	Morning	Afternoon
12:00		3	40			1	31				
12:15		6	35			2	38				
12:30		2	30			5	28				
12:45		0	28	11	133	2	37	10	134	21	267
01:00		3	30			4	38				
01:15		1	33			1	43				
01:30		2	38			1	33				
01:45		3	33	9	134	3	33	9	147	18	281
02:00		1	44			1	34				
02:15		1	44			0	45				
02:30		0	34			2	42				
02:45		1	48	3	170	2	38	5	159	8	329
03:00		1	32			1	32				
03:15		0	50			2	37				
03:30		1	46			1	46				
03:45		5	50	7	178	5	30	9	145	16	323
04:00		8	33			6	40				
04:15		4	42			2	51				
04:30		2	42			1	32				
04:45		2	35	16	152	6	40	15	163	31	315
05:00		3	30			4	42				
05:15		1	34			4	46				
05:30		4	28			8	40				
05:45		7	33	15	125	4	35	20	163	35	288
06:00		11	34			7	19				
06:15		6	19			8	26				
06:30		12	24			12	29				
06:45		15	29	44	106	14	32	41	106	85	212
07:00		9	24			15	30				
07:15		11	30			14	21				
07:30		15	27			15	22				
07:45		21	14	56	95	17	22	61	95	117	190
08:00		22	16			18	30				
08:15		18	28			15	19				
08:30		21	13			18	30				
08:45		31	17	92	74	13	12	64	91	156	165
09:00		17	13			15	18				
09:15		28	9			24	21				
09:30		24	16			25	12				
09:45		21	10	90	48	34	8	98	59	188	107
10:00		30	5			21	15				
10:15		22	9			30	14				
10:30		32	14			26	5				
10:45		42	5	126	33	25	10	102	44	228	77
11:00		28	5			28	4				
11:15		28	3			22	6				
11:30		27	8			33	5				
11:45		42	7	125	23	39	8	122	23	247	46
Total		594	1271	594	1271	556	1329	556	1329	1150	2600
Combined Total		1865		1865		1885		1885		3750	
AM Peak	-	10:30	-	-	-	11:00	-	-	-	-	-
Vol.	-	130	-	-	-	122	-	-	-	-	-
P.H.F.		0.774				0.782					
PM Peak	-	-	03:15	-	-	-	04:45	-	-	-	-
Vol.	-	-	179	-	-	-	168	-	-	-	-
P.H.F.			0.895				0.824				
Percentage		31.8%	68.2%			29.5%	70.5%				
ADT/AADT		ADT 3,750		AADT 3,750							

Counts Unlimited, Inc.

Page 1

City of Hesperia
Main Street
B/ Interstate 15 - Topaz Avenue
24 Hour Directional Volume Count

PO Box 1178
Corona, CA 92878
Phone: (951) 268-6268
email: counts@countsunlimited.com

HES003
Site Code: 108-24773B

Start Time	12/3/24 Tue	Eastbound		Hour Totals		Westbound		Hour Totals		Combined Totals	
		Morning	Afternoon	Morning	Afternoon	Morning	Afternoon	Morning	Afternoon	Morning	Afternoon
12:00		56	335			30	336				
12:15		44	334			23	335				
12:30		52	342			20	307				
12:45		41	380	193	1391	32	342	105	1320	298	2711
01:00		34	367			25	305				
01:15		18	359			30	330				
01:30		20	341			30	312				
01:45		31	361	103	1428	26	312	111	1259	214	2687
02:00		20	461			31	319				
02:15		10	436			32	288				
02:30		15	354			40	354				
02:45		11	391	56	1642	59	397	162	1358	218	3000
03:00		15	448			65	327				
03:15		16	429			94	379				
03:30		17	408			103	380				
03:45		16	383	64	1668	159	353	421	1439	485	3107
04:00		17	403			163	340				
04:15		19	435			179	365				
04:30		34	425			195	333				
04:45		33	395	103	1658	169	349	706	1387	809	3045
05:00		46	384			167	389				
05:15		64	409			167	359				
05:30		97	384			184	358				
05:45		89	400	296	1577	206	326	724	1432	1020	3009
06:00		107	359			203	288				
06:15		124	347			195	275				
06:30		175	347			198	225				
06:45		211	348	617	1401	261	217	857	1005	1474	2406
07:00		267	296			274	214				
07:15		338	283			311	194				
07:30		277	294			329	172				
07:45		355	263	1237	1136	301	181	1215	761	2452	1897
08:00		263	244			305	170				
08:15		250	191			321	155				
08:30		233	167			262	153				
08:45		260	171	1006	773	274	127	1162	605	2168	1378
09:00		271	133			275	117				
09:15		243	131			308	114				
09:30		270	143			296	95				
09:45		272	133	1056	540	304	100	1183	426	2239	966
10:00		250	153			312	74				
10:15		291	170			282	67				
10:30		285	118			333	66				
10:45		300	150	1126	591	283	61	1210	268	2336	859
11:00		323	120			316	54				
11:15		296	99			342	31				
11:30		330	99			349	28				
11:45		334	64	1283	382	334	30	1341	143	2624	525
Total		7140	14187	7140	14187	9197	11403	9197	11403	16337	25590
Combined Total		21327		21327		20600		20600		41927	
AM Peak	-	11:00	-	-	-	11:00	-	-	-	-	-
Vol.	-	1283	-	-	-	1341	-	-	-	-	-
P.H.F.		0.960				0.961					
PM Peak	-	-	02:45	-	-	-	02:45	-	-	-	-
Vol.	-	-	1676	-	-	-	1483	-	-	-	-
P.H.F.			0.935				0.934				
Percentage		33.5%	66.5%			44.6%	55.4%				
ADT/AADT		ADT 41,927		AADT 41,927							

FHWA Highway Noise Prediction Model (FHWA-RD-77-108) with California Vehicle Noise (CALVENO) Emission Levels

Project Name: Big Box Hesperia
Project Number: 94507756
Scenario: Existing
Ldn/CNEL: CNEL

Assumed 24-Hour Traffic Distribution:	Day	Evening	Night
Total ADT Volumes	77.70%	12.70%	9.60%
Medium-Duty Trucks	87.43%	5.05%	7.52%
Heavy-Duty Trucks	89.10%	2.84%	8.06%

#	Roadway	Segment	Lanes	Median Width	ADT Volume	Speed (mph)	Alpha Factor	Vehicle Mix		Distance from Centerline of Roadway				
								Medium Trucks	Heavy Trucks	CNEL at 100 Feet	Distance to Contour			
										70 CNEL	65 CNEL	60 CNEL	55 CNEL	
1	Amargosa Road	East of Key Pointe Avenue	2	0	10,736	45	1	2.0%	1.0%	60.3	33	58	104	185
2	Key Pointe Avenue	South of Amargosa Road	4	0	7,448	40	0.5	2.0%	1.0%	59.2	-	-	89	191
3	Main Street	West of US-395	4	12	20,130	55	1	2.0%	1.0%	65.4	59	105	186	331
4	Main Street	US-395 to Key Pointe Avenue	6	24	24,704	50	0.5	2.0%	1.0%	67.2	-	140	302	651
5	Main Street	Key Pointe Avenue to I-15	6	24	24,704	50	0.5	2.0%	1.0%	67.2	-	140	302	651
6	Main Street	I-15 to Escondido Avenue	6	24	41,927	50	0.5	2.0%	1.0%	69.5	93	199	430	926
7	Main Street	Escondido to Topaz Avenue	4	12	41,927	50	0.5	2.0%	1.0%	69.1	87	186	402	865
8	Main Street	East of Topaz Avenue	4	12	38,817	50	0.5	2.0%	1.0%	68.7	82	177	382	822
9	Escondido Avenue	South of Main Street	4	12	20,469	45	0	2.0%	1.0%	66.3	-	136	430	1,360
10	Topaz Avenue	North of Main Street	2	0	4,202	40	0.5	2.0%	1.0%	56.6	-	-	60	128
11	Topaz Avenue	South of Main Street	2	0	6,867	40	0	2.0%	1.0%	60.3	-	34	107	339

¹ Distance is from the centerline of the roadway segment to the receptor location.
 "-" = contour is located within the roadway right-of-way.

FHWA Highway Noise Prediction Model (FHWA-RD-77-108) with California Vehicle Noise (CALVENO) Emission Levels

Project Name: Big Box Hesperia
Project Number: 94507756
Scenario: Existing Plus Project
Ldn/CNEL: CNEL

Assumed 24-Hour Traffic Distribution:	Day	Evening	Night
Total ADT Volumes	77.70%	12.70%	9.60%
Medium-Duty Trucks	87.43%	5.05%	7.52%
Heavy-Duty Trucks	89.10%	2.84%	8.06%

#	Roadway	Segment	Lanes	Median Width	ADT Volume	Speed (mph)	Alpha Factor	Vehicle Mix		Distance from Centerline of Roadway				
								Medium Trucks	Heavy Trucks	CNEL at 100 Feet	70 CNEL	65 CNEL	60 CNEL	55 CNEL
1	Amargosa Road	East of Key Pointe Avenue	2	0	11,461	45	1	2.0%	1.0%	60.6	34	60	107	191
2	Key Pointe Avenue	South of Amargosa Road	4	0	13,974	40	0.5	2.0%	1.0%	61.9	-	63	135	290
3	Main Street	West of US-395	4	12	20,855	55	1	2.0%	1.0%	65.6	60	107	190	337
4	Main Street	US-395 to Key Pointe Avenue	6	24	26,154	50	0.5	2.0%	1.0%	67.4	-	146	314	676
5	Main Street	Key Pointe Avenue to I-15	6	24	29,780	50	0.5	2.0%	1.0%	68.0	74	159	342	737
6	Main Street	I-15 to Escondido Avenue	6	24	44,102	50	0.5	2.0%	1.0%	69.7	96	206	444	958
7	Main Street	Escondido to Topaz Avenue	4	12	43,377	50	0.5	2.0%	1.0%	69.2	89	191	411	885
8	Main Street	East of Topaz Avenue	4	12	39,542	50	0.5	2.0%	1.0%	68.8	83	179	386	832
9	Escondido Avenue	South of Main Street	4	12	4,927	45	0	2.0%	1.0%	60.2	-	-	104	327
10	Topaz Avenue	North of Main Street	2	0	7,230	40	0.5	2.0%	1.0%	59.0	-	40	86	184
11	Topaz Avenue	South of Main Street	2	0	20,832	40	0	2.0%	1.0%	65.1	32	103	325	1,027

¹ Distance is from the centerline of the roadway segment to the receptor location.

"-" = contour is located within the roadway right-of-way.

No.	Receiver name	Floor	Site Preparation				Grading				Building Construction				Paving				Arch Coating				Infrastructure Improvements				Grading + Infrastructure Improvements				Building Construction + Arch Coating				Paving + Arch Coating				
			Level w/o NP				Level w/o NP				Level w/o NP				Level w/o NP				Level w/o NP				Level w/o NP				Level w/o NP				Level w/o NP				Level w/o NP				
			Day dB(A)	Night	Ldn	Lmax	Day dB(A)	Night	Ldn	Lmax	Day dB(A)	Night	Ldn	Lmax	Day dB(A)	Night	Ldn	Lmax	Day dB(A)	Night	Ldn	Lmax	Day dB(A)	Night	Ldn	Lmax	Day dB(A)	Night	Ldn	Lmax	Day dB(A)	Night	Ldn	Lmax	Day dB(A)	Night	Ldn	Lmax	
1	7-111	1.FI	67.7	67.7	74.1	67.7	67.4	67.4	73.8	67.4	69.5	69.5	75.9	69.5	66.2	66.2	72.6	66.2	54.1	53.8	60.3	53.8	64.3	64.3	70.7	64.3	69.1	69.1	75.5	69.1	69.6	69.6	76	69.6	66.5	66.5	72.9	66.5	
2	7-112	1.FI	64.1	64.1	70.5	64.1	63.8	63.8	70.2	63.8	65.9	65.9	72.3	65.9	62.6	62.6	69	62.6	50.7	50.2	56.7	50.2	60.7	60.7	67.1	60.7	65.5	65.5	71.9	65.5	66	66	72.4	66	62.9	62.9	69.3	62.9	
3	11-Jul	1.FI	58.2	58.2	64.6	58.2	57.9	57.9	64.3	57.9	60	60	66.4	60	56.7	56.7	63.1	56.7	44.7	44.3	50.7	44.3	54.8	54.8	61.2	54.8	59.6	59.6	66	59.6	60.1	60.1	66.5	60.1	57	57	63.4	57	
4		76 Gas 1	1.FI	53.1	53	59.4	53	52.8	52.7	59.1	52.7	54.8	54.8	61.2	54.8	51.6	51.5	57.9	51.5	40.9	39.1	45.8	39.1	49.8	49.6	56	49.6	54.4	54.4	60.8	54.4	54.9	54.9	61.3	54.9	51.9	51.8	58.2	51.8
5		76 Gas 2	1.FI	52.9	52.8	59.3	52.8	52.6	52.5	59	52.5	54.7	54.6	61.1	54.6	51.5	51.3	57.8	51.3	40.6	38.9	45.6	38.9	49.6	49.4	55.9	49.4	54.3	54.2	60.7	54.2	54.8	54.7	61.2	54.7	51.8	51.6	58.1	51.6
6		76 Gas 3	1.FI	56.2	56.1	62.6	56.1	55.9	55.8	62.3	55.8	58	57.9	64.4	57.9	54.7	54.6	61.1	54.6	43.1	42.2	48.8	42.2	52.8	52.7	59.2	52.7	57.6	57.5	64	57.5	58.1	58	64.5	58	55	54.9	61.4	54.9
7	76 and Wigos Pizza 1	1.FI	53.6	53.5	60	53.5	53.3	53.2	59.7	53.2	55.4	55.3	61.8	55.3	52.1	52	58.5	52	41.1	39.6	46.3	39.6	50.3	50.1	56.6	50.1	55	54.9	61.4	54.9	55.5	55.4	61.9	55.4	52.4	52.3	58.8	52.3	
7	76 and Wigos Pizza 1	2.FI	55.9	55.8	62.2	55.8	55.6	55.5	62	55.5	57.7	57.6	64	57.6	54.4	54.3	60.8	54.3	43	41.9	48.5	41.9	52.5	52.4	58.9	52.4	57.3	57.2	63.6	57.2	57.8	57.7	64.1	57.7	54.7	54.6	61.1	54.6	
8	Bakers Drive-thru 1	1.FI	70.3	70.3	76.7	70.3	70	70	76.4	70	72.1	72.1	78.5	72.1	68.8	68.8	75.2	68.8	56.6	56.4	62.8	56.4	66.9	66.9	73.3	66.9	71.7	71.7	78.1	71.7	72.2	72.2	78.6	72.2	69.1	69.1	75.5	69.1	
9	Bakers Drive-thru 1	1.FI	69.1	69.1	75.5	69.1	68.8	68.8	75.2	68.8	70.9	70.9	77.3	70.9	67.6	67.6	74	67.6	55.5	55.2	61.7	55.2	65.8	65.7	72.1	65.7	70.5	70.5	76.9	70.5	71	71	77.4	71	67.9	67.9	74.3	67.9	
10	Bakers Drive-Thru	1.FI	67.4	67.4	73.8	67.4	67.1	67.1	73.5	67.1	69.2	69.2	75.6	69.2	65.9	65.9	72.3	65.9	53.9	53.5	60	53.5	64.1	64	70.4	64	68.8	68.8	75.2	68.8	69.3	69.3	75.7	69.3	66.2	66.2	72.6	66.2	
11	Chipotle	1.FI	60.7	60.4	66.9	60.4	60.4	60.1	66.6	60.1	62.4	62.2	68.7	62.2	59.3	58.9	65.4	58.9	50.7	46.5	53.8	46.5	57.6	57	63.5	57	62	61.8	68.3	61.8	62.5	62.3	68.8	62.3	59.6	59.2	65.7	59.2	
12	Commercial Retail Center	1.FI	58.9	58.9	65.3	58.9	58.6	58.6	65	58.6	60.7	60.7	67.1	60.7	57.4	57.4	63.8	57.4	45.9	45	51.5	45	55.6	55.5	61.9	55.5	60.3	60.3	66.7	60.3	60.8	60.8	67.2	60.8	57.7	57.7	64.1	57.7	
13	Commercial Retail Center	1.FI	61	60.9	67.4	60.9	60.7	60.6	67.1	60.6	62.8	62.7	69.2	62.7	59.5	59.4	65.9	59.4	47.8	47	53.6	47	57.6	57.5	64	57.5	62.4	62.3	68.8	62.3	62.9	62.8	69.3	62.8	59.8	59.7	66.2	59.7	
14	Commercial Retail Center	1.FI	61.4	61.4	67.8	61.4	61.1	61.1	67.5	61.1	63.2	63.2	69.6	63.2	59.9	59.9	66.3	59.9	48.3	47.5	54	47.5	58.1	58	64.4	58	62.8	62.8	69.2	62.8	63.3	63.3	69.7	63.3	60.2	60.2	66.6	60.2	
15	Commercial Retail Center	1.FI	61.1	61.1	67.5	61.1	60.8	60.8	67.2	60.8	62.9	62.9	69.3	62.9	59.7	59.6	66	59.6	48.2	47.2	53.8	47.2	57.8	57.7	64.1	57.7	62.5	62.5	68.9	62.5	63	63	69.4	63	59.9	59.9	66.3	59.9	
16	Commercial Retail Center	1.FI	61.1	61	67.4	61	60.8	60.7	67.1	60.7	62.8	62.8	69.2	62.8	59.6	59.5	65.9	59.5	47.8	47.1	53.6	47.1	57.7	57.6	64	57.6	62.4	62.4	68.8	62.4	62.9	62.9	69.3	62.9	59.9	59.8	66.2	59.8	
17	Commercial Retail Center	1.FI	55.6	55.5	61.9	55.5	55.4	55.2	61.6	55.2	57.4	57.3	63.7	57.3	54.2	54	60.4	54	44.1	41.6	48.5	41.6	52.4	52.1	58.6	52.1	57	56.9	63.3	56.9	57.5	57.4	63.8	57.4	54.5	54.3	60.7	54.3	
18	Commercial Retail Center	1.FI	56.3	56.2	62.6	56.2	56	55.9	62.3	55.9	58.1	58	64.4	58	54.9	54.7	61.1	54.7	44.8	42.3	49.1	42.3	53.1	52.8	59.2	52.8	57.7	57.6	64	57.6	58.1	58.1	64.5	58.1	55.1	55	61.4	55	
19	Commercial Retail Center	1.FI	58.9	58.8	65.2	58.8	58.7	58.5	64.9	58.5	60.7	60.6	67	60.6	57.5	57.3	63.7	57.3	47.9	44.9	51.9	44.9	55.7	55.4	61.8	55.4	60.3	60.2	66.6	60.2	60.8	60.7	67.1	60.7	57.8	57.6	64	57.6	
20	Commercial Retail Center	1.FI	57.3	57.2	63.6	57.2	57	56.9	63.3	56.9	59	59	65.4	59	55.8	55.7	62.1	55.7	44.2	43.3	49.9	43.3	53.9	53.8	60.2	53.8	58.6	58.6	65	58.6	59.1	59.1	65.5	59.1	56.1	56	62.4	56	
21	Commercial Retail Center 1	1.FI	60.9	60.5	67	60.5	60.6	60.2	66.7	60.2	62.5	62.3	68.7	62.3	59.5	59	65.5	59	51.6	46.6	54.2	46.6	57.9	57.1	63.6	57.1	62.2	61.9	68.4	61.9	62.6	62.4	68.8	62.4	59.8	59.3	65.8	59.3	
22	Holiday Inn Hotel 1	1.FI	70.5	70.5	76.9	70.5	70.2	70.2	76.6	70.2	72.3	72.3	78.7	72.3	69	69	75.4	69	56.8	56.6	63	56.6	67.1	67.1	73.5	67.1	71.9	71.9	78.3	71.9	72.4	72							

83	Mobile Home	1.FI	57.2	57.2	63.6	57.2	56.9	56.9	63.3	56.9	59	59	65.4	59	55.8	55.7	62.1	55.7	44.3	43.3	49.9	43.3	53.9	53.8	60.2	53.8	58.6	58.6	65	58.6	59.1	59.1	65.5	59.1	56.1	56	62.4	56
84	Mobile Home	1.FI	56.5	56.4	62.8	56.4	56.2	56.1	62.5	56.1	58.2	58.2	64.6	58.2	55	54.9	61.3	54.9	43.7	42.5	49.1	42.5	53.1	53	59.4	53	57.8	57.8	64.2	57.8	58.3	58.3	64.7	58.3	55.3	55.2	61.6	55.2
85	Mobile Home	1.FI	55.3	55.3	61.7	55.3	55	55	61.4	55	57.1	57.1	63.5	57.1	53.8	53.8	60.2	53.8	42.5	41.4	48	41.4	52	51.9	58.3	51.9	56.7	56.7	63.1	56.7	57.2	57.2	63.6	57.2	54.1	54.1	60.5	54.1
86	Mobile Home	1.FI	55.9	55.8	62.2	55.8	55.6	55.5	61.9	55.5	57.6	57.6	64	57.6	54.4	54.3	60.7	54.3	43	41.9	48.5	41.9	52.5	52.4	58.8	52.4	57.2	57.2	63.6	57.2	57.7	57.7	64.1	57.7	54.7	54.6	61	54.6
87	Mobile Home	1.FI	53.3	53.2	59.7	53.2	53	52.9	59.4	52.9	55.1	55	61.5	55	51.8	51.7	58.2	51.7	40.6	39.3	46	39.3	50	49.8	56.3	49.8	54.7	54.6	61.1	54.6	55.2	55.1	61.6	55.1	52.1	52	58.5	52
88	Mobile Home	1.FI	54.8	54.7	61.1	54.7	54.5	54.4	60.8	54.4	56.5	56.5	62.9	56.5	53.3	53.2	59.6	53.2	42.2	40.8	47.4	40.8	51.4	51.3	57.7	51.3	56.2	56.1	62.5	56.1	56.6	56.6	63	56.6	53.6	53.5	59.9	53.5
89	Mobile Home	1.FI	48.5	48.3	54.7	48.3	48.2	48	54.4	48	50.2	50.1	56.5	50.1	47	46.8	53.2	46.8	37.3	34.4	41.4	34.4	45.3	44.9	51.4	44.9	49.8	49.7	56.1	49.7	50.3	50.2	56.6	50.2	47.3	47.1	53.5	47.1
90	Mobile Home	1.FI	53.5	53.5	59.9	53.5	53.2	53.2	59.6	53.2	55.3	55.3	61.7	55.3	52.1	52	58.4	52	41.1	39.6	46.2	39.6	50.2	50.1	56.5	50.1	54.9	54.9	61.3	54.9	55.4	55.4	61.8	55.4	52.4	52.3	58.7	52.3
91	Mobile Home	1.FI	54.1	54.1	60.5	54.1	53.8	53.8	60.2	53.8	55.9	55.9	62.3	55.9	52.7	52.6	59	52.6	41.7	40.2	46.8	40.2	50.8	50.7	57.1	50.7	55.5	55.5	61.9	55.5	56	56	62.4	56	53	52.9	59.3	52.9
92	Mobile Home	1.FI	56.3	56.2	62.6	56.2	56	55.9	62.3	55.9	58.1	58	64.4	58	54.8	54.7	61.1	54.7	43.5	42.3	48.9	42.3	52.9	52.8	59.2	52.8	57.7	57.6	64	57.6	58.2	58.1	64.5	58.1	55.1	55	61.4	55
93	Mobile Home	1.FI	56.4	56.3	62.7	56.3	56.1	56	62.4	56	58.1	58.1	64.5	58.1	54.9	54.8	61.2	54.8	43.4	42.4	49	42.4	53	52.9	59.3	52.9	57.7	57.7	64.1	57.7	58.2	58.2	64.6	58.2	55.2	55.1	61.5	55.1
94	Mobile Home	1.FI	52.8	52.7	59.2	52.7	52.5	52.4	58.9	52.4	54.6	54.5	61	54.5	51.3	51.2	57.7	51.2	40.4	38.8	45.5	38.8	49.5	49.3	55.8	49.3	54.2	54.1	60.6	54.1	54.7	54.6	61.1	54.6	51.6	51.5	58	51.5
95	Mobile Home	1.FI	52.7	52.6	59.1	52.6	52.4	52.3	58.8	52.3	54.5	54.4	60.9	54.4	51.2	51.1	57.6	51.1	40	38.7	45.3	38.7	49.4	49.2	55.7	49.2	54.1	54	60.5	54	54.6	54.5	61	54.5	51.5	51.4	57.9	51.4
96	Mobile Home	1.FI	57.4	57.3	63.8	57.3	57.1	57	63.5	57	59.2	59.1	65.6	59.1	55.9	55.8	62.3	55.8	44.5	43.4	50	43.4	54	53.9	60.4	53.9	58.8	58.7	65.2	58.7	59.3	59.2	65.7	59.2	56.2	56.1	62.6	56.1
97	Mobile Home	1.FI	57.5	57.5	63.9	57.5	57.2	57.2	63.6	57.2	59.3	59.3	65.7	59.3	56.1	56	62.4	56	44.6	43.6	50.2	43.6	54.2	54.1	60.5	54.1	58.9	58.9	65.3	58.9	59.4	59.4	65.8	59.4	56.4	56.3	62.7	56.3
98	Mobile Home	1.FI	57.5	57.5	63.9	57.5	57.2	57.2	63.6	57.2	59.3	59.3	65.7	59.3	56	56	62.4	56	44.6	43.6	50.2	43.6	54.2	54.1	60.5	54.1	58.9	58.9	65.3	58.9	59.4	59.4	65.8	59.4	56.3	56.3	62.7	56.3
99	Mobile Home 1	1.FI	55.6	55.6	62	55.6	55.3	55.3	61.7	55.3	57.4	57.4	63.8	57.4	54.2	54.1	60.5	54.1	42.8	41.7	48.3	41.7	52.3	52.2	58.6	52.2	57	57	63.4	57	57.5	57.5	63.9	57.5	54.5	54.4	60.8	54.4
100	Mobile Home 1	1.FI	53	52.9	59.4	52.9	52.7	52.6	59.1	52.6	54.8	54.7	61.2	54.7	51.5	51.4	57.9	51.4	40.6	39	45.7	39	49.7	49.5	56	49.5	54.4	54.3	60.8	54.3	54.9	54.8	61.3	54.8	51.8	51.7	58.2	51.7
101	Mobile Home 1	1.FI	53.9	53.9	60.3	53.9	53.6	53.6	60	53.6	55.7	55.7	62.1	55.7	52.4	52.4	58.8	52.4	41.2	40	46.6	40	50.6	50.5	56.9	50.5	55.3	55.3	61.7	55.3	55.8	55.8	62.2	55.8	52.7	52.7	59.1	52.7
102	Mobile Home 76	1.FI	55.2	55.1	61.5	55.1	54.9	54.8	61.2	54.8	56.9	56.9	63.3	56.9	53.7	53.6	60	53.6	42.4	41.2	47.8	41.2	51.8	51.7	58.1	51.7	56.5	56.5	62.9	56.5	57	57	63.4	57	54	53.9	60.3	53.9
103	Mobile Home 77	1.FI	54.5	54.5	60.9	54.5	54.2	54.2	60.6	54.2	56.3	56.3	62.7	56.3	53.1	53	59.4	53	42	40.6	47.2	40.6	51.2	51.1	57.5	51.1	55.9	55.9	62.3	55.9	56.4	56.4	62.8	56.4	53.3	53.3	59.7	53.3
104	Mobile Home 78	1.FI	54	53.9	60.3	53.9	53.7	53.6	60	53.6	55.8	55.7	62.1	55.7	52.5	52.4	58.9	52.4	41.5	40	46.7	40	50.7	50.5	57	50.5	55.4	55.3	61.7	55.3	55.9	55.8	62.2	55.8	52.8	52.7	59.1	52.7
105	Mobile Home 83	1.FI	53.4	53.3	59.7	53.3	53.1	53	59.4	53	55.2	55.1	61.5	55.1	51.9	51.8	58.2	51.8	40.8	39.4	46	39.4	50.1	49.9	56.3	49.9	54.8	54.7	61.1	54.7	55.2	55.2	61.6	55.2	52.2	52.1	58.5	52.1
106	Mobile Home 84	1.FI	54.1	54	60.4	54	53.8	53.7	60.1	53.7	55.8	55.8	62.2	55.8	52.6	52.5	58.9	52.5	41.5	40.1	46.7	40.1	50.7	50.6	57	50.6	55.4	55.4	61.8	55.4	55.9	55.9	62.3	55.9	52.9	52.8	59.2	52.8
107	Mobile Home 85	1.FI	54.5	54.5	60.9	54.5	54.2	54.2	60.6	54.2	56.3	56.3	62.7	56.3	53.1	53	59.4	53	41.7	40.6	47.2	40.6	51.2	51.1	57.5	51.1	55.9	55.9	62.3	55.9	56.4	56.4	62.8	56.4	53.3	53.3	59.7	53.3
108	Mobile Home 86	1.FI	55	54.9	61.3	54.9	54.7	54.6	61	54.6	56.7	56.7	63.1	56.7	53.5	53.4	59.8	53.4	42.2	41	47.6	41	51.6	51.5	57.9	51.5	56.4	56.3	62.7	56.3	56.8	56.8	63.2	56.8	53.8	53.7	60.1	53.7
109	Mobile Home 126	1.FI	54.4	54.4	60.8	54.4	54.1	54.1	60.5	54.1	56.2	56.2	62.6	56.2	52.9	52.9	59.3	52.9	41.5	40.5	47	40.5	51.1	51	57.4	51	55.8	55.8	62.2	55.8	56.3	56.3	62.7	56.3	53.2	53.2	59.6	53.2
110	Mobile Home 127	1.FI	54.5	54.5	60.9	54.5	54.3	54.2	60.6	54.2	56.3	56.3	62.7	56.3	53.1	53	59.4	53	41.7	40.6	47.2	40.6	51.2	51.1	57.5	51.1	55.9	55.9	62.3	55.9	56.4	56.4	62.8	56.4	53.4	53.3	59.7	53.3
111	Mobile Home 128	1.FI	54.5	54.4	60.8	54.4	54.2	54.1	60.5	54.1	56.2	56.2	62.6	56.2	53	52.9	59.3	52.9	41.6	40.5	47.1	40.5	51.1	51	57.4	51	55.8	55.8	62.2	55.8	56.3	56.3	62.7	56.3	53.3	53.2	59.6	53.2
112	Mobile Home 129	1.FI	54.4	54.3	60.8	54.3	54.1	54	60.5	54	56.2	56.1	62.6	56.1	52.9	52.8	59.3	52.8	41.6	40.4	47	40.4	51.1	50.9	57.4	50.9	55.8	55.7	62.2	55.7	56.3	56.2	62.7	56.2	53.2	53.1	59.6	53.1
113	Single Family Residence 1	1.FI	52.7	52.6	59	52.6	52.4	52.3	58.7	52.3	54.4	54.4	60.8	54.4	51.2	51.1	57.5	51.1	40.1	38.7	45.3	38.7	49.3	49.2	55.6	49.2	54	54	60.4	54	54.5	54.5	60.9	54.5	51.5	51.4	57.8	51.4
114	Single Family Residence 2	1.FI	51.3	51.3	57.7	51.3	51	51	57.4	51	53.1	53.1	59.5	53.1	49.8	49.8	56.2	49.8	38.6	37.4	44	37.4	48	47.9	54.3	47.9	52.7	52.7	59.1	52.7	53.2	53.2	59.6	53.2	50.1	50.1	56.5	50.1
115	Single Family Residence 2	1.FI	53.1	53	59.4	53	52.8	52.7	59.1	52.7	54.9	54.8	61.2	54.8	51.6	51.5	57.9	51.5	40.4	39.1	45.7	39.1	49.8	49.6	56.1	49.6	54.5	54.4	60.8	54.4	55	54.9	61.3	54.9	51.9	51.8	58.2	51.8
116	Single Family Residence 2	1.FI	53.2	53.1	59.6	53.1	52.9	52.8	59.3	52.8	55	54.9	61.4	54.9	51.7	51.6	58.1	51.6	40.4	39.2	45.8	39.2	49.9	49.7	56.2	49.7	54.6	54.5	61	54.5	55.1	55	61.5	55	52	51.9	58.4	51.9
117	Single Family Residence 2	1.FI	51.3	51.2	57.7	51.2	51	50.9	57.4	50.9	53.1	53	59.5	53	49.8	49.7	56.2	49.7	38.7	37.3	44	37.3	48	47.8	54.3	47.8	52.7	52.6	59.1	52.6	53.2	53.1	59.6	53.1	50.1	50	56.5	50
118	Single Family Residence 2	1.FI	53	53	59.4	53	52.7	52.7	59.1	52.7	54.8	54.8	61.2	54.8	51.5	51.5	57.9	51.5	40.2	39.1	45.6	39.1	49.7	49.6	56	49.6	54.4	54.4	60.8	54.4	54.9	54.9	61					

No.	Receiver name	Floor	Site Preparation				Grading				Building Construction				Paving				Arch Coating				Building Construction + Paving				Building Construction + Arch Coating				Nighttime Construction			
			Level w/o NP				Level w/o NP				Level w/o NP				Level w/o NP				Level w/o NP				Level w/o NP				Level w/o NP				Level w/o NP			
			Day dB(A)	Night	Ldn	Lmax	Day dB(A)	Night	Ldn	Lmax	Day dB(A)	Night	Ldn	Lmax	Day dB(A)	Night	Ldn	Lmax	Day dB(A)	Night	Ldn	Lmax	Day dB(A)	Night	Ldn	Lmax	Day dB(A)	Night	Ldn	Lmax	Day dB(A)	Night	Ldn	Lmax
1	7-11 1	1.FI	58.1	58.0	64.4	58.0	58.1	58.0	64.4	58.0	59.9	59.8	66.2	59.8	56.7	56.5	62.9	56.5	46.6	44.1	50.9	44.1	61.4	61.4	67.8	61.4	60	59.9	66.3	59.9	55.6	58.1	64.2	55.6
2	7-11 2	1.FI	55.3	55.1	61.5	55.1	55.3	55.1	61.5	55.1	57.0	56.9	63.3	56.9	53.9	53.6	60.0	53.6	44.3	41.2	48.2	41.2	58.6	58.5	64.9	58.5	57.1	57	63.4	57	52.7	56	62.1	52.7
3	11-Jul	1.FI	43.9	43.3	49.8	43.3	43.9	43.3	49.8	43.3	45.5	45.1	51.6	45.1	42.6	41.8	48.3	41.8	35.8	29.4	37.5	29.4	47	46.7	53.2	46.7	45.6	45.2	51.7	45.2	39.5	46	51.9	39.5
4		1.FI	52.8	52.7	59.2	52.7	52.8	52.7	59.2	52.7	54.6	54.5	60.9	54.5	51.4	51.2	57.7	51.2	40.8	38.8	45.6	38.8	56.2	56.1	62.5	56.1	54.7	54.6	61	54.6	51.1	51.2	57.6	51.1
5		1.FI	52.3	52.2	58.6	52.2	52.3	52.2	58.6	52.2	54.1	54.0	60.4	54.0	50.9	50.7	57.1	50.7	40.2	38.3	45.1	38.3	55.7	55.6	62	55.6	54.2	54.1	60.5	54.1	50.3	50.4	56.8	50.3
6		1.FI	52.4	52.3	58.7	52.3	52.4	52.3	58.7	52.3	54.2	54.1	60.5	54.1	50.9	50.8	57.2	50.8	40.2	38.4	45.1	38.4	55.7	55.7	62.1	55.7	54.2	54.2	60.6	54.2	50.1	50.3	56.6	50.1
7	76 and Wigos Pizza 1	1.FI	52.4	52.3	58.7	52.3	52.4	52.3	58.7	52.3	54.1	54.1	60.5	54.1	50.9	50.8	57.2	50.8	40.2	38.4	45.1	38.4	55.7	55.7	62.1	55.7	54.2	54.2	60.6	54.2	50.4	50.4	56.8	50.4
7	76 and Wigos Pizza 1	2.FI	53.1	53.0	59.4	53.0	53.1	53.0	59.4	53.0	54.9	54.8	61.2	54.8	51.6	51.5	57.9	51.5	40.9	39.1	45.8	39.1	56.5	56.4	62.8	56.4	55	54.9	61.3	54.9	50.9	51	57.4	50.9
8	Bakers Drive-thru 1	1.FI	56.9	56.6	63.1	56.6	56.9	56.6	63.1	56.6	58.6	58.4	64.9	58.4	55.5	55.1	61.6	55.1	46.4	42.7	49.9	42.7	60.1	60	66.4	60	58.7	58.5	65	58.5	54.1	54.8	61.2	54.1
9	Bakers Drive-thru 2	1.FI	57.8	57.6	64.1	57.6	57.8	57.6	64.1	57.6	59.5	59.4	65.8	59.4	56.4	56.1	62.6	56.1	46.7	43.7	50.7	43.7	61.1	61	67.4	61	59.6	59.5	65.9	59.5	55.3	57.4	63.6	55.3
10	Bakers Drive-Thru	1.FI	56.7	56.5	63.0	56.5	56.7	56.5	63.0	56.5	58.5	58.3	64.8	58.3	55.3	55.0	61.5	55.0	45.9	42.6	49.7	42.6	60	59.9	66.4	59.9	58.6	58.4	64.9	58.4	53.5	54.5	60.8	53.5
11	Chipotle	1.FI	60.0	59.7	66.1	59.7	60.0	59.7	66.1	59.7	61.7	61.5	67.9	61.5	58.6	58.2	64.7	58.2	50.4	45.8	53.2	45.8	63.2	63.1	69.5	63.1	61.8	61.6	68	61.6	56.8	56.8	63.2	56.8
12	Commercial Retail Center	1.FI	53.2	53.0	59.5	53.0	53.2	53.0	59.5	53.0	54.9	54.8	61.3	54.8	51.7	51.5	58.0	51.5	41.8	39.1	46.0	39.1	56.5	56.4	62.9	56.4	55	54.9	61.4	54.9	50.8	51	57.4	50.8
13	Commercial Retail Center	1.FI	54.3	54.1	60.5	54.1	54.3	54.1	60.5	54.1	56.0	55.9	62.3	55.9	52.8	52.6	59.0	52.6	43.2	40.2	47.2	40.2	57.6	57.5	63.9	57.5	56.1	56	62.4	56	51.8	52.2	58.5	51.8
14	Commercial Retail Center	1.FI	54.8	54.6	61.1	54.6	54.8	54.6	61.1	54.6	56.5	56.4	62.8	56.4	53.4	53.1	59.6	53.1	43.8	40.7	47.7	40.7	58.1	58	64.4	58	56.6	56.5	62.9	56.5	52.2	52.4	58.8	52.2
15	Commercial Retail Center	1.FI	55.1	54.9	61.3	54.9	55.1	54.9	61.3	54.9	56.8	56.7	63.1	56.7	53.7	53.4	59.9	53.4	44.2	41.0	48.0	41.0	58.4	58.3	64.7	58.3	56.9	56.8	63.2	56.8	52.5	52.6	59	52.5
16	Commercial Retail Center	1.FI	54.1	54.0	60.4	54.0	54.1	54.0	60.4	54.0	55.9	55.8	62.2	55.8	52.7	52.5	58.9	52.5	42.6	40.1	47.0	40.1	57.5	57.4	63.8	57.4	56	55.9	62.3	55.9	51.7	52.3	58.7	51.7
17	Commercial Retail Center	1.FI	54.8	54.6	61.1	54.6	54.8	54.6	61.1	54.6	56.5	56.4	62.9	56.4	53.4	53.1	59.6	53.1	43.7	40.7	47.7	40.7	58.1	58	64.5	58	56.6	56.5	63	56.5	52.3	52.3	58.7	52.3
18	Commercial Retail Center	1.FI	54.7	54.5	60.9	54.5	54.7	54.5	60.9	54.5	56.4	56.3	62.7	56.3	53.2	53.0	59.4	53.0	43.9	40.6	47.6	40.6	57.9	57.9	64.3	57.9	56.5	56.4	62.8	56.4	52.1	52.1	58.5	52.1
19	Commercial Retail Center	1.FI	57.4	57.1	63.6	57.1	57.4	57.1	63.6	57.1	59.1	58.9	65.4	58.9	56.0	55.6	62.1	55.6	47.2	43.2	50.5	43.2	60.7	60.5	67	60.5	59.2	59	65.5	59	54.6	54.6	61	54.6
20	Commercial Retail Center	1.FI	52.5	52.4	58.8	52.4	52.5	52.4	58.8	52.4	54.3	54.2	60.6	54.2	51.1	50.9	57.3	50.9	40.8	38.5	45.3	38.5	55.8	55.8	62.2	55.8	54.4	54.3	60.7	54.3	50.2	50.3	56.7	50.2
21	Commercial Retail Center 1	1.FI	60.8	60.4	66.8	60.4	60.8	60.4	66.8	60.4	62.4	62.2	68.6	62.2	59.4	58.9	65.4	58.9	51.6	46.5	54.1	46.5	64	63.8	70.2	63.8	62.5	62.3	68.7	62.3	57.4	57.4	63.8	57.4
22	Holiday Inn Hotel 1	1.FI	57.7	57.5	63.9	57.5	57.7	57.5	63.9	57.5	59.4	59.3	65.7	59.3	56.2	56.0	62.4	56.0	46.9	43.6	50.6	43.6	60.9	60.9	67.3	60.9	59.5	59.4	65.8	59.4	55	57.8	63.9	55
23	Holiday Inn Hotel 2	1.FI	58.9	58.7	65.2	58.7	58.9	58.7	65.2	58.7	60.6	60.5	67.0	60.5	57.5	57.2	63.7	57.2	47.5	44.8	51.8	44.8	62.2	62.1	68.6	62.1	60.7	60.6	67.1	60.6	56.4	58.9	65	56.4
24	Holiday Inn Hotel 3	1.FI																																

58	Mobile Home	1.FI	53.5	53.4	59.8	53.4	53.5	53.4	59.8	53.4	55.3	55.2	61.6	55.2	52.0	51.9	58.3	51.9	41.6	39.5	46.3	39.5	56.8	56.8	63.2	56.8	55.4	55.3	61.7	55.3	51.4	51.4	57.8	51.4
59	Mobile Home	1.FI	54.2	54.1	60.5	54.1	54.2	54.1	60.5	54.1	55.9	55.9	62.3	55.9	52.7	52.6	59.0	52.6	42.2	40.2	46.9	40.2	57.5	57.5	63.9	57.5	56	56	62.4	56	52.1	52.1	58.5	52.1
60	Mobile Home	1.FI	54.1	54.0	60.5	54.0	54.1	54.0	60.5	54.0	55.9	55.8	62.3	55.8	52.7	52.5	59.0	52.5	42.1	40.1	46.9	40.1	57.5	57.4	63.9	57.4	56	55.9	62.4	55.9	52	52	58.4	52
61	Mobile Home	1.FI	54.1	54.0	60.5	54.0	54.1	54.0	60.5	54.0	55.9	55.8	62.3	55.8	52.7	52.5	59.0	52.5	42.2	40.1	46.9	40.1	57.5	57.4	63.9	57.4	56	55.9	62.4	55.9	52	52.1	58.5	52
62	Mobile Home	1.FI	54.4	54.3	60.7	54.3	54.4	54.3	60.7	54.3	56.1	56.1	62.5	56.1	52.9	52.8	59.2	52.8	42.3	40.4	47.1	40.4	57.7	57.7	64.1	57.7	56.2	56.2	62.6	56.2	52.3	52.3	58.7	52.3
63	Mobile Home	1.FI	54.3	54.2	60.7	54.2	54.3	54.2	60.7	54.2	56.1	56.0	62.4	56.0	52.9	52.7	59.2	52.7	42.2	40.3	47.1	40.3	57.7	57.6	64	57.6	56.2	56.1	62.5	56.1	52.3	52.3	58.7	52.3
64	Mobile Home	1.FI	54.3	54.2	60.6	54.2	54.3	54.2	60.6	54.2	56.1	56.0	62.4	56.0	52.9	52.7	59.2	52.7	42.2	40.3	47.1	40.3	57.7	57.6	64	57.6	56.2	56.1	62.5	56.1	52.3	52.3	58.7	52.3
65	Mobile Home	1.FI	54.3	54.2	60.7	54.2	54.3	54.2	60.7	54.2	56.1	56.0	62.5	56.0	52.9	52.7	59.2	52.7	42.3	40.3	47.1	40.3	57.7	57.6	64.1	57.6	56.2	56.1	62.6	56.1	52.3	52.3	58.7	52.3
66	Mobile Home	1.FI	54.2	54.1	60.6	54.1	54.2	54.1	60.6	54.1	56.0	55.9	62.4	55.9	52.8	52.6	59.1	52.6	42.2	40.2	47.0	40.2	57.6	57.5	64	57.5	56.1	56	62.5	56	52.1	52.2	58.6	52.1
67	Mobile Home	1.FI	54.3	54.2	60.6	54.2	54.3	54.2	60.6	54.2	56.1	56.0	62.4	56.0	52.8	52.7	59.1	52.7	42.3	40.3	47.0	40.3	57.6	57.6	64	57.6	56.2	56.1	62.5	56.1	52.2	52.2	58.6	52.2
68	Mobile Home	1.FI	54.3	54.2	60.7	54.2	54.3	54.2	60.7	54.2	56.1	56.0	62.4	56.0	52.9	52.7	59.2	52.7	42.3	40.3	47.1	40.3	57.7	57.6	64	57.6	56.2	56.1	62.5	56.1	52.2	52.3	58.7	52.2
69	Mobile Home	1.FI	54.3	54.2	60.6	54.2	54.3	54.2	60.6	54.2	56.1	56.0	62.4	56.0	52.8	52.7	59.1	52.7	42.1	40.3	47.0	40.3	57.7	57.6	64	57.6	56.2	56.1	62.5	56.1	52.3	52.3	58.7	52.3
70	Mobile Home	1.FI	54.2	54.1	60.5	54.1	54.2	54.1	60.5	54.1	55.9	55.9	62.3	55.9	52.7	52.6	59.0	52.6	41.9	40.2	46.9	40.2	57.5	57.5	63.9	57.5	56	56	62.4	56	52.1	52.2	58.6	52.1
71	Mobile Home	1.FI	54.1	54.0	60.5	54.0	54.1	54.0	60.5	54.0	55.9	55.8	62.3	55.8	52.7	52.5	59.0	52.5	41.9	40.1	46.8	40.1	57.5	57.4	63.9	57.4	56	55.9	62.4	55.9	52.1	52.1	58.5	52.1
72	Mobile Home	1.FI	54.1	54.0	60.4	54.0	54.1	54.0	60.4	54.0	55.9	55.8	62.2	55.8	52.6	52.5	58.9	52.5	41.8	40.1	46.8	40.1	57.4	57.4	63.8	57.4	56	55.9	62.3	55.9	52.1	52.1	58.5	52.1
73	Mobile Home	1.FI	54.2	54.1	60.6	54.1	54.2	54.1	60.6	54.1	56.0	55.9	62.4	55.9	52.8	52.6	59.1	52.6	42.0	40.2	46.9	40.2	57.6	57.5	64	57.5	56.1	56	62.5	56	52.2	52.2	58.6	52.2
74	Mobile Home	1.FI	54.3	54.2	60.6	54.2	54.3	54.2	60.6	54.2	56.0	56.0	62.4	56.0	52.8	52.7	59.1	52.7	42.1	40.3	47.0	40.3	57.6	57.6	64	57.6	56.1	56.1	62.5	56.1	52.2	52.3	58.7	52.2
75	Mobile Home	1.FI	54.2	54.2	60.6	54.2	54.2	54.2	60.6	54.2	56.0	56.0	62.4	56.0	52.8	52.7	59.1	52.7	42.0	40.3	47.0	40.3	57.6	57.6	64	57.6	56.1	56.1	62.5	56.1	52.2	52.2	58.6	52.2
76	Mobile Home	1.FI	54.3	54.2	60.6	54.2	54.3	54.2	60.6	54.2	56.0	56.0	62.4	56.0	52.8	52.7	59.1	52.7	42.1	40.3	47.0	40.3	57.6	57.6	64	57.6	56.1	56.1	62.5	56.1	52.2	52.2	58.7	52.2
77	Mobile Home	1.FI	53.9	53.8	60.3	53.8	53.9	53.8	60.3	53.8	55.7	55.6	62.1	55.6	52.5	52.3	58.8	52.3	42.0	39.9	46.7	39.9	57.3	57.2	63.7	57.2	55.8	55.7	62.2	55.7	51.8	51.8	58.2	51.8
78	Mobile Home	1.FI	53.2	53.1	59.5	53.1	53.2	53.1	59.5	53.1	55.0	54.9	61.3	54.9	51.8	51.6	58.0	51.6	41.3	39.2	46.0	39.2	56.6	56.5	62.9	56.5	55.1	55	61.4	55	51.2	51.3	57.7	51.2
79	Mobile Home	1.FI	51.9	51.8	58.2	51.8	51.9	51.8	58.2	51.8	53.6	53.6	60.0	53.6	50.4	50.3	56.7	50.3	39.8	37.9	44.6	37.9	55.2	55.2	61.6	55.2	53.7	53.7	60.1	53.7	50.8	50.8	57.2	50.8
80	Mobile Home	1.FI	50.5	50.3	56.8	50.3	50.5	50.3	56.8	50.3	52.2	52.1	58.6	52.1	49.0	48.8	55.3	48.8	38.6	36.4	43.2	36.4	53.8	53.7	60.2	53.7	52.3	52.2	58.7	52.2	48.3	48.3	54.7	48.3
81	Mobile Home	1.FI	53.5	53.4	59.8	53.4	53.5	53.4	59.8	53.4	55.3	55.2	61.6	55.2	52.0	51.9	58.3	51.9	41.6	39.5	46.3	39.5	56.8	56.8	63.2	56.8	55.4	55.3	61.7	55.3	51.3	51.3	57.7	51.3
82	Mobile Home	1.FI	53.7	53.6	60.0	53.6	53.7	53.6	60.0	53.6	55.4	55.4	61.8	55.4	52.2	52.1	58.5	52.1	41.8	39.7	46.5	39.7	57	57	63.4	57	55.5	55.5	61.9	55.5	51.5	51.5	57.9	51.5
83	Mobile Home	1.FI	53.6	53.5	59.9	53.5	53.6	53.5	59.9	53.5	55.4	55.3	61.7	55.3	52.2	52.0	58.5	52.0	41.7	39.6	46.4	39.6	57	56.9	63.3	56.9	55.5	55.4	61.8	55.4	51.4	51.5	57.9	51.4
84	Mobile Home	1.FI	53.6	53.4	59.9	53.4	53.6	53.4	59.9	53.4	55.3	55.2	61.7	55.2	52.1	51.9	58.4	51.9	41.6	39.5	46.3	39.5	56.9	56.8	63.3	56.8	55.4	55.3	61.8	55.3	51.4	51.4	57.8	51.4
85	Mobile Home	1.FI	53.8	53.7	60.2	53.7	53.8	53.7	60.2	53.7	55.6	55.5	62.0	55.5	52.3	52.2	58.7	52.2	41.4	39.8	46.5	39.8	57.2	57.1	63.6	57.1	55.7	55.6	62.1	55.6	51.8	51.8	58.2	51.8
86	Mobile Home	1.FI	53.7	53.7	60.1	53.7	53.7	53.7	60.1	53.7	55.5	55.5	61.9	55.5	52.3	52.2	58.6	52.2	41.4	39.8	46.4	39.8	57.1	57.1	63.5	57.1	55.6	55.6	62	55.6	51.7	51.7	58.1	51.7
87	Mobile Home	1.FI	51.9	51.8	58.2	51.8	51.9	51.8	58.2	51.8	53.6	53.6	60.0	53.6	50.4	50.3	56.7	50.3	39.5	37.9	44.6	37.9	55.2	55.2	61.6	55.2	53.7	53.7	60.1	53.7	49.5	49.5	55.9	49.5
88	Mobile Home	1.FI	53.7	53.7	60.1	53.7	53.7	53.7	60.1	53.7	55.5	55.5	61.9	55.5	52.3	52.2	58.6	52.2	41.4	39.8	46.5	39.8	57.1	57.1	63.5	57.1	55.6	55.6	62	55.6	51.7	51.7	58.1	51.7
89	Mobile Home	1.FI	49.4	49.3	55.7	49.3	49.4	49.3	55.7	49.3	51.2	51.1	57.5	51.1	48.0	47.8	54.2	47.8	37.9	35.4	42.3	35.4	52.8	52.7	59.1	52.7	51.3	51.2	57.6	51.2	46.9	46.9	53.3	46.9
90	Mobile Home	1.FI	53.4	53.3	59.8	53.3	53.4	53.3	59.8	53.3	55.2	55.1	61.6	55.1	51.9	51.8	58.3	51.8	41.0	39.4	46.1	39.4	56.8	56.7	63.2	56.7	55.3	55.2	61.7	55.2	51.4	51.4	57.8	51.4
91	Mobile Home	1.FI	53.6	53.5	59.9	53.5	53.6	53.5	59.9	53.5	55.4	55.3	61.7	55.3	52.1	52.0	58.4	52.0	41.3	39.6	46.3	39.6	57	56.9	63.3	56.9	55.5	55.4	61.8	55.4	51.6	51.6	58	51.6
92	Mobile Home	1.FI	53.8	53.7	60.1	53.7	53.8	53.7	60.1	53.7	55.6	55.5	61.9	55.5	52.3	52.2	58.6	52.2	41.8	39.8	46.5	39.8	57.1	57.1	63.5	57.1	55.7	55.6	62	55.6	51.7	51.7	58.1	51.7
93	Mobile Home	1.FI	53.3	53.2	59.6	53.2	53.3	53.2	59.6	53.2	55.0	55.0	61.4	55.0	51.8	51.7	58.1	51.7	41.2	39.3	46.0	39.3	56.6	56.6	63	56.6	55.1	55.1	61.5	55.1	51.1	51.2	57.6	51.1
94	Mobile Home	1.FI	52.6	52.5	59.0	52.5	52.6	52.5	59.0	52.5	54.4	54.3	60.7	54.3	51.1	51.0	57.5	51.0	40.2	38.6	45.3	38.6	56	55.9	62.3	55.9	54.5	54.4	60.8	54.4	50.6	50.6	57	50.6
95	Mobile Home	1.FI	51.8	51.8	58.2	51.8	51.8	51.8	58.2	51.8	53.6	53.6	60.0	53.6	50.4	50.3	56.7	50.3	39.3	37.9	44.5	37.9	55.2	55.2	61.6	55.2	53.7	53.7	60.1	53.7	50	50	56.4	50
96	Mobile Home	1.FI	53.7	53.6	60.1	53.6	53.7	53.6	60.1	53.6	55.5	55.4	61.9	55.4	52.3	52.1	58.6	52.1	41.8	39.7	46.5	39.7	57.1	57	63.5	57	55.6	55.5	62	55.5	51.6	51.6	58	51.6
97	Mobile Home	1.FI	53.9	53.8	60.2	53.8	53.9	53.8	60.2	53.8	55.6	55.6	62.0	55.6	52.4	52.3	58.7	52.3	42.0	39.9	46.7	39.9	57.2											

140	Single Family Residence 4	1.FI	50.7	50.6	57.0	50.6	50.7	50.6	57.0	50.6	52.4	52.4	58.8	52.4	49.2	49.1	55.5	49.1	38.4	36.7	43.4	36.7	54	54	60.4	54	52.5	52.5	58.9	52.5	48.6	48.6	55	48.6
141	Single Family Residence 4	1.FI	50.5	50.4	56.8	50.4	50.5	50.4	56.8	50.4	52.3	52.2	58.6	52.2	49.0	48.9	55.3	48.9	38.2	36.5	43.2	36.5	53.8	53.8	60.2	53.8	52.4	52.3	58.7	52.3	48.4	48.4	54.8	48.4
142	Single Family Residence 4	1.FI	50.0	49.9	56.3	49.9	50.0	49.9	56.3	49.9	51.8	51.7	58.1	51.7	48.5	48.4	54.8	48.4	37.7	36.0	42.7	36.0	53.3	53.3	59.7	53.3	51.9	51.8	58.2	51.8	47.9	47.9	54.3	47.9
Max Noise Levels			Site Preparation				Grading				Building Construction				Paving				Arch Coating				Building Construction + Paving				Building Construction + Arch Coating				Nighttime Construction			
Single-Family (Residential)			52.4	52.4	58.8	52.4	52.4	52.4	58.8	52.4	54.2	54.2	60.6	54.2	51.0	50.9	57.3	50.9	40.2	38.5	45.2	38.5	55.8	55.8	62.2	55.8	54.3	54.3	60.7	54.3	50.4	50.4	56.8	50.4
Mobile Home (Residential)			54.4	54.3	60.7	54.3	54.4	54.3	60.7	54.3	56.1	56.1	62.5	56.1	52.9	52.8	59.2	52.8	42.3	40.4	47.1	40.4	57.7	57.7	64.1	57.7	56.2	56.2	62.6	56.2	52.3	52.3	58.7	52.3
Hotel (Commercial)			58.9	58.7	65.2	58.7	58.9	58.7	65.2	58.7	60.6	60.5	67.0	60.5	57.5	57.2	63.7	57.2	47.5	44.8	51.8	44.8	62.2	62.1	68.6	62.1	60.7	60.6	67.1	60.6	56.4	58.9	65.0	56.4
Commercial-Retail			60.8	60.4	66.8	60.4	60.8	60.4	66.8	60.4	62.4	62.2	68.6	62.2	59.4	58.9	65.4	58.9	51.6	46.5	54.1	46.5	64.0	63.8	70.2	63.8	62.5	62.3	68.7	62.3				

No.	Receiver name	Floor	Big Box Retail Building Construction + Fuel Station and Car Wash Site Preparation				Big Box Retail Grading+ Fuel Station and Car Wash Building Construction + Fuel Station and Car Wash Arch Coating				Big Box RetailGrading + Fuel Station and Car Wash Paving + Fuel Station and Car Wash Arch Coating			
			Level w/o NP				Level w/o NP				Level w/o NP			
			Day dB(A)	Night	Ldn	Lmax	Day dB(A)	Night	Ldn	Lmax	Day dB(A)	Night	Ldn	Lmax
1	7-11 1	1.Fl	68.4	68.3	74.8	67.7	69.9	69.9	76.3	69.6	67.2	67.1	73.6	66.5
2	7-11 2	1.Fl	64.9	64.8	71.2	64.1	66.4	66.4	72.8	66	63.7	63.6	70	62.9
3		1.Fl	58.4	58.4	64.8	58.2	60.2	60.2	66.6	60.1	57.2	57.2	63.6	57
4	76 Gas 1	1.Fl	56.9	56.8	63.3	54.5	57.2	57.2	63.6	54.9	55.7	55.6	62.1	53.3
5	76 Gas 2	1.Fl	56.5	56.5	62.9	54	56.9	56.9	63.3	54.7	55.3	55.3	61.7	52.8
6	76 Gas 3	1.Fl	58.3	58.3	64.7	56.1	59.2	59.2	65.6	58	57.1	57.1	63.5	54.9
7	76 and Wigos Pizza 1	1.Fl	56.9	56.8	63.2	54.1	57.4	57.4	63.8	55.4	55.7	55.6	62	52.9
7	76 and Wigos Pizza 1	2.Fl	58.4	58.4	64.8	55.8	59.2	59.2	65.6	57.7	57.2	57.2	63.6	54.6
8	Bakers Drive-thru 1	1.Fl	70.6	70.6	77	70.3	72.3	72.3	78.7	72.2	69.4	69.4	75.8	69.1
9	Bakers Drive-thru 2	1.Fl	69.6	69.6	76	69.1	71.3	71.3	77.7	71	68.4	68.4	74.8	67.9
10	Bakers Drive-Thru	1.Fl	67.9	67.9	74.3	67.4	69.6	69.6	76	69.3	66.8	66.7	73.1	66.2
11	Chipotle	1.Fl	64.1	64	70.4	61.5	64.5	64.4	70.9	62.3	63	62.8	69.2	60.3
12	Commercial Retail Center	1.Fl	60.4	60.3	66.7	58.9	61.6	61.6	68	60.8	59.2	59.1	65.5	57.7
13	Commercial Retail Center	1.Fl	62.2	62.1	68.5	60.9	63.5	63.5	69.9	62.8	61	60.9	67.3	59.7
14	Commercial Retail Center	1.Fl	62.6	62.6	69	61.4	63.9	63.9	70.3	63.3	61.4	61.4	67.8	60.2
15	Commercial Retail Center	1.Fl	62.5	62.4	68.8	61.1	63.7	63.7	70.1	63	61.3	61.2	67.6	59.9
16	Commercial Retail Center	1.Fl	62.2	62.2	68.6	61	63.5	63.5	69.9	62.9	61	61	67.4	59.8
17	Commercial Retail Center	1.Fl	59.1	59	65.4	56.4	59.5	59.5	65.9	57.4	57.9	57.8	64.2	55.2
18	Commercial Retail Center	1.Fl	59.3	59.2	65.6	56.2	59.9	59.8	66.2	58.1	58.1	58	64.4	55
19	Commercial Retail Center	1.Fl	61.9	61.9	68.3	58.9	62.5	62.5	68.9	60.7	60.8	60.7	67.1	57.7
20	Commercial Retail Center	1.Fl	59	59	65.4	57.2	60.1	60.1	66.5	59.1	57.8	57.8	64.2	56
21	Commercial Retail Center 1	1.Fl	64.6	64.4	70.9	62.2	64.9	64.8	71.2	62.4	63.4	63.2	69.7	61
22	Holiday Inn Hotel 1	1.Fl	70.8	70.8	77.2	70.5	72.5	72.5	78.9	72.4	69.6	69.6	76	69.3
23	Holiday Inn Hotel 2	1.Fl	71.3	71.3	77.7	70.9	73	73	79.4	72.8	70.1	70.1	76.5	69.7
24	Holiday Inn Hotel 3	1.Fl	68.8	68.8	75.2	68.2	70.4	70.4	76.8	70.1	67.6	67.6	74	67
25	Hotel (Holiday Inn Key Point Ave)	1.Fl	50.5	50.4	56.8	50	52.1	52.1	58.5	51.9	49.3	49.2	55.6	48.8
25	Hotel (Holiday Inn Key Point Ave)	2.Fl	50.7	50.7	57.1	50.3	52.4	52.4	58.8	52.2	49.6	49.5	55.9	49.1
25	Hotel (Holiday Inn Key Point Ave)	3.Fl	52.5	52.5	58.9	51.9	54.2	54.1	60.5	53.8	51.4	51.3	57.7	50.7
26	Hotel (Holiday Inn Key Point Ave)	1.Fl	66.3	66.3	72.7	65.7	67.9	67.9	74.3	67.6	65.2	65.1	71.5	64.5
26	Hotel (Holiday Inn Key Point Ave)	2.Fl	66.8	66.8	73.2	66.3	68.5	68.5	74.9	68.2	65.6	65.6	72	65.1
26	Hotel (Holiday Inn Key Point Ave)	3.Fl	67.4	67.3	73.7	66.8	69	69	75.4	68.7	66.2	66.1	72.5	65.6
27	Hotel (Holiday Inn Key Point Ave)	1.Fl	67.3	67.3	73.7	66.8	69	69	75.4	68.7	66.2	66.1	72.5	65.6
27	Hotel (Holiday Inn Key Point Ave)	2.Fl	67.9	67.9	74.3	67.5	69.6	69.6	76	69.4	66.7	66.7	73.1	66.3
27	Hotel (Holiday Inn Key Point Ave)	3.Fl	68.5	68.5	74.9	68.1	70.2	70.2	76.6	70	67.4	67.3	73.7	66.9
28	Hotel (Holiday Inn Key Point Ave)	1.Fl	67.8	67.8	74.2	67.3	69.5	69.5	75.9	69.2	66.6	66.6	73	66.1
28	Hotel (Holiday Inn Key Point Ave)	2.Fl	68.5	68.4	74.9	68	70.1	70.1	76.5	69.9	67.3	67.2	73.7	66.8
28	Hotel (Holiday Inn Key Point Ave)	3.Fl	69.1	69.1	75.5	68.7	70.8	70.8	77.2	70.6	67.9	67.9	74.3	67.5
29	Hotel (Holiday Inn Key Point Ave)	1.Fl	65.1	65.1	71.5	64	66.5	66.5	72.9	65.9	63.9	63.9	70.3	62.8
29	Hotel (Holiday Inn Key Point Ave)	2.Fl	65.6	65.6	72	64.6	67	67	73.4	66.5	64.4	64.4	70.8	63.4
29	Hotel (Holiday Inn Key Point Ave)	3.Fl	66.1	66	72.4	65.2	67.5	67.5	73.9	67.1	64.9	64.8	71.2	64
30	Hotel (Motel 6 Cataba Road)	1.Fl	43.2	43.1	49.5	41.8	44.4	44.4	50.8	43.7	42	41.9	48.3	40.6
30	Hotel (Motel 6 Cataba Road)	2.Fl	43.9	43.9	50.3	42.8	45.3	45.2	51.6	44.7	42.7	42.7	49.1	41.6
30	Hotel (Motel 6 Cataba Road)	3.Fl	47.2	47.1	53.5	45.9	48.5	48.5	54.9	47.8	46	45.9	52.3	44.7
31	Hotel (Motel 6 Cataba Road)	1.Fl	58	58	64.4	55.5	58.4	58.4	64.8	56.3	56.8	56.8	63.2	54.3

31	Hotel (Motel 6 Cataba Road)	2.Fl	59.2	59.2	65.6	56.3	59.9	59.8	66.3	58.2	58	58	64.4	55.1
31	Hotel (Motel 6 Cataba Road)	3.Fl	60.3	60.3	66.7	58.1	61.2	61.2	67.6	60	59.1	59.1	65.5	56.9
32	Hotel (Motel 6 Cataba Road)	1.Fl	59.6	59.6	66	57	60.4	60.4	66.8	58.9	58.4	58.4	64.8	55.8
32	Hotel (Motel 6 Cataba Road)	2.Fl	60.2	60.2	66.6	58	61.2	61.1	67.5	59.9	59	59	65.4	56.8
32	Hotel (Motel 6 Cataba Road)	3.Fl	60.9	60.8	67.2	59	61.9	61.9	68.3	60.9	59.7	59.6	66	57.8
33	Hotel (Motel 6 Cataba Road)	1.Fl	61.1	61	67.5	59.2	62.1	62.1	68.5	61.1	59.9	59.8	66.3	58
33	Hotel (Motel 6 Cataba Road)	2.Fl	61.4	61.3	67.7	59.6	62.5	62.4	68.9	61.5	60.2	60.1	66.5	58.4
33	Hotel (Motel 6 Cataba Road)	3.Fl	61.7	61.6	68.1	60	62.8	62.8	69.2	61.9	60.5	60.4	66.9	58.8
34	Hotel (Motel 6 Cataba Road)	1.Fl	60.2	60.1	66.5	57.8	61	61	67.4	59.7	59	58.9	65.3	56.6
34	Hotel (Motel 6 Cataba Road)	2.Fl	60.3	60.3	66.7	58	61.2	61.1	67.6	59.9	59.1	59.1	65.5	56.8
34	Hotel (Motel 6 Cataba Road)	3.Fl	60.5	60.5	66.9	58.2	61.4	61.4	67.8	60.1	59.3	59.3	65.7	57
35	Hotel (Motel 6 Cataba Road) 1	1.Fl	64.6	64.6	71	63.3	65.9	65.9	72.3	65.2	63.4	63.4	69.8	62.1
36	Hotel (Motel 6 Cataba Road) 15	1.Fl	61	61	67.4	58.2	61.7	61.7	68.1	60.1	59.8	59.8	66.2	57
37	Hotel (Motel 6 Cataba Road) 16	1.Fl	55.9	55.8	62.2	53.5	56.2	56.2	62.6	53.9	54.7	54.6	61.1	52.3
38	In N Out	1.Fl	61.6	61.5	67.9	58.8	62.1	62	68.4	60.1	60.4	60.3	66.7	57.6
39	Los Amores	1.Fl	52.5	52.4	58.9	50.3	53.4	53.4	59.8	52.2	51.3	51.2	57.7	49.1
40	Los Amores 2	1.Fl	60.6	60.6	67	59.5	62	62	68.4	61.4	59.5	59.4	65.8	58.3
41	Los Amores de Julia	1.Fl	56.3	56.2	62.7	54.4	57.3	57.3	63.7	56.3	55.1	55	61.5	53.2
42	Matress Firm	1.Fl	52.9	52.9	59.3	50.7	53.2	53.2	59.6	50.8	51.7	51.7	58.1	49.5
43	Matress Firm 1	1.Fl	57	57	63.4	54.1	57.7	57.7	64.1	56	55.9	55.8	62.2	52.9
44	Matress Firm	1.Fl	56.6	56.6	63	53.7	57.3	57.3	63.7	55.6	55.5	55.4	61.8	52.5
45	MGA Entertainment	1.Fl	56	55.9	62.3	54.8	55.6	55.6	62	53.6	54.8	54.7	61.1	53.6
46	MGA Entertainment	1.Fl	61.2	61.1	67.5	60.2	60.8	60.7	67.1	59	60	59.9	66.3	59
47	MGA Entertainment	1.Fl	59.9	59.9	66.3	59	59.5	59.4	65.9	57.8	58.8	58.7	65.1	57.8
48	Mobile Home	1.Fl	58.9	58.9	65.3	56.4	59.7	59.7	66.1	58.3	57.7	57.7	64.1	55.2
49	Mobile Home	1.Fl	58	58	64.4	55.7	58.4	58.4	64.8	56	56.9	56.8	63.2	54.5
50	Mobile Home	1.Fl	57.7	57.6	64.1	55.5	57.9	57.9	64.3	55.4	56.5	56.4	62.9	54.3
51	Mobile Home	1.Fl	59.5	59.5	65.9	56.9	60.3	60.3	66.7	58.8	58.3	58.3	64.7	55.7
52	Mobile Home	1.Fl	58.1	58.1	64.5	55.8	58.5	58.4	64.9	56.1	56.9	56.9	63.3	54.6
53	Mobile Home	1.Fl	59.5	59.5	65.9	57	60.3	60.3	66.7	58.9	58.3	58.3	64.7	55.8
54	Mobile Home	1.Fl	59.6	59.6	66	57.3	60.5	60.5	66.9	59.2	58.4	58.4	64.8	56.1
55	Mobile Home	1.Fl	59.7	59.6	66.1	57.3	60.5	60.5	66.9	59.2	58.5	58.4	64.9	56.1
56	Mobile Home	1.Fl	59.7	59.6	66	57.4	60.5	60.5	66.9	59.3	58.5	58.4	64.8	56.2
57	Mobile Home	1.Fl	59.7	59.7	66.1	57.4	60.6	60.6	67	59.3	58.5	58.5	64.9	56.2
58	Mobile Home	1.Fl	58.9	58.9	65.3	56.5	59.8	59.8	66.2	58.4	57.8	57.7	64.1	55.3
59	Mobile Home	1.Fl	59.6	59.5	65.9	57.1	60.4	60.3	66.8	59	58.4	58.3	64.7	55.9
60	Mobile Home	1.Fl	59.6	59.5	65.9	57.1	60.4	60.4	66.8	59	58.4	58.3	64.7	55.9
61	Mobile Home	1.Fl	59.6	59.6	66	57.2	60.5	60.4	66.8	59.1	58.4	58.4	64.8	56
62	Mobile Home	1.Fl	59.2	59.2	65.6	56.3	59.9	59.8	66.3	58.2	58	58	64.4	55.1
63	Mobile Home	1.Fl	59.1	59	65.4	56	59.7	59.6	66.1	57.9	57.9	57.8	64.2	54.8
64	Mobile Home	1.Fl	58.9	58.9	65.3	56	59.5	59.5	65.9	57.6	57.7	57.7	64.1	54.8
65	Mobile Home	1.Fl	59.3	59.3	65.7	56.4	60	60	66.4	58.3	58.1	58.1	64.5	55.2
66	Mobile Home	1.Fl	59.4	59.4	65.8	56.8	60.2	60.1	66.6	58.7	58.2	58.2	64.6	55.6
67	Mobile Home	1.Fl	59.4	59.4	65.8	56.7	60.1	60.1	66.5	58.6	58.2	58.2	64.6	55.5
68	Mobile Home	1.Fl	59.4	59.3	65.7	56.6	60.1	60	66.4	58.5	58.2	58.1	64.5	55.4
69	Mobile Home	1.Fl	58.8	58.8	65.2	56	59.3	59.3	65.7	57.4	57.6	57.6	64	54.8
70	Mobile Home	1.Fl	58.4	58.3	64.8	55.9	58.8	58.8	65.2	56.6	57.2	57.1	63.6	54.7
71	Mobile Home	1.Fl	58.3	58.3	64.7	55.9	58.7	58.7	65.1	56.4	57.1	57.1	63.5	54.7
72	Mobile Home	1.Fl	58.2	58.2	64.6	55.8	58.6	58.5	65	56.3	57	57	63.4	54.6
73	Mobile Home	1.Fl	58.5	58.4	64.9	56	58.9	58.9	65.3	56.8	57.3	57.2	63.7	54.8

74	Mobile Home	1.Fl	58.7	58.7	65.1	56	59.2	59.2	65.6	57.2	57.5	57.5	63.9	54.8
75	Mobile Home	1.Fl	58.6	58.6	65	56	59.1	59	65.5	57	57.4	57.4	63.8	54.8
76	Mobile Home	1.Fl	58.6	58.5	64.9	56	59	59	65.4	56.9	57.4	57.3	63.7	54.8
77	Mobile Home	1.Fl	59.7	59.7	66.1	57.5	60.6	60.6	67	59.4	58.5	58.5	64.9	56.3
78	Mobile Home	1.Fl	56.3	56.3	62.7	54.9	56.2	56.2	62.6	53.7	55.2	55.1	61.5	53.7
79	Mobile Home	1.Fl	54.9	54.8	61.3	53.6	54.7	54.7	61.1	52.4	53.7	53.6	60.1	52.4
80	Mobile Home	1.Fl	53.8	53.7	60.1	52.2	53.8	53.7	60.1	51	52.6	52.5	58.9	51
81	Mobile Home	1.Fl	57.8	57.8	64.2	55.2	58.3	58.2	64.6	56.2	56.6	56.6	63	54
82	Mobile Home	1.Fl	59.5	59.4	65.8	57.3	60.4	60.4	66.8	59.2	58.3	58.2	64.6	56.1
83	Mobile Home	1.Fl	59.4	59.4	65.8	57.2	60.3	60.3	66.7	59.1	58.2	58.2	64.6	56
84	Mobile Home	1.Fl	58.9	58.9	65.3	56.4	59.7	59.7	66.1	58.3	57.7	57.7	64.1	55.2
85	Mobile Home	1.Fl	58.4	58.4	64.8	55.5	59	59	65.4	57.2	57.3	57.2	63.6	54.3
86	Mobile Home	1.Fl	58.7	58.7	65.1	55.8	59.4	59.3	65.7	57.7	57.5	57.5	63.9	54.6
87	Mobile Home	1.Fl	56.5	56.4	62.8	53.6	57	57	63.4	55.1	55.3	55.2	61.6	52.4
88	Mobile Home	1.Fl	58.1	58.1	64.5	55.5	58.6	58.6	65	56.6	57	56.9	63.3	54.3
89	Mobile Home	1.Fl	53	52.9	59.4	51.1	53.1	53.1	59.5	50.2	51.8	51.7	58.2	49.9
90	Mobile Home	1.Fl	57.4	57.4	63.8	55.2	57.8	57.7	64.1	55.4	56.2	56.2	62.6	54
91	Mobile Home	1.Fl	57.8	57.8	64.2	55.3	58.2	58.2	64.6	56	56.6	56.6	63	54.1
92	Mobile Home	1.Fl	58.9	58.9	65.3	56.2	59.7	59.6	66	58.1	57.7	57.7	64.1	55
93	Mobile Home	1.Fl	58.7	58.7	65.1	56.3	59.6	59.5	66	58.2	57.5	57.5	63.9	55.1
94	Mobile Home	1.Fl	56.7	56.6	63	54.3	57	57	63.4	54.6	55.5	55.4	61.8	53.1
95	Mobile Home	1.Fl	56.2	56.1	62.5	53.6	56.6	56.6	63	54.5	55	54.9	61.3	52.4
96	Mobile Home	1.Fl	59.5	59.5	65.9	57.3	60.5	60.4	66.8	59.2	58.3	58.3	64.7	56.1
97	Mobile Home	1.Fl	59.7	59.7	66.1	57.5	60.6	60.6	67	59.4	58.5	58.5	64.9	56.3
98	Mobile Home	1.Fl	59.6	59.6	66	57.5	60.6	60.6	67	59.4	58.5	58.4	64.8	56.3
99	Mobile Home 1	1.Fl	58.6	58.6	65	55.6	59.2	59.2	65.6	57.5	57.4	57.4	63.8	54.4
100	Mobile Home 1	1.Fl	56.8	56.8	63.2	54.4	57.2	57.1	63.5	54.8	55.6	55.6	62	53.2
101	Mobile Home 1	1.Fl	56.7	56.7	63.1	53.9	57.4	57.4	63.8	55.8	55.5	55.5	61.9	52.7
102	Mobile Home 76	1.Fl	58.4	58.4	64.8	55.6	58.9	58.9	65.3	57	57.2	57.2	63.6	54.4
103	Mobile Home 77	1.Fl	58	58	64.4	55.5	58.5	58.5	64.9	56.4	56.9	56.8	63.2	54.3
104	Mobile Home 78	1.Fl	57.7	57.7	64.1	55.4	58.1	58.1	64.5	55.8	56.6	56.5	62.9	54.2
105	Mobile Home 83	1.Fl	57	57	63.4	54.6	57.4	57.4	63.8	55.2	55.8	55.8	62.2	53.4
106	Mobile Home 84	1.Fl	57.4	57.4	63.8	54.7	57.9	57.9	64.3	55.9	56.2	56.2	62.6	53.5
107	Mobile Home 85	1.Fl	57.7	57.6	64.1	54.8	58.2	58.2	64.6	56.4	56.5	56.4	62.9	53.6
108	Mobile Home 86	1.Fl	57.9	57.9	64.3	54.9	58.5	58.5	64.9	56.8	56.7	56.7	63.1	53.7
109	Mobile Home 126	1.Fl	57.1	57	63.5	54.4	57.8	57.8	64.2	56.3	55.9	55.8	62.3	53.2
110	Mobile Home 127	1.Fl	57.2	57.2	63.6	54.5	58	57.9	64.4	56.4	56.1	56	62.4	53.3
111	Mobile Home 128	1.Fl	57.2	57.2	63.6	54.4	57.9	57.9	64.3	56.3	56	56	62.4	53.2
112	Mobile Home 129	1.Fl	57.3	57.3	63.7	54.3	57.9	57.9	64.3	56.2	56.1	56.1	62.5	53.1
113	Single Family Residence 1	1.Fl	55.9	55.9	62.3	53.2	56.5	56.4	62.8	54.5	54.7	54.7	61.1	52
114	Single Family Residence 2	1.Fl	54.8	54.7	61.2	52.1	55.2	55.2	61.6	53.2	53.6	53.5	60	50.9
115	Single Family Residence 2	1.Fl	56.2	56.2	62.6	53.3	56.8	56.7	63.2	54.9	55	55	61.4	52.1
116	Single Family Residence 2	1.Fl	56.2	56.2	62.6	53.2	56.8	56.8	63.2	55	55	55	61.4	52
117	Single Family Residence 2	1.Fl	54.9	54.9	61.3	52.5	55.3	55.3	61.7	53.1	53.8	53.7	60.1	51.3
118	Single Family Residence 2	1.Fl	55.8	55.8	62.2	53	56.5	56.5	62.9	54.9	54.6	54.6	61	51.8
119	Single Family Residence 2	1.Fl	55.4	55.4	61.8	52.5	56	56	62.4	54.2	54.2	54.2	60.6	51.3
120	Single Family Residence 2	1.Fl	55.1	55.1	61.5	52.2	55.6	55.6	62	53.8	53.9	53.9	60.3	51
121	Single Family Residence 2	1.Fl	55.2	55.1	61.6	52.4	55.7	55.7	62.1	53.7	54	53.9	60.4	51.2
122	Single Family Residence 2	1.Fl	55.8	55.8	62.2	52.9	56.5	56.4	62.9	54.8	54.6	54.6	61	51.7
123	Single Family Residence 2	1.Fl	55.8	55.8	62.2	52.8	56.4	56.4	62.8	54.7	54.6	54.6	61	51.6

124	Single Family Residence 2	1.Fl	55.7	55.7	62.1	52.8	56.3	56.3	62.7	54.5	54.5	54.5	60.9	51.6
125	Single Family Residence 2	1.Fl	56.6	56.6	63	53.6	57.3	57.2	63.6	55.5	55.4	55.4	61.8	52.4
126	Single Family Residence 2	1.Fl	56.8	56.8	63.2	54	57.5	57.5	63.9	55.9	55.6	55.6	62	52.8
127	Single Family Residence 2	1.Fl	56.7	56.7	63.1	54	57.4	57.4	63.8	55.9	55.5	55.5	61.9	52.8
128	Single Family Residence 2	1.Fl	56.3	56.3	62.7	53.5	57	57	63.4	55.4	55.1	55.1	61.5	52.3
129	Single Family Residence 2	1.Fl	56.8	56.7	63.2	54.1	57.3	57.2	63.6	55.2	55.6	55.5	62	52.9
130	Single Family Residence 2	1.Fl	57.2	57.2	63.6	54.2	57.9	57.8	64.3	56.1	56	56	62.4	53
131	Single Family Residence 2	1.Fl	56.1	56.1	62.5	53.8	56.5	56.4	62.9	54.1	54.9	54.9	61.3	52.6
132	Single Family Residence 2	1.Fl	56.4	56.4	62.8	54	56.8	56.8	63.2	54.6	55.2	55.2	61.6	52.8
133	Single Family Residence 2	1.Fl	56.4	56.3	62.8	53.3	57	57	63.4	55.2	55.2	55.1	61.6	52.1
134	Single Family Residence 2	1.Fl	57.1	57	63.5	54.2	57.6	57.6	64	55.8	55.9	55.8	62.3	53
135	Single Family Residence 3	1.Fl	56.1	56.1	62.5	53.2	56.7	56.7	63.1	55.1	54.9	54.9	61.3	52
136	Single Family Residence 4	1.Fl	54.5	54.4	60.9	51.5	55.1	55.1	61.5	53.4	53.3	53.2	59.7	50.3
137	Single Family Residence 4	1.Fl	54.3	54.3	60.7	51.4	55	55	61.4	53.3	53.1	53.1	59.5	50.2
138	Single Family Residence 4	1.Fl	55.7	55.7	62.1	52.7	56.3	56.2	62.7	54.5	54.5	54.5	60.9	51.5
139	Single Family Residence 4	1.Fl	55	55	61.4	52.1	55.7	55.6	62.1	54	53.8	53.8	60.2	50.9
140	Single Family Residence 4	1.Fl	55.5	55.5	61.9	52.6	56.2	56.2	62.6	54.5	54.4	54.3	60.7	51.4
141	Single Family Residence 4	1.Fl	55.3	55.2	61.7	52.2	55.9	55.9	62.3	54.1	54.1	54	60.5	51
142	Single Family Residence 4	1.Fl	54.9	54.9	61.3	52	55.6	55.6	62	53.9	53.7	53.7	60.1	50.8
			Max Noise Levels				Site Preparation				Grading			
			Single-Family (Residential)				57.2 57.2 63.6 54.2				57.9 57.8 64.3 56.1			
			Mobile Home (Residential)				59.7 59.7 66.1 57.5				60.6 60.6 67.0 59.4			
			Hotel (Commercial)				71.3 71.3 77.7 70.9				73.0 73.0 79.4 72.8			
			Commercial-Retail				70.6 70.6 77.0 70.3				72.3 72.3 78.7 72.2			
											Building Construction			

			Phase 1 Operations + Phase 2 Building Construction				Phase 1 Operations + Phase 2 Grading				Phase 1 Operations + Phase 2 Paving				Phase 1 Operations + Phase 2 Paving + Phase 2 Architectural Coating				MITIGATED Phase 1 Operations + Phase 2 Building Construction			
No.	Receiver name	Floor	Level w/o NP				Level w/o NP				Level w/o NP				Level w/o NP				Level w/o NP			
			Day dB(A)	Night	Ldn	Lmax	Day dB(A)	Night	Ldn	Lmax	Day dB(A)	Night	Ldn	Lmax	Day dB(A)	Night	Ldn	Lmax	Day dB(A)	Night	Ldn	Lmax
1	7-11 1	1.Fl	60	59.9	66.3	59.8	58	57.8	64.3	57.7	56.9	56.7	63.1	56.5	57.1	57	63.4	56.8	51.3	50.6	57.1	49.8
2	7-11 2	1.Fl	57.1	57	63.4	56.9	55.1	54.9	61.4	54.8	54	53.8	60.2	53.6	54.3	54.1	60.5	53.9	48.6	47.6	54.2	46.9
3		1.Fl	45.5	45.2	51.6	44.9	43.8	43.2	49.7	42.8	42.8	42.2	48.7	41.6	43.1	42.4	48.9	41.9	39	37.1	43.8	34.9
4	76 Gas 1	1.Fl	54.6	54.6	61	54.5	52.6	52.5	58.9	52.4	51.4	51.3	57.7	51.2	51.7	51.6	58	51.5	45.3	44.7	51.2	44.5
5	76 Gas 2	1.Fl	54.1	54	60.5	54	52.1	52	58.4	51.9	50.9	50.8	57.2	50.7	51.2	51.1	57.5	51	44.8	44.2	50.7	44
6	76 Gas 3	1.Fl	54.2	54.1	60.5	54.1	52.1	52	58.5	52	51	50.9	57.3	50.8	51.3	51.1	57.6	51.1	44.9	44.4	50.8	44.1
7	76 and Wigos Pizza 1	1.Fl	54.2	54.1	60.5	54.1	52.1	52	58.4	52	50.9	50.8	57.2	50.8	51.2	51.1	57.5	51.1	44.8	44.2	50.7	44.1
7	76 and Wigos Pizza 1	2.Fl	54.9	54.8	61.3	54.8	52.9	52.8	59.2	52.7	51.7	51.6	58	51.5	52	51.9	58.3	51.8	45.6	45.1	51.5	44.8
8	Bakers Drive-thru 1	1.Fl	58.7	58.6	65	58.4	56.8	56.6	63	56.3	55.7	55.4	61.9	55.1	56	55.7	62.2	55.4	50.8	49.7	56.3	48.4
9	Bakers Drive-thru 2	1.Fl	59.7	59.5	66	59.4	57.7	57.5	64	57.3	56.6	56.4	62.8	56.1	56.9	56.7	63.1	56.4	51.3	50.4	57	49.4
10	Bakers Drive-Thru	1.Fl	58.6	58.4	64.9	58.3	56.6	56.4	62.8	56.2	55.5	55.3	61.7	55	55.8	55.5	62	55.3	50.2	49.3	55.9	48.3
11	Chipotle	1.Fl	61.7	61.5	67.9	61.5	59.8	59.4	65.9	59.4	58.7	58.2	64.7	58.2	58.9	58.5	65	58.5	53.4	51.7	58.4	51.5
12	Commercial Retail Center	1.Fl	55	54.9	61.3	54.9	53	52.8	59.3	52.8	51.9	51.6	58.1	51.6	52.1	51.9	58.4	51.9	46.1	45.3	51.8	44.9
13	Commercial Retail Center	1.Fl	56	55.9	62.4	55.9	54	53.9	60.3	53.8	52.9	52.7	59.1	52.6	53.2	53	59.4	52.9	47.3	46.4	53	45.9
14	Commercial Retail Center	1.Fl	56.6	56.5	62.9	56.4	54.6	54.4	60.8	54.3	53.5	53.2	59.7	53.1	53.7	53.5	60	53.4	47.8	47	53.5	46.4
15	Commercial Retail Center	1.Fl	56.8	56.7	63.2	56.7	54.8	54.7	61.1	54.6	53.7	53.5	59.9	53.4	54	53.8	60.2	53.7	48.1	47.2	53.8	46.7
16	Commercial Retail Center	1.Fl	56	55.9	62.3	55.8	53.9	53.8	60.2	53.7	52.8	52.6	59.1	52.5	53.1	52.9	59.4	52.8	47	46.3	52.9	45.8
17	Commercial Retail Center	1.Fl	56.5	56.4	62.8	56.4	54.5	54.3	60.7	54.3	53.3	53.1	59.6	53.1	53.6	53.4	59.8	53.4	47.5	46.6	53.1	46.4
18	Commercial Retail Center	1.Fl	56.4	56.3	62.7	56.2	54.4	54.2	60.6	54.1	53.3	53	59.4	52.9	53.5	53.3	59.7	53.2	47.6	46.5	53.1	46.2
19	Commercial Retail Center	1.Fl	59.1	58.9	65.4	58.9	57.1	56.9	63.3	56.8	56	55.7	62.1	55.6	56.3	56	62.4	55.9	50.5	49.2	55.8	48.9
20	Commercial Retail Center	1.Fl	54.3	54.2	60.6	54.2	52.3	52.2	58.6	52.1	51.1	51	57.4	50.9	51.4	51.3	57.7	51.2	45.3	44.6	51.1	44.2
21	Commercial Retail Center 1	1.Fl	62.4	62.2	68.6	62.2	60.5	60.1	66.6	60.1	59.4	58.9	65.4	58.9	59.7	59.2	65.7	59.2	54.3	52.3	59.1	52.2
22	Holiday Inn Hotel 1	1.Fl	59.5	59.4	65.8	59.3	57.6	57.4	63.8	57.2	56.5	56.3	62.7	56	56.8	56.6	63	56.3	51.4	50.5	57.1	49.3
23	Holiday Inn Hotel 2	1.Fl	60.8	60.7	67.1	60.6	58.8	58.7	65.1	58.5	57.7	57.5	64	57.3	58	57.8	64.3	57.6	52.5	51.7	58.3	50.6
24	Holiday Inn Hotel 3	1.Fl	60.1	60	66.4	59.9	58.1	57.9	64.3	57.8	57	56.8	63.2	56.6	57.2	57.1	63.5	56.9	51.4	50.7	57.2	49.9
25	Hotel (Holiday Inn Key Point Ave)	1.Fl	41	40.5	47	40.2	39.4	38.6	45.1	38.1	38.5	37.5	44.1	36.9	38.7	37.8	44.3	37.2	35	32.4	39.3	30.2
25	Hotel (Holiday Inn Key Point Ave)	2.Fl	40.8	40.4	46.9	40.3	39	38.4	44.9	38.2	38	37.2	43.8	37	38.3	37.5	44	37.3	33.8	31.2	38.1	30.3
25	Hotel (Holiday Inn Key Point Ave)	3.Fl	43.7	43.3	49.7	43.2	41.8	41.2	47.7	41.1	40.8	40.1	46.6	39.9	41.1	40.4	46.9	40.2	36.4	34	40.8	33.2
26	Hotel (Holiday Inn Key Point Ave)	1.Fl	57.7	57.6	64	57.5	55.7	55.5	62	55.4	54.6	54.4	60.8	54.2	54.9	54.7	61.1	54.5	49.3	48.4	54.9	47.5
26	Hotel (Holiday Inn Key Point Ave)	2.Fl	57.8	57.7	64.1	57.6	55.8	55.7	62.1	55.5	54.7	54.5	61	54.3	55	54.8	61.2	54.6	49.4	48.5	55	47.6
26	Hotel (Holiday Inn Key Point Ave)	3.Fl	58	57.8	64.3	57.7	56	55.8	62.2	55.6	54.9	54.6	61.1	54.4	55.2	54.9	61.4	54.7	49.6	48.6	55.2	47.7
27	Hotel (Holiday Inn Key Point Ave)	1.Fl	58.2	58.1	64.5	57.9	56.2	56	62.5	55.8	55.1	54.9	61.3	54.6	55.4	55.2	61.6	54.9	49.8	48.9	55.5	47.9
27	Hotel (Holiday Inn Key Point Ave)	2.Fl	58.3	58.2	64.6	58.1	56.3	56.2	62.6	56	55.2	55	61.5	54.8	55.5	55.3	61.7	55.1	49.9	49.1	55.6	48.1
27	Hotel (Holiday Inn Key Point Ave)	3.Fl	58.4	58.3	64.8	58.2	56.5	56.3	62.7	56.1	55.4	55.2	61.6	54.9	55.7	55.4	61.9	55.2	50.2	49.3	55.8	48.2
28	Hotel (Holiday Inn Key Point Ave)	1.Fl	58.6	58.5	64.9	58.4	56.6	56.4	62.9	56.3	55.5	55.3	61.7	55.1	55.8	55.6	62	55.4	50.2	49.3	55.9	48.4
28	Hotel (Holiday Inn Key Point Ave)	2.Fl	58.7	58.6	65	58.5	56.8	56.6	63	56.4	55.7	55.4	61.9	55.2	55.9	55.7	62.2	55.5	50.3	49.5	56	48.5
28	Hotel (Holiday Inn Key Point Ave)	3.Fl	58.9	58.8	65.2	58.6	56.9	56.7	63.2	56.5	55.8	55.6	62	55.3	56.1	55.9	62.3	55.6	50.6	49.7	56.3	48.6
29	Hotel (Holiday Inn Key Point Ave)	1.Fl	58.4	58.3	64.8	58.3	56.5	56.3	62.7	56.2	55.3	55.1	61.6	55	55.6	55.4	61.9	55.3	49.8	49	55.5	48.3
29	Hotel (Holiday Inn Key Point Ave)	2.Fl	58.6	58.5	64.9	58.4	56.6	5														

42	Matress Firm	1.FI	50.8	50.7	57.1	50.7	48.7	48.6	55	48.6	47.6	47.4	53.8	47.4	47.9	47.7	54.1	47.7	41.6	40.8	47.3	40.7
43	Matress Firm 1	1.FI	53.9	53.9	60.3	53.8	51.9	51.8	58.2	51.7	50.7	50.6	57	50.5	51	50.9	57.3	50.8	44.6	44	50.5	43.8
44	Matress Firm	1.FI	53.6	53.6	60	53.6	51.6	51.5	57.9	51.5	50.4	50.3	56.7	50.3	50.7	50.6	57	50.6	44.3	43.7	50.2	43.6
45	MGA Entertainment	1.FI	54.9	54.8	61.2	54.8	52.8	52.7	59.1	52.7	51.7	51.5	57.9	51.5	52	51.8	58.2	51.8	45.5	44.9	51.4	44.8
46	MGA Entertainment	1.FI	60.3	60.2	66.6	60.2	58.2	58.1	64.5	58.1	57.1	56.9	63.3	56.9	57.3	57.2	63.6	57.2	50.9	50.2	56.8	50.2
47	MGA Entertainment	1.FI	59.1	59	65.4	59	57	56.9	63.3	56.9	55.8	55.7	62.1	55.7	56.1	56	62.4	56	49.6	49	55.5	49
48	Mobile Home	1.FI	55.4	55.4	61.8	55.3	53.4	53.3	59.7	53.2	52.2	52.1	58.5	52	52.5	52.4	58.8	52.3	46.1	45.6	52	45.3
49	Mobile Home	1.FI	55.8	55.8	62.2	55.7	53.8	53.7	60.1	53.6	52.6	52.5	58.9	52.4	52.9	52.8	59.2	52.7	46.4	45.9	52.4	45.7
50	Mobile Home	1.FI	55.6	55.5	61.9	55.5	53.5	53.4	59.9	53.4	52.3	52.2	58.7	52.2	52.6	52.5	59	52.5	46.1	45.6	52.1	45.5
51	Mobile Home	1.FI	56.1	56	62.4	56	54	53.9	60.3	53.9	52.9	52.7	59.1	52.7	53.1	53	59.4	53	46.8	46.2	52.7	46
52	Mobile Home	1.FI	55.8	55.8	62.2	55.8	53.8	53.7	60.1	53.7	52.6	52.5	58.9	52.5	52.9	52.8	59.2	52.8	46.4	45.9	52.4	45.8
53	Mobile Home	1.FI	56	55.9	62.4	55.9	54	53.9	60.3	53.8	52.8	52.7	59.1	52.6	53.1	53	59.4	52.9	46.8	46.2	52.7	45.9
54	Mobile Home	1.FI	55.9	55.8	62.3	55.8	53.9	53.8	60.2	53.7	52.7	52.6	59	52.5	53	52.9	59.3	52.8	46.7	46.1	52.6	45.8
55	Mobile Home	1.FI	55.9	55.8	62.2	55.8	53.8	53.7	60.2	53.7	52.7	52.5	59	52.5	53	52.8	59.3	52.8	46.7	46	52.5	45.8
56	Mobile Home	1.FI	55.8	55.7	62.2	55.7	53.8	53.7	60.1	53.6	52.6	52.5	58.9	52.4	52.9	52.8	59.2	52.7	46.6	46	52.5	45.7
57	Mobile Home	1.FI	55.8	55.7	62.1	55.7	53.7	53.6	60	53.6	52.6	52.4	58.9	52.4	52.9	52.7	59.2	52.7	46.6	45.9	52.4	45.7
58	Mobile Home	1.FI	55.3	55.2	61.6	55.2	53.3	53.1	59.6	53.1	52.1	52	58.4	51.9	52.4	52.3	58.7	52.2	46.1	45.4	52	45.2
59	Mobile Home	1.FI	56	55.9	62.3	55.9	53.9	53.8	60.2	53.8	52.8	52.6	59.1	52.6	53.1	52.9	59.4	52.9	46.7	46.1	52.6	45.9
60	Mobile Home	1.FI	55.9	55.9	62.3	55.9	53.9	53.8	60.2	53.8	52.7	52.6	59	52.6	53	52.9	59.3	52.9	46.7	46.1	52.6	45.9
61	Mobile Home	1.FI	56	55.9	62.3	55.9	53.9	53.8	60.2	53.8	52.8	52.6	59	52.6	53	52.9	59.3	52.9	46.7	46.1	52.6	45.9
62	Mobile Home	1.FI	56.2	56.1	62.5	56.1	54.1	54	60.4	54	52.9	52.8	59.2	52.8	53.2	53.1	59.5	53.1	46.8	46.3	52.8	46.1
63	Mobile Home	1.FI	56.1	56.1	62.5	56	54.1	54	60.4	53.9	52.9	52.8	59.2	52.7	53.2	53.1	59.5	53	46.8	46.2	52.7	46
64	Mobile Home	1.FI	56.1	56.1	62.5	56	54.1	54	60.4	53.9	52.9	52.8	59.2	52.7	53.2	53.1	59.5	53	46.8	46.2	52.7	46
65	Mobile Home	1.FI	56.1	56.1	62.5	56.1	54.1	54	60.4	54	52.9	52.8	59.2	52.8	53.2	53.1	59.5	53.1	46.8	46.3	52.8	46.1
66	Mobile Home	1.FI	56	56	62.4	56	54	53.9	60.3	53.9	52.8	52.7	59.1	52.7	53.1	53	59.4	53	46.8	46.2	52.7	46
67	Mobile Home	1.FI	56.1	56	62.5	56	54.1	53.9	60.4	53.9	52.9	52.8	59.2	52.7	53.2	53.1	59.5	53	46.8	46.2	52.7	46
68	Mobile Home	1.FI	56.1	56.1	62.5	56	54.1	54	60.4	53.9	52.9	52.8	59.2	52.7	53.2	53.1	59.5	53	46.8	46.2	52.7	46
69	Mobile Home	1.FI	56.1	56.1	62.5	56	54.1	54	60.4	53.9	52.9	52.8	59.2	52.7	53.2	53.1	59.5	53	46.7	46.2	52.7	46
70	Mobile Home	1.FI	56	55.9	62.3	55.9	53.9	53.8	60.2	53.8	52.7	52.6	59	52.6	53	52.9	59.3	52.9	46.5	46	52.5	45.9
71	Mobile Home	1.FI	55.9	55.9	62.3	55.9	53.9	53.8	60.2	53.8	52.7	52.6	59	52.6	53	52.9	59.3	52.9	46.5	46	52.5	45.9
72	Mobile Home	1.FI	55.9	55.8	62.3	55.8	53.8	53.7	60.2	53.7	52.7	52.6	59	52.5	53	52.9	59.3	52.8	46.5	46	52.4	45.8
73	Mobile Home	1.FI	56	56	62.4	56	54	53.9	60.3	53.9	52.8	52.7	59.1	52.7	53.1	53	59.4	53	46.6	46.1	52.6	46
74	Mobile Home	1.FI	56.1	56	62.4	56	54	53.9	60.4	53.9	52.9	52.7	59.2	52.7	53.2	53	59.5	53	46.7	46.2	52.6	46
75	Mobile Home	1.FI	56.1	56	62.4	56	54	53.9	60.3	53.9	52.8	52.7	59.1	52.7	53.1	53	59.4	53	46.7	46.1	52.6	46
76	Mobile Home	1.FI	56.1	56	62.4	56	54	53.9	60.3	53.9	52.8	52.7	59.1	52.7	53.1	53	59.4	53	46.7	46.1	52.6	46
77	Mobile Home	1.FI	55.7	55.7	62.1	55.6	53.7	53.6	60	53.5	52.6	52.4	58.8	52.3	52.8	52.7	59.1	52.6	46.6	45.9	52.4	45.6
78	Mobile Home	1.FI	55	54.9	61.4	54.9	53	52.8	59.3	52.8	51.8	51.6	58.1	51.6	52.1	51.9	58.4	51.9	45.6	45	51.5	44.9
79	Mobile Home	1.FI	53.6	53.6	60	53.6	51.6	51.5	57.9	51.5	50.4	50.3	56.7	50.3	50.7	50.6	57	50.6	44.2	43.6	50.1	43.6
80	Mobile Home	1.FI	52.2	52.2	58.6	52.2	50.2	50.1	56.5	50.1	49	48.9	55.3	48.9	49.3	49.2	55.6	49.2	42.9	42.2	48.8	42.2
81	Mobile Home	1.FI	55.3	55.2	61.6	55.2	53.2	53.1	59.5	53.1	52.1	51.9	58.4	51.9	52.4	52.2	58.7	52.2	46	45.3	51.8	45.2
82	Mobile Home	1.FI	55.5	55.4	61.8	55.4	53.5	53.3	59.8	53.3	52.3	52.2	58.6	52.1	52.6	52.5	58.9	52.4	46.3	45.7	52.2	45.4
83	Mobile Home	1.FI	55.4	55.4	61.8	55.3	53.4	53.3	59.7	53.2	52.2	52.1	58.5	52	52.5	52.4	58.8	52.3	46.3	45.6	52.1	45.3
84	Mobile Home	1.FI	55.4	55.3	61.7	55.3	53.3	53.2	59.6	53.2	52.2	52	58.5	52	52.5	52.3	58.8	52.3	46.2	45.5	52	45.3
85	Mobile Home	1.FI	55.6	55.6	62	55.6	53.6	53.5	59.9	53.5	52.4	52.3	58.7	52.3	52.7	52.6	59	52.6	46.2	45.7	52.2	45.6
86	Mobile Home	1.FI	55.6	55.5	61.9	55.5	53.5	53.4	59.8	53.4	52.3	52.2	58.6	52.2	52.6	52.5	58.9	52.5	46.2	45.7	52.1	45.5
87	Mobile Home	1.FI	53.7	53.6	60	53.6	51.6	51.5	58	51.5	50.5	50.3	56.8	50.3	50.7	50.6	57.1	50.6	44.3	43.8	50.2	43.6
88	Mobile Home	1.FI	55.5	55.5	61.9	55.5	53.5	53.4	59.8	53.4	52.3	52.2	58.6	52.2	52.6	52.5	58.9	52.5	46.1	45.6	52.1	45.5
89	Mobile Home	1.FI	51.2	51.1	57.6	51.1	49.2	49	55.5	49	48	47.8	54.3	47.8	48.3	48.1	54.6	48.1	42	41.2	47.7	41.1
90	Mobile Home	1.FI	55.2	55.2	61.6	55.2	53.2	53.1	59.5	53.1	52	51.9	58.3	51.9	52.3	52.2	58.6	52.2	45.7	45.3	51.8	45.2
91	Mobile Home	1.FI	55.4	55.4	61.8	55.3	53.3	53.3	59.7	53.2	52.2	52.1	58.5	52	52.5	52.4	58.8	52.3	46	45.5	52	45.3
92	Mobile Home	1.FI	55.6	55.5	62	55.5	53.6	53.4	59.9	53.4	52.4	52.3	58.7	52.2	52.7	52.6	59	52.5	46.3	45.7	52.2	45.5
93	Mobile Home	1.FI	55.1	55	61.4	55	53	52.9	59.3	52.9	51.9	51.7	58.2	51.7	52.2	52	58.5	52	45.8	45.2	51.7	45
94	Mobile Home	1.FI	54.4	54.4	60.8	54.3	52.3	52.3	58.7	52.2	51.2	51.1	57.5	51	51.5	51.4	57.8	51.3	44.9	44.5	50.9	44.3
95	Mobile Home	1.FI	53.6	53.6	60	53.6	51.6	51.5	57.9	51.5	50.4	50.3	56.7	50.3	50.7	50.6	57	50.6	44.1	43.7	50.2	43.6
96	Mobile Home	1.FI	55.6	55.5	61.9	55.4	53.5	53.4	59.8	53.3	52.4	52.2	58.6	52.1	52.6	52.5	58.9	52.4	46.4	45.7	52.2	45.4
97	Mobile Home	1.FI	55.7	55.6	62	55.6	53.7	53.5	60	53.5	52.5	52.4	58.8	52.3	52.8	52.6	59.1	52.6	46.5	45.9	52.4	45.6
98	Mobile Home	1.FI	55.6	55.6	62	55.5	53.6	53.5	59.9	53.4	52.4	52.3	58.7	52.2	52.7	52.6	59	52.5	46.5	45.8	52.3	45.5
99	Mobile Home 1	1.FI	55.7	55.6	62	55.6	53.6	53.5	59.9	53.5	52.4	52.3	58.8	52.3	52.7	52.6	59.1	52.6	46.2	45.8	52.2	45.6
100	Mobile Home 1	1.FI	54.5	54.5	60.9	54.4	52.4	52.4	58.8	52.3	51.3	51.2	57.6	51.1	51.6	51.5	57.9	51.4	45	44.6	51	44.4
101	Mobile Home 1	1.FI	53.6	53.5	59.9	53.5	51.5	51.4	57.8	51.4	50.4	50.2	56.7	50.2	50.6	50.5	56.9	50.5	44.3	43.7	50.2	43.5
102	Mobile Home 76	1.FI	55.6	55.6	62	55.6	53.6	53.5	59.9	53.5	52.4	52.3	58.7	52.3	52.7	52.6	59	52.6	46.2	45.7	52.2	45.6
103	Mobile Home 77	1.FI	55.6	55.5	61.9	55.5	53.5	53														

110	Mobile Home 127	1.FI	54	53.9	60.3	53.9	51.9	51.8	58.3	51.8	50.8	50.7	57.1	50.6	51.1	50.9	57.4	50.9	44.6	44.1	50.6	43.9
111	Mobile Home 128	1.FI	54.1	54	60.4	54	52	51.9	58.4	51.9	50.9	50.7	57.2	50.7	51.1	51	57.5	51	44.7	44.2	50.7	44
112	Mobile Home 129	1.FI	54.2	54.2	60.6	54.2	52.2	52.1	58.5	52.1	51	50.9	57.3	50.9	51.3	51.2	57.6	51.2	44.9	44.4	50.8	44.2
113	Single Family Residence 1	1.FI	53.3	53.2	59.6	53.2	51.2	51.1	57.5	51.1	50	49.9	56.4	49.9	50.3	50.2	56.7	50.2	43.9	43.4	49.8	43.2
114	Single Family Residence 2	1.FI	52.2	52.2	58.6	52.1	50.1	50.1	56.5	50	49	48.9	55.3	48.8	49.3	49.2	55.6	49.1	42.7	42.3	48.8	42.1
115	Single Family Residence 2	1.FI	53.3	53.3	59.7	53.3	51.3	51.2	57.6	51.2	50.1	50	56.4	50	50.4	50.3	56.7	50.3	43.9	43.4	49.9	43.3
116	Single Family Residence 2	1.FI	53.3	53.3	59.7	53.3	51.3	51.2	57.6	51.2	50.1	50	56.4	50	50.4	50.3	56.7	50.3	43.9	43.4	49.9	43.3
117	Single Family Residence 2	1.FI	52.6	52.5	58.9	52.5	50.5	50.4	56.8	50.4	49.3	49.2	55.6	49.2	49.6	49.5	55.9	49.5	43.1	42.6	49.1	42.5
118	Single Family Residence 2	1.FI	52.7	52.7	59.1	52.6	50.7	50.6	57	50.5	49.5	49.4	55.8	49.3	49.8	49.7	56.1	49.6	43.3	42.8	49.3	42.6
119	Single Family Residence 2	1.FI	52.6	52.5	58.9	52.5	50.5	50.4	56.9	50.4	49.4	49.2	55.7	49.2	49.6	49.5	56	49.5	43.2	42.7	49.2	42.5
120	Single Family Residence 2	1.FI	52.3	52.2	58.7	52.2	50.2	50.2	56.6	50.1	49.1	49	55.4	48.9	49.4	49.3	55.7	49.2	42.9	42.4	48.9	42.2
121	Single Family Residence 2	1.FI	52.5	52.5	58.9	52.4	50.4	50.4	56.8	50.3	49.3	49.2	55.6	49.1	49.6	49.5	55.9	49.4	43.1	42.6	49.1	42.4
122	Single Family Residence 2	1.FI	52.8	52.7	59.1	52.7	50.7	50.6	57.1	50.6	49.6	49.5	55.9	49.4	49.9	49.8	56.2	49.7	43.4	42.9	49.4	42.7
123	Single Family Residence 2	1.FI	52.8	52.8	59.2	52.7	50.8	50.7	57.1	50.6	49.6	49.5	55.9	49.4	49.9	49.8	56.2	49.7	43.4	42.9	49.4	42.7
124	Single Family Residence 2	1.FI	52.9	52.8	59.2	52.8	50.8	50.7	57.1	50.7	49.6	49.5	55.9	49.5	49.9	49.8	56.2	49.8	43.4	43	49.4	42.8
125	Single Family Residence 2	1.FI	53.6	53.6	60	53.6	51.6	51.5	57.9	51.5	50.4	50.3	56.7	50.3	50.7	50.6	57	50.6	44.3	43.8	50.2	43.6
126	Single Family Residence 2	1.FI	53.6	53.5	60	53.5	51.5	51.5	57.9	51.4	50.4	50.3	56.7	50.2	50.7	50.6	57	50.5	44.2	43.7	50.2	43.5
127	Single Family Residence 2	1.FI	53.4	53.4	59.8	53.3	51.4	51.3	57.7	51.2	50.2	50.1	56.5	50	50.5	50.4	56.8	50.3	44.1	43.6	50	43.3
128	Single Family Residence 2	1.FI	53.2	53.1	59.5	53.1	51.1	51	57.4	51	50	49.8	56.3	49.8	50.2	50.1	56.6	50.1	43.9	43.3	49.8	43.1
129	Single Family Residence 2	1.FI	54.2	54.1	60.5	54.1	52.1	52	58.4	52	51	50.8	57.3	50.8	51.2	51.1	57.6	51.1	44.8	44.3	50.7	44.1
130	Single Family Residence 2	1.FI	54.2	54.2	60.6	54.2	52.2	52.1	58.5	52.1	51	50.9	57.3	50.9	51.3	51.2	57.6	51.2	44.9	44.3	50.8	44.2
131	Single Family Residence 2	1.FI	53.9	53.8	60.2	53.8	51.8	51.7	58.1	51.7	50.6	50.5	57	50.5	50.9	50.8	57.2	50.8	44.3	43.9	50.4	43.8
132	Single Family Residence 2	1.FI	54	54	60.4	54	52	51.9	58.3	51.9	50.8	50.7	57.1	50.7	51.1	51	57.4	51	44.6	44.1	50.6	44
133	Single Family Residence 2	1.FI	53.4	53.4	59.8	53.4	51.4	51.3	57.7	51.3	50.2	50.1	56.5	50.1	50.5	50.4	56.8	50.4	44.1	43.5	50	43.4
134	Single Family Residence 2	1.FI	54.2	54.2	60.6	54.2	52.2	52.1	58.5	52.1	51	50.9	57.3	50.9	51.3	51.2	57.6	51.2	44.8	44.3	50.8	44.2
135	Single Family Residence 3	1.FI	53	52.9	59.4	52.9	51	50.9	57.3	50.8	49.8	49.7	56.1	49.6	50.1	50	56.4	49.9	43.7	43.1	49.6	42.9
136	Single Family Residence 4	1.FI	51.4	51.3	57.8	51.3	49.3	49.3	55.7	49.2	48.2	48.1	54.5	48	48.4	48.4	54.8	48.3	41.9	41.5	48	41.3
137	Single Family Residence 4	1.FI	51.1	51.1	57.5	51.1	49.1	49	55.4	49	47.9	47.8	54.2	47.8	48.2	48.1	54.5	48.1	41.7	41.3	47.7	41.1
138	Single Family Residence 4	1.FI	52.8	52.8	59.2	52.7	50.8	50.7	57.1	50.6	49.6	49.5	55.9	49.4	49.9	49.8	56.2	49.7	43.4	42.9	49.4	42.7
139	Single Family Residence 4	1.FI	51.9	51.8	58.3	51.8	49.8	49.8	56.2	49.7	48.7	48.6	55	48.5	49	48.9	55.3	48.8	42.5	42	48.5	41.8
140	Single Family Residence 4	1.FI	52.5	52.4	58.8	52.4	50.4	50.3	56.8	50.3	49.3	49.1	55.6	49.1	49.6	49.4	55.9	49.4	43.1	42.6	49.1	42.4
141	Single Family Residence 4	1.FI	52.3	52.2	58.7	52.2	50.2	50.1	56.6	50.1	49.1	49	55.4	48.9	49.4	49.3	55.7	49.2	42.9	42.4	48.9	42.2
142	Single Family Residence 4	1.FI	51.8	51.7	58.2	51.7	49.7	49.7	56.1	49.6	48.6	48.5	54.9	48.4	48.9	48.8	55.2	48.7	42.4	41.9	48.4	41.7
Max Noise Levels Single-Family (Residential) Mobile Home (Residential) Hotel (Commercial) Commercial-Retail			Phase 1 Operations + Phase 2 Building Construction				Phase 1 Operations + Phase 2 Grading				Phase 1 Operations + Phase 2 Paving				Phase 1 Operations + Phase 2 Paving + Phase 2 Architectural Coating				Phase 1 Operations + Phase 2 Building Construction			
			54.2	54.2	60.6	54.2	52.2	52.1	58.5	52.1	51.0	50.9	57.3	50.9	51.3	51.2	57.6	51.2	44.9	44.3	50.8	44.2
			56.2	56.1	62.5	56.1	54.1	54.0	60.4	54.0	52.9	52.8	59.2	52.8	53.2	53.1	59.5	53.1	46.8	46.3	52.8	46.1
			60.8	60.7	67.1	60.6	58.8	58.7	65.1	58.5	57.7	57.5	64.0	57.3	58.0	57.8	64.3	57.6	52.5	51.7	58.3	50.6
			62.4	62.2	68.6	62.2	60.5	60.1	66.6	60.1	59.4	58.9	65.4	58.9	59.7	59.2	65.7	59.2	54.3	52.3	59.1	52.2

No.	Receiver name	Floor	Operations			
			Level w/o NP			
			Day dB(A)	Night	Ldn	Lmax
1	7-11 1	1.Fl	52.3	51.7	58.2	46.1
2	7-11 2	1.Fl	49.6	48.9	55.4	42.6
3		1.Fl	40.1	38.7	45.3	31.7
4	76 Gas 1	1.Fl	48.1	47.8	54.2	44.2
5	76 Gas 2	1.Fl	46.7	46.3	52.8	43.2
6	76 Gas 3	1.Fl	46	45.6	52	41.6
7	76 and Wigos Pizza 1	1.Fl	46.6	46.3	52.7	43.1
7	76 and Wigos Pizza 1	2.Fl	47.2	46.9	53.3	43.5
8	Bakers Drive-thru 1	1.Fl	51.5	50.6	57.1	43.8
9	Bakers Drive-thru 2	1.Fl	51.4	50.6	57.1	43.6
10	Bakers Drive-Thru	1.Fl	50.7	49.9	56.4	43.3
11	Chipotle	1.Fl	59.9	59.5	66	55.6
12	Commercial Retail Center	1.Fl	47	46.4	52.9	40.8
13	Commercial Retail Center	1.Fl	48.5	47.8	54.3	41.5
14	Commercial Retail Center	1.Fl	49.1	48.5	55	41.7
15	Commercial Retail Center	1.Fl	49.6	49	55.5	41.3
16	Commercial Retail Center	1.Fl	48.1	47.5	54	41.5
17	Commercial Retail Center	1.Fl	54.6	54.4	60.9	51.5
18	Commercial Retail Center	1.Fl	53.5	53.2	59.6	49
19	Commercial Retail Center	1.Fl	56.2	55.9	62.3	51.7
20	Commercial Retail Center	1.Fl	46	45.4	51.9	41.2
21	Commercial Retail Center 1	1.Fl	60.9	60.5	66.9	57.3
22	Holiday Inn Hotel 1	1.Fl	52.7	52	58.5	47.6
23	Holiday Inn Hotel 2	1.Fl	53.4	52.8	59.3	47.7
24	Holiday Inn Hotel 3	1.Fl	52.4	51.8	58.3	46.2
25	Hotel (Holiday Inn Key Point Ave)	1.Fl	37.2	35.9	42.5	27.1
25	Hotel (Holiday Inn Key Point Ave)	2.Fl	36.8	35.8	42.4	27.2
25	Hotel (Holiday Inn Key Point Ave)	3.Fl	39.1	38	44.6	29.9
26	Hotel (Holiday Inn Key Point Ave)	1.Fl	50.2	49.5	56	44.5
26	Hotel (Holiday Inn Key Point Ave)	2.Fl	50.3	49.6	56.1	44.6
26	Hotel (Holiday Inn Key Point Ave)	3.Fl	50.4	49.7	56.2	44.7
27	Hotel (Holiday Inn Key Point Ave)	1.Fl	50.8	50.1	56.6	45
27	Hotel (Holiday Inn Key Point Ave)	2.Fl	50.8	50.2	56.7	45.1
27	Hotel (Holiday Inn Key Point Ave)	3.Fl	51	50.3	56.8	45.3
28	Hotel (Holiday Inn Key Point Ave)	1.Fl	51.3	50.6	57.1	45.7
28	Hotel (Holiday Inn Key Point Ave)	2.Fl	51.3	50.7	57.2	45.8
28	Hotel (Holiday Inn Key Point Ave)	3.Fl	51.6	50.9	57.4	46
29	Hotel (Holiday Inn Key Point Ave)	1.Fl	51.3	50.7	57.2	46.7
29	Hotel (Holiday Inn Key Point Ave)	2.Fl	51.4	50.8	57.3	46.8
29	Hotel (Holiday Inn Key Point Ave)	3.Fl	51.6	50.9	57.4	47
30	Hotel (Motel 6 Cataba Road)	1.Fl	33.9	33.5	40	25.5
30	Hotel (Motel 6 Cataba Road)	2.Fl	34.4	33.8	40.3	25.5
30	Hotel (Motel 6 Cataba Road)	3.Fl	37	36.3	42.8	28.9
31	Hotel (Motel 6 Cataba Road)	1.Fl	48.3	48	54.4	43.9
31	Hotel (Motel 6 Cataba Road)	2.Fl	48.5	48	54.5	43.9

31	Hotel (Motel 6 Cataba Road)	3.Fl	48.7	48.2	54.7	44
32	Hotel (Motel 6 Cataba Road)	1.Fl	48.5	48.1	54.6	44
32	Hotel (Motel 6 Cataba Road)	2.Fl	48.7	48.2	54.7	44.1
32	Hotel (Motel 6 Cataba Road)	3.Fl	48.9	48.3	54.8	44.1
33	Hotel (Motel 6 Cataba Road)	1.Fl	49.2	48.6	55.1	44.4
33	Hotel (Motel 6 Cataba Road)	2.Fl	49.2	48.7	55.2	44.4
33	Hotel (Motel 6 Cataba Road)	3.Fl	49.3	48.7	55.2	44.5
34	Hotel (Motel 6 Cataba Road)	1.Fl	48.7	48.1	54.6	43.1
34	Hotel (Motel 6 Cataba Road)	2.Fl	48.7	48.1	54.6	43.2
34	Hotel (Motel 6 Cataba Road)	3.Fl	48.8	48.2	54.7	43.2
35	Hotel (Motel 6 Cataba Road) 1	1.Fl	52.4	52	58.5	48.2
36	Hotel (Motel 6 Cataba Road) 15	1.Fl	50	49.6	56.1	45.7
37	Hotel (Motel 6 Cataba Road) 16	1.Fl	44.6	43.9	50.4	37.9
38	In N Out	1.Fl	57	56.8	63.2	52.9
39	Los Amores	1.Fl	42.9	42.2	48.7	36.8
40	Los Amores 2	1.Fl	45.4	44.5	51.1	39
41	Los Amores de Julia	1.Fl	45	44.5	51	40.1
42	Matress Firm	1.Fl	43.3	42.8	49.3	39.2
43	Matress Firm 1	1.Fl	46.3	45.9	52.4	41.8
44	Matress Firm	1.Fl	44.2	43.7	50.2	40.4
45	MGA Entertainment	1.Fl	51	50.8	57.3	46.5
46	MGA Entertainment	1.Fl	49.5	48.9	55.4	40.1
47	MGA Entertainment	1.Fl	49.6	49.4	55.8	43.9
48	Mobile Home	1.Fl	46.5	46.1	52.6	40.4
49	Mobile Home	1.Fl	49.1	48.9	55.4	43.3
50	Mobile Home	1.Fl	48.9	48.7	55.1	43
51	Mobile Home	1.Fl	49.3	49	55.5	43.4
52	Mobile Home	1.Fl	49.2	49	55.4	43.3
53	Mobile Home	1.Fl	49.3	49	55.4	43.3
54	Mobile Home	1.Fl	48.7	48.3	54.8	42.9
55	Mobile Home	1.Fl	48.7	48.3	54.8	42.9
56	Mobile Home	1.Fl	48.6	48.2	54.7	42.8
57	Mobile Home	1.Fl	48.5	48.1	54.6	42.7
58	Mobile Home	1.Fl	47.8	47.4	53.9	42
59	Mobile Home	1.Fl	49.2	48.9	55.4	43.3
60	Mobile Home	1.Fl	49.2	48.9	55.3	43.3
61	Mobile Home	1.Fl	48.8	48.4	54.9	43
62	Mobile Home	1.Fl	49.5	49.2	55.6	43.6
63	Mobile Home	1.Fl	49.5	49.2	55.6	43.6
64	Mobile Home	1.Fl	49.5	49.2	55.6	43.6
65	Mobile Home	1.Fl	49.5	49.2	55.6	43.6
66	Mobile Home	1.Fl	49.3	49	55.5	43.4
67	Mobile Home	1.Fl	49.4	49.1	55.5	43.5
68	Mobile Home	1.Fl	49.4	49.1	55.6	43.5
69	Mobile Home	1.Fl	49.5	49.2	55.6	43.6
70	Mobile Home	1.Fl	49.3	49.1	55.5	43.5
71	Mobile Home	1.Fl	49.3	49	55.5	43.4
72	Mobile Home	1.Fl	49.2	49	55.5	43.4
73	Mobile Home	1.Fl	49.4	49.1	55.6	43.5

74	Mobile Home	1.Fl	49.4	49.2	55.6	43.6
75	Mobile Home	1.Fl	49.4	49.1	55.6	43.5
76	Mobile Home	1.Fl	49.4	49.2	55.6	43.6
77	Mobile Home	1.Fl	48.5	48.1	54.6	42.7
78	Mobile Home	1.Fl	47.2	46.8	53.2	42
79	Mobile Home	1.Fl	46.9	46.6	53	41.8
80	Mobile Home	1.Fl	46.3	46	52.4	40.5
81	Mobile Home	1.Fl	47.4	46.9	53.4	42
82	Mobile Home	1.Fl	47.7	47.3	53.7	42.3
83	Mobile Home	1.Fl	47.6	47.2	53.7	42.2
84	Mobile Home	1.Fl	47.5	47.1	53.6	42.1
85	Mobile Home	1.Fl	46.9	46.5	53	40.3
86	Mobile Home	1.Fl	47.5	47.2	53.6	41.1
87	Mobile Home	1.Fl	44.5	44.2	50.6	37.4
88	Mobile Home	1.Fl	48.8	48.6	55	43
89	Mobile Home	1.Fl	42.7	42.1	48.6	37.1
90	Mobile Home	1.Fl	47.2	46.9	53.4	41.1
91	Mobile Home	1.Fl	48.7	48.5	54.9	42.9
92	Mobile Home	1.Fl	46.6	46.1	52.6	39.7
93	Mobile Home	1.Fl	47	46.6	53.1	41.1
94	Mobile Home	1.Fl	47.3	47.1	53.5	41.3
95	Mobile Home	1.Fl	44.5	44.2	50.7	37.7
96	Mobile Home	1.Fl	47.8	47.3	53.8	42.4
97	Mobile Home	1.Fl	48.4	48	54.5	42.6
98	Mobile Home	1.Fl	48.4	48	54.4	42.5
99	Mobile Home 1	1.Fl	48.9	48.7	55.1	43.1
100	Mobile Home 1	1.Fl	47.7	47.5	53.9	41.7
101	Mobile Home 1	1.Fl	46.1	45.8	52.2	40.3
102	Mobile Home 76	1.Fl	48.9	48.7	55.1	43.1
103	Mobile Home 77	1.Fl	48.8	48.6	55	42.9
104	Mobile Home 78	1.Fl	47.1	46.8	53.2	40.8
105	Mobile Home 83	1.Fl	47.9	47.7	54.2	42
106	Mobile Home 84	1.Fl	47.7	47.4	53.9	41.8
107	Mobile Home 85	1.Fl	47.8	47.6	54	41.9
108	Mobile Home 86	1.Fl	48	47.7	54.2	42
109	Mobile Home 126	1.Fl	45.8	45.4	51.9	40
110	Mobile Home 127	1.Fl	46.9	46.7	53.1	40.8
111	Mobile Home 128	1.Fl	46.8	46.6	53	40.7
112	Mobile Home 129	1.Fl	47.3	47.1	53.5	41.2
113	Single Family Residence 1	1.Fl	45.2	44.9	51.4	40
114	Single Family Residence 2	1.Fl	45.4	45.2	51.6	39.4
115	Single Family Residence 2	1.Fl	46.5	46.3	52.7	40.6
116	Single Family Residence 2	1.Fl	46.5	46.3	52.7	40.5
117	Single Family Residence 2	1.Fl	45.7	45.5	52	39.8
118	Single Family Residence 2	1.Fl	45.8	45.6	52	39.8
119	Single Family Residence 2	1.Fl	45.8	45.5	52	39.8
120	Single Family Residence 2	1.Fl	45.5	45.2	51.7	39.5
121	Single Family Residence 2	1.Fl	45.7	45.5	51.9	39.7
122	Single Family Residence 2	1.Fl	45.9	45.7	52.1	40

123	Single Family Residence 2	1.Fl	46	45.7	52.2	40
124	Single Family Residence 2	1.Fl	46	45.8	52.2	40
125	Single Family Residence 2	1.Fl	46.9	46.7	53.1	40.8
126	Single Family Residence 2	1.Fl	46.7	46.5	52.9	40.7
127	Single Family Residence 2	1.Fl	46	45.7	52.2	40.3
128	Single Family Residence 2	1.Fl	45.7	45.4	51.9	40
129	Single Family Residence 2	1.Fl	47.4	47.2	53.6	41.5
130	Single Family Residence 2	1.Fl	47.5	47.2	53.7	41.5
131	Single Family Residence 2	1.Fl	46.3	46.1	52.6	40.3
132	Single Family Residence 2	1.Fl	47.3	47.1	53.5	41.4
133	Single Family Residence 2	1.Fl	45.5	45.1	51.6	40.2
134	Single Family Residence 2	1.Fl	47.4	47.1	53.6	41.3
135	Single Family Residence 3	1.Fl	45.6	45.3	51.7	39.8
136	Single Family Residence 4	1.Fl	43.3	43.1	49.5	38.1
137	Single Family Residence 4	1.Fl	43.1	42.8	49.2	37.8
138	Single Family Residence 4	1.Fl	44.8	44.5	50.9	39.6
139	Single Family Residence 4	1.Fl	44.5	44.3	50.7	38.8
140	Single Family Residence 4	1.Fl	45.1	44.8	51.2	39.3
141	Single Family Residence 4	1.Fl	44.3	44	50.4	39
142	Single Family Residence 4	1.Fl	44.4	44.1	50.6	38.6
Max Noise Levels Single-Family (Residential) Mobile Home (Residential) Hotel (Commercial) Commercial-Retail			Operations			
			47.5	47.2	53.7	41.5
			49.5	49.2	55.6	43.6
			53.4	52.8	59.3	48.2
			60.9	60.5	66.9	57.3

No.	Receiver name		Floor	Paving (White Fox Trail)			
				Level w/o NP			
				Day dB(A)	Night	Ldn	Lmax
1	7-11 1	7-11 1	1.Fl	53.1	52.6	59.1	52.6
2	7-11 2	7-11 2	1.Fl	51.2	50.7	57.2	50.7
3		11-Jul	11-Jul	37.6	34.8	41.8	34.8
4	76 Gas 1	76 Gas 1	1.Fl	50.1	49.9	56.3	49.9
5	76 Gas 2	76 Gas 2	1.Fl	50.2	50	56.5	50
6	76 Gas 3	76 Gas 3	1.Fl	50.6	50.4	56.9	50.4
7	76 and Wigos Pizza 1	76 and Wigos Pizza 1	1.Fl	49.5	49.3	55.7	49.3
7	76 and Wigos Pizza 1	76 and Wigos Pizza 1	2.Fl	50.1	49.9	56.3	49.9
8	Bakers Drive-thru 1	Bakers Drive-thru 1	1.Fl	52.8	52.2	58.7	52.2
9	Bakers Drive-thru 2	Bakers Drive-thru 2	1.Fl	52.7	52.1	58.6	52.1
10	Bakers Drive-Thru	Bakers Drive-Thru	1.Fl	52.2	51.6	58.1	51.6
11	Chipotle	Chipotle	1.Fl	51.3	48	55	48
12	Commercial Retail Center	Commercial Retail Center	1.Fl	49.3	48.9	55.4	48.9
13	Commercial Retail Center	Commercial Retail Center	1.Fl	49.5	49	55.5	49
14	Commercial Retail Center	Commercial Retail Center	1.Fl	49.8	49.2	55.7	49.2
15	Commercial Retail Center	Commercial Retail Center	1.Fl	49.6	48.9	55.4	48.9
16	Commercial Retail Center	Commercial Retail Center	1.Fl	49.4	49	55.5	49
17	Commercial Retail Center	Commercial Retail Center	1.Fl	46.4	45.1	51.7	45.1
18	Commercial Retail Center	Commercial Retail Center	1.Fl	46.8	45.5	52.1	45.5
19	Commercial Retail Center	Commercial Retail Center	1.Fl	49.1	47.1	53.8	47.1
20	Commercial Retail Center	Commercial Retail Center	1.Fl	49.2	49	55.4	49
21	Commercial Retail Center 1	Commercial Retail Center 1	1.Fl	52.2	48.1	55.4	48.1
22	Holiday Inn Hotel 1	Holiday Inn Hotel 1	1.Fl	55.9	55.6	62.1	55.6
23	Holiday Inn Hotel 2	Holiday Inn Hotel 2	1.Fl	54.5	54.1	60.6	54.1
24	Holiday Inn Hotel 3	Holiday Inn Hotel 3	1.Fl	53.1	52.7	59.1	52.7
25	Hotel (Holiday Inn Key Point Ave)	Hotel (Holiday Inn Key Point Ave)	1.Fl	35.5	33.3	40.1	33.3
25	Hotel (Holiday Inn Key Point Ave)	Hotel (Holiday Inn Key Point Ave)	2.Fl	35.3	33.7	40.4	33.7
25	Hotel (Holiday Inn Key Point Ave)	Hotel (Holiday Inn Key Point Ave)	3.Fl	38.5	37.1	43.8	37.1
26	Hotel (Holiday Inn Key Point Ave)	Hotel (Holiday Inn Key Point Ave)	1.Fl	50.8	50.2	56.7	50.2
26	Hotel (Holiday Inn Key Point Ave)	Hotel (Holiday Inn Key Point Ave)	2.Fl	51.1	50.5	57	50.5
26	Hotel (Holiday Inn Key Point Ave)	Hotel (Holiday Inn Key Point Ave)	3.Fl	51.3	50.7	57.2	50.7

27	Hotel (Holiday Inn Key Point Ave)	Hotel (Holiday Inn Key Point Ave)	1.Fl	51.8	51.3	57.7	51.3
27	Hotel (Holiday Inn Key Point Ave)	Hotel (Holiday Inn Key Point Ave)	2.Fl	52	51.5	58	51.5
27	Hotel (Holiday Inn Key Point Ave)	Hotel (Holiday Inn Key Point Ave)	3.Fl	52.2	51.7	58.2	51.7
28	Hotel (Holiday Inn Key Point Ave)	Hotel (Holiday Inn Key Point Ave)	1.Fl	52.8	52.3	58.8	52.3
28	Hotel (Holiday Inn Key Point Ave)	Hotel (Holiday Inn Key Point Ave)	2.Fl	52.9	52.5	59	52.5
28	Hotel (Holiday Inn Key Point Ave)	Hotel (Holiday Inn Key Point Ave)	3.Fl	53.2	52.8	59.3	52.8
29	Hotel (Holiday Inn Key Point Ave)	Hotel (Holiday Inn Key Point Ave)	1.Fl	55.2	55	61.4	55
29	Hotel (Holiday Inn Key Point Ave)	Hotel (Holiday Inn Key Point Ave)	2.Fl	55.4	55.2	61.6	55.2
29	Hotel (Holiday Inn Key Point Ave)	Hotel (Holiday Inn Key Point Ave)	3.Fl	55.7	55.4	61.9	55.4
30	Hotel (Motel 6 Cataba Road)	Hotel (Motel 6 Cataba Road)	1.Fl	33.9	33.4	39.9	33.4
30	Hotel (Motel 6 Cataba Road)	Hotel (Motel 6 Cataba Road)	2.Fl	34.2	33.6	40.1	33.6
30	Hotel (Motel 6 Cataba Road)	Hotel (Motel 6 Cataba Road)	3.Fl	37.8	37.3	43.8	37.3
31	Hotel (Motel 6 Cataba Road)	Hotel (Motel 6 Cataba Road)	1.Fl	52.5	52.3	58.7	52.3
31	Hotel (Motel 6 Cataba Road)	Hotel (Motel 6 Cataba Road)	2.Fl	52.7	52.5	58.9	52.5
31	Hotel (Motel 6 Cataba Road)	Hotel (Motel 6 Cataba Road)	3.Fl	52.9	52.7	59.2	52.7
32	Hotel (Motel 6 Cataba Road)	Hotel (Motel 6 Cataba Road)	1.Fl	54.5	54.4	60.8	54.4
32	Hotel (Motel 6 Cataba Road)	Hotel (Motel 6 Cataba Road)	2.Fl	54.7	54.6	61	54.6
32	Hotel (Motel 6 Cataba Road)	Hotel (Motel 6 Cataba Road)	3.Fl	55	54.9	61.3	54.9
33	Hotel (Motel 6 Cataba Road)	Hotel (Motel 6 Cataba Road)	1.Fl	54.6	54.4	60.9	54.4
33	Hotel (Motel 6 Cataba Road)	Hotel (Motel 6 Cataba Road)	2.Fl	54.8	54.6	61.1	54.6
33	Hotel (Motel 6 Cataba Road)	Hotel (Motel 6 Cataba Road)	3.Fl	55	54.8	61.3	54.8
34	Hotel (Motel 6 Cataba Road)	Hotel (Motel 6 Cataba Road)	1.Fl	55.1	55	61.4	55
34	Hotel (Motel 6 Cataba Road)	Hotel (Motel 6 Cataba Road)	2.Fl	55.3	55.2	61.6	55.2
34	Hotel (Motel 6 Cataba Road)	Hotel (Motel 6 Cataba Road)	3.Fl	55.5	55.4	61.8	55.4
35	Hotel (Motel 6 Cataba Road) 1	Hotel (Motel 6 Cataba Road) 1	1.Fl	56.6	56.4	62.8	56.4
36	Hotel (Motel 6 Cataba Road) 15	Hotel (Motel 6 Cataba Road) 15	1.Fl	54.4	54.2	60.6	54.2
37	Hotel (Motel 6 Cataba Road) 16	Hotel (Motel 6 Cataba Road) 16	1.Fl	51.9	51.7	58.2	51.7
38	In N Out	In N Out	1.Fl	48.8	46.7	53.5	46.7
39	Los Amores	Los Amores	1.Fl	51	50.9	57.3	50.9
40	Los Amores 2	Los Amores 2	1.Fl	49.8	49.5	55.9	49.5
41	Los Amores de Julia	Los Amores de Julia	1.Fl	49.6	49.4	55.8	49.4
42	Matress Firm	Matress Firm	1.Fl	50.6	50.5	56.9	50.5
43	Matress Firm 1	Matress Firm 1	1.Fl	48.9	48.7	55.2	48.7
44	Matress Firm	Matress Firm	1.Fl	49.2	49	55.5	49
45	MGA Entertainment	MGA Entertainment	1.Fl	45.2	44.7	51.2	44.7

46	MGA Entertainment	MGA Entertainment	1.FI	49.3	48.7	55.2	48.7
47	MGA Entertainment	MGA Entertainment	1.FI	49.7	49.5	55.9	49.5
48	Mobile Home	Mobile Home	1.FI	54.6	54.5	61	54.5
49	Mobile Home	Mobile Home	1.FI	56.1	56.1	62.5	56.1
50	Mobile Home	Mobile Home	1.FI	54.6	54.6	61	54.6
51	Mobile Home	Mobile Home	1.FI	60.5	60.5	66.9	60.5
52	Mobile Home	Mobile Home	1.FI	56.4	56.4	62.8	56.4
53	Mobile Home	Mobile Home	1.FI	59.7	59.7	66.1	59.7
54	Mobile Home	Mobile Home	1.FI	58	58	64.4	58
55	Mobile Home	Mobile Home	1.FI	57.6	57.5	64	57.5
56	Mobile Home	Mobile Home	1.FI	57.2	57.1	63.5	57.1
57	Mobile Home	Mobile Home	1.FI	56.7	56.7	63.1	56.7
58	Mobile Home	Mobile Home	1.FI	55.7	55.7	62.1	55.7
59	Mobile Home	Mobile Home	1.FI	59.1	59.1	65.5	59.1
60	Mobile Home	Mobile Home	1.FI	59	59	65.4	59
61	Mobile Home	Mobile Home	1.FI	58.5	58.5	64.9	58.5
62	Mobile Home	Mobile Home	1.FI	64.8	64.8	71.2	64.8
63	Mobile Home	Mobile Home	1.FI	63.9	63.9	70.3	63.9
64	Mobile Home	Mobile Home	1.FI	62.4	62.4	68.8	62.4
65	Mobile Home	Mobile Home	1.FI	64	64	70.4	64
66	Mobile Home	Mobile Home	1.FI	61	61	67.4	61
67	Mobile Home	Mobile Home	1.FI	61.9	61.9	68.3	61.9
68	Mobile Home	Mobile Home	1.FI	63	63	69.4	63
69	Mobile Home	Mobile Home	1.FI	60.8	60.8	67.2	60.8
70	Mobile Home	Mobile Home	1.FI	57.8	57.7	64.1	57.7
71	Mobile Home	Mobile Home	1.FI	57.3	57.3	63.7	57.3
72	Mobile Home	Mobile Home	1.FI	56.8	56.8	63.2	56.8
73	Mobile Home	Mobile Home	1.FI	58.3	58.3	64.7	58.3
74	Mobile Home	Mobile Home	1.FI	60	60	66.4	60
75	Mobile Home	Mobile Home	1.FI	59.3	59.3	65.7	59.3
76	Mobile Home	Mobile Home	1.FI	58.9	58.8	65.2	58.8
77	Mobile Home	Mobile Home	1.FI	56.4	56.3	62.7	56.3
78	Mobile Home	Mobile Home	1.FI	53.7	53.6	60	53.6
79	Mobile Home	Mobile Home	1.FI	53.3	53.3	59.7	53.3
80	Mobile Home	Mobile Home	1.FI	53.1	53	59.4	53

81	Mobile Home	Mobile Home	1.FI	54	53.9	60.3	53.9
82	Mobile Home	Mobile Home	1.FI	54.9	54.8	61.2	54.8
83	Mobile Home	Mobile Home	1.FI	54.6	54.5	60.9	54.5
84	Mobile Home	Mobile Home	1.FI	54.3	54.2	60.6	54.2
85	Mobile Home	Mobile Home	1.FI	59.4	59.4	65.8	59.4
86	Mobile Home	Mobile Home	1.FI	58.5	58.5	64.9	58.5
87	Mobile Home	Mobile Home	1.FI	53.6	53.5	60	53.5
88	Mobile Home	Mobile Home	1.FI	56.3	56.3	62.7	56.3
89	Mobile Home	Mobile Home	1.FI	52.4	52.3	58.7	52.3
90	Mobile Home	Mobile Home	1.FI	54	54	60.4	54
91	Mobile Home	Mobile Home	1.FI	55	55	61.4	55
92	Mobile Home	Mobile Home	1.FI	56.8	56.7	63.2	56.7
93	Mobile Home	Mobile Home	1.FI	51.6	51.5	57.9	51.5
94	Mobile Home	Mobile Home	1.FI	52.7	52.7	59.1	52.7
95	Mobile Home	Mobile Home	1.FI	52.6	52.5	58.9	52.5
96	Mobile Home	Mobile Home	1.FI	55.2	55.2	61.6	55.2
97	Mobile Home	Mobile Home	1.FI	56	55.9	62.4	55.9
98	Mobile Home	Mobile Home	1.FI	55.6	55.5	62	55.5
99	Mobile Home 1	Mobile Home 1	1.FI	60.3	60.3	66.7	60.3
100	Mobile Home 1	Mobile Home 1	1.FI	52.9	52.9	59.3	52.9
101	Mobile Home 1	Mobile Home 1	1.FI	51.3	51.2	57.7	51.2
102	Mobile Home 76	Mobile Home 76	1.FI	57.8	57.8	64.2	57.8
103	Mobile Home 77	Mobile Home 77	1.FI	55.6	55.6	62	55.6
104	Mobile Home 78	Mobile Home 78	1.FI	54.6	54.5	60.9	54.5
105	Mobile Home 83	Mobile Home 83	1.FI	54	53.9	60.4	53.9
106	Mobile Home 84	Mobile Home 84	1.FI	55.4	55.4	61.8	55.4
107	Mobile Home 85	Mobile Home 85	1.FI	56	56	62.4	56
108	Mobile Home 86	Mobile Home 86	1.FI	56	56	62.4	56
109	Mobile Home 126	Mobile Home 126	1.FI	52.3	52.2	58.6	52.2
110	Mobile Home 127	Mobile Home 127	1.FI	52.8	52.7	59.2	52.7
111	Mobile Home 128	Mobile Home 128	1.FI	53.3	53.2	59.6	53.2
112	Mobile Home 129	Mobile Home 129	1.FI	54.2	54.1	60.5	54.1
113	Single Family Residence 1	Single Family Residence 1	1.FI	50.8	50.7	57.1	50.7
114	Single Family Residence 2	Single Family Residence 2	1.FI	50.2	50.1	56.5	50.1
115	Single Family Residence 2	Single Family Residence 2	1.FI	52.7	52.7	59.1	52.7

116	Single Family Residence 2	Single Family Residence 2	1.Fl	52.7	52.7	59.1	52.7
117	Single Family Residence 2	Single Family Residence 2	1.Fl	50.4	50.3	56.8	50.3
118	Single Family Residence 2	Single Family Residence 2	1.Fl	51.1	51	57.4	51
119	Single Family Residence 2	Single Family Residence 2	1.Fl	51.1	51.1	57.5	51.1
120	Single Family Residence 2	Single Family Residence 2	1.Fl	50.7	50.7	57.1	50.7
121	Single Family Residence 2	Single Family Residence 2	1.Fl	50.9	50.8	57.2	50.8
122	Single Family Residence 2	Single Family Residence 2	1.Fl	51.3	51.2	57.6	51.2
123	Single Family Residence 2	Single Family Residence 2	1.Fl	51.4	51.3	57.7	51.3
124	Single Family Residence 2	Single Family Residence 2	1.Fl	51.7	51.7	58.1	51.7
125	Single Family Residence 2	Single Family Residence 2	1.Fl	53.2	53.1	59.5	53.1
126	Single Family Residence 2	Single Family Residence 2	1.Fl	52.4	52.4	58.8	52.4
127	Single Family Residence 2	Single Family Residence 2	1.Fl	51.7	51.6	58	51.6
128	Single Family Residence 2	Single Family Residence 2	1.Fl	51.1	51	57.4	51
129	Single Family Residence 2	Single Family Residence 2	1.Fl	53.8	53.8	60.2	53.8
130	Single Family Residence 2	Single Family Residence 2	1.Fl	54.5	54.5	60.9	54.5
131	Single Family Residence 2	Single Family Residence 2	1.Fl	52	51.9	58.3	51.9
132	Single Family Residence 2	Single Family Residence 2	1.Fl	52.5	52.5	58.9	52.5
133	Single Family Residence 2	Single Family Residence 2	1.Fl	51.3	51.2	57.6	51.2
134	Single Family Residence 2	Single Family Residence 2	1.Fl	54	53.9	60.3	53.9
135	Single Family Residence 3	Single Family Residence 3	1.Fl	50.7	50.6	57.1	50.6
136	Single Family Residence 4	Single Family Residence 4	1.Fl	48	48	54.4	48
137	Single Family Residence 4	Single Family Residence 4	1.Fl	47.6	47.5	53.9	47.5
138	Single Family Residence 4	Single Family Residence 4	1.Fl	50.2	50.1	56.5	50.1
139	Single Family Residence 4	Single Family Residence 4	1.Fl	49.5	49.4	55.8	49.4
140	Single Family Residence 4	Single Family Residence 4	1.Fl	50	49.9	56.3	49.9
141	Single Family Residence 4	Single Family Residence 4	1.Fl	49.4	49.4	55.8	49.4
142	Single Family Residence 4	Single Family Residence 4	1.Fl	49.1	49	55.4	49
			Max Noise Levels	Paving (White Fox Trail)			
			Single-Family (Residential)	54.5	54.5	60.9	54.5
			Mobile Home (Residential)	64.8	64.8	71.2	64.8
			Hotel (Commercial)	56.6	56.4	62.8	56.4
			Commercial-Retail	53.1	52.6	59.1	52.6

No.	Receiver name	Floor	Phase 1 Operations + Phase 2 Paving				Phase 1 Operations + Phase 2 Paving + Phase 2 Architectural Coating				MITIGATED Phase 1 Operations + Phase 2 Building Construction			
			Level w/o NP				Level w/o NP				Level w/o NP			
			Day dB(A)	Night	Ldn	Lmax	Day dB(A)	Night	Ldn	Lmax	Day dB(A)	Night	Ldn	Lmax
1	7-11 1	1.Fl	58.4	58.1	64.6	58.0	58.6	58.3	64.8	59.3	51.3	50.6	57.1	49.8
2	7-11 2	1.Fl	55.8	55.5	62.0	55.4	56.0	55.7	62.2	56.8	48.6	47.6	54.2	46.9
3		1.Fl	43.9	42.9	49.5	42.4	44.2	43.1	49.7	43.3	39	37.1	43.8	34.9
4	76 Gas 1	1.Fl	53.8	53.7	60.1	53.6	54.0	53.8	60.2	55.3	45.3	44.7	51.2	44.5
5	76 Gas 2	1.Fl	53.6	53.4	59.9	53.4	53.7	53.6	60.0	55.1	44.8	44.2	50.7	44
6	76 Gas 3	1.Fl	53.8	53.7	60.1	53.6	54.0	53.8	60.3	55.4	44.9	44.4	50.8	44.1
7	76 and Wigos Pizza 1	1.Fl	53.3	53.1	59.5	53.1	53.4	53.3	59.7	54.8	44.8	44.2	50.7	44.1
7	76 and Wigos Pizza 1	2.Fl	54.0	53.8	60.2	53.8	54.2	54.0	60.4	55.4	45.6	45.1	51.5	44.8
8	Bakers Drive-thru 1	1.Fl	57.5	57.1	63.6	56.9	57.7	57.3	63.8	58.3	50.8	49.7	56.3	48.4
9	Bakers Drive-thru 2	1.Fl	58.1	57.8	64.2	57.6	58.3	58.0	64.4	58.8	51.3	50.4	57	49.4
10	Bakers Drive-Thru	1.Fl	57.2	56.8	63.3	56.6	57.4	57.0	63.5	58.0	50.2	49.3	55.9	48.3
11	Chipotle	1.Fl	59.4	58.6	65.1	58.6	59.6	58.9	65.4	59.2	53.4	51.7	58.4	51.5
12	Commercial Retail Center	1.Fl	53.8	53.5	60.0	53.5	53.9	53.7	60.2	54.9	46.1	45.3	51.8	44.9
13	Commercial Retail Center	1.Fl	54.5	54.2	60.7	54.2	54.7	54.5	60.9	55.5	47.3	46.4	53	45.9
14	Commercial Retail Center	1.Fl	55.0	54.7	61.2	54.6	55.2	54.9	61.4	55.9	47.8	47	53.5	46.4
15	Commercial Retail Center	1.Fl	55.1	54.8	61.2	54.7	55.3	55.0	61.4	55.9	48.1	47.2	53.8	46.7
16	Commercial Retail Center	1.Fl	54.4	54.2	60.7	54.1	54.6	54.4	60.9	55.4	47	46.3	52.9	45.8
17	Commercial Retail Center	1.Fl	54.1	53.7	60.3	53.7	54.4	54.0	60.4	54.5	47.5	46.6	53.1	46.4
18	Commercial Retail Center	1.Fl	54.2	53.7	60.1	53.6	54.3	54.0	60.4	54.5	47.6	46.5	53.1	46.2
19	Commercial Retail Center	1.Fl	56.8	56.3	62.7	56.2	57.1	56.5	63.0	56.9	50.5	49.2	55.8	48.9
20	Commercial Retail Center	1.Fl	53.3	53.1	59.5	53.1	53.4	53.3	59.7	54.6	45.3	44.6	51.1	44.2
21	Commercial Retail Center 1	1.Fl	60.2	59.2	65.8	59.2	60.4	59.5	66.1	59.8	54.3	52.3	59.1	52.2
22	Holiday Inn Hotel 1	1.Fl	59.2	59.0	65.4	58.8	59.4	59.1	65.6	60.6	51.4	50.5	57.1	49.3
23	Holiday Inn Hotel 2	1.Fl	59.4	59.1	65.6	59.0	59.6	59.3	65.8	60.4	52.5	51.7	58.3	50.6
24	Holiday Inn Hotel 3	1.Fl	58.5	58.2	64.6	58.1	58.6	58.4	64.8	59.4	51.4	50.7	57.2	49.9
25	Hotel (Holiday Inn Key Point Ave)	1.Fl	40.3	38.9	45.6	38.5	40.4	39.1	45.7	39.8	35	32.4	39.3	30.2
25	Hotel (Holiday Inn Key Point Ave)	2.Fl	39.9	38.8	45.4	38.7	40.1	39.0	45.6	40.0	33.8	31.2	38.1	30.3
25	Hotel (Holiday Inn Key Point Ave)	3.Fl	42.8	41.9	48.4	41.7	43.0	42.1	48.6	43.2	36.4	34	40.8	33.2
26	Hotel (Holiday Inn Key Point Ave)	1.Fl	56.1	55.8	62.2	55.7	56.3	56.0	62.4	56.9	49.3	48.4	54.9	47.5
26	Hotel (Holiday Inn Key Point Ave)	2.Fl	56.3	56.0	62.5	55.8	56.5	56.2	62.6	57.1	49.4	48.5	55	47.6
26	Hotel (Holiday Inn Key Point Ave)	3.Fl	56.5	56.1	62.6	55.9	56.7	56.3	62.8	57.2	49.6	48.6	55.2	47.7
27	Hotel (Holiday Inn Key Point Ave)	1.Fl	56.8	56.5	62.9	56.3	57.0	56.7	63.1	57.6	49.8	48.9	55.5	47.9
27	Hotel (Holiday Inn Key Point Ave)	2.Fl	56.9	56.6	63.1	56.5	57.1	56.8	63.2	57.8	49.9	49.1	55.6	48.1
27	Hotel (Holiday Inn Key Point Ave)	3.Fl	57.1	56.8	63.2	56.6	57.3	56.9	63.4	58.0	50.2	49.3	55.8	48.2
28	Hotel (Holiday Inn Key Point Ave)	1.Fl	57.4	57.1	63.5	56.9	57.6	57.3	63.7	58.4	50.2	49.3	55.9	48.4
28	Hotel (Holiday Inn Key Point Ave)	2.Fl	57.5	57.2	63.7	57.1	57.7	57.4	63.9	58.5	50.3	49.5	56	48.5
28	Hotel (Holiday Inn Key Point Ave)	3.Fl	57.7	57.4	63.9	57.2	57.9	57.6	64.1	58.7	50.6	49.7	56.3	48.6
29	Hotel (Holiday Inn Key Point Ave)	1.Fl	58.3	58.1	64.5	58.0	58.4	58.2	64.7	59.9	49.8	49	55.5	48.3
29	Hotel (Holiday Inn Key Point Ave)	2.Fl	58.5	58.3	64.7	58.2	58.6	58.4	64.8	60.0	49.9	49.1	55.6	48.4

29	Hotel (Holiday Inn Key Point Ave)	3.FI	58.7	58.4	64.9	58.3	58.8	58.6	65.0	60.2	50.2	49.3	55.8	48.5
30	Hotel (Motel 6 Cataba Road)	1.FI	37.3	36.8	43.3	36.8	37.4	37.0	43.4	38.5	29.2	27.7	34.3	27.4
30	Hotel (Motel 6 Cataba Road)	2.FI	37.5	36.9	43.4	36.9	37.6	37.1	43.6	38.7	29.6	27.8	34.5	27.5
30	Hotel (Motel 6 Cataba Road)	3.FI	41.1	40.6	47.1	40.5	41.2	40.7	47.2	42.3	33.2	31.3	38	31
31	Hotel (Motel 6 Cataba Road)	1.FI	55.4	55.3	61.7	55.3	55.6	55.4	61.8	57.1	46.2	45.6	52.1	45.5
31	Hotel (Motel 6 Cataba Road)	2.FI	55.8	55.6	62.1	55.6	56.0	55.8	62.2	57.4	46.8	46.2	52.7	46
31	Hotel (Motel 6 Cataba Road)	3.FI	56.0	55.8	62.3	55.8	56.2	56.0	62.5	57.6	47.2	46.5	53	46.2
32	Hotel (Motel 6 Cataba Road)	1.FI	56.8	56.7	63.1	56.6	56.9	56.8	63.2	58.8	46.9	46.3	52.8	46
32	Hotel (Motel 6 Cataba Road)	2.FI	57.0	56.8	63.3	56.8	57.1	57.0	63.4	59.0	47.2	46.5	53	46.2
32	Hotel (Motel 6 Cataba Road)	3.FI	57.2	57.1	63.5	57.1	57.3	57.2	63.6	59.2	47.4	46.6	53.2	46.3
33	Hotel (Motel 6 Cataba Road)	1.FI	57.1	56.9	63.3	56.8	57.2	57.0	63.4	58.9	47.6	46.8	53.3	46.4
33	Hotel (Motel 6 Cataba Road)	2.FI	57.2	57.0	63.5	57.0	57.3	57.1	63.6	59.0	47.7	46.9	53.4	46.5
33	Hotel (Motel 6 Cataba Road)	3.FI	57.4	57.2	63.6	57.1	57.5	57.3	63.8	59.2	47.9	47	53.6	46.6
34	Hotel (Motel 6 Cataba Road)	1.FI	57.3	57.2	63.6	57.1	57.4	57.3	63.7	59.3	47.5	46.6	53.1	46.3
34	Hotel (Motel 6 Cataba Road)	2.FI	57.5	57.3	63.7	57.3	57.6	57.4	63.8	59.4	47.5	46.7	53.2	46.4
34	Hotel (Motel 6 Cataba Road)	3.FI	57.6	57.5	63.9	57.5	57.7	57.6	64.0	59.6	47.7	46.8	53.4	46.6
35	Hotel (Motel 6 Cataba Road) 1	1.FI	59.2	59.0	65.4	59.0	59.4	59.2	65.6	61.0	50	49.2	55.7	48.8
36	Hotel (Motel 6 Cataba Road) 15	1.FI	57.5	57.3	63.7	57.3	57.6	57.5	63.9	59.1	48.4	47.8	54.3	47.6
37	Hotel (Motel 6 Cataba Road) 16	1.FI	54.2	54.1	60.5	54.0	54.4	54.2	60.7	56.1	44.4	43.6	50.2	43.5
38	In N Out	1.FI	56.7	56.0	62.6	56.0	56.9	56.3	62.8	56.8	50.3	49	55.7	48.8
39	Los Amores	1.FI	52.1	51.9	58.3	51.9	52.1	52.0	58.4	54.5	40.1	38.5	45.2	38.3
40	Los Amores 2	1.FI	53.7	53.4	59.8	53.4	53.9	53.6	60.0	55.0	45.7	44.9	51.4	44.4
41	Los Amores de Julia	1.FI	52.1	51.9	58.3	51.9	52.2	52.0	58.5	53.9	42.8	41.9	48.4	41.6
42	Matress Firm	1.FI	52.4	52.2	58.6	52.2	52.5	52.3	58.7	54.5	41.6	40.8	47.3	40.7
43	Matress Firm 1	1.FI	52.9	52.8	59.2	52.7	53.1	52.9	59.4	54.3	44.6	44	50.5	43.8
44	Matress Firm	1.FI	52.9	52.7	59.2	52.7	53.0	52.9	59.3	54.4	44.3	43.7	50.2	43.6
45	MGA Entertainment	1.FI	52.6	52.3	58.7	52.3	52.8	52.6	59.0	53.2	45.5	44.9	51.4	44.8
46	MGA Entertainment	1.FI	57.8	57.5	63.9	57.5	57.9	57.8	64.2	58.3	50.9	50.2	56.8	50.2
47	MGA Entertainment	1.FI	56.8	56.6	63.0	56.6	57.0	56.9	63.3	57.6	49.6	49	55.5	49
48	Mobile Home	1.FI	56.6	56.5	62.9	56.4	56.7	56.6	63.0	58.7	46.1	45.6	52	45.3
49	Mobile Home	1.FI	57.7	57.7	64.1	57.6	57.8	57.8	64.2	60.0	46.4	45.9	52.4	45.7
50	Mobile Home	1.FI	56.6	56.6	63.0	56.6	56.7	56.7	63.1	58.8	46.1	45.6	52.1	45.5
51	Mobile Home	1.FI	61.2	61.2	67.6	61.2	61.2	61.2	67.6	63.9	46.8	46.2	52.7	46
52	Mobile Home	1.FI	57.9	57.9	64.3	57.9	58.0	58.0	64.4	60.3	46.4	45.9	52.4	45.8
53	Mobile Home	1.FI	60.5	60.5	66.9	60.5	60.6	60.5	66.9	63.1	46.8	46.2	52.7	45.9
54	Mobile Home	1.FI	59.1	59.1	65.5	59.1	59.2	59.2	65.6	61.6	46.7	46.1	52.6	45.8
55	Mobile Home	1.FI	58.8	58.7	65.2	58.7	58.9	58.8	65.3	61.2	46.7	46	52.5	45.8
56	Mobile Home	1.FI	58.5	58.4	64.8	58.4	58.6	58.5	64.9	60.8	46.6	46	52.5	45.7
57	Mobile Home	1.FI	58.1	58.1	64.5	58.1	58.2	58.2	64.6	60.5	46.6	45.9	52.4	45.7
58	Mobile Home	1.FI	57.3	57.2	63.6	57.2	57.4	57.3	63.7	59.6	46.1	45.4	52	45.2
59	Mobile Home	1.FI	60.0	60.0	66.4	60.0	60.1	60.0	66.5	62.6	46.7	46.1	52.6	45.9
60	Mobile Home	1.FI	59.9	59.9	66.3	59.9	60.0	60.0	66.4	62.5	46.7	46.1	52.6	45.9
61	Mobile Home	1.FI	59.5	59.5	65.9	59.5	59.6	59.6	66.0	62.1	46.7	46.1	52.6	45.9
62	Mobile Home	1.FI	65.1	65.1	71.5	65.1	65.1	65.1	71.5	68.0	46.8	46.3	52.8	46.1
63	Mobile Home	1.FI	64.2	64.2	70.6	64.2	64.3	64.2	70.6	67.1	46.8	46.2	52.7	46
64	Mobile Home	1.FI	62.9	62.9	69.3	62.8	62.9	62.9	69.3	65.7	46.8	46.2	52.7	46

65	Mobile Home	1.FI	64.3	64.3	70.7	64.3	64.3	64.3	70.7	67.2	46.8	46.3	52.8	46.1
66	Mobile Home	1.FI	61.6	61.6	68.0	61.6	61.7	61.6	68.0	64.3	46.8	46.2	52.7	46
67	Mobile Home	1.FI	62.4	62.4	68.8	62.4	62.4	62.4	68.8	65.2	46.8	46.2	52.7	46
68	Mobile Home	1.FI	63.4	63.4	69.8	63.4	63.4	63.4	69.8	66.2	46.8	46.2	52.7	46
69	Mobile Home	1.FI	61.5	61.4	67.8	61.4	61.5	61.5	67.9	64.2	46.7	46.2	52.7	46
70	Mobile Home	1.FI	59.0	58.9	65.3	58.9	59.0	58.9	65.3	61.4	46.5	46	52.5	45.9
71	Mobile Home	1.FI	58.6	58.6	65.0	58.6	58.7	58.6	65.0	61.0	46.5	46	52.5	45.9
72	Mobile Home	1.FI	58.2	58.2	64.6	58.2	58.3	58.3	64.7	60.6	46.5	46	52.4	45.8
73	Mobile Home	1.FI	59.4	59.4	65.8	59.4	59.4	59.4	65.8	61.9	46.6	46.1	52.6	46
74	Mobile Home	1.FI	60.8	60.7	67.2	60.7	60.8	60.8	67.2	63.4	46.7	46.2	52.6	46
75	Mobile Home	1.FI	60.2	60.2	66.6	60.2	60.2	60.2	66.6	62.8	46.7	46.1	52.6	46
76	Mobile Home	1.FI	59.9	59.8	66.2	59.8	59.9	59.8	66.2	62.3	46.7	46.1	52.6	46
77	Mobile Home	1.FI	57.9	57.8	64.2	57.8	58.0	57.9	64.3	60.1	46.6	45.9	52.4	45.6
78	Mobile Home	1.FI	55.9	55.7	62.2	55.7	56.0	55.8	62.3	57.9	45.6	45	51.5	44.9
79	Mobile Home	1.FI	55.1	55.1	61.5	55.1	55.2	55.2	61.6	57.3	44.2	43.6	50.1	43.6
80	Mobile Home	1.FI	54.5	54.4	60.8	54.4	54.6	54.5	60.9	56.8	42.9	42.2	48.8	42.2
81	Mobile Home	1.FI	56.2	56.0	62.5	56.0	56.3	56.1	62.6	58.2	46	45.3	51.8	45.2
82	Mobile Home	1.FI	56.8	56.7	63.1	56.7	56.9	56.8	63.2	58.9	46.3	45.7	52.2	45.4
83	Mobile Home	1.FI	56.6	56.5	62.9	56.4	56.7	56.6	63.0	58.7	46.3	45.6	52.1	45.3
84	Mobile Home	1.FI	56.4	56.2	62.7	56.2	56.5	56.4	62.8	58.4	46.2	45.5	52	45.3
85	Mobile Home	1.FI	60.2	60.2	66.6	60.2	60.2	60.2	66.6	62.8	46.2	45.7	52.2	45.6
86	Mobile Home	1.FI	59.4	59.4	65.8	59.4	59.5	59.5	65.9	62.0	46.2	45.7	52.1	45.5
87	Mobile Home	1.FI	55.3	55.2	61.7	55.2	55.4	55.3	61.8	57.5	44.3	43.8	50.2	43.6
88	Mobile Home	1.FI	57.8	57.7	64.1	57.7	57.8	57.8	64.2	60.1	46.1	45.6	52.1	45.5
89	Mobile Home	1.FI	53.7	53.6	60.0	53.6	53.8	53.7	60.1	56.1	42	41.2	47.7	41.1
90	Mobile Home	1.FI	56.1	56.1	62.5	56.1	56.2	56.2	62.6	58.2	45.7	45.3	51.8	45.2
91	Mobile Home	1.FI	56.8	56.8	63.2	56.8	56.9	56.9	63.3	59.0	46	45.5	52	45.3
92	Mobile Home	1.FI	58.1	58.0	64.5	58.0	58.2	58.1	64.6	60.5	46.3	45.7	52.2	45.5
93	Mobile Home	1.FI	54.8	54.6	61.1	54.6	54.9	54.8	61.2	56.4	45.8	45.2	51.7	45
94	Mobile Home	1.FI	55.0	55.0	61.4	54.9	55.2	55.1	61.5	57.1	44.9	44.5	50.9	44.3
95	Mobile Home	1.FI	54.6	54.5	60.9	54.5	54.8	54.7	61.1	56.7	44.1	43.7	50.2	43.6
96	Mobile Home	1.FI	57.0	57.0	63.4	56.9	57.1	57.1	63.5	59.2	46.4	45.7	52.2	45.4
97	Mobile Home	1.FI	57.6	57.5	64.0	57.5	57.7	57.6	64.1	59.8	46.5	45.9	52.4	45.6
98	Mobile Home	1.FI	57.3	57.2	63.7	57.2	57.4	57.3	63.8	59.5	46.5	45.8	52.3	45.5
99	Mobile Home 1	1.FI	61.0	60.9	67.4	60.9	61.0	61.0	67.4	63.7	46.2	45.8	52.2	45.6
100	Mobile Home 1	1.FI	55.2	55.1	61.5	55.1	55.3	55.3	61.7	57.2	45	44.6	51	44.4
101	Mobile Home 1	1.FI	53.9	53.7	60.2	53.7	54.0	53.9	60.3	55.8	44.3	43.7	50.2	43.5
102	Mobile Home 76	1.FI	58.9	58.9	65.3	58.9	59.0	58.9	65.3	61.4	46.2	45.7	52.2	45.6
103	Mobile Home 77	1.FI	57.3	57.2	63.7	57.2	57.4	57.3	63.7	59.6	46.1	45.6	52.1	45.5
104	Mobile Home 78	1.FI	56.6	56.5	62.9	56.5	56.7	56.6	63.0	58.7	46	45.5	52	45.4
105	Mobile Home 83	1.FI	55.9	55.8	62.3	55.8	56.0	55.9	62.4	58.0	45.2	44.7	51.2	44.6
106	Mobile Home 84	1.FI	56.9	56.9	63.3	56.9	57.0	57.0	63.4	59.2	45.4	44.9	51.4	44.7
107	Mobile Home 85	1.FI	57.3	57.3	63.7	57.3	57.4	57.4	63.8	59.8	45.4	45	51.4	44.8
108	Mobile Home 86	1.FI	57.4	57.3	63.7	57.3	57.4	57.4	63.8	59.8	45.5	45	51.5	44.8
109	Mobile Home 126	1.FI	54.5	54.4	60.8	54.4	54.7	54.5	61.0	56.5	44.4	43.9	50.4	43.7
110	Mobile Home 127	1.FI	54.9	54.8	61.3	54.8	55.0	54.9	61.4	56.9	44.6	44.1	50.6	43.9

111	Mobile Home 128	1.Fl	55.3	55.1	61.6	55.1	55.3	55.2	61.7	57.4	44.7	44.2	50.7	44
112	Mobile Home 129	1.Fl	55.9	55.8	62.2	55.8	56.0	55.9	62.3	58.1	44.9	44.4	50.8	44.2
113	Single Family Residence 1	1.Fl	53.4	53.3	59.8	53.3	53.6	53.5	59.9	55.3	43.9	43.4	49.8	43.2
114	Single Family Residence 2	1.Fl	52.7	52.6	59.0	52.5	52.8	52.7	59.1	54.6	42.7	42.3	48.8	42.1
115	Single Family Residence 2	1.Fl	54.6	54.6	61.0	54.6	54.7	54.7	61.1	56.8	43.9	43.4	49.9	43.3
116	Single Family Residence 2	1.Fl	54.6	54.6	61.0	54.6	54.7	54.7	61.1	56.8	43.9	43.4	49.9	43.3
117	Single Family Residence 2	1.Fl	52.9	52.8	59.3	52.8	53.0	52.9	59.4	54.8	43.1	42.6	49.1	42.5
118	Single Family Residence 2	1.Fl	53.4	53.3	59.7	53.2	53.5	53.4	59.8	55.4	43.3	42.8	49.3	42.6
119	Single Family Residence 2	1.Fl	53.3	53.3	59.7	53.3	53.4	53.4	59.8	55.4	43.2	42.7	49.2	42.5
120	Single Family Residence 2	1.Fl	53.0	52.9	59.3	52.9	53.1	53.1	59.5	55.0	42.9	42.4	48.9	42.2
121	Single Family Residence 2	1.Fl	53.2	53.1	59.5	53.0	53.3	53.2	59.6	55.2	43.1	42.6	49.1	42.4
122	Single Family Residence 2	1.Fl	53.5	53.4	59.8	53.4	53.7	53.6	60.0	55.5	43.4	42.9	49.4	42.7
123	Single Family Residence 2	1.Fl	53.6	53.5	59.9	53.5	53.7	53.6	60.0	55.6	43.4	42.9	49.4	42.7
124	Single Family Residence 2	1.Fl	53.8	53.7	60.1	53.7	53.9	53.9	60.3	55.9	43.4	43	49.4	42.8
125	Single Family Residence 2	1.Fl	55.0	54.9	61.3	54.9	55.1	55.0	61.4	57.2	44.3	43.8	50.2	43.6
126	Single Family Residence 2	1.Fl	54.5	54.5	60.9	54.4	54.6	54.6	61.0	56.6	44.2	43.7	50.2	43.5
127	Single Family Residence 2	1.Fl	54.0	53.9	60.3	53.9	54.2	54.1	60.5	56.0	44.1	43.6	50	43.3
128	Single Family Residence 2	1.Fl	53.6	53.5	59.9	53.5	53.7	53.6	60.0	55.5	43.9	43.3	49.8	43.1
129	Single Family Residence 2	1.Fl	55.6	55.6	62.0	55.6	55.7	55.7	62.1	57.8	44.8	44.3	50.7	44.1
130	Single Family Residence 2	1.Fl	56.1	56.1	62.5	56.1	56.2	56.2	62.6	58.4	44.9	44.3	50.8	44.2
131	Single Family Residence 2	1.Fl	54.4	54.3	60.7	54.3	54.5	54.4	60.8	56.3	44.3	43.9	50.4	43.8
132	Single Family Residence 2	1.Fl	54.7	54.7	61.1	54.7	54.9	54.8	61.2	56.8	44.6	44.1	50.6	44
133	Single Family Residence 2	1.Fl	53.8	53.7	60.1	53.7	53.9	53.8	60.2	55.7	44.1	43.5	50	43.4
134	Single Family Residence 2	1.Fl	55.8	55.7	62.1	55.7	55.9	55.8	62.2	57.9	44.8	44.3	50.8	44.2
135	Single Family Residence 3	1.Fl	53.3	53.2	59.6	53.1	53.4	53.3	59.8	55.2	43.7	43.1	49.6	42.9
136	Single Family Residence 4	1.Fl	51.1	51.1	57.5	51.0	51.2	51.2	57.6	52.9	41.9	41.5	48	41.3
137	Single Family Residence 4	1.Fl	50.8	50.7	57.1	50.7	50.9	50.8	57.2	52.5	41.7	41.3	47.7	41.1
138	Single Family Residence 4	1.Fl	52.9	52.8	59.2	52.8	53.1	53.0	59.4	54.7	43.4	42.9	49.4	42.7
139	Single Family Residence 4	1.Fl	52.1	52.0	58.4	52.0	52.3	52.2	58.6	54.0	42.5	42	48.5	41.8
140	Single Family Residence 4	1.Fl	52.7	52.5	59.0	52.5	52.8	52.7	59.1	54.5	43.1	42.6	49.1	42.4
141	Single Family Residence 4	1.Fl	52.3	52.2	58.6	52.2	52.4	52.4	58.8	54.1	42.9	42.4	48.9	42.2
142	Single Family Residence 4	1.Fl	51.9	51.8	58.2	51.7	52.0	51.9	58.3	53.7	42.4	41.9	48.4	41.7

Max Noise Levels	Phase 1 Operations + Phase 2 Paving				Phase 1 Operations + Phase 2 Paving + Phase 2 Architectural Coating				Phase 1 Operations + Phase 2 Building Construction				
	Single-Family (Residential)	56.1	56.1	62.5	56.1	56.2	56.2	62.6	58.4	44.9	44.3	50.8	44.2
	Mobile Home (Residential)	65.1	65.1	71.5	65.1	65.1	65.1	71.5	68.0	46.8	46.3	52.8	46.1
	Hotel (Commercial)	59.4	59.1	65.6	59.0	59.6	59.3	65.8	61.0	52.5	51.7	58.3	50.6
	Commercial-Retail	60.2	59.2	65.8	59.2	60.4	59.5	66.1	59.8	54.3	52.3	59.1	52.2