

Gorman – Kern River 66 Kilovolt Project Tree Assessment Summary Report

Kern County and Los Angeles County, California

December 2021

Prepared By:

Arcadis U.S., Inc.
320 Commerce, Suite 200
Irvine
California 92602
Phone: 714 730 9052
Fax: 714 730 9345

Prepared For:

Southern California Edison

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

Contents

Acronyms and Abbreviations.....

1 Introduction..... 1

 1.1 Project Summary 1

 1.2 Project Overview..... 2

 1.3 Applicable Mitigation Measures 2

2 Methods 6

 2.1 Native Tree Assessments 6

 2.2 Potential Tree Disturbance Types..... 7

3 Native Tree Survey Results 8

4 Conclusion 8

5 References 9

Tables

Table 1. Applicant Proposed Measures to Reduce Impacts to Biological

Table 2. Resources Summary of Native Tree Assessment Survey Data

Table 3. 2021 Native Tree Survey Data

Figures

Figure 1 Site Location

Figure 2 Native Tree Assessment Locations

Acronyms and Abbreviations

APMs	Applicant Proposed Measures
Arcadis	Arcadis U.S., Inc.
BMPs	best management practices
CAISO	California Independent System Operator
CDFW	California Department of Fish and Wildlife
CEQA	California Environmental Quality Act
CESA	California Endangered Species Act
CPUC	California Public Utilities Commission
°F	degrees Fahrenheit
FESA	Federal Endangered Species Act
FRED	Field Reporting Environmental Database
GKR Project	Gorman – Kern River 66 Kilovolt Project
GPS	global positioning system
HMMP	Habitat Mitigation and Management Plan
HRRP	Habitat Restoration and Revegetation Plan
IPMP	Invasive Plant Management Plan
kV	kilovolt(s)
LiDAR	Light Detection and Ranging
LST	lattice steel pole
LWS	lightweight steel pole
OHGW	overhead groundwire
OPGW	optical groundwire
PEA	Proponents Environmental Assessment
SCE	Southern California Edison Company
SWPPP	Stormwater Pollution Prevention Plan
TLRR	Transmission Line Rating Remediation
TSP	tubular steel poles
USFWS	U.S. Fish and Wildlife Service
USGS	U.S. Geological Survey
WEAP	Worker Environmental Awareness Program

1 Introduction

This Tree Assessment Summary Report provides a summary of native tree data collected within the proposed Southern California Edison Company (SCE) Gorman – Kern River 66 kilovolt (kV) Project (GKR Project) alignment in Kern and Los Angeles counties, California (Figure 1). The GKR Project proposes to perform work along the existing Banducci-Kern River 1 66 kV Subtransmission Line, the existing Frazier Park-Gorman 66 kV Subtransmission Line, the existing Gorman-Kern River 1 66 kV Subtransmission Line, and at the substations associated with those lines.

1.1 Project Summary

SCE is a public utility that provides electric service to a population of approximately 15 million people within a 50,000-square-mile service area that encompasses 180 cities throughout Southern California. SCE owns and operates approximately 5,000 miles of bulk power facilities (500 kV and 220 kV transmission lines) and 1,500 miles of subtransmission (55 kV to 115 kV) lines. SCE also owns and operates 1,200 miles of radial 115 kV subtransmission lines.

The design of electric lines in California is governed by GO 95, Rules For Overhead Electric Line Construction. The purpose of the Rules contained within GO 95 is to formulate, for the State of California, requirements for overhead line design, construction, and maintenance, the application of which would ensure adequate service and secure safety to persons engaged in the construction, maintenance, operation or use of overhead lines and to the public in general.

GO 95 Rules 37 through 39 specify minimum vertical and horizontal clearances that must be maintained between an electric power line (referred to as a conductor) and other conductors, or between a conductor and the ground, buildings, and a variety of other objects. Conductor clearance in the field (e.g., between a conductor and the ground) is not a static value—it changes depending upon the operational characteristics of the line. As greater amounts of electricity are transmitted by a conductor, the conductor material heats up and expands, resulting in greater sag (and a lesser clearance) in a given span.

In 2006, SCE identified that the clearances along some of its circuits were not compliant with the clearances required by GO 95 due to the installation of additional infrastructure under SCE lines over time; survey, engineering, and construction inaccuracies; the growth of vegetation; and changes in topography. This information was communicated to both the CPUC and the California Independent System Operator (CAISO). SCE then initiated a Light Detection and Ranging (LiDAR) study and engineering modeling work to confirm these discrepancies.¹

The collective effort to identify and remediate these discrepancies across SCE's system is referred to as the Transmission Line Rating Remediation (TLRR) effort. Based on the LiDAR and engineering modeling work, SCE's TLRR effort is developing a remediation plan for each discrepancy to ensure compliance with GO 95 standards.

¹ Discrepancies are defined as potential clearance problems between an energized conductor and its surroundings, such as the structure, another energized conductor on the same structure, a different line, or the ground, among others.

The GKR Project is one activity within SCE's larger TLRR effort. The discrepancies identified on the subtransmission lines included under the GKR Project were identified through LiDAR and engineering modeling work performed under the TLRR effort.

1.2 Project Overview

To remediate the identified clearance discrepancies and address reliability concerns, SCE proposes to rebuild some portions of three existing subtransmission lines, proposes to replace individual existing subtransmission poles along a portion of one of these subtransmission lines, and proposes to modify individual existing subtransmission structures along a portion of one of these subtransmission lines.

Where portions of the existing subtransmission lines are proposed to be rebuilt, existing subtransmission structures and the conductor carried by those structures would be removed, and new structures and conductor would be installed. The portions of the existing subtransmission lines that are proposed to be rebuilt are generally characterized by a large number of discrepancies.

Where existing subtransmission poles are proposed to be replaced, individual subtransmission poles would be replaced. The existing conductor would generally be transferred to the new pole. Additional subtransmission poles adjacent to the proposed replaced subtransmission poles may also be modified. The portion of an existing subtransmission line where individual subtransmission pole replacement is proposed is characterized by having a few number of discrepancies.

Where existing subtransmission structures are proposed to be modified, individual subtransmission structures (LSTs) would be modified. The structures would be modified to accommodate optical groundwire (OPGW). New conductor would be installed on the modified structures. The portion of an existing subtransmission line where structures would be modified is characterized by having no discrepancies.

Where distribution circuits are located on existing subtransmission structures that would be replaced, the distribution circuit would be transferred to the replacement structures. New OPGW and overhead groundwire (OHGW) and/or All-Dielectric Self-Supporting (ADSS) fiber optic cable would be installed for interstation communication to facilitate the protection of system components and infrastructure.

No new substations would be constructed under the GKR Project. Modifications within and adjacent to existing substations will be necessary to accommodate the installation of new conductor and systems protection equipment.

1.3 Applicable Mitigation Measures

SCE has proposed measures to reduce impacts to potentially affected resources or areas. These types of actions are referred to as applicant proposed measures (APMs). SCE will implement the applicant proposed APMs listed on Table 1 during construction of the GKR Project.

To avoid and minimize potential impacts to native trees from construction activities such as native vegetation clearing and grubbing, grading, and earth-moving, SCE would implement APM BIO-GEN-1: Pre-construction Biological Clearance Survey and Monitoring, which includes pre-construction biological surveys and flagging boundaries of areas supporting native trees for avoidance, where possible. SCE would also implement APM WEAP: Worker's Environmental Awareness Training (WEAP), to ensure contractor understanding and implementation of these protective measures. SCE would also implement APM BIO-BOT-2: Special-status

Perennial Plants and Other Species, which contains measures such as pre-construction surveys, flagging and marking for avoidance, and construction scheduling to avoid or minimize potential impacts to the native trees.

In some cases, the APMs listed in Table 1 cover a broader category of protections than native trees. The APMs are presented in full that include native tree protection and mitigation measures.

Table 1. Applicant Proposed Measures

NOTE: All reports and reporting included in the following APMs will be made available utilizing SCE's Field Reporting Environmental Database (FRED).

APM Title	Description	Justification
WEAP	Worker's Environmental Awareness Training Program. All workers on the project site shall be required to attend a Worker's Environmental Awareness Training Program (WEAP). Training shall inform all construction personnel of the resource protection and avoidance measures as well as procedures to be followed upon the discovery of environmental resources. The WEAP training will include, at a minimum, the following topics so crews will understand their obligations: • ESA boundaries • Housekeeping (Trash and equipment cleaning) • Safety • Work stoppage • Communication Protocol • Consequences of non-compliance • Stormwater Pollution Prevention Plan (SWPPP)	Reduce impacts to natural resources generally.
BIO-GEN-1	Pre-construction Biological Clearance Surveys and Monitoring. Pre-construction clearance surveys will be performed by a qualified biologist (i.e., a biologist with the requisite education and experience to address specific resources), which may be chosen from a previously approved CPUC approved biologist, to avoid or minimize impacts on special status plants and wildlife species, habitat, nesting birds, and other sensitive biological resources in areas with the potential for resources to be present. Sensitive resources identified during the clearance survey will be either: • Flagged for avoidance, • Moved to outside impact areas, • Avoided by implementing procedures to avoid impacts to individuals while impacting habitat (e.g., burrows, dens, etc.), or • Documented based on permit authorizations. Specific details on the pre-construction survey requirements may be found within measures for each individual species. Where special-status species (e.g., reptiles, birds, mammals, and bat roosts) or unique resources (defined by regulations and local conservation plans) are known to occur and there is a potential for significant impacts, qualified biologists will monitor construction activities to ensure that impacts to special-status species, sensitive vegetation types, wildlife habitat, and unique resources are avoided and minimized.	Reduce impacts to biological resources generally.
BIO-BOT-2	Special-status Perennial Plants and Other Species. SCE shall avoid, minimize, or mitigate impacts to sensitive plants and natural communities in the project area, or unique riparian vegetation, that may be located on the project disturbance areas or surrounding buffer areas. Pre-construction survey. Pre-construction surveys would be conducted by a qualified specialist to identify any special-status perennial species or other species of tree, shrub, cactus, or yucca in the project area that require restoration or mitigation. Surveys would be consistent with the protocol outlined by California Department of Fish and Wildlife (CDFW) Protocols for Surveying and Evaluating Impacts to Species Status Native Plant Populations and Sensitive Nature Communities (May 2018). Prior to the start of construction, a	Avoid and minimize impacts to special-status plants and natural communities.

APM Title	Description	Justification
	qualified biologist (i.e., a biologist with the requisite education and experience to address specific resources), which may be chosen from a previously approved CPUC approved biologist, shall complete pre-construction surveys in all habitats to identify individuals or occurrences of sensitive plants and natural communities in the project area, or unique riparian vegetation. Where these species are known to occur, all work shall occur outside a 10-ft buffer. Buffer reductions may occur with the implementation of appropriate minimization measures. A qualified botanist/arborist monitor, with the authority to halt work, shall be present whenever work occurs within reduced buffers for any of these species. If avoidance of listed species is not feasible, SCE will consult with USFWS/CDFW and implement additional measures pursuant to FESA/CESA, required after consultation. In the event of an unexpected discovery of a new species or previously undocumented occurrence, the same steps will be used as discussed above. In addition, when there is an unexpected discovery of a new species, the CPUC, CDFW, and/or USFWS will be notified. Restoration and Mitigation • Coordinate with Agencies. Agencies shall approve any impacts to the species. • Habitat Restoration and Revegetation. If individuals of special-status species cannot be avoided, a Habitat Restoration and Revegetation Plan (HRRP) shall address removal or salvage methods, number of individuals to be impacted, and restoration (see BIO-RES-1). A Habitat Mitigation and Management Plan (HMMP) shall address mitigation. Approval of the HRRP by appropriate agencies is required before impacts to the given species is allowed. A draft HMMP will be submitted to the appropriate agencies prior to impacts to the given species. • SCE will prepare and implement a HRRP. The goal shall be maximum practicable survivorship of salvaged plants, (i.e., moving plants only once). The HRRP will include at minimum: (a) species and locations of plants identified for salvage; (b) criteria for determining whether an individual plant is appropriate for salvage; (c) the appropriate season for salvage; (d) equipment and methods for collection, transport, and re-planting, to retain intact soil conditions and maximize success; (e) a requirement to mark each plant to identify the north-facing side prior to transport, and replant it in the same orientation; (f) details regarding storage of plants for each species; (g) location of the proposed recipient site, and detailed site preparation and plant introduction techniques, as applicable; (h) a description of the irrigation and other maintenance activities, as applicable; (i) success criteria, including specific timeframe for survivorship of each species; and (j) a detailed monitoring program, commensurate with the HRRP goals. Invasive plant control for special-status plants will be addressed in the Invasive Plant Management Plan (IPMP, APM BIO-RES-2). • Tree Removal. Tree removal and trimming would be designed to minimize the total number of individual trees removed or significantly trimmed. A qualified arborist would be onsite to make recommendations on trimming and removal. Protection and replacement of trees impacted by project activities would be mitigated consistent with applicable jurisdiction and agency requirements and included in the HRRP. • Offsite Compensation. If restoration is not feasible, SCE shall provide compensation lands consisting of habitat occupied by the impacted sensitive species at a 1:1 ratio of individuals or acreage, for any occupied habitat affected by the project. Occupied habitat will be calculated on the project site and on the compensation lands as	

APM Title	Description	Justification
	including each special-status plant occurrence. If compensation is selected as a means of mitigating special-status plant impacts, it may be accomplished by purchasing credit in an established mitigation bank, acquiring conservation easements, or direct purchase and preservation of compensation lands. Compensation for these impacts may be “nested” or “layered” with compensation for habitat loss. Annual construction monitoring reports shall be submitted to CPUC. Reports shall include, but not limited to, details of individuals or occurrences impacted (removed or salvaged), salvage, temporary storage, if applicable, and final transplant locations, including species, number, size, condition, at a minimum; adaptive management efforts implemented (date, location, type of treatment, results, etc.); and evaluation of success of transplantation. After construction, salvage status will be described in the HRRP annual report.	
BIO-RES-1	Develop and Implement Habitat Restoration and Revegetation Plan (HRRP). Temporary impacts to regulated species’ habitats, plant species, and vegetation communities shall be restored or revegetated. Regulated species and vegetation communities include all species designated as threatened, endangered or rare, sensitive, or of concern by resource or land agencies. Species and vegetation communities that require restoration and revegetation will be determined by the resource agencies through the permitting process. SCE will develop and implement a Habitat Restoration and Revegetation Plan (HRRP). SCE will consult with appropriate agencies during development of the HRRP and implement the HRRP in conjunction with applicable permit conditions and mitigation measures. The HRRP will be submitted to CPUC for review and approval prior to the start of construction. Invasive plant management will be performed in conjunction with the HRRP per the Invasive Plant Management Plan (BIO-RES-2). Habitat Restoration and Revegetation Plan For all revegetation or restoration sites, the HRRP will include: • Revegetation and restoration goals and objectives based on vegetation type and jurisdictional status of each site. • Quantitative restoration success criteria. • Implementation details as applicable. Details may include topsoil stockpiling and handling, postconstruction site preparation, soil decompaction and recontouring, planting and seeding palettes to include only native, locally sourced materials with confirmed ability to produce from suppliers, fall or other suitable season-season planting or seeding dates. • Maintenance details, which may include irrigation or hand-watering schedule and equipment, and erosion control. • Monitoring and Reporting, specifying monitoring schedule and data collection methods throughout establishment of vegetation with key indicators of successful or unsuccessful progress, and quantitative criteria values to objectively determine success or failure at the conclusion of the monitoring period. • Adaptive management procedures such as reseeding, re-planting, drainage repairs, adjustments to irrigation schedule, and repair or remediation of sites to meet success criteria on schedule. For temporary disturbance in common vegetation or habitat (e.g., creosote bush scrub) or in disturbed areas such as roads or agricultural lands, the goal of the HRRP will be revegetation to minimize spread of invasive plants, dust generation, and soil erosion. For revegetation sites the goals, objectives, and success criteria specified in the HRRP will be limited to requirements of the Storm Water Pollution Prevention Plan (SWPPP) and the Invasive Plant Management Plan (IPMP, APM BIO-RES-2). No additional goals, objectives, or success criteria regarding habitat condition are required for revegetation sites. For species and vegetation communities with permit requirements including wetlands and riparian habitats, the goal of the HRRP will be to restore plant	Restore native habitat.

APM Title	Description	Justification
	species, habitat values, or vegetation communities. For restoration sites the goals, objectives, and success criteria specified in the HRRP will include native species cover and species richness compatible with the specific vegetation and habitat type. For all revegetation or restoration areas, if a fire, flood, or other disturbance beyond the control of SCE or CPUC damages the area within the monitoring period, SCE will be responsible for one reseeding or replanting event, as applicable. If a second event occurs, no replacement is required. For all revegetation (per SWPPP requirements) or restoration (per the HRRP) areas, seed and/or potted nursery stock of locally native species will be used. The list of plants observed during botanical surveys of the project area will be used as a guide to site-specific plant selection, additional appropriate species may be included. Monitoring of the revegetation sites will be conducted according to requirements of the SWPPP, and the IPMP. Monitoring of the restoration sites will continue annually until HRRP success criteria are achieved. SCE will be responsible for implementing adaptive management as needed. Reporting of revegetation will be according to requirements of the SWPPP and the IPMP. For all restoration areas, SCE will provide annual reports to the CPUC to verify the total vegetation acreage subject to restoration, areas that have been completed, and areas still outstanding. The annual reports will also include a summary of the restoration and adaptive management activities for the previous year, success criteria progress and completion, and any adjustments to planned activities, for the upcoming year.	

2 Methods

As outlined in the Project Proponent's Environmental Assessment (PEA; Arcadis 2021), trees or portions of trees that occur within anticipated GKR Project work areas and/or encroach upon the 18-foot-wide access and spur road prism or on an overland travel route may be removed to facilitate the safe movement of construction equipment. Similarly, trees or portions of trees within or adjacent to staging areas and temporary work locations may be pruned and/or removed.

The 2021 GKR native tree survey documents the species, locations, quantities, size, and health of native trees that currently occur within and near anticipated Project work areas, as described in the data collection methods summary below.

2.1 Native Tree Assessments

Initial assessments of native trees in all potential GKR Project disturbance locations and along associated access roads were conducted by Arcadis between November 15 and 19, and December 7 and 10, 2021. Additional surveys will be conducted on an as-needed basis if proposed plans are modified.

All native trees with a single trunk at least 8 inches in diameter, or multiple trunks with a combined diameter of 8 inches, were documented (for multiple-trunked trees, each measured trunk was equal to or greater than 2 inches). Trunk diameter at breast height (dbh) was measured four and one-half feet above mean natural grade. A tree was assessed if it occurred within a potential disturbance area or if its canopy touched or overlapped potential disturbance areas or access roads. Non-native trees were not assessed.

Tree assessment data includes tree species, location, number of trunks, dbh, approximate height, qualitative tree health (i.e., excellent, good, fair, poor, dead), and current conditions (e.g., fire scars, fungal infestation, tree previously subject to pruning). Coordinates of individual trees were collected using hand-held devices (i.e., mobile phones and electronic tablets) paired with Trimble global positioning system (GPS) antennae (R1 units).

For trees hanging over anticipated Project work areas, potential pruning and/or root disturbance was assessed if anticipated disturbance was equal to or greater than 25% of the tree canopy or 25% of the root zone under the tree canopy. Potential pruning and/or limbing of an individual tree was evaluated if tree branches extended within 20 feet of the ground surface, based on the assumption that a 20-foot vertical clearance would be required to allow work equipment and vehicles unimpeded access to anticipated Project work areas. An extendable stadia rod was used to measure the height of tree limbs from the ground surface.

Dead trees were mapped if they occurred within anticipated Project work areas to document trees that are already dead prior to Project activities.

Native tree assessments were performed by Arcadis Ecologists Joseph Gamez, Danielle Powell, and Meghan McGill. Mr. Gamez is a Certified Arborist (International Society of Arboriculture WE-13323A), and Ms. McGill is training to become a Certified Arborist.

2.2 Potential Tree Disturbance Types

Data gathered during tree surveys were used to assess potential tree disturbance types as follows:

Occurs within Anticipated Project Work Areas. Native trees that are rooted within anticipated Project work areas may require removal (100% tree canopy pruning and 100% root disturbance) or may be flagged for avoidance, based on future work area refinements and construction methodology. Trees within anticipated Project work areas are treated in Tables 2 and 3 separately from trees that are rooted outside of anticipated Project work areas but overhang work areas and/or overhang access roads.

Percent of Canopy to be Potentially Pruned. Trees that are rooted outside of anticipated Project work areas and overhang anticipated Project work areas and/or access roads with branches that are less than 20 vertical feet above the ground surface were evaluated to determine if more than 25% of the tree canopy would require new pruning and/or limbing for horizontal and/or vertical clearance to facilitate equipment and vehicle access. This pruning is separate from any pruning recommended to promote the health of or safety of the tree.

Percent Root Disturbance. Trees that overhang anticipated Project work areas and/or access roads were also evaluated for estimated new root disturbance during work activities. Because the majority of observed native tree species produce roots within the top 12 inches of the soil surface, trees were evaluated to determine if more than 25% of subsurface roots would experience new root disturbance during work activities. A single tree overhanging work areas and/or access roads may be subject to both pruning and root disturbance.

Note: Root disturbance documentation during construction would not include native trees that occur along existing access roads that are not subject to road improvements because there would be no new root disturbance.

3 Native Tree Survey Results

A total of 1,689 native trees were documented in potential GKR Project disturbance locations and along associated access roads in November and December 2021 (Tables 2 and 3).

Native Trees Rooted within Anticipated Project Work Areas: 1,101 native living trees occurred within anticipated Project work areas, and 118 dead trees occurred within anticipated Project work areas, for a total of 1,219 mapped native trees in anticipated Project work areas. Tree numbers by species are shown in Table 2, along with tree height, dbh size classes, and qualitative health assessments. For trees rooted within anticipated Project work areas, no assessment of potential pruning was completed because these trees may be completely removed, pruned to varying degrees, or avoided, depending upon the final configuration of work areas. Revised assessments of impacts to native trees within anticipated Project work areas will be made when more refined work area configurations are finalized.

Native Trees Rooted Outside of Anticipated Project Work Areas: An additional 470 trees were documented outside anticipated Project work areas, mostly immediately adjacent to but rooted outside of anticipated Project work areas and/or associated access roads. Many of these trees outside of Project work areas overhang the work area and/or access roads. Of these, 116 trees may be subject to pruning that removes 25% or more of the tree canopy for horizontal and vertical clearance. 160 native trees may be subject to root disturbance of 25% or more under the dripline of the tree canopy; many trees subject to root disturbance will also require pruning. The remaining trees rooted outside of anticipated Project work areas will not be affected by Project activities.

The actual number of trees subject to removal, pruning, and/or root disturbance will be quantified during construction and will depend on equipment size and height, as well as implementation of potential oak tree avoidance and protection measures.

Table 2 summarizes the total numbers of trees documented during the 2021 GKR native tree surveys, with additional tree data provided in Table 3. Figure 2 provides the locations of mapped native trees during the 2021 GKR tree assessment surveys.

4 Conclusion

Native tree surveys along the GKR Project alignment indicated that 1,689 trees with a diameter of 8 inches at breast height or greater occur within anticipated GKR Project work areas and associated access roads (see details in Table 2). Of these trees, 1,101 living trees occur within the anticipated GKR Project work areas, 118 dead trees occur within the anticipated GKR Project work areas, and 470 trees are rooted outside of GKR Project work areas. For the 160 native trees rooted outside of GKR Project work areas, 116 trees overhang the anticipated work areas and / or access roads and may be subject to pruning that removes 25% or more of the tree canopy or disturbance to more than 25% of the root zone under the dripline of the tree canopy.

The actual number of trees subject to removal, pruning, and/or root disturbance will be quantified during construction and will depend on equipment size and height, as well as implementation of potential oak tree avoidance and protection measures.

5 References

Arcadis U.S., Inc. (Arcadis). 2021. Proponent's Environmental Assessment for Southern California Edison Company's TLRR Gorman-Kern River 66 kV Project. Prepared for Southern California Edison Company. December.

Tables

Table 2.
2021 Summary of Native Tree Assessment Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison



Scientific Name	Common Name	Total Native Trees Documented	Total Living Native Trees within Anticipated Project Work Areas ¹	Total Dead Native Trees within Anticipated Work Areas	Total Trees Outside of Work Area	Total Living Native Trees Rooted Outside of Anticipated Work Areas with > 25% Anticipated Pruning	Total Living Native Trees Rooted Outside of Anticipated Work Areas with > 25% Potential Root Disturbance	Total Living Native Trees with < 25% Anticipated Pruning and/or Root Disturbance
<i>Acer negundo</i>	box elder	4	4	0	0	0	0	0
<i>Aesculus californica</i>	California buckeye	43	19	0	24	3	4	17
<i>Cephalanthus occidentalis</i>	common buttonbush, buttonwillow	1	0	0	1	1	1	0
<i>Fraxinus velutina</i>	velvet ash	7	7	0	0	0	0	0
<i>Juniperus californica</i>	California juniper	6	6	0	0	0	0	0
<i>Pinus sabiniana</i>	gray pine, foothill pine	21	16	0	5	2	1	3
<i>Platanus racemosa</i>	western sycamore, California sycamore	13	10	0	3	3	3	0
<i>Populus fremontii</i>	Fremont cottonwood	91	73	3	15	4	12	3
<i>Quercus chrysolepis</i>	canyon live oak	8	1	1	6	1	1	5
<i>Quercus douglasii</i>	blue oak	1,008	629	50	329	68	99	187
<i>Quercus lobata</i>	valley oak	152	87	9	56	16	19	30
<i>Quercus wislizeni</i> var. <i>wislizeni</i>	interior live oak	32	26	2	4	0	0	4
<i>Quercus</i> species (not identified to species)		1	1	0	0	0	0	0
<i>Salix gooddingii</i>	Goodding's black willow	6	5	0	1	1	1	0
<i>Salix laevigata</i>	red willow	203	157	27	19	13	13	5
<i>Salix lasiolepis</i>	arroyo willow	47	44	0	3	3	3	0
<i>Salix lucida</i> (<i>S. lasiandra</i>)	shining willow, yellow willow	4	2	1	1	0	1	0
<i>Sambucus nigra</i> subsp. <i>caerulea</i>	blue elderberry	17	14	0	3	1	2	1
<i>Quercus</i> species	dead oak	10	0	10	0	0	0	0
<i>Salix</i> species	dead willow	8	0	8	0	0	0	0
Unknown dead tree		7	0	7	0	0	0	0
Totals		1689	1101	118	470	116	160	255

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2262	<i>Acer negundo</i>	Box Elder	30	40	4	#1-10"x4	10	10	Fair	no		Going dormant	yes	no	2	Canopy 25%+ Root 25%+
3117	<i>Acer negundo</i>	Box Elder	20	30	3	#1-4"x3	4	4	Good	no			yes	no	3	Canopy 25%+ Root 25%+
3121	<i>Acer negundo</i>	Box Elder	30	40	2	#1-10"x2	10	10	Good	no			yes	no	3	Canopy 25%+ Root 25%+
3123	<i>Acer negundo</i>	Box Elder	20	30	2	#1-7"x2	7	7	Good	no	Previously pruned		yes	no	1	Canopy 25%+ Root 25%+
1193	<i>Aesculus californica</i>	California Buckeye	0	10	6	#1-4"x3, #2-7"x3	4	7	Fair	no		Dormant	yes	no	0	Canopy 25%+ Root 25%+
1197	<i>Aesculus californica</i>	California Buckeye	0	10	6	#1-4"x4, #2-7", #3-10"	4	10	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
1242	<i>Aesculus californica</i>	California Buckeye	0	10	7	#1-4"x7	4	4	Good	no			yes	no	0	Canopy 25%+ Root 25%+
1244	<i>Aesculus californica</i>	California Buckeye	0	10	6	#1-4"x6	4	4	Good	no			yes	no	0	Canopy 25%+ Root 25%+
1247	<i>Aesculus californica</i>	California Buckeye	10	20	13	#1-4"x13	4	4	Good	no			no	yes	0	Canopy 1-25% Root None
1248	<i>Aesculus californica</i>	California Buckeye	10	20	6	#1-4"x6	4	4	Good	no			no	yes	8	Canopy 1-25% Root None
1250	<i>Aesculus californica</i>	California Buckeye	10	20	5	#1-18"x2, #2-10"x3	10	18	Good	no			no	yes	15	Canopy 1-25% Root None
1257	<i>Aesculus californica</i>	California Buckeye	10	20	4	#1-18", #2-10", #3-4"x2	4	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+
1272	<i>Aesculus californica</i>	California Buckeye	10	20	12	#1-4"x12	4	4	Good	no	Previously pruned		no	yes	1	Canopy 1-25% Root 1-25%
1277	<i>Aesculus californica</i>	California Buckeye	0	10	7	#1-7"x3, #2-4"x4	4	7	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
1279	<i>Aesculus californica</i>	California Buckeye	10	20	5	#1-4"x5	4	4	Fair	no			yes	no	0	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1285	<i>Aesculus californica</i>	California Buckeye	10	20	1	#1-10"	10	10	Poor	no			yes	no	10	Canopy 25%+ Root 25%+
1286	<i>Aesculus californica</i>	California Buckeye	0	10	15	#1-4"x15	4	4	Good	no			yes	no	0	Canopy 25%+ Root 25%+
1287	<i>Aesculus californica</i>	California Buckeye	0	10	10	#1-1"x8, #2-4"x2	1	4	Good	no			yes	no	0	Canopy 25%+ Root 25%+
1291	<i>Aesculus californica</i>	California Buckeye	10	20	4	#1-4"x4	4	4	Fair	no			yes	no	1	Canopy 25%+ Root 25%+
1327	<i>Aesculus californica</i>	California Buckeye	10	20	5	#1-10", #2-7"x3, #3-4"	4	10	Fair	no			no	yes	6	Canopy 25%+ Root None
1329	<i>Aesculus californica</i>	California Buckeye	0	10	2	#1-10", #2-7"	7	10	Fair	no	Dormant		no	yes	6	Canopy 1-25% Root None
1500	<i>Aesculus californica</i>	California Buckeye	0	10	13	#1-4"x13	4	4	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
2293	<i>Aesculus californica</i>	California Buckeye	20	30	6	#1-7"x6	7	7	Good	no			no	yes	2	Canopy 1-25% Root 1-25%
2299	<i>Aesculus californica</i>	California Buckeye	10	20	13	#1-4"x13	4	4	Good	no	Previously pruned		no	yes	1	Canopy 1-25% Root 1-25%
2300	<i>Aesculus californica</i>	California Buckeye	10	20	7	#1-4"x7	4	4	Good	no	Previously pruned		no	yes	1	Canopy 1-25% Root 25%+
2301	<i>Aesculus californica</i>	California Buckeye	10	20	8	#1-7"x8	7	7	Good	no	Previously pruned		no	yes	15	Canopy 1-25% Root 1-25%
2302	<i>Aesculus californica</i>	California Buckeye	10	20	7	#1-4"x7	4	4	Good	no	Previously pruned		no	yes	3	Canopy 1-25% Root 1-25%
2303	<i>Aesculus californica</i>	California Buckeye	10	20	5	#1-4"x5	4	4	Good	no	Previously pruned		no	yes	9	Canopy 1-25% Root 1-25%
2311	<i>Aesculus californica</i>	California Buckeye	10	20	5	#1-7"x5	7	7	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2320	<i>Aesculus californica</i>	California Buckeye	10	20	3	#1-10"x3	10	10	Good	no	Previously pruned		no	yes	9	Canopy 1-25% Root 1-25%

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2325	<i>Aesculus californica</i>	California Buckeye	10	20	3	#1-7"x2, #2-10"	7	10	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2326	<i>Aesculus californica</i>	California Buckeye	10	20	3	#1-4"x3	4	4	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2375	<i>Aesculus californica</i>	California Buckeye	10	20	2	#1-7"x2	7	7	Good	no	Previously pruned		no	yes	7	Canopy 1-25% Root 25%+
2376	<i>Aesculus californica</i>	California Buckeye	20	30	2	#1-10"x2	10	10	Good	no	Previously pruned		no	yes	9	Canopy 1-25% Root 25%+
2381	<i>Aesculus californica</i>	California Buckeye	20	30	7	#1-4"x3, #2-7"x4	4	7	Good	no	Previously pruned		no	yes	5	Canopy 1-25% Root 25%+
2382	<i>Aesculus californica</i>	California Buckeye	20	30	6	#1-4"x3, #2-7"x3	4	7	Good	no	Previously pruned		no	yes	6	Canopy 1-25% Root 1-25%
3102	<i>Aesculus californica</i>	California Buckeye	10	20	5	#1-10" , #2-4"x4	4	10	Fair	no		Dormant	yes	no	0	Canopy 25%+ Root 25%+
3103	<i>Aesculus californica</i>	California Buckeye	10	20	15	#15-30" , #2-4"x14	4	30	Poor	no		Dormant, branches dead, potential infection	yes	no	0	Canopy 25%+ Root 25%+
3145	<i>Aesculus californica</i>	California Buckeye	10	20	6	#1-4"x3, #2-7"x3	4	7	Good	no		Dormant	no	yes	0	Canopy 1-25% Root 1-25%
3146	<i>Aesculus californica</i>	California Buckeye	0	10	6	#1-4"x6	4	4	Good	no		Mostly dormant, some small leaves on new growth	yes	no	0	Canopy 25%+ Root 25%+
3148	<i>Aesculus californica</i>	California Buckeye	10	20	10	#1-4"x10	4	4	Good	no			no	yes	1	Canopy 1-25% Root None
3150	<i>Aesculus californica</i>	California Buckeye	0	10	6	#1-4"x6	4	4	Fair	no			no	yes	8	Canopy 1-25% Root None
3156	<i>Aesculus californica</i>	California Buckeye	0	10	5	#1-4"x5	4	4	Good	no		Dormant	yes	no	0	Canopy 25%+ Root 25%+
3168	<i>Aesculus californica</i>	California Buckeye	10	20	6	#6-4"x5, #2-7"	4	7	Good	no		Dormant	no	yes	10	Canopy 25%+ Root None

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
3169	<i>Aesculus californica</i>	California Buckeye	10	20	2	#2-7"x2	7	7	Good	no		Dormant	no	yes	7	Canopy 1-25% Root None
3190	<i>Aesculus californica</i>	California Buckeye	10	20	10	#1-4"x10	4	4	Good	no		Dormant	no	yes	0	Canopy 25%+ Root 25%+
3235	<i>Aesculus californica</i>	California Buckeye	10	20	5	#1-10"x2, #2-7"x3	7	10	Fair	no		Dormant	no	yes	3	Canopy 1-25% Root None
2688	<i>Cephalanthus occidentalis</i>	Common Buttonbush, Buttonwillow	10	20	20	#1-4"x20	4	4	Fair	no			no	yes	0	Canopy 25%+ Root 25%+
1050	<i>Fraxinus velutina</i>	Velvet Ash	20	30	4	#4-30", #2-10", #3-4"x2	4	30	Poor	no	Fire scars	Large hollowed out trunks by fire	yes	no	3	Canopy 25%+ Root 25%+
1051	<i>Fraxinus velutina</i>	Velvet Ash	10	20	3	#1-7"x3	7	7	Good	no			yes	no	2	Canopy 25%+ Root 25%+
1052	<i>Fraxinus velutina</i>	Velvet Ash	10	20	4	#4-10"x2, #2-7"x2	7	10	Poor	no	Previously pruned	Tops of all trunks/branches have been cut off. There is new growth.	yes	no	5	Canopy 25%+ Root 25%+
2057	<i>Fraxinus velutina</i>	Velvet Ash	20	30	7	#1-7"x4, #2-10"x2, #3-18"	7	18	Good	no	Previously pruned	Dormant	yes	no	1	Canopy 25%+ Root 25%+
2058	<i>Fraxinus velutina</i>	Velvet Ash	10	20	1	#1-18"	18	18	Good	no	Previously pruned	Dormant	yes	no	1	Canopy 25%+ Root 25%+
2059	<i>Fraxinus velutina</i>	Velvet Ash	10	20	2	#1-10", #2-18"	10	18	Good	no	Previously pruned	Dormant	yes	no	0	Canopy 25%+ Root 25%+
2060	<i>Fraxinus velutina</i>	Velvet Ash	10	20	3	#1-10", #2-18"x2	10	18	Good	no	Previously pruned	Dormant	yes	no	1	Canopy 25%+ Root 25%+
1123	<i>Juniperus californica</i>	California Juniper	10	20	12	#1-7"x3, #2-4"x9	4	7	Good	no			yes	no	0	Canopy 25%+ Root 25%+
1237	<i>Juniperus californica</i>	California Juniper	0	10	3	#1-10", #2-7"x2	7	10	Good	no			yes	no	0	Canopy 25%+ Root 25%+

Table 3.
 2021 Native Tree Survey Data
 Tree Assessment Summary Report
 Gorman - Kern River 66 kV Project
 Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1304	<i>Juniperus californica</i>	California Juniper	0	10	10	#1-4"x10	4	4	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
1305	<i>Juniperus californica</i>	California Juniper	0	10	8	#1-4"x8	4	4	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
2305	<i>Juniperus californica</i>	California Juniper	0	10	3	#1-4"x3	4	4	Good	no			yes	no	0	Canopy 25%+ Root 25%+
3205	<i>Juniperus californica</i>	California Juniper	0	10	8	#1-4"x8	4	4	Poor	no		Mostly dead	yes	no	0	Canopy 25%+ Root 25%+
1473	<i>Pinus sabiniana</i>	Gray/Foothill/Ghost Pine	20	30	3	#1-10", #2-4"x2	4	10	Good	no	Previously pruned		no	yes	15	Canopy 1-25% Root None
1479	<i>Pinus sabiniana</i>	Gray/Foothill/Ghost Pine	40	50	1	#1-18"	18	18	Good	no	Fire scars		yes	no	2	Canopy 25%+ Root 25%+
1480	<i>Pinus sabiniana</i>	Gray/Foothill/Ghost Pine	40	50	1	#1-10"	10	10	Good	no			yes	no	15	Canopy 25%+ Root 25%+
1503	<i>Pinus sabiniana</i>	Gray/Foothill/Ghost Pine	20	30	1	#1-10"	10	10	Good	no			yes	no	0	Canopy 25%+ Root 25%+
1504	<i>Pinus sabiniana</i>	Gray/Foothill/Ghost Pine	10	20	1	#1-10"	10	10	Good	no			yes	no	0	Canopy 25%+ Root 25%+
1510	<i>Pinus sabiniana</i>	Gray/Foothill/Ghost Pine	20	30	1	#1-10"	10	10	Fair	no	Fire scars		yes	no	0	Canopy 25%+ Root 1-25%
1511	<i>Pinus sabiniana</i>	Gray/Foothill/Ghost Pine	30	40	1	#1-10"	10	10	Fair	no	Fire scars		yes	no	0	Canopy 25%+ Root 25%+
1517	<i>Pinus sabiniana</i>	Gray/Foothill/Ghost Pine	50	60	1	#1-18"	18	18	Good	no	Fire scars		no	yes		Canopy 25%+ Root 25%+
1533	<i>Pinus sabiniana</i>	Gray/Foothill/Ghost Pine	40	50	1	#1-30"	30	30	Fair	no	Fire scars		yes	no		Canopy 25%+ Root 25%+
2552	<i>Pinus sabiniana</i>	Gray/Foothill/Ghost Pine	30	40	1	#1-18"	18	18	Good	no			yes	no	6	Canopy 25%+ Root 25%+
2588	<i>Pinus sabiniana</i>	Gray/Foothill/Ghost Pine	20	30	1	#1-10"	10	10	Fair	no	Previously pruned		no	yes	10	Canopy 1-25% Root 1-25%

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2597	<i>Pinus sabiniana</i>	Gray/Foothill/Ghost Pine	30	40	1	#1-18"	18	18	Good	no			yes	no	1	Canopy 25%+ Root 25%+
2598	<i>Pinus sabiniana</i>	Gray/Foothill/Ghost Pine	30	40	1	#1-18"	18	18	Good	no			yes	no	1	Canopy 25%+ Root 25%+
3373	<i>Pinus sabiniana</i>	Gray/Foothill/Ghost Pine	40	50	1	#1-18"	18	18	Good	no			yes	no		Canopy 25%+ Root 25%+
3374	<i>Pinus sabiniana</i>	Gray/Foothill/Ghost Pine	20	30	1	#1-10"	10	10	Good	no			yes	no	6	Canopy 25%+ Root 25%+
3405	<i>Pinus sabiniana</i>	Gray/Foothill/Ghost Pine	20	30	1	#1-18"	18	18	Good	no			yes	no	8	Canopy 25%+ Root 25%+
4001	<i>Pinus sabiniana</i>	Gray/Foothill/Ghost Pine	10	20	1	#1-18"	18	18	Fair	no		Dying needles	no	yes	3	Canopy 1-25% Root None
4008	<i>Pinus sabiniana</i>	Gray/Foothill/Ghost Pine	20	30	1	#1-10"	10	10	Good	no	Previously pruned	Needles browning	yes	no	0	Canopy 25%+ Root 25%+
4009	<i>Pinus sabiniana</i>	Gray/Foothill/Ghost Pine	20	30	1	#1-10"	10	10	Good	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
4010	<i>Pinus sabiniana</i>	Gray/Foothill/Ghost Pine	10	20	1	#1-10"	10	10	Good	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
4012	<i>Pinus sabiniana</i>	Gray/Foothill/Ghost Pine	20	30	1	#1-10"	10	10	Good	no			no	yes	8	Canopy 25%+ Root None
1049	<i>Platanus racemosa</i>	California/Western Sycamore	20	30	1	#1-10"	10	10	Fair	no	Previously pruned	Condition hard to determine because of loss of leaves	yes	no	2	Canopy 25%+ Root 25%+
1210	<i>Platanus racemosa</i>	California/Western Sycamore	40	50	1	#1-18"	18	18	Good	no	Previously pruned		yes	no	10	Canopy 25%+ Root 25%+
1557	<i>Platanus racemosa</i>	California/Western Sycamore	30	40	2	#1-7", #2-10"	7	10	Good	no			yes	no	0	Canopy 25%+ Root 25%+
1558	<i>Platanus racemosa</i>	California/Western Sycamore	30	40	1	#1-10"	10	10	Good	no			yes	no	0	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2235	<i>Platanus racemosa</i>	California/Western Sycamore	30	40	1	#1-18"	18	18	Excellent	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
2236	<i>Platanus racemosa</i>	California/Western Sycamore	30	40	1	#1-18"	18	18	Good	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
2237	<i>Platanus racemosa</i>	California/Western Sycamore	30	40	1	#1-18"	18	18	Good	no			yes	no	2	Canopy 25%+ Root 25%+
2691	<i>Platanus racemosa</i>	California/Western Sycamore	20	30	2	#1-4", #2-7"	4	7	Good	no			no	yes	1	Canopy 25%+ Root 25%+
3111	<i>Platanus racemosa</i>	California/Western Sycamore	20	30	1	#1-18"	18	18	Good	no			yes	no	12	Canopy 25%+ Root 25%+
3113	<i>Platanus racemosa</i>	California/Western Sycamore	20	30	1	#1-30"	30	30	Good	no	Previously pruned		yes	no	2	Canopy 25%+ Root 25%+
3204	<i>Platanus racemosa</i>	California/Western Sycamore	20	30	1	#1-18"	18	18	Good	no			yes	no	9	Canopy 25%+ Root 25%+
4066	<i>Platanus racemosa</i>	California/Western Sycamore	20	30	1	#1-10"	10	10	Good	no			no	yes	4	Canopy 25%+ Root 25%+
4067	<i>Platanus racemosa</i>	California/Western Sycamore	20	30	2	#1-10", #2-7"	7	10	Good	no			no	yes	0	Canopy 25%+ Root 25%+
1088	<i>Populus fremontii</i>	Fremont Cottonwood	30	40	1	#1-30"	30	30	Fair	no	Previously pruned		yes	no		Canopy 25%+ Root 25%+
1089	<i>Populus fremontii</i>	Fremont Cottonwood	10	20	1	#1-18"	18	18	Fair	no	Previously pruned		yes	no	7	Canopy 25%+ Root 25%+
1090	<i>Populus fremontii</i>	Fremont Cottonwood	10	20	1	#1-18"	18	18	Fair	no	Previously pruned	Top of all branches have been cut	yes	no	6	Canopy 25%+ Root 25%+
1091	<i>Populus fremontii</i>	Fremont Cottonwood	10	20	1	#1-18"	18	18	Fair	no	Previously pruned	Tops have been cut off	yes	no	8	Canopy 25%+ Root 25%+
1098	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	3	#1-4", #2-7"x2	4	7	Good	no			yes	no	6	Canopy 25%+ Root 25%+
1099	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	6	#1-4"x3, #2-7"x2, #3-10"	4	10	Good	no			yes	no	10	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1100	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	1	#1-7"	7	7	Good	no			yes	no	3	Canopy 25%+ Root 25%+
1101	<i>Populus fremontii</i>	Fremont Cottonwood	10	20	3	#1-7", #2-4"x2	4	7	Good	no			yes	no	10	Canopy 25%+ Root 25%+
1104	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	1	#1-7"	7	7	Good	no			yes	no	15	Canopy 25%+ Root 25%+
1105	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	1	#1-7"	7	7	Good	no			yes	no	10	Canopy 25%+ Root 25%+
1106	<i>Populus fremontii</i>	Fremont Cottonwood	10	20	3	#1-7", #2-4"x2	4	7	Fair	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
1108	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	1	#1-7"	7	7	Good	no			yes	no	15	Canopy 25%+ Root 25%+
1112	<i>Populus fremontii</i>	Fremont Cottonwood	30	40	3	#1-10"x2, #2-4"	4	10	Good	no			yes	no	8	Canopy 25%+ Root 25%+
1117	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	2	#1-10"x2	10	10	Good	no			yes	no	10	Canopy 25%+ Root 25%+
1198	<i>Populus fremontii</i>	Fremont Cottonwood	30	40	1	#1-10"	10	10	Good	no			yes	no	12	Canopy 25%+ Root 25%+
1199	<i>Populus fremontii</i>	Fremont Cottonwood	30	40	1	#1-10"	10	10	Good	no			yes	no	12	Canopy 25%+ Root 25%+
1205	<i>Populus fremontii</i>	Fremont Cottonwood	30	40	1	#1-18"	18	18	Good	no			yes	no	6	Canopy 25%+ Root 25%+
1212	<i>Populus fremontii</i>	Fremont Cottonwood	40	50	1	#1-30"	30	30	Good	no	Previously pruned		yes	no	15	Canopy 25%+ Root 25%+
1213	<i>Populus fremontii</i>	Fremont Cottonwood	30	40	3	#1-30", #2-18", #3-7"	7	30	Good	no	Previously pruned		yes	no	15	Canopy 25%+ Root 25%+
1219	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	2	#1-7"x2	7	7	Fair	no	Previously pruned	Completely covered by grape vines	yes	no		Canopy 25%+ Root 25%+
1220	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	1	#1-7"	7	7	Fair	no	Previously pruned	Covered in grape vines	yes	no	0	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1222	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	1	#1-10"	10	10	Fair	no	Previously pruned	Entirely covered in grapevines	yes	no		Canopy 25%+ Root 25%+
1227	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	1	#1-10"	10	10	Fair	no	Previously pruned	Covered in grapevine	yes	no		Canopy 25%+ Root 25%+
1275	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	1	#1-10"	10	10	Good	no			no	yes	10	Canopy 1-25% Root None
1551	<i>Populus fremontii</i>	Fremont Cottonwood	40	50	1	#1-30"	30	30	Good	no			yes	no	8	Canopy 25%+ Root 25%+
2044	<i>Populus fremontii</i>	Cottonwood	40	50	1	#1-42"	42	42	Excellent	no			yes	no	3	Canopy 25%+ Root 25%+
2045	<i>Populus fremontii</i>	Cottonwood	50	60	1	#1-54"	54	54	Excellent	no	Previously pruned		no	yes		Canopy None Root 25%+
2048	<i>Populus fremontii</i>	Fremont Cottonwood	30	40	1	#1-30"	30	30	Fair	no	Previously pruned		yes	no	7	Canopy 25%+ Root 25%+
2062	<i>Populus fremontii</i>	Fremont Cottonwood	40	50	1	#1-18"	18	18	Good	no			no	yes	3	Canopy 1-25% Root 25%+
2063	<i>Populus fremontii</i>	Fremont Cottonwood	40	50	1	#1-18"	18	18	Good	no			yes	no	10	Canopy 25%+ Root 25%+
2064	<i>Populus fremontii</i>	Fremont Cottonwood	40	50	1	#1-10"	10	10	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2066	<i>Populus fremontii</i>	Fremont Cottonwood	40	50	1	#1-10"	10	10	Good	no			yes	no	2	Canopy 25%+ Root 25%+
2067	<i>Populus fremontii</i>	Fremont Cottonwood	40	50	1	#1-7"	7	7	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2068	<i>Populus fremontii</i>	Fremont Cottonwood	40	50	3	#1-7"x2, #2-10"	7	10	Good	no			yes	no	1	Canopy 25%+ Root 25%+
2069	<i>Populus fremontii</i>	Fremont Cottonwood	40	50	1	#1-10"	10	10	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2070	<i>Populus fremontii</i>	Fremont Cottonwood	30	40	2	#1-4"x2	4	4	Good	no			yes	no	3	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2071	<i>Populus fremontii</i>	Fremont Cottonwood	30	40	1	#1-10"	10	10	Good	no			yes	no	2	Canopy 25%+ Root 25%+
2072	<i>Populus fremontii</i>	Fremont Cottonwood	30	40	1	#1-7"	7	7	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2073	<i>Populus fremontii</i>	Fremont Cottonwood	40	50	2	#1-7", #2-30"	7	30	Good	no			yes	no	4	Canopy 25%+ Root 25%+
2074	<i>Populus fremontii</i>	Fremont Cottonwood	40	50	3	#1-10"x2, #2-30"	10	30	Good	no			yes	no	1	Canopy 25%+ Root 25%+
2075	<i>Populus fremontii</i>	Fremont Cottonwood	30	40	1	#1-10"	10	10	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2076	<i>Populus fremontii</i>	Fremont Cottonwood	30	40	5	#1-7"x3, #2-10"x2	7	10	Good	no			yes	no	2	Canopy 25%+ Root 25%+
2077	<i>Populus fremontii</i>	Fremont Cottonwood	40	50	4	#1-7", #2-10"x2, #3-18"	7	18	Good	no			no	yes	4	Canopy 1-25% Root 25%+
2079	<i>Populus fremontii</i>	Fremont Cottonwood	40	50	2	#1-10", #2-18"	10	18	Good	no			no	yes	1	Canopy 1-25% Root 25%+
2081	<i>Populus fremontii</i>	Fremont Cottonwood	40	50	4	#1-7"x2, #2-18"x2	7	18	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2082	<i>Populus fremontii</i>	Fremont Cottonwood	40	50	7	#1-7"x3, #2-10"x3, #3-18"	7	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2083	<i>Populus fremontii</i>	Fremont Cottonwood	30	40	1	#1-30"	30	30	Fair	no	Previously pruned		yes	no	5	Canopy 25%+ Root 25%+
2085	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	3	#1-7"x3	7	7	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2086	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	3	#1-7"x2, #2-10"	7	10	Good	no			yes	no	1	Canopy 25%+ Root 25%+
2099	<i>Populus fremontii</i>	Fremont Cottonwood	30	40	1	#1-18"	18	18	Good	no	Previously pruned		yes	no	6	Canopy 25%+ Root 25%+
2100	<i>Populus fremontii</i>	Fremont Cottonwood	40	50	1	#1-18"	18	18	Good	no	Previously pruned		yes	no	6	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2129	<i>Populus fremontii</i>	Fremont Cottonwood	30	40	3	#1-4"x2, #2-10"	4	10	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2130	<i>Populus fremontii</i>	Fremont Cottonwood	30	40	2	#1-7"x2	7	7	Good	no			yes	no	2	Canopy 25%+ Root 25%+
2238	<i>Populus fremontii</i>	Fremont Cottonwood	30	40	1	#1-18"	18	18	Good	no			yes	no	7	Canopy 25%+ Root 25%+
2244	<i>Populus fremontii</i>	Fremont Cottonwood	30	40	1	#1-10"	10	10	Good	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
2248	<i>Populus fremontii</i>	Fremont Cottonwood	30	40	1	#1-18"	18	18	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2249	<i>Populus fremontii</i>	Fremont Cottonwood	40	50	1	#1-30"	30	30	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2250	<i>Populus fremontii</i>	Fremont Cottonwood	30	40	2	#1-18"x2	18	18	Good	no			yes	no	4	Canopy 25%+ Root 25%+
2251	<i>Populus fremontii</i>	Fremont Cottonwood	40	50	1	#1-18"	18	18	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2252	<i>Populus fremontii</i>	Fremont Cottonwood	40	50	1	#1-18"	18	18	Good	no			yes	no	22	Canopy 25%+ Root 25%+
2253	<i>Populus fremontii</i>	Fremont Cottonwood	40	50	1	#1-10"	10	10	Good	no			yes	no	26	Canopy 25%+ Root 25%+
2254	<i>Populus fremontii</i>	Fremont Cottonwood	40	50	1	#1-18"	18	18	Excellent	no			yes	no	19	Canopy 25%+ Root 25%+
2255	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	1	#1-18"	18	18	Good	no			yes	no	5	Canopy 25%+ Root 25%+
2307	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	4	Canopy 1-25% Root 25%+
2308	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	9	Canopy 1-25% Root 25%+
2309	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	2	#1-4", #2-10"	4	10	Good	no	Previously pruned		no	yes	10	Canopy 1-25% Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2310	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	1	#1-18"	18	18	Good	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
2318	<i>Populus fremontii</i>	Fremont Cottonwood	10	20	2	#1-18"x2	18	18	Poor	no		Broken trunks	no	yes	5	Canopy 1-25% Root 25%+
3001	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	3	#1-10"x3	10	10	Good	no			yes	no		Canopy 25%+ Root 25%+
3002	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	2	#1-10"x2	10	10	Good	no			yes	no	2	Canopy 25%+ Root 25%+
3003	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	2	#1-7"x2	7	7	Good	no			no	yes	2	Canopy 25%+ Root 25%+
3006	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	1	#1-10"	10	10	Good	no			yes	no	15	Canopy 25%+ Root 25%+
3007	<i>Populus fremontii</i>	Fremont Cottonwood	10	20	3	#1-4", #2-7", #3-18"	4	18	Good	no			yes	no	5	Canopy 25%+ Root 25%+
3008	<i>Populus fremontii</i>	Fremont Cottonwood	10	20	3	#1-4"x2, #2-7"	4	7	Dead	yes			yes	no	10	Canopy 25%+ Root 25%+
3009	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	3	#1-4"x2, #2-7"	4	7	Good	no			yes	no	0	Canopy 25%+ Root 25%+
3010	<i>Populus fremontii</i>	Fremont Cottonwood	10	20	2	#1-7"x2	7	7	Dead	yes			yes	no	3	Canopy 25%+ Root 25%+
3011	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	1	#1-10"	10	10	Fair	no			yes	no	15	Canopy 25%+ Root 25%+
3012	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	1	#1-7"	7	7	Good	no			yes	no	10	Canopy 25%+ Root 25%+
3015	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	1	#1-10"	10	10	Fair	no			yes	no	16	Canopy 25%+ Root 25%+
3016	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	1	#1-10"	10	10	Good	no			yes	no		Canopy 25%+ Root 25%+
3017	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	2	#1-7", #2-10"	7	10	Excellent	no			yes	no	15	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
3018	<i>Populus fremontii</i>	Fremont Cottonwood	10	20	6	#1-4"x6"	4	4	Dead	yes			yes	no	1	Canopy 25%+ Root 25%+
3019	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	1	#1-10"	10	10	Good	no			yes	no	18	Canopy 25%+ Root 25%+
3020	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	1	#1-7"	7	7	Excellent	no			no	yes		Canopy 25%+ Root 25%+
3023	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	1	#1-10"	10	10	Good	no			no	yes	11	Canopy 25%+ Root 25%+
3025	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	1	#1-7"	7	7	Good	no			no	yes	15	Canopy 25%+ Root 25%+
3125	<i>Populus fremontii</i>	Fremont Cottonwood	40	50	2	#1-10", #2-30"	10	30	Good	no			yes	no	2	Canopy 25%+ Root 25%+
3126	<i>Populus fremontii</i>	Fremont Cottonwood	30	40	1	#1-18"	18	18	Good	no			yes	no	10	Canopy 25%+ Root 25%+
3175	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	1	#1-10"	10	10	Good	no			no	yes	18	Canopy 1-25% Root None
4061	<i>Populus fremontii</i>	Fremont Cottonwood	30	40	3	#1-18"x2, #2-10"	10	18	Good	no	Previously pruned		yes	no	10	Canopy 25%+ Root 25%+
4062	<i>Populus fremontii</i>	Fremont Cottonwood	20	30	4	#1-7"x2, #2-10"x2	7	10	Fair	no	Previously pruned		no	yes	7	Canopy 1-25% Root None
1196	<i>Quercus chrysolepis</i>	Canyon Live Oak	10	20	3	#1-10", #2-18"x2	10	18	Poor	yes		some living branches but most of tree is dead	yes	no	0	Canopy 25%+ Root 25%+
1283	<i>Quercus chrysolepis</i>	Canyon Live Oak	0	10	4	#1-4"x4	4	4	Good	no			no	yes	0	Canopy 1-25% Root 1-25%
2233	<i>Quercus chrysolepis</i>	Canyon Live Oak	10	20	4	#1-7"x4	7	7	Excellent	no			no	yes	1	Canopy 25%+ Root 25%+
2234	<i>Quercus chrysolepis</i>	Canyon Live Oak	20	30	6	#1-7"x6	7	7	Excellent	no			yes	no	0	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2294	<i>Quercus chrysolepis</i>	Canyon Live Oak	20	30	3	#1-7"x3	7	7	Excellent	no			no	yes	3	Canopy 1-25% Root 1-25%
2295	<i>Quercus chrysolepis</i>	Canyon Live Oak	10	20	4	#1-7"x4	7	7	Fair	no	Previously pruned		no	yes	12	Canopy 1-25% Root 1-25%
2467	<i>Quercus chrysolepis</i>	Canyon Live Oak	10	20	2	#1-4"x2	4	4	Fair	no	Previously pruned		no	yes	7	Canopy 1-25% Root 1-25%
3184	<i>Quercus chrysolepis</i>	Canyon Live Oak	20	30	4	#4-7"x4	7	7	Excellent	no			no	yes	16	Canopy 1-25% Root None
1122	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Good	no			yes	no	3	Canopy 25%+ Root 25%+
1124	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			yes	no	1	Canopy 25%+ Root 25%+
1126	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-30"	30	30	Fair	no		Half of tree not overhanging road appears dead. Half overhanging road needs to be pruned	no	yes	10	Canopy 25%+ Root 25%+
1142	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10" , #2-4"	4	10	Good	no			yes	no	3	Canopy 25%+ Root 25%+
1143	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			yes	no	4	Canopy 25%+ Root 25%+
1144	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no	Previously pruned		yes	no	6	Canopy 25%+ Root 25%+
1145	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			yes	no	5	Canopy 25%+ Root 25%+
1146	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-10" , #2-7"	7	10	Good	no			yes	no	1	Canopy 25%+ Root 25%+
1147	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Good	no			yes	no	2	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1150	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Fair	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
1151	<i>Quercus douglasii</i>	Blue Oak	0	10	1	#1-18"	18	18	Fair	no	Previously pruned	Top has been pruned off	yes	no	5	Canopy 25%+ Root 25%+
1152	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7", #2-10"	7	10	Dead	yes	Previously pruned		yes	no	7	Canopy 25%+ Root 25%+
1154	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-10", #2-18"	10	18	Fair	no	Previously pruned		yes	no	1	Canopy 25%+ Root 25%+
1155	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no		Main trunk hollowed out	yes	no	1	Canopy 25%+ Root 25%+
1156	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	10	Canopy 25%+ Root 25%+
1157	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Poor	no	Previously pruned		yes	no	7	Canopy 25%+ Root 25%+
1158	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	5	Canopy 25%+ Root 25%+
1159	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-7"	7	7	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
1160	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-18", #2-7"	7	18	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
1161	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			yes	no	3	Canopy 25%+ Root 25%+
1162	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-30"	30	30	Good	no			yes	no	3	Canopy 25%+ Root 25%+
1163	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Fair	no	Previously pruned		yes	no	1	Canopy 25%+ Root 25%+
1165	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Fair	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
1166	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Poor	no		Hollowed out trunk, many dead limbs	yes	no	0	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1167	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-30"	30	30	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
1168	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-30", #2-10"	10	30	Good	no			no	yes	5	Canopy 1-25% Root None
1172	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			yes	no	4	Canopy 25%+ Root 25%+
1173	<i>Quercus douglasii</i>	Blue Oak	10	20	5	#1-4"x4, #2-7"	4	7	Good	no		Covered in mistletoe	yes	no	3	Canopy 25%+ Root 25%+
1174	<i>Quercus douglasii</i>	Blue Oak	0	10	2	#1-4", #2-7"	4	7	Poor	no	Previously pruned	Top pruned off	yes	no	3	Canopy 25%+ Root 25%+
1175	<i>Quercus douglasii</i>	Blue Oak	30	40	3	#1-18"x3	18	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+
1176	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			yes	no	4	Canopy 25%+ Root 25%+
1177	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
1178	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-30"	30	30	Poor	no		More than half of tree appears to be dead	yes	no	0	Canopy 25%+ Root 25%+
1179	<i>Quercus douglasii</i>	Blue Oak	0	10	1	#1-18"	18	18	Dead	yes			yes	no	4	Canopy 25%+ Root 25%+
1180	<i>Quercus douglasii</i>	Blue Oak	0	10	1	#1-30"	30	30	Poor	no		Nearly completely dead	yes	no	0	Canopy 25%+ Root 25%+
1186	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+
1187	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+
1188	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			yes	no	3	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1189	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Poor	no			yes	no	0	Canopy 25%+ Root 25%+
1195	<i>Quercus douglasii</i>	Blue Oak	0	10	12	#1-7", #2-4"x11	4	7	Good	no			yes	no	0	Canopy 25%+ Root 25%+
1236	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4", #2-7"	4	7	Fair	no			yes	no		Canopy 25%+ Root 25%+
1238	<i>Quercus douglasii</i>	Blue Oak	0	10	5	#1-7"x2, #2-4"x3	4	7	Good	no			yes	no	3	Canopy 25%+ Root 25%+
1239	<i>Quercus douglasii</i>	Blue Oak	10	20	5	#1-7", #2-4"x4	4	7	Good	no			yes	no	4	Canopy 25%+ Root 25%+
1240	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4"x2	4	4	Fair	no			no	yes	0	Canopy 25%+ Root 25%+
1243	<i>Quercus douglasii</i>	Blue Oak	10	20	4	#1-4"x4	4	4	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
1246	<i>Quercus douglasii</i>	Blue Oak	0	10	4	#1-4"x4	4	4	Dead	yes			yes	no	1	Canopy 25%+ Root 25%+
1251	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Good	no		Roots exposed, looks like it could fall any minute	no	yes	12	Canopy 25%+ Root None
1252	<i>Quercus douglasii</i>	Blue Oak	10	20	6	#1-7"x6	7	7	Good	no			no	yes	9	Canopy 25%+ Root None
1253	<i>Quercus douglasii</i>	Blue Oak	10	20	4	#1-7"x3, #2-4"	4	7	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
1254	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-7"	7	7	Fair	no			yes	no	1	Canopy 25%+ Root 25%+
1255	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
1256	<i>Quercus douglasii</i>	Blue Oak	0	10	3	#1-4", #2-7"x2	4	7	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1258	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Fair	no			yes	no		Canopy 25%+ Root 25%+
1259	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no		Canopy 25%+ Root 25%+
1260	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Fair	no			yes	no		Canopy 25%+ Root 25%+
1261	<i>Quercus douglasii</i>	Blue Oak	0	10	4	#1-7"x2, #2-4"x2	4	7	Fair	no			yes	no	1	Canopy 25%+ Root 25%+
1262	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no		Canopy 25%+ Root 25%+
1263	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Fair	no			yes	no		Canopy 25%+ Root 25%+
1264	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Good	no			yes	no	4	Canopy 25%+ Root 25%+
1265	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-7", #2-4"x2	4	7	Good	no			yes	no	2	Canopy 25%+ Root 25%+
1266	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-4"x2, #2-7"	4	7	Poor	no			yes	no	0	Canopy 25%+ Root 25%+
1267	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Fair	no			yes	no	1	Canopy 25%+ Root 25%+
1268	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Poor	no		Half dead	yes	no	0	Canopy 25%+ Root 25%+
1269	<i>Quercus douglasii</i>	Blue Oak	0	10	3	#1-4"x3	4	4	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
1270	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
1271	<i>Quercus douglasii</i>	Blue Oak	0	10	1	#1-7"	7	7	Good	no			no	yes	4	Canopy 1-25% Root None
1273	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Fair	no			yes	no	1	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1274	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Fair	no			yes	no	1	Canopy 25%+ Root 25%+
1276	<i>Quercus douglasii</i>	Blue Oak	0	10	1	#1-7"	7	7	Poor	no			yes	no	5	Canopy 25%+ Root 25%+
1278	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Fair	no			yes	no	2	Canopy 25%+ Root 25%+
1280	<i>Quercus douglasii</i>	Blue Oak	0	10	1	#1-7"	7	7	Poor	no	Fire scars, Previously pruned		yes	no	2	Canopy 25%+ Root 25%+
1281	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Good	no	Fire scars, Previously pruned		yes	no	5	Canopy 25%+ Root 25%+
1282	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-18"x2	18	18	Good	no			no	yes	14	Canopy 1-25% Root None
1284	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-4"x3	4	4	Fair	no			yes	no	2	Canopy 25%+ Root 25%+
1289	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no	Fire scars, Previously pruned		yes	no	4	Canopy 25%+ Root 25%+
1290	<i>Quercus douglasii</i>	Blue Oak	10	20	5	#1-7"x3, #2-4"x2	4	7	Good	no			yes	no	0	Canopy 1-25% Root 1-25%
1292	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Poor	no			yes	no	10	Canopy 25%+ Root 25%+
1293	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-7"x3	7	7	Fair	no			yes	no		Canopy 25%+ Root 25%+
1294	<i>Quercus douglasii</i>	Blue Oak	10	20	4	#1-10"x2, #2-7"x2	7	10	Fair	no			yes	no		Canopy 25%+ Root 25%+
1301	<i>Quercus douglasii</i>	Blue Oak	10	20	4	#1-10"x3, #2-4"	4	10	Good	no			yes	no	0	Canopy 25%+ Root 25%+
1302	<i>Quercus douglasii</i>	Blue Oak	10	20	5	#1-4"x3, #2-7"x2	4	7	Fair	no			no	yes	15	Canopy 1-25% Root 1-25%
1308	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-10", #2-7"	7	10	Good	no			yes	no	3	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1309	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no	Previously pruned		yes	no	4	Canopy 25%+ Root 25%+
1310	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			yes	no	4	Canopy 25%+ Root 25%+
1311	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-18", #2-4"	4	18	Good	no			no	yes	8	Canopy 1-25% Root None
1315	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Good	no			no	yes	9	Canopy 25%+ Root None
1316	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			no	yes	8	Canopy 1-25% Root None
1317	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-7"	7	7	Good	no			no	yes	7	Canopy 1-25% Root None
1318	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4"x2	4	4	Good	no			no	yes	6	Canopy 25%+ Root 25%+
1319	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			no	yes	8	Canopy 25%+ Root 25%+
1320	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10", #2-18"	10	18	Fair	no		Covered in mistletoe	no	yes		Canopy 25%+ Root 25%+
1321	<i>Quercus douglasii</i>	Blue Oak	20	30	3	#1-10", #2-18"x2	10	18	Good	no			no	yes	10	Canopy 25%+ Root None
1322	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Poor	no			no	yes	12	Canopy 25%+ Root None
1323	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-18", #2-10"	10	18	Fair	no			no	yes	18	Canopy 1-25% Root None
1324	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-4"x2, #2-7"	4	7	Dead	yes			no	yes	8	Canopy 25%+ Root None
1325	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4", #2-7"	4	7	Good	no	Previously pruned		no	yes	4	Canopy 1-25% Root None
1326	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-7"	7	7	Good	no			no	yes	5	Canopy 1-25% Root None

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1328	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-7"	7	7	Good	no			no	yes	6	Canopy 25%+ Root None
1330	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no	Previously pruned		no	yes	22	Canopy None Root None
1331	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-10"x2	10	10	Good	no	Previously pruned		no	yes	8	Canopy 1-25% Root None
1332	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-7"	7	7	Fair	no			no	yes	16	Canopy 25%+ Root None
1333	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Good	no	Previously pruned		no	yes	17	Canopy 1-25% Root None
1334	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Excellent	no			yes	no	4	Canopy 25%+ Root 25%+
1335	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-7"	7	7	Good	no			yes	no	4	Canopy 25%+ Root 25%+
1336	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4"x2	4	4	Fair	no			yes	no	8	Canopy 25%+ Root 25%+
1337	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-4"x3	4	4	Fair	no	Previously pruned		no	yes	11	Canopy 1-25% Root None
1338	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-30"	30	30	Poor	no	Previously pruned		yes	no	7	Canopy 25%+ Root 25%+
1339	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Good	no			yes	no	4	Canopy 25%+ Root 25%+
1340	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7", #2-4"	4	7	Good	no			yes	no	4	Canopy 25%+ Root 25%+
1341	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Poor	no			yes	no	5	Canopy 25%+ Root 25%+
1342	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#2-4"	4	4	Good	no			yes	no	4	Canopy 25%+ Root 25%+
1343	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no			yes	no	5	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1345	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Good	no			no	yes	4	Canopy 1-25% Root 1-25%
1346	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			yes	no	3	Canopy 25%+ Root 25%+
1347	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Dead	yes			yes	no	5	Canopy 25%+ Root 25%+
1348	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
1349	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-30"	30	30	Poor	no			yes	no	5	Canopy 25%+ Root 25%+
1350	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			yes	no	5	Canopy 25%+ Root 25%+
1351	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4"x2	4	4	Good	no			yes	no	5	Canopy 25%+ Root 25%+
1352	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Dead	yes			yes	no	4	Canopy 25%+ Root 25%+
1353	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			yes	no	5	Canopy 25%+ Root 25%+
1354	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			no	yes	4	Canopy 25%+ Root 25%+
1355	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			yes	no	6	Canopy 25%+ Root 25%+
1356	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4"x2	4	4	Good	no			yes	no	4	Canopy 25%+ Root 25%+
1357	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no			yes	no	6	Canopy 25%+ Root 25%+
1358	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Dead	yes			yes	no	4	Canopy 25%+ Root 25%+
1359	<i>Quercus douglasii</i>	Blue Oak	10	20	4	#1-4"x4	4	4	Good	no			yes	no	4	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1360	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-18", #2-7"	7	18	Fair	no			yes	no	5	Canopy 25%+ Root 25%+
1361	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	6	Canopy 25%+ Root 25%+
1362	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
1363	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Dead	yes	Fire scars		yes	no	7	Canopy 25%+ Root 25%+
1364	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
1365	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			yes	no	4	Canopy 25%+ Root 25%+
1366	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-4"x2, #2-7"	4	7	Fair	no	Previously pruned		yes	no	4	Canopy 25%+ Root 25%+
1367	<i>Quercus douglasii</i>	Blue Oak	10	20	4	#1-7"x2, #2-4"x2	4	7	Poor	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
1368	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4", #2-7"	4	7	Fair	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
1369	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-18"x2	18	18	Good	no			yes	no	18	Canopy 25%+ Root 25%+
1370	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			yes	no	4	Canopy 25%+ Root 25%+
1371	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			no	yes	4	Canopy 1-25% Root 25%+
1372	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Excellent	no			yes	no	5	Canopy 25%+ Root 25%+
1373	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no		Covered in mistletoe	no	yes	3	Canopy 1-25% Root 25%+
1374	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Good	no			yes	no	4	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1375	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7", #2-4"	4	7	Good	no			yes	no	4	Canopy 25%+ Root 25%+
1376	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	13	Canopy 25%+ Root 25%+
1377	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			no	yes	10	Canopy 25%+ Root 1-25%
1378	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-18", #2-7"	7	18	Fair	no			no	yes	15	Canopy 1-25% Root None
1379	<i>Quercus douglasii</i>	Blue Oak	20	30	6	#1-18"x3, #2-10"x3	10	18	Good	no	Previously pruned		no	yes	12	Canopy 1-25% Root 1-25%
1380	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4"x2	4	4	Poor	no			no	yes	15	Canopy 25%+ Root None
1381	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Poor	no		More than half of limbs dead	no	yes	15	Canopy 25%+ Root None
1382	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			no	yes	18	Canopy 25%+ Root 1-25%
1383	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-10"x2, #2-4"	4	10	Good	no			no	yes	18	Canopy 1-25% Root None
1384	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			yes	no	2	Canopy 25%+ Root 25%+
1385	<i>Quercus douglasii</i>	Blue Oak	10	20	12	#1-4"x12	4	4	Good	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
1386	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7", #2-10"	7	10	Good	no			no	yes	17	Canopy 1-25% Root None
1387	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Poor	no	Previously pruned		yes	no	4	Canopy 25%+ Root 25%+
1388	<i>Quercus douglasii</i>	Blue Oak	20	30	3	#1-7"x2, #2-4"	4	7	Good	no			yes	no	4	Canopy 25%+ Root 25%+
1389	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no		Covered in mistletoe	yes	no	4	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1391	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-7"	7	7	Good	no			yes	no	7	Canopy 25%+ Root 25%+
1392	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Poor	no		Covered in mistletoe	no	yes	4	Canopy 25%+ Root 25%+
1393	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no		Covered by mistletoe	yes	no	8	Canopy 25%+ Root 25%+
1394	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no		Lower limbs covered in mistletoe	no	yes	6	Canopy 1-25% Root 1-25%
1395	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-7", #2-10"x2	7	10	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
1396	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Poor	no		Nearly entirely dead	yes	no	4	Canopy 25%+ Root 25%+
1397	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			no	yes	15	Canopy 25%+ Root 1-25%
1398	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			yes	no	4	Canopy 25%+ Root 25%+
1399	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			no	yes	12	Canopy 1-25% Root None
1400	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no	Previously pruned		yes	no	2	Canopy 25%+ Root 25%+
1401	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4"x2	4	4	Poor	no			no	yes	16	Canopy 1-25% Root None
1402	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Dead	yes			no	yes	14	Canopy 25%+ Root None
1403	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-30"	30	30	Fair	no	Previously pruned		yes	no	6	Canopy 25%+ Root 25%+
1404	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-7"	7	7	Poor	no			yes	no	4	Canopy 25%+ Root 25%+
1405	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Poor	no			no	yes	3	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1406	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4", #2-10"	4	10	Poor	no			yes	no	7	Canopy 25%+ Root 25%+
1407	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-7", #2-10"x2	7	10	Poor	no			yes	no	4	Canopy 25%+ Root 25%+
1408	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			no	yes	4	Canopy 25%+ Root 25%+
1409	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
1410	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-7"	7	7	Good	no			yes	no	3	Canopy 25%+ Root 25%+
1411	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	8	Canopy 25%+ Root 25%+
1412	<i>Quercus douglasii</i>	Blue Oak	10	20	5	#1-4"x4, #2-7"	4	7	Good	no			yes	no	4	Canopy 25%+ Root 25%+
1413	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
1414	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4", #2-7"	4	7	Fair	no			no	yes	4	Canopy 25%+ Root 25%+
1415	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	5	Canopy 25%+ Root 25%+
1416	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4"x2	4	4	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
1417	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Good	no			no	yes	7	Canopy 1-25% Root 25%+
1418	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no		Hollowed out trunk, maybe fire scar	yes	no	5	Canopy 25%+ Root 25%+
1419	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4"x2	4	4	Fair	no			yes	no	6	Canopy 25%+ Root 25%+
1420	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	3	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1421	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			no	yes	4	Canopy 1-25% Root 1-25%
1422	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-7"	7	7	Dead	yes			yes	no	3	Canopy 25%+ Root 25%+
1423	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-7"	7	7	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
1424	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Good	no			yes	no	5	Canopy 25%+ Root 25%+
1425	<i>Quercus douglasii</i>	Blue Oak	10	20	6	#1-4"x6	4	4	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
1426	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Poor	no		Nearly dead	yes	no	4	Canopy 25%+ Root 25%+
1427	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4", #2-7"	4	7	Fair	no			yes	no	6	Canopy 25%+ Root 25%+
1428	<i>Quercus douglasii</i>	Blue Oak	0	10	2	#1-10", #2-18"	10	18	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
1429	<i>Quercus douglasii</i>	Blue Oak	10	20	4	#1-4"x4	4	4	Poor	no			yes	no	3	Canopy 25%+ Root 25%+
1430	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4"x2	4	4	Fair	no			yes	no	5	Canopy 25%+ Root 25%+
1431	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Poor	no			yes	no	3	Canopy 25%+ Root 25%+
1432	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Poor	no		Nearly dead	yes	no	4	Canopy 25%+ Root 25%+
1433	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10"x2	10	10	Poor	no			no	yes	5	Canopy 1-25% Root None
1434	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
1435	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			yes	no	5	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1436	<i>Quercus douglasii</i>	Blue Oak	10	20	5	#1-4"x5	4	4	Fair	no			yes	no	1	Canopy 25%+ Root 25%+
1437	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
1438	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
1439	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
1440	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	7	Canopy 25%+ Root 25%+
1441	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7", #2-4"	4	7	Fair	no			no	yes	15	Canopy 1-25% Root 1-25%
1442	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-18", #2-4"	4	18	Good	no			yes	no	3	Canopy 25%+ Root 25%+
1443	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
1444	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-4", #2-18"	4	18	Good	no			no	yes	12	Canopy 1-25% Root None
1445	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10", #2-18"	10	18	Dead	yes	Fire scars		no	yes	0	Canopy 25%+ Root 25%+
1448	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
1449	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7", #2-10"	7	10	Fair	no			no	yes	18	Canopy 1-25% Root None
1450	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Dead	yes	Previously pruned		no	yes		Canopy None Root None
1451	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			yes	no	5	Canopy 25%+ Root 25%+
1452	<i>Quercus douglasii</i>	Blue Oak	20	30	4	#1-7"x4	7	7	Poor	no			yes	no	4	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1453	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			yes	no	5	Canopy 25%+ Root 1-25%
1454	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-18"x2	18	18	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
1455	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no			no	yes	17	Canopy 1-25% Root None
1456	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
1457	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Poor	no			no	yes		Canopy None Root None
1458	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			no	yes		Canopy 1-25% Root 1-25%
1459	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			no	yes	14	Canopy 1-25% Root 1-25%
1460	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-18"x2	18	18	Fair	no	Previously pruned		no	yes	10	Canopy 1-25% Root None
1461	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Fair	no	Previously pruned		yes	no	1	Canopy 25%+ Root 25%+
1462	<i>Quercus douglasii</i>	Blue Oak	10	20	4	#1-4"x4	4	4	Poor	no			yes	no	3	Canopy 25%+ Root 25%+
1463	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	5	Canopy 25%+ Root 25%+
1464	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7", #2-4"	4	7	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
1465	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			yes	no	5	Canopy 25%+ Root 25%+
1466	<i>Quercus douglasii</i>	Blue Oak	0	10	1	#1-18"	18	18	Dead	yes	Fire scars		yes	no		Canopy 25%+ Root 25%+

Table 3.
 2021 Native Tree Survey Data
 Tree Assessment Summary Report
 Gorman - Kern River 66 kV Project
 Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1467	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Poor	no		Covered in mistletoe. Nearly entirely dead	yes	no	5	Canopy 25%+ Root 25%+
1468	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4"x2	4	4	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
1469	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7", #2-4"	4	7	Fair	no	Previously pruned		no	yes	13	Canopy 1-25% Root 1-25%
1470	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			no	yes	0	Canopy 25%+ Root 25%+
1471	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Fair	no			yes	no	8	Canopy 25%+ Root 25%+
1472	<i>Quercus douglasii</i>	Blue Oak	0	10	7	#1-4"x7	4	4	Dead	yes			yes	no	1	Canopy 25%+ Root 25%+
1474	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10", #2-30"	10	30	Fair	no			no	yes	12	Canopy 1-25% Root None
1475	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-30"	30	30	Fair	no	Previously pruned		yes	no	2	Canopy 25%+ Root 25%+
1476	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			no	yes	8	Canopy 1-25% Root 1-25%
1477	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			yes	no	5	Canopy 25%+ Root 25%+
1478	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no			yes	no	5	Canopy 25%+ Root 25%+
1481	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10"x2	10	10	Good	no			no	yes	12	Canopy 1-25% Root None
1482	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Good	no			no	yes	18	Canopy 1-25% Root None
1483	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Fair	no		Covered in mistletoe	no	yes		Canopy 1-25% Root None

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1484	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			no	yes	6	Canopy 1-25% Root None
1485	<i>Quercus douglasii</i>	Blue Oak	30	40	3	#1-18"x3	18	18	Poor	no		Covered in mistletoe	yes	no	5	Canopy 25%+ Root 25%+
1486	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			yes	no	5	Canopy 25%+ Root 25%+
1488	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-7"	7	7	Good	no			yes	no	4	Canopy 25%+ Root 25%+
1489	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4"x2	4	4	Good	no			yes	no	4	Canopy 25%+ Root 25%+
1490	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Good	no			no	yes	12	Canopy 25%+ Root None
1491	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no			no	yes	15	Canopy 1-25% Root None
1505	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no	Previously pruned		yes	no	5	Canopy 25%+ Root 25%+
1506	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-30"	30	30	Good	no	Previously pruned		no	yes	18	Canopy 1-25% Root 25%+
1507	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-4", #2-7"x2	4	7	Good	no			yes	no	1	Canopy 25%+ Root 25%+
1508	<i>Quercus douglasii</i>	Blue Oak	40	50	1	#1-30"	30	30	Good	no			no	yes	1	Canopy 1-25% Root 1-25%
1509	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no		Mistletoe	no	yes	2	Canopy 1-25% Root None
1512	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Good	no			no	yes	12	Canopy 25%+ Root 1-25%
1513	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no	Previously pruned		no	yes	10	Canopy 25%+ Root 25%+
1514	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-10"x2	10	10	Good	no			yes	no	1	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1515	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
1516	<i>Quercus douglasii</i>	Blue Oak	10	20	4	#1-4"x2, #2-10", #3-7"	4	10	Fair	no			yes	no	2	Canopy 25%+ Root 25%+
1519	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-7"	7	7	Poor	no			yes	no	15	Canopy 25%+ Root 25%+
1520	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no			yes	no	1	Canopy 25%+ Root 25%+
1521	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10"x2	10	10	Fair	no	Fire scars		yes	no	6	Canopy 25%+ Root 25%+
1522	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	8	Canopy 25%+ Root 25%+
1523	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no	Fire scars		yes	no	2	Canopy 25%+ Root 25%+
1524	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Good	no			yes	no	6	Canopy 25%+ Root 25%+
1525	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7", #2-10"	7	10	Fair	no	Previously pruned, Fire scars		yes	no	3	Canopy 25%+ Root 25%+
1526	<i>Quercus douglasii</i>	Blue Oak	30	40	2	#1-7", #2-18"	7	18	Fair	no	Fire scars	Mistletoe	yes	no	4	Canopy 25%+ Root 25%+
1527	<i>Quercus douglasii</i>	Blue Oak	40	50	1	#1-30"	30	30	Poor	no		Several dead limbs, some have already fallen.	yes	no	0	Canopy 25%+ Root 25%+
1528	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Good	no			yes	no	6	Canopy 25%+ Root 25%+
1529	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Fair	no		Several dead fallen limbs	yes	no	0	Canopy 25%+ Root 25%+
1530	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Poor	no			yes	no	6	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1531	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no			yes	no		Canopy 25%+ Root 25%+
1532	<i>Quercus douglasii</i>	Blue Oak	30	40	2	#1-18", #2-10"	10	18	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
1536	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-4"x3	4	4	Dead	yes			no	yes	0	Canopy 1-25% Root None
1537	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Poor	no		Covered in mistletoe	yes	no	3	Canopy 25%+ Root 25%+
1538	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Fair	no			yes	no	2	Canopy 25%+ Root 25%+
1539	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			yes	no	5	Canopy 25%+ Root 1-25%
1540	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
1541	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-30"	30	30	Fair	no	Fire scars		yes	no	5	Canopy 25%+ Root 25%+
1542	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Poor	no	Fire scars		yes	no		Canopy 25%+ Root 25%+
1543	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Poor	no		Nearly dead	yes	no	4	Canopy 25%+ Root 25%+
1544	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
1546	<i>Quercus douglasii</i>	Blue Oak	40	50	1	#1-30"	30	30	Fair	no			no	yes	2	Canopy 25%+ Root 1-25%
2139	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	3	Canopy 1-25% Root 25%+
2140	<i>Quercus douglasii</i>	Blue Oak	20	30	3	#1-7"x3	7	7	Good	no	Previously pruned		no	yes	4	Canopy 1-25% Root 25%+
2141	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7", #2-10"	7	10	Excellent	no			no	yes	12	Canopy 1-25% Root 1-25%

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2158	<i>Quercus douglasii</i>	Blue Oak	40	50	1	#1-18"	18	18	Good	no	Previously pruned		yes	no	8	Canopy 25%+ Root 25%+
2159	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Good	no			yes	no	6	Canopy 25%+ Root 25%+
2160	<i>Quercus douglasii</i>	Blue Oak	40	50	1	#1-30"	30	30	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2161	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2162	<i>Quercus douglasii</i>	Blue Oak	30	40	2	#1-10", #2-18"	10	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2163	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Good	no			yes	no	5	Canopy 25%+ Root 25%+
2164	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-42"	42	42	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2169	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-18"x2	18	18	Good	no			yes	no	2	Canopy 25%+ Root 25%+
2171	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Good	no	Fungal Infestation	Mistletoe	yes	no	3	Canopy 25%+ Root 25%+
2172	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Good	no	Previously pruned, Fungal Infestation		yes	no	4	Canopy 25%+ Root 25%+
2173	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-30"	30	30	Good	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
2175	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Good	no	Fungal Infestation	Mistletoe	yes	no		Canopy 25%+ Root 25%+
2176	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-4", #2-7"x2	4	7	Good	no			yes	no	1	Canopy 25%+ Root 25%+
2177	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Good	no			yes	no	4	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2178	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-30"	30	30	Fair	no	Previously pruned, Fungal Infestation		yes	no	3	Canopy 25%+ Root 25%+
2179	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Previously pruned		yes	no	4	Canopy 25%+ Root 25%+
2180	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2181	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2182	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no	Previously pruned		yes	no	2	Canopy 25%+ Root 25%+
2183	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
2184	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Good	no			yes	no	4	Canopy 25%+ Root 25%+
2185	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			yes	no	6	Canopy 25%+ Root 25%+
2186	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Fair	no	Fungal Infestation		yes	no	1	Canopy 25%+ Root 25%+
2187	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no	Fungal Infestation		yes	no	0	Canopy 25%+ Root 25%+
2188	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no	Fungal Infestation		yes	no	0	Canopy 25%+ Root 25%+
2189	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no	Fungal Infestation		yes	no	2	Canopy 25%+ Root 25%+
2190	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Fair	no	Previously pruned, Fungal Infestation		yes	no	3	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2191	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Fair	no	Previously pruned, Fungal Infestation		yes	no	4	Canopy 25%+ Root 25%+
2192	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-30"	30	30	Poor	no	Fungal Infestation	Broken trunk	no	yes	0	Canopy 25%+ Root 25%+
2193	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Dead	yes	Fungal Infestation		yes	no	7	Canopy 25%+ Root 25%+
2194	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Good	no	Fungal Infestation	Mistletoe	no	yes		Canopy None Root None
2195	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no	Fungal Infestation		yes	no	0	Canopy 25%+ Root 25%+
2196	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
2197	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2198	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7", #2-18"	7	18	Good	no	Previously pruned, Fungal Infestation		yes	no	4	Canopy 25%+ Root 25%+
2199	<i>Quercus douglasii</i>	Blue Oak	0	10	1	#1-30"	30	30	Poor	no	Fungal Infestation	Broken trunk	yes	no	0	Canopy 25%+ Root 25%+
2200	<i>Quercus douglasii</i>	Blue Oak	0	10	1	#1-10"	10	10	Dead	yes	Fungal Infestation		yes	no	3	Canopy 25%+ Root 25%+
2201	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-10"x2	10	10	Fair	no	Fungal Infestation		yes	no	4	Canopy 25%+ Root 25%+
2205	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
2206	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Good	no	Fungal Infestation		yes	no	0	Canopy 25%+ Root 25%+
2211	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-4", #2-7"	4	7	Good	no			yes	no	2	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2213	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Dead	yes			yes	no	7	Canopy 25%+ Root 25%+
2221	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-18"x2	18	18	Good	no	Previously pruned		no	yes	5	Canopy 1-25% Root 1-25%
2223	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2224	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			no	yes	3	Canopy 1-25% Root 1-25%
2225	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-18"x2	18	18	Fair	no		Mistletoe	yes	no		Canopy 25%+ Root 25%+
2226	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-30"	30	30	Good	no			yes	no	4	Canopy 25%+ Root 25%+
2227	<i>Quercus douglasii</i>	Blue Oak	30	40	2	#1-18"x2	18	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2228	<i>Quercus douglasii</i>	Blue Oak	10	20	5	#1-7"x5	7	7	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2270	<i>Quercus douglasii</i>	Blue Oak	10	20	5	#1.4"x3, #2-7"x2	4	7	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2271	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-7"x3	7	7	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2272	<i>Quercus douglasii</i>	Blue Oak	0	10	3	#1-7"x3	7	7	Good	no			yes	no	2	Canopy 1-25% Root 25%+
2273	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2274	<i>Quercus douglasii</i>	Blue Oak	10	20	5	#1-4"x5	4	4	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2275	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-7"x3	7	7	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2276	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Good	no			yes	no	0	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2277	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-7"x3	7	7	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2278	<i>Quercus douglasii</i>	Blue Oak	0	10	6	#1-4"x6	4	4	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
2279	<i>Quercus douglasii</i>	Blue Oak	10	20	10	#1-4"x5, #2-7"x5	4	7	Good	no	Fungal Infestation		yes	no	0	Canopy 25%+ Root 25%+
2280	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no	Fungal Infestation		yes	no	0	Canopy 25%+ Root 25%+
2281	<i>Quercus douglasii</i>	Blue Oak	10	20	4	#1-4", #2-7"x3	4	7	Fair	no	Fungal Infestation		yes	no	0	Canopy 25%+ Root 25%+
2282	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-7"x3	7	7	Fair	no	Fungal Infestation		yes	no	2	Canopy 25%+ Root 25%+
2283	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-7"x3	7	7	Good	no			yes	no	1	Canopy 25%+ Root 25%+
2285	<i>Quercus douglasii</i>	Blue Oak	10	20	5	#1-4"x3, #2-7"x2	4	7	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2286	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-4", #2-7"x2	4	7	Good	no			yes	no	2	Canopy 25%+ Root 25%+
2287	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-7"x3	7	7	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
2288	<i>Quercus douglasii</i>	Blue Oak	10	20	4	#1-7"x4	7	7	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2289	<i>Quercus douglasii</i>	Blue Oak	10	20	6	#1-4"x3, #2-7"x3	4	7	Good	no			no	yes	8	Canopy 1-25% Root None
2290	<i>Quercus douglasii</i>	Blue Oak	0	10	3	#1-4"x3	4	4	Fair	no	Previously pruned		no	yes	7	Canopy 1-25% Root None
2291	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Good	no	Previously pruned		no	yes	1	Canopy 1-25% Root 1-25%
2292	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-7"x3	7	7	Good	no			no	yes	1	Canopy 1-25% Root 1-25%

Table 3.
 2021 Native Tree Survey Data
 Tree Assessment Summary Report
 Gorman - Kern River 66 kV Project
 Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2296	<i>Quercus douglasii</i>	Blue Oak	10	20	4	#1-4"x4	4	4	Good	no	Previously pruned		no	yes	9	Canopy 1-25% Root 1-25%
2297	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Good	no			no	yes	9	Canopy 1-25% Root 1-25%
2298	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Good	no	Previously pruned		no	yes	12	Canopy 1-25% Root 1-25%
2306	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-4"x3	4	4	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2313	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			no	yes	4	Canopy 1-25% Root 25%+
2314	<i>Quercus douglasii</i>	Blue Oak	20	30	4	#1-10"x4	10	10	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
2315	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
2317	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2322	<i>Quercus douglasii</i>	Blue Oak	10	20	5	#1-4"x5	4	4	Good	no	Previously pruned		no	yes	6	Canopy 1-25% Root 1-25%
2323	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	4	Canopy 1-25% Root 1-25%
2324	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Good	no	Previously pruned		yes	no	4	Canopy 25%+ Root 25%+
2328	<i>Quercus douglasii</i>	Blue Oak	20	30	3	#1-4"x2, #2-7"	4	7	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2329	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2330	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2331	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10"x2	10	10	Good	no			yes	no	0	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2332	<i>Quercus douglasii</i>	Blue Oak	20	30	5	#1-7"x5	7	7	Good	no			yes	no	4	Canopy 25%+ Root 25%+
2333	<i>Quercus douglasii</i>	Blue Oak	20	30	3	#1-7"x3	7	7	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2334	<i>Quercus douglasii</i>	Blue Oak	20	30	3	#1-18"x3	18	18	Fair	no	Fire scars	150	no	yes	10	Canopy 1-25% Root 25%+
2338	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no	Previously pruned		yes	no	2	Canopy 25%+ Root 25%+
2339	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
2340	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no	Previously pruned		no	yes	5	Canopy 1-25% Root 1-25%
2344	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-4", #2-7"	4	7	Good	no	Previously pruned		no	yes	4	Canopy 1-25% Root 1-25%
2345	<i>Quercus douglasii</i>	Blue Oak	20	30	3	#1-7"x3	7	7	Good	no	Previously pruned		no	yes	11	Canopy 1-25% Root 25%+
2346	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Excellent	no			no	yes		Canopy None Root 1-25%
2349	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Good	no	Previously pruned		no	yes	6	Canopy 1-25% Root 25%+
2350	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Good	no	Previously pruned		no	yes	7	Canopy 1-25% Root 25%+
2351	<i>Quercus douglasii</i>	Blue Oak	0	10	5	#1-4"x5	4	4	Good	no	Previously pruned		yes	no	1	Canopy 25%+ Root 25%+
2352	<i>Quercus douglasii</i>	Blue Oak	0	10	6	#1-4"x6	4	4	Good	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
2353	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-7"x3	7	7	Good	no	Previously pruned		yes	no	5	Canopy 25%+ Root 25%+
2354	<i>Quercus douglasii</i>	Blue Oak	20	30	6	#1-7"x5, #2-10"	7	10	Fair	no	Previously pruned		no	yes	10	Canopy 1-25% Root 1-25%

Table 3.
 2021 Native Tree Survey Data
 Tree Assessment Summary Report
 Gorman - Kern River 66 kV Project
 Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2355	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no	Previously pruned		no	yes	8	Canopy 1-25% Root 25%+
2356	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no	Previously pruned		no	yes	8	Canopy 1-25% Root 25%+
2357	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no	Previously pruned		no	yes	5	Canopy 1-25% Root 1-25%
2358	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10"x2	10	10	Good	no	Previously pruned		no	yes	6	Canopy 25%+ Root 25%+
2359	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no	Previously pruned		no	yes	5	Canopy 1-25% Root 1-25%
2360	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	16	Canopy 1-25% Root 1-25%
2361	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-4"x3	4	4	Fair	no	Previously pruned		no	yes	5	Canopy 1-25% Root 1-25%
2362	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	8	Canopy 1-25% Root 1-25%
2363	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	8	Canopy 1-25% Root 1-25%
2364	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Good	no	Previously pruned		no	yes	6	Canopy 1-25% Root 1-25%
2365	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Good	no	Previously pruned		no	yes	6	Canopy 1-25% Root 1-25%
2366	<i>Quercus douglasii</i>	Blue Oak	10	20	6	#1-7"x6	7	7	Good	no	Previously pruned		no	yes	12	Canopy 1-25% Root 1-25%
2367	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Good	no	Previously pruned		no	yes	7	Canopy 1-25% Root 1-25%
2368	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	14	Canopy 1-25% Root 1-25%
2369	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Good	no	Previously pruned		no	yes	10	Canopy 1-25% Root 1-25%

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2370	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	7	Canopy 1-25% Root 25%+
2371	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no	Previously pruned		no	yes	8	Canopy 1-25% Root 1-25%
2372	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	4	Canopy 1-25% Root 25%+
2373	<i>Quercus douglasii</i>	Blue Oak	20	30	3	#1-7"x3	7	7	Good	no	Previously pruned		no	yes	4	Canopy 1-25% Root 1-25%
2374	<i>Quercus douglasii</i>	Blue Oak	20	30	5	#1-7"x5	7	7	Good	no	Previously pruned		no	yes	7	Canopy 1-25% Root 1-25%
2377	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	10	Canopy 1-25% Root 1-25%
2378	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Good	no	Previously pruned		no	yes	10	Canopy 1-25% Root 25%+
2379	<i>Quercus douglasii</i>	Blue Oak	20	30	3	#1-4"x3	4	4	Good	no	Previously pruned		no	yes	9	Canopy 1-25% Root 1-25%
2383	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	9	Canopy 1-25% Root 25%+
2384	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			no	yes		Canopy None Root None
2385	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Good	no			no	yes		Canopy None Root None
2386	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			no	yes		Canopy None Root 1-25%
2387	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Good	no	Previously pruned		no	yes	15	Canopy 1-25% Root 25%+
2388	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	10	Canopy 1-25% Root 25%+
2389	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7" , #2-10"	7	10	Good	no	Previously pruned		no	yes	11	Canopy 1-25% Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2390	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7", #2-18"	7	18	Good	no	Previously pruned		no	yes	8	Canopy 1-25% Root 1-25%
2391	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Fair	no	Previously pruned		no	yes	8	Canopy 1-25% Root 25%+
2392	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-7"x3	7	7	Fair	no	Previously pruned		yes	no	5	Canopy 25%+ Root 25%+
2393	<i>Quercus douglasii</i>	Blue Oak	10	20	5	#1-4"x3, #2-7"x2	4	7	Good	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
2394	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Good	no	Previously pruned		no	yes	8	Canopy 1-25% Root 25%+
2395	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			yes	no	5	Canopy 25%+ Root 25%+
2396	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no	Previously pruned		yes	no	6	Canopy 25%+ Root 25%+
2397	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no	Previously pruned		yes	no	6	Canopy 25%+ Root 25%+
2398	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			yes	no	4	Canopy 25%+ Root 25%+
2399	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-7"x3	7	7	Good	no	Previously pruned		no	yes	8	Canopy 1-25% Root 1-25%
2400	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Good	no	Previously pruned		no	yes	6	Canopy 1-25% Root 25%+
2401	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7", #2-10"	7	10	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
2402	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Poor	no	Fungal Infestation		yes	no	4	Canopy 25%+ Root 25%+
2403	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Dead	yes			yes	no	12	Canopy 25%+ Root 25%+
2404	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Fair	no			yes	no	5	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2405	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no	Previously pruned, Fungal Infestation		yes	no	6	Canopy 25%+ Root 25%+
2406	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
2407	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-4", #2-7"	4	7	Fair	no	Fungal Infestation		yes	no	4	Canopy 25%+ Root 25%+
2408	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Fair	no	Previously pruned, Fungal Infestation		yes	no	3	Canopy 25%+ Root 25%+
2409	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Fair	no	Previously pruned, Fungal Infestation		yes	no	4	Canopy 25%+ Root 25%+
2410	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Fair	no	Fungal Infestation		yes	no	3	Canopy 25%+ Root 25%+
2411	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-18"x2	18	18	Fair	no	Fungal Infestation		yes	no	3	Canopy 25%+ Root 25%+
2412	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Poor	no	Fungal Infestation	Most branches dead	yes	no	4	Canopy 25%+ Root 25%+
2413	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Good	no			yes	no		Canopy 25%+ Root 25%+
2414	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Fair	no	Fungal Infestation		yes	no	3	Canopy 25%+ Root 25%+
2415	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2416	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
2417	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10", #2-18"	10	18	Fair	no	Fungal Infestation		yes	no	3	Canopy 25%+ Root 25%+

Table 3.
 2021 Native Tree Survey Data
 Tree Assessment Summary Report
 Gorman - Kern River 66 kV Project
 Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground	Disturbance Anticipated
2418	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no	Previously pruned, Fungal Infestation	Mistletoe	no	yes	3	Canopy 25%+ Root 25%+
2419	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Poor	no	Previously pruned, Fungal Infestation		yes	no	4	Canopy 25%+ Root 25%+
2420	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
2421	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-18"x2	18	18	Fair	no			yes	no	2	Canopy 25%+ Root 25%+
2422	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-7"x3	7	7	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
2423	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
2424	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Fair	no		Mistletoe	yes	no	2	Canopy 25%+ Root 25%+
2425	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Fair	no	Fungal Infestation		yes	no	3	Canopy 25%+ Root 25%+
2426	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-4"x2	4	4	Fair	no	Fungal Infestation		yes	no	4	Canopy 25%+ Root 25%+
2427	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no	Fungal Infestation		yes	no	4	Canopy 25%+ Root 25%+
2428	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Fair	no	Fungal Infestation		yes	no	5	Canopy 25%+ Root 25%+
2429	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Fair	no	Fungal Infestation		yes	no	4	Canopy 25%+ Root 25%+
2430	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Fair	no	Fungal Infestation		yes	no	4	Canopy 25%+ Root 25%+
2431	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Fair	no	Fungal Infestation	Mistletoe	yes	no	5	Canopy 25%+ Root 25%+

Table 3.
 2021 Native Tree Survey Data
 Tree Assessment Summary Report
 Gorman - Kern River 66 kV Project
 Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2432	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Poor	no	Fungal Infestation		yes	no	3	Canopy 25%+ Root 25%+
2433	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Poor	no	Fungal Infestation		yes	no	4	Canopy 25%+ Root 25%+
2434	<i>Quercus douglasii</i>	Blue Oak	20	30	3	#1-7"x2, #2-10"	7	10	Fair	no	Fungal Infestation		yes	no	3	Canopy 25%+ Root 25%+
2435	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no	Fungal Infestation		yes	no	6	Canopy 25%+ Root 25%+
2436	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Fair	no	Fungal Infestation		yes	no	3	Canopy 25%+ Root 25%+
2437	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no	Fungal Infestation		yes	no	5	Canopy 25%+ Root 25%+
2438	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Fair	no	Fungal Infestation, Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
2439	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Poor	no	Previously pruned, Fungal Infestation	Mistletoe	yes	no	3	Canopy 25%+ Root 25%+
2440	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Poor	no	Fungal Infestation, Previously pruned	Mistletoe	yes	no	4	Canopy 25%+ Root 25%+
2441	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Poor	no	Fungal Infestation, Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
2442	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no	Fungal Infestation, Previously pruned		yes	no	5	Canopy 25%+ Root 25%+
2443	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no		Mistletoe	yes	no	3	Canopy 25%+ Root 25%+
2444	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
2445	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no	Fungal Infestation, Previously pruned		no	yes	7	Canopy 1-25% Root 1-25%

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2446	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-42"	42	42	Good	no			yes	no	5	Canopy 25%+ Root 25%+
2447	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-4", #2-7"x2	4	7	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
2448	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2449	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Good	no			no	yes	7	Canopy 1-25% Root 1-25%
2450	<i>Quercus douglasii</i>	Blue Oak	20	30	5	#1-10"x5	10	10	Good	no	Previously pruned		no	yes	7	Canopy 1-25% Root 25%+
2451	<i>Quercus douglasii</i>	Blue Oak	20	30	3	#1-7"x2, #2-10"	7	10	Fair	no	Previously pruned, Fungal Infestation		no	yes	9	Canopy 1-25% Root 1-25%
2452	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Fair	no	Previously pruned, Fungal Infestation	Mistletoe	yes	no	5	Canopy 25%+ Root 25%+
2453	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Good	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
2454	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4"x2	4	4	Dead	yes			yes	no	3	Canopy 25%+ Root 25%+
2455	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Fair	no	Previously pruned, Fungal Infestation		no	yes	15	Canopy 1-25% Root 25%+
2456	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Poor	no	Fungal Infestation, Previously pruned	Mistletoe	no	yes	13	Canopy 1-25% Root 25%+
2457	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7", #2-10"	7	10	Fair	no	Previously pruned, Fungal Infestation		no	yes	8	Canopy 1-25% Root 25%+
2458	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10", #2-18"	10	18	Good	no	Previously pruned	Mistletoe	no	yes	6	Canopy 1-25% Root 1-25%

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2459	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Good	no	Previously pruned		no	yes	9	Canopy 1-25% Root 1-25%
2460	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Good	no	Previously pruned		no	yes	12	Canopy 1-25% Root 25%+
2461	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-18"x2	18	18	Good	no	Previously pruned		no	yes	6	Canopy 1-25% Root 1-25%
2462	<i>Quercus douglasii</i>	Blue Oak	20	30	3	#1-18"x3	18	18	Good	no	Previously pruned		no	yes	12	Canopy 1-25% Root 25%+
2463	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no	Previously pruned		no	yes	15	Canopy 1-25% Root 25%+
2464	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10"x2	10	10	Fair	no	Previously pruned, Fungal Infestation	Mistletoe	no	yes	9	Canopy 1-25% Root 1-25%
2465	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Poor	no	Fungal Infestation, Previously pruned	Mistletoe17	no	yes	17	Canopy 1-25% Root 25%+
2466	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Poor	no	Previously pruned, Fungal Infestation		no	yes	18	Canopy 1-25% Root 1-25%
2468	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no	Previously pruned		no	yes		Canopy None Root 1-25%
2469	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7", #2-10"	7	10	Fair	no	Fungal Infestation, Previously pruned		no	yes		Canopy None Root 1-25%
2470	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no	Fungal Infestation, Previously pruned		no	yes	12	Canopy 1-25% Root 1-25%
2471	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no	Previously pruned, Fungal Infestation	Mistletoe	no	yes	12	Canopy 1-25% Root 1-25%
2472	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7", #2-10"	7	10	Good	no	Previously pruned		no	yes	12	Canopy 1-25% Root 1-25%

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2473	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no	Fungal Infestation, Previously pruned		no	yes	13	Canopy 1-25% Root 1-25%
2474	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-4"x3	4	4	Good	no			yes	no	2	Canopy 25%+ Root 25%+
2475	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-18"x2	18	18	Good	no	Previously pruned		no	yes	3	Canopy 1-25% Root 25%+
2476	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10"x2	10	10	Good	no	Previously pruned		no	yes	7	Canopy 1-25% Root 25%+
2477	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Good	no	Previously pruned		no	yes	12	Canopy 1-25% Root 1-25%
2478	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	8	Canopy 1-25% Root 1-25%
2479	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10"x2	10	10	Good	no	Previously pruned		no	yes	7	Canopy 1-25% Root 1-25%
2480	<i>Quercus douglasii</i>	Blue Oak	0	10	1	#1-10"	10	10	Dead	yes	Previously pruned		no	yes	5	Canopy 1-25% Root 1-25%
2481	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	13	Canopy 1-25% Root 1-25%
2482	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	11	Canopy 1-25% Root 1-25%
2483	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Good	no		Mistletoe	no	yes		Canopy None Root 1-25%
2484	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Good	no	Previously pruned		no	yes	5	Canopy 1-25% Root 1-25%
2485	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-10"x3	10	10	Good	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
2486	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2487	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Poor	no	Previously pruned	Mistletoe	yes	no	4	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground	Disturbance Anticipated
2488	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Good	no	Previously pruned	Mistletoe	yes	no	3	Canopy 25%+ Root 25%+
2489	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4"x2	4	4	Fair	no	Fungal Infestation		yes	no	3	Canopy 25%+ Root 25%+
2490	<i>Quercus douglasii</i>	Blue Oak	30	40	2	#1-10"x2	10	10	Good	no	Fungal Infestation		yes	no	2	Canopy 25%+ Root 25%+
2491	<i>Quercus douglasii</i>	Blue Oak	30	40	2	#1-4", #2-10"	4	10	Excellent	no			yes	no	3	Canopy 25%+ Root 25%+
2494	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Dead	yes			yes	no	3	Canopy 25%+ Root 25%+
2495	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			no	yes	3	Canopy 25%+ Root 25%+
2496	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10"x2	10	10	Dead	yes			yes	no	4	Canopy 25%+ Root 25%+
2497	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7", #2-10"	7	10	Poor	no	Fungal Infestation		no	yes	6	Canopy 1-25% Root 1-25%
2498	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7", #2-10"	7	10	Fair	no	Previously pruned		no	yes	8	Canopy 1-25% Root 1-25%
2499	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no		Mistletoe	yes	no	5	Canopy 25%+ Root 25%+
2500	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Fair	no		Mistletoe	yes	no	3	Canopy 25%+ Root 25%+
2501	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10"x2	10	10	Poor	no	Fungal Infestation		yes	no	3	Canopy 25%+ Root 25%+
2502	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Poor	no	Previously pruned		no	yes	13	Canopy 1-25% Root 25%+
2503	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Poor	no	Previously pruned		no	yes	13	Canopy 1-25% Root 25%+
2504	<i>Quercus douglasii</i>	Blue Oak	20	30	3	#1-10"x2, #2-18"	10	18	Good	no	Previously pruned		yes	no	2	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2505	<i>Quercus douglasii</i>	Blue Oak	20	30	3	#1-7"x2, #2-10"	7	10	Poor	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
2506	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10"x2	10	10	Poor	no	Previously pruned		no	yes	3	Canopy 1-25% Root 25%+
2507	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no	Previously pruned		no	yes	7	Canopy 1-25% Root 1-25%
2508	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
2509	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
2510	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Fair	no	Previously pruned		no	yes	11	Canopy 1-25% Root 25%+
2511	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-10"	10	10	Fair	no	Previously pruned		no	yes	14	Canopy 1-25% Root 1-25%
2512	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Poor	no	Previously pruned		yes	no	2	Canopy 25%+ Root 25%+
2513	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Poor	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
2514	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Poor	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
2515	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Poor	no	Main branches have broken and fallen		yes	no	2	Canopy 25%+ Root 25%+
2516	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Poor	no	Previously pruned		no	yes	13	Canopy 1-25% Root 25%+
2517	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no	Previously pruned		no	yes	12	Canopy 1-25% Root 25%+
2518	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no	Previously pruned		no	yes	12	Canopy 1-25% Root 1-25%

Table 3.
 2021 Native Tree Survey Data
 Tree Assessment Summary Report
 Gorman - Kern River 66 kV Project
 Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2519	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Poor	no	Previously pruned	Mistletoe	no	yes	9	Canopy 1-25% Root 1-25%
2520	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7", #2-10"	7	10	Fair	no	Fungal Infestation		no	yes	9	Canopy 1-25% Root 1-25%
2521	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
2522	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10"x2	10	10	Poor	no			no	yes	4	Canopy 1-25% Root 25%+
2523	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			yes	no	2	Canopy 25%+ Root 25%+
2524	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4"x2	4	4	Fair	no			no	yes	3	Canopy 25%+ Root 25%+
2525	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
2526	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
2527	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Poor	no			yes	no	4	Canopy 25%+ Root 25%+
2528	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Dead	yes	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
2529	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Dead	yes			yes	no	5	Canopy 25%+ Root 25%+
2530	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Poor	no			yes	no	3	Canopy 25%+ Root 25%+
2531	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no	Previously pruned		no	yes	9	Canopy 1-25% Root 25%+
2532	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Good	no	Previously pruned		no	yes	10	Canopy 1-25% Root 1-25%
2533	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10"x2	10	10	Good	no	Previously pruned		no	yes	6	Canopy 1-25% Root 1-25%

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2534	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Good	no	Previously pruned		no	yes	6	Canopy 1-25% Root 1-25%
2535	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no	Previously pruned		no	yes	17	Canopy 1-25% Root 1-25%
2536	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no	Previously pruned	Mistletoe	no	yes	12	Canopy 1-25% Root 1-25%
2537	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Poor	no			yes	no	3	Canopy 25%+ Root 25%+
2538	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Poor	no	Fungal Infestation		yes	no	4	Canopy 25%+ Root 25%+
2539	<i>Quercus douglasii</i>	Blue Oak	30	40	2	#1-10"x2	10	10	Poor	no	Previously pruned, Fungal Infestation	Mistletoe	yes	no	3	Canopy 25%+ Root 25%+
2540	<i>Quercus douglasii</i>	Blue Oak	20	30	3	#1-7"x2, #2-10"	7	10	Fair	no	Previously pruned, Fungal Infestation		yes	no	3	Canopy 25%+ Root 25%+
2541	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Dead	yes	Previously pruned		yes	no	4	Canopy 25%+ Root 25%+
2542	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Poor	no			yes	no	3	Canopy 25%+ Root 25%+
2543	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Fair	no	Previously pruned		yes	no	4	Canopy 25%+ Root 25%+
2544	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Poor	no			yes	no	4	Canopy 25%+ Root 25%+
2545	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Poor	no	Fungal Infestation		yes	no	3	Canopy 25%+ Root 25%+
2546	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no	Fungal Infestation		yes	no	3	Canopy 25%+ Root 25%+
2547	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	9	Canopy 1-25% Root 1-25%

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2548	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7", #2-10"	7	10	Good	no	Previously pruned		no	yes	9	Canopy 1-25% Root 1-25%
2549	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2550	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2551	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7", #2-10"	7	10	Good	no	Previously pruned		yes	no	1	Canopy 25%+ Root 25%+
2553	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Good	no	Previously pruned		no	yes	16	Canopy 1-25% Root 1-25%
2554	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no	Previously pruned		no	yes	9	Canopy 1-25% Root 25%+
2555	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10"x2	10	10	Good	no	Previously pruned		no	yes	15	Canopy 1-25% Root 25%+
2556	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	13	Canopy 1-25% Root 25%+
2557	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	18	Canopy 1-25% Root 1-25%
2558	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Poor	no			yes	no	4	Canopy 25%+ Root 25%+
2559	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
2560	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-10"	10	10	Poor	no			yes	no	3	Canopy 25%+ Root 25%+
2561	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-4", #2-7"	4	7	Poor	no			yes	no	5	Canopy 25%+ Root 25%+
2562	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-4", #2-7"	4	7	Fair	no	Previously pruned		no	yes	12	Canopy 1-25% Root 1-25%
2563	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	9	Canopy 1-25% Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2564	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10", #2-18"	10	18	Good	no	Previously pruned		no	yes	10	Canopy 1-25% Root 1-25%
2565	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	8	Canopy 1-25% Root 1-25%
2566	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Fair	no	Previously pruned		yes	no	10	Canopy 25%+ Root 25%+
2567	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Fair	no	Previously pruned		yes	no	5	Canopy 25%+ Root 25%+
2568	<i>Quercus douglasii</i>	Blue Oak	30	40	2	#1-7", #2-18"	7	18	Fair	no	Previously pruned		no	yes	10	Canopy 1-25% Root 1-25%
2569	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no	Previously pruned		no	yes	9	Canopy 1-25% Root 1-25%
2570	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Poor	no	Previously pruned		no	yes	11	Canopy 1-25% Root 1-25%
2571	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Poor	no	Previously pruned		no	yes	12	Canopy 1-25% Root 1-25%
2572	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Poor	no	Previously pruned		no	yes	12	Canopy 1-25% Root 1-25%
2573	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Poor	no	Previously pruned		no	yes	10	Canopy 1-25% Root 1-25%
2574	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			no	yes	3	Canopy 1-25% Root 25%+
2575	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
2576	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-10"	10	10	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
2577	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no	Fungal Infestation		yes	no	4	Canopy 25%+ Root 25%+
2578	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no	Fungal Infestation		yes	no	4	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2579	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			no	yes	3	Canopy 1-25% Root 25%+
2580	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Good	no			yes	no	4	Canopy 25%+ Root 25%+
2581	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7", #2-10"	7	10	Fair	no			yes	no	1	Canopy 25%+ Root 25%+
2582	<i>Quercus douglasii</i>	Blue Oak	20	30	3	#1-4"x3	4	4	Good	no	Previously pruned		no	yes	9	Canopy 1-25% Root 1-25%
2584	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-10"	10	10	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
2585	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
2586	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Good	no			no	yes	3	Canopy 1-25% Root 25%+
2587	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
2589	<i>Quercus douglasii</i>	Blue Oak	20	30	3	#1-10"x2, #2-18"	10	18	Good	no	Previously pruned		no	yes	13	Canopy 1-25% Root 1-25%
2590	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no	Fungal Infestation		no	yes	6	Canopy 25%+ Root 25%+
2591	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
2592	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Fungal Infestation		yes	no	3	Canopy 25%+ Root 25%+
2593	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Poor	no	Fungal Infestation		yes	no	4	Canopy 25%+ Root 25%+
2594	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Fungal Infestation		yes	no	6	Canopy 25%+ Root 25%+
2595	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			yes	no	2	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2596	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7", #2-10"	7	10	Good	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
2599	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-42"	42	42	Fair	no	Previously pruned		no	yes	11	Canopy 1-25% Root 25%+
2600	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	14	Canopy 1-25% Root 1-25%
2601	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no	Previously pruned		no	yes	11	Canopy 1-25% Root 1-25%
2602	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	15	Canopy 1-25% Root 25%+
2603	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-30"	30	30	Good	no	Previously pruned		no	yes	12	Canopy 1-25% Root 25%+
2604	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-30"	30	30	Good	no	Previously pruned		no	yes	10	Canopy 1-25% Root 1-25%
2605	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-30"	30	30	Good	no	Previously pruned		no	yes	12	Canopy 1-25% Root 1-25%
2606	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	9	Canopy 1-25% Root 1-25%
2607	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-4", #2-10"	4	10	Fair	no	Previously pruned		no	yes	7	Canopy 1-25% Root 25%+
2608	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Fair	no	Previously pruned		no	yes	17	Canopy 1-25% Root 25%+
2609	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no	Previously pruned		no	yes	8	Canopy 1-25% Root 25%+
2610	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Dead	yes	Previously pruned		no	yes	6	Canopy 1-25% Root 25%+
2611	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	6	Canopy 1-25% Root 25%+
2612	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Poor	no	Previously pruned		no	yes	8	Canopy 1-25% Root 1-25%

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2613	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Good	no	Previously pruned		yes	no	5	Canopy 25%+ Root 25%+
2614	<i>Quercus douglasii</i>	Blue Oak	10	20	5	#1-4"x5	4	4	Poor	no	Previously pruned, Fungal Infestation		yes	no	3	Canopy 25%+ Root 25%+
2615	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
2616	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Good	no			no	yes	3	Canopy 1-25% Root 25%+
2617	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10"x2	10	10	Good	no	Previously pruned		no	yes	7	Canopy 1-25% Root 25%+
2619	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	13	Canopy 1-25% Root 25%+
2620	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10"x2	10	10	Good	no	Previously pruned		no	yes	10	Canopy 1-25% Root 25%+
2621	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	11	Canopy 1-25% Root 1-25% Root 25%+
2622	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no	Previously pruned		no	yes	13	Canopy 1-25% Root 25%+
2623	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	15	Canopy 1-25% Root 1-25% Root 25%+
2625	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Good	no	Previously pruned		no	yes	11	Canopy 1-25% Root 25%+
2626	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Fair	no	Previously pruned		no	yes	11	Canopy 1-25% Root 25%+
2627	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7" , #2-10"	7	10	Fair	no	Previously pruned, Fungal Infestation		no	yes	8	Canopy 1-25% Root 25%+
2631	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Fair	no			yes	no	0	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2632	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2633	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-42"	42	42	Fair	no			yes	no	7	Canopy 25%+ Root 25%+
2634	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Dead	yes	Fungal Infestation	Mistletoe	yes	no	2	Canopy 25%+ Root 25%+
2635	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-18"x2	18	18	Excellent	no			no	yes	2	Canopy 1-25% Root 25%+
2636	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Fair	no			yes	no	5	Canopy 25%+ Root 25%+
2637	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
2638	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			yes	no	5	Canopy 1-25% Root 25%+
2640	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no	Previously pruned		no	yes	11	Canopy 1-25% Root 25%+
2641	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-42"	42	42	Good	no	Previously pruned		no	yes	10	Canopy 25%+ Root 25%+
2644	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no		Mistletoe	yes	no	3	Canopy 25%+ Root 25%+
2645	<i>Quercus douglasii</i>	Blue Oak	20	30	3	#1-7", #2-18"x2	7	18	Fair	no	Fungal Infestation		yes	no	4	Canopy 25%+ Root 25%+
2646	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no	Previously pruned		yes	no	1	Canopy 25%+ Root 25%+
2647	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no			yes	no	6	Canopy 25%+ Root 25%+
2648	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-30"	30	30	Poor	no	Previously pruned, Fungal Infestation		yes	no	4	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2649	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-4", #2-7"	4	7	Fair	no			yes	no	1	Canopy 25%+ Root 25%+
2650	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
2651	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7", #2-18"	7	18	Good	no			no	yes	5	Canopy 25%+ Root 25%+
2653	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Fair	no			yes	no	12	Canopy 25%+ Root 25%+
2654	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Poor	no		Broken trunk	yes	no	8	Canopy 25%+ Root 25%+
2655	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			yes	no	4	Canopy 25%+ Root 25%+
2656	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			yes	no	5	Canopy 25%+ Root 25%+
2657	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-42"	42	42	Excellent	no			yes	no	4	Canopy 25%+ Root 25%+
2658	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no	Previously pruned		yes	no	4	Canopy 25%+ Root 25%+
2660	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10", #2-18"	10	18	Good	no			no	yes	7	Canopy 1-25% Root 1-25%
2662	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no	Fungal Infestation		yes	no	7	Canopy 25%+ Root 25%+
2666	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no	Previously pruned		yes	no	4	Canopy 25%+ Root 25%+
2667	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7", #2-10"	7	10	Fair	no	Fungal Infestation		yes	no	3	Canopy 25%+ Root 25%+
2668	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Fair	no	Fungal Infestation		yes	no	6	Canopy 25%+ Root 25%+
2669	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Good	no			yes	no	1	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2670	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Good	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
2671	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-30"	30	30	Excellent	no	Previously pruned		no	yes	3	Canopy 1-25% Root 1-25%
2672	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-7"x2, #2-10"	7	10	Fair	no	Previously pruned		no	yes	8	Canopy 1-25% Root 1-25%
2673	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Poor	no	Previously pruned, Fungal Infestation	Mistletoe	yes	no	3	Canopy 25%+ Root 25%+
2674	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Poor	no	Fungal Infestation		yes	no	2	Canopy 25%+ Root 25%+
2677	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Poor	no	Previously pruned, Fungal Infestation		yes	no	0	Canopy 25%+ Root 25%+
2678	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			yes	no	12	Canopy 25%+ Root 25%+
2678	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Poor	no			yes	no	1	Canopy 25%+ Root 25%+
2680	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-30"	30	30	Poor	no		Mistletoe	yes	no	0	Canopy 25%+ Root 25%+
2684	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Poor	no	Previously pruned, Fungal Infestation		yes	no	3	Canopy 25%+ Root 25%+
2694	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Poor	no			yes	no	1	Canopy 25%+ Root 25%+
3032	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			no	yes	18	Canopy 1-25% Root None
3033	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-18"x2, #2-10"	10	18	Good	no			no	yes	8	Canopy 25%+ Root 1-25%

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
3043	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7", #2-4"	4	7	Good	no			no	yes	3	Canopy 1-25% Root 1-25%
3049	<i>Quercus douglasii</i>	Blue Oak	10	20	4	#1-4"x4	4	4	Good	no		Mistletoe	yes	no	3	Canopy 25%+ Root 25%+
3052	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Good	no		Mistletoe	yes	no	6	Canopy 25%+ Root 25%+
3053	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			yes	no	10	Canopy 25%+ Root 25%+
3054	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Dead	yes			yes	no	3	Canopy 25%+ Root 25%+
3055	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			yes	no	4	Canopy 25%+ Root 25%+
3056	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Dead	yes			yes	no	14	Canopy 25%+ Root 25%+
3057	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-10", #2-7"	7	10	Good	no			yes	no	10	Canopy 25%+ Root 25%+
3058	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-10"x2	10	10	Good	no			no	yes	6	Canopy 1-25% Root 1-25%
3059	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-10"x2	10	10	Good	no			yes	no	3	Canopy 25%+ Root 25%+
3060	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	2	Canopy 25%+ Root 25%+
3061	<i>Quercus douglasii</i>	Blue Oak	20	30	3	#1-10"x3	10	10	Good	no			yes	no	5	Canopy 25%+ Root 25%+
3062	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Good	no			yes	no	3	Canopy 25%+ Root 25%+
3063	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no		Many branches dead	yes	no	4	Canopy 25%+ Root 25%+
3064	<i>Quercus douglasii</i>	Blue Oak	0	10	1	#1-18"	18	18	Dead	yes			yes	no	12	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
3065	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Poor	no		Most of the tree is dead, covered in mistletoe, galls	yes	no	3	Canopy 25%+ Root 25%+
3066	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	5	Canopy 25%+ Root 25%+
3067	<i>Quercus douglasii</i>	Blue Oak	0	10	1	#1-10"	10	10	Dead	yes			yes	no	3	Canopy 25%+ Root 25%+
3068	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-7"	7	7	Good	no			yes	no	3	Canopy 25%+ Root 25%+
3069	<i>Quercus douglasii</i>	Blue Oak	0	10	1	#1-10"	10	10	Fair	no	Previously pruned		yes	no	4	Canopy 25%+ Root 25%+
3070	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
3071	<i>Quercus douglasii</i>	Blue Oak	20	30	3	#1-18"x3	18	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+
3076	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			yes	no	4	Canopy 25%+ Root 25%+
3077	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Good	no	Previously pruned		yes	no	4	Canopy 25%+ Root 25%+
3078	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Good	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
3079	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#3-4", #2-7"x2	4	7	Good	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
3080	<i>Quercus douglasii</i>	Blue Oak	0	10	2	#2-7"x2	7	7	Fair	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
3083	<i>Quercus douglasii</i>	Blue Oak	10	20	4	#4-7"x3, #2-4"	4	7	Fair	no	Previously pruned	Covered in mistletoe	yes	no	0	Canopy 25%+ Root 25%+
3084	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#2-4"x2	4	4	Fair	no			yes	no	3	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
3085	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			yes	no	2	Canopy 25%+ Root 25%+
3086	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-4"x3	4	4	Good	no			yes	no	1	Canopy 25%+ Root 25%+
3087	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4"x2	4	4	Good	no			yes	no	0	Canopy 25%+ Root 25%+
3094	<i>Quercus douglasii</i>	Blue Oak	30	40	2	#1-30"x2	30	30	Good	no			yes	no	0	Canopy 25%+ Root 25%+
3095	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+
3136	<i>Quercus douglasii</i>	Blue Oak	10	20	6	#1-7"x5, #2-10"	7	10	Good	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
3137	<i>Quercus douglasii</i>	Blue Oak	0	10	2	#1-7"x2	7	7	Good	no			yes	no	1	Canopy 25%+ Root 25%+
3138	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-7"x3	7	7	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
3139	<i>Quercus douglasii</i>	Blue Oak	0	10	4	#4-4"x4	4	4	Good	no			yes	no	0	Canopy 25%+ Root 25%+
3140	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-7"	7	7	Good	no			yes	no	2	Canopy 25%+ Root 25%+
3141	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			yes	no	0	Canopy 25%+ Root 25%+
3142	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-7"	7	7	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
3143	<i>Quercus douglasii</i>	Blue Oak	0	10	2	#1-4", #2-7"	4	7	Good	no			yes	no	1	Canopy 25%+ Root 25%+
3144	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Good	no			yes	no	2	Canopy 25%+ Root 25%+
3147	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#2-4"x2	4	4	Good	no	Previously pruned		no	yes	15	Canopy 1-25% Root None

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
3149	<i>Quercus douglasii</i>	Blue Oak	10	20	4	#4-4"x2, #2-7"x2	4	7	Fair	no		One branch dead	no	yes		Canopy 1-25% Root None
3151	<i>Quercus douglasii</i>	Blue Oak	10	20	4	#1-4"x4	4	4	Excellent	no			no	yes	10	Canopy 25%+ Root None
3152	<i>Quercus douglasii</i>	Blue Oak	0	10	4	#1-4"x4	4	4	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
3153	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-7"x3	7	7	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
3155	<i>Quercus douglasii</i>	Blue Oak	0	10	4	#1-7"x2, #2-4"x2	4	7	Good	no			yes	no	0	Canopy 25%+ Root 25%+
3157	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Good	no			yes	no	1	Canopy 25%+ Root 25%+
3158	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#3-7"x3	7	7	Good	no			yes	no	4	Canopy 25%+ Root 25%+
3159	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Good	no			yes	no	3	Canopy 25%+ Root 25%+
3160	<i>Quercus douglasii</i>	Blue Oak	20	30	3	#1-7"x3	7	7	Good	no			yes	no	3	Canopy 25%+ Root 25%+
3161	<i>Quercus douglasii</i>	Blue Oak	0	10	2	#1-7"x2	7	7	Good	no			yes	no	0	Canopy 25%+ Root 25%+
3162	<i>Quercus douglasii</i>	Blue Oak	0	10	3	#1-4"x3	4	4	Good	no			yes	no	2	Canopy 25%+ Root 25%+
3163	<i>Quercus douglasii</i>	Blue Oak	0	10	2	#1-4"x2	4	4	Good	no			yes	no	0	Canopy 25%+ Root 25%+
3164	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			yes	no	2	Canopy 25%+ Root 25%+
3165	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4"x2	4	4	Good	no			yes	no	4	Canopy 25%+ Root 25%+
3166	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Good	no			yes	no	0	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
3167	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Good	no			no	yes	9	Canopy 1-25% Root None
3170	<i>Quercus douglasii</i>	Blue Oak	0	10	5	#5-4"x5	4	4	Good	no			no	yes	0	Canopy 1-25% Root 1-25%
3173	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Good	no			yes	no	10	Canopy 25%+ Root 25%+
3174	<i>Quercus douglasii</i>	Blue Oak	10	20	5	#1-4"x5	4	4	Good	no			no	yes	3	Canopy 1-25% Root None
3176	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7" , #2-18"	7	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+
3177	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-7"	7	7	Good	no			yes	no	10	Canopy 25%+ Root 25%+
3178	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-4"x3	4	4	Good	no			yes	no	0	Canopy 25%+ Root 25%+
3179	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10"x2	10	10	Good	no			yes	no	6	Canopy 1-25% Root None
3180	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			yes	no	5	Canopy 25%+ Root 25%+
3181	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4" , #2-10"	4	10	Good	no			yes	no	3	Canopy 25%+ Root 25%+
3182	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Dead	yes			yes	no	10	Canopy 25%+ Root 25%+
3183	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			yes	no	10	Canopy 25%+ Root 25%+
3185	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-10"x2	10	10	Good	no			no	yes		Canopy None Root None
3191	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+
3192	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			no	yes	15	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
3193	<i>Quercus douglasii</i>	Blue Oak	20	30	4	#4-10"x2, #2-7"x2	7	10	Good	no			no	yes	4	Canopy 25%+ Root 25%+
3194	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			no	yes	6	Canopy 25%+ Root 25%+
3196	<i>Quercus douglasii</i>	Blue Oak	20	30	3	#1-10"x2, #2-7"	7	10	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
3202	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-7"	7	7	Good	no		Roots exposed	yes	no	3	Canopy 25%+ Root 25%+
3206	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			yes	no	6	Canopy 25%+ Root 25%+
3207	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Good	no			no	yes	1	Canopy 25%+ Root 25%+
3208	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-10"x3	10	10	Good	no			yes	no	10	Canopy 25%+ Root 25%+
3209	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7" , #2-10"	7	10	Good	no	Previously pruned		yes	no	1	Canopy 25%+ Root 25%+
3210	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no	Previously pruned		yes	no	4	Canopy 25%+ Root 25%+
3211	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-10"x2	10	10	Good	no			no	yes	14	Canopy 1-25% Root None
3215	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-18"x2	18	18	Good	no	Previously pruned		no	yes	4	Canopy 1-25% Root 1-25%
3218	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Good	no			no	yes	8	Canopy 25%+ Root None
3219	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-10"x2	10	10	Poor	no	Previously pruned	Mostly dead	no	yes	5	Canopy 1-25% Root None
3220	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Good	no			yes	no	4	Canopy 25%+ Root 25%+
3221	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Excellent	no			no	yes	16	Canopy 1-25% Root None

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
3222	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Dead	yes			no	yes	15	Canopy 1-25% Root None
3223	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Excellent	no			no	yes	4	Canopy 1-25% Root None
3224	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#2-7"	7	7	Good	no			no	yes	6	Canopy 1-25% Root None
3225	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			no	yes	16	Canopy 1-25% Root None
3226	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no			no	yes	9	Canopy 25%+ Root None
3227	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#2-4", #2-7"	4	7	Good	no			no	yes	6	Canopy 1-25% Root None
3228	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no		Mistletoe	no	yes	3	Canopy 1-25% Root None
3229	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-7"	7	7	Dead	yes			no	yes	6	Canopy 1-25% Root None
3230	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			no	yes	12	Canopy 1-25% Root None
3231	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7", #2-4"	4	7	Good	no			no	yes	10	Canopy 1-25% Root None
3232	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			no	yes	7	Canopy 1-25% Root None
3234	<i>Quercus douglasii</i>	Blue Oak	20	30	3	#1-7"x3	7	7	Good	no			no	yes	7	Canopy 1-25% Root None
3236	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			no	yes	16	Canopy 1-25% Root None
3237	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Good	no			no	yes	17	Canopy 1-25% Root None
3238	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Poor	no		Mostly bare	no	yes	11	Canopy 1-25% Root None

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
3239	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Excellent	no			no	yes		Canopy 1-25%+ Root 25%+
3240	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Poor	no			yes	no	4	Canopy 25%+ Root 25%+
3241	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-7"	7	7	Good	no			yes	no	7	Canopy 25%+ Root 25%+
3242	<i>Quercus douglasii</i>	Blue Oak	10	20	4	#3-4"x3, #2-7"	4	7	Good	no		Mistletoe	yes	no	4	Canopy 25%+ Root 25%+
3243	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Good	no			yes	no	7	Canopy 25%+ Root 25%+
3244	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Good	no			yes	no	5	Canopy 25%+ Root 25%+
3245	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Good	no			yes	no	4	Canopy 25%+ Root 25%+
3246	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-30"	30	30	Good	no		Mistletoe	yes	no	4	Canopy 25%+ Root 25%+
3247	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Poor	no		Green parts are almost entirely mistletoe	yes	no	4	Canopy 25%+ Root 25%+
3248	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-10" , #2-7"x2	7	10	Fair	no	Previously pruned		yes	no	4	Canopy 25%+ Root 25%+
3249	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Good	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
3250	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-42"	42	42	Poor	no		Top broken off, huge outgrowths	yes	no	4	Canopy 25%+ Root 25%+
3251	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-4"x3	4	4	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
3252	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4"x2	4	4	Fair	no			yes	no	4	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
3254	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#2-18"	18	18	Good	no			yes	no	2	Canopy 25%+ Root 25%+
3256	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no			yes	no	10	Canopy 25%+ Root 25%+
3257	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no		Half dead	yes	no	4	Canopy 25%+ Root 25%+
3258	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-30"	30	30	Good	no			yes	no	12	Canopy 25%+ Root 25%+
3259	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Poor	no			yes	no	9	Canopy 25%+ Root 25%+
3260	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no			yes	no	1	Canopy 25%+ Root 25%+
3261	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Poor	no	Previously pruned	Mistletoe, half dead7	yes	no	7	Canopy 25%+ Root 25%+
3262	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-30"	30	30	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
3264	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Poor	no		Mistletoe	yes	no	2	Canopy 25%+ Root 25%+
3265	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-4"x2,#2-7"	4	7	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
3266	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
3268	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			yes	no	6	Canopy 25%+ Root 25%+
3269	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			yes	no	4	Canopy 25%+ Root 25%+
3270	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Fair	no		Green is Mostly mistletoe	yes	no	6	Canopy 25%+ Root 25%+
3271	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-7"	7	7	Poor	no			yes	no	3	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
3272	<i>Quercus douglasii</i>	Blue Oak	10	20	3	#1-7", #2-10"x2	7	10	Poor	no		Mostly dead	yes	no	3	Canopy 25%+ Root 25%+
3274	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4", #2-7"	4	7	Poor	no		Mistletoe	yes	no	2	Canopy 25%+ Root 25%+
3275	<i>Quercus douglasii</i>	Blue Oak	0	10	2	#1-4", #2-7"	4	7	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
3276	<i>Quercus douglasii</i>	Blue Oak	10	20	4	#1-10"x4	10	10	Good	no			yes	no	4	Canopy 25%+ Root 25%+
3277	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			yes	no	11	Canopy 25%+ Root 25%+
3278	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Poor	no		Mistletoe	yes	no	4	Canopy 25%+ Root 25%+
3280	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			no	yes	12	Canopy 1-25% Root None
3281	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Good	no			yes	no	5	Canopy 25%+ Root 25%+
3282	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Poor	no			no	yes	11	Canopy 1-25% Root None
3283	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#2-18", #2-10"	10	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+
3284	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Good	no			no	yes	12	Canopy 1-25% Root None
3285	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-7"	7	7	Good	no			no	yes	18	Canopy 25%+ Root None
3286	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			no	yes	14	Canopy 1-25% Root None
3287	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Good	no			no	yes	10	Canopy 25%+ Root None
3288	<i>Quercus douglasii</i>	Blue Oak	10	20	4	#1-4"x4	4	4	Fair	no			no	yes	12	Canopy 1-25% Root None

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
3289	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Fair	no			no	yes	6	Canopy 25%+ Root None
3290	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Fair	no		Bare	no	yes	9	Canopy 1-25% Root None
3300	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			no	yes	5	Canopy 25%+ Root 1-25%
3301	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			yes	no	6	Canopy 25%+ Root 25%+
3302	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
3303	<i>Quercus douglasii</i>	Blue Oak	0	10	3	#1-7"x2, #2-4"	4	7	Fair	no		Mistletoe	yes	no	3	Canopy 25%+ Root 25%+
3304	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-10", #2-7"	7	10	Good	no			no	yes	16	Canopy 1-25% Root None
3305	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-10"x2	10	10	Good	no			no	yes	12	Canopy 25%+ Root None
3306	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			no	yes	4	Canopy 1-25% Root None
3307	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no		Mistletoe	yes	no	6	Canopy 25%+ Root 25%+
3308	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Good	no			yes	no	4	Canopy 25%+ Root 25%+
3309	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-18", #2-7"	7	18	Good	no			yes	no	3	Canopy 25%+ Root 25%+
3310	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Poor	no		Half dead with mistletoe	yes	no	3	Canopy 25%+ Root 25%+
3311	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Poor	no		Almost entirely dead, mistletoe 4	yes	no	4	Canopy 25%+ Root 25%+
3312	<i>Quercus douglasii</i>	Blue Oak	10	20	5	#1-4"x5	4	4	Poor	no		Mostly dead	yes	no	2	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
3313	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Poor	no		Mostly dead, full of mistletoe	yes	no	11	Canopy 25%+ Root 25%+
3314	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Fair	no		Covered in large mistletoe clumps	yes	no	2	Canopy 25%+ Root 25%+
3316	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-7"	7	7	Fair	no		Growing between trunks of interior oak, mistletoe	yes	no	4	Canopy 25%+ Root 25%+
3317	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-10"x2	10	10	Fair	no			no	yes	4	Canopy 25%+ Root 25%+
3318	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-10" , #2-7"	7	10	Dead	yes			yes	no	3	Canopy 25%+ Root 25%+
3319	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10"x2	10	10	Dead	yes			no	yes	4	Canopy 1-25% Root None
3320	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Dead	yes			yes	no	3	Canopy 25%+ Root 25%+
3321	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4"x2	4	4	Fair	no			no	yes	6	Canopy 25%+ Root 25%+
3323	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no		Mistletoe	no	yes	6	Canopy 1-25% Root None
3324	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			no	yes	2	Canopy 1-25% Root None
3325	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
3327	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-18" , #2-10"	10	18	Fair	no			no	yes	5	Canopy 25%+ Root 1-25%
3328	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no			yes	no	10	Canopy 25%+ Root 25%+
3329	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			yes	no	3	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
3330	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10", #2-4"	4	10	Good	no			yes	no	2	Canopy 25%+ Root 25%+
3331	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Dead	yes			yes	no	6	Canopy 25%+ Root 25%+
3332	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Good	no			no	yes	5	Canopy 25%+ Root None
3333	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Poor	no			no	yes	17	Canopy 25%+ Root None
3334	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			yes	no	4	Canopy 25%+ Root 25%+
3335	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-30"	30	30	Poor	no		Almost dead, top broken off	yes	no	0	Canopy 25%+ Root 25%+
3336	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	2	Canopy 25%+ Root 25%+
3337	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			yes	no	12	Canopy 25%+ Root 25%+
3338	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			yes	no	5	Canopy 25%+ Root 25%+
3339	<i>Quercus douglasii</i>	Blue Oak	20	30	3	#1-4"x2, #2-7"	4	7	Poor	no			yes	no	4	Canopy 25%+ Root 25%+
3340	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Poor	no			yes	no	12	Canopy 25%+ Root 25%+
3341	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Dead	yes			yes	no	6	Canopy 25%+ Root 25%+
3342	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Poor	no			yes	no	3	Canopy 25%+ Root 25%+
3343	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Poor	no		Mistletoe	yes	no	3	Canopy 25%+ Root 25%+
3344	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-8"	8	8	Fair	no			yes	no	5	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
3345	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no			yes	no	7	Canopy 25%+ Root 25%+
3346	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	5	Canopy 25%+ Root 25%+
3347	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	7	Canopy 25%+ Root 25%+
3348	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4"x2	4	4	Poor	no			yes	no	3	Canopy 25%+ Root 25%+
3349	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Dead	yes			yes	no	3	Canopy 25%+ Root 25%+
3350	<i>Quercus douglasii</i>	Blue Oak	20	30	4	#1-10", #2-7"x3	7	10	Poor	no		Almost no green. Tiny leaves on 30% of branches	yes	no	3	Canopy 25%+ Root 25%+
3351	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Poor	no			no	yes	14	Canopy 1-25% Root None
3352	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-8"	8	8	Poor	no			yes	no	4	Canopy 25%+ Root 25%+
3353	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Poor	no		Covered in mistletoe	yes	no	4	Canopy 25%+ Root 25%+
3354	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7", #2-10"	7	10	Poor	no		Almost 3No green	yes	no	3	Canopy 25%+ Root 25%+
3355	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			yes	no	5	Canopy 25%+ Root 25%+
3356	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Poor	no			yes	no	11	Canopy 25%+ Root 25%+
3357	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10", #2-7"	7	10	Good	no			yes	no	3	Canopy 25%+ Root 25%+
3358	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			yes	no	10	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
3359	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
3360	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
3361	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no		Mistletoe	yes	no	4	Canopy 25%+ Root 25%+
3362	<i>Quercus douglasii</i>	Blue Oak	0	10	4	#1-4"x3, #2-7"	4	7	Good	no			yes	no	2	Canopy 25%+ Root 25%+
3363	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Fair	no			yes	no	6	Canopy 25%+ Root 25%+
3364	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-4", #2-7"	4	7	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
3365	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Good	no			yes	no	4	Canopy 25%+ Root 25%+
3366	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-8"	8	8	Fair	no		Mistletoe, not much green	yes	no	3	Canopy 25%+ Root 25%+
3367	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	6	Canopy 25%+ Root 25%+
3368	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Poor	no			yes	no	4	Canopy 1-25% Root None
3369	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Poor	no			yes	no	6	Canopy 25%+ Root None
3370	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Poor	no			yes	no	4	Canopy 25%+ Root 25%+
3371	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-30"	30	30	Fair	no		Mistletoe	no	yes	10	Canopy 25%+ Root None
3372	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Good	no			no	yes	10	Canopy 25%+ Root None
3375	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			no	yes		Canopy None Root None

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
3376	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			no	yes		Canopy None Root None
3377	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-30"	30	30	Fair	no			no	yes	18	Canopy 1-25% Root None
3379	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Fair	no			no	yes	3	Canopy 1-25% Root None
3380	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-10", #2-7"	7	10	Good	no			yes	no	5	Canopy 25%+ Root 25%+
3381	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			no	yes	17	Canopy 1-25% Root None
3382	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Fair	no	Previously pruned		no	yes	18	Canopy 1-25% Root None
3383	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Good	no			yes	no	5	Canopy 25%+ Root 25%+
3384	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Poor	no			no	yes	16	Canopy 1-25% Root None
3385	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no		Mistletoe	no	yes	8	Canopy 25%+ Root None
3386	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#2-10", #2-7"	7	10	Fair	no			no	yes	14	Canopy 1-25% Root None
3387	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Good	no	Previously pruned		yes	no	6	Canopy 25%+ Root 25%+
3388	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			yes	no	5	Canopy 25%+ Root 25%+
3389	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10"x2	10	10	Good	no	Previously pruned		yes	no	12	Canopy 25%+ Root 25%+
3390	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-18"x2	18	18	Good	no			yes	no	12	Canopy 25%+ Root 25%+
3391	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no			yes	no	5	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
3392	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			yes	no	4	Canopy 25%+ Root 25%+
3393	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	8	Canopy 25%+ Root 25%+
3394	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Good	no			yes	no	6	Canopy 25%+ Root 25%+
3395	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#2-4", #2-7"	4	7	Good	no			no	yes	17	Canopy 1-25% Root None
3396	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Fair	no			no	yes	16	Canopy 1-25% Root None
3397	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-8"	8	8	Good	no			yes	no		Canopy 25%+ Root 25%+
3398	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-8"	8	8	Dead	yes			yes	no	4	Canopy 25%+ Root 25%+
3399	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7"x2	7	7	Poor	no		Mistletoe, mostly dead	yes	no	4	Canopy 25%+ Root 25%+
3400	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
3401	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-30"	30	30	Good	no	Previously pruned		yes	no	1	Canopy 25%+ Root 25%+
3402	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7", #2-18"	7	18	Fair	no			yes	no	5	Canopy 25%+ Root 25%+
3403	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			yes	no	3	Canopy 25%+ Root 25%+
3404	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#2-10"x2	10	10	Poor	no		Mistletoe	yes	no	5	Canopy 25%+ Root 25%+
3406	<i>Quercus douglasii</i>	Blue Oak	10	20	4	#1-7"x4	7	7	Dead	yes			no	yes	3	Canopy 25%+ Root None
3407	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			no	yes	6	Canopy 1-25% Root None

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
3408	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			no	yes	16	Canopy 25%+ Root None
3409	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Excellent	no			no	yes	18	Canopy 25%+ Root None
3410	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Good	no			no	yes	8	Canopy 1-25% Root None
3413	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Poor	no		So much mistletoe	yes	no	3	Canopy 25%+ Root 25%+
3414	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no			yes	no	5	Canopy 25%+ Root 25%+
3415	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no			yes	no	4	Canopy 25%+ Root 25%+
3416	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			yes	no		Canopy 25%+ Root 25%+
3417	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Good	no			yes	no	9	Canopy 25%+ Root 25%+
3450	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-7", #2-10"	7	10	Fair	no			no	yes	16	Canopy 25%+ Root None
3452	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no		Not many leaves, full of mistletoe	no	yes	5	Canopy 25%+ Root 1-25%
3495	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			no	yes	10	Canopy 25%+ Root 25%+
3773	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			yes	no	8	Canopy 25%+ Root 25%+
4000	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Poor	no		Large mistletoe infestation w	yes	no	2	Canopy 25%+ Root 25%+
4002	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#2-7"x2	7	7	Good	no			no	yes	0	Canopy 25%+ Root 1-25%
4003	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			no	yes	4	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
4004	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Fair	no		Heavy mistletoe infestation	yes	no	0	Canopy 25%+ Root 25%+
4005	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no		Mistletoe	yes	no	0	Canopy 25%+ Root 25%+
4006	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Poor	no		Mistletoe	yes	no	2	Canopy 25%+ Root 25%+
4007	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Good	no		Mistletoe	no	yes	8	Canopy 1-25% Root None
4011	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Fair	no			yes	no		Canopy 25%+ Root 25%+
4016	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Fair	no		Bottom branches dead	yes	no	0	Canopy 25%+ Root 25%+
4017	<i>Quercus douglasii</i>	Blue Oak	10	20	2	#1-10", #2-7"	7	10	Good	no			no	yes	3	Canopy 1-25% Root None
4018	<i>Quercus douglasii</i>	Blue Oak	10	20	8	#1-4"x8	4	4	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
4019	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Poor	no		Nearly dead, scraggly	yes	no	12	Canopy 25%+ Root None
4020	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Fair	no	Previously pruned		no	yes	5	Canopy 25%+ Root 25%+
4021	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no			yes	no	1	Canopy 25%+ Root 25%+
4022	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-8"	8	8	Dead	yes			yes	no	1	Canopy 25%+ Root 25%+
4023	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			yes	no	4	Canopy 25%+ Root 25%+
4024	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Dead	yes			no	yes	0	Canopy 1-25% Root None
4025	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10"x2	10	10	Fair	no			no	yes	5	Canopy 1-25% Root 1-25%

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
4026	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
4027	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-10", #2-7"	7	10	Good	no			yes	no	4	Canopy 25%+ Root 25%+
4028	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Good	no			yes	no	1	Canopy 25%+ Root 25%+
4029	<i>Quercus douglasii</i>	Blue Oak	10	20	4	#1-4"x4	4	4	Poor	no			yes	no	0	Canopy 25%+ Root 25%+
4030	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Poor	no			yes	no	10	Canopy 25%+ Root 25%+
4031	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-30"	30	30	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
4032	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+
4037	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Poor	no		Heavy mistletoe	no	yes	9	Canopy 1-25% Root None
4040	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no		Dormant	yes	no	4	Canopy 25%+ Root 25%+
4041	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			yes	no	1	Canopy 25%+ Root 25%+
4042	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-7"	7	7	Poor	no			yes	no	0	Canopy 25%+ Root 25%+
4044	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-8"	8	8	Poor	no			yes	no		Canopy 25%+ Root 25%+
4046	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-42"	42	42	Good	no			no	yes	14	Canopy 1-25% Root None
4047	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			no	yes	0	Canopy 25%+ Root 25%+
4048	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
4051	<i>Quercus douglasii</i>	Blue Oak	30	40	1	#1-18"	18	18	Fair	no			yes	no	6	Canopy 25%+ Root 25%+
4055	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			no	yes	2	Canopy 1-25% Root None
4056	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-18"	18	18	Good	no			no	yes	2	Canopy 25%+ Root 25%+
4057	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Fair	no		Scraggly1	yes	no	1	Canopy 25%+ Root 25%+
4058	<i>Quercus douglasii</i>	Blue Oak	20	30	2	#1-7"x2	7	7	Fair	no		Dormant	no	yes	3	Canopy 25%+ Root 25%+
4059	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-18"	18	18	Good	no			no	yes	4	Canopy 1-25% Root None
4060	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	3	Canopy 25%+ Root 25%+
5253	<i>Quercus douglasii</i>	Blue Oak	20	30	1	#1-10"	10	10	Good	no			yes	no	6	Canopy 25%+ Root 25%+
5355	<i>Quercus douglasii</i>	Blue Oak	10	20	1	#1-10"	10	10	Fair	no		About half dead	yes	no	4	Canopy 25%+ Root 25%+
8801	<i>Quercus douglasii</i>	blue oak	20	30	1	12	12	12	good	no			yes	no		Canopy 25%+ Root 25%+
8802	<i>Quercus douglasii</i>	blue oak	20	30	1	18	18	18	good	no			yes	no		Canopy 25%+ Root 25%+
8803	<i>Quercus douglasii</i>	blue oak	10	20	3, 1 dead	dead trunk = 12" dbh	6	8	poor	no	poor, main trunk broken, 2 smaller stems		yes	no		Canopy 25%+ Root 25%+
8804	<i>Quercus douglasii</i>	blue oak	20	30	1	12	12	12	good	no			yes	no		Canopy 25%+ Root 25%+
8805	<i>Quercus douglasii</i>	blue oak	30	40	1	18	18	18	good	no			yes	no		Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
8806	<i>Quercus douglasii</i>	blue oak	30	40	1	18	18	18	good	no			yes	no		Canopy 25%+ Root 25%+
8807	<i>Quercus douglasii</i>	blue oak	20	30	1	12	12	12	good	no			yes	no		Canopy 25%+ Root 25%+
8808	<i>Quercus douglasii</i>	blue oak	20	30	1	12	12	12	good	no			no	yes	15	Canopy 1-25% Root 1-25%
8809	<i>Quercus douglasii</i>	blue oak	20	30	1	12	12	12	good	no			yes	no		Canopy 25%+ Root 25%+
8810	<i>Quercus douglasii</i>	blue oak	20	30	1	12	12	12	good	no			yes	no		Canopy 25%+ Root 25%+
8811	<i>Quercus douglasii</i>	blue oak	30	40	1	18	18	18	good	no			yes	no		Canopy 25%+ Root 25%+
8812	<i>Quercus douglasii</i>	blue oak	30	40	1	18	18	18	good	no			yes	no		Canopy 25%+ Root 25%+
1021	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-30"	30	30	Fair	no	Previously pruned	Covered in mistletoe	yes	no	5	Canopy 25%+ Root 25%+
1045	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-18"	18	18	Excellent	no		Potentially some singed leaves	yes	no	9	Canopy 25%+ Root 25%+
1046	<i>Quercus lobata</i>	Valley Oak	40	50	1	#1-42"	42	42	Good	no			yes	no	6	Canopy 25%+ Root 25%+
1047	<i>Quercus lobata</i>	Valley Oak	40	50	1	#1-42"	42	42	Good	no			yes	no	9	Canopy 25%+ Root 25%+
1082	<i>Quercus lobata</i>	Valley Oak	40	50	1	#1-42"	42	42	Good	no			no	yes	6	Canopy 1-25% Root None
1083	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-54"	54	54	Good	no			no	yes		Canopy None Root None
1084	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-30"	30	30	Good	no			no	yes		Canopy 1-25% Root None
1085	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-30"	30	30	Good	no			no	yes	4	Canopy 25%+ Root 1-25%

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1086	<i>Quercus lobata</i>	Valley Oak	40	50	1	#1-30"	30	30	Excellent	no			no	yes	6	Canopy 25%+ Root 1-25%
1087	<i>Quercus lobata</i>	Valley Oak	40	50	1	#1-30"	30	30	Excellent	no			no	yes	4	Canopy 1-25% Root None
1121	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-30"	30	30	Good	no			yes	no	4	Canopy 25%+ Root 25%+
1132	<i>Quercus lobata</i>	Valley Oak	40	50	1	#1-66"	66	66	Good	no		Hollowed out portions of trunk	no	yes	8	Canopy 1-25% Root None
1133	<i>Quercus lobata</i>	Valley Oak	20	30	2	#1-18", #2-10"	10	18	Good	no			no	yes	6	Canopy 1-25% Root 1-25%
1134	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-30"	30	30	Good	no	Previously pruned	Has mistletoe throughout	no	yes		Canopy 25%+ Root 25%+
1135	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-42"	42	42	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
1169	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-18"	18	18	Good	no			yes	no	15	Canopy 25%+ Root 25%+
1170	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-10"	10	10	Good	no			yes	no	18	Canopy 25%+ Root 25%+
1171	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-30"	30	30	Good	no			yes	no	2	Canopy 25%+ Root None
1181	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-30"	30	30	Poor	no		Half dead	yes	no	12	Canopy 25%+ Root 25%+
1183	<i>Quercus lobata</i>	Valley Oak	10	20	2	#1-18"x2	18	18	Fair	no			no	yes	6	Canopy 1-25% Root 1-25%
1184	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-30"	30	30	Good	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
1185	<i>Quercus lobata</i>	Valley Oak	0	10	2	#1-7"x2	7	7	Poor	no	Previously pruned	Top half of tree cut off	yes	no	1	Canopy 25%+ Root 25%+
1190	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-42"	42	42	Good	no	Previously pruned		yes	no	5	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1191	<i>Quercus lobata</i>	Valley Oak	40	50	1	#1-30"	30	30	Excellent	no			no	yes	8	Canopy 25%+ Root 25%+
1192	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-30"	30	30	Excellent	no			yes	no	4	Canopy 25%+ Root 25%+
1194	<i>Quercus lobata</i>	Valley Oak	40	50	2	#1-30", #2-18"	18	30	Excellent	no			yes	no	6	Canopy 1-25% Root 1-25%
1214	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-18"	18	18	Fair	no	Previously pruned		yes	no	13	Canopy 25%+ Root 25%+
1217	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-18"	18	18	Fair	no	Previously pruned	Covered in grape vines	yes	no		Canopy 25%+ Root 25%+
1226	<i>Quercus lobata</i>	Valley Oak	50	60	1	#1-30"	30	30	Good	no	Previously pruned		yes	no	15	Canopy 25%+ Root 25%+
1229	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-30"	30	30	Fair	no	Previously pruned	Top cut off	yes	no	3	Canopy 25%+ Root 25%+
1231	<i>Quercus lobata</i>	Valley Oak	50	60	1	#1-42"	42	42	Good	no	Previously pruned		yes	no	4	Canopy 25%+ Root 25%+
1233	<i>Quercus lobata</i>	Valley Oak	40	50	1	#1-18"	18	18	Good	no			yes	no		Canopy 25%+ Root 25%+
1234	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-10"	10	10	Good	no			yes	no	5	Canopy 25%+ Root 25%+
1235	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-18"	18	18	Good	no			no	yes	12	Canopy 25%+ Root 25%+
1249	<i>Quercus lobata</i>	Valley Oak	40	50	1	#1-10"	10	10	Good	no			no	yes	16	Canopy 1-25% Root None
1288	<i>Quercus lobata</i>	Valley Oak	20	30	3	#1-10", #2-7", #3-4"	4	10	Good	no			yes	no	4	Canopy 25%+ Root 25%+
1296	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-18"	18	18	Poor	no	Fire scars		no	yes	5	Canopy 1-25% Root None
1297	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-18"	18	18	Fair	no	Fire scars		yes	no	10	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1299	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-10"	10	10	Poor	no	Fire scars		no	yes	15	Canopy 1-25% Root 25%+
1303	<i>Quercus lobata</i>	Valley Oak	30	40	2	#1-18", #2-10"	10	18	Good	no			yes	no	5	Canopy 25%+ Root 25%+
1306	<i>Quercus lobata</i>	Valley Oak	40	50	2	#1-10", #2-30"	10	30	Good	no			no	yes	14	Canopy 1-25% Root 1-25%
1547	<i>Quercus lobata</i>	Valley Oak	40	50	1	#1-18"	18	18	Fair	no			yes	no		Canopy 25%+ Root 25%+
1548	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-30"	30	30	Fair	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
1549	<i>Quercus lobata</i>	Valley Oak	10	20	6	#1-7"x2, #2-4"x4	4	7	Fair	no	Previously pruned	Dormant	yes	no	3	Canopy 25%+ Root 25%+
2042	<i>Quercus lobata</i>	Valley Oak	40	50	1	#1-30"	30	30	Good	no			yes	no	4	Canopy 25%+ Root 25%+
2054	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-18"	18	18	Fair	no	Fungal Infestation		yes	no	1	Canopy 25%+ Root 25%+
2055	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-18"	18	18	Fair	no	Fungal Infestation, Previously pruned		yes	no	1	Canopy 25%+ Root 25%+
2056	<i>Quercus lobata</i>	Valley Oak	20	30	2	#1-7", #2-10"	7	10	Fair	no	Fungal Infestation		yes	no	1	Canopy 25%+ Root 25%+
2090	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-66"	66	66	Fair	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
2091	<i>Quercus lobata</i>	Valley Oak	40	50	1	#1-54"	54	54	Good	no			no	yes	4	Canopy 1-25% Root 1-25%
2092	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-30"	30	30	Good	no	Previously pruned		no	yes	8	Canopy 1-25% Root 1-25%
2093	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-42"	42	42	Good	no			no	yes	7	Canopy 1-25% Root 1-25%
2094	<i>Quercus lobata</i>	Valley Oak	40	50	1	#1-42"	42	42	Good	no	Previously pruned		no	yes	4	Canopy 1-25% Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2095	<i>Quercus lobata</i>	Valley Oak	50	60	1	#1-42"	42	42	Good	no	Previously pruned		no	yes	16	Canopy 1-25% Root 1-25%
2096	<i>Quercus lobata</i>	Valley Oak	50	60	1	#1-54"	54	54	Good	no	Previously pruned		no	yes	6	Canopy 1-25% Root 25%+
2097	<i>Quercus lobata</i>	Valley Oak	50	60	1	#1-42"	42	42	Good	no	Previously pruned		no	yes	4	Canopy 1-25% Root 1-25%
2098	<i>Quercus lobata</i>	Valley Oak	40	50	1	#1-30"	30	30	Good	no			no	yes	16	Canopy 1-25% Root 1-25%
2106	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-42"	42	42	Good	no			yes	no	7	Canopy 25%+ Root 25%+
2107	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-42"	42	42	Good	no			yes	no	6	Canopy 25%+ Root 25%+
2131	<i>Quercus lobata</i>	Valley Oak	30	40	2	#1-18"x2	18	18	Good	no			yes	no	1	Canopy 25%+ Root 25%+
2132	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-18"	18	18	Poor	no	Fungal Infestation, Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
2133	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-18"	18	18	Good	no	Previously pruned		yes	no	8	Canopy 25%+ Root 25%+
2134	<i>Quercus lobata</i>	Valley Oak	20	30	2	#1-30"x2	30	30	Good	no	Previously pruned		yes	no	8	Canopy 25%+ Root 25%+
2136	<i>Quercus lobata</i>	Valley Oak	40	50	1	#1-30"	30	30	Good	no	Previously pruned		no	yes	4	Canopy 1-25% Root 1-25%
2137	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-30"	30	30	Good	no	Previously pruned		no	yes	9	Canopy 1-25% Root 25%+
2138	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-30"	30	30	Good	no			no	yes	6	Canopy 1-25% Root 1-25%
2154	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-42"	42	42	Good	no	Previously pruned		no	yes	5	Canopy 1-25% Root 25%+
2157	<i>Quercus lobata</i>	Valley Oak	40	50	1	#1-18"	18	18	Good	no	Previously pruned		yes	no	4	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2170	<i>Quercus lobata</i>	Valley Oak	30	40	2	#1-18"x2	18	18	Good	no	Previously pruned, Fungal Infestation		yes	no	4	Canopy 25%+ Root 25%+
2203	<i>Quercus lobata</i>	Valley Oak	20	30	2	#1-18"x2	18	18	Fair	no	Previously pruned, Fungal Infestation		no	yes	11	Canopy 1-25% Root 25%+
2204	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-30"	30	30	Good	no	Previously pruned		no	yes	17	Canopy 1-25% Root 1-25%
2207	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-42"	42	42	Fair	no	Previously pruned		yes	no	2	Canopy 25%+ Root 25%+
2208	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-30"	30	30	Fair	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
2209	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-30"	30	30	Dead	yes			no	yes	6	Canopy 1-25% Root 25%+
2210	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-18"	18	18	Fair	no	Previously pruned		yes	no	4	Canopy 25%+ Root 25%+
2212	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-18"	18	18	Dead	yes			yes	no	4	Canopy 25%+ Root 25%+
2214	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-18"	18	18	Good	no			yes	no	4	Canopy 25%+ Root 25%+
2215	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-30"	30	30	Fair	no	Previously pruned		yes	no	4	Canopy 25%+ Root 25%+
2216	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-18"	18	18	Good	no			yes	no	5	Canopy 25%+ Root 25%+
2217	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-18"	18	18	Fair	no			no	yes	4	Canopy 25%+ Root 25%+
2218	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-30"	30	30	Good	no			no	yes	8	Canopy 25%+ Root 25%+
2219	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-30"	30	30	Fair	no			yes	no	0	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2220	<i>Quercus lobata</i>	Valley Oak	20	30	2	#1-18"x2	18	18	Fair	no	Previously pruned		yes	no	6	Canopy 25%+ Root 25%+
2222	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-54"	54	54	Fair	no	Previously pruned		no	yes	11	Canopy 1-25% Root 1-25%
2229	<i>Quercus lobata</i>	Valley Oak	10	20	1	#1-30"	30	30	Fair	no	Previously pruned		no	yes	3	Canopy 25%+ Root 25%+
2230	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-30"	30	30	Good	no	Previously pruned, Fungal Infestation		yes	no	3	Canopy 25%+ Root 25%+
2231	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-30"	30	30	Good	no	Fungal Infestation		yes	no	0	Canopy 25%+ Root 25%+
2232	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-30"	30	30	Good	no			yes	no	1	Canopy 25%+ Root 25%+
2264	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-42"	42	42	Good	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
2266	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-18"	18	18	Good	no	Previously pruned		yes	no	15	Canopy 25%+ Root 25%+
2267	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-18"	18	18	Good	no	Previously pruned		yes	no	7	Canopy 25%+ Root 25%+
2268	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-18"	18	18	Good	no	Previously pruned		yes	no	19	Canopy 25%+ Root 25%+
2269	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-18"	18	18	Good	no	Previously pruned		yes	no	15	Canopy 25%+ Root 25%+
2304	<i>Quercus lobata</i>	Valley Oak	20	30	2	#1-7"x2	7	7	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2335	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-18"	18	18	Poor	no	Fire scars		no	yes	9	Canopy 25%+ Root 25%+
2336	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-18"	18	18	Poor	no	Fire scars		yes	no	10	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2492	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-30"	30	30	Good	no			yes	no	6	Canopy 25%+ Root 25%+
2624	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-42"	42	42	Good	no	Previously pruned		no	yes	13	Canopy 1-25% Root 1-25%
2642	<i>Quercus lobata</i>	Valley Oak	10	20	1	#1-18"	18	18	Fair	no	Previously pruned, Fungal Infestation		yes	no	3	Canopy 25%+ Root 25%+
2659	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-42"	42	42	Poor	no	Fungal Infestation, Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
2661	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-54"	54	54	Good	no	Previously pruned		yes	no	6	Canopy 25%+ Root 25%+
2676	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-42"	42	42	Poor	no	Fungal Infestation		yes	no	1	Canopy 25%+ Root 25%+
2682	<i>Quercus lobata</i>	Valley Oak	10	20	1	#1-10"	10	10	Poor	no	Previously pruned, Fungal Infestation		yes	no	0	Canopy 25%+ Root 25%+
2683	<i>Quercus lobata</i>	Valley Oak	10	20	2	#1-7"x2	7	7	Poor	no	Previously pruned, Fungal Infestation		yes	no	0	Canopy 25%+ Root 25%+
2685	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-18"	18	18	Poor	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
2693	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-54"	54	54	Good	no	Previously pruned		yes	no	6	Canopy 25%+ Root 25%+
3028	<i>Quercus lobata</i>	Valley Oak	10	20	4	#1-4"x4	4	4	Fair	no			yes	no	1	Canopy 25%+ Root 25%+
3030	<i>Quercus lobata</i>	Valley Oak	10	20	1	#1-18"	18	18	Good	no			no	yes	6	Canopy 1-25% Root None
3036	<i>Quercus lobata</i>	Valley Oak	10	20	1	#1-7"	7	7	Good	no			no	yes	4	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
3037	<i>Quercus lobata</i>	Valley Oak	10	20	1	#1-7"	7	7	Good	no			no	yes		Canopy 1-25% Root None
3038	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-18"	18	18	Fair	no		Mistletoe	no	yes	18	Canopy 25%+ Root 1-25%
3041	<i>Quercus lobata</i>	Valley Oak	50	60	1	#1-54"	54	54	Excellent	no			yes	no	4	Canopy 25%+ Root 25%+
3042	<i>Quercus lobata</i>	Valley Oak	40	50	1	#1-42"	42	42	Dead	yes		Main trunk fallen	no	yes	0	Canopy 25%+ Root 25%+
3048	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-30"	30	30	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
3072	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-30"	30	30	Poor	no			no	yes	16	Canopy 1-25% Root None
3073	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-30"	30	30	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
3074	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-30"	30	30	Dead	yes			yes	no	7	Canopy 25%+ Root 25%+
3075	<i>Quercus lobata</i>	Valley Oak	10	20	1	#1-42"	42	42	Dead	yes			yes	no	6	Canopy 25%+ Root 25%+
3081	<i>Quercus lobata</i>	Valley Oak	10	20	1	#1-42"	42	42	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
3082	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-18"	18	18	Fair	no			yes	no	6	Canopy 1-25% Root 1-25%
3088	<i>Quercus lobata</i>	Valley Oak	10	20	1	#1-18"	18	18	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
3089	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-30"	30	30	Good	no	Previously pruned		yes	no	4	Canopy 25%+ Root 25%+
3090	<i>Quercus lobata</i>	Valley Oak	10	20	1	#1-54"	54	54	Dead	yes			yes	no	10	Canopy 25%+ Root 25%+
3091	<i>Quercus lobata</i>	Valley Oak	20	30	3	#3-18"x3	18	18	Good	no			yes	no	6	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
3092	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-30"	30	30	Good	no			yes	no	5	Canopy 25%+ Root 25%+
3093	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-30"	30	30	Good	no			yes	no	1	Canopy 25%+ Root 25%+
3096	<i>Quercus lobata</i>	Valley Oak	50	60	1	#1-30"	30	30	Excellent	no			yes	no		Canopy 25%+ Root 25%+
3097	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-30"	30	30	Good	no	Previously pruned		yes	no	12	Canopy 25%+ Root 25%+
3098	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-42"	42	42	Excellent	no	Previously pruned		no	yes	3	Canopy 25%+ Root 25%+
3099	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-30"	30	30	Good	no	Previously pruned		yes	no	6	Canopy 25%+ Root 25%+
3100	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-30"	30	30	Good	no			yes	no	7	Canopy 25%+ Root 25%+
3131	<i>Quercus lobata</i>	Valley Oak	40	50	1	#1-42"	42	42	Excellent	no			no	yes	5	Canopy 25%+ Root 25%+
3132	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-30"	30	30	Good	no			yes	no		Canopy 25%+ Root 25%+
3133	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-18"	18	18	Good	no			yes	no	16	Canopy 25%+ Root 25%+
3134	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-30"	30	30	Good	no			no	yes		Canopy 25%+ Root 25%+
3135	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-30"	30	30	Excellent	no			no	yes	8	Canopy 1-25% Root None
3171	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-30"	30	30	Excellent	no			no	yes	5	Canopy 1-25% Root 1-25%
3172	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-18"	18	18	Good	no			yes	no	8	Canopy 25%+ Root 25%+
3186	<i>Quercus lobata</i>	Valley Oak	40	50	1	#1-18"	18	18	Excellent	no			no	yes		Canopy None Root None

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
3187	<i>Quercus lobata</i>	Valley Oak	40	50	1	#1-30"	30	30	Excellent	no			no	yes		Canopy None Root None
3188	<i>Quercus lobata</i>	Valley Oak	40	50	1	#1-30"	30	30	Good	no			no	yes		Canopy None Root None
3189	<i>Quercus lobata</i>	Valley Oak	40	50	1	#1-30"	30	30	Good	no			no	yes		Canopy None Root None
3197	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-30"	30	30	Fair	no	Fire scars		no	yes	10	Canopy 1-25% Root None
3198	<i>Quercus lobata</i>	Valley Oak	20	30	2	#1-10"x2	10	10	Fair	no	Fire scars		no	yes	8	Canopy 1-25% Root 1-25%
3199	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-18"	18	18	Poor	no	Fire scars	In burned area with mistletoe. No leaves visible.	no	yes	4	Canopy 1-25% Root None
3279	<i>Quercus lobata</i>	Valley Oak	20	30	1	#1-30"	30	30	Fair	no			no	yes	10	Canopy 25%+ Root 1-25%
3451	<i>Quercus lobata</i>	Valley Oak	50	60	1	#1-42"	42	42	Excellent	no	Previously pruned		no	yes	18	Canopy 1-25% Root None
4050	<i>Quercus lobata</i>	Valley Oak	30	40	1	#1-30"	30	30	Fair	no			yes	no	1	Canopy 25%+ Root 25%+
4052	<i>Quercus lobata</i>	Valley Oak	0	10	6	#1-4"x6	4	4	Poor	no	Previously pruned		yes	no	1	Canopy 25%+ Root 25%+
4053	<i>Quercus lobata</i>	Valley Oak	10	20	5	#1-4"x5	4	4	Fair	no	Previously pruned		yes	no	1	Canopy 25%+ Root 25%+
8813	<i>Quercus lobata</i>	valley oak	30	40	1	30	30	30	good	no			no	yes	10	Canopy 1-25% Root 1-25%
8814	<i>Quercus lobata</i>	valley oak	30	40	1	30	30	30	good	no			yes	no		Canopy 25%+ Root 25%+
1148	<i>Quercus species</i>	dead oak	20	30	1	#1-18"	18	18	Dead	yes			yes	no		Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1149	<i>Quercus</i> species	dead oak	10	20	1	#1-18"	18	18	Dead	yes			no	yes	2	Canopy 25%+ Root 25%+
1164	<i>Quercus</i> species	dead oak	10	20	1	#1-10"	10	10	Dead	yes			yes	no	5	Canopy 25%+ Root 25%+
1182	<i>Quercus</i> species	dead oak	30	40	1	#1-30"	30	30	Dead	no			yes	no	0	Canopy 25%+ Root 25%+
1241	<i>Quercus</i> species	dead oak	0	10	4	#1-10", #2-4"x3	4	10	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
1295	<i>Quercus</i> species	dead oak	10	20	1	#1-10"	10	10	Dead	yes	Fire scars	Burnt in recent fire	no	yes	10	Canopy 1-25% Root None
1518	<i>Quercus</i> species	dead oak	10	20	1	#1-7"	7	7	Dead	yes	Fire scars		yes	no	0	Canopy 25%+ Root 25%+
2174	<i>Quercus</i> species	dead oak	20	30	6	#1-7"x6	7	7	Dead	yes			yes	no	1	Canopy 25%+ Root 25%+
2202	<i>Quercus</i> species	dead oak	20	30	1	#1-18"	18	18	Dead	yes	Previously pruned		no	yes	8	Canopy 1-25% Root None
2284	<i>Quercus</i> species	dead oak	10	20	5	#1-7"x5	7	7	Dead	yes	Fungal Infestation		yes	no	0	Canopy 25%+ Root 25%+
2316	<i>Quercus</i> species	dead oak	0	10	1	#1-10"	10	10	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
1390	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	10	20	9	#1-7"x3, #2-4"x6	4	7	Good	no			yes	no	3	Canopy 25%+ Root 25%+
1446	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	10	20	1	#1-10"	10	10	Fair	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
1447	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	10	20	4	#1-7", #2-4"x3	4	7	Fair	no			yes	no	2	Canopy 25%+ Root 25%+
1487	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	10	20	1	#1-10"	10	10	Fair	no		Hollowed out trunk	yes	no	3	Canopy 25%+ Root 25%+
1501	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	20	30	4	#1-18", #2-10"x2, #3-7"	7	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1502	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	10	20	5	#1-4"x5	4	4	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
1534	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	10	20	4	#1-4"x4	4	4	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
2049	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	10	20	5	#1-4", #2-7"x4	4	7	Good	no	Previously pruned		yes	no		Canopy 25%+ Root 25%+
2050	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	10	20	5	#1-7"x4, #2-10"	7	10	Good	no	Previously pruned		yes	no	3	Canopy 1-25% Root 25%+
2051	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	10	20	2	#1-7"x2	7	7	Good	no			yes	no	1	Canopy 25%+ Root 25%+
2052	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	10	20	10	#1-4"x7, #2-7"x3	4	7	Good	no			yes	no		Canopy 25%+ Root 25%+
2053	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	10	20	5	#1-4"x3, #2-7"x2	4	7	Good	no			yes	no	1	Canopy 25%+ Root 25%+
2319	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	20	30	3	#1-10"x3	10	10	Excellent	no	Previously pruned		no	yes	11	Canopy 1-25% Root 1-25%
2380	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	10	20	5	#1-4"x4, #2-7"	4	7	Good	no			no	yes	7	Canopy 1-25% Root 1-25%
2493	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	20	30	4	#1-4"x3, #2-10"	4	10	Excellent	no			yes	no	1	Canopy 25%+ Root 25%+
2583	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	10	20	1	#1-10"	10	10	Good	no	Previously pruned		no	yes	12	Canopy 1-25% Root 1-25%
2618	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	10	20	3	#1-7"x3	7	7	Good	no			yes	no	2	Canopy 25%+ Root 25%+
2630	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	20	30	4	#1-7"x2, #2-10"x2	7	10	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2643	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	20	30	2	#1-7", #2-10"	7	10	Fair	no		Mistletoe	yes	no	0	Canopy 25%+ Root 25%+
2652	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	20	30	4	#1-10"x4	10	10	Excellent	no	Previously pruned		yes	no	10	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2663	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	20	30	2	#1-7"x2	7	7	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2664	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	10	20	6	#1-4"x6	4	4	Good	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
2665	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	10	20	3	#1-4", #2-7"x2	4	7	Fair	no			yes	no	0	Canopy 1-25% Root 1-25%
3101	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	10	20	10	#1-7"x10	7	7	Good	no			yes	no	0	Canopy 25%+ Root 25%+
3315	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	20	30	3	#1-10"x2, #2-4"	4	10	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
3322	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	10	20	5	#2-10"x2, #2-4"x3	4	10	Poor	no		Mostly dead, mistletoe	yes	no	2	Canopy 25%+ Root 25%+
3411	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	10	20	8	#8-7"x2, #2-4"x6	4	7	Poor	no			no	yes	3	Canopy 1-25% Root None
3412	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	10	20	5	#1-10", #2-7"x4	7	10	Dead	yes			yes	no	3	Canopy 25%+ Root 25%+
4013	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	10	20	3	#1-10", #2-4"x2	4	10	Good	no			yes	no	2	Canopy 25%+ Root 25%+
4014	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	10	20	4	#1-7"x4	7	7	Fair	no		Half dead	yes	no	6	Canopy 25%+ Root None
4015	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	10	20	2	#1-10"x2	10	10	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
4036	<i>Quercus wislizeni</i> var. <i>wislizeni</i>	Interior Live Oak	10	20	5	#1-4"x5	4	4	Good	no			yes	no	2	Canopy 25%+ Root 25%+
1130	<i>Salix gooddingii</i>	Goodding's Black Willow	20	30	11	#1-4"x4, #2-7"x4, #3-10"x3	4	10	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2087	<i>Salix gooddingii</i>	Goodding's Black Willow	20	30	3	#1-4", #2-7", #3-10"	4	10	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2105	<i>Salix gooddingii</i>	Goodding's Black Willow	20	30	7	#1-4"x4, #2-10", #3-7"x2	4	10	Fair	no			yes	no	0	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2116	<i>Salix gooddingii</i>	Goodding's Black Willow	20	30	5	#1-4"x3, #2-7"x2	4	7	Poor	no			yes	no	0	Canopy 25%+ Root 25%+
2147	<i>Salix gooddingii</i>	Goodding's Black Willow	30	40	10	#1-7"x3, #2-10"x4, #3-18"x3	7	18	Good	no			no	yes	0	Canopy 25%+ Root 25%+
3034	<i>Salix gooddingii</i>	Goodding's Black Willow	10	20	4	#1-7"x4	7	7	Good	no			yes	no	2	Canopy 25%+ Root 25%+
1001	<i>Salix laevigata</i>	Red Willow	20	30	3	#1-10", #2-10", #3-7"	7	10	Excellent	no		Good condition	no	yes	0	Canopy 1-25% Root None
1002	<i>Salix laevigata</i>	Red Willow	10	20	7	#1-4"x7	4	4	Good	no			yes	no	0	Canopy 25%+ Root 25%+
1003	<i>Salix laevigata</i>	Red Willow	40	50	1	#1-18"	18	18	Excellent	no			yes	no	10	Canopy 25%+ Root 25%+
1004	<i>Salix laevigata</i>	Red Willow	20	30	3	#1-7"x2, #2-10"	7	10	Good	no			yes	no	0	Canopy 25%+ Root 25%+
1005	<i>Salix laevigata</i>	Red Willow	30	40	1	#1-18"	18	18	Fair	no		Dead branches	yes	no	6	Canopy 25%+ Root 25%+
1006	<i>Salix laevigata</i>	Red Willow	10	20	1	#1-18"	18	18	Dead	yes			yes	no	3	Canopy 25%+ Root 25%+
1007	<i>Salix laevigata</i>	Red Willow	30	40	1	#1-18"	18	18	Good	no			yes	no	4	Canopy 25%+ Root 25%+
1008	<i>Salix laevigata</i>	Red Willow	20	30	1	#1-18"	18	18	Good	no			yes	no	4	Canopy 25%+ Root 25%+
1009	<i>Salix laevigata</i>	Red Willow	30	40	1	#1-18"	18	18	Good	no			yes	no	2	Canopy 25%+ Root 25%+
1010	<i>Salix laevigata</i>	Red Willow	20	30	1	#1-18"	18	18	Good	no			yes	no		Canopy 25%+ Root 25%+
1011	<i>Salix laevigata</i>	Red Willow	40	50	1	#1-18"	18	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+
1012	<i>Salix laevigata</i>	Red Willow	20	30	1	#1-10"	10	10	Dead	yes			yes	no	4	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1013	<i>Salix laevigata</i>	Red Willow	40	50	1	#1-18"	18	18	Good	no			yes	no	6	Canopy 25%+ Root 25%+
1014	<i>Salix laevigata</i>	Red Willow	40	50	4	#1-10", #2-18"x3	10	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+
1015	<i>Salix laevigata</i>	Red Willow	20	30	2	#1-18", #2-7"	7	18	Good	no			yes	no	2	Canopy 25%+ Root 25%+
1016	<i>Salix laevigata</i>	Red Willow	10	20	5	#1-10", #2-18"x4	10	18	Fair	no	Previously pruned	One trunk dead, others have been previously pruned	yes	no	0	Canopy 25%+ Root 25%+
1018	<i>Salix laevigata</i>	Red Willow	30	40	1	#1-42"	42	42	Good	no		One dead branch	yes	no	0	Canopy 25%+ Root 25%+
1019	<i>Salix laevigata</i>	Red Willow	30	40	2	#1-18", #2-7"	7	18	Poor	no	Previously pruned	Upper limbs previously pruned, upper half of tree dead.	no	yes	0	Canopy 25%+ Root 25%+
1020	<i>Salix laevigata</i>	Red Willow	20	30	3	#1-18"x2, #2-42"	18	42	Fair	no	Previously pruned	Several limbs dead	yes	no	0	Canopy 25%+ Root 25%+
1027	<i>Salix laevigata</i>	Red Willow	10	20	2	#1-7"x2	7	7	Good	no			yes	no	1	Canopy 25%+ Root 25%+
1028	<i>Salix laevigata</i>	Red Willow	10	20	1	#1-10"	10	10	Fair	no		Several dead branches	yes	no	0	Canopy 25%+ Root 25%+
1032	<i>Salix laevigata</i>	Red Willow	10	20	3	#1-4"x3	4	4	Good	no			yes	no	2	Canopy 25%+ Root 25%+
1034	<i>Salix laevigata</i>	Red Willow	10	20	4	#1-4"x2, #2-7"x2	4	7	Excellent	no			yes	no	0	Canopy 25%+ Root 25%+
1035	<i>Salix laevigata</i>	Red Willow	10	20	2	#1-7"x2	7	7	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
1036	<i>Salix laevigata</i>	Red Willow	10	20	1	#1-10"	10	10	Fair	no		At least one dead branch	yes	no	7	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1038	<i>Salix laevigata</i>	Red Willow	10	20	1	#1-7"	7	7	Good	no			yes	no	5	Canopy 25%+ Root 25%+
1039	<i>Salix laevigata</i>	Red Willow	20	30	1	#1-10"	10	10	Fair	no		Large number of dead branches	yes	no	0	Canopy 25%+ Root 25%+
1040	<i>Salix laevigata</i>	Red Willow	10	20	1	#1-10"	10	10	Fair	no		Large number of dead branches	yes	no	0	Canopy 25%+ Root 25%+
1041	<i>Salix laevigata</i>	Red Willow	10	20	2	#2-7"x2	7	7	Good	no	Previously pruned		yes	no	2	Canopy 25%+ Root 25%+
1042	<i>Salix laevigata</i>	Red Willow	0	10	3	#1-4"x3	4	4	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
1043	<i>Salix laevigata</i>	Red Willow	0	10	2	#1-4"x2	4	4	Good	no			yes	no	0	Canopy 25%+ Root 25%+
1044	<i>Salix laevigata</i>	Red Willow	0	10	3	#1-4"x3	4	4	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
1054	<i>Salix laevigata</i>	Red Willow	10	20	7	#1-10"x2, #2-18"x2, #3-7"x3	7	18	Fair	no	Fire scars		yes	no	1	Canopy 25%+ Root 25%+
1055	<i>Salix laevigata</i>	Red Willow	10	20	10	#1-18"x7, #2-10"x3	10	18	Excellent	no			yes	no	0	Canopy 25%+ Root 25%+
1057	<i>Salix laevigata</i>	Red Willow	10	20	4	#1-18", #2-7"x3	7	18	Excellent	no			yes	no	6	Canopy 25%+ Root 25%+
1060	<i>Salix laevigata</i>	Red Willow	10	20	6	#1-7"x3, #2-10"x3	7	10	Fair	no			yes	no	4	Canopy 25%+ Root 25%+
1061	<i>Salix laevigata</i>	Red Willow	10	20	10	#1-7"x4, #2-4"x4, #3-10"x2	4	10	Fair	no		Half of limbs appear dead	yes	no	1	Canopy 25%+ Root 25%+
1062	<i>Salix laevigata</i>	Red Willow	10	20	6	#1-7"x4, #2-10"x2	7	10	Poor	no			yes	no	2	Canopy 25%+ Root 25%+
1063	<i>Salix laevigata</i>	Red Willow	0	10	4	#1-4"x4	4	4	Fair	no			yes	no	1	Canopy 25%+ Root 25%+
1064	<i>Salix laevigata</i>	Red Willow	10	20	6	#1-10"x4, #2-4", #3-18"	4	18	Fair	no		Several dead limbs	yes	no	3	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1066	<i>Salix laevigata</i>	Red Willow	10	20	8	#1-10"x8	10	10	Good	no			yes	no	1	Canopy 25%+ Root 25%+
1067	<i>Salix laevigata</i>	Red Willow	0	10	3	#1-7", #2-10"x2	7	10	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
1068	<i>Salix laevigata</i>	Red Willow	10	20	2	#1-7"x2	7	7	Good	no			yes	no	4	Canopy 25%+ Root 25%+
1069	<i>Salix laevigata</i>	Red Willow	10	20	2	#1-7"x2	7	7	Fair	no			yes	no	2	Canopy 25%+ Root 25%+
1070	<i>Salix laevigata</i>	Red Willow	0	10	3	#3-4"x3	4	4	Poor	no		Fallen over	yes	no	0	Canopy 25%+ Root 25%+
1071	<i>Salix laevigata</i>	Red Willow	0	10	5	#1-4"x5	4	4	Poor	no		Appears to be almost completely dead	yes	no	4	Canopy 25%+ Root 25%+
1072	<i>Salix laevigata</i>	Red Willow	10	20	6	#1-4"x2, #2-10"x4	4	10	Fair	no			yes	no	1	Canopy 25%+ Root 25%+
1074	<i>Salix laevigata</i>	Red Willow	10	20	8	#1-4"x4, #2-7"x4	4	7	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
1075	<i>Salix laevigata</i>	Red Willow	10	20	20	#1-10", #2-7"x5, #3-4"x14	4	10	Good	no			yes	no	2	Canopy 25%+ Root 25%+
1077	<i>Salix laevigata</i>	Red Willow	10	20	3	#1-4", #2-18"x2	4	18	Fair	no			yes	no	1	Canopy 25%+ Root 25%+
1080	<i>Salix laevigata</i>	Red Willow	10	20	10	#1-4"x10	4	4	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
1081	<i>Salix laevigata</i>	Red Willow	10	20	1	#1-18"	18	18	Poor	no			yes	no	0	Canopy 25%+ Root 25%+
1092	<i>Salix laevigata</i>	Red Willow	10	20	3	#1-4"x3	4	4	Dead	yes		Dead	yes	no	0	Canopy 25%+ Root 25%+
1094	<i>Salix laevigata</i>	Red Willow	10	20	10	#1-4"x10	4	4	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
1095	<i>Salix laevigata</i>	Red Willow	10	20	3	#3-4", #2-7"x2	4	7	Fair	no			yes	no	2	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1096	<i>Salix laevigata</i>	Red Willow	10	20	10	#1-4"x10	4	4	Dead	yes			no	yes	0	Canopy 1-25% Root 1-25%
1097	<i>Salix laevigata</i>	Red Willow	10	20	5	#1-4"x5	4	4	Dead	yes			yes	no	0	Canopy 1-25% Root 1-25%
1102	<i>Salix laevigata</i>	Red Willow	10	20	5	#1-4"x5	4	4	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
1103	<i>Salix laevigata</i>	Red Willow	20	30	5	#1-4"x2, #2-7"x3	4	7	Poor	no		Almost dead	yes	no	4	Canopy 25%+ Root 25%+
1107	<i>Salix laevigata</i>	Red Willow	10	20	10	#1-4"x10	4	4	Dead	yes			yes	no		Canopy 25%+ Root 25%+
1109	<i>Salix laevigata</i>	Red Willow	20	30	2	#1-7"x2	7	7	Poor	no		One trunk dead, other has several dead limbs	yes	no	2	Canopy 25%+ Root 25%+
1110	<i>Salix laevigata</i>	Red Willow	10	20	10	#1-4"x10	4	4	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
1111	<i>Salix laevigata</i>	Red Willow	0	10	12	#1-4"x12	4	4	Dead	yes		Tree already leaning/fallen	yes	no	0	Canopy 25%+ Root 25%+
1113	<i>Salix laevigata</i>	Red Willow	0	10	4	#1-4"x4	4	4	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
1114	<i>Salix laevigata</i>	Red Willow	10	20	3	#1-4"x3	4	4	Poor	no		Half dead	yes	no		Canopy 25%+ Root 25%+
1115	<i>Salix laevigata</i>	Red Willow	0	10	1	#1-10"	10	10	Good	no			yes	no	8	Canopy 25%+ Root 25%+
1116	<i>Salix laevigata</i>	Red Willow	10	20	8	#1-4"x8	4	4	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
1118	<i>Salix laevigata</i>	Red Willow	0	10	6	#1-4"x6	4	4	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
1119	<i>Salix laevigata</i>	Red Willow	10	20	4	#1-4"x4	4	4	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1120	<i>Salix laevigata</i>	Red Willow	20	30	2	#1-10", #2-4"	4	10	Dead	yes			yes	no	4	Canopy 25%+ Root 25%+
1125	<i>Salix laevigata</i>	Red Willow	20	30	4	#1-4"x4	4	4	Good	no			yes	no	2	Canopy 25%+ Root 25%+
1128	<i>Salix laevigata</i>	Red Willow	20	30	10	#1-7"x4, #2-4"x6	4	7	Fair	no		Some limbs dead	yes	no	0	Canopy 25%+ Root 25%+
1129	<i>Salix laevigata</i>	Red Willow	10	20	3	#1-4"x3	4	4	Fair	no		Partially dead	yes	no	0	Canopy 25%+ Root 25%+
1131	<i>Salix laevigata</i>	Red Willow	30	40	5	#1-18"x2, #2-10"x2, #3-4"	4	18	Good	no			no	yes	3	Canopy 25%+ Root None
1136	<i>Salix laevigata</i>	Red Willow	0	10	4	#1-4"x4	4	4	Fair	no	Previously pruned	Tops completely cut off	yes	no	1	Canopy 25%+ Root 25%+
1137	<i>Salix laevigata</i>	Red Willow	30	40	4	#1-7"x4	7	7	Excellent	no			yes	no	4	Canopy 25%+ Root 25%+
1139	<i>Salix laevigata</i>	Red Willow	10	20	5	#1-4"x3, #2-7"x2	4	7	Excellent	no			yes	no	0	Canopy 25%+ Root 25%+
1140	<i>Salix laevigata</i>	Red Willow	20	30	5	#1-7"x3, #2-10"x2	7	10	Excellent	no			yes	no	4	Canopy 25%+ Root None
1200	<i>Salix laevigata</i>	Red Willow	20	30	6	#1-10"x3, #2-18"x3	10	18	Good	no			yes	no	3	Canopy 25%+ Root 25%+
1204	<i>Salix laevigata</i>	Red Willow	30	40	4	#1-30", #2-18"x2, #3-7"	7	30	Good	no			yes	no	0	Canopy 25%+ Root 25%+
1207	<i>Salix laevigata</i>	Red Willow	20	30	1	#1-18"	18	18	Good	no	Previously pruned		yes	no	10	Canopy 25%+ Root 25%+
1211	<i>Salix laevigata</i>	Red Willow	10	20	1	#1-7"	7	7	Fair	no			yes	no	6	Canopy 25%+ Root 25%+
1218	<i>Salix laevigata</i>	Red Willow	20	30	20	#1-4"x20	4	4	Fair	no	Previously pruned	Covered in grape vines	yes	no		Canopy 25%+ Root 25%+
1221	<i>Salix laevigata</i>	Red Willow	20	30	15	#1-4"x15	4	4	Fair	no	Previously pruned	Entirely covered by grapevine	yes	no		Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1223	<i>Salix laevigata</i>	Red Willow	20	30	1	#1-10"	10	10	Fair	no	Previously pruned	Covered in grapevine	yes	no		Canopy 25%+ Root 25%+
1224	<i>Salix laevigata</i>	Red Willow	30	40	1	#1-10"	10	10	Fair	no	Previously pruned	Completely covered by grapevine	yes	no		Canopy 25%+ Root 25%+
1228	<i>Salix laevigata</i>	Red Willow	10	20	6	#1-7"x2, #2-4"x4	4	7	Fair	no	Previously pruned	Covered in grapevine	yes	no	0	Canopy 25%+ Root 25%+
1230	<i>Salix laevigata</i>	Red Willow	20	30	1	#1-7"	7	7	Fair	no			yes	no	8	Canopy 25%+ Root 25%+
2001	<i>Salix laevigata</i>	Red Willow	30	40	3	#1-30"x3	30	30	Good	no		Broken branch	yes	no	0	Canopy 25%+ Root 25%+
2002	<i>Salix laevigata</i>	Red Willow	20	30	2	#1-30", #2-18"	18	30	Good	no		Some dead branches	yes	no	0	Canopy 25%+ Root 25%+
2003	<i>Salix laevigata</i>	Red Willow	20	30	1	#1-18"	18	18	Good	no		Some dead branches	yes	no	0	Canopy 25%+ Root 25%+
2004	<i>Salix laevigata</i>	Red Willow	20	30	1	#1-18"	18	18	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2005	<i>Salix laevigata</i>	Red Willow	10	20	1	#1-18"	18	18	Good	no		Some dead branches	yes	no	0	Canopy 25%+ Root 25%+
2006	<i>Salix laevigata</i>	Red Willow	30	40	1	#1-30"	30	30	Excellent	no			yes	no	0	Canopy 25%+ Root 25%+
2007	<i>Salix laevigata</i>	Red Willow	10	20	1	#1-18"	18	18	Good	no		Some dead branches	yes	no	0	Canopy 25%+ Root 25%+
2008	<i>Salix laevigata</i>	Red Willow	20	30	1	#1-30"	30	30	Fair	no		Some dead branches	yes	no	3	Canopy 25%+ Root 25%+
2009	<i>Salix laevigata</i>	Red Willow	30	40	1	#1-30"	30	30	Good	no		Some dead branches	yes	no	3	Canopy 25%+ Root 25%+
2010	<i>Salix laevigata</i>	Red Willow	20	30	1	#1-54"	54	54	Good	no		Some dead branches	yes	no		Canopy 25%+ Root 25%+
2011	<i>Salix laevigata</i>	Red Willow	30	40	2	#1-30"x2	30	30	Good	no		Some dead branches	yes	no	3	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2012	<i>Salix laevigata</i>	Red Willow	30	40	2	#1-18", #2-10"	10	18	Good	no		Some dead branches	yes	no	0	Canopy 25%+ Root 25%+
2013	<i>Salix laevigata</i>	Red Willow	30	40	1	#1-30"	30	30	Good	no		Some dead branches	no	yes	4	Canopy 25%+ Root 25%+
2014	<i>Salix laevigata</i>	Red Willow	10	20	5	#1-7"x2, #2-4"x3	4	7	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
2015	<i>Salix laevigata</i>	Red Willow	10	20	2	#1-18"x2	18	18	Fair	no		One trunk broken off and dead branches	yes	no	0	Canopy 25%+ Root 25%+
2016	<i>Salix laevigata</i>	Red Willow	30	40	2	#1-10"x2	10	10	Excellent	no			no	yes	0	Canopy 25%+ Root 25%+
2018	<i>Salix laevigata</i>	Red Willow	40	50	5	#1-18"x3, #2-30"x2	18	30	Excellent	no			yes	no	0	Canopy 25%+ Root 25%+
2019	<i>Salix laevigata</i>	Red Willow	30	40	5	#1-18"x2, #2-10"x2, #3-30"	10	30	Good	no			no	yes	0	Canopy 25%+ Root 25%+
2020	<i>Salix laevigata</i>	Red Willow	10	20	1	#1-42"	42	42	Poor	no		Trunk completely broken	yes	no	0	Canopy 25%+ Root 25%+
2021	<i>Salix laevigata</i>	Red Willow	20	30	2	#1-18", #2-42"	18	42	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
2022	<i>Salix laevigata</i>	Red Willow	20	30	2	#1-18"x2	18	18	Excellent	no			yes	no	8	Canopy 25%+ Root 25%+
2023	<i>Salix laevigata</i>	Red Willow	20	30	3	#1-18"x2, #2-7"	7	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2025	<i>Salix laevigata</i>	Red Willow	30	40	4	#1-7", #2-30"x2, #3-54"	7	54	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2026	<i>Salix laevigata</i>	Red Willow	20	30	6	#1-4"x2, #2-7"x2, #3-10", #4-54"	4	54	Fair	no	Previously pruned		yes	no	1	Canopy 25%+ Root 25%+
2027	<i>Salix laevigata</i>	Red Willow	30	40	2	#1-30"x2	30	30	Excellent	no	Previously pruned		yes	no	7	Canopy 25%+ Root 25%+
2028	<i>Salix laevigata</i>	Red Willow	30	40	1	#1-42"	42	42	Good	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2029	<i>Salix laevigata</i>	Red Willow	20	30	3	#1-30", #2-4"x2	4	30	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2030	<i>Salix laevigata</i>	Red Willow	20	30	1	#1-18"	18	18	Good	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
2031	<i>Salix laevigata</i>	Red Willow	30	40	3	#1-10", #2-18", #3-30"	10	30	Good	no			no	yes	0	Canopy 25%+ Root 25%+
2031	<i>Salix laevigata</i>	Red Willow	30	40	1	#1-30"	30	30	Good	no			no	yes	1	Canopy 25%+ Root 25%+
2033	<i>Salix laevigata</i>	Red Willow	30	40	4	#1-30"x3, #2-42"	30	42	Excellent	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
2034	<i>Salix laevigata</i>	Red Willow	10	20	1	#1-18"	18	18	Fair	no		Trunk broken	yes	no	0	Canopy 25%+ Root 25%+
2035	<i>Salix laevigata</i>	Red Willow	10	20	1	#1-10"	10	10	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
2036	<i>Salix laevigata</i>	Red Willow	10	20	2	#1-7"x2	7	7	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2037	<i>Salix laevigata</i>	Red Willow	20	30	4	#1-4"x3, #2-18"	4	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2038	<i>Salix laevigata</i>	Red Willow	30	40	4	#1-30", #2-10"x2, #3-7"	7	30	Good	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
2039	<i>Salix laevigata</i>	Red Willow	10	20	1	#1-30"	30	30	Good	no			yes	no	6	Canopy 25%+ Root 25%+
2040	<i>Salix laevigata</i>	Red Willow	30	40	1	#1-42"	42	42	Good	no			yes	no	3	Canopy 25%+ Root 25%+
2041	<i>Salix laevigata</i>	Red Willow	30	40	2	#1-18"x2	18	18	Good	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
2043	<i>Salix laevigata</i>	Red Willow	20	30	2	#1-7", #2-18"	7	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2061	<i>Salix laevigata</i>	Red Willow	30	40	6	#1-7"x3, #2-10"x2, #3-18"	7	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2065	<i>Salix laevigata</i>	Red Willow	20	30	2	#1-7", #2-18"	7	18	Good	no			yes	no	1	Canopy 25%+ Root 25%+
2080	<i>Salix laevigata</i>	Red Willow	10	20	2	#1-7"x2	7	7	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
2088	<i>Salix laevigata</i>	Red Willow	30	40	2	#1-7", #2-10"	7	10	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2089	<i>Salix laevigata</i>	Red Willow	10	20	12	#1-4"x12	4	4	Poor	no			yes	no	0	Canopy 25%+ Root 25%+
2101	<i>Salix laevigata</i>	Red Willow	20	30	3	#1-4", #2-7"x2	4	7	Fair	no			yes	no	3	Canopy 25%+ Root 25%+
2102	<i>Salix laevigata</i>	Red Willow	20	30	6	#1-4"x5, #2-7"	4	7	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
2103	<i>Salix laevigata</i>	Red Willow	20	30	13	#1-4"x12, #2-7"	4	7	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
2108	<i>Salix laevigata</i>	Red Willow	30	40	6	#1-7"x2, #2-10"x2, #3-18"x2	7	18	Poor	no			yes	no	3	Canopy 25%+ Root 25%+
2109	<i>Salix laevigata</i>	Red Willow	30	40	1	#1-18"	18	18	Poor	no			no	yes	0	Canopy 25%+ Root 25%+
2110	<i>Salix laevigata</i>	Red Willow	20	30	4	#1-7"x4	7	7	Dead	yes			no	yes	0	Canopy 25%+ Root 25%+
2112	<i>Salix laevigata</i>	Red Willow	10	20	1	#1-7"	7	7	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
2115	<i>Salix laevigata</i>	Red Willow	20	30	8	#1-4"x5, #2-7"x3	4	7	Poor	no			yes	no	0	Canopy 25%+ Root 25%+
2118	<i>Salix laevigata</i>	Red Willow	30	40	4	#1-7"x2, #2-10"x2	7	10	Good	no			yes	no	2	Canopy 25%+ Root 25%+
2120	<i>Salix laevigata</i>	Red Willow	20	30	13	#1-4"x13	4	4	Poor	no			yes	no	0	Canopy 25%+ Root 25%+
2121	<i>Salix laevigata</i>	Red Willow	20	30	5	#1-4"x2, #2-7"x2, #3-10"	4	10	Good	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2127	<i>Salix laevigata</i>	Red Willow	30	40	6	#1-4"x4, #2-7"x2	4	7	Poor	no			yes	no	0	Canopy 25%+ Root 25%+
2128	<i>Salix laevigata</i>	Red Willow	20	30	10	#1-4"x10	4	4	Poor	no			yes	no		Canopy 25%+ Root 25%+
2142	<i>Salix laevigata</i>	Red Willow	20	30	5	#1-7"x5	7	7	Poor	no			yes	no	0	Canopy 25%+ Root 25%+
2143	<i>Salix laevigata</i>	Red Willow	10	20	5	#1-4"x5	4	4	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2144	<i>Salix laevigata</i>	Red Willow	20	30	3	#1-18"x3	18	18	Excellent	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
2145	<i>Salix laevigata</i>	Red Willow	30	40	3	#1-18"x2, #2-30"	18	30	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2146	<i>Salix laevigata</i>	Red Willow	20	30	6	#1-10"x5, #2-18"	10	18	Good	no			no	yes	0	Canopy 25%+ Root 25%+
2148	<i>Salix laevigata</i>	Red Willow	30	40	8	#1-10"x4, #2-18"x4	10	18	Excellent	no	Previously pruned		no	yes	3	Canopy 1-25% Root 1-25%
2149	<i>Salix laevigata</i>	Red Willow	30	40	10	#1-10"x5, #2-18"x5	10	18	Good	no	Previously pruned		no	yes	3	Canopy 1-25% Root 25%+
2150	<i>Salix laevigata</i>	Red Willow	30	40	4	#1-10"x3, #2-18"	10	18	Good	no	Previously pruned		no	yes	4	Canopy 1-25% Root 1-25%
2151	<i>Salix laevigata</i>	Red Willow	40	50	7	#1-7", #2-10"x4, #3-10"x2	7	10	Good	no			no	yes	1	Canopy 1-25% Root 1-25%
2152	<i>Salix laevigata</i>	Red Willow	20	30	15	#1-7"x5, #2-10"x7, #3-18"x3	7	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2153	<i>Salix laevigata</i>	Red Willow	30	40	10	#1-7"x3, #2-10"x5, #3-18"x2	7	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2165	<i>Salix laevigata</i>	Red Willow	20	30	20	#1-7"x8, #2-10"x8, #3-18"x4	7	18	Good	no	Previously pruned		no	yes	3	Canopy 1-25% Root 1-25%
2166	<i>Salix laevigata</i>	Red Willow	30	40	5	#1-7", #2-10", #3-18"x3	7	18	Good	no	Previously pruned		yes	no	2	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2167	<i>Salix laevigata</i>	Red Willow	30	40	10	#1-10"x7, #2-18"x3	10	18	Good	no	Previously pruned		yes	no	0	Canopy 1-25% Root 1-25%
2168	<i>Salix laevigata</i>	Red Willow	10	20	8	#1-4"x8	4	4	Fair	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
2239	<i>Salix laevigata</i>	Red Willow	20	30	7	#1-10"x7	10	10	Excellent	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
2240	<i>Salix laevigata</i>	Red Willow	10	20	25	#1-4"x20, #2-7"x5	4	7	Good	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
2241	<i>Salix laevigata</i>	Red Willow	20	30	8	#1-4"x3, #2-7"x2, #3-10"x3	4	10	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2245	<i>Salix laevigata</i>	Red Willow	20	30	4	#1-10"x4	10	10	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2246	<i>Salix laevigata</i>	Red Willow	30	40	5	#1-10"x3, #2-18"x2	10	18	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2256	<i>Salix laevigata</i>	Red Willow	30	40	4	#1-7", #2-10", #3-18"x2	7	18	Good	no	Previously pruned		yes	no	4	Canopy 25%+ Root 25%+
2257	<i>Salix laevigata</i>	Red Willow	20	30	5	#1-7"x2, #2-10"x3	7	10	Good	no			yes	no	8	Canopy 25%+ Root 25%+
2258	<i>Salix laevigata</i>	Red Willow	20	30	6	#1-7"x6	7	7	Good	no			yes	no	7	Canopy 25%+ Root 25%+
2259	<i>Salix laevigata</i>	Red Willow	20	30	2	#1-10"x2	10	10	Fair	no			yes	no	18	Canopy 25%+ Root 25%+
2260	<i>Salix laevigata</i>	Red Willow	30	40	3	#1-18"x3	18	18	Good	no			yes	no	19	Canopy 25%+ Root 25%+
2261	<i>Salix laevigata</i>	Red Willow	30	40	5	#1-18"x5	18	18	Good	no			yes	no	4	Canopy 25%+ Root 25%+
2263	<i>Salix laevigata</i>	Red Willow	30	40	3	#1-18"x3	18	18	Good	no			yes	no	6	Canopy 25%+ Root 25%+
3004	<i>Salix laevigata</i>	Red Willow	10	20	7	#1-4"x7	4	4	Dead	no			no	yes	0	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
3005	<i>Salix laevigata</i>	Red Willow	10	20	15	#1-4"x15	4	4	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
3013	<i>Salix laevigata</i>	Red Willow	10	20	2	#1-10"x2	10	10	Fair	no			yes	no	1	Canopy 25%+ Root 25%+
3014	<i>Salix laevigata</i>	Red Willow	0	10	1	#1-10"	10	10	Dead	yes			no	yes		Canopy 25%+ Root 25%+
3021	<i>Salix laevigata</i>	Red Willow	10	20	1	#1-10"	10	10	Dead	yes			yes	no	1	Canopy 25%+ Root 25%+
3022	<i>Salix laevigata</i>	Red Willow	20	30	18	#1-10"x2, #2-7"x14, #3-4"x2	4	10	Poor	no			yes	no	1	Canopy 25%+ Root 25%+
3024	<i>Salix laevigata</i>	Red Willow	10	20	4	#1-7"x3, #2-4"	4	7	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
3026	<i>Salix laevigata</i>	Red Willow	10	20	4	#4-4"x4	4	4	Dead	yes			yes	no		Canopy 25%+ Root 25%+
3035	<i>Salix laevigata</i>	Red Willow	10	20	15	#1-4"x15	4	4	Excellent	no			yes	no	1	Canopy 25%+ Root 25%+
3039	<i>Salix laevigata</i>	Red Willow	20	30	5	#1-18"x3, #2-7", #3-10"	7	18	Good	no			no	yes	12	Canopy 25%+ Root 25%+
3040	<i>Salix laevigata</i>	Red Willow	20	30	5	#1-10"x2, #2-7"x3	7	10	Excellent	no			yes	no	0	Canopy 25%+ Root 25%+
3044	<i>Salix laevigata</i>	Red Willow	0	10	3	#3-4"x3	4	4	Fair	no	Previously pruned		yes	no	3	Canopy 25%+ Root 25%+
3047	<i>Salix laevigata</i>	Red Willow	10	20	5	#1-4"x5	4	4	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
3050	<i>Salix laevigata</i>	Red Willow	10	20	3	#3-7"x3	7	7	Good	no			yes	no	2	Canopy 25%+ Root 25%+
3104	<i>Salix laevigata</i>	Red Willow	10	20	3	#1-4"x3	4	4	Excellent	no			no	yes	3	Canopy 25%+ Root 25%+
3105	<i>Salix laevigata</i>	Red Willow	10	20	1	#1-10"	10	10	Good	no	Previously pruned		yes	no	1	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
3106	<i>Salix laevigata</i>	Red Willow	20	30	2	#1-30", #2-10"	10	30	Good	no			yes	no	0	Canopy 25%+ Root 25%+
3107	<i>Salix laevigata</i>	Red Willow	10	20	4	#1-4"x4	4	4	Fair	no		Hovered in galls	yes	no	1	Canopy 25%+ Root 25%+
3114	<i>Salix laevigata</i>	Red Willow	20	30	9	#1-30"x2, #2-18"x6, #3-10"	10	30	Excellent	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
3115	<i>Salix laevigata</i>	Red Willow	0	10	4	#4-4"x4	4	4	Good	no			yes	no	2	Canopy 25%+ Root 25%+
3116	<i>Salix laevigata</i>	Red Willow	10	20	3	#1-18", #2-4"x2	4	18	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
3118	<i>Salix laevigata</i>	Red Willow	10	20	2	#2-7"x2	7	7	Good	no			yes	no	0	Canopy 25%+ Root 25%+
3120	<i>Salix laevigata</i>	Red Willow	20	30	4	#1-7"x3, #2-10"	7	10	Good	no			yes	no	2	Canopy 25%+ Root 25%+
3122	<i>Salix laevigata</i>	Red Willow	20	30	4	#1-7", #2-10"x3	7	10	Excellent	no			yes	no	0	Canopy 25%+ Root 25%+
3124	<i>Salix laevigata</i>	Red Willow	20	30	2	#1-7"x2	7	7	Good	no			yes	no	0	Canopy 25%+ Root 25%+
3127	<i>Salix laevigata</i>	Red Willow	20	30	4	#2-10"x4	10	10	Good	no			yes	no	1	Canopy 25%+ Root 25%+
3128	<i>Salix laevigata</i>	Red Willow	20	30	1	#1-18"	18	18	Good	no			no	yes	7	Canopy 25%+ Root 25%+
3129	<i>Salix laevigata</i>	Red Willow	20	30	1	#1-18"	18	18	Good	no			yes	no	5	Canopy 25%+ Root 25%+
3130	<i>Salix laevigata</i>	Red Willow	10	20	1	#1-7"	7	7	Good	no			yes	no	3	Canopy 25%+ Root 1-25%
3203	<i>Salix laevigata</i>	Red Willow	20	30	2	#1-10", #2-18"	10	18	Good	no			yes	no	2	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1017	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	8	#1-7"x3, #2-10"x4, #3-18"	7	18	Fair	no		Lower branches dead. Gall infestation and ant infestation	yes	no	0	Canopy 25%+ Root 25%+
1053	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	8	#1-4"x5, #2-7"x3	4	7	Good	no			yes	no	3	Canopy 25%+ Root 1-25%
1056	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	10	#1-4"x7, #2-7"x3	4	7	Good	no		Bore holes in trunks/branches	yes	no	1	Canopy 25%+ Root 25%+
1058	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	3	#1-7"x2, #2-10"	7	10	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
1059	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	10	#1-4"x10	4	4	Fair	no		Several branches dead	yes	no	0	Canopy 25%+ Root 25%+
1073	<i>Salix lasiolepis</i>	Arroyo Willow	0	10	15	#1-4"x15	4	4	Poor	no		Nearly dead. Infested with ants	yes	no	0	Canopy 25%+ Root 25%+
1076	<i>Salix lasiolepis</i>	Arroyo Willow	0	10	12	#1-4"x12	4	4	Good	no			yes	no	4	Canopy 25%+ Root 25%+
1078	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	15	#1-2"x15	2	2	Fair	no	Fire scars	Main trunk at base of tree split, previously burned	yes	no	0	Canopy 25%+ Root 25%+
1079	<i>Salix lasiolepis</i>	Arroyo Willow	0	10	10	#1-4"x10	4	4	Excellent	no			yes	no	0	Canopy 25%+ Root 25%+
1201	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	20	#1-4"x20	4	4	Fair	no	Previously pruned	A lot of galls on leaves	yes	no	0	Canopy 25%+ Root 25%+
1202	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	4	#1-7"x4	7	7	Fair	no	Previously pruned	Countless galls on leaves	yes	no	0	Canopy 25%+ Root 25%+
1203	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	30	#1-4"x30	4	4	Fair	no		Covered in galls	yes	no	0	Canopy 25%+ Root 25%+
1206	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	3	#1-4", #2-7"x2	4	7	Fair	no		Several dead limbs, covered in galls	yes	no	0	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1208	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	8	#1-7"x3, #2-4"x5	4	7	Fair	no	Previously pruned	Covered in vine	yes	no	5	Canopy 25%+ Root 25%+
1209	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	4	#1-4"x4	4	4	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
1215	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	6	#1-4"x6	4	4	Poor	no		Most limbs dead. Covered in vine	yes	no	1	Canopy 25%+ Root 25%+
1216	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	8	#1-7"x2, #2-4"x6	4	7	Fair	no	Previously pruned	Covered in vine	yes	no	0	Canopy 25%+ Root 25%+
1552	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	10	#1-4"x10	4	4	Good	no			yes	no	0	Canopy 25%+ Root 25%+
1553	<i>Salix lasiolepis</i>	Arroyo Willow	0	10	10	#1-4"x10	4	4	Fair	no			yes	no		Canopy 25%+ Root 25%+
1554	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	10	#1-4"x10	4	4	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
1555	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	12	#1-4"x12	4	4	Good	no			yes	no	0	Canopy 25%+ Root 25%+
1556	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	10	#1-4"x10	4	4	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
2017	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	3	#1-7"x2, #2-4"	4	7	Fair	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
2024	<i>Salix lasiolepis</i>	Arroyo Willow	20	30	6	#1-7"x2, #2-10"x4	7	10	Excellent	no			yes	no	0	Canopy 25%+ Root 25%+
2078	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	10	#1-4"x5, #2-7"x3, #3-10"x2	4	10	Fair	no			no	yes	0	Canopy 25%+ Root 25%+
2084	<i>Salix lasiolepis</i>	Arroyo Willow	20	30	2	#1-7"x2	7	7	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2111	<i>Salix lasiolepis</i>	Arroyo Willow	20	30	4	#1-7"x3, #2-10"	7	10	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
2117	<i>Salix lasiolepis</i>	Arroyo Willow	20	30	12	#1-7"x9, #2-10"x3	7	10	Poor	no			yes	no	0	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2119	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	3	#1-7"x3	7	7	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
2125	<i>Salix lasiolepis</i>	Arroyo Willow	20	30	17	#1-4"x8, #2-7"x9	4	7	Poor	no			yes	no	0	Canopy 25%+ Root 25%+
2126	<i>Salix lasiolepis</i>	Arroyo Willow	20	30	20	#1-4"x20	4	4	Poor	no			yes	no	0	Canopy 25%+ Root 25%+
2242	<i>Salix lasiolepis</i>	Arroyo Willow	20	30	6	#1-7"x6	7	7	Good	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
2243	<i>Salix lasiolepis</i>	Arroyo Willow	20	30	5	#1-4"x3, #2-7"x2	4	7	Good	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
2247	<i>Salix lasiolepis</i>	Arroyo Willow	20	30	15	#1-7"x9, #2-10"x6	7	10	Good	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
2628	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	4	#1-4"x2, #2-7"x2	4	7	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2629	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	5	#1-7"x3, #2-10"x2	7	10	Good	no			yes	no	0	Canopy 25%+ Root 25%+
2689	<i>Salix lasiolepis</i>	Arroyo Willow	20	30	15	#1-4"x15	4	4	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
2690	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	30	#1-4"x30	4	4	Good	no	Previously pruned		no	yes	0	Canopy 25%+ Root 25%+
2692	<i>Salix lasiolepis</i>	Arroyo Willow	20	30	15	#1-4"x15	4	4	Fair	no	Previously pruned		no	yes	0	Canopy 25%+ Root 25%+
3108	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	20	#1-4"x20	4	4	Excellent	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
3109	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	25	#1-7"x5, #2-4"x20	4	7	Excellent	no	Previously pruned		yes	no	0	Canopy 25%+ Root 25%+
3110	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	30	#1-4"x25, #2-7"x5	4	7	Fair	no		Covered in galls	yes	no	0	Canopy 25%+ Root 25%+
4063	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	10	#1-4"x10	4	4	Good	no		On riverbank	yes	no	0	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
4064	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	4	#1-4"x2, #2-7"x2	4	7	Good	no			yes	no	3	Canopy 25%+ Root 25%+
4065	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	10	#1-4"x10	4	4	Good	no			yes	no	0	Canopy 25%+ Root 25%+
4068	<i>Salix lasiolepis</i>	Arroyo Willow	10	20	8	#1-4"x6, #2-7"x2	4	7	Good	no			yes	no	0	Canopy 25%+ Root 25%+
4069	<i>Salix lasiolepis</i>	Arroyo Willow	0	10	10	#10-4"x10	4	4	Fair	no		In stream	yes	no	0	Canopy 25%+ Root 25%+
1138	<i>Salix lucida</i>	Shining Willow, Yellow Willow	10	20	5	#1-7"x5	7	7	Poor	no	Previously pruned	About 60% dead	yes	no	1	Canopy 25%+ Root 25%+
2135	<i>Salix lucida</i>	Shining Willow, Yellow Willow	20	30	2	#1-7"x2	7	7	Good	no			no	yes	3	Canopy 1-25% Root 25%+
3031	<i>Salix lucida</i>	Shining Willow, Yellow Willow	20	30	3	#1-7"x3	7	7	Good	no			yes	no	5	Canopy 25%+ Root 25%+
3046	<i>Salix lucida</i>	Shining Willow, Yellow Willow	10	20	10	#1-4"x10	4	4	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
1029	<i>Salix</i> species	dead willow	0	10	3	#1-7"x2, #2-4"	4	7	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
2046	<i>Salix</i> species	dead willow	10	20	3	#1-7"x2, #2-10"	7	10	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
2047	<i>Salix</i> species	dead willow	10	20	2	#1-7"x2	7	7	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
2113	<i>Salix</i> species	dead willow	20	30	5	#1-4"x5	4	4	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
2114	<i>Salix</i> species	dead willow	20	30	20	#1-4"x15, #2-7"x5	4	7	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+


Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison

Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
2122	<i>Salix</i> species	dead willow	20	30	9	#1-4"x4, #2-7"x5	4	7	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
2123	<i>Salix</i> species	dead willow	20	30	5	#1-4"x5	4	4	Dead	yes			yes	no	1	Canopy 25%+ Root 25%+
3045	<i>Salix</i> species	dead willow	0	10	15	#1-4"x15	4	4	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
1022	<i>Sambucus nigra</i> subsp. <i>caerulea</i>	Blue Elderberry	10	20	6	#1-4"x6	4	4	Fair	no		Hard to tell health because leaves have already fallen. Overall health doesn't look great.	yes	no	0	Canopy 25%+ Root 25%+
1023	<i>Sambucus nigra</i> subsp. <i>caerulea</i>	Blue Elderberry	10	20	20	#1-4"x20	4	4	Fair	no		Hard to tell exact condition because of leaf drop	yes	no	0	Canopy 25%+ Root 25%+
1024	<i>Sambucus nigra</i> subsp. <i>caerulea</i>	Blue Elderberry	10	20	8	#1-4"x8	4	4	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
1025	<i>Sambucus nigra</i> subsp. <i>caerulea</i>	Blue Elderberry	0	10	4	#1-4"x4	4	4	Good	no			yes	no	0	Canopy 25%+ Root 25%+
1026	<i>Sambucus nigra</i> subsp. <i>caerulea</i>	Blue Elderberry	10	20	12	#1-4"x12	4	4	Fair	no		Hard to tell condition because of leaf fall	yes	no	0	Canopy 25%+ Root 25%+
1030	<i>Sambucus nigra</i> subsp. <i>caerulea</i>	Blue Elderberry	10	20	14	#1-1", #2-7"x2, #3-4"x11	1	7	Fair	no		Hard to tell condition because of leaf drop	yes	no	0	Canopy 25%+ Root 25%+
1033	<i>Sambucus nigra</i> subsp. <i>caerulea</i>	Blue Elderberry	10	20	9	#1-4"x8, #2-7"	4	7	Poor	no	Previously pruned	Large number of broken/dead branches	yes	no	0	Canopy 25%+ Root 25%+
1141	<i>Sambucus nigra</i> subsp. <i>caerulea</i>	Blue Elderberry	0	10	5	#1-7"x2, #2-4"x3	4	7	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
1225	<i>Sambucus nigra</i> subsp. <i>caerulea</i>	Blue Elderberry	0	10	3	#1-4"x3	4	4	Good	no			yes	no	3	Canopy 25%+ Root 25%+

Table 3.
2021 Native Tree Survey Data
Tree Assessment Summary Report
Gorman - Kern River 66 kV Project
Southern California Edison


Tree Number	Species Name	Common Name	Tree Height Min	Tree Height Max	Number of Trunks	Trunk DBH	Smallest DBH	Largest DBH	Qualitative Health of Tree	Already Dead?	Current Condition	Current Condition (Additional Notes)	Occurs within Anticipated Project Work	Overhangs Work Area or Associated Access Road?	Lowest Limb Height above Ground Surface (feet)	Disturbance Anticipated
1545	<i>Sambucus nigra</i> subsp. <i>caerulea</i>	Blue Elderberry	10	20	20	#1-4"x20	4	4	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
2104	<i>Sambucus nigra</i> subsp. <i>caerulea</i>	Blue Elderberry	10	20	15	#1-4"x14, #2-7"	4	7	Poor	no			no	yes	2	Canopy 25%+ Root 25%+
2155	<i>Sambucus nigra</i> subsp. <i>caerulea</i>	Blue Elderberry	10	20	4	#1-4"x3, #2-7"	4	7	Good	no	Previously pruned		no	yes	3	Canopy 1-25% Root 1-25%
2156	<i>Sambucus nigra</i> subsp. <i>caerulea</i>	Blue Elderberry	10	20	4	#1-4", #2-7"x3	4	7	Good	no	Previously pruned		yes	no	4	Canopy 25%+ Root 25%+
2265	<i>Sambucus nigra</i> subsp. <i>caerulea</i>	Blue Elderberry	20	30	2	#1-10"x2	10	10	Fair	no		Dormant	yes	no	6	Canopy 25%+ Root 25%+
2312	<i>Sambucus nigra</i> subsp. <i>caerulea</i>	Blue Elderberry	10	20	6	#1-4"x6	4	4	Fair	no			yes	no	0	Canopy 25%+ Root 25%+
2321	<i>Sambucus nigra</i> subsp. <i>caerulea</i>	Blue Elderberry	10	20	4	#1-4"x4	4	4	Good	no	Previously pruned		no	yes	2	Canopy 1-25% Root 25%+
3051	<i>Sambucus nigra</i> subsp. <i>caerulea</i>	Blue Elderberry	0	10	9	#1-4"x9	4	4	Good	no		Dormant	yes	no	0	Canopy 25%+ Root 25%+
1298	Unknown	dead	0	10	3	#1-4"x2, #2-7"	4	7	Dead	yes	Fire scars		yes	no	2	Canopy 25%+ Root 25%+
2327	Unknown	dead	10	20	1	#1-18"	18	18	Dead	yes	Fire scars		no	yes	0	Canopy 25%+ Root 25%+
2337	Unknown	dead	0	10	10	#1-4"x10	4	4	Dead	yes	Fire scars		yes	no	0	Canopy 25%+ Root 25%+
2675	Unknown	dead	20	30	1	#1-10"	10	10	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
3378	Unknown	dead	10	20	1	#1-18"	18	18	Dead	yes			yes	no	10	Canopy 25%+ Root 25%+
1127	Unknown	dead	0	10	5	#1-4"x5	4	4	Dead	yes			yes	no	0	Canopy 25%+ Root 25%+
1031	Unknown dead tree	dead	10	20	5	#1-4"x5	4	4	Dead	yes			yes	no	1	Canopy 25%+ Root 25%+

Figures




Legend

- Segment 1
- Segment 2
- Segment 3
- Segment 4
- Segment 5
- Substations
- Counties




Gorman-Kern River 66 kV Project
Native Tree Assessment Locations


Site Location



Legend

- Proposed Alignment
- TreeMapIndex
- Material Yards
- Substation








Legend

- California/Western Sycamore
- Proposed Structure
- Proposed Alignment
- Work Areas



Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations


ARCADIS **EDISON**
SOUTHERN CALIFORNIA
AN EDISON INTERNATIONAL COMPANY

Figure:
2-2



Legend

- Fremont Cottonwood
- Proposed Structure
- Access Road
- Proposed Alignment
- Work Areas




Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations



Legend

- Blue Oak
- Valley Oak
- Unknown Dead Tree
- Dead Oak Tree
- Proposed Structure
- Access Road
- Proposed Alignment
- Work Areas




Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations



Legend

- Valley Oak
- Dead Oak Tree
- Proposed Structure
- Access Road
- Proposed Alignment
- Work Areas




Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations




Legend

- Blue Elderberry
- Blue Oak
- Blue Oak, Dead
- California Buckeye
- Canyon Live Oak
- Fremont Cottonwood
- Interior Live Oak
- Valley Oak
- Unknown Dead Tree
- Dead Oak Tree
- Proposed Structure
- Access Road
- Proposed Alignment
- Work Areas




Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations




Legend

- Arroyo Willow
- Blue Elderberry
- Blue Oak
- Blue Oak, Dead
- Box Elder
- California Buckeye
- California Juniper
- Canyon Live Oak
- Fremont Cottonwood
- Red Willow
- Valley Oak
- Unknown Dead Tree
- Dead Oak Tree
- Proposed Structure
- Access Road
- Proposed Alignment
- Work Areas



Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations



Legend

- Arroyo Willow
- Blue Elderberry
- Blue Oak
- Blue Oak, Dead
- Box Elder
- California Buckeye
- California Juniper
- California/Western Sycamore
- Fremont Cottonwood
- Interior Live Oak
- Red Willow
- Red Willow, Dead
- Valley Oak
- Unknown Dead Tree
- Dead Oak Tree
- Dead Willow
- Proposed Structure
- Access Road
- Proposed Alignment
- Work Areas
- Material Yards




Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations



Legend

- Blue Elderberry
- California/Western Sycamore
- Fremont Cottonwood
- Interior Live Oak
- Red Willow
- Red Willow, Dead
- Valley Oak
- Velvet Ash
- Unknown Dead Tree
- Dead Willow
- Proposed Structure
- Access Road
- Proposed Alignment
- Work Areas
- Material Yards




Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations



Legend

- Arroyo Willow
- California/Western Sycamore
- Fremont Cottonwood
- Goodding's Black Willow
- Red Willow
- Red Willow, Dead
- Valley Oak
- Velvet Ash
- Proposed Structure
- Access Road
- Overland Travel, Proposed
- Proposed Alignment
- Work Areas
- Material Yards



Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations


ARCADIS
SOUTHERN CALIFORNIA EDISON
AN EDISON INTERNATIONAL COMPANY

Figure:
2-10



Legend

- Arroyo Willow
- Red Willow
- Valley Oak
- Proposed Structure
- Access Road
- Overland Travel, Proposed
- Proposed Alignment
- Work Areas




Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations



Legend

- Fremont Cottonwood
- Red Willow
- Red Willow, Dead
- Proposed Structure
- Access Road
- Overland Travel, Proposed
- Proposed Alignment
- Work Areas




Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations



Legend

- Arroyo Willow
- Blue Elderberry
- Blue Oak
- California Juniper
- Fremont Cottonwood
- Fremont Cottonwood, Dead
- Goodding's Black Willow
- Red Willow
- Red Willow, Dead
- Shining Willow, Yellow Willow
- Shining Willow, Yellow Willow, Dead
- Valley Oak
- Valley Oak, Dead
- Unknown Dead Tree
- Dead Willow
- Proposed Structure
- Access Road
- Proposed Alignment
- Work Areas
- Material Yards




Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations



Legend

- Blue Elderberry
- Blue Oak
- Blue Oak, Dead
- Goodding's Black Willow
- Red Willow
- Shining Willow, Yellow Willow
- Shining Willow, Yellow Willow, Dead
- Valley Oak
- Valley Oak, Dead
- Unknown Dead Tree
- Dead Oak Tree
- Dead Willow
- Proposed Structure
- Access Road
- Proposed Alignment
- Work Areas




Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations



Legend

- Blue Oak
- Blue Oak, Dead
- Valley Oak
- Valley Oak, Dead
- Dead Oak Tree
- Proposed Structure
- Access Road
- Proposed Alignment
- Work Areas




Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations



Legend

- Arroyo Willow
- Blue Oak
- California Buckeye
- Canyon Live Oak
- Canyon Live Oak, Dead
- Interior Live Oak
- Proposed Structure
- Access Road
- Proposed Alignment
- Work Areas




Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations



Legend

- Arroyo Willow
- Proposed Structure
- Access Road
- Proposed Alignment
- Work Areas
- Material Yards
- Substation



Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations



Legend

- Blue Oak
- Proposed Structure
- Access Road
- Proposed Alignment
- Work Areas




Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations



Legend

- Blue Oak
- Blue Oak, Dead
- Proposed Structure
- Access Road
- Proposed Alignment
- Work Areas
- Material Yards




Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations



Legend

- Blue Oak
- Blue Oak, Dead
- California Buckeye
- Proposed Structure
- Access Road
- Proposed Alignment
- Work Areas
- Material Yards




**Gorman-Kern River 66 kV Project
Native Tree Assessment Locations**

Native Tree Assessment Locations



Legend

- Blue Oak
- Blue Oak, Dead
- California Buckeye
- Interior Live Oak
- Proposed Structure
- Access Road
- Proposed Alignment
- Work Areas




Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations


ARCADIS
SOUTHERN CALIFORNIA
EDISON
AN EDISON INTERNATIONAL COMPANY

Figure:
2-21



Legend

- Blue Oak
- Blue Oak, Dead
- Valley Oak
- Proposed Structure
- Access Road
- Proposed Alignment
- Work Areas



Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations


ARCADIS
SOUTHERN CALIFORNIA
EDISON
AN EDISON INTERNATIONAL COMPANY

Figure:
2-22



Legend

- Blue Oak
- Canyon Live Oak
- Valley Oak
- Proposed Structure
- Access Road
- Proposed Alignment
- Work Areas




Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations




Legend

- Blue Oak
- Blue Oak, Dead
- Canyon Live Oak
- Interior Live Oak
- Valley Oak
- Proposed Structure
- Access Road
- Proposed Alignment
- Work Areas




Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations




Legend

- Blue Oak
- Blue Oak, Dead
- Interior Live Oak
- Valley Oak
- Proposed Structure
- Access Road
- Proposed Alignment
- Work Areas
- Material Yards




Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations



Legend

- Blue Oak
- Blue Oak, Dead
- Gray/Foothill/Ghost Pine
- Interior Live Oak
- Unknown Dead Tree
- Proposed Structure
- Access Road
- Proposed Alignment
- Work Areas
- Material Yards



Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations


ARCADIS
SOUTHERN CALIFORNIA
EDISON
AN EDISON INTERNATIONAL COMPANY

Figure:
2-26



Legend

- Blue Oak
- Blue Oak, Dead
- Gray/Foothill/Ghost Pine
- Interior Live Oak
- Interior Live Oak, Dead
- Unknown Dead Tree
- Proposed Structure
- Access Road
- Proposed Alignment
- Work Areas



Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations


ARCADIS
SOUTHERN CALIFORNIA
EDISON
AN EDISON INTERNATIONAL COMPANY

Figure:
2-27




Legend

- Blue Oak
- Blue Oak, Dead
- California Buckeye
- Gray/Foothill/Ghost Pine
- Interior Live Oak
- Interior Live Oak, Dead
- Valley Oak
- Proposed Structure
- Access Road
- Proposed Alignment
- Work Areas




Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations




Legend

- Blue Oak
- Blue Oak, Dead
- California Buckeye
- Gray/Foothill/Ghost Pine
- Interior Live Oak
- Interior Live Oak, Dead
- Valley Oak
- Dead Oak Tree
- Proposed Structure
- Access Road
- Proposed Alignment
- Work Areas




Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations




Legend

- Blue Elderberry
- Blue Oak
- Blue Oak, Dead
- Gray/Foothill/Ghost Pine
- Interior Live Oak
- Valley Oak
- Unknown Dead Tree
- Dead Oak Tree
- Proposed Structure
- Access Road
- Proposed Alignment
- Work Areas




Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations



Legend

- Blue Elderberry
- Blue Oak
- Blue Oak, Dead
- Interior Live Oak
- Valley Oak
- Unknown Dead Tree
- Proposed Structure
- Access Road
- Proposed Alignment
- Work Areas



Gorman-Kern River 66 kV Project
Native Tree Assessment Locations

Native Tree Assessment Locations


ARCADIS
SOUTHERN CALIFORNIA
EDISON
AN EDISON INTERNATIONAL COMPANY

Figure:
2-31



Legend

- Fremont Cottonwood
- Proposed Structure
- Proposed Alignment
- ▭ Work Areas
- ▭ Material Yards



Arcadis U.S., Inc.
320 Commerce, Suite 200
Irvine
California 92602
Phone: 714 730 9052
Fax: 714 730 9345
www.arcadis.com