

## **INITIAL STUDY & MITIGATED NEGATIVE DECLARATION**

---

# **BICKMORE WAREHOUSE 5.22 ACRE SITE SWC OF MOJAVE ST AND E AVENUE APN 0410-05-111 HESPERIA, CALIFORNIA 92344**



### **LEAD AGENCY:**

**CITY OF HESPERIA  
PLANNING DIVISION  
9700 SEVENTH AVENUE  
HESPERIA, CALIFORNIA 92345**

### **REPORT PREPARED BY:**

**BLODGETT BAYLOSIS ENVIRONMENTAL PLANNING  
2211 S. HACIENDA BOULEVARD, SUITE 107  
HACIENDA HEIGHTS, CALIFORNIA 91745**

## **JANUARY 2025**

**HESP 012**

*THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK.*



## MITIGATED NEGATIVE DECLARATION

**PROJECT NAME:** Bickmore Warehouse 5.22 Acre Site

**PROJECT APPLICANT:** Wei Ding, DW Bickmore, LLC., 15740 Myrtlewood Ave, Chino, California 91708

**PROJECT LOCATION:** The 5.22 acre project site is located in the north-central portion of the City of Hesperia, California. The project site is undeveloped and does not have a legal address assigned to the property. The proposed project site is located on the southwest corner of Mojave Street and E Avenue. Mojave Street extends along the project site's north side and E Avenue extends along the site's east side. The project site's latitude and longitude are 34°26'5.35"N, -117°17'23.71"W. The project site is located within the United States Geological Survey (USGS) 7 1/2 Minute, Hesperia, California Quadrangle (1956), Township 4 North, Range 4 West.

**CITY AND COUNTY:** City of Hesperia, San Bernardino County.

**PROJECT:** The proposed project would involve the construction and subsequent operation of two new warehouse buildings, referred to as *Warehouse 1* and *Warehouse 2*, within the 5.22 acre (202,261 square foot) property. Warehouse 1 would consist of 39,530 square feet of floor area including a 36,101 square feet of warehouse floor area and a 3,520 square foot office. Warehouse 2 would consist of 40,248 square feet of floor area including a 36,728 square feet of warehouse floor area and a 3,520 square foot office. The total floor area of the two buildings would be 79,778 square feet. The warehouses would consist of a single level with a maximum height of approximately 41 feet. Parking areas would be located to the eastern and southern portions of the site. A total of 73 parking spaces would be provided including 63 standard parking spaces, 2 truck parking spaces, 4 EV standard parking spaces, 2 ADA compliant parking spaces and 2 ADA compliant EV parking spaces. Landscaping would total 36,387 square feet. The landscaping would be provided around the building, the site's perimeter, and along the roadway frontages. The project would consist of 9 truck dock doors including 3 raised doors and 1 ground level door along the north elevation of Warehouse 1 and 4 raised doors and 1 ground level door along the south elevation of Warehouse 2. Truck maneuvering area would be located opposite the receiving docks and west of the two buildings. Vehicular access to the site would include one entrance for employees and patrons only and 2 entrances for trucks only. The 30 feet wide employee and patron vehicular access would be located east of the site in connection with E Avenue. The 30 feet wide truck only entrances are located northwest and southeast corner of the project site. All three entrances are guarded by a security gate fence. For safety and security, screen walls in addition to combo walls consisting of masonry and wrought iron will surround the entire project site. Current conditions on the property include a desert scrub community showing signs of human disturbances. There are 34 Joshua Trees located within the boundaries of the property.

**EVALUATION FORMAT:** The attached initial study is prepared in accordance with the California Environmental Quality Act (CEQA) pursuant to Public Resources Code Section 21000, et seq. and the State CEQA Guidelines (California Code of Regulations Section 15000, et seq.). Specifically, the preparation of the attached Initial Study was guided by Section 15063 of the State CEQA Guidelines. The project was evaluated based on its effect on 21 categories of environmental factors. Each factor is reviewed by responding to a series of questions regarding the impact of the project on each element of the overall factor. The Initial Study checklist includes a formatted analysis that provides a determination of the effect of the project on the factor and its elements. The effect of the project is categorized into one of the following four categories of possible determinations:

Potentially Significant Impact	Less than Significant With Mitigation Incorporated	Less than Significant	No Impact
--------------------------------	----------------------------------------------------	-----------------------	-----------

Substantiation is then provided to justify each determination. One of the four following conclusions is then provided as a summary of the analysis for each of the major environmental factors.

**No Impact:** No impacts are identified or anticipated, and no mitigation measures are required.

**Less than Significant Impact:** No significant adverse impacts are identified or anticipated, and no mitigation measures are required.

**Less than Significant Impact with Mitigation:** Possible significant adverse impacts have been identified or anticipated and mitigation measures are required as a condition of the project's approval to reduce these impacts to a level below significance.

**CITY OF HESPERIA • INITIAL STUDY AND MITIGATED NEGATIVE DECLARATION**  
**BICKMORE 5.22 ACRE SITE • SWC OF MOJAVE ST AND E AVE (APN 0410-05-111)**

**Potentially Significant Impact:** Significant adverse impacts have been identified or anticipated. An Environmental Impact Report (EIR) is required to evaluate these impacts.

**ENVIRONMENTAL FACTORS POTENTIALLY AFFECTED:**

The environmental factors checked below will be potentially affected by this project, involving at least one impact that is a "Potentially Significant Impact" as indicated by the checklist in the attached Initial Study.

- |                                                          |                                                           |                                                               |
|----------------------------------------------------------|-----------------------------------------------------------|---------------------------------------------------------------|
| <input type="checkbox"/> Aesthetics                      | <input type="checkbox"/> Agriculture & Forestry Resources | <input checked="" type="checkbox"/> Air Quality               |
| <input checked="" type="checkbox"/> Biological Resources | <input checked="" type="checkbox"/> Cultural Resources    | <input checked="" type="checkbox"/> Energy                    |
| <input type="checkbox"/> Geology & Soils                 | <input type="checkbox"/> Greenhouse Gas Emissions         | <input type="checkbox"/> Hazards & Hazardous Materials        |
| <input type="checkbox"/> Hydrology & Water Quality       | <input type="checkbox"/> Land Use & Planning              | <input type="checkbox"/> Mineral Resources                    |
| <input checked="" type="checkbox"/> Noise                | <input type="checkbox"/> Population & Housing             | <input type="checkbox"/> Public Services                      |
| <input type="checkbox"/> Recreation                      | <input type="checkbox"/> Transportation & Traffic         | <input checked="" type="checkbox"/> Tribal Cultural Resources |
| <input type="checkbox"/> Utilities & Service Systems     | <input type="checkbox"/> Wildfire                         | <input type="checkbox"/> Mandatory Findings of Significance   |

**DETERMINATION:** (To be completed by the Lead Agency) On the basis of this initial evaluation, the following finding is made:

<input type="checkbox"/>	The proposed project <i>COULD NOT</i> have a significant effect on the environment, and a <i>NEGATIVE DECLARATION</i> shall be prepared.
<input checked="" type="checkbox"/>	Although the proposed project could have a significant effect on the environment, there shall not be a significant effect in this case because revisions in the project have been made by or agreed to by the project proponent. A <i>MITIGATED NEGATIVE DECLARATION</i> shall be prepared.
<input type="checkbox"/>	The proposed project <i>MAY</i> have a significant effect on the environment, and an <i>ENVIRONMENTAL IMPACT REPORT</i> is required.
<input type="checkbox"/>	The proposed project <i>MAY</i> have a "potentially significant impact" or "potentially significant unless mitigated" impact on the environment, but at least one effect 1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and 2) has been addressed by mitigation measures based on the earlier analysis as described on attached sheets. An <i>ENVIRONMENTAL IMPACT REPORT</i> is required, but it must analyze only the effects that remain to be addressed.
<input type="checkbox"/>	Although the proposed project could have a significant effect on the environment, because all potentially significant effects (a) have been analyzed adequately in an <i>earlier EIR or NEGATIVE DECLARATION</i> pursuant to applicable standards, and (b) have been avoided or mitigated pursuant to that <i>earlier EIR or NEGATIVE DECLARATION</i> , including revisions or mitigation measures that are imposed upon the proposed project, nothing further is required.

Signature \_\_\_\_\_

Date \_\_\_\_\_

The project is also described in greater detail in the attached Initial Study.



## TABLE OF CONTENTS

<b>1. INTRODUCTION.....</b>	<b>7</b>
1.1 OVERVIEW OF THE PROPOSED PROJECT.....	7
1.2 PURPOSE OF THIS STUDY.....	7
1.3 INITIAL STUDY'S ORGANIZATION.....	8
<b>2. PROJECT DESCRIPTION .....</b>	<b>9</b>
2.1 PROJECT LOCATION .....	9
2.2 ENVIRONMENTAL SETTING .....	9
<i>Exhibit 2-1 Regional Map .....</i>	<i>10</i>
<i>Exhibit 2-2 Citywide Map.....</i>	<i>11</i>
<i>Exhibit 2-3 Local Map .....</i>	<i>12</i>
<i>Exhibit 2-4 Aerial Map .....</i>	<i>13</i>
2.3 PHYSICAL CHARACTERISTICS OF THE PROPOSED PROJECT .....	14
2.4 OPERATIONAL CHARACTERISTICS OF THE PROPOSED PROJECT .....	15
2.5 CONSTRUCTION CHARACTERISTICS .....	15
2.6 DISCRETIONARY ACTIONS.....	16
<i>Exhibit 2-5 Site Plan of Project Site .....</i>	<i>17</i>
<i>Exhibit 2-6 Proposed Building Elevations .....</i>	<i>18</i>
<b>3. ENVIRONMENTAL ANALYSIS .....</b>	<b>19</b>
3.1 AESTHETICS .....	20
3.2 AGRICULTURE & FORESTRY RESOURCES.....	23
3.3 AIR QUALITY .....	26
Table 3-1 Estimated Daily Construction Emissions in lbs./day .....	28
Table 3-2 Estimated Operational Emissions in lbs./day .....	29
3.4 BIOLOGICAL RESOURCES .....	31
3.5 CULTURAL RESOURCES.....	35
3.6 ENERGY.....	40
Table 3-3 Proposed Project's Energy Consumption .....	41
3.7 GEOLOGY & SOILS.....	42
3.8 GREENHOUSE GAS EMISSIONS .....	47
Table 3-4 Greenhouse Gas Emissions Inventory.....	49
3.9 HAZARDS & HAZARDOUS MATERIALS .....	51
3.10 HYDROLOGY & WATER QUALITY.....	55
3.11 LAND USE & PLANNING.....	59
3.12 MINERAL RESOURCES.....	61
3.13 NOISE .....	63
3.14 POPULATION & HOUSING.....	67
3.15 PUBLIC SERVICES.....	69
3.16 RECREATION.....	72
3.17 TRANSPORTATION .....	74
Table 3-5 Trip Generation .....	75
3.18 TRIBAL CULTURAL RESOURCES.....	79
3.19 UTILITIES AND SERVICE SYSTEMS .....	83
Table 3-6 Projected Water Consumption.....	84
Table 3-7 Projected Effluent Generation.....	85
Table 3-8 Projected Solid Waste Generation .....	85
3.20 WILDFIRE .....	87
3.21 MANDATORY FINDINGS OF SIGNIFICANCE.....	89
<b>4. CONCLUSIONS.....</b>	<b>91</b>
4.1 FINDINGS.....	91
4.2 MITIGATION MEASURES .....	91
<b>5. REFERENCES .....</b>	<b>95</b>

5.1 PREPARERS .....95  
5.2 REFERENCES .....95

**APPENDICES (UNDER A SEPARATE COVER)**

- APPENDIX A - AIR QUALITY WORKSHEETS
- APPENDIX B - PROTECTED PLANT PRESERVATION PLAN
- APPENDIX C - CULTURAL RESOURCES REPORT
- APPENDIX D - ENERGY & UTILITIES WORKSHEETS

## 1. INTRODUCTION

### 1.1 OVERVIEW OF THE PROPOSED PROJECT

The proposed project would involve the construction and subsequent operation of two new warehouse buildings, referred to as *Warehouse 1* and *Warehouse 2*, within the 5.22 acre (202,261 square foot) property. Warehouse 1 would consist of 39,530 square feet of floor area including a 36,101 square feet of warehouse floor area and a 3,520 square foot office. Warehouse 2 would consist of 40,248 square feet of floor area including a 36,728 square feet of warehouse floor area and a 3,520 square foot office. The total floor area of the two buildings would be 79,778 square feet. The warehouses would consist of a single level with a maximum height of approximately 41 feet. Parking areas would be located to the eastern and southern portions of the site. A total of 73 parking spaces would be provided including 63 standard parking spaces, 2 truck parking spaces, 4 EV standard parking spaces, 2 ADA compliant parking spaces and 2 ADA compliant EV parking spaces. Landscaping would total 36,387 square feet. The landscaping would be provided around the building, the site's perimeter, and along the roadway frontages. The project would consist of 9 truck dock doors including 3 raised doors and 1 ground level door along the north elevation of Warehouse 1 and 4 raised doors and 1 ground level door along the south elevation of Warehouse 2. Truck maneuvering area would be located opposite the receiving docks and west of the two buildings. Vehicular access to the site would include one entrance for employees and patrons only and 2 entrances for trucks only. The 30 feet wide employee and patron vehicular access would be located east of the site in connection with E avenue. The 30 feet wide truck only entrances are located northwest and southeast corner of the project site. All three entrances are guarded by a security gate fence. For safety and security, screen walls in addition to combo walls consisting of masonry and wrought iron will surround the entire project site. The facility would be open from Monday through Friday.

The project site is vacant and includes a desert scrub community that exhibits signs of human disturbances. The biological resources on the site consist of a desert scrub community typical of the area with creosote bush (*Larrea tridentata*), white-bursage (*Ambrosia dumosa*), kelch grass (*Schismus barbatus*), flatspine bur ragweed (*Ambrosia acanthicarpa*), Joshua tree (*Yucca brevifolia*), rubber rabbitbrush (*Ericameria nauseosa*) and silver cholla (*Cylindropuntia echinocarpa*) observed on the site.<sup>1</sup>

### 1.2 PURPOSE OF THIS STUDY

The City of Hesperia is the designated *Lead Agency*, and as such, the City will be responsible for the project's environmental review. Section 21067 of California Environmental Quality Act (CEQA) defines a Lead Agency as the public agency that has the principal responsibility for carrying out or approving a project that may have a significant effect on the environment.<sup>2</sup> As part of the proposed project's environmental review, the City of Hesperia has authorized the preparation of this Initial Study.<sup>3</sup> The primary purpose of CEQA is to ensure that decision-makers and the public understand the environmental implications of a specific action or project. An additional purpose of this Initial Study is to ascertain whether the proposed project will have the potential for significant adverse impacts on the environment once it is implemented. Pursuant to the CEQA Guidelines, additional purposes of this Initial Study include the following:

---

<sup>1</sup> RCA Associates, Inc. *Protected Plant Preservation Plan, City of Hesperia, APN 0410-051-11*. August 23, 2023.

<sup>2</sup> California, State of. *California Public Resources Code. Division 13, Chapter 2.5. Definitions*. as Amended 2001. §21067.

<sup>3</sup> Ibid. (CEQA Guidelines) §15050.



- To provide the City of Hesperia with information to use as the basis for deciding whether to prepare an environmental impact report (EIR), mitigated negative declaration, or negative declaration for a project;
- To facilitate the project's environmental assessment early in the design and development of the proposed project;
- To eliminate unnecessary EIRs; and,
- To determine the nature and extent of any impacts associated the proposed project.

Although this Initial Study was prepared with consultant support, the analysis, conclusions, and findings made as part of its preparation fully represent the independent judgment and position of the City of Hesperia, in its capacity as the Lead Agency. The City determined, as part of this Initial Study's preparation, that a Mitigated Negative Declaration is the appropriate environmental document for the proposed project's CEQA review. Certain projects or actions may also require oversight approvals or permits from other public agencies. These other agencies are referred to as *Responsible Agencies* and *Trustee Agencies*, pursuant to Sections 15381 and 15386 of the State CEQA Guidelines.<sup>4</sup> This Initial Study and the *Notice of Intent to Adopt (NOIA) a Mitigated Negative Declaration* will be forwarded to responsible agencies, trustee agencies, and the public for review and comment. This Initial Study and Mitigated Negative Declaration will be forwarded to the State of California Office of Planning Research (the State Clearinghouse). A 30-day public review period would be provided to allow these entities and other interested parties to comment on the proposed project and the findings of this Initial Study.<sup>5</sup> Questions and/or comments should be submitted to the following:

Leilani Henry, Assistant Planner  
City of Hesperia Development Department, Planning Division  
9700 Seventh Avenue  
Hesperia, California 92345

### **1.3 INITIAL STUDY'S ORGANIZATION**

The following annotated outline summarizes the contents of this Initial Study:

- *Section 1 Introduction* provides the procedural context surrounding this Initial Study's preparation and insight into its composition.
- *Section 2 Project Description* provides an overview of the existing environment as it relates to the project area and describes the proposed project's physical and operational characteristics.
- *Section 3 Environmental Analysis* includes an analysis of potential impacts associated with the construction and the subsequent operation of the proposed project.
- *Section 4 Conclusions* summarizes the findings of the analysis.
- *Section 5 References* identifies the sources used in the preparation of this Initial Study.

---

<sup>4</sup> California, State of. Public Resources Code Division 13. *The California Environmental Quality Act. Chapter 2.5, Section 21067 and Section 21069.* 2000.

<sup>5</sup> California, State of. Public Resources Code Division 13. *The California Environmental Quality Act. Chapter 2.6, Section 2109(b).* 2000.

## 2. PROJECT DESCRIPTION

### 2.1 PROJECT LOCATION

The proposed project site is located in the north-central portion of the City of Hesperia. The City of Hesperia is located in southwestern portion of San Bernardino County in the southwestern Mojave Desert physiographic subregion. This physiographic subregion is more commonly referred to as either the “Victor Valley” or the “High Desert” due to its approximate elevation of 2,900 feet above sea level. The Victor Valley is separated from the more populated areas of coastal Southern California by the Cajon Pass which serves to separate the San Bernardino and San Gabriel mountains.

The City of Hesperia is bounded on the north by Victorville and Apple Valley, unincorporated San Bernardino County (Oro Grande); on the east by Apple Valley and unincorporated San Bernardino County (Bell Mountain); the south by the City of Hesperia and unincorporated San Bernardino County (Oak Hills); and on the west by unincorporated San Bernardino County (Baldy Mesa). Regional access to the City of Hesperia is provided by three area highways: the Mojave Freeway (Interstate 15), extending in a southwest to northeast orientation through the center of the City; U.S. Highway 395, traversing the western portion of the City in a northwest to southeast orientation; and Palmdale Road (State Route 18), which traverses the southern portion of the City in an east to west orientation.<sup>6</sup> The location of Hesperia, in a regional context, is shown in Exhibit 2-1. A citywide map is provided in Exhibit 2-2.

The 5.22 acre project site is located in the north-central portion of the City of Hesperia. The project site is undeveloped and does not have a legal address assigned to the property. The proposed project site is located on the southwest corner of Mojave Street and E Avenue. Mojave Street extends along the project site’s north side and E Avenue extends along the site’s east side. The project site’s latitude and longitude are 34°26'5.35"N, -117°17'23.71"W. The project site is located within the United States Geological Survey (USGS) Hesperia, California 7 ½ Minute Quadrangle (1956), Township 4 North, Range 4 West. A local vicinity map is provided in Exhibit 2-3. An aerial photograph of the site and the surrounding area is provided in Exhibit 2-4.

### 2.2 ENVIRONMENTAL SETTING

The proposed project site is located on a 5.22-acre site that is currently vacant. Current conditions on the property include a desert scrub community showing signs of human disturbances. The biological resources on the site consist of a desert scrub community typical of the area with creosote bush (*Larrea tridentata*), white-bursage (*Ambrosia dumosa*), kelch grass (*Schismus barbatus*), flatspine bur ragweed (*Ambrosia acanthicarpa*), Joshua tree (*Yucca brevifolia*), rubber rabbitbrush (*Ericameria nauseosa*) and silver cholla (*Cylindropuntia echinocarpa*) observed on the site.<sup>7</sup> The project site is located within the Mainstreet / Freeway Corridor Specific Plan (MSFC-SP). The project site’s Land use and Zoning Designation is *General Industrial* (GI).<sup>8</sup>


---

<sup>6</sup> Google Earth. Website accessed October 2, 2023.

<sup>7</sup> RCA Associates, Inc. *Protected Plant Preservation Plan, City of Hesperia, APN 0410-051-11*. August 23, 2023.

<sup>8</sup> City of Hesperia. *General Plan Land Use*. October 5, 2023.


**CITY OF HESPERIA • INITIAL STUDY AND MITIGATED NEGATIVE DECLARATION  
BICKMORE 5.22 ACRE SITE • SWC OF MOJAVE ST AND E AVE (APN 0410-05-111)**



**EXHIBIT 2-1 REGIONAL MAP**  
**SOURCE: BLODGETT BAYLOSIS ENVIRONMENTAL PLANNING**



**CITY OF HESPERIA • INITIAL STUDY AND MITIGATED NEGATIVE DECLARATION  
BICKMORE 5.22 ACRE SITE • SWC OF MOJAVE ST AND E AVE (APN 0410-05-111)**



**EXHIBIT 2-2 CITYWIDE MAP**  
**SOURCE: BLODGETT BAYLOSIS ENVIRONMENTAL PLANNING**



**EXHIBIT 2-3 LOCAL MAP**  
SOURCE: BLODGETT BAYLOSIS ENVIRONMENTAL PLANNING





**EXHIBIT 2-4 AERIAL MAP**  
SOURCE: BLODGETT BAYLOSIS ENVIRONMENTAL PLANNING

Land uses and development located in the vicinity of the proposed project site are outlined below:

- *North of the project site:* Mojave Street extends along the project site's north side. An industrial development, Classic Collision, is located on the north side of the aforementioned street at 10180 E Avenue. The Land Use and Zoning for this area is *General Industrial (GI)*.
- *West of the project site:* Abutting the project site to the west, is a vacant, undeveloped property. The Land Use and Zoning for this area is *General Industrial (GI)*.
- *South of the project site:* Abutting the project site to the south is a vacant, undeveloped property. The Land Use and Zoning for this area is *General Industrial (GI)*.
- *East of the project site:* "E" Avenue extends along the project site's east side. Further east, on the east side of "E" Avenue, is a vacant, undeveloped property. The Land Use and Zoning for this area is *General Industrial (GI)*.<sup>9</sup>

An aerial photograph of the project site and the surrounding area is provided in Exhibit 2-4.

### **2.3 PHYSICAL CHARACTERISTICS OF THE PROPOSED PROJECT**

The key physical elements of the proposed project are outlined below.

- *Site Plan.* The proposed project would involve the construction and subsequent operation of two new warehouse buildings, referred to as *Warehouse 1* and *Warehouse 2*, within the 5.22 acre (202,261 square foot) property. Warehouse 1 would consist of 39,530 square feet of floor area including a 36,101 square feet of warehouse floor area and a 3,520 square foot office. Warehouse 2 would consist of 40,248 square feet of floor area including a 36,728 square feet of warehouse floor area and a 3,520 square foot office. The total floor area of the two buildings would be 79,778 square feet.
- *Warehouse Building 1.* Warehouse 1 would consist of 39,530 square feet of floor area including a 36,101 square feet of warehouse floor area and a 3,520 square foot office. The new building would consist of a single level with a maximum height of approximately 41 feet. A total of 3 raised loading dock doors and 1 ground level door would be provided along the north elevation of Warehouse 1. The main public entrance and office area is located at the southeast corner of the building. The truck maneuvering areas would be located to the west of the buildings.
- *Warehouse Building 2.* Warehouse 2 would consist of 40,248 square feet of floor area including a 36,728 square feet of warehouse floor area and a 3,520 square foot office. The new building would consist of a single level with a maximum height of approximately 41 feet. A total of 4 raised loading dock doors and 1 ground level door would be provided along the south elevation of Warehouse 2. The main public entrance and office area is located at the northeast corner of the building.
- *Landscaping.* Landscaping would total 36,387 square feet. The landscaping would be provided around the building, the site's perimeter, and along the roadway frontages. All of the landscaping would consist of xeriscape (drought tolerant) plant specimens.
- *Access and Circulation.* Vehicular access to the site would include one entrance for employees and patrons and two entrances for trucks only. The 30 feet wide employee and patron vehicular access

---

<sup>9</sup> City of Hesperia. *General Plan Land Use*. October 5, 2023.



would be located east of the site and would connect with “E” Avenue. The 30 feet wide truck only entrances are located in the northwest and southeast corners of the project site. All three entrances are secured by security gates. For safety and security, screen walls in addition to combo walls consisting of masonry and wrought iron will surround the entire project site.

- *Parking.* Parking areas would be located in the eastern and southern portions of the site. A total of 73 parking spaces would be provided including 63 standard parking spaces, 2 truck parking spaces, 4 EV standard parking spaces, 2 ADA compliant parking spaces and 2 ADA compliant EV parking spaces.
- *Utilities.* The proposed project would connect to existing water and sewer lines located in “E” Avenue.<sup>10</sup>

The proposed site plan is illustrated in Exhibit 2-5. The proposed building elevations are included in Exhibit 2-6.

## **2.4 OPERATIONAL CHARACTERISTICS OF THE PROPOSED PROJECT**

DW Bickmore, LLC intends the project to be a storage facility. The facility would be open from Monday through Friday. The proposed project is anticipated to employ between 10-20 individuals onsite at any given time. The onsite employees’ functions are limited to business transactions, site maintenance, and warehousing operations. The hours of operation for the proposed project would be 5 days a week, 8:00 AM to 5:00 PM.

## **2.5 CONSTRUCTION CHARACTERISTICS**

The construction for the current proposed project is assumed to commence in June 2025 and would take approximately twelve months to complete. The key construction phases are outlined in the paragraphs that follow.

- *Grading Phase.* The project site would be graded and readied for the construction. This phase would require one month to complete. The typical heavy equipment used during this construction phase would include graders, bulldozers, offroad trucks, back-hoes, and trenching equipment.
- *Site Preparation Phase.* During this phase, the building footings, utility lines, and other underground infrastructure would be installed. This phase would require one month to complete. The typical heavy equipment used during this construction phase would include bulldozers, offroad trucks, back-hoes, front-end loaders, cranes, and forklifts.
- *Building Construction Phase.* The new buildings would be constructed during this phase. This phase will take approximately nine months to complete. The typical heavy equipment used during this construction phase would include offroad trucks, cranes, and fork-lifts. This task will take approximately seven months to complete.

---

<sup>10</sup> The Austin Company. S5 Bickmore Hesperia. Site Plan. Sheet A100. May 06, 2024.

- *Paving, Landscaping, and Finishing Phase.* The development site would be paved during this phase. This phase will take approximately one months to complete. The typical heavy equipment used during this construction phase would include trucks, backhoes, rollers, pavers, and trenching equipment.


## **2.6 DISCRETIONARY ACTIONS**

A Discretionary Action is an action taken by a government agency (for this project, the government agency is the City of Hesperia) that calls for an exercise of judgment in deciding whether to approve a project. The following discretionary approvals are required:

- Site Plan Review (SPR) 23-00018; and
- Approval of the Mitigated Negative Declaration (MND) and Mitigation Monitoring and Reporting Program (MMRP).



**CITY OF HESPERIA • INITIAL STUDY AND MITIGATED NEGATIVE DECLARATION**  
**BICKMORE 5.22 ACRE SITE • SWC OF MOJAVE ST AND E AVE (APN 0410-05-111)**



**EXHIBIT 2-5 SITE PLAN OF PROJECT SITE**  
**SOURCE: THE AUSTIN COMPANY**

**CITY OF HESPERIA • INITIAL STUDY AND MITIGATED NEGATIVE DECLARATION**  
**BICKMORE 5.22 ACRE SITE • SWC OF MOJAVE ST AND E AVE (APN 0410-05-111)**



**EXHIBIT 2-6 PROPOSED BUILDING ELEVATIONS**  
**SOURCE: THE AUSTIN COMPANY**



### 3. ENVIRONMENTAL ANALYSIS

This section of the Initial Study analyzes the potential environmental impacts that may result from the proposed project's implementation. The issue areas evaluated in this Initial Study include the following:

Aesthetics (Section 3.1);  
Agricultural & Forestry Resources (Section 3.2);  
Air Quality (Section 3.3);  
Biological Resources (Section 3.4);  
Cultural Resources (Section 3.5);  
Energy (Section 3.6);  
Geology & Soils (Section 3.7);  
Greenhouse Gas Emissions; (Section 3.8);  
Hazards & Hazardous Materials (Section 3.9);  
Hydrology & Water Quality (Section 3.10);  
Land Use & Planning (Section 3.11);

Mineral Resources (Section 3.12);  
Noise (Section 3.13);  
Population & Housing (Section 3.14).  
Public Services (Section 3.15);  
Recreation (Section 3.16);  
Transportation (Section 3.17);  
Tribal Cultural Resources (Section 3.18);  
Utilities (Section 3.19);  
Wildfire (Section 3.20); and,  
Mandatory Findings of Significance (Section 3.21).

### 3.1 AESTHETICS

Environmental Issue Areas Examined	Potentially Significant Impact	Less Than Significant Impact with Mitigation	Less Than Significant Impact	No Impact
A. Would the project have a substantial adverse effect on a scenic vista?			✗	
B. Would the project substantially damage scenic resources including, but not limited to, trees, rock outcroppings, and historic buildings within a State scenic highway?				✗
C. Would the project substantially degrade the existing visual character or quality of public views of the site and its surroundings? (Public views are those that are experienced from a publicly accessible vantage point). If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?				✗
D. Would the project create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?				✗

### THRESHOLDS OF SIGNIFICANCE AND METHODOLOGY

According to Appendix G of the CEQA Guidelines, a project may be deemed to have a significant adverse impact on aesthetics if it results in any of the following:

- The proposed project would have an adverse effect on a scenic vista, except as provided in PRC Sec. 21099.
- The proposed project would have an adverse effect on scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway.
- The proposed project would substantially degrade the existing visual character or quality of public views of the site and its surroundings (Public views are those that are experienced from publicly accessible vantage point). If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality. or,
- The proposed project would, except as provided in Public Resources Code Section 21099, create a new source of substantial light or glare which would adversely affect day or nighttime views in the area.

The evaluation of aesthetics and aesthetic impacts is generally subjective, and it typically requires the identification of key visual features in the area and their importance. The characterization of aesthetic impacts involves establishing the existing visual characteristics including visual resources and scenic vistas that are unique to the area. Visual resources are determined by identifying existing landforms (e.g., topography and grading), views (e.g., scenic resources such as natural features or urban characteristics), and existing light and glare characteristics (e.g., nighttime illumination). Changes to the existing aesthetic environment associated with the proposed project's implementation are identified and *qualitatively* evaluated based on the proposed modifications to the existing setting and the viewers' sensitivity. The project-related impacts are then compared to the context of the existing setting, using the threshold criteria discussed above.

## ANALYSIS OF ENVIRONMENTAL IMPACTS

### **A. Would the project have a substantial adverse effect on a scenic vista? • Less Than Significant Impact.**

The proposed project would involve the construction and subsequent operation of two new warehouse buildings, referred to as *Warehouse 1* and *Warehouse 2*, within the 5.22 acre (202,261 square foot) property. Warehouse 1 would consist of 39,530 square feet of floor area including a 36,101 square feet of warehouse floor area and a 3,520 square foot office. Warehouse 2 would consist of 40,248 square feet of floor area including a 36,728 square feet of warehouse floor area and a 3,520 square foot office. The total floor area of the two buildings would be 79,778 square feet. The warehouses would consist of a single level with a maximum height of approximately 41 feet. Current conditions on the property include a desert scrub community showing signs of human disturbances. There are 34 Joshua Trees within the boundaries of the property. The dominant scenic views from the project site includes distant views of the San Bernardino and San Gabriel Mountains, located south, southwest and southeast of the site and the City. In addition, local views are already dominated by neighboring development and the nearby I-15 freeway. The proposed project shall be designed, constructed, and operated in accordance with General Plan Policy LU-8.5 of the Land Use Element, which requires all development within the City to “Adopt design standards that will ensure land use compatibility and enhance the visual environment by providing attractive, aesthetically pleasing development which is sensitive to the unique local characteristics of the Hesperia community.” In accordance with City policy, the Applicant shall provide replacement landscaping or vegetation to disturbed areas consistent with the natural surroundings, and in accordance with City Municipal Code Section 16.24.150 (Subject Desert Native Plants) and County Codes 88.01.050 (Tree or Plant Removal Permits) and 88.01.060 (Desert Native Plant Protection). Pursuant to these codes, landscaping shall be selected and incorporated to be drought-tolerant and shall complement existing natural and manmade features, including the dominant landscaping of surrounding areas. Through compliance with the City General Plan and Municipal Code, the proposed project would minimize the contrast between project features and the surrounding Mojave Desert landscape and ensure adverse effects on scenic vistas remain less than significant. No mitigation is required. In addition, views from the mountains will not be obstructed. Once operational, views of the aforementioned mountains will continue to be visible from the public right-of-way. *As a result, the impacts would be less than significant.*

### **B. Would the project substantially damage scenic resources including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway? • No Impact.**

According to the California Department of Transportation, none of the streets located adjacent to the proposed project site are not designated scenic highways and there are no state or county designated scenic highways in the vicinity of the project site.<sup>11</sup> The City of Hesperia General Plan identifies prominent view sheds within the City. These view sheds are comprised primarily of undeveloped desert land, the Mojave River, and distant views of the San Bernardino Mountains.<sup>12</sup> Lastly, the project site is currently vacant and does not contain any buildings listed in the State or National register. *As a result, no impacts would occur.*

<sup>11</sup> California Department of Transportation. *Official Designated Scenic Highways*.

<sup>12</sup> City of Hesperia General Plan Website accessed on October 2, 2023.

**C.** *Would the project substantially degrade the existing visual character or quality of public views of the site and its surroundings? (Public views are those that are experienced from a publicly accessible vantage point.) If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality? • No Impact.*

There are no protected views in the vicinity of the project site and the City does not contain any scenic vistas in the vicinity of the project site. In addition, the City does not have any zoning regulations or other regulations governing scenic quality other than the development standards for which the new development will conform to. *As a result, no impacts would occur.*

**D.** *Would the project create a new source of substantial light or glare which would adversely affect day or nighttime views in the area? • No Impact.*

Project-related sources of nighttime light would include parking area exterior lights, security lighting, and vehicular headlights. In addition, the City of Hesperia Municipal Code Section 16.16.415 includes design standards for outdoor lighting that apply to new development in the City (the site is located in the *General Industrial* (GI) zone district). The site's development would involve the installation of outdoor lighting necessary for safety and security as well as to accommodate night-time business operations. All lighting would comply with the development standards contained in the City's Zoning Code. The Municipal Code lighting standards govern the placement and design of outdoor lighting fixtures to ensure adequate lighting for public safety while also minimizing light pollution and glare and precluding nuisance (e.g., blinking/flashing lights, unusually high intensity or needlessly bright lighting). It is important to note that there are no light sensitive land uses located in the vicinity of the project site. *As a result, no impacts are anticipated.*

## **MITIGATION MEASURES**

The analysis of aesthetics indicated that no impact on these resources would occur as part of the proposed project's implementation. As a result, no mitigation is required.

### 3.2 AGRICULTURE & FORESTRY RESOURCES

Environmental Issue Areas Examined	Potentially Significant Impact	Less Than Significant Impact with Mitigation	Less Than Significant Impact	No Impact
<b>A.</b> Would the project convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural uses?				✗
<b>B.</b> Would the project conflict with existing zoning for agricultural uses, or a Williamson Act Contract?				✗
<b>C.</b> Would the project conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code Section 12220(g)), timberland (as defined by Public Resources Code Section 4526), or timberland zoned Timberland Production (as defined by Government Code Section 51104(g))?				✗
<b>D.</b> Would the project result in the loss of forest land or conversion of forest land to a non-forest use?				✗
<b>E.</b> Would the project involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland to non-agricultural use or conversion of forest land to a non-forest use?				✗

#### THRESHOLDS OF SIGNIFICANCE AND METHODOLOGY

According to Appendix G of the CEQA Guidelines, a project may be deemed to have a significant adverse impact on agriculture and forestry resources if it results in any of the following:

- The proposed project would convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use.
- The proposed project would conflict with existing zoning for agricultural use, or a Williamson Act contract.
- The proposed project would conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g)).
- The proposed project would result in the loss of forest land or conversion of forest land to non-forest use.
- The proposed project would involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use or conversion of forest land to non-forest use.

The California Department of Conservation Farmland Mapping and Monitoring Program (FMMP) was established in 1982 to track changes in agricultural land use and to help preserve areas of Important Farmland. It divides the state's land into eight categories of land use designation based on soil quality and existing agriculture uses to produce maps and statistical data. These maps and data are used to help

preserve productive farmland and to analyze impacts on farmland. Prime Farmland, Farmland of Statewide Importance, Unique Farmland, and Farmland of Local Importance are all Important Farmland and are collectively referred to as Important Farmland in this analysis. The highest rated Important Farmland is Prime Farmland. The California Land Conservation Act of 1965, or the Williamson Act, allows a city or county government to preserve agricultural land or open space through contracts with landowners. The County has areas that are currently agriculture preserves under contract with San Bernardino County through the Williamson Act of 1965. Contracts last 10 years and are automatically renewed unless a notice of nonrenewal is issued.

## **ANALYSIS OF ENVIRONMENTAL IMPACTS**

**A. *Would the project convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural uses? • No Impact.***

The proposed project would involve the construction and subsequent operation of two new warehouse buildings, referred to as *Warehouse 1* and *Warehouse 2*, within the 5.22 acre (202,261 square foot) property. Warehouse 1 would consist of 39,530 square feet of floor area including a 36,101 square feet of warehouse floor area and a 3,520 square foot office. Warehouse 2 would consist of 40,248 square feet of floor area including a 36,728 square feet of warehouse floor area and a 3,520 square foot office. The total floor area of the two buildings would be 79,778 square feet. The warehouses would consist of a single level with a maximum height of approximately 41 feet. Current conditions on the property include a desert scrub community showing signs of human disturbances. There are 34 Joshua Trees within the boundaries of the property.

According to the California Department of Conservation, the project site nor the surrounding properties do not contain any areas of Farmland of Statewide Importance, and no agricultural uses are located onsite or adjacent to the property. The implementation of the proposed project would not involve the conversion of any prime farmland, unique farmland, or farmland of statewide importance to urban uses. *As a result, no impacts would occur.*<sup>13</sup>

**B. *Would the project conflict with existing zoning for agricultural uses, or a Williamson Act Contract? • No Impact.***

There are no agricultural uses located within the site that would be affected by the project's implementation. According to the California Department of Conservation Division of Land Resource Protection, the project site is not subject to a Williamson Act Contract.<sup>14</sup> *As a result, no impacts would occur.*

---

<sup>13</sup> California Department of Conservation, Division of Land Resource Protection, Farmland Mapping, and Monitoring Program. *California Important Farmland Finder*.

<sup>14</sup> California Department of Conservation. *State of California Williamson Act Contract Land*.  
<https://maps.conservation.ca.gov/dlrp/WilliamsonAct/>



**C.** *Would the project conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code Section 12220(g)), timberland (as defined by Public Resources Code Section 4526), or timberland zoned Timberland Production (as defined by Government Code Section 51104(g))?* • *No Impact.*

There are no forest lands or timber lands located within or adjacent to the site. An adjacent property located to the north is disturbed and contains structures. Furthermore, the site's existing zoning designation does not contemplate forest land or timber land uses. *As a result, no impacts would occur.*

**D.** *Would the project result in the loss of forest land or conversion of forest land to a non-forest use?* • *No Impact.*

No forest lands are located within the project site. The proposed use will be restricted to the site and would not affect any forest land or farmland. No loss or conversion of forest lands to urban uses would result from the proposed project's implementation. *As a result, no impacts would occur.*

**E.** *Would the project involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland to non-agricultural use or conversion of forest land to a non-forest use?* • *No Impact.*

The project would not involve the disruption or damage of the existing environment resulting in a loss of farmland to nonagricultural use or conversion of forest land to non-forest use. The site does not contain any agricultural or forestry vegetation. No farmland conversion impacts would occur with the implementation of the proposed project. *As a result, no impacts would occur.*

## **MITIGATION MEASURES**

The analysis of agricultural and forestry resources indicated that no impact on these resources would occur as part of the proposed project's implementation. As a result, no mitigation is required.

### 3.3 AIR QUALITY

Environmental Issue Areas Examined	Potentially Significant Impact	Less Than Significant Impact with Mitigation	Less Than Significant Impact	No Impact
A. Would the project conflict with or obstruct implementation of the applicable air quality plan?				✗
B. Would the project result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?		✗		
C. Would the project expose sensitive receptors to substantial pollutant concentrations?			✗	
D. Would the project result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?			✗	

The air quality worksheets are included in Appendix A.

#### THRESHOLDS OF SIGNIFICANCE AND METHODOLOGY

According to Appendix G of the CEQA Guidelines, a project may be deemed to have a significant adverse impact on air quality if it results in any of the following:

- The proposed project would conflict with or obstruct implementation of the applicable air quality plan.
- The proposed project would result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard.
- The proposed project would expose sensitive receptors to substantial pollutant concentrations.
- The proposed project would result in other emissions (such as those leading to odors adversely affecting a substantial number of people).

The Mojave Desert Air Quality Management District (MDAQMD) has established quantitative thresholds for short-term (construction) emissions and long-term (operational) emissions for the criteria pollutants listed below. Projects in the Mojave Desert Air Basin (MDAB) generating construction and operational-related emissions that exceed any of the following emissions thresholds are considered to be significant under CEQA.

- *Ozone (O<sub>3</sub>)* is a nearly colorless gas that irritates the lungs, and damages materials and vegetation. Ozone is formed by photochemical reaction (when nitrogen dioxide is broken down by sunlight).
- *Carbon Monoxide (CO)* is a colorless, odorless toxic gas that interferes with the transfer of oxygen to the brain and is produced by the incomplete combustion of carbon-containing fuels emitted as vehicle exhaust. The threshold is 548 pounds per day of carbon monoxide (CO).



- *Nitrogen Oxide (NO<sub>x</sub>)* is a yellowish-brown gas, which at high levels can cause breathing difficulties. NO<sub>x</sub> is formed when nitric oxide (a pollutant from burning processes) combines with oxygen. The daily threshold is 137 pounds per day of nitrogen oxide (NO<sub>x</sub>).
- *Sulfur Dioxide (SO<sub>2</sub>)* is a colorless, pungent gas formed primarily by the combustion of sulfur-containing fossil fuels. Health effects include acute respiratory symptoms. The daily threshold is 137 pounds per day of sulfur oxides (SO<sub>x</sub>).
- *PM<sub>10</sub> and PM<sub>2.5</sub>* refers to particulate matter less than ten microns and two and one-half microns in diameter, respectively. Particulates of this size cause a greater health risk than larger-sized particles since fine particles can more easily cause irritation. The daily threshold is 82 pounds per day of PM<sub>10</sub> and 65 pounds per day of PM<sub>2.5</sub>.
- *Reactive Organic Gasses (ROG)* refers to organic chemicals that, with the interaction of sunlight photochemical reactions may lead to the creation of “smog.” The daily threshold is 137 pounds per day of ROG.

## **ANALYSIS OF ENVIRONMENTAL IMPACTS**

<b>A. <i>Would the project conflict with or obstruct implementation of the applicable air quality plan? • No Impact.</i></b>
------------------------------------------------------------------------------------------------------------------------------

The proposed project would involve the construction and subsequent operation of two new warehouse buildings, referred to as *Warehouse 1* and *Warehouse 2*, within the 5.22 acre (202,261 square foot) property. Warehouse 1 would consist of 39,530 square feet of floor area including a 36,101 square feet of warehouse floor area and a 3,520 square foot office. Warehouse 2 would consist of 40,248 square feet of floor area including a 36,728 square feet of warehouse floor area and a 3,520 square foot office. The total floor area of the two buildings would be 79,778 square feet. The warehouses would consist of a single level with a maximum height of approximately 41 feet. Current conditions on the property include a desert scrub community showing signs of human disturbances. There are 34 Joshua Trees within the boundaries of the property.

Air quality impacts may occur during the construction or operation of a project, and may come from stationary sources (e.g., industrial processes, generators), mobile sources (e.g., automobiles, trucks), or area (e.g., residential water heaters) sources. Projects that are consistent with the projections of employment and population forecasts identified in the Regional Transportation Plan/Sustainable Communities Strategy (RTP/SCS) prepared by SCAG are considered consistent with the MDAQMP growth projections, since the RTP/SCS forms the basis of the land use and transportation control portions of the MDAQMP. According to the Growth Forecast Appendix prepared by SCAG for the 2020-2045 RTP/SCS, the City of Hesperia is projected to increase to 10,200 jobs in 2040 from 7,200 jobs in 2020.<sup>15</sup> The proposed project will not introduce any new residents and the proposed project is anticipated to employ 10 to 20 individuals onsite at any given time. Therefore, the proposed project is not in conflict with the growth projections established for the City by SCAG. The project’s construction emissions would be below the thresholds of significance established by the MDAQMD (the project’s daily construction emissions are summarized in Table 3-1). In addition, the proposed project’s long-term (operational) airborne emissions will be below levels that the

---

<sup>15</sup> Southern California Association of Governments. 2020-2045 *Regional Transportation Plan/Sustainable Communities Strategy. Demographics & Growth Forecast*. November 2021.

MDAQMD considers to be a significant impact (refer to Table 3-2). *As a result, no impacts would occur.*

**B. Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard? • Less than Significant Impact with Mitigation.**

According to the MDAQMD, any project is significant if it triggers or exceeds the MDAQMD daily emissions threshold identified previously and noted at the bottom of Tables 3-1 and 3-2. In general, a project will have the potential for a significant air quality impact if any of the following are met:

- Generates total emissions (direct and indirect) that exceeds the MDAQMD thresholds (the proposed project emissions are less than the thresholds as indicated in Tables 3-1 and 3-2);
- Results in a violation of any ambient air quality standard when added to the local background (the proposed project will not result, in any violation of these standards);
- Does not conform with the applicable attainment or maintenance plan(s) (the proposed project is in conformance with the City's Zoning and General Plan); and,
- Exposes sensitive receptors to substantial pollutant concentrations, including those resulting in a cancer risk greater than or equal to 10 in a million and/or a Hazard Index (HI) (non-cancerous) greater than or equal to 1 (the proposed project will not expose sensitive receptors to substantial pollutant concentrations nor is the site located near any sensitive receptors).

The proposed project's construction and operation will not lead to a violation of the above-mentioned criteria. The analysis of daily construction and operational emissions was prepared utilizing the California Emissions Estimator Model (CalEEMod V.2022.1.1.29). As shown in Table 3-1, relevant daily construction emissions will not exceed the MDAQMD significance thresholds.

**Table 3-1 Estimated Daily Construction Emissions in lbs./day**

Construction Phase	ROG	NOx	CO	SO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>
Maximum Daily Emissions	37.9	14.1	16.1	0.03	3.54	1.96
Daily Thresholds	137	137	548	137	82	65
Significant Impact?	No	No	No	No	No	No

Source: CalEEMod V.2022.1.1.29

While the construction-related emissions will be below thresholds, the following mitigation measures will be required to further reduce potential construction-related emissions.

- The Applicant shall prepare and submit to the MDAQMD, prior to commencing earth-moving activity, a dust control plan that describes all applicable dust control measures that will be implemented at the project;
- The Applicant shall ensure that signage, compliant with Rule 403 Attachment, is erected at each project site entrance not later than the commencement of construction.
- The Applicant shall ensure the use of a water truck to maintain moist disturbed surfaces and actively spread water during visible dusting episodes to minimize visible fugitive dust emissions. For projects with exposed sand or fines deposits (and for projects that expose such soils

through earthmoving), chemical stabilization or covering with a stabilizing layer of gravel will be required to eliminate visible dust/sand from sand/fines deposits.

- All perimeter fencing shall be wind fencing or the equivalent, to a minimum of four feet of height or the top of all perimeter fencing. The owner/operator shall maintain the wind fencing as needed to keep it intact and remove windblown dropout. This wind fencing requirement may be superseded by local ordinance, rule or project-specific biological mitigation prohibiting wind fencing.
- All maintenance and access vehicular roads and parking areas shall be stabilized with chemical, gravel, or asphaltic pavement sufficient to eliminate visible fugitive dust from vehicular travel and wind erosion. Take actions to prevent project-related track out onto paved surfaces and clean any project-related track out within 24 hours. All other earthen surfaces within the project area shall be stabilized by natural or irrigated vegetation, compaction, chemical or other means sufficient to prohibit visible fugitive dust from wind erosion.

Long-term emissions refer to those air quality impacts that would occur once the proposed project has been constructed and is operational. These impacts will continue over the operational life of the project. The two main sources of operational emissions include mobile emissions and area emissions related to off-site electrical generation. The analysis of long-term operational impacts summarized in Table 3-2 also used the CalEEMod V.2022.1.1.29 computer model. The analysis summarized in Table 3-2 indicates that the operational (long-term) emissions will be below the MDAQMD daily emissions thresholds.

**Table 3-2 Estimated Operational Emissions in lbs./day**

Operational Phase	ROG	NOx	CO	SO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>
Total Maximum Daily (lbs./day)	3.09	1.05	9.50	0.02	1.15	0.32
Daily Thresholds	137	137	548	137	82	65
Significant Impact?	No	No	No	No	No	No

Source: CalEEMod V.2022.1.1.29

The analysis presented in Tables 3-1 and 3-2 reflect projected emissions that are typically higher during the summer months and represent a worse-case scenario. As indicated in Tables 3-1 and 3-2, the impacts are considered to be less than significant. In addition, the MDAQMD Rule Book contains numerous regulations governing various activities undertaken within the district. Among these regulations is Rule 403.2 – Fugitive Dust Control for the South Coast Planning Area, which was adopted in 1996 for the purpose of controlling fugitive dust. Adherence to Rule 403.2 regulations is required for all projects undertaken within the district. Future construction truck drivers must also adhere to Title 13 - §2485 of the California Code of Regulations, which limits the idling of diesel-powered vehicles to less than five minutes.<sup>3</sup> Adherence to the aforementioned standard condition will minimize odor impacts from diesel trucks. Adherence to Rule 403 Regulations and Title 13 - §2485 of the California Code of Regulations will reduce potential impacts. *As a result, the impacts would be less than significant with mitigation.*

**C. Would the project expose sensitive receptors to substantial pollutant concentrations? • Less than Significant Impact**

The nearest sensitive receptor to the project site include LaVerne Elementary Preparatory Academy located approximately 2,400 feet to the east of the project site. According to the MDAQMD, residences, schools, daycare centers, playgrounds, and medical facilities are considered sensitive receptor land uses. The

following project types proposed for sites within the specified distance to an existing or planned (zoned) sensitive receptor land use must be evaluated: any industrial project within 1,000 feet; a distribution center (40 or more trucks per day) within 1,000 feet; a major transportation project within 1,000 feet; a dry cleaner using perchloroethylene within 500 feet; and a gasoline dispensing facility within 300 feet. The proposed warehouse is not located within 1,000 feet of the sensitive receptor. *As a result, the impacts would be less than significant.*

**D.** *Would the project result in other emissions (such as those leading to odors) adversely affecting a substantial number of people? • Less than Significant Impact.*

The proposed project would be required to adhere to the rules governing nuisance odors. All truck drivers visiting the site must adhere to Title 13 - §2485 of the California Code of Regulations, which limits the idling of diesel-powered vehicles to less than five minutes. Adherence to the aforementioned standard condition will minimize odor impacts from diesel trucks. Furthermore, adherence to MDAQMD Rule 402 Nuisance Odors will minimize odors generated during daily activities. Adherence to the existing regulations governing “nuisance odors” will reduce potential impacts. *As a result, the impacts would be less than significant.*

## MITIGATION MEASURES

The following mitigation measures have been incorporated herein to further reduce the potential air quality impacts to levels that are less than significant.

**AIR Mitigation No. 1.** The Applicant shall prepare and submit to the MDAQMD, prior to commencing earth-moving activity, a dust control plan that describes all applicable dust control measures that will be implemented at the project.

**AIR Mitigation No. 2.** The Applicant shall ensure that signage, compliant with Rule 403 Attachment, is erected at each project site entrance not later than the commencement of construction.

**AIR Mitigation No. 3.** The Applicant shall ensure the use of a water truck to maintain moist disturbed surfaces and actively spread water during visible dusting episodes to minimize visible fugitive dust emissions. For projects with exposed sand or fines deposits (and for projects that expose such soils through earthmoving), chemical stabilization or covering with a stabilizing layer of gravel will be required to eliminate visible dust/sand from sand/fines deposits.

**AIR Mitigation No. 4.** All perimeter fencing shall be wind fencing or the equivalent, to a minimum of four feet of height or the top of all perimeter fencing. The owner/operator shall maintain the wind fencing as needed to keep it intact and remove windblown dropout. This wind fencing requirement may be superseded by local ordinance, rule or project-specific biological mitigation prohibiting wind fencing.

**AIR Mitigation No. 5.** All maintenance and access vehicular roads and parking areas shall be stabilized with chemical, gravel, or asphaltic pavement sufficient to eliminate visible fugitive dust from vehicular travel and wind erosion. Take actions to prevent project-related track out onto paved surfaces and clean any project-related track out within 24 hours. All other earthen surfaces within the project area shall be stabilized by natural or irrigated vegetation, compaction, chemical or other means sufficient to prohibit visible fugitive dust from wind erosion.

### 3.4 BIOLOGICAL RESOURCES

Environmental Issue Areas Examined	Potentially Significant Impact	Less Than Significant Impact with Mitigation	Less Than Significant Impact	No Impact
<b>A.</b> Would the project have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?		✗		
<b>B.</b> Would the project have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?				✗
<b>C.</b> Would the project have a substantial adverse effect on state or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?				✗
<b>D.</b> Would the project interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory life corridors, or impede the use of native wildlife nursery sites?				✗
<b>E.</b> Would the project conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?		✗		
<b>F.</b> Would the project conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or State habitat conservation plan?				✗

The biological report is included in Appendix B.

### THRESHOLDS OF SIGNIFICANCE AND METHODOLOGY

According to Appendix G of the CEQA Guidelines, a project may be deemed to have a significant adverse impact on biological resources if it results in any of the following:

- The proposed project would have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service.
- The proposed project would have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Wildlife or US Fish and Wildlife Service.
- The proposed project would have a substantial adverse effect on state or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means.
- The proposed project would interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors or impede the use of native wildlife nursery sites.



**CITY OF HESPERIA • INITIAL STUDY AND MITIGATED NEGATIVE DECLARATION  
BICKMORE 5.22 ACRE SITE • SWC OF MOJAVE ST AND E AVE (APN 0410-05-111)**

- The proposed project would conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance.
- The proposed project would conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan.

Sensitive biological resources include a variety of plant and animal species that are specialized and endemic to a particular habitat type. Due to loss of habitat, some of these species have been designated by either, or both, the federal and state government resource agencies as threatened or endangered. Species listed as threatened include those whose numbers have dropped to such low levels and/or whose populations are so isolated that the continuation of the species could be jeopardized. Endangered species are those with such limited numbers or subject to such extreme circumstances that they are considered in imminent danger of extinction. Other government agencies and resource organizations also identify sensitive species, those that are naturally rare and that have been locally depleted and put at risk by human activities. While not in imminent danger of jeopardy or extinction, sensitive species are considered vulnerable and can become candidates for future listing as threatened or endangered.

## **ANALYSIS OF ENVIRONMENTAL IMPACTS**

**A.** *Would the project have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service? • Less than Significant Impact with Mitigation.*

The proposed project would involve the construction and subsequent operation of two new warehouse buildings, referred to as *Warehouse 1* and *Warehouse 2*, within the 5.22 acre (202,261 square foot) property. Warehouse 1 would consist of 39,530 square feet of floor area including a 36,101 square feet of warehouse floor area and a 3,520 square foot office. Warehouse 2 would consist of 40,248 square feet of floor area including a 36,728 square feet of warehouse floor area and a 3,520 square foot office. The total floor area of the two buildings would be 79,778 square feet. The landscaping would be provided around the building, the site's perimeter, and along the roadway frontages. Current conditions on the property include a desert scrub community showing signs of human disturbances. The biological resources on the site consist of a desert scrub community typical of the area with creosote bush (*Larrea tridentata*), white-bursage (*Ambrosia dumosa*), kelch grass (*Schismus barbatus*), flatspine bur ragweed (*Ambrosia acanthicarpa*), Joshua tree (*Yucca brevifolia*), rubber rabbitbrush (*Ericameria nauseosa*) and silver cholla (*Cylindropuntia echinocarpa*) observed on the site.<sup>16</sup>

Based on the Protected Plant Preservation Plan that was prepared for the site, there are thirty-four (34) Joshua trees located on the property. This conclusion was based on: (1) trees which were 0.6 meters or greater in height and less than 3 meters tall (approximate); (2) in good health; (3), two branches or less; (4) density of trees (i.e., no clonal trees); (5) no exposed roots; (6) and trees that are not leaning over excessively. Prior to the initiation of western Joshua tree removal, relocation, replanting, trimming, or pruning or any activity that may result in take of western Joshua trees (WJT) on site, the Project Proponent should obtain an Incidental Take Permit (ITP) under the Western Joshua Tree Conservation Act (WJTCA) of Fish and Game Code (§§ 1927- 1927.12). California Fish and Game Code section 86 defines “take” as “hunt, pursue, catch, capture, or kill, or attempt to hunt, pursue, catch, capture, or kill”. Mitigation for

<sup>16</sup> RCA Associates, Inc. *Protected Plant Preservation Plan, City of Hesperia, APN 0410-051-11*. August 23, 2023.

**CITY OF HESPERIA • INITIAL STUDY AND MITIGATED NEGATIVE DECLARATION  
BICKMORE 5.22 ACRE SITE • SWC OF MOJAVE ST AND E AVE (APN 0410-05-111)**

WJTCA would occur per the stem count per the WJTCA census in lieu fee. The mitigation fee for each tree size class is identified in Fish and Game Code section 1927.3 (d) and (e) and adjusted annually in compliance with Fish and Game Code section 1927.8(b). Each western Joshua tree stem or trunk arising from the ground shall be considered an individual tree requiring mitigation, regardless of proximity to any other western Joshua tree stem of trunk. Mitigation is required of all trees, regardless of whether they are dead or alive. Additionally, CDFW may require relocation of WJT based on the final WJT census. A Relocation Plan must be approved by CDFW prior to the issuance of a WJTCA ITP. The following minimization measures are applicable to the Joshua Tree that is present on the project site.

1. The Joshua tree will be retained in place or replanted somewhere on the site where they can remain in perpetuity or will be transplanted to an off-site area approved by the city where they can remain in perpetuity. Joshua trees which are deemed not suitable for transplanting will be cut-up and discarded as per City requirements.
2. Earthen berms will be created around each tree by the biologist prior to excavation and the trees will be watered approximately one week before transplanting. Watering the trees prior to excavation will help make excavation easier, ensure the root ball will hold together, and minimize stress to the tree.
3. The tree will be moved to a pre-selected location which has already been excavated and will be placed and oriented in the same direction as their original direction. The hole will be backfilled with native soil, and the transplanted tree will be immediately watered. A numbered metal tag was placed on the north side of the tree and the tree was also flagged with surveyor's flagging. The biologist will develop a watering regimen to ensure the survival of the transplanted trees. The watering regimen will be based upon the needs of the trees and the local precipitation.

*The impacts will be less than significant with the above mitigation measures.*

**B. Would the project have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service? • No Impact.**

According to the United States Fish and Wildlife Service, there are no wetland or migratory bird nesting areas located within the project site. The site in its entirety is undisturbed. In addition, there is no riparian habitat located on-site or in the surrounding areas. No offsite wetland or migratory bird nesting areas would be affected by the proposed development since all development will be confined to the project site. *As a result, no impacts would occur.*

**C. Would the project have a substantial adverse effect on state or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means? • No Impact.**

No wetland areas or riparian habitats (e.g., wetlands, vernal pools, critical habitats for sensitive species, etc.) were found on National Wetlands Inventory.<sup>17</sup> *As a result, no impacts would occur.*

---

<sup>17</sup> U.S. Fish & Wildlife Service. *National Wetlands Inventory Mapper*. Accessed October 3, 2023.

**D.** *Would the project interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory life corridors, or impede the use of native wildlife nursery sites? • No Impact.*

The site's utility as a habitat and a migration corridor is constrained by the presence of an adjacent roadways and the development that is present in the neighboring areas. *As a result, no impacts would occur.*

**E.** *Would the project conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance? • Less than Significant with Mitigation.*

Current conditions on the property include a desert scrub community showing signs of human disturbances. The biological resources on the site consist of a desert scrub community typical of the area with creosote bush (*Larrea tridentata*), white-bursage (*Ambrosia dumosa*), kelch grass (*Schismus barbatus*), flatspine bur ragweed (*Ambrosia acanthicarpa*), Joshua tree (*Yucca brevifolia*), rubber rabbitbrush (*Ericameria nauseosa*) and silver cholla (*Cylindropuntia echinocarpa*) observed on the site.<sup>18</sup>

There are thirty-four (34) Joshua trees located on the property and three (3) of the trees are suitable for relocation/transplanting. This conclusion was based on: (1) trees which were 0.6 meters or greater in height and less than 3 meters tall (approximate); (2) in good health; (3), two branches or less; (4) density of trees (i.e., no clonal trees); (5) no exposed roots; (6) and trees that are not leaning over excessively. *The impacts will be less than significant with Bio Mitigation No. 1. mitigation measure.*

**F.** *Would the project conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan? • No Impact.*

The proposed project's implementation would not be in conflict with the provisions of any adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or State habitat conservation plans. *As a result, no impacts are anticipated.*

## MITIGATION MEASURES

There are thirty-four (34) Joshua trees located on the property and three (3) of the trees are suitable for relocation/transplanting. The following mitigation would apply:

**BIO Mitigation No. 1.** Mitigation for direct impacts to the western Joshua trees within the Project site will be fulfilled through attainment of a Western Joshua Tree Conservation Act (WJTCA) Incidental Take Permit and a payment of the elected fees as described in Section 1927.3 of the WJTCA. California Department of Fish and Wildlife (CDFW) determines the final fee. Alternatively, mitigation will occur through off-site conservation or through a CDFW approved mitigation bank, or as required by a Section 2081 Incidental Take Permit.

<sup>18</sup> RCA Associates, Inc. *Protected Plant Preservation Plan, City of Hesperia, APN 0410-051-11*. August 23, 2023.



### 3.5 CULTURAL RESOURCES

Environmental Issue Areas Examined	Potentially Significant Impact	Less Than Significant Impact with Mitigation	Less Than Significant Impact	No Impact
A. Would the project cause a substantial adverse change in the significance of a historical resource pursuant to §15064.5?				✗
B. Would the project cause a substantial adverse change in the significance of an archaeological resource pursuant to §15064.5?		✗		
C. Would the project disturb any human remains, including those interred outside of dedicated cemeteries?			✗	

The cultural resources report is included in Appendix C.

#### THRESHOLDS OF SIGNIFICANCE AND METHODOLOGY

According to Appendix G of the CEQA Guidelines, a project may be deemed to have a significant adverse impact on cultural resources if it results in any of the following:

- The proposed project would cause a substantial adverse change in the significance of a historical resource pursuant to §15064.5.
- The proposed project would cause a substantial adverse change in the significance of an archaeological resource pursuant to §15064.5.
- The proposed project would disturb any human remains, including those interred outside of formal cemeteries.

Historic structures and sites are defined by local, State, and Federal criteria. A site or structure may be historically significant if it is locally protected through a General Plan or historic preservation ordinance. In addition, a site or structure may be historically significant according to State or Federal criteria even if the locality does not recognize such significance. To be considered eligible for the National Register, a property's significance may be determined if the property is associated with events, activities, or developments that were important in the past, with the lives of people who were important in the past, or represents significant architectural, landscape, or engineering elements. Specific criteria include the following:

- Districts, sites, buildings, structures, and objects that are associated with the lives of significant persons in or past;
- Districts, sites, buildings, structures, and objects that embody the distinctive characteristics of a type, period, or method of construction, or that represent the work of a master, or that possess high artistic values, or that represent a significant and distinguishable entity whose components may lack individual distinction; or,
- Districts, sites, buildings, structures, and objects that have yielded or may be likely to yield, information important in history or prehistory.

Ordinarily, properties that have achieved significance within the past 50 years are not considered eligible for the National Register. However, such properties *will qualify* if they are integral parts of districts that do meet the criteria or if they fall within the following categories:

- A religious property deriving primary significance from architectural or artistic distinction or historical importance;
- Districts, sites, buildings, structures, and objects that are associated with events that have made a significant contribution to the broad patterns of our history;
- A building or structure removed from its original location that is significant for architectural value, or which is the surviving structure is associated with a historic person or event;
- A birthplace or grave of a historical figure of outstanding importance if there is no appropriate site or building associated with his or her productive life;
- A cemetery that derives its primary importance from graves of persons of transcendent importance, from age, from distinctive design features, or from association with historic events;
- A reconstructed building when accurately executed in a suitable environment and presented in a dignified manner as part of a restoration master plan, and when no other building or structure with the same association has survived;
- A property primarily commemorative in intent if design, age, tradition, or symbolic value has invested it with its own exceptional significance; or,
- A property achieving significance within the past 50 years if it is of exceptional importance.<sup>19</sup>

## **ANALYSIS OF ENVIRONMENTAL IMPACTS**

**A. *Would the project cause a substantial adverse change in the significance of a historical resource pursuant to §15064.5? • No Impact.***

The proposed project would involve the construction and subsequent operation of two new warehouse buildings, referred to as *Warehouse 1* and *Warehouse 2*, within the 5.22 acre (202,261 square foot) property. Warehouse 1 would consist of 39,530 square feet of floor area including a 36,101 square feet of area and a 3,520 square foot office. Warehouse 2 would consist of 40,248 square feet of floor area including a 36,728 square feet of warehouse floor area and a 3,520 square foot office. The total floor area of the two buildings would be 79,778 square feet.

Mr. Orozco from BCR completed an archaeological records search using SCCIC records of California State University, Fullerton, for the current project. This archival research reviewed the status of all recorded historic and prehistoric cultural resources, and survey and excavation reports completed within the project site boundaries and within a one-mile radius of it. Additional resources reviewed included the National Register of Historic Places (National Register), the California Register, the Built Environmental Resource Directory (BERD), and documents and inventories published by the California Office of Historic Preservation. These include the lists of California Historical Landmarks, California Points of Historical Interest, Listing of National Register Properties, and the Inventory of Historic Structures. An intensive-level cultural resources field survey of the project site was conducted on May 2, 2024. The survey was

---

<sup>19</sup> U. S. Department of the Interior, National Park Service. National Register of Historic Places. <http://nrhp.focus.nps.gov>. 2010.

conducted by walking parallel transects spaced approximately 15 meters apart across the project site. Digital photographs were taken at various points within the project site.

Data from the South Central Coastal Information Center (SCCIC) revealed that 16 previous cultural resource studies have taken place, and four cultural resources has been identified within the one-mile research radius of the project site. None of the previous studies have assessed the project site and no cultural resources have been identified within its boundaries. During the field survey, BCR Consulting archaeologists identified no cultural resources (including historic-period or prehistoric archaeological sites, or historic-period architectural resources) of any kind within the project site boundaries. The project has been subject to severe artificial disturbances associated with offroad vehicle activity, discing, and installation of modern flood control culverts, and modern refuse dumping. Vegetation was characteristic of creosote scrubland and Joshua tree woodland habitats, which afforded surface visibility of 60 percent. Surficial sediments observed were chiefly composed of dry, brown sandy loam, with low levels of gravel. None of the previous studies have assessed the project site and no cultural resources have been identified within its boundaries. *As a result, no impacts would occur.*

**B. *Would the project cause a substantial adverse change in the significance of an archaeological resource pursuant to §15064.5? • Less than Significant Impact with Mitigation.***

Data from the South Central Coastal Information Center (SCCIC) revealed that 16 previous cultural resource studies have taken place, and four cultural resources has been identified within the one-mile research radius of the project site. None of the previous studies have assessed the project site and no cultural resources have been identified within its boundaries. During the field survey, BCR Consulting archaeologists identified no cultural resources (including historic-period or prehistoric archaeological sites, or historic-period architectural resources) of any kind within the project site boundaries. The project has been subject to severe artificial disturbances associated with offroad vehicle activity, discing, and installation of modern flood control culverts, and modern refuse dumping. Vegetation was characteristic of creosote scrubland and Joshua tree woodland habitats, which afforded surface visibility of 60 percent. Surficial sediments observed were chiefly composed of dry, brown sandy loam, with low levels of gravel. None of the previous studies have assessed the project site and no cultural resources have been identified within its boundaries.

The current study attempted to determine whether significant archaeological deposits were present on the proposed project site. Although none were yielded during the records search and field survey, ground-disturbing activities have the potential to reveal buried deposits not observed on the surface. Prior to the initiation of ground-disturbing activities, field personnel should be alerted to the possibility of buried prehistoric or historic cultural deposits. In the event that field personnel encounter buried cultural materials, work in the immediate vicinity of the find should cease and a qualified archaeologist should be retained to assess the significance of the find. The qualified archaeologist shall have the authority to stop or divert construction excavation as necessary. If the qualified archaeologist finds that any cultural resources present meet eligibility requirements for listing on the California Register or the

National Register of Historic Places (National Register), plans for the treatment, evaluation, and mitigation of impacts to the find will need to be developed. Prehistoric or historic cultural materials that may be encountered during ground-disturbing activities include: historic-period artifacts such as glass bottles and fragments, cans, nails, ceramic and pottery fragments, and other metal objects; historic-period structural or building foundations, walkways, cisterns, pipes, privies, and other structural elements; prehistoric flaked-stone artifacts and debitage (waste material), consisting of obsidian, basalt, and or cryptocrystalline silicates; groundstone artifacts, including mortars, pestles, and grinding slabs; dark, greasy soil that may

**CITY OF HESPERIA • INITIAL STUDY AND MITIGATED NEGATIVE DECLARATION  
BICKMORE 5.22 ACRE SITE • SWC OF MOJAVE ST AND E AVE (APN 0410-05-111)**

be associated with charcoal, ash, bone, shell, flaked stone, groundstone, and fire affected rocks; human remains. Since it is possible that previously unrecognized resources could exist at the site, the proposed project would be required to adhere to the following mitigation measures:

- In the event that cultural resources are discovered during project activities, all work in the immediate vicinity of the find (within a 60-foot buffer) shall cease and a qualified archaeologist meeting Secretary of Interior standards shall be hired to assess the find. Work on the other portions of the project outside of the buffered area may continue during this assessment period. Additionally, the Yuhaaviatam of San Manuel Nation Cultural Resources Department (YSMN) shall be contacted.
- If significant pre-contact and/or historic-era cultural resources, as defined by CEQA (as amended, 2015), are discovered and avoidance cannot be ensured, the archaeologist shall develop a Monitoring and Treatment Plan, the drafts of which shall be provided to YSMN for review and comment. The archaeologist shall monitor the remainder of the project and implement the Plan accordingly.
- If human remains or funerary objects are encountered during any activities associated with the project, work in the immediate vicinity (within a 100-foot buffer of the find) shall cease and the County Coroner shall be contacted pursuant to State Health and Safety Code §7050.5 and that code enforced for the duration of the project.

*The aforementioned mitigations will reduce the impacts to levels that are less than significant.*

**C. Would the project disturb any human remains, including those interred outside of dedicated cemeteries? • Less than Significant Impact.**

There are no dedicated cemeteries located in the vicinity of the project site. The proposed project will be restricted to the project site and therefore will not affect any dedicated cemeteries in the vicinity. Notwithstanding, the following mitigation is mandated by the California Code of Regulations (CCR) Section 15064.5(b)(4):

“A lead agency shall identify potentially feasible measures to mitigate significant adverse changes in the significance of an historical resource. The lead agency shall ensure that any adopted measures to mitigate or avoid significant adverse changes are fully enforceable through permit conditions, agreements, or other measures.”

Additionally, Section 5097.98 of the Public Resources Code states:

“In the event of discovery or recognition of any human remains in any location other than a dedicated cemetery, there shall be no further excavation or disturbance of the site or any nearby area reasonably suspected to overlie adjacent remains until the coroner of the county in which the human remains are discovered has determined, in accordance with Chapter 10 (commencing with (b) Section 27460) of Part 3 of Division 2 of Title 3 of the Government Code, that the remains are not subject to the provisions of Section 27491 of the Government Code or any other related provisions of law concerning investigation of the circumstances, manner and cause of any death, and the recommendations concerning the treatment and disposition of the human remains have been made to the person responsible for the excavation, or to his or her authorized representative. The coroner shall make his or her determination within two working days from the time the person responsible for the excavation, or his or her authorized representative, notifies the coroner of the



discovery or recognition of the human remains. If the coroner determines that the remains are not subject to his or her authority and if the coroner recognizes the human remains to be those of a Native American or has reason to believe that they are those of a Native American, he or she shall contact, by telephone within 24 hours, the Native American Heritage Commission.”

*Adherence to the aforementioned standard condition will ensure potential impacts remain at levels that are less than significant.*

## MITIGATION MEASURES

Since it is possible that previously unrecognized resources could exist at the site, the proposed project would be required to adhere to the following mitigation measures:

**CUL Mitigation No. 1.** In the event that cultural resources are discovered during project activities, all work in the immediate vicinity of the find (within a 60-foot buffer) shall cease and a qualified archaeologist meeting Secretary of Interior standards shall be hired to assess the find. Work on the other portions of the project outside of the buffered area may continue during this assessment period. Additionally, the Yuhaaviatam of San Manuel Nation Cultural Resources Department (YSMN) shall be contacted, as detailed within **TCR Mitigation No. 1**, regarding any pre-contact and/or historic-era finds and be provided information after the archaeologist makes his/her initial assessment of the nature of the find, so as to provide Tribal input with regards to significance and treatment.

**CUL Mitigation No. 2.** If significant pre-contact and/or historic-era cultural resources, as defined by CEQA (as amended, 2015), are discovered and avoidance cannot be ensured, the archaeologist shall develop a Monitoring and Treatment Plan, the drafts of which shall be provided to YSMN for review and comment, as detailed within **TCR Mitigation No. 1**. The archaeologist shall monitor the remainder of the project and implement the Plan accordingly.

**CUL Mitigation No. 3.** If human remains or funerary objects are encountered during any activities associated with the project, work in the immediate vicinity (within a 100-foot buffer of the find) shall cease and the County Coroner shall be contacted pursuant to State Health and Safety Code §7050.5 and that code enforced for the duration of the project.

### 3.6 ENERGY

Environmental Issue Areas Examined	Potentially Significant Impact	Less Than Significant Impact with Mitigation	Less Than Significant Impact	No Impact
A. Would the project result in a potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources during project construction or operation?		✗		
B. Would the project conflict with or obstruct a State or local plan for renewable energy or energy efficiency?			✗	

The energy and utilities worksheets are provided in Appendix D.

#### THRESHOLDS OF SIGNIFICANCE AND METHODOLOGY

According to Appendix G of the CEQA Guidelines, a project may be deemed to have a significant adverse impact on energy resources if it results in any of the following:

- The proposed project would result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during the proposed project's construction or operation.
- The proposed project would conflict with or obstruct a State or local plan for renewable energy or energy efficiency.

Energy and natural gas consumption were estimated using default energy intensities by building type in CalEEMod. In addition, it was assumed the new buildings would be constructed pursuant to the 2022 CALGreen standards, which was considered in the CalEEMod inputs.

#### ANALYSIS OF ENVIRONMENTAL IMPACTS

**A.** *Would the project result in a potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources during project construction or operation? • Less than Significant Impact with Mitigation.*

The proposed project would involve the construction and subsequent operation of two new warehouse buildings, referred to as *Warehouse 1* and *Warehouse 2*, within the 5.22 acre (202,261 square foot) property. Warehouse 1 would consist of 39,530 square feet of floor area including a 36,101 square feet of warehouse floor area and a 3,520 square foot office. Warehouse 2 would consist of 40,248 square feet of floor area including a 36,728 square feet of warehouse floor area and a 3,520 square foot office. The total floor area of the two buildings would be 79,778 square feet. As shown in Table 3-3, the proposed project would consume approximately 1,049 kWh of electricity and 12,499 cubic feet of natural gas per day.

**Table 3-3 Proposed Project's Energy Consumption**

Energy Type	Daily Energy Consumption
Electrical Consumption	1,049 kWh/day
Natural Gas Consumption	12,499 Cu. Ft./day

Source: Blodgett Baylosis Environmental Planning

The project Applicant will be required to work closely with the local electrical utility company to identify existing and future strategies that will be effective in reducing energy consumption. The project Applicant will be required to implement the following mitigation measures as a means to reduce electrical consumption:

- The project must employ, as much as possible, the use of glass or translucent plastic materials on building roof and gables to allow natural daylight in work areas.
- The project must use motion activated lighting in the structural improvements to reduce energy use at night.

*Adherence to the above-mentioned mitigations would reduce the impacts to levels that are less than significant.*

**B. Would the project conflict with or obstruct a state or local plan for renewable energy or energy efficiency? • Less Than Significant Impact.**

On January 12, 2010, the State Building Standards Commission adopted updates to the California Green Building Standards Code (Code) which became effective on January 1, 2011. The California Code of Regulations (CCR) Title 24, Part 11: California Green Building Standards (Title 24) became effective to aid efforts to reduce GHG emissions associated with energy consumption. Title 24 now requires that new buildings reduce water consumption, employ building commissioning to increase building system efficiencies, divert construction waste from landfills, and install low pollutant-emitting finish materials. The proposed project will be required to comply with all pertinent Title 24 requirements along with other Low Impact Development (LID) requirements. *As a result, the potential impacts would be less than significant.*

## MITIGATION MEASURES

The analysis determined that the following mitigation measures will be required to reduce potential energy consumption:

**ENE Mitigation No. 1.** The project must employ, as much as possible, the use of glass or translucent plastic materials on building roof and gables to allow natural daylight in work areas.

Since some operations and security functions may be carried out during non-daylight hours, an additional mitigation measure is suggested to reduce energy consumption during those times.

**ENE Mitigation No. 2.** The project must use motion activated lighting in the building to reduce energy use at night.

### 3.7 GEOLOGY & SOILS

Environmental Issue Areas Examined	Potentially Significant Impact	Less Than Significant Impact with Mitigation	Less Than Significant Impact	No Impact
<b>A.</b> Would the project, directly or indirectly, cause potential substantial adverse effects, including the risk of loss, injury, or death involving.			✗	
<b>i).</b> Would the project, directly or indirectly, cause rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault; Refer to Division of Mines and Geology Special Publication 42.			✗	
<b>ii).</b> Would the project, directly or indirectly, cause Strong seismic ground shaking?			✗	
<b>iii).</b> Would the project, directly or indirectly, cause seismic-related ground failure, including liquefaction;				✗
<b>iv).</b> Would the project, directly or indirectly, cause landslides?				✗
<b>B.</b> Would the project result in substantial soil erosion or the loss of topsoil?			✗	
<b>C.</b> Would the project be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction or collapse?			✗	
<b>D.</b> Would the project be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?			✗	
<b>E.</b> Would the project have soils incapable of adequately supporting the use of septic tanks or alternative waste water disposal systems where sewers are not available for the disposal of wastewater?				✗
<b>F.</b> Would the project directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?				✗

### THRESHOLDS OF SIGNIFICANCE AND METHODOLOGY

According to Appendix G of the CEQA Guidelines, a project may be deemed to have a significant adverse impact on geology and soils if it results in any of the following:

- The proposed project would, directly or indirectly, cause potential substantial adverse effects, including the risk of loss, injury, or death involving rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault (refer to Division of Mines and Geology Special Publication 42); strong seismic ground shaking; seismic-related ground failure, including liquefaction; and, landslides?
- The proposed project would result in substantial soil erosion or the loss of topsoil.



- The proposed project would be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction or collapse.
- The proposed project would be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property.
- The proposed project would have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater.
- The proposed project would directly or indirectly destroy a unique paleontological resource or site or unique geologic feature.

The proposed project's potential seismic and soils risk was evaluated in terms of the site's proximity to earthquake faults and unstable soils.

## ANALYSIS OF ENVIRONMENTAL IMPACTS

**A.** *Would the project, directly or indirectly, cause potential substantial adverse effects, including the risk of loss, injury, or death? • Less than Significant Impact.*

The proposed project would involve the construction and subsequent operation of two new warehouse buildings, referred to as *Warehouse 1* and *Warehouse 2*, within the 5.22 acre (202,261 square foot) property. Warehouse 1 would consist of 39,530 square feet of floor area including a 36,101 square feet of warehouse floor area and a 3,520 square foot office. Warehouse 2 would consist of 40,248 square feet of floor area including a 36,728 square feet of warehouse floor area and a 3,520 square foot office. The total floor area of the two buildings would be 79,778 square feet. Surface ruptures are visible instances of horizontal or vertical displacement, or a combination of the two. The amount of ground shaking depends on the intensity of the earthquake, the duration of shaking, soil conditions, type of building, and distance from the epicenter or fault. The potential impacts from fault rupture and ground shaking are considered no greater for the project site than for the surrounding areas given the distance between the site and the fault trace. Other potential seismic issues include ground failure and liquefaction. Ground failure is the loss in stability of the ground and includes landslides, liquefaction, and lateral spreading. *As a result, the potential impacts would be less than significant.*

**i).** *Would the project, directly or indirectly, cause rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault; Refer to Division of Mines and Geology Special Publication 42. • Less than Significant Impact.*

The City of Hesperia is located in a seismically active region. Earthquakes from several active and potentially active faults in the Southern California region could affect the proposed project site. In 1972, the Alquist-Priolo Earthquake Zoning Act was passed in response to the damage sustained in the 1971 San Fernando Earthquake. The Alquist-Priolo Earthquake Fault Zoning Act's main purpose is to prevent the construction of buildings used for human occupancy on the surface trace of active faults. A list of cities and counties subject to the Alquist-Priolo Earthquake Fault Zones is available on the State's Department of

Conservation website. The City of Hesperia is not on the list.<sup>20</sup> The nearest significant active fault zones are Cleghorn fault zone and the North Frontal thrust system, which are approximately 6 miles southeast of the project City.<sup>21</sup> Surface ruptures are visible instances of horizontal or vertical displacement, or a combination of the two. The amount of ground shaking depends on the intensity of the earthquake, the duration of shaking, soil conditions, type of building, and distance from epicenter or fault. The potential impacts from fault rupture and ground shaking are considered no greater for the project site than for the surrounding areas given the distance between the site and the fault trace. Other potential seismic issues include ground failure and liquefaction. Ground failure is the loss in stability of the ground and includes landslides, liquefaction, and lateral spreading. The project site is not located within a liquefaction zone.<sup>22</sup> According to the United States Geological Survey, liquefaction is the process by which water-saturated sediment temporarily loses strength and acts as a fluid. *As a result, the potential impacts would be less than significant.*

**ii). Would the project, directly or indirectly, cause strong seismic ground shaking. • Less than Significant Impact.**

Surface ruptures are visible instances of horizontal or vertical displacement, or a combination of the two. The amount of ground shaking depends on the intensity of the earthquake, the duration of shaking, soil conditions, type of building, and distance from the epicenter or fault. The potential impacts from fault rupture and ground shaking are considered no greater for the project site than for the surrounding areas given the distance between the site and the fault trace. *As a result, the potential impacts are less than significant.*

**iii). Would the project, directly or indirectly, cause seismic-related ground failure, including liquefaction. • No Impact.**

According to the United States Geological Survey, liquefaction is the process by which water-saturated sediment temporarily loses strength and acts as a fluid. The risk for liquefaction is no greater on-site than it is for the region. The project site and the City of Hesperia is located outside of a liquefaction zone.<sup>23</sup> *As a result, no impacts would occur.*

**iv). Would the project, directly or indirectly, cause landslides? • No Impact.**

According to the United States Geological Survey, a landslide is defined as the movement of a mass of rock, debris, or earth down a slope. The project site is level with little to no slopes in the surrounding area. *As a result, no impacts would occur.*

**B. Would the project result in substantial soil erosion or the loss of topsoil? • Less than Significant Impact.**

The University of California, Davis SoilWeb database was consulted to determine the nature of the soils that

<sup>20</sup> California Department of Conservation. *Table 4, Cities and Counties Affected by Alquist Priolo Earthquake Fault Zones as of January 2010.*

<sup>21</sup> California Department of Conservation. *Fault Activity Map of California.* <https://maps.conservation.ca.gov/cgs/fam/>

<sup>22</sup> California State Geoportal. *CGS Seismic Hazards Program: Liquefaction Zones.* February 11, 2022.

<sup>23</sup> Ibid.

underlie the project site. According to the University of California, Davis SoilWeb database, the property is underlain by soils of various associations including Bryman, Cajon, Mojave Variant, and Helendale and is classified as Bryman Loamy Fine Sand. Slopes range from 2 to 5 percent.<sup>24</sup> The proposed project's contractors will be required to adhere to specific requirements that govern wind and water erosion during site preparation and construction activities. Following development, a large portion of the project site would be paved over or landscaped. The project's construction will not result in soil erosion with adherence to those development requirements that restrict storm water runoff (and the resulting erosion) and require soil stabilization. In addition, stormwater discharges from construction activities that disturb one or more acres, or smaller sites disturbing less than one acre that are part of a common plan of development or sale, are regulated under the National Pollutant Discharge Elimination System (NPDES) stormwater permitting program. Prior to initiating construction, contractors must obtain coverage under an NPDES permit, which is administered by the State. In order to obtain an NPDES permit, the project Applicant must prepare a Stormwater Pollution Prevention Plan (SWPPP). The County has identified sample construction Best Management Practices (BMPs) that may be included in the mandatory SWPPP. The use of these construction BMPs identified in the mandatory SWPPP will prevent soil erosion and the discharge of sediment into the local storm drains during the project's construction phase. *As a result, the impacts would be less than significant.*

**C. Would the project be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction or collapse? • Less than Significant Impact.**

The proposed project's construction will not result in soil erosion since the project's contractors must implement the construction BMPs identified in the mandatory SWPPP. The BMPs will minimize soil erosion and the discharge of sediment off-site. Additionally, the project site is not located within an area that could be subject to landslides or liquefaction.<sup>25</sup> The soils that underlie the project site possess a low potential for shrinking and swelling. Soils that exhibit certain shrink swell characteristics become sticky when wet and expand according to the moisture content present at the time. Since the soils have a low shrink-swell potential, lateral spreading resulting from an influx of groundwater is slim. The likelihood of lateral spreading will be further reduced since the project's implementation will not require grading and excavation that would extend to depths required to encounter groundwater. Moreover, the project will not result in the direct extraction of groundwater. *As a result, the potential impacts would be less than significant.*

**D. Would the project be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property? • Less than Significant Impact.**

According to the University of California, Davis SoilWeb database, the property is underlain by soils of various associations including Bryman, Cajon, Mojave Variant, and Helendale associations.<sup>26</sup> According to the U.S. Department of Agriculture, these soils are acceptable for the development of commercial and

<sup>24</sup> UC Davis. *SoilWeb*. Website accessed October 3, 2023.

<sup>25</sup> California State Geportal. *CGS Seismic Hazards Program: Liquefaction Zones*. February 11, 2022.

<sup>26</sup> UC Davis. *SoilWeb*. Website accessed October 3, 2023.

industrial buildings.<sup>27</sup> *As a result, the impacts would be less than significant.*

**E.** *Would the project have soils incapable of adequately supporting the use of septic tanks or alternative waste water disposal systems where sewers are not available for the disposal of wastewater? • No Impact.*

No septic tanks will be used as part of the proposed project's implementation. *As a result, no impacts would occur.*

**F.** *Would the project directly or indirectly destroy a unique paleontological resource or site or unique geologic feature? • No Impact*

The surface deposits in the proposed project area are composed entirely of younger Quaternary Alluvium. This younger Quaternary Alluvium is unlikely to contain significant vertebrate fossils, at least in the uppermost layers. The closest fossil vertebrate locality is LACM 7786, between Hesperia and the former George Air Force Base. This locality produced a fossil specimen of meadow vole, *Microtus*. The next closest vertebrate fossil locality from these deposits is LACM 1224, west of Spring Valley Lake, which produced a specimen of fossil camel, *Camelops*. Additionally, on the western side of the Mojave River below the bluffs, an otherwise unrecorded specimen of mammoth was collected in 1961 from older Quaternary Alluvium deposits. No significant new excavation or grading would occur. *As a result, no impacts would occur.*

## MITIGATION MEASURES

The analysis determined that the proposed project will not result in significant impacts related to geological or paleontological resources and no mitigation measures are required.

---

<sup>27</sup> United States Department of Agriculture. Natural Resources Conservation Service. Website accessed October 3, 2023.



### 3.8 GREENHOUSE GAS EMISSIONS

Environmental Issue Areas Examined	Potentially Significant Impact	Less Than Significant Impact with Mitigation	Less Than Significant Impact	No Impact
A. Would the project generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?			✗	
B. Would the project conflict with an applicable plan, policy, or regulation adopted for the purpose of reducing the emissions of greenhouse gases?			✗	

The air quality and GHG worksheets are provided in Appendix A.

#### THRESHOLDS OF SIGNIFICANCE AND METHODOLOGY

According to Appendix G of the CEQA Guidelines, a project may be deemed to have a significant adverse impact on greenhouse gas emissions if it results in any of the following:

- The proposed project would generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment.
- The proposed project would conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases.

Examples of GHG that are produced both by natural and industrial processes include carbon dioxide (CO<sub>2</sub>), methane (CH<sub>4</sub>), and nitrous oxide (N<sub>2</sub>O). The accumulation of GHG in the atmosphere regulates the earth's temperature. Without these natural GHG, the Earth's surface would be about 61°F cooler. However, emissions from fossil fuel combustion have elevated the concentrations of GHG in the atmosphere to above natural levels. These man-made GHG will have the effect of warming atmospheric temperatures with the attendant impacts of changes in the global climate, increased sea levels, and changes to the worldwide biome. The major GHG that influence global warming are described below.

- *Water Vapor.* Water vapor is the most abundant GHG present in the atmosphere. While water vapor is not considered a pollutant, while it remains in the atmosphere it maintains a climate necessary for life. Changes in the atmospheric concentration of water vapor is directly related to the warming of the atmosphere rather than a direct result of industrialization. As the temperature of the atmosphere rises, more water is evaporated from ground storage (rivers, oceans, reservoirs, soil). Because the air is warmer, the relative humidity can be higher (in essence, the air is able to “hold” more water when it is warmer), leading to more water vapor in the atmosphere. As a GHG, the higher concentration of water vapor is then able to absorb more thermal indirect energy radiated from the Earth, thus further warming the atmosphere. When water vapor increases in the atmosphere, more of it will eventually also condense into clouds, which are more able to reflect incoming solar radiation. This will allow less energy to reach the Earth’s surface thereby affecting surface temperatures.
- *Carbon Dioxide (CO<sub>2</sub>).* The natural production and absorption of CO<sub>2</sub> is achieved through the terrestrial biosphere and the ocean. Manmade sources of CO<sub>2</sub> include the burning coal, oil, natural gas, and wood. Since the industrial revolution began in the mid-1700’s, these activities have

increased the atmospheric concentrations of CO<sub>2</sub>. Prior to the industrial revolution, concentrations were fairly stable at 280 parts per million (ppm). The International Panel on Climate Change (IPCC Fifth Assessment Report, 2014) Emissions of CO<sub>2</sub> from fossil fuel combustion and industrial processes contributed about 78% of the total GHG emissions increase from 1970 to 2010, with a similar percentage contribution for the increase during the period 2000 to 2010.

- *Methane (CH<sub>4</sub>)*. CH<sub>4</sub> is an extremely effective absorber of radiation, although its atmospheric concentration is less than that of CO<sub>2</sub>. Methane's lifetime in the atmosphere is brief (10 to 12 years), compared to some other GHGs (such as CO<sub>2</sub>, N<sub>2</sub>O, and Chlorofluorocarbons (CFCs)). CH<sub>4</sub> has both natural and anthropogenic sources. It is released as part of the biological processes in low oxygen environments, such as in swamplands or in rice production (at the roots of the plants). Over the last 50 years, human activities such as growing rice, raising cattle, using natural gas, and mining coal have added to the atmospheric concentration of methane. Other human-related sources of methane production include fossil-fuel combustion and biomass burning.
- *Nitrous Oxide (N<sub>2</sub>O)*. Concentrations of N<sub>2</sub>O also began to increase at the beginning of the industrial revolution. In 1998, the global concentration of this GHG was documented at 314 parts per billion (ppb). N<sub>2</sub>O is produced by microbial processes in soil and water, including those reactions which occur in fertilizer containing nitrogen. In addition to agricultural sources, some industrial processes (fossil fuel-fired power plants, nylon production, nitric acid production, and vehicle emissions) also contribute to its atmospheric load. It is also commonly used as an aerosol spray propellant.
- *Chlorofluorocarbons (CFC)*. CFCs are gases formed synthetically by replacing all hydrogen atoms in methane or ethane (C<sub>2</sub>H<sub>6</sub>) with chlorine and/or fluorine atoms. CFCs are nontoxic, nonflammable, insoluble, and chemically unreactive in the troposphere (the level of air at the Earth's surface). CFCs have no natural source but were first synthesized in 1928. It was used for refrigerants, aerosol propellants, and cleaning solvents. Due to the discovery that they are able to destroy stratospheric ozone, a global effort to halt their production was undertaken and in 1989 the European Community agreed to ban CFCs by 2000 and subsequent treaties banned CFCs worldwide by 2010. This effort was extremely successful, and the levels of the major CFCs are now remaining level or declining. However, their long atmospheric lifetimes mean that some of the CFCs will remain in the atmosphere for over 100 years.
- *Hydrofluorocarbons (HFC)*. HFCs are synthetic man-made chemicals that are used as a substitute for CFCs. Out of all the GHGs, they are one of three groups with the highest global warming potential. The HFCs with the largest measured atmospheric abundances are (in order), HFC-23 (CHF<sub>3</sub>), HFC-134a (CF<sub>3</sub>CH<sub>2</sub>F), and HFC-152a (CH<sub>3</sub>CHF<sub>2</sub>). Prior to 1990, the only significant emissions were HFC-23. HFC-134a use is increasing due to its use as a refrigerant. Concentrations of HFC-23 and HFC-134a in the atmosphere are now about 10 parts per trillion (ppt) each. Concentrations of HFC-152a are about 1 ppt. HFCs are manmade and used for applications such as automobile air conditioners and refrigerants.
- *Perfluorocarbons (PFC)*. PFCs have stable molecular structures and do not break down through the chemical processes in the lower atmosphere. High-energy ultraviolet rays about 60 kilometers above Earth's surface are able to destroy the compounds. Because of this, PFCs have very long lifetimes, between 10,000 and 50,000 years. Two common PFCs are tetrafluoromethane (CF<sub>4</sub>) and hexafluoroethane (C<sub>2</sub>F<sub>6</sub>). Concentrations of CF<sub>4</sub> in the atmosphere are over 70 ppt. The two main sources of PFCs are primary aluminum production and semiconductor manufacturing.

- *Sulfur Hexafluoride (SF<sub>6</sub>)*. SF<sub>6</sub> is an inorganic, odorless, colorless, nontoxic, nonflammable gas. SF<sub>6</sub> has the highest global warming potential of any gas evaluated; 23,900 times that of CO<sub>2</sub>. Concentrations in the 1990s were about 4 ppt. Sulfur hexafluoride is used for insulation in electric power transmission and distribution equipment, in the magnesium industry, in semiconductor manufacturing, and as a tracer gas for leak detection.

The MDAQMD mass emissions threshold was previously 100,000 tons (90,720 metric tons (MT)) CO<sub>2</sub>E per year. The MDAQMD emission threshold is not recognized as a valid threshold, hence, the South Coast Air Quality Management District (SCAQMD) mass emission threshold would be used. The SCAQMD threshold for commercial land uses is 3,000 MTCO<sub>2</sub>E per year.

## ANALYSIS OF ENVIRONMENTAL IMPACTS

**A. Would the project generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment? • Less than Significant Impact.**

The proposed project would involve the construction and subsequent operation of two new warehouse buildings, referred to as *Warehouse 1* and *Warehouse 2*, within the 5.22 acre (202,261 square foot) property. Warehouse 1 would consist of 39,530 square feet of floor area including a 36,101 square feet of warehouse floor area and a 3,520 square foot office. Warehouse 2 would consist of 40,248 square feet of floor area including a 36,728 square feet of warehouse floor area and a 3,520 square foot office. The total floor area of the two buildings would be 79,778 square feet.

The State of California requires CEQA documents to include an evaluation of greenhouse gas (GHG) emissions or gases that trap heat in the atmosphere. GHG emissions are emitted by both natural processes and human activities. Examples of GHG that are produced both by natural and industrial processes include carbon dioxide (CO<sub>2</sub>), methane (CH<sub>4</sub>), and nitrous oxide (N<sub>2</sub>O). Carbon dioxide equivalent, or CO<sub>2</sub>E, is a term that is used for describing different greenhouse gases in a common and collective unit. The SCAQMD established the 3,000 MTCO<sub>2</sub> threshold for commercial land uses. As indicated in Table 3-4, the operational CO<sub>2</sub>E is 460 metric tons per year, which is well below the threshold.

**Table 3-4 Greenhouse Gas Emissions Inventory**

Source	GHG Emissions (Metric tons/year)			
	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	CO <sub>2</sub> E
Total Operational Emissions	420	1.29	0.03	460
Total Construction Emissions	144	--	--	145
Significance Threshold				<b>3,000</b>

Source: CalEEMod V.2022.1.1.29

Furthermore, as mentioned in Section 3.17 Transportation, the projected vehicle trips to and from the site will not be significant given the proposed use. *As a result, the impacts would be less than significant.*

**B. Would the project conflict with an applicable plan, policy, or regulation adopted for the purpose of reducing emissions of greenhouse gases? • Less than Significant Impact.**

The San Bernardino County Transit Authority (SBCTA) authorized the preparation of a county-wide Regional Greenhouse Gas Reduction Plan. This plan was adopted in March 2021. The plan contains multiple reduction measures that would be effective in reducing GHG emissions throughout the SBCTA

region. The lack of development in the immediate area may preclude residents from obtaining employment or commercial services within City boundaries, thus compelling residents to travel outside of City boundaries for employment and commercial services. It is important to note that the California Department of Transportation as well as the Counties of Los Angeles and San Bernardino are engaged in an effort to construct a multi-modal transportation corridor consisting of public transit, a new freeway, and bicycle lanes known as the High Desert Corridor (HDC). The aforementioned regional program will reduce potential GHG emissions related to excessive VMTs to levels that are less than significant.

Those Partnership jurisdictions, including Hesperia, choosing to complete and adopt local Climate Action Plans (CAPs) that are consistent with the County's GHG Reduction Plan and with the prior Regional Plan Program EIR and the addendum or supplemental CEQA document prepared by SBCOG will be able to tier their future project-level CEQA analyses of GHG emissions from their CAP. In 2010, the City of Hesperia completed a CAP. The City participated in this regional effort as a study to inform their decision to update or revise their existing CAP. As part of this effort, the City of Hesperia has selected a goal to reduce its community GHG emissions to a level that is 40% below its 2020 level of GHG emissions by 2030. The City will meet and exceed this goal subject to reduction measures that are technologically feasible and cost-effective through a combination of state (~70%) and local (~30%) efforts. The Pavley vehicle standards, the State's low carbon fuel standard, the RPS, and other state measures will reduce GHG emissions in Hesperia's on-road, off-road, and building energy sectors in 2030. An additional reduction of 110,304 MTCO<sub>2</sub>E will be achieved primarily through the following local measures, in order of reductions achieved: GHG Performance Standard for Existing Development (PS-1); Water Efficiency Renovations for Existing Buildings (Water-2); and Waste Diversion and Reduction (Waste-2). Hesperia's Plan has the greatest impacts on GHG emissions in the building energy, on-road transportation, and waste sectors. The proposed project will not involve or require any variance from an adopted plan, policy, or regulation governing GHG emissions. As a result, no potential conflict with an applicable greenhouse gas policy plan, policy, or regulation would occur. *As a result, the impacts would be less than significant.*

## **MITIGATION MEASURES**

The analysis of potential impacts related to greenhouse gas emissions indicated that no significant adverse impacts would result from the proposed project's approval and subsequent implementation. As a result, no mitigation measures are required.



### 3.9 HAZARDS & HAZARDOUS MATERIALS

Environmental Issue Areas Examined	Potentially Significant Impact	Less Than Significant Impact with Mitigation	Less Than Significant Impact	No Impact
<b>A.</b> Would the project create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?			✗	
<b>B.</b> Would the project create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?			✗	
<b>C.</b> Would the project emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?			✗	
<b>D.</b> Would the project be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?				✗
<b>E.</b> Would the project for a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard or excessive noise for people residing or working in the project area?				✗
<b>F.</b> Would the project impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?				✗
<b>G.</b> Would the project expose people or structures, either directly or indirectly, to a significant risk of loss, injury, or death involving wildland fires?				✗

### THRESHOLDS OF SIGNIFICANCE AND METHODOLOGY

According to Appendix G of the CEQA Guidelines, a project may be deemed to have a significant adverse impact on hazards and hazardous materials if it results in any of the following:

- The proposed project would create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials.
- The proposed project would create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment.
- The proposed project would emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school.
- The proposed project would be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would create a significant hazard to the public or the environment.
- The proposed project would result in a safety hazard or excessive noise for people residing or working in the project area located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport.

- The proposed project would impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan.
- The proposed project would expose people or structures, either directly or indirectly, to a significant risk of loss, injury or death involving wildland fires.

Hazardous materials refer generally to hazardous substances that exhibit corrosive, poisonous, flammable, and/or reactive properties and have the potential to harm human health and/or the environment. Hazardous materials are used in a wide variety of products (household cleaners, industrial solvents, paint, pesticides, etc.) and in the manufacturing of products (e.g., electronics, newspapers, plastic products). Hazardous materials can include petroleum, natural gas, synthetic gas, acutely toxic chemicals, and other toxic chemicals that are used in agriculture, commercial, and industrial uses; businesses; hospitals; and households. Accidental releases of hazardous materials can occur from a variety of causes, including highway incidents, warehouse fires, train derailments, shipping accidents, and industrial incidents.

## ANALYSIS OF ENVIRONMENTAL IMPACTS

**A.** *Would the project create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials? • Less than Significant Impact.*

The proposed project would involve the construction and subsequent operation of two new warehouse buildings, referred to as *Warehouse 1* and *Warehouse 2*, within the 5.22 acre (202,261 square foot) property. Warehouse 1 would consist of 39,530 square feet of floor area including a 36,101 square feet of warehouse floor area and a 3,520 square foot office. Warehouse 2 would consist of 40,248 square feet of floor area including a 36,728 square feet of warehouse floor area and a 3,520 square foot office. The total floor area of the two buildings would be 79,778 square feet. The landscaping would be provided around the building, the site's perimeter, and along the roadway frontages.

The project's construction would require the use of diesel fuel to power the construction equipment. The diesel fuel would be properly sealed in tanks and would be transported to the site by truck. Other hazardous materials that would be used on-site during the project's construction phase include, but are not limited to, gasoline, solvents, architectural coatings, and equipment lubricants. These products are strictly controlled and regulated and in the event of any spill, cleanup activities would be required to adhere to all pertinent protocols. *As a result, the impacts will be less than significant.*

**B.** *Would the project create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment? • Less than Significant Impact.*

The project's construction would require the use of diesel fuel to power the construction equipment. The diesel fuel would be properly sealed in tanks and would be transported to the site by truck. Other hazardous materials that would be used on-site during the project's construction phase include, but are not limited to, gasoline, solvents, architectural coatings, and equipment lubricants. As a result, the likelihood of encountering contamination or other environmental concerns is remote. *The impacts will be less than significant.*

**C.** *Would the project emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school? • Less than Significant Impact.*

The nearest school is the LaVerne Elementary Preparatory Academy, located approximately 2,300 feet to the east. The project's construction would require the use of diesel fuel to power the construction equipment. The diesel fuel would be properly sealed in tanks and would be transported to the site by truck. Other hazardous materials that would be used on-site during the project's construction phase include, but are not limited to, gasoline, solvents, architectural coatings, and equipment lubricants. These products are strictly controlled and regulated and in the event of any spill, cleanup activities would be required to adhere to all pertinent protocols. The Applicant will be required to prepare a safety and hazard mitigation plan that indicates those protocols that must be adhered to in the event of an accident. This plan will be reviewed and approved by the City prior to the issuance of the Occupancy Permit. As indicated in Subsection D, the project site is not listed in either the CalEPA's Cortese List or the Envirostor database. Underground storage tanks (USTs) will be provided. The chemicals that will be transported and stored on-site are regulated by the US EPA and the CalEPA. *The impacts would be less than significant.*

**D.** *Would the project be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment? • No Impact.*

Government Code Section 65962.5 refers to the Hazardous Waste and Substances Site List, commonly known as the Cortese List. The Cortese List is a planning document used by the State and other local agencies to comply with CEQA requirements that require the provision of information regarding the location of hazardous materials release sites. A search was conducted through the California Department of Toxic Substances Control Envirostor website to identify whether the project site is listed in the database as a Cortese site. The project site is not identified as a Cortese site.<sup>28</sup> *Therefore, no impacts would occur.*

**D.** *For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or a public use airport, would the project result in a safety hazard or excessive noise for people residing or working in the project area? • No Impact.*

The project site is not located within an airport land use plan and is not located within two miles of a public airport or public use airport.<sup>29</sup> The nearest airport to the site is the Hesperia Airport that is located approximately 3.9 miles to the southwest. The Southern California Logistics Airport is located approximately 11.4 miles to the northwest of the project site.<sup>30</sup> The project will not introduce any structures that will interfere with the approach and take off of airplanes utilizing any regional airports as the maximum height of any of the buildings is expected to be just over 10-feet.<sup>31</sup> *As a result, no impacts would occur.*

---

<sup>28</sup> CalEPA. *DTSC's Hazardous Waste and Substances Site List - Site Cleanup (Cortese List)*.

[http://www.dtsc.ca.gov/SiteCleanup/Cortese\\_List.cfm](http://www.dtsc.ca.gov/SiteCleanup/Cortese_List.cfm).

<sup>29</sup> Toll-Free Airline. *San Bernardino County Public and Private Airports, California*.

<http://www.tollfreeairline.com/california/sanbernardino.htm>.

<sup>30</sup> Google Maps. Website accessed October 04, 2023.

<sup>31</sup> The Austin Company. S5 Bickmore Hesperia. Site Plan. Sheet A100. May 06, 2024.

**E.** *Would the project impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?* • No Impact.

At no time will any adjacent street be completely closed to traffic during the proposed project's construction. In addition, all construction staging must occur on-site. *As a result, no impacts would occur.*

**F.** *Would the project expose people or structures, either directly or indirectly, to a significant risk of loss, injury, or death involving wildland fires?* • No Impact.

The project site, along with the entire City is located within a “moderate fire hazard severity zone” and Local Responsibility Area (LRA).<sup>32</sup> The vegetation currently on the project site will be removed and replaced with drought tolerant landscaping. The minimal amount of vegetation on the project site will not expose people or structures to a risk of loss involving wildfires. *As a result, no impacts would occur.*

## MITIGATION MEASURES

The analysis of potential impacts related to Hazards and Hazardous Materials indicated that no significant adverse impacts would result from the proposed project's approval and subsequent implementation. As a result, no mitigation measures are required.

---

<sup>32</sup> CalFire. *Very High Fire Hazard Severity Zone Map for SW San Bernardino County*.  
[http://frap.fire.ca.gov/webdata/maps/san\\_bernardino\\_sw/](http://frap.fire.ca.gov/webdata/maps/san_bernardino_sw/)

### 3.10 HYDROLOGY & WATER QUALITY

Environmental Issue Areas Examined	Potentially Significant Impact	Less Than Significant Impact with Mitigation	Less Than Significant Impact	No Impact
<b>A.</b> Would the project violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or groundwater quality?			✗	
<b>B.</b> Would the project substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?			✗	
<b>C.</b> Would the project substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would:			✗	
<b>i).</b> Would the project result in substantial erosion or siltation on- or off-site;			✗	
<b>ii).</b> Would the project substantially increase the rate or amount of surface runoff in a manner in which would result in flooding on- or off-site.			✗	
<b>iii).</b> Would the project create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff; or			✗	
<b>iv).</b> Would the project impede or redirect flood flows?			✗	
<b>E.</b> Would the project conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?				✗

### THRESHOLDS OF SIGNIFICANCE AND METHODOLOGY

According to Appendix G of the CEQA Guidelines, a project may be deemed to have a significant adverse impact on hydrology and water quality if it results in any of the following:

- The proposed project would violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or groundwater quality.
- The proposed project would substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin.
- The proposed project would substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would result in substantial erosion or siltation on- or off-site; substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or offsite; create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff; or, impede or redirect flood flows.
- The proposed project would risk release of pollutants due to project inundation in flood hazard, tsunami, or seiche zones.



- The proposed project would conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan.

## ANALYSIS OF ENVIRONMENTAL IMPACTS

**A. Would the project violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or groundwater quality? • Less than Significant Impact.**

The proposed project would involve the construction and subsequent operation of two new warehouse buildings, referred to as *Warehouse 1* and *Warehouse 2*, within the 5.22 acre (202,261 square foot) property. Warehouse 1 would consist of 39,530 square feet of floor area including a 36,101 square feet of warehouse floor area and a 3,520 square foot office. Warehouse 2 would consist of 40,248 square feet of floor area including a 36,728 square feet of warehouse floor area and a 3,520 square foot office. The total floor area of the two buildings would be 79,778 square feet. The warehouses would consist of a single level with a maximum height of approximately 41 feet. Parking areas would be located to the eastern and southern portions of the site. A total of 73 parking spaces would be provided including 63 standard parking spaces, 2 truck parking spaces, 4 EV standard parking spaces, 2 ADA compliant parking spaces and 2 ADA compliant EV parking spaces. Landscaping would total 36,387 square feet.

In its existing condition, the proposed project site is undeveloped, disturbed land. The project Applicant will be required to adhere to Section 8.30 Surface and Groundwater Protection of the Municipal Code which regulates erosion and sediment control. In addition, stormwater discharges from construction activities that disturb one or more acres, or smaller sites disturbing less than one acre that are part of a common plan of development or sale, are regulated under the National Pollutant Discharge Elimination System (NPDES) stormwater permitting program. *As a result, the impacts would be less than significant.*

**B. Would the project substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin? • Less than Significant Impact.**

No new direct construction related impacts to groundwater supplies, or groundwater recharge activities would occur as part of the proposed project's implementation. Water used to control fugitive dust will be transported to the site via truck. No direct ground water extraction would occur. Furthermore, the construction and post-construction BMPs will address contaminants of concern from excess runoff, thereby preventing the contamination of local groundwater. As a result, there would be no direct groundwater withdrawals associated with the proposed project's implementation. *As a result, the impacts would be less than significant.*

**C. Would the project substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces? • Less than Significant Impact.**

The proposed project's location will be restricted to the proposed project site and would not alter the course of any stream or river that would lead to on- or off-site siltation or erosion. The site is presently undeveloped though there are no stream channels or natural drainages that occupy the property. The site would be designed so the proposed hardscape surfaces (the building and paved areas) will percolate into the landscaped and other impervious areas. *As a result, the potential impacts would be less than significant.*

**i).** *Would the project result in a substantial erosion or siltation on- or off-site; • Less than Significant Impact.*

The project applicant will be required to abide by Hesperia's City Ordinance Chapter 8.30.210 that requires all applicants for projects involving construction activities, regardless of size, to submit an Erosion and Sediment Control Plan ("ESCP") to the City for review and approval as mentioned in subsection A. *With conformance to the ordinance, the impacts would be less than significant.*

**ii).** *Would the project result substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or offsite; • Less than Significant Impact.*

The project's construction will be restricted to the designated project site and the project will not alter the course of any stream or river that would lead to flooding. Impervious surface will be added to the currently undisturbed project site. *As a result, the impacts would be less than significant.*

**iii).** *Would the project create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff; • Less than Significant Impact.*

As mentioned previously, impervious surface will be added to the currently largely undisturbed project site. Landscaping would total 36,387 square feet. This landscaping would be located along the "E" Avenue frontages. The proposed project will have Infiltration Trenches along "E" Avenue to retain the necessary DCV, Design Capture Volume, per the WQMP requirements. *As a result, the impacts would be less than significant.*

**iv).** *Would the project impede or redirect flood flows? • Less than Significant Impact.*

The proposed project's location will be restricted to the proposed project site and will not alter the course of any stream or river that would lead to on- or off-site siltation or erosion. The site is presently undeveloped though there are no stream channels or natural drainages that occupy the property. Landscaping would total 5,993 square feet and would be located along the Lemon Street and "E" Avenue frontages. The proposed project will have Infiltration Trenches along 'E' Ave. to retain the necessary DCV, Design Capture Volume, per the WQMP requirements. *As a result, the potential impacts would be less than significant.*

**D.** *In flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation? • No Impact.*

According to the Federal Emergency Management Agency (FEMA) flood insurance maps obtained for the City of Hesperia, the proposed project site is not located in a Flood Hazard zone.<sup>33</sup> The proposed project site is also not located in an area that is subject to inundation by seiche or tsunami. In addition, the project site is located inland approximately 65 miles from the Pacific Ocean and the project site would not be exposed to the effects of a tsunami.<sup>34</sup> *As a result, no impacts would occur.*

<sup>33</sup> Federal Emergency Management Agency. *Flood Insurance Rate Mapping Program*. 2021.

<sup>34</sup> Google Earth. Website accessed October 04, 2023.

**E.** *Would the project conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan? • No Impact.*

The project Applicant will be required to adhere to Section 8.30 Surface and Groundwater Protection of the Municipal Code which regulates erosion and sediment control. This Section of the City of Hesperia Municipal Code is responsible for implementing the NPDES and MS4 stormwater runoff requirements. In addition, the project's operation will not interfere with any groundwater management or recharge plan because there are no active groundwater management recharge activities on-site or in the vicinity. *As a result, no impacts would occur.*

### **MITIGATION MEASURES**

As indicated previously, hydrological characteristics will not substantially change as a result of the proposed project. As a result, no mitigation is required.

### 3.11 LAND USE & PLANNING

Environmental Issue Areas Examined	Potentially Significant Impact	Less Than Significant Impact with Mitigation	Less Than Significant Impact	No Impact
A. Would the project physically divide an established community?				×
B. Would the project cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?				×

### THRESHOLDS OF SIGNIFICANCE AND METHODOLOGY

According to Appendix G of the CEQA Guidelines, acting as Lead Agency, a project may be deemed to have a significant adverse impact on mineral resources if it results in any of the following:

- The proposed project would physically divide an established community.
- The proposed project would cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect.

### ANALYSIS OF ENVIRONMENTAL IMPACTS

#### A. *Would the project physically divide an established community?* • No Impact.

The proposed project would involve the construction and subsequent operation of two new warehouse buildings, referred to as *Warehouse 1* and *Warehouse 2*, within the 5.22 acre (202,261 square foot) property. Warehouse 1 would consist of 39,530 square feet of floor area including a 36,101 square feet of warehouse floor area and a 3,520 square foot office. Warehouse 2 would consist of 40,248 square feet of floor area including a 36,728 square feet of warehouse floor area and a 3,520 square foot office. The total floor area of the two buildings would be 79,778 square feet. The warehouses would consist of a single level with a maximum height of approximately 41 feet.

The proposed project site is located on a 5.22-acre site that is currently vacant. Current conditions on the property include a desert scrub community showing signs of human disturbances. The biological resources on the site consist of a desert scrub community typical of the area with creosote bush (*Larrea tridentata*), white-bursage (*Ambrosia dumosa*), kelch grass (*Schismus barbatus*), flatspine bur ragweed (*Ambrosia acanthicarpa*), Joshua tree (*Yucca brevifolia*), rubber rabbitbrush (*Ericameria nauseosa*) and silver cholla (*Cylindropuntia echinocarpa*) observed on the site.<sup>35</sup> The project site is located within the Mainstreet / Freeway Corridor Specific Plan (MSFC-SP). The project site's Land use and Zoning Designation is *General Industrial* (GI).<sup>36</sup> Land uses and development located in the vicinity of the proposed project site are outlined below:

<sup>35</sup> RCA Associates, Inc. *Protected Plant Preservation Plan, City of Hesperia, APN 0410-051-11*. August 23, 2023.

<sup>36</sup> City of Hesperia. *General Plan Land Use*. October 5, 2023.

- *North of the project site:* Mojave Street extends along the project site's north side. An industrial development, Classic Collision, is located on the north side of the aforementioned street at 10180 E Avenue. The Land Use and Zoning for this area is *General Industrial (GI)*.
- *West of the project site:* Abutting the project site to the west, is a vacant, undeveloped property. The Land Use and Zoning for this area is *General Industrial (GI)*.
- *South of the project site:* Abutting the project site to the south is a vacant, undeveloped property. The Land Use and Zoning for this area is *General Industrial (GI)*.
- *East of the project site:* "E" Avenue extends along the project site's east side. Further east, on the east side of "E" Avenue, is a vacant, undeveloped property. The Land Use and Zoning for this area is *General Industrial (GI)*.<sup>37</sup>

The granting of the requested entitlements and subsequent construction of the proposed project will not result in any expansion of the use beyond the current boundaries. As a result, the project will not lead to any division of an existing established neighborhood. *As a result, no impacts would occur.*

**B. Would the project cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect? • No Impact.**

The project site is located within the Mainstreet / Freeway Corridor Specific Plan (MSFC-SP). The project site's Land use and Zoning Designation is *General Industrial (GI)*. According to the Hesperia General Plan, Industrial districts are appropriate for areas having or planned to have adequate sanitation, water, transportation, drainage, utilities, and public services available to meet the needs of this type of development. The industrial designations are not intended for general commercial uses, either of a retail or service nature that will attract non-industrial users, vehicular traffic, or incompatible uses into the industrial area. When possible, industrial areas should be separated from single family residential areas by commercial or multiple family residential designations, natural or manmade barriers such as drainage courses, utility easements, railroad tracks, or major arterials. Adequate land use and design buffers to mitigate impacts of truck traffic, noise, emissions, dust, and other potential land use conflicts must be addressed through the design review process within the Industrial designations.

The *General Industrial (GI)* designation is intended to permit the establishment of manufacturing and related uses within the city in areas which are protected from encroachment by incompatible residential uses. This designation permits the heaviest types of manufacturing and industrial uses with approval of a site plan or conditional use permit. Manufacturing, warehousing, and fabrication uses are all appropriate for this designation. Development within the General Industrial designation should occur at a Floor Area Ratio (FAR) not to exceed 1.0. The proposed project is consistent with the above General Plan guidelines. *As a result, no impacts would occur.*

## **MITIGATION MEASURES**

The analysis determined that no impacts on land use and planning would result upon the implementation of the proposed project. As a result, no mitigation measures are required.

---

<sup>37</sup>City of Hesperia. *General Plan Land Use*. October 5, 2023.



### 3.12 MINERAL RESOURCES

Environmental Issue Areas Examined	Potentially Significant Impact	Less Than Significant Impact with Mitigation	Less Than Significant Impact	No Impact
A. Would the project result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?				✗
B. Would the project result in the loss of availability of a locally important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?				✗

### THRESHOLDS OF SIGNIFICANCE AND METHODOLOGY

According to Appendix G of the CEQA Guidelines, acting as Lead Agency, a project may be deemed to have a significant adverse impact on mineral resources if it results in any of the following:

- The proposed project would physically divide an established community.
- The proposed project would cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect.

The Surface Mining and Reclamation Act of 1975 (SMARA) has developed mineral land classification maps and reports to assist in the protection and development of mineral resources. According to the SMARA, the following four mineral land use classifications are identified:

- *Mineral Resource Zone 1 (MRZ-1)*: This land use classification refers to areas where adequate information indicates that no significant mineral deposits are present, or where it is judged that little likelihood exists for their presence.
- *Mineral Resource Zone 2 (MRZ-2)*: This land use classification refers to areas where adequate information indicates that significant mineral deposits are present, or where it is judged that a high likelihood for their presence exists.
- *Mineral Resource Zone 3 (MRZ-3)*: This land use classification refers to areas where the significance of mineral deposits cannot be evaluated from the available data. Hilly or mountainous areas underlain by sedimentary, metamorphic, or igneous rock types and lowland areas underlain by alluvial wash or fan material are often included in this category. Additional information about the quality of material in these areas could either upgrade the classification to MRZ-2 or downgrade it to MRZ-1.
- *Mineral Resource Zone 4 (MRZ-4)*: This land use classification refers to areas where available information is inadequate for assignment to any other mineral resource zone.

## ANALYSIS OF ENVIRONMENTAL IMPACTS

**A.** *Would the project result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state? • No Impact.*

The proposed project would involve the construction and subsequent operation of two new warehouse buildings, referred to as *Warehouse 1* and *Warehouse 2*, within the 5.22 acre (202,261 square foot) property. Warehouse 1 would consist of 39,530 square feet of floor area including a 36,101 square feet of warehouse floor area and a 3,520 square foot office. Warehouse 2 would consist of 40,248 square feet of floor area including a 36,728 square feet of warehouse floor area and a 3,520 square foot office. The total floor area of the two buildings would be 79,778 square feet.

A review of California Division of Oil, Gas, and Geothermal Resources well finder indicates that there are no wells located in the vicinity of the project site.<sup>38</sup> The project site is not located in a Significant Mineral Aggregate Resource Area (SMARA) nor is it located in an area with active mineral extraction activities.<sup>39</sup> As indicated previously, the site is developed and there are no active mineral extraction activities occurring on-site or in the adjacent properties. *As a result, no impacts would occur.*

**B.** *Would the project result in the loss of availability of a locally important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan? • No Impact.*

As previously mentioned, no mineral, oil, or energy extraction and/or generation activities are located within the project site. Moreover, the proposed project will not interfere with any resource extraction activity. *Therefore, no impacts would occur.*

## MITIGATION MEASURES

The analysis of potential impacts related to mineral resources indicated that no significant adverse impacts would result from the approval of the proposed project and its subsequent implementation. As a result, no mitigation measures are required.

<sup>38</sup> California, State of. Department of Conservation. *California Oil, Gas, and Geothermal Resources Well Finder*. <https://maps.conservation.ca.gov/doggr/wellfinder/#openModal/-117.41448/34.56284/14>.

<sup>39</sup> California Department of Conservation. *Mineral Land Classification Map for the Hesperia Quadrangle*. Map accessed October 04, 2023.

### 3.13 NOISE

Environmental Issue Areas Examined	Potentially Significant Impact	Less Than Significant Impact with Mitigation	Less Than Significant Impact	No Impact
A. Would the project result in generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?		✗		
B. Would the project result in generation of excessive ground borne vibration or ground borne noise levels?			✗	
C. For a project located within the vicinity of a private airstrip or an airport land use plan, or where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?				✗

### THRESHOLDS OF SIGNIFICANCE AND METHODOLOGY

According to Appendix G of the CEQA Guidelines, a project may be deemed to have a significant adverse impact on noise if it results in any of the following:

- The proposed project would result in generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies.
- The proposed project would result in the generation of excessive ground borne vibration or ground borne noise levels.
- For a proposed project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?

Noise levels may be described using a number of methods designed to evaluate the “loudness” of a particular noise. The most commonly used unit for measuring the level of sound is the decibel (dB). Zero on the decibel scale represents the lowest limit of sound that can be heard by humans. The eardrum may rupture at 140 dB. In general, an increase of between 3.0 dB and 5.0 dB in the ambient noise level is considered to represent the threshold for human sensitivity. Noise level increases of 3.0 dB or less are not generally perceptible to persons with average hearing abilities. The most commonly used unit for measuring the level of sound is the decibel (dB). Zero on the decibel scale represents the lowest limit of sound that can be heard by humans.

## ANALYSIS OF ENVIRONMENTAL IMPACTS

**A.** *Would the project result in generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies? • Less than Significant Impact with Mitigation.*

The proposed project would involve the construction and subsequent operation of two new warehouse buildings, referred to as *Warehouse 1* and *Warehouse 2*, within the 5.22 acre (202,261 square foot) property. Warehouse 1 would consist of 39,530 square feet of floor area including a 36,101 square feet of warehouse floor area and a 3,520 square foot office. Warehouse 2 would consist of 40,248 square feet of floor area including a 36,728 square feet of warehouse floor area and a 3,520 square foot office. The total floor area of the two buildings would be 79,778 square feet. The warehouses would consist of a single level with a maximum height of approximately 41 feet. Parking areas would be located to the eastern and southern portions of the site. A total of 73 parking spaces would be provided including 63 standard parking spaces, 2 truck parking spaces, 4 EV standard parking spaces, 2 ADA compliant parking spaces and 2 ADA compliant EV parking spaces. Landscaping would total 36,387 square feet. The landscaping would be provided around the building, the site's perimeter, and along the roadway frontages. The project would consist of 9 truck dock doors including 3 raised doors and 1 ground level door along the north elevation of Warehouse 1 and 4 raised doors and 1 ground level door along the south elevation of Warehouse 2. Truck maneuvering area would be located opposite the receiving docks and west of the two buildings. Vehicular access to the site would include one entrance for employees and patrons only and 2 entrances for trucks only. The 30 feet wide employee and patron vehicular access would be located east of the site in connection with E avenue. The 30 feet wide truck only entrances are located northwest and southeast corner of the project site. All three entrances are guarded by a security gate fence. For safety and security, screen walls in addition to combo walls consisting of masonry and wrought iron will surround the entire project site.

The maximum noise level allowed by Hesperia's code of ordinances is 65 dB during any time period. The major source of noise in the City of Hesperia and the project area is vehicular traffic. The level of vehicular traffic noise varies with many factors, including traffic volume, vehicle mix (truck percentage), traffic speed, and distance from the roadway. Other sources of noise include railroad, aircraft, industrial and commercial activity, and construction. The following noise standards are located within the City of Hesperia Municipal Code, Section 16.20.125: A. Noise Measurement. For the *General Industrial (GI)* zone, the 65 dB represents the noise standard for the zone. In addition, as stated within the City of Hesperia Municipal Code Section 16.20.125, no person shall operate or cause to be operated any source of sound at any location or allow the creation of any noise on property owned, leased, occupied or otherwise controlled by such person, which causes the noise level, when measured on any other property, either incorporated or unincorporated, to exceed:

- The noise standard for the receiving land use (as specified in subsection (B)(1) of this section) for a cumulative period of more than thirty (30) minutes in any hour; or
- The noise standard plus five dB(A) for a cumulative period of more than fifteen (15) minutes in any hour; or
- The noise standard plus ten dB(A) for a cumulative period of more than five minutes in any hour; or
- The noise standard plus fifteen (15) dB(A) for a cumulative period of more than one minute in any hour; or

- The noise standard plus twenty (20) dB(A) for any period of time.

To ensure the project's potential noise impacts are mitigated, the following mitigation measures must be implemented:

- The Applicant must ensure that the contractors use construction equipment that includes working mufflers and other sound suppression equipment as a means to reduce machinery noise during construction.

*Adherence to the aforementioned mitigation measures will reduce the potential noise impacts to levels that are less than significant.*

**B. Would the project result in generation of excessive ground-borne vibration or ground-borne noise levels? • Less than Significant Impact.**

The nearest noise sensitive use is the Laverne Elementary School Preparatory Academy that is located approximately 2,300 feet to the east of the site. The construction of the proposed project will result in the generation of vibration and noise, though the vibrations and noise generated during the project's construction will not adversely impact the nearby sensitive receptors. The background vibration velocity level in residential areas is usually around 50 vibration velocity level (VdB). The vibration velocity level threshold of perception for humans is approximately 65 VdB. A vibration velocity of 75 VdB is the approximately dividing line between barely perceptible and distinctly perceptible levels for many people. Sources within buildings such as operation of mechanical equipment, movement of people, or the slamming of doors causes most perceptible indoor vibration. Construction activities may result in varying degrees of ground vibration, depending on the types of equipment, the characteristics of the soil, and the age and construction of nearby buildings.

The operation of construction equipment causes ground vibrations that spread through the ground and diminish in strength with distance. Ground vibrations associated with construction activities using modern construction methods and equipment rarely reach the levels that result in damage to nearby buildings though vibration related to construction activities may be discernible in areas located near the construction site. A possible exception is in older buildings where special care must be taken to avoid damage. The U.S. Department of Transportation (U.S. DOT) has guidelines for vibration levels from construction related to their activities and recommends that the maximum peak-particle-velocity (PPV) levels remain below 0.05 inches per second at the nearest structures. PPV refers to the movement within the ground of molecular particles and not surface movement. Vibration levels above 0.5 inches per second have the potential to cause architectural damage to normal dwellings. The U.S. DOT also states that vibration levels above 0.015 inches per second (in/sec) are sometimes perceptible to people, and the level at which vibration becomes an irritation to people is 0.64 inches per second.

Typical levels from vibration generally do not have the potential for any structural damage. Some construction activities, such as pile driving and blasting, can produce vibration levels that may have the potential to damage some vibration sensitive structures if performed within 50 to 100 feet of the structure. The reason that normal construction vibration does not result in structural damage has to do with several issues, including the frequency vibration and magnitude of construction related vibration. Unlike earthquakes, which produce vibration at very low frequencies and have a high potential for structural damage, most construction vibration is in the mid- to upper- frequency range, and therefore has a lower potential for structural damage.



The project's implementation will not require deep foundations since the underlying fill soils will be removed and the height of the proposed buildings will be limited. The new building would be constructed over a shallow foundation that will extend no more than three to four feet below ground surface (bgs). The use of shallow foundations precludes the use of pile drivers or any auger type equipment. However, other vibration generating equipment may be used on-site during construction. As stated above, the project will require the use of excavators, loaders, bulldozers, and haul trucks.

Once operational, the proposed project would not generate excessive ground-borne noise because the project will not require the use of equipment capable of creating ground-borne noise. The building would be used as an office and warehouse. The project will be required to adhere to all pertinent City noise control regulations. In addition, the cumulative traffic associated with the proposed project will not be great enough to result in a measurable or perceptible increase in traffic noise (it typically requires a doubling of traffic volumes to increase the ambient noise levels to 3.0 dBA or greater). *As a result, the impacts would be less than significant.*

**C.** *For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels? • No Impact.*

The project site is not located within an airport land use plan and the nearest airport to the site is the Hesperia Airport that is located approximately 3.9 miles to the southwest. The proposed use is not considered to be a sensitive receptor. As a result, the proposed project will not expose people residing or working in the project area to excessive noise levels related to airport uses. *As a result, no impacts would occur.*

## MITIGATION MEASURES

The following mitigation will be required in order to further reduce construction noise:

**NOI Mitigation No. 1.** The Applicant must ensure that the contractors use construction equipment that includes working mufflers and other sound suppression equipment as a means to reduce machinery noise.

### 3.14 POPULATION & HOUSING

Environmental Issue Areas Examined	Potentially Significant Impact	Less Than Significant Impact with Mitigation	Less Than Significant Impact	No Impact
A. Would the project induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?				×
B. Would the project displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere?				×

#### THRESHOLDS OF SIGNIFICANCE AND METHODOLOGY

According to Appendix G of the CEQA Guidelines, a project may be deemed to have a significant adverse impact on population and housing if it results in any of the following:

- The proposed project would induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure).
- The proposed project would displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere.

#### ANALYSIS OF ENVIRONMENTAL IMPACTS

**A.** *Would the project induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?* • *No Impact.*

The proposed project would involve the construction and subsequent operation of two new warehouse buildings, referred to as *Warehouse 1* and *Warehouse 2*, within the 5.22 acre (202,261 square foot) property. Warehouse 1 would consist of 39,530 square feet of floor area including a 36,101 square feet of warehouse floor area and a 3,520 square foot office. Warehouse 2 would consist of 40,248 square feet of floor area including a 36,728 square feet of warehouse floor area and a 3,520 square foot office. The total floor area of the two buildings would be 79,778 square feet. The warehouses would consist of a single level with a maximum height of approximately 41 feet. The landscaping would be provided around the building, the site's perimeter, and along the roadway frontages. Growth-inducing impacts are generally associated with the provision of urban services to an undeveloped or rural area. Growth-inducing impacts include the following:

- *New development in an area presently undeveloped and economic factors which may influence development.* The site is currently undeveloped though it has been disturbed. The proposed use is consistent with the *General Industrial (GI)* zone.
- *Extension of roadways and other transportation facilities.* Future roadway and infrastructure connections will serve the proposed project site only.
- *Extension of infrastructure and other improvements.* The installation of any new utility lines will not lead to subsequent offsite development since these utility connections will serve the site only.

- *Major off-site public projects (treatment plants, etc.).* The project's increase in demand for utility services can be accommodated without the construction or expansion of landfills, water treatment plants, or wastewater treatment plants.
- *The removal of housing requiring replacement housing elsewhere.* The site does not contain any housing units. As a result, no replacement housing will be required.
- *Additional population growth leading to increased demand for goods and services.* The project will result in an increase in employment. The proposed project is anticipated to employ 10 to 20 individuals onsite at any given time. The onsite employees' functions are limited to business transactions, site maintenance, and equipment operations/maintenance. This number of new employees can be accommodated by the local labor market.
- *Short-term growth-inducing impacts related to the project's construction.* The project will result in temporary employment during the construction phase.

The proposed project will utilize existing roadways and infrastructure. The proposed project will not result in any unplanned growth. *As a result, no impacts would occur.*

**B.** *Would the project displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere? • No Impact.*

The project site is vacant and ungraded. The project site is located within the Mainstreet / Freeway Corridor Specific Plan (MSFC-SP). The project site's Land use and Zoning Designation is *General Industrial (GI)*.<sup>40</sup> No housing units will be permitted, and none will be displaced as a result of the proposed project's implementation. *As a result, no impacts would occur.*

## MITIGATION MEASURES

The analysis of potential population and housing impacts indicated that no significant adverse impacts would result from the proposed project's approval and subsequent implementation. As a result, no mitigation measures are required.

---

<sup>40</sup> City of Hesperia. *General Plan Land Use*. October 5, 2023.

### **3.15 PUBLIC SERVICES**

<b>Environmental Issue Areas Examined</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant Impact with Mitigation</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
<b>A.</b> Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which would cause significant environmental impacts, in order to maintain acceptable service ratios, response times, or other performance objectives for any of the public services:				
<b>i).</b> Would the project result in substantial adverse physical impacts associated with Fire protection?			<b>×</b>	
<b>ii).</b> Would the project result in substantial adverse physical impacts associated with Police protection?			<b>×</b>	
<b>iii).</b> Would the project result in substantial adverse physical impacts associated with Schools?			<b>×</b>	
<b>iv).</b> Would the project result in substantial adverse physical impacts associated with Parks?			<b>×</b>	
<b>v).</b> Would the project result in substantial adverse physical impacts associated with Other public facilities?			<b>×</b>	

### **THRESHOLDS OF SIGNIFICANCE AND METHODOLOGY**

According to Appendix G of the CEQA Guidelines, a project may be deemed to have a significant adverse impact on public services if it results in any of the following:

- The proposed project would result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services: fire protection, police protection, schools, parks or other public facilities.

### **ANALYSIS OF ENVIRONMENTAL IMPACTS**

**A.** *Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which would cause significant environmental impacts, in order to maintain acceptable service ratios, response times, or other performance objectives for any of the public services:*

The proposed project would involve the construction and subsequent operation of two new warehouse buildings, referred to as *Warehouse 1* and *Warehouse 2*, within the 5.22 acre (202,261 square foot) property. Warehouse 1 would consist of 39,530 square feet of floor area including a 36,101 square feet of warehouse floor area and a 3,520 square foot office. Warehouse 2 would consist of 40,248 square feet of floor area including a 36,728 square feet of warehouse floor area and a 3,520 square foot office. The total floor area of the two buildings would be 79,778 square feet. The warehouses would consist of a single level

with a maximum height of approximately 41 feet. Parking areas would be located to the eastern and southern portions of the site.

**i). Would the project result in substantial adverse physical impacts associated with fire protection? •**  
*Less than Significant Impact.*

The City of Hesperia and the sphere of influence are served by the San Bernardino County Fire Department. Currently there are five fire stations within the City of Hesperia, Stations 301, 302, 303, 304, and 305. In addition, there are two stations outside of the City, which include Stations 22 and 23. The proposed project would only place an incremental demand on fire services since the project will be constructed with strict adherence to all pertinent building and fire codes. In addition, the proposed project would be required to implement all pertinent Fire Code Standards. Furthermore, the project will be reviewed by City and County building and fire officials to ensure adequate fire service and safety. *As a result, the impacts would be less than significant.*

**ii). Would the project result in substantial adverse physical impacts associated with police protection? •**  
*Less than Significant Impact.*

Law enforcement services within the City are provided by the San Bernardino County Sheriff's Department which serves the community from one police station. The San Bernardino County Sheriff's Department provides police protection and crime prevention services for the City of Hesperia and its sphere of influence on a contractual basis. The Hesperia Police Department is located at 15840 Smoke Tree Street Amargosa Road approximately 1.62 miles to the southwest of the project site. This station is adjacent to the City Hall and Library, surrounding the Hesperia Civic Plaza. The primary potential security issues will be related to vandalism and potential burglaries during off-business hours. The project Applicant must install security cameras throughout the project site. *As a result, the impacts would be less than significant.*

**iii). Would the project result in substantial adverse physical impacts associated with schools? •** *Less than Significant Impact.*

The Hesperia Unified School District (HUSD) is the largest school district in the high desert, covering nearly 160 square miles, serving approximately 21,000 students (K–12) on 26 separate campuses. The nearest school to the project site is the La Verne Elementary Preparatory Academy approximately 2,300 feet east of the site. Due to the nature of the proposed project (an industrial use), no direct enrollment impacts regarding school services would occur. The proposed project will not directly increase demand for school services. *As a result, the impacts on school-related services would be less than significant.*

**iv). Would the project result in substantial adverse physical impacts associated with parks? •** *Less than Significant Impact.*

The Hesperia Recreation and Park District (HRPD) is an independent special district within the County of San Bernardino. HRPD was created in 1957 to meet the recreational needs of the community and encompasses approximately 100 square miles, including the 75 square miles within the City of Hesperia and much of the Sphere of Influence. HRPD constructs and maintains parks, recreation facilities, retention basins, Landscape Maintenance Districts, streetlights, and other recreational services and programs to the



community. The nearest park to the project site is Live Oak Park located 3,500 feet to the southeast of the project site. The proposed project would not result in any local increase in residential development (directly or indirectly) which could potentially impact the local recreational facilities. *As a result, the impacts would be less than significant.*

**v).** *Would the project result in substantial adverse physical impacts associated with other public facilities? • Less than Significant Impact.*

The proposed project would not create direct local population growth which could potentially create demand for other governmental services. *As a result, less than significant impacts will result from the proposed project's implementation.*

## **MITIGATION MEASURES**

The analysis of public service impacts indicated that no significant adverse impacts are anticipated, and no mitigation is required with the implementation of the proposed project.

### 3.16 RECREATION

Environmental Issue Areas Examined	Potentially Significant Impact	Less Than Significant Impact with Mitigation	Less Than Significant Impact	No Impact
A. Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?				✗
B. Would the project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?				✗

### THRESHOLDS OF SIGNIFICANCE AND METHODOLOGY

According to Appendix G of the CEQA Guidelines, a project may be deemed to have a significant adverse impact on recreation if it results in any of the following:

- The proposed project would increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated.
- The proposed project would include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment.

### ANALYSIS OF ENVIRONMENTAL IMPACTS

**A.** *Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?* • *No Impact.*

The proposed project would involve the construction and subsequent operation of two new warehouse buildings, referred to as *Warehouse 1* and *Warehouse 2*, within the 5.22 acre (202,261 square foot) property. Warehouse 1 would consist of 39,530 square feet of floor area including a 36,101 square feet of warehouse floor area and a 3,520 square foot office. Warehouse 2 would consist of 40,248 square feet of floor area including a 36,728 square feet of warehouse floor area and a 3,520 square foot office. The total floor area of the two buildings would be 79,778 square feet. The warehouses would consist of a single level with a maximum height of approximately 41 feet.

The Hesperia Recreation and Park District (HRPD) is an independent special district within the County of San Bernardino. HRPD was created in 1957 to meet the recreational needs of the community and encompasses approximately 100 square miles, including the 75 square miles within the City of Hesperia and much of the Sphere of Influence. HRPD constructs and maintains parks, recreation facilities, retention basins, Landscape Maintenance Districts, streetlights, and other recreational services and programs to the community. No parks are located adjacent to the site. The nearest park to the project site is Live Oak Park located 3,500 feet to the southeast of the project site. The proposed project would not result in any

improvements that would potentially significantly physically alter any public park facilities and services. *As a result, no impacts would occur.*

**B.** *Would the project include recreational facilities or require the construction or expansion of recreational facilities, which might have an adverse physical effect on the environment? • No Impact.*

As previously indicated, the implementation of the proposed project would not affect any existing parks and recreational facilities in the City. No such facilities are located adjacent to the project site. *As a result, no impacts would occur.*

## MITIGATION MEASURES

The analysis of potential impacts related to parks and recreation indicated that no significant adverse impacts would result from the proposed project's approval and subsequent implementation. As a result, no mitigation measures are required.

### 3.17 TRANSPORTATION

Environmental Issue Areas Examined	Potentially Significant Impact	Less Than Significant Impact with Mitigation	Less Than Significant Impact	No Impact
A. Would the project conflict with a plan, ordinance, or policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities?			✗	
B. Conflict or be inconsistent with CEQA Guidelines §15064.3 subdivision (b)?			✗	
C. Would the project substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?			✗	
D. Would the project result in inadequate emergency access?				✗

### THRESHOLDS OF SIGNIFICANCE AND METHODOLOGY

According to Appendix G of the CEQA Guidelines, a project may be deemed to have a significant adverse impact on transportation and circulation if it results in any of the following:

- The proposed project would conflict with a plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle, and pedestrian facilities.
- The proposed project would conflict or be inconsistent with CEQA Guidelines section 15064.3, subdivision (b).
- The proposed project would substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment).
- The proposed project would result in inadequate emergency access.

### ANALYSIS OF ENVIRONMENTAL IMPACTS

**A.** *Would the project conflict with a program, plan, or ordinance, or policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities? • Less than Significant Impact.*

The proposed project would involve the construction and subsequent operation of two new warehouse buildings, referred to as *Warehouse 1* and *Warehouse 2*, within the 5.22 acre (202,261 square foot) property. Warehouse 1 would consist of 39,530 square feet of floor area including a 36,101 square feet of warehouse floor area and a 3,520 square foot office. Warehouse 2 would consist of 40,248 square feet of floor area including a 36,728 square feet of warehouse floor area and a 3,520 square foot office. The total floor area of the two buildings would be 79,778 square feet. The warehouses would consist of a single level with a maximum height of approximately 41 feet.

A total of 73 parking spaces would be provided including 65 standard parking spaces, 4 EV standard parking spaces, 2 ADA compliant parking spaces and 2 ADA compliant EV parking spaces. Landscaping would total 36,387 square feet. The project would consist of 10 truck dock doors including 4 raised doors and 1 ground level door along the north elevation of Warehouse 1 and 4 raised doors and 1 ground level door along the

**CITY OF HESPERIA • INITIAL STUDY AND MITIGATED NEGATIVE DECLARATION**  
**BICKMORE 5.22 ACRE SITE • SWC OF MOJAVE ST AND E AVE (APN 0410-05-111)**

south elevation of Warehouse 2. Truck maneuvering area would be located opposite the receiving docks of the two buildings. Vehicular access to the site would include one entrance for employees and patrons and two entrances for trucks only. The 30 feet wide employee and patron vehicular access would be located east of the site in connection with E Avenue. The 30 feet wide truck only entrances are located northwest and southeast corner of the project site. The landscaping would be provided around the building, the site's perimeter, and along the roadway frontages. All three entrances are guarded by a security gate fence.

Trip generation estimates for the project were developed using the trip rates contained in the Institute of Transportation Engineers' (ITE) Trip Generation, 11<sup>th</sup> Edition based on Warehouse Land use category (ITE Code 150). This ITE information was used to estimate existing and future traffic generated and this information is summarized in Table 3-5. As indicated in Table 3-5, the future project is anticipated to generate approximately 265 daily trips, with approximately 27 trips occurring during the AM peak hour, and 27 trips occurring during the PM peak hour.

**Table 3-5 Trip Generation**

Use	Gross Floor Area (KSF)	Daily	AM Peak Hour of Adjacent Street Traffic			PM Peak Hour of Adjacent Street Traffic		
			In	out	Total	In	Out	Total
Warehouse (ITE Land Use Category 150)	79.778	<b>Vehicle Trip Generation Rates (Trips per 1,000 Square Feet of Gross Floor Area)</b>						
		2.36	0.18	0.06	0.24	0.07	0.17	0.24
		<b>Total Vehicle Trip Generation</b>						
		188	14	5	19	6	14	19
	Mode Share	<b>Total Project Trip Generation by Vehicle Type</b>						
Passenger Cars (Percent of Total)	74.21%	140	11	4	14	4	10	14
2-Axle Trucks (Percent of Total)	4.55%	9	1	0	1	0	1	1
3-Axle Trucks (Percent of Total)	4.18%	8	1	0	1	0	1	1
4-Axle Trucks (Percent of Total)	17.04%	32	2	1	3	1	2	3
	<b>PCE Factor</b>	<b>Total Project Trip Generation in Passenger Car Equivalents (PCE)</b>						
Passenger Cars	1.0	140	11	4	14	4	10	14
2-Axle Trucks	1.5	13	1	0	1	0	1	1
3-Axle Trucks (Percent of Total)	2.0	16	1	0	2	0	1	2
4+Axle Trucks (Percent of Total)	3.0	96	7	2	10	3	7	10
<b>Total</b>		<b>265</b>	20	7	<b>27</b>	8	19	<b>27</b>

Source: Institute of Transportation Engineers. *Trip Generation Manual 11<sup>th</sup> Edition*.



As indicated in Table 3-5, the future project is anticipated to generate approximately 265 daily PCE trips, with approximately 27 trips occurring during the AM peak hour, and 27 trips occurring during the PM peak hour. *Therefore, the potential impacts are anticipated to be less than significant.*

**B. *Would the project conflict or be inconsistent with CEQA Guidelines Section 15064.3 subdivision (b)? • Less than Significant Impact.***

VMT is defined as a measurement of miles traveled by vehicles in a certain region for a specified time period. VMT measures the use and efficiency of the transportation network within that region and is calculated from individual vehicle trips generated and their associated trip lengths. VMT accounts for two-way (round-trip) travel and is often estimated for a typical weekday for the purpose of measuring transportation impacts. After the signing of Senate Bill 743 (SB 743) in September 2013, the process of analyzing transportation impact under CEQA was significantly revised. SB 743 became a law effective July 1, 2020, and identifies VMT as the most appropriate CEQA transportation metric. The City's TIA Guidelines include VMT screening criteria, guidelines, and thresholds for analyzing transportation impacts under CEQA. The Guidelines state that a project needs to satisfy only one of the criteria below to be exempt from further VMT analysis.

1. The project is located within a Transit Priority Area (TPA).
2. The project is located in a low VMT generating area.
3. Project Type Screening (the project generates fewer than 110 daily vehicle trips or is considered a local-serving land use)

The applicability of each criterion to the project is discussed below.

- *Screening Criteria 1 - Transit Priority Area Screening:* According to the City's guidelines, projects located in a TPA may be presumed to have a less than significant impact. This presumption may not be appropriate if the project;
  1. Has a Floor Area Ratio (FAR) of less than 0.75;
  2. Includes more parking for use by residents, customers, or employees of the project than required by the jurisdiction (if the jurisdiction requires the project to supply parking);
  3. Is it inconsistent with the applicable Sustainable Communities Strategy (as determined by the lead agency, with input from the Metropolitan Planning Organization); or
  4. Replaces affordable residential units with a smaller number of moderate- or high-income residential units.

A TPA is defined as a half-mile around an existing major transit stop or an existing stop along a high-quality transit corridor. Per Public Resources Code Section 21064.3, a major transit stop refers to a site containing an existing rail transit station, a ferry terminal served by either a bus or rail transit service, or the intersection of two or more major bus routes with a frequency of service interval of 15 minutes or less during the morning and afternoon peak commute periods. Per Public Resources Code Section 21155, a high-quality transit corridor is defined as a corridor with fixed route bus service with service intervals no longer than 15 minutes during peak commute hours. The

proposed project is located approximately 2,800 feet and 2,900 feet from a major transit stop, the Victor Valley Transit Center. In addition, Line 66 extends northerly on E Avenue from the aforementioned station. The proposed project has a floor area ratio of 0.354 which is less than the limit of 0.75 FAR. Although the proposed project does not meet the FAR criteria, the proposed project is consistent with all other applicable City TIA guidelines and City standards. Therefore, the proposed project meets the criteria for Transit Priority Area Screening and can be screened from further VMT analysis.

- *Screening Criteria 2 - Low VMT Area Screening:* The City's guidelines include a screening threshold for projects located in a low VMT generating area. Low VMT generating area is defined as traffic analysis zones (TAZs) with a total daily VMT/Service Population (employment plus population) that is less than the current County of San Bernardino VMT/Service Population (noted to be 32.7 in the guidelines). The project's site was evaluated using the SBCTA VMT Screening Tool (SBCTA VMT Screening Tool (arccgis.com)). According to the results of the online tool, the Countywide VMT/Service Population of the project TAZ is higher than the County average. Therefore, the project would not meet Screening Criteria 2 – Low-VMT Area Screening.
- *Screening Criteria 3 –Project Type:* According to the City's guidelines, projects which generate fewer than 110 daily vehicle trips, propose local serving retail (retail projects less than 50,000 square feet) or other local serving uses would have a less than significant impact on VMT. As shown in Table 1, the project would generate more than 110 daily trips and would have more than 50,000 square foot in floor area. The proposed project does not meet this screening criterion.

Because the project would meet Screening Criteria 1 – Transit Priority Area Screening, the project's impact on VMT would be considered less than significant and an analysis of VMT would not be required. As a result, the project will not result in a conflict or be inconsistent with Section 15064.3 subdivision (b) of the CEQA Guidelines. *As a result, the potential impacts will be less than significant.*

**C. Would the project substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)? • Less than Significant Impact.**

The project would consist of 10 truck dock doors including 4 raised doors and 1 ground level door along the north elevation of Warehouse 1 and 4 raised doors and 1 ground level door along the south elevation of Warehouse 2. Truck maneuvering area would be located opposite the receiving docks of the two buildings. Vehicular access to the site would include one entrance for employees and patrons and two entrances for trucks only. The 30 feet wide employee and patron vehicular access would be located east of the site in connection with "E" Avenue. The 30 feet wide truck only entrances are located northwest and southeast corner of the project site. The landscaping would be provided around the building, the site's perimeter, and along the roadway frontages. All three entrances are guarded by a security gate fence. As indicated in Table 3-5, the future project is anticipated to generate approximately 265 daily PCE trips, with approximately 27 trips occurring during the AM peak hour, and 27 trips occurring during the PM peak hour. *As a result, the potential impacts will be less than significant.*

**D. Would the project result in inadequate emergency access? • Less than Significant Impact.**

The proposed project would not affect emergency access to any adjacent parcels. At no time during construction will the adjacent public street be completely closed to traffic. All construction staging must

occur on-site. *As a result, the impacts would be less than significant.*

### **MITIGATION MEASURES**

The analysis determined that the traffic impacts would be less than significant. As a result, no mitigation was required.

### 3.18 TRIBAL CULTURAL RESOURCES

Environmental Issue Areas Examined	Potentially Significant Impact	Less Than Significant Impact with Mitigation	Less Than Significant Impact	No Impact
<b>A.</b> Would the project cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is:		✗		
<b>i)</b> Would the project have listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code section 5020.1(k), or				✗
<b>ii).</b> Would the project have resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resource Code Section 5024.1 In applying the criteria set forth in subdivision (c) of Public Resource Code Section 5024.1, the lead agency shall consider the significance of the resource to a California Native American.		✗		

### THRESHOLDS OF SIGNIFICANCE AND METHODOLOGY

According to Appendix G of the CEQA Guidelines, a project may be deemed to have a significant adverse impact on tribal cultural resources if it results in any of the following:

- The proposed project would cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code section 5020.1(k).
- The proposed project would cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is a resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code Section 5024.1? In applying the criteria set forth in subdivision (c) of Public Resources Code Section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe.

### ANALYSIS OF ENVIRONMENTAL IMPACTS

**A.** *Would the project cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American Tribe, and that is:*

The proposed project would involve the construction and subsequent operation of two new warehouse buildings, referred to as *Warehouse 1* and *Warehouse 2*, within the 5.22 acre (202,261 square foot) property. Warehouse 1 would consist of 39,530 square feet of floor area including a 36,101 square feet of warehouse floor area and a 3,520 square foot office. Warehouse 2 would consist of 40,248 square feet of floor area including a 36,728 square feet of warehouse floor area and a 3,520 square foot office. The total floor area of the two buildings would be 79,778 square feet. The warehouses would consist of a single level with a maximum height of approximately 41 feet. A Tribal Resource is defined in Public Resources Code section 21074 and includes the following:

- Sites, features, places, cultural landscapes, sacred places, and objects with cultural value to a California Native American tribe that are either of the following: included or determined to be eligible for inclusion in the California Register of Historical Resources or included in a local register of historical resources as defined in subdivision (k) of Section 5020.1.
- A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Section 5024.1. In applying the criteria set forth in subdivision (c) of Section 5024.1 for the purposes of this paragraph, the lead agency shall consider the significance of the resource to a California Native American tribe.
- A cultural landscape that meets the criteria of subdivision (a) is a tribal cultural resource to the extent that the landscape is geographically defined in terms of the size and scope of the landscape.
- A historical resource described in Section 21084.1, a unique archaeological resource as defined in subdivision (g) of Section 21083.2, or a “non-unique archaeological resource” as defined in subdivision (h) of Section 21083.2 may also be a tribal cultural resource if it conforms to the criteria of subdivision (a).

Adherence to the standard condition presented in Subsection B under Cultural Resources will minimize potential impacts to levels that are less than significant. The City of Hesperia received a response from the Yuhaaviatam of San Manuel Nation (formerly San Manuel Band of Mission Indians) following the AB52 letters. The proposed project site is located on recognized Yuhaaviatam/Maarenga’yam land. The word Maara’yam, the People of Maara’, is used to describe all peoples known today as Serrano. The name Yuhaaviatam, or People of the Pines, refers to the Serrano clan of our progenitor, Santos Manuel. The project area is located within the Serrano ancestral territory, which covers present-day Antelope Valley on the west, southwest Mojave Desert to the north, the Inland Empire north of the city of Riverside to the south, and the city of Twentynine Palms to the east. <sup>41</sup>

The site is also within an area of the City that has been disturbed due to adjacent development and there is a limited likelihood that artifacts would be encountered. The proposed project’s construction would involve shallow excavation for the installation of building footings, utility lines, and other underground infrastructure. Ground disturbance would involve grading and earth-clearing activities for the installation of the grass and landscaping and other on-site improvements. In addition, the proposed project area is not located within an area that is typically associated with habitation sites, foraging areas, ceremonial sites, or burials. Nevertheless, mitigation was provided in the previous subsection.

**i). Would the listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code section 5020.1(k). • No Impact**

<sup>41</sup> San Manuel Band of Mission Indians. History. <https://sanmanuel-nsn.gov/culture/history> . Website Accessed October 04, 2023.



Sites, features, places, cultural landscapes, sacred places, and objects with cultural value to a California Native American tribe that are either of the following: included or determined to be eligible for inclusion in the California Register of Historical Resources or included in a local register of historical resources as defined in subdivision (k) of Section 5020.1. The project site is not listed in the Register. *As a result, no impacts would occur.*

**ii).** *Would the project have a resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resource Code Section 5024.1 In applying the criteria set forth in subdivision (c) of Public Resource Code Section 5024.1, the lead agency shall consider the significance of the resource to a California Native American Tribe? • Less than Significant Impact with Mitigation.*

A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Section 5024.1. In applying the criteria set forth in subdivision (c) of Section 5024.1 for the purposes of this paragraph, the lead agency shall consider the significance of the resource to a California Native American tribe.

A historical resource described in Section 21084.1, a unique archaeological resource as defined in subdivision (g) of Section 21083.2, or a “non-unique archaeological resource” as defined in subdivision (h) of Section 21083.2 may also be a tribal cultural resource if it conforms to the criteria of subdivision (a). The following mitigation measures are required as a means to reduce potential tribal cultural resources impacts to levels that are less than significant:

- The Yuhaaviatam of San Manuel Nation Cultural Resources Department (YSMN) shall be contacted, as detailed in CUL-1, of any pre-contact and/or historic-era cultural resources discovered during project implementation and be provided information regarding the nature of the find, so as to provide Tribal input with regards to significance and treatment. Should the find be deemed significant, as defined by CEQA (as amended, 2015), a cultural resource Monitoring and Treatment Plan shall be created by the archaeologist, in coordination with YSMN, and all subsequent finds shall be subject to this Plan. This Plan shall allow for a monitor to be present that represents YSMN for the remainder of the project, should YSMN elect to place a monitor on-site.
- Any and all archaeological/cultural documents created as a part of the project (isolate records, site records, survey reports, testing reports, etc.) shall be supplied to the applicant and Lead Agency for dissemination to YSMN. The Lead Agency and/or applicant shall, in good faith, consult with YSMN throughout the life of the project.

*As a result, the impacts would be less than significant.*

## **MITIGATION MEASURES**

The following mitigation measures are required as a means to reduce potential tribal cultural resources impacts to levels that are less than significant:

**TRC Mitigation No. 1.** The Yuhaaviatam of San Manuel Nation Cultural Resources Department (YSMN) shall be contacted, as detailed in CUL-1, of any pre-contact and/or historic-era cultural resources discovered during project implementation and be provided information regarding the nature of the find, so as to provide Tribal input with regards to significance and treatment. Should the find be deemed significant, as defined by CEQA (as amended, 2015), a cultural resource Monitoring and

**CITY OF HESPERIA • INITIAL STUDY AND MITIGATED NEGATIVE DECLARATION**  
**BICKMORE 5.22 ACRE SITE • SWC OF MOJAVE ST AND E AVE (APN 0410-05-111)**

Treatment Plan shall be created by the archaeologist, in coordination with YSMN, and all subsequent finds shall be subject to this Plan. This Plan shall allow for a monitor to be present that represents YSMN for the remainder of the project, should YSMN elect to place a monitor on-site.

**TRC Mitigation No. 2.** Any and all archaeological/cultural documents created as a part of the project (isolate records, site records, survey reports, testing reports, etc.) shall be supplied to the applicant and Lead Agency for dissemination to YSMN. The Lead Agency and/or applicant shall, in good faith, consult with YSMN throughout the life of the project.

### 3.19 UTILITIES AND SERVICE SYSTEMS

Environmental Issue Areas Examined	Potentially Significant Impact	Less Than Significant Impact with Mitigation	Less Than Significant Impact	No Impact
<b>A.</b> Would the project require or result in the relocation or construction of new or expanded water, wastewater treatment or stormwater drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?			✗	
<b>B.</b> Would the project have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry, and multiple dry years?			✗	
<b>C.</b> Would the project result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?			✗	
<b>D.</b> Would the project generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?			✗	
<b>E.</b> Would the project comply with Federal, State, and local management and reduction statutes and regulations related to solid waste?				✗

The energy and utilities worksheets are provided in Appendix D.

### THRESHOLDS OF SIGNIFICANCE AND METHODOLOGY

According to Appendix G of the CEQA Guidelines, a project may be deemed to have a significant adverse impact on utilities if it results in any of the following:

- The proposed project would require or result in the relocation or construction of new or expanded water, wastewater treatment or storm water drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects.
- The proposed project would have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry, and multiple dry years.
- The proposed project would result in a determination by the wastewater treatment provider which serves or may serve the proposed project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments.
- The proposed project would generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals.
- The proposed project would negatively impact the provision of solid waste services or impair the attainment of solid waste reduction goals.

- The proposed project would comply with Federal, State, and local management and reduction statutes and regulations related to solid waste.

## ANALYSIS OF ENVIRONMENTAL IMPACTS

**A.** *Would the project require or result in the relocation or construction of new or expanded water, wastewater treatment or stormwater drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects? • Less than Significant Impact.*

The proposed project would involve the construction and subsequent operation of two new warehouse buildings, referred to as *Warehouse 1* and *Warehouse 2*, within the 5.22 acre (202,261 square foot) property. Warehouse 1 would consist of 39,530 square feet of floor area including a 36,101 square feet of warehouse floor area and a 3,520 square foot office. Warehouse 2 would consist of 40,248 square feet of floor area including a 36,728 square feet of warehouse floor area and a 3,520 square foot office. The total floor area of the two buildings would be 79,778 square feet. The warehouses would consist of a single level with a maximum height of approximately 41 feet.

There are no existing water or wastewater treatment plants, electric power plants, telecommunications facilities, natural gas facilities, or stormwater drainage infrastructure located on-site. Therefore, the project's implementation will not require the relocation of any of the aforementioned facilities. The project site is currently undeveloped though the site has existing electrical, sewer and water connections adjacent to the project site. The proposed project's connection can be adequately handled by the existing infrastructure. *As a result, the potential impacts will be less than significant.*

**B.** *Would the project have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry, and multiple dry years? • Less than Significant Impact.*

The Hesperia Water District (HWD) currently maintains 18 storage reservoirs within the distribution system with a total capacity of 49.5 million gallons. The City sits above the Upper Mojave River Basin within the jurisdiction of the Mojave Water Agency, and draws its water from the Alto sub-basin, which has a capacity of 2,086,000 acre-feet. Approximately 960,000 acre-feet of stored groundwater is estimated within the basin with an additional 1,126,000 acre-feet of storage capacity available through recharge efforts, as indicated in Table 3-6. The proposed project is estimated to consume 3,590 gallons of water on a daily basis. There are existing water and sewer lines located on "I" Street. *As a result, the impacts will be less than significant.*

**Table 3-6 Projected Water Consumption**

Project Element	Consumption Rate	Project Consumption
Warehouse (79,778 sq. ft.)	0.045 gals. /day/sq. ft.	3,590 gals. /day
Total		3,590 gals. /day

Source: Blodgett Baylosis Environmental Planning

**C. Would the project result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments? • Less than Significant Impact.**

Wastewater services are provided by the Victor Valley Wastewater Reclamation Authority (VWVRA). Currently the City is served by an interceptor system that extends approximately 15 miles from the regional treatment facility (Victorville) south to I Avenue and Hercules in the City of Hesperia. The interceptor system consists of both gravity and force main pipelines, ranging in size from 6-inch to 42-inch diameters. The City's sewer system collects to the VWVRA's 3-mile interceptor that runs along the northeast boundary of the City. Sewer lines range from 3 inches up to 21-inch lines within the City. From Table 3-7, the proposed project is estimated to generate 2,393 gallons of wastewater on a daily basis. The project's implementation will not create a substantial demand on existing infrastructure. *As a result, the impacts are expected to be less than significant.*

**Table 3-7 Projected Effluent Generation**

Project Element	Generation Rate	Project Generation
Warehouse (79,778 sq. ft.)	0.03 gals./day/sq. ft.	2,393 gals. /day
Total		2,393 gals. /day

Source: Blodgett Baylosis Environmental Planning

**D. Would the project generate solid waste in excess of state or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals? • Less than Significant Impact.**

Approximately 63 percent of the solid waste generated in Hesperia is being recycled, exceeding the 50 percent requirement pursuant to the California Integrated Waste Management Act of 1989 (AB939). Currently, about 150 tons of the solid waste generated by the City per day is sent to the landfill. This remaining solid waste is placed in transfer trucks and disposed of at the Victorville Sanitary Landfill at 18600 Stoddard Wells Road in Victorville, owned and operated by the County of San Bernardino. From Table 3-8, the proposed project is estimated to generate 712 pounds of solid waste on a daily basis. *As a result, the potential impacts will be less than significant.*

**Table 3-8 Projected Solid Waste Generation**

Project Element	Generation Rate	Project Generation
Warehouse (79,778 sq. ft.)	8.93 lbs./day/1,000 sq. ft.	712 lbs./day
Total		712 lbs./day

Source: Blodgett Baylosis Environmental Planning

**E. Would the project comply with Federal, State, and local management and reduction statutes and regulations related to solid waste? • No Impact.**

The proposed project, like all other development in Hesperia and San Bernardino County, will be required to adhere to City and County ordinances with respect to waste reduction and recycling. *As a result, no impacts would occur.*



## **MITIGATION MEASURES**

The analysis of utilities impacts indicated that no significant adverse impacts would result from the proposed project's approval and subsequent implementation. As a result, no mitigation is required.

### 3.20 WILDFIRE

Environmental Issue Areas Examined	Potentially Significant Impact	Less Than Significant Impact with Mitigation	Less Than Significant Impact	No Impact
<b>A.</b> Would the project substantially impair an adopted emergency response plan or emergency evacuation plan?				<b>×</b>
<b>B.</b> Would the project due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire?				<b>×</b>
<b>C.</b> Would the project require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines, or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?				<b>×</b>
<b>D.</b> Would the project expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?				<b>×</b>

### THRESHOLDS OF SIGNIFICANCE AND METHODOLOGY

According to Appendix G of the CEQA Guidelines, a project may be deemed to have a significant adverse impact on wildfire risk and hazards if it results in any of the following:

- The proposed project would, if located in or near state responsibility areas or lands classified as very high fire hazard severity zones, substantially impair an adopted emergency response plan or emergency evacuation plan.
- The proposed project would, if located in or near state responsibility areas or lands classified as very high fire hazard severity zones, due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to, pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire.
- The proposed project would, if located in or near state responsibility areas or lands classified as very high fire hazard severity zones, would the project require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment.
- The proposed project would, if located in or near state responsibility areas or lands classified as very high fire hazard severity zones, would the project expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes.

### ANALYSIS OF ENVIRONMENTAL IMPACTS

**A.** *Would the project substantially impair an adopted emergency response plan or emergency evacuation plan? • No Impact.*

The proposed project would involve the construction and subsequent operation of two new warehouse buildings, referred to as *Warehouse 1* and *Warehouse 2*, within the 5.22 acre (202,261 square foot)

property. Warehouse 1 would consist of 39,530 square feet of floor area including a 36,101 square feet of warehouse floor area and a 3,520 square foot office. Warehouse 2 would consist of 40,248 square feet of floor area including a 36,728 square feet of warehouse floor area and a 3,520 square foot office. The total floor area of the two buildings would be 79,778 square feet. The warehouses would consist of a single level with a maximum height of approximately 41 feet. The project site's General Plan designation is *Industrial*. The property currently has a Zoning land use designation of *Limited Manufacturing (I-1)*. Surface streets that will be improved at construction will serve the project site and adjacent area. The proposed project would not involve the closure or alteration of any existing evacuation routes that would be important in the event of a wildfire. At no time during construction will adjacent streets be completely closed to traffic. All construction staging must occur on-site. *As a result, no impacts would occur.*

**B.** *Would the project, due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire? • No Impact.*

The project site is located in the midst of an urbanized zoned area. The proposed project may be exposed to particulate emissions generated by wildland fires in the mountains (the site is located approximately 12 miles northeast and northwest of the San Gabriel and San Bernardino Mountains). However, the potential impacts would not be exclusive to the project site since criteria pollutant emissions from wildland fires may affect the entire City as well as the surrounding cities and unincorporated county areas. *As a result, no impacts would occur.*

**C.** *Would the project require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines, or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment? • No Impact.*

The project site is located in an area that is classified as a Moderate fire risk severity within a Local Responsibility Area (LRA) and will not require the installation of specialized infrastructure such as fire roads, fuel breaks, or emergency water sources. *As a result, no impacts would occur.*

**D.** *Would the project expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes? • No Impact.*

While the site is located within a moderate fire risk and local responsibility area, the proposed project site is located within an area classified as urban with relatively flat land. Therefore, the project will not expose future employees to flooding or landslides facilitated by runoff flowing down barren and charred slopes. *As a result, no impacts would occur.*

## **MITIGATION MEASURES**

The analysis of wildfires impacts indicated that less than significant impacts would result from the proposed project's approval and subsequent implementation. As a result, no mitigation is required.

### 3.21 MANDATORY FINDINGS OF SIGNIFICANCE

Environmental Issue Areas Examined	Potentially Significant Impact	Less Than Significant Impact with Mitigation	Less Than Significant Impact	No Impact
<b>A.</b> Does the project have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?				✗
<b>B.</b> Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?				✗
<b>C.</b> Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?				✗

The following findings can be made regarding the Mandatory Findings of Significance set forth in Section 15065 of the CEQA Guidelines based on the results of this environmental assessment:

- A.** The proposed project *would not* have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory. As indicated in Section 3.1 through 3.20, the proposed project will not result in any significant unmitigable environmental impacts.
- B.** The proposed project *would not* have impacts that are individually limited, but cumulatively considerable. The environmental impacts will not lead to a cumulatively significant impact on any of the issues analyzed herein.
- C.** The proposed project *would not* have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly. As indicated in Section 3.1 through 3.20, the proposed project will not result in any significant unmitigable environmental impacts.

*THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK.*



## 4. CONCLUSIONS

### 4.1 FINDINGS

The Initial Study determined that the proposed project is not expected to have significant adverse environmental impacts. The following findings can be made regarding the Mandatory Findings of Significance set forth in Section 15065 of the CEQA Guidelines based on the results of this Initial Study:

- The proposed project *will not* have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of an endangered, rare or threatened species or eliminate important examples of the major periods of California history or prehistory.
- The proposed project *will not* have impacts that are individually limited, but cumulatively considerable.
- The proposed project *will not* have environmental effects which will cause substantially adverse effects on human beings, either directly or indirectly.

### 4.2 MITIGATION MEASURES

The following mitigation measures have been incorporated herein to further reduce the potential air quality impacts to levels that are less than significant.

**AIR Mitigation No. 1.** The Applicant shall prepare and submit to the MDAQMD, prior to commencing earth-moving activity, a dust control plan that describes all applicable dust control measures that will be implemented at the project.

**AIR Mitigation No. 2.** The Applicant shall ensure that signage, compliant with Rule 403 Attachment, is erected at each project site entrance not later than the commencement of construction.

**AIR Mitigation No. 3.** The Applicant shall ensure the use of a water truck to maintain moist disturbed surfaces and actively spread water during visible dusting episodes to minimize visible fugitive dust emissions. For projects with exposed sand or fines deposits (and for projects that expose such soils through earthmoving), chemical stabilization or covering with a stabilizing layer of gravel will be required to eliminate visible dust/sand from sand/fines deposits.

**AIR Mitigation No. 4.** All perimeter fencing shall be wind fencing or the equivalent, to a minimum of four feet of height or the top of all perimeter fencing. The owner/operator shall maintain the wind fencing as needed to keep it intact and remove windblown dropout. This wind fencing requirement may be superseded by local ordinance, rule or project-specific biological mitigation prohibiting wind fencing.

**AIR Mitigation No. 5.** All maintenance and access vehicular roads and parking areas shall be stabilized with chemical, gravel, or asphaltic pavement sufficient to eliminate visible fugitive dust from vehicular travel and wind erosion. Take actions to prevent project-related track out onto paved surfaces and clean any project-related track out within 24 hours. All other earthen surfaces within the project area shall be stabilized by natural or irrigated vegetation, compaction, chemical or other means sufficient to prohibit visible fugitive dust from wind erosion.

There are thirty-four (34) Joshua trees located on the property and three (3) of the trees are suitable for relocation/transplanting. The following mitigation would apply:

**BIO Mitigation No. 1.** Mitigation for direct impacts to the western Joshua trees within the Project site will be fulfilled through attainment of a Western Joshua Tree Conservation Act (WJTCA) Incidental Take Permit and a payment of the elected fees as described in Section 1927.3 of the WJTCA. California Department of Fish and Wildlife (CDFW) determines the final fee. Alternatively, mitigation will occur through off-site conservation or through a CDFW approved mitigation bank, or as required by a Section 2081 Incidental Take Permit.

Since it is possible that previously unrecognized resources could exist at the site, the proposed project would be required to adhere to the following mitigation measures:

**CUL Mitigation No. 1.** In the event that cultural resources are discovered during project activities, all work in the immediate vicinity of the find (within a 60-foot buffer) shall cease and a qualified archaeologist meeting Secretary of Interior standards shall be hired to assess the find. Work on the other portions of the project outside of the buffered area may continue during this assessment period. Additionally, the Yuhaaviatam of San Manuel Nation Cultural Resources Department (YSMN) shall be contacted, as detailed within **TCR Mitigation No. 1**, regarding any pre-contact and/or historic-era finds and be provided information after the archaeologist makes his/her initial assessment of the nature of the find, so as to provide Tribal input with regards to significance and treatment.

**CUL Mitigation No. 2.** If significant pre-contact and/or historic-era cultural resources, as defined by CEQA (as amended, 2015), are discovered and avoidance cannot be ensured, the archaeologist shall develop a Monitoring and Treatment Plan, the drafts of which shall be provided to YSMN for review and comment, as detailed within **TCR Mitigation No. 1**. The archaeologist shall monitor the remainder of the project and implement the Plan accordingly.

**CUL Mitigation No. 3.** If human remains or funerary objects are encountered during any activities associated with the project, work in the immediate vicinity (within a 100-foot buffer of the find) shall cease and the County Coroner shall be contacted pursuant to State Health and Safety Code §7050.5 and that code enforced for the duration of the project.

The analysis determined that the following mitigation measures will be required to reduce potential energy consumption:

**ENE Mitigation No. 1.** The project must employ, as much as possible, the use of glass or translucent plastic materials on building roof and gables to allow natural daylight in work areas.

Since some operations and security functions may be carried out during non-daylight hours, an additional mitigation measure is suggested to reduce energy consumption during those times.

**ENE Mitigation No. 2.** The project must use motion activated lighting in the building to reduce energy use at night.

The following mitigation will be required in order to further reduce construction noise:

**NOI Mitigation No. 1.** The Applicant must ensure that the contractors use construction equipment that includes working mufflers and other sound suppression equipment as a means to reduce machinery noise.

The following mitigation measures are required as a means to reduce potential tribal cultural resources impacts to levels that are less than significant:

**TRC Mitigation No. 1.** The Yuhaaviatam of San Manuel Nation Cultural Resources Department (YSMN) shall be contacted, as detailed in CUL-1, of any pre-contact and/or historic-era cultural resources discovered during project implementation and be provided information regarding the nature of the find, so as to provide Tribal input with regards to significance and treatment. Should the find be deemed significant, as defined by CEQA (as amended, 2015), a cultural resource Monitoring and Treatment Plan shall be created by the archaeologist, in coordination with YSMN, and all subsequent finds shall be subject to this Plan. This Plan shall allow for a monitor to be present that represents YSMN for the remainder of the project, should YSMN elect to place a monitor on-site.

**TRC Mitigation No. 2.** Any and all archaeological/cultural documents created as a part of the project (isolate records, site records, survey reports, testing reports, etc.) shall be supplied to the applicant and Lead Agency for dissemination to YSMN. The Lead Agency and/or applicant shall, in good faith, consult with YSMN throughout the life of the project.

*THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK.*

## **5. REFERENCES**

### **5.1 PREPARERS**

Blodgett Baylosis Environmental Planning  
2211 S Hacienda Boulevard, Suite 107  
Hacienda Heights, CA 91745  
(626) 336-0033

Marc Blodgett, Project Principal  
Raymond Wen, Project Planner

### **5.2 REFERENCES**

The references that were consulted have been identified using footnotes.



*THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK.*