

From: [Howard, Craig@CHP](mailto:Howard.Craig@CHP)
To: [CHP-EIR](#); [LCI State Clearinghouse](#)
Cc: [Bush, Michael@CHP](#); [Long, Kevin@CHP](#); [Lemons, Christine@CHP](#); [Cruz, Christy@CHP](#)
Subject: RE: Environmental Document Review – SCH # 2025061008 – Due to Lead Agency by 7/24/2025
Date: Monday, July 7, 2025 12:20:18 PM
Attachments: [image002.png](#)
[image003.png](#)

You don't often get email from choward@chp.ca.gov. [Learn why this is important](#)

Good afternoon,

It has been determined there is no impact to the San Geronio Pass Area's local operations and / or public safety by SCH #20250610008 was identified. If you have any further questions, please don't hesitate to contact me.

Thanks,

Craig Howard, Captain, #15048
Commander
CHP – San Geronio Pass Area
195 Highland Springs Avenue
Beaumont, CA 92223
(951) 846-5300

From: CHP-EIR <EIR@chp.ca.gov>
Sent: Thursday, July 3, 2025 7:26 AM
To: Bush, Michael@CHP <MBush@chp.ca.gov>
Cc: Long, Kevin@CHP <Kevin.Long@chp.ca.gov>
Subject: Environmental Document Review – SCH # 2025061008 – Due to Lead Agency by 7/24/2025

Greetings,

The Special Projects Section (SPS) recently received the referenced Notice of Environmental Impact document from the State Clearinghouse (SCH) outlined in the following Web site:

[Interstate 10/Oak Valley Parkway Interchange Improvement Project](#)

Due to the project's geographical proximity, please use the attached checklist to assess its potential impact to local operations and public safety. **If impact is determined**, responses should be e-mailed directly to the Lead Agency with cc to SCH and myself. **If there is no impact**, please do not include SCH or the Lead Agency in your response.



For more information on the EIR review process, please check out: [_Commanders EIR Training.pdf](#).

Please feel free to e-mail me if you have any questions.

Thank you,

Christine Lemonds, AGPA

Special Projects Section 063

Transportation Planning Unit

601 N. 7th St., Sacramento, CA 95811

Office: (916) 843-3370

Direct: (916) 843-3396

