

Notice of Determination

To:

■ Office of Land Use and Climate Innovation

U.S Mail: P.O. Box 3044
Sacramento, CA 95812-3044

Street Address: 1400 Tenth St., Rm 113
Sacramento, CA 95814

■ County Clerk

County of: Los Angeles

Address: 12400 Imperial Highway
Norwalk, California 90650

From:

Public Agency: Santa Clarita Valley Water Agency

Address: 26515 Summit Circle
Santa Clarita, California 91350

Contact: Yoganathan Thierumaran

Phone: (661) 259-2117

Lead Agency (if different from above):

Address: _____

Contact: _____

Phone: _____

SUBJECT: Filing of Notice of Determination in compliance with Section 21108 or 21152 of the Public Resources Code.

State Clearinghouse Number (if submitted to State Clearinghouse): 2025100035

Project Title: Wells W9 and W10 PFAS Groundwater Treatment Improvements Project

Project Applicant: Santa Clarita Valley Water Agency

Project Location (include county): Along San Francisquito Creek between Copper Hill Drive and Newhall Ranch Road in Santa Clarita, Los Angeles County, California

Project Description:

The project involves construction of a per- and polyfluoroalkyl (PFAS) groundwater treatment and disinfection facility, rehabilitation of Wells W9 and W10, and construction of an approximately 8,000-foot raw water pipeline along San Francisquito Creek Trail. To allow for truck access to the treatment facility, the existing access easement along San Francisquito Creek Trail would be expanded in three locations. The proposed facility would treat PFAS in pumped groundwater to levels below the federal Maximum Contaminant Level, restore the use of Wells W9 and W10, and reduce SCV Water’s dependency on imported water.

This is to advise that the Santa Clarita Valley Water Agency has approved the above
(Lead Agency or Responsible Agency)

Described project on 3/3/2026 and has made the following determinations regarding the above
(date)
described project.


1. The project [will will not] have a significant effect on the environment.
2. An Environmental Impact Report was prepared for this project pursuant to the provisions of CEQA.
 A Negative Declaration was prepared for this project pursuant to the provisions of CEQA.
 An Addendum to the EIR was prepared for this project pursuant to the provisions of CEQA.
3. Mitigation measures [were were not] made a condition of the approval of the project.
4. A mitigation reporting or monitoring plan [was was not] adopted for this project.

Authority cited: Sections 21083, Public Resources Code.
Reference Section 21000-21174, Public Resources Code.

- 5. A statement of Overriding Considerations [was was not] adopted for this project.
- 6. Findings [were were not] made pursuant to the provisions of CEQA.

This is to certify that the final EIR with comments and responses and record of project approval, or the negative Declaration, is available to the General Public at:

yourscvwater.com/sites/default/files/SCVWA/engineering/environmental-review/Wells-W9-W10-GW-Improvements-ISMND-December-2025.pdf

Signature (Public Agency):  Title: Senior Engineer
Date: 3/5/2026 Date Received for filing at OPR: _____