Appendix D

Air Quality Analysis

1501 DEL NORTE STREET RESIDENTIAL

AIR QUALITY ANALYSIS

Prepared By:

Haseeb Qureshi | hqureshi@urbanxroads.com
Alyssa Barnett | abarnett@urbanxroads.com

Reference Number
16435-02 AQ Report

Agency
City of West Covina

Date
June 19, 2025

TABLE OF CONTENTS

EXECUTIVE SUMMARY 1
ES.1 Summary of Findings 1
ES.2 Regulatory Requirements 1
ES.3 Project Design Features 2

1 INTRODUCTION 4
1.1 Site Location 4
1.2 Project Description 4

2 AIR QUALITY SETTING 8
2.1 South Coast Air Basin 8
2.2 Regional Climate 8
2.3 Wind Patterns and Project Location 9
2.4 Air Pollutants 9
2.5 Existing Air Quality 18
2.6 Regional Air Quality 21
2.7 Local Air Quality 21
2.8 Regulatory Background 22

3 PROJECT AIR QUALITY IMPACT 26
3.1 Introduction 26
3.2 Standards of Significance 26
3.3 Models Employed To Analyze Air Quality 27
3.4 Construction Emissions 27
3.5 Operational Emissions 30
3.6 Localized Air Quality Impacts 32
3.7 CO "Hot Spot" Analysis 37
3.8 AQMP 37
3.9 Toxic Air Contaminants 40
3.10 Potential Impacts to Sensitive Receptors 41
3.11 Odors 42
3.12 Cumulative Impacts 42

4 REFERENCES 45
5 CERTIFICATION 48

APPENDICES

APPENDIX 2.1: STATE/FEDERAL ATTAINMENT STATUS OF CRITERIA POLLUTANTS
APPENDIX 3.1: CALEEMOD EMISSIONS MODEL OUTPUTS
APPENDIX 3.2: AERMOD LOCALIZED EMISSIONS MODEL OUTPUTS

LIST OF EXHIBITS

EXHIBIT 1-A: LOCATION MAP 5
EXHIBIT 1-B: SITE PLAN 6
EXHIBIT 3-A: RECEPTOR LOCATIONS 35

LIST OF TABLES

TABLE ES-1: SUMMARY OF CEQA SIGNIFICANCE FINDINGS 1
TABLE 2-1: CRITERIA POLLUTANTS (1 OF 7) 10
TABLE 2-1: CRITERIA POLLUTANTS (2 OF 7) 11
TABLE 2-1: CRITERIA POLLUTANTS (3 OF 7) 12
TABLE 2-1: CRITERIA POLLUTANTS (4 OF 7) 13
TABLE 2-1: CRITERIA POLLUTANTS (5 OF 7) 14
TABLE 2-1: CRITERIA POLLUTANTS (6 OF 7) 15
TABLE 2-1: CRITERIA POLLUTANTS (7 OF 7) 16
TABLE 2-2: ADDITIONAL POLLUTANTS (1 OF 2) 16
TABLE 2-2: ADDITIONAL POLLUTANTS (2 OF 2) 17
TABLE 2-3: AMBIENT AIR QUALITY STANDARDS (1 OF 2) 19
TABLE 2-3: AMBIENT AIR QUALITY STANDARDS (2 OF 2) 20
TABLE 2-4: ATTAINMENT STATUS OF CRITERIA POLLUTANTS IN THE SCAB 21
TABLE 2-5: PROJECT AREA AIR QUALITY MONITORING SUMMARY 2021-2023 22
TABLE 3-1: REGIONAL EMISSIONS SIGNIFICANCE THRESHOLDS 26
TABLE 3-2: LOCALIZED EMISSIONS SIGNIFICANCE THRESHOLDS 27
TABLE 3-3: CONSTRUCTION DURATION 29
TABLE 3-4: CONSTRUCTION EQUIPMENT ASSUMPTIONS 29
TABLE 3-5: CONSTRUCTION TRIP ASSUMPTIONS 30
TABLE 3-6: CONSTRUCTION EMISSIONS SUMMARY 30
TABLE 3-7: SUMMARY OF PEAK OPERATIONAL EMISSIONS 32
TABLE 3-8: CONSTRUCTION LOCALIZED SIGNIFICANCE SUMMARY CONSTRUCTION 36

LIST OF ABBREVIATED TERMS

µg/m^3	Microgram per Cubic Meter
1992 CO Plan	1992 Federal Attainment Plan for Carbon Monoxide
1993 CEQA Handbook	SCAQMD's CEQA Air Quality Handbook (1993)
2016-2040 RTP/SCS	2016-2040 Regional Transportation Plan/Sustainable Communities Strategy
AB 2595	California Clean Air Act
AERMOD	American Meteorological Society/Environmental Protection Agency Regulatory Model
APN	Assessor Parcel Number
AQIA	Air Quality Impact Analysis
AQMP	Air Quality Management Plan
BACT	Best Available Control Technology
Brief	Brief of Amicus Curiae by the SCAQMD in the Friant Ranch Case
C_2Cl_4	Perchloroethylene
C_4H_6	1,3-butadiene
C_6H_6	Benzene
C_2H_3Cl	Vinyl Chloride
C_2H_4O	Acetaldehyde
CAA	Federal Clean Air Act
CAAQS	California Ambient Air Quality Standards
CalEEMod	California Emissions Estimator Model
CalEPA	California Environmental Protection Agency
CALGreen	California Green Building Standards Code
CAPCOA	California Air Pollution Control Officers Association
CARB	California Air Resources Board
CCR	California Code of Regulations
CEC	California Energy Commission
CEQA	California Environmental Quality Act
CEQA Guidelines	2019 CEQA Statute and Guidelines
CH_2O	Formaldehyde
City	City of West Covina
CO	Carbon Monoxide
COH	Coefficient of Haze
COHb	Carboxyhemoglobin
Cr(VI)	Chromium
EIR	Environmental Impact Report
EMFAC	Emissions FACtor Model
EPA	Environmental Protection Agency
GHG	Greenhouse Gas
H_2S	Hydrogen Sulfide

HI	Hazard Index
HP	Horsepower
lbs	Pounds
lbs/day	Pounds Per Day
LST	Localized Significance Threshold
LST Methodology	Final Localized Significance Threshold Methodology
MICR	Maximum Individual Cancer Risk
MM	Mitigation Measures
N_2	Nitrogen
N_2O	Nitrous Oxide
NAAQS	National Ambient Air Quality Standards
NO	Nitric Oxide
NO_2	Nitrogen Dioxide
NO_X	Nitrogen Oxides
O_2	Oxygen
O_3	Ozone
O_2 Deficiency	Chronic Hypoxemia
ODC	Ozone Depleting Compounds
Pb	Lead
PDF	Project Design Feature
PM	Particulate Matter
PM_{10}	Particulate Matter 10 microns in diameter or less
$PM_{2.5}$	Particulate Matter 2.5 microns in diameter or less
ppm	Parts Per Million
Project	1501 Del Norte Street Residential
RECLAIM	Regional Clean Air Incentives Market
ROG	Reactive Organic Gases
SB	Senate Bill
SCAB	South Coast Air Basin
SCAG	Southern California Association of Governments
SCAQMD	South Coast Air Quality Management District
SIPs	State Implementation Plans
SO_2	Sulfur Dioxide
SO_4	Sulfates
SO_X	Sulfur Oxides
SRA	Source Receptor Area
TAC	Toxic Air Contaminant
Title 24	California Building Code
TITLE I	Non-Attainment Provisions
TITLE II	Mobile Sources Provisions
VDEC	Verified Diesel Emission Control
VOC	Volatile Organic Compounds

This page intentionally left blank

EXECUTIVE SUMMARY

ES.1 SUMMARY OF FINDINGS

The results of this 1501 Del Norte Street Residential Air Quality Impact Analysis (AQIA) are summarized below based on the significance criteria in Section 3 of this report consistent with Appendix G of the CEQA Guidelines (CEQA Guidelines) (1). Table ES-1 shows the findings of significance for each potential air quality impact under CEQA before and after any required mitigation measures (MM) described below.

TABLE ES-1: SUMMARY OF CEQA SIGNIFICANCE FINDINGS

Analysis	Report Section	Significance Findings	
		Unmitigated	Mitigated
Regional Construction Emissions	3.4	*Less Than Significant*	*n/a*
Localized Construction Emissions	3.6	*Less Than Significant*	*n/a*
Regional Operational Emissions	3.5	*Less Than Significant*	*n/a*
Localized Operational Emissions	3.6	*Less Than Significant*	*n/a*
CO "Hot Spot" Analysis	3.7	*Less Than Significant*	*n/a*
Air Quality Management Plan	3.8	*Less Than Significant*	*n/a*
Sensitive Receptors	3.10	*Less Than Significant*	*n/a*
Odors	3.11	*Less Than Significant*	*n/a*
Cumulative Impacts	3.12	*Less Than Significant*	*n/a*

ES.2 REGULATORY REQUIREMENTS

There are numerous requirements that development projects must comply with by law, and that were put in place by federal, State, and local regulatory agencies for the improvement of air quality. Any operation or activity that might cause the emission of any smoke, fly ash, dust, fumes, vapors, gases, or other forms of air pollution, which can cause damage to human health, vegetation, or other forms of property, or can cause excessive soiling on any other parcel shall conform to the requirements of the South Coast Air Quality Management District (SCAQMD). SCAQMD Rules that are currently applicable to this Project are described below.

SCAQMD Rule 402

A person shall not discharge from any source whatsoever such quantities of air contaminants or other material that cause injury, detriment, nuisance, or annoyance to any considerable number of persons or to the public, or that endanger the comfort, repose, health, or safety of any such persons or the public, or that cause, or have a natural tendency to cause, injury or damage to business or property. The provisions of this rule do not apply to odors emanating from agricultural operations necessary for the growing of crops or the raising of fowl or animals.

SCAQMD Rule 403

This rule is intended to reduce the amount of particulate matter entrained in the ambient air as a result of anthropogenic (human-made) fugitive dust sources by requiring actions to prevent and reduce fugitive dust emissions. Rule 403 applies to any activity or human-made condition capable of generating fugitive dust and requires best available control measures to be applied to earth moving and grading activities.

SCAQMD Rule 1113

This rule serves to limit the volatile organic compounds (VOC) content of architectural coatings used on projects in the SCAQMD. This rule applies to any person who supplies, sells, offers for sale, or manufactures any architectural coating for use on projects.

SCAQMD Rule 1301

This rule is intended to provide that pre-construction review requirements to ensure that new or relocated facilities do not interfere with progress in attainment of the National Ambient Air Quality Standards (NAAQS), while future economic growth within the SCAQMD is not unnecessarily restricted. The specific air quality goal is to achieve no net increases from new or modified permitted sources of nonattainment air contaminants or their precursors. Rule 1301 also limits emission increases of ammonia, and Ozone Depleting Compounds (ODCs) from new, modified or relocated facilities by requiring the use of Best Available Control Technology (BACT).

SCAQMD Rule 1401

A person shall not discharge into the atmosphere from any single source of emission whatsoever any air contaminant for a period or periods aggregating more than three minutes in any 1 hour that is as dark or darker in shade as that designated No. 1 on the Ringelmann Chart, as published by the United States (U.S.) Bureau of Mines.

ES.3 Project Design Features

As part of the Project's design, the applicant has agreed to utilize off-road construction equipment that would meet engine standards that are equivalent to either Level 3 Verified Diesel Emission Control Strategy (VDEC) filters or CARB Tier 4 Interim engine standards for all construction equipment. Equipment meeting Tier 4 Interim engine standards achieves the required reductions and specifications for VDECs.

This page intentionally left blank

1 INTRODUCTION

This report presents the results of the AQIA prepared by Urban Crossroads, Inc., for the proposed 1501 Del Norte Street Residential (Project). The purpose of this AQIA is to evaluate the potential impacts to air quality associated with construction and operation of the Project and recommend measures to mitigate impacts considered potentially significant in comparison to thresholds established by the SCAQMD.

1.1 SITE LOCATION

The Project site is located at 1501 Del Norte Street in the City of West Covina, as shown in Exhibit 1-A. The Project site encompasses approximately 13.56 acres and has an Assessor Parcel Number (APN) of 8458-020-901. The project site is bordered by Del Norte Park to the north and northeast; North Sunset Avenue, one residential building, and one commercial building to the east; West Del Norte Street and residential properties to the south; and North Nora Avenue to the west. The areas beyond these immediately bordering uses can be generally characterized as consisting of residential neighborhoods of mostly one-story single-family homes.

1.2 PROJECT DESCRIPTION

The Project involves the demolition of the existing buildings and structures on the project site, followed by construction of 34 single-family detached homes and 248 attached townhomes, for a total of 282 homes. The Project site is 13.56 acres, of which 13.19 acres would be developed for residential uses, and the additional 0.37 acres would be converted and used as an extension and dedication of Del Norte Street from its current terminus east to Sunset Avenue. The Project will be evaluated in a single phase of development with Project Buildout anticipated in 2028. A preliminary site plan for the proposed Project is shown in Exhibit 1-B.

EXHIBIT 1-A: LOCATION MAP




EXHIBIT 1-B: SITE PLAN



This page intentionally left blank

2 AIR QUALITY SETTING

This section provides an overview of the existing air quality conditions in the Project area and region.

2.1 SOUTH COAST AIR BASIN

The Project site is located in the South Coast Air Basin (SCAB) within the jurisdiction of SCAQMD (2). The SCAQMD was created by the 1977 Lewis-Presley Air Quality Management Act, which merged four county air pollution control bodies into one regional district. Under the Act, the SCAQMD is responsible for bringing air quality in areas under its jurisdiction into conformity with federal and state air quality standards. As previously stated, the Project site is located within the SCAB, a 6,745 square-mile subregion of the SCAQMD, which includes the non-desert portions of Los Angeles, Riverside, and San Bernardino Counties, and all of Orange County. The SCAB is bounded by the Pacific Ocean to the west and the San Gabriel, San Bernardino, and San Jacinto Mountains to the north and east, and the San Diego Air Basin to the south.

2.2 REGIONAL CLIMATE

The regional climate has a substantial influence on air quality in the SCAB. In addition, the temperature, wind, humidity, precipitation, and amount of sunshine influence the air quality. The annual average temperatures throughout the SCAB vary from the low to mid 60s (degrees Fahrenheit °[F]). Due to a decreased marine influence, the eastern portion of the SCAB shows greater variability in average annual minimum and maximum temperatures. January is the coldest month throughout the SCAB, with average minimum temperatures of 47°F in downtown Los Angeles and 36°F in San Bernardino. All portions of the SCAB have recorded maximum temperatures above 100°F.

Although the climate of the SCAB can be characterized as semi-arid, the air near the land surface is quite moist on most days because of the presence of a marine layer. This shallow layer of sea air is an important modifier of SCAB climate. Humidity restricts visibility in the SCAB, and the conversion of sulfur dioxide (SO_2) to sulfates (SO_4) is heightened in air with high relative humidity. The marine layer provides an environment for that conversion process, especially during the spring and summer months. The annual average relative humidity within the SCAB is 71% along the coast and 59% inland. Since the ocean effect is dominant, periods of heavy early morning fog are frequent and low stratus clouds are a characteristic feature. These effects decrease with distance from the coast.

More than 90% of the SCAB's rainfall occurs from November through April. The annual average rainfall varies from approximately nine inches in Riverside to fourteen inches in downtown Los Angeles. Monthly and yearly rainfall totals are extremely variable. Summer rainfall usually consists of widely scattered thunderstorms near the coast and slightly heavier shower activity in the eastern portion of the SCAB with frequency being higher near the coast. Due to its generally clear weather, about three-quarters of available sunshine is received in the SCAB. The remaining one-quarter is absorbed by clouds. The ultraviolet portion of this abundant radiation is a key factor in photochemical reactions. On the shortest day of the year, there are approximately 10 hours of possible sunshine, and on the longest day of the year, there are approximately 14½ hours of possible sunshine.

The importance of wind to air pollution is considerable. The direction and speed of the wind determines the horizontal dispersion and transport of the air pollutants. During the late autumn to early spring rainy season, the SCAB is subjected to wind flows associated with the traveling storms moving through the region from the northwest. This period also brings five to ten periods of strong, dry offshore winds, locally termed "Santa Anas" each year. During the dry season, which coincides with the months of maximum photochemical smog concentrations, the wind flow is bimodal, typified by a daytime onshore sea breeze and a nighttime offshore drainage wind. Summer wind flows are created by the pressure differences between the relatively cold ocean and the unevenly heated and cooled land surfaces that modify the general northwesterly wind circulation over southern California. Nighttime drainage begins with the radiational cooling of the mountain slopes. Heavy, cool air descends the slopes and flows through the mountain passes and canyons as it follows the lowering terrain toward the ocean. Another characteristic wind regime in the SCAB is the "Catalina Eddy," a low level cyclonic (counterclockwise) flow centered over Santa Catalina Island which results in an offshore flow to the southwest. On most spring and summer days, some indication of an eddy is apparent in coastal sections.

In the SCAB, there are two distinct temperature inversion structures that control vertical mixing of air pollution. During the summer, warm high-pressure descending (subsiding) air is undercut by a shallow layer of cool marine air. The boundary between these two layers of air is a persistent marine subsidence/inversion. This boundary prevents vertical mixing which effectively acts as an impervious lid to pollutants over the entire SCAB. The mixing height for the inversion structure is normally situated 1,000 to 1,500 feet above mean sea level. A second inversion-type forms in conjunction with the drainage of cool air off the surrounding mountains at night followed by the seaward drift of this pool of cool air. The top of this layer forms a sharp boundary with the warmer air aloft and creates nocturnal radiation inversions. These inversions occur primarily in the winter when nights are longer and onshore flow is weakest. They are typically only a few hundred feet above mean sea level. These inversions effectively trap pollutants, such as nitrogen oxides (NO_X) and carbon monoxide (CO) from vehicles, as the pool of cool air drifts seaward. Winter is therefore a period of high levels of primary pollutants along the coastline.

2.3 Wind Patterns and Project Location

The distinctive climate of the Project area and the SCAB is determined by its terrain and geographical location. The SCAB is located in a coastal plain with connecting broad valleys and low hills, bounded by the Pacific Ocean in the southwest quadrant with high mountains forming the remainder of the perimeter. Wind patterns across the south coastal region are characterized by westerly and southwesterly onshore winds during the day and easterly or northeasterly breezes at night. Winds are characteristically light although the speed is somewhat greater during the dry summer months than during the rainy winter season.

2.4 Air Pollutants

2.4.1 Criteria Pollutants

Air quality regulations were first promulgated with the Federal Clean Air Act (CAA) of 1970. Air quality is defined by ambient air concentrations of seven "criteria air pollutants," which are a group of common air pollutants identified by the United States EPA to be of concern with respect to the

health and welfare of the general public. Federal and State governments regulate criteria air pollutants by using ambient standards based on criteria regarding the health and/or environmental effects of each pollutant. The seven "criteria" air pollutants defined by the U.S. EPA are: (1) carbon monoxide (CO); (2) sulfur dioxide (SO_2); (3) nitrogen dioxide (NO_2); (4) ozone (O_3); (5) respirable particulate matter with a diameter of 10 microns or less (PM_{10}), (6) fine particulate matter with a diameter of 2.5 microns or less ($PM_{2.5}$), and (7) lead (Pb). Criteria pollutants are pollutants that are regulated through the development of human health based and/or environmentally based criteria for setting permissible levels. Criteria pollutants, their typical sources, and health effects are identified below (3).

TABLE 2-1: CRITERIA POLLUTANTS (1 OF 7)

Criteria Pollutant	Description	Sources	Health Effects
CO	CO is a colorless, odorless gas produced by the incomplete combustion of carbon-containing fuels, such as gasoline or wood. CO concentrations tend to be the highest during the winter morning, when little to no wind and surface-based inversions trap the pollutant at ground levels. Because CO is emitted directly from internal combustion engines, unlike ozone (O_3), motor vehicles operating at slow speeds are the primary source of CO in the SCAB. The highest ambient CO concentrations are generally found near congested transportation corridors and intersections.	Any source that burns fuel such as automobiles, trucks, heavy construction equipment, farming equipment and residential heating.	Individuals with a deficient blood supply to the heart are the most susceptible to the adverse effects of CO exposure. The effects observed include earlier onset of chest pain with exercise, and electrocardiograph changes indicative of decreased oxygen (O_2) supply to the heart. Inhaled CO has no direct toxic effect on the lungs but exerts its effect on tissues by interfering with O_2 transport and competing with O_2 to combine with hemoglobin present in the blood to form carboxyhemoglobin (COHb). Hence, conditions with an increased demand for O_2 supply can be adversely affected by exposure to CO. Individuals most at risk include fetuses, patients with diseases involving heart and blood vessels, and patients with chronic hypoxemia (O_2 deficiency) as seen at high altitudes.
SO_2	SO_2 is a colorless, extremely irritating gas or liquid. It enters the atmosphere as a pollutant	Coal or oil burning power plants and industries,	A few minutes of exposure to low levels of SO_2 can result in airway constriction

TABLE 2-1: CRITERIA POLLUTANTS (2 OF 7)

Criteria Pollutant	Description	Sources	Health Effects
SO_2 (Continued)	mainly as a result of burning high sulfur-content fuel oils and coal and from chemical processes occurring at chemical plants and refineries. When SO_2 oxidizes in the atmosphere, it forms SO_4. Collectively, these pollutants are referred to as sulfur oxides (SO_X).	refineries, diesel engines	in some asthmatics, all of whom are sensitive to its effects. In asthmatics, increase in resistance to air flow, as well as reduction in breathing capacity leading to severe breathing difficulties, are observed after acute exposure to SO_2. In contrast, healthy individuals do not exhibit similar acute responses even after exposure to higher concentrations of SO_2. Animal studies suggest that despite SO_2 being a respiratory irritant, it does not cause substantial lung injury at ambient concentrations. However, very high levels of exposure can cause lung edema (fluid accumulation), lung tissue damage, and sloughing off of cells lining the respiratory tract. Some population-based studies indicate that the mortality and morbidity effects associated with fine particles show a similar association with ambient SO_2 levels. In these studies, efforts to separate the effects of SO_2 from those of fine particles have not been successful. It is not clear whether the two pollutants act synergistically, or one pollutant alone is the predominant factor.

TABLE 2-1: CRITERIA POLLUTANTS (3 OF 7)

Criteria Pollutant	Description	Sources	Health Effects
NO_2	NO_2 is a key component of nitrogen oxides (NO_X), which also includes nitric oxide (NO) and nitrous oxide (N_2O). NO_X compounds are primarily produced during combustion processes when nitrogen (N_2) reacts with oxygen (O_2). Both NO and NO_2 serve as precursors in the formation of O_3 and $PM_{2.5}$, making their monitoring crucial for air quality assessments. NO_2, being the more abundant form of NO_X in the atmosphere, has a relatively short lifespan of one to seven days, which enhances its significance as a major air pollutant. As a criteria air pollutant, NO_2 poses various health risks, including respiratory issues and increased vulnerability to infections. It also absorbs blue light, imparting a brownish-red hue to the atmosphere and contributing to reduced visibility and smog formation. Given that NO emissions largely convert to NO_2, the examination of NO_X emissions becomes essential when assessing potential air quality impacts. The concentrations of NO_2 are closely related to traffic density, often resulting in higher exposure levels for commuters in heavy traffic compared to what regional monitoring stations may indicate.	Any source that burns fuel such as automobiles, trucks, heavy construction equipment, farming equipment and residential heating.	Population-based studies suggest that an increase in acute respiratory illness, including infections and respiratory symptoms in children (not infants), is associated with long-term exposure to NO_2 at levels found in homes with gas stoves, which are higher than ambient levels found in Southern California. Increase in resistance to air flow and airway contraction is observed after short-term exposure to NO_2 in healthy subjects. Larger decreases in lung functions are observed in individuals with asthma or chronic obstructive pulmonary disease (e.g., chronic bronchitis, emphysema) than in healthy individuals, indicating a greater susceptibility of these sub-groups. In animals, exposure to levels of NO_2 considerably higher than ambient concentrations result in increased susceptibility to infections, possibly due to the observed changes in cells involved in maintaining immune functions. The severity of lung tissue damage associated with high levels of O_3 exposure increases when animals are exposed to a combination of O_3 and NO_2.
O_3	O_3 is a highly reactive and unstable gas that is formed when VOCs and NO_X, both	Formed when ROGs and NO_X react in the	Individuals exercising outdoors, children, and people with preexisting lung

TABLE 2-1: CRITERIA POLLUTANTS (4 OF 7)

Criteria Pollutant	Description	Sources	Health Effects
O_3 (Continued)	byproducts of internal combustion engine exhaust, undergo slow photochemical reactions in the presence of sunlight. O_3 concentrations are generally highest during the summer months when direct sunlight, light wind, and warm temperature conditions are favorable to the formation of this pollutant.	presence of sunlight. ROG sources include any source that burns fuels, (e.g., gasoline, natural gas, wood, oil) solvents, petroleum processing and storage and pesticides.	disease, such as asthma and chronic pulmonary lung disease, are considered to be the most susceptible sub-groups for O_3 effects. Short-term exposure (lasting for a few hours) to O_3 at levels typically observed in Southern California can result in breathing pattern changes, reduction of breathing capacity, increased susceptibility to infections, inflammation of the lung tissue, and some immunological changes. Elevated O_3 levels are associated with increased school absences. In recent years, a correlation between elevated ambient O_3 levels and increases in daily hospital admission rates, as well as mortality, has also been reported. An increased risk for asthma has been found in children who participate in multiple outdoor sports and reside in communities with high O_3 levels. O_3 exposure under exercising conditions is known to increase the severity of the responses described above. Animal studies suggest that exposure to a combination of pollutants that includes O_3 may be more toxic than exposure to O_3 alone. Although lung volume and resistance changes observed after a single exposure

TABLE 2-1: CRITERIA POLLUTANTS (5 OF 7)

Criteria Pollutant	Description	Sources	Health Effects
O_3 (Continued)			diminish with repeated exposures, biochemical and cellular changes appear to persist, which can lead to subsequent lung structural changes.
Particulate Matter	PM_{10}: A major air pollutant consisting of tiny solid or liquid particles of soot, dust, smoke, fumes, and aerosols. Particulate matter pollution is a major cause of reduced visibility (haze) which is caused by the scattering of light and consequently the significant reduction of air clarity. The size of the particles (10 microns or smaller, about 0.0004 inches or less) allows them to easily enter the lungs where they may be deposited, resulting in adverse health effects. Additionally, it should be noted that PM_{10} is considered a criteria air pollutant. $PM_{2.5}$: A similar air pollutant to PM_{10} consisting of tiny solid or liquid particles which are 2.5 microns or smaller (which is often referred to as fine particles). These particles are formed in the atmosphere from primary gaseous emissions that include SO_4 formed from SO_2 release from power plants and industrial facilities and nitrates that are formed from NO_X release from power plants, automobiles, and other types of combustion sources. The chemical composition of fine particles highly depends on location, time of year, and	Sources of PM_{10} include road dust, windblown dust and construction. Also formed from other pollutants (acid rain, NO_X, SO_X, organics). Incomplete combustion of any fuel. $PM_{2.5}$ comes from fuel combustion in motor vehicles, equipment, and industrial sources, residential and agricultural burning. Also formed from reaction of other pollutants (acid rain, NO_X, SO_X, organics).	A consistent correlation between elevated ambient fine particulate matter (PM_{10} and $PM_{2.5}$) levels and an increase in mortality rates, respiratory infections, number and severity of asthma attacks and the number of hospital admissions has been observed in different parts of the United States and various areas around the world. In recent years, some studies have reported an association between long-term exposure to air pollution dominated by fine particles and increased mortality, reduction in lifespan, and an increased mortality from lung cancer. Daily fluctuations in $PM_{2.5}$ concentration levels have also been related to hospital admissions for acute respiratory conditions in children, to school and kindergarten absences, to a decrease in respiratory lung volumes in normal children, and to increased medication use in children and adults with asthma. Recent studies show lung function growth in children is reduced with long term exposure to particulate matter.

TABLE 2-1: CRITERIA POLLUTANTS (6 OF 7)

Criteria Pollutant	Description	Sources	Health Effects
Particulate Matter (Continued)	weather conditions. $PM_{2.5}$ is a criteria air pollutant.		The elderly, people with pre-existing respiratory or cardiovascular disease, and children appear to be more susceptible to the effects of high levels of PM_{10} and $PM_{2.5}$.
Pb	Pb is a heavy metal that is highly persistent in the environment and is considered a criteria pollutant. In the past, the primary source of Pb in the air was emissions from vehicles burning leaded gasoline. The major sources of Pb emissions are ore and metals processing, particularly Pb smelters, and piston-engine aircraft operating on leaded aviation gasoline. Other stationary sources include waste incinerators, utilities, and lead-acid battery manufacturers. It should be noted that the Project does not include operational activities such as metal processing or Pb acid battery manufacturing. As such, the Project is not anticipated to generate a quantifiable amount of Pb emissions.	Metal smelters, resource recovery, leaded gasoline, deterioration of Pb paint.	Fetuses, infants, and children are more sensitive than others to the adverse effects of Pb exposure. Exposure to low levels of Pb can adversely affect the development and function of the central nervous system, leading to learning disorders, distractibility, inability to follow simple commands, and lower intelligence quotient. In adults, increased Pb levels are associated with increased blood pressure. Pb poisoning can cause anemia, lethargy, seizures, and death; although it appears that there are no direct effects of Pb on the respiratory system. Pb can be stored in the bone from early age environmental exposure, and elevated blood Pb levels can occur due to breakdown of bone tissue during pregnancy, hyperthyroidism (increased secretion of hormones from the thyroid gland) and osteoporosis (breakdown of bony tissue). Fetuses and breast-fed babies can be exposed to higher levels of Pb because of previous

TABLE 2-1: CRITERIA POLLUTANTS (7 OF 7)

Criteria Pollutant	Description	Sources	Health Effects
Pb (Continued)			environmental Pb exposure of their mothers.

2.4.2 Additional Pollutants

The SCAQMD's primary focus is to achieve the NAAQS and California Ambient Air Quality Standards (CAAQS) for criteria pollutants. However, it also has a broader mandate to control emissions of air contaminants and safeguard public health. As a result, SCAQMD regulates additional pollutants beyond criteria pollutants, including reactive organic gases (ROGs), VOCs, and odors. Additional pollutants, their typical sources, and health effects are identified below (3).

TABLE 2-2: ADDITIONAL POLLUTANTS (1 OF 2)

Pollutant	Description	Sources	Health Effects
VOC	VOCs are hydrocarbon compounds (any compound containing various combinations of hydrogen and carbon atoms) that exist in the ambient air. VOCs contribute to the formation of smog through atmospheric photochemical reactions and/or may be toxic. Compounds of carbon (also known as organic compounds) have different levels of reactivity; that is, they do not react at the same speed or do not form O_3 to the same extent when exposed to photochemical processes. VOCs often have an odor, and some examples include gasoline, alcohol, and the solvents used in paints. Exceptions to the VOC designation include CO, carbon dioxide, carbonic acid, metallic carbides or carbonates, and ammonium carbonate. VOCs are a criteria pollutant since they are a precursor to O_3, which is a	Organic chemicals are widely used as ingredients in household products. Paints, varnishes, and wax all contain organic solvents, as do many cleaning, disinfecting, cosmetic, degreasing and hobby products. Fuels are made up of organic chemicals. All of these products can release organic compounds while you are using them, and, to some degree, when they are stored.	Breathing VOCs can irritate the eyes, nose, and throat, can cause difficulty breathing and nausea, and can damage the central nervous system as well as other organs. Some VOCs can cause cancer. Not all VOCs have all these health effects, though many have several.

TABLE 2-2: ADDITIONAL POLLUTANTS (2 OF 2)

Pollutant	Description	Sources	Health Effects
VOC (Continued)	criteria pollutant. The terms VOC and ROG (see below) are used interchangeably.		
ROG	Similar to VOC, ROGs are also precursors in forming O_3 and consist of compounds containing methane, ethane, propane, butane, and longer chain hydrocarbons, which are typically the result of some type of combustion/decomposition process. Smog is formed when ROG and NO_X react in the presence of sunlight. ROGs are a criteria pollutant since they are a precursor to O_3, which is a criteria pollutant. The terms ROG and VOC (see previous) are used interchangeably.	Sources similar to VOCs.	Health effects similar to VOCs.
Odor	Odor means the perception experienced by a person when one or more chemical substances in the air come into contact with the human olfactory nerves (4).	Odors can come from many sources including animals, human activities, industry, natures, and vehicles.	Offensive odors can potentially affect human health in several ways. First, odorant compounds can irritate the eye, nose, and throat, which can reduce respiratory volume. Second, studies have shown that the VOCs that cause odors can stimulate sensory nerves to cause neurochemical changes that might influence health, for instance, by compromising the immune system. Finally, unpleasant odors can trigger memories or attitudes linked to unpleasant odors, causing cognitive and emotional effects such as stress.

2.5 EXISTING AIR QUALITY

Existing air quality is measured at established SCAQMD air quality monitoring stations. Monitored air quality is evaluated in the context of ambient air quality standards. These standards are the levels of air quality that are considered safe, with an adequate margin of safety, to protect the public health and welfare. NAAQS and California Ambient Air Quality Standards (CAAQS) currently in effect are shown in Table 2-3 (5).

The determination of whether a region's air quality is healthful or unhealthful is determined by comparing contaminant levels in ambient air samples to the state and federal standards. At the time of this AQIA, the most recent state and federal standards were updated by CARB on July 16, 2024, and are presented in Table 2-3. The air quality in a region is considered to be in attainment by the state if the measured ambient air pollutant levels for O_3, CO (except 8-hour Lake Tahoe), SO_2 (1 and 24 hour), NO_2, PM_{10}, and $PM_{2.5}$ are not to be exceeded. All others are not to be equaled or exceeded. It should be noted that the three-year period is presented for informational purposes and is not the basis for how the state assigns attainment status. Attainment status for a pollutant means that the SCAQMD meets the standards set by the EPA or the California EPA (CalEPA). Conversely, nonattainment means that an area has monitored air quality that does not meet the NAAQS or CAAQS standards. In order to improve air quality in nonattainment areas, a State Implementation Plan (SIP) is drafted by CARB. The SIP outlines the measures that the state will take to improve air quality. Once nonattainment areas meet the standards and additional redesignation requirements, the EPA will designate the area as a maintenance area (6).

TABLE 2-3: AMBIENT AIR QUALITY STANDARDS (1 OF 2)

Ambient Air Quality Standards						
Pollutant	Averaging Time	California Standards [1]		National Standards [2]		
		Concentration [3]	Method [4]	Primary [3,5]	Secondary [3,6]	Method [7]
Ozone (O_3)[8]	1 Hour	0.09 ppm (180 µg/m^3)	Ultraviolet Photometry	—	Same as Primary Standard	Ultraviolet Photometry
	8 Hour	0.070 ppm (137 µg/m^3)		0.070 ppm (137 µg/m^3)		
Respirable Particulate Matter (PM10)[9]	24 Hour	50 µg/m^3	Gravimetric or Beta Attenuation	150 µg/m^3	Same as Primary Standard	Inertial Separation and Gravimetric Analysis
	Annual Arithmetic Mean	20 µg/m^3		—		
Fine Particulate Matter (PM2.5)[9]	24 Hour	—	—	35 µg/m^3	Same as Primary Standard	Inertial Separation and Gravimetric Analysis
	Annual Arithmetic Mean	12 µg/m^3	Gravimetric or Beta Attenuation	9.0 µg/m^3	15.0 µg/m^3	
Carbon Monoxide (CO)	1 Hour	20 ppm (23 mg/m^3)	Non-Dispersive Infrared Photometry (NDIR)	35 ppm (40 mg/m^3)	—	Non-Dispersive Infrared Photometry (NDIR)
	8 Hour	9.0 ppm (10 mg/m^3)		9 ppm (10 mg/m^3)	—	
	8 Hour (Lake Tahoe)	6 ppm (7 mg/m^3)		—	—	
Nitrogen Dioxide (NO_2)[10]	1 Hour	0.18 ppm (339 µg/m^3)	Gas Phase Chemiluminescence	100 ppb (188 µg/m^3)	—	Gas Phase Chemiluminescence
	Annual Arithmetic Mean	0.030 ppm (57 µg/m^3)		53 ppb (100 µg/m^3)	Same as Primary Standard	
Sulfur Dioxide (SO_2)[11]	1 Hour	0.25 ppm (655 µg/m^3)	Ultraviolet Fluorescence	75 ppb (196 µg/m^3)	—	Ultraviolet Flourescence; Spectrophotometry (Pararosaniline Method)
	3 Hour	—		—	0.5 ppm (1300 µg/m^3)	
	24 Hour	0.04 ppm (105 µg/m^3)		0.14 ppm (for certain areas)[11]	—	
	Annual Arithmetic Mean	—		0.030 ppm (for certain areas)[11]	—	
Lead[12,13]	30 Day Average	1.5 µg/m^3	Atomic Absorption	—	—	High Volume Sampler and Atomic Absorption
	Calendar Quarter	—		1.5 µg/m^3 (for certain areas)[12]	Same as Primary Standard	
	Rolling 3-Month Average	—		0.15 µg/m^3		
Visibility Reducing Particles[14]	8 Hour	See footnote 14	Beta Attenuation and Transmittance through Filter Tape	No National Standards		
Sulfates	24 Hour	25 µg/m^3	Ion Chromatography			
Hydrogen Sulfide	1 Hour	0.03 ppm (42 µg/m^3)	Ultraviolet Fluorescence			
Vinyl Chloride[12]	24 Hour	0.01 ppm (26 µg/m^3)	Gas Chromatography			

See footnotes on next page ...

For more information please call ARB-PIO at (916) 322-2990

California Air Resources Board (7/16/24)

TABLE 2-3: AMBIENT AIR QUALITY STANDARDS (2 OF 2)

1. California standards for ozone, carbon monoxide (except 8-hour Lake Tahoe), sulfur dioxide (1 and 24 hour), nitrogen dioxide, and particulate matter (PM10, PM2.5, and visibility reducing particles), are values that are not to be exceeded. All others are not to be equaled or exceeded. California ambient air quality standards are listed in the Table of Standards in Section 70200 of Title 17 of the California Code of Regulations.

2. National standards (other than ozone, particulate matter, and those based on annual arithmetic mean) are not to be exceeded more than once a year. The ozone standard is attained when the fourth highest 8-hour concentration measured at each site in a year, averaged over three years, is equal to or less than the standard. For PM10, the 24 hour standard is attained when the expected number of days per calendar year with a 24-hour average concentration above 150 $\mu g/m^3$ is equal to or less than one. For PM2.5, the 24 hour standard is attained when 98 percent of the daily concentrations, averaged over three years, are equal to or less than the standard. Contact the U.S. EPA for further clarification and current national policies.

3. Concentration expressed first in units in which it was promulgated. Equivalent units given in parentheses are based upon a reference temperature of 25°C and a reference pressure of 760 torr. Most measurements of air quality are to be corrected to a reference temperature of 25°C and a reference pressure of 760 torr; ppm in this table refers to ppm by volume, or micromoles of pollutant per mole of gas.

4. Any equivalent measurement method which can be shown to the satisfaction of the ARB to give equivalent results at or near the level of the air quality standard may be used.

5. National Primary Standards: The levels of air quality necessary, with an adequate margin of safety to protect the public health.

6. National Secondary Standards: The levels of air quality necessary to protect the public welfare from any known or anticipated adverse effects of a pollutant.

7. Reference method as described by the U.S. EPA. An "equivalent method" of measurement may be used but must have a "consistent relationship to the reference method" and must be approved by the U.S. EPA.

8. On October 1, 2015, the national 8-hour ozone primary and secondary standards were lowered from 0.075 to 0.070 ppm.

9. On February 7, 2024, the national annual PM2.5 primary standard was lowered from 12.0 $\mu g/m^3$ to 9.0 $\mu g/m^3$. The existing national 24-hour PM2.5 standards (primary and secondary) were retained at 35 $\mu g/m^3$, as was the annual secondary standard of 15.0 $\mu g/m^3$. The existing 24-hour PM10 standards (primary and secondary) of 150 $\mu g/m^3$ also were retained. The form of the annual primary and secondary standards is the annual mean, averaged over 3 years.

10. To attain the 1-hour national standard, the 3-year average of the annual 98th percentile of the 1-hour daily maximum concentrations at each site must not exceed 100 ppb. Note that the national 1-hour standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the national 1-hour standard to the California standards the units can be converted from ppb to ppm. In this case, the national standard of 100 ppb is identical to 0.100 ppm.

11. On June 2, 2010, a new 1-hour SO_2 standard was established and the existing 24-hour and annual primary standards were revoked. To attain the 1-hour national standard, the 3-year average of the annual 99th percentile of the 1-hour daily maximum concentrations at each site must not exceed 75 ppb. The 1971 SO_2 national standards (24-hour and annual) remain in effect until one year after an area is designated for the 2010 standard, except that in areas designated nonattainment for the 1971 standards, the 1971 standards remain in effect until implementation plans to attain or maintain the 2010 standards are approved.
    Note that the 1-hour national standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the 1-hour national standard to the California standard the units can be converted to ppm. In this case, the national standard of 75 ppb is identical to 0.075 ppm.

12. The ARB has identified lead and vinyl chloride as 'toxic air contaminants' with no threshold level of exposure for adverse health effects determined. These actions allow for the implementation of control measures at levels below the ambient concentrations specified for these pollutants.

13. The national standard for lead was revised on October 15, 2008 to a rolling 3-month average. The 1978 lead standard (1.5 $\mu g/m^3$ as a quarterly average) remains in effect until one year after an area is designated for the 2008 standard, except that in areas designated nonattainment for the 1978 standard, the 1978 standard remains in effect until implementation plans to attain or maintain the 2008 standard are approved.

14. In 1989, the ARB converted both the general statewide 10-mile visibility standard and the Lake Tahoe 30-mile visibility standard to instrumental equivalents, which are "extinction of 0.23 per kilometer" and "extinction of 0.07 per kilometer" for the statewide and Lake Tahoe Air Basin standards, respectively.

For more information please call ARB-PIO at (916) 322-2990 **California Air Resources Board (7/16/24)**

2.6 REGIONAL AIR QUALITY

Air pollution contributes to a wide variety of adverse health effects. The EPA has established NAAQS for seven of the most common air pollutants: CO, Pb, O_3, PM_{10}, $PM_{2.5}$, NO_2, and SO_2 which are known as criteria pollutants. The SCAQMD monitors levels of various criteria pollutants at 35 permanent monitoring stations and 2 single-pollutant source Pb air monitoring sites throughout the air district (7). On January 25, 2024, CARB adopted the proposed 2023 amendments to the state and national area designations. See Table 2-4 for attainment designations for the SCAB (8). Appendix 2.1 provides geographic representation of the state and federal attainment status for applicable criteria pollutants within the SCAB.

TABLE 2-4: ATTAINMENT STATUS OF CRITERIA POLLUTANTS IN THE SCAB

Criteria Pollutant	State Designation	Federal Designation
O_3 - 1-hour standard	Nonattainment	--
O_3 - 8-hour standard	Nonattainment	Nonattainment
PM_{10}	Nonattainment	Attainment
$PM_{2.5}$	Nonattainment	Nonattainment
CO	Attainment	Unclassified/Attainment
NO_2	Attainment	Unclassified/Attainment
SO_2	Attainment	Unclassified/Attainment
PB[1]	Attainment	Unclassified/Attainment

Note: See Appendix 2.1 for a detailed map of State/National Area Designations within the SCAB
"-" = no standard.

2.7 LOCAL AIR QUALITY

The SCAQMD has designated general forecast areas and air monitoring areas (referred to as Source Receptor Areas [SRA]) throughout the district in order to provide information regarding air quality conditions to Southern California residents. The Project site is located within SRA 9, East San Gabriel Valley 1. The monitoring station within SRA 9, located 4.28 miles north of the Project site, reports air quality data for O_3, CO, NO_2, PM_{10}, and $PM_{2.5}$ only for the years 2021 and 2022. The following stations will be used to report air quality data for 2023.

- SRA 9 (East San Gabriel Valley 2 located 6.79 miles northeast of the Project site) - O_3, CO, NO_2, and PM_{10}
- SRA 11 (South San Gabriel Valley located 8.51 miles southwest of the Project site) – $PM_{2.5}$

Data from the East San Gabriel Valley 2 and South San Gabriel Valley monitoring stations were utilized only in instances where data was not available from the East San Gabriel Valley 1 monitoring station.

The most recent three (3) years of data available is shown in Table 2-5 and identifies the number of days ambient air quality standards were exceeded for the study area, which is considered to be representative of the local air quality at the Project site. Data for O_3, CO, NO_2, PM_{10}, and $PM_{2.5}$ for 2021 through 2023 was obtained from the SCAQMD Air Quality Data Tables (9). Additionally, data

for SO_2 has been omitted as attainment is regularly met in the SCAB and few monitoring stations measure SO_2 concentrations.

TABLE 2-5: PROJECT AREA AIR QUALITY MONITORING SUMMARY 2021-2023

Pollutant	Standard	Year		
		2021	2022	2023
O_3				
Maximum Federal 1-Hour Concentration (ppm)		0.108	0.111	0.155
Maximum Federal 8-Hour Concentration (ppm)		0.086	0.080	0.110
Number of Days Exceeding State 1-Hour Standard	> 0.09 ppm	20	6	57
Number of Days Exceeding State/Federal 8-Hour Standard	> 0.070 ppm	22	11	72
CO				
Maximum Federal 1-Hour Concentration	> 35 ppm	1.5	1.3	0.8
Maximum Federal 8-Hour Concentration	> 20 ppm	1.4	0.9	0.6
NO_2				
Maximum Federal 1-Hour Concentration	> 0.100 ppm	0.078	0.048	0.088
Annual Federal Standard Design Value		0.015	0.013	0.008
PM_{10}				
Maximum Federal 24-Hour Concentration (µg/m³)	> 150 µg/m³	79	98	126
Annual Federal Arithmetic Mean (µg/m³)		32.8	37.9	22.4
Number of Days Exceeding Federal 24-Hour Standard	> 150 µg/m³	0	0	0
Number of Days Exceeding State 24-Hour Standard	> 50 µg/m³	11	7	3
$PM_{2.5}$				
Maximum Federal 24-Hour Concentration (µg/m³)	> 35 µg/m³	61.9	18.4	33.2
Annual Federal Arithmetic Mean (µg/m³)	> 12 µg/m³	11.43	9.98	10.01
Number of Days Exceeding Federal 24-Hour Standard	> 35 µg/m³	3	0	0

ppm = Parts Per Million
µg/m³ = Microgram per Cubic Meter
Source: Data for O_3, CO, NO_2, PM_{10}, and $PM_{2.5}$ was obtained from SCAQMD Air Quality Data Tables.

2.8 REGULATORY BACKGROUND

2.8.1 Federal Regulations

The EPA is responsible for setting and enforcing the NAAQS for O_3, CO, NO_X, SO_2, PM_{10}, and Pb (10). The EPA has jurisdiction over emissions sources that are under the authority of the federal government including aircraft, locomotives, and emissions sources outside state waters (Outer Continental Shelf). The EPA also establishes emission standards for vehicles sold in states other than California. Automobiles sold in California must meet the stricter emission requirements of CARB. The Federal Clean Air Act (CAA) was first enacted in 1955 and has been amended numerous times in subsequent years (1963, 1965, 1967, 1970, 1977, and 1990). The CAA establishes the federal air quality standards, the NAAQS, and specifies future dates for achieving compliance (11). The CAA also mandates that states submit and implement SIPs for local areas not meeting these standards. These plans must include pollution control measures that demonstrate how the standards will be met.

The 1990 amendments to the CAA that identify specific emission reduction goals for areas not meeting the NAAQS require a demonstration of reasonable further progress toward attainment and incorporate additional sanctions for failure to attain or to meet interim milestones. The sections of the CAA most directly applicable to the development of the Project site include Title I (Non-Attainment Provisions) and Title II (Mobile Source Provisions) (12) (13). Title I provisions were established with the goal of attaining the NAAQS for the following criteria pollutants O_3, NO_2, SO_2, PM_{10}, CO, $PM_{2.5}$, and Pb. The NAAQS were amended in July 1997 to include an additional standard for O_3 and to adopt a NAAQS for $PM_{2.5}$. Table 2-4 (previously presented) provides the NAAQS within the SCAB. Mobile source emissions are regulated in accordance with Title II provisions. These provisions require the use of cleaner burning gasoline and other cleaner burning fuels such as methanol and natural gas. Automobile manufacturers are also required to reduce tailpipe emissions of hydrocarbons and NO_X. NO_X is a collective term that includes all forms of NO_X which are emitted as byproducts of the combustion process.

2.8.2 California Regulations

CARB

CARB, which became part of CalEPA in 1991, is responsible for ensuring implementation of the California Clean Air Act (AB 2595), responding to the federal CAA, and for regulating emissions from consumer products and motor vehicles. AB 2595 mandates achievement of the maximum degree of emissions reductions possible from vehicular and other mobile sources in order to attain the state ambient air quality standards by the earliest practical date. CARB established the CAAQS for all pollutants for which the federal government has NAAQS and, in addition, establishes standards for SO_4, visibility, hydrogen sulfide (H_2S), and vinyl chloride (C_2H_3Cl). However, at this time, H_2S and C_2H_3Cl are not measured at any monitoring stations in the SCAB because they are not considered to be a regional air quality problem. Generally, the CAAQS are more stringent than the NAAQS (14) (10). Local air quality management districts, such as the SCAQMD, regulate air emissions from stationary sources such as commercial and industrial facilities. All air pollution control districts have been formally designated as attainment or non-attainment for each CAAQS.

Serious non-attainment areas are required to prepare Air Quality Management Plans (AQMP) that include specified emission reduction strategies in an effort to meet clean air goals. These plans are required to include:

- Application of Best Available Retrofit Control Technology to existing sources;
- Developing control programs for area sources (e.g., architectural coatings and solvents) and indirect sources (e.g. motor vehicle use generated by residential and commercial development);
- A District permitting system designed to allow no net increase in emissions from any new or modified permitted sources of emissions;
- Implementing reasonably available transportation control measures and assuring a substantial reduction in growth rate of vehicle trips and miles traveled;
- Significant use of low emissions vehicles by fleet operators;
- Sufficient control strategies to achieve a 5% or more annual reduction in emissions or 15% or more in a period of three years for ROGs, NOX, CO and PM10. However, air basins may use an alternative emission reduction strategy that achieves a reduction of less than 5% per year under certain circumstances.

Title 24 Energy Efficiency Standards and California Green Building Standards

California Code of Regulations (CCR) Title 24 Part 6: The California Energy Code was first adopted in 1978 in response to a legislative mandate to reduce California's energy consumption.

The standards are updated periodically to allow consideration and possible incorporation of new energy efficient technologies and methods. CCR, Title 24, Part 11: California Green Building Standards Code (CALGreen) is a comprehensive and uniform regulatory code for all residential, commercial, and school buildings that went in effect on August 1, 2009, and is administered by the California Building Standards Commission.

The 2022 California Title 24 Energy Standards became effective on January 1, 2023, with updates for the 2025 standards set to take effect on January 1, 2026. As the Project is expected to be completed in 2028, it will need to comply with the Title 24 Energy Standards in effect at that time, which may include further updates beyond the 2025 version.

CALGreen is updated on a regular basis, with the most recent approved update consisting of the 2025 California Green Building Code Standards that go into effect on January 1, 2026. The Project would be required to comply with the applicable standards in place at the time plan check submittals are made.

2.8.3 Regional Regulations

Air Quality Management Plan

Currently, the NAAQS and CAAQS are exceeded in most parts of the SCAB. In response, the SCAQMD has adopted a series of AQMP to meet the state and federal ambient air quality standards (15). AQMPs are updated regularly to ensure an effective reduction in emissions, accommodate growth, and to minimize any negative fiscal impacts of air pollution control on the economy. A detailed discussion on the AQMP and Project consistency with the AQMP is provided in Section 3.8.

This page intentionally left blank

3 PROJECT AIR QUALITY IMPACT

3.1 INTRODUCTION

This study quantifies air quality emissions generated by construction and operation of the Project and addresses whether the Project conflicts with implementation of the SCAQMD's AQMP and Lead Agency planning regulations. The analysis of Project-generated air emissions determines whether the Project would result in a cumulatively considerable net increase of any criteria pollutant for which the SCAB is in non-attainment under an applicable NAAQS and CAAQS. Additionally, the Project has been evaluated to determine whether the Project would expose sensitive receptors to substantial pollutant concentrations and the impacts of odors. The significance of these potential impacts is described in the following sections.

3.2 STANDARDS OF SIGNIFICANCE

The criteria used to determine the significance of potential Project-related air quality impacts are taken from the *CEQA Guidelines* (14 CCR §§15000, et seq.). Based on these thresholds, a project would result in a significant impact related to air quality if it would (1):

- Conflict with or obstruct implementation of the applicable air quality plan.
- Result in a cumulatively considerable net increase of any criteria pollutant for which the Project region is in non-attainment under an applicable federal or state ambient air quality standard.
- Expose sensitive receptors to substantial pollutant concentrations.
- Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people.

The SCAQMD has developed regional and localized significance thresholds for criteria pollutants, as summarized at Table 3-1 (16). The SCAQMD's CEQA Air Quality Significance Thresholds (March 2023) indicate that any projects in the SCAB with daily emissions that exceed any of the indicated thresholds should be considered as having an individually and cumulatively significant air quality impact.

TABLE 3-1: REGIONAL EMISSIONS THRESHOLDS

Pollutant	Construction	Operations
NO_X	100 lbs/day	55 lbs/day
VOC	75 lbs/day	55 lbs/day
PM_{10}	150 lbs/day	150 lbs/day
$PM_{2.5}$	55 lbs/day	55 lbs/day
SO_X	150 lbs/day	150 lbs/day
CO	550 lbs/day	550 lbs/day
Pb	3 lbs/day	3 lbs/day

lbs/day = Pounds Per Day

TABLE 3-2: LOCALIZED EMISSIONS THRESHOLDS

Pollutant	Construction	Operations
NO_2	0.18 ppm	0.18 ppm
CO (1-hour average)	20 ppm	20 ppm
CO (8-hour average)	9 ppm	9 ppm
PM_{10}	10.4 µg/m^3	2.5 µg/m^3
$PM_{2.5}$	10.4 µg/m^3	2.5 µg/m^3

ppm = Parts Per Million
µg/m^3 = Micrograms Per Cubic Meter

3.3 MODELS EMPLOYED TO ANALYZE AIR QUALITY

3.3.1 CalEEMod

Land uses such as the Project affect air quality through construction-source and operational-source emissions. The California Air Pollution Control Officers Association (CAPCOA) in conjunction with other California air districts, including SCAQMD, released CalEEMod 2022 in May 2022. CalEEMod periodically releases updates, as such the latest version available at the time of this report has been utilized in this analysis. The purpose of this model is to calculate construction-source and operational-source criteria pollutant (VOCs, NO_X, SO_X, CO, PM_{10}, and $PM_{2.5}$) and GHG emissions from direct and indirect sources; and quantify applicable air quality and GHG reductions achieved from mitigation measures (17). Accordingly, the latest version of CalEEMod has been used for this Project to determine construction and operational air quality emissions. Output from the model runs for both construction and operational activity are provided in Appendix 3.1.

3.4 CONSTRUCTION EMISSIONS

3.4.1 Construction Activities

Construction activities associated with the Project would result in emissions of VOCs, NO_X, SO_X, CO, PM_{10}, and $PM_{2.5}$. Construction-related emissions are expected from the following construction activities:

- Demolition
- Site Preparation
- Grading
- Building Construction
- Paving
- Architectural Coating

Demolition Activities

The Project site currently includes existing structures and extensive areas surfaced with asphalt/concrete. A review of aerial imagery indicates that approximately 45,244 square feet are occupied by existing buildings, while an estimated 176,000 square feet consist of asphalt/concrete.

These features are anticipated to be demolished, generating an estimated 2,300 tons of demolition debris which will be hauled off-site.

Grading Activities

Dust is typically a major concern during grading activities. Because such emissions are not amenable to collection and discharge through a controlled source, they are called "fugitive emissions." Fugitive dust emissions rates vary as a function of many parameters (soil silt, soil moisture, wind speed, area disturbed, number of vehicles, depth of disturbance or excavation, etc.). CalEEMod was utilized to calculate fugitive dust emissions resulting from this phase of activity. Based on Project-specific grading plans, site development is anticipated to require approximately 1,871 cubic yards of cut and 6,172 cubic yards of fill, resulting in a net import of approximately 4,301 cubic yards of material.

Off-Site Utility and Infrastructure Improvements

In addition, to support the Project development, there may be paving for off-site improvements associated with roadway construction and utility installation for the Project. It is expected that the off-site construction activities would not take place at one location for the entire duration of construction. Impacts associated with these activities are not expected to exceed the emissions identified for Project-related construction activities since the off-site construction areas would have physical constraints on the amount of daily activity that could occur. The physical constraints would limit the amount of construction equipment that could be used, and any off-site and utility infrastructure construction would not use equipment totals that would exceed the equipment totals in Table 3-5. As such, no impacts beyond what has already been identified in this report are expected to occur.

3.4.2 Construction Duration

For purposes of analysis, construction will begin January 2026 and would last through January 2028. The construction schedule utilized in the analysis, shown in Table 3-3, represents a "conservative" analysis scenario should construction occur any time after the respective dates since emission factors for construction decrease as time passes and the analysis year increases due to emission regulations becoming more stringent.[1] The duration of construction activity and associated equipment represents a reasonable approximation of the expected construction fleet as required per the *CEQA Guidelines* (1).

3.4.3 Construction Equipment

The construction equipment list presented in Table 3-4 has been developed based on information provided by the Project Applicant. Consistent with industry standards and typical construction practices, each piece of equipment listed is assumed to operate up to a total of eight (8) hours per day, or more than two-thirds of the period during which construction activities are allowed pursuant to the City code.

[1] As shown in the CalEEMod User's Guide Version 2022, Appendix G "Table G-11. Statewide Average Annual Offroad Equipment Emission Factors" as the analysis year increases, emission factors for the same equipment pieces decrease due to the natural turnover of older equipment being replaced by newer less polluting equipment and new regulatory requirements.

TABLE 3-3: CONSTRUCTION DURATION

Construction Activity	Start Date	End Date	Days
Demolition	01/01/2026	02/11/2026	30
Site Preparation	02/12/2026	03/04/2026	15
Grading	03/05/2026	05/06/2026	45
Building Construction	05/07/2026	01/26/2028	450
Paving	12/16/2027	01/26/2028	30
Architectural Coating	12/03/2026	01/26/2028	300

TABLE 3-4: CONSTRUCTION EQUIPMENT ASSUMPTIONS

Construction Activity	Equipment[1]	Quantity	Hours
Demolition	Concrete/Industrial Saws	1	8
	Excavators	2	8
	Rubber Tired Dozers	1	8
Site Preparation	Crawler Tractors	1	8
Grading	Graders	1	8
	Rubber Tired Dozers	1	8
	Scrapers	2	8
	Crawler Tractors	1	8
Building Construction	Forklifts	1	8
	Generator Sets	1	8
	Tractors/Loaders/Backhoes	2	8
Paving	Pavers	1	8
	Paving Equipment	1	8
	Rollers	2	8
Architectural Coating	Air Compressors	2	8

[1] In order to account for fugitive dust emissions, Crawler Tractors were used in lieu of Tractors/Loaders/Backhoes during Site Preparation and Grading activities.

3.4.4 On-Road Trips

Construction generates on-road vehicle emissions from vehicle usage for workers, vendors, and haul trucks commuting to and from the site. The number of daily worker, vendor, and hauling trips per phase is presented below in Table 3-5. Daily worker trips are based on CalEEMod defaults. It should be noted that for daily vendor trips, specifically, CalEEMod only assigns daily vendor trips to the Building Construction phase. Daily vendor trips would likely occur during all phases of construction. As such, the CalEEMod defaults for daily vendor trips have been adjusted based on a ratio of the total vendor trips to the number of days of each subphase of activity.

TABLE 3-5: CONSTRUCTION TRIP ASSUMPTIONS

Construction Activity	Worker Trips/Day	Vendor Trips/Day	Hauling Trips/Day
Demolition	10	2	19
Site Preparation	3	2	0
Grading	13	3	12
Building Construction	198	27	0
Paving	10	0	0
Architectural Coating	40	0	0

3.4.5 Construction Emissions Summary

CalEEMod calculates maximum daily emissions for summer and winter periods. As such, the estimated maximum daily construction emissions without mitigation for both summer and winter periods are summarized in Table 3-6. Detailed unmitigated construction model outputs are presented in Appendix 3.1. Under the assumed scenarios, emissions resulting from the Project construction would not exceed criteria pollutant thresholds established by the SCAQMD.

TABLE 3-6: CONSTRUCTION EMISSIONS SUMMARY

Construction Emissions						
Year	VOC	NO_X	CO	SO_2	PM_{10}	$PM_{2.5}$
Summer						
2026	2.99	27.00	25.40	0.06	4.12	2.16
2027	33.20	7.32	23.10	0.02	3.52	0.95
Winter						
2026	33.20	27.10	25.30	0.06	4.12	2.16
2027	33.90	11.90	27.40	0.03	3.83	1.15
2028	33.80	11.50	26.60	0.03	3.79	1.11
Maximum Daily Emissions	33.90	27.10	27.40	0.06	4.12	2.16
SCAQMD Regional Thresholds	75	100	550	150	150	55
Threshold Exceeded?	NO	NO	NO	NO	NO	NO

Source: CalEEMod construction-source (unmitigated) emissions are presented in Appendix 3.1.

3.5 OPERATIONAL EMISSIONS

Operational activities associated with the Project would result in emissions of VOCs, NO_X, SO_X, CO, PM_{10}, and $PM_{2.5}$. Operational emissions are expected from the following primary sources:

- Mobile Source Emissions;
- Area Source Emissions; and
- Energy Source Emissions.

3.5.1 Mobile Source Emissions

The operational air quality emissions associated with the Project are primarily attributable to vehicle trips generated by the proposed development. In order to develop the traffic characteristics of the proposed Project, trip-generation statistics published in the Institute of Transportation Engineers (ITE) Trip Generation Manual (11th Edition, 2021) for the following land use codes (18):

- Single-Family Detached Housing (ITE Land Use Code 210)
- Multifamily (Low-Rise) Residential (ITE Land Use Code 220)
- Multifamily (Mid-Rise) Residential (ITE Land Use Code 221)

Fugitive Dust Related to Vehicular Travel

Vehicles traveling on paved roads would be a source of fugitive emissions due to the generation of road dust inclusive of brake and tire wear particulates. The emissions estimate for travel on paved roads was calculated using CalEEMod.

3.5.2 Area Source Emissions

Architectural Coatings

Over a period of time the buildings that are part of this Project would require maintenance and would therefore produce emissions resulting from the evaporation of solvents contained in paints, varnishes, primers, and other surface coatings. The emissions associated with architectural coatings were calculated using CalEEMod.

Consumer Products

Consumer products include, but are not limited to, detergents, cleaning compounds, polishes, personal care products, and lawn and garden products. Many of these products contain organic compounds which when released in the atmosphere can react to form ozone and other photochemically reactive pollutants. The emissions associated with use of consumer products were calculated based on defaults provided within CalEEMod.

Landscape Maintenance Equipment

Landscape maintenance equipment would generate emissions from fuel combustion and evaporation of unburned fuel. Equipment in this category would include lawnmowers, shedders/grinders, blowers, trimmers, chain saws, and hedge trimmers used to maintain the landscaping of the Project. It should be noted that on October 9, 2021, Governor Gavin Newsom signed AB 1346. The bill aims to ban the sale of new gasoline-powered equipment under 25 gross HP (known as small off-road engines [SOREs]) by January 1, 2024, which is now in effect. However, for purposes of analysis, the emissions associated with landscape maintenance equipment were calculated based on assumptions provided in CalEEMod, and do not incorporate the emissions reductions that would be realized from implementation of AB 1346.

3.5.3 Energy Source Emissions

Combustion Emissions Associated with Electricity and Natural Gas

Electricity and natural gas are used by almost every project. Criteria pollutant emissions are emitted through the generation of electricity. However, because electrical generating facilities for the Project area are located either outside the region (state) or offset through the use of pollution credits (RECLAIM) for generation within the SCAB, criteria pollutant emissions from offsite generation of electricity are excluded from the evaluation of significance. Electricity usage associated with the Project was calculated by CalEEMod using default parameters. Based on information provided by the Project Applicant, no natural gas would be used as a result of the Project, and as such use of natural gas is not considered in the analysis.

3.5.4 Operational Emissions Summary

Operational activities for summer and winter scenarios are presented in Table 3-7. Detailed operation model outputs for the Project are presented in Appendix 3.1. As shown in Table 3-7, the Project would not exceed the numerical thresholds of significance established by the SCAQMD for emissions of any criteria pollutant. As such, operational impacts would be considered less-than-significant.

TABLE 3-7: SUMMARY OF PEAK OPERATIONAL EMISSIONS

Source	Emissions (lbs/day)					
	VOC	NO_X	CO	SO_2	PM_{10}	$PM_{2.5}$
Summer						
Mobile	4.37	3.08	36.70	0.09	8.71	2.25
Area	36.40	0.15	16.10	< 0.005	0.01	0.01
Energy	0.00	0.00	0.00	0.00	0.00	0.00
Maximum Daily Emissions	40.77	3.23	52.80	0.09	8.72	2.26
SCAQMD Regional Thresholds	55	55	550	150	150	55
Threshold Exceeded?	NO	NO	NO	NO	NO	NO
Winter						
Mobile	4.32	3.36	33.80	0.09	8.71	2.25
Area	35.00	0.00	0.00	0.00	0.00	0.00
Energy	0.00	0.00	0.00	0.00	0.00	0.00
Maximum Daily Emissions	39.32	3.36	33.80	0.09	8.71	2.25
SCAQMD Regional Thresholds	55	55	550	150	150	55
Threshold Exceeded?	NO	NO	NO	NO	NO	NO

3.6 LOCALIZED AIR QUALITY IMPACTS

3.6.1 Background on LST Development

The analysis makes use of methodology included in the SCAQMD *Final Localized Significance Threshold Methodology* (LST Methodology). The SCAQMD has established that localized impacts to air quality are significant if there is a potential to contribute or cause localized exceedances of the

federal and/or state ambient air quality standards (NAAQS/CAAQS). Collectively, these are referred to as Localized Significance Thresholds (LSTs). The SCAQMD established LSTs in response to the SCAQMD Governing Board's Environmental Justice Initiative I-4.[2] LSTs represent the maximum emissions from a project that would not cause or contribute to an exceedance of the most stringent applicable federal or state ambient air quality standard at the nearest residence or sensitive receptor. The SCAQMD states that lead agencies can use the LSTs as another indicator of significance in its air quality impact analyses. LSTs were developed in response to environmental justice and health concerns raised by the public regarding exposure of individuals to criteria pollutants in local communities. To address the issue of localized significance, the SCAQMD adopted LSTs that show whether a project would cause or contribute to localized air quality impacts and thereby cause or contribute to potential localized adverse health effects. The analysis makes use of methodology included in the *LST Methodology* (19).

3.6.2 Emissions Considered

Based on SCAQMD's *LST Methodology*, emissions for concern during construction activities are on-site NO_X, CO, $PM_{2.5}$, and PM_{10}. The *LST Methodology* clearly states that "off-site mobile emissions from the Project should not be included in the emissions compared to LSTs (20)." As such, for purposes of the construction LST analysis, only emissions included in the CalEEMod "on-site" emissions outputs were considered.

3.6.3 Dispersion Modeling

In order to estimate localized pollutant concentrations resulting from Project construction, the SCAQMD-approved American Meteorological Society/EPA Regulatory Model (AERMOD) dispersion model was utilized. The modeling approach utilized is discussed as follows.

3.6.4 Sources

It should be noted that in order to model worst-case conditions, the highest daily peak on-site emissions resulting from overlapping construction activity were modeled. A ground level release height and a 1 meter (approximately 3.28 feet) initial vertical dimension (sigma z) were utilized for fugitive dust emissions of PM_{10} and $PM_{2.5}$ consistent with SCAQMD's LST guidance. In order to account for equipment exhaust emissions from NO_2, CO, PM_{10}, and $PM_{2.5}$ a release height of 5.0 meters was utilized consistent with SCAQMD's LST guidance.

3.6.5 Meteorological Data and Model Options

In order to account for meteorological conditions at the Project site, meteorological data from the SCAQMD's Azusa monitoring station was utilized, as this is the nearest station to the Project site for which meteorological data is available. Additionally, a receptor height of 2 meters and regulatory default options were utilized consistent with SCAQMD's LST guidance.

[2] The purpose of SCAQMD's Environmental Justice program is to ensure that everyone has the right to equal protection from air pollution and fair access to the decision-making process that works to improve the quality of air within their communities. Further, the SCAQMD defines Environmental Justice as "…equitable environmental policymaking and enforcement to protect the health of all residents, regardless of age, culture, ethnicity, gender, race, socioeconomic status, or geographic location, from the health effects of air pollution."

3.6.6 Receptors

As previously stated, LSTs represent the maximum emissions from a project that would not cause or contribute to an exceedance of the most stringent applicable NAAQS and CAAQS at the nearest residence or sensitive receptor. Receptor locations are off-site locations where individuals may be exposed to emissions from Project activities. Some people are especially sensitive to air pollution and are given special consideration when evaluating air quality impacts from projects. These groups of people include children, the elderly, and individuals with pre-existing respiratory or cardiovascular illness. Structures that house these persons or places where they gather are defined as "sensitive receptors". These structures typically include uses such as residences, hotels, and hospitals where an individual can remain for 24 hours. Consistent with the LST Methodology, the nearest land use to the Project site where an individual could remain for 24 hours has been used to determine construction and operational air quality impacts for emissions of PM_{10} and $PM_{2.5}$, since PM_{10} and $PM_{2.5}$ thresholds are based on a 24-hour averaging time.

Per the *LST Methodology*, commercial and industrial facilities are not included in the definition of sensitive receptor because employees and patrons do not typically remain onsite for a full 24 hours but are typically on-site for 8 hours or less. However, *LST Methodology* explicitly states that "*LSTs based on shorter averaging periods, such as the NO_2 and CO LSTs, could also be applied to receptors such as industrial or commercial facilities since it is reasonable to assume that a worker at these sites could be present for periods of one to eight hours* (20)." Therefore, any adjacent land use where an individual could remain for 1 or 8 hours, that is located at a closer distance to the Project site than the receptor used for PM_{10} and $PM_{2.5}$ analysis, must be considered to determine construction and operational LST air impacts for emissions of NO_2 and CO since these pollutants have an averaging time of 1 and 8 hours.

Receptors in the Project study area are described below and shown on Exhibit 3-A. Localized air quality impacts were evaluated at sensitive receptor land uses nearest the Project site. All distances are measured from the Project site boundary to the outdoor living areas (e.g., backyards) or at the building façade, whichever is closer to the Project site.

- Location R1 represents the Indus Cardiology medical center located at 333 North Sunset Avenue, approximately 40 feet east of the Project site. Receptor R1 is placed at the building façade facing the Project site.
- Location R2 represents the existing residence at 329 North Sunset Avenue, located immediately north adjacent to the Project site. Receptor R2 is placed at the building façade facing the Project site.
- Location R3 represents the existing residence at 332 North Hollow Avenue, located immediately south adjacent to the Project site. Receptor R3 is placed at then building façade facing the Project site.
- Location R4 represents the existing residence at 334 North Yaleton Avenue, approximately 62 feet south of the Project site. Receptor R4 is placed at the building façade facing the Project site.
- Location R5 represents the existing residence at 357 North Nora Avenue, approximately 89 feet west of the Project site. Receptor R5 is placed at the building façade facing the Project site.
- Location R6 represents the Central Bark Dog Park located at 1500 West Rowland Avenue, located immediately north adjacent to the Project site.
- Location R7 represents the existing residence at 517 North Hollow Avenue, approximately 414 feet north of the Project site. Receptor R7 is placed at the building façade facing the Project site.

EXHIBIT 3-A: RECEPTOR LOCATIONS



- Location R8 represents the existing residence at 445 North Sunset Avenue, approximately 298 feet northeast of the Project site. Receptor R8 is placed at the building façade facing the Project site.
- Location R9 represents the Monte Vista Elementary School located at 1615 West Eldred Avenue, approximately 1,232 feet northwest of the Project site. Receptor R9 is placed at the building façade facing the Project site.
- Location R10 represents the existing residence at 402 North Sunset Avenue, approximately 294 feet east of the Project site. Receptor R10 is placed at the building façade facing the Project site.

The SCAQMD recommends that the nearest sensitive receptor be considered when determining a Project's impact. The nearest land use where an individual could remain for 24 hours to the Project site has been used to determine localized construction and operational air quality impacts for emissions of PM_{10} and $PM_{2.5}$ (since PM_{10} and $PM_{2.5}$ thresholds are based on a 24-hour averaging time).

As previously stated, and consistent with LST Methodology, the nearest industrial/commercial use to the Project site is used to determine construction and operational LST air impacts for emissions of NO_2 and CO as the averaging periods for these pollutants are shorter (8 hours or less) and it is reasonable to assumed that an individual could be present at these sites for periods of one to 8 hours.

3.6.7 Construction-Source Localized Emissions

Emissions during the peak construction activity will not exceed the SCAQMD's localized significance thresholds at the maximally exposed receptor location, as illustrated in Table 3-8. All other modeled locations in the study area would experience lower concentrations, resulting in a reduced impact. As such, the Project's localized impacts during construction activity would be less than significant. AERMOD Outputs from the model runs for construction LSTs are provided in Appendix 3.2.

TABLE 3-8: CONSTRUCTION LOCALIZED SIGNIFICANCE SUMMARY CONSTRUCTION

Peak Construction	Emissions (ppm)				
	CO		NO_2	PM_{10}	$PM_{2.5}$
	Averaging Time				
	1-Hour	8-Hours	1-Hour	24-Hours	24-Hours
Peak Day Localized Emissions	0.07	0.05	2.25E-02	2.97	1.17
Background Concentration [A]	1.5	1.4	0.088		
Total Concentration	1.57	1.45	0.11	2.97	1.17
SCAQMD Localized Significance Threshold	20	9	0.18	10.4	10.4
Threshold Exceeded?	NO	NO	NO	NO	NO

[A] Highest concentration from the last three years of available data.

Notes: PM_{10} and $PM_{2.5}$ concentrations are expressed in $\mu g/m^3$. All others are expressed in ppm.

Based on SCAQMD's LST Methodology, background concentrations are considered only for CO and NO_2. According to the SCAQMD Air Quality Significance Thresholds (March 2023), the SCAB is in attainment for NO_2 and CO. Therefore, a project would be considered significant if it causes or contributes to an exceedance of the applicable attainment standards. As such, the maximum background concentration values from the most recent three years of monitoring data for SRA 9 were added to the Project emissions to assess total concentrations.

3.6.8 Operational-Source Localized Emissions

The Project involves the demolition of the existing buildings and structures on the project site, followed by construction of 34 single-family detached homes and 248 attached townhomes, for a total of 282 homes. According to SCAQMD LST methodology, LSTs would apply to the operational phase of a proposed project, if the project includes stationary sources, or attracts mobile sources that may spend long periods queuing and idling at the site (e.g., transfer facilities and warehouse buildings). The proposed Project does not include such uses, and thus, due to the lack of significant stationary source emissions, no long-term localized significance threshold analysis is needed.

3.7 CO "Hot Spot" Analysis

A CO hotspot is defined as a localized concentration of carbon monoxide exceeding the state one-hour standard of 20 ppm or the eight-hour standard of 9 ppm. At the time the most recent CEQA Air Quality Handbook (1993) was published by SCAQMD, the air basin was designated as non-attainment, requiring projects to perform hotspot analyses to ensure they did not worsen the existing conditions. Over the last two decades, background CO concentrations have been significantly reduced due to regulatory controls on tailpipe emissions, which have culminated in the air basin achieving attainment status for CO.

The 2003 AQMP's findings underscore that CO hotspots are highly unlikely due to the reduced background concentrations and the effectiveness of California's air quality management strategies. The substantial reduction in CO levels from the vehicle fleet and the state's attainment status for CO further diminish the need for detailed microscale hotspot analyses, reinforcing that existing monitoring and regulatory frameworks adequately address potential air quality concerns.

In 2003, the SCAQMD as part of its AQMP development process, prepared modeling to determine the potential for CO Hotspots at the four busiest intersections in the air basin. As summarized in the 2003 AQMP, even at one of the busiest intersections at that time, only 0.7 ppm of CO is attributable to vehicular traffic and the remaining 7.7 ppm were due to ambient background conditions. As shown on Table 2-5 in this report, the background 1-hour and 8-hour concentrations are well below the applicable AAQS. The 2003 AQMP's findings underscore that CO hotspots are highly unlikely due to the reduced background concentrations and the effectiveness of California's air quality management strategies. The substantial reduction in CO levels from the vehicle fleet and the state's attainment status for CO further diminish the need for detailed microscale hotspot analyses, reinforcing that existing monitoring and regulatory frameworks adequately address potential air quality concerns.

As such, Project-related traffic at any intersections within the Project area would not cause or contribute to a CO hotspot since the background concentrations are low and any contribution from Project traffic would be negligible.

3.8 AQMP

The Project site is located within the SCAB, which is characterized by relatively poor air quality. The SCAQMD has jurisdiction over an approximately 10,743 square-mile area consisting of the four-county Basin and the Los Angeles County and Riverside County portions of what use to be referred to as the Southeast Desert Air Basin. In these areas, the SCAQMD is principally responsible for air pollution control, and works directly with the SCAG, county transportation commissions, local

governments, as well as state and federal agencies to reduce emissions from stationary, mobile, and indirect sources to meet state and federal ambient air quality standards. Currently, these state and federal air quality standards are exceeded in most parts of the SCAB. In response, the SCAQMD has adopted a series of AQMPs to meet the state and federal ambient air quality standards. AQMPs are updated regularly in order to more effectively reduce emissions, accommodate growth, and to minimize any negative fiscal impacts of air pollution control on the economy.

In December 2022, the SCAQMD released the *Final 2022 AQMP* (*2022 AQMP*). The *2022 AQMP* continues to evaluate current integrated strategies and control measures to meet the NAAQS, as well as explore new and innovative methods to reach its goals. Some of these approaches include utilizing incentive programs, recognizing existing co-benefit programs from other sectors, and developing a strategy with fair-share reductions at the federal, state, and local levels (21). Similar to the 2016 AQMP, the *2022 AQMP* incorporates scientific and technological information and planning assumptions, including the *2020-2045 RTP/SCS*, a planning document that supports the integration of land use and transportation to help the region meet the federal CAA requirements (22). The Project's consistency with the AQMP will be determined using the *2022 AQMP* as discussed below.

It should be noted that although SCAG has released an updated 2024-2050 RTP, the 2022 AQMP is based on the 2020-2045 RTP. Criteria for determining consistency with the AQMP are defined in Chapter 12, Section 12.2 and Section 12.3 of the *1993 CEQA Handbook* (23). These indicators are discussed below:

3.8.1 Consistency Criterion No. 1

Potential to result in an increase in the frequency or severity of existing air quality violations or cause or contribute to new violations or delay the timely attainment of air quality standards or the interim emissions reductions specified in the AQMP.

The violations that Consistency Criterion No. 1 refer to are the CAAQS and NAAQS. CAAQS and NAAQS violations would occur if regional or localized significance thresholds were exceeded.

Construction Impacts – Consistency Criterion 1

As evaluated, the Project's regional and localized construction-source emissions would not exceed applicable regional significance threshold and LST thresholds. As such, a less than significant impact is expected.

Operational Impacts – Consistency Criterion 1

As evaluated, the Project's regional and localized operation-source emissions would not exceed applicable regional significance threshold and LST thresholds. As such, a less than significant impact is expected.

On the basis of the preceding discussion, the Project is determined to be consistent with the first criterion.

3.8.2 Consistency Criterion No. 2

Potential to exceed the assumptions in the AQMP based on the years of Project build-out phase.

The *2022 AQMP* demonstrates that the applicable ambient air quality standards can be achieved within the timeframes required under federal law. Growth projections from local general plans adopted by cities in the district are provided to the SCAG, which develops regional growth forecasts, which are then used to develop future air quality forecasts for the AQMP. Development consistent with the growth projections in City of West Covina General Plan is considered to be consistent with the AQMP.

Construction Impacts – Consistency Criterion 2

Peak day emissions generated by construction activities are largely independent of land use assignments, but rather are a function of development scope and maximum area of disturbance. Irrespective of the site's land use designation, development of the site to its maximum potential would likely occur, with disturbance of the entire site occurring during construction activities. As such, when considering that no emissions thresholds will be exceeded, a less than significant impact would result.

Operational Impacts – Consistency Criterion 2

The Project site is designated as "Civic: Schools" under the City of West Covina General Plan. This land use designation is intended to support civic functions, including government offices, libraries, educational institutions, community centers, and places of religious assembly. Additionally, the site is zoned Single-Family Residential which permits the development of one single-family dwelling unit per lot.

As previously stated, the Project involves the demolition of the existing buildings and structures on the project site, followed by construction of 34 single-family detached homes and 248 attached townhomes, for a total of 282 homes. The Project site is 13.56 acres, of which 13.19 acres would be developed for residential uses, and the additional 0.37 acres would be converted and used as an extension and dedication of Del Norte Street from its current terminus east to Sunset Avenue.

To facilitate the proposed development, the Project includes a General Plan Amendment to change the land use designation from Civic: Schools to Neighborhood High Residential (up to 53 units per acre) and a Zone Change from Single Family Residential to Specific Plan which would allow the proposed net density of 21.4 dwelling units per acre.

Although the Project is inconsistent with the current land use and zoning designation, it would not result in any individually significant impacts. Therefore, the proposed Project would not conflict with the goals and objectives of the AQMP. Furthermore, the Project, as evaluated herein would not exceed the regional or localized air quality significance thresholds.

On the basis of the preceding discussion, the Project is determined to be consistent with the second criterion.

AQMP Consistency Conclusion

Project would not have the potential to result in or cause NAAQS or CAAQS violations. Although the Project's proposed uses are not consistent with the General Plan land use and zoning designation, as the Project would not exceed the regional or localized construction and operational thresholds, the Project's development intensity is consistent with the development intensities allowed within the General Plan as previously stated. As such, the Project is therefore considered to be consistent with the AQMP.

3.9 Toxic Air Contaminants

Based on the results of the *1501 Del Norte Street Residential Construction Health Risk Assessment* (24), emissions generated from the Project during short-term construction will not exceed SCAQMD

significance thresholds for cancer and non-cancer health risks. As such, a less than significant impact is expected.

3.10 Potential Impacts to Sensitive Receptors

The potential impact of Project-generated air pollutant emissions at sensitive receptors has also been considered. Results of the LST analysis indicate that the Project would not exceed the SCAQMD localized significance thresholds during construction. Therefore, sensitive receptors would not be exposed to substantial pollutant concentrations during Project construction.

Additionally, the Project would not exceed the SCAQMD localized significance thresholds during operational activity. Further Project traffic would not create or result in a CO "hotspot." Therefore, sensitive receptors would not be exposed to substantial pollutant concentrations as the result of Project operations.

3.10.1 Friant Ranch Case

In December 2018, in the case of *Sierra Club v. County of Fresno* (2018) 6 Cal.5th 502, the California Supreme Court held that an Environmental Impact Report's (EIR) air quality analysis must meaningfully connect the identified air quality impacts to the human health consequences of those impacts, or meaningfully explain why that analysis cannot be provided.

Most local agencies, including the City of West Covina, lack the data to do their own assessment of potential health impacts from criteria air pollutant emissions, as would be required to establish customized, locally-specific thresholds of significance based on potential health impacts from an individual development project. The use of national or "generic" data to fill the gap of missing local data would not yield accurate results because such data does not capture local air patterns, local background conditions, or local population characteristics, all of which play a role in how a population experiences air pollution. Because it is impracticable to accurately isolate the exact cause of a human disease (for example, the role a particular air pollutant plays compared to the role of other allergens and genetics in causing asthma), existing scientific tools cannot accurately estimate health impacts of the Project's air emissions without undue speculation. Instead, readers are directed to the Project's air quality impact analysis above, which provides extensive information concerning the quantifiable and non-quantifiable health risks related to the Project's construction and long-term operation.

Notwithstanding, this AQIA does evaluate the proposed Project's localized impact to air quality for emissions of CO, NO_X, PM_{10}, and $PM_{2.5}$ by comparing the proposed Project's on-site emissions to the SCAQMD's applicable LST thresholds. The LST analysis above determined that the Project would not result in emissions exceeding SCAQMD's LSTs. Therefore, the proposed Project would not be expected to exceed the most stringent applicable federal or state ambient air quality standards for emissions of CO, NO_X, PM_{10}, and $PM_{2.5}$.

As the Project's emissions would comply with federal, state, and local air quality standards, the proposed Project's emissions are not sufficiently high enough to use a regional modeling program to correlate health effects on a basin-wide level and would not provide a reliable indicator of health effects if modeled.

3.11 ODORS

The potential for the Project to generate objectionable odors has also been considered. Land uses generally associated with odor complaints include:

- Agricultural uses (livestock and farming)
- Wastewater treatment plants
- Food processing plants
- Chemical plants
- Composting operations
- Refineries
- Landfills
- Dairies
- Fiberglass molding facilities

The Project does not contain land uses typically associated with emitting objectionable odors. Potential odor sources associated with the proposed Project may result from construction equipment exhaust and the application of asphalt and architectural coatings during construction activities and the temporary storage of typical solid waste (refuse) associated with the proposed Project's (long-term operational) uses. Standard construction requirements would minimize odor impacts from construction. The construction odor emissions would be temporary, short-term, and intermittent in nature and would cease upon completion of the respective phase of construction and is thus considered less than significant. It is expected that Project-generated refuse would be stored in covered containers and removed at regular intervals in compliance with current solid waste regulations. The proposed Project would also be required to comply with SCAQMD Rule 402 to prevent occurrences of public nuisances. Therefore, odors and other emissions (such as those leading to odors) associated with construction and operations activities of the proposed Project would be less than significant and no mitigation is required (25).

3.12 CUMULATIVE IMPACTS

As previously shown in Table 2-4, the CAAQS designate the Project site as nonattainment for O_3 PM_{10}, and $PM_{2.5}$ while the NAAQS designates the Project site as nonattainment for O_3 and $PM_{2.5}$. he SCAQMD has published a report on how to address cumulative impacts from air pollution: *White Paper on Potential Control Strategies to Address Cumulative Impacts from Air Pollution* (26). In this report the SCAQMD clearly states (Page D-3):

> *"…the SCAQMD uses the same significance thresholds for project specific and cumulative impacts for all environmental topics analyzed in an Environmental Assessment or EIR. The only case where the significance thresholds for project specific and cumulative impacts differ is the Hazard Index (HI) significance threshold for TAC emissions. The project specific (project increment) significance threshold is HI > 1.0 while the cumulative (facility-wide) is HI > 3.0. It should be noted that the HI is only one of three TAC emission significance thresholds considered (when applicable) in a CEQA analysis. The other two are the maximum individual cancer risk (MICR) and the cancer burden, both of which use the same significance thresholds (MICR of 10 in 1 million and cancer burden of 0.5) for project specific and cumulative impacts.*

Projects that exceed the project-specific significance thresholds are considered by the SCAQMD to be cumulatively considerable. This is the reason project-specific and cumulative significance thresholds are the same. Conversely, projects that do not exceed the project-specific thresholds are generally not considered to be cumulatively significant."

Therefore, this analysis assumes that individual projects that do not generate operational or construction emissions that exceed the SCAQMD's recommended daily thresholds for project-specific impacts would also not cause a cumulatively considerable increase in emissions for those pollutants for which SCAB is in nonattainment, and, therefore, would not be considered to have a significant, adverse air quality impact. Conversely, project-level construction and operational emissions that exceed SCAQMD thresholds would be considered cumulatively considerable. SCAQMD's thresholds of significance for project-specific direct and cumulatively-considerable impacts have clearly been successful, as application of these thresholds has led to significant air quality improvements throughout the SCAB.

Construction-Source Emission Impacts

The Project-specific evaluation of emissions presented in the preceding analysis demonstrates that proposed Project construction-source air pollutant emissions would not result in exceedances of regional thresholds. Therefore, proposed Project construction-source emissions would be considered less than significant on a Project-specific and cumulative basis.

Operational-Source Emission Impacts

The Project-specific evaluation of emissions presented in the preceding analysis demonstrates that proposed Project operation-source air pollutant emissions would not result in exceedances of regional thresholds. Therefore, the proposed Project operation-source emissions would be considered less than significant on a project-specific and cumulative basis.

This page intentionally left blank

4 REFERENCES

1. **State of California.** *2020 CEQA California Environmental Quality Act.* 2020.
2. **South Coast Air Quality Management District.** Southern California Air Basins. [Online] https://www.arb.ca.gov/msprog/onroad/porttruck/maps/scabc7map.pdf.
3. —. *Guidance Document for Addressing Air Quality Issues in General Plans and Local Planning.* 2005.
4. **St. Croix Sensory, Inc.** *The "Gray Line" Between Odor Nuisance and Health Effects.* 2000.
5. **California Air Resources Board.** Ambient Air Quality Standards (AAQS). [Online] 2024. http://www.arb.ca.gov/research/aaqs/aaqs2.pdf.
6. **United State Environmental Protection Agency.** Frequent Questions about General Conformity . *EPA.* [Online] https://www.epa.gov/general-conformity/frequent-questions-about-general-conformity#8.
7. **South Coast Air Quality Management District.** Annual Air Quality Monitoring Network Plan. [Online] July 2023. https://www.aqmd.gov/docs/default-source/default-document-library/south-coast-aqmd-2023-annual-air-quality-monitoring-network-plan.pdf?sfvrsn=0.
8. **Air Resources Board.** *Appendix C Maps and Tables of Area Designations for State and National Ambient Air Quality Standards.* 2024.
9. **District, South Coast Air Quality Management.** Air Quality Data Tables. [Online] https://www.aqmd.gov/home/air-quality/air-quality-data-studies/historical-data-by-year.
10. **Environmental Protection Agency.** National Ambient Air Quality Standards (NAAQS). [Online] 1990. https://www.epa.gov/environmental-topics/air-topics.
11. —. Air Pollution and the Clean Air Act. [Online] http://www.epa.gov/air/caa/.
12. **United States Environmental Protection Agency.** 1990 Clean Air Act Amendment Summary: Title I. [Online] https://www.epa.gov/clean-air-act-overview/1990-clean-air-act-amendment-summary-title-i.
13. —. 1990 Clean Air Act Amendment Summary: Title II. [Online] https://www.epa.gov/clean-air-act-overview/1990-clean-air-act-amendment-summary-title-ii.
14. **Air Resources Board.** California Ambient Air Quality Standards (CAAQS). [Online] 2009. [Cited: April 16, 2018.] http://www.arb.ca.gov/research/aaqs/caaqs/caaqs.htm.
15. **Southern California Association of Governments.** 2016-2040 Regional Transportation Plan/Sustainable Communities Strategy. [Online] April 2016. https://scag.ca.gov/sites/main/files/file-attachments/f2016rtpscs.pdf?1606005557.
16. **South Coast Air Quality Management District.** SCAQMD Air Quality Significance Thresholds. [Online] https://www.aqmd.gov/docs/default-source/ceqa/handbook/south-coast-aqmd-air-quality-significance-thresholds.pdf.
17. **California Air Pollution Control Officers Association (CAPCOA).** California Emissions Estimator Model (CalEEMod). [Online] March 2023. www.caleemod.com.
18. **Institute of Transportation Engineers.** *Trip Generation Manual.* 11th. 2021.
19. **Lake Environmental.** US EPA Models. *Lake Environmental.* [Online] http://www.weblakes.com/download/us_epa.html.
20. **South Coast Air Quality Management District.** *Localized Significance Thresholds Methodology.* s.l. : South Coast Air Quality Managment District, 2008.
21. —. Final 2016 Air Quality Management Plan (AQMP). [Online] March 2017. http://www.aqmd.gov/docs/default-source/clean-air-plans/air-quality-management-plans/2016-air-quality-management-plan/final-2016-aqmp/final2016aqmp.pdf?sfvrsn=11.

22. **Southern California Association of Governments.** 2020-2045 Regional Transportation Plan/Sustainable Communities Strategy. [Online] September 2020. https://scag.ca.gov/sites/main/files/file-attachments/0903fconnectsocal-plan_0.pdf?1606001176.

23. **South Coast Air Quality Management District.** *CEQA Air Quality Handbook (1993).* 1993.

24. **Urban Crossroads, Inc.** *1501 Del Norte Street Residential Construction Health Risk Assessment.* 2025.

25. **South Coast Air Quality Management District.** RULE 402 NUISANCE. [Online] http://www.aqmd.gov/docs/default-source/rule-book/rule-iv/rule-402.pdf.

26. **Goss, Tracy A and Kroeger, Amy.** White Paper on Potential Control Strategies to Address Cumulative Impacts from Air Pollution. [Online] South Coast Air Quality Management District, 2003. http://www.aqmd.gov/docs/default-source/Agendas/Environmental-Justice/cumulative-impacts-working-group/cumulative-impacts-white-paper.pdf.

This page intentionally left

5 CERTIFICATION

The contents of this air study report represent an accurate depiction of the environmental impacts associated with the proposed 1501 Del Norte Street Residential Project. The information contained in this air quality impact assessment report is based on the best available data at the time of preparation. If you have any questions, please contact me directly at hqureshi@urbanxroads.com.

Haseeb Qureshi
Principal
URBAN CROSSROADS, INC.
1133 Camelback #8329
Newport Beach, CA 92658
hqureshi@urbanxroads.com

Education

Master of Science in Environmental Studies
California State University, Fullerton • May, 2010
Bachelor of Arts in Environmental Analysis and Design
University of California, Irvine • June, 2006

Professional Affiliations

AEP – Association of Environmental Professionals
AWMA – Air and Waste Management Association
ASTM – American Society for Testing and Materials

Professional Certifications

Planned Communities and Urban Infill – Urban Land Institute • June, 2011
Indoor Air Quality and Industrial Hygiene – EMSL Analytical • April, 2008
Principles of Ambient Air Monitoring – CARB • August, 2007
AB2588 Regulatory Standards – Trinity Consultants • November, 2006
Air Dispersion Modeling – Lakes Environmental • June, 2006

This page intentionally left blank

APPENDIX 2.1:

STATE/FEDERAL ATTAINMENT STATUS OF CRITERIA POLLUTANTS

Appendix C
Maps and Tables of Area Designations for State and National Ambient Air Quality Standards

Appendix C
Maps and Tables of Area Designations for State and National Ambient Air Quality Standards

This attachment fulfills the requirement of Health and Safety Code section 40718 for CARB to publish maps that identify areas where one or more violations of any State ambient air quality standard (State standard) or national ambient air quality standard (national standard) have been measured. The national standards are those promulgated under section 109 of the federal Clean Air Act (42 U.S.C. 7409).

This attachment is divided into three parts. The first part comprises a table showing the levels, averaging times, and measurement methods for each of the State and national standards. This is followed by a section containing maps and tables showing the area designations for each pollutant for which there is a State standard in the California Code of Regulations, title 17, section 70200. The last section contains maps and tables showing the most current area designations for the national standards.

(Updated 5/4/16)

Ambient Air Quality Standards

Pollutant	Averaging Time	California Standards [1]		National Standards [2]		
		Concentration [3]	Method [4]	Primary [3,5]	Secondary [3,6]	Method [7]
Ozone (O_3)[8]	1 Hour	0.09 ppm (180 µg/m³)	Ultraviolet Photometry	—	Same as Primary Standard	Ultraviolet Photometry
	8 Hour	0.070 ppm (137 µg/m³)		0.070 ppm (137 µg/m³)		
Respirable Particulate Matter (PM10)[9]	24 Hour	50 µg/m³	Gravimetric or Beta Attenuation	150 µg/m³	Same as Primary Standard	Inertial Separation and Gravimetric Analysis
	Annual Arithmetic Mean	20 µg/m³		—		
Fine Particulate Matter (PM2.5)[9]	24 Hour	—	—	35 µg/m³	Same as Primary Standard	Inertial Separation and Gravimetric Analysis
	Annual Arithmetic Mean	12 µg/m³	Gravimetric or Beta Attenuation	12.0 µg/m³	15 µg/m³	
Carbon Monoxide (CO)	1 Hour	20 ppm (23 mg/m³)	Non-Dispersive Infrared Photometry (NDIR)	35 ppm (40 mg/m³)	—	Non-Dispersive Infrared Photometry (NDIR)
	8 Hour	9.0 ppm (10 mg/m³)		9 ppm (10 mg/m³)	—	
	8 Hour (Lake Tahoe)	6 ppm (7 mg/m³)		—	—	
Nitrogen Dioxide (NO_2)[10]	1 Hour	0.18 ppm (339 µg/m³)	Gas Phase Chemiluminescence	100 ppb (188 µg/m³)	—	Gas Phase Chemiluminescence
	Annual Arithmetic Mean	0.030 ppm (57 µg/m³)		0.053 ppm (100 µg/m³)	Same as Primary Standard	
Sulfur Dioxide (SO_2)[11]	1 Hour	0.25 ppm (655 µg/m³)	Ultraviolet Fluorescence	75 ppb (196 µg/m³)	—	Ultraviolet Flourescence; Spectrophotometry (Pararosaniline Method)
	3 Hour	—		—	0.5 ppm (1300 µg/m³)	
	24 Hour	0.04 ppm (105 µg/m³)		0.14 ppm (for certain areas)[11]	—	
	Annual Arithmetic Mean	—		0.030 ppm (for certain areas)[11]	—	
Lead[12,13]	30 Day Average	1.5 µg/m³	Atomic Absorption	—	—	High Volume Sampler and Atomic Absorption
	Calendar Quarter	—		1.5 µg/m³ (for certain areas)[12]	Same as Primary Standard	
	Rolling 3-Month Average	—		0.15 µg/m³		
Visibility Reducing Particles[14]	8 Hour	See footnote 14	Beta Attenuation and Transmittance through Filter Tape	**No National Standards**		
Sulfates	24 Hour	25 µg/m³	Ion Chromatography			
Hydrogen Sulfide	1 Hour	0.03 ppm (42 µg/m³)	Ultraviolet Fluorescence			
Vinyl Chloride[12]	24 Hour	0.01 ppm (26 µg/m³)	Gas Chromatography			

See footnotes on next page …

1. California standards for ozone, carbon monoxide (except 8-hour Lake Tahoe), sulfur dioxide (1- and 24-hour), nitrogen dioxide, and particulate matter (PM10, PM2.5, and visibility reducing particles), are values that are not to be exceeded. All others are not to be equaled or exceeded. California ambient air quality standards are listed in the Table of Standards in Section 70200 of Title 17 of the California Code of Regulations.

2. National standards (other than ozone, particulate matter, and those based on annual arithmetic mean) are not to be exceeded more than once a year. The ozone standard is attained when the fourth highest 8-hour concentration measured at each site in a year, averaged over three years, is equal to or less than the standard. For PM10, the 24-hour standard is attained when the expected number of days per calendar year with a 24-hour average concentration above 150 $\mu g/m^3$ is equal to or less than one. For PM2.5, the 24-hour standard is attained when 98 percent of the daily concentrations, averaged over three years, are equal to or less than the standard. Contact the U.S. EPA for further clarification and current national policies.

3. Concentration expressed first in units in which it was promulgated. Equivalent units given in parentheses are based upon a reference temperature of 25°C and a reference pressure of 760 torr. Most measurements of air quality are to be corrected to a reference temperature of 25°C and a reference pressure of 760 torr; ppm in this table refers to ppm by volume, or micromoles of pollutant per mole of gas.

4. Any equivalent measurement method which can be shown to the satisfaction of the CARB to give equivalent results at or near the level of the air quality standard may be used.

5. National Primary Standards: The levels of air quality necessary, with an adequate margin of safety to protect the public health.

6. National Secondary Standards: The levels of air quality necessary to protect the public welfare from any known or anticipated adverse effects of a pollutant.

7. Reference method as described by the U.S. EPA. An “equivalent method” of measurement may be used but must have a “consistent relationship to the reference method” and must be approved by the U.S. EPA.

8. On October 1, 2015, the national 8-hour ozone primary and secondary standards were lowered from 0.075 to 0.070 ppm.

9. On December 14, 2012, the national annual PM2.5 primary standard was lowered from 15 $\mu g/m^3$ to 12.0 $\mu g/m^3$. The existing national 24-hour PM2.5 standards (primary and secondary) were retained at 35 $\mu g/m^3$, as was the annual secondary standard of 15 $\mu g/m^3$. The existing 24-hour PM10 standards (primary and secondary) of 150 $\mu g/m^3$ also were retained. The form of the annual primary and secondary standards is the annual mean, averaged over 3 years.

10. To attain the 1-hour national standard, the 3-year average of the annual 98th percentile of the 1-hour daily maximum concentrations at each site must not exceed 100 ppb. Note that the national 1-hour standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the national 1-hour standard to the California standards the units can be converted from ppb to ppm. In this case, the national standard of 100 ppb is identical to 0.100 ppm.

11. On June 2, 2010, a new 1-hour SO_2 standard was established and the existing 24-hour and annual primary standards were revoked. To attain the 1-hour national standard, the 3-year average of the annual 99th percentile of the 1-hour daily maximum concentrations at each site must not exceed 75 ppb. The 1971 SO_2 national standards (24-hour and annual) remain in effect until one year after an area is designated for the 2010 standard, except that in areas designated nonattainment for the 1971 standards, the 1971 standards remain in effect until implementation plans to attain or maintain the 2010 standards are approved.

    Note that the 1-hour national standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the 1-hour national standard to the California standard the units can be converted to ppm. In this case, the national standard of 75 ppb is identical to 0.075 ppm.

12. The CARB has identified lead and vinyl chloride as 'toxic air contaminants' with no threshold level of exposure for adverse health effects determined. These actions allow for the implementation of control measures at levels below the ambient concentrations specified for these pollutants.

13. The national standard for lead was revised on October 15, 2008 to a rolling 3-month average. The 1978 lead standard (1.5 $\mu g/m^3$)as a quarterly average) remains in effect until one year after an area is designated for the 2008 standard, except that in areas designated nonattainment for the 1978 standard, the 1978 standard remains in effect until implementation plans to attain or maintain the 2008 standard are approved.

14. In 1989, the CARB converted both the general statewide 10-mile visibility standard and the Lake Tahoe 30-mile visibility standard to instrumental equivalents, which are "extinction of 0.23 per kilometer" and "extinction of 0.07 per kilometer" for the statewide and Lake Tahoe Air Basin standards, respectively.


Area Designations for the State Ambient Air Quality Standards

The following maps and tables show the area designations for each pollutant with a State standard set forth in the California Code of Regulations, title 17, section 60200. Each area is identified as attainment, nonattainment, nonattainment-transitional, or unclassified for each pollutant, as shown below:

Designation	Abbreviation
Attainment	A
Nonattainment	N
Nonattainment-Transitional	NA-T
Unclassified	U

In general, CARB designates areas by air basin for pollutants with a regional impact and by county for pollutants with a more local impact. However, when there are areas within an air basin or county with distinctly different air quality deriving from sources and conditions not affecting the entire air basin or county, CARB may designate a smaller area. Generally, when boundaries of the designated area differ from the air basin or county boundaries, the description of the specific area is referenced at the bottom of the summary table.

Figure 1



Last Updated: November 2023
Air Quality Planning and Science Division, CARB


Table 1
California Ambient Air Quality Standards Area Designations for Ozone[1]

Area	N	NA-T	U	A
GREAT BASIN VALLEYS AIR BASIN				
Alpine County			U	
Inyo County	N			
Mono County	N			
LAKE COUNTY AIR BASIN				A
LAKE TAHOE AIR BASIN		NA-T		
MOJAVE DESERT AIR BASIN	N			
MOUNTAIN COUNTIES AIR BASIN				
Amador County		NA-T		
Calaveras County		NA-T		
El Dorado County (portion)	N			
Mariposa County	N			
Nevada County	N			
Placer County (portion)		NA-T		
Plumas County			U	
Sierra County			U	
Tuolumne County		NA-T		
NORTH CENTRAL COAST AIR BASIN				A
NORTH COAST AIR BASIN				A
NORTHEAST PLATEAU AIR BASIN				A

Area	N	NA-T	U	A
SACRAMENTO VALLEY AIR BASIN				
Butte County		NA-T		
Colusa and Glenn Counties				A
Shasta County	N			
Sutter/Yuba Counties				
Sutter Buttes		NA-T		
Remainder of Sutter County		NA-T		
Yuba County		NA-T		
Yolo/Solano Counties		NA-T		
Remainder of Air Basin	N			
SALTON SEA AIR BASIN	N			
SAN DIEGO AIR BASIN	N			
SAN FRANCISCO BAY AREA AIR BASIN		NA-T		
SAN JOAQUIN VALLEY AIR BASIN	N			
SOUTH CENTRAL COAST AIR BASIN				
San Luis Obispo County	N			
Santa Barbara County		NA-T		
Ventura County	N			
SOUTH COAST AIR BASIN	N			

[1] AB 3048 (Olberg) and AB 2525 (Miller) signed into law in 1996, made changes to Health and Safety Code, section 40925.5. One of the changes allows nonattainment districts to become nonattainment-transitional for ozone by operation of law.

Figure 2




Last Updated: November 2023
Air Quality Planning and Science Division, CARB

Table 2
California Ambient Air Quality Standards Area Designations for Suspended Particulate Matter (PM_{10})

Area	N	U	A
GREAT BASIN VALLEYS AIR BASIN	N		
LAKE COUNTY AIR BASIN			A
LAKE TAHOE AIR BASIN	N		
MOJAVE DESERT AIR BASIN	N		
MOUNTAIN COUNTIES AIR BASIN			
Amador County		U	
Calaveras County	N		
El Dorado County (portion)	N		
Mariposa County			
- Yosemite National Park	N		
- Remainder of County		U	
Nevada County	N		
Placer County (portion)	N		
Plumas County	N		
Sierra County	N		
Tuolumne County		U	

Area	N	U	A
NORTH CENTRAL COAST AIR BASIN	N		
NORTH COAST AIR BASIN			
Del Norte, Mendocino, Sonoma (portion) and Trinity Counties			A
Remainder of Air Basin	N		
NORTHEAST PLATEAU AIR BASIN			
Siskiyou County			A
Remainder of Air Basin		U	
SACRAMENTO VALLEY AIR BASIN			
Shasta County			A
Remainder of Air Basin	N		
SALTON SEA AIR BASIN	N		
SAN DIEGO AIR BASIN	N		
SAN FRANCISCO BAY AREA AIR BASIN	N		
SAN JOAQUIN VALLEY AIR BASIN	N		
SOUTH CENTRAL COAST AIR BASIN	N		
SOUTH COAST AIR BASIN	N		

Figure 3



Last Updated: November 2023
Air Quality Planning and Science Division, CARB

Table 3
California Ambient Air Quality Standards Area Designations for Fine Particulate Matter ($PM_{2.5}$)

Area	N	U	A
GREAT BASIN VALLEYS AIR BASIN			A
LAKE COUNTY AIR BASIN			A
LAKE TAHOE AIR BASIN			A
MOJAVE DESERT AIR BASIN			A
MOUNTAIN COUNTIES AIR BASIN			
Plumas County			
- Portola Valley[1]	N		
- Remainder Plumas County		U	
Remainder of Air Basin		U	
NORTH CENTRAL COAST AIR BASIN			A
NORTH COAST AIR BASIN			A
NORTHEAST PLATEAU AIR BASIN			A
SACRAMENTO VALLEY AIR BASIN			
Butte County			A
Colusa County			A
Glenn County			A
Placer County (portion)			A
Sacramento County			A
Shasta County			A
Sutter and Yuba Counties	N		
Remainder of Air Basin		U	

Area	N	U	A
SALTON SEA AIR BASIN			
Imperial County			
- City of Calexico[2]	N		
Remainder of Air Basin			A
SAN DIEGO AIR BASIN	N		
SAN FRANCISCO BAY AREA AIR BASIN	N		
SAN JOAQUIN VALLEY AIR BASIN	N		
SOUTH CENTRAL COAST AIR BASIN			A
SOUTH COAST AIR BASIN	N		

[1] California Code of Regulations, title 17, section 60200(c)

[2] California Code of Regulations, title 17, section 60200(a)

Figure 4



Last Updated: November 2023
Air Quality Planning and Science Division, CARB

Table 4
California Ambient Air Quality Standards Area Designations for Carbon Monoxide*

Area	N	NA-T	U	A
GREAT BASIN VALLEYS AIR BASIN				
Alpine County			U	
Inyo County				A
Mono County				A
LAKE COUNTY AIR BASIN				A
LAKE TAHOE AIR BASIN				A
MOJAVE DESERT AIR BASIN				
Kern County (portion)			U	
Los Angeles County (portion)				A
Riverside County (portion)			U	
San Bernardino County (portion)				A
MOUNTAIN COUNTIES AIR BASIN				
Amador County			U	
Calaveras County			U	
El Dorado County (portion)			U	
Mariposa County			U	
Nevada County			U	
Placer County (portion)			U	
Plumas County				A
Sierra County			U	
Tuolumne County				A
NORTH CENTRAL COAST AIR BASIN				
Monterey County				A
San Benito County			U	
Santa Cruz County			U	
NORTH COAST AIR BASIN				
Del Norte County			U	
Humboldt County				A
Mendocino County				A
Sonoma County (portion)			U	
Trinity County			U	
NORTHEAST PLATEAU AIR BASIN			U	

Area	N	NA-T	U	A
SACRAMENTO VALLEY AIR BASIN				
Butte County				A
Colusa County			U	
Glenn County			U	
Placer County (portion)				A
Sacramento County				A
Shasta County			U	
Solano County (portion)				A
Sutter County				A
Tehama County			U	
Yolo County				A
Yuba County			U	
SALTON SEA AIR BASIN				A
SAN DIEGO AIR BASIN				A
SAN FRANCISCO BAY AREA AIR BASIN				A
SAN JOAQUIN VALLEY AIR BASIN				
Fresno County				A
Kern County (portion)				A
Kings County			U	
Madera County			U	
Merced County			U	
San Joaquin County				A
Stanislaus County				A
Tulare County				A
SOUTH CENTRAL COAST AIR BASIN				A
SOUTH COAST AIR BASIN				A

* The area designated for carbon monoxide is a county or portion of a county

Figure 5



Last Updated: November 2023
Air Quality Planning and Science Division, CARB

Table 5
California Ambient Air Quality Standards Area Designations for Nitrogen Dioxide

Area	N	U	A
GREAT BASIN VALLEYS AIR BASIN			A
LAKE COUNTY AIR BASIN			A
LAKE TAHOE AIR BASIN			A
MOJAVE DESERT AIR BASIN			A
MOUNTAIN COUNTIES AIR BASIN			A
NORTH CENTRAL COAST AIR BASIN			A
NORTH COAST AIR BASIN			A
NORTHEAST PLATEAU AIR BASIN			A
SACRAMENTO VALLEY AIR BASIN			A
SALTON SEA AIR BASIN			A
SAN DIEGO AIR BASIN			A
SAN FRANCISCO BAY AREA AIR BASIN			A
SAN JOAQUIN VALLEY AIR BASIN			A
SOUTH CENTRAL COAST AIR BASIN			A
SOUTH COAST AIR BASIN			
CA 60 Near-road Portion of San Bernardino, Riverside, and Los Angeles Counties			A
Remainder of Air Basin			A

Figure 6



Last Updated: November 2023
Air Quality Planning and Science Division, CARB

Table 6
California Ambient Air Quality Standards Area Designations for Sulfur Dioxide*

Area	N	A
GREAT BASIN VALLEYS AIR BASIN		A
LAKE COUNTY AIR BASIN		A
LAKE TAHOE AIR BASIN		A
MOJAVE DESERT AIR BASIN		A
MOUNTAIN COUNTIES AIR BASIN		A
NORTH CENTRAL COAST AIR BASIN		A
NORTH COAST AIR BASIN		A
NORTHEAST PLATEAU AIR BASIN		A

Area	N	A
SACRAMENTO VALLEY AIR BASIN		A
SALTON SEA AIR BASIN		A
SAN DIEGO AIR BASIN		A
SAN FRANCISCO BAY AREA AIR BASIN		A
SAN JOAQUIN VALLEY AIR BASIN		A
SOUTH CENTRAL COAST AIR BASIN		A
SOUTH COAST AIR BASIN		A

* The area designated for sulfur dioxide is a county or portion of a county. Since all areas in the State are in attainment for this standard, air basins are indicated here for simplicity.

Figure 7


2023
Area Designations for State
Ambient Air Quality Standards
SULFATES
N
0 40 80 120 160
Miles
Del Norte
Siskiyou
Modoc
NORTHEAST PLATEAU
NORTH COAST
Trinity
Shasta
Lassen
Humboldt
Tehama
SACRAMENTO VALLEY
Plumas
Mendocino
Glenn
Butte
Sierra
MOUNTAIN COUNTIES
Nevada
LAKE COUNTY
Colusa
Yuba
Lake
Placer
LAKE TAHOE
Sutter
Yolo
El Dorado
Sonoma
Napa
Sac
Amador
Alpine
SAN FRANCISCO BAY AREA
Solano
Calaveras
Marin
Contra Costa
San Joaquin
Tuolumne
Mono
GREAT BASIN VALLEYS
San Francisco
Alameda
Stanislaus
Mariposa
San Mateo
Santa Clara
Merced
Madera
Santa Cruz
SAN JOAQUIN VALLEY
San Benito
Fresno
Inyo
NORTH CENTRAL COAST
Kings
Tulare
Monterey
San Luis Obispo
Kern
SOUTH CENTRAL COAST
Santa Barbara
San Bernardino
Ventura
Los Angeles
MOJAVE DESERT
Riverside
Orange
SOUTH COAST
SALTON SEA
San Diego
Imperial
SAN DIEGO
Attainment
Air Basin
County
Last Updated: November 2023
Air Quality Planning and Science Division, CARB

Table 7
California Ambient Air Quality Standards Area Designations for Sulfates

Area	N	U	A
GREAT BASIN VALLEYS AIR BASIN			A
LAKE COUNTY AIR BASIN			A
LAKE TAHOE AIR BASIN			A
MOJAVE DESERT AIR BASIN			A
MOUNTAIN COUNTIES AIR BASIN			A
NORTH CENTRAL COAST AIR BASIN			A
NORTH COAST AIR BASIN			A
NORTHEAST PLATEAU AIR BASIN			A

Area	N	U	A
SACRAMENTO VALLEY AIR BASIN			A
SALTON SEA AIR BASIN			A
SAN DIEGO AIR BASIN			A
SAN FRANCISCO BAY AREA AIR BASIN			A
SAN JOAQUIN VALLEY AIR BASIN			A
SOUTH CENTRAL COAST AIR BASIN			A
SOUTH COAST AIR BASIN			A

Figure 8



Last Updated: November 2023
Air Quality Planning and Science Division, CARB


Table 8
California Ambient Air Quality Standards Area Designations for Lead (particulate)*

Area	N	U	A
GREAT BASIN VALLEYS AIR BASIN			A
LAKE COUNTY AIR BASIN			A
LAKE TAHOE AIR BASIN			A
MOJAVE DESERT AIR BASIN			A
MOUNTAIN COUNTIES AIR BASIN			A
NORTH CENTRAL COAST AIR BASIN			A
NORTH COAST AIR BASIN			A
NORTHEAST PLATEAU AIR BASIN			A
SACRAMENTO VALLEY AIR BASIN			A

Area	N	U	A
SALTON SEA AIR BASIN			A
SAN DIEGO AIR BASIN			A
SAN FRANCISCO BAY AREA AIR BASIN			A
SAN JOAQUIN VALLEY AIR BASIN			A
SOUTH CENTRAL COAST AIR BASIN			A
SOUTH COAST AIR BASIN			A

* The area designated for lead is a county or portion of a county. Since all areas in the State are in attainment for this standard, air basins are indicated here for simplicity.

Figure 9



Last Updated: November 2023
Air Quality Planning and Science Division, CARB

Table 9
California Ambient Air Quality Standards Area Designations for Hydrogen Sulfide*

Area	N	NA-T	U	A
GREAT BASIN VALLEYS AIR BASIN				
Alpine County			U	
Inyo County				A
Mono County				A
LAKE COUNTY AIR BASIN				A
LAKE TAHOE AIR BASIN			U	
MOJAVE DESERT AIR BASIN				
Kern County (portion)			U	
Los Angeles County (portion)			U	
Riverside County (portion)			U	
San Bernardino County (portion)				
- Searles Valley Planning Area[1]	N			
- Remainder of County			U	
MOUNTAIN COUNTIES AIR BASIN				
Amador County				
- City of Sutter Creek	N			
- Remainder of County			U	
Calaveras County			U	
El Dorado County (portion)			U	
Mariposa County			U	
Nevada County			U	
Placer County (portion)			U	
Plumas County			U	
Sierra County			U	
Tuolumne County			U	


Area	N	NA-T	U	A
NORTH CENTRAL COAST AIR BASIN			U	
NORTH COAST AIR BASIN				
Del Norte County			U	
Humboldt County				A
Mendocino County			U	
Sonoma County (portion)				
- Geyser Geothermal Area[2]				A
- Remainder of County			U	
Trinity County			U	
NORTHEAST PLATEAU AIR BASIN			U	
SACRAMENTO VALLEY AIR BASIN			U	
SALTON SEA AIR BASIN				
Riverside County (portion)	N			
Imperial County			U	
SAN DIEGO AIR BASIN			U	
SAN FRANCISCO BAY AREA AIR BASIN			U	
SAN JOAQUIN VALLEY AIR BASIN			U	
SOUTH CENTRAL COAST AIR BASIN				
San Luis Obispo County				A
Santa Barbara County				A
Ventura County			U	
SOUTH COAST AIR BASIN			U	

* The area designated for hydrogen sulfide is a county or portion of a county

[1] 52 Federal Register 29384 (August 7, 1987)

[2] California Code of Regulations, title 17, section 60200(d)

Figure 10



Last Updated: November 2023
Air Quality Planning and Science Division, CARB

Table 10
California Ambient Air Quality Standards Area Designations for Visibility Reducing Particles

Area	N	NA-T	U	A
GREAT BASIN VALLEYS AIR BASIN			U	
LAKE COUNTY AIR BASIN				A
LAKE TAHOE AIR BASIN			U	
MOJAVE DESERT AIR BASIN			U	
MOUNTAIN COUNTIES AIR BASIN			U	
NORTH CENTRAL COAST AIR BASIN			U	
NORTH COAST AIR BASIN			U	
NORTHEAST PLATEAU AIR BASIN			U	

Area	N	NA-T	U	A
SACRAMENTO VALLEY AIR BASIN			U	
SALTON SEA AIR BASIN			U	
SAN DIEGO AIR BASIN			U	
SAN FRANCISCO BAY AREA AIR BASIN			U	
SAN JOAQUIN VALLEY AIR BASIN			U	
SOUTH CENTRAL COAST AIR BASIN			U	
SOUTH COAST AIR BASIN			U	

Area Designations for the National Ambient Air Quality Standards

The following maps and tables show the area designations for each pollutant with a national ambient air quality standard. Additional information about the federal area designations is available on the U.S. EPA website:

https://www.epa.gov/green-book

Over the last several years, U.S. EPA has been reviewing the levels of the various national standards. The agency has already promulgated new standard levels for some pollutants and is considering revising the levels for others. Information about the status of these reviews is available on the U.S. EPA website:

https://www.epa.gov/criteria-air-pollutants

Designation Categories

Suspended Particulate Matter (PM_{10}). The U.S. EPA uses three categories to designate areas with respect to PM_{10}:

- Attainment (A)
- Nonattainment (N)
- Unclassifiable (U)

Ozone, Fine Suspended Particulate Matter ($PM_{2.5}$), Carbon Monoxide (CO), and Nitrogen Dioxide (NO_2). The U.S. EPA uses two categories to designate areas with respect to these standards:

- Nonattainment (N)
- Unclassifiable/Attainment (U/A)

The national 1-hour ozone standard was revoked effective June 15, 2005, and the area designations map reflects the 2015 national 8-hour ozone standard of 0.070 ppm. Area designations were finalized on August 3, 2018.

On December 14, 2012, the U.S. EPA established a new national annual primary $PM_{2.5}$ standard of 12.0 µg/m^3. Area designations were finalized in December 2014. The current designation map reflects the most recently revised (2012) annual average standard of 12.0 µg/m^3 as well as the 24-hour standard of 35 µg/m^3, revised in 2006.

On January 22, 2010, the U.S. EPA established a new national 1-hour NO_2 standard of 100 parts per billion (ppb) and retained the annual average standard of 53 ppb. Designations for the primary NO_2 standard became effective on February 29, 2012. All areas of California meet this standard.

Sulfur Dioxide (SO_2). The U.S. EPA uses three categories to designate areas with respect to the 24-hour and annual average sulfur dioxide standards. These designation categories are:

- Nonattainment (N),
- Unclassifiable (U), and
- Unclassifiable/Attainment (U/A).

On June 2, 2010, the U.S. EPA established a new primary 1-hour SO_2 standard of 75 parts per billion (ppb). At the same time, U.S. EPA revoked the 24-hour and annual average standards. Area designations for the 1-hour SO_2 standard were finalized on December 21, 2017 and are reflected in the area designations map.

Lead (particulate). The U.S. EPA promulgated a new rolling 3-month average lead standard in October 2008 of 0.15 µg/m^3. Designations were made for this standard in November 2010.

Designation Areas

From time to time, the boundaries of the California air basins have been changed to facilitate the planning process. CARB generally initiates these changes, and they are not always reflected in the U.S. EPA's area designations. For purposes of consistency, the maps in this attachment reflect area designation boundaries and nomenclature as promulgated by the U.S. EPA. In some cases, these may not be the same as those adopted by CARB. For example, the national area designations reflect the former Southeast Desert Air Basin. In accordance with Health and Safety Code section 39606.1, CARB redefined this area in 1996 to be the Mojave Desert Air Basin and Salton Sea Air Basin. The definitions and boundaries for all areas designated for the national standards can be found in Title 40, Code of Federal Regulations (CFR), Chapter I, Subchapter C, Part 81.305. They are available on the web at: *https://ecfr.io/Title-40/se40.20.81_1305*

Figure 11



Area Designations for National Ambient Air Quality Standards
8-HOUR OZONE
N
0 50 100 150 200 Miles
Del Norte
Siskiyou
Modoc
NORTHEAST PLATEAU
NORTH COAST
Trinity
Shasta
Lassen
Humboldt
Tehama
Sutter Buttes
Tuscan Buttes
SACRAMENTO VALLEY
Plumas
Mendocino
Glenn
Butte
Sierra
MOUNTAIN COUNTIES
Nevada
LAKE COUNTY
Lake
Colusa
Yuba
Sutter
Placer
LAKE TAHOE
Yolo
El Dorado
Sonoma
Napa
Sac
Amador
Alpine
SAN FRANCISCO BAY AREA
Solano
Calaveras
Marin
Contra Costa
San Joaquin
Tuolumne
Mono
GREAT BASIN VALLEYS
San Francisco
Alameda
Stanislaus
Mariposa
San Mateo
Santa Clara
Merced
Madera
Santa Cruz
SAN JOAQUIN VALLEY
San Benito
Fresno
NORTH CENTRAL COAST
Kings
Tulare
Inyo
Antelope Valley and Western Mojave Desert
Monterey
San Luis Obispo
Kern
SOUTH CENTRAL COAST
Santa Barbara
San Bernardino
Ventura
Los Angeles
MOJAVE DESERT
Riverside
SOUTH COAST
Orange
SALTON SEA
Coachella Valley
Imperial
San Diego
SAN DIEGO
Unclassified/Attainment
Nonattainment
Air Basin
County
Last Updated: November 2023
Map reflects the 2015 8-hour ozone standard of 0.070 ppm
Air Quality Planning and Science Division, CARB

Table 11
National Ambient Air Quality Standards Area Designations for 8-Hour Ozone*

Area	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		
Amador County	N	
Calaveras County	N	
El Dorado County (portion)[1]	N	
Mariposa County	N	
Nevada County		
- Western Nevada County	N	
- Remainder of County		U/A
Placer County (portion)[1]	N	
Plumas County		U/A
Sierra County		U/A
Tuolumne County	N	
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A
SACRAMENTO VALLEY AIR BASIN		
Butte County	N	
Colusa County		U/A
Glenn County		U/A
Sacramento Metro Area[1]	N	
Shasta County		U/A
Sutter County		
- Sutter Buttes	N	
- Southern portion of Sutter County[1]	N	
- Remainder of Sutter County		U/A
Tehama County		
- Tuscan Buttes	N	
- Remainder of Tehama County		U/A

Area	N	U/A
SACRAMENTO VALLEY AIR BASIN (cont.)		
Yolo County[1]	N	
Yuba County		U/A
SAN DIEGO COUNTY	N	
SAN FRANCISCO BAY AREA AIR BASIN	N	
SAN JOAQUIN VALLEY AIR BASIN	N	
SOUTH CENTRAL COAST AIR BASIN[2]		
San Luis Obispo County		
- Eastern San Luis Obispo County	N	
- Remainder of County		U/A
Santa Barbara County		U/A
Ventura County		
- Area excluding Anacapa and San Nicolas Islands	N	
- Channel Islands[2]		U/A
SOUTH COAST AIR BASIN[2]	N	
SOUTHEAST DESERT AIR BASIN		
Kern County (portion)	N	
- Indian Wells Valley		U/A
Imperial County	N	
Los Angeles County (portion)	N	
Riverside County (portion)		
- Coachella Valley	N	
- Non-AQMA portion		U/A
San Bernardino County		
- Western portion (AQMA)	N	
- Eastern portion (non-AQMA)		U/A

* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.
NOTE: This map and Table reflect the 2015 8-hour ozone standard of 0.070 ppm.

---

[1] For this purpose, the Sacramento Metro Area comprises all of Sacramento and Yolo Counties, the Sacramento Valley Air Basin portion of Solano County, the southern portion of Sutter County, and the Sacramento Valley and Mountain Counties Air Basins portions of Placer and El Dorado counties.

[2] South Central Coast Air Basin Channel Islands:
Santa Barbara County includes Santa Cruz, San Miguel, Santa Rosa, and Santa Barbara Islands.
Ventura County includes Anacapa and San Nicolas Islands.
South Coast Air Basin:
Los Angeles County includes San Clemente and Santa Catalina Islands.

Figure 12



Area Designations for National Ambient Air Quality Standards PM10
N
0 50 100 150 200 Miles
Del Norte
Siskiyou
Modoc
NORTHEAST PLATEAU
NORTH COAST
Shasta
Trinity
Lassen
Humboldt
Tehema
SACRAMENTO VALLEY
Plumas
Mendocino
Glenn
Butte
Sierra
MOUNTAIN COUNTIES
Nevada
LAKE COUNTY
Colusa
Yuba
Lake
Sutter
Placer
LAKE TAHOE
Yolo
El Dorado
Alpine
Sacramento County
Sonoma
Napa
Sac
Amador
Mono
Mono Basin
SAN FRANCISCO BAY AREA
Marin
Solano
Calaveras
Contra Costa
San Joaquin
Tuolumne
Mammoth Lake
GREAT BASIN VALLEYS
San Francisco
Alameda
Stanislaus
Mariposa
San Mateo
Santa Clara
Merced
Madera
Inyo
Santa Cruz
San Benito
Fresno
SAN JOAQUIN VALLEY
Owens Valley
Coso Junction
Trona
NORTH CENTRAL COAST
Monterey
Kings
Tulare
San Luis Obispo
Kern
Indian Wells Valley
San Bernardino
SOUTH CENTRAL COAST
Santa Barbara
Ventura
Los Angeles
SOUTHEAST DESERT
Riverside
Coachella Valley
Orange
SOUTH COAST
Imperial
San Diego
SAN DIEGO COUNTY
Unclassified
Attainment
Nonattainment
Air Basin
County
Last Updated: November 2023
Air Quality Planning and Science Division

Table 12
National Ambient Air Quality Standards Area Designations for Suspended Particulate Matter (PM_{10})*

Area	N	U	A
GREAT BASIN VALLEYS AIR BASIN			
Alpine County		U	
Inyo County			
- Owens Valley Planning Area	N		
- Coso Junction			A
- Remainder of County		U	
Mono County			
- Mammoth Lake Planning Area			A
- Mono Lake Basin	N		
- Remainder of County		U	
LAKE COUNTY AIR BASIN		U	
LAKE TAHOE AIR BASIN		U	
MOUNTAIN COUNTIES AIR BASIN		U	
NORTH CENTRAL COAST AIR BASIN		U	
NORTH COAST AIR BASIN		U	
NORTHEAST PLATEAU AIR BASIN		U	
SACRAMENTO VALLEY AIR BASIN			
Sacramento County[1]			A
Remainder of Air Basin		U	
SAN DIEGO COUNTY		U	

Area	N	U	A
SAN FRANCISCO BAY AREA AIR BASIN		U	
SAN JOAQUIN VALLEY AIR BASIN			A
SOUTH CENTRAL COAST AIR BASIN		U	
SOUTH COAST AIR BASIN			A
SOUTHEAST DESERT AIR BASIN			
Eastern Kern County			
- Indian Wells Valley			A
- Portion within San Joaquin Valley Planning Area	N		
- Remainder of County		U	
Imperial County			
- Imperial Valley Planning Area[2]			A
- Remainder of County		U	
Los Angeles County (portion)		U	
Riverside County (portion)			
- Coachella Valley	N		
- Non-AQMA portion		U	
San Bernardino County			
- Trona	N		
- Remainder of County	N		

* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.

[1] Air quality in Sacramento County meets the national PM_{10} standards. The request for redesignation to attainment was approved by U.S. EPA in September 2013.

[2] The request for redesignation to attainment for the Imperial Valley Planning Area was approved by U.S. EPA in September 2020, effective October 2020.

Figure 13



Area Designations for National Ambient Air Quality Standards PM2.5
N
0 50 100 150 200 Miles
NORTH COAST
Del Norte
Siskiyou
Modoc
NORTHEAST PLATEAU
Humboldt
Trinity
Shasta
Lassen
Tehama
SACRAMENTO VALLEY
Plumas
Glenn
Butte
Sierra
MOUNTAIN COUNTIES
Mendocino
Nevada
LAKE COUNTY
Colusa
Yuba
Placer
Lake
Sutter
LAKE TAHOE
El Dorado
Yolo
Sonoma
Alpine
Napa
Sacramento
Amador
SAN FRANCISCO BAY AREA
Solano
Calaveras
GREAT BASIN VALLEYS
Marin
Tuolumne
Contra Costa
San Joaquin
Mono
Alameda
Stanislaus
Mariposa
San Mateo
Merced
Santa Clara
Madera
Santa Cruz
Fresno
NORTH CENTRAL COAST
San Benito
Inyo
Tulare
Monterey
Kings
SAN JOAQUIN VALLEY
San Luis Obispo
Kern
San Bernardino
SOUTH CENTRAL COAST
Santa Barbara
SOUTHEAST DESERT
Ventura
Los Angeles
Riverside
Orange
SOUTH COAST
San Diego
Imperial
SAN DIEGO COUNTY
Unclassified/Attainment
Nonattainment
Air Basin
County
Last Updated: November 2023
Air Quality Planning and Science Division

Table 13
National Ambient Air Quality Standards Area Designations for Fine Particulate Matter ($PM_{2.5}$)

Area	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		
Plumas County		
- Portola Valley Portion of Plumas County	N	
- Remainder of Plumas County		U/A
Remainder of Air Basin		U/A
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A
SACRAMENTO VALLEY AIR BASIN		
Sacramento Metro Area[1]	N	
Remainder of Air Basin		U/A

Area	N	U/A
SAN DIEGO COUNTY		U/A
SAN FRANCISCO BAY AREA AIR BASIN[2]	N	
SAN JOAQUIN VALLEY AIR BASIN	N	
SOUTH CENTRAL COAST AIR BASIN		U/A
SOUTH COAST AIR BASIN[3]	N	
SOUTHEAST DESERT AIR BASIN		
Imperial County (portion)[4]	N	
Remainder of Air Basin		U/A

* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305. This map reflects the 2006 24-hour $PM_{2.5}$ standard as well as the 1997 and 2012 $PM_{2.5}$ annual standards.

[1] For this purpose, Sacramento Metro Area comprises all of Sacramento and portions of El Dorado, Placer, Solano, and Yolo Counties. Air quality in this area meets the national $PM_{2.5}$ standards. A Determination of Attainment for the 2006 24-hour $PM_{2.5}$ standard was made by U.S. EPA in June 2017.

[2] Air quality in this area meets the national $PM_{2.5}$ standards. A Determination of Attainment for the 2006 24-hour $PM_{2.5}$ standard was made by U.S. EPA in June 2017.

[3] Those lands of the Santa Rosa Band of Cahulla Mission Indians in Riverside County are designated Unclassifiable/Attainment.

[4] That portion of Imperial County encompassing the urban and surrounding areas of Brawley, Calexico, El Centro, Heber, Holtville, Imperial, Seeley, and Westmorland. Air quality in this area meets the national $PM_{2.5}$ standards. A Determination of Attainment for the 2006 24-hour $PM_{2.5}$ standard was made by U.S. EPA in June 2017.

Figure 14



Last Updated: November 2023
Air Quality Planning and Science Division

Table 14
National Ambient Air Quality Standards Area Designations for Carbon Monoxide*

Area	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		U/A
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A

Area	N	U/A
SACRAMENTO VALLEY AIR BASIN		U/A
SAN DIEGO COUNTY		U/A
SAN FRANCISCO BAY AREA AIR BASIN		U/A
SAN JOAQUIN VALLEY AIR BASIN		U/A
SOUTH CENTRAL COAST AIR BASIN		U/A
SOUTH COAST AIR BASIN		U/A
SOUTHEAST DESERT AIR BASIN		U/A

* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.

Figure 15


Area Designations for National Ambient Air Quality Standards
NITROGEN DIOXIDE
N
0 50 100 150 200 Miles
Del Norte
Siskiyou
Modoc
NORTHEAST PLATEAU
NORTH COAST
Trinity
Shasta
Lassen
Humboldt
Tehema
Plumas
SACRAMENTO VALLEY
Mendocino
Glenn
Butte
Sierra
Nevada
MOUNTAIN COUNTIES
Colusa
Yuba
Placer
LAKE TAHOE
LAKE COUNTY
Lake
Sutter
Yolo
El Dorado
Napa
Alpine
Sonoma
Sac
Amador
SAN FRANCISCO BAY AREA
Solano
Marin
Calaveras
Contra Costa
San Joaquin
Tuolumne
Mono
GREAT BASIN VALLEYS
San Francisco
Alameda
Stanislaus
Mariposa
San Mateo
Santa Clara
Merced
Santa Cruz
Madera
SAN JOAQUIN VALLEY
San Benito
Fresno
NORTH CENTRAL COAST
Inyo
Tulare
Monterey
Kings
San Luis Obispo
Kern
SOUTH CENTRAL COAST
Santa Barbara
SOUTHEAST DESERT
Ventura
Los Angeles
San Bernardino
Riverside
Orange
SOUTH COAST
San Diego
Imperial
SAN DIEGO COUNTY
Unclassified/Attainment
Air Basin
County
Last Updated: November 2023
Air Quality Planning and Science Division


Table 15
National Ambient Air Quality Standards Area Designations for Nitrogen Dioxide*

Area	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		U/A
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A

Area	N	U/A
SACRAMENTO VALLEY AIR BASIN		U/A
SAN DIEGO COUNTY		U/A
SAN FRANCISCO BAY AREA AIR BASIN		U/A
SAN JOAQUIN VALLEY AIR BASIN		U/A
SOUTH CENTRAL COAST AIR BASIN		U/A
SOUTH COAST AIR BASIN		U/A
SOUTHEAST DESERT AIR BASIN		U/A

* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.

Figure 16



Last Updated: November 2023
Air Quality Planning and Science Division

Table 16
National Ambient Air Quality Standards Area Designations for Sulfur Dioxide*

Area	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		U/A
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A
SACRAMENTO VALLEY AIR BASIN		U/A
SAN DIEGO COUNTY		U/A
SAN FRANCISCO BAY AREA AIR BASIN		U/A
SAN JOAQUIN VALLEY AIR BASIN		U/A
SOUTH CENTRAL COAST AIR BASIN[1]		U/A
SOUTH COAST AIR BASIN		U/A
SOUTHEAST DESERT AIR BASIN		U/A

* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.
NOTE: This map and table reflect the 2010 1-hour SO_2 standard of 75 ppb.

[1] South Central Coast Air Basin Channel Islands:
Santa Barbara County includes Santa Cruz, San Miguel, Santa Rosa, and Santa Barbara Islands.
Ventura County includes Anacapa and San Nicolas Islands.
Note that the San Clemente and Santa Catalina Islands are considered part of Los Angeles County, and therefore, are included as part of the South Coast Air Basin.

Figure 17



Area Designations for National Ambient Air Quality Standards
LEAD
N
0 50 100 150 200 Miles
Del Norte
Siskiyou
Modoc
NORTHEAST PLATEAU
NORTH COAST
Trinity
Shasta
Lassen
Humboldt
Tehama
SACRAMENTO VALLEY
Plumas
Mendocino
Glenn
Butte
Sierra
MOUNTAIN COUNTIES
Nevada
Colusa
Yuba
Placer
Lake
Sutter
LAKE TAHOE
LAKE COUNTY
Yolo
El Dorado
Napa
Alpine
Sonoma
Sac
Amador
SAN FRANCISCO BAY AREA
Solano
Calaveras
Marin
Contra Costa
San Joaquin
Tuolumne
Mono
GREAT BASIN VALLEYS
San Francisco
Alameda
Stanislaus
Mariposa
San Mateo
Santa Clara
Merced
Santa Cruz
Madera
SAN JOAQUIN VALLEY
San Benito
Fresno
NORTH CENTRAL COAST
Inyo
Tulare
Monterey
Kings
San Luis Obispo
Kern
SOUTH CENTRAL COAST
SOUTHEAST DESERT
Santa Barbara
Ventura
Los Angeles
San Bernardino
Riverside
Orange
SOUTH COAST
San Diego
Imperial
SAN DIEGO COUNTY
Unclassified/Attainment
Nonattainment
Air Basin
County
Last Updated: November 2023
Air Quality Planning and Science Division

Table 17
National Ambient Air Quality Standards Area Designations for Lead (particulate)

Area	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		U/A
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A
SACRAMENTO VALLEY AIR BASIN		U/A

Area	N	U/A
SAN DIEGO COUNTY		U/A
SAN FRANCISCO BAY AREA AIR BASIN		U/A
SAN JOAQUIN VALLEY AIR BASIN		U/A
SOUTH CENTRAL COAST AIR BASIN		U/A
SOUTH COAST AIR BASIN		
Los Angeles County (portion)[1]	N	
Remainder of Air Basin		U/A
SOUTHEAST DESERT AIR BASIN		U/A

[1] Portion of County in Air Basin, not including Channel Islands

This page intentionally left blank

APPENDIX 3.1:

CALEEMOD EMISSIONS MODEL OUTPUTS

1501 Del Norte Detailed Report

Table of Contents

1. Basic Project Information

1.1. Basic Project Information

1.2. Land Use Types

1.3. User-Selected Emission Reduction Measures by Emissions Sector

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

2.2. Construction Emissions by Year, Unmitigated

2.3. Construction Emissions by Year, Mitigated

2.4. Operations Emissions Compared Against Thresholds

2.5. Operations Emissions by Sector, Unmitigated

2.6. Operations Emissions by Sector, Mitigated

3. Construction Emissions Details

3.1. Demolition (2026) - Unmitigated

3.2. Demolition (2026) - Mitigated

3.3. Site Preparation (2026) - Unmitigated

3.4. Site Preparation (2026) - Mitigated

3.5. Grading (2026) - Unmitigated

3.6. Grading (2026) - Mitigated

3.7. Building Construction (2026) - Unmitigated

3.8. Building Construction (2026) - Mitigated

3.9. Building Construction (2027) - Unmitigated

3.10. Building Construction (2027) - Mitigated

3.11. Building Construction (2028) - Unmitigated

3.12. Building Construction (2028) - Mitigated

3.13. Paving (2027) - Unmitigated

3.14. Paving (2027) - Mitigated

3.15. Paving (2028) - Unmitigated

3.16. Paving (2028) - Mitigated

3.17. Architectural Coating (2026) - Unmitigated

3.18. Architectural Coating (2026) - Mitigated

3.19. Architectural Coating (2027) - Unmitigated

3.20. Architectural Coating (2027) - Mitigated

3.21. Architectural Coating (2028) - Unmitigated

3.22. Architectural Coating (2028) - Mitigated

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

4.1.2. Mitigated

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

4.2.2. Electricity Emissions By Land Use - Mitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.2.4. Natural Gas Emissions By Land Use - Mitigated

4.3. Area Emissions by Source

4.3.1. Unmitigated

4.3.2. Mitigated

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

4.4.2. Mitigated

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

4.5.2. Mitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

4.6.2. Mitigated

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

4.7.2. Mitigated

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

4.8.2. Mitigated

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

4.9.2. Mitigated

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

5. Activity Data

5.1. Construction Schedule

5.2. Off-Road Equipment

5.2.1. Unmitigated

5.2.2. Mitigated

5.3. Construction Vehicles

5.3.1. Unmitigated

5.3.2. Mitigated

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

5.5. Architectural Coatings

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

5.6.2. Construction Earthmoving Control Strategies

5.7. Construction Paving

5.8. Construction Electricity Consumption and Emissions Factors

5.9. Operational Mobile Sources

5.9.1. Unmitigated

5.9.2. Mitigated

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.1.2. Mitigated

5.10.2. Architectural Coatings

5.10.3. Landscape Equipment

5.10.4. Landscape Equipment - Mitigated

5.11. Operational Energy Consumption

5.11.1. Unmitigated

5.11.2. Mitigated

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

5.12.2. Mitigated

5.13. Operational Waste Generation

5.13.1. Unmitigated

5.13.2. Mitigated

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.14.2. Mitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.15.2. Mitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1.2. Mitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.1.2. Mitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

5.18.2.2. Mitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	1501 Del Norte
Construction Start Date	1/1/2026
Operational Year	2028
Lead Agency	—
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	1.80
Precipitation (days)	22.4
Location	1501 W Del Norte St, West Covina, CA 91790, USA
County	Los Angeles-South Coast
City	West Covina
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	4913
EDFZ	7
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.29

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Single Family Housing	34.0	Dwelling Unit	1.43	124,148	398,237	—	101	—

Condo/Townhouse	248	Dwelling Unit	9.17	1,387,522	0.00	—	734	—
Parking Lot	77.0	Space	0.69	0.00	0.00	—	—	—
Recreational Swimming Pool	18.0	1000sqft	0.41	18,000	0.00	—	—	—
Other Asphalt Surfaces	64.7	1000sqft	1.48	0.00	0.00	—	—	—

1.3. User-Selected Emission Reduction Measures by Emissions Sector

Sector	#	Measure Title
Construction	C-5	Use Advanced Engine Tiers

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	33.4	33.2	27.0	25.4	0.06	1.18	3.34	4.12	1.09	1.07	2.16	—	7,159	7,159	0.30	0.24	12.0	7,229
Mit.	32.9	32.8	17.4	33.0	0.06	0.13	3.34	3.48	0.13	1.07	1.20	—	7,159	7,159	0.30	0.24	12.0	7,229
% Reduced	2%	1%	36%	-30%	—	89%	—	16%	88%	—	45%	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	34.3	33.9	27.1	27.4	0.06	1.18	3.47	4.12	1.09	1.07	2.16	—	7,151	7,151	0.30	0.25	0.34	7,218
Mit.	33.3	33.1	17.5	32.9	0.06	0.21	3.47	3.68	0.19	1.07	1.20	—	7,151	7,151	0.30	0.25	0.34	7,218
% Reduced	3%	2%	35%	-20%	—	82%	—	11%	82%	—	45%	—	—	—	—	—	—	—

Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	23.9	23.7	7.22	15.6	0.02	0.26	2.36	2.49	0.24	0.56	0.71	—	3,648	3,648	0.14	0.17	3.70	3,704
Mit.	23.5	23.4	6.27	15.5	0.02	0.10	2.36	2.45	0.09	0.56	0.65	—	3,648	3,648	0.14	0.17	3.70	3,704
% Reduced	2%	1%	13%	1%	—	63%	—	1%	62%	—	9%	—	—	—	—	—	—	—
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	4.36	4.33	1.32	2.84	< 0.005	0.05	0.43	0.45	0.04	0.10	0.13	—	604	604	0.02	0.03	0.61	613
Mit.	4.29	4.27	1.14	2.83	< 0.005	0.02	0.43	0.45	0.02	0.10	0.12	—	604	604	0.02	0.03	0.61	613
% Reduced	2%	1%	13%	1%	—	63%	—	1%	62%	—	9%	—	—	—	—	—	—	—

2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	3.60	2.99	27.0	25.4	0.06	1.18	2.94	4.12	1.09	1.07	2.16	—	7,159	7,159	0.30	0.22	11.4	7,229
2027	33.4	33.2	7.32	23.1	0.02	0.17	3.34	3.52	0.16	0.79	0.95	—	5,182	5,182	0.22	0.24	12.0	5,270
Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	33.5	33.2	27.1	25.3	0.06	1.18	3.34	4.12	1.09	1.07	2.16	—	7,151	7,151	0.30	0.24	0.34	7,218
2027	34.3	33.9	11.9	27.4	0.03	0.36	3.47	3.83	0.33	0.82	1.15	—	6,041	6,041	0.16	0.25	0.32	6,120
2028	34.2	33.8	11.5	26.6	0.03	0.31	3.47	3.79	0.29	0.82	1.11	—	5,966	5,966	0.15	0.25	0.29	6,044
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	3.04	2.83	7.22	12.6	0.02	0.26	1.83	2.09	0.24	0.47	0.71	—	3,224	3,224	0.14	0.15	2.61	3,274
2027	23.9	23.7	5.54	15.6	0.01	0.13	2.36	2.49	0.12	0.56	0.68	—	3,648	3,648	0.09	0.17	3.70	3,704

2028	1.74	1.72	0.58	1.38	< 0.005	0.02	0.17	0.19	0.01	0.04	0.06	—	306	306	0.01	0.01	0.25	310
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	0.55	0.52	1.32	2.30	< 0.005	0.05	0.33	0.38	0.04	0.09	0.13	—	534	534	0.02	0.02	0.43	542
2027	4.36	4.33	1.01	2.84	< 0.005	0.02	0.43	0.45	0.02	0.10	0.12	—	604	604	0.02	0.03	0.61	613
2028	0.32	0.31	0.11	0.25	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	50.6	50.6	< 0.005	< 0.005	0.04	51.3

2.3. Construction Emissions by Year, Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	1.12	0.96	17.4	33.0	0.06	0.13	2.94	3.07	0.13	1.07	1.20	—	7,159	7,159	0.30	0.22	11.4	7,229
2027	32.9	32.8	8.33	22.9	0.02	0.13	3.34	3.48	0.12	0.79	0.92	—	5,182	5,182	0.22	0.24	12.0	5,270
Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	33.0	32.8	17.5	32.9	0.06	0.16	3.34	3.48	0.15	1.07	1.20	—	7,151	7,151	0.30	0.24	0.34	7,218
2027	33.3	33.1	13.3	27.6	0.03	0.21	3.47	3.68	0.19	0.82	1.02	—	6,041	6,041	0.16	0.25	0.32	6,120
2028	33.3	33.1	13.2	26.8	0.03	0.21	3.47	3.68	0.19	0.82	1.02	—	5,966	5,966	0.15	0.25	0.29	6,044
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	2.46	2.38	5.81	13.6	0.02	0.06	1.83	1.89	0.06	0.47	0.53	—	3,224	3,224	0.14	0.15	2.61	3,274
2027	23.5	23.4	6.27	15.5	0.01	0.10	2.36	2.45	0.09	0.56	0.65	—	3,648	3,648	0.09	0.17	3.70	3,704
2028	1.69	1.68	0.67	1.39	< 0.005	0.01	0.17	0.18	0.01	0.04	0.05	—	306	306	0.01	0.01	0.25	310
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	0.45	0.43	1.06	2.48	< 0.005	0.01	0.33	0.34	0.01	0.09	0.10	—	534	534	0.02	0.02	0.43	542
2027	4.29	4.27	1.14	2.83	< 0.005	0.02	0.43	0.45	0.02	0.10	0.12	—	604	604	0.02	0.03	0.61	613
2028	0.31	0.31	0.12	0.25	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	50.6	50.6	< 0.005	< 0.005	0.04	51.3

2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	41.3	40.7	3.23	52.7	0.09	0.06	8.66	8.72	0.06	2.20	2.26	191	11,809	12,000	19.8	0.44	27.3	12,654
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	39.7	39.3	3.36	33.8	0.09	0.05	8.66	8.71	0.05	2.20	2.25	191	11,383	11,573	19.8	0.46	2.27	12,208
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	40.6	40.1	3.42	44.9	0.09	0.06	8.35	8.41	0.05	2.12	2.17	191	10,341	10,532	19.7	0.44	12.5	11,169
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	7.41	7.32	0.62	8.20	0.02	0.01	1.52	1.53	0.01	0.39	0.40	31.6	1,712	1,744	3.26	0.07	2.06	1,849

2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	4.81	4.37	3.08	36.7	0.09	0.05	8.66	8.71	0.05	2.20	2.25	—	9,279	9,279	0.43	0.36	25.7	9,424
Area	36.4	36.4	0.15	16.1	< 0.005	0.01	—	0.01	0.01	—	0.01	0.00	1,093	1,093	0.10	0.01	—	1,099
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	1,328	1,328	0.13	0.02	—	1,335
Water	—	—	—	—	—	—	—	—	—	—	—	22.2	109	131	2.28	0.06	—	205
Waste	—	—	—	—	—	—	—	—	—	—	—	169	0.00	169	16.8	0.00	—	590
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.61	1.61

Total	41.3	40.7	3.23	52.7	0.09	0.06	8.66	8.72	0.06	2.20	2.26	191	11,809	12,000	19.8	0.44	27.3	12,654
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	4.77	4.32	3.36	33.8	0.09	0.05	8.66	8.71	0.05	2.20	2.25	—	8,896	8,896	0.45	0.38	0.67	9,021
Area	35.0	35.0	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	1,050	1,050	0.10	0.01	—	1,056
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	1,328	1,328	0.13	0.02	—	1,335
Water	—	—	—	—	—	—	—	—	—	—	—	22.2	109	131	2.28	0.06	—	205
Waste	—	—	—	—	—	—	—	—	—	—	—	169	0.00	169	16.8	0.00	—	590
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.61	1.61
Total	39.7	39.3	3.36	33.8	0.09	0.05	8.66	8.71	0.05	2.20	2.25	191	11,383	11,573	19.8	0.46	2.27	12,208
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	4.63	4.20	3.32	33.9	0.09	0.05	8.35	8.40	0.05	2.12	2.17	—	8,803	8,803	0.44	0.37	10.8	8,936
Area	36.0	35.9	0.10	11.0	< 0.005	0.01	—	0.01	< 0.005	—	< 0.005	0.00	101	101	0.01	< 0.005	—	102
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	1,328	1,328	0.13	0.02	—	1,335
Water	—	—	—	—	—	—	—	—	—	—	—	22.2	109	131	2.28	0.06	—	205
Waste	—	—	—	—	—	—	—	—	—	—	—	169	0.00	169	16.8	0.00	—	590
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.61	1.61
Total	40.6	40.1	3.42	44.9	0.09	0.06	8.35	8.41	0.05	2.12	2.17	191	10,341	10,532	19.7	0.44	12.5	11,169
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.84	0.77	0.61	6.19	0.02	0.01	1.52	1.53	0.01	0.39	0.40	—	1,457	1,457	0.07	0.06	1.80	1,479
Area	6.57	6.56	0.02	2.01	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	0.00	16.8	16.8	< 0.005	< 0.005	—	16.9
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	220	220	0.02	< 0.005	—	221
Water	—	—	—	—	—	—	—	—	—	—	—	3.67	18.1	21.7	0.38	0.01	—	33.9
Waste	—	—	—	—	—	—	—	—	—	—	—	27.9	0.00	27.9	2.79	0.00	—	97.6
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.27	0.27
Total	7.41	7.32	0.62	8.20	0.02	0.01	1.52	1.53	0.01	0.39	0.40	31.6	1,712	1,744	3.26	0.07	2.06	1,849

2.6. Operations Emissions by Sector, Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	4.81	4.37	3.08	36.7	0.09	0.05	8.66	8.71	0.05	2.20	2.25	—	9,279	9,279	0.43	0.36	25.7	9,424
Area	36.4	36.4	0.15	16.1	< 0.005	0.01	—	0.01	0.01	—	0.01	0.00	1,093	1,093	0.10	0.01	—	1,099
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	1,328	1,328	0.13	0.02	—	1,335
Water	—	—	—	—	—	—	—	—	—	—	—	22.2	109	131	2.28	0.06	—	205
Waste	—	—	—	—	—	—	—	—	—	—	—	169	0.00	169	16.8	0.00	—	590
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.61	1.61
Total	41.3	40.7	3.23	52.7	0.09	0.06	8.66	8.72	0.06	2.20	2.26	191	11,809	12,000	19.8	0.44	27.3	12,654
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	4.77	4.32	3.36	33.8	0.09	0.05	8.66	8.71	0.05	2.20	2.25	—	8,896	8,896	0.45	0.38	0.67	9,021
Area	35.0	35.0	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	1,050	1,050	0.10	0.01	—	1,056
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	1,328	1,328	0.13	0.02	—	1,335
Water	—	—	—	—	—	—	—	—	—	—	—	22.2	109	131	2.28	0.06	—	205
Waste	—	—	—	—	—	—	—	—	—	—	—	169	0.00	169	16.8	0.00	—	590
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.61	1.61
Total	39.7	39.3	3.36	33.8	0.09	0.05	8.66	8.71	0.05	2.20	2.25	191	11,383	11,573	19.8	0.46	2.27	12,208
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	4.63	4.20	3.32	33.9	0.09	0.05	8.35	8.40	0.05	2.12	2.17	—	8,803	8,803	0.44	0.37	10.8	8,936
Area	36.0	35.9	0.10	11.0	< 0.005	0.01	—	0.01	< 0.005	—	< 0.005	0.00	101	101	0.01	< 0.005	—	102
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	1,328	1,328	0.13	0.02	—	1,335
Water	—	—	—	—	—	—	—	—	—	—	—	22.2	109	131	2.28	0.06	—	205
Waste	—	—	—	—	—	—	—	—	—	—	—	169	0.00	169	16.8	0.00	—	590

Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.61	1.61
Total	40.6	40.1	3.42	44.9	0.09	0.06	8.35	8.41	0.05	2.12	2.17	191	10,341	10,532	19.7	0.44	12.5	11,169
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.84	0.77	0.61	6.19	0.02	0.01	1.52	1.53	0.01	0.39	0.40	—	1,457	1,457	0.07	0.06	1.80	1,479
Area	6.57	6.56	0.02	2.01	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	0.00	16.8	16.8	< 0.005	< 0.005	—	16.9
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	220	220	0.02	< 0.005	—	221
Water	—	—	—	—	—	—	—	—	—	—	—	3.67	18.1	21.7	0.38	0.01	—	33.9
Waste	—	—	—	—	—	—	—	—	—	—	—	27.9	0.00	27.9	2.79	0.00	—	97.6
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.27	0.27
Total	7.41	7.32	0.62	8.20	0.02	0.01	1.52	1.53	0.01	0.39	0.40	31.6	1,712	1,744	3.26	0.07	2.06	1,849

3. Construction Emissions Details

3.1. Demolition (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.52	1.28	11.5	10.9	0.02	0.45	—	0.45	0.42	—	0.42	—	1,906	1,906	0.08	0.02	—	1,913
Demolition	—	—	—	—	—	—	1.04	1.04	—	0.16	0.16	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.13	0.11	0.94	0.90	< 0.005	0.04	—	0.04	0.03	—	0.03	—	157	157	0.01	< 0.005	—	157
Demolition	—	—	—	—	—	—	0.09	0.09	—	0.01	0.01	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.17	0.16	< 0.005	0.01	—	0.01	0.01	—	0.01	—	25.9	25.9	< 0.005	< 0.005	—	26.0
Demolition	—	—	—	—	—	—	0.02	0.02	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.04	0.04	0.55	0.00	0.00	0.13	0.13	0.00	0.03	0.03	—	128	128	0.01	< 0.005	0.01	130
Vendor	< 0.005	< 0.005	0.07	0.03	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	62.4	62.4	< 0.005	0.01	< 0.005	65.1
Hauling	0.09	0.02	1.63	0.62	0.01	0.02	0.36	0.37	0.02	0.10	0.11	—	1,304	1,304	0.07	0.21	0.08	1,368
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.05	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	10.7	10.7	< 0.005	< 0.005	0.02	10.9
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	5.13	5.13	< 0.005	< 0.005	0.01	5.36
Hauling	0.01	< 0.005	0.14	0.05	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	107	107	0.01	0.02	0.10	113

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.77	1.77	< 0.005	< 0.005	< 0.005	1.80
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.85	0.85	< 0.005	< 0.005	< 0.005	0.89
Hauling	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	17.7	17.7	< 0.005	< 0.005	0.02	18.6

3.2. Demolition (2026) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.24	0.24	7.47	10.5	0.02	0.14	—	0.14	0.13	—	0.13	—	1,906	1,906	0.08	0.02	—	1,913
Demolition	—	—	—	—	—	—	1.04	1.04	—	0.16	0.16	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.61	0.86	< 0.005	0.01	—	0.01	0.01	—	0.01	—	157	157	0.01	< 0.005	—	157
Demolition	—	—	—	—	—	—	0.09	0.09	—	0.01	0.01	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Roa Equipment	< 0.005	< 0.005	0.11	0.16	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	25.9	25.9	< 0.005	< 0.005	—	26.0
Demoliti on	—	—	—	—	—	—	0.02	0.02	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.04	0.04	0.55	0.00	0.00	0.13	0.13	0.00	0.03	0.03	—	128	128	0.01	< 0.005	0.01	130
Vendor	< 0.005	< 0.005	0.07	0.03	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	62.4	62.4	< 0.005	0.01	< 0.005	65.1
Hauling	0.09	0.02	1.63	0.62	0.01	0.02	0.36	0.37	0.02	0.10	0.11	—	1,304	1,304	0.07	0.21	0.08	1,368
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.05	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	10.7	10.7	< 0.005	< 0.005	0.02	10.9
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	5.13	5.13	< 0.005	< 0.005	0.01	5.36
Hauling	0.01	< 0.005	0.14	0.05	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	107	107	0.01	0.02	0.10	113
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.77	1.77	< 0.005	< 0.005	< 0.005	1.80
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.85	0.85	< 0.005	< 0.005	< 0.005	0.89
Hauling	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	17.7	17.7	< 0.005	< 0.005	0.02	18.6

3.3. Site Preparation (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.32	0.27	2.40	2.46	< 0.005	0.17	—	0.17	0.15	—	0.15	—	349	349	0.01	< 0.005	—	350
Dust From Material Movement	—	—	—	—	—	—	0.14	0.14	—	0.01	0.01	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.10	0.10	< 0.005	0.01	—	0.01	0.01	—	0.01	—	14.3	14.3	< 0.005	< 0.005	—	14.4
Dust From Material Movement	—	—	—	—	—	—	0.01	0.01	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	2.37	2.37	< 0.005	< 0.005	—	2.38
Dust From Material Movement	—	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—	—	—	—	—

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.14	0.00	0.00	0.03	0.03	0.00	0.01	0.01	—	32.1	32.1	< 0.005	< 0.005	< 0.005	32.5
Vendor	< 0.005	< 0.005	0.07	0.03	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	62.4	62.4	< 0.005	0.01	< 0.005	65.1
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.34	1.34	< 0.005	< 0.005	< 0.005	1.36
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	2.56	2.56	< 0.005	< 0.005	< 0.005	2.68
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.22	0.22	< 0.005	< 0.005	< 0.005	0.22
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.42	0.42	< 0.005	< 0.005	< 0.005	0.44
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.4. Site Preparation (2026) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Roa Equipment	0.05	0.05	1.42	2.44	< 0.005	0.01	—	0.01	0.01	—	0.01	—	349	349	0.01	< 0.005	—	350
Dust From Material Movement	—	—	—	—	—	—	0.14	0.14	—	0.01	0.01	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.06	0.10	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	14.3	14.3	< 0.005	< 0.005	—	14.4
Dust From Material Movement	—	—	—	—	—	—	0.01	0.01	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.01	0.02	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	2.37	2.37	< 0.005	< 0.005	—	2.38
Dust From Material Movement	—	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.14	0.00	0.00	0.03	0.03	0.00	0.01	0.01	—	32.1	32.1	< 0.005	< 0.005	< 0.005	32.5
Vendor	< 0.005	< 0.005	0.07	0.03	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	62.4	62.4	< 0.005	0.01	< 0.005	65.1
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.34	1.34	< 0.005	< 0.005	< 0.005	1.36
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	2.56	2.56	< 0.005	< 0.005	< 0.005	2.68
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.22	0.22	< 0.005	< 0.005	< 0.005	0.22
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.42	0.42	< 0.005	< 0.005	< 0.005	0.44
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.5. Grading (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	3.48	2.93	25.9	24.2	0.06	1.17	—	1.17	1.08	—	1.08	—	6,083	6,083	0.25	0.05	—	6,104
Dust From Material Movement	—	—	—	—	—	—	2.53	2.53	—	0.96	0.96	—	—	—	—	—	—	—

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	3.48	2.93	25.9	24.2	0.06	1.17	—	1.17	1.08	—	1.08	—	6,083	6,083	0.25	0.05	—	6,104
Dust From Material Movement	—	—	—	—	—	—	2.53	2.53	—	0.96	0.96	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.43	0.36	3.19	2.98	0.01	0.14	—	0.14	0.13	—	0.13	—	750	750	0.03	0.01	—	753
Dust From Material Movement	—	—	—	—	—	—	0.31	0.31	—	0.12	0.12	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.08	0.07	0.58	0.54	< 0.005	0.03	—	0.03	0.02	—	0.02	—	124	124	0.01	< 0.005	—	125
Dust From Material Movement	—	—	—	—	—	—	0.06	0.06	—	0.02	0.02	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.05	0.05	0.05	0.81	0.00	0.00	0.16	0.16	0.00	0.04	0.04	—	169	169	0.01	0.01	0.57	172
Vendor	0.01	< 0.005	0.10	0.05	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	93.5	93.5	< 0.005	0.01	0.25	97.9
Hauling	0.06	0.01	0.98	0.39	0.01	0.01	0.22	0.23	0.01	0.06	0.07	—	813	813	0.05	0.13	1.82	855
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.05	0.05	0.05	0.69	0.00	0.00	0.16	0.16	0.00	0.04	0.04	—	161	161	0.01	0.01	0.01	163
Vendor	0.01	< 0.005	0.11	0.05	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	93.6	93.6	< 0.005	0.01	0.01	97.7
Hauling	0.06	0.01	1.02	0.39	0.01	0.01	0.22	0.23	0.01	0.06	0.07	—	814	814	0.05	0.13	0.05	853
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.09	0.00	0.00	0.02	0.02	0.00	< 0.005	< 0.005	—	20.1	20.1	< 0.005	< 0.005	0.03	20.4
Vendor	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	11.5	11.5	< 0.005	< 0.005	0.01	12.0
Hauling	0.01	< 0.005	0.13	0.05	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	100	100	0.01	0.02	0.10	105
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	3.33	3.33	< 0.005	< 0.005	0.01	3.37
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	1.91	1.91	< 0.005	< 0.005	< 0.005	1.99
Hauling	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	—	16.6	16.6	< 0.005	< 0.005	0.02	17.4

3.6. Grading (2026) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road	0.72	0.72	16.3	31.8	0.06	0.11	—	0.11	0.11	—	0.11	—	6,083	6,083	0.25	0.05	—	6,104
Dust From Material Movement	—	—	—	—	—	—	2.53	2.53	—	0.96	0.96	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.72	0.72	16.3	31.8	0.06	0.11	—	0.11	0.11	—	0.11	—	6,083	6,083	0.25	0.05	—	6,104
Dust From Material Movement	—	—	—	—	—	—	2.53	2.53	—	0.96	0.96	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.09	0.09	2.01	3.91	0.01	0.01	—	0.01	0.01	—	0.01	—	750	750	0.03	0.01	—	753
Dust From Material Movement	—	—	—	—	—	—	0.31	0.31	—	0.12	0.12	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.37	0.71	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	124	124	0.01	< 0.005	—	125

Dust From Material Movement	—	—	—	—	—	—	0.06	0.06	—	0.02	0.02	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.05	0.05	0.05	0.81	0.00	0.00	0.16	0.16	0.00	0.04	0.04	—	169	169	0.01	0.01	0.57	172
Vendor	0.01	< 0.005	0.10	0.05	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	93.5	93.5	< 0.005	0.01	0.25	97.9
Hauling	0.06	0.01	0.98	0.39	0.01	0.01	0.22	0.23	0.01	0.06	0.07	—	813	813	0.05	0.13	1.82	855
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.05	0.05	0.05	0.69	0.00	0.00	0.16	0.16	0.00	0.04	0.04	—	161	161	0.01	0.01	0.01	163
Vendor	0.01	< 0.005	0.11	0.05	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	93.6	93.6	< 0.005	0.01	0.01	97.7
Hauling	0.06	0.01	1.02	0.39	0.01	0.01	0.22	0.23	0.01	0.06	0.07	—	814	814	0.05	0.13	0.05	853
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.09	0.00	0.00	0.02	0.02	0.00	< 0.005	< 0.005	—	20.1	20.1	< 0.005	< 0.005	0.03	20.4
Vendor	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	11.5	11.5	< 0.005	< 0.005	0.01	12.0
Hauling	0.01	< 0.005	0.13	0.05	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	100	100	0.01	0.02	0.10	105
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	3.33	3.33	< 0.005	< 0.005	0.01	3.37
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	1.91	1.91	< 0.005	< 0.005	< 0.005	1.99
Hauling	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	—	16.6	16.6	< 0.005	< 0.005	0.02	17.4

3.7. Building Construction (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.44	0.37	3.53	5.37	0.01	0.13	—	0.13	0.12	—	0.12	—	837	837	0.03	0.01	—	840
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.44	0.37	3.53	5.37	0.01	0.13	—	0.13	0.12	—	0.12	—	837	837	0.03	0.01	—	840
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.21	0.17	1.65	2.51	< 0.005	0.06	—	0.06	0.06	—	0.06	—	391	391	0.02	< 0.005	—	393
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.04	0.03	0.30	0.46	< 0.005	0.01	—	0.01	0.01	—	0.01	—	64.8	64.8	< 0.005	< 0.005	—	65.0
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.82	0.73	0.77	12.8	0.00	0.00	2.59	2.59	0.00	0.61	0.61	—	2,688	2,688	0.11	0.09	9.09	2,727
Vendor	0.06	0.03	0.93	0.45	0.01	0.01	0.23	0.24	0.01	0.06	0.07	—	842	842	0.04	0.12	2.27	881
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.82	0.73	0.86	10.9	0.00	0.00	2.59	2.59	0.00	0.61	0.61	—	2,548	2,548	0.12	0.09	0.24	2,579
Vendor	0.06	0.02	0.97	0.46	0.01	0.01	0.23	0.24	0.01	0.06	0.07	—	842	842	0.04	0.12	0.06	879
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.38	0.34	0.44	5.35	0.00	0.00	1.20	1.20	0.00	0.28	0.28	—	1,209	1,209	0.05	0.04	1.84	1,226
Vendor	0.03	0.01	0.46	0.21	< 0.005	0.01	0.11	0.11	< 0.005	0.03	0.03	—	394	394	0.02	0.06	0.46	411
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.07	0.06	0.08	0.98	0.00	0.00	0.22	0.22	0.00	0.05	0.05	—	200	200	0.01	0.01	0.30	203
Vendor	0.01	< 0.005	0.08	0.04	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	—	65.2	65.2	< 0.005	0.01	0.08	68.1
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.8. Building Construction (2026) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipm	0.23	0.21	3.77	5.65	0.01	0.05	—	0.05	0.04	—	0.04	—	837	837	0.03	0.01	—	840
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.23	0.21	3.77	5.65	0.01	0.05	—	0.05	0.04	—	0.04	—	837	837	0.03	0.01	—	840
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.11	0.10	1.76	2.64	< 0.005	0.02	—	0.02	0.02	—	0.02	—	391	391	0.02	< 0.005	—	393
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.32	0.48	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	64.8	64.8	< 0.005	< 0.005	—	65.0
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.82	0.73	0.77	12.8	0.00	0.00	2.59	2.59	0.00	0.61	0.61	—	2,688	2,688	0.11	0.09	9.09	2,727
Vendor	0.06	0.03	0.93	0.45	0.01	0.01	0.23	0.24	0.01	0.06	0.07	—	842	842	0.04	0.12	2.27	881
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.82	0.73	0.86	10.9	0.00	0.00	2.59	2.59	0.00	0.61	0.61	—	2,548	2,548	0.12	0.09	0.24	2,579
Vendor	0.06	0.02	0.97	0.46	0.01	0.01	0.23	0.24	0.01	0.06	0.07	—	842	842	0.04	0.12	0.06	879
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.38	0.34	0.44	5.35	0.00	0.00	1.20	1.20	0.00	0.28	0.28	—	1,209	1,209	0.05	0.04	1.84	1,226
Vendor	0.03	0.01	0.46	0.21	< 0.005	0.01	0.11	0.11	< 0.005	0.03	0.03	—	394	394	0.02	0.06	0.46	411
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.07	0.06	0.08	0.98	0.00	0.00	0.22	0.22	0.00	0.05	0.05	—	200	200	0.01	0.01	0.30	203
Vendor	0.01	< 0.005	0.08	0.04	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	—	65.2	65.2	< 0.005	0.01	0.08	68.1
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.9. Building Construction (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.43	0.36	3.39	5.38	0.01	0.12	—	0.12	0.11	—	0.11	—	837	837	0.03	0.01	—	840
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Roa Equipment	0.43	0.36	3.39	5.38	0.01	0.12	—	0.12	0.11	—	0.11	—	837	837	0.03	0.01	—	840
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Roa d Equipm ent	0.31	0.26	2.42	3.84	0.01	0.08	—	0.08	0.08	—	0.08	—	598	598	0.02	< 0.005	—	600
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Roa d Equipm ent	0.06	0.05	0.44	0.70	< 0.005	0.02	—	0.02	0.01	—	0.01	—	99.0	99.0	< 0.005	< 0.005	—	99.3
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.80	0.70	0.68	11.9	0.00	0.00	2.59	2.59	0.00	0.61	0.61	—	2,636	2,636	0.11	0.09	8.21	2,675
Vendor	0.05	0.03	0.89	0.42	0.01	0.01	0.23	0.24	0.01	0.06	0.07	—	825	825	0.04	0.11	2.15	863
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.79	0.69	0.85	10.1	0.00	0.00	2.59	2.59	0.00	0.61	0.61	—	2,499	2,499	0.03	0.09	0.21	2,528
Vendor	0.05	0.02	0.92	0.43	0.01	0.01	0.23	0.24	0.01	0.06	0.07	—	826	826	0.04	0.11	0.06	861
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Worker	0.56	0.49	0.61	7.58	0.00	0.00	1.83	1.83	0.00	0.43	0.43	—	1,811	1,811	0.02	0.07	2.53	1,835
Vendor	0.04	0.02	0.66	0.31	< 0.005	< 0.005	0.16	0.17	< 0.005	0.05	0.05	—	590	590	0.03	0.08	0.66	615
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.10	0.09	0.11	1.38	0.00	0.00	0.33	0.33	0.00	0.08	0.08	—	300	300	< 0.005	0.01	0.42	304
Vendor	0.01	< 0.005	0.12	0.06	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	97.6	97.6	< 0.005	0.01	0.11	102
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.10. Building Construction (2027) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.23	0.21	3.77	5.65	0.01	0.05	—	0.05	0.04	—	0.04	—	837	837	0.03	0.01	—	840
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.23	0.21	3.77	5.65	0.01	0.05	—	0.05	0.04	—	0.04	—	837	837	0.03	0.01	—	840
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road	0.16	0.15	2.69	4.03	0.01	0.03	—	0.03	0.03	—	0.03	—	598	598	0.02	< 0.005	—	600
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.03	0.49	0.74	< 0.005	0.01	—	0.01	0.01	—	0.01	—	99.0	99.0	< 0.005	< 0.005	—	99.3
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.80	0.70	0.68	11.9	0.00	0.00	2.59	2.59	0.00	0.61	0.61	—	2,636	2,636	0.11	0.09	8.21	2,675
Vendor	0.05	0.03	0.89	0.42	0.01	0.01	0.23	0.24	0.01	0.06	0.07	—	825	825	0.04	0.11	2.15	863
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.79	0.69	0.85	10.1	0.00	0.00	2.59	2.59	0.00	0.61	0.61	—	2,499	2,499	0.03	0.09	0.21	2,528
Vendor	0.05	0.02	0.92	0.43	0.01	0.01	0.23	0.24	0.01	0.06	0.07	—	826	826	0.04	0.11	0.06	861
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.56	0.49	0.61	7.58	0.00	0.00	1.83	1.83	0.00	0.43	0.43	—	1,811	1,811	0.02	0.07	2.53	1,835
Vendor	0.04	0.02	0.66	0.31	< 0.005	< 0.005	0.16	0.17	< 0.005	0.05	0.05	—	590	590	0.03	0.08	0.66	615
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.10	0.09	0.11	1.38	0.00	0.00	0.33	0.33	0.00	0.08	0.08	—	300	300	< 0.005	0.01	0.42	304
Vendor	0.01	< 0.005	0.12	0.06	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	97.6	97.6	< 0.005	0.01	0.11	102

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.11. Building Construction (2028) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.42	0.35	3.29	5.38	0.01	0.11	—	0.11	0.10	—	0.10	—	837	837	0.03	0.01	—	840
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.17	0.27	< 0.005	0.01	—	0.01	< 0.005	—	< 0.005	—	42.6	42.6	< 0.005	< 0.005	—	42.7
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.03	0.05	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	7.05	7.05	< 0.005	< 0.005	—	7.07
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.77	0.67	0.77	9.51	0.00	0.00	2.59	2.59	0.00	0.61	0.61	—	2,455	2,455	0.03	0.09	0.19	2,484
Vendor	0.05	0.02	0.88	0.41	0.01	0.01	0.23	0.24	0.01	0.06	0.07	—	807	807	0.03	0.11	0.05	841
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.03	0.04	0.51	0.00	0.00	0.13	0.13	0.00	0.03	0.03	—	127	127	< 0.005	< 0.005	0.16	128
Vendor	< 0.005	< 0.005	0.05	0.02	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	41.0	41.0	< 0.005	0.01	0.04	42.8
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.09	0.00	0.00	0.02	0.02	0.00	0.01	0.01	—	21.0	21.0	< 0.005	< 0.005	0.03	21.3
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	6.79	6.79	< 0.005	< 0.005	0.01	7.09
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.12. Building Construction (2028) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	0.23	0.21	3.76	5.65	0.01	0.04	—	0.04	0.04	—	0.04	—	837	837	0.03	0.01	—	840
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.19	0.29	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	42.6	42.6	< 0.005	< 0.005	—	42.7
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.03	0.05	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	7.05	7.05	< 0.005	< 0.005	—	7.07
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.77	0.67	0.77	9.51	0.00	0.00	2.59	2.59	0.00	0.61	0.61	—	2,455	2,455	0.03	0.09	0.19	2,484
Vendor	0.05	0.02	0.88	0.41	0.01	0.01	0.23	0.24	0.01	0.06	0.07	—	807	807	0.03	0.11	0.05	841
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.03	0.04	0.51	0.00	0.00	0.13	0.13	0.00	0.03	0.03	—	127	127	< 0.005	< 0.005	0.16	128
Vendor	< 0.005	< 0.005	0.05	0.02	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	41.0	41.0	< 0.005	0.01	0.04	42.8

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.09	0.00	0.00	0.02	0.02	0.00	0.01	0.01	—	21.0	21.0	< 0.005	< 0.005	0.03	21.3
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	6.79	6.79	< 0.005	< 0.005	0.01	7.09
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.13. Paving (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.59	0.50	4.34	5.97	0.01	0.18	—	0.18	0.17	—	0.17	—	897	897	0.04	0.01	—	900
Paving	0.19	0.19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.14	0.19	< 0.005	0.01	—	0.01	0.01	—	0.01	—	28.1	28.1	< 0.005	< 0.005	—	28.2
Paving	0.01	0.01	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Roa Equipment	< 0.005	< 0.005	0.02	0.03	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	4.65	4.65	< 0.005	< 0.005	—	4.67
Paving	< 0.005	< 0.005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.03	0.04	0.51	0.00	0.00	0.13	0.13	0.00	0.03	0.03	—	126	126	< 0.005	< 0.005	0.01	127
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	4.00	4.00	< 0.005	< 0.005	0.01	4.05
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.66	0.66	< 0.005	< 0.005	< 0.005	0.67
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.14. Paving (2027) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.14	0.14	4.70	6.29	0.01	0.07	—	0.07	0.07	—	0.07	—	897	897	0.04	0.01	—	900
Paving	0.19	0.19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.15	0.20	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	28.1	28.1	< 0.005	< 0.005	—	28.2
Paving	0.01	0.01	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.03	0.04	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	4.65	4.65	< 0.005	< 0.005	—	4.67
Paving	< 0.005	< 0.005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.03	0.04	0.51	0.00	0.00	0.13	0.13	0.00	0.03	0.03	—	126	126	< 0.005	< 0.005	0.01	127
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	4.00	4.00	< 0.005	< 0.005	0.01	4.05
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.66	0.66	< 0.005	< 0.005	< 0.005	0.67
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.15. Paving (2028) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.55	0.46	4.16	5.94	0.01	0.16	—	0.16	0.15	—	0.15	—	897	897	0.04	0.01	—	900
Paving	0.19	0.19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.02	0.21	0.30	< 0.005	0.01	—	0.01	0.01	—	0.01	—	45.6	45.6	< 0.005	< 0.005	—	45.8
Paving	0.01	0.01	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	< 0.005	0.04	0.06	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	7.56	7.56	< 0.005	< 0.005	—	7.58
Paving	< 0.005	< 0.005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.03	0.04	0.48	0.00	0.00	0.13	0.13	0.00	0.03	0.03	—	124	124	< 0.005	< 0.005	0.01	125
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.03	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	6.39	6.39	< 0.005	< 0.005	0.01	6.47
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.06	1.06	< 0.005	< 0.005	< 0.005	1.07
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.16. Paving (2028) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.14	0.14	4.70	6.29	0.01	0.07	—	0.07	0.07	—	0.07	—	897	897	0.04	0.01	—	900
Paving	0.19	0.19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.24	0.32	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	45.6	45.6	< 0.005	< 0.005	—	45.8
Paving	0.01	0.01	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road	< 0.005	< 0.005	0.04	0.06	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	7.56	7.56	< 0.005	< 0.005	—	7.58
Paving	< 0.005	< 0.005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.03	0.04	0.48	0.00	0.00	0.13	0.13	0.00	0.03	0.03	—	124	124	< 0.005	< 0.005	0.01	125
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.03	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	6.39	6.39	< 0.005	< 0.005	0.01	6.47
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.06	1.06	< 0.005	< 0.005	< 0.005	1.07
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.17. Architectural Coating (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.39	0.32	2.28	3.02	< 0.005	0.06	—	0.06	0.06	—	0.06	—	356	356	0.01	< 0.005	—	357
Architectural Coatings	31.6	31.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.13	0.17	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	20.2	20.2	< 0.005	< 0.005	—	20.3
Architectural Coatings	1.80	1.80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.02	0.03	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	3.35	3.35	< 0.005	< 0.005	—	3.36
Architectural Coatings	0.33	0.33	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.16	0.15	0.17	2.19	0.00	0.00	0.52	0.52	0.00	0.12	0.12	—	510	510	0.02	0.02	0.05	516
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.13	0.00	0.00	0.03	0.03	0.00	0.01	0.01	—	29.3	29.3	< 0.005	< 0.005	0.04	29.7
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	4.86	4.86	< 0.005	< 0.005	0.01	4.92
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.18. Architectural Coating (2026) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Roa Equipment	0.06	0.06	2.85	2.57	< 0.005	0.08	—	0.08	0.08	—	0.08	—	356	356	0.01	< 0.005	—	357
Architectural Coatings	31.6	31.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.16	0.15	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	20.2	20.2	< 0.005	< 0.005	—	20.3
Architectural Coatings	1.80	1.80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.03	0.03	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	3.35	3.35	< 0.005	< 0.005	—	3.36
Architectural Coatings	0.33	0.33	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.16	0.15	0.17	2.19	0.00	0.00	0.52	0.52	0.00	0.12	0.12	—	510	510	0.02	0.02	0.05	516
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.13	0.00	0.00	0.03	0.03	0.00	0.01	0.01	—	29.3	29.3	< 0.005	< 0.005	0.04	29.7
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	4.86	4.86	< 0.005	< 0.005	0.01	4.92
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.19. Architectural Coating (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.37	0.30	2.22	3.00	< 0.005	0.05	—	0.05	0.05	—	0.05	—	356	356	0.01	< 0.005	—	357
Architectural Coatings	31.6	31.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.37	0.30	2.22	3.00	< 0.005	0.05	—	0.05	0.05	—	0.05	—	356	356	0.01	< 0.005	—	357
Architectural Coatings	31.6	31.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.26	0.22	1.58	2.14	< 0.005	0.04	—	0.04	0.03	—	0.03	—	254	254	0.01	< 0.005	—	255
Architectural Coatings	22.6	22.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.05	0.04	0.29	0.39	< 0.005	0.01	—	0.01	0.01	—	0.01	—	42.1	42.1	< 0.005	< 0.005	—	42.2
Architectural Coatings	4.12	4.12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.16	0.14	0.14	2.38	0.00	0.00	0.52	0.52	0.00	0.12	0.12	—	527	527	0.02	0.02	1.64	535
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.16	0.14	0.17	2.02	0.00	0.00	0.52	0.52	0.00	0.12	0.12	—	500	500	0.01	0.02	0.04	506
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.11	0.10	0.12	1.52	0.00	0.00	0.37	0.37	0.00	0.09	0.09	—	362	362	< 0.005	0.01	0.51	367
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.28	0.00	0.00	0.07	0.07	0.00	0.02	0.02	—	60.0	60.0	< 0.005	< 0.005	0.08	60.7
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.20. Architectural Coating (2027) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road	0.06	0.06	2.85	2.57	< 0.005	0.08	—	0.08	0.08	—	0.08	—	356	356	0.01	< 0.005	—	357
Architectural Coatings	31.6	31.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.06	0.06	2.85	2.57	< 0.005	0.08	—	0.08	0.08	—	0.08	—	356	356	0.01	< 0.005	—	357
Architectural Coatings	31.6	31.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.04	0.04	2.04	1.83	< 0.005	0.06	—	0.06	0.05	—	0.05	—	254	254	0.01	< 0.005	—	255
Architectural Coatings	22.6	22.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.37	0.33	< 0.005	0.01	—	0.01	0.01	—	0.01	—	42.1	42.1	< 0.005	< 0.005	—	42.2

Architect Coatings	4.12	4.12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.16	0.14	0.14	2.38	0.00	0.00	0.52	0.52	0.00	0.12	0.12	—	527	527	0.02	0.02	1.64	535
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.16	0.14	0.17	2.02	0.00	0.00	0.52	0.52	0.00	0.12	0.12	—	500	500	0.01	0.02	0.04	506
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.11	0.10	0.12	1.52	0.00	0.00	0.37	0.37	0.00	0.09	0.09	—	362	362	< 0.005	0.01	0.51	367
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.28	0.00	0.00	0.07	0.07	0.00	0.02	0.02	—	60.0	60.0	< 0.005	< 0.005	0.08	60.7
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.21. Architectural Coating (2028) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.35	0.29	2.16	2.98	< 0.005	0.04	—	0.04	0.04	—	0.04	—	356	356	0.01	< 0.005	—	357
Architectural Coatings	31.6	31.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.01	0.11	0.15	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	18.1	18.1	< 0.005	< 0.005	—	18.2
Architectural Coatings	1.61	1.61	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.02	0.03	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	3.00	3.00	< 0.005	< 0.005	—	3.01
Architectural Coatings	0.29	0.29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.15	0.13	0.15	1.90	0.00	0.00	0.52	0.52	0.00	0.12	0.12	—	491	491	0.01	0.02	0.04	497
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.10	0.00	0.00	0.03	0.03	0.00	0.01	0.01	—	25.3	25.3	< 0.005	< 0.005	0.03	25.7
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	4.20	4.20	< 0.005	< 0.005	0.01	4.25
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.22. Architectural Coating (2028) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Roa Equipment	0.06	0.06	2.85	2.57	< 0.005	0.08	—	0.08	0.08	—	0.08	—	356	356	0.01	< 0.005	—	357
Architectural Coatings	31.6	31.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.15	0.13	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	18.1	18.1	< 0.005	< 0.005	—	18.2
Architectural Coatings	1.61	1.61	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.03	0.02	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	3.00	3.00	< 0.005	< 0.005	—	3.01
Architectural Coatings	0.29	0.29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.15	0.13	0.15	1.90	0.00	0.00	0.52	0.52	0.00	0.12	0.12	—	491	491	0.01	0.02	0.04	497
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.10	0.00	0.00	0.03	0.03	0.00	0.01	0.01	—	25.3	25.3	< 0.005	< 0.005	0.03	25.7
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	4.20	4.20	< 0.005	< 0.005	0.01	4.25
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	1.07	0.97	0.68	8.12	0.02	0.01	1.92	1.93	0.01	0.49	0.50	—	2,057	2,057	0.10	0.08	5.69	2,089

Condo/Townhouse	3.74	3.40	2.39	28.5	0.07	0.04	6.74	6.78	0.04	1.71	1.75	—	7,223	7,223	0.34	0.28	20.0	7,335
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Recreational Swimming Pool	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	4.81	4.37	3.08	36.7	0.09	0.05	8.66	8.71	0.05	2.20	2.25	—	9,279	9,279	0.43	0.36	25.7	9,424
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	1.06	0.96	0.75	7.50	0.02	0.01	1.92	1.93	0.01	0.49	0.50	—	1,972	1,972	0.10	0.08	0.15	1,999
Condo/Townhouse	3.71	3.37	2.62	26.3	0.07	0.04	6.74	6.78	0.04	1.71	1.75	—	6,924	6,924	0.35	0.30	0.52	7,021
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Recreational Swimming Pool	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	4.77	4.32	3.36	33.8	0.09	0.05	8.66	8.71	0.05	2.20	2.25	—	8,896	8,896	0.45	0.38	0.67	9,021
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Single Family Housing	0.19	0.17	0.14	1.38	< 0.005	< 0.005	0.34	0.34	< 0.005	0.09	0.09	—	325	325	0.02	0.01	0.40	330
Condo/Townhouse	0.66	0.60	0.47	4.81	0.01	0.01	1.18	1.19	0.01	0.30	0.31	—	1,132	1,132	0.06	0.05	1.40	1,150
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Recreational Swimming Pool	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.84	0.77	0.61	6.19	0.02	0.01	1.52	1.53	0.01	0.39	0.40	—	1,457	1,457	0.07	0.06	1.80	1,479

4.1.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	1.07	0.97	0.68	8.12	0.02	0.01	1.92	1.93	0.01	0.49	0.50	—	2,057	2,057	0.10	0.08	5.69	2,089
Condo/Townhouse	3.74	3.40	2.39	28.5	0.07	0.04	6.74	6.78	0.04	1.71	1.75	—	7,223	7,223	0.34	0.28	20.0	7,335
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Recreational Swimming	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	4.81	4.37	3.08	36.7	0.09	0.05	8.66	8.71	0.05	2.20	2.25	—	9,279	9,279	0.43	0.36	25.7	9,424
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	1.06	0.96	0.75	7.50	0.02	0.01	1.92	1.93	0.01	0.49	0.50	—	1,972	1,972	0.10	0.08	0.15	1,999
Condo/Townhouse	3.71	3.37	2.62	26.3	0.07	0.04	6.74	6.78	0.04	1.71	1.75	—	6,924	6,924	0.35	0.30	0.52	7,021
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Recreational Swimming Pool	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	4.77	4.32	3.36	33.8	0.09	0.05	8.66	8.71	0.05	2.20	2.25	—	8,896	8,896	0.45	0.38	0.67	9,021
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	0.19	0.17	0.14	1.38	< 0.005	< 0.005	0.34	0.34	< 0.005	0.09	0.09	—	325	325	0.02	0.01	0.40	330
Condo/Townhouse	0.66	0.60	0.47	4.81	0.01	0.01	1.18	1.19	0.01	0.30	0.31	—	1,132	1,132	0.06	0.05	1.40	1,150
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Recreati Swimming Pool	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.84	0.77	0.61	6.19	0.02	0.01	1.52	1.53	0.01	0.39	0.40	—	1,457	1,457	0.07	0.06	1.80	1,479

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	—	222	222	0.02	< 0.005	—	224
Condo/Townhouse	—	—	—	—	—	—	—	—	—	—	—	—	1,080	1,080	0.10	0.01	—	1,086
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	25.1	25.1	< 0.005	< 0.005	—	25.2
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	1,328	1,328	0.13	0.02	—	1,335

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	—	222	222	0.02	< 0.005	—	224
Condo/Townhouse	—	—	—	—	—	—	—	—	—	—	—	—	1,080	1,080	0.10	0.01	—	1,086
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	25.1	25.1	< 0.005	< 0.005	—	25.2
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	1,328	1,328	0.13	0.02	—	1,335
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	—	36.8	36.8	< 0.005	< 0.005	—	37.0
Condo/Townhouse	—	—	—	—	—	—	—	—	—	—	—	—	179	179	0.02	< 0.005	—	180
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	4.15	4.15	< 0.005	< 0.005	—	4.18
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00

Total	—	—	—	—	—	—	—	—	—	—	—	—	220	220	0.02	< 0.005	—	221

4.2.2. Electricity Emissions By Land Use - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	—	222	222	0.02	< 0.005	—	224
Condo/Townhouse	—	—	—	—	—	—	—	—	—	—	—	—	1,080	1,080	0.10	0.01	—	1,086
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	25.1	25.1	< 0.005	< 0.005	—	25.2
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	1,328	1,328	0.13	0.02	—	1,335
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	—	222	222	0.02	< 0.005	—	224
Condo/Townhouse	—	—	—	—	—	—	—	—	—	—	—	—	1,080	1,080	0.10	0.01	—	1,086

Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	25.1	25.1	< 0.005	< 0.005	—	25.2
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	1,328	1,328	0.13	0.02	—	1,335
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	—	36.8	36.8	< 0.005	< 0.005	—	37.0
Condo/Townhouse	—	—	—	—	—	—	—	—	—	—	—	—	179	179	0.02	< 0.005	—	180
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	4.15	4.15	< 0.005	< 0.005	—	4.18
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	220	220	0.02	< 0.005	—	221

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Condo/Townhouse	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Recreational Swimming Pool	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Condo/Townhouse	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Recreational Swimming Pool	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Condo/Townhouse	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Recreational Swimming Pool	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

4.2.4. Natural Gas Emissions By Land Use - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Condo/Townhouse	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Recreational Swimming Pool	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Condo/Townhouse	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Recreational Swimming Pool	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

Condo/Townhouse	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Recreational Swimming Pool	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

4.3. Area Emissions by Source

4.3.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	1,050	1,050	0.10	0.01	—	1,056
Consumer Products	32.4	32.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	2.60	2.60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	1.48	1.40	0.15	16.1	< 0.005	0.01	—	0.01	0.01	—	0.01	—	42.9	42.9	< 0.005	< 0.005	—	43.0

Total	36.4	36.4	0.15	16.1	< 0.005	0.01	—	0.01	0.01	—	0.01	0.00	1,093	1,093	0.10	0.01	—	1,099
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	1,050	1,050	0.10	0.01	—	1,056
Consumer Products	32.4	32.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	2.60	2.60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	35.0	35.0	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	1,050	1,050	0.10	0.01	—	1,056
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	11.9	11.9	< 0.005	< 0.005	—	12.0
Consumer Products	5.91	5.91	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	0.47	0.47	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.18	0.17	0.02	2.01	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	4.86	4.86	< 0.005	< 0.005	—	4.88
Total	6.57	6.56	0.02	2.01	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	0.00	16.8	16.8	< 0.005	< 0.005	—	16.9

4.3.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	1,050	1,050	0.10	0.01	—	1,056
Consumer Products	32.4	32.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	2.60	2.60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	1.48	1.40	0.15	16.1	< 0.005	0.01	—	0.01	0.01	—	0.01	—	42.9	42.9	< 0.005	< 0.005	—	43.0
Total	36.4	36.4	0.15	16.1	< 0.005	0.01	—	0.01	0.01	—	0.01	0.00	1,093	1,093	0.10	0.01	—	1,099
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	1,050	1,050	0.10	0.01	—	1,056
Consumer Products	32.4	32.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	2.60	2.60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	35.0	35.0	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	1,050	1,050	0.10	0.01	—	1,056
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	11.9	11.9	< 0.005	< 0.005	—	12.0
Consumer Products	5.91	5.91	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Architectural	0.47	0.47	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.18	0.17	0.02	2.01	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	4.86	4.86	< 0.005	< 0.005	—	4.88
Total	6.57	6.56	0.02	2.01	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	0.00	16.8	16.8	< 0.005	< 0.005	—	16.9

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	2.43	42.5	45.0	0.25	0.01	—	53.2
Condo/Townhouse	—	—	—	—	—	—	—	—	—	—	—	17.7	59.7	77.4	1.82	0.04	—	136
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	2.04	6.87	8.91	0.21	0.01	—	15.7
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	22.2	109	131	2.28	0.06	—	205

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	2.43	42.5	45.0	0.25	0.01	—	53.2
Condo/Townhouse	—	—	—	—	—	—	—	—	—	—	—	17.7	59.7	77.4	1.82	0.04	—	136
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	2.04	6.87	8.91	0.21	0.01	—	15.7
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	22.2	109	131	2.28	0.06	—	205
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	0.40	7.04	7.45	0.04	< 0.005	—	8.81
Condo/Townhouse	—	—	—	—	—	—	—	—	—	—	—	2.93	9.88	12.8	0.30	0.01	—	22.5
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	0.34	1.14	1.48	0.03	< 0.005	—	2.59
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

Total	—	—	—	—	—	—	—	—	—	—	—	3.67	18.1	21.7	0.38	0.01	—	33.9

4.4.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	2.43	42.5	45.0	0.25	0.01	—	53.2
Condo/Townhouse	—	—	—	—	—	—	—	—	—	—	—	17.7	59.7	77.4	1.82	0.04	—	136
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	2.04	6.87	8.91	0.21	0.01	—	15.7
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	22.2	109	131	2.28	0.06	—	205
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	2.43	42.5	45.0	0.25	0.01	—	53.2
Condo/Townhouse	—	—	—	—	—	—	—	—	—	—	—	17.7	59.7	77.4	1.82	0.04	—	136

Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	2.04	6.87	8.91	0.21	0.01	—	15.7
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	22.2	109	131	2.28	0.06	—	205
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	0.40	7.04	7.45	0.04	< 0.005	—	8.81
Condo/Townhouse	—	—	—	—	—	—	—	—	—	—	—	2.93	9.88	12.8	0.30	0.01	—	22.5
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	0.34	1.14	1.48	0.03	< 0.005	—	2.59
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	3.67	18.1	21.7	0.38	0.01	—	33.9

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	14.4	0.00	14.4	1.44	0.00	—	50.5
Condo/Townhouse	—	—	—	—	—	—	—	—	—	—	—	98.8	0.00	98.8	9.88	0.00	—	346
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	55.3	0.00	55.3	5.53	0.00	—	193
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	169	0.00	169	16.8	0.00	—	590
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	14.4	0.00	14.4	1.44	0.00	—	50.5
Condo/Townhouse	—	—	—	—	—	—	—	—	—	—	—	98.8	0.00	98.8	9.88	0.00	—	346
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	55.3	0.00	55.3	5.53	0.00	—	193

Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	169	0.00	169	16.8	0.00	—	590
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	2.39	0.00	2.39	0.24	0.00	—	8.36
Condo/Townhouse	—	—	—	—	—	—	—	—	—	—	—	16.4	0.00	16.4	1.64	0.00	—	57.2
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	9.15	0.00	9.15	0.91	0.00	—	32.0
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	27.9	0.00	27.9	2.79	0.00	—	97.6

4.5.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	14.4	0.00	14.4	1.44	0.00	—	50.5
Condo/Townhouse	—	—	—	—	—	—	—	—	—	—	—	98.8	0.00	98.8	9.88	0.00	—	346

Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	55.3	0.00	55.3	5.53	0.00	—	193
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	169	0.00	169	16.8	0.00	—	590
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	14.4	0.00	14.4	1.44	0.00	—	50.5
Condo/Townhouse	—	—	—	—	—	—	—	—	—	—	—	98.8	0.00	98.8	9.88	0.00	—	346
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	55.3	0.00	55.3	5.53	0.00	—	193
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	169	0.00	169	16.8	0.00	—	590
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	2.39	0.00	2.39	0.24	0.00	—	8.36

Condo/Townhouse	—	—	—	—	—	—	—	—	—	—	—	16.4	0.00	16.4	1.64	0.00	—	57.2
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	9.15	0.00	9.15	0.91	0.00	—	32.0
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	27.9	0.00	27.9	2.79	0.00	—	97.6

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.13	0.13
Condo/Townhouse	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.46	1.46
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.02	0.02
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.61	1.61

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.13	0.13
Condo/Townhouse	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.46	1.46
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.02	0.02
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.61	1.61
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.02	0.02
Condo/Townhouse	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.24	0.24
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.27	0.27

4.6.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.13	0.13
Condo/Townhouse	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.46	1.46
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.02	0.02
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.61	1.61
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.13	0.13
Condo/Townhouse	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.46	1.46
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.02	0.02
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.61	1.61
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.02	0.02
Condo/Townhouse	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.24	0.24

Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.27	0.27

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.7.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.8.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.9.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Demolition	Demolition	1/1/2026	2/11/2026	5.00	30.0	—

Site Preparation	Site Preparation	2/12/2026	3/4/2026	5.00	15.0	—
Grading	Grading	3/5/2026	5/6/2026	5.00	45.0	—
Building Construction	Building Construction	5/7/2026	1/26/2028	5.00	450	—
Paving	Paving	12/16/2027	1/26/2028	5.00	30.0	—
Architectural Coating	Architectural Coating	12/3/2026	1/26/2028	5.00	300	—

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Demolition	Concrete/Industrial Saws	Diesel	Average	1.00	8.00	33.0	0.73
Demolition	Excavators	Diesel	Average	2.00	8.00	36.0	0.38
Demolition	Rubber Tired Dozers	Diesel	Average	1.00	8.00	367	0.40
Site Preparation	Crawler Tractors	Diesel	Average	1.00	8.00	87.0	0.43
Grading	Graders	Diesel	Average	1.00	8.00	148	0.41
Grading	Rubber Tired Dozers	Diesel	Average	1.00	8.00	367	0.40
Grading	Scrapers	Diesel	Average	2.00	8.00	423	0.48
Grading	Crawler Tractors	Diesel	Average	1.00	8.00	87.0	0.43
Building Construction	Forklifts	Diesel	Average	1.00	8.00	82.0	0.20
Building Construction	Generator Sets	Diesel	Average	1.00	8.00	14.0	0.74
Building Construction	Tractors/Loaders/Backhoes	Diesel	Average	2.00	8.00	84.0	0.37
Paving	Pavers	Diesel	Average	1.00	8.00	81.0	0.42
Paving	Paving Equipment	Diesel	Average	1.00	8.00	89.0	0.36
Paving	Rollers	Diesel	Average	2.00	8.00	36.0	0.38
Architectural Coating	Air Compressors	Diesel	Average	2.00	8.00	37.0	0.48

5.2.2. Mitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Demolition	Concrete/Industrial Saws	Diesel	Tier 4 Interim	1.00	8.00	33.0	0.73
Demolition	Excavators	Diesel	Tier 4 Interim	2.00	8.00	36.0	0.38
Demolition	Rubber Tired Dozers	Diesel	Tier 4 Interim	1.00	8.00	367	0.40
Site Preparation	Crawler Tractors	Diesel	Tier 4 Interim	1.00	8.00	87.0	0.43
Grading	Graders	Diesel	Tier 4 Interim	1.00	8.00	148	0.41
Grading	Rubber Tired Dozers	Diesel	Tier 4 Interim	1.00	8.00	367	0.40
Grading	Scrapers	Diesel	Tier 4 Interim	2.00	8.00	423	0.48
Grading	Crawler Tractors	Diesel	Tier 4 Interim	1.00	8.00	87.0	0.43
Building Construction	Forklifts	Diesel	Tier 4 Interim	1.00	8.00	82.0	0.20
Building Construction	Generator Sets	Diesel	Average	1.00	8.00	14.0	0.74
Building Construction	Tractors/Loaders/Backhoes	Diesel	Tier 4 Interim	2.00	8.00	84.0	0.37
Paving	Pavers	Diesel	Tier 4 Interim	1.00	8.00	81.0	0.42
Paving	Paving Equipment	Diesel	Tier 4 Interim	1.00	8.00	89.0	0.36
Paving	Rollers	Diesel	Tier 4 Interim	2.00	8.00	36.0	0.38
Architectural Coating	Air Compressors	Diesel	Tier 4 Interim	2.00	8.00	37.0	0.48

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Demolition	—	—	—	—
Demolition	Worker	10.0	18.5	LDA,LDT1,LDT2
Demolition	Vendor	2.00	10.2	HHDT,MHDT
Demolition	Hauling	19.2	20.0	HHDT
Demolition	Onsite truck	—	—	HHDT
Site Preparation	—	—	—	—

Site Preparation	Worker	2.50	18.5	LDA,LDT1,LDT2
Site Preparation	Vendor	2.00	10.2	HHDT,MHDT
Site Preparation	Hauling	0.00	20.0	HHDT
Site Preparation	Onsite truck	—	—	HHDT
Grading	—	—	—	—
Grading	Worker	12.5	18.5	LDA,LDT1,LDT2
Grading	Vendor	3.00	10.2	HHDT,MHDT
Grading	Hauling	12.0	20.0	HHDT
Grading	Onsite truck	—	—	HHDT
Building Construction	—	—	—	—
Building Construction	Worker	198	18.5	LDA,LDT1,LDT2
Building Construction	Vendor	27.0	10.2	HHDT,MHDT
Building Construction	Hauling	0.00	20.0	HHDT
Building Construction	Onsite truck	—	—	HHDT
Paving	—	—	—	—
Paving	Worker	10.0	18.5	LDA,LDT1,LDT2
Paving	Vendor	—	10.2	HHDT,MHDT
Paving	Hauling	0.00	20.0	HHDT
Paving	Onsite truck	—	—	HHDT
Architectural Coating	—	—	—	—
Architectural Coating	Worker	39.7	18.5	LDA,LDT1,LDT2
Architectural Coating	Vendor	—	10.2	HHDT,MHDT
Architectural Coating	Hauling	0.00	20.0	HHDT
Architectural Coating	Onsite truck	—	—	HHDT

5.3.2. Mitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Demolition	—	—	—	—

Demolition	Worker	10.0	18.5	LDA,LDT1,LDT2
Demolition	Vendor	2.00	10.2	HHDT,MHDT
Demolition	Hauling	19.2	20.0	HHDT
Demolition	Onsite truck	—	—	HHDT
Site Preparation	—	—	—	—
Site Preparation	Worker	2.50	18.5	LDA,LDT1,LDT2
Site Preparation	Vendor	2.00	10.2	HHDT,MHDT
Site Preparation	Hauling	0.00	20.0	HHDT
Site Preparation	Onsite truck	—	—	HHDT
Grading	—	—	—	—
Grading	Worker	12.5	18.5	LDA,LDT1,LDT2
Grading	Vendor	3.00	10.2	HHDT,MHDT
Grading	Hauling	12.0	20.0	HHDT
Grading	Onsite truck	—	—	HHDT
Building Construction	—	—	—	—
Building Construction	Worker	198	18.5	LDA,LDT1,LDT2
Building Construction	Vendor	27.0	10.2	HHDT,MHDT
Building Construction	Hauling	0.00	20.0	HHDT
Building Construction	Onsite truck	—	—	HHDT
Paving	—	—	—	—
Paving	Worker	10.0	18.5	LDA,LDT1,LDT2
Paving	Vendor	—	10.2	HHDT,MHDT
Paving	Hauling	0.00	20.0	HHDT
Paving	Onsite truck	—	—	HHDT
Architectural Coating	—	—	—	—
Architectural Coating	Worker	39.7	18.5	LDA,LDT1,LDT2
Architectural Coating	Vendor	—	10.2	HHDT,MHDT
Architectural Coating	Hauling	0.00	20.0	HHDT

Architectural Coating	Onsite truck	—	—	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
Architectural Coating	3,061,132	1,020,377	950	317	5,692

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (cy)	Material Exported (cy)	Acres Graded (acres)	Material Demolished (Ton of Debris)	Acres Paved (acres)
Demolition	0.00	0.00	0.00	2,300	—
Site Preparation	—	—	7.50	0.00	—
Grading	4,301	—	158	0.00	—
Paving	0.00	0.00	0.00	0.00	2.55

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	3	74%	74%
Water Demolished Area	2	36%	36%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt

Single Family Housing	0.37	0%
Condo/Townhouse	—	0%
Parking Lot	0.69	100%
Recreational Swimming Pool	0.00	0%
Other Asphalt Surfaces	1.48	100%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2026	0.00	532	0.03	< 0.005
2027	0.00	532	0.03	< 0.005
2028	0.00	532	0.03	< 0.005

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Single Family Housing	322	322	288	115,791	2,703	2,706	2,420	972,005
Condo/Townhouse	1,132	1,131	947	403,448	9,502	9,491	7,953	3,386,747
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Recreational Swimming Pool	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.9.2. Mitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year

Single Family Housing	322	322	288	115,791	2,703	2,706	2,420	972,005
Condo/Townhouse	1,132	1,131	947	403,448	9,502	9,491	7,953	3,386,747
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Recreational Swimming Pool	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

Hearth Type	Unmitigated (number)
Single Family Housing	—
Wood Fireplaces	0
Gas Fireplaces	0
Propane Fireplaces	0
Electric Fireplaces	32
No Fireplaces	3
Conventional Wood Stoves	0
Catalytic Wood Stoves	0
Non-Catalytic Wood Stoves	0
Pellet Wood Stoves	0
Condo/Townhouse	—
Wood Fireplaces	0
Gas Fireplaces	0
Propane Fireplaces	0
Electric Fireplaces	248

No Fireplaces	25
Conventional Wood Stoves	0
Catalytic Wood Stoves	0
Non-Catalytic Wood Stoves	0
Pellet Wood Stoves	0

5.10.1.2. Mitigated

Hearth Type	Unmitigated (number)
Single Family Housing	—
Wood Fireplaces	0
Gas Fireplaces	0
Propane Fireplaces	0
Electric Fireplaces	32
No Fireplaces	3
Conventional Wood Stoves	0
Catalytic Wood Stoves	0
Non-Catalytic Wood Stoves	0
Pellet Wood Stoves	0
Condo/Townhouse	—
Wood Fireplaces	0
Gas Fireplaces	0
Propane Fireplaces	0
Electric Fireplaces	248
No Fireplaces	25
Conventional Wood Stoves	0
Catalytic Wood Stoves	0
Non-Catalytic Wood Stoves	0
Pellet Wood Stoves	0

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
3061131.75	1,020,377	950	317	5,692

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.10.4. Landscape Equipment - Mitigated

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Single Family Housing	234,435	346	0.0330	0.0040	0.00
Condo/Townhouse	1,138,857	346	0.0330	0.0040	0.00
Parking Lot	26,444	346	0.0330	0.0040	0.00
Recreational Swimming Pool	0.00	346	0.0330	0.0040	0.00
Other Asphalt Surfaces	0.00	346	0.0330	0.0040	0.00

5.11.2. Mitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Single Family Housing	234,435	346	0.0330	0.0040	0.00
Condo/Townhouse	1,138,857	346	0.0330	0.0040	0.00
Parking Lot	26,444	346	0.0330	0.0040	0.00
Recreational Swimming Pool	0.00	346	0.0330	0.0040	0.00
Other Asphalt Surfaces	0.00	346	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Single Family Housing	1,267,309	6,826,243
Condo/Townhouse	9,243,902	0.00
Parking Lot	0.00	0.00
Recreational Swimming Pool	1,064,577	0.00
Other Asphalt Surfaces	0.00	0.00

5.12.2. Mitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Single Family Housing	1,267,309	6,826,243
Condo/Townhouse	9,243,902	0.00
Parking Lot	0.00	0.00
Recreational Swimming Pool	1,064,577	0.00
Other Asphalt Surfaces	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Single Family Housing	26.8	—
Condo/Townhouse	183	—
Parking Lot	0.00	—
Recreational Swimming Pool	103	—
Other Asphalt Surfaces	0.00	—

5.13.2. Mitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Single Family Housing	26.8	—
Condo/Townhouse	183	—
Parking Lot	0.00	—
Recreational Swimming Pool	103	—
Other Asphalt Surfaces	0.00	—

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Single Family Housing	Average room A/C & Other residential A/C and heat pumps	User Defined	750	< 0.005	2.50	2.50	10.0
Single Family Housing	Household refrigerators and/or freezers	User Defined	150	0.12	0.60	0.00	1.00
Condo/Townhouse	Average room A/C & Other residential A/C and heat pumps	User Defined	750	< 0.005	2.50	2.50	10.0

Condo/Townhouse	Household refrigerators and/or freezers	User Defined	150	0.12	0.60	0.00	1.00
Recreational Swimming Pool	Other commercial A/C and heat pumps	User Defined	750	< 0.005	4.00	4.00	18.0
Recreational Swimming Pool	Stand-alone retail refrigerators and freezers	User Defined	150	0.04	1.00	0.00	1.00

5.14.2. Mitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Single Family Housing	Average room A/C & Other residential A/C and heat pumps	User Defined	750	< 0.005	2.50	2.50	10.0
Single Family Housing	Household refrigerators and/or freezers	User Defined	150	0.12	0.60	0.00	1.00
Condo/Townhouse	Average room A/C & Other residential A/C and heat pumps	User Defined	750	< 0.005	2.50	2.50	10.0
Condo/Townhouse	Household refrigerators and/or freezers	User Defined	150	0.12	0.60	0.00	1.00
Recreational Swimming Pool	Other commercial A/C and heat pumps	User Defined	750	< 0.005	4.00	4.00	18.0
Recreational Swimming Pool	Stand-alone retail refrigerators and freezers	User Defined	150	0.04	1.00	0.00	1.00

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor

5.15.2. Mitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor

5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)

5.17. User Defined

Equipment Type	Fuel Type

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1.2. Mitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.1.2. Mitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

5.18.2.2. Mitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	23.4	annual days of extreme heat
Extreme Precipitation	6.20	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	0.00	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters
Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	N/A	N/A	N/A	N/A
Wildfire	N/A	N/A	N/A	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	N/A	N/A	N/A	N/A
Wildfire	N/A	N/A	N/A	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A

Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	76.9
AQ-PM	77.8
AQ-DPM	68.3
Drinking Water	78.8
Lead Risk Housing	86.7
Pesticides	0.00
Toxic Releases	77.2
Traffic	84.0
Effect Indicators	—
CleanUp Sites	68.9
Groundwater	22.7
Haz Waste Facilities/Generators	10.5
Impaired Water Bodies	33.2
Solid Waste	0.00

Sensitive Population	—
Asthma	60.3
Cardio-vascular	43.2
Low Birth Weights	85.2
Socioeconomic Factor Indicators	—
Education	66.5
Housing	50.3
Linguistic	46.0
Poverty	64.7
Unemployment	48.3

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	55.11356345
Employed	47.8121391
Median HI	56.30694213
Education	—
Bachelor's or higher	23.67509303
High school enrollment	100
Preschool enrollment	75.20852047
Transportation	—
Auto Access	84.51174131
Active commuting	40.06159374
Social	—
2-parent households	68.61285769
Voting	28.92339279

Neighborhood	—
Alcohol availability	48.67188503
Park access	7.237264211
Retail density	45.60503016
Supermarket access	48.91569357
Tree canopy	22.25073784
Housing	—
Homeownership	57.19235211
Housing habitability	74.07930194
Low-inc homeowner severe housing cost burden	48.51790068
Low-inc renter severe housing cost burden	96.09906326
Uncrowded housing	30.86102913
Health Outcomes	—
Insured adults	19.41485949
Arthritis	59.3
Asthma ER Admissions	49.8
High Blood Pressure	74.3
Cancer (excluding skin)	55.0
Asthma	72.9
Coronary Heart Disease	47.4
Chronic Obstructive Pulmonary Disease	59.8
Diagnosed Diabetes	31.9
Life Expectancy at Birth	15.4
Cognitively Disabled	35.0
Physically Disabled	55.6
Heart Attack ER Admissions	40.9
Mental Health Not Good	46.4
Chronic Kidney Disease	55.3

Obesity	42.9
Pedestrian Injuries	45.8
Physical Health Not Good	39.2
Stroke	51.7
Health Risk Behaviors	—
Binge Drinking	50.7
Current Smoker	52.6
No Leisure Time for Physical Activity	40.8
Climate Change Exposures	—
Wildfire Risk	0.0
SLR Inundation Area	0.0
Children	69.7
Elderly	66.3
English Speaking	47.5
Foreign-born	73.6
Outdoor Workers	23.0
Climate Change Adaptive Capacity	—
Impervious Surface Cover	52.1
Traffic Density	85.2
Traffic Access	58.4
Other Indices	—
Hardship	54.8
Other Decision Support	—
2016 Voting	28.5

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	77.0

Healthy Places Index Score for Project Location (b)	48.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	Yes
Project Located in a Low-Income Community (Assembly Bill 1550)	Yes
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.
b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Land Use	Total Net area is 13.19 acres
Construction: Construction Phases	Construction based on consultation with Applicant
Construction: Off-Road Equipment	Equipment list based on consultation with the Applicant
Construction: Trips and VMT	Vendor Trips adjusted based on CalEEMod defaults for Building Construction and number of days for Demolition, Site Preparation, Grading, and Building Construction.
Construction: Architectural Coatings	Rule 1113
Operations: Vehicle Data	Trip rates based on ITE 11th Edition
Operations: Hearths	All electric
Operations: Refrigerants	As of 1 January 2022, new commercial refrigeration equipment may not use refrigerants with a GWP of 150 or greater. Further, R-404A (the CalEEMod default) is unacceptable for new supermarket and cold storage systems as of 1 January 2019 and 2023, respectively. Beginning 1 January 2025, all new air conditioning equipment may not use refrigerants with a GWP of 750 or greater.
Operations: Energy Use	No natural gas will be used

This page intentionally left blank

APPENDIX 3.2:

AERMOD LOCALIZED EMISSIONS MODEL OUTPUTS

```
**
**************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 13.0.0
** Lakes Environmental Software Inc.
** Date: 5/15/2025
** File: C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons CO\16435 Cons CO.ADI
**
**************************************
**
**
**************************************
** AERMOD Control Pathway
**************************************
**
**
CO STARTING
   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643
   MODELOPT DFAULT CONC
   AVERTIME 1 8
   URBANOPT 9663345 Los_Angeles_County
   POLLUTID CO
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "16435 Cons CO.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL13        VOLUME     413678.759  3771046.996      120.760
   LOCATION VOL14        VOLUME     413644.379  3771048.419      120.440
   LOCATION VOL15        VOLUME     413609.792  3771050.453      120.340
   LOCATION VOL16        VOLUME     413630.138  3771220.132      121.570
   LOCATION VOL17        VOLUME     413630.260  3771186.129      121.320
   LOCATION VOL18        VOLUME     413632.986  3771151.772      121.170
   LOCATION VOL19        VOLUME     413629.104  3771118.263      120.940
   LOCATION VOL20        VOLUME     413625.918  3771084.065      120.660
   LOCATION VOL21        VOLUME     413596.212  3771220.733      121.340
   LOCATION VOL22        VOLUME     413596.335  3771186.730      121.160
   LOCATION VOL23        VOLUME     413599.061  3771152.374      121.000
   LOCATION VOL24        VOLUME     413595.179  3771118.864      120.760
   LOCATION VOL25        VOLUME     413591.993  3771084.666      120.730
   LOCATION VOL26        VOLUME     413562.226  3771224.344      121.200
   LOCATION VOL27        VOLUME     413562.349  3771190.341      120.990
   LOCATION VOL28        VOLUME     413565.075  3771155.985      120.810
   LOCATION VOL29        VOLUME     413561.193  3771122.475      120.730
   LOCATION VOL30        VOLUME     413558.007  3771088.277      120.770
   LOCATION VOL31        VOLUME     413528.453  3771224.132      121.010
   LOCATION VOL32        VOLUME     413528.576  3771190.129      120.780
   LOCATION VOL33        VOLUME     413531.301  3771155.772      120.650
   LOCATION VOL34        VOLUME     413527.420  3771122.263      120.560
   LOCATION VOL35        VOLUME     413524.234  3771088.065      120.770
   LOCATION VOL36        VOLUME     413494.892  3771226.893      120.870
   LOCATION VOL37        VOLUME     413495.015  3771192.890      120.630
   LOCATION VOL38        VOLUME     413497.741  3771158.533      120.460
   LOCATION VOL39        VOLUME     413493.859  3771125.024      120.410
   LOCATION VOL40        VOLUME     413490.673  3771090.826      120.550
   LOCATION VOL41        VOLUME     413461.331  3771229.230      120.830
```

```
     LOCATION VOL42        VOLUME     413461.454  3771195.226      120.620
     LOCATION VOL43        VOLUME     413464.180  3771160.870      120.410
     LOCATION VOL44        VOLUME     413460.298  3771127.361      120.290
     LOCATION VOL45        VOLUME     413457.112  3771093.162      120.290
     LOCATION VOL46        VOLUME     413427.770  3771229.442      120.700
     LOCATION VOL47        VOLUME     413427.893  3771195.439      120.500
     LOCATION VOL48        VOLUME     413430.619  3771161.082      120.340
     LOCATION VOL49        VOLUME     413426.737  3771127.573      120.190
     LOCATION VOL50        VOLUME     413423.551  3771093.375      120.040
     LOCATION VOL51        VOLUME     413397.396  3771227.531      120.420
     LOCATION VOL52        VOLUME     413394.545  3771194.164      120.300
     LOCATION VOL53        VOLUME     413397.058  3771160.445      120.180
     LOCATION VOL54        VOLUME     413392.327  3771126.086      120.090
     LOCATION VOL55        VOLUME     413390.415  3771093.800      119.780
     LOCATION VOL56        VOLUME     413576.851  3771062.824      120.680
     LOCATION VOL57        VOLUME     413543.290  3771064.735      120.680
     LOCATION VOL58        VOLUME     413510.154  3771066.222      120.700
     LOCATION VOL59        VOLUME     413389.080  3771161.170      120.140
     LOCATION VOL60        VOLUME     413476.594  3771068.771      120.480
     LOCATION VOL61        VOLUME     413443.033  3771068.984      120.130
     LOCATION VOL62        VOLUME     413409.684  3771070.258      119.840
     LOCATION VOL63        VOLUME     413380.371  3771072.807      119.720
** Source Parameters **
     SRCPARAM VOL13        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL14        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL15        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL16        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL17        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL18        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL19        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL20        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL21        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL22        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL23        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL24        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL25        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL26        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL27        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL28        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL29        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL30        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL31        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL32        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL33        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL34        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL35        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL36        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL37        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL38        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL39        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL40        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL41        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL42        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL43        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL44        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL45        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL46        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL47        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL48        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL49        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL50        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL51        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL52        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL53        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL54        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL55        0.009820423     5.000     7.760     1.400
```

```
   SRCPARAM VOL56        0.009820423     5.000     7.760     1.400
   SRCPARAM VOL57        0.009820423     5.000     7.760     1.400
   SRCPARAM VOL58        0.009820423     5.000     7.760     1.400
   SRCPARAM VOL59        0.009820423     5.000     7.760     1.400
   SRCPARAM VOL60        0.009820423     5.000     7.760     1.400
   SRCPARAM VOL61        0.009820423     5.000     7.760     1.400
   SRCPARAM VOL62        0.009820423     5.000     7.760     1.400
   SRCPARAM VOL63        0.009820423     5.000     7.760     1.400
   URBANSRC ALL

** Variable Emissions Type: "By Hour / Day (HRDOW)"
** Variable Emission Scenario: "Scenario 1"
** WeekDays:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL13        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL14        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL15        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL16        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL17        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL18        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL19        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL20        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL21        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL22        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL23        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL24        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL25        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
```

```
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL26        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL27        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL28        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL29        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL30        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL31        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL32        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL33        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
   EMISFACT VOL34        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL35        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL36        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL37        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL38        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL39        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL40        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL41        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL42        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL43        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL44        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL45        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL46        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL47        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
```

```
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL48        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL49        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL50        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL51        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL52        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL53        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL54        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL55        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
   EMISFACT VOL56        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL57        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL58        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL59        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL60        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL61        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL62        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL63        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
   INCLUDED "16435 Cons CO.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
**************************************
```

```
**
**
ME STARTING
   SURFFILE AZUS_V11_trimmed.sfc
   PROFFILE AZUS_V11_trimmed.PFL
   SURFDATA 3179 2017
   UAIRDATA 3190 2017
   SITEDATA 60370002 2017
   PROFBASE 187.0 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 1 1ST
   RECTABLE 8 1ST
** Auto-Generated Plotfiles
   PLOTFILE 1 ALL 1ST "16435 CONS CO.AD\01H1GALL.PLT" 31
   PLOTFILE 8 ALL 1ST "16435 CONS CO.AD\08H1GALL.PLT" 32
   SUMMFILE "16435 Cons CO.sum"
OU FINISHED
**
**************************************
** Project Parameters
**************************************
** PROJCTN  CoordinateSystemUTM
** DESCPTN  UTM: Universal Transverse Mercator
** DATUM    North American Datum 1983
** DTMRGN   CONUS
** UNITS    m
** ZONE     11
** ZONEINX  0
**
```

```
** Lakes Environmental AERMOD MPI
**
****************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 13.0.0
** Lakes Environmental Software Inc.
** Date: 5/15/2025
** File: C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons CO\16435 Cons CO.ADI
**
****************************************
**
**
****************************************
** AERMOD Control Pathway
****************************************
**
**
CO STARTING
   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643
   MODELOPT DFAULT CONC
   AVERTIME 1 8
   URBANOPT 9663345 Los_Angeles_County
   POLLUTID CO
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "16435 Cons CO.err"
CO FINISHED
**
****************************************
** AERMOD Source Pathway
****************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL13        VOLUME     413678.759  3771046.996      120.760
   LOCATION VOL14        VOLUME     413644.379  3771048.419      120.440
   LOCATION VOL15        VOLUME     413609.792  3771050.453      120.340
   LOCATION VOL16        VOLUME     413630.138  3771220.132      121.570
   LOCATION VOL17        VOLUME     413630.260  3771186.129      121.320
   LOCATION VOL18        VOLUME     413632.986  3771151.772      121.170
   LOCATION VOL19        VOLUME     413629.104  3771118.263      120.940
   LOCATION VOL20        VOLUME     413625.918  3771084.065      120.660
   LOCATION VOL21        VOLUME     413596.212  3771220.733      121.340
   LOCATION VOL22        VOLUME     413596.335  3771186.730      121.160
   LOCATION VOL23        VOLUME     413599.061  3771152.374      121.000
   LOCATION VOL24        VOLUME     413595.179  3771118.864      120.760
   LOCATION VOL25        VOLUME     413591.993  3771084.666      120.730
   LOCATION VOL26        VOLUME     413562.226  3771224.344      121.200
   LOCATION VOL27        VOLUME     413562.349  3771190.341      120.990
   LOCATION VOL28        VOLUME     413565.075  3771155.985      120.810
   LOCATION VOL29        VOLUME     413561.193  3771122.475      120.730
   LOCATION VOL30        VOLUME     413558.007  3771088.277      120.770
   LOCATION VOL31        VOLUME     413528.453  3771224.132      121.010
   LOCATION VOL32        VOLUME     413528.576  3771190.129      120.780
   LOCATION VOL33        VOLUME     413531.301  3771155.772      120.650
   LOCATION VOL34        VOLUME     413527.420  3771122.263      120.560
   LOCATION VOL35        VOLUME     413524.234  3771088.065      120.770
   LOCATION VOL36        VOLUME     413494.892  3771226.893      120.870
   LOCATION VOL37        VOLUME     413495.015  3771192.890      120.630
   LOCATION VOL38        VOLUME     413497.741  3771158.533      120.460
   LOCATION VOL39        VOLUME     413493.859  3771125.024      120.410
   LOCATION VOL40        VOLUME     413490.673  3771090.826      120.550
```

```
     LOCATION VOL41        VOLUME     413461.331  3771229.230      120.830
     LOCATION VOL42        VOLUME     413461.454  3771195.226      120.620
     LOCATION VOL43        VOLUME     413464.180  3771160.870      120.410
     LOCATION VOL44        VOLUME     413460.298  3771127.361      120.290
     LOCATION VOL45        VOLUME     413457.112  3771093.162      120.290
     LOCATION VOL46        VOLUME     413427.770  3771229.442      120.700
     LOCATION VOL47        VOLUME     413427.893  3771195.439      120.500
     LOCATION VOL48        VOLUME     413430.619  3771161.082      120.340
     LOCATION VOL49        VOLUME     413426.737  3771127.573      120.190
     LOCATION VOL50        VOLUME     413423.551  3771093.375      120.040
     LOCATION VOL51        VOLUME     413397.396  3771227.531      120.420
     LOCATION VOL52        VOLUME     413394.545  3771194.164      120.300
     LOCATION VOL53        VOLUME     413397.058  3771160.445      120.180
     LOCATION VOL54        VOLUME     413392.327  3771126.086      120.090
     LOCATION VOL55        VOLUME     413390.415  3771093.800      119.780
     LOCATION VOL56        VOLUME     413576.851  3771062.824      120.680
     LOCATION VOL57        VOLUME     413543.290  3771064.735      120.680
     LOCATION VOL58        VOLUME     413510.154  3771066.222      120.700
     LOCATION VOL59        VOLUME     413389.080  3771161.170      120.140
     LOCATION VOL60        VOLUME     413476.594  3771068.771      120.480
     LOCATION VOL61        VOLUME     413443.033  3771068.984      120.130
     LOCATION VOL62        VOLUME     413409.684  3771070.258      119.840
     LOCATION VOL63        VOLUME     413380.371  3771072.807      119.720
** Source Parameters **
     SRCPARAM VOL13        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL14        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL15        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL16        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL17        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL18        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL19        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL20        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL21        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL22        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL23        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL24        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL25        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL26        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL27        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL28        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL29        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL30        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL31        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL32        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL33        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL34        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL35        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL36        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL37        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL38        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL39        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL40        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL41        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL42        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL43        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL44        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL45        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL46        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL47        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL48        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL49        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL50        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL51        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL52        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL53        0.009820423     5.000     7.760     1.400
     SRCPARAM VOL54        0.009820423     5.000     7.760     1.400
```

```
   SRCPARAM VOL55        0.009820423     5.000     7.760     1.400
   SRCPARAM VOL56        0.009820423     5.000     7.760     1.400
   SRCPARAM VOL57        0.009820423     5.000     7.760     1.400
   SRCPARAM VOL58        0.009820423     5.000     7.760     1.400
   SRCPARAM VOL59        0.009820423     5.000     7.760     1.400
   SRCPARAM VOL60        0.009820423     5.000     7.760     1.400
   SRCPARAM VOL61        0.009820423     5.000     7.760     1.400
   SRCPARAM VOL62        0.009820423     5.000     7.760     1.400
   SRCPARAM VOL63        0.009820423     5.000     7.760     1.400
   URBANSRC ALL

** Variable Emissions Type: "By Hour / Day (HRDOW)"
** Variable Emission Scenario: "Scenario 1"
** WeekDays:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL13        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL14        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL15        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL16        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL17        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL18        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL19        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL20        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL21        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL22        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL23        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL24        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL25        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL26        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL27        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL28        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL29        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
```

```
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL30        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL31        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL32        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL33        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL34        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL34        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL35        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL36        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL37        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL38        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL39        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL40        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL41        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL42        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL43        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL44        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL45        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL46        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL47        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL48        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL49        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL50        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL51        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
```

```
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL52        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL53        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL54        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL55        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL56        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL56        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL57        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL58        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL59        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL60        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL61        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL62        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL63        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
   INCLUDED "16435 Cons CO.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
```

```
924  ************************************
925  **
926  **
927  ME STARTING
928     SURFFILE AZUS_V11_trimmed.sfc
929     PROFFILE AZUS_V11_trimmed.PFL
930     SURFDATA 3179 2017
931     UAIRDATA 3190 2017
932     SITEDATA 60370002 2017
933     PROFBASE 187.0 METERS
934  ME FINISHED
935  **
936  ************************************
937  ** AERMOD Output Pathway
938  ************************************
939  **
940  **
941  OU STARTING
942     RECTABLE ALLAVE 1ST
943     RECTABLE 1 1ST
944     RECTABLE 8 1ST
945  ** Auto-Generated Plotfiles
946     PLOTFILE 1 ALL 1ST "16435 CONS CO.AD\01H1GALL.PLT" 31
947     PLOTFILE 8 ALL 1ST "16435 CONS CO.AD\08H1GALL.PLT" 32
948     SUMMFILE "16435 Cons CO.sum"
949  OU FINISHED
950
951
952    *** Message Summary For AERMOD Model Setup ***
953
954    --------- Summary of Total Messages --------
955
956   A Total of            0 Fatal Error Message(s)
957   A Total of            2 Warning Message(s)
958   A Total of            0 Informational Message(s)
959
960
961      ******** FATAL ERROR MESSAGES ********
962                ***  NONE  ***
963
964
965      ********   WARNING MESSAGES   ********
966   ME W186     933       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold
      used           0.50
967   ME W187     933       MEOPEN: ADJ_U* Option for Stable Low Winds used in
      AERMET
968
969   ***********************************
970   *** SETUP Finishes Successfully ***
971   ***********************************
972
973  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
974   *** AERMET - VERSION  22112 ***
      ***                                                                  ***
      09:42:44
975
                                  PAGE   1
976   *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
977
978                                              ***     MODEL SETUP OPTIONS SUMMARY       ***
979   - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
      - - - - - - - - - - - - - - - - - -
980
981   ** Model Options Selected:
982        * Model Uses Regulatory DEFAULT Options
```

```
      * Model Is Setup For Calculation of Average CONCentration Values.
      * NO GAS DEPOSITION Data Provided.
      * NO PARTICLE DEPOSITION Data Provided.
      * Model Uses NO DRY DEPLETION. DDPLETE  =  F
      * Model Uses NO WET DEPLETION. WETDPLT  =  F
      * Stack-tip Downwash.
      * Model Accounts for ELEVated Terrain Effects.
      * Use Calms Processing Routine.
      * Use Missing Data Processing Routine.
      * No Exponential Decay.
      * Model Uses URBAN Dispersion Algorithm for the SBL for    51 Source(s),
        for Total of    1 Urban Area(s):
  Urban Population =   9663345.0 ;  Urban Roughness Length =  1.000 m
      * Urban Roughness Length of 1.0 Meter Used.
      * ADJ_U*   - Use ADJ_U* option for SBL in AERMET
      * CCVR_Sub - Meteorological data includes CCVR substitutions
      * TEMP_Sub - Meteorological data includes TEMP substitutions
      * Model Accepts FLAGPOLE Receptor . Heights.
      * The User Specified a Pollutant Type of: CO

**Model Calculates  2 Short Term Average(s) of:   1-HR   8-HR

**This Run Includes:     51 Source(s);       1 Source Group(s); and      83 Receptor(s)

               with:      0 POINT(s), including
                          0 POINTCAP(s) and      0 POINTHOR(s)
                and:     51 VOLUME source(s)
                and:      0 AREA type source(s)
                and:      0 LINE source(s)
                and:      0 RLINE/RLINEXT source(s)
                and:      0 OPENPIT source(s)
                and:      0 BUOYANT LINE source(s) with a total of     0 line(s)
                and:      0 SWPOINT source(s)


**Model Set To Continue RUNning After the Setup Testing.

**The AERMET Input Meteorological Data Version Date:  22112

**Output Options Selected:
         Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE
         Keyword)
         Model Outputs External File(s) of High Values for Plotting (PLOTFILE Keyword)
         Model Outputs Separate Summary File of High Ranked Values (SUMMFILE Keyword)

**NOTE:  The Following Flags May Appear Following CONC Values:  c for Calm Hours
                                                                m for Missing Hours
                                                                b for Both Calm and
                                                                Missing Hours

**Misc. Inputs:  Base Elev. for Pot. Temp. Profile (m MSL) =   187.00 ;  Decay Coef.
=    0.000     ;  Rot. Angle =     0.0
                  Emission Units = GRAMS/SEC                                ;  Emission
                  Rate Unit Factor =   0.10000E+07
                  Output Units   = MICROGRAMS/M**3

**Approximate Storage Requirements of Model =      3.6 MB of RAM.

**Input Runstream File:
aermod.inp

**Output Print File:
aermod.out


**Detailed Error/Message File:   16435 Cons
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY	SZ	SOURCE SCALAR VARY BY
VOL13	0	0.98204E-02	413678.8	3771047.0	120.8	5.00	7.76	1.40	YES HRDOW
VOL14	0	0.98204E-02	413644.4	3771048.4	120.4	5.00	7.76	1.40	YES HRDOW
VOL15	0	0.98204E-02	413609.8	3771050.5	120.3	5.00	7.76	1.40	YES HRDOW
VOL16	0	0.98204E-02	413630.1	3771220.1	121.6	5.00	7.76	1.40	YES HRDOW
VOL17	0	0.98204E-02	413630.3	3771186.1	121.3	5.00	7.76	1.40	YES HRDOW
VOL18	0	0.98204E-02	413633.0	3771151.8	121.2	5.00	7.76	1.40	YES HRDOW
VOL19	0	0.98204E-02	413629.1	3771118.3	120.9	5.00	7.76	1.40	YES HRDOW
VOL20	0	0.98204E-02	413625.9	3771084.1	120.7	5.00	7.76	1.40	YES HRDOW
VOL21	0	0.98204E-02	413596.2	3771220.7	121.3	5.00	7.76	1.40	YES HRDOW
VOL22	0	0.98204E-02	413596.3	3771186.7	121.2	5.00	7.76	1.40	YES HRDOW
VOL23	0	0.98204E-02	413599.1	3771152.4	121.0	5.00	7.76	1.40	YES HRDOW
VOL24	0	0.98204E-02	413595.2	3771118.9	120.8	5.00	7.76	1.40	YES HRDOW
VOL25	0	0.98204E-02	413592.0	3771084.7	120.7	5.00	7.76	1.40	YES HRDOW
VOL26	0	0.98204E-02	413562.2	3771224.3	121.2	5.00	7.76	1.40	YES HRDOW
VOL27	0	0.98204E-02	413562.3	3771190.3	121.0	5.00	7.76	1.40	YES HRDOW
VOL28	0	0.98204E-02	413565.1	3771156.0	120.8	5.00	7.76	1.40	YES HRDOW
VOL29	0	0.98204E-02	413561.2	3771122.5	120.7	5.00	7.76	1.40	YES HRDOW
VOL30	0	0.98204E-02	413558.0	3771088.3	120.8	5.00	7.76	1.40	YES HRDOW
VOL31	0	0.98204E-02	413528.5	3771224.1	121.0	5.00	7.76	1.40	YES HRDOW
VOL32	0	0.98204E-02	413528.6	3771190.1	120.8	5.00	7.76	1.40	YES HRDOW
VOL33	0	0.98204E-02	413531.3	3771155.8	120.6	5.00	7.76	1.40	YES HRDOW

```
1076    VOL34           0   0.98204E-02  413527.4 3771122.3   120.6     5.00     7.76
        1.40     YES   HRDOW            NO
1077    VOL35           0   0.98204E-02  413524.2 3771088.1   120.8     5.00     7.76
        1.40     YES   HRDOW            NO
1078    VOL36           0   0.98204E-02  413494.9 3771226.9   120.9     5.00     7.76
        1.40     YES   HRDOW            NO
1079    VOL37           0   0.98204E-02  413495.0 3771192.9   120.6     5.00     7.76
        1.40     YES   HRDOW            NO
1080    VOL38           0   0.98204E-02  413497.7 3771158.5   120.5     5.00     7.76
        1.40     YES   HRDOW            NO
1081    VOL39           0   0.98204E-02  413493.9 3771125.0   120.4     5.00     7.76
        1.40     YES   HRDOW            NO
1082    VOL40           0   0.98204E-02  413490.7 3771090.8   120.5     5.00     7.76
        1.40     YES   HRDOW            NO
1083    VOL41           0   0.98204E-02  413461.3 3771229.2   120.8     5.00     7.76
        1.40     YES   HRDOW            NO
1084    VOL42           0   0.98204E-02  413461.5 3771195.2   120.6     5.00     7.76
        1.40     YES   HRDOW            NO
1085    VOL43           0   0.98204E-02  413464.2 3771160.9   120.4     5.00     7.76
        1.40     YES   HRDOW            NO
1086    VOL44           0   0.98204E-02  413460.3 3771127.4   120.3     5.00     7.76
        1.40     YES   HRDOW            NO
1087    VOL45           0   0.98204E-02  413457.1 3771093.2   120.3     5.00     7.76
        1.40     YES   HRDOW            NO
1088    VOL46           0   0.98204E-02  413427.8 3771229.4   120.7     5.00     7.76
        1.40     YES   HRDOW            NO
1089    VOL47           0   0.98204E-02  413427.9 3771195.4   120.5     5.00     7.76
        1.40     YES   HRDOW            NO
1090    VOL48           0   0.98204E-02  413430.6 3771161.1   120.3     5.00     7.76
        1.40     YES   HRDOW            NO
1091    VOL49           0   0.98204E-02  413426.7 3771127.6   120.2     5.00     7.76
        1.40     YES   HRDOW            NO
1092    VOL50           0   0.98204E-02  413423.6 3771093.4   120.0     5.00     7.76
        1.40     YES   HRDOW            NO
1093    VOL51           0   0.98204E-02  413397.4 3771227.5   120.4     5.00     7.76
        1.40     YES   HRDOW            NO
1094    VOL52           0   0.98204E-02  413394.5 3771194.2   120.3     5.00     7.76
        1.40     YES   HRDOW            NO
1095    FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
        Norte\16435 Cons\1643 ***        05/15/25
1096     *** AERMET - VERSION  22112 ***
         ***                                                                    ***
         09:42:44
1097
                                    PAGE   3
1098    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1099
1100
1101                                                  *** VOLUME SOURCE DATA ***
1102
1103                  NUMBER EMISSION RATE                      BASE    RELEASE    INIT.
                      INIT.   URBAN  EMISSION RATE   AIRCRAFT
1104      SOURCE       PART.  (GRAMS/SEC)     X         Y      ELEV.   HEIGHT      SY
          SZ     SOURCE  SCALAR VARY
1105        ID         CATS.               (METERS) (METERS) (METERS) (METERS) (METERS)
            (METERS)              BY
1106    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - -
1107
1108    VOL53           0   0.98204E-02  413397.1 3771160.4   120.2     5.00     7.76
        1.40     YES   HRDOW            NO
1109    VOL54           0   0.98204E-02  413392.3 3771126.1   120.1     5.00     7.76
        1.40     YES   HRDOW            NO
1110    VOL55           0   0.98204E-02  413390.4 3771093.8   119.8     5.00     7.76
        1.40     YES   HRDOW            NO
1111    VOL56           0   0.98204E-02  413576.9 3771062.8   120.7     5.00     7.76
```

```
 1.40     YES   HRDOW            NO
VOL57            0   0.98204E-02  413543.3 3771064.7   120.7     5.00     7.76
 1.40     YES   HRDOW            NO
VOL58            0   0.98204E-02  413510.2 3771066.2   120.7     5.00     7.76
 1.40     YES   HRDOW            NO
VOL59            0   0.98204E-02  413389.1 3771161.2   120.1     5.00     7.76
 1.40     YES   HRDOW            NO
VOL60            0   0.98204E-02  413476.6 3771068.8   120.5     5.00     7.76
 1.40     YES   HRDOW            NO
VOL61            0   0.98204E-02  413443.0 3771069.0   120.1     5.00     7.76
 1.40     YES   HRDOW            NO
VOL62            0   0.98204E-02  413409.7 3771070.3   119.8     5.00     7.76
 1.40     YES   HRDOW            NO
VOL63            0   0.98204E-02  413380.4 3771072.8   119.7     5.00     7.76
 1.40     YES   HRDOW            NO
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                    ***
 09:42:44

                              PAGE   4
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                      *** SOURCE IDs DEFINING SOURCE GROUPS ***

 SRCGROUP ID                                          SOURCE IDs
 -----------                                          ----------


  ALL        VOL13       , VOL14       , VOL15       , VOL16       , VOL17       ,
  VOL18       , VOL19       , VOL20       ,

             VOL21       , VOL22       , VOL23       , VOL24       , VOL25       ,
             VOL26       , VOL27       , VOL28       ,

             VOL29       , VOL30       , VOL31       , VOL32       , VOL33       ,
             VOL34       , VOL35       , VOL36       ,

             VOL37       , VOL38       , VOL39       , VOL40       , VOL41       ,
             VOL42       , VOL43       , VOL44       ,

             VOL45       , VOL46       , VOL47       , VOL48       , VOL49       ,
             VOL50       , VOL51       , VOL52       ,

             VOL53       , VOL54       , VOL55       , VOL56       , VOL57       ,
             VOL58       , VOL59       , VOL60       ,

             VOL61       , VOL62       , VOL63       ,
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                    ***
 09:42:44

                              PAGE   5
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                      *** SOURCE IDs DEFINED AS URBAN SOURCES ***

  URBAN ID   URBAN POP                                 SOURCE IDs
  --------   ---------                                 ----------


```

```
1156                9663345.   VOL13       , VOL14       , VOL15       , VOL16       ,
                    VOL17       , VOL18       , VOL19       ,
1157    VOL20       ,
1158
1159                VOL21       , VOL22       , VOL23       , VOL24       , VOL25       ,
                    VOL26       , VOL27       , VOL28       ,
1160
1161                VOL29       , VOL30       , VOL31       , VOL32       , VOL33       ,
                    VOL34       , VOL35       , VOL36       ,
1162
1163                VOL37       , VOL38       , VOL39       , VOL40       , VOL41       ,
                    VOL42       , VOL43       , VOL44       ,
1164
1165                VOL45       , VOL46       , VOL47       , VOL48       , VOL49       ,
                    VOL50       , VOL51       , VOL52       ,
1166
1167                VOL53       , VOL54       , VOL55       , VOL56       , VOL57       ,
                    VOL58       , VOL59       , VOL60       ,
1168
1169                VOL61       , VOL62       , VOL63       ,
1170    FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
        Norte\16435 Cons\1643 ***        05/15/25
1171     *** AERMET - VERSION  22112 ***
         ***                                                                    ***
         09:42:44
1172
                                    PAGE   6
1173     *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1174
1175                       * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                           WEEK (HRDOW) *
1176
1177     SOURCE ID = VOL13        ; SOURCE TYPE = VOLUME   :
1178      HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1179    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - - - - - -
1180                                                DAY OF WEEK = WEEKDAY
1181       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1182       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1183      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1184                                                DAY OF WEEK = SATURDAY
1185       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1186       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1187      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1188                                                DAY OF WEEK = SUNDAY
1189       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1190       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1191      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1192    FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
        Norte\16435 Cons\1643 ***        05/15/25
1193     *** AERMET - VERSION  22112 ***
         ***                                                                    ***
         09:42:44
1194
                                    PAGE   7
1195     *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
```

```
1196
1197                     * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                         WEEK (HRDOW) *
1198
1199    SOURCE ID = VOL14        ; SOURCE TYPE = VOLUME   :
1200     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1201    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1202                                                DAY OF WEEK = WEEKDAY
1203       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1204       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1205      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1206                                                DAY OF WEEK = SATURDAY
1207       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1208       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1209      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1210                                                DAY OF WEEK = SUNDAY
1211       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1212       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1213      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1214    FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
        Norte\16435 Cons\1643 ***        05/15/25
1215     *** AERMET - VERSION  22112 ***
         ***                                                                    ***
         09:42:44
1216
                                    PAGE   8
1217     *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1218
1219                     * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                         WEEK (HRDOW) *
1220
1221    SOURCE ID = VOL15        ; SOURCE TYPE = VOLUME   :
1222     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1223    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1224                                                DAY OF WEEK = WEEKDAY
1225       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1226       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1227      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1228                                                DAY OF WEEK = SATURDAY
1229       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1230       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1231      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1232                                                DAY OF WEEK = SUNDAY
1233       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1234       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
```

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                    ***
 09:42:44

                              PAGE   9
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL16        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
    .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                    ***
 09:42:44

                              PAGE  10
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL17        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
    .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
```

```
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:42:44

                              PAGE  11
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL18        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:42:44

                              PAGE  12
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL19        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
```

```
- - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
   .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:42:44

                            PAGE  13
*** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                  WEEK (HRDOW) *

 SOURCE ID = VOL20        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
   .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:42:44
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL21 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

FF *** AERMOD - VERSION 24142 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643 *** 05/15/25

*** AERMET - VERSION 22112 ***

*** ***

09:42:44

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL22 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00

```
1388       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1389      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1390   FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
       Norte\16435 Cons\1643 ***        05/15/25
1391    *** AERMET - VERSION  22112 ***
        ***                                                                    ***
        09:42:44
1392
                                    PAGE  16
1393    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1394
1395                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                          WEEK (HRDOW) *
1396
1397    SOURCE ID = VOL23        ; SOURCE TYPE = VOLUME   :
1398     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1399    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1400                                                DAY OF WEEK = WEEKDAY
1401       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1402       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1403      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1404                                                DAY OF WEEK = SATURDAY
1405       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1406       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1407      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1408                                                DAY OF WEEK = SUNDAY
1409       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1410       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1411      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1412   FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
       Norte\16435 Cons\1643 ***        05/15/25
1413    *** AERMET - VERSION  22112 ***
        ***                                                                    ***
        09:42:44
1414
                                    PAGE  17
1415    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1416
1417                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                          WEEK (HRDOW) *
1418
1419    SOURCE ID = VOL24        ; SOURCE TYPE = VOLUME   :
1420     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1421    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1422                                                DAY OF WEEK = WEEKDAY
1423       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1424       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1425      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
```

```
                                                DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                        ***
 09:42:44

                              PAGE  18
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL25        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
   .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                        ***
 09:42:44

                              PAGE  19
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL26        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
```

```
 SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                             DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14  .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
                                             DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14  .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
                                             DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14  .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                         ***
 09:42:44

                                PAGE  20
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL27        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                             DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14  .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
                                             DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14  .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
                                             DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14  .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                         ***
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL28 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

FF *** AERMOD - VERSION 24142 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643 *** 05/15/25

*** AERMET - VERSION 22112 ***

*** ***

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL29 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

```
1541       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1542       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1543      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1544  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
1545   *** AERMET - VERSION  22112 ***
       ***                                                                    ***
       09:42:44
1546
                                  PAGE  23
1547   *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1548
1549                     * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                        WEEK (HRDOW) *
1550
1551   SOURCE ID = VOL30        ; SOURCE TYPE = VOLUME   :
1552    HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
       SCALAR   HOUR   SCALAR   HOUR   SCALAR
1553  - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
      - - - - - - - - - - - - - - - - - - - -
1554                                                DAY OF WEEK = WEEKDAY
1555       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1556       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1557      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1558                                                DAY OF WEEK = SATURDAY
1559       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1560       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1561      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1562                                                DAY OF WEEK = SUNDAY
1563       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1564       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1565      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1566  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
1567   *** AERMET - VERSION  22112 ***
       ***                                                                    ***
       09:42:44
1568
                                  PAGE  24
1569   *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1570
1571                     * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                        WEEK (HRDOW) *
1572
1573   SOURCE ID = VOL31        ; SOURCE TYPE = VOLUME   :
1574    HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
       SCALAR   HOUR   SCALAR   HOUR   SCALAR
1575  - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
      - - - - - - - - - - - - - - - - - - - -
1576                                                DAY OF WEEK = WEEKDAY
1577       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1578       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
```

```
1579      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1580                                                DAY OF WEEK = SATURDAY
1581       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
          .0000E+00    7  .0000E+00    8  .0000E+00
1582       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
          .0000E+00   15  .0000E+00   16  .0000E+00
1583      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1584                                                DAY OF WEEK = SUNDAY
1585       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
          .0000E+00    7  .0000E+00    8  .0000E+00
1586       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
          .0000E+00   15  .0000E+00   16  .0000E+00
1587      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1588  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
1589   *** AERMET - VERSION  22112 ***
       ***                                                                    ***
       09:42:44
1590
                                  PAGE  25
1591   *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1592
1593                     * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                        WEEK (HRDOW) *
1594
1595   SOURCE ID = VOL32        ; SOURCE TYPE = VOLUME   :
1596    HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
       SCALAR   HOUR   SCALAR   HOUR   SCALAR
1597  - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
      - - - - - - - - - - - - - - - - - - - -
1598                                                DAY OF WEEK = WEEKDAY
1599       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
          .0000E+00    7  .0000E+00    8  .0000E+00
1600       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
          .1000E+01   15  .1000E+01   16  .1000E+01
1601      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1602                                                DAY OF WEEK = SATURDAY
1603       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
          .0000E+00    7  .0000E+00    8  .0000E+00
1604       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
          .0000E+00   15  .0000E+00   16  .0000E+00
1605      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1606                                                DAY OF WEEK = SUNDAY
1607       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
          .0000E+00    7  .0000E+00    8  .0000E+00
1608       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
          .0000E+00   15  .0000E+00   16  .0000E+00
1609      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1610  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
1611   *** AERMET - VERSION  22112 ***
       ***                                                                    ***
       09:42:44
1612
                                  PAGE  26
1613   *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1614
1615                     * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                        WEEK (HRDOW) *
1616
```

```
 SOURCE ID = VOL33        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
    .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                    ***
 09:42:44

                            PAGE  27
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL34        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
    .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL35   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL36   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

```
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:42:44

                              PAGE  30
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL37        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
   .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:42:44

                              PAGE  31
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL38        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
```

```
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:42:44

                              PAGE  32
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL39        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:42:44

                              PAGE  33
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
```

```
                    WEEK (HRDOW) *
1770
1771    SOURCE ID = VOL40        ; SOURCE TYPE = VOLUME   :
1772     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1773    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1774                                                DAY OF WEEK = WEEKDAY
1775       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1776       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1777      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1778                                                DAY OF WEEK = SATURDAY
1779       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1780       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1781      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1782                                                DAY OF WEEK = SUNDAY
1783       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1784       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1785      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1786    FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
        Norte\16435 Cons\1643 ***        05/15/25
1787     *** AERMET - VERSION  22112 ***
         ***                                                                    ***
         09:42:44
1788
                                   PAGE  34
1789    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1790
1791                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                        WEEK (HRDOW) *
1792
1793    SOURCE ID = VOL41        ; SOURCE TYPE = VOLUME   :
1794     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1795    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1796                                                DAY OF WEEK = WEEKDAY
1797       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1798       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1799      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1800                                                DAY OF WEEK = SATURDAY
1801       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1802       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1803      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1804                                                DAY OF WEEK = SUNDAY
1805       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1806       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1807      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL42 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL43 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14					

```
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
       .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:42:44

                              PAGE  37
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL44        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:42:44

                              PAGE  38
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL45        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
```

```
1885       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1886       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1887      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1888                                                DAY OF WEEK = SATURDAY
1889       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1890       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1891      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1892                                                DAY OF WEEK = SUNDAY
1893       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1894       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1895      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1896 FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
     Norte\16435 Cons\1643 ***        05/15/25
1897  *** AERMET - VERSION  22112 ***
      ***                                                                          ***
      09:42:44
1898
                                  PAGE  39
1899  *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1900
1901                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                        WEEK (HRDOW) *
1902
1903  SOURCE ID = VOL46        ; SOURCE TYPE = VOLUME   :
1904   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
      SCALAR   HOUR   SCALAR   HOUR   SCALAR
1905  - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
      - - - - - - - - - - - - - - - - - - - -
1906                                                DAY OF WEEK = WEEKDAY
1907       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1908       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1909      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1910                                                DAY OF WEEK = SATURDAY
1911       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1912       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1913      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1914                                                DAY OF WEEK = SUNDAY
1915       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1916       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1917      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1918 FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
     Norte\16435 Cons\1643 ***        05/15/25
1919  *** AERMET - VERSION  22112 ***
      ***                                                                          ***
      09:42:44
1920
                                  PAGE  40
1921  *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
```

```
1922
1923                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                        WEEK (HRDOW) *
1924
1925    SOURCE ID = VOL47        ; SOURCE TYPE = VOLUME   :
1926     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1927    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1928                                                DAY OF WEEK = WEEKDAY
1929       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1930       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1931      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1932                                                DAY OF WEEK = SATURDAY
1933       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1934       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1935      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1936                                                DAY OF WEEK = SUNDAY
1937       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1938       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1939      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1940    FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
        Norte\16435 Cons\1643 ***        05/15/25
1941     *** AERMET - VERSION  22112 ***
         ***                                                                    ***
         09:42:44
1942
                                  PAGE  41
1943    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1944
1945                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                        WEEK (HRDOW) *
1946
1947    SOURCE ID = VOL48        ; SOURCE TYPE = VOLUME   :
1948     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1949    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1950                                                DAY OF WEEK = WEEKDAY
1951       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1952       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1953      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1954                                                DAY OF WEEK = SATURDAY
1955       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1956       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1957      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1958                                                DAY OF WEEK = SUNDAY
1959       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1960       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
```

```
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                    ***
 09:42:44

                              PAGE  42
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL49        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
    .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                    ***
 09:42:44

                              PAGE  43
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL50        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
    .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
```

```
      .0000E+00    7  .0000E+00    8  .0000E+00
2000   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
       .0000E+00   15  .0000E+00   16  .0000E+00
2001  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
       .0000E+00   23  .0000E+00   24  .0000E+00
2002                                          DAY OF WEEK = SUNDAY
2003   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
       .0000E+00    7  .0000E+00    8  .0000E+00
2004   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
       .0000E+00   15  .0000E+00   16  .0000E+00
2005  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
       .0000E+00   23  .0000E+00   24  .0000E+00
2006  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
2007   *** AERMET - VERSION  22112 ***
       ***                                                                    ***
       09:42:44
2008
                                PAGE  44
2009   *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2010
2011                     * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                         WEEK (HRDOW) *
2012
2013   SOURCE ID = VOL51        ; SOURCE TYPE = VOLUME   :
2014    HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
       SCALAR   HOUR   SCALAR   HOUR   SCALAR
2015   - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
       - - - - - - - - - - - - - - - - - - - -
2016                                          DAY OF WEEK = WEEKDAY
2017   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
       .0000E+00    7  .0000E+00    8  .0000E+00
2018   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
       .1000E+01   15  .1000E+01   16  .1000E+01
2019  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
       .0000E+00   23  .0000E+00   24  .0000E+00
2020                                          DAY OF WEEK = SATURDAY
2021   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
       .0000E+00    7  .0000E+00    8  .0000E+00
2022   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
       .0000E+00   15  .0000E+00   16  .0000E+00
2023  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
       .0000E+00   23  .0000E+00   24  .0000E+00
2024                                          DAY OF WEEK = SUNDAY
2025   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
       .0000E+00    7  .0000E+00    8  .0000E+00
2026   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
       .0000E+00   15  .0000E+00   16  .0000E+00
2027  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
       .0000E+00   23  .0000E+00   24  .0000E+00
2028  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
2029   *** AERMET - VERSION  22112 ***
       ***                                                                    ***
       09:42:44
2030
                                PAGE  45
2031   *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2032
2033                     * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                         WEEK (HRDOW) *
2034
2035   SOURCE ID = VOL52        ; SOURCE TYPE = VOLUME   :
2036    HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
       SCALAR   HOUR   SCALAR   HOUR   SCALAR
2037   - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
```

```
     - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
        1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
        .0000E+00    7  .0000E+00    8  .0000E+00
        9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
        .1000E+01   15  .1000E+01   16  .1000E+01
       17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
       .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
        1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
        .0000E+00    7  .0000E+00    8  .0000E+00
        9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
        .0000E+00   15  .0000E+00   16  .0000E+00
       17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
       .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
        1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
        .0000E+00    7  .0000E+00    8  .0000E+00
        9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
        .0000E+00   15  .0000E+00   16  .0000E+00
       17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
       .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:42:44

                              PAGE  46
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL53        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
        1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
        .0000E+00    7  .0000E+00    8  .0000E+00
        9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
        .1000E+01   15  .1000E+01   16  .1000E+01
       17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
       .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
        1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
        .0000E+00    7  .0000E+00    8  .0000E+00
        9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
        .0000E+00   15  .0000E+00   16  .0000E+00
       17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
       .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
        1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
        .0000E+00    7  .0000E+00    8  .0000E+00
        9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
        .0000E+00   15  .0000E+00   16  .0000E+00
       17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
       .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:42:44
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL54 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

FF *** AERMOD - VERSION 24142 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643 *** 05/15/25

*** AERMET - VERSION 22112 ***

*** ***

09:42:44

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL55 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00

```
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                    ***
 09:42:44

                                PAGE  49
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL56        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - -
                                             DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                             DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                             DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                    ***
 09:42:44

                                PAGE  50
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL57        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - -
                                             DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
```

```
                                                DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                        ***
 09:42:44

                              PAGE  51
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL58        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
   .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                        ***
 09:42:44

                              PAGE  52
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL59        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
```

```
 SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14  .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14  .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14  .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643 ***       05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:42:44

                             PAGE  53
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL60        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14  .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14  .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14  .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643 ***       05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL61 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

FF *** AERMOD - VERSION 24142 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643 *** 05/15/25

*** AERMET - VERSION 22112 ***

*** ***

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL62 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

```
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:42:44

                              PAGE  56
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL63        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:42:44

                              PAGE  57
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                        *** DISCRETE CARTESIAN RECEPTORS ***
                                      (X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
                                                 (METERS)

     ( 413648.5, 3771123.9,     121.2,     121.2,       2.0);         ( 413644.0,
     3771078.2,     120.7,     120.7,       2.0);
     ( 413676.4, 3771027.7,     120.7,     120.7,       2.0);         ( 413613.2,
     3771030.3,     120.2,     120.2,       2.0);
     ( 413569.0, 3771032.9,     120.2,     120.2,       2.0);         ( 413537.2,
     3771033.5,     120.1,     120.1,       2.0);
     ( 413484.4, 3771036.4,     120.1,     120.1,       2.0);         ( 413456.6,
     3771037.7,     120.0,     120.0,       2.0);
     ( 413405.8, 3771040.0,     119.8,     119.8,       2.0);         ( 413376.0,
```

```
        3771043.2,     119.6,     119.6,       2.0);
2306    ( 413333.4, 3771017.2,     119.6,     119.6,       2.0);         ( 413333.4,
        3771037.3,     119.6,     119.6,       2.0);
2307    ( 413337.5, 3771067.4,     119.9,    1634.0,       2.0);         ( 413343.4,
        3771088.0,     119.9,    1635.7,       2.0);
2308    ( 413343.5, 3771105.3,     120.0,    1635.7,       2.0);         ( 413345.8,
        3771118.8,     120.0,    1635.7,       2.0);
2309    ( 413348.0, 3771143.1,     120.1,    1635.7,       2.0);         ( 413348.7,
        3771160.3,     120.2,    1635.7,       2.0);
2310    ( 413352.6, 3771184.7,     120.3,    1648.2,       2.0);         ( 413353.5,
        3771198.5,     120.3,    1648.2,       2.0);
2311    ( 413353.8, 3771225.5,     120.5,    1648.2,       2.0);         ( 413358.9,
        3771259.0,     120.5,    1648.2,       2.0);
2312    ( 413361.6, 3771282.1,     120.6,    1648.2,       2.0);         ( 413362.1,
        3771296.6,     120.7,    1648.2,       2.0);
2313    ( 413366.2, 3771341.2,     120.8,    1648.2,       2.0);         ( 413416.9,
        3771250.2,     120.8,    1648.2,       2.0);
2314    ( 413567.7, 3771246.1,     121.3,    1648.2,       2.0);         ( 413480.0,
        3771281.7,     121.2,    1648.2,       2.0);
2315    ( 413452.6, 3771272.9,     121.1,    1648.2,       2.0);         ( 413513.6,
        3771244.7,     121.1,    1648.2,       2.0);
2316    ( 413388.2, 3771251.0,     120.3,    1648.2,       2.0);         ( 413682.5,
        3771320.7,     122.2,    1648.2,       2.0);
2317    ( 413651.8, 3771342.1,     121.9,    1648.2,       2.0);         ( 413368.2,
        3771352.5,     120.8,    1648.2,       2.0);
2318    ( 413368.7, 3771372.0,     120.8,    1648.2,       2.0);         ( 413421.4,
        3771372.2,     121.2,    1648.2,       2.0);
2319    ( 413450.7, 3771369.6,     121.3,    1648.2,       2.0);         ( 413502.7,
        3771368.8,     121.5,    1648.2,       2.0);
2320    ( 413531.6, 3771367.5,     121.7,    1648.2,       2.0);         ( 413588.4,
        3771364.6,     121.8,    1648.2,       2.0);
2321    ( 413617.0, 3771362.6,     122.0,    1648.2,       2.0);         ( 413654.2,
        3771385.2,     122.1,    1648.2,       2.0);
2322    ( 413641.6, 3771240.5,     121.7,    1635.7,       2.0);         ( 413598.3,
        3771241.6,     121.5,    1648.2,       2.0);
2323    ( 413658.1, 3771227.2,     121.7,    1635.7,       2.0);         ( 413652.5,
        3771171.9,     121.6,    1635.7,       2.0);
2324    ( 413762.5, 3771326.4,     122.8,    1648.2,       2.0);         ( 413755.3,
        3771297.7,     122.6,    1648.2,       2.0);
2325    ( 413752.2, 3771264.9,     122.4,    1635.7,       2.0);         ( 413751.5,
        3771243.9,     122.3,    1635.7,       2.0);
2326    ( 413749.2, 3771225.7,     122.3,    1635.7,       2.0);         ( 413747.4,
        3771206.7,     122.2,    1635.7,       2.0);
2327    ( 413745.0, 3771187.2,     122.1,    1635.7,       2.0);         ( 413743.4,
        3771169.2,     122.0,    1634.0,       2.0);
2328    ( 413742.3, 3771152.5,     122.0,     122.0,       2.0);         ( 413740.0,
        3771133.6,     121.8,     121.8,       2.0);
2329    ( 413738.3, 3771115.5,     121.7,     121.7,       2.0);         ( 413734.9,
        3771095.5,     121.6,     121.6,       2.0);
2330    ( 413735.1, 3771077.4,     121.5,     121.5,       2.0);         ( 413733.3,
        3771064.3,     121.4,     121.4,       2.0);
2331    ( 413731.5, 3771046.4,     121.3,     121.3,       2.0);         ( 413729.5,
        3771027.6,     121.2,     121.2,       2.0);
2332    ( 413728.1, 3771009.5,     121.0,     121.0,       2.0);         ( 413725.5,
        3770991.7,     120.9,     120.9,       2.0);
2333    ( 413724.5, 3770973.6,     120.8,     120.8,       2.0);         ( 413721.8,
        3770948.1,     120.7,     120.7,       2.0);
2334    ( 413355.1, 3771622.7,     121.1,    1648.2,       2.0);         ( 413235.9,
        3771619.0,     120.6,    1648.2,       2.0);
2335    ( 412848.4, 3771774.9,     118.8,    1648.2,       2.0);         ( 415201.7,
        3771330.5,     133.8,     133.8,       2.0);
2336    ( 413782.5, 3771959.5,     125.9,    1648.2,       2.0);         ( 413664.8,
        3771641.1,     123.2,    1648.2,       2.0);
2337    ( 413674.0, 3770851.1,     119.9,     119.9,       2.0);         ( 413714.1,
        3770847.5,     120.0,     120.0,       2.0);
2338    ( 413663.5, 3770808.8,     119.6,     119.6,       2.0);         ( 413698.8,
```

```
      3770760.1,     119.4,     119.4,       2.0);
2339  ( 413617.2, 3770676.6,     118.4,     118.4,       2.0);         ( 413664.1,
      3770663.2,     117.7,     117.7,       2.0);
2340  ( 413613.3, 3770517.0,     116.0,     118.7,       2.0);         ( 413346.0,
      3770490.8,     115.1,     115.1,       2.0);
2341  ( 413415.9, 3770471.5,     114.6,     114.6,       2.0);         ( 413221.9,
      3770467.4,     116.1,     121.5,       2.0);
2342  ( 413666.0, 3771067.1,     121.0,     121.0,
      2.0);
2343  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
2344   *** AERMET - VERSION  22112 ***
       ***                                                                    ***
       09:42:44
2345
                                  PAGE  58
2346   *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2347
2348                                          *** METEOROLOGICAL DAYS SELECTED FOR
                                              PROCESSING ***
2349                                                        (1=YES; 0=NO)
2350
2351            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1
                1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
2352            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1
                1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
2353            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1
                1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
2354            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1
                1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
2355            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1
                1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
2356            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1
                1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
2357            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1
                1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
2358            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1
2359
2360                NOTE:  METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON WHAT
                    IS INCLUDED IN THE DATA FILE.
2361
2362
2363
2364                                   *** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED
                                       CATEGORIES ***
2365                                                  (METERS/SEC)
2366
2367                                                1.54,   3.09,   5.14,   8.23,  10.80,
2368  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
2369   *** AERMET - VERSION  22112 ***
       ***                                                                    ***
       09:42:44
2370
                                  PAGE  59
2371   *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2372
2373                                   *** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA
                                       ***
2374
2375     Surface file:
         AZUS_V11_trimmed.sfc
         Met Version:  22112
2376     Profile file:
         AZUS_V11_trimmed.PFL
2377     Surface format:
```

FREE

Profile format:
FREE

Surface station no.: 3179 Upper air station no.: 3190
Name: UNKNOWN Name: UNKNOWN
Year: 2017 Year: 2017

First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O LEN	Z0	BOWEN	ALBEDO	REF WS	WD	HT	REF TA	HT
17	01	01	1	01	-11.3	0.154	-9.000	-9.000	-999.	145.	28.6	0.34	0.75	1.00	1.36	97.	10.0	281.4	9.5
17	01	01	1	02	-5.9	0.110	-9.000	-9.000	-999.	88.	20.0	0.29	0.75	1.00	1.05	88.	10.0	281.0	9.5
17	01	01	1	03	-6.6	0.117	-9.000	-9.000	-999.	95.	21.1	0.29	0.75	1.00	1.11	69.	10.0	280.5	9.5
17	01	01	1	04	-6.9	0.119	-9.000	-9.000	-999.	99.	21.7	0.33	0.75	1.00	1.08	132.	10.0	279.8	9.5
17	01	01	1	05	-4.1	0.091	-9.000	-9.000	-999.	66.	16.1	0.17	0.75	1.00	1.00	314.	10.0	279.5	9.5
17	01	01	1	06	-18.0	0.193	-9.000	-9.000	-999.	204.	41.0	0.21	0.75	1.00	1.96	35.	10.0	279.8	9.5
17	01	01	1	07	-10.5	0.147	-9.000	-9.000	-999.	136.	27.0	0.29	0.75	1.00	1.38	80.	10.0	279.6	9.5
17	01	01	1	08	-6.3	0.118	-9.000	-9.000	-999.	97.	22.9	0.29	0.75	0.55	1.12	74.	10.0	279.4	9.5
17	01	01	1	09	25.4	0.209	0.420	0.005	103.	230.	-31.8	0.29	0.75	0.32	1.55	70.	10.0	282.2	9.5
17	01	01	1	10	64.6	0.296	1.020	0.005	581.	386.	-35.4	0.33	0.75	0.25	2.13	126.	10.0	283.6	9.5
17	01	01	1	11	91.0	0.325	1.350	0.005	956.	444.	-33.2	0.33	0.75	0.22	2.32	130.	10.0	284.1	9.5
17	01	01	1	12	87.8	0.248	1.393	0.005	1087.	299.	-15.3	0.32	0.75	0.21	1.62	152.	10.0	285.1	9.5
17	01	01	1	13	103.2	0.182	1.514	0.005	1188.	187.	-5.1	0.33	0.75	0.21	0.97	144.	10.0	286.1	9.5
17	01	01	1	14	74.8	0.225	1.385	0.005	1256.	255.	-13.4	0.23	0.75	0.22	1.61	214.	10.0	286.9	9.5
17	01	01	1	15	50.9	0.150	1.233	0.005	1300.	142.	-5.9	0.07	0.75	0.26	1.37	273.	10.0	286.7	9.5
17	01	01	1	16	1.2	0.122	0.356	0.005	1300.	102.	-130.2	0.23	0.75	0.35	1.08	210.	10.0	286.6	9.5
17	01	01	1	17	-13.1	0.175	-9.000	-9.000	-999.	176.	36.0	0.32	0.75	0.62	1.55	172.	10.0	286.3	9.5
17	01	01	1	18	-13.7	0.171	-9.000	-9.000	-999.	169.	32.2	0.32	0.75	1.00	1.53	179.	10.0	285.8	9.5
17	01	01	1	19	-9.0	0.136	-9.000	-9.000	-999.	121.	24.7	0.23	0.75	1.00	1.38	215.	10.0	285.4	9.5
17	01	01	1	20	-3.7	0.086	-9.000	-9.000	-999.	61.	14.9	0.12	0.75	1.00	1.03	259.	10.0	285.0	9.5
17	01	01	1	21	-1.8	0.070	-9.000	-9.000	-999.	44.	16.4	0.16	0.75	1.00	0.58	349.	10.0	284.9	9.5
17	01	01	1	22	-3.4	0.086	-9.000	-9.000	-999.	61.	16.6	0.29	0.75	1.00	0.78	61.	10.0	284.8	9.5
17	01	01	1	23	-14.0	0.170	-9.000	-9.000	-999.	168.	31.8	0.21	0.75	1.00	1.74	43.	10.0	284.2	9.5
17	01	01	1	24	-21.5	0.220	-9.000	-9.000	-999.	248.	53.3	0.21	0.75	1.00	2.22	43.	10.0	283.9	9.5

First hour of profile data

```
YR MO DY HR HEIGHT F  WDIR    WSPD AMB_TMP sigmaA  sigmaW  sigmaV
17 01 01 01    9.5 0 -999.  -99.00   281.4   99.0  -99.00  -99.00
17 01 01 01   10.0 1   97.    1.36  -999.0   99.0  -99.00  -99.00

F indicates top of profile (=1) or below (=0)
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***                                                                            ***
 09:42:44

                              PAGE  60
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                              *** THE   1ST HIGHEST  1-HR AVERAGE CONCENTRATION   VALUES FOR SOURCE GROUP:  ALL      ***
                                  INCLUDING SOURCE(S):     VOL13       , VOL14       , VOL15       , VOL16       , VOL17       ,
                VOL18       , VOL19       , VOL20       , VOL21       , VOL22       , VOL23       , VOL24       , VOL25       ,
                VOL26       , VOL27       , VOL28       , VOL29       , VOL30       , VOL31       , VOL32       , VOL33       ,
                VOL34       , VOL35       , VOL36       , VOL37       , VOL38       , VOL39       , VOL40       ,  . . .      ,

                                             *** DISCRETE CARTESIAN RECEPTOR POINTS ***

                                        ** CONC OF CO       IN MICROGRAMS/M**3                          **

      X-COORD (M)  Y-COORD (M)        CONC     (YYMMDDHH)              X-COORD (M)  Y-COORD (M)        CONC     (YYMMDDHH)
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        413648.47   3771123.91       82.41066  (21110116)                413644.02   3771078.17       80.08707  (21122715)
        413676.40   3771027.68       55.82690  (17103016)                413613.17   3771030.29       62.08348  (20102209)
        413568.97   3771032.90       58.82684  (17120416)                413537.20   3771033.51       62.40957  (17120416)
        413484.41   3771036.43       63.24024  (17120416)                413456.63   3771037.66       62.52299  (17120416)
        413405.83   3771039.96       64.59340  (17120416)                413376.05   3771043.18       64.57052  (21121315)
        413333.39   3771017.24       33.37385  (21122915)                413333.39   3771037.35       37.53375  (21122915)
        413337.53   3771067.43       50.80013  (18010916)                413343.36   3771087.99       65.43054  (18010916)
        413343.52   3771105.34       61.62245  (18010916)                413345.82   3771118.84       61.36604  (18010916)
        413347.97   3771143.09       66.36150  (18010916)                413348.74   3771160.28       72.67783  (19120616)
        413352.57   3771184.68       70.82504  (19120616)                413353.49   3771198.50       65.81359  (19120616)
        413353.80   3771225.51       58.61471  (19120616)                413358.87   3771258.96       35.32904  (19020510)
        413361.63   3771282.14       30.19486  (18121316)                413362.09   3771296.56       26.79016  (18121316)
        413366.23   3771341.23       18.74294  (18121316)                413416.88   3771250.22       60.13225  (21122816)
        413567.74   3771246.07       75.57289  (20012116)                413479.96   3771281.68       47.70445  (21122816)
        413452.64   3771272.93       52.00536  (21122816)                413513.57   3771244.69       75.65728  (20012116)
        413388.18   3771250.98       50.11488  (19020510)                413682.54   3771320.66       28.38430  (20012116)
```

```
2451          413651.85   3771342.15       22.54095  (20120316)                413368.16
              3771352.50        17.16445  (18121316)
2452          413368.70   3771372.00       14.79366  (18121316)                413421.43
              3771372.18        21.53947  (21122816)
2453          413450.68   3771369.65       25.19877  (21122816)                413502.68
              3771368.75        26.47057  (21122816)
2454          413531.57   3771367.49       26.35921  (21122816)                413588.44
              3771364.60        24.64696  (21122816)
2455          413616.97   3771362.61       21.84775  (21122816)                413654.17
              3771385.18        16.67951  (20120316)
2456          413641.58   3771240.54       80.23550  (20012116)                413598.27
              3771241.58        77.61858  (20012116)
2457          413658.14   3771227.23       74.74212  (18111916)                413652.53
              3771171.92        75.67028  (17010315)
2458          413762.55   3771326.43       21.71129  (20012116)                413755.32
              3771297.72        24.47216  (20012116)
2459          413752.25   3771264.86       27.78601  (18111916)                413751.53
              3771243.92        32.34405  (18111916)
2460          413749.19   3771225.68       35.07045  (18111916)                413747.38
              3771206.72        36.20485  (18111916)
2461          413745.03   3771187.22       36.25295  (18111916)                413743.41
              3771169.17        35.28404  (18111916)
2462          413742.32   3771152.55       34.57750  (21110116)                413739.98
              3771133.59        34.05531  (21110116)
2463          413738.35   3771115.54       32.85989  (21110116)                413734.92
              3771095.50        33.71753  (17103016)
2464          413735.10   3771077.44       34.87769  (17103016)                413733.30
              3771064.26        37.21147  (17103016)
2465          413731.49   3771046.38       43.65970  (17103016)                413729.50
              3771027.61        45.56687  (17103016)
2466          413728.06   3771009.55       36.97216  (17103016)                413725.53
              3770991.67        26.81500  (17103016)
2467          413724.45   3770973.62       20.71643  (18122716)                413721.78
              3770948.07        17.51738  (17112116)
2468          413355.15   3771622.70        5.40105  (20121416)                413235.89
              3771619.04         4.25865  (18121316)
2469          412848.39   3771774.93        1.71180  (18120416)                415201.66
              3771330.49         1.91080  (21120916)
2470          413782.51   3771959.51        1.91611  (21122815)                413664.85
              3771641.09         6.41613  (21122816)
2471          413674.05   3770851.12       11.21571  (20102209)                413714.09
              3770847.47         9.46829  (17112116)
2472          413663.50   3770808.78        9.77116  (20102209)                413698.79
              3770760.11         7.15496  (20102209)
2473          413617.17   3770676.59        6.08957  (20102209)                413664.14
              3770663.20         5.73165  (20102209)
2474          413613.35   3770516.97        3.40650  (20102209)                413345.98
              3770490.83         4.02497  (20122815)
2475  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
2476   *** AERMET - VERSION  22112 ***
       ***                                                                    ***
       09:42:44
2477
                                    PAGE  61
2478   *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2479
2480                                *** THE   1ST HIGHEST  1-HR AVERAGE CONCENTRATION   VALUES
                                    FOR SOURCE GROUP:  ALL      ***
2481                                    INCLUDING SOURCE(S):     VOL13       , VOL14       ,
                                    VOL15       , VOL16       , VOL17       ,
2482                  VOL18       , VOL19       , VOL20       , VOL21       , VOL22       ,
                      VOL23       , VOL24       , VOL25       ,
2483                  VOL26       , VOL27       , VOL28       , VOL29       , VOL30       ,
                      VOL31       , VOL32       , VOL33       ,
2484                  VOL34       , VOL35       , VOL36       , VOL37       , VOL38       ,
```

```
                VOL39       , VOL40       ,  . . .      ,
2485
2486                                          *** DISCRETE CARTESIAN RECEPTOR POINTS ***
2487
2488                                        ** CONC OF CO       IN
                                            MICROGRAMS/M**3                          **
2489
2490       X-COORD (M)  Y-COORD (M)        CONC     (YYMMDDHH)              X-COORD (M)
           Y-COORD (M)        CONC     (YYMMDDHH)
2491    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - - - -
2492          413415.90   3770471.49        3.76497  (19122616)               413221.86
              3770467.45        3.91694  (21123016)
2493          413666.01   3771067.07       63.27983
              (21122715)

2494    FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
        Norte\16435 Cons\1643 ***        05/15/25
2495     *** AERMET - VERSION  22112 ***
         ***                                                                      ***
         09:42:44
2496
                                  PAGE  62
2497     *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2498
2499                              *** THE   1ST HIGHEST  8-HR AVERAGE CONCENTRATION   VALUES
                                  FOR SOURCE GROUP:  ALL      ***
2500                                  INCLUDING SOURCE(S):     VOL13       , VOL14       ,
                                      VOL15       , VOL16       , VOL17       ,
2501                  VOL18       , VOL19       , VOL20       , VOL21       , VOL22       ,
                      VOL23       , VOL24       , VOL25       ,
2502                  VOL26       , VOL27       , VOL28       , VOL29       , VOL30       ,
                      VOL31       , VOL32       , VOL33       ,
2503                  VOL34       , VOL35       , VOL36       , VOL37       , VOL38       ,
                      VOL39       , VOL40       ,  . . .      ,
2504
2505                                          *** DISCRETE CARTESIAN RECEPTOR POINTS ***
2506
2507                                        ** CONC OF CO       IN
                                            MICROGRAMS/M**3                          **
2508
2509       X-COORD (M)  Y-COORD (M)        CONC     (YYMMDDHH)              X-COORD (M)
           Y-COORD (M)        CONC     (YYMMDDHH)
2510    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - - - -
2511          413648.47   3771123.91       52.13895  (17103016)               413644.02
              3771078.17       57.23180  (17103016)
2512          413676.40   3771027.68       35.22167  (17103016)               413613.17
              3771030.29       36.95357  (17103016)
2513          413568.97   3771032.90       34.25424  (17103016)               413537.20
              3771033.51       35.34117  (18050116)
2514          413484.41   3771036.43       37.16803  (18050116)               413456.63
              3771037.66       37.36446  (18050116)
2515          413405.83   3771039.96       37.14415  (18050116)               413376.05
              3771043.18       38.16160  (21123016)
2516          413333.39   3771017.24       20.07072  (21123016)               413333.39
              3771037.35       20.27238  (21123016)
2517          413337.53   3771067.43       22.79776  (20040916)               413343.36
              3771087.99       27.10294  (20040916)
2518          413343.52   3771105.34       26.55691  (20040916)               413345.82
              3771118.84       27.01657  (20040916)
2519          413347.97   3771143.09       28.39804  (20040916)               413348.74
              3771160.28       28.27318  (20040916)
2520          413352.57   3771184.68       26.12226  (18010916)               413353.49
              3771198.50       24.33128  (19120616)
2521          413353.80   3771225.51       21.17374  (20120816)               413358.87
```

3771258.96 17.36600 (20120816)
413361.63 3771282.14 13.42857 (20120816) 413362.09
3771296.56 11.33571 (20120816)
413366.23 3771341.23 7.06951 (20120816) 413416.88
3771250.22 30.67362 (21122816)
413567.74 3771246.07 35.02262 (20012116) 413479.96
3771281.68 19.74928 (21122816)
413452.64 3771272.93 22.45953 (21122816) 413513.57
3771244.69 37.02181 (20012116)
413388.18 3771250.98 26.27637 (20120816) 413682.54
3771320.66 8.51221 (20121816)
413651.85 3771342.15 7.17565 (21100716) 413368.16
3771352.50 6.36531 (19101116)
413368.70 3771372.00 5.45155 (19103016) 413421.43
3771372.18 6.78385 (21122816)
413450.68 3771369.65 7.78960 (21122816) 413502.68
3771368.75 8.30815 (21122816)
413531.57 3771367.49 8.29411 (21122816) 413588.44
3771364.60 7.75342 (21122816)
413616.97 3771362.61 7.06070 (21122816) 413654.17
3771385.18 5.23512 (21100716)
413641.58 3771240.54 32.09544 (20012116) 413598.27
3771241.58 36.36976 (20012116)
413658.14 3771227.23 30.67401 (20121816) 413652.53
3771171.92 45.13240 (17103016)
413762.55 3771326.43 6.65954 (20121816) 413755.32
3771297.72 8.20871 (20121816)
413752.25 3771264.86 9.75429 (20121816) 413751.53
3771243.92 10.36139 (17122116)
413749.19 3771225.68 11.83215 (17122116) 413747.38
3771206.72 12.87825 (17122116)
413745.03 3771187.22 13.52934 (17122116) 413743.41
3771169.17 13.71243 (21051716)
413742.32 3771152.55 14.48747 (21051716) 413739.98
3771133.59 16.09692 (17103016)
413738.35 3771115.54 17.22743 (17103016) 413734.92
3771095.50 18.55461 (17103016)
413735.10 3771077.44 19.30512 (17103016) 413733.30
3771064.26 20.49167 (17103016)
413731.49 3771046.38 22.08684 (17103016) 413729.50
3771027.61 21.40975 (17103016)
413728.06 3771009.55 17.65236 (17103016) 413725.53
3770991.67 13.56535 (17103016)
413724.45 3770973.62 10.24125 (17103016) 413721.78
3770948.07 7.05865 (17103016)
413355.15 3771622.70 1.52357 (20121416) 413235.89
3771619.04 1.51538 (19103016)
412848.39 3771774.93 0.57109 (20011716) 415201.66
3771330.49 0.41866 (21120916)
413782.51 3771959.51 0.65667 (21122816) 413664.85
3771641.09 1.92847 (21122816)
413674.05 3770851.12 3.20798 (17112116) 413714.09
3770847.47 3.12078 (17112116)
413663.50 3770808.78 2.35530 (17112116) 413698.79
3770760.11 1.81279 (17112116)
413617.17 3770676.59 1.90627 (20020316) 413664.14
3770663.20 1.34507 (20020316)
413613.35 3770516.97 1.13353 (20020316) 413345.98
3770490.83 1.60123 (20020316)

```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                              *** THE   1ST HIGHEST  8-HR AVERAGE CONCENTRATION   VALUES
                              FOR SOURCE GROUP:  ALL      ***
                                  INCLUDING SOURCE(S):     VOL13       , VOL14       ,
                                  VOL15       , VOL16       , VOL17       ,
                 VOL18       , VOL19       , VOL20       , VOL21       , VOL22       ,
                 VOL23       , VOL24       , VOL25       ,
                 VOL26       , VOL27       , VOL28       , VOL29       , VOL30       ,
                 VOL31       , VOL32       , VOL33       ,
                 VOL34       , VOL35       , VOL36       , VOL37       , VOL38       ,
                 VOL39       , VOL40       ,  . . .      ,

                                        *** DISCRETE CARTESIAN RECEPTOR POINTS ***

                                     ** CONC OF CO       IN
                                     MICROGRAMS/M**3                          **

      X-COORD (M)  Y-COORD (M)        CONC     (YYMMDDHH)              X-COORD (M)
      Y-COORD (M)        CONC     (YYMMDDHH)
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - - - -
        413415.90   3770471.49        1.59253  (20020316)               413221.86
        3770467.45        1.83379  (21123016)
        413666.01   3771067.07       44.65022
        (17103016)

FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                    ***
 09:42:44

                              PAGE  64
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                        *** THE SUMMARY OF HIGHEST  1-HR RESULTS
                                        ***


                                     ** CONC OF CO       IN
                                     MICROGRAMS/M**3                          **


                                                    DATE

                                                   NETWORK
GROUP ID                          AVERAGE CONC     (YYMMDDHH)             RECEPTOR  (XR,
YR, ZELEV, ZHILL, ZFLAG)    OF TYPE  GRID-ID
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - - - -

ALL      HIGH   1ST HIGH VALUE IS      82.41066  ON 21110116: AT (  413648.47,
3771123.91,   121.18,   121.18,    2.00)  DC


 *** RECEPTOR TYPES:  GC = GRIDCART
                      GP = GRIDPOLR
                      DC = DISCCART
                      DP = DISCPOLR
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                    ***
 09:42:44
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE SUMMARY OF HIGHEST 8-HR RESULTS ***

** CONC OF CO IN MICROGRAMS/M**3 **

GROUP ID	AVERAGE CONC	DATE (YYMMDDHH)	NETWORK RECEPTOR (XR, YR, ZELEV, ZHILL, ZFLAG)	OF TYPE	GRID-ID
ALL	HIGH 1ST HIGH VALUE IS	57.23180	ON 17103016: AT (413644.02, 3771078.17, 120.70, 120.70, 2.00)	DC	

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR

FF *** AERMOD - VERSION 24142 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643 *** 05/15/25
*** AERMET - VERSION 22112 ***
*** *** 09:42:44

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** Message Summary : AERMOD Model Execution ***

--------- Summary of Total Messages --------

A Total of 0 Fatal Error Message(s)
A Total of 56 Warning Message(s)
A Total of 474 Informational Message(s)

A Total of 43824 Hours Were Processed

A Total of 41 Calm Hours Identified

A Total of 433 Missing Hours Identified (0.99 Percent)

******** FATAL ERROR MESSAGES ********
*** NONE ***

******** WARNING MESSAGES ********
ME W186 933 MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used 0.50
ME W187 933 MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET
CN W733 1168 AVER: 8-hr avg, < 6 hours of data, calms policy used. 2017021816
CN W733 10360 AVER: 8-hr avg, < 6 hours of data, calms policy used. 2018030816
CN W733 12400 AVER: 8-hr avg, < 6 hours of data, calms policy used. 2018060116

```
2642    CN W733   22832         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2019081008
2643    CN W733   22840         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2019081016
2644    CN W733   25416         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2019112524
2645    CN W733   25424         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2019112608
2646    CN W733   25432         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2019112616
2647    CN W733   25440         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2019112624
2648    CN W733   25448         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2019112708
2649    CN W733   25456         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2019112716
2650    CN W733   26280         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2019123124
2651    CN W733   26288         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2020010108
2652    CN W733   26304         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2020010124
2653    CN W733   26312         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2020010208
2654    CN W733   28024         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2020031316
2655    CN W733   28048         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2020031416
2656    CN W733   28072         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2020031516
2657    CN W733   28096         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2020031616
2658    CN W733   28504         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2020040216
2659    CN W733   28528         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2020040316
2660    CN W733   28624         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2020040716
2661    CN W733   28936         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2020042016
2662    CN W733   30496         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2020062416
2663    CN W733   33008         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2020100708
2664    CN W733   33016         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2020100716
2665    CN W733   33088         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2020101016
2666    CN W733   33880         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2020111216
2667    CN W733   34024         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2020111816
2668    CN W733   34072         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2020112016
2669    CN W733   34096         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2020112116
2670    CN W733   34120         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2020112216
2671    CN W733   34144         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2020112316
2672    CN W733   34168         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2020112416
2673    CN W733   34192         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2020112516
2674    CN W733   34672         AVER: 8-hr avg, < 6 hours of data, calms policy used.
        2020121516
```

```
 CN W733   34816         AVER: 8-hr avg, < 6 hours of data, calms policy used.
2020122116
 CN W733   35272         AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021010916
 CN W733   35296         AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021011016
 CN W733   35320         AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021011116
 CN W733   35344         AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021011216
 CN W733   35608         AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021012316
 CN W733   35632         AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021012416
 CN W733   35656         AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021012516
 CN W733   36384         AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021022424
 CN W733   36392         AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021022508
 CN W733   36808         AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021031416
 CN W733   37192         AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021033016
 CN W733   37288         AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021040316
 CN W733   38744         AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021060308
 CN W733   38752         AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021060316
 CN W733   40912         AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021090116
 CN W733   41800         AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021100816
 CN W733   41824         AVER: 8-hr avg, < 6 hours of data, calms policy used.
2021100916

    ***********************************
    *** AERMOD Finishes Successfully ***
    ***********************************
```

```
**
**************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 13.0.0
** Lakes Environmental Software Inc.
** Date: 5/15/2025
** File: C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons NOX\16435 Cons NOX.ADI
**
**************************************
**
**
**************************************
** AERMOD Control Pathway
**************************************
**
**
CO STARTING
   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643
   MODELOPT DFAULT CONC
   AVERTIME 1
   URBANOPT 9663345 Los_Angeles_County
   POLLUTID NOX
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "16435 Cons NOX.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL13        VOLUME     413678.759  3771046.996      120.760
   LOCATION VOL14        VOLUME     413644.379  3771048.419      120.440
   LOCATION VOL15        VOLUME     413609.792  3771050.453      120.340
   LOCATION VOL16        VOLUME     413630.138  3771220.132      121.570
   LOCATION VOL17        VOLUME     413630.260  3771186.129      121.320
   LOCATION VOL18        VOLUME     413632.986  3771151.772      121.170
   LOCATION VOL19        VOLUME     413629.104  3771118.263      120.940
   LOCATION VOL20        VOLUME     413625.918  3771084.065      120.660
   LOCATION VOL21        VOLUME     413596.212  3771220.733      121.340
   LOCATION VOL22        VOLUME     413596.335  3771186.730      121.160
   LOCATION VOL23        VOLUME     413599.061  3771152.374      121.000
   LOCATION VOL24        VOLUME     413595.179  3771118.864      120.760
   LOCATION VOL25        VOLUME     413591.993  3771084.666      120.730
   LOCATION VOL26        VOLUME     413562.226  3771224.344      121.200
   LOCATION VOL27        VOLUME     413562.349  3771190.341      120.990
   LOCATION VOL28        VOLUME     413565.075  3771155.985      120.810
   LOCATION VOL29        VOLUME     413561.193  3771122.475      120.730
   LOCATION VOL30        VOLUME     413558.007  3771088.277      120.770
   LOCATION VOL31        VOLUME     413528.453  3771224.132      121.010
   LOCATION VOL32        VOLUME     413528.576  3771190.129      120.780
   LOCATION VOL33        VOLUME     413531.301  3771155.772      120.650
   LOCATION VOL34        VOLUME     413527.420  3771122.263      120.560
   LOCATION VOL35        VOLUME     413524.234  3771088.065      120.770
   LOCATION VOL36        VOLUME     413494.892  3771226.893      120.870
   LOCATION VOL37        VOLUME     413495.015  3771192.890      120.630
   LOCATION VOL38        VOLUME     413497.741  3771158.533      120.460
   LOCATION VOL39        VOLUME     413493.859  3771125.024      120.410
   LOCATION VOL40        VOLUME     413490.673  3771090.826      120.550
   LOCATION VOL41        VOLUME     413461.331  3771229.230      120.830
```

```
     LOCATION VOL42        VOLUME     413461.454  3771195.226      120.620
     LOCATION VOL43        VOLUME     413464.180  3771160.870      120.410
     LOCATION VOL44        VOLUME     413460.298  3771127.361      120.290
     LOCATION VOL45        VOLUME     413457.112  3771093.162      120.290
     LOCATION VOL46        VOLUME     413427.770  3771229.442      120.700
     LOCATION VOL47        VOLUME     413427.893  3771195.439      120.500
     LOCATION VOL48        VOLUME     413430.619  3771161.082      120.340
     LOCATION VOL49        VOLUME     413426.737  3771127.573      120.190
     LOCATION VOL50        VOLUME     413423.551  3771093.375      120.040
     LOCATION VOL51        VOLUME     413397.396  3771227.531      120.420
     LOCATION VOL52        VOLUME     413394.545  3771194.164      120.300
     LOCATION VOL53        VOLUME     413397.058  3771160.445      120.180
     LOCATION VOL54        VOLUME     413392.327  3771126.086      120.090
     LOCATION VOL55        VOLUME     413390.415  3771093.800      119.780
     LOCATION VOL56        VOLUME     413576.851  3771062.824      120.680
     LOCATION VOL57        VOLUME     413543.290  3771064.735      120.680
     LOCATION VOL58        VOLUME     413510.154  3771066.222      120.700
     LOCATION VOL59        VOLUME     413389.080  3771161.170      120.140
     LOCATION VOL60        VOLUME     413476.594  3771068.771      120.480
     LOCATION VOL61        VOLUME     413443.033  3771068.984      120.130
     LOCATION VOL62        VOLUME     413409.684  3771070.258      119.840
     LOCATION VOL63        VOLUME     413380.371  3771072.807      119.720
** Source Parameters **
     SRCPARAM VOL13        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL14        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL15        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL16        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL17        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL18        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL19        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL20        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL21        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL22        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL23        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL24        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL25        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL26        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL27        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL28        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL29        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL30        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL31        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL32        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL33        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL34        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL35        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL36        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL37        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL38        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL39        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL40        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL41        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL42        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL43        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL44        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL45        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL46        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL47        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL48        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL49        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL50        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL51        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL52        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL53        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL54        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL55        0.0050337388     5.000     7.760     1.400
```

```
   SRCPARAM VOL56        0.0050337388     5.000     7.760     1.400
   SRCPARAM VOL57        0.0050337388     5.000     7.760     1.400
   SRCPARAM VOL58        0.0050337388     5.000     7.760     1.400
   SRCPARAM VOL59        0.0050337388     5.000     7.760     1.400
   SRCPARAM VOL60        0.0050337388     5.000     7.760     1.400
   SRCPARAM VOL61        0.0050337388     5.000     7.760     1.400
   SRCPARAM VOL62        0.0050337388     5.000     7.760     1.400
   SRCPARAM VOL63        0.0050337388     5.000     7.760     1.400
   URBANSRC ALL

** Variable Emissions Type: "By Hour / Day (HRDOW)"
** Variable Emission Scenario: "Scenario 1"
** WeekDays:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL13        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL14        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL15        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL16        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL17        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL18        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL19        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL20        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL21        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL22        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL23        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL24        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL25        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
```

```
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL26        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL27        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL28        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL29        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL30        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL31        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL32        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL33        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
   EMISFACT VOL34        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL35        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL36        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL37        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL38        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL39        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL40        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL41        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL42        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL43        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL44        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL45        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL46        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL47        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
```

```
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL48        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL49        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL50        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL51        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL52        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL53        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL54        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL55        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
   EMISFACT VOL56        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL57        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL58        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL59        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL60        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL61        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL62        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL63        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   SRCGROUP ALL
SO FINISHED
**
****************************************
** AERMOD Receptor Pathway
****************************************
**
**
RE STARTING
   INCLUDED "16435 Cons NOX.rou"
RE FINISHED
**
****************************************
** AERMOD Meteorology Pathway
****************************************
```

```
**
**
ME STARTING
   SURFFILE AZUS_V11_trimmed.sfc
   PROFFILE AZUS_V11_trimmed.PFL
   SURFDATA 3179 2017
   UAIRDATA 3190 2017
   SITEDATA 60370002 2017
   PROFBASE 187.0 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 1 1ST
** Auto-Generated Plotfiles
   PLOTFILE 1 ALL 1ST "16435 CONS NOX.AD\01H1GALL.PLT" 31
   SUMMFILE "16435 Cons NOX.sum"
OU FINISHED
**
**************************************
** Project Parameters
**************************************
** PROJCTN  CoordinateSystemUTM
** DESCPTN  UTM: Universal Transverse Mercator
** DATUM    North American Datum 1983
** DTMRGN   CONUS
** UNITS    m
** ZONE     11
** ZONEINX  0
**
```

```
** Lakes Environmental AERMOD MPI
**
****************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 13.0.0
** Lakes Environmental Software Inc.
** Date: 5/15/2025
** File: C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons NOX\16435 Cons NOX.ADI
**
****************************************
**
**
****************************************
** AERMOD Control Pathway
****************************************
**
**
CO STARTING
   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643
   MODELOPT DFAULT CONC
   AVERTIME 1
   URBANOPT 9663345 Los_Angeles_County
   POLLUTID NOX
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "16435 Cons NOX.err"
CO FINISHED
**
****************************************
** AERMOD Source Pathway
****************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL13        VOLUME     413678.759  3771046.996      120.760
   LOCATION VOL14        VOLUME     413644.379  3771048.419      120.440
   LOCATION VOL15        VOLUME     413609.792  3771050.453      120.340
   LOCATION VOL16        VOLUME     413630.138  3771220.132      121.570
   LOCATION VOL17        VOLUME     413630.260  3771186.129      121.320
   LOCATION VOL18        VOLUME     413632.986  3771151.772      121.170
   LOCATION VOL19        VOLUME     413629.104  3771118.263      120.940
   LOCATION VOL20        VOLUME     413625.918  3771084.065      120.660
   LOCATION VOL21        VOLUME     413596.212  3771220.733      121.340
   LOCATION VOL22        VOLUME     413596.335  3771186.730      121.160
   LOCATION VOL23        VOLUME     413599.061  3771152.374      121.000
   LOCATION VOL24        VOLUME     413595.179  3771118.864      120.760
   LOCATION VOL25        VOLUME     413591.993  3771084.666      120.730
   LOCATION VOL26        VOLUME     413562.226  3771224.344      121.200
   LOCATION VOL27        VOLUME     413562.349  3771190.341      120.990
   LOCATION VOL28        VOLUME     413565.075  3771155.985      120.810
   LOCATION VOL29        VOLUME     413561.193  3771122.475      120.730
   LOCATION VOL30        VOLUME     413558.007  3771088.277      120.770
   LOCATION VOL31        VOLUME     413528.453  3771224.132      121.010
   LOCATION VOL32        VOLUME     413528.576  3771190.129      120.780
   LOCATION VOL33        VOLUME     413531.301  3771155.772      120.650
   LOCATION VOL34        VOLUME     413527.420  3771122.263      120.560
   LOCATION VOL35        VOLUME     413524.234  3771088.065      120.770
   LOCATION VOL36        VOLUME     413494.892  3771226.893      120.870
   LOCATION VOL37        VOLUME     413495.015  3771192.890      120.630
   LOCATION VOL38        VOLUME     413497.741  3771158.533      120.460
   LOCATION VOL39        VOLUME     413493.859  3771125.024      120.410
   LOCATION VOL40        VOLUME     413490.673  3771090.826      120.550
```

```
     LOCATION VOL41        VOLUME     413461.331  3771229.230      120.830
     LOCATION VOL42        VOLUME     413461.454  3771195.226      120.620
     LOCATION VOL43        VOLUME     413464.180  3771160.870      120.410
     LOCATION VOL44        VOLUME     413460.298  3771127.361      120.290
     LOCATION VOL45        VOLUME     413457.112  3771093.162      120.290
     LOCATION VOL46        VOLUME     413427.770  3771229.442      120.700
     LOCATION VOL47        VOLUME     413427.893  3771195.439      120.500
     LOCATION VOL48        VOLUME     413430.619  3771161.082      120.340
     LOCATION VOL49        VOLUME     413426.737  3771127.573      120.190
     LOCATION VOL50        VOLUME     413423.551  3771093.375      120.040
     LOCATION VOL51        VOLUME     413397.396  3771227.531      120.420
     LOCATION VOL52        VOLUME     413394.545  3771194.164      120.300
     LOCATION VOL53        VOLUME     413397.058  3771160.445      120.180
     LOCATION VOL54        VOLUME     413392.327  3771126.086      120.090
     LOCATION VOL55        VOLUME     413390.415  3771093.800      119.780
     LOCATION VOL56        VOLUME     413576.851  3771062.824      120.680
     LOCATION VOL57        VOLUME     413543.290  3771064.735      120.680
     LOCATION VOL58        VOLUME     413510.154  3771066.222      120.700
     LOCATION VOL59        VOLUME     413389.080  3771161.170      120.140
     LOCATION VOL60        VOLUME     413476.594  3771068.771      120.480
     LOCATION VOL61        VOLUME     413443.033  3771068.984      120.130
     LOCATION VOL62        VOLUME     413409.684  3771070.258      119.840
     LOCATION VOL63        VOLUME     413380.371  3771072.807      119.720
** Source Parameters **
     SRCPARAM VOL13        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL14        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL15        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL16        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL17        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL18        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL19        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL20        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL21        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL22        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL23        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL24        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL25        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL26        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL27        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL28        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL29        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL30        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL31        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL32        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL33        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL34        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL35        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL36        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL37        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL38        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL39        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL40        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL41        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL42        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL43        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL44        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL45        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL46        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL47        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL48        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL49        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL50        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL51        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL52        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL53        0.0050337388     5.000     7.760     1.400
     SRCPARAM VOL54        0.0050337388     5.000     7.760     1.400
```

```
   SRCPARAM VOL55        0.0050337388     5.000     7.760     1.400
   SRCPARAM VOL56        0.0050337388     5.000     7.760     1.400
   SRCPARAM VOL57        0.0050337388     5.000     7.760     1.400
   SRCPARAM VOL58        0.0050337388     5.000     7.760     1.400
   SRCPARAM VOL59        0.0050337388     5.000     7.760     1.400
   SRCPARAM VOL60        0.0050337388     5.000     7.760     1.400
   SRCPARAM VOL61        0.0050337388     5.000     7.760     1.400
   SRCPARAM VOL62        0.0050337388     5.000     7.760     1.400
   SRCPARAM VOL63        0.0050337388     5.000     7.760     1.400
   URBANSRC ALL

** Variable Emissions Type: "By Hour / Day (HRDOW)"
** Variable Emission Scenario: "Scenario 1"
** WeekDays:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL13        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL14        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL15        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL16        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL17        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL18        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL19        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL20        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL21        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL22        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL23        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL24        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL25        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL26        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL27        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL28        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL29        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
```

```
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL30        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL31        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL32        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL33        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL34        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL34        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL35        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL36        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL37        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL38        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL39        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL40        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL41        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL42        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL43        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL44        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL45        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL46        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL47        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL48        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL49        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL50        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL51        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
```

```
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL52        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL53        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL54        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL55        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL56        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL56        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL57        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL58        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL59        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL60        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL61        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL62        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL63        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   SRCGROUP ALL
SO FINISHED
**
****************************************
** AERMOD Receptor Pathway
****************************************
**
**
RE STARTING
   INCLUDED "16435 Cons NOX.rou"
RE FINISHED
**
****************************************
** AERMOD Meteorology Pathway
```

```
924   ****************************************
925   **
926   **
927   ME STARTING
928      SURFFILE AZUS_V11_trimmed.sfc
929      PROFFILE AZUS_V11_trimmed.PFL
930      SURFDATA 3179 2017
931      UAIRDATA 3190 2017
932      SITEDATA 60370002 2017
933      PROFBASE 187.0 METERS
934   ME FINISHED
935   **
936   ****************************************
937   ** AERMOD Output Pathway
938   ****************************************
939   **
940   **
941   OU STARTING
942      RECTABLE ALLAVE 1ST
943      RECTABLE 1 1ST
944   ** Auto-Generated Plotfiles
945      PLOTFILE 1 ALL 1ST "16435 CONS NOX.AD\01H1GALL.PLT" 31
946      SUMMFILE "16435 Cons NOX.sum"
947   OU FINISHED
948
949
950     *** Message Summary For AERMOD Model Setup ***
951
952     --------- Summary of Total Messages --------
953
954    A Total of            0 Fatal Error Message(s)
955    A Total of            2 Warning Message(s)
956    A Total of            0 Informational Message(s)
957
958
959       ******** FATAL ERROR MESSAGES ********
960                  ***  NONE  ***
961
962
963       ********   WARNING MESSAGES   ********
964    ME W186     933       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold
       used           0.50
965    ME W187     933       MEOPEN: ADJ_U* Option for Stable Low Winds used in
       AERMET
966
967    *********************************
968    *** SETUP Finishes Successfully ***
969    *********************************
970
971   FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
       Norte\16435 Cons\1643 ***        05/15/25
972    *** AERMET - VERSION  22112 ***
       ***                                                                  ***
       09:48:10
973
                                  PAGE   1
974    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
975
976                                              ***     MODEL SETUP OPTIONS SUMMARY       ***
977    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
       - - - - - - - - - - - - - - - - - - -
978
979    ** Model Options Selected:
980         * Model Uses Regulatory DEFAULT Options
981         * Model Is Setup For Calculation of Average CONCentration Values.
982         * NO GAS DEPOSITION Data Provided.
```

```
983         * NO PARTICLE DEPOSITION Data Provided.
984         * Model Uses NO DRY DEPLETION. DDPLETE  =  F
985         * Model Uses NO WET DEPLETION. WETDPLT  =  F
986         * Stack-tip Downwash.
987         * Model Accounts for ELEVated Terrain Effects.
988         * Use Calms Processing Routine.
989         * Use Missing Data Processing Routine.
990         * No Exponential Decay.
991         * Model Uses URBAN Dispersion Algorithm for the SBL for    51 Source(s),
992           for Total of    1 Urban Area(s):
993      Urban Population =   9663345.0 ;  Urban Roughness Length =  1.000 m
994         * Urban Roughness Length of 1.0 Meter Used.
995         * ADJ_U*   - Use ADJ_U* option for SBL in AERMET
996         * CCVR_Sub - Meteorological data includes CCVR substitutions
997         * TEMP_Sub - Meteorological data includes TEMP substitutions
998         * Model Accepts FLAGPOLE Receptor . Heights.
999         * The User Specified a Pollutant Type of: NOX
1000
1001    **Model Calculates  1 Short Term Average(s) of:   1-HR
1002
1003    **This Run Includes:     51 Source(s);       1 Source Group(s); and      83 Receptor(s)
1004
1005                   with:      0 POINT(s), including
1006                              0 POINTCAP(s) and      0 POINTHOR(s)
1007                    and:     51 VOLUME source(s)
1008                    and:      0 AREA type source(s)
1009                    and:      0 LINE source(s)
1010                    and:      0 RLINE/RLINEXT source(s)
1011                    and:      0 OPENPIT source(s)
1012                    and:      0 BUOYANT LINE source(s) with a total of     0 line(s)
1013                    and:      0 SWPOINT source(s)
1014
1015
1016    **Model Set To Continue RUNning After the Setup Testing.
1017
1018    **The AERMET Input Meteorological Data Version Date:  22112
1019
1020    **Output Options Selected:
1021            Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE
                Keyword)
1022            Model Outputs External File(s) of High Values for Plotting (PLOTFILE Keyword)
1023            Model Outputs Separate Summary File of High Ranked Values (SUMMFILE Keyword)
1024
1025    **NOTE:  The Following Flags May Appear Following CONC Values:  c for Calm Hours
1026                                                                    m for Missing Hours
1027                                                                    b for Both Calm and
                                                                        Missing Hours
1028
1029    **Misc. Inputs:  Base Elev. for Pot. Temp. Profile (m MSL) =   187.00 ;  Decay Coef.
        =    0.000     ;  Rot. Angle =     0.0
1030                     Emission Units = GRAMS/SEC                                ;  Emission
                         Rate Unit Factor =   0.10000E+07
1031                     Output Units   = MICROGRAMS/M**3
1032
1033    **Approximate Storage Requirements of Model =      3.6 MB of RAM.
1034
1035    **Input Runstream File:
        aermod.inp

1036    **Output Print File:
        aermod.out

1037
1038    **Detailed Error/Message File:   16435 Cons
        NOX.err
1039    **File for Summary of Results:   16435 Cons
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER EMISSION RATE INIT. SZ PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	SOURCE SCALAR VARY BY
VOL13	0	0.50337E-02	413678.8	3771047.0	120.8	5.00	7.76	
1.40	YES	HRDOW		NO				
VOL14	0	0.50337E-02	413644.4	3771048.4	120.4	5.00	7.76	
1.40	YES	HRDOW		NO				
VOL15	0	0.50337E-02	413609.8	3771050.5	120.3	5.00	7.76	
1.40	YES	HRDOW		NO				
VOL16	0	0.50337E-02	413630.1	3771220.1	121.6	5.00	7.76	
1.40	YES	HRDOW		NO				
VOL17	0	0.50337E-02	413630.3	3771186.1	121.3	5.00	7.76	
1.40	YES	HRDOW		NO				
VOL18	0	0.50337E-02	413633.0	3771151.8	121.2	5.00	7.76	
1.40	YES	HRDOW		NO				
VOL19	0	0.50337E-02	413629.1	3771118.3	120.9	5.00	7.76	
1.40	YES	HRDOW		NO				
VOL20	0	0.50337E-02	413625.9	3771084.1	120.7	5.00	7.76	
1.40	YES	HRDOW		NO				
VOL21	0	0.50337E-02	413596.2	3771220.7	121.3	5.00	7.76	
1.40	YES	HRDOW		NO				
VOL22	0	0.50337E-02	413596.3	3771186.7	121.2	5.00	7.76	
1.40	YES	HRDOW		NO				
VOL23	0	0.50337E-02	413599.1	3771152.4	121.0	5.00	7.76	
1.40	YES	HRDOW		NO				
VOL24	0	0.50337E-02	413595.2	3771118.9	120.8	5.00	7.76	
1.40	YES	HRDOW		NO				
VOL25	0	0.50337E-02	413592.0	3771084.7	120.7	5.00	7.76	
1.40	YES	HRDOW		NO				
VOL26	0	0.50337E-02	413562.2	3771224.3	121.2	5.00	7.76	
1.40	YES	HRDOW		NO				
VOL27	0	0.50337E-02	413562.3	3771190.3	121.0	5.00	7.76	
1.40	YES	HRDOW		NO				
VOL28	0	0.50337E-02	413565.1	3771156.0	120.8	5.00	7.76	
1.40	YES	HRDOW		NO				
VOL29	0	0.50337E-02	413561.2	3771122.5	120.7	5.00	7.76	
1.40	YES	HRDOW		NO				
VOL30	0	0.50337E-02	413558.0	3771088.3	120.8	5.00	7.76	
1.40	YES	HRDOW		NO				
VOL31	0	0.50337E-02	413528.5	3771224.1	121.0	5.00	7.76	
1.40	YES	HRDOW		NO				
VOL32	0	0.50337E-02	413528.6	3771190.1	120.8	5.00	7.76	
1.40	YES	HRDOW		NO				
VOL33	0	0.50337E-02	413531.3	3771155.8	120.6	5.00	7.76	
1.40	YES	HRDOW		NO				
VOL34	0	0.50337E-02	413527.4	3771122.3	120.6	5.00	7.76	
1.40	YES	HRDOW		NO				

```
1075    VOL35            0   0.50337E-02  413524.2 3771088.1   120.8     5.00     7.76
        1.40     YES   HRDOW            NO
1076    VOL36            0   0.50337E-02  413494.9 3771226.9   120.9     5.00     7.76
        1.40     YES   HRDOW            NO
1077    VOL37            0   0.50337E-02  413495.0 3771192.9   120.6     5.00     7.76
        1.40     YES   HRDOW            NO
1078    VOL38            0   0.50337E-02  413497.7 3771158.5   120.5     5.00     7.76
        1.40     YES   HRDOW            NO
1079    VOL39            0   0.50337E-02  413493.9 3771125.0   120.4     5.00     7.76
        1.40     YES   HRDOW            NO
1080    VOL40            0   0.50337E-02  413490.7 3771090.8   120.5     5.00     7.76
        1.40     YES   HRDOW            NO
1081    VOL41            0   0.50337E-02  413461.3 3771229.2   120.8     5.00     7.76
        1.40     YES   HRDOW            NO
1082    VOL42            0   0.50337E-02  413461.5 3771195.2   120.6     5.00     7.76
        1.40     YES   HRDOW            NO
1083    VOL43            0   0.50337E-02  413464.2 3771160.9   120.4     5.00     7.76
        1.40     YES   HRDOW            NO
1084    VOL44            0   0.50337E-02  413460.3 3771127.4   120.3     5.00     7.76
        1.40     YES   HRDOW            NO
1085    VOL45            0   0.50337E-02  413457.1 3771093.2   120.3     5.00     7.76
        1.40     YES   HRDOW            NO
1086    VOL46            0   0.50337E-02  413427.8 3771229.4   120.7     5.00     7.76
        1.40     YES   HRDOW            NO
1087    VOL47            0   0.50337E-02  413427.9 3771195.4   120.5     5.00     7.76
        1.40     YES   HRDOW            NO
1088    VOL48            0   0.50337E-02  413430.6 3771161.1   120.3     5.00     7.76
        1.40     YES   HRDOW            NO
1089    VOL49            0   0.50337E-02  413426.7 3771127.6   120.2     5.00     7.76
        1.40     YES   HRDOW            NO
1090    VOL50            0   0.50337E-02  413423.6 3771093.4   120.0     5.00     7.76
        1.40     YES   HRDOW            NO
1091    VOL51            0   0.50337E-02  413397.4 3771227.5   120.4     5.00     7.76
        1.40     YES   HRDOW            NO
1092    VOL52            0   0.50337E-02  413394.5 3771194.2   120.3     5.00     7.76
        1.40     YES   HRDOW            NO
1093    FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
        Norte\16435 Cons\1643 ***        05/15/25
1094     *** AERMET - VERSION  22112 ***
         ***                                                                    ***
         09:48:10
1095
                                    PAGE   3
1096    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1097
1098
1099                                                  *** VOLUME SOURCE DATA ***
1100
1101                 NUMBER EMISSION RATE                      BASE    RELEASE    INIT.
                     INIT.   URBAN  EMISSION RATE   AIRCRAFT
1102       SOURCE     PART.  (GRAMS/SEC)     X        Y      ELEV.   HEIGHT      SY
           SZ     SOURCE  SCALAR VARY
1103         ID         CATS.               (METERS) (METERS) (METERS) (METERS) (METERS)
             (METERS)              BY
1104    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - -
1105
1106    VOL53            0   0.50337E-02  413397.1 3771160.4   120.2     5.00     7.76
        1.40     YES   HRDOW            NO
1107    VOL54            0   0.50337E-02  413392.3 3771126.1   120.1     5.00     7.76
        1.40     YES   HRDOW            NO
1108    VOL55            0   0.50337E-02  413390.4 3771093.8   119.8     5.00     7.76
        1.40     YES   HRDOW            NO
1109    VOL56            0   0.50337E-02  413576.9 3771062.8   120.7     5.00     7.76
        1.40     YES   HRDOW            NO
1110    VOL57            0   0.50337E-02  413543.3 3771064.7   120.7     5.00     7.76
```

```
      1.40     YES   HRDOW            NO
1111  VOL58            0   0.50337E-02  413510.2 3771066.2   120.7     5.00     7.76
      1.40     YES   HRDOW            NO
1112  VOL59            0   0.50337E-02  413389.1 3771161.2   120.1     5.00     7.76
      1.40     YES   HRDOW            NO
1113  VOL60            0   0.50337E-02  413476.6 3771068.8   120.5     5.00     7.76
      1.40     YES   HRDOW            NO
1114  VOL61            0   0.50337E-02  413443.0 3771069.0   120.1     5.00     7.76
      1.40     YES   HRDOW            NO
1115  VOL62            0   0.50337E-02  413409.7 3771070.3   119.8     5.00     7.76
      1.40     YES   HRDOW            NO
1116  VOL63            0   0.50337E-02  413380.4 3771072.8   119.7     5.00     7.76
      1.40     YES   HRDOW            NO
1117  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
1118   *** AERMET - VERSION  22112 ***
       ***                                                                    ***
       09:48:10
1119
                                PAGE   4
1120   *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1121
1122
1123                                        *** SOURCE IDs DEFINING SOURCE GROUPS ***
1124
1125   SRCGROUP ID                                          SOURCE IDs
1126   -----------                                          ----------
1127
1128
1129    ALL        VOL13       , VOL14       , VOL15       , VOL16       , VOL17       ,
       VOL18       , VOL19       , VOL20       ,
1130
1131               VOL21       , VOL22       , VOL23       , VOL24       , VOL25       ,
               VOL26       , VOL27       , VOL28       ,
1132
1133               VOL29       , VOL30       , VOL31       , VOL32       , VOL33       ,
               VOL34       , VOL35       , VOL36       ,
1134
1135               VOL37       , VOL38       , VOL39       , VOL40       , VOL41       ,
               VOL42       , VOL43       , VOL44       ,
1136
1137               VOL45       , VOL46       , VOL47       , VOL48       , VOL49       ,
               VOL50       , VOL51       , VOL52       ,
1138
1139               VOL53       , VOL54       , VOL55       , VOL56       , VOL57       ,
               VOL58       , VOL59       , VOL60       ,
1140
1141               VOL61       , VOL62       , VOL63       ,
1142  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
1143   *** AERMET - VERSION  22112 ***
       ***                                                                    ***
       09:48:10
1144
                                PAGE   5
1145   *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1146
1147
1148                                      *** SOURCE IDs DEFINED AS URBAN SOURCES ***
1149
1150    URBAN ID   URBAN POP                                 SOURCE IDs
1151    --------   ---------                                 ----------
1152
1153
1154                9663345.   VOL13       , VOL14       , VOL15       , VOL16       ,
                   VOL17       , VOL18       , VOL19       ,
```

```
1155    VOL20       ,
1156
1157                VOL21       , VOL22       , VOL23       , VOL24       , VOL25       ,
                    VOL26       , VOL27       , VOL28       ,
1158
1159                VOL29       , VOL30       , VOL31       , VOL32       , VOL33       ,
                    VOL34       , VOL35       , VOL36       ,
1160
1161                VOL37       , VOL38       , VOL39       , VOL40       , VOL41       ,
                    VOL42       , VOL43       , VOL44       ,
1162
1163                VOL45       , VOL46       , VOL47       , VOL48       , VOL49       ,
                    VOL50       , VOL51       , VOL52       ,
1164
1165                VOL53       , VOL54       , VOL55       , VOL56       , VOL57       ,
                    VOL58       , VOL59       , VOL60       ,
1166
1167                VOL61       , VOL62       , VOL63       ,
1168    FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
1169     *** AERMET - VERSION  22112 ***
         ***                                                                    ***
         09:48:10
1170
                                  PAGE   6
1171     *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1172
1173                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                         WEEK (HRDOW) *
1174
1175     SOURCE ID = VOL13        ; SOURCE TYPE = VOLUME   :
1176      HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1177    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
      - - - - - - - - - - - - - - - - - - - -
1178                                                 DAY OF WEEK = WEEKDAY
1179        1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1180        9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1181       17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1182                                                 DAY OF WEEK = SATURDAY
1183        1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1184        9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1185       17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1186                                                 DAY OF WEEK = SUNDAY
1187        1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1188        9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1189       17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1190    FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
1191     *** AERMET - VERSION  22112 ***
         ***                                                                    ***
         09:48:10
1192
                                  PAGE   7
1193     *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1194
1195                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
```

```
                    WEEK (HRDOW) *
1196
1197    SOURCE ID = VOL14        ; SOURCE TYPE = VOLUME   :
1198     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1199    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1200                                                DAY OF WEEK = WEEKDAY
1201       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1202       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1203      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1204                                                DAY OF WEEK = SATURDAY
1205       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1206       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1207      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1208                                                DAY OF WEEK = SUNDAY
1209       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1210       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1211      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1212    FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
        Norte\16435 Cons\1643 ***        05/15/25
1213     *** AERMET - VERSION  22112 ***
         ***                                                                    ***
         09:48:10
1214
                                   PAGE   8
1215     *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1216
1217                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                          WEEK (HRDOW) *
1218
1219    SOURCE ID = VOL15        ; SOURCE TYPE = VOLUME   :
1220     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1221    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1222                                                DAY OF WEEK = WEEKDAY
1223       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1224       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1225      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1226                                                DAY OF WEEK = SATURDAY
1227       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1228       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1229      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1230                                                DAY OF WEEK = SUNDAY
1231       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1232       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1233      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL16 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL17 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14					

```
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:48:10

                             PAGE  11
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL18        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:48:10

                             PAGE  12
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL19        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
```

```
1311       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1312       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1313      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1314                                              DAY OF WEEK = SATURDAY
1315       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1316       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1317      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1318                                              DAY OF WEEK = SUNDAY
1319       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1320       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1321      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1322 FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
     Norte\16435 Cons\1643 ***        05/15/25
1323  *** AERMET - VERSION  22112 ***
      ***                                                                        ***
      09:48:10
1324
                                  PAGE  13
1325  *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1326
1327                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                        WEEK (HRDOW) *
1328
1329  SOURCE ID = VOL20        ; SOURCE TYPE = VOLUME   :
1330   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
      SCALAR   HOUR   SCALAR   HOUR   SCALAR
1331  - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
      - - - - - - - - - - - - - - - - - - - -
1332                                              DAY OF WEEK = WEEKDAY
1333       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1334       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1335      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1336                                              DAY OF WEEK = SATURDAY
1337       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1338       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1339      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1340                                              DAY OF WEEK = SUNDAY
1341       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1342       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1343      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1344 FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
     Norte\16435 Cons\1643 ***        05/15/25
1345  *** AERMET - VERSION  22112 ***
      ***                                                                        ***
      09:48:10
1346
                                  PAGE  14
1347  *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
```

```
1348
1349                     * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                         WEEK (HRDOW) *
1350
1351    SOURCE ID = VOL21        ; SOURCE TYPE = VOLUME   :
1352     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1353    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1354                                                DAY OF WEEK = WEEKDAY
1355       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1356       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1357      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1358                                                DAY OF WEEK = SATURDAY
1359       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1360       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1361      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1362                                                DAY OF WEEK = SUNDAY
1363       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1364       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1365      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1366    FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
        Norte\16435 Cons\1643 ***        05/15/25
1367     *** AERMET - VERSION  22112 ***
         ***                                                                    ***
         09:48:10
1368
                                    PAGE  15
1369     *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1370
1371                     * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                         WEEK (HRDOW) *
1372
1373    SOURCE ID = VOL22        ; SOURCE TYPE = VOLUME   :
1374     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1375    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1376                                                DAY OF WEEK = WEEKDAY
1377       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1378       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1379      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1380                                                DAY OF WEEK = SATURDAY
1381       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1382       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1383      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1384                                                DAY OF WEEK = SUNDAY
1385       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1386       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
```

```
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                    ***
 09:48:10

                              PAGE  16
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL23        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
    .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                    ***
 09:48:10

                              PAGE  17
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL24        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
    .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
```

```
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:48:10

                              PAGE  18
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL25        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:48:10

                              PAGE  19
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL26        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
```

```
    - - - - - - - - - - - - - - - - - - - - -
1464                                                DAY OF WEEK = WEEKDAY
1465       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1466       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1467      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1468                                                DAY OF WEEK = SATURDAY
1469       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1470       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1471      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1472                                                DAY OF WEEK = SUNDAY
1473       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1474       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1475      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1476   FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
       Norte\16435 Cons\1643 ***        05/15/25
1477    *** AERMET - VERSION  22112 ***
        ***                                                                          ***
        09:48:10
1478
                                  PAGE  20
1479    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1480
1481                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                          WEEK (HRDOW) *
1482
1483    SOURCE ID = VOL27        ; SOURCE TYPE = VOLUME   :
1484     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1485    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
    - - - - - - - - - - - - - - - - - - - - -
1486                                                DAY OF WEEK = WEEKDAY
1487       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1488       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1489      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1490                                                DAY OF WEEK = SATURDAY
1491       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1492       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1493      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1494                                                DAY OF WEEK = SUNDAY
1495       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1496       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1497      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1498   FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
       Norte\16435 Cons\1643 ***        05/15/25
1499    *** AERMET - VERSION  22112 ***
        ***                                                                          ***
        09:48:10
1500
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL28 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

FF *** AERMOD - VERSION 24142 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643 *** 05/15/25

*** AERMET - VERSION 22112 ***

*** ***

09:48:10

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL29 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00

```
1540       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1541      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1542   FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
       Norte\16435 Cons\1643 ***        05/15/25
1543    *** AERMET - VERSION  22112 ***
        ***                                                                    ***
        09:48:10
1544
                                    PAGE  23
1545    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1546
1547                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                          WEEK (HRDOW) *
1548
1549    SOURCE ID = VOL30        ; SOURCE TYPE = VOLUME   :
1550     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1551    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1552                                                DAY OF WEEK = WEEKDAY
1553       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1554       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1555      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1556                                                DAY OF WEEK = SATURDAY
1557       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1558       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1559      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1560                                                DAY OF WEEK = SUNDAY
1561       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1562       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1563      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1564   FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
       Norte\16435 Cons\1643 ***        05/15/25
1565    *** AERMET - VERSION  22112 ***
        ***                                                                    ***
        09:48:10
1566
                                    PAGE  24
1567    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1568
1569                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                          WEEK (HRDOW) *
1570
1571    SOURCE ID = VOL31        ; SOURCE TYPE = VOLUME   :
1572     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1573    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1574                                                DAY OF WEEK = WEEKDAY
1575       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1576       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1577      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
```

```
                                                  DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14  .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                  DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14  .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                        ***
 09:48:10

                              PAGE  25
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL32        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                  DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14  .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                  DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14  .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                  DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14  .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                        ***
 09:48:10

                              PAGE  26
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL33        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
```

```
 SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                             DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14  .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
                                             DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14  .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
                                             DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14  .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                        ***
 09:48:10

                             PAGE  27
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL34        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                             DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14  .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
                                             DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14  .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
                                             DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14  .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                        ***
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL35 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

FF *** AERMOD - VERSION 24142 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643 *** 05/15/25

*** AERMET - VERSION 22112 ***

*** ***

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL36 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

```
1693       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1694       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1695      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1696   FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
       Norte\16435 Cons\1643 ***        05/15/25
1697    *** AERMET - VERSION  22112 ***
        ***                                                                        ***
        09:48:10
1698
                                    PAGE  30
1699    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1700
1701                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                          WEEK (HRDOW) *
1702
1703    SOURCE ID = VOL37        ; SOURCE TYPE = VOLUME   :
1704     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1705    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1706                                                  DAY OF WEEK = WEEKDAY
1707       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1708       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1709      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1710                                                  DAY OF WEEK = SATURDAY
1711       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1712       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1713      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1714                                                  DAY OF WEEK = SUNDAY
1715       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1716       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1717      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1718   FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
       Norte\16435 Cons\1643 ***        05/15/25
1719    *** AERMET - VERSION  22112 ***
        ***                                                                        ***
        09:48:10
1720
                                    PAGE  31
1721    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1722
1723                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                          WEEK (HRDOW) *
1724
1725    SOURCE ID = VOL38        ; SOURCE TYPE = VOLUME   :
1726     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1727    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1728                                                  DAY OF WEEK = WEEKDAY
1729       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1730       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
```

```
1731      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1732                                                DAY OF WEEK = SATURDAY
1733       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
          .0000E+00    7  .0000E+00    8  .0000E+00
1734       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
          .0000E+00   15  .0000E+00   16  .0000E+00
1735      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1736                                                DAY OF WEEK = SUNDAY
1737       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
          .0000E+00    7  .0000E+00    8  .0000E+00
1738       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
          .0000E+00   15  .0000E+00   16  .0000E+00
1739      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1740  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
1741       *** AERMET - VERSION  22112 ***
           ***                                                                    ***
           09:48:10
1742
                                    PAGE  32
1743       *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1744
1745                         * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                             WEEK (HRDOW) *
1746
1747       SOURCE ID = VOL39        ; SOURCE TYPE = VOLUME   :
1748        HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
           SCALAR   HOUR   SCALAR   HOUR   SCALAR
1749  - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
      - - - - - - - - - - - - - - - - - - - -
1750                                                DAY OF WEEK = WEEKDAY
1751       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
          .0000E+00    7  .0000E+00    8  .0000E+00
1752       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
          .1000E+01   15  .1000E+01   16  .1000E+01
1753      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1754                                                DAY OF WEEK = SATURDAY
1755       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
          .0000E+00    7  .0000E+00    8  .0000E+00
1756       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
          .0000E+00   15  .0000E+00   16  .0000E+00
1757      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1758                                                DAY OF WEEK = SUNDAY
1759       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
          .0000E+00    7  .0000E+00    8  .0000E+00
1760       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
          .0000E+00   15  .0000E+00   16  .0000E+00
1761      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1762  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
1763       *** AERMET - VERSION  22112 ***
           ***                                                                    ***
           09:48:10
1764
                                    PAGE  33
1765       *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1766
1767                         * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                             WEEK (HRDOW) *
1768
```

```
 SOURCE ID = VOL40        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
    .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                    ***
 09:48:10

                            PAGE  34
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL41        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
    .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
```

```
1807    *** AERMET - VERSION  22112 ***
        ***                                                                    ***
        09:48:10
1808
                                    PAGE  35
1809    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1810
1811                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                          WEEK (HRDOW) *
1812
1813    SOURCE ID = VOL42        ; SOURCE TYPE = VOLUME   :
1814     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1815    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1816                                                  DAY OF WEEK = WEEKDAY
1817       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1818       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1819      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1820                                                  DAY OF WEEK = SATURDAY
1821       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1822       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1823      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1824                                                  DAY OF WEEK = SUNDAY
1825       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1826       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1827      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1828    FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
        Norte\16435 Cons\1643 ***        05/15/25
1829     *** AERMET - VERSION  22112 ***
         ***                                                                   ***
         09:48:10
1830
                                    PAGE  36
1831    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1832
1833                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                          WEEK (HRDOW) *
1834
1835    SOURCE ID = VOL43        ; SOURCE TYPE = VOLUME   :
1836     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1837    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1838                                                  DAY OF WEEK = WEEKDAY
1839       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1840       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1841      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1842                                                  DAY OF WEEK = SATURDAY
1843       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1844       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1845      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
```

```
      .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
     1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
     9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
    17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
    .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                        ***
 09:48:10

                              PAGE  37
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL44        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
     1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
     9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
    17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
    .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
     1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
     9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
    17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
    .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
     1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
     9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
    17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
    .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                        ***
 09:48:10

                              PAGE  38
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL45        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
     1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
```

```
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:48:10

                              PAGE  39
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL46        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:48:10

                              PAGE  40
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
```

```
                    WEEK (HRDOW) *
1922
1923    SOURCE ID = VOL47        ; SOURCE TYPE = VOLUME   :
1924     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1925    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1926                                                DAY OF WEEK = WEEKDAY
1927       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1928       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1929      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1930                                                DAY OF WEEK = SATURDAY
1931       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1932       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1933      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1934                                                DAY OF WEEK = SUNDAY
1935       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1936       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1937      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1938    FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
        Norte\16435 Cons\1643 ***        05/15/25
1939     *** AERMET - VERSION  22112 ***
         ***                                                                    ***
         09:48:10
1940
                                  PAGE  41
1941    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1942
1943                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                        WEEK (HRDOW) *
1944
1945    SOURCE ID = VOL48        ; SOURCE TYPE = VOLUME   :
1946     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1947    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1948                                                DAY OF WEEK = WEEKDAY
1949       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1950       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1951      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1952                                                DAY OF WEEK = SATURDAY
1953       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1954       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1955      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1956                                                DAY OF WEEK = SUNDAY
1957       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1958       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1959      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL49 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL50 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14					

```
      .0000E+00   15  .0000E+00   16  .0000E+00
      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
       .0000E+00    7  .0000E+00    8  .0000E+00
       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
       .0000E+00   15  .0000E+00   16  .0000E+00
      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:48:10

                            PAGE  44
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL51        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
       .0000E+00    7  .0000E+00    8  .0000E+00
       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
       .1000E+01   15  .1000E+01   16  .1000E+01
      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
       .0000E+00    7  .0000E+00    8  .0000E+00
       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
       .0000E+00   15  .0000E+00   16  .0000E+00
      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
       .0000E+00    7  .0000E+00    8  .0000E+00
       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
       .0000E+00   15  .0000E+00   16  .0000E+00
      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:48:10

                            PAGE  45
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL52        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
```

```
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:48:10

                                PAGE  46
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL53        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:48:10

                                PAGE  47
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
```

```
2074
2075                     * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                         WEEK (HRDOW) *
2076
2077    SOURCE ID = VOL54        ; SOURCE TYPE = VOLUME   :
2078     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
2079    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
2080                                                DAY OF WEEK = WEEKDAY
2081       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2082       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
2083      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2084                                                DAY OF WEEK = SATURDAY
2085       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2086       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
2087      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2088                                                DAY OF WEEK = SUNDAY
2089       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2090       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
2091      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2092    FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
        Norte\16435 Cons\1643 ***        05/15/25
2093     *** AERMET - VERSION  22112 ***
         ***                                                                    ***
         09:48:10
2094
                                  PAGE  48
2095     *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2096
2097                     * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                         WEEK (HRDOW) *
2098
2099    SOURCE ID = VOL55        ; SOURCE TYPE = VOLUME   :
2100     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
2101    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
2102                                                DAY OF WEEK = WEEKDAY
2103       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2104       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
2105      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2106                                                DAY OF WEEK = SATURDAY
2107       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2108       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
2109      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2110                                                DAY OF WEEK = SUNDAY
2111       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2112       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
```

```
2113      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2114   FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
       Norte\16435 Cons\1643 ***        05/15/25
2115       *** AERMET - VERSION  22112 ***
           ***                                                                    ***
           09:48:10
2116
                                    PAGE  49
2117       *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2118
2119                         * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                             WEEK (HRDOW) *
2120
2121       SOURCE ID = VOL56        ; SOURCE TYPE = VOLUME   :
2122        HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
           SCALAR   HOUR   SCALAR   HOUR   SCALAR
2123       - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
           - - - - - - - - - - - - - - - - - - - -
2124                                                  DAY OF WEEK = WEEKDAY
2125          1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
              .0000E+00    7  .0000E+00    8  .0000E+00
2126          9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
              .1000E+01   15  .1000E+01   16  .1000E+01
2127        17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
            .0000E+00   23  .0000E+00   24  .0000E+00
2128                                                  DAY OF WEEK = SATURDAY
2129          1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
              .0000E+00    7  .0000E+00    8  .0000E+00
2130          9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
              .0000E+00   15  .0000E+00   16  .0000E+00
2131        17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
            .0000E+00   23  .0000E+00   24  .0000E+00
2132                                                  DAY OF WEEK = SUNDAY
2133          1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
              .0000E+00    7  .0000E+00    8  .0000E+00
2134          9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
              .0000E+00   15  .0000E+00   16  .0000E+00
2135        17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
            .0000E+00   23  .0000E+00   24  .0000E+00
2136   FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
       Norte\16435 Cons\1643 ***        05/15/25
2137       *** AERMET - VERSION  22112 ***
           ***                                                                    ***
           09:48:10
2138
                                    PAGE  50
2139       *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2140
2141                         * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                             WEEK (HRDOW) *
2142
2143       SOURCE ID = VOL57        ; SOURCE TYPE = VOLUME   :
2144        HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
           SCALAR   HOUR   SCALAR   HOUR   SCALAR
2145       - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
           - - - - - - - - - - - - - - - - - - - -
2146                                                  DAY OF WEEK = WEEKDAY
2147          1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
              .0000E+00    7  .0000E+00    8  .0000E+00
2148          9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
              .1000E+01   15  .1000E+01   16  .1000E+01
2149        17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
            .0000E+00   23  .0000E+00   24  .0000E+00
2150                                                  DAY OF WEEK = SATURDAY
2151          1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
```

```
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                        ***
 09:48:10

                              PAGE  51
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL58        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                        ***
 09:48:10

                              PAGE  52
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL59        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
```

```
- - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
   .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:48:10

                            PAGE  53
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL60        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
   .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:48:10
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL61 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

FF *** AERMOD - VERSION 24142 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643 *** 05/15/25

*** AERMET - VERSION 22112 ***

*** ***

09:48:10

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL62 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00

```
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
     .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                    ***
 09:48:10

                              PAGE  56
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL63        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
     .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
     .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
     .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
     .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
     .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
     .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                    ***
 09:48:10

                              PAGE  57
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                        *** DISCRETE CARTESIAN RECEPTORS ***
                                       (X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
                                                    (METERS)

     ( 413648.5, 3771123.9,     121.2,     121.2,       2.0);         ( 413644.0,
     3771078.2,     120.7,     120.7,       2.0);
     ( 413676.4, 3771027.7,     120.7,     120.7,       2.0);         ( 413613.2,
     3771030.3,     120.2,     120.2,       2.0);
     ( 413569.0, 3771032.9,     120.2,     120.2,       2.0);         ( 413537.2,
     3771033.5,     120.1,     120.1,       2.0);
     ( 413484.4, 3771036.4,     120.1,     120.1,       2.0);         ( 413456.6,
     3771037.7,     120.0,     120.0,       2.0);
     ( 413405.8, 3771040.0,     119.8,     119.8,       2.0);         ( 413376.0,
     3771043.2,     119.6,     119.6,       2.0);
     ( 413333.4, 3771017.2,     119.6,     119.6,       2.0);         ( 413333.4,
```

```
        3771037.3,     119.6,     119.6,       2.0);
2305    ( 413337.5, 3771067.4,     119.9,    1634.0,       2.0);         ( 413343.4,
        3771088.0,     119.9,    1635.7,       2.0);
2306    ( 413343.5, 3771105.3,     120.0,    1635.7,       2.0);         ( 413345.8,
        3771118.8,     120.0,    1635.7,       2.0);
2307    ( 413348.0, 3771143.1,     120.1,    1635.7,       2.0);         ( 413348.7,
        3771160.3,     120.2,    1635.7,       2.0);
2308    ( 413352.6, 3771184.7,     120.3,    1648.2,       2.0);         ( 413353.5,
        3771198.5,     120.3,    1648.2,       2.0);
2309    ( 413353.8, 3771225.5,     120.5,    1648.2,       2.0);         ( 413358.9,
        3771259.0,     120.5,    1648.2,       2.0);
2310    ( 413361.6, 3771282.1,     120.6,    1648.2,       2.0);         ( 413362.1,
        3771296.6,     120.7,    1648.2,       2.0);
2311    ( 413366.2, 3771341.2,     120.8,    1648.2,       2.0);         ( 413416.9,
        3771250.2,     120.8,    1648.2,       2.0);
2312    ( 413567.7, 3771246.1,     121.3,    1648.2,       2.0);         ( 413480.0,
        3771281.7,     121.2,    1648.2,       2.0);
2313    ( 413452.6, 3771272.9,     121.1,    1648.2,       2.0);         ( 413513.6,
        3771244.7,     121.1,    1648.2,       2.0);
2314    ( 413388.2, 3771251.0,     120.3,    1648.2,       2.0);         ( 413682.5,
        3771320.7,     122.2,    1648.2,       2.0);
2315    ( 413651.8, 3771342.1,     121.9,    1648.2,       2.0);         ( 413368.2,
        3771352.5,     120.8,    1648.2,       2.0);
2316    ( 413368.7, 3771372.0,     120.8,    1648.2,       2.0);         ( 413421.4,
        3771372.2,     121.2,    1648.2,       2.0);
2317    ( 413450.7, 3771369.6,     121.3,    1648.2,       2.0);         ( 413502.7,
        3771368.8,     121.5,    1648.2,       2.0);
2318    ( 413531.6, 3771367.5,     121.7,    1648.2,       2.0);         ( 413588.4,
        3771364.6,     121.8,    1648.2,       2.0);
2319    ( 413617.0, 3771362.6,     122.0,    1648.2,       2.0);         ( 413654.2,
        3771385.2,     122.1,    1648.2,       2.0);
2320    ( 413641.6, 3771240.5,     121.7,    1635.7,       2.0);         ( 413598.3,
        3771241.6,     121.5,    1648.2,       2.0);
2321    ( 413658.1, 3771227.2,     121.7,    1635.7,       2.0);         ( 413652.5,
        3771171.9,     121.6,    1635.7,       2.0);
2322    ( 413762.5, 3771326.4,     122.8,    1648.2,       2.0);         ( 413755.3,
        3771297.7,     122.6,    1648.2,       2.0);
2323    ( 413752.2, 3771264.9,     122.4,    1635.7,       2.0);         ( 413751.5,
        3771243.9,     122.3,    1635.7,       2.0);
2324    ( 413749.2, 3771225.7,     122.3,    1635.7,       2.0);         ( 413747.4,
        3771206.7,     122.2,    1635.7,       2.0);
2325    ( 413745.0, 3771187.2,     122.1,    1635.7,       2.0);         ( 413743.4,
        3771169.2,     122.0,    1634.0,       2.0);
2326    ( 413742.3, 3771152.5,     122.0,     122.0,       2.0);         ( 413740.0,
        3771133.6,     121.8,     121.8,       2.0);
2327    ( 413738.3, 3771115.5,     121.7,     121.7,       2.0);         ( 413734.9,
        3771095.5,     121.6,     121.6,       2.0);
2328    ( 413735.1, 3771077.4,     121.5,     121.5,       2.0);         ( 413733.3,
        3771064.3,     121.4,     121.4,       2.0);
2329    ( 413731.5, 3771046.4,     121.3,     121.3,       2.0);         ( 413729.5,
        3771027.6,     121.2,     121.2,       2.0);
2330    ( 413728.1, 3771009.5,     121.0,     121.0,       2.0);         ( 413725.5,
        3770991.7,     120.9,     120.9,       2.0);
2331    ( 413724.5, 3770973.6,     120.8,     120.8,       2.0);         ( 413721.8,
        3770948.1,     120.7,     120.7,       2.0);
2332    ( 413355.1, 3771622.7,     121.1,    1648.2,       2.0);         ( 413235.9,
        3771619.0,     120.6,    1648.2,       2.0);
2333    ( 412848.4, 3771774.9,     118.8,    1648.2,       2.0);         ( 415201.7,
        3771330.5,     133.8,     133.8,       2.0);
2334    ( 413782.5, 3771959.5,     125.9,    1648.2,       2.0);         ( 413664.8,
        3771641.1,     123.2,    1648.2,       2.0);
2335    ( 413674.0, 3770851.1,     119.9,     119.9,       2.0);         ( 413714.1,
        3770847.5,     120.0,     120.0,       2.0);
2336    ( 413663.5, 3770808.8,     119.6,     119.6,       2.0);         ( 413698.8,
        3770760.1,     119.4,     119.4,       2.0);
2337    ( 413617.2, 3770676.6,     118.4,     118.4,       2.0);         ( 413664.1,
```

```
      3770663.2,     117.7,     117.7,       2.0);
      ( 413613.3, 3770517.0,     116.0,     118.7,       2.0);         ( 413346.0,
      3770490.8,     115.1,     115.1,       2.0);
      ( 413415.9, 3770471.5,     114.6,     114.6,       2.0);         ( 413221.9,
      3770467.4,     116.1,     121.5,       2.0);
      ( 413666.0, 3771067.1,     121.0,     121.0,
      2.0);
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                        ***
 09:48:10

                             PAGE  58
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                           *** METEOROLOGICAL DAYS SELECTED FOR
                                           PROCESSING ***
                                                              (1=YES; 0=NO)

            1 1 1 1 1 1 1 1 1 1  1 1 1 1 1 1 1 1 1 1  1 1 1 1 1 1 1 1 1 1  1 1 1 1 1
            1 1 1 1 1  1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1  1 1 1 1 1 1 1 1 1 1  1 1 1 1 1 1 1 1 1 1  1 1 1 1 1
            1 1 1 1 1  1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1  1 1 1 1 1 1 1 1 1 1  1 1 1 1 1 1 1 1 1 1  1 1 1 1 1
            1 1 1 1 1  1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1  1 1 1 1 1 1 1 1 1 1  1 1 1 1 1 1 1 1 1 1  1 1 1 1 1
            1 1 1 1 1  1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1  1 1 1 1 1 1 1 1 1 1  1 1 1 1 1 1 1 1 1 1  1 1 1 1 1
            1 1 1 1 1  1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1  1 1 1 1 1 1 1 1 1 1  1 1 1 1 1 1 1 1 1 1  1 1 1 1 1
            1 1 1 1 1  1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1  1 1 1 1 1 1 1 1 1 1  1 1 1 1 1 1 1 1 1 1  1 1 1 1 1
            1 1 1 1 1  1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1  1 1 1 1 1

                NOTE:  METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON WHAT
                IS INCLUDED IN THE DATA FILE.



                                  *** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED
                                  CATEGORIES ***
                                                           (METERS/SEC)

                                               1.54,   3.09,   5.14,   8.23,  10.80,
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                        ***
 09:48:10

                             PAGE  59
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                    *** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA
                                    ***

   Surface file:
   AZUS_V11_trimmed.sfc
   Met Version:  22112
   Profile file:
   AZUS_V11_trimmed.PFL
   Surface format:
   FREE
```

```
  Profile format:
  FREE

  Surface station no.:     3179                  Upper air station no.:     3190
                Name: UNKNOWN                                    Name:
                UNKNOWN
                Year:   2017                                     Year:   2017

 First 24 hours of scalar data
 YR MO DY JDY HR     H0     U*     W*  DT/DZ ZICNV ZIMCH  M-O LEN    Z0  BOWEN ALBEDO
 REF WS   WD     HT  REF TA     HT
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - -
 17 01 01   1 01  -11.3  0.154 -9.000 -9.000 -999.  145.     28.6  0.34   0.75   1.00
 1.36   97.   10.0  281.4    9.5
 17 01 01   1 02   -5.9  0.110 -9.000 -9.000 -999.   88.     20.0  0.29   0.75   1.00
 1.05   88.   10.0  281.0    9.5
 17 01 01   1 03   -6.6  0.117 -9.000 -9.000 -999.   95.     21.1  0.29   0.75   1.00
 1.11   69.   10.0  280.5    9.5
 17 01 01   1 04   -6.9  0.119 -9.000 -9.000 -999.   99.     21.7  0.33   0.75   1.00
 1.08  132.   10.0  279.8    9.5
 17 01 01   1 05   -4.1  0.091 -9.000 -9.000 -999.   66.     16.1  0.17   0.75   1.00
 1.00  314.   10.0  279.5    9.5
 17 01 01   1 06  -18.0  0.193 -9.000 -9.000 -999.  204.     41.0  0.21   0.75   1.00
 1.96   35.   10.0  279.8    9.5
 17 01 01   1 07  -10.5  0.147 -9.000 -9.000 -999.  136.     27.0  0.29   0.75   1.00
 1.38   80.   10.0  279.6    9.5
 17 01 01   1 08   -6.3  0.118 -9.000 -9.000 -999.   97.     22.9  0.29   0.75   0.55
 1.12   74.   10.0  279.4    9.5
 17 01 01   1 09   25.4  0.209  0.420  0.005  103.  230.    -31.8  0.29   0.75   0.32
 1.55   70.   10.0  282.2    9.5
 17 01 01   1 10   64.6  0.296  1.020  0.005  581.  386.    -35.4  0.33   0.75   0.25
 2.13  126.   10.0  283.6    9.5
 17 01 01   1 11   91.0  0.325  1.350  0.005  956.  444.    -33.2  0.33   0.75   0.22
 2.32  130.   10.0  284.1    9.5
 17 01 01   1 12   87.8  0.248  1.393  0.005 1087.  299.    -15.3  0.32   0.75   0.21
 1.62  152.   10.0  285.1    9.5
 17 01 01   1 13  103.2  0.182  1.514  0.005 1188.  187.     -5.1  0.33   0.75   0.21
 0.97  144.   10.0  286.1    9.5
 17 01 01   1 14   74.8  0.225  1.385  0.005 1256.  255.    -13.4  0.23   0.75   0.22
 1.61  214.   10.0  286.9    9.5
 17 01 01   1 15   50.9  0.150  1.233  0.005 1300.  142.     -5.9  0.07   0.75   0.26
 1.37  273.   10.0  286.7    9.5
 17 01 01   1 16    1.2  0.122  0.356  0.005 1300.  102.   -130.2  0.23   0.75   0.35
 1.08  210.   10.0  286.6    9.5
 17 01 01   1 17  -13.1  0.175 -9.000 -9.000 -999.  176.     36.0  0.32   0.75   0.62
 1.55  172.   10.0  286.3    9.5
 17 01 01   1 18  -13.7  0.171 -9.000 -9.000 -999.  169.     32.2  0.32   0.75   1.00
 1.53  179.   10.0  285.8    9.5
 17 01 01   1 19   -9.0  0.136 -9.000 -9.000 -999.  121.     24.7  0.23   0.75   1.00
 1.38  215.   10.0  285.4    9.5
 17 01 01   1 20   -3.7  0.086 -9.000 -9.000 -999.   61.     14.9  0.12   0.75   1.00
 1.03  259.   10.0  285.0    9.5
 17 01 01   1 21   -1.8  0.070 -9.000 -9.000 -999.   44.     16.4  0.16   0.75   1.00
 0.58  349.   10.0  284.9    9.5
 17 01 01   1 22   -3.4  0.086 -9.000 -9.000 -999.   61.     16.6  0.29   0.75   1.00
 0.78   61.   10.0  284.8    9.5
 17 01 01   1 23  -14.0  0.170 -9.000 -9.000 -999.  168.     31.8  0.21   0.75   1.00
 1.74   43.   10.0  284.2    9.5
 17 01 01   1 24  -21.5  0.220 -9.000 -9.000 -999.  248.     53.3  0.21   0.75   1.00
 2.22   43.   10.0  283.9    9.5


 First hour of profile data
 YR MO DY HR HEIGHT F  WDIR    WSPD AMB_TMP sigmaA  sigmaW  sigmaV
 17 01 01 01    9.5 0 -999.  -99.00   281.4   99.0  -99.00  -99.00
```

```
 17 01 01 01   10.0 1   97.    1.36  -999.0   99.0  -99.00  -99.00

 F indicates top of profile (=1) or below (=0)
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                    ***
 09:48:10

                              PAGE  60
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                              *** THE   1ST HIGHEST  1-HR AVERAGE CONCENTRATION   VALUES
                              FOR SOURCE GROUP:  ALL      ***
                                  INCLUDING SOURCE(S):     VOL13       , VOL14       ,
                                  VOL15       , VOL16       , VOL17       ,
                 VOL18       , VOL19       , VOL20       , VOL21       , VOL22       ,
                 VOL23       , VOL24       , VOL25       ,
                 VOL26       , VOL27       , VOL28       , VOL29       , VOL30       ,
                 VOL31       , VOL32       , VOL33       ,
                 VOL34       , VOL35       , VOL36       , VOL37       , VOL38       ,
                 VOL39       , VOL40       ,  . . .      ,

                                        *** DISCRETE CARTESIAN RECEPTOR POINTS ***

                                     ** CONC OF NOX      IN
                                     MICROGRAMS/M**3                          **

      X-COORD (M)  Y-COORD (M)        CONC     (YYMMDDHH)             X-COORD (M)
      Y-COORD (M)        CONC     (YYMMDDHH)
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - -
        413648.47   3771123.91       42.24194  (21110116)               413644.02
        3771078.17       41.05092  (21122715)
        413676.40   3771027.68       28.61567  (17103016)               413613.17
        3771030.29       31.82267  (20102209)
        413568.97   3771032.90       30.15338  (17120416)               413537.20
        3771033.51       31.98981  (17120416)
        413484.41   3771036.43       32.41560  (17120416)               413456.63
        3771037.66       32.04795  (17120416)
        413405.83   3771039.96       33.10920  (17120416)               413376.05
        3771043.18       33.09747  (21121315)
        413333.39   3771017.24       17.10672  (21122915)               413333.39
        3771037.35       19.23900  (21122915)
        413337.53   3771067.43       26.03906  (18010916)               413343.36
        3771087.99       33.53830  (18010916)
        413343.52   3771105.34       31.58635  (18010916)               413345.82
        3771118.84       31.45492  (18010916)
        413347.97   3771143.09       34.01548  (18010916)               413348.74
        3771160.28       37.25310  (19120616)
        413352.57   3771184.68       36.30340  (19120616)               413353.49
        3771198.50       33.73464  (19120616)
        413353.80   3771225.51       30.04465  (19120616)               413358.87
        3771258.96       18.10891  (19020510)
        413361.63   3771282.14       15.47724  (18121316)               413362.09
        3771296.56       13.73207  (18121316)
        413366.23   3771341.23        9.60723  (18121316)               413416.88
        3771250.22       30.82250  (21122816)
        413567.74   3771246.07       38.73705  (20012116)               413479.96
        3771281.68       24.45228  (21122816)
        413452.64   3771272.93       26.65684  (21122816)               413513.57
        3771244.69       38.78030  (20012116)
        413388.18   3771250.98       25.68782  (19020510)               413682.54
        3771320.66       14.54919  (20012116)
        413651.85   3771342.15       11.55401  (20120316)               413368.16
        3771352.50        8.79813  (18121316)
```

```
2450          413368.70   3771372.00        7.58291  (18121316)                413421.43
              3771372.18        11.04067  (21122816)
2451          413450.68   3771369.65       12.91635  (21122816)                413502.68
              3771368.75        13.56825  (21122816)
2452          413531.57   3771367.49       13.51117  (21122816)                413588.44
              3771364.60        12.63350  (21122816)
2453          413616.97   3771362.61       11.19869  (21122816)                413654.17
              3771385.18         8.54956  (20120316)
2454          413641.58   3771240.54       41.12700  (20012116)                413598.27
              3771241.58        39.78563  (20012116)
2455          413658.14   3771227.23       38.31121  (18111916)                413652.53
              3771171.92        38.78696  (17010315)
2456          413762.55   3771326.43       11.12874  (20012116)                413755.32
              3771297.72        12.54391  (20012116)
2457          413752.25   3771264.86       14.24252  (18111916)                413751.53
              3771243.92        16.57887  (18111916)
2458          413749.19   3771225.68       17.97636  (18111916)                413747.38
              3771206.72        18.55783  (18111916)
2459          413745.03   3771187.22       18.58249  (18111916)                413743.41
              3771169.17        18.08584  (18111916)
2460          413742.32   3771152.55       17.72369  (21110116)                413739.98
              3771133.59        17.45603  (21110116)
2461          413738.35   3771115.54       16.84328  (21110116)                413734.92
              3771095.50        17.28289  (17103016)
2462          413735.10   3771077.44       17.87756  (17103016)                413733.30
              3771064.26        19.07380  (17103016)
2463          413731.49   3771046.38       22.37903  (17103016)                413729.50
              3771027.61        23.35660  (17103016)
2464          413728.06   3771009.55       18.95114  (17103016)                413725.53
              3770991.67        13.74479  (17103016)
2465          413724.45   3770973.62       10.61880  (18122716)                413721.78
              3770948.07         8.97903  (17112116)
2466          413355.15   3771622.70        2.76846  (20121416)                413235.89
              3771619.04         2.18289  (18121316)
2467          412848.39   3771774.93        0.87743  (18120416)                415201.66
              3771330.49         0.97944  (21120916)
2468          413782.51   3771959.51        0.98216  (21122815)                413664.85
              3771641.09         3.28877  (21122816)
2469          413674.05   3770851.12        5.74893  (20102209)                413714.09
              3770847.47         4.85325  (17112116)
2470          413663.50   3770808.78        5.00849  (20102209)                413698.79
              3770760.11         3.66748  (20102209)
2471          413617.17   3770676.59        3.12138  (20102209)                413664.14
              3770663.20         2.93792  (20102209)
2472          413613.35   3770516.97        1.74610  (20102209)                413345.98
              3770490.83         2.06311  (20122815)
2473  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
2474   *** AERMET - VERSION  22112 ***
       ***                                                                    ***
       09:48:10
2475
                                  PAGE  61
2476   *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2477
2478                              *** THE   1ST HIGHEST  1-HR AVERAGE CONCENTRATION   VALUES
                                  FOR SOURCE GROUP:  ALL      ***
2479                                  INCLUDING SOURCE(S):     VOL13       , VOL14       ,
                                      VOL15       , VOL16       , VOL17       ,
2480                  VOL18       , VOL19       , VOL20       , VOL21       , VOL22       ,
                      VOL23       , VOL24       , VOL25       ,
2481                  VOL26       , VOL27       , VOL28       , VOL29       , VOL30       ,
                      VOL31       , VOL32       , VOL33       ,
2482                  VOL34       , VOL35       , VOL36       , VOL37       , VOL38       ,
                      VOL39       , VOL40       ,  . . .      ,
2483
```

```
                                                    *** DISCRETE CARTESIAN RECEPTOR POINTS ***

                                               ** CONC OF NOX      IN
                                               MICROGRAMS/M**3                          **

      X-COORD (M)  Y-COORD (M)        CONC     (YYMMDDHH)             X-COORD (M)
      Y-COORD (M)        CONC     (YYMMDDHH)
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - - - - - - -
        413415.90   3770471.49        1.92984  (19122616)              413221.86
        3770467.45        2.00774  (21123016)
        413666.01   3771067.07       32.43589
        (21122715)

FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                         ***
 09:48:10

                             PAGE  62
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                                  *** THE SUMMARY OF HIGHEST  1-HR RESULTS
                                                  ***


                                           ** CONC OF NOX      IN
                                           MICROGRAMS/M**3                          **


                                                                  DATE

                                                                    NETWORK
GROUP ID                         AVERAGE CONC     (YYMMDDHH)             RECEPTOR  (XR,
YR, ZELEV, ZHILL, ZFLAG)    OF TYPE  GRID-ID
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -

ALL      HIGH   1ST HIGH VALUE IS      42.24194  ON 21110116: AT (  413648.47,
3771123.91,   121.18,   121.18,    2.00)  DC


 *** RECEPTOR TYPES:  GC = GRIDCART
                      GP = GRIDPOLR
                      DC = DISCCART
                      DP = DISCPOLR
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                         ***
 09:48:10

                             PAGE  63
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

 *** Message Summary : AERMOD Model Execution ***

  --------- Summary of Total Messages --------

 A Total of             0 Fatal Error Message(s)
 A Total of             2 Warning Message(s)
 A Total of           474 Informational Message(s)

 A Total of         43824 Hours Were Processed

```

```
A Total of           41 Calm Hours Identified

A Total of          433 Missing Hours Identified (  0.99 Percent)


   ******** FATAL ERROR MESSAGES ********
              ***  NONE  ***


   ********   WARNING MESSAGES   ********
ME W186     933       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold
used           0.50
ME W187     933       MEOPEN: ADJ_U* Option for Stable Low Winds used in
AERMET

   ***********************************
   *** AERMOD Finishes Successfully ***
   ***********************************
```

```
**
**************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 13.0.0
** Lakes Environmental Software Inc.
** Date: 5/15/2025
** File: C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons PM10\16435 Cons PM10.ADI
**
**************************************
**
**
**************************************
** AERMOD Control Pathway
**************************************
**
**
CO STARTING
   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643
   MODELOPT DFAULT CONC
   AVERTIME 24
   URBANOPT 9663345 Los_Angeles_County
   POLLUTID PM_10
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "16435 Cons PM10.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL13        VOLUME     413678.759  3771046.996      120.760
   LOCATION VOL14        VOLUME     413644.379  3771048.419      120.440
   LOCATION VOL15        VOLUME     413609.792  3771050.453      120.340
   LOCATION VOL16        VOLUME     413630.138  3771220.132      121.570
   LOCATION VOL17        VOLUME     413630.260  3771186.129      121.320
   LOCATION VOL18        VOLUME     413632.986  3771151.772      121.170
   LOCATION VOL19        VOLUME     413629.104  3771118.263      120.940
   LOCATION VOL20        VOLUME     413625.918  3771084.065      120.660
   LOCATION VOL21        VOLUME     413596.212  3771220.733      121.340
   LOCATION VOL22        VOLUME     413596.335  3771186.730      121.160
   LOCATION VOL23        VOLUME     413599.061  3771152.374      121.000
   LOCATION VOL24        VOLUME     413595.179  3771118.864      120.760
   LOCATION VOL25        VOLUME     413591.993  3771084.666      120.730
   LOCATION VOL26        VOLUME     413562.226  3771224.344      121.200
   LOCATION VOL27        VOLUME     413562.349  3771190.341      120.990
   LOCATION VOL28        VOLUME     413565.075  3771155.985      120.810
   LOCATION VOL29        VOLUME     413561.193  3771122.475      120.730
   LOCATION VOL30        VOLUME     413558.007  3771088.277      120.770
   LOCATION VOL31        VOLUME     413528.453  3771224.132      121.010
   LOCATION VOL32        VOLUME     413528.576  3771190.129      120.780
   LOCATION VOL33        VOLUME     413531.301  3771155.772      120.650
   LOCATION VOL34        VOLUME     413527.420  3771122.263      120.560
   LOCATION VOL35        VOLUME     413524.234  3771088.065      120.770
   LOCATION VOL36        VOLUME     413494.892  3771226.893      120.870
   LOCATION VOL37        VOLUME     413495.015  3771192.890      120.630
   LOCATION VOL38        VOLUME     413497.741  3771158.533      120.460
   LOCATION VOL39        VOLUME     413493.859  3771125.024      120.410
   LOCATION VOL40        VOLUME     413490.673  3771090.826      120.550
   LOCATION VOL41        VOLUME     413461.331  3771229.230      120.830
```

```
     LOCATION VOL42        VOLUME     413461.454  3771195.226      120.620
     LOCATION VOL43        VOLUME     413464.180  3771160.870      120.410
     LOCATION VOL44        VOLUME     413460.298  3771127.361      120.290
     LOCATION VOL45        VOLUME     413457.112  3771093.162      120.290
     LOCATION VOL46        VOLUME     413427.770  3771229.442      120.700
     LOCATION VOL47        VOLUME     413427.893  3771195.439      120.500
     LOCATION VOL48        VOLUME     413430.619  3771161.082      120.340
     LOCATION VOL49        VOLUME     413426.737  3771127.573      120.190
     LOCATION VOL50        VOLUME     413423.551  3771093.375      120.040
     LOCATION VOL51        VOLUME     413397.396  3771227.531      120.420
     LOCATION VOL52        VOLUME     413394.545  3771194.164      120.300
     LOCATION VOL53        VOLUME     413397.058  3771160.445      120.180
     LOCATION VOL54        VOLUME     413392.327  3771126.086      120.090
     LOCATION VOL55        VOLUME     413390.415  3771093.800      119.780
     LOCATION VOL56        VOLUME     413576.851  3771062.824      120.680
     LOCATION VOL57        VOLUME     413543.290  3771064.735      120.680
     LOCATION VOL58        VOLUME     413510.154  3771066.222      120.700
     LOCATION VOL59        VOLUME     413389.080  3771161.170      120.140
     LOCATION VOL60        VOLUME     413476.594  3771068.771      120.480
     LOCATION VOL61        VOLUME     413443.033  3771068.984      120.130
     LOCATION VOL62        VOLUME     413409.684  3771070.258      119.840
     LOCATION VOL63        VOLUME     413380.371  3771072.807      119.720
     LOCATION PAREA1       AREAPOLY   413382.882  3771246.953      120.300
** Source Parameters **
     SRCPARAM VOL13        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL14        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL15        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL16        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL17        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL18        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL19        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL20        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL21        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL22        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL23        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL24        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL25        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL26        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL27        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL28        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL29        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL30        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL31        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL32        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL33        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL34        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL35        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL36        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL37        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL38        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL39        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL40        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL41        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL42        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL43        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL44        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL45        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL46        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL47        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL48        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL49        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL50        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL51        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL52        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL53        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL54        0.00003397     5.000     7.760     1.400
```

```
   SRCPARAM VOL55        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL56        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL57        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL58        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL59        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL60        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL61        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL62        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL63        0.00003397     5.000     7.760     1.400
   SRCPARAM PAREA1       7.3158E-07     0.000        11     1.000
   AREAVERT PAREA1       413382.882 3771246.953 413657.114 3771232.739
   AREAVERT PAREA1       413641.786 3771065.525 413676.901 3771063.016
   AREAVERT PAREA1       413693.622 3771063.016 413690.557 3771027.344
   AREAVERT PAREA1       413595.802 3771033.754 413595.802 3771046.295
   AREAVERT PAREA1       413363.373 3771058.279 413363.094 3771071.377
   AREAVERT PAREA1       413366.996 3771078.066
   URBANSRC ALL

** Variable Emissions Type: "By Hour / Day (HRDOW)"
** Variable Emission Scenario: "Scenario 1"
** WeekDays:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL13        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL14        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL15        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
```

```
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL16        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL17        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL18        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL19        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL20        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL21        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL22        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL23        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL24        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL25        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL26        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL27        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL28        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL29        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
```

```
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL30        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL31        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL32        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL33        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL34        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL35        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL36        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL37        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
```

```
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL38        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL39        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL40        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL41        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL42        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL43        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL44        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL45        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL46        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL47        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL48        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL49        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL50        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL51        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
```

```
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL52        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL53        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL54        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL55        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL56        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL57        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL58        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL59        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
```

```
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL60        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL61        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL62        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL63        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT PAREA1       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
   INCLUDED "16435 Cons PM10.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
**************************************
**
**
ME STARTING
   SURFFILE AZUS_V11_trimmed.sfc
   PROFFILE AZUS_V11_trimmed.PFL
   SURFDATA 3179 2017
   UAIRDATA 3190 2017
   SITEDATA 60370002 2017
   PROFBASE 187.0 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 24 1ST
** Auto-Generated Plotfiles
   PLOTFILE 24 ALL 1ST "16435 CONS PM10.AD\24H1GALL.PLT" 31
   SUMMFILE "16435 Cons PM10.sum"
OU FINISHED
**
**************************************
** Project Parameters
**************************************
** PROJCTN  CoordinateSystemUTM
** DESCPTN  UTM: Universal Transverse Mercator
** DATUM    North American Datum 1983
** DTMRGN   CONUS
** UNITS    m
** ZONE     11
** ZONEINX  0
**

```

```
** Lakes Environmental AERMOD MPI
**
****************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 13.0.0
** Lakes Environmental Software Inc.
** Date: 5/15/2025
** File: C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons PM10\16435 Cons PM10.ADI
**
****************************************
**
**
****************************************
** AERMOD Control Pathway
****************************************
**
**
CO STARTING
   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643
   MODELOPT DFAULT CONC
   AVERTIME 24
   URBANOPT 9663345 Los_Angeles_County
   POLLUTID PM_10
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "16435 Cons PM10.err"
CO FINISHED
**
****************************************
** AERMOD Source Pathway
****************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL13        VOLUME     413678.759  3771046.996      120.760
   LOCATION VOL14        VOLUME     413644.379  3771048.419      120.440
   LOCATION VOL15        VOLUME     413609.792  3771050.453      120.340
   LOCATION VOL16        VOLUME     413630.138  3771220.132      121.570
   LOCATION VOL17        VOLUME     413630.260  3771186.129      121.320
   LOCATION VOL18        VOLUME     413632.986  3771151.772      121.170
   LOCATION VOL19        VOLUME     413629.104  3771118.263      120.940
   LOCATION VOL20        VOLUME     413625.918  3771084.065      120.660
   LOCATION VOL21        VOLUME     413596.212  3771220.733      121.340
   LOCATION VOL22        VOLUME     413596.335  3771186.730      121.160
   LOCATION VOL23        VOLUME     413599.061  3771152.374      121.000
   LOCATION VOL24        VOLUME     413595.179  3771118.864      120.760
   LOCATION VOL25        VOLUME     413591.993  3771084.666      120.730
   LOCATION VOL26        VOLUME     413562.226  3771224.344      121.200
   LOCATION VOL27        VOLUME     413562.349  3771190.341      120.990
   LOCATION VOL28        VOLUME     413565.075  3771155.985      120.810
   LOCATION VOL29        VOLUME     413561.193  3771122.475      120.730
   LOCATION VOL30        VOLUME     413558.007  3771088.277      120.770
   LOCATION VOL31        VOLUME     413528.453  3771224.132      121.010
   LOCATION VOL32        VOLUME     413528.576  3771190.129      120.780
   LOCATION VOL33        VOLUME     413531.301  3771155.772      120.650
   LOCATION VOL34        VOLUME     413527.420  3771122.263      120.560
   LOCATION VOL35        VOLUME     413524.234  3771088.065      120.770
   LOCATION VOL36        VOLUME     413494.892  3771226.893      120.870
   LOCATION VOL37        VOLUME     413495.015  3771192.890      120.630
   LOCATION VOL38        VOLUME     413497.741  3771158.533      120.460
   LOCATION VOL39        VOLUME     413493.859  3771125.024      120.410
   LOCATION VOL40        VOLUME     413490.673  3771090.826      120.550
```

```
     LOCATION VOL41        VOLUME     413461.331  3771229.230      120.830
     LOCATION VOL42        VOLUME     413461.454  3771195.226      120.620
     LOCATION VOL43        VOLUME     413464.180  3771160.870      120.410
     LOCATION VOL44        VOLUME     413460.298  3771127.361      120.290
     LOCATION VOL45        VOLUME     413457.112  3771093.162      120.290
     LOCATION VOL46        VOLUME     413427.770  3771229.442      120.700
     LOCATION VOL47        VOLUME     413427.893  3771195.439      120.500
     LOCATION VOL48        VOLUME     413430.619  3771161.082      120.340
     LOCATION VOL49        VOLUME     413426.737  3771127.573      120.190
     LOCATION VOL50        VOLUME     413423.551  3771093.375      120.040
     LOCATION VOL51        VOLUME     413397.396  3771227.531      120.420
     LOCATION VOL52        VOLUME     413394.545  3771194.164      120.300
     LOCATION VOL53        VOLUME     413397.058  3771160.445      120.180
     LOCATION VOL54        VOLUME     413392.327  3771126.086      120.090
     LOCATION VOL55        VOLUME     413390.415  3771093.800      119.780
     LOCATION VOL56        VOLUME     413576.851  3771062.824      120.680
     LOCATION VOL57        VOLUME     413543.290  3771064.735      120.680
     LOCATION VOL58        VOLUME     413510.154  3771066.222      120.700
     LOCATION VOL59        VOLUME     413389.080  3771161.170      120.140
     LOCATION VOL60        VOLUME     413476.594  3771068.771      120.480
     LOCATION VOL61        VOLUME     413443.033  3771068.984      120.130
     LOCATION VOL62        VOLUME     413409.684  3771070.258      119.840
     LOCATION VOL63        VOLUME     413380.371  3771072.807      119.720
     LOCATION PAREA1       AREAPOLY   413382.882  3771246.953      120.300
** Source Parameters **
     SRCPARAM VOL13        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL14        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL15        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL16        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL17        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL18        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL19        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL20        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL21        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL22        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL23        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL24        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL25        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL26        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL27        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL28        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL29        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL30        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL31        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL32        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL33        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL34        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL35        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL36        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL37        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL38        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL39        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL40        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL41        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL42        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL43        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL44        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL45        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL46        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL47        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL48        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL49        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL50        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL51        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL52        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL53        0.00003397     5.000     7.760     1.400
```

```
   SRCPARAM VOL54        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL55        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL56        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL57        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL58        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL59        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL60        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL61        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL62        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL63        0.00003397     5.000     7.760     1.400
   SRCPARAM PAREA1       7.3158E-07     0.000        11     1.000
   AREAVERT PAREA1       413382.882 3771246.953 413657.114 3771232.739
   AREAVERT PAREA1       413641.786 3771065.525 413676.901 3771063.016
   AREAVERT PAREA1       413693.622 3771063.016 413690.557 3771027.344
   AREAVERT PAREA1       413595.802 3771033.754 413595.802 3771046.295
   AREAVERT PAREA1       413363.373 3771058.279 413363.094 3771071.377
   AREAVERT PAREA1       413366.996 3771078.066
   URBANSRC ALL

** Variable Emissions Type: "By Hour / Day (HRDOW)"
** Variable Emission Scenario: "Scenario 1"
** WeekDays:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL13        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL14        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL15        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL16        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL17        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL18        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL19        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL20        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
```

```
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL21        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL22        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL23        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL24        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL25        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL26        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL27        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL28        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
   EMISFACT VOL29        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL30        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL31        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL32        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL33        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL34        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL35        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL36        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL37        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL38        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL39        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL40        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL41        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL42        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
```

```
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL43        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL44        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL45        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL46        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL47        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL48        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL49        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL50        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
   EMISFACT VOL51        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL52        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL53        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL54        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL55        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL56        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL57        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL58        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL59        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL60        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL61        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL62        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL63        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT PAREA1       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
```

```
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
   INCLUDED "16435 Cons PM10.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
**************************************
**
**
ME STARTING
   SURFFILE AZUS_V11_trimmed.sfc
   PROFFILE AZUS_V11_trimmed.PFL
   SURFDATA 3179 2017
   UAIRDATA 3190 2017
   SITEDATA 60370002 2017
   PROFBASE 187.0 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 24 1ST
** Auto-Generated Plotfiles
   PLOTFILE 24 ALL 1ST "16435 CONS PM10.AD\24H1GALL.PLT" 31
   SUMMFILE "16435 Cons PM10.sum"
OU FINISHED


  *** Message Summary For AERMOD Model Setup ***

  --------- Summary of Total Messages --------

 A Total of            0 Fatal Error Message(s)
 A Total of            2 Warning Message(s)
 A Total of            0 Informational Message(s)


    ******** FATAL ERROR MESSAGES ********
               ***  NONE  ***


    ********   WARNING MESSAGES   ********
 ME W186     956       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold
 used           0.50
 ME W187     956       MEOPEN: ADJ_U* Option for Stable Low Winds used in
```

```
      AERMET
 989
 990  **********************************
 991  *** SETUP Finishes Successfully ***
 992  **********************************
 993
 994  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
 995   *** AERMET - VERSION  22112 ***
       ***                                                                    ***
       09:58:05
 996
                                PAGE   1
 997  *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
 998
 999                                              ***     MODEL SETUP OPTIONS SUMMARY       ***
1000  - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
      - - - - - - - - - - - - - - - - - - -
1001
1002  ** Model Options Selected:
1003       * Model Uses Regulatory DEFAULT Options
1004       * Model Is Setup For Calculation of Average CONCentration Values.
1005       * NO GAS DEPOSITION Data Provided.
1006       * NO PARTICLE DEPOSITION Data Provided.
1007       * Model Uses NO DRY DEPLETION. DDPLETE  =  F
1008       * Model Uses NO WET DEPLETION. WETDPLT  =  F
1009       * Stack-tip Downwash.
1010       * Model Accounts for ELEVated Terrain Effects.
1011       * Use Calms Processing Routine.
1012       * Use Missing Data Processing Routine.
1013       * No Exponential Decay.
1014       * Model Uses URBAN Dispersion Algorithm for the SBL for    52 Source(s),
1015         for Total of    1 Urban Area(s):
1016     Urban Population =   9663345.0 ;  Urban Roughness Length =  1.000 m
1017       * Urban Roughness Length of 1.0 Meter Used.
1018       * ADJ_U*   - Use ADJ_U* option for SBL in AERMET
1019       * CCVR_Sub - Meteorological data includes CCVR substitutions
1020       * TEMP_Sub - Meteorological data includes TEMP substitutions
1021       * Model Accepts FLAGPOLE Receptor . Heights.
1022       * The User Specified a Pollutant Type of: PM_10
1023
1024  **Model Calculates  1 Short Term Average(s) of:  24-HR
1025
1026  **This Run Includes:     52 Source(s);       1 Source Group(s); and      83 Receptor(s)
1027
1028                  with:      0 POINT(s), including
1029                             0 POINTCAP(s) and      0 POINTHOR(s)
1030                   and:     51 VOLUME source(s)
1031                   and:      1 AREA type source(s)
1032                   and:      0 LINE source(s)
1033                   and:      0 RLINE/RLINEXT source(s)
1034                   and:      0 OPENPIT source(s)
1035                   and:      0 BUOYANT LINE source(s) with a total of     0 line(s)
1036                   and:      0 SWPOINT source(s)
1037
1038
1039  **Model Set To Continue RUNning After the Setup Testing.
1040
1041  **The AERMET Input Meteorological Data Version Date:  22112
1042
1043  **Output Options Selected:
1044           Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE
              Keyword)
1045           Model Outputs External File(s) of High Values for Plotting (PLOTFILE Keyword)
1046           Model Outputs Separate Summary File of High Ranked Values (SUMMFILE Keyword)
1047
```

**NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours
m for Missing Hours
b for Both Calm and Missing Hours

**Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) =   187.00 ; Decay Coef. =   0.000   ; Rot. Angle =   0.0
Emission Units = GRAMS/SEC ; Emission Rate Unit Factor =   0.10000E+07
Output Units   = MICROGRAMS/M**3

**Approximate Storage Requirements of Model =   3.6 MB of RAM.

**Input Runstream File:
aermod.inp

**Output Print File:
aermod.out

**Detailed Error/Message File: 16435 Cons PM10.err
**File for Summary of Results: 16435 Cons PM10.sum

FF *** AERMOD - VERSION 24142 ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643 ***   05/15/25
*** AERMET - VERSION 22112 ***
***   ***
09:58:05

PAGE   2

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER EMISSION RATE INIT. PART. CATS.	EMISSION RATE (GRAMS/SEC)	BASE X (METERS)	BASE Y (METERS)	RELEASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	SZ (METERS)	SOURCE SCALAR VARY BY
VOL13	0	0.33970E-04	413678.8	3771047.0	120.8	5.00	7.76	1.40	YES HRDOW
VOL14	0	0.33970E-04	413644.4	3771048.4	120.4	5.00	7.76	1.40	YES HRDOW
VOL15	0	0.33970E-04	413609.8	3771050.5	120.3	5.00	7.76	1.40	YES HRDOW
VOL16	0	0.33970E-04	413630.1	3771220.1	121.6	5.00	7.76	1.40	YES HRDOW
VOL17	0	0.33970E-04	413630.3	3771186.1	121.3	5.00	7.76	1.40	YES HRDOW
VOL18	0	0.33970E-04	413633.0	3771151.8	121.2	5.00	7.76	1.40	YES HRDOW
VOL19	0	0.33970E-04	413629.1	3771118.3	120.9	5.00	7.76	1.40	YES HRDOW
VOL20	0	0.33970E-04	413625.9	3771084.1	120.7	5.00	7.76	1.40	YES HRDOW
VOL21	0	0.33970E-04	413596.2	3771220.7	121.3	5.00	7.76	1.40	YES HRDOW
VOL22	0	0.33970E-04	413596.3	3771186.7	121.2	5.00	7.76	1.40	YES HRDOW
VOL23	0	0.33970E-04	413599.1	3771152.4	121.0	5.00	7.76		

```
      1.40     YES   HRDOW            NO
1087  VOL24            0   0.33970E-04  413595.2 3771118.9   120.8     5.00     7.76
      1.40     YES   HRDOW            NO
1088  VOL25            0   0.33970E-04  413592.0 3771084.7   120.7     5.00     7.76
      1.40     YES   HRDOW            NO
1089  VOL26            0   0.33970E-04  413562.2 3771224.3   121.2     5.00     7.76
      1.40     YES   HRDOW            NO
1090  VOL27            0   0.33970E-04  413562.3 3771190.3   121.0     5.00     7.76
      1.40     YES   HRDOW            NO
1091  VOL28            0   0.33970E-04  413565.1 3771156.0   120.8     5.00     7.76
      1.40     YES   HRDOW            NO
1092  VOL29            0   0.33970E-04  413561.2 3771122.5   120.7     5.00     7.76
      1.40     YES   HRDOW            NO
1093  VOL30            0   0.33970E-04  413558.0 3771088.3   120.8     5.00     7.76
      1.40     YES   HRDOW            NO
1094  VOL31            0   0.33970E-04  413528.5 3771224.1   121.0     5.00     7.76
      1.40     YES   HRDOW            NO
1095  VOL32            0   0.33970E-04  413528.6 3771190.1   120.8     5.00     7.76
      1.40     YES   HRDOW            NO
1096  VOL33            0   0.33970E-04  413531.3 3771155.8   120.6     5.00     7.76
      1.40     YES   HRDOW            NO
1097  VOL34            0   0.33970E-04  413527.4 3771122.3   120.6     5.00     7.76
      1.40     YES   HRDOW            NO
1098  VOL35            0   0.33970E-04  413524.2 3771088.1   120.8     5.00     7.76
      1.40     YES   HRDOW            NO
1099  VOL36            0   0.33970E-04  413494.9 3771226.9   120.9     5.00     7.76
      1.40     YES   HRDOW            NO
1100  VOL37            0   0.33970E-04  413495.0 3771192.9   120.6     5.00     7.76
      1.40     YES   HRDOW            NO
1101  VOL38            0   0.33970E-04  413497.7 3771158.5   120.5     5.00     7.76
      1.40     YES   HRDOW            NO
1102  VOL39            0   0.33970E-04  413493.9 3771125.0   120.4     5.00     7.76
      1.40     YES   HRDOW            NO
1103  VOL40            0   0.33970E-04  413490.7 3771090.8   120.5     5.00     7.76
      1.40     YES   HRDOW            NO
1104  VOL41            0   0.33970E-04  413461.3 3771229.2   120.8     5.00     7.76
      1.40     YES   HRDOW            NO
1105  VOL42            0   0.33970E-04  413461.5 3771195.2   120.6     5.00     7.76
      1.40     YES   HRDOW            NO
1106  VOL43            0   0.33970E-04  413464.2 3771160.9   120.4     5.00     7.76
      1.40     YES   HRDOW            NO
1107  VOL44            0   0.33970E-04  413460.3 3771127.4   120.3     5.00     7.76
      1.40     YES   HRDOW            NO
1108  VOL45            0   0.33970E-04  413457.1 3771093.2   120.3     5.00     7.76
      1.40     YES   HRDOW            NO
1109  VOL46            0   0.33970E-04  413427.8 3771229.4   120.7     5.00     7.76
      1.40     YES   HRDOW            NO
1110  VOL47            0   0.33970E-04  413427.9 3771195.4   120.5     5.00     7.76
      1.40     YES   HRDOW            NO
1111  VOL48            0   0.33970E-04  413430.6 3771161.1   120.3     5.00     7.76
      1.40     YES   HRDOW            NO
1112  VOL49            0   0.33970E-04  413426.7 3771127.6   120.2     5.00     7.76
      1.40     YES   HRDOW            NO
1113  VOL50            0   0.33970E-04  413423.6 3771093.4   120.0     5.00     7.76
      1.40     YES   HRDOW            NO
1114  VOL51            0   0.33970E-04  413397.4 3771227.5   120.4     5.00     7.76
      1.40     YES   HRDOW            NO
1115  VOL52            0   0.33970E-04  413394.5 3771194.2   120.3     5.00     7.76
      1.40     YES   HRDOW            NO
1116  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
1117   *** AERMET - VERSION  22112 ***
       ***                                                                    ***
       09:58:05
1118
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER EMISSION RATE INIT. PART. SOURCE CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	URBAN SOURCE	SCALAR VARY BY
VOL53	0	0.33970E-04	413397.1	3771160.4	120.2	5.00	7.76	1.40	YES	HRDOW	NO
VOL54	0	0.33970E-04	413392.3	3771126.1	120.1	5.00	7.76	1.40	YES	HRDOW	NO
VOL55	0	0.33970E-04	413390.4	3771093.8	119.8	5.00	7.76	1.40	YES	HRDOW	NO
VOL56	0	0.33970E-04	413576.9	3771062.8	120.7	5.00	7.76	1.40	YES	HRDOW	NO
VOL57	0	0.33970E-04	413543.3	3771064.7	120.7	5.00	7.76	1.40	YES	HRDOW	NO
VOL58	0	0.33970E-04	413510.2	3771066.2	120.7	5.00	7.76	1.40	YES	HRDOW	NO
VOL59	0	0.33970E-04	413389.1	3771161.2	120.1	5.00	7.76	1.40	YES	HRDOW	NO
VOL60	0	0.33970E-04	413476.6	3771068.8	120.5	5.00	7.76	1.40	YES	HRDOW	NO
VOL61	0	0.33970E-04	413443.0	3771069.0	120.1	5.00	7.76	1.40	YES	HRDOW	NO
VOL62	0	0.33970E-04	413409.7	3771070.3	119.8	5.00	7.76	1.40	YES	HRDOW	NO
VOL63	0	0.33970E-04	413380.4	3771072.8	119.7	5.00	7.76	1.40	YES	HRDOW	NO

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** AREAPOLY SOURCE DATA ***

SOURCE ID	NUMBER EMISSION RATE INIT. PART. SOURCE CATS.	EMISSION RATE /METER**2)	LOCATION OF AREA X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	NUMBER OF VERTS.	URBAN SOURCE	SCALAR VARY BY
PAREA1	0	0.73158E-06	413382.9	3771247.0	120.3	0.00	11	1.00	YES	HRDOW	NO

```
   *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                          *** SOURCE IDs DEFINING SOURCE GROUPS ***

   SRCGROUP ID                                          SOURCE IDs
   -----------                                          ----------


    ALL        VOL13       , VOL14       , VOL15       , VOL16       , VOL17       ,
    VOL18       , VOL19       , VOL20       ,

               VOL21       , VOL22       , VOL23       , VOL24       , VOL25       ,
               VOL26       , VOL27       , VOL28       ,

               VOL29       , VOL30       , VOL31       , VOL32       , VOL33       ,
               VOL34       , VOL35       , VOL36       ,

               VOL37       , VOL38       , VOL39       , VOL40       , VOL41       ,
               VOL42       , VOL43       , VOL44       ,

               VOL45       , VOL46       , VOL47       , VOL48       , VOL49       ,
               VOL50       , VOL51       , VOL52       ,

               VOL53       , VOL54       , VOL55       , VOL56       , VOL57       ,
               VOL58       , VOL59       , VOL60       ,

               VOL61       , VOL62       , VOL63       , PAREA1      ,
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
    *** AERMET - VERSION  22112 ***
    ***                                                                    ***
    09:58:05

                                PAGE   6
   *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                          *** SOURCE IDs DEFINED AS URBAN SOURCES ***

    URBAN ID   URBAN POP                                SOURCE IDs
    --------   ---------                                ----------


                9663345.   VOL13       , VOL14       , VOL15       , VOL16       ,
                VOL17       , VOL18       , VOL19       ,
   VOL20       ,

               VOL21       , VOL22       , VOL23       , VOL24       , VOL25       ,
               VOL26       , VOL27       , VOL28       ,

               VOL29       , VOL30       , VOL31       , VOL32       , VOL33       ,
               VOL34       , VOL35       , VOL36       ,

               VOL37       , VOL38       , VOL39       , VOL40       , VOL41       ,
               VOL42       , VOL43       , VOL44       ,

               VOL45       , VOL46       , VOL47       , VOL48       , VOL49       ,
               VOL50       , VOL51       , VOL52       ,

               VOL53       , VOL54       , VOL55       , VOL56       , VOL57       ,
               VOL58       , VOL59       , VOL60       ,

               VOL61       , VOL62       , VOL63       , PAREA1      ,
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
```

```
1206    *** AERMET - VERSION  22112 ***
        ***                                                                    ***
        09:58:05
1207
                                    PAGE   7
1208    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1209
1210                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                          WEEK (HRDOW) *
1211
1212    SOURCE ID = VOL13        ; SOURCE TYPE = VOLUME   :
1213     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1214    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - - -
1215                                                  DAY OF WEEK = WEEKDAY
1216       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1217       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1218      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1219                                                  DAY OF WEEK = SATURDAY
1220       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1221       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1222      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1223                                                  DAY OF WEEK = SUNDAY
1224       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1225       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1226      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1227    FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
        Norte\16435 Cons\1643 ***        05/15/25
1228     *** AERMET - VERSION  22112 ***
         ***                                                                   ***
         09:58:05
1229
                                    PAGE   8
1230    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1231
1232                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                          WEEK (HRDOW) *
1233
1234    SOURCE ID = VOL14        ; SOURCE TYPE = VOLUME   :
1235     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1236    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - - -
1237                                                  DAY OF WEEK = WEEKDAY
1238       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1239       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1240      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1241                                                  DAY OF WEEK = SATURDAY
1242       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1243       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1244      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
```

```
      .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
     1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
     9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
    17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
    .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                        ***
 09:58:05

                              PAGE   9
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL15        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
     1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
     9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
    17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
    .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
     1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
     9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
    17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
    .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
     1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
     9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
    17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
    .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                        ***
 09:58:05

                              PAGE  10
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL16        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
     1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
```

```
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:58:05

                              PAGE  11
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL17        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:58:05

                              PAGE  12
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
```

```
                    WEEK (HRDOW) *
1321
1322    SOURCE ID = VOL18        ; SOURCE TYPE = VOLUME   :
1323     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1324    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1325                                                DAY OF WEEK = WEEKDAY
1326       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1327       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1328      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1329                                                DAY OF WEEK = SATURDAY
1330       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1331       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1332      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1333                                                DAY OF WEEK = SUNDAY
1334       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1335       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1336      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1337    FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
        Norte\16435 Cons\1643 ***        05/15/25
1338     *** AERMET - VERSION  22112 ***
         ***                                                                    ***
         09:58:05
1339
                                  PAGE  13
1340    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1341
1342                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                        WEEK (HRDOW) *
1343
1344    SOURCE ID = VOL19        ; SOURCE TYPE = VOLUME   :
1345     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1346    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1347                                                DAY OF WEEK = WEEKDAY
1348       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1349       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1350      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1351                                                DAY OF WEEK = SATURDAY
1352       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1353       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1354      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1355                                                DAY OF WEEK = SUNDAY
1356       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1357       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1358      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL20 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00								
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01
15	.1000E+01	16	.1000E+01								
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00
23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00								
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00								
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00
23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00								
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00								
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00
23	.0000E+00	24	.0000E+00								

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL21 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00								
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01
15	.1000E+01	16	.1000E+01								
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00
23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00								
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	

```
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:58:05

                             PAGE  16
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL22        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:58:05

                             PAGE  17
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL23        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
```

```
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:58:05

                                PAGE  18
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL24        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:58:05

                                PAGE  19
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
```

```
1473
1474                     * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                         WEEK (HRDOW) *
1475
1476    SOURCE ID = VOL25        ; SOURCE TYPE = VOLUME   :
1477     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1478    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1479                                                DAY OF WEEK = WEEKDAY
1480       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1481       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1482      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1483                                                DAY OF WEEK = SATURDAY
1484       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1485       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1486      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1487                                                DAY OF WEEK = SUNDAY
1488       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1489       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1490      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1491    FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
        Norte\16435 Cons\1643 ***        05/15/25
1492     *** AERMET - VERSION  22112 ***
         ***                                                                    ***
         09:58:05
1493
                                    PAGE  20
1494    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1495
1496                     * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                         WEEK (HRDOW) *
1497
1498    SOURCE ID = VOL26        ; SOURCE TYPE = VOLUME   :
1499     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1500    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1501                                                DAY OF WEEK = WEEKDAY
1502       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1503       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1504      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1505                                                DAY OF WEEK = SATURDAY
1506       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1507       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1508      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1509                                                DAY OF WEEK = SUNDAY
1510       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1511       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
```

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                    ***
 09:58:05

                              PAGE  21
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL27        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
    .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                    ***
 09:58:05

                              PAGE  22
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL28        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
    .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
```

```
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:58:05

                              PAGE  23
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL29        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:58:05

                              PAGE  24
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL30        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
```

```
- - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
   .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:58:05

                            PAGE  25
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL31        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
   .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:58:05
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL32 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

FF *** AERMOD - VERSION 24142 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643 *** 05/15/25

*** AERMET - VERSION 22112 ***

*** ***

09:58:05

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL33 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00

```
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
     .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                    ***
 09:58:05

                              PAGE  28
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL34        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
     .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
     .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
     .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
     .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
     .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
     .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                    ***
 09:58:05

                              PAGE  29
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL35        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
     .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
     .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
```

```
                                                DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
  .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
  .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                        ***
 09:58:05

                              PAGE  30
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL36        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
  .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
  .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
  .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                        ***
 09:58:05

                              PAGE  31
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL37        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
```

```
 SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
   .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***       05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                         ***
 09:58:05

                             PAGE  32
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL38        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
   .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***       05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                         ***
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL39 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

FF *** AERMOD - VERSION 24142 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643 *** 05/15/25

*** AERMET - VERSION 22112 ***

*** ***

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL40 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

```
1818       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1819       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1820      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1821   FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
       Norte\16435 Cons\1643 ***        05/15/25
1822    *** AERMET - VERSION  22112 ***
        ***                                                                    ***
        09:58:05
1823
                                    PAGE  35
1824    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1825
1826                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                          WEEK (HRDOW) *
1827
1828    SOURCE ID = VOL41        ; SOURCE TYPE = VOLUME   :
1829     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1830    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1831                                                DAY OF WEEK = WEEKDAY
1832       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1833       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1834      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1835                                                DAY OF WEEK = SATURDAY
1836       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1837       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1838      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1839                                                DAY OF WEEK = SUNDAY
1840       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1841       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1842      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1843   FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
       Norte\16435 Cons\1643 ***        05/15/25
1844    *** AERMET - VERSION  22112 ***
        ***                                                                    ***
        09:58:05
1845
                                    PAGE  36
1846    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1847
1848                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                          WEEK (HRDOW) *
1849
1850    SOURCE ID = VOL42        ; SOURCE TYPE = VOLUME   :
1851     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1852    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1853                                                DAY OF WEEK = WEEKDAY
1854       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1855       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
```

```
1856      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1857                                                DAY OF WEEK = SATURDAY
1858       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
          .0000E+00    7  .0000E+00    8  .0000E+00
1859       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
          .0000E+00   15  .0000E+00   16  .0000E+00
1860      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1861                                                DAY OF WEEK = SUNDAY
1862       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
          .0000E+00    7  .0000E+00    8  .0000E+00
1863       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
          .0000E+00   15  .0000E+00   16  .0000E+00
1864      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1865  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
1866   *** AERMET - VERSION  22112 ***
       ***                                                                    ***
       09:58:05
1867
                                  PAGE  37
1868   *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1869
1870                     * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                        WEEK (HRDOW) *
1871
1872   SOURCE ID = VOL43        ; SOURCE TYPE = VOLUME   :
1873    HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
       SCALAR   HOUR   SCALAR   HOUR   SCALAR
1874   - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
       - - - - - - - - - - - - - - - - - - - -
1875                                                DAY OF WEEK = WEEKDAY
1876       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
          .0000E+00    7  .0000E+00    8  .0000E+00
1877       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
          .1000E+01   15  .1000E+01   16  .1000E+01
1878      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1879                                                DAY OF WEEK = SATURDAY
1880       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
          .0000E+00    7  .0000E+00    8  .0000E+00
1881       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
          .0000E+00   15  .0000E+00   16  .0000E+00
1882      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1883                                                DAY OF WEEK = SUNDAY
1884       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
          .0000E+00    7  .0000E+00    8  .0000E+00
1885       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
          .0000E+00   15  .0000E+00   16  .0000E+00
1886      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1887  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
1888   *** AERMET - VERSION  22112 ***
       ***                                                                    ***
       09:58:05
1889
                                  PAGE  38
1890   *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1891
1892                     * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                        WEEK (HRDOW) *
1893
```

```
 SOURCE ID = VOL44        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
    .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                    ***
 09:58:05

                            PAGE  39
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL45        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
    .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
```

```
1932    *** AERMET - VERSION  22112 ***
        ***                                                                    ***
        09:58:05
1933
                                    PAGE  40
1934    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1935
1936                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                          WEEK (HRDOW) *
1937
1938    SOURCE ID = VOL46        ; SOURCE TYPE = VOLUME   :
1939     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1940    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - - - - - -
1941                                                  DAY OF WEEK = WEEKDAY
1942       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1943       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1944      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1945                                                  DAY OF WEEK = SATURDAY
1946       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1947       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1948      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1949                                                  DAY OF WEEK = SUNDAY
1950       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1951       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1952      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1953    FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
        Norte\16435 Cons\1643 ***        05/15/25
1954     *** AERMET - VERSION  22112 ***
         ***                                                                   ***
         09:58:05
1955
                                    PAGE  41
1956    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1957
1958                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                          WEEK (HRDOW) *
1959
1960    SOURCE ID = VOL47        ; SOURCE TYPE = VOLUME   :
1961     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1962    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - - - - - -
1963                                                  DAY OF WEEK = WEEKDAY
1964       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1965       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1966      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1967                                                  DAY OF WEEK = SATURDAY
1968       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1969       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1970      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
```

```
      .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
     1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
     9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
    17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
    .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:58:05

                             PAGE  42
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL48        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
     1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
     9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
    17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
    .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
     1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
     9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
    17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
    .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
     1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
     9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
    17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
    .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:58:05

                             PAGE  43
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL49        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
     1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
```

```
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:58:05

                              PAGE  44
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL50        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:58:05

                              PAGE  45
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
```

```
                    WEEK (HRDOW) *
2047
2048    SOURCE ID = VOL51        ; SOURCE TYPE = VOLUME   :
2049     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
2050    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
2051                                                DAY OF WEEK = WEEKDAY
2052       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2053       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
2054      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2055                                                DAY OF WEEK = SATURDAY
2056       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2057       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
2058      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2059                                                DAY OF WEEK = SUNDAY
2060       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2061       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
2062      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2063    FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
        Norte\16435 Cons\1643 ***        05/15/25
2064     *** AERMET - VERSION  22112 ***
         ***                                                                    ***
         09:58:05
2065
                                  PAGE  46
2066     *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2067
2068                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                          WEEK (HRDOW) *
2069
2070    SOURCE ID = VOL52        ; SOURCE TYPE = VOLUME   :
2071     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
2072    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
2073                                                DAY OF WEEK = WEEKDAY
2074       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2075       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
2076      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2077                                                DAY OF WEEK = SATURDAY
2078       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2079       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
2080      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2081                                                DAY OF WEEK = SUNDAY
2082       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2083       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
2084      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL53 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00								
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01
15	.1000E+01	16	.1000E+01								
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00
23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00								
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00								
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00
23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00								
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00								
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00
23	.0000E+00	24	.0000E+00								

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL54 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00								
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01
15	.1000E+01	16	.1000E+01								
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00
23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00								
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	

```
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:58:05

                              PAGE  49
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL55        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:58:05

                              PAGE  50
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL56        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
```

```
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:58:05

                                PAGE  51
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL57        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:58:05

                                PAGE  52
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
```

```
2199
2200                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                        WEEK (HRDOW) *
2201
2202    SOURCE ID = VOL58        ; SOURCE TYPE = VOLUME   :
2203     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
2204    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
2205                                                DAY OF WEEK = WEEKDAY
2206       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2207       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
2208      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2209                                                DAY OF WEEK = SATURDAY
2210       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2211       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
2212      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2213                                                DAY OF WEEK = SUNDAY
2214       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2215       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
2216      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2217    FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
        Norte\16435 Cons\1643 ***        05/15/25
2218     *** AERMET - VERSION  22112 ***
         ***                                                                    ***
         09:58:05
2219
                                    PAGE  53
2220     *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2221
2222                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                        WEEK (HRDOW) *
2223
2224    SOURCE ID = VOL59        ; SOURCE TYPE = VOLUME   :
2225     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
2226    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
2227                                                DAY OF WEEK = WEEKDAY
2228       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2229       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
2230      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2231                                                DAY OF WEEK = SATURDAY
2232       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2233       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
2234      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2235                                                DAY OF WEEK = SUNDAY
2236       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2237       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
```

```
2238      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2239   FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
       Norte\16435 Cons\1643 ***        05/15/25
2240    *** AERMET - VERSION  22112 ***
        ***                                                                    ***
        09:58:05
2241
                                   PAGE  54
2242    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2243
2244                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                          WEEK (HRDOW) *
2245
2246    SOURCE ID = VOL60        ; SOURCE TYPE = VOLUME   :
2247     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
2248    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
2249                                                DAY OF WEEK = WEEKDAY
2250       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
          .0000E+00    7  .0000E+00    8  .0000E+00
2251       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
          .1000E+01   15  .1000E+01   16  .1000E+01
2252      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2253                                                DAY OF WEEK = SATURDAY
2254       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
          .0000E+00    7  .0000E+00    8  .0000E+00
2255       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
          .0000E+00   15  .0000E+00   16  .0000E+00
2256      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2257                                                DAY OF WEEK = SUNDAY
2258       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
          .0000E+00    7  .0000E+00    8  .0000E+00
2259       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
          .0000E+00   15  .0000E+00   16  .0000E+00
2260      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2261   FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
       Norte\16435 Cons\1643 ***        05/15/25
2262    *** AERMET - VERSION  22112 ***
        ***                                                                    ***
        09:58:05
2263
                                   PAGE  55
2264    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2265
2266                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                          WEEK (HRDOW) *
2267
2268    SOURCE ID = VOL61        ; SOURCE TYPE = VOLUME   :
2269     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
2270    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
2271                                                DAY OF WEEK = WEEKDAY
2272       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
          .0000E+00    7  .0000E+00    8  .0000E+00
2273       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
          .1000E+01   15  .1000E+01   16  .1000E+01
2274      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2275                                                DAY OF WEEK = SATURDAY
2276       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
```

```
      .0000E+00    7  .0000E+00    8  .0000E+00
2277   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
2278  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
2279                                          DAY OF WEEK = SUNDAY
2280   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
2281   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
2282  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
2283 FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
     Norte\16435 Cons\1643 ***        05/15/25
2284  *** AERMET - VERSION  22112 ***
      ***                                                                    ***
      09:58:05
2285
                                PAGE  56
2286  *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2287
2288                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                        WEEK (HRDOW) *
2289
2290  SOURCE ID = VOL62        ; SOURCE TYPE = VOLUME   :
2291   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
      SCALAR   HOUR   SCALAR   HOUR   SCALAR
2292  - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
     - - - - - - - - - - - - - - - - - - - -
2293                                          DAY OF WEEK = WEEKDAY
2294   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
2295   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
2296  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
2297                                          DAY OF WEEK = SATURDAY
2298   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
2299   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
2300  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
2301                                          DAY OF WEEK = SUNDAY
2302   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
2303   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
2304  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
2305 FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
     Norte\16435 Cons\1643 ***        05/15/25
2306  *** AERMET - VERSION  22112 ***
      ***                                                                    ***
      09:58:05
2307
                                PAGE  57
2308  *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2309
2310                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                        WEEK (HRDOW) *
2311
2312  SOURCE ID = VOL63        ; SOURCE TYPE = VOLUME   :
2313   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
      SCALAR   HOUR   SCALAR   HOUR   SCALAR
2314  - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
```

```
- - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
   .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:58:05

                            PAGE  58
*** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                  WEEK (HRDOW) *

 SOURCE ID = PAREA1       ; SOURCE TYPE = AREAPOLY :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
   .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 09:58:05

```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
(METERS)

(413648.5, 3771123.9, 121.2, 121.2, 2.0); (413644.0, 3771078.2, 120.7, 120.7, 2.0);
(413676.4, 3771027.7, 120.7, 120.7, 2.0); (413613.2, 3771030.3, 120.2, 120.2, 2.0);
(413569.0, 3771032.9, 120.2, 120.2, 2.0); (413537.2, 3771033.5, 120.1, 120.1, 2.0);
(413484.4, 3771036.4, 120.1, 120.1, 2.0); (413456.6, 3771037.7, 120.0, 120.0, 2.0);
(413405.8, 3771040.0, 119.8, 119.8, 2.0); (413376.0, 3771043.2, 119.6, 119.6, 2.0);
(413333.4, 3771017.2, 119.6, 119.6, 2.0); (413333.4, 3771037.3, 119.6, 119.6, 2.0);
(413337.5, 3771067.4, 119.9, 1634.0, 2.0); (413343.4, 3771088.0, 119.9, 1635.7, 2.0);
(413343.5, 3771105.3, 120.0, 1635.7, 2.0); (413345.8, 3771118.8, 120.0, 1635.7, 2.0);
(413348.0, 3771143.1, 120.1, 1635.7, 2.0); (413348.7, 3771160.3, 120.2, 1635.7, 2.0);
(413352.6, 3771184.7, 120.3, 1648.2, 2.0); (413353.5, 3771198.5, 120.3, 1648.2, 2.0);
(413353.8, 3771225.5, 120.5, 1648.2, 2.0); (413358.9, 3771259.0, 120.5, 1648.2, 2.0);
(413361.6, 3771282.1, 120.6, 1648.2, 2.0); (413362.1, 3771296.6, 120.7, 1648.2, 2.0);
(413366.2, 3771341.2, 120.8, 1648.2, 2.0); (413416.9, 3771250.2, 120.8, 1648.2, 2.0);
(413567.7, 3771246.1, 121.3, 1648.2, 2.0); (413480.0, 3771281.7, 121.2, 1648.2, 2.0);
(413452.6, 3771272.9, 121.1, 1648.2, 2.0); (413513.6, 3771244.7, 121.1, 1648.2, 2.0);
(413388.2, 3771251.0, 120.3, 1648.2, 2.0); (413682.5, 3771320.7, 122.2, 1648.2, 2.0);
(413651.8, 3771342.1, 121.9, 1648.2, 2.0); (413368.2, 3771352.5, 120.8, 1648.2, 2.0);
(413368.7, 3771372.0, 120.8, 1648.2, 2.0); (413421.4, 3771372.2, 121.2, 1648.2, 2.0);
(413450.7, 3771369.6, 121.3, 1648.2, 2.0); (413502.7, 3771368.8, 121.5, 1648.2, 2.0);
(413531.6, 3771367.5, 121.7, 1648.2, 2.0); (413588.4, 3771364.6, 121.8, 1648.2, 2.0);
(413617.0, 3771362.6, 122.0, 1648.2, 2.0); (413654.2, 3771385.2, 122.1, 1648.2, 2.0);
(413641.6, 3771240.5, 121.7, 1635.7, 2.0); (413598.3, 3771241.6, 121.5, 1648.2, 2.0);
(413658.1, 3771227.2, 121.7, 1635.7, 2.0); (413652.5, 3771171.9, 121.6, 1635.7, 2.0);
(413762.5, 3771326.4, 122.8, 1648.2, 2.0); (413755.3, 3771297.7, 122.6, 1648.2, 2.0);
(413752.2, 3771264.9, 122.4, 1635.7, 2.0); (413751.5, 3771243.9, 122.3, 1635.7, 2.0);
(413749.2, 3771225.7, 122.3, 1635.7, 2.0); (413747.4, 3771206.7, 122.2, 1635.7, 2.0);
(413745.0, 3771187.2, 122.1, 1635.7, 2.0); (413743.4, 3771169.2, 122.0, 1634.0, 2.0);
(413742.3, 3771152.5, 122.0, 122.0, 2.0); (413740.0, 3771133.6, 121.8, 121.8, 2.0);
(413738.3, 3771115.5, 121.7, 121.7, 2.0); (413734.9, 3771095.5, 121.6, 121.6, 2.0);
(413735.1, 3771077.4, 121.5, 121.5, 2.0); (413733.3,

```
      3771064.3,     121.4,     121.4,       2.0);
2388  ( 413731.5, 3771046.4,     121.3,     121.3,       2.0);         ( 413729.5,
      3771027.6,     121.2,     121.2,       2.0);
2389  ( 413728.1, 3771009.5,     121.0,     121.0,       2.0);         ( 413725.5,
      3770991.7,     120.9,     120.9,       2.0);
2390  ( 413724.5, 3770973.6,     120.8,     120.8,       2.0);         ( 413721.8,
      3770948.1,     120.7,     120.7,       2.0);
2391  ( 413355.1, 3771622.7,     121.1,    1648.2,       2.0);         ( 413235.9,
      3771619.0,     120.6,    1648.2,       2.0);
2392  ( 412848.4, 3771774.9,     118.8,    1648.2,       2.0);         ( 415201.7,
      3771330.5,     133.8,     133.8,       2.0);
2393  ( 413782.5, 3771959.5,     125.9,    1648.2,       2.0);         ( 413664.8,
      3771641.1,     123.2,    1648.2,       2.0);
2394  ( 413674.0, 3770851.1,     119.9,     119.9,       2.0);         ( 413714.1,
      3770847.5,     120.0,     120.0,       2.0);
2395  ( 413663.5, 3770808.8,     119.6,     119.6,       2.0);         ( 413698.8,
      3770760.1,     119.4,     119.4,       2.0);
2396  ( 413617.2, 3770676.6,     118.4,     118.4,       2.0);         ( 413664.1,
      3770663.2,     117.7,     117.7,       2.0);
2397  ( 413613.3, 3770517.0,     116.0,     118.7,       2.0);         ( 413346.0,
      3770490.8,     115.1,     115.1,       2.0);
2398  ( 413415.9, 3770471.5,     114.6,     114.6,       2.0);         ( 413221.9,
      3770467.4,     116.1,     121.5,       2.0);
2399  ( 413666.0, 3771067.1,     121.0,     121.0,
      2.0);
2400  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
2401   *** AERMET - VERSION  22112 ***
       ***                                                                    ***
       09:58:05
2402
                                PAGE  60
2403   *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2404
2405                                              *** METEOROLOGICAL DAYS SELECTED FOR
                                                  PROCESSING ***
2406                                                          (1=YES; 0=NO)
2407
2408             1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1
                 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1 1
2409             1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1
                 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1 1
2410             1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1
                 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1 1
2411             1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1
                 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1 1
2412             1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1
                 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1 1
2413             1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1
                 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1 1
2414             1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1
                 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1 1
2415             1 1 1 1 1 1 1 1 1 1   1 1 1 1 1
2416
2417                 NOTE:  METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON WHAT
                     IS INCLUDED IN THE DATA FILE.
2418
2419
2420
2421                                    *** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED
                                       CATEGORIES ***
2422                                                  (METERS/SEC)
2423
2424                                                1.54,   3.09,   5.14,   8.23,  10.80,
2425  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
```

```
*** AERMET - VERSION  22112 ***
***                                                                        ***
09:58:05

                             PAGE  61
*** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                   *** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA
                                   ***

  Surface file:
  AZUS_V11_trimmed.sfc
  Met Version:  22112
  Profile file:
  AZUS_V11_trimmed.PFL
  Surface format:
  FREE

  Profile format:
  FREE

  Surface station no.:     3179                  Upper air station no.:     3190
                 Name: UNKNOWN                                    Name:
                 UNKNOWN
                 Year:   2017                                     Year:   2017

First 24 hours of scalar data
YR MO DY JDY HR     H0     U*     W*  DT/DZ ZICNV ZIMCH  M-O LEN    Z0  BOWEN ALBEDO
REF WS   WD     HT  REF TA     HT
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - -
17 01 01   1 01  -11.3  0.154 -9.000 -9.000 -999.  145.     28.6  0.34   0.75   1.00
1.36   97.   10.0  281.4    9.5
17 01 01   1 02   -5.9  0.110 -9.000 -9.000 -999.   88.     20.0  0.29   0.75   1.00
1.05   88.   10.0  281.0    9.5
17 01 01   1 03   -6.6  0.117 -9.000 -9.000 -999.   95.     21.1  0.29   0.75   1.00
1.11   69.   10.0  280.5    9.5
17 01 01   1 04   -6.9  0.119 -9.000 -9.000 -999.   99.     21.7  0.33   0.75   1.00
1.08  132.   10.0  279.8    9.5
17 01 01   1 05   -4.1  0.091 -9.000 -9.000 -999.   66.     16.1  0.17   0.75   1.00
1.00  314.   10.0  279.5    9.5
17 01 01   1 06  -18.0  0.193 -9.000 -9.000 -999.  204.     41.0  0.21   0.75   1.00
1.96   35.   10.0  279.8    9.5
17 01 01   1 07  -10.5  0.147 -9.000 -9.000 -999.  136.     27.0  0.29   0.75   1.00
1.38   80.   10.0  279.6    9.5
17 01 01   1 08   -6.3  0.118 -9.000 -9.000 -999.   97.     22.9  0.29   0.75   0.55
1.12   74.   10.0  279.4    9.5
17 01 01   1 09   25.4  0.209  0.420  0.005  103.  230.    -31.8  0.29   0.75   0.32
1.55   70.   10.0  282.2    9.5
17 01 01   1 10   64.6  0.296  1.020  0.005  581.  386.    -35.4  0.33   0.75   0.25
2.13  126.   10.0  283.6    9.5
17 01 01   1 11   91.0  0.325  1.350  0.005  956.  444.    -33.2  0.33   0.75   0.22
2.32  130.   10.0  284.1    9.5
17 01 01   1 12   87.8  0.248  1.393  0.005 1087.  299.    -15.3  0.32   0.75   0.21
1.62  152.   10.0  285.1    9.5
17 01 01   1 13  103.2  0.182  1.514  0.005 1188.  187.     -5.1  0.33   0.75   0.21
0.97  144.   10.0  286.1    9.5
17 01 01   1 14   74.8  0.225  1.385  0.005 1256.  255.    -13.4  0.23   0.75   0.22
1.61  214.   10.0  286.9    9.5
17 01 01   1 15   50.9  0.150  1.233  0.005 1300.  142.     -5.9  0.07   0.75   0.26
1.37  273.   10.0  286.7    9.5
17 01 01   1 16    1.2  0.122  0.356  0.005 1300.  102.   -130.2  0.23   0.75   0.35
1.08  210.   10.0  286.6    9.5
17 01 01   1 17  -13.1  0.175 -9.000 -9.000 -999.  176.     36.0  0.32   0.75   0.62
1.55  172.   10.0  286.3    9.5
17 01 01   1 18  -13.7  0.171 -9.000 -9.000 -999.  169.     32.2  0.32   0.75   1.00
```

```
 1.53  179.   10.0  285.8    9.5
 17 01 01   1 19   -9.0  0.136 -9.000 -9.000 -999.  121.     24.7  0.23   0.75   1.00
 1.38  215.   10.0  285.4    9.5
 17 01 01   1 20   -3.7  0.086 -9.000 -9.000 -999.   61.     14.9  0.12   0.75   1.00
 1.03  259.   10.0  285.0    9.5
 17 01 01   1 21   -1.8  0.070 -9.000 -9.000 -999.   44.     16.4  0.16   0.75   1.00
 0.58  349.   10.0  284.9    9.5
 17 01 01   1 22   -3.4  0.086 -9.000 -9.000 -999.   61.     16.6  0.29   0.75   1.00
 0.78   61.   10.0  284.8    9.5
 17 01 01   1 23  -14.0  0.170 -9.000 -9.000 -999.  168.     31.8  0.21   0.75   1.00
 1.74   43.   10.0  284.2    9.5
 17 01 01   1 24  -21.5  0.220 -9.000 -9.000 -999.  248.     53.3  0.21   0.75   1.00
 2.22   43.   10.0  283.9    9.5


 First hour of profile data
 YR MO DY HR HEIGHT F  WDIR    WSPD AMB_TMP sigmaA  sigmaW  sigmaV
 17 01 01 01    9.5 0 -999.  -99.00   281.4   99.0  -99.00  -99.00
 17 01 01 01   10.0 1   97.    1.36  -999.0   99.0  -99.00  -99.00

 F indicates top of profile (=1) or below (=0)
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                    ***
 09:58:05

                                PAGE  62
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                *** THE   1ST HIGHEST 24-HR AVERAGE CONCENTRATION   VALUES
                                FOR SOURCE GROUP:  ALL      ***
                                    INCLUDING SOURCE(S):     VOL13       , VOL14       ,
                                    VOL15       , VOL16       , VOL17       ,
               VOL18       , VOL19       , VOL20       , VOL21       , VOL22       ,
               VOL23       , VOL24       , VOL25       ,
               VOL26       , VOL27       , VOL28       , VOL29       , VOL30       ,
               VOL31       , VOL32       , VOL33       ,
               VOL34       , VOL35       , VOL36       , VOL37       , VOL38       ,
               VOL39       , VOL40       ,  . . .      ,

                                          *** DISCRETE CARTESIAN RECEPTOR POINTS ***

                                       ** CONC OF PM_10    IN
                                       MICROGRAMS/M**3                          **

      X-COORD (M)  Y-COORD (M)        CONC     (YYMMDDHH)             X-COORD (M)
      Y-COORD (M)        CONC     (YYMMDDHH)
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - - -
        413648.47   3771123.91       2.82350  (17103024)               413644.02
        3771078.17       2.96937  (17103024)
        413676.40   3771027.68       2.11263  (17103024)               413613.17
        3771030.29       1.79315  (18050124)
        413568.97   3771032.90       1.50018  (18050124)               413537.20
        3771033.51       1.54697  (18050124)
        413484.41   3771036.43       1.62580  (18050124)               413456.63
        3771037.66       1.63295  (18050124)
        413405.83   3771039.96       1.59117  (18050124)               413376.05
        3771043.18       1.49676  (18050124)
        413333.39   3771017.24       0.72011  (21123024)               413333.39
        3771037.35       0.82229  (19052324)
        413337.53   3771067.43       1.00705  (19022024)               413343.36
        3771087.99       1.24870  (19120424)
        413343.52   3771105.34       1.27328  (19120424)               413345.82
        3771118.84       1.32610  (19120424)
```

```
2500          413347.97   3771143.09        1.32309  (19120424)                413348.74
              3771160.28         1.27595  (19120424)
2501          413352.57   3771184.68        1.24599  (19120424)                413353.49
              3771198.50         1.16487  (19120424)
2502          413353.80   3771225.51        0.96352  (21012724)                413358.87
              3771258.96         0.85488  (20011724)
2503          413361.63   3771282.14        0.66578  (20011724)                413362.09
              3771296.56         0.55633  (20011724)
2504          413366.23   3771341.23        0.33235  (20011724)                413416.88
              3771250.22         1.82447  (18122524)
2505          413567.74   3771246.07        1.69137  (21100724)                413479.96
              3771281.68         0.75974  (18122524)
2506          413452.64   3771272.93        0.91522  (18122524)                413513.57
              3771244.69         1.92739  (20011024)
2507          413388.18   3771250.98        1.59455  (19020724)                413682.54
              3771320.66         0.40213  (21100724)
2508          413651.85   3771342.15        0.37007  (21100724)                413368.16
              3771352.50         0.29331  (20011724)
2509          413368.70   3771372.00        0.24544  (18120324)                413421.43
              3771372.18         0.23567  (18120324)
2510          413450.68   3771369.65        0.25470  (21122824)                413502.68
              3771368.75         0.27864  (21021624)
2511          413531.57   3771367.49        0.28472  (20011024)                413588.44
              3771364.60         0.29660  (21100724)
2512          413616.97   3771362.61        0.31191  (21100724)                413654.17
              3771385.18         0.26379  (21100724)
2513          413641.58   3771240.54        1.64806  (21100724)                413598.27
              3771241.58         1.84327  (20011024)
2514          413658.14   3771227.23        1.87055  (20012124)                413652.53
              3771171.92         2.54968  (17103024)
2515          413762.55   3771326.43        0.29494  (18112224)                413755.32
              3771297.72         0.35371  (17120124)
2516          413752.25   3771264.86        0.44648  (17120124)                413751.53
              3771243.92         0.48801  (17012724)
2517          413749.19   3771225.68        0.55639  (21120924)                413747.38
              3771206.72         0.64106  (21120924)
2518          413745.03   3771187.22        0.68667  (21120924)                413743.41
              3771169.17         0.69621  (21120924)
2519          413742.32   3771152.55        0.68722  (21120924)                413739.98
              3771133.59         0.71840  (17103024)
2520          413738.35   3771115.54        0.75991  (17103024)                413734.92
              3771095.50         0.80359  (17103024)
2521          413735.10   3771077.44        0.83566  (17103024)                413733.30
              3771064.26         0.90860  (17103024)
2522          413731.49   3771046.38        1.02158  (17103024)                413729.50
              3771027.61         0.98992  (17103024)
2523          413728.06   3771009.55        0.75979  (17103024)                413725.53
              3770991.67         0.52619  (21041324)
2524          413724.45   3770973.62        0.39512  (21041324)                413721.78
              3770948.07         0.26188  (21041324)
2525          413355.15   3771622.70        0.06522  (20121424)                413235.89
              3771619.04         0.06261  (19103024)
2526          412848.39   3771774.93        0.03394  (20011724)                415201.66
              3771330.49         0.01655  (19121624)
2527          413782.51   3771959.51        0.02376  (21122824)                413664.85
              3771641.09         0.07657  (21122824)
2528          413674.05   3770851.12        0.09489  (17112124)                413714.09
              3770847.47         0.10118  (17112124)
2529          413663.50   3770808.78        0.06800  (20020324)                413698.79
              3770760.11         0.05236  (17112124)
2530          413617.17   3770676.59        0.05913  (20020324)                413664.14
              3770663.20         0.04012  (19022124)
2531          413613.35   3770516.97        0.03400  (20020324)                413345.98
              3770490.83         0.06088  (20020324)
2532  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
```

*** THE   1ST HIGHEST 24-HR AVERAGE CONCENTRATION   VALUES FOR SOURCE GROUP: ALL   ***
INCLUDING SOURCE(S):   VOL13   , VOL14   , VOL15   , VOL16   , VOL17   ,
VOL18   , VOL19   , VOL20   , VOL21   , VOL22   ,
VOL23   , VOL24   , VOL25   ,
VOL26   , VOL27   , VOL28   , VOL29   , VOL30   ,
VOL31   , VOL32   , VOL33   ,
VOL34   , VOL35   , VOL36   , VOL37   , VOL38   ,
VOL39   , VOL40   , . . .   ,

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF PM_10   IN MICROGRAMS/M**3   **

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)
413415.90	3770471.49	0.05957	(20020324)	413221.86	3770467.45	0.06049	(21123024)
413666.01	3771067.07	1.93609	(17103024)				

*** THE SUMMARY OF HIGHEST 24-HR RESULTS ***

** CONC OF PM_10   IN MICROGRAMS/M**3   **

GROUP ID	AVERAGE CONC	DATE (YYMMDDHH)	RECEPTOR (XR, YR, ZELEV, ZHILL, ZFLAG)	OF TYPE	NETWORK GRID-ID
ALL	HIGH 1ST HIGH VALUE IS	2.96937	ON 17103024: AT (413644.02, 3771078.17, 120.70, 120.70, 2.00)	DC	

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** Message Summary : AERMOD Model Execution ***

--------- Summary of Total Messages --------

A Total of 0 Fatal Error Message(s)
A Total of 43 Warning Message(s)
A Total of 474 Informational Message(s)

A Total of 43824 Hours Were Processed

A Total of 41 Calm Hours Identified

A Total of 433 Missing Hours Identified (0.99 Percent)

******** FATAL ERROR MESSAGES ********
*** NONE ***

******** WARNING MESSAGES ********
ME W186 956 MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used 0.50
ME W187 956 MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET
CN W732 1176 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2017021824
CN W732 10368 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2018030824
CN W732 12408 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2018060124
CN W732 22848 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2019081024
CN W732 25440 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2019112624
CN W732 25464 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2019112724
CN W732 26304 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2020010124
CN W732 28032 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2020031324
CN W732 28056 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2020031424
CN W732 28080 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2020031524
CN W732 28104 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2020031624
CN W732 28512 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2020040224
CN W732 28536 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2020040324
CN W732 28632 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2020040724
CN W732 28944 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2020042024
CN W732 33024 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2020100724
CN W732 33096 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2020101024

```
 CN W732   33888         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020111224
 CN W732   34032         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020111824
 CN W732   34080         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112024
 CN W732   34104         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112124
 CN W732   34128         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112224
 CN W732   34152         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112324
 CN W732   34176         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112424
 CN W732   34200         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112524
 CN W732   34680         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020121524
 CN W732   34824         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020122124
 CN W732   35280         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021010924
 CN W732   35304         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021011024
 CN W732   35328         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021011124
 CN W732   35352         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021011224
 CN W732   35616         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021012324
 CN W732   35640         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021012424
 CN W732   35664         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021012524
 CN W732   36816         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021031424
 CN W732   37200         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021033024
 CN W732   37296         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021040324
 CN W732   38760         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021060324
 CN W732   40920         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021090124
 CN W732   41808         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021100824
 CN W732   41832         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021100924

    ************************************
    *** AERMOD Finishes Successfully ***
    ************************************


```

```
**
**************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 13.0.0
** Lakes Environmental Software Inc.
** Date: 5/15/2025
** File: C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons PM25\16435 Cons PM25.ADI
**
**************************************
**
**
**************************************
** AERMOD Control Pathway
**************************************
**
**
CO STARTING
   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643
   MODELOPT DFAULT CONC
   AVERTIME 24
   URBANOPT 9663345 Los_Angeles_County
   POLLUTID PM_2.5
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "16435 Cons PM25.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL13        VOLUME     413678.759  3771046.996      120.760
   LOCATION VOL14        VOLUME     413644.379  3771048.419      120.440
   LOCATION VOL15        VOLUME     413609.792  3771050.453      120.340
   LOCATION VOL16        VOLUME     413630.138  3771220.132      121.570
   LOCATION VOL17        VOLUME     413630.260  3771186.129      121.320
   LOCATION VOL18        VOLUME     413632.986  3771151.772      121.170
   LOCATION VOL19        VOLUME     413629.104  3771118.263      120.940
   LOCATION VOL20        VOLUME     413625.918  3771084.065      120.660
   LOCATION VOL21        VOLUME     413596.212  3771220.733      121.340
   LOCATION VOL22        VOLUME     413596.335  3771186.730      121.160
   LOCATION VOL23        VOLUME     413599.061  3771152.374      121.000
   LOCATION VOL24        VOLUME     413595.179  3771118.864      120.760
   LOCATION VOL25        VOLUME     413591.993  3771084.666      120.730
   LOCATION VOL26        VOLUME     413562.226  3771224.344      121.200
   LOCATION VOL27        VOLUME     413562.349  3771190.341      120.990
   LOCATION VOL28        VOLUME     413565.075  3771155.985      120.810
   LOCATION VOL29        VOLUME     413561.193  3771122.475      120.730
   LOCATION VOL30        VOLUME     413558.007  3771088.277      120.770
   LOCATION VOL31        VOLUME     413528.453  3771224.132      121.010
   LOCATION VOL32        VOLUME     413528.576  3771190.129      120.780
   LOCATION VOL33        VOLUME     413531.301  3771155.772      120.650
   LOCATION VOL34        VOLUME     413527.420  3771122.263      120.560
   LOCATION VOL35        VOLUME     413524.234  3771088.065      120.770
   LOCATION VOL36        VOLUME     413494.892  3771226.893      120.870
   LOCATION VOL37        VOLUME     413495.015  3771192.890      120.630
   LOCATION VOL38        VOLUME     413497.741  3771158.533      120.460
   LOCATION VOL39        VOLUME     413493.859  3771125.024      120.410
   LOCATION VOL40        VOLUME     413490.673  3771090.826      120.550
   LOCATION VOL41        VOLUME     413461.331  3771229.230      120.830
```

```
     LOCATION VOL42        VOLUME     413461.454  3771195.226      120.620
     LOCATION VOL43        VOLUME     413464.180  3771160.870      120.410
     LOCATION VOL44        VOLUME     413460.298  3771127.361      120.290
     LOCATION VOL45        VOLUME     413457.112  3771093.162      120.290
     LOCATION VOL46        VOLUME     413427.770  3771229.442      120.700
     LOCATION VOL47        VOLUME     413427.893  3771195.439      120.500
     LOCATION VOL48        VOLUME     413430.619  3771161.082      120.340
     LOCATION VOL49        VOLUME     413426.737  3771127.573      120.190
     LOCATION VOL50        VOLUME     413423.551  3771093.375      120.040
     LOCATION VOL51        VOLUME     413397.396  3771227.531      120.420
     LOCATION VOL52        VOLUME     413394.545  3771194.164      120.300
     LOCATION VOL53        VOLUME     413397.058  3771160.445      120.180
     LOCATION VOL54        VOLUME     413392.327  3771126.086      120.090
     LOCATION VOL55        VOLUME     413390.415  3771093.800      119.780
     LOCATION VOL56        VOLUME     413576.851  3771062.824      120.680
     LOCATION VOL57        VOLUME     413543.290  3771064.735      120.680
     LOCATION VOL58        VOLUME     413510.154  3771066.222      120.700
     LOCATION VOL59        VOLUME     413389.080  3771161.170      120.140
     LOCATION VOL60        VOLUME     413476.594  3771068.771      120.480
     LOCATION VOL61        VOLUME     413443.033  3771068.984      120.130
     LOCATION VOL62        VOLUME     413409.684  3771070.258      119.840
     LOCATION VOL63        VOLUME     413380.371  3771072.807      119.720
     LOCATION PAREA1       AREAPOLY   413382.882  3771246.953      120.300
** Source Parameters **
     SRCPARAM VOL13        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL14        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL15        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL16        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL17        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL18        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL19        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL20        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL21        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL22        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL23        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL24        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL25        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL26        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL27        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL28        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL29        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL30        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL31        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL32        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL33        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL34        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL35        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL36        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL37        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL38        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL39        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL40        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL41        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL42        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL43        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL44        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL45        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL46        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL47        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL48        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL49        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL50        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL51        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL52        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL53        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL54        0.00003397     5.000     7.760     1.400
```

```
   SRCPARAM VOL55        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL56        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL57        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL58        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL59        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL60        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL61        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL62        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL63        0.00003397     5.000     7.760     1.400
   SRCPARAM PAREA1       2.7759E-07     0.000        11     1.000
   AREAVERT PAREA1       413382.882 3771246.953 413657.114 3771232.739
   AREAVERT PAREA1       413641.786 3771065.525 413676.901 3771063.016
   AREAVERT PAREA1       413693.622 3771063.016 413690.557 3771027.344
   AREAVERT PAREA1       413595.802 3771033.754 413595.802 3771046.295
   AREAVERT PAREA1       413363.373 3771058.279 413363.094 3771071.377
   AREAVERT PAREA1       413366.996 3771078.066
   URBANSRC ALL

** Variable Emissions Type: "By Hour / Day (HRDOW)"
** Variable Emission Scenario: "Scenario 1"
** WeekDays:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL13        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL14        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL15        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
```

```
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL16        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL17        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL18        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL19        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL20        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL21        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL22        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL23        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL24        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL25        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL26        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL27        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL28        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL29        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
```

```
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL30        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL31        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL32        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL33        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL34        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL35        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL36        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL37        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
```

```
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL38        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL39        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL40        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL41        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL42        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL43        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL44        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL45        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL46        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL47        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL48        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL49        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL50        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL51        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
```

```
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL52        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL53        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL54        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL55        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL56        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL57        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL58        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL59        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
```

```
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL60        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL61        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL62        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL63        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT PAREA1       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
   INCLUDED "16435 Cons PM25.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
**************************************
**
**
ME STARTING
   SURFFILE AZUS_V11_trimmed.sfc
   PROFFILE AZUS_V11_trimmed.PFL
   SURFDATA 3179 2017
   UAIRDATA 3190 2017
   SITEDATA 60370002 2017
   PROFBASE 187.0 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 24 1ST
** Auto-Generated Plotfiles
   PLOTFILE 24 ALL 1ST "16435 CONS PM25.AD\24H1GALL.PLT" 31
   SUMMFILE "16435 Cons PM25.sum"
OU FINISHED
**
**************************************
** Project Parameters
**************************************
** PROJCTN  CoordinateSystemUTM
** DESCPTN  UTM: Universal Transverse Mercator
** DATUM    North American Datum 1983
** DTMRGN   CONUS
** UNITS    m
** ZONE     11
** ZONEINX  0
**

```

```
** Lakes Environmental AERMOD MPI
**
****************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 13.0.0
** Lakes Environmental Software Inc.
** Date: 5/15/2025
** File: C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons PM25\16435 Cons PM25.ADI
**
****************************************
**
**
****************************************
** AERMOD Control Pathway
****************************************
**
**
CO STARTING
   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643
   MODELOPT DFAULT CONC
   AVERTIME 24
   URBANOPT 9663345 Los_Angeles_County
   POLLUTID PM_2.5
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "16435 Cons PM25.err"
CO FINISHED
**
****************************************
** AERMOD Source Pathway
****************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL13        VOLUME     413678.759  3771046.996      120.760
   LOCATION VOL14        VOLUME     413644.379  3771048.419      120.440
   LOCATION VOL15        VOLUME     413609.792  3771050.453      120.340
   LOCATION VOL16        VOLUME     413630.138  3771220.132      121.570
   LOCATION VOL17        VOLUME     413630.260  3771186.129      121.320
   LOCATION VOL18        VOLUME     413632.986  3771151.772      121.170
   LOCATION VOL19        VOLUME     413629.104  3771118.263      120.940
   LOCATION VOL20        VOLUME     413625.918  3771084.065      120.660
   LOCATION VOL21        VOLUME     413596.212  3771220.733      121.340
   LOCATION VOL22        VOLUME     413596.335  3771186.730      121.160
   LOCATION VOL23        VOLUME     413599.061  3771152.374      121.000
   LOCATION VOL24        VOLUME     413595.179  3771118.864      120.760
   LOCATION VOL25        VOLUME     413591.993  3771084.666      120.730
   LOCATION VOL26        VOLUME     413562.226  3771224.344      121.200
   LOCATION VOL27        VOLUME     413562.349  3771190.341      120.990
   LOCATION VOL28        VOLUME     413565.075  3771155.985      120.810
   LOCATION VOL29        VOLUME     413561.193  3771122.475      120.730
   LOCATION VOL30        VOLUME     413558.007  3771088.277      120.770
   LOCATION VOL31        VOLUME     413528.453  3771224.132      121.010
   LOCATION VOL32        VOLUME     413528.576  3771190.129      120.780
   LOCATION VOL33        VOLUME     413531.301  3771155.772      120.650
   LOCATION VOL34        VOLUME     413527.420  3771122.263      120.560
   LOCATION VOL35        VOLUME     413524.234  3771088.065      120.770
   LOCATION VOL36        VOLUME     413494.892  3771226.893      120.870
   LOCATION VOL37        VOLUME     413495.015  3771192.890      120.630
   LOCATION VOL38        VOLUME     413497.741  3771158.533      120.460
   LOCATION VOL39        VOLUME     413493.859  3771125.024      120.410
   LOCATION VOL40        VOLUME     413490.673  3771090.826      120.550
```

```
     LOCATION VOL41        VOLUME     413461.331  3771229.230      120.830
     LOCATION VOL42        VOLUME     413461.454  3771195.226      120.620
     LOCATION VOL43        VOLUME     413464.180  3771160.870      120.410
     LOCATION VOL44        VOLUME     413460.298  3771127.361      120.290
     LOCATION VOL45        VOLUME     413457.112  3771093.162      120.290
     LOCATION VOL46        VOLUME     413427.770  3771229.442      120.700
     LOCATION VOL47        VOLUME     413427.893  3771195.439      120.500
     LOCATION VOL48        VOLUME     413430.619  3771161.082      120.340
     LOCATION VOL49        VOLUME     413426.737  3771127.573      120.190
     LOCATION VOL50        VOLUME     413423.551  3771093.375      120.040
     LOCATION VOL51        VOLUME     413397.396  3771227.531      120.420
     LOCATION VOL52        VOLUME     413394.545  3771194.164      120.300
     LOCATION VOL53        VOLUME     413397.058  3771160.445      120.180
     LOCATION VOL54        VOLUME     413392.327  3771126.086      120.090
     LOCATION VOL55        VOLUME     413390.415  3771093.800      119.780
     LOCATION VOL56        VOLUME     413576.851  3771062.824      120.680
     LOCATION VOL57        VOLUME     413543.290  3771064.735      120.680
     LOCATION VOL58        VOLUME     413510.154  3771066.222      120.700
     LOCATION VOL59        VOLUME     413389.080  3771161.170      120.140
     LOCATION VOL60        VOLUME     413476.594  3771068.771      120.480
     LOCATION VOL61        VOLUME     413443.033  3771068.984      120.130
     LOCATION VOL62        VOLUME     413409.684  3771070.258      119.840
     LOCATION VOL63        VOLUME     413380.371  3771072.807      119.720
     LOCATION PAREA1       AREAPOLY   413382.882  3771246.953      120.300
** Source Parameters **
     SRCPARAM VOL13        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL14        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL15        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL16        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL17        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL18        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL19        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL20        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL21        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL22        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL23        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL24        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL25        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL26        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL27        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL28        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL29        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL30        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL31        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL32        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL33        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL34        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL35        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL36        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL37        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL38        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL39        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL40        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL41        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL42        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL43        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL44        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL45        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL46        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL47        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL48        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL49        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL50        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL51        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL52        0.00003397     5.000     7.760     1.400
     SRCPARAM VOL53        0.00003397     5.000     7.760     1.400
```

```
   SRCPARAM VOL54        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL55        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL56        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL57        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL58        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL59        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL60        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL61        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL62        0.00003397     5.000     7.760     1.400
   SRCPARAM VOL63        0.00003397     5.000     7.760     1.400
   SRCPARAM PAREA1       2.7759E-07     0.000        11     1.000
   AREAVERT PAREA1       413382.882 3771246.953 413657.114 3771232.739
   AREAVERT PAREA1       413641.786 3771065.525 413676.901 3771063.016
   AREAVERT PAREA1       413693.622 3771063.016 413690.557 3771027.344
   AREAVERT PAREA1       413595.802 3771033.754 413595.802 3771046.295
   AREAVERT PAREA1       413363.373 3771058.279 413363.094 3771071.377
   AREAVERT PAREA1       413366.996 3771078.066
   URBANSRC ALL

** Variable Emissions Type: "By Hour / Day (HRDOW)"
** Variable Emission Scenario: "Scenario 1"
** WeekDays:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL13        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL14        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL15        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL16        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL17        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL18        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL19        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL20        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
```

```
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL21        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL22        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL23        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL24        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL25        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL26        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL27        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL28        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
   EMISFACT VOL29        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL30        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL31        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL32        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL33        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL34        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL35        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL36        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL37        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL38        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL39        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL40        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL41        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL42        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
```

```
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL43        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL44        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL45        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL46        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL47        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL48        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL49        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL50        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
   EMISFACT VOL51        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL52        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL53        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL54        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL55        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL56        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL57        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL58        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL59        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL60        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL61        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL62        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL63        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT PAREA1       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
```

```
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
   INCLUDED "16435 Cons PM25.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
**************************************
**
**
ME STARTING
   SURFFILE AZUS_V11_trimmed.sfc
   PROFFILE AZUS_V11_trimmed.PFL
   SURFDATA 3179 2017
   UAIRDATA 3190 2017
   SITEDATA 60370002 2017
   PROFBASE 187.0 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 24 1ST
** Auto-Generated Plotfiles
   PLOTFILE 24 ALL 1ST "16435 CONS PM25.AD\24H1GALL.PLT" 31
   SUMMFILE "16435 Cons PM25.sum"
OU FINISHED


  *** Message Summary For AERMOD Model Setup ***

  --------- Summary of Total Messages --------

 A Total of            0 Fatal Error Message(s)
 A Total of            2 Warning Message(s)
 A Total of            0 Informational Message(s)


    ******** FATAL ERROR MESSAGES ********
               ***  NONE  ***


    ********   WARNING MESSAGES   ********
 ME W186     956       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold
 used           0.50
 ME W187     956       MEOPEN: ADJ_U* Option for Stable Low Winds used in
```

```
      AERMET
 989
 990  **********************************
 991  *** SETUP Finishes Successfully ***
 992  **********************************
 993
 994  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
 995   *** AERMET - VERSION  22112 ***
       ***                                                                    ***
       10:01:03
 996
                                  PAGE   1
 997  *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
 998
 999                                              ***     MODEL SETUP OPTIONS SUMMARY       ***
1000  - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
      - - - - - - - - - - - - - - - - - - - -
1001
1002  ** Model Options Selected:
1003       * Model Uses Regulatory DEFAULT Options
1004       * Model Is Setup For Calculation of Average CONCentration Values.
1005       * NO GAS DEPOSITION Data Provided.
1006       * NO PARTICLE DEPOSITION Data Provided.
1007       * Model Uses NO DRY DEPLETION. DDPLETE  =  F
1008       * Model Uses NO WET DEPLETION. WETDPLT  =  F
1009       * Stack-tip Downwash.
1010       * Model Accounts for ELEVated Terrain Effects.
1011       * Use Calms Processing Routine.
1012       * Use Missing Data Processing Routine.
1013       * No Exponential Decay.
1014       * Model Uses URBAN Dispersion Algorithm for the SBL for    52 Source(s),
1015         for Total of    1 Urban Area(s):
1016     Urban Population =   9663345.0 ;  Urban Roughness Length =  1.000 m
1017       * Urban Roughness Length of 1.0 Meter Used.
1018       * ADJ_U*   - Use ADJ_U* option for SBL in AERMET
1019       * CCVR_Sub - Meteorological data includes CCVR substitutions
1020       * TEMP_Sub - Meteorological data includes TEMP substitutions
1021       * Model Accepts FLAGPOLE Receptor . Heights.
1022       * The User Specified a Pollutant Type of: PM_2.5
1023
1024  **Model Calculates  1 Short Term Average(s) of:  24-HR
1025
1026  **This Run Includes:     52 Source(s);       1 Source Group(s); and      83 Receptor(s)
1027
1028                  with:      0 POINT(s), including
1029                             0 POINTCAP(s) and      0 POINTHOR(s)
1030                   and:     51 VOLUME source(s)
1031                   and:      1 AREA type source(s)
1032                   and:      0 LINE source(s)
1033                   and:      0 RLINE/RLINEXT source(s)
1034                   and:      0 OPENPIT source(s)
1035                   and:      0 BUOYANT LINE source(s) with a total of     0 line(s)
1036                   and:      0 SWPOINT source(s)
1037
1038
1039  **Model Set To Continue RUNning After the Setup Testing.
1040
1041  **The AERMET Input Meteorological Data Version Date:  22112
1042
1043  **Output Options Selected:
1044           Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE
             Keyword)
1045           Model Outputs External File(s) of High Values for Plotting (PLOTFILE Keyword)
1046           Model Outputs Separate Summary File of High Ranked Values (SUMMFILE Keyword)
1047
```

**NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours
m for Missing Hours
b for Both Calm and Missing Hours

**Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) =   187.00 ; Decay Coef. =   0.000   ; Rot. Angle =   0.0
Emission Units = GRAMS/SEC ; Emission Rate Unit Factor =   0.10000E+07
Output Units   = MICROGRAMS/M**3

**Approximate Storage Requirements of Model =   3.6 MB of RAM.

**Input Runstream File:
aermod.inp

**Output Print File:
aermod.out

**Detailed Error/Message File: 16435 Cons PM25.err
**File for Summary of Results: 16435 Cons PM25.sum

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER EMISSION RATE INIT. PART. CATS.	EMISSION RATE (GRAMS/SEC)	URBAN SOURCE	AIRCRAFT X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	SZ VARY BY
VOL13	0	0.33970E-04	SCALAR	413678.8	3771047.0	120.8	5.00	7.76	1.40	YES	HRDOW
VOL14	0	0.33970E-04	SCALAR	413644.4	3771048.4	120.4	5.00	7.76	1.40	YES	HRDOW
VOL15	0	0.33970E-04	SCALAR	413609.8	3771050.5	120.3	5.00	7.76	1.40	YES	HRDOW
VOL16	0	0.33970E-04	SCALAR	413630.1	3771220.1	121.6	5.00	7.76	1.40	YES	HRDOW
VOL17	0	0.33970E-04	SCALAR	413630.3	3771186.1	121.3	5.00	7.76	1.40	YES	HRDOW
VOL18	0	0.33970E-04	SCALAR	413633.0	3771151.8	121.2	5.00	7.76	1.40	YES	HRDOW
VOL19	0	0.33970E-04	SCALAR	413629.1	3771118.3	120.9	5.00	7.76	1.40	YES	HRDOW
VOL20	0	0.33970E-04	SCALAR	413625.9	3771084.1	120.7	5.00	7.76	1.40	YES	HRDOW
VOL21	0	0.33970E-04	SCALAR	413596.2	3771220.7	121.3	5.00	7.76	1.40	YES	HRDOW
VOL22	0	0.33970E-04	SCALAR	413596.3	3771186.7	121.2	5.00	7.76	1.40	YES	HRDOW
VOL23	0	0.33970E-04	SCALAR	413599.1	3771152.4	121.0	5.00	7.76			

```
      1.40     YES   HRDOW            NO
1087  VOL24            0   0.33970E-04  413595.2 3771118.9   120.8     5.00     7.76
      1.40     YES   HRDOW            NO
1088  VOL25            0   0.33970E-04  413592.0 3771084.7   120.7     5.00     7.76
      1.40     YES   HRDOW            NO
1089  VOL26            0   0.33970E-04  413562.2 3771224.3   121.2     5.00     7.76
      1.40     YES   HRDOW            NO
1090  VOL27            0   0.33970E-04  413562.3 3771190.3   121.0     5.00     7.76
      1.40     YES   HRDOW            NO
1091  VOL28            0   0.33970E-04  413565.1 3771156.0   120.8     5.00     7.76
      1.40     YES   HRDOW            NO
1092  VOL29            0   0.33970E-04  413561.2 3771122.5   120.7     5.00     7.76
      1.40     YES   HRDOW            NO
1093  VOL30            0   0.33970E-04  413558.0 3771088.3   120.8     5.00     7.76
      1.40     YES   HRDOW            NO
1094  VOL31            0   0.33970E-04  413528.5 3771224.1   121.0     5.00     7.76
      1.40     YES   HRDOW            NO
1095  VOL32            0   0.33970E-04  413528.6 3771190.1   120.8     5.00     7.76
      1.40     YES   HRDOW            NO
1096  VOL33            0   0.33970E-04  413531.3 3771155.8   120.6     5.00     7.76
      1.40     YES   HRDOW            NO
1097  VOL34            0   0.33970E-04  413527.4 3771122.3   120.6     5.00     7.76
      1.40     YES   HRDOW            NO
1098  VOL35            0   0.33970E-04  413524.2 3771088.1   120.8     5.00     7.76
      1.40     YES   HRDOW            NO
1099  VOL36            0   0.33970E-04  413494.9 3771226.9   120.9     5.00     7.76
      1.40     YES   HRDOW            NO
1100  VOL37            0   0.33970E-04  413495.0 3771192.9   120.6     5.00     7.76
      1.40     YES   HRDOW            NO
1101  VOL38            0   0.33970E-04  413497.7 3771158.5   120.5     5.00     7.76
      1.40     YES   HRDOW            NO
1102  VOL39            0   0.33970E-04  413493.9 3771125.0   120.4     5.00     7.76
      1.40     YES   HRDOW            NO
1103  VOL40            0   0.33970E-04  413490.7 3771090.8   120.5     5.00     7.76
      1.40     YES   HRDOW            NO
1104  VOL41            0   0.33970E-04  413461.3 3771229.2   120.8     5.00     7.76
      1.40     YES   HRDOW            NO
1105  VOL42            0   0.33970E-04  413461.5 3771195.2   120.6     5.00     7.76
      1.40     YES   HRDOW            NO
1106  VOL43            0   0.33970E-04  413464.2 3771160.9   120.4     5.00     7.76
      1.40     YES   HRDOW            NO
1107  VOL44            0   0.33970E-04  413460.3 3771127.4   120.3     5.00     7.76
      1.40     YES   HRDOW            NO
1108  VOL45            0   0.33970E-04  413457.1 3771093.2   120.3     5.00     7.76
      1.40     YES   HRDOW            NO
1109  VOL46            0   0.33970E-04  413427.8 3771229.4   120.7     5.00     7.76
      1.40     YES   HRDOW            NO
1110  VOL47            0   0.33970E-04  413427.9 3771195.4   120.5     5.00     7.76
      1.40     YES   HRDOW            NO
1111  VOL48            0   0.33970E-04  413430.6 3771161.1   120.3     5.00     7.76
      1.40     YES   HRDOW            NO
1112  VOL49            0   0.33970E-04  413426.7 3771127.6   120.2     5.00     7.76
      1.40     YES   HRDOW            NO
1113  VOL50            0   0.33970E-04  413423.6 3771093.4   120.0     5.00     7.76
      1.40     YES   HRDOW            NO
1114  VOL51            0   0.33970E-04  413397.4 3771227.5   120.4     5.00     7.76
      1.40     YES   HRDOW            NO
1115  VOL52            0   0.33970E-04  413394.5 3771194.2   120.3     5.00     7.76
      1.40     YES   HRDOW            NO
1116  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
1117   *** AERMET - VERSION  22112 ***
       ***                                                                    ***
       10:01:03
1118
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER EMISSION RATE INIT. PART. SOURCE CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	URBAN SOURCE	SCALAR VARY BY
VOL53	0	0.33970E-04	413397.1	3771160.4	120.2	5.00	7.76	1.40	YES	HRDOW	NO
VOL54	0	0.33970E-04	413392.3	3771126.1	120.1	5.00	7.76	1.40	YES	HRDOW	NO
VOL55	0	0.33970E-04	413390.4	3771093.8	119.8	5.00	7.76	1.40	YES	HRDOW	NO
VOL56	0	0.33970E-04	413576.9	3771062.8	120.7	5.00	7.76	1.40	YES	HRDOW	NO
VOL57	0	0.33970E-04	413543.3	3771064.7	120.7	5.00	7.76	1.40	YES	HRDOW	NO
VOL58	0	0.33970E-04	413510.2	3771066.2	120.7	5.00	7.76	1.40	YES	HRDOW	NO
VOL59	0	0.33970E-04	413389.1	3771161.2	120.1	5.00	7.76	1.40	YES	HRDOW	NO
VOL60	0	0.33970E-04	413476.6	3771068.8	120.5	5.00	7.76	1.40	YES	HRDOW	NO
VOL61	0	0.33970E-04	413443.0	3771069.0	120.1	5.00	7.76	1.40	YES	HRDOW	NO
VOL62	0	0.33970E-04	413409.7	3771070.3	119.8	5.00	7.76	1.40	YES	HRDOW	NO
VOL63	0	0.33970E-04	413380.4	3771072.8	119.7	5.00	7.76	1.40	YES	HRDOW	NO

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** AREAPOLY SOURCE DATA ***

SOURCE ID	NUMBER EMISSION RATE INIT. PART. SOURCE CATS.	EMISSION RATE (GRAMS/SEC /METER**2)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	NUMBER OF VERTS.	INIT. SZ (METERS)	URBAN SOURCE	SCALAR VARY BY
PAREA1	0	0.27759E-06	413382.9	3771247.0	120.3	0.00	11	1.00	YES	HRDOW	NO

```
*** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                          *** SOURCE IDs DEFINING SOURCE GROUPS ***

SRCGROUP ID                                                SOURCE IDs
-----------                                                ----------


 ALL        VOL13       , VOL14       , VOL15       , VOL16       , VOL17       ,
 VOL18       , VOL19       , VOL20       ,

            VOL21       , VOL22       , VOL23       , VOL24       , VOL25       ,
            VOL26       , VOL27       , VOL28       ,

            VOL29       , VOL30       , VOL31       , VOL32       , VOL33       ,
            VOL34       , VOL35       , VOL36       ,

            VOL37       , VOL38       , VOL39       , VOL40       , VOL41       ,
            VOL42       , VOL43       , VOL44       ,

            VOL45       , VOL46       , VOL47       , VOL48       , VOL49       ,
            VOL50       , VOL51       , VOL52       ,

            VOL53       , VOL54       , VOL55       , VOL56       , VOL57       ,
            VOL58       , VOL59       , VOL60       ,

            VOL61       , VOL62       , VOL63       , PAREA1      ,
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                    ***
 10:01:03

                              PAGE   6
*** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                          *** SOURCE IDs DEFINED AS URBAN SOURCES ***

 URBAN ID   URBAN POP                                      SOURCE IDs
 --------   ---------                                      ----------


             9663345.   VOL13       , VOL14       , VOL15       , VOL16       ,
             VOL17       , VOL18       , VOL19       ,
VOL20       ,

            VOL21       , VOL22       , VOL23       , VOL24       , VOL25       ,
            VOL26       , VOL27       , VOL28       ,

            VOL29       , VOL30       , VOL31       , VOL32       , VOL33       ,
            VOL34       , VOL35       , VOL36       ,

            VOL37       , VOL38       , VOL39       , VOL40       , VOL41       ,
            VOL42       , VOL43       , VOL44       ,

            VOL45       , VOL46       , VOL47       , VOL48       , VOL49       ,
            VOL50       , VOL51       , VOL52       ,

            VOL53       , VOL54       , VOL55       , VOL56       , VOL57       ,
            VOL58       , VOL59       , VOL60       ,

            VOL61       , VOL62       , VOL63       , PAREA1      ,
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
```

```
1206    *** AERMET - VERSION  22112 ***
        ***                                                                    ***
        10:01:03
1207
                                    PAGE   7
1208    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1209
1210                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                          WEEK (HRDOW) *
1211
1212    SOURCE ID = VOL13        ; SOURCE TYPE = VOLUME   :
1213     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1214    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - - - - -
1215                                                  DAY OF WEEK = WEEKDAY
1216       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1217       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1218      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1219                                                  DAY OF WEEK = SATURDAY
1220       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1221       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1222      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1223                                                  DAY OF WEEK = SUNDAY
1224       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1225       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1226      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1227    FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
        Norte\16435 Cons\1643 ***        05/15/25
1228     *** AERMET - VERSION  22112 ***
         ***                                                                   ***
         10:01:03
1229
                                    PAGE   8
1230    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1231
1232                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                          WEEK (HRDOW) *
1233
1234    SOURCE ID = VOL14        ; SOURCE TYPE = VOLUME   :
1235     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1236    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - - - - -
1237                                                  DAY OF WEEK = WEEKDAY
1238       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1239       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1240      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1241                                                  DAY OF WEEK = SATURDAY
1242       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1243       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1244      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
```

```
      .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
     1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
     9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
    17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
    .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 10:01:03

                              PAGE   9
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL15        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
     1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
     9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
    17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
    .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
     1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
     9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
    17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
    .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
     1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
     9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
    17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
    .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 10:01:03

                              PAGE  10
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL16        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
     1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
```

```
1283       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1284      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1285                                                DAY OF WEEK = SATURDAY
1286       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1287       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1288      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1289                                                DAY OF WEEK = SUNDAY
1290       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1291       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1292      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1293  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
1294       *** AERMET - VERSION  22112 ***
           ***                                                                    ***
           10:01:03
1295
                                    PAGE  11
1296       *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1297
1298                         * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                             WEEK (HRDOW) *
1299
1300       SOURCE ID = VOL17        ; SOURCE TYPE = VOLUME   :
1301        HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
           SCALAR   HOUR   SCALAR   HOUR   SCALAR
1302      - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
      - - - - - - - - - - - - - - - - - - - -
1303                                                DAY OF WEEK = WEEKDAY
1304       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1305       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1306      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1307                                                DAY OF WEEK = SATURDAY
1308       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1309       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1310      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1311                                                DAY OF WEEK = SUNDAY
1312       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1313       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1314      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1315  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
1316       *** AERMET - VERSION  22112 ***
           ***                                                                    ***
           10:01:03
1317
                                    PAGE  12
1318       *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1319
1320                         * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
```

```
                    WEEK (HRDOW) *
1321
1322    SOURCE ID = VOL18        ; SOURCE TYPE = VOLUME   :
1323     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1324    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1325                                                DAY OF WEEK = WEEKDAY
1326       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1327       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1328      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1329                                                DAY OF WEEK = SATURDAY
1330       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1331       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1332      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1333                                                DAY OF WEEK = SUNDAY
1334       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1335       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1336      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1337    FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
        Norte\16435 Cons\1643 ***        05/15/25
1338     *** AERMET - VERSION  22112 ***
         ***                                                                    ***
         10:01:03
1339
                                  PAGE  13
1340    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1341
1342                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                        WEEK (HRDOW) *
1343
1344    SOURCE ID = VOL19        ; SOURCE TYPE = VOLUME   :
1345     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1346    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1347                                                DAY OF WEEK = WEEKDAY
1348       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1349       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1350      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1351                                                DAY OF WEEK = SATURDAY
1352       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1353       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1354      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1355                                                DAY OF WEEK = SUNDAY
1356       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1357       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1358      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL20 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00								
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01
15	.1000E+01	16	.1000E+01								
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00
23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00								
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00								
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00
23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00								
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00
15	.0000E+00	16	.0000E+00								
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00
23	.0000E+00	24	.0000E+00								

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL21 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00								
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01
15	.1000E+01	16	.1000E+01								
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00
23	.0000E+00	24	.0000E+00								

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00								
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	

```
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
       .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
       .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 10:01:03

                              PAGE  16
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL22        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
       .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
       .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
       .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
       .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
       .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
       .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 10:01:03

                              PAGE  17
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL23        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
```

```
1436       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1437       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1438      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1439                                                DAY OF WEEK = SATURDAY
1440       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1441       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1442      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1443                                                DAY OF WEEK = SUNDAY
1444       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1445       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1446      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1447 FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
     Norte\16435 Cons\1643 ***        05/15/25
1448  *** AERMET - VERSION  22112 ***
      ***                                                                          ***
      10:01:03
1449
                                  PAGE  18
1450  *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1451
1452                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                        WEEK (HRDOW) *
1453
1454  SOURCE ID = VOL24        ; SOURCE TYPE = VOLUME   :
1455   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
      SCALAR   HOUR   SCALAR   HOUR   SCALAR
1456  - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
      - - - - - - - - - - - - - - - - - - - -
1457                                                DAY OF WEEK = WEEKDAY
1458       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1459       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1460      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1461                                                DAY OF WEEK = SATURDAY
1462       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1463       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1464      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1465                                                DAY OF WEEK = SUNDAY
1466       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1467       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1468      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1469 FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
     Norte\16435 Cons\1643 ***        05/15/25
1470  *** AERMET - VERSION  22112 ***
      ***                                                                          ***
      10:01:03
1471
                                  PAGE  19
1472  *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
```

```
1473
1474                     * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                         WEEK (HRDOW) *
1475
1476    SOURCE ID = VOL25        ; SOURCE TYPE = VOLUME   :
1477     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1478    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1479                                                DAY OF WEEK = WEEKDAY
1480       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1481       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1482      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1483                                                DAY OF WEEK = SATURDAY
1484       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1485       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1486      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1487                                                DAY OF WEEK = SUNDAY
1488       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1489       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1490      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1491    FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
        Norte\16435 Cons\1643 ***        05/15/25
1492     *** AERMET - VERSION  22112 ***
         ***                                                                    ***
         10:01:03
1493
                                    PAGE  20
1494     *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1495
1496                     * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                         WEEK (HRDOW) *
1497
1498    SOURCE ID = VOL26        ; SOURCE TYPE = VOLUME   :
1499     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1500    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1501                                                DAY OF WEEK = WEEKDAY
1502       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1503       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1504      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1505                                                DAY OF WEEK = SATURDAY
1506       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1507       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1508      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1509                                                DAY OF WEEK = SUNDAY
1510       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1511       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
```

```
1512      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1513   FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
       Norte\16435 Cons\1643 ***        05/15/25
1514       *** AERMET - VERSION  22112 ***
           ***                                                                    ***
           10:01:03
1515
                                      PAGE  21
1516       *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1517
1518                         * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                            WEEK (HRDOW) *
1519
1520       SOURCE ID = VOL27        ; SOURCE TYPE = VOLUME   :
1521        HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
           SCALAR   HOUR   SCALAR   HOUR   SCALAR
1522       - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
           - - - - - - - - - - - - - - - - - - - -
1523                                                  DAY OF WEEK = WEEKDAY
1524          1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
              .0000E+00    7  .0000E+00    8  .0000E+00
1525          9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
              .1000E+01   15  .1000E+01   16  .1000E+01
1526        17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
            .0000E+00   23  .0000E+00   24  .0000E+00
1527                                                  DAY OF WEEK = SATURDAY
1528          1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
              .0000E+00    7  .0000E+00    8  .0000E+00
1529          9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
              .0000E+00   15  .0000E+00   16  .0000E+00
1530        17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
            .0000E+00   23  .0000E+00   24  .0000E+00
1531                                                  DAY OF WEEK = SUNDAY
1532          1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
              .0000E+00    7  .0000E+00    8  .0000E+00
1533          9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
              .0000E+00   15  .0000E+00   16  .0000E+00
1534        17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
            .0000E+00   23  .0000E+00   24  .0000E+00
1535   FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
       Norte\16435 Cons\1643 ***        05/15/25
1536       *** AERMET - VERSION  22112 ***
           ***                                                                    ***
           10:01:03
1537
                                      PAGE  22
1538       *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1539
1540                         * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                            WEEK (HRDOW) *
1541
1542       SOURCE ID = VOL28        ; SOURCE TYPE = VOLUME   :
1543        HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
           SCALAR   HOUR   SCALAR   HOUR   SCALAR
1544       - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
           - - - - - - - - - - - - - - - - - - - -
1545                                                  DAY OF WEEK = WEEKDAY
1546          1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
              .0000E+00    7  .0000E+00    8  .0000E+00
1547          9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
              .1000E+01   15  .1000E+01   16  .1000E+01
1548        17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
            .0000E+00   23  .0000E+00   24  .0000E+00
1549                                                  DAY OF WEEK = SATURDAY
1550          1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
```

```
      .0000E+00    7  .0000E+00    8  .0000E+00
1551   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
1552  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
1553                                          DAY OF WEEK = SUNDAY
1554   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
1555   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
1556  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
1557 FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
     Norte\16435 Cons\1643 ***        05/15/25
1558  *** AERMET - VERSION  22112 ***
      ***                                                                    ***
      10:01:03
1559
                                PAGE  23
1560  *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1561
1562                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                        WEEK (HRDOW) *
1563
1564  SOURCE ID = VOL29        ; SOURCE TYPE = VOLUME   :
1565   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
      SCALAR   HOUR   SCALAR   HOUR   SCALAR
1566  - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
      - - - - - - - - - - - - - - - - - - - -
1567                                          DAY OF WEEK = WEEKDAY
1568   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
1569   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
1570  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
1571                                          DAY OF WEEK = SATURDAY
1572   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
1573   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
1574  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
1575                                          DAY OF WEEK = SUNDAY
1576   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
1577   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
1578  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
1579 FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
     Norte\16435 Cons\1643 ***        05/15/25
1580  *** AERMET - VERSION  22112 ***
      ***                                                                    ***
      10:01:03
1581
                                PAGE  24
1582  *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1583
1584                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                        WEEK (HRDOW) *
1585
1586  SOURCE ID = VOL30        ; SOURCE TYPE = VOLUME   :
1587   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
      SCALAR   HOUR   SCALAR   HOUR   SCALAR
1588  - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
```

```
    - - - - - - - - - - - - - - - - - - - -
1589                                                DAY OF WEEK = WEEKDAY
1590       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1591       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1592      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1593                                                DAY OF WEEK = SATURDAY
1594       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1595       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1596      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1597                                                DAY OF WEEK = SUNDAY
1598       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1599       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1600      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1601   FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
    Norte\16435 Cons\1643 ***        05/15/25
1602    *** AERMET - VERSION  22112 ***
        ***                                                                        ***
        10:01:03
1603
                                  PAGE  25
1604    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1605
1606                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                          WEEK (HRDOW) *
1607
1608    SOURCE ID = VOL31        ; SOURCE TYPE = VOLUME   :
1609     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1610    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
    - - - - - - - - - - - - - - - - - - - -
1611                                                DAY OF WEEK = WEEKDAY
1612       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1613       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1614      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1615                                                DAY OF WEEK = SATURDAY
1616       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1617       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1618      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1619                                                DAY OF WEEK = SUNDAY
1620       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1621       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1622      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1623   FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
    Norte\16435 Cons\1643 ***        05/15/25
1624    *** AERMET - VERSION  22112 ***
        ***                                                                        ***
        10:01:03
1625
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL32 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

FF *** AERMOD - VERSION 24142 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643 *** 05/15/25

*** AERMET - VERSION 22112 ***

*** ***

10:01:03

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL33 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00

```
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
     .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 10:01:03

                                PAGE  28
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL34        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - -
                                             DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
     .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
     .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                             DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
     .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
     .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                             DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
     .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
     .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 10:01:03

                                PAGE  29
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL35        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - -
                                             DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
     .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
     .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
```

```
                                                DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                        ***
 10:01:03

                              PAGE  30
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL36        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
   .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                        ***
 10:01:03

                              PAGE  31
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL37        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
```

```
 SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                             DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14  .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
                                             DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14  .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
                                             DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14  .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643 ***       05/15/25
 *** AERMET - VERSION  22112 *** ***                                                                          *** 10:01:03

                                PAGE  32
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL38        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                             DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14  .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
                                             DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14  .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
                                             DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14  .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643 ***       05/15/25
 *** AERMET - VERSION  22112 *** ***                                                                          ***
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL39 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

FF *** AERMOD - VERSION 24142 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del Norte\16435 Cons\1643 *** 05/15/25

*** AERMET - VERSION 22112 ***

*** ***

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL40 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

```
1818       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1819       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1820      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1821   FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
       Norte\16435 Cons\1643 ***        05/15/25
1822    *** AERMET - VERSION  22112 ***
        ***                                                                    ***
        10:01:03
1823
                                    PAGE  35
1824    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1825
1826                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                          WEEK (HRDOW) *
1827
1828    SOURCE ID = VOL41        ; SOURCE TYPE = VOLUME   :
1829     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1830    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1831                                                DAY OF WEEK = WEEKDAY
1832       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1833       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
1834      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1835                                                DAY OF WEEK = SATURDAY
1836       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1837       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1838      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1839                                                DAY OF WEEK = SUNDAY
1840       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1841       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
1842      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
1843   FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
       Norte\16435 Cons\1643 ***        05/15/25
1844    *** AERMET - VERSION  22112 ***
        ***                                                                    ***
        10:01:03
1845
                                    PAGE  36
1846    *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1847
1848                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                          WEEK (HRDOW) *
1849
1850    SOURCE ID = VOL42        ; SOURCE TYPE = VOLUME   :
1851     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
1852    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
1853                                                DAY OF WEEK = WEEKDAY
1854       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
1855       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
```

```
1856      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1857                                                DAY OF WEEK = SATURDAY
1858       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
          .0000E+00    7  .0000E+00    8  .0000E+00
1859       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
          .0000E+00   15  .0000E+00   16  .0000E+00
1860      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1861                                                DAY OF WEEK = SUNDAY
1862       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
          .0000E+00    7  .0000E+00    8  .0000E+00
1863       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
          .0000E+00   15  .0000E+00   16  .0000E+00
1864      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1865  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
1866   *** AERMET - VERSION  22112 ***
       ***                                                                    ***
       10:01:03
1867
                                  PAGE  37
1868   *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1869
1870                     * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                         WEEK (HRDOW) *
1871
1872   SOURCE ID = VOL43        ; SOURCE TYPE = VOLUME   :
1873    HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
       SCALAR   HOUR   SCALAR   HOUR   SCALAR
1874   - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
       - - - - - - - - - - - - - - - - - - - -
1875                                                DAY OF WEEK = WEEKDAY
1876       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
          .0000E+00    7  .0000E+00    8  .0000E+00
1877       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
          .1000E+01   15  .1000E+01   16  .1000E+01
1878      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1879                                                DAY OF WEEK = SATURDAY
1880       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
          .0000E+00    7  .0000E+00    8  .0000E+00
1881       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
          .0000E+00   15  .0000E+00   16  .0000E+00
1882      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1883                                                DAY OF WEEK = SUNDAY
1884       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
          .0000E+00    7  .0000E+00    8  .0000E+00
1885       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
          .0000E+00   15  .0000E+00   16  .0000E+00
1886      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
1887  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
1888   *** AERMET - VERSION  22112 ***
       ***                                                                    ***
       10:01:03
1889
                                  PAGE  38
1890   *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1891
1892                     * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                         WEEK (HRDOW) *
1893
```

```
 SOURCE ID = VOL44        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
    .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                    ***
 10:01:03

                            PAGE  39
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL45        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
    .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
    .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
    .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
   .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL46   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL47   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

```
      .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
     .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
     .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 10:01:03

                              PAGE  42
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL48        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
     .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
     .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
     .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
     .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
     .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
     .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 10:01:03

                              PAGE  43
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL49        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
     .0000E+00    7  .0000E+00    8  .0000E+00
```

```
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
     .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
     .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
     .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
     .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
     .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 10:01:03

                              PAGE  44
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL50        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
     .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
     .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
     .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
     .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
     .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
     .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 10:01:03

                              PAGE  45
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
```

```
                    WEEK (HRDOW) *
2047
2048    SOURCE ID = VOL51        ; SOURCE TYPE = VOLUME   :
2049     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
2050    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
2051                                                DAY OF WEEK = WEEKDAY
2052       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2053       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
2054      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
2055                                                DAY OF WEEK = SATURDAY
2056       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2057       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
2058      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
2059                                                DAY OF WEEK = SUNDAY
2060       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2061       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
2062      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
2063    FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
        Norte\16435 Cons\1643 ***        05/15/25
2064     *** AERMET - VERSION  22112 ***
         ***                                                                    ***
         10:01:03
2065
                                    PAGE  46
2066     *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2067
2068                      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                          WEEK (HRDOW) *
2069
2070    SOURCE ID = VOL52        ; SOURCE TYPE = VOLUME   :
2071     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
2072    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
2073                                                DAY OF WEEK = WEEKDAY
2074       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2075       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
2076      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
2077                                                DAY OF WEEK = SATURDAY
2078       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2079       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
2080      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
2081                                                DAY OF WEEK = SUNDAY
2082       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2083       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
2084      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
           .0000E+00   23  .0000E+00   24  .0000E+00
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL53 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL54 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14					

```
        .0000E+00   15  .0000E+00   16  .0000E+00
2124      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
        .0000E+00   23  .0000E+00   24  .0000E+00
2125                                              DAY OF WEEK = SUNDAY
2126       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
        .0000E+00    7  .0000E+00    8  .0000E+00
2127       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
        .0000E+00   15  .0000E+00   16  .0000E+00
2128      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
        .0000E+00   23  .0000E+00   24  .0000E+00
2129  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
2130       *** AERMET - VERSION  22112 ***
           ***                                                                    ***
           10:01:03
2131
                                    PAGE  49
2132       *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2133
2134                         * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                             WEEK (HRDOW) *
2135
2136       SOURCE ID = VOL55        ; SOURCE TYPE = VOLUME   :
2137        HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
           SCALAR   HOUR   SCALAR   HOUR   SCALAR
2138      - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
      - - - - - - - - - - - - - - - - - - - - -
2139                                              DAY OF WEEK = WEEKDAY
2140       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
        .0000E+00    7  .0000E+00    8  .0000E+00
2141       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
        .1000E+01   15  .1000E+01   16  .1000E+01
2142      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
        .0000E+00   23  .0000E+00   24  .0000E+00
2143                                              DAY OF WEEK = SATURDAY
2144       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
        .0000E+00    7  .0000E+00    8  .0000E+00
2145       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
        .0000E+00   15  .0000E+00   16  .0000E+00
2146      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
        .0000E+00   23  .0000E+00   24  .0000E+00
2147                                              DAY OF WEEK = SUNDAY
2148       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
        .0000E+00    7  .0000E+00    8  .0000E+00
2149       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
        .0000E+00   15  .0000E+00   16  .0000E+00
2150      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
        .0000E+00   23  .0000E+00   24  .0000E+00
2151  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
2152       *** AERMET - VERSION  22112 ***
           ***                                                                    ***
           10:01:03
2153
                                    PAGE  50
2154       *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2155
2156                         * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                             WEEK (HRDOW) *
2157
2158       SOURCE ID = VOL56        ; SOURCE TYPE = VOLUME   :
2159        HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
           SCALAR   HOUR   SCALAR   HOUR   SCALAR
2160      - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
      - - - - - - - - - - - - - - - - - - - - -
2161                                              DAY OF WEEK = WEEKDAY
```

```
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 10:01:03

                                PAGE  51
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                   WEEK (HRDOW) *

 SOURCE ID = VOL57        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
     17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
     .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 10:01:03

                                PAGE  52
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
```

```
2199
2200                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                        WEEK (HRDOW) *
2201
2202    SOURCE ID = VOL58        ; SOURCE TYPE = VOLUME   :
2203     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
2204    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
2205                                                DAY OF WEEK = WEEKDAY
2206       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2207       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
2208      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2209                                                DAY OF WEEK = SATURDAY
2210       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2211       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
2212      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2213                                                DAY OF WEEK = SUNDAY
2214       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2215       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
2216      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2217    FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
        Norte\16435 Cons\1643 ***        05/15/25
2218     *** AERMET - VERSION  22112 ***
         ***                                                                    ***
         10:01:03
2219
                                    PAGE  53
2220     *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2221
2222                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                        WEEK (HRDOW) *
2223
2224    SOURCE ID = VOL59        ; SOURCE TYPE = VOLUME   :
2225     HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
         SCALAR   HOUR   SCALAR   HOUR   SCALAR
2226    - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        - - - - - - - - - - - - - - - - - - - -
2227                                                DAY OF WEEK = WEEKDAY
2228       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2229       9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
           .1000E+01   15  .1000E+01   16  .1000E+01
2230      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2231                                                DAY OF WEEK = SATURDAY
2232       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2233       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
2234      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2235                                                DAY OF WEEK = SUNDAY
2236       1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
           .0000E+00    7  .0000E+00    8  .0000E+00
2237       9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
           .0000E+00   15  .0000E+00   16  .0000E+00
```

```
2238      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
          .0000E+00   23  .0000E+00   24  .0000E+00
2239   FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
       Norte\16435 Cons\1643 ***        05/15/25
2240       *** AERMET - VERSION  22112 ***
           ***                                                                    ***
           10:01:03
2241
                                    PAGE  54
2242       *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2243
2244                         * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                             WEEK (HRDOW) *
2245
2246       SOURCE ID = VOL60        ; SOURCE TYPE = VOLUME   :
2247        HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
           SCALAR   HOUR   SCALAR   HOUR   SCALAR
2248       - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
           - - - - - - - - - - - - - - - - - - - -
2249                                                DAY OF WEEK = WEEKDAY
2250          1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
              .0000E+00    7  .0000E+00    8  .0000E+00
2251          9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
              .1000E+01   15  .1000E+01   16  .1000E+01
2252        17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
            .0000E+00   23  .0000E+00   24  .0000E+00
2253                                                DAY OF WEEK = SATURDAY
2254          1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
              .0000E+00    7  .0000E+00    8  .0000E+00
2255          9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
              .0000E+00   15  .0000E+00   16  .0000E+00
2256        17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
            .0000E+00   23  .0000E+00   24  .0000E+00
2257                                                DAY OF WEEK = SUNDAY
2258          1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
              .0000E+00    7  .0000E+00    8  .0000E+00
2259          9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
              .0000E+00   15  .0000E+00   16  .0000E+00
2260        17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
            .0000E+00   23  .0000E+00   24  .0000E+00
2261   FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
       Norte\16435 Cons\1643 ***        05/15/25
2262       *** AERMET - VERSION  22112 ***
           ***                                                                    ***
           10:01:03
2263
                                    PAGE  55
2264       *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2265
2266                         * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                             WEEK (HRDOW) *
2267
2268       SOURCE ID = VOL61        ; SOURCE TYPE = VOLUME   :
2269        HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
           SCALAR   HOUR   SCALAR   HOUR   SCALAR
2270       - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
           - - - - - - - - - - - - - - - - - - - -
2271                                                DAY OF WEEK = WEEKDAY
2272          1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
              .0000E+00    7  .0000E+00    8  .0000E+00
2273          9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
              .1000E+01   15  .1000E+01   16  .1000E+01
2274        17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
            .0000E+00   23  .0000E+00   24  .0000E+00
2275                                                DAY OF WEEK = SATURDAY
2276          1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
```

```
      .0000E+00    7  .0000E+00    8  .0000E+00
2277   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
2278  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
2279                                          DAY OF WEEK = SUNDAY
2280   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
2281   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
2282  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
2283 FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
     Norte\16435 Cons\1643 ***        05/15/25
2284  *** AERMET - VERSION  22112 ***
      ***                                                                    ***
      10:01:03
2285
                                PAGE  56
2286  *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2287
2288                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                        WEEK (HRDOW) *
2289
2290  SOURCE ID = VOL62        ; SOURCE TYPE = VOLUME   :
2291   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
      SCALAR   HOUR   SCALAR   HOUR   SCALAR
2292  - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
      - - - - - - - - - - - - - - - - - - - -
2293                                          DAY OF WEEK = WEEKDAY
2294   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
2295   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
      .1000E+01   15  .1000E+01   16  .1000E+01
2296  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
2297                                          DAY OF WEEK = SATURDAY
2298   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
2299   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
2300  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
2301                                          DAY OF WEEK = SUNDAY
2302   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
      .0000E+00    7  .0000E+00    8  .0000E+00
2303   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
      .0000E+00   15  .0000E+00   16  .0000E+00
2304  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
      .0000E+00   23  .0000E+00   24  .0000E+00
2305 FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
     Norte\16435 Cons\1643 ***        05/15/25
2306  *** AERMET - VERSION  22112 ***
      ***                                                                    ***
      10:01:03
2307
                                PAGE  57
2308  *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2309
2310                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                        WEEK (HRDOW) *
2311
2312  SOURCE ID = VOL63        ; SOURCE TYPE = VOLUME   :
2313   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
      SCALAR   HOUR   SCALAR   HOUR   SCALAR
2314  - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
```

```
- - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
   .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 10:01:03

                            PAGE  58
*** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
                  WEEK (HRDOW) *

 SOURCE ID = PAREA1       ; SOURCE TYPE = AREAPOLY :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01   14
   .1000E+01   15  .1000E+01   16  .1000E+01
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
   1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00    6
   .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00   14
   .0000E+00   15  .0000E+00   16  .0000E+00
  17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00   22
  .0000E+00   23  .0000E+00   24  .0000E+00
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                          ***
 10:01:03

```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
(METERS)

(413648.5, 3771123.9, 121.2, 121.2, 2.0); (413644.0, 3771078.2, 120.7, 120.7, 2.0);
(413676.4, 3771027.7, 120.7, 120.7, 2.0); (413613.2, 3771030.3, 120.2, 120.2, 2.0);
(413569.0, 3771032.9, 120.2, 120.2, 2.0); (413537.2, 3771033.5, 120.1, 120.1, 2.0);
(413484.4, 3771036.4, 120.1, 120.1, 2.0); (413456.6, 3771037.7, 120.0, 120.0, 2.0);
(413405.8, 3771040.0, 119.8, 119.8, 2.0); (413376.0, 3771043.2, 119.6, 119.6, 2.0);
(413333.4, 3771017.2, 119.6, 119.6, 2.0); (413333.4, 3771037.3, 119.6, 119.6, 2.0);
(413337.5, 3771067.4, 119.9, 1634.0, 2.0); (413343.4, 3771088.0, 119.9, 1635.7, 2.0);
(413343.5, 3771105.3, 120.0, 1635.7, 2.0); (413345.8, 3771118.8, 120.0, 1635.7, 2.0);
(413348.0, 3771143.1, 120.1, 1635.7, 2.0); (413348.7, 3771160.3, 120.2, 1635.7, 2.0);
(413352.6, 3771184.7, 120.3, 1648.2, 2.0); (413353.5, 3771198.5, 120.3, 1648.2, 2.0);
(413353.8, 3771225.5, 120.5, 1648.2, 2.0); (413358.9, 3771259.0, 120.5, 1648.2, 2.0);
(413361.6, 3771282.1, 120.6, 1648.2, 2.0); (413362.1, 3771296.6, 120.7, 1648.2, 2.0);
(413366.2, 3771341.2, 120.8, 1648.2, 2.0); (413416.9, 3771250.2, 120.8, 1648.2, 2.0);
(413567.7, 3771246.1, 121.3, 1648.2, 2.0); (413480.0, 3771281.7, 121.2, 1648.2, 2.0);
(413452.6, 3771272.9, 121.1, 1648.2, 2.0); (413513.6, 3771244.7, 121.1, 1648.2, 2.0);
(413388.2, 3771251.0, 120.3, 1648.2, 2.0); (413682.5, 3771320.7, 122.2, 1648.2, 2.0);
(413651.8, 3771342.1, 121.9, 1648.2, 2.0); (413368.2, 3771352.5, 120.8, 1648.2, 2.0);
(413368.7, 3771372.0, 120.8, 1648.2, 2.0); (413421.4, 3771372.2, 121.2, 1648.2, 2.0);
(413450.7, 3771369.6, 121.3, 1648.2, 2.0); (413502.7, 3771368.8, 121.5, 1648.2, 2.0);
(413531.6, 3771367.5, 121.7, 1648.2, 2.0); (413588.4, 3771364.6, 121.8, 1648.2, 2.0);
(413617.0, 3771362.6, 122.0, 1648.2, 2.0); (413654.2, 3771385.2, 122.1, 1648.2, 2.0);
(413641.6, 3771240.5, 121.7, 1635.7, 2.0); (413598.3, 3771241.6, 121.5, 1648.2, 2.0);
(413658.1, 3771227.2, 121.7, 1635.7, 2.0); (413652.5, 3771171.9, 121.6, 1635.7, 2.0);
(413762.5, 3771326.4, 122.8, 1648.2, 2.0); (413755.3, 3771297.7, 122.6, 1648.2, 2.0);
(413752.2, 3771264.9, 122.4, 1635.7, 2.0); (413751.5, 3771243.9, 122.3, 1635.7, 2.0);
(413749.2, 3771225.7, 122.3, 1635.7, 2.0); (413747.4, 3771206.7, 122.2, 1635.7, 2.0);
(413745.0, 3771187.2, 122.1, 1635.7, 2.0); (413743.4, 3771169.2, 122.0, 1634.0, 2.0);
(413742.3, 3771152.5, 122.0, 122.0, 2.0); (413740.0, 3771133.6, 121.8, 121.8, 2.0);
(413738.3, 3771115.5, 121.7, 121.7, 2.0); (413734.9, 3771095.5, 121.6, 121.6, 2.0);
(413735.1, 3771077.4, 121.5, 121.5, 2.0); (413733.3,

```
     3771064.3,     121.4,     121.4,       2.0);
2388 (  413731.5, 3771046.4,     121.3,     121.3,       2.0);         (  413729.5,
     3771027.6,     121.2,     121.2,       2.0);
2389 (  413728.1, 3771009.5,     121.0,     121.0,       2.0);         (  413725.5,
     3770991.7,     120.9,     120.9,       2.0);
2390 (  413724.5, 3770973.6,     120.8,     120.8,       2.0);         (  413721.8,
     3770948.1,     120.7,     120.7,       2.0);
2391 (  413355.1, 3771622.7,     121.1,    1648.2,       2.0);         (  413235.9,
     3771619.0,     120.6,    1648.2,       2.0);
2392 (  412848.4, 3771774.9,     118.8,    1648.2,       2.0);         (  415201.7,
     3771330.5,     133.8,     133.8,       2.0);
2393 (  413782.5, 3771959.5,     125.9,    1648.2,       2.0);         (  413664.8,
     3771641.1,     123.2,    1648.2,       2.0);
2394 (  413674.0, 3770851.1,     119.9,     119.9,       2.0);         (  413714.1,
     3770847.5,     120.0,     120.0,       2.0);
2395 (  413663.5, 3770808.8,     119.6,     119.6,       2.0);         (  413698.8,
     3770760.1,     119.4,     119.4,       2.0);
2396 (  413617.2, 3770676.6,     118.4,     118.4,       2.0);         (  413664.1,
     3770663.2,     117.7,     117.7,       2.0);
2397 (  413613.3, 3770517.0,     116.0,     118.7,       2.0);         (  413346.0,
     3770490.8,     115.1,     115.1,       2.0);
2398 (  413415.9, 3770471.5,     114.6,     114.6,       2.0);         (  413221.9,
     3770467.4,     116.1,     121.5,       2.0);
2399 (  413666.0, 3771067.1,     121.0,     121.0,
     2.0);
FF 2400 *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
     Norte\16435 Cons\1643 ***        05/15/25
2401  *** AERMET - VERSION  22112 ***
      ***                                                                    ***
      10:01:03
2402
                                PAGE  60
2403  *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2404
2405                                          *** METEOROLOGICAL DAYS SELECTED FOR
                                              PROCESSING ***
2406                                                    (1=YES; 0=NO)
2407
2408            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1
                1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
2409            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1
                1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
2410            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1
                1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
2411            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1
                1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
2412            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1
                1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
2413            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1
                1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
2414            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1
                1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
2415            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1
2416
2417                NOTE:  METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON WHAT
                    IS INCLUDED IN THE DATA FILE.
2418
2419
2420
2421                                    *** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED
                                        CATEGORIES ***
2422                                                (METERS/SEC)
2423
2424                                                1.54,   3.09,   5.14,   8.23,  10.80,
FF 2425 *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
     Norte\16435 Cons\1643 ***        05/15/25
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA
***

Surface file:
AZUS_V11_trimmed.sfc
Met Version: 22112
Profile file:
AZUS_V11_trimmed.PFL
Surface format:
FREE

Profile format:
FREE

Surface station no.:   3179   Upper air station no.:   3190
Name: UNKNOWN   Name:
UNKNOWN
Year: 2017   Year: 2017

First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O LEN	Z0	BOWEN	ALBEDO	REF WS	WD	HT	REF TA	HT
17	01	01	1	01	-11.3	0.154	-9.000	-9.000	-999.	145.	28.6	0.34	0.75	1.00	1.36	97.	10.0	281.4	9.5
17	01	01	1	02	-5.9	0.110	-9.000	-9.000	-999.	88.	20.0	0.29	0.75	1.00	1.05	88.	10.0	281.0	9.5
17	01	01	1	03	-6.6	0.117	-9.000	-9.000	-999.	95.	21.1	0.29	0.75	1.00	1.11	69.	10.0	280.5	9.5
17	01	01	1	04	-6.9	0.119	-9.000	-9.000	-999.	99.	21.7	0.33	0.75	1.00	1.08	132.	10.0	279.8	9.5
17	01	01	1	05	-4.1	0.091	-9.000	-9.000	-999.	66.	16.1	0.17	0.75	1.00	1.00	314.	10.0	279.5	9.5
17	01	01	1	06	-18.0	0.193	-9.000	-9.000	-999.	204.	41.0	0.21	0.75	1.00	1.96	35.	10.0	279.8	9.5
17	01	01	1	07	-10.5	0.147	-9.000	-9.000	-999.	136.	27.0	0.29	0.75	1.00	1.38	80.	10.0	279.6	9.5
17	01	01	1	08	-6.3	0.118	-9.000	-9.000	-999.	97.	22.9	0.29	0.75	0.55	1.12	74.	10.0	279.4	9.5
17	01	01	1	09	25.4	0.209	0.420	0.005	103.	230.	-31.8	0.29	0.75	0.32	1.55	70.	10.0	282.2	9.5
17	01	01	1	10	64.6	0.296	1.020	0.005	581.	386.	-35.4	0.33	0.75	0.25	2.13	126.	10.0	283.6	9.5
17	01	01	1	11	91.0	0.325	1.350	0.005	956.	444.	-33.2	0.33	0.75	0.22	2.32	130.	10.0	284.1	9.5
17	01	01	1	12	87.8	0.248	1.393	0.005	1087.	299.	-15.3	0.32	0.75	0.21	1.62	152.	10.0	285.1	9.5
17	01	01	1	13	103.2	0.182	1.514	0.005	1188.	187.	-5.1	0.33	0.75	0.21	0.97	144.	10.0	286.1	9.5
17	01	01	1	14	74.8	0.225	1.385	0.005	1256.	255.	-13.4	0.23	0.75	0.22	1.61	214.	10.0	286.9	9.5
17	01	01	1	15	50.9	0.150	1.233	0.005	1300.	142.	-5.9	0.07	0.75	0.26	1.37	273.	10.0	286.7	9.5
17	01	01	1	16	1.2	0.122	0.356	0.005	1300.	102.	-130.2	0.23	0.75	0.35	1.08	210.	10.0	286.6	9.5
17	01	01	1	17	-13.1	0.175	-9.000	-9.000	-999.	176.	36.0	0.32	0.75	0.62	1.55	172.	10.0	286.3	9.5
17	01	01	1	18	-13.7	0.171	-9.000	-9.000	-999.	169.	32.2	0.32	0.75	1.00

```
 1.53  179.   10.0  285.8    9.5
 17 01 01   1 19   -9.0  0.136 -9.000 -9.000 -999.  121.     24.7  0.23   0.75   1.00
 1.38  215.   10.0  285.4    9.5
 17 01 01   1 20   -3.7  0.086 -9.000 -9.000 -999.   61.     14.9  0.12   0.75   1.00
 1.03  259.   10.0  285.0    9.5
 17 01 01   1 21   -1.8  0.070 -9.000 -9.000 -999.   44.     16.4  0.16   0.75   1.00
 0.58  349.   10.0  284.9    9.5
 17 01 01   1 22   -3.4  0.086 -9.000 -9.000 -999.   61.     16.6  0.29   0.75   1.00
 0.78   61.   10.0  284.8    9.5
 17 01 01   1 23  -14.0  0.170 -9.000 -9.000 -999.  168.     31.8  0.21   0.75   1.00
 1.74   43.   10.0  284.2    9.5
 17 01 01   1 24  -21.5  0.220 -9.000 -9.000 -999.  248.     53.3  0.21   0.75   1.00
 2.22   43.   10.0  283.9    9.5


 First hour of profile data
 YR MO DY HR HEIGHT F  WDIR    WSPD AMB_TMP sigmaA  sigmaW  sigmaV
 17 01 01 01    9.5 0 -999.  -99.00   281.4   99.0  -99.00  -99.00
 17 01 01 01   10.0 1   97.    1.36  -999.0   99.0  -99.00  -99.00

 F indicates top of profile (=1) or below (=0)
FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
Norte\16435 Cons\1643 ***        05/15/25
 *** AERMET - VERSION  22112 ***
 ***                                                                    ***
 10:01:03

                                PAGE  62
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                *** THE   1ST HIGHEST 24-HR AVERAGE CONCENTRATION   VALUES
                                FOR SOURCE GROUP:  ALL      ***
                                    INCLUDING SOURCE(S):     VOL13       , VOL14       ,
                                    VOL15       , VOL16       , VOL17       ,
                VOL18       , VOL19       , VOL20       , VOL21       , VOL22       ,
                VOL23       , VOL24       , VOL25       ,
                VOL26       , VOL27       , VOL28       , VOL29       , VOL30       ,
                VOL31       , VOL32       , VOL33       ,
                VOL34       , VOL35       , VOL36       , VOL37       , VOL38       ,
                VOL39       , VOL40       ,  . . .      ,

                                          *** DISCRETE CARTESIAN RECEPTOR POINTS ***

                                       ** CONC OF PM_2.5   IN
                                       MICROGRAMS/M**3                          **

      X-COORD (M)  Y-COORD (M)        CONC     (YYMMDDHH)             X-COORD (M)
      Y-COORD (M)        CONC     (YYMMDDHH)
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
 - - - - - - - - - - - - - - - - - - - - - -
        413648.47   3771123.91        1.10865  (17103024)               413644.02
        3771078.17        1.16764  (17103024)
        413676.40   3771027.68        0.82682  (17103024)               413613.17
        3771030.29        0.70045  (18050124)
        413568.97   3771032.90        0.59296  (18050124)               413537.20
        3771033.51        0.61227  (18050124)
        413484.41   3771036.43        0.64349  (18050124)               413456.63
        3771037.66        0.64634  (18050124)
        413405.83   3771039.96        0.63033  (18050124)               413376.05
        3771043.18        0.59257  (18050124)
        413333.39   3771017.24        0.28760  (21123024)               413333.39
        3771037.35        0.32497  (19052324)
        413337.53   3771067.43        0.39567  (19022024)               413343.36
        3771087.99        0.48732  (19022024)
        413343.52   3771105.34        0.49567  (19120424)               413345.82
        3771118.84        0.51616  (19120424)
```

```
2500          413347.97   3771143.09        0.51564  (19120424)                413348.74
              3771160.28         0.49783  (19120424)
2501          413352.57   3771184.68        0.48595  (19120424)                413353.49
              3771198.50         0.45413  (19120424)
2502          413353.80   3771225.51        0.37947  (21012724)                413358.87
              3771258.96         0.33505  (20011724)
2503          413361.63   3771282.14        0.26118  (20011724)                413362.09
              3771296.56         0.21845  (20011724)
2504          413366.23   3771341.23        0.13091  (20011724)                413416.88
              3771250.22         0.70939  (18122524)
2505          413567.74   3771246.07        0.66322  (21100724)                413479.96
              3771281.68         0.29650  (18122524)
2506          413452.64   3771272.93        0.35700  (18122524)                413513.57
              3771244.69         0.75204  (20011024)
2507          413388.18   3771250.98        0.61884  (19020724)                413682.54
              3771320.66         0.15787  (21100724)
2508          413651.85   3771342.15        0.14555  (21100724)                413368.16
              3771352.50         0.11563  (20011724)
2509          413368.70   3771372.00        0.09660  (18120324)                413421.43
              3771372.18         0.09332  (20121424)
2510          413450.68   3771369.65        0.10222  (21122824)                413502.68
              3771368.75         0.11093  (21122824)
2511          413531.57   3771367.49        0.11130  (21122824)                413588.44
              3771364.60         0.11707  (21100724)
2512          413616.97   3771362.61        0.12296  (21100724)                413654.17
              3771385.18         0.10384  (21100724)
2513          413641.58   3771240.54        0.64304  (21100724)                413598.27
              3771241.58         0.71872  (20011024)
2514          413658.14   3771227.23        0.73155  (20012124)                413652.53
              3771171.92         0.99974  (17103024)
2515          413762.55   3771326.43        0.11587  (18112224)                413755.32
              3771297.72         0.13920  (17120124)
2516          413752.25   3771264.86        0.17563  (17120124)                413751.53
              3771243.92         0.19258  (17012724)
2517          413749.19   3771225.68        0.21824  (21120924)                413747.38
              3771206.72         0.25118  (21120924)
2518          413745.03   3771187.22        0.26916  (21120924)                413743.41
              3771169.17         0.27315  (21120924)
2519          413742.32   3771152.55        0.26987  (21120924)                413739.98
              3771133.59         0.28411  (17103024)
2520          413738.35   3771115.54        0.30067  (17103024)                413734.92
              3771095.50         0.31819  (17103024)
2521          413735.10   3771077.44        0.33090  (17103024)                413733.30
              3771064.26         0.35942  (17103024)
2522          413731.49   3771046.38        0.40343  (17103024)                413729.50
              3771027.61         0.39093  (17103024)
2523          413728.06   3771009.55        0.30092  (17103024)                413725.53
              3770991.67         0.20582  (21041324)
2524          413724.45   3770973.62        0.15504  (21041324)                413721.78
              3770948.07         0.10332  (21041324)
2525          413355.15   3771622.70        0.02584  (20121424)                413235.89
              3771619.04         0.02484  (19103024)
2526          412848.39   3771774.93        0.01329  (20011724)                415201.66
              3771330.49         0.00643  (19121624)
2527          413782.51   3771959.51        0.00949  (21122824)                413664.85
              3771641.09         0.03043  (21122824)
2528          413674.05   3770851.12        0.03830  (17112124)                413714.09
              3770847.47         0.04062  (17112124)
2529          413663.50   3770808.78        0.02746  (20020324)                413698.79
              3770760.11         0.02116  (17112124)
2530          413617.17   3770676.59        0.02380  (20020324)                413664.14
              3770663.20         0.01596  (19022124)
2531          413613.35   3770516.97        0.01371  (20020324)                413345.98
              3770490.83         0.02425  (20020324)
2532  FF *** AERMOD - VERSION 24142  ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\16435 Del
      Norte\16435 Cons\1643 ***        05/15/25
```

*** THE   1ST HIGHEST 24-HR AVERAGE CONCENTRATION   VALUES FOR SOURCE GROUP: ALL   ***
INCLUDING SOURCE(S):   VOL13   , VOL14   , VOL15   , VOL16   , VOL17   ,
VOL18   , VOL19   , VOL20   , VOL21   , VOL22   ,
VOL23   , VOL24   , VOL25   ,
VOL26   , VOL27   , VOL28   , VOL29   , VOL30   ,
VOL31   , VOL32   , VOL33   ,
VOL34   , VOL35   , VOL36   , VOL37   , VOL38   ,
VOL39   , VOL40   , . . .   ,

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF PM_2.5   IN MICROGRAMS/M**3   **

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)
413415.90	3770471.49	0.02374	(20020324)	413221.86	3770467.45	0.02427	(21123024)
413666.01	3771067.07	0.76658	(17103024)				

*** THE SUMMARY OF HIGHEST 24-HR RESULTS ***

** CONC OF PM_2.5   IN MICROGRAMS/M**3   **

GROUP ID	AVERAGE CONC	DATE (YYMMDDHH)	RECEPTOR (XR, YR, ZELEV, ZHILL, ZFLAG)	OF TYPE	NETWORK GRID-ID
ALL	HIGH 1ST HIGH VALUE IS	1.16764	ON 17103024: AT (413644.02, 3771078.17, 120.70, 120.70, 2.00)	DC	

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** Message Summary : AERMOD Model Execution ***

--------- Summary of Total Messages --------

A Total of 0 Fatal Error Message(s)
A Total of 43 Warning Message(s)
A Total of 474 Informational Message(s)

A Total of 43824 Hours Were Processed

A Total of 41 Calm Hours Identified

A Total of 433 Missing Hours Identified (0.99 Percent)

******** FATAL ERROR MESSAGES ********
*** NONE ***

******** WARNING MESSAGES ********
ME W186 956 MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used 0.50
ME W187 956 MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET
CN W732 1176 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2017021824
CN W732 10368 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2018030824
CN W732 12408 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2018060124
CN W732 22848 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2019081024
CN W732 25440 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2019112624
CN W732 25464 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2019112724
CN W732 26304 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2020010124
CN W732 28032 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2020031324
CN W732 28056 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2020031424
CN W732 28080 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2020031524
CN W732 28104 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2020031624
CN W732 28512 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2020040224
CN W732 28536 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2020040324
CN W732 28632 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2020040724
CN W732 28944 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2020042024
CN W732 33024 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2020100724
CN W732 33096 AVER: 24-hr avg, < 18 hours of data, calms policy used. 2020101024

```
 CN W732   33888         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020111224
 CN W732   34032         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020111824
 CN W732   34080         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112024
 CN W732   34104         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112124
 CN W732   34128         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112224
 CN W732   34152         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112324
 CN W732   34176         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112424
 CN W732   34200         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020112524
 CN W732   34680         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020121524
 CN W732   34824         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2020122124
 CN W732   35280         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021010924
 CN W732   35304         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021011024
 CN W732   35328         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021011124
 CN W732   35352         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021011224
 CN W732   35616         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021012324
 CN W732   35640         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021012424
 CN W732   35664         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021012524
 CN W732   36816         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021031424
 CN W732   37200         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021033024
 CN W732   37296         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021040324
 CN W732   38760         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021060324
 CN W732   40920         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021090124
 CN W732   41808         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021100824
 CN W732   41832         AVER: 24-hr avg, < 18 hours of data, calms policy used.
2021100924

    ************************************
    *** AERMOD Finishes Successfully ***
    ************************************


```

This page intentionally left blank