Appendix G

901 Levering Student Housing Project

Noise Data

Urban Crossroads, Inc.

24-Hour Noise Level Measurement Summary

Date: Tuesday, April 8, 2025 | *Location:* L1 - Located near the northwest boundary of the site, near the | *Meter:* Piccolo II | *JN:* 16339

Project: 901 Levering Avenue | *Source:* UCLA Levering Terrace Apartments (885 Levering Ave.). | *Analyst:* N. Johnson

Hourly L_{eq} dBA Readings (unadjusted)



Timeframe	Hour	L_{eq}	L_{max}	L_{min}	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	L_{eq}	Adj.	Adj. L_{eq}
Night	0	56.0	64.2	51.3	63.9	63.3	62.0	60.1	55.7	53.8	52.1	51.8	51.4	56.0	10.0	66.0
	1	53.0	61.1	48.7	60.5	59.9	58.5	56.5	52.9	51.2	49.5	49.2	48.9	53.0	10.0	63.0
	2	54.2	62.7	47.5	62.5	62.2	61.2	59.3	53.4	50.3	48.4	47.9	47.6	54.2	10.0	64.2
	3	50.9	57.1	48.1	56.6	56.2	54.9	53.8	51.3	49.5	48.4	48.3	48.1	50.9	10.0	60.9
	4	53.5	57.8	51.1	57.6	57.3	56.6	56.0	53.8	52.7	51.6	51.4	51.2	53.5	10.0	63.5
	5	56.7	64.5	52.3	63.7	62.6	60.4	59.6	57.3	55.5	53.1	52.8	52.4	56.7	10.0	66.7
	6	57.3	63.8	52.3	63.4	62.9	61.3	60.4	57.8	56.2	53.5	53.0	52.5	57.3	10.0	67.3
Day	7	58.3	64.2	53.4	63.8	63.3	62.4	61.6	59.2	57.2	54.5	53.9	53.5	58.3	0.0	58.3
	8	58.0	65.2	53.0	64.7	64.2	62.8	61.6	58.2	56.6	54.2	53.7	53.2	58.0	0.0	58.0
	9	58.3	67.6	52.0	67.0	66.3	63.2	61.7	58.3	56.2	53.3	52.7	52.1	58.3	0.0	58.3
	10	59.3	68.7	54.3	67.9	67.1	64.0	62.5	59.0	57.3	55.3	54.8	54.4	59.3	0.0	59.3
	11	60.8	70.0	53.7	69.3	68.7	67.0	65.4	60.7	57.3	54.6	54.2	53.8	60.8	0.0	60.8
	12	66.2	77.0	54.5	76.5	75.8	74.7	72.3	63.3	60.0	55.6	55.1	54.6	66.2	0.0	66.2
	13	66.0	72.8	59.1	72.3	71.9	71.0	70.5	66.9	64.3	60.7	59.9	59.2	66.0	0.0	66.0
	14	59.2	67.6	52.4	66.9	66.4	65.1	64.1	59.8	56.3	53.5	53.1	52.5	59.2	0.0	59.2
	15	60.2	69.6	52.5	69.0	68.1	66.5	65.0	60.2	56.6	53.8	53.3	52.7	60.2	0.0	60.2
	16	59.0	68.4	53.9	67.7	66.7	64.3	62.6	58.3	56.7	54.8	54.5	54.1	59.0	0.0	59.0
	17	57.9	68.1	53.2	67.3	65.7	62.3	60.2	57.6	56.2	54.2	53.7	53.3	57.9	0.0	57.9
	18	58.4	65.2	54.0	64.5	63.8	62.3	61.6	58.9	57.2	55.0	54.6	54.1	58.4	0.0	58.4
	19	62.0	71.7	54.5	70.7	69.7	67.9	67.0	62.8	57.2	55.4	55.1	54.7	62.0	5.0	67.0
	20	59.3	68.2	55.4	67.4	66.0	63.5	62.2	59.2	57.7	56.1	55.8	55.5	59.3	5.0	64.3
	21	58.2	67.7	53.8	66.9	65.8	63.1	60.8	57.8	56.6	54.8	54.4	54.0	58.2	5.0	63.2
Night	22	59.5	70.8	54.0	70.1	68.7	64.5	61.8	58.4	56.8	54.9	54.6	54.2	59.5	10.0	69.5
	23	58.8	66.0	53.7	65.5	65.1	63.4	62.5	59.2	56.9	54.6	54.3	53.8	58.8	10.0	68.8

Timeframe	Hour	L_{eq}	L_{max}	L_{min}	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%
Day	Min	57.9	64.2	52.0	63.8	63.3	62.3	60.2	57.6	56.2	53.3	52.7	52.1
	Max	66.2	77.0	59.1	76.5	75.8	74.7	72.3	66.9	64.3	60.7	59.9	59.2
Energy Average		61.1	Average:		68.1	67.3	65.3	63.9	60.0	57.6	55.0	54.6	54.1
Night	Min	50.9	57.1	47.5	56.6	56.2	54.9	53.8	51.3	49.5	48.4	47.9	47.6
	Max	59.5	70.8	54.0	70.1	68.7	64.5	62.5	59.2	56.9	54.9	54.6	54.2
Energy Average		56.3	Average:		62.6	62.0	60.3	58.9	55.6	53.6	51.8	51.5	51.1

24-Hour CNEL	Leq (dBA) Daytime (7am-10pm)	Leq (dBA) Nighttime (10pm-7am)
64.3	**61.1**	**56.3**

URBAN CROSSROADS

24-Hour Noise Level Measurement Summary

Date: Tuesday, April 8, 2025 | *Location:* L2 -Located near the northeastern boundary of the site near | *Meter:* Piccolo II | *JN:* 16339

Project: 901 Levering Avenue | *Source:* the UCLA Levering Terrace Apartments (885 Levering Ave.). | *Analyst:* N. Johnson

Hourly L_{eq} dBA Readings (unadjusted)



Timeframe	Hour	L_{eq}	L_{max}	L_{min}	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	L_{eq}	Adj.	Adj. L_{eq}
Night	0	59.4	68.6	53.5	68.1	67.5	66.2	64.0	58.5	56.6	54.5	54.1	53.7	59.4	10.0	69.4
	1	55.7	64.4	50.2	63.9	63.1	61.3	60.0	55.7	53.5	51.0	50.7	50.4	55.7	10.0	65.7
	2	56.2	64.0	48.8	63.7	63.4	62.3	60.8	56.6	53.1	49.4	49.1	48.9	56.2	10.0	66.2
	3	53.0	60.0	49.0	59.6	59.2	57.7	56.7	53.4	50.9	49.4	49.2	49.0	53.0	10.0	63.0
	4	55.1	60.8	51.9	60.6	60.2	59.0	58.3	55.7	53.9	52.4	52.2	52.0	55.1	10.0	65.1
	5	59.3	68.0	53.7	67.1	65.9	63.2	62.2	59.8	57.9	54.9	54.3	53.9	59.3	10.0	69.3
	6	60.3	67.6	54.3	67.3	66.8	65.2	64.0	60.8	58.7	55.6	55.0	54.4	60.3	10.0	70.3
Day	7	61.1	67.0	55.5	66.6	66.2	65.2	64.4	62.1	60.0	56.9	56.2	55.7	61.1	0.0	61.1
	8	60.7	67.9	55.0	67.4	66.8	65.3	64.3	61.1	59.4	56.4	55.8	55.2	60.7	0.0	60.7
	9	61.1	69.1	54.1	68.6	68.0	66.6	65.3	61.3	59.0	55.6	54.9	54.3	61.1	0.0	61.1
	10	64.2	76.4	57.1	75.4	74.5	69.6	66.5	62.7	60.9	58.4	57.9	57.3	64.2	0.0	64.2
	11	64.6	73.0	56.8	72.5	71.9	70.6	69.6	65.0	60.5	57.8	57.4	57.0	64.6	0.0	64.6
	12	74.0	87.5	57.3	87.1	85.7	82.6	78.3	67.4	62.9	58.4	58.0	57.4	74.0	0.0	74.0
	13	68.5	76.3	61.1	75.8	75.2	74.1	73.5	68.8	66.1	62.4	61.8	61.2	68.5	0.0	68.5
	14	62.6	73.1	55.1	72.1	70.8	68.4	67.1	62.3	59.3	56.3	55.8	55.2	62.6	0.0	62.6
	15	62.8	72.0	55.2	71.5	70.8	69.2	67.1	62.8	59.5	56.5	55.9	55.3	62.8	0.0	62.8
	16	62.7	72.3	56.1	71.6	70.8	68.8	67.0	61.6	59.7	57.3	56.8	56.2	62.7	0.0	62.7
	17	61.4	71.3	56.2	70.5	69.0	65.9	64.1	61.2	59.5	57.3	56.9	56.4	61.4	0.0	61.4
	18	61.5	68.5	57.2	67.8	67.1	65.3	64.4	61.8	60.4	58.3	57.9	57.3	61.5	0.0	61.5
	19	65.2	75.9	57.6	75.3	74.3	71.8	70.1	63.7	60.6	58.6	58.2	57.8	65.2	5.0	70.2
	20	62.4	70.7	58.2	70.0	68.9	67.0	65.3	62.6	61.0	59.1	58.7	58.4	62.4	5.0	67.4
	21	61.4	71.4	56.5	70.6	69.4	66.5	63.6	61.0	59.6	57.6	57.1	56.7	61.4	5.0	66.4
Night	22	63.2	75.6	56.3	74.7	73.3	68.8	65.8	61.8	59.7	57.3	57.0	56.4	63.2	10.0	73.2
	23	61.4	69.7	56.1	69.2	68.7	66.6	64.9	61.5	59.7	57.0	56.6	56.2	61.4	10.0	71.4

Timeframe	Hour	L_{eq}	L_{max}	L_{min}	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%
Day	Min	60.7	67.0	54.1	66.6	66.2	65.2	63.6	61.0	59.0	55.6	54.9	54.3
	Max	74.0	87.5	61.1	87.1	85.7	82.6	78.3	68.8	66.1	62.4	61.8	61.2
Energy Average		65.7	Average:		72.2	71.3	69.1	67.4	63.0	60.5	57.8	57.3	56.8
Night	Min	53.0	60.0	48.8	59.6	59.2	57.7	56.7	53.4	50.9	49.4	49.1	48.9
	Max	63.2	75.6	56.3	74.7	73.3	68.8	65.8	61.8	59.7	57.3	57.0	56.4
Energy Average		59.3	Average:		66.0	65.3	63.4	61.9	58.2	56.0	53.5	53.1	52.8

24-Hour CNEL	Leq (dBA) Daytime (7am-10pm)	Leq (dBA) Nighttime (10pm-7am)
67.9	**65.7**	**59.3**

URBAN CROSSROADS

24-Hour Noise Level Measurement Summary

Date: Tuesday, April 8, 2025 | *Location:* L3 - Located near the southeastern boundary of the site near | *Meter:* Piccolo II | *JN:* 16339

Project: 901 Levering Avenue | *Source:* the residence at 919-923 Levering Ave. | *Analyst:* N. Johnson

Hourly L_{eq} dBA Readings (unadjusted)



Timeframe	Hour	L_{eq}	L_{max}	L_{min}	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	L_{eq}	Adj.	Adj. L_{eq}
Night	0	58.6	68.5	50.9	68.1	67.6	66.4	64.0	56.9	54.2	51.7	51.3	51.0	58.6	10.0	68.6
	1	53.9	62.1	48.7	61.7	61.2	59.6	58.3	53.8	51.1	49.1	49.0	48.7	53.9	10.0	63.9
	2	56.4	63.8	49.1	63.5	63.2	62.2	61.2	56.6	53.8	49.8	49.5	49.2	56.4	10.0	66.4
	3	54.0	60.8	49.4	60.5	60.2	59.1	58.4	54.5	51.5	49.8	49.6	49.5	54.0	10.0	64.0
	4	55.4	63.7	50.9	63.3	62.9	60.6	59.3	55.3	52.9	51.3	51.1	51.0	55.4	10.0	65.4
	5	59.0	66.0	52.9	65.5	64.8	63.5	62.7	59.9	57.4	54.0	53.5	53.0	59.0	10.0	69.0
	6	59.7	65.8	53.3	65.5	65.1	64.3	63.4	60.8	58.2	54.5	54.0	53.5	59.7	10.0	69.7
Day	7	60.6	66.2	54.1	65.9	65.6	64.9	64.3	62.0	59.3	55.3	54.8	54.3	60.6	0.0	60.6
	8	59.4	66.1	53.4	65.5	64.9	63.7	63.0	60.3	58.0	54.8	54.2	53.6	59.4	0.0	59.4
	9	58.8	66.1	52.5	65.6	65.0	63.5	62.5	59.5	57.1	53.6	53.1	52.6	58.8	0.0	58.8
	10	61.8	71.0	54.0	70.5	70.0	68.3	66.6	61.5	57.8	55.0	54.6	54.1	61.8	0.0	61.8
	11	63.3	73.2	54.4	72.7	72.4	70.4	68.1	61.8	58.3	55.4	55.0	54.5	63.3	0.0	63.3
	12	66.3	77.8	54.2	77.3	76.2	73.9	69.8	64.9	60.4	55.3	54.8	54.3	66.3	0.0	66.3
	13	66.6	73.5	59.4	73.2	72.8	71.9	71.5	66.7	64.1	60.9	60.3	59.5	66.6	0.0	66.6
	14	61.0	70.2	53.1	69.5	68.6	67.2	66.3	61.0	57.3	54.1	53.6	53.2	61.0	0.0	61.0
	15	63.2	73.9	53.4	73.2	72.4	70.2	69.0	61.5	57.3	54.5	54.0	53.5	63.2	0.0	63.2
	16	60.2	69.1	54.0	68.2	67.1	65.1	64.2	60.6	57.8	55.1	54.7	54.2	60.2	0.0	60.2
	17	58.6	69.4	53.5	68.2	66.6	63.0	61.1	58.2	56.8	54.5	54.0	53.6	58.6	0.0	58.6
	18	59.4	67.1	54.0	66.6	65.9	64.1	63.1	59.7	57.7	55.2	54.7	54.2	59.4	0.0	59.4
	19	65.3	76.5	54.8	75.9	75.0	73.1	71.5	62.4	58.2	55.7	55.3	54.9	65.3	5.0	70.3
	20	59.6	67.4	55.3	66.7	65.8	64.1	62.9	59.9	58.1	56.1	55.8	55.4	59.6	5.0	64.6
	21	59.5	67.7	54.3	67.1	66.4	64.2	63.1	59.5	57.7	55.3	54.8	54.4	59.5	5.0	64.5
Night	22	62.4	75.0	54.5	74.0	72.7	68.6	65.3	60.6	58.3	55.4	55.0	54.6	62.4	10.0	72.4
	23	60.7	71.8	53.8	71.2	69.9	67.0	64.2	59.5	57.3	54.8	54.3	54.0	60.7	10.0	70.7

Timeframe	Hour	L_{eq}	L_{max}	L_{min}	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%
Day	Min	58.6	66.1	52.5	65.5	64.9	63.0	61.1	58.2	56.8	53.6	53.1	52.6
	Max	66.6	77.8	59.4	77.3	76.2	73.9	71.5	66.7	64.1	60.9	60.3	59.5
Energy Average		62.5	Average:		69.7	69.0	67.2	65.8	61.3	58.4	55.4	54.9	54.4
Night	Min	53.9	60.8	48.7	60.5	60.2	59.1	58.3	53.8	51.1	49.1	49.0	48.7
	Max	62.4	75.0	54.5	74.0	72.7	68.6	65.3	60.8	58.3	55.4	55.0	54.6
Energy Average		58.7	Average:		65.9	65.3	63.5	61.9	57.6	55.0	52.3	51.9	51.6

24-Hour CNEL	Leq (dBA) Daytime (7am-10pm)	Leq (dBA) Nighttime (10pm-7am)
66.4	**62.5**	**58.7**

URBAN CROSSROADS

24-Hour Noise Level Measurement Summary

Date: Tuesday, April 8, 2025 | *Location:* L4 - Located near the southwestern boundary of the site near the Laurel and Tipuana Apartments (900 and 920 Weyburn Ave.) | *Meter:* Piccolo II | *JN:* 16339

Project: 901 Levering Avenue | *Source:* | *Analyst:* N. Johnson

Hourly L_{eq} dBA Readings (unadjusted)



Timeframe	Hour	L_{eq}	L_{max}	L_{min}	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	L_{eq}	Adj.	Adj. L_{eq}
Night	0	49.2	54.7	47.0	54.3	53.8	52.9	51.8	49.4	48.2	47.4	47.2	47.1	49.2	10.0	59.2
	1	48.3	58.3	46.2	57.4	54.9	52.1	49.9	47.5	46.9	46.5	46.4	46.2	48.3	10.0	58.3
	2	53.1	61.7	47.0	61.5	61.2	59.8	57.7	52.4	49.7	47.3	47.2	47.0	53.1	10.0	63.1
	3	49.2	53.7	47.7	53.5	53.1	51.8	51.1	49.3	48.6	48.0	47.9	47.8	49.2	10.0	59.2
	4	50.6	53.1	49.6	52.9	52.6	52.0	51.7	50.7	50.4	49.9	49.8	49.7	50.6	10.0	60.6
	5	51.8	54.5	50.1	54.3	54.1	53.5	53.3	52.3	51.4	50.5	50.3	50.1	51.8	10.0	61.8
	6	53.4	57.8	50.4	57.3	56.9	55.8	55.3	54.0	53.0	51.3	51.0	50.6	53.4	10.0	63.4
Day	7	53.1	59.3	49.3	58.9	58.6	57.6	56.9	53.9	51.2	49.8	49.6	49.4	53.1	0.0	53.1
	8	53.0	59.6	49.1	59.2	58.6	57.5	56.8	52.9	51.0	49.6	49.4	49.2	53.0	0.0	53.0
	9	50.0	56.2	47.6	55.7	55.0	53.2	52.2	50.4	49.2	48.0	47.8	47.6	50.0	0.0	50.0
	10	50.8	58.0	47.6	57.4	56.7	54.8	53.9	50.8	49.4	48.1	47.9	47.7	50.8	0.0	50.8
	11	53.0	62.8	47.7	62.3	60.9	59.2	57.5	52.3	49.8	48.3	48.1	47.8	53.0	0.0	53.0
	12	55.2	61.9	50.8	61.2	60.6	59.4	58.8	55.7	53.7	51.5	51.2	50.9	55.2	0.0	55.2
	13	64.4	69.6	58.5	69.3	68.9	68.2	67.7	65.5	63.2	59.9	59.3	58.6	64.4	0.0	64.4
	14	51.5	59.5	47.3	58.7	58.0	56.1	55.1	51.5	49.4	47.8	47.6	47.4	51.5	0.0	51.5
	15	53.3	60.9	48.3	60.3	59.7	58.4	56.7	53.7	51.2	49.1	48.8	48.4	53.3	0.0	53.3
	16	53.5	60.9	47.7	60.4	60.0	59.2	58.5	54.2	50.2	48.4	48.2	47.8	53.5	0.0	53.5
	17	50.7	57.1	47.8	56.7	56.0	54.4	53.5	51.0	49.5	48.4	48.2	47.9	50.7	0.0	50.7
	18	52.3	62.0	47.9	60.9	58.6	56.6	55.3	52.5	50.6	48.5	48.3	48.0	52.3	0.0	52.3
	19	54.1	63.7	48.6	63.2	62.3	59.6	58.3	53.9	50.9	49.3	49.1	48.7	54.1	5.0	59.1
	20	51.7	57.8	48.4	57.6	57.2	56.2	55.3	52.2	50.2	48.8	48.7	48.5	51.7	5.0	56.7
	21	50.5	56.7	48.5	56.2	55.8	54.0	52.8	50.4	49.6	48.9	48.8	48.6	50.5	5.0	55.5
Night	22	52.4	63.0	48.8	62.3	61.0	56.9	54.7	51.4	50.2	49.2	49.1	48.9	52.4	10.0	62.4
	23	52.4	60.9	48.4	60.6	60.3	59.1	56.9	51.2	49.7	48.8	48.6	48.5	52.4	10.0	62.4

Timeframe	Hour	L_{eq}	L_{max}	L_{min}	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%
Day	Min	50.0	56.2	47.3	55.7	55.0	53.2	52.2	50.4	49.2	47.8	47.6	47.4
	Max	64.4	69.6	58.5	69.3	68.9	68.2	67.7	65.5	63.2	59.9	59.3	58.6
Energy Average		55.5	Average:		59.9	59.1	57.6	56.6	53.4	51.3	49.6	49.4	49.1
Night	Min	48.3	53.1	46.2	52.9	52.6	51.8	49.9	47.5	46.9	46.5	46.4	46.2
	Max	53.4	63.0	50.4	62.3	61.2	59.8	57.7	54.0	53.0	51.3	51.0	50.6
Energy Average		51.5	Average:		57.1	56.4	54.9	53.6	50.9	49.8	48.8	48.6	48.4

24-Hour CNEL	Leq (dBA) Daytime (7am-10pm)	Leq (dBA) Nighttime (10pm-7am)
59.0	**55.5**	**51.5**

URBAN CROSSROADS

16339 - 901 Levering Ave

CadnaA Noise Prediction Model: 16339-02_Construction.cna
Date: 14.07.25
Analyst: B. Maddux

Calculation Configuration

Configuration	
Parameter	**Value**
General	
Max. Error (dB)	**0.00**
Max. Search Radius (ft)	**6561.70**
Min. Dist Src to Rcvr	**0.00**
Partition	
Raster Factor	**0.50**
Max. Length of Section (ft)	**3280.80**
Min. Length of Section (ft)	**3.30**
Min. Length of Section (%)	**0.00**
Proj. Line Sources	**On**
Proj. Area Sources	**On**
Ref. Time	
Daytime Penalty (dB)	**0.00**
Recr. Time Penalty (dB)	**5.00**
Night-time Penalty (dB)	**10.00**
DTM	
Standard Height (m)	**0.00**
Model of Terrain	**Triangulation**
Reflection	
max. Order of Reflection	**2**
Search Radius Src	**328.08**
Search Radius Rcvr	**328.08**
Max. Distance Source - Rcvr	**3280.84 3280.84**
Min. Distance Rvcr - Reflector	**3.28 3.28**
Min. Distance Source - Reflector	**0.33**
Industrial (ISO 9613 (1996))	
Lateral Diffraction	**some Obj**
Obst. within Area Src do not shield	**On**
Screening	**Incl. Ground Att. over Barrier**
	Dz with limit (20/25)
Barrier Coefficients C1,2,3	**3.0 20.0 0.0**
Temperature (°F)	**50**
rel. Humidity (%)	**70**
Ground Absorption G	**0.50**
Wind Speed for Dir. (mph)	**6.7**
Roads (TNM)	
Railways (FTA/FRA)	
Aircraft (???)	
Strictly acc. to AzB	

Receiver Noise Levels

Name	M.	ID	Level Lr			Limit. Value			Land Use			Height		Coordinates		
			Day	Night	CNEL	Day	Night	CNEL	Type	Auto	Noise Type			X	Y	Z
			(dBA)	(dBA)	(dBA)	(dBA)	(dBA)	(dBA)				(ft)		(ft)	(ft)	(ft)
R1		R1	73.2	-26.8	70.2	0.0	0.0	0.0		x	Total	5.00	r	6425587.96	1845722.02	5.00
R2		R2	57.5	-42.5	54.5	0.0	0.0	0.0		x	Total	5.00	r	6425581.66	1845975.47	5.00
R3		R3	60.7	-39.3	57.7	0.0	0.0	0.0		x	Total	5.00	r	6425707.58	1845879.58	5.00
R4		R4	74.0	-26.0	71.0	0.0	0.0	0.0		x	Total	5.00	r	6425687.61	1845581.57	5.00
R5		R5	68.5	-31.5	65.5	0.0	0.0	0.0		x	Total	5.00	r	6425531.88	1845542.08	5.00

Point Source(s)

Name	M.	ID	Result. PWL			Lw / Li			Operating Time			Height		Coordinates		
			Day	Evening	Night	Type	Value	norm.	Day	Special	Night			X	Y	Z
			(dBA)	(dBA)	(dBA)			dB(A)	(min)	(min)	(min)	(ft)		(ft)	(ft)	(ft)

Line Source(s)

Name	M.	ID	Result. PWL			Result. PWL'			Lw / Li			Operating Time			Moving Pt. Src				Height	
			Day	Evening	Night	Day	Evening	Night	Type	Value	norm.	Day	Special	Night	Number			Speed		
			(dBA)	(dBA)	(dBA)	(dBA)	(dBA)	(dBA)			dB(A)	(min)	(min)	(min)	Day	Evening	Night	(mph)	(ft)	

Name	ID	Height			Coordinates			
		Begin		End	x	y	z	Ground
		(ft)		(ft)	(ft)	(ft)	(ft)	(ft)

Area Source(s)

Name	M.	ID	Result. PWL			Result. PWL''			Lw / Li			Operating Time			Height	
			Day	Evening	Night	Day	Evening	Night	Type	Value	norm.	Day	Special	Night	(ft)	
			(dBA)	(dBA)	(dBA)	(dBA)	(dBA)	(dBA)			dB(A)	(min)	(min)	(min)		
CA1		CA1	109.8	9.8	9.8	75.1	-24.9	-24.9	PWL-Pt	109.8					8	r

Name	ID	Height			Coordinates			
		Begin		End	x	y	z	Ground
		(ft)		(ft)	(ft)	(ft)	(ft)	(ft)
CA1	CA1	8.00	r		6425654.62	1845760.00	8.00	0.00
					6425761.65	1845639.74	8.00	0.00
					6425591.66	1845519.11	8.00	0.00
					6425498.99	1845649.54	8.00	0.00

Barrier(s)

Name	Sel.	M.	ID	Absorption		Z-Ext.	Cantilever		Height		Coordinates			
				left	right		horz.	vert.	Begin	End	x	y	z	Ground
						(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)

Building(s)

Name	Sel.	M.	ID	RB	Residents	Absorption	Height	Coordinates				
							Begin	x	y	z	Ground	
							(ft)	(ft)	(ft)	(ft)	(ft)	

Ground Absorption(s)

Name	Sel.	M.	ID	G	Coordinates	
					x	y
					(ft)	(ft)

Contour(s)

Name	Sel.	M.	ID	OnlyPts	Height		Coordinates		
					Begin	End	x	y	z
					(ft)	(ft)	(ft)	(ft)	(ft)

Vertical Area Source(s)

Name	ID	Height			Coordinates			
		Begin		End	x	y	z	Ground
		(ft)		(ft)	(ft)	(ft)	(ft)	(ft)

Rail

Name	Sel.	M.	ID	Lw'		Train Class	Correct.	Vmax
				Day	Night		Track	
				(dBA)	(dBA)		(dB)	(km(mph)

Sound Level Spectra

Name	ID	Type	Oktave Spectrum (dB)											Source
			Weight.	31.5	63	125	250	500	1000	2000	4000	8000	A	lin	

Roads

Name	Sel.	M.	ID	Lme			Count Data		exact Count Data						Speed Limit		SCS	Surface		Gradient	Mult. Reflection		
				Day	Evening	Night	DTV	Str.class.	M			p (%)			Auto	Truck	Dist.	Dstro	Type		Drefl	Hbuild	Dist.
				(dBA)	(dBA)	(dBA)			Day	Evening	Night	Day	Evening	Night	(mph)	(mph)		(dB)		(%)	(dB)	(ft)	(ft)

RoadsGeo

Name	Height				Coordinates				Dist	LSlope
	Begin		End		x	y	z	Ground	(ft)	(%)
	(ft)		(ft)		(ft)	(ft)	(ft)	(ft)		