APPENDIX 3.2-3a

Clarifier Replacement Report

Clarifier Replacement Report

Star Mazda
1401 South Brand Boulevard
Glendale, California 91204

June 4, 2021 **Project: 20-150**

Prepared for:

Star Mazda
1401 S. Brand Blvd.
Glendale, CA 91202

Prepared by:

Waterstone Environmental, Inc.
2936 East Coronado Avenue
Anaheim, California 92806
(714) 414-1122; Fax (714) 414-1166

Clarifier Replacement Report

Star Mazda
1401 South Brand Boulevard
Glendale, California 91204

June 4, 2021 **Project: 20-150**

Prepared by:

Heather Fields
Senior Environmental Scientist

Mark Shifflett
Principal Environmental Scientist

Richard A. Vogl, PG, CHG, CEG #5526
Principal Hydrogeologist

Jeffrey Dagdigian, PhD
Managing Principal Environmental Scientist

Proprietary Notice:
This report and its contents PRIVILEGED AND CONFIDENTIAL INFORMATION. This document should not be duplicated or copied under any circumstances without the express permission of Waterstone Environmental, Inc. The purpose of the report is to allow the client listed above to evaluate the potential environmental liabilities at the Subject Property. Any unauthorized reuse of Waterstone Environmental Inc. reports or data will be at the unauthorized use's sole risk and liability.

Table of Contents

Sections Page

1.0 Introduction 1

2.0 Geology/Hydrogeology 2

3.0 Clarifier Replacement and Soil Sampling Activities 3

3.1 Clarifier Removal 3

3.2 Confirmation Sampling 4

3.3 Sample Results 5

3.4 New Clarifier Installation and Backfill 6

4.0 Conclusion and Recommendations 7

Tables

1 Soil Sample Results – Southern Clarifier Area

Figures

1 Subject Property Location Map

2 Subject Property Vicinity Map

3 Sample Location Figure

Appendices

A City of Glendale Permit

B Photographic Log

C Disposal Documents

D Laboratory Reports

E Replacement Clarifier Design Specifications

F Backfill Import Documents

Section 1.0
Introduction

This report was prepared on behalf of Star Mazda and documents the replacement of a three-compartment clarifier at the Star Mazda facility located at 1401 S. Brand Boulevard in Glendale, California 91204 (the "Subject Property", see Figure 1). The Subject Property is currently operated as a car dealership with a service center and is located in a commercial area in the City of Glendale (see Figure 2). The clarifier is located at the southern end of the service area in the western side of the Subject Property, and is primarily used to filter water from the car wash area and various floor drains located in the southern half of the service area. Previous sampling activities conducted at the Subject Property identified a water leak from the western, inlet side of the clarifier, prompting its inspection and replacement.

Innovative Construction Solutions, Inc. (ICS) conducted removal and soil sampling activities on behalf of Star Mazda in accordance with permit requirements of the City of Glendale.

Section 2.0
Geology/Hydrogeology

Soils encountered during sampling activities within the clarifier excavation consisted primarily of sandy silt. Groundwater was not encountered in the excavation during this investigation to a total depth of approximately 7 feet below ground surface (bgs).

Based on information from groundwater investigation activities conducted at the Mobil gas station at 1324 S. Central Avenue, located approximately 550 feet northwest of the Subject Property, the depth to groundwater is approximately 55 to 59 feet bgs. Flow direction is reported as variable, but primarily oriented towards the southwest.

Section 3.0
Clarifier Replacement and Soil Sampling Activities

3.1 Clarifier Removal

Clarifier replacement activities were conducted by ICS between March 31 and April 15, 2021. A permit was obtained from the City of Glendale for inspection and repair or replacement of the original clarifier, as necessitated based on field observations (see Appendix A). Volatile organic compound (VOC) emissions were monitored by ICS using a calibrated hand-held photo-ionization detector (PID) during the construction activities and any soil that was identified with discoloration, odor, or elevated PID readings was segregated for offsite disposal. Figure 3 presents the layout of the clarifier, associated piping, and soil excavation areas. Photographs of the clarifier removal and replacement activities are included in Appendix B.

During exposure of the clarifier, it was determined that due to its concrete construction, it would not be possible to repair in place and would require removal and replacement with a new clarifier. Prior to demolition of the original clarifier, the contents were removed via vacuum truck by Nieto and Sons and transported offsite for recycling at World Oil Recycling in Compton, California. A copy of the uniform waste manifest is included in Appendix C.

Discolored and odorous soil with PID readings up to 20 parts per million by volume (ppmv) was observed immediately below the clarifier, starting at a depth of approximately 5 feet bgs. All impacted soil was excavated to a maximum depth of 7 feet bgs until no noticeable hydrocarbon odors or staining was observed and there were no detectable VOCs readings with the PID. All impacted soil was containerized in a bin for offsite disposal at Chiquita Canyon Landfill as non-hazardous waste. Copies of the soil waste manifests are included in Appendix C.

In addition to inspecting the clarifier, the drain lines entering and exiting the clarifier were also inspected. The following observations were noted:

- Several leaks were identified in a ribbon trench drain which collects water from the adjacent car wash area and is piped directly into the southern side of the clarifier. A small volume of saturated soil which was discolored and odorous was identified where the drain had leaked adjacent to the western side of the clarifier. All impacted soil was excavated to a maximum depth of 8 feet bgs until no noticeable hydrocarbon odors or staining were observed and there were no detectable VOC readings with the PID. The excavated soil was containerized in a bin for offsite disposal (see Appendix C). The ribbon trench drain was replaced and re-piped to the newly installed clarifier.
- Two drainpipes which collect runoff from the northern portion of the service area are piped into the north side of the clarifier. No signs of leakage or discolored soil were noted from the northern surface drain, but some corrosion and leaking was noted where the second drain pipe entered the clarifier. This section of the pipe was replaced and re-piped to the newly installed clarifier.
- A floor drain located east of the clarifier in the hazardous waste storage area was also piped into the north side of the clarifier. No signs of leakage or discolored soil were noted

beneath the piping discharging into the clarifier, which was noted at a depth of approximately 1 foot bgs. A small area of stained soil was observed immediately beneath the concrete adjacent to the drain, which was excavated to a total depth of 2 feet bgs and containerized in a bin for offsite disposal (see Appendix C). This floor drain had not been actively used by Star Mazda in recent years, so the floor drain and associated piping were permanently removed from the Subject Property.

- A sewer discharge line piped from the clarifier towards the east to the sewer was observed at a depth of approximately 3 feet bgs. During exposure of the discharge line, stained and odorous soil with PID readings up to 35 ppmv were observed in the bottom and southern sidewall of the pipe trench, and it was discovered that the 4.25-in cast iron pipe was corroded and leaking just east of the pipe cleanout. No indications of impacted soil were observed by visual, olfactory, or elevated PID readings on the other sidewalls of the pipe trench. All impacted soil was excavated to a maximum depth of 6 feet bgs and an additional 1 foot from the southern sidewall of the trench until no noticeable hydrocarbon odors or staining were observed and there were no detectable VOCs readings with the PID. The excavated soil was containerized in a bin for offsite disposal (see Appendix C). The sewer discharge line was replaced and re-piped to the newly installed clarifier.

A total of 51 tons of soil were disposed of offsite at Chiquita Canyon Landfill as non-hazardous waste. Copies of the soil waste manifests are included in Appendix C. The concrete and debris from the removal of the clarifier transported offsite for disposal. A copy of the bills-of-lading from the disposal are also included in Appendix C.

3.2 Confirmation Sampling

Waterstone Environmental, Inc. (Waterstone), conducted the soil sampling activities following the removal of the clarifier and associated features as directed by the City of Glendale Fire Department Inspector Artin Yaghoubian.

Soil samples were collected from the following locations, which are depicted on Figure 3:

- Below the clarifier
- Below the sewer discharge line
- Southern sidewall adjacent to the sewer discharge line
- Below the drain in the hazardous waste storage area

Soil samples were collected into brass sleeves directly from the excavation bottom and/or sidewall as directed by Inspector Yaghoubian. Each sample was covered with Teflon sheeting and plastic caps, and labeled with sample number, date, and time directly on the sample container. The sample was then placed in a one-gallon Ziploc bag and put into a cooler filled with ice. The samples were delivered directly to the Enthalpy Analytical, Inc., a state certified laboratory based in Orange, California the same day under strict chain-of-custody procedures. Per the direction of the City of Glendale Inspector, the soil samples were analyzed for gasoline, diesel, and oil-range total petroleum hydrocarbons (TPH) by EPA Method 8015B and VOCs by EPA Method 8260B.

3.3 Sample Results

The results of soil sample analysis are summarized on Table 1. The four (4) final confirmation samples are depicted on Figure 3. The soil sample laboratory analytical reports and chain of custody documents are included in Appendix D.

Sample results were compared against commercial screening levels from the June 2020 Department of Toxic Substances Control (DTSC) Hero Note 3 Screening Levels, June 2019 San Francisco Bay Regional Water Quality Control Board (RWQCB) Environmental Screening Levels (ESLs), and the May 2021 Environmental Protection Agency (EPA) Regional Screening Levels (RSLs).

Sample results are summarized as follows:

- Below the clarifier – One sample (SC-2B-7.0) was collected at a depth of 7 feet bgs, following removal of visually impacted soil identified below the bottom of the clarifier. No VOCs or gasoline-range TPH were detected in the sample. Low levels of diesel-range (C13-C22) and oil-range (C23-C44) TPH was detected at concentrations significantly below the commercial screening levels.
- Below the sewer discharge line – A total of three samples were collected below the sewer discharge line. The initial samples (SC-1B-3.5 and SC-1BA-5.0) had concentrations of gasoline-range TPH (up to 4,300 mg/kg), diesel-range TPH (up to 3,300 mg/kg), and naphthalene (up to 13,000 micrograms per kilogram [ug/kg]) detected above the commercial screening level, which prompted additional soil excavation.

  The final confirmation sample (SC-1BB-6.0) was collected at a depth of 6 feet bgs, following removal of all visually impacted soil identified below sewer discharge line. No gasoline-range TPH or naphthalene were detected in the sample. Low levels of oil-range TPH was detected at concentrations significantly below the commercial screening levels.
- Southern sidewall adjacent to the sewer discharge line – A total of two samples were collected in the southern sidewall adjacent to the sewer discharge line where the stained and odorous soil was originally observed. The initial sample (SC-1S-1.0) had concentrations of diesel-range TPH (up to 3,400 mg/kg) and naphthalene (up to 7,200 ug/kg) detected above the commercial screening level, which prompted additional soil excavation.

  The final confirmation sample (SC-1SA-1.0) was collected in a location considered representative of the entire sidewall following removal of all visually impacted soil identified adjacent to the sewer discharge line. No diesel-range TPH or naphthalene were detected in the sample. Low levels of oil-range TPH and the VOC 1,2-dichlorobenzene were detected at concentrations significantly below the commercial screening levels.
- Below the drain in the hazardous waste storage area – One sample (DRAIN-1B-1.5) was collected at a depth of 1.5 feet bgs, following removal of visually impacted soil identified below the former drain. No VOCs or TPH were detected in the sample.

Based on the results of the final confirmation soil samples, the City of Glendale Inspector approved backfill and installation of the replacement clarifier.

3.4 New Clarifier Installation and Backfill

Following receipt of final confirmation sample results and approval from Inspector Yaghoubian, the new clarifier was installed and re-piped to the new and existing inlet and outlet pipes. The replacement 1,200 gallon clarifier is configured slightly differently than the original clarifier, so the excavation bottom was deepened, and the piping was reconfigured in order to plumb the new clarifier. Design specifications for the replacement clarifier are included in Appendix E.

The excavation area was backfilled with a combination of crushed rock and clean fill sand imported from West Coast Sand and Gravel and sand slurry imported from Associated Ready Mixed Concrete, and the surrounding area was resurfaced with concrete to match surrounding conditions. Documentation of import material are included in Appendix F.

Section 4.0
Conclusion and Recommendations

Clarifier replacement activities were conducted by ICS between March 31 and April 15, 2021. Approximately 51 tons of soil with discoloration, odor, and/or elevated PID readings were observed beneath the clarifier and associated piping and was excavated and disposed of offsite.

Confirmation soil samples were collected beneath the clarifier and associated piping where impacted soil was identified and removed, and were analyzed for gasoline, diesel, and oil-range TPH by EPA Method 8015M and VOCs by EPA Method 8260B. Soil removal and sampling activities were conducted under the oversight and direction of the City of Glendale Fire Department Inspector Artin Yaghoubian.

Final confirmation samples were all either non-detect or significantly below the commercial screening levels. Based on the results of the confirmation soil samples, the City of Glendale Inspector approved backfill and installation of the replacement clarifier.

Based on the soil sample results, additional assessment activities are not warranted at the Subject Property. Therefore, no further action is recommended in association with the southern clarifier at the Subject Property.

Tables

Table 1
Soil Sample Results - Southern Clarifier Area
1401 S. Brand Blvd., Glendale, CA

Location	Sample ID	Date Sampled	TPH by EPA Method 8015 (mg/kg)			VOCs by EPA Method 8260B (ug/kg)										
			TPH Gasoline Range	TPH Diesel Range	TPH Oil Range	Ethylbenzene	m,p-Xylenes	o-Xylene	Propylbenzene	1,3,5-Trimethylbenzene	1,2,4-Trimethylbenzene	1,2-Dichlorobenzene	1,4-Dichlorobenzene	n-Butylbenzene	Naphthalene	All Other VOCs
Below Clarifier	SC-2B-7.0	4/2/2021	<3.1	23	90	<6.1	<12	<6.1	<6.1	<6.1	<6.1	<6.1	<6.1	<6.1	<6.1	ND
Below Clarifier Sewer Dicharge Line	SC-1B-3.5	3/31/2021	1,900	**3,300**	11,000	3,600	26,000	13,000	4,600	14,000	44,000	39,000	3,300	3,900	**13,000**	ND
	SC-1BA-5.0	4/1/2021	**4,300**	750	2,200	<8,900	<18,000	9,800	<8,900	21,000	64,000	20,000	<8,900	<8,900	**13,000**	ND
	SC-1BB-6.0	4/6/2021	<3.8	<10	21	<380	<760	<380	<380	<380	<380	<380	<380	<380	<380	ND
Sidewall of Clarifer Sewer Discharge Line	SC-1S-1.0	3/31/2021	560	**3,400**	11,000	<1,400	<2700	<1,400	<1,400	1,600	5,200	15,000	1,700	<1,400	**7,200**	ND
	SC-1SA-1.0	4/1/2021	<2.9	<10	12	<5.1	<10	<5.1	<5.1	<5.1	<5.1	12	<5.1	<5.1	<5.1	ND
Below Drain in Hazardous Waste Storage Area	DRAIN-1B-1.5	3/31/2021	<3.2	<10	<10	<5.3	<11	<5.3	<5.3	<5.3	<5.3	<5.3	<5.3	<5.3	<5.3	ND
Commercial Screening Levels			2,000	1,200	180,000	26,000	2,500,000	2,500,000	9,900,000	1,500,000	1,800,000	9,300,000	11,000	18,000,000	6,500	--


Notes:

TPH	Total Petroleum Hydrocarbons
VOCs	Volatile Organic Compounds
< , ND	Not Detected Above Reporting Limit
mg/kg	milligrams per kilogram
ug/kg	micrograms per kilogram
Bold	Concentration Exceeds Commercial Screening Levels
	Removed During Excavation Activities

Commercial screening levels based on Department of Toxic Substances Control (DTSC) Hero Note 3 Screening Levels (June 2020), San Francisco Bay Regional Water Quality Control Board (RWQCB) Environmental Screening Levels (June 2019) and Environmental Protection Agency (EPA) Regional Screening Levels (May 2021)

Figures

Figure 1 - Subject Property Location Map



Copyright © and (P) 1988–2006 Microsoft Corporation and/or its suppliers. All rights reserved. http://www.microsoft.com/streets/
Portions © 1990–2006 InstallShield Software Corporation. All rights reserved. Certain mapping and direction data © 2005 NAVTEQ. All rights reserved. The Data for areas of Canada includes information taken with permission from Canadian authorities, including: © Her Majesty the Queen in Right of Canada, © Queen's Printer for Ontario. NAVTEQ and NAVTEQ ON BOARD are trademarks of NAVTEQ. © 2005 Tele Atlas North America, Inc. All rights reserved. Tele Atlas and Tele Atlas North America are trademarks of Tele Atlas, Inc.



Figure 2
Subject Property
Vicinity Map

1401 S. Brand Blvd.
Glendale, CA 91204

Legend

- Approximate Subject Property Boundary
- 3-Compartment Clarifier

Waterstone Environmental, Inc.
2936 East Coronado Street
Anaheim, California 92806

Drafted By: HLF	Project No.: 20-150
Approved By: MS	Date: 4-12-2021




Figure 3
Sample Location Figure

1401 S. Brand Blvd.
Glendale, CA 91204

Legend

- Soil Excavation - Approximately 2-ft deep
- Soil Excavation - Approximately 6-ft deep
- Soil Excavation - Approximately 8-ft deep
- Confirmation Soil Sample Location
- 3-Compartment Clarifier (Replaced)
- Former Floor Drain and Piping (Removed)

NORTH

0' 2.5' 5'
Approximate Scale

Waterstone Environmental, Inc.
2936 East Coronado Street
Anaheim, California 92806

Drafted By: HLF	Project No.: 20-150
Approved By: MS	Date: 04-12-21

Appendix A

City of Glendale Permit

Inspection Number: INSP-120756-2024

Inspection Details | Tab Elements | Main Menu

Inspection Type:	(499) Final Plumbing	**Requested Date:**	10/23/2024		
Inspection Status:	Passed	**Scheduled Date:**	10/23/2024		
Permit Number:	BP-MFC-009575-2023	**Completed Date:**	10/23/2024	**Completed Time:**	9:29 AM
Inspector Name:	David Clayton	**Inspector Phone:**	(818) 937-8127		
Main Address:	1401 BRAND GLENDALE,CA 91204				

Locations Contacts Checklist Fees Attachments Previous

Locations | Next Tab | Inspection Details | Main Menu

Locations

Sort Main

Type: Location

LOS ANGELES COUNTY
1401 S BRAND
BOULEVARD , GLENDALE,..

Main Address ☑

Parcel Number

5640024014

Main Parcel ☑

Additional Info


Appendix B

Photographic Log


Appendix B
Photographic Log




View looking to the east of the original clarifier and associated drain lines located at the southern end of the service area on the west side of the Subject Property located at 1401 S. Brand Blvd. in the City of Glendale, California.




View to the west of the clarifier and surrounding area being exposed with an excavator.



The contents of the clarifier were removed with a vacuum truck.




View of the corroded sewer discharge line where leaking was observed east of the clarifier.




View of the small area of stained soil observed immediately beneath the concrete adjacent to the drain removed from the hazardous waste storage area.




View of the soil excavation areas beneath the clarifier and the sewer discharge line.



View of the removal of the ribbon trench drain and associated stained soil on the west side of the clarifier.



Replacement of the clarifier and associated piping, and backfill of the surrounding area.



View of backfilled clarifier area prior to resurfacing with concrete.

Appendix C

Disposal Documents

Please print or type. Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST	1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Manifest Tracking Number
	CAL000365314	1	(714) 990-8855	013703168 FLE

GENERATOR

5. Generator's Name and Mailing Address
Star Lincoln Mercury Sales, Inc.
1401 S. Brand Blvd.
Glendale, CA 91204
Generator's Phone: (818) 247-1903

Generator's Site Address (if different than mailing address)
Star Lincoln Mercury Sales dba Star Mazada
1401 S. Brand Blvd.
Glendale, CA 91204

6. Transporter 1 Company Name: Nieto and Sons Trucking, Inc.
U.S. EPA ID Number: CAT080016116

7. Transporter 2 Company Name
U.S. EPA ID Number

8. Designated Facility Name and Site Address
World Oil Recycling
2000 N. Alameda Street
Compton, CA 90222
Facility's Phone: (310) 537-7100
U.S. EPA ID Number: CAT080013352

9a. HM	9b. U.S. DOT Description (Including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes
	1. NON RCRA HAZARDOUS WASTE, LIQUID (Oily water)	001	TT	1400	G	223
	2.					
	3.					
	4.					

14. Special Handling Instructions and Additional Information
Wear All Appropriate Protective Clothing
Nieto PO 040221

15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent.
I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.

Generator's/Offeror's Printed/Typed Name: [illegible] | Signature: [signature] | Month 04 | Day 02 | Year 21

INT'L

16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter signature (for exports only): Date leaving U.S.:

TRANSPORTER

17. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: [illegible] Martinez | Signature: [signature] | Month 04 | Day 02 | Year 21

Transporter 2 Printed/Typed Name | Signature | Month | Day | Year

DESIGNATED FACILITY

18. Discrepancy

18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number:

18b. Alternate Facility (or Generator) | U.S. EPA ID Number
Facility's Phone:

18c. Signature of Alternate Facility (or Generator) | Month | Day | Year

19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)

1.	2.	3.	4.
H-039			

20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a

Printed/Typed Name: [illegible] | Signature: [signature] | Month 04 | Day 03 | Year 21

EPA Form 8700-22 (Rev. 12-17) Previous editions are obsolete. TRANSPORTER COPY

World Oil Recycling
2000 N Alameda Street
Compton, CA 90222

Ticket: **340532**
Date: 4/2/2021
Time: 11:59:42 - 14:54:12

Hauler: NIETO & SONS-NIE001
Truck: 510 License:70140H1
Trailer: License:
Driver: MARTINEZ

Customer: NIETO & SONS-NIE001
Product: OILY WATER

Gross: 39260 lb In Scale DK S(
Tare: 27220 lb Out Scale DK S(
Net: 12040 lb
Tons: 6.02
Barrels: 33.74
Wash Out: Cold
Gallons: 60
Minutes: 20

1417 283

Tank: 2001
Tank 2: NA
Category: C-1
Profile: 482590
W/P: Yes

PO:
Load Gallons: 1,400

RECEIVING

Lab Analysis

BS&W:	96.00	API Temp:	68.00	Halides:	<100
Gravity:	1.02	Sediment:	20.00	Actual Halides:	0
pH:	7.00	Flash Point:	0.00	Comment:	

Deputy Weighmaster In: Daniel Pool
Deputy Weighmaster Out: Daniel Pool

Manifest/BOL
013703168FLE

WEIGHMASTER CERTIFICATE

THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

ECTI
ENVIRONMENTAL CONTRACTORS TRANSPORTATION, INC.
P.O. Box 7318
San Bernardino, CA 92411
Phone (909) 884-7424
Fax (909) 884-3744

NON-HAZARDOUS WASTE MANIFEST

1. Generator US EPA ID No.	2. Page 1 of	3. Emergency Response Phone No.	4. Manifest No.
NOT REQUIRED	1	800-884-7424	118398

GENERATOR

5. Generator's Name and Mailing Address: STAR MAZDA-STAR MAZDA, 1401 S BRAND AVE, GLENDALE, CA 91204
Generator's Phone No.: 818-359-3142
Generator's Site Address (if different than mailing address in item 5): SAME

6. Transporter No. 1 Company Name: E.C.T.I. PO BOX 7318 San Bernardino, CA 92411 (800)884-7773
U.S. EPA ID No.: CAR000049054

7. Transporter No. 2 Company Name
U.S. EPA ID No.

8. Designated Facility Name and Site Address: CHIQUITA CANYON LANDFILL, 29201 HENRY MAYO DR, CASTAIC, CA 91384
U.S. EPA ID No.: CAL000347030
Facility's Phone No.: 661-257-3655

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
a.	NON-HAZARDOUS WASTE SOLID,(SOIL WITH TPH)	001	CM	10	Y	
b.						
c.						
d.						

13. Special Handling Instructions and Additional Information
WEAR PROPER PPE WHILE HANDLING
PROFILE CCL-21-004

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Generator's/Offeror's Typed/Printed Name: LAN GARCIA C/O STAR MAZDA | Signature: C/O STAR MAZDA | Month 4 Day 1 Year 2021

TRANSPORTER

15. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Typed/Printed Name: [illegible] | Signature | Month 4 Day 1 Year 2021

Transporter 2 Typed/Printed Name | Signature | Month Day Year

DESIGNATED FACILITY

16. Discrepancy

16a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference No:

16b. Alternate Facility (or Generator) | U.S. EPA ID No.

Facility's Phone No.:

16c. Signature of Alternate Facility (or Generator) | Month Day Year

17. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in item 16a

Typed/Printed Name: LAN | Signature | Month 4 Day 1 Year 2021

TRANSPORTER #1

ENVIRONMENTAL CONTRACTORS TRANSPORTATION, INC.
P.O. Box 7318
San Bernardino, CA 92411
Phone (909) 884-7424
Fax (909) 884-3744

NON-HAZARDOUS WASTE MANIFEST

1. Generator US EPA ID No.	2. Page 1 of	3. Emergency Response Phone No.	4. Manifest No.
NOT REQUIRED	1	800-884-7424	118399

GENERATOR

5. Generator's Name and Mailing Address: STAR MAZDA-STAR MAZDA, 1401 S BRAND AVE, GLENDALE, CA 91204
Generator's Phone No.: 818-359-3142
Generator's Site Address (if different than mailing address in item 5): SAME

6. Transporter No. 1 Company Name: E.C.T.I. PO BOX 7318 San Bernardino, CA 92411 (800)864-7773
U.S. EPA ID No.: CARC000049084

7. Transporter No. 2 Company Name
U.S. EPA ID No.

8. Designated Facility Name and Site Address: CHIQUITA CANYON LANDFILL, 29201 HENRY MAYO DR, CASTAIC, CA 91384
U.S. EPA ID No.: CALD000347030
Facility's Phone No.: 661-257-3655

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
a.	NON-HAZARDOUS WASTE SOLID,(SOIL WITH TPH)	001	CM	10	Y	
b.						
c.						
d.						

13. Special Handling Instructions and Additional Information
WEAR PROPER PPE WHILE HANDLING
PROFILE CCL-21-064

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Generator's/Offeror's Typed/Printed Name: X CARLOS GARCIA C/O STAR MAZDA | Signature: C/O STAR MAZDA | Month 4 | Day | Year 2012

TRANSPORTER

15. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Typed/Printed Name: [illegible] ELLIS | Signature | Month 4 | Day | Year 2012

Transporter 2 Typed/Printed Name | Signature | Month | Day | Year

DESIGNATED FACILITY

16. Discrepancy

16a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference No:

16b. Alternate Facility (or Generator) | U.S. EPA ID No.

Facility's Phone No.:

16c. Signature of Alternate Facility (or Generator) | Month | Day | Year

17. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in item 16a

Typed/Printed Name: LAN- | Signature | Month 4 | Day | Year 2012

TRANSPORTER #1

(661)257-3655
CHIQUITA CANYON LANDFILL
29201 Henry Mayo Dr
Castaic, CA 91384

Weighed: D Landeros

Deposit: D Landeros

BILL TO: 3191
ECTI

Vehicle ID: 21-064
Reference: 21-064
Note1:: STAR MAZDA

Note2:: 1401 SOUTH BRAND AVE

Route:: GLENDALE, CA 91204

PO Number: 1183987118399

Origin: GLENDALE

DATE IN: 04/20/2021 TIME IN: 11:09:19
DATE OUT: 04/20/2021 TIME OUT: 13:08:56

INBOUND TICKET Number: 01-01678459

SCALE 2 GROSS WT.	75000	LB
SCALE 1 TARE WT.	43700	LB
NET WEIGHT	31300	LB

Qty	Description	Amount
15.650	Soil - Non Hazardous	

X_____

(Driver Signature) This is to certify that this load does not contain any hazardous materials, medical waste or liquids of any type. WEIGHMASTER CERTIFICATE: THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code), administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

ECTI
ENVIRONMENTAL CONTRACTORS TRANSPORTATION, INC.
P.O. Box 7318
San Bernardino, CA 92411
Phone (909) 884-7424
Fax (909) 884-3744

NON-HAZARDOUS WASTE MANIFEST

1. Generator US EPA ID No.	2. Page 1 of	3. Emergency Response Phone No.	4. Manifest No.
NOT REQUIRED	1	800-884-7424	118406

GENERATOR

5. Generator's Name and Mailing Address
STAR MAZDA-STAR MAZDA
1401 S BRAND AVE.
GLENDALE, CA 91204
Generator's Phone No.: 818-359-3142

Generator's Site Address (if different than mailing address in item 5)
SAME

6. Transporter No. 1 Company Name: MARTINS TRUCKING — U.S. EPA ID No.: N/A

7. Transporter No. 2 Company Name — U.S. EPA ID No.

8. Designated Facility Name and Site Address
CHIQUITA CANYON LANDFILL
29201 HENRY MAYO DR
CASTAIC, CA 91384
Facility's Phone No.: 661-257-3655
U.S. EPA ID No.: CALD00347030

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.
a.	NON-HAZARDOUS WASTE SOLID,(SOIL WITH TPH)	001	DT	10	Y
b.					
c.					
d.					

13. Special Handling Instructions and Additional Information
WEAR PROPER PPE WHILE HANDLING
PROFILE CCL-21-064

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Generator's/Offeror's Typed/Printed Name	Signature	Month	Day	Year
X ALBARCIN C/O STAR MAZDA	C/O STAR MAZDA	4	20	21

TRANSPORTER

15. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Typed/Printed Name	Signature	Month	Day	Year
STEPAN ASLANYAN		4	20	21
Transporter 2 Typed/Printed Name	Signature	Month	Day	Year

DESIGNATED FACILITY

16. Discrepancy

16a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference No:

16b. Alternate Facility (or Generator) — U.S. EPA ID No.

Facility's Phone No.:

16c. Signature of Alternate Facility (or Generator) — Month Day Year

17. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in item 16a

Typed/Printed Name	Signature	Month	Day	Year

TRANSPORTER #1

(661)257-3655
CHIQUITA CANYON LANDFILL
29201 Henry Mayo Dr
Castaic, CA 91384

Weighed: D Landeros

BILL TO: 3191
ECTI

Vehicle ID: ECTI-4
Reference: 21-064
Note1:: STAR MAZDA

Note2:: 1401 SOUTH BRAND AVE

Route:: GLENDALE, CA 91204

PO Number: 118406

Origin: GLENDALE

DATE IN: 04/20/2021 TIME IN: 11:30:53
DATE OUT: 04/20/2021 TIME OUT: 11:30:54

INBOUND TICKET Number: 01-01678479

SCALE 2 GROSS WT.	44940	LB
STORED TARE WT.	23780	LB
NET WEIGHT	21160	LB

Qty	Description	Amount
10.580	Soil - Non Hazardous	

ECTI
ENVIRONMENTAL CONTRACTORS TRANSPORTATION, INC.
P.O. Box 7318
San Bernardino, CA 92411
Phone (909) 884-7424
Fax (909) 884-3744

NON-HAZARDOUS WASTE MANIFEST

1. Generator US EPA ID No.	2. Page 1 of	3. Emergency Response Phone No.	4. Manifest No.
NOT REQUIRED	1	800-884-7424	118405

GENERATOR

5. Generator's Name and Mailing Address
STAR MAZDA-STAR MAZDA
1401 S BRAND AVE.
GLENDALE, CA 91204
Generator's Phone No.: 818-359-3142

Generator's Site Address (if different than mailing address in item 5)
SAME

6. Transporter No. 1 Company Name: MARTIN'S TAX. U.S. EPA ID No.: N/A

7. Transporter No. 2 Company Name: U.S. EPA ID No.:

8. Designated Facility Name and Site Address
CHIQUITA CANYON LANDFILL
29201 HENRY MAYO DR
CASTAIC, CA 91384
Facility's Phone No.: 661-257-3655
U.S. EPA ID No.: CAL000347030

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
a.	NON-HAZARDOUS WASTE SOLID,(SOIL WITH TPH)	001	DT	10	Y	
b.						
c.						
d.						

13. Special Handling Instructions and Additional Information
WEAR PROPER PPE WHILE HANDLING.
PROFILE CCL-21-084

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Generator's/Offeror's Typed/Printed Name: X LALO GARCIA c/o STAR MAZDA | Signature: c/o STAR MAZDA | Month: 4 | Day: 20 | Year: 21

TRANSPORTER

15. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Typed/Printed Name: GARY KOSTIKYAN | Signature | Month: 4 | Day: 20 | Year: 21

Transporter 2 Typed/Printed Name: | Signature: | Month: | Day: | Year:

DESIGNATED FACILITY

16. Discrepancy

16a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference No:

16b. Alternate Facility (or Generator) | U.S. EPA ID No.:

Facility's Phone No.:

16c. Signature of Alternate Facility (or Generator) | Month: | Day: | Year:

17. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in item 16a

Typed/Printed Name: TOM | Signature | Month: 4 | Day: 20 | Year: 21

T/S/D/F COPY

(661)257-3655
CHIQUITA CANYON LANDFILL
29201 Henry Mayo Dr
Castaic, CA 91384

Weighed: D Landeros

BILL TO: 3191
ECTI

Vehicle ID: ECTI-210
Reference: 21-064
Note1:: STAR MAZDA

Note2:: 1401 SOUTH BRAND AVE

Route:: GLENDALE, CA 91204

PO Number: 118405/REPL 01680

Origin: GLENDALE

DATE IN: 04/20/2021 TIME IN: 10:15:51
DATE OUT: 04/20/2021 TIME OUT: 10:15:51

INBOUND TICKET Number: 01-01678421

MANUAL GROSS WT.	60000	LB
STORED TARE WT.	24100	LB
NET WEIGHT	35900	LB

Qty	Description	Amount
17.950	Soil - Non Hazardous	

ENVIRONMENTAL CONTRACTORS TRANSPORTATION, INC.
P.O. Box 7318
San Bernardino, CA 92411
Phone (909) 884-7424
Fax (909) 884-3744

NON-HAZARDOUS WASTE MANIFEST

1. Generator US EPA ID No.	2. Page 1 of	3. Emergency Response Phone No.	4. Manifest No.
NOT REQUIRED	1	800-884-7424	118407

GENERATOR

5. Generator's Name and Mailing Address
STAR MAZDA-STAR MAZDA
1401 S BRAND AVE.
GLENDALE, CA 91204
Generator's Phone No.: 818-359-3142

Generator's Site Address (if different than mailing address in item 5)
SAME

6. Transporter No. 1 Company Name: MARTIN'S T/C. — U.S. EPA ID No.: N/A

7. Transporter No. 2 Company Name — U.S. EPA ID No.:

8. Designated Facility Name and Site Address
CHIQUITA CANYON LANDFILL
29201 HENRY MAYO DR
CASTAIC, CA 91384
Facility's Phone No.: 661-257-3655
U.S. EPA ID No.: CAL000347030

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.
a.	NON-HAZARDOUS WASTE SOLID,(SOIL WITH TPH)	001	DT	10	Y
b.					
c.					
d.					

13. Special Handling Instructions and Additional Information
WEAR PROPER PPE WHILE HANDLING.
PROFILE CCL-21-064

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Generator's/Offeror's Typed/Printed Name: LALO GARCIA C/O STAR MAZDA — Signature: C/O STAR MAZDA — Month/Day/Year: 7/2021

TRANSPORTER

15. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Typed/Printed Name: GARY KOSTIKYAN — Signature — Month/Day/Year: 7/2021

Transporter 2 Typed/Printed Name — Signature — Month/Day/Year

DESIGNATED FACILITY

16. Discrepancy

16a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference No:

16b. Alternate Facility (or Generator) — U.S. EPA ID No.

Facility's Phone No.:

16c. Signature of Alternate Facility (or Generator) — Month/Day/Year

17. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in item 16a

Typed/Printed Name — Signature — Month/Day/Year

TRANSPORTER #1

(661)257-3655
CHIQUITA CANYON LANDFILL
29201 Henry Mayo Dr
Castaic, CA 91384

Weighed: D Landeros

BILL TO: 3191
ECTI

Vehicle ID: ECTI-210
Reference: 21-064
Note1:: STAR MAZDA

Note2:: 1401 SOUTH BRAND AVE

Route:: GLENDALE, CA 91204

PO Number: 118407

Origin: GLENDALE

DATE IN: 04/20/2021 TIME IN: 12:05:00
DATE OUT: 04/20/2021 TIME OUT: 12:05:00

INBOUND TICKET Number: 01-01678512

SCALE 4 GROSS WT.	37200	LB
STORED TARE WT.	24100	LB
NET WEIGHT	13100	LB

Qty	Description	Amount
6.550	Soil - Non Hazardous	

NON-NEGOTIABLE BILL-OF-LADING AND TRANSPORTATION AGREEMENT

BILL NO. A- 5300301

PRINCIPAL CARRIER: MARTIN'S Trk.

DATE: 3-31-21

ADDRESS:

CITY/STATE/ZIP: PH.

JOB #: 19-1358

BROKER #:

TRUCK #: 21

TRAILER #: LOWSIDE

CA #:

UNDERLYING CARRIER (IF ANY): MARTIN'S Trk.

ADDRESS: PH.

SHIPPER	RECEIVER
ICS	
ADDRESS:	ADDRESS:
CITY/STATE/ZIP: GLENDALE - mitsubishi	CITY/STATE/ZIP:
POINT OF ORIGIN: 1401 S. BRAND BL.	POINT OF DESTINATION: UNITED

EQUIPMENT TYPE

- ☐ 10-WHEELER
- ☐ SUPER-10
- ☐ STRONG ARM
- ☐ SUPER TAG
- ☐ TRANSFER
- ☐ DBL BOTTOMS
- ☐ SEMI-BOTTOM
- ☒ END DUMP
- ☐ SIDE DUMP
- ☐ TRUCK & PUP
- ☐ WATER TRUCK
- ☐ FLAT BED
- ☐ MIXER
- ☐ SWEEPER
- ☐ OTHER

☒ HOURLY ☐ TONNAGE ☐ PER LOAD

RATE @ $

	TAG NO.	WEIGHT	COMMODITY	LOADING ARRIVE	LOADING DEPART	UNLOADING ARRIVE	UNLOADING DEPART	STANDBY TIME	BREAKDOWN OR REASON FOR DELAY
1	299089		Concrete						
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									

REPORTING TIME	ENDING TIME	TOTAL TIME	DEDUCTIBLE TIME	NET TIME	TOTAL TONS	ACCESSORIAL OTHER
7:00	12:00	5.0	-	5.0		
START DRIVING TIME LAST TRIP	ARRIVAL TIME AT DUMP LAST TRIP	END LOADING LAST TRIP	RUNNING TIME LAST TRIP	SUBJECT TO TERMS AND CONDITIONS ON REVERSE SIDE		TOTAL CHARGES

GARY K.

DRIVER SIGNATURE

ORIGINAL

SHIPPER/RECEIVER (AGENT OR DEBITOR) SIGNATURE

SULLY-MILLER CONTRACTING CO.

UNITED ROCK PRODUCTS

Pit #2 reclamation

Ticket No.: **292089**

3/31/2021
10:18:41AM

WEIGHMASTER CERTIFICATE

THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

	Pounds	Tons	Metric
Gross	57600	28.80	26.13
Tare	33000 *	16.50 *	14.97 *
Net	24600 *	12.30 *	11.16*

* Manual Weight

Location : **100877** Customer : 10201073 MARTINS TRUCKING
Order : 412508 PIT2 - CONCRETE
Brand, Glendale Load Checked For Odors & Flowing Liquid **1.00 Load**
P.O. : Concrete
Product : 300131 DUMP SEMI / 5 AXL

Ordered	0.00
Received	1.00
Remaining	-1.00

Today: 1.00 Loads: 1

Carrier :
Vehicle : YP01987 YP01987
Haul Rate: 0.00
Received : _____

Map Page: ZoneC-
License:
Zone:

Weighmaster: Daniel Wysocki

Subject to terms and conditions on reverse side.

SULLY-MILLER CONTRACTING CO.

UNITED ROCK PRODUCTS

Pit #2 reclamation

Ticket No.: 292089

3/31/2021
10:18:41AM

WEIGHMASTER CERTIFICATE

THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

	Pounds	Tons	Metric
Gross	57600	28.80	26.13
Tare	33000 *	16.50 *	14.97 *
Net	24600 *	12.30 *	11.16*

* Manual Weight

Location : 100877 Customer : 10201073 MARTINS TRUCKING
Order : 412508 PIT2 - CONCRETE
Brand, Glendale Load Checked For Odors & Flowing Liquid 1.00 Load
P.O. : Concrete
Product : 300131 DUMP SEMI / 5 AXL

Ordered	0.00
Received	1.00
Remaining	-1.00

Today: 1.00 Loads: 1

Carrier :
Vehicle : YP01987 YP01987
Haul Rate: 0.00
Received : _____

Map Page: ZoneC-
License:
Zone:

Weighmaster: Daniel Wysocki

Subject to terms and conditions on reverse side.

NON-NEGOTIABLE BILL-OF-LADING AND TRANSPORTATION AGREEMENT

BILL NO. A- 5300305

DATE 4-16-21

PRINCIPAL CARRIER MARTIN'S TRK.

ADDRESS

CITY/STATE/ZIP PH.

JOB # 19-1358

BROKER #

TRUCK # 21

TRAILER # LOWSIDE

CA #

UNDERLYING CARRIER (IF ANY) MARTIN'S TRK.

ADDRESS PH.

SHIPPER ICS

ADDRESS

CITY/STATE/ZIP GLENDALE

POINT OF ORIGIN 1401 S. BRAND BL

RECEIVER

ADDRESS

CITY/STATE/ZIP

POINT OF DESTINATION United

EQUIPMENT TYPE

- ☐ 10-WHEELER
- ☐ SUPER-10
- ☐ STRONG ARM
- ☐ SUPER TAG
- ☐ TRANSFER
- ☐ DBL BOTTOMS
- ☐ SEMI-BOTTOM
- ☒ END DUMP
- ☐ SIDE DUMP
- ☐ TRUCK & PUP
- ☐ WATER TRUCK
- ☐ FLAT BED
- ☐ MIXER
- ☐ SWEEPER
- ☐ OTHER

☒ HOURLY ☐ TONNAGE ☐ PER LOAD

RATE @ $

	TAG NO.	WEIGHT	COMMODITY	LOADING ARRIVE	LOADING DEPART	UNLOADING ARRIVE	UNLOADING DEPART	STANDBY TIME	BREAKDOWN OR REASON FOR DELAY
1	295507		Concrete Rebar Dirt				- M	ARTIN'S	
2								Acc.	
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									

REPORTING TIME	ENDING TIME	TOTAL TIME	DEDUCTIBLE TIME	NET TIME	TOTAL TONS	ACCESSORIAL OTHER
6:30	11:30	5.0		5.0		
START DRIVING TIME LAST TRIP	ARRIVAL TIME AT DUMP LAST TRIP	END LOADING LAST TRIP	RUNNING TIME LAST TRIP	SUBJECT TO TERMS AND CONDITIONS ON REVERSE SIDE		TOTAL CHARGES

GARY C.

DRIVER SIGNATURE

ORIGINAL

SHIPPER/RECEIVER (AGENT OR DEBITOR) SIGNATURE

SULLY-MILLER CONTRACTING CO
UNITED ROCK PRODUCTS

Pit #2 reclamation

Ticket No.: **295507**

4/16/2021
8:37:16AM

WEIGHMASTER CERTIFICATE

THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

	Pounds	Tons	Metric
Gross	59160	29.58	26.83
Tare	33000 *	16.50 *	14.97 *
Net	26160	13.08	11.87

* Manual P. T.

Location : **100877** Customer : 10201073 MARTINS TRUCKING
Order : 412508 PIT2 - CONCRETE
Grand, Glendale Load Checked For Odors & Flowing Liquid
P.O. : Concrete
Product : 300131 DUMP SEMI / 5 AXL

1.00 Load

Ordered	0.00
Received	2.00
Remaining	-2.00

Today: 1.00 Loads: 1

Carrier :
Vehicle : YP01987 YP01987
Haul Rate: 0.00
Received : _____

Map Page: ZoneC-
License:
Zone:

Weighmaster: Daniel Wysocki

Subject to terms and conditions on reverse side.

SULLY-MILLER CONTRACTING CO
UNITED ROCK PRODUCTS

Pit #2 reclamation

Ticket No.: 295507

4/16/2021
8:37:16AM

WEIGHMASTER CERTIFICATE

THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

	Pounds	Tons	Metric
Gross	59160	29.58	26.83
Tare	33000 *	16.50 *	14.97 *
Net	26160	13.08	11.87

* Manual P. T.

Location : **100877** Customer : 10201073 MARTINS TRUCKING
Order : 412508 PIT2 - CONCRETE
Grand, Glendale Load Checked For Odors & Flowing Liquid
P.O. : Concrete
Product : 300131 DUMP SEMI / 5 AXL

1.00 Load

Ordered	0.00
Received	2.00
Remaining	-2.00

Today: 1.00 Loads: 1

Carrier :
Vehicle : YP01987 YP01987
Haul Rate: 0.00
Received : _____

Map Page: ZoneC-
License:
Zone:

Weighmaster: Daniel Wysocki

Subject to terms and conditions on reverse side.

Appendix D

Laboratory Reports

Enthalpy Analytical
931 West Barkley Ave
Orange, CA 92868
(714) 771-6900

enthalpy.com


Lab Job Number: 443299
Report Level: II
Report Date: 04/01/2021

Analytical Report *prepared for:*

Heather Fields
Waterstone Environmental Inc.
2936 E. Coronado St.
Anaheim, CA 92806

Location: Rim Rock - Star Mazda 20-150, 1401 S. Brand Blvd., Glendale, CA

Authorized for release by:



Patty Mata, Project Manager
patty.mata@enthalpy.com

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the above signature which applies to this PDF file as well as any associated electronic data deliverable files. The results contained in this report meet all requirements of NELAP and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

CA ELAP# 1338, NELAP# 4038, SCAQMD LAP# 18LA0518, LACSD ID# 10105, CDC ELITE Member

ENTHALPY ANALYTICAL

Sample Summary

Heather Fields Waterstone Environmental Inc. 2936 E. Coronado St. Anaheim, CA 92806	Lab Job #: Location: Date Received:	443299 Rim Rock - Star Mazda 20-150, 1401 S. Brand Blvd., Glendale, CA 03/31/21

Sample ID	Lab ID	Collected	Matrix
SC-1B-3.5	443299-001	03/31/21 13:45	Soil
DRAIN - 1B-1.5	443299-002	03/31/21 13:55	Soil
SC-1S-1.0	443299-003	03/31/21 13:50	Soil

ENTHALPY ANALYTICAL

Chain of Custody Record

Lab No: 443299

Page: 1 of 1

Turn Around Time (rush by advanced notice only)

Standard:		5 Day:		3 Day:	
2 Day:		1 Day:	X	Custom TAT:	

<<< Select a Laboratory >>>

#N/A

#N/A

Matrix: A = Air S = Soil/Solid W = Water DW = Drinking Wate SD = Sediment PP = Pure Product SEA = Sea Water SW = Swab T = Tissue WP = Wipe O = Other

Preservatives: 1 = $Na_2S_2O_3$ 2 = HCl 3 = HNO_3 4 = H_2SO_4 5 = NaOH 6 = Other

Sample Receipt Tem (lab use only)

CUSTOMER INFORMATION		PROJECT INFORMATION	
Company:	Waterstone Environmental, inc.	Name:	Rim Rock - Star Mazda
Report To:	Heather Fields	Number:	20-150
Email:	hfields@waterstone-env.com	P.O. #:	
Address:	2936 E. coronado St	Address:	1401 s. Brand Blvd
	anaheim, CA 92806		Glendale, CA
Phone:	714 414 1122	Global ID:	
Fax:		Sampled By:	Travis Dagdigian

	Sample ID	Sampling Date	Sampling Time	Matrix	Container No. / Size	Pres.	Tph(g) 8015 (5035)	Tph(d) 8015	Tph(o) 8015	VOC 8260B (5035)
1	SC-1B-3.5	3/31/21	1345	Soil	6 VOA/1 Sleeve	Yes	X	X	X	X
2	Drain-1B-1.5	↓	1355	Soil	↓	↓	X	X	X	X
3	SC-1S-1.0	↓	1350	Soil	↓	↓	X	X	X	X
4				Soil						
5				Soil						
6				Soil						
7				Soil						
8				Soil						
9				Soil						
10				Soil						

Test Instructions / Comments

Sample from end with ★ Symbol

	Signature	Print Name	Company / Title	Date / Time
[1] Relinquished By:		Travis Dagdigian	Waterstone Env.	3/31/21 15:05
[1] Received By:		John Nicholson	EA	3/31/21 18:05
[2] Relinquished By:		John Nicholson	EA	3/31/21 16:17
[2] Received By:		G. Kim	EA	3/31/21 1617
[3] Relinquished By:				
[3] Received By:				

3.6 / 4.9

ENTHALPY ANALYTICAL

SAMPLE ACCEPTANCE CHECKLIST

Section 1

Client: Waterstone Environmental, Inc. Project: Rim Rock - Star Mazda

Date Received: 3/31/2021 Sampler's Name Present: ☑ Yes ☐ No

Section 2

Sample(s) received in a cooler? ☑ Yes, How many? 1 ☐ No (skip section 2) Sample Temp (°C) (No Cooler): _____

Sample Temp (°C), One from each cooler: #1: 4.9 #2: _____ #3: _____ #4: _____

(Acceptance range is < 6°C but not frozen (for Microbiology samples, acceptance range is < 10°C but not frozen). It is acceptable for samples collected the same day as sample receipt to have a higher temperature as long as there is evidence that cooling has begun.)

Shipping Information: _____

Section 3

Was the cooler packed with: ☑ Ice ☐ Ice Packs ☑ Bubble Wrap ☐ Styrofoam ☐ Paper ☐ None ☐ Other _____

Cooler Temp (°C): #1: 3.6 #2: _____ #3: _____ #4: _____

Section 4	YES	NO	N/A
Was a COC received?	✔		
Are sample IDs present?	✔		
Are sampling dates & times present?	✔		
Is a relinquished signature present?	✔		
Are the tests required clearly indicated on the COC?	✔		
Are custody seals present?		✔	
If custody seals are present, were they intact?			✔
Are all samples sealed in plastic bags? (Recommended for Microbiology samples)	✔		
Did all samples arrive intact? If no, indicate in Section 4 below.	✔		
Did all bottle labels agree with COC? (ID, dates and times)	✔		
Were the samples collected in the correct containers for the required tests?	✔		
Are the containers labeled with the correct preservatives?	✔		
Is there headspace in the VOA vials greater than 5-6 mm in diameter?			✔
Was a sufficient amount of sample submitted for the requested tests?	✔		

Section 5 Explanations/Comments

Section 6

For discrepancies, how was the Project Manager notified? ☐ Verbal PM Initials: _____ Date/Time _____

☐ Email (email sent to/on): _____ / _____

Project Manager's response:

Completed By: _____ Date: 3/31/21

Enthalpy Analytical, a subsidiary of Montrose Environmental Group, Inc.
931 W. Barkley Ave, Orange, CA 92868 • T: (714) 771-6900 • F: (714) 538-1209
www.enthalpy.com/socal

ENTHALPY ANALYTICAL

Analysis Results for 443299

Heather Fields
Waterstone Environmental Inc.
2936 E. Coronado St.
Anaheim, CA 92806

Lab Job #: 443299
Location: Rim Rock - Star Mazda 20-150, 1401
S. Brand Blvd., Glendale, CA
Date Received: 03/31/21

Sample ID: SC-1B-3.5 **Lab ID: 443299-001** **Collected: 03/31/21 13:45**
Matrix: Soil

443299-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015B Prep Method: EPA 5030B									
TPH Gasoline	**1,900**		mg/Kg	330	110	264363	03/31/21	03/31/21	EMW
Surrogates				**Limits**					
Bromofluorobenzene (FID)	108%		%REC	60-140	110	264363	03/31/21	03/31/21	EMW
Method: EPA 8015B Prep Method: EPA 3580									
TPH (C13-C22)	**3,300**		mg/Kg	200	20	264372	03/31/21	04/01/21	MES
TPH (C23-C44)	**11,000**		mg/Kg	200	20	264372	03/31/21	04/01/21	MES
Surrogates				**Limits**					
n-Triacontane	89%		%REC	70-130	20	264372	03/31/21	04/01/21	MES
Method: EPA 8260B Prep Method: EPA 5035									
3-Chloropropene	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
cis-1,4-Dichloro-2-butene	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
trans-1,4-Dichloro-2-butene	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Freon 12	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Chloromethane	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Vinyl Chloride	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Bromomethane	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Chloroethane	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Trichlorofluoromethane	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Acetone	ND		ug/Kg	56,000	560	264369	04/01/21	04/01/21	ILK
Freon 113	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
1,1-Dichloroethene	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Methylene Chloride	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
MTBE	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
trans-1,2-Dichloroethene	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
1,1-Dichloroethane	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
2-Butanone	ND		ug/Kg	56,000	560	264369	04/01/21	04/01/21	ILK
cis-1,2-Dichloroethene	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
2,2-Dichloropropane	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Chloroform	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Bromochloromethane	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
1,1,1-Trichloroethane	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
1,1-Dichloropropene	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Carbon Tetrachloride	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 443299

443299-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
1,2-Dichloroethane	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Benzene	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Trichloroethene	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
1,2-Dichloropropane	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Bromodichloromethane	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Dibromomethane	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
4-Methyl-2-Pentanone	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
cis-1,3-Dichloropropene	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Toluene	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
trans-1,3-Dichloropropene	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
1,1,2-Trichloroethane	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
1,3-Dichloropropane	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Tetrachloroethene	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Dibromochloromethane	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
1,2-Dibromoethane	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Chlorobenzene	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
1,1,1,2-Tetrachloroethane	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Ethylbenzene	**3,600**		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
m,p-Xylenes	**26,000**		ug/Kg	5,600	560	264369	04/01/21	04/01/21	ILK
o-Xylene	**13,000**		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Styrene	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Bromoform	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Isopropylbenzene	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
1,1,2,2-Tetrachloroethane	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
1,2,3-Trichloropropane	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Propylbenzene	**4,600**		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Bromobenzene	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
1,3,5-Trimethylbenzene	**14,000**		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
2-Chlorotoluene	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
4-Chlorotoluene	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
tert-Butylbenzene	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
1,2,4-Trimethylbenzene	**44,000**		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
sec-Butylbenzene	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
para-Isopropyl Toluene	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
1,3-Dichlorobenzene	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
1,4-Dichlorobenzene	**3,300**		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
n-Butylbenzene	**3,900**		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
1,2-Dichlorobenzene	**39,000**		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
1,2,4-Trichlorobenzene	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Hexachlorobutadiene	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Naphthalene	**13,000**		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
1,2,3-Trichlorobenzene	ND		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Xylene (total)	**39,000**		ug/Kg	2,800	560	264369	04/01/21	04/01/21	ILK
Surrogates				**Limits**					
Dibromofluoromethane	97%		%REC	70-145	560	264369	04/01/21	04/01/21	ILK

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 443299

443299-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
1,2-Dichloroethane-d4	100%		%REC	70-145	560	264369	04/01/21	04/01/21	ILK
Toluene-d8	107%		%REC	70-145	560	264369	04/01/21	04/01/21	ILK
Bromofluorobenzene	96%		%REC	70-145	560	264369	04/01/21	04/01/21	ILK

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 443299

Sample ID: DRAIN - 1B-1.5	Lab ID: 443299-002	Collected: 03/31/21 13:55
	Matrix: Soil	

443299-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015B Prep Method: EPA 5030B									
TPH Gasoline	ND		mg/Kg	3.2	1.1	264363	03/31/21	03/31/21	EMW
Surrogates				**Limits**					
Bromofluorobenzene (FID)	121%		%REC	60-140	1.1	264363	03/31/21	03/31/21	EMW
Method: EPA 8015B Prep Method: EPA 3580									
TPH (C13-C22)	ND		mg/Kg	10	1	264372	03/31/21	04/01/21	MES
TPH (C23-C44)	ND		mg/Kg	10	1	264372	03/31/21	04/01/21	MES
Surrogates				**Limits**					
n-Triacontane	91%		%REC	70-130	1	264372	03/31/21	04/01/21	MES
Method: EPA 8260B Prep Method: EPA 5035									
3-Chloropropene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
cis-1,4-Dichloro-2-butene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
trans-1,4-Dichloro-2-butene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Freon 12	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Chloromethane	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Vinyl Chloride	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Bromomethane	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Chloroethane	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Trichlorofluoromethane	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Acetone	ND		ug/Kg	110	1.1	264369	04/01/21	04/01/21	ILK
Freon 113	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
1,1-Dichloroethene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Methylene Chloride	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
MTBE	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
trans-1,2-Dichloroethene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
1,1-Dichloroethane	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
2-Butanone	ND		ug/Kg	110	1.1	264369	04/01/21	04/01/21	ILK
cis-1,2-Dichloroethene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
2,2-Dichloropropane	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Chloroform	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Bromochloromethane	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
1,1,1-Trichloroethane	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
1,1-Dichloropropene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Carbon Tetrachloride	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
1,2-Dichloroethane	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Benzene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Trichloroethene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
1,2-Dichloropropane	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Bromodichloromethane	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 443299

443299-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Dibromomethane	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
4-Methyl-2-Pentanone	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
cis-1,3-Dichloropropene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Toluene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
trans-1,3-Dichloropropene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
1,1,2-Trichloroethane	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
1,3-Dichloropropane	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Tetrachloroethene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Dibromochloromethane	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
1,2-Dibromoethane	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Chlorobenzene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
1,1,1,2-Tetrachloroethane	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Ethylbenzene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
m,p-Xylenes	ND		ug/Kg	11	1.1	264369	04/01/21	04/01/21	ILK
o-Xylene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Styrene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Bromoform	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Isopropylbenzene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
1,1,2,2-Tetrachloroethane	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
1,2,3-Trichloropropane	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Propylbenzene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Bromobenzene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
1,3,5-Trimethylbenzene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
2-Chlorotoluene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
4-Chlorotoluene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
tert-Butylbenzene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
1,2,4-Trimethylbenzene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
sec-Butylbenzene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
para-Isopropyl Toluene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
1,3-Dichlorobenzene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
1,4-Dichlorobenzene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
n-Butylbenzene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
1,2-Dichlorobenzene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
1,2,4-Trichlorobenzene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Hexachlorobutadiene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Naphthalene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
1,2,3-Trichlorobenzene	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Xylene (total)	ND		ug/Kg	5.3	1.1	264369	04/01/21	04/01/21	ILK
Surrogates				**Limits**					
Dibromofluoromethane	101%		%REC	70-145	1.1	264369	04/01/21	04/01/21	ILK
1,2-Dichloroethane-d4	106%		%REC	70-145	1.1	264369	04/01/21	04/01/21	ILK
Toluene-d8	100%		%REC	70-145	1.1	264369	04/01/21	04/01/21	ILK
Bromofluorobenzene	98%		%REC	70-145	1.1	264369	04/01/21	04/01/21	ILK

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 443299

Sample ID: SC-1S-1.0	Lab ID: 443299-003	Collected: 03/31/21 13:50
	Matrix: Soil	

443299-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015B Prep Method: EPA 5030B									
TPH Gasoline	**560**		mg/Kg	160	54	264363	03/31/21	03/31/21	EMW
Surrogates				**Limits**					
Bromofluorobenzene (FID)	128%		%REC	60-140	54	264363	03/31/21	03/31/21	EMW
Method: EPA 8015B Prep Method: EPA 3580									
TPH (C13-C22)	**3,400**		mg/Kg	200	20	264372	03/31/21	04/01/21	MES
TPH (C23-C44)	**11,000**		mg/Kg	200	20	264372	03/31/21	04/01/21	MES
Surrogates				**Limits**					
n-Triacontane	76%		%REC	70-130	20	264372	03/31/21	04/01/21	MES
Method: EPA 8260B Prep Method: EPA 5035									
3-Chloropropene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
cis-1,4-Dichloro-2-butene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
trans-1,4-Dichloro-2-butene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Freon 12	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Chloromethane	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Vinyl Chloride	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Bromomethane	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Chloroethane	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Trichlorofluoromethane	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Acetone	ND		ug/Kg	27,000	270	264369	04/01/21	04/01/21	ILK
Freon 113	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
1,1-Dichloroethene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Methylene Chloride	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
MTBE	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
trans-1,2-Dichloroethene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
1,1-Dichloroethane	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
2-Butanone	ND		ug/Kg	27,000	270	264369	04/01/21	04/01/21	ILK
cis-1,2-Dichloroethene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
2,2-Dichloropropane	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Chloroform	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Bromochloromethane	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
1,1,1-Trichloroethane	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
1,1-Dichloropropene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Carbon Tetrachloride	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
1,2-Dichloroethane	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Benzene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Trichloroethene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
1,2-Dichloropropane	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Bromodichloromethane	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 443299

443299-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Dibromomethane	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
4-Methyl-2-Pentanone	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
cis-1,3-Dichloropropene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Toluene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
trans-1,3-Dichloropropene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
1,1,2-Trichloroethane	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
1,3-Dichloropropane	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Tetrachloroethene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Dibromochloromethane	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
1,2-Dibromoethane	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Chlorobenzene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
1,1,1,2-Tetrachloroethane	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Ethylbenzene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
m,p-Xylenes	ND		ug/Kg	2,700	270	264369	04/01/21	04/01/21	ILK
o-Xylene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Styrene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Bromoform	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Isopropylbenzene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
1,1,2,2-Tetrachloroethane	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
1,2,3-Trichloropropane	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Propylbenzene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Bromobenzene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
1,3,5-Trimethylbenzene	**1,600**		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
2-Chlorotoluene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
4-Chlorotoluene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
tert-Butylbenzene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
1,2,4-Trimethylbenzene	**5,200**		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
sec-Butylbenzene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
para-Isopropyl Toluene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
1,3-Dichlorobenzene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
1,4-Dichlorobenzene	**1,700**		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
n-Butylbenzene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
1,2-Dichlorobenzene	**15,000**		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
1,2,4-Trichlorobenzene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Hexachlorobutadiene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Naphthalene	**7,200**		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
1,2,3-Trichlorobenzene	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Xylene (total)	ND		ug/Kg	1,400	270	264369	04/01/21	04/01/21	ILK
Surrogates				**Limits**					
Dibromofluoromethane	94%		%REC	70-145	270	264369	04/01/21	04/01/21	ILK
1,2-Dichloroethane-d4	99%		%REC	70-145	270	264369	04/01/21	04/01/21	ILK
Toluene-d8	100%		%REC	70-145	270	264369	04/01/21	04/01/21	ILK
Bromofluorobenzene	103%		%REC	70-145	270	264369	04/01/21	04/01/21	ILK

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 443299

ND Not Detected

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Batch QC

Type: Lab Control Sample	**Lab ID:** QC917227	**Batch:** 264363
Matrix: Soil	**Method:** EPA 8015B	**Prep Method:** EPA 5030B

QC917227 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
TPH Gasoline	4.871	5.000	mg/Kg	97%		70-130
Surrogates						
Bromofluorobenzene (FID)	0.2470	0.2000	mg/Kg	124%		60-140

Type: Lab Control Sample Duplicate	**Lab ID:** QC917228	**Batch:** 264363
Matrix: Soil	**Method:** EPA 8015B	**Prep Method:** EPA 5030B

QC917228 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
TPH Gasoline	4.988	5.000	mg/Kg	100%		70-130	2	20
Surrogates								
Bromofluorobenzene (FID)	0.2520	0.2000	mg/Kg	126%		60-140		

Type: Blank	**Lab ID:** QC917229	**Batch:** 264363
Matrix: Soil	**Method:** EPA 8015B	**Prep Method:** EPA 5030B

QC917229 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
TPH Gasoline	ND		mg/Kg	3.0	03/31/21	03/31/21
Surrogates				**Limits**		
Bromofluorobenzene (FID)	80%		%REC	60-140	03/31/21	03/31/21

ENTHALPY ANALYTICAL

Batch QC

Type: Blank	**Lab ID:** QC917237	**Batch:** 264369	
Matrix: Soil	**Method:** EPA 8260B	**Prep Method:** EPA 5035	

QC917237 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
3-Chloropropene	ND		ug/Kg	250	03/31/21	03/31/21
cis-1,4-Dichloro-2-butene	ND		ug/Kg	250	03/31/21	03/31/21
trans-1,4-Dichloro-2-butene	ND		ug/Kg	250	03/31/21	03/31/21
Freon 12	ND		ug/Kg	250	03/31/21	03/31/21
Chloromethane	ND		ug/Kg	250	03/31/21	03/31/21
Vinyl Chloride	ND		ug/Kg	250	03/31/21	03/31/21
Bromomethane	ND		ug/Kg	250	03/31/21	03/31/21
Chloroethane	ND		ug/Kg	250	03/31/21	03/31/21
Trichlorofluoromethane	ND		ug/Kg	250	03/31/21	03/31/21
Acetone	ND		ug/Kg	5,000	03/31/21	03/31/21
Freon 113	ND		ug/Kg	250	03/31/21	03/31/21
1,1-Dichloroethene	ND		ug/Kg	250	03/31/21	03/31/21
Methylene Chloride	ND		ug/Kg	250	03/31/21	03/31/21
MTBE	ND		ug/Kg	250	03/31/21	03/31/21
trans-1,2-Dichloroethene	ND		ug/Kg	250	03/31/21	03/31/21
1,1-Dichloroethane	ND		ug/Kg	250	03/31/21	03/31/21
2-Butanone	ND		ug/Kg	5,000	03/31/21	03/31/21
cis-1,2-Dichloroethene	ND		ug/Kg	250	03/31/21	03/31/21
2,2-Dichloropropane	ND		ug/Kg	250	03/31/21	03/31/21
Chloroform	ND		ug/Kg	250	03/31/21	03/31/21
Bromochloromethane	ND		ug/Kg	250	03/31/21	03/31/21
1,1,1-Trichloroethane	ND		ug/Kg	250	03/31/21	03/31/21
1,1-Dichloropropene	ND		ug/Kg	250	03/31/21	03/31/21
Carbon Tetrachloride	ND		ug/Kg	250	03/31/21	03/31/21
1,2-Dichloroethane	ND		ug/Kg	250	03/31/21	03/31/21
Benzene	ND		ug/Kg	250	03/31/21	03/31/21
Trichloroethene	ND		ug/Kg	250	03/31/21	03/31/21
1,2-Dichloropropane	ND		ug/Kg	250	03/31/21	03/31/21
Bromodichloromethane	ND		ug/Kg	250	03/31/21	03/31/21
Dibromomethane	ND		ug/Kg	250	03/31/21	03/31/21
4-Methyl-2-Pentanone	ND		ug/Kg	250	03/31/21	03/31/21
cis-1,3-Dichloropropene	ND		ug/Kg	250	03/31/21	03/31/21
Toluene	ND		ug/Kg	250	03/31/21	03/31/21
trans-1,3-Dichloropropene	ND		ug/Kg	250	03/31/21	03/31/21
1,1,2-Trichloroethane	ND		ug/Kg	250	03/31/21	03/31/21
1,3-Dichloropropane	ND		ug/Kg	250	03/31/21	03/31/21
Tetrachloroethene	ND		ug/Kg	250	03/31/21	03/31/21
Dibromochloromethane	ND		ug/Kg	250	03/31/21	03/31/21
1,2-Dibromoethane	ND		ug/Kg	250	03/31/21	03/31/21
Chlorobenzene	ND		ug/Kg	250	03/31/21	03/31/21
1,1,1,2-Tetrachloroethane	ND		ug/Kg	250	03/31/21	03/31/21
Ethylbenzene	ND		ug/Kg	250	03/31/21	03/31/21

ENTHALPY ANALYTICAL

Batch QC

QC917237 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
m,p-Xylenes	ND		ug/Kg	500	03/31/21	03/31/21
o-Xylene	ND		ug/Kg	250	03/31/21	03/31/21
Styrene	ND		ug/Kg	250	03/31/21	03/31/21
Bromoform	ND		ug/Kg	250	03/31/21	03/31/21
Isopropylbenzene	ND		ug/Kg	250	03/31/21	03/31/21
1,1,2,2-Tetrachloroethane	ND		ug/Kg	250	03/31/21	03/31/21
1,2,3-Trichloropropane	ND		ug/Kg	250	03/31/21	03/31/21
Propylbenzene	ND		ug/Kg	250	03/31/21	03/31/21
Bromobenzene	ND		ug/Kg	250	03/31/21	03/31/21
1,3,5-Trimethylbenzene	ND		ug/Kg	250	03/31/21	03/31/21
2-Chlorotoluene	ND		ug/Kg	250	03/31/21	03/31/21
4-Chlorotoluene	ND		ug/Kg	250	03/31/21	03/31/21
tert-Butylbenzene	ND		ug/Kg	250	03/31/21	03/31/21
1,2,4-Trimethylbenzene	ND		ug/Kg	250	03/31/21	03/31/21
sec-Butylbenzene	ND		ug/Kg	250	03/31/21	03/31/21
para-Isopropyl Toluene	ND		ug/Kg	250	03/31/21	03/31/21
1,3-Dichlorobenzene	ND		ug/Kg	250	03/31/21	03/31/21
1,4-Dichlorobenzene	ND		ug/Kg	250	03/31/21	03/31/21
n-Butylbenzene	ND		ug/Kg	250	03/31/21	03/31/21
1,2-Dichlorobenzene	ND		ug/Kg	250	03/31/21	03/31/21
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	250	03/31/21	03/31/21
1,2,4-Trichlorobenzene	ND		ug/Kg	250	03/31/21	03/31/21
Hexachlorobutadiene	ND		ug/Kg	250	03/31/21	03/31/21
Naphthalene	ND		ug/Kg	250	03/31/21	03/31/21
1,2,3-Trichlorobenzene	ND		ug/Kg	250	03/31/21	03/31/21
Xylene (total)	ND		ug/Kg	250	03/31/21	03/31/21
Surrogates				**Limits**		
Dibromofluoromethane	91%		%REC	70-130	03/31/21	03/31/21
1,2-Dichloroethane-d4	103%		%REC	70-145	03/31/21	03/31/21
Toluene-d8	101%		%REC	70-145	03/31/21	03/31/21
Bromofluorobenzene	93%		%REC	70-145	03/31/21	03/31/21

ENTHALPY ANALYTICAL

Batch QC

Type: Blank	**Lab ID:** QC917238	**Batch:** 264369	
Matrix: Soil	**Method:** EPA 8260B	**Prep Method:** EPA 5035	

QC917238 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
3-Chloropropene	ND		ug/Kg	5.0	03/31/21	03/31/21
cis-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	03/31/21	03/31/21
trans-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	03/31/21	03/31/21
Freon 12	ND		ug/Kg	5.0	03/31/21	03/31/21
Chloromethane	ND		ug/Kg	5.0	03/31/21	03/31/21
Vinyl Chloride	ND		ug/Kg	5.0	03/31/21	03/31/21
Bromomethane	ND		ug/Kg	5.0	03/31/21	03/31/21
Chloroethane	ND		ug/Kg	5.0	03/31/21	03/31/21
Trichlorofluoromethane	ND		ug/Kg	5.0	03/31/21	03/31/21
Acetone	ND		ug/Kg	100	03/31/21	03/31/21
Freon 113	ND		ug/Kg	5.0	03/31/21	03/31/21
1,1-Dichloroethene	ND		ug/Kg	5.0	03/31/21	03/31/21
Methylene Chloride	ND		ug/Kg	5.0	03/31/21	03/31/21
MTBE	ND		ug/Kg	5.0	03/31/21	03/31/21
trans-1,2-Dichloroethene	ND		ug/Kg	5.0	03/31/21	03/31/21
1,1-Dichloroethane	ND		ug/Kg	5.0	03/31/21	03/31/21
2-Butanone	ND		ug/Kg	100	03/31/21	03/31/21
cis-1,2-Dichloroethene	ND		ug/Kg	5.0	03/31/21	03/31/21
2,2-Dichloropropane	ND		ug/Kg	5.0	03/31/21	03/31/21
Chloroform	ND		ug/Kg	5.0	03/31/21	03/31/21
Bromochloromethane	ND		ug/Kg	5.0	03/31/21	03/31/21
1,1,1-Trichloroethane	ND		ug/Kg	5.0	03/31/21	03/31/21
1,1-Dichloropropene	ND		ug/Kg	5.0	03/31/21	03/31/21
Carbon Tetrachloride	ND		ug/Kg	5.0	03/31/21	03/31/21
1,2-Dichloroethane	ND		ug/Kg	5.0	03/31/21	03/31/21
Benzene	ND		ug/Kg	5.0	03/31/21	03/31/21
Trichloroethene	ND		ug/Kg	5.0	03/31/21	03/31/21
1,2-Dichloropropane	ND		ug/Kg	5.0	03/31/21	03/31/21
Bromodichloromethane	ND		ug/Kg	5.0	03/31/21	03/31/21
Dibromomethane	ND		ug/Kg	5.0	03/31/21	03/31/21
4-Methyl-2-Pentanone	ND		ug/Kg	5.0	03/31/21	03/31/21
cis-1,3-Dichloropropene	ND		ug/Kg	5.0	03/31/21	03/31/21
Toluene	ND		ug/Kg	5.0	03/31/21	03/31/21
trans-1,3-Dichloropropene	ND		ug/Kg	5.0	03/31/21	03/31/21
1,1,2-Trichloroethane	ND		ug/Kg	5.0	03/31/21	03/31/21
1,3-Dichloropropane	ND		ug/Kg	5.0	03/31/21	03/31/21
Tetrachloroethene	ND		ug/Kg	5.0	03/31/21	03/31/21
Dibromochloromethane	ND		ug/Kg	5.0	03/31/21	03/31/21
1,2-Dibromoethane	ND		ug/Kg	5.0	03/31/21	03/31/21
Chlorobenzene	ND		ug/Kg	5.0	03/31/21	03/31/21
1,1,1,2-Tetrachloroethane	ND		ug/Kg	5.0	03/31/21	03/31/21
Ethylbenzene	ND		ug/Kg	5.0	03/31/21	03/31/21

ENTHALPY ANALYTICAL

Batch QC

QC917238 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
m,p-Xylenes	ND		ug/Kg	10	03/31/21	03/31/21
o-Xylene	ND		ug/Kg	5.0	03/31/21	03/31/21
Styrene	ND		ug/Kg	5.0	03/31/21	03/31/21
Bromoform	ND		ug/Kg	5.0	03/31/21	03/31/21
Isopropylbenzene	ND		ug/Kg	5.0	03/31/21	03/31/21
1,1,2,2-Tetrachloroethane	ND		ug/Kg	5.0	03/31/21	03/31/21
1,2,3-Trichloropropane	ND		ug/Kg	5.0	03/31/21	03/31/21
Propylbenzene	ND		ug/Kg	5.0	03/31/21	03/31/21
Bromobenzene	ND		ug/Kg	5.0	03/31/21	03/31/21
1,3,5-Trimethylbenzene	ND		ug/Kg	5.0	03/31/21	03/31/21
2-Chlorotoluene	ND		ug/Kg	5.0	03/31/21	03/31/21
4-Chlorotoluene	ND		ug/Kg	5.0	03/31/21	03/31/21
tert-Butylbenzene	ND		ug/Kg	5.0	03/31/21	03/31/21
1,2,4-Trimethylbenzene	ND		ug/Kg	5.0	03/31/21	03/31/21
sec-Butylbenzene	ND		ug/Kg	5.0	03/31/21	03/31/21
para-Isopropyl Toluene	ND		ug/Kg	5.0	03/31/21	03/31/21
1,3-Dichlorobenzene	ND		ug/Kg	5.0	03/31/21	03/31/21
1,4-Dichlorobenzene	ND		ug/Kg	5.0	03/31/21	03/31/21
n-Butylbenzene	ND		ug/Kg	5.0	03/31/21	03/31/21
1,2-Dichlorobenzene	ND		ug/Kg	5.0	03/31/21	03/31/21
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	5.0	03/31/21	03/31/21
1,2,4-Trichlorobenzene	ND		ug/Kg	5.0	03/31/21	03/31/21
Hexachlorobutadiene	ND		ug/Kg	5.0	03/31/21	03/31/21
Naphthalene	ND		ug/Kg	5.0	03/31/21	03/31/21
1,2,3-Trichlorobenzene	ND		ug/Kg	5.0	03/31/21	03/31/21
Xylene (total)	ND		ug/Kg	5.0	03/31/21	03/31/21
Surrogates				**Limits**		
Dibromofluoromethane	96%		%REC	70-130	03/31/21	03/31/21
1,2-Dichloroethane-d4	100%		%REC	70-145	03/31/21	03/31/21
Toluene-d8	103%		%REC	70-145	03/31/21	03/31/21
Bromofluorobenzene	96%		%REC	70-145	03/31/21	03/31/21

ENTHALPY ANALYTICAL

Batch QC

Type: Lab Control Sample	Lab ID: QC917239	Batch: 264369
Matrix: Soil	Method: EPA 8260B	Prep Method: EPA 5035

QC917239 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1-Dichloroethene	52.08	50.00	ug/Kg	104%		70-131
MTBE	48.15	50.00	ug/Kg	96%		69-130
Benzene	50.06	50.00	ug/Kg	100%		70-130
Trichloroethene	50.69	50.00	ug/Kg	101%		70-130
Toluene	50.86	50.00	ug/Kg	102%		70-130
Chlorobenzene	51.93	50.00	ug/Kg	104%		70-130
Surrogates						
Dibromofluoromethane	50.32	50.00	ug/Kg	101%		70-130
1,2-Dichloroethane-d4	48.52	50.00	ug/Kg	97%		70-145
Toluene-d8	51.54	50.00	ug/Kg	103%		70-145
Bromofluorobenzene	51.82	50.00	ug/Kg	104%		70-145

Type: Lab Control Sample Duplicate	Lab ID: QC917240	Batch: 264369
Matrix: Soil	Method: EPA 8260B	Prep Method: EPA 5035

QC917240 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1-Dichloroethene	50.44	50.00	ug/Kg	101%		70-131	3	33
MTBE	48.00	50.00	ug/Kg	96%		69-130	0	30
Benzene	48.73	50.00	ug/Kg	97%		70-130	3	30
Trichloroethene	49.99	50.00	ug/Kg	100%		70-130	1	30
Toluene	48.90	50.00	ug/Kg	98%		70-130	4	30
Chlorobenzene	50.48	50.00	ug/Kg	101%		70-130	3	30
Surrogates								
Dibromofluoromethane	50.28	50.00	ug/Kg	101%		70-130		
1,2-Dichloroethane-d4	48.77	50.00	ug/Kg	98%		70-145		
Toluene-d8	51.97	50.00	ug/Kg	104%		70-145		
Bromofluorobenzene	52.12	50.00	ug/Kg	104%		70-145		

Type: Blank	Lab ID: QC917245	Batch: 264372
Matrix: Soil	Method: EPA 8015B	Prep Method: EPA 3580

QC917245 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
TPH (C13-C22)	ND		mg/Kg	9.9	03/31/21	03/31/21
TPH (C23-C44)	ND		mg/Kg	9.9	03/31/21	03/31/21
Surrogates				**Limits**		
n-Triacontane	110%		%REC	70-130	03/31/21	03/31/21

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample**	**Lab ID:**	**QC917246**	**Batch:**	**264372**
Matrix:	**Soil**	**Method:**	**EPA 8015B**	**Prep Method:**	**EPA 3580**

QC917246 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Diesel C10-C28	256.3	250.0	mg/Kg	103%		76-122
Surrogates						
n-Triacontane	11.75	10.00	mg/Kg	117%		70-130

Type:	**Matrix Spike**	**Lab ID:**	**QC917247**	**Batch:**	**264372**
Matrix (Source ID):	**Soil (443051-001)**	**Method:**	**EPA 8015B**	**Prep Method:**	**EPA 3580**

QC917247 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
Diesel C10-C28	261.3	4.057	248.8	mg/Kg	103%		62-126	1
Surrogates								
n-Triacontane	10.13		9.950	mg/Kg	102%		70-130	1

Type:	**Matrix Spike Duplicate**	**Lab ID:**	**QC917248**	**Batch:**	**264372**
Matrix (Source ID):	**Soil (443051-001)**	**Method:**	**EPA 8015B**	**Prep Method:**	**EPA 3580**

QC917248 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim	DF
Diesel C10-C28	260.2	4.057	248.8	mg/Kg	103%		62-126	0	35	1
Surrogates										
n-Triacontane	10.14		9.950	mg/Kg	102%		70-130			1

ND Not Detected

Enthalpy Analytical
931 West Barkley Ave
Orange, CA 92868
(714) 771-6900

enthalpy.com


Lab Job Number: 443349
Report Level: II
Report Date: 04/05/2021

Analytical Report *prepared for:*

Heather Fields
Waterstone Environmental Inc.
2936 E. Coronado St.
Anaheim, CA 92806

Location: Rim Rock - Star Mazda 20-150, 1401 S. Brand Blvd., Glendale, CA

Authorized for release by:



Patty Mata, Project Manager
patty.mata@enthalpy.com

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the above signature which applies to this PDF file as well as any associated electronic data deliverable files. The results contained in this report meet all requirements of NELAP and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

CA ELAP# 1338, NELAP# 4038, SCAQMD LAP# 18LA0518, LACSD ID# 10105, CDC ELITE Member

ENTHALPY ANALYTICAL

Sample Summary

Heather Fields Waterstone Environmental Inc. 2936 E. Coronado St. Anaheim, CA 92806	Lab Job #: Location: Date Received:	443349 Rim Rock - Star Mazda 20-150, 1401 S. Brand Blvd., Glendale, CA 04/01/21

Sample ID	Lab ID	Collected	Matrix
SC-1BA-5.0	443349-001	04/01/21 12:35	Soil
SC-1SA-1.0	443349-002	04/01/21 12:30	Soil

ENTHALPY ANALYTICAL

Case Narrative

Waterstone Environmental Inc. 2936 E. Coronado St. Anaheim, CA 92806 Heather Fields	Lab Job Number:	443349
	Location:	Rim Rock - Star Mazda 20-150, 1401 S. Brand Blvd., Glendale, CA
	Date Received:	04/01/21

This data package contains sample and QC results for two soil samples, requested for the above referenced project on 04/01/21. The samples were received cold and intact. Revised report to include additional VOC and TPH-Gasoline results as requested.

Volatile Organics by GC/MS (EPA 8260B):

SC-1BA-5.0 (lab # 443349-001) was diluted due to high hydrocarbons. No other analytical problems were encountered.

ENTHALPY ANALYTICAL

Chain of Custody Record

Lab No: 443349

Page: 1 of 1

Turn Around Time (rush by advanced notice only)

Standard:		5 Day:		3 Day:	
2 Day:		1 Day: (circled)	1	Custom TAT:	

<<< Select a Laboratory >>>

#N/A

#N/A

Matrix: A = Air S = Soil/Solid W = Water DW = Drinking Wate SD = Sediment PP = Pure Product SEA = Sea Water SW = Swab T = Tissue WP = Wipe O = Other

Preservatives: 1 = $Na_2S_2O_3$ 2 = HCl 3 = HNO_3 4 = H_2SO_4 5 = NaOH 6 = Other

Sample Receipt Tem (lab use only)

CUSTOMER INFORMATION		PROJECT INFORMATION	
Company:	Waterstone Environmental, inc.	Name:	Rim Rock - Star Mazda
Report To:	Heather Fields	Number:	20-150
Email:	hfields@waterstone-env.com	P.O. #:	
Address:	2936 E. coronado St	Address:	1401 s. Brand Blvd
	anaheim, CA 92806		Glendale, CA
Phone:	714 414 1122	Global ID:	
Fax:		Sampled By:	Travis Dagdigian

	Sample ID	Sampling Date	Sampling Time	Matrix	Container No. / Size	Pres.	TPH(g) 5035	TPH(d)	TPH(o)	VOC 8260 B 5035	Test Instructions / Comments
1	SC-1BA-5.0	4/1/21	1235	Soil	5VOA/sleeve	yes		X	X		Sample from end with ★ Symbol
2	SC-1SA-1.0	4/1/21	1230	Soil	↓	↓		X	X		Archive VOA's until instructed
3				Soil							
4				Soil							
5				Soil							
6				Soil							
7				Soil							
8				Soil							
9				Soil							
10				Soil							

	Signature	Print Name	Company / Title	Date / Time
[1] Relinquished By:		Travis Dagdigian	Waterstone Env.	4/1/21 14:20
[1] Received By:		HDown	GS	4/1/21 1420
[2] Relinquished By:				
[2] Received By:				
[3] Relinquished By:				
[3] Received By:				

ENTHALPY ANALYTICAL

SAMPLE ACCEPTANCE CHECKLIST

Section 1

Client: WATERSTONE Project: RIM ROCK - STAR MAZDA, 20-150

Date Received: 4/1/21 Sampler's Name Present: ☑ Yes ☐ No

Section 2

Sample(s) received in a cooler? ☑ Yes, How many? 1 ☐ No (skip section 2) Sample Temp (°C) (No Cooler): _____

Sample Temp (°C), One from each cooler: #1: 10.1 #2: _____ #3: _____ #4: _____

(Acceptance range is < 6°C but not frozen (for Microbiology samples, acceptance range is < 10°C but not frozen). It is acceptable for samples collected the same day as sample receipt to have a higher temperature as long as there is evidence that cooling has begun.)

Shipping Information: _____

Section 3

Was the cooler packed with: ☑ Ice ☐ Ice Packs ☐ Bubble Wrap ☐ Styrofoam ☐ Paper ☐ None ☐ Other _____

Cooler Temp (°C): #1: 1.4 #2: _____ #3: _____ #4: _____

Section 4	YES	NO	N/A
Was a COC received?	✓		
Are sample IDs present?	✓		
Are sampling dates & times present?	✓		
Is a relinquished signature present?	✓		
Are the tests required clearly indicated on the COC?	✓		
Are custody seals present?		✓	
If custody seals are present, were they intact?			✓
Are all samples sealed in plastic bags? (Recommended for Microbiology samples)			✓
Did all samples arrive intact? If no, indicate in Section 4 below.	✓		
Did all bottle labels agree with COC? (ID, dates and times)	✓		
Were the samples collected in the correct containers for the required tests?	✓		
Are the containers labeled with the correct preservatives?			✓
Is there headspace in the VOA vials greater than 5-6 mm in diameter?			✓
Was a sufficient amount of sample submitted for the requested tests?	✓		

Section 5 Explanations/Comments

5035 VIALS RECEIVED NOT TOTALLY LABELED, ONLY THE VIAL PRESERVED WITH METHANOL WAS MARKED WITH ID

Section 6

For discrepancies, how was the Project Manager notified? ☐ Verbal PM Initials: _____ Date/Time _____

☐ Email (email sent to/on): _____ / _____

Project Manager's response:

Completed By: _____ Date: 4/1/21

From: Travis Dagdigian
To: Patty Mata
Subject: [EXTERNAL] Star Mazda Samples
Date: Thursday, April 01, 2021 5:37:53 PM

Hi Patty,
On the two samples submitted today (4/1) please add on analysis TPH(g) and VOCs 8260B
Thanks!

Get Outlook for Android

ENTHALPY ANALYTICAL

Analysis Results for 443349

Heather Fields
Waterstone Environmental Inc.
2936 E. Coronado St.
Anaheim, CA 92806

Lab Job #: 443349
Location: Rim Rock - Star Mazda 20-150, 1401
S. Brand Blvd., Glendale, CA
Date Received: 04/01/21

Sample ID: SC-1BA-5.0 **Lab ID: 443349-001** **Collected: 04/01/21 12:35**
Matrix: Soil

443349-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015B Prep Method: EPA 5030B									
TPH Gasoline	**4,300**		mg/Kg	1,300	440	264547	04/05/21	04/05/21	EMW
Surrogates				**Limits**					
Bromofluorobenzene (FID)	130%		%REC	60-140	1	264547	04/05/21	04/05/21	EMW
Method: EPA 8015B Prep Method: EPA 3580									
TPH (C13-C22)	**750**		mg/Kg	200	20	264433	04/01/21	04/02/21	MES
TPH (C23-C44)	**2,200**		mg/Kg	200	20	264433	04/01/21	04/02/21	MES
Surrogates				**Limits**					
n-Triacontane		DO	%REC	70-130	20	264433	04/01/21	04/02/21	MES
Method: EPA 8260B Prep Method: EPA 5035									
3-Chloropropene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
cis-1,4-Dichloro-2-butene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
trans-1,4-Dichloro-2-butene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Freon 12	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Chloromethane	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Vinyl Chloride	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Bromomethane	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Chloroethane	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Trichlorofluoromethane	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Acetone	ND		ug/Kg	180,000	1800	264514	04/03/21	04/03/21	ILK
Freon 113	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
1,1-Dichloroethene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Methylene Chloride	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
MTBE	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
trans-1,2-Dichloroethene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
1,1-Dichloroethane	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
2-Butanone	ND		ug/Kg	180,000	1800	264514	04/03/21	04/03/21	ILK
cis-1,2-Dichloroethene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
2,2-Dichloropropane	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Chloroform	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Bromochloromethane	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
1,1,1-Trichloroethane	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
1,1-Dichloropropene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Carbon Tetrachloride	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 443349

443349-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
1,2-Dichloroethane	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Benzene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Trichloroethene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
1,2-Dichloropropane	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Bromodichloromethane	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Dibromomethane	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
4-Methyl-2-Pentanone	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
cis-1,3-Dichloropropene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Toluene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
trans-1,3-Dichloropropene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
1,1,2-Trichloroethane	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
1,3-Dichloropropane	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Tetrachloroethene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Dibromochloromethane	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
1,2-Dibromoethane	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Chlorobenzene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
1,1,1,2-Tetrachloroethane	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Ethylbenzene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
m,p-Xylenes	ND		ug/Kg	18,000	1800	264514	04/03/21	04/03/21	ILK
o-Xylene	**9,800**		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Styrene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Bromoform	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Isopropylbenzene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
1,1,2,2-Tetrachloroethane	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
1,2,3-Trichloropropane	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Propylbenzene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Bromobenzene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
1,3,5-Trimethylbenzene	**21,000**		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
2-Chlorotoluene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
4-Chlorotoluene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
tert-Butylbenzene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
1,2,4-Trimethylbenzene	**64,000**		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
sec-Butylbenzene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
para-Isopropyl Toluene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
1,3-Dichlorobenzene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
1,4-Dichlorobenzene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
n-Butylbenzene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
1,2-Dichlorobenzene	**20,000**		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
1,2,4-Trichlorobenzene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Hexachlorobutadiene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Naphthalene	**13,000**		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
1,2,3-Trichlorobenzene	ND		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Xylene (total)	**9,800**		ug/Kg	8,900	1800	264514	04/03/21	04/03/21	ILK
Surrogates				**Limits**					
Dibromofluoromethane	93%		%REC	70-145	1800	264514	04/03/21	04/03/21	ILK

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 443349

443349-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
1,2-Dichloroethane-d4	95%		%REC	70-145	1800	264514	04/03/21	04/03/21	ILK
Toluene-d8	105%		%REC	70-145	1800	264514	04/03/21	04/03/21	ILK
Bromofluorobenzene	100%		%REC	70-145	1800	264514	04/03/21	04/03/21	ILK

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 443349

Sample ID: SC-1SA-1.0	Lab ID: 443349-002	Collected: 04/01/21 12:30
	Matrix: Soil	

443349-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015B Prep Method: EPA 5030B									
TPH Gasoline	ND		mg/Kg	2.9	0.96	264547	04/05/21	04/05/21	EMW
Surrogates				**Limits**					
Bromofluorobenzene (FID)	120%		%REC	60-140	1	264547	04/05/21	04/05/21	EMW
Method: EPA 8015B Prep Method: EPA 3580									
TPH (C13-C22)	ND		mg/Kg	10	1	264433	04/01/21	04/02/21	MES
TPH (C23-C44)	**12**		mg/Kg	10	1	264433	04/01/21	04/02/21	MES
Surrogates				**Limits**					
n-Triacontane	87%		%REC	70-130	1	264433	04/01/21	04/02/21	MES
Method: EPA 8260B Prep Method: EPA 5035									
3-Chloropropene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
cis-1,4-Dichloro-2-butene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
trans-1,4-Dichloro-2-butene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Freon 12	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Chloromethane	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Vinyl Chloride	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Bromomethane	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Chloroethane	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Trichlorofluoromethane	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Acetone	ND		ug/Kg	100	1	264514	04/03/21	04/03/21	ILK
Freon 113	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
1,1-Dichloroethene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Methylene Chloride	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
MTBE	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
trans-1,2-Dichloroethene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
1,1-Dichloroethane	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
2-Butanone	ND		ug/Kg	100	1	264514	04/03/21	04/03/21	ILK
cis-1,2-Dichloroethene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
2,2-Dichloropropane	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Chloroform	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Bromochloromethane	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
1,1,1-Trichloroethane	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
1,1-Dichloropropene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Carbon Tetrachloride	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
1,2-Dichloroethane	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Benzene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Trichloroethene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
1,2-Dichloropropane	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Bromodichloromethane	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 443349

443349-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Dibromomethane	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
4-Methyl-2-Pentanone	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
cis-1,3-Dichloropropene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Toluene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
trans-1,3-Dichloropropene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
1,1,2-Trichloroethane	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
1,3-Dichloropropane	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Tetrachloroethene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Dibromochloromethane	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
1,2-Dibromoethane	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Chlorobenzene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
1,1,1,2-Tetrachloroethane	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Ethylbenzene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
m,p-Xylenes	ND		ug/Kg	10	1	264514	04/03/21	04/03/21	ILK
o-Xylene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Styrene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Bromoform	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Isopropylbenzene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
1,1,2,2-Tetrachloroethane	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
1,2,3-Trichloropropane	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Propylbenzene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Bromobenzene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
1,3,5-Trimethylbenzene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
2-Chlorotoluene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
4-Chlorotoluene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
tert-Butylbenzene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
1,2,4-Trimethylbenzene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
sec-Butylbenzene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
para-Isopropyl Toluene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
1,3-Dichlorobenzene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
1,4-Dichlorobenzene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
n-Butylbenzene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
1,2-Dichlorobenzene	**12**		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
1,2,4-Trichlorobenzene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Hexachlorobutadiene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Naphthalene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
1,2,3-Trichlorobenzene	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Xylene (total)	ND		ug/Kg	5.1	1	264514	04/03/21	04/03/21	ILK
Surrogates				**Limits**					
Dibromofluoromethane	95%		%REC	70-145	1	264514	04/03/21	04/03/21	ILK
1,2-Dichloroethane-d4	104%		%REC	70-145	1	264514	04/03/21	04/03/21	ILK
Toluene-d8	101%		%REC	70-145	1	264514	04/03/21	04/03/21	ILK
Bromofluorobenzene	101%		%REC	70-145	1	264514	04/03/21	04/03/21	ILK

Results for any subcontracted analyses are not included in this section.

Analysis Results for 443349

DO Diluted Out
ND Not Detected

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Batch QC

Type: Blank	**Lab ID:** QC917421	**Batch:** 264433
Matrix: Soil	**Method:** EPA 8015B	**Prep Method:** EPA 3580

QC917421 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
TPH (C13-C22)	ND		mg/Kg	9.9	04/01/21	04/02/21
TPH (C23-C44)	ND		mg/Kg	9.9	04/01/21	04/02/21
Surrogates				**Limits**		
n-Triacontane	93%		%REC	70-130	04/01/21	04/02/21

Type: Lab Control Sample	**Lab ID:** QC917422	**Batch:** 264433
Matrix: Soil	**Method:** EPA 8015B	**Prep Method:** EPA 3580

QC917422 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Diesel C10-C28	255.9	248.8	mg/Kg	103%		76-122
Surrogates						
n-Triacontane	9.450	9.950	mg/Kg	95%		70-130

Type: Matrix Spike	**Lab ID:** QC917423	**Batch:** 264433
Matrix (Source ID): Soil (443349-001)	**Method:** EPA 8015B	**Prep Method:** EPA 3580

QC917423 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
Diesel C10-C28	2,955	3364	250.0	mg/Kg	-163%	NM	62-126	20
Surrogates								
n-Triacontane	13.29		10.00	mg/Kg		DO	70-130	20

Type: Matrix Spike Duplicate	**Lab ID:** QC917424	**Batch:** 264433
Matrix (Source ID): Soil (443349-001)	**Method:** EPA 8015B	**Prep Method:** EPA 3580

QC917424 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim	DF
Diesel C10-C28	2,557	3364	250.0	mg/Kg	-323%	NM	62-126	14	35	20
Surrogates										
n-Triacontane	13.66		10.00	mg/Kg		DO	70-130			20

ENTHALPY ANALYTICAL

Batch QC

Type: Blank	**Lab ID:** QC917609	**Batch:** 264514	
Matrix: Soil	**Method:** EPA 8260B	**Prep Method:** EPA 5035	

QC917609 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
3-Chloropropene	ND		ug/Kg	250	04/02/21	04/02/21
cis-1,4-Dichloro-2-butene	ND		ug/Kg	250	04/02/21	04/02/21
trans-1,4-Dichloro-2-butene	ND		ug/Kg	250	04/02/21	04/02/21
Freon 12	ND		ug/Kg	250	04/02/21	04/02/21
Chloromethane	ND		ug/Kg	250	04/02/21	04/02/21
Vinyl Chloride	ND		ug/Kg	250	04/02/21	04/02/21
Bromomethane	ND		ug/Kg	250	04/02/21	04/02/21
Chloroethane	ND		ug/Kg	250	04/02/21	04/02/21
Trichlorofluoromethane	ND		ug/Kg	250	04/02/21	04/02/21
Acetone	ND		ug/Kg	5,000	04/02/21	04/02/21
Freon 113	ND		ug/Kg	250	04/02/21	04/02/21
1,1-Dichloroethene	ND		ug/Kg	250	04/02/21	04/02/21
Methylene Chloride	ND		ug/Kg	250	04/02/21	04/02/21
MTBE	ND		ug/Kg	250	04/02/21	04/02/21
trans-1,2-Dichloroethene	ND		ug/Kg	250	04/02/21	04/02/21
1,1-Dichloroethane	ND		ug/Kg	250	04/02/21	04/02/21
2-Butanone	ND		ug/Kg	5,000	04/02/21	04/02/21
cis-1,2-Dichloroethene	ND		ug/Kg	250	04/02/21	04/02/21
2,2-Dichloropropane	ND		ug/Kg	250	04/02/21	04/02/21
Chloroform	ND		ug/Kg	250	04/02/21	04/02/21
Bromochloromethane	ND		ug/Kg	250	04/02/21	04/02/21
1,1,1-Trichloroethane	ND		ug/Kg	250	04/02/21	04/02/21
1,1-Dichloropropene	ND		ug/Kg	250	04/02/21	04/02/21
Carbon Tetrachloride	ND		ug/Kg	250	04/02/21	04/02/21
1,2-Dichloroethane	ND		ug/Kg	250	04/02/21	04/02/21
Benzene	ND		ug/Kg	250	04/02/21	04/02/21
Trichloroethene	ND		ug/Kg	250	04/02/21	04/02/21
1,2-Dichloropropane	ND		ug/Kg	250	04/02/21	04/02/21
Bromodichloromethane	ND		ug/Kg	250	04/02/21	04/02/21
Dibromomethane	ND		ug/Kg	250	04/02/21	04/02/21
4-Methyl-2-Pentanone	ND		ug/Kg	250	04/02/21	04/02/21
cis-1,3-Dichloropropene	ND		ug/Kg	250	04/02/21	04/02/21
Toluene	ND		ug/Kg	250	04/02/21	04/02/21
trans-1,3-Dichloropropene	ND		ug/Kg	250	04/02/21	04/02/21
1,1,2-Trichloroethane	ND		ug/Kg	250	04/02/21	04/02/21
1,3-Dichloropropane	ND		ug/Kg	250	04/02/21	04/02/21
Tetrachloroethene	ND		ug/Kg	250	04/02/21	04/02/21
Dibromochloromethane	ND		ug/Kg	250	04/02/21	04/02/21
1,2-Dibromoethane	ND		ug/Kg	250	04/02/21	04/02/21
Chlorobenzene	ND		ug/Kg	250	04/02/21	04/02/21
1,1,1,2-Tetrachloroethane	ND		ug/Kg	250	04/02/21	04/02/21
Ethylbenzene	ND		ug/Kg	250	04/02/21	04/02/21

ENTHALPY ANALYTICAL

Batch QC

QC917609 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
m,p-Xylenes	ND		ug/Kg	500	04/02/21	04/02/21
o-Xylene	ND		ug/Kg	250	04/02/21	04/02/21
Styrene	ND		ug/Kg	250	04/02/21	04/02/21
Bromoform	ND		ug/Kg	250	04/02/21	04/02/21
Isopropylbenzene	ND		ug/Kg	250	04/02/21	04/02/21
1,1,2,2-Tetrachloroethane	ND		ug/Kg	250	04/02/21	04/02/21
1,2,3-Trichloropropane	ND		ug/Kg	250	04/02/21	04/02/21
Propylbenzene	ND		ug/Kg	250	04/02/21	04/02/21
Bromobenzene	ND		ug/Kg	250	04/02/21	04/02/21
1,3,5-Trimethylbenzene	ND		ug/Kg	250	04/02/21	04/02/21
2-Chlorotoluene	ND		ug/Kg	250	04/02/21	04/02/21
4-Chlorotoluene	ND		ug/Kg	250	04/02/21	04/02/21
tert-Butylbenzene	ND		ug/Kg	250	04/02/21	04/02/21
1,2,4-Trimethylbenzene	ND		ug/Kg	250	04/02/21	04/02/21
sec-Butylbenzene	ND		ug/Kg	250	04/02/21	04/02/21
para-Isopropyl Toluene	ND		ug/Kg	250	04/02/21	04/02/21
1,3-Dichlorobenzene	ND		ug/Kg	250	04/02/21	04/02/21
1,4-Dichlorobenzene	ND		ug/Kg	250	04/02/21	04/02/21
n-Butylbenzene	ND		ug/Kg	250	04/02/21	04/02/21
1,2-Dichlorobenzene	ND		ug/Kg	250	04/02/21	04/02/21
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	250	04/02/21	04/02/21
1,2,4-Trichlorobenzene	ND		ug/Kg	250	04/02/21	04/02/21
Hexachlorobutadiene	ND		ug/Kg	250	04/02/21	04/02/21
Naphthalene	ND		ug/Kg	250	04/02/21	04/02/21
1,2,3-Trichlorobenzene	ND		ug/Kg	250	04/02/21	04/02/21
Xylene (total)	ND		ug/Kg	250	04/02/21	04/02/21
Surrogates				**Limits**		
Dibromofluoromethane	94%		%REC	70-130	04/02/21	04/02/21
1,2-Dichloroethane-d4	102%		%REC	70-145	04/02/21	04/02/21
Toluene-d8	101%		%REC	70-145	04/02/21	04/02/21
Bromofluorobenzene	98%		%REC	70-145	04/02/21	04/02/21

ENTHALPY ANALYTICAL

Batch QC

Type:	**Blank**	**Lab ID:**	**QC917610**	**Batch:**	**264514**
Matrix:	**Soil**	**Method:**	**EPA 8260B**	**Prep Method:**	**EPA 5035**

QC917610 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
3-Chloropropene	ND		ug/Kg	5.0	04/02/21	04/02/21
cis-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	04/02/21	04/02/21
trans-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	04/02/21	04/02/21
Freon 12	ND		ug/Kg	5.0	04/02/21	04/02/21
Chloromethane	ND		ug/Kg	5.0	04/02/21	04/02/21
Vinyl Chloride	ND		ug/Kg	5.0	04/02/21	04/02/21
Bromomethane	ND		ug/Kg	5.0	04/02/21	04/02/21
Chloroethane	ND		ug/Kg	5.0	04/02/21	04/02/21
Trichlorofluoromethane	ND		ug/Kg	5.0	04/02/21	04/02/21
Acetone	ND		ug/Kg	100	04/02/21	04/02/21
Freon 113	ND		ug/Kg	5.0	04/02/21	04/02/21
1,1-Dichloroethene	ND		ug/Kg	5.0	04/02/21	04/02/21
Methylene Chloride	ND		ug/Kg	5.0	04/02/21	04/02/21
MTBE	ND		ug/Kg	5.0	04/02/21	04/02/21
trans-1,2-Dichloroethene	ND		ug/Kg	5.0	04/02/21	04/02/21
1,1-Dichloroethane	ND		ug/Kg	5.0	04/02/21	04/02/21
2-Butanone	ND		ug/Kg	100	04/02/21	04/02/21
cis-1,2-Dichloroethene	ND		ug/Kg	5.0	04/02/21	04/02/21
2,2-Dichloropropane	ND		ug/Kg	5.0	04/02/21	04/02/21
Chloroform	ND		ug/Kg	5.0	04/02/21	04/02/21
Bromochloromethane	ND		ug/Kg	5.0	04/02/21	04/02/21
1,1,1-Trichloroethane	ND		ug/Kg	5.0	04/02/21	04/02/21
1,1-Dichloropropene	ND		ug/Kg	5.0	04/02/21	04/02/21
Carbon Tetrachloride	ND		ug/Kg	5.0	04/02/21	04/02/21
1,2-Dichloroethane	ND		ug/Kg	5.0	04/02/21	04/02/21
Benzene	ND		ug/Kg	5.0	04/02/21	04/02/21
Trichloroethene	ND		ug/Kg	5.0	04/02/21	04/02/21
1,2-Dichloropropane	ND		ug/Kg	5.0	04/02/21	04/02/21
Bromodichloromethane	ND		ug/Kg	5.0	04/02/21	04/02/21
Dibromomethane	ND		ug/Kg	5.0	04/02/21	04/02/21
4-Methyl-2-Pentanone	ND		ug/Kg	5.0	04/02/21	04/02/21
cis-1,3-Dichloropropene	ND		ug/Kg	5.0	04/02/21	04/02/21
Toluene	ND		ug/Kg	5.0	04/02/21	04/02/21
trans-1,3-Dichloropropene	ND		ug/Kg	5.0	04/02/21	04/02/21
1,1,2-Trichloroethane	ND		ug/Kg	5.0	04/02/21	04/02/21
1,3-Dichloropropane	ND		ug/Kg	5.0	04/02/21	04/02/21
Tetrachloroethene	ND		ug/Kg	5.0	04/02/21	04/02/21
Dibromochloromethane	ND		ug/Kg	5.0	04/02/21	04/02/21
1,2-Dibromoethane	ND		ug/Kg	5.0	04/02/21	04/02/21
Chlorobenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
1,1,1,2-Tetrachloroethane	ND		ug/Kg	5.0	04/02/21	04/02/21
Ethylbenzene	ND		ug/Kg	5.0	04/02/21	04/02/21

ENTHALPY ANALYTICAL

Batch QC

QC917610 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
m,p-Xylenes	ND		ug/Kg	10	04/02/21	04/02/21
o-Xylene	ND		ug/Kg	5.0	04/02/21	04/02/21
Styrene	ND		ug/Kg	5.0	04/02/21	04/02/21
Bromoform	ND		ug/Kg	5.0	04/02/21	04/02/21
Isopropylbenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
1,1,2,2-Tetrachloroethane	ND		ug/Kg	5.0	04/02/21	04/02/21
1,2,3-Trichloropropane	ND		ug/Kg	5.0	04/02/21	04/02/21
Propylbenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
Bromobenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
1,3,5-Trimethylbenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
2-Chlorotoluene	ND		ug/Kg	5.0	04/02/21	04/02/21
4-Chlorotoluene	ND		ug/Kg	5.0	04/02/21	04/02/21
tert-Butylbenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
1,2,4-Trimethylbenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
sec-Butylbenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
para-Isopropyl Toluene	ND		ug/Kg	5.0	04/02/21	04/02/21
1,3-Dichlorobenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
1,4-Dichlorobenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
n-Butylbenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
1,2-Dichlorobenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	5.0	04/02/21	04/02/21
1,2,4-Trichlorobenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
Hexachlorobutadiene	ND		ug/Kg	5.0	04/02/21	04/02/21
Naphthalene	ND		ug/Kg	5.0	04/02/21	04/02/21
1,2,3-Trichlorobenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
Xylene (total)	ND		ug/Kg	5.0	04/02/21	04/02/21
Surrogates				**Limits**		
Dibromofluoromethane	97%		%REC	70-130	04/02/21	04/02/21
1,2-Dichloroethane-d4	101%		%REC	70-145	04/02/21	04/02/21
Toluene-d8	101%		%REC	70-145	04/02/21	04/02/21
Bromofluorobenzene	99%		%REC	70-145	04/02/21	04/02/21

ENTHALPY ANALYTICAL

Batch QC

Type: Lab Control Sample	Lab ID: QC917611	Batch: 264514
Matrix: Soil	Method: EPA 8260B	Prep Method: EPA 5035

QC917611 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1-Dichloroethene	50.94	50.00	ug/Kg	102%		70-131
MTBE	52.04	50.00	ug/Kg	104%		69-130
Benzene	50.26	50.00	ug/Kg	101%		70-130
Trichloroethene	53.39	50.00	ug/Kg	107%		70-130
Toluene	52.77	50.00	ug/Kg	106%		70-130
Chlorobenzene	54.36	50.00	ug/Kg	109%		70-130
Surrogates						
Dibromofluoromethane	47.80	50.00	ug/Kg	96%		70-130
1,2-Dichloroethane-d4	46.73	50.00	ug/Kg	93%		70-145
Toluene-d8	52.93	50.00	ug/Kg	106%		70-145
Bromofluorobenzene	53.55	50.00	ug/Kg	107%		70-145

Type: Lab Control Sample Duplicate	Lab ID: QC917612	Batch: 264514
Matrix: Soil	Method: EPA 8260B	Prep Method: EPA 5035

QC917612 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1-Dichloroethene	51.13	50.00	ug/Kg	102%		70-131	0	33
MTBE	53.04	50.00	ug/Kg	106%		69-130	2	30
Benzene	51.58	50.00	ug/Kg	103%		70-130	3	30
Trichloroethene	51.05	50.00	ug/Kg	102%		70-130	4	30
Toluene	51.53	50.00	ug/Kg	103%		70-130	2	30
Chlorobenzene	52.60	50.00	ug/Kg	105%		70-130	3	30
Surrogates								
Dibromofluoromethane	49.29	50.00	ug/Kg	99%		70-130		
1,2-Dichloroethane-d4	49.57	50.00	ug/Kg	99%		70-145		
Toluene-d8	51.01	50.00	ug/Kg	102%		70-145		
Bromofluorobenzene	52.27	50.00	ug/Kg	105%		70-145		

Type: Lab Control Sample	Lab ID: QC917744	Batch: 264547
Matrix: Soil	Method: EPA 8015B	Prep Method: EPA 5030B

QC917744 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
TPH Gasoline	4.743	5.000	mg/Kg	95%		70-130
Surrogates						
Bromofluorobenzene (FID)	0.2500	0.2000	mg/Kg	125%		60-140

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample Duplicate**	**Lab ID:**	**QC917745**	**Batch:**	**264547**
Matrix:	**Soil**	**Method:**	**EPA 8015B**	**Prep Method:**	**EPA 5030B**

QC917745 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
TPH Gasoline	4.839	5.000	mg/Kg	97%		70-130	2	20
Surrogates								
Bromofluorobenzene (FID)	0.2500	0.2000	mg/Kg	125%		60-140		

Type:	**Blank**	**Lab ID:**	**QC917746**	**Batch:**	**264547**
Matrix:	**Soil**	**Method:**	**EPA 8015B**	**Prep Method:**	**EPA 5030B**

QC917746 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
TPH Gasoline	ND		mg/Kg	3.0	04/05/21	04/05/21
Surrogates				**Limits**		
Bromofluorobenzene (FID)	115%		%REC	60-140	04/05/21	04/05/21

DO Diluted Out
ND Not Detected
NM Not Meaningful: Sample concentration > 4X spike concentration

Enthalpy Analytical
931 West Barkley Ave
Orange, CA 92868
(714) 771-6900

enthalpy.com


Lab Job Number: 443438
Report Level: II
Report Date: 04/05/2021

Analytical Report *prepared for:*

Heather Fields
Waterstone Environmental Inc.
2936 E. Coronado St.
Anaheim, CA 92806

Location: Rim Rock - Star Mazda, 20-150

Authorized for release by:



Patty Mata, Project Manager
patty.mata@enthalpy.com

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the above signature which applies to this PDF file as well as any associated electronic data deliverable files. The results contained in this report meet all requirements of NELAP and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

CA ELAP# 1338, NELAP# 4038, SCAQMD LAP# 18LA0518, LACSD ID# 10105, CDC ELITE Member

ENTHALPY ANALYTICAL

Sample Summary

Heather Fields
Waterstone Environmental Inc.
2936 E. Coronado St.
Anaheim, CA 92806

Lab Job #: 443438
Location: Rim Rock - Star Mazda, 20-150
Date Received: 04/02/21

Sample ID	Lab ID	Collected	Matrix
SC-2B-7.0	443438-001	04/02/21 11:30	Soil

ENTHALPY ANALYTICAL

Chain of Custody Record

Lab No: 443438

Page: 1 of 1

Turn Around Time (rush by advanced notice only)

Standard:		5 Day:		3 Day:	
2 Day:		1 Day:	X	Custom TAT:	

<<< Select a Laboratory >>>

#N/A

#N/A

Matrix: A = Air S = Soil/Solid W = Water DW = Drinking Wate SD = Sediment PP = Pure Product SEA = Sea Water SW = Swab T = Tissue WP = Wipe O = Other

Preservatives: 1 = $Na_2S_2O_3$ 2 = HCl 3 = HNO_3 4 = H_2SO_4 5 = NaOH 6 = Other

Sample Receipt Tem: 11.4/-4.4 (lab use only)

CUSTOMER INFORMATION		PROJECT INFORMATION	
Company:	Waterstone Environmental, inc.	Name:	Rim Rock - Star Mazda
Report To:	Heather Fields	Number:	20-150
Email:	hfields@waterstone-env.com	P.O. #:	
Address:	2936 E. coronado St	Address:	1401 s. Brand Blvd
	anaheim, CA 92806		Glendale, CA
Phone:	714 414 1122	Global ID:	
Fax:		Sampled By:	Travis Dagdigian

	Sample ID	Sampling Date	Sampling Time	Matrix	Container No. / Size	Pres.	TPH (G) (5035)	TPH (D)	TPH (O)	VOC 8260B (5035)	Test Instructions / Comments
1	SC-2B-7.0	4/2/21	1130	Soil	6oz/1Sleeve	yes	X	X	X	X	Sample for evd with ★ Symbol
2				Soil							
3				Soil							
4				Soil							
5				Soil							
6				Soil							
7				Soil							
8				Soil							
9				Soil							
10				Soil							

	Signature	Print Name	Company / Title	Date / Time
[1] Relinquished By:		Travis Dagdigian	Waterstone Env.	4/2/21 14:35
[1] Received By:		GKim	GA	4/2/21 1435
[2] Relinquished By:				
[2] Received By:				
[3] Relinquished By:				
[3] Received By:				

ENTHALPY ANALYTICAL

SAMPLE ACCEPTANCE CHECKLIST

Section 1

Client: Waterstone Environmental Project: Rim Rock - Star Mazda

Date Received: 4/2/21 Sampler's Name Present: ☑ Yes ☐ No

Section 2

Sample(s) received in a cooler? ☑ Yes, How many? 1 ☐ No (skip section 2) Sample Temp (°C) (No Cooler): _____

Sample Temp (°C), One from each cooler: #1: 11.4 #2: _____ #3: _____ #4: _____

(Acceptance range is < 6°C but not frozen (for Microbiology samples, acceptance range is < 10°C but not frozen). It is acceptable for samples collected the same day as sample receipt to have a higher temperature as long as there is evidence that cooling has begun.)

Shipping Information: _____

Section 3

Was the cooler packed with: ☑ Ice ☐ Ice Packs ☐ Bubble Wrap ☐ Styrofoam ☐ Paper ☐ None ☐ Other _____

Cooler Temp (°C): #1: -4.6 #2: _____ #3: _____ #4: _____

Section 4	YES	NO	N/A
Was a COC received?	✓		
Are sample IDs present?	✓		
Are sampling dates & times present?	✓		
Is a relinquished signature present?	✓		
Are the tests required clearly indicated on the COC?	✓		
Are custody seals present?		✓	
If custody seals are present, were they intact?			✓
Are all samples sealed in plastic bags? (Recommended for Microbiology samples)	✓		
Did all samples arrive intact? If no, indicate in Section 4 below.	✓		
Did all bottle labels agree with COC? (ID, dates and times)	✓		
Were the samples collected in the correct containers for the required tests?	✓		
Are the containers labeled with the correct preservatives?	✓		
Is there headspace in the VOA vials greater than 5-6 mm in diameter?			✓
Was a sufficient amount of sample submitted for the requested tests?	✓		

Section 5 Explanations/Comments

Section 6

For discrepancies, how was the Project Manager notified? ☐ Verbal PM Initials: _____ Date/Time _____

☐ Email (email sent to/on): _____ / _____

Project Manager's response:

Completed By: _____ Date: 4/2/21

ENTHALPY ANALYTICAL

Analysis Results for 443438

Heather Fields
Waterstone Environmental Inc.
2936 E. Coronado St.
Anaheim, CA 92806

Lab Job #: 443438
Location: Rim Rock - Star Mazda, 20-150
Date Received: 04/02/21

Sample ID: SC-2B-7.0 **Lab ID: 443438-001** **Collected: 04/02/21 11:30**
Matrix: Soil

443438-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015B Prep Method: EPA 5030B									
TPH Gasoline	ND		mg/Kg	3.1	1	264547	04/05/21	04/05/21	EMW
Surrogates				**Limits**					
Bromofluorobenzene (FID)	130%		%REC	60-140	1	264547	04/05/21	04/05/21	EMW
Method: EPA 8015B Prep Method: EPA 3580									
TPH (C13-C22)	**23**		mg/Kg	10	1	264501	04/02/21	04/03/21	MES
TPH (C23-C44)	**90**		mg/Kg	10	1	264501	04/02/21	04/03/21	MES
Surrogates				**Limits**					
n-Triacontane	86%		%REC	70-130	1	264501	04/02/21	04/03/21	MES
Method: EPA 8260B Prep Method: EPA 5035									
3-Chloropropene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
cis-1,4-Dichloro-2-butene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
trans-1,4-Dichloro-2-butene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Freon 12	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Chloromethane	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Vinyl Chloride	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Bromomethane	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Chloroethane	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Trichlorofluoromethane	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Acetone	ND		ug/Kg	120	1.2	264514	04/03/21	04/03/21	ILK
Freon 113	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
1,1-Dichloroethene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Methylene Chloride	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
MTBE	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
trans-1,2-Dichloroethene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
1,1-Dichloroethane	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
2-Butanone	ND		ug/Kg	120	1.2	264514	04/03/21	04/03/21	ILK
cis-1,2-Dichloroethene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
2,2-Dichloropropane	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Chloroform	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Bromochloromethane	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
1,1,1-Trichloroethane	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
1,1-Dichloropropene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Carbon Tetrachloride	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 443438

443438-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
1,2-Dichloroethane	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Benzene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Trichloroethene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
1,2-Dichloropropane	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Bromodichloromethane	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Dibromomethane	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
4-Methyl-2-Pentanone	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
cis-1,3-Dichloropropene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Toluene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
trans-1,3-Dichloropropene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
1,1,2-Trichloroethane	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
1,3-Dichloropropane	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Tetrachloroethene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Dibromochloromethane	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
1,2-Dibromoethane	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Chlorobenzene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
1,1,1,2-Tetrachloroethane	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Ethylbenzene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
m,p-Xylenes	ND		ug/Kg	12	1.2	264514	04/03/21	04/03/21	ILK
o-Xylene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Styrene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Bromoform	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Isopropylbenzene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
1,1,2,2-Tetrachloroethane	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
1,2,3-Trichloropropane	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Propylbenzene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Bromobenzene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
1,3,5-Trimethylbenzene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
2-Chlorotoluene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
4-Chlorotoluene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
tert-Butylbenzene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
1,2,4-Trimethylbenzene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
sec-Butylbenzene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
para-Isopropyl Toluene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
1,3-Dichlorobenzene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
1,4-Dichlorobenzene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
n-Butylbenzene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
1,2-Dichlorobenzene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
1,2,4-Trichlorobenzene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Hexachlorobutadiene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Naphthalene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
1,2,3-Trichlorobenzene	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Xylene (total)	ND		ug/Kg	6.1	1.2	264514	04/03/21	04/03/21	ILK
Surrogates				**Limits**					
Dibromofluoromethane	98%		%REC	70-145	1.2	264514	04/03/21	04/03/21	ILK

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 443438

443438-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
1,2-Dichloroethane-d4	107%		%REC	70-145	1.2	264514	04/03/21	04/03/21	ILK
Toluene-d8	104%		%REC	70-145	1.2	264514	04/03/21	04/03/21	ILK
Bromofluorobenzene	102%		%REC	70-145	1.2	264514	04/03/21	04/03/21	ILK

ND Not Detected

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Batch QC

Type: Blank	**Lab ID:** QC917585	**Batch:** 264501
Matrix: Soil	**Method:** EPA 8015B	**Prep Method:** EPA 3580

QC917585 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
TPH (C13-C22)	ND		mg/Kg	9.9	04/02/21	04/02/21
TPH (C23-C44)	ND		mg/Kg	9.9	04/02/21	04/02/21
Surrogates				**Limits**		
n-Triacontane	82%		%REC	70-130	04/02/21	04/02/21

Type: Lab Control Sample	**Lab ID:** QC917586	**Batch:** 264501
Matrix: Soil	**Method:** EPA 8015B	**Prep Method:** EPA 3580

QC917586 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Diesel C10-C28	274.8	250.0	mg/Kg	110%		76-122
Surrogates						
n-Triacontane	8.644	10.00	mg/Kg	86%		70-130

Type: Matrix Spike	**Lab ID:** QC917756	**Batch:** 264501
Matrix (Source ID): Soil (443449-001)	**Method:** EPA 8015B	**Prep Method:** EPA 3580

QC917756 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
Diesel C10-C28	315.6	7.338	248.8	mg/Kg	124%		62-126	1
Surrogates								
n-Triacontane	8.689		9.950	mg/Kg	87%		70-130	1

Type: Matrix Spike Duplicate	**Lab ID:** QC917757	**Batch:** 264501
Matrix (Source ID): Soil (443449-001)	**Method:** EPA 8015B	**Prep Method:** EPA 3580

QC917757 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim	DF
Diesel C10-C28	278.5	7.338	248.8	mg/Kg	109%		62-126	12	35	1
Surrogates										
n-Triacontane	8.217		9.950	mg/Kg	83%		70-130			1

ENTHALPY ANALYTICAL

Batch QC

Type:	**Blank**	**Lab ID:**	**QC917610**	**Batch:**	**264514**
Matrix:	**Soil**	**Method:**	**EPA 8260B**	**Prep Method:**	**EPA 5035**

QC917610 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
3-Chloropropene	ND		ug/Kg	5.0	04/02/21	04/02/21
cis-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	04/02/21	04/02/21
trans-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	04/02/21	04/02/21
Freon 12	ND		ug/Kg	5.0	04/02/21	04/02/21
Chloromethane	ND		ug/Kg	5.0	04/02/21	04/02/21
Vinyl Chloride	ND		ug/Kg	5.0	04/02/21	04/02/21
Bromomethane	ND		ug/Kg	5.0	04/02/21	04/02/21
Chloroethane	ND		ug/Kg	5.0	04/02/21	04/02/21
Trichlorofluoromethane	ND		ug/Kg	5.0	04/02/21	04/02/21
Acetone	ND		ug/Kg	100	04/02/21	04/02/21
Freon 113	ND		ug/Kg	5.0	04/02/21	04/02/21
1,1-Dichloroethene	ND		ug/Kg	5.0	04/02/21	04/02/21
Methylene Chloride	ND		ug/Kg	5.0	04/02/21	04/02/21
MTBE	ND		ug/Kg	5.0	04/02/21	04/02/21
trans-1,2-Dichloroethene	ND		ug/Kg	5.0	04/02/21	04/02/21
1,1-Dichloroethane	ND		ug/Kg	5.0	04/02/21	04/02/21
2-Butanone	ND		ug/Kg	100	04/02/21	04/02/21
cis-1,2-Dichloroethene	ND		ug/Kg	5.0	04/02/21	04/02/21
2,2-Dichloropropane	ND		ug/Kg	5.0	04/02/21	04/02/21
Chloroform	ND		ug/Kg	5.0	04/02/21	04/02/21
Bromochloromethane	ND		ug/Kg	5.0	04/02/21	04/02/21
1,1,1-Trichloroethane	ND		ug/Kg	5.0	04/02/21	04/02/21
1,1-Dichloropropene	ND		ug/Kg	5.0	04/02/21	04/02/21
Carbon Tetrachloride	ND		ug/Kg	5.0	04/02/21	04/02/21
1,2-Dichloroethane	ND		ug/Kg	5.0	04/02/21	04/02/21
Benzene	ND		ug/Kg	5.0	04/02/21	04/02/21
Trichloroethene	ND		ug/Kg	5.0	04/02/21	04/02/21
1,2-Dichloropropane	ND		ug/Kg	5.0	04/02/21	04/02/21
Bromodichloromethane	ND		ug/Kg	5.0	04/02/21	04/02/21
Dibromomethane	ND		ug/Kg	5.0	04/02/21	04/02/21
4-Methyl-2-Pentanone	ND		ug/Kg	5.0	04/02/21	04/02/21
cis-1,3-Dichloropropene	ND		ug/Kg	5.0	04/02/21	04/02/21
Toluene	ND		ug/Kg	5.0	04/02/21	04/02/21
trans-1,3-Dichloropropene	ND		ug/Kg	5.0	04/02/21	04/02/21
1,1,2-Trichloroethane	ND		ug/Kg	5.0	04/02/21	04/02/21
1,3-Dichloropropane	ND		ug/Kg	5.0	04/02/21	04/02/21
Tetrachloroethene	ND		ug/Kg	5.0	04/02/21	04/02/21
Dibromochloromethane	ND		ug/Kg	5.0	04/02/21	04/02/21
1,2-Dibromoethane	ND		ug/Kg	5.0	04/02/21	04/02/21
Chlorobenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
1,1,1,2-Tetrachloroethane	ND		ug/Kg	5.0	04/02/21	04/02/21
Ethylbenzene	ND		ug/Kg	5.0	04/02/21	04/02/21

ENTHALPY ANALYTICAL

Batch QC

QC917610 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
m,p-Xylenes	ND		ug/Kg	10	04/02/21	04/02/21
o-Xylene	ND		ug/Kg	5.0	04/02/21	04/02/21
Styrene	ND		ug/Kg	5.0	04/02/21	04/02/21
Bromoform	ND		ug/Kg	5.0	04/02/21	04/02/21
Isopropylbenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
1,1,2,2-Tetrachloroethane	ND		ug/Kg	5.0	04/02/21	04/02/21
1,2,3-Trichloropropane	ND		ug/Kg	5.0	04/02/21	04/02/21
Propylbenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
Bromobenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
1,3,5-Trimethylbenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
2-Chlorotoluene	ND		ug/Kg	5.0	04/02/21	04/02/21
4-Chlorotoluene	ND		ug/Kg	5.0	04/02/21	04/02/21
tert-Butylbenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
1,2,4-Trimethylbenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
sec-Butylbenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
para-Isopropyl Toluene	ND		ug/Kg	5.0	04/02/21	04/02/21
1,3-Dichlorobenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
1,4-Dichlorobenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
n-Butylbenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
1,2-Dichlorobenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	5.0	04/02/21	04/02/21
1,2,4-Trichlorobenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
Hexachlorobutadiene	ND		ug/Kg	5.0	04/02/21	04/02/21
Naphthalene	ND		ug/Kg	5.0	04/02/21	04/02/21
1,2,3-Trichlorobenzene	ND		ug/Kg	5.0	04/02/21	04/02/21
Xylene (total)	ND		ug/Kg	5.0	04/02/21	04/02/21
Surrogates				**Limits**		
Dibromofluoromethane	97%		%REC	70-130	04/02/21	04/02/21
1,2-Dichloroethane-d4	101%		%REC	70-145	04/02/21	04/02/21
Toluene-d8	101%		%REC	70-145	04/02/21	04/02/21
Bromofluorobenzene	99%		%REC	70-145	04/02/21	04/02/21

ENTHALPY ANALYTICAL

Batch QC

Type: Lab Control Sample	**Lab ID:** QC917611	**Batch:** 264514
Matrix: Soil	**Method:** EPA 8260B	**Prep Method:** EPA 5035

QC917611 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1-Dichloroethene	50.94	50.00	ug/Kg	102%		70-131
MTBE	52.04	50.00	ug/Kg	104%		69-130
Benzene	50.26	50.00	ug/Kg	101%		70-130
Trichloroethene	53.39	50.00	ug/Kg	107%		70-130
Toluene	52.77	50.00	ug/Kg	106%		70-130
Chlorobenzene	54.36	50.00	ug/Kg	109%		70-130
Surrogates						
Dibromofluoromethane	47.80	50.00	ug/Kg	96%		70-130
1,2-Dichloroethane-d4	46.73	50.00	ug/Kg	93%		70-145
Toluene-d8	52.93	50.00	ug/Kg	106%		70-145
Bromofluorobenzene	53.55	50.00	ug/Kg	107%		70-145

Type: Lab Control Sample Duplicate	**Lab ID:** QC917612	**Batch:** 264514
Matrix: Soil	**Method:** EPA 8260B	**Prep Method:** EPA 5035

QC917612 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1-Dichloroethene	51.13	50.00	ug/Kg	102%		70-131	0	33
MTBE	53.04	50.00	ug/Kg	106%		69-130	2	30
Benzene	51.58	50.00	ug/Kg	103%		70-130	3	30
Trichloroethene	51.05	50.00	ug/Kg	102%		70-130	4	30
Toluene	51.53	50.00	ug/Kg	103%		70-130	2	30
Chlorobenzene	52.60	50.00	ug/Kg	105%		70-130	3	30
Surrogates								
Dibromofluoromethane	49.29	50.00	ug/Kg	99%		70-130		
1,2-Dichloroethane-d4	49.57	50.00	ug/Kg	99%		70-145		
Toluene-d8	51.01	50.00	ug/Kg	102%		70-145		
Bromofluorobenzene	52.27	50.00	ug/Kg	105%		70-145		

Type: Lab Control Sample	**Lab ID:** QC917744	**Batch:** 264547
Matrix: Soil	**Method:** EPA 8015B	**Prep Method:** EPA 5030B

QC917744 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
TPH Gasoline	4.743	5.000	mg/Kg	95%		70-130
Surrogates						
Bromofluorobenzene (FID)	0.2500	0.2000	mg/Kg	125%		60-140

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample Duplicate**	**Lab ID:**	**QC917745**	**Batch:**	**264547**
Matrix:	**Soil**	**Method:**	**EPA 8015B**	**Prep Method:**	**EPA 5030B**

QC917745 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
TPH Gasoline	4.839	5.000	mg/Kg	97%		70-130	2	20
Surrogates								
Bromofluorobenzene (FID)	0.2500	0.2000	mg/Kg	125%		60-140		

Type:	**Blank**	**Lab ID:**	**QC917746**	**Batch:**	**264547**
Matrix:	**Soil**	**Method:**	**EPA 8015B**	**Prep Method:**	**EPA 5030B**

QC917746 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
TPH Gasoline	ND		mg/Kg	3.0	04/05/21	04/05/21
Surrogates				**Limits**		
Bromofluorobenzene (FID)	115%		%REC	60-140	04/05/21	04/05/21

ND Not Detected

Enthalpy Analytical
931 West Barkley Ave
Orange, CA 92868
(714) 771-6900

enthalpy.com


Lab Job Number: 443579
Report Level: II
Report Date: 04/07/2021

Analytical Report *prepared for:*

Heather Fields
Waterstone Environmental Inc.
2936 E. Coronado St.
Anaheim, CA 92806

Location: Rim Rock - Star Mazda

Authorized for release by:



Patty Mata, Project Manager
patty.mata@enthalpy.com

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the above signature which applies to this PDF file as well as any associated electronic data deliverable files. The results contained in this report meet all requirements of NELAP and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

CA ELAP# 1338, NELAP# 4038, SCAQMD LAP# 18LA0518, LACSD ID# 10105, CDC ELITE Member

ENTHALPY ANALYTICAL

Sample Summary

Heather Fields		Lab Job #:	443579
Waterstone Environmental Inc.		Location:	Rim Rock - Star Mazda
2936 E. Coronado St.		Date Received:	04/06/21
Anaheim, CA 92806			

Sample ID	Lab ID	Collected	Matrix
SC-1BB-6.0	443579-001	04/06/21 07:30	Soil

ENTHALPY ANALYTICAL

Case Narrative

Waterstone Environmental Inc.	Lab Job Number: 443579
2936 E. Coronado St.	Location: Rim Rock - Star Mazda
Anaheim, CA 92806	Date Received: 04/06/21
Heather Fields	

This data package contains sample and QC results for one soil sample, requested for the above referenced project on 04/06/21. The sample was received cold and intact.

TPH-Extractables by GC (EPA 8015B):

High recoveries were observed for diesel C10-C28 in the MS/MSD of SC-1BB-6.0 (lab # 443579-001); the LCS was within limits, the associated RPD was within limits, and these high recoveries were not associated with any reported results. No other analytical problems were encountered.

Volatile Organics by GC/MS (EPA 8260B):

SC-1BB-6.0 (lab # 443579-001) was diluted due to high hydrocarbons. No other analytical problems were encountered.

ENTHALPY ANALYTICAL

Chain of Custody Record

Lab No: 443579

Page: 1 of 1

Turn Around Time (rush by advanced notice only)

Standard:		5 Day:		3 Day:	
2 Day:		1 Day:	1	Custom TAT:	

<<< Select a Laboratory >>>

#N/A

#N/A

Matrix: A = Air S = Soil/Solid W = Water DW = Drinking Wate SD = Sediment PP = Pure Product SEA = Sea Water SW = Swab T = Tissue WP = Wipe O = Other

Preservatives: 1 = $Na_2S_2O_3$ 2 = HCl 3 = HNO_3 4 = H_2SO_4 5 = NaOH 6 = Other

Sample Receipt Tem (lab use only)

CUSTOMER INFORMATION		PROJECT INFORMATION	
Company:	Waterstone Environmental, Inc.	Name:	~~Appel - Whiteside~~ Rim Rock - Mesa
Report To: T.D	~~Mark Shifflett~~ / Heather Fields	Number:	~~15-142~~ 20-150 T.D.
Email: T.D	~~Mshifflett@waterstone-env.com~~	P.O. #:	
Address:	2936 E. Coronado St	Address:	~~3954 Whiteside Street~~ T.D.
	Anaheim CA 92806		1401 S. Brond Blvd
Phone:	714 414 1122	Global ID:	
Fax:		Sampled By:	Travis Dagdigian

	Sample ID	Sampling Date	Sampling Time	Matrix	Container No. / Size	Pres.	~~TPH - Diesel 8015 (C13-C22)~~ T.D	~~TPH - Oil 8015 (C23-C44)~~ T.D	~~VOCs 8260B~~ T.D	TPH (G)	Tph(O)	Tph (D)	VOC 8260 B				Test Instructions / Comments
1	SC-1BB-6.0	4/6/21	7.30	Soil	5VOA / Sleeve	yes				X	X	X	X				Sample from end with ★ Symbol
2				Soil													
3				Soil													
4				Soil													
5				Soil													
6				Soil													
7				Soil													
8				Soil													
9				Soil													
10				Soil													

	Signature	Print Name	Company / Title	Date / Time
[1] Relinquished By:		Travis Dagdigian	Waterstone Env.	4/6/21 / 15:15
[1] Received By:		Henri G	EA	4/6/21 1515
[2] Relinquished By:		Henri G.	EA	4/6/21 1710
[2] Received By:		Christine C.	EA	4/6/21 1710
[3] Relinquished By:				
[3] Received By:				

ENTHALPY ANALYTICAL

SAMPLE ACCEPTANCE CHECKLIST

Section 1

Client: Waterstone

Project: _____

Date Received: 4/6/21

Sampler's Name Present: ☑ Yes ☐ No

Section 2

Sample(s) received in a cooler? ☑ Yes, How many? 1 ☐ No (skip section 2)

Sample Temp (°C) (No Cooler): _____

Sample Temp (°C), One from each cooler: #1: 3.3 #2: _____ #3: _____ #4: _____

(Acceptance range is < 6°C but not frozen (for Microbiology samples, acceptance range is < 10°C but not frozen). It is acceptable for samples collected the same day as sample receipt to have a higher temperature as long as there is evidence that cooling has begun.)

Shipping Information: _____

Section 3

Was the cooler packed with: ☑ Ice ☐ Ice Packs ☐ Bubble Wrap ☐ Styrofoam ☐ Paper ☐ None ☐ Other _____

Cooler Temp (°C): #1: 2.0 #2: _____ #3: _____ #4: _____

Section 4	YES	NO	N/A
Was a COC received?	✓		
Are sample IDs present?	✓		
Are sampling dates & times present?	✓		
Is a relinquished signature present?	✓		
Are the tests required clearly indicated on the COC?	✓		
Are custody seals present?		✓	
If custody seals are present, were they intact?			✓
Are all samples sealed in plastic bags? (Recommended for Microbiology samples)			✓
Did all samples arrive intact? If no, indicate in Section 4 below.	✓		
Did all bottle labels agree with COC? (ID, dates and times)	✓		
Were the samples collected in the correct containers for the required tests?	✓		
Are the containers labeled with the correct preservatives?	✓		
Is there headspace in the VOA vials greater than 5-6 mm in diameter?			✓
Was a sufficient amount of sample submitted for the requested tests?	✓		

Section 5 Explanations/Comments

Section 6

For discrepancies, how was the Project Manager notified? ☐ Verbal PM Initials: _____ Date/Time _____

☐ Email (email sent to/on): _____ / _____

Project Manager's response:

Completed By: _____ Date: 4/6/21

ENTHALPY ANALYTICAL

Analysis Results for 443579

Heather Fields
Waterstone Environmental Inc.
2936 E. Coronado St.
Anaheim, CA 92806

Lab Job #: 443579
Location: Rim Rock - Star Mazda
Date Received: 04/06/21

Sample ID: SC-1BB-6.0 **Lab ID: 443579-001** **Collected: 04/06/21 07:30**
Matrix: Soil

443579-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015B Prep Method: EPA 5030B									
TPH Gasoline	ND		mg/Kg	3.8	1.3	264667	04/07/21	04/07/21	EMW
Surrogates				**Limits**					
Bromofluorobenzene (FID)	135%		%REC	60-140	1	264667	04/07/21	04/07/21	EMW
Method: EPA 8015B Prep Method: EPA 3580									
TPH (C13-C22)	ND		mg/Kg	10	1	264691	04/07/21	04/07/21	MES
TPH (C23-C44)	**21**		mg/Kg	10	1	264691	04/07/21	04/07/21	MES
Surrogates				**Limits**					
n-Triacontane	121%		%REC	70-130	1	264691	04/07/21	04/07/21	MES
Method: EPA 8260B Prep Method: EPA 5035									
3-Chloropropene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
cis-1,4-Dichloro-2-butene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
trans-1,4-Dichloro-2-butene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Freon 12	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Chloromethane	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Vinyl Chloride	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Bromomethane	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Chloroethane	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Trichlorofluoromethane	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Acetone	ND		ug/Kg	7,600	76	264653	04/07/21	04/07/21	LXR
Freon 113	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
1,1-Dichloroethene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Methylene Chloride	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
MTBE	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
trans-1,2-Dichloroethene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
1,1-Dichloroethane	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
2-Butanone	ND		ug/Kg	7,600	76	264653	04/07/21	04/07/21	LXR
cis-1,2-Dichloroethene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
2,2-Dichloropropane	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Chloroform	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Bromochloromethane	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
1,1,1-Trichloroethane	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
1,1-Dichloropropene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Carbon Tetrachloride	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 443579

443579-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
1,2-Dichloroethane	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Benzene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Trichloroethene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
1,2-Dichloropropane	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Bromodichloromethane	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Dibromomethane	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
4-Methyl-2-Pentanone	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
cis-1,3-Dichloropropene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Toluene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
trans-1,3-Dichloropropene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
1,1,2-Trichloroethane	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
1,3-Dichloropropane	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Tetrachloroethene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Dibromochloromethane	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
1,2-Dibromoethane	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Chlorobenzene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
1,1,1,2-Tetrachloroethane	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Ethylbenzene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
m,p-Xylenes	ND		ug/Kg	760	76	264653	04/07/21	04/07/21	LXR
o-Xylene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Styrene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Bromoform	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Isopropylbenzene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
1,1,2,2-Tetrachloroethane	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
1,2,3-Trichloropropane	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Propylbenzene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Bromobenzene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
1,3,5-Trimethylbenzene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
2-Chlorotoluene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
4-Chlorotoluene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
tert-Butylbenzene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
1,2,4-Trimethylbenzene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
sec-Butylbenzene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
para-Isopropyl Toluene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
1,3-Dichlorobenzene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
1,4-Dichlorobenzene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
n-Butylbenzene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
1,2-Dichlorobenzene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
1,2,4-Trichlorobenzene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Hexachlorobutadiene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Naphthalene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
1,2,3-Trichlorobenzene	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Xylene (total)	ND		ug/Kg	380	76	264653	04/07/21	04/07/21	LXR
Surrogates				**Limits**					
Dibromofluoromethane	91%		%REC	70-145	76	264653	04/07/21	04/07/21	LXR

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 443579

443579-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
1,2-Dichloroethane-d4	99%		%REC	70-145	76	264653	04/07/21	04/07/21	LXR
Toluene-d8	101%		%REC	70-145	76	264653	04/07/21	04/07/21	LXR
Bromofluorobenzene	96%		%REC	70-145	76	264653	04/07/21	04/07/21	LXR

ND Not Detected

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Batch QC

Type: Blank	**Lab ID:** QC918001	**Batch:** 264653
Matrix: Soil	**Method:** EPA 8260B	**Prep Method:** EPA 5035

QC918001 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
3-Chloropropene	ND		ug/Kg	5.0	04/06/21	04/06/21
cis-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	04/06/21	04/06/21
trans-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	04/06/21	04/06/21
Freon 12	ND		ug/Kg	5.0	04/06/21	04/06/21
Chloromethane	ND		ug/Kg	5.0	04/06/21	04/06/21
Vinyl Chloride	ND		ug/Kg	5.0	04/06/21	04/06/21
Bromomethane	ND		ug/Kg	5.0	04/06/21	04/06/21
Chloroethane	ND		ug/Kg	5.0	04/06/21	04/06/21
Trichlorofluoromethane	ND		ug/Kg	5.0	04/06/21	04/06/21
Acetone	ND		ug/Kg	100	04/06/21	04/06/21
Freon 113	ND		ug/Kg	5.0	04/06/21	04/06/21
1,1-Dichloroethene	ND		ug/Kg	5.0	04/06/21	04/06/21
Methylene Chloride	ND		ug/Kg	5.0	04/06/21	04/06/21
MTBE	ND		ug/Kg	5.0	04/06/21	04/06/21
trans-1,2-Dichloroethene	ND		ug/Kg	5.0	04/06/21	04/06/21
1,1-Dichloroethane	ND		ug/Kg	5.0	04/06/21	04/06/21
2-Butanone	ND		ug/Kg	100	04/06/21	04/06/21
cis-1,2-Dichloroethene	ND		ug/Kg	5.0	04/06/21	04/06/21
2,2-Dichloropropane	ND		ug/Kg	5.0	04/06/21	04/06/21
Chloroform	ND		ug/Kg	5.0	04/06/21	04/06/21
Bromochloromethane	ND		ug/Kg	5.0	04/06/21	04/06/21
1,1,1-Trichloroethane	ND		ug/Kg	5.0	04/06/21	04/06/21
1,1-Dichloropropene	ND		ug/Kg	5.0	04/06/21	04/06/21
Carbon Tetrachloride	ND		ug/Kg	5.0	04/06/21	04/06/21
1,2-Dichloroethane	ND		ug/Kg	5.0	04/06/21	04/06/21
Benzene	ND		ug/Kg	5.0	04/06/21	04/06/21
Trichloroethene	ND		ug/Kg	5.0	04/06/21	04/06/21
1,2-Dichloropropane	ND		ug/Kg	5.0	04/06/21	04/06/21
Bromodichloromethane	ND		ug/Kg	5.0	04/06/21	04/06/21
Dibromomethane	ND		ug/Kg	5.0	04/06/21	04/06/21
4-Methyl-2-Pentanone	ND		ug/Kg	5.0	04/06/21	04/06/21
cis-1,3-Dichloropropene	ND		ug/Kg	5.0	04/06/21	04/06/21
Toluene	ND		ug/Kg	5.0	04/06/21	04/06/21
trans-1,3-Dichloropropene	ND		ug/Kg	5.0	04/06/21	04/06/21
1,1,2-Trichloroethane	ND		ug/Kg	5.0	04/06/21	04/06/21
1,3-Dichloropropane	ND		ug/Kg	5.0	04/06/21	04/06/21
Tetrachloroethene	ND		ug/Kg	5.0	04/06/21	04/06/21
Dibromochloromethane	ND		ug/Kg	5.0	04/06/21	04/06/21
1,2-Dibromoethane	ND		ug/Kg	5.0	04/06/21	04/06/21
Chlorobenzene	ND		ug/Kg	5.0	04/06/21	04/06/21
1,1,1,2-Tetrachloroethane	ND		ug/Kg	5.0	04/06/21	04/06/21
Ethylbenzene	ND		ug/Kg	5.0	04/06/21	04/06/21

ENTHALPY ANALYTICAL

Batch QC

QC918001 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
m,p-Xylenes	ND		ug/Kg	10	04/06/21	04/06/21
o-Xylene	ND		ug/Kg	5.0	04/06/21	04/06/21
Styrene	ND		ug/Kg	5.0	04/06/21	04/06/21
Bromoform	ND		ug/Kg	5.0	04/06/21	04/06/21
Isopropylbenzene	ND		ug/Kg	5.0	04/06/21	04/06/21
1,1,2,2-Tetrachloroethane	ND		ug/Kg	5.0	04/06/21	04/06/21
1,2,3-Trichloropropane	ND		ug/Kg	5.0	04/06/21	04/06/21
Propylbenzene	ND		ug/Kg	5.0	04/06/21	04/06/21
Bromobenzene	ND		ug/Kg	5.0	04/06/21	04/06/21
1,3,5-Trimethylbenzene	ND		ug/Kg	5.0	04/06/21	04/06/21
2-Chlorotoluene	ND		ug/Kg	5.0	04/06/21	04/06/21
4-Chlorotoluene	ND		ug/Kg	5.0	04/06/21	04/06/21
tert-Butylbenzene	ND		ug/Kg	5.0	04/06/21	04/06/21
1,2,4-Trimethylbenzene	ND		ug/Kg	5.0	04/06/21	04/06/21
sec-Butylbenzene	ND		ug/Kg	5.0	04/06/21	04/06/21
para-Isopropyl Toluene	ND		ug/Kg	5.0	04/06/21	04/06/21
1,3-Dichlorobenzene	ND		ug/Kg	5.0	04/06/21	04/06/21
1,4-Dichlorobenzene	ND		ug/Kg	5.0	04/06/21	04/06/21
n-Butylbenzene	ND		ug/Kg	5.0	04/06/21	04/06/21
1,2-Dichlorobenzene	ND		ug/Kg	5.0	04/06/21	04/06/21
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	5.0	04/06/21	04/06/21
1,2,4-Trichlorobenzene	ND		ug/Kg	5.0	04/06/21	04/06/21
Hexachlorobutadiene	ND		ug/Kg	5.0	04/06/21	04/06/21
Naphthalene	ND		ug/Kg	5.0	04/06/21	04/06/21
1,2,3-Trichlorobenzene	ND		ug/Kg	5.0	04/06/21	04/06/21
Xylene (total)	ND		ug/Kg	5.0	04/06/21	04/06/21
Surrogates				**Limits**		
Dibromofluoromethane	104%		%REC	70-130	04/06/21	04/06/21
1,2-Dichloroethane-d4	108%		%REC	70-145	04/06/21	04/06/21
Toluene-d8	99%		%REC	70-145	04/06/21	04/06/21
Bromofluorobenzene	100%		%REC	70-145	04/06/21	04/06/21

ENTHALPY ANALYTICAL

Batch QC

Type: Lab Control Sample	**Lab ID:** QC918002	**Batch:** 264653
Matrix: Soil	**Method:** EPA 8260B	**Prep Method:** EPA 5035

QC918002 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1-Dichloroethene	55.39	50.00	ug/Kg	111%		70-131
MTBE	51.30	50.00	ug/Kg	103%		69-130
Benzene	53.59	50.00	ug/Kg	107%		70-130
Trichloroethene	55.04	50.00	ug/Kg	110%		70-130
Toluene	54.52	50.00	ug/Kg	109%		70-130
Chlorobenzene	55.92	50.00	ug/Kg	112%		70-130
Surrogates						
Dibromofluoromethane	50.88	50.00	ug/Kg	102%		70-130
1,2-Dichloroethane-d4	50.56	50.00	ug/Kg	101%		70-145
Toluene-d8	51.52	50.00	ug/Kg	103%		70-145
Bromofluorobenzene	52.99	50.00	ug/Kg	106%		70-145

Type: Lab Control Sample Duplicate	**Lab ID:** QC918003	**Batch:** 264653
Matrix: Soil	**Method:** EPA 8260B	**Prep Method:** EPA 5035

QC918003 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1-Dichloroethene	50.55	50.00	ug/Kg	101%		70-131	9	33
MTBE	47.81	50.00	ug/Kg	96%		69-130	7	30
Benzene	48.78	50.00	ug/Kg	98%		70-130	9	30
Trichloroethene	51.36	50.00	ug/Kg	103%		70-130	7	30
Toluene	50.30	50.00	ug/Kg	101%		70-130	8	30
Chlorobenzene	52.36	50.00	ug/Kg	105%		70-130	7	30
Surrogates								
Dibromofluoromethane	49.69	50.00	ug/Kg	99%		70-130		
1,2-Dichloroethane-d4	47.24	50.00	ug/Kg	94%		70-145		
Toluene-d8	53.05	50.00	ug/Kg	106%		70-145		
Bromofluorobenzene	53.28	50.00	ug/Kg	107%		70-145		

ENTHALPY ANALYTICAL

Batch QC

Type: Blank	**Lab ID:** QC918004	**Batch:** 264653	
Matrix: Soil	**Method:** EPA 8260B	**Prep Method:** EPA 5035	

QC918004 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
3-Chloropropene	ND		ug/Kg	250	04/06/21	04/06/21
cis-1,4-Dichloro-2-butene	ND		ug/Kg	250	04/06/21	04/06/21
trans-1,4-Dichloro-2-butene	ND		ug/Kg	250	04/06/21	04/06/21
Freon 12	ND		ug/Kg	250	04/06/21	04/06/21
Chloromethane	ND		ug/Kg	250	04/06/21	04/06/21
Vinyl Chloride	ND		ug/Kg	250	04/06/21	04/06/21
Bromomethane	ND		ug/Kg	250	04/06/21	04/06/21
Chloroethane	ND		ug/Kg	250	04/06/21	04/06/21
Trichlorofluoromethane	ND		ug/Kg	250	04/06/21	04/06/21
Acetone	ND		ug/Kg	5,000	04/06/21	04/06/21
Freon 113	ND		ug/Kg	250	04/06/21	04/06/21
1,1-Dichloroethene	ND		ug/Kg	250	04/06/21	04/06/21
Methylene Chloride	ND		ug/Kg	250	04/06/21	04/06/21
MTBE	ND		ug/Kg	250	04/06/21	04/06/21
trans-1,2-Dichloroethene	ND		ug/Kg	250	04/06/21	04/06/21
1,1-Dichloroethane	ND		ug/Kg	250	04/06/21	04/06/21
2-Butanone	ND		ug/Kg	5,000	04/06/21	04/06/21
cis-1,2-Dichloroethene	ND		ug/Kg	250	04/06/21	04/06/21
2,2-Dichloropropane	ND		ug/Kg	250	04/06/21	04/06/21
Chloroform	ND		ug/Kg	250	04/06/21	04/06/21
Bromochloromethane	ND		ug/Kg	250	04/06/21	04/06/21
1,1,1-Trichloroethane	ND		ug/Kg	250	04/06/21	04/06/21
1,1-Dichloropropene	ND		ug/Kg	250	04/06/21	04/06/21
Carbon Tetrachloride	ND		ug/Kg	250	04/06/21	04/06/21
1,2-Dichloroethane	ND		ug/Kg	250	04/06/21	04/06/21
Benzene	ND		ug/Kg	250	04/06/21	04/06/21
Trichloroethene	ND		ug/Kg	250	04/06/21	04/06/21
1,2-Dichloropropane	ND		ug/Kg	250	04/06/21	04/06/21
Bromodichloromethane	ND		ug/Kg	250	04/06/21	04/06/21
Dibromomethane	ND		ug/Kg	250	04/06/21	04/06/21
4-Methyl-2-Pentanone	ND		ug/Kg	250	04/06/21	04/06/21
cis-1,3-Dichloropropene	ND		ug/Kg	250	04/06/21	04/06/21
Toluene	ND		ug/Kg	250	04/06/21	04/06/21
trans-1,3-Dichloropropene	ND		ug/Kg	250	04/06/21	04/06/21
1,1,2-Trichloroethane	ND		ug/Kg	250	04/06/21	04/06/21
1,3-Dichloropropane	ND		ug/Kg	250	04/06/21	04/06/21
Tetrachloroethene	ND		ug/Kg	250	04/06/21	04/06/21
Dibromochloromethane	ND		ug/Kg	250	04/06/21	04/06/21
1,2-Dibromoethane	ND		ug/Kg	250	04/06/21	04/06/21
Chlorobenzene	ND		ug/Kg	250	04/06/21	04/06/21
1,1,1,2-Tetrachloroethane	ND		ug/Kg	250	04/06/21	04/06/21
Ethylbenzene	ND		ug/Kg	250	04/06/21	04/06/21

ENTHALPY ANALYTICAL

Batch QC

QC918004 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
m,p-Xylenes	ND		ug/Kg	500	04/06/21	04/06/21
o-Xylene	ND		ug/Kg	250	04/06/21	04/06/21
Styrene	ND		ug/Kg	250	04/06/21	04/06/21
Bromoform	ND		ug/Kg	250	04/06/21	04/06/21
Isopropylbenzene	ND		ug/Kg	250	04/06/21	04/06/21
1,1,2,2-Tetrachloroethane	ND		ug/Kg	250	04/06/21	04/06/21
1,2,3-Trichloropropane	ND		ug/Kg	250	04/06/21	04/06/21
Propylbenzene	ND		ug/Kg	250	04/06/21	04/06/21
Bromobenzene	ND		ug/Kg	250	04/06/21	04/06/21
1,3,5-Trimethylbenzene	ND		ug/Kg	250	04/06/21	04/06/21
2-Chlorotoluene	ND		ug/Kg	250	04/06/21	04/06/21
4-Chlorotoluene	ND		ug/Kg	250	04/06/21	04/06/21
tert-Butylbenzene	ND		ug/Kg	250	04/06/21	04/06/21
1,2,4-Trimethylbenzene	ND		ug/Kg	250	04/06/21	04/06/21
sec-Butylbenzene	ND		ug/Kg	250	04/06/21	04/06/21
para-Isopropyl Toluene	ND		ug/Kg	250	04/06/21	04/06/21
1,3-Dichlorobenzene	ND		ug/Kg	250	04/06/21	04/06/21
1,4-Dichlorobenzene	ND		ug/Kg	250	04/06/21	04/06/21
n-Butylbenzene	ND		ug/Kg	250	04/06/21	04/06/21
1,2-Dichlorobenzene	ND		ug/Kg	250	04/06/21	04/06/21
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	250	04/06/21	04/06/21
1,2,4-Trichlorobenzene	ND		ug/Kg	250	04/06/21	04/06/21
Hexachlorobutadiene	ND		ug/Kg	250	04/06/21	04/06/21
Naphthalene	ND		ug/Kg	250	04/06/21	04/06/21
1,2,3-Trichlorobenzene	ND		ug/Kg	250	04/06/21	04/06/21
Xylene (total)	ND		ug/Kg	250	04/06/21	04/06/21
Surrogates				**Limits**		
Dibromofluoromethane	94%		%REC	70-130	04/06/21	04/06/21
1,2-Dichloroethane-d4	97%		%REC	70-145	04/06/21	04/06/21
Toluene-d8	103%		%REC	70-145	04/06/21	04/06/21
Bromofluorobenzene	95%		%REC	70-145	04/06/21	04/06/21

Type: Lab Control Sample **Lab ID:** QC918146 **Batch:** 264667
Matrix: Soil **Method:** EPA 8015B **Prep Method:** EPA 5030B

QC918146 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
TPH Gasoline	4.961	5.000	mg/Kg	99%		70-130
Surrogates						
Bromofluorobenzene (FID)	0.2500	0.2000	mg/Kg	125%		60-140

ENTHALPY ANALYTICAL

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC918147	Batch: 264667
Matrix: Soil	Method: EPA 8015B	Prep Method: EPA 5030B

QC918147 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
TPH Gasoline	4.842	5.000	mg/Kg	97%		70-130	2	20
Surrogates								
Bromofluorobenzene (FID)	0.2500	0.2000	mg/Kg	125%		60-140		

Type: Blank	Lab ID: QC918148	Batch: 264667
Matrix: Soil	Method: EPA 8015B	Prep Method: EPA 5030B

QC918148 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
TPH Gasoline	ND		mg/Kg	3.0	04/07/21	04/07/21
Surrogates				**Limits**		
Bromofluorobenzene (FID)	120%		%REC	60-140	04/07/21	04/07/21

Type: Blank	Lab ID: QC918142	Batch: 264691
Matrix: Soil	Method: EPA 8015B	Prep Method: EPA 3580

QC918142 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
TPH (C13-C22)	ND		mg/Kg	10	04/07/21	04/07/21
TPH (C23-C44)	ND		mg/Kg	10	04/07/21	04/07/21
Surrogates				**Limits**		
n-Triacontane	121%		%REC	70-130	04/07/21	04/07/21

Type: Lab Control Sample	Lab ID: QC918143	Batch: 264691
Matrix: Soil	Method: EPA 8015B	Prep Method: EPA 3580

QC918143 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Diesel C10-C28	246.8	250.0	mg/Kg	99%		76-122
Surrogates						
n-Triacontane	12.22	10.00	mg/Kg	122%		70-130

Type: Matrix Spike	Lab ID: QC918144	Batch: 264691
Matrix (Source ID): Soil (443579-001)	Method: EPA 8015B	Prep Method: EPA 3580

QC918144 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
Diesel C10-C28	431.1	25.42	250.0	mg/Kg	162%	*	62-126	1
Surrogates								
n-Triacontane	9.385		10.00	mg/Kg	94%		70-130	1

ENTHALPY ANALYTICAL

Batch QC

Type:	**Matrix Spike Duplicate**	**Lab ID:**	**QC918145**	**Batch:**	**264691**
Matrix (Source ID):	**Soil (443579-001)**	**Method:**	**EPA 8015B**	**Prep Method:**	**EPA 3580**

QC918145 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim	DF
Diesel C10-C28	342.5	25.42	250.0	mg/Kg	127%	*	62-126	23	35	1
Surrogates										
n-Triacontane	9.066		10.00	mg/Kg	91%		70-130			1

* Value is outside QC limits

ND Not Detected


Appendix E

Replacement Clarifier Design Specifications

1200 GALLON CLARIFIER TANK

MODEL CL1200

TRAFFIC RATED ACCEPTED BY UPC®



- LIQUID CAPACITY: 1200 GALLONS
- TANK DESIGNED FOR H-20 TRAFFIC WHEEL LOAD WITH DRY SOIL CONDITIONS (WATER TABLE BELOW TANK) 4" TO 6'-6" MAX. EARTH COVER OVER TANK.

MINIMUM EXCAVATION SIZE:
6'-9" X 9'-6" X DEPTH REQ'D.

- SUITABLE NATIVE OR SUB-BASE SHALL BE PREPARED TO HANDLE ANTICIPATED LOADS. THE EXCAVATION SHALL BE BEDDED WITH SUITABLE GRANULAR MATERIAL AND SHALL BE COMPACTED TO 90% MAXIMUM DRY DENSITY, OR TO REQUIREMENTS OF THE PROJECT GEOTECHNICAL ENGINEER.
- FOR COMPLETE DESIGN AND PRODUCT INFORMATION CONTACT JENSEN PRECAST.


THE DESIGN AND DETAIL OF THIS DRAWING ARE THE PROPERTY OF JENSEN PRECAST AND NOT TO BE USED EXCEPT IN CONNECTION WITH ITS OWN WORK. DESIGN AND INVENTION RIGHTS ARE RESERVED.

10/01/03
1200CL_JP-W.dwg
© 2003 Jensen Precast

JENSEN PRECAST®


24" CLEAR OPENING

TRAFFIC
FRAME AND COVER
WITH GASKET



STANDARD MODEL

WEIGHT:
COVER 110 LBS.
FRAME 76 LBS.



FOR SLAB CONSTRUCTION

GENERAL INFORMATION

- ALL MATERIALS USED IN MANUFACTURING SHALL CONFORM TO ASTM A48, CLASS 35B.
- FRAME & COVER BEARING SURFACES MACHINED TO ASSURE CLOSE, QUIET FIT.
- STANDARD COVER MEETS H-20 WHEEL LOADING.
- MARKED "INTERCEPTOR"
- OIL RESISTANT T-GASKET USED FOR GAS TIGHT SEAL.
- PROPER HANDLING AND SERVICING IS REQUIRED TO MAINTAIN T-GASKET AND INSURE A GAS TIGHT SEAL.
- OPTIONAL F&C's – TRAFFIC BOLT DOWN.
  – PARKWAY COVER & FRAME (1 1/2" High).

FOR COMPLETE DESIGN
AND PRODUCT INFORMATION,
CONTACT JENSEN PRECAST.

10-01-03
24FC_INT_W.dwg
© 2003 Jensen Precast

JENSEN PRECAST®

Appendix F

Backfill Import Documents

SO CALIFORNIA 800.522.0282
NOR CALIFORNIA 800.734.3053
ARIZONA 855.522.0282

WEST COAST SAND & GRAVEL

TICK # 1678757

DELIVERY TICKET

GET A QUOTE @www.wcsg.com

Date: 4/6/21

Job #: 191358 P.O. #: 191358

Sold To: Innovative Construction Solutions

Job Location: 1401 S. Brand Ave

Glendale, Ca. 91204

DRIVER: Dimas Truck #: 3 Plant: UN

Reference #: 472586 Arrival Time: 6:50

Gross Wt: 26.72 Time Departed: 7:10

Tare Wt: 14.22 Total Time: 20 min

Net Wt: 12.50

Commodity: 3/4 CR

Other Notes:

Time Allowed:

Excess Time:

Reason For Standby:

Deliveries shall be made where customer designates. Customer herby assumes responsibility for damage inside curb or property line. Any and all claims for shortage and/or quality of product delivered will not be allowed unless made at time of delivery

Consignor/Consignee Printed Name

Consignor/Consignee Signature

SO CALIFORNIA 800.522.0282
NOR CALIFORNIA 800.734.3053
ARIZONA 855.522.0282

WEST COAST SAND & GRAVEL

TICK # 1679890
DELIVERY TICKET

GET A QUOTE @www.wcsg.com

Date: 4/15/21

Job #: _____ P.O. #: 191358

Sold To: Innovative Construction Solutions

Job Location: 1401 S Brand Blvd
Glendale, CA

DRIVER: JG M Truck #: 20 Plant: _____

Reference #: 550130 Arrival Time: 1012

Gross Wt: _____ Time Departed: _____

Tare Wt: _____ Total Time: _____

Net Wt: _____ Time Allowed: _____

Commodity: Fill Sand Excess Time: _____

Other Notes: _____ Reason For Standby: _____

Deliveries shall be made where customer designates. Customer herby assumes responsibility for damage inside curb or property line. Any and all claims for shortage and/or quality of product delivered will not be allowed unless made at time of delivery

Brian Mahaffey
Consignor/Consignee Printed Name

Consignor/Consignee Signature

SO CALIFORNIA 800.522.0282
NOR CALIFORNIA 800.734.3053
ARIZONA 855.522.0282

WEST COAST SAND & GRAVEL

TICK # 1E78758

DELIVERY TICKET

GET A QUOTE @www.wcsg.com

Date: 4/6/21

Job #: 191358 P.O. #: 191358

Sold To: Innovative Construction Solutions

Job Location: 1401 S. Brand Ave

Glendale, Ca. 91204

DRIVER: Dimas Truck #: 3 Plant: UN

Reference #: 472587 Arrival Time: 6:50

Gross Wt: 39.64 Time Departed: 7:10

Tare Wt: 26.72 Total Time: 20 min

Net Wt: 12.92

Commodity: S/F/S

Other Notes:

Time Allowed:

Excess Time:

Reason For Standby:

Deliveries shall be made where customer designates. Customer herby assumes responsibility for damage inside curb or property line. Any and all claims for shortage and/or quality of product delivered will not be allowed unless made at time of delivery

Consignor/Consignee Printed Name

Consignor/Consignee Signature

WARNING
IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves.
PROLONGED CONTACT MAY CAUSE BURNS.
Avoid Contact With Eyes and Prolonged Contact With Skin.
In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention.

NOTICE: Cement, fine and coarse aggregate contains chemicals known to the State of California to cause cancer or birth defects or other reproductive harm.

KEEP OUT OF REACH OF CHILDREN.

WEIGHMASTER CERTIFICATE
THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture

NOTE: **The Company shall have no liability for and hereby excludes warranties or merchantability and fitness for any purpose, and all other warranties express or implied, with respect to reactive aggregate, and popping (Pop-Outs), checking, discoloring of surface cracking of concrete.**

CONTROL NUMBER
6562885

TICKET NUMBER
58267356

LOADING	LEAVE PLANT	ARRIVE JOB	START UNL	FINISH UNL	LEAVE JOB	ARRIVE PLANT	OVERTIME	WATER ADDED
	9:47	10:11	10:16	10:37	10:44	11:07		25

DRIVER: I have verified the specific slump for this job to be: 4" D.V
I verify that this load will meet the slump spec on the job X D.V (Please initial)

IMPORTANT **CUSTOMER: READ BEFORE SIGNING, WILL AFFECT YOUR RIGHTS.** SIGNATURE BELOW CONSTITUTES ACCEPTANCE OF ALL TERMS, CONDITIONS & WAIVERS PRINTED ON FRONT & BACK OF THIS FORM.

ALL INVOICES SHALL BE PAID IN FULL ON OR BEFORE THE LAST DAY OF THE MONTH FOLLOWING THE DATE OF DELIVERY. CUSTOMER AGREES TO PAY A SERVICE CHARGE 1 1/2% PER MONTH ON ALL INVOICES WHICH ARE PAST DUE. IN ADDITION, CUSTOMER AGREES TO PAY ALL COSTS AND EXPENSES FOR COLLECTION OF ANY AMOUNTS DUE HEREUNDER, INCLUDING ACTUAL ATTORNEY'S FEES INCURRED.

ASSOCIATED READY MIXED CONCRETE
2730 E. WASHINGTON BLVD
LOS ANGELES, CA 90023

58267356

DRIVER NOTES
- ☐ JOBSITE DELAY
- ☒ 100% OF LOAD 25 gal
- ☐ PLACEMENT
- ☐ 75% OF LOAD ____ gal
- ☐ EARLY ARRIVAL
- ☐ 50% OF LOAD ____ gal
- ☐ EQUIPMENT FAILURE
- ☐ 25% OF LOAD ____ gal
- ☐ ADD'L WATER ADDED BY CUST/INSP/PUMPER
- ☐ WAS WATER ADDED AFTER BEING ON JOB FOR 30 MIN OR MORE

LOAD TIME: 09:27

PHONE # 818-504-3100

SOLD TO	P.O. #	CUSTOMER #	C.O.D.	DATE
INNOVATIVE CONST SOLUTIONS INC	191358	73534	☐ CASH ☐ CHECK	04/16/21

DELIVERY ADDRESS	MAP PAGE	ZONE	TIME DUE
1401 S BRAND BLVD/ GLENDALE	564 E7	564	10:02

CROSS STREETS
THANK YOU FOR GIVING US THE OPPOTUNITY TO SERVE YOU !

PROJECT#	ORDER #
73534167	289

MIX	LOAD SIZE	LOAD #	USE	PLANT	TRUCK #	DRIVER
31000	4.00	0001	SLURRY 58	0467	VALENZUELA, PHILLIP	

WEIGHMASTER: DEP-CLARK, MITCHELL

Weighed By: Associated Ready Mix Concrete Inc.
Weighed At: 8946 Bradley Avenue, Sun Valley, CA 91352

Order Total:

LOAD QUANTITY	CUMULATIVE QTY.	ORDERED QTY.	PRODUCT CODE	PRODUCT DESCRIPTION	UNIT PRICE	AMOUNT
4.00CYDS	4.00	4.00	31000	1.0 SACK SAND		
1.00ea			899	OT=$2.50 PER M		
1.00ea			926	ENVIRONMENT FE		
1.00ea			936	ENERGY SURCHAR		

Rev / Start 0 Rev / Stop 115

EXCESSIVE TIME ON JOB WILL RESULT IN ADDITIONAL PER MINUTE CHARGES.

☐ Full load returned
☒ Partial load returned

2 Yards

MIN. LOAD CHG.	
TAX	
SUB TOTAL	
OVERTIME	
TOTAL DUE	

WATER ADDED AT PLANT	% MOISTURE	F.M.	T.A.	SLUMP
191.5	4.30	60.1	244.0	4.00

Returned checks may subject maker, in addition to the amount owing, treble the amount owing, up to a maximum of $1500.00 (Civil Code Sect. 1719). A returned check charge of $35.00 will be charged plus an additional $100.00 for any mechanics lien.

RECEIVED BY

X

The terms and conditions on the reverse side of this Delivery ticket and any attachments thereto are a part of the agreement between Company and Customer. Acceptance of this order constitutes agreement to all terms and conditions shown on the face and back.

READ FRONT AND REVERSE SIDES CAREFULLY.

The above signee is over the age of eighteen (18) years and has authority to execute this Agreement on behalf of Customer.

4 MINUTES OF UNLOADING TIME PER YARDS OF CONCRETE FREE OF CHARGE. ADDITIONAL UNLOADING TIME CHARGED AT CURRENT HOURLY TRUCK RATE.

$2.50/MIN

SAFETY FIRST!