



**CEQA EXEMPTION / NEPA CATEGORICAL EXCLUSION
DETERMINATION FORM (rev. 06/2022)**

Project Information

Project Name (if applicable): Pavement Rehabilitation

DIST-CO-RTE: 06-MAD-41,49 **PM/PM:** Various

EA: 06-1K210 **Federal-Aid Project Number:** NA

Project Description

The project proposes repairing failed areas (dig-outs), cold-planing 0.15 feet of the existing pavement and replacing it with hot mix asphalt (Type A) at various locations on State Route 41, 49 in Madera County. Additional work includes replacing sign panels, traffic stripes, and pavement markings. All work will be performed within the existing Caltrans right of way. All work to occur within Caltrans right of way.

Caltrans CEQA Determination (Check one)

- Not Applicable** – Caltrans is not the CEQA Lead Agency
- Not Applicable** – Caltrans has prepared an IS or EIR under CEQA

Based on an examination of this proposal and supporting information, the project is:

- Exempt by Statute.** (PRC 21080[b]; 14 CCR 15260 et seq.)
- Categorically Exempt. Class 1c.** (PRC 21084; 14 CCR 15300 et seq.)
 - No exceptions apply that would bar the use of a categorical exemption (PRC 21084 and 14 CCR 15300.2). See the [SER Chapter 34](#) for exceptions.
- Covered by the Common Sense Exemption.** This project does not fall within an exempt class, but it can be seen with certainty that there is no possibility that the activity may have a significant effect on the environment (14 CCR 15061[b][3].)

Senior Environmental Planner or Environmental Branch Chief

Pedram Mafi		02/25/2026
Print Name	Signature	Date

Project Manager

Gurpaul Bath		02/26/2026
Print Name	Signature	Date



CEQA EXEMPTION / NEPA CATEGORICAL EXCLUSION DETERMINATION FORM

Caltrans NEPA Determination (Check one)

Not Applicable

Caltrans has determined that this project has no significant impacts on the environment as defined by NEPA, and that there are no unusual circumstances as described in 23 CFR 771.117(b). See [SER Chapter 30](#) for unusual circumstances. As such, the project is categorically excluded from the requirements to prepare an EA or EIS under NEPA and is included under the following:

23 USC 326: Caltrans has been assigned, and hereby certifies that it has carried out the responsibility to make this determination pursuant to 23 USC 326 and the Memorandum of Understanding dated April 18, 2022, executed between FHWA and Caltrans. Caltrans has determined that the project is a Categorical Exclusion under:

- 23 CFR 771.117(c): activity (c)(Enter activity number)**
- 23 CFR 771.117(d): activity (d)(Enter activity number)**
- Activity Enter activity number listed in Appendix A of the MOU between FHWA and Caltrans**

23 USC 327: Based on an examination of this proposal and supporting information, Caltrans has determined that the project is a Categorical Exclusion under 23 USC 327. The environmental review, consultation, and any other actions required by applicable Federal environmental laws for this project are being, or have been, carried out by Caltrans pursuant to 23 USC 327 and the Memorandum of Understanding dated May 27, 2022, and executed by FHWA and Caltrans.

Senior Environmental Planner or Environmental Branch Chief

Print Name	Signature	Date
------------	-----------	------

Project Manager/ DLA Engineer

Print Name	Signature	Date
------------	-----------	------

Date of Categorical Exclusion Checklist completion (if applicable): NA

Date of Environmental Commitment Record or equivalent: 2/18/2026

Briefly list environmental commitments on continuation sheet if needed (i.e., not necessary if included on an attached ECR). Reference additional information, as appropriate (e.g., additional studies and design conditions).



**CEQA EXEMPTION / NEPA CATEGORICAL EXCLUSION
DETERMINATION FORM**

Continuation sheet:

A lead compliance plan developed by a Certified Industrial Hygienist is recommended for ground disturbing activities, as stated in Caltrans' Standard Special Provision 7-1.02K(6)(j)(iii) Earth Material Containing Lead.

Residue from removal of yellow thermoplastic pavement marking and/or yellow painted traffic stripe may contain lead chromate. Residue produced from the separate removal of any yellow thermoplastic pavement marking, and/or yellow painted traffic stripe may contain heavy metals in concentrations that exceed thresholds established by the Health and Safety Code and 22 California Code of Regulations. Include Standard Special Provision 36-4 for work involving residue from grinding and cold planing that contains lead from paint and thermoplastic and addresses the need for a lead compliance plan (please note that one lead compliance plan may address soil and paint/marketing materials).

If previously unidentified cultural materials are unearthed during construction, work shall be halted in that area until a qualified archaeologist can assess the significance of the find.

Apply avoidance and/or minimization measure as required for nesting birds/night work. Pre-construction surveys for nesting migratory birds shall be required if vegetation removal work is done during the nesting bird season, February to September.