

# Summary Form for Electronic Document Submittal

**Form F**

Lead agencies may include 15 hardcopies of this document when submitting electronic copies of Environmental Impact Reports, Negative Declarations, Mitigated Negative Declarations, or Notices of Preparation to the State Clearinghouse (SCH). The SCH also accepts other summaries, such as EIR Executive Summaries prepared pursuant to CEQA Guidelines Section 15123. Please include one copy of the Notice of Completion Form (NOC) with your submission and attach the summary to each electronic copy of the document.

SCH #: \_\_\_\_\_

Project Title: West Belmont (N), Exbourne (W) Water Tank Improvements

Lead Agency: Mid-Peninsula Water District

Contact Name: Sarah Scheidt, Operations Manager

Email: sscheidt@midpeninsulawater.org

Phone Number: 650-591-8941

Project Location: Belmont  
*City*

San Mateo  
*County*

Project Description (Proposed actions, location, and/or consequences).

The project proposes to recoat two water tanks: one off of Exbourne Avenue and one off Belmont Canyon Road (both are in the City of Belmont, though the Exbourne site is accessed from a driveway in San Carlos). The Exbourne (W) Tank is approximately 66 feet in diameter and 43 feet high, with a capacity of one million gallons. The West Belmont (N) Tank is approximately 56 feet in diameter by 46 feet high, with a capacity of 850,000 gallons. The Exbourne (W) Tank will undergo an exterior overcoat and full interior recoat. The West Belmont (N) Tank will undergo an exterior overcoat. Minor appurtenance improvements are also planned at one or both sites including replacing anchor bolt nuts, exterior/interior ladder modifications, roof safety gate modification, level indicators, and installation of a roof blower and additional roof vents to improve air circulation. The project includes best management practices related to biological resources, hazardous materials, hydrology and water quality, and noise.

Identify the project's significant or potentially significant effects and briefly describe any proposed mitigation measures that would reduce or avoid that effect.

N/A.

If applicable, describe any of the project's areas of controversy known to the Lead Agency, including issues raised by agencies and the public.

There are no known areas of controversy.

Provide a list of the responsible or trustee agencies for the project.

None