



**CEQA EXEMPTION
DETERMINATION FORM (rev. 06/2022)**

Project Information

Project Name (if applicable): Signs Installation near Coronado Bridge (SR-75)

DIST-CO-RTE: 11-SD-75

PM/PM: 20.186/20.467

EA:

Federal-Aid Project Number:

Project Description

Caltrans proposes to replace, enhance, and improve signage near the SR-75 Coronado Bridge Toll Plaza in San Diego County between PM 20.186 and 20.467. Specifically, the project would include the replacement of four signs, two of which require larger signs to match regulatory CA-MUTCD standards and two which are significantly damaged. One of these signs would require post realignment. It would also include the removal of one sign and post, and the installation of two new posts for a Navy Base sign just south of the removed sign. The project aims to improve guidance to the Naval Base and minimize erroneous drivers reaching the base.

Caltrans CEQA Determination (Check one)

- Not Applicable** – Caltrans is not the CEQA Lead Agency
- Not Applicable** – Caltrans has prepared an IS or EIR under CEQA

Based on an examination of this proposal and supporting information, the project is:

- Exempt by Statute.** (PRC 21080[b]; 14 CCR 15260 et seq.)
- Categorically Exempt. Class 1.** (PRC 21084; 14 CCR 15300 et seq.)
 - No exceptions apply that would bar the use of a categorical exemption (PRC 21084 and 14 CCR 15300.2). See the [SER Chapter 34](#) for exceptions.
- Covered by the Common Sense Exemption.** This project does not fall within an exempt class, but it can be seen with certainty that there is no possibility that the activity may have a significant effect on the environment (14 CCR 15061[b][3].)

Senior Environmental Planner or Environmental Branch Chief

Matthew Voss	<i>Matthew Voss</i>	3/13/26
Print Name	Signature	Date

Project Manager

Tonya Carter	<i>Tonya Carter</i>	03/16/2026
Print Name	Signature	Date



CEQA EXEMPTION / NEPA CATEGORICAL EXCLUSION DETERMINATION FORM

Caltrans NEPA Determination (Check one)

[X] Not Applicable

Caltrans has determined that this project has no significant impacts on the environment as defined by NEPA, and that there are no unusual circumstances as described in 23 CFR 771.117(b). See SER Chapter 30 for unusual circumstances. As such, the project is categorically excluded from the requirements to prepare an EA or EIS under NEPA and is included under the following:

[] 23 USC 326: Caltrans has been assigned, and hereby certifies that it has carried out the responsibility to make this determination pursuant to 23 USC 326 and the Memorandum of Understanding dated April 18, 2022, executed between FHWA and Caltrans. Caltrans has determined that the project is a Categorical Exclusion under:

[] 23 CFR 771.117(c): activity (c)()

[] 23 CFR 771.117(d): activity (d)()

[] Activity listed in Appendix A of the MOU between FHWA and Caltrans

[] 23 USC 327: Based on an examination of this proposal and supporting information, Caltrans has determined that the project is a Categorical Exclusion under 23 USC 327. The environmental review, consultation, and any other actions required by applicable Federal environmental laws for this project are being, or have been, carried out by Caltrans pursuant to 23 USC 327 and the Memorandum of Understanding dated May 27, 2022, and executed by FHWA and Caltrans.

Senior Environmental Planner or Environmental Branch Chief

N/A Print Name, N/A Signature, N/A Date

Project Manager/ DLA Engineer

N/A Print Name, N/A Signature, N/A Date

Date of Categorical Exclusion Checklist completion (if applicable): N/A

Date of Environmental Commitment Record or equivalent: N/A

Briefly list environmental commitments on continuation sheet if needed (i.e., not necessary if included on an attached ECR). Reference additional information, as appropriate (e.g., additional studies and design conditions).



**CEQA EXEMPTION / NEPA CATEGORICAL EXCLUSION
DETERMINATION FORM**

IMPACT AVOIDANCE MEASURES:

- Protect vegetation outside of the grading limits and contractor use areas. No equipment, material storage, or vehicles are allowed in vegetated areas.
- Landscape and irrigation impacts would be repaired.