11.4 Hydrology Study

Preliminary Hydrology and Hydraulics Study

for

3800 Via Oro Avenue

Long Beach, CA

FEBRUARY 2026 | PRELIMINARY

Prepared for:
AG-9ST Via Oro Owner, LLC.
100 Spectrum Center Dr. Suite 900
Long Beach, CA 90810

Prepared By:

Kimley»Horn

KHA Project # 194717001
© 2026 Kimley-Horn and Associates, Inc.

Contents

Introduction 4

Project Description and Purpose 4

Project site conditions 5

Existing Site (Pre-Development) Conditions 5

Proposed Site (Post-Development) Conditions 6

Low Impact Development (LID) 6

Precipitation 7

Soil Types 7

Land Use 7

FEMA Mapping 7

Hydrologic Analysis 7

Methodology 7

Results and Conclusions 8

Appendix A 10

Appendix B 11

Appendix C 12

Appendix D 13

Appendix E 14

Appendix F 15

Appendix G 16

Figures

Figure 1: Project Site Location 5

Tables

Table 1. Pipe Sizing Table 8

Table 2. Existing vs Proposed Condition Flow Comparison..... 8

INTRODUCTION

Kimley-Horn and Associates has been retained to prepare a Hydrology Report for the proposed industrial warehouse in Long Beach, California. The purpose of this report is to demonstrate analysis of the hydrologic and hydraulic conditions associated with the development of the project site. To do so, the following is in the scope of this report:

- Discuss the pre-development discharge patterns and points
- Discuss the post-development discharge patterns and points
- Determine the pre-development onsite flow rates for the 25-year event
- Determine the post-development un-mitigated flow rates for the 25-year event

Even though this report discusses stormwater, this report is not a Stormwater Pollution Prevention Plan (SWPPP), a Groundwater Study, a Geotechnical Report, nor a Low Impact Development (LID) Plan. Each of these separate reports discusses separate aspects of stormwater. Portions of the Geotechnical Report are utilized and referenced for the purpose of this report. Similarly, the requirements of the LID are considered for the stormwater mitigation and sizing of outlet structures for this project.

PROJECT DESCRIPTION AND PURPOSE

The proposed industrial warehouse at 3800 Via Oro Avenue (hereinafter referenced as the Project) is located on the North-east corner of the intersection of Hughes Way and Via Oro Avenue in the City of Long Beach, CA in Los Angeles County. The project is bound to the North by an industrial building/corporate office for Denso Robotics, to the East by Long Beach Freeway (Interstate 710), to the South by Hughes Way, and to the West by Via Oro Avenue. The project consists of one 315,652 SF industrial building on a total site area of approximately 13.2 acres. The proposed Project consists of parking stalls, loading docks, landscape and drive aisles. The project site is in the West Long Beach Business Park Planned Development (PD-26) district.

Figure 1: Project Site Location



VICINITY MAP NOT TO SCALE

PROJECT SITE CONDITIONS

EXISTING SITE (PRE-DEVELOPMENT) CONDITIONS

In the existing condition, the site is made up of a broadcasting center equipped with numerous satellite dishes, landscape areas, parking lots, and a field of solar panels. The site was formerly used as a California Broadcasting Center Facility.

The site generally slopes northwest to southeast via surface flow and curb/gutters. The southern portion of the site has a wall along the building, thus surface water from the western paved area sheet flows east to a curb and gutter which drains onto Hughes Way. On the impervious area with solar panels, surface water sheet flows generally south onto Hughes Way. Once the water drains onto Hughes Way from the site, it is carried along curb and gutter into a catch basin where it enters the City of Long Beach public storm drain system. Flow travels through the public storm drain system and eventually discharges into the Los Angeles River and flows to the Pacific Ocean.

The 25-year storm depth and soil type for the existing site were determined using the Los Angeles County department of public works hydraulic analysis maps. Refer to **Appendix A** for LA County Hydraulic Analysis Unit research and findings.

PROPOSED SITE (POST-DEVELOPMENT) CONDITIONS

In the proposed condition, improvements include the construction of a new industrial building, parking lots, a truck dock, and landscape islands. Infiltration was determined to be infeasible with respect to environmental concerns after infiltration testing as well as insufficient infiltration after factors of safety were applied.

The proposed grades mimic natural flow patterns while directing flow away from the proposed building. An underground storm drain system consisting of catch basins and piping will be used to convey water around the site to the southeast portion of the property towards an underground detention tank system. Flow from the roof will also travel South and North, piped and spill to grade in the loading dock, continuing east to the water detention system. The site consists of ten drainage management areas, DMA 1 – DMA 10, which collect in an underground detention tank where the water is stored for treatment.

Low flows are pumped from the underground detention system into the proposed WetlandMOD units (or approved equal biofiltration device) located in the easterly portion of the site at the treatment flow rate of the Wetland Mod system. Treated stormwater will gravity flow back into the public storm drain running through the east site of the site. The flows will ultimately enter the City of Long Beach public storm drain system.

In a high flow event where the underground detention system reaches full capacity, stormwater will be pumped out of the underground system. In the event that the high flow pump fails, the high flow event will be allowed to pond slightly to a depth of less than 6", and then it will spill out from the driveway.

LOW IMPACT DEVELOPMENT (LID)

A separate PLID report was prepared by Kimley-Horn and Associates. Per the report, *the proposed (PLID) system stormwater quality control measures and structural source measures are adequately designed and sized to accomplish the following:*

- *Capture and mitigate the SQWDv volume from the 85th percentile, 24-hour storm;*
- *Prevent pollutants from contacting stormwater run-off and/or prevent discharge of contaminated stormwater run-off to storm drain system*

Grading Plans prepared By Kimley-Horn include the implementation of source control BMPs and water treatment devices. Two Bioclean WetlandMOD proprietary biofiltration BMPs (or approved equal) are proposed for treatment, operating in tandem for the entire drainage area.

Based on preliminary infiltration testing conducted by Southern California Geotechnical, the measured infiltration rate of the site was 0.3 inches per hour. SoCalGeo provided preliminary infiltration rates ranging from 0.2 – 0.5 in/hr. A factor of safety of 3 was applied based on the City of Long Beach Guidelines for Geotechnical Investigation and Reporting for Low Impact Development Stormwater Infiltration. Based on the City of Long Beach LID Manual, the minimum design infiltration rate is 0.3 in/hr after a factor of safety has been applied. After incorporating the factor of safety, the design infiltration rate was calculated to be 0.1 inches per hour. The Project was deemed infeasible for infiltration due to environmental concerns after infiltration testing and the insufficient design infiltration rate.

The project was also analyzed for harvest and reuse and based on the proposed sites pervious area (0-20%) and a design infiltration rate of 0.1 in/hr, the site will have a landscape area categorization of 3. A landscape classification will deem the site infeasible for harvest and reuse.

PRECIPITATION

Precipitation values for the hydrologic analysis were determined from site specific precipitation frequency estimates per the Los Angeles County Hydrology Map. For this site, the 50-year, 24-hour storm precipitation depth of 5.87 inches was used. Hydrocalc was used to calculate the 25-year, 24-hr pre- and post-development flows. See **Appendix A** for calculations.

SOIL TYPES

The Natural Resources Conservation Service (NRCS) has classified soils into four general hydrologic groups for comparing infiltration and runoff rates. This Project Site has a hydrologic soil group classification of B. Group B Soils have a moderate infiltration rate when thoroughly wet and consist largely of sand and sandy loam with minimal amounts of clay. Soil Type 15 underlies the Site based on GIS soil type data from the LA County Hydrology Map. See **Appendix B** for Soil Maps.

LAND USE

The property is designated as Industrial (I) land use. The zoning is PD-26 (West Long Beach Business Parks Planned Development Plan). This zone permits manufacturing products, industrial activities, warehousing, storage, and more. All development standards from the "IL" (Light Industrial) zone of the zoning regulations also apply.

FEMA MAPPING

The project site is covered by FEMA Flood Insurance Rate Map (FIRM) Number 06037C1955F. The project area does not fall within a FEMA-mapped special flood hazard area. The site is classified as Zone X, which is an area with reduced flood risk due to a levee. The effective FIRMETTE is dated September 26, 2008 and is provided in **Appendix C.**

HYDROLOGIC ANALYSIS

METHODOLOGY

The design criteria for the hydrologic calculations for this project have been conducted per requirements as outlined in the Los Angeles County Department of Publics Works Hydrology Manual (January 2006).

A 25-year storm event (the Urban Flood level of protection) was used to model the peak flow rates since the site does not fall under the Capital Flood protection conditions necessary to treat the 50-year storm. The proposed Project was modeled using a C value based on the calculated impervious/pervious areas of the site. The County's HydroCalc software was utilized to determine the peak flow rates and time of concentration for the project. The site has been modeled with detailed drainage sub areas to obtain accurate, final levels results. Refer to the hydrology maps in **Appendix D** for the drainage management area boundaries, drainage distribution, and existing catch basin locations. The HydroCalc calculations are included in this report as **Appendix E**.

Hydraulic calculations were performed for the main storm drains, utilizing Flowmaster, a software program developed by Bentley. The software utilizes Manning's equation to determine flow based on friction slopes for design. A friction slope of 0.4% was used to determine the full flow capacity each storm drain assuming

they are run at a minimum slope. See **Table 1** below. The onsite storm drains were sized based on the calculated 25-yr flows being conveyed compared to the pipe capacity. The Pipe Sizing calculations are located in **Appendix F.**

RESULTS AND CONCLUSIONS

The purpose of this study is to ensure that the Project does not significantly increase the amount of flow that exits the site and enters the existing system. Table 2 compares the flows of the existing versus proposed condition entering the existing catch basins obtained through HydroCalc and PondPack. Bentley's PondPack software was used to design the proposed detention tank to mitigate flow to below pre-developed conditions. The hydrograph of the 25-year storm for the proposed condition was imported into PondPack to determine the storage volume required to be detained to mitigate proposed flows up to the 25-year storm event. In the proposed condition, the site will utilize a dual pump system (or approved equal) to discharge directly into the allocated existing manhole of the City of Long Beach Storm main line. The site's storm water will discharge into the existing manhole found where the storm main transitions from a 24" to a 36" RCP. See **Appendix G** for PondPack output.

Table 1. Pipe Sizing Table

Pipe Size	Material	Capacity at 0.4% Friction Slope
6"	HDPE (n=0.011)	0.42 CFS
8"	HDPE (n=0.011)	0.90 CFS
12"	HDPE (n=0.011)	2.66 CFS
18"	HDPE (n=0.011)	7.85 CFS
24"	HDPE (n=0.011)	16.91 CFS
30"	HDPE (n=0.011)	30.66 CFS

Table 2. Existing vs Proposed Condition Flow Comparison

Scenario	Area	Impervious Area	Tc	Q_{25}
Existing Condition	13.28 AC	54.9%	21 min	14.5 CFS
Proposed Condition **(Unmitigated)**	13.28 AC	90.4%	18 min	29.27 CFS
Proposed Condition **(Mitigated, High Flow)**	-	-	-	5.46 CFS

Table 3. DMA Pipe Sizing Table

DMA	Cumulative flow (CFS)	Pipe selection	Pipe Capacity (CFS)
DMA 1	1.15	18-in	7.85
DMA 1+2	6.68	18-in	7.85
DMA 1+2+3	10.88	24-in	16.91
DMA 1+2+3+4	16.00	24-in	16.91
DMA 10	0.05	12-in	2.66
DMA 10+5	3.14	18-in	16.91
DMA 10+5+6	6.23	18-in	7.85
DMA 10+5+6+7	5.42*	18-in	7.85
DMA 10+5+6+7+8	7.52*	18-in	7.85
DMA 10+5+6+7+8+9	9.70*	24-in	16.91

*3.57 CFS is subtracted due to under sidewalk parkway drain to match existing peak flows onto Huges Way

In conclusion, the following was covered in this report:


- The pre-development discharge patterns and points were discussed.
- The post-development discharge patterns and points were discussed.
- The pre-development onsite flow rates for the 25-year event were determined.
- The post-development un-mitigated flow rates for the 25-year event were determined.
- The post-development 25-year mitigated flowrate was proven to be less than 95% of the pre-development 25-year flowrate for the downstream systems.

As discussed in the contents of this report, the development of the existing developed site into proposed condition (industrial warehouse) is not expected to cause a significant impact to downstream systems for storms up to the 25-year condition. The mitigated development discharges less stormwater flows than the existing site conditions.


In the proposed condition a portion of the site, DMA 10, 5, and 6 are all purposefully choked by a pipe downsize to be able to match the flow that is going onto Hughes Way based on the based on the existing hydrology map and only allow the LID flow to continue. In the existing condition, 8.62 CFS is directly discharged onto the public city curb and gutter via the existing driveway. In the proposed condition, a under sidewalk parkway drain is shown in a similar location of the existing driveway to be able to discharge an anticipated flow of 3.57 CFS; which would still be under the existing flow. For pond pack modeling of the proposed detention tank, the flow is still show going to the tank to help build redundancy in the tank and pump sizing.

APPENDIX A


ISOHYET MAP



50-YEAR 24-HOUR ISOHYET


About
Legend
Layers
LA County Hydrology Map
Layers
Hydrology GIS
50yr Two Tenths (Rainfall)
DPA Zones
Soils 2004
Final 85th Percentile, 24-hr Rainfall
1-year, 1-hour Rainfall Intensity
Final 95th Percentile, 24-hr Rainfall
LA County Parcels
Project Location
Soil Type 015
Esri, NASA, NGA, USGS, FEMA | Los Angeles County Public Works GIS Unit gis@dpw.la

SOILS 2004



FINAL 85TH PERCENTILE, 24-HR RAINFALL

APPENDIX B

SOIL TYPE

Soil Map—Los Angeles County, California, Southeastern Part



Map Scale: 1:2,020 if printed on A landscape (11" x 8.5") sheet.

N

Meters
0 25 50 100 150

Feet
0 50 100 200 300

Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 11N WGS84

MAP LEGEND

Area of Interest (AOI)
- Area of Interest (AOI)

Soils
- Soil Map Unit Polygons
- Soil Map Unit Lines
- Soil Map Unit Points

Special Point Features
- Blowout
- Borrow Pit
- Clay Spot
- Closed Depression
- Gravel Pit
- Gravelly Spot
- Landfill
- Lava Flow
- Marsh or swamp
- Mine or Quarry
- Miscellaneous Water
- Perennial Water
- Rock Outcrop
- Saline Spot
- Sandy Spot
- Severely Eroded Spot
- Sinkhole
- Slide or Slip
- Sodic Spot
- Spoil Area
- Stony Spot
- Very Stony Spot
- Wet Spot
- Other
- Special Line Features

Water Features
- Streams and Canals

Transportation
- Rails
- Interstate Highways
- US Routes
- Major Roads
- Local Roads

Background
- Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:24,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Los Angeles County, California, Southeastern Part
Survey Area Data: Version 10, Aug 30, 2023

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Apr 14, 2022—Apr 23, 2022

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
1001	Urban land-Metz-Pico complex, 0 to 2 percent slopes	15.7	100.0%
Totals for Area of Interest		**15.7**	**100.0%**


APPENDIX C

FIRMette

National Flood Hazard Layer FIRMette

FEMA

118°13'1"W 33°50'1"N



118°12'24"W 33°49'31"N

0 250 500 1,000 1,500 2,000 Feet

1:6,000

Basemap Imagery Source: USGS National Map 2023

Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS
- Without Base Flood Elevation (BFE) *Zone A, V, A99*
- With BFE or Depth *Zone AE, AO, AH, VE, AR*
- Regulatory Floodway

OTHER AREAS OF FLOOD HAZARD
- 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile *Zone X*
- Future Conditions 1% Annual Chance Flood Hazard *Zone X*
- Area with Reduced Flood Risk due to Levee. See Notes. *Zone X*
- Area with Flood Risk due to Levee *Zone D*

OTHER AREAS
- NO SCREEN Area of Minimal Flood Hazard *Zone X*
- Effective LOMRs
- Area of Undetermined Flood Hazard *Zone D*

GENERAL STRUCTURES
- Channel, Culvert, or Storm Sewer
- Levee, Dike, or Floodwall

OTHER FEATURES
- 20.2 / 17.5 Cross Sections with 1% Annual Chance / Water Surface Elevation
- Coastal Transect
- Base Flood Elevation Line (BFE)
- Limit of Study
- Jurisdiction Boundary
- Coastal Transect Baseline
- Profile Baseline
- Hydrographic Feature

MAP PANELS
- Digital Data Available
- No Digital Data Available
- Unmapped

N

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 9/18/2024 at 5:23 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

APPENDIX D

HYDROLOGY EXHIBITS





EXHIBIT 3: Conceptual Site Plan - Tenant Use Option 1

3800 VIA ORO AVENUE PROJECT

Kimley»Horn

EXISTING CONDITIONS

DMA #	TOTAL DRAINAGE AREA (SF)	IMPERVIOUS AREA (SF)	PERVIOUS AREA (SF)	FLOW LENGTH (FT)	SLOPE (FT/FT)	V25 YR (CF)	Q25 YR (CFS)
1	264,530	211,624	52,906	1053	0.0057	83,751	8.63
2	242,070	48,414	193,656	1062	0.0067	27,408	2.59
3	71,930	30,900	41,030	358	0.0077	13,930	2.23



LEGEND

- PROPERTY LINE
- STREET CENETERLINE
- 0.0% DIRECTION OF WATER FLOW
- FLOW PATH
- DRAINAGE SUBAREA BOUNDARY
- DMA X / XX — DRAINAGE MANAGEMENT AREA ID / DRAINAGE MANAGEMENT AREA ACREAGE
- EXISTING BERM

NORTH

GRAPHIC SCALE IN FEET
0 25 50 100

Know what's below. Call 811 before you dig.

Kimley»Horn
© 2026 KIMLEY-HORN AND ASSOCIATES, INC.
765 THE CITY DRIVE, SUITE 200
LONG BEACH, CA 90802
PHONE: 714-939-1030 FAX: 714-938-9488
WWW.KIMLEY-HORN.COM

No.	REVISIONS	DATE	BY

LICENSED PROFESSIONAL ENGINEER — REGISTERED PROFESSIONAL ENGINEER — NOT FOR CONSTRUCTION — STATE OF CALIFORNIA — EXP. 09/30/25


KHA PROJECT PROJ #	
DATE	03/02/2026
SCALE	AS SHOWN
DESIGNED BY	KG
DRAWN BY	KK
CHECKED BY	HS

3800 VIA ORO
PREPARED FOR
9TH STREET PARTNERS
LONG BEACH CA

EXISTING HYDROLOGY EXHIBIT

SHEET NUMBER
1

Plotted By: Alvin, Erika Sheet: SatKho Logout: Layout1 March 02, 2026 10:49:57am K:\LBC_LDEV\194717001 – 3800 Via Oro, Long Beach 9th Street Partners\CAD\Exhibits\HHA\Existing HH Exhibit.dwg
This document, together with the concepts and designs presented herein, as an instrument of service, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kimley-Horn and Associates, Inc. shall be without liability to Kimley-Horn and Associates, Inc.



LEGEND

- PROPERTY LINE
- STREET CENETERLINE
- 0.0% DIRECTION OF WATER FLOW
- SD PROPOSED STORM DRAIN LINE
- FLOW PATH
- DRAINAGE SUBAREA BOUNDARY
- DMA X / XX DRAINAGE MANAGEMENT AREA ID / DRAINAGE MANAGEMENT AREA ACREAGE
- STORM DRAIN PIPE FLOW DIRECTION
- STORM DRAIN PIPE OVERFLOW DIRECTION

FLOOD ZONE

FLOOD ZONE X : AREA WITH REDUCED FLOOD RISK DUE TO LEVEE (MAP NO. 06037C1955F)

EXISTING UTILITY NOTE

THE EXISTING UTILITIES SHOWN ON THE PLAN ARE BASED ON AVAILABLE RECORDS. THE CONTRACTOR MUST FIELD DETERMINE THE LOCATION AND DEPTH OF ALL UTILITIES PRIOR TO ANY CONSTRUCTION. REPORT DISCREPANCIES AND POTENTIAL CONFLICTS WITH PROPOSED UTILITIES TO ENGINEER PRIOR TO INSTALLATION OF ANY PIPING.

PROPOSED CONDITIONS

DMA #	TOTAL DRAINAGE AREA (SF)	IMPERVIOUS AREA (SF)	PERVIOUS AREA (SF)	FLOW LENGTH (FT)	SLOPE (FT/FT)	V25 YR (CF)	Q25 YR (CFS)
1	21,329	15,416	5,913	157	0.0052	6,188	1.15
2	139,052	127,240	11,812	837	0.0073	49,543	5.53
3	66,421	66,421	0	248	0.0149	25,382	4.20
4	112,114	103,193	8,921	663	0.0095	39,919	5.12
5	48,634	48,634	0	217	0.0050	18,702	3.09
6	48,926	48,926	0	205	0.0050	18,702	3.09
7	43,373	43,374	0	205	0.0050	16,699	2.76
8	32,962	32,962	0	217	0.0050	12,691	2.10
9	59,648	36,821	22,827	528	0.0102	15,290	2.18
10	6,070	0	6,070	353	0.0028	309	0.05

DRAINAGE NOTES

1. BROOKS PRODUCTS PRECAST CATCH BASIN w/ TRAFFIC RATED GRATE OR APPROVED EQUIVALENT. SIZE PER PLAN.
2. CONTECH CMP DETENTION SYSTEM (84"ø PIPING SYSTEM WRAPPED IN 12" POROUS STONE AND FILTER FABRIC AROUND TOP, BOTTOM AND SIDES), OR APPROVED EQUIVALENT. SUBGRADE BELOW SYSTEM SHALL BE UNCOMPACTED AND TESTED BY THE GEOTECHNICAL ENGINEER PRIOR TO INSTALLATION OF SYSTEM.
3. LOW-FLOW PUMP WITH INTERNAL DIVERSION STRUCTURE.
4. WETLAND MOD OR APPROVED VOLUME BASED TREATMENT DEVICE.
5. HIGH-FLOW PUMP.
6. PARKWAY UNDER SIDEWALK DRAIN

NORTH

GRAPHIC SCALE IN FEET
0 25 50 100

Kimley»Horn
© 2026 KIMLEY-HORN AND ASSOCIATES, INC.
1100 W. TOWN & COUNTRY ROAD, SUITE 1050
LONG BEACH, CA 90802
PHONE: 714-939-1030 FAX: 714-938-9488
WWW.KIMLEY-HORN.COM

LICENSED PROFESSIONAL — REGISTERED PROFESSIONAL ENGINEER — CIVIL — CHRISTOPHER M. KOSTOVSKI — No. 84747 — STATE OF CALIFORNIA — EXP. 09/30/25

No.	REVISIONS	DATE	BY

KHA PROJECT PROJ #
DATE 03/02/2026
SCALE AS SHOWN
DESIGNED BY KG
DRAWN BY KK
CHECKED BY HS

PROPOSED HYDROLOGY EXHIBIT

3800 VIA ORO

PREPARED FOR
9TH STREET PARTNERS

LONG BEACH CA

SHEET NUMBER
2

Plotted By: Ariino, Erika Sheet Set: Xtra Logout: Logout1 March 02, 2026 10:26:37am K:\LBC_LDEV\184717001 – 3800 Via Oro, Long Beach 8th Street Partners\CAD\Exhibits\Hth\Proposed Hth Exhibit.dwg
This document, together with the concepts and designs presented herein, as an instrument of service, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kimley-Horn and Associates, Inc. shall be without liability to Kimley-Horn and Associates, Inc.
Know what's below. Call 811 before you dig.

APPENDIX E

HYDROCALC CALCULATIONS

EXISTING
25 YEAR STORM

Peak Flow Hydrologic Analysis


File location: K:/LBC_LDEV/194717001 - 3800 Via Oro Long Beach 9th Street Partners/Reports/H&H/Calculations/25-yr/3800 Via Oro Ex 25yr - DMA 1.p
Version: HydroCalc 1.0.3

Input Parameters

Project Name	3800 Via Oro Ex 25yr
Subarea ID	DMA 1
Area (ac)	6.08
Flow Path Length (ft)	1053.0
Flow Path Slope (vft/hft)	0.0055
50-yr Rainfall Depth (in)	5.87
Percent Impervious	0.8
Soil Type	15
Design Storm Frequency	25-yr
Fire Factor	0.71
LID	False

Output Results

Modeled (25-yr) Rainfall Depth (in)	5.1539
Peak Intensity (in/hr)	1.8348
Undeveloped Runoff Coefficient (Cu)	0.2671
Developed Runoff Coefficient (Cd)	0.7734
Time of Concentration (min)	15.0
Clear Peak Flow Rate (cfs)	8.6279
Burned Peak Flow Rate (cfs)	9.2805
24-Hr Clear Runoff Volume (ac-ft)	1.9227
24-Hr Clear Runoff Volume (cu-ft)	83750.6374



Peak Flow Hydrologic Analysis


File location: K:/LBC_LDEV/194717001 - 3800 Via Oro Long Beach 9th Street Partners/Reports/H&H/Calculations/25-yr/3800 Via Oro Ex 25yr - DMA 2.p
Version: HydroCalc 1.0.3

Input Parameters

Project Name	3800 Via Oro Ex 25yr
Subarea ID	DMA 2
Area (ac)	5.56
Flow Path Length (ft)	1068.0
Flow Path Slope (vft/hft)	0.0056
50-yr Rainfall Depth (in)	5.87
Percent Impervious	0.2
Soil Type	15
Design Storm Frequency	25-yr
Fire Factor	0.71
LID	False

Output Results

Modeled (25-yr) Rainfall Depth (in)	5.1539
Peak Intensity (in/hr)	1.3919
Undeveloped Runoff Coefficient (Cu)	0.1929
Developed Runoff Coefficient (Cd)	0.3343
Time of Concentration (min)	27.0
Clear Peak Flow Rate (cfs)	2.5873
Burned Peak Flow Rate (cfs)	3.8508
24-Hr Clear Runoff Volume (ac-ft)	0.6292
24-Hr Clear Runoff Volume (cu-ft)	27407.5766



Peak Flow Hydrologic Analysis


File location: K:/LBC_LDEV/194717001 - 3800 Via Oro Long Beach 9th Street Partners/Reports/H&H/Calculations/25-yr/3800 Via Oro Ex 25yr - DMA 3.p
Version: HydroCalc 1.0.3

Input Parameters

Project Name	3800 Via Oro Ex 25yr
Subarea ID	DMA 3
Area (ac)	1.66
Flow Path Length (ft)	358.0
Flow Path Slope (vft/hft)	0.0077
50-yr Rainfall Depth (in)	5.87
Percent Impervious	0.43
Soil Type	15
Design Storm Frequency	25-yr
Fire Factor	0.71
LID	False

Output Results

Modeled (25-yr) Rainfall Depth (in)	5.1539
Peak Intensity (in/hr)	2.3327
Undeveloped Runoff Coefficient (Cu)	0.3304
Developed Runoff Coefficient (Cd)	0.5753
Time of Concentration (min)	9.0
Clear Peak Flow Rate (cfs)	2.2278
Burned Peak Flow Rate (cfs)	2.6703
24-Hr Clear Runoff Volume (ac-ft)	0.3198
24-Hr Clear Runoff Volume (cu-ft)	13929.5498



PROPOSED
25 YEAR STORM

Peak Flow Hydrologic Analysis


File location: K:/LBC_LDEV/194717001 - 3800 Via Oro Long Beach 9th Street Partners/Reports/H&H/Calculations/25-yr/PROP/3800 Via Oro Prop 25yr -
Version: HydroCalc 1.0.3

Input Parameters

Project Name	3800 Via Oro Prop 25yr
Subarea ID	DMA 1
Area (ac)	0.49
Flow Path Length (ft)	157.0
Flow Path Slope (vft/hft)	0.0052
50-yr Rainfall Depth (in)	5.87
Percent Impervious	0.72
Soil Type	15
Design Storm Frequency	25-yr
Fire Factor	0.71
LID	False

Output Results

Modeled (25-yr) Rainfall Depth (in)	5.1539
Peak Intensity (in/hr)	3.0749
Undeveloped Runoff Coefficient (Cu)	0.4178
Developed Runoff Coefficient (Cd)	0.765
Time of Concentration (min)	5.0
Clear Peak Flow Rate (cfs)	1.1526
Burned Peak Flow Rate (cfs)	1.2522
24-Hr Clear Runoff Volume (ac-ft)	0.1421
24-Hr Clear Runoff Volume (cu-ft)	6188.2855



Peak Flow Hydrologic Analysis


File location: K:/LBC_LDEV/194717001 - 3800 Via Oro Long Beach 9th Street Partners/Reports/H&H/Calculations/25-yr/PROP/3800 Via Oro Prop 25 - D
Version: HydroCalc 1.0.3

Input Parameters

Project Name	3800 Via Oro Prop 25
Subarea ID	DMA 2
Area (ac)	3.19
Flow Path Length (ft)	837.0
Flow Path Slope (vft/hft)	0.0073
50-yr Rainfall Depth (in)	5.87
Percent Impervious	0.92
Soil Type	15
Design Storm Frequency	25-yr
Fire Factor	0.71
LID	False

Output Results

Modeled (25-yr) Rainfall Depth (in)	5.1539
Peak Intensity (in/hr)	2.0377
Undeveloped Runoff Coefficient (Cu)	0.2949
Developed Runoff Coefficient (Cd)	0.8516
Time of Concentration (min)	12.0
Clear Peak Flow Rate (cfs)	5.5355
Burned Peak Flow Rate (cfs)	5.7892
24-Hr Clear Runoff Volume (ac-ft)	1.1374
24-Hr Clear Runoff Volume (cu-ft)	49543.316



Peak Flow Hydrologic Analysis


File location: K:/LBC_LDEV/194717001 - 3800 Via Oro Long Beach 9th Street Partners/Reports/H&H/Calculations/25-yr/PROP/3800 Via Oro Prop 25 - D
Version: HydroCalc 1.0.3

Input Parameters

Project Name	3800 Via Oro Prop 25
Subarea ID	DMA 3
Area (ac)	1.52
Flow Path Length (ft)	248.0
Flow Path Slope (vft/hft)	0.0149
50-yr Rainfall Depth (in)	5.87
Percent Impervious	1.0
Soil Type	15
Design Storm Frequency	25-yr
Fire Factor	0.71
LID	False

Output Results

Modeled (25-yr) Rainfall Depth (in)	5.1539
Peak Intensity (in/hr)	3.0749
Undeveloped Runoff Coefficient (Cu)	0.4178
Developed Runoff Coefficient (Cd)	0.9
Time of Concentration (min)	5.0
Clear Peak Flow Rate (cfs)	4.2065
Burned Peak Flow Rate (cfs)	4.338
24-Hr Clear Runoff Volume (ac-ft)	0.5827
24-Hr Clear Runoff Volume (cu-ft)	25381.7377



Peak Flow Hydrologic Analysis


File location: K:/LBC_LDEV/194717001 - 3800 Via Oro Long Beach 9th Street Partners/Reports/H&H/Calculations/25-yr/PROP/3800 Via Oro Prop 25 - D
Version: HydroCalc 1.0.3

Input Parameters

Project Name	3800 Via Oro Prop 25
Subarea ID	DMA 4
Area (ac)	2.57
Flow Path Length (ft)	663.0
Flow Path Slope (vft/hft)	0.0095
50-yr Rainfall Depth (in)	5.87
Percent Impervious	0.92
Soil Type	15
Design Storm Frequency	25-yr
Fire Factor	0.71
LID	False

Output Results

Modeled (25-yr) Rainfall Depth (in)	5.1539
Peak Intensity (in/hr)	2.3327
Undeveloped Runoff Coefficient (Cu)	0.3304
Developed Runoff Coefficient (Cd)	0.8544
Time of Concentration (min)	9.0
Clear Peak Flow Rate (cfs)	5.1223
Burned Peak Flow Rate (cfs)	5.3572
24-Hr Clear Runoff Volume (ac-ft)	0.9164
24-Hr Clear Runoff Volume (cu-ft)	39918.7733



Peak Flow Hydrologic Analysis


File location: K:/LBC_LDEV/194717001 - 3800 Via Oro Long Beach 9th Street Partners/Reports/H&H/Calculations/25-yr/PROP/3800 Via Oro Prop 25 - D
Version: HydroCalc 1.0.3

Input Parameters

Project Name	3800 Via Oro Prop 25
Subarea ID	DMA 5
Area (ac)	1.12
Flow Path Length (ft)	217.0
Flow Path Slope (vft/hft)	0.005
50-yr Rainfall Depth (in)	5.87
Percent Impervious	1.0
Soil Type	15
Design Storm Frequency	25-yr
Fire Factor	0.71
LID	False

Output Results

Modeled (25-yr) Rainfall Depth (in)	5.1539
Peak Intensity (in/hr)	3.0749
Undeveloped Runoff Coefficient (Cu)	0.4178
Developed Runoff Coefficient (Cd)	0.9
Time of Concentration (min)	5.0
Clear Peak Flow Rate (cfs)	3.0995
Burned Peak Flow Rate (cfs)	3.1964
24-Hr Clear Runoff Volume (ac-ft)	0.4293
24-Hr Clear Runoff Volume (cu-ft)	18702.333



Peak Flow Hydrologic Analysis


File location: K:/LBC_LDEV/194717001 - 3800 Via Oro Long Beach 9th Street Partners/Reports/H&H/Calculations/25-yr/PROP/3800 Via Oro Prop 25 - D
Version: HydroCalc 1.0.3

Input Parameters

Project Name	3800 Via Oro Prop 25
Subarea ID	DMA 6
Area (ac)	1.12
Flow Path Length (ft)	205.0
Flow Path Slope (vft/hft)	0.005
50-yr Rainfall Depth (in)	5.87
Percent Impervious	1.0
Soil Type	15
Design Storm Frequency	25-yr
Fire Factor	0.71
LID	False

Output Results

Modeled (25-yr) Rainfall Depth (in)	5.1539
Peak Intensity (in/hr)	3.0749
Undeveloped Runoff Coefficient (Cu)	0.4178
Developed Runoff Coefficient (Cd)	0.9
Time of Concentration (min)	5.0
Clear Peak Flow Rate (cfs)	3.0995
Burned Peak Flow Rate (cfs)	3.1964
24-Hr Clear Runoff Volume (ac-ft)	0.4293
24-Hr Clear Runoff Volume (cu-ft)	18702.333



Peak Flow Hydrologic Analysis


File location: K:/LBC_LDEV/194717001 - 3800 Via Oro Long Beach 9th Street Partners/Reports/H&H/Calculations/25-yr/PROP/3800 Via Oro Prop 25 - D
Version: HydroCalc 1.0.3

Input Parameters

Project Name	3800 Via Oro Prop 25
Subarea ID	DMA 7
Area (ac)	1.0
Flow Path Length (ft)	205.0
Flow Path Slope (vft/hft)	0.005
50-yr Rainfall Depth (in)	5.87
Percent Impervious	1.0
Soil Type	15
Design Storm Frequency	25-yr
Fire Factor	0.71
LID	False

Output Results

Modeled (25-yr) Rainfall Depth (in)	5.1539
Peak Intensity (in/hr)	3.0749
Undeveloped Runoff Coefficient (Cu)	0.4178
Developed Runoff Coefficient (Cd)	0.9
Time of Concentration (min)	5.0
Clear Peak Flow Rate (cfs)	2.7674
Burned Peak Flow Rate (cfs)	2.854
24-Hr Clear Runoff Volume (ac-ft)	0.3833
24-Hr Clear Runoff Volume (cu-ft)	16698.5116



Peak Flow Hydrologic Analysis


File location: K:/LBC_LDEV/194717001 - 3800 Via Oro Long Beach 9th Street Partners/Reports/H&H/Calculations/25-yr/PROP/3800 Via Oro Prop 25 - D
Version: HydroCalc 1.0.3

Input Parameters

Project Name	3800 Via Oro Prop 25
Subarea ID	DMA 8
Area (ac)	0.76
Flow Path Length (ft)	217.0
Flow Path Slope (vft/hft)	0.005
50-yr Rainfall Depth (in)	5.87
Percent Impervious	1.0
Soil Type	15
Design Storm Frequency	25-yr
Fire Factor	0.71
LID	False

Output Results

Modeled (25-yr) Rainfall Depth (in)	5.1539
Peak Intensity (in/hr)	3.0749
Undeveloped Runoff Coefficient (Cu)	0.4178
Developed Runoff Coefficient (Cd)	0.9
Time of Concentration (min)	5.0
Clear Peak Flow Rate (cfs)	2.1033
Burned Peak Flow Rate (cfs)	2.169
24-Hr Clear Runoff Volume (ac-ft)	0.2913
24-Hr Clear Runoff Volume (cu-ft)	12690.8688



Peak Flow Hydrologic Analysis


File location: K:/LBC_LDEV/194717001 - 3800 Via Oro Long Beach 9th Street Partners/Reports/H&H/Calculations/25-yr/PROP/3800 Via Oro Prop 25 - D
Version: HydroCalc 1.0.3

Input Parameters

Project Name	3800 Via Oro Prop 25
Subarea ID	DMA 9
Area (ac)	1.37
Flow Path Length (ft)	528.0
Flow Path Slope (vft/hft)	0.0102
50-yr Rainfall Depth (in)	5.87
Percent Impervious	0.62
Soil Type	15
Design Storm Frequency	25-yr
Fire Factor	0.71
LID	False

Output Results

Modeled (25-yr) Rainfall Depth (in)	5.1539
Peak Intensity (in/hr)	2.3327
Undeveloped Runoff Coefficient (Cu)	0.3304
Developed Runoff Coefficient (Cd)	0.6835
Time of Concentration (min)	9.0
Clear Peak Flow Rate (cfs)	2.1845
Burned Peak Flow Rate (cfs)	2.4566
24-Hr Clear Runoff Volume (ac-ft)	0.351
24-Hr Clear Runoff Volume (cu-ft)	15289.7085



Peak Flow Hydrologic Analysis


File location: K:/LBC_LDEV/194717001 - 3800 Via Oro Long Beach 9th Street Partners/Reports/H&H/Calculations/25-yr/PROP/3800 Via Oro Prop 25 - D
Version: HydroCalc 1.0.3

Input Parameters

Project Name	3800 Via Oro Prop 25
Subarea ID	DMA 10
Area (ac)	0.14
Flow Path Length (ft)	353.0
Flow Path Slope (vft/hft)	0.0028
50-yr Rainfall Depth (in)	5.87
Percent Impervious	0.01
Soil Type	15
Design Storm Frequency	25-yr
Fire Factor	0.71
LID	False

Output Results

Modeled (25-yr) Rainfall Depth (in)	5.1539
Peak Intensity (in/hr)	1.6841
Undeveloped Runoff Coefficient (Cu)	0.2458
Developed Runoff Coefficient (Cd)	0.2524
Time of Concentration (min)	18.0
Clear Peak Flow Rate (cfs)	0.0595
Burned Peak Flow Rate (cfs)	0.1043
24-Hr Clear Runoff Volume (ac-ft)	0.0071
24-Hr Clear Runoff Volume (cu-ft)	308.7399



APPENDIX F

HYDRAULIC CALCULATIONS

Worksheet for 6" HDPE pipe @ 0.4%

Project Description	
Friction Method	Manning Formula
Solve For	Full Flow Capacity

Input Data	
Roughness Coefficient	0.011
Channel Slope	0.004 ft/ft
Normal Depth	6.0 in
Diameter	6.0 in
Discharge	0.42 cfs

Results	
Discharge	0.42 cfs
Normal Depth	6.0 in
Flow Area	0.2 ft²
Wetted Perimeter	1.6 ft
Hydraulic Radius	1.5 in
Top Width	0.00 ft
Critical Depth	4.0 in
Percent Full	100.0 %
Critical Slope	0.007 ft/ft
Velocity	2.14 ft/s
Velocity Head	0.07 ft
Specific Energy	0.57 ft
Froude Number	(N/A)
Maximum Discharge	0.45 cfs
Discharge Full	0.42 cfs
Slope Full	0.004 ft/ft
Flow Type	Undefined

GVF Input Data	
Downstream Depth	0.0 in
Length	0.0 ft
Number Of Steps	0

GVF Output Data	
Upstream Depth	0.0 in
Profile Description	N/A
Profile Headloss	0.00 ft
Average End Depth Over Rise	0.0 %
Normal Depth Over Rise	0.0 %
Downstream Velocity	0.00 ft/s
Upstream Velocity	0.00 ft/s
Normal Depth	6.0 in
Critical Depth	4.0 in
Channel Slope	0.004 ft/ft
Critical Slope	0.007 ft/ft

Worksheet for 8" HDPE pipe @ 0.4%

Project Description	
Friction Method	Manning Formula
Solve For	Full Flow Capacity

Input Data	
Roughness Coefficient	0.011
Channel Slope	0.004 ft/ft
Normal Depth	8.0 in
Diameter	8.0 in
Discharge	0.90 cfs

Results	
Discharge	0.90 cfs
Normal Depth	8.0 in
Flow Area	0.3 ft²
Wetted Perimeter	2.1 ft
Hydraulic Radius	2.0 in
Top Width	0.00 ft
Critical Depth	5.4 in
Percent Full	100.0 %
Critical Slope	0.006 ft/ft
Velocity	2.59 ft/s
Velocity Head	0.10 ft
Specific Energy	0.77 ft
Froude Number	(N/A)
Maximum Discharge	0.97 cfs
Discharge Full	0.90 cfs
Slope Full	0.004 ft/ft
Flow Type	Undefined

GVF Input Data	
Downstream Depth	0.0 in
Length	0.0 ft
Number Of Steps	0

GVF Output Data	
Upstream Depth	0.0 in
Profile Description	N/A
Profile Headloss	0.00 ft
Average End Depth Over Rise	0.0 %
Normal Depth Over Rise	0.0 %
Downstream Velocity	0.00 ft/s
Upstream Velocity	0.00 ft/s
Normal Depth	8.0 in
Critical Depth	5.4 in
Channel Slope	0.004 ft/ft
Critical Slope	0.006 ft/ft

Worksheet for 12" HDPE pipe @ 0.4%

Project Description	
Friction Method	Manning Formula
Solve For	Full Flow Capacity

Input Data	
Roughness Coefficient	0.011
Channel Slope	0.004 ft/ft
Normal Depth	12.0 in
Diameter	12.0 in
Discharge	2.66 cfs

Results	
Discharge	2.66 cfs
Normal Depth	12.0 in
Flow Area	0.8 ft²
Wetted Perimeter	3.1 ft
Hydraulic Radius	3.0 in
Top Width	0.00 ft
Critical Depth	8.4 in
Percent Full	100.0 %
Critical Slope	0.006 ft/ft
Velocity	3.39 ft/s
Velocity Head	0.18 ft
Specific Energy	1.18 ft
Froude Number	(N/A)
Maximum Discharge	2.86 cfs
Discharge Full	2.66 cfs
Slope Full	0.004 ft/ft
Flow Type	Undefined

GVF Input Data	
Downstream Depth	0.0 in
Length	0.0 ft
Number Of Steps	0

GVF Output Data	
Upstream Depth	0.0 in
Profile Description	N/A
Profile Headloss	0.00 ft
Average End Depth Over Rise	0.0 %
Normal Depth Over Rise	0.0 %
Downstream Velocity	0.00 ft/s
Upstream Velocity	0.00 ft/s
Normal Depth	12.0 in
Critical Depth	8.4 in
Channel Slope	0.004 ft/ft
Critical Slope	0.006 ft/ft

Worksheet for 18" HDPE pipe @ 0.4%

Project Description	
Friction Method	Manning Formula
Solve For	Full Flow Capacity

Input Data	
Roughness Coefficient	0.011
Channel Slope	0.004 ft/ft
Normal Depth	18.0 in
Diameter	18.0 in
Discharge	7.85 cfs

Results	
Discharge	7.85 cfs
Normal Depth	18.0 in
Flow Area	1.8 ft²
Wetted Perimeter	4.7 ft
Hydraulic Radius	4.5 in
Top Width	0.00 ft
Critical Depth	13.0 in
Percent Full	100.0 %
Critical Slope	0.005 ft/ft
Velocity	4.44 ft/s
Velocity Head	0.31 ft
Specific Energy	1.81 ft
Froude Number	(N/A)
Maximum Discharge	8.45 cfs
Discharge Full	7.85 cfs
Slope Full	0.004 ft/ft
Flow Type	Undefined

GVF Input Data	
Downstream Depth	0.0 in
Length	0.0 ft
Number Of Steps	0

GVF Output Data	
Upstream Depth	0.0 in
Profile Description	N/A
Profile Headloss	0.00 ft
Average End Depth Over Rise	0.0 %
Normal Depth Over Rise	0.0 %
Downstream Velocity	0.00 ft/s
Upstream Velocity	0.00 ft/s
Normal Depth	18.0 in
Critical Depth	13.0 in
Channel Slope	0.004 ft/ft
Critical Slope	0.005 ft/ft

Worksheet for 24" HDPE pipe @ 0.4%

Project Description	
Friction Method	Manning Formula
Solve For	Full Flow Capacity

Input Data	
Roughness Coefficient	0.011
Channel Slope	0.004 ft/ft
Normal Depth	24.0 in
Diameter	24.0 in
Discharge	16.91 cfs

Results	
Discharge	16.91 cfs
Normal Depth	24.0 in
Flow Area	3.1 ft²
Wetted Perimeter	6.3 ft
Hydraulic Radius	6.0 in
Top Width	0.00 ft
Critical Depth	17.8 in
Percent Full	100.0 %
Critical Slope	0.005 ft/ft
Velocity	5.38 ft/s
Velocity Head	0.45 ft
Specific Energy	2.45 ft
Froude Number	(N/A)
Maximum Discharge	18.19 cfs
Discharge Full	16.91 cfs
Slope Full	0.004 ft/ft
Flow Type	Undefined

GVF Input Data	
Downstream Depth	0.0 in
Length	0.0 ft
Number Of Steps	0

GVF Output Data	
Upstream Depth	0.0 in
Profile Description	N/A
Profile Headloss	0.00 ft
Average End Depth Over Rise	0.0 %
Normal Depth Over Rise	0.0 %
Downstream Velocity	0.00 ft/s
Upstream Velocity	0.00 ft/s
Normal Depth	24.0 in
Critical Depth	17.8 in
Channel Slope	0.004 ft/ft
Critical Slope	0.005 ft/ft

Worksheet for 30" HDPE pipe @ 0.4%

Project Description	
Friction Method	Manning Formula
Solve For	Full Flow Capacity

Input Data	
Roughness Coefficient	0.011
Channel Slope	0.004 ft/ft
Normal Depth	30.0 in
Diameter	30.0 in
Discharge	30.66 cfs

Results	
Discharge	30.66 cfs
Normal Depth	30.0 in
Flow Area	4.9 ft²
Wetted Perimeter	7.9 ft
Hydraulic Radius	7.5 in
Top Width	0.00 ft
Critical Depth	22.6 in
Percent Full	100.0 %
Critical Slope	0.005 ft/ft
Velocity	6.25 ft/s
Velocity Head	0.61 ft
Specific Energy	3.11 ft
Froude Number	(N/A)
Maximum Discharge	32.98 cfs
Discharge Full	30.66 cfs
Slope Full	0.004 ft/ft
Flow Type	Undefined

GVF Input Data	
Downstream Depth	0.0 in
Length	0.0 ft
Number Of Steps	0

GVF Output Data	
Upstream Depth	0.0 in
Profile Description	N/A
Profile Headloss	0.00 ft
Average End Depth Over Rise	0.0 %
Normal Depth Over Rise	0.0 %
Downstream Velocity	0.00 ft/s
Upstream Velocity	0.00 ft/s
Normal Depth	30.0 in
Critical Depth	22.6 in
Channel Slope	0.004 ft/ft
Critical Slope	0.005 ft/ft

Worksheet for 18" x 18" Grate Inlet In Sag

Project Description	
Solve For	Spread

Input Data	
Discharge	3.10 cfs
Gutter Width	0.00 ft
Gutter Cross Slope	0.010 ft/ft
Road Cross Slope	0.010 ft/ft
Grate Width	1.50 ft
Grate Length	1.5 ft
Local Depression	0.0 in
Local Depression Width	0.0 in
Grate Type	P-50 mm (P-1 -7/8")
Clogging	50.0 %

Results	
Spread	50.3 ft
Depth	6.0 in
Gutter Depression	0.0 in
Total Depression	0.0 in
Open Grate Area	1.0 ft²
Active Grate Weir Length	3.0 ft

APPENDIX G

PONDPACK CALCULATIONS

Please note this is a partial PondPack report. The full report exceeds 800 pages due to low interval numbers to have flows in to PO-1 match the out of CM-1. A full report can be provided at request.

Project Summary	
Title	
Engineer	
Company	
Date	3/18/2025

Notes

Table of Contents

	User Notifications	2
	Master Network Summary	3
CM-1	Read Hydrograph	4
PO-1 (OUT)	Time vs. Elevation	38
PO-1	Time vs. Volume	106
PO-1	Pipe Volume	174
25 yr pump		
	Composite Rating Curve	178
85 pump		
	Composite Rating Curve	178
PO-1 (OUT)		
	Pond Routed Hydrograph (total out)	186
PO-1 (IN)		
	Pond Inflow Summary	252

Subsection: User Notifications

User Notifications?	No user notifications generated.

Subsection: Master Network Summary

Catchments Summary

Label	Scenario	Return Event (years)	Hydrograph Volume (ac-ft)	Time to Peak (min)	Peak Flow (ft³/s)
CM-1	Base	0	4.670	1,153.200	29.27

Node Summary

Label	Scenario	Return Event (years)	Hydrograph Volume (ac-ft)	Time to Peak (min)	Peak Flow (ft³/s)
O-25YR	Base	0	4.266	1,113.200	5.00
O-85th	Base	0	0.392	1,113.200	0.46

Pond Summary

Label	Scenario	Return Event (years)	Hydrograph Volume (ac-ft)	Time to Peak (min)	Peak Flow (ft³/s)	Maximum Water Surface Elevation (ft)	Maximum Pond Storage (ac-ft)
PO-1 (IN)	Base	0	4.663	1,153.200	29.27	(N/A)	(N/A)
PO-1 (OUT)	Base	0	4.659	1,113.200	5.46	106.64	0.459

Peak Discharge	29.27 ft³/s
Time to Peak	1,153.200 min
Hydrograph Volume	4.670 ac-ft

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
0.000	0.00	0.04	0.07	0.11	0.15
1.000	0.18	0.22	0.26	0.29	0.33
2.000	0.37	0.40	0.44	0.48	0.51
3.000	0.55	0.59	0.62	0.66	0.70
4.000	0.74	0.77	0.81	0.85	0.88
5.000	0.92	0.93	0.94	0.96	0.97
6.000	0.98	0.99	1.01	1.02	1.03
7.000	1.05	1.06	1.07	1.08	1.10
8.000	1.11	1.12	1.13	1.15	1.16
9.000	1.17	1.18	1.18	1.19	1.19
10.000	1.20	1.20	1.21	1.21	1.22
11.000	1.22	1.23	1.23	1.24	1.24
12.000	1.25	1.25	1.25	1.25	1.25
13.000	1.25	1.25	1.25	1.25	1.25
14.000	1.25	1.25	1.25	1.25	1.25
15.000	1.25	1.25	1.25	1.25	1.25
16.000	1.25	1.25	1.25	1.25	1.25
17.000	1.25	1.25	1.25	1.25	1.25
18.000	1.25	1.25	1.25	1.25	1.25
19.000	1.25	1.25	1.25	1.25	1.25
20.000	1.25	1.25	1.25	1.25	1.25
21.000	1.25	1.25	1.25	1.25	1.26
22.000	1.26	1.26	1.26	1.26	1.26
23.000	1.26	1.26	1.26	1.26	1.26
24.000	1.26	1.26	1.26	1.26	1.26
25.000	1.26	1.26	1.26	1.26	1.26
26.000	1.26	1.26	1.26	1.26	1.26
27.000	1.26	1.26	1.26	1.26	1.26
28.000	1.26	1.26	1.26	1.26	1.26
29.000	1.26	1.26	1.26	1.26	1.26
30.000	1.26	1.26	1.26	1.26	1.26
31.000	1.26	1.26	1.26	1.26	1.26
32.000	1.26	1.26	1.26	1.26	1.26
33.000	1.26	1.26	1.26	1.26	1.26
34.000	1.26	1.26	1.26	1.26	1.26
35.000	1.26	1.26	1.26	1.26	1.26
36.000	1.26	1.26	1.26	1.26	1.26
37.000	1.26	1.26	1.26	1.26	1.26
38.000	1.26	1.26	1.26	1.26	1.26

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
39.000	1.26	1.26	1.26	1.26	1.26
40.000	1.26	1.26	1.26	1.26	1.27
41.000	1.27	1.27	1.27	1.27	1.27
42.000	1.27	1.27	1.27	1.27	1.27
43.000	1.27	1.27	1.27	1.27	1.27
44.000	1.27	1.27	1.27	1.27	1.27
45.000	1.27	1.27	1.27	1.27	1.27
46.000	1.27	1.27	1.27	1.27	1.27
47.000	1.27	1.27	1.27	1.27	1.27
48.000	1.27	1.27	1.27	1.27	1.27
49.000	1.27	1.27	1.27	1.27	1.27
50.000	1.27	1.27	1.27	1.27	1.27
51.000	1.27	1.27	1.27	1.27	1.27
52.000	1.27	1.27	1.27	1.27	1.27
53.000	1.27	1.27	1.27	1.27	1.27
54.000	1.27	1.27	1.27	1.27	1.27
55.000	1.27	1.27	1.27	1.27	1.27
56.000	1.27	1.27	1.27	1.27	1.27
57.000	1.27	1.27	1.27	1.27	1.27
58.000	1.27	1.27	1.27	1.27	1.27
59.000	1.27	1.27	1.28	1.28	1.28
60.000	1.28	1.28	1.28	1.28	1.28
61.000	1.28	1.28	1.28	1.28	1.28
62.000	1.28	1.28	1.28	1.28	1.28
63.000	1.28	1.28	1.28	1.28	1.28
64.000	1.28	1.28	1.28	1.28	1.28
65.000	1.28	1.28	1.28	1.28	1.28
66.000	1.28	1.28	1.28	1.28	1.28
67.000	1.28	1.28	1.28	1.28	1.28
68.000	1.28	1.28	1.28	1.28	1.28
69.000	1.28	1.28	1.28	1.28	1.28
70.000	1.28	1.28	1.28	1.28	1.28
71.000	1.28	1.28	1.28	1.28	1.28
72.000	1.28	1.28	1.28	1.28	1.28
73.000	1.28	1.28	1.28	1.28	1.28
74.000	1.28	1.28	1.28	1.28	1.28
75.000	1.28	1.28	1.28	1.28	1.28
76.000	1.28	1.28	1.28	1.28	1.28
77.000	1.28	1.28	1.29	1.29	1.29
78.000	1.29	1.29	1.29	1.29	1.29
79.000	1.29	1.29	1.29	1.29	1.29
80.000	1.29	1.29	1.29	1.29	1.29
81.000	1.29	1.29	1.29	1.29	1.29
82.000	1.29	1.29	1.29	1.29	1.29

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
83.000	1.29	1.29	1.29	1.29	1.29
84.000	1.29	1.29	1.29	1.29	1.29
85.000	1.29	1.29	1.29	1.29	1.29
86.000	1.29	1.29	1.29	1.29	1.29
87.000	1.29	1.29	1.29	1.29	1.29
88.000	1.29	1.29	1.29	1.29	1.29
89.000	1.29	1.29	1.29	1.29	1.29
90.000	1.29	1.29	1.29	1.29	1.29
91.000	1.29	1.29	1.29	1.29	1.29
92.000	1.29	1.29	1.29	1.29	1.29
93.000	1.29	1.29	1.29	1.29	1.29
94.000	1.29	1.29	1.29	1.29	1.29
95.000	1.30	1.30	1.30	1.30	1.30
96.000	1.30	1.30	1.30	1.30	1.30
97.000	1.30	1.30	1.30	1.30	1.30
98.000	1.30	1.30	1.30	1.30	1.30
99.000	1.30	1.30	1.30	1.30	1.30
100.000	1.30	1.30	1.30	1.30	1.30
101.000	1.30	1.30	1.30	1.30	1.30
102.000	1.30	1.30	1.30	1.30	1.30
103.000	1.30	1.30	1.30	1.30	1.30
104.000	1.30	1.30	1.30	1.30	1.30
105.000	1.30	1.30	1.30	1.30	1.30
106.000	1.30	1.30	1.30	1.30	1.30
107.000	1.30	1.30	1.30	1.30	1.30
108.000	1.30	1.30	1.30	1.30	1.30
109.000	1.30	1.30	1.30	1.30	1.30
110.000	1.30	1.30	1.30	1.30	1.30
111.000	1.30	1.30	1.30	1.30	1.30
112.000	1.30	1.31	1.31	1.31	1.31
113.000	1.31	1.31	1.31	1.31	1.31
114.000	1.31	1.31	1.31	1.31	1.31
115.000	1.31	1.31	1.31	1.31	1.31
116.000	1.31	1.31	1.31	1.31	1.31
117.000	1.31	1.31	1.31	1.31	1.31
118.000	1.31	1.31	1.31	1.31	1.31
119.000	1.31	1.31	1.31	1.31	1.31
120.000	1.31	1.31	1.31	1.31	1.31
121.000	1.31	1.31	1.31	1.31	1.31
122.000	1.31	1.31	1.31	1.31	1.31
123.000	1.31	1.31	1.31	1.31	1.31
124.000	1.31	1.31	1.31	1.31	1.31
125.000	1.31	1.31	1.31	1.31	1.31
126.000	1.31	1.31	1.31	1.31	1.31

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
127.000	1.31	1.31	1.31	1.31	1.31
128.000	1.31	1.31	1.31	1.31	1.31
129.000	1.32	1.32	1.32	1.32	1.32
130.000	1.32	1.32	1.32	1.32	1.32
131.000	1.32	1.32	1.32	1.32	1.32
132.000	1.32	1.32	1.32	1.32	1.32
133.000	1.32	1.32	1.32	1.32	1.32
134.000	1.32	1.32	1.32	1.32	1.32
135.000	1.32	1.32	1.32	1.32	1.32
136.000	1.32	1.32	1.32	1.32	1.32
137.000	1.32	1.32	1.32	1.32	1.32
138.000	1.32	1.32	1.32	1.32	1.32
139.000	1.32	1.32	1.32	1.32	1.32
140.000	1.32	1.32	1.32	1.32	1.32
141.000	1.32	1.32	1.32	1.32	1.32
142.000	1.32	1.32	1.32	1.32	1.32
143.000	1.32	1.32	1.32	1.32	1.32
144.000	1.32	1.32	1.32	1.32	1.32
145.000	1.32	1.32	1.32	1.33	1.33
146.000	1.33	1.33	1.33	1.33	1.33
147.000	1.33	1.33	1.33	1.33	1.33
148.000	1.33	1.33	1.33	1.33	1.33
149.000	1.33	1.33	1.33	1.33	1.33
150.000	1.33	1.33	1.33	1.33	1.33
151.000	1.33	1.33	1.33	1.33	1.33
152.000	1.33	1.33	1.33	1.33	1.33
153.000	1.33	1.33	1.33	1.33	1.33
154.000	1.33	1.33	1.33	1.33	1.33
155.000	1.33	1.33	1.33	1.33	1.33
156.000	1.33	1.33	1.33	1.33	1.33
157.000	1.33	1.33	1.33	1.33	1.33
158.000	1.33	1.33	1.33	1.33	1.33
159.000	1.33	1.33	1.33	1.33	1.33
160.000	1.33	1.33	1.33	1.33	1.33
161.000	1.33	1.33	1.33	1.34	1.34
162.000	1.34	1.34	1.34	1.34	1.34
163.000	1.34	1.34	1.34	1.34	1.34
164.000	1.34	1.34	1.34	1.34	1.34
165.000	1.34	1.34	1.34	1.34	1.34
166.000	1.34	1.34	1.34	1.34	1.34
167.000	1.34	1.34	1.34	1.34	1.34
168.000	1.34	1.34	1.34	1.34	1.34
169.000	1.34	1.34	1.34	1.34	1.34
170.000	1.34	1.34	1.34	1.34	1.34

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
171.000	1.34	1.34	1.34	1.34	1.34
172.000	1.34	1.34	1.34	1.34	1.34
173.000	1.34	1.34	1.34	1.34	1.34
174.000	1.34	1.34	1.34	1.34	1.34
175.000	1.34	1.34	1.34	1.34	1.34
176.000	1.34	1.34	1.34	1.34	1.34
177.000	1.34	1.35	1.35	1.35	1.35
178.000	1.35	1.35	1.35	1.35	1.35
179.000	1.35	1.35	1.35	1.35	1.35
180.000	1.35	1.35	1.35	1.35	1.35
181.000	1.35	1.35	1.35	1.35	1.35
182.000	1.35	1.35	1.35	1.35	1.35
183.000	1.35	1.35	1.35	1.35	1.35
184.000	1.35	1.35	1.35	1.35	1.35
185.000	1.35	1.35	1.35	1.35	1.35
186.000	1.35	1.35	1.35	1.35	1.35
187.000	1.35	1.35	1.35	1.35	1.35
188.000	1.35	1.35	1.35	1.35	1.35
189.000	1.35	1.35	1.35	1.35	1.35
190.000	1.35	1.35	1.35	1.35	1.35
191.000	1.35	1.35	1.35	1.35	1.35
192.000	1.35	1.35	1.35	1.36	1.36
193.000	1.36	1.36	1.36	1.36	1.36
194.000	1.36	1.36	1.36	1.36	1.36
195.000	1.36	1.36	1.36	1.36	1.36
196.000	1.36	1.36	1.36	1.36	1.36
197.000	1.36	1.36	1.36	1.36	1.36
198.000	1.36	1.36	1.36	1.36	1.36
199.000	1.36	1.36	1.36	1.36	1.36
200.000	1.36	1.36	1.36	1.36	1.36
201.000	1.36	1.36	1.36	1.36	1.36
202.000	1.36	1.36	1.36	1.36	1.36
203.000	1.36	1.36	1.36	1.36	1.36
204.000	1.36	1.36	1.36	1.36	1.36
205.000	1.36	1.36	1.36	1.36	1.36
206.000	1.36	1.36	1.36	1.36	1.36
207.000	1.36	1.36	1.37	1.37	1.37
208.000	1.37	1.37	1.37	1.37	1.37
209.000	1.37	1.37	1.37	1.37	1.37
210.000	1.37	1.37	1.37	1.37	1.37
211.000	1.37	1.37	1.37	1.37	1.37
212.000	1.37	1.37	1.37	1.37	1.37
213.000	1.37	1.37	1.37	1.37	1.37
214.000	1.37	1.37	1.37	1.37	1.37

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
215.000	1.37	1.37	1.37	1.37	1.37
216.000	1.37	1.37	1.37	1.37	1.37
217.000	1.37	1.37	1.37	1.37	1.37
218.000	1.37	1.37	1.37	1.37	1.37
219.000	1.37	1.37	1.37	1.37	1.37
220.000	1.37	1.37	1.37	1.37	1.37
221.000	1.37	1.37	1.37	1.37	1.37
222.000	1.38	1.38	1.38	1.38	1.38
223.000	1.38	1.38	1.38	1.38	1.38
224.000	1.38	1.38	1.38	1.38	1.38
225.000	1.38	1.38	1.38	1.38	1.38
226.000	1.38	1.38	1.38	1.38	1.38
227.000	1.38	1.38	1.38	1.38	1.38
228.000	1.38	1.38	1.38	1.38	1.38
229.000	1.38	1.38	1.38	1.38	1.38
230.000	1.38	1.38	1.38	1.38	1.38
231.000	1.38	1.38	1.38	1.38	1.38
232.000	1.38	1.38	1.38	1.38	1.38
233.000	1.38	1.38	1.38	1.38	1.38
234.000	1.38	1.38	1.38	1.38	1.38
235.000	1.38	1.38	1.38	1.38	1.38
236.000	1.38	1.38	1.39	1.39	1.39
237.000	1.39	1.39	1.39	1.39	1.39
238.000	1.39	1.39	1.39	1.39	1.39
239.000	1.39	1.39	1.39	1.39	1.39
240.000	1.39	1.39	1.39	1.39	1.39
241.000	1.39	1.39	1.39	1.39	1.39
242.000	1.39	1.39	1.39	1.39	1.39
243.000	1.39	1.39	1.39	1.39	1.39
244.000	1.39	1.39	1.39	1.39	1.39
245.000	1.39	1.39	1.39	1.39	1.39
246.000	1.39	1.39	1.39	1.39	1.39
247.000	1.39	1.39	1.39	1.39	1.39
248.000	1.39	1.39	1.39	1.39	1.39
249.000	1.39	1.39	1.39	1.39	1.39
250.000	1.39	1.39	1.40	1.40	1.40
251.000	1.40	1.40	1.40	1.40	1.40
252.000	1.40	1.40	1.40	1.40	1.40
253.000	1.40	1.40	1.40	1.40	1.40
254.000	1.40	1.40	1.40	1.40	1.40
255.000	1.40	1.40	1.40	1.40	1.40
256.000	1.40	1.40	1.40	1.40	1.40
257.000	1.40	1.40	1.40	1.40	1.40
258.000	1.40	1.40	1.40	1.40	1.40

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
259.000	1.40	1.40	1.40	1.40	1.40
260.000	1.40	1.40	1.40	1.40	1.40
261.000	1.40	1.40	1.40	1.40	1.40
262.000	1.40	1.40	1.40	1.40	1.40
263.000	1.40	1.40	1.40	1.40	1.40
264.000	1.41	1.41	1.41	1.41	1.41
265.000	1.41	1.41	1.41	1.41	1.41
266.000	1.41	1.41	1.41	1.41	1.41
267.000	1.41	1.41	1.41	1.41	1.41
268.000	1.41	1.41	1.41	1.41	1.41
269.000	1.41	1.41	1.41	1.41	1.41
270.000	1.41	1.41	1.41	1.41	1.41
271.000	1.41	1.41	1.41	1.41	1.41
272.000	1.41	1.41	1.41	1.41	1.41
273.000	1.41	1.41	1.41	1.41	1.41
274.000	1.41	1.41	1.41	1.41	1.41
275.000	1.41	1.41	1.41	1.41	1.41
276.000	1.41	1.41	1.41	1.41	1.41
277.000	1.41	1.41	1.42	1.42	1.42
278.000	1.42	1.42	1.42	1.42	1.42
279.000	1.42	1.42	1.42	1.42	1.42
280.000	1.42	1.42	1.42	1.42	1.42
281.000	1.42	1.42	1.42	1.42	1.42
282.000	1.42	1.42	1.42	1.42	1.42
283.000	1.42	1.42	1.42	1.42	1.42
284.000	1.42	1.42	1.42	1.42	1.42
285.000	1.42	1.42	1.42	1.42	1.42
286.000	1.42	1.42	1.42	1.42	1.42
287.000	1.42	1.42	1.42	1.42	1.42
288.000	1.42	1.42	1.42	1.42	1.42
289.000	1.42	1.42	1.42	1.42	1.42
290.000	1.42	1.42	1.43	1.43	1.43
291.000	1.43	1.43	1.43	1.43	1.43
292.000	1.43	1.43	1.43	1.43	1.43
293.000	1.43	1.43	1.43	1.43	1.43
294.000	1.43	1.43	1.43	1.43	1.43
295.000	1.43	1.43	1.43	1.43	1.43
296.000	1.43	1.43	1.43	1.43	1.43
297.000	1.43	1.43	1.43	1.43	1.43
298.000	1.43	1.43	1.43	1.43	1.43
299.000	1.43	1.43	1.43	1.43	1.43
300.000	1.43	1.43	1.43	1.43	1.43
301.000	1.43	1.43	1.43	1.43	1.43
302.000	1.43	1.43	1.43	1.43	1.43

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
303.000	1.43	1.44	1.44	1.44	1.44
304.000	1.44	1.44	1.44	1.44	1.44
305.000	1.44	1.44	1.44	1.44	1.44
306.000	1.44	1.44	1.44	1.44	1.44
307.000	1.44	1.44	1.44	1.44	1.44
308.000	1.44	1.44	1.44	1.44	1.44
309.000	1.44	1.44	1.44	1.44	1.44
310.000	1.44	1.44	1.44	1.44	1.44
311.000	1.44	1.44	1.44	1.44	1.44
312.000	1.44	1.44	1.44	1.44	1.44
313.000	1.44	1.44	1.44	1.44	1.44
314.000	1.44	1.44	1.44	1.44	1.44
315.000	1.44	1.44	1.44	1.44	1.45
316.000	1.45	1.45	1.45	1.45	1.45
317.000	1.45	1.45	1.45	1.45	1.45
318.000	1.45	1.45	1.45	1.45	1.45
319.000	1.45	1.45	1.45	1.45	1.45
320.000	1.45	1.45	1.45	1.45	1.45
321.000	1.45	1.45	1.45	1.45	1.45
322.000	1.45	1.45	1.45	1.45	1.45
323.000	1.45	1.45	1.45	1.45	1.45
324.000	1.45	1.45	1.45	1.45	1.45
325.000	1.45	1.45	1.45	1.45	1.45
326.000	1.45	1.45	1.45	1.45	1.45
327.000	1.45	1.45	1.45	1.45	1.45
328.000	1.46	1.46	1.46	1.46	1.46
329.000	1.46	1.46	1.46	1.46	1.46
330.000	1.46	1.46	1.46	1.46	1.46
331.000	1.46	1.46	1.46	1.46	1.46
332.000	1.46	1.46	1.46	1.46	1.46
333.000	1.46	1.46	1.46	1.46	1.46
334.000	1.46	1.46	1.46	1.46	1.46
335.000	1.46	1.46	1.46	1.46	1.46
336.000	1.46	1.46	1.46	1.46	1.46
337.000	1.46	1.46	1.46	1.46	1.46
338.000	1.46	1.46	1.46	1.46	1.46
339.000	1.46	1.46	1.46	1.46	1.46
340.000	1.47	1.47	1.47	1.47	1.47
341.000	1.47	1.47	1.47	1.47	1.47
342.000	1.47	1.47	1.47	1.47	1.47
343.000	1.47	1.47	1.47	1.47	1.47
344.000	1.47	1.47	1.47	1.47	1.47
345.000	1.47	1.47	1.47	1.47	1.47
346.000	1.47	1.47	1.47	1.47	1.47

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
347.000	1.47	1.47	1.47	1.47	1.47
348.000	1.47	1.47	1.47	1.47	1.47
349.000	1.47	1.47	1.47	1.47	1.47
350.000	1.47	1.47	1.47	1.47	1.47
351.000	1.47	1.47	1.47	1.48	1.48
352.000	1.48	1.48	1.48	1.48	1.48
353.000	1.48	1.48	1.48	1.48	1.48
354.000	1.48	1.48	1.48	1.48	1.48
355.000	1.48	1.48	1.48	1.48	1.48
356.000	1.48	1.48	1.48	1.48	1.48
357.000	1.48	1.48	1.48	1.48	1.48
358.000	1.48	1.48	1.48	1.48	1.48
359.000	1.48	1.48	1.48	1.48	1.48
360.000	1.48	1.48	1.48	1.48	1.48
361.000	1.48	1.48	1.48	1.48	1.48
362.000	1.48	1.48	1.48	1.48	1.48
363.000	1.48	1.49	1.49	1.49	1.49
364.000	1.49	1.49	1.49	1.49	1.49
365.000	1.49	1.49	1.49	1.49	1.49
366.000	1.49	1.49	1.49	1.49	1.49
367.000	1.49	1.49	1.49	1.49	1.49
368.000	1.49	1.49	1.49	1.49	1.49
369.000	1.49	1.49	1.49	1.49	1.49
370.000	1.49	1.49	1.49	1.49	1.49
371.000	1.49	1.49	1.49	1.49	1.49
372.000	1.49	1.49	1.49	1.49	1.49
373.000	1.49	1.49	1.49	1.49	1.49
374.000	1.49	1.49	1.50	1.50	1.50
375.000	1.50	1.50	1.50	1.50	1.50
376.000	1.50	1.50	1.50	1.50	1.50
377.000	1.50	1.50	1.50	1.50	1.50
378.000	1.50	1.50	1.50	1.50	1.50
379.000	1.50	1.50	1.50	1.50	1.50
380.000	1.50	1.50	1.50	1.50	1.50
381.000	1.50	1.50	1.50	1.50	1.50
382.000	1.50	1.50	1.50	1.50	1.50
383.000	1.50	1.50	1.50	1.50	1.50
384.000	1.50	1.50	1.50	1.50	1.50
385.000	1.50	1.50	1.51	1.51	1.51
386.000	1.51	1.51	1.51	1.51	1.51
387.000	1.51	1.51	1.51	1.51	1.51
388.000	1.51	1.51	1.51	1.51	1.51
389.000	1.51	1.51	1.51	1.51	1.51
390.000	1.51	1.51	1.51	1.51	1.51

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
391.000	1.51	1.51	1.51	1.51	1.51
392.000	1.51	1.51	1.51	1.51	1.51
393.000	1.51	1.51	1.51	1.51	1.51
394.000	1.51	1.51	1.51	1.51	1.51
395.000	1.51	1.51	1.51	1.51	1.51
396.000	1.51	1.52	1.52	1.52	1.52
397.000	1.52	1.52	1.52	1.52	1.52
398.000	1.52	1.52	1.52	1.52	1.52
399.000	1.52	1.52	1.52	1.52	1.52
400.000	1.52	1.52	1.52	1.52	1.52
401.000	1.52	1.52	1.52	1.52	1.52
402.000	1.52	1.52	1.52	1.52	1.52
403.000	1.52	1.52	1.52	1.52	1.52
404.000	1.52	1.52	1.52	1.52	1.52
405.000	1.52	1.52	1.52	1.52	1.52
406.000	1.52	1.52	1.52	1.52	1.53
407.000	1.53	1.53	1.53	1.53	1.53
408.000	1.53	1.53	1.53	1.53	1.53
409.000	1.53	1.53	1.53	1.53	1.53
410.000	1.53	1.53	1.53	1.53	1.53
411.000	1.53	1.53	1.53	1.53	1.53
412.000	1.53	1.53	1.53	1.53	1.53
413.000	1.53	1.53	1.53	1.53	1.53
414.000	1.53	1.53	1.53	1.53	1.53
415.000	1.53	1.53	1.53	1.53	1.53
416.000	1.53	1.53	1.53	1.53	1.53
417.000	1.54	1.54	1.54	1.54	1.54
418.000	1.54	1.54	1.54	1.54	1.54
419.000	1.54	1.54	1.54	1.54	1.54
420.000	1.54	1.54	1.54	1.54	1.54
421.000	1.54	1.54	1.54	1.54	1.54
422.000	1.54	1.54	1.54	1.54	1.54
423.000	1.54	1.54	1.54	1.54	1.54
424.000	1.54	1.54	1.54	1.54	1.54
425.000	1.54	1.54	1.54	1.54	1.54
426.000	1.54	1.54	1.54	1.54	1.54
427.000	1.54	1.55	1.55	1.55	1.55
428.000	1.55	1.55	1.55	1.55	1.55
429.000	1.55	1.55	1.55	1.55	1.55
430.000	1.55	1.55	1.55	1.55	1.55
431.000	1.55	1.55	1.55	1.55	1.55
432.000	1.55	1.55	1.55	1.55	1.55
433.000	1.55	1.55	1.55	1.55	1.55
434.000	1.55	1.55	1.55	1.55	1.55

Subsection: Read Hydrograph
Scenario: Base
Label: CM-1

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
435.000	1.55	1.55	1.55	1.55	1.55
436.000	1.55	1.55	1.55	1.55	1.55
437.000	1.55	1.56	1.56	1.56	1.56
438.000	1.56	1.56	1.56	1.56	1.56
439.000	1.56	1.56	1.56	1.56	1.56
440.000	1.56	1.56	1.56	1.56	1.56
441.000	1.56	1.56	1.56	1.56	1.56
442.000	1.56	1.56	1.56	1.56	1.56
443.000	1.56	1.56	1.56	1.56	1.56
444.000	1.56	1.56	1.56	1.56	1.56
445.000	1.56	1.56	1.56	1.56	1.56
446.000	1.56	1.56	1.56	1.56	1.56
447.000	1.57	1.57	1.57	1.57	1.57
448.000	1.57	1.57	1.57	1.57	1.57
449.000	1.57	1.57	1.57	1.57	1.57
450.000	1.57	1.57	1.57	1.57	1.57
451.000	1.57	1.57	1.57	1.57	1.57
452.000	1.57	1.57	1.57	1.57	1.57
453.000	1.57	1.57	1.57	1.57	1.57
454.000	1.57	1.57	1.57	1.57	1.57
455.000	1.57	1.57	1.57	1.57	1.57
456.000	1.57	1.57	1.58	1.58	1.58
457.000	1.58	1.58	1.58	1.58	1.58
458.000	1.58	1.58	1.58	1.58	1.58
459.000	1.58	1.58	1.58	1.58	1.58
460.000	1.58	1.58	1.58	1.58	1.58
461.000	1.58	1.58	1.58	1.58	1.58
462.000	1.58	1.58	1.58	1.58	1.58
463.000	1.58	1.58	1.58	1.58	1.58
464.000	1.58	1.58	1.58	1.58	1.58
465.000	1.58	1.58	1.58	1.58	1.59
466.000	1.59	1.59	1.59	1.59	1.59
467.000	1.59	1.59	1.59	1.59	1.59
468.000	1.59	1.59	1.59	1.59	1.59
469.000	1.59	1.59	1.59	1.59	1.59
470.000	1.59	1.59	1.59	1.59	1.59
471.000	1.59	1.59	1.59	1.59	1.59
472.000	1.59	1.59	1.59	1.59	1.59
473.000	1.59	1.59	1.59	1.59	1.59
474.000	1.59	1.59	1.59	1.59	1.59
475.000	1.60	1.60	1.60	1.60	1.60
476.000	1.60	1.60	1.60	1.60	1.60
477.000	1.60	1.60	1.60	1.60	1.60
478.000	1.60	1.60	1.60	1.60	1.60

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
479.000	1.60	1.60	1.60	1.60	1.60
480.000	1.60	1.60	1.60	1.60	1.60
481.000	1.60	1.60	1.60	1.60	1.60
482.000	1.60	1.60	1.60	1.60	1.60
483.000	1.60	1.60	1.60	1.60	1.60
484.000	1.61	1.61	1.61	1.61	1.61
485.000	1.61	1.61	1.61	1.61	1.61
486.000	1.61	1.61	1.61	1.61	1.61
487.000	1.61	1.61	1.61	1.61	1.61
488.000	1.61	1.61	1.61	1.61	1.61
489.000	1.61	1.61	1.61	1.61	1.61
490.000	1.61	1.61	1.61	1.61	1.61
491.000	1.61	1.61	1.61	1.61	1.61
492.000	1.61	1.61	1.61	1.61	1.62
493.000	1.62	1.62	1.62	1.62	1.62
494.000	1.62	1.62	1.62	1.62	1.62
495.000	1.62	1.62	1.62	1.62	1.62
496.000	1.62	1.62	1.62	1.62	1.62
497.000	1.62	1.62	1.62	1.62	1.62
498.000	1.62	1.62	1.62	1.62	1.62
499.000	1.62	1.62	1.62	1.62	1.62
500.000	1.62	1.62	1.62	1.62	1.62
501.000	1.62	1.62	1.63	1.63	1.63
502.000	1.63	1.63	1.63	1.63	1.63
503.000	1.63	1.63	1.63	1.63	1.63
504.000	1.63	1.63	1.63	1.63	1.63
505.000	1.63	1.63	1.63	1.63	1.63
506.000	1.63	1.63	1.63	1.63	1.63
507.000	1.63	1.63	1.63	1.63	1.63
508.000	1.63	1.63	1.63	1.63	1.63
509.000	1.63	1.63	1.63	1.63	1.63
510.000	1.64	1.64	1.64	1.64	1.64
511.000	1.64	1.64	1.64	1.64	1.64
512.000	1.64	1.64	1.64	1.64	1.64
513.000	1.64	1.64	1.64	1.64	1.64
514.000	1.64	1.64	1.64	1.64	1.64
515.000	1.64	1.64	1.64	1.64	1.64
516.000	1.64	1.64	1.64	1.64	1.64
517.000	1.64	1.64	1.64	1.64	1.64
518.000	1.64	1.65	1.65	1.65	1.65
519.000	1.65	1.65	1.65	1.65	1.65
520.000	1.65	1.65	1.65	1.65	1.65
521.000	1.65	1.65	1.65	1.65	1.65
522.000	1.65	1.65	1.65	1.65	1.65

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
523.000	1.65	1.65	1.65	1.65	1.65
524.000	1.65	1.65	1.65	1.65	1.65
525.000	1.65	1.65	1.65	1.65	1.65
526.000	1.65	1.65	1.66	1.66	1.66
527.000	1.66	1.66	1.66	1.66	1.66
528.000	1.66	1.66	1.66	1.66	1.66
529.000	1.66	1.66	1.66	1.66	1.66
530.000	1.66	1.66	1.66	1.66	1.66
531.000	1.66	1.66	1.66	1.66	1.66
532.000	1.66	1.66	1.66	1.66	1.66
533.000	1.66	1.66	1.66	1.66	1.66
534.000	1.66	1.66	1.67	1.67	1.67
535.000	1.67	1.67	1.67	1.67	1.67
536.000	1.67	1.67	1.67	1.67	1.67
537.000	1.67	1.67	1.67	1.67	1.67
538.000	1.67	1.67	1.67	1.67	1.67
539.000	1.67	1.67	1.67	1.67	1.67
540.000	1.67	1.67	1.67	1.67	1.67
541.000	1.67	1.67	1.67	1.67	1.67
542.000	1.67	1.67	1.68	1.68	1.68
543.000	1.68	1.68	1.68	1.68	1.68
544.000	1.68	1.68	1.68	1.68	1.68
545.000	1.68	1.68	1.68	1.68	1.68
546.000	1.68	1.68	1.68	1.68	1.68
547.000	1.68	1.68	1.68	1.68	1.68
548.000	1.68	1.68	1.68	1.68	1.68
549.000	1.68	1.68	1.68	1.68	1.68
550.000	1.69	1.69	1.69	1.69	1.69
551.000	1.69	1.69	1.69	1.69	1.69
552.000	1.69	1.69	1.69	1.69	1.69
553.000	1.69	1.69	1.69	1.69	1.69
554.000	1.69	1.69	1.69	1.69	1.69
555.000	1.69	1.69	1.69	1.69	1.69
556.000	1.69	1.69	1.69	1.69	1.69
557.000	1.69	1.69	1.69	1.70	1.70
558.000	1.70	1.70	1.70	1.70	1.70
559.000	1.70	1.70	1.70	1.70	1.70
560.000	1.70	1.70	1.70	1.70	1.70
561.000	1.70	1.70	1.70	1.70	1.70
562.000	1.70	1.70	1.70	1.70	1.70
563.000	1.70	1.70	1.70	1.70	1.70
564.000	1.70	1.70	1.70	1.70	1.70
565.000	1.71	1.71	1.71	1.71	1.71
566.000	1.71	1.71	1.71	1.71	1.71

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
567.000	1.71	1.71	1.71	1.71	1.71
568.000	1.71	1.71	1.71	1.71	1.71
569.000	1.71	1.71	1.71	1.71	1.71
570.000	1.71	1.71	1.71	1.71	1.71
571.000	1.71	1.71	1.71	1.71	1.71
572.000	1.71	1.71	1.72	1.72	1.72
573.000	1.72	1.72	1.72	1.72	1.72
574.000	1.72	1.72	1.72	1.72	1.72
575.000	1.72	1.72	1.72	1.72	1.72
576.000	1.72	1.72	1.72	1.72	1.72
577.000	1.72	1.72	1.72	1.72	1.72
578.000	1.72	1.72	1.72	1.72	1.72
579.000	1.72	1.72	1.72	1.73	1.73
580.000	1.73	1.73	1.73	1.73	1.73
581.000	1.73	1.73	1.73	1.73	1.73
582.000	1.73	1.73	1.73	1.73	1.73
583.000	1.73	1.73	1.73	1.73	1.73
584.000	1.73	1.73	1.73	1.73	1.73
585.000	1.73	1.73	1.73	1.73	1.73
586.000	1.73	1.73	1.73	1.74	1.74
587.000	1.74	1.74	1.74	1.74	1.74
588.000	1.74	1.74	1.74	1.74	1.74
589.000	1.74	1.74	1.74	1.74	1.74
590.000	1.74	1.74	1.74	1.74	1.74
591.000	1.74	1.74	1.74	1.74	1.74
592.000	1.74	1.74	1.74	1.74	1.74
593.000	1.74	1.74	1.74	1.75	1.75
594.000	1.75	1.75	1.75	1.75	1.75
595.000	1.75	1.75	1.75	1.75	1.75
596.000	1.75	1.75	1.75	1.75	1.75
597.000	1.75	1.75	1.75	1.75	1.75
598.000	1.75	1.75	1.75	1.75	1.75
599.000	1.75	1.75	1.75	1.75	1.75
600.000	1.75	1.75	1.76	1.76	1.76
601.000	1.76	1.76	1.76	1.76	1.76
602.000	1.76	1.76	1.76	1.76	1.76
603.000	1.76	1.76	1.76	1.76	1.76
604.000	1.76	1.76	1.76	1.76	1.76
605.000	1.76	1.76	1.76	1.76	1.76
606.000	1.76	1.76	1.76	1.76	1.76
607.000	1.77	1.77	1.77	1.77	1.77
608.000	1.77	1.77	1.77	1.77	1.77
609.000	1.77	1.77	1.77	1.77	1.77
610.000	1.77	1.77	1.77	1.77	1.77

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
611.000	1.77	1.77	1.77	1.77	1.77
612.000	1.77	1.77	1.77	1.77	1.77
613.000	1.77	1.77	1.77	1.78	1.78
614.000	1.78	1.78	1.78	1.78	1.78
615.000	1.78	1.78	1.78	1.78	1.78
616.000	1.78	1.78	1.78	1.78	1.78
617.000	1.78	1.78	1.78	1.78	1.78
618.000	1.78	1.78	1.78	1.78	1.78
619.000	1.78	1.78	1.78	1.78	1.78
620.000	1.79	1.79	1.79	1.79	1.79
621.000	1.79	1.79	1.79	1.79	1.79
622.000	1.79	1.79	1.79	1.79	1.79
623.000	1.79	1.79	1.79	1.79	1.79
624.000	1.79	1.79	1.79	1.79	1.79
625.000	1.79	1.79	1.79	1.79	1.79
626.000	1.79	1.79	1.80	1.80	1.80
627.000	1.80	1.80	1.80	1.80	1.80
628.000	1.80	1.80	1.80	1.80	1.80
629.000	1.80	1.80	1.80	1.80	1.80
630.000	1.80	1.80	1.80	1.80	1.80
631.000	1.80	1.80	1.80	1.80	1.80
632.000	1.80	1.80	1.80	1.81	1.81
633.000	1.81	1.81	1.81	1.81	1.81
634.000	1.81	1.81	1.81	1.81	1.81
635.000	1.81	1.81	1.81	1.81	1.81
636.000	1.81	1.81	1.81	1.81	1.81
637.000	1.81	1.81	1.81	1.81	1.81
638.000	1.81	1.81	1.81	1.82	1.82
639.000	1.82	1.82	1.82	1.82	1.82
640.000	1.82	1.82	1.82	1.82	1.82
641.000	1.82	1.82	1.82	1.82	1.82
642.000	1.82	1.82	1.82	1.82	1.82
643.000	1.82	1.82	1.82	1.82	1.82
644.000	1.82	1.82	1.82	1.83	1.83
645.000	1.83	1.83	1.83	1.83	1.83
646.000	1.83	1.83	1.83	1.83	1.83
647.000	1.83	1.83	1.83	1.83	1.83
648.000	1.83	1.83	1.83	1.83	1.83
649.000	1.83	1.83	1.83	1.83	1.83
650.000	1.83	1.83	1.83	1.84	1.84
651.000	1.84	1.84	1.84	1.84	1.84
652.000	1.84	1.84	1.84	1.84	1.84
653.000	1.84	1.84	1.84	1.84	1.84
654.000	1.84	1.84	1.84	1.84	1.84

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
655.000	1.84	1.84	1.84	1.84	1.84
656.000	1.84	1.84	1.85	1.85	1.85
657.000	1.85	1.85	1.85	1.85	1.85
658.000	1.85	1.85	1.85	1.85	1.85
659.000	1.85	1.85	1.85	1.85	1.85
660.000	1.85	1.85	1.85	1.85	1.85
661.000	1.85	1.85	1.85	1.85	1.85
662.000	1.85	1.86	1.86	1.86	1.86
663.000	1.86	1.86	1.86	1.86	1.86
664.000	1.86	1.86	1.86	1.86	1.86
665.000	1.86	1.86	1.86	1.86	1.86
666.000	1.86	1.86	1.86	1.86	1.86
667.000	1.86	1.86	1.86	1.86	1.87
668.000	1.87	1.87	1.87	1.87	1.87
669.000	1.87	1.87	1.87	1.87	1.87
670.000	1.87	1.87	1.87	1.87	1.87
671.000	1.87	1.87	1.87	1.87	1.87
672.000	1.87	1.87	1.87	1.87	1.87
673.000	1.87	1.88	1.88	1.88	1.88
674.000	1.88	1.88	1.88	1.88	1.88
675.000	1.88	1.88	1.88	1.88	1.88
676.000	1.88	1.88	1.88	1.88	1.88
677.000	1.88	1.88	1.88	1.88	1.88
678.000	1.88	1.88	1.88	1.89	1.89
679.000	1.89	1.89	1.89	1.89	1.89
680.000	1.89	1.89	1.89	1.89	1.89
681.000	1.89	1.89	1.89	1.89	1.89
682.000	1.89	1.89	1.89	1.89	1.89
683.000	1.89	1.89	1.89	1.89	1.89
684.000	1.90	1.90	1.90	1.90	1.90
685.000	1.90	1.90	1.90	1.90	1.90
686.000	1.90	1.90	1.90	1.90	1.90
687.000	1.90	1.90	1.90	1.90	1.90
688.000	1.90	1.90	1.90	1.90	1.90
689.000	1.90	1.91	1.91	1.91	1.91
690.000	1.91	1.91	1.91	1.91	1.91
691.000	1.91	1.91	1.91	1.91	1.91
692.000	1.91	1.91	1.91	1.91	1.91
693.000	1.91	1.91	1.91	1.91	1.91
694.000	1.91	1.91	1.92	1.92	1.92
695.000	1.92	1.92	1.92	1.92	1.92
696.000	1.92	1.92	1.92	1.92	1.92
697.000	1.92	1.92	1.92	1.92	1.92
698.000	1.92	1.92	1.92	1.92	1.92

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
699.000	1.92	1.92	1.92	1.93	1.93
700.000	1.93	1.93	1.93	1.93	1.93
701.000	1.93	1.93	1.93	1.93	1.93
702.000	1.93	1.93	1.93	1.93	1.93
703.000	1.93	1.93	1.93	1.93	1.93
704.000	1.93	1.93	1.93	1.94	1.94
705.000	1.94	1.94	1.94	1.94	1.94
706.000	1.94	1.94	1.94	1.94	1.94
707.000	1.94	1.94	1.94	1.94	1.94
708.000	1.94	1.94	1.94	1.94	1.94
709.000	1.94	1.94	1.95	1.95	1.95
710.000	1.95	1.95	1.95	1.95	1.95
711.000	1.95	1.95	1.95	1.95	1.95
712.000	1.95	1.95	1.95	1.95	1.95
713.000	1.95	1.95	1.95	1.95	1.95
714.000	1.95	1.95	1.96	1.96	1.96
715.000	1.96	1.96	1.96	1.96	1.96
716.000	1.96	1.96	1.96	1.96	1.96
717.000	1.96	1.96	1.96	1.96	1.96
718.000	1.96	1.96	1.96	1.96	1.96
719.000	1.97	1.97	1.97	1.97	1.97
720.000	1.97	1.97	1.97	1.97	1.97
721.000	1.97	1.97	1.97	1.97	1.97
722.000	1.97	1.97	1.97	1.97	1.97
723.000	1.97	1.97	1.97	1.97	1.98
724.000	1.98	1.98	1.98	1.98	1.98
725.000	1.98	1.98	1.98	1.98	1.98
726.000	1.98	1.98	1.98	1.98	1.98
727.000	1.98	1.98	1.98	1.98	1.98
728.000	1.98	1.98	1.99	1.99	1.99
729.000	1.99	1.99	1.99	1.99	1.99
730.000	1.99	1.99	1.99	1.99	1.99
731.000	1.99	1.99	1.99	1.99	1.99
732.000	1.99	1.99	1.99	1.99	1.99
733.000	2.00	2.00	2.00	2.00	2.00
734.000	2.00	2.00	2.00	2.00	2.00
735.000	2.00	2.00	2.00	2.00	2.00
736.000	2.00	2.00	2.00	2.00	2.00
737.000	2.00	2.00	2.01	2.01	2.01
738.000	2.01	2.01	2.01	2.01	2.01
739.000	2.01	2.01	2.01	2.01	2.01
740.000	2.01	2.01	2.01	2.01	2.01
741.000	2.01	2.01	2.01	2.01	2.02
742.000	2.02	2.02	2.02	2.02	2.02

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
743.000	2.02	2.02	2.02	2.02	2.02
744.000	2.02	2.02	2.02	2.02	2.02
745.000	2.02	2.02	2.02	2.02	2.02
746.000	2.02	2.03	2.03	2.03	2.03
747.000	2.03	2.03	2.03	2.03	2.03
748.000	2.03	2.03	2.03	2.03	2.03
749.000	2.03	2.03	2.03	2.03	2.03
750.000	2.03	2.03	2.04	2.04	2.04
751.000	2.04	2.04	2.04	2.04	2.04
752.000	2.04	2.04	2.04	2.04	2.04
753.000	2.04	2.04	2.04	2.04	2.04
754.000	2.04	2.04	2.04	2.05	2.05
755.000	2.05	2.05	2.05	2.05	2.05
756.000	2.05	2.05	2.05	2.05	2.05
757.000	2.05	2.05	2.05	2.05	2.05
758.000	2.05	2.05	2.05	2.05	2.06
759.000	2.06	2.06	2.06	2.06	2.06
760.000	2.06	2.06	2.06	2.06	2.06
761.000	2.06	2.06	2.06	2.06	2.06
762.000	2.06	2.06	2.06	2.06	2.07
763.000	2.07	2.07	2.07	2.07	2.07
764.000	2.07	2.07	2.07	2.07	2.07
765.000	2.07	2.07	2.07	2.07	2.07
766.000	2.07	2.07	2.07	2.07	2.08
767.000	2.08	2.08	2.08	2.08	2.08
768.000	2.08	2.08	2.08	2.08	2.08
769.000	2.08	2.08	2.08	2.08	2.08
770.000	2.08	2.08	2.08	2.08	2.09
771.000	2.09	2.09	2.09	2.09	2.09
772.000	2.09	2.09	2.09	2.09	2.09
773.000	2.09	2.09	2.09	2.09	2.09
774.000	2.09	2.09	2.09	2.09	2.10
775.000	2.10	2.10	2.10	2.10	2.10
776.000	2.10	2.10	2.10	2.10	2.10
777.000	2.10	2.10	2.10	2.10	2.10
778.000	2.10	2.10	2.10	2.11	2.11
779.000	2.11	2.11	2.11	2.11	2.11
780.000	2.11	2.11	2.11	2.11	2.11
781.000	2.11	2.11	2.11	2.11	2.11
782.000	2.11	2.11	2.12	2.12	2.12
783.000	2.12	2.12	2.12	2.12	2.12
784.000	2.12	2.12	2.12	2.12	2.12
785.000	2.12	2.12	2.12	2.12	2.12
786.000	2.12	2.13	2.13	2.13	2.13

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
787.000	2.13	2.13	2.13	2.13	2.13
788.000	2.13	2.13	2.13	2.13	2.13
789.000	2.13	2.13	2.13	2.13	2.14
790.000	2.14	2.14	2.14	2.14	2.14
791.000	2.14	2.14	2.14	2.14	2.14
792.000	2.14	2.14	2.14	2.14	2.14
793.000	2.14	2.14	2.15	2.15	2.15
794.000	2.15	2.15	2.15	2.15	2.15
795.000	2.15	2.15	2.15	2.15	2.15
796.000	2.15	2.15	2.15	2.15	2.15
797.000	2.16	2.16	2.16	2.16	2.16
798.000	2.16	2.16	2.16	2.16	2.16
799.000	2.16	2.16	2.16	2.16	2.16
800.000	2.16	2.16	2.16	2.17	2.17
801.000	2.17	2.17	2.17	2.17	2.17
802.000	2.17	2.17	2.17	2.17	2.17
803.000	2.17	2.17	2.17	2.17	2.17
804.000	2.18	2.18	2.18	2.18	2.18
805.000	2.18	2.18	2.18	2.18	2.18
806.000	2.18	2.18	2.18	2.18	2.18
807.000	2.18	2.18	2.19	2.19	2.19
808.000	2.19	2.19	2.19	2.19	2.19
809.000	2.19	2.19	2.19	2.19	2.19
810.000	2.19	2.19	2.19	2.19	2.20
811.000	2.20	2.20	2.20	2.20	2.20
812.000	2.20	2.20	2.20	2.20	2.20
813.000	2.20	2.20	2.20	2.20	2.20
814.000	2.21	2.21	2.21	2.21	2.21
815.000	2.21	2.21	2.21	2.21	2.21
816.000	2.21	2.21	2.21	2.21	2.21
817.000	2.21	2.21	2.22	2.22	2.22
818.000	2.22	2.22	2.22	2.22	2.22
819.000	2.22	2.22	2.22	2.22	2.22
820.000	2.22	2.22	2.22	2.23	2.23
821.000	2.23	2.23	2.23	2.23	2.23
822.000	2.23	2.23	2.23	2.23	2.23
823.000	2.23	2.23	2.23	2.23	2.24
824.000	2.24	2.24	2.24	2.24	2.24
825.000	2.24	2.24	2.24	2.24	2.24
826.000	2.24	2.24	2.24	2.24	2.24
827.000	2.25	2.25	2.25	2.25	2.25
828.000	2.25	2.25	2.25	2.25	2.25
829.000	2.25	2.25	2.25	2.25	2.25
830.000	2.26	2.26	2.26	2.26	2.26

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
831.000	2.26	2.26	2.26	2.26	2.26
832.000	2.26	2.26	2.26	2.26	2.26
833.000	2.27	2.27	2.27	2.27	2.27
834.000	2.27	2.27	2.27	2.27	2.27
835.000	2.27	2.27	2.27	2.27	2.27
836.000	2.28	2.28	2.28	2.28	2.28
837.000	2.28	2.28	2.28	2.28	2.28
838.000	2.28	2.28	2.28	2.28	2.28
839.000	2.29	2.29	2.29	2.29	2.29
840.000	2.29	2.29	2.29	2.29	2.29
841.000	2.29	2.29	2.29	2.29	2.29
842.000	2.30	2.30	2.30	2.30	2.30
843.000	2.30	2.30	2.30	2.30	2.30
844.000	2.30	2.30	2.30	2.30	2.31
845.000	2.31	2.31	2.31	2.31	2.31
846.000	2.31	2.31	2.31	2.31	2.31
847.000	2.31	2.31	2.31	2.31	2.32
848.000	2.32	2.32	2.32	2.32	2.32
849.000	2.32	2.32	2.32	2.32	2.32
850.000	2.32	2.32	2.32	2.33	2.33
851.000	2.33	2.33	2.33	2.33	2.33
852.000	2.33	2.33	2.33	2.33	2.33
853.000	2.33	2.33	2.34	2.34	2.34
854.000	2.34	2.34	2.34	2.34	2.34
855.000	2.34	2.34	2.34	2.34	2.34
856.000	2.35	2.35	2.35	2.35	2.35
857.000	2.35	2.35	2.35	2.35	2.35
858.000	2.35	2.35	2.35	2.35	2.36
859.000	2.36	2.36	2.36	2.36	2.36
860.000	2.36	2.36	2.36	2.36	2.36
861.000	2.36	2.36	2.37	2.37	2.37
862.000	2.37	2.37	2.37	2.37	2.37
863.000	2.37	2.37	2.37	2.37	2.37
864.000	2.38	2.38	2.38	2.38	2.38
865.000	2.38	2.38	2.38	2.38	2.38
866.000	2.38	2.38	2.38	2.39	2.39
867.000	2.39	2.39	2.39	2.39	2.39
868.000	2.39	2.39	2.39	2.39	2.39
869.000	2.39	2.40	2.40	2.40	2.40
870.000	2.40	2.40	2.40	2.40	2.40
871.000	2.40	2.40	2.40	2.40	2.41
872.000	2.41	2.41	2.41	2.41	2.41
873.000	2.41	2.41	2.41	2.41	2.41
874.000	2.41	2.42	2.42	2.42	2.42

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
875.000	2.42	2.42	2.42	2.42	2.42
876.000	2.42	2.42	2.42	2.42	2.43
877.000	2.43	2.43	2.43	2.43	2.43
878.000	2.43	2.43	2.43	2.43	2.43
879.000	2.43	2.44	2.44	2.44	2.44
880.000	2.44	2.44	2.44	2.44	2.44
881.000	2.44	2.44	2.44	2.45	2.45
882.000	2.45	2.45	2.45	2.45	2.45
883.000	2.45	2.45	2.45	2.45	2.45
884.000	2.46	2.46	2.46	2.46	2.46
885.000	2.46	2.46	2.46	2.46	2.46
886.000	2.46	2.47	2.47	2.47	2.47
887.000	2.47	2.47	2.47	2.47	2.47
888.000	2.47	2.47	2.47	2.48	2.48
889.000	2.48	2.48	2.48	2.48	2.48
890.000	2.48	2.48	2.48	2.48	2.49
891.000	2.49	2.49	2.49	2.49	2.49
892.000	2.49	2.49	2.49	2.49	2.49
893.000	2.49	2.50	2.50	2.50	2.50
894.000	2.50	2.50	2.50	2.50	2.50
895.000	2.50	2.50	2.51	2.51	2.51
896.000	2.51	2.51	2.51	2.51	2.51
897.000	2.51	2.51	2.51	2.52	2.52
898.000	2.52	2.52	2.52	2.52	2.52
899.000	2.52	2.52	2.52	2.52	2.53
900.000	2.53	2.53	2.53	2.53	2.53
901.000	2.53	2.53	2.53	2.53	2.54
902.000	2.54	2.54	2.54	2.54	2.54
903.000	2.54	2.54	2.54	2.54	2.54
904.000	2.55	2.55	2.55	2.55	2.55
905.000	2.55	2.55	2.55	2.55	2.55
906.000	2.56	2.56	2.56	2.56	2.56
907.000	2.56	2.56	2.56	2.56	2.56
908.000	2.56	2.57	2.57	2.57	2.57
909.000	2.57	2.57	2.57	2.57	2.57
910.000	2.57	2.58	2.58	2.58	2.58
911.000	2.58	2.58	2.58	2.58	2.58
912.000	2.58	2.59	2.59	2.59	2.59
913.000	2.59	2.59	2.59	2.59	2.59
914.000	2.59	2.60	2.60	2.60	2.60
915.000	2.60	2.60	2.60	2.60	2.60
916.000	2.60	2.61	2.61	2.61	2.61
917.000	2.61	2.61	2.61	2.61	2.61
918.000	2.61	2.62	2.62	2.62	2.62

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
919.000	2.62	2.62	2.62	2.62	2.62
920.000	2.63	2.63	2.63	2.63	2.63
921.000	2.63	2.63	2.63	2.63	2.63
922.000	2.64	2.64	2.64	2.64	2.64
923.000	2.64	2.64	2.64	2.64	2.65
924.000	2.65	2.65	2.65	2.65	2.65
925.000	2.65	2.65	2.65	2.66	2.66
926.000	2.66	2.66	2.66	2.66	2.66
927.000	2.66	2.66	2.66	2.67	2.67
928.000	2.67	2.67	2.67	2.67	2.67
929.000	2.67	2.67	2.68	2.68	2.68
930.000	2.68	2.68	2.68	2.68	2.68
931.000	2.68	2.69	2.69	2.69	2.69
932.000	2.69	2.69	2.69	2.69	2.70
933.000	2.70	2.70	2.70	2.70	2.70
934.000	2.70	2.70	2.70	2.71	2.71
935.000	2.71	2.71	2.71	2.71	2.71
936.000	2.71	2.71	2.72	2.72	2.72
937.000	2.72	2.72	2.72	2.72	2.72
938.000	2.73	2.73	2.73	2.73	2.73
939.000	2.73	2.73	2.73	2.73	2.74
940.000	2.74	2.74	2.74	2.74	2.74
941.000	2.74	2.74	2.75	2.75	2.75
942.000	2.75	2.75	2.75	2.75	2.75
943.000	2.76	2.76	2.76	2.76	2.76
944.000	2.76	2.76	2.76	2.76	2.77
945.000	2.77	2.77	2.77	2.77	2.77
946.000	2.77	2.77	2.78	2.78	2.78
947.000	2.78	2.78	2.78	2.78	2.78
948.000	2.79	2.79	2.79	2.79	2.79
949.000	2.79	2.79	2.79	2.80	2.80
950.000	2.80	2.80	2.80	2.80	2.80
951.000	2.81	2.81	2.81	2.81	2.81
952.000	2.81	2.81	2.81	2.82	2.82
953.000	2.82	2.82	2.82	2.82	2.82
954.000	2.82	2.83	2.83	2.83	2.83
955.000	2.83	2.83	2.83	2.84	2.84
956.000	2.84	2.84	2.84	2.84	2.84
957.000	2.84	2.85	2.85	2.85	2.85
958.000	2.85	2.85	2.85	2.86	2.86
959.000	2.86	2.86	2.86	2.86	2.86
960.000	2.86	2.87	2.87	2.87	2.87
961.000	2.87	2.87	2.87	2.88	2.88
962.000	2.88	2.88	2.88	2.88	2.88

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
963.000	2.89	2.89	2.89	2.89	2.89
964.000	2.89	2.89	2.90	2.90	2.90
965.000	2.90	2.90	2.90	2.90	2.91
966.000	2.91	2.91	2.91	2.91	2.91
967.000	2.91	2.92	2.92	2.92	2.92
968.000	2.92	2.92	2.92	2.93	2.93
969.000	2.93	2.93	2.93	2.93	2.93
970.000	2.94	2.94	2.94	2.94	2.94
971.000	2.94	2.95	2.95	2.95	2.95
972.000	2.95	2.95	2.95	2.96	2.96
973.000	2.96	2.96	2.96	2.96	2.97
974.000	2.97	2.97	2.97	2.97	2.97
975.000	2.97	2.98	2.98	2.98	2.98
976.000	2.98	2.98	2.99	2.99	2.99
977.000	2.99	2.99	2.99	2.99	3.00
978.000	3.00	3.00	3.00	3.00	3.00
979.000	3.01	3.01	3.01	3.01	3.01
980.000	3.01	3.02	3.02	3.02	3.02
981.000	3.02	3.02	3.03	3.03	3.03
982.000	3.03	3.03	3.03	3.03	3.04
983.000	3.04	3.04	3.04	3.04	3.04
984.000	3.05	3.05	3.05	3.05	3.05
985.000	3.05	3.06	3.06	3.06	3.06
986.000	3.06	3.07	3.07	3.07	3.07
987.000	3.07	3.07	3.08	3.08	3.08
988.000	3.08	3.08	3.08	3.09	3.09
989.000	3.09	3.09	3.09	3.09	3.10
990.000	3.10	3.10	3.10	3.10	3.10
991.000	3.11	3.11	3.11	3.11	3.11
992.000	3.12	3.12	3.12	3.12	3.12
993.000	3.12	3.13	3.13	3.13	3.13
994.000	3.13	3.14	3.14	3.14	3.14
995.000	3.14	3.14	3.15	3.15	3.15
996.000	3.15	3.15	3.16	3.16	3.16
997.000	3.16	3.16	3.16	3.17	3.17
998.000	3.17	3.17	3.17	3.18	3.18
999.000	3.18	3.18	3.18	3.19	3.19
1,000.000	3.19	3.19	3.19	3.20	3.20
1,001.000	3.20	3.20	3.20	3.21	3.21
1,002.000	3.21	3.21	3.21	3.22	3.22
1,003.000	3.22	3.22	3.22	3.22	3.23
1,004.000	3.23	3.23	3.23	3.23	3.24
1,005.000	3.24	3.24	3.24	3.25	3.25
1,006.000	3.25	3.25	3.25	3.26	3.26

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,007.000	3.26	3.26	3.26	3.27	3.27
1,008.000	3.27	3.27	3.27	3.28	3.28
1,009.000	3.28	3.28	3.28	3.29	3.29
1,010.000	3.29	3.29	3.29	3.30	3.30
1,011.000	3.30	3.30	3.31	3.31	3.31
1,012.000	3.31	3.31	3.32	3.32	3.32
1,013.000	3.32	3.33	3.33	3.33	3.33
1,014.000	3.33	3.34	3.34	3.34	3.34
1,015.000	3.35	3.35	3.35	3.35	3.35
1,016.000	3.36	3.36	3.36	3.36	3.37
1,017.000	3.37	3.37	3.37	3.37	3.38
1,018.000	3.38	3.38	3.38	3.39	3.39
1,019.000	3.39	3.39	3.40	3.40	3.40
1,020.000	3.40	3.40	3.41	3.41	3.41
1,021.000	3.41	3.42	3.42	3.42	3.42
1,022.000	3.43	3.43	3.43	3.43	3.44
1,023.000	3.44	3.44	3.44	3.45	3.45
1,024.000	3.45	3.45	3.46	3.46	3.46
1,025.000	3.46	3.47	3.47	3.47	3.47
1,026.000	3.48	3.48	3.48	3.48	3.49
1,027.000	3.49	3.49	3.49	3.50	3.50
1,028.000	3.50	3.50	3.51	3.51	3.51
1,029.000	3.51	3.52	3.52	3.52	3.52
1,030.000	3.53	3.53	3.53	3.53	3.54
1,031.000	3.54	3.54	3.55	3.55	3.55
1,032.000	3.55	3.56	3.56	3.56	3.56
1,033.000	3.57	3.57	3.57	3.58	3.58
1,034.000	3.58	3.58	3.59	3.59	3.59
1,035.000	3.59	3.60	3.60	3.60	3.61
1,036.000	3.61	3.61	3.61	3.62	3.62
1,037.000	3.62	3.63	3.63	3.63	3.63
1,038.000	3.64	3.64	3.64	3.65	3.65
1,039.000	3.65	3.66	3.66	3.66	3.66
1,040.000	3.67	3.67	3.67	3.68	3.68
1,041.000	3.68	3.68	3.69	3.69	3.69
1,042.000	3.70	3.70	3.70	3.71	3.71
1,043.000	3.71	3.72	3.72	3.72	3.72
1,044.000	3.73	3.73	3.73	3.74	3.74
1,045.000	3.74	3.75	3.75	3.75	3.76
1,046.000	3.76	3.76	3.77	3.77	3.77
1,047.000	3.78	3.78	3.78	3.79	3.79
1,048.000	3.79	3.80	3.80	3.80	3.81
1,049.000	3.81	3.81	3.82	3.82	3.82
1,050.000	3.83	3.83	3.83	3.84	3.84

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,051.000	3.84	3.85	3.85	3.85	3.86
1,052.000	3.86	3.86	3.87	3.87	3.87
1,053.000	3.88	3.88	3.89	3.89	3.89
1,054.000	3.90	3.90	3.90	3.91	3.91
1,055.000	3.91	3.92	3.92	3.93	3.93
1,056.000	3.93	3.94	3.94	3.94	3.95
1,057.000	3.95	3.95	3.96	3.96	3.97
1,058.000	3.97	3.97	3.98	3.98	3.99
1,059.000	3.99	3.99	4.00	4.00	4.00
1,060.000	4.01	4.01	4.02	4.02	4.02
1,061.000	4.03	4.03	4.04	4.04	4.04
1,062.000	4.05	4.05	4.06	4.06	4.07
1,063.000	4.07	4.07	4.08	4.08	4.09
1,064.000	4.09	4.09	4.10	4.10	4.11
1,065.000	4.11	4.12	4.12	4.12	4.13
1,066.000	4.13	4.14	4.14	4.15	4.15
1,067.000	4.15	4.16	4.16	4.17	4.17
1,068.000	4.18	4.18	4.19	4.19	4.19
1,069.000	4.20	4.20	4.21	4.21	4.22
1,070.000	4.22	4.23	4.23	4.24	4.24
1,071.000	4.25	4.25	4.25	4.26	4.26
1,072.000	4.27	4.27	4.28	4.28	4.29
1,073.000	4.29	4.30	4.30	4.31	4.31
1,074.000	4.32	4.32	4.33	4.33	4.34
1,075.000	4.34	4.35	4.35	4.36	4.36
1,076.000	4.37	4.37	4.38	4.38	4.39
1,077.000	4.39	4.40	4.40	4.41	4.42
1,078.000	4.42	4.43	4.43	4.44	4.44
1,079.000	4.45	4.45	4.46	4.46	4.47
1,080.000	4.48	4.48	4.49	4.49	4.50
1,081.000	4.50	4.51	4.51	4.52	4.53
1,082.000	4.53	4.54	4.54	4.55	4.56
1,083.000	4.56	4.57	4.57	4.58	4.58
1,084.000	4.59	4.60	4.60	4.61	4.62
1,085.000	4.62	4.63	4.63	4.64	4.65
1,086.000	4.65	4.66	4.66	4.67	4.68
1,087.000	4.68	4.69	4.70	4.70	4.71
1,088.000	4.72	4.72	4.73	4.74	4.74
1,089.000	4.75	4.76	4.76	4.77	4.78
1,090.000	4.78	4.79	4.80	4.80	4.81
1,091.000	4.82	4.82	4.83	4.84	4.85
1,092.000	4.85	4.86	4.87	4.87	4.88
1,093.000	4.89	4.90	4.90	4.91	4.92
1,094.000	4.93	4.93	4.94	4.95	4.96

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,095.000	4.96	4.97	4.98	4.99	5.00
1,096.000	5.00	5.01	5.02	5.03	5.04
1,097.000	5.04	5.05	5.06	5.07	5.08
1,098.000	5.08	5.09	5.10	5.11	5.12
1,099.000	5.13	5.13	5.14	5.15	5.16
1,100.000	5.17	5.18	5.19	5.20	5.20
1,101.000	5.21	5.22	5.23	5.24	5.25
1,102.000	5.26	5.27	5.28	5.29	5.30
1,103.000	5.31	5.31	5.32	5.33	5.34
1,104.000	5.35	5.36	5.37	5.38	5.39
1,105.000	5.40	5.41	5.42	5.43	5.44
1,106.000	5.45	5.46	5.47	5.48	5.50
1,107.000	5.51	5.52	5.53	5.54	5.55
1,108.000	5.56	5.57	5.58	5.59	5.60
1,109.000	5.62	5.63	5.64	5.65	5.66
1,110.000	5.67	5.68	5.70	5.71	5.72
1,111.000	5.73	5.74	5.76	5.77	5.78
1,112.000	5.79	5.81	5.82	5.83	5.84
1,113.000	5.86	5.87	5.88	5.90	5.91
1,114.000	5.92	5.94	5.95	5.96	5.98
1,115.000	5.99	6.00	6.02	6.03	6.05
1,116.000	6.06	6.08	6.09	6.11	6.12
1,117.000	6.13	6.15	6.16	6.18	6.20
1,118.000	6.21	6.23	6.24	6.26	6.27
1,119.000	6.29	6.31	6.32	6.34	6.36
1,120.000	6.37	6.39	6.41	6.42	6.44
1,121.000	6.46	6.48	6.49	6.51	6.53
1,122.000	6.55	6.57	6.59	6.60	6.62
1,123.000	6.64	6.66	6.68	6.70	6.72
1,124.000	6.74	6.76	6.78	6.80	6.82
1,125.000	6.84	6.86	6.89	6.91	6.93
1,126.000	6.95	6.97	7.00	7.02	7.04
1,127.000	7.06	7.09	7.11	7.13	7.16
1,128.000	7.18	7.21	7.23	7.26	7.28
1,129.000	7.31	7.34	7.36	7.39	7.42
1,130.000	7.44	7.47	7.50	7.53	7.56
1,131.000	7.58	7.61	7.64	7.67	7.70
1,132.000	7.73	7.77	7.80	7.83	7.86
1,133.000	7.89	7.93	7.96	8.00	8.03
1,134.000	8.07	8.10	8.14	8.17	8.21
1,135.000	8.25	8.29	8.33	8.37	8.41
1,136.000	8.45	8.49	8.53	8.57	8.62
1,137.000	8.66	8.70	8.75	8.80	8.84
1,138.000	8.89	8.94	8.99	9.04	9.09

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,139.000	9.14	9.20	9.25	9.31	9.36
1,140.000	9.42	9.48	9.54	9.60	9.66
1,141.000	9.72	9.79	9.86	9.92	9.99
1,142.000	10.06	10.14	10.21	10.29	10.37
1,143.000	10.45	10.53	10.61	10.70	10.79
1,144.000	10.88	10.97	11.07	11.17	11.27
1,145.000	11.38	11.49	11.60	11.72	11.84
1,146.000	11.97	12.10	12.23	12.38	12.52
1,147.000	12.68	12.84	13.00	13.18	13.36
1,148.000	13.55	13.75	13.96	14.19	14.42
1,149.000	14.67	14.94	15.23	15.53	15.86
1,150.000	16.21	16.60	17.02	17.49	18.01
1,151.000	18.60	19.28	20.10	21.13	22.56
1,152.000	26.34	28.09	28.61	28.91	29.09
1,153.000	29.19	29.27	29.21	29.15	29.05
1,154.000	28.92	28.75	28.56	28.33	28.07
1,155.000	27.77	27.45	27.08	26.67	26.21
1,156.000	25.69	25.10	24.42	23.58	22.47
1,157.000	19.86	18.53	17.98	17.55	17.18
1,158.000	16.86	16.56	16.27	16.00	15.73
1,159.000	15.46	15.19	14.92	14.65	14.37
1,160.000	14.07	13.75	13.41	13.02	12.54
1,161.000	11.56	11.04	10.77	10.54	10.33
1,162.000	10.13	9.94	9.75	9.56	9.37
1,163.000	9.17	8.96	8.74	8.50	8.20
1,164.000	7.59	7.26	7.09	6.96	6.84
1,165.000	6.73	6.63	6.54	6.46	6.38
1,166.000	6.30	6.23	6.16	6.09	6.03
1,167.000	5.96	5.90	5.85	5.79	5.74
1,168.000	5.69	5.64	5.59	5.54	5.49
1,169.000	5.45	5.40	5.36	5.32	5.28
1,170.000	5.24	5.20	5.16	5.13	5.09
1,171.000	5.06	5.02	4.99	4.96	4.93
1,172.000	4.90	4.87	4.84	4.81	4.78
1,173.000	4.75	4.72	4.70	4.67	4.65
1,174.000	4.62	4.59	4.57	4.55	4.52
1,175.000	4.50	4.48	4.45	4.43	4.41
1,176.000	4.39	4.37	4.35	4.33	4.31
1,177.000	4.29	4.27	4.25	4.23	4.21
1,178.000	4.19	4.17	4.15	4.14	4.12
1,179.000	4.10	4.09	4.07	4.05	4.04
1,180.000	4.02	4.00	3.99	3.97	3.96
1,181.000	3.94	3.93	3.91	3.90	3.88
1,182.000	3.87	3.85	3.84	3.83	3.81

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,183.000	3.80	3.79	3.77	3.76	3.75
1,184.000	3.73	3.72	3.71	3.70	3.68
1,185.000	3.67	3.66	3.65	3.64	3.62
1,186.000	3.61	3.60	3.59	3.58	3.57
1,187.000	3.56	3.55	3.54	3.53	3.51
1,188.000	3.50	3.49	3.48	3.47	3.46
1,189.000	3.45	3.44	3.43	3.42	3.41
1,190.000	3.40	3.40	3.39	3.38	3.37
1,191.000	3.36	3.35	3.34	3.33	3.32
1,192.000	3.31	3.31	3.30	3.29	3.28
1,193.000	3.27	3.26	3.25	3.25	3.24
1,194.000	3.23	3.22	3.21	3.21	3.20
1,195.000	3.19	3.18	3.18	3.17	3.16
1,196.000	3.15	3.15	3.14	3.13	3.12
1,197.000	3.12	3.11	3.10	3.09	3.09
1,198.000	3.08	3.07	3.07	3.06	3.05
1,199.000	3.05	3.04	3.03	3.03	3.02
1,200.000	3.01	3.01	3.00	2.99	2.99
1,201.000	2.98	2.98	2.97	2.96	2.96
1,202.000	2.95	2.95	2.94	2.93	2.93
1,203.000	2.92	2.92	2.91	2.90	2.90
1,204.000	2.89	2.89	2.88	2.88	2.87
1,205.000	2.86	2.86	2.85	2.85	2.84
1,206.000	2.84	2.83	2.83	2.82	2.82
1,207.000	2.81	2.81	2.80	2.80	2.79
1,208.000	2.79	2.78	2.78	2.77	2.77
1,209.000	2.76	2.76	2.75	2.75	2.74
1,210.000	2.74	2.73	2.73	2.72	2.72
1,211.000	2.71	2.71	2.70	2.70	2.69
1,212.000	2.69	2.69	2.68	2.68	2.67
1,213.000	2.67	2.66	2.66	2.65	2.65
1,214.000	2.65	2.64	2.64	2.63	2.63
1,215.000	2.62	2.62	2.62	2.61	2.61
1,216.000	2.60	2.60	2.60	2.59	2.59
1,217.000	2.58	2.58	2.58	2.57	2.57
1,218.000	2.56	2.56	2.56	2.55	2.55
1,219.000	2.54	2.54	2.54	2.53	2.53
1,220.000	2.53	2.52	2.52	2.52	2.51
1,221.000	2.51	2.50	2.50	2.50	2.49
1,222.000	2.49	2.49	2.48	2.48	2.48
1,223.000	2.47	2.47	2.47	2.46	2.46
1,224.000	2.46	2.45	2.45	2.44	2.44
1,225.000	2.44	2.43	2.43	2.43	2.43
1,226.000	2.42	2.42	2.42	2.41	2.41

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,227.000	2.41	2.40	2.40	2.40	2.39
1,228.000	2.39	2.39	2.38	2.38	2.38
1,229.000	2.37	2.37	2.37	2.37	2.36
1,230.000	2.36	2.36	2.35	2.35	2.35
1,231.000	2.34	2.34	2.34	2.34	2.33
1,232.000	2.33	2.33	2.32	2.32	2.32
1,233.000	2.32	2.31	2.31	2.31	2.30
1,234.000	2.30	2.30	2.30	2.29	2.29
1,235.000	2.29	2.29	2.28	2.28	2.28
1,236.000	2.27	2.27	2.27	2.27	2.26
1,237.000	2.26	2.26	2.26	2.25	2.25
1,238.000	2.25	2.25	2.24	2.24	2.24
1,239.000	2.24	2.23	2.23	2.23	2.23
1,240.000	2.22	2.22	2.22	2.22	2.21
1,241.000	2.21	2.21	2.21	2.20	2.20
1,242.000	2.20	2.20	2.19	2.19	2.19
1,243.000	2.19	2.18	2.18	2.18	2.18
1,244.000	2.17	2.17	2.17	2.17	2.17
1,245.000	2.16	2.16	2.16	2.16	2.15
1,246.000	2.15	2.15	2.15	2.15	2.14
1,247.000	2.14	2.14	2.14	2.13	2.13
1,248.000	2.13	2.13	2.13	2.12	2.12
1,249.000	2.12	2.12	2.11	2.11	2.11
1,250.000	2.11	2.11	2.10	2.10	2.10
1,251.000	2.10	2.10	2.09	2.09	2.09
1,252.000	2.09	2.09	2.08	2.08	2.08
1,253.000	2.08	2.08	2.07	2.07	2.07
1,254.000	2.07	2.07	2.06	2.06	2.06
1,255.000	2.06	2.06	2.05	2.05	2.05
1,256.000	2.05	2.05	2.04	2.04	2.04
1,257.000	2.04	2.04	2.03	2.03	2.03
1,258.000	2.03	2.03	2.03	2.02	2.02
1,259.000	2.02	2.02	2.02	2.01	2.01
1,260.000	2.01	2.01	2.01	2.01	2.00
1,261.000	2.00	2.00	2.00	2.00	1.99
1,262.000	1.99	1.99	1.99	1.99	1.99
1,263.000	1.98	1.98	1.98	1.98	1.98
1,264.000	1.98	1.97	1.97	1.97	1.97
1,265.000	1.97	1.96	1.96	1.96	1.96
1,266.000	1.96	1.96	1.95	1.95	1.95
1,267.000	1.95	1.95	1.95	1.94	1.94
1,268.000	1.94	1.94	1.94	1.94	1.94
1,269.000	1.93	1.93	1.93	1.93	1.93
1,270.000	1.93	1.92	1.92	1.92	1.92

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,271.000	1.92	1.92	1.91	1.91	1.91
1,272.000	1.91	1.91	1.91	1.91	1.90
1,273.000	1.90	1.90	1.90	1.90	1.90
1,274.000	1.89	1.89	1.89	1.89	1.89
1,275.000	1.89	1.89	1.88	1.88	1.88
1,276.000	1.88	1.88	1.88	1.88	1.87
1,277.000	1.87	1.87	1.87	1.87	1.87
1,278.000	1.87	1.86	1.86	1.86	1.86
1,279.000	1.86	1.86	1.86	1.85	1.85
1,280.000	1.85	1.85	1.85	1.85	1.85
1,281.000	1.84	1.84	1.84	1.84	1.84
1,282.000	1.84	1.84	1.83	1.83	1.83
1,283.000	1.83	1.83	1.83	1.83	1.82
1,284.000	1.82	1.82	1.82	1.82	1.82
1,285.000	1.82	1.82	1.81	1.81	1.81
1,286.000	1.81	1.81	1.81	1.81	1.81
1,287.000	1.80	1.80	1.80	1.80	1.80
1,288.000	1.80	1.80	1.79	1.79	1.79
1,289.000	1.79	1.79	1.79	1.79	1.79
1,290.000	1.78	1.78	1.78	1.78	1.78
1,291.000	1.78	1.78	1.78	1.77	1.77
1,292.000	1.77	1.77	1.77	1.77	1.77
1,293.000	1.77	1.76	1.76	1.76	1.76
1,294.000	1.76	1.76	1.76	1.76	1.76
1,295.000	1.75	1.75	1.75	1.75	1.75
1,296.000	1.75	1.75	1.75	1.74	1.74
1,297.000	1.74	1.74	1.74	1.74	1.74
1,298.000	1.74	1.74	1.73	1.73	1.73
1,299.000	1.73	1.73	1.73	1.73	1.73
1,300.000	1.73	1.72	1.72	1.72	1.72
1,301.000	1.72	1.72	1.72	1.72	1.72
1,302.000	1.71	1.71	1.71	1.71	1.71
1,303.000	1.71	1.71	1.71	1.71	1.70
1,304.000	1.70	1.70	1.70	1.70	1.70
1,305.000	1.70	1.70	1.70	1.69	1.69
1,306.000	1.69	1.69	1.69	1.69	1.69
1,307.000	1.69	1.69	1.69	1.68	1.68
1,308.000	1.68	1.68	1.68	1.68	1.68
1,309.000	1.68	1.68	1.67	1.67	1.67
1,310.000	1.67	1.67	1.67	1.67	1.67
1,311.000	1.67	1.67	1.66	1.66	1.66
1,312.000	1.66	1.66	1.66	1.66	1.66
1,313.000	1.66	1.66	1.65	1.65	1.65
1,314.000	1.65	1.65	1.65	1.65	1.65

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,315.000	1.65	1.65	1.64	1.64	1.64
1,316.000	1.64	1.64	1.64	1.64	1.64
1,317.000	1.64	1.64	1.64	1.63	1.63
1,318.000	1.63	1.63	1.63	1.63	1.63
1,319.000	1.63	1.63	1.63	1.62	1.62
1,320.000	1.62	1.62	1.62	1.62	1.62
1,321.000	1.62	1.62	1.62	1.62	1.61
1,322.000	1.61	1.61	1.61	1.61	1.61
1,323.000	1.61	1.61	1.61	1.61	1.61
1,324.000	1.60	1.60	1.60	1.60	1.60
1,325.000	1.60	1.60	1.60	1.60	1.60
1,326.000	1.60	1.59	1.59	1.59	1.59
1,327.000	1.59	1.59	1.59	1.59	1.59
1,328.000	1.59	1.59	1.59	1.58	1.58
1,329.000	1.58	1.58	1.58	1.58	1.58
1,330.000	1.58	1.58	1.58	1.58	1.58
1,331.000	1.57	1.57	1.57	1.57	1.57
1,332.000	1.57	1.57	1.57	1.57	1.57
1,333.000	1.57	1.57	1.56	1.56	1.56
1,334.000	1.56	1.56	1.56	1.56	1.56
1,335.000	1.56	1.56	1.56	1.56	1.55
1,336.000	1.55	1.55	1.55	1.55	1.55
1,337.000	1.55	1.55	1.55	1.55	1.55
1,338.000	1.55	1.54	1.54	1.54	1.54
1,339.000	1.54	1.54	1.54	1.54	1.54
1,340.000	1.54	1.54	1.54	1.54	1.53
1,341.000	1.53	1.53	1.53	1.53	1.53
1,342.000	1.53	1.53	1.53	1.53	1.53
1,343.000	1.53	1.53	1.52	1.52	1.52
1,344.000	1.52	1.52	1.52	1.52	1.52
1,345.000	1.52	1.52	1.52	1.52	1.52
1,346.000	1.51	1.51	1.51	1.51	1.51
1,347.000	1.51	1.51	1.51	1.51	1.51
1,348.000	1.51	1.51	1.51	1.50	1.50
1,349.000	1.50	1.50	1.50	1.50	1.50
1,350.000	1.50	1.50	1.50	1.50	1.50
1,351.000	1.50	1.50	1.49	1.49	1.49
1,352.000	1.49	1.49	1.49	1.49	1.49
1,353.000	1.49	1.49	1.49	1.49	1.49
1,354.000	1.49	1.48	1.48	1.48	1.48
1,355.000	1.48	1.48	1.48	1.48	1.48
1,356.000	1.48	1.48	1.48	1.48	1.48
1,357.000	1.48	1.47	1.47	1.47	1.47
1,358.000	1.47	1.47	1.47	1.47	1.47

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,359.000	1.47	1.47	1.47	1.47	1.47
1,360.000	1.46	1.46	1.46	1.46	1.46
1,361.000	1.46	1.46	1.46	1.46	1.46
1,362.000	1.46	1.46	1.46	1.46	1.46
1,363.000	1.45	1.45	1.45	1.45	1.45
1,364.000	1.45	1.45	1.45	1.45	1.45
1,365.000	1.45	1.45	1.45	1.45	1.45
1,366.000	1.44	1.44	1.44	1.44	1.44
1,367.000	1.44	1.44	1.44	1.44	1.44
1,368.000	1.44	1.44	1.44	1.44	1.44
1,369.000	1.44	1.43	1.43	1.43	1.43
1,370.000	1.43	1.43	1.43	1.43	1.43
1,371.000	1.43	1.43	1.43	1.43	1.43
1,372.000	1.43	1.43	1.42	1.42	1.42
1,373.000	1.42	1.42	1.42	1.42	1.42
1,374.000	1.42	1.42	1.42	1.42	1.42
1,375.000	1.42	1.42	1.42	1.41	1.41
1,376.000	1.41	1.41	1.41	1.41	1.41
1,377.000	1.41	1.41	1.41	1.41	1.41
1,378.000	1.41	1.41	1.41	1.41	1.41
1,379.000	1.40	1.40	1.40	1.40	1.40
1,380.000	1.40	1.40	1.40	1.40	1.40
1,381.000	1.40	1.40	1.40	1.40	1.40
1,382.000	1.40	1.40	1.39	1.39	1.39
1,383.000	1.39	1.39	1.39	1.39	1.39
1,384.000	1.39	1.39	1.39	1.39	1.39
1,385.000	1.39	1.39	1.39	1.39	1.39
1,386.000	1.38	1.38	1.38	1.38	1.38
1,387.000	1.38	1.38	1.38	1.38	1.38
1,388.000	1.38	1.38	1.38	1.38	1.38
1,389.000	1.38	1.38	1.38	1.37	1.37
1,390.000	1.37	1.37	1.37	1.37	1.37
1,391.000	1.37	1.37	1.37	1.37	1.37
1,392.000	1.37	1.37	1.37	1.37	1.37
1,393.000	1.37	1.36	1.36	1.36	1.36
1,394.000	1.36	1.36	1.36	1.36	1.36
1,395.000	1.36	1.36	1.36	1.36	1.36
1,396.000	1.36	1.36	1.36	1.36	1.35
1,397.000	1.35	1.35	1.35	1.35	1.35
1,398.000	1.35	1.35	1.35	1.35	1.35
1,399.000	1.35	1.35	1.35	1.35	1.35
1,400.000	1.35	1.35	1.35	1.35	1.34
1,401.000	1.34	1.34	1.34	1.34	1.34
1,402.000	1.34	1.34	1.34	1.34	1.34

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,403.000	1.34	1.34	1.34	1.34	1.34
1,404.000	1.34	1.34	1.34	1.33	1.33
1,405.000	1.33	1.33	1.33	1.33	1.33
1,406.000	1.33	1.33	1.33	1.33	1.33
1,407.000	1.33	1.33	1.33	1.33	1.33
1,408.000	1.33	1.33	1.33	1.32	1.32
1,409.000	1.32	1.32	1.32	1.32	1.32
1,410.000	1.32	1.32	1.32	1.32	1.32
1,411.000	1.32	1.32	1.32	1.32	1.32
1,412.000	1.32	1.32	1.32	1.32	1.31
1,413.000	1.31	1.31	1.31	1.31	1.31
1,414.000	1.31	1.31	1.31	1.31	1.31
1,415.000	1.31	1.31	1.31	1.31	1.31
1,416.000	1.31	1.31	1.31	1.31	1.31
1,417.000	1.30	1.30	1.30	1.30	1.30
1,418.000	1.30	1.30	1.30	1.30	1.30
1,419.000	1.30	1.30	1.30	1.30	1.30
1,420.000	1.30	1.30	1.30	1.30	1.30
1,421.000	1.30	1.29	1.29	1.29	1.29
1,422.000	1.29	1.29	1.29	1.29	1.29
1,423.000	1.29	1.29	1.29	1.29	1.29
1,424.000	1.29	1.29	1.29	1.29	1.29
1,425.000	1.29	1.29	1.29	1.28	1.28
1,426.000	1.28	1.28	1.28	1.28	1.28
1,427.000	1.28	1.28	1.28	1.28	1.28
1,428.000	1.28	1.28	1.28	1.28	1.28
1,429.000	1.28	1.28	1.28	1.28	1.28
1,430.000	1.28	1.27	1.27	1.27	1.27
1,431.000	1.27	1.27	1.27	1.27	1.27
1,432.000	1.27	1.27	1.27	1.27	1.27
1,433.000	1.27	1.27	1.27	1.27	1.27
1,434.000	1.27	1.27	1.27	1.27	1.26
1,435.000	1.26	1.26	1.26	1.26	1.26
1,436.000	1.26	1.26	1.26	1.26	1.26
1,437.000	1.26	1.26	1.26	1.26	1.26
1,438.000	1.26	1.26	1.26	1.26	1.26
1,439.000	1.26	1.26	1.26	1.25	1.25
1,440.000	1.25	1.22	1.18	1.14	1.11
1,441.000	1.07	1.03	0.99	0.96	0.92
1,442.000	0.88	0.85	0.81	0.77	0.74
1,443.000	0.70	0.66	0.62	0.59	0.55
1,444.000	0.51	0.48	0.44	0.40	0.37
1,445.000	0.33	0.32	0.30	0.29	0.28
1,446.000	0.27	0.25	0.24	0.23	0.22

Subsection: Read Hydrograph
Scenario: Base
Label: CM-1

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.200 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,447.000	0.20	0.19	0.18	0.17	0.15
1,448.000	0.14	0.13	0.11	0.10	0.09
1,449.000	0.08	0.07	0.07	0.06	0.06
1,450.000	0.05	0.05	0.04	0.04	0.03
1,451.000	0.03	0.02	0.02	0.01	0.01
1,452.000	0.00	0.00	0.00	0.00	0.00
1,453.000	0.00	0.00	0.00	0.00	0.00
1,454.000	0.00	0.00	0.00	0.00	0.00
1,455.000	0.00	0.00	0.00	0.00	0.00
1,456.000	0.00	0.00	0.00	0.00	0.00
1,457.000	0.00	0.00	0.00	0.00	0.00
1,458.000	0.00	(N/A)	(N/A)	(N/A)	(N/A)

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
0.000	100.00	100.00	100.00	100.00	100.00
0.500	100.00	100.00	100.01	100.01	100.01
1.000	100.01	100.01	100.01	100.02	100.02
1.500	100.02	100.02	100.03	100.03	100.03
2.000	100.03	100.04	100.04	100.04	100.04
2.500	100.05	100.05	100.05	100.05	100.06
3.000	100.06	100.06	100.06	100.06	100.07
3.500	100.07	100.07	100.07	100.07	100.08
4.000	100.08	100.08	100.08	100.09	100.09
4.500	100.09	100.09	100.10	100.10	100.10
5.000	100.10	100.11	100.11	100.11	100.11
5.500	100.11	100.12	100.12	100.12	100.12
6.000	100.12	100.13	100.13	100.13	100.13
6.500	100.13	100.13	100.14	100.14	100.14
7.000	100.14	100.14	100.14	100.15	100.15
7.500	100.15	100.15	100.15	100.15	100.15
8.000	100.16	100.16	100.16	100.16	100.16
8.500	100.16	100.16	100.17	100.17	100.17
9.000	100.17	100.17	100.17	100.17	100.17
9.500	100.18	100.18	100.18	100.18	100.18
10.000	100.18	100.18	100.18	100.18	100.19
10.500	100.19	100.19	100.19	100.19	100.19
11.000	100.19	100.19	100.19	100.19	100.19
11.500	100.20	100.20	100.20	100.20	100.20
12.000	100.20	100.20	100.20	100.20	100.20
12.500	100.20	100.20	100.20	100.21	100.21
13.000	100.21	100.21	100.21	100.21	100.21
13.500	100.21	100.21	100.21	100.21	100.21
14.000	100.21	100.21	100.21	100.21	100.21
14.500	100.21	100.21	100.21	100.21	100.21
15.000	100.22	100.22	100.22	100.22	100.22
15.500	100.22	100.22	100.22	100.22	100.22
16.000	100.22	100.22	100.22	100.22	100.22
16.500	100.22	100.22	100.22	100.22	100.22
17.000	100.22	100.22	100.22	100.22	100.22
17.500	100.22	100.22	100.22	100.22	100.22
18.000	100.22	100.22	100.22	100.22	100.22
18.500	100.22	100.22	100.22	100.22	100.22
19.000	100.22	100.22	100.22	100.22	100.22
19.500	100.22	100.22	100.23	100.23	100.23
20.000	100.23	100.23	100.23	100.23	100.23
20.500	100.23	100.23	100.23	100.23	100.23
21.000	100.23	100.23	100.23	100.23	100.23

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
21.500	100.23	100.23	100.23	100.23	100.23
22.000	100.23	100.23	100.23	100.23	100.23
22.500	100.23	100.23	100.23	100.23	100.23
23.000	100.23	100.23	100.23	100.23	100.23
23.500	100.23	100.23	100.23	100.23	100.23
24.000	100.23	100.23	100.23	100.23	100.23
24.500	100.23	100.23	100.23	100.23	100.23
25.000	100.23	100.23	100.23	100.23	100.23
25.500	100.23	100.23	100.23	100.23	100.23
26.000	100.23	100.23	100.23	100.23	100.23
26.500	100.23	100.23	100.23	100.23	100.23
27.000	100.23	100.23	100.23	100.23	100.23
27.500	100.23	100.23	100.23	100.23	100.23
28.000	100.23	100.23	100.23	100.23	100.23
28.500	100.23	100.23	100.23	100.23	100.23
29.000	100.23	100.23	100.23	100.23	100.23
29.500	100.23	100.23	100.23	100.23	100.23
30.000	100.23	100.23	100.23	100.23	100.23
30.500	100.23	100.23	100.23	100.23	100.23
31.000	100.23	100.23	100.23	100.23	100.23
31.500	100.23	100.23	100.23	100.23	100.23
32.000	100.23	100.23	100.23	100.23	100.23
32.500	100.23	100.23	100.23	100.23	100.23
33.000	100.23	100.23	100.23	100.23	100.23
33.500	100.23	100.23	100.23	100.23	100.23
34.000	100.23	100.23	100.23	100.23	100.23
34.500	100.23	100.23	100.23	100.23	100.23
35.000	100.23	100.23	100.23	100.23	100.23
35.500	100.23	100.23	100.23	100.23	100.23
36.000	100.23	100.23	100.23	100.23	100.23
36.500	100.23	100.23	100.23	100.23	100.23
37.000	100.23	100.23	100.23	100.23	100.23
37.500	100.23	100.23	100.23	100.23	100.23
38.000	100.23	100.23	100.23	100.23	100.23
38.500	100.23	100.23	100.23	100.23	100.23
39.000	100.23	100.23	100.23	100.23	100.23
39.500	100.23	100.23	100.23	100.23	100.23
40.000	100.23	100.23	100.23	100.23	100.23
40.500	100.23	100.23	100.23	100.23	100.23
41.000	100.23	100.23	100.23	100.23	100.23
41.500	100.23	100.23	100.23	100.23	100.23
42.000	100.23	100.23	100.23	100.23	100.23
42.500	100.23	100.23	100.23	100.23	100.23

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
43.000	100.23	100.23	100.23	100.23	100.23
43.500	100.23	100.23	100.23	100.23	100.23
44.000	100.23	100.23	100.23	100.23	100.23
44.500	100.23	100.23	100.23	100.23	100.23
45.000	100.23	100.23	100.23	100.23	100.23
45.500	100.23	100.23	100.23	100.23	100.23
46.000	100.23	100.23	100.23	100.23	100.23
46.500	100.23	100.23	100.23	100.23	100.23
47.000	100.23	100.23	100.23	100.23	100.23
47.500	100.23	100.23	100.23	100.23	100.23
48.000	100.23	100.23	100.23	100.23	100.23
48.500	100.23	100.23	100.23	100.23	100.23
49.000	100.23	100.23	100.23	100.23	100.23
49.500	100.23	100.23	100.23	100.23	100.23
50.000	100.23	100.23	100.23	100.23	100.23
50.500	100.23	100.23	100.23	100.23	100.23
51.000	100.23	100.23	100.23	100.23	100.23
51.500	100.23	100.23	100.23	100.23	100.23
52.000	100.23	100.23	100.23	100.23	100.23
52.500	100.23	100.23	100.23	100.23	100.23
53.000	100.23	100.23	100.23	100.23	100.23
53.500	100.23	100.23	100.23	100.23	100.23
54.000	100.23	100.23	100.23	100.23	100.23
54.500	100.23	100.23	100.23	100.23	100.23
55.000	100.23	100.23	100.23	100.23	100.23
55.500	100.23	100.23	100.23	100.23	100.23
56.000	100.23	100.23	100.23	100.23	100.23
56.500	100.23	100.23	100.23	100.23	100.23
57.000	100.23	100.23	100.23	100.23	100.23
57.500	100.23	100.23	100.23	100.23	100.23
58.000	100.23	100.23	100.23	100.23	100.23
58.500	100.23	100.23	100.23	100.23	100.23
59.000	100.23	100.23	100.23	100.23	100.23
59.500	100.23	100.23	100.23	100.23	100.23
60.000	100.23	100.23	100.23	100.23	100.23
60.500	100.23	100.23	100.23	100.23	100.23
61.000	100.23	100.23	100.23	100.23	100.23
61.500	100.23	100.23	100.23	100.23	100.23
62.000	100.23	100.23	100.23	100.23	100.23
62.500	100.23	100.23	100.23	100.23	100.23
63.000	100.23	100.23	100.23	100.23	100.23
63.500	100.23	100.23	100.23	100.23	100.23
64.000	100.23	100.23	100.23	100.23	100.23

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
64.500	100.23	100.23	100.23	100.23	100.23
65.000	100.23	100.23	100.23	100.23	100.23
65.500	100.23	100.23	100.23	100.23	100.23
66.000	100.23	100.23	100.23	100.23	100.23
66.500	100.23	100.23	100.23	100.23	100.23
67.000	100.23	100.23	100.23	100.23	100.23
67.500	100.23	100.23	100.23	100.23	100.23
68.000	100.23	100.23	100.23	100.23	100.23
68.500	100.23	100.23	100.23	100.23	100.23
69.000	100.23	100.23	100.23	100.23	100.23
69.500	100.23	100.23	100.23	100.23	100.23
70.000	100.23	100.23	100.23	100.23	100.23
70.500	100.23	100.23	100.23	100.23	100.23
71.000	100.23	100.23	100.23	100.23	100.23
71.500	100.23	100.23	100.23	100.23	100.23
72.000	100.23	100.23	100.23	100.23	100.23
72.500	100.23	100.23	100.23	100.23	100.23
73.000	100.23	100.23	100.23	100.23	100.23
73.500	100.23	100.23	100.23	100.23	100.23
74.000	100.23	100.23	100.23	100.23	100.23
74.500	100.23	100.23	100.23	100.23	100.23
75.000	100.23	100.23	100.23	100.23	100.23
75.500	100.23	100.23	100.23	100.23	100.23
76.000	100.23	100.23	100.23	100.23	100.23
76.500	100.23	100.23	100.23	100.23	100.23
77.000	100.23	100.23	100.23	100.23	100.23
77.500	100.23	100.23	100.23	100.23	100.24
78.000	100.24	100.24	100.24	100.24	100.24
78.500	100.24	100.24	100.24	100.24	100.24
79.000	100.24	100.24	100.24	100.24	100.24
79.500	100.24	100.24	100.24	100.24	100.24
80.000	100.24	100.24	100.24	100.24	100.24
80.500	100.24	100.24	100.24	100.24	100.24
81.000	100.24	100.24	100.24	100.24	100.24
81.500	100.24	100.24	100.24	100.24	100.24
82.000	100.24	100.24	100.24	100.24	100.24
82.500	100.24	100.24	100.24	100.24	100.24
83.000	100.24	100.24	100.24	100.24	100.24
83.500	100.24	100.24	100.24	100.24	100.24
84.000	100.24	100.24	100.24	100.24	100.24
84.500	100.24	100.24	100.24	100.24	100.24
85.000	100.24	100.24	100.24	100.24	100.24
85.500	100.24	100.24	100.24	100.24	100.24

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
86.000	100.24	100.24	100.24	100.24	100.24
86.500	100.24	100.24	100.24	100.24	100.24
87.000	100.24	100.24	100.24	100.24	100.24
87.500	100.24	100.24	100.24	100.24	100.24
88.000	100.24	100.24	100.24	100.24	100.24
88.500	100.24	100.24	100.24	100.24	100.24
89.000	100.24	100.24	100.24	100.24	100.24
89.500	100.24	100.24	100.24	100.24	100.24
90.000	100.24	100.24	100.24	100.24	100.24
90.500	100.24	100.24	100.24	100.24	100.24
91.000	100.24	100.24	100.24	100.24	100.24
91.500	100.24	100.24	100.24	100.24	100.24
92.000	100.24	100.24	100.24	100.24	100.24
92.500	100.24	100.24	100.24	100.24	100.24
93.000	100.24	100.24	100.24	100.24	100.24
93.500	100.24	100.24	100.24	100.24	100.24
94.000	100.24	100.24	100.24	100.24	100.24
94.500	100.24	100.24	100.24	100.24	100.24
95.000	100.24	100.24	100.24	100.24	100.24
95.500	100.24	100.24	100.24	100.24	100.24
96.000	100.24	100.24	100.24	100.24	100.24
96.500	100.24	100.24	100.24	100.24	100.24
97.000	100.24	100.24	100.24	100.24	100.24
97.500	100.24	100.24	100.24	100.24	100.24
98.000	100.24	100.24	100.24	100.24	100.24
98.500	100.24	100.24	100.24	100.24	100.24
99.000	100.24	100.24	100.24	100.24	100.24
99.500	100.24	100.24	100.24	100.24	100.24
100.000	100.24	100.24	100.24	100.24	100.24
100.500	100.24	100.24	100.24	100.24	100.24
101.000	100.24	100.24	100.24	100.24	100.24
101.500	100.24	100.24	100.24	100.24	100.24
102.000	100.24	100.24	100.24	100.24	100.24
102.500	100.24	100.24	100.24	100.24	100.24
103.000	100.24	100.24	100.24	100.24	100.24
103.500	100.24	100.24	100.24	100.24	100.24
104.000	100.24	100.24	100.24	100.24	100.24
104.500	100.24	100.24	100.24	100.24	100.24
105.000	100.24	100.24	100.24	100.24	100.24
105.500	100.24	100.24	100.24	100.24	100.24
106.000	100.24	100.24	100.24	100.24	100.24
106.500	100.24	100.24	100.24	100.24	100.24
107.000	100.24	100.24	100.24	100.24	100.24

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
107.500	100.24	100.24	100.24	100.24	100.24
108.000	100.24	100.24	100.24	100.24	100.24
108.500	100.24	100.24	100.24	100.24	100.24
109.000	100.24	100.24	100.24	100.24	100.24
109.500	100.24	100.24	100.24	100.24	100.24
110.000	100.24	100.24	100.24	100.24	100.24
110.500	100.24	100.24	100.24	100.24	100.24
111.000	100.24	100.24	100.24	100.24	100.24
111.500	100.24	100.24	100.24	100.24	100.24
112.000	100.24	100.24	100.24	100.24	100.24
112.500	100.24	100.24	100.24	100.24	100.24
113.000	100.24	100.24	100.24	100.24	100.24
113.500	100.24	100.24	100.24	100.24	100.24
114.000	100.24	100.24	100.24	100.24	100.24
114.500	100.24	100.24	100.24	100.24	100.24
115.000	100.24	100.24	100.24	100.24	100.24
115.500	100.24	100.24	100.24	100.24	100.24
116.000	100.24	100.24	100.24	100.24	100.24
116.500	100.24	100.24	100.24	100.24	100.24
117.000	100.24	100.24	100.24	100.24	100.24
117.500	100.24	100.24	100.24	100.24	100.24
118.000	100.24	100.24	100.24	100.24	100.24
118.500	100.24	100.24	100.24	100.24	100.24
119.000	100.24	100.24	100.24	100.24	100.24
119.500	100.24	100.24	100.24	100.24	100.24
120.000	100.24	100.24	100.24	100.24	100.24
120.500	100.24	100.24	100.24	100.24	100.24
121.000	100.24	100.24	100.24	100.24	100.24
121.500	100.24	100.24	100.24	100.24	100.24
122.000	100.24	100.24	100.24	100.24	100.24
122.500	100.24	100.24	100.24	100.24	100.24
123.000	100.24	100.24	100.24	100.24	100.24
123.500	100.24	100.24	100.24	100.24	100.24
124.000	100.24	100.24	100.24	100.24	100.24
124.500	100.24	100.24	100.24	100.24	100.24
125.000	100.24	100.24	100.24	100.24	100.24
125.500	100.24	100.24	100.24	100.24	100.24
126.000	100.24	100.24	100.24	100.24	100.24
126.500	100.24	100.24	100.24	100.24	100.24
127.000	100.24	100.24	100.24	100.24	100.24
127.500	100.24	100.24	100.24	100.24	100.24
128.000	100.24	100.24	100.24	100.24	100.24
128.500	100.24	100.24	100.24	100.24	100.24

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
129.000	100.24	100.24	100.24	100.24	100.24
129.500	100.24	100.24	100.24	100.24	100.24
130.000	100.24	100.24	100.24	100.24	100.24
130.500	100.24	100.24	100.24	100.24	100.24
131.000	100.24	100.24	100.24	100.24	100.24
131.500	100.24	100.24	100.24	100.24	100.24
132.000	100.24	100.24	100.24	100.24	100.24
132.500	100.24	100.24	100.24	100.24	100.24
133.000	100.24	100.24	100.24	100.24	100.24
133.500	100.24	100.24	100.24	100.24	100.24
134.000	100.24	100.24	100.24	100.24	100.24
134.500	100.24	100.24	100.24	100.24	100.24
135.000	100.24	100.24	100.24	100.24	100.24
135.500	100.24	100.24	100.24	100.24	100.24
136.000	100.24	100.24	100.24	100.24	100.24
136.500	100.24	100.24	100.24	100.24	100.24
137.000	100.24	100.24	100.24	100.24	100.24
137.500	100.24	100.24	100.24	100.24	100.24
138.000	100.24	100.24	100.24	100.24	100.24
138.500	100.24	100.24	100.24	100.24	100.24
139.000	100.24	100.24	100.24	100.24	100.24
139.500	100.24	100.24	100.24	100.24	100.24
140.000	100.24	100.24	100.24	100.24	100.24
140.500	100.24	100.24	100.24	100.24	100.24
141.000	100.24	100.24	100.24	100.24	100.24
141.500	100.24	100.24	100.24	100.24	100.24
142.000	100.24	100.24	100.24	100.24	100.24
142.500	100.24	100.24	100.24	100.24	100.24
143.000	100.24	100.24	100.24	100.24	100.24
143.500	100.24	100.24	100.24	100.24	100.24
144.000	100.24	100.24	100.24	100.24	100.24
144.500	100.24	100.24	100.24	100.24	100.24
145.000	100.24	100.24	100.24	100.24	100.24
145.500	100.24	100.24	100.24	100.24	100.24
146.000	100.24	100.24	100.24	100.24	100.24
146.500	100.24	100.24	100.24	100.24	100.24
147.000	100.24	100.24	100.24	100.24	100.24
147.500	100.24	100.24	100.24	100.24	100.24
148.000	100.24	100.24	100.24	100.24	100.24
148.500	100.24	100.24	100.24	100.24	100.24
149.000	100.24	100.24	100.24	100.24	100.24
149.500	100.24	100.24	100.24	100.24	100.24
150.000	100.24	100.24	100.24	100.24	100.24

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
150.500	100.24	100.24	100.24	100.24	100.24
151.000	100.24	100.24	100.24	100.24	100.24
151.500	100.24	100.24	100.24	100.24	100.24
152.000	100.24	100.24	100.24	100.24	100.24
152.500	100.24	100.24	100.24	100.24	100.24
153.000	100.24	100.24	100.24	100.24	100.24
153.500	100.24	100.24	100.24	100.24	100.24
154.000	100.24	100.24	100.24	100.24	100.24
154.500	100.24	100.24	100.24	100.24	100.24
155.000	100.24	100.24	100.24	100.24	100.24
155.500	100.24	100.24	100.24	100.24	100.24
156.000	100.24	100.24	100.24	100.24	100.24
156.500	100.24	100.24	100.24	100.24	100.24
157.000	100.24	100.24	100.24	100.24	100.24
157.500	100.24	100.24	100.24	100.24	100.24
158.000	100.24	100.24	100.24	100.24	100.24
158.500	100.24	100.24	100.24	100.24	100.24
159.000	100.24	100.24	100.24	100.24	100.24
159.500	100.24	100.24	100.24	100.24	100.24
160.000	100.24	100.24	100.24	100.24	100.24
160.500	100.24	100.24	100.24	100.24	100.24
161.000	100.24	100.24	100.24	100.24	100.24
161.500	100.24	100.24	100.24	100.24	100.24
162.000	100.24	100.24	100.24	100.24	100.24
162.500	100.24	100.24	100.24	100.24	100.24
163.000	100.24	100.24	100.24	100.24	100.24
163.500	100.24	100.24	100.24	100.24	100.24
164.000	100.24	100.24	100.24	100.24	100.24
164.500	100.24	100.24	100.24	100.24	100.24
165.000	100.24	100.24	100.24	100.24	100.24
165.500	100.24	100.24	100.24	100.24	100.24
166.000	100.24	100.24	100.24	100.24	100.24
166.500	100.24	100.24	100.24	100.24	100.24
167.000	100.24	100.24	100.24	100.24	100.24
167.500	100.24	100.24	100.24	100.24	100.24
168.000	100.24	100.24	100.24	100.24	100.24
168.500	100.24	100.24	100.24	100.24	100.24
169.000	100.24	100.24	100.24	100.24	100.24
169.500	100.24	100.24	100.25	100.25	100.25
170.000	100.25	100.25	100.25	100.25	100.25
170.500	100.25	100.25	100.25	100.25	100.25
171.000	100.25	100.25	100.25	100.25	100.25
171.500	100.25	100.25	100.25	100.25	100.25

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
172.000	100.25	100.25	100.25	100.25	100.25
172.500	100.25	100.25	100.25	100.25	100.25
173.000	100.25	100.25	100.25	100.25	100.25
173.500	100.25	100.25	100.25	100.25	100.25
174.000	100.25	100.25	100.25	100.25	100.25
174.500	100.25	100.25	100.25	100.25	100.25
175.000	100.25	100.25	100.25	100.25	100.25
175.500	100.25	100.25	100.25	100.25	100.25
176.000	100.25	100.25	100.25	100.25	100.25
176.500	100.25	100.25	100.25	100.25	100.25
177.000	100.25	100.25	100.25	100.25	100.25
177.500	100.25	100.25	100.25	100.25	100.25
178.000	100.25	100.25	100.25	100.25	100.25
178.500	100.25	100.25	100.25	100.25	100.25
179.000	100.25	100.25	100.25	100.25	100.25
179.500	100.25	100.25	100.25	100.25	100.25
180.000	100.25	100.25	100.25	100.25	100.25
180.500	100.25	100.25	100.25	100.25	100.25
181.000	100.25	100.25	100.25	100.25	100.25
181.500	100.25	100.25	100.25	100.25	100.25
182.000	100.25	100.25	100.25	100.25	100.25
182.500	100.25	100.25	100.25	100.25	100.25
183.000	100.25	100.25	100.25	100.25	100.25
183.500	100.25	100.25	100.25	100.25	100.25
184.000	100.25	100.25	100.25	100.25	100.25
184.500	100.25	100.25	100.25	100.25	100.25
185.000	100.25	100.25	100.25	100.25	100.25
185.500	100.25	100.25	100.25	100.25	100.25
186.000	100.25	100.25	100.25	100.25	100.25
186.500	100.25	100.25	100.25	100.25	100.25
187.000	100.25	100.25	100.25	100.25	100.25
187.500	100.25	100.25	100.25	100.25	100.25
188.000	100.25	100.25	100.25	100.25	100.25
188.500	100.25	100.25	100.25	100.25	100.25
189.000	100.25	100.25	100.25	100.25	100.25
189.500	100.25	100.25	100.25	100.25	100.25
190.000	100.25	100.25	100.25	100.25	100.25
190.500	100.25	100.25	100.25	100.25	100.25
191.000	100.25	100.25	100.25	100.25	100.25
191.500	100.25	100.25	100.25	100.25	100.25
192.000	100.25	100.25	100.25	100.25	100.25
192.500	100.25	100.25	100.25	100.25	100.25
193.000	100.25	100.25	100.25	100.25	100.25

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
193.500	100.25	100.25	100.25	100.25	100.25
194.000	100.25	100.25	100.25	100.25	100.25
194.500	100.25	100.25	100.25	100.25	100.25
195.000	100.25	100.25	100.25	100.25	100.25
195.500	100.25	100.25	100.25	100.25	100.25
196.000	100.25	100.25	100.25	100.25	100.25
196.500	100.25	100.25	100.25	100.25	100.25
197.000	100.25	100.25	100.25	100.25	100.25
197.500	100.25	100.25	100.25	100.25	100.25
198.000	100.25	100.25	100.25	100.25	100.25
198.500	100.25	100.25	100.25	100.25	100.25
199.000	100.25	100.25	100.25	100.25	100.25
199.500	100.25	100.25	100.25	100.25	100.25
200.000	100.25	100.25	100.25	100.25	100.25
200.500	100.25	100.25	100.25	100.25	100.25
201.000	100.25	100.25	100.25	100.25	100.25
201.500	100.25	100.25	100.25	100.25	100.25
202.000	100.25	100.25	100.25	100.25	100.25
202.500	100.25	100.25	100.25	100.25	100.25
203.000	100.25	100.25	100.25	100.25	100.25
203.500	100.25	100.25	100.25	100.25	100.25
204.000	100.25	100.25	100.25	100.25	100.25
204.500	100.25	100.25	100.25	100.25	100.25
205.000	100.25	100.25	100.25	100.25	100.25
205.500	100.25	100.25	100.25	100.25	100.25
206.000	100.25	100.25	100.25	100.25	100.25
206.500	100.25	100.25	100.25	100.25	100.25
207.000	100.25	100.25	100.25	100.25	100.25
207.500	100.25	100.25	100.25	100.25	100.25
208.000	100.25	100.25	100.25	100.25	100.25
208.500	100.25	100.25	100.25	100.25	100.25
209.000	100.25	100.25	100.25	100.25	100.25
209.500	100.25	100.25	100.25	100.25	100.25
210.000	100.25	100.25	100.25	100.25	100.25
210.500	100.25	100.25	100.25	100.25	100.25
211.000	100.25	100.25	100.25	100.25	100.25
211.500	100.25	100.25	100.25	100.25	100.25
212.000	100.25	100.25	100.25	100.25	100.25
212.500	100.25	100.25	100.25	100.25	100.25
213.000	100.25	100.25	100.25	100.25	100.25
213.500	100.25	100.25	100.25	100.25	100.25
214.000	100.25	100.25	100.25	100.25	100.25
214.500	100.25	100.25	100.25	100.25	100.25

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
215.000	100.25	100.25	100.25	100.25	100.25
215.500	100.25	100.25	100.25	100.25	100.25
216.000	100.25	100.25	100.25	100.25	100.25
216.500	100.25	100.25	100.25	100.25	100.25
217.000	100.25	100.25	100.25	100.25	100.25
217.500	100.25	100.25	100.25	100.25	100.25
218.000	100.25	100.25	100.25	100.25	100.25
218.500	100.25	100.25	100.25	100.25	100.25
219.000	100.25	100.25	100.25	100.25	100.25
219.500	100.25	100.25	100.25	100.25	100.25
220.000	100.25	100.25	100.25	100.25	100.25
220.500	100.25	100.25	100.25	100.25	100.25
221.000	100.25	100.25	100.25	100.25	100.25
221.500	100.25	100.25	100.25	100.25	100.25
222.000	100.25	100.25	100.25	100.25	100.25
222.500	100.25	100.25	100.25	100.25	100.25
223.000	100.25	100.25	100.25	100.25	100.25
223.500	100.25	100.25	100.25	100.25	100.25
224.000	100.25	100.25	100.25	100.25	100.25
224.500	100.25	100.25	100.25	100.25	100.25
225.000	100.25	100.25	100.25	100.25	100.25
225.500	100.25	100.25	100.25	100.25	100.25
226.000	100.25	100.25	100.25	100.25	100.25
226.500	100.25	100.25	100.25	100.25	100.25
227.000	100.25	100.25	100.25	100.25	100.25
227.500	100.25	100.25	100.25	100.25	100.25
228.000	100.25	100.25	100.25	100.25	100.25
228.500	100.25	100.25	100.25	100.25	100.25
229.000	100.25	100.25	100.25	100.25	100.25
229.500	100.25	100.25	100.25	100.25	100.25
230.000	100.25	100.25	100.25	100.25	100.25
230.500	100.25	100.25	100.25	100.25	100.25
231.000	100.25	100.25	100.25	100.25	100.25
231.500	100.25	100.25	100.25	100.25	100.25
232.000	100.25	100.25	100.25	100.25	100.25
232.500	100.25	100.25	100.25	100.25	100.25
233.000	100.25	100.25	100.25	100.25	100.25
233.500	100.25	100.25	100.25	100.25	100.25
234.000	100.25	100.25	100.25	100.25	100.25
234.500	100.25	100.25	100.25	100.25	100.25
235.000	100.25	100.25	100.25	100.25	100.25
235.500	100.25	100.25	100.25	100.25	100.25
236.000	100.25	100.25	100.25	100.25	100.25

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
236.500	100.25	100.25	100.25	100.25	100.25
237.000	100.25	100.25	100.25	100.25	100.25
237.500	100.25	100.25	100.25	100.25	100.25
238.000	100.25	100.25	100.25	100.25	100.25
238.500	100.25	100.25	100.25	100.25	100.25
239.000	100.25	100.25	100.25	100.25	100.25
239.500	100.25	100.25	100.25	100.25	100.25
240.000	100.25	100.25	100.25	100.25	100.25
240.500	100.25	100.25	100.25	100.25	100.25
241.000	100.25	100.25	100.25	100.25	100.25
241.500	100.25	100.25	100.25	100.25	100.25
242.000	100.25	100.25	100.25	100.25	100.25
242.500	100.25	100.25	100.25	100.25	100.25
243.000	100.25	100.25	100.25	100.25	100.25
243.500	100.25	100.25	100.25	100.25	100.25
244.000	100.25	100.25	100.25	100.25	100.25
244.500	100.25	100.25	100.25	100.25	100.25
245.000	100.25	100.25	100.25	100.25	100.25
245.500	100.25	100.25	100.25	100.25	100.25
246.000	100.25	100.25	100.25	100.25	100.25
246.500	100.25	100.25	100.25	100.25	100.25
247.000	100.25	100.25	100.25	100.25	100.25
247.500	100.25	100.25	100.25	100.25	100.25
248.000	100.25	100.25	100.25	100.25	100.25
248.500	100.25	100.25	100.25	100.25	100.25
249.000	100.25	100.25	100.25	100.25	100.25
249.500	100.25	100.25	100.25	100.25	100.25
250.000	100.25	100.25	100.25	100.25	100.25
250.500	100.25	100.25	100.25	100.25	100.25
251.000	100.26	100.26	100.26	100.26	100.26
251.500	100.26	100.26	100.26	100.26	100.26
252.000	100.26	100.26	100.26	100.26	100.26
252.500	100.26	100.26	100.26	100.26	100.26
253.000	100.26	100.26	100.26	100.26	100.26
253.500	100.26	100.26	100.26	100.26	100.26
254.000	100.26	100.26	100.26	100.26	100.26
254.500	100.26	100.26	100.26	100.26	100.26
255.000	100.26	100.26	100.26	100.26	100.26
255.500	100.26	100.26	100.26	100.26	100.26
256.000	100.26	100.26	100.26	100.26	100.26
256.500	100.26	100.26	100.26	100.26	100.26
257.000	100.26	100.26	100.26	100.26	100.26
257.500	100.26	100.26	100.26	100.26	100.26

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
258.000	100.26	100.26	100.26	100.26	100.26
258.500	100.26	100.26	100.26	100.26	100.26
259.000	100.26	100.26	100.26	100.26	100.26
259.500	100.26	100.26	100.26	100.26	100.26
260.000	100.26	100.26	100.26	100.26	100.26
260.500	100.26	100.26	100.26	100.26	100.26
261.000	100.26	100.26	100.26	100.26	100.26
261.500	100.26	100.26	100.26	100.26	100.26
262.000	100.26	100.26	100.26	100.26	100.26
262.500	100.26	100.26	100.26	100.26	100.26
263.000	100.26	100.26	100.26	100.26	100.26
263.500	100.26	100.26	100.26	100.26	100.26
264.000	100.26	100.26	100.26	100.26	100.26
264.500	100.26	100.26	100.26	100.26	100.26
265.000	100.26	100.26	100.26	100.26	100.26
265.500	100.26	100.26	100.26	100.26	100.26
266.000	100.26	100.26	100.26	100.26	100.26
266.500	100.26	100.26	100.26	100.26	100.26
267.000	100.26	100.26	100.26	100.26	100.26
267.500	100.26	100.26	100.26	100.26	100.26
268.000	100.26	100.26	100.26	100.26	100.26
268.500	100.26	100.26	100.26	100.26	100.26
269.000	100.26	100.26	100.26	100.26	100.26
269.500	100.26	100.26	100.26	100.26	100.26
270.000	100.26	100.26	100.26	100.26	100.26
270.500	100.26	100.26	100.26	100.26	100.26
271.000	100.26	100.26	100.26	100.26	100.26
271.500	100.26	100.26	100.26	100.26	100.26
272.000	100.26	100.26	100.26	100.26	100.26
272.500	100.26	100.26	100.26	100.26	100.26
273.000	100.26	100.26	100.26	100.26	100.26
273.500	100.26	100.26	100.26	100.26	100.26
274.000	100.26	100.26	100.26	100.26	100.26
274.500	100.26	100.26	100.26	100.26	100.26
275.000	100.26	100.26	100.26	100.26	100.26
275.500	100.26	100.26	100.26	100.26	100.26
276.000	100.26	100.26	100.26	100.26	100.26
276.500	100.26	100.26	100.26	100.26	100.26
277.000	100.26	100.26	100.26	100.26	100.26
277.500	100.26	100.26	100.26	100.26	100.26
278.000	100.26	100.26	100.26	100.26	100.26
278.500	100.26	100.26	100.26	100.26	100.26
279.000	100.26	100.26	100.26	100.26	100.26

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
279.500	100.26	100.26	100.26	100.26	100.26
280.000	100.26	100.26	100.26	100.26	100.26
280.500	100.26	100.26	100.26	100.26	100.26
281.000	100.26	100.26	100.26	100.26	100.26
281.500	100.26	100.26	100.26	100.26	100.26
282.000	100.26	100.26	100.26	100.26	100.26
282.500	100.26	100.26	100.26	100.26	100.26
283.000	100.26	100.26	100.26	100.26	100.26
283.500	100.26	100.26	100.26	100.26	100.26
284.000	100.26	100.26	100.26	100.26	100.26
284.500	100.26	100.26	100.26	100.26	100.26
285.000	100.26	100.26	100.26	100.26	100.26
285.500	100.26	100.26	100.26	100.26	100.26
286.000	100.26	100.26	100.26	100.26	100.26
286.500	100.26	100.26	100.26	100.26	100.26
287.000	100.26	100.26	100.26	100.26	100.26
287.500	100.26	100.26	100.26	100.26	100.26
288.000	100.26	100.26	100.26	100.26	100.26
288.500	100.26	100.26	100.26	100.26	100.26
289.000	100.26	100.26	100.26	100.26	100.26
289.500	100.26	100.26	100.26	100.26	100.26
290.000	100.26	100.26	100.26	100.26	100.26
290.500	100.26	100.26	100.26	100.26	100.26
291.000	100.26	100.26	100.26	100.26	100.26
291.500	100.26	100.26	100.26	100.26	100.26
292.000	100.26	100.26	100.26	100.26	100.26
292.500	100.26	100.26	100.26	100.26	100.26
293.000	100.26	100.26	100.26	100.26	100.26
293.500	100.26	100.26	100.26	100.26	100.26
294.000	100.26	100.26	100.26	100.26	100.26
294.500	100.26	100.26	100.26	100.26	100.26
295.000	100.26	100.26	100.26	100.26	100.26
295.500	100.26	100.26	100.26	100.26	100.26
296.000	100.26	100.26	100.26	100.26	100.26
296.500	100.26	100.26	100.26	100.26	100.26
297.000	100.26	100.26	100.26	100.26	100.26
297.500	100.26	100.26	100.26	100.26	100.26
298.000	100.26	100.26	100.26	100.26	100.26
298.500	100.26	100.26	100.26	100.26	100.26
299.000	100.26	100.26	100.26	100.26	100.26
299.500	100.26	100.26	100.26	100.26	100.26
300.000	100.26	100.26	100.26	100.26	100.26
300.500	100.26	100.26	100.26	100.26	100.26

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
301.000	100.26	100.26	100.26	100.26	100.26
301.500	100.26	100.26	100.26	100.26	100.26
302.000	100.26	100.26	100.26	100.26	100.26
302.500	100.26	100.26	100.26	100.26	100.26
303.000	100.26	100.26	100.26	100.26	100.26
303.500	100.26	100.26	100.26	100.26	100.26
304.000	100.26	100.26	100.26	100.26	100.26
304.500	100.26	100.26	100.26	100.26	100.26
305.000	100.26	100.26	100.26	100.26	100.26
305.500	100.26	100.26	100.26	100.26	100.26
306.000	100.26	100.26	100.26	100.26	100.26
306.500	100.26	100.26	100.26	100.26	100.26
307.000	100.26	100.26	100.26	100.26	100.26
307.500	100.26	100.26	100.26	100.26	100.26
308.000	100.26	100.26	100.26	100.26	100.26
308.500	100.26	100.26	100.26	100.26	100.26
309.000	100.26	100.26	100.26	100.26	100.26
309.500	100.26	100.26	100.26	100.26	100.26
310.000	100.26	100.26	100.26	100.26	100.26
310.500	100.26	100.26	100.26	100.26	100.26
311.000	100.26	100.26	100.26	100.26	100.26
311.500	100.26	100.26	100.26	100.26	100.26
312.000	100.26	100.26	100.26	100.26	100.26
312.500	100.26	100.26	100.26	100.26	100.26
313.000	100.26	100.26	100.26	100.26	100.26
313.500	100.26	100.26	100.26	100.26	100.26
314.000	100.26	100.26	100.26	100.26	100.26
314.500	100.26	100.26	100.26	100.26	100.26
315.000	100.26	100.26	100.26	100.26	100.26
315.500	100.26	100.26	100.26	100.26	100.26
316.000	100.26	100.26	100.26	100.26	100.26
316.500	100.26	100.26	100.26	100.26	100.26
317.000	100.26	100.26	100.26	100.26	100.26
317.500	100.26	100.26	100.26	100.26	100.26
318.000	100.26	100.26	100.26	100.26	100.26
318.500	100.26	100.26	100.26	100.26	100.26
319.000	100.26	100.26	100.26	100.26	100.26
319.500	100.26	100.26	100.26	100.26	100.26
320.000	100.26	100.26	100.26	100.26	100.26
320.500	100.26	100.26	100.26	100.26	100.26
321.000	100.26	100.26	100.26	100.26	100.26
321.500	100.26	100.26	100.26	100.26	100.26
322.000	100.26	100.26	100.26	100.26	100.27

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
322.500	100.27	100.27	100.27	100.27	100.27
323.000	100.27	100.27	100.27	100.27	100.27
323.500	100.27	100.27	100.27	100.27	100.27
324.000	100.27	100.27	100.27	100.27	100.27
324.500	100.27	100.27	100.27	100.27	100.27
325.000	100.27	100.27	100.27	100.27	100.27
325.500	100.27	100.27	100.27	100.27	100.27
326.000	100.27	100.27	100.27	100.27	100.27
326.500	100.27	100.27	100.27	100.27	100.27
327.000	100.27	100.27	100.27	100.27	100.27
327.500	100.27	100.27	100.27	100.27	100.27
328.000	100.27	100.27	100.27	100.27	100.27
328.500	100.27	100.27	100.27	100.27	100.27
329.000	100.27	100.27	100.27	100.27	100.27
329.500	100.27	100.27	100.27	100.27	100.27
330.000	100.27	100.27	100.27	100.27	100.27
330.500	100.27	100.27	100.27	100.27	100.27
331.000	100.27	100.27	100.27	100.27	100.27
331.500	100.27	100.27	100.27	100.27	100.27
332.000	100.27	100.27	100.27	100.27	100.27
332.500	100.27	100.27	100.27	100.27	100.27
333.000	100.27	100.27	100.27	100.27	100.27
333.500	100.27	100.27	100.27	100.27	100.27
334.000	100.27	100.27	100.27	100.27	100.27
334.500	100.27	100.27	100.27	100.27	100.27
335.000	100.27	100.27	100.27	100.27	100.27
335.500	100.27	100.27	100.27	100.27	100.27
336.000	100.27	100.27	100.27	100.27	100.27
336.500	100.27	100.27	100.27	100.27	100.27
337.000	100.27	100.27	100.27	100.27	100.27
337.500	100.27	100.27	100.27	100.27	100.27
338.000	100.27	100.27	100.27	100.27	100.27
338.500	100.27	100.27	100.27	100.27	100.27
339.000	100.27	100.27	100.27	100.27	100.27
339.500	100.27	100.27	100.27	100.27	100.27
340.000	100.27	100.27	100.27	100.27	100.27
340.500	100.27	100.27	100.27	100.27	100.27
341.000	100.27	100.27	100.27	100.27	100.27
341.500	100.27	100.27	100.27	100.27	100.27
342.000	100.27	100.27	100.27	100.27	100.27
342.500	100.27	100.27	100.27	100.27	100.27
343.000	100.27	100.27	100.27	100.27	100.27
343.500	100.27	100.27	100.27	100.27	100.27

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
344.000	100.27	100.27	100.27	100.27	100.27
344.500	100.27	100.27	100.27	100.27	100.27
345.000	100.27	100.27	100.27	100.27	100.27
345.500	100.27	100.27	100.27	100.27	100.27
346.000	100.27	100.27	100.27	100.27	100.27
346.500	100.27	100.27	100.27	100.27	100.27
347.000	100.27	100.27	100.27	100.27	100.27
347.500	100.27	100.27	100.27	100.27	100.27
348.000	100.27	100.27	100.27	100.27	100.27
348.500	100.27	100.27	100.27	100.27	100.27
349.000	100.27	100.27	100.27	100.27	100.27
349.500	100.27	100.27	100.27	100.27	100.27
350.000	100.27	100.27	100.27	100.27	100.27
350.500	100.27	100.27	100.27	100.27	100.27
351.000	100.27	100.27	100.27	100.27	100.27
351.500	100.27	100.27	100.27	100.27	100.27
352.000	100.27	100.27	100.27	100.27	100.27
352.500	100.27	100.27	100.27	100.27	100.27
353.000	100.27	100.27	100.27	100.27	100.27
353.500	100.27	100.27	100.27	100.27	100.27
354.000	100.27	100.27	100.27	100.27	100.27
354.500	100.27	100.27	100.27	100.27	100.27
355.000	100.27	100.27	100.27	100.27	100.27
355.500	100.27	100.27	100.27	100.27	100.27
356.000	100.27	100.27	100.27	100.27	100.27
356.500	100.27	100.27	100.27	100.27	100.27
357.000	100.27	100.27	100.27	100.27	100.27
357.500	100.27	100.27	100.27	100.27	100.27
358.000	100.27	100.27	100.27	100.27	100.27
358.500	100.27	100.27	100.27	100.27	100.27
359.000	100.27	100.27	100.27	100.27	100.27
359.500	100.27	100.27	100.27	100.27	100.27
360.000	100.27	100.27	100.27	100.27	100.27
360.500	100.27	100.27	100.27	100.27	100.27
361.000	100.27	100.27	100.27	100.27	100.27
361.500	100.27	100.27	100.27	100.27	100.27
362.000	100.27	100.27	100.27	100.27	100.27
362.500	100.27	100.27	100.27	100.27	100.27
363.000	100.27	100.27	100.27	100.27	100.27
363.500	100.27	100.27	100.27	100.27	100.27
364.000	100.27	100.27	100.27	100.27	100.27
364.500	100.27	100.27	100.27	100.27	100.27
365.000	100.27	100.27	100.27	100.27	100.27

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
365.500	100.27	100.27	100.27	100.27	100.27
366.000	100.27	100.27	100.27	100.27	100.27
366.500	100.27	100.27	100.27	100.27	100.27
367.000	100.27	100.27	100.27	100.27	100.27
367.500	100.27	100.27	100.27	100.27	100.27
368.000	100.27	100.27	100.27	100.27	100.27
368.500	100.27	100.27	100.27	100.27	100.27
369.000	100.27	100.27	100.27	100.27	100.27
369.500	100.27	100.27	100.27	100.27	100.27
370.000	100.27	100.27	100.27	100.27	100.27
370.500	100.27	100.27	100.27	100.27	100.27
371.000	100.27	100.27	100.27	100.27	100.27
371.500	100.27	100.27	100.27	100.27	100.27
372.000	100.27	100.27	100.27	100.27	100.27
372.500	100.27	100.27	100.27	100.27	100.27
373.000	100.27	100.27	100.27	100.27	100.27
373.500	100.27	100.27	100.27	100.27	100.27
374.000	100.27	100.27	100.27	100.27	100.27
374.500	100.27	100.27	100.27	100.27	100.27
375.000	100.27	100.27	100.27	100.27	100.27
375.500	100.27	100.27	100.27	100.27	100.27
376.000	100.27	100.27	100.27	100.27	100.27
376.500	100.27	100.27	100.27	100.27	100.27
377.000	100.27	100.27	100.27	100.27	100.27
377.500	100.27	100.27	100.27	100.27	100.27
378.000	100.27	100.27	100.27	100.27	100.27
378.500	100.27	100.27	100.27	100.27	100.27
379.000	100.27	100.27	100.27	100.27	100.27
379.500	100.27	100.27	100.27	100.27	100.27
380.000	100.27	100.27	100.27	100.27	100.27
380.500	100.27	100.27	100.27	100.27	100.27
381.000	100.27	100.27	100.27	100.27	100.27
381.500	100.27	100.27	100.27	100.27	100.27
382.000	100.27	100.27	100.27	100.27	100.27
382.500	100.27	100.27	100.27	100.27	100.27
383.000	100.27	100.27	100.27	100.27	100.27
383.500	100.27	100.27	100.27	100.27	100.27
384.000	100.27	100.27	100.27	100.27	100.27
384.500	100.27	100.27	100.27	100.27	100.27
385.000	100.27	100.27	100.27	100.27	100.27
385.500	100.27	100.27	100.27	100.27	100.28
386.000	100.28	100.28	100.28	100.28	100.28
386.500	100.28	100.28	100.28	100.28	100.28

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
387.000	100.28	100.28	100.28	100.28	100.28
387.500	100.28	100.28	100.28	100.28	100.28
388.000	100.28	100.28	100.28	100.28	100.28
388.500	100.28	100.28	100.28	100.28	100.28
389.000	100.28	100.28	100.28	100.28	100.28
389.500	100.28	100.28	100.28	100.28	100.28
390.000	100.28	100.28	100.28	100.28	100.28
390.500	100.28	100.28	100.28	100.28	100.28
391.000	100.28	100.28	100.28	100.28	100.28
391.500	100.28	100.28	100.28	100.28	100.28
392.000	100.28	100.28	100.28	100.28	100.28
392.500	100.28	100.28	100.28	100.28	100.28
393.000	100.28	100.28	100.28	100.28	100.28
393.500	100.28	100.28	100.28	100.28	100.28
394.000	100.28	100.28	100.28	100.28	100.28
394.500	100.28	100.28	100.28	100.28	100.28
395.000	100.28	100.28	100.28	100.28	100.28
395.500	100.28	100.28	100.28	100.28	100.28
396.000	100.28	100.28	100.28	100.28	100.28
396.500	100.28	100.28	100.28	100.28	100.28
397.000	100.28	100.28	100.28	100.28	100.28
397.500	100.28	100.28	100.28	100.28	100.28
398.000	100.28	100.28	100.28	100.28	100.28
398.500	100.28	100.28	100.28	100.28	100.28
399.000	100.28	100.28	100.28	100.28	100.28
399.500	100.28	100.28	100.28	100.28	100.28
400.000	100.28	100.28	100.28	100.28	100.28
400.500	100.28	100.28	100.28	100.28	100.28
401.000	100.28	100.28	100.28	100.28	100.28
401.500	100.28	100.28	100.28	100.28	100.28
402.000	100.28	100.28	100.28	100.28	100.28
402.500	100.28	100.28	100.28	100.28	100.28
403.000	100.28	100.28	100.28	100.28	100.28
403.500	100.28	100.28	100.28	100.28	100.28
404.000	100.28	100.28	100.28	100.28	100.28
404.500	100.28	100.28	100.28	100.28	100.28
405.000	100.28	100.28	100.28	100.28	100.28
405.500	100.28	100.28	100.28	100.28	100.28
406.000	100.28	100.28	100.28	100.28	100.28
406.500	100.28	100.28	100.28	100.28	100.28
407.000	100.28	100.28	100.28	100.28	100.28
407.500	100.28	100.28	100.28	100.28	100.28
408.000	100.28	100.28	100.28	100.28	100.28

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
408.500	100.28	100.28	100.28	100.28	100.28
409.000	100.28	100.28	100.28	100.28	100.28
409.500	100.28	100.28	100.28	100.28	100.28
410.000	100.28	100.28	100.28	100.28	100.28
410.500	100.28	100.28	100.28	100.28	100.28
411.000	100.28	100.28	100.28	100.28	100.28
411.500	100.28	100.28	100.28	100.28	100.28
412.000	100.28	100.28	100.28	100.28	100.28
412.500	100.28	100.28	100.28	100.28	100.28
413.000	100.28	100.28	100.28	100.28	100.28
413.500	100.28	100.28	100.28	100.28	100.28
414.000	100.28	100.28	100.28	100.28	100.28
414.500	100.28	100.28	100.28	100.28	100.28
415.000	100.28	100.28	100.28	100.28	100.28
415.500	100.28	100.28	100.28	100.28	100.28
416.000	100.28	100.28	100.28	100.28	100.28
416.500	100.28	100.28	100.28	100.28	100.28
417.000	100.28	100.28	100.28	100.28	100.28
417.500	100.28	100.28	100.28	100.28	100.28
418.000	100.28	100.28	100.28	100.28	100.28
418.500	100.28	100.28	100.28	100.28	100.28
419.000	100.28	100.28	100.28	100.28	100.28
419.500	100.28	100.28	100.28	100.28	100.28
420.000	100.28	100.28	100.28	100.28	100.28
420.500	100.28	100.28	100.28	100.28	100.28
421.000	100.28	100.28	100.28	100.28	100.28
421.500	100.28	100.28	100.28	100.28	100.28
422.000	100.28	100.28	100.28	100.28	100.28
422.500	100.28	100.28	100.28	100.28	100.28
423.000	100.28	100.28	100.28	100.28	100.28
423.500	100.28	100.28	100.28	100.28	100.28
424.000	100.28	100.28	100.28	100.28	100.28
424.500	100.28	100.28	100.28	100.28	100.28
425.000	100.28	100.28	100.28	100.28	100.28
425.500	100.28	100.28	100.28	100.28	100.28
426.000	100.28	100.28	100.28	100.28	100.28
426.500	100.28	100.28	100.28	100.28	100.28
427.000	100.28	100.28	100.28	100.28	100.28
427.500	100.28	100.28	100.28	100.28	100.28
428.000	100.28	100.28	100.28	100.28	100.28
428.500	100.28	100.28	100.28	100.28	100.28
429.000	100.28	100.28	100.28	100.28	100.28
429.500	100.28	100.28	100.28	100.28	100.28

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
430.000	100.28	100.28	100.28	100.28	100.28
430.500	100.28	100.28	100.28	100.28	100.28
431.000	100.28	100.28	100.28	100.28	100.28
431.500	100.28	100.28	100.28	100.28	100.28
432.000	100.28	100.28	100.28	100.28	100.28
432.500	100.28	100.28	100.28	100.28	100.28
433.000	100.28	100.28	100.28	100.28	100.28
433.500	100.28	100.28	100.28	100.28	100.28
434.000	100.28	100.28	100.28	100.28	100.28
434.500	100.28	100.28	100.28	100.28	100.28
435.000	100.28	100.28	100.28	100.28	100.28
435.500	100.28	100.28	100.28	100.28	100.28
436.000	100.28	100.28	100.28	100.28	100.28
436.500	100.28	100.28	100.28	100.28	100.28
437.000	100.28	100.28	100.28	100.28	100.28
437.500	100.28	100.28	100.28	100.28	100.28
438.000	100.28	100.28	100.28	100.28	100.28
438.500	100.28	100.28	100.28	100.28	100.28
439.000	100.28	100.28	100.28	100.28	100.28
439.500	100.28	100.28	100.28	100.28	100.28
440.000	100.28	100.28	100.28	100.28	100.28
440.500	100.28	100.28	100.28	100.28	100.28
441.000	100.28	100.28	100.28	100.28	100.28
441.500	100.28	100.28	100.28	100.28	100.28
442.000	100.28	100.28	100.28	100.28	100.28
442.500	100.28	100.29	100.29	100.29	100.29
443.000	100.29	100.29	100.29	100.29	100.29
443.500	100.29	100.29	100.29	100.29	100.29
444.000	100.29	100.29	100.29	100.29	100.29
444.500	100.29	100.29	100.29	100.29	100.29
445.000	100.29	100.29	100.29	100.29	100.29
445.500	100.29	100.29	100.29	100.29	100.29
446.000	100.29	100.29	100.29	100.29	100.29
446.500	100.29	100.29	100.29	100.29	100.29
447.000	100.29	100.29	100.29	100.29	100.29
447.500	100.29	100.29	100.29	100.29	100.29
448.000	100.29	100.29	100.29	100.29	100.29
448.500	100.29	100.29	100.29	100.29	100.29
449.000	100.29	100.29	100.29	100.29	100.29
449.500	100.29	100.29	100.29	100.29	100.29
450.000	100.29	100.29	100.29	100.29	100.29
450.500	100.29	100.29	100.29	100.29	100.29
451.000	100.29	100.29	100.29	100.29	100.29

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
451.500	100.29	100.29	100.29	100.29	100.29
452.000	100.29	100.29	100.29	100.29	100.29
452.500	100.29	100.29	100.29	100.29	100.29
453.000	100.29	100.29	100.29	100.29	100.29
453.500	100.29	100.29	100.29	100.29	100.29
454.000	100.29	100.29	100.29	100.29	100.29
454.500	100.29	100.29	100.29	100.29	100.29
455.000	100.29	100.29	100.29	100.29	100.29
455.500	100.29	100.29	100.29	100.29	100.29
456.000	100.29	100.29	100.29	100.29	100.29
456.500	100.29	100.29	100.29	100.29	100.29
457.000	100.29	100.29	100.29	100.29	100.29
457.500	100.29	100.29	100.29	100.29	100.29
458.000	100.29	100.29	100.29	100.29	100.29
458.500	100.29	100.29	100.29	100.29	100.29
459.000	100.29	100.29	100.29	100.29	100.29
459.500	100.29	100.29	100.29	100.29	100.29
460.000	100.29	100.29	100.29	100.29	100.29
460.500	100.29	100.29	100.29	100.29	100.29
461.000	100.29	100.29	100.29	100.29	100.29
461.500	100.29	100.29	100.29	100.29	100.29
462.000	100.29	100.29	100.29	100.29	100.29
462.500	100.29	100.29	100.29	100.29	100.29
463.000	100.29	100.29	100.29	100.29	100.29
463.500	100.29	100.29	100.29	100.29	100.29
464.000	100.29	100.29	100.29	100.29	100.29
464.500	100.29	100.29	100.29	100.29	100.29
465.000	100.29	100.29	100.29	100.29	100.29
465.500	100.29	100.29	100.29	100.29	100.29
466.000	100.29	100.29	100.29	100.29	100.29
466.500	100.29	100.29	100.29	100.29	100.29
467.000	100.29	100.29	100.29	100.29	100.29
467.500	100.29	100.29	100.29	100.29	100.29
468.000	100.29	100.29	100.29	100.29	100.29
468.500	100.29	100.29	100.29	100.29	100.29
469.000	100.29	100.29	100.29	100.29	100.29
469.500	100.29	100.29	100.29	100.29	100.29
470.000	100.29	100.29	100.29	100.29	100.29
470.500	100.29	100.29	100.29	100.29	100.29
471.000	100.29	100.29	100.29	100.29	100.29
471.500	100.29	100.29	100.29	100.29	100.29
472.000	100.29	100.29	100.29	100.29	100.29
472.500	100.29	100.29	100.29	100.29	100.29

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
473.000	100.29	100.29	100.29	100.29	100.29
473.500	100.29	100.29	100.29	100.29	100.29
474.000	100.29	100.29	100.29	100.29	100.29
474.500	100.29	100.29	100.29	100.29	100.29
475.000	100.29	100.29	100.29	100.29	100.29
475.500	100.29	100.29	100.29	100.29	100.29
476.000	100.29	100.29	100.29	100.29	100.29
476.500	100.29	100.29	100.29	100.29	100.29
477.000	100.29	100.29	100.29	100.29	100.29
477.500	100.29	100.29	100.29	100.29	100.29
478.000	100.29	100.29	100.29	100.29	100.29
478.500	100.29	100.29	100.29	100.29	100.29
479.000	100.29	100.29	100.29	100.29	100.29
479.500	100.29	100.29	100.29	100.29	100.29
480.000	100.29	100.29	100.29	100.29	100.29
480.500	100.29	100.29	100.29	100.29	100.29
481.000	100.29	100.29	100.29	100.29	100.29
481.500	100.29	100.29	100.29	100.29	100.29
482.000	100.29	100.29	100.29	100.29	100.29
482.500	100.29	100.29	100.29	100.29	100.29
483.000	100.29	100.29	100.29	100.29	100.29
483.500	100.29	100.29	100.29	100.29	100.29
484.000	100.29	100.29	100.29	100.29	100.29
484.500	100.29	100.29	100.29	100.29	100.29
485.000	100.29	100.29	100.29	100.29	100.29
485.500	100.29	100.29	100.29	100.29	100.29
486.000	100.29	100.29	100.29	100.29	100.29
486.500	100.29	100.29	100.29	100.29	100.29
487.000	100.29	100.29	100.29	100.29	100.29
487.500	100.29	100.29	100.29	100.29	100.29
488.000	100.29	100.29	100.29	100.29	100.29
488.500	100.29	100.29	100.29	100.29	100.29
489.000	100.29	100.29	100.29	100.29	100.29
489.500	100.29	100.29	100.29	100.29	100.29
490.000	100.29	100.29	100.29	100.29	100.29
490.500	100.29	100.29	100.29	100.29	100.29
491.000	100.29	100.29	100.29	100.29	100.29
491.500	100.29	100.29	100.29	100.29	100.29
492.000	100.29	100.29	100.29	100.29	100.29
492.500	100.29	100.29	100.29	100.29	100.29
493.000	100.29	100.29	100.29	100.29	100.30
493.500	100.30	100.30	100.30	100.30	100.30
494.000	100.30	100.30	100.30	100.30	100.30

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
494.500	100.30	100.30	100.30	100.30	100.30
495.000	100.30	100.30	100.30	100.30	100.30
495.500	100.30	100.30	100.30	100.30	100.30
496.000	100.30	100.30	100.30	100.30	100.30
496.500	100.30	100.30	100.30	100.30	100.30
497.000	100.30	100.30	100.30	100.30	100.30
497.500	100.30	100.30	100.30	100.30	100.30
498.000	100.30	100.30	100.30	100.30	100.30
498.500	100.30	100.30	100.30	100.30	100.30
499.000	100.30	100.30	100.30	100.30	100.30
499.500	100.30	100.30	100.30	100.30	100.30
500.000	100.30	100.30	100.30	100.30	100.30
500.500	100.30	100.30	100.30	100.30	100.30
501.000	100.30	100.30	100.30	100.30	100.30
501.500	100.30	100.30	100.30	100.30	100.30
502.000	100.30	100.30	100.30	100.30	100.30
502.500	100.30	100.30	100.30	100.30	100.30
503.000	100.30	100.30	100.30	100.30	100.30
503.500	100.30	100.30	100.30	100.30	100.30
504.000	100.30	100.30	100.30	100.30	100.30
504.500	100.30	100.30	100.30	100.30	100.30
505.000	100.30	100.30	100.30	100.30	100.30
505.500	100.30	100.30	100.30	100.30	100.30
506.000	100.30	100.30	100.30	100.30	100.30
506.500	100.30	100.30	100.30	100.30	100.30
507.000	100.30	100.30	100.30	100.30	100.30
507.500	100.30	100.30	100.30	100.30	100.30
508.000	100.30	100.30	100.30	100.30	100.30
508.500	100.30	100.30	100.30	100.30	100.30
509.000	100.30	100.30	100.30	100.30	100.30
509.500	100.30	100.30	100.30	100.30	100.30
510.000	100.30	100.30	100.30	100.30	100.30
510.500	100.30	100.30	100.30	100.30	100.30
511.000	100.30	100.30	100.30	100.30	100.30
511.500	100.30	100.30	100.30	100.30	100.30
512.000	100.30	100.30	100.30	100.30	100.30
512.500	100.30	100.30	100.30	100.30	100.30
513.000	100.30	100.30	100.30	100.30	100.30
513.500	100.30	100.30	100.30	100.30	100.30
514.000	100.30	100.30	100.30	100.30	100.30
514.500	100.30	100.30	100.30	100.30	100.30
515.000	100.30	100.30	100.30	100.30	100.30
515.500	100.30	100.30	100.30	100.30	100.30

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
516.000	100.30	100.30	100.30	100.30	100.30
516.500	100.30	100.30	100.30	100.30	100.30
517.000	100.30	100.30	100.30	100.30	100.30
517.500	100.30	100.30	100.30	100.30	100.30
518.000	100.30	100.30	100.30	100.30	100.30
518.500	100.30	100.30	100.30	100.30	100.30
519.000	100.30	100.30	100.30	100.30	100.30
519.500	100.30	100.30	100.30	100.30	100.30
520.000	100.30	100.30	100.30	100.30	100.30
520.500	100.30	100.30	100.30	100.30	100.30
521.000	100.30	100.30	100.30	100.30	100.30
521.500	100.30	100.30	100.30	100.30	100.30
522.000	100.30	100.30	100.30	100.30	100.30
522.500	100.30	100.30	100.30	100.30	100.30
523.000	100.30	100.30	100.30	100.30	100.30
523.500	100.30	100.30	100.30	100.30	100.30
524.000	100.30	100.30	100.30	100.30	100.30
524.500	100.30	100.30	100.30	100.30	100.30
525.000	100.30	100.30	100.30	100.30	100.30
525.500	100.30	100.30	100.30	100.30	100.30
526.000	100.30	100.30	100.30	100.30	100.30
526.500	100.30	100.30	100.30	100.30	100.30
527.000	100.30	100.30	100.30	100.30	100.30
527.500	100.30	100.30	100.30	100.30	100.30
528.000	100.30	100.30	100.30	100.30	100.30
528.500	100.30	100.30	100.30	100.30	100.30
529.000	100.30	100.30	100.30	100.30	100.30
529.500	100.30	100.30	100.30	100.30	100.30
530.000	100.30	100.30	100.30	100.30	100.30
530.500	100.30	100.30	100.30	100.30	100.30
531.000	100.30	100.30	100.30	100.30	100.30
531.500	100.30	100.30	100.30	100.30	100.30
532.000	100.30	100.30	100.30	100.30	100.30
532.500	100.30	100.30	100.30	100.30	100.30
533.000	100.30	100.30	100.30	100.30	100.30
533.500	100.30	100.30	100.30	100.30	100.30
534.000	100.30	100.30	100.30	100.30	100.30
534.500	100.30	100.30	100.30	100.30	100.30
535.000	100.30	100.30	100.30	100.30	100.30
535.500	100.30	100.30	100.30	100.30	100.30
536.000	100.30	100.30	100.30	100.30	100.30
536.500	100.30	100.30	100.30	100.30	100.30
537.000	100.30	100.30	100.30	100.30	100.30

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
537.500	100.30	100.30	100.30	100.30	100.30
538.000	100.30	100.30	100.30	100.30	100.30
538.500	100.30	100.30	100.30	100.30	100.30
539.000	100.30	100.30	100.30	100.30	100.31
539.500	100.31	100.31	100.31	100.31	100.31
540.000	100.31	100.31	100.31	100.31	100.31
540.500	100.31	100.31	100.31	100.31	100.31
541.000	100.31	100.31	100.31	100.31	100.31
541.500	100.31	100.31	100.31	100.31	100.31
542.000	100.31	100.31	100.31	100.31	100.31
542.500	100.31	100.31	100.31	100.31	100.31
543.000	100.31	100.31	100.31	100.31	100.31
543.500	100.31	100.31	100.31	100.31	100.31
544.000	100.31	100.31	100.31	100.31	100.31
544.500	100.31	100.31	100.31	100.31	100.31
545.000	100.31	100.31	100.31	100.31	100.31
545.500	100.31	100.31	100.31	100.31	100.31
546.000	100.31	100.31	100.31	100.31	100.31
546.500	100.31	100.31	100.31	100.31	100.31
547.000	100.31	100.31	100.31	100.31	100.31
547.500	100.31	100.31	100.31	100.31	100.31
548.000	100.31	100.31	100.31	100.31	100.31
548.500	100.31	100.31	100.31	100.31	100.31
549.000	100.31	100.31	100.31	100.31	100.31
549.500	100.31	100.31	100.31	100.31	100.31
550.000	100.31	100.31	100.31	100.31	100.31
550.500	100.31	100.31	100.31	100.31	100.31
551.000	100.31	100.31	100.31	100.31	100.31
551.500	100.31	100.31	100.31	100.31	100.31
552.000	100.31	100.31	100.31	100.31	100.31
552.500	100.31	100.31	100.31	100.31	100.31
553.000	100.31	100.31	100.31	100.31	100.31
553.500	100.31	100.31	100.31	100.31	100.31
554.000	100.31	100.31	100.31	100.31	100.31
554.500	100.31	100.31	100.31	100.31	100.31
555.000	100.31	100.31	100.31	100.31	100.31
555.500	100.31	100.31	100.31	100.31	100.31
556.000	100.31	100.31	100.31	100.31	100.31
556.500	100.31	100.31	100.31	100.31	100.31
557.000	100.31	100.31	100.31	100.31	100.31
557.500	100.31	100.31	100.31	100.31	100.31
558.000	100.31	100.31	100.31	100.31	100.31
558.500	100.31	100.31	100.31	100.31	100.31

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
559.000	100.31	100.31	100.31	100.31	100.31
559.500	100.31	100.31	100.31	100.31	100.31
560.000	100.31	100.31	100.31	100.31	100.31
560.500	100.31	100.31	100.31	100.31	100.31
561.000	100.31	100.31	100.31	100.31	100.31
561.500	100.31	100.31	100.31	100.31	100.31
562.000	100.31	100.31	100.31	100.31	100.31
562.500	100.31	100.31	100.31	100.31	100.31
563.000	100.31	100.31	100.31	100.31	100.31
563.500	100.31	100.31	100.31	100.31	100.31
564.000	100.31	100.31	100.31	100.31	100.31
564.500	100.31	100.31	100.31	100.31	100.31
565.000	100.31	100.31	100.31	100.31	100.31
565.500	100.31	100.31	100.31	100.31	100.31
566.000	100.31	100.31	100.31	100.31	100.31
566.500	100.31	100.31	100.31	100.31	100.31
567.000	100.31	100.31	100.31	100.31	100.31
567.500	100.31	100.31	100.31	100.31	100.31
568.000	100.31	100.31	100.31	100.31	100.31
568.500	100.31	100.31	100.31	100.31	100.31
569.000	100.31	100.31	100.31	100.31	100.31
569.500	100.31	100.31	100.31	100.31	100.31
570.000	100.31	100.31	100.31	100.31	100.31
570.500	100.31	100.31	100.31	100.31	100.31
571.000	100.31	100.31	100.31	100.31	100.31
571.500	100.31	100.31	100.31	100.31	100.31
572.000	100.31	100.31	100.31	100.31	100.31
572.500	100.31	100.31	100.31	100.31	100.31
573.000	100.31	100.31	100.31	100.31	100.31
573.500	100.31	100.31	100.31	100.31	100.31
574.000	100.31	100.31	100.31	100.31	100.31
574.500	100.31	100.31	100.31	100.31	100.31
575.000	100.31	100.31	100.31	100.31	100.31
575.500	100.31	100.31	100.31	100.31	100.31
576.000	100.31	100.31	100.31	100.31	100.31
576.500	100.31	100.31	100.31	100.31	100.31
577.000	100.31	100.31	100.31	100.31	100.31
577.500	100.31	100.31	100.31	100.31	100.31
578.000	100.31	100.31	100.31	100.31	100.31
578.500	100.31	100.31	100.31	100.31	100.31
579.000	100.31	100.31	100.31	100.31	100.31
579.500	100.31	100.31	100.31	100.31	100.31
580.000	100.31	100.31	100.31	100.31	100.31

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
580.500	100.31	100.32	100.32	100.32	100.32
581.000	100.32	100.32	100.32	100.32	100.32
581.500	100.32	100.32	100.32	100.32	100.32
582.000	100.32	100.32	100.32	100.32	100.32
582.500	100.32	100.32	100.32	100.32	100.32
583.000	100.32	100.32	100.32	100.32	100.32
583.500	100.32	100.32	100.32	100.32	100.32
584.000	100.32	100.32	100.32	100.32	100.32
584.500	100.32	100.32	100.32	100.32	100.32
585.000	100.32	100.32	100.32	100.32	100.32
585.500	100.32	100.32	100.32	100.32	100.32
586.000	100.32	100.32	100.32	100.32	100.32
586.500	100.32	100.32	100.32	100.32	100.32
587.000	100.32	100.32	100.32	100.32	100.32
587.500	100.32	100.32	100.32	100.32	100.32
588.000	100.32	100.32	100.32	100.32	100.32
588.500	100.32	100.32	100.32	100.32	100.32
589.000	100.32	100.32	100.32	100.32	100.32
589.500	100.32	100.32	100.32	100.32	100.32
590.000	100.32	100.32	100.32	100.32	100.32
590.500	100.32	100.32	100.32	100.32	100.32
591.000	100.32	100.32	100.32	100.32	100.32
591.500	100.32	100.32	100.32	100.32	100.32
592.000	100.32	100.32	100.32	100.32	100.32
592.500	100.32	100.32	100.32	100.32	100.32
593.000	100.32	100.32	100.32	100.32	100.32
593.500	100.32	100.32	100.32	100.32	100.32
594.000	100.32	100.32	100.32	100.32	100.32
594.500	100.32	100.32	100.32	100.32	100.32
595.000	100.32	100.32	100.32	100.32	100.32
595.500	100.32	100.32	100.32	100.32	100.32
596.000	100.32	100.32	100.32	100.32	100.32
596.500	100.32	100.32	100.32	100.32	100.32
597.000	100.32	100.32	100.32	100.32	100.32
597.500	100.32	100.32	100.32	100.32	100.32
598.000	100.32	100.32	100.32	100.32	100.32
598.500	100.32	100.32	100.32	100.32	100.32
599.000	100.32	100.32	100.32	100.32	100.32
599.500	100.32	100.32	100.32	100.32	100.32
600.000	100.32	100.32	100.32	100.32	100.32
600.500	100.32	100.32	100.32	100.32	100.32
601.000	100.32	100.32	100.32	100.32	100.32
601.500	100.32	100.32	100.32	100.32	100.32

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
602.000	100.32	100.32	100.32	100.32	100.32
602.500	100.32	100.32	100.32	100.32	100.32
603.000	100.32	100.32	100.32	100.32	100.32
603.500	100.32	100.32	100.32	100.32	100.32
604.000	100.32	100.32	100.32	100.32	100.32
604.500	100.32	100.32	100.32	100.32	100.32
605.000	100.32	100.32	100.32	100.32	100.32
605.500	100.32	100.32	100.32	100.32	100.32
606.000	100.32	100.32	100.32	100.32	100.32
606.500	100.32	100.32	100.32	100.32	100.32
607.000	100.32	100.32	100.32	100.32	100.32
607.500	100.32	100.32	100.32	100.32	100.32
608.000	100.32	100.32	100.32	100.32	100.32
608.500	100.32	100.32	100.32	100.32	100.32
609.000	100.32	100.32	100.32	100.32	100.32
609.500	100.32	100.32	100.32	100.32	100.32
610.000	100.32	100.32	100.32	100.32	100.32
610.500	100.32	100.32	100.32	100.32	100.32
611.000	100.32	100.32	100.32	100.32	100.32
611.500	100.32	100.32	100.32	100.32	100.32
612.000	100.32	100.32	100.32	100.32	100.32
612.500	100.32	100.32	100.32	100.32	100.32
613.000	100.32	100.32	100.32	100.32	100.32
613.500	100.32	100.32	100.32	100.32	100.32
614.000	100.32	100.32	100.32	100.32	100.32
614.500	100.32	100.32	100.32	100.32	100.32
615.000	100.32	100.32	100.32	100.32	100.32
615.500	100.32	100.32	100.32	100.32	100.32
616.000	100.32	100.32	100.32	100.32	100.32
616.500	100.32	100.32	100.32	100.32	100.32
617.000	100.32	100.32	100.32	100.32	100.32
617.500	100.32	100.32	100.32	100.32	100.33
618.000	100.33	100.33	100.33	100.33	100.33
618.500	100.33	100.33	100.33	100.33	100.33
619.000	100.33	100.33	100.33	100.33	100.33
619.500	100.33	100.33	100.33	100.33	100.33
620.000	100.33	100.33	100.33	100.33	100.33
620.500	100.33	100.33	100.33	100.33	100.33
621.000	100.33	100.33	100.33	100.33	100.33
621.500	100.33	100.33	100.33	100.33	100.33
622.000	100.33	100.33	100.33	100.33	100.33
622.500	100.33	100.33	100.33	100.33	100.33
623.000	100.33	100.33	100.33	100.33	100.33

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
623.500	100.33	100.33	100.33	100.33	100.33
624.000	100.33	100.33	100.33	100.33	100.33
624.500	100.33	100.33	100.33	100.33	100.33
625.000	100.33	100.33	100.33	100.33	100.33
625.500	100.33	100.33	100.33	100.33	100.33
626.000	100.33	100.33	100.33	100.33	100.33
626.500	100.33	100.33	100.33	100.33	100.33
627.000	100.33	100.33	100.33	100.33	100.33
627.500	100.33	100.33	100.33	100.33	100.33
628.000	100.33	100.33	100.33	100.33	100.33
628.500	100.33	100.33	100.33	100.33	100.33
629.000	100.33	100.33	100.33	100.33	100.33
629.500	100.33	100.33	100.33	100.33	100.33
630.000	100.33	100.33	100.33	100.33	100.33
630.500	100.33	100.33	100.33	100.33	100.33
631.000	100.33	100.33	100.33	100.33	100.33
631.500	100.33	100.33	100.33	100.33	100.33
632.000	100.33	100.33	100.33	100.33	100.33
632.500	100.33	100.33	100.33	100.33	100.33
633.000	100.33	100.33	100.33	100.33	100.33
633.500	100.33	100.33	100.33	100.33	100.33
634.000	100.33	100.33	100.33	100.33	100.33
634.500	100.33	100.33	100.33	100.33	100.33
635.000	100.33	100.33	100.33	100.33	100.33
635.500	100.33	100.33	100.33	100.33	100.33
636.000	100.33	100.33	100.33	100.33	100.33
636.500	100.33	100.33	100.33	100.33	100.33
637.000	100.33	100.33	100.33	100.33	100.33
637.500	100.33	100.33	100.33	100.33	100.33
638.000	100.33	100.33	100.33	100.33	100.33
638.500	100.33	100.33	100.33	100.33	100.33
639.000	100.33	100.33	100.33	100.33	100.33
639.500	100.33	100.33	100.33	100.33	100.33
640.000	100.33	100.33	100.33	100.33	100.33
640.500	100.33	100.33	100.33	100.33	100.33
641.000	100.33	100.33	100.33	100.33	100.33
641.500	100.33	100.33	100.33	100.33	100.33
642.000	100.33	100.33	100.33	100.33	100.33
642.500	100.33	100.33	100.33	100.33	100.33
643.000	100.33	100.33	100.33	100.33	100.33
643.500	100.33	100.33	100.33	100.33	100.33
644.000	100.33	100.33	100.33	100.33	100.33
644.500	100.33	100.33	100.33	100.33	100.33

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
645.000	100.33	100.33	100.33	100.33	100.33
645.500	100.33	100.33	100.33	100.33	100.33
646.000	100.33	100.33	100.33	100.33	100.33
646.500	100.33	100.33	100.33	100.33	100.33
647.000	100.33	100.33	100.33	100.33	100.33
647.500	100.33	100.33	100.33	100.33	100.33
648.000	100.33	100.33	100.33	100.33	100.33
648.500	100.33	100.33	100.33	100.33	100.33
649.000	100.33	100.33	100.33	100.33	100.33
649.500	100.33	100.33	100.33	100.33	100.33
650.000	100.33	100.33	100.33	100.33	100.33
650.500	100.33	100.33	100.33	100.33	100.33
651.000	100.33	100.33	100.33	100.33	100.33
651.500	100.33	100.33	100.33	100.34	100.34
652.000	100.34	100.34	100.34	100.34	100.34
652.500	100.34	100.34	100.34	100.34	100.34
653.000	100.34	100.34	100.34	100.34	100.34
653.500	100.34	100.34	100.34	100.34	100.34
654.000	100.34	100.34	100.34	100.34	100.34
654.500	100.34	100.34	100.34	100.34	100.34
655.000	100.34	100.34	100.34	100.34	100.34
655.500	100.34	100.34	100.34	100.34	100.34
656.000	100.34	100.34	100.34	100.34	100.34
656.500	100.34	100.34	100.34	100.34	100.34
657.000	100.34	100.34	100.34	100.34	100.34
657.500	100.34	100.34	100.34	100.34	100.34
658.000	100.34	100.34	100.34	100.34	100.34
658.500	100.34	100.34	100.34	100.34	100.34
659.000	100.34	100.34	100.34	100.34	100.34
659.500	100.34	100.34	100.34	100.34	100.34
660.000	100.34	100.34	100.34	100.34	100.34
660.500	100.34	100.34	100.34	100.34	100.34
661.000	100.34	100.34	100.34	100.34	100.34
661.500	100.34	100.34	100.34	100.34	100.34
662.000	100.34	100.34	100.34	100.34	100.34
662.500	100.34	100.34	100.34	100.34	100.34
663.000	100.34	100.34	100.34	100.34	100.34
663.500	100.34	100.34	100.34	100.34	100.34
664.000	100.34	100.34	100.34	100.34	100.34
664.500	100.34	100.34	100.34	100.34	100.34
665.000	100.34	100.34	100.34	100.34	100.34
665.500	100.34	100.34	100.34	100.34	100.34
666.000	100.34	100.34	100.34	100.34	100.34

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
666.500	100.34	100.34	100.34	100.34	100.34
667.000	100.34	100.34	100.34	100.34	100.34
667.500	100.34	100.34	100.34	100.34	100.34
668.000	100.34	100.34	100.34	100.34	100.34
668.500	100.34	100.34	100.34	100.34	100.34
669.000	100.34	100.34	100.34	100.34	100.34
669.500	100.34	100.34	100.34	100.34	100.34
670.000	100.34	100.34	100.34	100.34	100.34
670.500	100.34	100.34	100.34	100.34	100.34
671.000	100.34	100.34	100.34	100.34	100.34
671.500	100.34	100.34	100.34	100.34	100.34
672.000	100.34	100.34	100.34	100.34	100.34
672.500	100.34	100.34	100.34	100.34	100.34
673.000	100.34	100.34	100.34	100.34	100.34
673.500	100.34	100.34	100.34	100.34	100.34
674.000	100.34	100.34	100.34	100.34	100.34
674.500	100.34	100.34	100.34	100.34	100.34
675.000	100.34	100.34	100.34	100.34	100.34
675.500	100.34	100.34	100.34	100.34	100.34
676.000	100.34	100.34	100.34	100.34	100.34
676.500	100.34	100.34	100.34	100.34	100.34
677.000	100.34	100.34	100.34	100.34	100.34
677.500	100.34	100.34	100.34	100.34	100.34
678.000	100.34	100.34	100.34	100.34	100.34
678.500	100.34	100.34	100.34	100.34	100.34
679.000	100.34	100.34	100.34	100.34	100.34
679.500	100.34	100.34	100.34	100.34	100.34
680.000	100.34	100.34	100.34	100.34	100.34
680.500	100.34	100.34	100.34	100.34	100.34
681.000	100.34	100.34	100.34	100.34	100.34
681.500	100.34	100.34	100.34	100.34	100.34
682.000	100.34	100.34	100.34	100.34	100.34
682.500	100.34	100.34	100.35	100.35	100.35
683.000	100.35	100.35	100.35	100.35	100.35
683.500	100.35	100.35	100.35	100.35	100.35
684.000	100.35	100.35	100.35	100.35	100.35
684.500	100.35	100.35	100.35	100.35	100.35
685.000	100.35	100.35	100.35	100.35	100.35
685.500	100.35	100.35	100.35	100.35	100.35
686.000	100.35	100.35	100.35	100.35	100.35
686.500	100.35	100.35	100.35	100.35	100.35
687.000	100.35	100.35	100.35	100.35	100.35
687.500	100.35	100.35	100.35	100.35	100.35

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
688.000	100.35	100.35	100.35	100.35	100.35
688.500	100.35	100.35	100.35	100.35	100.35
689.000	100.35	100.35	100.35	100.35	100.35
689.500	100.35	100.35	100.35	100.35	100.35
690.000	100.35	100.35	100.35	100.35	100.35
690.500	100.35	100.35	100.35	100.35	100.35
691.000	100.35	100.35	100.35	100.35	100.35
691.500	100.35	100.35	100.35	100.35	100.35
692.000	100.35	100.35	100.35	100.35	100.35
692.500	100.35	100.35	100.35	100.35	100.35
693.000	100.35	100.35	100.35	100.35	100.35
693.500	100.35	100.35	100.35	100.35	100.35
694.000	100.35	100.35	100.35	100.35	100.35
694.500	100.35	100.35	100.35	100.35	100.35
695.000	100.35	100.35	100.35	100.35	100.35
695.500	100.35	100.35	100.35	100.35	100.35
696.000	100.35	100.35	100.35	100.35	100.35
696.500	100.35	100.35	100.35	100.35	100.35
697.000	100.35	100.35	100.35	100.35	100.35
697.500	100.35	100.35	100.35	100.35	100.35
698.000	100.35	100.35	100.35	100.35	100.35
698.500	100.35	100.35	100.35	100.35	100.35
699.000	100.35	100.35	100.35	100.35	100.35
699.500	100.35	100.35	100.35	100.35	100.35
700.000	100.35	100.35	100.35	100.35	100.35
700.500	100.35	100.35	100.35	100.35	100.35
701.000	100.35	100.35	100.35	100.35	100.35
701.500	100.35	100.35	100.35	100.35	100.35
702.000	100.35	100.35	100.35	100.35	100.35
702.500	100.35	100.35	100.35	100.35	100.35
703.000	100.35	100.35	100.35	100.35	100.35
703.500	100.35	100.35	100.35	100.35	100.35
704.000	100.35	100.35	100.35	100.35	100.35
704.500	100.35	100.35	100.35	100.35	100.35
705.000	100.35	100.35	100.35	100.35	100.35
705.500	100.35	100.35	100.35	100.35	100.35
706.000	100.35	100.35	100.35	100.35	100.35
706.500	100.35	100.35	100.35	100.35	100.35
707.000	100.35	100.35	100.35	100.35	100.35
707.500	100.35	100.35	100.35	100.35	100.35
708.000	100.35	100.35	100.35	100.35	100.35
708.500	100.35	100.35	100.35	100.35	100.35
709.000	100.35	100.35	100.35	100.35	100.35

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
709.500	100.35	100.35	100.35	100.35	100.35
710.000	100.35	100.35	100.35	100.35	100.35
710.500	100.35	100.35	100.35	100.35	100.35
711.000	100.35	100.35	100.36	100.36	100.36
711.500	100.36	100.36	100.36	100.36	100.36
712.000	100.36	100.36	100.36	100.36	100.36
712.500	100.36	100.36	100.36	100.36	100.36
713.000	100.36	100.36	100.36	100.36	100.36
713.500	100.36	100.36	100.36	100.36	100.36
714.000	100.36	100.36	100.36	100.36	100.36
714.500	100.36	100.36	100.36	100.36	100.36
715.000	100.36	100.36	100.36	100.36	100.36
715.500	100.36	100.36	100.36	100.36	100.36
716.000	100.36	100.36	100.36	100.36	100.36
716.500	100.36	100.36	100.36	100.36	100.36
717.000	100.36	100.36	100.36	100.36	100.36
717.500	100.36	100.36	100.36	100.36	100.36
718.000	100.36	100.36	100.36	100.36	100.36
718.500	100.36	100.36	100.36	100.36	100.36
719.000	100.36	100.36	100.36	100.36	100.36
719.500	100.36	100.36	100.36	100.36	100.36
720.000	100.36	100.36	100.36	100.36	100.36
720.500	100.36	100.36	100.36	100.36	100.36
721.000	100.36	100.36	100.36	100.36	100.36
721.500	100.36	100.36	100.36	100.36	100.36
722.000	100.36	100.36	100.36	100.36	100.36
722.500	100.36	100.36	100.36	100.36	100.36
723.000	100.36	100.36	100.36	100.36	100.36
723.500	100.36	100.36	100.36	100.36	100.36
724.000	100.36	100.36	100.36	100.36	100.36
724.500	100.36	100.36	100.36	100.36	100.36
725.000	100.36	100.36	100.36	100.36	100.36
725.500	100.36	100.36	100.36	100.36	100.36
726.000	100.36	100.36	100.36	100.36	100.36
726.500	100.36	100.36	100.36	100.36	100.36
727.000	100.36	100.36	100.36	100.36	100.36
727.500	100.36	100.36	100.36	100.36	100.36
728.000	100.36	100.36	100.36	100.36	100.36
728.500	100.36	100.36	100.36	100.36	100.36
729.000	100.36	100.36	100.36	100.36	100.36
729.500	100.36	100.36	100.36	100.36	100.36
730.000	100.36	100.36	100.36	100.36	100.36
730.500	100.36	100.36	100.36	100.36	100.36

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
731.000	100.36	100.36	100.36	100.36	100.36
731.500	100.36	100.36	100.36	100.36	100.36
732.000	100.36	100.36	100.36	100.36	100.36
732.500	100.36	100.36	100.36	100.36	100.36
733.000	100.36	100.36	100.36	100.36	100.36
733.500	100.36	100.36	100.36	100.36	100.36
734.000	100.36	100.36	100.36	100.36	100.36
734.500	100.36	100.36	100.36	100.36	100.36
735.000	100.36	100.36	100.36	100.36	100.36
735.500	100.36	100.36	100.36	100.36	100.36
736.000	100.36	100.36	100.36	100.36	100.36
736.500	100.36	100.36	100.36	100.36	100.36
737.000	100.37	100.37	100.37	100.37	100.37
737.500	100.37	100.37	100.37	100.37	100.37
738.000	100.37	100.37	100.37	100.37	100.37
738.500	100.37	100.37	100.37	100.37	100.37
739.000	100.37	100.37	100.37	100.37	100.37
739.500	100.37	100.37	100.37	100.37	100.37
740.000	100.37	100.37	100.37	100.37	100.37
740.500	100.37	100.37	100.37	100.37	100.37
741.000	100.37	100.37	100.37	100.37	100.37
741.500	100.37	100.37	100.37	100.37	100.37
742.000	100.37	100.37	100.37	100.37	100.37
742.500	100.37	100.37	100.37	100.37	100.37
743.000	100.37	100.37	100.37	100.37	100.37
743.500	100.37	100.37	100.37	100.37	100.37
744.000	100.37	100.37	100.37	100.37	100.37
744.500	100.37	100.37	100.37	100.37	100.37
745.000	100.37	100.37	100.37	100.37	100.37
745.500	100.37	100.37	100.37	100.37	100.37
746.000	100.37	100.37	100.37	100.37	100.37
746.500	100.37	100.37	100.37	100.37	100.37
747.000	100.37	100.37	100.37	100.37	100.37
747.500	100.37	100.37	100.37	100.37	100.37
748.000	100.37	100.37	100.37	100.37	100.37
748.500	100.37	100.37	100.37	100.37	100.37
749.000	100.37	100.37	100.37	100.37	100.37
749.500	100.37	100.37	100.37	100.37	100.37
750.000	100.37	100.37	100.37	100.37	100.37
750.500	100.37	100.37	100.37	100.37	100.37
751.000	100.37	100.37	100.37	100.37	100.37
751.500	100.37	100.37	100.37	100.37	100.37
752.000	100.37	100.37	100.37	100.37	100.37

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
752.500	100.37	100.37	100.37	100.37	100.37
753.000	100.37	100.37	100.37	100.37	100.37
753.500	100.37	100.37	100.37	100.37	100.37
754.000	100.37	100.37	100.37	100.37	100.37
754.500	100.37	100.37	100.37	100.37	100.37
755.000	100.37	100.37	100.37	100.37	100.37
755.500	100.37	100.37	100.37	100.37	100.37
756.000	100.37	100.37	100.37	100.37	100.37
756.500	100.37	100.37	100.37	100.37	100.37
757.000	100.37	100.37	100.37	100.37	100.37
757.500	100.37	100.37	100.37	100.37	100.37
758.000	100.37	100.37	100.37	100.37	100.37
758.500	100.37	100.37	100.37	100.37	100.37
759.000	100.37	100.37	100.37	100.37	100.37
759.500	100.37	100.37	100.37	100.37	100.37
760.000	100.37	100.37	100.37	100.37	100.37
760.500	100.37	100.37	100.38	100.38	100.38
761.000	100.38	100.38	100.38	100.38	100.38
761.500	100.38	100.38	100.38	100.38	100.38
762.000	100.38	100.38	100.38	100.38	100.38
762.500	100.38	100.38	100.38	100.38	100.38
763.000	100.38	100.38	100.38	100.38	100.38
763.500	100.38	100.38	100.38	100.38	100.38
764.000	100.38	100.38	100.38	100.38	100.38
764.500	100.38	100.38	100.38	100.38	100.38
765.000	100.38	100.38	100.38	100.38	100.38
765.500	100.38	100.38	100.38	100.38	100.38
766.000	100.38	100.38	100.38	100.38	100.38
766.500	100.38	100.38	100.38	100.38	100.38
767.000	100.38	100.38	100.38	100.38	100.38
767.500	100.38	100.38	100.38	100.38	100.38
768.000	100.38	100.38	100.38	100.38	100.38
768.500	100.38	100.38	100.38	100.38	100.38
769.000	100.38	100.38	100.38	100.38	100.38
769.500	100.38	100.38	100.38	100.38	100.38
770.000	100.38	100.38	100.38	100.38	100.38
770.500	100.38	100.38	100.38	100.38	100.38
771.000	100.38	100.38	100.38	100.38	100.38
771.500	100.38	100.38	100.38	100.38	100.38
772.000	100.38	100.38	100.38	100.38	100.38
772.500	100.38	100.38	100.38	100.38	100.38
773.000	100.38	100.38	100.38	100.38	100.38
773.500	100.38	100.38	100.38	100.38	100.38

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
774.000	100.38	100.38	100.38	100.38	100.38
774.500	100.38	100.38	100.38	100.38	100.38
775.000	100.38	100.38	100.38	100.38	100.38
775.500	100.38	100.38	100.38	100.38	100.38
776.000	100.38	100.38	100.38	100.38	100.38
776.500	100.38	100.38	100.38	100.38	100.38
777.000	100.38	100.38	100.38	100.38	100.38
777.500	100.38	100.38	100.38	100.38	100.38
778.000	100.38	100.38	100.38	100.38	100.38
778.500	100.38	100.38	100.38	100.38	100.38
779.000	100.38	100.38	100.38	100.38	100.38
779.500	100.38	100.38	100.38	100.38	100.38
780.000	100.38	100.38	100.38	100.38	100.38
780.500	100.38	100.38	100.38	100.38	100.38
781.000	100.38	100.38	100.38	100.38	100.38
781.500	100.38	100.38	100.38	100.38	100.38
782.000	100.38	100.38	100.38	100.38	100.38
782.500	100.39	100.39	100.39	100.39	100.39
783.000	100.39	100.39	100.39	100.39	100.39
783.500	100.39	100.39	100.39	100.39	100.39
784.000	100.39	100.39	100.39	100.39	100.39
784.500	100.39	100.39	100.39	100.39	100.39
785.000	100.39	100.39	100.39	100.39	100.39
785.500	100.39	100.39	100.39	100.39	100.39
786.000	100.39	100.39	100.39	100.39	100.39
786.500	100.39	100.39	100.39	100.39	100.39
787.000	100.39	100.39	100.39	100.39	100.39
787.500	100.39	100.39	100.39	100.39	100.39
788.000	100.39	100.39	100.39	100.39	100.39
788.500	100.39	100.39	100.39	100.39	100.39
789.000	100.39	100.39	100.39	100.39	100.39
789.500	100.39	100.39	100.39	100.39	100.39
790.000	100.39	100.39	100.39	100.39	100.39
790.500	100.39	100.39	100.39	100.39	100.39
791.000	100.39	100.39	100.39	100.39	100.39
791.500	100.39	100.39	100.39	100.39	100.39
792.000	100.39	100.39	100.39	100.39	100.39
792.500	100.39	100.39	100.39	100.39	100.39
793.000	100.39	100.39	100.39	100.39	100.39
793.500	100.39	100.39	100.39	100.39	100.39
794.000	100.39	100.39	100.39	100.39	100.39
794.500	100.39	100.39	100.39	100.39	100.39
795.000	100.39	100.39	100.39	100.39	100.39

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
795.500	100.39	100.39	100.39	100.39	100.39
796.000	100.39	100.39	100.39	100.39	100.39
796.500	100.39	100.39	100.39	100.39	100.39
797.000	100.39	100.39	100.39	100.39	100.39
797.500	100.39	100.39	100.39	100.39	100.39
798.000	100.39	100.39	100.39	100.39	100.39
798.500	100.39	100.39	100.39	100.39	100.39
799.000	100.39	100.39	100.39	100.39	100.39
799.500	100.39	100.39	100.39	100.39	100.39
800.000	100.39	100.39	100.39	100.39	100.39
800.500	100.39	100.39	100.39	100.39	100.39
801.000	100.39	100.39	100.39	100.39	100.39
801.500	100.39	100.39	100.39	100.39	100.39
802.000	100.39	100.39	100.39	100.39	100.39
802.500	100.39	100.40	100.40	100.40	100.40
803.000	100.40	100.40	100.40	100.40	100.40
803.500	100.40	100.40	100.40	100.40	100.40
804.000	100.40	100.40	100.40	100.40	100.40
804.500	100.40	100.40	100.40	100.40	100.40
805.000	100.40	100.40	100.40	100.40	100.40
805.500	100.40	100.40	100.40	100.40	100.40
806.000	100.40	100.40	100.40	100.40	100.40
806.500	100.40	100.40	100.40	100.40	100.40
807.000	100.40	100.40	100.40	100.40	100.40
807.500	100.40	100.40	100.40	100.40	100.40
808.000	100.40	100.40	100.40	100.40	100.40
808.500	100.40	100.40	100.40	100.40	100.40
809.000	100.40	100.40	100.40	100.40	100.40
809.500	100.40	100.40	100.40	100.40	100.40
810.000	100.40	100.40	100.40	100.40	100.40
810.500	100.40	100.40	100.40	100.40	100.40
811.000	100.40	100.40	100.40	100.40	100.40
811.500	100.40	100.40	100.40	100.40	100.40
812.000	100.40	100.40	100.40	100.40	100.40
812.500	100.40	100.40	100.40	100.40	100.40
813.000	100.40	100.40	100.40	100.40	100.40
813.500	100.40	100.40	100.40	100.40	100.40
814.000	100.40	100.40	100.40	100.40	100.40
814.500	100.40	100.40	100.40	100.40	100.40
815.000	100.40	100.40	100.40	100.40	100.40
815.500	100.40	100.40	100.40	100.40	100.40
816.000	100.40	100.40	100.40	100.40	100.40
816.500	100.40	100.40	100.40	100.40	100.40

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
817.000	100.40	100.40	100.40	100.40	100.40
817.500	100.40	100.40	100.40	100.40	100.40
818.000	100.40	100.40	100.40	100.40	100.40
818.500	100.40	100.40	100.40	100.40	100.40
819.000	100.40	100.40	100.40	100.40	100.40
819.500	100.40	100.40	100.40	100.40	100.40
820.000	100.40	100.40	100.40	100.40	100.40
820.500	100.40	100.40	100.40	100.40	100.40
821.000	100.40	100.40	100.40	100.40	100.41
821.500	100.41	100.41	100.41	100.41	100.41
822.000	100.41	100.41	100.41	100.41	100.41
822.500	100.41	100.41	100.41	100.41	100.41
823.000	100.41	100.41	100.41	100.41	100.41
823.500	100.41	100.41	100.41	100.41	100.41
824.000	100.41	100.41	100.41	100.41	100.41
824.500	100.41	100.41	100.41	100.41	100.41
825.000	100.41	100.41	100.41	100.41	100.41
825.500	100.41	100.41	100.41	100.41	100.41
826.000	100.41	100.41	100.41	100.41	100.41
826.500	100.41	100.41	100.41	100.41	100.41
827.000	100.41	100.41	100.41	100.41	100.41
827.500	100.41	100.41	100.41	100.41	100.41
828.000	100.41	100.41	100.41	100.41	100.41
828.500	100.41	100.41	100.41	100.41	100.41
829.000	100.41	100.41	100.41	100.41	100.41
829.500	100.41	100.41	100.41	100.41	100.41
830.000	100.41	100.41	100.41	100.41	100.41
830.500	100.41	100.41	100.41	100.41	100.41
831.000	100.41	100.41	100.41	100.41	100.41
831.500	100.41	100.41	100.41	100.41	100.41
832.000	100.41	100.41	100.41	100.41	100.41
832.500	100.41	100.41	100.41	100.41	100.41
833.000	100.41	100.41	100.41	100.41	100.41
833.500	100.41	100.41	100.41	100.41	100.41
834.000	100.41	100.41	100.41	100.41	100.41
834.500	100.41	100.41	100.41	100.41	100.41
835.000	100.41	100.41	100.41	100.41	100.41
835.500	100.41	100.41	100.41	100.41	100.41
836.000	100.41	100.41	100.41	100.41	100.41
836.500	100.41	100.41	100.41	100.41	100.41
837.000	100.41	100.41	100.41	100.41	100.41
837.500	100.41	100.41	100.41	100.41	100.41
838.000	100.41	100.41	100.41	100.41	100.41

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
838.500	100.41	100.42	100.42	100.42	100.42
839.000	100.42	100.42	100.42	100.42	100.42
839.500	100.42	100.42	100.42	100.42	100.42
840.000	100.42	100.42	100.42	100.42	100.42
840.500	100.42	100.42	100.42	100.42	100.42
841.000	100.42	100.42	100.42	100.42	100.42
841.500	100.42	100.42	100.42	100.42	100.42
842.000	100.42	100.42	100.42	100.42	100.42
842.500	100.42	100.42	100.42	100.42	100.42
843.000	100.42	100.42	100.42	100.42	100.42
843.500	100.42	100.42	100.42	100.42	100.42
844.000	100.42	100.42	100.42	100.42	100.42
844.500	100.42	100.42	100.42	100.42	100.42
845.000	100.42	100.42	100.42	100.42	100.42
845.500	100.42	100.42	100.42	100.42	100.42
846.000	100.42	100.42	100.42	100.42	100.42
846.500	100.42	100.42	100.42	100.42	100.42
847.000	100.42	100.42	100.42	100.42	100.42
847.500	100.42	100.42	100.42	100.42	100.42
848.000	100.42	100.42	100.42	100.42	100.42
848.500	100.42	100.42	100.42	100.42	100.42
849.000	100.42	100.42	100.42	100.42	100.42
849.500	100.42	100.42	100.42	100.42	100.42
850.000	100.42	100.42	100.42	100.42	100.42
850.500	100.42	100.42	100.42	100.42	100.42
851.000	100.42	100.42	100.42	100.42	100.42
851.500	100.42	100.42	100.42	100.42	100.42
852.000	100.42	100.42	100.42	100.42	100.42
852.500	100.42	100.42	100.42	100.42	100.42
853.000	100.42	100.42	100.42	100.42	100.42
853.500	100.42	100.42	100.42	100.42	100.42
854.000	100.42	100.42	100.42	100.42	100.42
854.500	100.42	100.43	100.43	100.43	100.43
855.000	100.43	100.43	100.43	100.43	100.43
855.500	100.43	100.43	100.43	100.43	100.43
856.000	100.43	100.43	100.43	100.43	100.43
856.500	100.43	100.43	100.43	100.43	100.43
857.000	100.43	100.43	100.43	100.43	100.43
857.500	100.43	100.43	100.43	100.43	100.43
858.000	100.43	100.43	100.43	100.43	100.43
858.500	100.43	100.43	100.43	100.43	100.43
859.000	100.43	100.43	100.43	100.43	100.43
859.500	100.43	100.43	100.43	100.43	100.43

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
860.000	100.43	100.43	100.43	100.43	100.43
860.500	100.43	100.43	100.43	100.43	100.43
861.000	100.43	100.43	100.43	100.43	100.43
861.500	100.43	100.43	100.43	100.43	100.43
862.000	100.43	100.43	100.43	100.43	100.43
862.500	100.43	100.43	100.43	100.43	100.43
863.000	100.43	100.43	100.43	100.43	100.43
863.500	100.43	100.43	100.43	100.43	100.43
864.000	100.43	100.43	100.43	100.43	100.43
864.500	100.43	100.43	100.43	100.43	100.43
865.000	100.43	100.43	100.43	100.43	100.43
865.500	100.43	100.43	100.43	100.43	100.43
866.000	100.43	100.43	100.43	100.43	100.43
866.500	100.43	100.43	100.43	100.43	100.43
867.000	100.43	100.43	100.43	100.43	100.43
867.500	100.43	100.43	100.43	100.43	100.43
868.000	100.43	100.43	100.43	100.43	100.43
868.500	100.43	100.43	100.43	100.43	100.43
869.000	100.43	100.43	100.43	100.43	100.44
869.500	100.44	100.44	100.44	100.44	100.44
870.000	100.44	100.44	100.44	100.44	100.44
870.500	100.44	100.44	100.44	100.44	100.44
871.000	100.44	100.44	100.44	100.44	100.44
871.500	100.44	100.44	100.44	100.44	100.44
872.000	100.44	100.44	100.44	100.44	100.44
872.500	100.44	100.44	100.44	100.44	100.44
873.000	100.44	100.44	100.44	100.44	100.44
873.500	100.44	100.44	100.44	100.44	100.44
874.000	100.44	100.44	100.44	100.44	100.44
874.500	100.44	100.44	100.44	100.44	100.44
875.000	100.44	100.44	100.44	100.44	100.44
875.500	100.44	100.44	100.44	100.44	100.44
876.000	100.44	100.44	100.44	100.44	100.44
876.500	100.44	100.44	100.44	100.44	100.44
877.000	100.44	100.44	100.44	100.44	100.44
877.500	100.44	100.44	100.44	100.44	100.44
878.000	100.44	100.44	100.44	100.44	100.44
878.500	100.44	100.44	100.44	100.44	100.44
879.000	100.44	100.44	100.44	100.44	100.44
879.500	100.44	100.44	100.44	100.44	100.44
880.000	100.44	100.44	100.44	100.44	100.44
880.500	100.44	100.44	100.44	100.44	100.44
881.000	100.44	100.44	100.44	100.44	100.44

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
881.500	100.44	100.44	100.44	100.44	100.44
882.000	100.44	100.44	100.44	100.44	100.44
882.500	100.44	100.44	100.44	100.44	100.44
883.000	100.44	100.45	100.45	100.45	100.45
883.500	100.45	100.45	100.45	100.45	100.45
884.000	100.45	100.45	100.45	100.45	100.45
884.500	100.45	100.45	100.45	100.45	100.45
885.000	100.45	100.45	100.45	100.45	100.45
885.500	100.45	100.45	100.45	100.45	100.45
886.000	100.45	100.45	100.45	100.45	100.45
886.500	100.45	100.45	100.45	100.45	100.45
887.000	100.45	100.45	100.45	100.45	100.45
887.500	100.45	100.45	100.45	100.45	100.45
888.000	100.45	100.45	100.45	100.45	100.45
888.500	100.45	100.45	100.45	100.45	100.45
889.000	100.45	100.45	100.45	100.45	100.45
889.500	100.45	100.45	100.45	100.45	100.45
890.000	100.45	100.45	100.45	100.45	100.45
890.500	100.45	100.45	100.45	100.45	100.45
891.000	100.45	100.45	100.45	100.45	100.45
891.500	100.45	100.45	100.45	100.45	100.45
892.000	100.45	100.45	100.45	100.45	100.45
892.500	100.45	100.45	100.45	100.45	100.45
893.000	100.45	100.45	100.45	100.45	100.45
893.500	100.45	100.45	100.45	100.45	100.45
894.000	100.45	100.45	100.45	100.45	100.45
894.500	100.45	100.45	100.45	100.45	100.45
895.000	100.45	100.45	100.45	100.45	100.45
895.500	100.45	100.45	100.45	100.45	100.45
896.000	100.45	100.45	100.46	100.46	100.46
896.500	100.46	100.46	100.46	100.46	100.46
897.000	100.46	100.46	100.46	100.46	100.46
897.500	100.46	100.46	100.46	100.46	100.46
898.000	100.46	100.46	100.46	100.46	100.46
898.500	100.46	100.46	100.46	100.46	100.46
899.000	100.46	100.46	100.46	100.46	100.46
899.500	100.46	100.46	100.46	100.46	100.46
900.000	100.46	100.46	100.46	100.46	100.46
900.500	100.46	100.46	100.46	100.46	100.46
901.000	100.46	100.46	100.46	100.46	100.46
901.500	100.46	100.46	100.46	100.46	100.46
902.000	100.46	100.46	100.46	100.46	100.46
902.500	100.46	100.46	100.46	100.46	100.46

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
903.000	100.46	100.46	100.46	100.46	100.46
903.500	100.46	100.46	100.46	100.46	100.46
904.000	100.46	100.46	100.46	100.46	100.46
904.500	100.46	100.46	100.46	100.46	100.46
905.000	100.46	100.46	100.46	100.46	100.46
905.500	100.46	100.46	100.46	100.46	100.46
906.000	100.46	100.46	100.46	100.46	100.46
906.500	100.46	100.46	100.46	100.46	100.46
907.000	100.46	100.46	100.46	100.46	100.46
907.500	100.46	100.46	100.46	100.46	100.46
908.000	100.46	100.46	100.47	100.47	100.47
908.500	100.47	100.47	100.47	100.47	100.47
909.000	100.47	100.47	100.47	100.47	100.47
909.500	100.47	100.47	100.47	100.47	100.47
910.000	100.47	100.47	100.47	100.47	100.47
910.500	100.47	100.47	100.47	100.47	100.47
911.000	100.47	100.47	100.47	100.47	100.47
911.500	100.47	100.47	100.47	100.47	100.47
912.000	100.47	100.47	100.47	100.47	100.47
912.500	100.47	100.47	100.47	100.47	100.47
913.000	100.47	100.47	100.47	100.47	100.47
913.500	100.47	100.47	100.47	100.47	100.47
914.000	100.47	100.47	100.47	100.47	100.47
914.500	100.47	100.47	100.47	100.47	100.47
915.000	100.47	100.47	100.47	100.47	100.47
915.500	100.47	100.47	100.47	100.47	100.47
916.000	100.47	100.47	100.47	100.47	100.47
916.500	100.47	100.47	100.47	100.47	100.47
917.000	100.47	100.47	100.47	100.47	100.47
917.500	100.47	100.47	100.47	100.47	100.47
918.000	100.47	100.47	100.47	100.47	100.47
918.500	100.47	100.47	100.47	100.47	100.47
919.000	100.47	100.47	100.47	100.47	100.47
919.500	100.48	100.48	100.48	100.48	100.48
920.000	100.48	100.48	100.48	100.48	100.48
920.500	100.48	100.48	100.48	100.48	100.48
921.000	100.48	100.48	100.48	100.48	100.48
921.500	100.48	100.48	100.48	100.48	100.48
922.000	100.48	100.48	100.48	100.48	100.48
922.500	100.48	100.48	100.48	100.48	100.48
923.000	100.48	100.48	100.48	100.48	100.48
923.500	100.48	100.48	100.48	100.48	100.48
924.000	100.48	100.48	100.48	100.48	100.48

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
924.500	100.48	100.48	100.48	100.48	100.48
925.000	100.48	100.48	100.48	100.48	100.48
925.500	100.48	100.48	100.48	100.48	100.48
926.000	100.48	100.48	100.48	100.48	100.48
926.500	100.48	100.48	100.48	100.48	100.48
927.000	100.48	100.48	100.48	100.48	100.48
927.500	100.48	100.48	100.48	100.48	100.48
928.000	100.48	100.48	100.48	100.48	100.48
928.500	100.48	100.48	100.48	100.48	100.48
929.000	100.48	100.48	100.48	100.48	100.48
929.500	100.48	100.48	100.48	100.48	100.49
930.000	100.49	100.49	100.49	100.49	100.49
930.500	100.49	100.49	100.49	100.49	100.49
931.000	100.49	100.49	100.49	100.49	100.49
931.500	100.49	100.49	100.49	100.49	100.49
932.000	100.49	100.49	100.49	100.49	100.49
932.500	100.49	100.49	100.49	100.49	100.49
933.000	100.49	100.49	100.49	100.49	100.49
933.500	100.49	100.49	100.49	100.49	100.49
934.000	100.49	100.49	100.49	100.49	100.49
934.500	100.49	100.49	100.49	100.49	100.49
935.000	100.49	100.49	100.49	100.49	100.49
935.500	100.49	100.49	100.49	100.49	100.49
936.000	100.49	100.49	100.49	100.49	100.49
936.500	100.49	100.49	100.49	100.49	100.49
937.000	100.49	100.49	100.49	100.49	100.49
937.500	100.49	100.49	100.49	100.49	100.49
938.000	100.49	100.49	100.49	100.49	100.49
938.500	100.49	100.49	100.49	100.49	100.49
939.000	100.49	100.49	100.49	100.49	100.49
939.500	100.49	100.49	100.49	100.50	100.50
940.000	100.50	100.50	100.50	100.50	100.50
940.500	100.50	100.50	100.50	100.50	100.50
941.000	100.50	100.50	100.50	100.50	100.50
941.500	100.50	100.50	100.50	100.50	100.50
942.000	100.50	100.50	100.50	100.50	100.50
942.500	100.50	100.50	100.50	100.50	100.50
943.000	100.50	100.50	100.50	100.50	100.50
943.500	100.50	100.50	100.50	100.50	100.50
944.000	100.50	100.50	100.50	100.50	100.50
944.500	100.50	100.50	100.50	100.50	100.50
945.000	100.50	100.50	100.50	100.50	100.50
945.500	100.50	100.50	100.50	100.50	100.50

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
946.000	100.50	100.50	100.50	100.50	100.50
946.500	100.50	100.50	100.50	100.50	100.50
947.000	100.50	100.50	100.50	100.50	100.50
947.500	100.50	100.50	100.50	100.50	100.50
948.000	100.50	100.50	100.50	100.50	100.50
948.500	100.50	100.50	100.50	100.50	100.50
949.000	100.50	100.50	100.51	100.51	100.51
949.500	100.51	100.51	100.51	100.51	100.51
950.000	100.51	100.51	100.51	100.51	100.51
950.500	100.51	100.51	100.51	100.51	100.51
951.000	100.51	100.51	100.51	100.51	100.51
951.500	100.51	100.51	100.51	100.51	100.51
952.000	100.51	100.51	100.51	100.51	100.51
952.500	100.51	100.51	100.51	100.51	100.51
953.000	100.51	100.51	100.51	100.51	100.51
953.500	100.51	100.51	100.51	100.51	100.51
954.000	100.51	100.51	100.51	100.51	100.51
954.500	100.51	100.51	100.51	100.51	100.51
955.000	100.51	100.51	100.51	100.51	100.51
955.500	100.51	100.51	100.51	100.51	100.51
956.000	100.51	100.51	100.51	100.51	100.51
956.500	100.51	100.51	100.51	100.51	100.51
957.000	100.51	100.51	100.51	100.51	100.51
957.500	100.51	100.51	100.51	100.51	100.52
958.000	100.52	100.52	100.52	100.52	100.52
958.500	100.52	100.52	100.52	100.52	100.52
959.000	100.52	100.52	100.52	100.52	100.52
959.500	100.52	100.52	100.52	100.52	100.52
960.000	100.52	100.52	100.52	100.52	100.52
960.500	100.52	100.52	100.52	100.52	100.52
961.000	100.52	100.52	100.52	100.52	100.52
961.500	100.52	100.52	100.52	100.52	100.52
962.000	100.52	100.52	100.52	100.52	100.52
962.500	100.52	100.52	100.52	100.52	100.52
963.000	100.52	100.52	100.52	100.52	100.52
963.500	100.52	100.52	100.52	100.52	100.52
964.000	100.52	100.52	100.52	100.52	100.52
964.500	100.52	100.52	100.52	100.52	100.52
965.000	100.52	100.52	100.52	100.52	100.52
965.500	100.52	100.52	100.52	100.52	100.52
966.000	100.52	100.53	100.53	100.53	100.53
966.500	100.53	100.53	100.53	100.53	100.53
967.000	100.53	100.53	100.53	100.53	100.53

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
967.500	100.53	100.53	100.53	100.53	100.53
968.000	100.53	100.53	100.53	100.53	100.53
968.500	100.53	100.53	100.53	100.53	100.53
969.000	100.53	100.53	100.53	100.53	100.53
969.500	100.53	100.53	100.53	100.53	100.53
970.000	100.53	100.53	100.53	100.53	100.53
970.500	100.53	100.53	100.53	100.53	100.53
971.000	100.53	100.53	100.53	100.53	100.53
971.500	100.53	100.53	100.53	100.53	100.53
972.000	100.53	100.53	100.53	100.53	100.53
972.500	100.53	100.53	100.53	100.53	100.53
973.000	100.53	100.53	100.53	100.53	100.53
973.500	100.53	100.53	100.53	100.54	100.54
974.000	100.54	100.54	100.54	100.54	100.54
974.500	100.54	100.54	100.54	100.54	100.54
975.000	100.54	100.54	100.54	100.54	100.54
975.500	100.54	100.54	100.54	100.54	100.54
976.000	100.54	100.54	100.54	100.54	100.54
976.500	100.54	100.54	100.54	100.54	100.54
977.000	100.54	100.54	100.54	100.54	100.54
977.500	100.54	100.54	100.54	100.54	100.54
978.000	100.54	100.54	100.54	100.54	100.54
978.500	100.54	100.54	100.54	100.54	100.54
979.000	100.54	100.54	100.54	100.54	100.54
979.500	100.54	100.54	100.54	100.54	100.54
980.000	100.54	100.54	100.54	100.54	100.54
980.500	100.54	100.54	100.54	100.54	100.54
981.000	100.54	100.55	100.55	100.55	100.55
981.500	100.55	100.55	100.55	100.55	100.55
982.000	100.55	100.55	100.55	100.55	100.55
982.500	100.55	100.55	100.55	100.55	100.55
983.000	100.55	100.55	100.55	100.55	100.55
983.500	100.55	100.55	100.55	100.55	100.55
984.000	100.55	100.55	100.55	100.55	100.55
984.500	100.55	100.55	100.55	100.55	100.55
985.000	100.55	100.55	100.55	100.55	100.55
985.500	100.55	100.55	100.55	100.55	100.55
986.000	100.55	100.55	100.55	100.55	100.55
986.500	100.55	100.55	100.55	100.55	100.55
987.000	100.55	100.55	100.55	100.55	100.55
987.500	100.55	100.55	100.55	100.55	100.55
988.000	100.56	100.56	100.56	100.56	100.56
988.500	100.56	100.56	100.56	100.56	100.56

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
989.000	100.56	100.56	100.56	100.56	100.56
989.500	100.56	100.56	100.56	100.56	100.56
990.000	100.56	100.56	100.56	100.56	100.56
990.500	100.56	100.56	100.56	100.56	100.56
991.000	100.56	100.56	100.56	100.56	100.56
991.500	100.56	100.56	100.56	100.56	100.56
992.000	100.56	100.56	100.56	100.56	100.56
992.500	100.56	100.56	100.56	100.56	100.56
993.000	100.56	100.56	100.56	100.56	100.56
993.500	100.56	100.56	100.56	100.56	100.56
994.000	100.56	100.56	100.56	100.56	100.56
994.500	100.56	100.57	100.57	100.57	100.57
995.000	100.57	100.57	100.57	100.57	100.57
995.500	100.57	100.57	100.57	100.57	100.57
996.000	100.57	100.57	100.57	100.57	100.57
996.500	100.57	100.57	100.57	100.57	100.57
997.000	100.57	100.57	100.57	100.57	100.57
997.500	100.57	100.57	100.57	100.57	100.57
998.000	100.57	100.57	100.57	100.57	100.57
998.500	100.57	100.57	100.57	100.57	100.57
999.000	100.57	100.57	100.57	100.57	100.57
999.500	100.57	100.57	100.57	100.57	100.57
1,000.000	100.57	100.57	100.57	100.57	100.57
1,000.500	100.57	100.57	100.58	100.58	100.58
1,001.000	100.58	100.58	100.58	100.58	100.58
1,001.500	100.58	100.58	100.58	100.58	100.58
1,002.000	100.58	100.58	100.58	100.58	100.58
1,002.500	100.58	100.58	100.58	100.58	100.58
1,003.000	100.58	100.58	100.58	100.58	100.58
1,003.500	100.58	100.58	100.58	100.58	100.58
1,004.000	100.58	100.58	100.58	100.58	100.58
1,004.500	100.58	100.58	100.58	100.58	100.58
1,005.000	100.58	100.58	100.58	100.58	100.58
1,005.500	100.58	100.58	100.58	100.58	100.58
1,006.000	100.58	100.58	100.58	100.58	100.58
1,006.500	100.59	100.59	100.59	100.59	100.59
1,007.000	100.59	100.59	100.59	100.59	100.59
1,007.500	100.59	100.59	100.59	100.59	100.59
1,008.000	100.59	100.59	100.59	100.59	100.59
1,008.500	100.59	100.59	100.59	100.59	100.59
1,009.000	100.59	100.59	100.59	100.59	100.59
1,009.500	100.59	100.59	100.59	100.59	100.59
1,010.000	100.59	100.59	100.59	100.59	100.59

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
1,010.500	100.59	100.59	100.59	100.59	100.59
1,011.000	100.59	100.59	100.59	100.59	100.59
1,011.500	100.59	100.59	100.59	100.59	100.59
1,012.000	100.60	100.60	100.60	100.60	100.60
1,012.500	100.60	100.60	100.60	100.60	100.60
1,013.000	100.60	100.60	100.60	100.60	100.60
1,013.500	100.60	100.60	100.60	100.60	100.60
1,014.000	100.60	100.60	100.60	100.60	100.60
1,014.500	100.60	100.60	100.60	100.60	100.60
1,015.000	100.60	100.60	100.60	100.60	100.60
1,015.500	100.60	100.60	100.60	100.60	100.60
1,016.000	100.60	100.60	100.60	100.60	100.60
1,016.500	100.60	100.60	100.60	100.60	100.60
1,017.000	100.60	100.60	100.60	100.61	100.61
1,017.500	100.61	100.61	100.61	100.61	100.61
1,018.000	100.61	100.61	100.61	100.61	100.61
1,018.500	100.61	100.61	100.61	100.61	100.61
1,019.000	100.61	100.61	100.61	100.61	100.61
1,019.500	100.61	100.61	100.61	100.61	100.61
1,020.000	100.61	100.61	100.61	100.61	100.61
1,020.500	100.61	100.61	100.61	100.61	100.61
1,021.000	100.61	100.61	100.61	100.61	100.61
1,021.500	100.61	100.61	100.61	100.61	100.61
1,022.000	100.61	100.61	100.61	100.61	100.62
1,022.500	100.62	100.62	100.62	100.62	100.62
1,023.000	100.62	100.62	100.62	100.62	100.62
1,023.500	100.62	100.62	100.62	100.62	100.62
1,024.000	100.62	100.62	100.62	100.62	100.62
1,024.500	100.62	100.62	100.62	100.62	100.62
1,025.000	100.62	100.62	100.62	100.62	100.62
1,025.500	100.62	100.62	100.62	100.62	100.62
1,026.000	100.62	100.62	100.62	100.62	100.62
1,026.500	100.62	100.62	100.62	100.62	100.62
1,027.000	100.62	100.63	100.63	100.63	100.63
1,027.500	100.63	100.63	100.63	100.63	100.63
1,028.000	100.63	100.63	100.63	100.63	100.63
1,028.500	100.63	100.63	100.63	100.63	100.63
1,029.000	100.63	100.63	100.63	100.63	100.63
1,029.500	100.63	100.63	100.63	100.63	100.63
1,030.000	100.63	100.63	100.63	100.63	100.63
1,030.500	100.63	100.63	100.63	100.63	100.63
1,031.000	100.63	100.63	100.63	100.63	100.63
1,031.500	100.63	100.64	100.64	100.64	100.64

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
1,032.000	100.64	100.64	100.64	100.64	100.64
1,032.500	100.64	100.64	100.64	100.64	100.64
1,033.000	100.64	100.64	100.64	100.64	100.64
1,033.500	100.64	100.64	100.64	100.64	100.64
1,034.000	100.64	100.64	100.64	100.64	100.64
1,034.500	100.64	100.64	100.64	100.64	100.64
1,035.000	100.64	100.64	100.64	100.64	100.64
1,035.500	100.64	100.64	100.64	100.64	100.65
1,036.000	100.65	100.65	100.65	100.65	100.65
1,036.500	100.65	100.65	100.65	100.65	100.65
1,037.000	100.65	100.65	100.65	100.65	100.65
1,037.500	100.65	100.65	100.65	100.65	100.65
1,038.000	100.65	100.65	100.65	100.65	100.65
1,038.500	100.65	100.65	100.65	100.65	100.65
1,039.000	100.65	100.65	100.65	100.65	100.65
1,039.500	100.65	100.65	100.65	100.65	100.65
1,040.000	100.66	100.66	100.66	100.66	100.66
1,040.500	100.66	100.66	100.66	100.66	100.66
1,041.000	100.66	100.66	100.66	100.66	100.66
1,041.500	100.66	100.66	100.66	100.66	100.66
1,042.000	100.66	100.66	100.66	100.66	100.66
1,042.500	100.66	100.66	100.66	100.66	100.66
1,043.000	100.66	100.66	100.66	100.66	100.66
1,043.500	100.66	100.66	100.66	100.66	100.67
1,044.000	100.67	100.67	100.67	100.67	100.67
1,044.500	100.67	100.67	100.67	100.67	100.67
1,045.000	100.67	100.67	100.67	100.67	100.67
1,045.500	100.67	100.67	100.67	100.67	100.67
1,046.000	100.67	100.67	100.67	100.67	100.67
1,046.500	100.67	100.67	100.67	100.67	100.67
1,047.000	100.67	100.67	100.67	100.67	100.67
1,047.500	100.67	100.67	100.68	100.68	100.68
1,048.000	100.68	100.68	100.68	100.68	100.68
1,048.500	100.68	100.68	100.68	100.68	100.68
1,049.000	100.68	100.68	100.68	100.68	100.68
1,049.500	100.68	100.68	100.68	100.68	100.68
1,050.000	100.68	100.68	100.68	100.68	100.68
1,050.500	100.68	100.68	100.68	100.68	100.68
1,051.000	100.68	100.68	100.69	100.69	100.69
1,051.500	100.69	100.69	100.69	100.69	100.69
1,052.000	100.69	100.69	100.69	100.69	100.69
1,052.500	100.69	100.69	100.69	100.69	100.69
1,053.000	100.69	100.69	100.69	100.69	100.69

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
1,053.500	100.69	100.69	100.69	100.69	100.69
1,054.000	100.69	100.69	100.69	100.69	100.69
1,054.500	100.69	100.70	100.70	100.70	100.70
1,055.000	100.70	100.70	100.70	100.70	100.70
1,055.500	100.70	100.70	100.70	100.70	100.70
1,056.000	100.70	100.70	100.70	100.70	100.70
1,056.500	100.70	100.70	100.70	100.70	100.70
1,057.000	100.70	100.70	100.70	100.70	100.70
1,057.500	100.70	100.70	100.70	100.71	100.71
1,058.000	100.71	100.71	100.71	100.71	100.71
1,058.500	100.71	100.71	100.71	100.71	100.71
1,059.000	100.71	100.71	100.71	100.71	100.71
1,059.500	100.71	100.71	100.71	100.71	100.71
1,060.000	100.71	100.71	100.71	100.71	100.71
1,060.500	100.71	100.71	100.71	100.71	100.71
1,061.000	100.72	100.72	100.72	100.72	100.72
1,061.500	100.72	100.72	100.72	100.72	100.72
1,062.000	100.72	100.72	100.72	100.72	100.72
1,062.500	100.72	100.72	100.72	100.72	100.72
1,063.000	100.72	100.72	100.72	100.72	100.72
1,063.500	100.72	100.72	100.72	100.72	100.72
1,064.000	100.73	100.73	100.73	100.73	100.73
1,064.500	100.73	100.73	100.73	100.73	100.73
1,065.000	100.73	100.73	100.73	100.73	100.73
1,065.500	100.73	100.73	100.73	100.73	100.73
1,066.000	100.73	100.73	100.73	100.73	100.73
1,066.500	100.73	100.73	100.73	100.74	100.74
1,067.000	100.74	100.74	100.74	100.74	100.74
1,067.500	100.74	100.74	100.74	100.74	100.74
1,068.000	100.74	100.74	100.74	100.74	100.74
1,068.500	100.74	100.74	100.74	100.74	100.74
1,069.000	100.74	100.74	100.74	100.74	100.74
1,069.500	100.75	100.75	100.75	100.75	100.75
1,070.000	100.75	100.75	100.75	100.75	100.75
1,070.500	100.75	100.75	100.75	100.75	100.75
1,071.000	100.75	100.75	100.75	100.75	100.75
1,071.500	100.75	100.75	100.75	100.75	100.75
1,072.000	100.75	100.76	100.76	100.76	100.76
1,072.500	100.76	100.76	100.76	100.76	100.76
1,073.000	100.76	100.76	100.76	100.76	100.76
1,073.500	100.76	100.76	100.76	100.76	100.76
1,074.000	100.76	100.76	100.76	100.76	100.76
1,074.500	100.76	100.76	100.77	100.77	100.77

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
1,075.000	100.77	100.77	100.77	100.77	100.77
1,075.500	100.77	100.77	100.77	100.77	100.77
1,076.000	100.77	100.77	100.77	100.77	100.77
1,076.500	100.77	100.77	100.77	100.77	100.77
1,077.000	100.77	100.78	100.78	100.78	100.78
1,077.500	100.78	100.78	100.78	100.78	100.78
1,078.000	100.78	100.78	100.78	100.78	100.78
1,078.500	100.78	100.78	100.78	100.78	100.78
1,079.000	100.78	100.78	100.78	100.78	100.79
1,079.500	100.79	100.79	100.79	100.79	100.79
1,080.000	100.79	100.79	100.79	100.79	100.79
1,080.500	100.79	100.79	100.79	100.79	100.79
1,081.000	100.79	100.79	100.79	100.79	100.79
1,081.500	100.79	100.80	100.80	100.80	100.80
1,082.000	100.80	100.80	100.80	100.80	100.80
1,082.500	100.80	100.80	100.80	100.80	100.80
1,083.000	100.80	100.80	100.80	100.80	100.80
1,083.500	100.80	100.80	100.80	100.81	100.81
1,084.000	100.81	100.81	100.81	100.81	100.81
1,084.500	100.81	100.81	100.81	100.81	100.81
1,085.000	100.81	100.81	100.81	100.81	100.81
1,085.500	100.81	100.81	100.81	100.81	100.82
1,086.000	100.82	100.82	100.82	100.82	100.82
1,086.500	100.82	100.82	100.82	100.82	100.82
1,087.000	100.82	100.82	100.82	100.82	100.82
1,087.500	100.82	100.82	100.82	100.83	100.83
1,088.000	100.83	100.83	100.83	100.83	100.83
1,088.500	100.83	100.83	100.83	100.83	100.83
1,089.000	100.83	100.83	100.83	100.83	100.83
1,089.500	100.83	100.83	100.84	100.84	100.84
1,090.000	100.84	100.84	100.84	100.84	100.84
1,090.500	100.84	100.84	100.84	100.84	100.84
1,091.000	100.84	100.84	100.84	100.84	100.84
1,091.500	100.84	100.85	100.85	100.85	100.85
1,092.000	100.85	100.85	100.85	100.85	100.85
1,092.500	100.85	100.85	100.85	100.85	100.85
1,093.000	100.85	100.85	100.85	100.85	100.86
1,093.500	100.86	100.86	100.86	100.86	100.86
1,094.000	100.86	100.86	100.86	100.86	100.86
1,094.500	100.86	100.86	100.86	100.86	100.86
1,095.000	100.86	100.87	100.87	100.87	100.87
1,095.500	100.87	100.87	100.87	100.87	100.87
1,096.000	100.87	100.87	100.87	100.87	100.87

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
1,096.500	100.87	100.87	100.88	100.88	100.88
1,097.000	100.88	100.88	100.88	100.88	100.88
1,097.500	100.88	100.88	100.88	100.88	100.88
1,098.000	100.88	100.88	100.88	100.89	100.89
1,098.500	100.89	100.89	100.89	100.89	100.89
1,099.000	100.89	100.89	100.89	100.89	100.89
1,099.500	100.89	100.89	100.89	100.90	100.90
1,100.000	100.90	100.90	100.90	100.90	100.90
1,100.500	100.90	100.90	100.90	100.90	100.90
1,101.000	100.90	100.90	100.90	100.91	100.91
1,101.500	100.91	100.91	100.91	100.91	100.91
1,102.000	100.91	100.91	100.91	100.91	100.91
1,102.500	100.91	100.91	100.91	100.92	100.92
1,103.000	100.92	100.92	100.92	100.92	100.92
1,103.500	100.92	100.92	100.92	100.92	100.92
1,104.000	100.92	100.92	100.93	100.93	100.93
1,104.500	100.93	100.93	100.93	100.93	100.93
1,105.000	100.93	100.93	100.93	100.93	100.93
1,105.500	100.94	100.94	100.94	100.94	100.94
1,106.000	100.94	100.94	100.94	100.94	100.94
1,106.500	100.94	100.94	100.94	100.95	100.95
1,107.000	100.95	100.95	100.95	100.95	100.95
1,107.500	100.95	100.95	100.95	100.95	100.95
1,108.000	100.96	100.96	100.96	100.96	100.96
1,108.500	100.96	100.96	100.96	100.96	100.96
1,109.000	100.96	100.96	100.97	100.97	100.97
1,109.500	100.97	100.97	100.97	100.97	100.97
1,110.000	100.97	100.97	100.97	100.97	100.98
1,110.500	100.98	100.98	100.98	100.98	100.98
1,111.000	100.98	100.98	100.98	100.98	100.98
1,111.500	100.98	100.99	100.99	100.99	100.99
1,112.000	100.99	100.99	100.99	100.99	100.99
1,112.500	100.99	101.00	101.00	101.00	101.00
1,113.000	101.00	101.00	101.00	101.00	101.00
1,113.500	101.00	101.00	101.01	101.01	101.01
1,114.000	101.01	101.01	101.01	101.01	101.01
1,114.500	101.01	101.02	101.02	101.02	101.02
1,115.000	101.02	101.02	101.02	101.02	101.03
1,115.500	101.03	101.03	101.03	101.03	101.03
1,116.000	101.03	101.03	101.04	101.04	101.04
1,116.500	101.04	101.04	101.04	101.04	101.05
1,117.000	101.05	101.05	101.05	101.05	101.05
1,117.500	101.06	101.06	101.06	101.06	101.06

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
1,118.000	101.06	101.07	101.07	101.07	101.07
1,118.500	101.07	101.07	101.08	101.08	101.08
1,119.000	101.08	101.08	101.09	101.09	101.09
1,119.500	101.09	101.09	101.09	101.10	101.10
1,120.000	101.10	101.10	101.10	101.11	101.11
1,120.500	101.11	101.11	101.12	101.12	101.12
1,121.000	101.12	101.12	101.13	101.13	101.13
1,121.500	101.13	101.14	101.14	101.14	101.14
1,122.000	101.14	101.15	101.15	101.15	101.15
1,122.500	101.16	101.16	101.16	101.16	101.17
1,123.000	101.17	101.17	101.17	101.18	101.18
1,123.500	101.18	101.19	101.19	101.19	101.19
1,124.000	101.20	101.20	101.20	101.20	101.21
1,124.500	101.21	101.21	101.22	101.22	101.22
1,125.000	101.22	101.23	101.23	101.23	101.24
1,125.500	101.24	101.24	101.25	101.25	101.25
1,126.000	101.25	101.26	101.26	101.26	101.27
1,126.500	101.27	101.27	101.28	101.28	101.28
1,127.000	101.29	101.29	101.29	101.30	101.30
1,127.500	101.30	101.31	101.31	101.31	101.32
1,128.000	101.32	101.33	101.33	101.33	101.34
1,128.500	101.34	101.34	101.35	101.35	101.35
1,129.000	101.36	101.36	101.37	101.37	101.37
1,129.500	101.38	101.38	101.39	101.39	101.39
1,130.000	101.40	101.40	101.41	101.41	101.41
1,130.500	101.42	101.42	101.43	101.43	101.43
1,131.000	101.44	101.44	101.45	101.45	101.46
1,131.500	101.46	101.46	101.47	101.47	101.48
1,132.000	101.48	101.49	101.49	101.50	101.50
1,132.500	101.51	101.51	101.51	101.52	101.52
1,133.000	101.53	101.53	101.54	101.54	101.55
1,133.500	101.55	101.56	101.56	101.57	101.57
1,134.000	101.58	101.58	101.59	101.59	101.60
1,134.500	101.60	101.61	101.61	101.62	101.62
1,135.000	101.63	101.64	101.64	101.65	101.65
1,135.500	101.66	101.66	101.67	101.67	101.68
1,136.000	101.68	101.69	101.70	101.70	101.71
1,136.500	101.71	101.72	101.73	101.73	101.74
1,137.000	101.74	101.75	101.75	101.76	101.77
1,137.500	101.77	101.78	101.79	101.79	101.80
1,138.000	101.80	101.81	101.82	101.82	101.83
1,138.500	101.84	101.84	101.85	101.86	101.86
1,139.000	101.87	101.88	101.88	101.89	101.90

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
1,139.500	101.90	101.91	101.92	101.93	101.93
1,140.000	101.94	101.95	101.95	101.96	101.97
1,140.500	101.98	101.98	101.99	102.00	102.01
1,141.000	102.01	102.02	102.03	102.04	102.04
1,141.500	102.05	102.06	102.07	102.08	102.08
1,142.000	102.09	102.10	102.11	102.12	102.12
1,142.500	102.13	102.14	102.15	102.16	102.17
1,143.000	102.18	102.18	102.19	102.20	102.21
1,143.500	102.22	102.23	102.24	102.25	102.26
1,144.000	102.27	102.28	102.29	102.29	102.30
1,144.500	102.31	102.32	102.33	102.34	102.35
1,145.000	102.36	102.37	102.38	102.39	102.40
1,145.500	102.42	102.43	102.44	102.45	102.46
1,146.000	102.47	102.48	102.49	102.50	102.51
1,146.500	102.53	102.54	102.55	102.56	102.57
1,147.000	102.58	102.60	102.61	102.62	102.63
1,147.500	102.65	102.66	102.67	102.69	102.70
1,148.000	102.71	102.73	102.74	102.75	102.77
1,148.500	102.78	102.80	102.81	102.82	102.84
1,149.000	102.85	102.87	102.89	102.90	102.92
1,149.500	102.93	102.95	102.97	102.98	103.00
1,150.000	103.02	103.04	103.05	103.07	103.09
1,150.500	103.11	103.13	103.15	103.17	103.19
1,151.000	103.21	103.23	103.25	103.28	103.30
1,151.500	103.32	103.35	103.38	103.40	103.43
1,152.000	103.46	103.50	103.53	103.57	103.61
1,152.500	103.65	103.68	103.72	103.76	103.80
1,153.000	103.84	103.88	103.91	103.95	103.99
1,153.500	104.03	104.07	104.11	104.15	104.19
1,154.000	104.22	104.26	104.30	104.34	104.38
1,154.500	104.42	104.46	104.49	104.53	104.57
1,155.000	104.61	104.65	104.68	104.72	104.76
1,155.500	104.80	104.83	104.87	104.91	104.95
1,156.000	104.98	105.02	105.05	105.09	105.12
1,156.500	105.16	105.19	105.22	105.26	105.29
1,157.000	105.32	105.34	105.37	105.39	105.42
1,157.500	105.44	105.46	105.49	105.51	105.53
1,158.000	105.56	105.58	105.60	105.63	105.65
1,158.500	105.67	105.69	105.71	105.73	105.76
1,159.000	105.78	105.80	105.82	105.84	105.86
1,159.500	105.88	105.90	105.92	105.94	105.96
1,160.000	105.98	106.00	106.02	106.04	106.06
1,160.500	106.08	106.10	106.12	106.13	106.15

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
1,161.000	106.17	106.18	106.20	106.21	106.22
1,161.500	106.24	106.25	106.26	106.28	106.29
1,162.000	106.30	106.31	106.33	106.34	106.35
1,162.500	106.36	106.37	106.39	106.40	106.41
1,163.000	106.42	106.43	106.44	106.45	106.46
1,163.500	106.47	106.48	106.49	106.50	106.51
1,164.000	106.51	106.52	106.53	106.53	106.54
1,164.500	106.54	106.55	106.55	106.56	106.56
1,165.000	106.57	106.57	106.57	106.58	106.58
1,165.500	106.59	106.59	106.59	106.60	106.60
1,166.000	106.60	106.60	106.61	106.61	106.61
1,166.500	106.62	106.62	106.62	106.62	106.62
1,167.000	106.63	106.63	106.63	106.63	106.63
1,167.500	106.63	106.63	106.64	106.64	106.64
1,168.000	106.64	106.64	106.64	106.64	106.64
1,168.500	106.64	106.64	106.64	106.64	106.64
1,169.000	106.64	106.64	106.64	106.64	106.64
1,169.500	106.64	106.64	106.64	106.64	106.64
1,170.000	106.64	106.64	106.64	106.64	106.63
1,170.500	106.63	106.63	106.63	106.63	106.63
1,171.000	106.63	106.63	106.62	106.62	106.62
1,171.500	106.62	106.62	106.62	106.61	106.61
1,172.000	106.61	106.61	106.61	106.60	106.60
1,172.500	106.60	106.60	106.59	106.59	106.59
1,173.000	106.59	106.58	106.58	106.58	106.58
1,173.500	106.57	106.57	106.57	106.57	106.56
1,174.000	106.56	106.56	106.56	106.55	106.55
1,174.500	106.55	106.54	106.54	106.54	106.53
1,175.000	106.53	106.53	106.53	106.52	106.52
1,175.500	106.52	106.51	106.51	106.51	106.50
1,176.000	106.50	106.50	106.49	106.49	106.49
1,176.500	106.48	106.48	106.48	106.47	106.47
1,177.000	106.46	106.46	106.46	106.45	106.45
1,177.500	106.45	106.44	106.44	106.44	106.43
1,178.000	106.43	106.42	106.42	106.42	106.41
1,178.500	106.41	106.40	106.40	106.40	106.39
1,179.000	106.39	106.39	106.38	106.38	106.37
1,179.500	106.37	106.37	106.36	106.36	106.35
1,180.000	106.35	106.35	106.34	106.34	106.33
1,180.500	106.33	106.33	106.32	106.32	106.31
1,181.000	106.31	106.31	106.30	106.30	106.29
1,181.500	106.29	106.28	106.28	106.28	106.27
1,182.000	106.27	106.26	106.26	106.26	106.25

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
1,182.500	106.25	106.24	106.24	106.23	106.23
1,183.000	106.23	106.22	106.22	106.21	106.21
1,183.500	106.20	106.20	106.20	106.19	106.19
1,184.000	106.18	106.18	106.17	106.17	106.16
1,184.500	106.16	106.16	106.15	106.15	106.14
1,185.000	106.14	106.13	106.13	106.13	106.12
1,185.500	106.12	106.11	106.11	106.10	106.10
1,186.000	106.09	106.09	106.09	106.08	106.08
1,186.500	106.07	106.07	106.06	106.06	106.05
1,187.000	106.05	106.04	106.04	106.04	106.03
1,187.500	106.03	106.02	106.02	106.01	106.01
1,188.000	106.00	106.00	106.00	105.99	105.99
1,188.500	105.98	105.98	105.97	105.97	105.96
1,189.000	105.96	105.95	105.95	105.95	105.94
1,189.500	105.94	105.93	105.93	105.92	105.92
1,190.000	105.91	105.91	105.90	105.90	105.89
1,190.500	105.89	105.89	105.88	105.88	105.87
1,191.000	105.87	105.86	105.86	105.85	105.85
1,191.500	105.84	105.84	105.83	105.83	105.83
1,192.000	105.82	105.82	105.81	105.81	105.80
1,192.500	105.80	105.79	105.79	105.78	105.78
1,193.000	105.77	105.77	105.77	105.76	105.76
1,193.500	105.75	105.75	105.74	105.74	105.73
1,194.000	105.73	105.72	105.72	105.71	105.71
1,194.500	105.70	105.70	105.69	105.69	105.69
1,195.000	105.68	105.68	105.67	105.67	105.66
1,195.500	105.66	105.65	105.65	105.64	105.64
1,196.000	105.63	105.63	105.62	105.62	105.62
1,196.500	105.61	105.61	105.60	105.60	105.59
1,197.000	105.59	105.58	105.58	105.57	105.57
1,197.500	105.56	105.56	105.55	105.55	105.54
1,198.000	105.54	105.53	105.53	105.53	105.52
1,198.500	105.52	105.51	105.51	105.50	105.50
1,199.000	105.49	105.49	105.48	105.48	105.47
1,199.500	105.47	105.46	105.46	105.45	105.45
1,200.000	105.44	105.44	105.44	105.43	105.43
1,200.500	105.42	105.42	105.41	105.41	105.40
1,201.000	105.40	105.39	105.39	105.38	105.38
1,201.500	105.37	105.37	105.36	105.36	105.35
1,202.000	105.35	105.34	105.34	105.33	105.33
1,202.500	105.33	105.32	105.32	105.31	105.31
1,203.000	105.30	105.30	105.29	105.29	105.28
1,203.500	105.28	105.27	105.27	105.26	105.26

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
1,204.000	105.25	105.25	105.24	105.24	105.23
1,204.500	105.23	105.22	105.22	105.22	105.21
1,205.000	105.21	105.20	105.20	105.19	105.19
1,205.500	105.18	105.18	105.17	105.17	105.16
1,206.000	105.16	105.15	105.15	105.14	105.14
1,206.500	105.13	105.13	105.12	105.12	105.11
1,207.000	105.11	105.10	105.10	105.09	105.09
1,207.500	105.08	105.08	105.08	105.07	105.07
1,208.000	105.06	105.06	105.05	105.05	105.04
1,208.500	105.04	105.03	105.03	105.02	105.02
1,209.000	105.01	105.01	105.00	105.00	104.99
1,209.500	104.99	104.98	104.98	104.97	104.97
1,210.000	104.96	104.96	104.95	104.95	104.94
1,210.500	104.94	104.93	104.93	104.93	104.92
1,211.000	104.92	104.91	104.91	104.90	104.90
1,211.500	104.89	104.89	104.88	104.88	104.87
1,212.000	104.87	104.86	104.86	104.85	104.85
1,212.500	104.84	104.84	104.83	104.83	104.82
1,213.000	104.82	104.81	104.81	104.80	104.80
1,213.500	104.79	104.79	104.78	104.78	104.77
1,214.000	104.77	104.76	104.76	104.75	104.75
1,214.500	104.74	104.74	104.74	104.73	104.73
1,215.000	104.72	104.72	104.71	104.71	104.70
1,215.500	104.70	104.69	104.69	104.68	104.68
1,216.000	104.67	104.67	104.66	104.66	104.65
1,216.500	104.65	104.64	104.64	104.63	104.63
1,217.000	104.62	104.62	104.61	104.61	104.60
1,217.500	104.60	104.59	104.59	104.58	104.58
1,218.000	104.57	104.57	104.56	104.56	104.55
1,218.500	104.55	104.54	104.54	104.53	104.53
1,219.000	104.52	104.52	104.51	104.51	104.50
1,219.500	104.50	104.49	104.49	104.48	104.48
1,220.000	104.47	104.47	104.46	104.46	104.45
1,220.500	104.45	104.45	104.44	104.44	104.43
1,221.000	104.43	104.42	104.42	104.41	104.41
1,221.500	104.40	104.40	104.39	104.39	104.38
1,222.000	104.38	104.37	104.37	104.36	104.36
1,222.500	104.35	104.35	104.34	104.34	104.33
1,223.000	104.33	104.32	104.32	104.31	104.31
1,223.500	104.30	104.30	104.29	104.29	104.28
1,224.000	104.28	104.27	104.27	104.26	104.26
1,224.500	104.25	104.25	104.24	104.24	104.23
1,225.000	104.23	104.22	104.22	104.21	104.21

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
1,225.500	104.20	104.20	104.19	104.19	104.18
1,226.000	104.18	104.17	104.17	104.16	104.16
1,226.500	104.15	104.15	104.14	104.14	104.13
1,227.000	104.13	104.12	104.12	104.11	104.11
1,227.500	104.10	104.10	104.09	104.09	104.08
1,228.000	104.08	104.07	104.07	104.06	104.06
1,228.500	104.05	104.05	104.04	104.04	104.03
1,229.000	104.03	104.02	104.02	104.01	104.01
1,229.500	104.00	104.00	103.99	103.99	103.98
1,230.000	103.97	103.97	103.96	103.96	103.95
1,230.500	103.95	103.94	103.94	103.93	103.93
1,231.000	103.92	103.92	103.91	103.91	103.90
1,231.500	103.90	103.89	103.89	103.88	103.88
1,232.000	103.87	103.87	103.86	103.86	103.85
1,232.500	103.85	103.84	103.84	103.83	103.83
1,233.000	103.82	103.82	103.81	103.81	103.80
1,233.500	103.80	103.79	103.79	103.78	103.78
1,234.000	103.77	103.77	103.76	103.76	103.75
1,234.500	103.75	103.74	103.74	103.73	103.73
1,235.000	103.72	103.71	103.71	103.70	103.70
1,235.500	103.69	103.69	103.68	103.68	103.67
1,236.000	103.67	103.66	103.66	103.65	103.65
1,236.500	103.64	103.64	103.63	103.63	103.62
1,237.000	103.62	103.61	103.61	103.60	103.60
1,237.500	103.59	103.59	103.58	103.58	103.57
1,238.000	103.56	103.56	103.55	103.55	103.54
1,238.500	103.54	103.53	103.53	103.52	103.52
1,239.000	103.51	103.51	103.50	103.50	103.49
1,239.500	103.49	103.48	103.48	103.47	103.47
1,240.000	103.46	103.46	103.45	103.44	103.44
1,240.500	103.43	103.43	103.42	103.42	103.41
1,241.000	103.41	103.40	103.40	103.39	103.39
1,241.500	103.38	103.38	103.37	103.37	103.36
1,242.000	103.36	103.35	103.34	103.34	103.33
1,242.500	103.33	103.32	103.32	103.31	103.31
1,243.000	103.30	103.30	103.29	103.29	103.28
1,243.500	103.28	103.27	103.27	103.26	103.25
1,244.000	103.25	103.24	103.24	103.23	103.23
1,244.500	103.22	103.22	103.21	103.21	103.20
1,245.000	103.20	103.19	103.19	103.18	103.17
1,245.500	103.17	103.16	103.16	103.15	103.15
1,246.000	103.14	103.14	103.13	103.13	103.12
1,246.500	103.12	103.11	103.10	103.10	103.09

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
1,247.000	103.09	103.08	103.08	103.07	103.07
1,247.500	103.06	103.06	103.05	103.05	103.04
1,248.000	103.03	103.03	103.02	103.02	103.01
1,248.500	103.01	103.00	103.00	102.99	102.99
1,249.000	102.98	102.97	102.97	102.96	102.96
1,249.500	102.95	102.95	102.94	102.94	102.93
1,250.000	102.92	102.92	102.91	102.91	102.90
1,250.500	102.90	102.89	102.89	102.88	102.88
1,251.000	102.87	102.86	102.86	102.85	102.85
1,251.500	102.84	102.84	102.83	102.83	102.82
1,252.000	102.81	102.81	102.80	102.80	102.79
1,252.500	102.79	102.78	102.78	102.77	102.76
1,253.000	102.76	102.75	102.75	102.74	102.74
1,253.500	102.73	102.72	102.72	102.71	102.71
1,254.000	102.70	102.70	102.69	102.69	102.68
1,254.500	102.67	102.67	102.66	102.66	102.65
1,255.000	102.65	102.64	102.63	102.63	102.62
1,255.500	102.62	102.61	102.61	102.60	102.59
1,256.000	102.59	102.58	102.58	102.57	102.57
1,256.500	102.56	102.55	102.55	102.54	102.54
1,257.000	102.53	102.53	102.52	102.51	102.51
1,257.500	102.50	102.50	102.49	102.49	102.48
1,258.000	102.47	102.47	102.46	102.46	102.45
1,258.500	102.44	102.44	102.43	102.43	102.42
1,259.000	102.42	102.41	102.40	102.40	102.39
1,259.500	102.39	102.38	102.37	102.37	102.36
1,260.000	102.36	102.35	102.34	102.34	102.33
1,260.500	102.33	102.32	102.32	102.31	102.30
1,261.000	102.30	102.29	102.29	102.28	102.27
1,261.500	102.27	102.26	102.26	102.25	102.24
1,262.000	102.24	102.23	102.23	102.22	102.21
1,262.500	102.21	102.20	102.20	102.19	102.18
1,263.000	102.18	102.17	102.17	102.16	102.15
1,263.500	102.15	102.14	102.13	102.13	102.12
1,264.000	102.12	102.11	102.10	102.10	102.09
1,264.500	102.09	102.08	102.07	102.07	102.06
1,265.000	102.05	102.05	102.04	102.04	102.03
1,265.500	102.02	102.02	102.01	102.00	102.00
1,266.000	101.99	101.99	101.98	101.97	101.97
1,266.500	101.96	101.95	101.95	101.94	101.94
1,267.000	101.93	101.92	101.92	101.91	101.90
1,267.500	101.90	101.89	101.88	101.88	101.87
1,268.000	101.86	101.86	101.85	101.85	101.84

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
1,268.500	101.83	101.83	101.82	101.81	101.81
1,269.000	101.80	101.79	101.79	101.78	101.77
1,269.500	101.77	101.76	101.75	101.75	101.74
1,270.000	101.73	101.73	101.72	101.71	101.71
1,270.500	101.70	101.69	101.69	101.68	101.67
1,271.000	101.67	101.66	101.65	101.65	101.64
1,271.500	101.63	101.63	101.62	101.61	101.61
1,272.000	101.60	101.59	101.59	101.58	101.57
1,272.500	101.57	101.56	101.55	101.54	101.54
1,273.000	101.53	101.52	101.52	101.51	101.50
1,273.500	101.50	101.49	101.48	101.47	101.47
1,274.000	101.46	101.45	101.45	101.44	101.43
1,274.500	101.43	101.42	101.41	101.40	101.40
1,275.000	101.39	101.38	101.37	101.37	101.36
1,275.500	101.35	101.35	101.34	101.33	101.32
1,276.000	101.32	101.31	101.30	101.29	101.29
1,276.500	101.28	101.27	101.26	101.26	101.25
1,277.000	101.24	101.23	101.23	101.22	101.21
1,277.500	101.20	101.19	101.19	101.18	101.17
1,278.000	101.16	101.16	101.15	101.14	101.13
1,278.500	101.12	101.12	101.11	101.10	101.09
1,279.000	101.08	101.08	101.07	101.06	101.05
1,279.500	101.04	101.04	101.03	101.02	101.01
1,280.000	101.00	100.99	100.99	100.98	100.97
1,280.500	100.96	100.95	100.95	100.94	100.93
1,281.000	100.92	100.92	100.91	100.90	100.89
1,281.500	100.89	100.88	100.87	100.86	100.86
1,282.000	100.85	100.84	100.84	100.83	100.82
1,282.500	100.82	100.81	100.80	100.80	100.79
1,283.000	100.78	100.78	100.77	100.77	100.76
1,283.500	100.75	100.75	100.74	100.74	100.73
1,284.000	100.72	100.72	100.71	100.71	100.70
1,284.500	100.70	100.69	100.69	100.68	100.68
1,285.000	100.67	100.67	100.66	100.66	100.65
1,285.500	100.65	100.64	100.64	100.63	100.63
1,286.000	100.62	100.62	100.61	100.61	100.61
1,286.500	100.60	100.60	100.59	100.59	100.58
1,287.000	100.58	100.58	100.57	100.57	100.56
1,287.500	100.56	100.56	100.55	100.55	100.55
1,288.000	100.54	100.54	100.54	100.53	100.53
1,288.500	100.53	100.52	100.52	100.52	100.51
1,289.000	100.51	100.51	100.50	100.50	100.50
1,289.500	100.49	100.49	100.49	100.49	100.48

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
1,290.000	100.48	100.48	100.48	100.47	100.47
1,290.500	100.47	100.47	100.46	100.46	100.46
1,291.000	100.46	100.45	100.45	100.45	100.45
1,291.500	100.44	100.44	100.44	100.44	100.44
1,292.000	100.43	100.43	100.43	100.43	100.43
1,292.500	100.42	100.42	100.42	100.42	100.42
1,293.000	100.42	100.41	100.41	100.41	100.41
1,293.500	100.41	100.41	100.40	100.40	100.40
1,294.000	100.40	100.40	100.40	100.40	100.39
1,294.500	100.39	100.39	100.39	100.39	100.39
1,295.000	100.39	100.38	100.38	100.38	100.38
1,295.500	100.38	100.38	100.38	100.38	100.38
1,296.000	100.37	100.37	100.37	100.37	100.37
1,296.500	100.37	100.37	100.37	100.37	100.37
1,297.000	100.36	100.36	100.36	100.36	100.36
1,297.500	100.36	100.36	100.36	100.36	100.36
1,298.000	100.36	100.36	100.35	100.35	100.35
1,298.500	100.35	100.35	100.35	100.35	100.35
1,299.000	100.35	100.35	100.35	100.35	100.35
1,299.500	100.35	100.35	100.34	100.34	100.34
1,300.000	100.34	100.34	100.34	100.34	100.34
1,300.500	100.34	100.34	100.34	100.34	100.34
1,301.000	100.34	100.34	100.34	100.34	100.34
1,301.500	100.34	100.34	100.33	100.33	100.33
1,302.000	100.33	100.33	100.33	100.33	100.33
1,302.500	100.33	100.33	100.33	100.33	100.33
1,303.000	100.33	100.33	100.33	100.33	100.33
1,303.500	100.33	100.33	100.33	100.33	100.33
1,304.000	100.33	100.33	100.33	100.33	100.33
1,304.500	100.32	100.32	100.32	100.32	100.32
1,305.000	100.32	100.32	100.32	100.32	100.32
1,305.500	100.32	100.32	100.32	100.32	100.32
1,306.000	100.32	100.32	100.32	100.32	100.32
1,306.500	100.32	100.32	100.32	100.32	100.32
1,307.000	100.32	100.32	100.32	100.32	100.32
1,307.500	100.32	100.32	100.32	100.32	100.32
1,308.000	100.32	100.32	100.32	100.32	100.32
1,308.500	100.32	100.32	100.32	100.32	100.32
1,309.000	100.32	100.31	100.31	100.31	100.31
1,309.500	100.31	100.31	100.31	100.31	100.31
1,310.000	100.31	100.31	100.31	100.31	100.31
1,310.500	100.31	100.31	100.31	100.31	100.31
1,311.000	100.31	100.31	100.31	100.31	100.31

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
1,311.500	100.31	100.31	100.31	100.31	100.31
1,312.000	100.31	100.31	100.31	100.31	100.31
1,312.500	100.31	100.31	100.31	100.31	100.31
1,313.000	100.31	100.31	100.31	100.31	100.31
1,313.500	100.31	100.31	100.31	100.31	100.31
1,314.000	100.31	100.31	100.31	100.31	100.31
1,314.500	100.31	100.31	100.31	100.31	100.31
1,315.000	100.31	100.31	100.31	100.31	100.31
1,315.500	100.31	100.31	100.31	100.31	100.31
1,316.000	100.31	100.31	100.31	100.31	100.31
1,316.500	100.31	100.31	100.31	100.31	100.30
1,317.000	100.30	100.30	100.30	100.30	100.30
1,317.500	100.30	100.30	100.30	100.30	100.30
1,318.000	100.30	100.30	100.30	100.30	100.30
1,318.500	100.30	100.30	100.30	100.30	100.30
1,319.000	100.30	100.30	100.30	100.30	100.30
1,319.500	100.30	100.30	100.30	100.30	100.30
1,320.000	100.30	100.30	100.30	100.30	100.30
1,320.500	100.30	100.30	100.30	100.30	100.30
1,321.000	100.30	100.30	100.30	100.30	100.30
1,321.500	100.30	100.30	100.30	100.30	100.30
1,322.000	100.30	100.30	100.30	100.30	100.30
1,322.500	100.30	100.30	100.30	100.30	100.30
1,323.000	100.30	100.30	100.30	100.30	100.30
1,323.500	100.30	100.30	100.30	100.30	100.30
1,324.000	100.30	100.30	100.30	100.30	100.30
1,324.500	100.30	100.30	100.30	100.30	100.30
1,325.000	100.30	100.30	100.30	100.30	100.30
1,325.500	100.30	100.30	100.30	100.30	100.30
1,326.000	100.30	100.30	100.30	100.30	100.30
1,326.500	100.30	100.30	100.30	100.30	100.30
1,327.000	100.30	100.30	100.30	100.30	100.29
1,327.500	100.29	100.29	100.29	100.29	100.29
1,328.000	100.29	100.29	100.29	100.29	100.29
1,328.500	100.29	100.29	100.29	100.29	100.29
1,329.000	100.29	100.29	100.29	100.29	100.29
1,329.500	100.29	100.29	100.29	100.29	100.29
1,330.000	100.29	100.29	100.29	100.29	100.29
1,330.500	100.29	100.29	100.29	100.29	100.29
1,331.000	100.29	100.29	100.29	100.29	100.29
1,331.500	100.29	100.29	100.29	100.29	100.29
1,332.000	100.29	100.29	100.29	100.29	100.29
1,332.500	100.29	100.29	100.29	100.29	100.29

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
1,333.000	100.29	100.29	100.29	100.29	100.29
1,333.500	100.29	100.29	100.29	100.29	100.29
1,334.000	100.29	100.29	100.29	100.29	100.29
1,334.500	100.29	100.29	100.29	100.29	100.29
1,335.000	100.29	100.29	100.29	100.29	100.29
1,335.500	100.29	100.29	100.29	100.29	100.29
1,336.000	100.29	100.29	100.29	100.29	100.29
1,336.500	100.29	100.29	100.29	100.29	100.29
1,337.000	100.29	100.29	100.29	100.29	100.29
1,337.500	100.29	100.29	100.29	100.29	100.29
1,338.000	100.29	100.29	100.29	100.29	100.29
1,338.500	100.29	100.29	100.29	100.29	100.29
1,339.000	100.29	100.29	100.29	100.29	100.29
1,339.500	100.29	100.29	100.29	100.29	100.28
1,340.000	100.28	100.28	100.28	100.28	100.28
1,340.500	100.28	100.28	100.28	100.28	100.28
1,341.000	100.28	100.28	100.28	100.28	100.28
1,341.500	100.28	100.28	100.28	100.28	100.28
1,342.000	100.28	100.28	100.28	100.28	100.28
1,342.500	100.28	100.28	100.28	100.28	100.28
1,343.000	100.28	100.28	100.28	100.28	100.28
1,343.500	100.28	100.28	100.28	100.28	100.28
1,344.000	100.28	100.28	100.28	100.28	100.28
1,344.500	100.28	100.28	100.28	100.28	100.28
1,345.000	100.28	100.28	100.28	100.28	100.28
1,345.500	100.28	100.28	100.28	100.28	100.28
1,346.000	100.28	100.28	100.28	100.28	100.28
1,346.500	100.28	100.28	100.28	100.28	100.28
1,347.000	100.28	100.28	100.28	100.28	100.28
1,347.500	100.28	100.28	100.28	100.28	100.28
1,348.000	100.28	100.28	100.28	100.28	100.28
1,348.500	100.28	100.28	100.28	100.28	100.28
1,349.000	100.28	100.28	100.28	100.28	100.28
1,349.500	100.28	100.28	100.28	100.28	100.28
1,350.000	100.28	100.28	100.28	100.28	100.28
1,350.500	100.28	100.28	100.28	100.28	100.28
1,351.000	100.28	100.28	100.28	100.28	100.28
1,351.500	100.28	100.28	100.28	100.28	100.28
1,352.000	100.28	100.28	100.28	100.28	100.28
1,352.500	100.28	100.28	100.28	100.28	100.28
1,353.000	100.28	100.28	100.28	100.28	100.28
1,353.500	100.28	100.28	100.28	100.28	100.28
1,354.000	100.28	100.27	100.27	100.27	100.27

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
1,354.500	100.27	100.27	100.27	100.27	100.27
1,355.000	100.27	100.27	100.27	100.27	100.27
1,355.500	100.27	100.27	100.27	100.27	100.27
1,356.000	100.27	100.27	100.27	100.27	100.27
1,356.500	100.27	100.27	100.27	100.27	100.27
1,357.000	100.27	100.27	100.27	100.27	100.27
1,357.500	100.27	100.27	100.27	100.27	100.27
1,358.000	100.27	100.27	100.27	100.27	100.27
1,358.500	100.27	100.27	100.27	100.27	100.27
1,359.000	100.27	100.27	100.27	100.27	100.27
1,359.500	100.27	100.27	100.27	100.27	100.27
1,360.000	100.27	100.27	100.27	100.27	100.27
1,360.500	100.27	100.27	100.27	100.27	100.27
1,361.000	100.27	100.27	100.27	100.27	100.27
1,361.500	100.27	100.27	100.27	100.27	100.27
1,362.000	100.27	100.27	100.27	100.27	100.27
1,362.500	100.27	100.27	100.27	100.27	100.27
1,363.000	100.27	100.27	100.27	100.27	100.27
1,363.500	100.27	100.27	100.27	100.27	100.27
1,364.000	100.27	100.27	100.27	100.27	100.27
1,364.500	100.27	100.27	100.27	100.27	100.27
1,365.000	100.27	100.27	100.27	100.27	100.27
1,365.500	100.27	100.27	100.27	100.27	100.27
1,366.000	100.27	100.27	100.27	100.27	100.27
1,366.500	100.27	100.27	100.27	100.27	100.27
1,367.000	100.27	100.27	100.27	100.27	100.27
1,367.500	100.27	100.27	100.27	100.27	100.27
1,368.000	100.27	100.27	100.27	100.27	100.27
1,368.500	100.27	100.27	100.27	100.27	100.27
1,369.000	100.27	100.27	100.27	100.27	100.27
1,369.500	100.27	100.27	100.27	100.27	100.26
1,370.000	100.26	100.26	100.26	100.26	100.26
1,370.500	100.26	100.26	100.26	100.26	100.26
1,371.000	100.26	100.26	100.26	100.26	100.26
1,371.500	100.26	100.26	100.26	100.26	100.26
1,372.000	100.26	100.26	100.26	100.26	100.26
1,372.500	100.26	100.26	100.26	100.26	100.26
1,373.000	100.26	100.26	100.26	100.26	100.26
1,373.500	100.26	100.26	100.26	100.26	100.26
1,374.000	100.26	100.26	100.26	100.26	100.26
1,374.500	100.26	100.26	100.26	100.26	100.26
1,375.000	100.26	100.26	100.26	100.26	100.26
1,375.500	100.26	100.26	100.26	100.26	100.26

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
1,376.000	100.26	100.26	100.26	100.26	100.26
1,376.500	100.26	100.26	100.26	100.26	100.26
1,377.000	100.26	100.26	100.26	100.26	100.26
1,377.500	100.26	100.26	100.26	100.26	100.26
1,378.000	100.26	100.26	100.26	100.26	100.26
1,378.500	100.26	100.26	100.26	100.26	100.26
1,379.000	100.26	100.26	100.26	100.26	100.26
1,379.500	100.26	100.26	100.26	100.26	100.26
1,380.000	100.26	100.26	100.26	100.26	100.26
1,380.500	100.26	100.26	100.26	100.26	100.26
1,381.000	100.26	100.26	100.26	100.26	100.26
1,381.500	100.26	100.26	100.26	100.26	100.26
1,382.000	100.26	100.26	100.26	100.26	100.26
1,382.500	100.26	100.26	100.26	100.26	100.26
1,383.000	100.26	100.26	100.26	100.26	100.26
1,383.500	100.26	100.26	100.26	100.26	100.26
1,384.000	100.26	100.26	100.26	100.26	100.26
1,384.500	100.26	100.26	100.26	100.26	100.26
1,385.000	100.26	100.26	100.26	100.26	100.26
1,385.500	100.26	100.26	100.26	100.26	100.26
1,386.000	100.26	100.26	100.26	100.26	100.26
1,386.500	100.26	100.26	100.26	100.26	100.26
1,387.000	100.26	100.26	100.26	100.26	100.26
1,387.500	100.26	100.26	100.26	100.25	100.25
1,388.000	100.25	100.25	100.25	100.25	100.25
1,388.500	100.25	100.25	100.25	100.25	100.25
1,389.000	100.25	100.25	100.25	100.25	100.25
1,389.500	100.25	100.25	100.25	100.25	100.25
1,390.000	100.25	100.25	100.25	100.25	100.25
1,390.500	100.25	100.25	100.25	100.25	100.25
1,391.000	100.25	100.25	100.25	100.25	100.25
1,391.500	100.25	100.25	100.25	100.25	100.25
1,392.000	100.25	100.25	100.25	100.25	100.25
1,392.500	100.25	100.25	100.25	100.25	100.25
1,393.000	100.25	100.25	100.25	100.25	100.25
1,393.500	100.25	100.25	100.25	100.25	100.25
1,394.000	100.25	100.25	100.25	100.25	100.25
1,394.500	100.25	100.25	100.25	100.25	100.25
1,395.000	100.25	100.25	100.25	100.25	100.25
1,395.500	100.25	100.25	100.25	100.25	100.25
1,396.000	100.25	100.25	100.25	100.25	100.25
1,396.500	100.25	100.25	100.25	100.25	100.25
1,397.000	100.25	100.25	100.25	100.25	100.25

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
1,397.500	100.25	100.25	100.25	100.25	100.25
1,398.000	100.25	100.25	100.25	100.25	100.25
1,398.500	100.25	100.25	100.25	100.25	100.25
1,399.000	100.25	100.25	100.25	100.25	100.25
1,399.500	100.25	100.25	100.25	100.25	100.25
1,400.000	100.25	100.25	100.25	100.25	100.25
1,400.500	100.25	100.25	100.25	100.25	100.25
1,401.000	100.25	100.25	100.25	100.25	100.25
1,401.500	100.25	100.25	100.25	100.25	100.25
1,402.000	100.25	100.25	100.25	100.25	100.25
1,402.500	100.25	100.25	100.25	100.25	100.25
1,403.000	100.25	100.25	100.25	100.25	100.25
1,403.500	100.25	100.25	100.25	100.25	100.25
1,404.000	100.25	100.25	100.25	100.25	100.25
1,404.500	100.25	100.25	100.25	100.25	100.25
1,405.000	100.25	100.25	100.25	100.25	100.25
1,405.500	100.25	100.25	100.25	100.25	100.25
1,406.000	100.25	100.25	100.25	100.25	100.25
1,406.500	100.25	100.25	100.25	100.25	100.25
1,407.000	100.25	100.25	100.25	100.25	100.25
1,407.500	100.25	100.24	100.24	100.24	100.24
1,408.000	100.24	100.24	100.24	100.24	100.24
1,408.500	100.24	100.24	100.24	100.24	100.24
1,409.000	100.24	100.24	100.24	100.24	100.24
1,409.500	100.24	100.24	100.24	100.24	100.24
1,410.000	100.24	100.24	100.24	100.24	100.24
1,410.500	100.24	100.24	100.24	100.24	100.24
1,411.000	100.24	100.24	100.24	100.24	100.24
1,411.500	100.24	100.24	100.24	100.24	100.24
1,412.000	100.24	100.24	100.24	100.24	100.24
1,412.500	100.24	100.24	100.24	100.24	100.24
1,413.000	100.24	100.24	100.24	100.24	100.24
1,413.500	100.24	100.24	100.24	100.24	100.24
1,414.000	100.24	100.24	100.24	100.24	100.24
1,414.500	100.24	100.24	100.24	100.24	100.24
1,415.000	100.24	100.24	100.24	100.24	100.24
1,415.500	100.24	100.24	100.24	100.24	100.24
1,416.000	100.24	100.24	100.24	100.24	100.24
1,416.500	100.24	100.24	100.24	100.24	100.24
1,417.000	100.24	100.24	100.24	100.24	100.24
1,417.500	100.24	100.24	100.24	100.24	100.24
1,418.000	100.24	100.24	100.24	100.24	100.24
1,418.500	100.24	100.24	100.24	100.24	100.24

Subsection: Time vs. Elevation
Label: PO-1 (OUT)

Scenario: Base

Time vs. Elevation (ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)	Elevation (ft)
1,419.000	100.24	100.24	100.24	100.24	100.24
1,419.500	100.24	100.24	100.24	100.24	100.24
1,420.000	100.24	100.24	100.24	100.24	100.24
1,420.500	100.24	100.24	100.24	100.24	100.24
1,421.000	100.24	100.24	100.24	100.24	100.24
1,421.500	100.24	100.24	100.24	100.24	100.24
1,422.000	100.24	100.24	100.24	100.24	100.24
1,422.500	100.24	100.24	100.24	100.24	100.24
1,423.000	100.24	100.24	100.24	100.24	100.24
1,423.500	100.24	100.24	100.24	100.24	100.24
1,424.000	100.24	100.24	100.24	100.24	100.24
1,424.500	100.24	100.24	100.24	100.24	100.24
1,425.000	100.24	100.24	100.24	100.24	100.24
1,425.500	100.24	100.24	100.24	100.24	100.24
1,426.000	100.24	100.24	100.24	100.24	100.24
1,426.500	100.24	100.24	100.24	100.24	100.24
1,427.000	100.24	100.24	100.24	100.24	100.24
1,427.500	100.24	100.24	100.24	100.24	100.24
1,428.000	100.24	100.24	100.24	100.24	100.24
1,428.500	100.24	100.24	100.24	100.24	100.24
1,429.000	100.24	100.24	100.24	100.24	100.24
1,429.500	100.24	100.24	100.24	100.24	100.24
1,430.000	100.24	100.24	100.24	100.24	100.24
1,430.500	100.23	100.23	100.23	100.23	100.23
1,431.000	100.23	100.23	100.23	100.23	100.23
1,431.500	100.23	100.23	100.23	100.23	100.23
1,432.000	100.23	100.23	100.23	100.23	100.23
1,432.500	100.23	100.23	100.23	100.23	100.23
1,433.000	100.23	100.23	100.23	100.23	100.23
1,433.500	100.23	100.23	100.23	100.23	100.23
1,434.000	100.23	100.23	100.23	100.23	100.23
1,434.500	100.23	100.23	100.23	100.23	100.23
1,435.000	100.23	100.23	100.23	100.23	100.23
1,435.500	100.23	100.23	100.23	100.23	100.23
1,436.000	100.23	100.23	100.23	100.23	100.23
1,436.500	100.23	100.23	100.23	100.23	100.23
1,437.000	100.23	100.23	100.23	100.23	100.23
1,437.500	100.23	100.23	100.23	100.23	100.23
1,438.000	100.23	100.23	100.23	100.23	100.23
1,438.500	100.23	100.23	100.23	100.23	100.23
1,439.000	100.23	100.23	100.23	100.23	100.23
1,439.500	100.23	100.23	100.23	100.23	100.23
1,440.000	100.23	(N/A)	(N/A)	(N/A)	(N/A)

Subsection: Time vs. Volume
Label: PO-1

Scenario: Base

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
0.000	0.000	0.000	0.000	0.000	0.000
0.500	0.000	0.000	0.000	0.000	0.000
1.000	0.000	0.000	0.000	0.000	0.000
1.500	0.000	0.000	0.000	0.000	0.000
2.000	0.000	0.000	0.000	0.000	0.000
2.500	0.000	0.000	0.001	0.001	0.001
3.000	0.001	0.001	0.001	0.001	0.001
3.500	0.001	0.001	0.001	0.001	0.001
4.000	0.001	0.001	0.001	0.001	0.001
4.500	0.001	0.001	0.001	0.001	0.001
5.000	0.001	0.001	0.002	0.002	0.002
5.500	0.002	0.002	0.002	0.002	0.002
6.000	0.002	0.002	0.002	0.002	0.002
6.500	0.002	0.002	0.002	0.002	0.002
7.000	0.002	0.002	0.002	0.002	0.002
7.500	0.002	0.003	0.003	0.003	0.003
8.000	0.003	0.003	0.003	0.003	0.003
8.500	0.003	0.003	0.003	0.003	0.003
9.000	0.003	0.003	0.003	0.003	0.003
9.500	0.003	0.003	0.003	0.003	0.003
10.000	0.003	0.003	0.003	0.003	0.003
10.500	0.003	0.003	0.003	0.004	0.004
11.000	0.004	0.004	0.004	0.004	0.004
11.500	0.004	0.004	0.004	0.004	0.004
12.000	0.004	0.004	0.004	0.004	0.004
12.500	0.004	0.004	0.004	0.004	0.004
13.000	0.004	0.004	0.004	0.004	0.004
13.500	0.004	0.004	0.004	0.004	0.004
14.000	0.004	0.004	0.004	0.004	0.004
14.500	0.004	0.004	0.004	0.004	0.004
15.000	0.004	0.004	0.004	0.004	0.004
15.500	0.004	0.004	0.004	0.004	0.004
16.000	0.004	0.004	0.004	0.004	0.004
16.500	0.004	0.004	0.004	0.004	0.004
17.000	0.004	0.004	0.004	0.004	0.004
17.500	0.004	0.004	0.004	0.004	0.004
18.000	0.004	0.004	0.004	0.004	0.004
18.500	0.005	0.005	0.005	0.005	0.005
19.000	0.005	0.005	0.005	0.005	0.005
19.500	0.005	0.005	0.005	0.005	0.005
20.000	0.005	0.005	0.005	0.005	0.005
20.500	0.005	0.005	0.005	0.005	0.005
21.000	0.005	0.005	0.005	0.005	0.005

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
21.500	0.005	0.005	0.005	0.005	0.005
22.000	0.005	0.005	0.005	0.005	0.005
22.500	0.005	0.005	0.005	0.005	0.005
23.000	0.005	0.005	0.005	0.005	0.005
23.500	0.005	0.005	0.005	0.005	0.005
24.000	0.005	0.005	0.005	0.005	0.005
24.500	0.005	0.005	0.005	0.005	0.005
25.000	0.005	0.005	0.005	0.005	0.005
25.500	0.005	0.005	0.005	0.005	0.005
26.000	0.005	0.005	0.005	0.005	0.005
26.500	0.005	0.005	0.005	0.005	0.005
27.000	0.005	0.005	0.005	0.005	0.005
27.500	0.005	0.005	0.005	0.005	0.005
28.000	0.005	0.005	0.005	0.005	0.005
28.500	0.005	0.005	0.005	0.005	0.005
29.000	0.005	0.005	0.005	0.005	0.005
29.500	0.005	0.005	0.005	0.005	0.005
30.000	0.005	0.005	0.005	0.005	0.005
30.500	0.005	0.005	0.005	0.005	0.005
31.000	0.005	0.005	0.005	0.005	0.005
31.500	0.005	0.005	0.005	0.005	0.005
32.000	0.005	0.005	0.005	0.005	0.005
32.500	0.005	0.005	0.005	0.005	0.005
33.000	0.005	0.005	0.005	0.005	0.005
33.500	0.005	0.005	0.005	0.005	0.005
34.000	0.005	0.005	0.005	0.005	0.005
34.500	0.005	0.005	0.005	0.005	0.005
35.000	0.005	0.005	0.005	0.005	0.005
35.500	0.005	0.005	0.005	0.005	0.005
36.000	0.005	0.005	0.005	0.005	0.005
36.500	0.005	0.005	0.005	0.005	0.005
37.000	0.005	0.005	0.005	0.005	0.005
37.500	0.005	0.005	0.005	0.005	0.005
38.000	0.005	0.005	0.005	0.005	0.005
38.500	0.005	0.005	0.005	0.005	0.005
39.000	0.005	0.005	0.005	0.005	0.005
39.500	0.005	0.005	0.005	0.005	0.005
40.000	0.005	0.005	0.005	0.005	0.005
40.500	0.005	0.005	0.005	0.005	0.005
41.000	0.005	0.005	0.005	0.005	0.005
41.500	0.005	0.005	0.005	0.005	0.005
42.000	0.005	0.005	0.005	0.005	0.005
42.500	0.005	0.005	0.005	0.005	0.005

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
43.000	0.005	0.005	0.005	0.005	0.005
43.500	0.005	0.005	0.005	0.005	0.005
44.000	0.005	0.005	0.005	0.005	0.005
44.500	0.005	0.005	0.005	0.005	0.005
45.000	0.005	0.005	0.005	0.005	0.005
45.500	0.005	0.005	0.005	0.005	0.005
46.000	0.005	0.005	0.005	0.005	0.005
46.500	0.005	0.005	0.005	0.005	0.005
47.000	0.005	0.005	0.005	0.005	0.005
47.500	0.005	0.005	0.005	0.005	0.005
48.000	0.005	0.005	0.005	0.005	0.005
48.500	0.005	0.005	0.005	0.005	0.005
49.000	0.005	0.005	0.005	0.005	0.005
49.500	0.005	0.005	0.005	0.005	0.005
50.000	0.005	0.005	0.005	0.005	0.005
50.500	0.005	0.005	0.005	0.005	0.005
51.000	0.005	0.005	0.005	0.005	0.005
51.500	0.005	0.005	0.005	0.005	0.005
52.000	0.005	0.005	0.005	0.005	0.005
52.500	0.005	0.005	0.005	0.005	0.005
53.000	0.005	0.005	0.005	0.005	0.005
53.500	0.005	0.005	0.005	0.005	0.005
54.000	0.005	0.005	0.005	0.005	0.005
54.500	0.005	0.005	0.005	0.005	0.005
55.000	0.005	0.005	0.005	0.005	0.005
55.500	0.005	0.005	0.005	0.005	0.005
56.000	0.005	0.005	0.005	0.005	0.005
56.500	0.005	0.005	0.005	0.005	0.005
57.000	0.005	0.005	0.005	0.005	0.005
57.500	0.005	0.005	0.005	0.005	0.005
58.000	0.005	0.005	0.005	0.005	0.005
58.500	0.005	0.005	0.005	0.005	0.005
59.000	0.005	0.005	0.005	0.005	0.005
59.500	0.005	0.005	0.005	0.005	0.005
60.000	0.005	0.005	0.005	0.005	0.005
60.500	0.005	0.005	0.005	0.005	0.005
61.000	0.005	0.005	0.005	0.005	0.005
61.500	0.005	0.005	0.005	0.005	0.005
62.000	0.005	0.005	0.005	0.005	0.005
62.500	0.005	0.005	0.005	0.005	0.005
63.000	0.005	0.005	0.005	0.005	0.005
63.500	0.005	0.005	0.005	0.005	0.005
64.000	0.005	0.005	0.005	0.005	0.005

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
64.500	0.005	0.005	0.005	0.005	0.005
65.000	0.005	0.005	0.005	0.005	0.005
65.500	0.005	0.005	0.005	0.005	0.005
66.000	0.005	0.005	0.005	0.005	0.005
66.500	0.005	0.005	0.005	0.005	0.005
67.000	0.005	0.005	0.005	0.005	0.005
67.500	0.005	0.005	0.005	0.005	0.005
68.000	0.005	0.005	0.005	0.005	0.005
68.500	0.005	0.005	0.005	0.005	0.005
69.000	0.005	0.005	0.005	0.005	0.005
69.500	0.005	0.005	0.005	0.005	0.005
70.000	0.005	0.005	0.005	0.005	0.005
70.500	0.005	0.005	0.005	0.005	0.005
71.000	0.005	0.005	0.005	0.005	0.005
71.500	0.005	0.005	0.005	0.005	0.005
72.000	0.005	0.005	0.005	0.005	0.005
72.500	0.005	0.005	0.005	0.005	0.005
73.000	0.005	0.005	0.005	0.005	0.005
73.500	0.005	0.005	0.005	0.005	0.005
74.000	0.005	0.005	0.005	0.005	0.005
74.500	0.005	0.005	0.005	0.005	0.005
75.000	0.005	0.005	0.005	0.005	0.005
75.500	0.005	0.005	0.005	0.005	0.005
76.000	0.005	0.005	0.005	0.005	0.005
76.500	0.005	0.005	0.005	0.005	0.005
77.000	0.005	0.005	0.005	0.005	0.005
77.500	0.005	0.005	0.005	0.005	0.005
78.000	0.005	0.005	0.005	0.005	0.005
78.500	0.005	0.005	0.005	0.005	0.005
79.000	0.005	0.005	0.005	0.005	0.005
79.500	0.005	0.005	0.005	0.005	0.005
80.000	0.005	0.005	0.005	0.005	0.005
80.500	0.005	0.005	0.005	0.005	0.005
81.000	0.005	0.005	0.005	0.005	0.005
81.500	0.005	0.005	0.005	0.005	0.005
82.000	0.005	0.005	0.005	0.005	0.005
82.500	0.005	0.005	0.005	0.005	0.005
83.000	0.005	0.005	0.005	0.005	0.005
83.500	0.005	0.005	0.005	0.005	0.005
84.000	0.005	0.005	0.005	0.005	0.005
84.500	0.005	0.005	0.005	0.005	0.005
85.000	0.005	0.005	0.005	0.005	0.005
85.500	0.005	0.005	0.005	0.005	0.005

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
86.000	0.005	0.005	0.005	0.005	0.005
86.500	0.005	0.005	0.005	0.005	0.005
87.000	0.005	0.005	0.005	0.005	0.005
87.500	0.005	0.005	0.005	0.005	0.005
88.000	0.005	0.005	0.005	0.005	0.005
88.500	0.005	0.005	0.005	0.005	0.005
89.000	0.005	0.005	0.005	0.005	0.005
89.500	0.005	0.005	0.005	0.005	0.005
90.000	0.005	0.005	0.005	0.005	0.005
90.500	0.005	0.005	0.005	0.005	0.005
91.000	0.005	0.005	0.005	0.005	0.005
91.500	0.005	0.005	0.005	0.005	0.005
92.000	0.005	0.005	0.005	0.005	0.005
92.500	0.005	0.005	0.005	0.005	0.005
93.000	0.005	0.005	0.005	0.005	0.005
93.500	0.005	0.005	0.005	0.005	0.005
94.000	0.005	0.005	0.005	0.005	0.005
94.500	0.005	0.005	0.005	0.005	0.005
95.000	0.005	0.005	0.005	0.005	0.005
95.500	0.005	0.005	0.005	0.005	0.005
96.000	0.005	0.005	0.005	0.005	0.005
96.500	0.005	0.005	0.005	0.005	0.005
97.000	0.005	0.005	0.005	0.005	0.005
97.500	0.005	0.005	0.005	0.005	0.005
98.000	0.005	0.005	0.005	0.005	0.005
98.500	0.005	0.005	0.005	0.005	0.005
99.000	0.005	0.005	0.005	0.005	0.005
99.500	0.005	0.005	0.005	0.005	0.005
100.000	0.005	0.005	0.005	0.005	0.005
100.500	0.005	0.005	0.005	0.005	0.005
101.000	0.005	0.005	0.005	0.005	0.005
101.500	0.005	0.005	0.005	0.005	0.005
102.000	0.005	0.005	0.005	0.005	0.005
102.500	0.005	0.005	0.005	0.005	0.005
103.000	0.005	0.005	0.005	0.005	0.005
103.500	0.005	0.005	0.005	0.005	0.005
104.000	0.005	0.005	0.005	0.005	0.005
104.500	0.005	0.005	0.005	0.005	0.005
105.000	0.005	0.005	0.005	0.005	0.005
105.500	0.005	0.005	0.005	0.005	0.005
106.000	0.005	0.005	0.005	0.005	0.005
106.500	0.005	0.005	0.005	0.005	0.005
107.000	0.005	0.005	0.005	0.005	0.005

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
107.500	0.005	0.005	0.005	0.005	0.005
108.000	0.005	0.005	0.005	0.005	0.005
108.500	0.005	0.005	0.005	0.005	0.005
109.000	0.005	0.005	0.005	0.005	0.005
109.500	0.005	0.005	0.005	0.005	0.005
110.000	0.005	0.005	0.005	0.005	0.005
110.500	0.005	0.005	0.005	0.005	0.005
111.000	0.005	0.005	0.005	0.005	0.005
111.500	0.005	0.005	0.005	0.005	0.005
112.000	0.005	0.005	0.005	0.005	0.005
112.500	0.005	0.005	0.005	0.005	0.005
113.000	0.005	0.005	0.005	0.005	0.005
113.500	0.005	0.005	0.005	0.005	0.005
114.000	0.005	0.005	0.005	0.005	0.005
114.500	0.005	0.005	0.005	0.005	0.005
115.000	0.005	0.005	0.005	0.005	0.005
115.500	0.005	0.005	0.005	0.005	0.005
116.000	0.005	0.005	0.005	0.005	0.005
116.500	0.005	0.005	0.005	0.005	0.005
117.000	0.005	0.005	0.005	0.005	0.005
117.500	0.005	0.005	0.005	0.005	0.005
118.000	0.005	0.005	0.005	0.005	0.005
118.500	0.005	0.005	0.005	0.005	0.005
119.000	0.005	0.005	0.005	0.005	0.005
119.500	0.005	0.005	0.005	0.005	0.005
120.000	0.005	0.005	0.005	0.005	0.005
120.500	0.005	0.005	0.005	0.005	0.005
121.000	0.005	0.005	0.005	0.005	0.005
121.500	0.005	0.005	0.005	0.005	0.005
122.000	0.005	0.005	0.005	0.005	0.005
122.500	0.005	0.005	0.005	0.005	0.005
123.000	0.005	0.005	0.005	0.005	0.005
123.500	0.005	0.005	0.005	0.005	0.005
124.000	0.005	0.005	0.005	0.005	0.005
124.500	0.005	0.005	0.005	0.005	0.005
125.000	0.005	0.005	0.005	0.005	0.005
125.500	0.005	0.005	0.005	0.005	0.005
126.000	0.005	0.005	0.005	0.005	0.005
126.500	0.005	0.005	0.005	0.005	0.005
127.000	0.005	0.005	0.005	0.005	0.005
127.500	0.005	0.005	0.005	0.005	0.005
128.000	0.005	0.005	0.005	0.005	0.005
128.500	0.005	0.005	0.005	0.005	0.005

Subsection: Time vs. Volume
Label: PO-1

Scenario: Base

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
129.000	0.005	0.005	0.005	0.005	0.005
129.500	0.005	0.005	0.005	0.005	0.005
130.000	0.005	0.005	0.005	0.005	0.005
130.500	0.005	0.005	0.005	0.005	0.005
131.000	0.005	0.005	0.005	0.005	0.005
131.500	0.005	0.005	0.005	0.005	0.005
132.000	0.005	0.005	0.005	0.005	0.005
132.500	0.005	0.005	0.005	0.005	0.005
133.000	0.005	0.005	0.005	0.005	0.005
133.500	0.005	0.005	0.005	0.005	0.005
134.000	0.005	0.005	0.005	0.005	0.005
134.500	0.005	0.005	0.005	0.005	0.005
135.000	0.005	0.005	0.005	0.005	0.005
135.500	0.005	0.005	0.005	0.005	0.005
136.000	0.005	0.005	0.005	0.005	0.005
136.500	0.005	0.005	0.005	0.005	0.005
137.000	0.005	0.005	0.005	0.005	0.005
137.500	0.005	0.005	0.005	0.005	0.005
138.000	0.005	0.005	0.005	0.005	0.005
138.500	0.005	0.005	0.005	0.005	0.005
139.000	0.005	0.005	0.005	0.005	0.005
139.500	0.005	0.005	0.005	0.005	0.005
140.000	0.005	0.005	0.005	0.005	0.005
140.500	0.005	0.005	0.005	0.005	0.005
141.000	0.005	0.005	0.005	0.005	0.005
141.500	0.005	0.005	0.005	0.005	0.005
142.000	0.005	0.005	0.005	0.005	0.005
142.500	0.005	0.005	0.005	0.005	0.005
143.000	0.005	0.005	0.005	0.005	0.005
143.500	0.005	0.005	0.005	0.005	0.005
144.000	0.005	0.005	0.005	0.005	0.005
144.500	0.005	0.005	0.005	0.005	0.005
145.000	0.005	0.005	0.005	0.005	0.005
145.500	0.005	0.005	0.005	0.005	0.005
146.000	0.005	0.005	0.005	0.005	0.005
146.500	0.005	0.005	0.005	0.005	0.005
147.000	0.005	0.005	0.005	0.005	0.005
147.500	0.005	0.005	0.005	0.005	0.005
148.000	0.005	0.005	0.005	0.005	0.005
148.500	0.005	0.005	0.005	0.005	0.005
149.000	0.005	0.005	0.005	0.005	0.005
149.500	0.005	0.005	0.005	0.005	0.005
150.000	0.005	0.005	0.005	0.005	0.005

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
150.500	0.005	0.005	0.005	0.005	0.005
151.000	0.005	0.005	0.005	0.005	0.005
151.500	0.005	0.005	0.005	0.005	0.005
152.000	0.005	0.005	0.005	0.005	0.005
152.500	0.005	0.005	0.005	0.005	0.005
153.000	0.005	0.005	0.005	0.005	0.005
153.500	0.005	0.005	0.005	0.005	0.005
154.000	0.005	0.005	0.005	0.005	0.005
154.500	0.005	0.005	0.005	0.005	0.005
155.000	0.005	0.005	0.005	0.005	0.005
155.500	0.005	0.005	0.005	0.005	0.005
156.000	0.005	0.005	0.005	0.005	0.005
156.500	0.005	0.005	0.005	0.005	0.005
157.000	0.005	0.005	0.005	0.005	0.005
157.500	0.005	0.005	0.005	0.005	0.005
158.000	0.005	0.005	0.005	0.005	0.005
158.500	0.005	0.005	0.005	0.005	0.005
159.000	0.005	0.005	0.005	0.005	0.005
159.500	0.005	0.005	0.005	0.005	0.005
160.000	0.005	0.005	0.005	0.005	0.005
160.500	0.005	0.005	0.005	0.005	0.005
161.000	0.005	0.005	0.005	0.005	0.005
161.500	0.005	0.005	0.005	0.005	0.005
162.000	0.005	0.005	0.005	0.005	0.005
162.500	0.005	0.005	0.005	0.005	0.005
163.000	0.005	0.005	0.005	0.005	0.005
163.500	0.005	0.005	0.005	0.005	0.005
164.000	0.005	0.005	0.005	0.005	0.005
164.500	0.005	0.005	0.005	0.005	0.005
165.000	0.005	0.005	0.005	0.005	0.005
165.500	0.005	0.005	0.005	0.005	0.005
166.000	0.005	0.005	0.005	0.005	0.005
166.500	0.005	0.005	0.005	0.005	0.005
167.000	0.005	0.005	0.005	0.005	0.005
167.500	0.005	0.005	0.005	0.005	0.005
168.000	0.005	0.005	0.005	0.005	0.005
168.500	0.005	0.005	0.005	0.005	0.005
169.000	0.005	0.005	0.005	0.005	0.005
169.500	0.005	0.005	0.005	0.005	0.005
170.000	0.005	0.005	0.005	0.005	0.005
170.500	0.005	0.005	0.005	0.005	0.005
171.000	0.005	0.005	0.005	0.005	0.005
171.500	0.005	0.005	0.005	0.005	0.005

Subsection: Time vs. Volume
Label: PO-1

Scenario: Base

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
172.000	0.005	0.005	0.005	0.005	0.005
172.500	0.005	0.005	0.005	0.005	0.005
173.000	0.005	0.005	0.005	0.005	0.005
173.500	0.005	0.005	0.005	0.005	0.005
174.000	0.005	0.005	0.005	0.005	0.005
174.500	0.005	0.005	0.005	0.005	0.005
175.000	0.005	0.005	0.005	0.005	0.005
175.500	0.005	0.005	0.005	0.005	0.005
176.000	0.005	0.005	0.005	0.005	0.005
176.500	0.005	0.005	0.005	0.005	0.005
177.000	0.005	0.005	0.005	0.005	0.005
177.500	0.005	0.005	0.005	0.005	0.005
178.000	0.005	0.005	0.005	0.005	0.005
178.500	0.005	0.005	0.005	0.005	0.005
179.000	0.005	0.005	0.005	0.005	0.005
179.500	0.005	0.005	0.005	0.005	0.005
180.000	0.005	0.005	0.005	0.005	0.005
180.500	0.005	0.005	0.005	0.005	0.005
181.000	0.005	0.005	0.005	0.005	0.005
181.500	0.005	0.005	0.005	0.005	0.005
182.000	0.005	0.005	0.005	0.005	0.005
182.500	0.005	0.005	0.005	0.005	0.005
183.000	0.005	0.005	0.005	0.005	0.005
183.500	0.005	0.005	0.005	0.005	0.005
184.000	0.005	0.005	0.005	0.005	0.005
184.500	0.005	0.005	0.005	0.005	0.005
185.000	0.005	0.005	0.005	0.005	0.005
185.500	0.005	0.005	0.005	0.005	0.005
186.000	0.005	0.005	0.005	0.005	0.005
186.500	0.005	0.005	0.005	0.005	0.005
187.000	0.005	0.005	0.005	0.005	0.005
187.500	0.005	0.005	0.005	0.005	0.005
188.000	0.005	0.005	0.005	0.005	0.005
188.500	0.005	0.005	0.005	0.005	0.005
189.000	0.005	0.005	0.005	0.005	0.005
189.500	0.005	0.005	0.005	0.005	0.005
190.000	0.005	0.005	0.005	0.005	0.005
190.500	0.005	0.005	0.005	0.005	0.005
191.000	0.005	0.005	0.005	0.005	0.005
191.500	0.005	0.005	0.005	0.005	0.005
192.000	0.005	0.005	0.005	0.005	0.005
192.500	0.005	0.005	0.005	0.005	0.005
193.000	0.005	0.005	0.005	0.005	0.005

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
193.500	0.005	0.005	0.005	0.005	0.005
194.000	0.005	0.005	0.005	0.005	0.005
194.500	0.005	0.005	0.005	0.005	0.005
195.000	0.005	0.005	0.005	0.005	0.005
195.500	0.005	0.005	0.005	0.005	0.005
196.000	0.005	0.005	0.005	0.005	0.005
196.500	0.005	0.005	0.005	0.005	0.005
197.000	0.005	0.005	0.005	0.005	0.005
197.500	0.005	0.005	0.005	0.005	0.005
198.000	0.005	0.005	0.005	0.005	0.005
198.500	0.005	0.005	0.005	0.005	0.005
199.000	0.005	0.005	0.005	0.005	0.005
199.500	0.005	0.005	0.005	0.005	0.005
200.000	0.005	0.005	0.005	0.005	0.005
200.500	0.005	0.005	0.005	0.005	0.005
201.000	0.005	0.005	0.005	0.005	0.005
201.500	0.005	0.005	0.005	0.005	0.005
202.000	0.005	0.005	0.005	0.005	0.005
202.500	0.005	0.005	0.005	0.005	0.005
203.000	0.005	0.005	0.005	0.005	0.005
203.500	0.005	0.005	0.005	0.005	0.005
204.000	0.005	0.005	0.005	0.005	0.005
204.500	0.005	0.005	0.005	0.005	0.005
205.000	0.005	0.005	0.005	0.005	0.005
205.500	0.005	0.005	0.005	0.005	0.005
206.000	0.005	0.005	0.005	0.005	0.005
206.500	0.005	0.005	0.005	0.005	0.005
207.000	0.005	0.005	0.005	0.005	0.005
207.500	0.005	0.005	0.005	0.005	0.005
208.000	0.005	0.005	0.005	0.005	0.005
208.500	0.005	0.005	0.005	0.005	0.005
209.000	0.005	0.005	0.005	0.005	0.005
209.500	0.005	0.005	0.005	0.005	0.005
210.000	0.005	0.005	0.005	0.005	0.005
210.500	0.005	0.005	0.005	0.005	0.005
211.000	0.005	0.005	0.005	0.005	0.005
211.500	0.005	0.005	0.005	0.005	0.005
212.000	0.005	0.005	0.005	0.005	0.005
212.500	0.005	0.005	0.005	0.005	0.005
213.000	0.005	0.005	0.005	0.005	0.005
213.500	0.005	0.005	0.005	0.005	0.005
214.000	0.005	0.005	0.005	0.005	0.005
214.500	0.005	0.005	0.005	0.005	0.005

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
215.000	0.005	0.005	0.005	0.005	0.005
215.500	0.005	0.005	0.005	0.005	0.005
216.000	0.005	0.005	0.005	0.005	0.005
216.500	0.005	0.005	0.005	0.005	0.005
217.000	0.005	0.005	0.005	0.005	0.005
217.500	0.005	0.005	0.005	0.005	0.005
218.000	0.005	0.005	0.005	0.005	0.005
218.500	0.005	0.005	0.005	0.005	0.005
219.000	0.005	0.005	0.005	0.005	0.005
219.500	0.005	0.005	0.005	0.005	0.005
220.000	0.005	0.005	0.005	0.005	0.005
220.500	0.005	0.005	0.005	0.005	0.005
221.000	0.005	0.005	0.005	0.005	0.005
221.500	0.005	0.005	0.005	0.005	0.005
222.000	0.005	0.005	0.005	0.005	0.005
222.500	0.005	0.005	0.005	0.005	0.005
223.000	0.005	0.005	0.005	0.005	0.005
223.500	0.005	0.005	0.005	0.005	0.005
224.000	0.005	0.005	0.005	0.005	0.005
224.500	0.005	0.005	0.005	0.005	0.005
225.000	0.005	0.005	0.005	0.005	0.005
225.500	0.005	0.005	0.005	0.005	0.005
226.000	0.005	0.005	0.005	0.005	0.005
226.500	0.005	0.005	0.005	0.005	0.005
227.000	0.005	0.005	0.005	0.005	0.005
227.500	0.005	0.005	0.005	0.005	0.005
228.000	0.005	0.005	0.005	0.005	0.005
228.500	0.005	0.005	0.005	0.005	0.005
229.000	0.005	0.005	0.005	0.005	0.005
229.500	0.005	0.005	0.005	0.005	0.005
230.000	0.005	0.005	0.005	0.005	0.005
230.500	0.005	0.005	0.005	0.005	0.005
231.000	0.005	0.005	0.005	0.005	0.005
231.500	0.005	0.005	0.005	0.005	0.005
232.000	0.005	0.005	0.005	0.005	0.005
232.500	0.005	0.005	0.005	0.005	0.005
233.000	0.005	0.005	0.005	0.005	0.005
233.500	0.005	0.005	0.005	0.005	0.005
234.000	0.005	0.005	0.005	0.005	0.005
234.500	0.005	0.005	0.005	0.005	0.005
235.000	0.005	0.005	0.005	0.005	0.005
235.500	0.005	0.005	0.005	0.005	0.005
236.000	0.005	0.005	0.005	0.005	0.005

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
236.500	0.005	0.005	0.005	0.005	0.005
237.000	0.005	0.005	0.005	0.005	0.005
237.500	0.005	0.005	0.005	0.005	0.005
238.000	0.005	0.005	0.005	0.005	0.005
238.500	0.005	0.005	0.005	0.005	0.005
239.000	0.005	0.005	0.005	0.005	0.005
239.500	0.005	0.005	0.005	0.005	0.005
240.000	0.005	0.005	0.005	0.005	0.005
240.500	0.005	0.005	0.005	0.005	0.005
241.000	0.005	0.005	0.005	0.005	0.005
241.500	0.005	0.005	0.005	0.005	0.005
242.000	0.005	0.005	0.005	0.005	0.005
242.500	0.005	0.005	0.005	0.005	0.005
243.000	0.005	0.005	0.005	0.005	0.005
243.500	0.005	0.005	0.005	0.005	0.005
244.000	0.005	0.005	0.005	0.005	0.005
244.500	0.005	0.005	0.005	0.005	0.005
245.000	0.005	0.005	0.005	0.005	0.005
245.500	0.005	0.005	0.005	0.005	0.005
246.000	0.005	0.005	0.005	0.005	0.005
246.500	0.005	0.005	0.005	0.005	0.005
247.000	0.005	0.005	0.005	0.005	0.005
247.500	0.005	0.005	0.005	0.005	0.005
248.000	0.005	0.005	0.005	0.005	0.005
248.500	0.005	0.005	0.005	0.005	0.005
249.000	0.005	0.005	0.005	0.005	0.005
249.500	0.005	0.005	0.005	0.005	0.005
250.000	0.005	0.005	0.005	0.005	0.005
250.500	0.005	0.005	0.005	0.005	0.005
251.000	0.005	0.005	0.005	0.005	0.005
251.500	0.005	0.005	0.005	0.005	0.005
252.000	0.005	0.005	0.005	0.005	0.005
252.500	0.005	0.005	0.005	0.005	0.005
253.000	0.005	0.005	0.005	0.005	0.005
253.500	0.005	0.005	0.005	0.005	0.005
254.000	0.005	0.005	0.005	0.005	0.005
254.500	0.005	0.005	0.005	0.005	0.005
255.000	0.005	0.005	0.005	0.005	0.005
255.500	0.005	0.005	0.005	0.005	0.005
256.000	0.005	0.005	0.005	0.005	0.005
256.500	0.005	0.005	0.006	0.006	0.006
257.000	0.006	0.006	0.006	0.006	0.006
257.500	0.006	0.006	0.006	0.006	0.006

Subsection: Time vs. Volume
Label: PO-1

Scenario: Base

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
258.000	0.006	0.006	0.006	0.006	0.006
258.500	0.006	0.006	0.006	0.006	0.006
259.000	0.006	0.006	0.006	0.006	0.006
259.500	0.006	0.006	0.006	0.006	0.006
260.000	0.006	0.006	0.006	0.006	0.006
260.500	0.006	0.006	0.006	0.006	0.006
261.000	0.006	0.006	0.006	0.006	0.006
261.500	0.006	0.006	0.006	0.006	0.006
262.000	0.006	0.006	0.006	0.006	0.006
262.500	0.006	0.006	0.006	0.006	0.006
263.000	0.006	0.006	0.006	0.006	0.006
263.500	0.006	0.006	0.006	0.006	0.006
264.000	0.006	0.006	0.006	0.006	0.006
264.500	0.006	0.006	0.006	0.006	0.006
265.000	0.006	0.006	0.006	0.006	0.006
265.500	0.006	0.006	0.006	0.006	0.006
266.000	0.006	0.006	0.006	0.006	0.006
266.500	0.006	0.006	0.006	0.006	0.006
267.000	0.006	0.006	0.006	0.006	0.006
267.500	0.006	0.006	0.006	0.006	0.006
268.000	0.006	0.006	0.006	0.006	0.006
268.500	0.006	0.006	0.006	0.006	0.006
269.000	0.006	0.006	0.006	0.006	0.006
269.500	0.006	0.006	0.006	0.006	0.006
270.000	0.006	0.006	0.006	0.006	0.006
270.500	0.006	0.006	0.006	0.006	0.006
271.000	0.006	0.006	0.006	0.006	0.006
271.500	0.006	0.006	0.006	0.006	0.006
272.000	0.006	0.006	0.006	0.006	0.006
272.500	0.006	0.006	0.006	0.006	0.006
273.000	0.006	0.006	0.006	0.006	0.006
273.500	0.006	0.006	0.006	0.006	0.006
274.000	0.006	0.006	0.006	0.006	0.006
274.500	0.006	0.006	0.006	0.006	0.006
275.000	0.006	0.006	0.006	0.006	0.006
275.500	0.006	0.006	0.006	0.006	0.006
276.000	0.006	0.006	0.006	0.006	0.006
276.500	0.006	0.006	0.006	0.006	0.006
277.000	0.006	0.006	0.006	0.006	0.006
277.500	0.006	0.006	0.006	0.006	0.006
278.000	0.006	0.006	0.006	0.006	0.006
278.500	0.006	0.006	0.006	0.006	0.006
279.000	0.006	0.006	0.006	0.006	0.006

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
279.500	0.006	0.006	0.006	0.006	0.006
280.000	0.006	0.006	0.006	0.006	0.006
280.500	0.006	0.006	0.006	0.006	0.006
281.000	0.006	0.006	0.006	0.006	0.006
281.500	0.006	0.006	0.006	0.006	0.006
282.000	0.006	0.006	0.006	0.006	0.006
282.500	0.006	0.006	0.006	0.006	0.006
283.000	0.006	0.006	0.006	0.006	0.006
283.500	0.006	0.006	0.006	0.006	0.006
284.000	0.006	0.006	0.006	0.006	0.006
284.500	0.006	0.006	0.006	0.006	0.006
285.000	0.006	0.006	0.006	0.006	0.006
285.500	0.006	0.006	0.006	0.006	0.006
286.000	0.006	0.006	0.006	0.006	0.006
286.500	0.006	0.006	0.006	0.006	0.006
287.000	0.006	0.006	0.006	0.006	0.006
287.500	0.006	0.006	0.006	0.006	0.006
288.000	0.006	0.006	0.006	0.006	0.006
288.500	0.006	0.006	0.006	0.006	0.006
289.000	0.006	0.006	0.006	0.006	0.006
289.500	0.006	0.006	0.006	0.006	0.006
290.000	0.006	0.006	0.006	0.006	0.006
290.500	0.006	0.006	0.006	0.006	0.006
291.000	0.006	0.006	0.006	0.006	0.006
291.500	0.006	0.006	0.006	0.006	0.006
292.000	0.006	0.006	0.006	0.006	0.006
292.500	0.006	0.006	0.006	0.006	0.006
293.000	0.006	0.006	0.006	0.006	0.006
293.500	0.006	0.006	0.006	0.006	0.006
294.000	0.006	0.006	0.006	0.006	0.006
294.500	0.006	0.006	0.006	0.006	0.006
295.000	0.006	0.006	0.006	0.006	0.006
295.500	0.006	0.006	0.006	0.006	0.006
296.000	0.006	0.006	0.006	0.006	0.006
296.500	0.006	0.006	0.006	0.006	0.006
297.000	0.006	0.006	0.006	0.006	0.006
297.500	0.006	0.006	0.006	0.006	0.006
298.000	0.006	0.006	0.006	0.006	0.006
298.500	0.006	0.006	0.006	0.006	0.006
299.000	0.006	0.006	0.006	0.006	0.006
299.500	0.006	0.006	0.006	0.006	0.006
300.000	0.006	0.006	0.006	0.006	0.006
300.500	0.006	0.006	0.006	0.006	0.006

Subsection: Time vs. Volume
Label: PO-1

Scenario: Base

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
301.000	0.006	0.006	0.006	0.006	0.006
301.500	0.006	0.006	0.006	0.006	0.006
302.000	0.006	0.006	0.006	0.006	0.006
302.500	0.006	0.006	0.006	0.006	0.006
303.000	0.006	0.006	0.006	0.006	0.006
303.500	0.006	0.006	0.006	0.006	0.006
304.000	0.006	0.006	0.006	0.006	0.006
304.500	0.006	0.006	0.006	0.006	0.006
305.000	0.006	0.006	0.006	0.006	0.006
305.500	0.006	0.006	0.006	0.006	0.006
306.000	0.006	0.006	0.006	0.006	0.006
306.500	0.006	0.006	0.006	0.006	0.006
307.000	0.006	0.006	0.006	0.006	0.006
307.500	0.006	0.006	0.006	0.006	0.006
308.000	0.006	0.006	0.006	0.006	0.006
308.500	0.006	0.006	0.006	0.006	0.006
309.000	0.006	0.006	0.006	0.006	0.006
309.500	0.006	0.006	0.006	0.006	0.006
310.000	0.006	0.006	0.006	0.006	0.006
310.500	0.006	0.006	0.006	0.006	0.006
311.000	0.006	0.006	0.006	0.006	0.006
311.500	0.006	0.006	0.006	0.006	0.006
312.000	0.006	0.006	0.006	0.006	0.006
312.500	0.006	0.006	0.006	0.006	0.006
313.000	0.006	0.006	0.006	0.006	0.006
313.500	0.006	0.006	0.006	0.006	0.006
314.000	0.006	0.006	0.006	0.006	0.006
314.500	0.006	0.006	0.006	0.006	0.006
315.000	0.006	0.006	0.006	0.006	0.006
315.500	0.006	0.006	0.006	0.006	0.006
316.000	0.006	0.006	0.006	0.006	0.006
316.500	0.006	0.006	0.006	0.006	0.006
317.000	0.006	0.006	0.006	0.006	0.006
317.500	0.006	0.006	0.006	0.006	0.006
318.000	0.006	0.006	0.006	0.006	0.006
318.500	0.006	0.006	0.006	0.006	0.006
319.000	0.006	0.006	0.006	0.006	0.006
319.500	0.006	0.006	0.006	0.006	0.006
320.000	0.006	0.006	0.006	0.006	0.006
320.500	0.006	0.006	0.006	0.006	0.006
321.000	0.006	0.006	0.006	0.006	0.006
321.500	0.006	0.006	0.006	0.006	0.006
322.000	0.006	0.006	0.006	0.006	0.006

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
322.500	0.006	0.006	0.006	0.006	0.006
323.000	0.006	0.006	0.006	0.006	0.006
323.500	0.006	0.006	0.006	0.006	0.006
324.000	0.006	0.006	0.006	0.006	0.006
324.500	0.006	0.006	0.006	0.006	0.006
325.000	0.006	0.006	0.006	0.006	0.006
325.500	0.006	0.006	0.006	0.006	0.006
326.000	0.006	0.006	0.006	0.006	0.006
326.500	0.006	0.006	0.006	0.006	0.006
327.000	0.006	0.006	0.006	0.006	0.006
327.500	0.006	0.006	0.006	0.006	0.006
328.000	0.006	0.006	0.006	0.006	0.006
328.500	0.006	0.006	0.006	0.006	0.006
329.000	0.006	0.006	0.006	0.006	0.006
329.500	0.006	0.006	0.006	0.006	0.006
330.000	0.006	0.006	0.006	0.006	0.006
330.500	0.006	0.006	0.006	0.006	0.006
331.000	0.006	0.006	0.006	0.006	0.006
331.500	0.006	0.006	0.006	0.006	0.006
332.000	0.006	0.006	0.006	0.006	0.006
332.500	0.006	0.006	0.006	0.006	0.006
333.000	0.006	0.006	0.006	0.006	0.006
333.500	0.006	0.006	0.006	0.006	0.006
334.000	0.006	0.006	0.006	0.006	0.006
334.500	0.006	0.006	0.006	0.006	0.006
335.000	0.006	0.006	0.006	0.006	0.006
335.500	0.006	0.006	0.006	0.006	0.006
336.000	0.006	0.006	0.006	0.006	0.006
336.500	0.006	0.006	0.006	0.006	0.006
337.000	0.006	0.006	0.006	0.006	0.006
337.500	0.006	0.006	0.006	0.006	0.006
338.000	0.006	0.006	0.006	0.006	0.006
338.500	0.006	0.006	0.006	0.006	0.006
339.000	0.006	0.006	0.006	0.006	0.006
339.500	0.006	0.006	0.006	0.006	0.006
340.000	0.006	0.006	0.006	0.006	0.006
340.500	0.006	0.006	0.006	0.006	0.006
341.000	0.006	0.006	0.006	0.006	0.006
341.500	0.006	0.006	0.006	0.006	0.006
342.000	0.006	0.006	0.006	0.006	0.006
342.500	0.006	0.006	0.006	0.006	0.006
343.000	0.006	0.006	0.006	0.006	0.006
343.500	0.006	0.006	0.006	0.006	0.006

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
344.000	0.006	0.006	0.006	0.006	0.006
344.500	0.006	0.006	0.006	0.006	0.006
345.000	0.006	0.006	0.006	0.006	0.006
345.500	0.006	0.006	0.006	0.006	0.006
346.000	0.006	0.006	0.006	0.006	0.006
346.500	0.006	0.006	0.006	0.006	0.006
347.000	0.006	0.006	0.006	0.006	0.006
347.500	0.006	0.006	0.006	0.006	0.006
348.000	0.006	0.006	0.006	0.006	0.006
348.500	0.006	0.006	0.006	0.006	0.006
349.000	0.006	0.006	0.006	0.006	0.006
349.500	0.006	0.006	0.006	0.006	0.006
350.000	0.006	0.006	0.006	0.006	0.006
350.500	0.006	0.006	0.006	0.006	0.006
351.000	0.006	0.006	0.006	0.006	0.006
351.500	0.006	0.006	0.006	0.006	0.006
352.000	0.006	0.006	0.006	0.006	0.006
352.500	0.006	0.006	0.006	0.006	0.006
353.000	0.006	0.006	0.006	0.006	0.006
353.500	0.006	0.006	0.006	0.006	0.006
354.000	0.006	0.006	0.006	0.006	0.006
354.500	0.006	0.006	0.006	0.006	0.006
355.000	0.006	0.006	0.006	0.006	0.006
355.500	0.006	0.006	0.006	0.006	0.006
356.000	0.006	0.006	0.006	0.006	0.006
356.500	0.006	0.006	0.006	0.006	0.006
357.000	0.006	0.006	0.006	0.006	0.006
357.500	0.006	0.006	0.006	0.006	0.006
358.000	0.006	0.006	0.006	0.006	0.006
358.500	0.006	0.006	0.006	0.006	0.006
359.000	0.006	0.006	0.006	0.006	0.006
359.500	0.006	0.006	0.006	0.006	0.006
360.000	0.006	0.006	0.006	0.006	0.006
360.500	0.006	0.006	0.006	0.006	0.006
361.000	0.006	0.006	0.006	0.006	0.006
361.500	0.006	0.006	0.006	0.006	0.006
362.000	0.006	0.006	0.006	0.006	0.006
362.500	0.006	0.006	0.006	0.006	0.006
363.000	0.006	0.006	0.006	0.006	0.006
363.500	0.006	0.006	0.006	0.006	0.006
364.000	0.006	0.006	0.006	0.006	0.006
364.500	0.006	0.006	0.006	0.006	0.006
365.000	0.006	0.006	0.006	0.006	0.006

Subsection: Time vs. Volume
Label: PO-1

Scenario: Base

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
365.500	0.006	0.006	0.006	0.006	0.006
366.000	0.006	0.006	0.006	0.006	0.006
366.500	0.006	0.006	0.006	0.006	0.006
367.000	0.006	0.006	0.006	0.006	0.006
367.500	0.006	0.006	0.006	0.006	0.006
368.000	0.006	0.006	0.006	0.006	0.006
368.500	0.006	0.006	0.006	0.006	0.006
369.000	0.006	0.006	0.006	0.006	0.006
369.500	0.006	0.006	0.006	0.006	0.006
370.000	0.006	0.006	0.006	0.006	0.006
370.500	0.006	0.006	0.006	0.006	0.006
371.000	0.006	0.006	0.006	0.006	0.006
371.500	0.006	0.006	0.006	0.006	0.006
372.000	0.006	0.006	0.006	0.006	0.006
372.500	0.006	0.006	0.006	0.006	0.006
373.000	0.006	0.006	0.006	0.006	0.006
373.500	0.006	0.006	0.006	0.006	0.006
374.000	0.006	0.006	0.006	0.006	0.006
374.500	0.006	0.006	0.006	0.006	0.006
375.000	0.006	0.006	0.006	0.006	0.006
375.500	0.006	0.006	0.006	0.006	0.006
376.000	0.006	0.006	0.006	0.006	0.006
376.500	0.006	0.006	0.006	0.006	0.006
377.000	0.006	0.006	0.006	0.006	0.006
377.500	0.006	0.006	0.006	0.006	0.006
378.000	0.006	0.006	0.006	0.006	0.006
378.500	0.006	0.006	0.006	0.006	0.006
379.000	0.006	0.006	0.006	0.006	0.006
379.500	0.006	0.006	0.006	0.006	0.006
380.000	0.006	0.006	0.006	0.006	0.006
380.500	0.006	0.006	0.006	0.006	0.006
381.000	0.006	0.006	0.006	0.006	0.006
381.500	0.006	0.006	0.006	0.006	0.006
382.000	0.006	0.006	0.006	0.006	0.006
382.500	0.006	0.006	0.006	0.006	0.006
383.000	0.006	0.006	0.006	0.006	0.006
383.500	0.006	0.006	0.006	0.006	0.006
384.000	0.006	0.006	0.006	0.006	0.006
384.500	0.006	0.006	0.006	0.006	0.006
385.000	0.006	0.006	0.006	0.006	0.006
385.500	0.006	0.006	0.006	0.006	0.006
386.000	0.006	0.006	0.006	0.006	0.006
386.500	0.006	0.006	0.006	0.006	0.006

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
387.000	0.006	0.006	0.006	0.006	0.006
387.500	0.006	0.006	0.006	0.006	0.006
388.000	0.006	0.006	0.006	0.006	0.006
388.500	0.006	0.006	0.006	0.006	0.006
389.000	0.006	0.006	0.006	0.006	0.006
389.500	0.006	0.006	0.006	0.006	0.006
390.000	0.006	0.006	0.006	0.006	0.006
390.500	0.006	0.006	0.006	0.006	0.006
391.000	0.006	0.006	0.006	0.006	0.006
391.500	0.006	0.006	0.006	0.006	0.006
392.000	0.006	0.006	0.006	0.006	0.006
392.500	0.006	0.006	0.006	0.006	0.006
393.000	0.006	0.006	0.006	0.006	0.006
393.500	0.006	0.006	0.006	0.006	0.006
394.000	0.006	0.006	0.006	0.006	0.006
394.500	0.006	0.006	0.006	0.006	0.006
395.000	0.006	0.006	0.006	0.006	0.006
395.500	0.006	0.006	0.006	0.006	0.006
396.000	0.006	0.006	0.006	0.006	0.006
396.500	0.006	0.006	0.006	0.006	0.006
397.000	0.006	0.006	0.006	0.006	0.006
397.500	0.006	0.006	0.006	0.006	0.006
398.000	0.006	0.006	0.006	0.006	0.006
398.500	0.006	0.006	0.006	0.006	0.006
399.000	0.006	0.006	0.006	0.006	0.006
399.500	0.006	0.006	0.006	0.006	0.006
400.000	0.006	0.006	0.006	0.006	0.006
400.500	0.006	0.006	0.006	0.006	0.006
401.000	0.006	0.006	0.006	0.006	0.006
401.500	0.006	0.006	0.006	0.006	0.006
402.000	0.006	0.006	0.006	0.006	0.006
402.500	0.006	0.006	0.006	0.006	0.006
403.000	0.006	0.006	0.006	0.006	0.006
403.500	0.006	0.006	0.006	0.006	0.006
404.000	0.006	0.006	0.006	0.006	0.006
404.500	0.006	0.006	0.006	0.006	0.006
405.000	0.006	0.006	0.006	0.006	0.006
405.500	0.006	0.006	0.006	0.006	0.006
406.000	0.006	0.006	0.006	0.006	0.006
406.500	0.006	0.006	0.006	0.006	0.006
407.000	0.006	0.006	0.006	0.006	0.006
407.500	0.006	0.006	0.006	0.006	0.006
408.000	0.006	0.006	0.006	0.006	0.006

Subsection: Time vs. Volume
Label: PO-1

Scenario: Base

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
408.500	0.006	0.006	0.006	0.006	0.006
409.000	0.006	0.006	0.006	0.006	0.006
409.500	0.006	0.006	0.006	0.006	0.006
410.000	0.006	0.006	0.006	0.006	0.006
410.500	0.006	0.006	0.006	0.006	0.006
411.000	0.006	0.006	0.006	0.006	0.006
411.500	0.006	0.006	0.006	0.006	0.006
412.000	0.006	0.006	0.006	0.006	0.006
412.500	0.006	0.006	0.006	0.006	0.006
413.000	0.006	0.006	0.006	0.006	0.006
413.500	0.006	0.006	0.006	0.006	0.006
414.000	0.006	0.006	0.006	0.006	0.006
414.500	0.006	0.006	0.006	0.006	0.006
415.000	0.006	0.006	0.006	0.006	0.006
415.500	0.006	0.006	0.006	0.006	0.006
416.000	0.006	0.006	0.006	0.006	0.006
416.500	0.006	0.006	0.006	0.006	0.006
417.000	0.006	0.006	0.006	0.006	0.006
417.500	0.006	0.006	0.006	0.006	0.006
418.000	0.006	0.006	0.006	0.006	0.006
418.500	0.006	0.006	0.006	0.006	0.006
419.000	0.006	0.006	0.006	0.006	0.006
419.500	0.006	0.006	0.006	0.006	0.006
420.000	0.006	0.006	0.006	0.006	0.006
420.500	0.006	0.006	0.006	0.006	0.006
421.000	0.006	0.006	0.006	0.006	0.006
421.500	0.006	0.006	0.006	0.006	0.006
422.000	0.006	0.006	0.006	0.006	0.006
422.500	0.006	0.006	0.006	0.006	0.006
423.000	0.006	0.006	0.006	0.006	0.006
423.500	0.006	0.006	0.006	0.006	0.006
424.000	0.006	0.006	0.006	0.006	0.006
424.500	0.006	0.006	0.006	0.006	0.006
425.000	0.006	0.006	0.006	0.006	0.006
425.500	0.006	0.006	0.006	0.006	0.006
426.000	0.006	0.006	0.006	0.006	0.006
426.500	0.006	0.006	0.006	0.006	0.006
427.000	0.006	0.006	0.006	0.006	0.006
427.500	0.006	0.006	0.006	0.006	0.006
428.000	0.006	0.006	0.006	0.006	0.006
428.500	0.006	0.006	0.006	0.006	0.006
429.000	0.006	0.006	0.006	0.006	0.006
429.500	0.006	0.006	0.006	0.006	0.006

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
430.000	0.006	0.006	0.006	0.006	0.006
430.500	0.006	0.006	0.006	0.006	0.006
431.000	0.006	0.006	0.006	0.006	0.006
431.500	0.006	0.006	0.006	0.006	0.006
432.000	0.006	0.006	0.006	0.006	0.006
432.500	0.006	0.006	0.006	0.006	0.006
433.000	0.006	0.006	0.006	0.006	0.006
433.500	0.006	0.006	0.006	0.006	0.006
434.000	0.006	0.006	0.006	0.006	0.006
434.500	0.006	0.006	0.006	0.006	0.006
435.000	0.006	0.006	0.006	0.006	0.006
435.500	0.006	0.006	0.006	0.006	0.006
436.000	0.006	0.006	0.006	0.006	0.006
436.500	0.006	0.006	0.006	0.006	0.006
437.000	0.006	0.006	0.006	0.006	0.006
437.500	0.006	0.006	0.006	0.006	0.006
438.000	0.006	0.006	0.006	0.006	0.006
438.500	0.006	0.006	0.006	0.006	0.006
439.000	0.006	0.006	0.006	0.006	0.006
439.500	0.006	0.006	0.006	0.006	0.006
440.000	0.006	0.006	0.006	0.006	0.006
440.500	0.006	0.006	0.006	0.006	0.006
441.000	0.006	0.006	0.006	0.006	0.006
441.500	0.006	0.006	0.006	0.006	0.006
442.000	0.006	0.006	0.006	0.006	0.006
442.500	0.006	0.006	0.006	0.006	0.006
443.000	0.006	0.006	0.006	0.006	0.006
443.500	0.006	0.006	0.006	0.006	0.006
444.000	0.006	0.006	0.006	0.006	0.006
444.500	0.006	0.006	0.006	0.006	0.006
445.000	0.006	0.006	0.006	0.006	0.006
445.500	0.006	0.006	0.006	0.006	0.006
446.000	0.006	0.006	0.006	0.006	0.006
446.500	0.006	0.006	0.006	0.006	0.006
447.000	0.006	0.006	0.006	0.006	0.006
447.500	0.006	0.006	0.006	0.006	0.006
448.000	0.006	0.006	0.006	0.006	0.006
448.500	0.006	0.006	0.006	0.006	0.006
449.000	0.006	0.006	0.006	0.006	0.006
449.500	0.007	0.007	0.007	0.007	0.007
450.000	0.007	0.007	0.007	0.007	0.007
450.500	0.007	0.007	0.007	0.007	0.007
451.000	0.007	0.007	0.007	0.007	0.007

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
451.500	0.007	0.007	0.007	0.007	0.007
452.000	0.007	0.007	0.007	0.007	0.007
452.500	0.007	0.007	0.007	0.007	0.007
453.000	0.007	0.007	0.007	0.007	0.007
453.500	0.007	0.007	0.007	0.007	0.007
454.000	0.007	0.007	0.007	0.007	0.007
454.500	0.007	0.007	0.007	0.007	0.007
455.000	0.007	0.007	0.007	0.007	0.007
455.500	0.007	0.007	0.007	0.007	0.007
456.000	0.007	0.007	0.007	0.007	0.007
456.500	0.007	0.007	0.007	0.007	0.007
457.000	0.007	0.007	0.007	0.007	0.007
457.500	0.007	0.007	0.007	0.007	0.007
458.000	0.007	0.007	0.007	0.007	0.007
458.500	0.007	0.007	0.007	0.007	0.007
459.000	0.007	0.007	0.007	0.007	0.007
459.500	0.007	0.007	0.007	0.007	0.007
460.000	0.007	0.007	0.007	0.007	0.007
460.500	0.007	0.007	0.007	0.007	0.007
461.000	0.007	0.007	0.007	0.007	0.007
461.500	0.007	0.007	0.007	0.007	0.007
462.000	0.007	0.007	0.007	0.007	0.007
462.500	0.007	0.007	0.007	0.007	0.007
463.000	0.007	0.007	0.007	0.007	0.007
463.500	0.007	0.007	0.007	0.007	0.007
464.000	0.007	0.007	0.007	0.007	0.007
464.500	0.007	0.007	0.007	0.007	0.007
465.000	0.007	0.007	0.007	0.007	0.007
465.500	0.007	0.007	0.007	0.007	0.007
466.000	0.007	0.007	0.007	0.007	0.007
466.500	0.007	0.007	0.007	0.007	0.007
467.000	0.007	0.007	0.007	0.007	0.007
467.500	0.007	0.007	0.007	0.007	0.007
468.000	0.007	0.007	0.007	0.007	0.007
468.500	0.007	0.007	0.007	0.007	0.007
469.000	0.007	0.007	0.007	0.007	0.007
469.500	0.007	0.007	0.007	0.007	0.007
470.000	0.007	0.007	0.007	0.007	0.007
470.500	0.007	0.007	0.007	0.007	0.007
471.000	0.007	0.007	0.007	0.007	0.007
471.500	0.007	0.007	0.007	0.007	0.007
472.000	0.007	0.007	0.007	0.007	0.007
472.500	0.007	0.007	0.007	0.007	0.007

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
473.000	0.007	0.007	0.007	0.007	0.007
473.500	0.007	0.007	0.007	0.007	0.007
474.000	0.007	0.007	0.007	0.007	0.007
474.500	0.007	0.007	0.007	0.007	0.007
475.000	0.007	0.007	0.007	0.007	0.007
475.500	0.007	0.007	0.007	0.007	0.007
476.000	0.007	0.007	0.007	0.007	0.007
476.500	0.007	0.007	0.007	0.007	0.007
477.000	0.007	0.007	0.007	0.007	0.007
477.500	0.007	0.007	0.007	0.007	0.007
478.000	0.007	0.007	0.007	0.007	0.007
478.500	0.007	0.007	0.007	0.007	0.007
479.000	0.007	0.007	0.007	0.007	0.007
479.500	0.007	0.007	0.007	0.007	0.007
480.000	0.007	0.007	0.007	0.007	0.007
480.500	0.007	0.007	0.007	0.007	0.007
481.000	0.007	0.007	0.007	0.007	0.007
481.500	0.007	0.007	0.007	0.007	0.007
482.000	0.007	0.007	0.007	0.007	0.007
482.500	0.007	0.007	0.007	0.007	0.007
483.000	0.007	0.007	0.007	0.007	0.007
483.500	0.007	0.007	0.007	0.007	0.007
484.000	0.007	0.007	0.007	0.007	0.007
484.500	0.007	0.007	0.007	0.007	0.007
485.000	0.007	0.007	0.007	0.007	0.007
485.500	0.007	0.007	0.007	0.007	0.007
486.000	0.007	0.007	0.007	0.007	0.007
486.500	0.007	0.007	0.007	0.007	0.007
487.000	0.007	0.007	0.007	0.007	0.007
487.500	0.007	0.007	0.007	0.007	0.007
488.000	0.007	0.007	0.007	0.007	0.007
488.500	0.007	0.007	0.007	0.007	0.007
489.000	0.007	0.007	0.007	0.007	0.007
489.500	0.007	0.007	0.007	0.007	0.007
490.000	0.007	0.007	0.007	0.007	0.007
490.500	0.007	0.007	0.007	0.007	0.007
491.000	0.007	0.007	0.007	0.007	0.007
491.500	0.007	0.007	0.007	0.007	0.007
492.000	0.007	0.007	0.007	0.007	0.007
492.500	0.007	0.007	0.007	0.007	0.007
493.000	0.007	0.007	0.007	0.007	0.007
493.500	0.007	0.007	0.007	0.007	0.007
494.000	0.007	0.007	0.007	0.007	0.007

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
494.500	0.007	0.007	0.007	0.007	0.007
495.000	0.007	0.007	0.007	0.007	0.007
495.500	0.007	0.007	0.007	0.007	0.007
496.000	0.007	0.007	0.007	0.007	0.007
496.500	0.007	0.007	0.007	0.007	0.007
497.000	0.007	0.007	0.007	0.007	0.007
497.500	0.007	0.007	0.007	0.007	0.007
498.000	0.007	0.007	0.007	0.007	0.007
498.500	0.007	0.007	0.007	0.007	0.007
499.000	0.007	0.007	0.007	0.007	0.007
499.500	0.007	0.007	0.007	0.007	0.007
500.000	0.007	0.007	0.007	0.007	0.007
500.500	0.007	0.007	0.007	0.007	0.007
501.000	0.007	0.007	0.007	0.007	0.007
501.500	0.007	0.007	0.007	0.007	0.007
502.000	0.007	0.007	0.007	0.007	0.007
502.500	0.007	0.007	0.007	0.007	0.007
503.000	0.007	0.007	0.007	0.007	0.007
503.500	0.007	0.007	0.007	0.007	0.007
504.000	0.007	0.007	0.007	0.007	0.007
504.500	0.007	0.007	0.007	0.007	0.007
505.000	0.007	0.007	0.007	0.007	0.007
505.500	0.007	0.007	0.007	0.007	0.007
506.000	0.007	0.007	0.007	0.007	0.007
506.500	0.007	0.007	0.007	0.007	0.007
507.000	0.007	0.007	0.007	0.007	0.007
507.500	0.007	0.007	0.007	0.007	0.007
508.000	0.007	0.007	0.007	0.007	0.007
508.500	0.007	0.007	0.007	0.007	0.007
509.000	0.007	0.007	0.007	0.007	0.007
509.500	0.007	0.007	0.007	0.007	0.007
510.000	0.007	0.007	0.007	0.007	0.007
510.500	0.007	0.007	0.007	0.007	0.007
511.000	0.007	0.007	0.007	0.007	0.007
511.500	0.007	0.007	0.007	0.007	0.007
512.000	0.007	0.007	0.007	0.007	0.007
512.500	0.007	0.007	0.007	0.007	0.007
513.000	0.007	0.007	0.007	0.007	0.007
513.500	0.007	0.007	0.007	0.007	0.007
514.000	0.007	0.007	0.007	0.007	0.007
514.500	0.007	0.007	0.007	0.007	0.007
515.000	0.007	0.007	0.007	0.007	0.007
515.500	0.007	0.007	0.007	0.007	0.007

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
516.000	0.007	0.007	0.007	0.007	0.007
516.500	0.007	0.007	0.007	0.007	0.007
517.000	0.007	0.007	0.007	0.007	0.007
517.500	0.007	0.007	0.007	0.007	0.007
518.000	0.007	0.007	0.007	0.007	0.007
518.500	0.007	0.007	0.007	0.007	0.007
519.000	0.007	0.007	0.007	0.007	0.007
519.500	0.007	0.007	0.007	0.007	0.007
520.000	0.007	0.007	0.007	0.007	0.007
520.500	0.007	0.007	0.007	0.007	0.007
521.000	0.007	0.007	0.007	0.007	0.007
521.500	0.007	0.007	0.007	0.007	0.007
522.000	0.007	0.007	0.007	0.007	0.007
522.500	0.007	0.007	0.007	0.007	0.007
523.000	0.007	0.007	0.007	0.007	0.007
523.500	0.007	0.007	0.007	0.007	0.007
524.000	0.007	0.007	0.007	0.007	0.007
524.500	0.007	0.007	0.007	0.007	0.007
525.000	0.007	0.007	0.007	0.007	0.007
525.500	0.007	0.007	0.007	0.007	0.007
526.000	0.007	0.007	0.007	0.007	0.007
526.500	0.007	0.007	0.007	0.007	0.007
527.000	0.007	0.007	0.007	0.007	0.007
527.500	0.007	0.007	0.007	0.007	0.007
528.000	0.007	0.007	0.007	0.007	0.007
528.500	0.007	0.007	0.007	0.007	0.007
529.000	0.007	0.007	0.007	0.007	0.007
529.500	0.007	0.007	0.007	0.007	0.007
530.000	0.007	0.007	0.007	0.007	0.007
530.500	0.007	0.007	0.007	0.007	0.007
531.000	0.007	0.007	0.007	0.007	0.007
531.500	0.007	0.007	0.007	0.007	0.007
532.000	0.007	0.007	0.007	0.007	0.007
532.500	0.007	0.007	0.007	0.007	0.007
533.000	0.007	0.007	0.007	0.007	0.007
533.500	0.007	0.007	0.007	0.007	0.007
534.000	0.007	0.007	0.007	0.007	0.007
534.500	0.007	0.007	0.007	0.007	0.007
535.000	0.007	0.007	0.007	0.007	0.007
535.500	0.007	0.007	0.007	0.007	0.007
536.000	0.007	0.007	0.007	0.007	0.007
536.500	0.007	0.007	0.007	0.007	0.007
537.000	0.007	0.007	0.007	0.007	0.007

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
537.500	0.007	0.007	0.007	0.007	0.007
538.000	0.007	0.007	0.007	0.007	0.007
538.500	0.007	0.007	0.007	0.007	0.007
539.000	0.007	0.007	0.007	0.007	0.007
539.500	0.007	0.007	0.007	0.007	0.007
540.000	0.007	0.007	0.007	0.007	0.007
540.500	0.007	0.007	0.007	0.007	0.007
541.000	0.007	0.007	0.007	0.007	0.007
541.500	0.007	0.007	0.007	0.007	0.007
542.000	0.007	0.007	0.007	0.007	0.007
542.500	0.007	0.007	0.007	0.007	0.007
543.000	0.007	0.007	0.007	0.007	0.007
543.500	0.007	0.007	0.007	0.007	0.007
544.000	0.007	0.007	0.007	0.007	0.007
544.500	0.007	0.007	0.007	0.007	0.007
545.000	0.007	0.007	0.007	0.007	0.007
545.500	0.007	0.007	0.007	0.007	0.007
546.000	0.007	0.007	0.007	0.007	0.007
546.500	0.007	0.007	0.007	0.007	0.007
547.000	0.007	0.007	0.007	0.007	0.007
547.500	0.007	0.007	0.007	0.007	0.007
548.000	0.007	0.007	0.007	0.007	0.007
548.500	0.007	0.007	0.007	0.007	0.007
549.000	0.007	0.007	0.007	0.007	0.007
549.500	0.007	0.007	0.007	0.007	0.007
550.000	0.007	0.007	0.007	0.007	0.007
550.500	0.007	0.007	0.007	0.007	0.007
551.000	0.007	0.007	0.007	0.007	0.007
551.500	0.007	0.007	0.007	0.007	0.007
552.000	0.007	0.007	0.007	0.007	0.007
552.500	0.007	0.007	0.007	0.007	0.007
553.000	0.007	0.007	0.007	0.007	0.007
553.500	0.007	0.007	0.007	0.007	0.007
554.000	0.007	0.007	0.007	0.007	0.007
554.500	0.007	0.007	0.007	0.007	0.007
555.000	0.007	0.007	0.007	0.007	0.007
555.500	0.007	0.007	0.007	0.007	0.007
556.000	0.007	0.007	0.007	0.007	0.007
556.500	0.007	0.007	0.007	0.007	0.007
557.000	0.007	0.007	0.007	0.007	0.007
557.500	0.007	0.007	0.007	0.007	0.007
558.000	0.007	0.007	0.007	0.007	0.007
558.500	0.007	0.007	0.007	0.007	0.007

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
559.000	0.007	0.007	0.007	0.007	0.007
559.500	0.007	0.007	0.007	0.007	0.007
560.000	0.007	0.007	0.007	0.007	0.007
560.500	0.007	0.007	0.007	0.007	0.007
561.000	0.007	0.007	0.007	0.007	0.007
561.500	0.007	0.007	0.007	0.007	0.007
562.000	0.007	0.007	0.007	0.007	0.007
562.500	0.007	0.007	0.007	0.007	0.007
563.000	0.007	0.007	0.007	0.007	0.007
563.500	0.007	0.007	0.007	0.007	0.007
564.000	0.007	0.007	0.007	0.007	0.007
564.500	0.007	0.007	0.007	0.007	0.007
565.000	0.007	0.007	0.007	0.007	0.007
565.500	0.007	0.007	0.007	0.007	0.007
566.000	0.007	0.007	0.007	0.007	0.007
566.500	0.007	0.007	0.007	0.007	0.007
567.000	0.007	0.007	0.007	0.007	0.007
567.500	0.007	0.007	0.007	0.007	0.007
568.000	0.007	0.007	0.007	0.007	0.007
568.500	0.007	0.007	0.007	0.007	0.007
569.000	0.007	0.007	0.007	0.007	0.007
569.500	0.007	0.007	0.007	0.007	0.007
570.000	0.007	0.007	0.007	0.007	0.007
570.500	0.007	0.007	0.007	0.007	0.007
571.000	0.007	0.007	0.007	0.007	0.007
571.500	0.007	0.007	0.007	0.007	0.007
572.000	0.007	0.007	0.007	0.007	0.007
572.500	0.007	0.007	0.007	0.007	0.007
573.000	0.007	0.007	0.007	0.007	0.007
573.500	0.007	0.007	0.007	0.007	0.007
574.000	0.007	0.007	0.007	0.007	0.007
574.500	0.007	0.007	0.007	0.007	0.007
575.000	0.007	0.007	0.007	0.007	0.007
575.500	0.007	0.007	0.007	0.007	0.007
576.000	0.007	0.007	0.007	0.007	0.007
576.500	0.007	0.007	0.007	0.007	0.007
577.000	0.007	0.007	0.007	0.007	0.007
577.500	0.007	0.007	0.007	0.007	0.007
578.000	0.007	0.007	0.007	0.007	0.007
578.500	0.007	0.007	0.007	0.007	0.007
579.000	0.007	0.007	0.007	0.007	0.007
579.500	0.007	0.007	0.007	0.007	0.007
580.000	0.007	0.007	0.008	0.008	0.008

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
580.500	0.008	0.008	0.008	0.008	0.008
581.000	0.008	0.008	0.008	0.008	0.008
581.500	0.008	0.008	0.008	0.008	0.008
582.000	0.008	0.008	0.008	0.008	0.008
582.500	0.008	0.008	0.008	0.008	0.008
583.000	0.008	0.008	0.008	0.008	0.008
583.500	0.008	0.008	0.008	0.008	0.008
584.000	0.008	0.008	0.008	0.008	0.008
584.500	0.008	0.008	0.008	0.008	0.008
585.000	0.008	0.008	0.008	0.008	0.008
585.500	0.008	0.008	0.008	0.008	0.008
586.000	0.008	0.008	0.008	0.008	0.008
586.500	0.008	0.008	0.008	0.008	0.008
587.000	0.008	0.008	0.008	0.008	0.008
587.500	0.008	0.008	0.008	0.008	0.008
588.000	0.008	0.008	0.008	0.008	0.008
588.500	0.008	0.008	0.008	0.008	0.008
589.000	0.008	0.008	0.008	0.008	0.008
589.500	0.008	0.008	0.008	0.008	0.008
590.000	0.008	0.008	0.008	0.008	0.008
590.500	0.008	0.008	0.008	0.008	0.008
591.000	0.008	0.008	0.008	0.008	0.008
591.500	0.008	0.008	0.008	0.008	0.008
592.000	0.008	0.008	0.008	0.008	0.008
592.500	0.008	0.008	0.008	0.008	0.008
593.000	0.008	0.008	0.008	0.008	0.008
593.500	0.008	0.008	0.008	0.008	0.008
594.000	0.008	0.008	0.008	0.008	0.008
594.500	0.008	0.008	0.008	0.008	0.008
595.000	0.008	0.008	0.008	0.008	0.008
595.500	0.008	0.008	0.008	0.008	0.008
596.000	0.008	0.008	0.008	0.008	0.008
596.500	0.008	0.008	0.008	0.008	0.008
597.000	0.008	0.008	0.008	0.008	0.008
597.500	0.008	0.008	0.008	0.008	0.008
598.000	0.008	0.008	0.008	0.008	0.008
598.500	0.008	0.008	0.008	0.008	0.008
599.000	0.008	0.008	0.008	0.008	0.008
599.500	0.008	0.008	0.008	0.008	0.008
600.000	0.008	0.008	0.008	0.008	0.008
600.500	0.008	0.008	0.008	0.008	0.008
601.000	0.008	0.008	0.008	0.008	0.008
601.500	0.008	0.008	0.008	0.008	0.008

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
602.000	0.008	0.008	0.008	0.008	0.008
602.500	0.008	0.008	0.008	0.008	0.008
603.000	0.008	0.008	0.008	0.008	0.008
603.500	0.008	0.008	0.008	0.008	0.008
604.000	0.008	0.008	0.008	0.008	0.008
604.500	0.008	0.008	0.008	0.008	0.008
605.000	0.008	0.008	0.008	0.008	0.008
605.500	0.008	0.008	0.008	0.008	0.008
606.000	0.008	0.008	0.008	0.008	0.008
606.500	0.008	0.008	0.008	0.008	0.008
607.000	0.008	0.008	0.008	0.008	0.008
607.500	0.008	0.008	0.008	0.008	0.008
608.000	0.008	0.008	0.008	0.008	0.008
608.500	0.008	0.008	0.008	0.008	0.008
609.000	0.008	0.008	0.008	0.008	0.008
609.500	0.008	0.008	0.008	0.008	0.008
610.000	0.008	0.008	0.008	0.008	0.008
610.500	0.008	0.008	0.008	0.008	0.008
611.000	0.008	0.008	0.008	0.008	0.008
611.500	0.008	0.008	0.008	0.008	0.008
612.000	0.008	0.008	0.008	0.008	0.008
612.500	0.008	0.008	0.008	0.008	0.008
613.000	0.008	0.008	0.008	0.008	0.008
613.500	0.008	0.008	0.008	0.008	0.008
614.000	0.008	0.008	0.008	0.008	0.008
614.500	0.008	0.008	0.008	0.008	0.008
615.000	0.008	0.008	0.008	0.008	0.008
615.500	0.008	0.008	0.008	0.008	0.008
616.000	0.008	0.008	0.008	0.008	0.008
616.500	0.008	0.008	0.008	0.008	0.008
617.000	0.008	0.008	0.008	0.008	0.008
617.500	0.008	0.008	0.008	0.008	0.008
618.000	0.008	0.008	0.008	0.008	0.008
618.500	0.008	0.008	0.008	0.008	0.008
619.000	0.008	0.008	0.008	0.008	0.008
619.500	0.008	0.008	0.008	0.008	0.008
620.000	0.008	0.008	0.008	0.008	0.008
620.500	0.008	0.008	0.008	0.008	0.008
621.000	0.008	0.008	0.008	0.008	0.008
621.500	0.008	0.008	0.008	0.008	0.008
622.000	0.008	0.008	0.008	0.008	0.008
622.500	0.008	0.008	0.008	0.008	0.008
623.000	0.008	0.008	0.008	0.008	0.008

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
623.500	0.008	0.008	0.008	0.008	0.008
624.000	0.008	0.008	0.008	0.008	0.008
624.500	0.008	0.008	0.008	0.008	0.008
625.000	0.008	0.008	0.008	0.008	0.008
625.500	0.008	0.008	0.008	0.008	0.008
626.000	0.008	0.008	0.008	0.008	0.008
626.500	0.008	0.008	0.008	0.008	0.008
627.000	0.008	0.008	0.008	0.008	0.008
627.500	0.008	0.008	0.008	0.008	0.008
628.000	0.008	0.008	0.008	0.008	0.008
628.500	0.008	0.008	0.008	0.008	0.008
629.000	0.008	0.008	0.008	0.008	0.008
629.500	0.008	0.008	0.008	0.008	0.008
630.000	0.008	0.008	0.008	0.008	0.008
630.500	0.008	0.008	0.008	0.008	0.008
631.000	0.008	0.008	0.008	0.008	0.008
631.500	0.008	0.008	0.008	0.008	0.008
632.000	0.008	0.008	0.008	0.008	0.008
632.500	0.008	0.008	0.008	0.008	0.008
633.000	0.008	0.008	0.008	0.008	0.008
633.500	0.008	0.008	0.008	0.008	0.008
634.000	0.008	0.008	0.008	0.008	0.008
634.500	0.008	0.008	0.008	0.008	0.008
635.000	0.008	0.008	0.008	0.008	0.008
635.500	0.008	0.008	0.008	0.008	0.008
636.000	0.008	0.008	0.008	0.008	0.008
636.500	0.008	0.008	0.008	0.008	0.008
637.000	0.008	0.008	0.008	0.008	0.008
637.500	0.008	0.008	0.008	0.008	0.008
638.000	0.008	0.008	0.008	0.008	0.008
638.500	0.008	0.008	0.008	0.008	0.008
639.000	0.008	0.008	0.008	0.008	0.008
639.500	0.008	0.008	0.008	0.008	0.008
640.000	0.008	0.008	0.008	0.008	0.008
640.500	0.008	0.008	0.008	0.008	0.008
641.000	0.008	0.008	0.008	0.008	0.008
641.500	0.008	0.008	0.008	0.008	0.008
642.000	0.008	0.008	0.008	0.008	0.008
642.500	0.008	0.008	0.008	0.008	0.008
643.000	0.008	0.008	0.008	0.008	0.008
643.500	0.008	0.008	0.008	0.008	0.008
644.000	0.008	0.008	0.008	0.008	0.008
644.500	0.008	0.008	0.008	0.008	0.008

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
645.000	0.008	0.008	0.008	0.008	0.008
645.500	0.008	0.008	0.008	0.008	0.008
646.000	0.008	0.008	0.008	0.008	0.008
646.500	0.008	0.008	0.008	0.008	0.008
647.000	0.008	0.008	0.008	0.008	0.008
647.500	0.008	0.008	0.008	0.008	0.008
648.000	0.008	0.008	0.008	0.008	0.008
648.500	0.008	0.008	0.008	0.008	0.008
649.000	0.008	0.008	0.008	0.008	0.008
649.500	0.008	0.008	0.008	0.008	0.008
650.000	0.008	0.008	0.008	0.008	0.008
650.500	0.008	0.008	0.008	0.008	0.008
651.000	0.008	0.008	0.008	0.008	0.008
651.500	0.008	0.008	0.008	0.008	0.008
652.000	0.008	0.008	0.008	0.008	0.008
652.500	0.008	0.008	0.008	0.008	0.008
653.000	0.008	0.008	0.008	0.008	0.008
653.500	0.008	0.008	0.008	0.008	0.008
654.000	0.008	0.008	0.008	0.008	0.008
654.500	0.008	0.008	0.008	0.008	0.008
655.000	0.008	0.008	0.008	0.008	0.008
655.500	0.008	0.008	0.008	0.008	0.008
656.000	0.008	0.008	0.008	0.008	0.008
656.500	0.008	0.008	0.008	0.008	0.008
657.000	0.008	0.008	0.008	0.008	0.008
657.500	0.008	0.008	0.008	0.008	0.008
658.000	0.008	0.008	0.008	0.008	0.008
658.500	0.008	0.008	0.008	0.008	0.008
659.000	0.008	0.008	0.008	0.008	0.008
659.500	0.008	0.008	0.008	0.008	0.008
660.000	0.008	0.008	0.008	0.008	0.008
660.500	0.008	0.008	0.008	0.008	0.008
661.000	0.008	0.008	0.008	0.008	0.008
661.500	0.008	0.008	0.008	0.008	0.008
662.000	0.008	0.008	0.008	0.008	0.008
662.500	0.008	0.008	0.008	0.008	0.008
663.000	0.008	0.008	0.008	0.008	0.008
663.500	0.008	0.008	0.008	0.008	0.008
664.000	0.008	0.008	0.008	0.008	0.008
664.500	0.008	0.008	0.008	0.008	0.008
665.000	0.008	0.008	0.008	0.008	0.008
665.500	0.008	0.008	0.008	0.008	0.008
666.000	0.008	0.008	0.008	0.008	0.008

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
666.500	0.008	0.008	0.008	0.008	0.008
667.000	0.008	0.008	0.008	0.008	0.008
667.500	0.008	0.008	0.008	0.008	0.008
668.000	0.008	0.008	0.008	0.008	0.008
668.500	0.008	0.008	0.008	0.008	0.008
669.000	0.008	0.008	0.008	0.008	0.008
669.500	0.008	0.008	0.008	0.008	0.008
670.000	0.008	0.008	0.008	0.008	0.008
670.500	0.008	0.008	0.008	0.008	0.008
671.000	0.008	0.008	0.008	0.008	0.008
671.500	0.008	0.008	0.008	0.008	0.008
672.000	0.008	0.008	0.008	0.008	0.008
672.500	0.008	0.008	0.008	0.008	0.008
673.000	0.008	0.008	0.008	0.008	0.008
673.500	0.008	0.008	0.008	0.008	0.008
674.000	0.008	0.008	0.008	0.008	0.008
674.500	0.008	0.008	0.008	0.008	0.008
675.000	0.008	0.008	0.008	0.008	0.008
675.500	0.008	0.008	0.008	0.008	0.008
676.000	0.008	0.008	0.008	0.008	0.008
676.500	0.008	0.008	0.008	0.008	0.008
677.000	0.009	0.009	0.009	0.009	0.009
677.500	0.009	0.009	0.009	0.009	0.009
678.000	0.009	0.009	0.009	0.009	0.009
678.500	0.009	0.009	0.009	0.009	0.009
679.000	0.009	0.009	0.009	0.009	0.009
679.500	0.009	0.009	0.009	0.009	0.009
680.000	0.009	0.009	0.009	0.009	0.009
680.500	0.009	0.009	0.009	0.009	0.009
681.000	0.009	0.009	0.009	0.009	0.009
681.500	0.009	0.009	0.009	0.009	0.009
682.000	0.009	0.009	0.009	0.009	0.009
682.500	0.009	0.009	0.009	0.009	0.009
683.000	0.009	0.009	0.009	0.009	0.009
683.500	0.009	0.009	0.009	0.009	0.009
684.000	0.009	0.009	0.009	0.009	0.009
684.500	0.009	0.009	0.009	0.009	0.009
685.000	0.009	0.009	0.009	0.009	0.009
685.500	0.009	0.009	0.009	0.009	0.009
686.000	0.009	0.009	0.009	0.009	0.009
686.500	0.009	0.009	0.009	0.009	0.009
687.000	0.009	0.009	0.009	0.009	0.009
687.500	0.009	0.009	0.009	0.009	0.009

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
688.000	0.009	0.009	0.009	0.009	0.009
688.500	0.009	0.009	0.009	0.009	0.009
689.000	0.009	0.009	0.009	0.009	0.009
689.500	0.009	0.009	0.009	0.009	0.009
690.000	0.009	0.009	0.009	0.009	0.009
690.500	0.009	0.009	0.009	0.009	0.009
691.000	0.009	0.009	0.009	0.009	0.009
691.500	0.009	0.009	0.009	0.009	0.009
692.000	0.009	0.009	0.009	0.009	0.009
692.500	0.009	0.009	0.009	0.009	0.009
693.000	0.009	0.009	0.009	0.009	0.009
693.500	0.009	0.009	0.009	0.009	0.009
694.000	0.009	0.009	0.009	0.009	0.009
694.500	0.009	0.009	0.009	0.009	0.009
695.000	0.009	0.009	0.009	0.009	0.009
695.500	0.009	0.009	0.009	0.009	0.009
696.000	0.009	0.009	0.009	0.009	0.009
696.500	0.009	0.009	0.009	0.009	0.009
697.000	0.009	0.009	0.009	0.009	0.009
697.500	0.009	0.009	0.009	0.009	0.009
698.000	0.009	0.009	0.009	0.009	0.009
698.500	0.009	0.009	0.009	0.009	0.009
699.000	0.009	0.009	0.009	0.009	0.009
699.500	0.009	0.009	0.009	0.009	0.009
700.000	0.009	0.009	0.009	0.009	0.009
700.500	0.009	0.009	0.009	0.009	0.009
701.000	0.009	0.009	0.009	0.009	0.009
701.500	0.009	0.009	0.009	0.009	0.009
702.000	0.009	0.009	0.009	0.009	0.009
702.500	0.009	0.009	0.009	0.009	0.009
703.000	0.009	0.009	0.009	0.009	0.009
703.500	0.009	0.009	0.009	0.009	0.009
704.000	0.009	0.009	0.009	0.009	0.009
704.500	0.009	0.009	0.009	0.009	0.009
705.000	0.009	0.009	0.009	0.009	0.009
705.500	0.009	0.009	0.009	0.009	0.009
706.000	0.009	0.009	0.009	0.009	0.009
706.500	0.009	0.009	0.009	0.009	0.009
707.000	0.009	0.009	0.009	0.009	0.009
707.500	0.009	0.009	0.009	0.009	0.009
708.000	0.009	0.009	0.009	0.009	0.009
708.500	0.009	0.009	0.009	0.009	0.009
709.000	0.009	0.009	0.009	0.009	0.009

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
709.500	0.009	0.009	0.009	0.009	0.009
710.000	0.009	0.009	0.009	0.009	0.009
710.500	0.009	0.009	0.009	0.009	0.009
711.000	0.009	0.009	0.009	0.009	0.009
711.500	0.009	0.009	0.009	0.009	0.009
712.000	0.009	0.009	0.009	0.009	0.009
712.500	0.009	0.009	0.009	0.009	0.009
713.000	0.009	0.009	0.009	0.009	0.009
713.500	0.009	0.009	0.009	0.009	0.009
714.000	0.009	0.009	0.009	0.009	0.009
714.500	0.009	0.009	0.009	0.009	0.009
715.000	0.009	0.009	0.009	0.009	0.009
715.500	0.009	0.009	0.009	0.009	0.009
716.000	0.009	0.009	0.009	0.009	0.009
716.500	0.009	0.009	0.009	0.009	0.009
717.000	0.009	0.009	0.009	0.009	0.009
717.500	0.009	0.009	0.009	0.009	0.009
718.000	0.009	0.009	0.009	0.009	0.009
718.500	0.009	0.009	0.009	0.009	0.009
719.000	0.009	0.009	0.009	0.009	0.009
719.500	0.009	0.009	0.009	0.009	0.009
720.000	0.009	0.009	0.009	0.009	0.009
720.500	0.009	0.009	0.009	0.009	0.009
721.000	0.009	0.009	0.009	0.009	0.009
721.500	0.009	0.009	0.009	0.009	0.009
722.000	0.009	0.009	0.009	0.009	0.009
722.500	0.009	0.009	0.009	0.009	0.009
723.000	0.009	0.009	0.009	0.009	0.009
723.500	0.009	0.009	0.009	0.009	0.009
724.000	0.009	0.009	0.009	0.009	0.009
724.500	0.009	0.009	0.009	0.009	0.009
725.000	0.009	0.009	0.009	0.009	0.009
725.500	0.009	0.009	0.009	0.009	0.009
726.000	0.009	0.009	0.009	0.009	0.009
726.500	0.009	0.009	0.009	0.009	0.009
727.000	0.009	0.009	0.009	0.009	0.009
727.500	0.009	0.009	0.009	0.009	0.009
728.000	0.009	0.009	0.009	0.009	0.009
728.500	0.009	0.009	0.009	0.009	0.009
729.000	0.009	0.009	0.009	0.009	0.009
729.500	0.009	0.009	0.009	0.009	0.009
730.000	0.009	0.009	0.009	0.009	0.009
730.500	0.009	0.009	0.009	0.009	0.009

Subsection: Time vs. Volume
Label: PO-1

Scenario: Base

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
731.000	0.009	0.009	0.009	0.009	0.009
731.500	0.009	0.009	0.009	0.009	0.009
732.000	0.009	0.009	0.009	0.009	0.009
732.500	0.009	0.009	0.009	0.009	0.009
733.000	0.009	0.009	0.009	0.009	0.009
733.500	0.009	0.009	0.009	0.009	0.009
734.000	0.009	0.009	0.009	0.009	0.009
734.500	0.009	0.009	0.009	0.009	0.009
735.000	0.009	0.009	0.009	0.009	0.009
735.500	0.009	0.009	0.009	0.009	0.009
736.000	0.009	0.009	0.009	0.009	0.009
736.500	0.009	0.009	0.009	0.009	0.009
737.000	0.009	0.009	0.009	0.009	0.009
737.500	0.009	0.009	0.009	0.009	0.009
738.000	0.009	0.009	0.009	0.009	0.009
738.500	0.009	0.009	0.009	0.009	0.009
739.000	0.009	0.009	0.009	0.009	0.009
739.500	0.009	0.009	0.009	0.009	0.009
740.000	0.009	0.009	0.009	0.009	0.009
740.500	0.009	0.009	0.009	0.009	0.009
741.000	0.009	0.009	0.009	0.009	0.009
741.500	0.009	0.009	0.009	0.009	0.009
742.000	0.009	0.009	0.009	0.009	0.009
742.500	0.009	0.009	0.009	0.009	0.009
743.000	0.009	0.009	0.009	0.009	0.009
743.500	0.009	0.009	0.009	0.009	0.009
744.000	0.009	0.009	0.009	0.009	0.009
744.500	0.009	0.009	0.009	0.009	0.009
745.000	0.009	0.009	0.009	0.009	0.009
745.500	0.009	0.009	0.009	0.009	0.009
746.000	0.009	0.009	0.009	0.009	0.009
746.500	0.009	0.009	0.009	0.009	0.009
747.000	0.009	0.009	0.009	0.009	0.010
747.500	0.010	0.010	0.010	0.010	0.010
748.000	0.010	0.010	0.010	0.010	0.010
748.500	0.010	0.010	0.010	0.010	0.010
749.000	0.010	0.010	0.010	0.010	0.010
749.500	0.010	0.010	0.010	0.010	0.010
750.000	0.010	0.010	0.010	0.010	0.010
750.500	0.010	0.010	0.010	0.010	0.010
751.000	0.010	0.010	0.010	0.010	0.010
751.500	0.010	0.010	0.010	0.010	0.010
752.000	0.010	0.010	0.010	0.010	0.010

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
752.500	0.010	0.010	0.010	0.010	0.010
753.000	0.010	0.010	0.010	0.010	0.010
753.500	0.010	0.010	0.010	0.010	0.010
754.000	0.010	0.010	0.010	0.010	0.010
754.500	0.010	0.010	0.010	0.010	0.010
755.000	0.010	0.010	0.010	0.010	0.010
755.500	0.010	0.010	0.010	0.010	0.010
756.000	0.010	0.010	0.010	0.010	0.010
756.500	0.010	0.010	0.010	0.010	0.010
757.000	0.010	0.010	0.010	0.010	0.010
757.500	0.010	0.010	0.010	0.010	0.010
758.000	0.010	0.010	0.010	0.010	0.010
758.500	0.010	0.010	0.010	0.010	0.010
759.000	0.010	0.010	0.010	0.010	0.010
759.500	0.010	0.010	0.010	0.010	0.010
760.000	0.010	0.010	0.010	0.010	0.010
760.500	0.010	0.010	0.010	0.010	0.010
761.000	0.010	0.010	0.010	0.010	0.010
761.500	0.010	0.010	0.010	0.010	0.010
762.000	0.010	0.010	0.010	0.010	0.010
762.500	0.010	0.010	0.010	0.010	0.010
763.000	0.010	0.010	0.010	0.010	0.010
763.500	0.010	0.010	0.010	0.010	0.010
764.000	0.010	0.010	0.010	0.010	0.010
764.500	0.010	0.010	0.010	0.010	0.010
765.000	0.010	0.010	0.010	0.010	0.010
765.500	0.010	0.010	0.010	0.010	0.010
766.000	0.010	0.010	0.010	0.010	0.010
766.500	0.010	0.010	0.010	0.010	0.010
767.000	0.010	0.010	0.010	0.010	0.010
767.500	0.010	0.010	0.010	0.010	0.010
768.000	0.010	0.010	0.010	0.010	0.010
768.500	0.010	0.010	0.010	0.010	0.010
769.000	0.010	0.010	0.010	0.010	0.010
769.500	0.010	0.010	0.010	0.010	0.010
770.000	0.010	0.010	0.010	0.010	0.010
770.500	0.010	0.010	0.010	0.010	0.010
771.000	0.010	0.010	0.010	0.010	0.010
771.500	0.010	0.010	0.010	0.010	0.010
772.000	0.010	0.010	0.010	0.010	0.010
772.500	0.010	0.010	0.010	0.010	0.010
773.000	0.010	0.010	0.010	0.010	0.010
773.500	0.010	0.010	0.010	0.010	0.010

Subsection: Time vs. Volume
Label: PO-1

Scenario: Base

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
774.000	0.010	0.010	0.010	0.010	0.010
774.500	0.010	0.010	0.010	0.010	0.010
775.000	0.010	0.010	0.010	0.010	0.010
775.500	0.010	0.010	0.010	0.010	0.010
776.000	0.010	0.010	0.010	0.010	0.010
776.500	0.010	0.010	0.010	0.010	0.010
777.000	0.010	0.010	0.010	0.010	0.010
777.500	0.010	0.010	0.010	0.010	0.010
778.000	0.010	0.010	0.010	0.010	0.010
778.500	0.010	0.010	0.010	0.010	0.010
779.000	0.010	0.010	0.010	0.010	0.010
779.500	0.010	0.010	0.010	0.010	0.010
780.000	0.010	0.010	0.010	0.010	0.010
780.500	0.010	0.010	0.010	0.010	0.010
781.000	0.010	0.010	0.010	0.010	0.010
781.500	0.010	0.010	0.010	0.010	0.010
782.000	0.010	0.010	0.010	0.010	0.010
782.500	0.010	0.010	0.010	0.010	0.010
783.000	0.010	0.010	0.010	0.010	0.010
783.500	0.010	0.010	0.010	0.010	0.010
784.000	0.010	0.010	0.010	0.010	0.010
784.500	0.010	0.010	0.010	0.010	0.010
785.000	0.010	0.010	0.010	0.010	0.010
785.500	0.010	0.010	0.010	0.010	0.010
786.000	0.010	0.010	0.010	0.010	0.010
786.500	0.010	0.010	0.010	0.010	0.010
787.000	0.010	0.010	0.010	0.010	0.010
787.500	0.010	0.010	0.010	0.010	0.010
788.000	0.010	0.010	0.010	0.010	0.010
788.500	0.010	0.010	0.010	0.010	0.010
789.000	0.010	0.010	0.010	0.010	0.010
789.500	0.010	0.010	0.010	0.010	0.010
790.000	0.010	0.010	0.010	0.010	0.010
790.500	0.010	0.010	0.010	0.010	0.010
791.000	0.010	0.010	0.010	0.010	0.010
791.500	0.010	0.010	0.010	0.010	0.010
792.000	0.010	0.010	0.010	0.010	0.010
792.500	0.010	0.010	0.010	0.010	0.010
793.000	0.010	0.010	0.010	0.010	0.010
793.500	0.010	0.010	0.010	0.010	0.010
794.000	0.010	0.010	0.010	0.010	0.010
794.500	0.010	0.010	0.010	0.010	0.010
795.000	0.010	0.010	0.010	0.010	0.010

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
795.500	0.010	0.010	0.010	0.010	0.010
796.000	0.010	0.010	0.010	0.010	0.010
796.500	0.010	0.010	0.010	0.010	0.010
797.000	0.010	0.010	0.010	0.010	0.010
797.500	0.010	0.010	0.010	0.010	0.010
798.000	0.010	0.010	0.010	0.010	0.010
798.500	0.010	0.010	0.010	0.010	0.010
799.000	0.010	0.010	0.010	0.010	0.010
799.500	0.010	0.010	0.010	0.010	0.010
800.000	0.010	0.010	0.010	0.010	0.010
800.500	0.010	0.010	0.010	0.010	0.010
801.000	0.010	0.010	0.010	0.010	0.010
801.500	0.010	0.010	0.010	0.010	0.010
802.000	0.010	0.010	0.010	0.010	0.010
802.500	0.010	0.010	0.010	0.010	0.010
803.000	0.010	0.010	0.010	0.010	0.010
803.500	0.010	0.010	0.010	0.011	0.011
804.000	0.011	0.011	0.011	0.011	0.011
804.500	0.011	0.011	0.011	0.011	0.011
805.000	0.011	0.011	0.011	0.011	0.011
805.500	0.011	0.011	0.011	0.011	0.011
806.000	0.011	0.011	0.011	0.011	0.011
806.500	0.011	0.011	0.011	0.011	0.011
807.000	0.011	0.011	0.011	0.011	0.011
807.500	0.011	0.011	0.011	0.011	0.011
808.000	0.011	0.011	0.011	0.011	0.011
808.500	0.011	0.011	0.011	0.011	0.011
809.000	0.011	0.011	0.011	0.011	0.011
809.500	0.011	0.011	0.011	0.011	0.011
810.000	0.011	0.011	0.011	0.011	0.011
810.500	0.011	0.011	0.011	0.011	0.011
811.000	0.011	0.011	0.011	0.011	0.011
811.500	0.011	0.011	0.011	0.011	0.011
812.000	0.011	0.011	0.011	0.011	0.011
812.500	0.011	0.011	0.011	0.011	0.011
813.000	0.011	0.011	0.011	0.011	0.011
813.500	0.011	0.011	0.011	0.011	0.011
814.000	0.011	0.011	0.011	0.011	0.011
814.500	0.011	0.011	0.011	0.011	0.011
815.000	0.011	0.011	0.011	0.011	0.011
815.500	0.011	0.011	0.011	0.011	0.011
816.000	0.011	0.011	0.011	0.011	0.011
816.500	0.011	0.011	0.011	0.011	0.011

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
817.000	0.011	0.011	0.011	0.011	0.011
817.500	0.011	0.011	0.011	0.011	0.011
818.000	0.011	0.011	0.011	0.011	0.011
818.500	0.011	0.011	0.011	0.011	0.011
819.000	0.011	0.011	0.011	0.011	0.011
819.500	0.011	0.011	0.011	0.011	0.011
820.000	0.011	0.011	0.011	0.011	0.011
820.500	0.011	0.011	0.011	0.011	0.011
821.000	0.011	0.011	0.011	0.011	0.011
821.500	0.011	0.011	0.011	0.011	0.011
822.000	0.011	0.011	0.011	0.011	0.011
822.500	0.011	0.011	0.011	0.011	0.011
823.000	0.011	0.011	0.011	0.011	0.011
823.500	0.011	0.011	0.011	0.011	0.011
824.000	0.011	0.011	0.011	0.011	0.011
824.500	0.011	0.011	0.011	0.011	0.011
825.000	0.011	0.011	0.011	0.011	0.011
825.500	0.011	0.011	0.011	0.011	0.011
826.000	0.011	0.011	0.011	0.011	0.011
826.500	0.011	0.011	0.011	0.011	0.011
827.000	0.011	0.011	0.011	0.011	0.011
827.500	0.011	0.011	0.011	0.011	0.011
828.000	0.011	0.011	0.011	0.011	0.011
828.500	0.011	0.011	0.011	0.011	0.011
829.000	0.011	0.011	0.011	0.011	0.011
829.500	0.011	0.011	0.011	0.011	0.011
830.000	0.011	0.011	0.011	0.011	0.011
830.500	0.011	0.011	0.011	0.011	0.011
831.000	0.011	0.011	0.011	0.011	0.011
831.500	0.011	0.011	0.011	0.011	0.011
832.000	0.011	0.011	0.011	0.011	0.011
832.500	0.011	0.011	0.011	0.011	0.011
833.000	0.011	0.011	0.011	0.011	0.011
833.500	0.011	0.011	0.011	0.011	0.011
834.000	0.011	0.011	0.011	0.011	0.011
834.500	0.011	0.011	0.011	0.011	0.011
835.000	0.011	0.011	0.011	0.011	0.011
835.500	0.011	0.011	0.011	0.011	0.011
836.000	0.011	0.011	0.011	0.011	0.011
836.500	0.011	0.011	0.011	0.011	0.011
837.000	0.011	0.011	0.011	0.011	0.011
837.500	0.011	0.011	0.011	0.011	0.011
838.000	0.011	0.011	0.011	0.011	0.011

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
838.500	0.011	0.011	0.011	0.011	0.011
839.000	0.011	0.011	0.011	0.011	0.011
839.500	0.011	0.011	0.011	0.011	0.011
840.000	0.011	0.011	0.011	0.011	0.011
840.500	0.011	0.011	0.011	0.011	0.011
841.000	0.011	0.011	0.011	0.011	0.011
841.500	0.011	0.011	0.011	0.011	0.011
842.000	0.011	0.011	0.011	0.011	0.011
842.500	0.011	0.011	0.011	0.011	0.011
843.000	0.011	0.011	0.011	0.011	0.011
843.500	0.011	0.011	0.011	0.011	0.011
844.000	0.011	0.011	0.011	0.011	0.011
844.500	0.011	0.011	0.011	0.011	0.011
845.000	0.011	0.011	0.011	0.011	0.011
845.500	0.011	0.011	0.011	0.011	0.011
846.000	0.011	0.011	0.011	0.011	0.011
846.500	0.011	0.011	0.011	0.011	0.011
847.000	0.012	0.012	0.012	0.012	0.012
847.500	0.012	0.012	0.012	0.012	0.012
848.000	0.012	0.012	0.012	0.012	0.012
848.500	0.012	0.012	0.012	0.012	0.012
849.000	0.012	0.012	0.012	0.012	0.012
849.500	0.012	0.012	0.012	0.012	0.012
850.000	0.012	0.012	0.012	0.012	0.012
850.500	0.012	0.012	0.012	0.012	0.012
851.000	0.012	0.012	0.012	0.012	0.012
851.500	0.012	0.012	0.012	0.012	0.012
852.000	0.012	0.012	0.012	0.012	0.012
852.500	0.012	0.012	0.012	0.012	0.012
853.000	0.012	0.012	0.012	0.012	0.012
853.500	0.012	0.012	0.012	0.012	0.012
854.000	0.012	0.012	0.012	0.012	0.012
854.500	0.012	0.012	0.012	0.012	0.012
855.000	0.012	0.012	0.012	0.012	0.012
855.500	0.012	0.012	0.012	0.012	0.012
856.000	0.012	0.012	0.012	0.012	0.012
856.500	0.012	0.012	0.012	0.012	0.012
857.000	0.012	0.012	0.012	0.012	0.012
857.500	0.012	0.012	0.012	0.012	0.012
858.000	0.012	0.012	0.012	0.012	0.012
858.500	0.012	0.012	0.012	0.012	0.012
859.000	0.012	0.012	0.012	0.012	0.012
859.500	0.012	0.012	0.012	0.012	0.012

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
860.000	0.012	0.012	0.012	0.012	0.012
860.500	0.012	0.012	0.012	0.012	0.012
861.000	0.012	0.012	0.012	0.012	0.012
861.500	0.012	0.012	0.012	0.012	0.012
862.000	0.012	0.012	0.012	0.012	0.012
862.500	0.012	0.012	0.012	0.012	0.012
863.000	0.012	0.012	0.012	0.012	0.012
863.500	0.012	0.012	0.012	0.012	0.012
864.000	0.012	0.012	0.012	0.012	0.012
864.500	0.012	0.012	0.012	0.012	0.012
865.000	0.012	0.012	0.012	0.012	0.012
865.500	0.012	0.012	0.012	0.012	0.012
866.000	0.012	0.012	0.012	0.012	0.012
866.500	0.012	0.012	0.012	0.012	0.012
867.000	0.012	0.012	0.012	0.012	0.012
867.500	0.012	0.012	0.012	0.012	0.012
868.000	0.012	0.012	0.012	0.012	0.012
868.500	0.012	0.012	0.012	0.012	0.012
869.000	0.012	0.012	0.012	0.012	0.012
869.500	0.012	0.012	0.012	0.012	0.012
870.000	0.012	0.012	0.012	0.012	0.012
870.500	0.012	0.012	0.012	0.012	0.012
871.000	0.012	0.012	0.012	0.012	0.012
871.500	0.012	0.012	0.012	0.012	0.012
872.000	0.012	0.012	0.012	0.012	0.012
872.500	0.012	0.012	0.012	0.012	0.012
873.000	0.012	0.012	0.012	0.012	0.012
873.500	0.012	0.012	0.012	0.012	0.012
874.000	0.012	0.012	0.012	0.012	0.012
874.500	0.012	0.012	0.012	0.012	0.012
875.000	0.012	0.012	0.012	0.012	0.012
875.500	0.012	0.012	0.012	0.012	0.012
876.000	0.012	0.012	0.012	0.012	0.012
876.500	0.012	0.012	0.012	0.012	0.012
877.000	0.012	0.012	0.012	0.012	0.012
877.500	0.012	0.012	0.012	0.012	0.012
878.000	0.012	0.012	0.012	0.012	0.012
878.500	0.012	0.012	0.012	0.012	0.012
879.000	0.012	0.012	0.012	0.012	0.012
879.500	0.012	0.012	0.012	0.012	0.012
880.000	0.012	0.012	0.012	0.012	0.012
880.500	0.012	0.012	0.012	0.012	0.012
881.000	0.012	0.012	0.012	0.012	0.012

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
881.500	0.012	0.012	0.012	0.012	0.012
882.000	0.012	0.012	0.012	0.012	0.012
882.500	0.012	0.012	0.012	0.012	0.012
883.000	0.012	0.013	0.013	0.013	0.013
883.500	0.013	0.013	0.013	0.013	0.013
884.000	0.013	0.013	0.013	0.013	0.013
884.500	0.013	0.013	0.013	0.013	0.013
885.000	0.013	0.013	0.013	0.013	0.013
885.500	0.013	0.013	0.013	0.013	0.013
886.000	0.013	0.013	0.013	0.013	0.013
886.500	0.013	0.013	0.013	0.013	0.013
887.000	0.013	0.013	0.013	0.013	0.013
887.500	0.013	0.013	0.013	0.013	0.013
888.000	0.013	0.013	0.013	0.013	0.013
888.500	0.013	0.013	0.013	0.013	0.013
889.000	0.013	0.013	0.013	0.013	0.013
889.500	0.013	0.013	0.013	0.013	0.013
890.000	0.013	0.013	0.013	0.013	0.013
890.500	0.013	0.013	0.013	0.013	0.013
891.000	0.013	0.013	0.013	0.013	0.013
891.500	0.013	0.013	0.013	0.013	0.013
892.000	0.013	0.013	0.013	0.013	0.013
892.500	0.013	0.013	0.013	0.013	0.013
893.000	0.013	0.013	0.013	0.013	0.013
893.500	0.013	0.013	0.013	0.013	0.013
894.000	0.013	0.013	0.013	0.013	0.013
894.500	0.013	0.013	0.013	0.013	0.013
895.000	0.013	0.013	0.013	0.013	0.013
895.500	0.013	0.013	0.013	0.013	0.013
896.000	0.013	0.013	0.013	0.013	0.013
896.500	0.013	0.013	0.013	0.013	0.013
897.000	0.013	0.013	0.013	0.013	0.013
897.500	0.013	0.013	0.013	0.013	0.013
898.000	0.013	0.013	0.013	0.013	0.013
898.500	0.013	0.013	0.013	0.013	0.013
899.000	0.013	0.013	0.013	0.013	0.013
899.500	0.013	0.013	0.013	0.013	0.013
900.000	0.013	0.013	0.013	0.013	0.013
900.500	0.013	0.013	0.013	0.013	0.013
901.000	0.013	0.013	0.013	0.013	0.013
901.500	0.013	0.013	0.013	0.013	0.013
902.000	0.013	0.013	0.013	0.013	0.013
902.500	0.013	0.013	0.013	0.013	0.013

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
903.000	0.013	0.013	0.013	0.013	0.013
903.500	0.013	0.013	0.013	0.013	0.013
904.000	0.013	0.013	0.013	0.013	0.013
904.500	0.013	0.013	0.013	0.013	0.013
905.000	0.013	0.013	0.013	0.013	0.013
905.500	0.013	0.013	0.013	0.013	0.013
906.000	0.013	0.013	0.013	0.013	0.013
906.500	0.013	0.013	0.013	0.013	0.013
907.000	0.013	0.013	0.013	0.013	0.013
907.500	0.013	0.013	0.013	0.013	0.013
908.000	0.013	0.013	0.013	0.013	0.013
908.500	0.013	0.013	0.013	0.013	0.013
909.000	0.013	0.013	0.013	0.013	0.013
909.500	0.013	0.013	0.013	0.013	0.013
910.000	0.013	0.013	0.013	0.013	0.013
910.500	0.013	0.013	0.013	0.013	0.013
911.000	0.013	0.013	0.013	0.013	0.013
911.500	0.013	0.013	0.013	0.013	0.013
912.000	0.013	0.013	0.013	0.013	0.013
912.500	0.013	0.014	0.014	0.014	0.014
913.000	0.014	0.014	0.014	0.014	0.014
913.500	0.014	0.014	0.014	0.014	0.014
914.000	0.014	0.014	0.014	0.014	0.014
914.500	0.014	0.014	0.014	0.014	0.014
915.000	0.014	0.014	0.014	0.014	0.014
915.500	0.014	0.014	0.014	0.014	0.014
916.000	0.014	0.014	0.014	0.014	0.014
916.500	0.014	0.014	0.014	0.014	0.014
917.000	0.014	0.014	0.014	0.014	0.014
917.500	0.014	0.014	0.014	0.014	0.014
918.000	0.014	0.014	0.014	0.014	0.014
918.500	0.014	0.014	0.014	0.014	0.014
919.000	0.014	0.014	0.014	0.014	0.014
919.500	0.014	0.014	0.014	0.014	0.014
920.000	0.014	0.014	0.014	0.014	0.014
920.500	0.014	0.014	0.014	0.014	0.014
921.000	0.014	0.014	0.014	0.014	0.014
921.500	0.014	0.014	0.014	0.014	0.014
922.000	0.014	0.014	0.014	0.014	0.014
922.500	0.014	0.014	0.014	0.014	0.014
923.000	0.014	0.014	0.014	0.014	0.014
923.500	0.014	0.014	0.014	0.014	0.014
924.000	0.014	0.014	0.014	0.014	0.014

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
924.500	0.014	0.014	0.014	0.014	0.014
925.000	0.014	0.014	0.014	0.014	0.014
925.500	0.014	0.014	0.014	0.014	0.014
926.000	0.014	0.014	0.014	0.014	0.014
926.500	0.014	0.014	0.014	0.014	0.014
927.000	0.014	0.014	0.014	0.014	0.014
927.500	0.014	0.014	0.014	0.014	0.014
928.000	0.014	0.014	0.014	0.014	0.014
928.500	0.014	0.014	0.014	0.014	0.014
929.000	0.014	0.014	0.014	0.014	0.014
929.500	0.014	0.014	0.014	0.014	0.014
930.000	0.014	0.014	0.014	0.014	0.014
930.500	0.014	0.014	0.014	0.014	0.014
931.000	0.014	0.014	0.014	0.014	0.014
931.500	0.014	0.014	0.014	0.014	0.014
932.000	0.014	0.014	0.014	0.014	0.014
932.500	0.014	0.014	0.014	0.014	0.014
933.000	0.014	0.014	0.014	0.014	0.014
933.500	0.014	0.014	0.014	0.014	0.014
934.000	0.014	0.014	0.014	0.014	0.014
934.500	0.014	0.014	0.014	0.014	0.014
935.000	0.014	0.014	0.014	0.014	0.014
935.500	0.014	0.014	0.014	0.014	0.014
936.000	0.014	0.014	0.014	0.014	0.014
936.500	0.014	0.014	0.014	0.015	0.015
937.000	0.015	0.015	0.015	0.015	0.015
937.500	0.015	0.015	0.015	0.015	0.015
938.000	0.015	0.015	0.015	0.015	0.015
938.500	0.015	0.015	0.015	0.015	0.015
939.000	0.015	0.015	0.015	0.015	0.015
939.500	0.015	0.015	0.015	0.015	0.015
940.000	0.015	0.015	0.015	0.015	0.015
940.500	0.015	0.015	0.015	0.015	0.015
941.000	0.015	0.015	0.015	0.015	0.015
941.500	0.015	0.015	0.015	0.015	0.015
942.000	0.015	0.015	0.015	0.015	0.015
942.500	0.015	0.015	0.015	0.015	0.015
943.000	0.015	0.015	0.015	0.015	0.015
943.500	0.015	0.015	0.015	0.015	0.015
944.000	0.015	0.015	0.015	0.015	0.015
944.500	0.015	0.015	0.015	0.015	0.015
945.000	0.015	0.015	0.015	0.015	0.015
945.500	0.015	0.015	0.015	0.015	0.015

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
946.000	0.015	0.015	0.015	0.015	0.015
946.500	0.015	0.015	0.015	0.015	0.015
947.000	0.015	0.015	0.015	0.015	0.015
947.500	0.015	0.015	0.015	0.015	0.015
948.000	0.015	0.015	0.015	0.015	0.015
948.500	0.015	0.015	0.015	0.015	0.015
949.000	0.015	0.015	0.015	0.015	0.015
949.500	0.015	0.015	0.015	0.015	0.015
950.000	0.015	0.015	0.015	0.015	0.015
950.500	0.015	0.015	0.015	0.015	0.015
951.000	0.015	0.015	0.015	0.015	0.015
951.500	0.015	0.015	0.015	0.015	0.015
952.000	0.015	0.015	0.015	0.015	0.015
952.500	0.015	0.015	0.015	0.015	0.015
953.000	0.015	0.015	0.015	0.015	0.015
953.500	0.015	0.015	0.015	0.015	0.015
954.000	0.015	0.015	0.015	0.015	0.015
954.500	0.015	0.015	0.015	0.015	0.015
955.000	0.015	0.015	0.015	0.015	0.015
955.500	0.015	0.015	0.015	0.015	0.015
956.000	0.015	0.015	0.015	0.015	0.015
956.500	0.015	0.015	0.015	0.015	0.015
957.000	0.015	0.015	0.015	0.015	0.015
957.500	0.015	0.015	0.016	0.016	0.016
958.000	0.016	0.016	0.016	0.016	0.016
958.500	0.016	0.016	0.016	0.016	0.016
959.000	0.016	0.016	0.016	0.016	0.016
959.500	0.016	0.016	0.016	0.016	0.016
960.000	0.016	0.016	0.016	0.016	0.016
960.500	0.016	0.016	0.016	0.016	0.016
961.000	0.016	0.016	0.016	0.016	0.016
961.500	0.016	0.016	0.016	0.016	0.016
962.000	0.016	0.016	0.016	0.016	0.016
962.500	0.016	0.016	0.016	0.016	0.016
963.000	0.016	0.016	0.016	0.016	0.016
963.500	0.016	0.016	0.016	0.016	0.016
964.000	0.016	0.016	0.016	0.016	0.016
964.500	0.016	0.016	0.016	0.016	0.016
965.000	0.016	0.016	0.016	0.016	0.016
965.500	0.016	0.016	0.016	0.016	0.016
966.000	0.016	0.016	0.016	0.016	0.016
966.500	0.016	0.016	0.016	0.016	0.016
967.000	0.016	0.016	0.016	0.016	0.016

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
967.500	0.016	0.016	0.016	0.016	0.016
968.000	0.016	0.016	0.016	0.016	0.016
968.500	0.016	0.016	0.016	0.016	0.016
969.000	0.016	0.016	0.016	0.016	0.016
969.500	0.016	0.016	0.016	0.016	0.016
970.000	0.016	0.016	0.016	0.016	0.016
970.500	0.016	0.016	0.016	0.016	0.016
971.000	0.016	0.016	0.016	0.016	0.016
971.500	0.016	0.016	0.016	0.016	0.016
972.000	0.016	0.016	0.016	0.016	0.016
972.500	0.016	0.016	0.016	0.016	0.016
973.000	0.016	0.016	0.016	0.016	0.016
973.500	0.016	0.016	0.016	0.016	0.016
974.000	0.016	0.016	0.016	0.016	0.016
974.500	0.016	0.016	0.016	0.016	0.016
975.000	0.016	0.017	0.017	0.017	0.017
975.500	0.017	0.017	0.017	0.017	0.017
976.000	0.017	0.017	0.017	0.017	0.017
976.500	0.017	0.017	0.017	0.017	0.017
977.000	0.017	0.017	0.017	0.017	0.017
977.500	0.017	0.017	0.017	0.017	0.017
978.000	0.017	0.017	0.017	0.017	0.017
978.500	0.017	0.017	0.017	0.017	0.017
979.000	0.017	0.017	0.017	0.017	0.017
979.500	0.017	0.017	0.017	0.017	0.017
980.000	0.017	0.017	0.017	0.017	0.017
980.500	0.017	0.017	0.017	0.017	0.017
981.000	0.017	0.017	0.017	0.017	0.017
981.500	0.017	0.017	0.017	0.017	0.017
982.000	0.017	0.017	0.017	0.017	0.017
982.500	0.017	0.017	0.017	0.017	0.017
983.000	0.017	0.017	0.017	0.017	0.017
983.500	0.017	0.017	0.017	0.017	0.017
984.000	0.017	0.017	0.017	0.017	0.017
984.500	0.017	0.017	0.017	0.017	0.017
985.000	0.017	0.017	0.017	0.017	0.017
985.500	0.017	0.017	0.017	0.017	0.017
986.000	0.017	0.017	0.017	0.017	0.017
986.500	0.017	0.017	0.017	0.017	0.017
987.000	0.017	0.017	0.017	0.017	0.017
987.500	0.017	0.017	0.017	0.017	0.017
988.000	0.017	0.017	0.017	0.017	0.017
988.500	0.017	0.017	0.017	0.017	0.017

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
989.000	0.017	0.017	0.017	0.017	0.017
989.500	0.017	0.017	0.017	0.017	0.017
990.000	0.017	0.017	0.017	0.017	0.017
990.500	0.017	0.018	0.018	0.018	0.018
991.000	0.018	0.018	0.018	0.018	0.018
991.500	0.018	0.018	0.018	0.018	0.018
992.000	0.018	0.018	0.018	0.018	0.018
992.500	0.018	0.018	0.018	0.018	0.018
993.000	0.018	0.018	0.018	0.018	0.018
993.500	0.018	0.018	0.018	0.018	0.018
994.000	0.018	0.018	0.018	0.018	0.018
994.500	0.018	0.018	0.018	0.018	0.018
995.000	0.018	0.018	0.018	0.018	0.018
995.500	0.018	0.018	0.018	0.018	0.018
996.000	0.018	0.018	0.018	0.018	0.018
996.500	0.018	0.018	0.018	0.018	0.018
997.000	0.018	0.018	0.018	0.018	0.018
997.500	0.018	0.018	0.018	0.018	0.018
998.000	0.018	0.018	0.018	0.018	0.018
998.500	0.018	0.018	0.018	0.018	0.018
999.000	0.018	0.018	0.018	0.018	0.018
999.500	0.018	0.018	0.018	0.018	0.018
1,000.000	0.018	0.018	0.018	0.018	0.018
1,000.500	0.018	0.018	0.018	0.018	0.018
1,001.000	0.018	0.018	0.018	0.018	0.018
1,001.500	0.018	0.018	0.018	0.018	0.018
1,002.000	0.018	0.018	0.018	0.018	0.018
1,002.500	0.018	0.018	0.018	0.018	0.018
1,003.000	0.018	0.018	0.018	0.018	0.018
1,003.500	0.018	0.018	0.019	0.019	0.019
1,004.000	0.019	0.019	0.019	0.019	0.019
1,004.500	0.019	0.019	0.019	0.019	0.019
1,005.000	0.019	0.019	0.019	0.019	0.019
1,005.500	0.019	0.019	0.019	0.019	0.019
1,006.000	0.019	0.019	0.019	0.019	0.019
1,006.500	0.019	0.019	0.019	0.019	0.019
1,007.000	0.019	0.019	0.019	0.019	0.019
1,007.500	0.019	0.019	0.019	0.019	0.019
1,008.000	0.019	0.019	0.019	0.019	0.019
1,008.500	0.019	0.019	0.019	0.019	0.019
1,009.000	0.019	0.019	0.019	0.019	0.019
1,009.500	0.019	0.019	0.019	0.019	0.019
1,010.000	0.019	0.019	0.019	0.019	0.019

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
1,010.500	0.019	0.019	0.019	0.019	0.019
1,011.000	0.019	0.019	0.019	0.019	0.019
1,011.500	0.019	0.019	0.019	0.019	0.019
1,012.000	0.019	0.019	0.019	0.019	0.019
1,012.500	0.019	0.019	0.019	0.019	0.019
1,013.000	0.019	0.019	0.019	0.019	0.019
1,013.500	0.019	0.019	0.019	0.019	0.019
1,014.000	0.019	0.019	0.019	0.019	0.019
1,014.500	0.019	0.019	0.019	0.019	0.019
1,015.000	0.019	0.019	0.019	0.019	0.019
1,015.500	0.020	0.020	0.020	0.020	0.020
1,016.000	0.020	0.020	0.020	0.020	0.020
1,016.500	0.020	0.020	0.020	0.020	0.020
1,017.000	0.020	0.020	0.020	0.020	0.020
1,017.500	0.020	0.020	0.020	0.020	0.020
1,018.000	0.020	0.020	0.020	0.020	0.020
1,018.500	0.020	0.020	0.020	0.020	0.020
1,019.000	0.020	0.020	0.020	0.020	0.020
1,019.500	0.020	0.020	0.020	0.020	0.020
1,020.000	0.020	0.020	0.020	0.020	0.020
1,020.500	0.020	0.020	0.020	0.020	0.020
1,021.000	0.020	0.020	0.020	0.020	0.020
1,021.500	0.020	0.020	0.020	0.020	0.020
1,022.000	0.020	0.020	0.020	0.020	0.020
1,022.500	0.020	0.020	0.020	0.020	0.020
1,023.000	0.020	0.020	0.020	0.020	0.020
1,023.500	0.020	0.020	0.020	0.020	0.020
1,024.000	0.020	0.020	0.020	0.020	0.020
1,024.500	0.020	0.020	0.020	0.020	0.020
1,025.000	0.020	0.020	0.020	0.020	0.020
1,025.500	0.020	0.020	0.021	0.021	0.021
1,026.000	0.021	0.021	0.021	0.021	0.021
1,026.500	0.021	0.021	0.021	0.021	0.021
1,027.000	0.021	0.021	0.021	0.021	0.021
1,027.500	0.021	0.021	0.021	0.021	0.021
1,028.000	0.021	0.021	0.021	0.021	0.021
1,028.500	0.021	0.021	0.021	0.021	0.021
1,029.000	0.021	0.021	0.021	0.021	0.021
1,029.500	0.021	0.021	0.021	0.021	0.021
1,030.000	0.021	0.021	0.021	0.021	0.021
1,030.500	0.021	0.021	0.021	0.021	0.021
1,031.000	0.021	0.021	0.021	0.021	0.021
1,031.500	0.021	0.021	0.021	0.021	0.021

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
1,032.000	0.021	0.021	0.021	0.021	0.021
1,032.500	0.021	0.021	0.021	0.021	0.021
1,033.000	0.021	0.021	0.021	0.021	0.021
1,033.500	0.021	0.021	0.021	0.021	0.021
1,034.000	0.021	0.021	0.021	0.021	0.021
1,034.500	0.021	0.021	0.021	0.021	0.022
1,035.000	0.022	0.022	0.022	0.022	0.022
1,035.500	0.022	0.022	0.022	0.022	0.022
1,036.000	0.022	0.022	0.022	0.022	0.022
1,036.500	0.022	0.022	0.022	0.022	0.022
1,037.000	0.022	0.022	0.022	0.022	0.022
1,037.500	0.022	0.022	0.022	0.022	0.022
1,038.000	0.022	0.022	0.022	0.022	0.022
1,038.500	0.022	0.022	0.022	0.022	0.022
1,039.000	0.022	0.022	0.022	0.022	0.022
1,039.500	0.022	0.022	0.022	0.022	0.022
1,040.000	0.022	0.022	0.022	0.022	0.022
1,040.500	0.022	0.022	0.022	0.022	0.022
1,041.000	0.022	0.022	0.022	0.022	0.022
1,041.500	0.022	0.022	0.022	0.022	0.022
1,042.000	0.022	0.022	0.022	0.022	0.022
1,042.500	0.022	0.022	0.022	0.022	0.022
1,043.000	0.022	0.022	0.023	0.023	0.023
1,043.500	0.023	0.023	0.023	0.023	0.023
1,044.000	0.023	0.023	0.023	0.023	0.023
1,044.500	0.023	0.023	0.023	0.023	0.023
1,045.000	0.023	0.023	0.023	0.023	0.023
1,045.500	0.023	0.023	0.023	0.023	0.023
1,046.000	0.023	0.023	0.023	0.023	0.023
1,046.500	0.023	0.023	0.023	0.023	0.023
1,047.000	0.023	0.023	0.023	0.023	0.023
1,047.500	0.023	0.023	0.023	0.023	0.023
1,048.000	0.023	0.023	0.023	0.023	0.023
1,048.500	0.023	0.023	0.023	0.023	0.023
1,049.000	0.023	0.023	0.023	0.023	0.023
1,049.500	0.023	0.023	0.023	0.023	0.023
1,050.000	0.023	0.023	0.023	0.023	0.024
1,050.500	0.024	0.024	0.024	0.024	0.024
1,051.000	0.024	0.024	0.024	0.024	0.024
1,051.500	0.024	0.024	0.024	0.024	0.024
1,052.000	0.024	0.024	0.024	0.024	0.024
1,052.500	0.024	0.024	0.024	0.024	0.024
1,053.000	0.024	0.024	0.024	0.024	0.024

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
1,053.500	0.024	0.024	0.024	0.024	0.024
1,054.000	0.024	0.024	0.024	0.024	0.024
1,054.500	0.024	0.024	0.024	0.024	0.024
1,055.000	0.024	0.024	0.024	0.024	0.024
1,055.500	0.024	0.024	0.024	0.024	0.024
1,056.000	0.024	0.024	0.024	0.024	0.024
1,056.500	0.024	0.024	0.024	0.024	0.024
1,057.000	0.024	0.025	0.025	0.025	0.025
1,057.500	0.025	0.025	0.025	0.025	0.025
1,058.000	0.025	0.025	0.025	0.025	0.025
1,058.500	0.025	0.025	0.025	0.025	0.025
1,059.000	0.025	0.025	0.025	0.025	0.025
1,059.500	0.025	0.025	0.025	0.025	0.025
1,060.000	0.025	0.025	0.025	0.025	0.025
1,060.500	0.025	0.025	0.025	0.025	0.025
1,061.000	0.025	0.025	0.025	0.025	0.025
1,061.500	0.025	0.025	0.025	0.025	0.025
1,062.000	0.025	0.025	0.025	0.025	0.025
1,062.500	0.025	0.025	0.025	0.025	0.025
1,063.000	0.026	0.026	0.026	0.026	0.026
1,063.500	0.026	0.026	0.026	0.026	0.026
1,064.000	0.026	0.026	0.026	0.026	0.026
1,064.500	0.026	0.026	0.026	0.026	0.026
1,065.000	0.026	0.026	0.026	0.026	0.026
1,065.500	0.026	0.026	0.026	0.026	0.026
1,066.000	0.026	0.026	0.026	0.026	0.026
1,066.500	0.026	0.026	0.026	0.026	0.026
1,067.000	0.026	0.026	0.026	0.026	0.026
1,067.500	0.026	0.026	0.026	0.026	0.026
1,068.000	0.026	0.026	0.026	0.026	0.026
1,068.500	0.027	0.027	0.027	0.027	0.027
1,069.000	0.027	0.027	0.027	0.027	0.027
1,069.500	0.027	0.027	0.027	0.027	0.027
1,070.000	0.027	0.027	0.027	0.027	0.027
1,070.500	0.027	0.027	0.027	0.027	0.027
1,071.000	0.027	0.027	0.027	0.027	0.027
1,071.500	0.027	0.027	0.027	0.027	0.027
1,072.000	0.027	0.027	0.027	0.027	0.027
1,072.500	0.027	0.027	0.027	0.027	0.027
1,073.000	0.027	0.027	0.027	0.027	0.028
1,073.500	0.028	0.028	0.028	0.028	0.028
1,074.000	0.028	0.028	0.028	0.028	0.028
1,074.500	0.028	0.028	0.028	0.028	0.028

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
1,075.000	0.028	0.028	0.028	0.028	0.028
1,075.500	0.028	0.028	0.028	0.028	0.028
1,076.000	0.028	0.028	0.028	0.028	0.028
1,076.500	0.028	0.028	0.028	0.028	0.028
1,077.000	0.028	0.028	0.028	0.028	0.028
1,077.500	0.028	0.028	0.028	0.028	0.028
1,078.000	0.029	0.029	0.029	0.029	0.029
1,078.500	0.029	0.029	0.029	0.029	0.029
1,079.000	0.029	0.029	0.029	0.029	0.029
1,079.500	0.029	0.029	0.029	0.029	0.029
1,080.000	0.029	0.029	0.029	0.029	0.029
1,080.500	0.029	0.029	0.029	0.029	0.029
1,081.000	0.029	0.029	0.029	0.029	0.029
1,081.500	0.029	0.029	0.029	0.029	0.029
1,082.000	0.029	0.029	0.030	0.030	0.030
1,082.500	0.030	0.030	0.030	0.030	0.030
1,083.000	0.030	0.030	0.030	0.030	0.030
1,083.500	0.030	0.030	0.030	0.030	0.030
1,084.000	0.030	0.030	0.030	0.030	0.030
1,084.500	0.030	0.030	0.030	0.030	0.030
1,085.000	0.030	0.030	0.030	0.030	0.030
1,085.500	0.030	0.030	0.030	0.030	0.030
1,086.000	0.031	0.031	0.031	0.031	0.031
1,086.500	0.031	0.031	0.031	0.031	0.031
1,087.000	0.031	0.031	0.031	0.031	0.031
1,087.500	0.031	0.031	0.031	0.031	0.031
1,088.000	0.031	0.031	0.031	0.031	0.031
1,088.500	0.031	0.031	0.031	0.031	0.031
1,089.000	0.031	0.031	0.031	0.031	0.031
1,089.500	0.031	0.032	0.032	0.032	0.032
1,090.000	0.032	0.032	0.032	0.032	0.032
1,090.500	0.032	0.032	0.032	0.032	0.032
1,091.000	0.032	0.032	0.032	0.032	0.032
1,091.500	0.032	0.032	0.032	0.032	0.032
1,092.000	0.032	0.032	0.032	0.032	0.032
1,092.500	0.032	0.032	0.032	0.033	0.033
1,093.000	0.033	0.033	0.033	0.033	0.033
1,093.500	0.033	0.033	0.033	0.033	0.033
1,094.000	0.033	0.033	0.033	0.033	0.033
1,094.500	0.033	0.033	0.033	0.033	0.033
1,095.000	0.033	0.033	0.033	0.033	0.033
1,095.500	0.033	0.033	0.033	0.033	0.034
1,096.000	0.034	0.034	0.034	0.034	0.034

Subsection: Time vs. Volume
Label: PO-1

Scenario: Base

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
1,096.500	0.034	0.034	0.034	0.034	0.034
1,097.000	0.034	0.034	0.034	0.034	0.034
1,097.500	0.034	0.034	0.034	0.034	0.034
1,098.000	0.034	0.034	0.034	0.034	0.034
1,098.500	0.034	0.034	0.035	0.035	0.035
1,099.000	0.035	0.035	0.035	0.035	0.035
1,099.500	0.035	0.035	0.035	0.035	0.035
1,100.000	0.035	0.035	0.035	0.035	0.035
1,100.500	0.035	0.035	0.035	0.035	0.035
1,101.000	0.035	0.035	0.035	0.035	0.036
1,101.500	0.036	0.036	0.036	0.036	0.036
1,102.000	0.036	0.036	0.036	0.036	0.036
1,102.500	0.036	0.036	0.036	0.036	0.036
1,103.000	0.036	0.036	0.036	0.036	0.036
1,103.500	0.036	0.036	0.036	0.037	0.037
1,104.000	0.037	0.037	0.037	0.037	0.037
1,104.500	0.037	0.037	0.037	0.037	0.037
1,105.000	0.037	0.037	0.037	0.037	0.037
1,105.500	0.037	0.037	0.037	0.037	0.037
1,106.000	0.037	0.038	0.038	0.038	0.038
1,106.500	0.038	0.038	0.038	0.038	0.038
1,107.000	0.038	0.038	0.038	0.038	0.038
1,107.500	0.038	0.038	0.038	0.038	0.038
1,108.000	0.038	0.038	0.038	0.039	0.039
1,108.500	0.039	0.039	0.039	0.039	0.039
1,109.000	0.039	0.039	0.039	0.039	0.039
1,109.500	0.039	0.039	0.039	0.039	0.039
1,110.000	0.039	0.039	0.039	0.040	0.040
1,110.500	0.040	0.040	0.040	0.040	0.040
1,111.000	0.040	0.040	0.040	0.040	0.040
1,111.500	0.040	0.040	0.040	0.040	0.040
1,112.000	0.040	0.040	0.041	0.041	0.041
1,112.500	0.041	0.041	0.041	0.041	0.041
1,113.000	0.041	0.041	0.041	0.041	0.041
1,113.500	0.041	0.041	0.041	0.041	0.041
1,114.000	0.042	0.042	0.042	0.042	0.042
1,114.500	0.042	0.042	0.042	0.042	0.042
1,115.000	0.042	0.042	0.042	0.042	0.043
1,115.500	0.043	0.043	0.043	0.043	0.043
1,116.000	0.043	0.043	0.043	0.043	0.043
1,116.500	0.043	0.044	0.044	0.044	0.044
1,117.000	0.044	0.044	0.044	0.044	0.044
1,117.500	0.044	0.044	0.045	0.045	0.045

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
1,118.000	0.045	0.045	0.045	0.045	0.045
1,118.500	0.045	0.046	0.046	0.046	0.046
1,119.000	0.046	0.046	0.046	0.046	0.046
1,119.500	0.047	0.047	0.047	0.047	0.047
1,120.000	0.047	0.047	0.047	0.048	0.048
1,120.500	0.048	0.048	0.048	0.048	0.048
1,121.000	0.048	0.049	0.049	0.049	0.049
1,121.500	0.049	0.049	0.049	0.050	0.050
1,122.000	0.050	0.050	0.050	0.050	0.051
1,122.500	0.051	0.051	0.051	0.051	0.051
1,123.000	0.051	0.052	0.052	0.052	0.052
1,123.500	0.052	0.052	0.053	0.053	0.053
1,124.000	0.053	0.053	0.054	0.054	0.054
1,124.500	0.054	0.054	0.054	0.055	0.055
1,125.000	0.055	0.055	0.055	0.056	0.056
1,125.500	0.056	0.056	0.056	0.057	0.057
1,126.000	0.057	0.057	0.057	0.058	0.058
1,126.500	0.058	0.058	0.058	0.059	0.059
1,127.000	0.059	0.059	0.060	0.060	0.060
1,127.500	0.060	0.060	0.061	0.061	0.061
1,128.000	0.061	0.062	0.062	0.062	0.062
1,128.500	0.063	0.063	0.063	0.063	0.064
1,129.000	0.064	0.064	0.064	0.065	0.065
1,129.500	0.065	0.065	0.066	0.066	0.066
1,130.000	0.067	0.067	0.067	0.067	0.068
1,130.500	0.068	0.068	0.068	0.069	0.069
1,131.000	0.069	0.070	0.070	0.070	0.071
1,131.500	0.071	0.071	0.071	0.072	0.072
1,132.000	0.072	0.073	0.073	0.073	0.074
1,132.500	0.074	0.074	0.075	0.075	0.075
1,133.000	0.076	0.076	0.076	0.077	0.077
1,133.500	0.077	0.078	0.078	0.078	0.079
1,134.000	0.079	0.079	0.080	0.080	0.081
1,134.500	0.081	0.081	0.082	0.082	0.082
1,135.000	0.083	0.083	0.084	0.084	0.084
1,135.500	0.085	0.085	0.086	0.086	0.086
1,136.000	0.087	0.087	0.088	0.088	0.088
1,136.500	0.089	0.089	0.090	0.090	0.091
1,137.000	0.091	0.091	0.092	0.092	0.093
1,137.500	0.093	0.094	0.094	0.095	0.095
1,138.000	0.096	0.096	0.097	0.097	0.097
1,138.500	0.098	0.098	0.099	0.099	0.100
1,139.000	0.100	0.101	0.102	0.102	0.103

Subsection: Time vs. Volume
Label: PO-1

Scenario: Base

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
1,139.500	0.103	0.104	0.104	0.105	0.105
1,140.000	0.106	0.106	0.107	0.107	0.108
1,140.500	0.109	0.109	0.110	0.110	0.111
1,141.000	0.111	0.112	0.113	0.113	0.114
1,141.500	0.114	0.115	0.116	0.116	0.117
1,142.000	0.118	0.118	0.119	0.119	0.120
1,142.500	0.121	0.121	0.122	0.123	0.123
1,143.000	0.124	0.125	0.126	0.126	0.127
1,143.500	0.128	0.128	0.129	0.130	0.131
1,144.000	0.131	0.132	0.133	0.134	0.134
1,144.500	0.135	0.136	0.137	0.137	0.138
1,145.000	0.139	0.140	0.141	0.142	0.142
1,145.500	0.143	0.144	0.145	0.146	0.147
1,146.000	0.148	0.149	0.149	0.150	0.151
1,146.500	0.152	0.153	0.154	0.155	0.156
1,147.000	0.157	0.158	0.159	0.160	0.161
1,147.500	0.162	0.163	0.164	0.165	0.166
1,148.000	0.168	0.169	0.170	0.171	0.172
1,148.500	0.173	0.175	0.176	0.177	0.178
1,149.000	0.179	0.181	0.182	0.183	0.185
1,149.500	0.186	0.187	0.189	0.190	0.192
1,150.000	0.193	0.195	0.196	0.198	0.199
1,150.500	0.201	0.203	0.204	0.206	0.208
1,151.000	0.209	0.211	0.213	0.215	0.217
1,151.500	0.219	0.221	0.223	0.226	0.228
1,152.000	0.231	0.234	0.237	0.240	0.243
1,152.500	0.247	0.250	0.253	0.256	0.259
1,153.000	0.263	0.266	0.269	0.273	0.276
1,153.500	0.279	0.282	0.286	0.289	0.292
1,154.000	0.295	0.299	0.302	0.305	0.308
1,154.500	0.311	0.315	0.318	0.321	0.324
1,155.000	0.327	0.330	0.333	0.336	0.339
1,155.500	0.342	0.345	0.348	0.351	0.354
1,156.000	0.356	0.359	0.362	0.365	0.367
1,156.500	0.370	0.372	0.375	0.377	0.379
1,157.000	0.381	0.383	0.385	0.387	0.389
1,157.500	0.391	0.392	0.394	0.395	0.397
1,158.000	0.399	0.400	0.402	0.403	0.405
1,158.500	0.406	0.408	0.409	0.411	0.412
1,159.000	0.413	0.415	0.416	0.417	0.419
1,159.500	0.420	0.421	0.423	0.424	0.425
1,160.000	0.426	0.427	0.429	0.430	0.431
1,160.500	0.432	0.433	0.434	0.435	0.436

Subsection: Time vs. Volume
Label: PO-1

Scenario: Base

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
1,161.000	0.437	0.438	0.438	0.439	0.440
1,161.500	0.441	0.441	0.442	0.443	0.443
1,162.000	0.444	0.445	0.445	0.446	0.446
1,162.500	0.447	0.448	0.448	0.449	0.449
1,163.000	0.450	0.450	0.451	0.451	0.452
1,163.500	0.452	0.453	0.453	0.453	0.454
1,164.000	0.454	0.454	0.455	0.455	0.455
1,164.500	0.455	0.455	0.456	0.456	0.456
1,165.000	0.456	0.456	0.457	0.457	0.457
1,165.500	0.457	0.457	0.457	0.457	0.458
1,166.000	0.458	0.458	0.458	0.458	0.458
1,166.500	0.458	0.458	0.458	0.458	0.458
1,167.000	0.459	0.459	0.459	0.459	0.459
1,167.500	0.459	0.459	0.459	0.459	0.459
1,168.000	0.459	0.459	0.459	0.459	0.459
1,168.500	0.459	0.459	0.459	0.459	0.459
1,169.000	0.459	0.459	0.459	0.459	0.459
1,169.500	0.459	0.459	0.459	0.459	0.459
1,170.000	0.459	0.459	0.459	0.459	0.459
1,170.500	0.459	0.459	0.459	0.459	0.459
1,171.000	0.459	0.459	0.458	0.458	0.458
1,171.500	0.458	0.458	0.458	0.458	0.458
1,172.000	0.458	0.458	0.458	0.458	0.458
1,172.500	0.458	0.457	0.457	0.457	0.457
1,173.000	0.457	0.457	0.457	0.457	0.457
1,173.500	0.457	0.456	0.456	0.456	0.456
1,174.000	0.456	0.456	0.456	0.456	0.456
1,174.500	0.455	0.455	0.455	0.455	0.455
1,175.000	0.455	0.455	0.454	0.454	0.454
1,175.500	0.454	0.454	0.454	0.454	0.453
1,176.000	0.453	0.453	0.453	0.453	0.453
1,176.500	0.453	0.452	0.452	0.452	0.452
1,177.000	0.452	0.452	0.451	0.451	0.451
1,177.500	0.451	0.451	0.451	0.450	0.450
1,178.000	0.450	0.450	0.450	0.450	0.449
1,178.500	0.449	0.449	0.449	0.449	0.449
1,179.000	0.448	0.448	0.448	0.448	0.448
1,179.500	0.447	0.447	0.447	0.447	0.447
1,180.000	0.446	0.446	0.446	0.446	0.446
1,180.500	0.445	0.445	0.445	0.445	0.445
1,181.000	0.444	0.444	0.444	0.444	0.444
1,181.500	0.443	0.443	0.443	0.443	0.442
1,182.000	0.442	0.442	0.442	0.442	0.441

Subsection: Time vs. Volume
Label: PO-1

Scenario: Base

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
1,182.500	0.441	0.441	0.441	0.440	0.440
1,183.000	0.440	0.440	0.440	0.439	0.439
1,183.500	0.439	0.439	0.438	0.438	0.438
1,184.000	0.438	0.437	0.437	0.437	0.437
1,184.500	0.436	0.436	0.436	0.436	0.435
1,185.000	0.435	0.435	0.435	0.434	0.434
1,185.500	0.434	0.434	0.433	0.433	0.433
1,186.000	0.433	0.432	0.432	0.432	0.432
1,186.500	0.431	0.431	0.431	0.431	0.430
1,187.000	0.430	0.430	0.430	0.429	0.429
1,187.500	0.429	0.429	0.428	0.428	0.428
1,188.000	0.427	0.427	0.427	0.427	0.426
1,188.500	0.426	0.426	0.426	0.425	0.425
1,189.000	0.425	0.424	0.424	0.424	0.424
1,189.500	0.423	0.423	0.423	0.422	0.422
1,190.000	0.422	0.422	0.421	0.421	0.421
1,190.500	0.421	0.420	0.420	0.420	0.419
1,191.000	0.419	0.419	0.419	0.418	0.418
1,191.500	0.418	0.417	0.417	0.417	0.416
1,192.000	0.416	0.416	0.416	0.415	0.415
1,192.500	0.415	0.414	0.414	0.414	0.413
1,193.000	0.413	0.413	0.413	0.412	0.412
1,193.500	0.412	0.411	0.411	0.411	0.410
1,194.000	0.410	0.410	0.410	0.409	0.409
1,194.500	0.409	0.408	0.408	0.408	0.407
1,195.000	0.407	0.407	0.406	0.406	0.406
1,195.500	0.405	0.405	0.405	0.404	0.404
1,196.000	0.404	0.404	0.403	0.403	0.403
1,196.500	0.402	0.402	0.402	0.401	0.401
1,197.000	0.401	0.400	0.400	0.400	0.399
1,197.500	0.399	0.399	0.398	0.398	0.398
1,198.000	0.397	0.397	0.397	0.396	0.396
1,198.500	0.396	0.395	0.395	0.395	0.394
1,199.000	0.394	0.394	0.393	0.393	0.393
1,199.500	0.392	0.392	0.392	0.391	0.391
1,200.000	0.391	0.390	0.390	0.390	0.389
1,200.500	0.389	0.389	0.388	0.388	0.388
1,201.000	0.387	0.387	0.387	0.386	0.386
1,201.500	0.386	0.385	0.385	0.385	0.384
1,202.000	0.384	0.384	0.383	0.383	0.383
1,202.500	0.382	0.382	0.382	0.381	0.381
1,203.000	0.380	0.380	0.380	0.379	0.379
1,203.500	0.379	0.378	0.378	0.378	0.377

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
1,204.000	0.377	0.377	0.376	0.376	0.376
1,204.500	0.375	0.375	0.374	0.374	0.374
1,205.000	0.373	0.373	0.373	0.372	0.372
1,205.500	0.372	0.371	0.371	0.371	0.370
1,206.000	0.370	0.369	0.369	0.369	0.368
1,206.500	0.368	0.368	0.367	0.367	0.367
1,207.000	0.366	0.366	0.365	0.365	0.365
1,207.500	0.364	0.364	0.364	0.363	0.363
1,208.000	0.363	0.362	0.362	0.361	0.361
1,208.500	0.361	0.360	0.360	0.360	0.359
1,209.000	0.359	0.358	0.358	0.358	0.357
1,209.500	0.357	0.357	0.356	0.356	0.355
1,210.000	0.355	0.355	0.354	0.354	0.354
1,210.500	0.353	0.353	0.352	0.352	0.352
1,211.000	0.351	0.351	0.351	0.350	0.350
1,211.500	0.349	0.349	0.349	0.348	0.348
1,212.000	0.347	0.347	0.347	0.346	0.346
1,212.500	0.346	0.345	0.345	0.344	0.344
1,213.000	0.344	0.343	0.343	0.343	0.342
1,213.500	0.342	0.341	0.341	0.341	0.340
1,214.000	0.340	0.339	0.339	0.339	0.338
1,214.500	0.338	0.337	0.337	0.337	0.336
1,215.000	0.336	0.336	0.335	0.335	0.334
1,215.500	0.334	0.334	0.333	0.333	0.332
1,216.000	0.332	0.332	0.331	0.331	0.330
1,216.500	0.330	0.330	0.329	0.329	0.328
1,217.000	0.328	0.328	0.327	0.327	0.326
1,217.500	0.326	0.326	0.325	0.325	0.324
1,218.000	0.324	0.324	0.323	0.323	0.322
1,218.500	0.322	0.322	0.321	0.321	0.320
1,219.000	0.320	0.320	0.319	0.319	0.318
1,219.500	0.318	0.318	0.317	0.317	0.316
1,220.000	0.316	0.316	0.315	0.315	0.314
1,220.500	0.314	0.314	0.313	0.313	0.312
1,221.000	0.312	0.312	0.311	0.311	0.310
1,221.500	0.310	0.310	0.309	0.309	0.308
1,222.000	0.308	0.308	0.307	0.307	0.306
1,222.500	0.306	0.305	0.305	0.305	0.304
1,223.000	0.304	0.303	0.303	0.303	0.302
1,223.500	0.302	0.301	0.301	0.301	0.300
1,224.000	0.300	0.299	0.299	0.298	0.298
1,224.500	0.298	0.297	0.297	0.296	0.296
1,225.000	0.296	0.295	0.295	0.294	0.294

Subsection: Time vs. Volume
Label: PO-1

Scenario: Base

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
1,225.500	0.293	0.293	0.293	0.292	0.292
1,226.000	0.291	0.291	0.291	0.290	0.290
1,226.500	0.289	0.289	0.288	0.288	0.288
1,227.000	0.287	0.287	0.286	0.286	0.285
1,227.500	0.285	0.285	0.284	0.284	0.283
1,228.000	0.283	0.283	0.282	0.282	0.281
1,228.500	0.281	0.280	0.280	0.280	0.279
1,229.000	0.279	0.278	0.278	0.277	0.277
1,229.500	0.277	0.276	0.276	0.275	0.275
1,230.000	0.274	0.274	0.274	0.273	0.273
1,230.500	0.272	0.272	0.271	0.271	0.271
1,231.000	0.270	0.270	0.269	0.269	0.268
1,231.500	0.268	0.268	0.267	0.267	0.266
1,232.000	0.266	0.265	0.265	0.265	0.264
1,232.500	0.264	0.263	0.263	0.262	0.262
1,233.000	0.262	0.261	0.261	0.260	0.260
1,233.500	0.259	0.259	0.259	0.258	0.258
1,234.000	0.257	0.257	0.256	0.256	0.255
1,234.500	0.255	0.255	0.254	0.254	0.253
1,235.000	0.253	0.252	0.252	0.252	0.251
1,235.500	0.251	0.250	0.250	0.249	0.249
1,236.000	0.248	0.248	0.248	0.247	0.247
1,236.500	0.246	0.246	0.245	0.245	0.245
1,237.000	0.244	0.244	0.243	0.243	0.242
1,237.500	0.242	0.241	0.241	0.241	0.240
1,238.000	0.240	0.239	0.239	0.238	0.238
1,238.500	0.237	0.237	0.237	0.236	0.236
1,239.000	0.235	0.235	0.234	0.234	0.233
1,239.500	0.233	0.233	0.232	0.232	0.231
1,240.000	0.231	0.230	0.230	0.229	0.229
1,240.500	0.229	0.228	0.228	0.227	0.227
1,241.000	0.226	0.226	0.225	0.225	0.225
1,241.500	0.224	0.224	0.223	0.223	0.222
1,242.000	0.222	0.221	0.221	0.220	0.220
1,242.500	0.220	0.219	0.219	0.218	0.218
1,243.000	0.217	0.217	0.216	0.216	0.216
1,243.500	0.215	0.215	0.214	0.214	0.213
1,244.000	0.213	0.212	0.212	0.211	0.211
1,244.500	0.211	0.210	0.210	0.209	0.209
1,245.000	0.208	0.208	0.207	0.207	0.206
1,245.500	0.206	0.206	0.205	0.205	0.204
1,246.000	0.204	0.203	0.203	0.202	0.202
1,246.500	0.201	0.201	0.201	0.200	0.200

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
1,247.000	0.199	0.199	0.198	0.198	0.197
1,247.500	0.197	0.196	0.196	0.196	0.195
1,248.000	0.195	0.194	0.194	0.193	0.193
1,248.500	0.192	0.192	0.191	0.191	0.190
1,249.000	0.190	0.190	0.189	0.189	0.188
1,249.500	0.188	0.187	0.187	0.186	0.186
1,250.000	0.185	0.185	0.184	0.184	0.184
1,250.500	0.183	0.183	0.182	0.182	0.181
1,251.000	0.181	0.180	0.180	0.179	0.179
1,251.500	0.178	0.178	0.178	0.177	0.177
1,252.000	0.176	0.176	0.175	0.175	0.174
1,252.500	0.174	0.173	0.173	0.172	0.172
1,253.000	0.171	0.171	0.171	0.170	0.170
1,253.500	0.169	0.169	0.168	0.168	0.167
1,254.000	0.167	0.166	0.166	0.165	0.165
1,254.500	0.164	0.164	0.164	0.163	0.163
1,255.000	0.162	0.162	0.161	0.161	0.160
1,255.500	0.160	0.159	0.159	0.158	0.158
1,256.000	0.157	0.157	0.156	0.156	0.156
1,256.500	0.155	0.155	0.154	0.154	0.153
1,257.000	0.153	0.152	0.152	0.151	0.151
1,257.500	0.150	0.150	0.149	0.149	0.148
1,258.000	0.148	0.148	0.147	0.147	0.146
1,258.500	0.146	0.145	0.145	0.144	0.144
1,259.000	0.143	0.143	0.142	0.142	0.141
1,259.500	0.141	0.140	0.140	0.139	0.139
1,260.000	0.139	0.138	0.138	0.137	0.137
1,260.500	0.136	0.136	0.135	0.135	0.134
1,261.000	0.134	0.133	0.133	0.132	0.132
1,261.500	0.131	0.131	0.130	0.130	0.129
1,262.000	0.129	0.129	0.128	0.128	0.127
1,262.500	0.127	0.126	0.126	0.125	0.125
1,263.000	0.124	0.124	0.123	0.123	0.122
1,263.500	0.122	0.121	0.121	0.120	0.120
1,264.000	0.119	0.119	0.118	0.118	0.117
1,264.500	0.117	0.117	0.116	0.116	0.115
1,265.000	0.115	0.114	0.114	0.113	0.113
1,265.500	0.112	0.112	0.111	0.111	0.110
1,266.000	0.110	0.109	0.109	0.108	0.108
1,266.500	0.107	0.107	0.106	0.106	0.105
1,267.000	0.105	0.104	0.104	0.104	0.103
1,267.500	0.103	0.102	0.102	0.101	0.101
1,268.000	0.100	0.100	0.099	0.099	0.098

Subsection: Time vs. Volume
Label: PO-1

Scenario: Base

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
1,268.500	0.098	0.097	0.097	0.096	0.096
1,269.000	0.095	0.095	0.094	0.094	0.093
1,269.500	0.093	0.092	0.092	0.091	0.091
1,270.000	0.090	0.090	0.089	0.089	0.088
1,270.500	0.088	0.087	0.087	0.087	0.086
1,271.000	0.086	0.085	0.085	0.084	0.084
1,271.500	0.083	0.083	0.082	0.082	0.081
1,272.000	0.081	0.080	0.080	0.079	0.079
1,272.500	0.078	0.078	0.077	0.077	0.076
1,273.000	0.076	0.075	0.075	0.074	0.074
1,273.500	0.073	0.073	0.072	0.072	0.071
1,274.000	0.071	0.070	0.070	0.069	0.069
1,274.500	0.068	0.068	0.067	0.067	0.066
1,275.000	0.066	0.065	0.065	0.064	0.064
1,275.500	0.063	0.063	0.062	0.062	0.062
1,276.000	0.061	0.061	0.060	0.060	0.059
1,276.500	0.059	0.058	0.058	0.057	0.057
1,277.000	0.056	0.056	0.055	0.055	0.054
1,277.500	0.054	0.053	0.053	0.052	0.052
1,278.000	0.051	0.051	0.050	0.050	0.049
1,278.500	0.049	0.048	0.048	0.047	0.047
1,279.000	0.046	0.046	0.045	0.045	0.044
1,279.500	0.044	0.043	0.043	0.042	0.042
1,280.000	0.041	0.041	0.040	0.040	0.039
1,280.500	0.039	0.038	0.038	0.037	0.037
1,281.000	0.037	0.036	0.036	0.035	0.035
1,281.500	0.034	0.034	0.034	0.033	0.033
1,282.000	0.032	0.032	0.032	0.031	0.031
1,282.500	0.031	0.030	0.030	0.029	0.029
1,283.000	0.029	0.028	0.028	0.028	0.027
1,283.500	0.027	0.027	0.027	0.026	0.026
1,284.000	0.026	0.025	0.025	0.025	0.024
1,284.500	0.024	0.024	0.024	0.023	0.023
1,285.000	0.023	0.023	0.022	0.022	0.022
1,285.500	0.022	0.021	0.021	0.021	0.021
1,286.000	0.021	0.020	0.020	0.020	0.020
1,286.500	0.019	0.019	0.019	0.019	0.019
1,287.000	0.018	0.018	0.018	0.018	0.018
1,287.500	0.018	0.017	0.017	0.017	0.017
1,288.000	0.017	0.017	0.016	0.016	0.016
1,288.500	0.016	0.016	0.016	0.016	0.015
1,289.000	0.015	0.015	0.015	0.015	0.015
1,289.500	0.015	0.014	0.014	0.014	0.014

Subsection: Time vs. Volume
Label: PO-1

Scenario: Base

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
1,290.000	0.014	0.014	0.014	0.014	0.014
1,290.500	0.013	0.013	0.013	0.013	0.013
1,291.000	0.013	0.013	0.013	0.013	0.013
1,291.500	0.012	0.012	0.012	0.012	0.012
1,292.000	0.012	0.012	0.012	0.012	0.012
1,292.500	0.012	0.012	0.012	0.011	0.011
1,293.000	0.011	0.011	0.011	0.011	0.011
1,293.500	0.011	0.011	0.011	0.011	0.011
1,294.000	0.011	0.011	0.011	0.010	0.010
1,294.500	0.010	0.010	0.010	0.010	0.010
1,295.000	0.010	0.010	0.010	0.010	0.010
1,295.500	0.010	0.010	0.010	0.010	0.010
1,296.000	0.010	0.010	0.010	0.010	0.010
1,296.500	0.009	0.009	0.009	0.009	0.009
1,297.000	0.009	0.009	0.009	0.009	0.009
1,297.500	0.009	0.009	0.009	0.009	0.009
1,298.000	0.009	0.009	0.009	0.009	0.009
1,298.500	0.009	0.009	0.009	0.009	0.009
1,299.000	0.009	0.009	0.009	0.009	0.009
1,299.500	0.009	0.009	0.009	0.009	0.009
1,300.000	0.009	0.008	0.008	0.008	0.008
1,300.500	0.008	0.008	0.008	0.008	0.008
1,301.000	0.008	0.008	0.008	0.008	0.008
1,301.500	0.008	0.008	0.008	0.008	0.008
1,302.000	0.008	0.008	0.008	0.008	0.008
1,302.500	0.008	0.008	0.008	0.008	0.008
1,303.000	0.008	0.008	0.008	0.008	0.008
1,303.500	0.008	0.008	0.008	0.008	0.008
1,304.000	0.008	0.008	0.008	0.008	0.008
1,304.500	0.008	0.008	0.008	0.008	0.008
1,305.000	0.008	0.008	0.008	0.008	0.008
1,305.500	0.008	0.008	0.008	0.008	0.008
1,306.000	0.008	0.008	0.008	0.008	0.008
1,306.500	0.008	0.008	0.008	0.008	0.008
1,307.000	0.008	0.008	0.008	0.008	0.008
1,307.500	0.008	0.008	0.008	0.008	0.008
1,308.000	0.008	0.008	0.008	0.008	0.008
1,308.500	0.008	0.008	0.008	0.008	0.008
1,309.000	0.008	0.008	0.007	0.007	0.007
1,309.500	0.007	0.007	0.007	0.007	0.007
1,310.000	0.007	0.007	0.007	0.007	0.007
1,310.500	0.007	0.007	0.007	0.007	0.007
1,311.000	0.007	0.007	0.007	0.007	0.007

Subsection: Time vs. Volume
Label: PO-1

Scenario: Base

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
1,311.500	0.007	0.007	0.007	0.007	0.007
1,312.000	0.007	0.007	0.007	0.007	0.007
1,312.500	0.007	0.007	0.007	0.007	0.007
1,313.000	0.007	0.007	0.007	0.007	0.007
1,313.500	0.007	0.007	0.007	0.007	0.007
1,314.000	0.007	0.007	0.007	0.007	0.007
1,314.500	0.007	0.007	0.007	0.007	0.007
1,315.000	0.007	0.007	0.007	0.007	0.007
1,315.500	0.007	0.007	0.007	0.007	0.007
1,316.000	0.007	0.007	0.007	0.007	0.007
1,316.500	0.007	0.007	0.007	0.007	0.007
1,317.000	0.007	0.007	0.007	0.007	0.007
1,317.500	0.007	0.007	0.007	0.007	0.007
1,318.000	0.007	0.007	0.007	0.007	0.007
1,318.500	0.007	0.007	0.007	0.007	0.007
1,319.000	0.007	0.007	0.007	0.007	0.007
1,319.500	0.007	0.007	0.007	0.007	0.007
1,320.000	0.007	0.007	0.007	0.007	0.007
1,320.500	0.007	0.007	0.007	0.007	0.007
1,321.000	0.007	0.007	0.007	0.007	0.007
1,321.500	0.007	0.007	0.007	0.007	0.007
1,322.000	0.007	0.007	0.007	0.007	0.007
1,322.500	0.007	0.007	0.007	0.007	0.007
1,323.000	0.007	0.007	0.007	0.007	0.007
1,323.500	0.007	0.007	0.007	0.007	0.007
1,324.000	0.007	0.007	0.007	0.007	0.007
1,324.500	0.007	0.007	0.007	0.007	0.007
1,325.000	0.007	0.007	0.007	0.007	0.007
1,325.500	0.007	0.007	0.007	0.007	0.007
1,326.000	0.007	0.007	0.007	0.007	0.007
1,326.500	0.007	0.007	0.007	0.007	0.007
1,327.000	0.007	0.007	0.007	0.007	0.007
1,327.500	0.007	0.007	0.007	0.007	0.007
1,328.000	0.007	0.007	0.007	0.007	0.007
1,328.500	0.007	0.007	0.007	0.007	0.007
1,329.000	0.007	0.007	0.007	0.007	0.007
1,329.500	0.007	0.007	0.007	0.007	0.007
1,330.000	0.007	0.007	0.007	0.007	0.007
1,330.500	0.007	0.007	0.007	0.007	0.007
1,331.000	0.007	0.007	0.007	0.007	0.007
1,331.500	0.007	0.007	0.007	0.007	0.007
1,332.000	0.007	0.007	0.007	0.007	0.007
1,332.500	0.007	0.007	0.007	0.007	0.007

Subsection: Time vs. Volume
Label: PO-1

Scenario: Base

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
1,333.000	0.007	0.007	0.007	0.007	0.007
1,333.500	0.007	0.007	0.007	0.007	0.007
1,334.000	0.007	0.007	0.007	0.007	0.007
1,334.500	0.007	0.007	0.007	0.007	0.007
1,335.000	0.007	0.007	0.007	0.007	0.007
1,335.500	0.007	0.007	0.007	0.007	0.007
1,336.000	0.007	0.007	0.007	0.007	0.007
1,336.500	0.007	0.007	0.007	0.007	0.007
1,337.000	0.007	0.007	0.007	0.007	0.007
1,337.500	0.007	0.007	0.007	0.007	0.007
1,338.000	0.007	0.007	0.006	0.006	0.006
1,338.500	0.006	0.006	0.006	0.006	0.006
1,339.000	0.006	0.006	0.006	0.006	0.006
1,339.500	0.006	0.006	0.006	0.006	0.006
1,340.000	0.006	0.006	0.006	0.006	0.006
1,340.500	0.006	0.006	0.006	0.006	0.006
1,341.000	0.006	0.006	0.006	0.006	0.006
1,341.500	0.006	0.006	0.006	0.006	0.006
1,342.000	0.006	0.006	0.006	0.006	0.006
1,342.500	0.006	0.006	0.006	0.006	0.006
1,343.000	0.006	0.006	0.006	0.006	0.006
1,343.500	0.006	0.006	0.006	0.006	0.006
1,344.000	0.006	0.006	0.006	0.006	0.006
1,344.500	0.006	0.006	0.006	0.006	0.006
1,345.000	0.006	0.006	0.006	0.006	0.006
1,345.500	0.006	0.006	0.006	0.006	0.006
1,346.000	0.006	0.006	0.006	0.006	0.006
1,346.500	0.006	0.006	0.006	0.006	0.006
1,347.000	0.006	0.006	0.006	0.006	0.006
1,347.500	0.006	0.006	0.006	0.006	0.006
1,348.000	0.006	0.006	0.006	0.006	0.006
1,348.500	0.006	0.006	0.006	0.006	0.006
1,349.000	0.006	0.006	0.006	0.006	0.006
1,349.500	0.006	0.006	0.006	0.006	0.006
1,350.000	0.006	0.006	0.006	0.006	0.006
1,350.500	0.006	0.006	0.006	0.006	0.006
1,351.000	0.006	0.006	0.006	0.006	0.006
1,351.500	0.006	0.006	0.006	0.006	0.006
1,352.000	0.006	0.006	0.006	0.006	0.006
1,352.500	0.006	0.006	0.006	0.006	0.006
1,353.000	0.006	0.006	0.006	0.006	0.006
1,353.500	0.006	0.006	0.006	0.006	0.006
1,354.000	0.006	0.006	0.006	0.006	0.006

Subsection: Time vs. Volume
Label: PO-1

Scenario: Base

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
1,354.500	0.006	0.006	0.006	0.006	0.006
1,355.000	0.006	0.006	0.006	0.006	0.006
1,355.500	0.006	0.006	0.006	0.006	0.006
1,356.000	0.006	0.006	0.006	0.006	0.006
1,356.500	0.006	0.006	0.006	0.006	0.006
1,357.000	0.006	0.006	0.006	0.006	0.006
1,357.500	0.006	0.006	0.006	0.006	0.006
1,358.000	0.006	0.006	0.006	0.006	0.006
1,358.500	0.006	0.006	0.006	0.006	0.006
1,359.000	0.006	0.006	0.006	0.006	0.006
1,359.500	0.006	0.006	0.006	0.006	0.006
1,360.000	0.006	0.006	0.006	0.006	0.006
1,360.500	0.006	0.006	0.006	0.006	0.006
1,361.000	0.006	0.006	0.006	0.006	0.006
1,361.500	0.006	0.006	0.006	0.006	0.006
1,362.000	0.006	0.006	0.006	0.006	0.006
1,362.500	0.006	0.006	0.006	0.006	0.006
1,363.000	0.006	0.006	0.006	0.006	0.006
1,363.500	0.006	0.006	0.006	0.006	0.006
1,364.000	0.006	0.006	0.006	0.006	0.006
1,364.500	0.006	0.006	0.006	0.006	0.006
1,365.000	0.006	0.006	0.006	0.006	0.006
1,365.500	0.006	0.006	0.006	0.006	0.006
1,366.000	0.006	0.006	0.006	0.006	0.006
1,366.500	0.006	0.006	0.006	0.006	0.006
1,367.000	0.006	0.006	0.006	0.006	0.006
1,367.500	0.006	0.006	0.006	0.006	0.006
1,368.000	0.006	0.006	0.006	0.006	0.006
1,368.500	0.006	0.006	0.006	0.006	0.006
1,369.000	0.006	0.006	0.006	0.006	0.006
1,369.500	0.006	0.006	0.006	0.006	0.006
1,370.000	0.006	0.006	0.006	0.006	0.006
1,370.500	0.006	0.006	0.006	0.006	0.006
1,371.000	0.006	0.006	0.006	0.006	0.006
1,371.500	0.006	0.006	0.006	0.006	0.006
1,372.000	0.006	0.006	0.006	0.006	0.006
1,372.500	0.006	0.006	0.006	0.006	0.006
1,373.000	0.006	0.006	0.006	0.006	0.006
1,373.500	0.006	0.006	0.006	0.006	0.006
1,374.000	0.006	0.006	0.006	0.006	0.006
1,374.500	0.006	0.006	0.006	0.006	0.006
1,375.000	0.006	0.006	0.006	0.006	0.006
1,375.500	0.006	0.006	0.006	0.006	0.006

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
1,376.000	0.006	0.006	0.006	0.006	0.006
1,376.500	0.006	0.006	0.006	0.006	0.006
1,377.000	0.006	0.006	0.006	0.006	0.006
1,377.500	0.006	0.006	0.006	0.006	0.006
1,378.000	0.006	0.006	0.006	0.006	0.006
1,378.500	0.006	0.006	0.006	0.006	0.006
1,379.000	0.006	0.006	0.006	0.006	0.006
1,379.500	0.006	0.006	0.006	0.006	0.006
1,380.000	0.006	0.006	0.006	0.006	0.006
1,380.500	0.006	0.006	0.006	0.006	0.006
1,381.000	0.006	0.006	0.006	0.006	0.006
1,381.500	0.006	0.006	0.006	0.006	0.006
1,382.000	0.006	0.006	0.006	0.006	0.006
1,382.500	0.006	0.006	0.006	0.006	0.006
1,383.000	0.006	0.006	0.006	0.006	0.006
1,383.500	0.006	0.006	0.006	0.006	0.006
1,384.000	0.006	0.006	0.006	0.006	0.006
1,384.500	0.006	0.006	0.006	0.006	0.006
1,385.000	0.006	0.006	0.006	0.006	0.006
1,385.500	0.006	0.006	0.006	0.006	0.006
1,386.000	0.006	0.006	0.006	0.005	0.005
1,386.500	0.005	0.005	0.005	0.005	0.005
1,387.000	0.005	0.005	0.005	0.005	0.005
1,387.500	0.005	0.005	0.005	0.005	0.005
1,388.000	0.005	0.005	0.005	0.005	0.005
1,388.500	0.005	0.005	0.005	0.005	0.005
1,389.000	0.005	0.005	0.005	0.005	0.005
1,389.500	0.005	0.005	0.005	0.005	0.005
1,390.000	0.005	0.005	0.005	0.005	0.005
1,390.500	0.005	0.005	0.005	0.005	0.005
1,391.000	0.005	0.005	0.005	0.005	0.005
1,391.500	0.005	0.005	0.005	0.005	0.005
1,392.000	0.005	0.005	0.005	0.005	0.005
1,392.500	0.005	0.005	0.005	0.005	0.005
1,393.000	0.005	0.005	0.005	0.005	0.005
1,393.500	0.005	0.005	0.005	0.005	0.005
1,394.000	0.005	0.005	0.005	0.005	0.005
1,394.500	0.005	0.005	0.005	0.005	0.005
1,395.000	0.005	0.005	0.005	0.005	0.005
1,395.500	0.005	0.005	0.005	0.005	0.005
1,396.000	0.005	0.005	0.005	0.005	0.005
1,396.500	0.005	0.005	0.005	0.005	0.005
1,397.000	0.005	0.005	0.005	0.005	0.005

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
1,397.500	0.005	0.005	0.005	0.005	0.005
1,398.000	0.005	0.005	0.005	0.005	0.005
1,398.500	0.005	0.005	0.005	0.005	0.005
1,399.000	0.005	0.005	0.005	0.005	0.005
1,399.500	0.005	0.005	0.005	0.005	0.005
1,400.000	0.005	0.005	0.005	0.005	0.005
1,400.500	0.005	0.005	0.005	0.005	0.005
1,401.000	0.005	0.005	0.005	0.005	0.005
1,401.500	0.005	0.005	0.005	0.005	0.005
1,402.000	0.005	0.005	0.005	0.005	0.005
1,402.500	0.005	0.005	0.005	0.005	0.005
1,403.000	0.005	0.005	0.005	0.005	0.005
1,403.500	0.005	0.005	0.005	0.005	0.005
1,404.000	0.005	0.005	0.005	0.005	0.005
1,404.500	0.005	0.005	0.005	0.005	0.005
1,405.000	0.005	0.005	0.005	0.005	0.005
1,405.500	0.005	0.005	0.005	0.005	0.005
1,406.000	0.005	0.005	0.005	0.005	0.005
1,406.500	0.005	0.005	0.005	0.005	0.005
1,407.000	0.005	0.005	0.005	0.005	0.005
1,407.500	0.005	0.005	0.005	0.005	0.005
1,408.000	0.005	0.005	0.005	0.005	0.005
1,408.500	0.005	0.005	0.005	0.005	0.005
1,409.000	0.005	0.005	0.005	0.005	0.005
1,409.500	0.005	0.005	0.005	0.005	0.005
1,410.000	0.005	0.005	0.005	0.005	0.005
1,410.500	0.005	0.005	0.005	0.005	0.005
1,411.000	0.005	0.005	0.005	0.005	0.005
1,411.500	0.005	0.005	0.005	0.005	0.005
1,412.000	0.005	0.005	0.005	0.005	0.005
1,412.500	0.005	0.005	0.005	0.005	0.005
1,413.000	0.005	0.005	0.005	0.005	0.005
1,413.500	0.005	0.005	0.005	0.005	0.005
1,414.000	0.005	0.005	0.005	0.005	0.005
1,414.500	0.005	0.005	0.005	0.005	0.005
1,415.000	0.005	0.005	0.005	0.005	0.005
1,415.500	0.005	0.005	0.005	0.005	0.005
1,416.000	0.005	0.005	0.005	0.005	0.005
1,416.500	0.005	0.005	0.005	0.005	0.005
1,417.000	0.005	0.005	0.005	0.005	0.005
1,417.500	0.005	0.005	0.005	0.005	0.005
1,418.000	0.005	0.005	0.005	0.005	0.005
1,418.500	0.005	0.005	0.005	0.005	0.005

Subsection: Time vs. Volume
Label: PO-1

Scenario: Base

Time vs. Volume (ac-ft)

Output Time increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)	Volume (ac-ft)
1,419.000	0.005	0.005	0.005	0.005	0.005
1,419.500	0.005	0.005	0.005	0.005	0.005
1,420.000	0.005	0.005	0.005	0.005	0.005
1,420.500	0.005	0.005	0.005	0.005	0.005
1,421.000	0.005	0.005	0.005	0.005	0.005
1,421.500	0.005	0.005	0.005	0.005	0.005
1,422.000	0.005	0.005	0.005	0.005	0.005
1,422.500	0.005	0.005	0.005	0.005	0.005
1,423.000	0.005	0.005	0.005	0.005	0.005
1,423.500	0.005	0.005	0.005	0.005	0.005
1,424.000	0.005	0.005	0.005	0.005	0.005
1,424.500	0.005	0.005	0.005	0.005	0.005
1,425.000	0.005	0.005	0.005	0.005	0.005
1,425.500	0.005	0.005	0.005	0.005	0.005
1,426.000	0.005	0.005	0.005	0.005	0.005
1,426.500	0.005	0.005	0.005	0.005	0.005
1,427.000	0.005	0.005	0.005	0.005	0.005
1,427.500	0.005	0.005	0.005	0.005	0.005
1,428.000	0.005	0.005	0.005	0.005	0.005
1,428.500	0.005	0.005	0.005	0.005	0.005
1,429.000	0.005	0.005	0.005	0.005	0.005
1,429.500	0.005	0.005	0.005	0.005	0.005
1,430.000	0.005	0.005	0.005	0.005	0.005
1,430.500	0.005	0.005	0.005	0.005	0.005
1,431.000	0.005	0.005	0.005	0.005	0.005
1,431.500	0.005	0.005	0.005	0.005	0.005
1,432.000	0.005	0.005	0.005	0.005	0.005
1,432.500	0.005	0.005	0.005	0.005	0.005
1,433.000	0.005	0.005	0.005	0.005	0.005
1,433.500	0.005	0.005	0.005	0.005	0.005
1,434.000	0.005	0.005	0.005	0.005	0.005
1,434.500	0.005	0.005	0.005	0.005	0.005
1,435.000	0.005	0.005	0.005	0.005	0.005
1,435.500	0.005	0.005	0.005	0.005	0.005
1,436.000	0.005	0.005	0.005	0.005	0.005
1,436.500	0.005	0.005	0.005	0.005	0.005
1,437.000	0.005	0.005	0.005	0.005	0.005
1,437.500	0.005	0.005	0.005	0.005	0.005
1,438.000	0.005	0.005	0.005	0.005	0.005
1,438.500	0.005	0.005	0.005	0.005	0.005
1,439.000	0.005	0.005	0.005	0.005	0.005
1,439.500	0.005	0.005	0.005	0.005	0.005
1,440.000	0.005	(N/A)	(N/A)	(N/A)	(N/A)

Subsection: Pipe Volume
Label: PO-1

Scenario: Base

Volume Results (Pipe)	
Pipe Storage Upstream Invert	100.00 ft
Pipe Storage Downstream Invert	100.00 ft
Pipe Storage Length	530.00 ft
Pipe Storage Diameter	7.0 ft
Pipe Storage Number of Barrels	1
Pipe Storage Slice Width	0.10 ft
Pipe Storage Vertical Increment	0.05 ft

Elevation (ft)	Perpendicular Downstream Depth (ft)	Perpendicular Downstream Area (ft²)	Wetted Length (ft)	Filled Length (ft)	Perpendicular Upstream Depth (ft)	Perpendicular Upstream Area (ft²)	Total Volume (ac-ft)
100.00	0.00	0.0	530.00	0.00	0.00	0.0	0.000
100.05	0.05	0.0	530.00	0.00	0.05	0.0	0.000
100.10	0.10	0.1	530.00	0.00	0.10	0.1	0.001
100.15	0.15	0.2	530.00	0.00	0.15	0.2	0.002
100.20	0.20	0.3	530.00	0.00	0.20	0.3	0.004
100.25	0.25	0.4	530.00	0.00	0.25	0.4	0.005
100.30	0.30	0.6	530.00	0.00	0.30	0.6	0.007
100.35	0.35	0.7	530.00	0.00	0.35	0.7	0.009
100.40	0.40	0.9	530.00	0.00	0.40	0.9	0.011
100.45	0.45	1.0	530.00	0.00	0.45	1.0	0.013
100.50	0.50	1.2	530.00	0.00	0.50	1.2	0.015
100.55	0.55	1.4	530.00	0.00	0.55	1.4	0.017
100.60	0.60	1.6	530.00	0.00	0.60	1.6	0.019
100.65	0.65	1.8	530.00	0.00	0.65	1.8	0.022
100.70	0.70	2.0	530.00	0.00	0.70	2.0	0.024
100.75	0.75	2.2	530.00	0.00	0.75	2.2	0.027
100.80	0.80	2.4	530.00	0.00	0.80	2.4	0.030
100.85	0.85	2.7	530.00	0.00	0.85	2.7	0.032
100.90	0.90	2.9	530.00	0.00	0.90	2.9	0.035
100.95	0.95	3.1	530.00	0.00	0.95	3.1	0.038
101.00	1.00	3.4	530.00	0.00	1.00	3.4	0.041
101.05	1.05	3.6	530.00	0.00	1.05	3.6	0.044
101.10	1.10	3.9	530.00	0.00	1.10	3.9	0.047
101.15	1.15	4.1	530.00	0.00	1.15	4.1	0.050
101.20	1.20	4.4	530.00	0.00	1.20	4.4	0.053
101.25	1.25	4.7	530.00	0.00	1.25	4.7	0.057
101.30	1.30	4.9	530.00	0.00	1.30	4.9	0.060
101.35	1.35	5.2	530.00	0.00	1.35	5.2	0.063
101.40	1.40	5.5	530.00	0.00	1.40	5.5	0.067
101.45	1.45	5.8	530.00	0.00	1.45	5.8	0.070
101.50	1.50	6.0	530.00	0.00	1.50	6.0	0.074
101.55	1.55	6.3	530.00	0.00	1.55	6.3	0.077

Subsection: Pipe Volume
Scenario: Base
Label: PO-1

Elevation (ft)	Perpendicular Downstream Depth (ft)	Perpendicular Downstream Area (ft²)	Wetted Length (ft)	Filled Length (ft)	Perpendicular Upstream Depth (ft)	Perpendicular Upstream Area (ft²)	Total Volume (ac-ft)
101.60	1.60	6.6	530.00	0.00	1.60	6.6	0.081
101.65	1.65	6.9	530.00	0.00	1.65	6.9	0.084
101.70	1.70	7.2	530.00	0.00	1.70	7.2	0.088
101.75	1.75	7.5	530.00	0.00	1.75	7.5	0.092
101.80	1.80	7.8	530.00	0.00	1.80	7.8	0.095
101.85	1.85	8.1	530.00	0.00	1.85	8.1	0.099
101.90	1.90	8.4	530.00	0.00	1.90	8.4	0.103
101.95	1.95	8.8	530.00	0.00	1.95	8.8	0.107
102.00	2.00	9.1	530.00	0.00	2.00	9.1	0.110
102.05	2.05	9.4	530.00	0.00	2.05	9.4	0.114
102.10	2.10	9.7	530.00	0.00	2.10	9.7	0.118
102.15	2.15	10.0	530.00	0.00	2.15	10.0	0.122
102.20	2.20	10.4	530.00	0.00	2.20	10.4	0.126
102.25	2.25	10.7	530.00	0.00	2.25	10.7	0.130
102.30	2.30	11.0	530.00	0.00	2.30	11.0	0.134
102.35	2.35	11.3	530.00	0.00	2.35	11.3	0.138
102.40	2.40	11.7	530.00	0.00	2.40	11.7	0.142
102.45	2.45	12.0	530.00	0.00	2.45	12.0	0.146
102.50	2.50	12.3	530.00	0.00	2.50	12.3	0.150
102.55	2.55	12.7	530.00	0.00	2.55	12.7	0.154
102.60	2.60	13.0	530.00	0.00	2.60	13.0	0.158
102.65	2.65	13.4	530.00	0.00	2.65	13.4	0.162
102.70	2.70	13.7	530.00	0.00	2.70	13.7	0.167
102.75	2.75	14.0	530.00	0.00	2.75	14.0	0.171
102.80	2.80	14.4	530.00	0.00	2.80	14.4	0.175
102.85	2.85	14.7	530.00	0.00	2.85	14.7	0.179
102.90	2.90	15.1	530.00	0.00	2.90	15.1	0.183
102.95	2.95	15.4	530.00	0.00	2.95	15.4	0.187
103.00	3.00	15.8	530.00	0.00	3.00	15.8	0.192
103.05	3.05	16.1	530.00	0.00	3.05	16.1	0.196
103.10	3.10	16.4	530.00	0.00	3.10	16.4	0.200
103.15	3.15	16.8	530.00	0.00	3.15	16.8	0.204
103.20	3.20	17.1	530.00	0.00	3.20	17.1	0.209
103.25	3.25	17.5	530.00	0.00	3.25	17.5	0.213
103.30	3.30	17.8	530.00	0.00	3.30	17.8	0.217
103.35	3.35	18.2	530.00	0.00	3.35	18.2	0.221
103.40	3.40	18.5	530.00	0.00	3.40	18.5	0.226
103.45	3.45	18.9	530.00	0.00	3.45	18.9	0.230
103.50	3.50	19.2	530.00	0.00	3.50	19.2	0.234
103.55	3.55	19.6	530.00	0.00	3.55	19.6	0.238
103.60	3.60	19.9	530.00	0.00	3.60	19.9	0.243
103.65	3.65	20.3	530.00	0.00	3.65	20.3	0.247
103.70	3.70	20.6	530.00	0.00	3.70	20.6	0.251
103.75	3.75	21.0	530.00	0.00	3.75	21.0	0.255
103.80	3.80	21.3	530.00	0.00	3.80	21.3	0.260

Subsection: Pipe Volume
Scenario: Base
Label: PO-1

Elevation (ft)	Perpendicular Downstream Depth (ft)	Perpendicular Downstream Area (ft²)	Wetted Length (ft)	Filled Length (ft)	Perpendicular Upstream Depth (ft)	Perpendicular Upstream Area (ft²)	Total Volume (ac-ft)
103.85	3.85	21.7	530.00	0.00	3.85	21.7	0.264
103.90	3.90	22.0	530.00	0.00	3.90	22.0	0.268
103.95	3.95	22.4	530.00	0.00	3.95	22.4	0.272
104.00	4.00	22.7	530.00	0.00	4.00	22.7	0.277
104.05	4.05	23.1	530.00	0.00	4.05	23.1	0.281
104.10	4.10	23.4	530.00	0.00	4.10	23.4	0.285
104.15	4.15	23.8	530.00	0.00	4.15	23.8	0.289
104.20	4.20	24.1	530.00	0.00	4.20	24.1	0.293
104.25	4.25	24.5	530.00	0.00	4.25	24.5	0.297
104.30	4.30	24.8	530.00	0.00	4.30	24.8	0.302
104.35	4.35	25.1	530.00	0.00	4.35	25.1	0.306
104.40	4.40	25.5	530.00	0.00	4.40	25.5	0.310
104.45	4.45	25.8	530.00	0.00	4.45	25.8	0.314
104.50	4.50	26.1	530.00	0.00	4.50	26.1	0.318
104.55	4.55	26.5	530.00	0.00	4.55	26.5	0.322
104.60	4.60	26.8	530.00	0.00	4.60	26.8	0.326
104.65	4.65	27.1	530.00	0.00	4.65	27.1	0.330
104.70	4.70	27.5	530.00	0.00	4.70	27.5	0.334
104.75	4.75	27.8	530.00	0.00	4.75	27.8	0.338
104.80	4.80	28.1	530.00	0.00	4.80	28.1	0.342
104.85	4.85	28.5	530.00	0.00	4.85	28.5	0.346
104.90	4.90	28.8	530.00	0.00	4.90	28.8	0.350
104.95	4.95	29.1	530.00	0.00	4.95	29.1	0.354
105.00	5.00	29.4	530.00	0.00	5.00	29.4	0.358
105.05	5.05	29.7	530.00	0.00	5.05	29.7	0.362
105.10	5.10	30.0	530.00	0.00	5.10	30.0	0.365
105.15	5.15	30.3	530.00	0.00	5.15	30.3	0.369
105.20	5.20	30.7	530.00	0.00	5.20	30.7	0.373
105.25	5.25	31.0	530.00	0.00	5.25	31.0	0.377
105.30	5.30	31.3	530.00	0.00	5.30	31.3	0.380
105.35	5.35	31.6	530.00	0.00	5.35	31.6	0.384
105.40	5.40	31.9	530.00	0.00	5.40	31.9	0.388
105.45	5.45	32.1	530.00	0.00	5.45	32.1	0.391
105.50	5.50	32.4	530.00	0.00	5.50	32.4	0.395
105.55	5.55	32.7	530.00	0.00	5.55	32.7	0.398
105.60	5.60	33.0	530.00	0.00	5.60	33.0	0.402
105.65	5.65	33.3	530.00	0.00	5.65	33.3	0.405
105.70	5.70	33.6	530.00	0.00	5.70	33.6	0.408
105.75	5.75	33.8	530.00	0.00	5.75	33.8	0.412
105.80	5.80	34.1	530.00	0.00	5.80	34.1	0.415
105.85	5.85	34.4	530.00	0.00	5.85	34.4	0.418
105.90	5.90	34.6	530.00	0.00	5.90	34.6	0.421
105.95	5.95	34.9	530.00	0.00	5.95	34.9	0.424
106.00	6.00	35.1	530.00	0.00	6.00	35.1	0.427
106.05	6.05	35.4	530.00	0.00	6.05	35.4	0.430

Subsection: Pipe Volume
Scenario: Base
Label: PO-1

Elevation (ft)	Perpendicular Downstream Depth (ft)	Perpendicular Downstream Area (ft²)	Wetted Length (ft)	Filled Length (ft)	Perpendicular Upstream Depth (ft)	Perpendicular Upstream Area (ft²)	Total Volume (ac-ft)
106.10	6.10	35.6	530.00	0.00	6.10	35.6	0.433
106.15	6.15	35.8	530.00	0.00	6.15	35.8	0.436
106.20	6.20	36.0	530.00	0.00	6.20	36.0	0.439
106.25	6.25	36.3	530.00	0.00	6.25	36.3	0.441
106.30	6.30	36.5	530.00	0.00	6.30	36.5	0.444
106.35	6.35	36.7	530.00	0.00	6.35	36.7	0.446
106.40	6.40	36.9	530.00	0.00	6.40	36.9	0.449
106.45	6.45	37.1	530.00	0.00	6.45	37.1	0.451
106.50	6.50	37.3	530.00	0.00	6.50	37.3	0.453
106.55	6.55	37.4	530.00	0.00	6.55	37.4	0.456
106.60	6.60	37.6	530.00	0.00	6.60	37.6	0.458
106.65	6.65	37.8	530.00	0.00	6.65	37.8	0.460
106.70	6.70	37.9	530.00	0.00	6.70	37.9	0.461
106.75	6.75	38.0	530.00	0.00	6.75	38.0	0.463
106.80	6.80	38.2	530.00	0.00	6.80	38.2	0.464
106.85	6.85	38.3	530.00	0.00	6.85	38.3	0.466
106.90	6.90	38.4	530.00	0.00	6.90	38.4	0.467
106.95	6.95	38.4	530.00	0.00	6.95	38.4	0.468
107.00	7.00	38.5	530.00	530.00	7.00	38.5	0.468

Subsection: Composite Rating Curve
Label: 25 yr pump

Scenario: Base

Composite Outflow Summary

Water Surface Elevation (ft)	Flow (ft³/s)	Tailwater Elevation (ft)	Convergence Error (ft)
100.00	0.00	(N/A)	0.00
100.50	2.50	(N/A)	0.00
101.00	5.00	(N/A)	0.00
101.50	5.00	(N/A)	0.00
102.00	5.00	(N/A)	0.00
102.50	5.00	(N/A)	0.00
103.00	5.00	(N/A)	0.00
103.50	5.00	(N/A)	0.00
104.00	5.00	(N/A)	0.00
104.50	5.00	(N/A)	0.00
105.00	5.00	(N/A)	0.00
105.50	5.00	(N/A)	0.00
106.00	5.00	(N/A)	0.00
106.50	5.00	(N/A)	0.00
107.00	5.00	(N/A)	0.00

Contributing Structures
25 yr pump
25 yr pump
25 yr pump
25 yr pump
25 yr pump
25 yr pump
25 yr pump
25 yr pump
25 yr pump
25 yr pump
25 yr pump
25 yr pump
25 yr pump
25 yr pump

Subsection: Composite Rating Curve
Label: 85 pump

Scenario: Base

Composite Outflow Summary

Water Surface Elevation (ft)	Flow (ft³/s)	Tailwater Elevation (ft)	Convergence Error (ft)
100.00	0.00	(N/A)	0.00
100.05	0.02	(N/A)	0.00
100.10	0.05	(N/A)	0.00
100.15	0.07	(N/A)	0.00
100.20	0.09	(N/A)	0.00
100.25	0.12	(N/A)	0.00
100.30	0.14	(N/A)	0.00
100.35	0.16	(N/A)	0.00
100.40	0.18	(N/A)	0.00
100.45	0.21	(N/A)	0.00
100.50	0.23	(N/A)	0.00
100.55	0.25	(N/A)	0.00
100.60	0.28	(N/A)	0.00
100.65	0.30	(N/A)	0.00
100.70	0.32	(N/A)	0.00
100.75	0.35	(N/A)	0.00
100.80	0.37	(N/A)	0.00
100.85	0.39	(N/A)	0.00
100.90	0.41	(N/A)	0.00
100.95	0.44	(N/A)	0.00
101.00	0.46	(N/A)	0.00
101.05	0.46	(N/A)	0.00
101.10	0.46	(N/A)	0.00
101.15	0.46	(N/A)	0.00
101.20	0.46	(N/A)	0.00
101.25	0.46	(N/A)	0.00
101.30	0.46	(N/A)	0.00
101.35	0.46	(N/A)	0.00
101.40	0.46	(N/A)	0.00
101.45	0.46	(N/A)	0.00
101.50	0.46	(N/A)	0.00
101.55	0.46	(N/A)	0.00
101.60	0.46	(N/A)	0.00
101.65	0.46	(N/A)	0.00
101.70	0.46	(N/A)	0.00
101.75	0.46	(N/A)	0.00
101.80	0.46	(N/A)	0.00
101.85	0.46	(N/A)	0.00
101.90	0.46	(N/A)	0.00
101.95	0.46	(N/A)	0.00
102.00	0.46	(N/A)	0.00
102.05	0.46	(N/A)	0.00
102.10	0.46	(N/A)	0.00
102.15	0.46	(N/A)	0.00

Subsection: Composite Rating Curve
Label: 85 pump

Scenario: Base

Composite Outflow Summary

Water Surface Elevation (ft)	Flow (ft³/s)	Tailwater Elevation (ft)	Convergence Error (ft)
102.20	0.46	(N/A)	0.00
102.25	0.46	(N/A)	0.00
102.30	0.46	(N/A)	0.00
102.35	0.46	(N/A)	0.00
102.40	0.46	(N/A)	0.00
102.45	0.46	(N/A)	0.00
102.50	0.46	(N/A)	0.00
102.55	0.46	(N/A)	0.00
102.60	0.46	(N/A)	0.00
102.65	0.46	(N/A)	0.00
102.70	0.46	(N/A)	0.00
102.75	0.46	(N/A)	0.00
102.80	0.46	(N/A)	0.00
102.85	0.46	(N/A)	0.00
102.90	0.46	(N/A)	0.00
102.95	0.46	(N/A)	0.00
103.00	0.46	(N/A)	0.00
103.05	0.46	(N/A)	0.00
103.10	0.46	(N/A)	0.00
103.15	0.46	(N/A)	0.00
103.20	0.46	(N/A)	0.00
103.25	0.46	(N/A)	0.00
103.30	0.46	(N/A)	0.00
103.35	0.46	(N/A)	0.00
103.40	0.46	(N/A)	0.00
103.45	0.46	(N/A)	0.00
103.50	0.46	(N/A)	0.00
103.55	0.46	(N/A)	0.00
103.60	0.46	(N/A)	0.00
103.65	0.46	(N/A)	0.00
103.70	0.46	(N/A)	0.00
103.75	0.46	(N/A)	0.00
103.80	0.46	(N/A)	0.00
103.85	0.46	(N/A)	0.00
103.90	0.46	(N/A)	0.00
103.95	0.46	(N/A)	0.00
104.00	0.46	(N/A)	0.00
104.05	0.46	(N/A)	0.00
104.10	0.46	(N/A)	0.00
104.15	0.46	(N/A)	0.00
104.20	0.46	(N/A)	0.00
104.25	0.46	(N/A)	0.00
104.30	0.46	(N/A)	0.00
104.35	0.46	(N/A)	0.00

Subsection: Composite Rating Curve
Label: 85 pump

Scenario: Base

Composite Outflow Summary

Water Surface Elevation (ft)	Flow (ft^3/s)	Tailwater Elevation (ft)	Convergence Error (ft)
104.40	0.46	(N/A)	0.00
104.45	0.46	(N/A)	0.00
104.50	0.46	(N/A)	0.00
104.55	0.46	(N/A)	0.00
104.60	0.46	(N/A)	0.00
104.65	0.46	(N/A)	0.00
104.70	0.46	(N/A)	0.00
104.75	0.46	(N/A)	0.00
104.80	0.46	(N/A)	0.00
104.85	0.46	(N/A)	0.00
104.90	0.46	(N/A)	0.00
104.95	0.46	(N/A)	0.00
105.00	0.46	(N/A)	0.00
105.05	0.46	(N/A)	0.00
105.10	0.46	(N/A)	0.00
105.15	0.46	(N/A)	0.00
105.20	0.46	(N/A)	0.00
105.25	0.46	(N/A)	0.00
105.30	0.46	(N/A)	0.00
105.35	0.46	(N/A)	0.00
105.40	0.46	(N/A)	0.00
105.45	0.46	(N/A)	0.00
105.50	0.46	(N/A)	0.00
105.55	0.46	(N/A)	0.00
105.60	0.46	(N/A)	0.00
105.65	0.46	(N/A)	0.00
105.70	0.46	(N/A)	0.00
105.75	0.46	(N/A)	0.00
105.80	0.46	(N/A)	0.00
105.85	0.46	(N/A)	0.00
105.90	0.46	(N/A)	0.00
105.95	0.46	(N/A)	0.00
106.00	0.46	(N/A)	0.00
106.05	0.46	(N/A)	0.00
106.10	0.46	(N/A)	0.00
106.15	0.46	(N/A)	0.00
106.20	0.46	(N/A)	0.00
106.25	0.46	(N/A)	0.00
106.30	0.46	(N/A)	0.00
106.35	0.46	(N/A)	0.00
106.40	0.46	(N/A)	0.00
106.45	0.46	(N/A)	0.00
106.50	0.46	(N/A)	0.00
106.55	0.46	(N/A)	0.00

Subsection: Composite Rating Curve
Label: 85 pump

Scenario: Base

Composite Outflow Summary

Water Surface Elevation (ft)	Flow (ft^3/s)	Tailwater Elevation (ft)	Convergence Error (ft)
106.60	0.46	(N/A)	0.00
106.65	0.46	(N/A)	0.00
106.70	0.46	(N/A)	0.00
106.75	0.46	(N/A)	0.00
106.80	0.46	(N/A)	0.00
106.85	0.46	(N/A)	0.00
106.90	0.46	(N/A)	0.00
106.95	0.46	(N/A)	0.00
107.00	0.46	(N/A)	0.00

Contributing Structures
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump

Subsection: Composite Rating Curve
Label: 85 pump

Scenario: Base

Composite Outflow Summary

Contributing Structures
85th yr pump
85th yr pump
85th yr pump

Subsection: Composite Rating Curve
Label: 85 pump

Scenario: Base

Composite Outflow Summary

Contributing Structures
85th yr pump
85th yr pump
85th yr pump

Subsection: Composite Rating Curve
Label: 85 pump

Scenario: Base

Composite Outflow Summary

Contributing Structures
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump
85th yr pump

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

Peak Discharge	5.46 ft³/s
Time to Peak	1,222.100 min
Hydrograph Volume	4.659 ac-ft

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
0.100	0.00	0.00	0.01	0.01	0.02
0.600	0.02	0.03	0.04	0.05	0.06
1.100	0.07	0.08	0.09	0.10	0.11
1.600	0.13	0.14	0.15	0.17	0.18
2.100	0.20	0.21	0.23	0.24	0.26
2.600	0.27	0.28	0.29	0.30	0.31
3.100	0.32	0.33	0.34	0.36	0.37
3.600	0.38	0.39	0.40	0.42	0.43
4.100	0.44	0.46	0.47	0.48	0.50
4.600	0.51	0.53	0.54	0.55	0.57
5.100	0.58	0.59	0.60	0.61	0.62
5.600	0.63	0.64	0.65	0.67	0.68
6.100	0.69	0.70	0.71	0.72	0.73
6.600	0.73	0.74	0.75	0.76	0.77
7.100	0.78	0.79	0.80	0.81	0.82
7.600	0.82	0.83	0.84	0.85	0.85
8.100	0.86	0.87	0.87	0.88	0.89
8.600	0.90	0.90	0.91	0.92	0.92
9.100	0.93	0.94	0.94	0.95	0.96
9.600	0.96	0.97	0.98	0.98	0.99
10.100	0.99	1.00	1.01	1.01	1.02
10.600	1.02	1.03	1.03	1.04	1.04
11.100	1.05	1.05	1.06	1.06	1.07
11.600	1.07	1.08	1.08	1.09	1.09
12.100	1.10	1.10	1.10	1.11	1.11
12.600	1.11	1.12	1.12	1.12	1.13
13.100	1.13	1.13	1.14	1.14	1.14
13.600	1.14	1.15	1.15	1.15	1.15
14.100	1.16	1.16	1.16	1.16	1.17
14.600	1.17	1.17	1.17	1.17	1.18
15.100	1.18	1.18	1.18	1.18	1.18
15.600	1.19	1.19	1.19	1.19	1.19
16.100	1.19	1.20	1.20	1.20	1.20
16.600	1.20	1.20	1.20	1.20	1.21
17.100	1.21	1.21	1.21	1.21	1.21
17.600	1.21	1.21	1.21	1.22	1.22
18.100	1.22	1.22	1.22	1.22	1.22
18.600	1.22	1.22	1.22	1.22	1.22
19.100	1.23	1.23	1.23	1.23	1.23

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
19.600	1.23	1.23	1.23	1.23	1.23
20.100	1.23	1.23	1.23	1.23	1.23
20.600	1.23	1.23	1.24	1.24	1.24
21.100	1.24	1.24	1.24	1.24	1.24
21.600	1.24	1.24	1.24	1.24	1.24
22.100	1.24	1.24	1.24	1.24	1.24
22.600	1.24	1.24	1.24	1.24	1.24
23.100	1.24	1.24	1.24	1.24	1.25
23.600	1.25	1.25	1.25	1.25	1.25
24.100	1.25	1.25	1.25	1.25	1.25
24.600	1.25	1.25	1.25	1.25	1.25
25.100	1.25	1.25	1.25	1.25	1.25
25.600	1.25	1.25	1.25	1.25	1.25
26.100	1.25	1.25	1.25	1.25	1.25
26.600	1.25	1.25	1.25	1.25	1.25
27.100	1.25	1.25	1.25	1.25	1.25
27.600	1.25	1.25	1.25	1.25	1.25
28.100	1.25	1.25	1.25	1.25	1.25
28.600	1.25	1.25	1.25	1.25	1.25
29.100	1.25	1.25	1.25	1.25	1.26
29.600	1.26	1.26	1.26	1.26	1.26
30.100	1.26	1.26	1.26	1.26	1.26
30.600	1.26	1.26	1.26	1.26	1.26
31.100	1.26	1.26	1.26	1.26	1.26
31.600	1.26	1.26	1.26	1.26	1.26
32.100	1.26	1.26	1.26	1.26	1.26
32.600	1.26	1.26	1.26	1.26	1.26
33.100	1.26	1.26	1.26	1.26	1.26
33.600	1.26	1.26	1.26	1.26	1.26
34.100	1.26	1.26	1.26	1.26	1.26
34.600	1.26	1.26	1.26	1.26	1.26
35.100	1.26	1.26	1.26	1.26	1.26
35.600	1.26	1.26	1.26	1.26	1.26
36.100	1.26	1.26	1.26	1.26	1.26
36.600	1.26	1.26	1.26	1.26	1.26
37.100	1.26	1.26	1.26	1.26	1.26
37.600	1.26	1.26	1.26	1.26	1.26
38.100	1.26	1.26	1.26	1.26	1.26
38.600	1.26	1.26	1.26	1.26	1.26
39.100	1.26	1.26	1.26	1.26	1.26
39.600	1.26	1.26	1.26	1.26	1.26
40.100	1.26	1.26	1.26	1.26	1.26
40.600	1.26	1.26	1.26	1.26	1.26
41.100	1.26	1.26	1.26	1.26	1.26

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
41.600	1.26	1.26	1.26	1.26	1.26
42.100	1.26	1.26	1.26	1.26	1.26
42.600	1.26	1.26	1.26	1.26	1.26
43.100	1.26	1.26	1.26	1.26	1.26
43.600	1.26	1.26	1.26	1.26	1.26
44.100	1.26	1.26	1.26	1.26	1.26
44.600	1.26	1.26	1.27	1.27	1.27
45.100	1.27	1.27	1.27	1.27	1.27
45.600	1.27	1.27	1.27	1.27	1.27
46.100	1.27	1.27	1.27	1.27	1.27
46.600	1.27	1.27	1.27	1.27	1.27
47.100	1.27	1.27	1.27	1.27	1.27
47.600	1.27	1.27	1.27	1.27	1.27
48.100	1.27	1.27	1.27	1.27	1.27
48.600	1.27	1.27	1.27	1.27	1.27
49.100	1.27	1.27	1.27	1.27	1.27
49.600	1.27	1.27	1.27	1.27	1.27
50.100	1.27	1.27	1.27	1.27	1.27
50.600	1.27	1.27	1.27	1.27	1.27
51.100	1.27	1.27	1.27	1.27	1.27
51.600	1.27	1.27	1.27	1.27	1.27
52.100	1.27	1.27	1.27	1.27	1.27
52.600	1.27	1.27	1.27	1.27	1.27
53.100	1.27	1.27	1.27	1.27	1.27
53.600	1.27	1.27	1.27	1.27	1.27
54.100	1.27	1.27	1.27	1.27	1.27
54.600	1.27	1.27	1.27	1.27	1.27
55.100	1.27	1.27	1.27	1.27	1.27
55.600	1.27	1.27	1.27	1.27	1.27
56.100	1.27	1.27	1.27	1.27	1.27
56.600	1.27	1.27	1.27	1.27	1.27
57.100	1.27	1.27	1.27	1.27	1.27
57.600	1.27	1.27	1.27	1.27	1.27
58.100	1.27	1.27	1.27	1.27	1.27
58.600	1.27	1.27	1.27	1.27	1.27
59.100	1.27	1.27	1.27	1.27	1.27
59.600	1.27	1.27	1.27	1.27	1.27
60.100	1.27	1.27	1.27	1.27	1.27
60.600	1.27	1.27	1.27	1.27	1.27
61.100	1.27	1.27	1.27	1.27	1.27
61.600	1.27	1.27	1.27	1.27	1.27
62.100	1.27	1.27	1.27	1.27	1.27
62.600	1.27	1.27	1.27	1.27	1.27
63.100	1.27	1.27	1.28	1.28	1.28

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
63.600	1.28	1.28	1.28	1.28	1.28
64.100	1.28	1.28	1.28	1.28	1.28
64.600	1.28	1.28	1.28	1.28	1.28
65.100	1.28	1.28	1.28	1.28	1.28
65.600	1.28	1.28	1.28	1.28	1.28
66.100	1.28	1.28	1.28	1.28	1.28
66.600	1.28	1.28	1.28	1.28	1.28
67.100	1.28	1.28	1.28	1.28	1.28
67.600	1.28	1.28	1.28	1.28	1.28
68.100	1.28	1.28	1.28	1.28	1.28
68.600	1.28	1.28	1.28	1.28	1.28
69.100	1.28	1.28	1.28	1.28	1.28
69.600	1.28	1.28	1.28	1.28	1.28
70.100	1.28	1.28	1.28	1.28	1.28
70.600	1.28	1.28	1.28	1.28	1.28
71.100	1.28	1.28	1.28	1.28	1.28
71.600	1.28	1.28	1.28	1.28	1.28
72.100	1.28	1.28	1.28	1.28	1.28
72.600	1.28	1.28	1.28	1.28	1.28
73.100	1.28	1.28	1.28	1.28	1.28
73.600	1.28	1.28	1.28	1.28	1.28
74.100	1.28	1.28	1.28	1.28	1.28
74.600	1.28	1.28	1.28	1.28	1.28
75.100	1.28	1.28	1.28	1.28	1.28
75.600	1.28	1.28	1.28	1.28	1.28
76.100	1.28	1.28	1.28	1.28	1.28
76.600	1.28	1.28	1.28	1.28	1.28
77.100	1.28	1.28	1.28	1.28	1.28
77.600	1.28	1.28	1.28	1.28	1.28
78.100	1.28	1.28	1.28	1.28	1.28
78.600	1.28	1.28	1.28	1.28	1.28
79.100	1.28	1.28	1.28	1.28	1.28
79.600	1.28	1.28	1.28	1.28	1.28
80.100	1.28	1.28	1.28	1.28	1.28
80.600	1.28	1.28	1.28	1.28	1.28
81.100	1.28	1.28	1.29	1.29	1.29
81.600	1.29	1.29	1.29	1.29	1.29
82.100	1.29	1.29	1.29	1.29	1.29
82.600	1.29	1.29	1.29	1.29	1.29
83.100	1.29	1.29	1.29	1.29	1.29
83.600	1.29	1.29	1.29	1.29	1.29
84.100	1.29	1.29	1.29	1.29	1.29
84.600	1.29	1.29	1.29	1.29	1.29
85.100	1.29	1.29	1.29	1.29	1.29

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
85.600	1.29	1.29	1.29	1.29	1.29
86.100	1.29	1.29	1.29	1.29	1.29
86.600	1.29	1.29	1.29	1.29	1.29
87.100	1.29	1.29	1.29	1.29	1.29
87.600	1.29	1.29	1.29	1.29	1.29
88.100	1.29	1.29	1.29	1.29	1.29
88.600	1.29	1.29	1.29	1.29	1.29
89.100	1.29	1.29	1.29	1.29	1.29
89.600	1.29	1.29	1.29	1.29	1.29
90.100	1.29	1.29	1.29	1.29	1.29
90.600	1.29	1.29	1.29	1.29	1.29
91.100	1.29	1.29	1.29	1.29	1.29
91.600	1.29	1.29	1.29	1.29	1.29
92.100	1.29	1.29	1.29	1.29	1.29
92.600	1.29	1.29	1.29	1.29	1.29
93.100	1.29	1.29	1.29	1.29	1.29
93.600	1.29	1.29	1.29	1.29	1.29
94.100	1.29	1.29	1.29	1.29	1.29
94.600	1.29	1.29	1.29	1.29	1.29
95.100	1.29	1.29	1.29	1.29	1.29
95.600	1.29	1.29	1.29	1.29	1.29
96.100	1.29	1.29	1.29	1.29	1.29
96.600	1.29	1.29	1.29	1.29	1.29
97.100	1.29	1.29	1.29	1.29	1.29
97.600	1.29	1.29	1.29	1.29	1.29
98.100	1.29	1.29	1.29	1.29	1.29
98.600	1.29	1.29	1.29	1.29	1.30
99.100	1.30	1.30	1.30	1.30	1.30
99.600	1.30	1.30	1.30	1.30	1.30
100.100	1.30	1.30	1.30	1.30	1.30
100.600	1.30	1.30	1.30	1.30	1.30
101.100	1.30	1.30	1.30	1.30	1.30
101.600	1.30	1.30	1.30	1.30	1.30
102.100	1.30	1.30	1.30	1.30	1.30
102.600	1.30	1.30	1.30	1.30	1.30
103.100	1.30	1.30	1.30	1.30	1.30
103.600	1.30	1.30	1.30	1.30	1.30
104.100	1.30	1.30	1.30	1.30	1.30
104.600	1.30	1.30	1.30	1.30	1.30
105.100	1.30	1.30	1.30	1.30	1.30
105.600	1.30	1.30	1.30	1.30	1.30
106.100	1.30	1.30	1.30	1.30	1.30
106.600	1.30	1.30	1.30	1.30	1.30
107.100	1.30	1.30	1.30	1.30	1.30

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
107.600	1.30	1.30	1.30	1.30	1.30
108.100	1.30	1.30	1.30	1.30	1.30
108.600	1.30	1.30	1.30	1.30	1.30
109.100	1.30	1.30	1.30	1.30	1.30
109.600	1.30	1.30	1.30	1.30	1.30
110.100	1.30	1.30	1.30	1.30	1.30
110.600	1.30	1.30	1.30	1.30	1.30
111.100	1.30	1.30	1.30	1.30	1.30
111.600	1.30	1.30	1.30	1.30	1.30
112.100	1.30	1.30	1.30	1.30	1.30
112.600	1.30	1.30	1.30	1.30	1.30
113.100	1.30	1.30	1.30	1.30	1.30
113.600	1.30	1.30	1.30	1.30	1.30
114.100	1.30	1.30	1.30	1.30	1.30
114.600	1.30	1.30	1.30	1.30	1.30
115.100	1.30	1.30	1.30	1.30	1.30
115.600	1.30	1.30	1.30	1.30	1.30
116.100	1.30	1.31	1.31	1.31	1.31
116.600	1.31	1.31	1.31	1.31	1.31
117.100	1.31	1.31	1.31	1.31	1.31
117.600	1.31	1.31	1.31	1.31	1.31
118.100	1.31	1.31	1.31	1.31	1.31
118.600	1.31	1.31	1.31	1.31	1.31
119.100	1.31	1.31	1.31	1.31	1.31
119.600	1.31	1.31	1.31	1.31	1.31
120.100	1.31	1.31	1.31	1.31	1.31
120.600	1.31	1.31	1.31	1.31	1.31
121.100	1.31	1.31	1.31	1.31	1.31
121.600	1.31	1.31	1.31	1.31	1.31
122.100	1.31	1.31	1.31	1.31	1.31
122.600	1.31	1.31	1.31	1.31	1.31
123.100	1.31	1.31	1.31	1.31	1.31
123.600	1.31	1.31	1.31	1.31	1.31
124.100	1.31	1.31	1.31	1.31	1.31
124.600	1.31	1.31	1.31	1.31	1.31
125.100	1.31	1.31	1.31	1.31	1.31
125.600	1.31	1.31	1.31	1.31	1.31
126.100	1.31	1.31	1.31	1.31	1.31
126.600	1.31	1.31	1.31	1.31	1.31
127.100	1.31	1.31	1.31	1.31	1.31
127.600	1.31	1.31	1.31	1.31	1.31
128.100	1.31	1.31	1.31	1.31	1.31
128.600	1.31	1.31	1.31	1.31	1.31
129.100	1.31	1.31	1.31	1.31	1.31

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
129.600	1.31	1.31	1.31	1.31	1.31
130.100	1.31	1.31	1.31	1.31	1.31
130.600	1.31	1.31	1.31	1.31	1.31
131.100	1.31	1.31	1.31	1.31	1.31
131.600	1.31	1.31	1.31	1.31	1.31
132.100	1.31	1.31	1.31	1.31	1.31
132.600	1.31	1.31	1.31	1.31	1.32
133.100	1.32	1.32	1.32	1.32	1.32
133.600	1.32	1.32	1.32	1.32	1.32
134.100	1.32	1.32	1.32	1.32	1.32
134.600	1.32	1.32	1.32	1.32	1.32
135.100	1.32	1.32	1.32	1.32	1.32
135.600	1.32	1.32	1.32	1.32	1.32
136.100	1.32	1.32	1.32	1.32	1.32
136.600	1.32	1.32	1.32	1.32	1.32
137.100	1.32	1.32	1.32	1.32	1.32
137.600	1.32	1.32	1.32	1.32	1.32
138.100	1.32	1.32	1.32	1.32	1.32
138.600	1.32	1.32	1.32	1.32	1.32
139.100	1.32	1.32	1.32	1.32	1.32
139.600	1.32	1.32	1.32	1.32	1.32
140.100	1.32	1.32	1.32	1.32	1.32
140.600	1.32	1.32	1.32	1.32	1.32
141.100	1.32	1.32	1.32	1.32	1.32
141.600	1.32	1.32	1.32	1.32	1.32
142.100	1.32	1.32	1.32	1.32	1.32
142.600	1.32	1.32	1.32	1.32	1.32
143.100	1.32	1.32	1.32	1.32	1.32
143.600	1.32	1.32	1.32	1.32	1.32
144.100	1.32	1.32	1.32	1.32	1.32
144.600	1.32	1.32	1.32	1.32	1.32
145.100	1.32	1.32	1.32	1.32	1.32
145.600	1.32	1.32	1.32	1.32	1.32
146.100	1.32	1.32	1.32	1.32	1.32
146.600	1.32	1.32	1.32	1.32	1.32
147.100	1.32	1.32	1.32	1.32	1.32
147.600	1.32	1.32	1.32	1.32	1.32
148.100	1.32	1.32	1.32	1.32	1.32
148.600	1.32	1.32	1.32	1.32	1.32
149.100	1.32	1.32	1.32	1.33	1.33
149.600	1.33	1.33	1.33	1.33	1.33
150.100	1.33	1.33	1.33	1.33	1.33
150.600	1.33	1.33	1.33	1.33	1.33
151.100	1.33	1.33	1.33	1.33	1.33

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
151.600	1.33	1.33	1.33	1.33	1.33
152.100	1.33	1.33	1.33	1.33	1.33
152.600	1.33	1.33	1.33	1.33	1.33
153.100	1.33	1.33	1.33	1.33	1.33
153.600	1.33	1.33	1.33	1.33	1.33
154.100	1.33	1.33	1.33	1.33	1.33
154.600	1.33	1.33	1.33	1.33	1.33
155.100	1.33	1.33	1.33	1.33	1.33
155.600	1.33	1.33	1.33	1.33	1.33
156.100	1.33	1.33	1.33	1.33	1.33
156.600	1.33	1.33	1.33	1.33	1.33
157.100	1.33	1.33	1.33	1.33	1.33
157.600	1.33	1.33	1.33	1.33	1.33
158.100	1.33	1.33	1.33	1.33	1.33
158.600	1.33	1.33	1.33	1.33	1.33
159.100	1.33	1.33	1.33	1.33	1.33
159.600	1.33	1.33	1.33	1.33	1.33
160.100	1.33	1.33	1.33	1.33	1.33
160.600	1.33	1.33	1.33	1.33	1.33
161.100	1.33	1.33	1.33	1.33	1.33
161.600	1.33	1.33	1.33	1.33	1.33
162.100	1.33	1.33	1.33	1.33	1.33
162.600	1.33	1.33	1.33	1.33	1.33
163.100	1.33	1.33	1.33	1.33	1.33
163.600	1.33	1.33	1.33	1.33	1.33
164.100	1.33	1.33	1.33	1.33	1.33
164.600	1.33	1.33	1.33	1.33	1.33
165.100	1.33	1.33	1.33	1.33	1.34
165.600	1.34	1.34	1.34	1.34	1.34
166.100	1.34	1.34	1.34	1.34	1.34
166.600	1.34	1.34	1.34	1.34	1.34
167.100	1.34	1.34	1.34	1.34	1.34
167.600	1.34	1.34	1.34	1.34	1.34
168.100	1.34	1.34	1.34	1.34	1.34
168.600	1.34	1.34	1.34	1.34	1.34
169.100	1.34	1.34	1.34	1.34	1.34
169.600	1.34	1.34	1.34	1.34	1.34
170.100	1.34	1.34	1.34	1.34	1.34
170.600	1.34	1.34	1.34	1.34	1.34
171.100	1.34	1.34	1.34	1.34	1.34
171.600	1.34	1.34	1.34	1.34	1.34
172.100	1.34	1.34	1.34	1.34	1.34
172.600	1.34	1.34	1.34	1.34	1.34
173.100	1.34	1.34	1.34	1.34	1.34

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
173.600	1.34	1.34	1.34	1.34	1.34
174.100	1.34	1.34	1.34	1.34	1.34
174.600	1.34	1.34	1.34	1.34	1.34
175.100	1.34	1.34	1.34	1.34	1.34
175.600	1.34	1.34	1.34	1.34	1.34
176.100	1.34	1.34	1.34	1.34	1.34
176.600	1.34	1.34	1.34	1.34	1.34
177.100	1.34	1.34	1.34	1.34	1.34
177.600	1.34	1.34	1.34	1.34	1.34
178.100	1.34	1.34	1.34	1.34	1.34
178.600	1.34	1.34	1.34	1.34	1.34
179.100	1.34	1.34	1.34	1.34	1.34
179.600	1.34	1.34	1.34	1.34	1.34
180.100	1.34	1.34	1.34	1.34	1.34
180.600	1.34	1.34	1.34	1.34	1.34
181.100	1.35	1.35	1.35	1.35	1.35
181.600	1.35	1.35	1.35	1.35	1.35
182.100	1.35	1.35	1.35	1.35	1.35
182.600	1.35	1.35	1.35	1.35	1.35
183.100	1.35	1.35	1.35	1.35	1.35
183.600	1.35	1.35	1.35	1.35	1.35
184.100	1.35	1.35	1.35	1.35	1.35
184.600	1.35	1.35	1.35	1.35	1.35
185.100	1.35	1.35	1.35	1.35	1.35
185.600	1.35	1.35	1.35	1.35	1.35
186.100	1.35	1.35	1.35	1.35	1.35
186.600	1.35	1.35	1.35	1.35	1.35
187.100	1.35	1.35	1.35	1.35	1.35
187.600	1.35	1.35	1.35	1.35	1.35
188.100	1.35	1.35	1.35	1.35	1.35
188.600	1.35	1.35	1.35	1.35	1.35
189.100	1.35	1.35	1.35	1.35	1.35
189.600	1.35	1.35	1.35	1.35	1.35
190.100	1.35	1.35	1.35	1.35	1.35
190.600	1.35	1.35	1.35	1.35	1.35
191.100	1.35	1.35	1.35	1.35	1.35
191.600	1.35	1.35	1.35	1.35	1.35
192.100	1.35	1.35	1.35	1.35	1.35
192.600	1.35	1.35	1.35	1.35	1.35
193.100	1.35	1.35	1.35	1.35	1.35
193.600	1.35	1.35	1.35	1.35	1.35
194.100	1.35	1.35	1.35	1.35	1.35
194.600	1.35	1.35	1.35	1.35	1.35
195.100	1.35	1.35	1.35	1.35	1.35

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
195.600	1.35	1.35	1.35	1.35	1.35
196.100	1.35	1.35	1.35	1.35	1.36
196.600	1.36	1.36	1.36	1.36	1.36
197.100	1.36	1.36	1.36	1.36	1.36
197.600	1.36	1.36	1.36	1.36	1.36
198.100	1.36	1.36	1.36	1.36	1.36
198.600	1.36	1.36	1.36	1.36	1.36
199.100	1.36	1.36	1.36	1.36	1.36
199.600	1.36	1.36	1.36	1.36	1.36
200.100	1.36	1.36	1.36	1.36	1.36
200.600	1.36	1.36	1.36	1.36	1.36
201.100	1.36	1.36	1.36	1.36	1.36
201.600	1.36	1.36	1.36	1.36	1.36
202.100	1.36	1.36	1.36	1.36	1.36
202.600	1.36	1.36	1.36	1.36	1.36
203.100	1.36	1.36	1.36	1.36	1.36
203.600	1.36	1.36	1.36	1.36	1.36
204.100	1.36	1.36	1.36	1.36	1.36
204.600	1.36	1.36	1.36	1.36	1.36
205.100	1.36	1.36	1.36	1.36	1.36
205.600	1.36	1.36	1.36	1.36	1.36
206.100	1.36	1.36	1.36	1.36	1.36
206.600	1.36	1.36	1.36	1.36	1.36
207.100	1.36	1.36	1.36	1.36	1.36
207.600	1.36	1.36	1.36	1.36	1.36
208.100	1.36	1.36	1.36	1.36	1.36
208.600	1.36	1.36	1.36	1.36	1.36
209.100	1.36	1.36	1.36	1.36	1.36
209.600	1.36	1.36	1.36	1.36	1.36
210.100	1.36	1.36	1.36	1.36	1.36
210.600	1.36	1.36	1.36	1.36	1.36
211.100	1.36	1.36	1.36	1.37	1.37
211.600	1.37	1.37	1.37	1.37	1.37
212.100	1.37	1.37	1.37	1.37	1.37
212.600	1.37	1.37	1.37	1.37	1.37
213.100	1.37	1.37	1.37	1.37	1.37
213.600	1.37	1.37	1.37	1.37	1.37
214.100	1.37	1.37	1.37	1.37	1.37
214.600	1.37	1.37	1.37	1.37	1.37
215.100	1.37	1.37	1.37	1.37	1.37
215.600	1.37	1.37	1.37	1.37	1.37
216.100	1.37	1.37	1.37	1.37	1.37
216.600	1.37	1.37	1.37	1.37	1.37
217.100	1.37	1.37	1.37	1.37	1.37

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
217.600	1.37	1.37	1.37	1.37	1.37
218.100	1.37	1.37	1.37	1.37	1.37
218.600	1.37	1.37	1.37	1.37	1.37
219.100	1.37	1.37	1.37	1.37	1.37
219.600	1.37	1.37	1.37	1.37	1.37
220.100	1.37	1.37	1.37	1.37	1.37
220.600	1.37	1.37	1.37	1.37	1.37
221.100	1.37	1.37	1.37	1.37	1.37
221.600	1.37	1.37	1.37	1.37	1.37
222.100	1.37	1.37	1.37	1.37	1.37
222.600	1.37	1.37	1.37	1.37	1.37
223.100	1.37	1.37	1.37	1.37	1.37
223.600	1.37	1.37	1.37	1.37	1.37
224.100	1.37	1.37	1.37	1.37	1.37
224.600	1.37	1.37	1.37	1.37	1.37
225.100	1.37	1.37	1.37	1.37	1.37
225.600	1.37	1.37	1.37	1.37	1.37
226.100	1.37	1.37	1.37	1.38	1.38
226.600	1.38	1.38	1.38	1.38	1.38
227.100	1.38	1.38	1.38	1.38	1.38
227.600	1.38	1.38	1.38	1.38	1.38
228.100	1.38	1.38	1.38	1.38	1.38
228.600	1.38	1.38	1.38	1.38	1.38
229.100	1.38	1.38	1.38	1.38	1.38
229.600	1.38	1.38	1.38	1.38	1.38
230.100	1.38	1.38	1.38	1.38	1.38
230.600	1.38	1.38	1.38	1.38	1.38
231.100	1.38	1.38	1.38	1.38	1.38
231.600	1.38	1.38	1.38	1.38	1.38
232.100	1.38	1.38	1.38	1.38	1.38
232.600	1.38	1.38	1.38	1.38	1.38
233.100	1.38	1.38	1.38	1.38	1.38
233.600	1.38	1.38	1.38	1.38	1.38
234.100	1.38	1.38	1.38	1.38	1.38
234.600	1.38	1.38	1.38	1.38	1.38
235.100	1.38	1.38	1.38	1.38	1.38
235.600	1.38	1.38	1.38	1.38	1.38
236.100	1.38	1.38	1.38	1.38	1.38
236.600	1.38	1.38	1.38	1.38	1.38
237.100	1.38	1.38	1.38	1.38	1.38
237.600	1.38	1.38	1.38	1.38	1.38
238.100	1.38	1.38	1.38	1.38	1.38
238.600	1.38	1.38	1.38	1.38	1.38
239.100	1.38	1.38	1.38	1.38	1.38

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
239.600	1.38	1.38	1.38	1.38	1.38
240.100	1.38	1.38	1.38	1.38	1.38
240.600	1.38	1.39	1.39	1.39	1.39
241.100	1.39	1.39	1.39	1.39	1.39
241.600	1.39	1.39	1.39	1.39	1.39
242.100	1.39	1.39	1.39	1.39	1.39
242.600	1.39	1.39	1.39	1.39	1.39
243.100	1.39	1.39	1.39	1.39	1.39
243.600	1.39	1.39	1.39	1.39	1.39
244.100	1.39	1.39	1.39	1.39	1.39
244.600	1.39	1.39	1.39	1.39	1.39
245.100	1.39	1.39	1.39	1.39	1.39
245.600	1.39	1.39	1.39	1.39	1.39
246.100	1.39	1.39	1.39	1.39	1.39
246.600	1.39	1.39	1.39	1.39	1.39
247.100	1.39	1.39	1.39	1.39	1.39
247.600	1.39	1.39	1.39	1.39	1.39
248.100	1.39	1.39	1.39	1.39	1.39
248.600	1.39	1.39	1.39	1.39	1.39
249.100	1.39	1.39	1.39	1.39	1.39
249.600	1.39	1.39	1.39	1.39	1.39
250.100	1.39	1.39	1.39	1.39	1.39
250.600	1.39	1.39	1.39	1.39	1.39
251.100	1.39	1.39	1.39	1.39	1.39
251.600	1.39	1.39	1.39	1.39	1.39
252.100	1.39	1.39	1.39	1.39	1.39
252.600	1.39	1.39	1.39	1.39	1.39
253.100	1.39	1.39	1.39	1.39	1.39
253.600	1.39	1.39	1.39	1.39	1.39
254.100	1.39	1.39	1.39	1.39	1.39
254.600	1.39	1.40	1.40	1.40	1.40
255.100	1.40	1.40	1.40	1.40	1.40
255.600	1.40	1.40	1.40	1.40	1.40
256.100	1.40	1.40	1.40	1.40	1.40
256.600	1.40	1.40	1.40	1.40	1.40
257.100	1.40	1.40	1.40	1.40	1.40
257.600	1.40	1.40	1.40	1.40	1.40
258.100	1.40	1.40	1.40	1.40	1.40
258.600	1.40	1.40	1.40	1.40	1.40
259.100	1.40	1.40	1.40	1.40	1.40
259.600	1.40	1.40	1.40	1.40	1.40
260.100	1.40	1.40	1.40	1.40	1.40
260.600	1.40	1.40	1.40	1.40	1.40
261.100	1.40	1.40	1.40	1.40	1.40

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
261.600	1.40	1.40	1.40	1.40	1.40
262.100	1.40	1.40	1.40	1.40	1.40
262.600	1.40	1.40	1.40	1.40	1.40
263.100	1.40	1.40	1.40	1.40	1.40
263.600	1.40	1.40	1.40	1.40	1.40
264.100	1.40	1.40	1.40	1.40	1.40
264.600	1.40	1.40	1.40	1.40	1.40
265.100	1.40	1.40	1.40	1.40	1.40
265.600	1.40	1.40	1.40	1.40	1.40
266.100	1.40	1.40	1.40	1.40	1.40
266.600	1.40	1.40	1.40	1.40	1.40
267.100	1.40	1.40	1.40	1.40	1.40
267.600	1.40	1.40	1.40	1.40	1.40
268.100	1.40	1.40	1.41	1.41	1.41
268.600	1.41	1.41	1.41	1.41	1.41
269.100	1.41	1.41	1.41	1.41	1.41
269.600	1.41	1.41	1.41	1.41	1.41
270.100	1.41	1.41	1.41	1.41	1.41
270.600	1.41	1.41	1.41	1.41	1.41
271.100	1.41	1.41	1.41	1.41	1.41
271.600	1.41	1.41	1.41	1.41	1.41
272.100	1.41	1.41	1.41	1.41	1.41
272.600	1.41	1.41	1.41	1.41	1.41
273.100	1.41	1.41	1.41	1.41	1.41
273.600	1.41	1.41	1.41	1.41	1.41
274.100	1.41	1.41	1.41	1.41	1.41
274.600	1.41	1.41	1.41	1.41	1.41
275.100	1.41	1.41	1.41	1.41	1.41
275.600	1.41	1.41	1.41	1.41	1.41
276.100	1.41	1.41	1.41	1.41	1.41
276.600	1.41	1.41	1.41	1.41	1.41
277.100	1.41	1.41	1.41	1.41	1.41
277.600	1.41	1.41	1.41	1.41	1.41
278.100	1.41	1.41	1.41	1.41	1.41
278.600	1.41	1.41	1.41	1.41	1.41
279.100	1.41	1.41	1.41	1.41	1.41
279.600	1.41	1.41	1.41	1.41	1.41
280.100	1.41	1.41	1.41	1.41	1.41
280.600	1.41	1.41	1.41	1.41	1.41
281.100	1.41	1.41	1.41	1.41	1.41
281.600	1.41	1.42	1.42	1.42	1.42
282.100	1.42	1.42	1.42	1.42	1.42
282.600	1.42	1.42	1.42	1.42	1.42
283.100	1.42	1.42	1.42	1.42	1.42

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
283.600	1.42	1.42	1.42	1.42	1.42
284.100	1.42	1.42	1.42	1.42	1.42
284.600	1.42	1.42	1.42	1.42	1.42
285.100	1.42	1.42	1.42	1.42	1.42
285.600	1.42	1.42	1.42	1.42	1.42
286.100	1.42	1.42	1.42	1.42	1.42
286.600	1.42	1.42	1.42	1.42	1.42
287.100	1.42	1.42	1.42	1.42	1.42
287.600	1.42	1.42	1.42	1.42	1.42
288.100	1.42	1.42	1.42	1.42	1.42
288.600	1.42	1.42	1.42	1.42	1.42
289.100	1.42	1.42	1.42	1.42	1.42
289.600	1.42	1.42	1.42	1.42	1.42
290.100	1.42	1.42	1.42	1.42	1.42
290.600	1.42	1.42	1.42	1.42	1.42
291.100	1.42	1.42	1.42	1.42	1.42
291.600	1.42	1.42	1.42	1.42	1.42
292.100	1.42	1.42	1.42	1.42	1.42
292.600	1.42	1.42	1.42	1.42	1.42
293.100	1.42	1.42	1.42	1.42	1.42
293.600	1.42	1.42	1.42	1.42	1.42
294.100	1.42	1.42	1.42	1.42	1.42
294.600	1.42	1.42	1.43	1.43	1.43
295.100	1.43	1.43	1.43	1.43	1.43
295.600	1.43	1.43	1.43	1.43	1.43
296.100	1.43	1.43	1.43	1.43	1.43
296.600	1.43	1.43	1.43	1.43	1.43
297.100	1.43	1.43	1.43	1.43	1.43
297.600	1.43	1.43	1.43	1.43	1.43
298.100	1.43	1.43	1.43	1.43	1.43
298.600	1.43	1.43	1.43	1.43	1.43
299.100	1.43	1.43	1.43	1.43	1.43
299.600	1.43	1.43	1.43	1.43	1.43
300.100	1.43	1.43	1.43	1.43	1.43
300.600	1.43	1.43	1.43	1.43	1.43
301.100	1.43	1.43	1.43	1.43	1.43
301.600	1.43	1.43	1.43	1.43	1.43
302.100	1.43	1.43	1.43	1.43	1.43
302.600	1.43	1.43	1.43	1.43	1.43
303.100	1.43	1.43	1.43	1.43	1.43
303.600	1.43	1.43	1.43	1.43	1.43
304.100	1.43	1.43	1.43	1.43	1.43
304.600	1.43	1.43	1.43	1.43	1.43
305.100	1.43	1.43	1.43	1.43	1.43

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
305.600	1.43	1.43	1.43	1.43	1.43
306.100	1.43	1.43	1.43	1.43	1.43
306.600	1.43	1.43	1.43	1.43	1.43
307.100	1.43	1.43	1.43	1.43	1.43
307.600	1.44	1.44	1.44	1.44	1.44
308.100	1.44	1.44	1.44	1.44	1.44
308.600	1.44	1.44	1.44	1.44	1.44
309.100	1.44	1.44	1.44	1.44	1.44
309.600	1.44	1.44	1.44	1.44	1.44
310.100	1.44	1.44	1.44	1.44	1.44
310.600	1.44	1.44	1.44	1.44	1.44
311.100	1.44	1.44	1.44	1.44	1.44
311.600	1.44	1.44	1.44	1.44	1.44
312.100	1.44	1.44	1.44	1.44	1.44
312.600	1.44	1.44	1.44	1.44	1.44
313.100	1.44	1.44	1.44	1.44	1.44
313.600	1.44	1.44	1.44	1.44	1.44
314.100	1.44	1.44	1.44	1.44	1.44
314.600	1.44	1.44	1.44	1.44	1.44
315.100	1.44	1.44	1.44	1.44	1.44
315.600	1.44	1.44	1.44	1.44	1.44
316.100	1.44	1.44	1.44	1.44	1.44
316.600	1.44	1.44	1.44	1.44	1.44
317.100	1.44	1.44	1.44	1.44	1.44
317.600	1.44	1.44	1.44	1.44	1.44
318.100	1.44	1.44	1.44	1.44	1.44
318.600	1.44	1.44	1.44	1.44	1.44
319.100	1.44	1.44	1.44	1.44	1.44
319.600	1.44	1.44	1.44	1.44	1.44
320.100	1.45	1.45	1.45	1.45	1.45
320.600	1.45	1.45	1.45	1.45	1.45
321.100	1.45	1.45	1.45	1.45	1.45
321.600	1.45	1.45	1.45	1.45	1.45
322.100	1.45	1.45	1.45	1.45	1.45
322.600	1.45	1.45	1.45	1.45	1.45
323.100	1.45	1.45	1.45	1.45	1.45
323.600	1.45	1.45	1.45	1.45	1.45
324.100	1.45	1.45	1.45	1.45	1.45
324.600	1.45	1.45	1.45	1.45	1.45
325.100	1.45	1.45	1.45	1.45	1.45
325.600	1.45	1.45	1.45	1.45	1.45
326.100	1.45	1.45	1.45	1.45	1.45
326.600	1.45	1.45	1.45	1.45	1.45
327.100	1.45	1.45	1.45	1.45	1.45

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
327.600	1.45	1.45	1.45	1.45	1.45
328.100	1.45	1.45	1.45	1.45	1.45
328.600	1.45	1.45	1.45	1.45	1.45
329.100	1.45	1.45	1.45	1.45	1.45
329.600	1.45	1.45	1.45	1.45	1.45
330.100	1.45	1.45	1.45	1.45	1.45
330.600	1.45	1.45	1.45	1.45	1.45
331.100	1.45	1.45	1.45	1.45	1.45
331.600	1.45	1.45	1.45	1.45	1.45
332.100	1.45	1.45	1.46	1.46	1.46
332.600	1.46	1.46	1.46	1.46	1.46
333.100	1.46	1.46	1.46	1.46	1.46
333.600	1.46	1.46	1.46	1.46	1.46
334.100	1.46	1.46	1.46	1.46	1.46
334.600	1.46	1.46	1.46	1.46	1.46
335.100	1.46	1.46	1.46	1.46	1.46
335.600	1.46	1.46	1.46	1.46	1.46
336.100	1.46	1.46	1.46	1.46	1.46
336.600	1.46	1.46	1.46	1.46	1.46
337.100	1.46	1.46	1.46	1.46	1.46
337.600	1.46	1.46	1.46	1.46	1.46
338.100	1.46	1.46	1.46	1.46	1.46
338.600	1.46	1.46	1.46	1.46	1.46
339.100	1.46	1.46	1.46	1.46	1.46
339.600	1.46	1.46	1.46	1.46	1.46
340.100	1.46	1.46	1.46	1.46	1.46
340.600	1.46	1.46	1.46	1.46	1.46
341.100	1.46	1.46	1.46	1.46	1.46
341.600	1.46	1.46	1.46	1.46	1.46
342.100	1.46	1.46	1.46	1.46	1.46
342.600	1.46	1.46	1.46	1.46	1.46
343.100	1.46	1.46	1.46	1.46	1.46
343.600	1.46	1.46	1.46	1.46	1.46
344.100	1.46	1.46	1.47	1.47	1.47
344.600	1.47	1.47	1.47	1.47	1.47
345.100	1.47	1.47	1.47	1.47	1.47
345.600	1.47	1.47	1.47	1.47	1.47
346.100	1.47	1.47	1.47	1.47	1.47
346.600	1.47	1.47	1.47	1.47	1.47
347.100	1.47	1.47	1.47	1.47	1.47
347.600	1.47	1.47	1.47	1.47	1.47
348.100	1.47	1.47	1.47	1.47	1.47
348.600	1.47	1.47	1.47	1.47	1.47
349.100	1.47	1.47	1.47	1.47	1.47

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
349.600	1.47	1.47	1.47	1.47	1.47
350.100	1.47	1.47	1.47	1.47	1.47
350.600	1.47	1.47	1.47	1.47	1.47
351.100	1.47	1.47	1.47	1.47	1.47
351.600	1.47	1.47	1.47	1.47	1.47
352.100	1.47	1.47	1.47	1.47	1.47
352.600	1.47	1.47	1.47	1.47	1.47
353.100	1.47	1.47	1.47	1.47	1.47
353.600	1.47	1.47	1.47	1.47	1.47
354.100	1.47	1.47	1.47	1.47	1.47
354.600	1.47	1.47	1.47	1.47	1.47
355.100	1.47	1.47	1.47	1.47	1.47
355.600	1.47	1.47	1.47	1.47	1.48
356.100	1.48	1.48	1.48	1.48	1.48
356.600	1.48	1.48	1.48	1.48	1.48
357.100	1.48	1.48	1.48	1.48	1.48
357.600	1.48	1.48	1.48	1.48	1.48
358.100	1.48	1.48	1.48	1.48	1.48
358.600	1.48	1.48	1.48	1.48	1.48
359.100	1.48	1.48	1.48	1.48	1.48
359.600	1.48	1.48	1.48	1.48	1.48
360.100	1.48	1.48	1.48	1.48	1.48
360.600	1.48	1.48	1.48	1.48	1.48
361.100	1.48	1.48	1.48	1.48	1.48
361.600	1.48	1.48	1.48	1.48	1.48
362.100	1.48	1.48	1.48	1.48	1.48
362.600	1.48	1.48	1.48	1.48	1.48
363.100	1.48	1.48	1.48	1.48	1.48
363.600	1.48	1.48	1.48	1.48	1.48
364.100	1.48	1.48	1.48	1.48	1.48
364.600	1.48	1.48	1.48	1.48	1.48
365.100	1.48	1.48	1.48	1.48	1.48
365.600	1.48	1.48	1.48	1.48	1.48
366.100	1.48	1.48	1.48	1.48	1.48
366.600	1.48	1.48	1.48	1.48	1.48
367.100	1.48	1.48	1.48	1.48	1.49
367.600	1.49	1.49	1.49	1.49	1.49
368.100	1.49	1.49	1.49	1.49	1.49
368.600	1.49	1.49	1.49	1.49	1.49
369.100	1.49	1.49	1.49	1.49	1.49
369.600	1.49	1.49	1.49	1.49	1.49
370.100	1.49	1.49	1.49	1.49	1.49
370.600	1.49	1.49	1.49	1.49	1.49
371.100	1.49	1.49	1.49	1.49	1.49

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
371.600	1.49	1.49	1.49	1.49	1.49
372.100	1.49	1.49	1.49	1.49	1.49
372.600	1.49	1.49	1.49	1.49	1.49
373.100	1.49	1.49	1.49	1.49	1.49
373.600	1.49	1.49	1.49	1.49	1.49
374.100	1.49	1.49	1.49	1.49	1.49
374.600	1.49	1.49	1.49	1.49	1.49
375.100	1.49	1.49	1.49	1.49	1.49
375.600	1.49	1.49	1.49	1.49	1.49
376.100	1.49	1.49	1.49	1.49	1.49
376.600	1.49	1.49	1.49	1.49	1.49
377.100	1.49	1.49	1.49	1.49	1.49
377.600	1.49	1.49	1.49	1.49	1.49
378.100	1.49	1.49	1.49	1.49	1.49
378.600	1.49	1.50	1.50	1.50	1.50
379.100	1.50	1.50	1.50	1.50	1.50
379.600	1.50	1.50	1.50	1.50	1.50
380.100	1.50	1.50	1.50	1.50	1.50
380.600	1.50	1.50	1.50	1.50	1.50
381.100	1.50	1.50	1.50	1.50	1.50
381.600	1.50	1.50	1.50	1.50	1.50
382.100	1.50	1.50	1.50	1.50	1.50
382.600	1.50	1.50	1.50	1.50	1.50
383.100	1.50	1.50	1.50	1.50	1.50
383.600	1.50	1.50	1.50	1.50	1.50
384.100	1.50	1.50	1.50	1.50	1.50
384.600	1.50	1.50	1.50	1.50	1.50
385.100	1.50	1.50	1.50	1.50	1.50
385.600	1.50	1.50	1.50	1.50	1.50
386.100	1.50	1.50	1.50	1.50	1.50
386.600	1.50	1.50	1.50	1.50	1.50
387.100	1.50	1.50	1.50	1.50	1.50
387.600	1.50	1.50	1.50	1.50	1.50
388.100	1.50	1.50	1.50	1.50	1.50
388.600	1.50	1.50	1.50	1.50	1.50
389.100	1.50	1.50	1.50	1.50	1.50
389.600	1.50	1.51	1.51	1.51	1.51
390.100	1.51	1.51	1.51	1.51	1.51
390.600	1.51	1.51	1.51	1.51	1.51
391.100	1.51	1.51	1.51	1.51	1.51
391.600	1.51	1.51	1.51	1.51	1.51
392.100	1.51	1.51	1.51	1.51	1.51
392.600	1.51	1.51	1.51	1.51	1.51
393.100	1.51	1.51	1.51	1.51	1.51

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
393.600	1.51	1.51	1.51	1.51	1.51
394.100	1.51	1.51	1.51	1.51	1.51
394.600	1.51	1.51	1.51	1.51	1.51
395.100	1.51	1.51	1.51	1.51	1.51
395.600	1.51	1.51	1.51	1.51	1.51
396.100	1.51	1.51	1.51	1.51	1.51
396.600	1.51	1.51	1.51	1.51	1.51
397.100	1.51	1.51	1.51	1.51	1.51
397.600	1.51	1.51	1.51	1.51	1.51
398.100	1.51	1.51	1.51	1.51	1.51
398.600	1.51	1.51	1.51	1.51	1.51
399.100	1.51	1.51	1.51	1.51	1.51
399.600	1.51	1.51	1.51	1.51	1.51
400.100	1.51	1.51	1.51	1.51	1.52
400.600	1.52	1.52	1.52	1.52	1.52
401.100	1.52	1.52	1.52	1.52	1.52
401.600	1.52	1.52	1.52	1.52	1.52
402.100	1.52	1.52	1.52	1.52	1.52
402.600	1.52	1.52	1.52	1.52	1.52
403.100	1.52	1.52	1.52	1.52	1.52
403.600	1.52	1.52	1.52	1.52	1.52
404.100	1.52	1.52	1.52	1.52	1.52
404.600	1.52	1.52	1.52	1.52	1.52
405.100	1.52	1.52	1.52	1.52	1.52
405.600	1.52	1.52	1.52	1.52	1.52
406.100	1.52	1.52	1.52	1.52	1.52
406.600	1.52	1.52	1.52	1.52	1.52
407.100	1.52	1.52	1.52	1.52	1.52
407.600	1.52	1.52	1.52	1.52	1.52
408.100	1.52	1.52	1.52	1.52	1.52
408.600	1.52	1.52	1.52	1.52	1.52
409.100	1.52	1.52	1.52	1.52	1.52
409.600	1.52	1.52	1.52	1.52	1.52
410.100	1.52	1.52	1.52	1.52	1.52
410.600	1.52	1.52	1.52	1.52	1.52
411.100	1.53	1.53	1.53	1.53	1.53
411.600	1.53	1.53	1.53	1.53	1.53
412.100	1.53	1.53	1.53	1.53	1.53
412.600	1.53	1.53	1.53	1.53	1.53
413.100	1.53	1.53	1.53	1.53	1.53
413.600	1.53	1.53	1.53	1.53	1.53
414.100	1.53	1.53	1.53	1.53	1.53
414.600	1.53	1.53	1.53	1.53	1.53
415.100	1.53	1.53	1.53	1.53	1.53

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
415.600	1.53	1.53	1.53	1.53	1.53
416.100	1.53	1.53	1.53	1.53	1.53
416.600	1.53	1.53	1.53	1.53	1.53
417.100	1.53	1.53	1.53	1.53	1.53
417.600	1.53	1.53	1.53	1.53	1.53
418.100	1.53	1.53	1.53	1.53	1.53
418.600	1.53	1.53	1.53	1.53	1.53
419.100	1.53	1.53	1.53	1.53	1.53
419.600	1.53	1.53	1.53	1.53	1.53
420.100	1.53	1.53	1.53	1.53	1.53
420.600	1.53	1.53	1.53	1.53	1.53
421.100	1.53	1.53	1.53	1.54	1.54
421.600	1.54	1.54	1.54	1.54	1.54
422.100	1.54	1.54	1.54	1.54	1.54
422.600	1.54	1.54	1.54	1.54	1.54
423.100	1.54	1.54	1.54	1.54	1.54
423.600	1.54	1.54	1.54	1.54	1.54
424.100	1.54	1.54	1.54	1.54	1.54
424.600	1.54	1.54	1.54	1.54	1.54
425.100	1.54	1.54	1.54	1.54	1.54
425.600	1.54	1.54	1.54	1.54	1.54
426.100	1.54	1.54	1.54	1.54	1.54
426.600	1.54	1.54	1.54	1.54	1.54
427.100	1.54	1.54	1.54	1.54	1.54
427.600	1.54	1.54	1.54	1.54	1.54
428.100	1.54	1.54	1.54	1.54	1.54
428.600	1.54	1.54	1.54	1.54	1.54
429.100	1.54	1.54	1.54	1.54	1.54
429.600	1.54	1.54	1.54	1.54	1.54
430.100	1.54	1.54	1.54	1.54	1.54
430.600	1.54	1.54	1.54	1.54	1.54
431.100	1.54	1.54	1.54	1.54	1.54
431.600	1.55	1.55	1.55	1.55	1.55
432.100	1.55	1.55	1.55	1.55	1.55
432.600	1.55	1.55	1.55	1.55	1.55
433.100	1.55	1.55	1.55	1.55	1.55
433.600	1.55	1.55	1.55	1.55	1.55
434.100	1.55	1.55	1.55	1.55	1.55
434.600	1.55	1.55	1.55	1.55	1.55
435.100	1.55	1.55	1.55	1.55	1.55
435.600	1.55	1.55	1.55	1.55	1.55
436.100	1.55	1.55	1.55	1.55	1.55
436.600	1.55	1.55	1.55	1.55	1.55
437.100	1.55	1.55	1.55	1.55	1.55

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
437.600	1.55	1.55	1.55	1.55	1.55
438.100	1.55	1.55	1.55	1.55	1.55
438.600	1.55	1.55	1.55	1.55	1.55
439.100	1.55	1.55	1.55	1.55	1.55
439.600	1.55	1.55	1.55	1.55	1.55
440.100	1.55	1.55	1.55	1.55	1.55
440.600	1.55	1.55	1.55	1.55	1.55
441.100	1.55	1.55	1.55	1.55	1.56
441.600	1.56	1.56	1.56	1.56	1.56
442.100	1.56	1.56	1.56	1.56	1.56
442.600	1.56	1.56	1.56	1.56	1.56
443.100	1.56	1.56	1.56	1.56	1.56
443.600	1.56	1.56	1.56	1.56	1.56
444.100	1.56	1.56	1.56	1.56	1.56
444.600	1.56	1.56	1.56	1.56	1.56
445.100	1.56	1.56	1.56	1.56	1.56
445.600	1.56	1.56	1.56	1.56	1.56
446.100	1.56	1.56	1.56	1.56	1.56
446.600	1.56	1.56	1.56	1.56	1.56
447.100	1.56	1.56	1.56	1.56	1.56
447.600	1.56	1.56	1.56	1.56	1.56
448.100	1.56	1.56	1.56	1.56	1.56
448.600	1.56	1.56	1.56	1.56	1.56
449.100	1.56	1.56	1.56	1.56	1.56
449.600	1.56	1.56	1.56	1.56	1.56
450.100	1.56	1.56	1.56	1.56	1.56
450.600	1.56	1.56	1.56	1.56	1.56
451.100	1.56	1.57	1.57	1.57	1.57
451.600	1.57	1.57	1.57	1.57	1.57
452.100	1.57	1.57	1.57	1.57	1.57
452.600	1.57	1.57	1.57	1.57	1.57
453.100	1.57	1.57	1.57	1.57	1.57
453.600	1.57	1.57	1.57	1.57	1.57
454.100	1.57	1.57	1.57	1.57	1.57
454.600	1.57	1.57	1.57	1.57	1.57
455.100	1.57	1.57	1.57	1.57	1.57
455.600	1.57	1.57	1.57	1.57	1.57
456.100	1.57	1.57	1.57	1.57	1.57
456.600	1.57	1.57	1.57	1.57	1.57
457.100	1.57	1.57	1.57	1.57	1.57
457.600	1.57	1.57	1.57	1.57	1.57
458.100	1.57	1.57	1.57	1.57	1.57
458.600	1.57	1.57	1.57	1.57	1.57
459.100	1.57	1.57	1.57	1.57	1.57

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
459.600	1.57	1.57	1.57	1.57	1.57
460.100	1.57	1.57	1.57	1.57	1.57
460.600	1.57	1.57	1.58	1.58	1.58
461.100	1.58	1.58	1.58	1.58	1.58
461.600	1.58	1.58	1.58	1.58	1.58
462.100	1.58	1.58	1.58	1.58	1.58
462.600	1.58	1.58	1.58	1.58	1.58
463.100	1.58	1.58	1.58	1.58	1.58
463.600	1.58	1.58	1.58	1.58	1.58
464.100	1.58	1.58	1.58	1.58	1.58
464.600	1.58	1.58	1.58	1.58	1.58
465.100	1.58	1.58	1.58	1.58	1.58
465.600	1.58	1.58	1.58	1.58	1.58
466.100	1.58	1.58	1.58	1.58	1.58
466.600	1.58	1.58	1.58	1.58	1.58
467.100	1.58	1.58	1.58	1.58	1.58
467.600	1.58	1.58	1.58	1.58	1.58
468.100	1.58	1.58	1.58	1.58	1.58
468.600	1.58	1.58	1.58	1.58	1.58
469.100	1.58	1.58	1.58	1.58	1.58
469.600	1.58	1.58	1.58	1.58	1.58
470.100	1.59	1.59	1.59	1.59	1.59
470.600	1.59	1.59	1.59	1.59	1.59
471.100	1.59	1.59	1.59	1.59	1.59
471.600	1.59	1.59	1.59	1.59	1.59
472.100	1.59	1.59	1.59	1.59	1.59
472.600	1.59	1.59	1.59	1.59	1.59
473.100	1.59	1.59	1.59	1.59	1.59
473.600	1.59	1.59	1.59	1.59	1.59
474.100	1.59	1.59	1.59	1.59	1.59
474.600	1.59	1.59	1.59	1.59	1.59
475.100	1.59	1.59	1.59	1.59	1.59
475.600	1.59	1.59	1.59	1.59	1.59
476.100	1.59	1.59	1.59	1.59	1.59
476.600	1.59	1.59	1.59	1.59	1.59
477.100	1.59	1.59	1.59	1.59	1.59
477.600	1.59	1.59	1.59	1.59	1.59
478.100	1.59	1.59	1.59	1.59	1.59
478.600	1.59	1.59	1.59	1.59	1.59
479.100	1.59	1.59	1.60	1.60	1.60
479.600	1.60	1.60	1.60	1.60	1.60
480.100	1.60	1.60	1.60	1.60	1.60
480.600	1.60	1.60	1.60	1.60	1.60
481.100	1.60	1.60	1.60	1.60	1.60

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
481.600	1.60	1.60	1.60	1.60	1.60
482.100	1.60	1.60	1.60	1.60	1.60
482.600	1.60	1.60	1.60	1.60	1.60
483.100	1.60	1.60	1.60	1.60	1.60
483.600	1.60	1.60	1.60	1.60	1.60
484.100	1.60	1.60	1.60	1.60	1.60
484.600	1.60	1.60	1.60	1.60	1.60
485.100	1.60	1.60	1.60	1.60	1.60
485.600	1.60	1.60	1.60	1.60	1.60
486.100	1.60	1.60	1.60	1.60	1.60
486.600	1.60	1.60	1.60	1.60	1.60
487.100	1.60	1.60	1.60	1.60	1.60
487.600	1.60	1.60	1.60	1.60	1.60
488.100	1.60	1.60	1.61	1.61	1.61
488.600	1.61	1.61	1.61	1.61	1.61
489.100	1.61	1.61	1.61	1.61	1.61
489.600	1.61	1.61	1.61	1.61	1.61
490.100	1.61	1.61	1.61	1.61	1.61
490.600	1.61	1.61	1.61	1.61	1.61
491.100	1.61	1.61	1.61	1.61	1.61
491.600	1.61	1.61	1.61	1.61	1.61
492.100	1.61	1.61	1.61	1.61	1.61
492.600	1.61	1.61	1.61	1.61	1.61
493.100	1.61	1.61	1.61	1.61	1.61
493.600	1.61	1.61	1.61	1.61	1.61
494.100	1.61	1.61	1.61	1.61	1.61
494.600	1.61	1.61	1.61	1.61	1.61
495.100	1.61	1.61	1.61	1.61	1.61
495.600	1.61	1.61	1.61	1.61	1.61
496.100	1.61	1.61	1.61	1.61	1.61
496.600	1.61	1.61	1.61	1.61	1.61
497.100	1.62	1.62	1.62	1.62	1.62
497.600	1.62	1.62	1.62	1.62	1.62
498.100	1.62	1.62	1.62	1.62	1.62
498.600	1.62	1.62	1.62	1.62	1.62
499.100	1.62	1.62	1.62	1.62	1.62
499.600	1.62	1.62	1.62	1.62	1.62
500.100	1.62	1.62	1.62	1.62	1.62
500.600	1.62	1.62	1.62	1.62	1.62
501.100	1.62	1.62	1.62	1.62	1.62
501.600	1.62	1.62	1.62	1.62	1.62
502.100	1.62	1.62	1.62	1.62	1.62
502.600	1.62	1.62	1.62	1.62	1.62
503.100	1.62	1.62	1.62	1.62	1.62

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
503.600	1.62	1.62	1.62	1.62	1.62
504.100	1.62	1.62	1.62	1.62	1.62
504.600	1.62	1.62	1.62	1.62	1.62
505.100	1.62	1.62	1.62	1.62	1.62
505.600	1.62	1.62	1.63	1.63	1.63
506.100	1.63	1.63	1.63	1.63	1.63
506.600	1.63	1.63	1.63	1.63	1.63
507.100	1.63	1.63	1.63	1.63	1.63
507.600	1.63	1.63	1.63	1.63	1.63
508.100	1.63	1.63	1.63	1.63	1.63
508.600	1.63	1.63	1.63	1.63	1.63
509.100	1.63	1.63	1.63	1.63	1.63
509.600	1.63	1.63	1.63	1.63	1.63
510.100	1.63	1.63	1.63	1.63	1.63
510.600	1.63	1.63	1.63	1.63	1.63
511.100	1.63	1.63	1.63	1.63	1.63
511.600	1.63	1.63	1.63	1.63	1.63
512.100	1.63	1.63	1.63	1.63	1.63
512.600	1.63	1.63	1.63	1.63	1.63
513.100	1.63	1.63	1.63	1.63	1.63
513.600	1.63	1.63	1.63	1.63	1.63
514.100	1.63	1.63	1.64	1.64	1.64
514.600	1.64	1.64	1.64	1.64	1.64
515.100	1.64	1.64	1.64	1.64	1.64
515.600	1.64	1.64	1.64	1.64	1.64
516.100	1.64	1.64	1.64	1.64	1.64
516.600	1.64	1.64	1.64	1.64	1.64
517.100	1.64	1.64	1.64	1.64	1.64
517.600	1.64	1.64	1.64	1.64	1.64
518.100	1.64	1.64	1.64	1.64	1.64
518.600	1.64	1.64	1.64	1.64	1.64
519.100	1.64	1.64	1.64	1.64	1.64
519.600	1.64	1.64	1.64	1.64	1.64
520.100	1.64	1.64	1.64	1.64	1.64
520.600	1.64	1.64	1.64	1.64	1.64
521.100	1.64	1.64	1.64	1.64	1.64
521.600	1.64	1.64	1.64	1.64	1.64
522.100	1.64	1.64	1.64	1.64	1.64
522.600	1.64	1.64	1.64	1.65	1.65
523.100	1.65	1.65	1.65	1.65	1.65
523.600	1.65	1.65	1.65	1.65	1.65
524.100	1.65	1.65	1.65	1.65	1.65
524.600	1.65	1.65	1.65	1.65	1.65
525.100	1.65	1.65	1.65	1.65	1.65

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
525.600	1.65	1.65	1.65	1.65	1.65
526.100	1.65	1.65	1.65	1.65	1.65
526.600	1.65	1.65	1.65	1.65	1.65
527.100	1.65	1.65	1.65	1.65	1.65
527.600	1.65	1.65	1.65	1.65	1.65
528.100	1.65	1.65	1.65	1.65	1.65
528.600	1.65	1.65	1.65	1.65	1.65
529.100	1.65	1.65	1.65	1.65	1.65
529.600	1.65	1.65	1.65	1.65	1.65
530.100	1.65	1.65	1.65	1.65	1.65
530.600	1.65	1.65	1.65	1.65	1.65
531.100	1.66	1.66	1.66	1.66	1.66
531.600	1.66	1.66	1.66	1.66	1.66
532.100	1.66	1.66	1.66	1.66	1.66
532.600	1.66	1.66	1.66	1.66	1.66
533.100	1.66	1.66	1.66	1.66	1.66
533.600	1.66	1.66	1.66	1.66	1.66
534.100	1.66	1.66	1.66	1.66	1.66
534.600	1.66	1.66	1.66	1.66	1.66
535.100	1.66	1.66	1.66	1.66	1.66
535.600	1.66	1.66	1.66	1.66	1.66
536.100	1.66	1.66	1.66	1.66	1.66
536.600	1.66	1.66	1.66	1.66	1.66
537.100	1.66	1.66	1.66	1.66	1.66
537.600	1.66	1.66	1.66	1.66	1.66
538.100	1.66	1.66	1.66	1.66	1.66
538.600	1.66	1.66	1.66	1.66	1.66
539.100	1.67	1.67	1.67	1.67	1.67
539.600	1.67	1.67	1.67	1.67	1.67
540.100	1.67	1.67	1.67	1.67	1.67
540.600	1.67	1.67	1.67	1.67	1.67
541.100	1.67	1.67	1.67	1.67	1.67
541.600	1.67	1.67	1.67	1.67	1.67
542.100	1.67	1.67	1.67	1.67	1.67
542.600	1.67	1.67	1.67	1.67	1.67
543.100	1.67	1.67	1.67	1.67	1.67
543.600	1.67	1.67	1.67	1.67	1.67
544.100	1.67	1.67	1.67	1.67	1.67
544.600	1.67	1.67	1.67	1.67	1.67
545.100	1.67	1.67	1.67	1.67	1.67
545.600	1.67	1.67	1.67	1.67	1.67
546.100	1.67	1.67	1.67	1.67	1.67
546.600	1.67	1.67	1.67	1.67	1.68
547.100	1.68	1.68	1.68	1.68	1.68

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
547.600	1.68	1.68	1.68	1.68	1.68
548.100	1.68	1.68	1.68	1.68	1.68
548.600	1.68	1.68	1.68	1.68	1.68
549.100	1.68	1.68	1.68	1.68	1.68
549.600	1.68	1.68	1.68	1.68	1.68
550.100	1.68	1.68	1.68	1.68	1.68
550.600	1.68	1.68	1.68	1.68	1.68
551.100	1.68	1.68	1.68	1.68	1.68
551.600	1.68	1.68	1.68	1.68	1.68
552.100	1.68	1.68	1.68	1.68	1.68
552.600	1.68	1.68	1.68	1.68	1.68
553.100	1.68	1.68	1.68	1.68	1.68
553.600	1.68	1.68	1.68	1.68	1.68
554.100	1.68	1.68	1.68	1.68	1.68
554.600	1.68	1.69	1.69	1.69	1.69
555.100	1.69	1.69	1.69	1.69	1.69
555.600	1.69	1.69	1.69	1.69	1.69
556.100	1.69	1.69	1.69	1.69	1.69
556.600	1.69	1.69	1.69	1.69	1.69
557.100	1.69	1.69	1.69	1.69	1.69
557.600	1.69	1.69	1.69	1.69	1.69
558.100	1.69	1.69	1.69	1.69	1.69
558.600	1.69	1.69	1.69	1.69	1.69
559.100	1.69	1.69	1.69	1.69	1.69
559.600	1.69	1.69	1.69	1.69	1.69
560.100	1.69	1.69	1.69	1.69	1.69
560.600	1.69	1.69	1.69	1.69	1.69
561.100	1.69	1.69	1.69	1.69	1.69
561.600	1.69	1.69	1.69	1.69	1.69
562.100	1.69	1.69	1.70	1.70	1.70
562.600	1.70	1.70	1.70	1.70	1.70
563.100	1.70	1.70	1.70	1.70	1.70
563.600	1.70	1.70	1.70	1.70	1.70
564.100	1.70	1.70	1.70	1.70	1.70
564.600	1.70	1.70	1.70	1.70	1.70
565.100	1.70	1.70	1.70	1.70	1.70
565.600	1.70	1.70	1.70	1.70	1.70
566.100	1.70	1.70	1.70	1.70	1.70
566.600	1.70	1.70	1.70	1.70	1.70
567.100	1.70	1.70	1.70	1.70	1.70
567.600	1.70	1.70	1.70	1.70	1.70
568.100	1.70	1.70	1.70	1.70	1.70
568.600	1.70	1.70	1.70	1.70	1.70
569.100	1.70	1.70	1.70	1.70	1.70

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
569.600	1.70	1.70	1.71	1.71	1.71
570.100	1.71	1.71	1.71	1.71	1.71
570.600	1.71	1.71	1.71	1.71	1.71
571.100	1.71	1.71	1.71	1.71	1.71
571.600	1.71	1.71	1.71	1.71	1.71
572.100	1.71	1.71	1.71	1.71	1.71
572.600	1.71	1.71	1.71	1.71	1.71
573.100	1.71	1.71	1.71	1.71	1.71
573.600	1.71	1.71	1.71	1.71	1.71
574.100	1.71	1.71	1.71	1.71	1.71
574.600	1.71	1.71	1.71	1.71	1.71
575.100	1.71	1.71	1.71	1.71	1.71
575.600	1.71	1.71	1.71	1.71	1.71
576.100	1.71	1.71	1.71	1.71	1.71
576.600	1.71	1.71	1.71	1.71	1.71
577.100	1.72	1.72	1.72	1.72	1.72
577.600	1.72	1.72	1.72	1.72	1.72
578.100	1.72	1.72	1.72	1.72	1.72
578.600	1.72	1.72	1.72	1.72	1.72
579.100	1.72	1.72	1.72	1.72	1.72
579.600	1.72	1.72	1.72	1.72	1.72
580.100	1.72	1.72	1.72	1.72	1.72
580.600	1.72	1.72	1.72	1.72	1.72
581.100	1.72	1.72	1.72	1.72	1.72
581.600	1.72	1.72	1.72	1.72	1.72
582.100	1.72	1.72	1.72	1.72	1.72
582.600	1.72	1.72	1.72	1.72	1.72
583.100	1.72	1.72	1.72	1.72	1.72
583.600	1.72	1.72	1.72	1.72	1.72
584.100	1.72	1.73	1.73	1.73	1.73
584.600	1.73	1.73	1.73	1.73	1.73
585.100	1.73	1.73	1.73	1.73	1.73
585.600	1.73	1.73	1.73	1.73	1.73
586.100	1.73	1.73	1.73	1.73	1.73
586.600	1.73	1.73	1.73	1.73	1.73
587.100	1.73	1.73	1.73	1.73	1.73
587.600	1.73	1.73	1.73	1.73	1.73
588.100	1.73	1.73	1.73	1.73	1.73
588.600	1.73	1.73	1.73	1.73	1.73
589.100	1.73	1.73	1.73	1.73	1.73
589.600	1.73	1.73	1.73	1.73	1.73
590.100	1.73	1.73	1.73	1.73	1.73
590.600	1.73	1.73	1.73	1.73	1.73
591.100	1.73	1.73	1.74	1.74	1.74

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
591.600	1.74	1.74	1.74	1.74	1.74
592.100	1.74	1.74	1.74	1.74	1.74
592.600	1.74	1.74	1.74	1.74	1.74
593.100	1.74	1.74	1.74	1.74	1.74
593.600	1.74	1.74	1.74	1.74	1.74
594.100	1.74	1.74	1.74	1.74	1.74
594.600	1.74	1.74	1.74	1.74	1.74
595.100	1.74	1.74	1.74	1.74	1.74
595.600	1.74	1.74	1.74	1.74	1.74
596.100	1.74	1.74	1.74	1.74	1.74
596.600	1.74	1.74	1.74	1.74	1.74
597.100	1.74	1.74	1.74	1.74	1.74
597.600	1.74	1.74	1.74	1.74	1.74
598.100	1.74	1.75	1.75	1.75	1.75
598.600	1.75	1.75	1.75	1.75	1.75
599.100	1.75	1.75	1.75	1.75	1.75
599.600	1.75	1.75	1.75	1.75	1.75
600.100	1.75	1.75	1.75	1.75	1.75
600.600	1.75	1.75	1.75	1.75	1.75
601.100	1.75	1.75	1.75	1.75	1.75
601.600	1.75	1.75	1.75	1.75	1.75
602.100	1.75	1.75	1.75	1.75	1.75
602.600	1.75	1.75	1.75	1.75	1.75
603.100	1.75	1.75	1.75	1.75	1.75
603.600	1.75	1.75	1.75	1.75	1.75
604.100	1.75	1.75	1.75	1.75	1.75
604.600	1.75	1.75	1.75	1.75	1.76
605.100	1.76	1.76	1.76	1.76	1.76
605.600	1.76	1.76	1.76	1.76	1.76
606.100	1.76	1.76	1.76	1.76	1.76
606.600	1.76	1.76	1.76	1.76	1.76
607.100	1.76	1.76	1.76	1.76	1.76
607.600	1.76	1.76	1.76	1.76	1.76
608.100	1.76	1.76	1.76	1.76	1.76
608.600	1.76	1.76	1.76	1.76	1.76
609.100	1.76	1.76	1.76	1.76	1.76
609.600	1.76	1.76	1.76	1.76	1.76
610.100	1.76	1.76	1.76	1.76	1.76
610.600	1.76	1.76	1.76	1.76	1.76
611.100	1.76	1.76	1.76	1.76	1.76
611.600	1.76	1.77	1.77	1.77	1.77
612.100	1.77	1.77	1.77	1.77	1.77
612.600	1.77	1.77	1.77	1.77	1.77
613.100	1.77	1.77	1.77	1.77	1.77

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
613.600	1.77	1.77	1.77	1.77	1.77
614.100	1.77	1.77	1.77	1.77	1.77
614.600	1.77	1.77	1.77	1.77	1.77
615.100	1.77	1.77	1.77	1.77	1.77
615.600	1.77	1.77	1.77	1.77	1.77
616.100	1.77	1.77	1.77	1.77	1.77
616.600	1.77	1.77	1.77	1.77	1.77
617.100	1.77	1.77	1.77	1.77	1.77
617.600	1.77	1.77	1.77	1.77	1.77
618.100	1.77	1.78	1.78	1.78	1.78
618.600	1.78	1.78	1.78	1.78	1.78
619.100	1.78	1.78	1.78	1.78	1.78
619.600	1.78	1.78	1.78	1.78	1.78
620.100	1.78	1.78	1.78	1.78	1.78
620.600	1.78	1.78	1.78	1.78	1.78
621.100	1.78	1.78	1.78	1.78	1.78
621.600	1.78	1.78	1.78	1.78	1.78
622.100	1.78	1.78	1.78	1.78	1.78
622.600	1.78	1.78	1.78	1.78	1.78
623.100	1.78	1.78	1.78	1.78	1.78
623.600	1.78	1.78	1.78	1.78	1.78
624.100	1.78	1.78	1.78	1.78	1.78
624.600	1.78	1.79	1.79	1.79	1.79
625.100	1.79	1.79	1.79	1.79	1.79
625.600	1.79	1.79	1.79	1.79	1.79
626.100	1.79	1.79	1.79	1.79	1.79
626.600	1.79	1.79	1.79	1.79	1.79
627.100	1.79	1.79	1.79	1.79	1.79
627.600	1.79	1.79	1.79	1.79	1.79
628.100	1.79	1.79	1.79	1.79	1.79
628.600	1.79	1.79	1.79	1.79	1.79
629.100	1.79	1.79	1.79	1.79	1.79
629.600	1.79	1.79	1.79	1.79	1.79
630.100	1.79	1.79	1.79	1.79	1.79
630.600	1.79	1.79	1.79	1.79	1.80
631.100	1.80	1.80	1.80	1.80	1.80
631.600	1.80	1.80	1.80	1.80	1.80
632.100	1.80	1.80	1.80	1.80	1.80
632.600	1.80	1.80	1.80	1.80	1.80
633.100	1.80	1.80	1.80	1.80	1.80
633.600	1.80	1.80	1.80	1.80	1.80
634.100	1.80	1.80	1.80	1.80	1.80
634.600	1.80	1.80	1.80	1.80	1.80
635.100	1.80	1.80	1.80	1.80	1.80

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
635.600	1.80	1.80	1.80	1.80	1.80
636.100	1.80	1.80	1.80	1.80	1.80
636.600	1.80	1.80	1.80	1.80	1.80
637.100	1.80	1.81	1.81	1.81	1.81
637.600	1.81	1.81	1.81	1.81	1.81
638.100	1.81	1.81	1.81	1.81	1.81
638.600	1.81	1.81	1.81	1.81	1.81
639.100	1.81	1.81	1.81	1.81	1.81
639.600	1.81	1.81	1.81	1.81	1.81
640.100	1.81	1.81	1.81	1.81	1.81
640.600	1.81	1.81	1.81	1.81	1.81
641.100	1.81	1.81	1.81	1.81	1.81
641.600	1.81	1.81	1.81	1.81	1.81
642.100	1.81	1.81	1.81	1.81	1.81
642.600	1.81	1.81	1.81	1.81	1.81
643.100	1.81	1.81	1.81	1.82	1.82
643.600	1.82	1.82	1.82	1.82	1.82
644.100	1.82	1.82	1.82	1.82	1.82
644.600	1.82	1.82	1.82	1.82	1.82
645.100	1.82	1.82	1.82	1.82	1.82
645.600	1.82	1.82	1.82	1.82	1.82
646.100	1.82	1.82	1.82	1.82	1.82
646.600	1.82	1.82	1.82	1.82	1.82
647.100	1.82	1.82	1.82	1.82	1.82
647.600	1.82	1.82	1.82	1.82	1.82
648.100	1.82	1.82	1.82	1.82	1.82
648.600	1.82	1.82	1.82	1.82	1.82
649.100	1.82	1.82	1.82	1.83	1.83
649.600	1.83	1.83	1.83	1.83	1.83
650.100	1.83	1.83	1.83	1.83	1.83
650.600	1.83	1.83	1.83	1.83	1.83
651.100	1.83	1.83	1.83	1.83	1.83
651.600	1.83	1.83	1.83	1.83	1.83
652.100	1.83	1.83	1.83	1.83	1.83
652.600	1.83	1.83	1.83	1.83	1.83
653.100	1.83	1.83	1.83	1.83	1.83
653.600	1.83	1.83	1.83	1.83	1.83
654.100	1.83	1.83	1.83	1.83	1.83
654.600	1.83	1.83	1.83	1.83	1.83
655.100	1.83	1.83	1.84	1.84	1.84
655.600	1.84	1.84	1.84	1.84	1.84
656.100	1.84	1.84	1.84	1.84	1.84
656.600	1.84	1.84	1.84	1.84	1.84
657.100	1.84	1.84	1.84	1.84	1.84

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
657.600	1.84	1.84	1.84	1.84	1.84
658.100	1.84	1.84	1.84	1.84	1.84
658.600	1.84	1.84	1.84	1.84	1.84
659.100	1.84	1.84	1.84	1.84	1.84
659.600	1.84	1.84	1.84	1.84	1.84
660.100	1.84	1.84	1.84	1.84	1.84
660.600	1.84	1.84	1.84	1.84	1.84
661.100	1.85	1.85	1.85	1.85	1.85
661.600	1.85	1.85	1.85	1.85	1.85
662.100	1.85	1.85	1.85	1.85	1.85
662.600	1.85	1.85	1.85	1.85	1.85
663.100	1.85	1.85	1.85	1.85	1.85
663.600	1.85	1.85	1.85	1.85	1.85
664.100	1.85	1.85	1.85	1.85	1.85
664.600	1.85	1.85	1.85	1.85	1.85
665.100	1.85	1.85	1.85	1.85	1.85
665.600	1.85	1.85	1.85	1.85	1.85
666.100	1.85	1.85	1.85	1.85	1.85
666.600	1.85	1.85	1.86	1.86	1.86
667.100	1.86	1.86	1.86	1.86	1.86
667.600	1.86	1.86	1.86	1.86	1.86
668.100	1.86	1.86	1.86	1.86	1.86
668.600	1.86	1.86	1.86	1.86	1.86
669.100	1.86	1.86	1.86	1.86	1.86
669.600	1.86	1.86	1.86	1.86	1.86
670.100	1.86	1.86	1.86	1.86	1.86
670.600	1.86	1.86	1.86	1.86	1.86
671.100	1.86	1.86	1.86	1.86	1.86
671.600	1.86	1.86	1.86	1.86	1.86
672.100	1.86	1.86	1.86	1.87	1.87
672.600	1.87	1.87	1.87	1.87	1.87
673.100	1.87	1.87	1.87	1.87	1.87
673.600	1.87	1.87	1.87	1.87	1.87
674.100	1.87	1.87	1.87	1.87	1.87
674.600	1.87	1.87	1.87	1.87	1.87
675.100	1.87	1.87	1.87	1.87	1.87
675.600	1.87	1.87	1.87	1.87	1.87
676.100	1.87	1.87	1.87	1.87	1.87
676.600	1.87	1.87	1.87	1.87	1.87
677.100	1.87	1.87	1.87	1.87	1.87
677.600	1.87	1.87	1.87	1.88	1.88
678.100	1.88	1.88	1.88	1.88	1.88
678.600	1.88	1.88	1.88	1.88	1.88
679.100	1.88	1.88	1.88	1.88	1.88

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
679.600	1.88	1.88	1.88	1.88	1.88
680.100	1.88	1.88	1.88	1.88	1.88
680.600	1.88	1.88	1.88	1.88	1.88
681.100	1.88	1.88	1.88	1.88	1.88
681.600	1.88	1.88	1.88	1.88	1.88
682.100	1.88	1.88	1.88	1.88	1.88
682.600	1.88	1.88	1.88	1.88	1.88
683.100	1.88	1.88	1.88	1.89	1.89
683.600	1.89	1.89	1.89	1.89	1.89
684.100	1.89	1.89	1.89	1.89	1.89
684.600	1.89	1.89	1.89	1.89	1.89
685.100	1.89	1.89	1.89	1.89	1.89
685.600	1.89	1.89	1.89	1.89	1.89
686.100	1.89	1.89	1.89	1.89	1.89
686.600	1.89	1.89	1.89	1.89	1.89
687.100	1.89	1.89	1.89	1.89	1.89
687.600	1.89	1.89	1.89	1.89	1.89
688.100	1.89	1.89	1.89	1.89	1.89
688.600	1.89	1.90	1.90	1.90	1.90
689.100	1.90	1.90	1.90	1.90	1.90
689.600	1.90	1.90	1.90	1.90	1.90
690.100	1.90	1.90	1.90	1.90	1.90
690.600	1.90	1.90	1.90	1.90	1.90
691.100	1.90	1.90	1.90	1.90	1.90
691.600	1.90	1.90	1.90	1.90	1.90
692.100	1.90	1.90	1.90	1.90	1.90
692.600	1.90	1.90	1.90	1.90	1.90
693.100	1.90	1.90	1.90	1.90	1.90
693.600	1.90	1.90	1.90	1.90	1.91
694.100	1.91	1.91	1.91	1.91	1.91
694.600	1.91	1.91	1.91	1.91	1.91
695.100	1.91	1.91	1.91	1.91	1.91
695.600	1.91	1.91	1.91	1.91	1.91
696.100	1.91	1.91	1.91	1.91	1.91
696.600	1.91	1.91	1.91	1.91	1.91
697.100	1.91	1.91	1.91	1.91	1.91
697.600	1.91	1.91	1.91	1.91	1.91
698.100	1.91	1.91	1.91	1.91	1.91
698.600	1.91	1.91	1.91	1.91	1.91
699.100	1.91	1.91	1.92	1.92	1.92
699.600	1.92	1.92	1.92	1.92	1.92
700.100	1.92	1.92	1.92	1.92	1.92
700.600	1.92	1.92	1.92	1.92	1.92
701.100	1.92	1.92	1.92	1.92	1.92

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
701.600	1.92	1.92	1.92	1.92	1.92
702.100	1.92	1.92	1.92	1.92	1.92
702.600	1.92	1.92	1.92	1.92	1.92
703.100	1.92	1.92	1.92	1.92	1.92
703.600	1.92	1.92	1.92	1.92	1.92
704.100	1.92	1.92	1.92	1.92	1.93
704.600	1.93	1.93	1.93	1.93	1.93
705.100	1.93	1.93	1.93	1.93	1.93
705.600	1.93	1.93	1.93	1.93	1.93
706.100	1.93	1.93	1.93	1.93	1.93
706.600	1.93	1.93	1.93	1.93	1.93
707.100	1.93	1.93	1.93	1.93	1.93
707.600	1.93	1.93	1.93	1.93	1.93
708.100	1.93	1.93	1.93	1.93	1.93
708.600	1.93	1.93	1.93	1.93	1.93
709.100	1.93	1.93	1.93	1.93	1.94
709.600	1.94	1.94	1.94	1.94	1.94
710.100	1.94	1.94	1.94	1.94	1.94
710.600	1.94	1.94	1.94	1.94	1.94
711.100	1.94	1.94	1.94	1.94	1.94
711.600	1.94	1.94	1.94	1.94	1.94
712.100	1.94	1.94	1.94	1.94	1.94
712.600	1.94	1.94	1.94	1.94	1.94
713.100	1.94	1.94	1.94	1.94	1.94
713.600	1.94	1.94	1.94	1.94	1.94
714.100	1.94	1.94	1.94	1.94	1.95
714.600	1.95	1.95	1.95	1.95	1.95
715.100	1.95	1.95	1.95	1.95	1.95
715.600	1.95	1.95	1.95	1.95	1.95
716.100	1.95	1.95	1.95	1.95	1.95
716.600	1.95	1.95	1.95	1.95	1.95
717.100	1.95	1.95	1.95	1.95	1.95
717.600	1.95	1.95	1.95	1.95	1.95
718.100	1.95	1.95	1.95	1.95	1.95
718.600	1.95	1.95	1.95	1.95	1.95
719.100	1.95	1.95	1.96	1.96	1.96
719.600	1.96	1.96	1.96	1.96	1.96
720.100	1.96	1.96	1.96	1.96	1.96
720.600	1.96	1.96	1.96	1.96	1.96
721.100	1.96	1.96	1.96	1.96	1.96
721.600	1.96	1.96	1.96	1.96	1.96
722.100	1.96	1.96	1.96	1.96	1.96
722.600	1.96	1.96	1.96	1.96	1.96
723.100	1.96	1.96	1.96	1.96	1.96

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
723.600	1.96	1.96	1.96	1.96	1.96
724.100	1.97	1.97	1.97	1.97	1.97
724.600	1.97	1.97	1.97	1.97	1.97
725.100	1.97	1.97	1.97	1.97	1.97
725.600	1.97	1.97	1.97	1.97	1.97
726.100	1.97	1.97	1.97	1.97	1.97
726.600	1.97	1.97	1.97	1.97	1.97
727.100	1.97	1.97	1.97	1.97	1.97
727.600	1.97	1.97	1.97	1.97	1.97
728.100	1.97	1.97	1.97	1.97	1.97
728.600	1.97	1.97	1.98	1.98	1.98
729.100	1.98	1.98	1.98	1.98	1.98
729.600	1.98	1.98	1.98	1.98	1.98
730.100	1.98	1.98	1.98	1.98	1.98
730.600	1.98	1.98	1.98	1.98	1.98
731.100	1.98	1.98	1.98	1.98	1.98
731.600	1.98	1.98	1.98	1.98	1.98
732.100	1.98	1.98	1.98	1.98	1.98
732.600	1.98	1.98	1.98	1.98	1.98
733.100	1.98	1.98	1.98	1.99	1.99
733.600	1.99	1.99	1.99	1.99	1.99
734.100	1.99	1.99	1.99	1.99	1.99
734.600	1.99	1.99	1.99	1.99	1.99
735.100	1.99	1.99	1.99	1.99	1.99
735.600	1.99	1.99	1.99	1.99	1.99
736.100	1.99	1.99	1.99	1.99	1.99
736.600	1.99	1.99	1.99	1.99	1.99
737.100	1.99	1.99	1.99	1.99	1.99
737.600	1.99	1.99	1.99	2.00	2.00
738.100	2.00	2.00	2.00	2.00	2.00
738.600	2.00	2.00	2.00	2.00	2.00
739.100	2.00	2.00	2.00	2.00	2.00
739.600	2.00	2.00	2.00	2.00	2.00
740.100	2.00	2.00	2.00	2.00	2.00
740.600	2.00	2.00	2.00	2.00	2.00
741.100	2.00	2.00	2.00	2.00	2.00
741.600	2.00	2.00	2.00	2.00	2.00
742.100	2.00	2.00	2.00	2.01	2.01
742.600	2.01	2.01	2.01	2.01	2.01
743.100	2.01	2.01	2.01	2.01	2.01
743.600	2.01	2.01	2.01	2.01	2.01
744.100	2.01	2.01	2.01	2.01	2.01
744.600	2.01	2.01	2.01	2.01	2.01
745.100	2.01	2.01	2.01	2.01	2.01

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
745.600	2.01	2.01	2.01	2.01	2.01
746.100	2.01	2.01	2.01	2.01	2.01
746.600	2.01	2.01	2.02	2.02	2.02
747.100	2.02	2.02	2.02	2.02	2.02
747.600	2.02	2.02	2.02	2.02	2.02
748.100	2.02	2.02	2.02	2.02	2.02
748.600	2.02	2.02	2.02	2.02	2.02
749.100	2.02	2.02	2.02	2.02	2.02
749.600	2.02	2.02	2.02	2.02	2.02
750.100	2.02	2.02	2.02	2.02	2.02
750.600	2.02	2.02	2.02	2.02	2.02
751.100	2.02	2.03	2.03	2.03	2.03
751.600	2.03	2.03	2.03	2.03	2.03
752.100	2.03	2.03	2.03	2.03	2.03
752.600	2.03	2.03	2.03	2.03	2.03
753.100	2.03	2.03	2.03	2.03	2.03
753.600	2.03	2.03	2.03	2.03	2.03
754.100	2.03	2.03	2.03	2.03	2.03
754.600	2.03	2.03	2.03	2.03	2.03
755.100	2.03	2.03	2.03	2.04	2.04
755.600	2.04	2.04	2.04	2.04	2.04
756.100	2.04	2.04	2.04	2.04	2.04
756.600	2.04	2.04	2.04	2.04	2.04
757.100	2.04	2.04	2.04	2.04	2.04
757.600	2.04	2.04	2.04	2.04	2.04
758.100	2.04	2.04	2.04	2.04	2.04
758.600	2.04	2.04	2.04	2.04	2.04
759.100	2.04	2.04	2.04	2.04	2.04
759.600	2.05	2.05	2.05	2.05	2.05
760.100	2.05	2.05	2.05	2.05	2.05
760.600	2.05	2.05	2.05	2.05	2.05
761.100	2.05	2.05	2.05	2.05	2.05
761.600	2.05	2.05	2.05	2.05	2.05
762.100	2.05	2.05	2.05	2.05	2.05
762.600	2.05	2.05	2.05	2.05	2.05
763.100	2.05	2.05	2.05	2.05	2.05
763.600	2.05	2.05	2.06	2.06	2.06
764.100	2.06	2.06	2.06	2.06	2.06
764.600	2.06	2.06	2.06	2.06	2.06
765.100	2.06	2.06	2.06	2.06	2.06
765.600	2.06	2.06	2.06	2.06	2.06
766.100	2.06	2.06	2.06	2.06	2.06
766.600	2.06	2.06	2.06	2.06	2.06
767.100	2.06	2.06	2.06	2.06	2.06

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
767.600	2.06	2.06	2.06	2.07	2.07
768.100	2.07	2.07	2.07	2.07	2.07
768.600	2.07	2.07	2.07	2.07	2.07
769.100	2.07	2.07	2.07	2.07	2.07
769.600	2.07	2.07	2.07	2.07	2.07
770.100	2.07	2.07	2.07	2.07	2.07
770.600	2.07	2.07	2.07	2.07	2.07
771.100	2.07	2.07	2.07	2.07	2.07
771.600	2.07	2.07	2.07	2.08	2.08
772.100	2.08	2.08	2.08	2.08	2.08
772.600	2.08	2.08	2.08	2.08	2.08
773.100	2.08	2.08	2.08	2.08	2.08
773.600	2.08	2.08	2.08	2.08	2.08
774.100	2.08	2.08	2.08	2.08	2.08
774.600	2.08	2.08	2.08	2.08	2.08
775.100	2.08	2.08	2.08	2.08	2.08
775.600	2.08	2.08	2.08	2.09	2.09
776.100	2.09	2.09	2.09	2.09	2.09
776.600	2.09	2.09	2.09	2.09	2.09
777.100	2.09	2.09	2.09	2.09	2.09
777.600	2.09	2.09	2.09	2.09	2.09
778.100	2.09	2.09	2.09	2.09	2.09
778.600	2.09	2.09	2.09	2.09	2.09
779.100	2.09	2.09	2.09	2.09	2.09
779.600	2.09	2.09	2.10	2.10	2.10
780.100	2.10	2.10	2.10	2.10	2.10
780.600	2.10	2.10	2.10	2.10	2.10
781.100	2.10	2.10	2.10	2.10	2.10
781.600	2.10	2.10	2.10	2.10	2.10
782.100	2.10	2.10	2.10	2.10	2.10
782.600	2.10	2.10	2.10	2.10	2.10
783.100	2.10	2.10	2.10	2.10	2.10
783.600	2.11	2.11	2.11	2.11	2.11
784.100	2.11	2.11	2.11	2.11	2.11
784.600	2.11	2.11	2.11	2.11	2.11
785.100	2.11	2.11	2.11	2.11	2.11
785.600	2.11	2.11	2.11	2.11	2.11
786.100	2.11	2.11	2.11	2.11	2.11
786.600	2.11	2.11	2.11	2.11	2.11
787.100	2.11	2.11	2.11	2.12	2.12
787.600	2.12	2.12	2.12	2.12	2.12
788.100	2.12	2.12	2.12	2.12	2.12
788.600	2.12	2.12	2.12	2.12	2.12
789.100	2.12	2.12	2.12	2.12	2.12

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
789.600	2.12	2.12	2.12	2.12	2.12
790.100	2.12	2.12	2.12	2.12	2.12
790.600	2.12	2.12	2.12	2.12	2.12
791.100	2.13	2.13	2.13	2.13	2.13
791.600	2.13	2.13	2.13	2.13	2.13
792.100	2.13	2.13	2.13	2.13	2.13
792.600	2.13	2.13	2.13	2.13	2.13
793.100	2.13	2.13	2.13	2.13	2.13
793.600	2.13	2.13	2.13	2.13	2.13
794.100	2.13	2.13	2.13	2.13	2.13
794.600	2.13	2.13	2.14	2.14	2.14
795.100	2.14	2.14	2.14	2.14	2.14
795.600	2.14	2.14	2.14	2.14	2.14
796.100	2.14	2.14	2.14	2.14	2.14
796.600	2.14	2.14	2.14	2.14	2.14
797.100	2.14	2.14	2.14	2.14	2.14
797.600	2.14	2.14	2.14	2.14	2.14
798.100	2.14	2.14	2.14	2.15	2.15
798.600	2.15	2.15	2.15	2.15	2.15
799.100	2.15	2.15	2.15	2.15	2.15
799.600	2.15	2.15	2.15	2.15	2.15
800.100	2.15	2.15	2.15	2.15	2.15
800.600	2.15	2.15	2.15	2.15	2.15
801.100	2.15	2.15	2.15	2.15	2.15
801.600	2.15	2.15	2.15	2.15	2.16
802.100	2.16	2.16	2.16	2.16	2.16
802.600	2.16	2.16	2.16	2.16	2.16
803.100	2.16	2.16	2.16	2.16	2.16
803.600	2.16	2.16	2.16	2.16	2.16
804.100	2.16	2.16	2.16	2.16	2.16
804.600	2.16	2.16	2.16	2.16	2.16
805.100	2.16	2.16	2.16	2.16	2.17
805.600	2.17	2.17	2.17	2.17	2.17
806.100	2.17	2.17	2.17	2.17	2.17
806.600	2.17	2.17	2.17	2.17	2.17
807.100	2.17	2.17	2.17	2.17	2.17
807.600	2.17	2.17	2.17	2.17	2.17
808.100	2.17	2.17	2.17	2.17	2.17
808.600	2.17	2.17	2.17	2.17	2.18
809.100	2.18	2.18	2.18	2.18	2.18
809.600	2.18	2.18	2.18	2.18	2.18
810.100	2.18	2.18	2.18	2.18	2.18
810.600	2.18	2.18	2.18	2.18	2.18
811.100	2.18	2.18	2.18	2.18	2.18

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
811.600	2.18	2.18	2.18	2.18	2.18
812.100	2.18	2.18	2.18	2.19	2.19
812.600	2.19	2.19	2.19	2.19	2.19
813.100	2.19	2.19	2.19	2.19	2.19
813.600	2.19	2.19	2.19	2.19	2.19
814.100	2.19	2.19	2.19	2.19	2.19
814.600	2.19	2.19	2.19	2.19	2.19
815.100	2.19	2.19	2.19	2.19	2.19
815.600	2.19	2.19	2.19	2.20	2.20
816.100	2.20	2.20	2.20	2.20	2.20
816.600	2.20	2.20	2.20	2.20	2.20
817.100	2.20	2.20	2.20	2.20	2.20
817.600	2.20	2.20	2.20	2.20	2.20
818.100	2.20	2.20	2.20	2.20	2.20
818.600	2.20	2.20	2.20	2.20	2.20
819.100	2.20	2.20	2.21	2.21	2.21
819.600	2.21	2.21	2.21	2.21	2.21
820.100	2.21	2.21	2.21	2.21	2.21
820.600	2.21	2.21	2.21	2.21	2.21
821.100	2.21	2.21	2.21	2.21	2.21
821.600	2.21	2.21	2.21	2.21	2.21
822.100	2.21	2.21	2.21	2.21	2.21
822.600	2.22	2.22	2.22	2.22	2.22
823.100	2.22	2.22	2.22	2.22	2.22
823.600	2.22	2.22	2.22	2.22	2.22
824.100	2.22	2.22	2.22	2.22	2.22
824.600	2.22	2.22	2.22	2.22	2.22
825.100	2.22	2.22	2.22	2.22	2.22
825.600	2.22	2.22	2.22	2.23	2.23
826.100	2.23	2.23	2.23	2.23	2.23
826.600	2.23	2.23	2.23	2.23	2.23
827.100	2.23	2.23	2.23	2.23	2.23
827.600	2.23	2.23	2.23	2.23	2.23
828.100	2.23	2.23	2.23	2.23	2.23
828.600	2.23	2.23	2.23	2.23	2.23
829.100	2.24	2.24	2.24	2.24	2.24
829.600	2.24	2.24	2.24	2.24	2.24
830.100	2.24	2.24	2.24	2.24	2.24
830.600	2.24	2.24	2.24	2.24	2.24
831.100	2.24	2.24	2.24	2.24	2.24
831.600	2.24	2.24	2.24	2.24	2.24
832.100	2.24	2.25	2.25	2.25	2.25
832.600	2.25	2.25	2.25	2.25	2.25
833.100	2.25	2.25	2.25	2.25	2.25

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
833.600	2.25	2.25	2.25	2.25	2.25
834.100	2.25	2.25	2.25	2.25	2.25
834.600	2.25	2.25	2.25	2.25	2.25
835.100	2.25	2.25	2.26	2.26	2.26
835.600	2.26	2.26	2.26	2.26	2.26
836.100	2.26	2.26	2.26	2.26	2.26
836.600	2.26	2.26	2.26	2.26	2.26
837.100	2.26	2.26	2.26	2.26	2.26
837.600	2.26	2.26	2.26	2.26	2.26
838.100	2.26	2.26	2.26	2.27	2.27
838.600	2.27	2.27	2.27	2.27	2.27
839.100	2.27	2.27	2.27	2.27	2.27
839.600	2.27	2.27	2.27	2.27	2.27
840.100	2.27	2.27	2.27	2.27	2.27
840.600	2.27	2.27	2.27	2.27	2.27
841.100	2.27	2.27	2.27	2.28	2.28
841.600	2.28	2.28	2.28	2.28	2.28
842.100	2.28	2.28	2.28	2.28	2.28
842.600	2.28	2.28	2.28	2.28	2.28
843.100	2.28	2.28	2.28	2.28	2.28
843.600	2.28	2.28	2.28	2.28	2.28
844.100	2.28	2.28	2.29	2.29	2.29
844.600	2.29	2.29	2.29	2.29	2.29
845.100	2.29	2.29	2.29	2.29	2.29
845.600	2.29	2.29	2.29	2.29	2.29
846.100	2.29	2.29	2.29	2.29	2.29
846.600	2.29	2.29	2.29	2.29	2.29
847.100	2.29	2.29	2.30	2.30	2.30
847.600	2.30	2.30	2.30	2.30	2.30
848.100	2.30	2.30	2.30	2.30	2.30
848.600	2.30	2.30	2.30	2.30	2.30
849.100	2.30	2.30	2.30	2.30	2.30
849.600	2.30	2.30	2.30	2.30	2.30
850.100	2.30	2.31	2.31	2.31	2.31
850.600	2.31	2.31	2.31	2.31	2.31
851.100	2.31	2.31	2.31	2.31	2.31
851.600	2.31	2.31	2.31	2.31	2.31
852.100	2.31	2.31	2.31	2.31	2.31
852.600	2.31	2.31	2.31	2.31	2.32
853.100	2.32	2.32	2.32	2.32	2.32
853.600	2.32	2.32	2.32	2.32	2.32
854.100	2.32	2.32	2.32	2.32	2.32
854.600	2.32	2.32	2.32	2.32	2.32
855.100	2.32	2.32	2.32	2.32	2.32

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
855.600	2.32	2.32	2.33	2.33	2.33
856.100	2.33	2.33	2.33	2.33	2.33
856.600	2.33	2.33	2.33	2.33	2.33
857.100	2.33	2.33	2.33	2.33	2.33
857.600	2.33	2.33	2.33	2.33	2.33
858.100	2.33	2.33	2.33	2.33	2.33
858.600	2.34	2.34	2.34	2.34	2.34
859.100	2.34	2.34	2.34	2.34	2.34
859.600	2.34	2.34	2.34	2.34	2.34
860.100	2.34	2.34	2.34	2.34	2.34
860.600	2.34	2.34	2.34	2.34	2.34
861.100	2.34	2.34	2.35	2.35	2.35
861.600	2.35	2.35	2.35	2.35	2.35
862.100	2.35	2.35	2.35	2.35	2.35
862.600	2.35	2.35	2.35	2.35	2.35
863.100	2.35	2.35	2.35	2.35	2.35
863.600	2.35	2.35	2.35	2.35	2.36
864.100	2.36	2.36	2.36	2.36	2.36
864.600	2.36	2.36	2.36	2.36	2.36
865.100	2.36	2.36	2.36	2.36	2.36
865.600	2.36	2.36	2.36	2.36	2.36
866.100	2.36	2.36	2.36	2.36	2.36
866.600	2.36	2.37	2.37	2.37	2.37
867.100	2.37	2.37	2.37	2.37	2.37
867.600	2.37	2.37	2.37	2.37	2.37
868.100	2.37	2.37	2.37	2.37	2.37
868.600	2.37	2.37	2.37	2.37	2.37
869.100	2.37	2.37	2.38	2.38	2.38
869.600	2.38	2.38	2.38	2.38	2.38
870.100	2.38	2.38	2.38	2.38	2.38
870.600	2.38	2.38	2.38	2.38	2.38
871.100	2.38	2.38	2.38	2.38	2.38
871.600	2.38	2.38	2.38	2.39	2.39
872.100	2.39	2.39	2.39	2.39	2.39
872.600	2.39	2.39	2.39	2.39	2.39
873.100	2.39	2.39	2.39	2.39	2.39
873.600	2.39	2.39	2.39	2.39	2.39
874.100	2.39	2.39	2.39	2.39	2.40
874.600	2.40	2.40	2.40	2.40	2.40
875.100	2.40	2.40	2.40	2.40	2.40
875.600	2.40	2.40	2.40	2.40	2.40
876.100	2.40	2.40	2.40	2.40	2.40
876.600	2.40	2.40	2.40	2.40	2.41
877.100	2.41	2.41	2.41	2.41	2.41

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
877.600	2.41	2.41	2.41	2.41	2.41
878.100	2.41	2.41	2.41	2.41	2.41
878.600	2.41	2.41	2.41	2.41	2.41
879.100	2.41	2.41	2.41	2.41	2.42
879.600	2.42	2.42	2.42	2.42	2.42
880.100	2.42	2.42	2.42	2.42	2.42
880.600	2.42	2.42	2.42	2.42	2.42
881.100	2.42	2.42	2.42	2.42	2.42
881.600	2.42	2.42	2.42	2.42	2.43
882.100	2.43	2.43	2.43	2.43	2.43
882.600	2.43	2.43	2.43	2.43	2.43
883.100	2.43	2.43	2.43	2.43	2.43
883.600	2.43	2.43	2.43	2.43	2.43
884.100	2.43	2.43	2.43	2.44	2.44
884.600	2.44	2.44	2.44	2.44	2.44
885.100	2.44	2.44	2.44	2.44	2.44
885.600	2.44	2.44	2.44	2.44	2.44
886.100	2.44	2.44	2.44	2.44	2.44
886.600	2.44	2.44	2.45	2.45	2.45
887.100	2.45	2.45	2.45	2.45	2.45
887.600	2.45	2.45	2.45	2.45	2.45
888.100	2.45	2.45	2.45	2.45	2.45
888.600	2.45	2.45	2.45	2.45	2.45
889.100	2.45	2.46	2.46	2.46	2.46
889.600	2.46	2.46	2.46	2.46	2.46
890.100	2.46	2.46	2.46	2.46	2.46
890.600	2.46	2.46	2.46	2.46	2.46
891.100	2.46	2.46	2.46	2.46	2.46
891.600	2.47	2.47	2.47	2.47	2.47
892.100	2.47	2.47	2.47	2.47	2.47
892.600	2.47	2.47	2.47	2.47	2.47
893.100	2.47	2.47	2.47	2.47	2.47
893.600	2.47	2.47	2.47	2.47	2.48
894.100	2.48	2.48	2.48	2.48	2.48
894.600	2.48	2.48	2.48	2.48	2.48
895.100	2.48	2.48	2.48	2.48	2.48
895.600	2.48	2.48	2.48	2.48	2.48
896.100	2.48	2.48	2.49	2.49	2.49
896.600	2.49	2.49	2.49	2.49	2.49
897.100	2.49	2.49	2.49	2.49	2.49
897.600	2.49	2.49	2.49	2.49	2.49
898.100	2.49	2.49	2.49	2.49	2.49
898.600	2.50	2.50	2.50	2.50	2.50
899.100	2.50	2.50	2.50	2.50	2.50

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
899.600	2.50	2.50	2.50	2.50	2.50
900.100	2.50	2.50	2.50	2.50	2.50
900.600	2.50	2.50	2.50	2.51	2.51
901.100	2.51	2.51	2.51	2.51	2.51
901.600	2.51	2.51	2.51	2.51	2.51
902.100	2.51	2.51	2.51	2.51	2.51
902.600	2.51	2.51	2.51	2.51	2.51
903.100	2.52	2.52	2.52	2.52	2.52
903.600	2.52	2.52	2.52	2.52	2.52
904.100	2.52	2.52	2.52	2.52	2.52
904.600	2.52	2.52	2.52	2.52	2.52
905.100	2.52	2.52	2.53	2.53	2.53
905.600	2.53	2.53	2.53	2.53	2.53
906.100	2.53	2.53	2.53	2.53	2.53
906.600	2.53	2.53	2.53	2.53	2.53
907.100	2.53	2.53	2.53	2.54	2.54
907.600	2.54	2.54	2.54	2.54	2.54
908.100	2.54	2.54	2.54	2.54	2.54
908.600	2.54	2.54	2.54	2.54	2.54
909.100	2.54	2.54	2.54	2.54	2.55
909.600	2.55	2.55	2.55	2.55	2.55
910.100	2.55	2.55	2.55	2.55	2.55
910.600	2.55	2.55	2.55	2.55	2.55
911.100	2.55	2.55	2.55	2.55	2.55
911.600	2.56	2.56	2.56	2.56	2.56
912.100	2.56	2.56	2.56	2.56	2.56
912.600	2.56	2.56	2.56	2.56	2.56
913.100	2.56	2.56	2.56	2.56	2.56
913.600	2.56	2.57	2.57	2.57	2.57
914.100	2.57	2.57	2.57	2.57	2.57
914.600	2.57	2.57	2.57	2.57	2.57
915.100	2.57	2.57	2.57	2.57	2.57
915.600	2.57	2.58	2.58	2.58	2.58
916.100	2.58	2.58	2.58	2.58	2.58
916.600	2.58	2.58	2.58	2.58	2.58
917.100	2.58	2.58	2.58	2.58	2.58
917.600	2.58	2.58	2.59	2.59	2.59
918.100	2.59	2.59	2.59	2.59	2.59
918.600	2.59	2.59	2.59	2.59	2.59
919.100	2.59	2.59	2.59	2.59	2.59
919.600	2.59	2.60	2.60	2.60	2.60
920.100	2.60	2.60	2.60	2.60	2.60
920.600	2.60	2.60	2.60	2.60	2.60
921.100	2.60	2.60	2.60	2.60	2.60

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
921.600	2.60	2.61	2.61	2.61	2.61
922.100	2.61	2.61	2.61	2.61	2.61
922.600	2.61	2.61	2.61	2.61	2.61
923.100	2.61	2.61	2.61	2.61	2.61
923.600	2.61	2.62	2.62	2.62	2.62
924.100	2.62	2.62	2.62	2.62	2.62
924.600	2.62	2.62	2.62	2.62	2.62
925.100	2.62	2.62	2.62	2.62	2.62
925.600	2.63	2.63	2.63	2.63	2.63
926.100	2.63	2.63	2.63	2.63	2.63
926.600	2.63	2.63	2.63	2.63	2.63
927.100	2.63	2.63	2.63	2.63	2.64
927.600	2.64	2.64	2.64	2.64	2.64
928.100	2.64	2.64	2.64	2.64	2.64
928.600	2.64	2.64	2.64	2.64	2.64
929.100	2.64	2.64	2.64	2.65	2.65
929.600	2.65	2.65	2.65	2.65	2.65
930.100	2.65	2.65	2.65	2.65	2.65
930.600	2.65	2.65	2.65	2.65	2.65
931.100	2.65	2.66	2.66	2.66	2.66
931.600	2.66	2.66	2.66	2.66	2.66
932.100	2.66	2.66	2.66	2.66	2.66
932.600	2.66	2.66	2.66	2.66	2.66
933.100	2.67	2.67	2.67	2.67	2.67
933.600	2.67	2.67	2.67	2.67	2.67
934.100	2.67	2.67	2.67	2.67	2.67
934.600	2.67	2.67	2.67	2.68	2.68
935.100	2.68	2.68	2.68	2.68	2.68
935.600	2.68	2.68	2.68	2.68	2.68
936.100	2.68	2.68	2.68	2.68	2.68
936.600	2.68	2.69	2.69	2.69	2.69
937.100	2.69	2.69	2.69	2.69	2.69
937.600	2.69	2.69	2.69	2.69	2.69
938.100	2.69	2.69	2.69	2.70	2.70
938.600	2.70	2.70	2.70	2.70	2.70
939.100	2.70	2.70	2.70	2.70	2.70
939.600	2.70	2.70	2.70	2.70	2.70
940.100	2.70	2.71	2.71	2.71	2.71
940.600	2.71	2.71	2.71	2.71	2.71
941.100	2.71	2.71	2.71	2.71	2.71
941.600	2.71	2.71	2.71	2.72	2.72
942.100	2.72	2.72	2.72	2.72	2.72
942.600	2.72	2.72	2.72	2.72	2.72
943.100	2.72	2.72	2.72	2.72	2.72

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
943.600	2.73	2.73	2.73	2.73	2.73
944.100	2.73	2.73	2.73	2.73	2.73
944.600	2.73	2.73	2.73	2.73	2.73
945.100	2.73	2.73	2.74	2.74	2.74
945.600	2.74	2.74	2.74	2.74	2.74
946.100	2.74	2.74	2.74	2.74	2.74
946.600	2.74	2.74	2.74	2.74	2.74
947.100	2.75	2.75	2.75	2.75	2.75
947.600	2.75	2.75	2.75	2.75	2.75
948.100	2.75	2.75	2.75	2.75	2.75
948.600	2.75	2.75	2.76	2.76	2.76
949.100	2.76	2.76	2.76	2.76	2.76
949.600	2.76	2.76	2.76	2.76	2.76
950.100	2.76	2.76	2.76	2.77	2.77
950.600	2.77	2.77	2.77	2.77	2.77
951.100	2.77	2.77	2.77	2.77	2.77
951.600	2.77	2.77	2.77	2.77	2.77
952.100	2.78	2.78	2.78	2.78	2.78
952.600	2.78	2.78	2.78	2.78	2.78
953.100	2.78	2.78	2.78	2.78	2.78
953.600	2.78	2.79	2.79	2.79	2.79
954.100	2.79	2.79	2.79	2.79	2.79
954.600	2.79	2.79	2.79	2.79	2.79
955.100	2.79	2.79	2.80	2.80	2.80
955.600	2.80	2.80	2.80	2.80	2.80
956.100	2.80	2.80	2.80	2.80	2.80
956.600	2.80	2.80	2.80	2.81	2.81
957.100	2.81	2.81	2.81	2.81	2.81
957.600	2.81	2.81	2.81	2.81	2.81
958.100	2.81	2.81	2.81	2.82	2.82
958.600	2.82	2.82	2.82	2.82	2.82
959.100	2.82	2.82	2.82	2.82	2.82
959.600	2.82	2.82	2.82	2.83	2.83
960.100	2.83	2.83	2.83	2.83	2.83
960.600	2.83	2.83	2.83	2.83	2.83
961.100	2.83	2.83	2.83	2.84	2.84
961.600	2.84	2.84	2.84	2.84	2.84
962.100	2.84	2.84	2.84	2.84	2.84
962.600	2.84	2.84	2.84	2.85	2.85
963.100	2.85	2.85	2.85	2.85	2.85
963.600	2.85	2.85	2.85	2.85	2.85
964.100	2.85	2.85	2.85	2.86	2.86
964.600	2.86	2.86	2.86	2.86	2.86
965.100	2.86	2.86	2.86	2.86	2.86

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
965.600	2.86	2.86	2.86	2.87	2.87
966.100	2.87	2.87	2.87	2.87	2.87
966.600	2.87	2.87	2.87	2.87	2.87
967.100	2.87	2.87	2.88	2.88	2.88
967.600	2.88	2.88	2.88	2.88	2.88
968.100	2.88	2.88	2.88	2.88	2.88
968.600	2.88	2.88	2.89	2.89	2.89
969.100	2.89	2.89	2.89	2.89	2.89
969.600	2.89	2.89	2.89	2.89	2.89
970.100	2.89	2.90	2.90	2.90	2.90
970.600	2.90	2.90	2.90	2.90	2.90
971.100	2.90	2.90	2.90	2.90	2.90
971.600	2.91	2.91	2.91	2.91	2.91
972.100	2.91	2.91	2.91	2.91	2.91
972.600	2.91	2.91	2.91	2.91	2.92
973.100	2.92	2.92	2.92	2.92	2.92
973.600	2.92	2.92	2.92	2.92	2.92
974.100	2.92	2.92	2.93	2.93	2.93
974.600	2.93	2.93	2.93	2.93	2.93
975.100	2.93	2.93	2.93	2.93	2.93
975.600	2.93	2.94	2.94	2.94	2.94
976.100	2.94	2.94	2.94	2.94	2.94
976.600	2.94	2.94	2.94	2.94	2.95
977.100	2.95	2.95	2.95	2.95	2.95
977.600	2.95	2.95	2.95	2.95	2.95
978.100	2.95	2.95	2.95	2.96	2.96
978.600	2.96	2.96	2.96	2.96	2.96
979.100	2.96	2.96	2.96	2.96	2.96
979.600	2.96	2.97	2.97	2.97	2.97
980.100	2.97	2.97	2.97	2.97	2.97
980.600	2.97	2.97	2.97	2.97	2.98
981.100	2.98	2.98	2.98	2.98	2.98
981.600	2.98	2.98	2.98	2.98	2.98
982.100	2.98	2.98	2.99	2.99	2.99
982.600	2.99	2.99	2.99	2.99	2.99
983.100	2.99	2.99	2.99	2.99	3.00
983.600	3.00	3.00	3.00	3.00	3.00
984.100	3.00	3.00	3.00	3.00	3.00
984.600	3.00	3.00	3.01	3.01	3.01
985.100	3.01	3.01	3.01	3.01	3.01
985.600	3.01	3.01	3.01	3.01	3.01
986.100	3.02	3.02	3.02	3.02	3.02
986.600	3.02	3.02	3.02	3.02	3.02
987.100	3.02	3.02	3.02	3.03	3.03

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
987.600	3.03	3.03	3.03	3.03	3.03
988.100	3.03	3.03	3.03	3.03	3.03
988.600	3.04	3.04	3.04	3.04	3.04
989.100	3.04	3.04	3.04	3.04	3.04
989.600	3.04	3.04	3.05	3.05	3.05
990.100	3.05	3.05	3.05	3.05	3.05
990.600	3.05	3.05	3.05	3.05	3.06
991.100	3.06	3.06	3.06	3.06	3.06
991.600	3.06	3.06	3.06	3.06	3.06
992.100	3.06	3.07	3.07	3.07	3.07
992.600	3.07	3.07	3.07	3.07	3.07
993.100	3.07	3.07	3.07	3.08	3.08
993.600	3.08	3.08	3.08	3.08	3.08
994.100	3.08	3.08	3.08	3.08	3.08
994.600	3.09	3.09	3.09	3.09	3.09
995.100	3.09	3.09	3.09	3.09	3.09
995.600	3.09	3.10	3.10	3.10	3.10
996.100	3.10	3.10	3.10	3.10	3.10
996.600	3.10	3.10	3.10	3.11	3.11
997.100	3.11	3.11	3.11	3.11	3.11
997.600	3.11	3.11	3.11	3.11	3.12
998.100	3.12	3.12	3.12	3.12	3.12
998.600	3.12	3.12	3.12	3.12	3.12
999.100	3.13	3.13	3.13	3.13	3.13
999.600	3.13	3.13	3.13	3.13	3.13
1,000.100	3.13	3.14	3.14	3.14	3.14
1,000.600	3.14	3.14	3.14	3.14	3.14
1,001.100	3.14	3.14	3.15	3.15	3.15
1,001.600	3.15	3.15	3.15	3.15	3.15
1,002.100	3.15	3.15	3.15	3.16	3.16
1,002.600	3.16	3.16	3.16	3.16	3.16
1,003.100	3.16	3.16	3.16	3.16	3.17
1,003.600	3.17	3.17	3.17	3.17	3.17
1,004.100	3.17	3.17	3.17	3.17	3.17
1,004.600	3.18	3.18	3.18	3.18	3.18
1,005.100	3.18	3.18	3.18	3.18	3.18
1,005.600	3.19	3.19	3.19	3.19	3.19
1,006.100	3.19	3.19	3.19	3.19	3.19
1,006.600	3.20	3.20	3.20	3.20	3.20
1,007.100	3.20	3.20	3.20	3.20	3.20
1,007.600	3.20	3.21	3.21	3.21	3.21
1,008.100	3.21	3.21	3.21	3.21	3.21
1,008.600	3.21	3.22	3.22	3.22	3.22
1,009.100	3.22	3.22	3.22	3.22	3.22

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,009.600	3.22	3.23	3.23	3.23	3.23
1,010.100	3.23	3.23	3.23	3.23	3.23
1,010.600	3.23	3.24	3.24	3.24	3.24
1,011.100	3.24	3.24	3.24	3.24	3.24
1,011.600	3.24	3.25	3.25	3.25	3.25
1,012.100	3.25	3.25	3.25	3.25	3.25
1,012.600	3.25	3.26	3.26	3.26	3.26
1,013.100	3.26	3.26	3.26	3.26	3.26
1,013.600	3.27	3.27	3.27	3.27	3.27
1,014.100	3.27	3.27	3.27	3.27	3.27
1,014.600	3.28	3.28	3.28	3.28	3.28
1,015.100	3.28	3.28	3.28	3.28	3.28
1,015.600	3.29	3.29	3.29	3.29	3.29
1,016.100	3.29	3.29	3.29	3.29	3.30
1,016.600	3.30	3.30	3.30	3.30	3.30
1,017.100	3.30	3.30	3.30	3.30	3.31
1,017.600	3.31	3.31	3.31	3.31	3.31
1,018.100	3.31	3.31	3.31	3.31	3.32
1,018.600	3.32	3.32	3.32	3.32	3.32
1,019.100	3.32	3.32	3.32	3.33	3.33
1,019.600	3.33	3.33	3.33	3.33	3.33
1,020.100	3.33	3.33	3.34	3.34	3.34
1,020.600	3.34	3.34	3.34	3.34	3.34
1,021.100	3.34	3.35	3.35	3.35	3.35
1,021.600	3.35	3.35	3.35	3.35	3.35
1,022.100	3.36	3.36	3.36	3.36	3.36
1,022.600	3.36	3.36	3.36	3.36	3.37
1,023.100	3.37	3.37	3.37	3.37	3.37
1,023.600	3.37	3.37	3.37	3.38	3.38
1,024.100	3.38	3.38	3.38	3.38	3.38
1,024.600	3.38	3.38	3.39	3.39	3.39
1,025.100	3.39	3.39	3.39	3.39	3.39
1,025.600	3.40	3.40	3.40	3.40	3.40
1,026.100	3.40	3.40	3.40	3.40	3.41
1,026.600	3.41	3.41	3.41	3.41	3.41
1,027.100	3.41	3.41	3.42	3.42	3.42
1,027.600	3.42	3.42	3.42	3.42	3.42
1,028.100	3.42	3.43	3.43	3.43	3.43
1,028.600	3.43	3.43	3.43	3.43	3.44
1,029.100	3.44	3.44	3.44	3.44	3.44
1,029.600	3.44	3.44	3.45	3.45	3.45
1,030.100	3.45	3.45	3.45	3.45	3.45
1,030.600	3.46	3.46	3.46	3.46	3.46
1,031.100	3.46	3.46	3.46	3.47	3.47

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,031.600	3.47	3.47	3.47	3.47	3.47
1,032.100	3.47	3.48	3.48	3.48	3.48
1,032.600	3.48	3.48	3.48	3.48	3.49
1,033.100	3.49	3.49	3.49	3.49	3.49
1,033.600	3.49	3.49	3.50	3.50	3.50
1,034.100	3.50	3.50	3.50	3.50	3.50
1,034.600	3.51	3.51	3.51	3.51	3.51
1,035.100	3.51	3.51	3.51	3.52	3.52
1,035.600	3.52	3.52	3.52	3.52	3.52
1,036.100	3.53	3.53	3.53	3.53	3.53
1,036.600	3.53	3.53	3.53	3.54	3.54
1,037.100	3.54	3.54	3.54	3.54	3.54
1,037.600	3.55	3.55	3.55	3.55	3.55
1,038.100	3.55	3.55	3.55	3.56	3.56
1,038.600	3.56	3.56	3.56	3.56	3.56
1,039.100	3.57	3.57	3.57	3.57	3.57
1,039.600	3.57	3.57	3.57	3.58	3.58
1,040.100	3.58	3.58	3.58	3.58	3.58
1,040.600	3.59	3.59	3.59	3.59	3.59
1,041.100	3.59	3.59	3.59	3.60	3.60
1,041.600	3.60	3.60	3.60	3.60	3.60
1,042.100	3.61	3.61	3.61	3.61	3.61
1,042.600	3.61	3.61	3.62	3.62	3.62
1,043.100	3.62	3.62	3.62	3.62	3.63
1,043.600	3.63	3.63	3.63	3.63	3.63
1,044.100	3.63	3.64	3.64	3.64	3.64
1,044.600	3.64	3.64	3.64	3.65	3.65
1,045.100	3.65	3.65	3.65	3.65	3.65
1,045.600	3.66	3.66	3.66	3.66	3.66
1,046.100	3.66	3.66	3.67	3.67	3.67
1,046.600	3.67	3.67	3.67	3.67	3.68
1,047.100	3.68	3.68	3.68	3.68	3.68
1,047.600	3.69	3.69	3.69	3.69	3.69
1,048.100	3.69	3.69	3.70	3.70	3.70
1,048.600	3.70	3.70	3.70	3.71	3.71
1,049.100	3.71	3.71	3.71	3.71	3.71
1,049.600	3.72	3.72	3.72	3.72	3.72
1,050.100	3.72	3.73	3.73	3.73	3.73
1,050.600	3.73	3.73	3.73	3.74	3.74
1,051.100	3.74	3.74	3.74	3.74	3.75
1,051.600	3.75	3.75	3.75	3.75	3.75
1,052.100	3.76	3.76	3.76	3.76	3.76
1,052.600	3.76	3.76	3.77	3.77	3.77
1,053.100	3.77	3.77	3.77	3.78	3.78

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,053.600	3.78	3.78	3.78	3.78	3.79
1,054.100	3.79	3.79	3.79	3.79	3.79
1,054.600	3.80	3.80	3.80	3.80	3.80
1,055.100	3.80	3.81	3.81	3.81	3.81
1,055.600	3.81	3.81	3.82	3.82	3.82
1,056.100	3.82	3.82	3.82	3.83	3.83
1,056.600	3.83	3.83	3.83	3.83	3.84
1,057.100	3.84	3.84	3.84	3.84	3.84
1,057.600	3.85	3.85	3.85	3.85	3.85
1,058.100	3.85	3.86	3.86	3.86	3.86
1,058.600	3.86	3.86	3.87	3.87	3.87
1,059.100	3.87	3.87	3.88	3.88	3.88
1,059.600	3.88	3.88	3.88	3.89	3.89
1,060.100	3.89	3.89	3.89	3.89	3.90
1,060.600	3.90	3.90	3.90	3.90	3.91
1,061.100	3.91	3.91	3.91	3.91	3.91
1,061.600	3.92	3.92	3.92	3.92	3.92
1,062.100	3.92	3.93	3.93	3.93	3.93
1,062.600	3.93	3.94	3.94	3.94	3.94
1,063.100	3.94	3.95	3.95	3.95	3.95
1,063.600	3.95	3.95	3.96	3.96	3.96
1,064.100	3.96	3.96	3.97	3.97	3.97
1,064.600	3.97	3.97	3.98	3.98	3.98
1,065.100	3.98	3.98	3.98	3.99	3.99
1,065.600	3.99	3.99	3.99	4.00	4.00
1,066.100	4.00	4.00	4.00	4.01	4.01
1,066.600	4.01	4.01	4.01	4.02	4.02
1,067.100	4.02	4.02	4.02	4.03	4.03
1,067.600	4.03	4.03	4.03	4.04	4.04
1,068.100	4.04	4.04	4.04	4.05	4.05
1,068.600	4.05	4.05	4.05	4.06	4.06
1,069.100	4.06	4.06	4.06	4.07	4.07
1,069.600	4.07	4.07	4.07	4.08	4.08
1,070.100	4.08	4.08	4.08	4.09	4.09
1,070.600	4.09	4.09	4.10	4.10	4.10
1,071.100	4.10	4.10	4.11	4.11	4.11
1,071.600	4.11	4.11	4.12	4.12	4.12
1,072.100	4.12	4.12	4.13	4.13	4.13
1,072.600	4.13	4.14	4.14	4.14	4.14
1,073.100	4.14	4.15	4.15	4.15	4.15
1,073.600	4.15	4.16	4.16	4.16	4.16
1,074.100	4.17	4.17	4.17	4.17	4.17
1,074.600	4.18	4.18	4.18	4.18	4.19
1,075.100	4.19	4.19	4.19	4.19	4.20

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,075.600	4.20	4.20	4.20	4.21	4.21
1,076.100	4.21	4.21	4.21	4.22	4.22
1,076.600	4.22	4.22	4.23	4.23	4.23
1,077.100	4.23	4.23	4.24	4.24	4.24
1,077.600	4.24	4.25	4.25	4.25	4.25
1,078.100	4.26	4.26	4.26	4.26	4.27
1,078.600	4.27	4.27	4.27	4.27	4.28
1,079.100	4.28	4.28	4.28	4.29	4.29
1,079.600	4.29	4.29	4.30	4.30	4.30
1,080.100	4.30	4.31	4.31	4.31	4.31
1,080.600	4.32	4.32	4.32	4.32	4.33
1,081.100	4.33	4.33	4.33	4.34	4.34
1,081.600	4.34	4.34	4.35	4.35	4.35
1,082.100	4.35	4.36	4.36	4.36	4.36
1,082.600	4.37	4.37	4.37	4.37	4.38
1,083.100	4.38	4.38	4.38	4.39	4.39
1,083.600	4.39	4.39	4.40	4.40	4.40
1,084.100	4.40	4.41	4.41	4.41	4.42
1,084.600	4.42	4.42	4.42	4.43	4.43
1,085.100	4.43	4.43	4.44	4.44	4.44
1,085.600	4.44	4.45	4.45	4.45	4.46
1,086.100	4.46	4.46	4.46	4.47	4.47
1,086.600	4.47	4.47	4.48	4.48	4.48
1,087.100	4.49	4.49	4.49	4.49	4.50
1,087.600	4.50	4.50	4.50	4.51	4.51
1,088.100	4.51	4.52	4.52	4.52	4.52
1,088.600	4.53	4.53	4.53	4.54	4.54
1,089.100	4.54	4.54	4.55	4.55	4.55
1,089.600	4.56	4.56	4.56	4.57	4.57
1,090.100	4.57	4.57	4.58	4.58	4.58
1,090.600	4.59	4.59	4.59	4.59	4.60
1,091.100	4.60	4.60	4.61	4.61	4.61
1,091.600	4.62	4.62	4.62	4.63	4.63
1,092.100	4.63	4.63	4.64	4.64	4.64
1,092.600	4.65	4.65	4.65	4.66	4.66
1,093.100	4.66	4.67	4.67	4.67	4.67
1,093.600	4.68	4.68	4.68	4.69	4.69
1,094.100	4.69	4.70	4.70	4.70	4.71
1,094.600	4.71	4.71	4.72	4.72	4.72
1,095.100	4.73	4.73	4.73	4.74	4.74
1,095.600	4.74	4.74	4.75	4.75	4.75
1,096.100	4.76	4.76	4.76	4.77	4.77
1,096.600	4.77	4.78	4.78	4.79	4.79
1,097.100	4.79	4.80	4.80	4.80	4.81

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,097.600	4.81	4.81	4.82	4.82	4.82
1,098.100	4.83	4.83	4.83	4.84	4.84
1,098.600	4.84	4.85	4.85	4.85	4.86
1,099.100	4.86	4.87	4.87	4.87	4.88
1,099.600	4.88	4.88	4.89	4.89	4.89
1,100.100	4.90	4.90	4.91	4.91	4.91
1,100.600	4.92	4.92	4.92	4.93	4.93
1,101.100	4.93	4.94	4.94	4.95	4.95
1,101.600	4.95	4.96	4.96	4.96	4.97
1,102.100	4.97	4.98	4.98	4.98	4.99
1,102.600	4.99	5.00	5.00	5.00	5.01
1,103.100	5.01	5.01	5.02	5.02	5.03
1,103.600	5.03	5.03	5.04	5.04	5.05
1,104.100	5.05	5.05	5.06	5.06	5.07
1,104.600	5.07	5.07	5.08	5.08	5.09
1,105.100	5.09	5.10	5.10	5.10	5.11
1,105.600	5.11	5.12	5.12	5.12	5.13
1,106.100	5.13	5.14	5.14	5.15	5.15
1,106.600	5.15	5.16	5.16	5.17	5.17
1,107.100	5.18	5.18	5.18	5.19	5.19
1,107.600	5.20	5.20	5.21	5.21	5.22
1,108.100	5.22	5.22	5.23	5.23	5.24
1,108.600	5.24	5.25	5.25	5.26	5.26
1,109.100	5.26	5.27	5.27	5.28	5.28
1,109.600	5.29	5.29	5.30	5.30	5.31
1,110.100	5.31	5.32	5.32	5.32	5.33
1,110.600	5.33	5.34	5.34	5.35	5.35
1,111.100	5.36	5.36	5.37	5.37	5.38
1,111.600	5.38	5.39	5.39	5.40	5.40
1,112.100	5.41	5.41	5.42	5.42	5.43
1,112.600	5.43	5.44	5.44	5.45	5.45
1,113.100	5.46	5.46	5.46	5.46	5.46
1,113.600	5.46	5.46	5.46	5.46	5.46
1,114.100	5.46	5.46	5.46	5.46	5.46
1,114.600	5.46	5.46	5.46	5.46	5.46
1,115.100	5.46	5.46	5.46	5.46	5.46
1,115.600	5.46	5.46	5.46	5.46	5.46
1,116.100	5.46	5.46	5.46	5.46	5.46
1,116.600	5.46	5.46	5.46	5.46	5.46
1,117.100	5.46	5.46	5.46	5.46	5.46
1,117.600	5.46	5.46	5.46	5.46	5.46
1,118.100	5.46	5.46	5.46	5.46	5.46
1,118.600	5.46	5.46	5.46	5.46	5.46
1,119.100	5.46	5.46	5.46	5.46	5.46

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,119.600	5.46	5.46	5.46	5.46	5.46
1,120.100	5.46	5.46	5.46	5.46	5.46
1,120.600	5.46	5.46	5.46	5.46	5.46
1,121.100	5.46	5.46	5.46	5.46	5.46
1,121.600	5.46	5.46	5.46	5.46	5.46
1,122.100	5.46	5.46	5.46	5.46	5.46
1,122.600	5.46	5.46	5.46	5.46	5.46
1,123.100	5.46	5.46	5.46	5.46	5.46
1,123.600	5.46	5.46	5.46	5.46	5.46
1,124.100	5.46	5.46	5.46	5.46	5.46
1,124.600	5.46	5.46	5.46	5.46	5.46
1,125.100	5.46	5.46	5.46	5.46	5.46
1,125.600	5.46	5.46	5.46	5.46	5.46
1,126.100	5.46	5.46	5.46	5.46	5.46
1,126.600	5.46	5.46	5.46	5.46	5.46
1,127.100	5.46	5.46	5.46	5.46	5.46
1,127.600	5.46	5.46	5.46	5.46	5.46
1,128.100	5.46	5.46	5.46	5.46	5.46
1,128.600	5.46	5.46	5.46	5.46	5.46
1,129.100	5.46	5.46	5.46	5.46	5.46
1,129.600	5.46	5.46	5.46	5.46	5.46
1,130.100	5.46	5.46	5.46	5.46	5.46
1,130.600	5.46	5.46	5.46	5.46	5.46
1,131.100	5.46	5.46	5.46	5.46	5.46
1,131.600	5.46	5.46	5.46	5.46	5.46
1,132.100	5.46	5.46	5.46	5.46	5.46
1,132.600	5.46	5.46	5.46	5.46	5.46
1,133.100	5.46	5.46	5.46	5.46	5.46
1,133.600	5.46	5.46	5.46	5.46	5.46
1,134.100	5.46	5.46	5.46	5.46	5.46
1,134.600	5.46	5.46	5.46	5.46	5.46
1,135.100	5.46	5.46	5.46	5.46	5.46
1,135.600	5.46	5.46	5.46	5.46	5.46
1,136.100	5.46	5.46	5.46	5.46	5.46
1,136.600	5.46	5.46	5.46	5.46	5.46
1,137.100	5.46	5.46	5.46	5.46	5.46
1,137.600	5.46	5.46	5.46	5.46	5.46
1,138.100	5.46	5.46	5.46	5.46	5.46
1,138.600	5.46	5.46	5.46	5.46	5.46
1,139.100	5.46	5.46	5.46	5.46	5.46
1,139.600	5.46	5.46	5.46	5.46	5.46
1,140.100	5.46	5.46	5.46	5.46	5.46
1,140.600	5.46	5.46	5.46	5.46	5.46
1,141.100	5.46	5.46	5.46	5.46	5.46

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,141.600	5.46	5.46	5.46	5.46	5.46
1,142.100	5.46	5.46	5.46	5.46	5.46
1,142.600	5.46	5.46	5.46	5.46	5.46
1,143.100	5.46	5.46	5.46	5.46	5.46
1,143.600	5.46	5.46	5.46	5.46	5.46
1,144.100	5.46	5.46	5.46	5.46	5.46
1,144.600	5.46	5.46	5.46	5.46	5.46
1,145.100	5.46	5.46	5.46	5.46	5.46
1,145.600	5.46	5.46	5.46	5.46	5.46
1,146.100	5.46	5.46	5.46	5.46	5.46
1,146.600	5.46	5.46	5.46	5.46	5.46
1,147.100	5.46	5.46	5.46	5.46	5.46
1,147.600	5.46	5.46	5.46	5.46	5.46
1,148.100	5.46	5.46	5.46	5.46	5.46
1,148.600	5.46	5.46	5.46	5.46	5.46
1,149.100	5.46	5.46	5.46	5.46	5.46
1,149.600	5.46	5.46	5.46	5.46	5.46
1,150.100	5.46	5.46	5.46	5.46	5.46
1,150.600	5.46	5.46	5.46	5.46	5.46
1,151.100	5.46	5.46	5.46	5.46	5.46
1,151.600	5.46	5.46	5.46	5.46	5.46
1,152.100	5.46	5.46	5.46	5.46	5.46
1,152.600	5.46	5.46	5.46	5.46	5.46
1,153.100	5.46	5.46	5.46	5.46	5.46
1,153.600	5.46	5.46	5.46	5.46	5.46
1,154.100	5.46	5.46	5.46	5.46	5.46
1,154.600	5.46	5.46	5.46	5.46	5.46
1,155.100	5.46	5.46	5.46	5.46	5.46
1,155.600	5.46	5.46	5.46	5.46	5.46
1,156.100	5.46	5.46	5.46	5.46	5.46
1,156.600	5.46	5.46	5.46	5.46	5.46
1,157.100	5.46	5.46	5.46	5.46	5.46
1,157.600	5.46	5.46	5.46	5.46	5.46
1,158.100	5.46	5.46	5.46	5.46	5.46
1,158.600	5.46	5.46	5.46	5.46	5.46
1,159.100	5.46	5.46	5.46	5.46	5.46
1,159.600	5.46	5.46	5.46	5.46	5.46
1,160.100	5.46	5.46	5.46	5.46	5.46
1,160.600	5.46	5.46	5.46	5.46	5.46
1,161.100	5.46	5.46	5.46	5.46	5.46
1,161.600	5.46	5.46	5.46	5.46	5.46
1,162.100	5.46	5.46	5.46	5.46	5.46
1,162.600	5.46	5.46	5.46	5.46	5.46
1,163.100	5.46	5.46	5.46	5.46	5.46

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,163.600	5.46	5.46	5.46	5.46	5.46
1,164.100	5.46	5.46	5.46	5.46	5.46
1,164.600	5.46	5.46	5.46	5.46	5.46
1,165.100	5.46	5.46	5.46	5.46	5.46
1,165.600	5.46	5.46	5.46	5.46	5.46
1,166.100	5.46	5.46	5.46	5.46	5.46
1,166.600	5.46	5.46	5.46	5.46	5.46
1,167.100	5.46	5.46	5.46	5.46	5.46
1,167.600	5.46	5.46	5.46	5.46	5.46
1,168.100	5.46	5.46	5.46	5.46	5.46
1,168.600	5.46	5.46	5.46	5.46	5.46
1,169.100	5.46	5.46	5.46	5.46	5.46
1,169.600	5.46	5.46	5.46	5.46	5.46
1,170.100	5.46	5.46	5.46	5.46	5.46
1,170.600	5.46	5.46	5.46	5.46	5.46
1,171.100	5.46	5.46	5.46	5.46	5.46
1,171.600	5.46	5.46	5.46	5.46	5.46
1,172.100	5.46	5.46	5.46	5.46	5.46
1,172.600	5.46	5.46	5.46	5.46	5.46
1,173.100	5.46	5.46	5.46	5.46	5.46
1,173.600	5.46	5.46	5.46	5.46	5.46
1,174.100	5.46	5.46	5.46	5.46	5.46
1,174.600	5.46	5.46	5.46	5.46	5.46
1,175.100	5.46	5.46	5.46	5.46	5.46
1,175.600	5.46	5.46	5.46	5.46	5.46
1,176.100	5.46	5.46	5.46	5.46	5.46
1,176.600	5.46	5.46	5.46	5.46	5.46
1,177.100	5.46	5.46	5.46	5.46	5.46
1,177.600	5.46	5.46	5.46	5.46	5.46
1,178.100	5.46	5.46	5.46	5.46	5.46
1,178.600	5.46	5.46	5.46	5.46	5.46
1,179.100	5.46	5.46	5.46	5.46	5.46
1,179.600	5.46	5.46	5.46	5.46	5.46
1,180.100	5.46	5.46	5.46	5.46	5.46
1,180.600	5.46	5.46	5.46	5.46	5.46
1,181.100	5.46	5.46	5.46	5.46	5.46
1,181.600	5.46	5.46	5.46	5.46	5.46
1,182.100	5.46	5.46	5.46	5.46	5.46
1,182.600	5.46	5.46	5.46	5.46	5.46
1,183.100	5.46	5.46	5.46	5.46	5.46
1,183.600	5.46	5.46	5.46	5.46	5.46
1,184.100	5.46	5.46	5.46	5.46	5.46
1,184.600	5.46	5.46	5.46	5.46	5.46
1,185.100	5.46	5.46	5.46	5.46	5.46

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,185.600	5.46	5.46	5.46	5.46	5.46
1,186.100	5.46	5.46	5.46	5.46	5.46
1,186.600	5.46	5.46	5.46	5.46	5.46
1,187.100	5.46	5.46	5.46	5.46	5.46
1,187.600	5.46	5.46	5.46	5.46	5.46
1,188.100	5.46	5.46	5.46	5.46	5.46
1,188.600	5.46	5.46	5.46	5.46	5.46
1,189.100	5.46	5.46	5.46	5.46	5.46
1,189.600	5.46	5.46	5.46	5.46	5.46
1,190.100	5.46	5.46	5.46	5.46	5.46
1,190.600	5.46	5.46	5.46	5.46	5.46
1,191.100	5.46	5.46	5.46	5.46	5.46
1,191.600	5.46	5.46	5.46	5.46	5.46
1,192.100	5.46	5.46	5.46	5.46	5.46
1,192.600	5.46	5.46	5.46	5.46	5.46
1,193.100	5.46	5.46	5.46	5.46	5.46
1,193.600	5.46	5.46	5.46	5.46	5.46
1,194.100	5.46	5.46	5.46	5.46	5.46
1,194.600	5.46	5.46	5.46	5.46	5.46
1,195.100	5.46	5.46	5.46	5.46	5.46
1,195.600	5.46	5.46	5.46	5.46	5.46
1,196.100	5.46	5.46	5.46	5.46	5.46
1,196.600	5.46	5.46	5.46	5.46	5.46
1,197.100	5.46	5.46	5.46	5.46	5.46
1,197.600	5.46	5.46	5.46	5.46	5.46
1,198.100	5.46	5.46	5.46	5.46	5.46
1,198.600	5.46	5.46	5.46	5.46	5.46
1,199.100	5.46	5.46	5.46	5.46	5.46
1,199.600	5.46	5.46	5.46	5.46	5.46
1,200.100	5.46	5.46	5.46	5.46	5.46
1,200.600	5.46	5.46	5.46	5.46	5.46
1,201.100	5.46	5.46	5.46	5.46	5.46
1,201.600	5.46	5.46	5.46	5.46	5.46
1,202.100	5.46	5.46	5.46	5.46	5.46
1,202.600	5.46	5.46	5.46	5.46	5.46
1,203.100	5.46	5.46	5.46	5.46	5.46
1,203.600	5.46	5.46	5.46	5.46	5.46
1,204.100	5.46	5.46	5.46	5.46	5.46
1,204.600	5.46	5.46	5.46	5.46	5.46
1,205.100	5.46	5.46	5.46	5.46	5.46
1,205.600	5.46	5.46	5.46	5.46	5.46
1,206.100	5.46	5.46	5.46	5.46	5.46
1,206.600	5.46	5.46	5.46	5.46	5.46
1,207.100	5.46	5.46	5.46	5.46	5.46

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,207.600	5.46	5.46	5.46	5.46	5.46
1,208.100	5.46	5.46	5.46	5.46	5.46
1,208.600	5.46	5.46	5.46	5.46	5.46
1,209.100	5.46	5.46	5.46	5.46	5.46
1,209.600	5.46	5.46	5.46	5.46	5.46
1,210.100	5.46	5.46	5.46	5.46	5.46
1,210.600	5.46	5.46	5.46	5.46	5.46
1,211.100	5.46	5.46	5.46	5.46	5.46
1,211.600	5.46	5.46	5.46	5.46	5.46
1,212.100	5.46	5.46	5.46	5.46	5.46
1,212.600	5.46	5.46	5.46	5.46	5.46
1,213.100	5.46	5.46	5.46	5.46	5.46
1,213.600	5.46	5.46	5.46	5.46	5.46
1,214.100	5.46	5.46	5.46	5.46	5.46
1,214.600	5.46	5.46	5.46	5.46	5.46
1,215.100	5.46	5.46	5.46	5.46	5.46
1,215.600	5.46	5.46	5.46	5.46	5.46
1,216.100	5.46	5.46	5.46	5.46	5.46
1,216.600	5.46	5.46	5.46	5.46	5.46
1,217.100	5.46	5.46	5.46	5.46	5.46
1,217.600	5.46	5.46	5.46	5.46	5.46
1,218.100	5.46	5.46	5.46	5.46	5.46
1,218.600	5.46	5.46	5.46	5.46	5.46
1,219.100	5.46	5.46	5.46	5.46	5.46
1,219.600	5.46	5.46	5.46	5.46	5.46
1,220.100	5.46	5.46	5.46	5.46	5.46
1,220.600	5.46	5.46	5.46	5.46	5.46
1,221.100	5.46	5.46	5.46	5.46	5.46
1,221.600	5.46	5.46	5.46	5.46	5.46
1,222.100	5.46	5.46	5.46	5.46	5.46
1,222.600	5.46	5.46	5.46	5.46	5.46
1,223.100	5.46	5.46	5.46	5.46	5.46
1,223.600	5.46	5.46	5.46	5.46	5.46
1,224.100	5.46	5.46	5.46	5.46	5.46
1,224.600	5.46	5.46	5.46	5.46	5.46
1,225.100	5.46	5.46	5.46	5.46	5.46
1,225.600	5.46	5.46	5.46	5.46	5.46
1,226.100	5.46	5.46	5.46	5.46	5.46
1,226.600	5.46	5.46	5.46	5.46	5.46
1,227.100	5.46	5.46	5.46	5.46	5.46
1,227.600	5.46	5.46	5.46	5.46	5.46
1,228.100	5.46	5.46	5.46	5.46	5.46
1,228.600	5.46	5.46	5.46	5.46	5.46
1,229.100	5.46	5.46	5.46	5.46	5.46

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,229.600	5.46	5.46	5.46	5.46	5.46
1,230.100	5.46	5.46	5.46	5.46	5.46
1,230.600	5.46	5.46	5.46	5.46	5.46
1,231.100	5.46	5.46	5.46	5.46	5.46
1,231.600	5.46	5.46	5.46	5.46	5.46
1,232.100	5.46	5.46	5.46	5.46	5.46
1,232.600	5.46	5.46	5.46	5.46	5.46
1,233.100	5.46	5.46	5.46	5.46	5.46
1,233.600	5.46	5.46	5.46	5.46	5.46
1,234.100	5.46	5.46	5.46	5.46	5.46
1,234.600	5.46	5.46	5.46	5.46	5.46
1,235.100	5.46	5.46	5.46	5.46	5.46
1,235.600	5.46	5.46	5.46	5.46	5.46
1,236.100	5.46	5.46	5.46	5.46	5.46
1,236.600	5.46	5.46	5.46	5.46	5.46
1,237.100	5.46	5.46	5.46	5.46	5.46
1,237.600	5.46	5.46	5.46	5.46	5.46
1,238.100	5.46	5.46	5.46	5.46	5.46
1,238.600	5.46	5.46	5.46	5.46	5.46
1,239.100	5.46	5.46	5.46	5.46	5.46
1,239.600	5.46	5.46	5.46	5.46	5.46
1,240.100	5.46	5.46	5.46	5.46	5.46
1,240.600	5.46	5.46	5.46	5.46	5.46
1,241.100	5.46	5.46	5.46	5.46	5.46
1,241.600	5.46	5.46	5.46	5.46	5.46
1,242.100	5.46	5.46	5.46	5.46	5.46
1,242.600	5.46	5.46	5.46	5.46	5.46
1,243.100	5.46	5.46	5.46	5.46	5.46
1,243.600	5.46	5.46	5.46	5.46	5.46
1,244.100	5.46	5.46	5.46	5.46	5.46
1,244.600	5.46	5.46	5.46	5.46	5.46
1,245.100	5.46	5.46	5.46	5.46	5.46
1,245.600	5.46	5.46	5.46	5.46	5.46
1,246.100	5.46	5.46	5.46	5.46	5.46
1,246.600	5.46	5.46	5.46	5.46	5.46
1,247.100	5.46	5.46	5.46	5.46	5.46
1,247.600	5.46	5.46	5.46	5.46	5.46
1,248.100	5.46	5.46	5.46	5.46	5.46
1,248.600	5.46	5.46	5.46	5.46	5.46
1,249.100	5.46	5.46	5.46	5.46	5.46
1,249.600	5.46	5.46	5.46	5.46	5.46
1,250.100	5.46	5.46	5.46	5.46	5.46
1,250.600	5.46	5.46	5.46	5.46	5.46
1,251.100	5.46	5.46	5.46	5.46	5.46

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,251.600	5.46	5.46	5.46	5.46	5.46
1,252.100	5.46	5.46	5.46	5.46	5.46
1,252.600	5.46	5.46	5.46	5.46	5.46
1,253.100	5.46	5.46	5.46	5.46	5.46
1,253.600	5.46	5.46	5.46	5.46	5.46
1,254.100	5.46	5.46	5.46	5.46	5.46
1,254.600	5.46	5.46	5.46	5.46	5.46
1,255.100	5.46	5.46	5.46	5.46	5.46
1,255.600	5.46	5.46	5.46	5.46	5.46
1,256.100	5.46	5.46	5.46	5.46	5.46
1,256.600	5.46	5.46	5.46	5.46	5.46
1,257.100	5.46	5.46	5.46	5.46	5.46
1,257.600	5.46	5.46	5.46	5.46	5.46
1,258.100	5.46	5.46	5.46	5.46	5.46
1,258.600	5.46	5.46	5.46	5.46	5.46
1,259.100	5.46	5.46	5.46	5.46	5.46
1,259.600	5.46	5.46	5.46	5.46	5.46
1,260.100	5.46	5.46	5.46	5.46	5.46
1,260.600	5.46	5.46	5.46	5.46	5.46
1,261.100	5.46	5.46	5.46	5.46	5.46
1,261.600	5.46	5.46	5.46	5.46	5.46
1,262.100	5.46	5.46	5.46	5.46	5.46
1,262.600	5.46	5.46	5.46	5.46	5.46
1,263.100	5.46	5.46	5.46	5.46	5.46
1,263.600	5.46	5.46	5.46	5.46	5.46
1,264.100	5.46	5.46	5.46	5.46	5.46
1,264.600	5.46	5.46	5.46	5.46	5.46
1,265.100	5.46	5.46	5.46	5.46	5.46
1,265.600	5.46	5.46	5.46	5.46	5.46
1,266.100	5.46	5.46	5.46	5.46	5.46
1,266.600	5.46	5.46	5.46	5.46	5.46
1,267.100	5.46	5.46	5.46	5.46	5.46
1,267.600	5.46	5.46	5.46	5.46	5.46
1,268.100	5.46	5.46	5.46	5.46	5.46
1,268.600	5.46	5.46	5.46	5.46	5.46
1,269.100	5.46	5.46	5.46	5.46	5.46
1,269.600	5.46	5.46	5.46	5.46	5.46
1,270.100	5.46	5.46	5.46	5.46	5.46
1,270.600	5.46	5.46	5.46	5.46	5.46
1,271.100	5.46	5.46	5.46	5.46	5.46
1,271.600	5.46	5.46	5.46	5.46	5.46
1,272.100	5.46	5.46	5.46	5.46	5.46
1,272.600	5.46	5.46	5.46	5.46	5.46
1,273.100	5.46	5.46	5.46	5.46	5.46

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,273.600	5.46	5.46	5.46	5.46	5.46
1,274.100	5.46	5.46	5.46	5.46	5.46
1,274.600	5.46	5.46	5.46	5.46	5.46
1,275.100	5.46	5.46	5.46	5.46	5.46
1,275.600	5.46	5.46	5.46	5.46	5.46
1,276.100	5.46	5.46	5.46	5.46	5.46
1,276.600	5.46	5.46	5.46	5.46	5.46
1,277.100	5.46	5.46	5.46	5.46	5.46
1,277.600	5.46	5.46	5.46	5.46	5.46
1,278.100	5.46	5.46	5.46	5.46	5.46
1,278.600	5.46	5.46	5.46	5.46	5.46
1,279.100	5.46	5.46	5.46	5.46	5.46
1,279.600	5.46	5.46	5.46	5.46	5.46
1,280.100	5.43	5.38	5.34	5.29	5.25
1,280.600	5.21	5.16	5.12	5.08	5.04
1,281.100	5.00	4.96	4.91	4.87	4.83
1,281.600	4.79	4.76	4.72	4.68	4.64
1,282.100	4.60	4.56	4.53	4.49	4.45
1,282.600	4.42	4.38	4.35	4.31	4.28
1,283.100	4.24	4.21	4.18	4.14	4.11
1,283.600	4.08	4.05	4.02	3.98	3.95
1,284.100	3.92	3.89	3.86	3.83	3.80
1,284.600	3.77	3.75	3.72	3.69	3.66
1,285.100	3.63	3.61	3.58	3.55	3.53
1,285.600	3.50	3.47	3.45	3.42	3.40
1,286.100	3.37	3.35	3.33	3.30	3.28
1,286.600	3.26	3.23	3.21	3.19	3.17
1,287.100	3.14	3.12	3.10	3.08	3.06
1,287.600	3.04	3.02	3.00	2.98	2.96
1,288.100	2.94	2.92	2.90	2.89	2.87
1,288.600	2.85	2.83	2.82	2.80	2.78
1,289.100	2.77	2.75	2.73	2.72	2.70
1,289.600	2.68	2.67	2.65	2.64	2.62
1,290.100	2.61	2.59	2.58	2.57	2.55
1,290.600	2.54	2.53	2.51	2.50	2.49
1,291.100	2.48	2.46	2.45	2.44	2.43
1,291.600	2.42	2.40	2.39	2.38	2.37
1,292.100	2.36	2.35	2.34	2.33	2.32
1,292.600	2.31	2.30	2.29	2.28	2.27
1,293.100	2.26	2.25	2.24	2.23	2.22
1,293.600	2.22	2.21	2.20	2.19	2.18
1,294.100	2.17	2.17	2.16	2.15	2.14
1,294.600	2.14	2.13	2.12	2.11	2.11
1,295.100	2.10	2.09	2.09	2.08	2.07

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,295.600	2.07	2.06	2.06	2.05	2.04
1,296.100	2.04	2.03	2.03	2.02	2.02
1,296.600	2.01	2.01	2.00	2.00	1.99
1,297.100	1.99	1.98	1.98	1.97	1.97
1,297.600	1.96	1.96	1.95	1.95	1.95
1,298.100	1.94	1.94	1.93	1.93	1.93
1,298.600	1.92	1.92	1.92	1.91	1.91
1,299.100	1.90	1.90	1.90	1.89	1.89
1,299.600	1.89	1.88	1.88	1.88	1.87
1,300.100	1.87	1.87	1.86	1.86	1.86
1,300.600	1.86	1.85	1.85	1.85	1.85
1,301.100	1.84	1.84	1.84	1.83	1.83
1,301.600	1.83	1.83	1.83	1.82	1.82
1,302.100	1.82	1.82	1.81	1.81	1.81
1,302.600	1.81	1.81	1.80	1.80	1.80
1,303.100	1.80	1.80	1.79	1.79	1.79
1,303.600	1.79	1.79	1.79	1.78	1.78
1,304.100	1.78	1.78	1.78	1.78	1.77
1,304.600	1.77	1.77	1.77	1.77	1.77
1,305.100	1.77	1.76	1.76	1.76	1.76
1,305.600	1.76	1.76	1.76	1.75	1.75
1,306.100	1.75	1.75	1.75	1.75	1.75
1,306.600	1.75	1.74	1.74	1.74	1.74
1,307.100	1.74	1.74	1.74	1.74	1.74
1,307.600	1.73	1.73	1.73	1.73	1.73
1,308.100	1.73	1.73	1.73	1.73	1.73
1,308.600	1.72	1.72	1.72	1.72	1.72
1,309.100	1.72	1.72	1.72	1.72	1.72
1,309.600	1.72	1.71	1.71	1.71	1.71
1,310.100	1.71	1.71	1.71	1.71	1.71
1,310.600	1.71	1.71	1.71	1.70	1.70
1,311.100	1.70	1.70	1.70	1.70	1.70
1,311.600	1.70	1.70	1.70	1.70	1.70
1,312.100	1.70	1.69	1.69	1.69	1.69
1,312.600	1.69	1.69	1.69	1.69	1.69
1,313.100	1.69	1.69	1.69	1.69	1.69
1,313.600	1.69	1.68	1.68	1.68	1.68
1,314.100	1.68	1.68	1.68	1.68	1.68
1,314.600	1.68	1.68	1.68	1.68	1.68
1,315.100	1.68	1.68	1.67	1.67	1.67
1,315.600	1.67	1.67	1.67	1.67	1.67
1,316.100	1.67	1.67	1.67	1.67	1.67
1,316.600	1.67	1.67	1.67	1.66	1.66
1,317.100	1.66	1.66	1.66	1.66	1.66

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,317.600	1.66	1.66	1.66	1.66	1.66
1,318.100	1.66	1.66	1.66	1.66	1.66
1,318.600	1.66	1.65	1.65	1.65	1.65
1,319.100	1.65	1.65	1.65	1.65	1.65
1,319.600	1.65	1.65	1.65	1.65	1.65
1,320.100	1.65	1.65	1.65	1.65	1.65
1,320.600	1.64	1.64	1.64	1.64	1.64
1,321.100	1.64	1.64	1.64	1.64	1.64
1,321.600	1.64	1.64	1.64	1.64	1.64
1,322.100	1.64	1.64	1.64	1.64	1.64
1,322.600	1.63	1.63	1.63	1.63	1.63
1,323.100	1.63	1.63	1.63	1.63	1.63
1,323.600	1.63	1.63	1.63	1.63	1.63
1,324.100	1.63	1.63	1.63	1.63	1.62
1,324.600	1.62	1.62	1.62	1.62	1.62
1,325.100	1.62	1.62	1.62	1.62	1.62
1,325.600	1.62	1.62	1.62	1.62	1.62
1,326.100	1.62	1.62	1.62	1.62	1.61
1,326.600	1.61	1.61	1.61	1.61	1.61
1,327.100	1.61	1.61	1.61	1.61	1.61
1,327.600	1.61	1.61	1.61	1.61	1.61
1,328.100	1.61	1.61	1.61	1.61	1.61
1,328.600	1.60	1.60	1.60	1.60	1.60
1,329.100	1.60	1.60	1.60	1.60	1.60
1,329.600	1.60	1.60	1.60	1.60	1.60
1,330.100	1.60	1.60	1.60	1.60	1.60
1,330.600	1.60	1.60	1.59	1.59	1.59
1,331.100	1.59	1.59	1.59	1.59	1.59
1,331.600	1.59	1.59	1.59	1.59	1.59
1,332.100	1.59	1.59	1.59	1.59	1.59
1,332.600	1.59	1.59	1.59	1.59	1.59
1,333.100	1.58	1.58	1.58	1.58	1.58
1,333.600	1.58	1.58	1.58	1.58	1.58
1,334.100	1.58	1.58	1.58	1.58	1.58
1,334.600	1.58	1.58	1.58	1.58	1.58
1,335.100	1.58	1.58	1.58	1.57	1.57
1,335.600	1.57	1.57	1.57	1.57	1.57
1,336.100	1.57	1.57	1.57	1.57	1.57
1,336.600	1.57	1.57	1.57	1.57	1.57
1,337.100	1.57	1.57	1.57	1.57	1.57
1,337.600	1.57	1.57	1.56	1.56	1.56
1,338.100	1.56	1.56	1.56	1.56	1.56
1,338.600	1.56	1.56	1.56	1.56	1.56
1,339.100	1.56	1.56	1.56	1.56	1.56

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,339.600	1.56	1.56	1.56	1.56	1.56
1,340.100	1.56	1.55	1.55	1.55	1.55
1,340.600	1.55	1.55	1.55	1.55	1.55
1,341.100	1.55	1.55	1.55	1.55	1.55
1,341.600	1.55	1.55	1.55	1.55	1.55
1,342.100	1.55	1.55	1.55	1.55	1.55
1,342.600	1.55	1.54	1.54	1.54	1.54
1,343.100	1.54	1.54	1.54	1.54	1.54
1,343.600	1.54	1.54	1.54	1.54	1.54
1,344.100	1.54	1.54	1.54	1.54	1.54
1,344.600	1.54	1.54	1.54	1.54	1.54
1,345.100	1.54	1.53	1.53	1.53	1.53
1,345.600	1.53	1.53	1.53	1.53	1.53
1,346.100	1.53	1.53	1.53	1.53	1.53
1,346.600	1.53	1.53	1.53	1.53	1.53
1,347.100	1.53	1.53	1.53	1.53	1.53
1,347.600	1.53	1.53	1.52	1.52	1.52
1,348.100	1.52	1.52	1.52	1.52	1.52
1,348.600	1.52	1.52	1.52	1.52	1.52
1,349.100	1.52	1.52	1.52	1.52	1.52
1,349.600	1.52	1.52	1.52	1.52	1.52
1,350.100	1.52	1.52	1.52	1.51	1.51
1,350.600	1.51	1.51	1.51	1.51	1.51
1,351.100	1.51	1.51	1.51	1.51	1.51
1,351.600	1.51	1.51	1.51	1.51	1.51
1,352.100	1.51	1.51	1.51	1.51	1.51
1,352.600	1.51	1.51	1.51	1.51	1.51
1,353.100	1.50	1.50	1.50	1.50	1.50
1,353.600	1.50	1.50	1.50	1.50	1.50
1,354.100	1.50	1.50	1.50	1.50	1.50
1,354.600	1.50	1.50	1.50	1.50	1.50
1,355.100	1.50	1.50	1.50	1.50	1.50
1,355.600	1.50	1.50	1.50	1.49	1.49
1,356.100	1.49	1.49	1.49	1.49	1.49
1,356.600	1.49	1.49	1.49	1.49	1.49
1,357.100	1.49	1.49	1.49	1.49	1.49
1,357.600	1.49	1.49	1.49	1.49	1.49
1,358.100	1.49	1.49	1.49	1.49	1.49
1,358.600	1.49	1.48	1.48	1.48	1.48
1,359.100	1.48	1.48	1.48	1.48	1.48
1,359.600	1.48	1.48	1.48	1.48	1.48
1,360.100	1.48	1.48	1.48	1.48	1.48
1,360.600	1.48	1.48	1.48	1.48	1.48
1,361.100	1.48	1.48	1.48	1.48	1.47

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,361.600	1.47	1.47	1.47	1.47	1.47
1,362.100	1.47	1.47	1.47	1.47	1.47
1,362.600	1.47	1.47	1.47	1.47	1.47
1,363.100	1.47	1.47	1.47	1.47	1.47
1,363.600	1.47	1.47	1.47	1.47	1.47
1,364.100	1.47	1.47	1.47	1.47	1.46
1,364.600	1.46	1.46	1.46	1.46	1.46
1,365.100	1.46	1.46	1.46	1.46	1.46
1,365.600	1.46	1.46	1.46	1.46	1.46
1,366.100	1.46	1.46	1.46	1.46	1.46
1,366.600	1.46	1.46	1.46	1.46	1.46
1,367.100	1.46	1.46	1.46	1.46	1.45
1,367.600	1.45	1.45	1.45	1.45	1.45
1,368.100	1.45	1.45	1.45	1.45	1.45
1,368.600	1.45	1.45	1.45	1.45	1.45
1,369.100	1.45	1.45	1.45	1.45	1.45
1,369.600	1.45	1.45	1.45	1.45	1.45
1,370.100	1.45	1.45	1.45	1.45	1.44
1,370.600	1.44	1.44	1.44	1.44	1.44
1,371.100	1.44	1.44	1.44	1.44	1.44
1,371.600	1.44	1.44	1.44	1.44	1.44
1,372.100	1.44	1.44	1.44	1.44	1.44
1,372.600	1.44	1.44	1.44	1.44	1.44
1,373.100	1.44	1.44	1.44	1.44	1.44
1,373.600	1.43	1.43	1.43	1.43	1.43
1,374.100	1.43	1.43	1.43	1.43	1.43
1,374.600	1.43	1.43	1.43	1.43	1.43
1,375.100	1.43	1.43	1.43	1.43	1.43
1,375.600	1.43	1.43	1.43	1.43	1.43
1,376.100	1.43	1.43	1.43	1.43	1.43
1,376.600	1.43	1.43	1.42	1.42	1.42
1,377.100	1.42	1.42	1.42	1.42	1.42
1,377.600	1.42	1.42	1.42	1.42	1.42
1,378.100	1.42	1.42	1.42	1.42	1.42
1,378.600	1.42	1.42	1.42	1.42	1.42
1,379.100	1.42	1.42	1.42	1.42	1.42
1,379.600	1.42	1.42	1.42	1.42	1.42
1,380.100	1.41	1.41	1.41	1.41	1.41
1,380.600	1.41	1.41	1.41	1.41	1.41
1,381.100	1.41	1.41	1.41	1.41	1.41
1,381.600	1.41	1.41	1.41	1.41	1.41
1,382.100	1.41	1.41	1.41	1.41	1.41
1,382.600	1.41	1.41	1.41	1.41	1.41
1,383.100	1.41	1.41	1.41	1.40	1.40

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,383.600	1.40	1.40	1.40	1.40	1.40
1,384.100	1.40	1.40	1.40	1.40	1.40
1,384.600	1.40	1.40	1.40	1.40	1.40
1,385.100	1.40	1.40	1.40	1.40	1.40
1,385.600	1.40	1.40	1.40	1.40	1.40
1,386.100	1.40	1.40	1.40	1.40	1.40
1,386.600	1.40	1.40	1.40	1.39	1.39
1,387.100	1.39	1.39	1.39	1.39	1.39
1,387.600	1.39	1.39	1.39	1.39	1.39
1,388.100	1.39	1.39	1.39	1.39	1.39
1,388.600	1.39	1.39	1.39	1.39	1.39
1,389.100	1.39	1.39	1.39	1.39	1.39
1,389.600	1.39	1.39	1.39	1.39	1.39
1,390.100	1.39	1.39	1.38	1.38	1.38
1,390.600	1.38	1.38	1.38	1.38	1.38
1,391.100	1.38	1.38	1.38	1.38	1.38
1,391.600	1.38	1.38	1.38	1.38	1.38
1,392.100	1.38	1.38	1.38	1.38	1.38
1,392.600	1.38	1.38	1.38	1.38	1.38
1,393.100	1.38	1.38	1.38	1.38	1.38
1,393.600	1.38	1.38	1.38	1.37	1.37
1,394.100	1.37	1.37	1.37	1.37	1.37
1,394.600	1.37	1.37	1.37	1.37	1.37
1,395.100	1.37	1.37	1.37	1.37	1.37
1,395.600	1.37	1.37	1.37	1.37	1.37
1,396.100	1.37	1.37	1.37	1.37	1.37
1,396.600	1.37	1.37	1.37	1.37	1.37
1,397.100	1.37	1.37	1.37	1.37	1.37
1,397.600	1.36	1.36	1.36	1.36	1.36
1,398.100	1.36	1.36	1.36	1.36	1.36
1,398.600	1.36	1.36	1.36	1.36	1.36
1,399.100	1.36	1.36	1.36	1.36	1.36
1,399.600	1.36	1.36	1.36	1.36	1.36
1,400.100	1.36	1.36	1.36	1.36	1.36
1,400.600	1.36	1.36	1.36	1.36	1.36
1,401.100	1.35	1.35	1.35	1.35	1.35
1,401.600	1.35	1.35	1.35	1.35	1.35
1,402.100	1.35	1.35	1.35	1.35	1.35
1,402.600	1.35	1.35	1.35	1.35	1.35
1,403.100	1.35	1.35	1.35	1.35	1.35
1,403.600	1.35	1.35	1.35	1.35	1.35
1,404.100	1.35	1.35	1.35	1.35	1.35
1,404.600	1.35	1.35	1.34	1.34	1.34
1,405.100	1.34	1.34	1.34	1.34	1.34

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,405.600	1.34	1.34	1.34	1.34	1.34
1,406.100	1.34	1.34	1.34	1.34	1.34
1,406.600	1.34	1.34	1.34	1.34	1.34
1,407.100	1.34	1.34	1.34	1.34	1.34
1,407.600	1.34	1.34	1.34	1.34	1.34
1,408.100	1.34	1.34	1.34	1.34	1.34
1,408.600	1.34	1.33	1.33	1.33	1.33
1,409.100	1.33	1.33	1.33	1.33	1.33
1,409.600	1.33	1.33	1.33	1.33	1.33
1,410.100	1.33	1.33	1.33	1.33	1.33
1,410.600	1.33	1.33	1.33	1.33	1.33
1,411.100	1.33	1.33	1.33	1.33	1.33
1,411.600	1.33	1.33	1.33	1.33	1.33
1,412.100	1.33	1.33	1.33	1.33	1.33
1,412.600	1.32	1.32	1.32	1.32	1.32
1,413.100	1.32	1.32	1.32	1.32	1.32
1,413.600	1.32	1.32	1.32	1.32	1.32
1,414.100	1.32	1.32	1.32	1.32	1.32
1,414.600	1.32	1.32	1.32	1.32	1.32
1,415.100	1.32	1.32	1.32	1.32	1.32
1,415.600	1.32	1.32	1.32	1.32	1.32
1,416.100	1.32	1.32	1.32	1.32	1.32
1,416.600	1.32	1.31	1.31	1.31	1.31
1,417.100	1.31	1.31	1.31	1.31	1.31
1,417.600	1.31	1.31	1.31	1.31	1.31
1,418.100	1.31	1.31	1.31	1.31	1.31
1,418.600	1.31	1.31	1.31	1.31	1.31
1,419.100	1.31	1.31	1.31	1.31	1.31
1,419.600	1.31	1.31	1.31	1.31	1.31
1,420.100	1.31	1.31	1.31	1.31	1.31
1,420.600	1.31	1.31	1.31	1.30	1.30
1,421.100	1.30	1.30	1.30	1.30	1.30
1,421.600	1.30	1.30	1.30	1.30	1.30
1,422.100	1.30	1.30	1.30	1.30	1.30
1,422.600	1.30	1.30	1.30	1.30	1.30
1,423.100	1.30	1.30	1.30	1.30	1.30
1,423.600	1.30	1.30	1.30	1.30	1.30
1,424.100	1.30	1.30	1.30	1.30	1.30
1,424.600	1.30	1.30	1.30	1.30	1.30
1,425.100	1.30	1.29	1.29	1.29	1.29
1,425.600	1.29	1.29	1.29	1.29	1.29
1,426.100	1.29	1.29	1.29	1.29	1.29
1,426.600	1.29	1.29	1.29	1.29	1.29
1,427.100	1.29	1.29	1.29	1.29	1.29

Subsection: Pond Routed Hydrograph (total out) Scenario: Base
Label: PO-1 (OUT)

HYDROGRAPH ORDINATES (ft³/s)
Output Time Increment = 0.100 min
Time on left represents time for first value in each row.

Time (min)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)	Flow (ft³/s)
1,427.600	1.29	1.29	1.29	1.29	1.29
1,428.100	1.29	1.29	1.29	1.29	1.29
1,428.600	1.29	1.29	1.29	1.29	1.29
1,429.100	1.29	1.29	1.29	1.29	1.29
1,429.600	1.29	1.28	1.28	1.28	1.28
1,430.100	1.28	1.28	1.28	1.28	1.28
1,430.600	1.28	1.28	1.28	1.28	1.28
1,431.100	1.28	1.28	1.28	1.28	1.28
1,431.600	1.28	1.28	1.28	1.28	1.28
1,432.100	1.28	1.28	1.28	1.28	1.28
1,432.600	1.28	1.28	1.28	1.28	1.28
1,433.100	1.28	1.28	1.28	1.28	1.28
1,433.600	1.28	1.28	1.28	1.28	1.28
1,434.100	1.28	1.27	1.27	1.27	1.27
1,434.600	1.27	1.27	1.27	1.27	1.27
1,435.100	1.27	1.27	1.27	1.27	1.27
1,435.600	1.27	1.27	1.27	1.27	1.27
1,436.100	1.27	1.27	1.27	1.27	1.27
1,436.600	1.27	1.27	1.27	1.27	1.27
1,437.100	1.27	1.27	1.27	1.27	1.27
1,437.600	1.27	1.27	1.27	1.27	1.27
1,438.100	1.27	1.27	1.27	1.27	1.27
1,438.600	1.27	1.27	1.26	1.26	1.26
1,439.100	1.26	1.26	1.26	1.26	1.26
1,439.600	1.26	1.26	1.26	1.26	1.26

Summary for Hydrograph Addition at 'PO-1'

Upstream Link	Upstream Node
<Catchment to Outflow Node>	CM-1

Node Inflows

Inflow Type	Element	Volume (ac-ft)	Time to Peak (min)	Flow (Peak) (ft³/s)
Flow (From)	CM-1	4.670	1,153.200	29.27
Flow (In)	PO-1	4.663	1,153.200	29.27

Index

2

25 yr pump (Composite Rating Curve)...

8

85 pump (Composite Rating Curve)...

C

CM-1 (Read Hydrograph)...

Composite Rating Curve...178, 179, 180, 181, 182, 183, 184, 185

M

Master Network Summary...3

P

Pipe Volume...174, 175, 176, 177

PO-1 (IN) (Pond Inflow Summary)...

PO-1 (OUT) (Pond Routed Hydrograph (total out))...

PO-1 (OUT) (Time vs. Elevation)...

PO-1 (Pipe Volume)...

PO-1 (Time vs. Volume)...

Pond Inflow Summary...252

Pond Routed Hydrograph (total out)...186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251

U

User Notifications...2