



**CEQA EXEMPTION / NEPA CATEGORICAL EXCLUSION
DETERMINATION FORM (rev. 06/2022)**

Project Information

Project Name (if applicable): ED 193 Replace Double Barrel Culvert

DIST-CO-RTE: 03-ED-193

PM/PM: 8.82/8.82

EA: 03-2N470

EFIS: 0326000078

Project Description

The California Department of Transportation (Caltrans) initiated a Director’s Order to remove and replace a failed double barrel corrugated metal pipe (CMP) culvert located on State Route 193 at post mile (PM) 8.82 in El Dorado County. Caltrans proposes mobilization, remove failed CMP culverts and install reinforced concrete pipe (RCP) culverts, install headwall(s), clear and grub, potholing, on-site biologist monitoring, water diversion, Class 2 aggregate base (AB), asphaltic cement (AC) paving, AC dike, striping, traffic control, and incidental work.

Caltrans CEQA Determination (Check one)

- Not Applicable** – Caltrans is not the CEQA Lead Agency
- Not Applicable** – Caltrans has prepared an IS or EIR under CEQA

Based on an examination of this proposal and supporting information, the project is:

- Exempt by Statute.** (PRC 21080[b]; 14 CCR 15260 et seq.)
- Categorically Exempt. Class 1(d).** (PRC 21084; 14 CCR 15300 et seq.)
 - No exceptions apply that would bar the use of a categorical exemption (PRC 21084 and 14 CCR 15300.2). See the [SER Chapter 34](#) for exceptions.
- Covered by the Common Sense Exemption.** This project does not fall within an exempt class, but it can be seen with certainty that there is no possibility that the activity may have a significant effect on the environment (14 CCR 15061[b][3].)

Senior Environmental Planner or Environmental Branch Chief

Joshua Faughn	<i>Joshua Faughn</i>	05/18/2026
Print Name	Signature	Date

Project Manager

Ethan Hyde	<i>Ethan Hyde</i>	05/18/2026
Print Name	Signature	Date



CEQA EXEMPTION / NEPA CATEGORICAL EXCLUSION DETERMINATION FORM

Caltrans NEPA Determination (Check one)

[X] Not Applicable

Caltrans has determined that this project has no significant impacts on the environment as defined by NEPA, and that there are no unusual circumstances as described in 23 CFR 771.117(b). See SER Chapter 30 for unusual circumstances. As such, the project is categorically excluded from the requirements to prepare an EA or EIS under NEPA and is included under the following:

[] 23 USC 326: Caltrans has been assigned, and hereby certifies that it has carried out the responsibility to make this determination pursuant to 23 USC 326 and the Memorandum of Understanding dated April 18, 2022, executed between FHWA and Caltrans. Caltrans has determined that the project is a Categorical Exclusion under:

- [] 23 CFR 771.117(c): activity (c)()
[] 23 CFR 771.117(d): activity (d)()
[] Activity listed in Appendix A of the MOU between FHWA and Caltrans

[] 23 USC 327: Based on an examination of this proposal and supporting information, Caltrans has determined that the project is a Categorical Exclusion under 23 USC 327. The environmental review, consultation, and any other actions required by applicable Federal environmental laws for this project are being, or have been, carried out by Caltrans pursuant to 23 USC 327 and the Memorandum of Understanding dated May 27, 2022, and executed by FHWA and Caltrans.

Senior Environmental Planner or Environmental Branch Chief

N/A

Print Name

Signature

Date

Project Manager/ DLA Engineer

N/A

Print Name

Signature

Date

Date of Categorical Exclusion Checklist completion (if applicable): N/A

Date of Environmental Commitment Record or equivalent: N/A

Briefly list environmental commitments on continuation sheet if needed (i.e., not necessary if included on an attached ECR). Reference additional information, as appropriate (e.g., additional studies and design conditions).



CEQA EXEMPTION / NEPA CATEGORICAL EXCLUSION DETERMINATION FORM

Continuation sheet:

Purpose and Need

The purpose of this project is to replace a double barrel corrugated metal pipe (CMP) culvert.

This project is needed to mitigate the risk of additional damage to the roadway due to the failed culvert.

Staging

If required, all staging would occur within the Caltrans right-of-way on existing pullouts.

Disposal/Borrow

Based on the proposed scope of work, no borrow or disposal is required for this project.

Right-of-Way

This project would be completed within the operational right-of-way.

Consultation/Agency Coordination

Based on the proposed scope of work and due to the nature of the project, consultation with the California Department of Fish and Wildlife (CDFW) and the United States Army Corps of Engineers (USACE) will be required for this project.

Permits

Based on the proposed scope of work, a 1610 exemption will be acquired from CDFW and a pre-construction notification will be submitted to the USACE.