

DECLARATION OF FEES DUE

(California Fish and Wildlife Code Section 711.4)

FOR CLERK USE ONLY

NAME AND ADDRESS OF LEAD AGENCY/APPLICANT

Butte County Resource Conservation District
150 Chuck Yeager Way, Ste. A
Oroville, CA 95965

Project Title:

FILING NO.

Feather Falls Campground Construction of Replacement Facilities After North Complex Fire

CLASSIFICATION OF ENVIRONMENTAL DOCUMENT:

1. NOTICE OF EXEMPTION/STATEMENT OF EXEMPTION
☒ A. Statutorily or Categorically Exempt
\$50.00 (Fifty Dollars) Butte County Clerk's Fee
2. NOTICE OF DETERMINATION - FEE REQUIRED
☐ A. Negative Declaration
\$3043.75 (Three Thousand Forty Three Dollars and Seventy Five Cents) State Filing Fee
\$50.00 (Fifty Dollars) Butte County Clerk's Fee
B. Environmental Impact Report
\$4227.50 (Four Thousand Two Hundred Twenty Seven Dollars and Fifty Cents)
\$50.00 (Fifty Dollars) Butte County Clerk's Fee
3. OTHER (Specify) General Rule Exemption
☐ \$50.00 (Fifty Dollars) Butte County Clerk's Fee


This form must be completed and submitted with all environmental documents filed with the Butte County Clerk's Office.

All applicable fees must be paid at the time of filing any environmental documents with the Butte County Clerk's Office.

One original and two (2) copies of all necessary documents are required for filing purposes.

The \$50.00 (Fifty Dollars) handling fee is required per filing in addition to the filing fee specified in Fish and Game Code Section 711.4 (d).

Make checks payable to Butte County Clerk-Recorder.





Butte County
Keaton Denlay, County Clerk-Recorder
155 Nelson Avenue

Oroville, CA 95965
(530) 552-3400, Option 2

Receipt: 26-19422

Product	Name	Extended
CEQA	CEQA FISH AND WILDLIFE	\$50.00
	# Pages	1
	Document #	04-06222026-041
	Document Info:	BUTTE COUNTY RESOURCE CONSERVATION DISTRICT
	Filing Type	NOE
	State Fee Prev	false
	Charged	
	No Charge	false
	Clerk Fee	
Total		\$50.00
Tender (Credit Card (VitalCheck))		\$50.00
Paid By	WOLFY	
Approval Code	1925	

Thank You

6/22/26, 4:06 PM PST kwan

06/22/2026

04:05 PM PDT

BUTTE COUNTY CLERK-RECORDER
(KEATON DENLAY)
155 NELSON AVENUE
OROVILLE, CA 95965

TERMINAL NAME: E2733005

ORDER# 222751925

PAYMENT

MISC 123 \$50.00

AGENCY SUBTOTAL: \$50.00
LEXISNEXIS SERVICE FEE: \$2.50

TOTAL USD: \$52.50

CARD #: 5026 VISA
PAYMENT: CREDITCHIP READ-CONTACTLESS
MODE: ISSUER
AUTH CODE: 652343
APP LABEL: VISA CREDIT
CVM:
AID: A0000000031010
ARQC: 7173B2EBB072CDFF
AMOUNT: \$52.50
*** CARD APPROVED ***

AMOUNT PAID:
\$52.50

CUSTOMER COPY

**2026 ENVIRONMENTAL DOCUMENT FILING FEE CASH RECEIPT**

DFW 753.5a (REV. 01/01/26) Previously DFG 753.5a

RECEIPT NUMBER:

04-06222026-041

STATE CLEARINGHOUSE NUMBER (If applicable)

SEE INSTRUCTIONS ON REVERSE. TYPE OR PRINT CLEARLY.

LEAD AGENCY

BUTTE COUNTY RESOURCE CONSERVATION

LEAD AGENCY EMAIL

DATE

06/22/2026

COUNTY/STATE AGENCY OF FILING

BUTTE

DOCUMENT NUMBER

317

PROJECT TITLE

FEATHER FALLS CAMPGROUND CONSTRUCTION OF REPLACEMENT FACILITIES AFTER NORTH COMPLEX FIRE

PROJECT APPLICANT NAME

BUTTE COUNTY RESOURCE CONSERVATION

PROJECT APPLICANT EMAIL

PHONE NUMBER

(530) 693-3173

PROJECT APPLICANT ADDRESS

150 CHUCK YEAGER WAY STE A

CITY

OROVILLE

STATE

CA

ZIP CODE

95965

PROJECT APPLICANT (Check appropriate box)☒ Local Public Agency☐ School District☐ Other Special District☐ State Agency☐ Private Entity**CHECK APPLICABLE FEES:**☐ Environmental Impact Report (EIR)

\$4,227.50

\$

☐ Mitigated/Negative Declaration (MND)(ND)

\$3,043.75

\$

☐ Certified Regulatory Program (CRP) document - payment due directly to CDFW

\$1,437.25

\$

☒ Exempt from fee☒ Notice of Exemption (attach)☐ CDFW No Effect Determination (attach)☐ Fee previously paid (attach previously issued cash receipt copy)☐ Water Right Application or Petition Fee (State Water Resources Control Board only)

\$850.00

\$

☒ County documentary handling fee

\$50.00

\$

☐ Other

\$

PAYMENT METHOD:☐ Cash☒ Credit☐ Check☐ Other**TOTAL RECEIVED**

\$

\$50.00

SIGNATURE

X

AGENCY OF FILING PRINTED NAME AND TITLE

Krystal Wan, Deputy County Clerk-Recorder

Notice of Exemption

To: Office of Planning and Research
P.O. Box 3044, Room 113 Sacramento, CA
95812-3044

From: (Public Agency) Butte County Resource Conservation District
150 Chuck Yeager Way, Ste A
Oroville, CA. 95965

County Clerk / County of Butte

155 Nelson Ave

Oroville, CA 95965-3411

Project Title: Feather Falls Campground Construction of Replacement Facilities After North Complex Fire

Project Applicant: Mooretown Rancheria of Maidu Indians of California

Project Location – Specific: T. 20N., R. 6E., Sections 2 and 11. See attached map.
(Address)

Project Location - City: Unincorporated Area (95940)

Project Location - County: Butte

Description of Nature, Purpose, and Beneficiaries of Project:

As part of a program of restoration and enhancement of ecological, cultural and recreational resources across the Mooretown Tribal Landscape, Mooretown Rancheria in partnership with Plumas National Forest proposes to rebuild the Feather Falls Campground which was destroyed by the 2020 North Complex Fire. This project falls on Forest Service land. Project activities were analyzed and authorized under the Feather Falls Salvage Project (signed July 9, 2021), and BCRCD previously filed a Notice of Exemption under CEQA (June 12, 2025), for a prior version of this project which planned to rebuild a new campground on the exact footprint of the old campground. Subsequently, the new campground's footprint was moved to a slightly different location and three additional sites were added. Resource surveys for the new location were conducted by Plumas National Forest and documented under a FANEC (Finding of Applicability and No Extraordinary Circumstance) on March 26, 2026. The project is still subject to CEQA because it would be carried out using State funding, BCRCD has reviewed all relevant documents and studies and prepared this second notice of exemption under CEQA for the project as revised.

Name of Public Agency Approving Project: Butte County Resource Conservation District (BCRCD)

Name of Person or Agency Carrying Out Project: Feather River Ranger District, Plumas National Forest

Exempt Status: (check one)

- ☐ Ministerial (Sec. 21080(b)(1); 15268);
- ☐ Declared Emergency (Sec. 21080(b)(3); 15269(a));
- ☐ Emergency Project (Sec. 21080(b)(4); 15269(b)(c));
- ☐ Categorical Exemption. e.g., Class 4: Minor Alterations to Land (§15304)
- ☒ Statutory Exemption: 15269(a): Projects to replace property damaged or destroyed as a result of a disaster


Reasons why project is exempt:

The project is located partly within and partly adjacent to an existing recreational area that was destroyed by the 2020 North Complex Fire, a disaster stricken area in which a state of emergency was proclaimed on August 18, 2020 by the Governor pursuant to the California Emergency Services Act, commencing with Section 8550 of the Government Code. Furthermore, the replacement campground area has been surveyed comprehensively for sensitive resources, and it has been determined that project activities will have no impact. Therefore, an exemption pursuant to §15269(a) is indicated.

Lead Agency Contact Person: Thad Walker, District Manager Area Code/Telephone/Extension: (530) 693-3173

If filed by applicant (n/a):

1. Attach certified document of exemption finding.
2. Has a Notice of Exemption been filed by the public agency approving the project: ☐ Yes ☐ No

Signature: 

Date: 6/18/26

Title: Chairman, BCRCD Board of Directors

☒ Signed by Lead Agency

☐ Signed by Applicant

Authority cited: Sections 21083 and 21110, Public Resources Code.

Date received for filing at OPR: _____

Reference: Sections 21108, 21108, 21152, and 21152.1, Public Resources Code.

Butte County Resource Conservation District

Notice of Exemption

Project Activities to repair and/or replace recreation facilities of the Feather Falls Trailhead and Campground

The following activities have already been reviewed, prior to June 12, 2025, for their potential resource impacts and were authorized under the Feather Falls Salvage Project signed July 9, 2021:

- Repairs and improvements to NFS Road 21N35Y (Bryant Ravine Road);
 - Replace large campground and trailhead entrance sign
 - Install new gate
- Repairs to the paved parking lot;
 - Replace barrier - curb
 - Replace security lights
- Replace well water system with submersible pump
- Repair of Feather Falls Trailhead
 - Replace visitor information signs
- Repair day use area; and
- Repair vault toilet building

The following new activities have been reviewed during 2026 for their potential resource impacts and the Forest Service has affirmed through a FANEC (Finding of Applicability and No Extraordinary Circumstance) that they are also authorized under the Feather Falls Salvage Project signed July 9, 2021:

- Replace recreation facilities of the Feather Falls Trailhead and Campground, including relocating the campground from its location at the trailhead to a new location, nearby, at the south of the trail parking lot on the opposite side of Bryant Ravine Road.
- The previous 5 campsites will be replaced with 8 campsites along with host-site facilities. New construction includes:
 - Design of landscape and all amenities,
 - Site prep, (removing dead, down, and other impacted vegetation, including use of prescribed fire),
 - Grading and building access road through campground,
 - Delineate and grade campground sites,
 - Install infrastructure,
 - Install amenities including vault toilet (one building with two toilets), potable water access (including either piping water from old well or digging new well and two spigots), shade structures located throughout the trail, trailhead, and campground; bear boxes, picnic areas, day use areas, kiosks; and host-site facilities.
- Planting new trees for shade and scenery
- Protecting and growing areas of native vegetation, including hardwoods and other native trees.
- Encouraging and growing culturally important plants for food, industry, medicine, wildlife, and other tribal values.
- Design and installation of signs providing acknowledgement, interpretation, safety, and information.

Results and Review of Analysis- Findings

There are no federally listed threatened or endangered species, designated critical habitat, species proposed for Federal listing, or proposed critical habitat for wildlife/plants. Botanical surveys were conducted by the Feather River Ranger District. Surveys found no plants listed as Sensitive, Watch List, or California Rare Plant Ranked 1-4. Therefore, it is the determination of both the Forest Service and the BCRCD that the project will have no significant impact on rare or sensitive wildlife or plant species, sensitive habitats, or other biological resources.

Furthermore, the project area does not contain any floodplains, wetlands, or municipal watersheds. There are no congressionally designated areas such as wilderness, wilderness study areas, national recreation areas, or research natural areas. No mature or scenic trees will be felled. The project adds 3 campsites to a previously existing 5-site campground and therefore has no meaningful foreseeable growth-inducing effects.

No cultural resources are recorded within the proposed campground site. Throughout the entire wider Feather Falls Salvage Project, all cultural and historic sites will be protected from project impacts through the use of standard resource protection measures set forward in the Regional Programmatic Agreement (2018). With design features integrated (see table A), the project will have no impact on Native

American cultural resources, archaeological sites, or historic properties or areas.

Furthermore, Butte County RCD finds this infrastructure replacement project in a remote, severely fire-burned existing forested recreational area, with design features integrated as shown below in Table A, would have no potential to cause significant impacts in the resource areas of aesthetics, agriculture or forestry, air quality and greenhouse gases, energy, geology and soils, hazards and hazardous materials, hydrology, land use, mineral resources, noise, population and housing, public health, transportation, or utilities and public services. The project would have a beneficial impact on recreational resources. The project would expose people to the risk of wildfire, but no more than any other remote campground in the Sierra Nevada foothills. Since the campground's access road would be newly reconstructed to facilitate ingress and egress in accordance with prevailing National Forest System standards, the hazard to campers from wildfire would be no greater in the new campground than in the old. No mandatory findings of significance apply.

Table A. Management requirements to reduce or prevent adverse effects by Feather Falls Salvage Project.

Potential Affected Resource(s)	Management Requirements Designed to Reduce or Prevent Adverse Effects	Responsible Person(s)
Heritage Resources	Heritage Resources will be designated on the ground prior to implementation of all project activities. Protect Heritage Resources that have been identified on the ground with flagging as well as those identified on maps provided by the District Archaeologist.	District Archaeologist, Layout/Contract Specialist, and Sale Administrator
Heritage Resources	Management of Heritage Resources: Protect all Heritage Resources with flagged control areas. Utilize directional felling methods as appropriate to protect heritage resources. Buffer zones may be designated to ensure added protection. Sale Administrator, Contract Inspector, and/or Archaeologist will walk all sites with purchaser, contractor, or force account staff prior to start of project activities.	District Archaeologist, Layout/Contract Specialist, and Sale Administrator
Heritage Resources	Management of Linear Heritage Resources: Directionally fell trees parallel to or away from linear Heritage Resources (trails, ditches, roads etc.); existing breaches will be used whenever possible; if necessary, new breaches will be designated by the District Archaeologist; and isolated trees inside of linear Heritage Resource features may be felled on a case-by-case basis and with on-the-ground approval of the District Archaeologist.	District Archaeologist, Layout/Contract Specialist, and Sale Administrator
Heritage Resources	Guidelines 2.1(a) for approved Standard Protection Measures established in the 2018 Regional Programmatic Agreement Regarding Compliance with Section 106 of the National Historic Preservation Act. Linear sites (e.g., historic trails, roads, railroad grades, ditches) may be crossed or breached by equipment in areas where their features or characteristics clearly lack historic integrity (i.e., where those portions do not contribute to site eligibility or values). (1) Crossings are not to be made at the points of origin, intersection, or terminus of linear site features. (2) Crossings are to be made perpendicular to linear site features. (3) The number of crossings is to be minimized by project and amongst multiple projects in the same general location. (4) The remainder of the linear site is to be avoided, and traffic is to be clearly routed through designated crossings.	District Archaeologist, layout/Contract Specialist, and Sale Administrator

Potential Affected Resource(s)	Management Requirements Designed to Reduce or Prevent Adverse Effects	Responsible Person(s)
Heritage Resources	Guidelines 2.1(b) for approved Standard Protection Measures established in the 2018 Regional Programmatic Agreement Regarding Compliance with Section 106 of the National Historic Preservation Act. Accumulation of sufficient snow over archaeological deposits or historic features to prevent surface and subsurface impacts. Undertaking activities may be implemented over snow cover on historic properties under the following conditions: (1) The cover must have at least 12 inches depth of compacted snow or ice throughout the duration of undertaking activities on sites. (2) All concentrated work areas (e.g., landings, skid trails, turnarounds, and processing equipment sites) shall be located prior to snow accumulation and outside historic property boundaries.	District Archaeologist, layout/Contract Specialist, and Sale Administrator
Heritage Resources	Guidelines 2.1(c) for approved Standard Protection Measures established in the 2018 Regional Programmatic Agreement Regarding Compliance with Section 106 of the National Historic Preservation Act. Placement of foreign, non-archaeological material (e.g., padding or filter cloth) within transportation corridors (e.g., designated roads or trails, campground loops, boat ramps, etc.) over archaeological deposits or historic features to prevent surface and subsurface impacts caused by vehicles or equipment. Such foreign material may be utilized on historic properties under the following conditions: (1) Engineering will design the foreign material depth to acceptable professional standards; (2) Engineering will design the foreign material use to assure that there will be no surface or subsurface impacts to archaeological deposits or historic features; (3) The foreign material must be easily distinguished from underlying archaeological deposits or historic features; (4) The remainder of the archaeological site or historic feature is to be avoided, and traffic is to be clearly routed across the foreign fill material; and (5) The foreign material must be removable should research or other heritage need require access to the archaeological deposit or historic feature at a later date.	District Archaeologist, Layout/Contract Specialist, and Sale Administrator
Heritage Resources	Guidelines 2.2(a) for approved Standard Protection Measures established in the 2018 Regional Programmatic Agreement Regarding Compliance with Section 106 of the National Historic Preservation Act. Felling and removal of hazard, salvage, and other trees within historic properties under the following conditions: (1) Trees may be limbed or topped to prevent soil gouging during felling; (2) Felled trees may be removed using only the following techniques: hand bucking, including use of chain saws, and hand carrying, rubber tired loader, crane/self-loader, helicopter, or other non-disturbing, HPM-approved methods; (3) Equipment operators shall be briefed on the need to reduce ground disturbances (e.g., minimizing turns); (4) No skidding nor tracked equipment shall be allowed within historic property boundaries; and (5) Where monitoring is a condition of approval, its	District Archaeologist, Layout/Contract Specialist, Tribal Monitors, and Sale Administrator

Potential Affected Resource(s)	Management Requirements Designed to Reduce or Prevent Adverse Effects	Responsible Person(s)
	requirements or scheduling procedures should be included in the written approval.	
Heritage Resources	Guidelines 2.2(b) for approved Standard Protection Measures established in the 2018 Regional Programmatic Agreement Regarding Compliance with Section 106 of the National Historic Preservation Act. For fire, and hazardous fuels and vegetation management projects, HPM/DHPS, in conjunction with fuels, vegetation management, or fire specialists as necessary, shall develop treatment measures for <i>at risk</i> historic properties (as defined in SHPO approved Region 5 modules and agreements) designed to eliminate or reduce potential adverse effects to the extent practicable by utilizing methods that minimize surface disturbance, and/or by planning project activities in previously disturbed areas or areas lacking cultural features. (1) The following standard protection measures apply to fire, hazardous fuels, and vegetation management projects: (I) Mechanically treated (crushed/cut) brush or downed woody material may be removed from historic properties by hand, through the use of off-site equipment, or by rubber-tired equipment approved by HPMs or qualified Heritage Program staff. Ground disturbance shall be minimized to the extent practicable during such removals. (J) Woody material may be chipped within the boundaries of historic properties so long as the staging of chipping equipment on-site does not affect historic properties and staging areas are specifically approved by HPMs or qualified Heritage Program staff. (K) HPMs shall approve the use of tracked equipment to remove brush or woody material from within specifically identified areas of site boundaries under prescribed measures designed to prevent or minimize effects. Vegetative or other protective padding may be used in conjunction with HPM authorization of certain equipment types within site boundaries.	District Archaeologist, Layout/Contract Specialist, and Sale Administrator
Heritage Resources	Logging Camps: Proposed logging camps and other staging areas need to be agreed upon with the District Archaeologist prior to use.	District Archaeologist, Layout/Contract Specialist, and Sale Administrator
Lands	Protect land survey signs and monuments, even if burned, or laying on the ground.	Layout/Contract Specialist, Sale Administrator, and Public Service Officer
Lands	Notify private property owners within the Feather Falls area of initial logging schedule.	Layout/Contract Specialist, Sale Administrator, and Public Service Officer
Minerals	Notify mining claimants within the Feather Falls Area of impending harvest schedule once it is known.	Minerals Officer and Sale Administrator
Rare Plants - Conservation	Botany Controlled Areas (CAs) have been established for the protection of rare plants. - Controlled Areas for Butte County fritillary: No ground disturbance allowed within these Controlled Areas. - In certain situations the project implementation team may consult with the botanist regarding additional small impacts within Controlled Areas.	Botanist, Project Implementation Teams, Contract Administrators
Rare Plants - Conservation	Botany Controlled Areas will be shown on the project implementation maps, and be flagged on the ground by	Botanist, Implementation Team,

Potential Affected Resource(s)	Management Requirements Designed to Reduce or Prevent Adverse Effects	Responsible Person(s)
	red-and-black-stripe and blue-and-black-stripe flagging always tied together (or by some other demarcation agreed to by the botanist and recreation team). Contact the District Botanist immediately prior to project implementation to ensure that flagging is in place and refreshed as necessary.	and Contract Administrator
Non-native Invasive Plants (NNIP) - Prevention	Ensure that all plant material and fill material used for erosion control and/or road maintenance is free of NNIP, including straw, mulch, gravel, and rock (<i>certified weed-free</i>).	Botanist, Implementation Team, and Contract Administrator
Non-native Invasive Plants (NNIP) - Prevention	Clean all off-road equipment entering the project area if it may be coming from areas infested with nonnative invasive plants (NNIP).	Botanist, Project Implementation Teams, Contract Administrator
Non-native Invasive Plants (NNIP) - Prevention	To the greatest extent feasible keep all equipment, vehicles, and supplies out of areas of known NNIP infestations, including any NNIP infestations along access routes and new infestations that may be discovered during project implementation. NNIP infestations may sometimes be flagged with bright orange “noxious weed” flagging. - Any equipment, vehicles, and supplies that do come in contact with NNIP infestations (plants or the ground close to them) during project implementation should be thoroughly cleaned of dirt, mud, and plant debris before entering any un-infested project area. - Hand cutting of broom plants and placement of burn piles on top of NNIP infestations is encouraged. New infestations should be mapped and reported to the District Botanist.	Botanist, Fuels Officer, Project Implementation Teams, Contract Administrators
Non-native Invasive Plants (NNIP) - Prevention	Members of the project implementation teams (layout crew, contract administrator, etc.) should watch for and be able to recognize NNIP. New infestations should be mapped and reported to the District Botanist, and flagged and avoided. As time allows, pull some or all of NNIP encountered during project activities (avoiding archaeology controlled areas).	Botanist, Project Implementation Teams, Contract Administrators
Non-native Invasive Plants (NNIP) - Prevention	Monitor areas of project related ground disturbance (e.g. skid trails, temp roads, landings, trails, etc.) for NNIP for up to 10 years following project implementation. - As funding becomes available, new and old infestations of NNIP should be pulled or otherwise treated. - New infestations should be mapped and reported to the District Botanist.	Botanist and Implementation Team
Recreation and Public Use	Provide for public safety and education by posting signs to inform public of project activities. Whenever possible, post notices on PNF website prior to treatments. Keep information current.	Layout/Contract Specialist, Fuels Specialist, and Recreation Specialist
Recreation and Public Use	If any barriers (including boulders or natural materials) or improvements are damaged or removed during activities, they must be replaced and re-installed in the same location and manner immediately following vegetation management operations.	Layout/Contract Specialist, Fuels Specialist and Recreation Specialist
Recreation and Public Use	Keep open all roads that access private property and the Plumas National Forest except for brief closures for public safety.	Layout/Contract Specialist and Public Service Officer

Potential Affected Resource(s)	Management Requirements Designed to Reduce or Prevent Adverse Effects	Responsible Person(s)
Recreation and Public Use	All landing expansion shall be away from roads. Landings should be 200 feet or more off roads, unless otherwise agreed upon with Public Services Officer. Any openings in the immediate foreground should be limited to one quarter acre in size.	Layout/Contract Specialist and Recreation Officer
Silviculture	Protection of specially identified trees. They are usually identified with various types of metal, wood, or plastic tags or signs. 1. Location, survey marker, or bearing trees. 2. Proven rust resistant sugar pine trees. 3. Genetically superior tree of any species.	Contract Specialist
Silviculture	Hand Cutting, Piling, and Burning. 1. Leaner's/ Hang-ups - No contractor created slash shall be left suspended by, or lean against, a leave tree; whether it is dead or alive. 2. Lopping and Scattering: Slash shall be lopped and scattered away from the bole of residual leave trees so that it lies outside of the drip line. 3. Piling and burning: Piles shall be placed away from residual leave trees to avoid being scorched during burning. Piles cannot be located on or against stumps and logs.	Contract Specialist
Fire and Fuels	Activity Generated Slash adjacent to FS roads. Pile all activity generated slash 100' depth of project area and covered with waterproof covering for burning during winter months. Piling and Burning Landings: Landings created for optimal winter weather burning. Waterproof covering on multiple locations of pile. Landing Temp Roads: Landings created for burning need to have roads accessible for fire engine access during ignition and monitoring phases. Landing Placement: Landing can scorch and burn live trees 50-100 feet in distance. Landing Fire Lines: 6-10-foot fire line created around each landing.	Contract Specialist and Fuels Implementation Team
Road Maintenance and Safety	Protect all improvements along roadways including road surface, signs, ditches, and drainage structures.	Maintenance Engineer, Contract Specialist
Watershed, Soils and Aquatic Resources	Implementation buffers for hydrologic features. See table below.	Contract Administrator and Hydrologist

Stream Type	Equipment Exclusion Zone (EEZ) for Salvage, Yarding, and Machine Piling of Slash ¹		Mastication	Underburn ²	Hand Cut ³	Minimum Distance to Burn Piles
	Slope <35%	Slope >35%				
Perennial streams	100 feet	Excluded	50 feet	150 feet	No buffer	25 feet
Intermittent streams	100 feet	Excluded	50 feet	150 feet	No buffer	25 feet
Ephemeral streams	50 feet	Excluded	25 feet	150 feet	No buffer	25 feet
Special Aquatic Features (Reservoirs, wetlands, fens, and springs)	100 feet	Excluded	50 feet	150 feet	Perimeter	25 feet
Riparian Features: dry meadows, seasonal wetlands	0 to 25 ⁴ feet	Excluded	25 feet	150 feet	Perimeter	25 feet

Potential Affected Resource(s)	Management Requirements Designed to Reduce or Prevent Adverse Effects	Responsible Person(s)
	1. No reaching in within the zone to remove felled trees. Fell trees away from the stream. 2. Prescribed burning would be allowed within RCAs, but there would be no ignitions in riparian vegetation. Fire may back through this zone. 3. May hand cut within RCA feature but don't cut riparian vegetation. Don't cut vegetation that provides stream bank stabilization. Adhere to the minimum distance for burn piles. No hand cutting within special aquatic features and riparian features unless marked by hydrologist and/or biologist. 4. Meadows may have no buffer to a 25 ft. buffer depending on the individual meadow. Buffers may vary due to the condition of the meadow (i.e. meadow is encroached with trees).	
Watershed and Soils	Erosion Hazard Rating (EHR) for the project is low therefore the percent effective soil cover post implementation should be 50 percent or more. If effective soil cover is not met than minimize the amount of slash taken to landings and scattered it in bare areas to increase soil cover. Minimize the amount of slash taken to landings. If slash is not available, then weed free straw can be applied. The spread of weed free straw needs to be at a minimum of ½ inch thick.	Contract Administrator and Hydrologist
Watershed and Soils	To reduce ground disturbance created by equipment within RCAs, vary the routes the equipment uses and minimize turning of equipment.	Contract Administrator and Hydrologist
Watershed and Soils	If effective soil cover is below the desired level of soil cover along streams, then leave slash material to increase soil cover. When cutting trees lop and scatter broken tops and limbs within 1 tree length of any stream.	Contract Administrator and Hydrologist
Watershed, Soils, and Aquatic Resources	Place rock on roads at stream crossings and segments within identified RCAs to reduce the impact of sediment delivery to associated stream courses. Place rock, slash, or certified NNIP free mulch at the outlets of rolling dips and/or waterbars to dissipate water where identified by road engineer and soil scientist, and/or hydrologist.	Contract Administrator and Hydrologist
Watershed and Soils	Skid trails should add ground cover/slash between its waterbars and the outlets of the waterbars. Effective soil cover percentages should be 50 percent between waterbars and 70% at waterbar outlets.	Contract Administrator and Hydrologist
Watershed, Soils, and Aquatic Resources	Water Source Use: Where overflow runoff from water trucks or storage tanks may enter the stream, effective erosion control devices shall be installed. Armor road approaches as necessary from the end of the approach nearest a stream for a minimum of 50 feet, or to the nearest drainage structure. All water-drafting vehicles shall be checked routinely and shall be repaired as necessary to prevent leaks of petroleum products from entering RCAs. Water-drafting vehicles shall contain petroleum spill kits. Dispose of absorbent pads according to the Hazardous Response Plan. Survey all proposed drafting locations for sensitive and listed amphibians and receive approval from a biologist prior to use. Use drafting devices with 2-mm or less screening and place hose intake into bucket in the deepest part of the pool. Use a low velocity water pump and do not pump ponds to low levels beyond which they cannot recover quickly (approximately one hour). If a sensitive or listed amphibian is sighted within the project area, cease operations in the sighting area, and inform a Forest Service aquatic biologist of the sighting immediately	Planning Forester, Prep Forester, Sale Administrator, Aquatic Biologist and Hydrologist

Potential Affected Resource(s)	Management Requirements Designed to Reduce or Prevent Adverse Effects	Responsible Person(s)
Watershed, Soils, and Aquatic Resources	Allow mechanical operations only when soil moisture conditions are such that compaction, gullyng, and/or rutting will be minimal. Conduct ground based mechanical operations when soil is dry; that is, in the spring when soil moisture in the upper 8 inches is not sufficient to allow a soil sample to be squeezed and hold its shape, or will crumble when the hand is tapped. In the summer and early fall after storm event(s) when soil moisture between 2-8 inches in depth is not sufficient to allow a soil sample to be squeezed and hold its shape or will crumble when the hand is tapped. Off of designated skid trails, limit all equipment passes over the same piece of ground to reduce the potential for adverse soil compaction.	COR (Contracting Officer's Representative), Soil Scientist, and Hydrologist
Watershed and Soils	Limit tractor skidding to less than 35 percent slopes unless a watershed specialist evaluates operations on the steeper slopes. Tractor skidding may occur on slopes greater than 35 percent only in short pitches less than 200 feet in distance. Where skidding occurs on slopes greater than 15 percent and effective soil cover off of skid trails is less than 50 percent, scatter slash on skid trails to achieve at least 50 percent effective soil cover. Effective soil cover could include organic surface materials (> ½ inches thick), woody material in contact with the soil (> ¼ inches thick in diameter), living vegetation, and rock fragments (> ¾ inches thick). Use of weed free straw, wood chips, or mulch may be used where on-site material is insufficient.	Contract Administrator and Hydrologist
Watershed and Soils	Temporary roads: Following temporary road use, remove culverts, eliminate ditches, out-slope roadbed, remove ruts and berms, effectively block the road to normal vehicular traffic where feasible under existing terrain conditions, and build cross ditches and water bars. Subsoil all temporary roads and add effective soil cover to bare soil. Add 100 feet of on effective soil cover on both sides of a perennial stream and 75 feet on seasonally flowing streams. Effective soil cover could include organic surface materials (> ½ inches thick), woody material in contact with the soil (> ¼ inches thick in diameter), living vegetation, and rock fragments (> ¾ inches thick). Use of weed free straw, wood chips, or mulch may be used where on-site material is insufficient.	Contract Administrator and Hydrologist
Watershed and Soils	Log Landings: re-use log landings to the extent feasible. Limit new landings to ¼ to ½ acre in size.	Contract Administrator and Hydrologist
Watershed and Soils	Recommended spacing for cross drainage spacing on skid trail and temporary roads: Slope Gradient Cross Drain Spacing 1-6% 250' 7-9% 150' 10-14% 125' 15-20% 60' 21-40% 30'	Contract Administrator and Hydrologist
Watershed, Soils, and Aquatic Resources	To reduce the potential for adverse cumulative watershed effects, implement state certified Best Management Practices (BMPs). Site specific BMPs applicable to this project (located in project record file) include BMP 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.8, 1.9, 1.10, 1.11, 1.12, 1.13, 1.14, 1.15, 1.16,	Planning Forester, Contract Administrator, and Hydrologist

Potential Affected Resource(s)	Management Requirements Designed to Reduce or Prevent Adverse Effects	Responsible Person(s)
	1.17, 1.19, 1.20, 1.21, 2.2, 2.3, 2.4, 2.5, 2.6, 2.8, 2.11, 5.1, 5.2, 5.4, and 5.6.	
Wildlife	Incidental detections of federally listed and sensitive species prior to or during project implementation will be reported to the District Wildlife Biologist for protection in accordance with management direction for the Plumas National Forest.	Wildlife Biologist, Contract Specialist, and Contractor
Wildlife	Leave additional large snags (> 4/acre) where possible to mitigate effects for bats and woodpeckers.	Wildlife Biologist, Contract Administrator, and Contractor
Wildlife	If species are found prior or during project activities: Follow Standard Provisions C6.24 & C8.2 B6.24 Site Specific Special Protection Measures – Wildlife Protection Measures CT6.313 Limiting Operating Periods & Forest Service manual (FSM) 2670.32 and 2670.22.	Wildlife Biologist, Contract Administrator, and Contractor
Aquatic	Follow RCAs and ROCs as documented by the District Hydrologist above.	Wildlife Biologist, Contract Administrator, and Contractor

Attachment A: Effective Ground Cover

Excerpted from: Attachment C – Post-Fire Management and Reforestation Plan Order No. R5-2017-0061 Waste Discharge Requirements General Order for Discharges Related to Timberland Management Activities on Non-Federal and Federal Lands

“Effective Ground Cover”, [...] means any combination of slash (lopped and in close contact with the ground), mulch (large wood chips, wood shreds, wood strand blends, straw, bark, surface rock fragments larger than $\frac{3}{4}$ inch), plants, and plant litter. Large wood chips are a minimum of 2 inches in length and at least four (4) times longer than they are wide:

For illustrations of effective ground cover, see p 8 of *Attachment C Post-Fire Management and Reforestation Plan Order No. R5-2017-0061 Waste Discharge Requirements General Order for Discharges Related to Timberland Management Activities on Non-Federal and Federal Lands*

Link: https://www.waterboards.ca.gov/rwqcb5/board_decisions/adopted_orders/general_orders/r5-2017-0061_att_c.pdf

Fifty-percent ground cover documentation shall use standard methods including aerial photography analysis, point intercept, plot, or transect methods, or any combination thereof.

The Discharger shall provide documentation of ground cover sampling methodology, locations of any ground-based sampling points, and any ground-based verification points or plots for aerial photo estimates. Image 1 above, borrowed from Harrison et. al 2016, is a schematic that illustrates even distribution of 25, 50, 75, and 100% ground cover. Additionally, Image 2 above, borrowed from the [Natural Resource Conservation Service at:](https://www.nrcs.usda.gov/wps/portal/nrcs/detail/ny/technical/ecoscience/agronomy/)

<https://www.nrcs.usda.gov/wps/portal/nrcs/detail/ny/technical/ecoscience/agronomy/>, provides a useful image of 50% ground cover.

