

Notice of Exemption

Appendix E

To: Office of Planning and Research
P.O. Box 3044, Room 113
Sacramento, CA 95812-3044
County Clerk
County of: Fresno County

From: (Public Agency): California Construction Authority

1776 Tribute/rd., Suite 220

Sacramento, CA 95815

(Address)

Project Title: The Big Fresno Fair- PV Solar Installation

Project Applicant: California Construction Authority

Project Location - Specific:

Fresno Flea Market- 1641 S. Chance Ave Fresno, CA 93702

Project Location - City: Fresno, CA Project Location - County: Fresno County

Description of Nature, Purpose and Beneficiaries of Project:

California Construction Authority intends to install a PV Solar System on a raised canopy.

Name of Public Agency Approving Project: California Construction Authority

Name of Person or Agency Carrying Out Project: Stewart De Luz

Exempt Status: **(check one):**

- ☐ Ministerial (Sec. 21080(b)(1); 15268);
- ☐ Declared Emergency (Sec. 21080(b)(3); 15269(a));
- ☐ Emergency Project (Sec. 21080(b)(4); 15269(b)(c));
- ☒ Categorical Exemption. State type and section number: Normal, Operations SEC 15301
- ☐ Statutory Exemptions. State code number: _____

Reasons why project is exempt:

The addition of the PV Solar Panels/Structure will NOT increase or expand the use of the existing fairgrounds or operation

Lead Agency
Contact Person: Stewart De Luz Area Code/Telephone/Extension: 916.531-3978

If filed by applicant:

1. Attach certified document of exemption finding.
2. Has a Notice of Exemption been filed by the public agency approving the project? Yes No


Signature: Stewart Deluz Date: 06/26/26 Title: Regional Project Manager

Signed by Lead Agency Signed by Applicant

Authority cited: Sections 21083 and 21110, Public Resources Code.
Reference: Sections 21108, 21152, and 21152.1, Public Resources Code.

Date Received for filing at OPR: _____

[illegible]



LEGEND

ACCESSIBLE PATH OF TRAVEL
PROVIDE 1:20 MAX. SLOPE IN
DIRECTION OF TRAVEL
AND 1:48 MAX. CROSS-SLOPE
WHERE PATH OF TRAVEL
OCCURS

GENERAL NOTES

1. WALKS AND SIDEWALKS SHALL BE A MINIMUM OF 48" CLEAR IN WIDTH AND HAVE A CONTINUOUS COMMON SURFACE NOT INTERRUPTED BY STEPS OR BY ABRUPT CHANGES IN LEVEL EXCEED 1/4" IN HEIGHT.
2. WHEN ABRUPT CHANGES IN LEVEL EXCEEDING 1/4" OCCUR, THEY SHALL BE BEVELED WITH A SLOPE NO GREATER THAN 1:2, EXCEPT THAT CHANGES NOT EXCEEDING 1/4" MAY BE VERTICAL.
3. OBSTRUCTIONS OVERHANGING WALKWAYS SHALL BE AT LEAST 80" CLEAR ABOVE THE WALKING SURFACE. OBSTRUCTIONS SHALL NOT REDUCE THE WALK CLEAR WIDTH BY MORE THAN 12".
4. PARKING SPACES, ACCESSIBLES, AND VEHICULAR ROUTES SERVING THEM SHALL PROVIDE A VERTICAL CLEARANCE OF 80" MINIMUM.
5. ALL ACCESSIBLE AREAS, PEDESTRIAN WALKS AND SIDEWALKS SHALL BE SLIP-RESISTANT AND NOT ACCUMULATE WATER.

SITE NOTES

- DIV 03 CONCRETE
03 30 13 CONCRETE SLAB PER
STRUCTURAL SHEETS,
COORDINATE WITH ELECTRICAL
SITE PLANS
- DIV 05 METALS
05 12 00 STEEL FRAMING PER STRUCTURAL
SHEETS
- DIV 26 ELECTRICAL
26 00 00 SEE ELECTRICAL SHEETS
- DIV 32 EXTERIOR IMPROVEMENTS
32 12 16 ASPHALT CONCRETE PAVING
AREAS, REPLACE WHERE
DISTURBED OR DAMAGED, PGOT,
1/2" AGGREGATE, 4" THICKNESS,
BASE-CLASS II AGG BASE, 2"
THICKNESS, COMPACTED TO 95%
- DIV 33 UTILITIES
33 00 00 SEE ELECTRICAL SITE UTILITY
PLAN



REVISED: 08/20/24
GABRIEL-ARCHITECTS.COM

PASADENA OFFICE
100 GATEWAY CENTER DR., # C1
PASADENA, CA 91105
818.250.8800

SAN JOSE OFFICE
1001 VALUET STREET
SAN JOSE, CA 95128
408.220.8800



REVIEW
SET
NOT FOR CONSTRUCTION

PV SYSTEM INSTALLATION
FOR FRESNO FLEA MARKET
LOT A1:



1641 SOUTH CHANCE AVE
FRESNO, CA 93702
APN: 471-020-011

PROJECT NUMBER: 26-402.01

NO.	DESCRIPTION	DATE
1	DESIGN DEVELOPMENT SET	04-15-2023
2	01/01 SUBMITTAL SET	05-01-2023
3		
4		
5		
6		
7		
8		
9		
10		

SITE PLAN:
OVERALL

DATE: 08/20/24

A 1.1