



Yana Garcia
Secretary for
Environmental Protection



Department of Toxic Substances Control

Katherine M. Butler, MPH, Director
8800 Cal Center Drive
Sacramento, California 95826-3200
dtsc.ca.gov



Gavin Newsom
Governor

SENT VIA ELECTRONIC MAIL

September 16, 2026

Jocelyn Swain
Senior Planner
City of Lancaster
44933 Fern Avenue
Lancaster, CA 93534
jswain@cityoflanasterca.org

RE: MITIGATED NEGATIVE DECLARATION FOR TENTATIVE TRACT MAP NO. 23-009 (TTM 83793) DATED SEPTEMBER 15, 2026, STATE CLEARINGHOUSE NUMBER [2026090580](#)

Dear Jocelyn Swain,

The Department of Toxic Substances Control (DTSC) reviewed the Mitigated Negative Declaration (MND) for Tentative Tract Map No. 23-009 (TTM 83793) (Project). The proposed Project consists of a subdivision of approximately 7.45 gross acres into 26 single-family residential lots and a basin lot. The residential lots would range in size from 7,000 to 9,300 square feet with access into the subdivision provided from 27th Street East and Avenue J-4.

Section 3.11 PRIOR OR CURRENT AGRICULTURAL LAND USE of the Phase I Environmental Site Assessment conducted by E. W. Milnes in October 2022 states, "On the basis of a review of aerial photographs and building records found at the City of Lancaster Building Department, U.S.G.S. topographic maps, site observations, and other regulatory research, the assessor has concluded that the site was and/or is currently used for agricultural purposes..." DTSC recommends and requests consideration of the following comments:

1. When agricultural crops and/or land uses are proposed or rezoned for residential use, several contaminants of concern (COCs) can be present. The Lead Agency shall identify the amounts of Pesticides and Organochlorine Pesticides (OCPs) historically used on the property. If present, OCPs requiring further analysis are dichloro-diphenyl-trichloroethane, toxaphene, and dieldrin. Additionally, any level of arsenic present would require further analysis and sampling and must meet approved local area baselines or thresholds. If they do not, remedial action must take place to mitigate them below those thresholds. Additional COCs may be found in mixing/loading/storage areas, drainage ditches, farmhouses, or any other outbuildings and should be sampled and analyzed. If smudge pots had been routinely utilized, additional sampling for Polycyclic Aromatic Hydrocarbons and/or Total Petroleum Hydrocarbons may be required. These recommendations should be adhered to and become part of the environmental document. Please refer to the [DTSC's Human and Ecological Risk Office \(HERO\) webpage](#) for the most recent guidance and screening levels.
2. DTSC recommends all imported soil/fill material be tested to ensure all COCs meet screening levels as outlined in [DTSC's Preliminary Endangerment Assessment \(PEA\) Guidance Manual](#). Furthermore, DTSC advises referencing the [DTSC Information Advisory Clean Imported Fill Material Fact Sheet](#) if importing soil/fill is necessary. To minimize the possibility of introducing contaminated soil/fill material, there should be documentation of the origins of the soil/fill material and, if applicable, sampling be conducted to ensure that the imported soil/fill material is suitable for the intended land use. The sampling should include analysis based on the source of the soil/fill and knowledge of prior land use.
3. The City of Lancaster should consider soil testing as mentioned in comment #1. If, in the event any COC results are above DTSC residential screening levels, DTSC recommends the City of Lancaster address the contaminations

within the Project area through an Environmental Site Assessment and/or receive oversight from a [self-certified local agency](#), DTSC or Regional Water Quality Control Board. If entering into one of DTSC's voluntary agreements, please note that DTSC uses a single standard Request for Lead Agency Oversight Application for all agreement types. Please apply for DTSC oversight using this link: [Request for Agency Oversight Application](#). Submittal of the online application includes an agreement to pay costs incurred during agreement preparation. If you have any questions about the application portal, please contact the relevant [Regional Brownfield Coordinator](#) for your Project.

DTSC would like to thank you for the opportunity to comment on the MND for the Tentative Tract Map No. 23-009 (TTM 83793) Project. Thank you for your assistance in protecting California's people and environment from the harmful effects of toxic substances. If you have any questions or would like clarification on DTSC's comments, please respond to this letter or via our [CEQA Review email](#) for additional guidance.

Sincerely,

A handwritten signature in black ink that reads "Dave Kereazis". The signature is written in a cursive, flowing style.

Dave Kereazis
Associate Environmental Planner
HWMP - Permitting Division – CEQA Unit
Department of Toxic Substances Control
Dave.Kereazis@dtsc.ca.gov

Jocelyn Swain
September 16, 2026
Page 4

cc: (via email)

Governor's Office of Land Use and Climate Innovation
State Clearinghouse
state.clearinghouse@lci.ca.gov

Imad Aboujawdah
Engineer / Project Manager
Civil Design and Drafting, Inc.
imad@cddinc.net

Mitzi Alvarado
Associate Planner
City of Lancaster
malvarado@cityoflancasterca.gov

Tamara Purvis
Associate Environmental Planner
HWMP-Permitting Division – CEQA Unit
Department of Toxic Substances Control
Tamara.Purvis@dtsc.ca.gov

Scott Wiley
Analyst II
HWMP - Permitting Division – CEQA Unit
Department of Toxic Substances Control
Scott.Wiley@dtsc.ca.gov