CEQA EXEMPTION / NEPA CATEGORICAL EXCLUSION
DETERMINATION FORM (rev. 06/2022)

Project Information

Project Name (if applicable): ED-50 Snow Damaged Trees

DIST-CO-RTE: 03-ED-050 **PM/PM:** 24.00/40.00

EA: 03-2N730 **EFIS:** 0326000189

Project Description

The California Department of Transportation (Caltrans) issued a Director's Order for the purpose removing fallen and storm-damaged trees adjacent to State Route 50 from post mile (PM) 24.00 to PM 40.00 in El Dorado County. Caltrans proposes to remove damaged and fallen trees, stump grinding, tree disposal, replace damaged service cabinet, traffic control, and incidental work.

Caltrans CEQA Determination (Check one)

☐ **Not Applicable** – Caltrans is not the CEQA Lead Agency

☐ **Not Applicable** – Caltrans has prepared an IS or EIR under CEQA

Based on an examination of this proposal and supporting information, the project is:

☐ **Exempt by Statute.** (PRC 21080[b]; 14 CCR 15260 et seq.)

☒ **Categorically Exempt. Class** 1(d). (PRC 21084; 14 CCR 15301 et seq.)

☒ No exceptions apply that would bar the use of a categorical exemption (PRC 21084 and 14 CCR 15300.2). See the SER Chapter 34 for exceptions.

☐ **Covered by the Common Sense Exemption**. This project does not fall within an exempt class, but it can be seen with certainty that there is no possibility that the activity may have a significant effect on the environment (14 CCR 15061[b][3].)

Senior Environmental Planner or Environmental Branch Chief

Lisa Springer	Lisa Springer	11/02/2026
Print Name	Signature	Date

Project Manager

Katharine Hargraves	Katharine Hargraves	11/03/2026
Print Name	Signature	Date

Caltrans NEPA Determination (Check one)

☒ **Not Applicable**

Caltrans has determined that this project has no significant impacts on the environment as defined by NEPA, and that there are no unusual circumstances as described in 23 CFR 771.117(b). See SER Chapter 30 for unusual circumstances. As such, the project is categorically excluded from the requirements to prepare an EA or EIS under NEPA and is included under the following:

☐ **23 USC 326:** Caltrans has been assigned, and hereby certifies that it has carried out the responsibility to make this determination pursuant to 23 USC 326 and the Memorandum of Understanding dated April 18, 2022, executed between FHWA and Caltrans. Caltrans has determined that the project is a Categorical Exclusion under:

- ☐ **23 CFR 771.117(c): activity (c)()**
- ☐ **23 CFR 771.117(d): activity (d)()**
- ☐ **Activity listed in Appendix A of the MOU between FHWA and Caltrans**

☐ **23 USC 327:** Based on an examination of this proposal and supporting information, Caltrans has determined that the project is a Categorical Exclusion under 23 USC 327. The environmental review, consultation, and any other actions required by applicable Federal environmental laws for this project are being, or have been, carried out by Caltrans pursuant to 23 USC 327 and the Memorandum of Understanding dated May 27, 2022, and executed by FHWA and Caltrans.

Senior Environmental Planner or Environmental Branch Chief

N/A		
Print Name	Signature	Date

Project Manager/ DLA Engineer

N/A		
Print Name	Signature	Date

Date of Categorical Exclusion Checklist completion (if applicable): N/A
Date of Environmental Commitment Record or equivalent: N/A

Briefly list environmental commitments on continuation sheet if needed (i.e., not necessary if included on an attached ECR). Reference additional information, as appropriate (e.g., additional studies and design conditions).

Continuation sheet:

Purpose and Need
The purpose of this project is to remove fallen and storm-damaged trees.

This project is needed to restore access to the right-of-way for maintenance crews and to reduce potential wildfire hazards.

Staging
If required, all staging would occur within the Caltrans right-of-way on existing pullouts.

Disposal/Borrow
Based on the proposed scope of work, disposal of damaged trees is anticipated.

Right-of-Way
This project would be completed within the operational right-of-way.

Consultation/Agency Coordination
Based on the proposed scope of work and due to the nature of the project, consultation with the State Historic Preservation Office and local tribal agencies has been conducted.

Permits
Based on the proposed scope of work, no regulatory permits are required.