

Notice of Determination

Appendix D

To:

Office of Planning and Research
 U.S. Mail: Street Address:
 P.O. Box 3044 1400 Tenth St., Rm 113
 Sacramento, CA 95812-3044 Sacramento, CA 95814

County Clerk
 County of: Santa Clara
 Address: 110 W Tasman Dr, 1st Floor
San Jose, CA 95134

From:

Public Agency: County of Santa Clara
 Address: 70 W Hedding St
San José, CA 95110
 Contact: Jeremy Farr
 Phone: (408) 992-5325

Lead Agency (if different from above):
Santa Clara Valley Water District
 Address: 5750 Almaden Expressway
San José, CA 95118
 Contact: Tiffany Chao
 Phone: (408) 630-3107

SUBJECT: Filing of Notice of Determination in compliance with Section 21108 or 21152 of the Public Resources Code.

State Clearinghouse Number (if submitted to State Clearinghouse): 2013082052

Project Title: Anderson Dam Seismic Retrofit Project

Project Applicant: Santa Clara Valley Water District

Project Location (include county): Anderson Reservoir/Coyote Creek, Morgan Hill, Santa Clara County

Project Description:

The Santa Clara Valley Water District's Project retrofits Anderson Dam to meet public safety requirements, allowing Valley Water to restore Anderson Reservoir to its original capacity while minimizing environmental impacts. It also decommissions the Dam's hydroelectric facility and implements Conservation Measures (CMs) along Coyote Creek. Post-construction activities include FAHCE-Plus Modified reservoir releases, CM operations, and an adaptive management program.


This is to advise that the County of Santa Clara has approved the above
 Lead Agency or Responsible Agency)

described project on 8/26/2025 and has made the following determinations regarding the above
 (date)
 described project.

1. The project [will will not] have a significant effect on the environment.
2. An Environmental Impact Report was prepared for this project pursuant to the provisions of CEQA.
 A Negative Declaration was prepared for this project pursuant to the provisions of CEQA.
3. Mitigation measures [were were not] made a condition of the approval of the project.
4. A mitigation reporting or monitoring plan [was was not] adopted for this project.
5. A statement of Overriding Considerations [was was not] adopted for this project.
6. Findings [were were not] made pursuant to the provisions of CEQA.

This is to certify that the final EIR with comments and responses and record of project approval, or the negative Declaration, is available to the General Public at:

<https://www.valleywater.org/accordion/final-environmental-impact-report-and-engineers-report>

Signature (Public Agency):  Title: Principal Planner

Date: 8/27/2025 Date Received for filing at OPR: _____