

**Santa Barbara County Flood Control District
Routine Maintenance in CEQA Exempt Facilities**

The following facilities are maintained by the Santa Barbara County Flood Control District (District) on a routine basis. Most facilities are maintained in the summer and fall to prepare them for the winter rains though some facilities occasionally need to be desilted after large storm events to restore capacity lost to siltation. All spoils are either deposited on adjacent farm fields, within nearby erosion holes, used on flood control access roads or made available to the public. Deposited material is placed away from drainages so it cannot re-enter waterways. The District only uses Aquamaster and Roundup herbicides on exempt facilities and these products are used in very low amounts.

CEQA Notices of Exemption will be filed for these facilities. Locations of the projects are included on the attached maps. As indicated by their exempt status under CEQA, these drainages do not contain sensitive species or habitat, are dry for the vast majority of the year, contain no vegetation, very occasional nuisance vegetation or weeds and grasses. In many cases these drainages are concrete channels or dry washes. The maintenance conducted within these drainages is very sporadic. As an example, "spot spraying" is done with a back pack sprayer and in most cases consists of less than twenty seedlings that are sprayed which are most often non-native weedy species. Very little herbicide is used county-wide to conduct this maintenance. It is essential, however, to conduct this type of maintenance so the concrete structures or drainages do not deteriorate or become plugged and unable to convey flows during the winter months. The exempt basins are essentially basins that have been built as part of developments. Most of these basins are within upland areas and are dry weedy depressions or grassy areas that are used as play areas outside of the rainy season.

NOTICE OF EXEMPTION

TO: Santa Barbara County Clerk of the Board of Supervisors

FROM: Public Works Department/Flood Control District and Water Conservation District

The project or activity identified below is determined to be exempt from further environmental review requirements of the California Environmental Quality Act (CEQA) of 1970, as defined in the State and County Guidelines for the implementation of CEQA.

APN: Various

Case No.: Not Applicable

Location: See project location maps under the Exempt Facilities tab in the 2025/2026 Annual Routine Maintenance Plan.

Project Title: 2025/2026 Annual Routine Maintenance Plan Exempt Facilities

Project Description: General maintenance includes periodic sediment removal, weed control, repair, and graffiti removal. Exempt facilities include concrete channels, earthen road-side ditches, man-made earthen channels, basins within developments, grassy swales, and retention and recharge basins. All maintenance involves no expansion of facility use. Please see detailed project descriptions under the Exempt Facilities tab in the Annual Plan.

Name of Public Agency Approving Project: County of Santa Barbara

Name of Person or Agency Carrying Out Project: Santa Barbara County Flood Control District

Exempt Status: (Check one)

- ☐ Ministerial
- ☐ Statutory Exemption
- ☒ X Categorical Exemption
- ☐ Emergency Project
- ☐ Declared Emergency

Cite specific CEQA and/or CEQA Guideline Section: 15301 Existing Facilities. CEQA Guideline Section 15301: Class 1 consists of the operation, repair, maintenance, permitting, leasing, licensing, or minor alteration of existing public or private structures, facilities, mechanical equipment, or topographical features, involving negligible or no expansion of use beyond that existing at the time of the lead agency's determination.

Reasons to support exemption findings: Consistent with this exemption, the project is the maintenance of existing public facilities with no expansion of use. Material is removed and repairs are made to these man-made facilities on an as-needed basis to maintain functionality. There are no unusual circumstances which would create a possibility that there would be a significant effect. Therefore, this project can be found to be categorically exempt from CEQA.

There are no scenic highways, hazardous waste sites, historical resources, or designated resources of critical concern or officially adopted. There are no unusual circumstances that conclude a reasonable possibility that the activity would have a significant effect or cumulative impact on the environment pursuant to Section 15300.2.

Lead Agency Contact Person: Seth Shank Phone #: (805) 568-3443

Department/Division Representative: Seth Shank Date: June 10, 2025

Signature: 

NOTE: A copy of this document must be filed with the County Clerk of the Board after project approval to begin a 35-day statute of limitations on legal challenges.

Date Filed by County Clerk: _____

North County Facilities

The North County exempt facilities include concrete channels, earthen road-side ditches, earthen channels, basins within developments, grassy swales, and facilities that are part of the Santa Maria Valley drainage network which include retention and recharge basins. General maintenance includes periodic silt management and the control of weeds. Over the past several years the District has been utilizing mowing for weed and fire control rather than the use of herbicides, although herbicides are still used, but in much lower amounts. The most common weeds that are controlled are Russian thistle, cat ear, wild radish, cape ivy, rape seed weed, myoporum, oleander, fennel, tree tobacco, and mustard. Non-native grasses are also mowed for fire control purposes. Occasionally, the District will remove cattail or bulrush seedlings if they begin to colonize wetted areas near the outlet of a basin. Also, occasional mulefat or coyote bush seedlings are sprayed.

The District will conduct herbicide application in the facilities listed below beginning May 1st, and desilting and mowing of non-native vegetation beginning June 1st of the year following that Annual Plan's approval.

North County exempt facility maps immediately follow this section and associated map page numbers are referenced in each exempt facility discussion.

Santa Maria/Guadalupe Area:

Ditches:

1. **Blosser Ditch:** This is an asphalt or concrete ditch from Fessler Road downstream to Blosser Basin, a distance of approximately 1.5 miles. The earthen portion of this channel begins downstream of the basin and continues downstream to the Santa Maria River where it enters a flap gate through the Santa Maria River Levee. Between Alvin Road and Donovan Road (a distance of approximately 2,600 feet) the channel is asphalt and sediment tends to settle out requiring desilting. Additionally, weep holes in the concrete lined section and cracks in both the concrete lined and asphalt sections are spot sprayed with herbicide on an annual basis so the cracks don't get larger from the weeds growing in them and the weep holes remain functional. Desilting is done on a biannual basis. Potential area of impact is less than 100 square feet from spot spraying. Refer to Page 4 for the location of this facility.
2. **Bradley Ditch:** This ditch is approximately 3.5 miles long and is approximately 75% concrete and 25% earthen. From Main Street upstream to Battles Street, portions of the channel are desilted annually with equipment working from the top of the bank and within the concrete channel. From Main Street downstream to Donovan Street portions of the concrete channel are desilted approximately every 3 years. Existing concrete panels between Main Street and Jones Street are damaged and will be replaced in-kind with new concrete panels to restore channel function. The earthen channel is sprayed on an annual basis to control silt trapping weeds and is not desilted. Potential area of impact is less than 100 square feet for spot spraying. Refer to Page 5 for the location of this facility.

3. **California Street Ditch:** This is a concrete V-ditch with earthen sides above the concrete V. This ditch flows into Foxenwood 3 Basin in the Foxenwood Subdivision. On a biannual basis portions of the ditch are desilted and the banks are mowed for fire suppression purposes. Additionally, on a biannual basis, seedlings are sprayed in the concrete V-ditch to keep the ditch from deteriorating. Potential area of impact from mowing is 0.17 acres and less than 50 square feet for spot spraying seedlings in the V-ditch. Refer to Page 7 for the location of this facility.
4. **Crescent Avenue Ditch:** This is a concrete V-ditch with earthen sides. It is approximately 0.75 miles long. On a biannual basis a Kubota is used to desilt portions of the V-ditch. There are also eucalyptus trees adjacent to the ditch that occasionally begin to grow too near the concrete ditch and have to be removed and spot spray the stumps so they don't damage the concrete. Refer to Page 9 for the location of this facility.
5. **Deerfield Channel:** This is an earthen channel approximately 2,400 feet long. This channel flows into Deerfield Basin in the Foxenwood Subdivision. On an annual basis, seedlings are spot sprayed with herbicide in the earthen channel to keep unwanted vegetation growing in the active channel. Potential area of impact is less than 100 square feet for spot spraying. Refer to Page 10 for the location of this facility.
6. **Diaz Ditch:** This is an earthen ditch approximately 500 feet long. The District spot sprays this ditch on an annual basis to reduce silt trapping vegetation (weeds) and desilts portions of the channel approximately every 3 years. This facility will be desilted this year between Wicks Avenue and Andrew Street. Potential area of impact from spot spraying is less than 50 square feet. Refer to Page 11 for the location of this facility.
7. **Dutra Ditch:** This is an earthen ditch approximately 230 feet long. The District spot sprays this ditch\basin on an annual basis to reduce silt trapping vegetation (weeds) and desilt portions of the channel approximately every 3 years. Potential area of impact from spot spraying is less than 50 square feet. Refer to Page 12 for the location of this facility.
8. **Green Canyon Spillway:** This is a concrete spillway that is part of Bradley Lake. The District spot sprays the spillway if vegetation is growing through weep holes or cracks and maintains the spillway free of woody debris. Potential area of impact is less than 50 square feet. Refer to Page 14 for the location of this facility.
9. **Industrial Parkway Ditch:** This is an earthen ditch that flows from Skyway Drive downstream into A Street Basin, a distance of approximately 1,400 feet. This ditch is sprayed with herbicide annually to keep sediment from accumulating or obstructive vegetation from colonizing the channel. The ditch is desilted approximately every 7 to 10 years. Potential area of impact from spot spraying is less than 100 square feet. Refer to Page 1 for the location of this facility.
10. **Lake Marie Ditch:** This is an earthen ditch vegetated with grasses and weeds approximately 1,000 feet long. The District mows this ditch on an annual basis to reduce silt trapping vegetation (weeds). This ditch is sprayed with herbicide

annually to keep sediment from accumulating or obstructive vegetation from colonizing the channel. The District only desilts approximately 250 feet of this ditch on an annual basis. Potential area of impact from mowing grass and weeds along the banks is 0.01 acres. Refer to Page 17 for the location of this facility.

11. **McCoy Lane Drain:** This is an approximately 200 foot long earthen ditch vegetated with grasses and weeds located between Broadway and Skyway Drive. The District mows this ditch on an annual basis to reduce silt trapping vegetation. Potential area of impact from mowing grass and weeds along the banks is 0.01 acres. Refer to Page 19 for the location of this facility.
12. **Patterson Road Ditch:** This is a concrete bottom ditch with concrete vertical walls approximately 443 feet long. This ditch flows through the Patterson Rd subdivision. Weep holes and cracks in the concrete lined section are spot sprayed with herbicide on an annual basis so the cracks don't get larger from the weeds growing in them and the weep holes remain functional. Potential area of impact is less than 50 square feet. Refer to Page 29 for the location of this facility.
13. **Santa Maria River Levee:** The U.S. Army Corps of Engineers constructed this levee and the District is mandated to maintain it. Maintenance consists of annually spot spraying the river side of the levee rock area. Per ACOE regulations, the District also maintains a 15 foot-wide vegetation free zone along the entire toe of the levee. The backside of the levee (which does not contain rock like the front of the levee does), and the lower levee roads, are mowed annually for weed control. The backside of the levee and access roads are completely outside of the drainage. Impact from mowing this area outside of the channel is 130 acres. Potential area of impact is less than 1,000 square feet for spot spraying. The District applies pre-emergent herbicide on the front side of the levee and impacts associated with pre-emergent application are 81 acres. Refer to Page 32 for the location of this facility.
14. **Sonya St. Ditch:** This is an earthen ditch approximately 1,300 feet long. The District spot sprays this ditch and mows the slopes on an annual basis to reduce silt trapping vegetation and for fire suppression purposes. Portions of the channel are desilted approximately every 5 years. Potential area of impact is less than 100 square feet for spot spraying. Refer to Page 34 for the location of this facility.
15. **Texaco Ditch:** This is an earthen channel approximately 2,300 feet long. The District spot sprays this ditch on a biannual annual basis to reduce silt trapping vegetation (weeds) and desilts portions of the channel approximately every 5 years. Refer to Page 11 for the location of this facility.
16. **Willemsen Ranch Channel:** This is an earthen ditch 720 feet long beginning just downstream of Park Circle in Santa Ynez. This ditch is spot sprayed annually to keep sediment from accumulating or obstructive vegetation from colonizing the channel. The ditch is desilted approximately every 7 to 10 years. Potential area of impact is less than 100 square feet for spot spraying. Refer to Page 37 for the location of this basin.

Basins

1. **A-Street Basin:** The basin is mowed annually and the low flow channel through the basin is spot sprayed on an annual basis. The basin is desilted approximately every 7 to 10 years. Potential areas of impact are less than 50 square feet from spot spraying and 0.25 acres from mowing. Refer to Page 1 for the location of this facility.
2. **Basin B:** This basin is also known as Orcutt Regional Detention Basin B. This basin is mowed on an annual basis for fire suppression purposes. The outlet structure is sprayed on annual basis to eliminate vegetation from blocking the outlet structure. This basin is desilted every 5 to 7 years. Potential area of impact for mowing is 1.0 acres. Refer to Page 28 for the location of this facility.
3. **Blosser Basin:** The upper access road around this basin is mowed annually for fire control and volunteer woody vegetation and cattails are spot sprayed. Potential area of impact is 0.18 acres from mowing the access road around the top of the basin. See Page 4 for the location of this facility.
4. **Bradley Basin:** The outlet structure on this basin is spot sprayed annually. Willows will be brushed at the entrance to the basin. Potential area of impact is less than 50 square feet for spot spraying and 500 square feet for brushing. The basin is desilted every 3 to 5 years. Refer to Page 5 for the location of this facility.
5. **C2P2 Basin:** This is a retention basin located in an industrial area. This basin is mowed on an annual basis for fire suppression purposes. The outlet structure is sprayed on an annual basis to eliminate vegetation from blocking the outlet structure. Potential area of impact is 2.5 acres from mowing. Refer to Page 6 for the location of this facility.
6. **Country Hills Basin:** This is a retention basin located in an urban area. This basin is mowed on an annual basis for fire suppression purposes. The inlet structure is sprayed on an annual basis to eliminate vegetation from blocking the inlet structure. Potential area of impact is 0.5 acres from mowing and less than 50 square feet for spot spraying. Refer to Page 25 for the location of this facility.
7. **Deer Field Basin:** This basin is located within the Deer Field Estates taking street drainage. The banks of this basin are mowed on an annual basis for weed and fire control. The V-ditches are spot sprayed on an annual basis. The basin is desilted every 3 to 5 years. Refer to Page 10 for the location of this basin.
8. **Diani Basin:** The banks of this basin are mowed on an annual basis for weed and fire control. The bottom of this basin is spot sprayed on an annual basis. Potential area of impact is less than 50 square feet from spot spraying and 0.25 acres from mowing. Refer to Page 13 for the location of this facility.
9. **Foxenwood Basin #2:** This basin a grassy Park within a subdivision that acts to retard runoff during the winter months but is otherwise a grassy play area. The District maintains the inlet and outlet pipes on a biannual basis by removing any accumulated sediment immediately blocking the pipes. Potential area of impact is 0.5 acres for mowing and less than 10 square feet for spot spraying. Refer to Page 7 for the location of this facility.

10. **Getty Basin:** This is a recharge basin. The upper banks of the basin are sprayed on a biannual basis and the slopes of the basin are disced on a biannual basis to retain the recharge capacity of this facility. Potential area of impact is 0.35 acres from spraying the fence line and 11 acres for discing the basin slopes. Refer to Page 13 for the location of this facility.
11. **Hummel Basin:** This is a retention basin located in an urban area. This basin is mowed on an annual basis for fire suppression purposes. The inlet structure is sprayed on an annual basis to eliminate vegetation from blocking the inlet structure. Potential area of impact is 1.0 acre for mowing and less than 10 square feet for spot spraying. Refer to Page 25 for the location of this facility.
12. **Hobbs Fee Retention Basin:** Weeds in this basin are mowed every year for weed and fire control, and the area immediately adjacent to the inlet structure is sprayed to keep it from becoming blocked by cattails. Potential area of impact is 0.28 acres for mowing and less than 10 square feet for spot spraying. Refer to Page 13 for the location of this facility.
13. **K-Mart Basin:** Weeds in this basin are mowed on an annual basis for fire and weed control. The bottom of the basin is also spot sprayed on an annual basis to eliminate the woody vegetation that may begin to colonize in the basin, and the basin is desilted approximately every 7 years. Potential area of impact is 0.2 acres for mowing and less than 50 square feet for spot spraying. Refer to Page 15 for the location of this facility.
14. **Kovar Basin:** The area immediately surrounding the inlet of this basin is spot sprayed on a biannual basis. Potential area of impact for spot spraying is less than 100 square feet. Refer to Page 13 for the location of this facility.
15. **Lakeview Basin:** This is a retention basin located in an urban area. This basin is mowed on an annual basis for fire suppression purposes. The outlet structure is sprayed on an annual basis to eliminate vegetation from blocking the outlet structure. Potential area of impact is 0.5 acres for mowing and less than 10 square feet for spot spraying. Refer to Page 16 for the location of this facility.
16. **Mud Lake Basin 1,2,3:** All three basins are connected together and work as retention basins. On an annual basis, these basins are mowed for weed and fire control. The bottom of Mud Lake Basin 1 is spot sprayed on an annual basis to eliminate the woody vegetation that may begin to colonize the basin. Potential area of impact is 2.5 acres for mowing and less than 100 square feet for spot spray. Refer to Page 24 for the location of this basin.
17. **Oak Knoll Basin:** On an annual basis, this basin is mowed for weed and fire control. The bottom of the basin is also spot sprayed on an annual basis to eliminate the woody vegetation that may begin to colonize the basin. Potential area of impact is 0.28 acres for mowing and less than 50 square feet for spot spraying. Refer to Page 24 for the location of this facility.
18. **Orcutt-Solomon Basin (also known as California Street Basin):** This is a sediment basin that is desilted approximately every two years. The banks of the

basin are mowed on an annual basis for fire and weed control. Potential area of impact is 1.8 acres for mowing. See Page 27 for the location of this facility.

19. **Prell Street Basin:** The banks of this basin are mowed on an annual basis for weed and fire control. The bottom of the basin is maintained vegetation free with annual spot spray. The basin is desilted approximately every 7 years. Potential area of impact is 0.23 acres for mowing and less than 50 square feet for spot spraying. Refer to Page 30 for the location of this facility.
20. **Quail Meadows Basin:** This basin is a retention basin located in an urban area and is mowed on an annual basis for fire suppression purposes. The inlet structure is sprayed on an annual basis to eliminate vegetation from blocking the inlet. Potential area of impact is 0.2 acres for mowing and less than 10 square feet for spot spraying. Refer to Page 16 for the location of this facility.
21. **Simas Park Basin:** This is a retention basin located in an urban area. The bottom of the basin is maintained vegetation free with annual spot spray. The basin is desilted annually, removing debris trapping sediment from the outlet structure. Potential area of impact is less than 100 square feet for spot spraying. Refer to Page 33 for the location of this facility.
22. **Tanglewood Basin:** The ditch running through the middle of the basin is spot sprayed on a 1-2 year basis and the basin is desilted approximately every 3 to 5 years. Potential area of impact is less than 50 square feet for spot spraying. See Page 35 for the location of this facility.
23. **Union Valley Parkway Basin:** This is a retention basin located in an urban area. This basin is mowed on an annual basis for fire suppression purposes. The inlet structure is sprayed on an annual basis to eliminate vegetation from blocking the inlet. Potential area of impact is 0.1 acres for mowing and less than 10 square feet for spot spraying. Refer to Page 25 for the location of this facility.
24. **Village Hills Basin:** This is a retention basin located in an urban area. The basin is mowed on an annual basis for fire suppression purposes. The inlet structure is sprayed on an annual basis to eliminate vegetation from blocking the inlet. Potential area of impact is 0.1 acres for mowing and less than 10 square feet for spot spraying. Refer to Page 25 for the location of this facility.

Los Alamos:

Ditches:

1. **Los Alamos Eastside Ditch:** This is a 200 feet long grassy swale and is mowed annually. Potential area of impact is 1.5 acres from mowing the ditch. Refer to Page 18 for the location of this facility.

Santa Ynez/Lompoc:

Ditches


1. **Airey-Skytt Channel:** This is a half concrete/half earthen channel. The earthen channel is spot sprayed annually to reduce silt trapping vegetation. Potential area of impact is less than 50 square feet for spot spraying. Refer to Page 2 for the location of this facility.
2. **Amby Ditch:** This is an earthen ditch approximately 900 feet long and the District spot sprays the channel bottom on an annual basis. Portions of the channel are desilted approximately every 3 to 5 years. Potential area of impact is less than 50 square feet for spot spraying. Refer to Page 3 for the location of this facility.
3. **Calvert Ditch:** This earthen ditch runs parallel to Lompoc-Casmalia Road for approximately 1,000 feet and then turns to the south and flows through cultivated fields to the Santa Ynez River, a total distance of 2,240 feet. The District spot sprays the invert and mows the banks on an annual basis for weed and fire control. Potential area of impact is less than 100 square feet for spot spraying and 0.7 acres for mowing. Refer to Page 20 for the location of this facility.
4. **Cebada Canyon Channel:** This is a concrete channel approximately 1 mile long that has portions of the length desilted on an annual basis. The portions of the channel that are not desilted are spot sprayed on an annual basis. Potential area of impact is less than 100 square feet for spot spraying. Refer to Page 8 for the location of this facility.
5. **Hoag-Santa Rita Ditch:** This is an earthen ditch, approximately .75 miles long, containing 4 concrete check structures. The District only maintains the check structures which is needed on a very infrequent basis. Maintenance, when needed, is usually fixing erosion along the edges of the structure. Refer to Page 8 for the location of this facility.
6. **Lilley-Hayes Ditch:** This is an earthen road-side ditch approximately 4,400 feet long that is a tributary to Cebada Channel. The District spot sprays the channel and mows the banks on an annual basis for weed and fire control. Potential area of impact is less than 50 square feet for spot spraying and 1.0 acre for mowing. Refer to Page 8 for the location of this facility.
7. **Mesa Oaks Basin:** This basin is located within the Mesa Oaks Subdivision receiving urban runoff. On an annual basis, this basin is mowed for weed and fire control. The bottom of the basin is also spot sprayed on an annual basis to eliminate the woody vegetation that may begin to colonize the basin. Potential area of impact is 0.4 acres for mowing and less than 100 square feet for spot spraying. Refer to Page 20 for the location of this basin.
8. **Miguelito Channel:** This is a concrete channel that runs through the City of Lompoc and is a tributary to the Santa Ynez River. The lower 500 feet of the channel is earthen and is spot sprayed on an annual basis to remove obstructive vegetation clumps so they don't block the channel. Garbage and other debris are periodically removed from the concrete channel with a loader on an as needed basis, sometimes several times a year. Potential area of impact is less than 100 square feet for spot spraying. Refer to Page 21 for the location of this facility.

9. **Mission Hills Channel:** This is an earthen channel that runs through the Mission Hills Subdivision and is approximately 1.6 miles. The District maintains 4 check structure on a very occasional basis. Maintenance of the check structure would be erosion repair around the structure. The District also mows the access road for weed and fire control on an annual basis and occasionally spot sprays the invert if it begins to become colonized with vegetation. Potential area of impact is 1.5 acres for mowing the access road along the top of the channel and less than 100 square feet for spot spraying. Refer to Page 22 for the location of this facility.
10. **Rodeo Channel:** This is a concrete channel, approximately 2,100 feet long, that runs into Rodeo-San Pasqual Basin. On a biannual basis, small deposits of sediment are removed from the channel with a loader so sediment does not accumulate. Weep holes and cracks in the concrete lined section are spot sprayed with herbicide on an annual basis so the cracks don't get larger from the weeds growing in them and the weep holes remain functional. Potential area of impact is less than 100 square feet for spot spraying. Refer to Page 31 for the location of this facility.
11. **Rodeo-San Pasqual Channel:** This is a concrete channel, approximately 2.73 miles long, that runs across the Lower Lompoc Valley and is a tributary to the Santa Ynez River. On an annual basis, small deposits of sediment are removed from the channel with a loader so sediment does not accumulate. Potential area of impact is 6 acres from driving the loader down the concrete channel. Refer to Page 31 for the location of this facility.
12. **San Pasqual Channel:** This is a concrete channel, approximately 3,500 feet long that runs into Rodeo-San Pasqual Basin. On an annual basis, small deposits of sediment are removed from the channel with a loader so sediment does not accumulate. Weep holes and cracks in the concrete lined section are spot sprayed with herbicide on an annual basin so the cracks don't get large from weeds growing in them, and weep holes remain functional. Potential area of impact is less than 100 square feet for spot spraying. Refer to Page 31 for the location of this facility.
13. **Thumbelina Ditch:** This is a concrete channel approximately 650 feet long with a short (120 feet) earthen channel portion. The concrete lined channel requires desilting approximately every 5 to 7 years and the earthen channel is occasionally spot sprayed, and access roads mowed on an annual basis. Potential area of impact is less than 50 square feet for spot spraying. Refer to Page 36 for the location of this facility.

Basins:

1. **Buellton Basins 1 & 2:** The banks of these basins are mowed on an annual basis for weed and fire control and the basins are desilted approximately every 3 to 5 years. The basins are spot sprayed annually to remove unwanted vegetation from the invert of the basin. Potential area of impact is 2 acres for mowing and less than 100 square feet for spot spraying. Refer to Page 3 for the location of these basins.

2. **Cemetery Debris Basin:** This basin is mowed on an annual basis and spot sprayed occasionally to remove woody vegetation if it becomes established. Potential area of impact is 0.04 acres for mowing and less than 50 square feet for spot spraying. Refer to Page 23 for the location of this facility.
3. **Fault Canyon Basin:** Weeds and grasses are mowed on an annual basis in the basin and the basin is desilted every 7 to 10 years and spot sprayed annually to remove woody vegetation if it becomes established. Potential area of impact is 0.04 acres for mowing and less than 50 square feet for spot spraying. Refer to Page 23 for the location of this facility.
4. **Miguelito Basin:** The edge of the basin is spot sprayed on a biannual basis so it doesn't become colonized with bulrush. The basin is desilted approximately every 5 to 10 years. Potential area of impact is less than 100 square feet for spot spraying. Refer to Page 21 for the location of this facility.
5. **Mission Hills Basin:** Mustard and poison hemlock are mowed annually within the basin for weed and fire control. Potential area of impact is 1.5 acres for mowing. Refer to Page 22 for the location of this facility.
6. **Mormon Canyon Basin:** Weeds and grasses are mowed on an annual basis in the basin and the basin is desilted every 7 to 10 years. Potential area of impact is 0.04 acres for mowing. Refer to Page 23 for the location of this facility.
7. **R Street Basin:** Mustard and poison hemlock are mowed annually within the basin for weed and fire control. The basin is also spot sprayed every other year if woody vegetation begins to colonize the basin. Potential area of impact is 0.04 acres for mowing. Refer to Page 21 for the location of this facility.
8. **Rudolph Basin:** This basin is very occasionally mowed to control weeds. Potential area of impact is 0.04 acres for mowing. Refer to Page 23 for the location of this basin.
9. **Cherry Ave. Basin:** The inlet structure is desilted every 3 to 5 years removing unwanted sediment and vegetation. Refer to Page 25 for the location of this basin.
10. **Hubble Basin:** This basin is annually mowed to control weeds. Potential area of impact is 0.5 acres for mowing. Refer to Page 25 for the location of this basin.



Department
of
Public Works
County
of
Santa Barbara

A-Street Basin Industrial Parkway Ditch



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




1,250 625 0 1,250
Feet
Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Department
of
Public Works
County
of
Santa Barbara

Airey-Skytt Channel



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




1,900 950 0 1,900
Feet

Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Department
of
Public Works
County
of
Santa Barbara

Amby Ditch Buellton Basins 1&2



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




1,100 550 0 1,100
Feet

Coordinate System: State Plane California Zone V NAD 83

Annual Routine Maintenance Plan

Santa Barbara County, California


Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



C2P2 Basin (Betteravia Gov. Center Basin)




This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.



Annual Routine Maintenance Plan

Santa Barbara County, California
 Prepared By:
 The Santa Barbara County Flood Control and Water Conservation District
 Compiled by the Public Works Enterprise GIS.



Department
of
Public Works
County
of
Santa Barbara

California St. Ditch Foxen Woods Basin #2

Page 7



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




425 212.5 0 425
Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Department
of
Public Works
County
of
Santa Barbara

Cebada Canyon Channel Lilley-Hayes Ditch Hoag-Santa Rita Ditch



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




2,500 1,250 0 2,500
Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Department
of
Public Works
County
of
Santa Barbara

Crescent Avenue Ditch



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




510 255 0 510
Feet


Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.





Department
of
Public Works
County
of
Santa Barbara

Diaz Ditch Texaco Ditch



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




870 435 0 870
Feet

Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Department
of
Public Works
County
of
Santa Barbara

Dutra Ditch



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




1,100 550 0 1,100
Feet

Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Department
of
Public Works
County
of
Santa Barbara

Getty Basin
Hobbs Fee Retention Basin
Kovar Basin
Thornberg Ditch
A-Street Basin
Industrial Parkway Ditch
Diani Basin



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




1,100 550 Feet 1,100

Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Green Canyon Spillway




This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.



Annual Routine Maintenance Plan

Santa Barbara County, California
 Prepared By:
 The Santa Barbara County Flood Control and Water Conservation District
 Compiled by the Public Works Enterprise GIS.



Department
of
Public Works
County
of
Santa Barbara

K-Mart Basin



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




460 230 0 460
Feet

Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Department
of
Public Works
County
of
Santa Barbara

Lake Marie Ditch



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




560 280 0 560
Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Department
of
Public Works
County
of
Santa Barbara

Los Alamos Eastside Ditch

Page 18



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




725 362.5 0 725
Feet

Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



McCoy Lane Drain




This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.



275 137.5 0 275
 Feet
 Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California
 Prepared By:
 The Santa Barbara County Flood Control and Water Conservation District
 Compiled by the Public Works Enterprise GIS.



Department
of
Public Works
County
of
Santa Barbara

Mesa Oaks Basin Mission Hills Channel Mission Hills Basin Calvert Ditch

Page 20



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




1,300 650 0 1,300
Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan
Fiscal Year 2011-2012

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Department
of
Public Works
County
of
Santa Barbara

Miguelito Channel
Miguelito Basin
R Street Basin
Rodeo Channel
San Pasqual Channel
Rodeo-San Pascual Channel



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




2,100 1,050 0 2,100
Feet

Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Department
of
Public Works
County
of
Santa Barbara

Mission Hills Channel Mission Hills Basin Calvert Ditch

Page 22



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




1,200 600 0 1,200
Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Department
of
Public Works
County
of
Santa Barbara

Mormon Canyon Debris Basin Fault Canyon Debris Basin Cemetery Debris Basin Rudolph Debris Basin

Page 23



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




950 475 0 950
Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Mud Lake Basins 1,2,3 Woodmeyer Basin





This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.



Annual Routine Maintenance Plan


Santa Barbara County, California
 Prepared By:
 The Santa Barbara County Flood Control and Water Conservation District
 Compiled by the Public Works Enterprise GIS.



Northpointe Basin
Hummel Basin
Valley Parkway Basin
Country Hills Basin
Union Valley Parkway Basin
Village Hills Basin
Hubble Basin
Cherry Avenue Basin




This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.



Annual Routine Maintenance Plan

Santa Barbara County, California
Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS.



Department
of
Public Works
County
of
Santa Barbara

Oak Knoll Basin



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




460 230 0 460
Feet

Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Department
of
Public Works
County
of
Santa Barbara

Orcutt-Solomon Basin



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Orcutt Regional Detention Basin B



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.



Annual Routine Maintenance Plan


Santa Barbara County, California
 Prepared By:
 The Santa Barbara County Flood Control and Water Conservation District
 Compiled by the Public Works Enterprise GIS.



Patterson Rd. Ditch




This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.



Annual Routine Maintenance Plan

Santa Barbara County, California
 Prepared By:
 The Santa Barbara County Flood Control and Water Conservation District
 Compiled by the Public Works Enterprise GIS.



Department
of
Public Works
County
of
Santa Barbara

Prell Basin

Page 30



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




525 262.5 0 525
Feet

Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California


Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Rodeo Channel
 San Pascual Channel
 Rodeo-San Pascual Basin
 Rodeo-San Pascual Channel
 Rodeo-San Pascual Outlet




This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.



Annual Routine Maintenance Plan

Santa Barbara County, California
 Prepared By:
 The Santa Barbara County Flood Control and Water Conservation District
 Compiled by the Public Works Enterprise GIS.



Department
of
Public Works
County
of
Santa Barbara

Santa Maria River Levee

Page 32



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.





7,300 3,650 0 7,300
Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.






Sonya St. Ditch




This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.



Annual Routine Maintenance Plan

Santa Barbara County, California
Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS.



Tanglewood Basin




This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.



Annual Routine Maintenance Plan

Santa Barbara County, California
Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Department
of
Public Works
County
of
Santa Barbara

Thumbelina Ditch



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




680 340 0 680
Feet
Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



South Coast Facilities:

Most of the South Coast facilities are concrete channels that require minor maintenance. Maintenance mainly consists of periodic inspection of the weep holes along the concrete channel and trimming of vegetation that overhangs the channel from adjacent back yards and along access roads and vegetation such as ivy that grows down the concrete itself. The District occasionally paints over graffiti.

The District will conduct herbicide application in the facilities listed below beginning May 1st, and desilting and mowing of non-native vegetation beginning June 1st of the year following that Annual Plan's approval. If the project does not specifically state that desilting will occur, then that facility will not be desilted under this year's Annual Plan.

All South Coast Facilities have a potential area of impact of less than 100 square feet from spot spraying.

South County exempt facility maps immediately follow this section and associated map page numbers are referenced in each exempt facility discussion.

Concrete Channels:

1. **Arroyo Burro Channel:** From the confluence with San Roque Creek downstream to Calle Real Street, approximately 1,000 feet. On an annual basis the concrete channel is spot sprayed and sediment is removed approximately every 5 years. Refer to Page 1.
2. **Atascadero Channel:** From Arroyo Road downstream to the confluence with Hospital Channel, a distance of 2,170 feet. The bottom of the channel is spot sprayed along with graffiti removal on an annual basis to eliminate the vegetation that may begin to colonize within the channel. Refer to Page 2.
3. **Cieneguitas Channel:** From the Union Pacific Railroad tracks downstream to Modoc Road, a distance of 500 feet. The bottom of the channel is spot sprayed along with graffiti removal on an annual basis to eliminate the vegetation that may begin to colonize within the channel. Refer to Page 3.
4. **Derbiano Drain:** From the confluence with Hospital Creek upstream 1,000 feet. This concrete channel consists of overhanging shrubs that protrude into the active channel. The shrubs will be cut and removed from the active channel on an annual basis. The channel is desilted every 3 to 5 years. Refer to Page 2.
5. **El Encanto Channel:** From Hollister Avenue to Phelps Road, a distance of 1,700 feet. The bottom of the channel is spot sprayed along with graffiti removal on an annual basis to eliminate the vegetation that may begin to colonize within the channel. Refer to Page 5.
6. **Encina Drain:** From Cathedral Oaks Road to Berkeley Road, a distance of 371 feet. The bottom of the channel is spot sprayed along with graffiti removal on an annual basis to eliminate the vegetation that may begin to colonize within the channel. The channel is desilted every 3 to 5 years. Refer to Page 6.


7. **Franklin Channel:** From upstream of Casitas Pass Road downstream to the Carpinteria Salt Marsh, a distance of 2.2 miles. This concrete channel consists of overhanging shrubs that protrude into the active channel. The shrubs will be cut and removed from the active channel on an annual basis. Every 3 to 5 years sediment is removed from the channel. Franklin Channel will be desilted this year. Refer to Page 7.
8. **Fremont Channel:** From Queen Anne Road downstream 125 feet. Every 3 to 5 years, sediment is removed from the channel. The bottom of the channel is spot sprayed along with graffiti removal on an annual basis. Refer to Page 9.
9. **High School Drain:** On the east side of Carpinteria High School from Foothill Road upstream 500 feet. The bottom of the channel is spot sprayed along with graffiti removal on an annual basis to eliminate the vegetation that may begin to colonize within the channel. Refer to Page 7.
10. **Hog Canyon Channel:** From the confluence with Carpinteria Creek upstream 500 feet. Every 5 to 7 years, sediment is removed from the channel. Refer to Page 10.
11. **Hospital Channel:** From Hollister Avenue downstream to the confluence with Atascadero Creek, a distance of 2,060 feet. The bottom of the channel is spot sprayed along with graffiti removal on an annual basis to eliminate the vegetation that may begin to colonize within the channel. Existing concrete panels are damaged and will be replaced in-kind to restore channel functionality. The channel is desilted every 3 to 5 years. Refer to Page 2.
12. **Las Positas Channel:** From Veronica Springs Road upstream 1,000 feet. The bottom of the channel is spot sprayed along with graffiti removal on an annual basis to eliminate the vegetation that may begin to colonize within the channel. The channel is desilted every 3 to 5 years. Refer to Page 12.
13. **Los Carneros Channel:** From the Union Pacific Railroad downstream to Firestone Road, a distance of 2,200-feet. The bottom of the channel is spot sprayed along with graffiti removal on an annual basis to eliminate the vegetation that may begin to colonize within the channel. The channel is desilted every 3 to 5 years. Los Carneros Channel will be desilted this year. Refer to Page 13.
14. **Mission Channel:** From Los Olivos to Pedregosa St and from Valerio to Canon Perdido, a total distance of 5,641 feet. Garbage or debris, along with graffiti removal is conducted on a yearly basis. The channel is desilted every 3 to 5 years. Refer to Page 14.
15. **Montecito Channel (Casa Dorinda Channel):** From Hot Springs Road downstream to the Montecito Debris Basin, a distance of 1,000 feet. Every 3 to 5 years, sediment is removed from the channel. Refer to Page 15.
16. **Pace Park Drain:** Between Highway 101 and Pace Park Subdivision, a distance of 1,000 feet. The bottom of the channel is spot sprayed along with graffiti removal on an annual basis to eliminate the vegetation that may begin to colonize within the channel. The channel is desilted every 3 to 5 years. Refer to Page 7.

17. **Patterson Drain:** This concrete swale runs parallel to Patterson Road for a distance of 150 feet. This channel is desilted every 3 to 5 years. Refer to page 17.
18. **Patterson Estates Drain:** Is the inlet to Patterson drain located at the upper end of Patterson Estates. The inlet is weeded and spot sprayed on an annual basis. Refer to page 17.
19. **Placencia Drain:** This is a drain pipe that drains water from the low lying Placencia Street neighborhood into San Pedro Creek. The District maintains the inlet free of sediment and debris on an annual basis. Refer to page 18.
20. **Robin Hill Drain:** On the west side of Robin Hill Road from Hollister Avenue upstream 500 feet. The bottom of the channel is spot sprayed along with graffiti removal on an annual basis to eliminate the vegetation that may begin to colonize within the channel. The channel is desilted every 3 to 5 years. Refer to Page 13.
21. **Romero Channel:** From Fernald Point Road to the ocean, a distance of 600 feet. Every 3 to 5 years, sediment is removed from the channel. Refer to Page 19.
22. **San Jose Channel:** From Hollister Avenue downstream 4,000 feet to Goleta Slough. The District maintains the access road within the channel on the right side. The road is weeded and spot sprayed on an annual basis. The channel will be desilted as needed. Potential area if impact is less than 500 square feet for spot spraying. Refer to Page 22.
23. **San Pedro Channel:** Runs from Calle Real upstream 1,600 feet. Vegetation that is overhanging or has fallen in the channel is removed and weep holes are spot sprayed. Refer to Page 20.
24. **Sandpiper Drain:** This channel is located on the west side of the Sandpiper trailer park for a distance of 200 feet. Debris and unwanted vegetation is removed on an annual basis. Refer to Page 7.
25. **Santa Monica Channel:** This channel runs from the Santa Monica Debris basin downstream approximately 1.2 miles to Carpinteria Salt Marsh. Debris and unwanted vegetation is removed on an annual basis. The channel is desilted every 3 to 5 years. Refer to Page 7.
26. **Serenidad Drain:** From the confluence with Las Vegas Creek upstream 350 feet. Every 5 to 7 years, sediment is removed from the channel. Refer to Page 20.
27. **Shirrell Drain:** This is a concrete v-ditch that drains a portion of the housing track just west of Las Vegas Creek. Vegetation that is overhanging or has fallen in the channel is removed as needed. Refer to Page 21.
28. **Via Regina Ditch:** On the east side of the homes located on Via Regina, for a distance of 700 feet. Every 5 to 7 years, sediment is removed from the channel. Refer to Page 23.

29. **Westside Storm Drain:** The District maintains the outlet structure at the Boys and Girls Club. This outlet requires removal of garbage and debris from outlet grate on an as needed basis. Refer to Page 24.

Basins:

1. **El Encanto Basin:** Located on Micheltorena Street in Santa Barbara. This basin requires rock and debris (small woody debris) removal (approximately 5 cubic yards) approximately every 10 years. Refer to Page 4.
2. **Franciscan Basin:** This sediment basin is at the upstream end of Franciscan Culvert 1360 Cravens Lane in Carpinteria. This basin requires desilting approximately every 5 years to remove approximately 500 cubic yards of sediment and occasional spot spraying for weeds or cattails (approximately 5 square feet of cattails). Last year's desilted material stockpiled adjacent to the basin will be moved this year. Refer to Page 7.
3. **Hog Canyon Basin:** This basin requires desilting approximately every 5 years to remove between 100-200 cubic yards of sediment. Mustard and weedy vegetation are mowed annually within the basin for weed and fire control. The basin is also spot sprayed every other year if woody vegetation begins to colonize the basin. Refer to Page 11.
4. **Hospital Basin:** Immediately north of Goleta Valley Little League fields on Hollister Avenue. This basin requires desilting approximately every 5 years to remove between 100-200 cubic yards of sediment. Mustard and weedy vegetation are mowed annually within the basin for weed and fire control. The basin is also spot sprayed every other year if woody vegetation begins to colonize the basin. Refer to Page 2.
5. **Kim's Basin:** Next to Kim's Market on Via Real in Carpinteria. This basin requires desilting approximately every 10 years to remove approximately 1,000 cubic yards of sediment and occasional spot spray of cattails (approximately 5 square feet of cattail removal). The basin will be desilted this year. Refer to Page 7.
6. **Parma Basin:** Weedy vegetation is mowed annually within the basin. It is also spot sprayed every other year if woody vegetation begins to colonize the basin. Refer to Page 16.



Department
of
Public Works
County
of
Santa Barbara

Arroyo Burro Channel



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




380 190 0 380
Feet
Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Department
of
Public Works
County
of
Santa Barbara

Atascadero Channel Derbyano Drain Hospital Channel Hospital Basin



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




375 187.5 0 375
Feet

Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Department
of
Public Works
County
of
Santa Barbara

Cieneguitas Channel



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




140 70 0 140
Feet

Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Department
of
Public Works
County
of
Santa Barbara

El Encanto Basin



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




390 195 0 390
Feet

Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California


Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



El Encanto Channel



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
 The Santa Barbara County Flood Control and Water Conservation District
 Compiled by the Public Works Enterprise GIS in April 2011.



Department
of
Public Works
County
of
Santa Barbara

Encina Drain



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




350 175 0 350
Feet

Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.




Department
of
Public Works
County
of
Santa Barbara

Franciscan Basin
Sandpiper Drain
Kim's Basin
Santa Monica Channel
Pace Park Drain
High School Drain
Franklin Channel

Page 7





This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.



Annual Routine Maintenance Plan
Fiscal Year 2011-2012

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Department
of
Public Works
County
of
Santa Barbara

Franciscan Basin
Kim's Basin
Santa Monica Creek (Channel)
Franklin Creek (Channel)
High School Drain
Pace Park Drain



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




1,200 600 0 1,200
 Feet
 Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
 The Santa Barbara County Flood Control and Water Conservation District
 Compiled by the Public Works Enterprise GIS.



Department
of
Public Works
County
of
Santa Barbara

Fremont Channel

Page 9



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




150 75 0 150
Feet

Coordinate System: State Plane, California Zone V, NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Department
of
Public Works
County
of
Santa Barbara

Hog Canyon Channel

Page 10



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.





1,200 600 0 1,200
Feet
Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Hog Canyon Channel Hog Canyon Basin




This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.



Annual Routine Maintenance Plan

Santa Barbara County, California
Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS.



Department
of
Public Works
County
of
Santa Barbara

Las Positas Channel

Page 12



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




550 275 0 550
Feet

Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Department
of
Public Works
County
of
Santa Barbara

Los Carneros Channel Robin Hill Drain



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




440 220 0 440
Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Department
of
Public Works
County
of
Santa Barbara

Montecito Channel

Page 15



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




390 195 0 390
Feet

Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California


Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.




Parma Basin



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.






Placencia Drain




This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.



Annual Routine Maintenance Plan

Santa Barbara County, California
 Prepared By:
 The Santa Barbara County Flood Control and Water Conservation District
 Compiled by the Public Works Enterprise GIS.



Department
of
Public Works
County
of
Santa Barbara

Romero Channel

Page 19



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




420 210 Feet 0 420
Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Department
of
Public Works
County
of
Santa Barbara

San Pedro Channel Serenidad Drain



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




275 137.5 0 275
Feet

Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California


Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Shirrell Drain Serenidad Drain




This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.



Annual Routine Maintenance Plan

Santa Barbara County, California
Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS.



Department
of
Public Works
County
of
Santa Barbara

San Jose Channel



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




550 275 0 550
Feet

Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California

Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



Department
of
Public Works
County
of
Santa Barbara

Via Regina Ditch



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.




450 225 0 450
Feet
Coordinate System: State Plane California Zone V NAD 1983

Annual Routine Maintenance Plan

Santa Barbara County, California


Prepared By:
The Santa Barbara County Flood Control and Water Conservation District
Compiled by the Public Works Enterprise GIS in April 2011.



West Side Storm Drain



This map is for reference only. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the database may be reflected on this map. Santa Barbara County shall not be liable for any errors, omissions, or damages that result from inappropriate use of this document. No level of accuracy is claimed for the boundary lines shown hereon and lines should not be used to obtain coordinate values, bearings or distances.



Annual Routine Maintenance Plan

Santa Barbara County, California
 Prepared By:
 The Santa Barbara County Flood Control and Water Conservation District
 Compiled by the Public Works Enterprise GIS.