



Yana Garcia
Secretary for
Environmental Protection



Department of Toxic Substances Control

Katherine M. Butler, MPH, Director
8800 Cal Center Drive
Sacramento, California 95826-3200
dtsc.ca.gov



Gavin Newsom
Governor

SENT VIA ELECTRONIC MAIL

April 14, 2026

Kelli Rasmus
Associate Planner
City of San Diego
7650 Mission Valley Road MS DSD 1A
San Diego, CA 92108
krasmus@sandiego.gov

RE: ADDENDUM FOR THE COLLECTION AT CACTUS RECEIVED APRIL 3, 2026,
STATE CLEARINGHOUSE NUMBER [2004051076](#)

Dear Kelli Rasmus,

The Department of Toxic Substances Control (DTSC) reviewed the Addendum for The Collection at Cactus (Project). The Project would construct 985 multi-family residential units on a 38.8-acre site located at 7020 Airway Road in San Diego. Additionally, the Project would allow for the development of 20,949 square feet in leasing/amenity space, two detention basins and a 3.5-acre park site. The Project would also include improvements to Cactus Road, Continental Street, and Airway Road, as well as the construction of internal roadways. The subject property was utilized for agriculture as late as 1996 therefore, DTSC recommends and requests consideration of the following comments:

1. When agricultural crops and/or land uses are proposed or rezoned for residential use, several contaminants of concern (COCs) can be present. The Lead Agency shall identify the amounts of Pesticides and Organochlorine Pesticides (OCPs) historically used on the property. If present, OCPs requiring further analysis are dichloro-diphenyl-trichloroethane, toxaphene, and dieldrin. Additionally, any level of arsenic present would require further

analysis and sampling and must meet approved local area baselines or thresholds. If they do not, remedial action must take place to mitigate them below those thresholds. Additional COCs may be found in mixing/loading/storage areas, drainage ditches, farmhouses, or any other outbuildings and should be sampled and analyzed. If smudge pots had been routinely utilized, additional sampling for Polycyclic Aromatic Hydrocarbons and/or Total Petroleum Hydrocarbons may be required. These recommendations should be adhered to and become part of the environmental document. Please refer to the [DTSC's Human and Ecological Risk Office \(HERO\) webpage](#) for the most recent guidance and screening levels.

2. If buildings or other structures are to be demolished on any Project sites included in the proposed Project, surveys should be conducted for the presence of lead-based paints or products, mercury, asbestos containing materials, and polychlorinated biphenyl caulk. Removal, demolition, and disposal of any of the above-mentioned chemicals should be conducted in compliance with California environmental regulations and policies. In addition, sampling near current and/or former buildings should be conducted in accordance with [DTSC's Preliminary Endangerment Assessment \(PEA\) Guidance Manual](#).
3. DTSC recommends all imported soil/fill material be tested to ensure all COCs meet screening levels as outlined in [DTSC's Preliminary Endangerment Assessment Guidance Manual](#). Furthermore, DTSC advises referencing the [DTSC Information Advisory Clean Imported Fill Material Fact Sheet](#) if importing soil/fill is necessary. To minimize the possibility of introducing contaminated soil/fill material, there should be documentation of the origins of the soil/fill material and, if applicable, sampling be conducted to ensure that the imported soil/fill material is suitable for the intended land use. The sampling should include analysis based on the source of the soil/fill and knowledge of prior land use.

4. DTSC recommends that the City of San Diego enter into a voluntary agreement to address any existing contamination on the property or receive oversight from a [self-certified local agency](#), DTSC or Regional Water Quality Control Board. If entering into one of DTSC's voluntary agreements, please note that DTSC uses a single standard Request for Lead Agency Oversight Application for all agreement types. Please apply for DTSC oversight using this link: [Request for Agency Oversight Application](#). Submittal of the online application includes an agreement to pay costs incurred during agreement preparation. If you have any questions about the application portal, please contact the relevant [Regional Brownfield Coordinator](#) for your Project.

DTSC would like to thank you for the opportunity to comment on the Addendum for The Collection at Cactus Project. Thank you for your assistance in protecting California's people and environment from the harmful effects of toxic substances. If you have any questions or would like clarification on DTSC's comments, please respond to this letter or via our [CEQA Review email](#) for additional guidance.

Sincerely,



Dave Kereazis
Associate Environmental Planner
HWMP-Permitting Division – CEQA Unit
Department of Toxic Substances Control
Dave.Kereazis@dtsc.ca.gov

Kelli Rasmus
April 14, 2026
Page 4

cc: (via email)

Governor's Office of Land Use and Climate Innovation
State Clearinghouse

state.clearinghouse@lci.ca.gov

Conner Kloeppel

Project Applicant

JPI Development Group

conner.kloeppel@jpi.com

Tamara Purvis

Associate Environmental Planner

HWMP - Permitting Division – CEQA Unit

Department of Toxic Substances Control

Tamara.Purvis@dtsc.ca.gov

Scott Wiley

Analyst II

HWMP - Permitting Division – CEQA Unit

Department of Toxic Substances Control

Scott.Wiley@dtsc.ca.gov